
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





THE LADIES' FLORAL CABINET

AND PICTORIAL HOME COMPANION.

HENRY T. WILLIAMS, Publisher, New York.



Send stamp for specimen-copy FREE.

Three exquisite chromos, Good Night, Good Morning, and Gems of the Flow-er-Garden, given to every subscriber.

ER-GARDEN, given to every subscriber.

Every number has fine illustrations of flowers, gardens, hanging baskets, floral elegancies, and delightful baskets, floral elegancies, and delightful baskets, floral society, or household conveniences for the ladies. Young Men and Women will find in it useful hints on self-improvement, manners, society, stories. Ladies will be interested in its designs for household work, dress, fashion, housekeeping, &c. Flower-lovers will be especially delighted with its directions about growing flowers and window-gardening. Tells them all about Bulbs, Hanging - Baskets. Ferneries, Wardian Cases, and Parlor Decorations. Try it. The prettiest of family pictorial papers.

Price, \$1.50 per year, including 3 chromos. 1 chromo.

Twenty-five cents on trial three months. Get up a club. Premium-List free.

WINDOW-GARDENING,

a new book, exquisitely illustrated, devoted to culture of plants, flowers, and bulbs, for in-doors; also langing-baskets, ferneries, and parlor decorations. Two hundred and fifty engravings. Price \$1.50. Sent by mail, postpaid.

EVERY WOMAN HER OWN FLOWER-GARDENER.


BY DAISY EYEBRIGHT.

A charming new book on flower and out-door gardening for ladies.

Price 50 cts., or, bound in cloth, \$1.00.

Address orders to

WASHBURN & CO., Agents, Boston, Mass.




Ladies' and Children's Garden Tools.


Sent by mail, postpaid.

 $L^{
m ADIES'}$ AND CHILDREN'S GARDEN TOOLS, useful, handy, and small. Are liked very much by all who use them. Put up in neat boxes, 11 inches long by 3 wide.


No. 1, extra polish, \$1.50. No. 2, painted and polished. \$1.25.


WASHBURN & CO., Boston, Mass.






No. 1053 Cineraria hybrida, fl. pl.—A new strain of double Cineraria. 1064 Cobea Scandens, fl. alba. —A rapid-growing elimbing plant, with large white bell-shaped flowers; finely adapted for bedding out in summer; seeds should be sown early, to secure well-established plants by the time the season arrives for plantiag, dicis layae-inthiforum, fl. pl.—Flowers of a very rich and highly effective color. A valuable acquisition among the Hyacinth-flowered Larkspurs, more especially as it is already quite constant. 1056 Delphinium Imperialr, fl. pl., "Emperor Larkspur,"—This new race is of symmetrical bushy habit; the plants branch out four inches from the ground, forming fine, compact, well-proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of one and a half feel in clematic proportioned specimens of the				
1033 Cineraria hybrida, fl. pl.— A new strain of double Cineraria. 1054 Cobea Scandens, fl. alba.— A rapid growing elimbing plant, with large white bell-shaped flowers; finely adapted for bedding out in summer; seeds should be sown early, to secure well-established plants by the time the season arrives for planting out 1055 Pelphinium Ajacis hyacinthiflorum, fl. pl.—Flowers of a very rich and highly effective color. A valuable acquisition among the Hyacinth-flowered Larkspurs, more especially as it is already quite constant. 1056 Delphinium Imperial-, fl. pl., "Emperor Larkspur,"—This new rance is of symmetrical bushy habit; the plants branch out four inches from the ground, forming fine compact, well-proportioned specimens of one and a half feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in splendid acquisition. Flowers a dazzling searlet. 1058 Dianthus Heddewigi laciniatus striatus, fl. pl.—A fine new large, flowering double variety of the favorite Danhush sichlatus. The white blossoms, clegantly striped and streaked with different shades, which vary from a delicate rose to the deepest red, produce a most charming combination of huse. 1059 Feverfew erecta alba, fl. pl.—In every respect like double or white Feverfew, except in habit, which is erect 1060 Lobelia speciosa, Carter's Cobalt Blue.—The distinguishing character of this plantis, that it has no white in the eye of the blossom, nor any purple on the ealyx; so that the brilliant blue has the entire possession of the field of color. Very effective, and more compact in habit than L. speciosa of the green and more compact in habit than L. speciosa of free growth, the numerous branches being terminated by large spikes of of the special properties of the special prope	25	g to the second of the second	700	
1033 Cinerata hybrida, fl. pl.— A new strain of double Cineraria. 1034 Cobea Scandens, fl. alba.— A rapid-growing elimbing plant, with large white bell-shaped flowers; finely adapted for bedding out in summer; seeds should be sown early, to secure well-established plants by the time the season arrives for planting out 1035 Delphinium Ajacis hyaccinthiflorum, fl. pl.—Flowers of a very rich and highly effective color. A valuable acquisition among the Hyacinth-flowered Larkspurs, more especially as it is already quite constant. 1056 Delphinium Imperial*, fl. pl., "Emperor Larkspur,"—This new race is of symmetrical bushy habit; the plants branch out four inches from the ground, forming fine, compact, well-proportioned specimens of one and a half feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, the uniform height feet in diameter by three and a half feet in circumference, countries and a half feet in ci				1
1054 Coben Scandens, fl. alba. — A rapid-growing elimbing plant, with large white bell-shaped flowers; finely adapted for bedding out in summer; seeds should be sown early, to secure well-established plants by the time the season arrives for planting out 1055 Delphinium Ajacis hyacinthiflorum, fl. pl. — Flowers of a very rich and highly effective color. A valuable acquisition among the Hyacinh-flowered lighty effective color. A valuable acquisition among the Hyacinh-flowered lighty effective color. A valuable acquisition among the Hyacinh-flowered properties of the planting of the properties of the propered of the properties of the properties of the properties of the p	M			10
1055 Delphinium Ajacis lyacinthiforum, fl. pl. — Flowers of a very rich and highly effective color. A valuable acquisition among the Hyacinth-flowered Larkspurs, more especially as it is already quite constant. 1056 Delphinium Imperialr, fl. pl., "Empero Larkspur," — This new race is of symmetrical busby habit; the plants branch out four inches from the ground, forming fine, compact, well-proportioned specimens of one and a half feet in diameter by three and a half feet in circumference, the uniform height being one and a half feet. 1057 Delphinium nudicaule. — Profuse-blooming variety, perfectly hardy, in fact, a splendid acquisition. Flowers a dazzling scarlet. 1058 Dianthus Heddewici lacintatus striatus, fl. pl. — A fine new large-flowering double variety of the favorite Danthus lacintatus. The white blossoms, cate rose to the deepest red, produce a most charming combination of hues. 1059 Feverfew erecta alba, fl. pl. — In every respect like double or white Feverfew, except in habit, which is crect 1060 Lobelia speciosa, Carter's Cobalt Blue. — The distinguishing character of this plantis, that it has no white in the eye of the blossom, nor any purple on the calvx; so that the brilliant blue has the entire possession of the field of color. Very effective, and more compact in habit than L. speciosa 1061 Mignonette Fyramidal Bouquet. — This variety proms a dense short pyramid of free growth, the numerous branches being terminated by large spikes of intense red flowers, — as many as three hundred being produced on one full grown specimen. The foliage is luxuriant, and of a dark-green. This variety is recommended for pot-culture and for the open border. (See cut.) 1062 Mignonette, New Dwarf Compact. — This is a very desirable variety, and very distinct in character. It forms a dense semi-globular bush of about ten being clothed with dark-green leaves, and decerated with innumerable close spikes of reddish-tinted flowers. 1063 Oxalis rosea delicata. — A particularly charming variety of the O. rosea. Flowe	3	Cobea Scandens, fl. alba. — A rapid-growing climbing plant, with large white bell-shaped flowers; finely adapted for bedding out in summer; seeds should be sown early, to secure well-established plants by the time the season arrives.		Ja
of symmetrical obsey moot, the plants of anno out four inches from the ground, forming fine, compact, well-proportioned specimens of one and a half the ground forming that the ground of the ground o		Delphinium Ajacis hyacinthiflorum, fl. pl. — Flowers of a very rich and highly effective color. A valuable acquisition among the Hyacinth-flowered Larkspurs, more especially as it is already quite constant.	.25	9
1057 Delphinium nudicaule. — Profuse-blooming variety, perfectly hardy, in fact, a splendid acquisition. Flowers a dazzling scarlet	1056	or symmetrical outsly habit; the plants branch out four inches from the ground, forming fine, compact, well-proportioned specimens of one and a half feet in diameter by three and a half feet in circumference, the uniform height	.25	2
1058 Dianthus Heddewigi laciniatus striatus, fl. pl.—A fine new large flowering double variety of the favorite Dianhus laciniatus. The white blossoms, elegantly striped and streaked with different shades, which vary from a delicate rose to the deepest red, produce a most charming combination of hues. 1059 Feverfew erecta alba, fl. pl.—In every respect like double or white Feverfew, except in habit, which is erect 1060 Lobelia speciosa, Carter's Cobalt Blue.—The distinguishing character of this plantlis, that it has no white in the eye of the blossom, nor any purple on the calyst; so that the brilliant blue has the entire possession of the field of color. Very effective, and more companet in habit than L. speciosa. 1061 Mignonette Pyramidal Bouquet.—This variety forms a dense short pyramid of free growth, the numerous branches being terminated by large spikes of intense red flowers.—as many as three hundred being produced on one full-grown specimen. The foliage is luxuriant, and of adra-green layer of the produced on one full-grown specimen. The foliage is luxuriant, and of adra-green layer of the open border. (See cut.) 1062 Mignonette, New Dwarf Compact.—This is a very desirable variety, and very distinct in character. It forms a dense semi-globular bush of about ten inches bigh and eighteen inches across; the robust and vigorous branches being clothed with dark-green leaves, and decorated with innumerable close spikes of reddish-tinted flowers. (See cut.) 1063 Oxalis rosea delicata.—A particularly charming variety of the O. rosea. Flowers rosy-salmon, turning to a darker shade towards the edges of the personal strain. The seed will produce about 30 per cent at least of double flowers strain. The seed will produce about 30 per cent at least of double flowers. 1064 Petunia, double, large-flowering, green-edged.—This is a very superb strain. The seed will produce about 30 per cent at least of double flowers. 1065 Phlox Drummondi grandiflora varietus.—Remarkable for the unusual size of the flowers, which a	1057			
few, except in habit, which is erect 1060 Lobelia speciosa. Carter's Cobalt Blue. — The distinguishing character of this plant is, that it has no white in the eye of the blossom, nor any purple on the calyx; so that the brillant blue has the entire possession of the field of color. Very effective, and more compact in habit than L. speciosa 1061 Mignonette Pyramidal Bouquet. — This variety forms a dense short pyramid of free growth, the numerous branches being terminated by large spikes of intense red flowers, — as many as three hundred being produced on one full grown specimen. The follage is luxuriant, and of a dark-green. This variety is recommended for pot-culture and for the open border. (See cut.) 1062 Mignonette, New Dwarf Compact. — This is a very desirable variety, and very distinct in character. It forms a dense semi-globular bush of about ten inches high and eighteen inches across; the robust and vigorous branches being clothed with dark-green leaves, and decorated with innumerable close spikes of reddish-tinted flowers. (See cut.) 1063 Oxalis rosea delicata. — A particularly charming variety of the O. rosea. Flowers rosy-salmon, turning to a darker shade towards the edges of the perturbation of the first of edgings or small flower-beds 1064 Petunia, double, large-flowering, green-edged. — This is a very superb strain. The seed will produce about 30 per cent at least of double flowers 1065 Phlox Drummondi grandiflora varietus. — Remarkable for the unusual size of the flowers, which are similar in form to those of the perennial sorts, rendered very striking by a large centre and fine dark violet eye 1066 Phlox Drummondi grandiflora varietus. — Remarkable for the unusual size of the flowers in the dark flery copperred, with blood-red gloss. For size and doubleness they are unsurpassed by any of the large-flowering Stocks 1068 Stock, Large-flowering variegated German, crimson and copper-red. — The stalks and leaves of this new variety are prettily variegated with ereamy white, setting off the la	1058	Dianthus Heddewigi laciniatus striatus, fl. pl.—A fine new large-flow- ering double variety of the favorite Dianthus laciniatus. The white blossoms, elegantly striped and streaked with different shades, which vary from a deli-		THE PERSON NAMED OF THE PERSON NAMED IN
1060 Lobelia speciosa, Carter's Cobalt Blue.—The distinguishing character of this plantis, that it has no white in the eye of the blossom, nor any purple on the calyx; so that the brilliant blue has the entire possession of the field of color. Very effective, and more compact in habit than L. speciosa 25 25 26 26 27 26 27 27 28 29 29 29 29 29 29 29 29 29 29 29 29 29	1059		25	
1061 Mignonette Pyramidal Bouquet.—This variety forms a dense short pyramid of free growth, the numerous branches being terminated by large spikes of intense red flowers,—as many as three hundred being produced on one full-grown specimen. The foliage is luxuriant, and of a dark-green. This variety is recommended for pot-culture and for the open border. (See cut.)	1060	Lobelia speciosa, Carter's Cobalt Blue.—The distinguishing character of this plant is, that it has no white in the eye of the blossom, nor any purple on the calyx; so that the brilliant blue has the entire possession of the field of		25
1062 Mignonette, New Dwarf Compact. — This is a very desirable variety, and very distinct in character. It forms a dense semi-globular bush of about ten inches high and eighteen inches across; the robust and vigorous branches being clothed with dark-green leaves, and decorated with innumerable close spikes of reddish-tinted flowers. (See cut.)	1061	of free growth, the numerous branches being terminated by large spikes of intense red flowers,—as many as three hundred being produced on one full-grown specimen. The foliage is luxuriant, and of a dark-green. This variety	.25	
1063 Oxalis rosea delicata, —A particularly charming variety of the O. rosea. Flowers rosy-salmon, turning to a darker shade towards the edges of the petals. Admirably adapted either for edgings or small flower-beds	1062	Mignonette, New Dwarf Compact.—This is a very desirable variety, and very distinct in character. It forms a dense semi-globular bush of about ten inches high and eighteen inches across; the robust and vigorous branches being clothed with dark-green leaves, and decorated with innumerable close		500
strain. The seed will produce about 30 per cent at least of double flowers	1063	Oxalis rosea delicata. — A particularly charming variety of the O. rosea. Flowers rosy-salmon, turning to a darker shade towards the edges of the pet-		6
1065 Phlox Drummondi Coccinea Striata. — Fiery scarlet flowers, prettily striped with white	1064		.50	6
size of the flowers, which are similar in form to those of the perennial sorts, rendered very striking by a large centre and fine dark violet eye		Phlox Drummondi Coccinea Striata.—Fiery scarlet flowers, prettily striped with white		
colored searlet. An entirely new color among the varieties of this class: the flowers are of a dark fiery copper-red, with blood-red gloss. For size and doubleness they are unsurpassed by any of the large-flowering Stocks	1066	size of the flowers, which are similar in form to those of the perennial sorts, rendered very striking by a large centre and fine dark violet eye	.25	9
creamy white, setting off the large, double, handsome flowers in a most advantageous manner. The variegation appears with the cotyledons, and this distinctive feature is shared with every subsequent leaf. The seed reproduces about seventy-five per cent of plants answering to this description		colored scarlet. An entirely new color among the varieties of this class: the flowers are of a dark fiery copper-red, with blood-red gloss. For size and doubleness they are unsurpassed by any of the large-flowering Stocks	.50	
race of Dwarf Double Scabious	1068	ereamy white, setting off the large, double, handsome Howers in a most advantageous manner. The variegation appears with the cotyledons, and this distinctive feature is shared with every subsequent leaf. The seed reproduces	.50	The state of the s
1070 Verbena, Defiance. — Seed which may be relied upon to reproduce this exceedingly showy well-known deep-scarlet Verbena is now offered for the first time. By planting this sort in masses, a grand display may be obtained	1069		.25	R
1071 Viola tricolor maxima, "Emperor William" Pansy.—The distinguishing qualities of this variety are its brilliant color of ultramarine blue, with well-defined eye of purple-violet, and the great consistency of its large blooms borne well above the foliage. A recommendation is, that it comes true from seed; this advantage, combined with the beautiful color, makes this novelty	1070	Verbena, Defiance. — Seed which may be relied upon to reproduce this exceed- ingly showy well-known deep-scarlet Verbena is now offered for the first time.		7
800000000000000000000000000000000000000	1071	Viola tricolor maxima, "Emperor William" Pansy.—The distinguishing qualities of this variety are its brilliant color of ultramarine blue, with well-defined eye of purple-violet, and the great consistency of its large blooms borne well above the foliage. A recommendation is, that it comes true from seed; this advantage, combined with the beautiful color, makes this novelty		The state of the s
	5	POST 25-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	5	










Price for square Protectors \$1.50 per doz.



This neat and ingenious apparatus is the best thing ever invented for

DESTROYING INSECTS ON HOUSE-PLANTS,

by the application of solutions of Whale Oil, or Tobacco Soaps, in the form of a vapor, or exceedingly fine spray; effectually destroying all insects without the annoyance of drip or waste of material, as is unavoidable when applied with a syringe. This little instrument will be found valuable generally, and particularly for House-Plants, on account of the neatness and facility attending its use, and its effect in keeping plants in a vigorous and healthy condition.

Put up in neat boxes, price \$1.50; by mail, postpaid, \$1.65.






SENIER'S ASTHMA REMEDY.

Price per Box, 50 cents; by Mail, 55 cents.

ASTHMATICS, why will you endure a miserable existence when you can obtain relief by using this Remedy!

The Proprietor of this remedy had been an Asthmatic for sixteen years, and during that period, up to the time of this happy discovery, seldom enjoyed a night's rest. In short, he had endured all those phases of torture which every Asthmatic too well understands. When the attack comes on, the inhulation of the remedy will overcome the PAROXYSM IN A FEW MINUTES. The ADVANTAGE of THIS REMEDY over Medicine taken into the stomach will at once be apparent, as, by its use, direct contact with the BRON-CHIAL TUBES and LUNGS is obtained, and the evil consequences of impairing the digestive organs are entirely avoided. In America and England there is a large and increasing demand for this remedy, and it only requires to be known to be appreciated.

Knowing of many cases of Asthma, where persons (some of whom are our intimate friends) have found relief by using the Remedy, we have been induced to offer it to our customers, believing it to be the most effectual Remedy known for that distressing com-



WASHBURN & Co.'s

Amateur Gultivator's Enide

TO THE

Plower and Lifehen Carden,

For 1874.




HORTICULTURAL BUILDING.

BOSTON:

WASHBURN AND COMPANY, SEED MERCHANTS.

HORTICULTURAL BUILDING, 100 TREMONT STREET.

1874



TO OUR FRIENDS AND CORRESPONDENTS.

We have much pleasure in submitting to your notice this new edition of our "Amateut Cultivator's Guide," which, in the past, has been so popular with the lovers of horticulture. We feel assured, upon examination, this will be found to far surpass any existing work of similar description: we have spared neither time, trouble, nor expense in its compilation. It has been our endeavor to make it reliable, not only in the description of the great number of flowers and vegetables which are enumerated on its pages, but equally so in the full and

complete practical directions for the successful growth of every variety.

The arrangement, though different from our last edition, is not new, having been adopted by eminent foreign dealers. To many it may not be very important; but, to the mass of our customers, we think it will commend itself as highly useful. All flowers and plants are divided into natural groups, and to know the character of one of these groups gives an idea of the whole. The Aster and the Coreopsis are familiar to almost every cultivator; and, when it is known that these belong to the composite order (Composite), it will at once be understood that any unknown plant belonging to this order resembles, in some respects, the above flowers. It is to convey this general information that we think the addition of the natural order is highly important.

It will be seen that we have omitted many varieties from our last edition which we deem scarcely worth cultivating, to avoid confusion, and to give greater space to more

desirable kinds.

The character of every plant, whether annual, biennial, perennial, for the greeen-house, or whether hardy, or half-hardy is stated; and, with our prefatory remarks upon the culture of each, there can be no difficulty in their successful growth. In addition to this information, our remarks on laying out flower-gardens will, we hope, not only prove a valuable

aid to amateurs, but assist in disseminating a true taste for gardening ar


As specialities, we refer particularly to the very extensive list of NOVELTIES, many of them of rare merit, and difficult to obtain. Other specialities are our choice selection of French and German flower-seeds, particularly Double Asters, German Stocks, English Double Hollyhocks, Camellia-flowered Balsams, Carnation and Picotee Pinks, Double Zinnias, Donble Portulacas, &c.; and of green-house plants, the Cineraria, Calceolaria, Gloxinia, Pelargonium, Chinese Primrose, &c. Many of these are of our own growth; and others are received direct from growers who produce their own seed, and some of whom raise them expressly for us. In our collection of German, French, and English flower-seeds we feel especial pride; for they contain all the truly beautiful varieties obtained in Europe during the last ten years, all selected especially for us, and never surpassed, if equalled.

Our VEGETABLE SEEDS are such as we can recommend with the greatest confidence; and, though we have not had the opportunity to test the latest additions, the dealers from whom they have been obtained leave little doubt of their real value. In conclusion, we have to acknowledge our indebtedness to various authorities for names, as well as occasional hints, and more particularly to that valuable book, Burr's "Vegetables of America," to Buist's "Kitchen Garden," and to numerous English catalogues.

Owing to the greatly increased expense of publishing a work so extensive as the present edition, we are reluctantly obliged to make the nominal charge of TWENTY-FIVE cents per copy, upon the receipt of which it will be mailed to all applicants from any part of the United States or Canada.

Address.

WASHBURN & CO., HORTICULTURAL HALL, BOSTON, MASS.



TERMS, CONDITIONS, ETC.

Letters received.—All letters received are opened by one of the principals, and replied to by return mails. To facilitate carrying out this rule, we would respectfully ask our correspondents to give care that their orders may be written distinct from remarks and inquiries, that it may be seen at a glance, and filled with greater ease. Make letters as brief as possible, as it requires great labor to attend to the hundreds daily coming in at the busy season; write the address plainly, and give the full name, with Post-office address, County, and State. We occasionally receive letters with no other address than the town, and in some instances without signature; which, of course, cannot be answered.

Execution of Orders. — Our rule is to despatch all orders as soon as received; but, as there are only a few months of planting season, and everybody auxious to get their seeds at the same time, it is sometimes impossible to prevent a delay of a few days: we make it a point to fill all orders in rotation, unless in cases of extreme urgency. It will be greatly to our advantage, and to that of the buyer also, if the orders are sent in early in the season, before the rush comes; and then we can give more attention.

Seeds, Bulbs, Plants, &c., by Mail, To any part of the United States where there is postal communication. The new postage-law authorizes the sending of SEEDS, BULBS, ROOTS, CUTTINGS, PLANTS, and SCIONS, at the rate of TWO CENTS for every FOUR OUNCES in weight, — the weight of the package not to exceed FOUR FOUNDS. Under this law, any of the seeds or bulbs named in this Catalogue will be mailed, free of postage, at the prices quoted, with the exception of PEAS, BEANS, CORN, and POTATOES, for which an additional remittance of eight cents for every pound is required.

Remitting Money.—Orders from unknown correspondents, to insure attention, should be accompanied with cash, or satisfactory reference. Remittances may be made in current bank-bills, or, what is better, Post-office orders, registered letters, or checks on Boston, New York, or Philadelphia.

Risk in sending Money, or Loss of Seeds.—Where Post-office orders, registered letters, or checks, are sent, they will be at our risk (but do not hold ourselves responsible where bank-bills are sent), and will guarantee the safe arrival of the goods at their destination.


Despatch of Orders.—In giving orders, please state explicitly by what conveyance they are to be forwarded, and, if by express or railroad, the names of the parties to whose care they wish them consigned at the various places of transhipment. When no particular route is designated, we forward according to the best of our judgment; but in no case do we assume any responsibility after the puckages leave our hands, unless for our own misters, which are always cheerfully rectified.

Quality of Seeds.—As regards the freshness of our seeds, or their quality, we have nothing to add. Our numerous customers throughout the country know us too well to ask any additional guaranty than that of the many years we have labored to place before them all the treasures of the flower-garden or conservatory, selected from the best sources in Enrope and our own country, or grown or originated by us. Our long correspondence with the cultivators of England, France, Germany, and Prussia has enabled us to be the first to possess every thing new, whenever introduced. The novelties described in our present Catalogne are nearly three times the number of those enumerated by any dealer in America.

As we occasionally hear complaints concerning flower-seeds, that they do not meet the expectations of the purchaser, fail to vegetate, &c., and as seedsmen in general are often accused of sending ont worthess seed, we would, in justice to ourselves and others, beg of

our patrons to give the following remarks a careful perusal:-

We are well aware, and happy to state, that our seeds do generally give perfect satisfaction (this we learn from multiplied testimony yearly increasing); but now and then a grumbler steps out, discouraged, and disappointed that the flower did not prove what he expected. This, certainly, can be no fault of ours. We aim to find accurate descriptions of all that we advertise; but we cannot guarantee to meet the wants of people who are expecting to realize their own ideas of flowers. For instance, we speak of some fine variety, a delicate beauty: it comes up modestly, breathing sweet perfume, a perfect specimen of its kind; while the sower is surprised and disappointed, expecting to behold some showy, brilliant flower. Also, of double flower and distinct colors, we give the greater care in selecting and testing, making perfection our standard; but, nevertheless, single flowers will




sometimes peep out, and mixtures cannot always be avoided. We find that some varieties are less reliable than others; but, while the good predominates, vex not over the simple loss of a few seeds. but try again with us to reach the standard.

That seeds oftentimes cease to grow is an established fact; but it is equally certain that that fact alone is no positive proof that the seeds are worthless. Probably ninety per cent of all the flower-seeds sold in this country go into the hands of persons who have no idea of how seeds should be grown. Many of them, perhaps, accustomed to putting into the ground pers, beans, radishes, &c., fancy themselves acquainted with sowing seeds in general; and, when they fail, the blame is laid, not upon their ignorance, but upon the seedsmen. Is it to be wondered at, then, that there are occasional complaints that seeds do not grow?

An example or two, about which there can be no mistake, will explain our meaning. A few years since, some seeds sent from India to a great garden near London, where any amount of skill ought to have been found, were, in part, sown, and reported on as "bad,—will not grow." Two years afterwards, what remained of the original seed, although so much older, was sown, and it grew freely. Why was this? The explanation is simple,—the gardener had been changed. We have many times planted seeds which refused to grow, and, after waiting a sufficient time, have then planted more out of the same parcel, which vegetated readily. This is not an uncommon occurrence among gardeners. And why is this? We would answer, that the fault may have been in planting, or in the weather, or in some cause unknown; but one thing we do know,—the fault was not in the seed.

Complaints that seed are not good are perennial; and we quite believe, that, in nineteen cases out of twenty, they arise from injudicious treatment. We think a little consideration would convince any one, that, if we know our own interest, we should not be likely to send out poor seed, for the sake of saving a few shillings, at the risk of sacrificing the trade we are striving to extend. Nothing, indeed, is more barbarous than the way in which seeds are sometimes treated. Some are overwhelmed with earth; others are scattered on the surface; some are allowed to lie in a puddle; some are planted where no rain can reach them; slugs are allowed to devour them; domestic fowls and other birds are permitted to feast on them. Another reason why seeds sometimes fail to give satisfaction is, that people are too much in a hurry to get their seeds into the ground; and probably more disappointment arises from too early sowing than from all other causes put together. And then, again, many will allow the weeds to grow with the seeds, until the former cannot be removed without destroying the latter; and we have known more than one case where the plants have been pulled up with the weeds,—the person not being able to distinguish between them. In all these cases, the seeds are found to be in fault, and the blame is most unreasonably thrown upon the seedsman.

We would suggest to our friends who fail to grow their seeds, that it may be as well to inquire whether any of these ingenious methods of destroying vegetable life have been practised in their own cases.



HOT-BED FRAME. - See p. 13.

THE

Summer Flower-Garden;

CONTAINING

BRIEF DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL, AND PERENNIAL FLOWER-SEEDS.



NNUAL flowers are not only among the most beautiful ornaments of the summer flower-garden, but the ease with which they are cultivated, and the long time they remain in bloom, give them the highest claim to our attention and care. Without them, however much we may admire the various showy bedding-plants, a continuous and uninterrupted display of flowers, from spring till frost, cannot well be obtained; and when we add the charm of novelty, and the still greater one of variety, we have only enumerated a few of the claims of these most desirable and effective ornaments of the gardens of "the million."

In consequence of their simple culture, and the small amount of trouble they give to the amateur, as well as their comparative inexpensiveness for their rich array of beauty, they are yearly becoming more generally grown. Bedding-plants are charming objects; but the yearly propagation required for geraniums, verbenas, &c., the labor of potting and watering, and the expense of wintering them, are not within every one's means; but a few dollars expended in seeds, and a little pleasant labor in the sunny days of early spring, will give an amount of real enjoyment beyond belief. The most desolate garden may be made a scene of beauty in scarcely more than a month's time. Annuals are not what they were in former days. The skill of the hybridizer in the production of new varieties, and the diligence of the enthusiastic florist in the selection of the finest plants, have entirely changed the character of many of these flowers; and, if to this we add the new acquisitions from Japan, how could we well make up a summer-garden without them? What should we do without the grand Pzeony-flowered Asters, the brilliant double Zinnias, the boldly-marked and rich-colored Petunias, the Double Portulacas,—like miniature roses,—the Heddewiggi Pink, the Tropzeolum, &c.? These give an entire new feature to our annuals, to be cherished by every lover of beautiful flowers.

We therefore make no apology for giving a few brief hints on the cultivation of these, as well as some of the biennials and perennials, equally important in the decoration of the flower-border.

ANNUALS.

Among florists and gardeners, the term "annual" is given to those plants which are sown in the spring, bloom and seed in the summer, and soon afterwards perish. A few are included among annuals, like the Marvel of Peru, &c., because they flower the first year; but they are only annual as regards treatment. By cultivator they have been divided into three classes; viz., Hardy, Half-Hardy, and Tender Annuals,—a very convenient classification; and as such we shall treat of them here.

HARDY ANNUALS.

These are so called because they do not require any artificial heat at any period of their growth, and are capable of enduring any ordinary weather from April to November; a frosty morning, not unusual in the former month, or even in May, doing them no injury, if advanced beyond the seed-leaf. Many of them may be sown in Autumn; and the young plants will make their appearance early in spring, and flower stronger than when it is deferred till April.

The Soil and its Preparation.—The best soil for annuals, and indeed for most flowering plants, whether biennials or perennials, is a light, rich loam, neither too sandy nor too stiff.

In such they grow readily, and attain to great perfection of bloom, with but little care: but it is hardly necessary to say, that few persons have just such a soil, nor is it possible often for the cultivator to have much choice. He must take such soil as he has and make the most of it. and by the application of proper manures, or sand or clay, he can bring it to such a condition as to answer all the purposes of a flower-garden. Moving large masses of soil is very expensive; and writers who advise the addition of rich loam seem not to be aware of the difficulty of procuring it, or the expense and labor attending the same. For the complete garden of the wealthy, this may and should be done; but the mass of cultivators need not fear of obtaining good results without it. Deep and thorough trenching in the autumn, if possible, and ing good results without it. Deep and thorough the infinite addition, in possible, and the application of very old decayed manure or leaf-mould, will give the amateur a well-prepared and suitable soil. If the situation of the garden is low or damp, first of all it should be well drained; for, in addition to the injury from excessive moisture, such soils are cold, and the young plants are injured by early frosts, when they would escape damage in one of the opposite character: neither should the situation be too dry, as, in this case, the plants would suffer in summer, and present a meagre in place of a vigorous bloom. Where the soil is too light, a thin layer of clay, if to be had, spread over the surface in the autumn, and dug in, after being pulverized by the winter frosts, in the spring, is the best remedy. This, with the use of old manure, — that which has lain a year or more, and been frequently turned over till it becomes thoroughly decayed, — will keep the garden in good condition. No unvarying rules can be given: much must be left to the judgment of the amateur. He must understand that the soil of a good garden should be deep, well pulverized, friable, and rich; and, if the opposite, to make it as near that as possible.

When the flower-garden is to be a speciality, - a piece of ground set apart for that object, and laid out in geometrical order, and all the beds edged with box or thrift,—then more pains ought to be taken; and those who are about to do this, if they have not the requisite information, will consult something more than a catalogue. Our hints are intended for the mass of the people who love flowers, who have but little leisure, and do not wish to incur great expense in the gratification of their taste.


Period for Sowing. - This must depend much upon the season as well as the locality. Our Northern springs are so variable that no definite period can be named. As a general rule, the proper time to commence sowing is about the middle of April, though a few sorts may be planted as soon as the ground can be got ready; and, for a succession, the sowing should be continued until June. In the Southern States, of course, January, February, or March will be the time to sow, as they correspond with April, May, and June of the North. The Californian annuals, now so numerous and so ornamental, are very hardy, and should be sown early, as they get well established before the heat of summer. To avoid all danger of injury, the sowing may be deferred till the last of April; but, when a little labor is of no consideration, the sowing may be made earlier; and, in case of failure to grow, or subsequent injury from frost or wet, another sowing may be made when the weather is more favorable. Because we recommend April, it is not to be understood the sowing must be made at that time. The only object is to obtain a vigorous growth and early bloom. If sown in any part of May, they will flower later, but abundantly throughout the latter part of summer.

Mode of Sowing.—This must be varied according to the style of the garden and the variety to be sown. Many of the most showy and beautiful annuals are very impatient of removal; and these must be sown where they are to remain and flower. Such are the Lupins, Sweet Pea, Eschscholtizia, Poppies, &c. Indeed, most of the tap-rooted annuals will not bear transplanting. Other annuals, which may be transplanted, and some of which flower stronger for removal, may either be sown in the places where they are to bloom, or in prepared beds, from whence they are to be transplanted to the flower-garden. In small gardens, undoubtredly the best way is to sow where they are to remain, thinning out the superfluous plants. This gives the least trouble; but in larger gardens, or where there are beds of early spring bulbs to be filled, the safest and best plan is to sow in well-prepared beds, and, when the

young plants are of proper size, to transplant to the flower-garden.

Never sow seeds when the ground is very wet, particularly early in the spring. Select a ne when the soil is neither wet nor dry. The sowing must be left to the taste of the time when the soil is neither wet nor dry. The sowing must be left to the taste of the cultivator, and the extent of surface. If there are vacant beds, the seeds may be sown in rows across the bed; but if in the border, where there are only limited spaces among the perennials or bulbs, they may be planted in masses or groups, in which mode we think annuals produce the greatest effect. Our plan has always been to mark out a circle a foot or more in diameter, and level the ground evenly and nicely with the rake; then, with the back of a trowel, press the surface firmly down; around the circle make a slight drill of the proper depth, in which the seeds are thinly sown, covering them lightly, and again pressing the earth upon the seeds with the back of the trowel. If the soil should happen to be too wet, or stiff and adhesive, fill the drill with some light sandy loam, and make firm, as before ordered.

And here we should remark that great care should be exercised in covering the seeds. It is the great error to cover too deep; and the cause of more than half of the complaints against seedmen of selling old and worthless seeds comes from inexperience or want of judgment in



No rule can be given in this respect; but, as a general guide, all large seeds, such sowing. No that can be given in its respect, out, as a general gaide, an arge seeds, such as Sweet Peas, Lupins, &c., may be sown half an inch deep,—smaller, less; and for the smallest, such as Clarkia, Pinks, &c., a covering of one-sixteenth of an inch suffices. If sown too deep, they are longer in germinating, and are liable to decay. Avoid the general error of sowing the seeds too thick; as it causes an elongated and feeble growth, which no

subsequent thinning will entirely remedy.

If the weather should be warm, or the soil very dry, it will be advisable to give a slight watering with a watering-pot with a fine rose. It is not often that seeds planted in April need watering; but later in the season they frequently require it. Use water of the same temperature of the soil; or, if warmer, it will do no harm. The waterings should be given early in the afternoon, and repeated every few days; as, when the seeds begin to swell, they are more susceptible of injury from drought, and the young plants often perish when it is neglected. A good plan with very small seeds is to cover them with an inverted flowerpot, being careful to remove it before the young seedlings appear above the surface, otherwise they will be drawn up weakly, and are likely to be injured by the hot sun or a cool night. Seeds vary in their period of germination. Some will be above ground in a week, while others require two or three weeks.

As soon as the seedlings have made three or four leaves, and are an inch high, they should be thinned out. If they are kinds which will bear removal, they may be replanted in vacant spaces in the border. No rule can be given for thinning. Tall-growing plants with spreading branches will require more room than slender-growing dwarf kinds; and in this the cultivator must be guided by the Catalogue. Stir the soil around the plants from time to time; and, if they appear crowded, a second thinning will be of great benefit to those that remain. If the growth is not strong, from the nature of the soil, apply occasionally a very


small amount of guano or bone-dust.

Transplanting.-Presuming that many cultivators will sow their seeds in prepared beds, whence the plants are to be removed to the borders to bloom, it is necessary that the work should be carefully performed to insure success. Transplanting should, if possible, always be done in cloudy weather, and towards evening. If the soil is dry, the plants will require a light watering to settle the earth around the roots; and, if warm sunny days succeed the operation, they will root all the better to have a little shade for a day or two, which may be done by spreading an old newspaper over them, or covering with a mat, removing either at night. All large-growing plants should be transplanted singly; but many of the smaller may be removed in patches, without any trouble, if the soil is previously well watered. We have found very little difficulty in moving Zinnias, Asters, and smaller plants, after they have begun to bloom. After the plants are established, they will need no other care than to the up the taller-growing sorts to stakes to prevent the wind and rains from beating them down to the ground, and injuring their blossoms.

HALF-HARDY ANNUALS.

We have already remarked that half-hardy annuals are those that require the aid of artificial heat to assist germination; but it should be remarked that this is not absolutely necessary if the sowing is deferred until the ground is warm, - say the last of May. This is exemplified in the Portulaca, which sows itself: but the plants never appear above ground till June; and those who do not wish the trouble of sowing seed early should plant in open ground in May. But, to gain time, and insure an early and abundant bloom, it is best to plant early, and assist the growth by a gentle artificial heat. Some of the most magnificent annuals are embraced in this class, of which the Aster, Zinnia, and Balsam are examples. The cheapest, most convenient, and simplest mode of doing this is the ordinary hotbed of stable manure, which gives a gentle bottom-heat quite sufficient for any of this class. Its construction is simple, and generally understood by most owners of a garden; but, as there may be some of our readers who do not know how to make a good hotbed, we add the details at the close of our remarks, observing, however, that it is so valuable an aid in the forwarding of flowers as well as vegetables, that no one having a garden can well dispense with it.

Presuming that the bed is made and all ready for use, the seeds may be sown on the prepared soil, just the same as in the open ground, and afterwards transplanted to the borders; but, as this is often attended with many failures in inexperienced hands, it is the safest to sow the seeds in pots or pans; if in neither of these, in shallow boxes. The pots should be about four or five inches in diameter, and should be perfectly clean. The soil should consist of a uniform compost of light, sandy loam, enriched with some fine leaf-mould, avoiding any raw or crude manures, which are certain to injure the young plants. Put in a few crocks at the bottom of each pot, for drainage, and fill to the brim with the compost, giving the pot one or two gentle knocks on the bottom to settle the earth, which should be within half an inch of the rim. Level the surface by gently pressing it with the bottom of a pot, or a circular piece of wood made for the purpose, as this will not only be beneficial to the seeds, but assist in distributing them more evenly and regularly over the soil. eve the same rules, in regard to covering, that we have already named. Some kinds will



need nothing more than a thin sprinkling of earth just to fairly cover the seeds; and each pot should have the surface again gently pressed down; a slight watering with a very fine prose will complete the operation of sowing.

When all the pots are filled and planted, and marked, as they should be, with the name of when an the pots are filled and planted, and marked, as they should be, with the name of each, and date of sowing, upon a neat label, remove them at once to the hotbed or frame, and place them perfectly level, so that each pot may receive its proper proportion of water evenly over the surface. If there are but a few pots, and a greenhouse is at hand, they may have a place on a sunny shelf, near the glass, shading them during the middle of the day. Shading will also be necessary in the hotbed. The temperature should not the day. Shading will also be necessary in the notice. The temperature shades exceed 75° or 80°, or the seeds will germinate too quick, and be drawn up weakly. water as the pots require it (which is usually once a day), and always of the same temperature of the bed, and be careful in the operation not to wash away or destroy the young and slender seedlings. During cold nights, a mat may be thrown over the frame, which will prevent the loss of heat, and maintain a more even temperature. As some of the seeds will make their appearance before others, those that appear above ground should be placed together towards the back of the frame, where they can have a greater abundance of air, and be more freely watered, than the others. As the plants acquire a proper size, they should be thinned out, so as not to injure those that remain; and then, when further advanced, should be transplanted into four-inch pots, - one, three, or five plants in each, according to the variety,—using a compost similar to that in which they were sown, replacing the pots in the bed, and shading slightly till they are well established, and able to bear the full sun. Those that are later in vegetating should be treated in the same manner, until all are transplanted, unless it is such kinds as will not bear removal safely; and must be allowed to remain in the pot in which they were sown, thinning them out, so that not more than three or five plants are left. The Cypress-vine, Thunbergia, &c., are of this character.

By the middle of May, the seedlings will be ready for transferring to the beds or borders where they are to bloom; but, before this is done, the plants should be "hardened off," as it is termed, in order to prepare them for the change. This is effected by gradually giving the plants more air, and, when the weather is favorable, both day and night, removing the sashes wholly during the day; or, if more convenient, removing them to a cold frame, where they can be fully exposed in the daytime, and protected at night, if cold, with a covering of mats. Much must be left to the judgment of the cultivator and the amount of available space, the object being to prevent the plants from being injured by a too sudden exposure Proceed, in transplanting, as we have already recommended under that to the open air.

head for hardy annuals.

TENDER ANNUALS.

We have stated that the classification of hardy, half-hardy, and tender annuals was a convenient one; but, really, there is scarcely an annual but will grow freely in our climate in the open ground in summer. The term tender has been applied by English gardeners because the plants do not attain full perfection unless grown in pots in the greenhouse. Such are the Globe Amaranth, Balsam, Egg-plant, &c. All the tender annuals, therefore, may be treated in the same manner as the half-hardy, and with equal success.


BIENNIALS AND PERENNIALS.

Biennial and perennial plants are almost indispensable additions to the flower-garden, displaying their blossoms both early and late, succeeding and even flowering with the spring bulbs, and continuing long after the frost has destroyed the hardiest annuals. They are also so easily cultivated, and require so little care for their great amount of beauty, that they must be ranked as the most permanent and showy objects of the flower-border. We only need name the Larkspur, Phlox, Lychnis, Coreopsis, Saxifrage, &c., as a few among the many imposing and elegant groups.

Biennials are those plants that generally do not flower until the second year, and, after These include, however, many splendid species, such as the Foxglove, blooming, die. Canterbury Bells, Sweet Williams, Hollyhocks, &c. Perennials are plants which generally do not bloom until the second year, but continue to bloom for years in succession, and may be propagated, after once obtained, by division of the roots, growing more vigorously and

flowering better if divided and replanted every three or four years.

The proper time for sowing the seeds of hardy kinds is in April or May, at the period of sowing the hardy annuals, in order to obtain a good strong growth the first year, and a greater abundance of flowers the second; but the sowings may be continued with success as late as August, after which the plants will not become strong enough to flower the following year. Whether the seeds are sown in beds or in the border, the young plants should be thinned out, and afterwards transplanted, just as we have directed for hardy annuals, only giving them more room, and encouraging a vigorous growth by hoeing, watering, &c. On the approach of severe frosty weather, protect the plants with a light



covering of leaves or coarse manure, and the succeeding year they will blossom in great profusion.

SPECIAL DIRECTIONS TO AMATEUR CULTIVATORS.

In addition to the preceding remarks, which are given as the results of our own practice for many years, and which, we think, are adequate for all general purposes, the following special directions are added for the guidance of amateurs in the treatment of many of the more choice and new flowers enumerated in our Catalogue. If carefully followed, it is hoped they will remove all causes of failure in the attempt to cultivate many of the most beautiful plants.

Zinnias may be treated precisely like the Aster. The double varieties, in eight distinct colors, are superb ornaments of the garden.

Epacrises, Heaths, Azaleas, and Rhododendrons should be planted in boxes or pans, well drained, and filled with light, very sandy loam, with a small quantity of peat. Make the earth firm, and give a thorough watering before sowing. Cover the surface with a little sand, upon which the seed should be thinly scattered, covering with the least possible quantity of fine sand. Place the pans or boxes in the greenhouse, where they can be wholly shaded from the mid-day sun, and lightly damp the surface when dry. The young plants will make their appearance in three or four weeks; and, when strong enough to handle easily, transplant into boxes an inch or two apart, and gradually harden them off, so as to remove to frames or the open air.

Calceolarias, Cinerarias, and Chinese Primrose require similar treatment. The seeds of the former are so minute, that they are liable to be destroyed by covering; and complaints are frequent of the failure to make the seed grow. If the following directions

are carefully observed, an abundance of plants may be easily raised:-

The seed should be sown in pots prepared in the following manner: The pot to be half filled with drainage; over that, rough siftings of the mould, and the surface covered with soil as fine as possible, half of which should be composed of silver sand. When prepared thus, it should be watered with a fine rose, immediately after which sow the seed carefully, without any covering of soil. The pots should then be placed under a close frame or hand-glass, in a shady part of the garden (no artificial heat being required). In large establishments, of course, they may have propagating or other houses that will do, where the same kind of moist temperature could be obtained; but any exposure to the sun must be carefully guarded against by mats or paper. If the situation is of the proper temperature, they will require watering but very seldom. Directly the seedings are strong enough, they must be pricked off in pots prepared as before, and placed in the same situation. From the store-pots they will require to be potted off singly; after this they will grow very rapidly. Through the winter the plants will thrive well on the shelves near the glass, in the greenhouses; and to obtain fine specimens, they must be shifted freely till the flower-stalks have started, and should always be smoked with tobacco directly the green-fly appears, as no plants in cultivation so readily suffer from this insect as the Calceolaria.

It is necessary to remark, that one of the most frequent causes of the appearance of these injurious insects is the plant becoming root-bound; to avoid which evil, it is important that it should frequently be repotted during the growing season.

Acacias of all kinds should have scalding water poured over the seeds, and be allowed to soak for twelve or twenty-four hours: they should then be planted in pots, in light, rich, sandy soil, covering one-fourth of an inch deep, and placed in the hotbed or greenhouse.

Globe Amaranth, Linum, and Cypress-Vine seeds should be soaked in tepid water for twelve hours, to insure a quick germination. Rub the seeds with a little dry sand when ready for sowing.

Liliums of all kinds should have their seed planted immediately they are gathered, if possible, as they vegetate sooner. They remain good, however, for three or four years; but, when sown in spring, do not often vegetate until the second year.

Cyclamens should be sown in the greenhouse or hotbed, in pans of light rich soil, well drained. Transplant singly into pots, and keep them constantly growing the first year.

Stocks of the winter-flowering varieties should be sown in July, and pricked off singly into small pots, shifting them as they require it, and keeping them in cold frames as long as it can be safely done.

Canna-Seeds have a hard, horny covering, and require to have the seed soaked in warm water for ten or twelve hours, planting them in hotbed while the heat is brisk and strong. Transfer to the open ground June 1st, and take up the roots before hard frosts.

Gloxinias and Archimenes require to be grown in pots in the greenhouse, or a warm frame. The soil should be light and rich, — leaf-mould, loam, and sand.

©ompany's

Ferns are easily raised from the spores (or seeds) with a little care. Sow in pots, which should be half filled with a good drainage of crocks, and the remainder, to within an inch of the rim, with coarse sandy peat, or leaf-mould; make the surface smooth, and cover with a thin layer of sand; on this sprinkle the spores. Set the pot in a pan of water, in a warm, shady part of the greenhouse, and cover with a pane of glass. In a month or two, the plants will be ready to pot off singly in small pots.

CONSTRUCTION AND MANAGEMENT OF HOTBEDS.

We have already alluded to the importance of a hotbed for the successful growth of many of the half-hardy annuals and more delicate greenhouse plants. Though most or all kinds of seeds may be raised in a frame without bottom-heat, yet this can only be done so late in the season, when the weather has become warm, that many of the annuals are late in blooming, and the greenhouse plants do not ripen and mature their wood, and are therefore ill adapted to winter well. It is to obviate this that the hotbed is recommended to all ama-It is so easily made, and at such slight expense, that it will well repay all who would secure an abundance of flowers early in the season. (See illustration, page 4.)

Situation of the Bed. - This should be in a warm position, fully exposed to the sun. facing the east or south, and sheltered by a fence or hedge on the west or north. The soil should, if possible, be light and dry, as in this case the bed can be sunk a foot or more in the ground; but, if damp or cold, it should be built upon the surface.

Making the Bed. - Manure fresh from the stable is best. This should be thrown over and thoroughly shaken up with the fork, making it into a conical heap. In this state it should be allowed to remain four or five days, at the end of which time it should be turned over, shaking it up as before. At the end of another three or four days, it will be ready to over, shaking it up as before. At the end of another three or four days, it will be ready to make up the bed. Lay out the ground six inches larger than the frame, and put down a stake at each corner. The frame may be of any size; but the most convenient is nine by three feet, which will take three lights, three by six feet, the ordinary size, which can always be had ready made. Proceed to build up the bed to the height of two and a half or aways be making it rather firm, and watering, if the manure is dry. When the bed is finished, put on the lights, and let it stand to settle and exhaust the violent heat. In a day or two add three or four inches of light sandy loam, spreading it evenly over the bed. If the seeds are to be sown in the soil of the bed, two or three more inches should be added: but, if in pots, no addition will be necessary.

The pots being ready, and sown with the various seeds, should be put into the frame, shading them during the day, and regulating the temperature by tilting the lights at the back, both night and day, and covering at night with mats. Plunge the pots in the soil, and, with proper care, the seeds will soon be above the soil. A thermometer placed in the bed will be the safest guide to the inexperienced. It should not rise above 85° in the day, nor sink below 60° at night. As the heat declines, linings of fresh manure should be applied around the outside of the bed; but, ordinarily, for seeds this is not necessary.

The length or number of the frames is immaterial; but they should be nine to twelve inches deep at the front, and fifteen to eighteen inches at the back. This will give a good slope to carry off the rain. Cold frames are simply the hotbed-frame set upon a warm spot of ground, covering it at night to keep in the warmth accumulated during the day.

Commendations.—To attempt the publication of the numerous commendatory letters would fill several pages of our Catalogue. Gratifying as this would be to us, we are compelled to omit even the briefest extracts from the hundreds of letters expressing the satisfacfory manner in which their orders have been executed, and the pleasure derived from the cultivation of our seeds.

WASHBURN'S AUTUMN CATALOGUE


SPLENDID FLOWERING BULBS.

CONTAINING A LIST OF THE

Choicest Hyacinths, Tulips, Crocuses, Lilies, &c.,

With full and explicit directions for their culture, will be forwarded, postpaid, upon receipt of ten cents, to all applicants. Address,

WASHBURN & CO., Horticultural Hall, Boston, Mass.



THE FLOWER-GARDEN.



HE arrangement of a flower-garden must depend so much upon the take or fancy of the cultivator, that it is very difficult to lay down any rules applicable to general use. All we can do to aid the inexperienced is to give such plans as display correct principles in their general features, which will serve as a guide in grounds of smaller or larger extent. Of course, we have reference to flower-gardens, or spots of ground set apart for annuals, bedding-plants, or bulbs; as any thing more extensive would be beyond the scope of a catalogue.


Where the flower-garden already exists, and is laid out in beds or borders for miscellaneous plants, all the information necessary to the


amateur will be found in our preceding remarks, except that, perhaps, in reference to the disposition of colors. If, however, the form is not a fanciful one, or one laid out in the true principles of the geometrical style, it may be remodelled upon some plan which will combine the merits of those we now annex.

Commencing with the simplest form of ground, where there is no pretension to artistic display, the two following will be found well adapted for annuals or bedding-plants, or the

two combined.

In the first plan (No. 1), the ground may be arranged as follows: In the centre may be double Zinnias, if a grand display is desired; but if not, then Zinnias, Marigolds, Asters, and similar tall-growing annuals, placing the tallest in the centre. The eight small beds adjoining the centre one may be planted in alternate colors, or mixed with Clintonia, Portulaca, Verbenas, Pansies, Agrostemma, Lobelias, &c. The four larger beds may be planted in four different colors, or mixed, or in ribbon style; in the latter case, using Perilla Nankinensis for the centre row, and other decided colors for the outer rows, which should be dwarf at the edge. The four corner-beds may be filled with Mignonette, Sweet Alyssum for the fragrance or with other more shown plants. grance, or with other more showy plants.





No. 1.

No. 2.

The second plan (No. 2) admits of a greater display, and particularly if masses of one color are desired. The centre may be filled with any tall plants of one color; viz., Zinnias, Asters, Marigolds, or Balsams. Two of the four oval beds may be Portulaca, scarlet and white, or golden and scarlet; the other two with blue and white Lobelia, or crimson and white Candytuft. Two of the four large beds between the oval ones may be planted with

COMPANY'S WASHBURN

Tropæolums in two colors, and the other two with crimson and variegated Petunias. four small beds may be planted with Abronia Umbellata, Nolana, Phlox Drummondii, and Linum Grandiflora. The four oval corner-beds may be planted with ornamental-foliaged plants, Perilla in two, and Coleus Verschaffeltii in the other two. Four of the small corner-beds may be filled with Mignonette and Alvssum, and four with Dianthus Heddewegii. These may be varied to suit the fancy of the possessor with the newest annuals described in the Catalogue, selecting them according to colors and height of growth. All the beds should be edged with box or thrift. The extent of ground is thirty-two feet square.

For more artistic and complete grounds,

8

we add plans from one of the most elegant flower-gardens of England.

The first plan (No. 3) is extensive and elaborate in design, and evinces artistic skill and arrangement of a high order. The length of the garden is a hundred and sixty feet, and the width seventy-two feet. The walks are of gravel, and the beds are all edged with box. It may be filled with bedding-plants or with annuals; and, supposing the amateur to desire a mixture of the two, the following is an appropriate list; Scarlet Geraniums and Verbenas being the most effective of bedding-plants:-

- 1. Verbena (blue).
- Verbena (white).
- 3. Pansies, of the fine showy sorts.
- Portulaca (white).
- Tom-Thumb Geranium. 5.
- 6. Verbena (striped).
- Portulaca (golden). 8. Campanula Carpatica, with Trez-Rose
- in the centre. 9. The same.
- 10. Tom-Thumb Geranium.
 - 11. Portulaca (white).
 - 12. Verbena (striped).
 - 13. Portulaca (golden).14. Pansies, of the fine showy sorts.

 - 15. Verbena (white).16. Verbena (blue).
 - 17. Ageratum.
 - 18. Heliotrope.
 - 19. Tom-Thumb Geranium.
 - 20. Verbena, Sunset (rose).
 - 21. Portulaca (golden).22. Portulaca (scarlet).

 - 23. Same as No. 8.
 - 24. Geranium, Lucia Rosea (pink).
 - 25. Tom-Thumb Geranium.
 - 26. Tom-Thumb Geranium.
 - 27. Geranium, Lucia Rosea (pink).
 - 28. Portulaca (scarlet).
 - 29. Tom-Thumb Geranium.
 - 30. Heliotrope.

 - 31. Verbena, Sunset.
 - 32. Portulaca (golden).

 - 33. Ageratum.
 - 34. Same as No. 8.
 - Vase, or Statue. If a vase, to be filled with Verbenas, Petunias, &c. If a statue, to be surrounded If a vase, to be with a circle of Oxalis Floribunda.

But, when it is intended to be filled with annuals, this may easily be done by substituting Candytuft, Alyssum, Eschscholtzia, Lobelia, Agrostemma, Petunias, Dwarf Convolvulus, Clarkias, &c.

COLLECTIONS OF FLOWER-SEEDS, BY MAIL, FREE OF POSTAGE.

In order to more extensively disseminate our choice varieties of Flower-seeds throughout the country, giving those who reside at a distance the same facilities for procuring them as those who have the opportunity to make personal application, we put up select assortments expressly for sending by mail, giving particular attention to this department of our trade. The low rate of postage enables us to supply distant customers with all the choicest seeds upon the same terms as those who are near the market. Orders may be forwarded to us with the understanding that the seeds we furnish are of the very best quality, and the selection such as will gratify every purchaser. Our collections are made up with great care, and all the varieties, unless those entirely new, are such as we have seen and cultivated ourselves, and can confidently recommend; many of the superb double varieties being such as have been raised from the fine flowers, specimens of which have obtained the highest prizes of the Massachusetts Horticultural Society.

A Total	
No. 1 contains twenty-four varieties of choice and beautiful Annuals	\$1.00
	1.00
No. 3 contains ten varieties of extra fine Annuals and Perennials, including the beau-	
tiful French Asters, Double Camellia Balsams, Double German Stocks, and	
other choice flowers	1.00
No. 4 contains five varieties of very select flowers, including the best large English	
Pansies, Carnations, new Verbenas, new Double Zinnias, &c	1.00
No. 5 contains one hundred varieties of Annuals, Biennials, and Perennials, including	
new and choice varieties	5.00
No. 6 contains fifty varieties of Annuals, Biennials, and Perennials	2.50
No. 7 contains twenty varieties of hardy Annuals, Biennials, and Perennials, for	
autumn sowing, in August and September	1.00
No. 8 contains fifteen different and choice kinds of greenhouse-plant seeds	3.00

The seeds in these assortments are all of our own selection. Purchasers who would rather make a selection from the Catalogue can do so, and a proportionate discount will be

FORMATION OF CLUBS.

The expensive distribution of our seeds is an especial object. Our Catalogue has been prepared with much labor; and it has been our constant aim to make it a complete and safe guide to the cultivator, both in the selection of varieties and their growth. As an additional inducement to individuals who desire to possess a large collection, or for the formation of clubs for the same object, we offer to send by mail, free of postage, to any address in the United States, on receipt of the amount of the order, seeds selected as follows:—

Purchasers remitting \$1.00 may select seeds at Catalogue prices, amounting to \$1.15

44	66	2.00	""	66	44	""	44	2.35
66	66	3.00	66	44	44	44	44	3,65
44	44	4.00	44	44	44	44	66	4.95
66	66	5.00	66	44	44	44	44	6.25
66	66	10.00	44	66	46	44	44	13.00
66	66	20.00	44	66	44	44	44	27.00
44	44	30.00	44	66	46	44	44	11.50

Persons desiring us to make their selections may rely upon our sending only those which are really showy and handsome, and easy to cultivate. We believe that our experience will enable us to make selections that cannot fail to give entire satisfaction to any lady or gen-

tleman who may send us their orders.

In sending orders for seeds by mail, it will be only necessary to give the date of the Catalogue from which the selection is made, and the numbers, instead of the names, of the varieties. The name of the person to whom they are to be sent, and the names of the Town and State, should be so plainly written, that there may be no mistaking a single letter. We often receive letters containing money, the signatures of which are so indistinct as to make it almost impossible to decide where and to whom the seeds are ordered to be sent.

The above prices apply only to flower and garden seeds in packets; for prices by ounce and pound, see vegetable-seed department, in this Catalogue. Prices to dealers on application.

Address,

WASHBURN & CO., BOSTON, MASS.

THE

AMATEUR CULTIVATOR'S GUIDE

TO THE FLOWER-GARDEN.

ANNUALS.

To aid in making the selection of seeds, the botanical name is given, and the popular name when there is such, together with the natural order to which it belongs, as indicative of the general character of the flower. These, with the full remarks, will enable the amateur

to make a judicious selection.

Wishing to make this book as simple as possible, we have divided the flower-seeds into classes, viz.: Annuals, Biennials, Perennials, Greenhouse, Summer Climbers, Everlast-

ings, and Ornamental Grasses.

In giving orders for seeds, it is preferable to mention the numbers; but, as the numbers are often changed, it is absolutely necessary to give the date of the Catalogue.



ABRONIA UMBELLATA.

NAT. ORD., Nyctaginiacea. ABRONIA.

A charming plant, with Verbena-like heads of sweet-scented flowers. Very effective in beds, rockwork, or in baskets suspended in a conservatory; growing freely in any light, rich soll, and flowering from August to October.

1 Abronia Umbellata, rosy-lilac, half-hardy annual; from California. ½ ft. high \$0.10

Amateur (Gultivator's (Guide.

AGERATUM. NAT. ORD., Compositæ.

PRICE

Valuable plants for large beds or borders, and very useful for pot-culture. Very good for bouquets. Hardy annuals.

2	Ageratum Mexicanum.	Light-blue; from Mexico. 1½ feet		.05
3	- Odoratum (fragrant).	Much like the Mexicanum; from Mexico.		.10
4	- Albistorum Nanum.	Dwarf, white; fine for pots		.10
5	- Cœruleum Nanum.	Dwarf, blue; fine for pots or open ground .		.10



AGROSTEMMA CŒLI ROSA, DWARF FRINGED.

AGROSTEMMA. (Viscaria.) NAT. ORD., Caryophyllaceæ.

A genus of remarkably pretty profuse-flowering plants, producing a striking effect in beds, ribbons, or mixed borders; growing freely in any good garden-soil. Hardy annual.

6	Agrostemma Cœli Rosa, Dwarf fringed. A fine variety of dwarf, com-	
	pact growth, vigorous, and free-blooming; flowers lively rose-color, with a very white centre. The borders of the petals are finely fringed	.1
7	- Cœli Rosa Hybrida Flore Pleno. A new double variety of this very	
	pretty plant, producing a profusion of densely-double flowers	.2
8	— Alba. Pure white; fine	.0
9	- Oculata. Pink, with rich crimson eye; from Algiers	.0
10	— Dunnetti. White, with dark eye	.1
	- Coccinea Nana. Bright scarlet, with rosy-purple centre. 1 foot .	.1
	— Finest Mixed	.1
	ALYSSUM. NAT. ORD., Cruciferæ.	
	One of the most useful, free-flowering little plants either for growing in pots, on reckwork, or on the open border; the annual varieties blooming nearly the whole	

one of the most useful, free-howering little plants either for growing in pots, or rockwork, or on the open border; the annual varieties blooming nearly the whole summer.

13	Alyssum Benthamii.	White, fine hardy annual.	1 foot				.(
14	- Sweet (Maritima).	A well-known fragrant little	annual;	from E	ngland.	1 ft.	.(

AMARANTHUS. NAT. ORD., Amarantaceæ.

Ornamental foliaged plants, of an extremely graceful and interesting character, producing a striking effect, whether grown for the decoration of the conservatory or out-door flower-garden. If the seeds are sown early, and planted out the last of May or in June, in rich soil, they make exceedingly handsome specimens for the centre of beds, or mixed flower or shrubbery borders. Half-hardy annuals.

15		Beautiful; rivalling the Perilla Nankinensis for	
	groups and edgings. Dwarf h	abit; lively blood-red-colored foliage	j

MASHBURN & COMPANY'S

@ .	200	THE	12	1
100	A		A.	2
~	17	Amaranthus Hypochondriacus (Prince's Feather). Red; from E. Indies. 3 ft.	.05 s	,
8	18		.10	
	19	- Tricolor (Joseph's Coat). An old favorite; beautiful yellow, scarlet, and		1
-		green variegated leaves. 2 feet	.05	1
		ANAGALLIS. NAT. ORD., Primulacea.		
		This is a class of beautiful trailing plants, that will be found highly ornamental		
1		for bedding purposes, as they bloom all the season. The Anagallis is also an old		
E		favorite for growing in greenhouses, presenting an extremely graceful appearance		į
	20	when cultivated in pots or vases. Hardy annuals. Anagallis Grandiflora Eugenie. Beautiful light-blue, shaded from the		
	20	centre to pure white. ½ foot	.10	
٥	21		.10	į
	22		.10	i
8	23	Nanoleon III. Rich crimson margon. 1 foot	.10	
1	24	— Philippii. Large; blue. ½ foot	.10	
	25		.05	
3	26	— Mixed (Large-flowered varieties). Very fine	.10	
		ARGEMONE. NAT. ORD., Papareracea.		
		Exceedingly showy, free-flowering border-plant, with large, poppy-like flowers;		
2		succeeding well in any common garden soil. Hardy annual.		
7		Argemone Grandiflora. White. 2 feet	.05	
	28		.05	
		ASTER. NAT. ORD., Compositæ.		
		This splendid class of plants is not only one of the most popular, but also one of		
		the most effective, of our garden favorites, producing in profusion flowers in which richness and variety of color are combined with the most perfect and		
		beautiful form. It is indispensable in every garden or pleasure-ground where		
		an autumnal display is desired. For flower-beds it stands unrivalled.		
		The Aster may be divided into two grand sections. —French and German. The		
		former resembling the Chrysonthemum, whilst the latter by turning its netals		
		towards the centre of the flower, forms, when well grown, a perfect ball, and is		
		French, as improved by Truffaut, has flat petals, either reflexed or incurved, the former resembling the Chrysanthemum; whilst the latter, by turning its petals towards the centre of the flower, forms, when well grown, a perfect ball, and is best described by its resemblance to the Pæony. The German varieties are		
		quilled; and the most perfect flowers are surrounded by a circle of flat or guard petals, as in the Hollyhock. The flowers of these are particularly admired for the exquisite symmetry of their form. The dwarf-bouquet varieties of this		
		the exquisite symmetry of their form. The dwarf-bounget varieties of this		
		beautiful germ grow from nine to fifteen inches high, and are particularly		
		adapted for small beds, edging, or for pot-culture. They often flower so pro-	•	
		fusely as entirely to hide their foliage. All the varieties delight in a rich light		
		soil; and, in hot, dry weather, should be mulched with well-rotted manure, and frequently supplied with manure-water. This labor will be amply compensated		
		by the increased size, beauty, and duration of the flowers. Half-hardy annuals.		
	29	Aster French Pæony Perfection. The greatest perfection in form, size,		
,		and fulness of flower, of the Pæony class. In this variety the petals are		
1		turned towards the centre, and a flower not quite in full bloom: resembles a ball; a beautiful variety of colors; mixed. 1½ feet	.10	
1	30			
1		celebrated florist of Versailles, France. Twenty colors, mixed	.25	
1	31	Crown-flowered, or Cocardeau. The flowers of this variety have		
1		large white centres, surrounded by scarlet, carmine, violet, blue, and many	.10	
	32	other colors. Flower large and double: all colors, mixed	.05	
1.	33	 Chinese. The variety most commonly grown. Mixed. Original Chinese, with folded Petals. Mixed. The petals of this 	.00	
V		variety are folded in their length; the flowers are of an unusual size, from		
1		three to four inches in diameter; present the most striking colors of all	10	
1	24	Asters; plants tall	.10	
12	34	— German Dwarf. A fine variety, growing only 1 foot high; flowers similar to the double-quilled; good form. Mixed	.05	
1	35	— Dwarf Bouquet Pyramidal. The flower of this variety, when well		
1		grown, forms a complete bouquet of itself. All colors, mixed	.10	
1	36		OF	
D	,	high, are very double, rich, and free-flowerng; very fine for pots or beds.	.25	
1	1000	and the same of th		J



ASTER FRENCH P.EONY PERFECTION. See No. 29.



CYCLAMEN. Prize varieties. See No. 695.



IPOMÆA LIMBATA ELEGANTISSIMA. See No. 811.



DWARF STOCK-FLOWERED LARKSPUR. See No. 181.



VIOLA CORNUTA. See No. 626.



CANDYTUFT. Crimson. See No. 88.




ZINNIA HAAGEANA FLORE PLENO. See No. 361.

200	MATEUR (GULTIVATOR'S GUIDE.	18. A.	が
-			
37	Aster Dwarf Chrysanthemum-flowered. A valuable late variety, coming in after many other varieties are gone. They grow very uniform in height,	ICE.	
38	blooming so profusely as to completely hide the foliage; mixed. — Pyramidal. A very popular variety, growing very uniform in height and shape. The form of flower resembles an inverted pyramid. Some are spilled at the period of the mixture.	.10	
39	quilled, others not; a fine mixture — Globe-quilled. This is a fine variety. The flowers are formed in the shape of a half-ball. Mixed	.10	-
40	shape of a half-ball. Mixed. Giant Emperor. The flowers are very double, and of immense size. It does not flower so freely as many other varieties. In favorable cases it produces four to six flowers, of which the chief blossom is often four inches in diameter. Wind	0.5	N. A.
41	in diameter. Mixed Imbricated Pompon. One of the most pleasing styles; of pyramidal growth, with medium-sized flowers of the most perfect form, very double,	.25	The state of
42	and densely imbricated. Six colors mixed . — Porcupine, or Hedgehog. The flowers are composed of long, quilled, curious-looking petals: hence the name. Mixed .	.10	
43	— Ranunculus-flowered. A small flowered variety, very double, imbricated, surrounded by a range of green leaves; valuable for bouquets. Finest mixed	.10	1
44	— Rose-flowered. A class of great merit; robust growth, fine habit, and profuse bloomers. The flowers are as large as Pæony Asters, beautifully imbricated, of oval form, and very double. In habit, height of plant, and form of flower, intermediate between the tall Chrysanthemum and Pæony Perfection Asters; a favorite class. Ten colors. Mixed		The state of the s
45		.25	
46	Victoria. This beautiful kind forms a new class, allied to the Giant Emperor, but superior to that in habit of plant and form of flower. The plant	•10	
47	is very robust, bearing itself without assistance of a stick, forming a hand- somely-branched, compact bush, crowned with from ten to twenty large and smaller flowers, half of them of the size of the largest Giant Emperor Asters, which are of a beautiful globular form, regularly imbricated. Mixed colors — Schiller. This variety, of new form, is splendid in its formation; each indi-	.25	
	vidual plant will make a show for itself; pyramidal; the leaves round, the stock regular and ornamental, the flowers splendid, double, and well set. 1‡ feet in height. Mixed colors	.25	
48	— Giant Pæony Perfection. This new and fine variety was produced from the New Giant Emperor and Pæony Perfection. The flowers not only reach, but surpass, the enormous dimensions of the Giant Emperor Aster. They	0.5	1
۰	are, however dissimilar to the preceding; flowers perfectly double. Mixed AUBERGINE (Egg Plant). Nat. Ord., Solanaceæ.	.25	20.00
	The varieties enumerated are the eatable fruited kinds so extensively grown about our cities. The white and scarlet are sometimes grown in pots, and are very interesting, being covered in autumn with beautiful egg-shaped fruit. The scarlet variety is a great novelty. They succeed in a warm southern location. Half-hardy annuals.		The second second
	Aubergine, White-fruited. From France. 1½ feet	.05	K
	— Purple-fruited. Large; from France. 1½ feet	.10	1
51 52		.10	1
	BALSAM. NAT. ORD., Balsaminaceæ.		1
	Magnificent conservatory or out-door plants, producing their gorgeous masses of beautiful brilliant-colored flowers in the greatest profusion; when grown in pots, and large specimens are desired, they should be shifted into ten or twelve inch pots, using the richest and freest compost at command, and liberally supplied with manure-water; for out-door decoration, the soil should be of the richest possible character. Tender annuals.		THE PERSON NAMED IN COLUMN TWO
53	Balsams, Camellia-flowered, or Blotched. A beautiful collection of mixed colors; very double. 2 feet	.10	6
54	- Improved Rose-flowered. A finely imbricated variety; flowers two inches in diameter; superb; twelve colors, mixed. 2 feet	.25	Carrie
	Rose-spotted. Six varieties, mixed. 2 feet	.10	4
56	——— Chamois. New and rare. 2 feet	.10	


Mashburn อี

¿COMPANY'S

•	NO.		PRICE.
	57 Balsam Aurora-colored. Very striking and beautiful. 2 feet		10
	58 — Pale Yellow. Sweet-scented; fine. 2 feet		10
	59 — Isabella. Pale rose, changing to yellow		10
	60 Smith's Drive From a calchusted English collection, warm for		ดะ



ROSE BALSAM (Natural size).



BALSAM SOLFERINO (Half natural size).

01	Good Mixed											!
62	Solferino.	This	is one	of the	best	varietie	es of	double	Balsar	ms, with	fine	
	white flower	rs, sti	riped, s	stained	, and	spotted '	with	crimso	n; very	showy		
the colin			- '		18	8			•	•		

EVIDE. CULTIVATOR'S

BARTONIA. NAT. ORD., Loaseæ.

63 Bartonia Aurea (golden). (See engraving). Flowers yellow, about an inch and a half across, which have quite a metallic lustre when the sun shines upon them; very showy. 2 feet .





BARTONIA AUREA.

CALAMPELIS SCABRA.

BRACHYCOME. (SWAN-RIVER DAISY). NAT. ORD., Compositæ.

A beautiful, free-flowering, dwarf-growing plant, covered, during the greater portion of the summer, with a profusion of pretty cineraria-like flowers, very effective in edgings, small beds, rustic baskets, or for pot-culture; succeeding in any light, rich soil. Half-hardy annuals.

64 Brachycome (Iberidifolia). Finest Mixed; from Swan River. 1 foot

BROWALLIA. NAT. ORD., Scrophulariaceæ.

Very handsome, profuse-blooming plants, covered with rich, strikingly beautiful flowers during the summer and autumn months. Half-hardy annual.

65 Browallia. Mixed. Splendid assortment . .10

CACALIA (TASSEL-FLOWER). NAT. ORD., Compositæ.

A beautiful annual, with a profusion of scarlet tassel-shaped flowers from July to October.

- Aurea. Golden yellow variety of above

CALANDRINIA. NAT. ORD., Portulaceæ.

Very beautiful dwarf-growing plants, usually treated as tender annuals, though of perennial duration if protected in winter: they are a blaze of beauty wherever the sun shines upon them. They succeed well in a light, rich soil.

Calandrinia Lindleyana. Small red flowers, suitable for edging. Half ft., .05

69

70


- speciosa alba. Too much cannot be said in praise of this novelty, which is a pure white variety. Very dwarf habit. Useful for the edgings of beds, rockeries, and also as a pot-plant.

CALENDULA (CAPE MARIGOLD). NAT. ORD., Compositæ.

A very showy, free-flowering genus of plants, producing a pretty effect in beds or mixed borders, and growing freely in almost any soil. Hardy annuals.

3	WASHBURN & COMPANY'S	300
73 74 75	Calendula Pongei, fl. pl. Double white, fine, 1 foot. Ranunculoides. Ranunculus-flowered. Officinalis Superba. Golden orange, black eye, beautifully imbricated, Sulphurea. New sulphur-colored pot marigold; very double and beautiful,	.10 .05 .10
	CALLIRHOE. NAT. ORD., Malvaceæ. Too much cannot be said in praise of this beautiful summer-flowering annual; from two to three feet in height, with green sub-digitate leaves and leafy stems, terminating in large panicled racemes of rich violet or purple crimson close-petalled flowers, with white centre, each from one to one and a half inches in width, and partially cupped; commences to bloom when about six inches high, and continues to vield a succession of its numerous attractive flowers throughout the summer and autumn, till hard frost, forming an elegant object for groups or beds. Callirhoe Pedata. Rich violet-purple, with white eye, from N. America. 2 f. Verticillata. A pretty creeper; flowers like C. Pedata, but double the size,	.10
	CALLIOPSIS, or COREOPSIS. Nat. Ord., Compositæ. This genus is amongst the most showy, free-flowering, and beautiful of hardy annuals. The tall varieties are very effective in mixed borders and fronts of shrubberies; and the dwarf kinds, from their close, compact habit of growth, make fine bedding-plants, and are valuable for edgings; while the different varieties make very pretty ribbons. Hardy annuals.	
78 79	Calliopsis Bicolor Tinctoria. A well-known favorite, the flowers having a dark-crimson, brown centre, with yellow rays. 2½ feet	.05
80 81 82 83	ple, beyond which, to the extremity of the petals, it is a fine red. 2 ft. — Cardiminifolia Hybrida. Brilliant yellow; growth, pyramidal. 1½ f. — Coronata. Yellow; disk encircled with crimson spots; handsome. 1½ f. — Drummondii. Yellow, with crimson centre; fine; from Texas. 1½ ft. — Burridge's. Flowers rich brown, tipped with orange. 2 feet.	.10 .05 .05 .05
	CAMPANULA. Nat. Ord., Campanulaceæ. A genus of exceedingly beautiful flowers, all of which are characterized by the richness of their colors and the profusion of their bloom. The dwarf varieties are the most valuable for bedding-plants; while the whole genus is worthy of a prominent place in every garden. For other varieties, see Perennials.	
84	Campanula Loreii. Fine, with large, expanded blossoms, which continue to be produced in succession through the summer; will grow in almost any situation; should be well thinned, so that the plants will be eight or ten inches apart; desirable for edging, or bedding, en masse. Mixed colors. Half foot	.05
85	***************************************	.05
86	— Attica. A charming Grecian annual, forming compact plants about one foot in diameter, covered with deep-blue bell-shaped flowers	.10







CELOSIA, COCCINEA PYRAMIDALIS.

		/
AMATEUR	EULTIVATOR'S	EVIDE.
ASMALLUK	MOLTIVATORS	Manne.

7	No.		Lice	0
		CANDYTUFT. NAT. ORD., Cruciferæ. All the Candytufts are of the easiest culture, thriving in almost any soil or situ		3
		ation, and deserve to be cultivated more extensively in every flower garden; very good for pot-culture. Hardy annuals.	•	-
	87	Candytust Fragrans (Iberis odorata). Flower white; pinnated foliage. 1 foot		
	88	— Crimson (kermesina). Bright and showy. 1 foot	05	1
	90 90	Rocket (coronaria). Pure white; fine. 1 foot	05	
	91	- Rose (rosea). Rose-colored. 1 foot	05	
	$\Omega 2^{-}$	White (amara). One of the best 1 foot	05	
	93	- Lilac. 'Dwarf variety; interesting for its small, bushy size	10	4
	94	Lilac. Dwarf variety; interesting for its small, bushy size. Very Dwarf White. From 4 to 7 inches high, producing large compact bushes; finely cut leaves, which are, when the plant is in bloom, almost completely covered with a multitude of white flowers, sweet-scented.	-	4
		pletely covered with a multitude of white flowers, sweet-scented	25	
		CATCHFLY (SILENE). NAT. ORD., Caryophyllacea. A showy, free-flowering plant, for beds, borders, or ribbons; succeeds in any		1
	O.E	garden soil. Hardy annual.		1
		Catchfly Lobels. Red; from England. 1½ feet	05	
		CENTRANTHUS. NAT. ORD., Valerianacea.		1
		Very pretty, free flowering, compact-growing plants; very effective in beds, ribbons, or as an edging; grows freely in any garden soil. Hardy annuals.		
	97	Centranthus Long-tubed (Macrosiphon). Rose-color; very pretty. 1 foot Alba. White variety of the above. 1 foot	05	1
		CENTAUREA. NAT. ORD., Composite.		
		Very showy, free flowering border-plants, succeeding in any common garder	i	1
	00	soil. Hardy annuals.	40	
1		Centaurea, American. A large-growing species; flower pink. — Depressa. Bright-blue, with deep-red centre. From Caucasus. 1 foot	10	ĺ
	101		05	
		CH.ENOSTOMA. NAT. ORD., Scrophulariaceæ.		1
		Compact little plants; pretty for rustic or rock work. Half-hardy annuals.		-
1	102	Chænostoma Fastigiatum. Rose-color. From Cape of Good Hope. 3 ft.	.10	1
]	103	Polyanthum. Lilac. From Cape of Good Hope. 1 foot	.10	
		CHENOPODIUM. NAT. ORD., Chenopodiaceæ.		
1	104	Chenopodium Atriplicis. Flowers small, clustered, covered, as well as the young leaves and shoots, with a glittering, purple meal, which renders the plant very ornamental. Hardy annual. 3 feet.	.10	
		CHRYSANTHEMUM. NAT. ORD., Compositæ.		1
		The following are the tall, double-flowered annual Chrysanthemums, which, when well grown, are amongst the most showy and effective of summer-flowering border-plants. They are also very effective in large pots for placing about ter-		
1	05	races. The dwarf kinds make showy bedding-plants. Chrysanthemum Double-white. Extra fine hardy annual. From Sicily. 2 ft.	.05	
1	06	- Vellow, Extra fine hardy annual. From Sicily, 2 feet	.05	-
1	07	 Yellow. Extra fine hardy annual. From Sicily. 2 feet Tricolor. Yellow and white; very showy. From Barbary. 1 foot 	.05	
1	08	— Burridgeanum. Crimson, with white centre. From Barbary. 1 foot	.10	1
1	09	— Mixed. The above varieties mixed	.0á	
		CLARKIA. NAT. ORD., Onagraceæ.		
		A beautiful tribe of favorite plants, with pretty, cheerful-looking flowers, grow-		1
		ing freely and blooming profusely under almost any circumstances; and when planted in a rich soil, and properly attended to, they rank amongst the most effective of bedding-plants. Some of the new varieties are very good for pots, as well		A
		as the garden. Hardy annuals.	05	1
	11	Clarkia Pulchella Grandiflora. Deep-rose. 1½ feet	.05	-
2	3-	21		K
=	-		-0	000



4	20	The e	2 Mic You	(20)111	ČŽ.	18					_]	2	1
7	المغالا	S.]	PŘÍ	CE	3
	112	Clarkia	Pulchella Flor	e Pleno.	Rich	magenta	flower;	double	e; a v	ery im	l-	-	0
			oortant addition to										
	113		Marginata. R	osy-crimsor	n, edge	l with pu	re whit	ie. $1\frac{1}{2}$ 1	feet			.10	(
	114		Integripetala.	Rosy-crim	son flov	vers; larg	ge and h	andsom	ie. 1	} feet		.10	1
	115		Tom Thumb.	Rose-purpl	e; dwa	rf; bush;	y habit	; fine fo	r pots	. 3 ft.		.10	,
	116	·	Mixed. Good;	mixed .								.05	
	117		Extra Mixed.	Including	double	varieties						.10	1



CLARKIA.

CLINTONIA. NAT. ORD., Labeliaceæ.

A pretty little plant, of neat, compact growth, with flowers resembling the Lobelia, and exceedingly beautiful; produces a fine effect in rustic baskets, rockwork, vases, boxes, or as an edging. Half-hardy annual.

118 Chintonia Pulchella. Blue, yellow, and white; dwarf, and very pretty. ½ ft.	.10
110 - Atropurpurea Grandiflora. Violet-purple; margined with white	
120 - Azurea Grandiflora. Azure, blue, vellow, and white centre. 1 foot.	

COLLINSIA. NAT. ORD., Scrophulariaceæ.

California annuals of great beauty; remarkably attractive in beds, mixed borders, or ribbons. Hardy annuals.

121	Commissa Bicolor.	Purple and white;	beautiful.	From	Canada.	1 too	t	.05
122	Alba. White;	a charming variety.	1 foot.					.05
123	- Grandiflora.	Blue white and lila	c · beautiful.	Fro	m Colum	hia		.05

24	Collomia Scarlet.	Flowers in clusters.	From Chili. 11	feet .		.0
	- Grandiflora.					.0

1	25	ેલી	200	-	- 0		•	4		-	1000	2
		5	ARTO	AMA?	reur	E vrii	VATOR'S	ξ Ĝυ	IDE.	The P	1	という
- ANDA	D N		ingly han	tiful, free-flo dsome, rich- brilliant eff	-colored :	LUS. NA nd remarkab flowers, prod r in distinct	ucing in be	iss of pla ds and r	nts, with	orders an	UE.	and the second
	11 11 11 11	27 28 29 30	— Stri — All — Flo — Mo	iped. Blue ba. White; ore Pleno. onstrosus.	beautifu beautifu A new Deep vio	double variet let-purple; e	y. From Fr	trailer ance ge, and h	andsom		.05 .05 .05 .10	1
	1:	32 33	— Can	ntabricus S he centre, an ling-plant, an uritanicus.	stellatus ad are pr ad is exce A bear for hangi	olor; trailer; Beautiful roduced in the edingly elegi utiful creepe ng-baskets a	pink, with p e greatest pr ant in hangir r, with silver	pure whi rofusion. ng-baske ry foliage	te doub A sple ts	ndid bed-	.10	S. Share
		34 35				finest varieti	es .			• •	.05	
The same of the sa		•	ž							\$.		
						DIDISCUS CA	RULEA.	3000	3			
	1:	36				distinct and	Ord., Umbel elegant plan		Austral	ia. Half-	.10	-
		37	Erysimu	owy, free-florders, or ribb markans	owering, ons; suc anum.	handsome h ceed in any l Sulphur-yell- ge; very show	ardy annuals ight, rich so ow; very har	il. Hard adsome.	From N.	A. 1½ ft.	.10	
The Parket of th	1;	39	first speci blossomin Eschsch	plants, with ies introduce g from June oltzia Calif	showy fled was of until from fornica.	CTZIA. N. owers; native alled the Cast. Hardy a Bright yello From Califo	es of Californ lifornia Pop nnual. ow; rich oran	nia; on w py; exc	hich acceedingly	profuse,	.05	
D. D.	1	41	Ter	· Alba. W nuifolia. I EUC	hite. Fr Primrose, CHARI	om Calitorni with orange DIUM. N.	acentre; very	iagraceœ			.05	600
120	11.	43	for beddin Euchari	ig, edging, or	ribbonir difloru i	-flowering, cong; succeeds n. Deep rosite; beautifu	in common s e-shaded pin	soil. Ha	ırdy ann	uals.	.10	2

	L	Ed new and and and	Mes	إمميا
and a	1	WASHBURN & COMPANY'S		14
=	Q.	WHASHBURN & MOUNTANTS	12	200
-	K	No. EUTOCA. NAT. ORD., Hydrophyllacea. PR.	ICE.	S.
4	K	Showy, free-flowering plants, suitable for beds or mixed borders; succeeds in		3
4	ľ	any light, rich soil. Hardy annuals. 145 Eutoca. Finest mixed	.10	1
,	P.	EUCNIDE. NAT. ORD., Loasaceæ.	*10	
2		A charming golden-blossomed plant; alike effective and showy in mixed borders		-
		or grown in pots for conservatory decoration. Half-hardy annual.		6
6	2	146 Eucnide Bartonoides. Primrose; from Mexico	.10	1
- 8	ľ	EUPHORBIA. NAT. ORD., Euphorbiaceæ. 147 Euphorbia Variegata. Very pretty variegated foliaged plant. Tender annual	.05	
4	Q.A	FENZLIA. NAT. ORD., Polemoniaceæ.		1
- {	ľ	A splendid, profuse-blooming, neat little plant of dwarf growth, very effective in		4
Y	*	small beds, vases, or rustic baskets or boxes for conservatory or window decoration; remains in flower the whole summer; thrives best in a light, rich soil.		- 5
84	4	148 Fenzlia Dianthiflora. Rosy-lilac, crimson centre, with yellow anthers. Hardy		j
		annual. From California. 1½ feet	.25	7
	7	FLOS ADONIS. NAT. ORD., Ranunculaceæ.		9
2		149 Flos Adonis. Handsome foliage, blood-red flowers; very pretty. Hardy annual	.05	Ì
7	2	GAURA. NAT. ORD., Onagraria. A plant of light and graceful habit, with spikes of white and red-tinted flowers;		
-	r	a profuse bloomer. Half-hardy annual.		
1		150 Gaura Lindheimerii. Very pretty. 2 feet	.10	Ì
8		GILIA. NAT. ORD., Polemoniaceæ.		
7		This is a very pleasing family of annuals; may be sown at any time, and will bloom in almost any situation. The flowers are disposed in panicles or clusters;		
		and, from its neat growth, it is admirably adapted for culture in masses or de-		
1		tached patches. The three-colored variety is the prettiest. Hardy annual. 151 Gilia Achilleæfolia. Lilac; from California. 1½ foot	.10	,
1		152 — Alba. A very fine variety, with pure white flowers	.10	
		153 — Laciniata. Distinct variety, blooming in corymbose form; blue. \(\frac{3}{4}\) ft 154 — Tricolor. Yellow eye, surrounded by a purple ring bordered by pale blue	.25	
		GODETIA. NAT. ORD., Onagræceæ.	.05	
		All the varieties of Godetia are well worth growing, and indeed no garden can be		
		said to be complete without them: their profusion of bloom and delicate tints of color have long rendered them universal favorites.		1
-		155 Godetia Alba. Pure white. 1½ feet	.05	
		156 — Lindleyana. Peach-lilac; carmine centre	.05	
		157 — Rubicunda. Rosy-lilac, with ruby centre	.05	
		159 — The Bride. Cup-shaped blossom of pure white, with a broad and	120	
		brilliant crimson ring at base of corolla	.25	
		160 — Mixed. The above mixed; choice	.25	
	1	GRAMMANTHES. NAT. ORD., Crassulaceæ.		
		A charming, profuse-flowering class of miniature plants, with beautiful star-		
		shaped flowers, delighting in warm, sunny situations, and especially effective in rock- work, rustic baskets, or edging. Half-hardy annual.		
		162 Grammanthes. Finest mixed, including the choicest sorts	.25	
	1	GYPSOPHILA. NAT. ORD, Caryophyllaceæ.		
1		A pretty, free-flowering, elegant little plant, best adapted for rustic rock-work and edging; succeeding in any garden soil. Hardy annuals.		
6		163 Gypsophila Elegans. Small, starry, purple and white flowers. 1 foot	.05	- 3
	\	164 — Rose-colored. A variety of the preceding, with rose-colored flowers. 1 foot	.05	b
1		165 — Muralis. Neat and pretty; with small flowers, which cover the plant. ½ ft.	.10	-
4		HAWKWEED. NAT. ORD., Composite. 166 Hawkweed, Golden (Crepis Barbata). An old but beautiful annual, of the		
E	>	easiest culture; covered with flowers, the rays of light yellow finely con-	0.2	1
10	3	trasted with the brilliant purple-brown centre. 1 ft	.05	R
CAR	-		1	72



VISCARIA. No. 355.



IPOMEA. No. 809.



SALP.GLOSSIS. No. 315.



DELPHINIUM FORMOSA. No. 466.



SWEET WILLIAMS. No. 611.



convolvulus tricolon. No. 123.



MARIGOLD, SUPERB GARDEN. No. 215.



CUCUMIS FLEXUOSUS. No. 785.



TROPÆOLUM LOBBIANUM. No. 847.



RICINUS GIGANTEUS. No. 306.



BALSAMS. No. 53.



PETUNIA. No. 738.

7	5.01		19-
5	الم	AMATEUR CULTIVATOR'S GUIDE.	8.
5			- July
V	NO.		CE.
		HELIOPHILA. NAT. ORD., Cruciferæ.	3
•		Very useful, pretty little plants for small beds or edgings, flowering very pro-	3.
	100	fusely, and remaining a long time in beauty. Half-hardy annuals.	4
	167	Heliophila. Mixed; a good variety of colors	.10
		HELIANTHUS (SUNFLOWER). NAT. ORD., Compositæ.	Í
		A splendid genus of the most showy plants, remarkable for their stately growth,	0
		and the brilliancy and size of their noble flowers Hardy annuals.	1
	168	B Helianthus Arggrophyllus. Yellow foliage; silky white. From S. Amer. 1 ft.	.10
	169		,
		brown; fine; compact in their growth, with beautiful silvery foliage .	.10
	170		.10
		- Green-centred. Yellow; double, with conspicuous green centre. 4 feet .	.10
	172	2 — Macrophyllus Giganteus (Giant Sunflower). A very large-growing va-	
		riety, with only one flower; from Africa. 10 feet	10
			5
		HIBISCUS. NAT. ORD., Malvaceæ.	4
		Whether the hardy sorts he planted in mixed or shrubberry horder or the more	1
		One of the most ornamental, beautiful, and showy tribes of plants cultivated. Whether the hardy sorts be planted in mixed or shrubbery border, or the more tender varieties be grown for in-doors decoration, they are all alike characterized	1
		by the size and varied beautiful colors of their flowers.	1
	173	Hibiscus Africanus. Cream-color; rich-brown centre. Hardy annual. 11 ft.	.05
			8
		ICE-PLANT. NAT. ORD., Ficidiaceæ.	
		A most singular, trailing plant, with thick fleshy leaves that have the appear-	
		ance of being covered with crystals of ice; very ornamental for rock-work, or	6
	1~4	mixing with other plants in conservatory or flower-garden.	05
	174	Ice-Plant. From Greece. Half-hardy annual	.05
		IMPATIENS. NAT. ORD., Balsaminaceæ.	
		Handsome, showy border-plant; succeeds in light, rich soil Half-hardy annual.	
	175	Impatiens Glanduligera. Yellow and crimson; from East Indies	.10
		JACOBEA (SENECIO). NAT. ORD., Compositæ.	
		A useful and exceedingly showy class of gay-colored profuse-blooming plants, of	
	100	the easiest culture; remarkably effective in beds or ribbons. Hardy annual.	70
		Jacobea. Double. Finest, mixed. 8 colors	.10
	177	New Dwarf Variety. Compact habit; fine for pots or beds. Double. ½ ft.	.25
		LARKSPUR (DELPHINUM). NAT. ORD., Ranunculaceæ.	9
		One of the generally cultivated and ornamental genus of plants, combining unu-	1
		sual richness with an endless variety of colors, all of which are extremely beautiful	
		and pleasing. The flowers are produced in the greatest profusion; and the plants.	16
		in beds, masses, or ribbons, are strikingly effective: indeed, few plants are so gen-	10
		erany useful and valuable for their decorative quanties, either in the garden or	
		when cut for vases. The great difficulty has hitherto been the procuring of seeds which would yield double flowers. To this object we have given special attention,	19
		and now offer seed saved only from such varieties as are really to be depended	
		upon, and worthy of a place in every garden. For the guidance of amateurs, we	
		may simply notice that the stock-flowered Larkspur is of the same habit as the old	- 8
		Dwarf Rocket, but has longer spikes, and much larger and more double flowers;	
		the tall stock-flowered variety is the same style as the branching, but with more compact spikes, and larger and more double flowers. The tall-growing varieties	
		scattered in shrubbery-borders produce a charming effect when backed by green	
		scattered in shrubbery-borders produce a charming effect when backed by green foliage of the shrubs. Hardy annuals.	1
	175	Larkspur Dwarf Rocket. A fine mixture; saved from a fine collection. 1 ft.	.05
		Tall Rocket. Same as preceding, except being taller. 2½ feet	.05
		O — Hyacinth-flowered. Finest mixed	.05
	181	1 — Dwarf Stock-flowered. A desirable variety; saved from a beautiful col-	þ
		lection	.05
	182		.05
	183	3 — Pyramidal. Mixed; a splendid mixture	.05
>	18-		.10 4
1	183	German Branching. A good variety colors	.05
N	424	25	12
-			

M. W. H. P. C. B. P. C.

Ì	50%	200	la se de la	Missan
		36	WASHBURN & COMPANY'S	
	T N	io.	LAVATERA. NAT. ORD., Malvaceæ. Very showy, profuse-blooming, handsome plants; exceedingly effective when used as a background to other plants. Hardy annuals.	ICE.
	\		Lavatera. Finest mixed	.05
1	1	.87 .88	maroon, orange, crimson, violet, golden-yellow, and white. 1 foot	.10
	> - 1	.89	Very beautiful, showy, profuse-blooming, dwarf-growing plants; slightly fragrant; particularly effective and valuable as edgings, succeeding in any soil or situation, but delighting most in a moist soil. From California. Hardy annuals. Limnanthes. Finest mixed	.10
			LINARIA. NAT. ORD., Scrophulariaceæ. A handsome, free-flowering genus of snapdragon-like plants, remarkable for the beauty and variety of their colors; well adapted for and very effective in beds, or ribbons, rock-work, woodland-walks, &c. Succeeding in any soil. Hardy annual.	10
1	5		Linaria Mixed. All the finest sorts LINDHEIMERIA. Nat. Ord., Compositæ. Lindheimeria Texana. A very pretty little plant, having a vanilla-like odor.	.10
	1 1 1 1	92 93 94 95	Yellow; fine. Hardy annual. 2 feet LINUM. NAT. ORD., Linaceæ. A genus of the most beautiful, free-flowering plants, amongst which stands distinguished for its brilliant-colored flowers, Linum Grandiflorum Coccineum, being one of the handsomest, most effective, and showy bedding-plants we have; for, whilst its habit of growth is slender and delicate, it produces a profusion of beautiful, saucer-shaped flowers, of a rich scarlet-crimson, with crimson-black centre. The whole genus deserves general cultivation. Make nice pot-plants. Linum Grandiflorum Coccineum. Scarlet, with crimson centre. 1 foot . — Album. Beautiful white variety. 1 foot . — Purpureum. A new variety; rich purple flowers, similar to above . Lewisii. Blue and white stripes. From North America. 2 feet	.10 .10 .10 .10
The same of the last of the la			LOBELIA. Nat. Ord., Lobeliaceæ. A most elegant and useful genus of dwarf plants, of easy culture; well adapted for bedding, edging, pots, or rockeries. Lobelias, in fact, are employed as universally in the general summer-garden as scarlet geraniums, to beds of which they form a neat and effective edging. Lobelia Speciosa is the fluest of all, from its intense dark-blue color, with a clear white spot, and its dark-colored foliage. The varieties of Lobelia Gracilis are the best adapted for rock-work, pots, or suspended baskets, to droop over. The seeds of Lobelias, being very small, cover very slightly when sown. Half-hardy annuals.	.10
	1 1 2 2		Lobelia Compacta. Dark blue, with white centre; compact growth. ½ ft. — Grandiflora. Large-flowered variety; dark blue — Marmorata. Marble, blue and white. ½ foot — Speciosa. The most effective of all the varieties; extremely rich and beautiful intense azure-blue flowers; fine for pots. ½ foot — Paxtoniana. Fine habit, with profuse bloom of pure white, with sky-blue belt; the largest flower in the tribe; a beautiful bedding-plant. ½ foot.	.16 .10 .10 .10
1		03		.10
	>		A splendid genus of the most ornamental, beautiful, and free-flowering of garden plants, with long, graceful spikes of bloom; colors rich and varied. Many of the varieties are of stately, robust growth, which makes them exceedingly valuaable for mixed flower and shrubbery borders. Hardy annuals.	
*	> 2	04	Lupins, Garden. Mixed colors	.05

So me an in	Miles.
Amateur (Gultivator's Guide.	30
No. 205 Lupins Affinis. Blue, white, and purple; pretty. From California. 1½ ft. 206 — Alba-coccineus. Rosy-red; apex pure white. Showy 207 — Hybridus Insignis. Purple, white, and yellow. 2 feet MALOPE. Nat. Ord., Malvaceæ. Handsome plants of branching habit, producing their large flower in great profusion; very effective in mixed borders. Hardy annuals. 208 Malope Grandiflora. Dark crimson. From Barbary. 2 feet	.05 .25 .10
MARIGOLD. NAT. ORD., Composite. All features considered, it is questionable whether any genus of plants amongst annuals can vie with either the French or African Marigolds in their glowing colors, and their elegantly lobed leaves, of the richest green tint, and, above all, in their almost unequalled and sole adaptation for summer and late autumn decoration in the flower-garden, retaining their verdant beauty and gorgeous colors, undimmed and undiminished, to the very verge of winter. No feature in their habit of growth is in excess, either in leaf or flower, but admirably balanced for effect; neat, com-	.05
pact, and beautiful; of the easiest culture. Half-hardy annuals. 210 Marigold African (Tagetes erecta). Lemon-color. 2 feet 211 — Orange-color. 2 feet	.05 .05 .10 .10 .10 .05
MARVEL OF PERU. Nat. Ord., Nyetaginiaceæ. 217 Marvel of Peru. Splendid varieties mixed, including all the finest sorts; very picturesque and diversified colors, finely contrasted with its dark-green, glossy foliage, and densely-branching habit; blooming throughout the summer and autumn months. 2 feet MALVA, OR MALLOWS. Nat. Ord., Malvaceæ. Showy, free-flowering plants; succeeding in any garden-soil. Hardy annuals. 218 Malva Capensis. Mixed colors.	.05
	205 Lupins Affinis. Blue, white, and purple; pretty. From California. 1½ ft 206 — Alba-coccineus. Rosy-red; apex pure white. Showy



MACHERANTHERA TANACETIFOLIA (one-fifth natural size).

MACH.ERANTHERA. NAT. ORD., Compositæ.

A pretty little dwarf free-flowering plant; flowers resembling Michaelmas Daisy. Hardy annual.

219 Machæranthera Tanacetifolia. Blush-purple, with golden-yellow centre. 1ft.

2	20	1 Be many and			亦灵	~!!	/r
	19 B	WASHBURN & COMPAN	Y'S	and the	B.		33
5	4	185			- E	D.	4
? •		MARTYNIA (UNICORN PLANT). NAT. ORD., Handsome tropical annuals, remarkable for the size of th with their leaves; requires a light rich soil, and a warm sit fruit, or seed-pods, are considered fine for pickling. Tender a Martynia Fragrans (sweet-scented). Purple. From Me — Mixed. A fine collection	eir flower of tuation. T annual.	compared he young	.05	Orac Care	W.C. RO
	0.01		Ficaidea			V	4
 - -		A brilliant and profuse-flowering tribe of extremely proparts; strikingly effective in beds, edging, rock-work, rustic warm, sunny situations; also for in-door decoration if grow pans. Succeeds best in dry loamy soil. Half-hardy annual.	etty dwarf	growing vases, in boxes, or		1	1
	222	2 Mesembryanthemum. Finest mixed			.10	7	
. :	223	MIMOSA (SENSITIVE PLANT). NAT. ORD., L. 3 Mimosa Pudica. Grown as a curiosity, being so sensitive up by being slightly touched. Suitable for pots or o	that the lea pen border.		.05		3
		MIGNONETTE. NAT. ORD., Reseduce				4	ĺ
		A well-known fragrant favorite, which produces a pleasing showy occupants of the parterre. If thinned out immediately enough, they will grow stronger, and produce larger spikes. 4 Mignonette (Reseda Odorata). Well-known sweet-scented. 5 — Grandiflora. Large-flowered variety. From Barbar 6 — Arborea (Tree). Fine foliage. 2 feet	$\frac{1}{2}$ ft. (25	the more are large uals. per oz.) .	.05 .05		1
1	e,20	MOURNING BRIDE. (See Scabiou		• •	•10		
:	228 229	NASTURTIUM (TROP.EOLUM MAJUS). NAT. ORD This is a well-known ornamental annual, of easy cultivation a light soil. It looks well, trained to a trellis or over a wall. orange, shaded with crimson and various colors. The varie blood-colored flowers makes a fine contrast with orange. as a substitute for capers, and the flowers eaten as salads. E Nasturtium Carneum. Flesh-color. 10 feet Majus. Bright-orange. 10 feet Atrosanguineum. Dark-crimson. 10 feet Shillingii. Spotted-yellow, with dark spots on each	o., Tropæola n. It flower The flower ety with cr The seeds Half-hardy a	ers best in s are rich rinson or are used muals.	.05 .05 .05		Commence of the Commence of th
		1 — Scheuermanni. Straw-color, striped with brown; f (The above are all tall varieties.)	ine		.05	1	
		NASTURTIUM (TROP.EOLUM MINOR). NAT. ORD The dwarf improved varieties of the Nasturtium are among beautiful of garden favorites for bedding, massing, or ribbot the Geranium, Verbena, and Calceolaria. Their close compored flowers, and the freedom with which they bloom, all coin the category of first-class bedding-plants. The Tom-Thu tinguished favorites. Half-hardy annuals.	the most uning, and repart growth.	seful and ank with rich-col-			SALES CONTRACTOR
	232	2 Nasturtium Dwarf Crimson. Very fine for groups. 1	foot		.05		1
	233	3 — Scarlet. Brilliant. 1 foot			.05		H
	234	4 — Spotted. Yellow, with dark spots. 1 foot.			.05		1
	235	5 — Tom Thumb, Scarlet. Dwarf and compact; as rieffective as the Tom-Thumb Geraniums; fine for p	ots or vases	r and as	.10		1
	230	6 — — Yellow. Similar to the last, with yellow f	flowers. 1 f	oot	.10		I
1	237 238	S — Crystal-palace Gem. A new sulphur-co roon; a splendid bedding variety. 1 foot	fine. 1½ fee lor, spotted	with ma-	.10		
	239 240	· · · · · · · · · · · · · · · · · · ·	 nilar to scar Geranium .	elet Tom-	.10		
		NEMESIA. NAT. ORD., Scrophulariaco	eæ.				1
-	0.41	Exceedingly pretty and profuse-blooming plants. Nemesia should be grown in every garden. Half-hardy annual.	Compacta	and Alba	10	4	
25	4/E.I ~~a	1 Nemesia. Finest mixed			10	A	1

A

Çuide. **CULTIVATOR'S**



NICOTIANA MACROPHYLLA GIGANTEA

NO.	PRICE.				
NICOTIANA (TOBACCO-PLANT). NAT. ORD., Solanaceæ.					
Strong-growing, fine-foliaged plants; effective for large shrubbery borders, an the leaves of some varieties are valuable for fumigating purposes. Tender annual					
242 Nicotiana. Finest mixed	10				
243 — Macrophylla Var. Gigantea. Purple-flowered. It grows six to eight feet high; and the plants are crowned with immense bunches or corymbt of large purple flowers. The general habit of the plant, its huge foliage and stately aspect, give it the advantage over most other ornamental leaved plants, for lawns or groups in the flower-garden.	e, l-				
NIGELLA (LOVE-IN-A-MIST). NAT. ORD., Ranunculaceæ.					
A genus of very interesting, compact-growing, free-flowering plants, with curiou- looking flowers and seed-pods. From the extraordinary motion manifested by the stamens, this genus has received the above singular names. Hardy annual.	3- 10				
244 Nigella Damascena. Blue; fine. 1½ feet	05				
245 — Nana. A double variety; flowers 'lue and white. 1 foot	05				
246 — Hispanica. Blue; very showy. 11 foot	05				
247 — Alba. Pure white. 11 foot	05				
NEMOPHILA. NAT. ORD., Hydrophyllacea.					
This is, perhaps, the most charming and generally useful genus of dwarf-growing hardy annuals. All the varieties have a neat, compact, and uniform habit of growth, with shades and colors the most stilkingly beautiful, so that, ribboned, sown in circles, or arranged in any style in which the fancy may suggest, the effect is pleasing and very striking. They are also very useful for pot-culture.					
248 Nemophila Atomaria. White, with blue spots. 1 foot	05				
249 — Oculata. Light-blue, blotched with black; fine. 1 foot	10				
29					

_	- en		
	M ASHBURN	(\$\frac{1}{2}\)	OMPANY'S

7	NO.				PRICE	
	250 Nemophila Discoidalis. Black, with white edge .		•	•	05	3
	251 — Insignis. Bright-blue		•		05	a
	252 — Alba. White. 1 foot				05	- 1
	253 — Maculata. White; large purple spots. 1 foot .				05	
	254 - Variegata. White, veined with lilac, and blot	ched with	a violet;	foliag	e	
	finely variegated; very effective. 1 foot				10	
	255 Good Mixed				05	



NEMOPHILA MACULATA.

NOLANA. NAT. ORD., Nolanacea.

Very pretty trailing-plants, after the character of the Convolvulus Minor; fine for rock-work, hanging-baskets, old stumps, &c. Hardy annuals.

256 Nolana Atriplicitolia. Blue, violet, and yellow; from Peru. ½ it	i	05
257 — Alba. White; yellow centre		05
258 — Subcœrulea. A fine variety, with mauve-colored flowers		10
259 — Prostrata. Fine blue, streaked with black; from Peru .		05

CENOTHERA. NAT. ORD., Onagracea.

A magnificent genus; one of the most useful and beautiful, either for beds, borders, edgings, or rock-work. All the varieties are free-flowering, with superb spikes of large flowers. Half-hardy annuals.

	1					
260	Enothera Acaulis.	A large-flowered	variety, with s	silvery-white blos	soms .	.10
261	- Biennis Hirsutis	sima. Crimson-	-orange; from C	California. 2 feet		.08
262	- Bistorta Veitchi	i Grandiflora.	Pure yellow;	crimson spotted.	1 ft	.10
263	Drummondii N	ana Nova. Du	varf hright vo	llow from Taxos	. 1 🗗	10

OXYURA. Nat. Ord., Composite.


264 Oxyura Chrysanthemoides. A showy, free-flowering plant, with beautiful fringed flowers; golden-yellow; from California.

PALAFOXIA. NAT. ORD., Compositæ. NO. This new Texas plant is one of the finest of recent acquisitions. It is much dwarfer and more branching than Palafoxia Texana; and the flowers, which have very much broader florets, are larger, and of a bright rosy-crimson color, with a dark centre. It is an annual, and will flourish finely in light and dry soils, and blooms throughout the summer. 265 Palafoxia Hookerania. Rosy-crimson, with dark centre PEAS. NAT. ORD., Leguminosæ. The Sweet Peas are among the most popular annuals which enrich the flower garden. They may be planted and trained on sticks the same as common peas; or they may be sowed along the sides of fences, forming a highly ornamental covering: in any situation, they are always admired. Hardy annuals. 266 Sweet Peas, Black. From Ceylon. 6 feet 267 — White. From Ceylon. 6 feet .05 - Purple. From Ceylon. 6 feet . .05 269 - Painted Lady. From Ceylon. 6 feet .05 270 — Scarlet. From Ceylon. 6 feet . . . 271 — Scarlet Striped. From Ceylon. 6 feet .05 272 — Mixed. The above mixed05 273 — Everlasting. (See Lathyrus.) .05 274 — Lord Anson's. Light-blue. 11 feet . .05 275 — Tangier. Scarlet; from Barbary .05 276 - Scarlet Invincible. Beautiful new variety; flowers intense scarlet .10 PERILLA. NAT. ORD., Labiatæ. Among the recent introductions of ornamental-foliaged plants for flower-garden decoration, the Perilla deserves a more than ordinary share of attention. Its habit of growth is neat and shrubby, whilst its foliage is a deep mulberry or blackish purple, and forms a fine contrast to the silvery foliage of Cineraria Maritima, or the lively green of other plants. Half-hardy annuals. 277 Perilla Nankinensis. Leaves, a deep mulberry or purplish-black. 2 feet PHLOX DRUMMONDII. NAT. ORD., Polemoniaceæ. This magnificent genus of plants is unrivalled for richness and brilliancy of colors, profuse and duration of blooming. They are unsurpassed for bedding or pot-culture, and produce a splendid effect in mixed borders. No garden should be without these beautiful plants. Succeeds best in light rich soil. Hardy annuals. 278 Phlox Drummondii Alba. White . .10 .10 - Louis Napoleon. Dark crimson .10 - Leopoldii. Purple; white eye10 - Queen Victoria. Violet; white eye . .10 - Purpurea. Deep purple10 - Chamois Rose. Delicate rose .10 - — Coccinea. Pure deep scarlet .10 287 -- Striata. Scarlet, striped with white . .10 288 -- Variabilis. Light-blue marbled . .10 - Heynholdi. The New True Scarlet Phlox (Benary). There is already in our gardens a bright variety of much value, known under the name of P. scarlet; but its flowers, though of a very brilliant color, are far from being the true scarlet, and only of a dark-crimson tint .50 - Good Mixed .05 - Finest Mixed. Including all the best varieties . .10 PODOLEPIS. ITAT. ORD., Compositæ. A genus of pretty, graceful, free-flowering plants, succeeding best in a light, rich soil, producing a fine effect in beds or mixed borders. Half-hardy annuals. .10


PORTULACA. NAT. ORD., Portulaceæ.

In praise of these charming flowers it is impossible to speak too highly; and it may be safely affirmed that a garden without them is devoid of its brightest orna-

CULTIVATOR'S



— Grandiflora Flore Pleno. Saved from double-flowering plants, reproducing a large proportion of double, in white, blood-red, purple, &c., resembling roses; one of the finest new plants introduced for a long time.



DOUBLE PORTULACA.

POPPY. NAT. ORD., Papaveraceæ.

A tribe of remarkably showy, free-flowering plants, producing a rich and effective display in large mixed borders, in shrubberies, or select plantations; grows freely in any soil. Hardy annuals.

PRINCE'S FEATHER. NAT. ORD., Amarantaceæ.

Ornamental plants, with elegant plumes of rich-colored flowers; succeeds well in any good garden-soil. Hardy annuals.


304 Prince's Feather (Amaranthus). Large-flowered; crimson. From Nepaul. 2 ft. . . .

RICINUS (CASTOR-OIL BEAN). Euphorbiaceæ.

A magnificent and highly ornamental genus. The picturesque foliage and stately growth, combined with brilliant-colored fruit, of the new varieties, impart to select plantations, shrubberies, and mixed-flower borders, quite an Oriental aspect. In the gardens round Paris, they form one of the principal features of



CONVOLVULUS MAURITANICUS. See No. 133.



AMARANTHUS SALICIFOLIUS. See page 114.



PYRAMIDAL BOUQUET MIGNONETTE.



NEW DWARF COMPACT MIGNONETTE.

Rare Flowers and Novelties

200	AMATEUR CULTIVATOR'S GUIDE.	37-3	1
		الأها	12
NO		CE.	4
	attraction; and if planted out and grown as single specimens on our lawns and pleasure-grounds, as an ornamental foliaged plant. Half-hardy annuals.	3	K
	5 Ricinus Africanus Hybridus. Rose-colored hybrid; very handsome. 7 feet.	.25	4
	16 — Giganteus. Plant and leaves of enormous size; new. 12 feet	.05	-
	98 — Sanguineus. A very stately-growing plant, with large and highly orna-	.00	1
	mental foliage of Oriental aspect, with clusters of red fruit. 6 feet.	.10	1
30	29 — Sanguineus Tricolor. This effective species has its stems and leaves colored green, brown, and red. 7 feet	10	1
31	0 — Braziliensis. Rich green fruit. From Brazil	.10	1
31	1 — Obermannii. Deep red; fine. From Africa. 8 feet	.10	-
	ROSE, AFRICAN. NAT. ORD., Papaveracea.	1	1
31	2 — Rose, African, Mixed (Papaver rhaas). A beautiful annual, of the easi-		-
	est culture, producing double, semi-double, and single flowers, all hand-		4
	some, sporting in a thousand different varieties of scarlet, crimson, purple, pink, white, variegated, and parti-colored. 1½ feet	.05	1
	RUDBECKIA. NAT. ORD., Compositæ.		1
	Fine large flowers, with broad streaks of fine yellow, marked with a lively stripe		1
	of purple at the base; a prominent disk of deep brown. Very showy.		1
31	3 Rudbeckia Amplexicaulis. Hardy annual. 2½ feet	.05	
	SABBATIA. NAT. ORD., Gentianeæ.		1
31	4 Sabbatia Campestris. A very pretty tender annual, with rose-colored flow-	ar	
	ers; yellow eye. From Texas. ½ foot	25	
	SALPIGLOSSIS. NAT. ORD., Scrophulariaceæ.		1
	The Salpiglossis are beautiful annuals, with very picturesque and richly colored,		die.
	erect-lobed, funnel-shaped blossoms; colors beautifully marbled, purple, scarlet, crimson, clear yellow, and buff, with elegant shades of blue. The new dwarf varieties form a very desirable section of this pleasing flower. Half-hardy annual.		
	rieties form a very desirable section of this pleasing flower. Half-hardy annual.	10	1
	15 Salpiglossis. Fine mixed	.10 .25	1
31			1
	SALVIA. Nat. Ord., Labiatæ. Strikingly ornamental plants for conservatory and out-door decoration, growing		1
	freely in any light rich soil, and producing a magnificent effect in heds, ribbons.		-
	or edgings, where their beautiful spikes of bloom are produced in the greatest pro-		1
21	fusion. They all bloom the first season from seed. Half-hardy annual. 17 Salvia Coccinea. Small scarlet flowers, pretty for beds. From S. Amer. 2 ft.	.10	1
	18 — Splendens. A fine scarlet variety. From South America. 2 feet.	.10	H
	19 — Pumila. Dark-red; compact and handsome; fine for bedding. 11 feet.	.10	
3	20 — Romeriana. Deep crimson; fine. 2 feet	.10	1
	(Other varieties, see Perennials.)		
	SAPONARIA. NAT. ORD., Caryophyllaceæ.		
	One of the best and longest-blooming of all dwarf annuals, producing masses of minute cross-shaped blossoms: admirable for bedding.		
35	21 Saponaria. Finest mixed	.10	
	SCABIOUS (Mourning Bride). Nat. Ord., Dipsaceæ.		
	A hardy, ornamental plant, suitable for borders. It may be sown at any time in May, and will produce its flowers from July to October. There is a great variety in the flowers of different plants: some of them are almost black, others a dark		
	May, and will produce its flowers from July to October. There is a great variety		
	puce-purple, and various shades, down to lilac. Hardy annuals.		
3	22 Scabiosa Atropurpurea. A mixture of the finest dark colors. 2 feet	.05	
3	23 — New Dwarf. Mixed; very fine. 1 foot	.05	6
	24 — Candidissima. Pure white; very desirable. 1 foot	.05 .25	,
	25 — Starry. Blooms of this, if picked early, well adapted for winter bouquets. 26 — Nana Fl. Pl. Varieties. The flowers, which have all the beautiful		
3	varieties of colors of this tribe, are perfectly double, and form round,		6
>	globular heads; the petals are shorter. Dwarfer and more compact habit than the old varieties	.25	
Br	33	201	2
		~~5	~

52	me and and and	The state of
999	WASHBURN & COMPANY'S	37
Ø Ñ		CE
8	Elegant slender-branched annuals, with very conspicuous lobed or cut-petalled flowers of white, lilac, purple, and rich red, orange, and violet-crimson spots and	
2.	marks, very picturesquely blended; well adapted for either garden or pot culture. For winter flowering, they should be sown in August. Half-hardy annuals.	
33		.10
		.05
) 3		.05
3	Retusus. Deep rose and orange-crimson tip; fine. 11 feet	.0
3	1 1 1 4	.0:
		.10
>	SILENE, or CATCHFLY. Nat. Ord., Caryophyllacea.	
2	Among the tribe of Silenes will be found some of the brightest ornaments of the flower-garden, either in respect to brilliancy of color, or length of duration in	
	bloom; fine for beds, borders, or ribbons. Hardy annuals.	
		.05
		.05
ک ک		
\$		

S. NVITALIA PROCUMBENS (new gouble ,

8	A	NUTT	ATTA	NAT OPP	Compositor

Pretty dwarf-growing, free-flowering plants, suitable for small	beds, rock-work
or edgings: continuing in bloom during the summer and autumn	months; thriving
best in light rich soil. Hardy annuals.	
0.61	

338	Sanvitalia Procumbens.	Rich brown	and yellow	r. ½ foot				.10
339	New Double. A	beautiful a	equisition, v	vith double	flower	, like	pom-	
	pone Chrysanthemur	n; very dw	arf, and un	doubtedly	one of	the	finest	
	yellow plants; suited	l for beds an	nd masses.	1 foot .				.10

SPHENOGYNE. NAT. ORD., Compositæ.

A very showy, free-flowering plant; very effective for beds, mixed borders, edging, or ribbons. Hardy annual.

340 Sphenogyne Speciosa. Bright yellow; black centre; from S. Am. 1 foot .

CULTIVATOR'S

SPRAGUEA. NAT. ORD., Portulaceæ.

A charming plant, resembling the Calandrina, with Amaranthus-like flowers; extremely graceful and beautiful; very effective as an edging, and valuable for rock-work; delighting in a rich loamy soil. Half-hardy annual.

341 Spraguea Umbellata. White, shaded and spotted with purple; from Cal. 1 ft. .25

STOCKS. (TEN-WEEKS). NAT. ORD., Cruciferæ.

The Stock Gillyflower is one of the most popular, beautiful, and important of our

garden favorites; and whether for bedding, massing, edging, or ribboning, it is unsurpassed, either for brilliancy and diversity of color, or profusion of bloom.

The Ten-week Stock is the most universally cultivated, and usually blooms ten to twelve weeks after being sown. They grow from six to fifteen inches high, and when cultivated in rich soil, and occasionally watered with weak guano-water, throw out an immense quantity of lateral spikes of bloom, so that each plant forms a perfect bouquet; and it would, indeed, be difficult to surpass the grand effect produced in beds or ribbons by these exquisite gems.

342 Stocks, New Large-flowered Pyramidal. The most popular stock in cultivation; very choice; received from one of the most celebrated florists in Ger-Twenty brightest and most distinct colors mixed many.

0.10		GOOG MIL	rcu.	A gre	at va	Tiera	OI CC	1015	•			•	•	•	.00
344		Pure Wh	ite .												.10
345		Scarlet .													.10
346		Purple .													.10
347		Carmine													.10
348	- New	Hybrid.	Mix	ed bet	ween	the	rough	ı and	smo	oth-le	aved	varie	eties	٠	.10
349		Dwarf G	ermai	n (froi	n pot	-plan	its).	One	of th	e fine	st.	Mixe	d.		.10
350		Miniatur	e. Dy	varf;	4 incl	hes h	igh;	fine f	or ed	lging:	fine	st mi	xed		.10
351		Giant, or	Tree	. A	very	valua	ble	acqui	sitio	n, by	its 1	arge	flowe	ers	
		ing from on													

to two and a half feet; unsurpassed for bedding purposes. Mixed . SULTAN. NAT. ORD., Compositæ.

Handsome border annual, of easy culture: native of Persia, with fragrant flowers from July to September.

352 Sultan Sweet. Yellow, purple and white, mixed .05



TAGETES SIGNATA PUMILA (full-grown plant, reduced to one-tenth its natural size).

TAGETES. NAT. ORD., Compositæ.


Elegant free-flowering plants, with pretty foliage; very effective in mixed borders; succeeds best in a light rich soil. Half-hardy annuals.

353 Tagetes Signata Pumila. (See cut.) An elegant new dwarf variety, about one foot high; and, when full grown, the plant will measure two feet in diameter, forming a beautiful compact bush, completely covered with flowers, and continuing in bloom until hard frost sets in .

PRICE



	TAGETES SIGNATA PUMILA (full size of flower).	
	NO.	PRICE.
	VENIDIUM. NAT. ORD., Compositæ.	
	An exceedingly showy plant, with large, handsome flower, having a very grappearance in beds or borders; thrives best in turfy loam. Half-hardy annual.	
	354 Venidium Calendulaceum. Deep orange; rich brown centre. 1 foot .	10
	VENUS'S LOOKING-GLASS. NAT. ORD., Campanulaceæ.	
	A free-flowering, pretty little plant, of nice habit of growth, especially adapt for beds, ribbons, or edgings; grows well in any garden soil. Hardy annual.	ed
	355 Venus's Looking-Glass (Campanula). Finest mixed; from south of Europe.	ft .05
	VISCARIA (Rose of Heaven). Nat. Ord., Caryophyllacea.	
	A genus of remarkably pretty, profuse-flowering plants, producing a striking effect in beds, ribbons, or mixed borders. Hardy annuals.	ng
	356 Viscaria. Finest Mixed	10
	357 — Good Mixed	05
	WHITLAVIA. NAT. ORD., Hydrophyllaceæ.	
	A very handsome free-flowering plant, suitable for beds and borders; from Cafornia. Hardy annual.	li-
	358 Whitlavia Grandiflora. Violet-blue. 1 foot	05
	ZINNIA. NAT. ORD., Compositæ.	
	A grand genus of autumn-flowering plants, combining the greatest richness ar diversity of color with unequalled profusion and duration of bloom. Among the novelties of recent introduction, the New Double Zinnia has prove a most important acquisition. Its splendid double flowers rival, in beauty, siz and form, moderate-size dahlias.	ed
	359 Zinnia Elegans. Mixed. 2 feet	05
	360 — Double. The seed we offer was saved only from the finest double flower and will produce a large percentage of double-flowering plants. Mixed	's, 10
,	361 — Mexicana. It is a neat dwarf plant, of compact habit, scarcely one fo high, much branched. It is offered in some lists under the name of Zinn Haageana, and also Aurea and Sanvitalia Mexicana	ot ia 10
3	Thangeana, and also rules and Sanvitains Mexicans	10





DOUBLE ZINNIA.

NO.

ZEA. NAT. ORD., Gramineæ.

One of the most valuable acquisitions. Among ornamental-foliaged plants of rapid growth and immediate effect, the new Striped Japanese Maize holds the most conspicuous place. It is a native of Japan. It appears to be a variety of Maize, but differs in many respects from our common Indian Corn. It grows from five to six feet high, and has alternate foliage; the foliage is about four feet long, and two or three inches wide. The variegation does not show itself until the fourth or fifth leaf.

362 Zea, or Striped Japanese Maize. .

.10

PRICE.

BIENNIALS AND PERENNIALS FLOWERING FIRST AND SECOND SEASON.

ABRONIA. NAT. ORD., Nyctaginiacæ. This beautiful plant is a native of the Rocky-Mountain country, and can hardly be surpassed for beauty and elegance. It is a hardy perennial, of trailing habit, sending up immense numbers of flowers of a pure white color, in clusters resembling the Snowball. It opens its flowers, which possess a delightful fragrance, towards evening. In bloom from June to September.

363 Abronia Fragrans. Pure white


.25 ACHILLEA. NAT. ORD., Compositæ.

Belonging to the genus known under the name of Milfoil. Hardy perennial. 364 Achillea Filipendula. Yellow; from Caspian Sea. 5 feet

ACONITUM (MONKSHOOD). NAT. ORD., Ranunculaceæ.

A common border-plant, commonly known as Monkshood, growing freely in any situation. Hardy perennial; from Europe.

365 Aconitum Napellis. Mixed, blue and white. 2 feet



AQUILEGIA (COLUMBINE). NAT. ORD., Ranunculaceæ.

This pretty and interestingly varied genus of plants scarcely meets with the amount of appreciation it deserves; it is an extremely showy and ornamental early summer-flowering herbaceous plant, combining the most curious forms with the most beautiful and striking colors; succeeds in any garden-soil. Hardy perennials.





EVIDE. CULTIVATOR'S PRICE ASCLEPIAS. NAT. ORD., Asclepiadacea. Handsome plants, remarkable for the singularity and beauty of their flowers. 409 Asclepia Tuberosa. (See engraving.) Orange. Hardy perennial. ASTRAGALUS. NAT. ORD., Leguminosæ. A showy, beautiful, and useful herbaceous plant, succeeding in any common garden soil. Hardy perennial. 410 Astragalus purpureus. Deep-red, a pretty trailer. From south of France. 3 ft. 411 — Galegiformis. Yellow, with pretty foliage. From Siberia. 3 feet . AURICULA. NAT. ORD., Primulaceæ. A well-known garden favorite of great beauty, succeeding best in a northern aspect. Half-hardy perennial. 412 Auricula Alpine. This is the most hardy of all the Auricula. Mixed .10 413 — English Prize. From named flowers. 1 foot25 BOCCONIA JAPONICA.



BARTONIA. NAT. ORD., Loaseæ.

This is a perfect gem. It grows two to three feet high, and 414 Bartonia Nuda. is literally covered with its large white flowers, of the most delicate tex-ture, surpassing even the finest lace-work. The flowers are two and a half inches in diameter, and produced in abundance. Hardy perennial .

BELLIS (DOUBLE DAISY). NAT. ORD., Compositæ.

A well-known perennial. Many elegant varieties have been raised by saving the seeds from the handsomest kinds. Admirable plants for making edgings, &c.

415 Bellis Perennis. Extra fine; saved from named flowers .

BOCCONIA. NAT. ORD., Papaveraceæ. 416 Bocconia Japonica. This noble plant, recently introduced from Japan, has been an object of unusual admiration. Allied to the fine Bocconia Cordata, it surpasses this in point of beauty, of robust, free growth, habit of data, it surpasses this in point of beauty, of robust, free growth, habit of plant, size, shape, coloring of leaves, and showiness of flower-spikes. It is perfectly hardy, requiring no protection in winter; of luxuriant growth, forming a bush five to six feet in height, which is decorated, from the month of August, by beautiful pyramidal spikes of flowers, two to three feet in length. Deeply serrated leaves, in the way of oak-leaves; are large, of an obtuse, cordate form, of a sombre green above, glaucous below

CALLIRHOE. NAT. ORD., Malvaceæ.

oe Involucrata. A trailing, hardy perennial, of great beauty. From Rocky Mountains. Flowers like the Portulaca in form and color . . . 417 Callirhoe Involucrata.



CAMPANULA GRANDIS.



PRICE

PHYGELIA CAPENSIS.

CAMPANULA NAT. ORD., Campanulaceæ.

The Campanulas are strictly biennial plants by pot-culture, and, without exception, some of the finest of all garden-plants for decoration in conservatory, green-


PRICE By good culture in pots, the tall varieties assume a house, and flower-garden. magnificent effect, attaining five to seven feet or more in height, with lateral flower racemes from the base, four to five feet in length. The beautiful white variety forms a most striking contrast. By good arrangement, a rich and imposing effect can be formed, altogether unequalled by any other plants. Hardy perennials. 418 Campanula Grandis. Deep-blue; from Italy. 3 feet .10 Grandiflora. A free-blooming variety, with long, drooping, purple flowers Pyramidalis. Very elegant, with fine, blue flowers; may be trained to any form of growth; suitable for the border or pot-culture. 3 feet . .05 Alba. White variety of the above .05 - Vidalis White, showy. 11 feet . .10 CANTERBURY BELLS (CAMPANULA MEDIUM). NAT. ORD., Campanulacea. The Canterbury Bells have long been known among our most ornamental garden plants. Their large bell-shaped flowers, which are freely produced throughout the summer, render them strikingly effective. As they are strictly biennials, it will be necessary to sow the seed every year. Hardy biennials. 423 Canterbury Bells, Double White. From Germany. 2 feet .10 - Blue. From Germany. 2 feet .10 425 Lilac. From Germany. 2 feet .10 426 - Mixed. All the above . .10 427 -- Single White. From Germany. 2 feet .05 - Blue. From Germany. 2 feet - Lilac. From Germany. 2 feet 428 .05 429 .05 430 -- Mixed. Above single varieties CANNA (INDIAN SHOT). NAT. ORD., Marantaceæ. These stately species of plants are highly ornamental in flower-gardens, producing a rich and Oriental effect by their large, broad, massive foliage, and rich crimson and scarlet flowers. Though perennial, if sown early, they will make luxuriant growth, and bloom the first season. In late autumn, they should be carefully potted, and allowed to mature their bloom in the greenhouse or parlor, and afterwards preserved in a cool, dry cellar. In spring, again start them into growth, and replant them in the open air last of May or first of June. Before sowing, soak the seed in water at 125° for about twelve hours. 431 Canna Angustifolia Nana Pallida. Light-red; dwarf variety. 1 foot .10 - Anneii. Crimson; very ornamental. 3 feet .25 432 -433 Aurea Vittata. Golden; beautiful; from New Holland. 4 feet .25 Bicolor of Java. Red and yellow; from Java. 3 feet 434 .10 Coccinea Vera. Scarlet; very fine; from South America. 2 feet .25 435 436 -Compacta Elegantissima. Large, reddish-yellow; from S. America. 2 ft 10 437 -Gigantea Aurantica. Orange-red; a beautiful large variety. 10 feet .25 Limbata. Intense scarlet, edged with yellow; very striking; from Brazil. 4ft. 438 .10 439 Mutabilis. Changeable; from Brazil. 5 feet .10 Musæfolia Hybrida. Red foliage, resembling a small banana. 2 feet .25 440 -441 -Nigricans. Excelling, in the rich tints of its stem and leaves, either of the others, and nearly approaching the rich deep coloring of the Dracæna . Sanguinea Chatei. Deep red, dark foliage, and stems very large. 6 feet .25 .25 - Warczewiczii. Brilliant red, with variegated foliage; one of the best. 3 ft .25 - Zebrina. Beautiful, zebra-striped foliage. 3 feet .25 445 -- Finest mixed .25 CARNATION (DIANTHUS). NAT. ORD., Caryophyllaceæ. A magnificent class of popular favorites, most of them deliciously fragrant, and with colors extremely rich and beautiful. The seed we offer may be relied upon as being the finest, all having been selected expressly for us from some of the best collections in Europe, producing mostly all double flowers. Hardy perennial. 446 Carnation Pink. Good; mixed; for border-culture . .10 Fine German. A good selection from a named collection . .25 447 448 Sardinian. From choice double varieties . .25 .50 Choice Bizarres and Flakes. Saved from pot-plants 449 .50 450 Perpetual, or Tree. Fine German; from selected flower .



A handsome class of climbers, very desirable for growing against a wall or trellis. Seeds of this tribe require some time to germinate. Hardy perennials.

 Cirrhosa. A new variety, perfectly hardy; a very rapid climber, literally covering itself with large bunches of white sweet-scented flowers. 25 ft.

454 Clematis Flammula. White; very fragrant. 25 feet



DELPHINIUM. NAT. ORD., Ranunculacea.

A highly ornamental genus of splendid profuse-flowering plants, of an unusually high decorative character. When planted in large beds or groups, their gorgeous spikes of flowers, of almost endless shades, from pearl-white to the very richest and deepest blue, render them the most conspicuous and striking objects in the flower-garden or pleasure-ground. Delight in a deep, rich soil. Hardy perennials.


	garden or pleasure-ground.						
463	Delphinium, Chinese.	Finest mixed	; the most	desirable (of the trib	e. $2\frac{1}{2}$ f	t05
46 4	- Cælestinum Grandi	florum. Ce	elestial blue	; long spi	kes; fine.	3 feet	25
465	Elatum (Bee Larkspi	ir). Blue. 3	feet .				05
466	Formosum. New fl	owers; large	color; exqu	nisite blu	e, with wh	ite; wi	11
	flower the first seaso	n from seeds;	finest of the	he tribe.	2 feet .		10
467	- Grandiflorum. Darl	x-blue; fine.					10
468	Hybridum. Fine mi	xed. 3 feet					10




	shrubbery with fine effect, as their tall, spire-like spikes, crowned with their large	
	thimble or bell-shaped flowers, will contrast finely with the green foliage of the	
	shrubs. They are all hardy biennials, from three to four feet high.	
		0=
		.05
		.10
	472 — Grandistora. Large-flowered; yellow. 3 feet	.10
	473 — Purpurea. Common purple variety. 3 feet	.05
	474 — Alba. Pure white. 3 feet	.05
	475 — Ferruginea. Brown. 2 feet	.10
	476 — Aurea. Golden. 3 feet	.05
	477 — Gloxinioides. New, beautiful gloxinia-shaped flowers; spotted. 3 feet .	.10
	DIANTHUS. NAT. ORD., Caryophyllacea.	
)	, , , , ,	
	A magnificent genus, which embraces some of the most popular flowers in cul-	
	tivation. The Carnation, Picotee, Pink, and Sweet William, all "household words,"	
	belong to this genus. The Chinese varieties may be considered the most beautiful	
	and effective of our hardy annuals; the double and single varieties, with their rich	
>	and varied colors, in beds or masses, are remarkably attractive; while the recently	
7	introduced species, Dianthus Heddewegii and Dianthus Laciniatus, with their large	
1	46	

DIANTHUS HEDDEWEGH DIADEMATUS. 47


-			-			1
200	100 M	M ASHBURN	(A)	COMPANY'S	40	
- 4	8				c	
NO.					PRIC	CE.
> 110.	and rich-colore	ed flowers, three to four i	nches in	diameter, close, compact habit,	and	F.
	profusion of bl	oom, are unsurpassed for	effectiv	eness in beds and mixed borders	S.	7
478	Dianthus Ca	aryophyllus. (See Car	nation I	Pink.)		.05
479	- Barbat	us. (See Sweet William	1.) .			.05
480				l; flowers first year from seed.		.10
481				nials of great beauty; bloom		
	first y	ear from seed; perfectly	hardy.	The colors are very rich. 1 for		.05
482				above; from finest double flowe		.10
483		ba. Double-white; very				.10
484	Al	bus Pictus. White-ma	rbled, w	vith rose; beautifully fringed.		.10
485	Hedder	vig's. A beautiful vari	ety I	The plant is scarcely one foot hi	gn,	
	hlosso	m: the flowers are very	iys imir Targe fi	ty or forty flowers are at once com two to three inches in diam	me-	
	ter, of	a most beautiful shape.	and of	a variety and brilliancy of col	ors.	.10
486				this splendid new Pink, hav		
200	beauti	iful double flowers, instea	id of the	e single		.25
487	Dia	adematus, fl. pl. (Doub	le Diade	em-Pink). Lorenz. This is a str	ik-	
	ing no	ovelty, of wonderful bea	uty. I	t differs from the D. Heddewi warfish; its flowers have a dia	gii,	
	eter o	f each 2 to 4 inches T	hev are	e regular, densely double, and h	37.6 (III)-	
	all tin	ts, from lilac, crimson, an	d purpl	e, to the deepest black purple		.25
488	——— Na	nus Flore Albo Plene	Bena	ry). This is a new, double, wl		
	variet	y of the beautiful Hedde	wigii Pi	ry). This is a new, double, which is of quite compact, dwarf	arf-	
	ish ha	bit, resembling Dianthus	Hedde	wign fl. pl	•	.25
489				white, flesh, rose, various shade		
	red, c	armine, violet, purple, a	nd rich	maroon, some being selfs, oth		10
400		d and spotted; all very d				.10
490 491				ety of the preceding; very fine		.25
492	Moscho	tue (double garden nin	-) E:	new hybrid; large double flower nest double-mixed; hardy perent		.10
493	- Plumai	rius (Phassant-ava Pink	1 Wh:		The	.25
400	flower	s are deeply fringed or fe	eathered	; very fragrant. Hardy perent		.05
494	Veitchi	i. Beautiful cluster of flo	owers:	pure white, with crimson centre		.10
495				new and splendid variety. Wh		-10
	groun	d, and each petal marked	l with a	dark spot, like a Paisley Pink		.25
496	Caryop	hyllus Double Dwarf	, Mixe	 d. Compact and bushy habit, w 		
		ance of double flowers,				.50
497	- Dentosi	us Hybrid. Very pret	ty, but	exceedingly sportive species; n	iew	
	variet	ies are found every year	in the s	eedings	•	25
	DODE	CATHEON (AMERICAN	v Cows	LIP). NAT. ORD., Primulaceæ.		
498	Dodecatheo	n Media. A very prett	v little l	order plant, with flowers similar	r to	
	the C	yclamen. Mixed; red ar	d white	. 1 foot		.25
		EUPATORIUM.	Nam	ORD., Compositæ.		
	A pretty cla			by flowers. Hardy perennials.		
499		Argeratoides. Whit				10
		osum. Blue; from Eur		l foot		.10
000			•		•	•10
	F	EVERFEW (PYRETH)	RUM).	NAT. ORD., Compositæ.		
	Handsome, fi	ree-flowering, highly orn	amental	plants, producing a fine effect	in	
F 0.1	the mixed now	er and shrubbery border	s. Hal	f-hardy perennial.		
901	reveriew, D	ouble white. Beautif	ui bedd	ing-plant, blooming all the seas	son .	.10
	FR	ENCH HONEYSUC	KLE.	NAT. ORD., Leguminosæ.		
502	French Hon	eysuckle (Hedysarum), I	Mixed.	A fine border-plant; red and wh	nite	
	mixed	l; from Italy. Hardy pe	rennial.	3 feet		.05
	Shormer 1	GAILLARDIA.	NAT.	ORD., Compositæ.		
	mer-flowering	annuals: of the essicate	s, and a	mong the gayest ornaments of su	ım-	
	soil or situation	n, and fine for masses. I	Half-har	Will thrive in almost any gard	en-	
503	Gaillardia.	Mixed. Finest mixed.	1 foot	- Poromittio		10
of many	active active	4	:8		•	ربر 10.









THE MARBLEHEAD SQUASH. See page 120.



NEW NEAPOLITAN "MARZAGOLE" ONION. See page 118.




GARTER'S IMPERIAL HARDY SWEDE. See page 112.





GAJLLARDIA.

NO. GALEGA. (GOAT'S RUE). NAT. ORD., Leguminosa. PRICE
Very pretty pea-shaped flower; of easy culture. Hardy perennial.
504 Galega. Finest mixed
GARDOQUIA. NAT. ORD., Labiata.
A pretty dwarf-growing plant, continuing in bloom for several months; well worth cultivating on account of its large, showy flowers. Hardy perennial.
505 Gardoquia Betonicoides. Pink; from Mexico. 3 feet
GEUM. NAT. ORD., Rosacea.
Showy, long-blooming, plants; succeed best in a sandy loam. Hardy perennial.
506 Geum. Finest mixed
GENTIANA. NAT. ORD., Gentianacea.
Very useful perennials. Gentiana Acaulia, which has large, deep-blue gloxinia- shaped flowers, if grown in deep, rich loam, makes a splendid edging in early summer: all the small kinds make interesting rock-plants.
507 Gentiana. Finest mixed
GLADIOLUS. NAT ORD., Iridacea.
508 Gladiolus Gandavensis, Mixed. The seeds we offer of this beautiful summer-flowering bulb were saved from an amateur collection of prize varieties, and may be relied upon as being of superior quality. We would
also call attention to our list of Gladiolus and summer-flowering bulbs





DOUBLE HOLLYHOCK.



IBERIS TENOREANA.

HOLLYHOCK. NAT. ORD., Malvaceæ.

The great improvement that has been made in this fine old flower within a few years has now placed it among the most popular flowers of the day; its stately growth and magnificent spikes of flowers being among the most attractive objects of the garden. It flowers the second and third year after sowing, and then dies, unless it is kept up by cuttings, or divisions of root. Seeds sown in January will produce plants which will flower the same year. Hardy perennial.

514 Hollyhock, Chinese, Annual. Double; several beautiful colors; mixed. 21 ft. 515 — Mixed (Althea Rosea). Fine varieties. Seventy-five per cent of the plants

50

.05

1	MATEUR GULTIVATOR'S GUIDE.	A C	30	N
5	to a Vacc	PRI	g ¬	2
>	516 Hollyhock, Extra Fine Mixed. From the finest English and Scottish us		.25	S
	317 Splendid Collections. See page of assortments.			報
	IBERIS. NAT. ORD., Cruciferæ.			7
)_	Profuse-blooming, pretty little plants, especially adapted for rockeries, stumps, or rustic baskets. They come into flower amongst our earliest splants, and for a long time continue a mass of beauty. Hardy perennials.	, old oring		9
7	613 Iberis Candidissima. New; beautiful; pure white. ½ foot	•	.05	1
	519 — Semperflorens. Fine, white; from Sicily. ½ foot		.05	X
,	520 — Umbellata. Very fine. $\frac{1}{2}$ foot		.05	1
	522 — Tenoreana. Blush. ½ foot		.05	
~	IPOMOPSIS. NAT. ORD., Polemoniaceæ.			N.
	Remarkably handsome free-flowering plants, with long spikes of dazzling or and scarlet flowers; very effective for conservatory and out-door decoration; ceeds in light rich soil. Hanf-hardy biennial.	ange suc-	10	0
	523 Ipomopsis. Finest mixed	•	.10	100
í	A neat, erect, slender-branched plant, from six to twelve inches in height, starry, light porcelain-blue Lobelia-like flowers, which produce a continus of bloom throughout the summer; very effective for bedding, edging, &c.			
	524 Isotoma. Finest mixed	•	.10	A
	KALMIA. NAT. ORD., Ericaceæ. 525 Kalmia Latifolia. A beautiful hardy shrub. White and pink. 4 feet.		.10	
	LANTANA. NAT. ORD., Verbenacea.			1
	A remarkably handsome free-flowering genus of plants, with brilliantly-co flowers constantly changing in hue; very effective either for pot-culture o bedding purposes. The plants will bloom more profusely if retained in their and plunged where intended to flower. Half-hardy perennial. 526 Lantanas. Mixed varieties. Saved from a named collection	r for	.25	g
	LATHYRUS (PERENNIAL PEA). NAT. ORD., Leguminosæ.			
	Showy, free-flowering plants, growing in any common soil; very ornaments trellis-work, old stumps, or for covering fences or walls. Hardy perennials. 527 Lathyrus Latifolius. Red; from England. 5 feet	il on	.05	
	528 — — Albus. White. 5 feet		.10	
	529 — Grandiflorus. Large-flowered. 5 feet	•	.10	12
	LAVENDULA (LAVENDER). Nat. Ord., Labiatæ. A genus of plants chiefly cultivated on account of the delicious fragram their flowers. They succeed in any garden-soil. Hardy perennial.	nce of		
	530 Lavendula Spica. Lilac, from Europe. 2 feet		.05	1
	LIATRIS. NAT. ORD., Compositæ. A hardy perennial, found in many parts of the United States, growing in nows and moist places.	nead-		
	531 Liatris. Finest mixed		.10	
	LILIUM. NAT. ORD., Lilaceæ.			-
1	The Lily stands pre-eminent among all flowering bulbs. Stately in habi- ried in color, highly fragrant, perfectly hardy, easily cultivated, and bloo- from June until frost, they can claim, as they fully deserve, a prominent pla- the largest or smallest garden. The seeds often lie dormant several months b- vegetating. Succeeds well in a mixture of loam, peat, and silver-sand.	ming ce in		
	532 Lilium Giganteum. The tallest and most magnificent of the lilies, gro	wing	0.11	1
,	ten feet high, with white trumpet-shaped flowers, with carmine streets — Lancifolium Hybridium (Japan Lily). Finest mixed		.25 .25	all all
3	Auratum. The new golden-banded Lily. This superb lily has flot twelve inches in diameter; pure white, with a yellowish band the the centre of each petal, and covered with grownish dots; delici fragrant; one stem often produces six to ten of its immense blossom	ough ously	.50	4
2		- 3	1	100

∰ АЅНВИЯМ	E	(COMPANY'S

LINUM. NAT. ORD., Linacea.

A genus of the most	beautiful, fi	ee-flowering	plants.						
535 Linum Perenne.	Blue; hands	ome. Hardy	perennia	ıl. 11 f	eet				.0
536 Album.	White-flower	red. 11 feet	·						.0
537 — Candidissimur	n. White.	Hardy pere	nnial .						.1
1	LOBELIA	NAT. ORD	., Lobelia	ceæ.					
A most elegant and for bedding, edging, po	useful genus ts, or rocker	s of dwarf-pla ies. Hardy p	ants, of ea	sy cult	are;	well	adapt	ed	
538 Lobelia Cardinalis	(Cardinal	Flower). A	well-kno	wn nat	ive '	varie	tv, wi	ith	
scarlet flowers									.2
539 — Hybrida Gran	diflora.	new hybrid	variety.	very f	ne				2



LYCHNIS HAAGEANA. HYBRID.

LYCHNIS. NAT. ORD., Caryophyllaceæ.

A genus of handsome and highly ornamental plants, of easy culture. Lychnis Chalcedonica is strikingly effective in mixed flowers and shrubbery borders. They

succeed in any good rich soil. Hardy perennials.	•	
540 Lychnis Chalcedonica. Scarlet; from Russia. 2 feet		.05
541 — Alba. White; from Russia. 2 feet		.05
542 — Flos Jovis (Jove's Flower). Bright red; from Germany. 1½ feet.		.05
543 — Haageana. Beautiful bright scarlet. 1½ feet		.10
 544 — Hybrida Mixed. Beautiful, with large flowers; the color rangin from the brightest scarlet to blood-red, purple, orange, or white 545 — Grandiflora Gigantea. New; with flowers of double the size of the beau 	٠.	25
tiful Lychnis Haageana, in all the colors of white, chamois, rose, scarlet, &c.		.50
546 — Sieboldi. White, fine. 1½ feet		.25
LYTHRUM. NAT. ORD., Lythracea.		
547 Lythrum Roseum Superbum. Deep rose, in long spikes; a fine border plan Hardy perennial. 2 feet	t.	.10
MATRICARIA (FEVERREW). NAT. ORD., Composite.		



=	1	Special	ment and	سييم
4	亦		WASHBURN & COMPANY'S	
	1	F NO.		ICE.
7	X	>	Bold, showy plants, with rich-coored fllowers and curious acorn-like centres; succeeds in any common garden-soil. From Texas. Halt-hardy perennial.	9
	F.	556	Obeliscaria Pulcherrima. Velvety-crimson, tipped with yellow. ½ foot	.10
	A C	557	7 — Aurantiaca. Yellow. 2 feet	.10
2			ENOTHERA. NAT. ORD., Onagraceæ.	
	Ł		A magnificent genus; one of the most useful and beautiful either for beds, borders, edgings, or rock-work. Free-flowering. Half-hardy perennials.	6
•	1	558	GEnothera Camphylocarpa Grandiflora. Crimson-orange; large-flowered;)
1	1		beautiful variety; from Peru. I foot	.10
•	50	560	— Cinnabarina. Rich orange; yellow throat, stained with rich salmon — Grandiflora Lamarckiana. Bright-yellow; the most effective and stri-	.10
		000	kingly beautiful of this splendid genus. 3 feet	.10 %
3	1	561	— Taraxacifolia. Pure white. 1 foot	.10
v	1	562	- The second of	.10
	1		PANSY (HEARTSEASE, OR VIOLA TRICOLOR). NAT. ORD., Violaceæ. The Pansy, or Heartsease, is a general favorite and old acquaintance with every	9
	7	(One who has any thing to do with a nower-garden of booing to and the	į
2	1	1	liven the graden till snow again. The d	
1		. i	in May and June; the burning sun of summer is unfavorable for their greatest	
	1			
1		t	can be perpetuated by cuttings or division of the roots. Seeds sown in August, in the open borders, will come up readily in a few weeks. The seeds should be slightly covered with fine soil, if covered at all, as half the seeds sown rot in the	1
}	ı	Ě	ground from being covered too deep. They require to be covered during the win-	F
		ı	ter with evergreen boughs or a cold frame. Pansy, Good Mixed	
			- Fine Mixed Good English sorts	.05
		565	- Extra Mixed. Saved from named flowers from English prize collection.	.10
	ļ	566		.50
			may be depended upon as very fine	.25
		567 -	- Auriculationa. Brown, rose margined: fine	.25
-	1	569	Il arginata Alba Valutata animana 11 11	25
	1	570	Aurea. Velvety-crimson, with golden ground and margined	25 25
	1	311 -	Pelargonællora. Petals having a large margon blotch on white	50
		012	— Mixed. Above six varieties mixed. These varieties form a class of FANCY Pansies, with unusually large flowers, conspicuous by their brilliancy and novelty of colors was in the control of the control of the colors was in the control of the colors and the colors are in the colors.	
	ı	E#9	novery or colors, resist annost the greatest summer heat.	50
}		573 - 574 -	— Golden-Vellow Constant and See	25
-	{	575 -	— Dark-Blue. Constant and fine	20 25
		576 -	Light-Blue. Constant and fine	20
1	}	578 -	Fancy Striped. Constant and fine	26
		579 -	Rose Marbled. Constant and fine	25 25
		580 -	- Violet. White Margined. Constant and fine	25
		582 -	- Pallst, or hangof the Ricoles Flower black.	25
	,		PAPAVER (PERENNIAL POPPY). NAT. ORD., Papaveracea.	20
1	V		A fighty ornamental and strikingly effective ganus of plants with built-	
>		or de	red flowers of an immense size, which, in select plantation and shrubbery borers, are unusually effective. Hardy perennial.	
	3	583 F	Panaver. Finest mixed	
	1		PENTSTEMON. NAT. ORD. Scronhulgrigger	A
1		1.	A genus of well-known and highly opposited hards backs	
CA	1	101	ong, graceful spikes of fine-shaped and richly-colored flowers. One of the most fective and free-flowering of border plants. Hardy perennial.	
13	1	594 P	Pentstemon. Finest mixed; a fine assortment of colors	0
الم	1	-		XX.
- 4	1			-



I	Sec.	server had a server	ALC:
	29	WASHBURN & COMPANY'S	2
197	7 585	PHLOX. NAT. ORD., Polemoniaceæ. Phlox, Perennial, Mixed. From a collection of upwards of one hundred varieties, embracing all those splendid varieties introduced during the last five years, of which the produce may be fully equal to the original.	ice
	٤	PICOTEE PINK. NAT. ORD., Caryophyllaceæ. Favorite and well-known plants of great beauty, combining with the most perfect form the richest and the most beautiful colors. They have a delicate perfume, are easily cultivated, and bloom profusely. Hardy perennial. Picotee Pink. Good mixed	7.10
	587	— Perpetual, or Tree. Saved from stage-flowers. 1½ feet	.50
	589	From Caffraria. 1½ feet. (See page 44.). POLYANTHUS. NAT. ORD., Primulaceæ. A profuse-flowering plant, too well known to need description. The seeds which we offer may be expected to produce the richest color. Hardy perennial. Polyanthus (Primula elatior). Good mixed Extra Mixed. Saved from named flowers.	.10
THE PERSON NAMED IN		POTENTILLA. NAT. ORD., Rosacea. These are very handsome herbaceous plants, and, from their hardiness and showy character, are exceedingly useful and ornamental. They may be employed	
	591 592	to advantage in filling up vacant nooks and corners. Hardy perennials. Potentilla, Mixed. Finest mixed	.10
1	593	PYRETHRUM. NAT. ORD., Composite. Handsome, free-flowering, highly ornamental plants, producing a fine effect in the mixed flower and shrubbery borders. Hardy perennial. Pyrethrum. Finest mixed.	.25
The Contract	594	RANUNCULUS. NAT. ORD., Ronunculaceæ. Ranunculus Asiaticus Superbissimus. This rare class of garden Ranunculus is one of the greatest acquisitions; supplying the place of the Persian tuberous sorts,—so elegant, but so difficult to grow. This is grown as a biennial, flowering freely the second year; producing unusually large	1
o tra	200	double varieties, of an unsurpassed brilliancy of colors, of white, yellow, rose, crimson, blood-red, scarlet, purple, &	.25 لم

	29	AMATEUR GULTIVATOR'S GUIDE.	32	Y Y
W	ÑO.		Ø ?	2.1
1	2.00	RHODODENDRON. NAT. ORD., Ericacea.	ICE.	7
8		A well-known and magnificent genus of free-flowering evergreen shrubs; should occupy a place in every garden; thrives best in peaty soil. Hardy shrubs.		300
7	595	Rhododendron. Finest mixed varieties, from choice named flowers	.25	3
1		ROSE CAMPION. Nat. Ord., Caryophyllaceæ. The Rose Campions are perfectly hardy, and very easily raised from seed, and will well repay the little care they require. The flowers are produced on long stems, blooming freely throughout the season. Hardy perennial.		2
	590	6 Rose Campion, Mixed	.05	
ic.	597	ROSE. NAT. ORD., Rosaceæ.	.25	A
1		ROCKET (HESPERIS). NAT. ORD., Crucifera.		-
j.	F 00	A well-known free-flowering spring plant, very fragrant; growing in any soil. Hardy perennial. From Europe.		0
\$	598	Rocket, Sweet, Mixed	.05	
		SEDUM (STONE-CROP). NAT. ORD., Crassulacea. A useful and interesting genus of pretty little plants, growing freely on rock or rustic work, also on ornamental mounds, old walls, &c., where, during summer, they expand their brilliant star-shaped flowers in profusion. Hardy perennial.		1
×	599	Sedum, Mixed. Choicest varieties	.10	
	600	Among the tribe of Silenes will be found some of the brightest ornaments of the flower-garden, either in respect to brilliancy of color, or length of duration in bloom; fine for beds, borders, or ribbons. O Silene Schafta. Rosy-lilac; from Russia. Hardy perennial	.05	
	601		.10	
	602 603 604 605 606 607	5 — Hybrid Giant Cape, or Cocardeau Stocks. Finest mixed. 5 — Brompton, or Winter. Finest mixed 7 — New Large and Early-flowering. The habit of which is extremely robust; foliage of a most striking green, by which the lively colors produce the greatest effect; mixed. (For splendid assortments of Stocks, see Collections.) SWEET WILLIAM. Nat. Ord., Caryophyllaceæ.	.25 .10 .25 .25 .10	
1		A useful and well-known tribe of plants, perfectly hardy, and easily raised from seed; a bed of fine varieties presenting a rich sight. It sports into endless varieties, which we can confidently recommend as superior to any thing ever before offered in this country. Hardy perennials.		
		8 Sweet William. Fine Mixed	.05	
>	609		.10	1
	610	varieties only in the markings of the flowers, which resemble the Auricula Hunt's Perfection. Saved from Bragg's finest strain in cultivation;	.25	
3	(~2	has taken the first prize at all the London exhibitions the past season; truly gorgeous in size, color, and variety.	.25	L

6

م فيكريو

2.3



À	20	I may an in my	- A
6	29	MATEUR CULTIVATOR'S GUIDE.	23
160	ÑO.	PRIC	2
1		77 3 4 3 3 4 7 111 1 3 0 37 3 4 4 77 100 4	10 3
7			10 3
1.			10
1		771 781 7	10
			25
1	621	1 — New Italian Striped. One of the best; brilliant colors of carnation-	- /
1	coc		25 N
1	622	2 — Auriculæflora. A splendid novelty, large and well formed; blooms in various shades, with a distinct eye of white or rose, and properly called	1
		Auriculæflora, as the disk comes near the Polyanthus and Auricula	50 🤅
1	623		25
4	0.44	1 — Montana. This is another gem, truly: it has the habit of the common Verbena, but is perfectly hardy, and blooms more profusely. The plant	1
4			25
		VIOLET. NAT. ORD., Violaceæ.	1
1	625	5 Violet. The Czar. A very large and beautiful variety of the Violet. The	4
		flowers, which are of the deepest blue violet, are borne on very long foot- stalks (five to six' inches in length), and are nearly twice as large and	1
1		stalks (five to six' inches in length), and are nearly twice as large and much sweeter than the old Russian Violet. It is so hardy that it com-	
A	626	mences blooming in September, and continues flowering until May,	50
		decoration. A neat, compact, perennial, herbaceous plant. Six to nine	
1		inches high, with small heart-shaped leaves; and yielding a succession of conspicuous, delicate, light-mauve-blue flowers as large as the leaves, in	1
		succession, from April to October. A beautiful plant for clumps or edgings, forming a rich, compact mass of green foliage, set off by the profusion of	
			50
		WALLFLOWER. NAT. ORD., Cruciferæ. A useful and ornamental class of plants; very fragrant. Half-hardy perennial.	
	627		05
			10
		ZAUSCHNERIA. NAT. ORD., Onagrariæ.	
	629	Zauschneria Californica. A very interesting and valuable hardy autumn-	
		flowering plant, with a profusion of scarlet flower-tubes in September, October, and November; well adapted for dry, gravelly soils in sunny	-
		situations, handsome for beds and borders. Hardy perennials. 1 foot	25
			-
			1
			1
		GREENHOUSE SEEDS.	1
			-
			1
			1
		ABUTILON. NAT. ORD., Malvacea.	1
1		These flowers are extremely beautiful for the conservatory; they are natives of	-
		Brazil, and half shrubby, with vine-like leaves and bell-shaped flowers, being richly veined and striped, of a wax-like appearance. Many of the varieties succeed well	
1		in the open ground during the summer.	
1)	631	Abutilon Alphonse Karr. Orange, veined with crimson; very fine. 5 feet	25
I	632		25 25
1	634	Marmoratum. Flowering in great profusion all winter; producing pure	
1		white flowers, veined and marbled with bright rose. 6 feet	25
KA	^-	59	25
CY	44/4		ARI




	15%	‱ુ	-13-2-		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1 -445	70300	-
アンル	02	3	3000	AMATEUR (ULTIVATOR'S	GVIDE.	1 P. 1	アイド
2000	0	80. 657		borne on slender ster	. A beautiful species, with home, well above the leaves, the reen, traversed by pale, stra	arge bright vellow flowers e upper sides of which are	RICE.	一年 一年
)		zebra-str peat and	mificent stove-plant, iped flowers, extren loam.	with long, graceful, delicately handsome and showy,	te green foliage, beautiful succeeding best in sandy		1 th
	0	658	Billber	gia Zebrina. Sca	arlet and purple; beautiful.	From Rio Janeiro. 13 ft.	.25	かの大
	!							(
			E.					
					BOCCONIA FRUTESCENS.			
1								
				and beautiful foliaged for the decoration	NIA. NAT. ORD., Papavered greenhouse plant, and one of beds and lawns in summ	e of the rarest plants yet	.50	1
1	'	งอย	Boccon	na Frutescens. A	splendid novelty; very rare	e	.50	
-			magnifice mixed wi	remely curious and ent flowers of the m th lime-rubbish and	TUS. NAT. ORD, Cactaced interesting genus, many of cost brilliant colors. Succe a little peat or rotten dung.	the varieties producing eds best in sandy loam,	.25	
H		000	Cacius,	MIACO. A CHOICE	collection; from Africa .		.40	
-			Plants of	of a highly decorativ	ARIA. NAT. ORD., Screp te character; an indispensable the shrubby variety is some ecoration. Half-hardy peres	le ornament for the draw-		
-	1	661 6 62	Calceol	aria Hybrida. M – Superba Grand	lixed. Saved from a named iflora. Extra fine, spotted prize flowers; superb. 1 fdwarf variety from German	collection	.25 .50	
		663 664 665	(nose, compact naon.	dwarf variety from German, free-bloomer; one of the beew; spotted and striped of talphur-yellow flowers, in gre	est. Mixeu. 7 100t	.50 .50	
V	f							1
P		eee	A very		LLA. NAT. ORD., Araceæ ther as an aquatic or for th y. Half-hardy perennial. e; from Cape of Good Hope.		.25	2
1	26	~	Cana 1	· White	61	41000 6 6 6		0



Striped. White, striped with red

6	9	AMATEUR QULTIVATOR'S QUIDE.	13	3
1			-	5
100	NO.		ICE.	1
1	675	Chinese Primrose, Erecta Alba. Strong-growing variety, throwing the flowers well out from the fine foliage. Flowers beautifully fringed. White.	.50	1
ľ	676	— Fimbriata Marginata Lilacina. Flowers, fine imbricated white	.00	6
R	010		1.00	1
	677	- Erecta Flore Pleno Alba. A beautiful variety of the double-		7
			1.00	P
	678	— Flore Pleno. Double Prize Varieties. We have the pleasure of offering to amateurs the choicest varieties of Chinese Primrose, unequalled		1
1		by any yet produced, comprising a proportion of double flowers. These		1
r		seeds were received directly from the celebrated London growers, who		,
		received one special and three first-class certificates from the Royal Hor-		T.
4		ticultural Society. "This strain of Primula is a remarkable one. The		4
K.		flowers are large, full, and frilled; and in color, vary from white, through shades of pale flesh-color, to blush of deepest hue "	1.00	t
~	679	— Fimbriata Punctata. Splendid variety; with large bouquets of		
ĝ		flowers, finely fringed; brilliant crimson, spotted with white	.50	ď
	680		.50	
	681	— Macrophylla. Remarkable variety, with long, massive foliage, and	50	4
	682	beautiful flowers, of great substance, beautiful form, and finely fringed. Good, Mixed Beautiful flowers, of great substance, beautiful form, and finely fringed.	.50	1
	683		.50	
4	000	and the second s		
				H
				y.
				-
				ì
				1
,				
1				
				- (
1		WATER TO THE STATE OF THE STATE		1
				-
3				
9			J	-
			1	
	~			
l				1
	1		127	
3			V	- 1
Ī	1	My LAMP I SI	1	
1				
				-
Y				1
1			STATE OF THE PARTY	
13				1
V				Y
A				
1				1
1		CHINESE PROVIDED		1
1	المتحد	CHINESE PRIMROSE. 63		1.5





No. 482.



CARNATION PINK. No. 449.



NASTURTIUM. No. 235.




MARIGOLD, AFRICAN. No. 210.



SENSITIVE PLANT. No. 223.



AMARANTHUS TRICOLOR.
No. 19.



37	5	20
AMATEUR	CULTIVATOR'S	GUIDE.
CV .	10	e' lb

できた

2	NO. ERYTHRINA. NAT. ORD., Leguminosæ.	~ <u>U</u>	3
	A magnificent genus of half-hardy shrubs, with fine leaves, and beautiful, bril-	ICE.	3)
>	liant scarlet flowers, borne on spikes from one to one and a half feet long. They may		30
	be taken up in the fall, and kept in perfect preservation during the winter in a dry		*
	cellar, the roots covered with half dry earth: when taken up, the branches should		Pt.
	be well cut back, say to within four inches of the previous year's growth. They		1
	will flower beautifully three or four times in the course of the summer.	0=	(2)
	700 Erythrina Corallodendron (Coral-tree). Scarlet; from West Indies. 10 ft. 701 — Crista Galli. Scarlet; from Brazil. 10 feet	.25	1
		.25	N
	FERNS. NAT. ORD., Polypodiacea.		
	This graceful and magnificent tribe is too well known and highly appreciated to		1
	need description. From the seeds we offer, the amateur has the certainty of raising		4
	many elegant and graceful varieties. Delights in peaty, sandy soil. 702 Ferns Pteris Argyrea. Beautifully variegated with silver	05	3
•	703 — Golden and Silver. Finest mixed	.25	
	704 — Mixed. Choicest greenhouse and stove varieties.	.25	1
		.20	5
	FABIANA. NAT. ORD., Solanaceæ.		1
	A handsome Erica-like greenhouse shrub, a profuse bloomer, and of the easiest culture. Thrives best in sandy peat.		1
	705 Fabiana Imbricata. White, from Chili. 2 feet	.25	and a
		.40	Č
	FUCHSIA. NAT. ORD., Onagraceæ.		
	These beautiful plants are natives of South America, and have, until lately, been treated as greenhouse plants; but the greater number are now considered among		
	treated as greenhouse plants; but the greater number are now considered among the more ornamental of our hardy exotics; they grow freely in the open ground,		ar di
	and enliven our flower-gardens during the whole summer. Half-hardy perennials.		-
	706 Fuchsia. From named varieties; superb	.50	
	707 — Good Mixed. Including many fine varieties	.25	1
	GERANIUM (PELARGONIUM). NAT. ORD., Geraniaceæ.		
	There are few plants more easily grown, or that better repay the care of the cul-		è
	tivator, than Geraniums, or, as they are more properly called, Pelargoniums. The		
	seeds we offer are selected with great care from some of the finest collections in		1
	Europe, and may be depended upon as being the finest. Half-hardy perennials.		-
	708 Geranium, Finest Mixed. Saved from the finest fancy varieties	.25	
	709 — French Hybrids (Odiers). New spotted varieties; very fine	.25	-
	710 — Scarlet. Very fine for bedding and pot-culture	.10	1
	711 — Mixed. Saved from scarlet, salmon, rose, and white-flowering varieties .	.25	1
	GESNERA. NAT. ORD., Gesneracea.		
	Showy hothouse plants, generally with scarlet flowers. Perennial bulbs.		
	712 Gesnera, Finest Mixed. A fine collection, embracing an assortment of colors	.25	
	GLOXINIA. NAT. ORD., Gesneracea.		1
	A superb genus of stove-plants, producing in great profusion beautiful flowers		1
	of the richest colors. Thrives in sandy peat and loam. Hot-house bulbs.		
	713 Gloxinia Erecta. Saved from a fine collection	.50	1
	714 — Finest Hybrid. From finest-named flowers	.50	
	715 — Good Mixed	.25	
	HABROTHAMNUS. NAT. ORD., Solanaceæ.		1
	Exceedingly handsome greenhouse shrubs, with beautiful bunches of brilliant-		
	colored flowers of a waxy appearance, especially useful for winter and spring deco-		1
	ration of the conservatory or drawing-room.		
	716 Habrothamnus, Finest Mixed	.25	1
	HARDENBERGIA. NAT. ORD., Leguminosa.		
	A very pretty and ornamental greenhouse climber, producing a profusion of		1
	splendid pea-shaped flowers, especially suited for pillars, rafters, or wire globes.		1
	717 Hardenbergia, Finest Mixed	.25	6
	HELIOTROPIUM. NAT. ORD., Boraginacea.		A
	The Heliotrope is almost too well known to need recommendation. Its scent is		
	delightful; well adapted for bedding or pot-culture. Seeds sown in spring make fine plants for summer decoration. Half-hardy perennial.		1
,		4.0	4
(718 Heliotropium. Mixed; comprising ten sorts	.10	d
3	The same of the sa	2	100
-		_	100



200	MATEUR CULTIVATOR'S GUIDE.	4.3	2
2	HIDISCUS NATIONAL Websers	PRI	CE.
719	One of the most ornamental, beautiful, and showy tribes of plants cult Whether the hardy sorts be planted in mixed or shrubbery border, or the tender varieties be grown for in-doors decoration, they are all alike charact by the size and varied beautiful colors of their flowers. 9 Hibiscus. Greenhouse sorts. Mixed	ivated. e more terized	.25
	INCARVILLEA. NAT. ORD., Bignoniacea.		
	Elegant free-flowering climbers, of graceful habit; succeeds best in loa peat. Greenhouse climber.	m and	A
720 721	O Incarvillea Sinensis. White trumpet flowers, shaded with rose; from Chir 11 — Grandiflora. New. A very distinct and pretty dark-colored speci	na. 20 f. es .	.25 .50
	INDIGOFERA. NAT. ORD., Leguminosæ.		7
72:	A genus of elegant free-flowering greenhouse shrubs, of easy culture, thri sandy loam and peat. 2 Indigofera, Finest Mixed	ving in	.25
***	KENNEDYA. NAT. ORD., Leguminosæ. These climbers are among the most striking of greenhouse ornaments, a serve more extensive cultivation than has hitherto been extended to them, plants are more serviceable for greenhouse decoration. Their bright colors a most cheerful appearance; and, if trained round fanciful wire shapes, a liarly interesting effect is produced. Greenhouse shrub.	impart	
72	23 Kennedya. Splendid mixture	• •	.25
	A splendid greenhouse shrub, with exceedingly handsome flowers, son called the Bride of India.	netimes	
72	24 Lagerstræmia Indica, Finest Mixed	• •	.25
72	LISIANTHUS. NAT. ORD., Gentianex. When well grown, this is a splendid plant for greenhouse or conservator ration. Its flowers are extremely handsome, and of rich dark-blue, wh greenhouse plants possess. Succeeds best in a sandy peat, with very little Winter in a warm greenhouse, and re-pot in spring. Lisianthus Russellianus. Rich-blue, shaded with purple; from Mexice.	ich few e loam.	.25
	MANDEVILLEA. NAT. ORD., Apocynacea.		
72	Well-known as a most elegant and beautiful pure white, large, open, hig grant, trumpet-shaped flower, freely produced in a profusion of racemes renders it extremely attractive either in greenhouse or garden. From Buenos 6 Mandevillea Suaveolens. White. Greenhouse shrub. 10 feet	hly fra- , which s Ayres.	.25
	MELALEUCA. NAT. ORD., Myrtaceæ.		
***	A genus of very desirable greenhouse or conservatory plants, remarkable neatness of their foliage, and the beauty of their flowers, which are produgracefully drooping branches.	for the	
72	27 Melaleuca. Finest mixed		.25
	MIMULUS (Monkey-Flower). Nat. Ord., Scrophulariacea. A genus of extremely handsome, profuse-flowering plants, with singularly and brilliantly colored flowers, which are distinguished by their rich and structure beautiful markings. Seeds sown in spring make fine bedding-plants for sublooming, while seed sown in autumn produces very effective early-flower plants. Half-hardy perennials.	shaped	
	27 Mimulus Moschatus (Musk Plant). Yellow. 1 foot		.10
72	Cupreus. Six or eight inches high, with handsome, glossy folial large, finely-formed, orange-scarlet flowers; very free-flowering	ge, and	.25
72		having a rich	.25
73	no 774 . W. 1 . M. 1		.25
	OXALIS. NAT. ORD., Oxalidacea.		1
1	Elegant flowering-plants, particularly adapted for the greenhouse or where they bloom in mid-winter. 67	parlor,	A.S.



- N. A. D. ..



MANDEVILLEA SUAVEOLENS.

PELARGONIUM. NAT. ORD., Geraniaceæ.

A genus of indispensable and beautiful greenhouse plants: whether for the adornment of the conservatory or the drawing-room, they stand unrivalled. Greenhouse perennial.

Greenhouse perennial.									
733 Pelargonium. Finest mixed. From named prize flowers		.25							
734 — Fancy. Saved from the newest and best varieties in cultivation .		.50							
735 — Ivy-Leaved. These Ivy-leaved Pelargoniums are useful from their grace-									
ful, drooping growth, for vases, rustic, or suspending baskets; their ricl	1,								
wax-like foliage alone is ornamental		50							

736 — Spotted. This strain has been obtained by hybridizing the attractive French kinds with the best varieties of the most eminent English growers.

737 — Tricolor Varieties. The seed now offered was saved from distinctly-marked varieties; which, having been carefully hybridized, may be expected to yield a good proportion of this deservedly popular section .

(For other varieties, see Geranium.)

PETUNIA. NAT. ORD., Solanaceæ.

A highly ornamental and profuse-flowering, easily cultivated garden favorite, equally effective and beautiful whether grown in pots for the decoration of the greenhouse or sitting-room window, or planted out in beds or mixed borders. The brilliancy and variety of its colors, combined with the duration of its blooming period, render it invaluable. Seeds sown in spring make fine bedding-plants for summer and autumn display; succeeds in any rich soil. Half-hardy perennial.

	summer and autumn display, succeeds in any rion some manay perchinan										
738	Petunia	Grandiflora	Hybrida.	Mixed; saved i	from nam	ed flowers			.25		
739		Marginata.	Green-borde	ered; a fine vari	iety .				.10		
40		Inimitable.	Red-margin	ed and blotched	l, with pu	re white;	fine		.25		

رم برا	200	ELE E	MATEU	r 🎨	ULT:	CAVI	OR	S	Ĝν	IDE		~ ·	₹ C	2	200
5	NO.	Betania E	lana Diana	Thorag	6		1 141		4					ICE.	6
>	74.	3 Petunia F	uce a large pe	rcentage	of do	indated	with	grea	at car	e, an	u are	sure.		.25	T/
		1 — Large	-flowered A	lba. W	hite;									.10	-
,		j — — —						•	•	•		•		.10	
		3			red .	•	•		•	•	٠	•	•	.10	
		r — — — — — — — — — — — — — — — — — — —				•	•	•	٠	•	٠	•	•	.10	
)				•	•	•	•	•	•	•	•	.05	
ř	1.1.	,				- 0-	. n:		•		•	•	•	.10	
,		A handsom Greenhouse sl	PITTOSI e genus of exc hrubs.				,	-			at an	d loa	m.		
	750	Pittosporu	m. Finest m	ixed	. ′.				•			•		.25	
>			POING	CIANA.	NAT	. Ord	., Leg	umin	osæ.						
	751	A very eleg Poinciana.	ant and ornan Finest mixe		nus of	greenh •	ouse s	hrub	s, req	uirin •	gar:	ich so	oil.	.25	
			POLY	GALA.	NAT	ORD.	, Poly	gala	ceæ.						
		out of doors i		rives bes	t in pe				, whi	ch m	ay be	gro	wn		
1	752	Polygala.	Finest variet	ies mixed	1.		•			•	•	•		.25	
			PU	NICA.	NAT.	ORD.,	Myrt	aceæ							



Certainly amongst the handsomest of shrubs. Under the shelter of a south wall, they flower profusely throughout the summer. Half-hardy shrubs.

753 Punica Granatum (Pomegranate). Waxy scarlet; from south of Europe .

SALVIA SPLENDENS COMPACTA.

SALVIA. NAT. ORD., Labiatæ.

The following varieties are very fine for the conservator	ory or a	utumn	flow	ering	3;
remarkable for their spikes of rich-colored flowers. Half	f-hardy	perenn	ials.		
54 Salvia Amabilis. Lavender-blue; from South Ameri					

755 — Argentea. Fine large silvery foliage, of great substance; from Crete. 2 ft.

j	5	200	and the second	lès j	~}
1	W.		WASHBURN & COMPANY'S	2	N. C.
1	1	NO.	br.	CE	於
٩	1		Salvia Patens. Splendid deep blue; from Mexico. 3 feet	.25	74
R	X	757		.25	3
1	ė	758	—— Splendens Compacta. Distinguished from the old Splendens by its more tufted and compact habit, its dwarfer growth, and by the spikes of flow-		M
			ers, which bloom earlier, and more dense on the stems	.25	9
٦		759	Azurea. Fine azure-blue. 2 feet	.25	C
9	2		SCHIZOSTYLIS. NAT. ORD., Iridea.		1
A			A new African plant, which appears to be a rival to the Gladiolus, resembling it not only in general habit, but in the brilliancy of its long spikes of broad open		
Ę			flowers, varying from deep rosy crimson to vivid scarlet, and measuring two inches		1
I	r		across. It appears quite hardy, and blooms in the autumn, remaining long in flower. It is easily cultivated, and will be very valuable for the open garden or		4
A	~		for greenhouse decoration. The flowers are striking and brilliant.	**	1
٧	Į.	760	Schizostylis Coccinea. Scarlet	.50	1
Ì	į.		SCHINUS. NAT. ORD., Teribinthacea.		1
1	ð		An elegant, ornamental, and highly fragrant greenhouse shrub, with beautiful bunches of waxy, currant-like fruit. The plant forms a desirable drawing-room		4
d	1		ornament, and is easily cultivated; seeds sown in spring make handsome autumn		1
3			plants. It succeeds out of doors in summer. Schinus Molle (Pepper-Shrub). From Peru. 6 feet	.25	A
1	r		SIDA. NAT. ORD., Malvaceæ.		
V			Handsome, free-flowering, easily cultivated greenhouse plants.		
8		762	Sida. Finest varieties mixed	.25	1
1			SOLANUM. NAT. ORD., Solanaceæ.		1
1			A genus of most beautiful ornamental fruit-bearing plants, some of them among		1
-			the most interesting of greenhouse shrubs. Others are the most valuable of ornamental climbers. Half hardy.		1
			Solanum Capsicastrum. Miniature orange-tree, covered with a profusion of scarlet fruit all winter; fine for parlor or conservatory	.10	
		764		or	
-	1	765	blue flowers, with bunches of orange-colored fruit; fine	.25	
1	•		Texanum. Waxy scarlet fruit, of great beauty; from Texas. 2 feet .	.10	
1			STATICE. NAT. ORD., Plumbaginacea.		· ·
100			A magnificent genus of beautiful greenhouse and out-door plants, remarkable alike for variety of their foliage and the brilliancy and beauty of their flowers. The hardy kinds are splendid for rock-work and the flower-borders, while the half-		The statement of the st
		:	hardy make fine conservatory plants. Half-hardy perennial.		8
			Statici Bonduellii. Deep golden-yellow; from Levant. 1½ feet	.10	
		769		.10	
			— Halfordii. A beautiful greenhouse variety. 2 feet	.25	
			STEVIA. NAT. ORD., Compositæ.		1
			Mexican perennials, with tufts of very pretty white or pinkish flowers, which should be grown in sandy peat; fine for pots or borders. Tender perennials.		
			Stevia Purpurea. Purple. 2 feet	.05	
			- Serrata. White; the variety usually grown for cutting. 2 feet	.10	
,	V		SUTHERLANDIA. NAT. ORD., Leguminosæ.		
>			An exceedingly beautiful little greenhouse shrub, with handsome Clianthus-like		
6	B		flowers; succeeds best in peat and loam. Sutherlandia. Fine mixed	.25	6
1	V		TOURNEFORTIA. NAT. ORD., Boraginea.		A
9			A very pretty plant, flowers of which resemble the Heliotrope, but without its		
Y			fragrance; fine either for pot or garden culture. Tender perennial.	10	4
4	3	774	Tournefortia Heliotropoides. Lilac; trailer; from Buenos Ayres. ½ foot .	•1A	R
7	3			A	a.
o M					


The state of the s

AMATEUR CULTIVATOR'S GUIDE.

8		11 5	3 1
10	7/80	~ A	SA.
1	VINCA. Nat. Ord., Apocynaceæ.	RICE	3/
8	A genus of the most beautiful greenhouse plants; succeeding out of doors in		3
	warm, sheltered situations. Seed sown early in spring will bloom the same season.	-	-
	775 Vinca. Fine mixed	.10	3
	VICTORIA REGIA. NAT. ORD., Nymphaceæ.		
1	One of the most beautiful of all the aquatic plants, which requires a house for		14
1	its special use. To succeed in growing them from seed, keep the pot immersed in water until the seed vegetates, when it should be repotted in a large pot, and sunk		N
	in a pond or fountain about one foot below the surface of the water. From the		1
P	River Amazon. 776 Victoria Regia. The most magnificent of all lilies. Per seed	1.00	*
		1.00	*
7	WIGANDIA. NAT. ORD., Hydroleacea.	0.5	1
1	777 Wigandia Caracasana. Greenhouse perennial	.25	0
7			9
			900
1			8
4			
			-
			1
			i
			1
			1
			1
			1
			1
	J. J.		
	THE WANTED THE		
			1
			1
,			
			1
		=	

WIGANDIA CARACASANA.





ORNAMENTAL CLIMBERS.

)		
4	A rare and extremely pretty tuberous perennial alimbia Cuenchites and	ICE.
c	for planting out during summer, forming beautiful garlands.	
4	778 Abobra Virdiflora	.25
2	BALLOON VINE (CARDIOSPERMUM). NAT. ORD., Sapindacea.	
}	A very pretty climbing plant, remarkable for an inflated membranous capsule, from which it derives the name of Balloon Vine. It answers either for the greenhouse or open ground. Half-hardy annual.	
	779 Balloon Vine. White; from India. 5 feet	.10
	CALAMPELIS. NAT. ORD., Bignoniaceæ.	
7	780 Calampelis Scabra. A very pretty climbing plant from Chili, with orange- colored flowers; very fine. 10 feet	.10
	CANARY-BIRD FLOWER. Nat. Ord., Tropæolaceæ. The popular name of this pretty little annual alludes to the supposed resemblance	
	of the flower to a bird with its wings expanded, the spur of calyx representing the head, and the two upper petals the wing. From Mexico.	
	781 Canary-Bird Flower (Tropwolum Peregrinum). Half-hardy annual. 20 feet .	.10
	CLITORIA. NAT. ORD., Leguminosa.	
	Splendid free-flowering greenhouse climbers, with large elegant pea-shaped flowers, of great beauty, particularly adapted and very effective for training on trelliswork, wire globes, or any of the numerous contrivances on which plants of this character may be grown for greenhouse or conservatory decoration. Though perennials, they bloom the first year.	
V	782 Clitoria. Finest varieties mixed	.25
	A rapid-growing climbing plant, with large purple bell-shaped flowers, finely	
3	adapted for bedding out in summer; seeds should be sown early, to secure well- established plants by the time the season arrives for planting out.	.10
	78? Cobæa Scandens. Tender perennial. 20 feet	.10
3	A most interesting tribe of plants, remarkable for luxuriance and rapidity of growth, which, if the soil be rich, is truly marvellous. Treat the same as the cu-	
10	Asta se.	

COMPANY'S PRICE cumber, and train against a wall or trellis, or in any way that may be desired. Cucumus Flexuosus, commonly known as the Snake Cucumber, is most singularly interesting in its fruit. Half-hardy annuals. 784 Cucumis Acutangulus. Curious forms - Flexuosus (Snake Cucumber). Very peculiar, growing three feet long .10 .10 - Melochito. Variegated; brown and yellow .10 787 - Meduliferus. Scarlet and thorny - Mixed. The above mixed .10 CYCLANTHERA. NAT. ORD., Cucurbitaceas. Curious bird-shaped gourds, of a very ornamental character; rapid climbers; thrives in any rich soil in a warm situation. Very desirable for covering arbors, trellis-work, &c. Half-hardy annuals. 789 Cyclanthera Explodens. An elegant climber; as fast a grower as the Pedata, with handsome foliage, and pretty oval-shaped fruits, exploding with a loud noise when ripe . - Pedata. Graceful, slender-habited climbing-plants, with pendant branches of elegant balloon-like seed-pods; a novel plant, of easy culture. 15 feet . CYPRESS VINE (IPOMEA QUAMOCLIT). NAT. ORD., Convolvulacea. 791 Cypress Vine, Scarlet. A tender, climbing annual, with graceful foliage and scarlet flowers; seed should not be planted in open ground before the last of May or first of June. 15 feet .05 - White. Variety of the preceding .05 .05 793 -- Rosea. Rose-color DOLICHOS (HYACINTH BEAN). NAT. ORD., Leguminosæ. Beautiful climbing plants; flowers in clusters; treatment much the same as the common bean. Tender annuals. 794 Dolichos Lablab, Mixed. The finest varieties mixed .05 - Giganteus. A hardy ornamental climber; from the East Indies. .10 GOURDS. NAT. ORD., Cucurbitacea. The tribe of Gourds is known as producing some of the most curiously shaped of all fruits, and, being of extremely rapid growth, are very desirable for covering the trellis-work of arbors, &c.; the varied and fantastic forms of the fruit adding a peculiar charm to the luxuriance of the foliage. Tender annual. 796 Gourds, Bottle. A very useful variety .05 797 --- Pear-shaped. Two-colored. .05 - Apple-striped. Very ornamental .10 - Egg-shaped. Resembling an egg .10 - Hercules' Club. Club-shaped; curious .10 - Long-fruited. Some very fine ones .10 .10 - Powder-horn .10 803 - Orange. In the form of an orange 804 - Mixed. The above mixed . .10 IPOMÆA (CONVOLVULUS). NAT. ORD., Convolvulaceæ. A genus of beautiful climbing plants, which, for the adornment of the conservatory and greenhouse, or for warm sheltered situations out of doors, are pre-eminently beautiful, many of them combining marvellously brilliant colors with pure white margins, and varying in shade from the most intense violet-blue to the most delicate cerulean. The perennial species are invaluable for greenhouse decoration. 805 Ipomæa Bona Nox (Good-night). White; from West Indies. From 10 to 15 ft. - Coccinea (Star Ipomæa). Fine scarlet .05 - Burridge's (Morning Glory). With large, bright crimson flowers. 15 feet . .05 - Dickson's. A splendid Morning Glory, with large blue flowers. .05 - Hederacea Superba Grandiflora. A large sky-blue flower, elegantly bordered with pure white; exceedingly beautiful. 12 feet .25 Limbata. Rosy-violet, elegantly blotched with white. 10 to 15 feet .10 - Elegantissima. One of the finest of all the Ipomæa; blue, with intense purple centre in the form of a star, with pure white margin25

.05


Purpuræa (Morning Glory). Mixed


AMATEUR GULTIVATOR'S GUIDE.

*		8	2
7	~ U = ~	ICR.	-
	813 Ipomæa Rubro Cærulea. Produces a profusion of azure-blue flowers, which,		34
	in its maturity, is one of the most lovely objects imaginable. 10 to 15 feet	.25	3
	814 — Learii. Magnificent mazarine-blue. Greenhouse perennial. 12 feet .	.25	1
	815 — Tuberosa. Pale-yellow; from West Indies. Greenhouse perennial	.25	1
	816 — Quamoclit. (See Cypress-Vine.)	.05	1
	817 - Volubilis Madame Anne. A very fine new variety, with variegated		(1)
	flowers, striped red on a white ground	.25	y
	818 — Minima Spectabile. A pretty, hardy, annual species; with small, heart-		N
	shaped leaves and rosy flowers, remaining the whole day expanded.	.25	
	819 — Coptica. A beautiful climber; deep-lanceolated leaves; flowers, hand-	0.5	1
	some rose with white, standing well in bouquets	.25	2
			7
			1
	SQ WIGH		9
			- 1
			9
			. 1
	The state of the s		
	THUNBERGIA ALATA (see page 79). IPOMÆA VOLUBILIS (MADAME ANNE).		
	NEW IPOMÆAS, WITH SELF-COLORED FOLIAGE.		
	820 Ipomæa Hederacea Alba Grandislora Intus Rosea. Handsome white	.25	1
	flower, with dark-rose throat	.20	
	821 — Alba Grandiflora Intus Rosea Semi-Plena. Of the same form and color as the foregoing; a semi-double one, which is seldom seen in this		
	family	.25	
	822 — Atrocarminea Grandiflora Azurea Marginata. With brilliant car-		
	mine flowers, edged with clear azure-blue	.25	
	NEW IPOMÆAS, WITH VARIEGATED FOLIAGE.		
	We attach much importance to this new section, and find them worthy of recom-		
	mendation. We beg to state that we have tried them carefully, and found them		
	to come true from seed.		
	823 — Grandiflora Alba Picta Carminea (with silver-marbled leaves). Heart-		
	shaped leaves, largely marbled with silver-gray; flowers white, dotted		
	with brilliant carmine	.25	
	824 — Alba Picta Lilacina (with golden-marbled leaves). Heart-shaped		
	leaves, largely marbled with silver-gray; white flowers, spotted with lilac	.25	•
1	LOASA. NAT. ORD., Loasacea.		
	The Loasa are beautiful, tender, climbing annuals, suitable for covering a trellis		
	or ornamental wire-work.		
	825 Loasa Aurantica. Orange-color. 6 feet	.10	,
)	826 — Herbertii. Scarlet. 6 feet	.10	1
	LOPHOSPERMIM, Nat Opp Secondulariacean		,
	LOPHOSPERMUM. NAT. ORD., Scrophulariacea.		
	An elegant and highly ornamental genus of climbers, with handsome and showy foxglove-like flowers; very effective for conservatory, greenhouse, or garden deco-		
>	ration, and may be used with advantage for hanging-baskets; will bloom the first		•
2	season from seed. Half-hardy perennial. 75		
M	14 0 100	_	15

À	SSI	Para.	A
Se Constitution	WASHBURN & COMPANY'S	2	K
La Con	827 Lophospermum Coccineum. Red	.25 .25 .10 .25	The state of the s
The state of the s			The state of the s
	LOPHOSPERMUM SCANDENS. MAURANDYA. NAT. ORD., Scrophulariaceæ. The most graceful and free-flowering of soft-wooded climbers, whether for the ornamentation of the conservatory and greenhouse, or for pillars, trellis-work, and verandas in the flower-garden. The effect produced by the profusion of elegant and varied-colored flowers is strikingly beautiful. Blooms the first season from seed. Half-hardy perennial.		
	831 Maurandya Barclayana. Rich violet. 10 feet 832 — Alba. White. 10 feet. 833 — Coccinea. Scarlet. 10 feet 834 — Semperflorens, Alba. White. 10 feet 835 — Rosea. Rose. 10 feet. 836 — Mixed. Above mixed MORNING GLORY. Nat. Ord., Convolvulaceæ.	.10 .10 .10 .10 .10	
	837 Morning Glory, Mixed. The finest varieties. 20 feet	.05	
	838 Momordica Balsamina (Balsam Apple). From East Indies. 10 feet	.05	2
10	840 Passiflora. Fine mixed	.25	Ka

1	57	20	m 80	_~		_0~					عبر		_4			ال_ د	Nico.
X		47	STE OF STERMENT OF	A	TAM	EUR	(Ö1	ıxxı	/AT	OR'	S	<u>Ĝ</u> υ	IDE		\$ *	3 P	S. S.
	3			a popurith whereens, and rap	for whi pid grov	nbing a ers. T ch pur vth. H	innual, They are pose the Lardy a	with spectors extensey are a nnuals.	oikes sively idmir	of sl	nowy	scar]	et flo r arb	wers	and	or	,
	, ;	842	— Pa	inted	Lady.					:	:	:	:	•			.10 .10
	,		A beau white flow	vers, ir	st-grow nitating	ing an	of Man	mber, w devilles	rith e i, and	legan I sple	t foli	inge, c	over	ed wi	th purruits	ire	25
4			This is the uneque relieved be Tacson	ialled v	ndid "P vermilion trast wit	assion- n tint o th a cir	of the ('-like c Jeneser and of	onser a Cir	vator maba	ry cli arinn	mbin a, eac	h bl	osson	ı bei		.50
\A.	1			nely or	THU	NBE	RGIA.	NAT	lmire	d; v	ery f	ree bl	oome				
	1		Thunbe			iais.			•	•					•	•	.10
								~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	47	N. N.	3						






EUI.TIVATOR'S

PRICE 872 Briza Gracilis (slender). From Cape of Good Hope .05 Compacta. Very compact-growing variety of the Quaking-Grass; and will be found very ornamental for winter decoration and for bouquets

BRYZOPYRUM. NAT. ORD., Gramineæ.

.25

A very pretty dwarf variety of the ornamental grasses; good for dried bouquets. 874 Bryzopyrum Siculum. Distinct and beautiful; hardy annual. From N. Ame.



GYNERIUM (PAMPAS GRASS).

BROMUS. NAT. ORD., Gramineæ.

875 Bromus Bryzoporoides. A very pretty variety of ornamental grass. Hardy

CHLORIS. NAT. ORD., Gramineæ.

Singularly elegant perennial grass, nine to twelve inches in height, with flower-scapes or stems, having slender flower-spikes or rachis radiating horizontally from

1	5	Zan	The same of the sa	إستا
ĺ	a I	B S	WASHBURN & COMPANY'S	
ì				3
K	\$.	NO.	PRICE the extremities of each scape like the concentric spokes of a wheel. Half-hardy annual.	E.
۱		876		10
P	ş		CHRYSURUS. NAT. ORD., Graminea.	Ç
١			Very pretty ornamental grass, suitable for dried bouquets. Hardy annual.	3
۱		877		05 (
ı)		COIX. NAT. ORD., Graminea.	1
ľ	•	878	Coix Lachryma (Job's Tears). A very curious ornamental grass, having seeds which have the appearance of large tears; from East Indies	05
k	٥		ERAGROSTIS. NAT. ORD., Graminea.	7
ľ			Ornamental grasses; suitable for winter bouquets.	?
l		879		05 05
ľ		00U		00
ŀ		001	ERIANTHUS. NAT. ORD., Graminea.	1
7		991	Erianthus Ravennæ. This is a bold-looking, reed-like grass, from four to six feet high, with a fine foliage, resembling much in appearance the Pampas	4
l				25
١			ELEUSINE. NAT. ORD., Gramineæ.	
ľ		000	Ornamental grasses; light and graceful.	
				10 10
١		000	GYNERIUM (PAMPAS GRASS). NAT. ORD., Gramineæ.	10
l		QQ.4	Gynerium Argenteum. This is, without exception, the most stately growing	
ı		004	species of grass known. In stature it rivals the Bamboo, attaining, in its	
l			native plains (South America), from ten to fifteen feet in height. In northern latitudes, it should be protected in winter by removing to the cel-	
l				25
Ì			HORDEUM. NAT. ORD., Gramineæ.	
١		885	Hordeum Jubatum. A fine new ornamental grass	10
١			IMPERIATA. NAT. ORD., Graminea.	- 1
١			A magnificent, hardy grass, quite recently introduced from Amoor, with grace-	
۱			ful curved foliage, forming a fine bush about three feet high, throwing out numer-	
l			ous flower-spikes about five feet in height, bearing glittering silvery plumes of flowers; extremely pretty. The leaves are lively green, with a broad, silvery line down the middle; and the habit and bearing of the plant are quite as handsome	3
Į			down the middle; and the habit and bearing of the plant are quite as handsome as Gynerium.	
I		886		25
İ			OATS (AVENA SENSITIVA). NAT. ORD., Gramineæ,	
K			A very curious genus of ornamental grasses; fine for dried bouquets; suitable for	
į			mixed borders. Hardy annual.	
l		887		05
H			SPERGULA. NAT. ORD., Caryophyllaceæ.	
Ì			Extremely neat, moss-like plants, of a beautiful, lively green, largely used as a substitute for grass on lawns, which they quickly cover, and require no further attention than rolling and keeping free from weeds; found to thrive best on stiff soil.	
ı				10
۱	1		STIPA. NAT. ORD., Gramineæ.	
1		889	The state of the s	10
				05
۱	>			1
ú				



GROUP OF GOURDS. (See page 74.)



PETUNIA GRANDIFLORA HYBRIDS. See No. 738.

EVERLASTING FLOWERS.

NO.		ACROCLI										PR	ICE.
An elegant new annual from Swan River, producing beautiful everlasting ers resembling the Rhodanthe Manglesii, but much larger; fine for winter												w-	
quets, f	lowering	in any garde	n soil.	esn, b Hard	ut m y anni	ucn 1als.	iarge	r; nn	e for	wint	er bo)u-	
891 Acroc	linium	Atroroseum	. Deep	rose-	color.	1 fc	oot						.10
892 — F	loseum.	 Light rose. 	1 foot										.10
893 — A	lbum.	Pure white.	1 foot	•									.10
AMMOBIUM. NAT. ORD., Compositæ.													
A fine	e everlas den.	sting plant, val	uable fo	r mak	ing d	ried	winte	r bou	quet	; pr	etty	for	

894 Ammobium Alatum. White; from New Holland. Hardy annual. 2 feet .

CELOSIA AUREA PYRAMIDALIS (side-shoot).

CELOSIA. NAT. ORD., Amarantaceæ.

Magnificent, free-flowering, graceful-growing plants, producing in the greatest profusion spikes of the most beautiful feathery-looking flowers (see engraving,

COMPANY'S PRICE which represents a side shoot of Aurea Pyramidalis). Celosia Argentea, however, produces its flowers in spikes, like a Gomphrena (Globe Amaranthus), but much longer; and, if gathered when young, they are valuable for winter bouquets. Grown in pots, they are the most elegant. Half-hardy annuals. 895 Celosia Argentea. Silvery white, shaded with bright rose; very handsome. 3ft. 896 - Aurea Pyramidaiis. Magnificent golden-feathered plant. 3 feet . - Coccinea Pyramidalis. Crimson, same as the preceding, differing only in color. 3 feet . .25 - Pyramidalis Nana Aurantica. Erect, from fifteen to eighteen inches; 893 . leaves oval, acuminated, bright green; trusses of flower-spikes pyramidal, of a brilliant buff yellow Pyramidalis versicolor. Oval acuminated leaves of red brown; all the spikes terminated by bright carmine trusses before opening, passing gradually to violet carmine. 3 feet 899 .25 NAT. ORD., Amarantaceæ. COCKSCOMB. Highly ornamental, curious-looking flowers, for decoration of the flower-house, drawing-room and garden; all the varieties are remarkably attractive, producing a fine effect when grown in pots and mixed with other plants, either on the stage of a greenhouse, or planted in some warm situation out of doors. The following sorts have been saved from combs remarkable for their size and symmetry. Halfhardy annuals. 900 Cockscombs, Mixed Varieties . 901 — Dwarf Crimson. Brilliant and large; from a prize collection. \$\frac{1}{4}\$ foot . 902 — Yellow. Same as above, except color 903 — New Giant. Very large, brilliant-red rose; beautiful rose-dwarf. \$\frac{1}{4}\$ foot . .10 GLOBE ANARANTHUS. NAT. ORD., Amarantacea. The Globes are well known, and much admired for their ornamental effect in the garden, and are highly prized for their heads of flowers, which, if gathered before they are too far advanced, will retain their beauty for several years. seeds are rather slow to vegetate in the open ground, the orange in particular, which seldom starts without bottom heat. Tender annual. 904 Globe Amaracthus (Gomphrena). Crimson; fine; 2 feet .05 - Variegated. From India. 2 feet .05 - White. From India. 2 feet .05 907 — Orange (Hoveyii). From New Mexico. 2 feet .05 GNAPHALIUM. NAT. ORD., Compositæ. Fine everlasting flowers, useful for making dry bouquets; will grow in any common garden-soil. Half-hardy annual. Yellow. 2 feet 908 Gnaphalium Fætidum. .10 HELICHRYSUM (ETERNAL FLOWERS). NAT. ORD., Compositæ. The Helichrysum are very ornamental in the garden, and much admired on account of the beauty of the flower when dried, which, if gathered when they first open, and carefully dried, will retain their form and color for years. They are highly prized for winter mantle-bouquets and ornaments for vases. Hardy annuals. 909 Helichrysum Atrosanguineum Nanum. Dwarf; deep-crimson. 11/2 feet Atrococcineum Nanum. Very dwarf; dark-scarlet; very fine. 1½ ft. Borussorum Rex. New; white variety; very free-flowering . . . - Compositum Maximum. One of the finest of the class; flowers very double, and a large variety of colors mixed .10 - Finest Mixed. Including twelve sorts .10 HELIPTERUM. NAT. ORD., Compositæ. 914 Helipterum Sanfordi. Pretty dwarf-tufted everlasting, with small neat fo-liage, and large globular clusters of bright golden-yellow flowers. It grows

Charming everlasting flowers, of great beauty, equally valuable for the decoration of the conservatory and flower-garden. Its neat, compact growth makes it a suitable plant for bedding or ribboning, while its bright-colored flowers, elegant style of growth, and profuse blooming, render it an object of universal admiration. The flowers, if gathered when young, make valuable winter bouquets. Succeeds best in a light rich soil, and a warm, sheltered situation. Half-hardy annuals.

well in the open border, and the flowers are fine for winter bouquets

Amateur (Cultivator's Guide.

	14.		4
?	NO. PR	ICE.	3
	915 Rhodanthe Manglesii. Neat, unique, and beautiful; with numerous semi-		77
	double, daisy-like flowers, of rich rose-color, suffused with white, retain-		1
		.10	
	916 — Maculata. Very robust, fine, glossy, heart-shaped foliage, of graceful bearing, with flowers from one and a half to two inches in diameter, of a bright, deep, rosy carmine, rendered more brilliant by a broad, velvety, blackish, purple-crimson belt, surrounding the bright-yellow disk. 2 ft.	10	
	917 — Atrosanguinea. Dwarf; branching species, with longer and more	·Ti.	
	918 — Alba. Pure, silvery-white variety, of same size of flower as R. Macu-	.10	
	lata. One of the finest everlasting flowers introduced for a long time .	.10	
	AN (27)		




RHODANTHE MACULATA.

WAITZIA. NAT. ORD., Composite.

Another fine annual Everlasting, of bushy, compact habit, growing about 1 foot high, and as much in diameter, each branch terminating in clusters of elegant flowers of a deep amaranth color, with small yellow disk. Also fine for pot-culture.

920 Waitzia Corymbosa.




SPLENDID ASSORTMENTS OF FRENCH AND GERMAN FLOWER-SEEDS.

We invite the attention of our numerous customers to the following list of assortments of flower-seeds. They have all been selected expressly for us, by our special correspondents in France and Germany, from the various noted flower-seed growers, whose well-known reputation is a sure guaranty of their superior excellence, both as regards distinctness of color and freshness of seed. We have no hesitation in recommending them as equal, if not superior, to any to be obtained in Europe.

		as regards distinctness of color and freshness of seed. We have no hesitation in recommending them as equal, if not superior, to any to be obtained in Europe.	
	NO.	ASTERS. PRICE	E.
	921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937	Truffaut's Pæony Flowered. Sixteen splendid varieties; distinct colors . \$1.8 Truffaut's Pæony Pyramid Flowered. Twelve varieties, beautiful colors . 1.2 ———————————————————————————————————	60 60 60 60 60 60 60 60 60 60
	000	BALSAMS.	0
	941 942	Double Camellia-flowered Balsams. Ten of the most beautiful colors . 1.0 Double Dwarf Balsams. Ten splendid varieties of the nost beautiful colors . 7.0 Double Spotted Rose-flowered Balsams. Twelve most beautiful colors . 1.0 Improved Double Rose-flowered Balsams. Ten splendid varieties. Twenty-five seeds of each	5
	944	Dwarf Early Flowering Ten-weeks. Twenty-four varieties 2.0	00
	945	Large-flowered Improved Dwarf Ten-weeks Stock. Six splendid varieties, of the most beautiful colors	0
		New Large-flowered Pyramidal Ten-weeks Stocks. Twelve splendid varieties, of the most beautiful colors	0
	949	Dwarf Pyramidal Ten-weeks Stocks. Six varieties; most beautiful colors 1.0 Miniature, or Liliputian Ten-weeks Stocks. Six splendid varieties, of the most beautiful colors	5
		Dwarf Bouquet Ten-weeks Stocks. Six varieties of the most beautiful colors .7 Giant, or Tree Ten-weeks Stock. Ten varieties, of the most beautiful colors 1.0	
3	~	Stant, of free ren-weeks stock. Ten varieties, of the most beautiful colors 1.0	سے "
1	44		10
0		and an analysis of the same of	

MATEUR 🎼 ULTIVATOR'S 🎉 VIDE.

r	NO.	PI	RICE.	-
>	952	New Early Autumn-flowering Stocks. Eight splendid varieties, of the most beautiful colors	1.00	17.7
	953		.75	
	954	New Early Large-flowered Brompton Stocks. Eight beautiful varieties		
	955	Emperor, or Perpetual Stocks. Eight splendid varieties, beautiful colors .	1.00	
	956	New Hybrid. Hybrid between the Wall-flower and the rough leaves. Six		
	05*	splendid varieties of the most beautiful colors	1.00	
,	501	1100 100 11 boundered acquisition. Six varieties, most beautiful colors.	1.00	
		LARKSPURS.		
		Double Dwarf Rocket Larkspur. Twelve varieties, most beautiful colors .	.75	
	959	Double Tall Rocket Larkspur. Eight varieties, most beautiful colors	.50	
	960	Double Branching Larkspur. Eight varieties, most beautiful colors	.50	
	961	Double Hyacinth-flowered Larkspur. Ten varieties, most beautiful colors	.75	
		VARIOUS COLLECTIONS.		
	962	Antirrhinum Majus (Snapdragon). Twelve varieties, most beautiful colors	1.00	
			.75	
			1.50	
			3.00	
		G	1.50 1.00	
			.50	
			1.00	
	970		1.50	
		Everlasting Flowers. Twelve splendid varieties, of the most beautiful colors		
			1.00	
			1.50 .75	
			.75	
			1.50	
		Heartsease, or Pansies. Eight splendid varieties, of the most beautiful colors		
			.75	
		Phlox, Drummondii. Twelve splendid varieties, of the most beautiful colors Poppies. Twelve splendid varieties of the most beautiful colors	.75	
		Portulaca. Eight splendid varieties of the most beautiful colors	.50	
			1.00	
			1.00	
	984	Sweet Peas. Eight splendid varieties, of the most beautiful colors	.50	
	985	Scabiosa. Eight splendid varieties, of the most beautiful colors Solanum. Twelve splendid varieties, of the most beautiful colors	.50	
		Ipomea. Half-hardy and tender. Twelve varieties, most beautiful colors	1.50 1.00	
			.50	
	989 -	— Dwarf. Eight splendid varieties, of the most beautiful colors	1.00	
	990	Kennedya. Twelve splendid varieties, of the most beautiful colors	2.00	
	991	—— Six splendid varieties, of the most beautiful colors	1.00	
		Marvel of Peru. Eight splendid varieties, of the most beautiful colors	.50	
		Marygold, African and French. Eight splendid varieties, beautiful colors. Ornamental Grasses. Twenty-five splendid varieties, most beautiful colors.	.50 1.25	
		— Twelve splendid varieties, of the most beautiful colors	.75	
		Pentstemon. Six splendid varieties, of the most beautiful colors	.75	
			1.25	
	998	Tropæolum Lobbianum. Twelve splendid varieties, of the most beautiful sorts		
		Wallflower (from pot-plants). Ten varieties, of the most beautiful colors .		
		r	1.00	
		1 Zinnia Elegans. Eight splendid varieties, of the most beautiful colors 2 — Finest Double. Eight splendid varieties, of the most beautiful colors .	1.00	
)	1900/	85	2.00	
3/	all s			9.



THE

AMATEUR CULTIVATOR'S GUIDE

TO THE KITCHEN GARDEN.



N again presenting our Catalogue of VEGETABLE SEEDS, we embrace the opportunity to add that our stock, as heretofore, has been selected with a view to secure only the freshest and most reliable seeds. Most of the staple seeds are raised expressly for us by experienced growers; and such as are imported are purchased from the most reliable seedsmen in Europe, with whom we have long dealt, and from whom we have received only such as we could with perfect confidence recommend. It is our invariable rule to test all our seeds ourselves, and never to send out any thing but what we are certain will vegetate freely, and prove true to name. Nothing causes greater disappointment than poor seeds; for not only is the season lost if they fail to grow, but an inferior

crop will not pay for the trouble of planting. American-grown seeds always have our preference; but some kinds it is impossible to obtain in sufficient quantity to fill our orders, and those are obtained only from reliable dealers abroad.

Our prices are affixed by the ounce, quart, and packet: but no quantity is sold less than the ounce or quart at these prices: when less is ordered, they will be supplied in packets at that rate. All the kinds can be supplied by the pound or bushel at the lowest market rate for prime seeds.

Prices of seeds vary, to some extent, from the time of harvesting to the time of planting, and we do not feel bound by these prices unless orders are sent in early. We can only advise our customers to give their orders in good season to secure the most favorable terms.

ARTICHOKE (CYNARA SCOLYMUS).

German, Artischoke. - French, Artichaut. - Spanish, Alcachofa.


The Artichoke is a native of the south of Europe, and is principally cultivated in the gardens of the French, by whom it is considered more as a luxury than as a profitable esculent. The heads, in their immature state, and before their blue thistle-like flowers open, are cut, and boiled in salt and water. The edible part is merely the fleshy substance on the bottom of the scales, which, to make palatable, has to be dipped in a nicely prepared sauce of butter and spices. They are frequently eaten as salad in a raw state.

Culture. — The Artichoke may be grown from seed or offset suckers, separated early in spring. The best way to obtain a supply from seed is to sow the seeds in April in a bed of good rich earth, or it may be planted in drills one inch deep, and about twelve inches apart. It should be transplanted the following spring to a permanent place. Either in beds or drills, plants should stand two feet apart each way, requiring a deep, rich, moist loam; also should be protected with leaves or straw during winter.


Large Globe. A very large sort, most generally cultivated. Heads or buds very large, nearly round, and with a dusky-purplish tint. Per packet, 10

Green, or Common. Heads large, of a conical form; scales deep green, thick, and fleshy; pointed at the tips, and turned outwards. Per packet, 10






LARGE FLAT WHITE ITALIAN TRIPOLI ONION.



LARGE BLOOD-RED TRIPOLI ONION.

Specimens of these onions were sent us by Messrs. Carter & Co., of London, England, and were exhibited by us at the Massachusetts Horticultural Society, receiving first-class certificates of merit; they were also exhibited at the New-England fair at Lowell, receiving much attention. Weight of specimens exhibited, from 2 lbs. 6 oz. to 2 lbs. 11 oz. Further description, see page 118.



ASPARAGUS (ASPARAGUS OFFICINALIS).

German, Spargel. - French, Asperge. - Spanish, Esparrago.

This universal vegetable is supposed to be a native of Great Britain, where it is found on the banks of sandy soil contiguous to the sea, growing luxuriantly under the salt breezes.

There are, it is said, several varieties of Asparagus; but the difference mainly arises from the

nature of the soil.

Culture. - Sow the seed early in spring, one inch deep, and three or four inches apart, in rows one foot apart. When two years old, they may be transplanted into permaneut beds, the plants placed a foot apart in each direction, and at least four inches beneath the surface.

To make it "Giant," be particular to select for the bed warm rich soil. Trench it at least eighteen inches deep, working in six inches or more depth of well-rotted manure. bed with manure, and in spring dig it in lightly,

Every fall cover the care being taken not to disturb the roots. per oz.

Giant Purple top. Grows to a good size; excellent. Per pkt., 5 .10 Conover's Colossal. A European varieintroduced several years since, which, by a careful selection of seeds from the most vigorous shoots, has been wonderfully improved both in size and quality, in point of which it surpasses all other varieties in culti-

vation. Per pkt., 10. per lb \$2. ENGLISH BEAN (FABA VULGARIS).

German, Gartenbohne. - French, Fere de Marais. - Spanish, Haba.

The following varieties are much grown in England, but find little favor in this country.

- Sow as early as the ground will ad-Culture. mit, in rows two feet apart, and three inches apart in the rows. They will come sooner into bearing if the tops of the plants are pinched off as soon as they are in full bloom. Succeed best in a deep, strong, loamy soil.

By Mail, 8 cents a pint extra. Early Mazagan. From Mazagan, on the coast of Africa, is one of the hardiest sorts now in cultivation. Stems from

two to three feet high .35 Broad Windsor. This familiar sort is much esteemed and extensively cultivated, remaining fit for use longer than any other variety. A sure bearer

BEANS, Bush (PHASEOLUS VULGARIS). - French, Haricot. - Spanish, German, Bohne. -Frijolenano.


The plants of this class vary from a foot to two feet in height. They require no stake or pole for their support.

By Mail, 8 cents a pint extra.

Early Yellow Six Weeks. Excellent for string or shell; one of the earliest.

Early Turtle Soup. Much esteemed, when dry, for cooking.

All Beans, 10 cents per pkt.



per qt. Early Valentine. Long tender pod; an excellent string-bean .35 Early Mohawk. Early, productive, and very hardy. .35 Early China. Red eye; one of the most productive . .30 Early Marrowfat. White; an excellent shell-bean; valuable, when dry, for baking .30 Red Bush Cranberry. One of the best string-beans .41 .30 BEANS, POLE (PHASEOLUS VULGARIS). German, Stanger Bohne. — French, Haricots a rames. — Spanish, Judias. As a class, these are less hardy than the dwarfs, and are not usually planted so early in the season. The common practice is to plant in hills three feet or three and a half apart, with a stake or pole to run upon. By Mail, 8 cents a pint extra. London Horticultural, or Speckled Cranberry. May be used as a snap, or, when more advanced, shelled, as the Lima; very productive Red Cranberry. This is one of the oldest and most familiar of garden beans; excellent as a string or snap bean . .40 White Case Knife. Most prolific of the running varieties. As a shelled bean, it is of excellent quality in its green state, and, when ripe, farinaceous and well-flavored .40 Indian Chief, or Wax. ief, or Wax. One of the best varieties either for snaps or shelled; remarkable for its fine, tender, and richly-colored pods; very productive. .50 Giant Wax. Recently introduced, and differing essentially from the old German Wax Bean, being of a more robust growth and more productive. The pods are from six to nine inches in length, and from three-fourths to one inch in breadth; the beans, when ripe, are of a reddish color. The pods, when fit for use, are of a clear, waxy color, perfectly stringless, and, when cooked, are as tender as marrow, and truly delicious. Per pkt., 15 .75 BEANS, RUNNERS (PHASEOLUS MULTIFLORUS). German, Grosse Bunte Bohne. - French, Haricot d'Espagne. - Spanish, Judia Vastago d'Espana. Scarlet Runner. A very prolific variety; fine for covering arbors, trained over pales, up the walls of cottages, which they enliven by the brightness of their blossoms, at the same time yielding a supply of wholesome and nutricious food .50 White Runners. A variety of the Scarlet Runner. As a shell-bean, either green or white, they are considered superior to the scarlet, and often seen in our markets under the name of Lima .50 Painted Lady. A sub-variety of the Scarlet Runner, with variegated flowers; the .60 upper petals being scarlet, the lower white Carter's Champion Runner. A gigantic variety of Scarlet Runners, having pods nearly double the size of the old variety; it is more robust in growth, and is an extraordinary cropper. Per pkt., .25. BEANS, LIMA (PHASEOLUS LUNATUS). German, Bohne von Lima. — French, Haricot de Lima. — Spanish, Haba Vastago de Lima. Large Lima. This is one of the latest, as well as the most tender, of all garden beans; the best time for planting being from the first to the middle of May. In planting, be sure to place the eye downwards Small Lima, Carolina, Sewee, Sieva, or Saba. This is one of the most productive of all varieties. The beans, in their green or ripe state, are similar to the Lima, and are nearly as delicate and rich flavored. It is from .50 two to three weeks earlier . BEET (BETA VULGARIS). German, Runkle Rube. - French, Betterave. - Spanish, Bettaraga.

practice is to sow the seed in April, as soon as the frost is out of the ground, or as soon as the soil can be worked. For use in autumn, the seed should be sown about the middle or


Cuiture. - For early use, sowings are sometimes made in November; but the general




CHAMPION MOSS CURLED PARSLEY. See Page 121.




MARQUIS OF LORNE CUCUMBER. See page 117.







THE "KENTISH INVICTA PEA" See page 119.



TOMATO, TRELLIS TRAINING.

CULTIVATOR'S

twentieth of May; and for the winter supply, from the first to the middle of June. Lay out the ground in beds five or six feet in width, and of a length proportionate to the supply required; spade or fork the soil deeply and thoroughly over; rake the surface smooth and even; and draw the drills across the beds fourteen inches apart, and about an inch and a half in depth. Sow the seeds thickly enough to secure a plant for every two or three inches, and cover to the depth of the drills. When they are two inches in height, they should be thinned to five or six inches apart.



	EGIPTIAN BEET (one-third natural size).	
		r oz.
	Egyptian Turnip. This new variety was sent us for trial last season, and proved	
	one of the finest. Very dark, early, good form, and fine flavor. One of the very best. Per pkt., 15	.30
	Early Flat Bassano. An Italian variety; seven to ten days earlier than the Early Turnip. Flesh white, circled or zoned with bright pink; very tender	
	and juicy; not suited for winter use unless sown quite late. Per pkt., .5	.15
	Simon's Early. An improvement on other early kinds; and is now superseding the Bassano, being quite as early, and of a blood-red color; smooth and turnip-shaped. Most valuable variety for the market. Per pkt., 10	.20
	Early Turnip Blood. One of the best for general use. Flesh deep blood-red,	.20
	sometimes circled and rayed with paler red: sweet and tender. Per pkt., 5	.10
	Early Yellow Turnip, or Orange. A sub-variety of the Blood Turnip, differing	
	in color. Flesh yellow, close grained, sweet, and tender. Per pkt., 5.	.15
	Long Smooth Dark Blood. An improved variety of the Long Blood. Flesh	
	sweet, tender, and fine grained; fine winter beet if sown late. Per pkt., .5	.10
	Henderson's Pineapple. Short top, medium size. Flesh very deep blood-red, fine grained, sweet, tender, and of excellent quality. Per pkt., 10.	.30
	White Sugar. A large variety, grown extensively for feeding stock, although the	
	young roots are tender, sweet, and well flavored. Per pkt., .5	. 10
	Long Red Mangel Wurzel. A large variety, grown principally for feeding stock. When young, is sometimes used for the table. Flesh white, zoned and	
	clouded with different shades of red; is hardy, and keeps well. Per pkt., .5	.10
	Yellow Globe. Large, round, orange-colored variety; keeps better than the Long Red, and produces better crops on shallow ground. Per pkt., .5	.10
1	Carter's Champion Mangel. This improved variety of Orange Globe is superior	10
A	to any other sort, and produces a greater weight per acre. Per lb., .75.	.10

ASHBURN per oz Swiss Chard, or Silver. This variety is cultivated for its leaf-stalks, which are served up much like Asparagus, and for its leaves cooked as Spinach. cut often, new stalks will be reproduced. Per pkt., .5 Perpetual Spinach. Leaves large, of good color; flavor superior to Spinach, for which it is used as a substitute. In use the whole season. Per pkt., .15. BORECOLE, or KALE (Brassica Oleracea Acephala). German, Blatter Kohl. - French, Chou vert. - Spanish, Breton. Borecole, German Greens, or Scotch Kale, is a very delicate vegetable. It is essential to its perfection that it be acted upon by the frost before it is cut for the kitchen. The part used are the tops or crown of the plant, with any of the side sprouts. It boils well, and is tender and sweet. Culture. - The seeds are own at the time of sowing the seeds of the Cabbage or Cauliflower, and in the same m...ner: early plants may be started in a hotbed, or the seed may be sown in the open ground in May. In transplanting, treat the plants same as young cabbages, setting them more or less remote, according to the size or habit of the variety. Requires a light, rich soil. A dwarf-curled Kale, of extreme beauty, good color, delicate mellow flavor, and as double as a fine curled Parsley. This is a valuable winter Abergeldie. green, and will be found a very useful and handsome garnish. Per pkt., 25 Dwarf Curled Kale, or German Greens. This is a hardy, low-growing variety; finely curled. A fine variety for winter and spring use when planted in a light cellar, or other protection from the severity of the weather. Per pkt., 10 Tall Green Curled. A fine hardy and productive variety. Per pkt., 10 . Cottager's Kale. It is exceedingly hardy, of excellent flavor, and very productive. Per pkt., 10. Carter's Improved Garnishing. This will produce more than twenty varieties, some of which are worthy of a place in a greenhouse, being quite equal in color to the new Coleus. The colors vary from rich crimson to white color to the new Coleus. The laced and fringed. Per pkt., 10. BRUSSELS SPROUTS (BRASSICA OLERACEA VAR). German, Gruner, Sprossen. - French, Chou de Bruxelles.

Cultivated for the small heads, which are produced in great numbers on the main stem of the plant, and are in perfection in the autumn. They are very tender, and of fine flavor after early frosts. Sow in seed-beds in

May; transplant and cultivate as directed for

Cabbage.

Own Saving. A new English variety, very fine. Per pkt., 10 The Albert Sprout. It comes in after the other varieties. The flavor, after cooking, is all that could

be desired, — mild, mellow, and very fine. Per pkt., 10 . . . BROCCOLI (Brassica Oleracea BOTRYTIS).

German, Brocoli, Spargel-kohl. - French, Chou Brocoli. - Spanish, Broculi.

In its structure and general habit, the Broccoli resembles the Cauliflower. It is very hardy, and sure to head, but inferior in flavor.

Culture. - The seeds should be sown in hotbeds in April, or in open ground in May, in a very deep rich soil. Sow the seeds tolerably thick on the surface. Transplant in June or July, when the weather is moist, in rows two feet apart, and twenty inches in the row. When they have advanced in growth, draw some earth to their stems, which greatly promotes their luxuriance.

Early Purple Cape. This has a close compact head of a purple color. Hardy, and of excellent flavor. Per pkt., 10



90

.30


.20

.75

.50

AMATEUR GULTIVATOR'S GUIDE.

>	per oz.	
	White Cape. Later than the preceding; should be planted early in April. The heads, when perfected, are large and white, and compact. Per pkt., 10	; (
	Chappell's Large Cream Colored. A very large and fine sort; flower cream-yellow;	
	Snow's Superb White Winter. A dwarf variety. The leaves are broad, with short stems: the heads are large, white, very compact. Per pkt., 25 1.50)
	Carter's Champion. Dwarf, compact-growing, large-headed; the best late variety in cultivation. Per pkt., 10	
	Carter's Summer. A new variety, with enormous, close, white heads, coming between the late Broccoli and the Cauliflower. Per pkt., 10 1.00	0



EARLY SCHWEINFURTH CABBAGE.

CABBAGE (BRASSICA OLERACEA CAPITATA). German, Kopfkohl. — French, Chou Pomme. — Spanish, Repollo.

One of the most popular vegetables grown.

Culture. — The Cabbage can be cultivated by the most simple and easy means. It grows in most soils, and produces its beneficial heads nine months in the year. The ground must be rich, or made so by a good coat of manure, as they have strong, tapering roots. Digging or ploughing deep is very essential. For early us 2, sow in hotbeds in February or March; and for winter, the seeds may be sown in the opening much in May or June. When five or six inches high, transplant to from twelve to thirty inches apart.

Wintering Cabbages.— If you have not a dry, airy, vegetable cellar nor open shed to spare for burying them, take a sheltered part of the garden, and bury the roots, stalks, and part of the head, in the earth; over which, in severe weather, place a good sprinkling of straw, and a few boards. In southern latitudes, this is unnecessary.

Early Wyman. The best and most profitable early market-cabbage grown. It heads early, is of large size and first quality, and brings the highest price of any early cabbage brought into the Boston market, selling readily last season by the thousand, at \$18 per hundred. It took the first prize at the last and several previous exhibitions of the Mass. Hort. Soc. Per pkt., 25

Ŵashburn 🏖 Çompany's

90.24	
Per	02.
Early Schweinfurth. A remarkable and valuable variety, both for earliness and	
large size; adapted chiefly for summer and autumn use. Per pkt., 15.	.75
Earl, York. As an early market sort, one of the most popular. The head is of rather less than medium size, roundish-ovoid, close and well-formed; ten-	
	.20
Early Wakefield. (Jersey) similar in form to the Early York, and nearly as early; grows to a good size; a favorite with market-gardeners. Per pkt., 15. 1	.00
Early Drumhead, or Battersea. This is a round flat-headed variety, of excellent	
quality; one of the latest among the early sorts. Per pkt., 10	.30
Early Queen. Very fine; medium size; quite early. Per pkt., 5	.36
Green Glazed. Heads large, rather loose. Its texture is coarse and hard; less liable	
to the attacks of the cabbage-worm than other sorts. Per pkt., 5	.40
Large York. A larger variety than the Early York, which it somewhat resembles.	
	.20
Large Late Drumhead. Heads large; round, sometimes flattened a little at the top;	
	.30
Large French Oxheart. A variety which is taking the place of many others. It is	
	.30
Little Pixie. A comparatively new variety; makes a small delicate-flavored head;	
	40
Stone Mason Drumhead. Originated by Mr. Mason, of Marblehead, Mass. It is characterized for its sweetness and for its reliability for forming a solid	
	40



MARBLEHEAD MAMMOTH DRUMHEAD CABBAGE.

	Marblehead Mammoth Drumhead. The largest Cabbage in the world. This (the Mammoth) is, without doubt, the largest variety of the Cab-	
	bage family in the world, being the result of the extreme of high culture.	
	In form this variety differs, the head being sometimes nearly hemispherical, at other times nearly flat. Under high culture it is compact and hard.	
	Its size is indeed mammoth, ranging from that of a half-bushel measure up	
	to that of a two-bushel basket, and even larger. They have been grown,	
	and, when stripped of all waste leaves, could not be got into a two-bushel	1.00
		1.00
	Foltler's Improved Brunswick. The Earliest, Shortest-stemmed, and very best Drum-	
	head yet offered. The Boston market-gardeners all use it in preference to any other. Every plant produces a good head,—when fully grown	
	weighing from twenty to thirty pounds,—and requiring only ordinary	
ζ	cultivation. The quality is excellent. Per pkt., 15	.75
_	Premium Flat Dutch. A low-growing variety; heads large, bluish-green, round,	
	solid, broad and flat on the top, and often tinted with red and brown. As	-
	a winter variety, it has no superior. Per pkt., 10	.30
	Red Dutch, or Pickling. This sort is used mostly for pickling, and often cut in	
?	shreds and served as a salad; medium size, oblong shape, and very solid; of a deep red or purple color. Per pkt., 10	
13	or a deep red of purple color. Fer pkt., 10	•011
1		1

Amateur Gultivator's Guide.


Winnigstadt. This is a German variety, somewhat similar to the Oxheart, but more regular; conical; heads very full and solid. All things considered, this is one of the best for general cultivation. Per pkt., 10

SAVOY.

Drumhead Savoy. Head large, round, compact, yellowish at the centre, and a little flattened; excellent for winter. Per pkt., 10

Green Globe, or Curled Savoy. One of the best and most familiar of the Savoys; medium size; very tender. Per pkt., 16

Feather-Stem Savoy. A hybrid, possessing the growth and habit of Brussels Sprouts. A delicious vegetable. Treat as Brussels Sprouts. Per pkt., 10



THE BOSTON-MARKET OR IMPROVED EARLY PARIS CAULIFLOWER.
(Used, by permission, from The American Journal of Horticulture.)

CAULIFLOWER (BRASSICA OLERACEA BOTRYTIS).

German, Blumen Kohl. - French, Choufleur. - Spanish, Coliflor.

This very delicate vegetable was first introduced into England from the Island of Cypress, and is classed among the most delicious of vegetables.

Culture. — The proper seasons for sowing seeds are, for the early spring or summer crop, between the eighth and twentieth of September; and for the late autumn crop, about the first of April. The plants, as soon as they are two or three inches high, should be planted out in a bed of rich light earth, three inches apart each way, so as to grow firm and stocky, to remove to their final place of growth. For the purpose of growing them to perfection, use a bed of the richest light earth, two feet deep, made very rich, with well-decom-

Washburn & Company:

posed manure, surrounded by a frame covered with glass or shutters. The frame should be surrounded with straw or litter of some kind; also the glass or shutters should be covered with mats or dry straw in severe weather, observing to give plenty of air on mild and pleas ant days to prevent the plants from drawing or damping off at the neck; should be kept well watered: soap-suds is beneficial. For a late autumn crop they require no particular care or skill.

Early Paris. Heads rather large, white, and compact; leaves large, stalk short; a very early sort; should be planted in spring. Per pkt., .25 . . . 1.00

Carter's Dwarf Mammoth. A very early hardy variety, of dwarf and compact habit, with a firm white head; one of the finest. Per pkt., .15 . . . 1.00

Erfurt Earliest Dwarf. One of the best for early forcing and open ground; very dwarf, leaves small, heads large and very firm; pure white. Perpkt., .50. 8.00

Le Normand. A French variety; heads large, compact, and fine flavor; a superior variety in all respects. Per pkt., 25.

Lemaitre. A fine variety; producing a large, firm head, very white, and of superior quality; much esteemed by the Paris gardeners. Per pkt., .25.

Boston Market. This is one of the finest varieties of this delicious vegetable grown, and is very popular with the market-gardeners about Boston, who find it particularly suited to this climate. It has been brought to its present state of perfection by a careful system of cultivation, and selection of specimens from which to grow seed. It is very early; produces uniformly large and fine solid flowers, or heads, of snowy whiteness and excellent flavor. Weight of specimens, seven and a half pounds; diameter, ten and a half inches; circumference, thirty-one inches; length of foliage, twenty-nine and a half inches. Per pkt., 25. (See cut.)

CARROT (DAUCUS CAROTA).

German, Mohre. - French, Carotte. - Spanish, Zanahoria.

The Carrot in its cultivated state is a half-hardy biennial. It is generally served at table boiled with meats; it also makes an excellent ingredient for soups. As an agricultural root, it is not surpassed for feeding cattle.

Culture. The Carrot flourishes best in a good, light, well-enriched loam. If possible, the ground should be stirred to the depth of twelve to fifteen inches, incorporated with a liberal application of well-rotted compost, and well pulverizing the soil in the operation. The surface should next be levelled, cleared as much as possible of stones and hard lumps of earth, and made mellow and frisole; in which state, if the ground contains a sufficient moisture to color the surface when stirred, it will be ready for the seed. This may be sown from the first of April to the twentieth of May.

Large White Belgian. Very large, and valuable for field-culture. Per pkt., .5. Improved White Green-top Orthe. An improved variety of the White Belgian, with shorter and much larger roots; perfectly smooth, cylindrical, and tapering to a rather blunt point. It is easily pulled out, and yields very large crops. Per pkt., .10.

CELERY (APIUM GRAVEOLENS).

.10

.15

German, Seleri. - French, Celeri. - Spanish, Apio.

Celery is one of the most popular salads used in this country.

Culture. — The seed should be sown in hotbeds in March, or in the open ground the last of April or first of May; but, when sown in the open ground, it vegetates very slowly, often remaining in the ground several weeks before it comes up. A bushel or two of stable manure put in a hole in the ground, against a wall or any fence facing south, and covered with a rich fine mould three or four inches deep, will bring the seed up much sooner. Suf-

JITIVATOR'S

accent plants for any family may be started in a large flower-pot or two, placed in a sittingroom, giving them plenty of air and moisture. As soon as the young plants are about three inches high, prepare a small bed in the open ground, and make it rich and the earth fine. there set out the plants for a temporary growth, placing them four inches apart. This should be done carefully; and they should be gently watered once, and protected for a day or two against the sun. Make the trenches a foot or fifteen inches deep, and a foot wide, and not less than five feet apart. At the bottom of the trench put some good, rich, but and not less than live leet apart. At the colors in the will be rank and pipy, or hollow, and will not keep nearly as long or well. Dig this manure in well, making the earth fine and light; then take up the plants from the temporary bed, and set them out carefully in the bottom of the trenches, six or eight inches apart.

Blanching. - When the plants begin to grow, hoe on each side and between them with As they grow up, earth their stems; that is, put the earth up against the a small hoe. stems, but not too much at a time, and always when the plants are dry. Be particular and not allow the soil to get between the stems of the outside leaves and the inner one, as it is injurious to the plants. In frosty weather, they should be protected by covering the tops of the trenches well with dry litter; this should not be allowed to remain longer than is absolutely necessary; it is well to cover the whole with boards to shed the rain.

per	oz.
Boston Market. A favorite variety in the Boston market; remarkable for its ten-	
der, crisp, and succulent stems, and its peculiarly mild flavor. It is exten-	
sively cultivated by the market-gardeners around Boston, and surpasses	
any other variety for its great excellence. Per pkt., 10	.50
White Solid. Large, strong-growing variety; clear white, solid, and crisp. One of	
the best for market or general use. Per pkt., 10	.30
Hood's Dwarf Imperial. A stout-growing, very compact, solid, and hardy variety,	
11000 S D Wall Impeliate A soul solvening, very compact, solven, and hardy variety,	77 =
of superior flavor and distinct habit. Per pkt., 25	.75
Sealey's Leviathan Celery. A very large, solid, white variety; highly recommend-	
	95
ed. Per pkt., 10	.00
Laing's Improved Mammoth Red. Considered the largest variety yet produced;	
specimens under good cultivation having attained the extraordinary	
weight of eight to ten pounds, and, at the same time, perfectly solid;	
bright red; flavor unsurpassed. Per pkt., 10	.35
Turner's Incomparable. Dwarf white, of stiff, close habit; solid, crisp and juicy.	
Keeps in good order later in the season than any other. Per pkt., 10	.40
Carter's Incomparable Dwarf Crimson. A new variety, highly recommended;	
dwarf habit: solid: of a deep crimson color. Per pkt. 10.	.50

CHERVIL (SCANDIX CERIFOLIUM).

.10

Celery Seed. For flavoring soups, &c. Per oz., 10. Per lb., \$1.00.

German, Gartenkerbel. - French, Cerfeuil.

Is a warm, mild, and aromatic plant. A native of Europe, and, in olden times, of great repute. After being boiled, it was eaten with oil and vinegur, and considered a panacea for courage, comfort to the heart, and strength to the body. It is much cultivated by the French and Dutch, who use the tender leaves in soups and salads as we use Parsley, and is considered by many to be a milder and more agreeable ingredient.

Culture. Chervil is an annual plant, and should be sown in March, April, and May, in drills about a quarter of an inch deep, and nine inches apart. Cover lightly, and press the soil firm with the foot; rake evenly, and give a gentle watering in dry weather. The leaves are fit for use when two to four inches inches high. Cut them off close; they will come up again, and may be gathered in succession throughout the season.


								per	OZ.
Chervil.	Per pkt., 10								.25

CORN, INDIAN (ZEA MAIS).

German, We	elschcorn. — French,	Mais. — Spanish,	Maiz.	per qt
------------	----------------------	------------------	-------	--------

Adams's Early. Much grown for early use and the market; very early. Per pkt., 10 Crosby's Early Twelve-Rowed. The earliest variety of twelve-rowed sweet corn brought into Boston market, full kernelled, sweet, and delicious. Received the premium of the Massachusetts Horticultural Society, as the best early corn. Cultivated almost exclusively by Boston market-gardeners

Darling's Extra Early Sugar is early, very tender, and sugary; yields well, produces little fodder, ears near the ground; the best for early use. Per pkt., 10



An annual plant, cultivated for its tender leaves, which are esteemed as a winter and early spring salad. The seed is sown in shallow drills, early in Sept. On approach of winter, cover the plants with straw. Per pkt., 5...

Striped-Leaved. A striped-leaved variety; a novelty for the garden. Per pkt., 10 . . . 50

CRESS, or PEPPERGRASS (LEPIDIUM SATIVUM). German, Kresse. — French, Cresson. — Spanish, Mastruco.

The leaves, while young, have a warm, pungent taste, and are eaten as a salad, either separately, or mixed with lettuce or other salad-plants. Per pkt., 5 cts.; per oz., 10 cts.



BOSTON MARKET MELON. See Page 97.



EARLY CLUSTER. Page 97.



WHITE SPINED. Page 97.



ACME KAIL. See Page 117.



GEN. GRANT CUCUMBER. See Page 97.



EARLY FRAME. Page 97.



ROYAL SUMMER CABBAGE LETTUCE. See Page 100.



BOSTON CURLED LETTUCE. See Page 100.



ROBINSON'S CHAMPTON DRUMHEAD CABBAGE. The largest cabbage in cultivation. See page 117.

Culture. - Sow rather thick in shallow drills, and at short intervals during the season. The Water-cress requires to be grown on the edge of a running stream or brook where it does not freeze too hard during the winter.

Curled	A well-known sort.	Parnit 5				ĺρθ	T OZ.
Curren.	A Well-Kilowii Solt.	I et pat, o		•			.10
Broad-Le	eaved. A coarse va						
	feeding poultry;	also used for so	paps. Per	pkt., 5			.10
Water.	This is an aquatic p						
	leaves are universa	ill y used and e	aten as an e	early sprii	ng salad.	Per pkt. 10	.50

CUCUMBER (CUCUMIS SATIVUS).

German, Gurke. - French, Concombre. - Spanish, Cohombro.

Culture, in the open air, is of the simplest character. Merely dig out a hole about a foot wide and deep; fill it with rich sandy soil; raise it above the surface about six inches. The hills should be six feet apart each way. If the weather be warm, they will grow in a few days. If the nights are cold, protect them. There is frequently a little bug which preys upon the tender leaves; if so, soot and wood-ashes, sprinkled over them while wet with the dew, will retard the progress of the depredator. To have young fruit in February and March is rather a nice operation; but any one who can command a few loads of warm horse-manure can have them from April to October. That the amateur cultivator may have the article either for family use or for sale, a few hints may be in place on forcing cucumbers. Prepare a frame, following the instructions laid down in the first part of this work for hotbeds. After the beds are in order, put in a good quantity of good, light, rich loam,—none better than the surface of the woods. In two or three days, the earth will be sufficiently warm for sowing the seeds. If the plants are to be removed into other frames, sow them in pots; if not to be removed, sow them in a hill made in the centre of the bed by placing a barrowful of soil in it. Cover the sash at night with straw mats, or any similar protection, and surround the beds with litter or boards to protect it from the piercing winds. The seeds vegetate quickly, and soon grow into strong plants. During their growth, admit air every day at the back of the frame, giving as much light as possible to the young plants.

	per	02.
Early	Russian. This variety resembles the Early Cluster; fruit from three to four	
	inches long, an inch and a half in diameter; generally produced in pairs;	
	flesh tender, crisp, and well-flavored; comes into use ten days in advance	
	of the Early Cluster, and makes a fine small pickle. Per pkt., 10	.20
Early	Cluster. A very popular early Cucumber, producing its fruit in clusters near	
•	the root of the plant; tender, and well flavored. Per pkt., 5	.15
Early	Frame. One of the oldest of the garden sorts, justly styled a standard va-	
	riety. Per pkt. 5	.15

	Per pkt., 5											
Early White Spir	ie. One of the	e best to	able son	rts, ar	d gre	atly p	orized	lbyı	mark	et-me	en	
on acc	ount of its co	lor, whi	ich nev	er ch	anges	to ye	llow.	Th	e fru	it is o	of	
full me	edium size, str	raight,	and we	ell-for	med;	skin	deep	gree	en; p	rickl	es	
	flach white t											

full inculum size, straight, and won-formed, cam doop groom, pricesso	
white; flesh white, tender, crispy, and of remarkably fine flavor; very	
productive, and good for forcing. Per pkt., 5	.15
Long Green Prickly. This is a large-sized variety, and somewhat later than the	
White Spine: skin dark-green, changing to yellow as the fruit approaches	
to maturity; flesh white, somewhat seedy, but crisp, tender, and well-	
flavored; makes a good pickle if plucked while young. Per pkt., 5	.20
Haage's White Cylindric. A new long white variety; very prolific bearer, and	
recommended as a most valuable acquisition. Per pkt., 25.	
Long Green Smooth. Flesh greenish-white, firm, and crisp; flavor good. A Ger-	
man variety, twenty to twenty-four inches in length. Per pkt., 10.	.50

			long, at each join					
White	Giant of Arnstadt	. A new and b	eautiful snow-whi	te variety, grow	ing			
twenty to twenty-four inches long. Per pkt., 25								
Wines W	adia Charleina II				. 50			


Stockwood Ridge. A very productive black-spined variety, having three to four

			or the table								
General	Grant.	One of th	e newest a	ind best	varieti	es. It	t is perfe	ect in	ı form	, soli	d,
	crisp,	and most	agreeable	flavor;	grows	from	twenty	to t	hirty	inch	es

long; very hardy, and succeeds well in the open ground. It is a most desirable variety for exhibition, or for the table or forcing. Per pkt., 25.

Bedfordshire Surprise. One of the most popular English varieties: black spine; growing from sixteen to twenty inches long; fine form; good flavor, and very solid; succeeds well in the open ground. Per pkt., 25

.50



English Frame or Forcing Varieties. Berkshire Champion; Carter's Champion, selected; Cuthill's Highland Mary; Carter's White Spine; Manchester Prize; Lynch's Star of the West; Lynch's Conqueror of the West; Star of the West; Sion House Improved; Sir Colin Campbell; Stilwell's Matchless; Weedon's Surprise; Kenyon's Favorite; Walker's Rambler; Napoleon III. Per pkt., 25.

DANDELION.

These two varieties will, we have no doubt, soon supersede everywhere the old one, which has become in the last ten years one of our best and most-asked-for winter and spring salads. Culture same as Spinach.

Large-leaved (improved). Improvement of the common Dandelion: its leaves are larger, erect, almost entire, or at least much less denticulated. Per pkt., 20 1.00

Thick-leaved (improved). This is also an improved variety; its leaves are smaller

Common variety. . Per pkt. .10



PURPLE EGG-PLANT.

EGG-PLANT (SOLANUM MELONGENA).

German, Cierpflanze. - French, Aubergine. - Spanish, Berengena.

The Egg-Plant was introduced from Africa, and is sometimes called the Guinea Squash. It is not generally cultivated, but is coming more into use every year. They are cut into thin slices, and fried, when they have a taste similar to oysters; they are also used in stews

Culture. — Sow in hotbed very early in spring; transplant, when two inches high, into a second hotbed; if that is not done, thin to four inches apart. Do not plant out till the weather becomes settled and warm. Keep plants watered for a few days if hot when put out. Where hotbeds are not convenient, a few plants can be started in flower-pots or boxes, and when planted out must have a deep rich soil, and full exposure to the sun.

Early Long Purple. Earliest, hardy, and most productive. Per pkt., 5. New-York Improved Purple. One of the largest and best varieties. Oval shaped, of a dark purple color; fine flavored. Grown extensively. Per pkt., .10

Pekin, New Black. An entirely new and distinct kind, from China. The plant grows erect and handsome, attaining the height of two to three feet; with rich, dark, bronzy-purple foliage, very ornamental. The fruits are round, or globular, of a deep purple, almost black, weighing four to eight pounds each; skin, smooth and glossy. Exceedingly prolific, and as early as the long purple. The flesh is white, fine grained, and more delicate flavored than the old varieties. Per pkt., 25.



ENDIVE (CHICORIUM ENDIVIA).

German, Endivien .- French, Chicorée. - Spanish, Endvia.

The garden Endive is a native of Northern China, and has been cultivated in Europe the past three centuries for a winter salad. The French are particularly fond of it, using it raw,

pickled, fried, and boiled, esteeming it exceedingly wholesome in every form.

Culture.— For the early crop, sow about the 1st of July. It will do on the ground where early Cabbages or Peas have come off, by giving it a coat of manure. Draw drills the depth of the hoe, one foot apart, and sow therein; sprinkle a little earth in the bottom of the drill, sufficient to cover the seed, which will be up in a few days. Thin them out, when about two inches high, to ten inches apart; hoe freely, and keep clear of weeds. Being grown in these shallow drills, they are more easily earthed up, and grow better in warm, dry weather. When the leaves have attained about eight inches long, they are fit for blanching; for this promose a dreaved way must be chosen. Gather up the leaves in your head in a close for this purpose a dry day must be chosen. Gather up the leaves in your hand, in a close and rounded form; see that there is no earth or litter in their centre. Tie them up with a piece of cotton twist or matting, which is to go several times round the plant, causing it to close at the top to prevent the rain from penetrating to and injuring its centre; then draw a little earth round its base for support.

Green Curled. Easily blanched; hardy, and well adapted for winter use. Per pkt., 10 .25

White Curled, or Ever-blanched. Leaves pale yellowish-green, nearly white when young; long, rather narrow; cut, and beautifully curled. Per pkt., 10 . .30

Fine Curled, or Moss. Very fine curled leaves, much resembling moss. Per pkt., 10 .35

KOHL-RABBI, or TURNIP-ROOTED CABBAGE.

German, Kohl-rabiuber. - French, Chou-rave. - Spanish, Col de nabo.

The Kohl-Rabi is a vegetable intermediate between the Cabbage and the Turnip. The stem, just above the surface of the ground, swells into a round fleshy bulb, in form not unlike a turnip; on the top, and about the surface of this bulb, are put forth its leaves, which are similar to those of the Swedish Turnip. The part chiefly used is the turnip-looking bulb, formed by the swelling of the stem. This is dressed and eaten with sauce or with bulb, formed by the swelling of the stem. This is dressed and eaten with sauce or with meat, as turnips usually are. While young, the flesh is tender and delicate, possessing the combined flavor of the Cabbage and Turnip.

Culture. Cultivated same as Cabbage; only that, in earthing up the plant, be careful not to cover the globular part. They should not be used before they have attained their full growth.

per oz. Early White Vienna. Above ground; early and fine. Per pkt., 10 .30 Early Purple Vienna. Above ground; similar to the preceding. Per pkt., 10 . Late Purple Giant. Very large and tender variety, often weighing from seven to .25 eight lbs.; new. Per pkt., 10 .40

LEEK (ALLIUM PORRUM).

German, Lauch. - French, Poireau. - Spanish, Puerro.

This is a branch of the Onion family, — a native of the north of Europe; is very hardy, and, from its mild qualities, is preferred by many families to the Onion. History records it as having been cultivated many hundred years. The Welsh indulge in Leeks on their patron St. David's Day, in commemoration of a victory which they obtained over the Saxons, which they attributed to the Leeks they wore, by order of St. David, to distinguish them in battle.

Culture. — There is no part of the garden too rich for Leeks. They require the best ground, well worked, and manured the full depth of the spade. Sow the seed thinly on a small bed of light rich ground, in drills six inches apart and half an inch deep; rake it evenly, and give it a beat with the back of the spade. When they come up, they should stand an inch apart; if thicker, thin them out. When grown to about eight inches high, they will be of sufficient size to plant out in drills a foot apart, and as deep as the hoe will When ready, the plants are to be taken up from the seed bed. Shorten their roots to about an inch from the plant, and cut two inches or more from the extremity of the leaves. Dibble them in the drills eight inches apart, and as deep as the plant will admit of, not to cover the young leaves pushing from its centre. Hoe the ground frequently, to keep down weeds, and, as the plants are observed to grow, draw the soil around them. By good culture, they will be fit for use early in October. On the approach of severe frost lift sufficient for winter use, and store them away in earth or sand.

Large London is hardy, and of good quality. It is more generally cultivated in this country than any other variety. Per pkt., 10

Broad Scotch, or Flag. Remarkably hardy, and well suited for open culture; large and strong-growing. Per pkt., 10



LETTUCE (LACTUCA SATIVA).

German, Lattich. - French, Laitue. - Spanish, Lechuga.

The Lettuce is generally divided into two classes: viz., Cabbage Lettuces and Cos Lettuces. The Cabbage have round heads and broad-spreading leaves; the Cos varieties have long heads, and upright, oblong leaves.

Culture. — A very rich soil is necessary to produce fine head Lettuce. Its crisp and tender quality depends very much on a luxuriant and vigorous growth. The earliest sowing may be made in February or March, under glass with slight heat. Keep the plants thin, and admit plenty of air to the frame every fine day. For later supplies, sow in the open ground as soon as the season will permit; transplant or thin out the plants gradually to a foot apart, and keep well cultivated.

Early Drumhead, or Malta. Head large, somewhat flattened, compact; green without, and white at the centre; crisp; fine summer variety. Per pkt., 5 .25

Boston Curled. One of the best for general cultivation. The elegant frilling of the

leaves, and fine form, make it very attractive; flavor very fine. Per pkt., 10 .40

Large India. Heads large and compact, similar to the Curled Silesia; is less curled,

Hammersmith Hardy Green. It is considered the hardiest sort in cultivation, and is one of the best for growing in winter or forcing. Per pkt., 5 . .30

Bossin. Said to be the best Cabbage Lettuce in cultivation; in shape, color, and quality, it resembles the Batavian Lettuce. Per pkt., 25.

Carter's Giant Brown Cos. Very large, crisp, and fine-flavored, with large broad leaves well turned; is one of the best late sorts. Per pkt., 25.

Dunnett's Giant Brown Cos. An English sort, similar to the preceding. Per packet, 25.

All the Year Round. A hard, crisp-eating, and compact-growing Cabbage Lettuce, with small, close heads; deep green. If sown in succession, it will provide Lettuce "All the Year Round." Per pkt., 25.



MARTYNIA.

MARTYNIA (MARTYNIA PROBOSCIDIA).

A hardy annual plant, with a strong branching stem two feet and a half high. The eaves are large, heart-shaped, entire, or undulated, downy, viscous, and emit a peculiar musk-like


AMATEUR CULTIVATOR'S GUIDE

odor when bruised or roughly handled. The young pods are the parts of the plants used. These are produced in great abundance, and should be gathered when about half grown, while tender and succulent. After the hardening of the flesh, they are worthless. They are used for pickles, and by many are considered superior to the Cucumber, or any other vegetable employed for that purpose.

Culture. — The Martynia is of easy culture. As the plants are large and spreading they should be two and a half feet apart in each direction. The seeds may be sown in April or May, in the open ground, where they are to remain; or the seeds may be sown earlier in a hotbed, and transplanted.

Martynia. Per pkt., 10

per 07





LARGE MUSK MELON.

CITRON WATER-MELON.

MELON, MUSK VARIETIES (CUCUMIS MELO).

German, Melone. - French, Melon. - Spanish, Melon.

The Melon, in some character, is to be found in all tropical countries: the finest varieties are supposed to have come from Persia and Afghanistan. The delicious flavor and perfummake it very popular in all countries where the climate will admit of its cultivation.

Culture. — Plant in hills six feet apart each way, eight or ten seeds in each, and thi out to three or four plants when in a state of forwardness. To grow good melons, the hill-should be prepared by digging out the soil from one and a half to two feet deep, and two or three feet broad, according to the richness of the land. Add a very liberal quantity or the best decomposed stable-manure, and mix well with the soil, filling up a little above the level. Seeds should not be put into the hills until the weather becomes settled and warm.

Christiana. Form roundish; size rather small; flesh yellow, sweet, juicy, and of good quality; one of the best; very early. Per pkt., 10 20 Nearly round, flattened slightly at the ends; medium size; flesh Green Citron. green, quite thick, and of the richest and most sugary flavor. Per pkt., 5 .15 Nutmeg. Fruit oval, good size, thickly netted; flesh light-green, rich, sweet, melting, and highly perfumed; one of the finest. Per pkt., 5. .15Form roundish, inclining to oval; flesh green, melting, sweet, and perfumed; early and productive. Per pkt., 5 .20 Skillman's Fine-netted. Resembles the Pine Apple; flesh green, sugary, and excellent; the earliest of all the green-fleshed varieties. Per pkt., 5 Long oval, skin thin and delicate; extremely tender, rich, and sweet, and flows with a cool juice, which renders them very grateful. Per pkt., 10 .30 Large Yellow Cantelope. Oval; good-sized; skin yellow, marbled with green; flesh salmon-colored, sweet, highly perfumed, good flavor. Per pkt., 5 .15 k. Long oval, deeply ribbed: flesh very thick, yellow, sweet, and juicy, with musky flavor; very early and productive. Per pkt., 5 .15New White Japan. Decidedly the sweetest thin-skinned of the Musk Melon; color of fruit cream-white; flesh thick. Per pkt., 10 .25 Beechwood, Trentham Hall, Carter's Excelsior, and Scarlet Gem.


WATER-MELON (CUCURBITA CITRULLUS).

fine varieties for forcing. Per pkt., 25.

German, Wassermelone. - French, Melon d' Eaw - Spanish, Sandia.

The Water-melon is purely a tropical fruit, greatly appreciated for its refreshing coolnesand delicious flavor.





MOUNTAIN-SWEET WATER-MELON.

Culture. Same as Musk varieties.	per oz.
Mountain Sweet. A large, long, oval variety; skin striped and marbled; flesh scar let, solid to the centre; very sweet and delicious. Per pkt., 5.	·- • •10
Mountain Sprout, or Long Carolina. Resembling the preceding. A favorit market sort. Very fine quality, and productive. Per pkt., 5.	15
Black Spanish. Form oblong: size large; skin very dark or blackish green; fles deep-red, fine-grained, very sugary, and productive. Per pkt., 5.	15
Ice-cream. A very large pale-green sort; form nearly round; flesh white, ver sweet, tender, and of remarkably fine flavor. Per pkt., 10	20
Orange. Form oval, of medium size; flesh red, tender, sweet, and of good quality. When in its mature state, the rind separates readily from the flesh, in the manner of the peel from the flesh of an orange. Per pkt., 10.	e
Citron. Employed in making sweetmeats and preserves; form round, medium size flesh white, very solid. (See engraving on p. 101.) Per pkt., 5	;
Apple-pie Melon. A new Japanese variety; an excellent substitute for apple when stewed, and made into pies; keeps until May. Per pkt., 10	
Apple-seeded. A small, nearly round sort; derives its name from its peculiar seed. Fresh red to the centre, sweet, tender, and well-flavored. Per pkt., 10	
Persian Water. Introduced by the celebrated Bayard Taylor, brought by him from the Caspian Sea. It is globular in form, of pale-green color, with dar stripes; flesh crimson, and remarkably firm texture, with only half a inch of rind; it can be taken off the vine to ripen, and will keep till wir ter. Very large size. Per pkt., .25.	k n
MUSTARD (SINAPIS VAR).	

German, Seuf. - French, Moutard. - Spanish, Mostaza.

Mustard-seed is too widely known and appreciated to need description. It is useful both in its natural state and manufactured, and is considered whole-some in all its various methods of preparation. It is very refreshing when in its green state, mixed with salads, and for that purpose alone is worthy of cultivation.

Culture. - This salad is cultivated in the same manner as recommended for Cress.

OKRA, OR GOMBO (HIBISCUS ESCULENTUS).

German, Essbarer Hibiscus. - French, Gombo. - Spanish, Quibombo.

This plant is cultivated to some extent as a vegetable: served in the same manner as

In splant is cultivated to some extent as a vegetable; served in the same manner as Asparagus. The green seed-pods are used in soups, and deemed a luxury. It is becoming very popular since its introduction to us from the West Indies.

Culture. The seeds are sown thinly, on dry, warm soil, in shallow drills two feet apart, about the same as the Lima Bean. Cover the seeds lightly. After the plants are up, thin them out to nine inches apart, hoe freely, and draw a little earth to the stems as they continue to grow. Gather the pods when quite green, and about an inch and a half long.

per oz. Improved Long Green. Pods long and ribbed. Per pkt., 5.

ONION (ALLIUM CEPA).

German, Zwyebel. - French, Ognon. - Spanish, Cebolla.

No vegetable is more extensively known and cultivated than the Onion. It has been the ommon seasoning for soups and meats of all nations from the earliest period to the present

AMATEUR GULTIVATOR'S GUIDE


Culture. The soil in general cannot be too rich for this vegetable; and, however good it may be, it requires more or less manure for every crop. Previous to sowing, the ground should be thoroughly spaded over, or deeply ploughed, and the surface made smooth and even. The seed should be sown as early in spring as the soil may be in good working condition. Sow in drills fourteen inches apart, and half an inch in depth. When the plants are three or four inches high, thin them out to two inches apart.

To grow Onions for pickling, sow the seed thinly in March or April. No further culture is required, except hand-weeding, as their thickness in the bed will prevent their growing

large, and will cause them to come to maturity sooner.

	07.
Early Red. A sub-variety of the Large Red Wethersfield, and the earlies or the	
Red Onions. Very productive. Per pkt., 10	.30
Large Red Wethersfield. Large, skin deep purplish-red; flesh purplish-white;	
fine grained, and stronger flavored than that of the yellow and earlier red	
varieties. Productive, and one of the best to keep. Per pkt., 10	.25
Danvers Yellow. A fine variety; above the medium size; globular in form; skin	
yellowish-brown; flesh white, sugary, mild, and well-flavored. Very pro-	
ductive. Per pkt., 10	.30
Extra Fine, from selected onions; \$5.00 per lb	.50
Yellow Dutch, or Silver-skin. One of the oldest varieties; flesh white, fine-	
grained, mild, sugary, and well-flavored. Per pkt., 10	.30
White Portugal, or Spanish. A very large, flat onion. Skin loose, of a mild	
flavor; fine for early winter use, but decays early. Per pkt., 10	.40
Red Sallon. Shape and size resembles the Madeira; color is of a darker red; it has	
a stronger onion flavor, and keeps better; fine variety. Per pkt., 25.	







YELLOW DUTCH ONION.

PARSLEY (APIUM PETROSELINUM).

German, Petersilie. - French, Persil. - Spanish, Peregil.

The garden Parsley is a very useful and pleasant vegetable. Its seasoning flavor for soups and stews is very agreeable to many. It may be preserved by drying it till crisp, in summer; then rub it fine between the hands, and put in bottles for winter use.

Culture. Sow it in drills half an inch deep, early in April. When the plants are three or four inches high, thin them to six inches apart; to keep a young stock constantly for use, cut down about a third part at a time. Keep it only from severe frost. For this object, select a warm spot of ground, light and rich; sow it early in the season; cut them all over in September; surround the bed, early in November, with boards, and cover with mats or shutters; glass is much better, if it can be obtained.


PARSNIP (PASTINACA SATIVA).

German, Pastinake. - French, Panais. - Spanish, Pastinaca.

The Parsnip is a biennial plant, similar to the Onion, Turnip, and Carrot in duration. It is both wholesome and nourishing, and desirable for winter and spring use.

Culture. Same as Carrot. Scatter the seeds thinly, and cover evenly with the rake.


Loug Smooth. Roots long, white, smooth, and regularly tapering to the end; free from side-roots. Very hardy, keeping through the winter where grown without any protection. Per pkt., 5



PEAS (PISUM SATIVUM).

German, Erbse. - French, Pois. - Spanish, Guizante.

Culture. — Peas, for an early crop, should be sown as soon as the ground is in working tondition. The soil for their reception should be light, dry, and well sheltered. Mild manure, such as leaf-mould, has a beneficial effect. For gene-



AXTON LONG-POD PEA.

nure, such as leaf-mould, has a beneficial effect. For general crops, the ground should be well manured the previous year, which causes them to yield more abundantly. They are usually planted in double rows three or four feet apart, and covered to the depth of two and a half or three inches. The height of the Pea depends much upon the moisture and richness of the ground. The method of planting Peas in the hills with Potatoes of an early variety has been found successful. In dry weather, soak the Peas a few hours before planting. Pour water into the drills, when the ground is dry, before sowing the seed, which will cause them to grow at once, should the season continue dry. Peas ordered by mail are subject to an extra charge of eight cents per pint, for postage.

Laxton's Prolific Early Long Pod. Averaging

eaxton's Prolific Early Long Pod. Averaging eleven and twelve peas in a pod; and they were pronounced by several eminent members of the London seed-trade to be an exceedingly fine variety. For a second early pea, there is no pea of a similar class in cultivation to equal it; and we feel every confidence that it will be in general cultivation in a very few years. The same habit and character as Dixson's Favorite, excepting that the pods are nearly double the size.

Laxton's Supreme. A variety raised from Laxton's Prolific crossed with Little Gem. The plant grows about 3½ feet in height, and is quite as early as Daniel O'Rourke, a great advantage in a Pea of such high-class quality.

The editor of "The Gardener's Chronicle"

The editor of "The Gardener's Chronicle" says it is "a grand Pea. the sample sent exhibited remarkably fine large full pods." The Royal Horticultural Society of England describe this as "a grand Pea, a Green Marrow of excellent quality, with very long well-filled curved pods." Per pkt., 15

.40

.50

.30

.40

Imperial Wonder Pea. A fine large wrinkled variety; habit resembling Veitch's Perfection, but coming in three weeks later. Per pkt., 25.

Early Dan O'Rourke (Pure). One of the earliest in cultivation; pods well filled; of good size and quality; of the finest flavor; three feet high.

Carter's First Crop, or Sutton's Ringleader. It has proved to be the earliest Pea grown; also very prolific; height $2\frac{1}{2}$ ft.

Drew's New Dwarf. Remarkable for its dwarf and branching growth, forming a bush one foot high, and one foot broad: consequently, only about one plant to each foot of row is required. It is medium in earliness, and extremely productive per pkt., 15.

Peas per pkt., 10 cents, except those quoted higher.



CELERY. — BOSTON MARKET. See Page 35.




BUNNEY'S INCOMPARABLE HARDY GREEN COS LETTUCE. See Page 117.



MOORE'S EARLY CONCORD SWEET CORN. See page 96.



SMILAX. Sec Page 127.



SANDRINGHAM DWARF WHITE CELERY. The variety grown for the use of H. R. H. the Prince of Wales. See page 117.



wood's frame radish. See page 120.





CARTER'S

SALAD


PERFECTION

BEET

LONDON PARTICULAR SCARLET SHORT-TOP RADISH. See page 120.

AMATEUR GULTIVATOR'S GUIDE.

	1 7	Line
	9	から
McLean's Little Gem. A dwarf, prolific, green wrinkled Marrow; habit similar	-	3
to Beck's Gem or Tom Thumb, and is a first early; height one foot McLean's Advancer. A dwarf green wrinkled Marrow; fine flavor; long pods,	•60	4
well filled; prolific; nearly as early as the Dan O'Rourke McLean's Princess Royal. A very prolific, long-podded, early variety, of fine	.40	1
sugary flavor; one foot high; pods large, well filled; very productive McLean's Prolific. A dwarf early variety, coming in after the Dan O'Rourke;	.30	P
white wrinkled, with the Marrow flavor McLean's Epicureans. A second early wrinkled Marrow, of delicious flavor; fine	.50	The state of
large peas, in well-filled pods, and plenty of them McLean's Wonderful. The best dwarf late Pea in cultivation; large, well-filled	.50	co.
pods, fine, sugary flavor, and great productiveness. 2 feet	.50	5
Caractacus. A valuable early variety Tom Thumb (Beck's Gem). Of remarkably low growth, seldom exceeding nine	.40	1
inches; stout and branching; pods about two and a half inches in length,		1
containing five or six peas, of a creamy yellow; fine flavor; productive.	.50	4
Alliance, or Eugenie. Pods single or in pairs, three inches long, containing five or		1
six peas. When ripe, the peas are of medium size, cream-colored, and much shrivelled and indented	.40	1
Champion of England. A standard sort, considered by all to be the best grown	120	- Francisco
for general crop; of delicious flavor; very productive. 3 to 4 feet	.30	1
Champion of Scotland. This we consider one of the best for main crop; of rich,	F ()	
buttery flavor; very productive, and of large size	.50	1
Blue Imperial. This is considered by many as a standard sort; very hardy, and yields abundantly; of good quality and size	.30	1
Black Eye Marrowfat. An excellent variety, growing about three feet high; pods large and full; a prolific bearer, and can be recommended as one of the		
best of the Marrowfat varieties	25	
Victoria Marrowfat. A fine late variety; sweet, and of rich Marrowfat flavor; very prolific; 3 to 5 feet	.50	9
Dwarf Marrowfat. A very early sort, with large full pods; rich flavor; very productive. 2 feet	.30	1
Veitch's Perfection. A new variety, of superior flavor and sweetness; large pod, and a great bearer; one of the best. 3 feet	.50	
Sugar Pea. Eatable pods or string-pea. 3 feet	.60	
Dwarf Waterloo, Late Branching Marrow. A dwarf variety of tall Royal		4.1
Victoria or Waterloo Marrow; of Tom-Thumb habit; height, fifteen inches; the most valuable dwarf Pea for general and late cropping ever		1
offered; good flavor, and productive.	.50	4
Dickson's First and Best. A new English variety, remarkably productive, and recommended as one of the very earliest peas in England	.75	100
PEPPER (CAPSICUM).		
German, Pfeffer. — French, Piment. — Spanish, Pimiento.		
Capsicum, or Pepper, is a tender annual, much esteemed for its seasoning qualities, imparts vitality and promotes digestion. It is extensively used for pickling.	It	-
Culture. — The plants are always propagated from seed. Sow in a hotbed, early	in	1
April, in shallow drills six inches apart, and transplant to the open ground when sum	ner	Ì
weather has commenced. The plants should be set in warm mellow soil, in rows sixt	een	i
inches apart, and about the same distance apart in the rows. When all danger from the past, and the soil is warm and settled, sow the seeds in the open ground, in drills through the seeds in the open ground through the open ground through the seeds in the open ground through the op	ee-	
fourths of an inch deep, and fourteen inches apart; and, while growing, thin out the pla to ten inches apart in the rows.	nts	
Cayenne. The pods of this variety are quite small, cone-shaped, coral red when ripe, intensely acrid, and furnish the cayenne pepper of commerce. Per pkt., 10	.00	
Cherry. The pods or fruit erect, nearly globular or cherry form; of a deep rich, glossy, scarlet color, remarkable for its intense piquancy. Per pkt., 10.	.40	1
Squash. Fruit compressed, more or less ribbed; skin smooth and glossy; flesh thick, mild and pleasant to the taste; the best for pickling alone. Per pkt., 10	.50	17
Sweet Mountain, or Mammoth. Similar to the preceding in form and color, but much larger; fine for pickling. Per pkt., 10	.50	
Sweet Spanish. Though one of the largest, it is also one of the earliest; flesh sweet,	40	4
miid, and pleasant; used for salads and pickling. Per pkt., 10	.40	K



Long Red Arabian. Very pretty; fruits upright, smaller than the ancient varieties; produced in greater quantity, and more pleasing shape. Per pkt., 10.

Monstrosus, or Grossum. A new, remarkably fine variety, growing to very large size; highly recommended for stuffing. Per pkt., 10.

PUMPKIN (CUCURBITA PEPO).

German, Kurbis. - French, Courge. - Spanish, Calabaza.

We cannot think of admitting this vegetable into the precincts of a garden where there are Cucumbers, Melons, and others of similar class. It would mix with and contaminate the quality of the more valuable sorts; besides, they would occupy more space than most could allow, as many of the varieties attain enormous size.

Culture. Same as Squash.

Cheese, Medium-sized. One of the best for cooking purposes.	Per p	okt., 5		-	.10
Large Yellow. Grows to a large size; better adapted for feeding	gpur	poses t	han	for	
cooking. Per pkt., 5. Per lb., 50	•	•			.10
Mammoth. A very large, coarse-growing variety. Per pkt., 10	•	•	•		.40

RADISH (RHAPHANUS SATIVUS).

German, Rettiq Radies. - French, Radis, Rave, Petite Rave. - Spanish, Rabano,

The Radish is a hardy annual plant, much esteemed for its grateful relish, and is extensively cultivated for its roots. Its excellence consists in being succulent, mild, crisp, and tender; and the roots should be eaten before they are overgrown, which makes them tough. The seed-pods are excellent for pickling if gathered while young and green.

Culture. For early crops, sow in spring, as soon as the ground can be worked, in light rich soil; for later crops, a deep, moist soil is preferable. Sow the seed thinly in drills, covering them with about a quarter of an inch of earth. For early use, sow on gentle hotbeds.

Early Short-top Long Scarlet. Roots long, growing partly out of the ground, of a beautiful deep pink color; flesh white, transparent, crisp, and of good flavor. Standard sort for marketing or private use. Per pkt., 5 .10 Scarlet Turnip. A very early variety, deserving cultivation on account of its rich color, crisp and tender qualities; should be used while young. Per pkt., 5 .10 White Turnip. Bulb similar to the preceding. Skin white; flesh white and semi-.15 rose-colored, tender, and excellent; well adapted for forcing. Per pkt., 5 .10 Black Spanish. One of the latest of the Radishes, and is considered an excellent sort for winter use. Large size; color black; of firm texture. Per pkt., 5 Rose-colored China Winter. Size medium; skin comparatively fine, and of a .15 bright rose-color; flesh firm, rather piquant. Late variety. Per pkt., 10 .20 New French Breakfast. A new quick-growing variety. Oval form; color scarlet, tipped with white; fine flavored; excellent for forcing. Per pkt., 5 .10 White-tipped Scarlet Turnip. This is a new variety, which will prove more ac-


round root. Per pkt., 15. "Raphanus Caudatus," or Edible Podded Radish. This valuable new vegetable belongs to the Radish tribe; but, unlike that esculent, the seedpods (not the root) are eaten: these are very curious, attaining an immense size in a wonderfully short time, sometimes growing as much as three inches in a night. This vegetable can be used in various ways; indeed, it may be regarded as one of the most useful that have been introduced for many years. Producing extraordinary siliquas (pods), which are very remarkable from their attaining the enormous length of about two feet. These pods have a most agreeable flavor, and when about half-grown can be eaten in the same way as roots of the common Radish, which they greatly resemble in taste, but are far superior in delicacy of flavor. In salads they will be highly estimated; for, added to their other merits, they possess the excellent advantage of being easily digested; they also make a good pickle, for which purpose they are well adapted. It is, however, when the pods are boiled that they are most delicious, eating like marrow, and having a most delicate flavor; they should be served on toast, and will form a most agreeable addition and novelty for the table. Per pkt., 10

ceptable than our white-tipped Scarlet Olive-shaped, on account of its

.54

.25

.50



RHUBARB (RHEUM HYBRIDUM).

German, Rhubarber. — French, Rhubarbe. — Spanish, Ruibarbo Bastardo.

Culture. Rhubarb succeeds best in deep, somewhat retentive soil. The richer its condition, and the deeper it is stirred, the better. Sow in drills an inch deep. Thin out to six inches apart. In the fall, trench a piece of ground, and manure it well; then transplant the young plants into it three feet apart each way. Cover with leaves or litter the first winter,

and give a	dressing of coarse manure every fan.			
				per oz.
Victoria.	A large variety; one of the best for general use.	Per pkt., 5		25
Linnane	Large tender and fine-flyrored Per nit 5	• ′		95

SALSIFY, or OYSTER PLANT (TRAGOPOGON PORRIFOLIUS).

German, Bocksbart. — French, Salsifis. — Spanish, Ostra vegetal.

The Salsify is a hardy biennial plant, and is principally cultivated for its roots, which are long and tapering, and, when grown in good soil, measure twelve or fourteen inches in length. It is considered wholesome and nutritious. When cooked, the flavor resembles that of the oyster, and is a good substitute for it: whence the popular name.

Culture and treatment sim	ilar to Parsnip							per	oz.
Salsify, or Oyster Plant.	Per pkt., 10	•	•	•	•	•	•		.20

SCORZONERA, or BLACK SALSIFY (SCORZONERA HISPANICA).

German, Schwarzwurzel. - French, Scorzonere. - Spanish, Escorzonera.

Scorzonera, or Black Salsify. Cultivated like the common Ovster Plant, which it much resembles in its mode of growth. It is also prepared for the table in the same manner. Per pkt., 10 25

SPINACH (SPINACIA OLERACEA).

German, Spinat. - French, Epinard. - Spanish, Espinaca.

Spinach is very hardy, and consequently a very important vegetable for cold climates. It is extremely wholesome and palatable.


Culture. Spinach is best developed and most tender when grown in rich soil. It should be heavily manured and deeply trenched. Sow early in March for summer crop, in drills, which method renders the cultivation and the gathering of the produce more convenient. Encourage the growth with frequent hoeing, which draws the moisture to the roots. succession, a few seeds of the summer varieties may be sown, at intervals of a fortnight, from April to August. Sow from the middle of August to the beginning of September, for the winter crop, in a light sandy soil, on raised beds, which enables it better to stand the severe frost. Thin the plants as soon as they are strong enough to draw, leaving them about nine inches apart in the row. Two ounces of seed will plant five drills, each forty feet long.

Round or Summer. Leaves large, thick, and fleshy; rounded at the ends; a little

.10 New Zealand. Its merit consists in the fact that it grows luxuriantly, producing leaves of the greatest succulency in the hottest weather. Per pkt., 10




URBAN SQUASH.



YOKAHAMA SQUASH.





MAMMOTH PRIZE SQUASH. - Weight 180.

SQUASH (CUCURBITA MELO PEPO).

German, Kurbiss. - French, Courge. - Spanish, Calabasa tontanera.

The several varieties of the Squash are very useful in this and other warm climates, as they can be grown to perfection in the summer. It is in general use from June to August, and the late varieties the whole winter until May. It is extensively cultivated in this vicinity for the market.

Culture. Any good enriched soil is adapted to the growth of the Squash. They only thrive well in a warm temperature, as all the varieties are tender annuals; and the seed should not be sown in spring until all danger from frost is past, and the ground is warm and thoroughly settled. The hills should be made from eight to ten inches in depth, manured well, and the seeds covered about three-fourths of an inch deep. Keep the earth about the plants loose and clean, removing the surplus vines from time to time, allowing not more than three plants to a hill. The custom of cutting or nipping off the leading shoots of the running varieties is now practised to some extent, with the impression that it both facilitates the formation of fruitful laterals and the early maturing of the fruit.

Early Yellow Bush Scalloped. An early, flat, scallop-shaped sort; color yellow; flesh pale yellow, fine-grained, and well-flavored; productive. Per pkt., 5 . .10
Early White Bush Scalloped. A sub-variety of the Yellow Bush. Per pkt., 5 . .10
Early Summer Bush Crookneck. Generally esteemed as one of the finest of the summer varieties; color bright yellow; skin very warty, thin, and easily broken; flesh dry and well-flavored. Per pkt., 510
Boston Marrow. Form ovate; skin thin; when ripe, bright orange; flesh rich salmon-yellow, very dry, fine-grained, and for sweetness and excellence unsurpassed; a fall and winter variety. Per pkt., 515



HUBBARD SQUASH.

Hubbard. The best winter Squash known; flesh bright orange-yellow, fine-grained, dry, sweet, and rich-flavored; keeps through the winter. Per pkt., 10 . .20

Fall or Winter Crookneck. Most generally cultivated for fall and winter use; flesh salmon-red, close-grained, dry, sweet, and fine-flavored. Per pkt., 5

Amateur &ultivator's Quide.




CANADA CROOKNECK SQUASH.

per of

.20

.25

.30



CUSTARD SQUASH.

weighing one hundred and eighty pounds, —a monster. Per pkt., 25.

Turban, or Turk's Cap. A superior late-growing variety; of a greenish color, striped with white, and thus in form and color somewhat resembling a turban, whence the name; flesh orange-yellow, thick, fine-grained, sugary,

Lungren. The leaves are singularly variegated with vellow, the depths of color varying in different plants from pale yellow to bright orange, and differing also in the amount of variegations as the season progresses. The color is most profuse at the base of the leaf, and is distributed thence in serrated stripes, towards, but not reaching, the borders.


The fruit is bottled-formed, much resembling the "Puritan;" entirely white, about one foot in length, eight inches in its greatest diameter, and weighs from eight to ten pounds. The stem is thick, short, and fleshy. The flesh is pale yellowish-white, thick, fine-grained, dry, and sweet, and peculiarly free from the strong flavor common to many varieties. It cooks well, early or late in the season, and even before it has attained its full size, and is also a good keeper. Per pkt., 25.

SUNFLOWER.

New Mammoth Russian. This is a new variety; and, under ordinary cultivation, the heads grow to the enormous size of twenty inches in diameter. The



seeds are large, exhibited at the Massachusetts Horticultural Exhibition, and highly commended by the Committee for ornamental purposes. For planting in shrubberies, it is a desirable acquisition. Salad oil of superior quality is extracted from it. To poultry-keepers it is invaluable for its extraordinary productiveness. Per pkt., 10.



GENERAL GRANT TOMATO.

TOMATO (SOLANUM LYCOPERSICUM).

German, Liebesapfel. - French, Tomate. - Spanish, Tomate.

There is no vegetable on the catalogue that has obtained such popularity in so short a time as the one now under consideration.

The Tomato is raised from seeds, which should be sown in a hotbed in March, Culture. or in pots in a warm window. They should be started as early and forwarded as rapidly as possible, whether by hotbed or open-air culture. When about two inches high, they should be transplanted, in single plants, to warm, light, rich soil. Water freely at the time of transplanting. Shelter from the sun for a few days, or until they are well established. If sown in the open ground, select a sheltered situation, pulverize the soil finely, and sow in drills. This may be done the last of March or first of April. When the plants are three or four inches high, transplant to where they are to remain, as before directed.

The Unrivalled Prize, "General Grant." Size above the medium, three to four inches in diameter, growing in clusters; form round, slightly flat-tened, very regular, symmetrical, and rarely ribbed or wrinkled; color brilliant glossy crimson; flesh unusually firm, solid, and free from water, weighing from ten to twenty pounds more per bushel than other varieties; skin remarkably fine, smooth, and shining, coloring well up to the stem, — a quality very desirable to those preparing them for the table; very productive, and of the finest flavor; bears carriage well, and keeps


Keyes's Early Prolific. Leaves large, long, and quite entire, not lobed as in other kinds; and the growth is dwarf, compact, vigorous, and strong; medium size, round, of brilliant color, quite smooth, and free from wrinkles of any kind, perfectly solid, and of excellent flavor. Per pkt., 10

Maupay's Superior. The fruit is of a beautiful deep-red color. In form it is round, slightly flattened, and without a crease or wrinkle. Smoothness of the surface is not only one of its most remarkable, but one of its most desirable characteristics. This freedom from creases or wrinkles prevents the great waste usual with almost every other variety. It is of a medium size, and the flesh almost as solid as a beefsteak. One bushel will make as

Amateur (Gultivator's (Guide.

per oz much catsup, or fill as many cans, as two bushels of the ordinary kind, besides being possessed of a flavor that is unapproachable. Per pkt., .10 It is the earliest of all the large-growing Tomatoes. The fruit varies from round to roundish-oval, which is the general form of the main crop, and is free from the warty protuberances which disfigure ordinary sorts. Col-Tilden's. or, light brilliant scarlet, with a glossy skin; flesh solid, light red, less watery than other kinds, and of good flavor. Per pkt., 10 Tree, or Erect. Fruit very large and smooth; and the plants, from their erect, compact growth, highly ornamental. Per pkt., 10 . Large Smooth Red. Fruit somewhat flattened, inclining to globular; medium size; skin deep rich crimson; flesh bright pink or rose color. Per pkt., 5 25 Lester's Perfected. Of recent introduction; regular form; large size; flesh firm and well-flavored. Per pkt., 10. Large Red. A very early variety, of large size; skin bright-red; flesh pink or rose color. Per pkt., 5 Large Yellow. Clear, semi-transparent, yellow skin and yellow flesh; little used except for preserving and pickles. Per pkt., 5. .30 Grape. A quite small red variety, growing in long clusters, like grapes, and useful for preserves; a new variety. Per pkt., 10 .50 Very early; of good size, productive, and fine flavor. Per pkt., 10 .40 Cook's Favorite. Medium size, oval form, fair skin, deep crimson, productive, and excellent flavor; one of the best for general cultivation. Per pkt., 10 .

Strawberry, or Ground Cherry (Physalis Alkekengi). This, though called a To-.40 mato, is a distinct species; excellent for preserves, having a peculiar delicate strawberry flavor. Per pkt., 10 .50



MAUPAY'S SUPERIOR TOMATO.

TURNIP (BRASSICA RAPA).

German, Steckrube. - French, Navet. - Spanish, Nabo comun.

This is a wholesome and useful plant both for man and beast, and highly deserving of cultivation. It has become in some countries an extensive field-crop.

Culture. Sow as early as the ground will allow, in drills fourteen inches apart and half an inch in depth. The young plants should be thinned to five or six inches asunder. When the bottoms begin to enlarge, remove the earth gently to the depth of an inch and a half, and apply wood-ashes. The sowing for the winter's supply is made in August. One thing must be observed,—to have the ground always fresh dug before sowing.


per oz.

Purple-top, Strap Leaf. Similar to above, except in color. These two kinds are the best for spring or fall sowing, and for all garden culture. Flesh finegrained, and rich and buttery flavored. Per pkt., 5 Yelrow Malta. Symmetrical, small-bulbed, early variety; skin smooth, bright orange; flesh pale yellow, fine-grained, and well-flavored. Per pkt., 5 .10 Yellow Aberdeen. A hardy and productive variety; flesh pale yellow, tender, and sugary; keeps well. Per pkt., 5 .10 Robertston's Golden Stone. Smooth and symmetrical; skin bright yellow; flesh firm, sweet, and well-flavored; hardy, and keeps well. Fer pkt., 5 . .10 Large White Norfolk. A sub-variety of the Common Flat Turnip; grows to a large size; flesh white and coarse-grained, but sweet. Per pkt., 5 . .10 Long White Tankard. Recommended for its earliness and productiveness, but must be considered a field rather than a table variety. Per pkt., 5 .10 Long White, or Cow Horn. Grows quickly to a good size; flesh white, fine-grained, and sweet. It keeps well, and is esteemed by many the best of all for culinary purposes. Per pkt., 5 .10 te French, or Sweet German. One of the very best for winter or spring use, either for the table or for feeding stock. The flesh is firm, sweet, and of excellent flavor; none better for keeping. Per pkt., 5 Long White French, or Sweet German. .10 RUTA-BAGA, or SWEDE TURNIP. Skirving's Purple-top. A superior variety, hardy and productive; flesh yellow, of solid texture, sweet, and well-flavored. It is a good keeper. Per pkt., 5. Early Stubble Swede. This is recommended for its quick growth, and is well .10 adapted for late sowing. Flesh firm, and well-flavored. Per pkt., 5 Waite's Eclipse, or Hybrid. A comparatively new variety, and excellent for early feeding purposes. Large size, and well-flavored. Per pkt., 5 .10 Laing's Improved Purple-top. A superior variety, hardy and productive. Flesh yellow, solid, and well-flavored; one of the best. Per pkt., 5. .10 Carter's Imperial Hardy Swede. The very best Swede in cultivation .10 AROMATIC, POT, AND SWEET HERBS. The generality of Aromatic, Pot, and Sweet Herbs may be raised from seed sown early in spring. As only a small quantity of these are necessary for family use, they may occupy a corner by themselves. They thrive best in a mellow, free soil; and care should be exercised to harvest them at the proper time. The greater part of the following-named Herbs are perennial, and will multiply from the seed they drop, or from partings from the roots. The offsets, roots, or young plants, thus raised, should be planted at suitable distances from each other. The beds should be kept free from weeds; and, as the herbs come into flower, cut them on a dry day, and spread them in a shady place to dry for use. The best method for preserving them is to rub them through a sieve when thoroughly dry, and pack them in Put them in a dry place. Per pkt., 10; by the ounce on application. Angelica. Coriander. Pennyroyal. Anise. Corn Salad. Pot Marigold. Comelina. Rosemary. Balm, Lemon. Basil, Sweet. Dandelion. Sage. Burnet. Dill. Saffron. French Sorrel. Summer Savory. Cardoon. Caraway. Hyssop. Sweet Marjoram. Chervil. Horehound. Sweet Fennel. Lavender. Thyme. Chiccory. TOBACCO SEEDS. per lb. \$3.50 Connecticut, Seed-leaf. Extra. Per oz., .35 per oz. 1.00 Havana True (imported). Per pkt., .20 .50 Maryland. Per pkt., .10 .50 Virginia. The Best Smoking Tobacco in the World. Introduced by Bayard Taylor, the well-known traveller, from the East, where it is esteemed the most delicate-flavored tobacco known. It is quite distinct from the American


tobacco, having a soft, glossy-surfaced leaf, quite unlike the coarse foliage of the Virginia tobacco. Cultivated precisely like the American. Per

pkt., 15

per oz.







FRUIT SEEDS.

Apple Seed, per pound, 50 cents. Cherry Pits, per pound, 75 cents. Currant Seed, per ounce, 75 cents. Gooseberry Seeds, per ounce, \$1.25. Grape (Hothouse), per ounce, \$1.00. Peach Pits, per bushel, \$2.00. Plum Pits, per pound, 50 cents. Pear Seed, per pound, 50 cts. Quince Seed, per pound, \$4.00. Raspberry Seed, per ounce, 75 cents.

STRAWBERRY SEEDS.

Saved from our large collection of over forty varieties, embracing all the best European and American kinds in cultivation. Mixed Seed. Per pkt., 25 cts.

ORNAMENTAL TREE SEEDS.

Norway Spruce (Abies Excelsa)						lb.	\$1.50	oz.	\$0.20
European Silver Fir (Abies Pectinata)						66	1.50	66	.20
Norway Maple (Acer Platanoides) .						66	1.50	"	.20
Sugar Maple (Acer Saccharinum) .						66	1.50	46	.25
Tree of-Heaven (Ailanthus Glandulosa)						66	2.50	46	.30
Shelbark (Carya Alba)								qt.	.25
Ornamental Thorn (Cratægus Coccineus) .					lb.	1.50	oz	.15
Cedrus Libani per cone 30 cts.	,								
Salisbura (Ginko Biloba)							100 s	eeds.	5.00
European Mountain Ash (Sorbus Auca	uparie	2)				lb.	1.00		.15
Red Cedar (Juniperus Virginiana) .	.					66	1.50	44	.15
Scotch Larch (Larix Europa)						66	2.50	44	.25
Tulip Tree (Liriodendron Tulipifera) .						66	2.00	66	.30
Magnolia (Magnolia Grandiflora)						66	4.00		.40
Scotch Pine (Pinus Sylvestris)					Ĭ	66	2.50	66	.25
Austrian Pine (Pinus Austriaca)	·		Ĭ.	Ĭ	·	66	2.50	44	.25
White Pine (Pinus Strobos)	Ţ.				Ť.	66	4.00	66	.40
Yellow Locust (Robinia Pseudo Acacia)	Ţ,	•	•	>	·	66	1.00	44	.15
American Arbor Vitæ, clean seed (T		Occide	ntalie\	•	•	44	5.00	44	.50
	naga	Occide	nouns j		•	66	4.00	44	.40
Yellow Wood (Virgilia Lutea)		•	•	•	•		1.00	44	2.00
Many other varieties of Tree and Shrub S	Soods	aan h						annlia	
Bland other varieties of Tree and Shrub L	secus	can b	e supp	neu	υц	scas	опарте	applic	ation.

SEEDS FOR HEDGES.

Honey Locust, or Three-thorned	Acac	ia (Gledi	tschia	Tr	iacan	hus)			\$0.75
Buckthorn (Rhamnus Catharticus)									-44	1.25
Osage Orange (Maclura Aurantiaca)									"	1.00
American Arbor Vitæ (Thuja Occid	lentalis	:)							oz.	.50
Hawthorn (Cratægus Oxycanthus)							•	• .	lb.	1.50

GRASS-SEED FOR LAWNS.

One of the most pleasing features connected with a garden is a well-kept lawn; but, to secure this most desirable object, much depends upon the selection of such grasses as will present a fresh and luxuriant verdure throughout the season. For this purpose, a mixture of several kinds of the finer grasses is most suitable. These we can supply ready mixed, of the best sorts, and proper proportions of each. The quantity usually sown is two bushels per acre. Per bushel, \$6.00; 20 cents per qt. Extra fine French, best adapted for dry soil, 30 cents per qt.

CLOVERS.

Alsike.	Inis var														
	heave i	n winter	or s	pring	g fron	ı fro:	st; st:	ands (drout	h we	ll; ar	ıd is	in ev	erv	
	respect superior to the				comi	mon	red v	rariet	y; hi	ghly	recor	nme	nded	for	
	sheep.	Per lb.								•					.50
White, p	are stock.	Per lb.													.60
Red,	66	66											Mark	et p	rice.

STRAWBERRIES.

Alpine, FOR TABLE-DECORATION. Berry-bearing plants have been very much sought after of late years for table-decoration; and, in our anxiety to procure novelties, we may perhaps sometimes have overlooked really useful materials already in our possession. I think this may be truly said with regard to the Alpine Strawberry; for what can be more interesting and pretty for the table, during December and the two following months, than a few pots of these, nicely fruited, placed in vases or otherwise, according to the taste of the decorator?

lixed. Red and white. Per pkt.

.25



RARE FLOWERS AND NOVELTIES

FOR 1871-2.

	Particular care has been taken that the selection should be of the purest character. cannot affirm the accuracy of the various descriptions, having tested but few of them;	but
)	the reputation of the growers from whom we import is to us the best assurance that so faction will surely follow. Our patrons wishing novelties will please send their or early, as our stock of some of the varieties is limited.	itis- ders
	per	pkt.
	1003 Asters, Shakspeare. This new Aster is said to be the finest of all the dwarf	•
¢	sorts. Five inches high; densely formed; flowers very truble, of the	
	brightest colors, and of a regular imbrica ed form. Its dwarf, compact,	
>	and free-flowering habits make it very use ul either for the garden or pots	.25
	1004 - New (La Superbe). Azure blue To the b-autiful rose variety which was,	
	in fact, the only one of this race, may b added this charming variety	
	with azure-blue flowers. It cannot fail to neet the same general favor	.25
	1005 — New cellular Victoria. Most charmin, novelty; in habit similar to	
	the Victoria Aster; the petals, however, in tead of lying flat upon each	
	other, resemble so many tubes open at the ends, forming mall cells.	
	The particularly elegant appearance of the dowers is derived, in a great measure, from the symmetrical arrangement of the cells.	.25
9	1006 — Mont Blanc. Fine improvement, belonging like the Victoria, to the Py-	.40
•	ramidal Asters. Plants of luxuriant growth, a out three feet hig , covered	
	with large, pure-white flowers five inches acr ss, very double, and so dis-	
	posed as to give to the plants the appearance of complete pyramids.	.25
	1007 Abronia Arenaria. Nice species, with clear, waxy-yellow, sweet-scented	•=0
	flower; habit like A. umbellata	.35
	1008 Amaranthus Bicolor ruber. Splendid bedding plant, with abundant fo-	
	liage of a bright fiery-red passing towards the summit to bright carmi-	
	nate scarlet, and sometimes tipped with yellow Far superior to the old	
	(A. bicolor). For flower-beds, there is, among the whole orna ental	
	foliaged section, certainly not a finer and nore striking plant to be ound	.25
	1009 — Silicifolius. This plant is of pyramidal form attaining a height of from	
	two and a half to three feet, branching close to the ground, the lower	
	branches being twelve to fifteen inches in length, and extending in a hori-	
	zontal position. The leaves, which are beautifully undulated, vary in the	
	earlier stages of growth from a green to a bronzy-green shade, and are	
	from five to seven inches in length by about a quarter of an inch in	
	width. As the plants get stronger, the leaves at the ends of all the principal branches assume a bright organic red color, and become more along	
	cipal branches assume a bright orange-red color, and become more elongated, generally being from ten to fifteen inches in length, forming mag-	
	nificent bright-colored plumes, and giving the plant a most elegant and	
		.25
	1010 Aquilegia glandulosa (true). We are in a position to offer seed of this	1,40
	variety, true. Flowers gathered from the bed from which the seed was	
	saved measured four inches in diameter	25
	1011 — Pulchella	25
	1012 — Rubra. "Two novel forms of Columbine have recently come under	
	our notice. The one is a single red, with the petals margined with white	
	forming a red centre; the other a deep chocolate color margined in s	
	similar manner. They are distinct from any other varieties.".	25
	1013 — Hortensis. Dark brown. Very fine variety, reproduced true from seed.	25
	1014 Balsam, Double. Scarlet red. (Impatiens Balsaminea atrosanguinea.) Very	
	fine pland splendid color 1015 Centaurea Clementei (Veitch). The foliage is very elegant, and covered with a snow-white down. The numerous ramifications are terminated	50
	1015 Centaurea Clementel (Veuch). The lollage is very elegant, and covered	
1	by an inflarescence of straw colored florests. Splendid for edges of leaves	
	by an inflorescence of straw-colored florets. Splendid for edges of large groups, the centres of other colored beds, and for isolated clumps	25
	1016 Cineraria Maritima candidissima. This variety may be best described as	40
)	possessing the substance and general character of Cineraria maritima,	
>	but a more decided white color, combined with the dwarf habit and pe-	

out a more decided white color, combined with the dwarf habit and peculiarly graceful and serrated form of Centaurea candidissima.

1017 Coleus finest mixed. We have received a few seeds of this favorite plant from a celebrated German grower, which we can recommend as very fine. These beautiful, fine-foliaged plants cannot be too highly estimated for garden decoration. Sow seeds same as Calceolaria. See page 9.

114

	15	6500	BP.			-0~			هــه				-	-
1 to			SE CO		MAT	EUR	₹© vx	TIVAT	OR'S	Çux	DE.	4	C 80	1
-	17m	2/3	25										24	P.
3	10	1018	Gilia	Linifle	ora. R	emark	able and	pretty spe	ecies: of	ranch	ing hal	it, with		9
3	6			deeply-	palmate	foliage	e, and larg	ge white fl	owers th	ree-quar	ters of	an inch		ずた
R	1			in diam	neter; fo	orms a	bushy tuf	ft nine inch	ies high,	and the	same in	n width,	.25	2
8	1	1019	Ipom	nea fine	e Mixe	d. (N	EW MORE	NING GLOI	RY.) Ar	n elegan	t and hi	ighly or-		4
1	1:			nament	tal genu	s of cli	mbers, wi	th handson	ne and sh	nowy flov	wers, co	mbining		1
5								e-white ma						1
4								lelicate cer			utifully	striped.	.25	(1)
1	\	1090	Larl	For set	Stool-	florrer	e page 14.	arf Cand	ela bro	formed	0,,;	0 0 00		Y
	16	10.20) Lark	dwarf	race of	Larks	ours, the	stems of	which at	tain ha	rdly on	e foot in		N
1				height.	Close	to the	ground	stems of the stems	throw	out bea	utifully	v-curved		1
(1				branch	es, which	h dimi	nish in le	ength as the	ey appro	ach the	top of t	he prin-		1
3	.0			cipal a	xe; thu	s giving	g to the w	vhole plant	the app	earance	of a Ca	ndelabra	.25	4
1	1	1021	Mign	onette,	Pars	on's v	vhite.	Superior in t fail to b	odor,	habit, a	nd colo	or, being		3
3	4			nearly	pure w	nite, ar	id cannot	t fall to b	One al	general	lavori	te. The		
8								y shaped.	One big	ini sume	es to p	eriume a	.25	
	g .	1022	:				at acquisit ered Gi a		ew varie	etv. quit	e disti	nct from		Ç
1	1	IUNA		all oth	er sorts.	being	robust i	n habit, v	vith very	y large	spikes	of hand-		
	K)			some fl	owers o	f exqu	isite fragr	in habit, v rance, and ety of Mign	is a free	and per	petual	bloomer.		4
	1		-	We cor	isider th	nis the	best varie	ety of Mign	nonette i	n cultiva	ition .		.25	
51		1023	Mari	gold, (Jrange	Afric	an Quil	iled. A v	ery dou	ble varie	ety of 1	Marigold,		
7	1	100	N	with qu	unied pe	lete:	striking	The india	idual a	SHOWY	· lon	n then	25	
8	2	1024	nem	half-de	llar en	d the	reneral off	ety of Mignelled. A value of novelty, and The individual of the	white (c	s brillia.	at as for	sted ell		
														-
1				which	are pro	duced	in great	purple blo quantities	, is of a	charact	ter to i	nsure its		
(becom	ing one	of the	floral favo	orites of th	e season				25	
2		1025	Oxal	is Valo	liviana	1. A v	very stron	g-growing.	, still co	mpact, n	new Ox	alis; the		
·		100	- TD	sweet-s	scented,	oright	-yellow fl	lowers are	well up	out of th	e toliag	e	.25	
		1026	Pans	beddin	euen (1	unixed	colors).	These in	and ad-	mired th	spring-	uowering	5	
-				them a	t our ha	inde ie	anite nnn	MCCCCCCTV.	Stifffice if	t to saw	thew ar	a hacom-		-
()				ing inc	ore non	ular ev	erv year:	and for e	ffect. wh	ien grow	n in m	lasses, or		
				used as	s edging	s for be	eds, they	; and for e cannot be splendid be a grower a	surpasse	d .			.25	1
		1027	· —	Odion,	of fine	blotch	ed, very s	splendid be	autiful l	arge-eye	d flowe	rs.	.50	
		1028	3 —	Beauty	v of St	Osyth	h (Black)). The da	rkest Pa	insy eve	er raise	d; equal		
(1	1000		in size	to Clari	ibel, an	nd as free	a grower a	ind bloom	ner as th	ne Clive	eden .	25	
1	1	1029	, —	name	- dark	violet l	plue: larg	The color of blossom,	of good	substance	as state	hloomer	•	
-	1			and, as	s a bedd	ing-par	isv. is a r	plant of gr	eat bean	tv .		J. Journer,	.50	1
	1	1030	Petu	inia, ne	ew irii	ngea v	rarieties.	Consisti	ng of a	great va	riety o	of colors.		
1				beauti	fully and	d finely	fringed			•			50	
		1031	. —— ;	Double	e, stripe	e d. Fr	rom large-	-flowerings	striped P	etunias,	careful	ly fecun-		
	1	1000) Denti	lle N-	with do	uole va	Varieties	ratic m	e folia-	of the		aricta	50	
	1	1032	• rert	the we	ll-know	n and l	highly or	gatis. Th	ark brow	n Perille	a Nank	inensie i		
	1			variega	ated, an	d stripe	ed with b	orilliant ros	sy carmi	ne, and	sometin	nes even	ì	
	1			with w	hite, pr	oducin	g a striki	ng and cha	rming e	Tect			.25	
	1	1033	3 Phlo	ox Dru	mmon	dii He	ynholdi	. The N	ew Tru	ie Scar	let Ph	lox (Be-	•	
	1			nary).	There	e is alre	eady in ou	ur gardens	a brigh	t variety	of mu	clı value,	,	
	1							carlet (coc						
	1			radian	t, bright	t dark	crimson t	from being int	, the tru	o scarie	o, and	omy of \$	เ 25	
	1	103	1 Salp	iglossi	s Nigra	i, or	Vew Bla	ack. An	ew varie	ty, recor	nmende	ed for its		
	1			decide	dly dist	inct ch	aracter as	s a black b	lossom				25	
	-	103	5 Stati	ice spic		This cl	harming e	early-flowe	ring and	nual con	tinues	in bloom	1	
	1				period.	l he	plant forn	ns a spread	ung tuft	of lively	emera	ind green	,	
								of car-like edgings ca						
1	1			ture i	t is very	v usefn	and pret	tty, — equa	illy value	ible for	winter l	pot cul- bouquets	25	
1	1	103	6 Swe					ianthus				ire white		
*	13			blossor	m, large	e, and s	good subst	tance .					25	b
	V	103	7 Wal	llflower	r, New	Gold	len, Ton	n Thum!	A fi	rst-class	novelt	y; habit	t	5
	d.			compa	cole	lelicet	gorden ora	ange; petal	rk brown	u substai	ice, and	nowers		
1	A	102	8 7:	nia ele	gans. d	louble	white.	stead of da Fine, bu	shy, via	orons-ore	wing c	ort with	8 .25	
2	R	103	471111	very l	arge, do	ouble w	hite flow	vers, produ	ced duri	ng the w	hole sr	nmer	25	4
+	1	103	0				range.						25	0
10	110	(Form	4020	0.0					1				- 2	10




NEW AND RARE VARIETIES OF VEGETABLE SEEDS.

	0
The following kinds we wish to call attention to as desirable: — Per	pkt.
ASPARAGUS, Moore's Premium. This variety is now well known in Boston and vicinity as the largest and finest in every respect, without exception, in cultivation. Capt. Moore has taken first prizes for his celebrated Asparagus every season for the past ten years, at the Exhibition of the Massachusetts Horticultural Society; and, on the second Saturday in June, exhibited a bunch of twelve stalks, weighing three pounds five ounces. On the same day, there was exhibited a bunch of Conover's	d A
Colossal, from New York, of eighteen stalks, weighing three pounds eight ounces (only three ounces more), and having six more stalks in bunch, showing the superiority of Moore's. Per oz., 25 cts. \$2.00 per lb.	.10
BEETS, Egyptian. Very fine. See page 89.	
-— Hatch's Early Extra Blood-Turnip. This is an improved variety, both in earliness, smoothness, and fine quality for table-use, and is a favorite with the growers of fine early vegetables for the Boston market. The seed we offer is from the stock which received the first premium awarded by the Massachusetts Horticultural Society for beets, exhibited on or before the first Saturday in July. Per lb., \$1.50; per oz., 20 cts.	.10
- New Chilian (for decorative purposes). This striking novelty is specially	
adapted for bedding-purposes, the foliage presenting a variety of color, from bright orange to purplish crimson; used extensively at the Battersea	0.5
and other Metropolitan Parks	.25
— Carter's Perfection Salad. Small-sized, short-top variety, of delicate texture, and sweet flavor, even growth, and dark foliage. The best variety for salad purposes	.25
— The Perfection. For flower-garden decoration or for salad. The root is of medium size, rich color, and fine flavor. The foliage is shining black, of dwarf, even, and regular habit; and, unlike other beets, the leaves show their dark color from the seed-leaf: therefore any one using this beet for the flower-garden can create a handsome effect, superior in many ways to Perllla nankinensis; but it should be borne in mind that other beets, although of dark foliage, are not adapted for flower-garden decoration, either from the coarse appearance of the foliage, or from the fact of the foliage not presenting the desired color until the leaves have arrived at maturity. See cut. Per oz., 40 cts.	.10
BEANS, Australian Runners. This variety, introduced by Mr. Jos. Tailby, has proved remarkably productive, and given the best of satisfaction. The pods are from nine to twelve inches in length, and about one inch in breadth. Very early, coming in with the early six-weeks, stringless, and when cooked very delicious. Per qt., \$1.00.	.25
— Giant Wax. See page 88.	
New White-Seeded Dwarf Wax. A most excellent new variety of this class of beans, so highly esteemed for their white, tender, succulent pods. The seeds of this variety are white as well as the pods, adding much to its value, and giving it a decided preference over the black-seeded sorts. Very prolific, the vines being literally covered with pods. Per qt., 50 cts.,	.10
BRUSSELS SPROUTS, Scrymger's Giant. The true variety; dwarf-growing, close-headed, and compact. Per oz., \$1.00	.25
CABBAGE, Early Wyman. This we can recommend as the finest early cabbage grown. See page 91.	
— Fottler's Improved. See page 92.	1
— Early Jersey Wakefield. A standard early cabbage in the Boston and New York markets. Grows to a good size, solid, and is one of the best early varieties for shipping. Our stock of this variety was grown with great	
care. Per oz., \$1.00	.15
Mark a second	~ /3

Amateur Eultivator's Euide.

K		The second	116	3
I	S	Per Per	e⊌ pkt.	0
K	۱ ح	CABBAGE, Robinson's Champion Drumhead. The largest in cultivation; have been exhibited in Europe weighing seventy-four lbs. See cut. Per	•	1/2
1	g.	oz., .50	.15	F 1
		Savoy, Carter's Little Pixie. A writer in "The Journal of Horticulture" says, "Among Savoys I find nothing so valuable as 'Little Pixie.' Planted out sixteen inches plant from plant, the ground is literally covered with small but delicious heads of from one and a half to two pounds each. I shall advise all my gardening friends to grow this Savoy largely." See cut. Per oz., 50 cts.	.15	7
I	(CAULIFLOWER, Boston Market. Pierce's stock. Very choice. See page 93.		1
		Erfurt Earliest Dwarf. The earliest variety in cultivation; very dwarf, with solid, pure white heads, and of superior quality; one of the surest to head. Seed very scarce. Per oz., \$8.00	.50	A. Share
		Veitch's Autumn Giant. This extremely valuable variety is perfectly distinct from any other sort. The heads are magnificent, beautifully white, large, firm, and compact, and, being thoroughly protected by the foliage, remain longer fit for use than any other sort.	.25	
TO THE PARTY OF TH		CELERY, Sandringham. A variety raised by Mr. Carmichael (Superintendent of the Prince of Wales's Gardens), from the well-known Sandringham Celery, and from whom we have received the stock. We believe that this is the only sort of celery now used at the royal table. Mr. Carmichael informs us, from the unusually dwarf and solid habit of this variety, that the usual method of growing celeries by earthing up may be done away with, as he grows it on the surface of the ground, without in any way reducing the quality of the celery	.25	The state of the s
ı		Boston Market. Crosby's Stock. Very fine. See page 95.	.20	
The state of the s		CORN, Moore's Early Concord. Silver Medal Awarded. This valuable variety of Corn, which we had the pleasure of introducing, we now bring before the public with renewed confidence. It has proved all and more than we recommended. We have received hundreds of testimonials. For prices, see page 96. CUCUMBER, General Grant. Fine. See page 97.		
i				
1		— Norbiton Giant. A superior large variety, growing eighteen to twenty-four inches in length; fine shape; excellent for table-use; very hardy, and the best of the very long cucumbers for culture in the open ground	.25	
The state of the latest designation of the l		— Marquis of Lorne. This splendid cucumber, introduced last year, still maintains its position as the best show variety. It has a white spine, beautiful short neck, smooth skin, very straight and prolific, with a remarkable absence of seed, and is unquestionably of most delicious flavor. It has been awarded first prizes at nearly all the great Horticultural shows in England and on the Continent. See cut.		
The second second second		— Sooly Qua. This remarkable vegetable, which created such a sensation when shown at the Royal Horticultural Society's Meeting, June 8, 1870, is wonderful, alike for its immense fruit, large, dark-green, glossy leaves, and the beauty of its flowers. In China it is used by the natives as a regular article of food, boiled with rice, and is much enjoyed, served up in various ways, by Europeans. The fruit is of rapid growth, attaining a length of six feet, and twelve to sixteen inches in circumference; and is used in a green state just when it attains its full size. See cut		
		EGG-PLANT, Pekin. Fine. See page 98.		11
Section of the sectio	1	KALE, Acme. A very dwarf curled Kale, growing close on the ground, with glan- cous green leaves intersected by a scarlet mid-rib. Really a superb thing, and combines every desideratum; being very hardy, very early, prolific, tender, mild, and a brilliant green when boiled. It is a hybrid between Dwarf Green Curled Borecole and Sea Kale		
1	}	LETTUCE, Bunney's Incomparable Hardy Green Cos. The raiser of this says, "I have tried it with all the leading kinds of lettnee; but none are equal to it. You may grow it for any time of the year, as it is very hardy, and has stood the drought of the last season when other sorts 'bolted.'" A compact, large-growing, crisp variety, of fine flavor. — The Favorite. Owing to the large number of really good and useful sorts of		60
1	>	Lettuce already in cultivation the above new and distinct sort was most		2
1	B	The second second	2	1 S
1	4		-	-



A


80

1	e Is	AMATEUR CULTIVATOR'S GUIDE.		1/1
1	la d	R. C.	8	3
I	~	Per pkt.	9	
1	8	keeping-qualities as for the rapidity of its growth. If sown in July it will be ready to pull the same year, and be sound and fit for use until the	33	4
1	8	following fall. Rich or strong soil is not necessary for its cultivation	\$ 0.00 \$ 0.00	
1	7	any medium or poor garden-mould will suit it. It is of an excellent mild	3	
I	P	flavor, and can be highly recommended		3
ı	1	introduced by us in the spring of 1870, has fully justified the high opin-	37/	1
6	6	ion formed of it. Though growing from two and a half to three feet in an almost unexampled dry season, it yet turned in only three days later	N	1
1		than First Crop or Ringleader, and the same time as Little Gem. It is		ì
1	٥	a capital bearer, and in point of general usefulness ranks as A I. This season the pods were fit to gather some four days before those of Daniel	Ť,	
		O'Rourke: no doubt it is fully as early as that variety, with the advan-	4	
ľ	>	tage of possessing a higher quality. 65 cts. per qt		2
ŀ	1	 McLean's "Blue Peter" (INTRODUCED FOR THE FIRST TIME THIS SEASON). This variety was the last result of the late Dr. McLean's hybridization, 	d	4
-		and is probably the best to which that eminent raiser's name is attached.		1
Y		and is probably the best to which that eminent raiser's name is attached. In general habit it is well described as a "Blue Tom Thumb," but possessing a more robust habit. It is earlier than Daniel O'Rourke, twice as	9	
1		prolific as the Tom Thumb, and of much finer flavor		11
1	_	- Carter's First Crop Blue. This is the combined result of natural and artificial cultivation; selected from "Little Gem" and "Laxton's Supreme."		
1	٧	It is a good bearer; pods large and of uniform size. Height twelve to		
-		fifteen inches. \$1.50 per qt		
		pods. This pea formed part of the prize collection of Vegetable Seeds at the Royal Horticultural Society's Show at Oxford. \$1.00 per qt25		
l	_	 New Edible-podded Wrinkled. A continental novelty of great merit. The pods should be cooked whole, after having the back string taken off, and 		
		may be served in various ways, when they will be found a delicious ad-	9	
١		dition to the dinner-table. \$1.00 per qt		
Ì		Prolific" and "Ne plus ultra," with pods as large as "Supreme," of the		
1		fine dark-green color of "Ne plus ultra," and carrying a bloom like a cu- cumber; the peas cook a fine green color; the head is of a distinct, pale		
l		olive-green color. This pea will make a first-class variety to sow in suc-		
ı		cession with "Supreme." 50 cts. per qt		
ļ	_	 Easte's Kentish Invicta. Kentish Invicta is a round, blue pea, about two feet in height, with straight, handsome, well-filled pods; is earlier than 		
I		the best stocks of Daniel O'Rourke, whilst the fact of its being a "Blue"	Ĭ	
-		Pea proclaims it to be infinitely superior in flavor to any white variety in cultivation. (See cut.) 65 cts. per qt		
-	_	- William the First. The finest pea yet sent out for earliness, flavor, and ap-	1	
1		pearance combined. It is a first early variety, with long and well-filled, deep, greenish pods. It has been thoroughly tested and recommended at	1	
1		the Royal Horticultural Society's gardens at Chiswick on several occa-	· ·	
-		sions; and was the only pea exhibited in Mr. Gilbert's first prize "Gardeners'" collection of vegetables at the Society's Exhibition at Notting-		
-		ham in July, 1871. Height, three feet		
-	_	- Griffin. A remarkable and distinct variety, as early as Sangster's No. 1, of a fine color and flavor when cooked: the ripe seed is also of a bright grass-		
-		fine color and flavor when cooked; the ripe seed is also of a bright grass- green color, and well calculated to supply "green peas all the year		
-		round." Pods medium-sized, height about two feet six inches		
-		 Popular. For general crop, this blue, wrinkled marrow will be found earlier, more prolific, and to have better-filled pods, than those of "Champion of 		
1		England;" to which variety it is equal in flavor, and against which it should be tried. Height about four feet		
1		Superlative. The largest and finest-podded variety yet raised; indispensable		
1)	as an Exhibition pea. The pods which have been exhibited (seven inches	6	
		in length) are more than twice the size of those of the parent pea (Laxton's Supreme), which, during the last three seasons, has taken nearly		-
		every first prize when shown in competition. It is also quite as early a that variety, and very prolific. As "Superlative" sometimes runs seven		NO.
1	>	119	4	
P	A 23	***	P	102
1			100	í


0	5	201 RE	-	as to so	Mix.	~1
		ると	MASHBURN & GO	MPANY'S	3	No.
1	3				all a	ST.
	<u></u>			Per	pkt.	34
I	~		or eight feet in height, it should be slightly percent five feet. The color and flavor of the		1.00	3
İ	Á	PEA, Ome	about five feet. The color and flavor of the ega. This dwarfish late pea was raised by	fertilizing "Ne plus ultra"	1.00	1
			with "Veitch's Perfection," and has all the v former variety. It is remarkably prolific,	aluable characteristics of the		The
)		closely filled, and the flavor and color of t equalled. Ripe seed like "Ne plus ultra."	he peas, when cooked, un-	.5C	K
ļ	*	PARSLEY	7, Champion Moss Curled. This Parsley	is the perfection of a curled	•00	*
			Parsley for garnishing purposes. We cannot it is not to be surpassed. Per oz., 25 cts.	ot recommend it too highly:	.10	R
-	٥		London Particular Long Scarlet. Pe		.10	753
l	>	Wood	's Early Frame. The finest long Radish oz., 15 cts	for early cultivation. Per	.05	b
	2	squash,	Lungren. The leaves are singularly varieg			1
	}		of color varying in different plants from pale differing also in the amount of variegations a	s the season progresses. The		B
	,		color is most profuse at the base of the leaf, serrated stripes, towards, but not reaching, t	he borders.		1
			The fruit is bottled-formed, much resemb white, about one foot in length, eight inches	in its greatest diameter, and		1
Ì	À		weighs from eight to ten pounds. The ste The flesh is pale-yellowish white, thick, fine	m is thick, short, and fleshy.		
I			peculiarly free from the strong flavor commo	n to many varieties. It cooks		
			well, early or late in the season, and even size, and is also a good keeper. (See cut.)	· · · · · · ·	.25	
		Marb	lehead. This new squash, as a rule, is chara flinty hardness than the Hubbard. It is usua	ally thicker and flatter at the		
			top. It has a greater specific gravity. The color than the Hubbard; while its combination	ne flesh is of rather a lighter		
į			delicious flavor, is something really remark	sable. In yield it equals the		
			Hubbard, while its keeping-properties are mous variety. In the important matter of p	urity, it excels the Hubbard,		1
Į			and every squash that we have ever raised. not to be confounded with the blue-colored s			
			from the Hubbard seed, — mongrels made by a thin-skinned squash which we used to ca			
1			were raising before we knew of the Hubbar after we had the Hubbard side by side w	rd, and raised for a few years		1
I			mongrels be planted, their hybrid characte	r will be seen by a terrible		
l			sporting, so dreaded by every farmer; whi from the seed of the Marblehead will be	found to excel in purity any		
ı		- Moore	standard variety of squash. Per oz., 30 ct s's Vegetable Cream. The finest Summe	er Squash cultivated. When	.10	
			mature, it is of a uniform pale-yellow color hard when perfectly ripened; flesh white, te	. The skin, or shell, is very		
۱			the seeds are ripe. It may be used in every s	tage of its growth; and, when		Á
		гомато	perfectly ripened, will keep through the win, "Gen. Grant." This Tomato, which we	introduced, has, after another		
			year, proved to be the best in all respects, - prizes at the Massachusetts Horticultural So	-taking the first and second		
			tion with all the leading sorts. We have refrom all quarters; but from want of space w	ceived numerous testimonials		-
		A 32	ing them. For further description, see page	110.		
1	1	Arnn	ton. The Arlington is the result of cross Feegee. It has been carefully propagated e	nch year since, and maintains		
1			all its points of excellence, in fact, improve	s, probably from the careful		
-	}		yariety. Fruit uniformly large, perfect in for times oblong, oval, free from ridges and inec	orm, usually round, but some-		1
1			red, fully equal to Gen. Grant. Perfectly cells. Core never green or hard when ripe,	solid, with very small seed-		1
-			delicate texture throughout. Ripens evenly	to the stem, frequently weigh-		-
1	>		ing twenty-four to twenty-six ounces in fruit, when cut through the centre, is perfec			4,
-	SA	The aff	120			A.
Ì	-				. 5/	-

S





- ELEGRA ZEARLY VERMONT



LE COMPTONS SURVERISE.

7	3	E &	ASMATEUR CULTIVATOR'S CULTE.		12	21
2		3.5		Per	pkt.	SIL
			from centre to surface. It is prodigiously prolific, and the best-tomato grown. Five packets, \$1.00. Per. oz., \$2.00.		.25	1
	TO	MATO	O, Canada Victor. This variety, which was introduced last seas given general satisfaction. The fruit is of large size, very symmand handsome. Per. oz, \$1.50	on, has netrical	.15	7
		– Trop	bhy. After a trial of three years, this variety has fully sustained reputation. It is very large, generally smooth, solid, and in many le ripens early, and is of fine quality. Our seed is all saved from specimens, and will be sure to produce the most perfect fruit	calities selected		1
			nz., 60 cents	•	.10	No.

NEW AND CHOICE POTATOES.

NEW VARIETY NOW OFFERED FOR THE FIRST TIME.

BROWNELLS' BEAUTY.

We take much pleasure in announcing another new potato, raised by Mr. E. S. Brownell, an enthusiastic farmer in Northern Vermont, and named by him "Brownell's Beauty." This variety was obtained in 1870, after a long series of experiments, by fertilizing the blossom of the Early Rose with the pollen of the White Peachblow; and possesses, in addition to the excellent qualities of these two popular and well-known varieties, that of being, without exception, the hand-somest potato in cultivation, and a most excellent keeper, which will make it particularly valusomest potato in contraction, and a most executent keeper, which will make it particularly valuable for shipping purposes. Potatoes kept in an ordinary cellar from October to the following August were tested by some of the best judges in the country, and pronounced superior to any of the new varieties then in the market. Samples for trial have been placed in the hands of competent judges the past season with the most satisfactory results. Samples were also sent to the gardens of the Royal Horticultural Society of London, where they received a first-class certificate; and have also received many premiums at various agricultural fairs in this country. At the State Fair in Albany they attracted much attention and sold readily at \$1.00 cach. Size cate: and have also received many premiums at various agricultural fairs in this country. At the State Fair in Albany they attracted much attention, and sold readily at \$1.00 cach. Size medium to large, growing very fair and smooth. Eyes few and small, nearly even with the surface. Shape oval, somewhat flattened. Skin reddish, or a deep flesh-color. Flesh white, fine grained, and very delicate. For the table, they cook, either by baking or boiling, equal to the very best; and with ordinary boiling they cook through to the centre evenly, dry, and mealy, and are never hard, bollow, watery, or discolored at the centre. Flavor unexceptionable. Vine of medium growth. Foliage deep green, and very healthy in all respects. The tubers grow compactly in the hill, and are easily dug, ripening in about three months from time of planting, though suitable for cooking about one week later than the Early Rose, with the same culture. They are very productive, with but few small tubers. The first year, from seed, 21 tubers were produced, some of which were of fair table size; in 1872, an average of three bushels from every pound of seed; in 1873, one pound of seed, cut to single eyes, produced eight bushels. Its beautiful appearance, fine quality, extraordinary productiveness, and remarkable keeping-qualibeautiful appearance, fine quality, extraordinary productiveness, and remarkable keeping-qualities, will render it a most valuable variety for the market.


Prices, \$1.00 per lb.; 3 lbs. for \$2.00, by mail, to one address, postpaid. By express or fright, charges to be paid by the purchaser, ½ pk., \$3.00; 1 pk., \$5.00; ½ bush., \$8.60; 1 bush., \$15.00; 1 bbl., \$30.00.

VARIETIES INTRODUCED LAST SEASON:

EXTRA EARLY VERMONT.

609 Pounds Grown from One Pound of Seed.

Seven to ten days earlier than the celebrated Early Rose; enormously productive; excellent flavor. A seedling raised in 1867 from a seed-ball of the well-known Jackson White fertilized with the Garnet Chili. The labit and growth of the new seedling are much like those of the Early Rose, as well as its general appearance. Vines of medium height, somewhat spreading; the tubers growing very compactly in the hill. For four years they have been grown side by side with the Early Rose, both under the same treatment, and have proved seven to ten days earlier than that favorite sort: they are more productive, fully equal, if not superior, in quality. Flesh very white, dry and floury; an excellent keeper; and is every way a most promising variety. A further trial the past summer, both in this country and in Europe, confirms all previous state-



ments; and we can confidently recommend it as the best and most productive early potato in cultivation. At a trial of three hundred varieties of potatoes at the Royal Horticultural Gardens, at Chiswick, London, a first-class certificate was awarded to this variety. It has also received many prizes at the State and County Fairs throughout the United States.

Prices by mail, postpaid, 1 lb., 75 cents; 2 lbs., \$1.00. By express, charges paid by purchaser, 1 pk., \$3.00; ½ bush., \$5.00; 1 bush., \$9.00; 1 bbl., \$20.00. Royal Horticultural Gar-

COMPTON'S SURPRISE.

511 POUNDS GROWN FROM ONE POUND OF SEED.

This wonderful potato — wonderful for its fine quality, productiveness, size, and beauty—is a seedling of the Prince Albert fertilized with the pollen of the Long Pinkeye. The first year, from seed, there were four potatoes weighing one-half pound. The following spring these were cut to single eyes, and planted on poor soil. The product of the half-pound was three hundred and ninety-one pounds, sixty-two pounds of beautiful tubers being picked from the surface of a measured rod, as it is a peculiarity of this potato that they often mature a crop on the surface under the foliage. The past season they were planted in soil from which a poor crop had been taken the previous year; and, although the season was very unfavorable, this seedling yielded six times more than the Rose and other old sorts planted by it, and remained sound, while the old varieties rotted badly. One-half bushel yielded serenty-six and three-fourths bushels of potatoes, from which but one-half bushel of small ones could be sorted; the entire yield being at the rate of eight hundred and twenty-six bushels to the acro. These potatoes are invariably sound to the centre, a hollow one having never yet been found. It is a late variety, ripening with the Peachblow. Its shape is oval-oblong, eyes sunken, brow prominent, skin smooth, color reddish-purple, flesh white; grows to a large size. It is believed to be much the most abundant in starch of any variety extant. It retains its quality perfectly throughout the year, appearing on the table like a ball of flour. The high quality of this potato late in spring may, perhaps, be owing to its tardiness in sprouting, remaining plump, and free from sprouts, when kept until June, and never having that wilted appearance common to early sorts.

Per lb., \$1.00; 3 lbs., to one address, \$2.00, by mail, prepaid. By express or freight, charges paid by the purchaser, ½ pk., \$3.00; 1 pk., \$5.00; ½ bush., \$8.00; 1 bush., \$15.00; 1 bbl., \$30.00.

GENERAL COLLECTION.

Early Rose. — This was the first of Mr. Bresee's Seedlings, offered by us in January, 1868; and has now become the standard variety for earliness, quality, and productiveness. Per pk., 75 cents: bush., \$2.00; bbl., \$5.00.

King of the Earlies (Bresee's No. 4). — A very early variety; vines quite dwarf; tubers large and handsome, roundish, and slightly flattened; eyes small, and somewhat pinkish; skin flesh-color, or duil pinkish white; flesh white; floury, cooks well, and is of good quality for the table. Per pk., \$1.00; bush., \$3.00; bbl., \$6.00.

Late Rose. — This variety, first offered by us in the fall of 1871, has been largely cultivated the past season in various parts of the country, and has given universal satisfaction. It ripens two or three weeks later than the Early Rose; and has proved to be much more productive, yielding, the past season, 250 to 300 bushels to the acre; is also hardier, healthier, and a better keeper, retaining its good quality till new potatoes come in. Per pk., \$1.00; bush., \$2.00; bbl., \$5.00.

Peerless (Bresee's No. 6). — Skin dull white, occasionally russeted; eyes shallow; oblong; flesh white, mealy; grows to a large size, often weighing from one and a half to two pounds; and enormously productive, frequently productive fires and a port of the past season; and enormously productive, frequently productiveness, place it among the best varieties for general culture. Per pk., 75 cents; bush., \$2.00; bbl., \$5.00.

POTATOES BY MAIL.

For the accommodation of those who reside at a distance from railroads and express-offces, we will send a package containing four pounds of either of the above, under the head of General Collection, postpaid, upon receipt of one dollar; or six packages for five dollars. No less than one dollar's worth, or more than one kind in a package, will be sent by mail. N.B.—Orders for potatoes received in the winter will be forwarded as early in the spring as the weather will permit, —usually about the first of April. They can be forwarded earlier,


if desired, at the risk of the purchaser.

POTATO SEED. - (From Selected Seed Balla.)

CULTURE.—Sow thinly in drills ten inches apart. When the plants are up two or three inches, thin them to five or six inches apart, and allow them to grow till the end of October, when the roots will furnish a supply of small potatoes, which must then be taken up, and a portion of the best reserved for planting the next spring, in the usual way.

Early Rose. - Carefully hybridized with choice varieties. Per pkt., 25 cents. Per pl. Scarly and Late Varieties Mixed. Per plt., 25 cents.

Native Varieties from the Andes, Peru. Per pkt., 25 cents.



GLADIOLUS.

SPLENDID FRENCH AND BELGIAN HYBRIDS OF GANDAVENSIS.

FORWARDED BY MAIL TO ANY ADDRESS, POST-PAID, AT CATALOGUE PRICES.

THE new hybrid productions of the Gladiolus Gandavensis are, without doubt, the most superb flowering-bulbs in cultivation, producing their magnificent, long, and densely-flowered spikes of bloom, varying from white to rich salmon, and brilliant carmine to the most intense scarlet or crimson. A single bulb will often give two or three stems of bloom; and a succession of flowers will be produced for two months.

General Treatment. - The bulbs should be planted as soon as the ground is fairly General Treatment. — The bulbs should be planted as soon as the ground is fairly dried in the spring, and all danger of frost is over; planting may be made every two weeks until the middle of June, to secure a succession of bloom. Plant the bulbs from two to four inches deep, according to their size. The soil should be enriched with well-decomposed manure, and well pulverized. The plants should be well staked, and the bloom will be magnificent. When the frost has killed the leaves, or before, if the leaves, by turning yellow, show the ripening of the bulb, the bulb should be taken up, dried rapidly in full sunlight, and the new bulbs separated from the old. Should be kept during the winter in a


light, and the new billos separated from the old. Should be kept during the whiter it a dry, cool cellar, free from frost.

A discount of five per cent from catalogue prices will be made when one dozen varieties are ordered, ten per cent on two dozen varieties, and fifteen per cent on fifty varieties. Purchasers will please state whether we may substitute, in the event of our being out of the

varieties ordered.

SOUCHET'S NEW VARIETIES OF 1871.

(NOW OFFERED FOR THE FIRST TIME IN THIS COUNTRY.)
EACH.
Alcyon. Very fine spike of large flowers, white ground, bordered and blazed with carminate rose; charming plant, dwarf
Antigone. Long spike of very large flowers, tender rose, largely blazed with carminate red; very showy. Perfection 2.00
Antiope. Very long fine spike of large flowers of a light orange cherry color, with a very dark carmine stain on pure white ground; very showy 2.0
Ariane. Very long spike of large, perfect flowers, white ground slightly tinged with rose or lilac, bordered and blazed with tender carminate rose; the lower divisions with pure white ground. Splendid perfection 3.00
Arsinoe. Fine spike of large perfect flowers, very fine satinetted rose, blazed with bright carmine; charming dwarf plant 1.00
Beatrix. Very long spike of large, perfect flowers, pure white ground very delicately blazed with carminate lilac. Splendid 3.00
Celimene. Very long spike of very large flowers, well opened, perfect, light orangered largely blazed with very brilliant red. Splendid plant. Perfection . 2.00
Didon. Very large and long spike of large perfect flowers, white slightly tinged and blazed with tender lilac; lower divisions pure white. Perfection 1.50
Jupiter. Very long and fine spike of very large perfect flowers, ground light-red, very largely blazed with very dark crimson red. Splendid and showy variety. 3.50
Minerve. Very large spike of well-opened large flowers, very bright brilliant crimson, small carminate red stain on a large white ground. Very fine color . 2.50
Ossian. Very long and fine spike of large perfect flowers; very fine bright rose tinged with violet, and blazed with carmine; very well lighted ground . 1.00
Phebus. Fine spike of large flowers of a very striking fire-red color, with a very large pure white and very showy stain. Splendid late variety 3.00
Virginalis. Long spike of large flowers, very pure white, bordered and blazed with carminate tender rose; small plant, very fine and delicate 3.00
The above collection of thirteen varieties, \$30.00.



Anais. Good shape, white, tinged		Calypso. Rose-striped, blotched with
with lilac; very large sulphur-white		carmine
stains, striped with lilac-carmine .	.75	Canari. Light-yellow, striped with
Alexander. Flower large, well-shaped,		rose
very fine bright red	.50	Chateaubriand. Clear cherry; a mag-
Amabilis. Bright vermilion, stained		nificent spike
with yellow	20	Comte de Morny. Dark cherry-red,
Adonis. Light-cherry, yellow throat,	•=•	blotched with white, and striped with
	.10	
with light-yellow spots		
Aglae. Rose-colored salmon, mottled	.20	Comtesse de Bresson. Deep blush-
Aristote. Light-rose, with purplish	- 17	pink in centre, shaded with crimson;
crimson stripes	.10	outside petals veined with white; two
Berenice. Beautiful rose, striped with		lower petals striped with purple .
red, with purple-carmine colored spots	.20	Couranti Fulgens. Bright-crimson.
Bertha Rabourdin. Pure white,		Daphne. Light-cherry, with darker
with beautiful large carmine stain	.40	
		Diana. Light-salmon, variegated with
Brenchleyensis. Deep scarlet; fine.	.10	
Bernard de Jussieu. Flower large,		rose, and blotched with light-carmine,
wide, perfect ground violet, shaded		on white ground.
and tinted with cherry-color and pur-		Duc de Malakoff. Orange-red, on
ple; stains purple on white ground .	.50	yellowish-white ground; fine
Calendulaceus. Bright nankeen .	.25	Danæ. Delicate straw-color, violet spots
*****	12	4

.25

.25

mine, .35 d, on 40

L	2	200	1	2 - 2	- come		ar to the	Nies	~]
C.	7	800	S. A.	a e	WASHBUR	N	OMPANY'S	37	313
14	7	AL	185			RICE.	PR	CE.	D
2				Andry.	Very bright orange;	15	Lælia. Peach-pink, stained with lilac	.30	34
ľ		$\mathbf{D_0}^{\mathrm{n}}$	ne . n Ju a	an. Vi	vid blush-pink; petals	.15	Madame Basseville. Large cherry- colored flower, with purple blotches		2
1	•	b	eautifi	ully mot	tled with deep crim-	7.0	on a yellowish-white ground, striped		M
		S(on, and	d veined Unner	with pure white . petals white, spotted	.10	with white	40	3
ı		W	ith vi	olet; low	er striped with white	.75	stained with carmine; very large		A
1		Edi	ith.	Large fl	ower; carnation-rose,	.30	flower. Madame Binder. Pure white; long	٠20	1
2		Egg Egg	eepiy : erie.	striped v Orange	rith same rose; petals slightly	.00	carminate-rose stripes on the lower		N
		m	ıarked	with ca	rmine	.20	petals	.40	
A		Em Em	ıma.	Scarlet.	armine; dwarf flamed with crimson	.20	Madame Herincq. Yellow white, changing to a dull white, with large		1
		aı	nd wh	nite, and	spotted scarlet and	40	marbled veins of lilac	.20	7
7			hite dymia	on Ro	se; beautiful	.40	Madame Leseble. Pure white, blotched with rose	.50	
4		Era	ito. D	elicate r	ose; with dark stripes		Madame Domage. Rose, spotted	-50	A
2				miue blo		.30	with amaranth, and striped with	.25	3
8			ith red		e clear yellow, striped	.40	Madame Furtado. Rose, changing	.29	- d
		Eu:	gene	Scribe.	Flower very large		to pink, flamed with carmine	.75	
				rminate-	et, tender-rose, blazed	.75	Madame Rabourdin. Rose, flamed with carmine and white, striped in		1
A		Ete	ndar	d. Flo	wer very large and		the centre of each petal	.75	1
					white, slightly blazed let, spike long.	1.00	Mars. Beautiful; fine deep scarlet . Marie. Pure white, blotched with	.30	1
		Fla	via.	Very b	right-red, a color lit-		dark carmine	.50	
				er than . Rouget	Napoleon III	.40	Mazeppa. Orange-rose, blotched with vellow, and striped with red.	.30	
		st	riped	with ros	y carmine	.10	Mons. Blouet. Tender-rose, shaded		
					y-rose, with large vio- centre petals lined		with carnine; large flower Mons. Gorgeon. Rose, with salmon-	.20	1
		W	ith wl	nite.		.35	colored tint	.20	Des
1			lathes ith car		te, beautifully spotted	.20	Moliere. Flower very large and wide, perfect, cherry-colored red, with very		1
		Go	liath.	Light-	red, striped and spot-	00	large, pure-white stains 1	.00	
					e; large flower esh-color, beautifully	.20	Mozart. Flower large, very wide, spike spreading, bright rose, slightly		
		st	riped	with fine	e lake	.25	tinted with violet, very largely blazed		
					slightly tinged with d striped with violet.	.35	with very dark carmine; very large, pure-white stains; beautiful plant . 1	.25	- 1
		He	ctor		ate rose, sometimes		Napoleon III. Brilliant scarlet,	- 0	4
ı			riped uriett	a. Lar	ge, well-shaped flow-	.25	streaked with white	.30	
		er	, whit	te-tinted	and blazed with lilac	.50	spots and stripes	.10	
					hite, slightly suffused ed with carmine .	.20	Nemesis. Vivid-rose, with white lines and carmine stains on yellow ground	.20	A
1		Im	perâti	rice Eu	genie. White, flamed		Norma. Middle-sized flower, spike		
1		Iso	line.	Blush.	in the centre spotted with carmine	.75	spreading, pure white, very stender, and very slightly blazed with very		À
1		vi	iolet .		:	.20	tender lilac 1	25	
1			bella , pike, p		ite, with large, dark		Noemi. Flower large, light lilac-rose, spike very long.	.40	
1		C	armin	ite-viole	t stains	.75	Oscar. Flower large, well-shaped, very		
				'Arc. triped an	White, tinged with d stained with purple	.30		.25	
		La	Fav	orite.	Flower large, rose, mine; lower divisions		Osiris. Brilliant cherry-rose; fine .	.20	
V			ght ye	ellow		.75	Pallas. Bright rose, with stripes of	.50	1
		La	Fian	icee.	lower large, perfect, ll, bluish-violet stains;		a darker shade; spots of a violet- carmine on a slight orange-tinted		-
h		fi	ne var	ietv		1.00	ground	.15	
V		Lee	onora	. Flow	er large, perfect, cher- tinted with orange .	1.00	Penelope. White, slightly tinged with		3
1		Lo	uis V	an Ho	outte. Brilliant red,	1.00	pink; lower petals yellow-tinted, and striped with carmine.	.20	
1		b	lotche	d with v	iolet	.15	Pegasus. Carnation, flaked with rose; lower petals shaded with maroon		1
1	>	la	arge w	hite blo	ch on lower petals	.50	Pellonia. Rose, spotted with crimson	$.15 \\ .20$	4
5	36	3		2		1	25	_ /	NA.
K	,		5	200				-	=

	Z. I Vie	
7	PRIC	
~		Æ.
	Princess Alice. Flower very large	
•	and wide, perfect, tender lilac, slightly	
	tinted with rose, very large white	1
3	stains; new and charming shade;	
•	first-rate dwarf plant 1.	50
	first-rate dwarf plant 1. Princess Clothilde. Beautiful sal-	- 1
	mon-rose; very large 1.	00
	Prince Imperial. Blush - white,	
		15
,	Premices de Montrouge. Brilliant	10
	Fremices de Mondouge. Dimiant	00
		30
	Rossini. Flower large, perfect, very	
	long spike, dark amaranth-red, stained	- 4
	with white; very good variety 1.	05
	Raphael. Deep and vermilion	25
		25
		30
		50
	Solfatere. Rich Jonquil - yellow;	30
		40
		40
	Stephenson. Large; fine form; su-	
	perb spikes, cherry-carmine, lined	
	with white	75

WASHBURN

OMPANY'S

	C 0	į
Sin William II I Y	PRICE.	4
Sir William Hooker. Very large	,	١
and well-opened flower, perfect shape	,	
light-cherry color, rose-carmine stain	i	
on pure white ground; plant of a	į.	
great effect.	.75	
Stella. Flower large, well shaped		
ground white, slightly tinted with	i	
yellow and rose, and blazed with car-		
minate-red .	75	
Triomphe d'Enghein. Rich-flamed		
crimson	.20	
Velleda. Soft rose, blotched with lilad	.50	
Vesta. Pure white, with violet-car-		
mine spots on yellow ground	0.5	
mine spots on yellow ground .	35	
OMITTED GODGE OF THE		
OTHER SORTS OF GLADIOLU	JS.	
Gandavensis (the original variety).		
Vermilion, shaded with yellow	\$0.10	
Ramosus (original). Rose and white	20	

Pisittacinus. Yellow and brown Floribundas. White, with rosy stripe along the centre of each petal .

20

CHOICE MIXED VARIETIES.

We have a fine collection of mixed varieties, saved from seedlings, and others where the names have been lost, which we offer at \$1.00 to \$2.00 per doz., by mail, postpaid, \$5.00 per

GLADIOLUS LYONII.

Cardinalis habit. Flowers large spreading petals of good form; color pure white, vividly flaked with bright scarlet; very free bloomer, and altogether a most exquisite variety. Spikes of bloom were exhibited at the Rose show at the Massachusetts Horticultural Society last June, attracting great attention; highly recommended for pot-culture. Price 75 cts. to \$1.00 each.

TIGRIDIAS.


A genus of Mexican bulbs; grows about one foot and a half high, producing flowers of the most exquisite beauty; the flowers large, about four inches across, of singularly curious shape, and the color of each variety gorgeous, and purely contrasted. No flower can exceed it in beauty. In bloom from July to the first of October. In autumn, take up the bulbs, and keep them in a dry place, away from frost, until the time of planting in the spring. Tigridias by mail, postpaid.

Conchiflora. Orange and golden-yellow, spotted with black. 15 cts. each; \$1.25 per doz. Pavonia. Richest scarlet, tinged and spotted with yellow. 15 cents each; \$1.25 per doz.

DOUBLE TUBEROSES.

The Tuberose is one of the most delightfully fragrant and beautiful of summer-flowering bulbs, throwing up small spikes of double white flowers, two to three feet high, which remain in bloom a long period. The bulbs may be planted from February to May. When they are needed very early, they may be planted in the greenhouse or hotbed in February or March; and, for a succession of flowers, in April and May. In planting, remove the useless small offsets around the main root, and place a single tuber in a pot four or five incles wide. Use good loam and leaf-mould with good draining. Start them slowly upon a terminal process. less small offsets around the main root, and place a single tuber in a pot four or five inches wide. Use good loam and leaf-mould, with good drainage. Start them slowly upon a temperate heat, in the hotbed or forcing-pit, or later in the season in a frame. Water slightly at first; and, when the bulbs begin to grow, increase the quantity. Those started early should be supplied with a good bottom-heat till May, when they may be shifted into pots six or seven inches wide. By the first of June, all may be plunged out in a warm border, staking each plant to prevent their being broken by the wind. On the approach of cool weather, in September, those remaining in bloom should be removed to the conservatory or parlor, where they will continue in flower for a long period.

Fine bulbs, \$1.50 to \$2.00 per dozen; bulbs started in pots in May, \$3.00 per dozen.



VALLOTA.

A splendid bulbous-rooted plant, allied to the Amaryllis. It blooms in August, throwing up its strong stems about one foot high, with from five to eight brilliant, scarlet, lily-like flowers; very ornamental for bedding out in summer, or cultivation in pots and vases.

Purpurea, each 50 to 75 cts.

AMARYLLIS FORMOSISSIMA, OR JACOBEAN LILY.

This is a beautiful summer-flowering bulb. It generally produces two stems, one after the other, each bearing a large lily-like flower of the richest crimson-velvet color; its golden stamens drooping gracefully over the lower petals, giving it additional brilliancy. Plant the bulbs early in May, in rich mellow soil. In autumn, take them up, and keep dry and secure from frost. They bloom in June. Price, 35 cents each; \$3.50 per dozen.

TROPÆOLUM TRICOLORUM.

Pot in rich, free loam, leaf-mould, and sand, in autumn, and allow them to make way all through the winter in an airy greenhouse; the stems being trained up light trellises of some After the blooming season, the bulbs should be allowed a rest of a few months. kind. After Each, \$1.00.

SMILAX (MYRSIPHYLLUM ASPARAGOIDES).

A beautiful winter climbing-plant, adapted alike to the greenhouse and conservatory. Nothing can excel this plant in beauty of foliage and orange fragrance of the flowers. is extensively used for bouquets and floral decorations of every description.

Medium-size Bulbs, 25 cents each. Large-size Bulbs, 50 cents each. Extra-size Bulbs,

\$1.00 each. Seed per packet, 25 cents.

Note. — This plant is grown and used most extensively as a decorative vine by every florist in the vicinity of Boston. No lady, dressed for a party, feels her toilet complete (if natural flowers are worn) without a spray of *Smilax* appended to her hair.

JAPAN LILIES.

Our collection of Lilies comprises all the most beautiful kinds, including ten of our own seedlings, which are unsurpassed by any yet produced. A full description will be found in our Bulb Catalogue. The following are the principal varieties of the Japan:—

Lilium	Album.	Pure white.	Each	•	•	•	•	•		.40 to 8	\$.75	
	Rubrum.	White, with	deep c	rimson	spots					.40 to	.75	
	Roseum.	White, with	rose-co	lored sp	oots					.40 to	.75	
	Named S	oodlings (All suno	rh)						\$1.00 to	7.50	

MADEIRA VINE.

A beautiful summer climbing-plant, of rapid growth, completely covered with long, graceful racemes of deliciously-fragrant white flowers. Each 15 cents to 25 cents.

MUSHROOM SPAWN.

DIRECTIONS FOR GROWING MUSHROOMS. The only conditions required for the healthy growth of Mushrooms are a mass of short dung, heated to from fifty-five to sixty degrees, and lumps of Spawn about the size of walnuts, six inches apart, just beneath the surface; the whole covered with an inch thickness of good light friable earth, and three or four inches of straw, or litter of any kind, to keep in the very moderate warmth. 'managed in any dark enploard or celler; and the size of the bed is immaterial. This can be

Take of horse-droppings from the stable, without the straw, as much as will make the bed the size you want it, a foot thick: put this anywhere out of the weather, away from the light and draught. Let this be pressed, but not hard; and in a few days, when it is nice and warm on thrusting the hand in, get the Spawn, and break the cakes in small pieces and put them in all over the dung, even with the surface: upon this being patted down smooth, but not hard, it will require from half an inch to an inch of earth all over it. Pat it down to keep it in its place, and put some loose hay or straw over it. When it approaches dryness, it must be sprinkled with water with the chill off, enough to wet the earth, but not the dung. Sooner or later, according to the attention paid to these several points, you will have Mushrooms, and plenty of them.

Best Mill-track Mushroom Spawn, per pound, 15 cents; 8 cents per pound extra by mail;

8 pounds for \$1.00, by Express.

ITALIAN BEES.

The aperiority of these Bees over others is acknowledged by all. Some of the many advantages: they swarm earlier, work earlier and later, and store twice the amount of honey as the common bees. Allow about eight weeks to Italianize a hive of common bees. queens live from three to five years. Price per swarm, \$15.00. Queens, \$5.00 each. Packed to go any distance.



LILIUM AURATUM ONE-HALF ITS NATURAL SIZE.)

Very strong flower	ing	bull	bs,						.75 ea	ich,	٠		\$6.00 per dozen.
Second size bulbs,	٠				•		•	•	.50 '	,	٠		5.00 " "
Third " "	•	٠	٠	-	٠	10			.25	•	٠	•	3.00 " "

Seeds by the Pound of Bushel.

The following list embraces some of the leading kinds. All other vegetable seeds named in this Catalogue will also be supplied by the pound or bushel.

Asparagus	Lettuce.
Asparagus. Giant	Early Silesia \$0.75 \$2.00
PECK. BUSH.	Drumhead
Beans.	Early Tennisball 1.00 3 00 Butter 1.00 3.00
Early China \$1 50 \$5.00 Early Long Yellow Six-weeks . 2 00 6.00	
Early Valentine 2.00 7.00	Mountain Sweet
Early Mohawk 2 00 7.00 White Marrow 1.75 5.00	
Horticultural, Pole 2.50 8.00	Melon (Musk)
Indian Chief, Pole 3.50 12.00	Nutmeg
Large Lima, Pole 3 50 13.00 Seiva, Pole 3.50 13.00	Jenny Lind Early
Peas.	Large Yellow Musk
Carter's First Crop 2.50 8.00	Christiana
Waite's Caractacus 2.50 8.00	
Tom Thumb, Dwarf 3.00 10.00	Olena
McLean's Little Gem 4.00 14.00	Okra
McLean's Advancer 2.50 8.00 Laxton's Prolific 2.00 8.00	Onion.
McLean's Princess Royal 2.00 7.00	Large Red Wethersfield75 2.50
Champion of England 2.00 6.00	White Portugal 1.25 4.00
White Marrowfat 1.25 4.00 Black-eyed Marrowfat 1.25 4.00	1 77 1 77 2
Corn.	Parsnip.
Crosby's Early Sweet 1.75 6.06	
Stowell's Evergreen Sweet . 1.50 5.00	Parsley. Extra Curled
Early Yellow Field 1.25 4 00 Burr's Mammoth 1.75 6.00	Pepper.
Moore's Early Concord . 1.75 6.00	Squash 1.25 4.00
Beets. ½ LB. LB	Sweet Mountain 1.25 4.00 Sweet Spanish 1.50 5.00
Early Bassano40 1.00	D
Early Blood Turnip	Large Cheese
White Sugar	Large renow rieid
Mangel Wurzel, Giant Long Red .25 .86	
	Early Olive-shaped
Cabbage. Early York	Long Scarlet
Early Oxheart 1.00 3.0	Spinach.
Early Wakefield (Jersey) 2.50 8.00 Stone Mason Drumhead 1.50 5.00	Winter Delekter 00 40
Winningstadt 1.00 3.00	Salsify.
Marblelead Mammoth 2.00 8.00 Fottler's Early Drumhead	•
Large American Drumhead . 1.25 4.0	Sage Sage
Large Savoy Drumhead 1.00 3.0	Samach
Premium Flat Dutch (American) 1.00 3.0 Green Globe Savoy (American) 1.25 4.0	
Red Dutch 1.00 3.5	Summer Crookneck
Carrot.	Winter Crookneck
Early Horn	Hubbard
Long Orange	1 110011000 1 1110000
Large White Field30 1.0	Tomato.
Improved White Green Top Orthe .50 1.5	Large Smooth Red 1.00 3.00
Cauliflower.	Keyes's Early 1.00 3.00
Boston Market 5.00 18.0 Early Erfurt 5.00 18.0	Tilden 1.00 3.00
Walcheren 2.50 8.0	0 Trophy 2.00 6.00
Celery.	Turnip. Early White Dutch
White Solid 1.00 3.0	Early White Dutch
Boston Market 1.50 5.0 Turner's Incomparable Dwarf . 1.25 4.0	ned-top, Strap-lear
	White-top
Cress. Curled	6 Golden Ball
Cucumber.	Robertson's Golden Ball
Early Cluster	5 Purple-top Ruta-baga, Skirvings .20 .75
Early Short Prickly40 1.2	5 Laing's Improved Ruta-baga20 .75
Early White-spined	

Contents.

PAGE.	PAGE.	
Amaryllis Formosissima 128	List of Ornamental Grasses 78	
Annuals, Sowing and Cultivation of 5	" " Everlasting Flowers 81	
Autumn Catalogue 10	Lilies, Japan 127	
Biennials and Perennials, Cultivation of . 8	Lilium Auratum 127	
Choice Potatoes	Madeira Vines	
Collection of Flower-Seeds, by mail 13	Mushroom Spawn 127	
Collection of French and German Seeds . 84	Novelties, Flowers, 1870	
Clover-Seeds	Novelties, Vegetables, 1870-71 116	
Despatch of Orders	Ornamental Tree-Seeds	
Directions for Cultivators of Flowers 5	Potato-Seed	
Execution of Orders 3	Quality of Seed	
Facilities for forwarding Seeds by mail . 13	Remitting Money	
Flower-Gardens, Plans of 11	Risk in sending Money	
Fruit-Seeds	Seeds and Bulbs, by mail 3	
Great Inducements for forming Clubs 13	Seeds for Hedges	
Gladiolus, French Hybrid 123	Smilax	
Gladiolus Lyonii	Summer Flower-Garden	
Hotbeds, Preparation of 10	Strawberry-Seeds	
Horticultural Books 4th page cover	Tree-Seeds	
Italian Bees	To our Friends and Correspondents 3	
Lawn-Grass	Tobacco-Seed	
Lawn-Mowers and Seed-Sowers, 2d page cover	Tropæolum 127	
Letters Received	Tigridias 126	
List of Annuals	Tuberoses	
" " Biennials and Perennials 37	Vallotas	
" " Greenhouse-Seeds 61	Vegetable Seeds	
" " Ornamental Climbers 73	" by lb. or bush 3d page cover	
	- Jan Or Ganati von puge covice	

Books for Farmers and Others.

[Any of these books will be forwarded by mail nostnaid on receipt of price]

[Any of these books will be forwarded	by mail, postpaid, on receipt of price.
Allen's (R. L.) American Farm-Book \$1.50	Henderson's Practical Floriculture \$1.50
Allen's (R. L. and L. F.) New American	Hoope's Book of Evergreens 3.00
Farm-Book 2.50	Hop Culture
Allen's (R. L.) Diseases of Domestic Ani-	Husmann's Grapes and Wine 1.50
mals 1.00	Langstroth on the Honey Bee 2.00
American Bird Fancier	Leuchar's How to Build Hot-houses 1.50
American Rose Culturist	Mayhew's Illustrated Horse Doctor 3.00
American Weeds and Useful Plants 1.75	My Farm of Edgewood 1.75
Bement's Poulterer's Companion 2.00	My Vineyard at Lakeview 1.25
Bommer's Method of Making Manures25	Onion Culture
Breck's New Book of Flowers 1.75	Our Farm of Four Acres, paper, 30, cloth, .60
Bridgeman's Young Gardener's Assistant, 2.50	Pardee on Strawbery Culture
Buist's Family Kitchen Gardener 1.00	Parkman's Book of Roses 3.00
Buist's Flower-Garden Directory 1.50	Parsons on the Rose, by S. B. Parsons . 1.50
Burr's Vegetables of America 5.00	Quinby's Mysteries of Bee-Keeping . 1.50
Charlton's Grape-Grower's Guide	Rand's Bulbs 3.00
Cole's (S. W.) American Fruit Book	Rand's Flowers for Parlor and Garden . 3.00
Copeland's Country Life	Rivers's winiature Fruit Garden
Dadd's American Cattle Doctor 1.50 Dadd's Modern Horse Doctor 1.50	Rivers's Miniature-Fruit Garden 1.00 Saunder's Domestic Poultry, paper, .40,
Dana's Muck Manual 1.25 Downing's Fruit and Fruit-Trees of	hound
America 5.00	Stewart's (John) Stable Book 1.50
Eastwood on Cranberry	Strong's Cultivation of the Grape 3.00
Elliott's Western Fruit-Grower's Guide . 1.50	Ten Acres Enough 1.50
Every Woman her own Flower-Gardener .50	Thomas's Fruit Culturist 3.50
Farm Talk (Brackett) 1.00	Tim Bunker Papers 1.50
Farming for Boys 1.50	Tobacco Culture
Farming for Boys 1.50 Field's (Thomas W.) Pear Culture 1.25	Warder's American Pomology 3.00
Flax Culture	Warder's Hedges and Evergreens 1.50
Flint (Charles L.) on Grasses 2.50	Waring's Draining for Profit and Health, 1.50
Flint's Milch Cows and Dairy Farming . 2.50	Waring's Earth-Closets
French's Farm Drainage 1.50	Waring's Elements of Agriculture 1.50
Fuller's Forest-Tree Culturist 1.50	White's Gardening for the South 2.00
Fuller's Grape Culturist 1.50	Window-Gardening 1.50
Fuller's Small-Fruit Culturist 1.50	Woodward's Cottages and Farm-Houses, 1.50
Fuller's Strawberry Culturist	Woodward's Country Homes 1.50
Gray's How Plants Grow 1.25	Woodward's Graperies, &c 1.50 Woodward's Suburban and Country
Gray's School and Field Book of Botany, 2.50 Gregory on Squashes paper	
	Houses 1.50 Wright's Practical Poultry-Keeper 2.00
Henderson's Gardening for Flour 1.00	Wilght & Fraction Found y Treeper 2,00