XI. A Description of the several Strata of Earth, Stone, Coal, &c. found in a Coal-Pit at the West End of Dudley in Staffordshire: By Mr. Fettiplace Bellers, F. R. S. To which is added, a Table of the Specifick Gravity of each Stratum: By Mr. Fr. Hauksbee, F. R. S. Communicated by Dr. Hans Sloane, R. S. Secr.

I. A Yellowish Clay, which lyes immediately under the Turf.

II. A Blewish Clay.

III. A Blewish hard Clay; the Miners call it Clunch. This is one of the certain Signs of Coal. It has in it Mineral Plants.

IV. A Blewish soft Clay.

V. A fine-grained Gray Stone: It lyes next the former, and is found in some Pits only.

VI. A Clay almost like the First, only whiter.

VII. A hard Gray Rock; with fomething like the Impressions of Vegetables, but none distinct.

VIII. A Blew Clunch, like Numb. 3. with Mineral

Plants in it:

VIII. +. This Stratum (which is the same with Numb. 13.) was not taken.

IX. Coal, called Bench-Coal.

X. Coal, less black and shining than the former, called Slipper-Coal.

XI. Coal, more black and shining, called Spin-Coal. XII. A Coal like Cannal-Coal, by the Miners called Stone Coal. These Strata of Coal have between each

cess to

of them a Bat, of about the thickness of a Crown Piece.

XIII. A black Substance, called the Dun-Row-Bat.

XIV. A hard grey Iron Oar, called the Dun-Row Iron-Stone.

XV. A blewish Bat, in which the following Iron. Stone

lyes, called the White-Row.

XVI. A hard blackish Iron Oar, lying in small Nodules, having between them a white Substance; and from thence by the Miners called the White-Row-Grains, or Iron Stone.

XVII. A hard grey Iron Oar, with some white spots

in it, called the Mid-row Grains.

XVIII. A black fissile Substance, called the Gublin-

XIX. A hard blackish Iron Oar, with white spots in it, called the Gublin Iron-Stone.

XX. A Bat, in Substance much like that of Numb.

XVIII.

XXI. A hard grey Iron Oar, called the Cannoc, or Cannot-Iron-Stone.

XXII. A Bat, fomewhat harder than Numb. XX.

XXIII. A dark, gray, hard Iron Oar, called the Rubble Iron-Stone.

XXIV. The Table-Bat, next under the Rubble Iron-Stone.

XXV. A coarse fort of Coal, called the Foot Coal.

XXVI. A black, brittle, shining Bat.

XXVII. The Heathen-Coal.

Miners called a Bat; perhaps because it does not burn well.

XXIX. The Bench-Coal.

(543)

XXX. A Bat under the last, and is as low (viz. 1882 Feet) as they generally dig, tho' there is a coarse Coal under this.

N. B. Those Substances, which divide the Strata of Coals and Iron Oars from each other, are called Bats by the Miners: They are generally black, consisting of a Matter peculiar to themselves, and are of a Texture nearest like Marle; the some of them are fisse, and others have a Substance not unlike Coal mixt with them.

A Table of the Thickness of each Stratum, and its Propertion to Water, or Specifick Gravity.

Number of the Strata.	each S	ness of	Proportion to Water,		Or Specifick Gravity.
I.	Feet.	Inches.	as 385, to	192	as 200 to 100
If.	5	0	296	168	176
III.	24	0	23	9	256
IV.	9	0	209	106	197
V.	4	0	583	237	246
VI.	21	0	401	192	209
VII.	75	0	683	259	243
VIII.	5	Q	223	88	253
VIII+.	Ĭ	0			
IX.	3	0	7	ζ.	140
X.	3	a	106	72	147
XI.	4	0	147	114	129
XII.	4	0	185	143	130
XHI.	i	Q	408	198	206
XIV.	0	1	204	67	303
XV.	10	3	183	72	254
XVI.	1	3	325	232	334
XVII	0	ā	781	244	320
THE APPLICATION	•	,		**************************************	Number

Number of the Strata.	Thickness of each Stratum. Feet. Inches.		Proportion to Water,		Or Specifick Gravity.
XVIII.	2	0	as 305 to	129	as 236 to 100
XIX.	0	9	920	266	346
XX:	I	6	192	76	253
XXI.	0	6	675	2162	313
XXII.	1	0	428	165	290
XXIII.	0	6	828	231	358
XXIV.	2	0	333	153	318
XXV.	1	0	198	154	128
XXVI.	6	0	238	141	169
XXVII.	6	O ., ,	298	2362	126
XXVIII.	0	I	267	186	144
XXIX.	2	0	314	240	13 T
XXX.	0	6	244	133	183

By which it is evident, that the Gravities of the several Strata are in no manner of Order; but purely casual, as if mixt by chance.