Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Tobacco Stocks Report as of January 1, 1960



U. S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.

Stephen E. Wrather Director, Tobacco Division.

Washington, D. C. February 12, 1960

CONTENTS

	Page
Discussion	3 - 5
Conversion factors for adjusting for losses in weight	6
Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent	7
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT)	8-11
Stocks of leaf tobacco, by types and groups of grades	12-15
Summary of tobacco leaf represented in inventories of tobacco sheet	16
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers	17
Stocks of leaf tobacco, summary by types	18

EXPLANATION OF GROUP SYMBOLS BY TYPES OF TOBACCO FOR PURPOSES OF THE TOBACCO STOCKS REPORT

GROUPS OF FLUE-CURED

TYPES 11, 12, 13, and 14:

A-Wrappers

B-Leaf and smoking leaf

C-Cutters

X-Lugs and primings

S-Scrap

N-Nondescript

GROUPS OF FIRE-CURED

TYPES 21, 22, and 23:

A-Wrappers

B-Heavy leaf

C-Thin leaf

X-Lugs

S-N-Scrap and nondescript

GROUPS OF BURLEY

TYPE 31:

B-Leaf

T-Tips

C-Lugs and cutters

X-Trash and flyings

S-Scrap

N-Nondescript

GROUPS OF SOUTHERN MARYLAND

TYPE 32:

B-Heavy leaf or dull crop

C-Thin leaf or bright crop

X-Seconds and ground leaves

S-Scrap

N-Nondescript

GROUPS OF DARK AIR-CURED

TYPES 35, 36, and 37:

A-Wrappers

B-Heavy leaf

C-Thin leaf

X-Lugs

S-N-Scrap and nondescript

GROUPS OF PENNSYLVANIA SEEDLEAF

TYPE 41:

B-Binders or tops

C-Fillers (farm wrappers)

X-Crop-run and stemming grades

Y-Farm fillers or ground leaves

S-Scrap

GROUPS OF OHIO FILLER

TYPES 42-44:

C-Fillers (farm wrappers)

X-Crop-run and stemming grades

Y-Farm fillers or ground leaves

S-Scrap

GROUPS OF PUERTO RICAN

TYPE 46:

C-Superior

X-Inferior

Y-Trashy (Rabia)

S-Scrap (Picadura)

GROUPS OF CONNECTICUT VALLEY BROADLEAF

AND HAVANA SEED

TYPES 51 and 52:

A-Wrappers

B-Binders, seconds, and brokes

C-Fillers and short darks

X-Stemming grades

S-Scrap

GROUPS OF NEW YORK AND PENNSYLVANIA

HAVANA SEED

TYPE 53:

B-Binders, seconds, and brokes

X-Crop-run and stemming grades

S-Scrap

GROUPS OF SOUTHERN AND NORTHERN WISCONSIN

TYPES 54 and 55:

B-Binders

C-Fillers

X-Crop-run and stemming grades

S-Scrap

GROUPS OF CONNECTICUT AND GEORGIA

AND FLORIDA SHADE

TYPES 61 and 62:

A-Wrappers

B-Stout wrappers and binders

C-Fillers or tips

S-Scrap

GROUPS OF FOREIGN-GROWN CIGAR-LEAF

TYPES 81, 82, and 83:

A-Wrappers

C-Fillers

S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/2/

Total Stocks of Leaf Tobacco Lower Than A Year Ago

Leaf tobacco stocks in the United States and Puerto Rico totaled 4,854 million pounds (farm-sales weight) as of January 1, 1960, based on the quarterly reports of dealers and manufacturers. This is a decrease of 123 million pounds in leaf inventories compared with the previous January 1, and a substantial 295 million from 2 years ago. During the October-December quarter, marketings of the 1959 crop totaled around 760 million pounds. This brought total marketings of the 1959 crop to approximately 1,560 million, or about 85 percent of total production. (About the same percentage of the previous year's crop was sold in the corresponding period last year.)

Stocks of most types were lower than on the previous January 1, reflecting the smaller production of tobacco in the United States. Flue-cured was down 4 percent; burley, 2 percent; Maryland, 11 percent; fire-cured, 9 percent; dark air-cured, 8 percent; and cigar-filler, 4 percent.

Stocks as of January 1 included about 879 million pounds (farm-sales weight) of leaf tobacco under Government loans down a substantial 199 million pounds from a year ago. Loan stocks as of January 1 were divided as follows: Flue-cured, 592 million pounds; burley, 203 million; Maryland 9.2 million; fire-cured, 43.6 million; dark air-cured, 18.0 million; and cigar-leaf, 13.3 million. More than one-half of the burley holdings on hand as of this January 1 has been sold and this tobacco will move from under price support loans in the near future.

2/ All Government loan stocks are reported by Grower Cooperatives, which are considered dealers for stocks-reporting purposes.

l/ Figures quoted for type totals in this summary are the farm-salesweight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. (See tables in body of report for reported weight basis.) This report is issued quarterly.

CIGARETTE-LEAF STOCKS

Flue-cured, Burley, and Maryland Stocks All Lower Than on Last January 1
Foreign-grown Holdings at High Level

Stocks of <u>flue-cured</u> tobacco totaled 2,597 million pounds as of January 1, 1960--a decrease of 95 million from those reported the previous January 1 and 212 million from 2 years ago. Marketing of the 1959 crop was completed by January 1, with producers' sales totaling 1,078 million pounds, approximately the same as the 1958 crop.

Burley tobacco holdings this January 1 were 1,481 million pounds—31 million below the stocks of a year ago (1,512 million). Sales of the 1959 crop of burley leaf on the auction markets prior to January 1 this year totaled about 445 million pounds, or 88 percent of the crop. (About 83 percent of the 1958 crop was marketed through the corresponding date a year earlier.)

Maryland stocks of January 1, 1960, were 62.9 pounds--a substantial reduction from those reported a year earlier (70.9 million).

Stocks of Foreign-grown cigarette and smoking tobacco (Turkish and other) were 229.0 million pounds--22.2 million pounds greater than inventories of a year ago (206.8 million).

DARK TOBACCO STOCKS

Holdings of Fire-cured and Dark Air-cured Smaller Than on January 1, 1959

Fire-cured tobacco stocks, reported as 112.6 million pounds on January 1, 1960, were significantly smaller than those of a year ago (124.1 million), decreases occurring in all 3 types. Virginia fire-cured holdings on January 1, 1960, were 24.7 million pounds; Eastern District Kentucky and Tennessee fire-cured, 72.8 million; and Western District, 15.2 million. Sales of the 1959 crop of type 21 on the auction markets prior to January 1 totaled 4.9 million pounds, slightly more than was sold the previous year up to the same date. Markets in types 22 and 23, as is customary, did not open until after January 1.

Holdings of dark air-cured tobacco totaled 71.1 million pounds on January 1, 1960-6.1 million less than were reported a year earlier and 17.2 million below 2 years ago. Stocks of each of the dark air-cured types showed decreases. One Sucker stocks on this January 1 were 43.2 million pounds; Green River, 22.3 million; and Virginia sun-cured, 5.6 million. Auction sales prior to January 1 totaled 9.9 million pounds (5.7 million the previous year for the same period).

CIGAR LEAF STOCKS

Holdings of Filler and Binder Kinds Down Slightly; Shade-grown Increases

Imported Cigar-leaf Stocks Considerably Larger

Holdings by dealers and manufacturers of all domestic types of cigar leaf tobacco were reported as 253.6 million pounds (farm-sales-weight) on January 1, 1960 (257.4 million a year earlier). Stocks of foreign-grown cigar-leaf totaled 42.6 million pounds (unstemmed equivalent) on this January 1 reporting date--9.0 million more than holdings on the same date a year earlier (17.6 million compared with 2 years earlier).

Cigar-filler type stocks totaling 145.8 million pounds were 5.3 million under those of a year ago (151.1 million). Holdings of Pennsylvania filler were slightly higher, but lower stocks of Ohio and Puerto Rican leaf more than offset this increase. Pennsylvania Seedleaf stocks this January 1 were 93.1 million pounds; Ohio filler, 15.9 million; and Puerto Rican, 36.7 million.

Stocks of cigar-binder types were 78.3 million pounds on January 1, 1960 (79.3 million on the previous January 1). Stocks of Connecticut Valley Broadleaf this January 1 were 20.4 million pounds; Connecticut Valley Havana Seed, 16.4 million; Southern Wisconsin, 18.9 million; and Northern Wisconsin, 22.6 million.

Shade-grown cigar wrapper stocks this January 1 were 29.5 million pounds --2.6 million more than were reported a year earlier (26.9 million). Stocks of both types 61 and 62 were higher, compared with the previous January 1. Stocks of Connecticut Valley Shade on January 1, 1960, were 18.8 million pounds, and of Georgia and Florida Shade, 10.7 million. It appears likely that all of the 1959 crop of 18.6 million pounds was in stocks on January 1, 1960.

Stocks of foreign-grown cigar leaf, as of January 1, 1960, were divided as follows: Cuban, 26.2 million pounds; Philippine Islands (Manila), ll.1 million; Sumatra and Java, 21 thousand pounds; and miscellaneous foreign-grown cigar leaf, 5.2 million.

LEAF REPRESENTED IN STOCKS OF TOBACCO SHEET (see table 5)

Stocks Represented in Tobacco Sheet Show Increase

Stocks of leaf represented in inventories of "tobacco sheet" totaled 4.6 million pounds (reporting weight) compared with 2.9 million on the previous January 1. Of the total in "tobacco sheet" this January 1, 2.8 million pounds was for use in cigarettes and smoking tobacco, 1.8 million for cigar binder and a very small quantity for wrappers for small cigars.

TABLE 1.-Average percentage of weight remaining after handling, sweating, drying, and stemming, and factors used for adjusting stocks reported by date 1/

SOUTHERN TYPES (11-37)

	••••	Yield reali	realized from farm-sales-weight	weight to	Stem	Stemming	Factors used	Factors used to multiply by to
	··· • eav	Packed	ed in domestic order		Yield from		convert re	convert reported stocks of
Type	number	Packed	to the end of	Jo.	actual weight at	Yield from farm-sales	Stermed stocks to	:Unstermed stocks
		weight	One year in storage	: Two years in storage	time of operation	weight	unstemmed equivalent	:weight equivalent 2/
	•••	Percent	Percent	Percent	Percent	Percent	Factor	Factor
Flue-cured	-11-11	90.0	89.1	88.7	78.0	0.69	1.282	1,12
Virginia fire-cured	: ਹ	81.0	0.00	0.00	77.0	62.0	1.299	1,24
Tenn. and Ky. fire-cured.	22-23	98°. V. 00	94°6	92.7	76.0	86	1.316	1.04
Southern Maryland	32 25	98.0	0.96	94.1	74.0	5.0	1,351	2 0 0
One Sucker	35	92.0	90.2	88	70.0	61.5	1,429	1.09
Green River:	36	0.06	87.3	86.0	76.0	94.5	1.316	1.13
Virginia sun-cured	37 :	86.0	85.0	85.0	0.97	65.0	1.316	1.16
	••							
		O	CIGAR LEAF TYPES (41-62)	-62)				
Pennsylvania Seedleaf :	t1	97.3	0.42	82.0	72.0	58.0	1.387	3/
Gebhardt	. 24	97.1	83.3	و. و. و.	73.0	58.0	·	r
Zimmer	 	95.9	0.03	S 6	7.5	26.51	(1.387	73
Puerto Rico	···	- 0 9 0	33.5	82.0	20.0	. v.	1.275	71 1
Connectiont Broadlesf		97.0	85.4	83.1	77.5	, c	1000	7 - 7
Connecticut Havana Seed . :	52.	97.0	85.0	83.1	7.0	62.5	1,299	N. Carlo
N. Y. and Pa. Havans Seed :	53 :	91.0	82.9	6.08	73.5	58.5	1.364	3/
Southern Wisconsin :	54 :	96.3	81.5	79.1	77.0	59.5	1.300	lmi
Northern Wisconsin :	. 55	93.7	82.4	۰. 8:	75.0	29.0	1.333	
Connecticut Shade		91.1	86°3	±. de	81.5	67.5	1.224	/N
Ga. and Fla. Shade	 8	7.60	C+5	02.3	03.0	0.10	1.205	77
.'	•		(OO OC) SECURITARIO MENDE AND MENDER OF SECURITARIO MENDER OF SECU	O TENTEROOF CHEA	CC) DECOME MAY	(00		
!		H	TOTAL COORDINATION	ALIA FORETCE CEN	ON LITED (197	106		
Miscellaneous Domestic :	72-77 :	!	;	;	1	:	1.333	1.09
Foreign-grown cigar real.		1	1	1	!	1	1.205	1
and smoking tobacco	06	1	1	1	ł	1	1.205	/1

1/ Information in this table taken from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. 2/ Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating, and storage. 3/ See footnote 2 on page 7 for conversion factors to farm-sales-weight equivalent for cigar leaf except Type 46. 4/Foreign-grown stocks not converted to farm-salesweight equivalent.

Table 2. -- Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, January 1, 1960, compared with other quarters 1/2/

FARM-SALES WEIGHT

	1 /	4 K /VI - 3 F	ALLO V	LIOIII			
	. U.S.		January 1,		October 1.	July 1,	April 1,
Type name	: type :	1960	1959	1958	1959	1959	1959
	: :	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	2,596,782	2,692,172	2,809,499	2,555,429	2,210,373	2,457,039
Virginia fire-cured Tennessee and Kentucky fire-cured (Eastern District)	21 22	24,682 72,791	26,155 80,168	27,561 84,514	22,537 81,631	25,391 90,024	26,638 96,037
Kentucky and Tennessee fire-cured (Western District)	: 23 :	15,177	17,801	20,798	17,614	19,516	20,655
Total Fire-cured	: 21-23 :	112,650	124,124	132,873	121,782	134,931	143,330
Burley Southern Maryland	: 31 : 32	1,481,367 62,882	1,511,842 70,856	1,525,414 69,353 1,594,767	1,235,515 72,034*	1,365,599 77,208	1,501,835 60,300
Total Light Air-cured	: 31-32	1,544,249	1,582,698	1,594,767	1,307,549*	1,442,807	1,562,135
One Sucker Green River Virginia sun-cured	35 36 37	43,247 22,311 5,551	46,851 24,502 5,814	53,177 28,814 6,269	42,794 20,810 4,946	46,030 23,148 5,549	49,152 25,005 6,027
Total Dark Air-cured	35-37	71,109	77,167	88,260	68,550	74,727	80,184
Pennsylvania Seedleaf Ohio Filler (Miami Valley) Puerto Rican:	41 42-44	93,139 15,892	91,721 18,862	95,631 21,128	104,285* 17,121	119,823 18,577	129,956 20,062
In United States In Puerto Rico Total Cigar-filler	46 46 41-46	22,353 14,370 145,754	22,563 17,971 151,117	27,631 16,126 160,516	20,493 21,893* 163,792*	17,796 38,449 194,645	21,422 27,027 198,467
Connecticut Valley Broadleaf Connecticut Valley Havana Seed Southern Wisconsin Northern Wisconsin Total Cigar-binder	51 52 54 55 51-55	20,361 16,435 18,910 22,589	20,625 15,576 17,862 25,284 79,347	24,346 20,019 19,024 26,402 89,786	20,041* 14,526* 20,906 25,260 80,733*	21,004 16,331 23,219 28,518 89,072	22,464 16,791 25,214 32,893 97,362
Connecticut shade Georgia and Florida shade Total Cigar-wrapper	61 62 61-62		17,072 9,871 26,943	17,067 10,391 27,458	15,319* 9,378 24,697*	12,970 7,339 20,309	15,400 8,998 24,398
Low-nicotine Low-nicotine Perique Other Miscellaneous Domestic 3/ Domestic Aromatic	31-V 70 72 73	71 86 484 2,582 435	57 112 638 2,231 482	75 106 655 3,934 424	81 93 506 2,412 427	87 100 603 2,429 210	90 106 718 2,617 457
Total Miscellaneous Domestic	31-V & : 70-77	3,658	3,520	5,194	3,519	3,429	3,988
Cuba (Havana) 4/ Sumatra and Java 4/ Philippine Islands (Manila) Other foreign-grown cigar-leaf 4/ Total Foreign-grown Cigar-leaf 4/	81 82 83 84 81-84	26,243 21 11,126 5,226 42,616	20,660 28 12,881 20 33,589	16,646 64 8,253 5 24,968	29,351* 23 9,284 5,438 44,096*	25,131 84 12,875 5,255 43,345	24,018 20 13,467 5,293 42,798
Foreign-grown cigarette & smoking tobacco (Turkish and other) 4/	90	228,997	206,758	-215,308	209,002	235,525	231,557
Total All Types	11-90	4,853,630	4,977,435	5,148,629	4,579,148*	4,449,163	4,841,258
	·						

Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for January 1, 1960 are as follows: Type 41, 106; Types 42-44, 112; Type 51, 105; Type 52, 106; Type 54, 104; Type 55, 105; Type 61, 108; Type 62, 112. January 1, 1960 figures subject to revision.

For explanation of stocks included in this classification, see footnote 5 on page 15.

^{*} Revisions in October 1, 1959 report.

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1954-59 1/

TOTAL ALL TYPES 11-62

:		arry-over	2/		:	:	D	isappearan	ce	Average
Marketing year	Manu- facturers	Under loan	Other		Pro- duction	Total supply	Total	: Exports	Other	price to growers
	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1954 : 1955 : 1956 : 1957 : 1958 :	2,755.8 2,744.6 2,840.2 2,963.5 2,74i6 2,647.3	617.4 867.3 948.5 1,027.9 999.5 957.9	343.7 424.1 382.2 422.4 422.6 367.7	3,716.9 4,036.0 4,171.4 4,413.8 4,163.7 3,972.9	2,277.5 2,222.7 2,199.4 1,694.1 1,761.1 3/1,825.9	5,994.4 6,258.7 6,370.8 6,107.9 5,924.8 5,798.8	1,958.4 2,087.3 1,957.0 1,944.2 1,952.5	515.5 647.8 556.7 528.0 535.8	1,442.9 1,439.5 1,400.3 1,416.2 1,416.7	50.8 52.8 53.5 55.7 59.5
					URED, TYPES une Marketing					
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	1,485.0	279.4 329.7 456.3 643.3 616.7 639.9	188.5 241.9 225.4 274.2 285.8 242.5	1,915.1 2,056.6 2,258.3 2,511.3 2,308.1 2,210.4	1,314.4 1,483.0 1,422.5 975.0 1,081.0 3/1,079.3	3,229.5 3,539.6 3,680.8 3,486.3 3,389.1 3,289.6	1,172.9 1,281.3 1,169.5 1,178.2 1,178.8	428.8 553.0 465.1 442.3 443.0	744.1 728.3 704.4 735.9 735.8	52.7 52.7 51.5 55.4 58.2
			(A FIRE-CURED,					
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	12.9 11.7 12.4 12.9	8.8 9.3 8.4 7.9 7.7 8.2	3.8 4.4 4.3 4.5 3.2 2.8	26.2 26.6 24.4 24.8 23.8 22.5	10.6 10.5 10.7 8.6 9.4 3/10.8	36.8 37.1 35.1 33.4 33.2 33.3	10.2 12.7 10.3 9.6 10.7	4.2 6.0 5.5 5.4 5.1	6.0 6.7 4.8 4.2 5.6	34.4 31.3 39.5 38.7 36.9
TOTAL, TYPES 22-23 (October-September Marketing Year)										
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	53.1 55.8 56.9	39.4 34.4 37.3 37.9 38.6 37.3	14.9 23.0 20.1 26.0 18.3 13.5	107.8 110.5 113.2 120.8 109.4 99.2	51.6 54.7 59.9 41.9 33.9 <u>3</u> / 41.8	159.4 165.2 173.1 162.7 143.2 141.0	48.9 51.9 52.3 53.3 44.0			38.5 38.4 36.1 36.4 38.1
					ENTUCKY FIRE		E 22			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	46.9 49.0 46.0	29.6 23.3 26.9 27.4 28.8 28.8	11.5 18.2 15.0 20.6 14.7 10.6	86.3 84.8 88.8 97.0 89.5 81.6	37.4 40.5 43.7 33.6 26.4 <u>3</u> / 31.3	123.7 125.3 132.5 130.6 115.9 112.9	38.9 36.5 35.5 41.1 34.3			40.8 40.5 37.3 36.8 38.4
					INNESSEE FIRE eptember Mark		E 23			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	9.8 8.9	9.8 11.1 10.4 10.5 9.8 8.5	3.4 4.8 5.1 5.4 3.6 2.9	21.5 25.7 24.4 23.8 19.9 17.6	14.2 14.2 16.2 8.3 7.5 3/10.5	35.7 39.9 40.6 32.1 27.3 28.1	10.0 15.4 16.8 12.2 9.7			32.4 32.4 32.7 34.8 37.0

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, $1954-59 \frac{1}{2}$

BURLEY, TYPE 31 (October-September Marketing Year)

Marketing:	(Carry-over	2/		Pro-	· · Total	I	Disappearanc	e	Average
year	Manu- facturers	Under loan	: Other		duction	supply	Total	Exports:	Other	price to growers
:	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	867.1 886.3 985.0	228.1 431.3 376.7 278.4 278.1 231.8	50.6 48.3 38.0 36.1 40.3 38.6	1,198.2 1,346.7 1,301.0 1,299.5 1,284.8 1,235.5	667.6 470.0 506.4 488.1 465.5 3/500.1	1,865.8 1,816.7 1,807.4 1,787.6 1,750.3 1,735.6	519.1 515.8 507.9 502.8 514.8	33.4 34.4 28.2 28.1 34.8	485.7 481.4 479.7 474.7 480.0	49.8 58.6 63.6 60.3 66.1
					MARYLAND, TY -September M		er)			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	47.1 45.3 48.1 47.5	14.0 11.0 8.4 9.0 11.1 9.7	14.6 26.2 23.5 21.8 21.7 16.2	76.7 84.3 77.2 78.9 80.3 72.0	43.8 31.5 36.5 38.5 31.5 3/33.3	120.5 115.8 113.7 117.4 111.8 105.3	36.1 38.6 34.9 37.0 39.3	8.2 12.9 13.5 11.7 15.3	27.9 25.7 21.4 25.3 24.0	40.3 50.8 51.7 44.9
					TAL, TYPES 3 -September M		ar)			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	31.9 34.5 38.3 36.2	36.5 36.9 37.7 31.5 30.2 18.1	6.4 7.7 8.6 7.7 6.1 4.5	72.1 76.5 80.8 77.5 72.5 63.6	30.4 28.0 30.7 19.8 16.1 3/19.6	102.5 104.4 111.5 97.3 88.6 83.2	25.9 23.6 34.1 24.8 25.1	9.5 5.2 10.6 6.3 7.5	16.4 18.4 23.5 18.6 17.6	34.3 31.8 34.0 36.1 38.4
				(October	ONE SUCKER,		ar)			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	16.1 18.5 22.3	26.3 26.7 26.8 21.5 21.2 11.3	4.8 5.4 5.4 5.9 4.3 4.0	45.7 48.2 50.7 49.7 47.5 42.8	19.8 18.1 20.2 13.9 11.6 3/13.8	65.5 66.3 70.9 63.6 59.1 56.6	17.3 15.6 21.3 16.1 16.4	6.3 3.9 8.3 4.6 6.2	11.0 11.7 13.0 11.5 10.2	34.1 33.1 36.0 36.9 39.0
				(October	GREEN RIVER		ar)			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	15.8 16.0 16.0 14.2	10.2 10.2 10.9 10.0 9.0 6.8	1.6 2.3 3.2 1.8 1.8	26.4 28.3 30.1 27.8 25.0 20.8	10.6 9.7 10.5 5.9 4.5 3/5.8	37.0 38.0 40.6 33.7 29.5 26.6	8.6 8.0 12.8 8.8 8.7	3.2 1.3 2.3 1.7 1.3	5.4 6.7 10.5 7.1 7.4	34.7 29.3 30.0 34.4 36.7
					INIA SUN-CUR -September M		ar)			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	3.1 3.8 4.5	0 0 0 0 0 0	1.1 1.1 .8 .8 .8	3.7 4.2 4.6 5.3 5.5 4.9	3.7 3.2 3.2 2.7 1.9 3/2.5	7.4 7.4 7.8 8.0 7.4 7.4	3.2 2.8 2.4 2.5 2.4	.5 .8 .6 .6	2.7 2.0 1.8 1.9 2.1	32.2 25.3 25.7 34.0 36.8

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, $1954-59 \text{ } \frac{1}{2}$ --Continued

PENNSYLVANIA SEEDLEAF, TYPE 41 (October-September Marketing Year)

Marketing	С	arry-over	2/		Pro-	Total	D	isappearan	се	Average
year	Manu- facturers	Under loan	Other			supply	Total	Exports	Other	price to growers
:	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1954 1955 1956 1957 1958 1959	84.1 86.8 81.3	0 0 0 0 0 0	16.6 22.7 19.6 18.5 22.4 18.2	105.7 113.0 103.7 105.3 103.7 104.3	48.8 45.7 48.4 41.2 51.0 3/53.5	154.5 158.7 152.1 146.5 154.7 157.8	41.5 55.0 46.8 42.8 50.4	.1 .4 .2 .1	41.4 54.6 46.6 42.7 50.1	27.4 24.5 24.0 20.5 28.0
					EY (OHIO) FI -September M					
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	19.3 19.3 19.2 19.4	.1 1.4 1.9 2.2 0	4.2 2.2 2.0 1.7 1.1	24.1 22.9 23.2 23.1 20.5 17.1	8.0 7.5 6.3 4.6 2.4 3/6.8	32.1 30.4 29.5 27.7 22.9 23.9	9.2 7.2 6.4 7.2 5.9		9.2 7.2 6.4 7.2 5.9	22.5 21.8 22.0 22.8 24.2
					RICAN FILL September M		ar)			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	29.8 35.3 38.0 41.3	0 3.5 2.0 1.0 1.0	22.7 26.0 20.3 11.3 7.3 14.8	49.2 59.3 57.6 50.3 49.6 42.4	34.0 30.0 24.0 26.7 25.6 3/26.0	83.2 89.3 81.6 77.0 75.2 68.4	23.9 31.7 31.3 27.4 32.8	.1 .1 .5 .1	23.8 31.6 30.8 27.3 31.6	30.5 25.2 30.8 27.5 30.0
					FICUT BROADL -September M					
1954 : 1955 : 1956 : 1957 : 1958 :	25.7 19.3 14.0	.9 6.5 7.9 7.7 6.5	6.2 6.8 5.0 3.6 3.1 3.6	31.8 33.4 30.8 25.5 22.2 20.0	13.4 12.1 7.5 5.1 3.4 3/5.0	45.2 45.5 38.3 30.6 25.6 25.0	11.7 14.6 12.8 8.4 5.7	.2 .4 1.5 .7	11.5 14.2 11.3 7.7 5.5	56.5 44.9 59.0 50.0 54.0
					ICUT HAVANA -September M	,				
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	17.2 11.6 9.0 6.4	1.4 3.3 5.8 6.8 6.4 5.7	2.5 2.8 4.2 4.4 3.1 1.7	24.3 23.3 21.6 20.2 15.9 14.6	11.9 9.9 5.8 3.2 1.8 3/3.5	36.2 33.2 27.4 23.4 17.7 18.1	12.9 11.6 7.2 7.5 3.2	.6 1.5 1.5 1.2	12.3 10.1 5.7 6.3 2.6	44.0 35.0 42.3 44.9 49.4
					HERN WISCONS -September M					
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	23.7 20.5 20.3 19.2	7.1 4.4 4.2 .5	•5 •9 •7 •2 •3	30.5 29.0 25.4 21.0 20.0 20.9	7.5 6.7 6.8 7.7 8.8 3/10.3	38.0 35.7 32.2 28.7 28.8 31.2	9.0 10.3 11.1 8.6 8.0	.4 .3 .1 .4	8.6 10.0 11.0 8.2 7.6	24.3 22.9 26.1 31.1 34.6
Soo footne	tes at end	-0 +->1-							Conti	nued

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1954-59 1/--Continued

NORTHERU WISCONSIN, TYPE 55 (October-September Marketing Year)

Marketing:	٤, (Carry-over	2/		: Pro-	: Total	D:	isappearan	ce	Average
year	Manu- facturers	Under loan	Other	Total	duction	supply	Total	Exports	Other	price tc growers
:	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1954 : 1955 : 1956 : 1957 : 1958 :	25.9 25.8 23.6 23.7 21.9 21.1	1.7 1.2 3.3 1.5 1.5	4.2 3.9 4.9 6.4 3.2 3.5	31.8 30.9 31.8 31.6 26.6 25.3	15.4 14.3 13.4 12.2 12.9 3/15.0	47.2 45.1 45.2 43.8 39.5 40.3	16.3 13.4 13.5 17.1 14.3	.2 .3 .1 2.0 2.3	16.1 13.1 13.4 15.1 12.0	32.7 24.6 30.9 33.5 35.2
					GAR WRAPPER, -June Market		2			
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	11.8		6.8 6.2 4.7 5.7 5.7 5.5	18.2 18.0 17.0 18.5 20.6 20.1 20.3	16.5 15.6 17.1 18.9 16.3 <u>3</u> /18.6	34.7 33.6 34.1 37.4 36.9 -38.7	16.6 16.7 15.6 16.8 17.0	4.2 5.1 4.5 5.3 5.3	12.4 11.6 11.1 11.5 11.7	207.0 202.0 186.0 199.0 216.0
					CTICUT SHADE June Market					
1954 : 1955 : 1956 : 1957 : 1958 : 1959 :	7.5 7.8 8.7 9.0		4.3 3.6 2.8 2.7 4.1 3.8 4.0	11.4 11.1 10.6 11.4 13.1 -12.8 13.0	9.9 8.8 10.3 11.8 10.1 3/10.9	21.3 19.9 20.9 23.2 23.2 23.7 23.7	10.1 9.4 9.5 10.1 10.5	-		215.0 215.0 190.0 205.0 235.0
					AND FLORIDA y-June Marke		62			
1954 :: 1955 : 1956 : 1957 : 1958 : 1959 :	4.3		2.5 2.6 1.9 2.3 1.6 1.5	6.8 6.9 6.4 7.1 7.5 7.3	6.6 6.8 6.8 7.1 6.2 <u>3</u> /7.7	13.4 13.7 13.2 14.2 13.7 15.0	6.5 7.3 6.1 6.7 6.5			195.0 195.0 185.0 180.0 190.0 185.0

Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

^{2/} The carry-over stocks have been tabulated separately according to broad groupings of ownership, namely manufacturers, under loan, and all other. "Other" reflects stocks reported by tobacco dealers and stocks held in the United States by representatives of foreign manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export.

^{3/} December 1 estimate, U. S. Crop Reporting Board.

Table 4...-Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1960 compared with January 1, 1959, and October 1, 1959

REPORTED WEIGHT TYPES 11-14 - FLUE-CURED

m-m- 11 01d	and Middle Belt	fluo aumad		TYPES 11-14	- FLUE-CUREI)			
	:	uary 1, 1960	2/ :	To	210mr 1 1050	:	000	heben 1 1050	
Group	: Unstemmed :	Stemmed :		Unstermed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	376,729	303,539	680,268	422,714	300,552	723,266	353,426	272,315	625,741
Type 12, Easte Total Leaf	ern North Carol	ina flue-cur 367,788	ed 710,964 :	430,525	328,752	759,277:	379,824	333,644	713,468
						1773-11 •	317,024	333,044	113,400
	carolina flue 250,705	192,420	443,125 :	280,415	175,938	456,353 :	263,623	188,807	452,430
Type 14, Georg	gia and Florida : 34,783	flue-cured 158,988	193,771 :	31,683	160,078	191,761 :	38,616	176,115	214,731
	Total flue-cure : 1,005,393	d 1,022,735	2,028,128 :	1.165.337	965,320	2,130,657:	1 035 480	970,881	2,006,370
Other Leaf 1/	453	1,219	1,672 :		622	622 :	271	939 971,820	1,210
Total	: 1,005,846	1,023,954	2,029,800 :	1,165,337	965,942	2,131,279 :	1,035,760	971,820	2,007,580
				TYPES 21-23	- FIRE-CUREI).			
Type 21, Virg	inia fire-cured								
Total Leaf	: 19,621	219	19,840 :	20,953	108	21,061 :	17,874	232	18,106
	essee and Kentu 68.352	cky fire-cur	ed, (Eastern D 69.543 :	istrict) 76,572	390	76,962 :	78,008	367	78,375
					370	10,702 .	10,000		رادو ا
	ucky and Tennes : 14,577	see fire-cur	14,589 :	17,071	34	17,105:	16,916	16	16,932
Types 21-23, 5	Potal fire-cure	d							
	102,550	1,422	103,972 :	114,596	532	115,128 :	112,798	615	113,413
			'	TYPES 31-32	- LIGHT AIR-	-CURED			
Type 31, Burle Total Leaf	ey : 531,090	585,017	1,116,107 :	645,430	521,048	1,166,478 :	419,627	505,171	924,798
Other Leaf 1/	301	666 585,683	967 : 1,117,074 :	645,430	365 521,413	365 : 1,166,843 :	177 419,804	628 505,799	805 925,603
		707,003	1,11,014:	047,430	721,413	1,100,045 :	419,004	2003, 199	92),003
Type 32, South		24,067	53,141 :	37,147	23,864	61,011 :	34,480*	26,717	61,197*
Other Leaf 1/ Total	29,074	45 24,112	45 : 53,186 :	37,147	59 23,923	59 : 61,070 :	34,483*	33 26,750	36 61,233*
1004			75,200 .	21) = 11	-317-3	01,010		20,170	/-55
			,	TYPES 35-37	- DARK AIR-C	CURED			
Type 35, One S	Sucker								
Total Leaf	: 37,660	1,411	39,071 :	41,290	1,185	42,475 :	37,199	1,443	38,642
Type 36, Green		1,008	19,425 :	19,943	1,322	21,265 :	16,986	1,087	18,073
Total Leaf	inia sun-cured: 4,493	222	4,715 :	4,767	186	4,953 :	3,959	232	4,191
Types 35-37, 5	Fotal dark air-	cured							
	: 60,570	2,641	63,211 :	66,000	2,693	68,693 :	58,144	2,762	60,906
			ı	TYPES 41-46	- CIGAR LEAD	FILLER			
	sylvania Seedle	af 4	1,399 :	1,024	60	1,084 :	1,717	25	1,742
C	1,395 57,079	2,419	59,498 :	43,860	2,321	46,181 :	59,005	2,396	61,401
X Y	: 13,988 : 3,158	708 509	14,696 : 3,667 :	23,898 4,019	989 522	24,887 : 4,541 :	17,227* 6,825	833 644	18,060* 7,469
S Total Leaf	: 31 : 75,651	4,872 8,512	4,903 : 84,163 :	23 72,824	4,512 8,404	4,535 : 81,228 :	71	4,965 8,863	5,036 93,708*
Other Leaf 1/	: 110	216	326 :	151	213	364:	103*	160*	263*
Total	: 75,761	8,728	84,489 :	72,975	8,617	81,592 :	84,948*	9,023*	93,971*

See footnotes at end of table.

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1960 compared with January 1, 1959, and October 1, 1959--Continued REPORTED WEIGHT

	Unstemmed: 1,000 lb.	Stemmed : 1,000 lb.	1,000 lb. :	Unstemmed:	Stemmed:	Total :	Unstemmed:	Stemmed : 1,000 lb.	Total 1,000 lb
Х : Y :	949 45	88	:	1,000 lb.	1,000 lb.	1,000 lb. :	1.000 lb.	1 000 lb	7 000 3%
X : Y : S : Otal Leaf :	45		:					1,000 10.	1,000 10
X : Y : S : otal Leaf :	45					:			
Y : S : otal Leaf :			1,037 :	1,355	11	1,366 :	1,173	43	1,21
S :		566	611 :	13,130		13,130 :	12,120	243	12,36
otal Leaf :	153	433	586 :	588	791 244	1,379 :	342	706	1,04
	11,140	274	11,414 :	15 071	1,046	245 : 16,120 :	12 525	1,184	19
ther Leai I/ :	12,287	1,361	13,648 :	15,074	1,046	15 :	13,636	1,104	14,82
	20.007	1.371	13,658 :	15,074	1,061	16,135 :	13,636	1,190	14,82
Total :	12,287	1,3(1	13,000 :	±5,014	1,001	10,130 :	13,030	1,190	14,02
pe 46, Puerto 1	Rican (In Con	tinental Uni	ted States)						
C :	9	5,597	5,606 :	67	5,797	5,864:	8	3,932	3,94
X :	5,653	758	6,411 :	5,865	1,465	7,330:	5,608	1,038	6,61
Y :	141	8	149 :			:	159	17	17
S :	594	3,603	4,197:	340	2,937	3,277:	701	3,662	4,36
otal Leaf :	6,397	9,966	16,363 :	6,272	10,199	16,471 :	6,476	8,649	15,12
ther Leaf 1/:		1	1:		7	7:		9	
Total :	٥,397	9,967	16,364 :	6,272	10,206	16,478 :	6,476	8,658	15,13
ype 46, Puerto 1	Rican (In Pue	rto Rico)							
C :	2,920	2,337	5,257:	4,557	1,985	6,542 :	8,602*	2,026*	10,62
X :	4,636	565	5,201 :	6,916	356	7,272 :	3,633*	365*	3,99
Y :	85	50	135 :	74		74 :	2,939	190	3,12
S-N :	78	627	705 :	277	432	709 :	120	100	22
otal Leaf :	7,719	3,579	11,298 :	11,824	2,773	14,597 :	15,294*	2,681*	17,97
ype 46, Total P	uerto Rican								
C :	2,929	7,934	10,863 :	4,624	7,782	12,406 :	8,610*	5,958*	14,56
Х :	10,289	1,328	11,612 :	12,781	1,821	14,602 :	9,241*	1,403*	10,6
Y :	226	58	284 :	74		74 :	3,098	207	3,30
S-N :	672	4,230	4,902 :	617	3,369	3,986 :	821	3,762	4,58
otal Leaf :	14,116	13,545	27,661 :	18,096	12,972	31,068 :	21,770*	11,330*	33,10
ther Leaf 1/:		1	1:		7	7:		9	
Total :	14,116	13,546	27,662 :	18,096	12,979	31,075 :	21,770*	11,339*	33,10

Type 51, Co	nnectio	cut Valley H	Broadleaf							
A	:	1,158	10	1,168 :	5,248	8	5,256:	1,220	12	1,232
В	:	14,251	91	14,342 :	11,213	47	11,260 :	13,873	180	14,053
C	:	164	2	166 :	400	2	402 :	25	8	33
X	:	2,719	22	2,741 :	1,624	86	1,710 :	2,398*	35	2,433
S	:	27	262	289 :		157	157:	71	357*	428*
Total Leaf	:	18,319	387	18,706 :	18,485	300	18,785 :	17,587*	592*	18,179*
Other Leaf	1/:	319	196	515 :	325	345	670 :	368*	145*	513*
Total	:	18,638	583	19,221 :	18,810	645	19,455:	17,955*	737*	18,692*
Type 52, Co	nnectio									
A	:	835	2	837 :	943	1	944 :	750	1	751
В	:	9,073	22	9,095:	10,683	9	10,692 :	10,235	136	10,371
C	:	659		659 :	29		29 :	8	14	12
X	:	2,667	1,244	3,911 :	2,512	59	2,571:	1,888*	53	1,941*
S	:	28	197	225 :		40	40 :	33	156*	189*
Total Leaf	:	13,262	1,465	14,727 :	14,167	109	14,276:	12,914*	350*	13,264*
Other Leaf	1/_:	340		340 :	356	23	379:	335*		335*
Total	:	13,602	1,465	15,067:	14,523	132	14,655:	13,249*	350*	13,599*
Type 54, So	uthern	Wisconsin								
В	:	74	16	90 :	547		547:	74	40	114
C	:	21		21 :	16		16:	26		26
X	:	17,901	121	18,022 :	16,391	168	16,559 :	19,663	208	19,871
S	<u>:</u>			:			:	6	1	7
Total Leaf	:	17,996	137	18,133 :	16,954	168	17,122 :	19,769	249	20,018
Other Leaf	1/:		7	7:		2	2:		7	7
Total	:	17,996	144	18,140 :	16,954	170	17,124:	19,769	256	20,025

See footnotes at end of table.

Continued --

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1960 compared with January 1, 1959, and October 1, 1959--Continued

REPORTED WEIGHT

TYPES 51-55 - CIGAR LEAF BINDER--Continued

	Type	55.	Northern	Wisconsin
--	------	-----	----------	-----------

Group	:	Jan	uary 1, 1960	2/	Jan	uary 1, 1959		Oct	ober 1, 1959	
	:	Unstermed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
	:	1,000 lb.	1,000 lb.	1,000 lb.:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
	:			:			:			
В	:	3,572	158	3,730:	6,370	143	6,513 :	4,550	127	4,677
C	:	17	267	284 :	1114		ht :	19		19
X	:	16,907	170	17,077:	16,356	678	17,034 :	18,550	453	19,003
S	:		83	83 :		90	90 :	10	24	34
Total Leaf	:	20,496	678	21,174 :	22,770	911	23,681 :	23,129	604	23,773
Other Leaf 1/	<u>:</u>	101	9	110 :	16	60	76 :	111	9	120
Total	:	20,597	687	21,284:	22,786	971	23,757 :	23,240	613	23,853

TYPES 61-62 - CIGAR LEAF WRAPPER

Type 61, C	onnecti	cut Shade								
A	:	13,227	584	13,811 :	13,073	38	13,111 :	10,086	410	10,496
В	:	937		937	1,019		1,019 :	1,136	2	1,138
C	:	332	23	355 :	394		394 :	315		315
S	:	175	1,251	1,426 :	264	562	826 :	157*	1,167	1,324*
Total Leaf	:	14,671	1,858	16,529:	14,750	600	15,350 :	11,694*	1,579	13,273*
Other Leaf	1/:	69	327	396 :	40	231	271 :	48	310*	358*
Total	:	14,740	2,185	16,925 :	14,790	831	15,621 :	11,742*	1,889*	13,631*
Type 62, G	eorgia	and Florida	Shade							
A	:	8,373	233	8,606 :	8,014	181	8,195 :	7,646	162	7,808
В	:	62		62 :	161		161 :	68		68
C	:	39		39 :	57	14	61 :	27	3	30
S	:	11	663	674 :	1	363	364 :	1	550	551
Total Leaf	:	8,485	896	9,381 :	8,233	548	8,781 :	7,742	715	8,457

GROUP SUMMARY ALL CIGAR TOBACCO 3/

January 1, 1960 2/

Class	A :	В :	C :	Group X :	Y	S-N :	Total
	: 1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
	: 1,000 10.	1,000 10:	1,000 10.	1,000 10:	1,000 10.	1,000 15.	1,000 15.
Filler, Types 41-46 4/		1,399	71,398	26,919	4,537	21,219	125,472
Binder, Types 51-55	: 2,005	27,257	1,130	41,751		597	72,740
Wrapper, Types 61-62	: 22,417	999	394			2,100	25,910
Foreign, Types 81-84	:1,071		29,663			8,720	39,454
Total Leaf	: 25,493	29,655	102,585	68,670	4,537	32,636	263,576
Other Leaf 1/	:						1,728
Total	:						265,304
	:		January 1	., 1959			
Filler, Types 41-46 4/		1,084	59,953	52,619	5,994	8,766	128,416
Binder, Types 51-55	: 5,200	29,012	491	37,874		287	73,864
Wrapper, Types 61-62	: 21,306	1,180	455			1,190	24,131
Foreign, Types 81-84	: 925		20,196			9,360	30,481
Total Leaf	: 28,431	31,276	81,095	90,493	5,994	19,603	256,892
Other Leaf 1/	:						1,833
Total	:						258,725
	: '		October 1	1, 1959			
Filler, Types 41-46 4/		1,742	77,185*	41,067*	11,822	9,812	141,628*
Binder, Types 51-55	: 1,983	29,215	86	43,248*		658	75,194*
Wrapper, Types 61-62	: 18,304	1,206	345			1,875*	21,730*
Foreign, Types 81-84	: 1,223*		28,004*			12,159*	41,386*
Total Leaf	: 21,510*	32,163	105,624*	84,315*	11,822	24,504*	279,938*
Other Leaf <u>l</u> /	:						1,638*
Total -	:						281,576*

See footnotes at end of table.

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1960 compared with January 1, 1959, and October 1, 1959--Continued

REPORTED WEIGHT

TYPES 31-V and 70-77 - MISCELLANEOUS DOMESTIC

Type 31-V, Low	v Nicotine									
Group	Ja	nuary 1, 1960	2/ :	Ja	nuary 1, 1959	:	October 1, 1959			
	Unstermed:	Stermed :	Total :	Unstermed :	Stermed :	Total :	Unstermed :	Stemmed :	Total	
	1,000 10.	1,000 lo.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.	
otal Leaf		47	47		38	38		53	53	
ype 70, Low N	Nicotine									
otal Leaf :		59	59 :		77	77 :		64	6	
ype 72, Perio		222	222		439	439 :		348	34	
otal Leaf :		333	333 :		+37	437 :		240		
	riscellaneou				3 50/	3 500		2 (50		
otal Leaf :	2	1,766	1,768 :	2_	1,596	1,598 :	2	1,659	1,66	
ype 77, Domes			399:	442		442 :	392		39:	
				772		772 .				
ypes 31-V and otal Leaf :	1 70-77, Total	miscellaneous 2,205	2,606:	14141	2,150	2,594:	394	2,124	2,51	
			mutano C	1 01. Bon	EIGN-GROWN CIG	AD IEAD				
			TIPES C	11-04 - FOR	SIGN-GROWN CIC	zell - Incell				
ype 81, Cuba A	(Havana)	2	1,064:	857	1;1;	901:	1,212*	2*	1,21	
C :	10,896	4,904	15,800 :	6,840	3,640	10,480 :	13,017*	4,612*	17,62	
S :	2,768	4,640	7,408:	2,934	4,610	7,544:	3,301*	5,175*	8,47	
otal Leaf :	14,726	9,546	24,272 :	10,631	8,294	18,925 :	17,530*	9,789*	27,31	
ther Leaf 1/:		1	14:	20	12	32 :	16	8	2	
Total :	14,739	9,547	24,286 :	10,651	8,306	18,957 :	17,546*	9,797*	27,34	
	ra and Java 6		7	24		24 :				
A :	14		7 : 14 :	4		24:	9 5			
S :	14		14 :			:	9			
otal Leaf :	21		21 :	28		28 :	23		2	
ype 83, Phili	ppine Islands	(Manila)								
C :	4,363	4,310	8,673:	4,237	5,456	9,693:	2,997	1,955	4,95	
S :	109	1,203	1,312 :	678	1,138	1,816 :	2,435	1,239	3,67	
otal Leaf :	4,472	5,513	9,985 :	4,915	6,594	11,509:	5,432	3,194	8,62	
ther Leaf 1/:			9:		17	17:		3		
Total :	4,472	5,522	9,994 :	4,915	6,611	11,526 :	5,432	3,197	8,62	
ype 84, Other otal Leaf :	foreign-grown	cigar-leaf	5,176:	14	5	19:	5,320	98	5,41	
Oval Real :	4,930		<u></u>			<u> </u>	7,320	90	7,41	
		TYPE 9	00 - FOREIGN	-GROWN CIGARI	ETTE AND SMOKI	NG TOBACCO (T	TURKISH AND O	THER)		
otal Leaf :	228,513	268	008 781	206 502	128	206 720	208,614	270	208,88	
oval Lear :	220,713	200	228,781:	206,592	138	206,730 :	200,014	272	200,00	

Total Leaf :	228,513	268	228,781:	206,592	138	206,730 :	208,614	272	208,886
Other Leaf 1/:	61	83	144:			;	35	21	56
Total :	228,574	351	228,925 :	206,592	138	206,730 :	208,649	293	208,942

TYPES 11-90 - TOTAL ALL TYPES

Total Leaf :	2,177,023	1,628,499	3,859,522:	2,452,487	1,555,696	4,008,183 :	2,110,937*	1,547,089*	3,658,026*
Other Leaf 1/:	1,707	2,789	4,556 :	908	1,971	2,879 :	1,467*	2,278*	3,745*
Total :	2,178,790	1,685,288	3,864,078 :	2,453,395	1,557,667	4,011,062 :	2,112,404*	1,549,367*	3,661,771*

^{1/} Represents leaf tobacco in stocks of reconstituted or processed tobacco sheet.
2/ Subject to revision.
3/ Summary according to groups of grades reflecting a broad quality breakdown of total cigar leaf stocks.
4/ Includes Puerto Rican on the Island, Type 46.
5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
6/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

^{*} Revisions in October 1, 1959 report.

Table 5.--Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and for cigarettes (including smoking tobacco), separately $\underline{1}$ /

REPORTED WEIGHT

U.S.			Cigar B	inder			
type	:	:	January 1,	•	October 1,	July 1,	: April 1
number	:	1960	1959	1958	1959	1959	1959
	:	. 1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb
11-14	: Unstemmed	1			5		
20	:	:				_	
32	: Unstemmed : Stemmed	40			3 26	3	
	: Total	40	57 57	11	29	32 35	53 53
	:	: +0				3)	
41	: Unstemmed	: 110	151	103	103*	230	155
	: Stemmed	:216	213	83	160*	192	230 385
	: Total	: 326	364	186	263*	422	385
1+5-11-1	: Stemmed	10	15	7	6	10	12
46	: Stemmed	: 1	7	7	9	9	9
51	: Unstemmed	: 319	325	205	368 *	378	435
-	: Stemmed	: 196	325 345	234		372	405
	: Total	: 515	670	439	145* 513*	372 750	840
	:	:	256	2572			1.00
52	: Unstemmed : Stemmed	340	356	373 1	335*	477	428
	: Total	340	23 379	374	335*	477	15 443
	:	:					
54	: Stemmed	: 7 :	2		7	8	3 .
55	: Unstemmed	: 101	16	46	111	109	20
"	: Stemmed	: 9	60	40	9	10	32 45
	: Total	110	76	46	120	119	77
	:	:					
61	: Unstermed	: 69	40		48	45	30
	: Stemmed	: 327	231	176	310*	314	286
	: Total	: 396	271	176	358*	359	316
62	: Stemmed	:		14			
0-	:	:				- 0	
81	: Unstermed	: 13	20 12	1	16 8	18	9 20
	: Stemmed : Total	14	32	3 4	24	7 25	29
	:	:					
83	: Stemmed	: 9	17	(m (m _m	3	9	21
Total	: Unstermed	: 052	908	728	989	1,260	1,089
TOTAL	: Unstemmed : Stemmed	: 953 : 816	982	526	683	963	1 009
	: Total	1,769	1,890	1,254	1,672*	963 2,223	1,099 2,188
		,					
22.26	771	Cigar : 452		ding smoking			
11-14	: Unstemmed : Stemmed		622	877	266	3 688	517
	: Stemmed : Total	: 1,219 : 1,671	622	877	939	691	517 517
	:	:	J Links				
31	: Unstemmed	: 301			177		
	: Stemmed	:666	365	617	628	446	322
	: Total	: 967	365	617	805	446	322
32	Stemmed	: : 5	2		7	14	1
	:	:					
90	: Unstemmed	: 61			35		
	: Stemmed	: 83			21		
Total	: Total	: 144			56 478	3	
TOURT	: Unstemmed : Stemmed	1,973	989	1,494	1,595	1,138	840
	: Stemmed : Total	2,787	989	1,494	2,073	1,141	840
	. 10001	, 0	207	-3.77	5,013		
				nd Total	7 1.789	1.0/5	1.000
Total	: Unstemmed	: 953	908	728	1,467* 2,278*	1,263 2,101	1,089
all	: Stemmed	: 814	1,971	2,020	2.278*	2,101	1,939

^{1/} These stocks included in table 4 under respective type as "Other Leaf". * Revisions in October 1, 1959 report.

Tabl3 6.--Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, January 1, 1960 compared with January 1, 1959 $\frac{1}{2}$

REPORTED WEIGHT

U.S. :	Rep	orted as owned	. by manufactu	rers 3/	Reported as	owned by dealer	rs (including)	loan stocks) <u>3</u> /
type :		January 1, 196	0	: _ ,	:	January 1, 1960		: .
number :	Unstemmed	Stemmed	Total	January 1, 1959	Unstemmed	Stemmed	Total	January 1, 1959
	1,000 lb.	1,000 lb.	1,000 16.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11 12 13 14	105,904 86,713 84,107 1,066	287,302 350,585 182,854 150,500	393,206 437,298 266,961 151,566	412,952 430,575 254,396 155,699	271,277 256,464 166,598 33,717	17,456 17,203 9,566 8,488	288,733 273,667 176,164 42,205	310,314 328,702 201,957 36,062
11-14	277,790	971,241	1,249,031	1,254,244	728,056	52,713	780,769	877,035
21 22 23 21-23	10,344 37,170 5,424 52,938	214 1,186 1 1,401	10,558 38,356 5,425 54,339	11,687 42,167 5,852 59,706	9,277 31,182 9,153 49,612	5 5 11 21	9,282 31,187 9,164 49,633	9,37 ⁴ 3 ⁴ ,795 11,253 55,422
31 32 31-32	323,154 11,768 334,922	566,527 24,112 590,639	899,681 35,880 925,561	862,760 35,451 898,211	208,236 17,306 225,542	19,157	227,393 17,306 244,699	304,083 25,619 329,702
35 36 37	23,240 11,272 3,900 38,412	1,391 1,008 223 2,622	24,631 12,280 4,123 41,034	19,525 12,505 4,314 36,344	14,420 7,145 592	20	14,440 7,145 592 22,177	22,950 8,760 639 32,349
35-37	30,412	2,022	41,034	30,344	22,157		22,111	32,349
41 42-44 46 4/ 41-46	63,553 11,989 8,901 84,443	7,937 1,360 12,249 21,546	71,490 13,349 21,150 105,989	62,471 15,353 26,241 104,065	12,208 299 5,215 17,722	791 10 1,297 2,098	12,999 309 6,512 19,820	19,121 782 4,834 24,737
51 52 54 55 51-55	9,629 6,640 16,745 18,076 51,090	489 1,444 128 546 2,607	10,118 8,084 16,873 18,622 53,697	9,955 6,070 16,614 19,011 51,650	9,009 6,961 1,251 2,521 19,742	94 22 16 141 273	9,103 6,983 1,267 2,662 20,015	9,500 8,585 510 4,746 23,341
61 62 61-62	8,393 4,835 13,228	1,741 704 2,445	10,13 ⁴ 5,539 15,673	8,935 5,067 14,002	6,346 3,649 9,995	445 193 638	6,791 3,842 10,633	6,686 3,714 10,400
31-V 70 72 73 5/ 77 31-V & 70-	2 192 -77 194	47 59 219 1,759 2,084	47 59 219 1,761 192 2,278	38 77 269 1,550 121 2,055	207 207	114 7	114 7 207 328	170 48 321 539
81 82 <u>6/</u> 83 84 81-84	14,226 15 753 371 15,365	9,057 3,347 111 12,515	23,283 15 4,100 482 27,880	17,603 24 2,921 5	513 6 3,719 4,559 8,797	490 2,175 135 2,800	1,003 6 5,894 4,694 11,597	1,354 4 8,605 14 9,977
90	227,653 1,096,035	1,607,227	227,780	205,409	921	78,065	1,145	1,321
		-, ,			-,, 1/-	10,000	-,,	

 $[\]perp$ / Total includes stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

^{2/} These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

^{3/} This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. All Government loan stocks are included as dealer holdings.

^{4/} Includes stocks on the Island of Puerto Rico.

^{5/} For explanation of stocks included in this classification see footnote 5 on page 15.

Table 7.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types January 1, 1960 compared with other quarters $\underline{1}/\underline{2}/$

REPORTED WEIGHT

1960 1060		
1960 1060	October 1,	
: number : Unstemmed : Stemmed : Total : 1979 : 1979 :	1958	
: 1,000 lb. 1,000 lb. 1,000 lb. 1,000 lb. 1,000 lb.	1,000 lb.	
Old and Middle Belt flue-cured : 11 : 376,729 302,801 679,530 723,266 625,741	629,306	
Eastern North Carolina flue-cured : 12 : 343,176 368,275 711,451 759,277 713,468	745,149	
South Carolina flue-cured : 13 : 250,705 192,476 443,181 456,353 452,430 (including Southeastern N. C.) : :	483,036	
Georgia and Florida flue-cured : 14 : 34.783 159.003 193.786 191.761 214.731	215,919	
Total Flue-cured : 11-14 : 1,005,846 1,023,954 2,029,800 2 2,131,279 2,007,580	2,074,061	
Virginia fire-cured : 21 : 19,621 219 19,840 21,061 18,106	19,193	
Tempessee and Kentucky fire-cured : 22 : 68,352 1,191 69,543 76,962 78,375	85,932	
(Eastern District) : : : : : : : : : : : : : : : : : : :	19,105	
(Western District) : :		
Total Fire-cured : 21-23 : 102,550 1,422 103,972 115,128 113,413	124,230	
Burley : 31 : 531,391 585,683 1,117,074 1,166,843 925,603	984,845	
Southern Maryland : 32 : 29,074 24,112 53,186 61,070 61,233*	69,279	
Total Light Air-cured : 31-32 : 560,465 609,795 1,170,260 1,227,913 986,836*	1,054,124	
One Sucker : 35 : 37,660 1,411 39,071 42,475 38,642	43,011	
Green River : 36 : 18,417 1,008 19,425 21,265 18,073 Virginia sun-cured : 37 : 4,493 222 4,715 4,953 4,191	21,716 4,677	
Total Dark Air-cured : 35-37 : 60,570 2,641 63,211 68,693 60,906	69,404	
	02.10	
Pennsylvania Seedleaf : 41 : 75,761 8,728 84,489 81,592 93,971* Ohio Filler (Miami Valley) : 42-44 : 12,287 1,371 13,658 16,135 14,826	93,142	
Puerto Rico: : :		
In United States : 46 : 6,397 9,967 16,364 16,478 15,134 In Puerto Rico : 46 : 7,719 3,579 11,298 14,597 17,975*	17,175	
In Puerto Rico : 46 : 7,719 3,579 11,298 14,597 17,975* Total Cigar-filler : 41-46 : 102,164 23,645 125,809 128,802 141,906*	149,723	
	01 000	
Connecticut Valley Broadleaf : 51 : 18,638 583 19,221 19,455 18,692* Connecticut Valley Havana Seed : 52 : 13,602 1,465 15,067 14,655 13,599*	21,009	
Southern Wisconsin : 54 : 17,996 144 18,140 17,124 20,025	19,182	
Northern Wisconsin : 55 : 20,597 687 21,284 23,757 23,853 Total Cigar-binder : 51-55 : 70,833 2,879 73,712 74,991 76,169*	25,034 80,324	
Connecticut shade : 61 : 14,740 2,185 16,925 15,621 13,631* Georgia and Florida shade : 62 : 8,485 896 9,381 8,781 8,457	12,770	
Georgia and Florida shade : 62 : 8,485	21,452	
	1.0	
Low-nicotine : 31-V: 47 47 38 53 Low-nicotine : 70 : 59 59 77 64	40 56	
Perique : 72 : 333 333 439 348	474	
Other Miscellaneous Domestic 4/ : 73 : 2 1,766 1,768 1,598 1,661 Domestic Aromatic : 77 : 399 399 442 392	1,321	
Total Miscellaneous Domestic : 31-V & :		
: <u>70-77</u> : 401	2,271	
Cuba (Havana) : 81 : 14,739 9,547 24,286 18,957 27,343*	17,143	
Sumatra and Java 5/ : 82 : 21 21 28 23	104	
Philippine Islands (Manila) : 83 : 4,472 5,522 9,994 11,526 8,629 Other foreign-grown cigar-leaf : 84 : 4,930 246 5,176 19 5,418	7,019 61	
Total Foreign-grown Cigar-leaf : 81-84 : 24,162 15,315 39,477 30,530 41,413*	24,327	
Foreign-grown cigarette and smoking : : tobacco (Turkish and other) : 90 : 228,574 351 228,925 206,730 208,942	209,746	
Total All Types : 11-90 : 2,178,790 1,685,288 3,864,078 4,011,062 3,661,771*	3,009,002	

^{1/} Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.
2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, These statistics represent the quantity of real tobacco reported as when by all feat tobacco requasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1959, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

3/ Subject to revision.

4/ For explanation of stocks included in this classification see footnote 5 on page 15.

^{5/} Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.
* Revisions in October 1, 1959 report.



U. S. Department of Agriculture Washington 25, D. C.

Postage and Fees Paid U. S. Department of Agriculture

January 1960

OFFICIAL BUSINESS

NOTICE

If you no longer need this
publication, check here
return this sheet, and your name
will be dropped from the mailing
list.

If your address should be changed,
write the new address on this
sheet and return the whole sheet to:

Tobacco Division,
Agricultural Marketing Service
U. S. Department of Agriculture
Washington 25, D. C.