


## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







UNITED STATES DEPARTMENT OF AGRICULTURE  
Bureau of Agricultural Economics  
Tobacco Section



Released  
November 15, 1934

STOCKS OF LEAF TOBACCO OWNED BY MANUFACTURERS AND DEALERS

OCTOBER 1, 1934

Stocks of leaf tobacco in the United States owned by dealers and manufacturers amounted to 2,199,781,000 pounds on October 1, 1934, compared with 2,008,635,000 pounds on October 1, 1933. This is an increase in the total stocks of 191,146,000 pounds over the stocks of a year ago October 1. From July 1, 1934, to October 1, 1934, total stocks decreased 14,216,000 pounds, while during the same period of 1933 the decrease amounted to 90,402,000 pounds.

Stocks of flue-cured tobacco on hand October 1, 1934, amounted to 758,709,000 pounds, compared with 605,710,000 pounds on October 1, 1933, an increase of 152,999,000 pounds. The stocks of Type 11 on October 1, 1934, were reported as 281,287,000 pounds; Type 12 as 272,813,000 pounds; Type 13 as 153,423,000 pounds; and Type 14 as 51,186,000 pounds.

Stocks of fire-cured tobacco were reported as 187,831,000 pounds on October 1, 1934, compared with 196,439,000 pounds on October 1, 1933. Total fire-cured stocks were 8,608,000 pounds lower than they were a year ago October 1, and 28,843,000 pounds lower than on July 1, 1934. Virginia Fire-cured, Type 21, stocks reported as 27,655,000 pounds were slightly higher than a year ago. Type 22 of the Kentucky and Tennessee Fire-cured reported as 125,116,000 pounds on October 1, 1934, shows a decrease for the quarter of about 11 million pounds. (Note the correction of the July 1, 1934 figures.) Type 22 stocks were a little over 13 million pounds lower on October 1 of this year than they were on October 1, 1933, while Type 23 stocks which were reported as 30,896,000 pounds on October 1, 1934, were about 4 million pounds higher than a year ago. Henderson Stemming, Type 24, reported as 4,164,000 pounds on October 1, 1934, showed little change.

Burley tobacco stocks were about 84 million pounds higher than they were a year ago, and 64 million pounds lower than on July 1, 1934. The October 1, 1934, report shows 700,173,000 pounds of Burley on hand. Maryland tobacco stocks were about 5 million pounds lower than a year ago. The October 1, 1934, report shows 35,577,000 pounds of Maryland tobacco on hand.

One-Sucker stocks on October 1, 1934, amounted to 31,893,000 pounds, about 4 million pounds lower than on July 1 of this year and slightly higher than a year ago. Green River stocks reported as 31,655,000 pounds on October 1 were about 5 million pounds lower than a year ago. Virginia Sun-cured stocks were reported as 2,026,000 pounds, Miscellaneous Domestic, 2,259,000 pounds, and foreign-grown cigarette tobacco stocks, 68,313,000 pounds on October 1, 1934.

#### OCTOBER 1 CIGAR LEAF TOBACCO STOCKS

Stocks of American grown cigar filler types amounted to 167,138,000 pounds on October 1, 1934, compared with 173,488,000 pounds on October 1, 1933. The decrease in filler type stocks for the quarter from July 1 to October 1 of 1934, was 7,298,000 pounds, compared with a decrease of 3,929,000 pounds for the same period of 1933. Type 41, Pennsylvania Seedleaf stocks on October 1, 1934, were 91,695,000 pounds; Type 42, Gebhardt, 22,024,000 pounds; Type 43, Zimmer, 26,240,000 pounds; Type 44, Dutch, 7,060,000 pounds; Type 45, Georgia and Florida Sun-grown, 1,620,000 pounds; and Type 46, Porto Rican, 18,499,000 pounds. About 74 per cent of the total filler type stocks reported are shown in the C group in the detailed report as being actual filler grades, and about 25 per cent in the X group or stemming grades.

The cigar binder type stocks were about 9 million pounds lower on October 1 of this year than on October 1, 1933. Total binder type stocks were reported as 191,104,000 pounds on October 1, 1934. Connecticut Valley Broadleaf stocks were reported as 35,740,000 pounds; Connecticut Havana Seed, 34,011,000 pounds; New York and Pennsylvania Havana Seed, 2,704,000 pounds; Southern Wisconsin, 75,531,000 pounds; and Northern Wisconsin, 43,118,000 pounds. The detailed report by groups of grades shows that of the total binder type stocks reported 4,149,000 pounds are of wrapper quality, 69,895,000 pounds are binders, 9,252,000 pounds are fillers, and 107,539,000 pounds are stemming grade or X group tobacco.

Shade-grown wrapper type stocks were about 2½ million pounds lower on October 1 than they were a year ago. Connecticut Valley Shade stocks were reported as 8,685,000 pounds, and Georgia and Florida Shade as 4,150,000 pounds on October 1, 1934. Of the total of 12,835,000 pounds of shade tobacco reported, 8,794,000 pounds were reported in the A group as being of actual wrapper quality.

Foreign-grown cigar leaf tobacco stocks were reported as 10,268,000 pounds on October 1, 1934, compared with 11,617,000 pounds on October 1, 1933.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers  
B-Heavy Leaf, Cutting Leaf,  
and Fillers  
C-Thin Leaf or Cutters  
X-Lugs and Ground Leaves  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers  
B-Heavy Leaf  
C-Thin Leaf  
X-Lugs  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 31:

A-Wrappers  
B-Leaf or Fillers and Tips  
C-Lugs, or Cutters  
X-Trash, Flyings and Spods  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as  
Dull Crop  
C-Thin Leaf, locally known as  
Bright Crop  
X-Seconds and Ground Leaves  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers  
B-Heavy Leaf  
C-Thin Leaf  
X-Lugs  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 41:

B-Binders or Tops  
C-Fillers, locally known as  
Wrappers or B's  
X-Stemming, Farm Fillers, Ground  
Leaves, and crops unsuitable  
for sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers  
X-Stemming, Farm Fillers, Ground  
Leaves and crops unsuitable for  
sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 45:

C-Fillers  
X-Stemming, Ground Leaves, and crops  
unsuitable for sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPE 46:

C-Tripas or Fillers  
X-Resagos, Terceros, Boliches, and  
crops unsuitable for sorting.  
S-Scrap (Picadura), as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers  
B-Binders, locally known as Seconds  
C-Fillers, locally known as Tips or  
B's.  
X-Stemming, Sand-Leaf Fillers,  
Ground Leaves, and crops  
unsuitable for sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 54 and 55:

B-Binders  
C-Fillers, locally known as Tips or  
B's.  
X-Stemming, Sand-Leaf Fillers,  
Bottom Leaves, and crops  
unsuitable for sorting.  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

GROUPS OF TYPES 61 and 62:

A-Wrappers  
B-Binders  
C-Fillers, or Tips  
X-Trashy Fillers or Loose Leaves  
S-Scrap, as defined\*  
N-Nondescript, as defined\*

---

For definitions of Scrap and Nondescript see Service and Regulatory  
Announcement No. 115, a copy of which will be sent upon request.

TOBACCO STOCKS BY GROUPS OF GRADES  
OCTOBER 1, 1934.

U. S. TYPE 11.--OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Group Totals : 1000 lbs.	Group Totals : 1000 lbs.
A	4,875	-	93	-	4,968	5,906
B	32,433	1,832	1,265	230	35,760	40,049
C	69,096	12,390	1,766	235	83,487	80,149*
X	128,381	15,842	194	45	144,462	150,841
S	12,365	75	1	3	12,444	13,455
N	166	-	-	-	166	246
Total	247,316	30,139	3,319	513	281,287	290,646*

U. S. TYPE 12.--EASTERN NORTH CAROLINA FLUE-CURED

A	971	-	-	-	971	87
B	35,848	1,735	268	72	37,923	24,761
C	84,095	16,802	3,046	146	104,089	77,692*
X	102,345	17,296	1,804	16	121,461	104,523
S	7,625	22	32	-	7,679	9,207
N	677	3	10	-	690	308
Total	231,561	35,858	5,160	234	272,813	216,578*

U. S. TYPE 13.--SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	1,161	-	-	-	1,161	880
B	14,217	610	76	21	14,924	8,566
C	44,440	4,113	604	-	49,157	32,738
X	69,880	12,072	669	-	82,621	58,714
S	5,352	-	-	55	5,407	4,449
N	153	-	-	-	153	35
Total	135,203	16,795	1,349	76	153,423	105,382

U. S. TYPE 14.--GEORGIA AND FLORIDA FLUE-CURED

A	110	-	-	-	110	36
B	3,659	741	61	50	4,511	3,975
C	1,975	20,655	836	-	23,466	19,874
X	11,862	10,238	272	-	22,372	14,966
S	643	23	-	-	666	563
N	34	27	-	-	61	44
Total	18,283	31,684	1,169	50	51,186	39,458

(Figures rounded to nearest thousand pounds)

\* Corrections in July 1 report.

U. S. TYPE 21.--VIRGINIA FIRE-CURED

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals 1000 lbs.	Group Totals 1000 lbs.
A	559	-	-	-	559	1,080
B	4,820	586	1,589	-	6,995	8,301
C	1,395	10	32	-	1,437	1,935
X	17,445	196	265	2	17,908	20,278
S	721	31	-	-	752	618
N	4	-	-	-	4	18
Total	24,944	823	1,886	2	27,655	32,230

U. S. TYPE 22.--TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H. & S.)

A	1,969	1	27	-	1,997	2,432
B	76,404	31	290	-	76,725	85,456*
C	13,578	13	94	-	13,685	13,039*
X	29,978	-	64	-	30,042	32,567*
S	1,170	12	167	-	1,349	2,067
N	1,318	-	-	-	1,318	971
Total	124,417	57	642	-	125,116	136,532*

U. S. TYPE 23.--KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	150	2	-	-	152	249
B	21,089	18	36	-	21,143	24,503
C	5,070	-	54	-	5,124	7,577
X	3,325	-	567	-	3,892	10,801
S	521	5	-	-	526	520
N	59	-	-	-	59	166
Total	30,214	25	657	-	30,896	43,816

U. S. TYPE 24.--HENDERSON STEMMING OR NORTHERN FIRE-CURED

A	39	-	12	-	51	21
B	1,481	44	-	104	1,629	1,828
C	1,742	20	-	-	1,762	1,054
X	635	-	2	-	637	1,143
S	63	2	16	-	81	46
N	4	-	-	-	4	4
Total	3,964	66	30	104	4,164	4,096

(Figures rounded to nearest thousand pounds)

\* Corrections in July 1, report.

U. S. TYPE 31.--BURLEY

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals 1000 lbs.	Group Totals 1000 lbs.
A	1,089	2	171	-	1,262	1,318
B	265,420	48,980	1,340	454	316,194	348,409
C	215,766	26,430	1,894	309	244,399	263,027*
X	106,738	12,829	47	-	119,614	133,096*
S	12,950	838	40	79	13,907	13,343
N	4,792	-	5	-	4,797	4,950
Total	606,755	89,079	3,497	842	700,173	764,143*

U. S. TYPE 32.--SOUTHERN MARYLAND

B	11,826	-	-	-	11,826	9,400*
C	12,053	853	-	-	12,906	11,004*
X	10,415	36	3	-	10,454	9,010*
S	44	2	-	-	46	86
N	345	-	-	-	345	9*
Total	34,683	891	3	-	35,577	29,59*

U. S. TYPE 35.--ONE SUCKER

A	1,257	-	83	-	1,340	1,395
B	11,799	37	7	-	11,843	13,354
C	9,656	-	31	-	9,687	11,164
X	6,949	108	64	1	7,122	7,654
S	993	-	-	-	993	1,065
N	879	1	28	-	908	1,068
Total	31,533	146	213	1	31,893	35,700

U. S. TYPE 36.--GREEN RIVER

A	82	-	-	-	82	123
B	13,528	88	7	-	13,623	14,798*
C	1,564	11	13	-	1,588	1,989
X	15,035	238	135	-	15,408	18,074
S	658	13	31	-	702	728
N	252	-	-	-	252	13
Total	31,119	350	186	-	31,655	35,725*

U. S. TYPE 37.--VIRGINIA SUN-CURED

A	44	-	-	-	44	54
B	365	50	1	19	435	482
C	121	4	-	-	125	132*
X	535	698	16	69	1,318	1,719
S	104	-	-	-	104	109
Total	1,169	752	17	88	2,026	2,496*

(Figures rounded to nearest thousand pounds)

\*Corrections in July 1, report.

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.				
B	961	6	21	-	988	616*
C	62,356	2,273	3,653	233	68,515	73,241*
X	19,391	2,042	457	27	21,917	22,960
S	39	233	-	-	272	267
N	-	3	-	-	3	-
Total	82,747	4,557	4,131	260	91,695	97,084*

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	14,444	863	564	107	15,978	16,541*
X	5,911	6	16	-	5,933	5,948
S	42	69	-	2	113	67
Total	20,397	938	580	109	22,024	22,556*

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	15,809	943	821	29	17,602	18,621*
X	8,277	242	-	3	8,522	7,935
S	44	68	-	-	112	63*
N	-	4	-	-	4	-
Total	24,130	1,257	821	32	26,240	26,619*

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	4,767	145	256	2	5,170	5,588*
X	1,776	6	-	-	1,782	1,896
S	6	99	-	-	105	67
N	-	3	-	-	3	1
Total	6,549	253	256	2	7,060	7,552*

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	814	802	2	-	1,618	1,133
X	-	-	-	-	-	1
S	-	1	1	-	2	1
Total	814	803	3	-	1,620	1,135

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	54	14,313	1	262	14,630	15,137*
X	750	2,023	33	228	3,034	3,189
S	354	481	-	-	835	1,162*
N	-	-	-	-	-	2
Total	1,158	16,817	34	490	18,499	19,490*

(Figures rounded to nearest thousand pounds)

\* Corrections in July 1, report.

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals 1000 lbs.	Group Totals 1000 lbs.
A	1,703	11	20	-	1,734	2,078*
B	24,432	852	810	8	26,102	28,226*
C	1,342	396	198	31	1,967	2,319*
X	3,725	2,072	15	2	5,814	6,343*
S	4	119	-	-	123	160
Total	31,206	3,450	1,043	41	35,740	39,126*

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	2,310	6	58	-	2,374	2,173*
B	21,820	414	1,602	5	23,841	25,340*
C	883	39	69	33	1,024	1,381*
X	4,070	2,624	17	-	6,711	7,311
S	19	37	-	4	60	49
N	-	-	1	-	1	-
Total	29,102	3,120	1,747	42	34,011	36,254*

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

A	26	-	15	-	41	76
B	140	1	79	-	220	220
C	184	5	1	-	190	192*
X	2,226	1	1	-	2,228	2,603*
S	-	25	-	-	25	11
Total	2,576	32	96	-	2,704	3,102*

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	4,245	4	1,693	13	5,955	5,767
C	2,768	446	184	43	3,441	3,724
X	62,876	2,524	2	627	66,129	66,148
S	4	2	-	-	6	21
Total	69,893	3,076	1,879	683	75,531	75,660

U. S. TYPE 55.-NORTHERN WISCONSIN

B	10,995	156	2,592	34	13,777	14,910
C	2,378	172	80	-	2,630	2,671
X	24,585	2,070	-	2	26,657	28,480
S	2	46	-	-	54	17
Total	37,966	2,444	2,672	36	43,118	46,078

(Figures rounded to nearest thousand pounds)

\* Corrections in July 1, report.

U. S. TYPE 61.-CONNECTICUT VALLEY SHADE

Group	NEW CROP		OLD CROP		October 1	July 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Total
	1000 lbs.	1000 lbs.				
A	5,548	18	76	-	5,642	6,060*
B	1,932	55	411	-	2,398	2,762
C	124	141	165	4	434	457
X	24	26	41	-	91	135
S	-	120	-	-	120	99
N	-	*	*	-	-	63
Total	7,628	360	693	4	8,685	9,576*

U. S. TYPE 62.-GEORGIA AND FLORIDA SHADE

A	3,698	1	109	-	3,808	2,734*
B	249	3	15	-	272	230
C	18	2	5	-	25	25
X	44	-	-	-	44	29
S	-	1	-	-	1	6
N	-	-	-	-	-	15
Total	4,009	12	129	-	4,150	3,039

U. S. TYPE 70.-MISCELLANEOUS DOMESTIC

No Groups	1,155	933	148	23	2,259	1,996
-----------	-------	-----	-----	----	-------	-------

U. S. TYPE 80.--FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups	3,639	6,194	197	238	10,268	10,515
-----------	-------	-------	-----	-----	--------	--------

U. S. TYPE 90.-FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups	63,935	7	4,371	-	68,313	77,816
-----------	--------	---	-------	---	--------	--------

GRAND TOTAL ALL TYPES

	NEW CROP		OLD CROP		Grand Total
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 100 lbs.	
October 1, 1934	1,908,065	250,918	36,928	3,870	2,199,781
July 1, 1934	1,921,551*	242,427*	45,847*	4,172	2,213,997

(Figures rounded to nearest thousand pounds)

\* Corrections in July 1, report

TYPE NAME	NEW CROPS		OLD CROPS		TOTAL OF TYPE	
	U.S. No.	1934	1933	1932	1934	1933
Old Belt Flue-cured Va. & N.C.	11	247,316	30,139	3,319	281,287	284,842
Eastern N. C. Flue-cured	12	231,561	35,858	5,160	272,813	184,902
South Carolina Flue-cured (In-cluding Southeastern N.C.)	13	135,203	16,795	1,349	153,423	128,104
Ga. and Fla. Flue-cured	14	18,283	11,684	1,169	51,186	65,862
Total Flue-cured		632,363	114,476	10,997	758,709	605,710
Virginia Fire-cured	21	24,944	823	1,886	27,655	32,230
Tenn. and Ky. Fire-cured (Eastern District C. H. and S.)	22	124,417	57	642	125,116	136,532
Ky. and Tenn. Fire-cured (Western District M. and P.)	23	30,214	25	657	30,896	43,816
Henderson Stemming or Northern Fire-cured	24	3,964	66	30	4,164	4,096
Total Fire-cured		183,539	971	3,215	187,831	216,674
Burley	31	606,755	89,079	3,497	700,173	615,930
Southern Maryland	32	34,863	891	3	35,577	40,488
Total Light Air-cured		641,618	89,970	3,500	735,750	793,740
One Sucker	35	31,533	146	215	31,893	35,700
Green River	36	31,119	350	186	31,655	36,574
Virginia Sun-cured	37	1,169	752	17	2,026	3,241
Total Dark Air-cured		63,821	1,248	416	65,574	73,921
Pennsylvania Seedleaf	41	82,747	4,557	4,131	91,695	97,084
Gebhardt (Ohio-Miami Valley)	42	20,397	938	580	22,024	20,865
Zimmer (Ohio-Miami Valley)	43	24,130	1,257	821	26,240	26,619
Dutch (Ohio-Miami Valley)	44	6,549	253	256	7,060	7,986
Ga. and Fla. Sun-grown	45	814	803	3	1,620	1,135
Porto Rican Sun-grown	46	1,158	16,817	34	18,499	19,490
Total Cigar-Filler Types		135,795	24,625	5,825	167,138	174,436
Conn. Valley Broadleaf	51	31,206	3,450	1,043	35,740	37,450
Conn. Valley Havana Seed	52	29,102	3,120	1,747	34,011	36,254
N. Y. and Pa. Havana Seed	53	2,576	32	96	2,704	3,102
Southern Wisconsin	54	69,893	3,076	1,870	75,531	75,660
Northern Wisconsin	55	37,966	2,444	2,672	43,118	46,078
Total Cigar-Binder Types		170,743	12,122	7,437	191,104	200,220
Conn. Valley Shade	61	7,628	360	69	8,685	9,576
Ga. and Fla. Shade	62	4,009	12	129	4,150	3,039
Total Shade-grown		11,637	372	322	12,835	12,615
MacLennans Domestic	70	1,155	933	146	2,259	1,996
Foreign Cigar-Leaf	80	3,679	6,194	197	10,268	10,515
Foreign other than cigar leaf	90	67,945	7	4,371	68,313	77,816
TOTAL ALL TYPES		1,908,065	269,918	3,870	2,199,781	2,213,997

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers, cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco, (b) manufacturers who in the first three quarters of 1933, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the first session of the 72nd Congress as H. R. 9590.

\* Revisions in July 1 report.



