Andorra Andorra 1910 Nurseries PRICE LIST OF SPECIMEN TREES SHRUBS, ROSES AND FRUIT Fall. 1910 CANCELING ALL PREVIOUS LISTS WHOLESALE **PRICES** ON QUANTITIES OF TEN TO ONE THOUSAND

SPECIAL:

SEE NOTES ON PAGES 20, 64 AND BACK COVER

SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

PRICES NET F. O. B. SHIPPING POINT

CANADA UNLEACHED HARD-WOOD ASHES

(ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500 lbs, for new lawns.

50-lb.bag 100-lb.bag 200-lb.bbl. Ton (10 bbls.) Cars, 15 to 20 tons \$1 50 \$1 00 \$2 50 \$20 00 At special prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and where sons, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

100-lb. bag Ton Cars, 12 to 25 tons \$1 25 \$12 00 \$10 per ton.

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

> 100-lb. bag Ton Cars, 12 to 25 tons \$1 50 \$14 00 \$12 00 per ton

PEAT

We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., 75 cents. In sacks, \$13.50 per ton.

PURE GROUND BONE

A brand of excellent quality. Analysis on request. 200-lb. bag Ton Cars, 15 to 30 tons \$3 50 \$32 00 Special price.



Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs

from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, nusheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS .- All orders are accepted subject to the following terms and Write plainly and give explicit directions as to address and conditions. mode of shipment

STOCK SELECTED by customers at the Nurscries will be charged ac-

cording to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING.—All goods are thoroughly packed, thus avoiding risk, if de-

layed in transit. Packing charges are made at actual cost. FORWARDING .- Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaccous plants be shipped

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA," PHILADELPHIA



Nursery Entrance and Office.

EVERGREEN TREES

ABIES balsamea. Balsam Fir. 3 to 4 ft. \$3 00 4 to 5 ft. \$3 50 5 to 6 ft. 4 00 Canadensis. See Tsuga Canadensis.	\$27 50 \$27 50 32 50 37 50
concolor. White Fir. 3 to $3\frac{1}{2}$ ft. 3 50 $3\frac{1}{2}$ to 4 ft. 5 00 4 to $4\frac{1}{2}$ ft. 6 00 $4\frac{1}{2}$ to 5 ft. 7 50 5 to 6 ft. 12 50 6 to 9 ft. 12 50	,
nobilis, var. glauca. Noble Silver Fir. 4 to $4\frac{1}{2}$ ft. $$ 5 00 $4\frac{1}{2}$ to 5 ft. $$ 6 00 5 to 6 ft \$7.50 to 10 00 Nordmanniana. Nordmann's Fir. 3 ft. $$ 3 50 3 to $3\frac{1}{2}$ ft. $$ 4 50 $3\frac{1}{2}$ to 4 ft. $$ 6 00 4 to $4\frac{1}{2}$ ft. Specimens $$ 7 50 $4\frac{1}{2}$ to 5 ft. Specimens $$ 7 50 5 to $5\frac{1}{2}$ ft. Specimens $$ \$10 to 15 00	42 50 57 50 70 00 85 00
pectinata. European Silver Fir. 4 to 5 ft. 2 50 5 to 6 ft. 3 50 6 to 8 ft. 4 to 7 50	20 00 32 50
BIOTA orientalis. Oriental Arborvitæ. 5 to 6 ft. 3 00 6 to 7 ft. 4 00 6 to 7 ft. 6 00 7 to 9 ft. 6 00 7 to 10 ft. 7 to 10 ft.	27 50 37 50 55 00 55 00

PIOTA enjoratelia	10
BIOTA orientalis, var. aurea. $3\frac{1}{2}$ to 4 ft	
orientalis, var. aurea nana. 15 to 18 in 2 00	\$17 50
orientalis, var. aurea pyramidalis.	32 50
4 to 5 ft 5 00	$\frac{32}{42} \frac{50}{50}$
o to 7 it	12 00
orientalis, var. compacta. Compact Chinese Arbor-	
vitæ. 3 to $3\frac{1}{2}$ ft. 3 to 4 ft. 4 00	30 00 35 00
4 to 5 ft	$\frac{55}{45} \frac{00}{00}$
5 to 6 ft 7 50	70 00
orientalis, var. conspicua. 5 to 6 ft	
6 to 7 ft	70 00 90 00
orientalis, var. elegantissima. Rollinson's Golden Ar-	90 00
borvitæ. 3 to $3\frac{1}{2}$ ft	
52 to 4 it	
4 to 6 ft	
branched Arborvitæ. $2\frac{1}{2}$ to 3 ft 2 50	
3 to $3\frac{1}{2}$ ft	32 50
4 to 5 ft 5 00	
orientalis, var. semperaurescens. Ever-golden Arbor-	
vitæ. $2\frac{1}{2}$ to 3 ft	45 00
GEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar—	10 00
5 to 6 ft	$\frac{42}{50}$
6 to 7 ft	$\begin{array}{ccc} 55 & 00 \\ 70 & 00 \end{array}$
8 to 10 ft	10 00
Deodara. Deodar, or Indian Cedar. 2½ to 3 ft 3 50	
$3\frac{1}{2}$ to 4 ft	45 00
5 to 6 ft. Very broad and heavy 5 00	
6 to 7 ft	
CRYPTOMERIA Japonica elegans. 6 to 7 ft	
6 to 7 ft 7 50	
(to 8 II	
ILEX opaca. American Holly. $2\frac{1}{2}$ to 3 ft. $\frac{1}{3}$ 50 3 to 4 ft. \$3.50 to 5 00	$32 \ 50$
4 to 6 ft	
JUNIPERUS Canadensis. Spreading Canadian Juniper—	
12 to 15 in. spread per 100, \$60 1 00	9 00
15 to 18 in. spread	12 50
Canadensis, var. aurea; syn., Douglasi. Douglas'	
Golden Juniper. 12 to 15 in spread 1 00	8 50
15 to 18 in. spread	12 50
Z II. Spread. Heavy	
$2 \times 2\frac{1}{2}$ ft. spread. Heavy	
Canadensis, var. prostrata. Trailing Canadian Juniper. 12 to 15 in	
15 to 18 in	

	Each	10
JUNIPERUS	Chinensis. Chinese Juniper. 3 ft\$2 00	\$17 50
	$3\frac{1}{2}$ to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	5 to 6 ft 6 00	55 00
	6 to 7 ft	70 00
	hardy variety. $2\frac{1}{2}$ to 3 ft	32 50
	3½ to 4 ft	42 50
	5 to 6 ft	
	6 to 8 ft. Specimens	
	Chinensis, var. aurea. Golden Chinese Juniper— 2½ to 3 ft	
	3 to $3\frac{1}{2}$ ft	
	4 to 5 ft	
	Chinensis, var. femina Reevesii. 5 to 6 ft 5 00	47 50
	communis. Common Upright Juniper— 2 to 2½ ft	
	3 to 4 ft	40.00
	communis, var. oblonga. 5 to 6 ft 4 50 communis, var. Suecica. Swedish Juniper—	40 00
	3 to $3\frac{1}{2}$ ft	22 50
	$3\frac{1}{2}$ to 4 ft	$\begin{array}{c} 32\ 50 \\ 32\ 50 \end{array}$
	$4\frac{1}{2}$ to 5 ft	37 50
	Japonica. 4½ to 5 ft	$\begin{array}{ccc} 45 & 00 \\ 70 & 00 \end{array}$
	Japonica, var. aurea. Golden Japan Juniper—	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$
	$2\frac{1}{2}$ to $\bar{3}$ ft	32 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ $4 00$ $3\frac{1}{2} \text{ to } 4 \text{ ft.}$ $5 00$	$\begin{array}{ccc} 37 & 50 \\ 47 & 50 \end{array}$
	4 to 5 ft	21 00
	5 to $5\frac{1}{2}$ ft	
	broad 1 50	12 50
	recurva. 2 to 2½ ft	
	10 to 12 in	12 50
	3 to 4 ft. spread	
	Sabina. Savin Juniper. 12 to 15 in 1 00	9 00
	18 to 24 in	$\begin{array}{ccc} 18 & 50 \\ 22 & 50 \end{array}$
	3 to $3\frac{1}{2}$ ft	$\frac{22}{32} \frac{50}{50}$
	Sabina, var. aurea variegata. Savin's Golden Juniper. 1½ to 2 ft	
	2 to 2½ ft 3 50	
	Sabina, var. mas. Prostrate, 1 to $1\frac{1}{2}$ ft 2 50 Sabina, var. tamariscifolia. $1\frac{1}{2}$ to 2 ft 1 50	1 3 50
	2 to 2⅓ ft ★ 2 50	10 00
	$2\frac{1}{2}$ to 3 ft	
	ft	13 50
	3½ to 4 ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
	5 to 6 ft	J_ 30

		Each	10
	JUNIPERUS	Virginiana, var. glauca. Blue Virginia Cedar— $3 \text{ to } 3\frac{1}{2} \text{ ft.}$ $4 \text{ to } 4\frac{1}{2} \text{ ft.}$ $3 \text{ to } 3\frac{1}{2} \text{ ft.}$ $3 \text{ to } 3\frac{1}{2} \text{ ft.}$	\$22 50 32 50
		5 to 6 ft	37 50
		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 50 23 50 32 50
		Virginiana, var. Leei elegantissima. Golden Virginian Cedar— 3 to $3\frac{1}{2}$ ft. Extra heavy	32 50
,		7 to 9 ft	32 50
		Virginiana, var. Schotti. 3 to 3½ ft. + 2 50 4 to 5 ft. + 3 50 5 to 6 ft. + 5 00 6 to 8 ft. + \$6 to 10 00	$\begin{array}{ccc} 20 & 00 \\ 32 & 50 \\ 45 & 00 \end{array}$
		White Spruce. $2\frac{1}{2}$ to 3 ft. 1 50 3 to $3\frac{1}{2}$ ft. 2 00 $3\frac{1}{2}$ to 4 ft. 2 50 4 to 5 ft. 3 50 5 to 6 ft. 5 00	12 50 17 50 20 00 30 00
	Alco	6 to 8 ft. Very fine specimens \div \$7.50 to 10 00 ckiana. Alcock's Spruce. $3\frac{1}{2}$ to 4 ft \div 3 50 4 to 5 ft \div 5 00	•
	exce	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50 45 00 57 50
	exce	6 to 7 ft. Specimens	60 00
	exce	Sa, var. inverta. Weeping Norway Spruce	
	orien	Isa, var. Remonti. 3 to 3½ ft. 3 50 Italis. Eastern Spruce. 2 to 2½ ft. 2 50 3 to 3½ ft. 3 50 3½ to 4 ft. Specimens 5 00 4½ to 5 ft. Specimens +.\$7.50 to 10 00 5 to 8 ft. Specimens +.\$10 to 20 00	32 50 22 50 32 50 45 00
9	pinsa	apo. Spanish Fir. 3 to $3\frac{1}{2}$ ft	22 50 32 50



Loading White Pines.

	Loading white Fines.	
	Each	10
PICEA	pungens. Colorado Spruce. 3 to 3½ ft	\$37 50
	$3\frac{1}{2}$ to 4 ft	45 00
	4 to 5 ft	
	pungens, var. glauca. Blue Colorado Spruce—	
	$2\frac{1}{2}$ to 3 ft. Selected color	32 50
	3 to $3\frac{1}{2}$ ft. Selected color	
	$3\frac{1}{2}$ to 4 ft. Selected color	
	5 to 8 ft. Selected color	
	pungens, var. Kosteriana. Koster's Blue Colorado	99 50
	Spruce. $1\frac{1}{2}$ to 2 ft	$\begin{array}{cccc} 22 & 50 \\ 32 & 50 \end{array}$
	2 to $2\frac{1}{2}$ ft	54 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft. Specimens} \dots + \$7.50 \text{ to } 10 00$	
	$3\frac{1}{2}$ to 4 ft. Specimens	
	4 to 5 ft. Specimens	
	6 to 7 ft. Grand specimens	
	pungens, var. pendula. Weeping Blue Colorado Spruce-	
	3 to 4 ft. Fine specimens	
DIMILO	4 to $4\frac{1}{2}$ ft. Fine specimens	00 50
PINUS	Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft	2 2 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	$4\frac{1}{2}$ to 5 ft	
	5 to 8 ft	
	Cembra. Swiss Stone Pine. 2 to $2\frac{1}{2}$ ft 2 50	22 50
	$2\frac{1}{2}$ to 3 ft	$\frac{32}{50}$
	$\frac{3}{2}$ to $3\frac{1}{2}$ ft	$\frac{37}{47}$ $\frac{50}{50}$
	$3\frac{1}{2}$ to 4 ft	47 50
	4 to 4½ ft	
	5 to 8 ft	

Each	10
PINUS excelsa. Bhotan Pine. 3 to $3\frac{1}{2}$ ft. 1	\$32 50 37 50
5 to 7 ft 5 00	47 50
7 to 10 ft	
Koraiensis. Corean Pine. $1\frac{1}{2}$ to 2 ft 2 50 Monticola. Mt. White Pine. 5 ft 3 50	
Mughus. Dwarf Mountain Pine. 12 to 15 in + 1 50	12 50
15 to 18 in	17 50
18 in	
ponderosa. Bull Pine. 4 to 5 ft	32 50
5 to 8 ft	
7 to 8 ft	
Strobus. White Pine. 15 to 18 in per 100, \$25 $1\frac{1}{2}$ to 2 ft ($+$ per 100, \$35) 75	4 00
2 to $2\frac{1}{2}$ ft	6 00
$2\frac{1}{2}$ to 3 ft	$\begin{array}{c} 8 \ 50 \\ 12 \ 50 \end{array}$
$3\frac{1}{2}$ to 4 ft	17 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 27 & 50 \end{array}$
5 to 6 ft 4 00	$\overline{32}$ $\overline{50}$
6 to 7 ft	
The finest and hest rooted stock in this country.	
sylvestris. Scotch Pine. 4 to 5 ft	$\begin{array}{ccc} 32 & 50 \\ 37 & 50 \end{array}$
6 to 7 ft	01 00
8 to 12 ft\$7.50 to 15 00 Tanyosho. Dwarf Japanese Variety—	
$2\frac{1}{2}$ ft	
PODOCARPUS Japonica. Japanese Yew. $2\frac{1}{2}$ to 3 ft \div 2 50 4 to $4\frac{1}{2}$ ft \div 3 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
PSEUDOTSUGA Douglasi. Douglas' Spruce. 3 to 4 ft 1 75	15 00
4 to 5 ft	22 50
5 to 6 ft\$3.50 to 5 00 6 to 8 ft	
RETINOSPORA ericoides. Heath-like Japan Cypress—	0 50
$1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 8 50 \\ 17 50 \end{array}$
$3\frac{1}{2}$ to 4 ft	$\tilde{25}$ $\tilde{00}$
filifera. Thread-branched Japan Cypress— 1½ ft	8 50
$2\frac{5}{2}$ to 3 ft	$3\overset{\circ}{2}\overset{\circ}{50}$
3 to $3\frac{1}{2}$ ft	
4 to 6 ft. Specimens + \$7.50 to 10 00	
6 to 8 ft. Specimens	
Japan Cypress. 2 x 2 ft	
$2 \times 2\frac{1}{2}$ ft. Specimens	
$3\frac{1}{2}$ x 4 ft. Specimens	
filifera, var. aurea variegata. Golden variega-	
tions. 4 to 5 ft	

PETIMOSPORA	Lantaslada (III. III. 7 G	10
NETINUSPUKA	leptoclada. Thuya-like Japan Cypress	\$27 50 32 50 40 00 50 00
	2½ ft	22 50 32 50 47 50
	4 to 6 ft	22 50 32 50 47 50
	Obtusa, var. nana. Dwarf Obtuse-leaved Japan Cypress. 1 ft	10 00 17 50 22 50 27 50
	obtusa, var. nana aurea. Dwarf Golden Obtuse-leaved Japan Cypress— 1½ ft. <td< th=""><th>22 50 32 50 47 50 55 00 70 00</th></td<>	22 50 32 50 47 50 55 00 70 00
	pisifera, var. aurea. Golden Pea-fruited Japan Cypress. 2 to 2½ ft. 2 00 2½ to 3 ft. 3 00 3 to 3½ ft. 3 50 3½ to 4 ft. 4 00 4 to 4½ ft. 5 00 5 to 6 ft. Specimens ★ .\$7.50 to 12 50 6 to 14 ft. Specimens ★ .\$12.50 to 35 00 plumosa. Plume-like Japan Cypress—	18 00 27 50 30 00 37 50 47 50
	$1\frac{1}{2}$ to 2 ft. 1 50 2 to $2\frac{1}{2}$ ft. 2 50 $2\frac{1}{2}$ to 3 ft. 3 50 3 to $3\frac{1}{2}$ ft. 4 00 $3\frac{1}{2}$ to 4 ft. 3 50 4 to 8 ft. 4 50 5 to 7 50 50 4 to 8 ft. 5 50 6 50 6 50 7 50 6 50 8 ft. 6 50 8 ft. 8 ft.	13 50 22 50 32 50 37 50

	11
Each	10
RETINOSPORA plumosa, var. argentea. 2 to 2½ ft\$1 50	\$12 50
$2\frac{1}{2}$ to 3 ft	$\frac{1}{22} \frac{1}{50}$
3 to 4 ft 3 50	$\overline{32}$ $\overline{50}$
4 to 5 ft 5 00	45 00
plumosa, var. aurea. Golden Plume-like	20 00
Japan Cypress. 12 in 50	4 00
12 to 18 in 75	$\vec{6}$ $\vec{0}\vec{0}$
$\frac{2}{2}$ to $\frac{2}{2}$ ft	18 50
$2\frac{1}{2}$ to 3 ft 3 00	$\frac{10}{28} \frac{50}{50}$
3 to $3\frac{1}{2}$ ft	32 50
$3\frac{1}{2}$ to 4 ft. Specimens	37 50
4 to $4\frac{1}{2}$ ft. Specimens	45 00
5 to 12 ft. Specimens+\$5 to 35 00	
plumosa, var. flavescens. 1 to $1\frac{1}{2}$ ft 1 00	8 50
3 to 4 ft	0 00
plumosa, var. sulphurea. $1\frac{1}{2}$ to 2 ft 1 75	15 00
2 to $2\frac{1}{2}$ ft	20 00
$3\frac{1}{2}$ to 4 ft. Very heavy	
4 to 5 ft. Very heavy	
squarrosa. Squarrose-leaved Japan Cypress—	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
$2\frac{1}{2}$ to 3 ft. Sheared; heavy	30 00
3 to $3\frac{1}{2}$ ft. Sheared; heavy	45 00
$4 \text{ to } 4\frac{1}{2} \text{ it. } \text{ neavy specimens } \dots $	90 00
$\frac{4\frac{1}{2}}{10}$ to 5 ft. Heavy specimens. \$12.50 to 15 00	
5 to 10 ft. Heavy specimens\$15 to 35 00	
This is excellent stock; exceptionally	
broad, bushy and low-branched.	
SCIADOPITYS verticillata. Umbrella Pine. 2 to $2\frac{1}{2}$ ft 3 50	
$2\frac{1}{2}$ to 3 ft. $\dots \qquad $	
$3\frac{1}{2}$ to 4 ft	
6 to 7 ft	
TAXUS baccata. English Yew. 2 ft	19 50
$\frac{2}{2}$ to $\frac{21}{2}$ ft	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$
$2\frac{1}{2}$ to 3 ft. 250	$\frac{11}{22} \frac{50}{50}$
3 to $3\frac{1}{2}$ ft. 3 50	32 50
3½ to 4 ft. Specimens	47 50
4 to 4½ it. Specimens	11 00
$4\frac{1}{2}$ to 7 it. Specimens	
baccata, var. aurea. Golden English Yew—	
$\frac{2\frac{1}{2}}{2}$ to 3 ft	
42 to 5 it	
baccata, var. Cheshuntensis. 4 to $4\frac{1}{2}$ ft	
baccata, var. Dovastoni. Dovaston's Yew—	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
$2\frac{1}{2}$ to 3 ft. 3 50	32 50
4 to 5 ft	
5 to 6 ft. Specimens	
baccata, var. Dovastoni aurea. Dovaston's Golden	
Yew. 4 to 5 ft. Specimens+\$5 to 12 50 5 to 7 ft. Specimens+\$15 to 25 00	
baccata, var. elegantissima. Elegant English Yew—	
3 to 3½ ft	
5† 10 4 It ♦ \$5 to 7 50	
4 to 6 ft	
7 30 20 00	

	\mathbf{E}	ach	10
TAXUS	baccata, var. erecta. Erect English Yew-		
	$\frac{2}{2}$ to $\frac{21}{2}$ ft		650 EU
	$2\frac{1}{2}$ to 3 ft		\$32 50
	baccata, var. erecta aurea. Erect Golden English	90	
	Yew. $2\frac{1}{2}$ to 3 ft	50	$32 \ 50$
	baccata, var. erecta, Overeynder. (Form similar to		
	Fastigiata.) 5 to 6 ft	50	
	baccata, var. fastigiata. Irish Yew. $2\frac{1}{2}$ ft	50	2 2 50
	3 ft	50	
	$3\frac{1}{2}$ ft		
	baccata, var. fastigiata aurea. Golden Irish Yew—	, 00	
	2 ft	2 50	$22 \ 50$
	$2\frac{1}{2}$ ft	50	32 50
	$3\frac{1}{2}$ to 4 ft	5 00	
	4 to 6 ft	5 00	
	4 \pm to 5 ft (NITYX7) \rightarrow \$7.50 to 10	00	
	$\frac{4\frac{1}{2} \text{ to 5 ft.}}{5 \text{ to 7 ft.}} \left\{ \begin{array}{c} \text{NEW} \end{array} \right\} \dots +\$7.50 \text{ to 10} \\ \dots +\$10 \text{ to 20} \end{array}$	00	
	baccata, var. repandens. Spreading English Yew—		
	12 to 15 in	3 00	
	baccata, var. Washingtoni aurea. Washington's Golden		
	English Yew. $2\frac{1}{2}$ ft	5 5U 7 50	
	$3\frac{1}{2}$ to 4 ft	00	
	Canadensis, var. aurea. Golden Canadian Yew—		
	2 to $2\frac{1}{2}$ ft	3 50	32 50
	3 ft		
	$3\frac{1}{2}$ to 5 ft	00 2	
	cuspidata. Abrupt-leaved Japan Yew. 12 to 15 in	2 50	
	2 ft	3 50	
	$2\frac{1}{2}$ ft		
	cuspidata, var. brevifolia. 12 to 15 in		18 50
	1½ ft	2 50 3 50	
	$2\frac{1}{2}$ ft	5 00	
	cuspidata, var. capitata. $1\frac{1}{2}$ ft	2 50	
	2½ ft	00°	
	3 to 4 ft	00	
THUJOF	PSIS borealis; syn., Cupressus Nutkænsis. Yellow or Sitka Cypress—		
	3 to 4 ft	3 50	
	5 to 7 ft. Specimens	5 00	
	borealis, var. latifolia glauca. Glaucous Sitka Cy-		
	press. $3\frac{1}{2}$ to 4 ft	3 50	32 50
	4 to $4\frac{1}{2}$ ft. Specimens	7 50	
	5 to 6 ft. Specimens	1 00	
	borealis, var. pendula. Drooping Sitka Cypress—4 to 5 ft	3 00	
	6 to 7 ft	3 00	
	Standishi. Standish's Sitka Cypress—		
	· 8 to 9 ft. Specimens +1	5 00	

建国	the t	Each	10
THUYA	occidentalis. American Arborvitæ—		10
	$2\frac{1}{2}$ to 3 ft		\$8 00
	3 to $3\frac{1}{2}$ ft		$\begin{array}{ccc} 10 & 00 \\ 13 & 50 \end{array}$
	4 to $4\frac{1}{2}$ ft.; very heavy	$\frac{1}{2}$ 00	19 00
	$4\frac{1}{2}$ to 5 ft.; very heavy $+$ per 100, \$200. 5 to $5\frac{1}{2}$ ft.; very heavy $+$ per 100, \$250.	$\begin{array}{cccc} . & 2 & 50 \\ . & 3 & 00 \end{array}$	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
	$5\frac{1}{2}$ to 6 ft.; very heavy	3 50	$\frac{21}{32} \frac{50}{50}$
	6 to 7 ft.; very heavy	. 4 00	37 50
	7 to 8 ft.; very heavy		42 50
	occidentalis, var. aurea. George Peabody's Arborvit	æ	
	$2\frac{1}{2}$ to 3 ft		
	3 to $3\frac{1}{2}$ ft		37 50
	5 to 6 ft+.	. 5 00	45 00
	7 to 10 ft. Specimens	$15\ 00$	
	occidentalis, var. Douglasi. 4 to 5 ft	. 5 00	
-	6 to 7 ft	12 50	
	occidentalis, var. erecta viridis. 3 to $3\frac{1}{2}$ ft occidentalis, var. globosa. Globe Arborvitæ—	. 2 50	22 50
	15 to 18 in	. 1 50	
	$1\frac{1}{2}$ to 2 ft	. 2 00	17 50
	2 to $2\frac{1}{2}$ ft	. 2 50	22 50
	2 ft	. 1 50	13 50
	$2\frac{1}{2}$ to 3 ft. Very heavy	$\frac{250}{100}$	22 50
	occidentalis, var. Lobbi. Lobb's Arborvitæ. 4½ to 5 ft	to 4 00 . 3 50	32 50
	5 to 7 ft	o 7 50	
	occidentalis, var. Lobbi aurea. 4 to 5 ft	. 2 50	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
	6 to 7 ft		$\frac{21}{32} \frac{50}{50}$
	occidentalis, var. plicata pyramidalis. $4 \text{ to } 5 \text{ ft}$:	. 5 00	
	occidentalis, var. pyramidalis. Pyramidal Arborvitæ 3 to $3\frac{1}{2}$ ft		
	$3\frac{1}{2}$ to 4 ft	. 2 00	17 50
	4 to 5 ft		$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
	6 to 8 ft	o 7 50	52 U
	occidentalis, var. recurva nana. 2½ to 3 ft. +\$3.50 t	o 4 00	
	3 to 4½ ft	0 7 50	
	3 to $3\frac{1}{2}$ ft	. 3 50	32 50
	$3\frac{1}{2}$ to 4 ft	. 4 00	$\begin{array}{ccc} 37 & 50 \\ 42 & 50 \end{array}$
	5 to 6 ft		47 50
	6 to 7 ft. Heavy specimens	. 7 50	70 00
	7 to 10 ft. Heavy specimens	20 00	
	2 to $2\frac{1}{2}$ ft	. 2 50	22 50
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots + \text{per } 100, \$250.$ $4 \text{ ft.} \dots$. 3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	5 ft.; very heavy	. 5 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1	5 to $5\frac{1}{2}$ ft.; very heavy	. 7 50	70 00
1	$5\frac{1}{2}$ to 6 ft.; very heavy	. 10 00	

THUYA occidentalis, var. Wareana aurea. $2\frac{3}{2}$ to $3\frac{1}{2}$ ft		$\begin{array}{c} 10 \\ \$22 \ 50 \\ 28 \ 00 \\ 42 \ 50 \\ 47 \ 50 \\ 4 \ 00 \\ \end{array}$
$2 \text{ to } 2\frac{1}{2} \text{ ft.}$	♦per 100, \$90 1 25	$\begin{array}{c} 7 \ 50 \\ 10 \ 00 \end{array}$
$\frac{3 \text{ to } 3\frac{1}{2} \text{ ft.}}{3\frac{1}{2} \text{ to } 4 \text{ ft.}} GRAND $	♦per 100, \$125 1 50 2 00	$\begin{array}{c} 13 \ 50 \\ 17 \ 50 \\ 20 \ 00 \end{array}$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
$5\frac{1}{2}$ to 6 ft.		32 50
Canadensis, var. gracilis. 3 to $3\frac{1}{2}$: Canadensis, var. Sargenti pendula.	ft	
2 to $3\frac{1}{2}$ ft. Specimens Caroliniana. Southern Hemlock. 2 3 to $3\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	27 50 32 50



Showing Fibrous Roots of Hemlock.



A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

E VERGINEER STIRODS	
Eac	eh 10
ANDROMEDA Catesbæi. See Leucothoë.	
floribunda. 12 in	50 \$13 50
12 to 15 in	75 16 00
2 to $2\frac{1}{2}$ ft. Specimens)U
	25 10 00
	$\frac{50}{10}$ $\frac{12}{10}$ $\frac{50}{10}$
	$\frac{18}{20}$
18 to 24 in	50 20 00
	00 - 8.50
	50 12 50
$1_{\frac{1}{2}}$ ft. Bushy	00 - 17 50
$2\frac{1}{2}$ ft. Specimens	$32 \ 50$
amæna, var. Hinondigiro. Bright carmine-	
10 to 12 in	00 7 50
18 in	ň
	$\frac{60}{50}$ 22 50
20 to 22 in	$\frac{30}{30}$ $\frac{22}{30}$ $\frac{50}{50}$
99 to 24 in	
22 to 24 in	$\frac{10}{10}$ $\frac{47}{10}$ $\frac{50}{10}$
BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to 1½ ft 1 5	
$\frac{1}{2}$ to 2 ft. $\frac{2}{2}$	$\frac{10}{10}$ 17 50
3 to 4 ft. Specimens\$3.50 to 7 5	0
Japonica, var. aurea. Golden Japanese Box-	
12 to 15 in 1 0	00 9 00
$rac{15}{1rac{1}{2}}rac{ ext{ft.}}{ ext{ft.}} \cdots \left\{ egin{array}{c} ext{SPECIAL} ight\} \cdots rac{1}{2}rac{5}{5} \end{array}$	50 - 12 - 50
1½ ft { SPECIAL } 1 7	
$2\frac{1}{2}$ ft 3 5	$\ddot{50}$ $\ddot{32}$ $\ddot{50}$
Japonica, var. rotundifolia. Round-leaved-	0 02 00
$2\frac{1}{2}$ to 3 ft. Bush shape	n
4 to 5 ft. Bush shape	Ŭ
5 to 6 ft Dynamide	0
5 to 6 ft. Pyramids	U

Each	1.0
BUXUS Japonica, var. rotundifolia glauca. 1½ to 2 ft +\$1 50	\$13.50
z to $z_{\frac{1}{2}}$ it	27 50
sempervirens. 1 ft. Andorra-grownper 100, \$40 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 ft.; Andorra-grown 1 50	
$2\frac{1}{2}$ ft.; Andorra-grown	
$3\frac{1}{2}$ ft.; Andorra-grown, Specimens. $+$ 6 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 ft.; Andorra-grown. Specimens	67 50
$4\frac{1}{2}$ ft.; Andorra-grown. Specimens $+$ 10 00 5 to $5\frac{1}{2}$ ft.; Andorra-grown $+$ \$12.50 to 25 00	000
sempervirens. Pyramids—	
$2\frac{1}{2}$ ft.; Andorra-grown. Specimens	10.00
3 ft.; Andorra-grown. Specimens $\dots + \dots $	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 ft.; Andorra-grown. Specimens	70 00
$4\frac{1}{2}$ ft.; Andorra-grown. Specimens	90 00
sempervirens. Standards—	
$2\frac{1}{2}$ to 3 ft. stems, 22 to 24 in. head. Andorra-	
grown	
grown)
sempervirens, var. angustifolia. $1\frac{1}{2}$ to 2 ft	13 50
sempervirens, var. arborescens. Tall Tree Box-	
$2\frac{1}{2}$ to 3 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
sempervirens, var. argentea marginata. Silver-tipped	
Box. $1\frac{1}{2}$ to 2 ft	13 50
sempervirens, var. aurea variegata. $3 \text{ to } 3\frac{1}{2} \text{ ft. } + 5 00$	
sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft \bigstar . 4 00	37 50
4 to $4\frac{1}{2}$ it 5 00	42 50
sempervirens, var. latifolia. $2\frac{1}{2}$ to 3 ft 3 50 3 to $3\frac{1}{2}$ ft	32 50
$3 \text{ to } 3\frac{1}{2} \text{ it.} \dots + \dots $	42 50
sempervirens, var. myrtifolia. Myrtle Leaf	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42 50
sempervirens, var. salicifolia. 2 to $2\frac{1}{2}$ ft	17 50
sempervirens, var. suffruticosa. Dwarf Box Edging— 3 to 4 in + . per 100, \$5; per 1,000, \$40 4 to 5 in + . per 100, \$10; per 1,000, \$60 6 to 7 in + . per 100, \$15; per 1,000, \$90	2. 00
3 to 4 in	75 1 50
6 to 7 in	
CERASUS Laurocerasus Caucasica. Caucasian Laurel—	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c}22\ 50\\32\ 50\end{array}$
Laurocerasus, var. Schipkænsis. 1½ to 2 ft	17 50
2 to $2\frac{1}{2}$ ft	22 50
CHAMÆDAPHNE calyculata. Leather Leaf— 2 to $2\frac{1}{2}$ ftper 100, \$75 1 50	19.50
COTONEASTER buxifolia. 12 to 15 in	
microphylla. 10 to 12 in	

PRICE LIST FOR FALL OF 1910	17
CRATÆGUS Pyracantha. Evergreen Thorn. 2 ft\$0 75	10
Pyracantha, var. Lelandi. Leland's Evergreen	
Thorn. 2 ft	\$6 00
EUONYMUS radicans and variegata. See Trailing Plants.	
Japonica. Japan Euonymus— 2 to 3 ft	6 00
Japonica, var. argentea. Silver-leaved. 2 to $2\frac{1}{2}$ ft	6 00
Japonica, var. aurea. Golden-leaved. $1\frac{1}{2}$ to 2 ft. 75	6 00
ILEX crenata. Japanese Holly. Box-leaved— 1½ ft	12 50
$\frac{1}{2}$ ft. $\frac{1}{2}$ 00	$\begin{array}{c} 17 & 50 \\ 32 & 50 \end{array}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	40 00
crenata, var. Fortunei. Fortune's Holly— $3\frac{1}{2}$ to 4 ft	32 50
4 to $4\frac{1}{2}$ ft	47 50
5 to $5\frac{1}{2}$ ft	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
$3\frac{1}{2}$ to 4 ft	$\overline{32}$ 50
4 to 6½ ft\$4 to 7 50 crenata, var. microphylla. Small-leaved Japanese Holly—	
12 to 15 in. Bushy	8 50 10 00
1 to 2 ft. Bushy	15 00 22 50
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	22 30
4 to $5\frac{1}{2}$ ft. Heavy specimens	8 50
3 ft	22 50
3 to $3\frac{1}{2}$ ft	$\begin{array}{ccc} 27 & 50 \\ 12 & 50 \end{array}$
2 ft. Heavy clumps	$\begin{array}{ccc} {\bf 17} & {\bf 50} \\ {\bf 22} & {\bf 50} \end{array}$
$2\frac{1}{2}$ ft. Heavy clumps	2 8 5 0
3 to $3\frac{1}{2}$ ft. Heavy clumps	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
LAURELS. See Cerasus Laurocerasus.	
LEUCOTHOE Catesbæi. Drooping Andromeda— 12 to 15 in. Clumps	8 50
15 to 18 in. Clumps+per 100, \$75 1 50 18 to 24 in. Clumps+per 100, \$100 1 75	$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$
MAHONIA Aquifolium. Holly-leaved—	
12 to 15 in	$\bar{7} 00$
18 to 24 in	$\begin{array}{c} 9 & 00 \\ 13 & 50 \end{array}$
Japonica. Japanese Mahonia—	
$\frac{1}{2}$ to $\frac{1}{2}$ ft	18 50
$2\frac{1}{2}$ to 3 ft	32 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	



Rhododendrons at Andorra.

RHODODENDRONS

HYBRID VARIETIES—ANDORRA GROWN

RHODODENDRONS.	Catawbiense Hybrids Assorted. Our selection of varieties— Each	10
	01014 01 700110000	
	15 to 18 in	\$10 00
	$1\frac{1}{2}$ to 2 ft	13 50
	2 to $2\frac{1}{2}$ ft	$22 \ 50$
	A large stock of fine, heavy plants,	
	3 to 5 ft. Prices on applica-	
	tion.	
	Abraham Lincoln. Rosy crimson—	
	$1\frac{1}{2}$ to 2 ft 1 75	15 00
	Album elegans. White—	10 00
	$1\frac{1}{2}$ to 2 ft	12 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	$\frac{2}{2}$ to $\frac{21}{2}$ ft	17 50
	$\frac{3}{2}$ to $\frac{3}{2}$ ft	
	$3\frac{1}{2}$ to 5 ft\$3.50 to 10 00	
	Album grandiflorum. White. $1\frac{1}{2}$ to 2 ft. 1 50	12 50
	Anna Parsons. Red. $1\frac{1}{2}$ ft	12 50
	Atrosanguineum. Dark scarlet—	
	$1\frac{1}{2}$ to 2 ft	17 50
	Betsy Parsons. Reddish purple—	
	4 to $4\frac{1}{2}$ ft\$6 to 7 50	
	Blandyanum. Rosy crimson. $1\frac{1}{2}$ to 2 ft. 2 00	17 50
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	1. 00
	$2\frac{1}{2}$ to 3 ft	
	3 to 4 ft. Specimens\$5 to 15 00	
	Boule de Neige. White. 14 to 2 ft 2 00	17.50
	TARRIED NO MOTUGE TYTILE, IN THE ZELLE, ZELLE	1 2 1 1 1

	Each	10
RHODODENDRONS,	B. W. Elliott. Deep rose. 2 to $2\frac{1}{2}$ ft\$2 50	\$15 00
	Candidissium. White, $1\frac{1}{2}$ to 2 ft 1 75 2 to $2\frac{1}{2}$ ft	17 50
	Caractacus. Purplish crimson. $1\frac{1}{2}$ to 2 ft. 2 00	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	2½ to 3 ft\$3.50 to 5 00	
	Charles Bagley. Bright red. $1\frac{1}{2}$ to 2 ft 2 00 2 to $2\frac{1}{2}$ ft 2 50	$\begin{array}{ccc} {\bf 17} & {\bf 50} \\ {\bf 22} & {\bf 50} \end{array}$
	Charles Dickens. Scarlet. $1\frac{1}{2}$ ft 2 00	17 50
	2 ft	$\begin{array}{ccc} 22 & 50 \\ 13 & 50 \end{array}$
	2 to $2\frac{1}{2}$ ft	$\overline{22}$ $\overline{50}$
	$2\frac{1}{2}$ to 3 ft	22 50
	Everestianum. Rosy lilac. $1\frac{1}{2}$ ft $\frac{1}{2}$ $\frac{75}{2}$	$\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$
	$\overline{2}_{\frac{1}{2}}$ ft	$32 \ 50$
	General Grant. Red. $1\frac{1}{2}$ to 2 ft 2 00 2 to $2\frac{1}{2}$ ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	Giganteum. Rosy crimson. $1\frac{1}{2}$ ft 1 50	12 50
	H. W. Sargent. Scarlet. $1\frac{1}{2}$ to 2 ft 2 00 2 to $2\frac{1}{2}$ ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
	H. H. Hunnewell. Dark crimson—	17 50
	J. Marshall Brooks. Scarlet. 1½ to 2 ft 2 00	17 50
	John Spencer. Rose. $1\frac{1}{2}$ to 2 ft	$\begin{array}{ccc} 15 & 00 \\ 17 & 50 \end{array}$
	John Walter. Rich crimson. $1\frac{1}{2}$ ft 2 00	17 50
	2 ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
	Kettledrum. Deep red. $1\frac{1}{2}$ to 2 ft 2 50	$\begin{array}{ccc} 22 & 50 \\ 17 & 50 \end{array}$
	$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots 2 50$	22 50
	Lady Clermont. Rosy scarlet. $1\frac{1}{2}$ to 2 ft 2 00 4 to $4\frac{1}{2}$ ft	17 50
	Luciferum. Clear white. $1\frac{1}{2}$ to 2 ft 1 75	15 00
	3 to $4\frac{1}{2}$ ft	15 00
	Michael Waterer. Scarlet-crimson—	
	$2\frac{1}{2}$ to 3 ft	32 50
	Mrs. Jno. Clutton. White. $1\frac{1}{2}$ to 2 ft 1 75 Mrs. Milner. Crimson. $1\frac{1}{2}$ ft 1 75	$\begin{array}{ccc} 15 & 00 \\ 15 & 00 \end{array}$
	2 ft	17 50
	$2\frac{1}{2}$ ft	13 50
	2 to $2\frac{1}{2}$ ft	$\begin{array}{ccc} 22 & 50 \\ 12 & 50 \end{array}$
	2½ to 3 ft 2 50	22 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
	Parson's grandiflorum rubrum. Bright Pink—	17 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{11}{22} \frac{50}{50}$
	Perspicum. White.— $3\frac{1}{2}$ to 4 ft	
	4 to 5 ft\$5 to 7 50	
	President Lincoln. Crimson.— 1 $\frac{1}{2}$ to 2 ft	17 50
	4 to $4\frac{1}{2}$ ft	
	Purpureum crispum. Purple, crimped.— $1\frac{1}{2}$ to 2 ft 1 75	1 5 00

RHODODENDRONS, purpureum elegans. Purple. 1½ to 2 ft\$1 75 purpureum grandiflorum. Purple—	\$15 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 50 17 50 22 50 30 00 47 50 15 00
NATIVE VARIETIES—ANDORRA GROWN	
RHODODENDRON Catawbiense. $1\frac{1}{2}$ to 2 ft (per $100-\$80$.) \$1 25 2 to $2\frac{1}{2}$ ft	\$10 00 17 50
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	11 00 - 4 17 50 25 00 37 50 47 50 60 00
DWARF VARIETIES—ANDORRA GROWN	
RHODODENDRON Hammondi. 1½ ft. \$2 00 Hirsutum. 12 to 15 in. \$1 50 imbricata. 12 to 15 in. \$2 50 myrtifolio. 1½ to 2 ft. \$2 50 odoratum. Fragrant. 12 to 15 in. \$2 50 \$2 in. \$3 00 precox. 12 to 15 in. \$1 50 punctatum. Dotted. 15 to 18 in. \$1 50 VUCCA filamentosa. Adam's Needle. 3-yr. \$35 4-yr. \$50 Heavy clumps \$1.50 to 2 50	\$17 50 13 50 13 50 20 00 17 50 20 00 25 00 13 50 13 50 20 00 15 00 2 00 3 00

DECIDUOUS TREES

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches where they round off to form the top; diameter of stem, or caliper, is taken above the collar.

Each	10
ACER campestris. European Cork Maple. 4 to 5 ft\$0 75	\$6.00
5 to 6 ft	\$6 00 8 50
7 to 8 ft	12 50
8 to 10 ft	$\overline{15}$ $\overline{00}$
colchicum, var. rubrum. Red Colchicum Maple—	
12 to 14 ft.; 2\frac{3}{4} to 3 in. cal	27 50
14 to 16 ft.; 3 to 4 in. cal	10 00



	Straight Norway Maples in Wid	e Rows.		
		Each	10	100
	ACER dasycarpum. Silver Maple-			
	12 to 14 ft.; 2 to $2\frac{1}{2}$ in	\$2 00	\$15 00	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in	$\frac{2}{5}$	$\frac{22}{20}$ $\frac{50}{20}$	
	12 to 14 ft.; 3 to $3\frac{1}{2}$ in	350	30 00	
	4 to 6 in. Specimens\$5 t	0 25 00		
	A rapid grower for immediate effe	cts.		
	dasycarpum, var. Wierii laciniatum. Wie Cut-leaved Silver Maple—	rs		
1	10 to 12 ft.; 2 to $2\frac{1}{2}$ in	2 50	22 50	
	12 to 14 ft.; $2\frac{1}{2}$ in	$\ddot{3}$ $\ddot{5}\ddot{0}$	$\overline{32}$ $\overline{50}$	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in\$3.50	to 5 00		
	Negundo. Ash-leaved Maple—			
	10 to 12 ft.; 2 to $2\frac{1}{2}$ in. Bushy	1 50	10 00	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in. Bushy	$\frac{250}{2}$	$20 \ 00$	
	12 to 14 ft.; 3 to 4 in\$3.50	to 5 00		
	Pennsylvanicum. 6 to 7 ft	1 90		
	platanoides. Norway Maple—	1 75	16 50	150 00
	8 to 10 ft.; $1\frac{1}{2}$ in	$\frac{1}{2} \frac{10}{00}$	18 50	175 00
	10 to 12 ft.; 2 to 24 in	$1.$ $\frac{1}{2}$ $\frac{50}{50}$	$\frac{10}{22} \frac{50}{50}$	$\frac{1}{200} \frac{1}{00}$
	12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	$3 \ \overline{00}$	$\overline{27}$ $\overline{50}$	225 00
	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	3 50	30 00	$250 \ 00$
	12 to 14 ft.; $2\frac{3}{4}$ to 3 in	4 00	37 50	300 00
	14 to 16 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in	\cdots 4 50	42 50	$400 \ 00$
	14 to 16 ft.; $3\frac{1}{2}$ to $3\frac{3}{4}$ in		50 00	475 00
	14 to 16 ft.; $3\frac{3}{4}$ to 4 in	$\frac{7}{10}$	60 00	-550 00
	14 to 16 ft.; 4 to $4\frac{1}{4}$ in\$7.50	0 10 00		
	14 to 16 ft.; $4\frac{1}{4}$ to 8 in\$12.50 to	0 20 00		
	Specimen Norways. 14 to 20 feet height and of heavy caliper; clean, w			
	headed. Prices on application.	CIT		

Each	10	100
ACER platanoides, var. purpurea. Schwedler's Purple Maple. 8 to 10 ft.; 1\frac{3}{4} to 2 in\$2 50	\$22 50	
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\frac{32}{37} \frac{50}{50}$	
14 to 16 ft.; $3\frac{1}{2}$ to 4 in\$5 to 7 50 16 to 20 ft.; 5 to 10 in\$20 to 75 00		
Broad-headed specimen trees. platanoides, var. Reitenbachi. Reitenbach's		
Purple Maple. 8 to 10 ft	17 50	
pseudo-platanus. European Sycamore Maple— 6 to 8 ft	6 00	
8 to 10 ft 1 50	12 50	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	$\begin{array}{c} 17 \ 50 \\ 22 \ 50 \end{array}$	
14 to 16 ft. Specimens\$5 to 25 00 pseudo-platanus, var. purpurea. Purple Syca-		
more Maple. 8 to 10 ft.; 2 in 2 00 10 to 12 ft.; $2\frac{1}{2}$ in 2 50	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	
12 to 14 ft.; 3 to 6 in\$7.50 to 25 00	22 30	
Broad-headed specimen trees. rubrum. Red or Scarlet Maple. 6 to 7 ft 1 00	8 50	
8 to 10 ft.; $1\frac{3}{4}$ to 2 in	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	
12 to 14 ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in\$2.50 to 5 00		
saccharinum. Sugar Maple. 8 to 10 ft 1 50 10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in	$\begin{array}{ccc} 10 & 00 \\ 15 & 00 \end{array}$	125 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{ccc} 150 & 00 \\ 200 & 00 \end{array}$
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\frac{32}{45} \frac{00}{00}$	$\frac{1}{275}$ 00
14 to 16 ft.; 3 to $3\frac{1}{4}$ in\$5 to 10 00	49 00	
14 to 16 ft.; $3\frac{1}{2}$ to 4 in\$12.50 to 35 00 Specimen low-branched trees of heavy		
caliper and good tops. Prices on application.		
spicatum. Mountain Maple. 2 to 3 ft. 50 3 to 4 ft. 75	$\begin{array}{cc} 4 & 00 \\ 6 & 00 \end{array}$	40 00
4 to 5 ft	8 50	50 00
5 to 6 ft	10 00	60 00
2 ft	$\begin{array}{ccc} 3 & 50 \\ 6 & 50 \end{array}$	35 00
4 to 5 ft. Bushy { FINE } 1 25	10 00	60 00
Most billiant of the fair-coloring	9 00	50 00
trees. Superb for mass planting.		
JAPANESE MAPLES		
ACER polymorphum. 3 to 4 ft. Heavy 2 50	22 50	
polymorphum, var. atropurpureum. Blood-		
leaved Japan Maple. $1\frac{1}{2}$ ft 1 50 2 ft 2 50	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$	
$2\frac{1}{2}$ ft	30 00	
furnished\$7.50 to 25 00		

	Each	10	100
	Weeping Cut-leaf Blood-leaved—	10	100
	$1\frac{1}{2}$ ft	\$22 50	
	Maple. $1\frac{1}{2}$ to 2 ft 2 50 2 to $2\frac{1}{2}$ ft	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
	ing Japan Maple. $1\frac{1}{2}$ ft \div . 2 50 2 to $2\frac{1}{2}$ ft \div \$3.50 to 7 50	22 50	
	polymorphum, var. scopendifolium rubrum. $2\frac{1}{2}$ to 3 ft\$3.50 to 7 50		
	ÆSCULUS Hippocastanum. European Horse-chestnut—		•
()	7 to 8 ft	17 50 22 50 32 50	
	Hippocastanum, var. alba flore pleno— Double White-Flowered Horse-		
	Chestnut. 8 to 9 ft.; 2 in 2 50 9 to 10 ft.; $2\frac{1}{2}$ in 3 50 10 to 11 ft.; 3 in \$5 to 7 50 11 to 12 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in \$7.50 to 10 00	22 50 32 50	
	Specimens; 4 to 5 in\$12.50 to 25 00 Hippocastanum, var. Bujotii— 10 to 12 ft.; $2\frac{1}{2}$ to 3 in $+$ \$3.50 to 5 00 10 to 12 ft.; 3 to $3\frac{1}{2}$ in $+$ \$5 to 7 50 Hippocastanum, var. rubicunda. Redflowered Horse-Chestnut—		
	8 to 10 ft.; 2 to $2\frac{1}{4}$ in 2 50 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 3 50 10 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	22 50 32 50 37 50	
1	AlLANTHUS glandulosa. Ailanthus, or Tree of		
	Heaven. 8 to 10 ft 1 25 10 to 12 ft	$10 \ 00 \ 12 \ 50$	\$100 00
	ALNUS glutinosa. European, or Black Alder— 7 to 8 ft. 1 00 10 to 12 ft. 1 50 incana. 8 to 10 ft. 1 50 AMELANCHIER Botryapium. Dwarf Juneberry. See	$\begin{array}{ccc} 5 & 00 \\ 12 & 50 \\ 10 & 00 \end{array}$	35 00 75 00 75 00
	Shrubs. ANDROMEDA. See Oxydendron.		
	ARALIA. Chinese Angelica Tree—		
	elata, var. foliis argentea marginata. 6 to 8 ft 1 00 8 to 10 ft	13 50 4 00 8 00	
	spinosa. 5 to 6 ft. 75 9 to 10 ft. 1 50		

BETULA alba. European White Weeping Birch-	Each	10	100	
6 to 8 ft	.\$1 25 . 2 00 . 2 50 . 3 50	\$10 00		
leaved White Birch. 6 to 7 f lenta, Sweet Birch. 5 to 6 ft. 8 to 10 ft. lutea. Yellow Birch. 6 to 7 ft. 7 to 8 ft. 8 to 10 ft.; Specimens papyrifera. Paper, or Canoe Birch—	t. 1 50 . 1 00 . 1 50 . 1 50	7 50 12 50 8 50 12 50 13 50		
7 to 8 ft	$\begin{array}{c} 1 & 00 \\ 1 & 50 \end{array}$	8 50 13 50 22 50	\$60 00 150 00	
BROUSSONETIA papyrifera. Paper Mulberry-		40 40		44
6 to 8 ft		12 50		
Hornbeam. 3 to 4 ft. 4 to 5 ft. Bushy 5 to 6 ft. Bushy 6 to 7 ft. Bushy 7 to 9 ft. Bushy 9 to 10 ft. Bushy	. 75 . 1 00 . 1 50 . 2 00 . 2 50 . 3 50	$\begin{array}{c} 5 & 00 \\ 7 & 50 \\ 10 & 00 \\ 13 & 50 \\ 20 & 00 \\ 27 & 50 \\ \end{array}$	30 00 50 00 75 00 85 00 150 00	
3 ft	35 50 75 1 50 2 00	$\begin{array}{c} 3 & 00 \\ 4 & 00 \\ 6 & 00 \\ 13 & 50 \\ 18 & 50 \\ 30 & 00 \\ \end{array}$	40 00 75 00 100 00	
CARYA alba. (Hickory). 2 to $2\frac{1}{2}$ ft tomentosa. 3 to 4 ft	. 1 00	$\begin{array}{c} 7 \ 50 \\ 10 \ 00 \end{array}$		1
7 to 8 ft	. 1 25 . 1 50 . 1 75 . 2 00 . 1 00	7 50 9 00 10 00 12 50 17 50 7 50 7 50		
CATALPA bignonioides. 12 to 14 ft Golder	a	22 50		
4 to 5 ft	s. . 3 50	7 50		
Kæmpferi. Japanese Catalpa. 6 to 8 ft. speciosa. Western Catalpa. 6 to 8 ft. 8 to 10 ft.; 1½ to 2 in.	. 1 50	12 50 7 50 13 50		
CEDRELA Sinensis. Chinese Cedrela— 8 to 10 ft	. 1 50			

CELTIC cooldentalia Nava Each	10	100
CELTIS occidentalis. Nettle Tree. 6 to 7 ft\$1 25	\$10 00	\$75 00
7 to 8 ft	$\frac{12}{17} = 50$	90 00
CERASIS Dadus D District	17 50	
serotina. Wild Black Cherry. 4 to 5 ft. 75	6 00	
12 It 1 50	12 50	
Avium, var. alba niena. Double White.		
flowering Cherry. 5 to 6 ft 1 50 Avium, var. rosea plena. Double Pink-	13 50	
nowering Cherry, 4 to 6 ft 1 50		
Avium, var. rosea pendula. Pink Weeping		
Japan Cherry. 7 ft., specimens 5 00		
Sieboldi, var. rubra plena 4 to 5 ft 1 50	12 50	
CERCIS Canadensis. Red Bud, American Judas— 3 to 4 ft 50	4 00	
4 to 5 ft	$\begin{array}{c} 4 \ 00 \\ 6 \ 00 \end{array}$	
0 to 6 it	7 50	
1 50	10 00	60 00
Japonica. See Shrubs.	12 50	85 00
CERCIDIDUVI I IIM I annui annu a constanti de la constanti de	10 50	400 00
7 to 8 ft 2 00	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	100 00
8 to 9 ft 2 50	$\frac{11}{22} \frac{50}{50}$	
CLADRASTIS tinctoria (Virgilia lutea). Yellow		
Wood. 6 to 8 ft 1 50	13 50	100 00
8 to 10 ft	17 50	150 00
flavida Will I	4.00	
Horida. White Dogwood. 2 to $2\frac{1}{2}$ ft 50 $3\frac{1}{2}$ to 4 ft.; very fine 1 00	$\begin{array}{c}4~00\\7~50\end{array}$	
4 to 5 ft.; very fine 1 25	10 00	60 00
5 to 6 ft.; very fine 1 50	12 50	75 00
	$\frac{15}{20}$ $\frac{00}{50}$	85 00
8 to 10 ft.; very fine	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$	100 00
Very low-branched, heavy stock.	2. 00	
norida, var. flore rubro. Red-flowered		
Dogwood— 4 to 5 ft. Bushy		
5 to 6 ft. Bushy		
0 to 8 it. Bushy		
One of the most beautiful of		
ornamental trees, combining spring flowers, summer berries and bril-		
liant autumn foliage.		
florida, var. pendula. Weeping Dog-		
wood— 7 to 10 ft. Rare		
CRATÆGUS Carrieri. 3 to 4 ft		
4 to 5 ft	7 50	
5 to 6 ft	10 00	
6 to 7 ft	12 50	
coccinea. 4 to 5 ft	$\frac{6}{10} \frac{00}{50}$	
6 to 7 ft	12 50	
4 to 5 ft 1 00	8 50	
6 to 8 ft. Specimens 5 00		
8 to 10 ft. Specimens 7 50		

	Each	10	100
CRATÆGUS Crus-galli. Cockspur Thorn— 3½ to 4 ft	\$1.00	\$7 50	\$50 00
6 to 8 ft	♦ 1 25	10 00	φυσ σσ
8 to 10 ft	$\uparrow \dots 150$	$\begin{array}{ccc} 13 & 50 \\ 12 & 50 \end{array}$	
Oxyacantha. English Hawthorn—			
5 to 6 ft	100	$\begin{array}{c} 5 & 00 \\ 6 & 00 \end{array}$	
Oxyacantha, var. alba flore pl	eno.		
Double White Hawthorn—3 to 4 ft.		7 50	
4 to 5 ft	\dots 1 50	10 00	
Oxyacantha, var. coccinea flore plo Paul's Double Scarlet—			
4 to 6 ft	100	$\frac{9}{45} \frac{00}{00}$	
Oxyacantha, var. rosea flore pl	eno.	40 00	
Double Pink Hawthorn—4 to 5 ft	1 50	10 00	
punctata. 5 to 6 ft	\dots 1 00	6 00	
CYTISUS Laburnum. Golden Chain. 3 to 4 ft		$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	
5 to 6 ft		$1\overset{\circ}{3}\overset{\circ}{50}$	
DIOSPYROS Virginica. Persimmon— 10 to 12 ft	1 50	13 50	
FAGUS ferruginea. American Beech-		10 00	
6 to 8 ft. \dots \$3.50 sylvatica. European Beech. 3 to 4 ft		6 00	
4 to 5 ft	\dots 1 00	7 50	
5 to 6 ft	350	$\begin{array}{ccc} 15 & 00 \\ 32 & 50 \end{array}$	
7 to 8 ft\$3.50) to 5 v0	32 00	
8 to 10 ft. Specimens\$5 sylvatica, var. asplenifolia. Fern-lik			
Beech—			
3 to 4 ft	\dots 2 50		
sylvatica, var. pendula. Weeping Beech-	_		
6 to 7 ft	\dots 5 00		
14 to 16 ft.; 2 to $3\frac{1}{2}$ in. Spread mens	oeci-		
All recently transplanted.			
sylvatica, var. purpurea. Purple Beech-		12 50	
5 to 6 ft	\dots 2 50	22 50	
6 to 7 ft	500	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
9 to 10 ft	\dots 6 00	55 00	
11 to 12 ft\$10 12 to 14 ft. Specimens\$10	to 35 00	70 00	
8 to 16 ft. Sheared specimens.\$1	0 to 35 00		
sylvatica, var. purpurea major. Large Les 5 to 6 ft.	at— 2 50	22 50	
7 to 8 ft	\dots 5 00	47 50	
9 to 10 ft	aved		
Beech. 6 to 7 ft	\dots 3 50		
7 to 8 ft			



An Avenue of Sweet Gums (Liquidambar), at Andorra.

Eac	h 10	100
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{ccccccccccccccccccccccccccccccccc$	\$100 00
excelsior. European Ash— 6 to 8 ft	50	٠
8 to 10 ft.; heavy\$2.50 to 3 to GLEDITSCHIA aquatica. Water Locust. 6 to 7 ft 1		
7 to 8 ft	$\begin{array}{cccc} 00 & 15 & 00 \\ 75 & 6 & 00 \end{array}$	
GLYPTOSTROBUS. See Taxodium.	00 12 00	
GYMNOCLADUS Canadensis. Kentucky Coffee Tree-		
7 to 8 ft 2	50 20 00	135 00
	50 3 50	30 00
8 to 10 ft	00 8 50 50 12 50	75 00 100 00
to 2 in	50	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in 3 { KŒLREUTERIA paniculata. Varnish Tree—	DU	
5 to 6 ft 1 8	50 22 50	

LARIX European European Larch. 5 to 6 ft\$1 00	\$7 50	100
1 25	10 00	
8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 10 & 00 \end{array}$	\$85 00
10 to 12 ft	$\begin{array}{ccc} 15 & 00 \\ 12 & 50 \end{array}$	85 00
7 to 8 ft.; $2\frac{1}{2}$ in. Fine $+$. 2 50	22 50	09 00
8 to 9 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in. Fine. \bigstar . 3 50 10 to 12 ft.; 3 to $3\frac{1}{2}$ in 5 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
An excellent lot, specially prepared for avenue planting:		
$\frac{8 \text{ to } 10 \text{ ft.}}{10 \text{ to } 10 \text{ ft.}}$; $\frac{11}{2}$ to $\frac{2}{2}$ in	17 50	150 00
LIKIUUENDRUN Tulipitera. Tulip Tree. 8 to 9 ft., 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	175 00
9 to 10 it 1 75	16 50	
14 to 14 ft.; very heavy		
Tulipifera, var. fastigiata. 8 to 10 ft		
MAGNOLIA, Native Sorts— acuminata. Cucumber Tree. 5 to 6 ft 1 00	7 50	
ylauca. Sweet or Swamp Magnolia—	7 50	
2 to $2\frac{1}{2}$ ft		
2 to 2½ ft		
5 to 6 ft		
6 to 7 ft	9 00	75 00
8 to 10 ft	12 50	100 00
12 to 14 ft		
Alexandriana, 4 to 5 ft. $\dots \rightarrow 350$		
6 to 7 ft		
conspicua. White— 3 to 3½ ft	32 50	
0 to 0 ± tt. ★ 5 00	45 00	
Kohus. 2 to 2½ ft		
Lennei Hybrid. Lenne's Magnolia— 3½ to 4 ft 3 50		
4 to 6 ft		
5 to 4 ft		
7 to 8 ft		
4 to 5 ft		
Soulangeana Hybrid. Soulange's Magnolia—		
4 to 5 ft		
6 to 7 ft		
stellata; syn., Halleana. Hall's Japanese	00.50	
Magnolia. 2 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
3 to 6 ft. Specimens		
7 to 8 ft		



An Avenue of "Andorra-grown" Oriental Planes. (See page 30).

MORUS alba. White Mulberry. 5 to 6 ft\$1 00 alba, var. Tatarica alba. White-fruited Russian Mulberry. 6 ft	10 \$6 00
NYASSA sylvatica. Sour Gum. 5 to 6 ft	
OSTRYA Virginica (Ironwood). 3 to 4 ft	
Tree. 2 to 3 ft. 1 00 3 to 4 ft. 1 50 4 to 5 ft. 2 00 5 to 6 ft. 2 50 6 to 7 ft. 3 00 7 to 8 ft. 3 50 PARROTIA Persica. Persian Iron Tree. 5 to 6 ft. 2 50 10 to 12 ft. 3 50 PAULOWNIA imperialis. 10 to 12 ft. 3 50 PERSICA vulgaris, var. alba plena. Double White-flowering	9 00 13 50 18 50 22 50 27 50
Peach. 4 to 5 ft	7 50
vulgaris, var. sanguinea plena. Double Red-flowering Peach. 4 to 5 ft 1 00	7 50
PHELLODENDRON Amurense. Chinese Cork Tree—	1 90
8 to 10 ft	

	•	
PLATANUS occidentalis. American Buttonwood—	10	100
8 to 10 ft	\$8 50 12 50	
orientalis. Oriental Plane, or European Buttonwood. 6 to 8 ft 1 00	7 50	\$50 00
8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 25 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 50	$\begin{array}{ccc} 11 & 50 \\ 12 & 50 \end{array}$	$\begin{array}{c} 85 \ 00 \\ 115 \ 00 \end{array}$
10 to 12 ft.; $1\frac{3}{4}$ to 2 in	$\begin{array}{ccc} 16 & 00 \\ 32 & 50 \end{array}$	150 00
POPULUS alba, var. Bolleana. Bolle's Poplar—		
8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 20 & 00 \end{array}$	
12 to 14 ft.; 3 to $3\frac{1}{2}$ in		
Poplar. 8 to 10 ft.; $1\frac{1}{2}$ to 2 in 1 00 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 1 50	$\begin{array}{c} 7 \ 50 \\ 10 \ 00 \end{array}$	
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\frac{10}{22}$ $\frac{10}{50}$	
8 to 10 ft.; $1\frac{1}{2}$ to 2 in	$\begin{array}{ccc} 10 & 00 \\ 13 & 50 \end{array}$	125 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50	$\begin{array}{ccc} 120 & 00 \\ 150 & 00 \end{array}$
PRUNUS. See, also, Cerasus. PRUNUS Pissardii. Purple Plum. 3 to 4 ft 75	5 00	
triloba. Flowering Plum. 2 to $2\frac{1}{2}$ ft 50 PTELEA trifoliata. Hop Tree. 4 to 6 ft 35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
6 to 7 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
PTEROSTYRAX hispidum (Halesia hispida). 8 to 10 ft	12 50	
10 to 12 ft	20 00	
atrosanguinea. 4 to 5 ft	10 00	
$3\frac{1}{2}$ to 4 ft	$\begin{array}{c} 6 & 00 \\ 6 & 00 \end{array}$	
floribunda. Flowering Crab. $3\frac{1}{2}$ to 4 ft 1 00 lænsis, var. Bechtel. Bechtel's Double-	7 50	
flowering Crab. 3 to 4 ft 1 50 Parkmani; syn., Halliana. Parkman's Crab—	12 50	
$3\frac{1}{2}$ to 4 ft	$\begin{array}{ccc} 7 & 50 \\ 12 & 50 \end{array}$	
spectabilis. Chinese Double-Flowering Crab—		
3 to 4 ft	7 50 7 50	
Rose-flowering Crab. 3 to 4 ft 1 00 Toringo (Dwarf Crab). 4 to 5 ft 1 25 QUERCUS alba. White Oak. 5 to 6 ft 1 25	10 00	
6 to 7 ft	16.00	
8 to 10 ft	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
QUERCUS bicolor. Swamp White Oak—	32 50	900-00
8 to 9 ft.; $1\frac{3}{4}$ to 2 in 2 50 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	200 00
12 to 14 ft. Specimens\$5 to 10 00 Cerris. Turkey Oak— Control of the 21 to 21 in \$2.50 to 5.00		
6 to 8 ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in\$3.50 to 5 00		

Each	10	100
QUERCUS coccinea. Scarlet Oak. 6 to 7 ft. \$1 25 7 to 8 ft. 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$125 00
8 to 9 ft.; $1\frac{3}{4}$ to 2 in	$\begin{array}{cc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{ccc} 160 & 00 \\ 200 & 00 \end{array}$
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in\$2.75 to 5 00 12 to 14 ft. Specimens\$7.50 to 10 00		
imbricaria. Laurel Oak. 7 to 8 ft 2 50 8 to 10 ft		
macrocarpa. Mossy Cup Oak— 8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00		
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	22 50	
palustris. Pin Oak— 6 to 7 ft. Low-branched 1 00	8 50	
7 to 8 ft.; $1\frac{1}{2}$ to $1\frac{3}{2}$ in. Low-hranched 1 25	10 00	
8 to 9 ft.; 1¾ to 2 in. Low-hranched. 1 50 9 to 10 ft.; 2 to 2½ in. Low-hranched 2 50	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \\ 20 & 20 \end{array}$	185 00
10 to 12 ft.; $2\frac{3}{4}$ to $\frac{3}{4}$ in. Low-hranched 3 50 10 to 12 ft.; $\frac{3}{4}$ to $\frac{3}{4}$ in	$\frac{30}{37} \frac{00}{50}$	$\begin{array}{ccc} 275 & 00 \\ 350 & 00 \end{array}$
cal., well-rooted and good tops,		
\$7.50 to 15 00 pedunculata, var. Concordia. Golden Oak—		
6 to 8 ft\$2.50 to 3 50 10 to 12 ft\$5 to 7 50		
Phellos. Willow Oak. 8 to 10 ft 3 50 Prinus. Rock Chestnut Oak. 7 to 8 ft 1 25	$\begin{array}{ccc} 32 & 50 \\ 10 & 00 \end{array}$	
8 to 10 ft 1 50	$ \begin{array}{cccc} 13 & 50 \\ 18 & 50 \end{array} $	150 00
10 to 12 ft.; 2 to $2\frac{1}{4}$ in 2 00 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50	22 50	175 00
12 to 14 ft.; 3 to 4 in\$3.50 to 5 00 Excellent for street planting.	0 50	
Robur. English Oak. 6 to 8 ft.; 2 in 1 00 8 to 10 ft.; 2 to $2\frac{1}{4}$ in 1 50	$ \begin{array}{c} 8 & 50 \\ 12 & 50 \end{array} $	
10 to 12 ft.; $2\frac{1}{2}$ to 3 in	$\begin{array}{ccc} 20 & 00 \\ 32 & 50 \end{array}$	
3½ to 4½ in. cal. Specimens\$5 to 10 00 Robur, var. fastigiata. Pyramidal English		
Oak. 8 to 10 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
rubra. Red Oak. 7 to 8 ft	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 00 12 to 14 ft. Specimens \$3.50 to 10 00	27 50	
velutina, var. tinctoria. Black Oak—	10 00	
8 to 10 ft.; $1\frac{3}{4}$ to 2 in	15 00	125 00
10 to 12 ft.; 2 to $2\frac{1}{4}$ in 2 00 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 150 & 00 \\ 200 & 00 \end{array}$
3 to $3\frac{1}{2}$ in. Specimens	$\begin{array}{cccc} 27 & 50 \\ 4 & 00 \end{array}$	35 00
5 to 6 ft	$\begin{array}{cccc} 6 & 00 \\ 8 & 50 \end{array}$	$ \begin{array}{ccc} 50 & 00 \\ 75 & 00 \end{array} $
8 to 10 ft	12 50	85 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 00	40 00
Osbecki. 1½ to 2 ft	4 00 8 50	
0 10 + 11	0 00	

ANDORRA NORSERIES		
Each Co. A. C.	10	100
RHUS typhlna. Staghorn Sumac. 3 to 4 ft. \$1.00 \$35 5 to 6 ft. 50	\$3 00 4 00	\$30 00
6 to 8 ft 75	6 00	50 00
8 to 10 ft	8 50	60 v0
Tree. 6 to 7 ft 1 00	8 50	
7 to 8 ft.; $1\frac{1}{2}$ to 2 in 1 25	10 00	
8 to 9 ft.; 2 to $2\frac{1}{4}$ in 1 50 9 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in 2 00	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	$egin{array}{cccc} 125 & 00 \\ 150 & 00 \\ \end{array}$
10 to 12 ft.: 2½ in 2 50	$\frac{11}{22} \frac{50}{50}$	200 00
12 to 14 ft.; $2\frac{3}{4}$ to 3 in 5 00	40 00	350 00
SALIX alba. White Willow. 5 to 6 ft	$\begin{array}{ccc} 5 & 00 \\ 12 & 50 \end{array}$	
Babylonica. Weeping Willow. 6 to 8 ft 75	6 00	
8 to 10 ft	8 50	
ing Willow. 8 to 10 ft. Heavy 2 50	2 2 50	
caprea. Pussy Willow. 5 to 6 ft	5 00	40 00
7 to 8 ft	$\begin{array}{ccc} 12 & 50 \\ 4 & 00 \end{array}$	$\begin{array}{cc} 75 & 00 \\ 35 & 00 \end{array}$
4 to 5 ft	$\bar{6}$ 00	50 00
lutea. Golden Willow. 8 to 10 ft 1 50 10 to 12 ft.; 3 to $3\frac{1}{4}$ in 2 50	22 50	
lutea, var. pendula. Golden Weeping	22 00	
Willow— 5 to 6 ft	7 50	50 00
10 to 12 ft	1 30	90 00
12 to 14 ft\$3.50 to 5 00	= =0	
pentandra. Laurel Leaf Willow. 6 to 7 ft 1 00	$\begin{array}{c} 7 & 50 \\ 12 & 50 \end{array}$	
7 to 8 ft		
Willow. 10 to 12 ft. Heavy 2 50 SOPHORA Japonica. Japanese Sophora—	22 50	
$4\frac{1}{2}$ to 5 ft 1 50	12 50	
Wentworth. 7 to 8 ft.; 2 to $2\frac{1}{2}$ in 1 50	12 50	
Japonica, var. pendula. Weeping Sophora—		
7 to 8 ft. Specimens		
SORBUS Americana. American Mountain Ash— 7 to 8 ft		
aucuparia. European Mountain Ash—		
7 to 8 ft		
fruited. 7 to 8 ft 1 50		
aucuparia, var. quercifolia. Oak-leaved Mountain Ash. 6 to 7 ft 1 50		
TAXODIUM distichum. Deciduous Cypress.		
5 to 6 ft	12 50	
TILIA Americana. American Linden, or Bass- wood—		
7 to 8 ft.; $1\frac{1}{2}$ to 2 in 1 50	12 50	
8 to 10 ft.; 2 to $2\frac{1}{4}$ in	22 50	
10 to 12 ft.; $2\frac{1}{2}$ to 3 in \$4 to 5 00		
■ 12 to 14 ft.; 3 to 4 in + \$5 to 10 00	Each	10
argentea; syn., tomentosa. Silver-leaved Linden-		
6 to 8 ft.; 2 in	\$1 75	$\begin{array}{ccc} \$15 & 00 \\ 22 & 50 \end{array}$
8 to 10 ft.; $2\frac{1}{2}$ to $2\frac{1}{2}$ in	350	$\begin{array}{c} 22 & 50 \\ 32 & 50 \end{array}$

TRICE BIOT TON THEE OT TOTAL		
TILIA platyphyllos. Large-leaved Linden—	Each	10
7 to 8 ft.; $1\frac{3}{4}$ to 2 in	\$1 50	\$12 50
vulgaris; syn., European European Linden— 8 to 10 ft.; 2 to 2½ in	. 1 75	15 00
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{5}{4}$ in	o 7 50	22 50
vulgaris, var. pyramidalis laciniata. Pyramidal Cut leaf. 12 to 14 ft.; 3½ in	. 3 50	32 50
ULMUS Americana. American Elm — 8 to 10 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in		12 50
8 to 10 ft : $1\frac{3}{2}$ to 2^{-1} in	. 1 75	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
12 to 14 ft.; $2^{\frac{1}{2}}$ to $2^{\frac{1}{2}}$ in	. 3 00	20 00
14 to 15 ft.; 3 to 6 in. Specimens\$5 to	25 00	19 50
campestris. English Elm. 8 to 10 ft.; 2 to $2\frac{1}{4}$ in 10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	2.75	13 50 25 00
12 to 14 ft.; 2\frac{3}{4} to 3 in	· 3 50 o 7 50	32 50
campestris, var. latifolia; syn., major. Broad-leaved English Elm—	d	
12 to 14 ft.: $2\frac{1}{2}$ to $2\frac{3}{2}$ in	. 2 75	32 50
12 to 14 ft.; $2\frac{5}{4}$ to 3° in	15 00	
10 to 12 ft	. 2 50	22 50 32 50
scabra; syn., Dampieri; fastigiate form		32 50
10 to 12 ft.; 2½ to 3 in	. 0 00	02 00
scabra, var. Huntingdoni. Huntingdon Elm—		20 50
12 to 14 ft.; 3 to 3½ in	. 4 50	$\begin{array}{ccc} 32 & 50 \\ 42 & 50 \end{array}$
14 to 16 ft.; $3\frac{1}{2}$ to 4 in		
6 ft	. 1 50	
8 to 10 ft.; 1½ to 2 in	. 1 50	13 50 17 50
12 to 14 ft.; $\bar{3}$ to $3\frac{1}{2}$ in	. 3 50	32 50
DECIDUOUS SHRUBS		
Each	10	100
ABELIA rupestris. 1 to $1\frac{1}{2}$ ft. 1 to 50 1 to 2 ft. 75	\$4 50 6 50	\$25 00
2 to $2\frac{1}{2}$ ft	7 50	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 25 & 00 \end{array}$
ÆSCULUS parviflora; syn., Pavia macrostachya— 2 ft	8 50	75 00
$2\frac{1}{2}$ ft 1 50	13 50 17 50	100 00
ALTHEA. See $Hibiscus$. AMELANCHIER Botryapium. $2\frac{1}{2}$ to 3 ft	3 00	
3 to 4 ft 50	4 00	30 00



Partial '	View	of	Nursery	Grounds	from	Top	of	Main	Nursery.	
-----------	------	----	---------	---------	------	-----	----	------	----------	--

	Each	10	100
AMORPHA canescens. 2 ft	.\$0 35	\$2 50	\$15 0 0
fragrans. $4\frac{1}{2}$ to 5 ft	. 35	3 00	25 00
fruticosa. 2 to 3 ft	. 25	$2\ 00$	
$4\frac{1}{2}$ to 5 ft	. 35	3 00	20 00
6 to 7 ft		4 00	$\frac{1}{25}$ 00
AMYGDALUS (Almond). See Prunus.			_0 00

NATIVE AZALEAS, ANDORRA GROWN

		\mathbf{C}	lean,	bushy,	transp	lanted s	stock.				
			ĺ		_		Each		10	100)
AZALEA	arbores	cens.	Frag	rant V	Vhite A	zalea—					
	12	to 15			clumps		\$1 0	0 \$9	9 00		
		to 18		Bushy	clumps		\dots 15			\$125	00
		to 2			clumps		$\dots \overline{2} 0$		3 50	150	
	2^{-}	to $2\frac{1}{2}$	ft.		clumps		2 5		2 50	200	
	$2\frac{1}{2}$	to 3	ft.	Bushy	clumps		3 5	0 30	00		
	calendu	lacea.	Flan	ne Azal	lea. 12	to 15 in	1 10		00		
	15	to 18	in.	Bushy	clumps		1 5		3 50	125	00
	18	to 24	in.	Bushy	clumps		1 7		5 00	135	00
	2	to $2\frac{1}{2}$	ft.	Bushy	clumps		. 25		2 50		
	$2\frac{1}{2}$	to 4	ft			.\$3 50	to 5 0	0			
	Canadei	ısis (F	Rhodo	ra). 1	ft. B	ushy	1 0	0 8	3 50	75	00
	1 ½	to 2	ft				$\dots 2 0$	0 - 18	3 50	150	
	nudiflor	a. 12	to 1	5 in			\dots 1 0	0 ϵ	00		
	15	to 18	in.	Clump	s		1 5	0 18	3 50	115	00
	$1\frac{1}{2}$	to 2	ft.	Bushy	clumps		1 7	5 15	5 00	125	
	2	to $2\frac{1}{2}$	ft.	Bushy	clumps		$\dots 25$	0 - 22	2 50		
	Vaseyi.	Sout	hern	Azalea	. 12 to	15 in.	\dots 1 0	0 8	00		
	15	to 18	in.	<u>.</u>			15	0 - 13	3 50		
	$\frac{1}{2}$	to 2	ft.	Bushy	clumps		$\dots 20$	0 - 18	3 50	150	00
	2	to $2\frac{1}{2}$	ft.	Bushy	clumps		$\dots 25$	0 22	2 50	200	00
	$2\frac{1}{2}$	to 3	ft.	Bushy	clumps		3 5	0 30	00		
	viscosa.										
		to 18			clumps		\dots 1 5		3 50	115	00
		to 2		Bushy	clumps		$\dots 2 0$		3 50	150	00
	2	to $2\frac{1}{2}$	ft.	Bushy	clumps		$\dots 25$	0 22	2 50	175	00

MOLLIS and GHENT AZALEAS

MOLLIS and GILLIT ALACEA			
	ch	10	100
AZALEA mollis. 1½ ft. Named sorts\$1	25	\$10 00	\$90 00
2 ft. Bushy. Named sorts 1	50	13 50	$125 \ 00$
$2\frac{1}{2}$ ft. Bushy. Named sorts 2		17 50	
$1\frac{1}{2}$ ft. Unnamed		9 00	85 00
2 ft. Unnamed		10 00	90 00
Pontica (Ghent). $1\frac{1}{2}$ ft. Named sorts 1		10 00	90 00
2 ft. Bushy. Named sorts 1		12 50	$120 \ 00$
$2\frac{1}{2}$ to 3 ft. Bushy		22 50	
3^{-} to $3\frac{1}{2}$ ft. Bushy\$2.50 to 3^{-}	50		
BACCHARIS halimifolia. Groundsel Shrub-			
	35	2 50	17 50
2 to $2\frac{1}{2}$ ft			11 00
BENZOIN odoriferum. Spice Bush. 2 to $2\frac{1}{2}$ ft	35	3 00	
3 to $3\frac{1}{2}$ ft	-50	4 00	35 00
$3\frac{1}{2}$ to 4 ft	7 5	6 00	
BERBERIS (Barberry) Asiatica. 3 to $3\frac{1}{2}$ ft	75	6 00	
·	50	4 00	35 00
Dulcis. 12 in.			
ilicifolia. Holly-leaved. $1\frac{1}{2}$ to 2 ft	35	3 00	$\frac{27}{20}$
2 to $2\frac{1}{2}$ ft	$\underline{50}$	4 00	35 00
$2\frac{1}{2}$ to 3 ft	75	6 00	40 00
Japonica (not Mahonia). 2 to $2\frac{1}{2}$ ft	50	4 50	35 00
$2\frac{1}{2}$ to 3 ft	75	5 00	40 00
Sinensis. Chinese Barberry. 2 to $2\frac{1}{2}$ ft.	35		
	50		
$2\frac{1}{2}$ to 3 ft.; very heavy	7 5		
3 to $3\frac{1}{2}$ ft		- FF	10.50
Thunbergii. 12 to 15 in	25	1 75	$\frac{12}{15} \frac{50}{20}$
15 to 18 in	35	$\frac{2}{50}$	15 00
$1\frac{1}{2}$ ft.; broad and very heavy	50	3 50	20 00
$1\frac{1}{2}$ to 2 ft.; broad and very heavy	60	4 50	2 5 00
$2\frac{1}{2}$ ft.; broad and very heavy	75	6 00	50 00
3 to 3½ ft.; broad and very heavy 1	. 00	9 00	75 00
vulgaris. Common Barberry-			
2 to 2½ ft	50	3 50	20 00
$2\frac{1}{2}$ to 3^2 ft	60	5 00	$\frac{1}{25}$ 00
3^2 to $3\frac{1}{2}$ ft	75	6 00	$\overline{45}$ $\overline{00}$
	50	4 00	30 00
vulgaris, var. Amurensis. 2 to $2\frac{1}{2}$ ft			
vulgaris, var. purpurea. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	17 50
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00
3 to $3\frac{1}{2}$ ft	60	4 00	35 00
$3\frac{1}{2}$ to 4 ft	75	6 00	50 00
4 to 5 ft	L 00	7 50	60 00
CALLICARPA purpurea. Beauty Fruit-			
3 to 4 ft	75	6 00	35 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub-			
3 to $3\frac{1}{2}$ ft	50	4 00	30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	6 00	35 00
OADACANA anhangagana Cibanian Dag	10	3 00	00 00
CARAGANA arborescens. Siberian Pea-	or.	0.00	17 50
$2\frac{1}{2}$ to 3 ft	25	$\frac{2}{4} \frac{00}{00}$	17 50
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
CARYOPTERIS Mastacanthus. Blue Spirea-			4 4
1½ to 2 ft	35	2 50	15 00

00				
	· Eac	ch	10	100
CEANOTH	US Americanus. Jersey Tea. 1½ to 2 ft\$0	25	\$2 00	
0=/11101111	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	5 00	
	$2\frac{1}{2}$ to 3 ft	50	4 00	
	Americanus, var. Fendleri—	00	1 00	
	$1\frac{1}{2}$ to 2 ft	75		
CEPHALAI	NTHUS occidentalis—	10		
OLI IIALAI	$\frac{2\frac{1}{2} \text{ to } 3 \text{ ft. } \dots}{2 \text{ to } 3 \text{ ft. } \dots}$	35	250	\$20 00
	$3\frac{1}{2}$ to 4 ft	50	$\frac{2}{3} \frac{30}{00}$	25 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	4 00	30 00
CERCIS.	See, also, Deciduous Trees.	10	± 00	80 00
ornois.	Japonica. Japan Judas—			
	9 to 9 ft	75	5 00	
	2 to 3 ft Exceptionally fine stock.	10	9 00	
CHIONANT	HUS Virginica. White Fringe—			
CHIUNANI	$2\frac{1}{2}$ to 3 ft. Busby	50	4 50	
		75	7 00	50 00
	3 to 4 ft. Bushy		8 50	75 00
	4 to 5 ft. Bushy 1 5 to 6 ft 1		13 50	100 00
	7 to 8 ft	50	$\frac{13}{22} \frac{50}{50}$	100 00
CLETUDA	alnifolla. Sweet Pepperbusb—	90	22 90	
CLETHNA		35	250	17 50
	$\frac{2}{2}$ to $\frac{2}{2}$ ft. Record and highly	50	$\frac{2}{3} \frac{50}{00}$	20 00
	$2\frac{1}{2}$ to 3 ft. Broad and bushy 3 to $3\frac{1}{2}$ ft. Broad and bushy 4 to $4\frac{1}{2}$ ft. Busby	60	4 00	20 00
	5 to 5½ it. Droad and bushy	75	4 00	
COLUTEA	arborescens. Bladder Senna —	19		
CULUTEA		50	4 00	25 00
	4 to 5 ft	75	6 00	30 00
COMPTON	5 to 6 ft Farm 11 to 2 ft	35	3 00	$\frac{30}{25} \frac{00}{00}$
COMPTON	A asplenifolia. Sweet Fern. $1\frac{1}{2}$ to 2 ft	50	4 00	30 00
ооронорі	2 to $2\frac{1}{2}$ ft	อบ	4 00	. 30 00
CONCHUNG	JS Japonicus. Single Globe Flower—	50	3 50	25 00
	2 to $2\frac{1}{2}$ ft	90	5 50	25 00
	Japonica, fl. pl. (Double Kerria)—	50	3 50	25 00
	2 to $2\frac{1}{2}$ ft	90	5 50	25 00
	Japonicus, var. variegata. (Variegated	50		
CORNUS.	Leaves), 2 to $2\frac{1}{2}$ ft	90		
CONNOS.	See, also, Trees. alba. Siberian Red-twigged Dogwood—			
		25	2 00	15 00
	$1\frac{1}{2}$ to 2 ft	35	3 00	19 00
	3 to $3\frac{1}{2}$ ft.; very heavy	50	4 00	25 00
	$3\frac{1}{2}$ to 4 ft.; very beavy	75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
	5 to 6 ft	~ ~	7 50	30 00
	alba; syn., Siberica, var. aurea variegata—	00	1 00	
•	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	50	4 00	
	$2\frac{1}{2}$ to 3 ft	75	$\frac{1}{5} \frac{00}{00}$	
	alba, var. elegantissima. Golden-leaved—	10	5 00	
	3 to 3½ ft	35	3 00	
	$3\frac{1}{2}$ to 4 ft	75	6 00	
	alternifolia. 3 to 4 ft.	50	4 00	30 00
	5 to 6 ft	75	5 00	40 00
	6 to 7 ft	00	6 00	50 00
	Kousa (Bentbamia Japonica)—		0 00	00 00
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots + \dots + \dots 1$	00	8 50	
	Mas. Cornelian Cherry. $1\frac{1}{2}$ to 2 ft	$\frac{25}{25}$	2 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35	3 00	
	$2\frac{1}{2}$ to 3 ft	50	3 50	
	4½ to 5 ft.; very heavy	75	6 00	35 00
	5 to 6 ft	00	7 50	50 00
	6 to 10 ft. Specimens	50	, , ,	
$\mathcal{F}_{i} = \mathcal{F}_{i}$	O TO TO THE POSITION OF THE PARTY OF THE PAR			

	Eac	a la	10	100
CORNUS paniculata. $2\frac{1}{2}$ to 3 ft			\$3 00	100
3 to $3\frac{1}{2}$ ft		50	4 00	
4 to 5 ft		75	5 00	
5 to 6 ftsanguinea. European Osier Dogwood—	1	00	7 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	•	25	2 00	\$15 00
$3\frac{1}{2}$ to 4^2 ft. Heavy		35	3 00	$\frac{915}{25} \frac{00}{00}$
4 to 5 ft. Heavy		50	4 00	30 00
5 to 6 ft. Heavy	• • •	75	5 00	35 00
sericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft.	• • •	35 50	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	20 00
4 to 5 ft		75	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
6 to 7 ft	1	00	7 50	50 00
stoionifera. Native Red Osier—				
$2\frac{1}{2}$ to 3 ft	• • •	35	3 00	$\frac{20}{20} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft	• • •	50 60	$\begin{array}{ccc} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft		75	6 00	35 00
6 to 7 ft	1	00	7 50	50 00
stolonifera, var. aurea. Golden-barked-		25	9.00	00.00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	• • •	35 50	$\begin{array}{c} 3 \ 00 \\ 3 \ 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
3 to 3½ tt		75	5 00	35 00
CURYLUS Americana. American Hazel—				00 00
3½ to 4 ft	 []	50	3 50	
Aveilana, var. laciniata. Cut-leaved H $1\frac{1}{2}$ to 2 ft	tazei—	50	4 00	
maxima, var. purpurea. Purple Haze	i—	90	4 00	
$2\frac{1}{2}$ to 3 ft		35	3 00	20 00
3 to $3\frac{1}{2}$ ft	• • •	50	4 50	30 00
$5\frac{1}{2}$ to 6 ft	••• т	00	7 50	60 00
2 to $2\frac{1}{2}$ ft		35		
4 to $4\frac{1}{2}$ ft	• • •	50		
CRATÆGUS. See Trees.		or.	9.00	
CYDONIA Japonica. Japan Quinee. 2 to $2\frac{1}{2}$ ft. DESMODIUM penduliflorum. See Lespedeza Siebo	 1di	35	3 00	
DEUTZIA candidissima (Double White). $2\frac{1}{2}$ to 3	ft.	35	3 00	
$3\frac{1}{2}$ to 4 ft		50	4 00	
5 to 6 ft	• • •	75	$\frac{5}{0} \frac{00}{00}$	40.00
crenata. 5 to 6 ft	• • •	75	6 00	40 00
$3\frac{1}{2}$ to 4 ft		50	3 50	
4 to 5 ft		75	5 00	35 00
crenata, var. Waterer. $3\frac{1}{2}$ to 4 ft		50	3 50	25 00
4 to 5 ft	• • •	60 75	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	30 00
crenata, var. Wellsi. 3 to 4 ft.	• • •	50	3 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft	• • •	75	$5 \ 00$	$\overline{25}$ $\overline{00}$
gracilis. Dwarf Deutzia—		F 0	4 00	00.05
15 to 18 in.; very heavy	• • •	50 75	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	20 00 30 სა
24 to 30 in	1	00	7 50	30 00 35 00
gracilis, var. carminea. 15 to 18 in		35	3 00	20 00
18 to 24 in		50	4 00	$\frac{25}{25}$ 00
24 to 30 in		75 00	$\begin{array}{c} 6 \ 00 \\ 7 \ 50 \end{array}$	$\begin{array}{cccc} 35 & 00 \\ 50 & 00 \end{array}$
00 to 10 m	т	00	1 50	50 00

	~ ,	4.0	400
	Each	10	100 \$30 00
DEUTZIA gracilis, var. rosea. 2 to $2\frac{1}{2}$ ft $2\frac{1}{2}$ to 3 ft	$egin{smallmatrix} \$0 & 75 \ 1 & 00 \end{bmatrix}$	$\begin{array}{c} \$6 \ 00 \\ 7 \ 50 \end{array}$	35 00
Lemoinel. 2 to $2\frac{1}{2}$ ft.; very heavy	35	3 00	$\frac{30}{20} \frac{00}{00}$
3 to $3\frac{1}{2}$ ft.; heavy	50	4 00	30 00
$3\frac{1}{2}$ to 4 ft	75	$\frac{5}{2}$ 00	35 00
4 to 5 ft	1 00	7 50	50 00
Lemoinei, var. compacta. 2 to $2\frac{1}{2}$ ft	35 50	$\begin{smallmatrix}3&00\\4&00\end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
$2\frac{1}{2}$ to 3 ft	75	$\frac{1}{5} \frac{00}{00}$	$\frac{25}{35} \frac{00}{00}$
4 to 5 ft		750	50 00
parviflora. 3 to 4 ft	75	5 00	35 00
scabra. 3 to $3\frac{1}{2}$ ft	35	3 00	15 00
4 to 5 ft	$\begin{array}{c} 50 \\ 75 \end{array}$	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 30 & 00 \end{array}$
5 to 6 ft	19	0 00	50 00
3 to $3\frac{1}{2}$ ft	50	3 50	
6 to 7 ft	7 5	6 00	40 00
florida; syn., rosea. $2\frac{1}{2}$ to 3 ft	35	$\frac{2}{50}$	
3 to 4 ft	$\frac{50}{25}$	4 00	
4 to 5 ft	75 35	$\begin{array}{ccc} 5 & 00 \\ 3 & 00 \end{array}$	
florida, var. candida. 2 to $2\frac{1}{2}$ ft 5 to 6 ft	50 50	4 00	30 00
6 to 8 ft	75	$\vec{5}$ $\vec{0}\vec{0}$	40 00
florida nana, var. aurea variegata—			
$\frac{3}{2}$ to $3\frac{1}{2}$ ft	<u>50</u>	4 00	30 00
5 to 6 ft	75 75	$\begin{array}{c} 6 & 00 \\ 6 & 00 \end{array}$	40 00
florida, var. Sieboldi alba. 4 to 5 ft floribunda Lavallei. 5 to 6 ft	$\begin{array}{c} 75 \\ 50 \end{array}$	4 00	30 00
7 to 8 ft	75	6 00	40 00
Japonica (syn., hortensis), var. flori-			
bunda. 4 to 5 ft	50	4 00	$25 \ 00$
5 to 6 ft	75 25	$\frac{5}{2} \frac{00}{00}$	20.00
Japonica, var. Eva Rathke. $2 \text{ to } 2\frac{1}{2} \text{ ft.} + \dots$ $2\frac{1}{2} \text{ to } 3 \text{ ft. } \dots + \dots$	$\begin{array}{c} 35 \\ 50 \end{array}$	$\begin{array}{c} 3 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
3 to 4 ft	75	6 00	30 00
Japonica, var. nivea. White. 3 to 3½ ft.	50	4 00	
$3\frac{1}{2}$ to 4 ft	75	5 00	
Japonica, var. rubra. 5 to 6 ft	$\frac{50}{75}$	$\frac{4}{5} \frac{00}{00}$	$\frac{30}{25} \frac{00}{00}$
6 to 7 ft Grænewegeni. 5 to 6 ft	$\begin{array}{c} 75 \\ 50 \end{array}$	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{c} 35 & 00 \\ 30 & 00 \end{array}$
6 to 7 ft.	75	6 00	40 00
Grænewegeni, var. Mad. Contourier. (Hy-			_0 00
brid). 3 to 4 ft	$3\overline{2}$	3 00	0- 00
4 to 5 ft	$\frac{50}{75}$	4 00	$\frac{25}{20} \frac{00}{00}$
5 to 6 ft	$\begin{array}{c} 75 \\ 50 \end{array}$	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 25 & 00 \end{array}$
4 to $4\frac{1}{2}$ ft	60	$\frac{1}{5} \frac{00}{00}$	30.00
$\frac{1}{5}$ to $\frac{1}{6}$ ft		7 50	50 00
Grænewegeni, var. Van Houttei-			
3 to $3\frac{1}{2}$ ft	35		
$4 \text{ to } 4\frac{1}{2} \text{ ft.} \dots \dots$	$\begin{array}{c} 50 \\ 75 \end{array}$	6 00	40 00
Verschaffelti. 3 to 4 ft	35	3 00	, 10 00
5 to 6 ft	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
6 to 7 ft	75	6 00	35 00
sessilifolia. $2\frac{1}{2}$ to 3 ft	25	$\frac{2}{3} \frac{00}{50}$	0F 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 50 \\ 75 \end{array}$	$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
trifida. 2 to $2\frac{1}{2}$ ft	$\frac{15}{35}$	3 00	$\frac{35}{20} \frac{00}{00}$
$2\frac{1}{2}$ to 3 ft	50	$\overset{\circ}{4}\overset{\circ}{00}$	25 00

	_ 1010		99
	Each	10	100
ELÆAGNUS angustifolia. Oleaster. 2 to 2½ ft	.\$0.35	\$3 00	1.00
9 to 9 It	. 50	4 00	
6 to 8 ft	. 75	6 00	
iongipes, syn., equils. Japanese ()leas	2-		
ter. 2 to $2\frac{1}{2}$ ft	25	3 00	
22 to 5 it. Bushy	. 50	4 00	\$25 00
5 to 4 ft. Busny	. 1 00	6 00	30 00
4 to 0 it. Bushy	. 1 50	10 00	50 00
5 to 6 ft	200	17 50	
parvifolia. 6 to 7 ft.	100	7 50	
EUONYMUS alatus. Cork-barked. 2 to $2\frac{1}{2}$ ft	$\frac{1}{2} \frac{50}{20}$	$\frac{13}{50}$	
$2\frac{1}{2}$ to 3 ft	$\frac{2}{9} \frac{50}{50}$	22 50	
3 to $3\frac{1}{2}$ ft	$\frac{1}{2}$ 3 50	30 00	
flowering and fruiting shrubs. Ber	I		
ries are bright carmine.	-		
Americana. Strawberry Bush—			
3 to 4 ft.	95	9.00	05 00
4 to 5 ft.	$\begin{array}{ccc} \cdot & 35 \\ \cdot & 50 \end{array}$	3 00	25 00
Europæus. Spindle Tree. 4 to 5 ft.	50	$\begin{array}{c}4 & 00\\3 & 50\end{array}$	25 00
5 to 6 ft	75	$\frac{5}{4} \frac{50}{00}$	25 00
EXOCHORDA grandiflora. Pearl Bush. 4 to 4½ ft.	50	3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
42 to 0 it	. 75	4 00	30 00
O TO & Tr.: With hall	1 50	12^{-50}	30 00
runstinia (Golden Bell) Fortunel, 3 to 31 ft.		3 00	20 00
3½ to 4 it	50	3 50	$\frac{25}{25} \frac{00}{00}$
4 to 5 it.; very heavy	75	4 00	30 00
o to o it.; very heavy	. 1 00	5 00	35 00
o to tit.; very heavy	1.50	12 50	75 00
rortunet, var. aurea varienata. 2 to 3 ft	75	6 00	10 00
intermedia. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	2 50	20 00
3½ to 4 it.; very heavy	50	4 00	25 00
4 to 5 ft	75	5 00	30 00
5 to 6 ft	1 00	7 50	40 00
suspensa. 3 to $3\frac{1}{2}$ ft.	35	3 00	$20 \ 00$
3½ to 4 ft	50	4 00	25 00
4 to 5 ft	75	600	30 00
viridissima. 2 to 3 ft.		7 50	$50 \ 00$
3 to 4 ft.; very heavy; extra	$\begin{array}{c} 25 \\ 35 \end{array}$	$\frac{2}{2} \frac{00}{00}$	OF 00
4 to 5 ft.; very heavy; extra	50 50	3 00	25 00
0 IO b II.: very heavy oxtra	75	$\begin{array}{cc} 4 & 00 \\ 6 & 00 \end{array}$	30 00
nalesia tetraptera. 2½ to 3 ft.	50	4 00	$50 \ 00$
4 to 5 it	75	6 00	
namamerio Japonica. Japanese Witch Hazel	•0	0 00	
2 to 2½ ft	35	3 00	25 00
2₹ LO 3 II	50	4 00	$\frac{25}{35} \frac{00}{00}$
virginiana. Witch Hazel. 4 to 5 ft	50	$\frac{1}{4} \frac{00}{00}$	35 00
o to 6 ft.; heavy	75	$\bar{6}$ 00	50 00
O TO TILL heavy	1 00	7 50	60 00
midibious Syriacus. Althea: Rose of Sharon			
alba plena. 4 to 4½ ft.	50	4 00	25 00
Doule de red. 4 to 5 ft	50	4 00	$\frac{1}{25}$ 00
curulea piena. 4 to 4 tf	50	4 00	30 00
Comte de Flandre. 5 to 6 ft.	75	5 00	40 00
grandiflora superba. 4 to 4½ ft.	50	4 60	30 00
Jeanne d'Arc. $4\frac{1}{2}$ to 5 ft.	$\frac{50}{2}$	4 00	25 00
5 to 6 ft Lady Stanley. 4 to 5 ft	75	6 00	40 00
-unj outility. I to old	75	5 00	$35 \ 00$

	Each	10	100
HIBISCUS purpureus folis argentea marginata— 3 to $3\frac{1}{2}$ ft	.\$0 35	\$3 00	\$20 00
$\begin{array}{c} 3 \text{ to } 3\frac{1}{2} \text{ ft.} \\ 4 \text{ to } 4\frac{1}{2} \text{ ft.} \\ \end{array}$		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
totus albus. 3 to $3\frac{1}{2}$ ft	. 50	4 00	$25 \ 00$
$3\frac{1}{2}$ to 4 ft	. 75 . 50	$\begin{array}{c} 5 \ 00 \\ 4 \ 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
HIPPOPHAE rhamnoides. See Buckthorn.	. 00	1 00	00 00
$2\frac{1}{2}$ to 3 ft	. 50	2 50	20 00
HYDRANGEA arborescens. $2\frac{1}{2}$ to 3 ft	. 50	4 00	30 00
$3\frac{1}{2}$ to 4 ft	. 75	6 00	50 00
3 to 4 ft	. 75	6 00	50 00
Hortensis, var. Imperatrice Eugenie—	-		
$1\frac{1}{2}$ ft.; 4-in. pot	. 75 . 75		
Hortensis, var. Japonica. 1 ft	. 75		
paniculata. 4 to $\overline{5}$ ft	35 50	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	25 00
6 to 7 ft.	. 75	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{c} 35 \ 00 \\ 40 \ 00 \end{array}$
paniculata grandiflora. $3 \text{ to } 3\frac{1}{2} \text{ ft}$. 50	4 00	25 00
$3\frac{1}{2}$ to 4 ft	$\begin{array}{c} \cdot & 75 \\ \cdot & 1 & 00 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$4\frac{1}{2}$ to 5 ft.; extra heavy		$12 \frac{50}{50}$	60 00
quercifolia. Oak-leaved—		0 50	00
2 to 2½ ft		8 50	75 00
HYPERICUM aureum. $3\frac{1}{2}$ to 4 ft	50 50	$\begin{array}{c} 3 \ 50 \\ 4 \ 00 \end{array}$	30 00
hircinum. 2 to $2\frac{1}{2}$ ft	. 50	$\hat{3} \ \tilde{50}$	2 5 00
Moserianum hybridum. Gold-Flower- 10 to 12 in		2 50	
prolificum. 3 to $3\frac{1}{2}$ ft	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
4 to $4\frac{1}{2}$ ft	75	5 00	
ILEX Sieboldi. Red-fruited. 2½ to 3 ft	150	13 50	
Sieboldi. White-fruited. $1\frac{1}{2}$ to 2 ft	$\begin{array}{ccc} & 1 & 50 \\ & 25 \end{array}$	$\begin{array}{ccc} 13 & 50 \\ 2 & 00 \end{array}$	17 50
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots$	35	3 00	25 00
$2\frac{1}{2}$ to 3 ft		4 00	35 00
ITEA Virginica. 2 to $2\frac{1}{2}$ ft	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cc} 25 & 00 \\ 40 & 00 \end{array}$
JASMINUM nudiflorum. Yellow Jasmine-	. 10	0 00	10 00
$1\frac{1}{2}$ to 2 ft	. 50	3 50	
officinale. Hardy White Jasmine— 2 to $2\frac{1}{2}$ ft	50	3 50	
KERRIA. See Corchorus.		0 00	
LESPEDEZA bicolor. 2 to 3 ft	35	2 50	20 00
3 to 4 ft	50	$\frac{1}{4}$ $\overset{\circ}{00}$	25 00
Sieboldi; syn., Desmodium Japonicum- Heavy clumps	 35	3 00	
Sieboldi, var. alba. Heavy clumps	50	9 00	
LIGUSTRUM Amurense. Amoor Privet. 2 to 21 ft	35	3 00	
6 to 8 ft	1 00 to 2 50	8 50	
8 to 9 ft\$1.50 ciliatum. Sold by many for Ibota—	10 2 50		
3 to 3\frac{1}{2} ft. Broad and heavy	50	3 50	25 00
$3\frac{1}{2}$ to 4° ft. Broad and heavy 4 to 5 ft. Broad and heavy	$\begin{array}{c} \cdot \cdot \cdot \cdot \cdot \cdot 60 \\ \cdot \cdot \cdot \cdot \cdot 75 \end{array}$	$\begin{array}{ccc} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 35 & 00 \end{array}$
2 to 5 to 2 to a		0 00	00 00

		Each	10	100
LIGUSTRUM	Ibota. The true upright form— 2 to $2\frac{1}{2}$ ft		\$2 00 3 00	\$12 50 15 00
	3 to 3½ ft. 4 to 5 ft.; heavy 5 to 6 ft.	50	3 50 4 00 6 00	20 00 30 00 50 00
	6 to 7 ft	1 00	8 50	75 00
	$\frac{1\frac{1}{2} \text{ to 2 ft.; heavy}}{2\frac{1}{2} \text{ to 3 ft.; heavy}}$	$\begin{array}{cccc} & 75 \\ & 1 & 00 \end{array}$	4 00 6 00 7 50	20 00 25 00 35 00
	$5 \text{ to } 5\frac{1}{2} \text{ ft.}$ lucidum. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ media. $4 \text{ to } 5 \text{ ft.}$	75	$ \begin{array}{ccc} 10 & 00 \\ 5 & 00 \\ 5 & 00 \end{array} $	60 00 30 00
	ovalifolium. California Privet— 2 to $2\frac{1}{2}$ ft.; bushy 1000, \$40+ $2\frac{1}{2}$ to 3 ft.; hushy 1000, \$60+	25 35	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	7 50 10 00
	3 to 3½ ft.; husny 1000, \$75♥ 3½ to 4 ft.; hushy 1000, \$100♥	60	$\begin{array}{c} 2 \ 50 \\ 4 \ 00 \end{array}$	15 00 20 00
	5 to 6 ft.; hushy	1 00	5 00	35 00
	has been transplanted and c hack; is extra heavy, and will gi immediate hedge effects.			
	Sinensis. Chinese Privet. 2½ to 3 ft 3½ to 4 ft	75	3 50 4 00 3 00	25 00 25 00
LONICERA f	4 to 5 ft	50	4 00	30 00
	Honeysuckle. $2\frac{1}{2}$ to 3 ft 3 to 4 ft	25 35 50	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \\ 4 & 00 \end{array}$	15 00 25 00 35 60
	5 to 6 ft.; heavy	75		



A Portion of the Propagating Grounds at Andorra.

	Each	10	100
LONICERA Morrowi. Japanese Bush Honeysuckle-		10	100
$2\frac{1}{2}$ to 3 ft	.\$0 50 . 75 . 1 00 . 50	\$3 00 5 00 6 00 3 50 5 00	\$20 00 35 00 40 00 25 00 35 00
Standishi. Standish's Honeysuckle— 3 to 3½ ft	35 50 75 1 00 50 75 35 50 75 50 75 50 75 35 50 75 35 50 75	6 00 2 50 3 00 5 00 6 00 3 50 6 00 4 00 5 00 7 50 4 00 6 00 3 50 6 00 3 50 6 00 3 50 6 00 3 50 6 00 4 00 5 00 6 00 7 50 4 00 6 00 7 50 8 6 00 8 6 00	25 00 30 00 40 00 40 00 30 00 40 00 25 00 30 00 35 00 25 00 30 00 15 00 30 00 35 00
LYCIUM Chinense. Matrimony Vine. 2 to $2\frac{1}{2}$ ft $2\frac{1}{2}$ to 3 ft	35 50	2 50 3 50	$\begin{array}{ccc} {\bf 15} & 00 \\ {\bf 20} & 00 \end{array}$
MYRICA cerifera. Wax Myrtle. 2 to $2\frac{1}{2}$ ft $2\frac{1}{2}$ to 3 ft cerifera, var. pumila. 1 to $1\frac{1}{2}$ ft	35 50	3 00 4 00 4 00	25 00
PAVIA parviflora. See Æsculus, under Shrubs.			
PHILADELPHUS coronarius. Mock Orange— 2 to 2½ ft	50 75	3 00 4 00 6 00 4 00	40 00
coronarius, var. Avalanche—		4.00	
$egin{array}{c} 1rac{1}{2} & ext{to} & 2 & ext{ft.} \dots \dots \dots \\ \textbf{coronarius,} & ext{var. primulæ florus} & \dots \\ 2rac{1}{2} & ext{to} & 3 & ext{ft.} \dots \dots \dots \dots \end{pmatrix}$	75	4 00 5 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75 1 00 1 50 35	4 00 6 00 7 50 12 50 3 00 4 00	30 00 40 00 60 00 25 00
Lemoinei, var. erectus. 3 to $3\frac{1}{2}$ ft.	35	3 00	$20 \ 00$
$3\frac{1}{2}$ to 4 ft	50 50	4 00 3 50	30 00 25 00
$3\frac{1}{2}$ to 4 ft	50 75	4 00	25 00
4 to 5 ft	75	6 00	35 00

TRICE LIST FOR PALL OF	1910		43
	Each	10	100
POTENTILLA fruticosa. Shruhby Cinquefoil-			
2 to $2\frac{1}{2}$ ft	\$0 35	\$3 00	\$20 00
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00
3 to $3\frac{1}{2}$ ft		4 00	
PRUNUS amygdalus communis. Flowering Almond—	-	~ 00	
$1\frac{1}{2}$ to 2 ft	75	5 00	
$1\frac{1}{2}$ to 2 ft	75	5 00	
PYRUS arbutifolia. Chokeherry. 2½ to 3 ft		3 00	
$3\frac{1}{2}$ to $\frac{4}{2}$ ft	50	4 00	25 00
4 to 5 ft	75	$\bar{5}$ 00	_0 00
floribunda, var. nigra. 3 to $3\frac{1}{2}$ ft	35	3 00	
$3\frac{1}{2}$ to 4 ft		3 50	
RHAMNUS cathartica. Buckthorn. 3 to 4 ft	35	3 00	15 00
4 to 5 ft	50 75	$\begin{array}{c} 3 \ 50 \\ 4 \ 00 \end{array}$	$\begin{array}{cccc} 20 & 00 \\ 30 & 00 \end{array}$
	19	4 00	30 00
RHODOTYPUS kerrioides. White Kerria— $2\frac{1}{2}$ to 3 ft	35	3 00	25 00
$3\frac{2}{2}$ to 4 ft	50	4 00	20 00
4 to 5 ft. Very heavy	75	$\vec{6}$ $\vec{0}\vec{0}$	40 00
5 to 6 ft. Very heavy	1 00	7 50	50 00
RHUS aromatica. Fragrant Sumac. 2 to $2\frac{1}{2}$ ft	50	4 00	
$2\frac{1}{2}$ to 3 ft	75	6 00	40 00
3 to $3\frac{1}{2}$ ft	$\frac{1}{35}$	$egin{array}{ccc} 7 & 50 & \cdot \ 3 & 00 & \end{array}$	50 00
$2\frac{1}{2}$ to 3 ft	50 50	4 00	25 00
4 to 5 ft	75	$\vec{6}$ $\vec{0}\vec{0}$	
Cotinus. Mist, or Smoke Tree. 2 to 3 ft	35	3 00	25 00
3½ to 4 ft	50 75	4 00	
5 to 6 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	40 00
Cotinus, var. atropurpurea. Purple Mist-	1 00	. 00	10 00
$2\frac{1}{2}$ to 3 ft	50	4 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	$\frac{6}{10} \frac{00}{50}$	
		12 50	
RIBES aureum. Golden Currant. 3½ to 4 ft	35	3 00	20 00
4 to 5 ft	50 35	$\begin{array}{c} 4 & 00 \\ 3 & 00 \end{array}$	
ROBINIA hispida. Rose Acacia. 2½ to 3 ft	35	2 50	20 00
RUBUS Canadensis. 2 to 3 ft	35	2 00	
odoratus. $2\frac{1}{2}$ to 3 ft	25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
3 to 4 ft	35	3 00	$\frac{12}{15} \frac{30}{00}$
SAMBUCUS Canadensis. $1\frac{1}{2}$ to 2 ft	25	1 50	10 00
Melanocarpus. 5 to 6 ft	1 50	12 50	10 00
nigra, var. aurea. Golden Elder-			
1 to 5 ft Vory heavy	50	3 50	15 00
1½ to 2 ft	$\begin{array}{c} 60 \\ 75 \end{array}$	$\frac{4}{5} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
mgra, var. radillata. Out-leaved Mider—	.0	0 00	10 00
$2\frac{1}{2}$ to 3 ft	35		
3 to 4 ftracemosa. Red-fruited—	50		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	3 00	15 00
	90	9 00	10 00

	MINDOKKA NOROEKIEO			
	Ea	ch	10	100
SPIRÆA	arguta. 3 to $3\frac{1}{2}$ ft\$0	35	\$2 50	\$20 00
	4 to 5 ft. Heavy	50	3 50	25 00
	Billardii. 4 to 5 ft	35	3 00	25 00
	5 to 6 ft	50	3 50	30 00
	Bumalda. 2 ft	35	3 00	1
	$2\frac{1}{2}$ ft. Heavy	50	4 00	
	3 ft	75	6 00	
	Bumalda, var. Anthony Waterer—			
	$\frac{1}{2}$ to 2 ft	25	2 00	· .
	2 to $2\frac{1}{2}$ ft. Heavy	35	3 00	20 00
	$2\frac{1}{2}$ to 3 ft. Heavy	50	4 00	30 00
	3 to $3\frac{1}{2}$ ft. Heavy	75	6 00	
	callosa. Fortune's Spirea. 5 to 6 ft	50	3 50	30 00
	callosa, var. alba. 2 to $2\frac{1}{2}$ ft	35	3 00	20 00
	3 to $3\frac{1}{2}$ ft	50	4 00	$25 \ 00$
	crispifolia; syn., bullata. 1 to $1\frac{1}{2}$ ft	50	3 00	
	Japonica, var. Fortunei rosea. 2 to 3 ft	50	3 50	
	Hyb. Margarite. 3 to $3\frac{1}{2}$ ft	35	3 00	25 00
	$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
	opulifolia. 3 to 4 ft	35	3 00	25 00
•	4 to 5 ft	50	4 00	30 00
	6 to 7 ft. Heavy	75	$\vec{6}$ $\vec{0}\vec{0}$	50 00
	7 to 9 ft 1	50	10 00	75 00
	opulifolia, var. aurea. Golden-leaved-			
	2 to 3 ft	35	3 00	20 00
	3 to 4 ft	50	4 00	25 00
	4 to 5 ft. Heavy	75	6 00	35 00
	prunifolia flore pleno. Bridal Wreath-			
	3 to 4 ft	35		
	Reevesiana. 3 to $3\frac{1}{2}$ ft	35	3 00	$20 \ 00$
	4 to 5 ft	<u>50</u>	4 00	30 00
	5 to 6 ft	75	6 00	35 00
	rotundifolia; syn., bracteata. 5 to $5\frac{1}{2}$ ft 1	00	7 50	
	salisifolia. 2 to 3 ft	35	2 00	15 00
	sorbifolia. 3 to 4 ft	50	3 50	30 00
	Thunbergii. Thunberg's Spirea-			
	2 to $2\frac{1}{8}$ ft	35	3 00	25 00
	$\frac{2\frac{1}{2}}{3}$ to $\frac{3}{2}$ ft. Very heavy	50	4 00	30 00
		75	6 00	40 00
	Van Houttei. $2\frac{1}{2}$ to 3 ft	35		
	$\frac{3 \text{ to } 3\frac{1}{2} \text{ ft.}}{\text{c}}$	<u>50</u>	4 00	02 00
	4 to 5 ft {FINE}1	75	$\frac{5}{2} \frac{00}{50}$	35 00
CTABUV		00	8 50	50 00
STAPHY	LEA Colchica. Bladder Nut. 3 to $3\frac{1}{2}$ ft $3\frac{1}{2}$ to 4 ft	35	3 00	25 AO
	4 to 5 ft	50 75	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 35 & 00 \\ 40 & 00 \end{array}$
STEPHAI	NANDRA flexuosa. $2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	35	3 00	10 00
OILI IIA	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 50	4 00	
	$3\frac{1}{2}$ to 4 ft. Heavy	75	6 00	50 0 0
STYRAX	Japonica. $3\frac{1}{2}$ to 4 ft	75	600	50 00
3	4 to 5 ft	00	8 50	75 00
	5 to 6 ft 1	50	$12\ 50$.5 50

PRICE LIST FOR FALL OF 1910		45
SYMPHORICARPUS racemosus. Snowberry— Each	10	100
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots \$0 \ 3\frac{5}{2}$	\$3 00	
$2\frac{1}{2}$ to 3° ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$30 00
0 00 02 400 00000	9 00	ф30 00
vulgaris. Coral Berry— 2 to 3 ft	3 00	15 0 0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 00	20 00
31 to 4 ft. Heavy 75	6 00	25 00
$\frac{1}{4}$ to 5 ft. Heavy 1 00	7 00	30 00
SYRINGA Chinensis; syn., Rothomagensis. Rouen	9 50	95 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		$\begin{array}{c} 25 & 00 \\ 35 & 00 \end{array}$
09 00 1 10 1 10 1 10 1 10 1 10 1 10 1 1		75 00
Japonica. 6 to 7 ft. 1 50 Josikæa, $2\frac{1}{2}$ to 3 ft. 1 00		.00
$\frac{1}{4}$ to $\frac{4\frac{1}{2}}{1}$ ft	_	
Josikæa, var. eximia. 4 to 5 ft 1 00		
Josikæa, var. H. Zabel. 3 to 4 ft. 150		
Pekinensis. 3 to 4 ft 75		
Persica. 4 to $4\frac{1}{2}$ ft		25 00
Persica, var. alba. 3 to $3\frac{1}{2}$ ft 50 4 to 5 ft 75		30 00
Persica, var. laciniata. 4 to 5 ft 35		
villosa. 3 to $3\frac{1}{2}$ ft	4 00	35 00
5 to 6 ft. Specimens 1 50		100 00
villosa, var. Emodi. 1 to $1\frac{1}{2}$ ft 35		
vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft 35		
3 to 3½ ft		
4 to $4\frac{1}{2}$ ft.; very heavy		
vulgaris alba. $2\frac{1}{2}$ to 3 ft		
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 1 00$		$50 \ 00$
vulgaris, named varieties—		
Charles X. Single, reddish purple—	9 50	20.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		30 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
Frau Bertha Dammann. Single, white—	, 10 00	
3 to $3\frac{1}{2}$ ft	7 50	
La Tour d'Auvergne. Double, violet-		
purple. 4 to $4\frac{1}{2}$ ft 1 50	$\frac{12}{10} \frac{50}{50}$	
Le Gaulois. Double, peach. 4 to 5 ft 1 50	12 50	
Mad. Lemoine. Double, white— 4 to 5 ft	12 50	
Marie LeGraye. Single, white—		
$2\frac{1}{2}$ to 3 ft		
3 to $3\frac{1}{2}$ ft 1 0		
4 to $4\frac{1}{2}$ ft	0 12 50	
Marc Micheli. Double, lilac-blue—	0 12 50	
$3\frac{1}{2}$ to 4 ft	0 12 00	
which aer Buchher. Double, pare that $2\frac{1}{2}$ to 3 ft	5 6 00	
$3\frac{2}{3}$ to 4 ft		
President Carnot. Double, light lilac—	0 =0	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 1 0$	0 8 50	
Rubra de Marley. Single, reddish purple—	0 4 00	
$\begin{array}{c} 2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots $		60 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- 40 -0	85 00
Senator Volland. Double, red—		
2 to 4 ft 1 0	0 8 50	

SVPINGA Souvenir de Ludwig Spoth Single red	10	100
SYRINGA Souvenir de Ludwig Spæth. Single red 3 to $3\frac{1}{2}$ ft	\$6 00	
$3\frac{1}{2}$ to 4 ft	7 50	
$4 \text{ to } 4 \frac{1}{2} \text{ ft.} \dots 150$		
TAMARIX Africana; syn., parviflora—	, <u>, , , , , , , , , , , , , , , , , , </u>	
3 to 4 ft	3 00	
4 to 5 ft		
5 to 6 ft	5 00	
Gallica. 3 to 4 ft	3 00	\$25 00
4 to 5 ft, 50		30 00
5 to 6 ft	6 00	
Gallica, var. Indica. 5 to 6 ft 50		30 00
6 to 7 ft		35 00
Japonica plumosa. 2 to 3 ft 35		
3 to 4 ft		25 00
5 to 6 ft 75	5 00	30 00
VACCINIUM corymbosum. Swamp Huckleberry-		
$2\frac{1}{2}$ to 3 ft	1	
VIBURNUM acerifolium. 2 to $2\frac{1}{2}$ ft 50	3 00	$20 \ 00$
$2\frac{1}{2}$ to 3 ft		30 00
cassanoides. White Rod—		
3 to $3\frac{1}{2}$ ft		35 00
4 to $4\frac{1}{2}$ ft 1 00	7 50	50 00
dentatum. Arrow-wood. 2 to $2\frac{1}{2}$ ft 50		25 00
$3\frac{1}{2}$ to 4 ft		30 00
4 to 5 ft.; heavy 1 00		40 00
5 to 6 ft	12 50	75 00
Lantana. Wayfaring Tree— $2\frac{1}{2}$ to 3 ft	3 00	25 00
$3\frac{1}{2}$ to 4 ft.; heavy		30 00
4 to 5 ft.; heavy 75		40 00
5 to 6 ft.; very heavy 1 00		60 00
Lentago. Sheep-berry. 4 to 5 ft 50	4 00	30 00
5 to 6 ft 75		40 00
7 to 8 ft 1 50	12 50	75 00
molle. $1\frac{1}{2}$ to 2 ft	4 00	
4 to 5 ft	6 00	00.00
5 to 6 ft	7 50	$\frac{60}{75} \frac{00}{00}$
	12 50	75 00
Opulus.High Cranberry Bush— $1\frac{1}{2}$ to 2 ft	9 00	
2 to $2\frac{1}{2}$ ft	3 00 3 50	30 00
3 to 4 ft Fine	4 00	3 5 00
4 to 5 ft. Fine 75	6 00	50 00
5 to 6 ft. Fine 1 00	8 50	75 00
Opulus, var. sterile. Guelder Rose-		
2 to 3 ft	3 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	4 00	40.00
4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
	1 90	90 00
plicatum. Japanese Snowball— $2\frac{1}{2}$ to 3 ft	5 00	35 00
3^2 to $3\frac{1}{2}$ ft	7 50	60 00
	. 50	00 00

PRICE LIST FOR FALL OF 1910	47
Each 10	100
VIRIIRNIIM nlicatum, var. tomentosum, Single Japan	
Snowball. $2\frac{1}{2}$ to 3 ft\$0 \(\frac{35}{20}\) \$5 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$35 00
4 to 5 ft.; extra fine $$ 75 5 00 5 to 6 ft. Specimens. Fine $$ 1 00 7 50	60 00
6 to 7 ft. Specimens. Fine 2 50 20 00	150 00
A beautiful shrub, deserving	
extensive planting.	
prunifolium. Black Haw— 2 to $2\frac{1}{2}$ ft	
3 to $3\frac{1}{7}$ ft	
3½ to 4 ft	
$4 \text{ to } 6 \text{ ft.} \dots +\$1 \text{ to } 3 \text{ 50}$ Sieboldi. $1\frac{1}{2}$ to 2 ft. $\dots + \$1$	
24 to 3 ft	
3½ to 4 ft	90.00
VITEX Agnus-castus. Chaste Tree. 4 to 5 ft 30 3 00	20 00
XANTHOCERAS sorbifolia. $2\frac{1}{2}$ to 3 ft	
3½ to 4° ft	
XANTHORRHIZA apiifolia. Shrub Yellow Root	15 00
5 to 6 in. In clumps 35 2 50 6 to 8 in. In clumps 50 3 50	20 00
10 to 12 in. In clumps 75 5 00	35 00
. 12 to 18 in. In clumps 1 00 7 50	50 00
SEEDS LODICOTO	
REEDS and GRASSES	
The side	4.0
Each	10
ARUNDO Donax. Clumps\$0 50	\$3 50
ARUNDO Donax. Clumps\$0 50 BAMBUSA Metake	\$3 50 3 50 1 50
ARUNDO Donax. Clumps\$0 50 BAMBUSA Metake	\$3 50 3 50
ARUNDO Donax. Clumps\$0 50 BAMBUSA Metake	\$3 50 3 50 1 50 3 50
ARUNDO Donax. Clumps\$0 50 BAMBUSA Metake	\$3 50 3 50 1 50
ARUNDO Donax. Clumps	\$3 50 3 50 1 50 3 50 3 50 1 50 1 50
ARUNDO Donax. Clumps\$0 50 BAMBUSA Metake	\$3 50 3 50 1 50 3 50 3 50 1 50
ARUNDO Donax. Clumps	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50
ARUNDO Donax. Clumps	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia VINES, CLIMBING and TRAILING PLA Each	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia Each ACTINIDIA polygama. 5-in. pots \$0 50 Each \$0 50 So 50	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 1 50 1 50
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 5-in. pots AKERIA guinata. From 5-in. pots 50 50 Each \$0 50 50	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 1 50 1 50 1
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia Each ACTINIDIA polygama. 5-in. pots AKEBIA quinata. From 5-in. pots AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots. 50	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 5-in. pots AKEBIA quinata. From 5-in. pots AKEBIA quinata. From 5-in. pots 3-year, field-grown; heavy 3-year, field-grown; heavy 25 3-year, field-grown; heavy 25 3-year, field-grown; heavy 35	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00 3 00
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 5-in. pots AKEBIA quinata. From 5-in. pots AKEBIA quinata. From 5-in. pots 3-year, field-grown; heavy 3-year, field-grown; heavy 25 3-year, field-grown; heavy 25 3-year, field-grown; heavy 35	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia CLIMBING and TRAILING PLA Each ACTINIDIA polygama. 5-in. pots AKEBIA quinata. From 5-in. pots AKEBIA quinata. From 5-in. pots 3-year, field-grown; heavy 3-year, field-grown; heavy 3-year, field grown; heavy 3-year, field grown; heavy 25 Tricuspidata: syn Veitchl. Japan, or Boston	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00 3 50 2 00 2 00 2 00
ARUNDO Donax. Clumps \$0 50 BAMBUSA Metake \$25 ELYMUS glaucus \$25 ERIANTHUS Ravennæ \$50 EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps \$50 FESTUCA glauca. 3-in. pots \$25 PHALARIS arundinacea, var. variegata. Ribbon Grass \$25 UNIOLA latifolia \$25 VINES, CLIMBING and TRAILING PLA **Each** ACTINIDIA polygama. 5-in. pots \$0 50 AKEBIA quinata. From 5-in. pots \$0 50 AKEBIA quinata. From 5-in. pots \$0 50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots \$0 50 AMPELOPSIS quinquefolia, var. Engelmanni. 4-in. pots; heavy \$0 3-year, field grown;	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00 3 50 2 00 3 00 2 00 3 00 2 00
ARUNDO Donax. Clumps \$0.50 BAMBUSA Metake \$50 ELYMUS glaucus \$25 ERIANTHUS Ravennæ \$50 EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps \$50 FESTUCA glauca. 3-in. pots \$25 PHALARIS arundinacea, var. variegata. Ribbon Grass \$25 UNIOLA latifolia \$25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 5-in. pots \$0.50 AKEBIA quinata. From 5-in. pots \$50 AKEBIA quinata. From 5-in. pots \$50 AMPELOPSIS quinquefolia. Virginia Creeper. 4-in. pots \$50 3-year, field-grown; heavy \$25 3-year, field-grown; heavy \$25 tricuspidata; syn., Veitchl. Japan, or Boston Ivy; 4-in. pots; heavy \$25 2-year, field-grown; heavy per 100, \$15. \$25 ARISTOLOCHIA Sinho. Dutchman's Pipe Vine. 5-in. pots. 75	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00 3 50 2 00 3 00 2 00 3 00
ARUNDO Donax. Clumps BAMBUSA Metake ELYMUS glaucus ERIANTHUS Ravennæ EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps FESTUCA glauca. 3-in. pots PHALARIS arundinacea, var. variegata. Ribbon Grass UNIOLA latifolia Each ACTINIDIA polygama. 5-in. pots AKEBIA quinata. From 5-in. pots AKEBIA quinata. From 5-in. pots 3-year, field-grown; heavy quinquefolia, var. Engelmanni. 4-in. pots; heavy. 3-year, field grown; heavy tricuspidata; syn., Veitchl. Japan, or Boston Ivy; 4-in. pots; heavy 25 ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. 6-in. pots 6-in. pots 100	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00 3 50 2 00 3 00 2 00 6 00
ARUNDO Donax. Clumps	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 1 50 2 00 3 50 2 00 3 00 2 00 6 00 3 00 2 00 6 00
ARUNDO Donax. Clumps \$0 50 BAMBUSA Metake \$50 ELYMUS glaucus \$25 ERIANTHUS Ravennæ \$50 EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps \$50 FESTUCA glauca. 3-in. pots \$50 PHALARIS arundinacea, var. variegata. Ribbon Grass \$25 UNIOLA latifolia \$25 VINES, CLIMBING and TRAILING PLA ACTINIDIA polygama. 5-in. pots \$0 50 AKEBIA quinata. From 5-in. pots \$50 AKEBIA quinata. From 5-in. pots \$50 AMPELOPSIS quinquefolia. Virginia Greeper. 4-in. pots. \$50 AMPELOPSIS quinquefolia, var. Engelmanni. 4-in. pots; heavy. \$35 quinquefolia, var. Engelmanni. 4-in. pots; heavy. \$35 Tricuspidata; syn., Veitchl. Japan, or Boston Ivy; 4-in. pots; heavy \$35 2-year, field-grown; heavy. per 100, \$15. \$25 ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in. pots. \$6-in. pots \$100 BIGNONIA grandiflora 5-in. pots \$35	\$3 50 3 50 1 50 3 50 1 50 1 50 1 50 1 50 1 50 2 00 3 50 2 00 3 00 2 00 6 00 3 00

	Each	10
CELASTRUS scandens. False Bitter-sweet-		-0
2 to 3 ftper 100, \$15	\$0 50	\$3 50
3 to 5 ft.; heavy; field-grown		5 00 3 00
CLEMATIS coccinea. 4-in. pots		$\begin{array}{c} 5 & 00 \\ 6 & 00 \end{array}$
graveolens; syn., orientalis. 4-in. pots	35	3 00
Large-flowering varieties. — Fairy Queen, Gem Henryi, Jackmani, Jackmani var. alba		
Henryi, Jackmani, Jackmani var. alba		
Jeanne d'Arc, Duchess of Edinburgh, Ker- mesina, Lady Neville, Lilacina floribunda		
Madame Van Houtte, Miss Bateman, Presi-		
dent	50	4 00
paniculata. 2-year; heavyper 100, \$15	30	2 50
5-in. pots; fine	50	3 50
EUONYMUS radicans. 1 ft.; field-grownper 100, \$10	25	1 75
$1\frac{1}{2}$ to 2 ft.; field-grownper 100, \$15	35	$\frac{1}{2} \frac{13}{50}$
HEDERA Helix. English Ivy. 4-in. potsper 100, \$15	25	$2\ 00$
LATHYRUS latifolius. Everlasting Pea.	35	2.50
LONICERA Japonica. Honeysuckle. 4-in. pots	35	$\begin{array}{c} 2 & 50 \\ 3 & 00 \end{array}$
3-year; field-grown	35	3 00
grown	35	3 00
Japonica, var. aurea reticulata. 4-in. pots	35	3 00
Japonica, var. Chinensis. Purplish green foliage-		0.00
4-in. pots	25 35	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Heavy, field-grown	$\frac{55}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5-in. pots	35	3 00
3-year old, field-grown	35	3 00
sempervirens, var. fuchsioides. Scarlet Trumpet-		9 50
5-in. pots	50 35	$\begin{array}{c} 3 & 50 \\ 3 & 00 \end{array}$
5-in. pots	50	4 00
PUERARIA Thunbergiana; syn., Dolichos Japonicus. Kudzu	1	
Vine. In pots	1 00	7 50
TECOMA. See Bignonia. VITIS æstivalis. Summer Grape. 5-in. pots	75	e 00
heterophylla, var. variegata. 5-in. pots	75 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Labrusca. Fox Grape. 4-in. pots	50	4 00
riparia. Frost Grape. 4-in. pots	50	3 50
WISTARIA Chinensis. Chinese Wistaria—	1 50	70.50
2 to 3 ft.; in large pots	$\frac{1}{1} \frac{50}{00}$	$\begin{array}{c} 12\ 50 \\ 7\ 50 \end{array}$
4 to 6 ft.; field-grown	3 50	1 30
Chinensis, var. alba. Field-grown. 3 to 4 ft	1 50	12 50
4 to 6 ft	$\frac{2}{2}$ 50	$\frac{22}{20}$ 50
U U U Lt. 1	3 50	32 50
frutescens. 3 to 4 ft	$\begin{array}{c} 1 \ 00 \\ 2 \ 50 \end{array}$	
magnifica. 5 to 6 ft.; field-grown\$1.50 to	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
multijuga. 2 to 3 ft.; field-grown	75	5 00
3 to 4 ft.; field-grown	1 50	12 50
4 to 6 ft.; field-grown\$1.50 to multijuga, var. alba. Field-grown. 2 to 3 ft		6 00
3 to 4 ft	1 00	0 00
4 to 6 ft\$1.50 to	3 50	

APPLES, Summer—Early Harvest, Golden Sweet, Red Astrachan, Summer Rambo, Sweet Bough, Benoin, Yellow Transparent. Autumn—Fall Pippin, Gravenstein, Maiden's Blush, Smokehouse, Wealthy. Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; \$ to 1 in, cal	FRUIT DEPARTMENT	
chan, Summer Rambo, Sweet Bough, Benoin, Yellow Transparent. Autumn—Fall Pippin, Gravenstein, Maiden's Blush, Smokehouse, Wealthy. Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; \$\frac{1}{2}\$ to 1 in. cal	Each	10
Autumn—Fall Pippin, Gravenstein, Maiden's Blush, Smokehouse, Wealthy, Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; 4 to 1 in. cal	chan, Summer Rambo, Sweet Bough, Benoin,	
Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; \$\frac{3}{4}\$ to 1 in. cal \$1 00 \$6 00 \$6 00 \$6 00 \$6 00 \$6 00 \$1 00 \$6 0		
Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; \$ to 1 in. cal	Smokehouse, Wealthy. Winter—Baldwin, Belle-fleur, Fallawater, King of	
Sto 7 ft.; \$ to 1 in. cal.	Tompkins County, Northern Spy, Rhode Island	
CHERRIES, Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke, Montmorency. 5 to 6 ft	5 to 7 ft.; \(\frac{3}{4}\) to 1 in. cal\\$1 00	\$6 00
Empress Eugenie, May Duke, Late Duke, Montmorency. 5 to 6 ft	Siberian, Transcendent. 5 to 7 ft 1 00	6 00
Montmorency. 5 to 6 ft	CHERRIES, Sour (Dukes and Morellos)—Early Richmond,	
Tartarian. Governor Wood, Napoleon Bigarreau, Schmidt's Bigarreau, Windsor. 5 to 6 ft	Montmorency. 5 to 6 ft	10 00
NUTS, American Sweet Chestnut. See under Deciduous Trees. Spanish Chestnut. See under Deciduous Trees. Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft 1 50 Japan Chestnut. 3 to 4 ft 1 00 Walnut, Black. See Juglans nigra, under Deciduous Trees. PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheat- land. 5 to 6 ft per 100, \$30. 50 3 50 PEARS, Summer—Bartlett, Clapp's Favorite, Doyenne d'Ete. Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence, Rutter, Seckel, Sheldon, Worden- Seckel. 5 to 6 ft 1 50 15 00 PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma. 5 to 6 ft 1 00 7 50 European—Giant Prune, Imperial Gage, Lombard. QUINCES—Champion, Orange. 3 to 4 ft	Tartarian. Governor Wood, Napoleon Bi-	
Spanish Chestnut. Paragon, Numbo. 4 to 5 ft 1 50 Japan Chestnut. 3 to 4 ft	garreau, Schmidt's Bigarreau, Windsor. 5 to 6 ft	10 00
Walnut, Black. See Juglans nigra, under Deciduous Trees. PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheatland. 5 to 6 ft per 100, \$30 50 3 50 PEARS, Summer—Bartlett, Clapp's Favorite, Doyenne d'Etc. Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence, Rutter, Seckel, Sheldon, Worden-Seckel. 5 to 6 ft	NUTS, American Sweet Chestnut. See under Deciduous Trees. Spanish Chestnut. See under Deciduous Trees	
Walnut, Black. See Juglans nigra, under Deciduous Trees. PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheat- land. 5 to 6 ft	Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft 1 50	12 50
Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheatland. 5 to 6 ft	Walnut, Black. See Juglans nigra, under Deciduous Trees.	
World, Susquehanna, Troth's Early, Wheatland. 5 to 6 ft	PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, Crawford's Late, Elberta, Mountain Rose,	
PEARS, Summer—Bartlett, Clapp's Favorite, Doyenne d'Ete. Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme, Howell, Kicffer's Hybrid, Lawrence, Rutter, Seckel, Sheldon, Worden—Seckel. 5 to 6 ft	Morris White, Oldmixon Free, Stump the World, Susquehanna Troth's Early Wheat-	
Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence, Rutter, Seckel, Sheldon, Worden- Seckel. 5 to 6 ft	land. 5 to 6 ftper 100, \$30 50	3 50
Lawrence, Rutter, Seckel, Sheldon, Worden-Seckel. 5 to 6 ft	Autumn and Winter—Beurre d'Anjou, Buffum,	
A few varieties, 6 to 8 ft	Lawrence, Rutter, Seckel, Sheldon, Worden-	
PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma. 5 to 6 ft	Seckel. 5 to 6 ft	
European—Giant Prune, Imperial Gage, Lombard. SMALL FRUITS Each BLACKBERRIES—Eldorado, Eric, Kittatinny, Rathbun, Snyder, Wilson Junior per 100, \$3 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific	PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma.	
SMALL FRUITS Each 10 BLACKBERRIES—Eldorado, Eric, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3 \$0 50 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific\$0 25 2 00 GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved25 2 00 GRAPES, Black—Concord, Moore's Early, Worden; Red—Brighton, Catawba, Delaware; White—Green Mountain, Niagara, Pocklington. 2-year25 2 00 A few varieties, extra heavy	European—Giant Prune, Imperial Gage, Lombard.	
BLACKBERRIES—Eldorado, Eric, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3 \$0.50 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific\$0.25 2.00 GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved	doings—Champion, Orange. 3 to 4 ft	6 00
BLACKBERRIES—Eldorado, Eric, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3 \$0.50 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific\$0.25 2.00 GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved	SMALL FRUITS	
der, Wilson Juniorper 100, \$3 \$0 50 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific\$0 25 2 00 GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved 25 2 00 GRAPES, Black—Concord, Moore's Early, Worden; Red—Brighton, Catawba, Delaware; White—Green Mountain, Niagara, Pocklington. 2-year 25 2 00 A few varieties, extra heavy 50 3 00 RASPBERRIES, Black—Gregg; Red—Cuthbert, Columbian Ruby; Yellow—Golden Queen, per		10
Grape; Black—Lee's Prolific\$0 25 2 00 GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved	der, Wilson Juniorper 100, \$3	\$0 50
GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved	CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape; Black—Lee's Prolific	2 00
GRAPES, Black—Concord, Moore's Early, Worden; Red— Brighton, Catawba, Delaware; White—Green Mountain, Niagara, Pocklington. 2-year 25 2 00 A few varieties, extra heavy 50 3 00 RASPBERRIES, Black—Gregg; Red—Cuthbert, Columbian Ruby; Yellow—Golden Queen, per	GOOSEBERRIES, Red—Houghton, Industry; Green—Down-	
A few varieties, extra heavy	GRAPES, Black—Concord, Moore's Early, Worden; Red—	2 00
RASPBERRIES, Black—Gregg; Red—Cuthbert, Columbian Ruby; Yellow — Golden Queen, per	Mountain, Niagara, Pocklington. 2-year 25	2 00
	RASPBERRIES, Black—Gregg; Red—Cuthbert, Columbian	3 00
	Ruby; Yellow — Golden Queen, per 100, \$3	50

10

STRAWBERRIES, Early—Bederwood, Marshall; Medium—Bubach, Glen Mary, Sharpless, Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50. Potted plants, per 100, \$3 to \$4.

ESCULENT ROOTS

ASPARAGUS—Barr's Mammoth. Per 100, \$1.50; per 1,000, \$7.50. **RHUBARB**—Best varieties. Per 10, \$1.50; per 100, \$10.

ROSES

RODED		
N. B.—Potted unless noted. Special prices per hund	dred.	
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow\$0 SWEETBRIER—Rosa rubignosa	ach 0 40 40	\$3 50 3 50
Brenda, Flora McIvor, Lady Penzanee, Lord Penzanee, Meg Merrilies, Minna	50	4 50
tiflora nitida rubrifolia field-grown	35	3 00
CLIMBING—Baltimore Belle, The Dawson, Dorothy Perkins, Lady Gay, Prairie Queen Setigera. Prairie Rose. 2 to 2½ ft.; field grown	50 35	$\begin{array}{ccc} 3 & 50 \\ 3 & 00 \end{array}$
Ramblers—Crimson, White, Pink and Yellow, The Dawson (earmine) EVERBLOOMING Hybrid Teas—Bessie Brown, ereamy white; Betty. ruddy gold; Captain Christy, flesh; Caroline Testout, rose; Countess of Caledon, earmine; Dueliesse of Albany, deep pink; Gladys Harkness, salmon-pink; Gruss an Teplitz, erimson; Kaiserine Auguste Vietoria, primrose; Killarney, pink; La France, rose; Madame Ravary, yellow; Souvenir du President Carnot, flesh-rose;	40	3 50
Viscountess Folkestone, creamy pink Miscellaneous—Clothilde Soupert (Polyantha), rosy white; etoile de Lyon (Tea), yellow; Francisca Kruger (Tea), yellowpeach; Francis Dubreuil (Tea), crimson; Harry Kirk, deep sulphur yellow; Maman Cochet (Tea), rosy white; Souvenir de la Malmaison (Bourbon), flesh: White Ma-	50	4 50
man Cochet (Tea), white	50	4 50
Woss—Blanche Moreau, white; Crimson Globe, deep crimson; Zenobia, rose.	50 50	4 00
10 12 y 130 120 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	90	4 00

DDICE LIST COD CALL OF 101	0		c	51
PRICE LIST FOR FALL OF 191	U		<u> </u>	91
RUGOSA ROSES Each	1.	0	100	
ROSA rugosa. 2 to $2\frac{1}{2}$ ft			$\overline{20}$ (
$2\frac{1}{2}$ to 3 ft	0 4		35 (
			50 (
			25 (50)	
rugosa hybrids atropurpurea—Atropurpurea,	9 0			00
Blanc Double de Coubert, Conrad F.				
Meyer, Madame Georges Bruant, Madam				
Charles Worth, Mrs. A. Waterer. Pot- grown	0 4	00		
	0 1	00		
WICHURAIANA ROSES	- 20	0.0		
		00 \$	25 (Ω
2 to 3 ft. In 4-in. pots	ə ə	ου φ	Z0 (UU
Triumph, Pink Roamer, South Orange				
Perfection, Universal Favorite. In pots. 5	0 3	50		
SINGLE ROSES, Dickson's Hybrids—New Irish				
Beauty, Irish Glory, Irish Modesty, Irish Bright-				
	5 6	00		
HARDY HERBACEOUS P	LAN	ITS		
Each			100	
ACHILLEA filipendulina (Noble Yarrow), July,		O	100	
Golden Yellow. 2 ft\$0	5 \$1	25 \$	10	00
Golden Yellow. 2 ft\$0 millefolium roseum (Rosy Milfoil).			10 (00
millefolium roseum (Rosy Milfoil). July to September. Pink. $1\frac{1}{2}$ ft 1		25 \$25	10 (00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft 1 ptarmica (The Pearl). All summer.	5 1	25		
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft 1 ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1	25 25	10 (
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft 1 ptarmica (The Pearl). All summer. White. 2 ft 1 tomentosum (Woolly Yarrow). June. Yellow. 1 ft 2	5 1 5 1	25		
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft 1 ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2	25 25 00	10 (00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft 1 ptarmica (The Pearl). All summer. White. 2 ft 1 tomentosum (Woolly Yarrow). June. Yellow. 1 ft 2 ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft	5 1 5 1 5 2	25 25 00		00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft 1 ptarmica (The Pearl). All summer. White. 2 ft 1 tomentosum (Woolly Yarrow). June. Yellow. 1 ft 2 ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft	5 1 5 1 5 2 5 2	25 25 00	10 (00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft 1 ptarmica (The Pearl). All summer. White. 2 ft 1 tomentosum (Woolly Yarrow). June. Yellow. 1 ft 2 ACONITUM Fischeri (Monkshood). September and October. Blue. 3 ft	5 1 5 1 5 2 5 2 5 2	25 25 00 50 50	10 (00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2 5 2 5 2 5 2	25 25 00 50 50	10 (15 (00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2 5 2 5 2 5 2	25 25 00 50 50	10 (00
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 2 5 2 5 2 5 2	25 25 00 50 50 50 50	10 (15 (00 00 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 2 5 2 5 2 5 1	25 25 00 50 50 50 50 50	10 (15 (12 (12 (00 00 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 2 5 2 5 1 5 1	25 25 00 50 50 50 50 50	10 (15 (12 { 12 {	00 00 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 2 5 2 5 1 5 1	25 25 00 50 50 50 50 50	10 (15 (12 (12 (00 00 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 2 5 2 5 1 5 1	25 25 00 50 50 50 50 50	10 (15 (12 { 12 {	00 00 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 2 5 2 5 1 5 1 5 1	25 25 00 50 50 50 50 50 50	10 (15 (12 { 12 { 12 {	00 00 50 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 2 5 2 5 1 5 1 5 1	25 25 00 50 50 50 50 50 50	10 (15 (12 { 12 {	00 00 50 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2 5 2 5 1 5 1 5 1 5 1 5 1 5 1	25 25 00 50 50 50 50 50 50	10 (15 (12 { 12 { 12 {	00 00 50 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 2 5 2 5 5 1 5 1 5 5 5 6	25 25 00 50 50 50 50 50 50 50 50	10 (15 (12) 12) 12)	50 50 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2 5 2 5 2 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 6 1 7 1 8 1 9 1 1 1 1 1 2 1 3 1 4 1 5 1 6 1 1 1 1 1 1 1 1 1 2 1 3 1 4 1 5 1 6 1 6 <td< td=""><td>25 25 00 50 50 50 50 50 50 50 50</td><td>10 (12) 12) 12) 12)</td><td>50 50 50 50</td></td<>	25 25 00 50 50 50 50 50 50 50 50	10 (12) 12) 12) 12)	50 50 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2 5 2 5 2 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 6 1 7 1 8 1 9 1 1 1 1 1 2 1 3 1 4 1 5 1 6 1 1 1 1 1 1 1 1 1 2 1 3 1 4 1 5 1 6 1 6 <td< td=""><td>25 25 00 50 50 50 50 50 50 50 50</td><td>10 (15 (12) 12) 12)</td><td>50 50 50 50</td></td<>	25 25 00 50 50 50 50 50 50 50 50	10 (15 (12) 12) 12)	50 50 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2 5 2 5 2 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 6 1 7 1 8 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <td< td=""><td>25 25 00 50 50 50 50 50 50 50 50 50</td><td>10 (12) 12) 12) 12)</td><td>50 50 50 50 50</td></td<>	25 25 00 50 50 50 50 50 50 50 50 50	10 (12) 12) 12) 12)	50 50 50 50 50
millefolium roseum (Rosy Milfoil). July to September. Pink. 1½ ft ptarmica (The Pearl). All summer. White. 2 ft	5 1 5 1 5 2 5 2 5 2 5 1 5 1 5 1 5 1 5 2 5 1 5 2 5 2 5 2 5 2	25 25 00 50 50 50 50 50 50 50 50 5	10 (15 (12) 12) 12)	50 50 50 50 50



Partial view of Herbaceous Plantations

ANEMONE Investor Whinking E. D. E.	ach	10	100
ANEMONE Japonica, var. Whirlwind. Fall. Pure white. 2 to 3 ft\$0	25	\$2 00	\$15 00
Pennsylvanicum. June and July. White. 1 to 2 ft.	$\frac{25}{25}$	1 50	$12 \ 50$
Pulsatilla (Pasque Flower). May. Violet-pur-			
ple. 9 in	25	1 50	12 50
sylvestris. May. Pure white. 1 to 1½ ft	25	1 50	12 50
ANTHEMIS tinctoria (Chamomile). June to September. Golden Yellow. 2 ft	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and		1 00	10 00
white. 18 in	25	1 50	12 50
Canadensis. (Common Columbine). May to	0=	J = 0	40.00
July. Scarlet and Yellow. 1 to 2 ft	25	1 50	10 00
Chrysantha. May to August. Golden Yellow. 3 ft.	25	2 00	12 50
cærulea (Rocky Mountain Columbine). May		_ ~~	12 00
to July. Blue. 18 in	25	2 00	12 50
flabellata, var. nana alba. April to June.	0×	0.00	
White. 1 ft	25	2 00	
nivea grandiflora. April to June. White.	25	2 00	12 50
vulgaris fl. pl. May to July. White to blue.		_ ~ ~ ~	12 00
$1\frac{1}{2}$ to 2 ft	25	2 00	12 50
truncata. May and June. Scarlet, yellow-	2-	9.00	10 50
tipped. 2 ft	25	2 00	12 50
White. 4 in	25	1 50	10 00 ·
alpina fl. pl. Double	35	$\overline{2}$ $\overline{50}$	
ARENARIA montana, var. grandiflora (Sandwort).			10 10
May and June. White. 6 in	25	1 50	12 50

	PRICE LIST FOR FALL OF T	910		90
		Each	10	100
	ARMERIA maritima, var. alba (Thrift). Sum-			
	mer. White. 9 in\$6	25	\$1 50	\$10 00
	maritima, var. splendens. Summer Rose. 9 in.	25	1 50	12 50
	ARTEMISIA abrotanum (Old Man). Silvery white			
	foliage. 2 ft	25	1 50	10 00
	Stelleriana (Old Woman). Silvery foliage. 2 ft.	25	1 50	10 00
	ASCLEPIAS tuberosa (Butterfly Weed). July and			
	August. Orange. 2 ft	25	1 50	10 00
	ASTER alpinus. June and July. Purple. 9 in	25	1 50	10 00
	Amellus elegans. September and October. Blue.			
	$1\frac{1}{2}$ ft	25	1 50	10 00
	ASTER (Michælmas Daisy) amethystinus. Septem-			
	ber and October. Amethyst. 3 to 4 ft	25	1 50	10 00
	grandiflorus. October and November. Violet-			
	blue. 2 ft	35	$2 \ 50$	$20 \ 00$
-	Lady Trevelyan. September and October.	OF.	1 50	10.00
2	White. 3 ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	10 00
	Madonna. September and October. White, 4 ft.	20	1 90	10 00
	Novæ Angliæ. September and October. Purple.	25	1 50	10 00
	4 ft	20	1 90	10 00
	October. Bright rose. 4 ft	25	1 50	10 00
	ptarmicoides. August and September. White.	2247	1 00	30 00
	$1\frac{1}{2}$ ft	25	1 50	10 00
	Robert Parker. September and October. Laven-			
	der. 4 ft	25	1 50	10 00
	Tataricus. October and November, Purple. 5 ft.	25	1 50	10 00
	Trinervius. October and November. Violet- purple. $2\frac{1}{2}$ ft	0~	4 50	40.00
	purple. 2½ ft	25	1 50	10 00
	White Queen September and October. White.	25	1 50	10 00
	4 ft White 11 ft	$\frac{25}{25}$	$\frac{1}{1}$ $\frac{50}{50}$	10 00
	ASTILBE Japonica (Spirea). June. White. 1½ ft.	وبد	1 50	10 00
	ASTRANTIA major (Masterwort). June and July.	95	2 50	20.00
	Pale pink. 1 ft	25	2 30	20 00
>-	AUBRETIA Hendersoni (False Wall Cress). April.	95	1 50	10 50
	Purplish violet. 4 in	25	1 50	12 50
	BAPTISIA australis (False Indigo). June and July.	25	1 50	10 00
	Dark blue. 2 ft tinctoria. June and July. Bright yellow.	40	1 90	10 00
	2 to 3 ft	25	1 50	10 00
	BELEMCANDA Chinensis; syn., Pardanthus. June.	20	<u> </u>	30 00
	Orange-red. 4 ft	25	1 50	10 00
	BELLIS perennis (English Daisy) May. White and		1 00	, 10 00
	pink. 6 to 8 in	25	1 50	10 00
	BETONICA. See Stachys.		1 00	30 00
	BOCCONIA cordata (Plume Poppy). July and			
	August. White. 5 ft	25	1 50	12 50
	BOLTONIA asterioides (False Chamomile). August	20	1 00	12 00
	and September. White. 4 ft	25	1 50	10 00
	latisquama. August and September. Light	20	1 00	10 00
	lilac. 4 ft	25	1.50	10 00
	CALIMERIS incisa (Starwort). July to September.			
	Light blue. 18 in	25	1 50	10 00

	Each	10	100
CALLIRHOË involucrata (Poppy Mallow). All summer. Rosy crimsou. 1 ft\$6	25	\$1 50	\$10 00
CAMPANULA Carpatica (Carpathian Harebell).		•	
June to September. Blue. 9 in Carpatica, var. alba. June to September. White.	25	1 50	10 00
9 in	25	$\frac{1}{2}$ 50	10 00
mærheimi. May to July. White. 2 to 2½ ft persicifolia (Peach Bells). June and July.	35	2 50	
Blue. 18 inpersicifolia alba. June and July. White. 18 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\frac{10}{10} \frac{00}{00}$
pyramidalis (Chimney Bellflower). August and September. Blue. 2 ft	25 25	1 50	10 00
CENTAUREA montana (Perennial Cornflower).		1 90	10 00
June and July. Dark purple. $1\frac{1}{2}$ ft	25	1 50	
CERASTIUM tomentosum. June and July. White.	25	1 50	12 50
ber and November. Blue. 6 iu	25	2 00	15 00
CHELONE Lyoni (Turtlehead). August and Septem-			10 00
ber. Rose-purple. 2 ft	35	2 50	
September. White. 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum (Shasta Daisies). Alaska, California, Wes-			
tralia. All summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy). July to October. White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White.	35	2 50	
Pompon Varieties. Fall. All colors. $1\frac{1}{2}$ to 2 ft.	25	1 50	10 00
Pompon Varieties, Heavy Stock	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 2 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 10 & 00 \end{array}$
CHRYSOGONUM Virginianum (Golden Joint). June.	or	1 50	12 50
Yellow. 1 ft	25	1 50	12 00
Yellow. 2 ft	25	2 00	15 00
CIMICIFUGA acerinum. August and September. White. $2\frac{1}{2}$ ft	35	2 50	
Dahurica (Bugbane). August and September. White. 2 to 3 ft	35	2 50	15 00
racemosa (Suakeroot). July. White. 3 to 5 ft.	25	$\tilde{1}$ $\tilde{50}$	$12 \begin{array}{c} 10 \\ 50 \end{array}$
CINERARIA. See Artemisia. CLEMATIS crispa (Leather-flower). June to Sep-			
tember. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana. August and September. Blue. Fragrant. 3 ft	25	1 50	12 50
recta. June to August. White. Fragrant. 2 to 3 ft	25	1 50	12 50
CONOCLINIUM cœlestinum (Mist-flower). Septem-			
ber and October. Deep blue. 18 in CONVALLARIA majalis (Lily-of-the-Valley). May	25	1 50	12 50
and June. White. 6 to 9 in	25	2 00	15 00
COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft	15	1 25	10 00
CORONILLA varia (Crown Vetch). June and October. Pink. 1 to 2 ft	25	1 50	12 50
Der. Eing. I to a the every service of	20	1 00	12 00

PRICE LIST FOR FALL OF 1	910		55
DELDUINIUM Chinanas (Taskanas) T. I. C.	Each	10	100
DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft\$6	25	\$1 50	\$10 00
Chinense, var. album. July to September. White. 1½ ft. elatum (Bee Larkspur). June to August. Blue.	25	1 50	10 00
4 11	25	1 50	10 00
formosum (Larkspur). June to September. Deep blue. 4 ft	25	1 50	10 00
DIANTHUS barbatus (Sweet William), May to July,			.10 00
Mixed colors. $1\frac{1}{2}$ ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{cccc} 10 & 00 \\ 10 & 00 \end{array}$
latifolius. June. Red. 1 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c} 1 & 50 \\ 2 & 00 \end{array}$	$\frac{10}{15} \frac{00}{00}$
VARIETIES:		2 00	10 00
Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center.			
Her Majesty. White. Mrs. Sinkins. White.			
Stanislaus. Violet-rose, with crimson center. DICENTRA eximia (Seal-flower). June to August.			
Pink. 1 ft	25	1 50	10 00
π mκ. Δ to ο It	25	2 00	12 50
DICTAMNUS fraxinella (Gas Plant). June. Purple.	35	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$	15 00
fraxinella, var. alba. June. White. 3 ft DIGITALIS ambigua (Foxglove). July and August.	35	2 50	15 00
Pale yellow. 3 ft. purpurea (Common Foxglove). June and July.	25	2 00	1 5 00
Mixed colors. 4 to 5 ft	25	1 50	10 00
purpurea, var. gloxiniæflora. June and July. Mixed colors. 4 to 5 ft	25	1 50	10 00
DORONICUM Austriacum. April and May. Yellow.	35	2 50	15 00
plantagineum, var. excelsum. April to June. Yellow. 2 ft.	35	2 50	15 00
ECHINACEA purpurea (Purple Cone-flower). July to			
September. Rosy purple. 3 ft ERIGERON speciosus (Fleabane). June to August.	25	2 00	15 00
Violet-blue, $1\frac{1}{2}$ to 2 ft	25	2 00	15 00
September. Amethyst-blue. 2 ft	35	2 50	
tember and October. White Snakeroot). September and October.	25	1 50	12 50
cœlestinum. Fall. Light blue. 2 ft EUPHORBIA corollata (Spurge). July to Septem-	25	1 50	
ber. White. $1_{\frac{1}{2}}$ ft	25	1 50	12 50
FEVERFEW, Little Gem. June to October. White.	25	1 50	10 00
FUNKIA Fortunei (Day Lily). July to August. Blue.	25	1 50	12 50
ovata. July to August. Deep blue. $1\frac{1}{2}$ to 2 ft. subcordata, var. grandiflora. September. White.	$\overline{25}$	$\hat{1}$ $\hat{50}$	$1\overline{2}$ $5\overline{0}$
Fragrant. 2 ft	25	2 00	15 00
August. Lilac. 1 ft	25	1 50	12 50

T

GAILLARDIA grandiflora (Blanket-flower). June to	Each	10	100
November. Yellow. $1\frac{1}{2}$ ft\$0	25	\$1 50	\$10 00
GALEGA officinalis (Goat's Rue). July and August.	25	1 50	10.00
Blue. 2 ft officinalis, var. alba. July and August. White.		1 50	10 00
Z It	25	1 50	10 00
GERANIUM sanguineum (Cranesbill). June to September. Red. $1\frac{1}{2}$ ft	25	1 50	
GEUM coccineum (Avens). June and July. Scarlet.			
Heldrechi. June. Orange. 18 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 2&00\\2&00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 15 & 00 \end{array}$
montanum. June and July. Yellow. 18 in	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	$\frac{15}{15} \frac{00}{00}$
GILLENIA trifoliata (Bowman's Root). Rose and	35	9 50	
white. July. 3 ft	99	2 50	
White. 2 to 3 ft	25	1 50	12 50
HELENIUM , pumilum (Sneezewort). July to October, Yellow. $1\frac{1}{2}$ ft	25	1 50	10 00
autumnale, var. superbum. July to October.		1 90	10 00
Yellow. 4 ft August to Octo-	25	1 50	10 00
ber. Orange. 3 ft	25	2 00	15 00
Hoopesi. All summer. Orange-yellow. 2 ft	25	2 00	15 00
HELIANTHUS (Perennial Sunflowers) giganteus. August to October. Pale yellow. 6 to 10 ft.	25	1 50	10 00
Maximiliana. September, Deep yellow, 6 to 8 ft.	25	$\overline{1}$ $5\overline{0}$	10 00
mollis. September and October. Golden yellow. 4 ft	25	1 50	10 00
multiflorus fl. pl. July and August, Golden	0=	4 F0	
yellow. 4 ft	25	1 50	10 00
yellow. 6 ft	25	1 50	10 00
rigidus. July to October. Golden yellow. 3 ft. rigidus, yar. Miss Mellish. September and Octo-	25	1 50	10 00
rigidus, var. Miss Mellish. September and Octo- ber. Golden yellow. 6 ft	25	1 50	10 00
yellow. 3 ft	25	1 50	10 00
HELIOPSIS Pitcheriana. June to October. Orange-			
yellow. 3 ft	25	1 50	10 00
White, 6 in	35	3 00	
niger, var. atrorubens. March. Purple. 9 in HEMEROCALLIS Dumortieri (Yellow Day Lily).	35	3 00	
June and July, Orange-yellow, 2 ft	25	1 50	12 50
flava. June. Yellow. 2 ft fulva (Tawny Day Lily). July and August. A	25	1 50	12 50
tawny vellow. $2\frac{1}{2}$ ft	25	1 50	12 50
fulva, var. Kwanso fl. pl. (Double Orange Lily). July and August. Coppery yellow. 2½ ft	25	1 50	12 50
fulva, var. Thunbergii. August and September.			
Lemon-yellow. $2\frac{1}{2}$ ft	25	1 50	12 50
blue. 6 in	25	1 25	10 00
HEUCHERA sanguinea (Alumroot). June to Sep-	25	9.00	15 00
tember. Coral-red. 18 insanguinea, var. alba. June to September. White.		2 00	15 00
18 in	25	2 00	



A field of Japanese Iris at Andorra

HIBISCUS militaris. June to September. Buff-yellow.	Each	10	100
18 in	25	\$2 00	
Moscheutos (Mallow). July to September.		•	
Rose, 5 ft	25	1 50	\$10 00
tember. White. 5 ft	25	1 50	10 00
HOLLYHOCKS. See Althæa rosea.		1 00	10 00
IBERIS sempervirens (Candytuft). April and May.	05	- FA	4 0.00
White, 6 in	$\frac{25}{25}$	1 50	$\frac{10}{10} \frac{00}{00}$
corifolia. April and May. White. 9 in INULA Britannica (Fleabane). July to September.	25	1 50	10 00
Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calen-			
dar of Hardy Perennials.	o=	2 00	
atroviolacea. May. Dark violet. 2 to $2\frac{1}{2}$ ft cristata. April and May. Light blue. 6 in	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{array}{c} 3 & 00 \\ 1 & 50 \end{array}$	12 50
Florentina. May. Tinted white. Fragrant. 1½ ft	$\frac{25}{25}$	$\frac{1}{2} \frac{30}{00}$	14 00
Germanica. May. Named varieties. $1\frac{1}{2}$ to $2\frac{1}{2}$ ft.	$\overline{25}$	$\overline{1} \ \widetilde{50}$	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June			
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	25	$\frac{2}{2} 00$	15 00
Customer's selection	35	3 00	05 00
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. speciosa. June. Indigo-blue.	35	3 00	25 00
2 to 3 ft	$\frac{25}{25}$	$\frac{0}{2} \frac{00}{00}$	15 00
pumila nova. May. Various colors. 8 to 10 in.	25	$\bar{1}$ $\check{5}\check{0}$	$\overline{12}$ $\overline{50}$
Sibirica. May and June. Bright blue. $1\frac{1}{2}$ ft.	25	1 50	10 00
Sibirica, var. alba. June. White. 2 ft. Rare	35	3 00	25 00
Sibirica, var. orientalis. May. Deep blue. 1½ ft.	25	1 50	10 00
tectorum. May. Bright lilac. 1 ft	25	2 00	15 00

			, the state of the
	lach	10	100
KNIPHOFIA aloides (Red-hot Poker). August and September. Crimson. 3 ft\$0 obelisque. July and August. Saffron-yellow.	25	\$1 50	\$12 50
B to 4 ft	35	2 50	15 00
Pfitzerii (Flame Flower). July to October. Orange-searlet. 3 to 4 ft	35	2 50	15 00
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing	25	2 00	
latifolius, var. roseus. Summer. Rose. Climbing.	$\overline{25}$	$\bar{2}$ $\check{0}\check{0}$	
latifolius, var. splendens. Summer. Climbing	$\overline{25}$	$\bar{2}$ 00	15 00
latifolius, var. Pink Beauty. Summer. Bright			20 00
pink. Climbing	25	2 00	15 00
LAVENDULA spica (Lavender), 15 to 18 in	25	1 50	$12 \ 50$
vera (Lavender). 15 to 18 in	25	1 50	12 50
LIATRIS graminifolia (Blazing Star). August and			
September, Rosy purple, 2 ft	25	1 50	12 50
pycnostachya (Kansas Gay Feather). Septem			
ber. Rosy purple. 4 to 5 ft	25	1 50	-12/50
spicata (Gay Feather). August and Septem ber. Deep purple. 3 to 4 ft			
ber. Deep purple. 3 to 4 ft	25	1 50	$12 \ 50$
LILIUM Canadense (Meadow Lily). July. Shades of			
vellow. 2 to 4 ft. Philadelphicum (Wood Lily). July and August.	25	1 50	12 50
Philadelphicum (Wood Lily). July and August.			
Orange-searlet. 2 to 4 ft	25	2 00	15 00
speciosum, var. roseum (Japan Lily). July and August. Rosy white. 2 to 4 ft	05	0.00	45.00
tigrinum (Tigon Lily) Angust Colmon and	25	2 00	15 00
tigrinum (Tiger Lily). August. Salmon-red. 3 to 4 ft	25	1 50	12 50
LINUM Austriaum (Austriau Mary) Turn to	20	1 90	12 00
LINUM Austriacum (Austrian Flax). June to	25	1 75	
August. Bluish purple. 18 in	20	т 19	
Clear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August	و, سر	1 10	
and September. Scarlet. 2 to 3 ft	25	1 50	12 50
syphilitica (Blue Lobelia). August and Sep-	20	1 90	12 00
tember. Deep blue. 2 ft	25	1 50	
LYCHNIS Chalcedonica (London Pride). July to		_ 00	
September. Vermilion. 2 to 3 ft	25	1 50	12 50
coronaria (Rose Campion). June and July.		1 00	12 00
Crimson. $1\frac{1}{2}$ to 2 ft	25	1 25	10 00
coronaria, var. alba. June and July. White.			
$1\frac{1}{2}$ to 2 ft	25	1 25	10 00
Haageana. June and July. Orange-scarlet. 1½ ft.	25	1 50	
vespertina, var. alba plena (White Campion).	0-	4 50	40 70
May to September. White. 1 ft	25	$\frac{1}{1} \frac{50}{50}$	$\frac{12}{10}$ $\frac{50}{20}$
viscaria (Catchfly), June and July, Red. 1½ ft.	25	1 50	12 50
viscaria, var. splendens. (German Catclifly). June and July. Pink. 15 in	25	1 50	12 50
	20	т ю	12 00
LYSIMACHIA clethroides (Loosestrife). July to	25	1.05	10.00
September. White. 1½ ft	25	1 25	10 00
Yellow. Creeping	25	1 50	10 00
LYTHRUM roseum superbum (Rose Loosestrife).	,	T 00	10.00
July to September. Rose. 3 ft	25	1 50	12 50
MERTENSIA pulmonarioides (Virginia Cowslip).	20	1 90	12 30
May and June. Blue. 2 ft	25.	1 50	10 00
May and suite. Diue. 2 It	<u> </u>	1 00	70.00

	1010		อฮ
MONARDA didyma (Oswego Tea). July and	Each	10	100
August. Scarlet. 2½ ft	\$0 2 5	\$1 50	\$10 00
August. Scarlet. 2 ft. didyma var. splendens. July and August.	25	1 50	10 00
Crimson-scarlet. 2 ft	25	1 50	10 00
Light blue. 6 to 9 in. palustris (Forget-me-not). May and June.	25	1 50	10 00
Light one. Spreading	25	1 50	10 00
NEPETA glecoma, var. variegata (Ground Ivy). May. Purple. 6 in. CENOTHERA fruticosa, var. major (Sundrops).	25	1 50	10 00
July. Yellow. 1½ ft	25	2 00	15 00
July. Yellow. $1\frac{1}{2}$ ft. fruticosa, var. Youngi (Young's Primrose). June. Lemon. $1\frac{1}{2}$ to 2 ft.	25	1 50	12 50
Missouriensis (Large Evening Primrose). June	25	2 00	15 00
and July. Yellow. 1 ftspeciosa (White Primrose). June and July.	25	2 00	15 00
White. 1½ ft OPHIOPOGON Jaburan, var. aureus variegatus	25	1 50	10 00
(Snake's Beard). September. Blue. 6 in PACHYSANDRA procumbens (Mountain Spurge).	50	3 50	
March to May. White or purple. Spreading. terminalis. May and June. White. S in	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
PÆONIA. See our Calendar of Hardy Perennials for Special List.			
Chinensis, Double Varieties. Our selection, May	05	0.00	05 00
and June Our selection	35 1 50	$\begin{array}{c} 3 & 00 \\ 12 & 50 \end{array}$	25 00
Chinensis, Single Varieties. Our selection	35	3 00	25 00
corallina. May. Single. Reddish purple Moutan (Tree Peony). May and June. Dif-	35	3 00	25 00
officinalis, var. rubra plena. Early April.	1 00	9 00	
Donble; deep crimson	50	4 00	35 00
	1 00	9 00	
tenunona, var. piena. Party April. Double;	50	4 00	
maroon Single Bright and	50 35	4 00	95.00
triternata. April. Single. Bright red	25 25	$\begin{array}{c} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 12 & 50 \end{array}$
nucleaute (Iceland Poppy), All summer, Many		2 00	12 00
colors, 1 ft	25	1 50	10 00
let. 2 ft	25	2 00	12 50
PENTSTEMON barbatus, var, Torreyi (Torrey's			
Beard Tongue). June to August. Scarlet. 3 to 4 ft	25	1 50	10 00
2 to $2\frac{1}{2}$ ft	25	2 00	15 00
White. 3 ft	25	2 00	
2 to 3 ft	25	2 00	

				Pag.
	Each	10	100	
PHLOX amena. May. Bright pink. 3 to 4 in\$		\$1 50	\$10 00	
Carolina. May and June. Rosy red. 1 ft	25	1 50		
divaricata (Wild Sweet William). May and June. Lavender. 1 ft	25	1 50	10.50	
paniculata; syn., decussata (Perennial Phlox).	20	1 50	12 50	
See the Calendar of Hardy Perennials for				
Special List. All colors	25	2.00	15 00	
subulata (Mountain Pink). May and June.			20 00	
Rose. Creeping	25	1 50	10 00	
subulata, var. alba. May and June. White.	~~			
Creeping	25	1 50	10 00	
subulata, var. atropurpurea. May and June. Purple. Creeping	25	1 50		
subulata, var. lilacina. May. Lilac. Creeping.	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	12 50	
subulata, var. Nelsoni. May and June. Pure	20	7 00	12 00	
white. Creeping	25	1 50	10 00	
subulata, var. Model. May and June. Rosy				1
white. Creeping	25	1 50	10 00	4
PHYSOSTEGIA Virginiana (False Dragonhead). August. Deep rose. 3 ft	0 F			
August. Deep rose, 3 ft	25	$\frac{1}{1} \frac{50}{50}$	40.00	
Virginiana, var. aiba. August. White. 3 ft Virginiana, var. speciosa. August. Pink. 3 ft.	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	$\frac{10}{10} \frac{00}{00}$	
PLATYCODON grandiflorum (Balloon-flower). July.	40	1 30	10 00	
Rlua 11 ft	25	1 50		
Blue. $1\frac{1}{2}$ ft	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$		
grandiflorum, var. Mariesi. June to October.		2 00		
Blue. 1 ft	25	1 50	12 50	
POLEMONIUM coeruleum (Jacob's Ladder). May to				
July. Deep blue, $1\frac{1}{2}$ ft	25	2 00	15 00	
cæruleum, var. album. May to July. White.	0-	0.00		
$1\frac{1}{2}$ to 2 ft	25	2 00		
PRIMULA acaulis (Primrose). May. Yellow,	0=	4 80	40.70	
6 to 9 in	$\begin{array}{c} 25 \\ 25 \end{array}$	$\frac{1}{1} \frac{50}{50}$	$\frac{12}{19}$ $\frac{50}{50}$	
capitata (Primrose). Deep lilac. 9 in suaveolens (Cowslip). May. Yellow and	20	1 50	12 50	
orange, 1 ft	25	1 50	12 50	
orange. 1 ft		2 00	12 00	1
crimson, o to 9 m.,	25	1 50	12 50	
vulgaris (English Primrose). May. Yellow.	~ -	4 60		
6 to 9 in	25	1 50	$12 \ 50$	
PYRETHRUM roseum (Feverfew). June and July.	or.	1 50	40.00	
White, pink and red. $1\frac{1}{2}$ to 2 ftroseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 25 \\ 35 \end{array}$	$\begin{array}{c} 1 & 50 \\ 3 & 00 \end{array}$	10 00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot).	ออ	3 00		
June. White. $1\frac{1}{2}$ to 2 ft	25	1 50		
acris fl. pl. (Yellow Bachelor's Buttons).	40	1 90		
June. Yellow. 2 ft	25	1 50		
repens (Double Buttercup). May to July.				
Yellow. 1 ft	25	1 50	10 00	
ROSMARINUS officinalis (Rosemary). Scented				
foliage	25	1 50		
RUDBECKIA laciniata, var. Golden Glow. July to				
September. Yellow. 8 ft	25	1 25	10 00	
Newmani. August and September. Yellow. 1½ ft.	25	1 50	10 00	į
nitida (Cone-flower). August and September. Pale yellow. 5 ft	25	1 50	10 00	- ?
rate lemma a tressessessessessessesses	40	1 00	10 00	

	Each	10	100
SALVIA argentea. June. White, white foliage. 2 ft\$	$0 \ 25$	\$1 50	\$10 00
Caucasicum. July and August. Reddish purple.			
3 ft	25	1 50	10 00
pratensis (Meadow-sage). June to September.	~=		
Deep blue. 2 to 3 ft	25	1 50	10 00
SANGUINARIA Canadensis (Bloodroot). White.	0-4		
April. 6 in	25	1 50	10 00
SANTOLINA incana (Lavender Cotton). July.			
Deep yellow. 1 ft	25	1 50	10 00
SAXIFRAGA cordifolia (Rockfoil). April to June.			
Rosy purple. 15 in	25	2 00	15 00
SCABIOSA Caucasica (Mourning Bride). Lav-			
ender-blue. June. 15 to 18 in	35	2 50	15 00
SEDUM acre (Golden Moss). May and June. Yel-			
low. Spreading	25	1 25	10 00
album. July. White. 4 to 6 in	$\frac{25}{25}$	1 25	10 00
Rhodiola. August. Light pink. 1 ft	25	1 25	10 00
sexangulare (Stonecrop). June and July. Yellow. 6 in	25	1 25	10 00
spectabile (Brilliant Stonecrop). September	20	1 20	10 00
and October. Rose. 12 to 15 in	25	2 00	15 00
spectabile, var. atropurpurea. September and			
October. Purplish crimson, 15 in	25	2 00	15 00
telephoides. July and August. Pink. 1 ft	25	2 00	15 00
SENECIO clivorum. Summer. Yellow. 3 ft	35	2 50	15 00
pulcher (Groundsel). July to October. Rosy	05	4 50	
purple. $1\frac{1}{2}$ to 2 ft	25	1 50	
SILENE Pennsylvanicum (Wild Pink). April and May. Rose or white. 9 in	25	1 25	10 00
SMILACINA racemosa (False Solomon's Seal).	20	1 20	10 00
April. White. 1½ ft	25	1 50	
SPIRÆA (Goat's Beard, or Mendowsweet) aruncus.		1 00	
June and July. White, 4 to 5 ft	35	2 50	15 00
filipendula fl. pl. June and July. White. 2 ft.	25	1 50	12 50
lobata. July. Pink. 3 to 4 ft	25	$\frac{2}{2} \frac{00}{00}$	15 00
palmata. June and July. Deep crimson, 2 ft.	25	2 00	15 00
palmata, var. clegans. June and July. White;	25	2.00	
crimson authers. 3 ft. Ulmaria. June and July. White. 3 ft	$\tilde{2}\tilde{5}$	$\begin{array}{c}2~00\\2~00\end{array}$	
venusea. June and July, Deep bluk, Fra-			
grant. 3 ft	25	2 00	,
STACHYS Betonica; syn., Betonica rosea. July and			10.70
August. Rose. 1 ft	25	1 50	12 50
Red. 15 to 18 in	25	1 50	10 00
iathona (Great Sea Davender) link and		T 90	10.00
August. Deep blue. 2 ft	25	1 50	10 00
STUKESIA cyanea (Stokes' Aster). July to Octo-			
ber. Lavender. 15 ft	25	2 00	15 00
cyanea, var. alba. July to October. White.	50	9 50	
TANACETUM globiferum (Tansy). August. Golden	90	3 50	
yellow. 3 ft	25	1 50	10 00
		7.00	10.00

THALIOTOUM - Beneficial (Sec. 2002)	Each	10	100
THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in\$	0 25	\$ 1 5 0	\$10 00
aquilegifolium (Feathered Columbine). June. White. 2 to 4 ft	25	1 50	
polyganum (Tall Rue). June. White. 3 to 4 ft.	$\overline{25}$	$\frac{1}{1} \frac{50}{50}$	
purpurascens. June to August. Purple. 3 to 4 ft	25	1 50	
THERMOPSIS Caroliniana. June. Yellow. 3 to	กะ	1 50	
4 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	
THYMUS montanus, var. coccineus (Scarlet Thyme).			
May. Bright red. 4 in	25	1 50	
2 ft	25	$1\ \ 25$	
TRADESCANTIA Virginiana (Spiderwort). June to	25	1 50	12 50
Virginiana, var. alba. June and July. White.		1 00	(1
2 ft	25	1 50	12 50
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in	25	1 50	
grandiflorum (Wood Lily). March and April.	25	1 50	
White. 9 to 12 in	20	1 90	
Yellow. 2 ft	25	1 50	12 50
VALERIANA coccinea (Valerian). June to October. Reddish. 2 ft	25	1 50	10 00
officinalis (Hardy Heliotrope). June and July.			
Rose-pink. 2 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c} 1.50 \\ 1.50 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 10 & 00 \end{array}$
VERBASCUM Olympicum (Mullein). July to Sep-		1 00	10 00
tember. Yellow. 6 ft	25	1 50	12 50
VERNONIA Arkansana (Ironweed). August to October. Red. 5 ft.	25	2 00	
Baldwini. August to October. Purple. 4 ft	$\frac{25}{25}$	$\frac{5}{2} \frac{00}{00}$	
VERONICA longifolia, var. rosea (Speedwell). July to October. Rose. $1\frac{1}{2}$ ft	25	1 50	/
longifolia, var. subsessilis. August to Novem-			
ber. Deep blue. $1\frac{1}{2}$ to 2 ftrupestris (Rock Speedwell). June and July.	25	$2 \ 00$	15 00
Blue Spreading	25	1 50	10 00
Blue Spreading	25	1 50	10 00
Virginica. August to September. White, 4 ft.	$ ilde{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00
VINCA minor (Periwinkle). May. Bright blue.	95	1 50	10.00
Spreading	25	1 50	10 00
May. Purple and White. 4 in	25	1 50	12 50
Mixed	25	1/25	10 00

A CALENDAR OF PERENNIALS

This booklet, in a revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions. ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or

moist soils in shady places.
Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.
Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.
ASPLENIUM Filix-femina (Lady Fern). 2 to 3 ft. Open or shaded positions,

in moist or dry soils.

BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions,

moist or dry soils.

DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations,

ONOCLEA sensibilis (Sensitive Ferm). 1 to 2 ft. For open planting and wet

Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils.

OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils.

Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils, cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions,

in wet soils.

WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.

WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions,

in moist soils.

The above varieties, 25 cts. each, \$2 per 10, \$15 per 100.

The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50.

Hibiscus Syriacus

HEDGE PLANTS

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES

E V ERGREI	EN TREES		
Biota orientalis	Thuya occidentalis		
DECIDUOT	JS TREES		
Carpinus Americana24Betulus24Cratægus Crus-galli26	Cratægus Oxyacantha		
EVERGREEN SHRUBS			
Azalea amœna	llex crenata microphylla		
DECIDUOUS SHRUBS			
Acanthopanax spinosa	Hippophae rhamnoides		
Forsythia viridissima	Lonicera Tatarica 42		

Rhamnus cathartica

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and earing for them. It is illustrated and fully indexed.

- changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- **BEAUTIFUL LAWNS, BOOKLET No. 27.** This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- BOXWOOD, BOOKLET No. 28. For formal gardens and in connection with architectural effects, BOXWOOD is now absolutely necessary. This booklet shows the different forms we offer.
- HINTS FOR SUCCESSFUL PLANTING, BOOKLET No. 30. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the ealiper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).





DEPARTMENTS

PAGE	PAGE
Fertilizers 2	Vines and Climbing Plants47
General Instructions and Terms 3	Fruit and Small Fruits49, 50
Evergreen Trees 4	Roses
Evergreen Shrubs	Herbiceous Plants51
Deciduous Trees20	Ferns
Deciduous Shruhs	Itedge Plants
Reeds and Grasses47	Catalogs

INDEX

PAG	16
Anron's Beard	10 - 1
Abella	333
A Lateral	1 1 -
Agaithus!	11 i
Amuthonanay :	詩 1
A course of the	$\stackrel{\circ\circ}{\sim}$ I
A. 1.211	1
Aconithus Acer	
Aconitum	51 + 5
Actiuldia	$i7 \mid J$
Adam's Needle	$26 \mid 1$
Adiantum Absculus Ailanthus Ajuga Akehla Alder	13 I
Æsenlus 92	ŔŔŢŢ
Ailouthus	$23 \mid \hat{1}$
Adams	20 1
Ajuga	$11 \mid 1$
Akehla4	17 1
Alder	23 1
Allspice, or Sweet	1
Shruh :	35 I
Alune	23 I
Alder Allspice, or Sweet Shruh Alnus Althæa (see, also, III- biscus) Alum Root	·0 1
himma (see, also, III-	Ţ
prscus)39, 40, 5	1 1
Alum Root	$6 \mid 1$
Alyssum	51 I
Amelanchier23. 3	13 I
Amorpha 9	4 1
Ampelonsis 4	7 1
Amyrdalus Soo Dunning	' i
biscus)	.a \$
Anchusa	1 1
Andromeda (sec, also,	
Oxydendrum)15, 2	23 F
Anemone	$2 \mid 1$
Anthemis	$2 \mid 1$
Apples4	$\bar{9}+\bar{1}$
Aquilegia	$\tilde{2} \mid \tilde{1}$
Aquilegia 5 Arabis 5 Aralia 5 Anhonyita 4 7	$\frac{7}{2}$
Analia	
Arana	$3 \mid 1$
Arnoryitæ4, 5, 1	.5 1.
Aristolochia 5	$7 \mid 1$
ATTISTOTOCHIA	* T
Armeria	65 1
Armeria	3 F
Armeria	6 F
Armeria	6 1
Armeria .5 Aronia. See Pyrus. Arrow-wood .4 Artemesia .5	6 F 3 F
Armeria 5 Aronia. See Pyrus. Arrow-wood 4 Artemesia 5 Arundo 4	6 IF 3 IF 7 C
Armeria 5 Aronia See Pyrus. Arrow-wood 4 Artemesia 5 Arundo 4 Asclepias 5	6 F 3 F 3 F 3 F
Armeria 5 Aronia. See Pyrus. Arrow-wood 4 Artemesia 5 Arundo 4 Asclepias 5 Ash 27, 3	6 F 3 H 7 C 32 C
Armeria 5 Aronia See Pyrus Arrow-wood 4 Artemesia 5 Arundo 4 Asclepias 5 Ash 27 Asparagus 5	6 F 3 H 3 C 3 C 3 C
Aristolochia 5 Armeria 5 Aronia See Pyrus. Arrow-wood 4 Artemesia 5 Arundo 4 Asclepias 5 Ash 27, 3 Asparagus 5 Aspidium 6	6 F 6 F 3 F 7 C 3 C 6 C
Asplenlum6	3 0

TABLES OF TARRETTE	
Tribity of tributtilities.	.50
Baccimuls	. 35
Bamhusa	.47
Baptlsla	. 53
Rarherey	9.5
Daggreed 96	. UE
Dasswood	4-35
Beard Tongue	-59
Baby's Breath Baccharls Bamhusa BaptIsla Barherry Basswood 35 Beard Tongue Bear's Breech Beanty-fruit	.51
Beauty-fruit Beech Belemcanda Bell-flower	.35
Beech	26
Rolomoundo	- -
Delta deserve	.95
Bell-nower	.54
Bellis	.53
Benzoin	.35
Berheris	.35
Betonica. See Stachy	S
Betula	$\tilde{24}$
Bignonia	47
Balloon-flower	- ē0
Riota	4.5
Phola	າ≌າປ 0.4
Dittongraph	47
Direct Alder	.47
Black Alder	- 23
Blackherries	.49
Black Haw	.47
Black Walnut	.27
Bladder Nut	.44
YN4 - 3.3 C1 -	
Bladder Senna	.36
Blanket-flower	$\frac{.36}{.55}$
Blanket-flower Blazing Star	.36 .55
Bladder Senna Blanket-flower Blazing Star Bleeding Heart	.36 .55 .58
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Sulver	.36 .55 .58 .55
Bladder SennaBlanket-flower Blazing StarBleeding HeartBlue SplreaBlocconia	.36 .55 .58 .55
Bladder SennaBlanket-flower Blazing StarBleeding HeartBlue SplreaBlocconia	.36 .55 .58 .55 .53
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula	.36 .55 .58 .55 .55 .53
Blauder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum	.36 .55 .55 .53 .53 .53
Blander Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15	.36 .55 .58 .53 .53 .63 .16
Blander Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath	$\begin{array}{c} .36 \\ .55 \\ .55 \\ .55 \\ .53 \\ .63 \\ .44 \\ \end{array}$
Blander Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia	$\begin{array}{c} .36 \\ .55 \\ .58 \\ .53 \\ .53 \\ .63 \\ .64 \\ .24 \\ \end{array}$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia	$\begin{array}{c} .36 \\ .55 \\ .58 \\ .53 \\ .53 \\ .63 \\ .44 \\ .43 \\ \end{array}$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box	$\begin{array}{r} .36 \\ .55 \\ .58 \\ .53 \\ .53 \\ .63 \\ .44 \\ .43 \\ .53 \\ \end{array}$
Blander Senna. Blanket-flower Blazing Star. Bleeding Heart. Blue Splrea. Bocconia Boltoula Botrychlum Box	$\begin{array}{r} .36 \\ .58 \\ .55 \\ .55 \\ .53 \\ .56 \\ .64 \\ .43 \\ .30 \\ \end{array}$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box	$\begin{array}{r} .36 \\ .58 \\ .58 \\ .535 \\ .535 \\ .66 \\ .443 \\ .30 \\ .16 \\ \end{array}$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttonwood Buxus 15	$\begin{array}{c} .36585 \\ .5533333 \\ .544433306 \\ .5366 $
Blander Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Calimerls	$\begin{array}{c} .36 \\ .558 \\ .558 \\ .555 \\ .35 \\ .53 \\ .53 \\ .444 \\ .43 \\ .53 \\ .30 \\ .16 \\ .53 \\ .31 \end{array}$
Blanket-flower Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Calimerls Callicarpa	.36 .55 .58 .55 .53 .53 .63 .16 .44 .24 .35 .30 .53 .53
Blanket-flower Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Botrychlum Box	$\begin{array}{c} .36 \\ .55 \\ .58 \\ .55 \\ .53 \\ .53 \\ .53 \\ .63 \\ .44 \\ .24 \\ .43 \\ .30 \\ .16 \\ .35 \\$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Callicarpa Callicarpa Callycanthus	$\begin{array}{c} .36 \\ .55 \\ .58 \\ .55 \\ .35 \\ .53 \\ .53 \\ .53 \\ .53 \\ .53 \\ .53 \\ .53 \\ .54 \\ .35 \\ .35 \\ .35 \\ .35 \\ .37 \\ .37 \\ .37 \\ .37 \\ .37 \\ .38 \\$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Callicarpa Callichoe Calycanthus Campanula	$\begin{array}{c} .36 \\ .55 \\ .55 \\ .55 \\ .55 \\ .53 \\ .53 \\ .53 \\ .54 \\ .24 \\ .24 \\ .35 \\ .53 \\ .55 \\ .55 \\ .55 \\ \end{array}$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Calimerls Callicarpa Callycanthus Candytuft	$\begin{array}{c} .36 \\ .558 \\ .558 \\ .558 \\ .553 \\ .535 \\ .636 \\ .444 \\ .243 \\ .306 \\ .544 \\ .354 \\ .575 \\ \end{array}$
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Calimerls Callicarpa Callichoe Calycanthus Canagana Caragana	$\begin{array}{c} .36 \\ .558 \\ .558 \\ .558 \\ .553 \\ .535 \\ .636 \\ .444 \\ .243 \\ .306 \\ .535 \\ .544 \\ .577 \\ .356 \\ \end{array}$
Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Calimerls Callicarpa Callichoe Calycanthus Candytuft Caragana Cardinal-flower	.36 .558 .558 .535 .535 .536 .444 .433 .536 .536 .536 .536 .536 .536 .536 .5
Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Boltoula Botrychlum Box 15 Bridal Wreath Broussonetia Buckthorn Butterfly Weed Buttouwood Buxus 15 Callicarpa Callicarpa Callicarpa Callycanthus Campanula Candytuft Caragana Cardinal-flower Carpinus	$\begin{array}{c} .36\\ .558\\ .558\\ .553\\ .535\\ .535\\ .535\\ .535\\ .535\\ .535\\ .544\\ .535\\ .547\\ .554\\ .575\\ .524\\ \end{array}$
Belemcanda Bell-flower Bell-flower Bellis Benzoin Berheris Betonica. See Staehy Betula Bignonia Balloou-flower Biota Birch Blitersweet Black Alder Black Alder Black Walnut Bladder Nut Bladder Senna Blanket-flower Blazing Star Bleeding Heart Blue Splrea Bocconia Botrychlum Box 15 Bridal Wreath Broussonetia Butterfly Weed. Buttouwood Buxus 15 Callicarpa Callicarpa Callicarpa Callicarpa Callicarpa Callicarpa Candytuft Caragana Cardinal-flower Carpinus Caryopteris Castanea	.365885.533.533.533.533.533.533.533.533.533

Catalpa Ceanothus Cedar Cedrela Cedrus Celastrus Celtis Cephalanthus Cephalotaxus Cerastium Cerasus Ceratostigma	GE
Catalpa	9
Connothus	20
Coder	. 0
Cedar	, ,
Cedrela	
Cedrus	. ?
Celastrus	.4
Celtis	19
Conhelenthus	بيد . پرد
Conhalatarus	. O
Cephalotaxus	• _ {
Cerastium	.5
Cerasus	2!
Ceratostigma	. 54
Cerasus16, Ceratostigma Cercidiphyllum Cercis25, Chamædaphne Chamomile Chaste Tree Chelone	Ő.
Coroia DT	٠ ٧
Chamadanha	31
Chamædaphne	. 10
Chamomile	.52
Chaste Tree	.47
Chelone	54
Charries	10
Chower	. Ti
Chartmet	40
Chestnut24,	4:
Chinese Angelica Tree.	.2i
Chinese Arhorvitæ	
Chinese Cork Tree	20
Chionauthus	20
Chalchange	A F
Chairten on Dans	46
Curistinas Rose	$\mathbf{g}_{\mathbf{G}}$
Chrysauthemum	.54
Chrysogonum	.54
Chrysopsis	.54
Cimicifuga	54
Cineraria See Arto	-
misia.	
Chaste Tree. Chelone Cherries Cherry Chestnut Cherry Chestnut Chinese Angelica Tree Chinese Arhorvitæ Chinese Cork Tree Chionanthus Chokeherry Cbristmas Rose Chrysanthemum Chrysogonum Chrysogonum Chrysopsis Cimicifuga Cineraria. See Arte misia. Cinquefoil Cladrastris Clematis Clematis Clematis Clematis Columbine Colutea Comptonia Cone-flower Conoclinium Convallaria Coral Berry Corchorus	40
Cinducton	42
Cladrastris	25
Clematis48,	54
Clethra	36
Columbine 52	62
Colutos	20
Comptonia	00
Comptoma	01
Cone-nower55,	60
Conoclinium	54
Convallaria	54
Coral Berry	44
Corchorus	26
Corooneia	E/4
Corcopsis	0.4
Cornus25, 36,	51
Corylus	37
Cotoneaster16.	37
Crab Apples	30
Cranberry Rush	46
Coral Berry Corchorus Coreopsis Cornus .25, 36, Corylus Cotoneaster .16, Crab Apples Cranberry Bush Cratægus .17, 25, Cryptomeria Cucumber Tree	20
Chuntomovia	40
Cryptomeria	9
Cucumber Tree	28

Cupressus12	Ginkgo32	Kniphofia58
Currant43, 49	Gleditsehia27	Kœlreuteria27
Currant	Globe-flower36	Kudzu Vine48
Cydouia37		Larch27
Cypress	Goat's Beard61	Larix27
Cytisu27, 37	Gold-flower40	Latrix
Daisy53	Golden Bell39	Larkspur55
Day Lily55-56	Golden Chain26	Lathyrus48, 58
Day Lift	Golden Tuft51	Laurel16-17
Daphne	Glyptostrobus. See Tax-	Lavaudula58
Deciduous Shrubs .33-47	odium.	Lavender58
Deciduons Trees20-33	Gooseberries49	Layender-cotton61
Delphinium55	Grapes	Lespedcza40
Desmodium. See Les-	Groundsel Shrub35, 61	Liatris58
pedeza37	Guelder Rose46	Ligustrum40-41
Deutzia37, 38		Lilac44
Diantbus	Gymnocladus27	Tilium E0
Diantous	Gypsophila56	Lilium58
Dieentra	Halesia39	Laly-of-the-valley54
Dicksonia	Hamamelis39	Linden32-33
Dictamnus55	Hardy Roses50-51	Linum
Diervilla38	Hawthorn26	Liquidambar28
Digitalis	Hazel 37-39	Liriodendron28
Diospyros26	Hedera48	Liver Leaf56
Dogwood25, 36-37	Hedge Plants63	Lobelia58
Dolichos. See Pueraria.	Helenium56	Locust27, 32
Doronicum55	Hellanthus56	London Pride58
Dutchman's Pipe47		Lonicera41, 42, 48
Echinacea	Heliopsis56	Louicera41, 42, 46
	Helleborus56	Loosestrife58
Elæagnus39	Hemerocallis, or Day	Lychnis
Elder43	Lily	Lycium
<u>Elm</u> 33	Hemloek14	Lysimachia58
Elymus47	Hepatica	Lythrum
English Primrose60	Herbaceous Plants .51-62	Maclura
English Ivy48	Heuebera	Magnolia28
Eriantbus47	Hibiscus39, 40, 57	Mahonia17
Erigeron55	High Cranberry Bush 46	Maidenbair Tree32
Eryngium55		Maple20-23
Esculent Roots50	Hippophae	Matrimony Vine42
	Holly17	Matrimony vine42
Eulalia	Hollyhocks (see, also,	Meadow Rue61
Euonymus17, 39, 48	$\begin{bmatrix} Altliea \end{bmatrix}$	Meadow Sweet61
Enpatorium55	Honey Locust27	Mertensia58
Euphorbia55	Honeysuckle41, 48	Mint-flower54
Evening Primrose59	Hop Tree30	Mist, or Smoke Tree43
Evergreen Shrubs15-20	Hornbeam24	Moek Orange42
Evergreen Thorn17	Horse-chestnut23	Monarda59
Evergreen Trees4-15	Hydrangea40	Moneywort 58
Everlasting Pea48	Hypericum40	Monkshood
Exochorda39	Iberis	Morus
Fagus26	Ilex	Mountain Ash32
Ferns	Inula	Mourning Bride61
Festuca		Mulbourg 94 90
	Iris57	Mulberry24, 29 Myosotis59
Feverfew55, 60	Iron Weed	Myosous
Fir4	Itea40	Myrica
Flame-flower58	Jacob's Ladder60	Negundo. See Acer Ne-
Flowering Almond43		
Flowering Crab30	Japanese Maples22-23	gundo.
Forget-me-not59	Japanese Mapies22-23 Japan, or Boston Ivy27	Nepeta59
rorget-me-not	Japan, or Boston Ivy27	Nepeta
Forsythia39	Japan, or Boston Ivy27 Japan Cypress 9	Nëpeta 59 Nettle Tree 25 Nuts 49
Forsythia39	Japan, or Boston Ivy27 Japan Cypress 9 Japan Judas 36	Nëpeta 59 Nettle Tree 25 Nuts 49
Forsythia	Japan, or Boston Ivy27 Japan Cypress 9 Japan Judas	Nepeta 59 Nettle Tree 25 Nuts 49 Nvassa 29
Forsythia	Japan, or Boston Ivy. 27 Japan Cypress 9 Japan Judas 36 Japan Quince 37 Japanese Snowball 46	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31
Forsythia	Japan, or Boston Ivy. 27 Japan Cypress	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Genothera 59
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49	Japan, or Boston Ivy. 27 Japan Cypress	Nëpeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Genothera 59 Old Man 53
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55	Japan, or Boston Ivy. 27 Japan Cypress 9 Japan Judas 36 Japan Quiuce 37 Japanese Snowball 46 Jasmine 40 Jasminum 40 Jersey Tea 36	Nëpeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Œnothera 59 Old Man 53 Old Woman 53
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55 Gaillardia 56	Japan, or Boston Ivy. 27 Japan Cypress 9 Japan Judas 36 Japan Quiuce 37 Japanese Snowball 46 Jasmine 40 Jasminum 40 Jersey Tea 36 Judas Tree 25	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Genothera 59 Old Man 53 Old Woman 53 Oleaster 39
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55 Gaillardia 56 Galega 56	Japan, or Boston Ivy. 27 Japan Cypress 9 Japan Judas 36 Japan Quiuce 37 Japanese Snowball 46 Jasmine 40 Jasminum 40 Jersey Tea 36 Judas Tree 25 Juglans 27	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Œuothera 59 Old Man 53 Old Woman 53 Oleaster 39 Onoclea 63
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55 Gaillardia 56 Galega 56 Gas Plant 55	Japan, or Boston Ivy27 Japan Cypress	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Ghothera 59 Old Man 53 Old Woman 53 Oleaster 39 Onoclea 63 Ophiopogon 59
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55 Gaillardia 56 Galega 56 Gas Plant 55 Geranium 58	Japan, or Boston Ivy27 Japan Cypress	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Genothera 59 Old Man 53 Old Woman 53 Oleaster 39 Onoclea 63 Ophiopogon 59 Orlental Plane 30
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55 Gaillardia 56 Galega 56 Gas Plant 55	Japan, or Boston Ivy. 27 Japan Cypress . 9 Japan Judas . 36 Japan Quiuce . 37 Japanese Snowball . 46 Jasmine . 40 Jasminum . 40 Jersey Tea . 36 Judas Tree . 25 Juglans . 27 Juneberry . 23 Juniperus . 5-6-7 Kalmia . 17	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Genothera 59 Old Man 53 Old Woman 53 Oleaster 39 Onoclea 63 Ophiopogon 59 Oriental Plane 30 Oriental Poppy 59
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55 Gaillardia 56 Galega 56 Gas Plant 55 Geranium 58 German Catchfly 56 Geum 56	Japan, or Boston Ivy. 27 Japan Cypress 9 Japan Judas 36 Japan Quiuce 37 Japanese Snowball 46 Jasmine 40 Jasminum 40 Jersey Tea 36 Judas Tree 25 Juglans 27 Juneberry 23 Juniperus 5-6-7 Kalmia 17 Kentucky Coffee Tree 27	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Genothera 59 Old Man 53 Old Woman 53 Oldeaster 39 Onoclea 63 Ophiopogon 59 Oriental Plane 30 Oriental Poppy 59 Osage Orange 28
Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27 Fruit 49 Funkia 55 Gaillardia 56 Galega 56 Gas Plant 55 Geranium 58 German Catchfly 56	Japan, or Boston Ivy. 27 Japan Cypress . 9 Japan Judas . 36 Japan Quiuce . 37 Japanese Snowball . 46 Jasmine . 40 Jasminum . 40 Jersey Tea . 36 Judas Tree . 25 Juglans . 27 Juneberry . 23 Juniperus . 5-6-7 Kalmia . 17	Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Genothera 59 Old Man 53 Old Woman 53 Oleaster 39 Onoclea 63 Ophiopogon 59 Oriental Plane 30 Oriental Poppy 59

Some	PAGE (PAGE (PAGE
Symphoricarpus	Osmunda		Sweet Shrub35
grait Ralm 59	Oswego Tea, or Fra-	Ribes	Syeamore30
Oxydendrum 25	grant Balm59	Robinia32, 43	Symphoricarpus44
Pachysandra 59	Oxydendrum29	Rock Cress52	Syringa44
Papayer 59	Pæonia59		Tanacetum61
Papaver Composition Comp	Pachysandra59	Rose Aeacia43	
Partotia 29	Panaver	Rose Campion58	
Rose of Sharon 39, 40 Parrotia 29 Paulownia 20 Paulownia 2	Pardanthus See Bel-	Rosemary60	
Pariotha 29		Rose of Sharon39, 40	
Paulownia See Esculus Pavia See Esculus Pavia See Esculus Pearl Bush 39 Perivinkle 62 Salisuria 32 Periploca 48 Salis 32 Thuya 1.3-14 Thuya 1.3-14 Pearl Bush 39 Pearl Bush 39 Persian Iron Tree 29 Sandwort 5-2 Pearl Bush 39 Pearl Bush 39	Parrotia	Roses	
Payria See Esculus Peaches 29, 49 Pearl Bush 39 Pearr 49 Pearr 50 Pe	Paulownia29 (Rosmarinus60	
Peaches 29, 49 Rudbeckin 43 Pearls 49 Rudbeckin 60 Pearls 49 Rudbeckin 60 Pearlstemon 59 Salisburia 32 Thrift 53 Perrivinkle 62 Salisk 32 Thujopsis 13-14 Persian 170 Salis 32 Thujopsis 13-14 Persian 170 Salis 32 Thujopsis 13-14 Persian 170 Sambueus 43 Triger Lily 58 Persian 170 Sambueus 43 Triger Lily 58 Persian 170 Sambueus 43 Triger Lily 58 Persian 170 Sanguinaria 61 Triger Lily 58 Persian 170 Sanduort 52 Triger Lily 58 Persian 140 Santina 61 Triger Lily 58 Phale 25 Santina 61	Pavia Sec Æsculus	Rosy Milfoil51	Thorn25-26
Pearl Bush	Peaches 29, 49	Rubus43	
Pentstemon 59 Salisburia 32 Perfyloca 48 Salish 32 Perfyloca 48 Salish 32 Perfyloca 48 Salish 32 Perfyloca 48 Salish 32 Persian Iron Tree 29 Persian Iron Tree 29 Persian 20 Sanbueus 43 Persimmon 26 Sanbueus 43 Persimmon 26 Sanbueus 43 Persimmon 26 Sandwort 52 Phellodendron 29 Sanfura 61 Phellodendron 29 Sasifraga 61 Phellodendron 29 Sasifraga 61 Phellodendron 29 Sasifraga 61 Phillyrea 17 Scabiosa 61 Philox 60 Sea Buckthorn 40 Plipsostegia 60 Sea Buckthorn 40 Plipsostegia 60 Sea Buckthorn 40 Plinus 8-9 Plaue 30 Sea Buckthorn 40 Plaus 30 Seludum 61 Platauus 30 Shrub Yellow Root 47 Platycodon 60 Platauus 30 Plumbago 54 Plums 49 Podocarpus 19 Silk Vine 48 Podocarpus 30 Sankeroot 55 Populus 30 Sonwball 46 Populus 30 Sonwball 46 Populus 30 Sonwball 46 Populus 30 Sonwball 46 Prinus See, also Ceastis 30, 42 Prinus 30, 42 Prinu	Pearl Rush39		
Pertitemon 59	Pears49		
Periploca	Peutstemon59	Salisburia32	
Periwinkle	Peripleca48	Salix32	
Persian Iron Tree		Salvia	
Persican 20			Tiger Lily58
Persimmon	Persica		Tilia32-33
Phallaris	Persimmen26		
Pheilodendron 29		121111111111111111111111111111111111111	Tree of Heaven23
Phillyrea 1.7 Scabiosa 61 Trollius 62 Trumpet Vine 47 Philyrostegia 60 Sciadopitys 11 Sciadopitys 11 Physostegia 60 Sca Holly 55 Pine 8-9 15 Sca Lavender 61 Plurks 60 Pinus 8-9 Scdum 61 Plurks 60 Pinus 8-9 Scdum 61 Plurks 60 Pinus 30 Sheepsberry 46 Plurbago 54 Plurbago 55 P	Phellodendron29		Trillium
Phillyrea 17	Philadelphus42	Scotch Broom37	
Phiox	Phillyres17		
Physostegia 60 Sea Bûckthorn 40 Picea 7-8 Sea Holly 55 Sea Holly 55 Pine 8-9 11 Sea Lavender 61 Pinks 60 Senecio 61 Pinus 8-9 Sedum 61 Pinus 8-9 Pinus 30 Shrub y Cliquefoil 42 Varcinium 46 Pinus 30 Shrub y Cinquefoil 42 Varnish Tree 27 Pinus 49 Pinus 49 Silk Vine 48 Pinus 49 Silk Vine 48 Pinus 30 Small Fruits 49 Podecarpus 9 Small Fruits 49 Polemonium 60 Smakeroot 55 Smakeroot 55 Pinurose 50-60 Sorbus 32 Prinurose 50-60 Sorbus 32 Prinus 40-41 Prinus 8-60 Privet 40-41 Privet 40-41 Pranus See, also, Cerustus 30, 42 Pseudotsuga 9 Ptelea 30 Pucearla 48 Purple Mist 43 Pyrothrum 60 Speedwell 52 Pyrus 30, 42 Pyrus		The state of the s	Tsuga
Pine			Tulin Tree28
Pine		Sea Holly	Ulmus
Pinks 60 Senecio 61 Vaccinium 46 Plane 30 Sheepsberry 46 Valeriana 62 Platanus 30 Shrub Yellow Root 47 Valerian 62 Plutycodon 60 Shrub Yellow Root 47 Valerian 62 Plums 49 Shrub Yellow Root 47 Verbascum 62 Plums 49 Silke Ine 48 Verbascum 62 Podocarpus 9 Small Fruits 49 Verbascum 62 Podocarpus 9 Small Fruits 49 Verbascum 62 Podocarpus 9 Small Fruits 49 Verbunda 62 Podocarpus 9 Small Fruits 49 Verbunda 62 Populus 30 Smakeroot 55 Viburuum 46 Populus 30 Snowball 46 Vilex 47 Primrose 59-60 Spolora 32 <td>Pino 8-9, 11</td> <td>Sea Lavender61</td> <td>Umbrella Tree28</td>	Pino 8-9, 11	Sea Lavender61	Umbrella Tree28
Pinus			
Plaue			
Platanus	Plane .30		
Platycodon 60	Platanus 30	Shrub Yellow Root 47	
Plumbago	Platygodon 60		
Plums	Plumbago 54	Silene	
Podecarpus	Plume49	Silk Vine48	
Polemonium 60			
Poplar	Polemonium60		
Populus	Poular30		Vines and Climbing
Poppy 53, 59 Snowberry 44 Viola 62 Primrose .59-60 Sophora .32 Virgilia .25 Primula .60 Speedwell .62 Vitex .47 Privet .40-41 Spice Bush .35 Vits .48 Primus See, also, Spiderwort .62 Vitex .47 Privet .40-41 Spice Bush .35 Vitis .48 Primus See, also, Spiderwort .62 Walnut .27-49 Psendotsuga .9 Spirce .39 Was Myrtle .42 Ptelea .30 Spruee .7, 8, 9 Weigela .38 Pterostyrax .30 Stachys .61 White Fringe .36 Purple Mist .43 Statice .61 Wolf's-bane .51 Pyrus .30, 42 Stokesia .61 Windflower .52 Quereus .30, 42 Stokesia .61 </td <td>Populus30</td> <td></td> <td></td>	Populus30		
Potentilla	Poppy	Snowberry44	Viola
Primrose 59-60 Sorbus 32 Virginia Creeper 47 Priwet 40-41 Speedwell 62 Vitex 47 Privet 40-41 Spice Bush 35 Vitis 48 Printings See, also, Spice Bush 35 Vitex 47 Psendotsuga 9 Spiderwort 62 Wax Mvrtle 42 Psendotsuga 9 Spindle Tree 39 Wax Mvrtle 42 Psendotsuga 9 Spiræa 43, 44, 53, 61 Woigela 38 Pterostyrax 30 Spruee 7, 8, 9 Woigela 38 Pureraria 48 Stachys 61 White Rod 46 Pyrethrum 60 Statice 61 Wolf's-bane 51 Quircus 30, 42 Stokesia 61 Willow 32 Quircus 30, 31 Stokes' Aster 61 Windlower 51-52 Quircus 37, 49 Strawberries <	Potentilla		Virgilia25
Primula 60 Speedwell 62 Vitex 47 Privet .40-41 Spice Bush 35 Vitfs 48 Prmus. See, also, .62 Spice Bush 35 Vitfs 48 Perasts .30, 42 Spindle Tree .39 Wax Myrtle .42 Pseudotsuga .9 Spiræa .43, 44, 53, 61 Wayfaring Tree .46 Ptelea .30 Spruee .7, 8, 9 Weigela .38 Pueraria .48 Stachys .61 White Rod .46 Purple Mist .43 Statice .61 Wolf's-bane .51 Pyrus .30, 31 Stokesia .61 Willow .32 Quercus .30, 31 Stokesia .61 Windflower .51-52 Quercus .37, 49 Stokes' Aster .61 Winter Berry .40 Red Bud, or Judas .25 Strawberries .50 Witch Hazel .39 Reeds and Grasses .47	Primrose	Sorbus32	Virginia Creeper47
Privet 40-41 Spice Bush 35 Vitis 48 Privet 62 Spiderwort 62 Walnut 27-49 Cerasus 30, 42 Spirea 39 Wax Myrtle 42 Pseudotsuga 9 Spirea 43, 44, 53, 61 Wayfaring Tree 46 Ptelea 30 Spruee 7, 8, 9 Weigela 38 Pterostyrax 30 Stachys 61 White Fringe 36 Pueraria 48 Statice 61 Wolf's-bane 51 Pyrethrum 60 Stephanandra 45 Willow 32 Pyrus 30, 31 Stokesia 61 Wolf's-bane 51 Quercus 30, 31 Stokes' Aster 61 Windflower 52 Quinees 37, 49 Stowes' Aster 61 Winter Berry 40 Red Bud, or Judas 25 Strawberries 50 Witch Hazel 38 Retinospora 9-11 Swamp Huckleb	Primula60		
Prinnus. See, also, Cerastis 30, 42 Spinderwort 62 Walnut 27-49 Pseudotsuga .9 Ptelea .30 Spiræa .43, 44, 53, 61 Wax Myrtle .42 Ptelea .30 Spruee .7, 8, 9 Weigela .38 Pueraria .48 Stachys .61 White Fringe .36 Pyrus .30, 42 Statice .61 Wolf's-bane .51 Pyrus .30, 31 Stokesia .61 Willow .32 Quercus .30, 31 Stokesia .61 Winoflower .51-52 Quinces .37, 49 Stokes' Aster .61 Winola .47 Ranunculus .60 Strawberries .50 Wistaria .48 Red Bud, or Judas .25 Styrax .44 Woodwardia .63 Reeds and Grasses .47 Sumflower .56 Woodwardia .63 Rhododendron .18 Sweet Fern .36 Woodwardia	Privet		
Cerasus 30, 42 Spindle Tree 39 Wax Myrtle 42 Pseudotsuga .9 Spiræa .43, 44, 53, 61 Wayfaring Tree .46 Ptelea .30 Spruee .7, 8, 9 Weigela .38 Pueraria .48 Stachys .61 White Fringe .36 Purple Mist .43 Statice .61 Wolf's-bane .51 Pyrethrum .60 Stephauandra .45 Willow .32 Quercus .30, 31 Stokesia .61 Windflower .51-52 Quinces .37, 49 Stokes' Aster .61 Winter Berry .40 Raspberries .50 Strawberries .50 Wistaria .48 Red Bud, or Judas .25 Styrax .44 Woodsia .63 Retinospora .9-11 Swanflower .56 Woodwardia .63 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus	Prinus See, also,	Spiderwort62	Walnut 27-49
Pseudotsuga .9 Spiræa .43, 44, 53, 61 Wayfaring Tree .46 Ptelea .30 Spruee .7, 8, 9 Weigela .38 Pterostyrax .30 Stachys .61 White Fringe .36 Purple Mist .43 Statice .61 Wolf's-bane .51 Pyrethrum .60 Stephauandra .45 Willow .32 Pyrus .30, 42 Stokesia .61 Windflower .51-52 Quinces .37, 49 Stokes' Aster .61 Winola .47 Quinces .37, 49 Stonecrop .61 Winter Berry .40 Raspberries .50 Strawberries .50 Wistaria .48 Red Bud, or Judas .25 Styrax .44 Woodwardia .63 Reeds and Grasses .47 Sumflower .56 Xanthoceras .47 Rhamnus .43 Sweet Fern .36 Yarrow .51 Rhododendron	Cerasus30, 42	Spindle Tree39	Wax Myrtle42
Ptelea 30 Spruee 7, 8, 9 Weigela 38 Pterostyrax 30 Stachys 61 White Fringe 36 Pueraria 48 Staphylea 44 White Rod 46 Purple Mist 43 Statice 61 Wolf's-bane 51 Pyrus 30, 42 Stokesia 61 Willow 32 Pyrus 30, 31 Stokesia 61 Winola 47 Quercus 37, 49 Stokes' Aster 61 Winola 47 Quinces 37, 49 Stokes' Aster 61 Winter Berry 40 Ranunculus 60 Strawberries 50 Wistaria 48 Red Bud, or Judas 25 Styrax 44 Woodsia 63 Retinospora 9-11 Sweet Sumae 31-32, 43 Woodwardia 63 Rhododendron 18 Sweet Fern 36 Yarrow 51 Sweet Guin 28 Yellow	Pseudotsuga9	Spiræa43, 44, 53, 61	Wayfaring Tree46
Pterostyrax 30 Stachys 61 White Fringe 36 Pueraria 48 Staphylea 44 White Rod 46 Purple Mist 43 Statice 61 Wolf's-bane 51 Pyrus 30, 42 Stokesia 61 Willow 32 Quercus 30, 31 Stokes' Aster 61 Winola 47 Quinces 37, 49 Stokes' Aster 61 Winter Berry 40 Ranunculus 60 Strawberries 50 Wistaria 48 Red Bud, or Judas 25 Styrax 44 Woodsia 63 Reeds and Grasses 47 Sumae 31-32, 43 Woodwardia 63 Retinospora 9-11 Sweet Fern 36 Xanthoceras 47 Rhododendron 18 Sweet Gum 28 Yellow Wood 25 Rhubarb 50 Sweet William 54, 60 Yew 5, 9, 11, 12	Ptelea30	Spruee	Weigela
Pueraria 48 Staphylea 44 White Rod 46 Purple Mist 43 Statice 61 Wolf's-bane 51 Pyrus 30, 42 Stokesia 61 Willow 32 Pyrus 30, 31 Stokesia 61 Windflower 51-52 Quercus 37, 49 Stokes' Aster 61 Winola 47 Quinces 37, 49 Stonecrop 61 Winter Berry 40 Ranunculus 60 Strawberries 50 Wistaria 48 Red Bud, or Judas 25 Styrax 44 Woodsia 63 Reeds and Grasses 47 Sumae 31-32, 43 Woodwardia 63 Retinospora 9-11 Sunflower 56 Xanthoceras 47 Rhamnus 43 Swamp Huckleberry 46 Xanthorrhiza 47 Rhododendron 18 Sweet Guin 28 Yellow 51 Rhubarb 50 Sweet William 54, 60 Yew 5, 9, 11, 12	Pterostyrax30	Stachys	White Fringe36
Purple Mist .43 Statice .61 Wolf's-bane .51 Pyrus .30, 42 Stokesia .61 Willow .32 Quercus .30, 31 Stokesia .61 Windflower .51-52 Quinces .37, 49 Stokes' Aster .61 Windflower .51-52 Quinces .37, 49 Stokes' Aster .61 Windflower .51-52 Ranunculus .60 Strawberries .50 Wistaria .48 Raspberries .50 Strawberry Bush .39 Witch Hazel .39 Red Bud, or Judas .25 Styrax .44 Woodwardia .63 Retinospora .9-11 Sunflower .56 Xanthoceras .47 Rhamnus .43 Sweet Fern .36 Xanthorrhiza .47 Rhododendron .18 Sweet Guin .28 Yellow .50 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Pueraria48	Staphylea44	White Rod46
Pyrus .60 Stephauandra .45 Willow .32 Pyrus .30, 42 Stokesia .61 Windflower .51-52 Quercus .30, 31 Stokes' Aster .61 Winola .47 Quinces .37, 49 Stonecrop .61 Winter Berry .40 Ranunculus .60 Strawberries .50 Wistaria .48 Red Bud, or Judas .25 Styrax .44 Wiodsia .43 Reeds and Grasses .47 Sumae .31-32, 43 Woodwardia .63 Retinospora .9-11 Swamp Huckleberry .46 Xanthorrhiza .47 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Purple Mist43		Wolf's-bane51
Pyrus 30, 42 Stokesia 61 Windflower 51-52 Quereus 30, 31 Stokes' Aster 61 Winola 47 Quinces 37, 49 Stonecrop 61 Winola 47 Ranunculus 60 Strawberries 50 Wistaria 48 Raspberries 50 Strawberry Bush 39 Witch Hazel 39 Red Bud, or Judas 25 Styrax 44 Woodsia 63 Retinospora 9-11 Sunflower 56 Xanthoceras 47 Rhamnus 43 Swamp Huckleberry 46 Xanthorrhiza 47 Rhododendron 18 Sweet Fern 36 Yarrow 51 Rhodotypus 43 Sweet Guin 28 Yellow Wood 25 Rhubarb 50 Sweet William 54, 60 Yew 5, 9, 11, 12	Pyrethrum60	Stephanandra45	Willow
Quereus 30, 31 Stokes' Aster 61 Winola 47 Quinees 37, 49 Stonecrop 61 Winter Berry 40 Ranunculus 60 Strawberries 50 Wistaria 48 Raspberries 50 Strawberry Bush 39 Witch Hazel 39 Red Bud, or Judas 25 Styrax .44 Woodsia 63 Reeds and Grasses .47 Sumae .31-32, 43 Woodwardia 63 Retinospora .9-11 Swamp Huckleberry .46 Xanthoceras .47 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Pyrus30, 42		Windflower51-52
Quinees .37, 49 Stonecrop .61 Winter Berry .40 Ranunculus .60 Strawberries .50 Wistaria .48 Raspberrics .50 Strawberry Bush .39 Witch Hazel .39 Red Bud, or Judas .25 Styrax .44 Woodsia .63 Reeds and Grasses .47 Sumae .31-32, 43 Woodwardia .63 Rhamnus .43 Swamp Huckleberry .46 Xanthoceras .47 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Ouerens30, 31	Stokes' Aster61	Winola
Ranunculus .60 Strawberries .50 Wistaria .48 Raspberries .50 Strawberry Bush .39 Witch Hazel .39 Red Bud, or Judas .25 Styrax .44 Woodsia .63 Reeds and Grasses .47 Sumae .31-32, 43 Woodwardia .63 Retinospora .9-11 Sumflower .56 Xanthoceras .47 Swamp Huckleberry .46 Yarrow .51 Rhodotypus .43 Sweet Gum .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Oninees37, 49		Winter Berry40
Raspberries .50 Strawberry Bush .39 Witch Hazel .39 Red Bud, or Judas .25 Styrax .44 Woodsia .63 Reeds and Grasses .47 Sumae .31-32, 43 Woodwardia .63 Retinospora .9-11 Sunflower .56 Xanthoceras .47 Rhamnus .43 Sweet Fern .36 Xanthorrhiza .47 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Ranunculus60	Strawberries50	Wistaria48
Red Bud, or Judas		Strawberry Bush39	Witch Hazel39
Reeds and Grasses .47 Sumae .31-32, 43 Woodwardia .63 Retinospora .9-11 Sunflower .56 Xanthoceras .47 Rhamnus .43 Swamp Huckleberry .46 Xanthorrhiza .47 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Red Bud, or Judas25	Styrax	Woodsia63
Retinospora .9-11 Sunflower .56 Xanthoceras .47 Rhamnus .43 Swamp Huckleberry .46 Xanthorrhiza .47 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12	Reeds and Grasses47	Sumae31-32, 43	
Rhamnus .43 Swamp Huckleberry .46 Xanthorrhiza .47 Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12			Xanthoceras47
Rhododendron .18 Sweet Fern .36 Yarrow .51 Rhodotypus .43 Sweet Guin .28 Yellow Wood .25 Rhubarb .50 Sweet William .54, 60 Yew .5, 9, 11, 12			Xanthorrhiza47
Rhodotypus		Sweet Fern36	Yarrow
Rhubarb		Sweet Guin28	Yellow Wood25
	Rhubarb50	Sweet William54, 60	Yew
	Rhus31-32, 43	Sweet Pepper Bush36	Yueea

Plant for Immediate Effect

Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

As an Example

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place."

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
QUALITY IN TREES MEANS SUCCESSFUL PLANTING