

THE FLORA OF LONG ISLAND


BY

SMITH ELY JELLINE, M.D., PH.D.

PRICE, \$1.00.

LANCASTER, PA.
THE NEW ERA PRINTING COMPANY.
1899.

QK129
• J38



- List of Plants collected on L. I. not
in St. Jelliffe's Flora of L. I. mostly collected by Geo. D. Huest.
Fontinalis antipyretica gigantea. (Huest) Valley Stream.
- Potamogeton praelongus* (Miller) Riverhead
- Urtica grandiflora* (Huest) Forbells Landing
- Narcissus poeticus* (Huest) Shelter Is. (Escape)
- Habenaria bracteata* (Miller) Hading River
- Rumex persicarioides* Montauk Point.
- Polygonum lapathifolium* (Huest) Maspeth
- " *littorale* (Huest) S. Woodharen
- Chenopodium boscianum* (Huest) Rockaway
- Roulieva multifida* (Huest) Brooklyn
- Atriplex patula* (Huest) Rockaway Beach
- Amaranthus deflexus* (Huest) Brooklyn
- " *crispus* (Huest) Brooklyn
- Silene cucubalus* (Huest) Forbells Landing
- Lycoris coronaria* (Huest) Westbury
- Delphinium ajacis* (Huest) Woodharen
- Barbarea rapa* (Huest) Woodharen
- Barbarea stricta* (Huest) Flushing
- Candolaine pennsylvanica* (Huest) Forbells Landing
- " *flexuosa* (Huest) " "
- Berteroa incana* (Huest) Rockaway Beach
- Rubus americanus* (Huest) Cypress Hills
- " *setosus* Jamaica Smith (Huest)
- " *bicolorimus* New Lots (Huest).
- Potentilla arguta* Springfield (Huest).
- " *intermedia* Flushing (Huest).
- Rosa cinnamomea* Jamaica (Huest)
- Pyrus communis* Aqueduct &c (Huest) Escape
- Prunus avium* Richmond Hill (Huest)
- Lispedezia frutescens* Jamaica (Huest)
- " *mitchallii* Cypress Hills (Huest).

NEW YORK
BOTANICAL GARDEN,
GIVEN BY N. L. BRITTON.



THE FLORA OF LONG ISLAND

BY

SMITH ELY JELLIFFE, M.D., PH.D.
n

PRICE, \$1.00.

LANCASTER, PA.

THE NEW ERA PRINTING COMPANY.

1899.

QK129
J38

THE FLORA OF LONG ISLAND.

INTRODUCTION.

In presenting this Flora of Long Island the writer feels that a few words of explanation will make it clear, why, in a region of which so many local floras have been written, it has been deemed a matter of sufficient interest to prepare a flora of the whole island.

The reason lies in the peculiar features of botanical interest that are caused by the position of the island in relation to the mainland and the history of the growth of plant life on the Atlantic slope, as shown by the combined evidence of geology and botany on Long Island. To obtain a just conception of what these features of interest are a brief glance at the geological formation of the island, both present and past, may be of service.

GEOLOGY.

It is well known that Long Island is a terminal moraine of the great transatlantic ice sheet that stretched across the continent from Nantucket, which may be considered to be the extreme southeastern limit of the glacial action to Ohio and still further west.* F. J. H. Merrill has given a very excellent account of the geology of Long Island and his account is here freely used.†

"Long Island is about 120 miles long and varies from a mile to seven or eight miles in breadth. As a whole it is comparatively low and flat, but throughout there is a range of hills extending from its extreme western end at Bay Ridge, which are a continuation from similar hills of Staten Island, northeasterly to Roslyn and thence continuing to Montauk Point in a series of elevations, the most important of which are known as West, Dix, Comac, Bald and Shinnecock Hills. The average height of this chain is about 250 feet; but at some points it is greater. Harbor Hill at Roslyn is 384 feet above the tide; Jane's Hill 383 feet, Reuland's Hill 340 and Wheatley's Hill is 369 feet above the sea.

"There is also along the north shore an elevation which usually follows the contour of the numerous bays and inlets, varying in height

* Upham, North American Ice Sheet, *Amer. Journ. Science*, 28, 1897, pp. 81-92; Terminal Moraines of the North American Ice Sheet, *Amer. Journ. Science*, III., p. 18.

† *Annals of the N. Y. Academy of Science*, 3, 1883-1885, pp. 341-364.

from 30 to 200 feet and almost continuous from Astoria to Orient Point. These two sets of hills are the results of glacial action, and the more southern chain marks the southern limit of the drift.” Merrell shows that this drift is quite thin in many places, and thus lacks in part one of the characteristic features of a true terminal moraine.

“South of the backbone, as the central range of hills is called, the surface is nearly level, gently sloping southward in an unbroken gravelly plain; while between this ridge and the north shore is a second plain, with an elevation of 50 to 100 feet. From many of the deep bays on the north shore valleys extend through the hills in a southerly direction. These depressions, thirty in number, between East New York and River Head, average about twenty-five feet* in depth and are usually occupied by small streams flowing southward. These valleys Merrell thinks are the beds of rivers formed by the melting of the ice sheet in the Champlain Period.”

“There are no important lakes or rivers on Long Island, but there are numerous ponds of clear cold water, without visible inlet or outlet. The existence of these ponds depends on the fact that in the stratified sands of the island, which are underlain by clays, a uniform water level or plane exists,† which rises northward from low tide level on the south shore at the rate of $2\frac{1}{2}$ feet per mile. The largest of these ponds is lake Ronkonkoma, which is three miles in circumference and has a maximum depth of 83 feet. Thus we find a long, low island with a prominent ridge nearer the north than the south with long, low, sloping hills to the sea on the south.”

“Stretching to the east of Long Island are a number of smaller islands, Shelter, Robbins, Plum, Gull and Gardiner; these are to be considered as possessing the same physical or geological characteristics. A still more interesting fact is that Block Island and Martha’s Vineyard and Nantucket are thought to be of much the same character and that we here see the remnants now overlain with moraine drift of what was once a continuous tract of land.”

“The inroads of the sea combined with the gradual depression of the coast has resulted in a submergence of portions of the fringe leaving the higher parts in the form of islands.”‡


* E. Lewis, Jr., *Am. Jour. Science*, Series III., Vol. 13.

† Dana, *Manual of Geology*, p. 664.

‡ A. H. Hollick, Observations on the Geology and Botany of Martha’s Vineyard, *Trans. N. Y. Acad. Sci.*, 13, 1893, p. 8.

N. S. Shaler, Report on the Geology of Martha’s Vineyard, Seventh Annual Report U. S. Geol. Surv., 1885–86.

F. J. H. Merrell, Notes on Geology of Block Island, *Trans. N. Y. Acad. Sci.*, 15, p. 16.



Thus, rising above the surface of the ocean there is an interrupted chain of morainal deposits stretching from Cape Cod in Massachusetts, through Nantucket, Martha's Vineyard, Block Island, Long Island, Staten Island to New Jersey, these deposits making up the *greater part* of these islands, but, what is of more interest, *not all* of the islands, of which mention will be made later.

SOIL.

Restricting the discussion to Long Island, the soil up to the backbone consists of glacial drift, varying in depth. This drift has been described by earlier writers to consist of two kinds: * 1. Till or drift proper, a heterogeneous mixture of gravel, sand and clay with boulders; 2. the gravel drift, a deposit of coarse yellow gravel and sand, brought to its present place by glacial and alluvial action, but existing near by in a stratified condition before the arrival of the glacier. This yellow gravel drift, which in a comparatively unaltered condition, forms the soil of the pine barrens of southern and eastern Long Island, and is exposed in section, now in many places on the island, notably in the sand pits outside of Prospect Park, in the cut of the Coney Island Railroad and in the brick yard in Huntington. It is moreover equivalent to and indeed identical with the yellow drift or preglacial drift of New Jersey, a formation of very great extent in the state. Merrell further gives us some interesting figures with reference to the thickness of the till in various places. In the hills near Brooklyn it attains its maximum depth, probably between 150 and 200 feet. In Calvary Cemetery a boring showed the drift to be 139 feet deep, and Mount Prospect, in Prospect Park, is probably all till and it is 194 feet in height. All along the north shore the till is much thinner; in some places there is none and it averages in thickness from a few feet to about six. At the extreme eastern end of the island there are mounds of till from 80 to 200 feet high between Nepeague Bay and Montauk Point. From a geological point of view the boulders are of interest, representing as they do most of the geological ages, having been brought down from New England and Canada. Underlying the till on the whole northern shore is the layer of yellow gravel, which varies greatly in different parts of the island. Various details of digging are given by Merrell in his admirable paper so extensively quoted.

Thus briefly recapitulating what is known of the soil of Long Island, we have the following facts: A limited area of crystalline rock, consisting of lamellated gneiss and schists, similar to Manhattens

* Merrell, l. c.

rocks at Hell Gate and about Astoria. The greater portion of the north side covered with till of various thicknesses, in some places the yellow gravel, or preglacial drift coming to the surface. On the slope of the southern hills a large amount of disintegrate till brought down by the streams and rain, a small surface area made up of the preglacial drift, and finally the alluvial sand and the various sand marsh components of the south shore.


A certain amount of attention has been given to the soil because it is so closely correlated with the historical geology of the island which has been so ably investigated by Drs. N. L. Britton and A. Hollick.

It would needless extend this account to go at length into the many valuable discoveries of Drs. Britton and Hollick which have served to prove that underlying the whole of Long Island and extending up along the chain to Cape Cod there are Cretaceous or post-Cretaceous strata. Yet the facts are of such interest and have such an important bearing on some features of the flora of the island that a brief quotation of some of their discoveries is desirable.

"During Cretaceous and Tertiary times a series of fresh water or estuary and marine deposits (clays, sands, gravels and marls) was laid down along the eastern borders of the North American Continent. About the close of the Miocene, or the beginning of the Pliocene, an era of elevation began, which finally raised them hundreds, in places thousands of feet, above their present level, forming a wide coastal plain, which extended over the whole area where we now find them and for a considerable distance eastward, into what is now part of the bed of the Atlantic Ocean. On the land side this plain was bounded by the crystalline and triassic rocks of Connecticut, southern New York, Pennsylvania and southward as may be seen by an examination of any good geological map of the eastern United States. The evidence of its extension around Massachusetts and Rhode Island are now almost obliterated, but there seems to be every reason to believe that its land limits were approximately the coast line of the present day. In fact, a small isolated portion of the old coastal plain still exists apparently in the region of Marshfield, Mass., as indicated by E. Hitchcock in 1841,* and recently by N. S. Shaler.† Further north than Massachusetts, so far as I am aware, it is not even indicated, and, except for the presence of the well-recognized submerged plateau off our eastern shores, all further trace of the former coastal plain is lost.

* Final Report Geol. Mass., 11, 427.

† Tertiary and Cretaceous Deposits in Eastern Massachusetts, *Bull. Geol. Soc. Am.*, 1, 443.



Its eastern limits where it formerly met the waters of the Atlantic Ocean were probably where we now find the borders of this plateau to be, namely, at the 100-fathom contour."

"Shortly after the advent of the Ice Age the elevation had reached its maximum. The rivers had previously cut deep valleys through the easily eroded material forming the coastal plain in their course to the sea and when the continental glacier, pushing its way southward and eastward, finally flowed over the edges and escarpments of the hard crystalline rocks onto the soft and incoherent strata of the coastal plain, it scooped it out to a great depth in places and then, either carrying it forward in mass or else pushing and squeezing it ahead in a great contorted ridge capped by the boulder till, finally left it as part of the terminal moraine. Wherever these conditions have prevailed we find the phenomena to be the same and Long Island may be considered as one of the grandest object lessons in this connection."

Just when the period of elevation ended and that of depression began, in fact, whether it was previous to or subsequent to that of greatest ice accumulation, is yet a matter of controversy between authorities, but in either case, on the retreat of the glacier, we may picture to ourselves the terminal moraine forming an elevated ridge extending through Staten Island, Long Island and the islands to the eastward, forming a continuous, more or less elevated land connection to the north and east, with what remained of the coastal plain sloping away from it on one side and a trough filled with the water from the melting glacier on the other.

"The present rate of coast subsidence is about two feet per century; at this rate six thousand years ago practically the whole of the area included within the present twenty-fathom contour would have been above sea level—only the deepest parts of the trough of the sound being below it."

"This area, as may readily be seen, includes the whole of Staten Island, Long Island, Block Island, Martha's Vineyard and Nantucket, besides a respectable portion of the submerged coasts eastward and southward. It is also probable that at least a part of this area to the eastward, which at the present time is lower than the twenty-fathom contour, has become disproportionately so in modern times by tidal scouring, and that it was actually and relatively higher formerly than now.

"Under these circumstances we should, therefore, have had, during a considerable period of time, a continuous strip of land, except for the river outlets, all the way from New Jersey to Massachusetts, separated by a body of water scooped out by the glacier, which, in its

present depressed and widened condition, we now call Long Island Sound, but which was then a fresh-water lake or broad river."

" Bearing these conditions in mind we next have to consider the still further subsidence of the Champlain Period, the re-elevation of the Terrace Period and the depression which is again going on at the present day. It is evident that at some time during these oscillations of level the sea, having eaten away the coastal plain, finally reached the barrier of the terminal moraine, where it still remains as the connecting link between Long Island and Massachusetts. The moraine gave way in places, channels were formed and detached portions remained to form the islands which we recognize to-day as Block Island, Martha's Vineyard, Nantucket and the host of other lesser islands which stream out from the end of Long Island towards Cape Cod and the Rhode Island shore, while the eroded portions are represented by the great submerged ridges which are known as the Nantucket and other shoals."


" The vast time ratios formerly considered necessary by geologists are gradually but surely giving way to more moderate estimates and it is of interest to note that from six thousand to ten thousand years is the latest accepted calculation of the time which probably elapsed since the final recession of the glacier, by one of our most acute and conservative authorities*—a period which is about coincident with the probable time when the area bounded by the twenty-fathom contour was above the sea level. It is needless to point out that it also implies no subsequent submergence of the remaining portions of this land since the flora was established. In other words, Long Island, Block Island, Martha's Vineyard, Nantucket, etc., as we now know them, have not been submerged since the final retreat of the glacier and their separation into islands by the submergence of the intervening land is a comparatively modern phenomenon, due to the depression and erosion which are actually at work, and which have produced such conspicuous results during the historic period."

I have quoted this rather full argument because of its inherent importance and because I have felt that I could not better it in any way. We gain from it a twofold conception of the causes which have in part influenced the Long Island Flora and the key to the interpretation of some notable facts.†

* Warren Upham, Estimates of Geologic Time, *Am. Journ. Science*, 14, 1893, p. 209.

† A. Hollick : Preliminary Contribution to our Knowledge of the Cretaceous Formation of Long Island and Eastward. Here is to be found a complete historical discussion of the whole matter.





Firstly, we have a geologic flora ; and secondly, we have a residual flora which, during the six thousand to ten thousand years spoken of, was gradually forced northward by the sea and the subsidence and gradually encroached upon from the north by the third flora, consisting of plants which had come from the north before the ice sheet.

I. GEOLOGICAL FLORA ; OLD CRETACEOUS FLORA.

It is beyond the purpose of the present writer to discuss in full the occurrence of Cretaceous plants on Long Island. That they are found there has been definitely proven by Dr. A. Hollick.*

A brief glance at the maps of the coast from Cape Cod southward reveals, if one looks at the contours that have been made by soundings, that for a space of seventy-five miles from the coast there is a gradual drop about on a line with the general slope of the hills above the water. At the hundred-fathom limit, however, there is a sudden and immense drop of the water ; it is seen that here is to be found the old Tertiary continental coast line that existed before the advance of the glacier from the north. The gradual submergence of the whole eastern portion of the continent has proceeded until now the only portion exposed of the continent of this part of North America that existed in the Tertiary times is found along the narrow belt of land lying at the base of the glacial drift, and, as before quoted, certain out-crops in New Jersey, certain portions in Long Island and underlying deposits of glacial drift of varying thickness in the islands stretching toward Cape Cod. This has been so well shown by Dr. A. Hollick that I cannot refrain from repeating his exact words.— “ From a study of the existing geological and floral additions, as I have elsewhere attempted to demonstrate, the indications are that at the close of the Ice Age there was a continuous strip of land, except for certain river outlets, extending from what is now New Jersey to the southeastern New England coast, with a large body of fresh water occupying the deepest parts of what is now the basin of Long Island Sound. This strip consisted of an elevated portion along the northern border, formed by the terminal moraine left behind on the final retreat of the ice, and a plain region to the south, of varying width, representing what remained of the old Tertiary coastal plain, which formerly extended out to what is now the one hundred fathom contour.”

I here append a list of the Cretaceous fossils found on Long Island as given by A. Hollick.†

* Plant Distribution as a factor in the Interpretation of Geological Phenomena, Trans. N. Y. Acad. Sciences, Vol. XII.

† Some Further Notes on the Geology of the North Shore of Long Island with their Distribution.

LIST OF CRETACEOUS PLANTS FOUND ON LONG ISLAND.

Serenopsis Kempii Hollick ;	Leguminosites convolutus Lesq. ?
Salix proteafolia v. flexuosa Lesq.	Colutea primordiales Heer.
Salix purpuroides Hollick.	Sapindus Morrisoni Lesq.
Juglans crassipes Heer.	Cissites formosus Heer. ?
Juglans arctica Heer. ?	Paliurus integrifolius Hollick.
Ficus protogaea Heer ?	Zizyphus elegans Hollick.
Ficus Willisiana Hollick.	Zizyphus Lewisiana Hollick.
Protaeoides daphnogenoides Heer.	Rhamnus ? acuta Heer.
Laurus Plutonia Heer.	Celastriphyllum Benedeni Sap. et Mar.
Laurus Omalii Sap. et Mar.	Celastriphyllum decurrens Lesq. ?
Laurus Newberryana Hollick.	Grewiopsis viburnifolia Ward.
Sassafras progenitor Newb. mss. ?	Menispermites Brysoniana Hollick.
Sassafras acutilobum Lesq.	Magnolia speciosa Heer.
Cinnamomum Sezannense Wat.	Magnolia Capellini Heer.
Diospyros rotundifolia Lesq.	Magnolia Isbergiana Heer.
Diospyros primaeva Heer.	Magnolia longipes Newb. mss.
Myrsine elongata Newb. mss.	Magnolia glaucoidea Newb. mss:
Andromeda Parlatorii Heer.	Magnolia Van Ingeni Hollick.
Viburnum integrifolium Newb. mss.	Liriodendron primaevum Newb.
Aralia transversinervia Sap. et Mar.	Liriodendron simplex Newb.
Aralia patens Newb. mss.?	Liriodendron oblongifolium Newb. mss.
Aralia Nassauensis Hollick.	Tricalycites papyraceus Newb. mss.
Myrtophyllum (Eucalyptus?) Geinitzi Heer.	Podozamites ?
Eucalyptus? nervosa Newb. mss.?	Poacites ?
Dalbergia Rinkiana Heer.	Cyperites ?
Hymenaea Dakotana Lesq.?	Typha ?
Leguminosites constrictus Lesq. ?	Making a list of 50 species distributed in 20 genera.


Another feature with reference to the history of the fossil plants of the island and which has not yet received its full share of attention is the occurrence of Tertiary deposits of diatoms. Merrell, in his Geology of Long Island, etc., was the first to mention the deposit found at Glen Cove, and more recently Dr. A. M. Edwards has obtained some rich findings from some deep cuts on the south side of the island.

As the evidence to be derived from diatoms is most conflicting, I refer those interested to the deposits found at Arverne by Dr. Edwards. (See Diatoms in list.)*

II. PINE BARREN FLORA.

In New Jersey there has been recognized for a number of years, a peculiar flora, known as the Pine Barren Flora; this was found to grow in a more or less restricted area, extending from New York to Cape May and the mouth of the Delaware River, occupying a narrow

*Also in note of H. Ries on Tertiary Clays at Glen Cove, Transactions Academy of Sciences, Vol. XIII., p. 167.



strip along the Atlantic coast. The geological strata, as pointed out by Dr. Britton,* upon which this flora grows are: Tertiary, lying to the south and southeast of a line drawn from a point on the Atlantic coast a few miles south of Long Branch, to another near the head of Delaware Bay; and Cretaceous, north of this line and extending between it and the southern edge of the Triassic formation, which follows a line from the center of Staten Island to the vicinity of Trenton.

"The Tertiary pine barrens extend southward along the Atlantic coast to Florida; it is with the flora of the northern extension of these sandy stretches of Cretaceous age which we have to do at present."

Dr. Britton shows that this flora, the northern pine barren flora, is characteristic, that it is found upon the yellow gravel drift and that it is a flora which is peculiarly American in its character. He also shows that a certain number of its plants are found in the southern portions of Staten Island, that it extends to Long Island and, the discussion of the geological features would tend to show, extends to the north, in Martha's Vineyard and Nantucket, which has been proven to be the case by Dr. Hollick and others.

The most important of these pine barren plants are here given.

LIST OF SPECIES.

<i>Andropogon glomeratus.</i>	<i>Eupatorium rotundifolium.</i>
" <i>macrourus.</i>	" <i>album.</i>
" <i>hypericoides.</i>	" <i>hyssopifolium.</i>
<i>Ascyrum Crux Andreae.</i>	" <i>leucolepis.</i>
" <i>stans.</i>	<i>Euphorbia Ipecacuanhae.</i>
<i>Aster spectabilis.</i>	<i>Eleocharis melanocarpa.</i>
" <i>nemoralis.</i>	<i>Gnaphalium purpureum.</i>
" <i>concolor.</i>	<i>Gaylussacia dumosa.</i>
<i>Pierus Mariana.</i>	<i>Glyceria obtusa.</i>
<i>Asclepias obtusifolia.</i>	<i>Hudsonia ericoides.</i>
" <i>Caroliniana.</i>	<i>Helonias bullata.</i>
<i>Arenaria squarrosa.</i>	<i>Helianthus angustifolius.</i>
<i>Crataegus uniflora.</i>	<i>Ipomoea pandurata.</i>
<i>Chrysopsis Mariana.</i>	<i>Juncus pelocarpus.</i>
" <i>falcata.</i>	" <i>scirpooides</i> var. <i>macrostemon</i>
<i>Coreopsis rosea.</i>	
<i>Cyperus cylindricus</i>	
<i>Chamaecyparis thyoides.</i>	
<i>Drosera filiformis.</i>	<i>Kalmia angustifolia.</i>
<i>Meibomia laevigata.</i>	
" <i>viridiflora.</i>	<i>Magnolia glauca.</i>

* On the Northward Extension of the New Jersey Pine Barren Flora on Long and Staten Island: Bull. Torr. Bot. Club, 7, 1880, p. 81.

Polygala lutea	Stipa avenacea.
Phlox subulata.	Sporobolus serotinus.
Panicum verrucosum.	
Quercus nigra.	Tephrosia Virginiana.
" prinoides.	
" Phellos.	Utriculata subulata.
" heterophylla.	
" Rudkinii.	Nyris flexuosa. " Caroliniana.
Rubus cuneifolius.	Lycopodium inundatum.
Solidago puberula.	
Spiranthes simplex.	Catharinea crispa.

W. W. Bailey, Pine Barren Plants in Rhode Island, *Bull. Torr. Bot. Club*, 7, 1880, p. 98. Lists nineteen of these species which were found in a limited area about Worden's Pond in southern Rhode Island.


E. W. Hervey, Flora of New Bedford and the Shores of Buzzard's Bay, with a Procession of the Flowers. Notes twenty-five of these plants.

Going northward their numbers become fewer and fewer until finally, as Hollick* has pointed out, some of the number originally reported by Britton may be excluded as they are found as far north as Canada; these are *Lycopodium inundatum*, *Asclepias obtusifolia*, *Juncus pelocarpus*, *Kalmia angustifolia*, *Solidago puberula* and *Tephrosia Virginiana*.

III. THE NORTHERN FLORA.

In the Cretaceous times, as already outlined, there was evidently quite an extensive flora on the continent of North America; we know from the researches of Newberry and Lesquereux that in this age we find the first angiosperms, so that the Cretaceous saw the dawn of the flora as we know it at the present day. With the advent of the glacial epoch many of the northern plants perished and the more hardy northern members of the flora slowly migrated southward, some of them, no doubt, living close to the margins of the ice sheet. At the close of the glacial epoch, many of the plants again migrated northward slowly and some of the distinctly southern plants moved up to the area of the terminal moraine. Many adapted themselves to the new soil and moved northward, but the probabilities seem to point to the fact that the set of plants we have designated as pine barren plants were enabled to hold their own only upon the yellow gravel, a

* L.c., Plant distribution, etc.



soil which they grew accustomed to and were unable to live upon the true glacial till.

Before the advent of man, the northern part of Long Island undoubtedly had a distinct forest growth ; the evergreens, hickories and chestnuts were probably abundant, some magnificent specimens of pines are still found in isolated patches on the islands, the remnants of probably a fine growth of these plants. When the trees were cut down and the lands tilled the present flora, which is continuous with that of New York and Connecticut and Massachusetts, became manifest. There are no features common to this north side of the island flora which is not reproduced in the southern parts of Connecticut and New York, save in the absence of the rock-loving plants ; hence, many of the ferns are absent, few of the rock lichens are found and almost none of the boulder spring flowers.

At the present time when the woods are undisturbed there are a number of chestnuts, sassafras, wild cherry, swamp-maple, locusts, cedars, hickory in places, a few tulip trees, some oaks, and in the cleared grounds the (aspen) rapidly gains a foothold.

In the woods the herbs are distinctly northern in their type and they usually run over the ridge and have extended to the southern borders of the island.

Along the sandy shores of the north side, of the more western portion of the island, the vegetation is identical with that on the southern shores of Connecticut.

There is abundant opportunity to study the sand beach flora on Long Island. It is developed to a great extent and throughout the eastern reaches of the island the vast sand dunes and wastes support a characteristic number of plants.

SOME STATISTICAL NOTES ON THE PRESENT FLORA.


It may be considered that the present cryptogamic flora of the island is very imperfectly known. The workers in this field have not been many and the regions explored have been very restricted. The establishing of the Biological Laboratory of the Brooklyn Institute at Cold Spring has given a start to the investigation of the cryptogamic flora which will probably yield many additions to the list. Of the Myxomycetes, there are noted some twelve species. *Lycogala Epidendron* and *Stemonitis fusca* seem to be the most widely distributed plants of the group. About 391 Algae are here listed, of these about 50 were desmids, 126 diatoms, and the remaining 215 members of the various other algal groups. The comparative poverty of the

marine algal forms, perhaps better studied than any other of our cryptogamic plants has been made a special topic for discussion by Dr. W. G. Farlow, in his Presidential address before the Society of Plant Morphologists, held in December, 1898, at Columbia University.

The bacterial flora is absolutely unknown. Beyond the well recognized forms characteristic of certain diseased conditions in man and other animals our knowledge is limited. Some few investigations of the writer on the bacteria of the air of Brooklyn and the bacteria of the Brooklyn and Flushing water supplies yielded a number of forms which are not here listed because of the general lack of criteria for specific determinations, which lack is now fortunately being remedied by such workers as Chester, Dyar, Fuller and others, who are investigating the bacteria flora of the water supplies. Twenty-seven species alone are listed, but it may be recorded that at least three times that number have been isolated but not positively identified. The Phycomyces are listed with only six species, probably a very meagre representation of this extensive group. The like pertains to the fifty-four species grouped with the Ascomyces, 34 Hyphomycetes, or Fungi Imperfeci. The Basidiomycetes, by reason of their conspicuousness, contribute the greatest number to the list, there being some 136 species. There are eleven representatives of the Gasteromycetes. General remarks on the fungus flora are out of place by reason of the desultory character of the observations and the few workers. The lichens of the eastern end of the island were more carefully studied by the writer. No other workers in the same field have contributed to the literature, but collections by earlier observers were placed at my disposal, and it is with special pleasure that I am able to put on record in these higher cryptogamic groups the names of some of the earlier enthusiastic botanists of the old school. It has always been a matter of personal regret that I never knew them. Fifty-four species are here listed. The Bryophytes have received more attention. A list of twenty-seven Hepaticae in this restricted area is of interest. Howe is the only investigator who has thus far made any contribution to the study of these plants in the particular field. In the mosses 109 species are listed most of which has been collected by Miss M. L. Saniel.

In conclusion of this special feature, it may be hoped that this list will serve as a beginning for a number of the workers who are just now entering upon the study of the cryptogamic forms of the island.

The Pteridophytes are represented by forty-one forms, and fourteen Gymnosperms are listed. Three hundred and twenty-two Monocoty-



ledons are represented; of these, the large families, Graminaceae and Cyperaceae, still imperfectly explored, contribute ninety-nine and ninety-five species respectively.

In résumé then, the following list records 2238 species as occurring on Long Island, of which, following the older lines, 896 are Cryptogams and 1342 Phanerogams. These in tabular form may be thus represented:

Thallophytes	{	Algae	391
		Fungi	274
		Lichens	54
Bryophytes	{	Hepaticae	27
		Musci	109
Pteridophytes			41
Gymnosperms			14
Monocotyledons			322
Dicotyledons			1006

In conclusion the writer wishes to express his sincerest thanks to the many workers who have contributed so largely in the preparation of this list. It is impossible to name them all but the writer wishes in particular to acknowledge his indebtedness to Dr. N. L. Britton for constant help and guidance.

PARTIAL BIBLIOGRAPHY.

Contributions to the Botany of the State of New York. Chas. H. Peck.

Bulletin New York State Museum of Natural History. Different numbers contain references to Long Island stations.

Catalogue of Plants, Indigenous and Cultivated, found in the vicinity of Erasmus Hall, by John B. Zabriskie. 48th Ann. Rept. Regents, 176-181. 1835.

A Catalogue of Plants growing within thirty miles of Yale College, by D. C. Eaton. Published by Berzelius Society. 1874.

Plantae Plandomensis, or a Catalogue of the Plants growing spontaneously in the neighborhood of Plandome, the county residence of Samuel L. Mitchell, by Caspar Wistar Eddy, New York, August 28, 1807.

The Medical Repository, Vol. XI., pp. 123-131. New York. 1807.

Catalogue of Phaenogamous and Vascular Cryptogamous Plants of Queen's County, L. I., showing distribution through various town-

ships. Julius A. Bisky, Ph.G., Flushing, L. I. MSS. Herbarium in Flushing High School.

Plants of Prospect Park, by Smith Ely Jelliffe, M.D., Curator of Herbarium of the Brooklyn Institute. The Brooklyn Daily Eagle Almanac, pp. 75, 76. 1890.

The Plants of Prospect Park. Additions to the list which appeared in the Eagle Almanac of 1890, by Smith Ely Jelliffe, M.D. The Brooklyn Daily Eagle Almanac, p. 94. 1890.

Notes on the Flora of Long Island. Science, N. Y., Vol. XXII., July 7, 1893.

The Shrubs and Trees of Prospect Park, by Col. Nicholas Pike. The Brooklyn Daily Eagle Almanac, 1892. Pp. 42, 43, 44. A thoroughly unreliable list.

Notes on the Flora of Long Island, by Rev. Geo. D. Hulst, Himrod Street, Brooklyn. MSS.

Suffolk County, Long Island Plants. 1887-1892. Named according to Gray's Manual. Edition of 1889-1890, by Mrs. L. D. Pychowska, Hoboken, N. J. MSS.

Catalogue of the Phaenogamous and Acrogenous Plants of Suffolk County, Long Island, by E. S. Miller, Wading River; and H. W. Young, Aqueboque P. O., L. I. Price, ten cents. Wm. A. Overton, Jr., & Co., printers, Port Jefferson, L. I., 1874.

Flora of New York State, by John Torrey, M.D., Albany, 1843. Contains a number of references to Long Island Plants.

Bulletin of the Torrey Botanical Club. (Miscellaneous contributions.)


Mss. contributed by D. Johnson, of Cold Spring Harbor.

Mss. contributed by Rev. G. D. Hulst, Ph.D.

Mss. contributed by Dr. M. A. Howe.

Mss. contributed by Miss M. Saniel.

Herbaria consulted: Torrey Club, Columbia University, Flushing High School, Brooklyn Institute, Long Island Historical Society, Herb. G. D. Hulst.



THALLOPHYTA.

MYXOTHALLOPHYTA—Myxomycetes.

CERATIOMYXA Schreb.

C. mucida Pers.

Queens : Cold Spring Harbor, Johnson.

TUBULINA Pers.

T. cylindrica (Bull.) DC.

Kings : Flatbush, Zabriskie. *Queens* : Cold Spring Harbor, Johnson.

DICTYDIUM Schrad.

D. cernuum (Pers.) Nees.

Kings : Flatbush, Zabriskie. *Queens* : Cold Spring Harbor, Johnson.

ARCYRIA Hill.

A. cinerea (Bull.) Schum.

Kings : Flatbush, Zabriskie.

LYCOGALA Micheli.

L. epidendron Buxb.

Frequent throughout.

TRICHIA Hall.

T. varia Pers.

Kings : New Lots.

HEMIARCYRIA Rost.

H. rubiformis (Pers.) Rost.

Kings : Bergen Island, Zabriskie ; New Lots. *Queens* : Cold Spring Harbor, Johnson.

H. clavata (Pers.) Rost.

Kings : Flatbush, Zabriskie.

RETICULARIA Bulliard.

R. Lycoperdon Bulliard.

Queens : Cold Spring Harbor, Johnson.

COMATRICA Preciss.

C. longa Peck.

Kings : Flatbush, Zabriskie.

STEMONITIS Gled.

S. fusca Roth.

Frequent throughout.

FULIGO Hall.**F. varians** Sommerf.*Kings*: Flatbush, Zabriskie. *Queens*: Cold Spring Harbor, Johnson.**EUTHALLOPHYTA.****EUPHYCEAE.****CONJUGATEAE.****DESMIDIACEAE.****PENIUM** Bréb.**P. closteroides** Ralfs.

Frequent.

CLOSTERIUM Nitsch.**C. gracile** Bréb.**C. Lunula** Ehrb.**C. striolatum** Ehrb.**C. Diana** Ehrb.**C. Ehrenbergii** Menegh.**C. moniliferum** Ehrb.**C. rostratum** Ehrb.

These are frequent in the ponds of the island.

SPIROTAENIA Bréb.**S. condensata** Bréb.

Ridgewood Water Supply.

PLEUROTAENIUM (Naeg.) Lund.**P. Trabecula** (Ehrb.) Naeg.

Frequent in ponds.

DOCIDIUM (Bréb.) Lund.**D. crenulatum** (Ehrb.) Rab.

Frequent.

COSMARIUM Corda.**C. moniliforme** Ralfs.**C. Incus** (Bréb.) Hass.**C. Diana** Ehrb.**C. Botrytiis** Menegh.**C. Beckii** Wille.


These are all frequent in ponds throughout the island.

ARTHRODESMUS Ehrb.**A. octocornis** Ehrb.

Ridgewood Water Supply.

HOLACANTHUM Lund.**H. cristatum** (Bréb.) Lund.

Frequent.



XANTHIDIUM Ehrb.

- X. antilopaeum** (Bréb.) Kutz.
Ridgewood Water Supply.

STAURASTRUM Meyen.

- S. dejectum** Bréb.
S. brevispinum Bréb.
S. aristiferum Ralfs.
S. cuspidatum Bréb.
S. brachiatum Ralfs.
S. polymorphum Bréb.
S. crenulatum (Naeg.) Delp.
S. punctulatum Bréb.
S. pentacladum Wolle.
S. Sebaldi Reinsch.
S. hirsutum (Ehrb.) Bréb.
S. Arctiscon Ehrb.

All more or less frequent in ponds throughout the island.

EUASTRUM Ehrb.

- E. circulare** (Hass.) Ralfs.
Frequent in ponds.

MICRASTERIAS Ag.

- M. Torreyi** Bail.
M. radiosa (Ag.) Ralfs.
M. denticulata (Bréb.) Ralfs.
M. fimbriata Ralfs.
M. Americana (Ehrb.) Kütt.

Frequent in ponds throughout the island.

SPHAEROZOSMA (Corda) Arch.

- S. filiforme** Rab.
Ridgewood Water Supply.
S. spinulosum.
Ridgewood Water Supply.
S. excavatum Ralfs.
Ridgewood Water Supply.

APTOGONUM Ralfs.

- A. Baileyi** Ralfs.
Common.

DESMIDIUM Ag.

- D. aptogonium** Bréb.
Ridgewood Water Supply.

HYALOTHECA Ehrb.

- H. dissiliens** (Smith) Bréb.
Ridgewood Water Supply.

ZYGONEMACEAE.

ZYGONEMA (Ag.) De Bary.

Z. cruciatum Ag.

Queens : Glen Cove.

SPIROGYRA Link.

S. varians (Hass.) Kütz.

Ridgewood Water Supply.

S. nitida (Dill.) Link.

Kings : Prospect Park.

S. longata (Vauch.) Kütz.

Kings : Prospect Park.

S. setiformis (Roth) Kütz.

Kings : Prospect Park.

S. tenuissima Kütz.

Ridgewood Water Supply.

ZYGOGONIUM Kütz.

Z. pectinatum Kütz.

Queens : Cold Spring Harbor, Johnson.

CHLOROPHYCEAE.

VOLVOCACEAE.

CHLAMYDOMONAS Ehrb.

C. sp. indet;

Common.

SPHAERELLA Sommerf.

S. pluvialis (Ehrb.) Sommerf.

Common throughout.

GONIUM Mill.

G. pectorale Müll.

Frequent throughout the island.

PANDORINA Bory.

P. morum (Müll.) Bory.

Kings : Prospect Park, Ridgewood Water Supply. *Queens* : Cold

Spring Harbor, Johnson.

VOLVOX L.

V. globator L.

Not infrequent, local.

TETRASPORACEAE.

TETRASPORE Link.

T. lubrica (Roth) Ag.

T. bullosa (Roth) Ag.

Frequent throughout.

DICTYOSPHAERIUM Naeg.**D. Ehrenbergianum** Naeg.

Frequent.

PLEUROCOCCACEAE.**PLEUROCOCCUS** Menegh.**P. vulgaris** Menegh.

Common throughout.

RAPHIDIUM Kütz.**R. polymorphum** Fres.**R. convolutum** (Corda) Rab.

Both frequent.

SCENEDESMUS Meyen.**S. caudatus** Corda.**S. dimorphus** Kütz.

Both frequent.

POLYEDRIUM Naeg.**P. longispinum** Ehrb.

Frequent.

STICHOCOCCUS Näg.**S. bacillaris** Näg.*Queens* : Cold Spring Harbor, Johnson.**HYDRODICTYACEAE.****PEDIASTRUM** Meyen.**P. Boryanum** (Turp.) Menegh.

Ridgewood Water Supply.

P. pertusum Kütz.Ridgewood Water Supply. *Queens* : Glen Cove.**P. Ehrenbergii** (Corda) A. Br.*Kings* : Prospect Park, Ridgewood Water Supply.**COELASTRUM** Naeg.**C. microporum** Naeg.

Ridgewood Water Supply.

HYDRODICTYON Roth.**H. utriculatum** Roth.

Not infrequent throughout.

ULVACEAE.**MONOSTROMA** (Thuret) Wittrock.**M. Grevillei** (Thuret) Wittr.*Kings* : College Point, Pike. *Suffolk* : Sag Harbor, Pike.

M. *pulchrum* Farlow.

Frequent.

M. *latissimum* Thur.

Queens : Cold Spring Harbor, Johnson.

ULVA L.

U. *enteromorpha* Le Jolis.

Common along the coasts.

U. *Lactuca* (L.) Le Jolis.

Common along the coasts.

U. *clathrata* Ag.

Common along the coasts.

V. *Hopkirkii* (McCalla) Harv.

Queens : Cold Spring Harbor, Johnson.

V. *aureola* (Ag.) Kütz.

Queens : Cold Spring Harbor, Johnson.

ULOTHRICHACEAE.

ULOTHRIX Kütz.

U. *flacca* (Dillw.) Thur.

Frequent along the coasts.

U. *isogona* (Engl.) Thur.

Frequent along the coasts.

CONFERVA (L.) Lagerh.

C. *vulgaris* Rab.

Kings : Prospect Park.

CHAETOPHORACEAE.

DRAPARNALDIA Ag.

D. *glomerata* Ag.

In pools, quite commonly distributed.

CHAETOPHORA Schrank.

C. *pisiformis* (Roth) Ag.

Kings : Canarsie, Greenwood, Brainerd.

C. *endiviaefolia* Ag.

Kings : Greenwood, Brainerd.

TRENTEPOHLIA Ag.


T. *virgatula* (Harv.) Farlow.

Kings : College Point, Pike. Common in Long Island Sound, Farlow.

BULBOCOLEON Prings.

B. *piliferum* Prings.

Suffolk : Greenport, Pike.



OEDOGONIACEAE.

BULBOCHAETE Ag.**B.** *intermedia* De By.*Kings* : Ridgewood.

CLADOPHORACEAE.

CHAETOMORPHA Kütz.**C.** *aerea* (Dillw.) Kütz.

New York Bay, Hooper, Brainerd.

C. *Linum* (Fl. Dan.) Kütz.

Common throughout the Sound.

C. *melagonium* (Web. & Mohr.) Kütz.*Queens* : Rockaway Inlet, Pike. *Suffolk* : Greenport, Pike.**C.** *Picquotiana* (Mont.) Kütz.*Kings* : Fort Hamilton, Pike.**RHIZOCOLONIUM** Kütz.**R.** *salinum* (Schleich.) Kütz.

Not infrequent throughout.

R. *tortuosum* Kütz.*Suffolk* : Orient, Pike,**CLADOPHORA** Kütz.**C.** *arcta* (Dillw.) Kütz.

Common throughout.

C. *albida* (Huds.) Kütz.*Kings* : New York Bay, Harvey. *Queens* : Jamaica Bay, Pike.**C.** *lanosa* (Roth) Kütz.

Not infrequent throughout L. I. Sound.

C. *refracta* (Roth) Aresch.*Kings* : New York Bay, Harvey. *Queens* : Jamaica Bay, Pike.**C.** *rupestris* (L.) Kütz.*Kings* : Canarsie, Bath, College Point, Pike.**C.** *glaucescens* (Griff.) Harv.

Not infrequent throughout the Sound.

C. *laetevirens* (Dillw.) Harv.*Kings* : New York Bay, Harvey ; Gravesend Bay, Pike.**C.** *Hutchinsiae* (Dillw.) Kütz.*Kings* : College Point, Pike.**C.** *flexuosa* (Griff.) Harv.*Kings* : Flushing Bay, Pike.**C.** *Rudolphiana* (Ag.) Harv.*Kings* : Hellgate, Pike.**C.** *gracilis* (Griff.) Kütz.

Not infrequent.

C. expansa Kütz.

Suffolk: Greenport, Pike.

C. fracta (Fl. Dan.) Kütz.

Kings: New York Bay, Harvey, Walters, Pike.

C. glomerata Kütz.

Kings: Prospect Park.

BRYOPSIDACEAE.

BRYOPSIS Lam.

B. plumosa (Huds.) Ag.

Common throughout.

VAUCHERIACEAE.

VAUCHERIA DC.

V. Thuretii Woron.

Reported as common by Pike, but the writer has never seen a specimen.

V. sessilis (Vauch.) DC.

Cold Spring Harbor, Johnson.

V. litorea (Hoff.) Bang.

Reported as common along coast by Pike; specimens so labelled examined by me have proven to be erroneously determined.

PHAEOPHYCEAE.

ECTOCARPACEAE.

ECTOCARPUS Lyngb.

E. reptans Cron.

Suffolk: Greenport, Port Jefferson, Pike. *Queens*: Cold Spring Harbor, Johnson.

E. tomentosus (Huds.) Lyngb.

Kings: College Point, Pike. *Queens*: Cold Spring Harbor, Johnson.

E. granulosus (Eng. Bot.) Ag.

Suffolk: Sag Harbor, Pike.

E. confervoides (Roth) Le Jolis.

Common throughout.

E. fasciculatus Harv.


Not infrequent throughout.


E. lutosus Harv.

Suffolk: Greenport, Harvey. Pike's specimens reported from Fort Hamilton and Great South Bay are young *E. littoralis*.

E. littoralis Lyngb.

Common throughout.





E. brachiatus Harv.

Kings: College Point, Jamaica Bay, Pike.

E. Hooperi Harv.¹

Suffolk: Greenport, Harvey.

E. Dietzeae Harv.¹

Suffolk: Greenport, Harvey.

SPHACELARIACEAE.

SPHACELARIA Lyngb.

S. cirrhosa (Roth) Ag.

Suffolk: Greenport, Pike.

S. radicans (Dillw.) Harv.

Queens: Cold Spring Harbor, Johnson.

CLADOSTEPHUS Ag.

C. verticellatus Ag.

Suffolk: Orient, Farlow; Pike's plants so determined are not this.

ENCOELIACEAE.

PUNCTARIA Grev.

P. latifolia Grev.

Common throughout.

P. plantaginea (Roth) Grev.

Not infrequent.

PHYLLITIS Kütz.

P. fascia (Fl. Dan.) Kütz.

Common throughout coast.

STRIARIACEAE.

STRIARIA Grev.

S. attenuata Grev.

Not infrequent throughout.

DESMARESTIACEAE.

ARTHOCLADIA Duby.

A. villosa Duby.

Suffolk: Greenport, Pike.

DESMARESTIA Lamx.

D. aculeata (L.) Lamx.

Kings: Flushing Bay, Brainerd; Fort Hamilton, Pike. *Suffolk*: Orient, Greenport, Pike.

D. viridis (Fl. Dan.) Lamx.

Common throughout Sound.

¹ See Notes on Algae of Long Island, W. G. Farlow, Bulletin Torrey Bot. Club, 20, 1893, pp. 107-109.

DICTYOSIPHONACEAE.

DICTYOSIPHON Grev.**D. foeniculaceus** (Huds.) Grev.

Not infrequent along the whole coast.

D. hippuroides (Lyngb.) Aresch.*Kings*: College Point, Jamaica Bay, Pike.

MYRIOTRICHIACEAE.

MYRIOTRICHIA Harv.**M. clavaeformis** Harv.*Suffolk*: Greenport, Orient, Montauk, Pike.**M. radicans** (Dillw.) Harv.*Kings*: College Point, Pike.

ELACHISTACEAE.

ELACHISTA Duby.**E. fucicola** (Velley) Fries.

Frequent, though local.

CHORDARIACEAE.

MYRIONEMA Grev.**M. vulgare** Thur.

Not infrequent along the whole coast.

CASTAGNEA (Derb. and Sol.) Thur.**C. virescens** (Carm.) Thur.*Queens*: Whitestone. *Suffolk*: Orient, Pike.**C. Zostereae** (Mohr) Thur.*Queens*: Whitestone. *Suffolk*: Orient, Pike.**MYRIACTIS** Kütz.**M. pulvinata** Kütz.*Suffolk*: Greenport, Southampton, Orient, Pike.**LEATHESIA** S. F. Gray.**L. difformis** (L.) Aresch.

Not infrequent throughout.

MESOGLOIA Ag.**M. divaricata** (Ag.) Kutz.


Not infrequent in bays along the south shore.

CHORDARIA Ag.**C. flagelliformis** (Fl. Dan.) Ag.*Suffolk*: Pike.

STILOPHORACEAE.

STILOPHORA Ag.**S. rhizoides** Ag.

Not infrequent in the Sound.



LAMINARIACEAE.

CHORDA Stack.

C. Filum (L.) Stack.

 Common throughout.

ALARIA Grev.

A. esculenta Grev.

Suffolk: Greenport, Orient, Peconic Bay, Pike.

LAMINARIA Lam.

L. saccharina (L.) Lam.

 Found all along the coasts.

L. digitata (L.) Lam.

Suffolk: Montauk, Farlow, Pike's specimens from Greenport and Orient were not this.

FUCACEAE.

FUCUS L.

F. vesiculosus L.

 Common throughout the island.

F. ceranoides L.

 Reported by Pike from Fort Hamilton and Orient, but specimens seen were identical with others from foreign localities and apparently had been substituted.

ASCOPHYLLUM Stack.

A. nodosum (L.) Le Jolis.

 Common throughout the northern shore.

SARGASSUM Ag.

S. vulgare Ag.

 Commonly found throughout the coast, washed ashore.

S. bacciferum (Turn.) Ag.

 Washed ashore throughout.

RHODOPHYCEAE.

BANGIACEAE.

BANGIA Lyngb.

B. fusco-purpurea (Dillw.) Lyngb.

 Common throughout on piling.

B. ceramicola (Lyngb.) Ch.

Queens: Cold Spring Harbor, Johnson.

PORPHYRA Ag.

P. laciniata (Light.) Ag.

 Common along the whole coast.

HELMINTHOCLADIACEAE.

BATRACHOSPERMUM Roth.

B. moniliforme Roth.

 Frequent in fresh water throughout the island.

NEMALION Duby.

N. multifidum Ag.

 Not infrequent throughout.

CHAETANGIACEAE.

SCINAIA Bivona.

S. furcellata Bivona.

Kings: College Point, Pike. *Suffolk*: Greenport, Pike.

GELIDIACEAE.

GELIDIUM Lam.

G. crinale (Turn.) J. Ag.

 Common throughout.

GIGARTINACEAE.

CHONDRUS Stack.

C. crispus (L.) Stack.

 Common throughout.

GIGARTINA Lam.

G. mamillosa (Good. & Woodw.) J. Ag.

Suffolk: Greenport, Montauk, Pike.

PHYLLOPHORA Grev.

P. Brodiaei (Turn.) J. Ag.

 Pike's specimens from Glen Cove and Orient seem to be *P. membranifolia*.

P. membranifolia (Good. & Wood.) Ag.

 Not infrequent throughout.

GYMNOGONGRUS Mart.

G. Torreyi (Ag.) J. Ag.

 New York Bay, Agardh; Fort Hamilton, J. Hooper.

AHNFELEDTIA Fr.

A. plicata (Huds.) Fr.

 Frequent throughout.

RHODOPHYLLIDACEAE.

CYSTOCLONIUM Kütz.

C. purpurascens (Huds.) Kütz.

 Common throughout.

EUTHORA J. Ag.**E. cristata** J. Ag.

Infrequent throughout the coast.

RHABDONIA Harv.**R. tenera** Ag.

Common along the coasts.

SPHAEROCOCCACEAE.**GRACILARIA** Grev.**G. multipartita** J. Ag.

Common along the coasts.

HYPNEA Lam.**H. musciformis** (Wulf.) Lam.*Suffolk*: Orient, Miss Booth.**RHODYMENIA** Grev.**R. palmata** (L.) Grev.

Not infrequent along the coasts.

LOMENTARIA (Gaill.) Thuret.**L. uncinata** Menegh.

Common along the coasts.

L. rosea (Harv.) Thuret.*Suffolk*: Montauk, Orient, Port Jefferson, Pike.**CHAMPIA** Ag.**C. parvula** (Ag.) Harv.

Common along the coasts.

DELESSERIACEAE.**GRINNELLIA** Harv.**G. Americana** (Ag.) Harv.

Common along the coasts.

DELESSERIA Lam.**D. sinuosa** (Good. & Woodw.) Lam.

Not infrequent along the coasts.

D. alata (Huds.) Lam.*Suffolk*: Montauk, Pike.**D. Leprieurii** Mont.

Not infrequent along the coasts.

RHODOMELACEAE.**CHONDRIA** (C. Ag.) Harv.**C. dasypylla** (Woodw.) C. Ag.*Suffolk*: Southampton, Pike.**C. tenuissima** (Good. & Woodw.) C. Ag.

Common along the coasts.

C. littoralis (Harv.) C. Ag.

Kings: Fort Hamilton, Pike.

C. atropurpurea (Harv.) C. Ag.

Queens: Glen Cove, Pike.

POLYSIPHONIA Grev.

P. urceolata (Dillw.) Grev.

Common along the coasts.

P. subtilissima Mont.

Queens: Jamaica Bay, Pike.

P. Olneyi Harv.

Kings: Canarsie, Pike.

P. Harveyi Bailey.

Not infrequent along Long Island.

P. elongata Grev.

Queens: Glen Cove, Pike.

P. fibrillosa (Dillw.) Grev.

Kings: Jamaica, Fort Hamilton, Pike.

P. violacea (Roth) Grev.

Suffolk: Greenport, Montauk Point, Pike.

P. variegata (Ag.) Zan.

Common along the coasts.

P. parasitica Grev.

Kings: Fort Hamilton, Pike.

P. atrorubescens (Dillw.) Grev.

Suffolk: Orient, Miss Booth; Noank, Farlow.

P. nigrescens (Dillw.) Grev.

Common along the coasts.

P. fastigiata (Roth.) Grev.

Queens: Glen Cove, Pike. *Suffolk*: Montauk Point, Pike.

BOSTRYCHIA Mont.

B. rivularis Harv.

Kings: Hellgate, Harvey; College Point, Peck; Rockaway

Beach. *Queens*: Cold Spring Harbor, Johnson.

RHODOMELA C. Ag.

R. subfuscus (Woodward) C. Ag.

Not infrequent along the whole coast.

DASYA Ag.

D. elegans (Mart.) Ag.


Common along the whole coast.

CERAMIACEAE.

SPERMOTHAMNION Aresch.

S. Turneri (Mart.) Aresch.

Not infrequent in Sound and in harbors of the south shore.



GRIFFITHSIA Ag.**G. Bornetiana** Farlow.

Common along the eastern end of the island, infrequent about Brooklyn.

HALURUS Kütz.**H. equisetifolius** Kütz.

Reported by Hooper from Brooklyn, probably Bay Ridge. *Suffolk*: Greenport and Great South Bay, Pike.

CALLITHAMNION Lyngb.**C. Rothii** (Eng. Bot.) Lyngb.

Kings: Fort Hamilton, Pike.

C. cruciatum Ag.

Not infrequent about Brooklyn, now most of the stations destroyed. *Queens*: Cold Spring Harbor, Johnson.

C. floccosum Ag.

Suffolk: Orient, Pike.

C. Pylaisaei Mont.

Suffolk: Orient, Miss Booth.

C. Americanum Harv.

Common throughout.

C. Plumula (Ellis) Lyngb.

Suffolk: Orient, Miss Booth.

C. Borreri (Eng. Bot.) Harv.

Common throughout.

C. roseum (Roth) Harv.

Not infrequent throughout.

C. polyspermum Ag.

Kings: Hellgate, Harvey, Bath. *Queens*: Hempstead Bay, Pike.

C. tetragonum (With.) Ag.

Rare throughout region.

C. Baileyi Harv.

Common throughout.

C. byssoides Arn.

Not infrequent throughout.

C. corymbosum (Eng. Bot.) Lyngb.

Suffolk: Greenport, Harvey, Pike.

C. Dietziae Hooper.

See notes by Farlow: Bull. Torrey Botanical Club, 20, 1893,
pp. 107-109.

C. seirospermum Griff.

Not infrequent throughout the island.

C. ? tenue (Ag.) Harv.

Not infrequent throughout the island.

PLUMARIA Stack.**P. elegans** (Bonnem.) Schmitz.

Common throughout.

PTILOTA C. Ag.**P. plumosa** (L.) C. Ag.*Kings*: Bath. *Suffolk*: Greenport, Pike.**SPYRIDIA** Harv.**S. filamentosa** Harv.

Not infrequent along the coasts.

CERAMIUM Roth.**C. rubrum** Ag.

Common along the coasts.

C. circinatum Kütz.*Queens*: Glen Cove, Young.**C. diaphanum** (Lightf.) Roth.

New York Bay, Harvey, Young.

C. strictum (Kütz.) Kaw.

Common along the coasts.

C. fastigiatum Harv.

Not infrequent about the coast of the Sound.


C. Hooperi Harv.

New York, Young.

C. tenuissimum (Lyngb.) Ag.

Common throughout the Sound.

C. Capri-Cornu (Reinsch) Farlow.*Kings*: Canarsie, Young.**RHIZOPHYLLIDACEAE.****POLYIDES** Ag.**P. rotundus** (Gmel.) Grev.*Suffolk*: Sag Harbor, Montauk, Pike.**SQUAMARIACEAE.****PEYSONNELIA** Dec.**P. Dubyi** Crouan.*Suffolk*: Greenport, Peconic Bay, Pike.**CORALLINACEAE.****MELOBESIA** Lam.**M. farinosa** Lam.*Queens*: Glen Cove, Pike; *Suffolk*: Greenport, Pike.**M. pustulata** Lam.*Kings*: Flushing Bay, Rockaway, Pike. ?**M. macrocarpa** Rosanoff.*Kings*: Canarsie; *Suffolk*: Orient, Quogue, Pike.





CORALLINA L.**C. officinalis L.**

Stated to be common by Pike, but is rare.

HILDENBRANDTIA Wardo.**H. rosea Kütz.**

Frequent throughout.

PERIDINIALES.**GYMNODINIACEAE.****GYMNODINIUM Stein.****G. fuscum (Ehrb.) Stein.**

Brooklyn Water Supply.

PERIDINIACEAE.**CERATIUM Schrank.****C. tripos Nitzsch.**Brooklyn Water Supply, Bates. *Queens*; Cold Spring Harbor, Johnson.**C. longicorne Perty.**

Brooklyn Water Supply.

PERIDINIUM Ehrb.**P. tabulatum Ehrb.**

Brooklyn Water Supply.

CYANOPHYCEAE.**CHROOCOCCACEAE.****CLATHROCYSTIS Henfry.****C. aeruginosa Henfry.***Queens*: Glen Cove.**C. roseo-persicina Cohn.***Queens*: Cold Spring Harbor, Johnson.**COELOSPHAERIUM Naeg.****C. Kützingianum Naeg.**

Frequent.

MERISMOPIEDIA Meyen.**M. glauca Naeg.**

Not infrequent.

NOSTOCACEAE.**NOSTOC Vauch.****N. sphaericum Vauch.***Kings*: Greenwood, Hooper.

OSCILLARIACEAE.

OSCILLARIA Kütz.*O. Froelichii* Kütz.

Frequent.

O. aeruginea-caerulea Kütz.

Frequent.

O. limosa Kütz.*Queens*: Jamaica Bay, Whitestone, Pike.**MICROCOLEUS** Desmaz.*M. chthonoplastes* (Fl. Dan.) Thuret.*Kings*: Fort Hamilton, Pike. *Suffolk*: Greenport, Pike. *Queens*: Cold Spring Harbor, Johnson.**SPIRULINA** Turpin.*S. tenuissima* Kütz.*Kings*: Fort Hamilton, Gravesend, Pike. *Queens*: Cold Spring Harbor, Johnson.*S. Thuretii* Con.*Queens*: Cold Spring Harbor, Johnson.**SPHAEROZYGA** Ag.*S. polysperma* Kütz.*Queens*: Cold Spring Harbor, Johnson.**LYNGBYA** Ag.*L. aestuarii* (Jürg.) Laebm.*Kings*: Bay Ridge, Pike. *Queens*: Cold Spring Harbor, Johnson.*L. luteofusca* (Ag.) J. Ag.

Not infrequent throughout coast.

L. ma'uscula (Dill.) Harv.*Kings*: Canarsie, College Point, Pike.*L. nigrescens* Harv.

Not infrequent throughout coast.


L. tenerima Thuret.*Kings*: College Point, Pike.**NODULARIA** Martens.*Kings*: Bay Ridge, Hellgate, Pike.

RIVULARIACEAE.

CALOTHRIX Ag.*C. convervicola* (Roth) Ag.

Not infrequent.

C. crustacea (Sch.) B. & Thuret.*Kings*: Bay Ridge, Pike.



C. parasitica Thuret.

Queens : Jamaica Bay, Pike. *Suffolk* : Greenport, Pike.

C. pulvinata (Mert.) Ag.

Suffolk : Greenport, Pike.

C. scopulorum (Web. & Mohr) Ag.

Suffolk : Greenport, Pike. *Queens* : Cold Spring Harbor, Johnson.

RIVULARIA Roth.**R. atra** Roth.

Kings : Hell Gate, Flushing, Pike. *Queens* : Cold Spring Harbor, Johnson.

R. nitida Ag.

Queens : Jamaica Bay, Pike.

ISACTIS Thuret.**I. plana** (Harv.) Thuret.

Kings : Fort Hamilton, Pike. *Queens* : Jamaica Bay, Pike.

BACILLARIALES.**DIATOMACEAE.**¹**MELOSIRA** Ag.**M. Borrerii** Grev.

Kings : Bay Ridge.

M. granulata (Ehrb.) Ralfs.

Frequent throughout the island. Fossil at Cold Spring.

M. nummuloides (Bory) Ag.

Kings : Bay Ridge.

M. sulcata (Ehrb.) Kütz.

Queens : Arverne, Edwards.

M. varians Ag.

Kings : Prospect Park, Brooklyn Water Supply.

HYALODISCUS Ehr.**H. Franklinii** Ehr.

Queens : Arverne, Edwards.

H. stelliger Bailey.

Queens : Arverne, Edwards.

(Pyxidicula compressa Bail.)

Arverne, Edwards.

CYCLOTELLA Kütz.**C. striata** (Kütz.) Grun.

Queens : Arverne, Edwards.

¹ In this citation of the species Schütt's classification in Engler and Prantl's system is followed for the sake of general conformity although we prefer Van Heurck's arrangement in A Treatise on the Diatomaceae.

COSCINODISCUS Ehrb.**C.**, *excentricus* Ehrb.*Queens*: Arverne, Edwards.**C.** *asteromphalus* Ehrb.*Queens*: Arverne, Edwards.**C.** *lineatus* Ehrb.*Queens*: Arverne, Edwards.**C.** *nodulosus* Grün.*Queens*: Arverne, Edwards.**ACTINOPTYCHUS** Ehrb.**A.** *undulatus* Ehrb.*Queens*: Arverne, Edwards.**AULACODISCUS** Ehrb.**A.** *Germanicus* Ehrb.*Queens*: Arverne, Edwards.**ACTINOCYCLUS** Ehrb.**A.** *Ehrenbergii* R.*Queens*: Arverne, Edwards.**EUPODISCUS** Ehrb.**E.** *radiatus* Bail.*Kings*: Coney Island, Woodman.**AULISCUS** Ehrb.**A.** *caelatus* Bailey.*Queens*: Arverne, Edwards.**A.** *pruinosus* Bailey.*Queens*: Arverne, Edwards.**A.** *radiatus* Bailey.*Queens*: Arverne, Edwards.**RHIZOSOLENIA** Ehrb.**R.** *gracilis* Ehrb.

Frequent.

TRICERATIUM Brightwell.**T.** *alternans* Bailey.*Kings*: Coney Island, Woodman. *Queens*: Arverne, Edwards.**T.** *favus* Ehrb.*Queens*: Arverne, Edwards.**T.** *punctatum* Brightwell.*Queens*: Arverne, Edwards.**T.** *maculatum* Kütz.*Queens*: Arverne, Edwards.**BIDDULPHIA** Gray.**B** *aurita* (Lyngb.) Breb.*Queens*: Arverne, Edwards.



B. laevis Ehrb.

Kings : Bay Ridge.

B. pulchella Gray.

Queens : Arverne, Edwards. *Suffolk* : Shelter Island.

B. Rhombus (Ehrb.) W. Sm.

Queens : Arverne, Edwards.

B. turgida W. Sm.

Queens : Arverne, Edwards.

B. Smithii (Ralfs) V. H.

Queens : Arverne, Edwards.

ISTHmia Ag.

I. enervis Ehrb.

Queens : Arverne, Edwards.

EUNOTOGRAMMA Weisse. ^

E. Amphioxys Ehrb.

Queens : Arverne, Edwards.

TERPSINOË Ehrb.

T. Americana Ralfs.

Queens : Arverne, Edwards.

RHABDONEMA Ehrb.

R. Adriaticum Kütz.

Not infrequent throughout the coast.

R. arcuatum (Ag.) Kütz.

Queens : Arverne, Edwards.

STRIATELLA Ag.

S. interrupta (Ehrb.) Heiberg.

Brooklyn Water Supply.

TABELLARIA Ehrb.

T. fenestrata Kütz.

Frequent throughout the island. Freshwater.

T. flocculosa (Roth) Kütz.

Frequent throughout the island.

GRAMMATOPHORA Ehrb.

G. marina Kütz.

Kings : Bay Ridge. *Queens* : Arverne, Edwards. *Suffolk* :

Shelter Island.

MERIDION Ag.

M. circulare Ag. Fr.

Brooklyn Water Supply.

DIATOMA DC.

D. hiemale (Lyngb.) Heiberg.

Queens : Glencove, Oyster Bay, Fossil, Ries.

PLAGIOPGRAMMA Grev.**P. Gregorianum** R.K.E.*Queens* : Arverne, Edwards.**FRAGILARIA** Lyngb.**F. capucina** Desmaz.

Common throughout the island.

F. Pacifica Grün.*Queens* : Arverne, Edwards.**SYNEDRA** Ehrb.**S. affinis** Kütz.

Not infrequent along the coasts.

S. fulgens (Kütz.) W. Sm.*Suffolk* : Shelter Island.**S. pulchella** Kütz.

Common throughout the island.

S. longissima W. Sm.

Brooklyn Water Water Supply.

S. lanceolata Kütz.*Kings* : Prospect Park.**S. Ulna** (Nitzsch) Ehrb.

Frequent throughout the island.

ASTERIONELLA Hass.**A. formosa** (Hass.) Fr.

Frequent throughout the island.

EUNOTIA Ehrb.**E. lunaris** (Ehrb.) Grün.

Frequent throughout the island.

E. major (W. Sm.) Rab.*Kings* : Coney Island, Woodman.**E. monodon** Ehrb.*Queens* : Arverne, Edwards.**E. tridentula** Ehrb.

Brooklyn Water Supply.

ACHNANTHES Bory.**A. brevipes** Ag.*Kings* : Bay Ridge.**A. longipes** Ag.*Kings* : Bay Ridge.**A. subsessilis** Ehrb.*Kings* : Bay Ridge. *Queens* : Arverne, Edwards.**COCCONEIS** Ehrb.**C. Pediculus** Ehrb.

Frequent throughout the island.



C. *scutellum* Ehrb.

Frequent throughout the island.

NAVICULA Bory.

N. *Americana* Ehrb.

Kings : Coney Island, Woodman.

N. *ambigua* Ehrb.

Kings : Prospect Park.

N. *Apis* Kütz.

Kings : Coney Island, Woodman.

N. *clavata* Grün.

Queens : Arverne, Edwards.

N. *flamma* A. Schm.

Kings : Prospect Park.

N. *cuspidata* Kütz.

Frequent throughout the island.

N. *didyma* Ehrb.

Queens : Arverne, Edwards.

N. *dilatata* Ehrb.

Brooklyn Water Supply.

N. *elliptica* Kütz.

Queens : Arverne, Edwards.

N. *firma* Kütz.

Kings : Prospect Park, Coney Island, Woodman.

N. *laevissima* Kütz.

Kings : Prospect Park.

N. *gibba* (Kütz.) Ehrb.

Brooklyn Water Supply.

N. *Hennedyi* W. Sm.

Queens : Arverne, Edwards.

N. *Hitchcockii* Ehrb.

Kings : Prospect Park.

N. *Indica* Grev.

Queens : Arverne, Edwards.

N. *lacustris* W. Sm.

Queens : Arverne, Edwards.

N. *tata* Bréb.

Kings : Coney Island, Woodman. *Queens* : Arverne, Edwards.

N. *Lyra* Ehrb.

Not infrequent around the coast.

N. *major* Kütz.

Kings : Prospect Park.

N. *peregrina* (Ehrb.) Kütz.

Queens : Arverne, Edwards.

N. *permagna* Bailey.

Queens : Arverne, Edwards.

N. radiosoa Kütz.

Frequent throughout the island.

N. rhyncocephala Kütz.

Kings: Prospect Park, Brooklyn Water Supply.

N. varians Greg.

Kings: Prospect Park.

N. viridis Kütz.

Frequent throughout the island.

STAURONEIS Ehrb.

S. acuta W. Sm.

Kings: Coney Island, Woodman.

S. anceps Ehrb.

Kings: Prospect Park, Brooklyn Water Supply.

S. gracilis Ehrb.

Queens: Sag Harbor.

S. birostris Ehrb.

Queens: Arverne, Edwards.

S. aspera (Ehrb.) Kütz.

Queens: Arverne, Edwards.

S. Phoenicenteron Ehrb.

Kings: Coney Island, Woodman.

PLEUROSIGMA W. Sm.

P. angulatum W. Sm.

Queens: Rockaway Beach, Arverne, Edwards.

P. Balticum W. Sm.

Not infrequent in salt marshes throughout the island.

P. elongatum W. Sm.

Kings: Bay Ridge, Coney Island, Woodman.

P. Spencerii W. Sm.

Brooklyn Water Supply.

SCOLIOPLEURA Grun.

S. tumida (Bréb.) Rab.

Queens: Arverne, Edwards.

AMPHIPRORA Ehrb.

A. elegans W. Sm.

Queens: Arverne, Edwards.

A. navicularis Ehrb.

Queens: Arverne, Edwards.

A. ornata Bail.

Kings: Prospect Park, Brooklyn Water Supply.

A. pulchra Bail.

Queens: Arverne, Edwards.



GOMPHONEMA Ag.*G. acuminatum* Ehrb.*Kings* : Prospect Park, Brooklyn Water Supply.*G. capitatum* Ehrb.*Kings* : Prospect Park, Ridgewood.*G. constrictum* Ehrb.*Kings* : Prospect Park.**RHOICOSPHENIA** Grun.*R. curvata* (Kütz.) Grun.*Kings* : Bay Ridge, Fort Hamilton. *Queens* : Arverne, Edwards.**CYMBELLA** Ag.*C. Cistula* Hempr.*Kings* : Prospect Park, Coney Island, Woodman.**ENCYONEMA** Kütz.*E. ventricosum* Kütz.*Kings* : Prospect Park, Brooklyn Water Supply.**AMPHORA** Ehrb.*A. ovalis* Kütz.

Frequent throughout the island.

EPITHEMIA Bréb.*E. gibba* (Ehrb.) Kütz.

Brooklyn Water Supply.

E. Musculus Kütz.*Queens* : Arverne, Edwards.*E. turgida* (Ehrb.) Kütz.*Kings* : Coney Island, Woodman. *Queens* : Arverne, Edwards.**NITZSCHIA** Hass.*N. acuminata* W. Sm.*Queens* : Arverne, Edwards.*N. fasciculata* Grun.*Kings* : Bay Ridge.*N. gracilis* Hantzsch.*Kings* : Prospect Park.*N. scalaris* (Ehrb.) W. Sm.*Kings* : Coney Island, Woodman.*N. Sigma* W. Sm.*Queens* : Arverne, Edwards.*N. sigmoidea* (Ehrb.) W. Sm.*Kings* : Prospect Park.*N. tryblionella* H.*Queens* : Arverne, Edwards.*N. tabellaria* Grun.*Kings* : Prospect Park.

CYMATOPLEURA W. Sm.*C. elliptica* (Bréb.) W. Sm.

Kings : Prospect Park.

C. Salea (Bréb.) W. Sm.

Kings : Prospect Park.

SURIRELLA Turp.*S. elegans* Ehrb.

Not infrequent throughout the island.

S. Febigerii Lewis.

Queens : Arverne, Edwards.

S. striatula Turp.

Queens : Arverne, Edwards.

PYXILLA Grev.*P. Balticum* Grun.

Queens : Arverne, Edwards.

DICLADIA Ehr.*D. mitra* Bail.

Kings : Arverne, Edwards.

FUNGI.**SCHIZOMYCETES.****COCCACEAE.****STREPTOCOCCUS** Billroth.*S. pyogenes* Rosenbach.*S. erysipelatos* Fehl.

Common throughout.

MICROCOCCUS (Haller) Cohn.*M. pyogenes aureus* (Passet) Rosenbach.*M. pyogenes albus* Rosenbach.*M. gonorrhoeae* (Neisser) Flügge.*M. tetragonus* Gaffky.*M. ureae* Pasteur.*M. candidans* Flügge.

Frequent throughout the island.

SARCINA Goodsir.*S. lutea* Schröter.*S. flava* DeBary.*S. aurantiaca* Flügge.

Common throughout in the air.

BACTERIACEAE.**BACTERIUM** Ehr.*B. Tuberculosis* (Koch) Migula.*B. influenzae* Pfeiffer.



- B. diphteritidis* (Loeffler) Migula.
 - B. pneumonicum* (Fried.) Migula.
 - B. aceti* (Kütz.) Zopf.
 - B. acidi lactici* (Hueppe) Migula.
- All frequent throughout the island.

BACILLUS Cohn.

- B. tetani* Nicolaier.
- B. typhi* Gaffky.
- B. coli* (Esch.) Migula.
- B. subtilis* (Ehr.) Cohn.

Common throughout.

PSEUDOMONAS Migula.

- P. pyocyanea* (Gessard) Migula.
- P. violaceus* (Schröter) Migula.
- P. fluorescens* (Flügge) Migula.

Not infrequent.

CHLAMYDOBACTERIACEAE.**CLADOTHRIX** Cohn.

- C. dichotoma* Cohn.
- In water.

BEGGIATOACEAE.**BEGGIATOA** Trevisan.

- B. mirabilis* Cohn ?
- B. alba* Trev.

Frequent.

EUMYCETES.**PHYCOMYCETES.****SYNCHYTRIACEAE.****SYNCHYTRIUM** DC. & Woron.

- S. anemones* (DC.) Wor.
- Kings* : Brooklyn.

ALBUGINACEAE.

- ALBUGO** (Pers.) J. F. Gray.
- A. cubicus* (Pers.) Kuntze.
- Kings* : Brooklyn.

MUCORACEAE.**MUCOR** Mich.

- M. racemosus* Fres.
- Not infrequent.

M. mucedo L.

Rare, Brooklyn.

CIRCINELLA Van Tiegh. & Le Mon.

C. spinosa Van Tiegh.

Brooklyn.

RHIZOPUS Ehr.

R. stolonifer Ehr.

Frequent.

ASCOMYCETES.

PROTOMYCETACEAE.

PROTOMYCES Unger.

P. Linaria Fckl.

Suffolk: Riverhead, Peck.

SACCHAROMYCETACEAE.

SACCHAROMYCES Meyen.

S. cerevisiae Meyen.

Frequent.

S. niger Marp.

Frequent.

S. agglutinus Fr.

Common.

GEOGLOSSACEAE.

GEOGLOSSUM Pers.

G. glabrum Pers.

Queens: Richmond Hill. Cold Spring Harbor, Johnson.

LEOTIA Hill.

L. lubrica (Scop.) Pers.

Frequent throughout.

L. chlorocephala Schw.

Queens: Richmond Hill. Cold Spring Harbor, Johnson.

HELVELLACEAE.

MORCHELLA Dill.

M. esculenta (L.) Pers.

Infrequent throughout the island.

HELOTIACEAE.

HELOTIUM Tode.

H. citrinum Fr.

Frequent throughout.



PHACIDIACEAE.

RHYTISMA Fr.*R. acerinum* (Pers.) Fr.

Frequent throughout.

R. Solidaginis (Schw.) Fr.

Common throughout.

HYPODERMATACEAE.

LOPHODERMUM Chev.*L. arundinaceum* (Schrad.) Chev.*Suffolk* : Wading River, Peck.

HYSTERICIACEAE.

HYSTERIUM Tode.*H. insidens* Schw.*Kings* : Prospect Park.*H. vulvatum* Schw.*Kings* : New Lots. *Queens* : Valley Stream.*H. viticolum* C. & P.*Kings* : New Lots.

ASPERGILLACEAE.

ASPERGILLUS Lk.*A. glaucus* (L.) Lk.

Common throughout.

PENICILLIUM Lk.*P. crustaceum* (L.) Lk.

Frequent throughout.

ARYSIBACEAE.

SPHAEROTHECA Lev.*S. Castagniei* Lev.

Frequent throughout the island.

ERYSIBE Hedw.*E. Cichoracearum* DC.*Kings* : Prospect Park.**MICROSPHAERA** Lev.*M. Alni* (DC.) Wint.

Frequent throughout the island on Lilac.

UNCINULA Lev.*U. Americana* Howe.*Kings* : Flatbush, Zabriskie.*U. necator* Sw.*Kings* : Brooklyn.

HYPOMYCETEAE.

HYPOMYCES Fr.*H. Lactifluorum* Schw.*Queens*: Glen Cove.**NECTRIA** Fr.*N. cinnabarina* (Tode) Fr.**PLEONECTRIA** Winter.*P. denigrata* Winter.*Kings*: Bay Ridge.**HYPOCREA** Fr.*H. contorta* (Schw.) Fr.*Kings*: Bay Ridge. *Queens*: Valley Stream.**EPICHLOE** Fr.*E. Hypoxylon* Pk.*Queens*: Rockaway Beach.**CORDYCEPS** Fr.*D. militaris* (L.) Lk.*Kings*: Richmond Hill.

DOTHIDIACEAE.

PLOWRIGHTIA Sacc.*P. morbosa* (Schw.) Sacc.

Frequent throughout on cherry and plum.

DOTHIDEA Fr.*D. Graminis* Pers.*Queens*: Rockaway Beach.**PHYLLACHORA** Nitschke.*P. Pteridis* (Rab.) Fckl.*Queens*: Valley Stream.

CHAETOMIACEAE.

CHAETOMIUM Kunze.*C. bostrychodes* Zopf.*Kings*: Flatbush, Zabriskie.**CHAETOSPHAERIA** Tul.*C. longipila* Pk.*Kings*: Flatbush, Zabriskie.**AMPHISPHEAERIA** Ces. & De Not.*A. umbrina* (Fr.) Wint.*Kings*: Ridgewood.**MASSARIA** De Not.*M. vomitoria* B. & C.*Kings*: New Lots. *Suffolk*: Saugerties, Peck.



HENDERSONIA Mont.**H.** *epileuca* B. & C.*Suffolk* : Saugerties, Peck.**VALSA** Fr.**V.** *ceratophora* Tul.*Queens* : Valley Stream.**EUTYPA** Tul.**E.** *Acharii* Tul.*Queens* : Valley Stream.**EUTYPELLA** Cook.**E.** *glandulosa* (Ck.) Ell.Not infrequent on *Ailanthus*.**DIATRYPE** Fr.**D.** *stigma* (Hoff.) Fr.

Frequent throughout.

NUMMULARIA Tul.**N.** *Builliardi* Tul.

Frequent throughout.

USTULINA Tul.**U.** *vulgaris* Tul.

Common throughout.

HYPOXYLON Bull.**H.** *Howeanum* Pk.*Kings* : New Lots.**H.** *fuscum* (Pers.) Fr.

Frequent throughout.

H. *punctulatum* B. & Rav.*Kings* : Flatbush.**H.** *multiforme* Fr.*Queens* : Valley Stream. Cold Spring Harbor, Johnson.**H.** *coccineum* Bull.*Queens* : Cold Spring Harbor, Johnson.**H.** *effusum* Nitz.*Kings* : Flatbush, Zabriskie.**H.** *Sassafras* Schw.

Common throughout.

DALDINIA Ces. & De Not.**D.** *concentrica* (Balt.) Ces. & De Not.

Frequent throughout.

D. *vernicosa* (Schw.) Ces. & De Not.*Queens* : Rockaway Beach.

XYLARIA Fr.**X.** *corniformis* Fr.*Kings* : Prospect Park.**X.** *polymorpha* Grev.*Queens* : Cold Spring Harbor, Johnson.**HYPHOMYCETES.****MONILIA** Pers.**M.** *aurantiaca* Peck & Sacc.*Suffolk* : Manor, Peck.**SPOROTRICHUM** Lk.**S.** *cinereum* Pk.*Suffolk* : Manor, Peck.**ECHINOBOTRYS.****E.** *atrium* Cd. t.*Kings* : Flatbush, Zabriskie.**STACHYBOTRYS** Corda.**S.** *elongata* Pk.*Suffolk* : Manor, Peck.**FUSICLADIUM** Bon.**F.** *fasciculatum* C. & E.*Suffolk* : Manor, Peck.**CLADOSPORIUM** Lk.**C.** *epiphyllum* Nees.*Kings* : Brooklyn.**C.** *epimyces* Cke.*Kings* : New Lots.**SEPTONEMA** Cda.**S.** *spilomeum* Berk.*Kings* : Flatbush, Zabriskie.**CERCOSPORA** Fr.**C.** *Rhoenii* C. & E.*Suffolk* : Manor, Peck.**C.** *Eupatorii* Pk.*Suffolk* : Wading River, Peck.**C.** *Smilacis* Thüm.*Suffolk* : Wading River, Peck.**C.** *nymphaeacea* C. & E.*Suffolk* : Riverhead, Peck.**SPORIDESMIUM** Link.**S.** *antiquum* Cda.*Kings* : Flatbush, Zabriskie.**S.** *epicoccoideum* Pk.*Kings* : Brooklyn, New Lots.





MACROSPORIUM Fr.**M. inquinans** C. & E.*Kings* : Flatbush, Zabriskie.**ALTERNARIA** Nees.**A. tenuis** Nees.

Frequent throughout.

ISARIA Pers.**I. Aranearium** Schw.*Suffolk* : Manor, Peck.**SPOROCYBE** Fr.**S. cellare** Pk.*Kings* : Flatbush, Zabriskie.**TUBERCULARIA** Tode.**T. vulgaris** Tode.

Common throughout the island.

FUSARIUM Desm.**F. roseum** Lk.

Not infrequent.

F. Scleradermatis Pk.*Suffolk* : Manor, Peck.**SPHAEROPSIDEAE.****PHYLLOSTICTA** Pers.**P. Negundinis** Sacc. & Speg.*Suffolk* : Patchogue, Peck.**P. Dioscoreae** Cke.*Suffolk* : Riverhead, Peck.**P. serotina** Cke.*Suffolk* : Manor, Peck.**P. Hibisci** Pk.*Suffolk* : Eastport and Patchogue.**PHOMA** Fr.**P. Candollei** Sacc.*Suffolk* : Patchogue, Peck.**APOSOPHAERIA** Berk.**A. aranea** Pk.*Kings* : Flatbush, Zabriskie.**SPHAEROPSIS** Mont.**S. Smilacina** Peck.*Suffolk* : Wading River, Peck.**DARLUCA** Cast.**D. Filum** (Biv.) Cast.

Not infrequent.

SEPTORIA Fr.

S. Trichostematis Pk.

Suffolk : Manor, Peck.

S. Kalmicola B. & C.

Queens : Cold Spring Harbor, Johnson.

SACIDIUM Nees.

S. lignarium Pk.

Kings : Flatbush, Zabriskie.

LEPTOSTROMA Fr.

L. vulgare Fr.

Not infrequent.

MELANCONIUM Lk.

M. foliicolum Pk.

Suffolk : Manor, Peck.

BASIDIOMYCETES.**USTILAGINACEAE.****USTILAGO** Pers.

U. austro-americanae Speg.

Kings : Flatbush, Zabriskie.

U. Montagnei major Desm.

Suffolk : Wading River, Manor, Miller.

U. Zeal (Berkm.) Magn.

Common throughout the island.

U. neglecta Niessl.

Kings : Flatbush, Zabriskie.

U. Rabenhorstiana Kühn.

Kings : Flatbush, Zabriskie.

U. utriculosa Tul.

Kings : Flatbush, Zabriskie.

GRAPHIOLA Poiteau.

G. Phoenicis (Moung.) Poit.

On cultivated palms.

MELAMPSORACEAE.**COLEOSPORIUM** Lev.

C. Solidaginis (Schw.) Thum.

Kings : Prospect Park.

PUCCINIACEAE.**GYMNOSPORANGIUM** DC.

G. fuscum Oerst = *G. Sabinae* (Dick.) Wint.

Frequent throughout the island.



G. claviceps Cke. & Pk. = *Roestelia aurantiaca* Pk.

Kings : Brooklyn.

G. globosum Farl.

Queens : Glen Cove.

G. macropus Lk.

Queens : Cold Spring Harbor, Johnson.

ROESTELIA Reb.

R. Botryapitis Schw. *Gymnosporangium* ?

Suffolk : Riverhead, Peck.

UROMYCES Lev.

U. Caladii Schw.

Queens : Richmond Hill.

U. gramineum Cke.

Suffolk : Shelter Island, Clinton.

U. Orobii Fuck.

Kings : Flatbush, Zabriskie.

U. Lespedezae Schw.

Frequent throughout the island.

U. Terebinthii (DC.) Winter.

Kings : Flatbush, Zabriskie.

U. Trifolii (Hedw.) Lév.

Kings : Flatbush, Zabriskie.

PUCCINIA Pers.

P. Anemones Pers.

Kings : Brooklyn.

P. Compositarum Schw.

Queens : Glen Cove.

P. Graminis Pers.

Frequent throughout the island.

P. Helianthi Schw.

Kings : Flatbush, Zabriskie.

P. Hieracii (Schum.) Mart.

Queens : Glen Cove.

P. mammillata Schraeb.

Kings : Flatbush, Zabriskie.

P. Sorghi Schw.

Kings : New Lots.

P. Xanthii Schw.

Frequent throughout the island.

PHRAGMIDIUM Link.

P. mucronatum Lk.

Kings : Prospect Park.

AECIDIUM Pers.**A.** *Berberidis* Pers.

Frequent throughout the island.

A. *Caladii* Schw.

Frequent throughout the island.

A. *Lysimachiae* (Schlecht.) Wallr.*Kings* : Flatbush, Zabriskie.**A.** *Fraxinii* Schw.*Queens* : Cold Spring Harbor, Johnson.**UREDO** Lev.**U.** *Chimaphilae* Peck.*Suffolk* : Amagansett, Peck.**U.** *luminata* Schw.

Common throughout the island.

U. *Potentillarum* Lk.

Frequent throughout the island.

TREMELLACEAE.**TREMELLA** L.**T.** *albida* Huds.*Kings* : Prospect Park.**T.** *foliacea* Pers.*Queens* : Valley Stream.**T.** *intumescens* Schw.?*Queens* : Richmond Hill.**EXIDIA** Fr.**E.** *glandulosa* Fr.*Queens* : Cold Spring Harbor, Johnson.**EXOBASIDIACEAE.****EXOBASIDIUM** Woron.**E.** *Vaccinii* Woron.*Suffolk* : Riverhead, Peck.**THELEPHORACEAE.****HYMENOCHAETE** Lev.**H.** *rubiginosa* (Schrad.) Lev.*Kings* : Gravesend. *Queens* : Cold Spring Harbor, Johnson.**STEREUM** Pers.**S.** *complicatum* Fr.

Frequent throughout the island.

S. *Curtisii* Berk.*Kings* : Flatlands.



S. frustulosum (Pers.) Fr.

Kings : New Lots. *Queens* : Cold Spring Harbor, Johnson.

S. hirsutum (Willd.) Fr.

Kings : Flatlands, Prospect Park. *Queens* : Cold Spring Harbor, Johnson.

S. spadiceum Fr.

Queens : Valley Stream, Richmond Hill.

S. versicolor Fr.

Frequent throughout the island.

THELEPHORA Ehr.

T. pallida Schw.

Queens : Richmond Hill.

T. terrestris Ehr.

Queens : Rockaway Beach.

CRATERELLUS Fr.

C. cornucopiaeoides Pers.

Queens : Cold Spring Harbor, Johnson.

CLAVARIACEAE.

CLAVARIA Vaill.

C. gracillima Peck.

Kings : Flatlands.

C. pyxidata Pers.

Queens : Richmond Hill.

HYDNACEAE.

HYDNUM L.

H. pallidum C. & E.

Suffolk : Manor, Peck.

IRPEX Fr.

I. cinnamomeus Fr.

Kings : New Lots, Flatlands, Richmond Hill.

I. paradoxus Fr.

Kings : Flatbush.

I. sinuosus Fr.

Kings : Flatbush.

I. Tulipiferae Schw.

Kings : Flatbush, Richmond Hill.

POLYPORACEAE.

MUCRONOPORUS E. & E.

M. gilvus (Schwein.) E. & E.

Kings : Flatlands.

POLYPORUS Fr.**P.** oblectans Berk.*Queens* : Richmond Hill.**P.** vulgaris Fr.?*Kings* : New Lots. *Queens* : Richmond Hill.**P.** sulphureus Fr.*Kings* : Brooklyn. *Queens* : Cold Spring Harbor, Johnson.**P.** chioneus Fr.*Kings* : Flatbush, Zabriskie.**P.** hispidus (Bull.) Fr.*Suffolk* : Quogue, Peck.**P.** pergamenus Fr.

Not uncommon throughout the island.

P. Caesarius Fr.*Suffolk* : Manor, Peck.**P.** betulinus (Bull.) Fr.

Common throughout the island.

P. hirsutus (Wulf.) Fr.*Queens* : Valley Stream.**P.** versicolor (L.) Fr.

Common throughout the island.

TRAMETES Fr.**T.** Pini Fr.*Suffolk* : Eastport, Peck.**T.** sepium Berk.

Not uncommon throughout the island.

T. cinnabarina Jacq.*Queens* : Cold Spring Harbor, Johnson.**T.** rigida Berk.*Kings* : Prospect Park.**DAEDALEA** Pers.**D.** Quercina (L.) Pers.

Not infrequent throughout the island.

D. unicolor (Bull.) Fr.

Frequent throughout the island.

LENZITES Fr.**L.** Betulina (L.) Fr.

Frequent throughout the island.

L. sepiaria (Wulf.) Fr.*Kings* : Flatbush.**L.** bicolor Fr.*Queens* : Glen Cove.**FAVOLUS** Pers.**F.** Europaeus Fr.

Not infrequent throughout the island.



CYCLOMYCES Kütz.**G. Greenii** Berk.*Queens* : Cold Spring Harbor, Johnson.**FISTULINA** Bull.**F. Hepatica** (Huds.) Fr.

Frequent throughout the island on dead chestnut stumps.

BOLETUS L.**B. castaneus** Bull.*Kings* : Prospect Park, Richmond Hills. *Queens* : Cold Spring Harbor, Johnson.**B. chrysenteron** Bull.*Kings* : Prospect Park.**B. Frostii** Russ.*Suffolk* : Wading River, Peck.**B. Americanus** Pk.*Queens* : Cold Spring Harbor, Johnson.**B. gracilis** Pk.*Queens* : Cold Spring Harbor, Johnson.**B. edulis** Bull.

Not infrequent.

B. felleus Bull.

Not uncommon throughout the island.

B. scaber Bull.*Queens* : Glen Cove.**STROBILOMYCES** Berk.**S. strobilaceus** (Scop.) Berk.*Queens* : Glen Cove. Cold Spring Harbor, Johnson.**AGARICACEAE.****SCHIZOPHYLLUM** Fr.**S. commune** Fr.

Frequent throughout the island.

PANUS Fr.**P. stipticus** (Bull.) Fr.

Not uncommon throughout the island.

P. laevis B. & C.*Suffolk* : Wading River, Peck.**MARASMIUS** Fr.**M. oreades** (Bolt.) Fr.

Frequent throughout the island.

M. epiphyllus (Pers.) Fr.*Queens* : Valley Stream.

M. foetidus Fr.

Manor, Peck.

M. albiceps Pk.

Manor, Peck.

CANTHARELLUS Adans

C. cinnabarinus Schw.

Queens : Glen Cove.

C. cibarius Fr

Queens : Cold Spring Harbor, Johnson.

RUSSULA Fr.

R. alutacea Fr.

Queens : Glen Cove.

R. brevipes Pk.

Suffolk : Quogue, Peck.

R. emetica Fr.

Frequent throughout the island.

R. foetans Fr.

Kings : Flatlands.

R. virescens Fr.

Frequent throughout the island.

LACTARIUS Fr.

L. piperitus Fr.

Common throughout the island.

L. vellereus Fr.

Queens : Richmond Hill.

L. volemus Fr.

Queens : Glen Cove.

L. alpinus Pk.

Kings : Prospect Park, Richmond Hill.

L. mutabilis Pk.

Suffolk : Yaphank, Peck.

HYGROPHORUS Fr.

H. miniatus Fr.

Kings : Flatlands.

CORTINARIUS Fr.

C. pulchrfolius Peck.

Suffolk : Wading River, Peck.

C. rubo-cinereus Peck.

Suffolk : Wading River, Peck.

DERMOCYBE Fr.

D. basalis Peck.

Suffolk : Wading River, Peck.





COPRINUS Pers.**C. comatus** Fr.*Kings* : Prospect Park.**C. atramentarius** Fr.*Kings* : Prospect Park. *Queens* : Glen Cove.**C. micaceus** Fr.*Kings* : Prospect Park. *Queens* : Glen Cove.**HYPHOLOMA** Fr.**H. sublateritius** Schaeff.

Frequent throughout the island.

PSALLIOTA Fr.**P. campestris** L.

Frequent throughout the island.

NAUCORIA Fr.**N. Scirpicola** Pk.*Suffolk* : Patchogue, Peck.**PHOLIOTA** Fr.**P. spectabilis** Fr.

L. I., Trask, N. Y. S. Rept. 34.

ENTOLOMA Fr.**E. scabrinellus** Peck.*Suffolk* : Wading River, Peck.**PLEUROTUS** Fr.**P. ostreatus** Jacq.

Frequent throughout the island.

P. ulmarius Bull.*Queens* : Glen Cove.**P. campanulatus** Peck.*Suffolk* : Saugerties, Peck.**OMPHALIA** Fr.**O. subrufescens** Pk.*Queens* : Glen Cove, Peck.**MYCENA** Fr.**M. galericulata** Scop.*Queens* : Richmond Hill.**COLLYBIA** Fr.**C. velutipes** Curtis.*Kings* : Prospect Park. *Queens* : Rockaway Beach.**CLITOCYBE** Fr.**C. lacccatus** Scop.*Kings* : Prospect Park, Richmond Hill.**C. trullissatus** Ell.

Long Island, Peck.

C. solitarius Bull.

Suffolk: Wading River, Peck.

C. rhagadiosus Fr.

Suffolk: Wading River, Peck.

TRICHOLOMA Fr.

T. sejunctum Low.

Queens: Manor, Peck. *Suffolk*: Quoque, Peck.

T. grave Peck.

Manor, Peck.

ARMILLARIA Fr.

A. melleus Vahl.

Frequent throughout the island.

AMANITA Fr.

A. vernus Bull. (*A. phalloides*).

Queens: Glen Cove.

A. muscarius L.

Queens: Roslyn, Glen Cove.

A. rubescens Fr.

Queens: Glen Cove.

GASTEROMYCETES.

LYCOPERDACEAE.

LYCOPERDON L.

L. gemmatum Fr.

Kings: Flatlands.

L. pyriforme Schaeff.

Common throughout the island.

GEASTER L.

G. hygrometricus ? (L.) Pers.

Common throughout the island.

NIDULARIACEAE.

CYATHUS Haller.

C. striatus (Huds.) Hoff.

Kings: Flatbush.

CRUCIBULUM Tul.

C. vulgare Tul.


Frequent throughout the island.

SCLERODERMATACEAE.

SCLERODERMA Pers.

S. Bovista Fr.

Kings: Prospect Park, Flatlands.



S. Geaster Fr.*Suffolk* : Manor, Peck.**S. vulgare** Fr.

Frequent throughout the island.

PHALLACEAE.**PHALLUS** Mech.**P. impudicus** L.

Infrequent throughout island.

P. duplicatus Bosc.*Kings* : Brooklyn.**MUTINUS.****M. bovinus** Morgan.*Queens* : Glen Cove. *Suffolk* : Manor, Peck.**LICHENES.****CLADONIACEAE.****BAEOMYCES** Pers.**B. roseus** Pers.*Queens* : Lawrence, Valley Stream.**CLADONIA** Hoffm.**C. pyxidata** (L.) Fr.

Frequent throughout the island.

C. gracilis verticillata Fr.

Frequent throughout the island.

C. Papillaria (Ehrh.) Hoffm.*Suffolk* : Orient, Young.**C. furcata** (Huds.) Fr.

Frequent throughout the island.

C. rangiferina (L.) Hoffm.

Frequent throughout the island.

C. uncialis (L.) Fr.*Kings* : Ridgewood, Brainerd.**C. cornucopioides** (L.) Fr.*Queens* : Richmond Hill.**C. cristatella** Tuck.

Frequent throughout the island.

C. bacillaris. (?)*Kings* : New Lots, Brainerd.

LECIDIACEAE.

BIATORA Fr.*B. fusco-rubella* Hoffm.*Queens*: Valley Stream.**LECIDIA** Ach.*L. albocoerulescens* Fr.*Queens*: Richmond Hill.**BUELLIA** De Not.*B. parasema* (Ach.) Th. Fr.

Frequent throughout the island.

GRAPHIDACEAE.

OPEGRAPHA Humb.*O. varia* (Pers.) Fr.*Queens*: Richmond Hill.**GRAPHIS** Ach.*G. scripta* Ach.

Frequent throughout the island.

PHYSCIACEAE.

PLACODIUM Ach.*P. vittellinum* (Ehr.) Naeg. & Hepp.*Kings*: Bay Ridge.**PYXINE** Fr.*P. sorediata* Fr.*Kings*: Gowanus, Brainerd.**PHYSCKIA** DC.*P. aquila* (Ach.) Nyl.*Kings*: New Lots, Brainerd.*P. stellaris* (L.) Tuck.

Frequent throughout the island.

P. tribacia (Ach.) Tuck.*Kings*: New Lots, Brainerd. *Queens*: Richmond Hill, Glen Cove.**THELOSCHISTES** Norm.*T. parietinus* (L.) Norm.*Kings*: Flatbush. *Queens*: Flushing, Brainerd. *Suffolk*: Orient, Young.*T. lychnæus* Nyl.*Kings*: Flatbush.*T. chrysophthalmus* (L.) Norm.

Frequent throughout the island.



PARMELIACEAE.

LECANORA Ach.

L. pallida (Schreb.) Schaer.

Kings : Flatbush, Ridgewood, Brainerd. *Queens* : Valley Stream.

L. subfusca (L.) Ach.

Queens : Richmond Hill, Valley Stream.

L. varia (Ehrh.) Nyl.

Kings : Ridgewood, Brainerd. *Queens* : Glen Cove.

PARMELIA Ach.

P. crinita Ach.

Kings : Ridgewood, Brainerd.

P. perforata (Jacq.) Ach.

Queens : Valley Stream.

P. perlata (L.) Ach.

Kings : Ridgewood, Brainerd.

P. tiliacea (Hoffm.) Floerk.

Queens : Valley Stream.

P. Borreri Ach.

Kings : Gowanus, Brainerd ; Flatlands. *Queens* : Glen Cove,

Suffolk : Orient, Young.

P. saxatilis (L.) Fr.

Kings : Ridgewood, Brainerd. *Queens* : Valley Stream, *Suffolk* : Orient, Young.

P. caperata (L.) Ach.

Common throughout the island.

P. conspersa (Ehrh.) Ach.

Kings : Gowanus, Brainerd ; Prospect Park. *Queens* : Glen Cove.

P. olivacea (L.) Ach.

Queens : Valley Stream.

P. rutilans (?)

Kings : Flatbush, Brainerd.

CETRARIA Ach.

C. Islandica (L.) Ach.

Queens : Richmond Hill.

C. ciliaris (Ach.) Tuck.

Kings : East New York, Brainerd.

C. lacunosa Ach.

Queens : Jamaica, Brainerd.

RAMALINA Ach.

R. calicaris (L.) Fr.

Frequent throughout the island.

ALECTORIA Ach.*A. jubata* (L.) Tuck.*Queens* : Jamaica, Brainerd.**USNEA** Ach.*U. barbata* (L.) Fr.

Frequent throughout the island.

U. angulata Ach.*Suffolk* : Montauk Point, Brainerd.*U. trichodea* Ach.*Suffolk* : Orient, Young.**VERRUCARIACEAE.****CONOTREMA** Tuck.*C. urceolatum* (Ach.) Tuck.*Queens* : Valley Stream, Jelliffe.**PERTUSSARIA** DC.*P. velata* (Turn.) Nyl.*Kings* : Ridgewood, Brainerd.*P. communis* DC.*Kings* : Ridgewood, Brainerd. *Queens* : Richmond Hill.**ENDOCARPACEAE.****ENDOCARPON** Hedw.*E. miniatum* (L.) Schaer.*Suffolk* : Orient, Young.**COLLEMACEAE.****COLLEMA** Hoffm.*C. flaccidum* Ach.*Queens* : Jamaica, Brainerd, Valley Stream.**LEPTOGIUM** Fr.*L. tremelloides* (L. f.) Fr.*Queens* : Jamaica, Brainerd, Valley Stream.**PANNARIACEAE.****PELTIGERA** Willd.*P. aphthosa* (L.) Hoffm.*Kings* : New Lots, Brainerd.*P. canina* (L.) Hoffm.*Queens* : Jamaica, Brainerd.



STICTA Schreb.**S. pulmonaria** (L.) Ach.

Frequent throughout the island.

S. amplissima (Scop.) Mass.*Kings* : New Lots, Brainerd.**HEPATICAE.****RICCIACEAE.****RICCIA** L.**R. fluitans** L.*Kings* : Canarsie, Brainerd.forma *terrestris*.*Queens* : Freeport, Howe.**R. natans** L.*Kings* : Gowanus, Brainerd ; Ridgewood.**MARCHANTIACEAE.****CONOCEPHALUM** Wiggers.**C. conicum** (L.) Dumort.

Common throughout.

MARCHANTIA L.**M. polymorpha** L.

Frequent throughout the island.

METZGERIACEAE.**RICCARDIA** S. F. Gray.**R. pinguis** (L.) S. F. Gray.*Kings* : Ridgewood, Brainerd.**R. major** (Nees) Lindb.*Queens* : Freeport, Howe.**PELLIA** Raddi.**P. epiphylla** (L.) Nees.*Queens* : Jamaica, Brainerd.**PALLAVICINIA** S. F. Gray.**P. Lyelli** (Hook.) S. F. Gray.*Queens* : Freeport, Howe.**JUNGERMANNIACEAE.****PLAGIOCHILA** Dumort.**P. poreloides** Lindenb.*Queens* : Roslyn, Brainerd.

LOPHOCLEA Dumort.*L. heterophylla* (Schrad.) Dumort.*Queens* : Freeport, Howe.**CHILOSCYPHUS** Corda.*C. polyanthus* (L.) Corda; var. *rivularis* Nees.*Queens* : Freeport, Howe.**SACCOGYNA** Dumort.*S. graveolens* (Schrad.) Lindb.*Queens* : Freeport, Howe.**CEPHALOZIA** Dumort.*C. catenulata* (Hüben.) Lindb.*Queens* : Freeport, Howe.*C. connivens* (Dicks.) Lindb.*Queens* : Freeport, Howe.**LEPIDOZIA** Dumort.*L. setacea* (Web.) Mitt.*Queens* : Freeport, Howe.**ODONTOSCHISMA** Dumort.*O. sphagna* (Dicks.) Dumort.*Queens* : Freeport, Howe.**KANTIA** S. F. Gray.*K. Trichomanis* (L.) S. F. Gray.*Queens* : Freeport, Howe.*K. Sullivantii* (Austin) Underwood.*Queens* : Freeport, Howe.**BLEPHAROSTOMA** Dumort.*B. nematodes* (Gottsch.) Underwood and Cooke.*Queens* : Freeport, Howe.**SCAPANIA** Dumort.*S. nemorosa* (L.) Nees.*Kings* : East New York, Brainerd.**TRICHOCOLEA** Dumort.*T. tomentella* (Ehr.) Dumort.*Kings* : New Lots, Brainerd.**RADULA** L.*R. complanata* (L.) Dumort.*Kings* : New Utrecht, Brainerd.**PORELLA** L.*B. platyphylla* (L.) Lindb.


Frequent throughout the island.

FRULLANIA Raddi.*F. Eboracensis* Gottsche.

Not infrequent on trees.

F. Asa-Grayana Mont.*Kings* : Ridgewood, Brainerd.





ANTHOCERATACEAE.

ANTHOCERAS L.

A. laevis L.*Queens* : Freeport, Howe.

NOTOTHYLAS Sulliv.

N. orbicularis (Schwein) Sulliv.*Queens* : Freeport, Howe.

MUSCI.

SPHAGNACEAE.

SPHAGNUM L.

S. acutifolium Ehr.

Not infrequent.

S. cuspidatum Ehr.*Kings* : New Utrecht, Brainerd.*S. cymbifolium* Ehr.

Not infrequent.

S. molle Sull.*Suffolk* : Northport, M. L. Saniel.*S. subsecundum* Nees.*Kings* : New Utrecht, New Lots, Brainerd.*S. subsecundum obesum* (Wils.) Schimp.*Kings* : Greenwood, Brainerd.

PHASCACEAE.

ACAULON C. Müll.

A. muticum (Schreb.) C. Müll.*Kings* : Brooklyn, Austin.

BRUCHIACEAE.

PLEURIDIUM Brid.

P. alternifolium (Dicks.) Rab.*Queens* : Glen Cole, M. L. Saniel.

WEISIACEAE.

HYMENOSTYLIUM Brid.

H. curvirostre (Ehrb.) Lindb.*Kings* : Bath, C. H. Hall.

WEISIA Hedw.

W. viridula (L.) Hedw.

Common throughout.

DICRANACEAE.

DICRANELLA Schimp.**D.** *varia* (Hedw.) Schimp.*Suffolk*: Northport, M. L. Saniel.**D.** *heteromalla* (L.) Schimp.

Frequent throughout.

DICRANUM Hedw.**D.** *spurium* Hedw.*Queens*: Huntington, J. E. Rogers.**D.** *undulatum* Ehr.*Suffolk*: Wading River, E. S. Miller.**D.** *scoparium* (L.) Hedw.

Frequent.

D. *montanum* Hedw.*Suffolk*: Northport, M. L. Saniel.**D.** *flagellare* Hedw.

Not infrequent.

D. *fulvum* Hook.*Queens*: Flushing, Brainerd.

LEUCOBRYACEAE.

LEUCOBRYUM Hampe.**L.** *glaucum* (L.) Schimp.

Not infrequent throughout.

FISSIDENTACEAE.

FISSIDENS Hedw.**F.** *osmundoides* (Sw.) Hedw.*Kings*: College Point, Brainerd.**F.** *taxifolius* (L.) Hedw.

Not infrequent.

DITRICHACEAE.

CERATODON Brid.**C.** *purpureus* (L.) Brid.

Frequent throughout.

C. *purpureus aristatus* Aust.*Suffolk*: Orient, Young.**DITRICHUM** Timm.**D.** *tortile* (Schrad.) Lindb.*Kings*: Evergreen Cemetery, Brainerd. *Queens*: Fresh Pond, Hulst; Huntington, M. L. Saniel.



D. vaginans (Sull.) Hampe.

Queens: Fresh Pond, Hulst.

D. pallidum (Schreb.) Hampe.

Not infrequent throughout.

POTTIACEAE.

POTTIA Ehr.

P. truncatula (L.) Lindb.

Infrequent in roadsides.

BARBULA Hedw.

B. unguiculata (Huds.) Hedw.

Kings: Brooklyn. *Suffolk*: Smithtown, M. L. Saniel.

GRIMMIACEAE.

GRIMMIA Ehr.

G. Pennsylvanica Schwaeg.

Kings: Gowanus, Brainerd. *Suffolk*: M. L. Saniel.

RACOMITRUM Brid.

R. aciculare (L.) Brid.

Kings: Gravesend, Bath, Brainerd.

HEDWIGIA Ehr.

H. albicans (Web.) Lindb.

Kings: New Lots, Brainerd. *Queens*: Glen Cove. *Suffolk*: Northport, M. L. Saniel.

ORTHOTRICHACEAE.

ULOTA Mohr.

U. Americana (P. B.) Lindb.

Queens: Richmond Hill.

U. crispa (L.) Brid.

Queens: Jamaica, Brainerd. *Suffolk*: E. Hampton, Anna M. Vail.

ORTHOTRICHUM Hedw.

O. cupulatum Hoff.

Suffolk: E. Hampton, Anna M. Vail.

O. Braunii Bry. Eur.

Suffolk: Centreport, M. L. Saniel.

O. pusillum Mitt.

Queens: Richmond Hill.

O. psilocarpum Jas.

Queens: Richmond Hill, Flatbush.

DRUMMONDIA Hook.**D. clavellata** Hook.

Kings: Greenwood, Brainerd. *Queens*: Jamaica, Brainerd; Lloyd's Neck, M. L. Saniel; Richmond Hill.

GEORGIACEAE.**GEORGIA** Ehrh.**G. pellucida** (L.) Raben.

Kings: New Lots, Brainerd. *Queens*: Richmond Hill.

FUNARIACEAE.**PHYSCOMITRIUM** Brid.**P. pyriforme** (L.) Brid.

Kings: Brooklyn, New Lots, Gowanus, Brainerd. *Queens*: Glen Cove, M. L. Saniel.

FUNARIA Schreb.**F. flavicans** Mx.

Kings: Flatbush, Brainerd.

F. hygrometrica (L.) Sibth.

Not infrequent.

BRYACEAE.**LEPTOBRYUM** Schimp.**L. pyriforme** (L.) Schimp.

Kings: Flatbush. *Queens*: Lloyd's Neck, M. L. Saniel; Richmond Hill.

BRYUM Dill.**B. argenteum** L.

Common throughout.

B. caespiticium L.

Kings: Greenwood, Brainerd; Prospect Park. *Queens*: Richmond Hill. *Suffolk*: Northport, M. L. Saniel.

B. intermedium (Lud.) Brid.

Kings: New Lots, East New York, Brainerd.

RHODOBRYUM Schimp.**R. roseum** (Weis) Lind.


Kings: Ridgewood, Brainerd. *Suffolk*: Pardegot, Brainerd.

MNIACEAE.**MNIUM** Dill.**M. hornum** L.

Kings: New Lots, Brainerd, Jelliffe. *Queens*: Valley Stream.

M. cuspidatum (L.) Leyss.

Common throughout.



M. affine Bland.

Frequent throughout.

M. punctatum (L., Schreb.) Hedw.

Kings : New Lots, Brainerd.

AULACOMNIACEAE.

AULACOMNIUM Schwägr.

A. heterostichum B & S.

Kings: New Lots, Brainerd. *Suffolk* : The Cove, M. L. Saniel.

A. palustre (L.) Schw.

Kings : New Lots, Brainerd. *Suffolk* : M. L. Saniel.

BARTRAMIACEAE.

BARTRAMIA Hedw.

B. pomiformis (L.) Hedw.

Kings: Pike. *Queens* : Cold Spring ; M. L. Saniel, Roslyn, Brainerd.

PHILONOTUS Brid.

P. fontana (L.) Brid.

Queens : Huntington, M. L. Saniel. *Suffolk*: Northport, M. L. Saniel.

POLYTRICHACEAE.

CATHARINEA Ehrh.

C. undulata (L.) Web. & Mohr.

Frequent throughout.

C. angustata Brid.

Frequent throughout.

C. crispa (Aust.) James.

Kings : Prospect Park, Brainerd ; Flatbush Water Works.

POGONATUM Beauv.

P. brevicaule Beauv.

Frequent throughout.

POLYTRICHUM L.

P. piliferum Schreb.

Suffolk : East Meadow, M. L. Saniel.

P. Juniperinum Willd.

Infrequent.

P. commune L.

Common throughout.

P. Ohioense R. & C.

Frequent throughout.

BUXBAUMIACEAE.

DIPHYSCIUM (Ehrh.) Mohr.**D. sessile** (Schmid.) Lindb.*Suffolk* : Centreport, M. L. Saniel.

PLEUROCARPÆ.

FONTINALACEAE.

FONTINALIS L.**F. antipyretica** L.*Queens* : Flushing, Pike ; Valley Stream. *Suffolk* : Moriches, Brainerd.**DICHELYMA** Myrin.**D. capillaceum** Schimp.*Kings* : Ridgewood, Gowanus, Brainerd. *Suffolk* : Northport, M. L. Saniel.

CRYPHAEACEAE.

LEUCODON Schwäger.**L. julaceus** (Hedw.) Sull.*Kings* : Bath, Brainerd. *Suffolk* : Moriches, Brainerd.

LESKEACEAE.


ANOMODON (Hook. Tayl.)**A. attenuatus** (Schreb.) Hüben.*Kings* : New Lots, Flatbush, Brainerd. *Queens* : Valley Stream, Richmond Hill.**A. rostratus** (Hedw.) Schimp.*Kings* : Brooklyn, Gowanus, Ridgewood, Brainerd.**THUIDIUM** Bry. Eur.**T. delicatulum** (L.) Mitt.

Frequent throughout.

T. recognitum Hedw.*Queens* : Richmond Hill. *Suffolk* : Northport, M. L. Saniel.**T. Virginianum** Lindb.*Queens* : Lloyd's Neck, M. L. Saniel.

HYPNACEAE.

PLATYGYRIUM Bry. Eur.**P. repens** (Brid.) Bry. Eur.*Suffolk* : Smithtown, M. L. Saniel.



PYLAISIA Br. Sch.*P. sub-denticulata* Sch.*Queens* : Richmond Hill.*P. velutina* B. & S.*Kings* : New Lots, Brainerd ; Cypress Hills, Hulst.**CYLINDROTHECIUM** Bry. Eur.*C. cladorrhizans* (Hedw.) Sch.*Suffolk* : Northport, M. L. Saniel.*C. seductrix* (Hedw.) Sull.*Kings* : Gravesend, New Utrecht, Brainerd ; Prospect Park.*Queens* : Richmond Hill.**CLIMACIUM** Web. & Mohr.*C. Americanum* Brid.

Not infrequent throughout.

BRACHYTHECIUM Bry. Eur.*B. salebrosum* (Hoffm.) Bry. Eur.*Queens* : Richmond Hill.*B. rutabulum* (L.) Bry. Eur.*Suffolk* : Northport, M. L. Saniel.*B. plumosum* (Sch.) Bry. Eur.

Frequent throughout.

B. acuminatum (Beauv.) Bry. Eur.*Suffolk* : Centreport, M. L. Saniel.*B. rivulare* Bry. Eur.*Kings* : Gowanus, New Lots, Brainerd. *Suffolk* : Centreport, M. L. Saniel.*B. velutinum* (L.) Bry. Eur.*Kings* : New Lots, Brainerd.**EURYNCHIUM** Bry. Eur.*E. strigosum* (Hoff.) Bry. Eur.*Kings* : Ridgewood, New Utrecht, Brainerd. *Suffolk* : Northport, M. L. Saniel.*E. hians* (Hedw.) Jäger & Sauerb.*Kings* : New Utrecht, Brainerd. *Suffolk* : Northport, M. L. Saniel.*E. Boissii* (Schw.) B. & S.

Frequent throughout.

RHAPHIDOSTEGIUM (Bry. Eur.) De Not.*R. demissum* (Nils. & Sch.) De Not.*Queens* : Valley Stream.**PLAGIOTHECIUM** Bry. Eur.*P. sylvaticum* (Huds.) Br. & Sch.*Suffolk* : Centreport, M. L. Saniel.

P. Sullivantiae Sch.

Kings : Gowanus, Brainerd.

P. denticulatum (L.) Br. & Sch.

Kings : Canarsie, Brainerd.

P. turfaceum (Lind.) Limp.

Suffolk : Northport, M. L. Saniel.

AMBLYSTEGIUM Schimp.**A. adnatum** (Hedw.) Br. & Sch.

Kings : New Lots, Brainerd. *Suffolk* : Northport, M. L. Saniel.

A. serpens (L.) Br. & Sch.

Kings : Prospect Park ; New Lots, Bath, Brainerd.

A. serpens orthocladon (Aust.). ?

Kings : New Lots, Bath, Brainerd.

A. riparium (L.) Br. & Sch.

Frequent throughout.

A. varium (Hedw.) Lindb.

Kings : New Lots, Brainerd.

HYPNUM L.**H. hispidulum** Brid.

Suffolk : Centreport, M. L. Saniel.

H. paludosum Sulliv.

Suffolk : Centreport, M. L. Saniel.

H. Sullivantii Spruce.

Kings : Bath, Brainerd.

H. serrulatum Hedw.

Frequent throughout.

HYLOCOMIUM Br. & Sch.**H. triquetrum** (L.) Br. & Sch.

Kings : New Lots, Brainerd. *Suffolk* : Northport, M. L. Saniel.

H. parietinum (L.) Lindb.

Kings : New Lots, Bath, Brainerd.

H. proliferum (L.) Lindb.

Suffolk : Northport, M. L. Saniel.

STEREODON Mitt.**S. cupressiforme** (L.) Brid. ?

Not infrequent.

S. pallescens (Hedw.) Lindb.

Kings : New Lots, Brainerd.

S. imponens (Hedw.) Brid.


Frequent throughout.

S. Halianum (Grev.) Lindb.

Frequent throughout.

THELIA Sulliv.**T. hirtella** (Hedw.) Sulliv.

Frequent throughout.





PTERIDOPHYTA.

OPHIOGLOSSACEAE.

OPHIOGLOSSUM L.

O. vulgatum L. f. 1.*

Long Island, Hulst. ?

BOTRYCHIUM Sw.

B. simplex Hitch. f. 2.

Suffolk: Miller and Young.

B. matricariaefolium A. Br. f. 4.

Long Island, Hulst.

B. ternatum dissectum (Sp.) Milde. f. 5.

Queens: Richmond Hill, Hulst. *Suffolk*: Miller and Young.

Var. *obliquum* (Muhl.) Milde.

Queens: Richmond Hill. *Suffolk*: Miller and Young.

B. Virginianum (L.) Sw. f. 7.

Frequent throughout the island.

OSMUNDACEAE.

OSMUNDA L.

O. regalis L. Royal Fern. f. 8.

Frequent throughout the island.

O. cinnamomea L. Cinnamon Fern. f. 9.

Common throughout the island.

O. Claytoniana L. f. 10.

Frequent throughout the island.

POLYPODIACEAE.

ONOCLEA L.

O. sensibilis L. Sensitive Fern. f. 14.

Common throughout the island.

WOODSIA R. Br.

W. Ilvensis (L.) R. Br. f. 16.

Long Island, W. Dunham.

W. obtusa (Spreng.) Torr. Woodsia. f. 21.

Suffolk: Greenport, 1861, Herb. L. I. Historical Society (H. S.).

DICKSONIA L'Her.

D. punctilobula (Mx.) Gray. Dicksonia. f. 22.

Kings: Cypress Hills, Hulst; New Lots, Brainerd. *Suffolk*: Miller and Young.

*Figure numbers refer to the figures in Britton and Brown's "Illustrated Flora."

DRYOPTERIS Adams. (*Aspidium*).

- D. acrostichoides (Mx.) Kuntze. f. 27.
 Frequent throughout the island.
- D. Schweinitzii (Beck) B. S. P.
Suffolk: East Hampton, Mrs. L. D. Pychowska.
- D. Noveboracensis (L.) A. Gray. f. 29.
 Frequent throughout the island.
- D. Thelypteris (L.) A. Gray. f. 30.
 Frequent throughout the island.
- D. cristata (L.) A. Gray. f. 33.
Suffolk: Miller & Young.
- D. marginatus (L.) A. Gray. f. 35.
 Common throughout the island.
- D. spinulosa (Retz.) Kuntze. f. 37.
 Common throughout the island.
- D. spinulosa intermedia (Muhl.) Underw.
 Frequent throughout the island.

PHEGOPTERIS Fee.

- P. Phegopteris (L.) Underw. f. 39.
Kings: Prospect Park; Flatbush, Brainerd.
- P. hexagonoptera (Mx.) Fee. f. 40.
Kings: Calverley, Cypress Hills, Hulst. *Queens*: Richmond Hill, Hulst, J.
- P. Dryopteris (L.) Fee. Beach-fern. f. 41.
Queens: Richmond Hill.

WOODWARDIA J. E. Smith.

- W. Virginica (L.) Smith. Chain-fern. f. 42.
Queens: Calverley, Fresh Pond, Hulst. *Suffolk*: Miller & Young.
- W. areolata (L.) Moore. f. 43.
Kings: Forbell's Landing, Hulst. *Queens*: Fresh Pond, Hulst, Jamaica, Brainerd; Valley Stream. *Suffolk*: Greenport, Tillinghast, Miller & Young.

ASPLENIUM L.

- A. platyneuron (L.) Oakes. f. 49.
 Frequent throughout the island.
- A. Trichomanes L. f. 50.
 Long Island, Hulst. *Queens*: Astoria, Herb. H. S.
- A. acrostichoides Lw. Shield Fern. f. 57.
 Frequent throughout the island.
- A. Filix-foemina (L.) Bernh. f. 58.
 Frequent throughout the island.

ADIANTUM L.

- A. pedatum L. Maiden-hair Fern. f. 60.
 Occasional throughout the island.



PTERIS L.

P. aquilina L. Brake. f. 61.

Frequent throughout the island.

POLYPODIUM L.

P. vulgare L. Polybody. f. 71.

Common throughout the island.

EQUISETACEAE.**EQUISETUM L.**

E. arvense L. Common Horsetail. f. 77.

Common throughout the island.

E. fluviatile L. f. 82.

Queens: Woodside, Hulst. *Suffolk*: Miller & Young.

LYCOPODIACEAE.**LYCOPODIUM L.**

L. inundatum L. f. 90.

Suffolk: Miller & Young.

L. alopecuroides L. Club Moss. f. 91.

Kings: Forbell's Landing, Hulst. *Queens*: Calverley. *Suffolk*: East Hampton, Mrs. L. D. Pychowska.

L. obscurum L. Ground Pine. f. 92.

Long Island, Hulst. *Kings*: Calverley. *Suffolk*: Miller & Young.

L. clavatum L. f. 96.

Long Island, Hulst. *Suffolk*: Miller & Young.

L. complanatum L. Trailing Christmas Green. f. 98.

Queens: Richmond Hill. *Suffolk*: Miller & Young.

SELAGINELLACEAE.**SELAGINELLA Beauv.**

S. apus (L.) Spreng. Selaginella. f. 101.

Queens: Calverley. *Suffolk*: Miller & Young.

SPERMATOPHYTA.**GYMNOSPERMÆ.****PINACEAE.****PINUS L.**

P. Strobus L. White Pine. f. 110.

Frequent throughout the island.

P. Virginiana Mill. Hemlock Pine. f. 115.

Long Island, Hulst. *Suffolk*: Miller & Young.

P. echinata Mill. Spruce Pine. f. 116.

Kings: Ridgewood, Brainerd. Long Island, Hulst. *Suffolk*: Miller & Young.

P. rigida Mill. Pitch Pine. f. 119.

Frequent throughout the island.

LARIX Adans.

L. laricina (Du Roi) Koch. Larch. f. 120.

Long Island, Hulst. *Kings*: Prospect Park. *Queens*: Richmond Hill.

PICEA Link.

P. Canadensis (Mill.) B.S.P. Spruce. f. 121.

Long Island, Hulst.

P. Mariana (Mill.) B.S.P. Black Spruce. f. 122.

Suffolk: Miller & Young.

TSUGA Carr.

T. Canadensis (L.) Carr. Hemlock Spruce. f. 124.

Long Island, Hulst. *Kings*: Prospect Park. *Suffolk*: Miller & Young.

ABIES Juss.

A. balsamea (L.) Mill. Balsam. f. 126.

Long Island, Hulst.?

THUJA L.

T. occidentalis L. White Cedar. f. 129.

Frequent throughout the island, planted.

CHAMAECYPARIS Spach.

C. thyoides (L.) B.S.P. f. 130.

Suffolk: Miller & Young.

JUNIPERUS L.

J. communis L. Juniper. f. 131.

Frequent throughout the island.

J. Virginiana L. f. 133.


Common throughout the island.

TAXACEAE.

TAXUS L.

T. minor (Mx) Britton. f. 135.

Kings: Prospect Park.



ANGIOSPERMAE.

MONOCOTYLEDONES.

TYPHACEAE.

TYPHA L.

T. latifolia L. Cat-tail. f. 136.

Frequent throughout the island.

T. angustifolia L. f. 137.

Frequent throughout the island.

SPARGANIACEAE.

SPARGANIUM L.

S. eurycarpum Eng. Bur-reed. f. 138.

Kings: Forbell's, Hulst. *Suffolk*: Miller & Young.

S. androcladum (Eng.) Morong. f. 139.

Queens: Cold Spring, Hulst; Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

S. simplex Huds. f. 140.

Queens: Richmond Hill; Flushing, Bisky; Glen Cove. *Suffolk*: Greenport, Tillinghast; Miller & Young.

NAIADACEAE.

POTAMOGETON L.

P. natans L. Pond-weed. f. 142.

Queens: Calverley; Flushing, Hempstead, Bisky.

P. Oakesianus Robbins. f. 143.

Queens: Cold Spring, Hulst; Morong.

P. amplifolius Tuck. f. 144.

Kings: Cypress Hills, Hulst.

P. Nuttallii Ch. & Sch. f. 146.

Long Island, Hulst. *Queens*: Bisky. *Suffolk*: Miller & Young.

P. heterophyllum Schreb. f. 150.

Queens: Jamaica, Leggett.

P. foliosus Raf. f. 162.

Suffolk: Miller & Young.

P. pusillus L. f. 168

Queens: N. Hempstead, Leggett. *Suffolk*: Miller & Young.

P. diversifolius Raf. f. 170.

Suffolk: Miller & Young.

P. pectinatus L. f. 173.

Suffolk: Miller & Young.

P. Robbinsii Oakes. f. 175.

Kings: Forbell's Landing, Hulst. *Suffolk*: Miller & Young.

RUPPIA L.

R. maritima L. Ditch-grass. f. 176.

Frequent along the shores.

ZANNICHELLIA L.

Z. palustris pedunculata Gray. Horned Pond Weed. f. 178.

Queens: Flushing, Bisky.

NAIAS L.

N. flexilis (Willd.) R. & S. Naiad. f. 180.

Queens: Flushing, Leggett. *Suffolk*: Miller & Young.

ZOSTERA L.

Z. marina L. Eel-grass. f. 183.

Common along the shores.

SCHEUCHZERIACEAE.**TRIGLOCHIN L.**

T. maritima L. Arrow-grass. f. 186.

Kings: Calverley. Long Island, Hulst. *Suffolk*: Miller & Young.

ALISMACEAE.**ALISMA L.**

A. Plantago-aquatica L. Water Plantain. f. 188.

Frequent throughout the island.

SAGITTARIA L.

S. latifolia Willd. f. 195.

Long Island, Hulst. *Suffolk*: Miller & Young.

S. rigida Pursh. f. 201.

Queens: Richmond Hill.

S. teres Wats. f. 202.

Queens: Cold Spring, Hulst. *Suffolk*: Wading River, Miller.

S. graminea Mx. f. 204.

Long Island, Hulst. *Queens*: Jamaica, Ruger. *Suffolk*: Miller & Young.

S. subulata (L.) Buchenau. f. 206.

Long Island, Hulst. *Queens*: Flushing, Leggett.

VALLISNERACIEAE**PHILOTRIA Raf.**

P. Canadensis (Mx.) Britton. f. 207.

Long Island, Hulst.

VALLISNERIA L.

V. spiralis L. Eel-grass. f. 208.

Suffolk: Miller & Young.



GRAMINACEAE.

TRIPSACUM L.

T. dactyloides L. Sesame Grass. f. 210.

Kings : Forbell's Landing, Hulst.

ANDROPOGON L.

A. scoparius Mx. f. 216.

Queens : Rockaway Beach, Hulst. *Suffolk* : Miller & Young.

A. scoparius maritimus (Chap.) Hack.

Kings : Coney Island, Hulst.

A. furcatus Muhl. f. 219.

Queens : Garden City, Hulst. *Suffolk* : Miller & Young.

A. Virginicus L. f. 220.

Queens : Maspeth, Hulst. *Suffolk* : Miller & Young.

A. glomeratus (Walt.) B.S.P. f. 221.

Kings : Forbell's Landing, Hulst. *Suffolk* : Miller & Young.

PASPALUM L.

P. setaceum Mx. f. 231.

Queens : Rockaway, Hulst. *Suffolk* : Manor, C. H. Peck ; Miller & Young.

SYNTHERISMA Walt.

S. sanguinalis (L.) Nash. f. 240.

Kings : Brooklyn, Hulst. *Queens* : Rockaway Beach. *Suffolk* : Miller & Young.

S. linearis (Krock) Nash. f. 241.

Suffolk : Miller & Young.

S. filiformis (L.) Nash. f. 242.

Queens : Jamaica, Hulst. *Suffolk* : Miller & Young.

PANICUM L.

P. Crus-galli L. f. 243.

Common throughout the island.

P. Walteri Pursh. f. 244.

Common throughout the island.

P. agrostidiforme Lam. f. 249.

Queens : Maspeth, Hulst. *Suffolk* : Miller & Young.

P. clandestinum L. f. 257.

Kings : New Lots, Brainerd ; Forbell's Landing, Cypress Hills, Hulst. *Suffolk* : Miller & Young.

P. nitidum Lam. f. 263.

Kings : Cypress Hill, Hulst.

P. dichotomum L. f. 264.

Queens : Rockaway Beach. *Suffolk* : Miller & Young.

P. depauperatum Muhl. f. 268.

Kings : Flatbush, Brainerd.

P. virgatum L. f. 270.

Kings: Coney Island, Brainerd; Forbell's Landing, Hulst.

Queens: Maspeth, Hulst. *Suffolk*: Miller & Young.

P. amarum L. f. 271.

Suffolk: Miller & Young.

P. proliferum Lam. f. 273.

Kings: Forbell's Landing, Hulst. *Suffolk*: Miller & Young.

P. capillare L. f. 274.

Kings: Flatbush, Brainerd; Forbell's Landing, Hulst. *Queens*:

Maspeth, Hulst. *Suffolk*: Miller & Young.

P. autumnale Bosc. f. 276.

Kings: Cypress Hill, Hulst.

P. verrucosum Muhl. f. 278.

Kings: Flatbush, Brainerd. *Suffolk*: Miller & Young.

IXOPHORUS Schlecht.

I. glauca (L.) Nash. Bristly Fox-tail Grass. f. 281.

Frequent throughout the island.

I. viridis (L.) Nash. f. 282.

Frequent throughout the island.

CENCHRUS L.

C. tribuloides L. Bur-grass. f. 284.

Frequent throughout the island.

ZIZANIA L.

Z. aquatica L. Indian Rice. f. 286.

Kings: Forbell's Landing, Hulst. *Suffolk*: Miller & Young.

HOMALOCENCHRUS Mieg.

H. Virginica (Willd.) Britt. f. 287.

Kings: Forbell's Landing, Hulst.

H. oryzoides (L.) Oll. f. 288.

Kings: Gowanus, Brainerd. *Queens*: Maspeth, Hulst. *Suffolk*:

Miller & Young.

PHALARIS L.

P. Canariensis L. Canary-grass. f. 292.

Kings: Brooklyn, Hulst.

ANTHOXANTHUM L.

A. odoratum L. Vernal Grass. f. 293.

Common throughout the island.

SAVASTANA Schrank.


S. odorata (L.) Scrib. Holy Grass. f. 294.


Frequent throughout the island.

ARISTIDA L.

A. dichotoma Mx. Poverty Grass. f. 297.

Suffolk: Miller & Young.





A. gracilis Ell. f. 298.

Suffolk: Miller & Young.

A. purpurascens Poir. f. 301.

Suffolk: Miller & Young.

A. tuberculosa Nutt. f. 307.

Suffolk: Miller & Young.

STIPA L.

S. avenacea L. Feather-grass. f. 311.

Kings: New lots, Brainerd. *Suffolk*: Miller & Young.

MUHLENBERGIA Schreb.

M. Mexicana (L.) Trin. Drop-seed Grass. f. 321.

Queens: Rockaway, Hulst. *Suffolk*: Miller & Young.

M. racemosa (Mx.) B.S.P. f. 322.

Suffolk: Miller & Young.

M. diffusa Schreb. f. 327.

Suffolk: Miller & Young.

BRACHYELYTRUM Beauv.

B. erectum (Schreb.) Beauv. f. 332.

Kings: Flatbush, Brainerd.

HELEOCHLOA Host.

H. schoenoides (L.) Host. f. 333.

Kings: Brooklyn, Hulst.

PHLEUM L.

P. pratense L. f. 335.

Common throughout the island.

ALOPECURUS L.

A. geniculatus L. f. 337.

Kings: Brooklyn, Hulst.

A. pratensis L. Meadow Foxtail. f. 338.

Kings: Brooklyn, Calverley. ?

SPOROBOLUS R. Br.

S. asper (Mx.) Kunth. Dropseed grass. f. 341.

Suffolk: Miller & Young.

S. vaginæflorus (Torr.) Wood. f. 344.

Suffolk: Miller & Young.

S. serotinus (Torr.), Gray. f. 355.

Suffolk: Miller & Young.

CINNA L.

C. Arundinacea L. f. 360.

Kings: Forbell's Landing, Hulst.

C. latifolia (Trev.) Griseb. f. 361.

Kings: Forbell's Landing, Hulst. *Suffolk*: Miller & Young.

AGROSTIS L.

- A. alba** L. White Bent-grass. f. 362.
Kings : Forbell's Landing, Hulst. *Suffolk* : Miller & Young.
A. alba vulgans (Wtth.) Thunb.
Suffolk : Miller & Young.
A. perennans (Walt.) Tuck. Thin-grass. f. 367.
Kings : Cypress Hill, Hulst.
A. hyemalis (Walt.) B.S.P. Hair-grass. f. 368.
Queens : Freshpond, Hulst.

CALAMAGROSTIS Adans.

- C. cinnoides** (Muhl.) Scrib. f. 379.
Queens : Maspeth, Hulst. *Suffolk* : Miller & Young.

AMMOPHILA Host

- A. arenaria** (L.) Link. Sea Sand-reed. f. 380.
Kings : Coney Island, Brainerd. *Queens* : Rockaway Beach,
 Hulst, J.

HOLCUS L.

- H. lanatus** L. Velvet Grass. f. 384.
 Frequent throughout the island.

AIRA L.

- A. praecox** L. f. 386.
Kings : Brooklyn.

DESCHAMPSIA Beauv.

- D. flexuosa** (L.) Trin. Hair-grass. f. 388.
Queens : Jamaica, Brainerd. *Suffolk* : Greenport, Tillinghast,
 Miller & Young.

DANTHONIA DC.


- D. spicata** (L.) Beauv. f. 397.
Suffolk : Miller & Young.

CAPRIOLA Adans.

- C. Dactylon** (L.) Kuntze. Bermuda grass. f. 400.
Kings : Brooklyn, Brainerd, Hulst. *Queens* : Long Island City,
 Peck.

SPARTINA Schreb.

- S. cynosuroides** (L.) Willd. Marsh Grass. f. 401.
Kings : New Lots, Brainerd. *Suffolk* : Miller & Young.
S. polystachya (Mx.) Ell. f. 402.
Kings : Forbell's Landing, Hulst.
S. patens (Ait.) Muhl. f. 403.
Kings : New Lots, Brainerd, Forbell's Landing, Hulst. *Queens* :
 Rockaway Beach. *Suffolk* : Miller & Young.
S. stricta (Ait.) Roth. f. 405.
Kings : Coney Island, Brainerd ; Forbell's Landing, Hulst.



S. stricta maritima (Lois.) Gray.

Suffolk : Miller & Young.

ELEUSINE Gaertn.

E. Indica (L.) Gaertn. Wire Grass. f. 415.

Common throughout the island.

PHRAGMITES Trin.

P. Phragmites (L.) Karst. f. 420.

Kings : Forbell's Landing, Hulst. *Suffolk* : Miller & Young.

ERAGROSTIS Beauv.

E. pilosa (L.) Beauv. f. 430.

Kings : Brooklyn, Hulst.

E. Purshii Schrad. f. 431.

Kings : Brooklyn, Hulst.

E. Eragrostis (L.) Karst. Eragrostis. f. 432.

Kings : Brooklyn, Hulst. *Suffolk* : Miller & Young.

E. major Host. f. 433.

Kings : Brooklyn, Hulst.

E. pectinacea spectabilis (Pursh) Gray. f. 436.

Queens : Rockaway Beach. *Suffolk* : Miller & Young.

EATONIA Raf.

E. Pennsylvanica (DC.) Gray. Eatonia. f. 442.

Queens : Woodside, Hulst.

DISTICHLIS Raf.

D. spicata (L.) Greene. Spike-grass. f. 454.

Kings : Flatbush, Brainerd. *Suffolk* : Miller & Young.

DACTYLIS L.

D. glomerata L. Orchard Grass. f. 457.

Frequent throughout the island.

POA L.

P. annua L. Low Spear-Grass. f. 459.

Common throughout the island.

P. compressa L. f. 461.

Frequent throughout the island.

P. pratensis L. Common meadow grass. f. 466.

Common throughout the island.

P. trivialis L. f. 468.

Suffolk : Miller & Young.

PANICULARIA Fabr.

P. Canadensis (Mx.) Kuntze. f. 485.

Suffolk : Miller & Young.

P. obtusa (Muhl.) Kuntze. f. 486.

Suffolk : Miller & Young.

P. elongata (Torr.) Kuntze. Manna-grass. f. 487.

Kings: Flatbush, Brainerd.

P. nervata (Willd.) Kuntze. f. 488.

Kings: Flatbush, Brainerd. *Suffolk*: Miller & Young.

P. pallida (Torr.) Kuntze. f. 490.

Suffolk: Miller & Young.

P. fluitans (L.) Kuntze. f. 491.

Suffolk: Greenport, Tillinghast; Miller & Young.

FESTUCA L.

F. octoflora Walt. Fescue grass. f. 497.

Queens: Rockaway Beach, Hulst. *Suffolk*: Greenport, Tillinghast; Miller & Young.

F. rubra L. f. 499.

Suffolk: Miller & Young.

F. ovina L. f. 500.

Long Island, Brainerd. *Suffolk*: Miller & Young.

F. ovina duriuscula (L.) Hack.

Suffolk: Miller & Young.

F. elatior L. f. 502.

Queens: Winfield, Hulst.

F. nutans Spreng. f. 504.

Kings: New Lots, Brainerd.

BROMUS L.

B. ciliatus L. f. 506.

Queens: Rockaway, Hulst.

B. tectorum L. f. 509.

Suffolk: Miller & Young.

B. secalinus L. Cheat. f. 514.

Suffolk: Greenport, Tillinghast; Miller & Young.

B. racemosus L. f. 515.

Kings: Flatbush, Brainerd.

AGROPYRON J. Gaertn.

A. repens (L.) Beauv. f. 524.

Suffolk: Miller & Young.

ELYMUS L.


E. Virginicus L. Wild Rye. f. 534.

Kings: Coney Island, Brainerd. *Queens*: Rockaway, Hulst.

Suffolk: Miller & Young.

E. Canadensis L. f. 535.

Kings: Forbell's, Hulst. *Suffolk*: Miller & Young.



CYPERACEAE.

CYPERUS L.

C. flavescens L. f. 543.

Kings: Forbell's Landing, Hulst. *Queens*: Glen Cove.

C. diandrus Torr. f. 544.

Kings: New Lots, Brainerd; Forbell's Landing, Hulst. *Queens*: Calverley, Glen Cove. *Suffolk*: Miller & Young.

C. Nuttallii Eddy. f. 546.

Kings: Forbell's Landing, Hulst. *Queens*: Hulst. *Suffolk*: Miller & Young.

C. dentatus Torr. Galingale. f. 556.

Kings: Forbell's, Hulst. *Queens*: Calverley. *Suffolk*: Miller & Young.

C. speciosus Vahl. f. 562.

Kings: Forbell's Landing, Hulst. *Queens*: Glen Cove. *Suffolk*: Miller & Young.

C. strigosus L. f. 565.

Frequent throughout the island.

C. cylindricus (Ell.) Britt. f. 569.

Queens: Rockaway Beach, Hulst, J.

C. filiculmis Vahl. f. 571.

Kings: Brooklyn, Hulst. *Queens*: Calverley; Rockaway Beach. *Suffolk*: Miller & Young.

C. Grayi Torr. f. 573.

Suffolk: Miller & Young.

DULICHIUM L. C. Richard.

D. arundinaceum (L.) Britt. f. 576.

Kings: Calverley. *Queens*: Newtown, Hulst; Glen Cove.

Suffolk: Miller & Young.

ELEOCHARIS R. Br.

E. Robbinsii Oakes. f. 579.

Suffolk: Miller & Young.

E. olivacea Torr. f. 581.

Suffolk: Miller & Young.

E. ovata (Roth.) Roem. & Schult. f. 584.

Kings: New Lots, Brainerd, Cypress Hills, Hulst. *Suffolk*: Miller & Young.

E. palustris (L.) Roem. & Schult. f. 586.

Queens: Woodhaven, Hulst; Glen Cove. *Suffolk*: Miller & Young.

E. acicularis (L.) Roem. & Schult. f. 587.

Kings: New Lots, Brainerd; Cypress Hill, Hulst. *Queens*: Cold Spring Harbor, Hulst. *Suffolk*: Miller & Young.

E. melanocarpa Torr. f. 592.

Suffolk: Miller & Young.

E. tenuis (Willd.) Schult. f. 595.

Kings: Carnarsie, Brainerd. *Queens*: Woodside, Hulst.

E. intermedia (Muhl.) Schult. f. 597.

Kings: Forbell's Landing, Hulst. *Queens*: Calverley.

E. rostellata Torr. f. 598.

Kings: Calverley. *Suffolk*: Miller & Young.

PSILOCARYA Torr.

P. nitens (Vahl) Wood. f. 601.

Suffolk: Wading River, Miller.

STENOPHYLLUS Raf.

S. capillaris (L.) Britt. f. 603.

Kings: Cypress Hill, Hulst. *Suffolk*: Miller & Young.

FIMBRISTYLYS Vahl.

F. castanea (Mx.) Vahl. f. 605.

Suffolk: Miller & Young.

F. autumnalis (L.) Roem. & Schult. *Fimbristylis*. f. 608.

Kings: Cypress Hills, Hulst. *Queens*: Glen Cove. *Suffolk*: Miller & Young.

SCIRPUS L.

S. nanus Spreng. f. 609.

Suffolk: Miller & Young.

S. caespitosus L. f. 611.

Kings: Forbell's Landing, Hulst. *Queens*: Calverley.

S. planifolius Muhl. f. 613.

Kings: Flatbush, Brainerd.

S. subterminalis Torr. f. 614.

Queens: Cold Spring Harbor, Hulst. *Suffolk*: Miller & Young.

S. debilis Pursh. f. 616.

Suffolk: Miller & Young.

S. Americanus Pers. f. 618.

Kings: Canarsie, Brainerd. *Queens*: Maspeth, Hulst. *Suffolk*:

Miller & Young.

S. Olneyi Gray. f. 619.

Suffolk: Miller & Young.

S. Torreyi Olney. f. 620.

Kings: Forbell's Landing, Hulst. *Queens*: Rockaway Beach, Hulst, J.

S. lacustris L. f. 623.

Queens: Maspeth, Hulst; Glen Cove. *Suffolk*: Miller & Young.

S. atrovirens Muhl. Bulrush. f. 630.

Kings: Forbell's Landing, Hulst; Canarsie, Brainerd. *Queens*: Maspeth, Hulst; Glen Cove. *Suffolk*: Miller & Young.

✓

S. *polyphyllus* Vahl. f. 632.

Queens: Cold Spring Harbor, Hulst. *Suffolk*: Miller & Young.

S. *cyperinus* *Eriophorum* (Michx.) Britt. f. 636.

Kings: Cypress Hills, Hulst; Flatlands, Brainerd. *Suffolk*: Miller & Young.

ERIOPHORUM L.

E. *polystachyon* L. Cotton Grass. f. 641.

Queens: Calverley. *Suffolk*: Miller & Young.

E. *gracile* Koch. f. 642.

Suffolk: Miller & Young.

E. *Virginicum* L. f. 643.

Frequent throughout the island.

FUIRENA Rottb.

F. *squarrosa* Mx. Umbrella Grass. f. 644.

Suffolk: Miller & Young.

HEMICARPHA Nees & Am.

H. *micrantha* (Vahl) Britt. f. 646.

Long Island, Calverley.

RYNCHOSPORA Vahl.

R. *corniculata macrostachya* (Torr.) Britt. f. 648.

Suffolk: Miller & Young.

R. *alba* (L.) Vahl. Beak-rush. f. 651.

Kings: Forbell's Landing, Hulst. *Suffolk*: Miller & Young.

R. *glomerata* (L.) Vahl. f. 654.

Kings: Coney Island, Brainerd. *Suffolk*: Miller & Young.

R. *axillaris* (Lam.) Britt. f. 655.

Suffolk: Miller & Young.

R. *fusca* (L.) Roem. & Sch. f. 656.

Suffolk: Miller & Young.

CLADIUM P. Br.

C. *mariscoides* (Muhl.) Torr. Twig-rush. f. 661.

Kings: Coney Island, Brainerd; Rockaway Beach. *Suffolk*:

Miller & Young.

SCLERIA Berg.

S. *reticularis* Mx. Nut-rush. f. 664.

Suffolk: Miller & Young.

CAREX L.

C. *folliculata* L. f. 674.

Common throughout the island.

C. *intumescens* Rudge. f. 675.

Queens: Valley Stream. *Suffolk*: Miller & Young.

C. *lurida* Vahl. f. 693.

Frequent throughout the island.

- C. Pseudo-Cyperus L.** f. 697.
Queens: Valley Stream.
C. comosa Boott. f. 698.
Suffolk: Miller & Young.
C. squarrosa L. f. 700.
Kings: Forbell's Landing, Hulst.
C. scabrida Schw. f. 707.
Queens: Richmond Hill.
C. vestita Willd. f. 708.
Kings: New Lots, Brainerd. *Suffolk*: Miller & Young.
C. Walteriana Bailey. f. 709.
Suffolk: Miller & Young.
C. filiformis L. f. 712.
Kings: New Lots, Brainerd.
Var. lanuginosa (Mx.).
Suffolk: Miller & Young.
C. fusca All. f. 718.
Kings: Forbell's Landing, Hulst.
C. stricta Lam. f. 719.
Kings: Canarsie, Brainerd. *Queens*: Maspeth, Hulst. *Suffolk*: Miller & Young.
C. Goodenovii J. Gay. f. 724.
Kings: New Lots, Brainerd.
C. crinita Lam. f. 739.
Kings: New Lots, Brainerd. *Queens*: Cold Spring Harbor, Hulst; Valley Stream. *Suffolk*: Miller & Young.
C. virescens Muhl. f. 743.
Kings: Prospect Park. *Suffolk*: Miller & Young.
C. longirostris Torr. f. 752.
Kings: Coney Island, Brainerd.
C. glaucodea Tuck. f. 762.
Queens: Richmond Hill, Hulst.
C. granularis Muhl. f. 763.
 Long Island, C. H. Hall.
C. extensa Good. f. 765.
Kings: Coney Island, Calverley, notes, Britton & Brown.
C. pallescens L. f. 768.
 Norwich, C. H. Hall.
C. laxiflora Lam. f. 777.
 Frequent throughout the island.
C. l. blanda (Dewey) Bost.
Kings: Prospect Park.
C. l. patulifolia (Dewey) Carey.
Suffolk: Miller & Young.



- C. digitalis** Willd. f. 779.
Long Island, C. H. Hall.
- C. laxiculmis** Schwein. f. 783.
Kings : New Lots, Brainerd ; Prospect Park.
- C. Pennsylvanica** Lam. f. 795.
Frequent throughout the island.
- C. varia** Muhl. f. 796.
Kings : Cypress Hills, Hulst. *Queens* : Jamaica, Brainerd.
- C. nigro-marginata** Schwein. f. 800.
Suffolk : Miller & Young.
- C. umbellata** Schk. f. 801.
Kings : New Lots, Brainerd. *Suffolk* : Miller & Young.
- C. scirpoidea** Mx. f. 805.
Queens : Valley Stream.
- C. exilis** Dewey. f. 816.
Suffolk : Miller & Young.
- C. stipata** Muhl. f. 823
Kings : Coney Island, Brainerd ; Forbell's Landing, Hulst. *Suffolk* : Miller & Young.
- C. alopecoidea** Tuck. Sedge. f. 828.
Queens : Valley Stream.
- C. vulpinoidea** Mx. f. 830.
Queens : Jamaica, Brainerd. *Suffolk* : Miller & Young.
- C. rosea** Schk. f. 835.
Kings : Flatlands, Brainerd ; Prospect Park. *Suffolk* : Miller & Young.
- C. r. radiata** Dewey.
Kings : Prospect Park.
- C. sparganoides** Muhl. f. 839.
Kings : Coney Island, Brainerd ; Forbell's Landing, Hulst.
Queens : Valley Stream.
- C. cephalophora** Muhl. f. 841.
Kings : Forbell's Landing, Hulst. *Suffolk* : Miller & Young.
- C. Muhlenbergii** Schk. f. 843.
Suffolk : Miller & Young.
- C. sterilis** Willd. f. 844.
Suffolk : Miller & Young.
- C. canescens** L. f. 847.
Frequent throughout the island.
- C. trisperma** Dewey. f. 855.
Kings : Prospect Park.
- C. scoparia** Schk. f. 863.
Frequent throughout the island.
- C. straminea** Willd. f. 868
Kings : New Lots, Brainerd. *Suffolk* : Miller & Young.

C. silicea Olney. f. 869.

Suffolk : Miller & Young.

C. alata Torr. f. 872.

Kings : New Lots, Brainerd. *Suffolk* : Miller & Young.

C. albolutescens Schwein. f. 873.

Kings : Flatlands, Brainerd.

ARACEAE.

ARISAEMA Mart.

A. triphyllum (L.) Torr. Jack-in-the-Pulpit. f. 876.

Common throughout the island.

PELTANDRA Raf.

P. Virginica (L.) Kunth. Arrow Arum. f. 878

Long Island, Hulst. *Queens* : Calverley, Flushing, Newtown.

Bisky. *Suffolk* : Miller & Young.

CALLA L.

C. palustris L. Water Arum. f. 880.

Long Island, Hulst.

SPATHYEMA Raf.

S. foetida (L.) Raf. Skunk Cabbage. f. 881.

Common throughout.

ORONTIUM L.

O. aquaticum L. Golden Club. f. 882.

Queens : Jamaica, Bisky. *Suffolk* : Miller & Young.

ACORUS L.

A. Calamus L. Calamus. f. 883.

Frequent throughout the island.

LEMNACEAE.

SPIRODELA Schleid.

S. polyrhiza (L.) Schleid. Duck-weed. f. 884.

Kings : Cypress Hills, Hulst. *Queens* : Richmond Hill, Hulst.

LEMNA L.

L. trisulca L. f. 885.


Queens : Newtown, M. Ruger.

L. Valdiviani Phillippi. f. 886.

Suffolk : Miller & Young.

L. minor L. Duck-weed. f. 888.

Common throughout.



XYRIDACEAE.

XYRIS L.

X. flexuosa Muhl. Yellow-eyed grass. f. 893.

Kings: Forbell's Landing, Hulst. *Queens*: Hempstead, Jamacia, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

X. Caroliniana Walt. f. 896.

Frequent throughout the island.

ERIOCAULONACEAE.

ERIOCAULON L.

E. septangulare With. f. 899.

Queens: Calverley; N. Hempstead, Bisky. *Suffolk*: Miller & Young.

E. decangulare L. Pipewort. f. 901.

Queens: Calverley; Ridgewood, Bisky.

COMMELINACEAE.

COMMELINA L.

C. Virginica L. Day flower. f. 909.

Kings: Cypress Hill, Hulst; Prospect Park. *Queens*: Flushing, Bisky.

TRADESCANTIA L.

T. Virginiana L. Spiderwort. f. 910.

Kings: Cypress Hills, Hulst; Calverley, Brooklyn.

PONTEDERIACEAE.

PONTEDERIA L.

P. cordata L. Pickerel Weed. f. 915.

Frequent in water throughout the island.

P. c. lancifolia (Muhl.) Morong.

Queens: Calverley.

JUNCACEAE.

JUNCUS L.

J. effusus L. f. 919.

Frequent throughout the island.

J. Roemerianus Scheele. f. 924.

Long Island, Hulst. *Kings*: Coney Island, Vid. N. L. Britton, Plants of New Jersey, p. 249.

J. maritimus Lam. f. 925.

Kings: Coney Island, Brainerd; Britton & Brown, p. 384.

J. bufonius L. f. 926.

Queens: Cold Spring Harbor, Hulst. *Suffolk*: Miller & Young.

- J. trifidus* L. f. 927.
Queens: Sand's Point, Bisky. (?)
- J. Gerardi* Lois. f. 928.
Kings: Calverley; Coney Island, Brainerd. *Queens*: Woodhaven, Leggett. *Suffolk*: Greenport, Tillinghast; Miller & Young.
- J. tenuis* Willd. f. 929.
Frequent throughout the island.
- J. Greenei* Oakes & Tuck. f. 932.
Queens: Hicksville, Hulst. *Suffolk*: Miller & Young.
- J. marginatus* Rostk. f. 935.
Suffolk: Miller & Young.
- J. pelocarpus* E. Meyer. f. 942.
Suffolk: Miller & Young.
- J. militaris* Big. f. 944.
Suffolk: Miller & Young.
- J. nodosus* L. f. 947.
Kings: Flatlands, Brainerd. *Queens*: Plandome, Eddy.
- J. scirpooides* Lam. f. 952.
Suffolk: Yaphank, Peck, N. Y. St. Rept. 1890.
- J. Canadensis* J. Gay. f. 955.
Kings: Canarsie, Brainerd. *Suffolk*: Miller & Young.
- J. acuminatus* Mx. Rush. f. 956.
Kings: Hulst. *Queens*: Astoria, Jamaica, Leggett. *Suffolk*: Miller & Young.
- J. a. debilis* (Gray) Eng.
Kings: Calverley.

JUNCOIDES Adans.

- J. pilosum* (L.) Kuntze. f. 959.
Frequent throughout the island.
- J. campestre* (L.) Kuntze. f. 965.
Frequent throughout the island.

MELANTHACEAE.

CHAMAElixirium Willd.


- C. luteum* (L.) A. Gray. Blazing Star. f. 972.
Queens: Richmond Hill, Rusby; Flushing, Jamaica, Bisky; Valley Stream.

CHROSPERMA Raf.

- C. muscaetoxicum* (Walt.) Kuntze. Fly Poison. f. 973.
Queens: Hempstead, Bisky; Valley Stream, Hulst, J.

MELANTHIUM L.

- M. Virginicum* L. Bunch flower. f. 981.
Queens: Richmond Hill, *fide* J. H. Rudkin.



VERATRUM L.

V. viride Ait. White Hellebore. f. 985.
Frequent throughout the island.

UVULARIA L.

U. perfoliata L. Bellwort. f. 986.
Frequent throughout the island.
U. sessilifolia (L.). f. 988.
Kings: Hulst; Prospect Park. *Queens*: Flushing, Bisky.
Suffolk: Miller & Young.

LILIACEAE.**HEMEROCALLIS L.**

H. fulva L. Day Lily. f. 990.
Frequently escaped from gardens throughout the island.

ALLIUM L.

A. tricoccum Ait. f. 992.
Queens: Flushing, Bisky.
A. vineale L. Wild Garlic. f. 996.
Frequent throughout the island.
A. Canadense Kalm. Meadow Garlic. f. 997.
Frequent throughout the island.

LILIU M L.

L. Philadelphicum L. Wild Red Lily. f. 1003.
Frequent throughout the island.
L. Canadense L. Wild Yellow Lily. f. 1006.
Frequent throughout the island.
L. surperbum L. Turk's Cap Lily. f. 1008.
Kings: Forbell's Landing, Hulst. *Queens*: Calverley, Flushing, Newtown, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

ERYTHRONIUM L.

E. Americanum Ker. Yellow Adders' Tongue. f. 1012.
Kings: Prospect Park. *Queens*: Calverley, Maspeth, Hulst; Flushing, Hempstead, Newtown, Bisky; Richmond Hill.

ORNITHOGALUM L.

O. umbellatum L. Star of Bethlehem. f. 1019.
Common throughout the island.

MUSCARI L.

M. botryoides (L.) Mill. Grape Hyacinth. f. 1021.
Kings: Cypress Hills, Hulst; Prospect Park. *Queens*: Flushing, N. Hempstead, Bisky. *Suffolk*: Miller & Young.

ALETRIS L.

A. farinosa L. Star-grass. f. 1023.

Kings: Forbell's Landing, Hulst. *Queens*: Calverley, Hicks-ville, Hulst; Hempstead, Jamaica, Bisky. *Suffolk*: Miller & Young; Sag Harbor, E. Hampton, Mrs. L. D. Pychowska.

CONVALLARIACEAE.**ASPARAGUS L.**

A. officinalis L. Asparagus. f. 1028.

Common throughout the island.

VAGNERA Adans.

V. racemosa (L.) Morong. False Solomon's Seal. f. 1031.

Common throughout the island.

V. stellata (L.) Morong. f. 1032.

Frequent throughout the island.

UNIFOLIUM Adans.

U. Canadense (Desf.) Greene. False Lily-of-the-Valley. f. 1034.

Common throughout the island.

POLYGONATUM Adans.

P. biflorum (Walt.) Ell. Solomon's Seal. f. 1039.

Frequent throughout the island.

P. commutatum (R. & S.) Dietr. f. 1040.

Queens: Richmond Hill, Hulst; Flushing, Bisky. *Suffolk*: Three Mile Harbor, Mrs. L. D. Pychowska; Miller & Young.

CONVALLARIA L.

C. majalis L. Lily-of-the-Valley. f. 1041.

Kings: Prospect Park; Cypress Hills, Hulst. *Queens*: Flushing, Bisky. (Escaped.)

MEDEOLA L.

M. Virginica L. Indian Cucumber Root. f. 1042.

Infrequent throughout the island.

TRILLIUM L.

T. erectum L. f. 1047.

Queens: Glen Cove, Lawrenceville, Ruger; N. Hempstead, Bisky; Coles.

T. cernuum L. Wake Robin. f. 1048.

Queens: Jamaica, Hulst.

T. undulatum Willd. f. 1049.

Queens: Glen Cove, Coles.

SMILACEAE.**SMILAX L.**

S. herbacea L. Carrion Flower. f. 1050.

Frequent throughout the island.



Var. pulverulenta (Mx.) Gray.

Queens : Greenpoint, Allen ; Leggett.

S. glauca Walt. f. 1053.

Frequent throughout the island.

S. rotundifolia L. Common Greenbrier. f. 1054.

Frequent throughout the island.

HAEMODORACEAE.

GYROTHECA Salisb.

G. capitata (Walt.) Morong. f. 1061.

Suffolk : Manor, C. H. Peck, N. Y. St. Repts. 1890.

AMARYLLIDACEAE.

HYPOXIS L.

H. hirsuta (L.) Coville. Yellow-eyed grass. f. 1066.

Common throughout the island.

DIOSCOREACEAE.

DIOSCOREA L.

D. villosa L. Yam. Root. f. 1068.

Kings : Forbell's Landing, Hulst. *Queens* : Flushing, Bisky ; Calverley. *Suffolk* : Southhold, Tillinghast ; Miller & Young.

IRIDACEAE.

IRIS L.

I. versicolor L. Blue flag. f. 1069.

Frequent throughout the island.

I. prismatica Pursh. f. 1074.

Frequent throughout the island.

GEMMINGIA Fabr.

G. Chinensis (L.) Kunze. Blackberry Lily. f. 1082.

Queens : Richmond Hill, Hulst ; Jamaica, Middleville, Ruger.

SISYRINCHIUM L.

S. angustifolium Mull. Blue-eyed grass. f. 1085.

Common throughout the island.

ORCHIDACEAE.

CYPRIPEDIUM L.

C. acaule Ait. Moccasin flower. f. 1089.

Kings : Forbell's, Hulst. *Queens* : Cold Spring, Hulst, Calverley, Flushing, Hempstead, Jamaica, Oyster Bay, Bisky.

Suffolk : Greenport, Tillinghast, Miller & Young.

ORCHIS L.

O. spectabilis L. *Orchis*. f. 1094.

Long Island, Hulst.

HABENARIA Willd.

H. clavellata (Mx.) Spreng. f. 1104.

Frequent throughout the island.

H. flava (L.) Gray. f. 1105.

Queens: Calverley ? Glen Cove, Coles.

H. cristata (Mx.) R. Br. f. 1106.

Kings: New Lots, Brainerd. *Queens*: Calverley.

H. ciliaris (L.) R. Br. f. 1107.

Kings: New Lots, Brainerd, Forbell's, Hulst. *Queens*: Calverley, Hicksville, Hulst; Glen Cove, Coles, J. *Suffolk*: Springs, Mrs. L. D. Pychowska.

H. blephariglottis (Willd.) Torr. f. 1108.

Kings: Forbell's, Hulst. *Queens*: Calverley, Jamaica, Bisky.

Suffolk: Springs, Mrs. L. D. Pychowska, Miller & Young.

H. lacera (Mx.) R. Br. f. 1109.

Kings: New Lots, Brainerd, Hulst; Calverley. *Queens*: Flushing, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast, Miller & Young.

H. psycodes (L.) Gray. f. 1112.

Queens: Jamaica, Brainerd, Flushing, Oyster Bay, Bisky.

POGONIA Juss.

P. ophioglossoides (L.) Ker. *Pogonia*. f. 1114.

Frequent throughout the island.

P. verticillata (Willd.) Nutt. f. 1117.

Kings: Forbell's Landing, Hulst. *Queens*: Calverley, Aqueduct, Hulst; Bowery Bay, Ruger; Jamaica, Leggett. *Suffolk*: Miller & Young.

ARETHUSA L.

A. bulbosa L. *Arethusa*. f. 1119.

Kings: New Lots, Brainerd; Near Canarsie, Dr. Eccles. ?

Queens: Calverley, Hempstead; Oyster Bay, Bisky; Valley Stream, J. *Suffolk*: Miller & Young.

GYROSTACHYS Pers.

G. plantaginea (Raf.) Britton. f. 1122.


Queens: Glen Cove, Bisky. ?

G. cernua (L.) Kuntze. Ladies' Tresses. f. 1123.

Frequent throughout the island.

G. praecox (Walt.) Kuntze. f. 1125.

Frequent throughout the island.





G. simplex (A. Gray) Kuntze. f. 1126.

Kings: Cedarhurst, Torrey Club, 1891. *Queens*: Hempstead, Bisky.

G. gracilis (Bigel.) Kuntze. f. 1127.

Frequent throughout the island.

PERAMIUM Salisb.

P. repens (L.) Salisb. f. 1131.

Queens: Calverley, Jamaica, Brainerd.

P. pubescens (Willd.) MacM. Rattlesnake Plantain. f. 1132.

Frequent throughout the island.

ACHROANTHES Raf.

A. unifolia (Mx.) Raf. Adder's mouth. f. 1135.

Queens: Cold Spring, Hulst; Jamaica, Ruger. *Suffolk*: Miller & Young.

LEPTORCHIS Du Petit Thouras.

L. liliifolia (L.) Kuntze. Tway-blade. f. 1136.

Kings: Calverley, Cypress Hills, Hulst. *Queens*: Calverley, Jamaica, N. Hempstead; Oyster Bay, Bisky. *Suffolk*: Miller & Young.

L. Loeselii (L.) MacM. f. 1137.

Queens: Flushing, Newtown, Oyster Bay, Bisky.

CORALLORHIZA R. Br.

C. odontorhiza (Willd.) Nutt. Coral root. f. 1140.

Kings: Cypress Hills, Hulst. *Queens*: College Point, Schrenk. *Suffolk*: Miller & Young.

C. multiflora Nutt. f. 1142.

Kings: Calverley. *Queens*: Flushing, N. Hempstead; Oyster Bay, Bisky. *Suffolk*: Miller & Young.

LIMODORUM L.

L. tuberosum L. Calopogon. f. 1145.

Frequent throughout the island.

DICOTYLEDONES.

SAURURACEAE.

SAURURUS L.

S. cernuus L. Lizards-Tail. f. 1148.

Queens: Glen Cove, Coles.

JUGLANDACEAE.

JUGLANS L.

J. nigra L. Black Walnut. f. 1149.

Kings: Brooklyn; Long Island, Hulst. *Queens*: Richmond Hill; Throughout, Bisky. *Suffolk*: Miller & Young.

J. cinerea L. Butternut. f. 1150.

Queens: Evergreens, Hulst; Richmond Hill; Flushing, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

HICOREA Raf

H. minima (Marsh) Britt. f. 1152.

Queens: Flushing, Bisky.

H. ovata (Mill.) Britt. Shell-bark. f. 1154.

Suffolk: Greenport, Tillinghast; Miller & Young.

H. alba (L.) Britt. f. 1156.

Long Island, Hulst. *Queens*: Throughout, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

H. glabra (Mill.) Britt. Pig-nut. f. 1158.

Kings: Calverley. Long Island, Hulst. *Queens*: Flushing, Bisky. *Suffolk*: Miller & Young.

MYRICACEAE.

MYRICA L.

M. Gale L. Sweet Gale. f. 1159.

Queens: Jamaica, Rudkin. *Suffolk*: Miller & Young.

M. cerifera L. f. 1160.

Frequent throughout the island.

COMPTONIA Banks.

C. peregrina (L.) Coulter. Sweet-fern. f. 1162.

Frequent throughout the island.

SALICACEAE.

POPULUS L.

P. alba L. f. 1164.

Kings: Calverley; Long Island, Hulst. *Queens*: Flushing, Newtown, Bisky.

P. balsamifera candicans (Ait.) Gray. f. 1165.

Kings: Brooklyn, Hulst. *Queens*: College Point, Schrenk.

P. heterophylla L. f. 1168.

Frequent throughout the island.

P. grandidentata Mx. f. 1169.

Queens: Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

P. tremuloides Mx. f. 1170.


Frequent throughout the island.

P. dilatata L.

Frequent throughout the island.

P. deltoides Marsh. f. 1172.

Kings: Brooklyn, Calverley.



SALIX L.

- S. nigra** Marsh. f. 1173.
 Long Island, Hulst. *Queens*: Woodside, E. N. Day.
- S. fragilis** L. f. 1177.
 Long Island, Hulst.
- S. alba vitellina** (L.) Koch. f. 1178.
Queens: Glen Cove. *Suffolk*: Miller & Young.
- S. Babylonica** L. f. 1179.
 Frequent throughout the island.
- S. humilis** Muhl. f. 1185.
Kings: Calverley. Long Island, Hulst. *Queens*: Long Island City, T. F. Allen. *Suffolk*: Miller & Young.
- S. tristis** Ait. f. 1186.
 Long Island, Hulst. *Queens*: Calverley. *Suffolk*: Miller & Young.
- S. discolor** Muhl. f. 1187.
 Long Island, Hulst. *Kings*: New Lots, Morong. *Queens*: E. G. Britton.
- S. sericea** Marsh. f. 1188.
 Long Island, Hulst.
- S. cordata** Muhl. f. 1198.
Kings: Prospect Park.

BETULACEAE.**CARPINUS L.**

- C. Caroliniana** Walt. f. 1207.
Queens: Flushing, N. Hempstead; Oyster Bay, Bisky.

OSTRYA Scop.

- O. Virginiana** (Mill.) Willd. f. 1208.
Kings: Prospect Park. *Queens*: Flushing, N. Hempstead; Oyster Bay, Bisky. *Suffolk*: Miller & Young.

CORYLUS L.

- C. Americana** Walt. f. 1209.
Kings: Cypress Hills, Hulst. *Queens*: Richmond Hill; Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

BETULA L.

- B. populifolia** Marsh. f. 1211.
 Frequent throughout the island.
- B. nigra** L. f. 1214.
 Long Island, Hulst. *Queens*: Oyster Bay, Bisky; Glen Cove. *Suffolk*: Miller & Young.
- B. lenta** L. f. 1215.
 Frequent throughout the island.

ALNUS Gaertn.**A. incana** (L.) Willd. f. 1221.

Frequent throughout the island.

A. rugosa (Du Roi) Koch. f. 1222.

Frequent throughout the island.


A. glutinosa (L.) Medic. f. 1223.*Kings*: Prospect Park. *Queens*: Flushing, Bisky.**FAGACEAE.****FAGUS** L.**F. Americana** Sweet. f. 1225.*Kings*: Prospect Park.**F. atrapunicea** (Marsh) Sudw.

Frequent throughout the island.

CASTANEA Adans.**C. dentata** (Marsh) Borkh. f. 1226.

Frequent throughout the island.

QUERCUS L.**Q. rubra** L. f. 1228.*Queens*: Flushing, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.**Q. palustris** Du Roi. f. 1229.*Kings*: Prospect Park. *Queens*: Calverley, Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast, Miller & Young.**Q. coccinea** Wang. f. 1231.Long Island, Hulst; Prospect Park. *Queens*: Flushing, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.**Q. velutina** Lam. f. 1232.*Queens*: Flushing, Jamaica, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.**Q. nana** (Marsh) Sarg. f. 1234.Long Island, Hulst. *Queens*: Jamaica, Oyster Bay, Bisky. Jamaica, Lyosset, Schrenk. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.**Q. nigra** L. f. 1236.Long Island, Hulst. *Queens*: Oyster Bay, Bisky. *Suffolk*: Miller & Young.**Q. Phellos** L. f. 1237.*Suffolk*: Miller & Young.**Q. alba** L. f. 1240.Long Island, Hulst. *Queens*: Cedarhurst, Torrey Club; Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.



Q. minor (Marsh) Sarg. f. 1241.

Queens : Hempstead ; Oyster Bay, Bisky ; *Suffolk* : Greenport, Tillinghast.

Q. platanoides (Lam.) Sudw. f. 1244.

Queens : Flushing, Bisky. *Suffolk* : Greenport, Tillinghast.

Q. prinus L. f. 1246.

Long Island, Hulst. *Queens* : Hempstead, Oyster Bay, Bisky.

Suffolk : Wading River, Hulst ; Greenpoint, Tillinghast ; Miller & Young.

Q. acuminata (Mx.) Sarg. f. 1247.

Queens : Bisky, no locality ; Locust Valley, Glen Cove, Oyster Bay.

Q. Muhlenbergii humilis (Marsh) Butt.

Kings : Forbell's Landing, Hulst ; Ridgewood, Brainerd. *Queens* :

Hempstead, Bisky. *Suffolk* : East Hampton, Mrs. L. D. Pychowska ; Miller & Young.

ULMACEAE.

ULMUS L.

U. Americana L. f. 1250.

Frequent throughout the island.

U. pubescens Walt. f. 1253.

Long Island, Hulst. *Kings* : Prospect Park. *Queens* : Glen Cove, Coles ; Oyster Bay, Bisky.

CELTIS L.

C. occidentalis L. f. 1255.

Kings : Brooklyn, Forbell's Landing, Hulst. *Queens* : Flushing, Newtown, Oyster Bay, Bisky ; Glen Cove.

MORACEAE.

MORUS L.

M. rubra L. f. 1257.

Long Island, Hulst. *Kings* : Calverley. *Queens* : Flushing, Newtown, Bisky. *Suffolk* : Miller & Young.

M. alba L. f. 1258.

Long Island, Hulst. *Kings* : Brooklyn. *Queens* : Newtown, Bisky ; Astoria, Rudkin, Glen Cove.

TOXYLON Raf.

T. pomiferum Raf. f. 1259.

Cultivated.

BROUSSONETIA L'Her.

B. papyrifera (L.) Vent.

Queens : Escaped from cultivation.

HUMULUS L.

H. Lupulus L. f. 1261.

Frequent throughout the island.

CANNABIS L.

C. sativa L. f. 1262.

Kings : Calverley. *Queens* : Newtown, Hulst ; Jamaica, Newtown, Bisky.

URTICACEAE.**URtica L.**

U. dioica L. f. 1263.

Queens : Woodside, Hulst ; Richmond Hill, Flushing, Newtown, Oyster Bay, Bisky.

U. gracilis Ait. f. 1264.

Long Island, Hulst. *Queens* : Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

URTICASTRUM Fabric.

U. divaricatum (L.) Kuntze. f. 1267.

Frequent throughout the island.

ADICEA Raf.

A. pumila (L.) Raf. f. 1268.

Frequent throughout the island.

BOEHMERIA Jacq.

B. cylindrica (L.) Willd. f. 1269.

Frequent throughout the island.

SANTALACEAE.**COMANDRA Nutt.**

C. umbellata (L.) Nutt. f. 1273.

Frequent throughout the island.

ARISTOLOCHIACEAE.**ASARUM L.**

A. Canadense L. f. 1277.

Queens : Newtown, Bisky.


ARISTOLOCHIA L.

A. Serpentaria L. f. 1281.

Queens : Jamaica, Brainerd, Merriam ; Glen Cove, Coles.

A. Clematitis L. f. 1282.

Kings : Flushing, Britton & Brown.



POLYGONACEAE.

RUMEX L.

- R. Acetosella** L. f. 1299.
Common throughout the island.
R. hastatus Muhl. f. 1300.
Suffolk: Miller & Young.
R. verticillatus L. f. 1304.
Long Island, Hulst.
R. Britannica L. f. 1307.
Suffolk: Miller & Young.
R. crispus L. f. 1309.
Frequent throughout the island.
R. conglomeratus Murray. f. 1310.
Queens: Flushing, Bisky.
R. obtusifolius L. f. 1313.
Frequent throughout the island.

FAGOPYRUM Gaertn.

- F. Fagopyrum** (L.) Karst. f. 1316.
Frequent throughout the island.

POLYGONUM L.

- P. amphibium** L. f. 1319.
Kings: Forbell's Landing, Hulst. *Queens*: Flushing, New-town, Oyster Bay, Bisky.
P. incarnatum Ell. f. 1323.
Queens: Flushing, Bisky.
P. Pennsylvanicum L. f. 1325.
Frequent throughout the island.
P. Persicaria L. f. 1327.
Frequent throughout the island.
P. Careyi Olney. f. 1329.
Long Island, Hulst. *Suffolk*: Miller & Young.
P. hydropiperoides Mx. f. 1332.
Frequent throughout the island.
P. Hydropiper L. f. 1333.
Frequent throughout the island.
P. punctatum Ell. f. 1334.
Kings: Forbell's Landing, Hulst, Brooklyn, Brainerd. *Suffolk*: Miller & Young.
P. orientale L. f. 1335.
Frequent. *Suffolk*: Miller & Young.
P. Virginianum L. f. 1336.
Frequent throughout the island.
P. aviculare L. f. 1337.
Queens: Throughout, Bisky. *Suffolk*: Greenport, Tillinghast ; Miller & Young.

P. maritimum L. f. 1340.

Queens: Rockaway Beach, Hulst; N. Hempstead, Bisky. *Suffolk*: Miller & Young.

P. erectum L. f. 1342.

Kings: New Lots, Brainerd; Brooklyn, Hulst. *Queens*: Flushing, N. Hempstead; Oyster Bay, Bisky. *Suffolk*: Miller & Young.

P. ramosissimum Mx. f. 1344.

Queens: Flushing, Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

P. tenué Mx. f. 1346.

Queens: Jamaica, Newtown, Oyster Bay, Bisky.

P. Convolvulus L. f. 1348.

Frequent throughout the island.

P. cilinode Mx. f. 1349.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Newtown, Bisky.

P. dumetorum scandens (L.) Gray = *P. scandens* L. f. 1351.

Frequent throughout the island.

P. Zuccarinii Small.

Frequently cultivated.

P. sagittatum L. f. 1354.

Frequent throughout the island.

P. arifolium L. f. 1355.

Queens: Maspeth, Hulst; Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

POLYGONELLÆ Mx.

P. articulatum (L.) Meissn. f. 1356.

Frequent throughout the island.

CHENOPODIACEÆ.

CHENOPODIUM L.

C. album L. f. 1359.

Frequent throughout the island.

C. glaucum L. f. 1360.

Kings: Brooklyn. *Queens*: Hicksville, Hulst, N. Hempstead, Bisky.

C. urbicum L. f. 1366.

Kings: Brooklyn, Hulst. *Queens*: Flushing, Hempstead, Jamaica, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

C. urbicum rhombifolium (Muhl.) Mog.

Queens: Flushing, Oyster Bay, Bisky.



C. murale L. f. 1367.

Kings : Calverley, notes. *Queens* : Flushing, Oyster Bay, Bisky.

C. hybridum L. f. 1368.

Long Island, Hulst. *Queens* : Flushing, Bisky.

C. rubrum L. f. 1369.

Kings : Brooklyn, Hulst; Fort Hamilton, Brainerd. *Queens* : Glen Cove.

C. Bonus-Henricus L. f. 1370.

Queens : Glen Cove, Bisky. *Suffolk* : Miller & Young.

C. Botrys L. f. 1371.

Kings : Brooklyn, Hulst. *Queens* : Calverley. *Suffolk* : Miller & Young.

C. ambrosioides L. f. 1372.

Frequent throughout the island.

C. anthelminticum L. f. 1373.

Frequent throughout the island.

A TRIPLEX L.

A. hastata L. f. 1379.

Kings : Calverley, notes; Fort Hamilton, Brainerd. *Queens* : Maspeth, Hulst; Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

A. hastata littoralis (L.) Gray.

Queens : Flushing, Bisky.

A. arenaria Nutt. f. 1383.

Queens : Rockaway Beach, Hulst, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : Sag Harbor, Mrs. L. D. Pychowska.

SALICORNIA L.

S. herbacea L. f. 1389.

Frequent throughout the island.

S. Bigelovii Torr. f. 1390.

Frequent throughout the island.

S. ambigua Michx. f. 1391.

Frequent throughout the island.

DONDIA Adans.

D. Americana (Pers.) Britton. f. 1393.

Frequent throughout the island.

D. maritima (L.) Druce. f. 1394.

Frequent throughout.

SALSOLA L.

S. Kali L. f. 1396.

Common throughout the island.

AMARANTHACEAE.

AMARANTHUS L.

A. retroflexus L. f. 1398.

Long Island, Hulst. *Suffolk*: Miller & Young.

A. hybridus L. f. 1399.

Kings: Gowanus, New Lots, Brainerd; Calverley, notes. *Queens*: Throughout, Bisky.

A. hybridus paniculatus (L.) Uline and Bray.

Suffolk: Miller & Young.

A. spinosus L. f. 1400.

Kings: Calverley, notes.

A. graecizans L. f. 1402.

Frequent throughout the island.

A. pumilus Raf. f. 1408.

Long Island, Hulst. *Suffolk*: Miller & Young.

ACNIDA L.

A. Cannabina L. f. 1409.

Kings: Calverley, notes. Forbell's Landing, Hulst. *Queens*: Flushing, Bisky. *Suffolk*: Miller & Young.

A. tamariscina (Nutt.) Wood. f. 1410.

Kings: Calverley, notes.

PHYTOLACCACEAE.

PHYTOLACCA L.

P. decandra L. f. 1415.

Common throughout the island.

AIZOACEAE.

SESUVIUM L.

S. maritimum (Walt.) B.S.P. f. 1424.

Suffolk: East Hampton, Brainerd, Miller & Young.

MOLLUGA L.

M. verticillata L. f. 1425.

Common throughout the island.

PORTULACACEAE.

CLAYTONIA L.

C. Virginica L. f. 1429.

Common throughout the island.

PORTULACA L.

P. oleracea L. f. 1434.

Common throughout the island.

P. grandiflora Hook. f. 1437.

Common throughout the island.

CARYOPHYLLACEAE.

AGROSTEMMA L.

A. *Githago* (L.) Lam. f. 1438.

Kings: New Lots. *Queens*: Cold Spring, Hulst; Flushing, N. Hempstead, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

SILENE L.

S. stellata (L.) Ait. f. 1441.

Common throughout the island.

S. vulgaris (Moench.) Gärcke. f. 1443.

Queens: Aqueduct, Hulst; Lawrence Station, Bisky. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska.

S. Caroliniana Walt. f. 1448.

Kings: Cypress Hill, Hulst. *Queens*: Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Shelter Island, Tillinghast; Miller & Young.

S. antirrhina L. f. 1449.

Frequent throughout the island.

S. Armeria L. f. 1450.

Kings: Cypress Hills, Hulst; Brooklyn, Brainerd.

S. noctiflora L. f. 1451.

Queens: Cold Spring, Maspeth, Hulst; Flushing, Bisky. *Suffolk*: Miller & Young.

LYCHNIS L.

L. alba Mill. f. 1455.

Queens: Cold Spring, Hulst; Flushing, N. Hempstead, Bisky.

TUNICA Adans.

T. Saxifraga (L.) Scop. f. 1465.

Queens: Flushing, J. Schrenk.

SAPONARIA L.

S. officinalis L. f. 1466.

Frequent throughout the island.

VACCARIA L.

V. Vaccaria (L.) Britton. f. 1467.

Queens: Far Rockaway, Hulst; Newtown, Ruger. *Suffolk*: Miller & Young.

DIANTHUS L.

D. prolifera L. f. 1468.

Suffolk: Sag Harbor, Mrs. L. D. Pychowska.

D. armeria L. f. 1469.

Common throughout the island.

ALSINE L.**A. media** L. f. 1475.*Kings*: Calverley : Forbell's, Torrey Club. *Queens*: Through-out, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.**A. Holostea** (L.) Britton. f. 1477.*Queens*: Newtown, Bisky ; Ruger.**A. longifolia** (Muhl.) Britton. f. 1478.*Queens*: Aqueduct, Hulst ; Flushing, Hempstead, N. Hempstead, Bisky. *Suffolk*: Miller & Young.**A. graminea** L. f. 1479.*Kings*: Fresh Pond, Hulst ; Flushing, Bisky.**CERASTIUM L.****C. viscosum** L. f. 1484.

Common throughout the island.

C. vulgatum L. f. 1486.*Kings*: Hulst. *Queens*: Plandome, Eddy.**C. arvense** L. f. 1489.

Common throughout the island.

C. arvense oblongifolium (Torr.) Britt. & Hollick.*Kings*: Prospect Park.**SAGINA L.****S. procumbens** L. f. 1494.*Kings*: Cypress Hill, Hulst. *Queens*: Cold Spring, Hulst, Hempstead, Leggett, Bisky. *Suffolk*: Miller & Young.**S. apetala** Ard. f. 1495.*Queens*: Rockaway, Schrenk, Hempstead, Bisky.**ARENARIA L.****A. serpyllifolia** L. f. 1499.*Kings*: Forbell's Landing, New Lots, Hulst. *Queens*: Flushing, Hempstead, N. Hempstead, Bisky. *Suffolk*: Greenport, Tillinghast ; Miller & Young.**A. Caroliniana** Walt. f. 1505.*Kings*: New Lots, Brainerd. *Suffolk*: East Hampton, Mrs. L. D. Pychowska ; Miller & Young.**MOEHRINGIA L.****M. lateriflora** (L.) Fenzl. f. 1510.

Common throughout the island.

AMMODENIA J. G. Gmel.**A. peploides** (L.) Rupr. f. 1512.Common on the sea beaches throughout the south coast of the island. *Queens*: Hempstead, Bisky. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska ; Miller & Young.

SPERGULA L.**S. arvensis** L. f. 1513.*Kings*: New Lots, Hulst. *Queens*: Cold Spring, Hulst. Centreville, Rudkin, Jamaica, Bisky. *Suffolk*: Miller & Young.**TISSA Adans.****T. marina** (L.) Britt. f. 1514.*Kings*: Forbell's Landing, Hulst. *Queens*: Aqueduct, Hulst; Rockaway Beach, Brainerd; Flushing, N. Hempstead, Newtown, Oyster Bay, Bisky. *Suffolk*: Wading River, Brainerd; Miller & Young.**T. rubra** (L.) Britt. f. 1516.*Kings*: New Lots, Newtown, Hulst. *Suffolk*: East Hampton, Mrs. L. D. Pychowska.**ANYCHIA Mx.****A. dichotoma** Mx. f. 1522.*Queens*: Richmond Hill, Cold Spring, Hulst; Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Wading River, Brainerd.**SCLERANTHUS L.****S. annuus** L. f. 1524.

Frequent throughout the island.

NYMPHACEAE.**BRASENIA Schreb.****B. purpurea** (Michx.) Casp. f. 1526.*Queens*: Flushing, Hulst. *Suffolk*: Miller & Young.**NYMPHAEA L.****N. advena** Soland. f. 1527.

Common throughout the island.

CASTALIA Salisb.**C. odorata** (Dryand) Woodr. & Wood. f. 1531.

Common throughout the island.

NELUMBO Adans.**N. lutea** (Willd.) Pers. f. 1534.

Frequent throughout the island.

CERATOPHYLLACEAE.**CERATOPHYLLUM L.****C. demersum** L. f. 1536.*Queens*: Cold Spring, Hulst.

MAGNOLIACEAE.

MAGNOLIA L.**M. tripetala** L. f. 1539.*Kings*: Prospect Park.**M. Virginiana** L. f. 1540.*Suffolk*: M. H. Delafield; Speonk, Rusby.**LIRIODENDRON** L.**L. Tulipifera** L. f. 1542.

Common throughout the island.

RANUNCULACEAE.

CALTHA L.**C. palustus** L. f. 1545.

Common throughout the island.

TROLLIUS L.**T. laxus** Salisb. f. 1548.*Queens*: Woodhaven, Miss M. O. Steel.**HELLEBORUS** L.**H. viridis** L. f. 1549.

Has been reported wild on Long Island, Gray's Manual, 1890,

p. 45. *Queens*: Glen Cove, I. Coles, Jamaica, Oyster Bay, Bisky.**XANTHORRHIZA** L'Her.**X. apiifolia** L'Her. f. 1553.*Kings*: Prospect Park. Probably an introduced species.**ACTAEA** L.**A. rubra** (Ait.) Willd. f. 1554.*Queens*: Newtown, Oyster Bay, Bisky.**A. alba** (L.) Mill. f. 1555.*Queens*: Hulst, Richmond Hill; Flushing, Newtown, Oyster Bay, Bisky.**CIMICIFUGA** L.**C. racemosa** (L.) Nutt. f. 1556.*Queens*: Woodhaven, Hulst; Flushing, Jamaica, N. Hempstead, Oyster Bay, Bisky.**AQUILEGIA** L.**A. Canadensis** L. f. 1559.*Kings*: Prospect Park. *Queens*: Hulst, Glen Cove, Coles; Oyster Bay, Bisky. *Suffolk*: Miller & Young.**A. vulgaris** L. f. 1561.*Kings*: Hulst. *Suffolk*: Miller & Young.**DELPHINIUM** L.**D. Consolida** L. f. 1562.*Kings*: Hulst.

ANEMONE L.

A. Virginiana L. f. 1573.

Queens: Richmond Hill, Calverley; Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young, East Hampton, Mrs. L. D. Pychowska.

A. quinquefolia L. f. 1576.

Common throughout the island.

HEPATICA Scop.

H. Hepatica (L.) Karst. f. 1578.

Common throughout the island.

SYNDESMON Hoffmg.

S. thalictroides (L.) Hoffmg. f. 1580.

Common throughout the island.

CLEMATIS L.

C. Virginiana L. f. 1582.

Common throughout the island.

C. ochroleuca Ait. f. 1588.

Kings: Brooklyn, Britton & Brown. *Queens*: Plandome, Eddy.

RANUNCULUS L.

R. delphinifolius Torr. f. 1595.

Kings: Hulst, Brainerd. *Queens*: Ridgewood, M. Ruger. *Suffolk*: Greenport, Tillinghast.

R. reptans L. f. 1602.

Queens: Calverley, Hulst.

R. abortivus L. f. 1609.

Common throughout the island.

R. sceleratus L. f. 1612.

Queens: Calverley, Hulst; Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast, Miller & Young.

R. recurvatus Poir. f. 1613.

Common throughout the island.

R. acris L. f. 1614.

Common throughout the island.

R. bulbosus L. f. 1615.

Common throughout the island.

R. Pennsylvanicus L. f. 1616.

Kings: Hulst. *Queens*: Newtown, M. Ruger. *Suffolk*: Miller & Young.

R. repens L. f. 1618.

Kings: Hulst. *Queens*: Richmond Hill, Hulst; Flushing, N. Hempstead, Bisky.

R. fascicularis Muhl. f. 1621.

Common throughout the island.

BATRACHIUM S. F. Gray.

B. trichophyllum (Chaix) Bossch. f. 1626.

Kings: New Lots, Brainerd. *Queens*: Jamaica, F. T. Allen.

Suffolk: Miller & Young.

FICARIA Huds.

F. Ficaria (L.) Karst. f. 1629.

Queens: Flushing, Bisky.

OXYGRAPHIS Burge.

O. Cymbalaria (Pursh) Prantl. f. 1631.

Queens: Hempstead, W. H. Leggett. *Suffolk*: East Hampton,

Mrs. L. D. Pychowska; Miller & Young.

THALICTRUM L.

T. dioicum L. f. 1634.

Kings: Hulst, Flatbush. *Queens*: Calverley; Newtown, Bisky.

Suffolk: Greenport, Tillinghast; Miller & Young.

T. purpurascens L. f. 1637.

Queens: Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

T. polygamum Muhl. f. 1638.

Common throughout the island.

BERBERIDACEAE.

BERBERIS L.

B. vulgaris L. f. 1640.

Common throughout the island.

MENISPERMACEAE.

MENISPERMUM L.

M. Canadense L. f. 1649.

Queens: Aqueduct, Hulst; Flushing, Bisky.

CALYCANTHACEAE.

BUTNERA Duham.

B. florida (L.) Kearney. f. 1650.

In cultivation, Prospect Park.

B. fertilis (Walt.) Kearney. f. 1651.

In cultivation, Prospect Park.

LAURACEAE.

SASSAFRAS Nees & Eberm.

S. Sassafras (L.) Karst. f. 1654.

Frequent throughout the island.

BENZOIN Fabric.**B. Benzoin** (L.) Coulter. f. 1656.

Frequent throughout the island.

PAPAVERACEAE.

ARGEMONE L.**A. Mexicana** L. f. 1663.*Kings*: Brainerd. *Queens*: Flushing, Bisky.**SANGUINARIA** L.**S. Canadensis** L. f. 1665.

Common throughout the island.

GLAUCIUM Juss.**G. Glaucium** (L.) Karst. f. 1667.*Queens*: Newtown, Bisky; Long Island City, Addison Brown.**CHELIDONIUM** L.**C. majus** L. f. 1668.

Common throughout the island.

CRUCIFERAE.

LEPIDIUM L.**L. campestre** (L.) R.Br. f. 1684.

Common throughout the island.

L. Draba L. f. 1685.*Queens*: Astoria, D. C. Eaton (station destroyed).**L. ruderale** L. f. 1686.*Kings*: Hulst.**L. Virginicum** L. f. 1687.

Common throughout the island.

CORONOPUS Gaertn.**C. didymus** (L.) J. E. Smith. f. 1690.*Kings*: Brooklyn, Hulst.**THLASPI** L.**T. arvense** L. f. 1692.*Queens*: Cold Spring Harbor, Hulst.**SISYMBRIUM** L.**S. officinale** (L.) Scop. f. 1696.

Common throughout the island.

CAKILE Gaertn.**C. edentula** (Bigel.) Hook. f. 1699.

Common throughout.

SINAPIS L.**S. alba** L. f. 1700.

Escaped.

BRASSICA L.

- B. nigra* (L.) Koch. f. 1701.
Frequent throughout.
B. arvensis (L.) B.S.P. f. 1703.
Frequent.
B. campestris L. f. 1704.
Common throughout the island.

DIPLOTAXIS DC.

- D. tenuifolia* (L.) DC. f. 1705.
Kings: Brooklyn, Hulst.

RAPHANUS L.

- R. Raphanistrum* L. f. 1707.
Common throughout the island.
R. sativus L. f. 1708.
Common throughout the island.

BARBAREA R.Br.

- B. Barbarea* (L.) MacM. f. 1709.
Kings: New Lots, Hulst. *Queens*: Flushing, Newtown, N. Hempstead, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.
B. praecox (Smith) R.Br. f. 1711.
Queens: Cold Spring, Hulst; Parson's nursery, Leggett.

RORIPA Scop.

- R. sylvestris* (L.) Bess. f. 1713.
Kings: Brooklyn, Hulst. *Queens*: Flushing Bay, Bisky.
R. palustris (L.) Bess. f. 1717.
Kings: Cypress Hills, Hulst. *Queens*: Newtown, Bisky. *Suffolk*: Miller & Young.
R. hispida (Desv.) Britt. f. 1718.
Kings: Cypress Hills, Hulst. *Queens*. *Suffolk*: Miller & Young.
R. Nasturtium (L.) Rusby. f. 1721.
Kings: Hulst. *Queens*: Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Wading River, Brainerd, Miller & Young; E. Hampton, Mrs. L. D. Pychowska.
R. Armoracia (L.) A. S. Hitchcock. f. 1722.
Frequent throughout the island.

CARDAMINE L.

- C. hirsuta* L. f. 1725.
Kings: Brainerd; Forbell's Landing, Cypress Hills, Hulst.
Queens: Hulst; Flushing, N. Hempstead, Oyster Bay, Bisky.
C. rotundifolia Mx. f. 1734.
Queens: Pardgot, Brainerd.

DENTARIA L.**D. laciniata** Muhl. f. 1735.Long Island, Chas. H. Hall. *Queens*: Flushing, Bisky.**D. diphylla** Mx. f. 1736.Long Island, Chas. H. Hall. *Queens*: Flushing, Bisky, R. Lawrence.**D. maxima** Nutt. f. 1737.*Queens*: Newtown, Bisky; Bowery Bay, M. Rugers.**BURSA** Weber.**B. Bursa-pastoris** (L.) Britton. f. 1752.

Common throughout the island.

CAMELINA Crantz.**C. sativa** (L.) Crantz. f. 1753.*Suffolk*: Miller & Young.**DRABA** L.**D. verna** L. f. 1755.

Common throughout the island.

D. Caroliniana Walt. f. 1756.*Queens*: Ridgewood Aqueduct, W. H. Rudkin.**ARABIS** L.**A. lyrata** L. f. 1772.*Kings*: Calverley; Forbell's Landing. *Queens*: Richmond Hill, Woodhaven, Hulst; Flushing, Oyster Bay, Bisky. *Suffolk*: Southhold, Tillinghast; Miller & Young.**A. laevigata** (Muhl.) Poir. f. 1778.*Queens*: Richmond Hill, in Herb. Poggenberg.**A. Canadensis** L. f. 1779.*Kings*: Cypress Hills, Hulst. *Queens*: Jamaica, Brainerd; Richmond Hill, Hulst; Newtown, Bisky.**A. glabra** (L.) Bernh. f. 1781.*Suffolk*: Miller & Young.**KONIGA** Adans.**K. maritima** (L.) R.Br. f. 1788.*Suffolk*: Miller & Young.**HESPERIS** L.**H. matronalis** L. f. 1790.*Queens*: Hulst; Jamaica, W. H. Rudkin.**CAPPARIDACEAE.****CLEOME** L.**C. spinosa** L. f. 1792.*Queens*: Hulst; Torrey Club.

POLANISIA Raf.

P. graveolens Raf. f. 1796.

Queens : Centreville, W. H. Rudkin.

RESEDAEAE.**RESEDA L.**

R. Luteola L. f. 1798.

Suffolk : Greenport, Tillinghast ; Miller & Young.

SARRACENIACEAE.**SARRACENIA L.**

S. purpurea L. f. 1801.

Queens : Hulst, Richmond Hill, south of Jerusalem, Coles ; Oyster Bay, Bisky. *Suffolk* : Miller & Young.

DROSERACEAE.**DROSERA L.**

D. rotundifolia L. f. 1803.

Kings : Forbell's Landing, Hulst ; Greenwood, Brainerd. *Suffolk* : Sag Harbor, Mrs. S. L. Zabriskie ; Napeague Beach, Mrs. L. D. Pychowska ; Miller & Young.

D. intermedia Hayne. f. 1804.

Kings : Cedarhurst, Hulst. *Suffolk* : Miller & Young.

D. filiformis Raf. f. 1807.

Kings : Greenwood, Brainerd. *Suffolk* : Sag Harbor, Mrs. S. L. Zabriskie ; Napeague Beach, Mrs. L. D. Pychowska ; Miller & Young.

CRASSULACEAE.**SEDM L.**

S. Telephium L. f. 1811.

Common throughout the island.

S. acre L. f. 1813.

Common throughout the island. Escaped from gardens.

S. ternatum Mx. f. 1818.

Queens : West Flushing, M. Rugers.

PENTHORUM L.

P. sedoides L. f. 1821.

Long Island, Hulst. *Queens* : Flushing, Hempstead ; Jamaica, Oyster Bay, Bisky. *Suffolk* : Miller and Young.

SAXIFRAGACEAE.**SAXIFRAGA L.**

S. Pennsylvanica L. f. 1831.

Kings : Cypress Hills, Hulst. *Queens* : Richmond Hill, Hulst ; Glen Cove, Coles.

S. Virginiana Mx. f. 1833.

Common throughout the island.

HEUCHERA L.

H. Americana L. f. 1845.

Queens: Richmond Hill, Hulst; Flushing, Oyster Bay, Bisky.

MITELLA L.

M. diphylla L. f. 1848.

Queens: Richmond Hill, Hulst.

CHRYSOSPLENIUM L.

C. Americanum L. f. 1850.

Queens: Cold Spring, Hulst; Flushing, Bisky. *Suffolk*: Miller & Young.

PARNASSIA L.

P. Caroliniana Mx. f. 1852.

Queens: Maspeth, Hulst; Flushing, Hempstead, Newtown, Bisky; Woodside, A. Brown. *Suffolk*: Good ground.

GROSSULARIACEAE.

RIBES L.

R. Cynosbati L. f. 1865.

Queens: Woodside, Hulst.

R. oxyacanthoides L. f. 1868.

Queens: Flushing, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

R. rotundifolium Mx. f. 1869.

Long Island, Hulst.

R. floridum L'Her. f. 1874.

Queens: Rugers. ? *Suffolk*: Miller & Young.

R. rubrum L. f. 1875.

Common throughout the island.

R. aureum Pursh. f. 1877.

Kings: Prospect Park.

HAMAMELIDACEAE.

HAMAMELIS L.

H. Virginiana L. f. 1879.

Common throughout the island.

Liquidambar L.

L. Styraciflua L. f. 1880.

Common throughout the island.

PLATANACEAE.

PLATANUS L.

P. occidentalis L. f. 1881.

Frequent throughout the island.

ROSACEAE.

OPULASTER Medic.

O. opulifolius (L.) Kuntze. f. 1882.
Kings: Forbell's Landing, Hulst.

SPIRAEA L.

S. salicifolia L. f. 1883.

Kings: Cypress Hills, Hulst; Prospect Park; Forbell's Landing, Hulst. *Queens*: Richmond Hill; Flushing, Newtown, Bisky. *Suffolk*: Miller & Young.

S. tomentosa L. f. 1884.

Kings: Cypress Hills, Forbell's Landing, Hulst; New Lots. *Queens*: Richmond Hill; Flushing, Hempstead, Jamaica, Oyster Bay, Bisky. *Suffolk*: Fisher's Island, Tillinghast; Miller & Young.

S. corymbosa Raf. f. 1885.

Long Island, Hulst ?

RUBUS L.

R. odoratus L. f. 1890.

Common throughout the eastern end of the island.

R. strigosus Mx. f. 1894.

Common throughout the island.

R. occidentalis L. f. 1896.

Queens: Flushing, N. Hempstead, Oyster Bay, Bisky; Glen Cove. *Suffolk*: Miller & Young.

R. villosus Ait. f. 1898.

Common throughout the island.

R. cuneifolius Pursh. f. 1901.

Kings: Forbell's Landing, Hulst.

R. hispida L. f. 1902.

Queens: Valley Stream; Throughout, Bisky. *Suffolk*: Miller & Young.

R. Canadensis L. f. 1906.

Common throughout the island.

FRAGARIA L.

F. Virginiana Duchesne. f. 1908.

Common throughout the island.

F. vesca L. f. 1910.

Common throughout the island.

DUCHESNEA J. E. Smith.

D. Indica (Andr.) Focke. f. 1912.

Queens: Glen Cove.

POTENTILLA L.**P. argentea** L. f. 1914.

Kings : Brooklyn, Hulst. *Queens* : Flushing, Hempstead, New-town, Bisky. *Suffolk* : Greenport, Tillinghast ; Miller & Young.

P. recta L. f. 1917.

Queens : Flushing, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

P. Monspeliensis L. f. 1922.

Common throughout the island.

P. Anserina L. f. 1934.

Queens : Glen Cove, Coles. *Suffolk* : Greenport, Tillinghast ; Miller & Young.

P. Canadensis L. f. 1935.

Common throughout the island.

GEUM L.**G. vernum** (Raf.) T. & G. f. 1943.

Kings : Prospect Park, Mrs. L. LeBrun ; Jelliffe ; Long Island, Brainerd, 1866.

G. Canadense Jacq. f. 1944.

Queens : Sand's Point ; Brainerd ; Maspeth, Aqueduct, Hulst ; Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : Greenport, Tillinghast ; East Hampton, Mrs. L. D. Pychowska ; Miller & Young.

G. Virginianum L. f. 1945.

Kings : New Lots, Brainerd. *Queens* : Flushing, Bisky. *Suffolk* : Miller & Young.

G. strictum Ait. f. 1948.

Queens : Newtown, Bisky.

AGRIMONIA L.**A. hirsuta** (Muhl.) Bicknell. f. 1957.

Frequent throughout the island.

A. mollis (T. & G.) Britton. f. 1960.

Frequent.

A. parviflora Soland. f. 1962.

Queens : Cold Spring, Hulst. *Suffolk* : Pardegot, Brainerd.

SANGUISORBA L.**S. Canadensis** L. f. 1964.

Common throughout the island.

ROSA L.**R. blanda** Ait. f. 1966.

Queens : Jamaica, Bisky. *Suffolk* : Miller & Young..

R. Carolina L. f. 1970.

Common throughout the island.

R. humilis Marsh. f. 1971.

Kings: Cypress Hills, Hulst. *Queens*: Flushing, Hempstead, Jamaica, Oyster Bay, Bisky; Flushing, Schenk. *Suffolk*: Miller & Young.

R. canina L. f. 1973.

Queens: Cold Spring Harbor, Hulst.

R. rubiginosa L. f. 1974.

Kings: Forbell's Landing, Hulst. *Queens*: Jamaica, Hulst; Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky; Sand's Point, W. H. Leggett. *Suffolk*: Greenport, Tillinghast; Miller & Young.

POMACEAE.

SORBUS L.

S. Americana Marsh. f. 1975.

Prospect Park.

MALUS Juss.

M. Malus L. f. 1982.

Common throughout the island.

ARONIA Pers.

A. arbutifolia (L.) Ell. f. 1983.

Common throughout the island.

A. nigra (Willd.) Britton. f. 1984.

Queens: Flushing, Hempstead; Jamaica, Bisky. *Suffolk*: Miller & Young.

AMELANCHIER Medic.

A. Canadense (L.) Medic. f. 1985.

Long Island, Hulst. *Queens*: Flushing, Oyster Bay, Bisky. *Suffolk*: Miller & Young; E. Hampton, Mrs. L. D. Pychowska.

A. Canadense obovalis (Mx.) Torr.

Suffolk: Greenport, Tillinghast; Miller & Young.

A. rotundifolia (Mx.) Roem. f. 1988.

Queens: Hicksville, Hulst.

CRATAEGUS L.

C. Crus-Galli L. f. 1991

Queens: Flushing, Bisky. *Suffolk*: Miller & Young.

C. Oxyacantha L. f. 1995.

Kings: Prospect Park. *Suffolk*: Miller & Young.

C. coccinea L. f. 1998.

Kings: Prospect Park. *Queens*: Woodhaven, Torrey Club, 1891; Flushing, Newtown, Bisky. *Suffolk*: Miller & Young.

C. uniflora Muench. f. 2004.

Suffolk: Miller & Young.

DRUPACEAE.

PRUNUS L.

P. Americana Marsh. f. 2007.

Suffolk: Miller & Young.

P. maritima Wang. f. 2013.

Kings: Coney Island, Brainerd. *Queens*: Rockaway Beach; Cold Spring Harbor, Flushing, Hempstead, Newtown, Oyster Bay, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.

P. spinosa L. f. 2016.

Suffolk: Miller & Young.

P. Cerasus L. f. 2020.

Common throughout the island.

P. Pennsylvanica L. f. 2022.

Queens: Oyster Bay, Bisky; Glen Cove, Coles.

P. Mahaleb L. f. 2023.

Suffolk: East Hampton, M. L. Delafeld, Jr.

P. Virginiana L. f. 2024.

Common throughout the island.

P. serotina L. f. 2026.

Common throughout the island.

AMYGDALUS L.

A. Persica L. f. 2027.

Escaped from cultivation.

CAESALPINACEAE.

CERCIS L.

C. Canadensis L. f. 2033.

Kings: Prospect Park.

CASSIA L.

C. nictitans L. f. 2034.

Kings: Gowanus, Brainerd; Forbell's Landing, Hulst; Cedarhurst, Torrey Club. *Queens*: Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

C. Chamaecrista L. f. 2035.

Common throughout the island.

C. Marylandica L. f. 2037.

Kings: Gowanus, Brainerd; Cedarhurst, Torrey Club; Forbell's Landing, Hulst. *Queens*: Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska.

GLEBITSIA L.

G. triacanthos L. f. 2041.

Kings: Cypress Hills, Hulst; Prospect Park. *Queens*: Hicksville, Hulst; Flushing, Oyster Bay, Bisky.

GYMNOCLADUS Lam.*G. dioica* (L.) Koch. f. 2043.*Kings*: Prospect Park.**PAPILIONACEAE.****CLADRASTIS** Raf.*C. lutea* (Mx.) Koch. f. 2046.*Kings*: Prospect Park.**BAPTISIA** Vent.*B. tinctoria* (L.) R. Br. f. 2050.

Common throughout the island.

CROTALARIA L.*C. sagittalis* L. f. 2055.*Kings*: Cypress Hills, Hulst; Gowanus, Brainerd. *Queens*:Maspeth, Hulst; Flushing, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; East Hampton, Mrs. L. D. Pychowska.**LUPINUS** L.*L. perennis* L. f. 2057.*Queens*: Woodhaven, Hicksville, Hulst; Jamaica, Oyster Bay.Bisky; Plandome, Eddy. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young; Yaphank, Brainerd.**GENISTA** L.*G. tinctoria* L. f. 2062.*Queens*: Richmond Hill, Hulst.**CYTISUS** L.*C. scoparius* (L.) Link. f. 2063.*Queens*: Richmond Hill.**MEDICAGO** L.*M. sativa* L. f. 2064.*Kings*: New Lots, Hulst. *Queens*: Flushing, Bisky. *Suffolk*: Miller & Young; Sag Harbor, Mrs. L. D. Pychowska.*M. lupulina* L. f. 2065.*Kings*: Hulst. *Queens*: Northville, Brainerd; Plandome, Eddy. *Suffolk*: Greenport, Tillinghast; Miller & Young.**MELILOTUS** Juss.*M. alba* Desv. f. 2068.

Common throughout the island.

M. officinalis (L.) Lam. f. 2069.

Frequent throughout.

TRIFOLIUM L.**T. agrarium** L. f. 2070.

Kings: Forbell's Landing, Hulst; Brooklyn. *Queens*: Richmond Hill; throughout, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

T. procumbens L. f. 2071.

Common throughout the island.

T. incarnatum L. f. 2073.

Suffolk: Shelter Island, Hulst.

T. arvense L. f. 2074.

Kings: Forbell's, Hulst. *Queens*: Woodhaven, throughout, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; East Hampton, Mrs. L. D. Pychowska.

T. pratense L. f. 2075.

Common throughout the island.

T. hybridum L. f. 2081.

Kings: Brooklyn, New Lots, Hulst. *Queens*: Jamaica, Hulst; Hempstead, Bisky.

T. repens L. f. 2083.

Common throughout the island.

AMORPHA L.**A. fruticosa** L. f. 2101.

Kings: Hulst, Prospect Park. *Queens*: Flushing, Brainerd. *Suffolk*: Miller & Young.

CRACCA L.**C. Virginiana** L. f. 2117.

Queens: Selden, Brainerd; Hicksville, Woodlawn, Hulst. *Suffolk*: Miller & Young; East Hampton, Mrs. L. D. Pychowska.

ROBINIA L.**R. Pseudacacia** L. 2121.

Common throughout the island.

R. viscosa Vent. f. 2122.

Queens: Flushing, Bisky. *Suffolk*: Miller & Young.

R. hispida L. f. 2123.

Long Island, Hulst, cultivated.

CORONILLA L.**C. varia** L. f. 2164.

Suffolk: Bellport, Charles H. Hall; Shelter Island, Hulst.

STYLOSANTHES Sw.**S. biflora** (L.) B.S.P. f. 2168..

Queens: Selden, Brainerd; Oyster Bay, Bisky. Glen Cove, Coles. *Suffolk*: Miller & Young.

MEIBOMIA Adans.*M. nudiflora* (L.) DC. f. 2170.

Kings: Cypress Hills, Hulst; Prospect Park. *Queens*: Hulst; Flushing, Jamaica, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; Sag Harbor, Mrs. L. D. Pychowska.

M. grandiflora (Walt.) DC. f. 2171.

Kings: Prospect Park. *Queens*: Flushing, N. Hempstead, Oyster Bay, Bisky.

M. Michauxii Vail. f. 2174.

Kings: Cypress Hills, Hulst. *Queens*: Centreville, Rudkin. *Suffolk*: Miller & Young.

M. canescens (L.) Kuntze. f. 2179.

Queens: College Point, Rudkin.

M. bracteosa (Mx.) Kuntze. f. 2181.

Kings: Cypress Hills, Hulst. *Queens*: Centreville, Rudkin. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska.

M. paniculata (L.) Kuntze. f. 2182.

Kings: Cypress Hills, Hulst. *Queens*: Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

M. laevigata (Nutt.) Kuntze. f. 2183.

Long Island, Hulst. *Suffolk*: Miller & Young.

M. viridiflora Kuntze. f. 2185.

Long Island, Hulst. *Queens*: Flushing, Newtown, Bisky.

M. Dillenii (Darl.) Kuntze. f. 2186.

Queens: Newtown, Bisky.

M. Canadense (L.) Kuntze. f. 2188.

Kings: Cypress Hills, Hulst.

M. rigida (Ell.) Kuntze. f. 2189.

Suffolk: Sag Harbor, Mrs. L. D. Pychowska; Miller & Young.

M. Marylandica (L.) Kuntze. f. 2190.

Queens: Jamaica, Oyster Bay, Bisky. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska; Miller & Young.

M. obtusa (Muhl.) Vail. f. 2191.

Kings: Cypress Hills, Hulst; Cedarhurst, Torrey Club. *Queens*: Flushing, Hempstead, Jamaica, N. Hempstead, Bisky.

LESPEDEZA Michx.*L. repens* (L.) Bart. f. 2192.

Queens: Woodhaven, Hulst; Hempstead, Newtown, Oyster Bay, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; W. E. Wheelock; Miller & Young.

L. procumbens Michx. f. 2193.

Queens: Newtown, Bisky. *Suffolk*: Miller & Young.

L. violacea (L.) Pers. f. 2195.

Queens: Richmond Hill, Hulst. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.

L. Stuvei Nutt. f. 2196.

Suffolk: East Hampton, Mrs. L. D. Pychowska; W. E. Wheelock.

L. Virginica (L.) Britt. f. 2198.

Queens: Throughout, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.

L. hirta (L.) Ell. f. 2199.

Common throughout the island.

L. capitata Mx. f. 2200.

Common throughout the island.

L. angustifolia (Pursh) Ell. f. 2201.

Kings: Forbell's Landing, Hulst.

VICIA L.

V. Cracca L. f. 2204.

Queens: Maspeth, Hulst; Glen Cove, Rudkin.

V. tetrasperma (L.) Moench. f. 2210.

Queens: Flushing, Bisky.

V. hirsuta (L.) Koch. f. 2211.

Queens: Newtown, Bisky. *Suffolk*: Patchogue, Ruger.

V. sativa L. f. 2212.

Kings: Prospect Park? *Queens*: Flushing, Newtown, Bisky.

Suffolk: Greenport, Tillinghast; Miller & Young.

V. angustifolia Roth. f. 2213.

Suffolk: Miller & Young.

LATHYRUS L.

L. maritimus (L.) Bigel. f. 2215.

Common along the coast throughout the island.

L. palustris L. f. 2217.

Queens: Flushing, Bisky. *Suffolk*: Miller & Young.

L. myrtifolius Muhl. f. 2218.

Queens: St. Roman's Hill, Poggensburg. ?

CLITORIA L.

C. Mariana L. f. 2224.

Kings: Brooklyn, Britton & Brown.

FALCATA Gmel.

F. comosa (L.) Kuntze. f. 2225.

Common throughout the island.

APIOS Moench.

A. Apios (L.) MacM. f. 2227.

Common throughout the island.

GALACTIA R. Br.*G. volubilis* (L.) Britton. f. 2229.*Queens*: Newtown, Bisky. *Suffolk*: Miller & Young.**PHASEOLUS** L.*P. polystachyus* (L.) B.S.P. f. 2234.*Suffolk*: Shelter Island, Hulst.**STROPHOSTYLES** Ell.*S. helvola* (L.) Britton. f. 2235.*Kings*: Bay Ridge. *Queens*: Rockaway Beach, Hulst; Through-out, Bisky. *Suffolk*: Greenport, Tillinghast; East Hampton, Mrs. L. D. Pychowska; Miller & Young.*S. umbellata* (Muhl.) Britton. f. 2236.*Kings*: Cedarhurst, Hulst; Brainerd; Bay Ridge. *Queens*: Hempstead, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.**GERANIACEAE.****GERANIUM** L.*G. maculatum* L. f. 2239.

Common throughout the island.

G. Robertianum L. f. 2240.*Queens*: Rockaway Beach, Hulst; Richmond Hill; Hempstead, Bisky.*G. rotundifolium* L. f. 2243.*Queens*: Long Island City, A. Brown; *fide* Bisky.*G. Carolinianum* L. f. 2244.*Queens*: Rockaway Beach, Hulst; Flushing, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.*G. dissectum* L. f. 2246.*Kings*: Brooklyn, Hulst.*G. pusillum* L. f. 2247.*Queens*: Hulst; Flushing, Newtown, Bisky.**ERODIUM** L'Her.*E. cicutarium* (L.) L'Her. f. 2249.*Queens*: Sand's Point, Rev. Chas. H. Hall; Flushing, Oyster Bay, Bisky.**OXALIDACEAE.****OXALIS** L.*O. violacea* L. f. 2251.*Kings*: Cypress Hills, Hulst; Prospect Park. *Queens*: Richmond Hill; Flushing, Oyster Bay, Bisky.

O. corniculata L. f. 2252.

Kings: New Lots, Hulst; Prospect Park, cultivated.

O. stricta L. f. 2254.

Kings: New Lots, Hulst; Prospect Park. *Queens*: Richmond Hill; throughout, Bisky. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

LINACEAE.

LINUM L.

L. usitatissimum L. f. 2258.

Kings: Brooklyn. *Queens*: Flushing, Hempstead, Bisky. *Suffolk*: Miller & Young.

L. Virginianum L. f. 2260.

Kings: Cypress Hills, Hulst. *Queens*: Woodhaven, Hulst; Richmond Hill; Flushing, Hempstead, N. Hempstead, Bisky.

Suffolk: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

L. striatum Walt. f. 2263.

Queens: Centreville, M. Rugers. *Suffolk*: E. Hampton, Mrs. M. Pychowska; Miller & Young.

RUTACEAE.

XANTHOXYLUM L.

X. Americanum Mill. f. 2269.

Queens: Oyster Bay, Bisky; Glen Cove, Coles, Rudkin.

RUTA L.

R. graveolens L.

Queens: Oyster Bay, Bisky; Glen Cove, Coles.

PTELEA L.

P. trifoliata L. f. 2271.

Suffolk: Miller & Young.

SIMARUBACEAE.

AILANTHUS Desf.

A. glandulosa Desf. f. 2272.

Common throughout the island.

POLYGALACEAE.

POLYGALA L.

P. lutea L. f. 2275.

Queens: Babylon? Britton & Brown. *Suffolk*: Miller & Young.

P. cruciata L. 2276.

Kings: New Lots, Brainerd. *Queens*: Forbell's Landing, Hulst.

Suffolk: East Hampton, Mrs. L. D. Pychowska; Miller & Young.

P. verticellata L. f. 2278.

Kings: Hulst. *Queens*: Hulst. *Suffolk*: Greenport, Tillinghast; Miller & Young.

P. ambigua Nutt. f. 2279.

Kings: Cypress Hills, Hulst.

P. viridescens L. f. 2281.

Kings: Forbell's Landing, Hulst. *Suffolk*: Greenport, Tillinghast; East Hampton, Mrs. L. D. Pychowska.

P. Nuttallii T. & G. f. 2284.

Queens: Hicksville, Hulst. *Suffolk*: Greenport, Tillinghast; Miller & Young.

P. polygama Walt. f. 2287.

Queens: Hicksville, Hulst; Jamaica, Brainerd. *Suffolk*: Moriesches, Brainerd; Greenport, Tillinghast; East Hampton, Mrs. L. D. Pychowska; Miller & Young.

EUPHORBIACEAE.

ACALYPHA L.

A. Virginica L. f. 2298.

Kings: Cypress Hills, Hulst. *Queens*: Calverley; Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

RICINUS L.

R. communis L. f. 2304.

Common throughout.

EUPHORBIA L.

E. polygonifolia L. f. 2307.

Queens: Rockaway, Hulst; Rockaway Park; Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Sag Harbor, E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

E. nutans Lag. f. 2319.

Kings: Brooklyn, Hulst. *Queens*: Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

E. Ipecacuanhae L. f. 2325.

Queens: Woodhaven, Hulst; Hempstead, Jamaica, Oyster Bay, Bisky, Valley Stream. *Suffolk*: Miller & Young.

E. Cyprissias L. f. 2337.

Frequent throughout the island.

CALLITRICHACEAE.

CALLITRICHE L.

C. palustris L. f. 2340.

Queens: Calverley, Rudkin.

C. heterophylla Pursh. f. 2341.

Kings: Forbell's Landing, Hulst. *Queens*: Cold Spring, Hulst; Flushing, Hempstead, Newtown, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

EMPETRACEAE.

COREMA Don.

C. Conradii Torr. f. 2344.

Queens: Bisky, no definite station recorded. (Specimen?)
Suffolk: C. W. Eddy, station since lost.

ANACARDIACEAE.

RHUS L.

R. copallina L. f. 2347.

Common throughout the island.

R. hirta (L.) Sudw. f. 2348.

Queens: Flushing, Newtown, Bisky.

R. glabra L. f. 2349.

Common throughout the island.

R. Vernix L. f. 2352.

Kings: Forbell's Landing, Hulst. *Queens*: Maspeth, Hulst; Throughout, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.

R. radicans L. f. 2353.

Common throughout the island.

ILICACEAE.

ILEX L.

I. opaca Ait. f. 2356.

Kings: Prospect Park. *Queens*: Rockaway Beach, Hulst; Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.

I. glabra (L.) Gray. f. 2359.

Kings: Forbell's Landing, Hulst. *Queens*: Hempstead, Bisky. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska; Miller & Young.

I. verticillata (L.) Gray. f. 2362.

Common throughout the island.

I. laevigata (Pursh) Gray. f. 2363.

Queens: Hempstead, Jamaica, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska; Miller & Young.

ILICIOIDES Dumont.

I. mucronatum (L.) Britton. f. 2364.

Queens: Flushing, Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

CELASTRACEAE.

EUONYMUS L.

E. Europaeus L. f. 2368.

Sparingly escaped.

CELASTRUS L.

C. scandens L. f. 2370.

Common throughout the island.

STAPHYLEA L.

S. trifolia L. f. 2371.

Kings: Prospect Park, in cultivation.

ACERACEAE.

ACER L.

A. saccharinum L. f. 2372.

Common throughout the western end of the island.

A. rubrum L. f. 2372.

Common throughout the island.

A. Saccharum Marsh. f. 2375

Kings: Hulst, Prospect Park. *Queens*: Richmond Hill, Jamaica.

Suffolk: Greenport, Tillinghast.

A. Pennsylvanicum L. f. 2378.

Queens: Plandome, Eddy.

A. Negundo L. f. 2380.

Kings: Prospect Park. *Queens*: Flushing, Bisky.

HIPPOCASTANEACEAE.

AESCRULUS L.

A. Hippocastanum L. f. 2381.

Frequent throughout.

A. Pavia L. f. 2385

Kings: Prospect Park, in cultivation.

BALSAMINACEAE.

IMPATIENS L.

I. biflora Walt. f. 2388.

Common throughout the island.

RHAMNACEAE.

RHAMNUS L.

R. cathartica L. f. 2391.

Queens: Oyster Bay, Bisky; Glen Cove, Coles. *Suffolk*: Miller & Young.

R. Frangula L. f. 2395.

Queens: Flushing, Newtown, Bisky.

CEANOTHUS L.**C. Americanus** L. f. 2396.

Common throughout the island.

VITACEAE.**VITIS L.****V. Labrusca** L. f. 2398.

Common throughout the island.

V. aestivalis Mx. f. 2399.

Frequent throughout the island.

PARTHENOCISSUS Planch.**P. quinquefolia** (L.) Planch. f. 2410.

Common throughout the island, especially over the sands at the western end of the island.

TILIACEAE.**TILIA L.****T. Americana** L. f. 2411.

Common throughout the island.

T. pubescens Ait. f. 2412.

Moist woods, Long Island, Britton & Brown.

MALVACEAE.**ALTHAEA L.****A. officinalis** L. f. 2414.*Queens* : Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky.*Suffolk* : Miller & Young.**MALVA L.****M. sylvestris** L. f. 2415.*Suffolk* : Miller & Young.**M. rotundifolia** L. f. 2416.

Frequent throughout the island.

M. moschata L. f. 2418.*Queens* : Cold Spring, Hulst. *Suffolk* : Miller & Young.**ABUTILON** Gaertn.**A. Abutilon** (L.) Rusby. f. 2430.

Frequent throughout the island.

KOSTELETZKYA Presl.**K. Virginica** (L.) A. Gray. f. 2433.*Queens* : Oyster Bay, Mitchell.**HIBISCUS L.****H. Moscheutos** L. f. 2434.

Frequent throughout the island.

H. *Trionum* L. f. 2437.

Suffolk: Miller & Young.

H. *Syriacus* L. f. 2438.

Suffolk: Greenport, Tillinghast ; Miller & Young.

HYPERICACEAE.

ASCYRUM L.

A. *stans* Mx. f. 2442.

Suffolk: Miller & Young.

A. *hypericoides* L. f. 2443.

Suffolk: Miller & Young.

HYPERICUM L.

H. *perforatum* L. f. 2454.

Common throughout the island.

H. *maculatum* Walt. f. 2455.

Long Island, Hulst. *Suffolk*: Greenport, Tillinghast ; Miller & Young.

H. *muticum* L. f. 2458.

Kings : Calverley, Forbells ; Hulst. *Queens*. *Suffolk* : Greenport, Tillinghast ; Miller & Young.

H. *majus* (Gray) Britton. f. 2460.

Suffolk: Miller & Young.

H. *Canadense* L. f. 2461.

Kings : Cypress Hills, Hulst ; Calverley. *Queens*. *Suffolk* : Greenport, Tillinghast ; E. Hampton, Mrs. L. D. Pychowska. Miller & Young.

SAROTHRA L.

S. *gentianoides* L. f. 2463.

Kings : Forbell's Landing, Hulst. *Queens* : Calverley. *Suffolk* : Greenport, Tillinghast ; Miller & Young ; E. Hampton, Mrs. L. D. Pychowska.

TRIADENUM Raf.

T. *Virginicum* (L.) Raf. f. 2464.

Kings : Brooklyn. *Queens* : Calverley, Richmond Hill. *Suffolk* : Greenport, Tillinghast ; E. Hampton, Mrs. L. D. Pychowska ; Miller & Young.

CISTACEAE.

HELIANTHEUM Pers.

H. *majus* (L.) B.S.P. f. 2470.

Kings : Forbell's Landing, Hulst. *Queens* : Woodhaven, Hulst, Brainerd ; Flushing, Hempstead, Newtown, N. Hempstead, Jamaica, Oyster Bay, Bisky. *Suffolk* : Greenport, Tillinghast ; Miller & Young.

HUDSONIA L.***H. ericoides* L.** f. 2473.*Kings*: Coney Island, Brainerd. *Suffolk*: Southold, Tillinghast; E. Hampton, Mrs. L. D. Pychowska; Miller & Young.***H. tormentosa* Nutt.** f. 2474.*Kings*: Coney Island, Brainerd. *Queens*: Rockaway Beach; J. Schrenk; Hempstead, Oyster Bay, Bisky. *Suffolk*: Southold, Tillinghast; E. Hampton, Mrs. L. D. Pychowska; Miller & Young.**LECHEA L.*****L. minor* L.** f. 2475.*Kings*: Forbell's Landing, Torrey Bot. Club, 1891. *Queens*: Torrey Club, Flushing, Hempstead, Jamaica, Oyster Bay, Bisky; Rockaway. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska; Miller & Young,***L. racemulosa* Mx.** f. 2476.*Queens*: Hempstead, Bisky. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska.***L. maritima* Leggett.** f. 2478.*Queens*: Hempstead, Oyster Bay, Bisky; Rockaway Beach. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.***L. tenuifolia* Mx.** f. 2479.*Kings*: Gowanus, Brainerd; Hulst.***L. Leggettii* Britt. & Hall.** f. 2480.*Kings*: Forbell's Landing, Hulst. *Queens*: Ridgewood, Rudkin. *Suffolk*: Miller & Young.**VIOLACEAE.****VIOLA L.*****V. palmata* L.** f. 2484.

Common throughout the island, more particularly on north side.

V. sagittata* Ait.** f. 2490.*Kings*: Greenwood, Graf; Brooklyn. *Queens*: Aqueduct, Forbell's, Hicksville, Hulst; Flushing, Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.V. pedata* L.** f. 2492.*Kings*: Cedarhurst, Torrey Club. *Queens*: Cypress Hills, Woodhaven, Hulst; Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast, Miller & Young; East Hampton, Mrs. L. D. Pychowska.***V. rotundifolia* Mx.** f. 2494.*Queens*: Long Island City, Hon. A. Brown.

V. blanda Willd. f. 2497.

Queens : Hulst ; Flushing, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

V. primulaefolia L. f. 2499.

Common throughout the island.

V. lanceolata L. f. 2500.

Common throughout the island.

V. pubescens Ait. f. 2503.

Common throughout the island.

V. scabriuscula (T. & G.) Schwein. f. 2504.

Kings : Ridgewood Heights, Hulst.

V. Labradorica Schrank. f. 2507.

Queens : Flushing, Oyster Bay, Bisky.

V. tricolor L. f. 2511.

Throughout island.

CACTACEAE.

OPUNTIA Mill.

O. Opuntia (L.) Coulter. f. 2527.

Queens : Hickville, Rockaway, Hulst ; Oyster Bay, Bisky. *Suffolk* : Greenport, Tillinghast ; Miller & Young ; Sag Harbor, Mrs. L. D. Pychowska.

THYMELEACEAE.

DIRCA L.

D. palustris L. f. 2535.

Long Island, Hulst.

LYTHRACEAE.

ROTALA L.

R. ramosier (L.) Koehne. f. 2543.

Kings : Cypress Hills, Hulst ; Ridgewood, Rutgers. *Queens* : Newtown, Bisky. *Suffolk* : Miller & Young,

DECODEN J. F. Gmel.

D. verticillatus (L.) Ell. f. 2544.

Queens : Jamaica, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : Greenport, Tillinghast ; Miller & Young ; Sag Harbor, Mrs. L. D. Pychowska.

LYTHRUM L.

L. Salicaria L. f. 2549.

Kings : Erie Basin, Hulst. *Queens* : Flushing, Bisky.

PARSONIA P. Br.

P. petiolata (L.) Rusby. f. 2550.

Kings : Flatbush, Brainerd.

MELASTOMACEAE.

RHEXIA L.

R. Virginica L. f. 2552.

Common throughout the island. Gowanus, Brainerd, 1866.

ONOGRACEAE.

ISNARDIA L.

I. palustris L. f. 2555.Long Island, Hulst. *Queens*: Throughout, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

LUDWIGIA L.

L. sphaerocarpa Ell. f. 2557.*Suffolk*: Miller & Young.*L. alternifolia* L. f. 2563.

Common throughout the island.

CHAMAENERION Adans.

C. angustifolium (L.) Scop. f. 2566.*Kings*: Forbell's Landing, Hulst. *Queens*: Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

EPILOBIUM L.

E. palustre L. f. 2571.*Queens*: Flushing, Bisky. *Suffolk*: Miller & Young.*E. strictum* Muhl. f. 2573.*Queens*: Poggenberg.*E. coloratum* Muhl. f. 2575.

Common throughout the island.

ONAGRA Adans.

O. biennis (L.) Scop. f. 2579.

Common throughout the island.

KNEIFFIA Spach.

K. Alleni (Britton) Small. f. 2588.*Suffolk*: Miller & Young.*K. linearis* (Michx.) Spach. f. 2590.*Queens*: Glen Cove, Coles. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.*K. pumila* (L.) Spach. f. 2591.*Kings*: Prospect Park, Forbell's Landing, Hulst. *Queens*: Flushing, Jamaica, Bisky. *Suffolk*: Miller & Young.*K. fruticosa* (L.) Raimann. f. 2592.*Queens*: Woodhaven, Richmond Hill, Hulst, Hempstead, Jamaica, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

CIRCAEA L.**C. Lutetiana L.** f. 2610.

Common throughout the island.

HALORAGIDACEAE.**PROSERPINACA L.****P. palustris L.** f. 2615.Long Island, Hulst. *Queens*: Flushing, Jamaica, Newtown, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.**P. pectinata Lam.** f. 2616.*Suffolk*: Manor, C. H. Peck, New York State Reports, 1889.**MYRIOPHYLLUM L.****M. tenellum** Bigel. f. 2619.*Queens*: Cold Spring, Hulst. *Suffolk*: Miller & Young.**M. humile** (Raf.) Morong. f. 2621.*Queens*: Cold Spring, Hulst; N. Hempstead, Bisky. *Suffolk*: Miller & Young.**ARALIACEAE.****ARALIA L.****A. spinosa L.** f. 2626.*Kings*: Prospect Park. *Queens*: Oyster Bay, Bisky.**A. racemosa L.** f. 2627.*Queens*: Richmond Hill, Hulst; Flushing, Oyster Bay, Bisky.**A. nudicaulis L.** f. 2628.

Common throughout the island.

A. hispida Vent. f. 2629.*Kings*: Cypress Hills, Hulst. *Queens*: Flushing, Newtown, Bisky, Richmond Hill.**PANAX L.****P. trifolium L.** f. 2631.*Kings*: Prospect Park. *Queens*: Richmond Hill; Flushing, N. Hempstead, Oyster Bay, Bisky.**UMBELLIFERAE.****DAUCUS L.****D. Carota L.** f. 2632.

Common throughout the island.

ANGELICA L.**A. atropurpurea L.** f. 2636.*Kings*: Forbell's Landing, Hulst; Prospect Park. *Queens*: Flushing, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

A. villosa (Walt.) B.S.P. f. 2637.

Kings: Cypress Hills, Hulst. *Queens*: Jamaica, Brainerd; Throughout, Bisky.

OXYPOLIS Raf.

O. rigidus (L.) Britton. f. 2640.

Kings: Cypress Hills, Hulst. *Queens*: Flushing, Hempstead, Bisky. *Suffolk*: Miller & Young.

HERACLEUM L.

H. lanatum Mx. f. 2641.

Queens: Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

PASTINACA L.*

P. sativa L. f. 2642.

Common throughout the island.

THASPIUM Nutt.

T. trifoliatum aureum (Nutt.) Britt. f. 2651.

Kings: Gravesend, Brooklyn. *Queens*: Richmond Hill, Hulst; Flushing, Newtown, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

AETHUSA L.

A. Cynapium L. f. 2656.

Queens: Flushing, Bisky.

SANICULA L.

S. Marylandica L. f. 2664.

Common throughout the island.

S. Canadensis L. f. 2666.

Common throughout the island.

PIMPINELLA L.

P. Integerrima (L.) Gray. f. 2670.

Kings: Forbell's Landing, Hulst. *Queens*: Newtown, Bisky.

CHAEROPHYLLUM L.

C. procumbens (L.) Crantz. f. 2678.

Queens: Richmond Hill, Hulst.

WASHINGTONIA Raf.

W. Claytoni (Mx.) Britton. f. 2680.

Long Island, Hulst. *Queens*: Flushing, Oyster Bay, Bisky.

W. longistylis (Torr.) Britton. f. 2681.

Common throughout northern shore of island.

CONIUM L.

C. maculatum L. f. 2684.

Kings: Forbell's Landing, *fide* Chas. H. Hall; com. by Dr. Hulst.

SIUM L.

S. cicutaefolium Gmel. f. 2685.

Kings : Calverley ; Forbell's Landing, Hulst. *Queens* : Flushing, Jamaica, Bisky. *Suffolk* : Miller & Young.

ZIZIA Koch.

Z. aurea (L.) Koch. f. 2690.

Long Island, Hulst.

CARUM L.

C. Carvi L. f. 2693.

Suffolk : Miller & Young.

CICUTA L.

C. maculata L. f. 2694.

Common throughout the island.

C. bulbifera L. f. 2695.

Suffolk : Miller & Young.

DERINGA Adans.

D. Canadensis (L.) Kuntz. f. 2696.

Kings : Prospect Park. *Queens* : Flushing, Oyster Bay, Bisky.

PTILIMNIUM Raf.

P. capillaceum (Mx.) Hollick. f. 2699.

Kings : New Lots, Brainerd. *Queens* : Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : East Hampton, Mrs. L. D. Pychowska ; Miller & Young.

HYDROCOTYLE L.

H. umbellata L. f. 2703.

Suffolk : Miller & Young.

H. Americana L. f. 2706.

Kings : Forbell's Landing, Hulst. *Queens* : Cold Spring, Hulst ; Calverley ; Flushing, Oyster Bay, Bisky.

CORNACEAE.**CORNUS L.**

C. Canadensis L. f. 2710.

Long Island, Hulst. *Queens* : Newtown, Bisky ; Dutch Kills, M. Rugers. *Suffolk* : Miller & Young.

C. florida L. f. 2712.

Common throughout the island.

C. Amonum Mill. f. 2714.

Queens : Maspeth, Hulst ; Flushing, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

C. stolonifera Mx. f. 2717.

Kings : Prospect Park. *Queens* : Winfield, Hulst ; Flushing, Bisky. *Suffolk* : Miller & Young.

C. candidissima Marsh. f. 2718.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Bisky.

C. alternifolia L. f. f. 2720.

Queens: Richmond Hill, Hulst; Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

NYSSA L.

N. sylvatica Marsh. f. 2721

Queens: throughout, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; E. Hampton, Mrs. L. D. Pychowska.

GAMOPETALAE.

CLETHRACEAE.

CLETHRA L.

C. alnifolia L. f. 2724.

Frequent throughout the island.

PYROLACEAE.

PYROLA L.

P. rotundifolia L. f. 2726.

Rare throughout the island.

P. chlorantha Sw. f. 2727.

Suffolk: Miller & Young.

P. elliptica Nutt. f. 2728.

Frequent throughout the island.

P. secunda L. f. 2733.

Queens: Jamaica, Bisky.

CHIMAPHILA Pursh.

C. maculata (L.) Pursh. f. 2735.

Frequent throughout the island.

C. umbellata (L.) Nutt. f. 2736.

Frequent throughout the island.

MONOTROPACEAE.

MONOTROPA L.

M. uniflora L. f. 2739.

Kings: Calverley; Hulst. *Queens*: Woodhaven, Richmond Hill; Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

HYPOPITYS Adans.

H. Hypopitys (L.) Small. f. 2740.

Kings: Calverley. *Queens*: Calverley; Cold Spring, Hulst; Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

ERICACEAE.

AZALEA L.

A. nudiflora L. f. 2743.

Frequent throughout the island.

A. viscosa L. f. 2747.

Common throughout the island.

A. viscosa hispida (Pursh) Britton.

Montauk Point, Britton & Brown.

A. viscosa nitida (Pursh) Britton.

Long Island, Hulst. *Queens*: Bisky.

A. viscosa glauca Mx.

Queens: Flushing, Hempstead, Bisky.

RHODORA L.

R. Canadense L. f. 2748.

Queens: Flushing, Torrey.

RHODODENDRON L.

R. maximum L. f. 2750.

Extensively cultivated. *Suffolk*: Miller & Young.

KALMIA L.

K. angustifolia L. f. 2756.

Queens: Richmond Hill, Hulst; Hempstead, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

K. latifolia L. f. 2757.

Kings: Forbell's Landing, Hulst. *Queens*: Cold Spring, Hulst; Flushing, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

LEUCOTHOË D. Don.

L. racemosa (L.) Gray. f. 2766.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

PIERIS D. Don.

P. Mariana (L.) Benth. & Hook. f. 2770.

Kings: Cypress Hills, Hulst; New Lots. *Queens*: Caiverley, Hicksville, Hulst; Hempstead, Jamaica, Bisky. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

XOLISMA Raf.

X. ligustrina (L.) Britton. f. 2771.

Queens: Woodhaven, Hulst; throughout, Bisky. *Suffolk*: Miller & Young; E. Hampton, Sag Harbor, Mrs. L. D. Pychowska.

CHAMAEDAPHNE Moench.

C. calyculata (L.) Moench. f. 2772.

Queens: Newtown, Prof. Schrenk.

EPIGAEA L.

E. repens L. f. 2774.

Frequent throughout the island.

GAULTHERIA L.

G. procumbens L. f. 2775.

Kings: Calverley; Cypress Hills, Hulst. *Queens*: Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

ARCTOSTAPHYLOS Adans.

A. Uva-Ursi (L.) Spreng. f. 2776.

Queens: Cold Spring, Hulst; Hempstead, Oyster Bay, Bisky.

Suffolk: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

VACCINIACEAE.**GAYLUSSACIA H.B.K.**

G. frondosa (L.) T. & G. f. 2779.

Kings: Prospect Park. *Queens*: Woodhaven, Hulst; Hempstead, Jamaica, Bisky. *Suffolk*: Miller & Young.

G. resinosa (Ait.) T. & G. f. 2780.

Kings: Prospect Park. *Queens*: throughout, Bisky. *Suffolk*: Wading River, Brainerd; Miller & Young.

G. dumosa (Andr.) T. & G. f. 2781.

Suffolk: Miller & Young.

VACCINIUM L.

V. corymbosum L. f. 2788.

Common throughout the island.

V. atrococcum (Gray) Heller. f. 2789

Queens: Bisky. *Suffolk*: Wading River, Brainerd.

V. Canadense Richards. f. 2790.

Queens: Flushing, Bisky.

V. Pennsylvanicum Lam. f. 2791.

Queens: Woodhaven, Hulst; Glen Cove, Coles. *Suffolk*: Wading River, Hulst, Miller & Young.

V. vacillans Soland. f. 2793.

Queens: throughout. Bisky. *Suffolk*: Miller & Young.

V. stamineum L. f. 2796.

Kings: Forbell's Landing, Hulst.

CHIOGENES Salisb.

C. hispidula (L.) T. & G. f. 2798.

Long Island, *fide* Dr. Chas. H. Hall.

OXYCOCCUS Hill.

O. macrocarpus (Ait.) Pers. f. 2800.

Kings: Cedarbush, Hulst. *Queens*: Hempstead, Oyster Bay, Bisky. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

PRIMULACEAE.

HOTTONIA L.*H. inflata* Ell. f. 2809.*Queens*: Calverley. *Suffolk*: Miller & Young.**SAMOLUS** L.*S. floribundus* H.B.K. f. 2810.*Kings*: Hulst. *Queens*: Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.**LYSIMACHIA** L.*L. vulgaris* L. f. 2811.*Queens*: Newtown, Rudkin.*L. quadrifolia* L. f. 2813.

Common throughout the island.

L. terrestris (L.) B.S.P. f. 2814.

Frequent throughout the island.

L. Nummularia L. f. 2815.

Frequent throughout the island.

STEIRONEMA Raf.*S. ciliatum* (L.) Raf. f. 2816.*Kings*: New Lots, Brainerd; Hulst. *Queens*: Flushing, Newtown, Bisky.*S. lanceolatum* (Walt.) Gray. f. 2819.*Queens*: Flushing, Oyster Bay, Bisky. *Suffolk*: Miller & Young.**NAUMBURGIA** Moench.*N. thrysiflora* (L.) Duby. f. 2821.*Kings*: Forbell's Landing, Hulst; Vandewern Creek, Rudkin.*Queens*: Glen Cove, Coles; Woodside, Brown.**TRIENTALIS** L.*T. Americana* Pursh. f. 2822.

Common throughout the island.

ANAGALLIS L.*A. arvensis* L. f. 2824.

Frequent throughout the island.

DODECATHEON L.*D. Meadia* L. f. 2826.*Queens*: Glen Cove, Coles.

PLUMBAGINACEAE.

LIMONIUM Adans.*L. Carolinianum* (Walt.) Britton. f. 2827.

Common in the sea marshes throughout the island.

EBENACEAE.

DIOSPYROS L.**D.** *Virginiana* L. f. 2831.*Kings*: New Lots, Hulst; Flatbush. *Queens*: Oyster Bay, Bisky.

OLEACEAE.

SYRINGA L.**S. vulgaris** L. f. 2837.

Common throughout the island.

FRAXINUS L.**F.** *Americana* L. f. 2838.*Kings*: Brooklyn, Hulst; *Queens*: Flushing, Oyster Bay, Bisky.**F.** *Pennsylvanica* Marsh. f. 2840.*Queens*: Maspeth, Hulst.**F.** *nigra* Marsh. f. 2843.*Queens*: Glen Cove, Coles.**CHIONANTHUS** L.**C.** *Virginica* L. f. 2845.*Kings*: Prospect Park (cult.)?**LIGUSTRUM** L.**L.** *vulgare* L. f. 2846.

Frequent throughout the island.

GENTIANACEAE.

ERYTHRAEA Neck.**E.** *pulchella* (Sw.) Fries. f. 2853.*Queens*: Flushing, W. Cooper, 1832, in herb. Torrey.**SABBATIA** Adans.**S.** *angularis* (L.) Pursh. f. 2858.*Queens*: Richmond Hill, Hulst; Glendale, Ruger.**S.** *stellaris* Pursh. f. 2861.

Frequent along the salt meadows.

S. *campanulata* (L.) Torr. f. 2863.*Kings*: Forbell's Landing, Hulst.**S.** *dodecandra* (L.) B.S.P. f. 2864.*Kings*: Forbell's Landing, Hulst; New Lots, J. F. Poggenburg.*Queens*: Richmond Hill?**GENTIANA** L.**G.** *crinita* Froel. f. 2867.*Kings*: Forbell's Landing, Hulst. *Queens*: Richmond Hill; Aqueduct, Hulst; Flushing, Newtown, Oyster Bay, Bisky.*Suffolk*: Miller & Young; E. Hampton, Mrs. L. D. Pychowska.

G. Saponaria L. f. 2875.

Queens: Richmond Hill.

G. Andrewsii Griseb. f. 2876.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Oyster Bay, Bisky.

BARTONIA Muhl.

B. Virginica (L.) B.S.P. f. 2887.

Queens: Hicksville, Hulst; Mrs. E. G. Britton; J. Schrenk.

MENYANTHACEAE.

MENYANTHES L.

M. trifoliata L. f. 2889.

Kings: Forbell's Landing, Hulst; New Lots, Hulst, Brainerd; Calverley. *Queens*: Woodhaven, Torrey Club; Flushing, Newtown, Bisky. *Suffolk*: Miller & Young.

LIMNANTHEMUM S. G. Gmelin.

L. lacunosum (Vent) Griseb. f. 2890.

Suffolk: Miller & Young.

APOCYNACEAE.

VINCA L.

V. minor L. f. 2894.

Kings: Common throughout the county, escaped from gardens, cemeteries, etc.

APOCYNUM L.

A. androsaemifolium L. f. 2895.

Queens: Woodhaven, Hulst; Flushing, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast, Miller & Young.

A. cannabinum L. f. 2896.

Kings: Cypress Hills, Hulst. *Queens*: Flushing, Bisky. *Suffolk*: Greenport, Tillinghast, Miller & Young.

ASCLEPIADACEAE.

ASCLEPIAS L.

A. tuberosa L. f. 2900.

Frequent throughout the island.

A. rubra L. f. 2903.

Queens: Centreville, Rutgers; Glen Cove, Coles.

A. purpurascens L. f. 2904.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

A. incarnata L. f. 2905.

Frequent throughout the island.

A. obtusifolia Mx. f. 2909.

Queens: Woodhaven, Hulst; Hempstead, Jamaica, Newtown, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; East Hampton, Mrs. L. D. Pychowska.

A. exaltata (L.) Muhl. f. 2911.

Kings: Forbell's Landing, Hulst. *Queens*: Leggett. *Suffolk*: Miller & Young.

A. variegata L. f. 2912.

Kings: Hulst. *Queens*: Jamaica, Brainerd; N. Hempstead, W. H. Leggett; Glen Cove, Coles. *Suffolk*: Miller & Young; Sag Harbor, Mrs. L. D. Pychowska.

A. quadrifolia Jacq. f. 2913.

Queens: Jamaica, Brainerd; Richmond Hill; Flushing, Newtown, Oyster Bay, Bisky. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska.

A. Syriaca L. f. 2914.

Common throughout the island.

A. verticillata L. f. 2920.

Queens: Hicksville, Hulst; Flushing, Hempstead, Newtown, N. Hempstead, Bisky. *Suffolk*: Miller & Young; Sag Harbor, Mrs. L. D. Pychowska.

ACERATES Ell**A. viridiflora** (Raf.) Eaton. f. 2924.

Queens: Aqueduct, Hulst; Centreville, Rugers.

CYNANCHUM L.**C. nigrum** (L.) Pers. f. 2930.

Kings: Cypress Hills, Hulst. *Queens*: Flushing, Bisky.

CONVOLVULACEAE.**IPOMOEA** L.**I. purpurea** (L.) Roth. f. 2949.

Frequent throughout the island.

CONVOLVULUS L.**C. sepium** L. f. 2951.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Oyster bay, Bisky; Flushing, Brainerd. *Suffolk*: Miller & Young; E. Hampton, Mrs. L. D. Pychowska.

C. repens L. f. 2952.

Queens: Mrs. E. G. Britton.

C. spithameus L. f. 2953.

Queens: Woodhaven, Ruger.

C. arvensis L. f. 2954.

Frequent throughout the island.

CUSCUTACEAE.

CUSCUTA L.

C. arvensis Beyrich. f. 2958.

Queens : Hempstead, Bisky.

C. Gronovii Willd. f. 2963.

Frequent throughout the island.

C. compacta Juss. f. 2966.

Kings : Gowanus, Brainerd.

POLEMONIACEAE.

PHLOX L.

P. paniculata L. f. 2968.

Frequent throughout the island.

P. subulata Mx. f. 2979.

Kings : Cypress Hills, Hulst.

BORAGINACEAE.

CYNOGLOSSUM L.

C. officinale L. f. 3019.

Queens : Cold Spring, Hulst ; Flushing, Oyster Bay, Bisky.

C. Virginicum L. f. 3020.

Queens : Jamaica, Brainerd ; Maspeth, Hulst.

LAPPULA Moench.

L. Lappula (L.) Karst. f. 3021.

Long Island, Brainerd.

L. Virginianum (L.) Greene. f. 3023.

Kings : Hulst. *Queens* : Flushing, Bisky.

MYOSOTIS L.

M. palustris (L.) Lam. f. 3038.

Occasionally escaped from cultivation throughout the island.

Kings : Calverley ; Forbell's Landing, Hulst. *Queens* : Flushing, N. Hempstead, Oyster Bay, Bisky.

M. laxa Lehm. f. 3039.

Kings : Forbell's Landing, Hulst. *Suffolk* : Miller & Young.

M. Virginica (L.) B.S.P. f. 3042.

Kings : Greenwood, Brainerd. *Queens* : Flushing, Newtown, Bisky.

LITHOSPERMUM L.

L. arvense L. f. 3043.

Queens : Woodhaven, Hulst ; Flushing, Bisky. *Suffolk* : Greenport, Tillinghast ; Miller & Young.

L. officinale L. f. 3044.

Kings : Gowanus, Brainerd.

ONOSMODIUM Mx.*O. Virginianum* (L.) DC. f. 3052.*Queens*: Jamaica, Leggett. *Suffolk*: Miller & Young.**SYMPHYTUM** L.*S. officinale* L. f. 3053.*Queens*: Winfield, Hulst; Flushing, Bisky. *Suffolk*: Miller & Young.**LYCOPSIS** L.*L. arvensis* L. f. 3055.*Suffolk*: Miller & Young.**ECHIUM** L.*E. vulgare* L. f. 3056.

Frequent throughout the island.

VERBENACEAE.**VERBENA** L.*V. officinalis* L. f. 3057.*Kings*: Hulst. *Suffolk*: Miller & Young.*V. urticifolia* L. f. 3058.*Kings*: Flatbush, C. F. Neuhaus. *Queens*: Woodhaven, Hulst; Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.*V. hastata* L. f. 3059.

Frequent throughout the island.

V. angustifolia Mx. f. 3060.*Kings*: Calverley. *Queens*: Jamaica, J. Hall.**LABIATEAE.****TEUCRIUM** L.*T. Canadense* L. f. 3070.

Frequent throughout the island.

ISANTHUS Mx.*I. brachiatus* (L.) B.S.P. f. 3072.*Queens*: Woodhaven, Hulst.**TRICHOSTEMA** L.*T. dichotomum* L. f. 3073.*Queens*: Woodhaven, Hulst; Richmond Hill, Miss M. F. Long; throughout, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; E. Hampton, Mrs. L. D. Pychowska.*T. lineare* Nutt. f. 3074.

Long Island, Britton & Brown.

SCUTELLARIA L.*S. lateriflora* L. f. 3075.

Frequent throughout the island.

S. cordifolia Muhl. f. 3078.

Kings : Hulst.

S. pilosa Mx. f. 3079.

Queens : Woodside, Schrenk.

S. integrifolia L. f. 3080.

Suffolk : Miller & Young.

S. galericulata L. f. 3087.

Frequent throughout the island.

MARRUBIUM L.

M. vulgare L. f. 3089.

Queens : Aqueduct, Hulst ; Flushing, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

AGASTACHE Clayt.

A. nepetoides (L.) Kuntze. f. 3090.

Kings : Brainerd. *Queens* : Maspeth, Hulst ; Flushing, Newtown, Oyster Bay, Bisky.

A. scrophulariaeefolia (Willd.) Kuntze. f. 3091.

Queens : Mrs. E. G. Britton. *Suffolk* : Miller & Young.

NEPETA L.

N. Cataria L. f. 3094.

Common throughout the island.

GLECOMA L.

G. hederacea L. f. 3095.

Frequent throughout the island.

PRUNELLA L.

P. vulgaris L. f. 3098.

Common throughout the island.

PHYSOSTEGIA Benth.

P. Virginiana (L.) Benth. f. 3100.

Queens : Flushing, Allen.

GALEOPSIS L.

G. Tetrahit L. f. 3107.

Queens : Oyster Bay, Bisky. *Suffolk* : East Hampton, Mrs. L.

D. Pychowska.

LEONURUS L.

L. Cardiaca L. f. 3108.

Common throughout the island.

LAMIUM L.

L. amplexicaule L. f. 3111.

Kings : Brooklyn, Hulst. *Queens* : Flushing, Newtown, Bisky.

Suffolk : Greenport, Tillinghast ; Miller & Young.

L. purpureum L. f. 3112.

Queens : Flushing, Bisky.

STACHYS L.

S. hyssopifolia Mx. f. 3116.

Kings: Brainerd. *Queens*: Hicksville, Hulst; Flushing, Jamaica, Bisky. *Suffolk*: Miller & Young; Sag Harbor, Mrs. L. D. Pychowska.

S. palustris L. f. 3119.

Queens: Jamaica, Rudkin.

MONARDA L.

M. didyma L. f. 3131.

Queens: Cold Spring, Hulst.

M. fistulosa L. f. 3133.

Queens: Ridgewood, Bisky. *Suffolk*: Miller & Young.

HEDEOMA Pers.

H. pulgoides (L.) Pers. f. 3141.

Frequent throughout the island.

MELISSA L.

M. officinalis L. f. 3144.

Queens: N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

KOELLIA Moench.

K. flexuosa (Walt.) MacM. f. 3154.

Queens: Hicksville, Hulst; Flushing, Oyster Bay, Bisky.

Suffolk: Miller & Young.

K. Virginiana (L.) MacM. f. 3155.

Kings: Forbell's Landing, Hulst; New Lots. *Queens*: Jamaica, Oyster Bay, Bisky. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska.

K. incana (L.) Kuntze. f. 3161.

Queens: Woodside, Schrenk. *Suffolk*: Miller & Young.

K. mutica (Mx.) Britton. f. 3164.

Queens: Woodside, Schrenk. *Suffolk*: E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

CUNILA L.

C. organoides (L.) Britton. f. 3167.

Queens: Glen Cove, Bisky. *Suffolk*: Miller & Young.

LYCOPUS L.

L. Virginicus L. f. 3168.

Frequent throughout the island.

L. sessilifolius Gray. f. 3169.

Kings: Hulst. *Suffolk*: Riverhead, C. H. Peck, 1889.

L. rubellus Moench. f. 3170.

Kings: Hulst. *Suffolk*: Miller & Young.

L. *Americanus* Muhl. f. 3171.

Queens : Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk*.
Greenport, Tillinghast ; Miller & Young.

L. *Europaeus* L. f. 3173.

Kings : Hulst. *Suffolk* : Miller & Young.

MENTHA L.

M. *spicata* L. f. 3174.

Frequent throughout the island.

M. *piperita* L. f. 3175.

Kings : Forbell's Landing, Hulst. *Queens* : Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

M. *rotundifolia* (L.) Huds. f. 3178.

Suffolk : Miller & Young.

M. *crispa* L. f. 3181.

Suffolk : Miller & Young.

M. *arvensis* L. f. 3182.

Queens : Flushing, Bisky.

M. *sativa* L. f. 3184.

Queens : Oyster Bay, Bisky.

M. *Canadensis* L. f. 3185.

Kings : Cypress Hills, Hulst. *Queens* : Flushing, Bisky. *Suffolk* : Miller & Young.

COLLINSONIA L.

C. *Canadensis* L. f. 3186.

Frequent in moist woods throughout the island.

SOLANACEAE.

PHYSALODES Boehm.

P. *Physaloides* (L.) Britton. f. 3189.

Queens : Woodhaven, Ruger.

PHYSALIS L.

P. *pubescens* L. f. 3190.

Queens : Richmond Hill, Hulst ; Flushing, Newtown, Oyster Bay, Bisky. *Suffolk* : Miller & Young.

P. *Philadelphica* Lam. f. 3197.

Queens : Flushing, Allen.

P. *Virginiana* Mill. f. 3202.

Kings : Hulst. *Queens* : Rockaway Beach, Leggett ; Oyster Bay, Bisky. *Suffolk* : East Hampton, Mrs. L. D. Pychowska.

P. *Peruviana* L.

Suffolk : Manor, C. H. Peck, New York State Reports, 1889.
Escaped.

SOLANUM L.

S. nigrum L. f. 3211.

Queens : Rockaway Beach, Hulst ; Flushing, Oyster Bay, Bisky.

Suffolk : Miller & Young.

S. Carolinense L. f. 3213.

Kings : Prospect Park, Eccles ; Hulst ; J. *Queens* : Flushing, Bisky.

S. rostratum Dunal. f. 3216.

Kings : Hulst.

S. Dulcamara L. f. 3218.

Common throughout the island.

LYCOPERSICON Mill.

L. Lycopersicon (L.) Karst. f. 3219.

Commonly escaped from cultivation.

LYCIUM L.

L. vulgare (Ait.) Dun. f. 3220.

Frequent throughout the island.

HYOSCYAMUS L.

H. niger L. f. 3221.

Kings : Prospect Park, Cult. *Queens* : Glen Cove, Coles.

DATURA L.

D. Stramonium L. f. 3222.

Common throughout the island.

D. Tatula L. f. 3223.

Frequent throughout the island.

PETUNIA Juss.

P. axillaris (Lam.) B.S.P. f. 3227.

Kings : Cultivated.

SCROPHULARIACEAE.**VERBASCUM L.**

V. Thapsus L. f. 3229.

Common throughout the island.

V. Blattaria L. f. 3232.

Frequent throughout the island.

LINARIA Juss.

L. Linaria (L.) Karst. f. 3236.

Common throughout the island.

L. genistaefolia (L.) Miller. f. 3237.

Queens : Calverley.

L. Canadensis (L.) Dumont. f. 3238.

Frequent throughout the island.

SCROPHULARIA L.**S. Marylandica** L. f. 3242.

Kings: Hulst. *Queens*: Flushing, Hempstead, Newtown, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

CHELONE L.**C. glabra** L. f. 3244.

Frequent throughout the island.

PENTSTEMON Soland.**P. hirsutus** (L.) Willd. f. 3247.

Kings: Hulst.

P. Pentstemon (L.) Britton. f. 3252.

Kings: Prospect Park. *Queens*: Glen Cove.

PAULOWNIA Sieb. & Zucc.**P. tomentosa** (Thunb.) Baill. f. 3264.

Kings: Throughout the city of Brooklyn, cultivated.

MIMULUS L.**M. ringens** L. f. 3265.

Frequent throughout the island.

M. moschatus Dougl. f. 3269.

Queens: Oyster Bay, Locust Valley, Bisky.

GRATIOLA L.**G. Virginiana** L. f. 3275.

Kings: Cypress Hills, Hulst. *Queens*: Flushing, Newtown, Bisky.

G. aurea Muhl. f. 3277.

Queens: Cold Spring, Hulst; Hempstead, Jamaica, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young; Napeague Beach, Mrs. L. D. Pychowska.

ILYSANTHES Raf.**I. gratioloides** (L.) Benth. f. 3280.

Frequent throughout the island.

VERONICA L.**V. Anagallis-aquatica** L. f. 3287.

Queens: Flushing, Bisky.

V. Americana Schwein. f. 3288.

Kings: New Lots, Brainerd; Hulst. *Suffolk*: Miller & Young.

V. scutellata L. f. 3289.

Kings: Cypress Hills, Hulst.

V. officinalis L. f. 3290.

Common throughout the island.

V. serpyllifolia L. f. 3293.

Frequent throughout the island.

V. *peregrina* L. f. 3294.
Frequent throughout the island.

V. *arvensis* L. f. 3295.
Frequent throughout the island.

V. *agrestis* L. f. 3296.
Queens: Glen Cove, Brainerd.

V. *Byzantina* (Sibth & Smith) B.S.P. f. 3297.
Queens: Flushing, Bisky.

LEPTANDRA Nutt.

L. *Virginica* (L.) Nutt. f. 3299.
Frequent throughout the island.

DIGITALIS L.

D. *purpurea* L. f. 3300.
Sparingly escaped from cultivation.

DASYSTOMA Raf.

D. *Pedicularia* (L.) Benth. f. 3303.
Queens: Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; East Hampton, Mrs. L. D. Pychowska.

D. *flava* (L.) Wood. f. 3304.

Kings: Cypress Hills, Hulst; Forbell's Landing; *Queens*: Flushing, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

D. *Virginica* (L.) Britton. f. 3307.

Queens: Woodhaven, Hulst; Newtown, N. Hempstead, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

GERARDIA L.

G. *purpurea* L. f. 3310.
Frequent throughout the island.

G. *maritima* L. f. 3312.
Frequent along the shores of the island.

G. *tenuifolia* Vahl. f. 3313.
Frequent throughout the island.

CASTILLEJA Mutis.

C. *coccinea* (L.) Spreng. f. 3318.
Queens: Newtown, Oyster Bay, Bisky.

PEDICULARIS L.

P. *Canadensis* L. f. 3335.
Common throughout the island.

MELAMPYRUM L.

M. *lineare* Lam. f. 3340.
Frequent throughout the island.

LENTIBULARIACEAE.

UTRICULARIA L.

U. cornuta Mx. f. 3342.*Queens* : Centreville, Rutgers. *Suffolk* : Miller & Young.*U. resupinata* B. D. Greene. f. 3344.*Suffolk* : Miller & Young.*U. inflata* Walt. f. 3347.*Suffolk* : Miller & Young.*U. purpurea* Walt. f. 3348.*Queens* : Ridgewood Cemetery, Bisky. *Suffolk* : Miller & Young ; Fore and Aft Pond, Sag Harbor, Mrs. L. D. Pychowska.*U. vulgaris* L. f. 3349.*Kings* : Brooklyn, Brainerd, Hulst. *Queens* : Jamaica, Brainerd ; Hempstead, Newtown, Bisky ; Glen Cove. *Suffolk* : Miller & Young.*U. intermedia* Hayne. f. 3351.*Queens* : Jamaica, Brainerd. *Suffolk* : Miller & Young.*U. fibrosa* Walt. f. 3352.*Suffolk* : Miller & Young.*U. gibba* L. f. 3354.*Queens* : Woodhaven, Rutgers. *Suffolk* : Sag Harbor, Mrs. L. D. Pychowska ; Miller & Young.*U. cana* Gray. ?*Suffolk* : Miller & Young.

OROBANCHACEAE.

THALESIA Raf.

T. uniflora (L.) Britton. f. 3358.*Kings* : Prospect Park ; Newtown, Hulst ; Greenwood, Brainerd.*Queens* : Richmond Hill ; Flushing, Newtown, Huntington, Miss J. E. Rogers ; Oyster Bay, Bisky. *Suffolk* : Miller & Young.

LEPTAMNIUM Raf.

L. Virginianum (L.) Raf. f. 3364.

Frequent on the island.

BIGNONIACEAE.

TECOMA Juss.

T. radicans (L.) DC. f. 3366.*Kings* : Prospect Park. *Queens* : Cold Spring, Hulst.

CATALPA Scop.

C. Catalpa (L.) Karst. f. 3367.*Kings* : Brooklyn, common. *Queens* : Cold Spring, Hulst ; Maspeth, Ruger.

MARTYNIACEAE.

MARTYNIA L.

M. Louisiana Mill. f. 3369.

Kings : Hulst. *Suffolk* : Miller & Young.

PHRYMACEAE.

PHRYMA L.

P. Leptostachya L. f. 3377.

Frequent throughout the island.

PLANTAGINACEAE.

PLANTAGO L.

P. major L. f. 3378.

Common throughout the island.

P. Rugelii Dec. f. 3379.

Kings : Brooklyn, Hulst.

P. lanceolata L. f. 3380.

Common throughout the island.

P. maritima L. f. 3385.

Frequent along the coast.

P. aristata Mx. f. 3387.

Kings : New Lots, Hulst. *Queens* : Cold Spring, Hulst.

P. Virginica L. f. 3388.

Suffolk : Miller & Young.

P. elongata Pursh. f. 3389.

Queens : Newtown, Bisky. *Suffolk* : Greenport, Tillinghast ; Miller & Young.

RUBIACEAE.

HOUSTONIA L.

H. coerulea L. f. 3393.

Kings : Cypress Hills, Hulst. *Queens* : Richmond Hill.

H. purpurea L. f. 3397.

Queens : Spring, Rudkin.

H. longifolia Gaertn. f. 3399.

Queens : Hempstead, Jamaica, N. Hempstead, Oyster Bay, Bisky.

Suffolk : Miller & Young.

OLDENLANDIA L.

O. uniflora L. f. 3402.

Queens : Hempstead, Bisky ; Rockaway. *Suffolk* : Miller & Young.

CEPHALANTHUS L.

C. occidentalis L. f. 3403.

Common throughout the island.

MITCHELLA L.**M. repens** L. f. 3404.

Common throughout the island.

DIODIA L.**D. teres** Walt. f. 3406.*Kings* : Forbell's Landing, Hulst. *Queens* : Woodhaven, Hulst ;
Jamaica, Bisky. *Suffolk* : Manor, C. H. Peck, 1890.**GALIUM L.****G. verum** L. f. 3408.*Queens* : Glen Cove, Coles.**G. Aparine** L. f. 3412.*Kings* : Gowanus, Brainerd. *Queens* : Aqueduct, Hulst ; N.
Hempstead, Oyster Bay, Bisky. *Suffolk* : Greenport, Tilling-
hast ; Miller & Young.**G. pilosum** Ait. f. 3415.*Kings* : New Lots, Brainerd. *Queens* : Newtown, N. Hemp-
stead, Bisky. *Suffolk* : Miller & Young ; E. Hampton, Mrs.
L. D. Pychowska.**G. circaeans** Michx. f. 3417.*Kings* : Cypress Hills, Hulst ; New Lots, Brainerd. *Queens* :
throughout, Bisky. *Suffolk* : Miller & Young ; Greenport,
Tillinghast.**G. triflorum** Michx. f. 3420.*Kings* : Gowanus, Brainerd. *Queens* : Calverley ; Flushing,
Bisky. *Suffolk* : Miller & Young.**G. tinctorium** L. f. 3423.*Kings* : Prospect Park, Forbell's Landing, Hulst. *Queens* :
Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk* : Miller &
Young ; Greenport, Tillinghast.**G. concinnum** T. & G. f. 3427.*Suffolk* : East Hampton, Mrs. L. D. Pychowska.**G. asprellum** Michx. f. 3428.Long Island, Hulst. *Queens* : Calverley ; Flushing, Jamaica,
Oyster Bay, Bisky. ? *Suffolk* : Miller & Young.**G. decurrens** Ives.*Queens* : Glen Cove, Coles.**CAPRIFOLIACEAE.****SAMBUCUS L.****S. Canadensis** L. f. 3432.

Common throughout the island.

S. nigra laciniata (Mill.) DC.*Kings* : Prospect Park.

VIBURNUM L.

V. Opulus L. f. 3435.

Kings: Prospect Park.

V. acerifolium L. f. 3437.

Common throughout the island.

V. dentatum L. f. 3439.

Common throughout the island.

V. cassinoides L. f. 3442.

Queens: Hempstead, Bisky.

V. nudum L. f. 3443.

Kings: New Lots, Hulst. *Queens*: Hempstead, Bisky. *Suffolk*: Miller & Young.

V. Lentago L. f. 3444.

Frequent throughout the island.

V. prunifolium L. f. 3445.

Kings: Prospect Park; Hulst. *Queens*: Flushing, Newtown, N. Hempstead, Oyster Bay, Bisky.

TRIOSTEUM L.

T. perfoliatum L. f. 3448.

Queens: Woodhaven, Hulst; Richmond Hill; Oyster Bay, Bisky; Glen Cove, Coles. *Suffolk*: Miller & Young.

T. angustifolium L. f. 3449.

Queens: Oyster Bay, Bisky; Glen Cove, Coles.

LINNAEA L.

L. borealis L. f. 3450.

Suffolk: Miller & Young.

SYMPHORICARPOS Juss.

S. racemosus Mx. f. 3451.

Kings: Prospect Park; Hulst. *Suffolk*: Miller & Young.

S. Symphoricarpos (L.) MacM. f. 3454.

Kings: Hulst; cultivated.

LONICERA L.

L. caprifolium L. f. 3455.

Queens: Glen Cove, Coles?

L. sempervirens L. f. 3461.

Queens: Richmond Hill, Hulst; Flushing, Hempstead, Newtown, Oyster Bay, Bisky.

L. Tatarica L. f. 3467.

Kings: Prospect Park. *Queens*: Hicksville, Hulst.

DIERVILLA Moench.

D. Diervilla (L.) MacM. f. 3469.

Kings: Prospect Park. *Queens*: Oyster Bay, Bisky; Glen Cove, Coles.

VALERIANACEAE.

VALERIANA L.

V. officinalis L. f. 3474.*Queens* : Newtown, Bisky ; Fresh Pond, Rutgers.

VALERIANELLA Poll.

V. Locusta (L.) Bettke. f. 3475.*Queens* : Ronan's Well, Dr. Thurber.

DIPSACACEAE.

DIPSACUS L.

D. sylvestris Huds. f. 3481.*Queens* : Fresh Pond, Hulst, "years ago;" Oyster Bay, Bisky ; Glen Cove, Coles.

CUCURBITACEAE.

MICRAMPHELIS Raf.

M. lobata (Mx.) Greene. f. 3487.*Kings* : New Lots ; Hulst.

SICYOS L.

S. angulatus L. f. 3489.

Common throughout the island.

CAMPANULACEAE.

CAMPANULA L.

C. rotundifolia L. f. 3491.*Suffolk* : Miller & Young.*C. rapunculoides* L. f. 3492.*Queens* : Flushing, Oyster Bay, Bisky.*C. aparinooides* Pursh. f. 3494.*Kings* : New Lots, Brainerd ; Forbell's Landing, Hulst. *Queens* :

Calverley ; Richmond Hill ; Flushing, Hempstead, Jamaica, Oyster Bay, Bisky.

C. Americana L. f. 3496.*Queens* : Flushing, Bisky.

LEGOUZIA Durand.

L. perfoliata (L.) Britton. f. 3498.

Frequent throughout the island.

LOBELIA L.

L. Dortmanna L. f. 3500.*Suffolk* : Miller & Young.*L. cardinalis* L. f. 3502.

Frequent throughout the island.

- L.** *syphilitica* L. f. 3503.
Kings : New Lots, Brainerd ; Forbell's Landing, Hulst. *Queens* : Flushing, Hempstead, Oyster Bay, Bisky.
- L.** *spicata* Lam. f. 3507.
Frequent throughout the island.
- L.** *inflata* L. f. 3509.
Common throughout the island.
- L.** *Kalmii* L. f. 3510.
Kings : New Lots, Brainerd.
- L.** *Nuttallii* Roehm & Schult. f. 3511.
Queens : Hempstead, Jamaica, Bisky. *Suffolk* : Miller & Young.
- L.** *Canbyi* Gray. f. 3512.
Queens : Cedarhurst, Hulst.

CICHORIACEAE.

CICHORIUM L.

- C.** *Intybus* L. f. 3513.
Common throughout the county.

ADOPOGON Neck.

- A.** *Virginicum* (L.) Kuntze. f. 3516.
Kings : Cypress Hills, Hulst. *Queens* : Ridgewood, Glen Cove, Brainerd ; Newtown, Bisky.
- A.** *Carolinianum* (Walt.) Britton. f. 3519.
Queens : Wood Haven, Hulst ; Hempstead, Newtown, N. Hempstead, Oyster Bay, Bisky. *Suffolk* : Greenport, Tillinghast ; E. Hampton, Mrs. L. D. Pychowska ; Miller & Young.

LEONTODON L.

- L.** *autumnale* L. f. 3522.
Kings : Cypress Hills, Hulst.
- L.** *nudicaule* (L.) Porter. f. 3523.
Queens : Cold Spring, Hulst.

TRAGOPOGON L.

- T.** *pratensis* L. f. 3528.
Queens : Flushing, Bisky.

TARAXACUM Hall.

- T.** *Taraxacum* (L.) Karst. f. 3532.
Common throughout the island.

SONCHUS L.

- S.** *arvensis* L. f. 3534.
Queens : Cold Spring, Hulst ; Flushing, Hempstead, Newtown, Bisky.
- S.** *oleraceus* L. f. 3535.
Kings : Cypress Hills, Hulst. *Queens* : Flushing, Newtown, Bisky. *Suffolk* : Miller & Young.

S. asper (L.) All. f. 3536.

Queens: Cold Spring, Hulst; Newtown, Oyster Bay, Bisky.
Suffolk: Greenport, Tillinghast.*

LACTUCA L.

L. Scariola L. f. 3537.

Kings: Brooklyn, Hulst. *Suffolk*: Sag Harbor, Mrs. L. D. Pychowska.

L. Canadensis L. f. 3539.

Queens: Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

L. hirsuta Muhl. f. 3540.

Queens: Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

L. pulchella (Pursh) DC. f. 3542.

Suffolk: Miller & Young.

L. spicata (Lam.) Hitch. f. 3545.

Queens: West Flushing, Rudkin, Newtown, Oyster Bay, Bisky.

Suffolk: Miller & Young.

HIERACIUM L.

H. aurantiacum L. f. 3564.

Kings: Cypress Hills, Hulst. *Queens*: W. H. Rudkin.

H. venosum L. f. 3567.

Frequent throughout the island.

H. Marianum Willd. f. 3568.

Queens: Hempstead, Newtown, Bisky.

H. Canadense Michx. f. 3571.

Common throughout the island.

H. paniculatum L. f. 3572.

Frequent throughout the island.

H. scabrum Mx. f. 3573.

Frequent throughout the island.

H. Gronovii L. f. 3574.

Frequent throughout the island.

NABALUS Cass.

N. altissimus (L.) Hook. f. 3576.

Kings: Hulst. *Queens*: Richmond Hill; Flushing, Oyster Bay, Bisky.

N. albus (L.) Hook. f. 3577.

Common throughout the island.

N. serpentarius (Pursh) Hook. f. 3578.

Queens: Flushing, Hempstead, Jamaica, Newtown, Bisky.

Suffolk: Miller & Young.

N. racemosus (Mx.) DC. f. 3584.

Not infrequent throughout island.

AMBROSIACEAE.

IVA L.

I. frutescens L. f. 3586.

Common throughout the island.

AMBROSIA L.

A. trifida L. f. 3592

Common throughout the island.

A. trifida integrifolia (Muhl.) T. & G.

Frequent.

A. artemisiæfolia L. f. 3593.

Common throughout the island.

XANTHIUM L.

X. spinosum L. 3598.

Common throughout the island.

X. strumarium L. f. 3599.

Frequent throughout the island.

X. Canadense Mill. f. 3600.

Frequent throughout the island.

COMPOSITAE.

VERNONIA Schreb.

V. Noveboracensis (L.) Willd. f. 3601.

Queens : Hulst ; Richmond Hill ; throughout, Bisky. *Suffolk* : Miller & Young ; Sag Harbor, Mrs. L. D. Pychowska.

EUPATORIUM L.

E. maculatum L. f. 3614.

Queens : Plandome, Eddy.

E. purpureum L. f. 3615.

Common throughout the island.

E. leucolepis T. & G. f. 3617.

Suffolk : Miller & Young.

E. album L. f. 3618.

Kings : New Lots, Brainerd. *Suffolk* : Miller & Young.

E. hyssopifolium L. f. 3619.

Queens : Hicksville, Hulst ; Hempstead, Jamaica, Oyster Bay, Bisky. *Suffolk* : Miller & Young ; Sag Harbor, Mrs. L. D. Pychowska.

E. sessilifolium L. f. 3623.

Long Island, Hulst. *Queens* : Newtown, Oyster Bay, Bisky ; Woodside, Ruger ; Glen Cove, Coles. *Suffolk* : Miller & Young.

E. verbenaefolium Mx. f. 3624.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Jamaica, Hempstead, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

E. rotundifolium L. f. 3625.

Long Island, Hulst. *Queens*: (Willis' State Flora)? *Suffolk*: Miller & Young.

E. perfoliatum L. f. 3627.

Common throughout the island.

E. resinosum Torr. f. 3628.

Queens: (Willis State Flora).

E. ageratoides L. f. f. 3629.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

E. aromaticum L. f. 3630.

Kings: Coney Island, Brainerd; Cypress Hills, Hulst. *Queens*: Fresh Pond, Hulst; Hempstead, Jamaica, Bisky; Richmond Hill, Rutgers; Hempstead, Allen. *Suffolk*: Miller & Young.

WILLUGHBAAEA Neck.

W. scandens (L.) Kuntze. f. 3632.

Frequent throughout the island.

LACINARIA Hill.

L. scariosa (L.) Hill. f. 3642.

Kings: Forbell's Landing, Hulst. *Queens*: Hempstead, New-town, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Napeagne Beach, Mrs. L. D. Pychowska; Miller & Young.

L. spicata (L.) Kuntze. f. 3643.

Kings: Forbell's Landing, Hulst. *Queens*: Jamaica, Brainerd.

L. graminifolia (Walt.) Kuntze. f. 3644.

Kings: Forbell's Landing, Hulst.

CHRYSOOPSIS Nutt.

C. falcatia (Pursh) Ell. f. 3653.

Queens: Cold Spring, D. C. Eaton; Oyster Bay, Bisky. *Suffolk*: Horton's Point, Southold, Jamesport, Tillinghast, East Hampton, Mrs. L. D. Pychowska; Miller & Young.

C. Mariana (L.) Nutt. f. 3655.

Kings: Cypress Hills, Hulst; New Lots, Brainerd. *Queens*: Flushing, Hempstead, Jamaica, Oyster Bay, Bisky. *Suffolk*: Miller & Young; E. Hampton, Mrs. L. D. Pychowska.

SOLIDAGO L.

S. caesia L. f. 3673.

Common throughout the island.

S. flexicaulis L. f. 3674.

Kings: Calverley; New Lots, Brainerd. *Queens*: Oyster Bay, Bisky; Glen Cove, Coles.

S. bicolor L. f. 3676.

Common throughout the island.

S. hispida Muhl. f. 3677.

Queens: Jamaica eastward, Bumstead. *Suffolk*: Miller & Young.

S. macrophylla Pursh. f. 3680.

Long Island, Hulst. *Queens*: Sand's Point, Leggett.

S. puberula Nutt. f. 3681.

Queens: Hempstead, Bisky; Bumstead; Rockaway, Leggett.

Suffolk: Common, C. H. Peck, 1890, New York State Report; Miller & Young.

S. speciosa Nutt. f. 3685.

Suffolk: East Hampton, Mrs. L. D. Pychowska.

S. speciosa angustata T. & G.

Suffolk: Baiting Hollow, C. H. Peck.

S. sempervirens L. f. 3690.

Common along the beaches throughout the island.

S. odora Ait. f. 3691.

Kings: Prospect Park. *Queens*: Calverley; Flushing, Hempstead, Jamaica, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; East Hampton, Mrs. L. D. Pychowska; Miller & Young.

S. rugosa Mill. f. 3693.

Queens: Calverley; Flushing, Hempstead, Jamaica, N. Hempstead, Bisky.

S. patula Muhl. f. 3695.

Queens: Astoria, Bumstead.

S. ulmifolia Muhl. f. 3696.

Queens: Rockaway, Leggett. *Suffolk*: Miller & Young.

S. Elliottii T. & G. f. 3698.

Kings: Forbelli Landing, Hulst. *Suffolk*: Miller & Young.

S. neglecta T. & G. f. 3699.

Queens: Hempstead, Newtown, N. Hempstead, Bisky. *Suffolk*: Miller & Young.

S. arguta Ait. f. 3702.

Kings: Calverley. *Queens*: Calverley; Hempstead, Newton, Bisky; Rockaway Beach. *Suffolk*: Greenport, Tillinghast; Miller & Young; East Hampton, Mrs. L. D. Pychowska.

S. serotina Ait. f. 3704.

Queens: Calverley; Oyster Bay, Bisky.

S. Canadensis L. f. 3708.

Common throughout the island.

S. Canadensis scabriuscula Porter.

Suffolk: Miller & Young.

S. nemoralis Ait. f. 3709.

Common throughout the island.

S. rigida L. f. 3713.

Suffolk: East Hampton, Mrs. L. D. Pychowska.

EUTHAMIA Nutt.**E. graminifolia** (L.) Nutt. f. 3718.

Common throughout the island.

E. Caroliniana (L.) Greene. f. 3720.

Common throughout the island.

SERIOCARPUS Nees.**S. linifolius** (L.) B.S.P. f. 3732.

Kings: Forbell's Landing, Hulst. *Queens*: Hicksville, Hulst ; Hempstead, Jamaica, Bisky. *Suffolk*: Miller & Young.

S. astroides (L.) B.S.P. f. 3734.

Kings: Forbell's Landing, Hulst. *Queens*: Jamaica, Brainerd ; Throughout, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska ; Miller & Young.

ASTER L.**A. divaricatus** L. f. 3737.

Common throughout the island.

A. macrophyllus L. f. 3743.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Newtown, Oyster Bay, Bisky.

A. cordifolius L. f. 3752.

Common throughout the island.

A. sagittifolius Willd. f. 3756.

Long Island, Hulst. *Queens*: Flushing, Bisky.

A. undulatus L. f. 3757.

Common throughout the island.

A. patens Ait. f. 3758.

Common throughout the island.

A. phlogifolius Muhl. f. 3759.

Queens: Newtown, Bisky ; Mrs. E. G. Britton ; E. N. Day.

A. Novae-Angliae L. f. 3760.

Kings: New Lots, Brainerd ; Forbell's Landing, Hulst. *Queens* : Calverley ; Flushing, Hempstead, N. Hempstead, Oyster Bay, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska ; Miller & Young.

A. puniceus L. f. 3764.

Kings: New Lots, Brainerd. *Queens*: Throughout, Bisky.
Suffolk: Miller & Young.

A. prenanthoides Muhl. f. 3767.

Long Island, Hulst.

A. laevis L. f. 3768.

Queens: Maspeth, Hulst; Flushing, Newtown, Oyster Bay, Bisky; Glen Cove, Coles. *Suffolk*: Greenport, Tillinghast; Miller & Young.

A. Novi-Belgii L. f. 3773.

Kings: Forbell's Landing, Hulst. *Queens*: Richmond Hill; Flushing, Hempstead, Jamaica, Bisky. *Suffolk*: East Hampton, Mrs. L. D. Pychowska; Miller & Young.

A. Novi-Belgii elodes (T. & G.) Gray.

Queens: (Torrey's State Flora.)

A. longifolius Lam. f. 3774.

Suffolk: Miller & Young.

A. concolor L. f. 3777.

Queens: Woodhaven, Hulst; Rudkin; Ridgewood, Aqueduct, Torrey Club Herb., Ruger. *Suffolk*: Miller & Young.

A. spectabilis Ait. f. 3780.

Kings: New Lots, Brainerd. *Queens*: Woodhaven, Hulst; Hempstead, Jamaica, Bisky.

A. Radula Ait. f. 3783.

Queens: Hempstead, Bisky.

A. nemoralis Ait. f. 3788.

Kings: Bay Ridge, Brainerd.

A. acuminatus Mx. f. 3789.

Common throughout the island.

A. dumosus L. f. 3791.

Kings: New Lots, Brainerd. *Queens*: Hempstead, Jamaica, Bisky.

A. paniculatus Lam. f. 3793.

Kings: New Lots, Brainerd. *Queens*: Calverley; Hempstead, Bisky; Eaton, Bumstead. *Suffolk*.

A. Tradescanti L. f. 3795.

Common throughout.

A. ericoides L. f. 3797.

Queens: Throughout, Bisky. *Suffolk*: Greenport, Tillinghast; E. Hampton, Mrs. L. D. Pychowska; Miller & Young.

A. lateriflorus (L.) Britton. f. 3799.

Common throughout the island.

A. vimineus Lam. f. 3801.

Kings: Forbell's Landing, Hulst. *Queens*. *Suffolk*: C. H. Peck, New York State Report, 1890; Miller & Young.

A. multiflorus Ait. f. 3802.

Kings: Gowanns, Brainerd. *Queens*: Hempstead, Newtown, Oyster Bay, Bisky. *Suffolk*: Miller & Young.

A. tenuifolius L. f. 3804.

Queens: Calverley; Hempstead, Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

A. subulatus Mx. f. 3806.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Hempstead, Jamaica, Newtown, Bisky. *Suffolk*: Miller & Young.

ERIGERON L.

E. pulchellus Mx. f. 3819.

Common throughout the island.

E. Philadelphicus L. f. 3820.

Queens: Oyster Bay, Bisky; Glen Cove, Coles. *Suffolk*: Miller & Young.

E. annuus (L.) Pers. f. 3823.

Queens: Throughout, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

E. ramosus (Walt.) B.S.P. f. 3824.

Common throughout the island.

LEPTILON Raf.

L. Canadensis (L.) Britton. f. 3827.

Common throughout the island.

DOELLINGERIA Nees.

D. umbellatus (Mill.) Nees. f. 3829.

Kings: New Lots, Brainerd; Forbell's Landing, Hulst. *Queens*: Flushing, Hempstead, Oyster Bay, Bisky. *Suffolk*: Miller & Young; East Hampton, Mrs. L. D. Pychowska.

D. infirma (Mx.) Greene. f. 3831.

Queens: Astoria, Leggett.

IONACTIS Greene.

I. linariifolius (L.) Greene. f. 3832.

Common throughout the island.

BACCHARIS L.

B. halimifolia L. f. 3834.

Common throughout the island.

PLUCHEA Cass.

P. camphorata (L.) DC. f. 3840.

Common along the coasts of the island.

ANTENNARIA Gaertn.

- A. plantaginifolia** (L.) Richards. f. 3848.
Common throughout the island.

ANAPHALIS DC.

- A. margaritacea** (L.) B. & H. f. 3850.
Common throughout the island.

GNAPHALIUM L.

- G. obtusifolium** L. f. 3851.
Common throughout the island.
G. uliginosum L. f. 3855.
Frequent throughout the island.
G. purpureum L. f. 3859.
Queens: Hempstead, Bisky. *Suffolk*: Greenport, Tillinghast ;
Miller & Young.

INULA L.

- I. Helenium** L. f. 3861.
Queens : Flushing, Newtown, Oyster Bay, Bisky. *Suffolk* :
Miller & Young.

SILPHIUM L.

- S. perfoliatum** L. f. 3865.
Queens : Flushing, Bisky.

HELIOPSIS Pers.

- H. helianthoides** (L.) B.S.P. f. 3878.
Kings : Forbell's Landing, Hulst.

ECLIPTA L.

- E. alba** (L.) Hassk. f. 3880.
Long Island, Hulst.

RUDBECKIA L.

- R. hirta** L. f. 3885.
Common throughout the island.
R. fulgida Ait. f. 3887.
Kings : Cypress Hills, Hulst.
R. laciniata L. f. 3890.
Kings : Ridgewood, Brainerd, Prospect Park. *Queens* : Flushing, Bisky.

HELIANTHUS L.

- H. angustifolius** L. f. 3898.
Kings : New Lots, Brainerd ; Forbell's Landing, Hulst.
Queens : Hempstead, Newton, Oyster Bay, Bisky. *Suffolk* :
Miller & Young.
H. annuus L. f. 3900.
Common throughout the island.

H. giganteus L. f. 3907.

Common throughout the island.

H. divaricatus L. f. 3910.

Common throughout the island.

H. decápetalus L. f. 3913.

Kings: New Lots, Brainerd. *Queens*: Newtown, Bisky.

H. strumosus L. f. 3915.

Kings: Forbell's Landing, Hulst. *Queens*: Calverley; Newtown, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.

H. tuberosus L. f. 3919.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Hempstead, Jamaica, Bisky. *Suffolk*: Miller & Young.

COREOPSIS L.

C. rosea Nutt. f. 3925.

Suffolk: Miller & Young.

BIDENS L.

B. laevis (L.) B.S.P. f. 3938.

Kings: Forbell's Landing, Hulst. *Queens*: Flushing, Hempstead, Jamaica, N. Hempstead, Bisky. *Suffolk*: Miller & Young.

B. cernua L. f. 3939.

Kings: Prospect Park; Forbell's Landing, Hulst. *Queens*: Bisky.

B. connata Muhl. f. 3940.

Common throughout the island.

B. discoidea (T. & G.) Britton. f. 3943.

Queens: Jamaica, Bisky.

B. frondosa L. f. 3944.

Common throughout the island.

B. bipinnata L. f. 3945.

Frequent throughout the island.

B. trichosperma (Mx.) Britton. f. 3947.

Kings: Forbell's Landing, Cedarhurst, Hulst. *Queens*: Hempstead, Bisky.

B. trichosperma tenuiloba (Gray) Britton.

Suffolk: Eastport, Patchogue, C. H. Peck, New York State Reports, 1889.

GALINSOGA R. & P.

G. parviflora Cav. f. 3954.

Common throughout western part of island.

HELENIUM L.

H. autumnale L. f. 3972.

Common throughout the island.

ACHILLEA L.

A. Millefolium L. f. 3983.

Common throughout the island.

ANTHEMIS L.

A. Cotula L. f. 3984.

Common throughout the island.

A. arvensis L. f. 3985.

Kings : Calverley ; Forbell's Landing, Hulst. *Queens* : Woodhaven, Hulst ; Flushing, Bisky.

CHRYSANTHEMUM L.

C. Leucanthemum L. f. 3988.

Common throughout the island.

C. Parthenium (L.) Pers. f. 3990.

Queens : Cold Spring, Hulst ; Jamaica, Newtown, Oyster Bay, Bisky. *Suffolk* : Greenport, Tillinghast ; Miller & Young.

MATRICARIA L.

M. inodora L. f. 3992.

Queens : Newtown, Bisky. *Suffolk* : Miller & Young.

M. Chamomilla L. f. 3994.

Kings : Calverley.

TANACETUM L.

T. vulgare L. f. 3996.

Common throughout the island.

ARTEMISIA L.

A. caudata Michx. f. 3998.

Queens : Cold Spring, Hulst ; Glen Cove, Coles. *Suffolk* : Miller & Young.

A. biennis Willd. f. 4008.

Kings : Ballast, Brooklyn, Hulst.

A. Stellariana Besser. f. 4009.

Kings : Forbell's Landing, Hulst.

A. vulgaris L. f. 4010.

Kings : Brooklyn, Hulst. *Queens* : Glen Cove, Coles.

TUSSILAGO L.

T. Farfara L. f. 4019.

Queens : (Roslyn ?), Bisky. *Suffolk* : Miller & Young.

ERECHTITES Raf.

E. hieracifolia (L.) Raf. f. 4028.

Common throughout the island.

MESADENIA Raf.**M.** *atriplicifolia* (L.) Raf. f. 4030.*Suffolk*: Miller & Young.**SENECIO** L.**S.** *Balsamitae* Muhl. f. 4043.*Kings*: Prospect Park. *Queens*: Jamaica, Bisky.**S. aureus** L. f. 4047.

Common throughout the island.

S. vulgaris L. f. 4053.*Kings*: New Lots, Hulst; Gravesend. *Queens*: Cold Spring, Hulst; Flushing, Newtown, Bisky.**ARCTIUM** L.**A.** *Lappa* L. f. 4056.

Common throughout the island.

CARDUUS L.**C.** *lanceolatus* L. f. 4058.

Common throughout the island.

C. discolor (Muhl.) Nutt. f. 4060.

Frequent throughout.

C. odoratus (Muhl.) Porter. f. 4067.*Queens*: Flushing, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young.**C. spinosissimus** Walt. f. 4069.*Kings*: Forbell's Landing, Hulst. *Queens*: Hempstead, Oyster Bay, Bisky. *Suffolk*: Greenport, Tillinghast; Miller & Young; E. Hampton, Mrs. L. D. Pychowska.**C. muticus** (Mx.) Pursh. f. 4070.*Kings*: Forbell's Landing, Hulst. *Queens*: Flushing, Bisky. *Suffolk*: Miller & Young.**C. arvensis** (L.) Robs. f. 4071.

Common throughout the island.

C. nutans L. f. 4072.*Kings*: Brooklyn, Hulst.**ONOPORDON** L.**O.** *Acanthium* L. f. 4075.*Kings*: Brooklyn, Hulst. *Queens*: Flushing, Bisky. *Suffolk*: Miller & Young.**CENTAUREA** L.**C.** *Cyanus* L. f. 4076.*Kings*: Brooklyn, Hulst.

INDEX OF GENERA.

A BIES, 60
Abutilon, 115
Acalypha, 112
Acaulon, 49
Acer, 114
Acerates, 129
Achillea, 153
Achnanthes, 22
Acroanthes, 81
Acnida, 90
Acorus, 74
Actaea, 94
Actinocyclus, 20
Actinoptychus, 20
Adiantum, 58
Adicea, 86
Adopogon, 143
Aecidium, 36
Aesculus, 114
Aethusa, 121
Agastache, 132
Agrimonia, 103
Agropyron, 68
Agrostemma, 91
Agrostis, 66
Ahnfeldtia, 12
Ailanthus, 111
Aira, 66
Alaria, 11
Albugo, 27
Alectoria, 46
Aletris, 78
Alisma, 62
Allium, 77
Alnus, 84
Alopecurus, 65
Alsine, 92
Altenaria, 33
Althaea, 115
Amanita, 42
Amaranthus, 90
Amblystegium, 56
Ambrosia, 145
Amelanchier, 104
Ammodenia, 92
Ammophila, 66
Amorpha, 107
Amphiprora, 24
Amphisphaeria, 30
Amphora, 25
Anygdalus, 105
Anagallis, 126

Anaphalus, 151
Andropogon, 63
Anemone, 95
Angelica, 120
Anomodon, 54
Antennaria, 151
Anthemis, 153
Anthoceras, 49
Anthoxanthum, 64
Anychia, 93
Apios, 109
Apocynum, 128
Aposphaeria, 33
Aptogonium, 3
Aquilegia, 94
Arabis, 99
Aralia, 120
Arctium, 154
Arctostaphylos, 125
Arcyria, 1
Arenaria, 92
Arethusa, 80
Argemone, 97
Arisaema, 74
Aristida, 64
Aristolochia, 86
Armillaria, 42
Aronia, 104
Artemisia, 153
Arthocladia, 9
Arthrodesmus, 2
Asarum, 86
Asclepias, 128
Ascophyllum, 11
Ascyrum, 116
Asparagus, 78
Aspergillus, 29
Asplenium, 58
Aster, 148
Asterionella, 22
Atriplex, 89
Aulacomnion, 53
Auliscus, 20
Azalea, 124

B ACCHARIS, 150
Bacillus, 27
Bacterium, 26
Baeomyces, 43
Bangia, 11
Baptisia, 106
Barbarea, 98

Barbula, 51
Bartonia, 128
Batrachium, 96
Batrachospermum, 12
Bartramia, 53
Beggiatoa, 27
Benzoin, 97
Berberis, 96
Betula, 83
Biatora, 44
Biddulphia, 20
Bidens, 152
Blepharostoma, 48
Boehmeria, 86
Boletus, 39
Bostrychia, 14
Botrychium, 57
Brachyelytrum, 65
Brachythecium, 55
Brasenia, 93
Brassica, 98
Bromus, 68
Broussovetia, 85
Bryopsis, 8
Bryum, 52
Buellia, 44
Bulbochaete, 7
Bulbocoleon, 6
Bursa, 99
Butnera, 96

C AKILE, 97
Calamagrostis, 66
Calla, 74
Collinsonia, 134
Callithamnion, 15
Callitricha, 112
Calothrix, 18
Caltha, 94
Camelina, 99
Campanula, 142
Cannabis, 86
Cantharellus, 40
Capriola, 66
Cardamine, 98
Carduus, 154
Carex, 71
Carpinus, 83
Carum, 122
Cassia, 105
Castagnea, 10
Castalia, 93

Castanea, 84
Castilleja, 137
Catalpa, 138
Catharinea, 53
Ceanothus, 115
Celastrus, 114
Celtis, 85
Cenchrus, 64
Centaura, 154
Cephalanthus, 139
Cephalozia, 48
Ceratium, 17
Cerastium, 92
Ceramium, 16
Ceratiomyxa, 1
Ceratodon, 50
Ceratophyllum, 93
Cercis, 105
Cercospora, 32
Cetraria, 45
Chaerophyllum, 121
Chaetomium, 30
Chaetomorpha, 7
Chaetophora, 6
Chaetosphaeria, 30
Chamaecyparis, 60
Chamaedaphne, 124
Chamaelirium, 76
Chamaenirion, 119
Champia, 13
Chelone, 136
Chelidonium, 97
Chenopodium, 88
Chiloscyphus, 48
Chimaphila, 123
Chiogenes, 125
Chionanthus, 127
Chlamydononas, 4
Chondria, 13
Chondrus, 12
Chorda, 11
Chordaria, 10
Chrosperma, 76
Chrysanthemum, 153
Chrysopsis, 146
Chrysosplenium, 101
Cichorium, 143
Cicuta, 122
Cimicifuga, 94
Cinna, 65
Circae, 120
Circinella, 28
Cladium, 71
Cladonia, 43
Cladophora, 7
Cladosporium, 32
Cladostephus, 9
Cladothrix, 27
Cladastris, 106
Clathrocystis, 17
Clavaria, 37

Claytonia, 90
Climaciun, 55
Clitocybe, 41
Clitoria, 108
Clematis, 95
Cleome, 99
Clethra, 123
Cloterium, 2
Coccineis, 22
Coelastrum, 5
Coelosphaerium, 17
Collosporium, 34
Collenia, 46
Collybia, 41
Comandra, 86
Comatrichia, 1
Commelinia, 75
Comptonia, 82
Conferva, 6
Conium, 121
Conocephalum, 47
Conotrema, 46
Convallaria, 78
Convolvulus, 129
Coprinus, 41
Corallina, 17
Corallorrhiza, 81
Cordyceps, 30
Corema, 113
Coreopsis, 152
Cornus, 122
Coronilla, 107
Coronopus, 97
Cortinaria, 40
Corylus, 83
Coscinodiscus, 20
Cosmarium, 2
Cracca, 107
Crataegus, 104
Crotalaria, 106
Craterellus, 37
Crucibulum, 42
Cunila, 133
Cuscuta, 130
Cyathus, 42
Cyclomyces, 39
Cyclotella, 19
Cylindrothecium, 55
Cymatopleura, 26
Cymbella, 25
Cynanchum, 129
Cynoglossum, 130
Cyperus, 69
Cypripedium, 79
Cystoclonium, 12
Cytisus, 106

DACTYLIS, 67
Daedalia, 38
Daldinea, 31
Danthonia, 66

Darluca, 33
Dasya, 14
Dasystoma, 137
Datura, 135
Daucus, 120
Decodon, 118
Delesseria, 13
Derniga, 122
Delphinium, 94
Dermocybe, 40
Deschampsia, 66
Desmarestia, 9
Desmidium, 3
Dentaria, 99
Dianthus, 91
Diatoma, 21
Diatrype, 31
Dichelyma, 54
Dicksonia, 57
Dicladia, 26
Dicranella, 50
Dicranum, 50
Dictyosiphon, 10
Dictyodium, 1
Dictyosphaerium, 5
Diervilla, 141
Digitalis, 137
Diodia, 140
Dioscorea, 79
Diospyros, 127
Diphyscium, 54
Diplotaxis, 98
Dipsacus, 142
Dirca, 118
Distichlis, 67
Ditrichum, 50
Docidium, 2
Dodecatheon, 126
Doellingiae, 150
Dondia, 89
Dothidea, 30
Draba, 99
Draparnaldia, 6
Drosera, 100
Drummondia, 52
Dryopteris, 58
Duchesnia, 102
Dulichium, 69

IATONIA, 6
Echinobotrys, 32
Echium, 131
Eclipta, 151
Ecteocarpus, 8
Elachista, 10
Eleocharis, 69
Eleusine, 67
Elymus, 68
Encyonema, 25
Endocarpion, 46
Entoloma, 41

- Epichloe, 30
 Epigaea, 125
 Epilobium, 119
 Eragrostis, 67
 Erechites, 153
 Erigeron, 150
 Eriocaulon, 75
 Eriophorum, 71
 Erodium, 110
 Erysibe, 29
 Erythraea, 127
 Erythronium, 77
 Euasterum, 3
 Eunotia, 22
 Enotogramma, 21
 Euonymus, 114
 Eupodiscus, 20
 Eupatorium, 145
 Euphorbia, 112
 Euthamia, 148
 Euthora, 13
 Eutypa, 31
 Eutypella, 31
 Exidia, 36
 Exobasidium, 36
- FAGOPYRUM**, 87
Fagus, 84
 Falcata, 109
 Favolus, 38
 Festuca, 68
 Ficaria, 96
 Fimbristylis, 70
 Fissidens, 50
 Fistulina, 39
 Fontinalis, 54
 Fragaria, 102
 Fragilaria, 22
 Fraxinus, 127
 Frullania, 48
 Fucus, 11
 Fuirena, 71
 Fuligo, 2
 Funaria, 52
 Fusarium, 33
 Fusciplodium, 32
- GALACTIA**, 110
Galeopsis, 132
 Galinsoga, 152
 Galium, 140
 Gaultheria, 125
 Gaylussacia, 125
 Geaster, 42
 Gelidium, 12
 Gemmingia, 79
 Genista, 106
 Gentiana, 127
 Georgia, 52
 Geoglossum, 28
 Geranium, 110
- Gerardia, 137
 Geum, 103
 Gigartina, 12
 Glaucium, 97
 Glecoma, 132
 Gleditsia, 105
 Gnaphalium, 15
 Gomphonema, 25
 Gonium, 4
 Gracilaria, 13
 Grammatophora, 21
 Graphiola, 34
 Graphis, 44
 Gratiola, 136
 Griffithsia, 15
 Grimmia, 51
 Grinnellia, 13
 Gymnocladus, 106
 Gymnodinium, 17
 Gymnogongrus, 12
 Gymnosporangium, 34
 Gyrostachys, 80
 Gyrotheca, 79
- HABENARIA**, 80
Halurus, 15
 Hamamelis, 101
 Hedecoma, 133
 Hedwigia, 51
 Helenium, 153
 Heleocholoa, 65
 Helianthemum, 116
 Helianthus, 151
 Heliopsis, 151
 Helleborus, 94
 Heliotium, 28
 Hemerocallis, 77
 Hemiarcyria, 1
 Hemicarpha, 71
 Hendersonia, 31
 Hepatica, 95
 Heracleum, 121
 Hesperis, 99
 Heuchera, 101
 Hibiscus, 115
 Hicorea, 82
 Hieracium, 144
 Hildenbrandia, 17
 Holacanthum, 2
 Holcus, 66
 Homalocenchrus, 64
 Hottonia, 126
 Houstonia, 139
 Hudsonia, 117
 Humulus, 86
 Hyalodiscus, 19
 Hyalotheca, 3
 Hydnnum, 37
 Hydrocotyle, 122
 Hydrodictyon, 5
 Hygrophorus, 40
- Hylocomium, 56
 Hymenocheete, 36
 Hymenostylium, 49
 Hyoscyamus, 135
 Hypericum, 116
 Hypholoma, 41
 Hypnea, 13
 Hypnum, 56
 Hypocrea, 30
 Hypomyces, 30
 Hypopitys, 123
 Hypoxis, 79
 Hypoxylon, 31
 Hysterium, 29
- I**LEX, 113
Ilicioides, 113
 Ilysanthes, 136
 Impatiens, 114
 Inula, 151
 Ionactis, 150
 Ipomoea, 129
 Iris, 79
 Irpex, 37
 Isactus, 19
 Isanthes, 131
 Isaria, 33
 Isnardia, 119
 Isthmia, 21
 Iva, 145
 Ixophorus, 64
- JUGLANS**, 81
Juncoides, 76
 Juncus, 75
 Juniperus, 60
- KALMIA**, 124
Kantia, 48
 Kneiffia, 119
 Koellia, 133
 Koniga, 99
 Kosteletzky, 125
- LACINARIA**, 146
Lactarius, 40
 Lactuca, 144
 Lappula, 130
 Laminaria, 11
 Lamium, 132
 Larix, 60
 Lathyrus, 108
 Leathesia, 10
 Lecanora, 45
 Lechea, 117
 Lecidea, 44
 Legouzia, 142
 Lemma, 74
 Lenzites, 38
 Leontodon, 143
 Leonurus, 132

- Leotia, 28
 Lepidium, 97
 Lepedozia, 48
 Leptamnium, 138
 Leptandra, 137
 Leptilon, 150
 Leptobryum, 52
 Leptogium, 46
 Leptorchis, 81
 Leptostroma, 34
 Lespedeza, 108
 Leucobryum, 50
 Leucodon, 54
 Leucothoë, 124
 Ligustrum, 127
 Lilium, 77
 Limnanthemum, 128
 Limodorum, 81
 Limonium, 126
 Linaria, 135
 Linnaea, 141
 Linum, 111
 Liquidamber, 101
 Liriodendron, 94
 Lithospermum, 130
 Lobelia, 142
 Lomentaria, 13
 Lonicera, 141
 Lophocleia, 48
 Lophodermium, 29
 Ludwigia, 119
 Lupinus, 106
 Lychnis, 135
 Lycogala, 1
 Lycoperdon, 42
 Lycopersicon, 135
 Lycopodium, 59
 Lycopsis, 131
 Lycopus, 133
 Lychnis, 91
 Lyngbya, 18
 Lysimachia, 126
 Lythrum, 118
- M**ACROSPORIUM, 33
 Magnolia, 94
 Malus, 104
 Malva, 115
 Marasmius, 39
 Marchantia, 47
 Marrubium, 132
 Martynia, 139
 Massaria, 30
 Matricaria, 153
 Medeola, 78
 Medicago, 106
 Meibomia, 108
 Melampyrum, 137
 Melanconium, 34
 Melanthium, 76
 Melilotus, 106
- Melissa, 133
 Melobesia, 16
 Melosira, 19
 Menispermum, 96
 Mentha, 134
 Menyanthes, 128
 Meridion, 21
 Merismopedia, 17
 Mesadenia, 154
 Mesogloia, 10
 Micrampelis, 142
 Micrasterias, 3
 Micrococcus, 26
 Microcoleus, 18
 Microsphaera, 29
 Mimulus, 136
 Mitchella, 140
 Mitella, 101
 Minium, 52
 Mohringia, 92
 Molluga, 90
 Monarda, 133
 Monilia, 32
 Monostroma, 5
 Monotropa, 123
 Morus, 85
 Morchella, 28
 Mucor, 27
 Mucronoporus, 37
 Muhlenbergia, 65
 Muscari, 77
 Mutinus, 43
 Mycena, 41
 Myosotis, 130
 Myriactis, 10
 Myrica, 82
 Myrionema, 10
 Myriophyllum, 120
 Myriotrichia, 10
- N**ABALUS, 144
 Naias, 62
 Naucoria, 41
 Naumburgia, 126
 Navicula, 23
 Nectria, 30
 Nemalion, 12
 Nelumbo, 93
 Nepeta, 132
 Nitzchia, 25
 Nodularia, 18
 Nostoc, 17
 Notothylas, 49
 Numularia, 31
 Nymphaea, 93
 Nyssa, 123
- O**DONTOSCHISMA, 48
 Oldenlandria, 139
 Omphalia, 41
 Onagra, 119
- Onoclea, 57
 Onopordon, 154
 Onosmodium, 131
 Opegrapha, 44
 Ophioglossum, 57
 Opulaster, 102
 Opuntia, 118
 Orchis, 80
 Ornithogalum, 77
 Orontium, 74
 Orthotrichum, 51
 Oscillaria, 18
 Osmunda, 57
 Ostrya, 83
 Oxalis, 110
 Oxycoecus, 125
 Oxygraphis, 96
 Oxypolis, 121
- P**ALLAVICINIA, 47
 Panax, 120
 Pandorina, 4
 Panicularia, 67
 Panicum, 63
 Panus, 39
 Paramium, 81
 Parnelia, 45
 Parnassia, 101
 Parsonia, 118
 Parthenocissus, 115
 Paspalum, 63
 Pastinaca, 121
 Paulownia, 136
 Pedastrum, 5
 Pedicularis, 137
 Pellia, 47
 Peltandra, 74
 Peltigera, 46
 Penicillium, 29
 Penium, 2
 Penthorum, 100
 Pentstemon, 136
 Peridinium, 17
 Pertussaria, 46
 Petunia, 135
 Pessonnelia, 16
 Plagiothecium, 55
 Phalaris, 64
 Phallus, 43
 Phaseolus, 110
 Phegopteris, 58
 Philonotus, 53
 Philotria, 62
 Phleum, 65
 Phlox, 130
 Pholiota, 41
 Phoma, 33
 Phragmidium, 35
 Phryma, 139
 Phyllachora, 30
 Phyllitis, 9

- Phyllophora, 12
 Phylosticta, 33
 Physalis, 134
 Physalodes, 134
 Physostegia, 132
 Physcia, 44
 Physcomitrium, 52
 Phytolacca, 90
 Picea, 60
 Pieris, 124
 Pimpinella, 121
 Pinus, 59
 Placodium, 44
 Plagiochila, 47
 Plagiogramma, 22
 Plantago, 139
 Platanus, 101
 Platygryrium, 54
 Pleonectria, 50
 Pleuridium, 49
 Pleurococcus, 5
 Pleurostigma, 24
 Pleurotaenium, 2
 Pleurotus, 41
 Plowrightia, 30
 Pluchea, 30
 Plumaria, 16
 Poa, 67
 Pogonatum, 53
 Pogonia, 80
 Polanisia, 100
 Polyedrum, 5
 Polygala, 111
 Polygonatum, 78
 Polygonella, 88
 Polygonum, 87
 Polyides, 16
 Polypodium, 59
 Polyporus, 38
 Polysiphonia, 14
 Polytrichum, 53
 Pontederia, 75
 Populus, 82
 Porella, 48
 Portulaca, 90
 Porphyra, 11
 Potamogeton, 61
 Potentilla, 103
 Pottia, 51
 Proserpinaca, 120
 Protomyces, 28
 Prunella, 132
 Prunus, 105
 Psallota, 41
 Pseudomonas, 27
 Psilocarya, 70
 Ptelea, 111
 Pteris, 59
 Ptilimnium, 122
 Ptilota, 16
 Puccinia, 35
- Punctaria, 9
 Pylaisia, 55
 Pyrola, 123
 Pyxilla, 26
 Pyxine, 44
- Q**UERCUS, 84
- RACOMITRIUM, 51
 Radula, 48
 Ramalina, 45
 Ranunculus, 95
 Raphanus, 98
 Raphidium, 5
 Reseda, 100
 Reticularia, 1
 Rhabdonema, 21
 Rhabdonia, 13
 Rhamus, 114
 Rhipidostegium, 55
 Rhexia, 119
 Rhizoclonium, 7
 Rhizopus, 28
 Rhizosolenia, 20
 Rhodobryum, 52
 Rhododendron, 124
 Rhodomela, 14
 Rhodora, 124
 Rhodymenia, 13
 Rhoicosphenia, 25
 Rhus, 113
 Rhystisma, 29
 Ribes, 101
 Riccardia, 47
 Riccia, 47
 Ricinus, 112
 Rivularia, 19
 Robinia, 107
 Roestelia, 35
 Roripa, 98
 Rosa, 103
 Rotala, 118
 Rubus, 102
 Rudbeckia, 151
 Rumex, 87
 Ruppia, 62
 Russula, 40
 Ruta, 111
 Rynchospora, 71
- S**ABBATIA, 127
 Sacidium, 34
 Saccharomyces, 28
 Saccogyna, 48
 Sagina, 92
 Sagittaria, 62
 Salicornia, 89
 Salix, 83
 Salsola, 89
 Sambucus, 140
- Samolus, 126
 Sanguinaria, 97
 Sanguisorba, 103
 Sanicula, 121
 Saponaria, 91
 Sarcina, 26
 Sargassum, 11
 Sarracenia, 100
 Sarothra, 116
 Sassafras, 96
 Saururus, 81
 Savastana, 64
 Saxifraga, 100
 Scapania, 48
 Scenedesmus, 5
 Schizophyllum, 39
 Scinaria, 12
 Scirpus, 70
 Scleranthus, 93
 Scleria, 71
 Scleroderma, 42
 Scoliopleura, 24
 Scropularia, 136
 Scutellaria, 131
 Sedum, 100
 Selaginella, 59
 Senecio, 154
 Septonema, 32
 Septoria, 34
 Sericarpus, 148
 Sesuvium, 90
 Sicyos, 142
 Silene, 91
 Silphium, 151
 Sinapis, 97
 Sisymbrium, 97
 Sisyrinchium, 79
 Siuum, 122
 Smilax, 78
 Solanum, 135
 Solidago, 146
 Sonchus, 143
 Sorbus, 104
 Sparganium, 61
 Spartina, 66
 Spathyema, 74
 Spergula, 93
 Spermorthamnion, 14
 Sphaelalaria, 9
 Sphaerella, 4
 Sphaeropsis, 33
 Sphaerotilacea, 29
 Sphaerozoma, 3
 Sphaerozyga, 18
 Sphagnum, 49
 Spiraea, 102
 Spirodela, 74
 Spirogyra, 4
 Spirotaenia, 2
 Spirulina, 18
 Sporidesmium, 32

Sporobolus, 65
 Sporocybe, 33
 Sporotrichum, 32
 Spyridia, 16
 Stachyobotrys, 32
 Stachys, 133
 Staphylea, 114
 Staurastrum, 3
 Stauroneis, 24
 Steironema, 126
 Stemonitis, 1
 Stenophyllum, 70
 Stereodon, 56
 Stereum, 36
 Stichococcus, 5
 Sticta, 47
 Stilophora, 10
 Stipa, 65
 Streptococcus, 26
 Striaria, 9
 Striatella, 21
 Strobilomyces, 39
 Strophostyles, 110
 Stylosanthes, 107
 Surirella, 26
 Symphoricarpos, 141
 Symphytum, 131
 Synchytrium, 27
 Syndesmon, 95
 Synedra, 22
 Syntherisma, 63
 Syringa, 127

TABELLARIA, 21
 Tanacetum, 153
 Taraxacum, 143
 Taxus, 60
 Tecoma, 138
 Terpsinæ, 21
 Tetraspora, 4
 Teucrium, 131
 Thalesia, 138
 Thalictrum, 96
 Thaspium, 121
 Thelephora, 37

Thelia, 56
 Theloschistes, 44
 Thlaspi, 97
 Tilia, 115
 Tissa, 93
 Thuidium, 54
 Thuja, 60
 Toxylon, 85
 Tradescantia, 75
 Trametes, 38
 Trapopogon, 143
 Tremella, 36
 Trentepohlia, 6
 Triadenum, 116
 Triceratium, 20
 Trichia, 1
 Trichocolea, 48
 Tricholoma, 42
 Trichostema, 131
 Trientalium, 126
 Trifolium, 107
 Triglochin, 62
 Trillium, 78
 Triosteum, 141
 Tripsacum, 63
 Trollius, 94
 Tsuga, 60
 Tubularia, 33
 Tubulina, 1
 Tunica, 91
 Tussilago, 153
 Typha, 61

ULMUS, 85
 Ulota, 51
 Ulothrix, 6
 Ulva, 6
 Uncinula, 29
 Unifolium, 78
 Uredo, 36
 Uromyces, 35
 Urtica, 86
 Urticastrum, 86
 Usnea, 46
 Ustilago, 34


Ustulina, 31
 Utricularia, 138
 Uvularia, 77

VACCARIA, 91
 Vaccinium, 125
 Vagnera, 78
 Valeriana, 142
 Valerianella, 142
 Vallisneria, 62
 Valsa, 31
 Vauheria, 8
 Veratrum, 77
 Verbascum, 135
 Verbena, 131
 Vernonia, 145
 Veronica, 136
 Viburnum, 141
 Vicia, 108
 Vinca, 128
 Viola, 117
 Vitis, 115
 Volvox, 4

WASHINGTONIA, 121
 Weisia, 49
 Willughbæa, 146
 Woodsia, 57
 Woodwardia, 58

XANTHIDIUM, 3
 Xanthium, 145
 Xanthorrhiza, 94
 Xanthoxylum, 111
 Nolisma, 124
 Xylaria, 32
 Nyris, 75

ZANNICHELLIA, 62
 Zizania, 64
 Zizia, 122
 Zostera, 62
 Zygnema, 4
 Zygomonium, 4



New York Botanical Garden Library

QK 129 J38

Jelliffe, Smith Ely/The flora of Long Is

gen



3 5185 00127 1160

