



始



中央氣象臺月報

大正二年二月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

FEBRUARY, 1913.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY,

TOKIO.

1913.

緒 言

本編ハ大正二年二月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ擧クレハ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據ル但シ日照時數ハ眞太陽時ヲ用フ

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サス但シ其更正數ハ本表ノ欄外ニ掲ク

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒス百ヨリ其度ヲ減シ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルカ如シ

雨雪霰雹ノ種類ニ拘ラス之ヲ一括シテ降水ト爲ス時ハ其全日ノ水量耗ノ十分一以上ニ達シタル日ノミヲ降水ノアリシ日トス但シ特ニ雪霰雹ヲ各別ニ計算スル時ハ其量ノ多少ニ拘ラス苟モ雪霰雹ノアリシ日ハ皆其日數ニ算入ス

平均雲量ニ未滿ナル日ヲ快晴トシハ

INTRODUCTION.

The present volume contains the meteorological observations made at the observatory and all stations in Japan during the month of February, 1913.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the observatory. Among the instructions, the following are in particular to be noted.

Hours of Observations.—The Central Standard Time (mean time of the meridian 135° E.) is adopted in all localities, (in Taiwan and Manchuria the Western S. T. i. e. mean time of the meridian 120° E.) except for Sunshine duration, in which the apparent solar time is used.

Pressure.—The barometric readings in millimetres are reduced only to freezing point, unless specially mentioned; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

Temperature.—The degrees are given in Centigrade; those below zero are shown by adding 100, to avoid the minus sign; thus 99° for -1°, 95° for -5°, etc.

Days with Precipitation.—The Number of Days is counted only when the amount is 0.1 mm or more in a day; but for those days with either Snow, Hail or Graupel, the amount is not taken into consideration.

Clear and Cloudy Days.—The mean amount of cloud is less than 2 exclusive for the former, and more than 8 inclusive for the latter.

以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ観測シタル日ヲ暴風日トス

現象ノ記號ハ總テ萬國普通ノ記號ヲ用フ

中央氣象臺長

理學博士 中村精男

Days with Gales. —As such are counted the days when the maximum velocity reaches or exceeds 10 metres per second.

The occurrence of phenomena is recorded with international symbols.

K. NAKAMURA, *Rigakuhakushi,*

Director of the Central Meteorological Observatory.

萬國普通記號
ILLUSTRATION OF SYMBOLS.

| | | | | | | | | |
|----|---|---------------------------|-----|---|--------------|-----|----|----------------|
| 雨 | ☉ | Rain | 吹雪 | + | Snow drift | 卷雲 | C | Cirrus |
| 雪 | ✕ | Snow | 細氷 | ← | Ice crystals | 卷層雲 | CS | Cirro-stratus |
| 電雷 | ⚡ | Thunder storm | 地震 | ⊖ | Earthquake | 卷積雲 | CK | Cirro-cumulus |
| 雷聲 | ⚡ | Thunder without lightning | 日光環 | ⊕ | Solar corona | 積卷雲 | KC | Cumulo-cirrus |
| 電光 | ⚡ | Lightning without thunder | 日暈 | ○ | Solar halo | 層卷雲 | SC | Strato-cirrus |
| 霰 | △ | Graupel | 月光環 | ☾ | Lunar corona | 層積雲 | SK | Strato-cumulus |
| 雹 | ▲ | Hail | 月暈 | ☾ | Lunar halo | 亂雲 | N | Nimbus |
| 霧 | ≡ | Mist, fog | 暴風 | ↘ | Gales | 積雲 | K | Cumulus |
| 霜 | ⌋ | Hoar frost | 虹 | ∩ | Rainbow | 積亂雲 | KN | Cumulo-nimbus |
| 露 | △ | Dew | 極光 | ☄ | Aurora | 層雲 | S | Stratus |
| 樹氷 | ∨ | Silver thaw | 烟霧 | ∞ | Dust haze | | | |
| 凝霜 | ~ | Glazed frost | | | | | | |

大正二年二月

測候所 LIST OF

Table listing weather stations in Japan, including columns for Name (地名), Latitude (北緯), Longitude (東經), Height of Barometer (晴雨計), Height of Thermometer (寒暖計), Height of Rain Gauge (雨量計), Director (長), and Date of Commencement (創立年月).

*一等測候所 Stations, making hourly observations.

一覽表 STATION.

FEBRUARY, 1913.

Table listing weather stations in Japan, including columns for Name (地名), Latitude (北緯), Longitude (東經), Height of Barometer (晴雨計), Height of Thermometer (寒暖計), Height of Rain Gauge (雨量計), Director (長), and Date of Commencement (創立年月).

大正二年二月 SUMMARY FOR

Table with columns for Locality (地名), Air Pressure (氣壓), Air Temperature (氣温), and other meteorological data. Includes entries for Koshu, Taibo, Tainan, etc.

* 重力ノ更正并ニ海面ノ更正ヲ施シタルモノ

氣象一覽表 FEBRUARY, 1913.

Table with columns for Precipitation (降水量), Wind Velocity (風速度), and Number of Days (天氣日數). Includes data for various days and locations.

大正二年二月 SUMMARY FOR

Table with columns for Locality (地名), Air Pressure (氣壓), Air Temperature (氣温), Humidity (湿度), Wind (風), Clouds (雲), Sunshine (日照時數), and other meteorological data for various locations in Japan.

本力に更正の二海而への更正の施シタルモノ

氣象一覽表 FEBRUARY, 1913.

Table with columns for Precipitation (降水量), Wind Velocity (風速度), and Number of Days with Weather (天氣日數). It includes detailed daily weather data for February 1913.

大正二年二月 SUMMARY FOR

Table with columns for locality (地名), wind directions (北, 北北東, etc.), and wind frequency (回數). Includes sub-headers for '各風向觀測回數' and 'FREQUENCY OF WIND FROM'. Lists various locations like Koshiu, Taiho, and others.

氣象一覽表 FEBRUARY, 1913.

Table with columns for locality (地名), wind directions (北, 北北東, etc.), and wind frequency (回數). Includes sub-headers for '各風向觀測回數' and 'FREQUENCY OF WIND FROM'. Lists various locations like Yagi, Kioto, and others.

每 時 觀 測

HOURLY OBSERVATIONS.

臺北 TAIHOKU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour (午前, A.M., 正午, 午後, P.M.), and Mean (M.N., Mean).

氣壓 (耗) AIR PRESSURE (mm) (700 mm +)

Main table for Air Pressure with 28 rows of daily data and a summary row at the bottom.

氣溫 (攝氏) AIR TEMPERATURE (°C)

Main table for Air Temperature with 28 rows of daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.27
海面へ更正 Reduction to mean sea level + 0.54

臺北 TAIHOKU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Main data table for Tension of Vapour with 28 rows of daily measurements and a summary row at the bottom.

濕度 (百分率) RELATIVE HUMIDITY (%)

Main data table for Relative Humidity with 28 rows of daily measurements and a summary row at the bottom.

臺北 TAIHOKU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Main data table for Amount of Precipitation with 28 rows of daily measurements and a summary row at the bottom.

地面ノ溫度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (C)

Main data table for Earth Temperature on the Surface with 28 rows of daily measurements and a summary row at the bottom.

臺北

臺北

臺北 TAIHOKU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day (1-11), Noon, and wind direction/velocity data for Taipei. Includes a '平均' (Average) row at the bottom.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

雲量 (0-10) AMOUNT (0-10) AND FORMS OF CLOUD.

Table with columns for Day (1-11), Noon, and cloud amount/form data for Taipei. Includes a '平均' (Average) row at the bottom.

臺北 TAIHOKU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day (1-11), Noon, and wind direction/velocity data for Taipei. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-11), Noon, and cloud amount/form data for Taipei. Includes a '平均' (Average) row at the bottom.

臺北

臺北

臺北 TAIHOKU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (A.M., P.M.), and Total. Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and '氣溫ノ極 Extremes of Air Temp.' with Max., Min., and Range values.

記事 REMARKS.

- List of weather remarks in Japanese, detailing cloud cover and other observations for each day of the month.

那霸 NAHA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (A.M., P.M., Noon, Night), and Mean. Includes '氣壓 (mm) AIR PRESSURE. (700 mm +)' and '氣溫 (攝氏) AIR TEMPERATURE. (C)' with daily data points.

氣溫 (攝氏) AIR TEMPERATURE. (C)

Table with columns for Day and Mean, providing hourly air temperature readings in Celsius for each day of the month.

急變 重力ノ更正 Reduction to standard gravity - 1.21
海面ノ更正 Reduction to mean sea level + 0.94

那覇 NAHA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of water vapor tension data for each day of the month, including a summary row at the bottom.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for each day of the month, including a summary row at the bottom.

那覇 NAHA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for each day of the month, including a summary row at the bottom.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (C)

Table of earth surface temperature data for each day of the month, including a summary row at the bottom.

那霸 NAHA.

大正二年二月

FEBRUARY, 1913.

Table with 12 columns (Day 1-11) and 12 rows (Wind direction and velocity). Includes a '平均' (Average) row at the bottom.

風ノ方向

DIRECTION AND

雲量 (0-10)

AMOUNT (0-10) AND

Table with 12 columns (Day 1-11) and 12 rows (Cloud amount). Includes a '平均' (Average) row at the bottom.

那霸 NAHA.

大正二年二月

FEBRUARY, 1913.

Table with 12 columns (Day 1-11) and 12 rows (Wind velocity). Includes a '平均' (Average) row at the bottom.

及速度 (米/秒)

VELOCITY (m/sec) OF WIND.

及雲形

FORMS OF CLOUD.

Table with 12 columns (Day 1-11) and 12 rows (Cloud forms). Includes a '平均' (Average) row at the bottom.

那覇 NAHA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Time (A.M., P.M.), and Total. Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE (Jordan's)' and '氣温ノ極 Extremes of Air Temp.'.

記事 REMARKS.

Vertical list of weather remarks in Japanese, detailing cloud cover and other observations for each day.

鹿兒島 KAGOSHIMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Time (A.M., P.M.), and Mean. Includes '氣壓 (托) AIR PRESSURE (700 mm +) (mm)' and '氣温 (攝氏) AIR TEMPERATURE (°C)'.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with columns for Day and 12 hourly temperature readings in Celsius.

重力ノ更正 Reduction to standard gravity - 0.89
海面ノ更正 Reduction to mean sea level + 11.09

鹿兒島

鹿兒島 KAGOSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 正午, 午後, P. M., 夜半), and Mean. Rows 1-28 and a summary row for 平均 (Mean).

水蒸氣ノ張力 (mm) TENSION OF VAPOUR.

鹿兒島

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and 1-28, and a summary row for 平均 (Mean).

鹿兒島 KAGOSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 正午, 午後, P. M., 夜半), and Total. Rows 1-28 and a summary row for 合計 (Total).

降水量 (mm) AMOUNT OF PRECIPITATION.

鹿兒島

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table with columns for Day and 1-28, and a summary row for 平均 (Mean).

鹿兒島 KAGOSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 1-11, and Noon. Rows show wind direction and velocity data for each day.

風ノ方向 DIRECTION AND

鹿兒島

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day, 1-11, and Noon. Rows show cloud amount data for each day.

鹿兒島 KAGOSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 1-11, and Noon. Rows show wind direction and velocity data for each day.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

鹿兒島

及雲形

FORMS OF CLOUD.

Table with columns for Day, 1-11, and Noon. Rows show cloud form data for each day.

鹿兒島 KAGOSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 午後, P. M.), 日照時數 (NUMBER OF HOURS WITH SUNSHINE), 氣温ノ極 (Extremes of Air Temp.), and 總計 (Total). Includes a remarks section at the bottom.

鹿兒島

記事 REMARKS.

Table of weather remarks in Japanese, detailing cloud cover, wind, and other observations for each day.

熊本 KUMAMOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 正午, 午後, P. M., 夜半, 平均), 氣壓 (AIR PRESSURE), and 氣温 (AIR TEMPERATURE). Includes a remarks section at the bottom.

熊本

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature readings in Celsius for each day and time interval.

急變 Sudden change. 重力ノ更正 Reduction to standard gravity. 海面ノ更正 Reduction to mean sea level.

熊本 KUMAMOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of water vapor tension data for each day of the month, with values ranging from approximately 3.1 to 11.3 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for each day of the month, with values ranging from 80 to 99%.

熊本

熊本 KUMAMOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for each day of the month, with values ranging from 0.0 to 4.1 mm.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of ground temperature data for each day of the month, with values ranging from 2.5 to 17.1°C.

熊本

熊本 KUMAMOTO.

大正二年二月

FEBRUARY, 1913

Table with columns for Day (日), Hour (午 前, A., M., 正午 Noon), and Wind Direction (風ノ方向). Rows 1-28 show daily wind data, and a final row shows the average (平均).

風ノ方向 DIRECTION AND

熊本

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day (日) and Cloud Amount (雲量). Rows 1-28 show daily cloud data, and a final row shows the average (平均).

熊本 KUMAMOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Hour (午 後, P., M., 夜 中 M. N., 平均 Mean) and Wind Velocity (及速度 (米/秒) VELOCITY (m/sec) OF WIND). Rows 1-28 show daily wind velocity data, and a final row shows the average (平均).

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

熊本

及雲形

FORMS OF CLOUD.

Table with columns for Day (日) and Cloud Form (及雲形). Rows 1-28 show daily cloud form data, and a final row shows the average (平均).

熊本 KUMAMOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 午後, P. M.), Total, and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for日照時數 (NUMBER OF HOURS WITH SUNSHINE) and a summary row at the bottom.

記事 REMARKS.

- List of remarks and observations for Kumamoto, including weather conditions and specific time intervals (e.g., 1. a. - p., 2. a. 8.52-9.45p., 10.38p-).

長崎 NAGASAKI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 正午, 午後, P. M., 夜半, 平均), and AIR PRESSURE (700 mm +). Includes a section for AIR TEMPERATURE (攝氏) and a summary row at the bottom.

氣温 攝氏 AIR TEMPERATURE. °C

Table with columns for Day and 12 hourly temperature readings in Celsius, plus a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.83
海面へ更正 Reduction to mean sea level +12.40

長崎 NAGASAKI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (TENSION OF VAPOUR.)

Table of water vapor tension data for each day of the month, with values ranging from approximately 3.0 to 10.4.

濕度 (RELATIVE HUMIDITY.)

Table of relative humidity data for each day of the month, with values ranging from approximately 60 to 99.

長崎 NAGASAKI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (AMOUNT OF PRECIPITATION.)

Table of precipitation data for each day of the month, with values ranging from 0.0 to 4.4.

地面ノ溫度 (EARTH TEMPERATURE ON THE SURFACE.)

Table of ground temperature data for each day of the month, with values ranging from approximately 0.8 to 16.9.

長崎 NAGASAKI.

大正二年二月

FEBRUARY 1913

Table with columns for Day (1-11), Direction (A, M), and Velocity (m/sec). Includes a '平均' (Average) row at the bottom.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND

長崎

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day (1-28) and Cloud Amount (0-10). Includes a '平均' (Average) row at the bottom.

長崎 NAGASAKI.

大正二年二月

FEBRUARY 1913

Table with columns for Day (1-11), Direction (P, M), and Velocity (m/sec). Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

長崎

及雲形

FORMS OF CLOUD.

Table with columns for Day (1-11) and Cloud Form (0-10). Includes a '平均' (Average) row at the bottom.

長崎 NAGASAKI

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (A.M., P.M.), and Total. Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE (Jordan's)' and '氣温ノ極 Extremes of Air Temp.' with Max, Min, and Range.

記事 REMARKS.

Vertical list of remarks and observations for Nagasaki, including weather conditions and specific time intervals.

福岡 FUKUOKA

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (A.M., P.M., Noon), and Total. Includes '氣壓 (托) AIR PRESSURE (mm) (760 mm +)' and '氣温 (攝氏) AIR TEMPERATURE (°C)'.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with columns for Day and Time (A.M., P.M., Noon). Contains detailed air temperature readings in degrees Celsius.

電力ノ更正 Reduction to standard gravity - 0.77
海面ノ更正 Reduction to mean sea level + 0.52

福岡 FUKUOKA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour, and Temperature (M.N., Mean).

水蒸氣ノ張力 (mm) TENSION OF VAPOUR.

Table of water vapor tension data for each day and hour.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for each day and hour.

福岡 FUKUOKA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour, and Temperature (M.N., Total).

降水量 (mm) AMOUNT OF PRECIPITATION.

Table of precipitation data for each day and hour.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (C)

Table of ground temperature data for each day and hour.

福岡 FUKUOKA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午 (Noon), 前 (Morning), A., M., 正午 (Noon), and 平均 (Average). Rows 1-28 show wind direction and velocity data for each day.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for cloud amount (0-10) and other weather data for days 1-28. Includes a '平均' (Average) row at the bottom.

福岡 FUKUOKA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午 (Noon), 後 (Afternoon), P., M., 夜半 (Midnight), and 平均 (Average). Rows 1-28 show wind direction and velocity data for each day.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

雲形

FORMS OF CLOUD.

Table with columns for cloud forms and other weather data for days 1-28. Includes a '平均' (Average) row at the bottom.

福岡 FUKUOKA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Sun (午前, 午後), Total, and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE (Jordan's)' and a 'Percentage of Possible Duration' calculation.

記事 REMARKS.

- List of weather remarks for each day, including cloud cover (e.g., 晴, 曇, 雨) and other observations.

下關 SHIMONOSEKI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Sun (午前, 午後, 正午), Total, and Air Pressure (最高, 最低, 較差). Includes a section for '氣壓 (托) AIR PRESSURE (托) (700 mm +)' and '氣温 (攝氏) AIR TEMPERATURE (攝氏)'.

氣温 (攝氏) AIR TEMPERATURE (攝氏)

Table with columns for Day and multiple columns for Air Temperature readings throughout the day.

東力ノ更正 Reduction to standard gravity - 0.15
海面ノ更正 Reduction to mean sea level + 4.50

下關 SHIMONOSEKI.

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of water vapor tension data for each day of the month, including a final '平均' (Mean) row.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for each day of the month, including a final '平均' (Mean) row.

下關 SHIMONOSEKI.

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 合計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for each day of the month, including a final '合計' (Total) row.

地面ノ溫度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of earth surface temperature data for each day of the month, including a final '平均' (Mean) row.

下關 SHIMONOSEKI.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午 (Noon), 前 (Morning), A., M., 正午 (Noon), and 風ノ方向 (Direction). Rows 1-28 show wind direction and velocity data for each day.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

雲量 (0-10)

AMOUNT (0-10) AND FORMS OF CLOUD.

Table with columns for cloud forms (sk, cs, etc.) and rows 1-28 showing cloud amount data for each day.

下關 SHIMONOSEKI.

FEBRUARY, 1913.

大正二年二月

Table with columns for 午 (Noon), 後 (Afternoon), P., M., 夜 (Night), 平均 (Mean), and rows 1-28 showing wind velocity and cloud data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (sk, cs, etc.) and rows 1-28 showing cloud amount data for each day.

下 關

大正二年二月

SHIMONOSEKI.

FEBRUARY, 1913.

Table with columns for Day (日), Time (午前, A. M., 午後, P. M.), and Total (總計). It contains data for the number of hours with sunshine (日照時數) and a percentage of possible duration (39%).

Table for Extremes of Air Temp. (氣 溫 ノ 極) with columns for Max (最高), Min (最低), Range (較差), and Day (日). It shows daily temperature extremes and a monthly average.

記 事

REMARKS.

- List of remarks (記事) detailing specific weather observations, cloud cover, and other meteorological notes for the month.

廣 島

大正二年二月

HIROSHIMA.

FEBRUARY, 1913.

Table for Hiroshima with columns for Day (日), Time (午前, A. M., 正午, 午後, P. M., 夜半), and Mean (平均). It contains data for air pressure (氣 壓) and air temperature (氣 溫).

氣 壓 (耗)

AIR PRESSURE. (mm)

氣 溫 (攝氏)

AIR TEMPERATURE. (°C)

Table for Hiroshima with columns for Day (日), Time (午前, A. M., 正午, 午後, P. M., 夜半), and Mean (平均). It contains data for air pressure (氣 壓) and air temperature (氣 溫).

重 力 ノ 更 正 Reduction to standard gravity - 0.72
海 面 へ 更 正 Reduction to mean sea level + 0.30

廣島 HIROSHIMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows include data for 水蒸氣ノ張力 (TENSION OF VAPOUR) and 湿度 (RELATIVE HUMIDITY).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and 湿度 (RELATIVE HUMIDITY) data for each day of the month.

廣島 HIROSHIMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows include data for 降水量 (AMOUNT OF PRECIPITATION) and 地面ノ温度 (EARTH TEMPERATURE ON THE SURFACE).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table with columns for Day and 地面ノ温度 (EARTH TEMPERATURE ON THE SURFACE) data for each day of the month.

廣島

廣島

廣島 HIROSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day (日), Direction (風ノ方向), and Velocity (速度). Rows 1-28 show daily data, and a final row shows the Mean (平均).

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (日) and Cloud Amount (雲量). Rows 1-28 show daily data, and a final row shows the Mean (平均).

廣島 HIROSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day (日), Direction (風ノ方向), and Velocity (速度). Rows 1-28 show daily data, and a final row shows the Mean (平均).

及雲形 FORMS OF CLOUD.

Table with columns for Day (日) and Cloud Form (雲形). Rows 1-28 show daily data, and a final row shows the Mean (平均).

廣島 HIROSHIMA.

大正二年二月 FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), and 總計 (Total). It contains data for '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE (Jordan's)' and a 'Percentage of Possible Duration' of 47%.

Table for '氣溫ノ極 Extremes of Air Temp.' with columns for 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day). It lists daily temperature extremes and a monthly average of 9.10.

記事 REMARKS.

- List of 28 numbered remarks detailing weather observations, including cloud cover (e.g., ☁ 3.07a, △ 6.-1.15a), wind directions, and other meteorological notes.

松山 MATSUYAMA.

大正二年二月 FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), and 夜中 (Midnight). It contains data for '氣壓 (耗) AIR PRESSURE (mm)' and '氣溫 (攝氏) AIR TEMPERATURE (°C)'. It lists daily pressure and temperature readings and monthly averages.

氣溫 (攝氏) AIR TEMPERATURE (°C)

Detailed table of daily air temperature readings in Celsius for each day of the month, with a monthly average of 8.81.

重力ノ更正 Reduction to standard gravity - 0.75
海面ノ更正 Reduction to mean sea level + 3.04

松山 MATSUYAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (1-6), A. M. (7-11), 正午 (Noon), 午後 (1-6), P. M. (7-11), 夜半 (M.N.), 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of vapor tension data for each day from 1 to 28, with a final '平均' (Mean) row.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for each day from 1 to 28, with a final '平均' (Mean) row.

松山 MATSUYAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (1-6), A. M. (7-11), 正午 (Noon), 午後 (1-6), P. M. (7-11), 夜半 (M.N.), 合計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for each day from 1 to 28, with a final '合計' (Total) row.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (C)

Table of ground temperature data for each day from 1 to 28, with a final '平均' (Mean) row.

松山

松山

松山 MATSUYAMA.

大正二年二月

FEBRUARY, 1913

Table with columns for Day, Hour (1-11), and Wind Direction/Velocity. Includes a 'Mean' row at the bottom.

風ノ方向 DIRECTION AND

松山

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day (1-28) and Cloud Amount (0-10) for each hour.

松山 MATSUYAMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour (1-11), and Wind Velocity (m/sec). Includes a 'Mean' row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

松山

及雲形

FORMS OF CLOUD.

Table with columns for Day (1-28) and Cloud Form (e.g., sk, cs, kc) for each hour.

松山 MATSUYAMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), and 合計 (Total). Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE (Jordan's)' and '書間時數 = 對スル百分率 Percentage of Possible Duration. 39 %'.

記事 REMARKS.

Table of remarks with numbered entries (1-28) and corresponding weather symbols and descriptions in Japanese.

Table for '氣温ノ極 Extremes of Air Temp.' with columns for 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day).

多度津 TADOTSU.

大正二年二月

FEBRUARY 1913

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), and 夜半 (Midnight). Includes '氣壓 (耗) AIR PRESSURE (mm) (700 mm +)' and '氣温 (攝氏) AIR TEMPERATURE (°C)'.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table of air temperature readings for each day of the month, with columns for hours and temperature values.

急變 Sudden change. 重力ノ更正 Reduction to standard gravity - 0.73. 海面ノ更正 Reduction to mean sea level + 0.50.

多度津 TADOTSU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows contain data for 水蒸氣ノ張力 (TENSION OF VAPOUR) in mm.

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

多度津

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and 1-24 hours. Rows contain data for 湿度 (RELATIVE HUMIDITY) in percent.

多度津 TADOTSU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows contain data for 降水量 (AMOUNT OF PRECIPITATION) in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

多度津

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (C)

Table with columns for Day and 1-24 hours. Rows contain data for 地面ノ温度 (EARTH TEMPERATURE ON THE SURFACE) in Celsius.

多度津 TADOTSU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, direction (A, M), and velocity (1-11, Noon). Includes a 'Mean' row at the bottom.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

多度津

雲量 (0-10)

AMOUNT (0-10) AND FORMS OF CLOUD.

Table with columns for cloud amount (0-10) and various cloud forms (sk, kc, cs, etc.). Includes a 'Mean' row at the bottom.

多度津 TADOTSU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, direction (P, M), and velocity (1-11, Noon). Includes a 'Mean' row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

多度津

及雲形

FORMS OF CLOUD.

Table with columns for cloud amount (0-10) and various cloud forms (sk, kc, cs, etc.). Includes a 'Mean' row at the bottom.

多度津 TADOTSU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 午後, P. M.), Total, and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for NUMBER OF HOURS WITH SUNSHINE (Jordan's) and a remarks section at the bottom.

多度津

記事 REMARKS.

- List of weather remarks and observations for Tadotsu, including cloud cover, wind, and temperature notes.

徳島 TOKUSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A. M., 正午, 午後, P. M., 夜半), Total, and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for AIR PRESSURE (700 mm +) and a remarks section at the bottom.

徳島

氣温 AIR TEMPERATURE.

Table showing hourly air temperature readings for Tokushima in degrees Celsius.

電力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...

德島 TOKUSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (Midnight), and 平均 (Mean). Rows 1-28.

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of Tension of Vapour (mm) for days 1-28. Includes a '平均' (Mean) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of Relative Humidity (%) for days 1-28. Includes a '平均' (Mean) row at the bottom.

德島 TOKUSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (Midnight), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of Amount of Precipitation (mm) for days 1-28. Includes a '合計' (Total) row at the bottom.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of Earth Temperature on the Surface (°C) for days 1-28. Includes a '平均' (Mean) row at the bottom.

德島 TOKUSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with 12 columns (Day 1-11) and 13 rows (Wind direction and velocity). Includes a 'Mean' row at the bottom.

風ノ方向 DIRECTION AND

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-11) and 28 rows (Cloud amount and form). Includes a 'Mean' row at the bottom.

德島 TOKUSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with 12 columns (Day 1-11) and 13 rows (Wind direction and velocity). Includes a 'Mean' row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

及雲形 FORMS OF CLOUD.

Table with 12 columns (Day 1-11) and 28 rows (Cloud amount and form). Includes a 'Mean' row at the bottom.

徳島 TOKUSHIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), and 合計 (Total). Includes sub-table for 日照時數 (NUMBER OF HOURS WITH SUNSHINE) and 最高最低較差 (Extremes of Air Temp.).

記事 REMARKS.

- List of weather remarks and observations for Tokushima, including cloud cover, wind, and precipitation details.

神戸 KOBE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (Midnight), and 平均 (Mean). Includes sub-table for 氣壓 (AIR PRESSURE) and 氣温 (AIR TEMPERATURE).

氣温 (攝氏) AIR TEMPERATURE (Celsius)

Detailed table of air temperature readings in Celsius for Kobe, showing hourly and daily averages.

重力ノ更正 Reduction to standard gravity - 0.70
海面ノ更正 Reduction to mean sea level + 5.44

神戸 KOBE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows 1-28.

水蒸気ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of water vapor tension (mm) for days 1-28. Includes a '平均' (Mean) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity (%) for days 1-28. Includes a '平均' (Mean) row at the bottom.

神戸

神戸 KOBE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows 1-28.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation (mm) for days 1-28. Includes a '合計' (Total) row at the bottom.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of earth surface temperature (°C) for days 1-28. Includes a '平均' (Mean) row at the bottom.

神戸

神戸 KOBE.

大正二年二月

FEBRUARY, 1913

Table with columns for Day, 午 (Noon), 前 (Morning), A., M., 正午 (Noon), and 平均 (Mean). Rows 1-28 show wind direction and velocity data.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

Table with columns for Day, 午 (Noon), 前 (Morning), A., M., 正午 (Noon), and 平均 (Mean). Rows 1-28 show cloud amount and form data.

雲量 (0-10) AMOUNT (0-10) AND FORMS OF CLOUD.

神戸 KOBE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午 (Noon), 後 (Afternoon), P., M., 夜 (Night), 平均 (Mean). Rows 1-28 show wind direction and velocity data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, 午 (Noon), 後 (Afternoon), P., M., 夜 (Night), 平均 (Mean). Rows 1-28 show cloud amount and form data.

及雲形 FORMS OF CLOUD.

Table with columns for Day, Sun hours (午前, 午後, P. M.), Total, and Air temperature (最高, 最低, 較差). Includes a section for '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and a 'REMARKS' section at the bottom.

Table with columns for Day, Air pressure (午前, 午後, P. M.), and Air temperature (最高, 最低, 較差). Includes a section for '氣壓 (耗) AIR PRESSURE. (mm)' and a 'REMARKS' section at the bottom.

大阪

REMARKS section containing detailed weather observations and notes for Kobe, including wind directions and speeds.

Table with columns for Day, Air temperature (最高, 最低, 較差), and other weather data. Includes a 'REMARKS' section at the bottom.

重力的更正 Reduction to standard gravity - 0.79
海面へ更正 Reduction to mean sea level + 0.29

大阪 OSAKA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜中 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of water vapor tension data for each day of the month, including a final '平均' (Mean) row.

濕度 (百分率) RELATIVE HUMIDITY (%)

Table of relative humidity data for each day of the month, including a final '平均' (Mean) row.

大阪 OSAKA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜中 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for each day of the month, including a final '合計' (Total) row.

地面ノ溫度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of ground temperature data for each day of the month, including a final '平均' (Mean) row.

大阪

大阪

大阪 OSAKA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午 (Noon), 前 (Forenoon), A., M., 正午 (Noon), and 風ノ方向 (Direction). Rows 1-28 show wind direction and velocity data for each day.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

雲量 (0-10) AMOUNT (0-10) AND FORMS OF CLOUD.

Table with columns for Day, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, and 平均 (Mean). Rows 1-28 show cloud amount and form data for each day.

大阪 OSAKA.

FEBRUARY, 1913.

大正二年二月

Table with columns for 午 (Noon), 後 (Afternoon), P., M., 夜 (Night), 平均 (Mean), and 及速度 (米/秒) (Velocity). Rows 1-28 show wind direction and velocity data for each day.

及雲形 FORMS OF CLOUD.

Table with columns for 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, and 平均 (Mean). Rows 1-28 show cloud form data for each day.

大阪

大阪

大阪 OSAKA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Sun (午前, 午後), and Total. Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and '氣温ノ極 Extremes of Air Temp.' with Max, Min, Range.

大阪

記事 REMARKS.

11p-M.N. 9.20-9.25a. *2.15-2.25p., 3.10-3.25p., 4.45-4.50p. / 1.-6a., 10a-3p.
12 a. = 5.15-7.15a. = 9p-10p-M.N. *8.25-8.29a.
13 a. = 6.40-11.05a. = 8p-9p-M.N. / 2p., 4p.
14 a. = 7.-8a. = 10.35-11.50a., 1.00-2.55p. = 7p-11p-M.N. = 11.30p-
15 a. = 7.25a. = 11.30a-1.25p.
16 = 4.-7a. = 1.03-1.15p., 1.38-1.50p. = 3.58-3.59p. = 4.25-4.39p. / 1p., 4p., 6p.
17 = 8.50-9.30a. = 1.15a-0.30p., 1.05-1.20p. = 0.20-0.35a., 1.27-1.35a., 2.35-3.15a., 5.54-8.20a., 2.20-4.30p., 4.54p-0.55p-0.90p-
18 = 1.35-2.55a. = 7.35-8.29a. = 8.30a-1.15p. = 3.05-3.25p., 3.40p-10.25p-10.45p-11.20p-11.35p-
19 = 0.08a-0.25a-1.10a-1.20-6.30a. 2.16-2.52p. / 5p., 7p.
20 = 8.30-10.30p., 10.50-11.40p.
21 = 1.55-2.30p., 9.00-9.40p. = 10a-1p. = 7p-10p. = 9.50-11.45p. [10.35p-10.40p-11.20p-
22 = 8.50-9.30a. = 1.15a-0.30p., 1.05-1.20p. = 0.20-0.35a., 1.27-1.35a., 2.35-3.15a., 5.54-8.20a., 2.20-4.30p., 4.54p-0.55p-0.90p-
23 = 4.40-4.55a., 5.03-5.29a., 7.22-7.32a., 8.30-9.22a., 10.45-11.30a. / 2p., 4.-7p.
24 = 6.-7a. = 0.06-0.15a., 1.40-2.00a., 3.45-4.10a., 5.40-6.02a. = 0.30-9.35a., *0.15p-△*0.22-0.26p. / 2.-6p.
25 noon. = M.N. = 1.42-2.35p.
26 a. = 6.35-8.50a. = 10.03-10.10a., 11.55a-0.18p. / 3p-
27 = 0.55-0.58p., 1.40-2.10p., 2.20-3.30p. / 2a., 6.-9a., noon-
28 = 0.55-1.05p., 1.39-1.45p. / 6a., 10a-4p., 7p.

京都 KIOTO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Sun (午前, 午後, 正午), and Total. Includes '氣壓 (托) AIR PRESSURE. (mm)' and '氣温 (攝氏) AIR TEMPERATURE. (C)'. Average values at the bottom: 平均 Mean 60.49, 60.39, 60.21, 60.12, 60.11, 60.28, 60.63, 60.95, 61.07, 61.00, 60.76, 60.24, 59.55, 59.25, 59.23, 59.34, 59.59, 59.84, 60.11, 60.34, 60.56, 60.51, 60.45, 60.32, 60.22.

京都

氣温 (攝氏) AIR TEMPERATURE. (C)

Table with columns for Day and temperature readings. Includes average values at the bottom: 平均 Mean 0.34, 0.46, 0.28, 0.96, 0.99, 0.71, 0.99, 0.61, 0.94, 1.02, 3.52, 5.56, 6.94, 8.11, 8.70, 9.12, 8.84, 8.04, 6.44, 4.68, 3.52, 2.33, 1.51, 1.11, 0.64, 0.29, 0.34.

重力ノ更正 Reduction to standard gravity - 0.68
海面ノ更正 Reduction to mean sea level + 4.63

京都 KIOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜中 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗)

TENSION OF VAPOUR. (mm)

Table of Tension of Vapour (mm) for each day from 1 to 28, with a final '平均' (Mean) row.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of Relative Humidity (%) for each day from 1 to 28, with a final '平均' (Mean) row.

京都 KIOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜中 (M.N.), and 平均 (Mean).

降水量 (耗)

AMOUNT OF PRECIPITATION. (mm)

Table of Amount of Precipitation (mm) for each day from 1 to 28, with a final '合計' (Sum) row.

地面ノ温度 (攝氏)

EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of Earth Temperature on the Surface (°C) for each day from 1 to 28, with a final '平均' (Mean) row.

京都

京都 KIOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 1-11, and Noon. Rows contain wind direction and velocity data for each day.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

京都

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for cloud amount (0-10) and various cloud types (sc, sk, n, etc.).

平均

京都 KIOTO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 1-11, and Mean. Rows contain wind direction and velocity data for each day.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

京都

及雲形

FORMS OF CLOUD.

Table with columns for cloud forms (sc, sk, n, etc.) and their amounts.

平均

京都 KIOTO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Time (午前, 午後), and Total. Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and 'Percentage of Possible Duration. 41%'.

記事 REMARKS.

Vertical text providing detailed remarks and weather observations for each day of the month, including wind directions and speeds.

Table titled '氣温ノ極 Extremes of Air Temp.' with columns for Day, Max., Min., and Range.

名古屋 NAGOYA.

FEBRUARY, 1913.

大正二年二月

Large table with columns for Day, Time (午前, 午後, 正午), and Total. Includes '氣壓 (耗) AIR PRESSURE. (mm)' and '氣温 (攝氏) AIR TEMPERATURE. (°C)'.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and multiple temperature readings (Max., Min., Range).

重力ノ更正 Reduction to standard gravity - 0.67
海面ノ更正 Reduction to mean sea level..... + 1.41

名古屋

名古屋 NAGOYA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of water vapor tension data for each day of the month, including a summary row at the bottom.

名古屋

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for each day of the month, including a summary row at the bottom.

名古屋 NAGOYA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for each day of the month, including a summary row at the bottom.

名古屋

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of ground temperature data for each day of the month, including a summary row at the bottom.

名古屋 NAGOYA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午 (Noon), 前 (Morning), A., M., 正午 (Noon), and 風ノ方向 (Wind Direction). Rows 1-28 show daily wind data, and a summary row at the bottom shows averages.

名古屋

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for cloud amount (0-10) and various cloud types (sk, ke, cs, etc.). Rows 1-28 show daily cloud data, and a summary row at the bottom shows averages.

名古屋 NAGOYA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午 (Noon), 後 (Afternoon), P., M., 夜 (Night), 平均 (Mean), and 及速度 (米/秒) (Velocity in m/sec). Rows 1-28 show daily wind velocity data, and a summary row at the bottom shows averages.

名古屋

及雲形

FORMS OF CLOUD.

Table with columns for cloud forms (sk, ke, cs, etc.) and various cloud types. Rows 1-28 show daily cloud form data, and a summary row at the bottom shows averages.

名古屋 NAGOYA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), and 總計 (Total). Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and 'Percentage of Possible Duration. 51%'.

記事 REMARKS.

- List of weather remarks for each day, including cloud cover and precipitation symbols (e.g., ☁, ☂, ☁☂).

名古屋

東京 TOKIO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), and 夜半 (Midnight). Includes '氣壓 (托) AIR PRESSURE. (mm)' and '平均 Mean'.

氣溫 (攝氏) AIR TEMPERATURE. (C)

Table with columns for Day and 1-11 hours. Includes '平均 Mean' and '電ノ更正 Reduction to standard gravity - 0.63'.

東京

電ノ更正 Reduction to standard gravity - 0.63
海面へ更正 Reduction to mean sea level + 1.99

東京 TOKIO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour (午前, 午後), and Average (平均). Includes sub-headers for A.M., Noon, P.M., and Mean.

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Main data table for Tension of Vapour, showing values for each day and hour from 1 to 28.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Main data table for Relative Humidity, showing values for each day and hour from 1 to 28.

東京 TOKIO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour (午前, 午後), and Average (平均). Includes sub-headers for A.M., Noon, P.M., and Total.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Main data table for Amount of Precipitation, showing values for each day and hour from 1 to 28.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Main data table for Earth Temperature on the Surface, showing values for each day and hour from 1 to 28.

東京

東京

大正二年二月

Table with columns for Day, Direction (A, M), and Velocity (m/sec) for each hour of the day. Includes a summary row for '平均' (Average).

風ノ方向 DIRECTION AND

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day and cloud amount categories (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10) for each hour. Includes a summary row for '平均' (Average).

大正二年二月

Table with columns for Day, Direction (P, M), and Velocity (m/sec) for each hour of the day. Includes a summary row for '平均' (Average).

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

及雲形 FORMS OF CLOUD.

Table with columns for Day and cloud form categories (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10) for each hour. Includes a summary row for '平均' (Average).

東京

東京

東京 TOKIO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Time (A.M., P.M.), and Total. Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE (Jordan's)' and '最高 最低 較差 Day' (Max. Min. Range Day) for temperature extremes.

東京

記事 REMARKS.

Table of weather remarks and observations for Tokyo, including cloud cover, wind, and other meteorological notes.

銚子 CHOSHI.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Time (A.M., P.M., Noon), and Total. Includes '氣壓 (耗) AIR PRESSURE (mm)' and '最高 最低 較差 Day' for temperature extremes.

銚子

氣溫 (攝氏) AIR TEMPERATURE (°C)

Table of hourly air temperature readings in Celsius for Choshi.

重カノ更正 Reduction to standard gravity - 0.63
海面ノ更正 Reduction to mean sea level + 2.39

銚子 CHOSHI.

FEBRUARY, 1913

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of Tension of Vapour (mm) for each day from 1 to 28, with a final row for the average (平均).

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table of Relative Humidity (%) for each day from 1 to 28, with a final row for the average (平均).

銚子 CHOSHI.

FEBRUARY, 1913

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of Amount of Precipitation (mm) for each day from 1 to 28, with a final row for the total (合計).

地面ノ溫度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of Earth Temperature on the Surface (°C) for each day from 1 to 28, with a final row for the average (平均).

銚子

銚子 CHOSHI.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day (日) and hours (1-11) for the morning (午前) and noon (正午).

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND

Large table containing wind direction and velocity data for each day from 1 to 28, including a monthly average (平均) at the bottom.

雲量 (0-10)

AMOUNT (0-10) AND FORMS OF CLOUD.

Table containing cloud amount and cloud form data for each day from 1 to 28, including a monthly average (平均) at the bottom.

銚子 CHOSHI.

FEBRUARY, 1913.

大正二年二月

Table with columns for hours (1-11) for the afternoon (午後) and evening (夜中) and a monthly average (平均).

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Large table containing wind direction and velocity data for each day from 1 to 28, including a monthly average (平均) at the bottom.

及雲形 FORMS OF CLOUD.

Table containing cloud amount and cloud form data for each day from 1 to 28, including a monthly average (平均) at the bottom.

銚子 CHOSHI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A.M., 午後, P.M.), Total, and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for日照時數 (NUMBER OF HOURS WITH SUNSHINE) and a remarks section at the bottom.

記事 REMARKS.

- List of weather observations and remarks for each day, including wind direction and speed, and other atmospheric conditions.

水戸 MITO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Time (午前, A.M., 正午, 午後, P.M., 夜半, 平均), and Air Pressure (最高, 最低, 較差). Includes a section for Air Pressure (700 mm +) and a remarks section at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and 12 hourly temperature readings in Celsius.

重力ノ更正 Reduction to standard gravity - 0.59
海面ノ更正 Reduction to mean sea level + 2.00

水戸 MITO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Average (M.N., Mean).

水蒸氣ノ張力 (耗)

TENSION OF VAPOUR. (mm)

Main data table for Tension of Vapour with 28 rows and 26 columns of values.

水戸

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Main data table for Relative Humidity with 28 rows and 26 columns of values.

水戸 MITO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Average (M.N., Total).

降水量 (耗)

AMOUNT OF PRECIPITATION. (mm)

Main data table for Amount of Precipitation with 28 rows and 26 columns of values.

水戸

地面ノ温度 (攝氏)

EARTH TEMPERATURE ON THE SURFACE. (°C)

Main data table for Earth Temperature on the Surface with 28 rows and 26 columns of values.

水戸 MITO.

FEBRUARY, 1913

大正二年二月

Table with columns for Day (日) and time intervals (午前, 午, 午後, 正午) from 1 to 11.

風ノ方向 DIRECTION AND

Large table showing wind direction and velocity data for each day from 1 to 28, including a summary row for '平均' (Average).

雲量 (0-10)

AMOUNT (0-10) AND

Table showing cloud amount data for each day from 1 to 28, with a summary row for '平均' (Average).

水戸 MITO.

FEBRUARY, 1913

大正二年二月

Table with columns for time intervals (午後, P., M., 夜半, 平均) from 1 to 11.

反速度 (* / 秒)

VELOCITY (m/sec) OF WIND.

Large table showing wind velocity data for each day from 1 to 28, including a summary row for '平均' (Average).

及雲形

FORMS OF CLOUD.

Table showing cloud form data for each day from 1 to 28, with a summary row for '平均' (Average).

水戸 MITO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour, and Sunshine duration. Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and '最高最低 較差 Extremes of Air Temp. Max. Min. Range'.

記事

REMARKS.

- List of weather remarks in Japanese and English, including cloud observations and wind directions.

前橋 MAYEBASHI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Hour, and Air Pressure. Includes '氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)' and '最高最低 較差 Extremes of Air Temp. Max. Min. Range'.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with columns for Day, Hour, and Air Temperature. Includes '氣温 (攝氏) AIR TEMPERATURE. (°C)' and '最高最低 較差 Extremes of Air Temp. Max. Min. Range'.

重力の更正 Reduction to standard gravity - 0.59
海面の更正 Reduction to mean sea level + 10.56

前橋 MAYEBASHI.

FEBRUARY, 1913.

Table with columns for Day, 午前 (Forenoon), A. M., 正午 (Noon), 午後 (Afternoon), P. M., 夜半平均 (Night Average), and 總計 (Total).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of water vapor tension (mm) for each day from 1 to 28, with a final average row.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity (%) for each day from 1 to 28, with a final average row.

前橋 MAYEBASHI.

FEBRUARY, 1913.

Table with columns for Day, 午前 (Forenoon), A. M., 正午 (Noon), 午後 (Afternoon), P. M., 夜半平均 (Night Average), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation (mm) for each day from 1 to 28, with a final average row.

地面ノ溫度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (C)

Table of earth surface temperature (C) for each day from 1 to 28, with a final average row.

前橋

下之

前橋 MAYEBASHI.

FEBRUARY, 1913

大正二年二月

Table with columns for Day (1-11), Wind Direction (A, M), and Wind Velocity (m/sec). Includes a summary row for '平均' (Average) at the bottom.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

前橋

雲量 (0-10) AMOUNT (0-10) AND FORMS OF CLOUD.

Table with columns for cloud amount (0-10) and cloud forms (sk, sc, cs, etc.). Includes a summary row for '平均' (Average) at the bottom.

前橋 MAYEBASHI.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day (1-11), Wind Direction (P, M), and Wind Velocity (m/sec). Includes a summary row for '平均' (Average) at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

前橋

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (sk, sc, cs, etc.) and their amounts. Includes a summary row for '平均' (Average) at the bottom.

前橋 MAYEBASHI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Sun hours (午前, A.M., 午後, P.M., 總計), and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and a 'Percentage of Possible Duration' of 70%.

記事

REMARKS.

Table of weather remarks for each day from 1 to 28, detailing conditions like '晴', '曇', '雨', '雪', and specific time periods.

函館 HAKODATE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (午前, A.M., 正午, 午後, P.M., 夜中, 平均), and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for '氣壓 (托) AIR PRESSURE. (mm) (700 mm +)'.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of daily air temperature readings in degrees Celsius for each day from 1 to 28.

重力ノ更正 Reduction to standard gravity..... - 0.22
海面ノ更正 Reduction to mean sea level..... + 0.28

函館 HAKODATE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, A.M., Noon, P.M., Night, and Mean. Sub-headers include 午前, 午後, 夜半, 平均.

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Main data table for Tension of Vapour with 28 rows of daily measurements and a final '平均' (Mean) row.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Main data table for Relative Humidity with 28 rows of daily measurements and a final '平均' (Mean) row.

函館 HAKODATE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, A.M., Noon, P.M., Night, and Total. Sub-headers include 午前, 午後, 夜半, 總計.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Main data table for Amount of Precipitation with 28 rows of daily measurements and a final '合計' (Total) row.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Main data table for Earth Temperature on the Surface with 28 rows of daily measurements and a final '平均' (Mean) row.

函館 HAKODATE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day (1-11), Wind Direction (A, M), and Wind Velocity (m/sec). Includes a summary row for '平均' (Mean) at the bottom.

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day (1-11) and Cloud Amount (0-10) for various cloud types (sk, sc, cs, etc.). Includes a summary row for '平均' (Mean) at the bottom.

函館 HAKODATE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day (1-11), Wind Direction (P, M), and Wind Velocity (m/sec). Includes a summary row for '平均' (Mean) at the bottom.

及雲形

FORMS OF CLOUD.

Table with columns for Day (1-11) and Cloud Form (n, sc, cs, etc.). Includes a summary row for '平均' (Mean) at the bottom.

函館 HAKODATE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), and 總計 (Total). Includes '日照時數 (ジョーダン形) NUMBER OF HOURS WITH SUNSHINE. (Jordan's)' and '實測時數ニ對スル百分率 Percentage of Possible Duration. 42%'.

記事 REMARKS.

- List of remarks and observations for Hakodate, including weather notes like '霧' (fog) and '雪' (snow) with specific times.

札幌 SAPPORO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜中 (Midnight), and 平均 (Mean). Includes '氣壓 (耗) AIR PRESSURE. (mm)' and '氣温 (攝氏) AIR TEMPERATURE. (C)'.

氣温 (攝氏) AIR TEMPERATURE. (C)

Table with columns for Day and 1-11, showing hourly air temperature readings in Celsius.

重力ノ更正 Reduction to standard gravity - 0.14
海面ノ更正 Reduction to mean sea level..... + 1.60

札幌 SAPPORO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows contain numerical data for each day from 1 to 28.

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and 11 columns of numerical data representing relative humidity percentages.

札幌 SAPPORO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows contain numerical data for each day from 1 to 28.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table with columns for Day and 11 columns of numerical data representing ground surface temperatures in degrees Celsius.

札幌

札幌

札幌 SAPPORO.

大正二年二月

FEBRUARY, 1913

Table with columns for Day, direction (午, 前, A., M., 正午), and velocity. Includes a summary row for '平均' (Average) at the bottom.

風ノ方向 DIRECTION AND VELOCITY (m/sec) OF WIND.

札幌

雲量 (0-10)

AMOUNT (0-10) AND

Table with columns for Day and cloud amount (0-10) for each hour of the day.

平均

札幌 SAPPORO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, direction (午, 後, P., M.), and velocity. Includes a summary row for '平均' (Average) at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

札幌

及雲形

FORMS OF CLOUD.

Table with columns for Day and cloud forms (sk, cs, etc.) for each hour of the day.

平均

札幌 SAPPORO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Sun (午前, 午後, P. M.), Total, and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for日照時數 (NUMBER OF HOURS WITH SUNSHINE) and a summary row at the bottom.

記事

REMARKS.

Vertical list of weather remarks in Japanese, detailing specific observations and conditions for each day.

根室 NEMURO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Sun (午前, 午後, P. M.), Total, and Extremes of Air Temp. (最高, 最低, 較差). Includes a section for AIR PRESSURE (氣壓) and a summary row at the bottom.

氣溫

AIR TEMPERATURE (°C)

Table showing hourly air temperature readings in degrees Celsius for each day of the month.

Vertical text at the bottom of the page, likely providing additional notes or corrections.

根室 NEMURO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

水蒸氣ノ張力 (耗) TENSION OF VAPOUR. (mm)

Table of Tension of Vapour (mm) for days 1-28 and a final average row.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table of Relative Humidity (%) for days 1-28 and a final average row.

根室 NEMURO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of Amount of Precipitation (mm) for days 1-28 and a final sum row.

地面ノ温度 (攝氏) EARTH TEMPERATURE ON THE SURFACE. (°C)

Table of Earth Temperature on the Surface (°C) for days 1-28 and a final average row.

根室

根室

根室 NEMURO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day (1-11) and Noon, under the heading 'A. M.'.

風ノ方向

DIRECTION AND

Main table for wind direction and velocity, listing 28 days with wind direction and velocity data.

量 (0-10)

AMOUNT (0-10) AND

Main table for cloud amount, listing 28 days with cloud amount data.

根室 NEMURO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day (1-11) and Noon, under the heading 'P. M.'.

及速度 (米/秒)

VELOCITY (m/sec) OF WIND.

Main table for wind velocity, listing 28 days with wind velocity data.

及雲形

FORMS OF CLOUD.

Main table for cloud forms, listing 28 days with cloud form data.

根室

根室 NEMURO.

大正二年二月

FEBRUARY, 1913.

Main observation table with columns for Day, Sun hours (A.M., P.M.), Total Sun hours, and Air temperature extremes (Max, Min, Range).

根室

六回観測

FOUR-HOURLY OBSERVATIONS.

記事 REMARKS.

Detailed remarks section containing weather observations and notes for each day from 1 to 28.

大正二年二月

恒春
KOSHUN.

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for '氣壓' and '風ノ方向及速度'.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-headers for '氣温', '湿度', and '雲量及雲形'.

• 重力ノ修正 Reduction to standard gravity - 1.4
海面ニ修正 Reduction to mean sea level + 2.1

臺東 TAITO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily total.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily total.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level..... + 0.9

臺南 TAINAN.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily total.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily total.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level..... + 1.3

臺東

臺南

澎湖島 HOKOTO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-28 and a summary row.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-28 and a summary row.

重力ノ更正 Reduction to standard gravity.....-1.3 海面ノ更正 Reduction to mean sea level.....+1.0

臺中 TAICHU.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-28 and a summary row.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-28 and a summary row.

重力ノ更正 Reduction to standard gravity.....-1.3 海面ノ更正 Reduction to mean sea level.....+1.0

基隆 KEELUNG.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, and AMOUNT OF PRECIPITATION (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, AIR TEMPERATURE (C), REL. HUMIDITY (%), and AMOUNT AND FORMS OF CLOUD. Includes daily data and a summary row at the bottom.

風力ノ更正 Reduction to standard gravity -1.3
海面ノ更正 Reduction to mean sea level +0.3

石垣島 ISHIGAKIJIMA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, and AMOUNT OF PRECIPITATION (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, AIR TEMPERATURE (C), REL. HUMIDITY (%), and AMOUNT AND FORMS OF CLOUD. Includes daily data and a summary row at the bottom.

風力ノ更正 Reduction to standard gravity -1.3
海面ノ更正 Reduction to mean sea level +0.6

石垣島

名瀬 NASE.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

力ノ更正 Reduction to standard gravity - 1.1
海面ノ更正 Reduction to mean sea level + 0.4

宮崎 MIYASAKI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 28 and a summary row.

力ノ更正 Reduction to standard gravity - 0.9
海面ノ更正 Reduction to mean sea level + 0.8

佐賀 SAGA.

FEBRUARY, 1913.

大正二年二月

Table for SAGA weather data including Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from Feb 1 to Feb 28.

Table for SAGA weather data including Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day from Feb 1 to Feb 28.

重力ノ更正 Reduction to standard gravity -0.8
海面ノ更正 Reduction to mean sea level +1.2

佐世保 SASEHO.

FEBRUARY, 1913.

大正二年二月

Table for SASEHO weather data including Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from Feb 1 to Feb 28.

Table for SASEHO weather data including Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day from Feb 1 to Feb 28.

重力ノ更正 Reduction to standard gravity -0.8
海面ノ更正 Reduction to mean sea level +3.9

佐賀

佐世保

嚴原 ITSUGAHARA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for averages.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for averages.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.9

大分 OITA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for averages.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for averages.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 0.6

大分

吳 KURE.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

吳

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level..... + 1.8

西阪島 SHISAKAJIMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

西阪島

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level..... + 10.5

新居濱 NIIHAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Rel. Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.5

岡山 OKAYAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Rel. Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.6

新居濱

岡山

味野 AJINO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, AIR PRESSURE (mm), WIND DIRECTION AND VELOCITY (m/sec), and AMOUNT OF PRECIPITATION (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, AIR TEMPERATURE (C), REL. HUMIDITY (%), and AMOUNT (0-10) AND FORMS OF CLOUD. Includes sub-columns for A.M. and P.M. observations and a Total column.

重力ノ更正 Reduction to standard gravity -0.7
海面へ更正 Reduction to mean sea level..... +0.4

和歌山 WAKAYAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, AIR PRESSURE (mm), WIND DIRECTION AND VELOCITY (m/sec), and AMOUNT OF PRECIPITATION (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, AIR TEMPERATURE (C), REL. HUMIDITY (%), and AMOUNT (0-10) AND FORMS OF CLOUD. Includes sub-columns for A.M. and P.M. observations and a Total column.

重力ノ更正 Reduction to standard gravity -0.7
海面へ更正 Reduction to mean sea level..... +1.4

和歌山

高知 KOCHI.

FEBRUARY, 1913.

大正二年二月

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28. Includes sub-columns for A.M. and P.M. readings and a 'Total' column for precipitation.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms. Includes sub-columns for A.M. and P.M. readings and a 'Total' column for cloud amount.

重力的更正 Reduction to standard gravity -0.8
海面へ更正 Reduction to mean sea level +3.9

潮岬 SHIOMISAKI.

FEBRUARY, 1913.

大正二年二月

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from 1 to 28. Includes sub-columns for A.M. and P.M. readings and a 'Total' column for precipitation.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms. Includes sub-columns for A.M. and P.M. readings and a 'Total' column for cloud amount.

重力的更正 Reduction to standard gravity -0.8
海面へ更正 Reduction to mean sea level +6.9

潮岬

津 TSU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, and AMOUNT OF PRECIPITATION (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, AIR TEMPERATURE (C), REL. HUMIDITY (%), and AMOUNT AND FORMS OF CLOUD. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.4

濱松 HAMAMATSU.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, and AMOUNT OF PRECIPITATION (mm). Includes daily data from 1 to 28 and a summary row.

Table with columns for Day, AIR TEMPERATURE (C), REL. HUMIDITY (%), and AMOUNT AND FORMS OF CLOUD. Includes daily data from 1 to 28 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 2.6

濱松

沼津 NUMAZU.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, AIR PRESSURE (700 mm +), DIRECTION AND VELOCITY OF WIND, and AMOUNT OF PRECIPITATION. Includes daily data from 1 to 28 and a monthly average row.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), and AMOUNT AND FORMS OF CLOUD. Includes daily data from 1 to 28 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.7

横須賀 YOKOSUKA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, AIR PRESSURE (700 mm +), DIRECTION AND VELOCITY OF WIND, and AMOUNT OF PRECIPITATION. Includes daily data from 1 to 28 and a monthly average row.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), and AMOUNT AND FORMS OF CLOUD. Includes daily data from 1 to 28 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 4.1

沼津

横須賀

横濱 YOKOHAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily mean row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily mean row.

重ノ力ノ更正 Reduction to standard gravity - 0.6
海面へ更正 Reduction to mean sea level + 0.4

八丈島 HACHIJOJIMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily mean row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily mean row.

重ノ力ノ更正 Reduction to standard gravity - 0.8
海面へ更正 Reduction to mean sea level + 7.4

八丈島

父島 CHICHIJIMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Total column.

重力ノ更正 Reduction to standard gravity..... - 1.2
海面ノ更正 Reduction to mean sea level..... + 0.4

小名濱 ONAHAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Total column.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 0.4

小名濱

金山 KANAYAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a total column.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 2.3

石巻 ISHINOMAKI.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a total column.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.2

金山

石巻

宮古 MIYAKO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Total column.

重さノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 2.9

八木 YAGI.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Total column.

重さノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 6.1

八木

彦根 HIKONE.

FEBRUARY, 1913.

大正二年二月

Table for HIKONE weather data, including columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total).

Table for HIKONE weather data, including columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean).

重力ノ更正 Reduction to standard gravity - 0.7
海面へ更正 Reduction to mean sea level + 8.3

岐阜 GIFU.

FEBRUARY, 1913.

大正二年二月

Table for GIFU weather data, including columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total).

Table for GIFU weather data, including columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean).

重力ノ更正 Reduction to standard gravity - 0.6
海面へ更正 Reduction to mean sea level + 1.6

高山 TAKAYAMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 52.0

飯田 IIDA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 47.8

高山

飯田

甲府 KOFU.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a Mean column.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 24.7

松本 MATSUMOTO.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a Mean column.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 53.7

松本

長野 NAGANO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon observations and a total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for morning and afternoon observations and a total column.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 39.1

熊谷 KUMAGAYA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon observations and a total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for morning and afternoon observations and a total column.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 3.0

宇都宮 UTSUNOMIYA.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Forms (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level +11.7

足尾 ASHIO.

大正二年二月

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Forms (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level +70.3

宇都宮

足尾

福島 FUKUSHIMA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 5.9

山形 YAMAGATA.

FEBRUARY, 1913.

大正二年二月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 14.7

水澤 MIZUSAWA.

FEBRUARY, 1913.

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY (m/sec) OF WIND, and AMOUNT OF PRECIPITATION (mm). Includes sub-columns for A.M. and P.M. observations and monthly averages.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), and AMOUNT (0-10) AND FORMS OF CLOUD. Includes sub-columns for A.M. and P.M. observations and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.4
海面へ更正 Reduction to mean sea level + 6.0

濱田 HAMADA.

FEBRUARY, 1913.

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY (m/sec) OF WIND, and AMOUNT OF PRECIPITATION (mm). Includes sub-columns for A.M. and P.M. observations and monthly averages.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), and AMOUNT (0-10) AND FORMS OF CLOUD. Includes sub-columns for A.M. and P.M. observations and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.7
海面へ更正 Reduction to mean sea level + 1.8

大正二年二月

境 SAKAI.

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.3

大正二年二月

宮津 MIYAZU.

FEBRUARY, 1913.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.3