

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



1.9  
EX 89

COOPERATIVE EXTENSION WORK IN AGRICULTURE  
AND HOME ECONOMICS.

U. S. DEPARTMENT OF AGRICULTURE  
AND STATE AGRICULTURAL COLLEGES  
COOPERATING.

STATES RELATIONS SERVICE,  
OFFICE OF EXTENSION WORK, SOUTH  
(Farmers' Cooperative Demonstration Work),  
WASHINGTON, D. C.

October 22, 1915.

To Agents in Home Demonstration Work:

From a description of a live Home Demonstration meeting attended in the Court House at Covington, Alleghany County, Virginia, you may get suggestions which can be used in developing your Women's Home Demonstration Clubs which are probably growing very rapidly just at this season of the year.

This Club was organized about June third with twelve members enrolled. Within three months time the enrollment had grown to twenty-five with a long waiting list. It will be necessary to start another club in order to take care of these names. The president of the club is so interested in the work that she is taking a correspondence course in Home Economics in order to be of more help to her women and to keep in advance of their work.

The directions for making labor saving conveniences have been in such demand that the club has prepared a bulletin on the construction and prices of these devices. They have included in this bulletin menus suggested for balanced meals with recipes. The results can be distributed throughout the county to those who are eager to learn more about the club and it's activities.

Their first work began with the general plans suggested by this office. Their first activity was building a fireless cooker and for several meetings different committees were selected to demonstrate the cooking of various foods in their home made cookers. A wooden or tin lard pail was used for the outside container of the cooker and was lined with two thicknesses of paper before packing. Three inches of packing was allowed on all sides and at the bottom of the gallon oyster can which was used as the nest. This nest was wrapped on the outside next to the packing with asbestos and a piece of asbestos placed under the bottom to prevent the scorching of the packing when the hot soap stones were used. The packing used was shredded newspaper and excelsior and this was packed in very tightly around and to the top of the nest which was about three inches below the lid top of the outside container. Then a piece of card board was cut to fit inside the lard can and circle cut out of the center around the top of the oyster can or nest, to hide the packing and make a neat finish. A cushion of unbleached muslin, three inches thick, and stuffed tightly with excelsior was made. This was put on the top of the lid of the nest and, when the top of the outside container was placed on and hooked down, it was tight enough to cause a pressure. When the tin pails were used they were enameled white and when wooden pails were used they were stained brown, making very neat looking pieces of furniture for any kitchen. The utensils used for cooking the food in the nest, in some cases, were the regular aluminum fireless cooker utensils. Any kind of a vessel with a close fitting top and one that



fits closely in the nest of the cooker might be used. The different cookers were tested by the ladies of the club at their meetings. The cost of this fireless cooker was estimated at twenty-five cents.

With the minds of these members focused on labor saving devices, naturally new and original ideas were suggested and other conveniences besides those suggested have been worked out by these women.

One of the cleverest "little labor savers" demonstrated at this meeting was a "scrubbing chariot". This consisted of a comfortable padded frame on rollers which enables the housewives, in wiping the floors, to roll about and do the scrubbing with more ease and comfort and save a great many steps. This was built at a very small cost. A 3/4" plank was used, 20 x 10. The sides were made of 2" strips 8-1/2" long and 4" wide. The front piece was of the same material 20" long and 4" wide. An ordinary soap box can be used for this by cutting down the size to about 5" high and knocking out one side. The padding for the bottom of this chariot was made of burlap and made it more comfortable when kneeling. This was simply tacked around the inside of the chariot and the whole thing was placed on four rollers and stood just the height of the rollers off of the floor. A soap dish was screwed on one side and a little rack for the scrubbing brush on the opposite side. Estimated cost of this follows:

A soap box used for body of chariot-----	\$ .00
One yard of red burlap-----	.15
One box brass head tacks-----	.10
Four flat rollers-----	.10
One soap holder-----	.05
Stain-----	.07
Total-----	<u>\$ .47</u>

Another of the conveniences showing their ingenuity was a handy mop or dustless mop for painted or polished floors. This was made by cutting the straw from a worn out broom even with the wires which hold the straw to the handle. This part of the broom was covered with an old stocking and the legs of other old stockings were cut 12" long and slashed into 1" strips to about 2" from the top. These were sewed on to the covering over the broom, around and around the surface in rows about 1" apart until the mop was the desired thickness. This mop was then dipped into a solution of one-half cup of melted paraffine and one cup of coal oil and allowed to dry on the strips. The mop was kept moist by rolling tightly and pressing into a paper bag. There was no cost placed on this device because it was made of all worn out things which they had about the house.

Government bulletins were read and discussed at these meetings and this study has been going along with the construction of these labor saving devices. Planning and serving of well balanced meals has interested the women since these conveniences have been finished.

A companion convenience to the fireless cooker for the hot summer days was a milk cooler or iceless refrigerator. The estimated cost of this most

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

useful convenience is here given:

Wood for the frame-----	\$.10
1 biscuit pan-----	.10
1 square of tin-----	.15
1 can of white enamel-----	.15
2-1/2 yds. white canton flannel-----	.25
Buttons-----	.10
Total-----	<u>\$.85</u>

Directions furnished by the Department were followed except that buttons and button holes were used on the canton flannel covering because it was cheaper than buggy hooks. The shelves used in the inside of the refrigerator were made of tin roofing squares, enameled white, with perforations cut in them. In this cost the screening was also omitted. These refrigerators are more useful when screened against flies. The following description will enable you to build one:

Have a screened case made  $3\frac{1}{2}$  ft. high with other dimensions 12" x 15". Place two one inch wooden strips across the top over the screen, low enough to allow a square pan to fit in between the four corners. Have two movable shelves, 12 to 15 inches apart in it. Use a pan 12 inches square (a 15 cent biscuit pan will answer) on the top to hold the water and have the whole thing standing in a large pan (a 25 or 30 cent biscuit pan). The pans and case are all painted white, allowed to dry and then enameled. A covering of white canton flannel should be made to fit it. Have the smooth side out and button the coverings on the frame with buggy or automobile curtain hooks and eyes, arranged so that the door may be opened without unfastening these hooks. This can easily be done by putting one row of hooks on edge of door near the latch and the other just opposite the opening and have the hem on each side extend far enough to cover the crack at edge of door to keep out the warm outside air and keep in the cooled air. This dress or covering will have to be hooked around the top edge also. Two double strips one-half the width of each side to form wicks should be sewed on the top of each side and allowed to extend over about  $2\frac{1}{2}$  or 3 inches in the pan of water. The bottom of the covering should extend to lower edge of case.

Place the refrigerator in a shady place where air will circulate around it freely. Keep the wicks in the supply of fresh water in the upper pan. This water is carried down the sides of this cloth by capillary attraction and when evaporation takes place, the heat is taken from the inside thereby lowering the temperature. On dry hot days a temperature of 50 degrees can be obtained in this refrigerator.

A very simple, convenient and cheap arrangement for a home made shower bath has been built by these women and is considered especially useful in the homes where there are many children. This device was made by using a two or four gallon tin bucket. A hole was punched in the bottom and a piece of pipe soldered in this opening about 1-1/2" to 2" long. A piece of rubber hose 4 ft. to 6 ft. long was attached to this and a sprayer from the watering can or a nozzle placed on the end. A rope was tied to the handle of the bucket and run through a staple which was driven in the joist beside the window sash making a






pulley by which the bucket could be raised or lowered to suit the convenience of the person taking the shower. A hook was placed below this staple so that the rope could be fastened to hold the bucket in place. A clothes pin was used over the rubber tube to cut off the water. A large tin tub was placed underneath to stand in. Estimated cost of this convenience was as follows:

A two gallon tin bucket -----	\$.15
Medium size zinc bucket -----	.75
12 feet of rope -----	.07
Nozzle and rubber tubing; -----	.65
Pulley -----	.10
Piece of piping -----	.10
Clothes pin -----	.01
White paint -----	.15
Total -----	<u>\$1.98</u>

One of the most efficient of these devices which has been made by the members of this club is a roller tray wagon. This convenience comprises a china closet, serving table, and roller tray all in one. This device was built by using a box 5" deep for the top and placing it on 4 wooden posts for legs. Dimensions: top of table 31-1/2" long by 16-1/2" wide and 29" high and a serving compartment 5" deep. Below this compartment, a linen and silver drawer 2-1/2" deep was placed, with little knobs to open the drawer on either side. The top of the table was put on hinges and straps or small chains fastened to it to keep the top from falling back too far when opened. The bottom of the serving compartment is 5" below this top. Around the sides of this compartment are little screw hooks on which the cups may be hung. In this compartment is space for serving dishes for six. Below this serving compartment is a drawer which is divided in the center by a 1/2" strip. One side is used for the linen and one side for the silver. The side used for the silver is lined with blue outing flannel because this serves the same purpose and is cheaper than felt. A spool was cut into halves to make the knobs for the drawer and a pair of these knobs was placed on each side so that the drawer could be used from either side. The legs were square pieces of wood 1-1/2" square with rollers. Sometimes old rubber tired wheels from toy wagons or discarded baby coaches were used. This is an improvement because the tray rolls noiselessly. In some cases the legs from old tables were used in place of having these made. At each end two brackets were placed so that the table could be pushed or pulled. When the soiled dishes were taken to the kitchen and washed they were placed into this serving compartment with one handling only, the lid placed down and the roller tray rolled into the dining room, the dishes all ready for setting the table at the next meal, it not being necessary to put them away because they were out of the dust when this top was placed down. The estimated cost of this convenience is here given:

Dry goods box -----	\$.25
One yard blue outing -----	.10
One remnant white oil cloth -----	.15
Two hinges -----	.10
Four rollers -----	.15
One can of mahogany stain -----	.30
Total -----	<u>\$1.05</u>



With a small doily and a vase of flowers this roller tray answers the purpose of a serving table and makes a very attractive piece of furniture.

To this might be added the directions for making the folding ironing board and cover. This ironing board is a step saver also. Being hinged to the wall, it is always ready and in place. It may be hooked up against the wall out of the way when not in use. The leg is hinged to the board and falls flat when the board is lifted. With it down and in use, the leg is not in the way and skirts may be ironed without any lifting or changing. The directions for making follows:

### I. Ironing Board

1. Length - 57 inches rounded at free end.
2. Width - a. Attached end - 15 inches.  
b. Free end - 10-1/2 inches.
3. Leg - a. 58-1/2 inches to be changed to suit height of board.  
b. Attached to board 11 inches from free end.
4. Board to be attached by hinges to the wall 33 inches from the floor. For use by person above average height board should be higher, which will necessitate a longer leg.
5. Board to be made of thoroughly seasoned wood 1-1/2 inches in thickness.

### II. Cover

1. Pad - Any heavy material such as cotton flannel or a partially worn out blanket.
  - a. Cut shape of board, allowing two inches on each side and end.
  - b. Bring extra two inches to underside of board and tack firmly and smoothly in place.
2. Ironing Sheet - Unbleached muslin (homespun)
  - a. Cut shape of board, allowing four inches on sides and end and hem all around.
  - b. Attach tapes on opposite sides about ten inches apart. Tie the sheet on with these tapes.
  - c. Make two sheets.
3. The cover and sheet may be left on when putting the board up by allowing sufficient space when adjusting the button or screw hook and eye which holds the board in place.

1914  
The year was a

very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

The year was a  
very busy one for  
the country. The  
government was  
working hard to  
keep the country  
together.

An exhibit of all of these labor saving devices at your fair in a Home Demonstration booth would stimulate a great deal of keen interest among the women. The simple barrel home water system, like chart, placed just outside of a wall enclosing a kitchen furnished with these devices would give a splendid idea of the simple and inexpensive conveniences every farm woman could have with but little expenditure of time and labor.

Sincerely yours,

MARY E. CRESWELL,  
OLA POWELL,

Assistants in Home Demonstration Work.

1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025

1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025