Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.23

EBER SEED CO.

H. CELVED

1930 NOV 5 1930 - NOV 5 1930 - U. S. Department of Agricults

CATALOG

of-

High Class Seeds and Bulbs

Garden Implements, Etc.



Sixth and Vermont Streets Quincy, -:- -:- Illinois

Vegetable Seed Trials

D. N. Shoemaker

E THANK our many friends and customers for their kind patronage which they have given this firm for so many years past, and hoping to receive their future patronage—which will at all times have the best, prompt and most careful attention.

We would respectfully suggest to give the reading matter of this catalogue careful perusal. We are giving the purchaser the value in seed, and not in pictures. It is interesting and useful reading for the farmer, for the gardener, and amateur raiser of flowers. Should you, however, not be interested, please hand it to your neighbor, who may be. No doubt, most anyone will find something of interest.

ORDERS

Orders should be written on our order sheets or on a blank sheet separate from letter, preferably in ink. Write name and post office address distinctly. All orders, large or small, receive prompt attention.

SEED BY MAIL

Our prices include postage on all vegetable and flower seeds, by the packet, ounce or pound. Five cents per pound and one cent for each additional pound should be added to catalogue prices on beans, peas, corn, and bulbs-if wanted by mail.

PRICES

Our first consideration and constant aim is to offer the highest class seed procurable, and the next is to put our prices as low as good, reliable seed can be sold. We feel assured in saying that there is no occasion for any one to send away money for goods in our line, which you can get at home at the right price, and what is more, the best of quality, besides you have the satisfaction of aiding home industry.


We feel assured in saying that the seeds we offer cannot be surpassed by ANY, and will give entire satisfaction if proper treatment is bestowed. It sometimes happens that seeds of unquestionably good quality fail to germinate or grow to perfection for want of timely and proper treatment or unfavorable weather, and it must be distinctly understood that we give no warranty, express or implied, as to description, quality, productiveness, or any other matter of seeds, bulbs, or plants we send out, and we will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

EBER SEED COMPANY

233-236 Sixth Ave. N.

QUINCY, ILL.

Directions for Cultivating Vegetables



O SECURE a good crop of vegetables, three things, at least, are necessary, viz: A Suitable Soil, Pure Seed, and Clean Culture, to which may be added as equally necessary, an abundant supply of good, Barn-Yard Manure, supplemented when this runs short, by artificial fertilizers. The exposures for a vegetable garden should be, preferable, south or southwest, or nearly so. The soil should be naturally fertile and friable, a sandy loam being always the best. If the soil be stiff, it should be gradually mellowed by the free use of barn-yard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be underdrained, preferably by tile; but if possible, a location should be selected that is naturally dry and free from surface water.

A dark colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil is shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year and not all at once by trenching or subsiding. unless manure and money are both abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best and uniform results the vegetable garden should have at least one foot

of good, rich soil. The roots of large trees should not be allowed to encroach any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection from the north and west.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes and few other things may form an exception to this rule, but is nevertheless better to keep up rotation. Every year these beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow everything in drills or straight lines, not even excepting corn and potatoes. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills and other special information are given in the body of this catalog. The least distance is named in order to economize space. It might be increased in some cases with advantage. The ground should be frequently hoed to kill the weeds and keep the soil mellow; the proper time to hoe is just when the weeds appear above the ground. Briefly, the proper way to kill weeds is never to let them grow. If the weeding is done at the time suggested, it can be effectually and quickly done by the use of a sharp-toothed steel rake.

Soil working instruments are a real necessity in practicing the art of gardening economically. Seeding by hand is excessively slow, uncertain and unsatisfactory, because of irregularity. Up-to-date machines plant the seed accurately in a straight narrow line. Cultivators and Wheel Hoes stir and mix the soil, cut out every weed below the surface between the rows and maintain a fine loose earth mulch, about an inch deep over the entire plot. These tools do all that can be done to the ground better, easier and at least expense than by the old system of hand labor. Once used, always used.

We have a full and complete stock of the above instruments. See Pages 38, 39, 40.

The freshest seeds of some kinds often fail from unseasonable and improper management in sowing and other circumstances affecting their vegetation. When sown too early or too deep, while the ground is too cold, wet and heavy, they are apt to rot; when sown too shallow, in dry time and late in the season, there may not be sifficient moisture to sprout them, or they may have dried up by dry winds or a hot sun after they have germinated. Sometimes insects destroy them before or immediately after their appearance above the ground so that the complaints occasionally made by the inexperienceá, are not always to be attributed to the quality of seed. Instructions in this book are ample, and when they are read and followed up, ninety-nine out of one hundred have no reason to blame the seed.

MAKING A HOT-BED

As the use of hot-beds is of undoubted advantage, derived by early starting of vegetables, we append directions for making them.

To prepare a hot-bed, a quantity of stable manure should be well shaken up in a heap, about the beginning or middle of February; after remaining three days, it should be shaken up and turned over again in another interval of three days. Let the manure remain for three or four days more in a heap, and then form the bed of any dimensions that may be requisite, according to size or number of frames to be used, making the bed about a foot wider than the frame all around. The bed, when made, should not be less than three feet high; the situation for it should be dry underneath, sheltered from the north as much as possible, and fully exposed to the sun. In making up beds, beat the manure well down with the fork. Place about eight inches of light, rich soil in the frame, after it is placed on the bed, so that the surface of the soil may be from six to eight inches from the top of the frame. After the bed has stood with the lights on, but raised a few inches to let the steam escape, for a few days, sow the seed of Cabbage, Tomatoes, Cauliflower, Egg Plant, Celery, Lettuce, Radish, etc., etc. When the plants make their appearance above the ground, give some air day and night, in moderate weather, by raising the lights two or three inches—and as the heat of the bed diminishes, increase the supply of air to prevent the plants being drawn up. In severe weather, the frame and lights should be covered at night with mats or boards. In high wind also protect the size of the bed in the same manner or the current of air will extinguish the heat of the bed. If made early in the season, water only will be required when the earth in the frame becomes quite dry; as the plants increase in size, the supply of water may be increased. In frost or cold weather the water should be made milkwarm before it is used; this is important.

SOWING SEEDS—Warmth and moisture are essential and seclusion from light is favorable to germination. The first care in sowing seeds should be to choose suitable ground, the proper season and state of earth, and then to place them at such depth beneath the surface as will insure the requisite supply of moisture. In general, all seeds should be covered more or less, according to their size and the advance of the season, late sowing requiring to be covered the deepest. The smallest seeds should be sown very shallow in fine earth and rolled or beaten firmly with the back of the spade.

THINNING OUT—Next to errors of too deep or too shallow sowing of seeds are the errors of thick seeding without corresponding thinning and to let the plants get too large.

It is far better to thin out a row of beets, lettuee, carrots or parsnips so as to obtain good specimens at proper distances, than crowding together at half an inch apart, as is often seen in the gardens of the inexperienced. So clearly evident is the advantage of thinning out, that we will not waste space dwelling upon it, other than to give the following table of suggestive distances to which veegtables in the private garden should be thinned.

- 1 inch-Radishes.
- 2 inch—Beans, carrots, peas, salsify, corn, salad.
- 3 inches—Beets, kale, onions, parsnips, spinach, turnips.
- 5 inches-Endive, parsley.
- 6 inches-Lettuce, okra.

TRANSPLANTING-Is an important feature in gardening operations, an done often improperly done. Transplant toward evening; make a hole sufficient large to hold the plant; fill with water and puddle the plant in; then press the soil firmly around the plant. Afterwards cover with dry soil and the plant will never drop, it matters not how warm or sunny the day may be. It may be argued that this is not practicable with large fields of cabbage, cauliflower or tomatoesbut the best way is always the most practical, consequently the cheapest. It is economy to devote a day to a work, and have the plants all thrive and live, than to put them out in one-fourth of the time and have a large portion die and the remainder only half alive.

IN DRY WEATHER it is of great importance to FIRM and TREAD the soil after the seed is put in. Seed sown in this manner will readily germinate and grow, while otherwise the result will be doubtful. This precaution should not be overlooked in sowing very small or light seed. Moist ground needs no firming.

INSECTS OF ALL KINDS are troublesome and sometimes very destructive. Plaster of Paris, snuffs, ashes, or soot sifted on cucumbers or squashes, when wet with dew, is very useful against the striped bug. Lime, road-dust, ashes or snuffs, scattered over young cabbage or turnips will sometimes prevent the ravages of the black fly. Rolling the ground after sowing answers a good purpose; but the best preventatives is a thorough sprinkling of the plants in the evening with whale oil soap suds, in proportion of one pint of soap to seven and a half gallons of water. This will kill cabbage lice and all other aphides. It is sure death to all tender insects, when forcibly applied with a garden sprayer. For the want of whale oil soap, strong soft soap suds may be used. Salt is sometimes sown in the drills with onion seed to drive away the grub. Fine salt or Slug Shot strewn broadcast over the cabbage is the best application we know of for destroying the little green cabbage worms and maggots.

SEEDS OF SPECIAL MERIT

BEANS
Old Homestead, or Kentucky Wonder—The most popular large podded pole beans; it bears in clusters and in pods, is seven to eight inches in length; prolific and very tender.

- Bountiful—Large-sized, broad green and tender pods, stringless, very productive and fine quality.
- Full Measure—A very desirable, round-podded variety with pods six to seven inches long, which are solid, meaty, brittle and stringless. It is but a little later than Stringless Green Pod and is a splended Bean for home or market use.
- Burpee's Improved Bush Lima—An improved strain of Burpee's Bush Lima, having much larger pods and beans.

BEETS New Model Beet—The finest table variety of all; tender, solid and crisp flesh; of fine flavor. The color is dark blood-red; almost gobular in shape.

- Detroit Dark Red—One of the best red turnip varieties. Has small, upright tops; splendid shape; color of skin is dark blood-red; flesh deep, bright red. Very crisp, tender and sweet; matures early and keeps in good condition for a long time.
- Early Wonder—A selection from Crosby's Egyptian, though not so early as our strain of that variety. Roots very uniform, nearly globe-shaped, with small top and tap root; skin dark red, flesh deep blood red, with little zoning. Popular with market gardener for early or late planting.
- CABBAGE The Golden Acre—A new sort, about one week earlier than the Copenhagen Market, which type it resembles, but smaller heads, therefore can be planted closer in the rows.
- New Early Cabbage, Copenhagen Market—Undoubtedly the finest, large round-headed early Cabbage. The heads average about ten pounds each in weight, are very solid and of fine quality. It matures as early as Charleston Wakefield, and will give a heavier yield per acre than that well-known variety. The plant is short-stemmed, the leaves light green, rather small, and always tightly folded. The plants, therefore, can be set closer together than is usual with varieties of similar size.

CAULIFLOWER

Large Early Snowball—Short stem; finest strain. It is one of the best for forcing under glass or for open ground.

CELERY Giant Pascal and Golden Heart—Best celery for the market gardener and general use. Productive, tender, sweet and crisp.

SWEET CORN
Golden Sunshine—The earliest of the Golden Bantam type, maturing a week to ten days earlier than that variety. More dwarf in habit than Bantam, with ears 6½ in. long. Containing 12 rows of broad, yellow, sweet grains. Especially desirable for its extreme earliness.

- Golden Bantam—Very early, can be planted a little earlier than other corn on account of its hardness. Ears are about 6 to 7 inches long, filled with broad, sweet, golden yellow kernels.
- Alpha—The earliest sweet corn. Matures a week earlier than the White Cory. Ears average six to seven inches long, uniform, and quality fully equal and tender as the White Cory.
- CUCUMBER The Longfellow is a White Spine type with an admixture of Emerald blood, from which it gets its intense, dark-green appearance. The vines are exceptionally healthy and productive, and fairy early. The fruits will average 12 to 14 in. in length by 2½ in. in diameter, and are very symmetrical. The color is all that could be desired, and this variety will retain its dark-green color when shipped to distant markets. An ideal type for the private garden or as a "straight pack" variety for shipment, boxed, to high grade markets.
- Rice's Early Fortune Cucumber—The vines make a strong and vigorous growth, producing abundant crops of Cucumbers, which are slightly longer than Arlington White Spine, more cylindrical in shape, and have a very dark green skin. The flesh is thick, seed cavity relatively small, and the quality is excellent. This variety is one of the best introduced in years.

LETTUCE

Wonderful—Large white head resembling cabbage, very solid, crisp, rich and tender.

Iceberg-Large, solid, curled head, yellow heart, crisp and tender.

ONIONS Valencia or Sweet Spanish—An improved prize-taker, very large, sweet and mild.

PEPPERS Harris' Earliest—The earliest pepper we are acquainted with, being earlier than Neapolitan. Plant very uniform in growth, dwarf and compact, seldom over 18 inches in height, and extremely productive. Fruits pendent, mild and sweet, similar to Bull Nose in form, three lobed, 3½ inches in height by 2½ inches in diameter. The best pepper for the home garden.

California Wonder—Resembles Chinese Giant in the large size and "blocky" form of its fruit, but having an extremely thick flesh not possessed by that variety; crimson fruit. Measures 4½ in. in length by 4 in. in diameter, mild and sweet; mid-season.

WATER MELONS Monte Cristo, or Kleckley Sweet—The skin is too tender to admit shipping; most desirable, however, for home market. The shape is long and it is decidedly the sweetest of all watermelons.

Irish Grey—A distinct and valuable melon; wonderfully productive. Long, thick, and uniform; color of rind yellowish grey; flesh sparkling bright red, sweet and very firm and very compast. One of the best shippers.

MUSK MELONS New Burrel Gem—With golden meat, spicy, sweet and one of the best sellers.

Hearts of Gold—A splendid, small, mid-season variety: fruit round, with tendency to heart-shape; densely covered with a fine gray netting and distinctly ribbed; flesh very thick, ripening thoroughly to the rind, small seed cavity; of a rich orange color and highest quality. A fine shipping sort.

Tip Top—Grown to good size; slightly oval, sweet, juicy, yellow flesh; very popular.

Rice's Special Early Musk Melon—This is a shipping melon of the Rocky Ford order, but with a yellow flesh, and the earliest of all Rocky Ford types. In fact, one of the very earliest of the yellow fleshed Canteloupes, and is what might be termed a "comer."

PEAS

Peter Pan—One of the very finest of the large podded, dwarf peas, on the order of Laxtonian, though somewhat earlier. Height 15 in. Vine and foliage stout, heavy and dark green; pods 3% in. long; very broad, straight and pointed, containing 6 to 8 very large, dark green peas of superb quality.

World's Record—An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2 feet. Vines moderately stout, medium green; pods medium green, 4 in. long, fairly broad, pointed and well filled with 7 to 9 very large, dark green peas of exceptional quality.

RADISHES

Crimson Giant Forcing—An entirely new type, growing more than double the size of other forcing varieties without becoming pithy or hollow. The radishes run from six to seven inches in circumference, and yet remain firm and crisp. It is equally well adapted for summer and fall; matures in six to eight weeks.

Rice's Saxa—The earliest of the forcing radishes. Round, bright scarlet and with the smallest possible top. We have an excellent stock of this radish and can highly recommend it.

SPINACH

King of Denmark—A new variety of Spinach. Plants form compact bushes with round thick leaves, which are rich dark green and much coming Spinach.

The coming Spinach.

TOMATOES

Landreth's Red Rock—Earlier than the Stone, extraordinary solid, smooth as an apple, red as it is possible to be. No sort is superior in texture or flavor. A very heavy producer and an excellent shipper. Recommended especially to gardeners and planters, factories for canning, as very showy and productive. One of the finest large, red smooth tomatoes.

John Baer—Early, brilliant deep red color; smooth, no core; almost free from seed; delicious flavor; solid, meaty, uniform size and ripens even to stem. Perfect shipper and remarkably free from blight.

Stokes' "Bonny Best"—As early as the Earliana, enormously productive, un'form size—splendid shape, strong vine. plenty of foliage, beautiful scarlet and a good shipper.

Marglobe—This great New Tomato introduced by the U. S. Dept. of Agriculture through the efforts of Dr. Fred J. Pritchard, of the Bureau of Plant Industry, is the last word in tomatoes.

Select List of Vegetable Seeds

ASPARAGUS

(Eight Ounces to 100 Feet or Row)

Culture—Sow the seed in rows one foot apart in April or May and keep down all weeds. To secure strong, healthy plants, thin out the seedlings to three or four inches in the rows,



saving only the strongest. The one-year-old plants should be set out in spring in a rich, sandy loam, dug eighteen inches deep, into which has been worked plenty of well rotted manure. If a stiff clay is all that can be had, add plenty of sand and sift coal ashes to loosen it up and see that it is well underdrained. In planting for private use, set out in beds five feet wide, three rows in a bed, the outer being each one foot from the edge, and allow twelve inches in the row. Set the plants on little mounds in order to allow the rootlets to fall naturally around the sides, so they are about six inches below the surface. Select a southern exposure if possible. For market on a large scale set out 4 by 1 foot.

Every fall a good dressing of course manure should be applied after the tops have been cut, and in the spring forked in. Never cut too closely. The roots need the benefit of some foliage during the year, or they will weaken and die. A slight dressing of salt in spring is beneficial and keeps weeds down.


	Oz.	Lb.
Palmetto—Very desirable, bright green	10c	\$.75
Mary Washington-Combines strong quick growth, extreme size, uniform de-		
velopment of stalks, dark green colors and delicious flavor; with its		
greatest distinguishing quality—that of being rust-resistant. Those who		
grow asaparagus in quantity for marketing, will appreciate this feature	15c	1.50
Bonvalette Giant	10c	1.00
Argenteuil Giant	10c	1.00
Asparagus Roots—Per dozen, 25c.		

BEETS

(One Ounce Seed to 50 Feet of Row)

Paper, 5c.

Sow in April for early, for succession until last of June; about middle of May for general crop. The soil should be deep, rich and light loam, dry rather than moist. Rows should be 18 inches apart and the plants thinned out to 8 inches in the rows. If you want to raise sweet and tender beets, stir the soil often



and kill the weeds. Wood ashes help to produce dark color.

Oz. Lb.

New Model Beet--The finest table variety of all; tender, solid and crisp flesh; of fine flavor, the color is dark blood-red; almost globular in shape 10c \$1.00 Crosby's Improved Egyptian-An improvement on the Early Egyptian globe-shaped and unsurpassed eat---- 10c 1.00 ing quality Extra-Early Eclipse—Is very early, and lasts well throughout the sea-Handsome, smooth dark, globe-shaped Beet; quality very desirable; good beet for private 1.00 gardens Detroit Dark Red-One of the best turnip-shaped varieties. Has small

1.50

turnip-shaped varieties. Has small upright tops; splendid shape; color of skin is dark blood red; flesh deep, bright red. Very crisp, tender and sweet; matures early and keeps in good condition for a long time _______10c

Oz	. Lb.
Crimson Globe—Skin smooth and form regular. The flesh is a deep purplish	
crimson slightly "zoned," sweet and tender. The foliage is small, of a rich	
bronze purple10	c \$1.00
Egyptian—Very early. For hot-bed forcing10	c = 1.00

MANGEL-WURZEL

Culture—As the mangels require a deep soil in order to grow well, plow and sub-soil if possible in autumn, at least a foot to eighteen inches, and apply plenty of rich manure. The attention of farmers to the growing of roots for feeding stock has increased rapidly,

judging from the increased sales of our selected seeds. The wonderful results are plainly shown in the health and general condition of the animals, and the increased yield of milk in cows.



The seed should be sown in April and May in drills two feet apart and afterwards thinned out to stand one foot apart in the rows. Keep well cultivated and you will have an abundant crop of roots for winter use. Through the winter keep them from freezing. If convenient, two sowings should be made. Anyone who keeps but one cow should plant a good patch of Mangels for winter feed. They are enormously productive under careful cultivation.

Mammoth Mangel, or Norbition Red	10c	50c
Golden Tankard—Superior for dairy and stock feeding, and very rich in sugar		50e
Giant Feeding Sugar—This variety is quite an improve- ment on the above sorts; richer in sugar; better form, more prolific, and feeders pronounce it the most satis-		
factory beet	10c	50c

Swiss Chard—The stalks and leaves are edible like spinach and asparagus, and superior to the common beet for greens _________15c

DWARF BUSH BEANS

(Add 15c Per Quart If by Mail)

About the first of May select a warm, dry, sheltered spot, dig and manure slightly. Make drills an inch deep and two feet apart, drop beans two inches apart and cover not



round, long straight, solid pods are its

more than one inch deep. Keep hoed when not wet; keep the weeds killed, and plant every two weeks in succession. One quart will plant 100 feet of drill.

	Qt.	Pk.
Bountiful—Large-sized, broad green and tender pods, stringless, very productive and fine quality	75c	\$5.50
Early Red Valentine—Improved. Productive and of excellent flavor—	75e	5.50
Early Long Six Weeks—Early and prolific		5.50
Burpee's Stringless Green Round Pod- The coming market garden bean 7	75c	5.50
Giant Stringless—Green, round	75c	5.50
The Longfellow New Bush Bean—An ideal snap bean. Considering the large size of pods; it is as early as any, and no variety surpasses it in delicious flavor. The perfectly		
most prominent features. A good bearer	75c	5.50

5.50

Full Measure—A very desirable, round-podded variety with pods six to seven inches long, which are solid, meaty, brittle and stringless. It is but a little later than Stringless Green Pod; is a splendid Bean for home or market use 75c

Extra Early Refugee—It is early, enormously prolific, and from its earliness is almost certain to produce a crop. In quality, it is unexcelled, being free from string, and melting tender at all stages of its growth. Price	Qt.	Pk. \$3.50
2.100	000	ψ0.00
WAX PODDED SORTS		
	0.4	701
Pencil Pod Wax—Hardier and more prolific than the Black Wax Pods, long pen-	Qt.	Pk.
cil like, tender and brittle		
Golden Wax—Early and very valuable, a well known standard	65c	
Wardwell's Dwarf Kidney—Extra early; purely wax pod, long flat and remarkably free from rust	65c	
Round Pod Kidney Wax—Strong grower, stringless pods	65c	
Davis Kidney Wax—Similar to Wardwell	65c	
POLE BEANS		
TODE BLAND		
Sow as early as the soil becomes warm and dry, from the first part of Mexcept Limas) in hills four feet apart each way. Limas should not be planted a weather has fairly set in. In wet and cold soil beans will rot and not come up. of Limas will plant one hundred hills.	ıntil	wa rm
Carpinteria Pole Lima—The vine is of vigorous growth, pods very large, produce in great abundance, and closely filled with large plump beans of most excellent flavor		Pk.
King of the Garden—Large in pod and bean; prolific		
Seibert's—Very early; large size, best quality, of easy shelling and an enormous		
yielder		
Small Lima, or Sieva—Small, but good quality	60c	
Florida Butter (Speckled Pole Lima)—A dependable, prolific, small seeded lima popular in the South. Pods borne in clusters; seeds size of Sieva, cream col ored, speckled reddish-brown	60c	
Cut Short, or Corn Hill—An old variety, very popular, plant in corn		
Case Knife—Pods long and flat; for shell and snap beans		
Old Homestead —We regard this far ahead of any other green pole bean. It is early, stringless, very tender and enormously productive. The round pods hang in great clusters from the bottom	;	3.50
Nancy Davis Pole—A new green podded variety that is unsurpassed in quality for use as green shelled beans. In season it matures with Kentucky Wonder and vines are exceptionally vigorous and productive; pods are nearly as long as the Kentucky Wonder; nearly stringless and of excellent quality		
Golden Cluster—The large flat pods are of a rich golden yellow and of excellent flavor. The seeds are thick and pure white	60c	
Horticultural Pole—Excellent, either as snap or shell bean	. 50c	
Lazy Wife—Green podded, thick fleshy, entirely stringless and of fine buttery taste		
BUSH LIMA		
	Qt.	
Burpee's Improved Bush Lima—Large size		
Fordhook's Bush Lima Henderson's Bush Lima	60c	
Wood's New Bush Lima Beans—The bean is a great	t	
improvement over the Henderson Bush Lima; it is nearly double the size, of finer quality, more)	
prolific and a stouter stem to hold the beans from the ground		
Jackson Wonder, or Calico Bush—A very prolific, al		
most drought resistant dwarf lima. Seeds small like Sieva, spotted and mottled dark brown		
English Dwarf Beans—Plant early		

SWEET CORN

(Add 15c a Quart If by Mail)

Let the weather and ground become thoroughly warm and settled before planting sweet corn. If put into the ground too soon it is liable to rot. Our seed has been carefully selected, and has been tested for germination. One quart plants 150 hills-4 to 8 quarts to acre.



Extra Early Adams—This is not true sweet corn	,	
but it is the earliest of all corn and a money		Pk.
maker for gardeners		\$1.75
Premo—Very early and of good quality		2.25
Alpha—(See Page 3)		2.25
Golden Bantam—Early Yellow, very sweet and ex		
cellent quality		2.25
Golden Sunshine—The earliest of the Golden Bant		
am Type, maturing a week to ten days earlier		
than that variety. More dwarf in habit than		
Bantam, with ears 6½ in. long. Containing 12		
rows of broad, yellow, sweet grains. Especial		
ly desirable for its extreme earliness		
Early Mayflower — A selection from Mammoth		
White Cory, and a popular variety in the East		
ern states		
Early Champion—Follows in close succession the		
mammoth White Cory, bearing a good-sized	,	
finely shaped ear, with twelve rows of plump	,	
deep grains. Very productive and good quality	7 30c	
Charlevoix—Light creamy yellow color. An ex		
cellent sort for home and market garden	_ 35c	2.25
Extra Early White Cory—Very early	_ 30c	2.00
Howling Mob—A few days later than Cory; but	t	
much larger, white grain, and very sweet		2.00
Kendall's Giant—Early and very popular sort	_ 30c	2.00
Rice's Early Evergreen—A week earlier than	1	
Stowell's Evergreen		2.00
Stowell's Improved Evergreen—For main crop		
large and sweet		1.7
Country Gentlemen—Large ears and of delicious flavor	_ 30c	2.00

PEAS


Light, dry soil, not over-rich, suits the Pea. Plant as early as the ground can be worked and again every two weeks in succession throughout the season. Plant in single

or double rows, from four to six feet apart, according to height, about an inch apart in the row and four inches deep; in the summer plant four to five inches deep. Tall sorts can be made to bear more freely by pinching in and drawing earth up to the vines.

Those marked with a * are wrinkled varieties which should not be planted until the ground is warm, otherwise

they will rot and not come up.





45c 1.50

	Qt.	Pk
Mammoth Podded Extra Early—On the order of Rice's Extra Early, but pods one-fourth larger. Matures practically with Extra Early and Alaska and is much more productive; seed large, smooth and white. Vine and foliage robust, heavy and medium green. Height 3 feet. Pods light green, 4 in. long, round, broad, saddle-backed and square ended, containing 7 extra large light green peas. A very productive and extra fine sort, bound to take first place	5	I N
as a leading market gardener's first early pea **World's Record—An improved type of Gradus, being slightly earlier, more dwarf, true to type and productive. Height 2 feet. Vines moderately stout, medium green, 4 in. long, very broad, pointed and well filled with 7 to 9 very	50e	\$3.5
large, dark green peas of exceptional quality DWARF—EARLY	. 50c	3.5
VAmorican Worden Windows IV	Qt.	Pk
*American Wonder—Vigorous, productive, most desirable early pea for private gardens; height 12 inches	50c	\$3.50
*Nott's Excelsior—Pods one-third longer than Wonder; height 12 inches *Sutton Excelsior—Produces broad pods, filled with large peas; of finest flavor; in great abundance; height 12 inches		3.50
*Peter Pan—One of the very finest of the large podded, dwarf peas, on the order of Laxtonian, though somewhat earlier. Height 15 in. Vine and foliage stout, heavy and dark green; pods 3¾ in. long, very broad, straight and pointed, containing 6 to 8 very large, dark green peas of superb quality		
*Little Marvel—A new early wrinkled pea, as early as American Wonder; very prolific and sweet. It grows about 15 inches, produces a heavy crop of deep green pods which are frequently borne in pairs		3.50
*Laxtonian—A large podded dwarf variety on the order of Gradus, though more dwarf and a little earlier. Height 1½ feet; pods and vine deep green; pods 3¾		3.50
*Laxton's Progress—The earliest large podded dwarf sweet pea. Height 18 inches. In season four days earlier than Laxtonian. Pods 4 inches long, broad and pointed, deep green in color; with 8 large, dark green peas of high quality		4.50
*Horseford's Market Garden—A favorite for market gradeners and home use;		
pods are larger and well filled; height 2½ feet	50c	3.50
Telephone—Gardeners prefer this pea to any other on account of its sterling		
qualities, producing an abundance of large pods filled with enormous tender peas; height 4 feet	50c	3.75
CABBAGE	· -	
(Sow half an ounce in hot bed 6 by 4 feet; four ounces to one acre) Package Sow early sorts in hot beds during February and March and transplant middle Sow later crop in April and M should be sown in shallow dril	e of A Iay. '	They
six inches apart. When the six inches high, transplant into nured ground, the early kinds apart and the later kinds three ground must be deep-loose	o rich s two e feet.	ma- feet The
worked thoroughly to grow I good heads. Hoe often to kill draw some earth upon the s	arge weeds stems.	and If
troubled by the cabbage flea, the plants with Slug Shot, so ashes, lime or Scotch Snuff. the above will drive them aw ounce of salt petre dissolved	oot, v Eithe vay.	wood er of One
quarts of water will destroy worm. Set plants deep in the our Cabbage Seed is of	e gro	und.
Jersey Wakefield Cabbage Jersey Wakefield Cabbage Jersey Wakefield Cabbage Jersey Wakefield Cabbage	ck gr ided	own
Viking—It is said to be 5 days earlier than the Golden Acre, and nearly 10 days earlier than Copenhagen. Market—The leaf growth is so restrained that		
plants may be set from 12 to 14 inches apart in row Early Jersey Wakefield—Finest American, select stock, grown almost to the exclusion of all others by market gardeners		\$2.50
clusion of all others by market gardeners	45 с 25 с	75c 75c
market, which type it resembles, but smaller heads, therefore can be planted closer in the rows	45e	1.50

New Early Cabbage, Copenhagen Market-Undoubtedly the finest, large, round, headed early cabbage. The heads average about ten pounds each in weight, are very solid, and fine quality. It matures as early as Charleston Wakefield and will give a heavier yield per acre than that well known variety. The plant is short-stemmed, the leaves light green, rather small, and always tightly folded. The plants, therefore, can be set closer together than is usual with varieties of smaller size



Stein's Early Flat Dutch

and shipper

	*	25c
	Improved Early Summer or Excelsion —The finest, best second early Selected All Season, or Succession Cab-	25c
	bage—One of the best second early or late, growing to a large size quickly, and sure to head	25e
	LATE	Oz.
	Danish Ball Head—Round solic eads best cabbage to sell in spring	30c
Stein's Early Flat Dutch	Large Flat Drumhead—American Large Flat Drumhead—American	250
St. Louis Market-This is the finest and best	Improved Drumhead Savoy late cabbage ever put on the market.	50C

35c

1.25

CAULIFLOWER

Culture—This is the same as for cabbage, except that extra manure and plenty of water will pay upon this. If the soil be dry, water frequently; and if the plant could have a heavy

Stands longer on the field after maturing without bursting. An excellent keeper



Gilt Edge Cauliflower.

mulch of hay or straw, it would not suffer from drouth. The early kinds should be strong enough to plant out not later than the middle of April; the late kind may be planted out the same time as for cabbage. To destroy the cauliflower maggot, it is recommended to take one ounce of sulphuret of potassium and dissolve in one gallon of water. Heat the liquid to about 100 degrees, take a large spoon or something that will hold a 100th part of a gallon, and pour the liquid against the stock of the plant just above the ground.

Henderson Early Snow Ball-One of the best for forcing or open ground, sure header. Thornburn's Gilt Edge-Large, heavy sort, undoubtedly the best and surest of all sorts now in cultivation.

The above two kinds are the best and most successful for this climate. Price of each sort—20c per paper; \$3.00 per oz.

SLUG SHOT IS SURE DEATH TO GREEN WORMS ON CABBAGE AND **CAULIFLOWER**


Use the Lowell Dust Blow Sprayer

Chinese Celery Cabbage of Pe-Tsai—It resembles Cos lettuce, inner leaves blanch creamy white, distinct flavor, mild and pleasant. It is served as a salad like lettuce, or cooked like asparagus

CARROTS

(One Ounce to 100 Feet of Row) Package, 5c.

Sow as early as the ground can be worked, or, for late crops, until latter part of July. For main crop, sow from middle of May to the first of July. Thin out early crop to five inches in the row, main crop six to seven inches apart. Hoe often and deeply between rows. Soil light, sandy loam, richly manured and deeply dug, and a good supply of wood ashes. Sow at the rate of two pounds to the acre.



Deep culture secures quick growth and clean root, while otherwise the roots become wormy and ill-shaped.

OŁ.	¼ Lb.
Guerande or Oxheart—Half long stump-rooted; orange color and	
of excellent flavor when young 15c	40c
Early Scarlet HornVery thick roots 15c	40c
Chantenay—Half long stump rooted; fine for garden and field 15c	40c
Half Long Pointed—Much used for bunching when young 15c	40c
Half-Long Danvers-Thick, good quality, exceedingly productive 15c	40c
Early Half Long Nantes-Excellent stump-rooted variety and of su-	
perior quality 15c	40c
Long Orange—For late planting and best for stock 15c	40c

CELERY

(One Ounce to 100 Feet of Row) Package, 5c.

Sow seeds in hot-bed or in a box in the house, or in the open ground as soon as it can be worked. If seeds are sown in beds, care should be taken to keep the surface moist so that the ground does not bake, otherwise the seed will not come up.

Golden Heart Celery

When the plants are two to four inches high, make trenches a foot deep and four to five feet apart.

Enrich thoroughly the bottom of the trenches and transplant six to eight inches in the rows, and as the plants grow, haul the earth about them to blanch their stems. Care should be taken not to let the earth get in the heart of the plant. Never trench while wet from dew, or other causes, otherwise it has a tendency to rot and rust badly. Our celery seeds are of all American growth.

White Plume—Best early; very extensively grown... 25c Golden Self Bleaching-A fine golden solid yellow variety Giant Golden Heart-A vigorous grower; best for 25c market garden Giant Pascal-Large and later than above and very popular 85c Winter Queen—It is undoubtedly the best late keeper; solid and crisp; blanches well Golden Plume, or Wonderful-Resembles Golden Self Blanching in appearance, crispness and fine nutty flavor, though somewhat earlier, larger and of ranker growth. Blanches quickly with a full heart, and rich golden color. Apparently more disease resistant than other yellow celeries. A very desirable sort

CORN SALAD


Package, 5c.

CRESS

22

Sow in drills 6 inches apart; cover lightly.

Fine Double Curled—Desirable for salad and garnishing ______oz., 15c



White Spine Cucumbers


CUCUMBERS

February and March seeds in hot-beds and when night frosts are gone, plant out in rich and new dug ground in hills and ridges from 4 to 5 feet apart. Stop the leading shoots continually as the fruit shows; or plant the seeds in open ground as soon as the weather becomes settled and warm. Use a shovelful of warm manure to each hill, and cover with an inch or two of earth; scatter 8 to 10 seeds in a hill, cover half an inch and press it down. Hoe often, and when out of danger from insects, thin the plants to four in a hill. For pickles plant from June to July. One pound to the acre.



Cluster Cucumber

Longfellow (New)—An excellent long, slender, dark green variety equally desir-	Oz. Lb.
able for greenhouse forcing or out door culture. An ideal type for the private	
garden or as a "straight pack" variety for shipment to market. 12 to 14	
inches long by 2½ inches in diameter2	0c
Rice's Early Fortune—See page 4	
Early White Spine—Best for early market, also good for pickles1	5c 1.25
Chicago or Westerfield—One of the best pickling varieties1	5c 1.25
Long Green Giant Perra—Best for table. An old standard sort1	
The New Cumberland—Best pickling cucumber known1	5c 1.50
Early Cluster—Fruit small, early and prolific1	
The Vaughan (Windemere Wonder)—A very attractive, long, white spined variety	
of excellent dark green color. 12 by 3 inches4	0c
Snow's Perfection—Considered by packers as the best pickler1	5c 1.25
Davis' Perfect—Very early, long and slim; keeps dark and glossy green a	
long time. It is very tender, brittle and of good flavor1	5c 1.50
Japanese Climbing—Produces long, evenly shaped crisp, tender fruit in abund-	
ance. The vine has a tendency to fasten itself to any object over which it	
may grow. In small gardens where space is limited, it may be planted	
and trained on trellisses to good advantage2	0c
Earliest of All—Very early1	5c 1.50



N. Y. Improved Egg Plant

EGG PLANT

(One Ounce to 1,000 Plants). Package 5c.

Culture—Sow in well heated hot-beds, very early in spring and transplant when 2 inches high into a second bed or into small pots. If this is not done, thin to 4 inches apart. Do not plant out until it becomes perfectly and warm. Cool nights or wet weather will check them. Keep some back in frames for second planting, in case of weather changing unexepectedly. Keep plants watered for a few days, if the sun is hot when put out. Set out plants three feet by two.

Improved New York Purple—The best; large oval in shape and of deep Furple color; grown very much more extensively than any other sorts both for priveate use and market _______oz., 40c

ENDIVE

Package, 5c.

(One Ounce to 150 Foot Row)

From May to July sow thin and cover slightly. When up, thin out to 8 inches apart, and give good watering afterwards when dry. When leaves are eight inches long, blanch them by gathering the leaves in the hand and tieing them together near the top, with yarn or twine; this must be done when quite dry or they will rot. Excluding light will blanch them.


Oz. Lb.

Green Curled—Very hardy, best adapted for winter use

15c
40c

Green Curled—Very hardy, best adapted for winter use 15c 40c
White Curled—A splendid' early sort 15c 40c
Broad-Leaved (Escarolle)—A sweet variety for fall 15c 40c
De Ruffec—Large, green curled broad ribs, fine for fall and winter, the best and most exquisite extant 15c 45c

KALE OR BORECOLE



Curled Scotch Kale

Package, 5c.

Sow one ounce to 100 feet in the row, and four pounds to the acre. Kale requires same treatment as cabbage. It gets most delicious after being touched by a frost. The more hardier sorts sown in fall for spring use, should be covered with straw through the winter.

through the winter.		
	Oz.	Lb.
Dwarf Green Scotch Curled—This is not as hardy as		
some, but more curled, sown in spring	10c	
Improved Siberian or Dwarf German Green-Best and		
hardiest for fall sowing	10c	\$1.00
Tall Green Scotch Curled	20c	

KOHL-RABI

Package, 5c.

(One Ounce to 100 Foot Row)

May be sown April to July, and the plants afterwards treated the same as cabbage; only be careful not to hoe too much soil around the stem. Plant out in rows ten inches apart.

It is in best condition for use before it becomes fully grown, even while quite small. Delicious flavor like cauliflower.

Early Vienna-

Flesh white and tender Oz. 30c




Vienna Kohl-Rabi

LETTUCE

Package, 5c.

(One Ounce Will Produce About 3,000 Plants)



Curled Lettuce

Sow in frames in February and March and in the open ground as soon as the ground can be worked, and thin out or transplant in rowsnine inches to a foot apart. Sow every three weeks in succession during the spring and summer. In September and October sow the winter varieties in hot beds. Lettuce requires good ground and moisture in abundance; hoe carefully and keep weeds down. Often lettuce under glass is affected by green flies—three or four applications of Aphis Punk smoke will kill them, especially if the plants are not too large. If under hot-bed culture, sow tobacco dust with the seed.

Lettuce seed, particularly the Grand Rapids, is exceedingly sensitive to unfavorable conditions for germination, especially when sown in the house, and gardeners often fail to get satisfactory results from the seed, which is of good vitality.

In order to get good germination the seed should be sown in light soil and great care taken not to cover too deeply—¼ inch of soil being abundant covering. After planting, care should be taken that the soil is not packed and crusted over the seed by too heavy watering.

LETTUCE—Continued

	Oz. Simpson—Black seed for forcing and outdoors	½ c	45
A Comment	mits of very close planting 15	e	45
Curled Simpson Lettuce	Iceberg—Large, solid, curled heads, yellow heart, crisp and tender 15	e	60
Black Seeded Butter—Large, yellow hea	ds 20	e	75

LEEK

(Two Ounces to 100 Feet in Row)

Sow very early in the spring, in drills 6 inches apart and ½ inch deep; thin out to one inch apart. When seven inches high, plant out in rows eight inches apart and as deep as possible, so as not to cover the young center leaves. Water thoroughly, if dry weather when planted out; draw earth up to them as they grow; requires very rich soil.

Large Musselburg—For winter use

MUSK-MELON

(One Ounce to Seventy Hills, Two Pounds for An Acre) Package 5c. Plant late in spring, in hills five feet apart; ten seeds in a hill; draw soil up around the stems and top their points to make them branch when they begin to run.



Brown Head and Curled ...

Warm, light, but rich sandy soil suits them best. Dust a little soot or recently burned wood ashes on

75c

the	plants when up.		
	w Burrell Gem—With Golden meat, spicy, sweet, and one of the best sellers	15e	40c
Hearts of Go'd—A splendid, small, mid-sear to heart-shape; densely covered with a flesh very thick, ripening thoroughly t orange color and highest quality. A Rice's Special Early (See Page 4)	fine gray netting and distinctly ribbed; to the rind; small seed cavity; of a rich tine shipping sort		40c
Defender—New or regular even size and length; flesh bright orange, thick, cris		15e	40c
Selected Rocky Ford—This is a popular and delicious flavor		15c	40e
Salmon Tinted Pollock No. 10-25—Rust reand firm. Color of meat green one-halting one-halt rich salmon, giving an a laced and interlaced, uniform in size, m	f the depth from the rind, and remaintractive appearance. Netting closely	15c	40c
Tip Top—Grown to good size, slightly over	ıl; sweet, juicy, yellow flesh	15c	40e
Hackensack—Extra early, large round, g quality		15c	40c
Emerald Gem—Small, extra early, smooth quality first-class		15c	40c
Osage Selected—Large, green skin, cocoan			40c
Banana-Long, slender, salmon flesh; white	te and light green	15c	50c
Rice's Special Early (See Page 4).			

WATER MELONS

Package, 5c.

Culture—Form large and well-drained hills of rich earth, avoiding the use of fresh manure in such a way as to cause the plant to dry out under the hot sun. On this hill plant the seed as soon as the ground is warm and dry, and carefully protect the young plants from insects, and hasten their growth by the use of liquid manure.



Fordhook Early—Very early, medium size, short and blocky, dark green, thin rind, flesh bright red and sweet		Lb.
Halbert Honey—Skin dark green; flesh crimson; very sweet. Fine for planting in the North		75c
Monte Cristo—Exceedingly sweet and fine flavored; dark green skin; thin rind; flesh scarlet, solid and firm; long Florida Favorite—Improved Rattle-	. 10c	75e
Kolb's Gem Water Melon snake, superior strain	15c ·	75e
Tom Watson—Extra long melon, uniform in shape, and quality; flesh luscious crimson; sweet as honey; best size and shipper		75e
Sweet Heart—Very large, light green skin, fine quality	10c	75c
Alabama Sweet—Large and long; firm, dark green, striped rind; flesh bright red delicious flavor, and good shipper		75c
Irish Grey—A high quality, good shipping, new watermelon from the South it is of the popular long shape and has a distinct color—a mottled greenish grey. The rind is thin and very tough. As a shipper it is equal to the Tom Watson. Quality is the very highest; sweet, flesh red and crisp (fre from stringiness). The plants are vigorous and bear much longer than other crops	l l l	
producing fruits when other varieties have died out		75c
Kleckley Sweets—Improved Monte Cristo, Colorado grown	_ 19C	1.00

MUSTARD

SPECIAL PRICES ON LARGE QUANTITIES

(One Ounce to 50 Foot Row). Package 5c.

Sow thickly durng April and early May in shallow drills.	Oz.	Lb.
White English	10c	75 c
Ostrich Plume	10c	75c
Giant Southern Curled	10c	75e

ONION

(Two Ounces to 100 Feet of Row; 4 Pounds to the Acre)


First-class Onion Seed can never be low in price when counting labor and expense of producing good and reliable seed.

Land of a sandy loam, with light mixture of clay, is easy to work, and produces good crops; particularly if it has been worked two years previously in hoed crops kept free from weeds. Have the land heavily manured and plowed the fall previous. In the spring as early as the ground can be worked, give it a thorough dragging, after which rake. Stretch the lines perfectly straight in marking, and sow your seed.

Procure good seed, no matter what its cost is, for without it all your labor will be lost. It requires three to four pounds of seed to the acre. If large onions are wanted sow thin.

After the seed is up it is of great importance to keep the weeds down; if that is not done at an early stage when weeds appear, the crop will surely be a failure.





ONION SETS

Red Bottom Onion Sets, raised from seed. Vellow Bottom Onion Sets, raised from seed. White Bottom Onion Sets, raised from seed. Red Top Onions.

Price on Application.

ALL OUR ONION SEED IS OF LAST YEAR'S GROWTH AND SHOULD NOT BE CONFOUNDED WITH CHEAP AND OLD SEED.

	Oz.	¼ Lb.	Lb.
Large White Globe—Southport strain	30c	90c	\$3.00
Large White Portugal-Mild and delicious flavor. It is the most exten-			
sively grown for growing onion sets of fine quality, and salable	25e	75c	2.75
Large Red Wethersfield—A good keeper	20c	60c	2.00
Large Red Globe, Southport—Southport strain, good keeper	25c	75c	2.25
Large Yellow Globe, Southport—Extra fine strain	25c	75c	2.25
Large Yellow Globe, or Prize Taker-Light yellow, of enormous size	25c	60c	2.25

SPECIAL PRICES ON LARGER QUANTITIES

The sowing and growing of this valuable and renumerative crop used to be an extremely tedious and laborious business, but since the introduction of the Hand Drills and Cultiva-



tors—of which we have the largest and most improved patterns—it is comparatively easy to raise a large crop at a moderate expense.

New Method of Raising Onions

Of late, Eastern onion growers employed a new way of raising large crops of onions with success. This mode is to sow the seed carefully from March 1st to 15th, in warm beds, in drills one inch deep and three inches between the rows. In about four weeks the plants will be about the size of a lead pencil and ready to set out in well prepared soil, in straight lines from three to four inches apart and twelve inches between the rows. Have the tops and roots

-----Oz. 10c

somewhat shortened by cutting so you get a stiff plant. In this way plants are easier to handle, and stand more erect in the row.

OKRA

Package, 5c.

(One Ounce 40 Feet Row)

Sow late in spring after the ground has become warm, in drills three feet apart in rich manured land. Thin out from six to nine inches.


Dwarf White-Early and productive

PARSLEY

Package, 5c.

(One Ounce to 150 Feet Row)

Soak the seed a few hours in warm water. Sow in spring in drills one foot apart. To preserve in winter, transplant in a light cellar or cold frame.





Moss Curled Pareley.

PARSNIPS

Package, 5c.

(Five or Six Pounds to the Acre)

Sow during spring in drills one inch deep, and when three inches high, thin out from six to eight inches apart in the row; hoe often; soil should be rich and deep. May be left in the ground over winter and dug in the spring as required. Even fresh seed is sometimes hard to germinate. In dry weather have the soil well firmed after sowing. Hollow Crown—Best for general use Oz., 10c; ¼ Lb., 25c; Lb., 85c

PEPPER

Package, 5c.

(One Ounce Will Produce About 1500 Plants)

Sow in hot-beds in March, or in open ground in a seed-bed the latter part of April in light, warm ground; when three inches high, transplant to 18 inches apart each way; hoe frequently. Seed is slow to germinate, and requires a good warm hot bed. Pepper plants can also be grown in small pots.



Neapolitan-Very early, large and mild

		02
	Sweet Perfection—Very productive quality, the very best, being	
	free from pungency and sweet and delicious to a degree not known before	
	New Chinese Giant—Of recent introduction, is undoubtedly the largest and sweetest pepper ever offered	
	Ruby King—Mild and one of the best, 4 to 6 inches long and 3 to 4 inches thick	
	Cayenne—The variety of Commerce; long narrow pods; pungent	
	Harris' Earliest—The earliest pepper we are acquainted with, being earlier than Neapolitan. Plant very uniform in growth, dwarf and compact, seldom over 18 inches in height, and extremely productive. Fruits pendent, mild and sweet, similar to Bull Nose in form, three lobed, 3½ inches in height by 2½ inches in diameter. The best pepper for the home garden	
	California Wonder—Resembles Chinese Giant in the large size and "blocky" form of its fruit, but having an extremely thick flesh not possessed by that variety; crimson fruit.	
Ruby King Pepper	Measures 4½ inches in length by 4 inches in diameter, mild and sweet; mid-season	
World Beater Pepper-	-A cross between Ruby King and Chinese Giant, fully as early as	

PUMPKIN

the Ruby King, and similar in shape. As large as the Chinese Giant, but more prolific. Exceptionally mild, flesh thick, enables it to hold up for a long time_____ 40c

Kentucky Field—Large, round, salmon color, especially for stock feeding; hardy a prolific	
Connecticut Field—Grown in corn-fields for stock	40c
Large Cheese—Flat; one of the best varieties for family use	50c
Japanese Pie—Similar to the Cushaw, fruit matures early; meaty and of first quali seed is curiously marked	
Small Sugar—A small, sweet, delicious variety of deep orange color; prized highly making pies	
Quaker Pie—Pear shaped, rich flavor, and good keeper	1.00
Tennessee Sweet Potato—Bell-shaped; thick, white flesh; fine for pies	1.00
Mammoth King—Grows enormous size1	0c Oz.

RADISH

Package, 5c.


(One Ounce to 100 Feet Drill)

Sow in sheltered spot as early as the ground can be worked, and every two weeks until summer; then commence planting the summer varieties. The winter sorts should be sown in August. A light rich soil suits best. It should be borne in mind that Radishes must have plenty of room, otherwise they will be tough and wormy. Slightly sprinkling of salt is beneficial.

RADISH -- Continued



	02,	LID
Cooper's Sparkler—Carmine, scarlet half white tipped; fine for forcing and open ground	10e 1.	.00
Deep Scarlet, Turnip Forcing-Short top, crisp		
and handsome	10c 1	.00
Non-Plus Ultra—Extra early, scarlet forcing _ The above kinds mature in about 25 days.	10c 1	1.00
Scarlet Turnip—Very early	10c 1	.00
Scarlet Turnip, White Tip—Very early, for hotbeds and outdoors	10c 1	L.00
Vick's Scarlet Globe—For forcing and best for open ground	10c 1	1.00



Rice's Saxa—The earliest of the forcing radishes. Round, bright scarlet and with the smallest possible top. We have an excellent stock of this radish and can highly recom-1.00 mend it . Long, Bright Scarlet 1.00 Icicle-The name is given in allusion to the shape and the transparent whiteness of the root. The leaves are short. It is the first long, white forcing radish yet introduced ... 15c 1.00 Golden Globe - Popular Market Gardeners' 1.00 sort -----Chartier-Long, scarlet, white tipped _____ 10c 1.00 1.00 White Long Strassberg _____ 10c Large, White Round Stuttgart _____ 10c 1.00 China Rose—For fall and winter _____ 10c 1.00 Mammoth — Very large winter California variety _____ 10c 1.00 Black Spanish, Long _____ 10c 1.00

SALSIFY OR VEGETABLE OYSTER

(One Ounce 50 Feet Row)

When cooked forms a substitute for oysters, as the flavor is very similar.

Sow early in spring, drills one foot apart, one inch deep, and thin out to 4 inches in the row; keep clean and cultivate the same as parsnips. To leave them in the ground during the winter will not injure them.

Oz. ¼ Lb.

SPINACH

Package, 5c.

(12 Lbs. to An Acre)

Sow half an inch deep and a foot between the rows; thin out to eight inches; as soon as frost is out of ground; hoe frequently to prevent the plants from running to seed. For winter crop, sow latter part of August or September. Lay straw between the rows at approach of winter, and very thinly over the leaves.

SPINACH—Continued



	OZ.	TIU
Thick Leaf-Generally preferred for		
spring sowing	5c	500
Bloomsdale, Savoy-Leaved-A pro-		
ductive variety, quite hardy	5c	50c
Long Standing-The longest stand-		
ing before running to seed, and		
consequently one of the best		
varieties		500
Prickley	10c	500
3 to 5 lbs., 40c per lb.		
10 lbs 30c per lb		

King of Denmark—A new variety of Spinach. Plants form compact bushes with round thick leaves, which are dark green and much crumpled. It stands unusually long before bolting to seed; excellent quality. The coming SpinachLb. 60c

SQUASH

Plant in hills in the same manner and at the same time as melons; the bush four feet and the running kind 6 to 8 feet apart.

Squash cannot be planted with any degree of safety in the middle or northern states before the middle of May, as they are extremely tender and highly sensitive to the action of bad weather.

	()24.	ه ۱۷ اساد
White Bush, or Scallop Summer	15c	\$1.25
Improved Large Summer Crookneck	15c	1.25
Delicious—Green skin; orange flesh, fine-grained, sweet and dry	15c	1.50
Boston Morrow—Oval, bright orange; flesh yellow and fine	15c	1.00
Warted Hubbard-A general favorite for late use, and of superior quality	15c	1.50
Sibley's or Pike's Peak-One of the finest winter varieties; thick, bright orange		
flesh	15c	1.50
Ford Hook-Excellent keeper through the winter, of finest quality and good for		
all purposes	15c	1.50
Essex Hybrid—A good fall and winter sort; fine grained, rich flavor; very prolific	15c	1.50


TOMATO

(One Ounce Will Produce About 2500 Plants)

½-Ounce in Hot-Bed 6x4 Feet

Sow in hot-beds in February and March and transplant in open ground when the weather becomes warm and settled, or sow in open ground in May, and transplant when plants are six inches high, four feet distant from each other; soil should be made light and rich. By transplanting plants in pots, fruit may be had several weeks earlier, and pinching off the small tips will hasten the ripening considerably. The plants, before setting out, ought to be hardened until the stalk gets to be red. Should the plants be long and slim, put them in slanting. Old manure should be used in the soil.

Our Tomato Seeds are unequalled for their purity and fine quality, are saved from choice, selected fruit.



Buckeye State

John Baer—Early, brilliant deep red color, smooth, no core, almost free from seed, de-	Oz
licious flavor, solid meat, uniform size and ripens to stem. Perfect shipper and	
remarkably free from blight. Package 10c each	400
Stokes' "Bonny Best"—As early as the Earliana, enormously productive, uniform size, splendid shape, strong vine, plenty of foliage, beautiful scarlet and a good shipper	404
	100
Sparks' Earliana—Claimed by the producer to be the earlier large tomato in the world. Color bright red. The seed we offer is grown from the original stock	404
	100
Chalk's Early Jewel—Very fine new sort; large, solid, smooth, bright red, similar to	
Stone, but earlier	400

	TOMATO—Continued		C
Avon—As early as smooth, free fro	the Earliana; large, round, slightly flattom cracks and of fine quality	tened; deep scarlet color	; . 5
	Midsummer variety, very heavy; extremely n ridges and cracks; a good canning sort		
	r Beefsteak—An extremely large, bright recenly, and of best quality		
	Has the same good characteristics of the Sabits		
	the best introduced for years. It is very right scarlet color		
as an apple; red A heavy produc- eners and plant	ek—Earlier than the Livingston Stone, ext las it is possible to be. No sort is its sup- ter and an excellent shipper. Recommend ters, factories for canning, as very showy , red, smooth tomatoes————————————————————————————————————	perior in texture or flavor ed especially to the gard and productive. One o	- f
Acme and earlie	e largest and best of the early, purplish per maturing than Beauty; an exceptionally did shipper	valuable addition to this	S
June Pink—A very Dwarf Champion—	vearly market sort; smooth and of a bright-Distinct foliage, grows compact and up	nt pink color; medium siz right; fruits early and is	e 4
	rgest variety under good cultivation		
Marglobe—An extre culture as of ur and wilt. Matur	emely heavy yielding tomato introduced by nusual and outstanding merit, on account res in about 95 days. Ripens evenly. Doe globular	y the U.S. Dept. of Agri of its ability to resist rus as not crack. Very meaty	t
	MAIDAND		
	TURNIP		
	One Ounce to 200 Feet Row; One Pound t	o An Acre)	
for winter, sow in .	sow as early as the ground can be worked July and August. Much larger crops are	d. Rutabaga and other be obtained, particularly o	f t
or winter, sow in . Rutabagas, by culti	July and August. Much larger crops are ivating in drills 18 inches apart. The firs Extra Early White Milan—A new an Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best	d. Rutabaga and other is obtained, particularly of st three named sorts are Oz. nd valuable variety 15c of the early variety 15c st varieties for gen-	f t b I \$1
or winter, sow in . Rutabagas, by culti	July and August. Much larger crops are ivating in drills 18 inches apart. The firs Extra Early White Milan—A new an Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the bear all use	d. Rutabaga and other secondaries obtained, particularly of st three named sorts are Oz. nd valuable variety 15c of the early variety 15c st varieties for genature and the control of the control of the early variety 10c ate sort for market	f t b 1 \$1
or winter, sow in . Rutabagas, by culti	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best cral use	d. Rutabaga and other se obtained, particularly of st three named sorts are Oz. nd valuable variety 15c of the early variety 15c st varieties for genture of the sort for market 10c or stock, hardy and	f t be I \$1 1
or winter, sow in . Rutabagas, by culti	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best cral use	d. Rutabaga and other a obtained, particularly of st three named sorts are Oz. nd valuable variety 15c of the early variety 15c st varieties for gen- ate sort for market or stock, hardy and 10c	f t
or winter, sow in . Rutabagas, by culti	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best cral use Red Top Globe Shaped—A standard is and table Improved Rutabaga—Good for table of prolific ———————————————————————————————————	d. Rutabaga and other a obtained, particularly of st three named sorts are Oz. Individuable variety 15c of the early variety 10c of the sort for market	f t bo I \$1
for winter, sow in Rutabagas, by cultifor early sowing.	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best cral use	d. Rutabaga and other a obtained, particularly of st three named sorts are Oz. Ind valuable variety 15c of the early var	f t t be I \$1 1
or winter, sow in Rutabagas, by cultion early sowing.	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best and table Improved Rutabaga—Good for table of prolific Improved Rutabaga—Good for Improved Rutabaga—Good for Improved Rutabaga—Good for Improved	d. Rutabaga and other a obtained, particularly of st three named sorts are Oz. Ind valuable variety 15c of the early var	f t bo I \$1
for winter, sow in a Rutabagas, by cultifor early sowing.	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best cral use Red Top Globe Shaped—A standard late and table Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth—Cow's Horn for Stock—Iron Family—Fine-grained and best quality.	d. Rutabaga and other e obtained, particularly of st three named sorts are Oz. nd valuable variety 15c of the early variety 15c st varieties for gen- ate sort for market 10c 10c 10c 10c 10c 10c 10c 10	f t be be I \$1
or winter, sow in Rutabagas, by cultion early sowing. Rutabaga, Thornbu Seven-Top—For gra Connecticut Seed L White Burley—Fay	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best and table Improved Rutabaga—Good for table of prolific	d. Rutabaga and other se obtained, particularly of st three named sorts are Oz. nd valuable variety 15c of the early variety 15c st varieties for generate sort for market 10c or stock, hardy and 10c	f to be started as a second se
cor winter, sow in Rutabagas, by cultifor early sowing. Rutabaga, Thornbu Rutabaga, Thornbu Seven-Top—For gra Connecticut Seed L White Burley—Fav	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best and table Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth—Cow's Horn for Stock—Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth—Cow's Horn for Stock—Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth—Cow's Horn for Stock—Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth—Cow's Horn for Stock—Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth—Cow's Horn for Stock—Improved Rutabaga—Improved Rutabaga—Improve	d. Rutabaga and other e obtained, particularly of st three named sorts are Oz. Individuals variety 15c of the early variety 15c of the early variety 15c st varieties for gen- ate sort for market 10c or stock, hardy and 10c	f t be be I \$1
Connecticut Seed L White Burley—Fav	July and August. Much larger crops are evating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best eral use Red Top Globe Shaped—A standard is and table Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth. Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth. Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth. Cow's Horn for Stock Improved Rutabaga—Good for table of prolific grained and best quality. Improved Rutabaga—Good for table of prolific grained and stock growth. Cow's Horn for Stock Improved Rutabaga—Good for table of prolific grained and best quality. Improved Rutabaga—Good for table of prolific grained and best quality. Improved Rutabaga—Good for table of prolific grained and best quality.	d. Rutabaga and other e obtained, particularly of st three named sorts are Oz. Individuals variety 15c of the early variety 15c of the early variety 15c st varieties for gen- ate sort for market 10c or stock, hardy and 10c	f to be started as a second se
Rutabagas, by cultiver early sowing. Rutabaga, Thornbuse of the connecticut Seed Lawhite Burley—Fav Havana Leaf—Thir Yellow Pryor—An of the connecticut Seed Lawhite Burley—Fav Havana Leaf—Thir Yellow Pryor—An of the connecticut Seed Lawhite Burley—Fav Havana Leaf—Thir Yellow Pryor—An of the connecticut Seed Lawhite Burley—Fav Havana Leaf—Thir Yellow Pryor—An of the connecticut Seed Lawhite Burley—Fav Havana Leaf—Thir Yellow Pryor—An of the connecticut Seed Lawhite Burley—Fav Havana Leaf—Thir Yellow Pryor—An of the connecticut Seed Lawhite Seed	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best and table Improved Rutabaga—Good for table of prolific	d. Rutabaga and other se obtained, particularly of st three named sorts are Oz. Individuals variety 15c of the early variety 15c of the early variety 15c st varieties for generate sort for market 10c or stock, hardy and 10c	f t be start in the start in th
Rutabaga, thornbu Seven-Top—For gra Connecticut Seed L White Burley—Fav Havana Leaf—Thir Yellow Pryor—An of the preserved by soon as the weather under the glass, as Those marked with	July and August. Much larger crops are ivating in drills 18 inches apart. The first Extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best and table Improved Rutabaga—Good for table of prolific	d. Rutabaga and other e obtained, particularly of st three named sorts are Oz. Ind valuable variety 15c of the early variety 15c of the early variety 15c st varieties for gen	f the best state of the state o
Rutabagas, by cultion early sowing. Rutabaga, Thornbutage Thornbu	July and August. Much larger crops are evating in drills 18 inches apart. The first extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best eral use Red Top Globe Shaped—A standard late and table Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of the Bodde growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Sto	d. Rutabaga and other se obtained, particularly of st three named sorts are Oz. Ind valuable variety 15c of the early variety 10c of the sock, hardy and 10c of the year 10c of the	f t be start to the start to th
Connecticut Seed L White Burley—Fav Havana Leaf—Thir Yellow Pryor—An of Herbs are avail when preserved by soon as the weather under the glass, at Those marked with small and fine, they ANISE BALM*	July and August. Much larger crops are evating in drills 18 inches apart. The first extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best eral use Red Top Globe Shaped—A standard is and table Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Family—Fine-grained and best qualities and the provided and smoking for the provided reliable variety, succeeds where other to the plants growed and the young plants afterwards transplants are perennial, and preserved for year y should be covered very slightly. FENNELL* HYSOP	d. Rutabaga and other e obtained, particularly of st three named sorts are Oz. Ind valuable variety 15c of the early variety 15c of the early variety 15c st varieties for gen	f t be start to the start to th
Connecticut Seed L White Burley—Fav Havana Leaf—Thir Yellow Pryor—An of Herbs are avail when preserved by soon as the weather under the glass, at Those marked with small and fine, they ANISE	July and August. Much larger crops are evating in drills 18 inches apart. The first extra Early White Milan—A new and Extra Early Purple Top Milan—One of Purple Top Strap-Leaf—One of the best eral use Red Top Globe Shaped—A standard late and table Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific Snowball—Small and of rapid growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of the Bodde growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Stock Improved Rutabaga—Good for table of prolific growth Cow's Horn for Sto	d. Rutabaga and other se obtained, particularly of st three named sorts are Oz. Ind valuable variety 15c of the early variety 15c of the sort for market 10c of the stock, hardy and 10c of the control of the year 10c of t	f t be start to the start to th

BIRD SEED


Our Bird Seed is put up according to the best formula for the health of the birds; selected from the cleanest and choicest seeds. Ask for prices.

CANARY—HEMP—RAPE—SUNFLOWER—BIRD GRAVEL

POTATO

Culture—In order to have the best success in growing potatoes, and to secure a healthy vigorous growth, and a crop free from rot, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart and the sets one foot in the row. To kill the young weeds, run a light steel-tooth harrow over the field lengthwise of the rows. This will allow the crop to get the start of the weeds, besides breaking up all lumps and leveling the ground ready for the cultivator. If wood ashes and plaster can be procured, sow a good dressing over the field after the potatoes are up. If a

very early crop is desired it will be necessary to sprout the potatoes before planting. Cut the potatoes into pieces of any size desirable, and place in a warm, light room, from four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted. they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hot-bed two weeks before they are wanted, and then lift carefully and set out on fresh horse dung, so that the heat will cause them to start at once. If the Colorado potato beetle makes its appearance, the vines must be dusted with Slug Shot, or dis-



solve a tablespoonful of Paris Green in a pail of water and apply same with a forcing pump or sprayer.

Scab—In regard to dipping of the Seed Potatoes for scab, the most desirable method is to soak the tubers before cutting for two hours in a solution made up by mixing one pint of 40 per cent formaldehyde with 30 gallons of water. This preparation can be placed in an ordinary 50 gallon barrel. The best way to dip the tubers in it is to first place them in a sack. After they have been soaked for two hours they must be removed and cut and planted right away, or spread out to dry. With tubers which are becoming fairly well sprouted, it is desirable, although not necessary, to dip them a week or two before planting. One 30 gallon mixture will treat about 30 bushels of potatoes, after which it should be dumped out and a new mixture prepared. To dip large quantities of potatoes in this manner, as many barrels may be kept going as needed.

Red River Early Ohio—This earliest of all varieties, justly belongs at the head of the list; because no variety will mature as early. Some very good early sorts will give eatable size potatoes about as early, but their tops will be green for days after Early Ohio has died. It is the most profitable early market variety.

Irish Cobbler—White netted, early, splendid quality. Eyes strong and well developed; flesh cream white, of excellent quality. Ripens one week later than Ohio. Especially suited for dry climates on account of its deep roots. It is fast becoming the most popular of the early varieties.



MUSHROOM SPAWN

Is easy of culture and satisfactory in results. Send for planting directions.

Sweet Honeysuckles, White and Clover Color; Hardy Phlox, Rudbeckia or Golden Glow, Lemon Lillies, well rooted, 25c per clump.

Selected Farm Seed

To our farmer friends we would particularly impress the fact that our field seeds are fresh and thoroughly cleaned, and of high germinating qualities. Our customers are all aware of that and always give us the preference. They know that pure and clean seeds give satisfaction to both buyer and seller.

On account of the fluctuations of the market prices, prices cannot be given on Grass Seeds, Clover, Grain, etc. Prices on Application.

GRASS SEEDS

The best means of improving meadows, pastures and lawns is to sow a sufficient variety of grass seeds, and we trust our customers will give some of the kinds a trial in connection with Timothy, which by many is believed to be about the only grass to be sown for hay.

Timothy—Decidedly the best grass for hay. Sow one peck per acre.

Orchard Grass—Valuable for grass and hay; grows in all dry and shady places; sow from 10 to 20 pounds per acre.

Red Top—A valuable permanent grass for meadows and pastures; grows in almost any soil, moist or dry; sow 10 pounds per acre, clean seed. In short, buying cheap seed, money is wasted by sowing, that will not bring returns for the labor.

Kentucky Blue Grass—Best pasturage grass for our soil and climate. It is most valuable for lawns, yards, etc., combined with some white clover. For pastures, sow 20 pounds, and for lawns 50 pounds of clean seed per acre.

English Rye Grass—Is the staple grass of Great Britain, entering largely into the composition of many of the richest meadows and pastures. Its natural adaptation is almost all cultivated soils, and its early maturity are the reasons it has hitherto been so extensively cultivated in preference to many other equally nutritious sorts.



Rye Grass

CLOVER SEEDS

Clover, and in fact all Leguminous Plants such as Cow Peas, Soja Beans, Vetch, etc., is a blessing to recuperate worn-out land which needs nitrogen furnished by the air. If your land is sour, correct by sowing lime.

In purchasing clover, as well as any other seed, always buy the best quality that is possible to procure; although the price may seem high, it is much cheaper than buying a poor quality at a low price. The low price seeds are usually badly cleaned, of poor germination, and very often contain weed seeds of other plants.

Red Clover—Will succeed in any soil; sow 6 to 8 pounds per acre.

Alfalfa or Lucerne, Clover—Is perennial and lasts from 8 to 10 years; the roots penetrate from 10 to 15 feet into the ground. For a permanent meadow it does best on alluvial soil. Sandy loam with a porous underground, so that water passes off rapidly, is preferable. Hard pan and wet underground is fatal to the plant. As a hay crop it has no equal, and the feeding value of number one alfalfa is equal to bran at \$17.00 per ton. It should be sown here from the 15th of August to the 10th of September. Plow the ground sometime previous, making a fine but not too deep seed bed. Sow from 15 to 20 pounds per acre, and run the smoothing harrow over once or twice. In spring it may be sown in April after severe frost is past, but in doing so you have weeds to contend with, and which may smother the young weak plants. In this case mow the weeds when they are 6 to 8 inches high, and not remove them, but let them lay on the ground. A thick stand is desirable, otherwise hay will be too coarse. Cure alfalfa hay as you would Red Clover, and save all the leaves possible. It may be cut three times during the season. It is claimed by many agriculturalists that Alfalfa does best on a former Red Clover field on account of containing the needed bacteria.

The Alfalfa we have in stock is of the very best and purest quality, free from obnoxious weeds, which you will find universally in cheap seed. Sow Alfalfa by itself.

Alsike, or Swedish Clover—Perfectly hardy, does not heave in winter or spring from frost; stands drouth well, and in many respects superior to common red clover. It affords a large return of hay; is excellent for soiling and unsurpassed for the honey bee. When the plant is once established it will remain for many years in full vigor. Is at its best in a moist situation and alluvial bottom soil. It is much liked by cattle and well suited to land liable to wash, for reason of its long and spreading roots holding the soil. It certainly would pay any farmer to try it. Alsike also produces a valuable and heavy crop of seed. Sow 5 to 6 pounds to the acre.

WHITE SWEET CLOVER

(Melitlitus Alba)

White Sweet Clover, or Bokhara Clover, as it is called, is a hardy biennial plant, erect and branching in growth. It starts up very early in the spring, and in its second year it reaches a height from 5 to 12 feet, blooms, matures its seed and dies. However, there is usually enough seed scattered to reseed, and the crop is continuous unless cut before the seed ripens. When young, the plants resemble Alfalfa very closely. Sweet Clover has a peculiar bitter taste, and the flowers and leaves a sweet vanilla-like odor by which it is easily distinguished.

It seems to grow in all climates and with little regard to the character of the soil. It is found growing in gravel-pits, heavy clay soils, and sometimes in almost pure sand. Nor is it often found growing in low wet soils.

It sends it roots to a great depth. It is a legume like Red Clover and Cow Peas and like these plants has the faculty of extracting nitrogen from the air and storing it up in the roots, thus fertilizing the soil for the use of succeeding crops.

It is a valuable forage crop; while some animals refuse it at first because of its peculiar taste and odor, they soon learn to like it and thrive on it. In food value it does not differ greatly from Alfalfa. The crop may be pastured closely and there is little danger of bloating. For hay it should be cut just as it is coming into bloom and is handled much the same way as Alfalfa. A second cutting can usually be secured 40 to 60 days later, if not pastured. It is also used to some extent as an ensilage crop put into the silo and fed successfully in this way.

It is an excellent plant for bee pasture, as it blooms continuously from June to October. It is not troublesome in cultivated fields and can usually be destroyed by mowing in full bloom.

The seed may be sown on the bare ground during the winter, with spring grain crops during March, or on well prepared ground during April and May. It requires a firm seed bed with just enough loose soil on top to cover the seed. About 15 pounds of clean hulled seed are required for an acre.

SUDAN GRASS

Sudan Grass is strictly an annual, and dies each year like Millet, and must be seeded again each spring. This makes it fit admirably into any system of rotation, and while it does not benefit the soil like legumes, it does afford a change in crop, and this is a good thing for the soil. Sudan Grass is tall, reaching a height of from seven to nine feet. The stems are very small and are rarely thicker than a lead pencil. The plant stools wonderfully and produces under favorable conditions as many as 100 stalks from a single root.

Harvesting—Sudan Grass is easy to cut with a mower, and cures readily, so that the haying process is much the same as that of Millet or any other hay grass. Where it is harvested for seed, an ordinary grain binder is best suited for handling the crop. When cut for hay it is best to cut after full in bloom, so that it will have as much time as possible for a second growth. After cutting it renews its growth promptly when moisture conditions are favorable, and in about 40 to 50 days another cutting is ready. The grass stools abundantly after first cutting, and the second and third cuttings are very fine stemmed.

GERMAN MILLET

KAFFIR CORN

COMMON MILLET

DWARF ESSEX RAPE

MILO MAIZE

CANE OR SORGHUM

AMBER—ORANGE

AMDER—ORANO

ANIANA WHEEL IS NOT A C

CANADA FIELD PEAS


COW PEAS SOJA BEANS

BUCKWHEAT, ETC.

Formation of Lawns from Seeds

THE GROUND should be thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn, but the surface should be as much alike in quality as possible. After sowing, the ground should be rolled and cross rolled, in order to press the seed firmly into the soil. The proper time to sow grass seed is from March 15 to April 15. Seed also may be sown in the fall, provided it is done early enough to secure a good strong growth before winter sets in. The sowing should be done when the ground is moist, or before an expected rain, cover lightly with soil; a subsequent rolling or firming the ground with a roller or heavy board is always advisable. As to weed seeds in newly made lawns, it may not be generally known that many weed seeds actually lie dormant in the ground for five or six years and will germinate and make their appearance when the soil is turned up. The annual wild grasses such as Crab Grass or Summer Grass must be pulled up by the roots before they ripen their seed in the fall. This is the only way to rid lawns of these pests. Rolling and dragging, however, should not be done when the soil is very wet.

ROLLING—As soon as the frost is out of the ground in the spring, the land should be gone over with a heavy roller. Winter frosts loosen the soil and rolling is necessary to compress it again. If grass seed is to be sown, this should be done first, and the rolling immediately afterwards. Frequent rollings are recommended.



MOWING—All turf-forming grasses are improved, both in vigor of root growth and in fineness of texture, by frequent mowings, but not before the grass is strong and firmly rooted. It is impossible to say just how often the grass should be mowed, as that depends upon the rate at which it grows. Too closely cutting should be guarded against, however, especially during the hot summer months, when the roots require some top growth to protect them from severe winter frost. Mowing should therefore be discontinued in time to let the grass grow pretty long before the winter sets in. If watering is needed do it thoroughly.

OUR SELECTED LAWN GRASS SEED

Contains, besides Bluegrass, a composition of the finest perennial or lasting grasses which will, in the shortest time possible, produce a beautiful, compact turf, enduring the summer heat and insure a rich deep green sward throughout the season.

This mixture is absolutely free from obnoxious weeds, and no better can be offered by any Seed House.

Bluegrass sown alone perfects itself the second year after being sown.

Do not be sparing of seed. From 50 to 75 pounds to the acre, or one pound for 20x20 feet, is little enough. More seed is needed on poor soil than on that which is rich.

For Shady Places—We have a special mixture for this purpose.

Dock, Dandelion and Plantain, natural to the soil, spring up spontaneously; are most troublesome, and should be watched and exterminated on appearance.

Sour Ground—Sometimes the soil of a lawn gets sour by too much shade; in this case an application of one-half lawn fertilizer and one-half lime is one of the best remedies.



Encouraged by the Many Flattering Testimonials from Our Customers, We Are Offering a Particularly Large and Fine Assortment of

CHOICE AND RELIABLE FLOWER SEEDS AND BULBS

Mostly Our Own Importation and Adapted to Our Climate

NO OLD SEED OFFERED

BRIEF HINTS ON SOWING AND CULTIVATING

READ CAREFULLY

HE GENERAL RULE for sowing flower seed, as well as any other seeds, is to sow them at the proper depth-and the depth at which they are sown should in every instance be governed by the size of seed itself. As the sprouts of small seeds are naturally small, if sown deep as large seeds they will be either unusually long in starting or more likely perish in the ground after starting, for want of sufficient strength in the young sprouts to force a passage through the soil. Very small seeds, such as Portulacca, Campanula, Digitalis, etc., should be merely sprinkled over the surface of the ground, after making quite smooth with the back of a spade, and barely covered with finely sifted, light mellow soil, and afterwards protected from the scorching sun and heavy rains by a cloth, mat, or some green branches stuck around it.

In transplanting plants it is important to cut back branches and leaves, in order to secure thrift and good shape.

Another great object to be considered is the soil into which the flower seeds are to be sown. The soil best adapted for flowering plants generally is a light, friable loam, containing a sufficient amount of sand to render it porous. Deep digging and enriching with thoroughly decayed manure is the least that should be done. If the weather, after sowing, should be dry, it will be necessary to water the places where the seeds are sown with a fine watering pot, regularly, but slightly every evening, as it is essential that the seeds during the process of germination should be kept constantly moist. From a neglect or oversight of this arise most of the failures. As the process of germination is shorter or longer in the different kinds of

seeds, the patience of the cultivator is often sorely tried with seeds of a slow germinating character. The patience of a devoted florist, however, never exhausts in these manipulations, and the certainty of his final success repays him fully for the little trouble.

Afterwards, when one or two inches high, the young plants can be removed on a rainy or cloudy, damp day to permanent positions; here the earth must be carefully prepared for their reception, being especially enriched by a previous application of very short, well rotted stable manure or compost.

In the after culture, the most important matter is to keep the clumps well thinned —for crowding will defeat all other preparations, while space, which at first seems four times too much, will serve to develop robust plants, which by their ample leafage, are well developed flowers, will amaze people not familiar with the conditions necessary to successful plant culture.

If Worms are found on the roots of House and Pot Plants, take half pound of fresh lime, dissolve it in one gallon of water. As soon as the lime is dissolved and its sediment settled, pour off the clear water and apply the same to the plant to saturate all the soil, and repeat as often as necessary.

Too much and too little watering are both injurious to the plant. The only rule is, when the soil in a pot looks dry on its surface, apply milk-warm water enough to saturate all soil in the pot, then wait until the soil looks dry again before applying more. Flowers bloom freely if plucked often.

Look out for insects, such as aphis, red spider, scales, etc. They multiply fast. For remed'es and fertilizer, see Page 37.

Choice Flower Seeds


Prices: Unless Specially Marked, Price for Postage Paid:

Directions for Sowing are Printed on the Different Seed Packages

EXPLANATION OF THE MARKS

"a" represents "annual," lasting one year; "p" represents "perennial," three or more years. A large number of Biennials and Perennials, if sown early, flower first season; "h h" "half hardy;" "t" represents "tender."

Our packets contain twice the amount of good, reliable Flower Seed than the common trade papers.



Aster

Aster (hha)—Seeds are saved from the finest double sorts. There is nothing finer than a bed of these in autumn. They need cool weather with a touch of frost in the air to bring out their colors. Seed may be sown in open ground in May to bloom finely in September and October, when the flowers are seen at their best. For earlier blooming sow under glass or special hot-beds in March or April. Sow seed one-half inch deep in rich, light soil. Transplant two and three times, eighteen inches apart each way. Do not use fresh manure. A small portion of unslacked lime or wood ashes keeps insects from the roots.

Victoria, or Truffaut—It produces the most beautiful and perfectly formed flowers of pyramidal habit, and is also the best for culture. In colors and mixed. Paper, 10c.

Crego Giant Mixed—A beautiful flower of largest size, with very large petals which are very attractively curled and twisted. Plant branching and very vigorous, with long, strong stems; very desirable for cutting. A mid-season sort, considered by many as decidedly the best aster yet produced. Package, 10c.

Semples Branching—A class of Asters useful for cut flowers; they are very large and double; borne on long stiff stems, and the

colors are clear and handsome. Price, per paper, 10c.

We also have fine mixtures in all colors. Per paper, 5c.

Vick's Branching, Vick's Royal, Vick's Rochester, Vick's Comet. 25c package.



Ageratum (hha)—Exceedingly charming, free blooming bedding plants, and planted among Geraniums and Alyssums. For early blooming, sow under glass. It is one of the few blue flowers which blossom all summer. Cover seeds lightly.

Alyssum (ha)--For borders, edgings, baskets, pot, rockwork and for cutting, we recommend a liberal use of this dainty little flower. In borders sow thickly so as to form masses, and quite early in the spring or even the previous autumn -For winter bloom sow late in August, and thin the seedlings to about a dozen for a good sized hanging basket. Cut



Alyssum

back after the first flowers fade and others will come.

Balsam (hha)—Most magnificent annual, producing masses of rich colors; transplanting has a tendency of making the flowers double.

Balloon Vine (hha)--A pretty white climber with green fruit.

Delphinum or Larkspur (ha)—Handsome for any garden; of easy culture; a rich loam will produce its finest plants and flowers of various colors.



Calendula

Calendula (ha) -Hardy annual about a foot high. The seed may be sown in open ground quite early in spring —and they bloom early in summerand continue until late in the autumn. The flowers exhibit every shade of yellow from ivory to deep orange, are producing in great profusion and are strongly effective in bed borders or back

 ${f C}$ os ${f m}$ os — Beautiful autumn blooming plants. They produce thousands of beautiful



Cosmos

flowers in pure white, pink and crimson shades furnishing an abundance of cut blooms for autumn decorations when other flowers are scarce-Should be sown in spring in the open ground and afterwards transplanted. Plant not less than one inch apart in rows or in masses in beds. When the plants are about a foot high the tops

should be pinched out to induce a bushy growth. They prefer a rather light, not too rich, soil, but do well almost anywhere. They should be in every garden.


Cosmos-Lady Lennox.



Calliopsis, or Golden Wave (h a)

Fine showy plant, abundant in bloom, and of bright colors; fine for cut flowers. Do not fail to have this beauty in your garden.





Candytuft

Candytufts (h a)-The Candytufts are among our best white flowers for edgings, for bedding or massing, rockeries and for cutting. Several of the varieties are fragrant and all are profuse in bloom-Sow outdoors in April where they are to bloom, and thin well when the plants grow about an inch. Sow again in a month, and late in July for flowers.

Columbine (h p)—They are fine, early, free flowering, hardy, border plants, showy and ornamental. Every garden should have them.

Canary Bird Flower (hha)—Firm climber.

Centaurea-Cornflower (ha)-C. Cyanus is



BACHELOR'S BUTTON

also known as Blue Bottle, Ragged Sailor, Kaiser Blumen, and sometimes as Bachelor Button — These plants of the hardiest nature and simplest culture and esteemed among the mos' attractive and graceful of all the old fashioned flowers. When placed in water the flowers increase in size.

Margaritae—Pure white, 2½ in. across, exquisitely lacinated and delightfully scented; form stocky, well budded little bushes. A garden treasure, 1½ feet. Paper 10c.

Centaurea Americana Gigantea—A giant-flowering Centaurea, with white or lilac-tint-ed blossoms, fully four inches across. The peta's are so constructed as to resemble rich lacework. Perfectly magnificent and is a great favorite where it is known. It is rare, however, though one of the easiest of hardy garden flowers to grow Extra fine for cutting, and the flowers command a ready sale. 10 cents.

Cardinal Climber (Ipomoea Cardinalis)—Annual Climber—A splendid, new, brilliant climber of great value. A strong and rapid grower, attaining a height of 20 to 30 feet with beautiful deeply lacinated leaves, and just covered with intense cardinal red flowers from mid-summer till frost. Flowers measure 1½ to 2 inches across and are borne in clusters of 5 to 7 blooms each. The leaves resemble those of a fine Japanese Maple. They cover the vines completely and give good shade, admitting, however, plenty of air when planted on the porch. The brilliant scarlet flowers are borne profusely. Pkt., 10c.



Margaret Carnation — This grand, new strain of Carnation surpasses all others for the beauty and loveliness of its incessant bloom. The advantage of having it afford a great profusion of bloom the whole year round can well be appreciated by all lovers of this beautiful flower. Seed in autumn and the plant will increase in size and beauty until frost. Taken up and potted, they make beautiful house plants. Stalks grow eight or ten inches high and are always covered with a mass of buds and bloom. It is highly prized for window ornaments; also cut flowers. The colors range through all shades. Highly scented.



Cobea Scandens

Cobes Scandens (t p)—A fine, rapid growing climber; dark foliage; purple, bell-shaped flowers; will run from twenty to thirty feet in one season. Plant seed where wanted in early part of May. Most satisfactory for porches and trellises.

Cardinal Climber—Similar to Cypress Vine but larger flowers.



Cockscomb (h a) -The bright red and crimson varieties are most effective, both in gardens and in winter boquets for which they are cut before fully ripe and dried house. Dwarf varieties make novel and attractive · border. The tall ones

form striking groups. Transplanting into rich soil about the time the combs begin to form makes these flower-heads larger.

Chinese Woolflower—(Celosia Childsii)—A distinct form of the plumed Celosia, with beautiful ball-shaped flower heads of a purplish crimson color, somewhat resembling a ball of wool. It flowers profusely during the summer and fall. Two to three feet tall. One of the finest fall-blooming annuals. Pkt., 10 cents.



Chrysanthemum

Chrysanthemum-

The annual Chrysanthemums are showy free bloomers, and should be grown in gardens in large beds, where they will show their bright colors finely. Perfectly hardy and very desirable. A multitude of fine colors and shapes. Tobacco dust will destroy the black flea if attacked.



Cypress Vine—Tender annual climber, graceful foliage, with small red and white

star-shaped flowers. For early flowers sow in hot-beds, pots or boxes, under glass and transplant to deep and rich soil as soon as danger of frost is over, when sowing may be made in the open ground for later blooming. The seed is hard and horny and should be soaked in hot water before sowing.

Daisy—The poet's favorite; very popular; fine for edging and borders; prefer a cool, shady place.

Digitalis or Fox Glove (h p) — Beautiful, showy border plants, very ornamental particularly when planted among shrubs.



Eschscholtzia

Eschscholtzia (h a) of California, An annual incomparably bright and rich in its pure tints of yellow and orange and shades of red. The plants average about one foot in height, have beautiful silver foliage, and produce their large poppy - like flowers quite lavishly from early spring until frost. sowings mav be

made early in the spring or late in the autumn; for early germination and blooms, the next spring. Also very useful as a pot plant and for cut flowers.

Feverfew or Matricaria — Free flowering hardy plants, succeeding in any garden, easily cultivated; blooms until frost; hardy biennial; 18 inches.



Four O'Clock (t a)—Handsome, free flowering, fragrant, blossoms variegated, striped and various colors; easily cultivated; planted in masses, they present a gorgeous sight during early morning and afternoon. Should be in every garden.

Forget-Me-Not (hh p)—Beautiful and well-known, delicate flowers. Grows best in a moist situation.



Gaillardia, or Blanket Flower

Gaillardia — Splendid, showy annuals remarkable for the profusion, size and brilliancy of their flowers, continuing in bloom from early summer until November; excellent for beds, borders or for cutting; should be sown where they are to bloom. 1½ feet

Gypsophila (h p)—Fine for boquets; free bloomers; for rockwork or shrubbery, and will grow in any soil.

Gourds (t a) — Excellent for covering verandas or trellis work, and for training over arbors, fences, etc., cultivated like squashes and should be started in hot-bed or house.

Sugar Trough or Sap Bucket — Holding from four to ten gallons; strong, durable and light.

Nest Egg Gourds — Resemble in color, shape and size of a hen egg.

Dishcloth-And a most admirable one is



Gourds

furnished by the peculiar lining of this fruit. which is sponge like, porous, very tough, elastic, and durable. Many ladies prefer this dishcloth other. The fruit grows about two feet in length and the vine is very ornamental. producing clusters of large yeliow blossoms in pleasing contrast with the silvery

shaded, dark green foliage. In the north this variety should be started in a hot-bed.

"Knob Kerrie," "Calabash," or Pipe Gourd, Dipper Gourd, Bottle Gourd, Spoon Gourd, Hercules Club.

Heliotrope — Highly valued for their delightful fragrance. Is sown in open, warm groud. It flowers in August.



Hollyhock

Hollyhock-Hardy perennial and should be in every garden.

The Everblooming Allegheney and Carter's Superb are particularly fine and most desirable. May be sown as late as August to flower the following year. It is advisable, however, to sow every year, as the flowers on young

plants are much more vigorous than on old

Hyacinth Beans (t a)-A fine climber; plant seed where desired to bloom.

Lobelia (h li a)—Fine for beds, edgings, ribbons, borders and hanging baskets; of easy culture.

Mignonette (h a)—A well known favorite; highly scented and flowering freely. wanted in winter, seeds should be sown in July.

Moonflower (t a)-Ipomoea Noctiflora, or Grandiflora, Ala. This is a variety of which plants have been so extensively advertised the past few years. For covering walls or porches or trellises, particularly the latter; when over paths their beautiful pure white, moonlike flowers (which are often six inches in diameter) are seen to great advantage. It is an exceedingly rapid flower. In rich ground, in a sunny situation the plants readily grow 25 feet high in a season. Soak seed 24 hours. Scrape off the pointed end with a pen-knife before planting. Paper, 10c.



Marigold (h a)—These, like the Calendulas, are valuable because they light the gardens with such a grand glitter of yellow far into the frosts of autumn. The dwarf varieties make a fine border for taller sorts, and both are effective when placed in groups or in garden borders.

French Dwarf—Small, yellow, brown and striped flowers.

Tall African-Large, double lemon and orange color.

Eldorado—Large, quilled, perfectly ble; brilliant shades or orange yellow.

Mourning Bride, or Scabiosa (h a)-The Mourning Bride is a showy border plant, with beautiful variegated flowers. It succeeds in ordinary garden soil. Minor Aurea is a beautiful golden yellow; new variety.


Nigella, or Love in a Mist (h a)-Curious and ornamental; fennel shaped leaves; easily grown and hardy.



Morning Glories

Morning Glories-The surpassing charm of this JAP-ANESE MORNING GLORY, entrancing to beauty and gigantic size of the flowers; they measure from 4 to 6 in. across. The colors of the flowers-the shading and markings are limitless. Paper, 10c.

Tall Morning Glory-The well-known, oldfashioned climber. It is easy to grow and should be planted early.



Nasturtium, or Kapuziner Cresse (h a)-Beautiful bedding plants. Planted in poor soil, they flower profusely and for a long time. The color of flowers cannot be excelled. Dwarf varieties should be planted so that they will contrast with white and blue We have a large variety of the choicest sorts. The dwarfs are among the most useful and beautiful annuals for bedding and massing, while the tall sorts are admirably adapted for rock work. Soil need not be rich. Color mixed, 15c per ounce; in separate colors, in white, yellow, gold, orange, pink, red, crimson, brown and spotted, 20c per ounce.

Chameleon Nasturtium—Tall and Dwarf. When in full bloom you can find every shade of color and form of marking known in Nasturtiums. No matter what color a flower may be when it opens, it changes color continually until it fades. The Chameleon Nasturtium is always curious, handsome and attractive. 20c per oz.

Lobb's Nasturtium—Brilliant and profuse in colors and flowers; a trifle smaller than other sorts; height 6 feet. 20c per oz.



Pansies

Pansy - The pansy is a popular flower, with both florist and amateurs. giving an aburdance of blcom until frost, enduring our hard w'r ers with surety when covered, and greeting us in the earliest spring with a profusion of very bright blessoms. It will Aower better in summer if planted

where it is somewhat shaded from the sun and furnished with a good supply of water, but in almost any situation will give fine flowers in spring and autumn. Pansy seed may be sown in the hot-bed or open ground; if sown in the spring, get in as early as possible, so as to have the plants in bloom during the early rains. Seed sown in cool places in June or July and watered until up, will produce fall flowering plants; if sown in October they will flower in early spring. To have good flowers the plants should be vigorous and make a rapid growth. Young plants give the largest flowers. Pansy seed is a specialty with us, and it is the best that can be had. Giant Trimardeau and Cassiers, per paper, 10c.



Pink

Pink (Dianthus) Beautiful and ornamental genus; for beauty and sweetness contains some of the most prizes flowers we possess. The leaves the hardy perenials are green all winter. Many can be grown in pots and kept in the house. No garden should be without some the varieties of the Dianthus family-

which for color and fragrance cannot be surpassed. Pinks succeed well in any fairly rich soil, but when the production of large flowers is aimed at, a richer soil should be prepared.

Hedewigii—(Japan Pinks)—Usually large and brilliant; oddly edged striped. Paper, 10c.



Petunia

Petunia (h h p) Highly ornamental -easy in cultivating-beautiful flowers of all colors, continuing to bloom until frost. There are no better plants than petunia for the beds, borders, winboxes and wob vases. Cover seed slightly. See Page 27.) Double and Star petunias. Per paper, 10c.

Balcony Petunias—For window boxes or porch boxes, dry banks, terraces, or among rock work, the Balcony Petunias may be depended upon to supply an unsurpassed forcal effect throughout the summer until freet.

Balcony B'ue—The flowers open up as a rich purplish blue, turning more reddish as they age. Pkt., 10c.

Balcony White—A magnificent pure white The flowers are not only very large, but are borne abundantly, blooming until frost. Pkt., 10c.

Balcony Rose—Bright rose flowers with yellow throat. A profuse and continuous bloomer. Pkt., 10c.



Phlox Drummondii

Phlox Drummondii or Flame Flower (h a)--A bed of these will be highly prized for unrivaled richness and brilliancy of color and profusion of bloom. By making several sowings they will bloom until frost-Also fine for pot culture. If sown too thev thickly suffer from mildew. Cutting away the flowers and seed pods make plants

more bushy, and bloom a longer time. The Star of Ouedlinberg. Per paper, 10c.



Ponny

Poppy - Very showy and free flowering. For beds with a background of green, there is nothing finersome sorts are admirable for naturalizing woody They are spots. also fine for cut flower use. Should be kept forming seed to secure continuous flowering. They are easily cultivat-

ed; the most suitable soil being sandy loam. Cover seed very lightly. Deserves a place in every garden.

The Shirley—Is a magnificent variety, unsurpassed for beauty and color.

Cardinal—Compact, or robust habit and brilliant variegated, in scarlet and white.

Oriental—Perennial and hardy, large scarlet flowers. Per package, 10c.

Portulaca or Moss Flower, Double and Single—Should be in every garden. There is scarcely any flower in cultivation that makes such a dazzling display of beauty as a bed of many hued, highly colored flowers.



Nothing can be finer than a hedge of Sweet Peas. The variety of color and the sweet-scented flowers make them desirable for every garden. To bloom early, seed should be planted very early in the spring. The most approved method of cultivation is to sow in a trench five or six inches deep, covering them at first with one inch at a time. After the plants are grown up, fill in the earth about them. After the plants are well grown up, they should be watered copiously, and bone meal worked into the soil about the roots is recommended.

BELOW FIND THE NAMES OF ONLY A FEW OF THE LEADING VARIETIES

Spencer Varieties

These are known for their unusually largesized flowers, and for the waved or fluted appearance of the petals. They are also frequently referred to as Orchid flowering Sweet Peas.

Apple Blossom—Crimson, buff and pink. Osta-Olm—Lavender tinted mauve. Helen Lewis—Crimson, orange and rose. John Ingham—Rose-carmine. Othello—Rich, deep maroon. White Spencer—Pure white. Countess Spencer—Soft rosy pink. Beatrice Spencer—Deep pink. George Herbert—Rose magenta. Tennant—Purplish mauve.

THESE FOLLOWING VARIETIES ALL 5c PER PACKAGE

Mont Blanc-White; very early.

Emily Henderson—Pure white.

Wonder-Double white.

Mrs. Kenyon—Large yellow.

Queen Victoria-Primrose yellow.

Majestic-Deep pink.

Katherine Tracy-Brilliant pink.

Countess Spencer—New, beautiful rose pink; one of the best.

Apple Blossom.

Janet Scott-Pink and Buff.

Royal Rose.

Her Majesty-Rosy pink.

Prince of Wales-Rose crimson.

Salopian-Brilliant scarlet.

Coccinea—Scarlet.

Pride of Niagara-Pink and white.

Blanche Ferry—Extra early, pink, and white.

Maid of Honor-Bluish white.

Shahzada-Claret and maroon.

Helen Pierce—Bright blue bell shaped—flowering beautiful.

Countess Radnor-Lavender.

Dorothy Tennant-Rosy mauve.

Captivation—Light magneta.

And many more new and beautiful varieties.

Ricinius or Castor Oil Bean (h h a)—Very ornamental and quite tropical in appearance; much used for center plants of flower beds. A good variety is the Zanzibariansis, which surpasses in size and beauty all varieties heretofore known. The leaves are light green with whitish ribs and measuring from two to two and one-half feet across. For large groups or single specimens it is an exceedingly striking and effective ornamental foliage plant, Growing from 14 to 16 feet high.

Salpiglosis—These annuals have very showy, large funnel shaped flowers, mottled vined and self-covered; fine for beds. They require a rich soil, and will well repay liberal treatment.

Salvia Splendens—Flowering Sage. A standard and well-known bedding plant that keeps the garden bright for their brilliant scarlet flower spikes until late in the fall. Sow seeds in window boxes or frames, and set the plants in the open ground about the end of May. No plant could be finer for bedding. We recommend it highly. Per paper, 10c.

Sensitive Plant (t a)—A very curious and interesting plant; leaves close when touched or shaken.

Snap Dragon or Antirrhinum—The Snapdragon is one of our finest perennials flowering the first year from seed. Its bright-colored, curiously formed flowers always excite interest. The rich spikes are beautiful for cutting, and keep fresh a long time. Flower profusely through summer until frost. For early flowers, sow under glass in February or March, and transplant into beds of warm, dry soil moderately enriched. The Snapdragon is treated as an annual, and the seed sown every year. Average height, 2 feet.

Stocks (h h a)—German Ten Week Levkoyen—the finest German varieties, unsurpassed for brilliancy, variety of color and fragrance. Sow seed under glass in March. Transplanting several times in the early stages of growth tends to give them a more compact and dwarf habit.

Sweet William (h p)—A bed of these can hardly be surpassed in color and habit; producing large heads of beautiful colored flowers in great profusion; very effective for bedding. Admired by all.



Verbena

Verbena - All of this genus are extremely beautiful and ornaflowermental, ing profusely either as pot plants or in the garden. Our seeds are saved from fine named varieties and will produce healthy plants with flowers of fine colors.

Plants grown from seed are much more vigorous than those grown from cut-

tings, and continue strong and healthy until destroyed by frost. They flower perfectly well from seed sown in spring. If started in the house in pots, during the winter, they will bloom sooner. Each plant will require a space of one-foot. Tender perennial trailer, one foot high.

The assortment we offer this season cannot be excelled:

Pure White, Scarlet, Auricula, Italian, Striped, Purple and Fordhook, the later in brilliant mixed colors.

Zinnia—Mammoth Flowering Double, 10c package. A distinct and splendid class of this ever popular flower, producing extra large, double blooms.



Zinnia

Zinnia (h h a)--Fine bedding and border plants, blooming long and abundantly. Beds of these are greatly admired. The colors are varied and bright, and plants are easily grown. It should be more extensively cultivated, as the varieties have been much improved of late. The collection offered will be found very choice, and are sure to give satisfaction.

Zinnias succeed best in rich deep and loamy soil, and in a sunny situation.

Mammoth Zinnias—Our strain of this magnificent large-flowered type is unsurpassed. The blooms are of immense size when well grown, averaging three and one-half inches in diameter and often three to four inches in depth.

Double Pompon—These Zinnias grow two feet high and are sturdy and bushy. They are sometimes called "Lilliput," on account of their beautiful little flowers, which are very double.

Double Dahlia—The Dahlia is the grandest autumn flower we have. Nothing is its equal in any respect in September and Octo-



Dahlias

ber. It is in its glory when everything else is faded or fading, and surrenders only to the king frost. Plant tubers when the season becomes warm, covering the neck three inches. If many shoots start, thin them out.

As the Dahlia is a fall flower, there is no need of planting before about the beginning of May or later.

These Dahlias of recent introduction are, in our estimation, the finest in cultivation.

POMPON OR BOUQUET DAHLIAS

Snow Clad—The best white pompon.
Katherine Schorr—Best yellow pompon; blooms profusely until frost.

DOUBLE SHOW AND FANCY DAHLIAS

Red Hussar—Brilliant currant red, full to the center, and profuse bloomer.

Sterm King—Early, white, free flowering

Queen of the Vellows—One of the best formed, and very productive yellow Dahlias.

A. D. Levoni—Clear, soft, pink; finest pink Dahlia known.

Sylvia-Shell pink.

Martin-Beautiful, large, vermillion flow-

Lyndhurst—Large, brilliant carmine flowers

SPRING BULBS

Gladiolus Bulbs in Mixtures

(If any kind of bulbs are wanted by mail please add 8 cents per pound.)



Gladiolus

This magnificent family contains hundreds of varieties, comprising all imaginable colors, shades and variations. For cutting they are invaluable, the flowers lasting in water for a week. They can be planted at any time from May to June 15th, and never fail to flower the same season; they grow in any garden soil, commence blooming

in July, and by successive planting every two weeks, can be had in flower the entire season. We keep the finest collection only.

White and light, extra fine 50c
Striped and variegated 50c
Lemoine's fine bright colors and odd
markings 50c
Scarlet and red shades 50c
Pink and white shades 50c
Pink and rose shades 50c
Blue shades 60c
Yellow shades 60c
Named varieties 60c to 75c

TUBEROSES—DOUBLE



Tuberose

The Tuberose is a semi - tropical bulb and as it requires a warm and sunny situation, it should not be planted outdoors until May. In cold latitudes, plant them in pots or boxes of earth, and keep them in a warm place in the house; when warm weather transplant to the garden. Previous to potting, every little side bulb should be broken off and roots cut back close to the parent bulb, as they are practically of no value. Water should be given sparingly

at first until they begin to form leaves, when the quantity can be increased. When leaves are about six inches long and begin to droop over they should be cut back half their length, so as force a quicker development of the flower spike.

Doz	. Each
Tall Double—Extra size bulbs 50c	5c
Extra large bulbs70c)



Dwarf French Cannas

But few plants are more easily managed than the Canna, when propagation and cultivation are understood. The tubers will grow almost anywhere, but prefer a very rich soil with plenty of moisture. The tubers will grow almost anywhere and under nearly all conditions, but prefer a very rich soil with plenty of moisture. The tubers should be planted singly, at least two feet apart; at this distance, in soil well suited for them, they will form a complete mass.

The new French varieties give the best satisfaction; the large size brilliant coloring of the flowers, embracing every shade of color, beautifully marked, mottled and spotted dwarf compact habit of growth, and luxuriant foliage. These improvements are so decided as to make of the French Cannas one of the grandest novelties of the day.

Without exception, there is no plant that makes a more grand, a more continuous show through the summer and autumn, and less expensive, than the French Cannas.


Indiana, *Wyoming, Austria, Allemania. Yellow, Orange, and Variegated shades. Pennsylvania, *King Humbert, Louisiana, Red Shades.



Elephant Ear—Caladium Esculentum

The Caladium is one of the handsomest of the ornamental leaved plants. There is nothing as good as the Caladium Esculentum for a grand bed of foliage in the garden. Good roots, each 10c to 15c. By mail, &c lb. extra.

INSECTICIDE



"SCALECIDE" is a petroleum oil from which the heavy lubricating and light inflammable oils have been removed, combined with certain vegetable oils and chemically treated so as to mix instantly and to all practical purposes permanently with cold water, making a white milky solution. It is more than an emulsion, because the oil globule is broken up, allowing it to spread further, therefore it is economy in use.

"SCALECIDE" is the nearest approach to pure petroleum soap that has ever been made, but because of its oily appearance is called a "soluble oil." This was tested out and tried by a number of the most careful fruit growers before it was put on the market for the first time in the winter and spring of 1905.

"SCALECIDE" is more efficient, more economical, and easier to apply than any known remedy for the San Jose Scale.

Can you afford to delay longer and have your trees ruined by the "scale?" Place your order now before you forget it.

PRICE OF "SCALECIDE"

50 gallon barrels, per barrel \$38 15 Gallon Drum—135 lbs. 11	
(Drums \$2.00 extra and returnable at same price f. o. b. Factory)	
Price per 10 gallons 10 Price per 5 gallons 6 Price per gallon can 1	5.25

NIKOTEEN

A most powerful insecticide, and when used as a spray protects plants, shrubs, blooms, trees and all foliage from the attacks of insects. Price: 25c, \$1.10, \$2.00 and \$8.00 a bottle.

HAMMOND'S SLUG SHOT



Its Efficient Is Conceded by All Who Make Thorough Tests

It is an infallible insecticide; it is not poisonous; kills Potato Bugs, Cucumber, Melon and Squash Bugs; Currant, Cabbage, Tomato and Cutworms; Rose and Raspberry Slugs, and a good many other insects injurious to Plants, Shrubbery, etc. Pamphlet on Slug Shot. 1 lb. cans, 20c; 5 lbs., 60c; 10 lbs., \$1.10.

ARSENATE OF LEAD—DRY POWDERED

An arsenical poison used to destroy leafeating insects such as Coddling Moth (apple worm), Potato Beetle (common potato bug), Curculio (the insect that stings peaches, plums and cherries), Tussock moth, Gypsy and Brown Tail Moths (that destroy foliage on shade trees), and similar insects that feed on the foliage of fruit trees, shade trees, vegetables, flowers and shrubbery.



NEVER before have you had a spray material so remarkably smooth, soft, cream-like—so easy to mix, so handy, so effective as the new Pyrox.

Pyrox is the great combined insecticide and fungicide. It has no equal for killing or regelling insects and preventing hights. What's more, Pyrox improves foliage—and you know "it's the healthy top that makes the bumper crop." Ideal for home gardener and truck farmer. Jars, cans and drums.





ARCADIAN SULPHATE OF AMMONIA

The best fertilizer to put on your lawn. The standard turf fertilizer at hundreds of leading golf courses and public parks. Gives a wonderful velvety growth. Discourages weeds. Easy to apply. No odor; no lumps. Full directions in bag. Write for free pamphlets. Price 2 lb. box. 50c; 10 lb. bag, \$2.00.

FERTILIZERS

Commercial fertilizers are sure to come into more general use as fast as they are tried. Their quick and direct action commend them to the gardener. A customer who once buys almost invariably continues its use. The enormous quantities sold every year is an absolute proof of its utility and value to the gardener and farmer. The quantity to use per acre depends upon the crop to be cultivated and condition of soil.

PURE GROUND BONE

This article we guarantee to be strictly genuine, and an excellent fertilizer for grass lands, as well as other crops not requiring potash. It does not, however, give as quick results as bone potash, but the effect is more lasting. Harrow or drill in, using 400 or 500 pounds per acre. In planting an orchard or any kind of a tree take about 2 pounds of Ground Bone for each tree and you will surely gain one year's growth.

HYDRATED LIME

Sour or acid soil is an actual and natural condition, and Lime sweetens sour soil, just as sugar sweetens food. Weeds and water grass flourish in sour soil, but the desirable

grasses will not thrive; and this is true of most of our farm crops and garden vegetables, and in general applies to all plant life.

Use Lime and grow Grass and Flowers and Vegetables, instead of weeds. You can choke out the weeds with Lime. Lime loosens up hard, sticky and compact soils, making them more porous and crumbly, permitting the roots to spread and grow, and take up nutriment from the air and water, which circulate through the loosened ground. 25c and 50c.

CONCENTRATED PULVERIZED SHEEP MANURE

Natural Fertilizer that will give your soil all that needs to make things grow.

PURE DISSOLVED BONE PHOSPHATE Stands without a rival as the largest crop producer, at the smallest outlay. If applied with a drill, 400 lbs., will give excellent results the same season; if applied broadcast, use 500 lbs. per acre.

LAWN FERTILIZER

Never fails to induce a rapid and rich green growth and can be applied either in the spring or fall as a top dressing. Stable dressing for lawns is objectionable in appearance, odor, weed seed and cost. Our lawn fertilizer overcomes all this. 20x25 ft. takes about 5 lbs.; 20x50 ft. about 10 lbs.; 25x100 ft. takes about 50 lbs.; 50x200 ft. takes about 100 lbs.

HUMUS-"The Yeast of the Earth"

A black or brown substance formed by decay of vegetable matter. It is unadulterated, odorless and contains no weed seed, such as are found in manure. For making new, or restoring old lawns, there is nothing equals Humus, and it is also best fertilizer for pot plants, hotbeds and garden. 25c and 50c packages.



A SPRAYER

Nowadays is just as much needed as any other tool on the farm, or in the garden—for distributing Paris Green, Bordeaux Mixture, Scalecide, Kerosene Emulsion, London Purple, and all other preparations. Also for whitewashing and disinfecting poultry houses, barns, cellars, etc.

Tin One Pint Sprayers, each	40c
Tin and Galvanized One Quart, each	45c-65c
Brass, One Quart, each	\$1.25
Galvanized, Three Gallon, Compressed Air-	
Sprayers, each	\$6.50
Brass, each	



DUBAY

DUBAY SEED DISINFECTANTS

SEMESAN—A general disinfectant for Vegetable and Flower Seeds and Bulbs, and certain plant diseases. 2 oz. tins, 50c; 1 lb. tins, \$2.75.

Alfalfa, Sweet Clover, all Clovers, Soy Beans, Cow Peas, Vetch, Peas, Beans, all Legumes with

Registered in the United States Dec. 6th, 1898. OVER 26 YEARS AGO



Awarded Gold Medal World's Fair — St. Louis, 1904 OVER 20 YEARS AGO

The Original Soil Inoculator

Grow legumes—alfalfa, clovers, soys, vetch, peas, and beans—for valuable feed crops, soil improvers, cover crops; BUT BE SURE TO INOCULATE THEM WITH NITRAGIN. Agricultural Colleges advise inoculation. Inoculated legumes draw valuable nitrogen from the air—not the soil—increase yield and quality of the crop and leave a rich store of nitrogen in the soil for future crops. Inoculated legume seed develops heavy clusters of nodules, where nitrogen is stored, on the roots of the legume plant and without which the legume is valueless as a soil builder. Nitragin inoculated legume crop bears heavy nodules and pays big in increased soil fertility.

Protect yourself by insisting on NITRAGIN, the original Soil Inoculator. All inoculators are perishable; every package of Nitragin is dated as to life of contents for your protection. Look for the dated label when buying; agricultural colleges recommend this protection.

cultural colleges recommend this protection.

Prices for Field Nitragin

1/4 bu, size for 15 lbs. seed \$0.40

1/2 bu, size for 30 lbs. seed 60

1/2 bu, size for 809 Beans and Cow Beans 40**

1 bu, size for 60 lbs. seed 1.00

1 bu, size for 809 Beans and Cow Peas 2.08*

5 bu, size for 300 lbs, seed 4.75

5 bu, size for 300 lbs, seed 4.75

5 bu, size for 809 Beans and Cow Peas 2.50*


* These prices on Nitragin for Soy Beans and Cow Peas have been greatly reduced from former prices. Buy the economical 5 bu, size for 50c per bushel of seed, treated.

When ordering, always total bind of conditions. When ordering, always state kind of seed you want to inoculate.

Nitragin for Garden Use
Every garden needs Nitragin; garden size is for Peas, Sweet Peas, and Beans including Lima (3 in one Inoculant) Price.....20e



Sold in tins-not glasspacked in rich, soil-like granular medium, easy to mix with seed. Contents always fresh and bacteria active and vigorous.



Spray Plants With





Leading entomologists are fa-miliar with Ever Green and have endorsed it as a s a f e, effective s a f e, effectilling agent.

LIST PRICES

 $1\frac{1}{2}$ oz. bottles \$0.35 6 oz bottles \$1.00 1 gal bottles \$13.00 Bulk Price on Request

16 oz. bottles \$2.00 32 oz. bottles \$3.85

Kills most plant pests,

including even cutworms --Use it freely on tender

plants and flowers-it

can't burn or otherwise injure them. Neither will it injure the soil.

Non-Poisonous

only insects-it is harm-

less to man, live stock,

Easy to Use-Just mix it with water and stir-

No need for constant

agitating—EVER

GREEN stays in solution

and won't clog sprayers.

kills

EVER GREEN

birds and pets.

ORDER TODAY



A t l a s Non-Polsonous Weed Killer exterminates all undesirable vegetation—including poison ivy, etc.—as easily as watering a garden, without poison hazard to humans or vegetation-including animals.

animals.

Simply mix with water and apply on any vegetation—
Weeds, Grass, etc., with a sprinkling can or sprayer.

Especially recommended for obtaining weed-free driveways, paths, tennis courts and gutters.

DRY SUPER CONCENTRATE

(Mailable)
Small cans (make 2½ gals. of weed killer)___ 50¢
Large cans (make 20 gals of weed killer)___\$2.00

LIQUID SUPER CONCENTRATE

5	gallon	drums	(will	treat	2,500	sq.	ft.)\$ 8.00
30	gallon	drums	(will	treat	15,000	sq.	ft.) 37.50
50	gallon	drums	(will	treat	25,000	sq.	ft.) 55.00



NOTE THE VERY HIGH ANALYSIS-

Potash _______10%
FEEDEM is a well balanced plant food (fertilizer) feedbeam is a well balanced plant food terthizer, for potted plants, sweet peas, roses, begonias, ferns, cut flowers, shrubs, lawns, and garden—all plant life. The FEEDEM formula is made up from the best compounds obtainable. Contains no cheap and smelly ingredients. 30c and 50c can.

What Kind, When and How to Plant and Sow Seed

Name of Seed	When to Plant	How Much Seed to Plant in Row 100 Ft.	Depth to Plant	Apart in Row
Asparagus	April	2 Oz.	2 in.	1 ft.
Beans Bush		1 Quart	2-3 in.	3 in.
Lima Pole		1 Quart	3 in.	4 ft.
Beans Lima Bush	May and June	1 Quart	3 in.	12 in.
Beets	April to July	2 Oz.	1 in.	3 in.
Cabbage Seed	April, May, June	½ Oz. 1000 pl'ts.		2 in.
Cabbage Plants	April, May, June, July	80 plants		15-18 in.
Cauliflower	April	80 plants		15 in.
Carrot	April to July	1 Oz.	1 in.	3 in.
Celery	April, May	1 Oz.	½ in.	12-15 in.
Corn Sweet	May to July	1 pt. 200 hills	3 in.	1½ ft.
Cucumber	May and June	2 Oz. 100 hills	1 in.	5 ft.
Egg Plant	May	60 plts.		2 ft.
Endive	July and August	1 Oz.	¼ in.	8 in.
Kohlrabi	April	1 Oz.	½ in.	8 in.
Lettuce	Any Month Ex. Frozen	1 Oz.	¼ in.	8 in.
Leek	April	2 Oz.	½ in.	4 in.
Water Melon	April to June	1 to 30 hills	1 in.	6 ft.
Musk Melon	April to June	1 to 70 hills	1 in.	5 ft.
Onion	April	2 Oz.	½ in.	3 in.
Onion Sets	April and May ,	2 quarts	2 in.	3 in.
Peas	March and April	1 pint	3 in.	2 in.
Pepper	May	60 plants		15 in.
Parsnip	March and April	2 Oz.	1 in.	4 in.
Parsley	April	1 Oz.	½ in.	3 in.
Radish	March to July	1 Oz.	½ in.	2 in.
Potatoes	March to July	¼ peck	4-5 in.	12-15 in.
Pumpkins	April and May	½ Oz.	1 in.	6 ft.
Squash	April and May	6 to 8 to hill	1 in.	6 ft.
Salsify	March and April	2 Oz.	1 in.	3 in.
Swiss Chard		2 Oz.	1 in.	3 in.
Tomato Seed	April to June	1/8 Oz.	1 in.	4 ft.
Tomato Plants	April to July	50 plants	3 in.	4 ft.
Гurnip	April to August	1 Oz.	½ in.	ĺ

USEFUL REFERENCE TABLE

HIS TABLE gives the amount of Pure Clean Seed ONLY, and which every Farmer ought to buy. Good Fresh Seed will grow and is always the cheapest. All experienced and successful farmers recommend heavy seeding, especially where the soil is poor.

Lbs. to Bushel	Lbs. to Acre	Lbs. to Bushel	Lbs. to Acre
Clover—Red60	8-10	Southern Cow Peas60	60-90
Clover—Alsike60	5- 6	Soja Beans60	60-90
Clover—Alfalfa60	15-20	Canada Field Peas60	60-90
Clover—White Dutch60	4-6	Kaffir Corn, broadcast50	50
Timothy 45	10-15	Sorghum, broadcast50	50
Millet and Hungarian50	25-38	Buckwheat50	20-50
Red Top, free from chaff25	5-10	Dwarf Essex Rape50	4-7
Blue Grass, free of chaff 22	25-50	Grass Mixture	20-25
Orchard Grass14	20-25	Flax Seed56	50
White Beans60	15-30	Corn in hills	4 qts


GARDEN TOOLS

The continuous scarcity of labor, with its attendant poor quality and high price, has made good farm and garden tools of more importance than ever, and if you expect to be prosperous in cultivating your land and garden, you cannot be without labor-saving tools. For intsance, with a wheel hoe before you, you are in a position to push your work. With only your old-fashioned hoe, you will be pushed clear out of your garden by weeds, and take backache with you in the bargain. You can do better work in two hours—after you get the knack of handling these tools—than you can by hoeing all day.

"PLANET, JR." TOOLS


NOTHING IS EQUAL TO THEM

New "Planet, Jr." No. 3, Single-Wheel Hill Dropping Seed Drill—Sows either in hills or continuous rows. This seed drill has been offered widely by the manufacturers of the celebrated "Planet, Jr." goods. It has been thoroughly tested by careful gardeners and nurserymen during many seasons, and the manufacturers guarantee it to give entire satisfaction. \$17.00.



PLANET JR. 4

Hill-Dropping Seed Drill Hoe, Cultivator and Plow



Combines conveniently in a single garden implement a capital hill-dropping and continuous row seeder with the most perfect single-wheel hoe, cultivator and plow that the most practical can desire. Designed by a practical man, it is light, compact, durable and easy running, and does all its variety of work with a thoroughness and perfection that has never been attempted, much less equalled.

Price, complete, \$17.50; as drill only, \$14.00.

NO. 31 PLANET, JR.—Is a new combined tool of great value to thousands of gardeners who have never felt able to own either a seed drill or a wheel hoe. It is thoroughly well-made and offered at a price that makes it pay the very small gardener. It will sow even a small packet of garden seed the proper thickness desired with precision from ¼ to 2 inches deep and in a narrow row. The index is simple, easily set for every kind of seed. The flow of seed is stopped by simply raising the handles and pressing the coverer down with the foot. The bottom of the hopper is open to full view. Seeds difficult to sow, like salsify, parsley, beets and lettuce, and radishes, beans, turnips, cucumbers, carrots, pickles, spinach, celery, cantaloupe, etc., are handled admirably. It holds one quart. The seed drill attachment may be removed in a moment and replaced as quickly by a tool standard to which are fitted all the various cultivating attachments. Price, \$12.00.


Cultivator and Plow Combined—No. 12. Has the invaluable feature of tending both sides of the row at once. The wheels can be set at four, seven or ten inches apart. It has a pair of plows, two pair of cultivator teeth and a pair of leaf lifters. making it capable of every variety of gardener's work. Price, \$10.50.



PLANET, JR., SINGLE WHEEL HOE, CULTIVATOR AND PLOW



No. 17—Single Wheel Hoe—Greatly improved. It is the latest and best in every particular, and we recommend it as superior in many respects to any of the old styles. This is a cheap cultivator for the money and should be used more extensively. Price, \$7.25.




The Planet, Jr.

Twelve-Tooth Harrow and Pulverizer

A new tool for fine cultivation, deep or shallow. It has a lever wheel, lever expander and pulverizer, \$17.00.

The "Planet, Jr." Horse Hoe No. 8

Has the patent lever expander to open and shut the sides, and also a lever close at hand for raising and lowering the wheel, thus controlling the depth of working. The side levers are also changing in pattern and are now reversible and have patent plowshare points, which can be sharpened. \$16.00.



Send for illustrated "PLANET. JR." Book-FREE on application

FARMER'S No. 19

HIGH, SINGLE WHEEL HOE CULTIVATOR AND PLOW—PRICE, \$5.06

This new and attractive implement is especially designed for the farmers' garden work, though it offers to every one with either field or garden, a cheap and effective tool for all hand wheel hoe operations. The tools are as follows: A large garden plow, 10-inch sweep, 6-inch sweep, 4-inch cultivator tool, and 12-inch tooth. The great variety and fine shape and quality of the tools make the implement valuable for many kinds of work. It is strong, well-made and can be quickly set so as to be useful, whether in the hands of a man or woman, boy or girl. Strength, variety of tools and cheapness are its great virtues.

LANG'S HAND WEEDER.

Undoubtedly the best Hand Weeder on the market. Price, 25c.

EXCELSIOR WEEDING HOOK

Does good work among small and tender plants. Price, 15c.



PLANTING TROWELS

Of cast steel and solid shanks. Price, 15c to 60c each.

BULBS FOR FALL PLANTING

To bloom during winter and following spring—Tulips, Hyacinths, Narcissus, Crocus, Lilies, etc. Ready October 1st.

Ask for prices.


INDEX

	Page		Page	Page
Asparagus	5	Flower Seed—		Onions15-16
Alsike	22	Sowing and Culti-		Okra, or Gumbo16
Alfalfa	22	vation	_25-36	Parsnip17
Beans	6-7	Force Pumps	40	Parsley16
Beets	5-6	Forage Seeds	23	Peas 9
Bluegrass	24	Gladiolus	34	Peppers17
Bordeaux Mixture	37	Grass Seed	24	Potato21
Bulbs	34	Herbs	20	Pumpkin17
Cabbage	9-10	Hungarian	23	Radish17-18
Cannas	36	Implements, Garden	39	Rape, Dwarf Essex23
Carrots	10	Insects	37	Reference Table—3rd
Cauliflower	10	Insecticides	37	Page Cover
Celery	11	Kaffir Corn	22	Salsify, or Vegetable
Clover	22-23	Kale, or Borecole	13	Oyster18
Corn Salad	11	Kohlrabi	13	Seed, How to Sow38
Corn	8-23	Lawn, Formation	24	Sorghum23
Cow Peas	23	Lawn Fertilizer		Soja Beans25
Cress		Lawn Grass	24	Spinach18-19
Cucumbers	12	Leek	14	Squash19
Cultivators	39-40	Lettuce	13-14	Sugar Beet
Cultivation of Vege-		Lice Killer	37	Sweet Corn7-8
tables	1	Mangel Wurzel	6	Sweet Peas32
Dahlias	34	Melons, Musk		Thinning Out2
Drills	39	Melons, Water	15	Timothy2
Egg Plants	12	Millet	23	Tomato19-20
Endive	12	Miscellaneous Seeds	23	Transplanting2
Farm Seeds	22-23	Mushrooms	21	Turnip20
Fertilizers	36	Mustard	15	Tuberoses34
Field Corn	36	Novelties, Specialties	3-4	Whale Oil Soap

Bulbs For Fall Planting

Such as, Hyacinths, Early and Late Tulips, Narcissus, Lilies, Crocus, etc., ready about October 1st.

Send in your order early for \$1.00 collection.



IN MAKING UP YOUR FLOWER BEDS, DO NOT FORGET TO INCLUDE THE FOLLOWING:

ASTER—Victoria, Truffauts Branching and Comet. CALENDULA—Prince of Orange.

CANNA-The Latest and Most Brilliant Shades.

CENTAUREA Americana and most s

Margaritae, White Sweet Scented Americana, the largest flowering and most showy, and Emperor William, Dark Blue Corn Flower.

COSMOS { Lady Lenox—Very Handsome, Large Rosy Pink Flowers, Borne on Long Stems. New Double, Very Fine.

DAHLIA—Fine Assortment of Brilliant Colors. FOUR O'CLOCK—In All Colors of Rainbow.

GLADIOLUS { The latest and finest varieties, in separate and mixed shades.

MARIGOLD { Lemon and Orange Ball, Very Handsome. Brown French.

NASTURTIUM { Lobb's Mad, Gunther and Chamaeleon.

PETUNIA—Balcony: White, Rose and Blue.

POPPY—Iceland: Finest Mixed.

SWEET PEAS { Finest Spencer varieties, Ramona, Senator, Othello, Beatrice, Apple Blossom.

VERBENA Scarlet Defiance, Mammoth White, Auricula Flowered, and Yellow.

WOOLFLOWER—Chinese: Crimson, Pink, Yellow.

Giant, Tall and Pompon, in most Brilliant

ZINNIA Giant, Tall and Pompon, in most Brilliant Colors, and Dahlia Flowered.

IF YOU WISH GOOD, RELIABLE SEEDS, SEND US YOUR ORDER.