






始






池丁-13

昭12
A
203

續外國氣候表



中央氣象臺編纂

昭和十年

東京

昭12
A
203

續外國氣候表

中央氣象臺編纂

昭和十一年

東京

14.6=
287



866399

序

本臺に於ては曩に外國氣候表を出版して大方の劉覽に供しましたがその後
に資料を蒐集して同表に漏れたる場所の氣候表を作製し茲に續外國氣候表を
出版することゝなりました。表の體裁その他は前に出版しました外國氣候表
と一切同じくし彼我參照が容易である様に致しました。地名の綴りは成るべ
くその國の風にしたのでありますが然し必ずしも統一を企みませんで印度支那
の地名は佛國風にし印度のは英國風にしました。觀測統計の年次は出来る丈
けこれを記載してあります。本篇の編纂は外國氣象掛主任山田琢雄氏が専ら
之に當りましたのであります。聊か出版の由來を叙し序に代へます。

昭和十年七月十一日

中央氣象臺長 岡田武松

凡 例

氣壓は耗を以て示し備考欄に明記せるものを除き他は一般に氷點更正數を加へたる度とす。

氣溫は攝氏の度にして毎月平均氣溫算出の方法は概ね備考欄に示したる觀測時刻の平均又は平均最高氣溫と同最低氣溫との平均なり。月中最高(最低)氣溫の年平均は各年の最高(最低)氣溫を累年平均したる所と單に毎月の平均を用ゐたる所とありて一定せず。同一の月に於て氣溫高極(低極)が二回以上現出したるが如き場合は最新のもの一個を掲げたり。統計年次中に缺測の多數ある年は氣溫に限らず各氣象要素共平均値算定上には之れを省きたることあれ共氣溫、濕度、降水量等の最大又は最小を撰ぶ場合は之れに従はざるものとす。氣溫の高極又は低極の起日欄に於て括弧内の數字は西洋年數の最初の二字を省きたるものにして括弧外の數字は起日なり、例へば一月の行に於て 28(90) とあるは千八百九十年一月二十八日の意なり。

濕度は百分率、水蒸氣張力は耗、雲量は0より10に至る數にて示したるものにして毎月平均値の算出方法は特に明記したるものの外は平均氣溫と同様の所多し。

降水量及蒸發量は全月中の合計水量を耗にて示し、降水日數は特に明記したるもの以外は一日間降水總量 ≥ 0.1 耗の日數なり、降雪日數に於ては水量に關せず現象のありたる日を算す。

快晴及曇天の日數を算するには諸國共雲量に従ひ一日間の平均雲量の二未滿なるを快晴日八以上に及びたる日を曇天日としたる所多し。霧日數は濃霧のありたる日を算す。

平均風速の單位は備考欄に明記せざる限り一秒時間米とし、平均風力は0—12の風力階級による所多し。

地名一覽表

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

西 比 利 亞 Siberia

| | | | | | |
|----|----------------------------|---------|----------|---------|--------|
| 1 | Markovo sur Anadyr | 64 45 N | 170 50 E | 25.9 m. | 3 |
| 2 | Novo Mariinskü | 64 45 " | 177 33 " | 23.5 | 3 |
| 3 | Gijiga | 62 4 " | 160 35 " | 12.0 | 4 |
| 4 | Okhotsk | 59 21 " | 143 17 " | 6.0 | 4 |
| 5 | Nikolskoe | 55 12 " | 165 59 " | 6.8 | 5 |
| 6 | Nikolaevsk | 53 8 " | 140 45 " | 21.2 | 5 |
| 7 | Agin'skoe | 51 6 " | 114 32 " | 682 | 6 |
| 8 | Vladivostok 海參崴 | 43 7 " | 131 51 " | 128.8 | 7 |
| 9 | Jugorskij Schar | 69 50 " | 60 45 " | 13.0 | 11, 17 |
| 10 | Mare-Ssala | 69 43 " | 66 48 " | 14.1 | 11, 17 |
| 11 | Dixon | 73 24 " | 80 26 " | 12.5 | 11, 17 |
| 12 | Chatangskoe | 72 0 " | 102 9 " | 50. | 11 |
| 13 | Bulun | 70 45 " | 127 47 " | 35. | 11, 17 |
| 14 | Kasatschje | 70 55 " | 136 27 " | 17.0 | 11, 17 |
| 15 | Russkoe Ustje | 71 1 " | 149 26 " | 6. | 11, 17 |
| 16 | Werchojansk | 67 33 " | 133 24 " | 122. | 17 |
| 17 | Sredne-Kalym'sk | 67 10 " | 157 10 " | 30. | 11 |
| 18 | Nishne-Kolym'sk | 68 32 " | 160 59 " | 5. | 11 |
| 19 | Petrun (Bolban) | 66 28 " | 60 35 " | 110. | 11 |
| 20 | Beresow | 63 56 " | 65 4 " | 46. | 11, 17 |
| 21 | Turuchansk (Monastyr'skoe) | 65 55 " | 87 38 " | 40. | 11 |
| 22 | Werchne-Inbatskoe | 63 7 " | 88 1 " | 39. | 11, 17 |
| 23 | Wiljuisk | 63 45 " | 121 35 " | 120. | 11 |
| 24 | Rodtschewo | 66 18 " | 152 40 " | 60. | 11 |
| 25 | Markowo | 64 45 " | 170 50 " | 26. | 11, 17 |
| 26 | Nowo-Mariinskij Post | 64 45 " | 177 33 " | 5. | 11, 17 |
| 27 | Ssaty'shinskoe | 59 51 " | 61 50 " | 50. | 11 |
| 28 | Ssamarowo | 60 58 " | 69 4 " | 36. | 11, 17 |

| 番 號 | 地 名 | 緯 度 | | 經 度 | | 高 サ | 頁 |
|-----|------------------------|-----|------|-----|------|------|--------|
| | | ° | ' | ° | ' | m. | |
| 29 | Tscheremkoewskie Jurty | 59 | 40 N | 70 | 44 E | 60. | 11 |
| 30 | Surgut | 61 | 15 " | 73 | 24 " | 40. | 11, 17 |
| 31 | Larjatskoe | 61 | 10 " | 80 | 1 " | 60. | 11 |
| 32 | Nowyj Stan | 59 | 4 " | 88 | 4 " | 100. | 11 |
| 33 | Jurjewo | 59 | 58 " | 108 | 0 " | 329. | 11 |
| 34 | Elgjai | 62 | 46 " | 116 | 56 " | 135. | 11 |
| 35 | Olekminsk | 60 | 22 " | 120 | 26 " | 152. | 11, 17 |
| 36 | Marchinskoe | 62 | 10 " | 129 | 43 " | 98. | 12, 17 |
| 37 | Ust-Maiskoe | 60 | 25 " | 134 | 29 " | 100. | 12 |
| 38 | Ola | 59 | 35 " | 151 | 13 " | 5. | 12 |
| 39 | Najachan | 61 | 55 " | 158 | 59 " | 29. | 12 |
| 40 | Gishiginsk | 62 | 4 " | 160 | 35 " | 12. | 12, 17 |
| 41 | Bratskij Ostrog | 56 | 4 " | 101 | 50 " | 321. | 17 |
| 42 | Duschkatschan | 55 | 51 " | 109 | 39 " | 457. | 18 |
| 43 | Tulun | 54 | 33 " | 100 | 22 " | 497. | 18 |
| 44 | Sima | 53 | 33 " | 102 | 3 " | 459. | 18 |
| 45 | Turinsk | 58 | 3 " | 63 | 40 " | 70. | 12 |
| 46 | Kurgan | 55 | 27 " | 65 | 19 " | 74. | 12, 17 |
| 47 | Tara | 56 | 54 " | 74 | 23 " | 73. | 12, 17 |
| 48 | Petrowskij Posselok | 57 | 25 " | 75 | 40 " | 85. | 12 |
| 49 | Schijizinskoe | 56 | 9 " | 77 | 16 " | 114. | 12 |
| 50 | Kurgatskij Forpost | 55 | 12 " | 80 | 17 " | 134. | 12, 17 |
| 51 | Narym | 58 | 55 " | 81 | 35 " | 57. | 12, 17 |
| 52 | Moltschanowo | 57 | 35 " | 83 | 48 " | 109. | 12 |
| 53 | Taiga | 56 | 4 " | 85 | 37 " | 261. | 12, 17 |
| 54 | Mariinsk | 56 | 13 " | 87 | 45 " | 137. | 12, 17 |
| 55 | Ushurskoe | 55 | 16 " | 89 | 58 " | 375. | 12 |
| 56 | Atschinsk | 56 | 19 " | 90 | 29 " | 226. | 12 |
| 57 | Enisseisk | 58 | 27 " | 92 | 10 " | 78. | 12, 17 |
| 58 | Kansk | 56 | 12 " | 95 | 41 " | 207. | 12, 17 |
| 59 | Taischet | 55 | 54 " | 97 | 30 " | 317. | 12, 17 |
| 60 | Tangui | 55 | 24 " | 100 | 55 " | 390. | 12 |
| 61 | Keshemskoe | 58 | 58 " | 101 | 4 " | 150. | 12 |
| 62 | Ilimsk | 56 | 46 " | 103 | 51 " | 280. | 12 |

| 番 號 | 地 名 | 緯 度 | | 經 度 | | 高 サ | 頁 |
|-----|--------------------------|-----|------|-----|------|--------|--------|
| | | ° | ' | ° | ' | m. | |
| 63 | Omoloewskoe | 56 | 28 N | 106 | 16 E | 312. | 12, 17 |
| 64 | Kirensk | 57 | 47 " | 108 | 7 " | 263. | 12, 18 |
| 65 | Tichono-Sadonskij Priisk | 58 | 30 " | 113 | 19 " | 687. | 12, 18 |
| 66 | Unacha | 55 | 2 " | 126 | 47 " | 467. | 12 |
| 67 | Urkatsch | 51 | 18 " | 62 | 50 " | 238. | 13 |
| 68 | Tscholaxai | 51 | 40 " | 64 | 38 " | 207. | 13 |
| 69 | Ssarymbet | 53 | 26 " | 68 | 0 " | 304. | 13, 18 |
| 70 | Koktschetaw | 53 | 16 " | 69 | 23 " | 244. | 13, 18 |
| 71 | Akmolinsk | 51 | 12 " | 71 | 23 " | 347. | 13, 18 |
| 72 | Michailowskij Posselok | 53 | 52 " | 76 | 23 " | 120. | 13 |
| 73 | Burlinskie Osera | 53 | 8 " | 78 | 27 " | 116. | 13 |
| 74 | Borowye Osera | 51 | 45 " | 80 | 20 " | 153. | 13, 18 |
| 75 | Borowskoe | 52 | 37 " | 82 | 16 " | 231. | 13, 18 |
| 76 | Itkulskij-Sawod | 52 | 41 " | 84 | 37 " | 192. | 13 |
| 77 | Bijsk | 52 | 32 " | 85 | 16 " | 182. | 13 |
| 78 | Kusnezsk | 53 | 46 " | 87 | 11 " | 207. | 13, 18 |
| 79 | Abakanskij Sawod | 52 | 44 " | 90 | 13 " | 480. | 13 |
| 80 | Balandino | 54 | 5 " | 91 | 27 " | 209. | 13 |
| 81 | Tolbuskaja | 52 | 21 " | 96 | 2 " | 920. | 13 |
| 82 | Nishneudinsk | 54 | 55 " | 99 | 3 " | 414. | 13 |
| 83 | Okinskij-Stan | 52 | 42 " | 99 | 41 " | 1,276. | 13 |
| 84 | Mondy | 51 | 41 " | 101 | 0 " | 1,300. | 13 |
| 85 | Ussolje | 52 | 44 " | 103 | 42 " | 402. | 13, 18 |
| 86 | Mysowaja | 51 | 43 " | 105 | 52 " | 483. | 13, 18 |
| 87 | Werchneudinsk | 51 | 49 " | 107 | 35 " | 542. | 13, 18 |
| 88 | Bargusin | 53 | 37 " | 109 | 38 " | 500. | 13, 18 |
| 89 | Petrowskij Sawod | 51 | 17 " | 108 | 51 " | 801. | 18 |
| 90 | Chilok | 51 | 25 " | 110 | 33 " | 810. | 13, 18 |
| 91 | Ukyr | 52 | 32 " | 111 | 24 " | 965. | 13 |
| 92 | Mogson | 51 | 43 " | 111 | 53 " | 905. | 13 |
| 93 | Bolschoj Amalat | 53 | 58 " | 113 | 36 " | 865. | 13 |
| 94 | Sugalmi | 51 | 28 " | 115 | 2 " | 715. | 14 |
| 95 | Nertschinsk | 51 | 58 " | 116 | 35 " | 484. | 14, 18 |
| 96 | Sretensk | 52 | 15 " | 117 | 42 " | 443. | 14, 18 |

| 番 號 | 地 名 | 緯 度 | | 經 度 | | 高 サ | 頁 |
|-----|--------------------|-----|------|-----|------|--------------------|--------|
| | | ° | ' | ° | ' | | |
| 97 | Gorbiza | 53 | 6 N | 119 | 12 E | 388. ^{m.} | 14 |
| 98 | Taptugary | 53 | 41 " | 120 | 4 " | 576. | 14 |
| 99 | Pokrowka | 53 | 21 " | 121 | 33 " | 317. | 14, 18 |
| 100 | Erofei Pawlowitsch | 53 | 58 " | 121 | 56 " | 509. | 14 |
| 101 | Uruscha | 54 | 2 " | 122 | 51 " | 432. | 14 |
| 102 | Reinowo | 53 | 29 " | 123 | 54 " | 276. | 14 |
| 103 | Ruchlowo | 53 | 58 " | 123 | 57 " | 400. | 14 |
| 104 | Tygan Urkan | 54 | 5 " | 124 | 46 " | 359. | 14, 18 |
| 105 | Taldan | 53 | 42 " | 124 | 50 " | 463. | 14 |
| 106 | Tschernjaewo | 52 | 47 " | 126 | 0 " | 212. | 14, 18 |
| 107 | Ulanga | 53 | 17 " | 126 | 44 " | 297. | 14 |
| 108 | Pikan | 53 | 42 " | 127 | 15 " | 236. | 14, 18 |
| 109 | Dambuki | 51 | 20 " | 127 | 38 " | 264. | 14 |
| 110 | Gondatti | 52 | 0 " | 127 | 40 " | 268. | 14 |
| 111 | Kuchterin Lug | 52 | 24 " | 128 | 6 " | 181. | 14 |
| 112 | Bonak | 54 | 43 " | 128 | 52 " | 352. | 14, 18 |
| 113 | Masanowo | 51 | 39 " | 129 | 2 " | 164. | 14, 18 |
| 114 | Gosch | 51 | 24 " | 129 | 12 " | 213. | 14, 18 |
| 115 | Otradnoe | 52 | 21 " | 129 | 56 " | 200. | 14 |
| 116 | Ekimtschan | 53 | 5 " | 132 | 58 " | 475. | 14 |
| 117 | Ssofjiskij Priisk | 52 | 16 " | 134 | 8 " | 900. | 14, 18 |
| 118 | Kerbino | 52 | 25 " | 136 | 29 " | 65. | 14 |
| 119 | Zimmermanowka | 51 | 19 " | 139 | 11 " | 26. | 14 |
| 120 | Mariinsk | 51 | 44 " | 140 | 9 " | 26. | 14 |
| 121 | Pronge | 52 | 51 " | 141 | 15 " | 5. | 14, 18 |
| 122 | Langr | 53 | 18 " | 141 | 28 " | 4. | 14 |
| 123 | Turgai | 49 | 38 " | 63 | 27 " | 130. | 15, 19 |
| 124 | Troizkij-Posselok | 50 | 51 " | 72 | 58 " | 400. | 15 |
| 125 | Karkaralinsk | 49 | 25 " | 75 | 29 " | 850. | 15, 19 |
| 126 | Usun Bulak | 50 | 12 " | 79 | 38 " | 320. | 15 |
| 127 | Ssemipalatinsk | 50 | 24 " | 80 | 13 " | 207. | 15, 19 |
| 128 | Ust-Kamenogorskaja | 49 | 45 " | 82 | 41 " | 398. | 19 |
| 129 | Urga | 47 | 55 " | 106 | 50 " | 1,325. | 19 |
| 130 | Kokpekty | 48 | 45 " | 82 | 22 " | 510. | 15 |

| 番 號 | 地 名 | 緯 度 | | 經 度 | | 高 サ | 頁 |
|-----|-------------------|-----|------|-----|------|--------------------|--------|
| | | ° | ' | ° | ' | | |
| 131 | Saissanskaja | 47 | 31 N | 85 | 1 E | 557. ^{m.} | 15 |
| 132 | Kosch-Agatsch | 50 | 0 " | 88 | 41 " | 1,825. | 15 |
| 133 | Innokentiewskoe | 50 | 55 " | 106 | 14 " | 630. | 15 |
| 134 | Olowjannaja | 50 | 56 " | 115 | 36 " | 589. | 15, 19 |
| 135 | Borsja | 50 | 24 " | 116 | 29 " | 686. | 15 |
| 136 | Amurskoe | 50 | 13 " | 127 | 53 " | 161. | 15 |
| 137 | Michailowskoe | 49 | 53 " | 128 | 52 " | 157. | 15 |
| 138 | Tarbogatai | 50 | 53 " | 129 | 3 " | 190. | 15, 19 |
| 139 | Archara | 49 | 25 " | 130 | 3 " | 142. | 15 |
| 140 | Paikanskij Sklad | 50 | 11 " | 130 | 7 " | 145. | 15 |
| 141 | Ekaterino Nikolsk | 47 | 45 " | 130 | 57 " | 69. | 15, 19 |
| 142 | Gbaharowsk | 48 | 28 " | 135 | 3 " | 50. | 15, 19 |
| 143 | Ssowjetskaja | 48 | 58 " | 140 | 17 " | 17. | 15 |
| 144 | Kamen Rybolow | 44 | 45 " | 132 | 3 " | 72. | 15 |
| 145 | Askold Leuchtturm | 42 | 44 " | 132 | 21 " | 139. | 15, 19 |
| 146 | Spasskoe | 44 | 35 " | 132 | 48 " | 108. | 15 |
| 147 | Ewgenjewka | 44 | 36 " | 132 | 49 " | 96. | 15, 19 |
| 148 | Poworotnyj | 42 | 41 " | 133 | 3 " | 60. | 15, 19 |
| 149 | Bikin | 46 | 49 " | 134 | 16 " | 73. | 15, 19 |
| 150 | Post Olga | 43 | 44 " | 135 | 16 " | 45. | 15, 19 |

かむちやつか半島 Kamchatka Peninsula

| 番 號 | 地 名 | 緯 度 | | 經 度 | | 高 サ | 頁 |
|-----|------------------|-----|------|-----|------|-------------------|--------|
| | | ° | ' | ° | ' | | |
| 151 | Bolscherezsk | 52 | 40 N | 156 | 14 E | 10. ^{m.} | 16, 19 |
| 152 | Tigil | 57 | 45 " | 158 | 19 " | 22. | 16 |
| 153 | Petropawlowsk | 52 | 53 " | 158 | 43 " | 102. | 16, 19 |
| 154 | Kljutschewskoe | 56 | 21 " | 160 | 48 " | 30. | 16, 19 |
| 155 | Ust-Kamtschatsk | 56 | 12 " | 162 | 26 " | 2. | 16 |
| 156 | Nikolskoe | 55 | 12 " | 165 | 59 " | 7. | 16, 19 |
| 157 | Preobraschenskoe | 54 | 49 " | 167 | 28 " | 15. | 16 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 度 | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

樺太 (緯度五十度以北) Karahuto (Sakhalin)

| | | | | | | | |
|-----|------------|----|------|-----|------|------|--------|
| 158 | Shenkier | 50 | 53 N | 142 | 7 E | 63. | 16 |
| 159 | Tymowskaja | 50 | 49 " | 142 | 39 " | 105. | 16 |
| 160 | Rykowskoe | 50 | 44 " | 142 | 42 " | 125. | 16, 19 |
| 161 | Ogor | 50 | 14 " | 142 | 35 " | 150. | 16 |

蒙 古 Mongolia

| | | | | | | | |
|-----|----------------|----|------|-----|------|--------|----|
| 217 | Uliassutai | 47 | 44 N | 69 | 52 E | 163.5 | 50 |
| 162 | Kobdo | | | | | | 16 |
| 163 | Durektschi Wan | 49 | 0 " | 97 | 0 " | 1,668. | 16 |
| 164 | Chatchal | 50 | 3 " | 100 | 5 " | 1,642. | 16 |
| 165 | Zezerlik | 47 | 5 " | 101 | 5 " | 1,687. | 16 |

中 華 民 國 China

| | | | | | | | | |
|-----|------------------|---------|----|------|-----|------|---------|----|
| 166 | Siwantse | 西 灣 子 | 40 | 58 N | 115 | 18 E | 1,167.0 | 23 |
| 167 | Chinwangtso | 秦 泉 島 | 39 | 55 " | 119 | 38 " | 18.3 | 23 |
| 168 | Tangku | 塘 沽 | 39 | 6 " | 117 | 11 " | 3.7 | 24 |
| 169 | Dagu (Taku) | 塘 沽 | 38 | 59 " | 117 | 40 " | 6.0 | 24 |
| 170 | Howki | 猴 磯 島 | 38 | 4 " | 120 | 39 " | 89.6 | 25 |
| 171 | Taijuan | 太 原 | 37 | 41 " | 112 | 47 " | ? | 25 |
| 172 | N. E. Promontory | 山 島 | 37 | 24 " | 121 | 42 " | 53.9 | 26 |
| 173 | S. E. Promontory | 瑛 瑯 島 | 36 | 54 " | 122 | 32 " | 12.5 | 26 |
| 174 | Hoi-Hien | 徽 縣 | 33 | 46 " | 106 | 4 " | 950. | 27 |
| 175 | Hok'ien | 霍 邱 縣 | 32 | 22 " | 116 | 15 " | ? | 27 |
| 176 | Chinkiang | 鎮 江 | 32 | 13 " | 119 | 27 " | 12.2 | 28 |
| 177 | Nantung | 南 通(軍山) | 31 | 57 " | 120 | 56 " | 110.4 | 29 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 度 | 頁 | | |
|-----|-------------------------------|-----|------|-----|------|---------|----|
| 178 | Shaweishow | 31 | 25 " | 122 | 14 " | 53.3 | 30 |
| 179 | Woosung | 31 | 21 " | 121 | 30 " | 3.7 | 30 |
| 180 | Lu-Kia-Pang | 31 | 19 " | 121 | 2 " | 3. | 31 |
| 181 | North Saddle | 30 | 52 " | 122 | 40 " | 72.5 | 32 |
| 182 | Gutzlaff | 30 | 49 " | 122 | 10 " | 75.3 | 32 |
| 183 | Iehang | 30 | 31 " | 111 | 13 " | 112.8 | 33 |
| 184 | Steep Island | 30 | 13 " | 122 | 35 " | 62.8 | 33 |
| 185 | Tehen-fu | 30 | 7 " | 103 | 9 " | 510. | 34 |
| 186 | Anyo | 30 | 6 " | 105 | 22 " | ? | 34 |
| 187 | Chinhai | 29 | 53 " | 121 | 33 " | 3.7 | 34 |
| 188 | Kiukiang | 29 | 45 " | 116 | 8 " | 45.7 | 35 |
| 189 | Chungking | 29 | 33 " | 106 | 33 " | 230.1 | 35 |
| 190 | Yochow | 29 | 21 " | 113 | 10 " | 76.2 | 36 |
| 191 | Peiyushan | 28 | 53 " | 122 | 16 " | 82.3 | 36 |
| 192 | Changsha | 28 | 12 " | 112 | 47 " | 60.0 | 37 |
| 193 | Wenchow | 28 | 1 " | 120 | 38 " | 4.3 | 37 |
| 194 | Tungyung | 26 | 33 " | 120 | 30 " | 109.7 | 38 |
| 195 | Pagoda Anchorage (Foochow) | 25 | 59 " | 119 | 27 " | 19.8 | 38 |
| 196 | Middle Dog | 25 | 58 " | 119 | 59 " | 59.1 | 39 |
| 197 | Turn-about | 25 | 26 " | 119 | 56 " | 64.9 | 39 |
| 198 | Yunnanfou | 25 | 7 " | 102 | 51 " | 1,893. | 40 |
| 199 | Ockseu | 25 | 0 " | 119 | 27 " | 62.5 | 40 |
| 200 | Tengyuch | 25 | 0 " | 98 | 40 " | 1,633.7 | 41 |
| 201 | Amey | 21 | 26 " | 118 | 4 " | 4.9 | 41 |
| 202 | Chapel Island | 21 | 10 " | 118 | 30 " | 54.9 | 42 |
| 203 | Wuchow | 23 | 38 " | 111 | 17 " | 10.7 | 42 |
| 204 | Swatow | 23 | 21 " | 116 | 40 " | 3.4 | 43 |
| 205 | Lamocks | 23 | 16 " | 117 | 17 " | 58.2 | 43 |
| 206 | Samshui | 23 | 6 " | 112 | 54 " | 9.1 | 44 |
| 207 | Canton | 23 | 6 " | 113 | 18 " | 8.8 | 44 |
| 208 | Mongtze | 23 | 3 " | 103 | 30 " | 1,305? | 45 |
| 209 | Breaker Point | 22 | 56 " | 116 | 30 " | 17.1 | 45 |
| 210 | Chilang Point | 22 | 40 " | 115 | 40 " | 27.7 | 46 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 寸 | 頁 |
|-----|--------------|-----------|------------|----------|----|
| 211 | Lungchow 龍州 | 22° 22' N | 106° 45' E | 286.1 m. | 46 |
| 212 | Pakhoi 北海 | 21° 28' " | 109° 5' " | 4.3 | 47 |
| 213 | Fort Bayard | 21° 3' " | 110° 28' " | 14. | 47 |
| 214 | Kiungchow 瓊州 | 20° 1' " | 110° 16' " | 2.7 | 48 |
| 215 | Lamko 臨高 | 20° 0' " | 109° 42' " | 4.0 | 48 |

滿 洲 國 Manchoukuo

| | | | | | |
|-----|------------------|-----------|------------|----------|----|
| 216 | Aigun 愛琿 | 49° 50' N | 127° 38' E | 135.9 m. | 50 |
| 218 | Tannan 潭南 | 45° 24' " | 122° 47' " | ? | 51 |
| 219 | Chengchiaton 鄭家營 | 43° 29' " | 123° 28' " | ? | 51 |
| 220 | Taingtse 鄭大山 | 43° 6' " | 118° " | ? | 52 |
| 221 | Chan Heou 鄭子後 | 41° " | 120° 10' " | ? | 52 |
| 222 | Autung 安東 | 40° 9' " | 124° 23' " | 9.1 | 53 |
| 223 | Newchwang 新莊 | 40° 41' " | 122° 3' " | 2.4 | 53 |
| 224 | Mancjurijs 滿洲里 | 49° 35' " | 117° 26' " | 650.3 | 54 |
| 225 | Hajlar 海拉爾 | 49° 14' " | 119° 43' " | 608.6 | 55 |
| 226 | Mjanjdube 滿洲河 | 49° 6' " | 121° 3' " | 705.0 | 56 |
| 227 | Bohedu 博克圖 | 48° 46' " | 124° 55' " | 694.6 | 57 |
| 228 | Cjalanjtunj 扎蘭屯 | 48° 1' " | 122° 44' " | 315.6 | 58 |
| 229 | Cicikar 扎庫 | 47° 10' " | 123° 49' " | 146.0 | 59 |
| 230 | Anjda 安達 | 46° 24' " | 125° 19' " | 147.1 | 60 |
| 231 | Sansin 三盛 | 46° 20' " | 129° 33' " | 100. | 61 |
| 232 | Harbin 哈爾濱 | 45° 45' " | 126° 38' " | 150.5 | 62 |
| 233 | Imjanjpo 一面坡 | 45° 4' " | 128° 4' " | 210.3 | 63 |
| 234 | Mudanaczjan 牡丹江 | 44° 35' " | 129° 36' " | 241.0 | 64 |
| 235 | Tajpinlin 太平 | 44° 33' " | 130° 41' " | 561.1 | 65 |
| 236 | Jaominj 密山 | 44° 32' " | 125° 43' " | 178.4 | 66 |
| 237 | Neuyan 農安 | 44° 22' " | 125° 30' " | ? | 67 |
| 238 | Ianj-zi 延吉 | 42° 55' " | 129° 30' " | 168.0? | 68 |
| 239 | Chao-yang 朝陽 | 41° 23' " | 120° 37' " | 106. | 69 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 寸 | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

印 度 支 那 Indochine

| | | | | | |
|-----|-----------------------|-----------|------------|--------|----|
| 240 | Laokay | 22° 30' N | 103° 57' E | 93. m. | 73 |
| 241 | Langson | 21° 50' " | 106° 46' " | 259. | 73 |
| 242 | Moncay | 21° 31' " | 107° 51' " | 9. | 74 |
| 243 | Hanoi | 21° 2' " | 105° 51' " | 14. | 74 |
| 244 | Haiphong | 20° 52' " | 106° 40' " | 5. | 75 |
| 245 | Luang Prabang (Laos) | 19° 53' " | 102° 8' " | 350. | 75 |
| 246 | Thanh-Hoa | 19° 48' " | 105° 52' " | 4. | 76 |
| 247 | Vinh (Annam) | 18° 40' " | 105° 40' " | 6. | 76 |
| 248 | Vientiane | 17° 58' " | 102° 36' " | 162. | 77 |
| 249 | Dong-Hoi | 17° 29' " | 106° 36' " | 7. | 77 |
| 250 | Quang-Tri | 16° 44' " | 107° 11' " | 7. | 78 |
| 251 | Savannakhet | 16° 33' " | 104° 44' " | 140. | 78 |
| 252 | Tientcha (Tourane) | 16° 8' " | 108° 18' " | 155. | 79 |
| 253 | Quang-Ngai | 15° 8' " | 108° 50' " | 7. | 79 |
| 254 | Quinhon | 13° 45' " | 109° 14' " | 6. | 80 |
| 255 | Battambang (Cambodge) | 13° 11' " | 103° 12' " | 22. | 80 |
| 256 | Nhatrang | 12° 15' " | 109° 12' " | 4. | 81 |
| 257 | Honba | 12° 5' " | 108° 45' " | 1,484. | 81 |
| 258 | Padaran | 11° 35' " | 109° 8' " | 177. | 82 |
| 259 | Phnom Penh | 11° 33' " | 104° 55' " | 10. | 82 |
| 260 | Hatien (Cochin chine) | 10° 23' " | 104° 29' " | 6. | 83 |
| 261 | Cape Saint Jacques | 10° 20' " | 107° 5' " | 180. | 83 |

印 度 India

| | | | | | |
|-----|--------------------|-----------|-----------|------------|----|
| 262 | Srinagar | 34° 8' N | 74° 53' E | 1,586.2 m. | 87 |
| 263 | Katmandu | 27° 45' " | 85° 20' " | 1,337.8 | 87 |
| 264 | Jamnagar (Gujarat) | 22° 32' " | 70° 8' " | 18.6 | 88 |
| 265 | Chitaldrug | 14° 14' " | 76° 27' " | 733.2 | 88 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|-------------|---------|---------|-------|----|
| 266 | Hassan | 13 0 N | 76 10 E | 960.1 | 89 |
| 267 | Mysore | 12 18 " | 76 42 " | 767.7 | 89 |
| 268 | Mannar | 8 59 " | 79 55 " | 3.7 | 90 |
| 269 | Trivandrum | 8 49 " | 77 0 " | 60.1 | 90 |
| 270 | Jaffna | 9 39 N | 80 1 E | 4.3 | 91 |
| 271 | Trincomalee | 8 35 " | 81 15 " | 30.2 | 91 |
| 272 | Puttalam | 8 2 " | 79 50 " | 8.2 | 92 |
| 273 | Batticaloa | 7 43 " | 81 41 " | 7.9 | 92 |
| 274 | Kurunegala | 7 28 " | 80 22 " | 116.2 | 93 |
| 275 | Kandy | 7 18 " | 80 38 " | 504.3 | 93 |
| 276 | Ratnapura | 6 41 " | 80 24 " | 34.5 | 94 |
| 277 | Hambantota | 6 12 " | 81 10 " | 18.6 | 94 |
| 278 | Galle | 6 1 " | 80 14 " | 4.0 | 95 |

ペルチスタン、トルケスタン、ペルシヤ、印度洋及亞刺比亞海諸島

Beluchistan, Turkestan, Persia, Indian Ocean and Arabian Sea

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|-----------------------------|---------|---------|---------|-----|
| 279 | Seistan (Beluchistan) | 30 43 N | 61 53 E | 609.8 | 99 |
| 280 | Kashgar (Eastern Turkestan) | 39 28 " | 76 0 " | 1,297.3 | 99 |
| 281 | Teheran (Persia) | 35 32 " | 51 30 " | 1,200.1 | 100 |
| 282 | Ispahan | 32 41 " | 51 44 " | 1,773.5 | 100 |
| 283 | Meshed | 36 19 " | 59 37 " | 946.3 | 101 |
| 284 | Muscat | 23 37 N | 58 36 " | 6.1 | 101 |
| 285 | Seychelles (Indian Ocean) | 4 50 S | 53 20 " | 4.6 | 102 |
| 286 | Minicoy (Arabian Sea) | 8 15 N | 73 5 " | 2.1 | 102 |
| 287 | Amini Divi Is. | 11 0 " | 71 37 " | 4.0 | 103 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|---|---------------------------|---------|----------|------|-----|
| ふいりつびん及馬來群島 Philippines and Malay Archipelago | | | | | |
| 288 | Atimonan | 14 0 N | 121 55 E | 4.1 | 107 |
| 289 | Calbayog | 12 4 " | 121 36 " | 4.7 | 107 |
| 290 | Capiz | 11 35 " | 122 15 " | 5.9 | 108 |
| 291 | Tacloban | 11 15 " | 125 0 " | 22.4 | 108 |
| 292 | Cebu | 10 18 " | 123 54 " | 9.0 | 109 |
| 293 | Surigao (Mindanao) | 9 48 " | 125 29 " | 6.0 | 109 |
| 294 | Zamboanga | 6 54 " | 122 5 " | 6.9 | 110 |
| 295 | Labu (Borneo) | 5 15 " | 115 15 " | 16.7 | 110 |
| 296 | Taiping (Malay Peninsula) | 4 52 " | 100 44 " | 17.7 | 111 |
| 297 | Malacca | 2 14 " | 102 14 " | 6.9 | 111 |

そびえと Sowjet-Republic.

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|---------------------------|---------|---------|------|-----|
| 298 | Matotchkin Char. | 73 16 N | 56 24 E | 18.5 | 115 |
| 299 | Malye Karmakouly | 72 23 " | 52 43 " | 15.3 | 115 |
| 300 | Dickson | 73 31 " | 80 23 " | 13.0 | 116 |
| 301 | Ingorsky Char. | 69 50 " | 60 46 " | 13.1 | 116 |
| 302 | Mare Sale | 69 43 " | 66 49 " | 14.1 | 117 |
| 303 | Port Ouste Ienisseisk | 69 40 " | 84 22 " | 25.0 | 117 |
| 304 | Doudinka | 69 24 " | 86 1 " | 20.0 | 118 |
| 305 | Noviy Port | 67 42 " | 72 57 " | 4.9 | 118 |
| 306 | Indiga | 67 42 " | 48 46 " | 6.6 | 119 |
| 307 | Obdorsk | 66 31 " | 66 36 " | 35.2 | 119 |
| 308 | Vaigatch Is. | 70 24 " | 58 47 " | 11.2 | 120 |
| 309 | Kola | 68 53 " | 33 1 " | 6.7 | 120 |
| 310 | Kanin Noss | 68 39 " | 43 18 " | 48.3 | 121 |
| 311 | Nikolsk | 59 32 " | 45 27 " | 12.5 | 121 |
| 312 | Narva Joesuu (Hungerburg) | 59 28 " | 28 2 " | ? | 122 |
| 313 | Tallinna (Reval) | 59 26 " | 24 48 " | ? | 122 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 さ | 頁 |
|-----|-----------------|-----------|-----------|---------|-----|
| 314 | Tartu (Estland) | 58° 23' N | 26° 43' E | 80.8 m. | 123 |
| 315 | Parnu | 58° 23' " | 24° 30' " | ? | 123 |
| 316 | Pohulanka | 55° 2' " | 25° 52' " | 135.0 | 124 |
| 317 | Wilno (Vilna) | 54° 41' " | 25° 15' " | 128. | 124 |
| 318 | Pinsk | 52° 7' " | 26° 6' " | 143.0 | 125 |
| 319 | Krakow | 50° 4' " | 19° 58' " | 221.0 | 125 |
| 320 | Tarnopol | 49° 33' " | 25° 36' " | 318.5 | 126 |

瑞 典 Sweden

| | | | | | |
|-----|----------|-----------|-----------|----------|-----|
| 321 | Abisko | 68° 21' N | 18° 49' E | 388.1 m. | 126 |
| 322 | Riga | 56° 57' " | 15° 9' " | 2.8 | 127 |
| 323 | Kalmar | 56° 40' " | 16° 22' " | ? | 127 |
| 324 | Halmstad | 56° 40' " | 12° 52' " | ? | 128 |
| 325 | Malmo | 55° 37' " | 13° 2' " | ? | 128 |

諾 威 Norway

| | | | | | |
|-----|----------|-----------|-----------|---------|-----|
| 326 | Bjornoya | 74° 28' N | 19° 17' E | 29.2 m. | 129 |
| 327 | Tromso | 69° 39' " | 18° 57' " | 114.5 | 129 |
| 328 | Bodo | 67° 17' " | 14° 24' " | 17.0 | 130 |
| 329 | Aas | 59° 40' " | 10° 46' " | 95.3 | 130 |

丁 抹 Denmark

| | | | | | |
|-----|-----------|-----------|-----------|--------|-----|
| 330 | Stenderup | 55° 26' N | 9° 38' E | 4.0 m. | 131 |
| 331 | Odense | 55° 23' " | 10° 27' " | 15.6 | 131 |
| 332 | Hojvig | 62° 3' " | 6° 45' W | 22.0 | 132 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 さ | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

英 國 Great Britain

| | | | | | |
|-----|------------------------------|-----------|----------|---------|-----|
| 333 | Stornoway | 58° 12' N | 6° 24' W | 10.4 m. | 135 |
| 334 | Strathpeffer | 57° 37' " | 4° 28' " | 38.1 | 135 |
| 335 | Aberdeen | 57° 10' " | 2° 6' " | 26.0 | 136 |
| 336 | Fort Augustus | 57° 8' " | 4° 40' " | 20.7 | 136 |
| 337 | Marchmont | 55° 44' " | 2° 25' " | 151.8 | 137 |
| 338 | Cockle Park (Morpeh) | 55° 13' " | 1° 4' " | 99.1 | 137 |
| 339 | Durham | 54° 46' " | 1° 35' " | 102.4 | 137 |
| 340 | Newton Rigg | 54° 40' " | 2° 19' " | 170.4 | 138 |
| 341 | Scarborough | 54° 17' " | 0° 24' " | 36.0 | 138 |
| 342 | Douglas | 54° 10' " | 4° 28' " | 86.6 | 138 |
| 343 | Harrogate | 54° 0' " | 1° 33' " | 145.7 | 139 |
| 344 | York (Museum) | 53° 57' " | 1° 5' " | 17.1 | 139 |
| 345 | Blackpool | 53° 49' " | 3° 3' " | 20.1 | 139 |
| 346 | Southport (Bedford Rd. Park) | 53° 39' " | 2° 59' " | 10.7 | 140 |
| 347 | Sheffield | 53° 23' " | 1° 29' " | 130.5 | 140 |
| 348 | Workshop | 53° 22' " | 1° 5' " | 17.1 | 140 |
| 349 | Rhyl | 53° 19' " | 3° 29' " | 9.1 | 141 |
| 350 | Lowestoft | 52° 29' " | 1° 45' E | 25.3 | 141 |
| 351 | Birmingham (Sparkhill) | 52° 27' " | 1° 51' W | 163.1 | 141 |
| 352 | Cambridge | 52° 12' " | 0° 8' E | -12.5 | 142 |
| 353 | Rothamsted | 51° 48' " | 0° 22' W | 128.0 | 142 |
| 354 | Cirencester | 51° 42' " | 2° 0' " | 135.1 | 142 |
| 355 | Westminster | 51° 30' " | 0° 8' " | 8.2 | 143 |
| 356 | Marlborough | 51° 25' " | 1° 44' " | 129.3 | 143 |
| 357 | Margate | 51° 24' " | 1° 24' E | 15.5 | 143 |
| 358 | Southampton | 50° 55' " | 1° 24' W | 19.5 | 144 |
| 359 | Brighton | 50° 49' " | 0° 8' " | 9.5 | 144 |
| 360 | Worthing | 50° 49' " | 0° 22' " | 10.7 | 144 |
| 361 | Scilly | 49° 56' " | 6° 18' " | 49.7 | 145 |
| 362 | Armagh | 54° 21' " | 6° 39' " | 62.2 | 145 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|----------------|---------|--------|------------|-----|
| 363 | Markree Castle | 54 11 N | 8 27 W | m. 37.2 | 145 |
| 364 | Birr Castle | 53 6 " | 7 56 " | 52.7 | 146 |

和 蘭 Holland (Niederland)

| | | | | | |
|-----|------------|---------|--------|-----------|-----|
| 365 | Groningen | 53 13 N | 6 33 E | m. 9.0 | 149 |
| 366 | Den Helder | 52 58 " | 4 45 " | 5.9 | 149 |
| 367 | Rotterdam | 51 51 " | 4 29 " | 3.8 | 150 |
| 368 | Vlissingen | 51 26 " | 3 34 " | 10.9 | 150 |
| 369 | Maastricht | 50 51 " | 5 41 " | ? | 151 |

獨 逸 Germany

| | | | | | |
|-----|---------------|---------|---------|------------|-----|
| 370 | Kiel | 54 20 E | 10 9 E | m. 47.2 | 151 |
| 371 | Wilhelmshaven | 53 32 " | 8 9 " | 5.0 | 152 |
| 372 | Leipzig | 51 20 " | 12 23 " | 121.4 | 152 |
| 373 | Baden | 48 46 " | 8 14 " | 212.7 | 153 |
| 374 | Meersburg | 47 42 " | 9 16 " | 439.5 | 153 |

奧 地 利 Austria

| | | | | | |
|-----|-----------|---------|---------|-------------|-----|
| 375 | Innsbruck | 47 16 N | 11 24 E | m. 582.0 | 154 |
| 376 | Feldkirch | 47 14 " | 9 36 " | 479.2 | 154 |
| 377 | Graz | 47 4 " | 15 28 " | 369. | 155 |

洪 牙 利 Hungary

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|-----------|---------|---------|-------------|-----|
| 378 | Eger | 47 54 N | 20 33 E | m. 163.0 | 155 |
| 379 | Debreczen | 47 33 " | 21 38 " | 129.2 | 156 |
| 380 | Kalocsa | 46 32 " | 18 59 " | 108.7 | 156 |
| 381 | Kaposvar | 46 22 " | 17 48 " | 149.0 | 157 |

瑞 西 Switzerland

| | | | | | |
|-----|-------------------|---------|--------|-------------|-----|
| 382 | Basel (Binningen) | 47 33 N | 7 35 E | m. 318.0 | 157 |
| 383 | St. Gallen | 47 26 " | 9 23 " | 702.0 | 158 |
| 384 | Neuchatel | 47 0 " | 6 57 " | 487.3 | 158 |

葡 萄 牙 Portugal

| | | | | | |
|-----|------------------------|---------|---------|--------------|-----|
| 385 | Montalegre | 41 49 N | 7 45 W | m. 1,027. | 159 |
| 386 | Beja | 38 1 " | 7 53 " | 288. | 159 |
| 387 | Lagos | 37 6 " | 8 38 " | 13. | 160 |
| 388 | Ponta Delgada (Acores) | 37 44 " | 25 40 " | 22.0 | 160 |
| 389 | Funchal (Medeira) | 32 38 " | 16 55 " | 25. | 161 |
| 390 | S. Vicente | 16 54 " | 25 4 " | 11. | 161 |

西 班 牙 Spain

| | | | | | |
|-----|-----------|---------|--------|-----------|-----|
| 391 | Santander | 43 29 N | 3 49 W | m. 14. | 162 |
| 392 | La Coruna | 43 23 " | 8 23 " | 25. | 162 |
| 393 | Albacete | 39 0 " | 1 51 " | 686. | 163 |
| 394 | Alicante | 38 25 " | 0 29 " | 21. | 163 |
| 395 | Almeria | 36 51 " | 2 28 " | 65. | 164 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

伊 太 利 Italy

| | | | | | |
|-----|----------------|-----------|-----------|----------|---------------|
| 396 | Vigna di Valle | 42° 5' N | 12° 13' E | 272.4 m. | 167 |
| 397 | Bresanoue | 46° 43' " | 11° 39' " | 580. | 168 |
| 398 | Balzano | 46° 30' " | 11° 21' " | 290. | 168 |
| 399 | Sondrino | 46° 10' " | 9° 54' " | 320. | 168 |
| 400 | Belluno | 46° 8' " | 12° 4' " | 404. | 168, 171 |
| 401 | Domodossola | 46° 7' " | 8° 18' " | 300. | 168, 171 |
| 402 | Udine | 46° 4' " | 13° 13' " | 116. | 168, 171 |
| 403 | Trente | 46° 4' " | 11° 7' " | 210. | 168, 170 |
| 404 | Goriza | 45° 57' " | 13° 37' " | 94. | 168 |
| 405 | Bergane | 45° 42' " | 9° 42' " | 400. | 168, 171 |
| 406 | Trieste | 45° 39' " | 13° 46' " | 26. | 168, 170 |
| 407 | Vicence | 45° 34' " | 8° 8' " | 54. | 168, 171 |
| 408 | Brescia | 45° 32' " | 10° 13' " | 172. | 168, 170, 171 |
| 409 | Milan | 45° 28' " | 9° 11' " | 147. | 168, 170, 171 |
| 410 | Venise | 45° 26' " | 12° 20' " | 21. | 168, 170, 171 |
| 411 | Verone | 45° 26' " | 11° 1' " | 67. | 168, 171 |
| 412 | Fiume | 45° 19' " | 14° 27' " | 15. | 168 |
| 413 | Plaisance | 45° 3' " | 9° 40' " | 72. | 168 |
| 414 | Moncalieri | 45° 0' " | 4° 45' " | 258. | 168, 170, 171 |
| 415 | Alexandrie | 44° 55' " | 8° 37' " | 98. | 168, 171 |
| 416 | Pola | 44° 52' " | 13° 51' " | 32. | 168, 170 |
| 417 | Noni-Ligure | 44° 46' " | 8° 47' " | 198. | 168, 170, 171 |
| 418 | Modene | 44° 39' " | 10° 56' " | 64. | 168, 171 |
| 419 | Bologne | 44° 30' " | 11° 20' " | 84. | 168, 170 |
| 420 | Genes | 44° 25' " | 8° 55' " | 54. | 168 |
| 421 | Chiavari | 44° 19' " | 9° 21' " | 25. | 168, 171 |
| 422 | Zara | 44° 7' " | 15° 15' " | 10. | 168 |
| 423 | Pesaro | 43° 54' " | 12° 53' " | 14. | 168, 170, 171 |
| 424 | Florence | 43° 46' " | 11° 15' " | 73. | 168 |
| 425 | Livourne | 43° 33' " | 10° 19' " | 24. | 168, 170, 171 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|-------------|-----------|-----------|---------|---------------|
| 426 | Siene | 43° 19' N | 11° 19' E | 348. m. | 168, 170, 171 |
| 427 | Perouse | 43° 7' " | 12° 23' " | 520. | 168 |
| 428 | Chieti | 42° 21' " | 14° 11' " | 341. | 168, 170, 171 |
| 429 | Rome | 41° 54' " | 12° 29' " | 45. | 168, 170, 171 |
| 430 | Agnone | 41° 48' " | 14° 22' " | 806. | 169, 171 |
| 431 | Mt. Cassino | 41° 31' " | 13° 48' " | 527. | 169, 171 |
| 432 | Foggia | 41° 28' " | 15° 31' " | 87. | 169, 170, 171 |
| 433 | Bari | 41° 8' " | 16° 51' " | 28. | 169, 170, 171 |
| 434 | Benevent | 41° 8' " | 14° 48' " | 177. | 169, 170, 171 |
| 435 | Caserte | 41° 4' " | 14° 22' " | 76. | 169, 171 |
| 436 | Naples | 40° 52' " | 14° 15' " | 149. | 169, 170, 171 |
| 437 | Sassari | 40° 44' " | 9° 10' " | 224. | 169, 171 |
| 438 | Potenza | 40° 38' " | 15° 48' " | 826. | 169, 170, 171 |
| 439 | Lecce | 40° 21' " | 18° 12' " | 72. | 169, 170, 171 |
| 440 | Cagliari | 39° 13' " | 12° 22' " | 75. | 169, 171 |
| 441 | Tropea | 38° 43' " | 15° 54' " | 51. | 169, 170, 171 |
| 442 | Palerne | 38° 7' " | 12° 32' " | 71. | 169, 170, 171 |
| 443 | Catane | 39° 3' " | 15° 13' " | 65. | 169, 170, 171 |
| 444 | Mineo | 37° 6' " | 14° 44' " | 510. | 169, 171 |
| 445 | Syracuse | 37° 3' " | 15° 15' " | 23. | 169 |
| 446 | Agrigente | 37° 19' " | 13° 23' " | 313. | 169 |

羅 馬 尼 Roumania

| | | | | | |
|-----|-----------|-----------|-----------|---------|-----|
| 447 | Baia Mare | 47° 38' N | 23° 35' E | 227. m. | 172 |
| 448 | Sibiu | 45° 47' " | 24° 19' " | 419. | 172 |
| 449 | Timisoara | 45° 45' " | 21° 16' " | 92. | 172 |
| 450 | Sulina | 45° 9' " | 29° 40' " | 2. | 172 |
| 451 | Roman | 46° 55' " | 26° 56' " | 190. | 172 |
| 452 | Cernauti | 48° 17' " | 25° 56' " | 243. | 173 |
| 453 | Chisinau | 47° 00' " | 28° 45' " | 113. | 173 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 度 | サ | 頁 |
|-----|-----|-----|-----|-----|---|---|
|-----|-----|-----|-----|-----|---|---|

勃 牙 利 Bulgaria

| | | ° | ' | N | ° | ' | E | m. | |
|-----|-------------------------|----|----|---|----|----|---|-------|-----|
| 454 | Vidin | 44 | 0 | N | 22 | 51 | E | 35.0 | 173 |
| 455 | Pleven | 43 | 24 | " | 24 | 37 | " | 125.0 | 174 |
| 456 | Varna | 43 | 12 | " | 27 | 55 | " | 35.0 | 174 |
| 457 | Sliven | 42 | 41 | " | 26 | 19 | " | 276.0 | 175 |
| 458 | Plovdiv (Philippopolio) | 42 | 9 | " | 24 | 45 | " | 160.0 | 175 |

希臘及地中海諸島 Greece and Mediterranean Sea

| | | ° | ' | N | ° | ' | E | m. | |
|-----|-------------------------|----|----|---|----|----|---|-------|-----|
| 459 | Janina | 39 | 40 | N | 21 | 00 | E | 465.0 | 176 |
| 460 | Patras | 38 | 15 | " | 21 | 45 | " | 41.0 | 176 |
| 461 | Argostoli | 38 | 10 | " | 20 | 30 | " | 16.0 | 177 |
| 462 | Andros | 37 | 50 | " | 24 | 45 | " | 33.6 | 177 |
| 463 | Zante | 37 | 47 | " | 21 | 00 | " | 4.8 | 178 |
| 464 | Calamata | 37 | 2 | " | 22 | 15 | " | 5.8 | 178 |
| 465 | Nicosia (Cyprus Island) | 35 | 9 | " | 33 | 22 | " | 159.1 | 179 |

阿弗利加北部及亞刺比亞 N. Africa and Arabia

| | | ° | ' | N | ° | ' | E | m. | |
|-----|------------------------|----|----|---|----|----|---|------|-----|
| 466 | Jericho | 31 | 51 | N | 35 | 27 | E | 1.5 | 183 |
| 467 | Jerusalem (Arabia) | 31 | 47 | " | 35 | 13 | " | 830. | 183 |
| 468 | Gaza | 31 | 30 | " | 34 | 27 | " | 35.1 | 184 |
| 469 | Tanger | 35 | 47 | " | 5 | 50 | W | 82. | 184 |
| 470 | Tetuan | 35 | 35 | " | 5 | 24 | " | 50. | 185 |
| 471 | Melilla (Granja) | 35 | 17 | " | 2 | 59 | " | 40. | 185 |
| 472 | La Laguna (Canarias) | 28 | 28 | " | 16 | 49 | " | 547. | 186 |
| 473 | Gadames (Tripolitania) | 30 | 9 | " | 9 | 30 | E | ? | 186 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 度 | サ | 頁 |
|-----|-----|-----|-----|-----|---|---|
|-----|-----|-----|-----|-----|---|---|

埃 及 Egypt

| | | ° | ' | N | ° | ' | E | m. | |
|-----|----------------------------|----|----|---|----|----|---|-------|-----|
| 474 | Jerusalem | 31 | 47 | N | 35 | 13 | E | 830. | 187 |
| 475 | Alexandria (Kom el Nadura) | 31 | 12 | " | 29 | 53 | " | 32.0 | 187 |
| 476 | Suez | 29 | 56 | " | 32 | 33 | " | 3.4 | 188 |
| 477 | Aswan | 24 | 2 | " | 32 | 53 | " | 100.1 | 188 |
| 478 | Wadihalfa | 21 | 55 | " | 31 | 19 | " | 125.6 | 189 |
| 479 | Port Sudan | 19 | 37 | " | 37 | 13 | " | 5.5 | 189 |
| 480 | Merowe | 18 | 29 | " | 31 | 50 | " | 255.1 | 190 |
| 481 | Khartoum | 15 | 37 | " | 32 | 33 | " | 390.0 | 190 |
| 482 | Kassala | 15 | 28 | " | 36 | 24 | " | 505.0 | 191 |
| 483 | El Fasher | 13 | 32 | " | 25 | 18 | " | 730. | 191 |
| 484 | El Obeid | 13 | 11 | " | 30 | 14 | " | 568.9 | 192 |
| 485 | Malakal | 9 | 35 | " | 31 | 37 | " | 393.6 | 192 |
| 486 | Wau | 7 | 42 | " | 28 | 3 | " | 440. | 193 |
| 487 | Mongalla | 5 | 11 | " | 31 | 47 | " | 447.8 | 193 |

阿弗利加中部 Middle Africa

| | | ° | ' | N | ° | ' | E | m. | |
|-----|-------------------------------|----|----|---|----|----|---|---------|-----|
| 488 | Entebbe | 0 | 5 | N | 32 | 29 | E | 1,171.3 | 197 |
| 489 | Jinja | 0 | 26 | " | 33 | 12 | " | 1,131.8 | 197 |
| 490 | Fort Portal | 0 | 43 | " | 30 | 8 | " | 1,615.5 | 198 |
| 491 | Mbarara | 0 | 31 | S | 30 | 47 | " | 1,393.2 | 198 |
| 492 | Gulu | 2 | 45 | N | 32 | 25 | " | 1,128.7 | 198 |
| 493 | Cape St. Mary (Gambia Colony) | 13 | 29 | " | 16 | 40 | W | 15.9 | 199 |
| 494 | Accra (Gold coast) | 5 | 33 | " | 0 | 12 | " | 18.3 | 199 |
| 495 | Kumasi (Gold coast) | 6 | 41 | " | 1 | 37 | " | | 200 |
| 496 | Kaballa (Sierra Leone) | 9 | 31 | " | 11 | 31 | " | | 200 |
| 497 | Pujehun | 7 | 20 | " | 11 | 43 | " | | 201 |
| 498 | Bauchi (Nigeria) | 10 | 19 | " | 9 | 49 | E | 689.0 | 201 |
| 499 | Benin City | 6 | 20 | " | 5 | 36 | " | 112.8 | 202 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|---------|-----------|----------|-------|-----|
| 500 | Calabar | 4° 58' N | 8° 19' E | m. | 202 |
| 501 | Kano | 12° 00' " | 8° 33' " | | 203 |
| 502 | Lagos | 6° 27' " | 3° 24' " | 1.8 | 203 |
| 503 | Lokoja | 7° 48' " | 6° 44' " | 97.6 | 204 |
| 504 | Sakoto | 13° 2' " | 5° 15' " | 353.7 | 204 |

阿弗利加南部 South Africa

| | | | | | |
|-----|-------------------------------|-----------|-----------|---------|-----|
| 505 | Zomba Tanganyika Territory | 15° 23' S | 35° 18' E | 898.8 | 207 |
| 506 | Salaam | 6° 8' " | 39° 40' " | 6.1 | 207 |
| 507 | Mwanza | 3° 32' " | 32° 53' " | 1,130.8 | 208 |
| 508 | Kilwa | 8° 57' " | 39° 21' " | ? | 208 |
| 509 | Amani | 5° 6' " | 38° 38' " | 915.9 | 209 |
| 510 | Kigoma | 4° 52' " | 29° 38' " | 771.6 | 209 |
| 511 | Pemba Island | 5° 0' " | 39° 40' " | | 210 |
| 512 | Livingstone Northern Rhodesia | 17° 51' " | 25° 51' " | 915. | 210 |
| 513 | Fort Jameson | 13° 38' " | 32° 41' " | 1,103.7 | 211 |
| 514 | Ndola | 12° 53' " | 28° 37' " | | 211 |
| 515 | Broken Hill (Boma) | 11° 28' " | 28° 32' " | | 212 |
| 516 | Feira Northern Rhodesia | 15° 28' " | 30° 10' " | 314. | 212 |
| 517 | Mongu | 16° 24' " | 27° 0' " | | 213 |
| 518 | Proctoria Transval | 25° 45' " | 28° 12' " | 1,326.2 | 213 |
| 519 | Mbabane Swaziland | 26° 19' " | 31° 9' " | | 214 |
| 520 | Kroonstad Orange Free State | 27° 39' " | 27° 15' " | 1,344.5 | 214 |
| 521 | Bloemfontein | 29° 7' " | 26° 15' " | 1,407.0 | 215 |
| 522 | Bethulie | 30° 30' " | 25° 58' " | 1,311.0 | 215 |
| 523 | Mafeteng (Basutoland) | 29° 47' " | 27° 13' " | 1,615.9 | 216 |
| 524 | Durban (Natal) | 29° 52' " | 31° 3' " | 15.0 | 216 |
| 525 | Kimberley (Cape colony) | 29° 0' " | 24° 40' " | ? | 217 |
| 526 | Okiep | 29° 36' " | 17° 52' " | 932.9 | 217 |
| 527 | East London | 33° 2' " | 27° 55' " | 41.8 | 218 |
| 528 | Port Office | 4° 37' " | 55° 27' " | 4.9 | 218 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

あらすか及亞米利加合衆國 Alaska and the United States of America

| | | | | | |
|-----|----------------|-----------|------------|-------|-----|
| 529 | Eagle (Alaska) | 64° 46' N | 141° 12' W | 250.3 | 221 |
| 530 | Kodiak | 57° 47' " | 152° 22' " | 4.6 | 221 |
| 531 | St. Paul | 44° 58' " | 93° 3' " | 255.2 | 222 |
| 532 | Milwaukee | 43° 2' " | 87° 54' " | 207.6 | 222 |
| 533 | Buffalo | 42° 53' " | 78° 53' " | 233.8 | 223 |
| 534 | Pittsburgh | 40° 26' " | 80° 0' " | 256.7 | 223 |
| 535 | Philadelphia | 39° 57' " | 75° 9' " | 34.8 | 224 |
| 536 | Cincinnati | 39° 9' " | 84° 31' " | 191.2 | 224 |
| 537 | Nashville | 36° 10' " | 86° 47' " | 166.5 | 225 |
| 538 | Columbia | 34° 00' " | 81° 3' " | 107.0 | 225 |
| 539 | Birmingham | 33° 32' " | 86° 50' " | 213.4 | 226 |
| 540 | Jacksonville | 30° 20' " | 81° 39' " | 13.1 | 226 |
| 541 | Galveston | 29° 18' " | 94° 50' " | 16.5 | 227 |
| 542 | Tampa | 27° 57' " | 82° 27' " | 10.7 | 227 |
| 543 | Boise City | 43° 37' " | 116° 13' " | 835.1 | 228 |

西印度諸島 the West Indies

| | | | | | |
|-----|-----------------------------|-----------|-----------|-------|-----|
| 544 | Prospect Hill (Bermuda Is.) | 32° 18' N | 64° 46' W | 38.1 | 228 |
| 545 | Antigua (Kleine Antillen) | 17° " | 61° " | 36.6 | 229 |
| 546 | Dominica | 15° " | 61° " | 18.3 | 229 |
| 547 | St. Lucia | 14° 1' " | 61° 0' " | 64.0 | 230 |
| 548 | St. Vincent | 13° 9' " | 61° 14' " | 24.4 | 230 |
| 549 | Barbados | 13° 8' " | 59° 36' " | 55.2 | 231 |
| 550 | Richmond Hill (Grenada Is.) | 12° 5' " | 61° 46' " | 154.1 | 231 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 さ | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

英領ギアナ及コロンビア

British Guiana and Colombia

| | | | | | |
|-----|------------------------|----------|-----------|--------|-----|
| 551 | New Amsterdam | 6° 16' N | 57° 23' W | m. ? | 235 |
| 552 | Mazaruni | 6° 24' " | 58° 39' " | 16.8 | 235 |
| 553 | Bucaramanga | 6° 58' N | 73° 30' W | ? | 236 |
| 554 | Tunja | 5° 32' " | 73° 22' " | 2,801. | 236 |
| 555 | Manizales | 5° 15' " | 74° 14' " | ? | 236 |
| 556 | San Bartolome (Bogota) | 4° 36' " | 74° 5' " | 2,645. | 237 |
| 557 | Villa-Vicencio | 4° 8' " | 73° 38' " | 198. | 237 |
| 558 | Cali | 3° 31' " | 76° 36' " | ? | 238 |
| 559 | Popayan | 2° 26' " | 76° 36' " | ? | 238 |
| 560 | Pasto | 1° 13' " | 77° 17' " | 2,594. | 238 |

智 利

Chile

| | | | | | |
|-----|---------------------------------|-----------|-----------|----------|-----|
| 561 | Tacna | 18° 00' S | 70° 21' W | m. 560.1 | 241 |
| 562 | Arica | 18° 29' " | 70° 21' " | | 241 |
| 563 | Antofagasta | 23° 50' " | 70° 22' " | | 242 |
| 564 | Los Andes | 32° 10' " | 70° 53' " | | 242 |
| 565 | Mas a Tierra Juan Fernandez Is. | 33° 10' " | 81° 0' " | | 243 |
| 566 | Talca | 36° 0' " | 72° 5' " | | 243 |
| 567 | Lonquimay | 38° 26' " | 71° 42' " | 970.1 | 244 |
| 568 | Temuco | 38° 35' " | 72° 30' " | | 244 |
| 569 | Valdivia | 39° 48' " | 72° 30' " | 9.1 | 245 |
| 570 | Punta Corona | 41° 47' " | " " | 47.9 | 245 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 さ | 頁 |
|-----|-----|-----|-----|-----|---|
|-----|-----|-----|-----|-----|---|

| | | | | | |
|-----|---------------|-----------|----------|---------|-----|
| 571 | Punta Arenas | 53° 10' S | 70° 0' W | m. 28.0 | 246 |
| 572 | Evanjellistas | | | | 246 |
| 573 | Punta Tumbes | | | | 247 |
| 574 | Ovalle | | | | 247 |
| 575 | Punta Tortuga | | | | 248 |

ぱらぐえ Paraguay

| | | | | | |
|-----|----------------------|--|--|----|-----|
| 576 | Mision Inglesa | | | m. | 248 |
| 577 | Itacurubidel Rosario | | | | 249 |
| 578 | Puerto Bertoni | | | | 249 |

うるぐえ Uruguay

| | | | | | |
|-----|--------------------------|-----------|-----------|----------|-----|
| 579 | Santa Anna do Livramento | 30° 53' S | 50° 0' W | m. 210.1 | 253 |
| 580 | Concepcion | 32° 23' " | 58° 20' " | 14.0 | 253 |
| 581 | Santa Victoria do Palmar | 33° 24' " | 53° 28' " | | 254 |
| 582 | San Jorge | 34° 10' " | 58° 40' " | | 254 |

あるへんちな Argentina

| | | | | | |
|-----|---------------------|-----------|-----------|------------|-----|
| 583 | La Quiaca | 22° 10' S | 65° 52' W | m. 3,462.8 | 255 |
| 584 | Salta | 24° 45' " | 65° 28' " | | 255 |
| 585 | Victoria | 26° 35' " | 58° 35' " | | 256 |
| 586 | Corrientes | 27° 27' " | 58° 47' " | 54.0 | 256 |
| 587 | Santiago del Estero | 27° 57' " | 64° 8' " | | 257 |
| 588 | Rosario | 32° 52' " | 60° 40' " | | 257 |
| 589 | Mendoza | 33° 0' " | 68° 45' " | | 258 |
| 590 | Trenque Lauquen | 35° 52' " | 62° 40' " | | 258 |

| 番 號 | 地 名 | 緯 度 | 經 度 | 高 サ | 頁 |
|-----|------------------------------------|-----------|-----------|-------|-----|
| 591 | Mar del Plata | 37° 53' S | 57° 30' W | m. | 259 |
| 592 | Cipolletti | 38° 56' " | 67° 59' " | 271.0 | 259 |
| 593 | Bariloche | 41° 0' " | 70° 32' " | | 260 |
| 594 | Colonia 16 de Octubre | | | | 260 |
| 595 | Puerto Madryn | 42° 35' " | 65° 0' " | | 261 |
| 596 | Ushuasia | 54° 50' " | 68° 23' " | 11.9 | 261 |
| 597 | Stanley (Falkland Islands) | 51° 41' " | 57° 51' " | | 262 |
| 598 | Cumberland Bay (South Georgia Is.) | 54° 14' " | 36° 33' " | | 262 |

大 洋 洲 Oceania

| | | | | | |
|-----|------------------------|-----------|------------|-------|-----|
| 599 | Suva | 18° 8' S | 178° 26' E | m. | 265 |
| 600 | Auckland (New-Zealand) | 36° 50' " | 174° 50' " | 6.1 | 265 |
| 601 | Wellington | 41° 16' " | 174° 46' " | 13.2 | 266 |
| 602 | Christchurch | 43° 32' " | 172° 39' " | 125.7 | 266 |
| 603 | Invercargill | 46° 25' " | 168° 21' " | 7.5 | 266 |
| | | | | 3.6 | 267 |

西 比 利 亞

SIBERIA

No. 1

地 名 Markovo sur Anadyr

緯 度 64°45'N 經 度 170°50'E 海拔高 25.9m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| 平均氣壓 | 763.0 | 761.6 | 762.3 | 760.6 | 757.5 | 756.3 | 754.9 | 754.4 | 756.1 | 757.8 | 758.0 | 760.2 | 758.6 |
| 平均氣溫 | -30.6 | -25.1 | -22.4 | -15.2 | -1.6 | 10.5 | 13.7 | 10.9 | 2.7 | -9.3 | -22.3 | -28.6 | -9.8 |
| 平均最高氣溫 | -27.0 | -18.7 | -17.0 | -10.1 | 1.7 | 14.5 | 17.9 | 14.4 | 6.6 | -5.6 | -19.5 | -26.4 | -5.8 |
| 平均最低氣溫 | -35.7 | -31.0 | -28.5 | -22.3 | -6.2 | 4.8 | 8.3 | 5.2 | -1.8 | -12.8 | -28.1 | -33.5 | -15.1 |
| 氣溫ノ高極 | -0.4 | -0.4 | 0.7 | 4.8 | 12.4 | 23.2 | 29.0 | 23.8 | 21.7 | 6.3 | 4.5 | -0.6 | 29.0 |
| 同上起日(年) | 26(16) | 1(16) | 30(15) | 30(14) | 30(17) | 29(18) | 10(19) | 23(18) | 1(15) | 15(17) | 12(14) | 9(15) | |
| 氣溫ノ低極 | -53.6 | -52.0 | -48.7 | -39.4 | -25.5 | -5.0 | 0.6 | -2.9 | -13.4 | -32.8 | -48.9 | -53.1 | -53.6 |
| 同上起日(年) | 22(15) | 25(15) | 9(14) | 1(14) | 2(16) | 2(18) | 29(17) | 26(16) | 22(17) | 30(16) | 29(14) | 31(15) | |
| 平均濕度 | 77 | 77 | 76 | 75 | 77 | 69 | 72 | 76 | 76 | 83 | 86 | 82 | 77 |
| 平均雲量 | 4.9 | 6.1 | 5.5 | 5.8 | 7.6 | 7.6 | 7.2 | 7.2 | 7.2 | 7.3 | 6.5 | 5.4 | 6.5 |
| 降水量 | 10.0 | 7.1 | 10.4 | 4.0 | 11.4 | 21.6 | 59.9 | 45.0 | 27.9 | 17.8 | 13.2 | 11.2 | 239.5 |
| 降水日數 | 5 | 7 | 7 | 5 | 8 | 8 | 16 | 15 | 9 | 10 | 11 | 6 | 107 |
| 降雪日數 | 5 | 7 | 7 | 5 | 6 | 0 | 0 | 1 | 3 | 9 | 9 | 6 | 58 |
| 快晴日數 | 11 | 5 | 9 | 7 | 2 | 2 | 1 | 1 | 2 | 3 | 6 | 9 | 58 |
| 曇天日數 | 9 | 12 | 12 | 11 | 17 | 18 | 14 | 16 | 15 | 17 | 14 | 11 | 166 |
| 霧日數 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 5 |

Reseau de L'observatoire Geophysique a L' Orient Lointain, Vladivostok.

No. 2

地 名 Novo Mariinskii

緯 度 64°45'N 經 度 177°33'E 海拔高 23.5m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|---------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------|
| 平均氣壓 | 762.8 | 760.4 | 760.4 | 761.3 | 758.6 | 758.3 | 756.2 | 755.4 | 755.5 | 757.6 | 757.5 | 762.4 | 758.9 |
| 平均氣溫 | -25.7 | -20.7 | -18.0 | -15.2 | -3.4 | 4.0 | 9.9 | 9.7 | 3.5 | -5.5 | -17.5 | -24.3 | -8.6 |
| 平均最高氣溫 | -22.1 | -17.5 | -14.1 | -11.3 | -0.9 | 6.9 | 12.9 | 12.5 | 6.0 | -3.1 | -13.9 | -21.0 | -5.5 |
| 平均最低氣溫 | -29.5 | -24.4 | -22.6 | -20.0 | -7.0 | 0.8 | 6.5 | 6.5 | 0.5 | -8.4 | -20.9 | -27.5 | -12.2 |
| 氣溫ノ高極 | 1.9 | 0.5 | 0.8 | 5.5 | 7.5 | 22.3 | 21.4 | 22.4 | 15.4 | 5.0 | 0.0 | -0.7 | 22.4 |
| 同上起日(年) | 26(16) | 1(16) | 24(19) | 30(17) | 26(17) | 19(18) | 10(19) | 22(18) | 2(15) | 4(15) | 12(15) | 1,2(17) | |
| 氣溫ノ低極 | -44.8 | -43.8 | -38.0 | -32.4 | -21.2 | -4.5 | 1.5 | 0.5 | -10.5 | -21.1 | -36.6 | -42.1 | -44.8 |
| 同上起日(年) | 29(19) | 1(19) | 28(16) | 1(16) | 1(19) | 7(16) | 21(19) | 28(19) | 30(19) | 31(16) | 27(15) | 28(15) | |
| 平均濕度 | 84 | 89 | 90 | 88 | 86 | 87 | 84 | 81 | 80 | 83 | 87 | 85 | 85 |
| 平均雲量 | 4.4 | 6.9 | 6.3 | 4.9 | 7.9 | 7.5 | 7.6 | 7.2 | 7.0 | 6.7 | 6.6 | 5.5 | 6.5 |
| 降水量 | 4.8 | 5.8 | 6.6 | 1.9 | 9.4 | 32.5 | 37.5 | 41.1 | 28.0 | 9.0 | 4.7 | 5.7 | 187.0 |
| 降水日數 | 6 | 11 | 7 | 3 | 10 | 12 | 13 | 12 | 10 | 6 | 12 | 5 | 107 |
| 降雪日數 | 6 | 10 | 7 | 3 | 8 | 3 | 0 | 0 | 2 | 4 | 9 | 5 | 57 |
| 快晴日數 | 15 | 6 | 7 | 10 | 2 | 4 | 1 | 3 | 4 | 5 | 5 | 9 | 71 |
| 曇天日數 | 10 | 15 | 15 | 9 | 20 | 17 | 18 | 17 | 15 | 14 | 13 | 11 | 174 |
| 霧日數 | 2 | 2 | 1 | 2 | 4 | 8 | 3 | 1 | 1 | 1 | 2 | 0 | 27 |

備 考

No. 3

地名 Gijiga

緯度 62°4'N 經度 160°35'E 海拔高 12.0m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Gijiga. Includes data for average temperature, precipitation, and other metrics.

No. 4

地名 Okhotsk

緯度 59°21'N 經度 143°17'E 海拔高 6.0m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Okhotsk. Includes data for average temperature, precipitation, and other metrics.

No. 5

地名 Nikolskoe

緯度 55°12'N 經度 165°59'E 海拔高 6.8m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Nikolskoe. Includes data for average temperature, precipitation, and other metrics.

No. 6

地名 Nikolaevsk

緯度 53°8'N 經度 140°45'E 海拔高 21.2m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Nikolaevsk. Includes data for average temperature, precipitation, and other metrics.

No. 7

地名 Aginskoe

| 統計年次 | 緯度 51°6'N 經度 114°32'E 海拔高 682m. | | | | | | | | | | | | 年 | |
|-----------|---------------------------------|-------|-------|-------|-------|-------|------|------|------|-------|-------|-------|-------|-------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | | |
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 平均氣溫 | 1916-17 | -21.1 | -19.9 | -11.1 | -0.7 | 9.8 | 16.6 | 19.3 | 16.9 | 8.4 | -1.1 | -13.2 | -24.7 | -1.7 |
| 平均最高氣溫* | " | -4.9 | -2.6 | 5.6 | 14.9 | 25.4 | 30.3 | 32.3 | 30.7 | 24.8 | 15.0 | 2.7 | -4.7 | 14.1 |
| 平均最低氣溫* | " | -38.8 | -35.8 | -30.1 | -20.1 | -9.4 | -0.6 | 5.4 | 0.5 | -9.3 | -19.7 | -31.0 | -43.7 | -19.4 |
| 氣溫ノ高極 | " | -0.8 | -0.4 | 9.5 | 19.4 | 27.1 | 31.0 | 34.2 | 34.2 | 25.4 | 15.0 | 4.7 | -3.4 | 34.2 |
| 氣溫ノ低極 | " | -39.9 | -36.2 | -30.4 | -20.4 | -10.7 | -0.6 | 2.7 | 0.3 | -11.6 | -23.6 | -33.5 | -47.6 | -47.6 |
| 平均雲量 | " | 3.1 | 2.0 | 2.8 | 4.3 | 5.2 | 6.0 | 5.5 | 4.8 | 3.6 | 3.7 | 3.5 | 2.5 | 3.9 |
| 平均風速度 | " | 3.7 | 2.7 | 3.9 | 5.0 | 4.8 | 3.6 | 3.1 | 3.7 | 3.6 | 4.2 | 3.4 | 3.4 | 3.8 |
| 降水量 | " | 1.7 | 1.1 | 0.9 | 10.6 | 12.0 | 79.6 | 28.7 | 59.6 | 27.2 | 0.5 | 6.4 | 1.2 | 229.5 |
| 降水量最大 | " | 1.3 | 0.6 | 0.8 | 9.6 | 9.6 | 31.8 | 28.0 | 25.4 | 31.5 | 0.5 | 12.0 | 1.4 | 31.8 |
| 降水日數 | " | 3 | 3 | 2 | 3 | 3 | 13 | 9 | 11 | 5 | 2 | 2 | 1 | 57 |
| 降雪日數 | " | 3 | 3 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 16 |
| 最高氣溫≤0°日數 | " | 31 | 28 | 26 | 8 | 0 | 0 | 0 | 0 | 11 | 28 | 31 | 31 | 163 |
| 最低氣溫≤0°日數 | " | 31 | 28 | 31 | 29 | 14 | 1 | 0 | 0 | 16 | 29 | 30 | 31 | 240 |

備考

De L'observatoire Magnetique et Meteorologique d'Irkoutsk. Fascicule III. 觀測時 7^h,13^h,21^h.

*月中最高(最低)氣溫ノ平均

No. 8

地名 Vladivostok 海參崴

| 統計年次 | 緯度 43°7'N 經度 131°54'E 海拔高 128.8m. | | | | | | | | | | | | 年 | |
|-----------|-----------------------------------|---|--------|--------|--------|--------|--------|--------|--------|---------|--------|--------|---------|-------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | | |
| 平均氣壓 | 1922-1928 | 754.9 | 753.3 | 751.5 | 748.7 | 746.1 | 744.6 | 744.6 | 745.3 | 748.6 | 750.8 | 752.3 | 752.9 | 749.5 |
| 氣壓ノ最高 | " | 766.9 | 763.2 | 765.5 | 760.6 | 757.1 | 753.0 | 753.1 | 752.8 | 758.6 | 760.8 | 768.9 | 764.3 | 768.9 |
| 同上起日(年) | " | 21(28) | 5(25) | 7(27) | 1(28) | 5(22) | 12(26) | 9(25) | 22(25) | 30(22) | 14(26) | 29(27) | 11(23) | |
| 氣壓ノ最低 | " | 741.0 | 735.0 | 734.9 | 731.2 | 730.2 | 732.8 | 732.3 | 732.5 | 726.8 | 730.1 | 732.0 | 737.0 | 726.8 |
| 同上起日(年) | " | 11(27) | 23(28) | 2(28) | 20(26) | 9(22) | 17(22) | 2(22) | 3(26) | ...(25) | 2(27) | 13(27) | ...(25) | |
| 平均氣溫 | " | -15.7 | -10.8 | - 3.9 | 4.2 | 9.1 | 13.6 | 18.7 | 20.8 | 16.5 | 8.7 | - 1.5 | -10.8 | 4.1 |
| 氣溫ノ高極 | " | 0.5 | 6.7 | 14.3 | 17.2 | 22.9 | 31.1 | 32.5 | 30.7 | 26.6 | 21.8 | 13.2 | 4.3 | 32.5 |
| 同上起日(年) | " | 3(27) | 20(22) | 29(27) | 27(28) | 31(25) | 20(25) | 31(24) | 9(24) | 7(28) | 1(24) | 1(25) | 14(25) | |
| 氣溫ノ低極 | " | -29.9 | -26.9 | -19.9 | - 7.2 | 1.1 | 5.4 | 9.4 | 12.6 | 3.1 | - 7.3 | -17.6 | -25.1 | -29.9 |
| 同上起日(年) | " | 14(22) | 12(24) | 2(22) | 4(26) | 16(28) | 5(23) | 31(25) | 13(22) | 25(28) | 30(28) | 30(27) | 30(25) | |
| 平均最高氣溫 | " | -11.7 | - 6.8 | - 0.2 | 7.9 | 12.8 | 17.0 | 21.7 | 23.7 | 20.0 | 12.5 | 2.1 | - 7.2 | 7.7 |
| 平均最低氣溫 | " | -19.5 | -14.6 | - 7.3 | 0.9 | 5.8 | 10.6 | 16.1 | 18.4 | 13.4 | 5.4 | - 4.6 | -14.3 | 0.9 |
| 平均雲量 | " | 3.7 | 4.3 | 5.3 | 6.4 | 7.9 | 8.0 | 8.1 | 7.5 | 5.7 | 4.9 | 5.1 | 4.1 | 5.9 |
| 平均風速 | " | 8.3 | 7.1 | 6.9 | 7.0 | 6.8 | 6.7 | 6.9 | 6.4 | 6.4 | 7.4 | 8.2 | 7.7 | 7.2 |
| 最多風向 | " | N | N | N | N | SE | SE | SE | S | S | N | N | N | N |
| 降水量 | " | 10.9 | 21.6 | 31.9 | 31.5 | 76.5 | 65.5 | 100.6 | 170.0 | 127.7 | 55.5 | 45.5 | 33.7 | 770.9 |
| 降水量一日最大 | " | 22.6 | 31.5 | 35.0 | 28.8 | 41.5 | 59.5 | 107.5 | 149.2 | 137.1 | 32.5 | 39.6 | 37.5 | 149.2 |
| 同上起日(年) | " | 9(28) | 7(24) | 8(27) | 28(23) | 24(24) | 16(22) | 22(28) | 10(27) | 7(25) | 8(25) | 24(23) | 1(25) | |
| 降水日數 | " | 4.0 | 4.9 | 7.4 | 8.0 | 17.1 | 17.4 | 19.3 | 16.1 | 11.0 | 7.9 | 8.9 | 5.6 | 127.6 |
| 同上≥1.0 | " | 2.1 | 2.9 | 4.7 | 4.6 | 9.9 | 8.1 | 10.6 | 10.3 | 6.6 | 5.7 | 5.6 | 4.1 | 75.1 |
| 降雪日數 | " | 4.0 | 4.9 | 6.1 | 2.4 | 0.1 | 0 | 0 | 0 | 0 | 1.9 | 6.3 | 5.6 | 31.3 |
| 電雷日數 | " | 0 | 0 | 0 | 0 | 0.6 | 0.4 | 0.4 | 0.6 | 1.1 | 0.4 | 0 | 0 | 3.5 |
| 快晴天日數 | " | 12.1 | 8.6 | 6.7 | 3.7 | 1.6 | 0.6 | 1.4 | 2.6 | 6.1 | 8.6 | 8.1 | 10.4 | 70.5 |
| 曇日數 | " | 4.1 | 4.4 | 8.0 | 10.9 | 17.9 | 17.9 | 19.4 | 16.0 | 8.9 | 7.7 | 8.0 | 4.4 | 127.6 |
| 霧日數 | " | 0.9 | 1.0 | 3.4 | 8.0 | 13.4 | 15.7 | 20.4 | 9.4 | 2.9 | 3.4 | 2.4 | 1.4 | 82.3 |
| 暴風日數 | " | 10.1 | 7.7 | 5.7 | 8.0 | 6.4 | 3.3 | 4.0 | 5.6 | 7.0 | 10.4 | 11.0 | 9.7 | 88.9 |
| 最高氣溫≤0°日數 | " | 30.9 | 27.3 | 18.9 | 0.9 | 0 | 0 | 0 | 0 | 0 | 0.7 | 11.4 | 29.1 | 119.1 |
| 最低氣溫≤0°日數 | " | 31.0 | 28.3 | 29.4 | 11.7 | 0 | 0 | 0 | 0 | 0 | 3.7 | 24.9 | 31.0 | 160.0 |
| 積雪日數 | " | | | | | | | | | | | | | |
| 最深積雪高c.m. | " | 35 | 42 | 21 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 29 | 42 |
| 霜雪ノ季節平均 | " | First Frost Oct. 18. Last Frost Apr. 18. First Snow Oct. 19. Last Snow Apr. 18. | | | | | | | | | | | | |

備考

Hours of obs. 7^h13^h21^h. Meteorologij observoj Faritaj en Stacioj de Norda Manjcurio.

西比利亚、かむちやつか、樺太(北緯50度以北)

もんごりや各地累年氣候表

西比利亞、カムチャツカ、樺太（北緯50°以北）モンゴリヤ各地累年平均気温表

| No. | 地名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|------------------------------|--|-------|-------|-------|-------|------|------|------|------|------|-------|-------|-------|-------|
| 9 | Jugorskij Schar | 1913—1928 | -20.1 | -19.3 | -17.8 | -12.3 | -4.8 | 1.1 | 6.1 | 6.0 | 2.7 | -2.9 | -11.9 | -16.4 | -7.5 |
| 10 | Mare-Ssale | 1914—1918, 1920—1923 | -22.7 | -22.6 | -19.1 | -14.1 | -5.2 | 1.5 | 7.8 | 6.6 | 2.0 | -4.8 | -14.9 | -19.6 | -8.8 |
| 11 | Dixon | 1916—1924 | -28.0 | -25.8 | -25.5 | -18.2 | -8.9 | -0.7 | 3.2 | 4.3 | -0.3 | -8.4 | -20.3 | -23.9 | -12.7 |
| 12 | Chatangskoe | 1906, 1908—1909 | -34.8 | -31.1 | -27.8 | -18.7 | -6.5 | 4.5 | 11.6 | 8.5 | 1.0 | -12.8 | -27.0 | -29.2 | -13.5 |
| 13 | Bulum | 1909—1916, 1926—1928 | -40.0 | -35.5 | -26.1 | -15.4 | -4.0 | 7.4 | 12.0 | 8.8 | 2.0 | -12.4 | -30.2 | -36.7 | -14.2 |
| 14 | Kasatschje (Ust-Jansk) | { 1885—1886 1895—1896, 1901—1905 | -38.7 | -35.8 | -28.0 | -18.2 | -4.2 | 7.1 | 11.3 | 7.3 | 1.6 | -12.0 | -27.5 | -34.7 | -14.3 |
| 15 | Russkoe Ustje | 1895—1896, 1898—1903 | -38.4 | -37.6 | -30.9 | -20.3 | -7.0 | 4.7 | 8.6 | 5.6 | 0.5 | -12.4 | -26.9 | -34.0 | -15.7 |
| 17 | Sredne-Kolymsk | { 1887—1896, 1898—1908 1910, 1916—1917 | -40.6 | -35.7 | -27.1 | -14.6 | -0.6 | 11.4 | 13.7 | 8.9 | 2.8 | -11.2 | -28.6 | -37.0 | -13.2 |
| 18 | Nishne-Kolymsk | 1893, 1901—1905 | -37.9 | -35.3 | -26.1 | -15.6 | -2.0 | 9.5 | 11.5 | 8.1 | 2.4 | -11.1 | -26.3 | -32.5 | -13.0 |
| 19 | Petrun (Bolban) | { 1904—1906, 1911, 1914—1918, 1926—1928 | -20.9 | -19.6 | -14.7 | -7.2 | -0.1 | 7.5 | 14.5 | 11.0 | 5.3 | -3.5 | -13.6 | -17.3 | -4.9 |
| 20 | Beresow | 1881—1915 | -23.6 | -18.4 | -12.9 | -5.3 | 2.5 | 10.3 | 15.7 | 13.0 | 6.2 | -3.4 | -14.6 | -20.5 | -4.2 |
| 21 | Turuchansk (Monastyrskoe) | { 1881—1886, 1888 1900—1906, 1908—1920. | -28.4 | -23.4 | -17.5 | -10.0 | -0.9 | 8.7 | 15.9 | 12.4 | 4.8 | -7.1 | -20.8 | -27.5 | -7.8 |
| 22 | Werchne-Imbatskoe | 1911—1922, 1924 | -25.7 | -21.9 | -14.6 | -6.1 | 1.5 | 11.1 | 16.7 | 13.6 | 5.6 | -4.7 | -18.1 | -25.2 | -5.6 |
| 23 | Wiljuisk | 1898—1919 | -39.4 | -31.1 | -20.4 | -8.0 | 4.1 | 14.7 | 18.5 | 14.1 | 5.1 | -8.4 | -26.0 | -37.3 | -9.5 |
| 24 | Rodtschewo | 1892—1894, 1898—1902. | -40.0 | -35.3 | -27.0 | -12.9 | 1.1 | 13.0 | 14.4 | 10.1 | 4.0 | -10.0 | -28.0 | -36.8 | -12.3 |
| 25 | Markowo | 1894—1911, 1913—1919 | -28.7 | -25.7 | -23.3 | -15.2 | -2.4 | 10.0 | 14.1 | 10.1 | 3.0 | -8.6 | -19.7 | -26.3 | -9.4 |
| 26 | Nowo-Mariinskij Post | { 1889—1890, 1898—1913 1915—1919. | -23.3 | -21.3 | -19.9 | -14.9 | -3.8 | 4.0 | 10.4 | 9.4 | 3.7 | -4.8 | -15.1 | -21.5 | -8.1 |
| 27 | Ssatylshinskoe | 1903—1910 | -19.7 | -15.6 | -8.8 | 0.5 | 8.4 | 14.8 | 18.4 | 15.3 | 8.8 | -0.5 | -10.6 | -17.5 | -0.5 |
| 28 | Ssumarowo | 1892, 1894, 1897—1915 | -21.7 | -16.8 | -10.9 | -2.8 | 5.6 | 13.0 | 17.3 | 14.9 | 8.2 | -1.7 | -12.3 | -18.6 | -2.2 |
| 29 | Tscheremkoewskie Jurty | 1912—1915 | -20.8 | -16.9 | -10.5 | -1.5 | 6.9 | 13.2 | 16.8 | 13.9 | 7.8 | -1.4 | -11.4 | -17.4 | -1.8 |
| 30 | Ssurgut | 1884—1915 | -24.2 | -19.0 | -13.0 | -5.2 | 3.2 | 11.8 | 16.7 | 14.2 | 7.3 | -2.7 | -14.1 | -20.6 | -3.8 |
| 31 | Larjatskoe | 1915—1918 | -25.1 | -19.3 | -13.2 | -5.5 | 3.5 | 11.5 | 16.6 | 13.9 | 7.4 | -3.3 | -14.8 | -21.9 | -4.2 |
| 32 | Nowyj Sstan | 1912—1915 | -22.6 | -18.2 | -11.4 | -2.3 | 6.1 | 14.0 | 18.1 | 14.6 | 7.8 | -2.0 | -13.3 | -20.0 | -2.4 |
| 33 | Jurjewo | 1914—1916 | -31.2 | -23.5 | -15.4 | -4.6 | 4.7 | 13.8 | 16.7 | 13.0 | 5.3 | -4.9 | -19.0 | -27.5 | -6.0 |
| 34 | Elgjai | 1908—1916 | -36.6 | -28.8 | -19.3 | -6.7 | 4.7 | 14.6 | 18.6 | 13.6 | 5.3 | -6.8 | -22.8 | -31.4 | -8.2 |
| 35 | Olekminsk | { 1882—1896, 1900—1908 1911—1916 | -35.4 | -28.0 | -18.3 | -5.3 | 5.7 | 14.7 | 18.9 | 14.6 | 6.9 | -4.7 | -20.9 | -32.1 | -7.0 |

西比利亞、カムチャツカ、樺太 (北緯50°以北) モンゴリヤ累年平均気温表

| No. | 地名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|-------------------------|---|-------|-------|-------|------|------|------|------|------|------|------|-------|-------|-------|
| 36 | Marchinskoe | 1888—1903 | -11.1 | -36.0 | -22.9 | -8.0 | 5.5 | 15.3 | 18.6 | 14.3 | 5.8 | -8.5 | -28.7 | -10.7 | -10.8 |
| 37 | Ust-Maiskoe | { 1883. 94. 98—98. 1901—13 1926—28. | -12.1 | -35.9 | -22.4 | -8.3 | 5.6 | 14.4 | 18.7 | 14.4 | 6.7 | -7.3 | -27.2 | -37.4 | -10.1 |
| 38 | Ola | 1914—1918 | -22.5 | -18.8 | -13.5 | -6.2 | 0.1 | 5.6 | 11.3 | 11.2 | 6.6 | -2.8 | -14.5 | -21.5 | -5.4 |
| 39 | Najachan | 1914—1916. 1918 | -20.4 | -20.1 | -14.1 | -7.2 | 0.6 | 8.1 | 12.6 | 10.5 | 5.9 | -4.4 | -13.6 | -18.4 | -5.0 |
| 40 | Gishiginsk | { 1890. 91. 93. 94. 1898—1908. 1914—20 | -23.9 | -23.1 | -17.7 | -9.7 | 0.0 | 8.4 | 12.0 | 10.5 | 5.0 | -6.1 | -16.6 | -21.9 | -6.9 |
| 45 | Turinsk | 1901—05. 1907—15 | -17.4 | -14.4 | -8.6 | 1.6 | 10.0 | 15.3 | 18.0 | 15.2 | 9.2 | 0.5 | -8.5 | -14.7 | 0.5 |
| 46 | Kurgan | 1893—1915 | -18.3 | -16.1 | -10.2 | 1.7 | 11.9 | 17.0 | 19.3 | 16.7 | 10.6 | 1.5 | -8.1 | -14.8 | 0.9 |
| 47 | Tara | { 1887—90. 94. 96. 1905—15 | -20.5 | -17.5 | -11.7 | -1.1 | 9.0 | 15.1 | 17.8 | 15.2 | 9.4 | -0.4 | -10.7 | -17.1 | -1.0 |
| 48 | Petrowskij Posselok | 1907—1915 | -21.0 | -17.6 | -11.8 | -1.4 | 8.2 | 13.8 | 16.3 | 13.5 | 8.1 | -0.8 | -11.2 | -17.9 | -1.8 |
| 49 | Schipizirskoe | 1913—1915 | -21.2 | -18.8 | -12.9 | -1.5 | 9.2 | 14.8 | 17.7 | 14.9 | 9.3 | -0.4 | -10.6 | -17.4 | -1.4 |
| 50 | Kargatskij Forpost | 1898—1915 | -20.3 | -18.3 | -12.2 | -1.6 | 9.0 | 15.4 | 18.1 | 15.3 | 9.1 | 0.1 | -10.4 | -16.9 | -1.1 |
| 51 | Narym | 1892—1915 | -23.1 | -17.8 | -11.5 | -2.6 | 5.9 | 14.1 | 18.2 | 15.2 | 8.4 | -1.4 | -12.9 | -20.0 | -2.3 |
| 52 | Moltschanowo | 1907—1915 | -21.2 | -16.9 | -11.0 | -1.1 | 7.0 | 14.6 | 17.8 | 14.9 | 8.8 | -0.6 | -11.6 | -18.4 | -1.5 |
| 53 | Taiga | 1900—1913. 1915. | -19.3 | -16.6 | -10.9 | -1.4 | 7.5 | 14.7 | 17.4 | 14.6 | 8.3 | -0.9 | -11.0 | -16.8 | -1.2 |
| 54 | Mariinsk | 1884—85. 1898—1915 | -18.4 | -15.6 | -10.1 | -0.5 | 8.5 | 15.3 | 18.0 | 15.3 | 9.0 | -0.2 | -9.8 | -15.4 | -0.3 |
| 55 | Ushurskoe | 1902. 1906—1911. | -18.6 | -16.0 | -10.8 | -0.7 | 8.3 | 14.5 | 17.6 | 15.2 | 8.6 | -0.7 | -10.0 | -15.8 | -0.7 |
| 56 | Atschinsk | 1884—85. 1900—17. | -18.0 | -15.1 | -9.8 | -0.6 | 8.1 | 15.0 | 18.0 | 15.0 | 8.7 | -0.3 | -10.2 | -15.8 | -0.4 |
| 57 | Eiſseisk | 1881—1915 | -22.2 | -18.2 | -10.6 | -1.4 | 7.0 | 15.1 | 18.9 | 15.6 | 8.3 | -1.3 | -12.5 | -20.0 | -1.8 |
| 58 | Kansk | 1890. 1893—1916 | -20.6 | -18.0 | -10.3 | -0.1 | 8.6 | 16.0 | 19.0 | 16.0 | 8.7 | -0.7 | -11.0 | -17.4 | -0.8 |
| 59 | Taischet | 1902. 1905—1915 | -19.7 | -15.7 | -8.8 | -0.6 | 7.8 | 15.1 | 18.2 | 15.2 | 8.3 | -0.8 | -10.8 | -17.2 | -0.7 |
| 60 | Tangui | 1906—1916 | -23.8 | -20.7 | -11.6 | -0.8 | 7.5 | 14.8 | 17.7 | 14.6 | 7.1 | -1.8 | -13.1 | -21.3 | -2.6 |
| 61 | Keshemskoe | 1900—1901. 1908—10. | -26.5 | -21.8 | -12.8 | -3.0 | 5.9 | 14.8 | 18.2 | 15.0 | 6.8 | -3.4 | -15.4 | -23.7 | -3.8 |
| 62 | Ilimsk | 1902—1915 | -26.1 | -21.4 | -12.6 | -2.6 | 6.3 | 14.0 | 17.1 | 13.9 | 6.3 | -2.9 | -14.9 | -23.7 | -3.9 |
| 63 | Omoloewskoe | 1894—1916 | -26.6 | -21.7 | -12.8 | -2.4 | 6.1 | 14.1 | 17.1 | 14.2 | 6.7 | -2.8 | -15.3 | -24.2 | -4.0 |
| 64 | Kirensk | 1892—1915 | -27.3 | -22.4 | -13.0 | -2.2 | 6.9 | 15.1 | 18.7 | 15.0 | 7.0 | -2.8 | -15.7 | -24.6 | -3.8 |
| 65 | Tichono-Sadorskij Prisk | 1900—01. 1903—04. 1907 1909—12. 1914—16. | -27.7 | -23.6 | -16.8 | -6.8 | 2.4 | 12.0 | 16.2 | 11.8 | 4.4 | -6.6 | -18.8 | -25.4 | -6.6 |
| 66 | Unacha | 1910. 1912—1917 | -30.2 | -23.8 | -15.8 | -3.8 | 6.3 | 14.0 | 17.8 | 14.2 | 6.9 | -5.1 | -19.2 | -26.3 | -5.4 |

西比利亞、カムチャツカ、樺太 (北緯50°以北) モンゴリヤ累年平均気温表

| No. | 地名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|------------------------|-------------------------------------|-------|-------|-------|------|------|------|------|------|------|------|-------|-------|------|
| 67 | Urkatsch | 1890—1915 | -17.8 | -16.4 | -10.6 | 2.2 | 13.9 | 19.1 | 21.6 | 19.2 | 12.5 | 3.0 | -6.7 | -13.8 | 2.2 |
| 68 | Tscholaxai | 1913—1915 | -17.5 | -16.7 | -10.9 | 1.2 | 13.0 | 17.5 | 20.3 | 18.0 | 11.9 | 2.8 | -6.9 | -13.3 | 1.6 |
| 69 | Ssarymbet | 1903—1915 | -16.8 | -15.9 | -10.1 | 0.9 | 11.4 | 15.7 | 18.2 | 16.0 | 10.1 | 0.9 | -7.6 | -13.4 | 0.8 |
| 70 | Koktschetaw | 1885—1887. 1901—1912 | -16.1 | -14.8 | -9.6 | 1.7 | 12.5 | 17.2 | 19.9 | 17.6 | 11.4 | 2.0 | -7.1 | -13.2 | 1.8 |
| 71 | Akmolinsk | 1881—1885. 1880—1915 | -17.0 | -16.5 | -11.0 | 0.9 | 12.8 | 17.8 | 20.3 | 17.8 | 11.1 | 1.7 | -7.3 | -13.6 | 1.4 |
| 72 | Michailowskij Posselok | 1907—1915 | -19.8 | -18.6 | -12.4 | -0.8 | 11.2 | 16.7 | 19.5 | 16.9 | 10.3 | 0.9 | -9.9 | -15.9 | -0.1 |
| 73 | Burlinskie Osera | 1894—1908 | -19.0 | -18.4 | -12.6 | -0.8 | 11.4 | 17.4 | 19.8 | 17.3 | 10.8 | 1.4 | -9.1 | -15.6 | 0.2 |
| 74 | Borowyje Osera | 1894—1908 | -16.6 | -16.1 | -10.2 | 1.7 | 12.8 | 18.7 | 20.5 | 18.3 | 12.2 | 2.8 | -7.2 | -13.1 | 2.0 |
| 75 | Borowskoe | 1905—1909 | -17.6 | -16.5 | -10.8 | 0.6 | 11.0 | 17.2 | 19.4 | 17.0 | 10.8 | 1.2 | -8.8 | -14.1 | 0.8 |
| 76 | Itkulsch Sawod | 1895—1903 | -17.1 | -16.3 | -10.1 | 1.3 | 10.9 | 16.8 | 18.6 | 16.6 | 10.4 | 1.7 | -8.4 | -14.4 | 0.8 |
| 77 | Bijsk | { 1884—85. 95—1908 1914—15 | -16.2 | -15.7 | -9.6 | 1.3 | 11.2 | 17.2 | 19.3 | 17.1 | 11.4 | 2.4 | -8.1 | -13.8 | 1.4 |
| 78 | Kusnezsk | 1894—1915 | -17.3 | -15.9 | -9.4 | 0.7 | 9.9 | 16.6 | 19.0 | 16.6 | 10.4 | 1.5 | -8.5 | -15.1 | 0.7 |
| 79 | Abakanskij Sawod | 1901—1910 | -17.8 | -13.6 | -8.4 | 2.9 | 10.0 | 15.8 | 18.0 | 15.2 | 9.1 | 1.5 | -8.1 | -14.3 | 0.9 |
| 80 | Balandino | 1902—1903. 1905—16 | -21.3 | -19.1 | -12.5 | 0.5 | 9.5 | 16.4 | 19.4 | 16.6 | 9.6 | 0.6 | -9.9 | -17.9 | -0.7 |
| 81 | Tolbudsckaja | 1913—1916 | -26.6 | -23.9 | -14.1 | -2.7 | 5.4 | 11.6 | 13.4 | 11.4 | 4.0 | -4.3 | -14.9 | -23.8 | -5.4 |
| 82 | Nishneudinsk | { 1902—1904. 1908—1910 1912—1916 | -22.0 | -18.6 | -10.3 | 0.3 | 8.1 | 15.1 | 17.5 | 14.8 | 8.1 | -0.6 | -11.3 | -19.0 | -1.5 |
| 83 | Okinskij Sstan | 1913—1916 | -21.7 | -20.4 | -12.0 | -2.9 | 4.6 | 11.8 | 13.8 | 11.7 | 4.5 | -4.0 | -13.0 | -21.3 | -4.1 |
| 84 | Mondy | { 1900—1903. 1905—1907 1915—1916 | -20.7 | -18.0 | -11.4 | -2.0 | 5.9 | 12.8 | 14.8 | 12.2 | 5.2 | -2.5 | -11.0 | -16.5 | -2.6 |
| 85 | Ussolje | 1888—90. 92. 1900—15 | -23.6 | -20.2 | -11.1 | 0.3 | 8.5 | 15.5 | 18.3 | 15.8 | 8.5 | -0.2 | -11.6 | -19.6 | -1.6 |
| 86 | Myssowaja | 1896—1916 | -17.4 | -16.8 | -10.1 | -1.0 | 4.6 | 10.2 | 13.5 | 14.1 | 8.6 | 2.1 | -5.1 | -10.0 | -0.6 |
| 87 | Werchneudinsk | 1886. 1893. 1895—1915 | -26.7 | -21.7 | -11.9 | 0.5 | 8.5 | 16.2 | 19.2 | 16.4 | 8.4 | -0.9 | -13.0 | -21.5 | -2.2 |
| 88 | Bargusin | 1885—1886. 1898—1915 | -27.0 | -23.4 | -12.1 | -0.3 | 7.6 | 15.0 | 18.2 | 15.8 | 8.6 | -0.6 | -12.8 | -23.8 | -2.9 |
| 90 | Chilok | 1901. 03—05. 1907—1916 | -25.6 | -19.9 | -11.8 | -0.7 | 7.1 | 14.2 | 16.9 | 14.8 | 7.2 | -1.6 | -13.0 | -21.2 | -2.8 |
| 91 | Ukyr | 1909—1916 | -26.0 | -21.3 | -13.9 | -2.6 | 5.6 | 13.3 | 16.6 | 13.4 | 6.3 | -2.8 | -14.5 | -22.2 | -4.0 |
| 92 | Mogson | 1900—1908. 1910—1915 | -27.0 | -22.4 | -13.8 | -1.7 | 6.2 | 13.6 | 16.2 | 13.3 | 6.3 | -2.9 | -14.5 | -23.0 | -4.1 |
| 93 | Bolschoj Amalat | 1909—1912 | -29.1 | -25.3 | -15.7 | -3.3 | 5.7 | 13.4 | 16.4 | 13.0 | 6.0 | -5.0 | -18.3 | -27.8 | -5.8 |

西比利亚、カムチャツカ、樺太 (北緯50°以北) モンゴリヤ累年平均気温表

| No. | 地 名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|--------------------|----------------------|-------|-------|-------|------|-----|------|------|------|------|------|-------|-------|------|
| 94 | Sugalui | 1908—1912 | -24.2 | -20.7 | -12.3 | -0.5 | 7.9 | 15.5 | 18.5 | 15.7 | 9.1 | -0.3 | -13.4 | -21.3 | -2.2 |
| 95 | Nertschinsk | 1900—1915 | -31.4 | -25.5 | -15.0 | -0.2 | 9.5 | 17.2 | 20.5 | 17.0 | 9.6 | -1.8 | -17.0 | -28.9 | -3.8 |
| 96 | Sretensk | 1899—1915 | -32.8 | -26.5 | -15.1 | -0.7 | 8.9 | 16.5 | 19.6 | 16.5 | 9.0 | -2.4 | -17.6 | -29.7 | -4.5 |
| 97 | Gorbiza | 1911—1916 | -33.0 | -25.8 | -15.2 | -1.2 | 8.2 | 15.6 | 19.2 | 15.8 | 8.4 | -2.7 | -18.7 | -30.8 | -5.0 |
| 98 | Taptugary | 1910—1916 | -30.7 | -22.9 | -15.3 | -2.9 | 6.6 | 14.1 | 17.4 | 13.9 | 6.5 | -4.6 | -18.9 | -28.3 | -5.4 |
| 99 | Pokrowka | 1910—1917 | -33.3 | -25.5 | -15.0 | -0.9 | 7.8 | 15.7 | 19.4 | 15.9 | 8.4 | -2.4 | -18.1 | -29.9 | -4.8 |
| 100 | Erofei Pawlowitsch | 1910—1917 | -29.6 | -22.9 | -15.1 | -2.1 | 7.2 | 15.2 | 18.3 | 14.4 | 7.4 | -3.7 | -17.9 | -26.5 | -4.6 |
| 101 | Uruscha | 1910—1917 | -27.7 | -21.4 | -13.1 | -2.0 | 7.4 | 15.6 | 19.3 | 15.1 | 7.9 | -3.4 | -17.0 | -25.9 | -3.8 |
| 102 | Reinowo | 1896—1900, 1910—1914 | -30.2 | -22.3 | -13.5 | -0.7 | 8.2 | 15.9 | 19.7 | 16.0 | 8.7 | -2.4 | -16.6 | -26.7 | -3.6 |
| 103 | Ruchlowo | 1911—1917 | -29.3 | -22.7 | -14.2 | -1.7 | 7.1 | 15.3 | 18.7 | 15.0 | 7.8 | -3.4 | -16.8 | -26.9 | -4.3 |
| 104 | Tygan-Urkan | 1910—1922 | -26.8 | -21.5 | -13.7 | -1.4 | 7.1 | 14.7 | 18.0 | 14.8 | 7.4 | -3.8 | -16.9 | -24.2 | -3.9 |
| 105 | Taldan | 1912—1917 | -26.6 | -19.6 | -12.4 | -1.5 | 7.1 | 14.9 | 19.1 | 14.8 | 8.2 | -3.4 | -16.0 | -23.7 | -3.3 |
| 106 | Tschernjaewo | 1902—1917 | -28.0 | -21.0 | -12.3 | 0.6 | 9.0 | 16.1 | 19.8 | 16.7 | 9.8 | -1.3 | -15.7 | -25.6 | -2.7 |
| 107 | Ulanga | 1910—1917 | -28.4 | -22.1 | -13.6 | -0.6 | 7.5 | 15.0 | 18.4 | 14.9 | 7.6 | -2.9 | -16.9 | -26.2 | -4.0 |
| 108 | Pikan | 1910—1917 | -30.1 | -22.3 | -13.4 | -0.7 | 7.7 | 15.4 | 18.8 | 15.4 | 8.3 | -3.0 | -17.2 | -27.6 | -4.0 |
| 109 | Dambuki | 1912—1917 | -32.6 | -24.1 | -15.6 | -2.1 | 6.9 | 14.2 | 18.4 | 14.9 | 7.9 | -3.6 | -18.1 | -27.8 | -5.1 |
| 110 | Gondatti | 1912—1917 | -28.7 | -22.5 | -13.4 | 0.0 | 8.3 | 16.0 | 19.7 | 16.5 | 9.2 | -2.3 | -15.8 | -26.0 | -3.2 |
| 111 | Kuchterin Lug | 1912—1917 | -30.9 | -24.2 | -14.9 | -0.6 | 8.0 | 15.5 | 19.3 | 16.0 | 8.6 | -2.8 | -17.0 | -28.5 | -4.3 |
| 112 | Bonak | 1910—1917 | -31.7 | -22.1 | -13.0 | -1.8 | 6.9 | 13.7 | 17.9 | 14.6 | 8.0 | -3.8 | -18.3 | -29.4 | -4.9 |
| 113 | Masanowo | 1910—1917 | -29.4 | -22.6 | -12.8 | 0.6 | 9.0 | 16.2 | 19.7 | 17.4 | 10.7 | -0.4 | -14.8 | -27.4 | -2.8 |
| 114 | Gosch | 1911—1917 | -30.4 | -23.7 | -14.5 | -0.4 | 8.5 | 15.4 | 18.6 | 16.4 | 9.5 | -1.8 | -15.6 | -27.8 | -3.8 |
| 115 | Otradnoe | 1914—1917 | -31.0 | -23.2 | -13.9 | -0.3 | 8.9 | 15.7 | 19.4 | 16.5 | 9.0 | -1.9 | -16.4 | -28.0 | -3.8 |
| 116 | Ekimtschan | 1915—1917 | -33.3 | -25.4 | -16.6 | -3.1 | 6.0 | 12.4 | 16.8 | 14.3 | 7.6 | -3.7 | -18.5 | -30.2 | -6.1 |
| 117 | Ssofjiskij Priisk | 1888—1898, 1915—1917 | -34.2 | -25.3 | -17.4 | -5.2 | 3.7 | 10.8 | 15.2 | 12.6 | 6.2 | -5.3 | -19.8 | -30.4 | -7.4 |
| 118 | Kerbino | 1910—1918 | -27.7 | -21.4 | -12.4 | -1.2 | 6.6 | 12.5 | 17.6 | 16.5 | 10.6 | 0.8 | -13.4 | -25.4 | -3.1 |
| 119 | Zimmermanowka | 1912—1919 | -24.1 | -17.9 | -11.0 | -0.1 | 6.4 | 13.5 | 18.1 | 17.3 | 12.0 | 2.9 | -9.0 | -19.3 | -0.9 |
| 120 | Mariinsk | 1912—1919 | -23.8 | -17.6 | -10.6 | -0.4 | 5.4 | 12.4 | 16.7 | 17.0 | 12.8 | 3.8 | -8.7 | -19.2 | -1.0 |
| 121 | Pronge | 1912—1915 | -22.4 | -18.7 | -12.6 | -3.6 | 1.5 | 10.0 | 15.5 | 16.1 | 12.5 | 3.9 | -8.1 | -17.8 | -2.0 |
| 122 | Langr | 1912—1918 | -23.4 | -20.4 | -13.9 | -5.0 | 0.4 | 8.5 | 14.4 | 14.6 | 11.8 | 3.5 | -7.1 | -17.3 | -2.8 |

西比利亚、カムチャツカ、樺太 (北緯50°以北) モンゴリヤ累年平均気温表

| No. | 地 名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|--------------------|-------------------------------------|-------|-------|-------|------|------|------|------|------|------|------|-------|-------|------|
| 123 | Turgai | 1900—1904, 1908—1915 | -17.8 | -16.3 | -9.4 | 4.1 | 15.7 | 21.2 | 23.7 | 21.4 | 14.4 | 4.6 | -5.0 | -12.5 | 3.7 |
| 124 | Troizkij-Posselok | 1908—1909, 1911—1915 | -17.6 | -17.0 | -12.4 | -0.7 | 10.6 | 15.5 | 18.0 | 15.9 | 9.3 | 0.4 | -8.5 | -14.7 | -0.1 |
| 125 | Karkaralinsk | { 1894—1898, 1901—1908 1910—1914 | -13.7 | -12.7 | -7.8 | 2.1 | 11.5 | 16.2 | 18.8 | 16.5 | 10.5 | 1.6 | -6.2 | -11.0 | 2.1 |
| 126 | Usun-Bulak | 1893—1898 | -14.9 | -14.1 | -8.3 | 1.8 | 13.2 | 18.2 | 20.5 | 18.8 | 12.9 | 3.8 | -6.7 | -11.4 | 2.8 |
| 127 | Ssemipalatinsk | 1882—1888, 1892—1915 | -16.0 | -15.8 | -9.9 | 3.0 | 14.2 | 19.7 | 21.8 | 19.6 | 13.1 | 3.5 | -6.4 | -12.7 | 2.8 |
| 130 | Kokpekty | 1894—1897, 1902—1915 | -19.2 | -18.0 | -11.2 | 2.6 | 13.2 | 18.3 | 21.3 | 19.5 | 13.3 | 3.0 | -8.4 | -16.1 | 1.5 |
| 131 | Saissanskaja | 1912—1914 | -18.8 | -17.1 | -10.8 | 4.9 | 14.2 | 19.0 | 20.9 | 19.3 | 13.3 | 4.3 | -7.2 | -16.2 | 2.2 |
| 132 | Kosch-Agatsch | 1907—1908 | -30.6 | -29.0 | -13.4 | -2.5 | 5.6 | 12.4 | 14.4 | 11.8 | 4.4 | -3.3 | -18.6 | -25.5 | -6.2 |
| 133 | Innokentiewskoe | 1912—1916 | -27.8 | -22.8 | -10.6 | 1.7 | 9.7 | 17.0 | 19.2 | 16.2 | 9.2 | -0.3 | -12.9 | -22.1 | -2.0 |
| 134 | Olowjannaja | 1902—1916 | -27.7 | -22.8 | -13.0 | 0.8 | 9.4 | 17.0 | 20.1 | 16.6 | 9.6 | -0.6 | -13.8 | -24.1 | -2.4 |
| 135 | Borsja | 1901—1915 | -28.3 | -24.1 | -14.2 | -0.1 | 8.7 | 16.5 | 19.6 | 16.6 | 9.7 | -1.1 | -14.8 | -24.6 | -3.0 |
| 136 | Amurskoe | 1913—1917 | -26.0 | -20.5 | -12.0 | 1.5 | 9.8 | 16.9 | 20.4 | 18.0 | 11.2 | 0.2 | -12.4 | -23.1 | -1.3 |
| 137 | Michailowskoe | 1910—1917 | -27.8 | -21.6 | -12.6 | 1.1 | 9.6 | 16.6 | 20.2 | 17.9 | 10.9 | 0.2 | -13.1 | -24.8 | -2.0 |
| 138 | Tarbogatai | 1910—1917 | -29.2 | -22.8 | -14.2 | 0.0 | 8.9 | 16.2 | 19.8 | 17.3 | 10.1 | -0.9 | -14.6 | -26.5 | -3.0 |
| 139 | Archara | 1914—1917 | -26.7 | -21.0 | -12.1 | 1.3 | 9.5 | 16.8 | 20.2 | 17.9 | 11.2 | 1.1 | -12.0 | -23.9 | -1.5 |
| 140 | Paikanskij Sklad | 1910—1917 | -29.5 | -23.8 | -13.8 | 0.3 | 8.7 | 15.9 | 19.3 | 17.1 | 10.1 | -0.5 | -13.9 | -26.7 | -3.1 |
| 141 | Ekaterino Nikolsk | { 1880—82, 84—1900, 1912—1917 | -22.6 | -16.4 | -8.0 | 3.5 | 10.6 | 17.0 | 20.5 | 19.1 | 12.9 | 3.8 | -8.3 | -19.4 | 1.0 |
| 142 | Chabarowsk | { 1885—1888, 91—94, 1896—1900 | -23.1 | -17.4 | -8.8 | 2.8 | 10.9 | 16.7 | 20.2 | 19.6 | 13.6 | 4.2 | -8.3 | -19.4 | 0.9 |
| 143 | Ssowjetskaja | 1913—1915 | -20.3 | -15.5 | -9.1 | 0.6 | 3.8 | 9.2 | 13.6 | 16.1 | 12.2 | 4.5 | -6.1 | -15.9 | -0.6 |
| 144 | Kamen Rybolow | 1885—82, 94, 1913—1915 | -18.6 | -13.7 | -4.9 | 4.7 | 11.7 | 16.8 | 20.9 | 21.0 | 15.0 | 6.4 | -5.5 | -14.6 | 3.3 |
| 145 | Askold, Leuchtturm | 1911—1915 | -11.1 | -8.6 | -3.0 | 3.4 | 7.9 | 11.6 | 15.9 | 19.0 | 15.8 | 9.0 | 0.0 | -8.4 | 4.3 |
| 146 | Sspasskoe | 1913—1915 | -19.0 | -14.7 | -6.2 | 4.9 | 12.0 | 16.8 | 20.1 | 20.8 | 14.4 | 6.8 | -4.7 | -14.7 | 3.0 |
| 147 | Ewgenjewka | 1909—1915 | -20.0 | -15.5 | -6.5 | 4.9 | 12.2 | 16.9 | 20.6 | 21.4 | 14.3 | 6.4 | -4.6 | -15.8 | 2.9 |
| 148 | Poworotnyj | { 1896—1898, 1903—1908 1911—1915 | -10.1 | -8.0 | -2.4 | 3.2 | 7.0 | 10.8 | 15.4 | 18.7 | 16.0 | 9.4 | 0.2 | -7.5 | 4.4 |
| 149 | Bikin | 1909—1915 | -23.0 | -17.7 | -8.1 | 3.9 | 11.4 | 16.7 | 20.1 | 19.9 | 12.6 | 4.4 | -8.2 | -19.3 | 1.1 |
| 150 | Post Olga | 1881—80, 92, 94, 1908—15 | -11.7 | -8.8 | -2.8 | 4.2 | 8.6 | 12.4 | 16.9 | 19.1 | 14.5 | 7.1 | -1.8 | -9.7 | 4.0 |

西比利亞、カムチャツカ、樺太（北緯50°以北）モンゴリヤ累年平均気温表

| No. | 地名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|--------------------|------------------|----------------------|-------|-------|-------|------|------|------|------|------|------|------|-------|-------|------|
| カムチャツカ | | | | | | | | | | | | | | | |
| 151 | Bolscherezsk | 1909—1910, 1914—1915 | -13.6 | -15.1 | -10.1 | -2.5 | 2.1 | 5.0 | 11.0 | 12.0 | 7.8 | 2.4 | -3.5 | -10.2 | -1.2 |
| 152 | Tigil | 1908—1910 | -19.7 | -20.0 | -13.8 | -2.8 | 1.6 | 5.0 | 10.1 | 10.5 | 6.2 | -0.3 | -8.0 | -18.3 | -4.1 |
| 153 | Petropawlowsk | 1890—1915 | -11.0 | -11.2 | -7.2 | -2.0 | 2.2 | 6.7 | 10.6 | 11.9 | 9.2 | 3.9 | -2.5 | -7.6 | 0.2 |
| 154 | Kljutschewskoe | 1908—1910, 1914—1918 | -18.1 | -15.9 | -11.6 | -2.4 | 4.4 | 10.6 | 14.7 | 13.4 | 8.2 | 1.5 | -8.0 | -16.5 | -1.6 |
| 155 | Ust-Kamtschatsk | 1914—1918 | -13.9 | -13.9 | -11.0 | -3.0 | 2.3 | 7.6 | 11.5 | 12.5 | 8.6 | 2.5 | -5.1 | -11.8 | -1.2 |
| 156 | Nikolskoe | 1899—1908, 1910—1918 | -5.4 | -5.8 | -4.2 | -0.8 | 2.2 | 5.7 | 9.1 | 10.5 | 8.6 | 4.2 | 0.0 | -3.3 | 1.7 |
| 157 | Preobraschenskoe | 1902—1904, 1911—1912 | -3.7 | -3.8 | -3.0 | -0.2 | 2.7 | 5.8 | 8.3 | 10.2 | 9.0 | 4.7 | 1.1 | -2.4 | 2.4 |
| 樺太（北緯五十度以北） | | | | | | | | | | | | | | | |
| 158 | Shenkier | 1910—1915 | -16.6 | -13.3 | -7.2 | 0.2 | 4.3 | 10.2 | 14.9 | 16.2 | 13.1 | 5.4 | -4.7 | -12.0 | 0.9 |
| 159 | Tymowskaja | 1913—1915 | -23.6 | -18.7 | -11.4 | -1.7 | 4.8 | 11.5 | 15.7 | 15.5 | 10.8 | 2.3 | -8.6 | -18.1 | -1.8 |
| 160 | Rykowskoe | 1886—1904, 1909—1914 | -23.4 | -18.4 | -11.2 | -0.9 | 5.3 | 11.4 | 16.2 | 15.7 | 10.9 | 2.0 | -8.8 | -18.4 | -1.6 |
| 161 | Onor | 1898—1904 | -20.6 | -16.1 | -10.1 | -0.6 | 5.5 | 10.6 | 15.6 | 15.3 | 11.0 | 2.0 | -7.9 | -16.7 | -1.0 |
| モンゴリヤ | | | | | | | | | | | | | | | |
| 162 | Kobdo | 1895—1897 | -22.9 | -18.7 | -11.5 | 2.3 | 11.5 | 18.0 | 19.0 | 17.4 | 10.9 | 2.3 | -11.8 | -21.4 | -0.4 |
| 163 | Durektschi-Wan | 1926—1928 | -30.5 | -26.6 | -18.1 | -2.5 | 5.9 | 11.9 | 14.9 | 13.6 | 4.8 | -6.2 | -19.0 | -27.5 | -6.6 |
| 164 | Chatchal | 1926—1928 | -21.2 | -18.7 | -14.1 | -3.3 | 3.1 | 7.4 | 9.7 | 9.6 | 4.4 | -0.1 | -12.7 | -18.6 | -4.5 |
| 165 | Zezerlik | 1927—1928 | -14.1 | -11.6 | -8.2 | 1.3 | 9.0 | 12.3 | 14.7 | 14.0 | 7.7 | 0.7 | -7.8 | -13.2 | 0.4 |

Klima der Union der Sozialistischen Sowjet-Republiken Teil I. die Lufttemperatur. Leningrad 1931.

西比利亞、カムチャツカ、樺太（北緯50°以北）累年平均気圧表（海面ノ度700+…）

| No. | 地名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|----------------------|--|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 9 | Jugorskij Schar | { 1913—1916, 1917—1918 1922—1924 | 57.3 | 57.6 | 58.5 | 61.7 | 59.7 | 59.0 | 59.2 | 57.8 | 57.1 | 55.6 | 56.7 | 56.9 | 58.1 |
| 10 | Mare-Ssale | 1914—1918, 1921—1922 | 59.7 | 58.7 | 58.9 | 61.7 | 59.9 | 59.1 | 58.4 | 57.0 | 57.2 | 54.7 | 56.4 | 58.4 | 58.3 |
| 11 | Dixon | 1916—1921 | 59.1 | 59.5 | 59.7 | 59.7 | 58.8 | 57.4 | 58.2 | 57.3 | 57.2 | 54.2 | 55.7 | 59.7 | 58.0 |
| 13 | Bulun | 1914—1917 | 67.8 | 66.8 | 63.4 | 60.2 | 58.3 | 57.3 | 56.4 | 57.7 | 60.1 | 59.5 | 62.9 | 66.0 | 61.3 |
| 14 | Kasatschje | 1901—1905 | 66.5 | 66.5 | 63.6 | 61.7 | 58.7 | 56.1 | 54.9 | 57.2 | 58.9 | 58.9 | 61.1 | 64.9 | 60.7 |
| 16 | Werchojansk | 1901—1905, 1909—1920 | 70.2 | 70.1 | 65.4 | 60.8 | 57.5 | 55.2 | 54.8 | 57.1 | 59.6 | 61.5 | 65.3 | 68.8 | 62.2 |
| 15 | Russkoe Ustje | 1901—1903 | 65.7 | 68.2 | 65.4 | 62.2 | 60.4 | 56.9 | 55.8 | 58.0 | 59.1 | 59.4 | 61.8 | 63.2 | 61.3 |
| 20 | Beresow | { 1887—1888, 1892—1895 1899—1910 | 63.0 | 63.2 | 63.0 | 63.8 | 60.9 | 58.2 | 57.4 | 57.6 | 58.4 | 59.9 | 60.8 | 63.5 | 60.8 |
| 22 | Werchne-Inbatskoe | 1911—1915 | 67.0 | 67.1 | 65.1 | 63.0 | 59.5 | 55.9 | 54.7 | 56.0 | 59.6 | 60.4 | 63.3 | 65.7 | 61.5 |
| 25 | Markowo | { 1894—1895, 1903—1911 1913—1919 | 63.1 | 63.7 | 63.9 | 62.8 | 60.7 | 58.4 | 57.1 | 57.6 | 58.9 | 59.8 | 60.4 | 61.6 | 60.7 |
| 26 | Nowo-Mariinskij Post | 1911—1913, 1915—1919 | 62.2 | 62.2 | 63.4 | 62.8 | 61.2 | 60.2 | 58.6 | 58.1 | 58.1 | 59.2 | 59.0 | 59.9 | 60.4 |
| 28 | Ssamarowo | 1898—1910 | 64.4 | 65.3 | 64.7 | 64.1 | 60.8 | 57.7 | 56.6 | 57.0 | 59.1 | 61.0 | 62.1 | 64.4 | 61.4 |
| 30 | Ssurgut | 1887—1910 | 64.9 | 65.8 | 65.0 | 63.9 | 60.5 | 57.2 | 56.0 | 56.6 | 59.3 | 60.6 | 62.1 | 64.6 | 61.4 |
| 35 | Olekninsk | 1883—1885, 1911—1915 | 72.8 | 71.5 | 67.3 | 61.4 | 57.8 | 54.9 | 54.4 | 57.3 | 61.8 | 64.3 | 67.1 | 70.3 | 63.3 |
| 36 | Marchinskoe | 1888—1903 | 71.5 | 70.7 | 65.5 | 60.5 | 57.3 | 54.8 | 54.2 | 56.2 | 59.9 | 62.4 | 66.0 | 69.6 | 62.3 |
| 40 | Gishiginsk | { 1890—1891, 1894, 1898—1908, 1914—1919 | 60.5 | 60.6 | 61.2 | 60.0 | 59.1 | 57.9 | 56.1 | 57.5 | 57.9 | 57.6 | 56.6 | 57.9 | 58.6 |
| 46 | Kurgan | 1896—1910 | 67.0 | 68.4 | 67.8 | 65.3 | 61.7 | 57.8 | 56.4 | 57.6 | 61.2 | 64.2 | 65.7 | 67.3 | 63.3 |
| 47 | Tara | 1905—1915 | 67.5 | 68.3 | 67.6 | 65.3 | 61.0 | 56.8 | 55.4 | 56.6 | 60.5 | 63.1 | 65.1 | 67.1 | 62.9 |
| 50 | Kargatskij Forpost | 1905—1915 | 69.6 | 70.4 | 69.3 | 65.5 | 61.2 | 56.9 | 55.3 | 57.0 | 62.0 | 64.8 | 67.9 | 69.5 | 64.1 |
| 51 | Narym | 1900—1915 | 67.6 | 68.3 | 66.9 | 64.4 | 60.5 | 56.5 | 55.3 | 56.8 | 60.6 | 62.5 | 65.0 | 67.3 | 62.6 |
| 53 | Taiga | 1900—1910 | 70.5 | 71.3 | 69.1 | 65.2 | 60.9 | 56.7 | 55.3 | 57.1 | 62.2 | 65.0 | 68.3 | 70.2 | 64.2 |
| 54 | Mariinsk | 1899—1910 | 70.8 | 71.4 | 69.6 | 65.0 | 60.9 | 56.9 | 55.5 | 57.4 | 62.5 | 65.3 | 68.5 | 70.3 | 64.5 |
| 57 | Enisseisk | 1889—1910 | 70.0 | 71.1 | 67.9 | 63.5 | 60.1 | 56.1 | 55.1 | 57.0 | 62.0 | 64.0 | 67.1 | 69.4 | 63.6 |
| 58 | Kansk | 1890, 1894—1910 | 72.4 | 73.0 | 69.7 | 64.7 | 61.0 | 56.8 | 55.3 | 57.6 | 63.2 | 66.4 | 69.6 | 71.7 | 65.2 |
| 59 | Taischet | 1906—1915 | 72.5 | 73.1 | 69.3 | 64.1 | 60.3 | 56.6 | 55.0 | 57.3 | 63.1 | 66.4 | 69.9 | 71.4 | 64.9 |
| 41 | Bratskij Oastrog | 1902—1908, 1910—1915 | 73.6 | 73.7 | 69.5 | 63.7 | 60.0 | 56.1 | 54.7 | 57.3 | 63.2 | 66.5 | 69.7 | 72.6 | 65.1 |
| 63 | Omoloewskoe | 1902—1915 | 73.3 | 73.2 | 68.9 | 62.6 | 59.1 | 55.3 | 54.0 | 56.6 | 62.4 | 66.0 | 69.5 | 72.6 | 64.5 |

西比利亞、カムチャツカ、樺太 (北緯50°以北) 累年平均氣壓表 (海面ノ度700+…)

| No. | 地 名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|--------------------------|--|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 64 | Kirensk | 1896—1915 | 72.4 | 72.3 | 68.2 | 62.0 | 58.7 | 55.5 | 54.5 | 56.9 | 62.2 | 65.2 | 68.6 | 71.7 | 64.0 |
| 42 | Duschkatschan | 1899—1903, 1912—1915 | 74.2 | 75.2 | 70.6 | 63.6 | 60.2 | 56.8 | 54.8 | 56.4 | 62.2 | 65.5 | 69.0 | 70.9 | 64.9 |
| 65 | Tichono-Sadonskij Priisk | { 1900—1901, 1903—04, 07 1910—1912, 1914—1915 | 72.6 | 72.7 | 68.4 | 61.8 | 58.7 | 54.6 | 54.1 | 56.9 | 61.7 | 65.0 | 68.4 | 71.4 | 63.9 |
| 69 | Ssarymbet | 1903—1915 | 69.3 | 70.7 | 69.9 | 66.6 | 62.2 | 58.6 | 56.7 | 58.3 | 62.8 | 65.8 | 68.4 | 69.7 | 64.8 |
| 70 | Koktschetaw | 1901—1912 | 69.6 | 70.9 | 70.2 | 66.8 | 62.2 | 58.3 | 56.5 | 58.2 | 62.8 | 66.0 | 68.4 | 69.4 | 64.8 |
| 71 | Akmolinsk | 1896—1910 | 71.4 | 72.0 | 70.6 | 66.6 | 62.0 | 57.5 | 55.6 | 57.7 | 63.0 | 66.7 | 70.0 | 71.2 | 65.3 |
| 74 | Borowyje Osera | 1895—1908 | 72.2 | 73.1 | 71.4 | 66.4 | 61.7 | 57.3 | 55.3 | 57.3 | 63.0 | 67.6 | 71.0 | 72.3 | 65.7 |
| 75 | Borowskoe | 1906—1909 | 72.4 | 73.1 | 71.4 | 66.7 | 61.8 | 57.4 | 55.2 | 57.3 | 63.0 | 67.1 | 70.9 | 72.3 | 65.7 |
| 78 | Kusnezsk | 1901—1910 | 72.4 | 72.9 | 70.8 | 65.5 | 61.3 | 56.8 | 54.9 | 57.2 | 62.7 | 66.9 | 70.6 | 72.3 | 65.3 |
| 43 | Tulun | 1899—1904, 06, 08—15 | 74.1 | 74.2 | 70.2 | 61.6 | 60.6 | 56.8 | 55.1 | 57.6 | 63.8 | 66.9 | 70.6 | 73.1 | 65.5 |
| 44 | Sima | 1907—1915 | 74.5 | 74.4 | 70.7 | 61.5 | 60.4 | 56.8 | 54.8 | 57.4 | 63.6 | 67.3 | 71.5 | 73.7 | 65.8 |
| 85 | Ussolje | { 1888—90, 92 1890—1905, 1907—1910 | 75.0 | 75.0 | 70.7 | 64.9 | 60.5 | 56.7 | 54.8 | 57.4 | 63.6 | 67.7 | 71.8 | 73.8 | 65.9 |
| 86 | Myssowaja | 1900—1910 | 74.2 | 74.5 | 71.0 | 64.7 | 61.2 | 57.7 | 55.6 | 57.8 | 63.4 | 66.8 | 69.7 | 71.4 | 65.6 |
| 87 | Werchneudinsk | { 1886—1893 1895—1898 1902—1910 | 77.2 | 76.5 | 71.1 | 64.0 | 59.9 | 56.0 | 54.2 | 56.9 | 63.3 | 67.5 | 72.1 | 74.8 | 66.0 |
| 88 | Bargusin | 1898—1905, 1907—1910 | 76.7 | 75.5 | 70.0 | 63.0 | 59.2 | 55.8 | 54.2 | 56.9 | 62.7 | 66.2 | 69.7 | 74.5 | 65.4 |
| 89 | Petrowskij Sawod | { 1893—1897 1899—1904 1906—1910 | 77.8 | 76.8 | 71.3 | 63.7 | 59.5 | 55.7 | 54.0 | 57.1 | 63.0 | 67.6 | 72.4 | 75.4 | 66.2 |
| 90 | Chilok | 1903—1915 | 76.0 | 74.5 | 69.3 | 62.3 | 58.1 | 54.9 | 53.3 | 56.1 | 62.0 | 66.7 | 70.9 | 73.0 | 64.8 |
| 95 | Nertschinsk | 1903—1915 | 74.4 | 73.3 | 67.9 | 60.2 | 55.7 | 53.2 | 52.5 | 55.0 | 60.2 | 64.5 | 68.8 | 72.3 | 63.2 |
| 96 | Sretensk | 1903—1915 | 75.4 | 73.8 | 68.2 | 60.4 | 56.0 | 53.8 | 53.2 | 55.7 | 60.6 | 64.9 | 69.2 | 72.8 | 63.7 |
| 99 | Pokrowka | 1910—1915 | 72.7 | 71.1 | 66.6 | 60.0 | 56.0 | 54.0 | 53.7 | 55.2 | 60.0 | 63.8 | 67.6 | 70.2 | 62.6 |
| 104 | Tygan-Urkan | 1911—1915 | 70.6 | 69.3 | 65.8 | 59.9 | 56.4 | 54.9 | 54.9 | 56.1 | 60.6 | 63.9 | 66.8 | 67.9 | 62.3 |
| 106 | Tschernjaewo | 1910—1915 | 69.6 | 67.9 | 64.5 | 58.5 | 55.3 | 54.1 | 54.0 | 55.1 | 59.5 | 62.6 | 65.3 | 67.0 | 61.1 |
| 108 | Pikan | 1910—1915 | 69.9 | 68.0 | 64.6 | 58.7 | 55.5 | 54.5 | 54.4 | 55.5 | 59.7 | 62.4 | 65.4 | 66.9 | 61.2 |
| 112 | Bonak | 1909—1915 | 70.0 | 67.8 | 64.3 | 58.5 | 55.4 | 55.1 | 54.7 | 55.6 | 59.5 | 61.9 | 65.1 | 66.8 | 61.2 |
| 113 | Masanowo | 1909—1915 | 69.2 | 67.3 | 64.0 | 58.2 | 55.2 | 54.5 | 54.4 | 55.6 | 59.4 | 62.2 | 64.6 | 66.6 | 60.8 |
| 114 | Gesch | 1911—1915 | 69.3 | 67.5 | 64.0 | 58.0 | 55.0 | 54.3 | 54.0 | 55.2 | 59.4 | 62.3 | 64.8 | 67.2 | 60.8 |
| 117 | Ssofijiskij Priisk | 1891—1898 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 121 | Pronge | 1912—1915 | 62.4 | 62.6 | 60.8 | 58.2 | 57.0 | 57.1 | 55.5 | 56.4 | 58.7 | 58.6 | 58.9 | 59.2 | 58.8 |

西比利亞、カムチャツカ、樺太 (北緯50°以北) 累年平均氣壓表 (海面ノ度700+…)

| No. | 地 名 | 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 全年 |
|-----|--------------------|--|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 123 | Turgai | 1902—1904, 1908—1915 | 70.3 | 71.0 | 69.6 | 65.8 | 62.3 | 58.1 | 56.4 | 58.7 | 63.3 | 67.1 | 69.4 | 70.2 | 65.2 |
| 125 | Karkaralinsk | 1900—1908 | 71.9 | 72.6 | 70.6 | 66.1 | 62.3 | 57.7 | 55.3 | 57.7 | 63.2 | 68.1 | 71.2 | 72.8 | 65.7 |
| 127 | Ssemipalatinsk | 1882—85, 92, 94—1910 | 73.3 | 73.9 | 72.1 | 66.3 | 61.9 | 57.4 | 55.0 | 57.2 | 63.0 | 68.1 | 72.0 | 73.3 | 66.1 |
| 128 | Ust-Kamenogorskaja | 1893—1910 | 74.3 | 74.2 | 71.9 | 65.8 | 61.5 | 57.1 | 54.3 | 56.8 | 62.8 | 68.4 | 72.7 | 74.4 | 66.1 |
| 129 | Urga | 1893—1902, 1904 | 77.5 | 76.7 | 70.4 | 62.6 | 58.2 | 54.0 | 52.1 | 55.6 | 62.0 | 67.0 | 73.7 | 76.5 | 65.5 |
| 134 | Olowjannaja | 1903—1915 | 74.5 | 73.6 | 68.4 | 60.7 | 56.3 | 53.7 | 52.7 | 55.3 | 60.8 | 65.0 | 69.1 | 72.1 | 63.5 |
| 138 | Tarbogotai | 1910—1915 | 69.6 | 67.4 | 64.2 | 58.1 | 55.2 | 54.1 | 54.1 | 55.5 | 59.4 | 62.7 | 65.1 | 66.6 | 61.0 |
| 141 | Ekaterino-Nikolsk | { 1890—92, 95, 1897—1900, 1912—1915 | 67.9 | 66.6 | 63.5 | 59.0 | 55.6 | 54.7 | 54.6 | 55.9 | 60.0 | 62.9 | 65.2 | 66.0 | 61.0 |
| 142 | Chabarowsk | { 1890—1894, 1896—1900, 1910—1915 | 66.4 | 65.2 | 62.4 | 58.6 | 55.9 | 55.1 | 54.8 | 56.0 | 59.8 | 61.6 | 63.4 | 64.1 | 60.2 |
| 145 | Askold, Leuchtturm | 1911—1915 | 65.5 | 65.1 | 63.2 | 60.1 | 57.2 | 55.6 | 55.8 | 56.6 | 60.1 | 62.9 | 64.1 | 64.4 | 60.9 |
| 147 | Ewgenjewka | 1909—1915 | 67.6 | 66.2 | 63.6 | 59.6 | 56.3 | 54.6 | 54.7 | 56.2 | 60.1 | 63.2 | 64.8 | 66.0 | 61.1 |
| 148 | Poworotnyj | 1911—1915 | 65.4 | 65.0 | 63.4 | 60.7 | 58.0 | 56.5 | 56.4 | 57.3 | 60.7 | 63.5 | 64.6 | 64.4 | 61.2 |
| 149 | Bikin | 1909—1915 | 67.0 | 65.6 | 63.0 | 58.6 | 56.0 | 54.6 | 54.8 | 56.2 | 59.9 | 62.8 | 64.2 | 65.3 | 60.7 |
| 150 | Post Olga | 1910—1915 | 64.3 | 63.8 | 62.5 | 60.3 | 57.5 | 56.4 | 56.6 | 57.7 | 60.4 | 63.1 | 63.6 | 63.4 | 60.9 |

カムチャツカ及樺太北緯五十度以北

| | | | | | | | | | | | | | | | |
|-----|----------------|----------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 151 | Bolscherek | 1909—1911 | 53.0 | 54.2 | 56.6 | 55.8 | 58.3 | 59.7 | 57.2 | 58.9 | 58.0 | 56.0 | 52.6 | 50.3 | 55.9 |
| 153 | Petropawlowsk | 1890—1893, 1909—1915 | 54.0 | 54.4 | 57.2 | 57.2 | 58.9 | 60.2 | 58.4 | 59.6 | 58.9 | 56.2 | 54.1 | 51.2 | 56.6 |
| 154 | Kljutschewskoe | 1908—1910, 1914—1915 | 58.2 | 56.7 | 60.2 | 57.5 | 58.3 | 59.3 | 57.2 | 58.8 | 58.3 | 55.1 | 54.1 | 52.8 | 57.2 |
| 156 | Nikolskoe | 1911—1915 | 53.2 | 51.0 | 55.8 | 55.2 | 57.6 | 59.6 | 58.4 | 59.4 | 58.0 | 55.0 | 51.8 | 48.4 | 55.3 |
| 160 | Rykowskoe | 1886—1904, 1910 | 62.2 | 62.2 | 60.4 | 58.4 | 57.3 | 57.4 | 56.1 | 57.2 | 59.4 | 59.7 | 59.7 | 59.2 | 59.0 |

Klima der Union der Sozialistischen Sowjet-Republiken Teil 11. Luftdruck und Wind in der U.S.S.R. Leningrad, 1932.

中 華 民 國

CHINA

No. 166

地名 Siwantse 西灣子

緯度 40°58'N 經度 115°18'E 海拔高 1,167.0m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 | |
|---------|-----------------------------|---------|---------|---------|--|---------|-----------------|---------|---------|---------|---------|---------|---------|-------|
| 平均氣壓 | 662.9 | 662.2 | 661.5 | 658.7 | 656.5 | 655.5 | 655.5 | 657.3 | 659.9 | 662.1 | 662.3 | 662.5 | 659.8 | |
| 平均氣溫 | 1878-82 | -14.5 | -9.2 | -1.3 | 7.4 | 13.9 | 18.8 | 20.8 | 18.9 | 13.5 | 6.2 | -5.0 | -12.9 | 4.7 |
| 平均最高氣溫* | " | 1.8 | 6.5 | 14.2 | 23.0 | 28.3 | 29.3 | 30.1 | 28.2 | 25.1 | 20.6 | 11.3 | 4.0 | 18.5 |
| 平均最低氣溫* | " | -28.0 | -23.5 | -15.6 | -8.3 | 2.2 | 8.6 | 14.0 | 10.5 | 4.6 | -7.5 | -19.1 | -26.0 | -7.3 |
| 氣溫ノ高極 | " | 5.7 | 10.7 | 15.7 | 24.4 | 29.5 | 32.0 | 34.5 | 31.6 | 26.4 | 23.2 | 15.7 | 7.6 | 31.5 |
| 同上起日(年) | " | ...(82) | ...(79) | ...(81) | ...(81) | ...(81) | ...(82) | ...(82) | ...(81) | ...(81) | ...(81) | ...(81) | ...(78) | |
| 氣溫ノ低極 | " | -33.1 | -26.2 | -21.1 | -11.0 | -0.1 | 6.6 | 13.2 | 9.5 | 2.0 | -9.9 | -26.7 | -28.0 | -33.1 |
| 同上起日(年) | " | ...(80) | ...(81) | ...(81) | ...(78) | ...(81) | ...(81) | ...(80) | ...(82) | ...(80) | ...(82) | ...(80) | ...(78) | |
| 水蒸氣壓力 | " | 1.1 | 1.7 | 2.5 | 3.5 | 4.7 | 8.6 | 12.0 | 10.6 | 7.6 | 4.1 | 2.2 | 1.1 | 5.0 |
| 平均濕度 | " | 72.0 | 70.0 | 60.8 | 46.8 | 41.0 | 54.6 | 67.2 | 65.8 | 66.8 | 59.4 | 70.0 | 63.2 | 61.5 |
| 平均雲量 | " | 2.7 | 2.9 | 2.1 | 3.7 | 4.5 | 4.7 | 4.8 | 4.3 | 4.3 | 2.8 | 3.3 | 2.8 | 3.6 |
| 降水量 | " | 2.5 | 5.8 | 1.2 | 15.7 | 23.6 | 69.4 | 98.5 | 87.2 | 55.1 | 20.9 | 8.9 | 3.4 | 392.2 |
| 降水日數 | " | 7.2 | 6.4 | 4.4 | 6.6 | 8.6 | 13.4 | 14.2 | 11.5 | 10.0 | 5.8 | 6.8 | 5.6 | 100.5 |
| 備考 | Met. Zeit. 1895. S. 28--31. | | 觀測時 | | 8 ^h , 13 ^h , 21 ^h . | | * 月中最高(最低)氣溫ノ平均 | | | | | | | |

No. 167

地名 Chinwangtao 秦皇島

緯度 39°55'N 經度 119°38'E 海拔高 18.3m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 | |
|--------|------------|-------|--|-------|---|------|------|-------|-------|------|------|-------|-------|-------|
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 平均最高氣溫 | 1928-29 | -6.4 | -4.1 | 3.0 | 10.8 | 17.2 | 22.1 | 24.4 | 24.2 | 19.9 | 12.1 | 3.2 | -0.3? | 10.5 |
| 平均最低氣溫 | " | -1.5 | 0.8 | 7.0 | 14.3 | 20.7 | 25.3 | 27.8 | 28.6 | 24.7 | 18.3 | 8.3 | -0.1 | 14.5 |
| 平均最低氣溫 | " | -11.2 | -9.6 | -0.3 | 5.7 | 12.2 | 17.7 | 21.6 | 20.8 | 14.0 | 6.3 | -1.2 | -8.6 | 5.6 |
| 氣溫ノ高極 | " | 10.0 | 10.6 | 15.6 | 24.4 | 27.8 | 32.2 | 33.9 | 31.7 | 29.4 | 24.4 | 16.1 | 6.1 | 33.9 |
| 氣溫ノ低極 | " | -19.4 | -19.4 | -10.6 | -4.4 | 5.0 | 11.1 | 16.1 | 15.6 | 1.1 | -3.3 | -10.0 | -15.6 | -19.4 |
| 平均雲量 | " | 3.0 | 2.9 | 4.2 | 5.4 | 4.5 | 5.6 | 6.4 | 6.3 | 3.4 | 2.4 | 3.5 | 3.5 | 4.2 |
| 降水量 | 1908-1924* | 3.4 | 2.7 | 14.2 | 16.2 | 58.5 | 67.4 | 181.6 | 191.7 | 77.6 | 25.2 | 12.8 | 2.5 | 653.8 |
| 降水日數 | " | 2.5 | 1.8 | 4.2 | 4.7 | 6.8 | 10.3 | 13.6 | 10.9 | 6.4 | 4.1 | 3.5 | 2.4 | 71.2 |
| 最多風向日數 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 暴風向日數 | 1928-29 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 5 |
| 電雷日數 | " | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 1 | 2 | 0 | 0 | 0 | 8 |
| 降雪日數 | " | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 7 |
| 霧日數 | " | 5 | 3 | 2 | 4 | 5 | 1 | 1 | 1 | 1 | 4 | 2 | 4 | 33 |
| 備考 | 觀測時 | | 3 ^h 6 ^h 9 ^h 12 ^h 15 ^h 18 ^h 21 ^h 24 ^h . | | * Zikawei: Etude sur la Pluie en China 11°. | | | | | | | | | |

地名 Tangku 塘沽

緯度 39°0'N 經度 117°11'E 海拔高 3.7m.

Table with 14 columns (months) and 15 rows (climate metrics like average temperature, precipitation, etc.) for Tangku.

備考 觀測時 3^h6^h9^h12^h15^h18^h21^h24^h. * Zikawei: Etude sur la Pluie en Chine 11°.

地名 Dagu (Taku) 大沽

緯度 38°59'N 經度 117°40'E 海拔高 6.0m.

Table with 14 columns (months) and 15 rows (climate metrics) for Dagu (Taku).

備考 Met. Zeit. 1895. S 31-34. 觀測時 7^h13^h21^h (3) Zikawei: Etude sur la Pluie en Chine 11°.

(1) 月中最高(最低)氣溫ノ平均 (2) 1880年ハ統計ヨリ省ク

地名 Howki 猴磯島

緯度 38°4'N 經度 120°39'E 海拔高 89.6m.

Table with 14 columns (months) and 15 rows (climate metrics) for Howki.

備考 觀測時 3^h6^h9^h12^h15^h18^h21^h24^h. * Zikawei: Etude sur la Pluie en China 11°.

地名 Tai-juan 太原

緯度 37°41'N 經度 112°47'E 海拔高 ? m.

Table with 14 columns (months) and 15 rows (climate metrics) for Tai-juan.

備考 山西省氣象統計表 支那駐屯軍司令部發行

* 月中最高(最低)氣溫ノ平均 觀測時 2^h6^h10^h14^h18^h22^h.

No. 172

地名 N. E. Promontory 成山頭

緯度 37°24'N 經度 121°42'E 海拔高 53.9m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, etc.).

No. 173

地名 S. E. Promontory 瑛 瑯 島

緯度 36°54'N 經度 122°32'E 海拔高 12.5m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, etc.).

No. 174

地名 Hoi-Hien 徽 縣

緯度 33°16'N 經度 106°1'E 海拔高 950m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, etc.).

No. 175

地名 Hok'ien 霍 邱 縣

緯度 32°22'N 經度 116°15'E 海拔高 ? m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, etc.).

地名 Chinkiang 鎮 江

緯度 32°13'N 經度 119°27'E 海拔高 12.2m.

Table with 14 columns (months and year) and 15 rows of meteorological data including average temperature, precipitation, and wind.

備考 * Zikawei: Etude sur la Pluie en China 11°.

地名 Nantung 南通 (軍山氣象臺)

緯度 31°57'N 經度 120°56'E 海拔高 110.4m.

Table with 14 columns (months and year) and 15 rows of meteorological data including average temperature, precipitation, and wind.

備考 Observation made by Chen-shan observatory, College of Agriculture, university of Nantung, Kiangsu, China. Published by the National Inst. of Met. Acad. Sinica, Pei-chi-ko.

* 月中最高(最低)氣溫ノ平均 Hours of obs. The East China standard time (120°E) is adopted, observations are made at 8 times daily 0h 3h 6h 9h 12h 15h 18h 21h. But the readings of 0h and 3h are obtained by self-recording instruments.

No. 178

地名 Shaweihsow 余山

緯度 31°25'N 經度 122°14'E 海拔高 53.3m.

Table with 14 columns (months and year) and 15 rows (climate metrics like average temperature, precipitation, etc.).

No. 179

地名 Woosung 吳淞

緯度 31°21'N 經度 121°30'E 海拔高 3.7m.

Table with 14 columns (months and year) and 15 rows (climate metrics like average temperature, precipitation, etc.).

No. 180

地名 Lu-kiapang 菴葭濱

緯度 31°19'N 經度 121°2'E 海拔高 3 m.

Table with 14 columns (months and year) and 15 rows (climate metrics like average temperature, precipitation, etc.).

No. 181

地名 North Saddle 花鳥山北島

緯度 30°52'N 經度 122°40'E 海拔高 72.5m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, etc.) for North Saddle.

* Zikawei: Etude sur la Pluie en China 11°.

No. 182

地名 Gutzlaff 大戩山

緯度 30°49'N 經度 122°10'E 海拔高 75.3m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Gutzlaff.

* Zikawei: Etude sur la Pluie en China 11°.

No. 183

地名 Ichang 宜昌

緯度 30°34'N 經度 111°13'E 海拔高 112.8m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Ichang.

* 1/2 (Max+Min) 觀測時 3h 6h 9h 15h 21h. 1882-1924 年間、Zikawei: Etude sur la Pluie en China 11° 及び 1924-27 年間、Meteorological Return of China ニヨル

No. 184

地名 Steep Island 小龜山

緯度 30°13'N 經度 122°35'E 海拔高 62.8m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Steep Island.

* Zikawei: Etude sur la Pluie en China 11°.

No. 185

地名 Tchen-fu

Table with columns for months (一月 to 十二月) and years (年). Rows include average temperature, highest/lowest temperature, precipitation, and other meteorological data for Tchen-fu.

No. 186

地名 Anyo 安岳

Table with columns for months and years. Rows include average temperature, precipitation, and other meteorological data for Anyo.

No. 187

地名 Chinhai 鎮海

Table with columns for months and years. Rows include average temperature, precipitation, and other meteorological data for Chinhai.

No. 188

地名 Kiukiang 九江

Table with columns for months and years. Rows include average temperature, precipitation, and other meteorological data for Kiukiang.

No. 189

地名 Chungking 重慶

Table with columns for months and years. Rows include average temperature, precipitation, and other meteorological data for Chungking.

地名 Yochow 岳 州

緯度 29°24'N 經度 113°10'E 海拔高 76.2m.

Table with 14 columns (Month/Year) and 15 rows (Climate statistics like average temperature, precipitation, etc.) for Yochow.

備考 * 1/2 (Max+Min) 觀測時 3h 6h 9h 12h 15h 18h 21h 24h. 1909-1923 年 Zikawei; Etude sur la Pluie en China 11°. 1924-27 年 Met. Return of China = ヨル.

地名 Peiyushan 北魚山

緯度 28°53'N 經度 122°16'E 海拔高 82.3m.

Table with 14 columns (Month/Year) and 15 rows (Climate statistics) for Peiyushan.

備考 * 1/2 (Max+Min) 觀測時 3h 6h 9h 12h 15h 18h 21h 24h. 1904-1923 年 Zikawei; Etude sur la Pluie en China 11°. 1924-1927 年 Met. Return of China = ヨル.

地名 Changsha 長 沙

緯度 28°12'N 經度 112°47'E 海拔高 60.0m.

Table with 14 columns (Month/Year) and 15 rows (Climate statistics) for Changsha.

備考 觀測時 3h 6h 9h 12h 15h 18h 21h 24h. 1909-23 年 Zikawei; Etude sur la Pluie en China 11°. 1924-27 年 Met. Return of China = ヨル.

地名 Wenchow 溫 州

緯度 28°1'N 經度 120°38'E 海拔高 4.3m.

Table with 14 columns (Month/Year) and 15 rows (Climate statistics) for Wenchow.

備考 * 1/2 (Max+Min) 觀測時 9h 12h 14h. 1883-1923 年 Zikawei; Etude sur la Pluie en China 11°. 1924-27 年 Met. Return of China = ヨル.

No. 194

地名 Tungyung 東湧

緯度 26°33'N 經度 120°30'E 海拔高 109.7m.

Table with 13 columns (months and year) and 14 rows (climate statistics like average temperature, precipitation, etc.)

備考 觀測時 3h 6h 9h 12h 15h 18h 21h 24h. 1905-24 年ハ Zikawei: Etude sur la Pluie en China 11° ニヨル.

No. 195

地名 Pagoda Anorage (Foochow) 福州

緯度 25°59'N 經度 119°27'E 海拔高 19.8m.

Table with 13 columns (months and year) and 14 rows (climate statistics like average temperature, precipitation, etc.)

備考 觀測時 3h 9h 15h 21h. 1880-1923 年 Zikawei: Etude sur la Pluie en China 11°. 1924-27 年ハ Met. Return of China ニヨル

No. 196

地名 Middle Dog 東犬

緯度 25°58'N 經度 119°59'E 海拔高 59.1m.

Table with 13 columns (months and year) and 14 rows (climate statistics like average temperature, precipitation, etc.)

備考 觀測時 3h 6h 9h 12h 15h 18h 21h 24h. * Zikawei: Etude sur la Pluie en China 11°.

No. 197

地名 Turn-about 牛山島

緯度 25°26'N 經度 119°56'E 海拔高 64.9m.

Table with 13 columns (months and year) and 14 rows (climate statistics like average temperature, precipitation, etc.)

備考 觀測時 3h 6h 9h 12h 15h 18h 21h 24h. * Zikawei: Etude sur la Pluie en China 11°.

地名 Yunnanfou (China) 雲南府

Table with columns for months (一月 to 十二月) and years (年). Rows include average pressure, temperature, wind, and precipitation data for Yunnanfou (China).

Annuaire du Service Météorologique de L'Indochine, observatoire central Phu-Lien. 10h 16h. * 1/2 (Max+Min)

地名 Ockseu 烏邱嶼

Table with columns for months (一月 to 十二月) and years (年). Rows include average pressure, temperature, wind, and precipitation data for Ockseu (烏邱嶼).

觀測時 3h 6h 9h 12h 15h 18h 21h 24h. * Zikawei: Etude sur la Pluie en China 11°.

地名 Tengyuch 騰越

Table with columns for months (一月 to 十二月) and years (年). Rows include average pressure, temperature, wind, and precipitation data for Tengyuch.

* Zikawei: Etude sur la Pluie en China 11°.

地名 Amoy 廈門

Table with columns for months (一月 to 十二月) and years (年). Rows include average pressure, temperature, wind, and precipitation data for Amoy (廈門).

觀測時 3h 6h 9h 12h 15h 18h 21h 24h. 1880-1923 年 Zikawei: Etude sur la Pluie en China 11°. 1924-27 年 Met. Return of China ニヨル

No. 202

地名 Chapel Island 東旋島

緯度 24°10'N 經度 118°30'E 海拔高 54.9m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, wind direction). Includes a reference note: * Zikawei: Etude sur la Pluie en China 11°.

No. 203

地名 Wuchow 梧州

緯度 23°38'N 經度 111°17'E 海拔高 10.7m.

Table with 14 columns (months and year) and 15 rows (climate statistics). Includes a reference note: * Zikawei: Etude sur la Pluie en China 11°.

No. 204

地名 Swatow 汕頭

緯度 23°21'N 經度 116°40'E 海拔高 3.4m.

Table with 14 columns (months and year) and 15 rows (climate statistics). Includes a reference note: * 1/2 (Max+Min) 1880-1923年 Zikawei: Etude sur la Pluie en China 11°. 1924-1927年 Met. Return of China ニョル、觀測時 3h, 6h, 9h, 12h, 15h, 18h, 21h, 24h.

No. 205

地名 Lamocks 東澎島

緯度 23°16'N 經度 117°17'E 海拔高 58.2m.

Table with 14 columns (months and year) and 15 rows (climate statistics). Includes a reference note: * Zikawei: Etude sur la Pluie en China 11°.

| | | 地名 Samshui 三水 | | | | | | | | | | | | |
|--------|------------|--|------|-------------|-------|-----------|-------|-------|-------|-------|------|------|------|--------|
| | | 緯度 23°6'N | | 經度 112°54'E | | 海拔高 9.1m. | | | | | | | | |
| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 | |
| 平均氣溫 | 1928—1929 | 13.2 | 12.2 | 16.1 | 21.5 | 25.7 | 27.6 | 29.7 | 28.5 | 27.7 | 22.8 | 18.0 | 15.4 | 21.5 |
| 平均最高氣溫 | " | 17.1 | 15.5 | 20.3 | 25.4 | 27.9 | 31.2 | 32.6 | 33.9 | 31.4 | 27.6 | 22.9 | 19.5 | 25.4 |
| 平均最低氣溫 | " | 10.3 | 10.3 | 13.9 | 18.7 | 23.2 | 25.0 | 25.9 | 25.7 | 24.5 | 18.9 | 14.0 | 12.3 | 18.5 |
| 氣溫ノ高極 | " | 26.7 | 26.7 | 29.1 | 32.2 | 32.2 | 35.0 | 36.7 | 36.1 | 35.6 | 33.9 | 31.1 | 26.1 | 36.7 |
| 氣溫ノ低極 | " | 3.9 | 3.3 | 6.7 | 13.3 | 18.3 | 19.4 | 23.3 | 23.3 | 18.9 | 12.2 | 8.3 | 3.3 | 3.3 |
| 平均雲量 | " | 6.3 | 7.8 | 7.4 | 7.0 | 7.9 | 6.7 | 6.1 | 6.8 | 5.5 | 3.3 | 5.9 | 5.9 | 6.3 |
| 降水量 | 1900—1924* | 42.0 | 65.5 | 110.6 | 181.1 | 309.4 | 265.6 | 240.5 | 259.4 | 137.9 | 65.6 | 47.5 | 43.6 | 1768.7 |
| 降水日數 | 1928—1929 | 6.6 | 9.1 | 13.2 | 14.9 | 17.1 | 16.7 | 13.9 | 14.4 | 9.2 | 4.9 | 5.1 | 6.1 | 131.2 |
| 最多風向 | 1928—1929 | N | N | N | SE | SE | SE | SE | SW | NE | N | N | N | N |
| 暴風日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 電雷日數 | " | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 降雪日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 霧日數 | " | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 備考 | | 觀測時 3h, 6h, 9h, 12h, 15h, 18h, 21h, 24h. * Zikawei; Etude sur la Pluie en China 11°. | | | | | | | | | | | | |

| | | 地名 Canton 廣州 | | | | | | | | | | | | |
|---------|-----------|---|--------|-------------|--------|-----------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 緯度 23°6'N | | 經度 113°18'E | | 海拔高 8.8m. | | | | | | | | |
| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 | |
| 平均氣溫 | 1924—1929 | 14.8 | 13.7 | 17.7 | 21.0 | 26.6 | 27.8 | 29.2 | 28.4 | 24.2 | 20.1 | 17.1 | 22.5 | |
| 平均最高氣溫 | " | 18.4 | 16.5 | 21.0 | 24.6 | 29.9 | 31.2 | 32.9 | 33.0 | 32.4 | 29.0 | 25.3 | 26.3 | |
| 平均最低氣溫 | " | 11.1 | 10.8 | 14.3 | 17.4 | 23.3 | 24.4 | 25.4 | 24.4 | 19.4 | 14.9 | 12.4 | 18.6 | |
| 氣溫ノ高極 | " | 27.8 | 27.8 | 30.0 | 33.3 | 35.0 | 35.0 | 38.3 | 37.8 | 37.2 | 35.0 | 31.7 | 28.3 | |
| 同上起日(年) | " | 15(29) | 21(29) | 14(26) | 15(28) | 28(27) | 30(29) | 14(25) | 15(26) | 6(27) | 10(25) | 15(26) | 38.3 | |
| 氣溫ノ低極 | " | 2.8 | 3.3 | 6.1 | 10.0 | 18.3 | 17.8 | 22.8 | 22.2 | 20.6 | 12.2 | 5.0 | 2.2 | |
| 同上起日(年) | " | 31(25) | 2(25) | 4(27) | 9(25) | 1(26) | 3(26) | 20(26) | 31(28) | 26(27) | 18(27) | 25(24) | 24(29) | |
| 降水量 | 1907—1929 | 48.3 | 76.0 | 91.2 | 155.8 | 264.0 | 262.5 | 263.5 | 262.9 | 125.2 | 62.1 | 46.4 | 31.2 | 1689.1 |
| 降水日數 | " | 6.4 | 9.9 | 12.4 | 14.8 | 18.0 | 18.5 | 15.3 | 16.1 | 10.9 | 5.7 | 5.2 | 5.7 | 138.9 |
| 同一日最大量 | 1924—1929 | 23.1 | 47.0 | 66.6 | 84.3 | 99.6 | 95.5 | 86.9 | 138.9 | 50.3 | 98.6 | 74.7 | 20.1 | 138.9 |
| 同上起日(年) | " | 16(25) | 17(27) | 7(28) | 11(26) | 8(27) | 23(24) | 19(26) | 25(25) | 28(26) | 1(26) | 21(27) | 20(29) | |
| 最多風向 | 1928—1929 | N | N | N | S,SE | S,SE | S | S | S,SE | N | N | N | N | |
| 暴風日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 電雷日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 降雪日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 霧日數 | " | 1 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 備考 | | 觀測時 3h, 6h, 9h, 12h, 15h, 18h, 21h, 24h. 1924—1927年ハ Met. Return of China = ヨル * 1/2 (Max + Min) 1907—1923年ハ Zikawei; Etude sur la Pluie en China 11°. | | | | | | | | | | | | |

| | | 地名 Mongtsze 蒙自 | | | | | | | | | | | | |
|--------|-----------|--|------|-------------|------|----------------|-------|-------|-------|-------|-------|------|------|--|
| | | 緯度 23°3'N | | 經度 103°30'E | | 海拔高 1,305.m. ? | | | | | | | | |
| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 | |
| 平均氣溫 | 1909—1910 | 15.5 | 16.3 | 19.7 | 22.2 | 22.4 | 23.9 | 23.6 | 23.3 | 20.5 | 16.2 | 13.5 | 20.0 | |
| 平均最高氣溫 | " | 22.1 | 22.3 | 26.1 | 28.1 | 27.4 | 28.0 | 27.9 | 27.2 | 27.6 | 24.2 | 20.8 | 18.6 | |
| 平均最低氣溫 | " | 8.9 | 10.3 | 13.2 | 16.2 | 17.4 | 19.8 | 19.3 | 19.4 | 18.9 | 16.7 | 11.5 | 8.3 | |
| 氣溫ノ高極 | " | 27.6 | 30.0 | 32.8 | 35.0 | 35.2 | 31.9 | 32.6 | 31.4 | 33.0 | 29.0 | 27.0 | 25.0 | |
| 氣溫ノ低極 | " | 4.0 | 5.4 | 6.2 | 9.2 | 12.0 | 16.9 | 14.9 | 15.5 | 14.4 | 12.0 | 6.2 | -1.2 | |
| 平均雲量 | " | 0.0 | 24.0 | 10.5 | 28.5 | 116.5 | 112.5 | 133.5 | 289.5 | 135.5 | 108.5 | 74.0 | 1.5 | |
| 降水量 | " | 0.0 | 24.0 | 10.5 | 28.5 | 116.5 | 112.5 | 133.5 | 289.5 | 135.5 | 108.5 | 74.0 | 1.5 | |
| 降水日數 | " | 3 | 5 | 3 | 6 | 10 | 14 | 16 | 17 | 18 | 16 | 5 | 3 | |
| 最多風向 | " | N | N | N | N | N | N | N | N | N | N | N | N | |
| 暴風日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 電雷日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 降雪日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 霧日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 備考 | | Met. Zeit. 1912. S. 438. 1913. S. 552. * 1/2 (Max + Min) | | | | | | | | | | | | |

| | | 地名 Breaker Point 石碑山 | | | | | | | | | | | | |
|--------|------------|--|------|-------------|-------|------------|-------|-------|-------|-------|------|------|------|--|
| | | 緯度 22°56'N | | 經度 116°30'E | | 海拔高 17.1m. | | | | | | | | |
| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 | |
| 平均氣溫 | 1928—1929 | 15.6 | 14.0 | 16.6 | 20.4 | 24.3 | 26.5 | 27.8 | 27.0 | 27.1 | 24.0 | 19.9 | 17.9 | |
| 平均最高氣溫 | " | 17.9 | 16.6 | 19.2 | 22.8 | 26.7 | 28.6 | 30.3 | 29.4 | 30.2 | 27.9 | 22.9 | 20.4 | |
| 平均最低氣溫 | " | 12.9 | 10.7 | 13.5 | 17.4 | 22.0 | 24.1 | 25.0 | 24.2 | 24.6 | 19.6 | 16.6 | 14.8 | |
| 氣溫ノ高極 | " | 25.6 | 23.9 | 25.6 | 26.7 | 30.0 | 31.1 | 32.8 | 32.8 | 32.8 | 30.0 | 29.4 | 25.0 | |
| 氣溫ノ低極 | " | 6.1 | 3.9 | 8.9 | 12.2 | 17.8 | 19.4 | 22.2 | 22.2 | 21.1 | 16.7 | 12.2 | 7.2 | |
| 平均雲量 | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 降水量 | 1892—1924* | 27.3 | 44.5 | 55.9 | 108.8 | 199.1 | 280.7 | 213.3 | 267.1 | 162.1 | 94.8 | 37.6 | 29.9 | |
| 降水日數 | 1928—1929 | 3.2 | 5.4 | 6.5 | 6.4 | 10.1 | 11.8 | 9.3 | 10.7 | 7.5 | 4.0 | 3.2 | 3.7 | |
| 最多風向 | 1928—1929 | NE | NE | NE | NE | NE | SW | SW | NE | NE | NE | NE | NE | |
| 暴風日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 電雷日數 | " | 1 | 0 | 0 | 1 | 2 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | |
| 降雪日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 霧日數 | " | 3 | 3 | 8 | 5 | 4 | 0 | 2 | 3 | 0 | 0 | 0 | 2 | |
| 備考 | | 觀測時 3h, 6h, 9h, 12h, 15h, 18h, 21h, 24h. * Zikawei; Etude sur la Pluie en China 11°. | | | | | | | | | | | | |

No. 210

地名 Chilang Point 遮浪角

Table with columns for months (一月 to 十二月) and years (1928-1929, 1911-1924*). Rows include average temperature, highest/lowest temperature, precipitation, and wind data.

No. 211

地名 Lungchow 龍州

Table with columns for months (一月 to 十二月) and years (1928-1929, 1896-1924*). Rows include average temperature, highest/lowest temperature, precipitation, and wind data.

No. 212

地名 Pakhoi 北海

Table with columns for months (一月 to 十二月) and years (1928-1929, 1885-1929). Rows include average temperature, highest/lowest temperature, precipitation, and wind data.

No. 213

地名 Fort Bayard

Table with columns for months (一月 to 十二月) and years (1928-1930, 1914-1930). Rows include average temperature, highest/lowest temperature, precipitation, and wind data.

No. 214

| | | 地名 Kiungchow 瓊州 | | | | | | | | | | | | |
|--------|--------------------------|-----------------|------|-------------|-------|-----------|-------|-------|-------|-------|-------|------|------|--------|
| | | 緯度 20°1'N | | 經度 110°16'E | | 海拔高 2.7m. | | | | | | | | |
| 統計年次 | | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均氣溫 | 1928-1929 | 20.1 | 18.4 | 22.0 | 24.9 | 29.1 | 29.8 | 29.9 | 29.8 | 28.3 | 26.4 | 21.9 | 21.3 | 25.1 |
| 平均最高氣溫 | " | 22.7 | 20.6 | 25.5 | 27.6 | 32.4 | 33.1 | 33.2 | 32.7 | 30.9 | 28.7 | 26.3 | 24.3 | 28.1 |
| 平均最低氣溫 | " | 18.1 | 15.9 | 19.2 | 21.5 | 25.2 | 25.7 | 25.0 | 25.6 | 25.1 | 22.0 | 18.8 | 18.5 | 21.7 |
| 氣溫ノ高極 | " | 28.9 | 26.7 | 36.1 | 35.6 | 37.8 | 37.8 | 38.9 | 37.2 | 33.9 | 33.3 | 31.7 | 31.7 | 38.9 |
| 氣溫ノ低極 | " | 11.7 | 10.6 | 13.3 | 16.7 | 22.2 | 22.8 | 22.8 | 23.3 | 22.8 | 16.7 | 14.4 | 12.2 | 10.6 |
| 平均濕度 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均雲量 | 1928-1929 | 7.5 | 8.3 | 6.2 | 6.4 | 5.6 | 5.2 | 5.4 | 6.0 | 5.8 | 4.6 | 6.4 | 6.1 | 6.1 |
| 降水量 | {1912-1924* 1928-1929 | 24.0 | 37.1 | 63.8 | 111.7 | 180.8 | 203.5 | 260.2 | 191.7 | 263.1 | 189.1 | 82.7 | 53.6 | 1661.3 |
| 降水日數 | " | 4.8 | 7.6 | 7.7 | 9.4 | 12.2 | 12.5 | 13.2 | 12.3 | 13.0 | 9.1 | 7.8 | 6.9 | 116.5 |
| 最多風向 | 1928-1929 | NE | NE | NE | NE | SE | SE | SE | SE | NE | NE | NE | NE | NE |
| 暴風日數 | " | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 0 | 1 | 0 | 5 |
| 電雷日數 | " | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| 降雪日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 |
| 霧日數 | " | 5 | 4 | 6 | 3 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 3 | 26 |

備考 觀測時 3^h, 6^h, 9^h, 12^h, 15^h, 18^h, 21^h, 24^h. * Zikawei: Etude sur la Pluie en China 11°.

No. 215

| | | 地名 Lamko 臨高 | | | | | | | | | | | | |
|--------|--------------------------|-------------|------|-------------|------|-----------|-------|-------|-------|-------|-------|------|------|--------|
| | | 緯度 20°0'N | | 經度 109°42'E | | 海拔高 4.0m. | | | | | | | | |
| 統計年次 | | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均氣溫 | 1928-1929 | 20.2 | 18.0 | 21.4 | 23.7 | 28.8 | 29.7 | 30.2 | 30.0 | 28.5 | 26.4 | 22.6 | 21.1 | 25.0 |
| 平均最高氣溫 | " | 21.9 | 20.1 | 23.2 | 25.1 | 31.1 | 32.6 | 32.2 | 31.7 | 30.5 | 28.8 | 24.7 | 23.0 | 27.0 |
| 平均最低氣溫 | " | 17.8 | 17.2 | 17.9 | 20.3 | 24.4 | 24.9 | 25.3 | 25.5 | 24.9 | 22.0 | 18.8 | 18.2 | 21.4 |
| 氣溫ノ高極 | " | 28.9 | 31.1 | 32.8 | 30.6 | 37.8 | 36.9 | 35.0 | 36.7 | 33.3 | 31.1 | 28.9 | 28.9 | 37.8 |
| 氣溫ノ低極 | " | 11.1 | 10.0 | 12.8 | 14.4 | 21.7 | 21.7 | 22.8 | 23.3 | 21.7 | 15.0 | 12.2 | 8.3 | 8.3 |
| 平均濕度 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均雲量 | 1928-1929 | 6.8 | 7.8 | 4.9 | 6.0 | 6.3 | 5.9 | 6.6 | 7.0 | 6.2 | 5.0 | 5.8 | 6.0 | 6.2 |
| 降水量 | {1912-1924* 1928-1929 | 14.9 | 19.5 | 35.1 | 57.9 | 77.0 | 123.7 | 226.9 | 239.4 | 206.2 | 123.4 | 49.7 | 24.4 | 1198.1 |
| 降水日數 | " | 3.2 | 4.2 | 4.7 | 5.7 | 6.6 | 8.1 | 9.9 | 9.2 | 9.0 | 5.9 | 5.2 | 5.7 | 77.4 |
| 最多風向 | 1928-1929 | NE | NE | NE | NE | SE | SE | SE | SE | NE | NE | NE | NE | NE |
| 暴風日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 |
| 電雷日數 | " | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| 降雪日數 | " | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 霧日數 | " | 3 | 4 | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 19 |

* Zikawei: Etude sur la Pluie en China 11°.

滿 洲 國

MANCHOUKUO

No. 216

| | 統計年次 | 地名 Aigun 愛 瓊 | | | | | | | | | | | | 年 |
|---------|---------|--|--------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| | | 緯度 49°50'N | | 經度 127°38'E | | | | | | | | | | |
| | | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓 | 1924-29 | 766.0 | 764.8 | 762.8 | 758.0 | 756.1 | 753.2 | 752.9 | 755.7 | 758.1 | 761.3 | 763.3 | 764.3 | 759.7 |
| 平均氣溫 | " | -21.2 | -20.2 | -8.3 | 3.3 | 13.4 | 19.6 | 23.1 | 20.6 | 13.4 | 2.6 | -9.6 | -21.3 | 1.0 |
| 平均最高氣溫 | " | -19.9 | -12.9 | -2.4 | 8.5 | 18.5 | 24.7 | 27.6 | 25.2 | 18.5 | 7.8 | -1.6 | -17.1 | 6.2 |
| 平均最低氣溫 | " | -28.9 | -25.8 | -15.1 | -4.1 | 4.8 | 11.8 | 16.4 | 14.8 | 8.0 | -1.8 | -13.4 | -25.1 | -1.9 |
| 氣溫ノ高極 | " | -3.3 | 0.0 | 15.6 | 25.6 | 32.8 | 36.1 | 35.0 | 32.2 | 23.3 | 9.4 | -5.0 | -36.1 | |
| 同上起日(年) | " | 3(27) | 21(28) | 30(27) | 28(25) | 12(26) | 19(24) | 15(27) | 7(24) | 1(25) | 7(25) | 7(27) | | |
| 氣溫ノ低極 | " | -37.2 | -38.9 | -27.2 | -16.7 | -3.3 | 3.3 | 10.0 | 8.9 | -2.8 | -16.7 | -26.1 | -38.3 | -38.9 |
| 同上起日(年) | " | 17(26) | 12(24) | 2(25) | 5(26) | 1(29) | 1(28) | 16(25) | 28(27) | 25(28) | 20(24) | 30(27) | 24(29) | |
| 平均雲量 | 1928-29 | 1.9 | 2.7 | 2.3 | 2.9 | 4.8 | 5.2 | 5.8 | 5.7 | 5.2 | 3.6 | 2.8 | 2.2 | 3.7 |
| 降水日數 | 1924-29 | 2.6 | 3.7 | 4.4 | 11.7 | 30.9 | 79.5 | 131.2 | 131.4 | 62.8 | 17.2 | 15.9 | 8.6 | 499.9 |
| 降水量最大 | " | 2.0 | 2.5 | 2.5 | 6.0 | 8.0 | 10.2 | 12.3 | 12.2 | 11.7 | 5.3 | 6.0 | 4.8 | 83.5 |
| 同上起日(年) | " | 4.3 | 5.3 | 7.9 | 8.6 | 14.7 | 51.3 | 107.2 | 61.0 | 50.8 | 25.2 | 10.2 | 10.7 | 107.2 |
| 最多風向 | 1928-29 | NW | NW | NW | NW | N | SE | SE | N | NW | NW | NW | NW | NW |
| 暴風日數 | " | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 電雷日數 | " | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| 降雪日數 | " | 3 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 4 | 19 |
| 霧日數 | " | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 4 | 19 |
| 備考 | 觀測時 | 6 ^h 9 ^h 15 ^h 18 ^h . Annual Meteorological Report of China National research Institute of Meteorology, Nanking. | | | | | | | | | | | | |

No. 217

| | 統計年次 | 地名 Uliassutai (Mongolia) | | | | | | | | | | | | 年 |
|---------|------------------------|--|-------|------------|-------|------|------|------|------|------|-------|-------|-------|-------|
| | | 緯度 47°44'N | | 經度 96°52'E | | | | | | | | | | |
| | | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均氣溫 | 1879-80 | -25.1 | -17.1 | -6.6 | 2.9 | 9.1 | 19.3 | 18.9 | 16.8 | 9.7 | -0.6 | -12.0 | -15.2 | 0.0 |
| 平均最高氣溫 | " | -9.9 | -7.0 | 4.7 | 22.5 | 26.2 | 34.4 | 32.5 | 30.6 | 26.9 | 12.6 | 4.7 | -3.4 | 34.4 |
| 平均最低氣溫 | " | -40.0 | -31.5 | -21.5 | -16.5 | -4.6 | 6.0 | 8.4 | 7.2 | -2.9 | -11.5 | -25.2 | -30.2 | -40.0 |
| 氣溫ノ高極 | " | 3.0 | 2.8 | 4.1 | 4.0 | 4.4 | 3.6 | 4.9 | 3.6 | 3.3 | 2.2 | 3.6 | 2.6 | 3.5 |
| 同上起日(年) | " | 6 | 3 | 3 | 2 | 6 | 4 | 12 | 4 | 3 | 4 | 2 | 1 | 50 |
| 平均雲量 | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 降水日數 | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 最多風向 | " | E | E | E | E | W | N | E | N | N | E | E | E | E |
| 備考 | Met. Zeit. 1895 S. 27. | 觀測時 8 ^h 11 ^h 20 ^h | | | | | | | | | | | | |

No. 218

| | 統計年次 | 地名 Tannan 洮 南 | | | | | | | | | | | | 年 |
|---------|------------|-----------------|-------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| | | 緯度 45°24'N | | 經度 122°47'E | | | | | | | | | | |
| | | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均氣溫 | 1923-28 | -15.6 | -11.8 | -1.0 | 8.2 | 17.0 | 23.3 | 25.7 | 23.6 | 17.3 | 8.3 | -3.4 | -13.0 | 6.6 |
| 平均最高氣溫* | " | -1.6 | 2.7 | 15.2 | 25.9 | 31.9 | 37.1 | 38.8 | 34.9 | 31.0 | 23.7 | 12.5 | 0.0 | 21.0 |
| 平均最低氣溫* | " | -29.7 | -26.5 | -20.5 | -10.5 | -0.4 | 6.8 | 14.1 | 10.5 | 1.3 | -8.0 | -20.9 | -28.8 | -9.4 |
| 氣溫ノ高極 | 1924-28 | 2.5 | 5.4 | 23.4 | 27.0 | 35.8 | 39.9 | 40.4 | 36.7 | 33.6 | 27.0 | 15.1 | 4.5 | 40.4 |
| 同上起日(年) | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 氣溫ノ低極 | 1924-28 | -33.2 | -28.0 | -23.6 | -11.5 | -2.3 | 4.0 | 13.4 | 9.5 | -1.5 | -12.0 | -23.1 | -32.1 | -33.2 |
| 同上起日(年) | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均濕度 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均雲量 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 降水日數 | 1923-28 | 1.2 | 1.9 | 5.4 | 12.2 | 21.4 | 44.5 | 104.6 | 61.5 | 33.5 | 11.6 | 7.9 | 2.7 | 308.4 |
| 降水量最大 | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 同上起日(年) | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 蒸發量 | 1923-28 | 28.5 | 42.3 | 105.6 | 238.2 | 330.1 | 365.1 | 279.4 | 204.9 | 170.1 | 134.0 | 60.6 | 32.3 | 1991.1 |
| 備考 | 日本外務省通商局報告 | * 月中最高(最低)氣溫ノ平均 | | | | | | | | | | | | |

No. 219

| | 統計年次 | 地名 Chengchiaton 鄭 家 屯 | | | | | | | | | | | | 年 |
|---------|------------|-----------------------|-------|-------------|-------|-------|-------|-------|-------|-------|------|-------|-------|--------|
| | | 緯度 43°29'N | | 經度 123°28'E | | | | | | | | | | |
| | | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均氣溫 | 1923-24 | -14.6 | -12.3 | -2.9 | 6.5 | 14.4 | 21.0 | 24.2 | 22.8 | 15.3 | 6.8 | -4.6 | -11.9 | 5.4 |
| 平均最高氣溫* | " | -1.4 | 2.9 | 12.2 | 24.7 | 29.6 | 34.0 | 33.0 | 32.2 | 29.4 | 23.9 | 9.4 | 1.8 | 19.3 |
| 平均最低氣溫* | " | -28.5 | -24.9 | -18.6 | -7.6 | -0.9 | 8.6 | 15.1 | 12.5 | 1.9 | -9.6 | -20.9 | -24.7 | -8.1 |
| 氣溫ノ高極 | " | -0.5 | 5.9 | 13.9 | 26.0 | 31.8 | 34.3 | 34.1 | 33.5 | 30.5 | 24.0 | 11.9 | 2.5 | 34.3 |
| 同上起日(年) | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 氣溫ノ低極 | 1923-24 | -30.0 | -25.8 | -19.2 | -9.0 | -1.1 | 7.6 | 14.6 | 12.0 | 1.1 | -9.9 | -23.0 | -25.5 | -30.0 |
| 同上起日(年) | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均雲量 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 降水日數 | 1923-24 | 0.8 | 3.2 | 23.9 | 8.9 | 33.4 | 51.9 | 139.8 | 142.1 | 40.7 | 48.2 | 9.5 | 1.0 | 503.4 |
| 降水量最大 | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 同上起日(年) | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 蒸發量 | " | 31.4 | 49.2 | 109.8 | 264.0 | 241.6 | 233.0 | 190.7 | 141.4 | 117.9 | 92.7 | 53.8 | 36.3 | 1564.8 |
| 備考 | 日本外務省通商局報告 | * 月中最高(最低)氣溫ノ平均 | | | | | | | | | | | | |

No. 220

地名 Taingtse 大營子

緯度 43°6'N 經度 118°E 海拔高 ? m.

Table with 13 columns (months and year) and 14 rows (climate statistics like average temperature, precipitation, etc.) for Taingtse.

Met. Zeit. 1912, S. 513. 1913, S. 618. * 1/2 (max+min.)

No. 221

地名 Chan-Heou 山後

緯度 41°N 經度 120°10'E 海拔高 ? m.

Table with 13 columns (months and year) and 14 rows (climate statistics) for Chan-Heou.

Met. Zeit. 1910, S. 376.

No. 222

地名 Antung 安東

緯度 40°9'N 經度 124°23'E 海拔高 9.1m.

Table with 13 columns (months and year) and 14 rows (climate statistics) for Antung.

觀測時 3h 6h 9h 12h 15h 18h 21h 24h. * Zikawei: Etude sur la Pluie en China 11e.

No. 223

地名 Newchwang 牛莊

緯度 40°41'N 經度 122°3'E 海拔高 2.4m.

Table with 13 columns (months and year) and 14 rows (climate statistics) for Newchwang.

觀測時 3h 6h 9h 12h 15h 18h 21h 24h. * Zikawei: Etude sur la Pluie en China 11e.

地名 Mancjuriya 滿洲里

緯度 49°35'N 經度 117°26'E 海拔高 650.3m.

Table with 14 columns (months and year) and 25 rows of meteorological data for Mancjuriya. Includes statistics for 1922-1933.

備考 Hours of Obs. 7h, 13h, 21h. Meteorologiaj observoj Faritaj en Stacioj de Norda Manĵurio.

地名 Hajlar 海拉爾

緯度 49°14'N 經度 119°43'E 海拔高 608.6m.

Table with 14 columns (months and year) and 25 rows of meteorological data for Hajlar. Includes statistics for 1922-1933.

備考 Hours of obs. 7h, 13h, 21h.

地名 Mjanjduhe 免渡河

緯度 49°6'N 經度 121°3'E 海拔高 705.0m.

Table with 14 columns (Year, Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, Annual) and 25 rows of meteorological data including pressure, temperature, wind, and precipitation.

地名 Buhedu 博克圖

緯度 48°46'N 經度 121°55'E 海拔高 694.6m.

Table with 14 columns (Year, Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, Annual) and 25 rows of meteorological data including pressure, temperature, wind, and precipitation.

地名 Cjalanjtunj 扎蘭屯

Table with columns for months (一月 to 十二月) and years (1922-1933). Rows include: 平均氣壓, 最高氣壓, 最低氣壓, 平均氣溫, 最高氣溫, 最低氣溫, 平均雲量, 平均風速, 降水量, 降雪日數, 晴天日數, 霧日數, 暴風日數, 最高氣溫 ≤ 0° 日數, 最低氣溫 ≤ 0° 日數, 最深積雪ノ高サ c.m., 霜雪ノ季節平均.

備考 Hours of observations 7h, 13h, 21h.

地名 Cicikar 昂昂溪

Table with columns for months (一月 to 十二月) and years (1922-1933). Rows include: 平均氣壓, 最高氣壓, 最低氣壓, 平均氣溫, 最高氣溫, 最低氣溫, 平均雲量, 平均風速, 降水量, 降雪日數, 晴天日數, 霧日數, 暴風日數, 最高氣溫 ≤ 0° 日數, 最低氣溫 ≤ 0° 日數, 最深積雪ノ高サ c.m., 霜雪ノ季節平均.

備考 Hours of observations 7h, 13h, 21h.

地名 Anjda 安 達

緯度 46°24'N 經度 125°19'E 海拔高 147.1m.

Table with 14 columns (months and year) and 25 rows of meteorological data for Anjda, including average pressure, temperature, wind, and precipitation.

備考 Hours of observations 7h, 13h, 21h.

地名 Sansin 三 姓

緯度 46°20'N 經度 129°33'E 海拔高 100.m.

Table with 14 columns (months and year) and 25 rows of meteorological data for Sansin, including average pressure, temperature, wind, and precipitation.

備考 Hours of obs. 7h, 13h, 21h.

No. 232

地名 Harbin 哈爾濱

緯度 45°45'N 經度 126°38'E 海拔高 150.5m.

Table with 13 columns (months and year) and 25 rows of meteorological data for Harbin, including average pressure, temperature, wind, and precipitation.

備考 Hours of obs. 7h, 13h, 21h.

No. 233

地名 Imjanjpo 一面坡

緯度 45°4'N 經度 128°4'E 海拔高 210.3m.

Table with 13 columns (months and year) and 25 rows of meteorological data for Imjanjpo, including average pressure, temperature, wind, and precipitation.

備考 Hours of observations 7h, 13h, 21h.

地名 Mudanaczjan 牡丹江

Table with 14 columns (months) and 28 rows of meteorological data for Mudanaczjan. Includes statistics for 1922-1933, average pressure, temperature, wind, and precipitation.

地名 Tajpinlin 太平嶺

Table with 14 columns (months) and 28 rows of meteorological data for Tajpinlin. Includes statistics for 1922-1933, average pressure, temperature, wind, and precipitation.

地名 Jaominj 峇 門

緯度 44°32'N 經度 125°43'E 海拔高 178.4m.

Table with 13 columns (months) and 14 rows (annual statistics). Includes data for average pressure, temperature, wind, and precipitation.

備考 Hours of observation 7h, 13h, 21h.

地名 Neuyan 農 安

緯度 44°22'N 經度 125°30'E 海拔高 ? m.

Table with 13 columns (months) and 14 rows (annual statistics). Includes data for average pressure, temperature, wind, and precipitation.

備考 日本外務省通商局報告ニヨル * 月中最高(最低)氣温ノ平均

地名 Ianj-czi 延吉

緯度 42°55'N 經度 129°30'E 海拔高 168.0 m.

Table with 14 columns (months and year) and multiple rows of meteorological data including average temperature, precipitation, and wind speed.

備考 Hours of obs. 7^h13^h21^h.霜雪ノ季節平均 1922-1928 First Frost Oct. 3. Last Frost May 7. First Snow Oct. 26. Last Snow Apr. 17.

地名 Chao-yang 朝陽

緯度 41°23'N 經度 120°37'E 海拔高 106m.

Table with 14 columns (months and year) and multiple rows of meteorological data including average temperature, precipitation, and wind speed.

備考 Met. Zeit. 1912-1914. Met. Mag. 1916. Hours of Obs. 8^h, 14^h, 20^h.

印 度 支 那

INDOCHINE

No. 240

地名 Laokay (Tonkin)

| 統計年次 | 緯度 22°30'N 經度 103°57'E 海拔高 93m. | | | | | | | | | | | | 年 |
|----------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓 1928—1930 | 765.7 | 765.2 | 762.4 | 759.2 | 756.0 | 754.1 | 752.6 | 751.0 | 753.2 | 763.0 | 765.7 | 765.0 | 760.1 |
| 平均氣溫*1907—1930 | 17.2 | 18.0 | 21.2 | 24.5 | 27.3 | 28.4 | 28.4 | 23.2 | 27.4 | 21.7 | 21.3 | 18.4 | 23.8 |
| 平均最高氣溫 | " | 21.1 | 21.6 | 25.2 | 28.8 | 31.8 | 32.4 | 32.3 | 32.2 | 31.5 | 28.6 | 25.4 | 27.8 |
| 平均最低氣溫 | " | 13.3 | 14.3 | 17.2 | 20.2 | 22.8 | 24.4 | 24.4 | 24.2 | 23.2 | 20.7 | 17.1 | 19.7 |
| 氣溫ノ高極 | " | 31.1 | 34.0 | 37.0 | 39.0 | 42.8 | 39.0 | 39.7 | 33.2 | 37.2 | 35.2 | 31.8 | 32.8 |
| 氣溫ノ低極 | " | 2.2 | 7.2 | 6.8 | 10.0 | 14.8 | 18.8 | 21.4 | 20.4 | 15.8 | 10.7 | 8.0 | 3.6 |
| 平均風向 1907—1919 | S68E | S60E | S59E | S62E | S54E | S36E | S45E | S58E | S56E | S59E | S57E | S62E | |
| 平均濕度 1928—1930 | 90 | 91 | 87 | 89 | 88 | 92 | 95 | 99 | 97 | 88 | 91 | 91 | 92 |
| 平均雲量 1907—1929 | 8.2 | 8.0 | 7.5 | 6.7 | 6.2 | 7.0 | 7.0 | 6.7 | 6.5 | 7.2 | 7.5 | 7.2 | 7.1 |
| 降水量 1907—1930 | 17 | 36 | 60 | 110 | 228 | 226 | 300 | 350 | 237 | 109 | 65 | 26 | 1774 |
| 降水日數 | " | 5 | 7 | 10 | 13 | 15 | 16 | 19 | 18 | 13 | 11 | 9 | 5 |
| 備考 | 觀測時 10 ^h , 16 ^h . * 1/2 (Max + Min) | | | | | | | | | | | | 141 |

No. 241

地名 Langson (Tonkin)

| 統計年次 | 緯度 21°50'N 經度 106°46'E 海拔高 259m. | | | | | | | | | | | | 年 |
|----------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓 1928—1930 | 766.7 | 765.0 | 762.9 | 759.7 | 756.7 | 753.9 | 753.1 | 753.8 | 757.8 | 763.2 | 765.8 | 765.1 | 760.3 |
| 平均氣溫*1907—1930 | 14.0 | 14.8 | 18.3 | 22.3 | 26.1 | 27.4 | 27.4 | 27.3 | 25.9 | 22.8 | 18.9 | 15.4 | 21.7 |
| 平均最高氣溫 | " | 18.2 | 18.3 | 21.8 | 26.1 | 30.4 | 31.3 | 31.2 | 30.1 | 27.4 | 23.7 | 20.1 | 25.8 |
| 平均最低氣溫 | " | 9.8 | 11.3 | 14.7 | 18.4 | 21.8 | 23.4 | 23.3 | 21.6 | 18.2 | 14.1 | 10.7 | 17.6 |
| 氣溫ノ高極 | " | 31.6 | 36.4 | 36.7 | 38.2 | 39.8 | 36.2 | 37.0 | 36.4 | 36.2 | 31.3 | 32.6 | 31.1 |
| 氣溫ノ低極 | " | - 0.9 | 0.4 | 5.4 | 6.6 | 11.1 | 16.0 | 19.6 | 19.2 | 13.6 | 7.6 | 2.3 | 0.4 |
| 平均風向 1907—1919 | N36E | N37E | N48E | S34E | S72E | S20E | S33E | S57E | N42E | N40E | N32E | N30E | |
| 平均濕度 1928—1930 | 83 | 85 | 79 | 79 | 81 | 78 | 81 | 80 | 76 | 73 | 73 | 78 | 79 |
| 平均雲量 1907—1929 | 7.5 | 8.5 | 8.2 | 8.0 | 7.5 | 7.7 | 7.7 | 7.7 | 6.7 | 6.2 | 6.7 | 6.7 | 7.4 |
| 降水量 1907—1930 | 26 | 52 | 51 | 87 | 167 | 207 | 285 | 271 | 162 | 71 | 37 | 22 | 1438 |
| 降水日數 | " | 6 | 9 | 9 | 13 | 14 | 15 | 16 | 11 | 7 | 5 | 5 | 119 |
| 備考 | 觀測時 10 ^h , 16 ^h . * 1/2 (Max + Min) | | | | | | | | | | | | |

No. 242

地名 Moncay (Tonkin)

Table with columns for statistics (e.g., 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年) and rows for various climate metrics (e.g., 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 平均風向, 平均濕度, 平均雲量, 降水日數, 備考).

No. 243

地名 Hanoi (Tonkin)

Table with columns for statistics (e.g., 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年) and rows for various climate metrics (e.g., 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 平均風向, 平均濕度, 平均雲量, 降水日數, 日照時數, 備考).

No. 244

地名 Haiphong (Tonkin)

Table with columns for statistics (e.g., 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年) and rows for various climate metrics (e.g., 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 最多風向, 平均濕度, 平均雲量, 降水日數, 備考).

No. 245

地名 Luang Prabang (Laos)

Table with columns for statistics (e.g., 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年) and rows for various climate metrics (e.g., 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 同上起日, 平均濕度, 平均雲量, 降水日數, 蒸發量, 備考).

No. 246

地名 Thanh-Hoa

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average pressure, temperature, humidity, and precipitation. Includes coordinates 19°48'N, 105°52'E and elevation 4m.

No. 247

地名 Vinh (Annam)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics. Includes coordinates 18°40'N, 105°40'E and elevation 6m.

No. 248

地名 Vientiane (Laos)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics. Includes coordinates 17°58'N, 102°36'E and elevation 162m.

No. 249

地名 Dong-Hoi (Annam)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics. Includes coordinates 17°29'N, 106°36'E and elevation 7m.

No. 250

地名 Quang-Tri (Annam)

Table with columns for statistics (e.g., 統計年次, 平均氣壓, 平均氣溫) and months (一月 to 十二月, 年). Includes geographical coordinates (緯度 16°41'N, 經度 107°11'E) and elevation (海拔高 7m).

No. 251

地名 Savannakhet (Laos)

Table with columns for statistics and months. Includes geographical coordinates (緯度 16°33'N, 經度 104°44'E) and elevation (海拔高 140m).

No. 252

地名 Tientcha (Tourane)

Table with columns for statistics and months. Includes geographical coordinates (緯度 16°8'N, 經度 108°18'E) and elevation (海拔高 155m).

No. 253

地名 Quang-Ngai (Annam)

Table with columns for statistics and months. Includes geographical coordinates (緯度 15°8'N, 經度 108°50'E) and elevation (海拔高 7m).

No. 254

地名 Quinhon (Annam)

Table with columns for 緯度 13°45'N, 經度 109°14'E, 海拔高 6m., and monthly data for 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 平均風向, 平均濕度, 平均雲量, 降水量, 降水日數.

No. 255

地名 Battambang (Cambodge)

Table with columns for 緯度 13°11'N, 經度 103°12'E, 海拔高 22m., and monthly data for 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 同上起日, 平均雲量, 降水量, 降水日數.

No. 256

地名 Nhatrang (Annam)

Table with columns for 緯度 12°15'N, 經度 109°12'E, 海拔高 4m., and monthly data for 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 平均風向, 平均濕度, 平均雲量, 降水量, 降水日數.

No. 257

地名 Honba (Annam)

Table with columns for 緯度 12°5'N, 經度 108°45'E, 海拔高 1,484m., and monthly data for 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 氣溫ノ低極, 同上起日, 平均雲量, 降水量, 降水日數.

No. 258

地名 Padaran (Annam)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average temperature, precipitation, and wind direction. Includes coordinates 11°35'N, 109°8'E and elevation 177m.

No. 259

地名 Phnom-Penh (Cambodge)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics. Includes coordinates 11°33'N, 104°55'E and elevation 10m.

No. 260

地名 Hatien (Cochin Chine)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics. Includes coordinates 10°23'N, 104°29'E and elevation 6m.

No. 261

地名 Cape Saint Jacques

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics. Includes coordinates 10°20'N, 107°5'E and elevation 180m.

印 度

I N D I A

No. 262

地名 Srinagar

緯度 34°8'N 經度 74°53'E 海拔高 1,586.2m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 平均氣壓 | 633.4 | 632.8 | 631.9 | 631.2 | 629.6 | 626.2 | 624.1 | 625.3 | 629.1 | 632.5 | 634.1 | 634.4 | 630.4 |
| 平均氣溫 | " | 0.6 | 1.5 | 8.6 | 13.1 | 16.7 | 20.8 | 23.8 | 22.7 | 18.4 | 12.4 | 6.2 | 2.3 |
| 平均最高氣溫 | " | 5.1 | 6.1 | 14.9 | 19.7 | 23.6 | 28.8 | 31.2 | 30.1 | 27.1 | 21.2 | 15.4 | 8.4 |
| 平均最低氣溫 | " | -1.8 | -1.1 | 3.6 | 7.6 | 10.6 | 13.9 | 18.4 | 18.1 | 12.3 | 5.2 | -0.8 | -1.7 |
| 氣溫ノ高極 | " | 11.2 | 17.3 | 23.3 | 30.3 | 33.8 | 37.3 | 37.3 | 35.6 | 33.8 | 29.2 | 22.4 | 15.6 |
| 同上起年 | " | 1923 | 1922 | 1929 | 1925 | 1929 | 1929 | 1930 | 1922 | 1922 | 1930 | 1928 | 1922 |
| 氣溫ノ低極 | " | -13.3 | -11.6 | -5.1 | -0.4 | 5.1 | 7.8 | 12.2 | 12.1 | 4.9 | -0.7 | -7.3 | -10.7 |
| 同上起年 | " | 1924 | 1930 | 1927 | 1921 | 1924 | 1924 | 1929 | 1925 | 1923 | 1926 | 1926 | 1925 |
| 平均濕度 | " | 83.7 | 83.1 | 72.5 | 69.4 | 67.0 | 62.8 | 65.8 | 69.3 | 67.6 | 67.5 | 66.0 | 77.0 |
| 平均雲量 | " | 8.0 | 7.7 | 5.4 | 5.4 | 5.0 | 3.4 | 3.9 | 3.9 | 2.7 | 3.0 | 2.7 | 6.1 |
| 降水量 | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 降水日數 | " | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均風速 | " | 0.8 | 0.9 | 1.1 | 1.1 | 0.9 | 0.9 | 0.8 | 0.8 | 0.7 | 0.7 | 0.7 | 0.8 |
| 平均風向 | " | s21w | s9w | N24w | N18w | N30E | N9E | N48w | N48w | N33w | N23w | N1E | s36E |

觀測時 10^h, 16^h.

India Weather Review, Table A. B. and D.

No. 263

地名 Katmandu

緯度 27°45'N 經度 85°20'E 海拔高 1,337.8m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 平均氣壓 | 651.9 | 650.7 | 650.3 | 649.2 | 647.9 | 645.6 | 645.4 | 646.2 | 648.4 | 650.5 | 652.2 | 652.6 | 649.2 |
| 平均氣溫 | " | 9.9 | 12.6 | 17.3 | 21.2 | 23.4 | 24.3 | 24.6 | 24.3 | 23.3 | 20.2 | 14.6 | 10.7 |
| 平均最高氣溫 | " | 18.1 | 20.9 | 26.0 | 29.2 | 30.6 | 29.9 | 29.1 | 28.8 | 28.3 | 26.7 | 22.2 | 18.9 |
| 平均最低氣溫 | " | 2.6 | 4.4 | 8.1 | 12.1 | 15.8 | 19.2 | 20.4 | 20.2 | 18.6 | 13.6 | 7.6 | 3.8 |
| 氣溫ノ高極 | " | 23.8 | 28.3 | 32.8 | 35.1 | 36.1 | 37.3 | 32.9 | 33.0 | 32.6 | 32.2 | 26.2 | 26.3 |
| 同上起年 | " | 1921 | 1922 | 1928 | 1922 | 1924 | 1924 | 1925 | 1927 | 1928 | 1928 | 1925 | 1925 |
| 氣溫ノ低極 | " | -2.1 | -1.2 | 2.2 | 6.2 | 10.4 | 14.0 | 16.1 | 17.5 | 13.7 | 6.6 | 1.7 | -1.2 |
| 同上起年 | " | 1927 | 1925 | 1927 | 1930 | 1927 | 1922 | 1928 | 1930 | 1925 | 1922 | 1926 | 1925 |
| 平均濕度 | " | 71.5 | 72.8 | 55.7 | 52.2 | 57.7 | 68.7 | 76.4 | 79.4 | 78.4 | 69.5 | 72.5 | 72.9 |
| 平均雲量 | " | 3.1 | 3.2 | 3.3 | 3.9 | 4.5 | 6.5 | 7.3 | 7.4 | 6.5 | 4.3 | 3.3 | 3.0 |
| 降水量 | " | 15.0 | 24.9 | 21.3 | 48.8 | 74.7 | 196.3 | 341.4 | 310.9 | 151.9 | 34.8 | 14.7 | 7.6 |
| 降水日數 | " | 1.4 | 2.5 | 2.9 | 5.2 | 7.4 | 14.2 | 20.7 | 21.1 | 10.7 | 3.2 | 1.3 | 1.2 |
| 平均風速 | " | 3.6 | 4.2 | 4.5 | 6.6 | 5.3 | 4.5 | 3.5 | 3.1 | 6.0 | 2.7 | 3.0 | 3.5 |
| 平均風向 | " | N78w | N87w | N82w | N87w | S89w | N87w | S63w | N66w | N87w | S86w | N81w | N72w |

觀測時 10^h, 16^h.

No. 264

地名 Jamnagar (Gujarat)

Table with columns for months (January to December) and years, containing climate data for Jamnagar (Gujarat). Includes latitude 22°32'N, longitude 70°08'E, and elevation 18.6m.

No. 265

地名 Chitaldrug

Table with columns for months (January to December) and years, containing climate data for Chitaldrug. Includes latitude 14°14'N, longitude 76°27'E, and elevation 733.2m.

No. 266

地名 Hassan

Table with columns for months (January to December) and years, containing climate data for Hassan. Includes latitude 13°0'N, longitude 76°10'E, and elevation 960.1m.

No. 267

地名 Mysore

Table with columns for months (January to December) and years, containing climate data for Mysore. Includes latitude 12°18'N, longitude 76°42'E, and elevation 767.7m.

No. 268

地名 Mannar

緯度 8°59'N 經度 79°55'E 海拔高 3.7m.

Table with 14 columns (months and year) and 13 rows (climate metrics like average temperature, wind speed, etc.) for Mannar.

* M. S. L. 9h 30m 觀測 † 9h30m, 15h30m 平均 * 月中最高(最低)氣溫ノ平均 Report on the Colombo Observatory.

No. 269

地名 Trivandrum

緯度 8°49'N 經度 77°0'E 海拔高 60.1m.

Table with 14 columns (months and year) and 13 rows (climate metrics) for Trivandrum.

觀測時 10h, 16h.

No. 270

地名 Jaffna (Ceylon)

緯度 9°39'N 經度 80°1'E 海拔高 4.3m.

Table with 14 columns (months and year) and 13 rows (climate metrics) for Jaffna (Ceylon).

* 9h30h (一日中ノ最低氣壓ニ當ル) 平均 * 9h30m, 15h30m 平均 Report on the Colombo Observatory.

No. 271

地名 Trincomalee (Ceylon)

緯度 8°35'N 經度 81°15'E 海拔高 30.2m.

Table with 14 columns (months and year) and 13 rows (climate metrics) for Trincomalee (Ceylon).

* 9h30h (一日中ノ最低氣壓ニ當ル) 觀測 * 9h30m, 15h30m 平均

No. 272

地名 Puttalam (Ceylon)

Table with 14 columns: 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起年, 氣溫ノ低極, 同上起年, 平均濕度, 平均雲量, 降水日數, 降水日數, 平均風速, 備考.

No. 273

地名 Batticaloa (Ceylon)

Table with 14 columns: 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起年, 氣溫ノ低極, 同上起年, 平均濕度, 平均雲量, 降水日數, 降水日數, 平均風速, 日照時數, 備考.

No. 274

地名 Kurunegala (Ceylon)

Table with 14 columns: 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起年, 氣溫ノ低極, 同上起年, 平均濕度, 平均雲量, 降水日數, 降水日數, 備考.

No. 275

地名 Kandy (Ceylon)

Table with 14 columns: 統計年次, 一月, 二月, 三月, 四月, 五月, 六月, 七月, 八月, 九月, 十月, 十一月, 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起年, 氣溫ノ低極, 同上起年, 平均濕度, 平均雲量, 降水日數, 降水日數, 日照時數, 備考.

No. 276

地名 Ratnapura (Ceylon)

Table with columns for latitude (緯度 6°41'N), longitude (經度 80°24'E), and elevation (海拔高 34.5m). Rows include monthly and annual statistics for pressure, temperature, humidity, and precipitation.

備考 * 9h30m 觀測 ※ 9h30m, 15h30m 平均

No. 277

地名 Hambantota (Ceylon)

Table with columns for latitude (緯度 6°12'N), longitude (經度 81°10'E), and elevation (海拔高 18.6m). Rows include monthly and annual statistics for pressure, temperature, humidity, and precipitation.

備考 † 8h 觀測 * 1/2 (Max + Min) 氣壓ハ水點及重力ノ更正ヲ施シタル値トス

No. 278

地名 Galle (Ceylon)

Table with columns for latitude (緯度 6°1'N), longitude (經度 80°14'E), and elevation (海拔高 4.0m). Rows include monthly and annual statistics for pressure, temperature, humidity, and precipitation.

備考 * M.S.L. 9h30m 觀測 † 9h30m, 15h30m 平均 ※ 月中最高(最低)氣溫ノ平均

ペルチスタン、トルケスタン、ペルシヤ、

印度洋 及 亞刺比亞海諸島

Beluchistan, Turkestan, Persia, Indian Ocean

and

Arabian Sea

No. 279

地名 Seistan (Beluchistan)

緯度 30°43'N 經度 61°53'E 海拔高 609.8m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|-----------------------------|--|--------|--------|-------|--------|-------|--------|--------|-------|--------|-----------|-------|-------|
| 平均氣壓 [※] 1923-1930 | 720.6 | 716.8 | 715.0 | 712.2 | 710.9 | 706.6 | 703.8 | 705.9 | 711.4 | 716.5 | 715.3 | 721.4 | 713.0 |
| 平均氣溫 [*] | 6.9 | 10.7 | 16.7 | 22.1 | 26.5 | 30.9 | 32.5 | 31.0 | 26.3 | 20.7 | 13.7 | 8.7 | 20.6 |
| 平均最高氣溫 | 12.4 | 17.6 | 24.0 | 29.3 | 33.6 | 37.7 | 38.8 | 37.4 | 33.2 | 28.7 | 21.8 | 15.8 | 27.5 |
| 平均最低氣溫 | 1.3 | 3.7 | 9.3 | 14.8 | 19.4 | 24.1 | 26.2 | 24.6 | 19.4 | 12.7 | 5.6 | 1.6 | 13.6 |
| 氣溫ノ高極 | 22.1 | 31.0 | 35.2 | 37.1 | 43.1 | 44.6 | 47.7 | 43.8 | 39.9 | 37.9 | 29.1 | 24.0 | 47.7 |
| 同上起日(年) | …(26) | 29(28) | 16(29) | 8(28) | 25(28) | …(25) | …(26) | …(26) | …(23) | 6(30) | 7(28) | …(25) | |
| 氣溫ノ低極 | -8.5 | -6.9 | -3.3 | 6.4 | 12.9 | 18.4 | 19.9 | 16.4 | 10.7 | 4.1 | -3.2 | -7.8 | -8.5 |
| 同上起日(年) | 31(29) | 3(28) | 1(30) | …(26) | …(25) | …(24) | 15(29) | 31(30) | …(23) | 17(29) | …(26) | …(23) | |
| 平均濕度 [※] | 63.3 | 55.1 | 51.3 | 47.0 | 42.1 | 38.9 | 34.0 | 29.3 | 28.3 | 41.0 | 50.1 | 61.0 | 45.1 |
| 平均雲量 [※] | 4.0 | 2.7 | 2.5 | 2.3 | 1.7 | 0.3 | 0.3 | 0.1 | 0.3 | 1.1 | 1.7 | 2.7 | 1.6 |
| 降水量 | 11.2 | 6.9 | 9.9 | 5.3 | 1.3 | 0.0 | 0.3 | 0.0 | 0.0 | 3.8 | 0.3 | 16.8 | 55.8 |
| 降水日數 | 2.0 | 1.1 | 1.4 | 0.7 | 0.3 | 0 | 0 | 0 | 0 | 0.7 | 0 | 1.4 | 7.6 |
| 降水日數最大 | 12.2 | 10.9 | 20.3 | 12.2 | 6.6 | 0 | 1.5 | 0 | 0 | 8.4 | 1.0 | 59.2 | 59.2 |
| 同上起日(年) | …(25) | …(23) | 22(28) | 4(30) | …(26) | …(26) | …(26) | | | …(23) | 16,17(30) | …(24) | |
| 平均風速 | 1.8 | 2.2 | 2.3 | 3.1 | 3.7 | 4.7 | 6.1 | 6.1 | 5.3 | 2.9 | 2.4 | 1.9 | 3.5 |
| 備考 | * 8 ^h 觀測但シ 1929 年以降ハ 12 ^h 觀測 * 1/2 (Max + Min) Indian Weather Review. 氣壓ハ米點及重力更正ヲ施シタル値トス | | | | | | | | | | | | |

No. 280

地名 Kashgar (Eastern Turkéstan)

緯度 39°28'N 經度 76°0'E 海拔高 1,297.3m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|-----------------------------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 平均氣壓 [†] 1923-1930 | 650.6 | 648.4 | 647.6 | 645.8 | 645.6 | 643.0 | 642.1 | 643.5 | 646.9 | 650.3 | 651.9 | 651.6 | 647.3 |
| 平均氣溫 [*] | -6.4 | -0.1 | 8.5 | 16.3 | 21.2 | 25.0 | 27.0 | 25.8 | 20.6 | 13.2 | 4.5 | -4.0 | 12.6 |
| 平均最高氣溫 | -0.3 | 6.6 | 14.6 | 23.4 | 28.9 | 32.7 | 35.1 | 33.7 | 28.6 | 21.4 | 11.3 | 1.2 | 19.8 |
| 平均最低氣溫 | -12.5 | -6.8 | 2.3 | 9.2 | 13.4 | 17.2 | 18.9 | 17.9 | 12.5 | 5.0 | -2.3 | -9.2 | 5.5 |
| 氣溫ノ高極 | 12.6 | 22.6 | 26.8 | 37.3 | 41.2 | 43.9 | 43.4 | 41.2 | 38.6 | 32.1 | 28.4 | 15.1 | 43.9 |
| 同上起年 | 1926 | 1928 | 1929 | 1927 | 1929 | 1930 | 1928 | 1926 | 1926 | 1929 | 1927 | 1930 | |
| 氣溫ノ低極 | -24.9 | -21.8 | -7.6 | 1.7 | 3.2 | 9.1 | 11.3 | 11.0 | 5.2 | -5.3 | -6.8 | -21.7 | -24.9 |
| 同上起年 | 1930 | 1929 | 1930 | 1927 | 1927 | 1924 | 1929 | 1928 | 1923 | 1929 | 1925 | 1929 | |
| 平均濕度 [†] | … | … | 62.1 | 58.4 | 60.4 | 61.9 | 60.1 | 65.9 | 71.3 | 66.1 | 65.3 | … | … |
| 平均雲量 [†] | 4.1 | 3.3 | 3.5 | 3.2 | 2.8 | 1.7 | 1.5 | 2.3 | 2.2 | 2.0 | 2.0 | 3.8 | 2.8 |
| 降水量 | 28.5 | 3.6 | 9.7 | 4.3 | 3.1 | 4.3 | 9.1 | 8.9 | 3.3 | 0.8 | 7.9 | 15.5 | 99.0 |
| 降水日數 | 0.6 | 0.1 | 1.1 | 0.5 | 0.4 | 0.5 | 1.3 | 1.0 | 0.4 | 0.1 | 0.4 | 1.1 | 7.5 |
| 降水日數最大 | 88.9 | 25.4 | 19.1 | 11.4 | 6.1 | 14.2 | 17.0 | 16.8 | 13.2 | 5.1 | 50.8 | 31.8 | 88.9 |
| 同上起年 | 1927 | 1928 | 1928 | 1930 | 1924 | 1923 | 1923 | 1924 | 1930 | 1924 | 1928 | 1926 | |
| 平均風速 [†] | 0.0 | 0.1 | 0.4 | 0.5 | 0.5 | 0.7 | 0.5 | 0.3 | 0.2 | 0.2 | 0.1 | 0.0 | 0.3 |
| 備考 | † 8 ^h 觀測 * 1/2 (Max + Min) 氣壓ハ米點及重力更正ヲ施シタル値トス | | | | | | | | | | | | |

No. 281

地名 Teheran (Persia)

緯度 35°32'N 經度 51°30'E 海拔高 1,220.1m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average pressure, temperature, humidity, precipitation, wind speed, etc.) for Teheran.

No. 282

地名 Ispahan (Persia)

緯度 32°11'N 經度 51°44'E 海拔高 1,773.5m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average pressure, temperature, humidity, precipitation, wind speed, etc.) for Ispahan.

No. 283

地名 Meshed (Persia)

緯度 36°19'N 經度 59°37'E 海拔高 946.3m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average pressure, temperature, humidity, precipitation, wind speed, etc.) for Meshed.

No. 284

地名 Muscat (Arabia)

緯度 23°37'N 經度 58°36'E 海拔高 6.1m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average pressure, temperature, humidity, precipitation, wind speed, etc.) for Muscat.

No. 285

地名 Seychelles (Indian Ocean)

緯度 4°50'S 經度 53°20'E 海拔高 4.6m.

Table with 13 columns (Year, Jan-Dec) and 14 rows (Average pressure, Average temperature, etc.) for Seychelles.

備考 10b, 16b. 観測, Indian Weather Review.

No. 286

地名 Minicoy (Arabian Sea)

緯度 8°15'N 經度 73°5'E 海拔高 2.1m.

Table with 13 columns (Year, Jan-Dec) and 14 rows (Average pressure, Average temperature, etc.) for Minicoy.

備考 † 8b 観測 * 1/2 (Max + Min) 気壓ハ米點及重力更正ヲ施シタル値トス

No. 287

地名 Amini Divi Is. (Arabian Sea)

緯度 11°0'N 經度 71°37'E 海拔高 4.0m.

Table with 13 columns (Year, Jan-Dec) and 14 rows (Average pressure, Average temperature, etc.) for Amini Divi Is.

備考 † 8b 観測 * 1/2 (Max + Min) 気壓ハ米點及重力更正ヲ施シタル値トス

ふいりつびん、及馬來群島

PHILIPPINES

and

MALAY ARCHIPELAGO

No. 288

地名 Atimonan

| 統計年次 | 緯度 14°0'N 經度 121°55'E 海拔高 4.1m. | | | | | | | | | | | | 年 |
|----------------|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓*1920-1926 | 761.4 | 760.9 | 760.9 | 759.6 | 758.0 | 757.2 | 756.7 | 756.5 | 757.2 | 758.6 | 759.1 | 760.5 | 758.9 |
| 平均氣溫 | 25.4 | 25.6 | 26.4 | 27.7 | 28.1 | 27.6 | 27.2 | 27.4 | 27.0 | 26.8 | 26.3 | 25.4 | 26.7 |
| 平均最高氣溫 | 27.0 | 28.1 | 29.0 | 31.4 | 32.5 | 31.8 | 31.0 | 31.5 | 30.8 | 29.5 | 28.4 | 27.0 | 29.8 |
| 平均最低氣溫 | 23.1 | 23.2 | 23.8 | 24.4 | 24.5 | 24.2 | 24.0 | 24.0 | 23.8 | 24.2 | 24.0 | 23.3 | 23.9 |
| 氣溫ノ高極 | 32.0 | 32.6 | 33.8 | 36.0 | 36.6 | 35.3 | 34.2 | 34.9 | 34.6 | 33.1 | 32.4 | 31.2 | 36.6 |
| 同上起日(年) | 30(25) | 22(24) | 31(22) | 29(22) | 22(26) | 23(20) | 31(20) | 3(20) | 6(22) | 31(24) | 11(20) | 3(24) | |
| 氣溫ノ低極 | 19.6 | 19.5 | 20.0 | 21.4 | 22.0 | 21.3 | 22.0 | 21.6 | 22.0 | 20.0 | 20.2 | 16.8 | 16.8 |
| 同上起日(年) | 27(20) | 18(22) | 15(26) | 16(22) | 3(21) | 28(23) | 22(25) | 29(22) | 27(25) | 31(20) | 28(23) | 21(25) | |
| 平均濕度 | 83.3 | 83.2 | 81.2 | 78.3 | 80.0 | 81.2 | 81.3 | 79.1 | 82.1 | 82.9 | 84.5 | 83.7 | 81.7 |
| 平均雲量 | 7.7 | 7.1 | 6.5 | 5.6 | 6.5 | 7.7 | 8.3 | 8.0 | 7.9 | 8.1 | 8.5 | 8.5 | 7.5 |
| 降水量 | 168.0 | 95.0 | 78.9 | 33.2 | 135.1 | 246.2 | 243.8 | 169.3 | 252.4 | 352.1 | 467.9 | 336.4 | 2578.3 |
| 降水日數 | 21.3 | 13.7 | 12.0 | 4.9 | 10.6 | 16.3 | 18.0 | 13.6 | 18.0 | 23.3 | 23.3 | 25.6 | 200.6 |
| 降水日量最大 | 51.6 | 45.0 | 86.6 | 39.0 | 86.1 | 115.2 | 166.6 | 118.3 | 84.5 | 186.7 | 305.0 | 110.8 | 305.0 |
| 同上起日(年) | 30(23) | 4(21) | 4(23) | 6(25) | 11(25) | 24(25) | 4(21) | 22(24) | 22(22) | 16(25) | 5(26) | 4(26) | |
| 平均風速* | 20.2 | 17.0 | 14.0 | 10.4 | 8.6 | 8.7 | 9.2 | 9.5 | 9.2 | 12.1 | 17.3 | 21.6 | 13.2 |

備考 * M. S. L. 但シ重力更正ヲ施サズ ※ Km per hour. 観測時 2^h 6^h 10^h 14^h 18^h 22^h
Annual report of the Director of the Weather Bureau, part III. Manila.

No. 289

地名 Calbayog

| 統計年次 | 緯度 12°4'N 經度 124°36'E 海拔高 4.7m. | | | | | | | | | | | | 年 |
|----------------|---------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | |
| 平均氣壓*1920-1926 | 760.3 | 760.1 | 760.3 | 759.2 | 758.3 | 757.8 | 757.4 | 757.4 | 757.8 | 758.4 | 758.4 | 759.4 | 758.7 |
| 平均氣溫 | 24.9 | 25.2 | 25.5 | 26.4 | 27.2 | 27.3 | 27.0 | 27.4 | 27.0 | 26.2 | 25.7 | 25.0 | 26.2 |
| 平均最高氣溫 | 29.4 | 30.2 | 30.9 | 32.3 | 32.7 | 32.2 | 31.0 | 31.2 | 31.3 | 30.9 | 30.0 | 29.3 | 31.0 |
| 平均最低氣溫 | 21.9 | 21.8 | 21.8 | 22.3 | 23.5 | 24.1 | 24.3 | 24.9 | 24.0 | 23.2 | 23.0 | 22.2 | 23.1 |
| 氣溫ノ高極 | 32.3 | 32.7 | 33.3 | 34.7 | 35.7 | 35.3 | 34.3 | 34.6 | 33.7 | 33.4 | 32.9 | 32.7 | 35.7 |
| 同上起日(年) | 7(25) | 18(22) | 30(20) | 6(20) | 2(26) | 16(20) | 11(24) | 26(21) | 17(24) | 24(23) | 1(24) | 17(23) | |
| 氣溫ノ低極 | 16.6 | 17.9 | 18.4 | 19.4 | 18.8 | 22.1 | 21.5 | 22.3 | 21.8 | 18.6 | 19.7 | 17.5 | 16.6 |
| 同上起日(年) | 26(26) | 10(20) | 28(23) | 2(23) | 4(21) | 30(24) | 3(23) | 29(24) | 3(26) | 26(25) | 7(25) | 11(21) | |
| 平均濕度 | 86.7 | 85.6 | 84.6 | 84.0 | 84.3 | 85.0 | 84.9 | 83.4 | 85.3 | 87.0 | 88.9 | 87.7 | 85.6 |
| 平均雲量 | 6.8 | 6.4 | 6.0 | 4.5 | 5.7 | 6.9 | 8.2 | 7.8 | 7.5 | 7.2 | 6.9 | 7.0 | 6.7 |
| 降水量 | 181.6 | 174.5 | 157.5 | 137.2 | 139.1 | 275.2 | 353.9 | 218.6 | 191.3 | 276.1 | 450.1 | 363.3 | 2918.4 |
| 降水日數 | 47.0 | 192.3 | 135.5 | 52.8 | 68.6 | 272.8 | 172.4 | 91.9 | 68.9 | 111.8 | 337.6 | 143.2 | 337.6 |
| 同上起日(年) | 12(22) | 2(26) | 6(21) | 20(22) | 11(25) | 3(23) | 31(23) | 14(22) | 10(21) | 28(26) | 9(21) | 18(24) | |
| 平均風速* | 7.9 | 7.1 | 7.3 | 6.8 | 6.6 | 8.6 | 13.6 | 14.8 | 11.7 | 8.5 | 7.5 | 7.5 | 9.0 |
| 降水日數 | 22.1 | 17.7 | 18.0 | 16.1 | 16.6 | 19.1 | 22.1 | 18.0 | 23.1 | 23.3 | 22.6 | 23.6 | 236.7 |

備考 * M. S. L. 但シ重力更正ヲ施サズ ※ Km per hour. 観測時 2^h 6^h 10^h 14^h 18^h 22^h

No. 290

地名 Capiz

Table with columns for months (一月 to 十二月) and years (年). Rows include climate data: 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水量, 降水日量最大, 同上起日(年), 降水日數, 平均風速度.

No. 291

地名 Tacloban

Table with columns for months (一月 to 十二月) and years (年). Rows include climate data: 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水量, 降水日量最大, 同上起日(年), 降水日數, 平均風速度.

No. 292

地名 Cebu

Table with columns for months (一月 to 十二月) and years (年). Rows include climate data: 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水量, 降水日量最大, 同上起日(年), 平均風速度, 降水日數.

No. 293

地名 Surigao (Mindanao)

Table with columns for months (一月 to 十二月) and years (年). Rows include climate data: 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水量, 降水日量最大, 同上起日(年), 平均風速度.

No. 294

地名 Zamboanga

緯度 6°51'N 經度 122°5'E 海拔高 6.9m.

Table with 13 columns (months and year) and 18 rows of climate data for Zamboanga. Includes statistics for average pressure, temperature, humidity, and precipitation.

No. 295

地名 Labu (Borneo)

緯度 5°15'N 經度 115°15'E 海拔高 16.7m.

Table with 13 columns (months and year) and 18 rows of climate data for Labu. Includes statistics for average pressure, temperature, humidity, and precipitation.

No. 296

地名 Taiping (Malay Peninsula)

緯度 4°52'N 經度 100°44'E 海拔高 17.7m.

Table with 13 columns (months and year) and 18 rows of climate data for Taiping. Includes statistics for average pressure, temperature, humidity, and precipitation.

No. 297

地名 Malacca (Malay Peninsula)

緯度 2°14'N 經度 102°14'E 海拔高 6.9m.

Table with 13 columns (months and year) and 18 rows of climate data for Malacca. Includes statistics for average pressure, temperature, humidity, and precipitation.

そびえと、すゐでん、のるうえー

及

でんまるく

Sowjet-Republic, Sweden, Norway

and

Denmark.

No. 298

地名 Matotchkin Char

| 統計年次 | 緯度 73°16'N 經度 56°24'E 海拔高 18.5m. | | | | | | | | | | | | |
|---------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|-------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
| 平均氣壓 | 754.7 | 757.8 | 756.8 | 757.9 | 759.2 | 759.1 | 756.9 | 756.5 | 754.3 | 753.6 | 753.3 | 751.8 | 756.2 |
| 平均氣溫 | -16.7 | -16.3 | -17.7 | -14.2 | -5.6 | 0.7 | 5.9 | 5.3 | 1.5 | -3.0 | -12.3 | -17.2 | -7.5 |
| 平均最低氣溫 | -20.9 | -20.4 | -21.8 | -18.4 | -8.5 | -1.6 | 2.7 | 2.5 | -0.7 | -5.4 | -16.2 | -22.0 | -10.9 |
| 氣溫ノ高極 | 3.7 | 3.3 | 0.4 | 2.3 | 4.7 | 13.1 | 15.9 | 17.1 | 9.5 | 8.5 | 3.9 | 4.0 | 17.1 |
| 同上起日(年) | 23(25) | 27(26) | 29(27) | 30(27) | 23(27) | 29(27) | 19(25) | 3(27) | 1(27) | 18(24) | 15(26) | 2(27) | |
| 氣溫ノ低極 | -38.8 | -38.2 | -37.5 | -32.3 | -23.3 | -9.5 | -1.3 | -2.8 | -8.1 | -24.3 | -33.2 | -39.7 | -39.7 |
| 同上起日(年) | 1(27) | 17(26) | 16(27) | 7(24) | 3(26) | 1(24) | 19(26) | 17(26) | 20(26) | 31(27) | 29(24) | 30(26) | |
| 平均濕度 | 81 | 83 | 82 | 84 | 82 | 80 | 75 | 80 | 84 | 84 | 85 | 87 | 82 |
| 平均雲量 | 7.2 | 7.1 | 7.2 | 7.4 | 8.2 | 7.8 | 6.5 | 7.8 | 8.8 | 8.7 | 8.2 | 7.3 | 7.7 |
| 降水量 | 28.5 | 31.0 | 34.6 | 24.9 | 10.4 | 12.0 | 9.3 | 32.5 | 25.8 | 18.5 | 25.1 | 12.6 | 268.2 |
| 降水日最大 | 15.3 | 31.5 | 21.3 | 22.3 | 7.2 | 5.4 | 10.8 | 16.6 | 15.0 | 10.4 | 13.0 | 6.3 | 31.5 |
| 同上起日(年) | 8(25) | 14(25) | 4(25) | 5(25) | 11(24) | 28(25) | 22(26) | 16(26) | 23(27) | 1(23) | 20(23) | 5(27) | |
| 降水日數 | 19.0 | 15.3 | 15.3 | 13.3 | 12.0 | 10.3 | 7.3 | 14.0 | 15.5 | 18.3 | 22.3 | 19.5 | 182.1 |
| 降雪日數 | 16.8 | 13.8 | 13.5 | 11.3 | 11.0 | 7.0 | 1.3 | 2.5 | 8.5 | 11.4 | 16.2 | 14.0 | 127.3 |
| 快晴日數 | 2.0 | 2.0 | 2.0 | 2.3 | 1.5 | 1.3 | 3.5 | 1.8 | 0.8 | 0.2 | 1.4 | 2.2 | 21.0 |
| 曇天日數 | 13.8 | 12.3 | 13.5 | 16.0 | 19.8 | 16.3 | 10.5 | 18.3 | 21.5 | 28.3 | 24.0 | 19.0 | 213.3 |
| 備考 | Annales de L'Observatoire Géophysique Central de II ordre Leningrad. | | | | | | | | | | | 觀測時 7 ^h 14 ^h 21 ^h | |

No. 299

地名 Malye Karmakouly

| 統計年次 | 緯度 72°23'N 經度 52°43'E 海拔高 15.3m. | | | | | | | | | | | | |
|---------|----------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|-------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
| 平均氣壓 | 755.6 | 755.3 | 751.9 | 758.5 | 759.8 | 758.1 | 758.0 | 756.9 | 754.5 | 752.5 | 752.7 | 754.0 | 755.9 |
| 平均氣溫 | -10.6 | -11.2 | -12.5 | -11.1 | -3.0 | 3.5 | 8.3 | 7.2 | 4.3 | -1.1 | -7.2 | -13.6 | -3.9 |
| 平均最高氣溫 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均最低氣溫 | -13.8 | -14.3 | -16.2 | -15.4 | -5.9 | 0.0 | 5.5 | 4.5 | 2.1 | -3.4 | -10.0 | -17.0 | -7.0 |
| 氣溫ノ高極 | 1.1 | 1.2 | 0.8 | 1.9 | 8.8 | 18.7 | 20.4 | 19.9 | 17.4 | 6.2 | 2.2 | 0.4 | 20.4 |
| 同上起日(年) | 23(25) | 7(23) | 12(20) | 28(22) | 20(22) | 29(22) | 26(23) | 8(24) | 2(25) | 5(23) | 6(23) | 31(24) | |
| 氣溫ノ低極 | -33.7 | -31.7 | -31.6 | -27.9 | -17.5 | -7.7 | -1.0 | -1.2 | -7.2 | -15.0 | -26.6 | -32.1 | -34.6 |
| 同上起日(年) | 7(20) | 20(25) | 16(24) | 20(24) | 1(23) | 2(25) | 8(25) | 21(25) | 28(25) | 26(21) | 28(23) | 13(25) | |
| 平均雲量 | 7.4 | 7.8 | 7.8 | 6.8 | 7.9 | 7.0 | 6.6 | 8.1 | 8.2 | 8.0 | 7.9 | 6.9 | 7.5 |
| 降水量 | 48.0 | 40.0 | 36.5 | 21.4 | 32.1 | 17.7 | 16.9 | 37.0 | 39.1 | 29.1 | 27.0 | 46.2 | 391.0 |
| 降水日最大 | 18.0 | 16.0 | 21.0 | 9.4 | 21.9 | 11.5 | 13.2 | 26.1 | 19.2 | 9.7 | 8.0 | 17.8 | 26.1 |
| 同上起日(年) | 30(25) | 27(24) | 31(25) | 8(23) | 30(22) | 22(23) | 31(22) | 22(24) | 7(21) | 27(23) | 6(19) | 10(22) | |
| 降水日數 | 21.4 | 20.8 | 21.4 | 16.6 | 14.6 | 10.2 | 8.2 | 19.2 | 18.5 | 18.3 | 17.8 | 202.3 | |
| 降雪日數 | 18.4 | 20.2 | 20.6 | 16.4 | 11.8 | 4.4 | 0 | 1.0 | 3.2 | 12.0 | 15.7 | 16.7 | 140.4 |
| 快晴日數 | 2.8 | 1.3 | 1.3 | 5.6 | 1.6 | 3.8 | 4.6 | 1.0 | 0.5 | 1.0 | 1.7 | 3.7 | 28.9 |
| 曇天日數 | 16.0 | 16.0 | 17.5 | 12.4 | 19.0 | 12.6 | 11.6 | 18.3 | 19.8 | 18.3 | 17.3 | 12.8 | 191.6 |
| 備考 | | | | | | | | | | | | 觀測時 7 ^h 14 ^h 21 ^h | |

地名 Dickson

緯度 73°31'N 經度 80°23'E 海拔高 13.0m.

Table with 14 columns (months and year) and 18 rows (climate statistics) for Dickson station.

Résumés mensuels et annuels des Observations des Station hydro-meteorologique polaires.

地名 Ingorsky Char

緯度 69°50'N 經度 60°46'E 海拔高 13.1m.

Table with 14 columns (months and year) and 18 rows (climate statistics) for Ingorsky Char station.

觀測時 7^h 13^h 21^h

地名 Mare Sale

緯度 69°43'N 經度 66°49'E 海拔高 14.1m.

Table with 14 columns (months and year) and 18 rows (climate statistics) for Mare Sale station.

觀測時 7^h 13^h 21^h

地名 Port Ouste Ienisseisk

緯度 69°40'N 經度 84°22'E 海拔高 25.0m.

Table with 14 columns (months and year) and 18 rows (climate statistics) for Port Ouste Ienisseisk station.

觀測時 7^h 13^h 21^h

No. 304

地名 Doudinka

緯度 69°24'N 經度 86°4'E 海拔高 20.0m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average temperature, max/min, precipitation, etc.) for Doudinka.

觀測時 7h 13h 21h

No. 305

地名 Noviy Port

緯度 67°42'N 經度 72°57'E 海拔高 4.9m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average temperature, max/min, precipitation, etc.) for Noviy Port.

觀測時 7h 13h 21h

No. 306

地名 Indiga

緯度 67°42'N 經度 48°46'E 海拔高 6.6m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average temperature, max/min, precipitation, etc.) for Indiga.

觀測時 7h 13h 21h

No. 307

地名 Obdorsk

緯度 66°31'N 經度 66°36'E 海拔高 35.2m.

Table with 14 columns (Year, Jan-Dec) and 15 rows (Average temperature, max/min, precipitation, etc.) for Obdorsk.

觀測時 7h 13h 21h

No. 308

地名 Vaigatch Is.

Table with 14 columns (months and year) and 17 rows (climate statistics) for Vaigatch Is. Includes coordinates 70°24'N, 58°47'E and elevation 11.2m.

No. 309

地名 Kola (Lapland)

Table with 14 columns (months and year) and 17 rows (climate statistics) for Kola (Lapland). Includes coordinates 68°53'N, 33°1'E and elevation 6.7m.

No. 310

地名 Kanin Noss

Table with 14 columns (months and year) and 17 rows (climate statistics) for Kanin Noss. Includes coordinates 68°39'N, 43°18'E and elevation 48.3m.

No. 311

地名 Nikolsk

Table with 14 columns (months and year) and 17 rows (climate statistics) for Nikolsk. Includes coordinates 59°32'N, 45°27'E and elevation 12.5m.

No. 312

地名 Narva-Joesuu (Hungerburg)

緯度 59°28'N 經度 28°2'E 海拔高 ? m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, etc.)

備考 觀測時 7h, 13h, 21h 但シ溫度及雲量ハ7h 觀測トス Met. Jahr. für Eesti. Bd. 11. Tartu.

No. 313

地名 Tallinna (Reval)

緯度 59°26'N 經度 24°48'E 海拔高 ? m.

Table with 14 columns (months and year) and 15 rows (climate statistics)

備考 觀測時 7h, 13h, 21h 但シ溫度及雲量ハ7h 觀測トス

No. 314

地名 Tartu, Ulikooli Met. Obs.

緯度 58°23'N 經度 26°43'E 海拔高 80.8m.

Table with 14 columns (months and year) and 15 rows (climate statistics)

備考 觀測時 1h, 4h, 7h, 10h, 13h, 16h, 19h, 22h

No. 315

地名 Parnu

緯度 58°23'N 經度 24°30'E 海拔高 ? m.

Table with 14 columns (months and year) and 15 rows (climate statistics)

備考 觀測時 7h, 13h, 21h 但シ溫度及雲量ハ7h 觀測トス

No. 316

地名 Pohulanka

Table with columns for months (一月 to 十二月) and years (年). Rows include average temperature, maximum/minimum temperatures, humidity, precipitation, and cloudiness. Includes a reference note at the bottom: 備考 觀測時 7h,13h,21h, Annuaire de L'institut meteorologique de Pologne, Warszawa.

No. 317

地名 Wilno (Vilna)

Table with columns for months (一月 to 十二月) and years (年). Rows include average temperature, maximum/minimum temperatures, humidity, precipitation, and cloudiness. Includes a reference note at the bottom: 備考 觀測時 7h,13h,21h, Zelnjährlige Meteo. Beobachtungen in Wilno. 1928. (Observatoire astronomique)

No. 318

地名 Pinsk

Table with columns for months (一月 to 十二月) and years (年). Rows include average temperature, maximum/minimum temperatures, humidity, precipitation, and cloudiness. Includes a reference note at the bottom: 備考 觀測時 7h,13h,21h

No. 319

地名 Krakow *

Table with columns for months (一月 to 十二月) and years (年). Rows include average temperature, maximum/minimum temperatures, humidity, precipitation, and cloudiness. Includes a reference note at the bottom: 備考 * Observatoire Astronomique. 觀測時 7h,13h,21h

No. 320

地名 Tarnopol

Table with columns for 緯度 49°33'N, 經度 25°36'E, 海拔高 318.5m, and monthly/yearly climate data for Tarnopol.

No. 321

地名 Abisko

Table with columns for 緯度 68°21'N, 經度 18°49'E, 海拔高 388.1m, and monthly/yearly climate data for Abisko.

No. 322

地名 Riga

Table with columns for 緯度 56°57'N, 經度 15°9'E, 海拔高 2.8m, and monthly/yearly climate data for Riga.

No. 323

地名 Kalmar

Table with columns for 緯度 56°40'N, 經度 16°22'E, 海拔高 ? m., and monthly/yearly climate data for Kalmar.

No. 324

地名 Halmstad

緯度 56°40'N 經度 12°52'E 海拔高 ? m.

Table with 14 columns (months and year) and 15 rows (climate statistics like average temperature, precipitation, etc.) for Halmstad.

No. 325

地名 Malmo

緯度 55°37'N 經度 13°2'E 海拔高 ? m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Malmo.

No. 326

地名 Bjornoya

緯度 74°28'N 經度 19°17'E 海拔高 29.2m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Bjornoya.

No. 327

地名 Tromso

緯度 69°39'N 經度 18°57'E 海拔高 114.5m.

Table with 14 columns (months and year) and 15 rows (climate statistics) for Tromso.

地名 Bodo

Table with columns for 統計年次, 一月 to 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水日數, 快晴日數, 曇天日數.

地名 Aas

Table with columns for 統計年次, 一月 to 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水日數, 快晴日數, 曇天日數.

地名 Stenderup

Table with columns for 統計年次, 一月 to 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水日數, 快晴日數, 曇天日數.

地名 Odense

Table with columns for 統計年次, 一月 to 十二月, 年. Rows include 平均氣壓, 平均氣溫, 平均最高氣溫, 平均最低氣溫, 氣溫ノ高極, 同上起日(年), 氣溫ノ低極, 同上起日(年), 平均濕度, 平均雲量, 降水日數, 快晴日數, 曇天日數.

No. 332

地名 Hojvig

| | | 緯度 62°3'N | | 經度 6°45'W | | 海拔高 22.0m. | | | | | | | | |
|---------|--|-----------------------------|--------|-----------|--------|------------|--------|-------|--------|--------|--------|--------|--------|--------|
| 統計年次 | | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
| 平均氣壓 | 1926-1932* | 747.3 | 757.4 | 754.7 | 755.2 | 759.9 | 756.8 | 756.1 | 755.1 | 754.9 | 751.1 | 748.1 | 751.7 | 751.0 |
| 平均氣溫 | 1922-1932 | 4.5 | 4.7 | 4.5 | 4.8 | 6.4 | 8.5 | 10.4 | 10.5 | 9.0 | 6.5 | 5.2 | 4.7 | 6.6 |
| 平均最高氣溫 | " | 6.6 | 6.5 | 6.5 | 6.9 | 8.6 | 10.9 | 12.9 | 12.7 | 11.1 | 8.4 | 7.2 | 6.6 | 8.7 |
| 平均最低氣溫 | " | 1.9 | 2.2 | 2.1 | 2.4 | 4.0 | 6.1 | 8.3 | 8.6 | 6.8 | 4.2 | 2.6 | 2.3 | 4.3 |
| 氣溫ノ高極 | " | 11.1 | 10.9 | 11.4 | 12.1 | 15.2 | 20.1 | 17.3 | 19.3 | 16.5 | 14.6 | 12.8 | 11.4 | 20.1 |
| 同上起日(年) | " | 27(32) | 25(26) | 10(29) | 26(28) | 19(29) | 16(30) | 2(30) | 7(30) | 4(24) | 9(27) | 27(22) | 3(30) | |
| 氣溫ノ低極 | " | -8.9 | -6.5 | -8.2 | -6.9 | -2.4 | 0.7 | 3.0 | 3.1 | -2.1 | -2.9 | -4.8 | -5.1 | -8.9 |
| 同上起日(年) | " | 1(27) | 28(24) | 20(30) | 28(27) | 3(24) | 11(27) | 7(28) | 27(22) | 13(23) | 31(26) | 15(23) | 26(27) | |
| 平均濕度 | " | 81.9 | 81.9 | 80.1 | 79.6 | 78.7 | 80.5 | 84.3 | 85.1 | 82.1 | 81.0 | 80.7 | 81.3 | 81.4 |
| 平均雲量 | " | 8.1 | 8.1 | 7.8 | 8.0 | 7.9 | 7.8 | 8.3 | 8.5 | 7.8 | 7.8 | 8.0 | 8.0 | 8.0 |
| 降水日數 | " | 187.7 | 117.8 | 105.0 | 103.5 | 77.3 | 66.1 | 78.7 | 88.3 | 139.8 | 147.4 | 155.1 | 170.1 | 1436.8 |
| 快晴日數 | " | 24.9 | 22.9 | 21.2 | 21.2 | 16.0 | 18.0 | 19.1 | 19.9 | 22.5 | 23.2 | 24.8 | 26.9 | 260.6 |
| 曇天日數 | " | 0.0 | 0.3 | 0.0 | 0.1 | 0.3 | 0.1 | 0.0 | 0.1 | 0.2 | 0.1 | 0.1 | 0.0 | 1.3 |
| 備考 | " | 16.4 | 15.8 | 14.7 | 15.8 | 15.8 | 15.2 | 18.8 | 20.3 | 14.7 | 14.1 | 15.4 | 16.0 | 193.0 |
| 觀測時 | 8 ^h .14 ^h .21 ^h . | * 1931年欠 Farøe Is. Denmark. | | | | | | | | | | | | |

英 國
GREAT BRITAIN

No. 333

地名 Stornoway

緯度 58°12'N 經度 6°24'W 海拔高 10.4m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|--------|-----------------|-------|------|------|------|------|------|------|-------|-------|-------|-------|--------|
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均氣溫 | 1921—1930 4.9 | 4.8 | 5.3 | 6.3 | 8.4 | 10.7 | 12.8 | 12.5 | 10.7 | 8.3 | 5.8 | 5.1 | 7.9 |
| 平均最高氣溫 | " 6.8 | 7.0 | 8.1 | 9.5 | 11.4 | 13.6 | 15.9 | 15.5 | 13.5 | 11.0 | 8.1 | 6.9 | 10.6 |
| 平均最低氣溫 | " 2.9 | 2.7 | 2.5 | 3.2 | 5.4 | 7.8 | 9.8 | 9.6 | 7.9 | 5.7 | 3.6 | 3.2 | 5.3 |
| 降水量 | 1876—1910 128.5 | 108.7 | 99.1 | 70.4 | 64.3 | 61.5 | 74.4 | 98.0 | 100.6 | 136.1 | 142.5 | 150.9 | 1235.0 |
| 降水日數 | " 25 | 22 | 23 | 18 | 19 | 16 | 20 | 22 | 21 | 24 | 24 | 26 | 260 |
| 日照時數 | 1881—1910 28 | 60 | 104 | 159 | 192 | 179 | 144 | 132 | 115 | 85 | 42 | 24 | 1264 |
| 同上百分率 | " 13 | 23 | 29 | 37 | 37 | 34 | 27 | 28 | 30 | 27 | 18 | 12 | 29 |

備考 Averages of Temperature for the British Isles published by the Authority of the Meteorological Committee London. 1933.

Monthly normals of Temperature, Rainfall and Sunshine in British Isles. London. 1915.
Lewis, Scotland.

No. 334

地名 Strathpeffer

緯度 57°37'N 經度 4°28'W 海拔高 38.1m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|--------|----------------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 平均氣溫 | 1901—1930 3.2 | 3.4 | 4.4 | 6.6 | 9.6 | 12.4 | 14.2 | 13.6 | 11.4 | 8.2 | 4.8 | 3.2 | 7.9 |
| 平均最高氣溫 | " 6.1 | 6.4 | 7.9 | 10.6 | 14.0 | 16.9 | 18.4 | 17.5 | 15.4 | 11.8 | 7.8 | 6.1 | 11.6 |
| 平均最低氣溫 | " 0.2 | 0.3 | 0.9 | 2.6 | 5.3 | 7.9 | 10.0 | 9.6 | 7.4 | 4.5 | 1.7 | 0.2 | 4.2 |
| 降水量 | 1876—1910 80.3 | 67.3 | 69.6 | 46.2 | 51.8 | 51.1 | 72.4 | 67.6 | 58.7 | 72.6 | 73.7 | 86.1 | 797.4 |
| 降水日數 | " 17 | 15 | 18 | 14 | 16 | 13 | 17 | 17 | 15 | 18 | 17 | 18 | 195 |
| 日照時數 | 1881—1910 36 | 66 | 103 | 136 | 164 | 158 | 133 | 124 | 111 | 84 | 46 | 27 | 1188 |
| 同上百分率 | " 16 | 25 | 28 | 32 | 32 | 30 | 25 | 27 | 29 | 27 | 20 | 13 | 27 |

備考 Scotland.

No. 335

地名 Aberdeen

緯度 57°10'N 經度 2°6'W 海拔高 26.0m.

Table with 14 columns (Year, Jan-Dec) and 13 rows (Average pressure, temperature, precipitation, etc.) for Aberdeen.

No. 336

地名 Fort Augustus

緯度 57°8'N 經度 4°40'W 海拔高 20.7m.

Table with 14 columns (Year, Jan-Dec) and 13 rows (Average pressure, temperature, precipitation, etc.) for Fort Augustus.

No. 337

地名 Marchmont

緯度 55°44'N 經度 2°25'W 海拔高 151.8m.

Table with 14 columns (Year, Jan-Dec) and 13 rows (Average pressure, temperature, precipitation, etc.) for Marchmont.

No. 338

地名 Cockle Park (Morpeth)

緯度 55°13'N 經度 1°4'W 海拔高 99.1m.

Table with 14 columns (Year, Jan-Dec) and 13 rows (Average pressure, temperature, precipitation, etc.) for Cockle Park (Morpeth).

No. 339

地名 Durham

緯度 54°46'N 經度 1°35'W 海拔高 102.4m.

Table with 14 columns (Year, Jan-Dec) and 13 rows (Average pressure, temperature, precipitation, etc.) for Durham.

No. 340

地名 Newton Rigg

Table with columns for month (一月 to 十二月) and year (年). Rows include average pressure, temperature, precipitation, and sunshine hours for Newton Rigg.

No. 341

地名 Scarborough

Table with columns for month (一月 to 十二月) and year (年). Rows include average pressure, temperature, precipitation, and sunshine hours for Scarborough.

No. 342

地名 Douglas

Table with columns for month (一月 to 十二月) and year (年). Rows include average pressure, temperature, precipitation, and sunshine hours for Douglas.

No. 343

地名 Harrogate

Table with columns for month (一月 to 十二月) and year (年). Rows include average pressure, temperature, precipitation, and sunshine hours for Harrogate.

No. 344

地名 York (Museum)

Table with columns for month (一月 to 十二月) and year (年). Rows include average pressure, temperature, precipitation, and sunshine hours for York (Museum).

No. 345

地名 Blackpool

Table with columns for month (一月 to 十二月) and year (年). Rows include average pressure, temperature, precipitation, and sunshine hours for Blackpool.

No. 346

地名 Southport (Bedford Rd. Park)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average temperature, precipitation, and sunshine hours for Southport.

No. 347

地名 Sheffield

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average temperature, precipitation, and sunshine hours for Sheffield.

No. 348

地名 Worksop

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average temperature, precipitation, and sunshine hours for Worksop.

No. 349

地名 Rhyl

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average temperature, precipitation, and sunshine hours for Rhyl.

No. 350

地名 Lowestoft

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average temperature, precipitation, and sunshine hours for Lowestoft.

No. 351

地名 Birmingham (Sparkhill)

Table with columns for month (一月 to 十二月) and year (年), and rows for various climate metrics like average temperature, precipitation, and sunshine hours for Birmingham.

No. 352

地名 Cambridge (Botanic Gardens)

緯度 52°12'N 經度 0°8'E 海拔高 12.5m.

Table with 13 columns (months) and 10 rows (climate statistics) for Cambridge (Botanic Gardens).

No. 353

地名 Rothamsted

緯度 51°48'N 經度 0°22'W 海拔高 128.0m.

Table with 13 columns (months) and 10 rows (climate statistics) for Rothamsted.

No. 354

地名 Cirencester (Agric Coll)

緯度 51°42'N 經度 2°0'W 海拔高 135.1m.

Table with 13 columns (months) and 10 rows (climate statistics) for Cirencester (Agric Coll).

No. 355

地名 Westminster (St. James Park)

緯度 51°30'N 經度 0°8'W 海拔高 8.2m.

Table with 13 columns (months) and 10 rows (climate statistics) for Westminster (St. James Park).

No. 356

地名 Marlborough

緯度 51°25'N 經度 1°44'W 海拔高 129.3m.

Table with 13 columns (months) and 10 rows (climate statistics) for Marlborough.

No. 357

地名 Margate

緯度 51°24'N 經度 1°24'E 海拔高 15.5m.

Table with 13 columns (months) and 10 rows (climate statistics) for Margate.

No. 358

地名 Southampton

Table with columns for month (一月 to 十二月) and year (年). Rows include statistics for average pressure, temperature, precipitation, and sunshine for Southampton.

No. 359

地名 Brighton

Table with columns for month (一月 to 十二月) and year (年). Rows include statistics for average pressure, temperature, precipitation, and sunshine for Brighton.

No. 360

地名 Worthing

Table with columns for month (一月 to 十二月) and year (年). Rows include statistics for average pressure, temperature, precipitation, and sunshine for Worthing.

No. 361

地名 Scilly

Table with columns for month (一月 to 十二月) and year (年). Rows include statistics for average pressure, temperature, precipitation, and sunshine for Scilly.

No. 362

地名 Armagh

Table with columns for month (一月 to 十二月) and year (年). Rows include statistics for average pressure, temperature, precipitation, and sunshine for Armagh.

No. 363

地名 Markree Castle

Table with columns for month (一月 to 十二月) and year (年). Rows include statistics for average pressure, temperature, precipitation, and sunshine for Markree Castle.

No. 364

地名 **Birr. Castle**

| 統計年次 | 緯度 53°6'N 經度 7°56'W 海拔高 52.7m. | | | | | | | | | | | | 年 | |
|--------|--------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | | |
| 平均氣壓 | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | |
| 平均氣溫 | 1921—1930 | 5.6 | 5.4 | 6.4 | 7.5 | 10.5 | 13.2 | 15.2 | 14.3 | 12.6 | 10.1 | 6.3 | 5.4 | 9.3 |
| 平均最高氣溫 | " | 8.0 | 8.3 | 10.1 | 11.7 | 14.8 | 17.6 | 19.2 | 17.9 | 16.3 | 13.4 | 9.2 | 7.6 | 12.8 |
| 平均最低氣溫 | " | 3.1 | 2.6 | 2.6 | 3.2 | 6.2 | 8.7 | 11.2 | 10.6 | 8.8 | 6.7 | 3.4 | 3.1 | 5.8 |
| 降水量 | 1871—1910 | 73.2 | 54.9 | 60.7 | 54.9 | 57.4 | 62.5 | 77.2 | 98.6 | 67.8 | 75.9 | 76.7 | 78.5 | 838.3 |
| 降水日數 | 1876—1910 | 20 | 17 | 18 | 16 | 15 | 15 | 17 | 19 | 15 | 18 | 18 | 20 | 208 |
| 日照時數 | 1881—1910 | 50 | 67 | 110 | 153 | 185 | 165 | 142 | 142 | 125 | 96 | 64 | 43 | 1342 |
| 同上百分率 | " | 20 | 25 | 30 | 37 | 38 | 33 | 28 | 32 | 33 | 30 | 25 | 19 | 30 |
| 備考 | Central Plain, Irland. | | | | | | | | | | | | | |

和蘭、獨逸、奧地利、洪牙利

瑞西、葡萄牙、西班牙

Holland (Niederland), Germany, Austria, Hungary,

Switzerland, Portugal, Spain

No. 365

地名 Groningen

緯度 53°13'N 經度 6°33'E 海拔高 9.0m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|-----------------|---|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 平均氣壓* 1928-1931 | 759.5 | 762.4 | 761.3 | 757.0 | 759.0 | 760.3 | 758.7 | 758.9 | 762.1 | 758.2 | 756.0 | 760.3 | 759.5 |
| 平均氣溫* | 1.9 | -0.1 | 3.1 | 7.0 | 11.8 | 14.5 | 16.4 | 16.1 | 13.5 | 9.8 | 6.7 | 2.9 | 8.6 |
| 平均最高氣溫 | 4.2 | 2.9 | 7.3 | 11.0 | 16.4 | 19.1 | 20.9 | 20.5 | 18.5 | 13.7 | 9.4 | 5.3 | 12.4 |
| 平均最低氣溫 | -0.4 | -3.2 | -0.8 | 3.3 | 7.7 | 10.2 | 12.5 | 12.0 | 9.4 | 6.5 | 4.2 | 0.7 | 5.2 |
| 氣溫ノ高極 | 12.0 | 11.8 | 17.8 | 22.6 | 30.9 | 30.7 | 31.5 | 32.4 | 30.8 | 22.7 | 17.7 | 12.4 | 32.4 |
| 同上起日(年) | 15(30) | 27(30) | 21(31) | 11(28) | 29(31) | 20(30) | 18(29) | 29(30) | 10(28) | 7(31) | 5(31) | 5(31) | |
| 氣溫ノ低極 | -13.9 | -18.8 | -9.2 | -4.3 | -0.7 | 3.4 | 6.6 | 6.3 | 1.3 | -3.3 | -2.2 | -9.1 | -18.8 |
| 同上起日(年) | 18(29) | 11(29) | 2(29) | 4(29) | 4(29) | 5(29) | 8(28) | 3(29) | 30(28) | 28(31) | 10(28) | 31(31) | |
| 平均濕度‡ | 88 | 82 | 77 | 72 | 71 | 68 | 71 | 74 | 76 | 83 | 86 | 89 | 78 |
| 平均雲量‡ | 7.5 | 6.4 | 5.8 | 7.0 | 6.3 | 6.3 | 6.7 | 6.6 | 6.2 | 6.8 | 7.6 | 7.5 | 6.7 |
| 降水量 | 56.7 | 40.4 | 14.2 | 48.3 | 48.9 | 44.3 | 98.1 | 97.2 | 61.8 | 80.0 | 85.1 | 60.7 | 735.7 |
| 降水日數 | 21.5 | 14.8 | 12.3 | 14.8 | 16.0 | 14.3 | 17.8 | 18.5 | 15.0 | 19.8 | 23.5 | 21.3 | 209.6 |
| 日照時數 | 49.7 | 87.9 | 150.5 | 145.6 | 222.9 | 237.3 | 216.5 | 213.1 | 168.1 | 110.4 | 54.0 | 42.5 | 1698.5 |
| 同百分率 | 19.7 | 31.8 | 41.1 | 34.8 | 45.5 | 47.1 | 42.8 | 46.8 | 44.4 | 33.9 | 21.0 | 18.2 | 35.6 |
| 備考 | * 每時平均 ‡ 8 ^h , 14 ^h , 19 ^h . 平均 Jaarboek Koninklijk Nederlandsch Meteorologisch Instituut. Amsterdam.(Holland) | | | | | | | | | | | | |

No. 366

地名 Den Helder

緯度 52°58'N 經度 4°45'E 海拔高 5.9m.

| 統計年次 | 一月 | 二月 | 三月 | 四月 | 五月 | 六月 | 七月 | 八月 | 九月 | 十月 | 十一月 | 十二月 | 年 |
|-----------------|--|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| 平均氣壓* 1928-1931 | 759.3 | 762.0 | 761.2 | 757.0 | 759.1 | 760.5 | 758.8 | 758.9 | 762.3 | 758.1 | 755.7 | 760.1 | 759.4 |
| 平均氣溫* | 3.1 | 1.1 | 3.3 | 6.9 | 11.0 | 14.2 | 16.5 | 16.5 | 14.7 | 11.1 | 7.8 | 4.5 | 9.2 |
| 平均最高氣溫 | 5.0 | 3.4 | 6.2 | 9.7 | 13.8 | 17.2 | 19.4 | 19.1 | 17.9 | 13.9 | 10.0 | 6.6 | 11.9 |
| 平均最低氣溫 | 0.7 | -1.5 | 0.5 | 4.4 | 8.5 | 11.3 | 13.7 | 13.6 | 11.5 | 8.0 | 5.2 | 2.0 | 6.5 |
| 氣溫ノ高極 | 11.4 | 9.9 | 16.7 | 20.6 | 26.3 | 27.4 | 29.2 | 29.2 | 26.7 | 21.0 | 16.8 | 12.2 | 29.2 |
| 同上起日(年) | 20(30) | 23(28) | 21(31) | 26(28) | 25(31) | 19(30) | 21(29) | 29(30) | 10(28) | 7(31) | 4(31) | 1(30) | |
| 氣溫ノ低極 | -10.0 | -16.1 | -7.5 | -3.2 | 0.0 | 5.4 | 7.5 | 6.9 | 3.3 | -4.6 | -0.8 | -5.6 | -16.1 |
| 同上起日(年) | 18(29) | 15(29) | 10(31) | 7(31) | 2(29) | 11(29) | 13(28) | 3(29) | 30(28) | 28(31) | 10(28) | 20(29) | |
| 平均濕度‡ | 89 | 83 | 82 | 79 | 80 | 76 | 77 | 77 | 77 | 80 | 86 | 88 | 81 |
| 平均雲量‡ | 7.5 | 6.5 | 6.0 | 6.9 | 6.1 | 6.0 | 6.5 | 6.5 | 6.2 | 7.2 | 7.7 | 7.5 | 6.7 |
| 降水量 | 50.8 | 31.4 | 21.1 | 49.7 | 46.7 | 32.1 | 78.3 | 68.5 | 53.3 | 83.3 | 85.4 | 55.8 | 659.4 |
| 降水日數 | 20.5 | 13.3 | 14.8 | 13.8 | 13.8 | 11.5 | 13.5 | 15.5 | 14.8 | 19.5 | 22.5 | 20.8 | 194.3 |
| 備考 | * 每時平均 ‡ 8 ^h , 14 ^h , 19 ^h . 平均 | | | | | | | | | | | | |

地名 Rotterdam

Table with columns for months (一月 to 十二月) and years (1928-1931). Rows include average pressure, temperature, humidity, and precipitation data for Rotterdam.

地名 Vlissingen

Table with columns for months (一月 to 十二月) and years (1928-1931). Rows include average pressure, temperature, humidity, and precipitation data for Vlissingen.

地名 Maastricht

Table with columns for months (一月 to 十二月) and years (1928-1931). Rows include average pressure, temperature, humidity, and precipitation data for Maastricht.

地名 Kiel

Table with columns for months (一月 to 十二月) and years (1887, 1901-1925). Rows include average pressure, temperature, humidity, and precipitation data for Kiel.

No. 371

地名 Wilhelmshaven

緯度 53°32'N 經度 8°9'E 海拔高 5.0m.

Table with 14 columns (months and year) and 15 rows (climate metrics like average pressure, temperature, humidity, etc.) for Wilhelmshaven.

No. 372

地名 Leipzig

緯度 51°20'N 經度 12°23'E 海拔高 121.4m.

Table with 14 columns (months and year) and 15 rows (climate metrics) for Leipzig.

No. 373

地名 Baden

緯度 48°46'N 經度 8°14'E 海拔高 212.7m.

Table with 14 columns (months and year) and 15 rows (climate metrics) for Baden.

No. 374

地名 Meersburg

緯度 47°42'N 經度 9°16'E 海拔高 439.5m.

Table with 14 columns (months and year) and 15 rows (climate metrics) for Meersburg.

No. 375

地名 Innsbruck

緯度 47°16'N 經度 11°24'E 海拔高 582.0m.

Table with 13 columns (months and year) and 15 rows (climate statistics) for Innsbruck. Includes data for average pressure, temperature, humidity, and precipitation.

備考 Beobachtungen des Meteorologischen observatoriums der Universität Innsbruck. 観測時 7h, 14h, 21h, 但平均氣温ハ 1/4 (7h + 14h + 21h) = ヨル

No. 376

地名 Feldkirch

緯度 47°14'N 經度 9°36'E 海拔高 479.2m.

Table with 13 columns (months and year) and 15 rows (climate statistics) for Feldkirch. Includes data for average pressure, temperature, humidity, and precipitation.

備考 Jahrbücher der K. K. Central Anstalt für Meteorologie und Erdmagnetismus Wien. 観測時 7h, 14h, 21h, † 1927 Mar—May 欠

No. 377

地名 Graz

緯度 47°4'N 經度 15°28'E 海拔高 369m.

Table with 13 columns (months and year) and 15 rows (climate statistics) for Graz. Includes data for average pressure, temperature, humidity, and precipitation.

備考 観測時 7h, 14h, 21h,

No. 378

地名 Eger

緯度 47°54'N 經度 20°33'E 海拔高 163.0m.

Table with 13 columns (months and year) and 15 rows (climate statistics) for Eger. Includes data for average pressure, temperature, humidity, and precipitation.

備考 観測時 7h, 14h, 21h. * 1914—1916, 1919, 1920 年欠 Jahrbücher der Königl. Reichs-anstalt für Meteorologie und Erdmagnetismus Budapest. Hungary.

No. 379

地名 Debreczen

Table with 14 columns (months and year) and 15 rows (climate statistics) for Debreczen. Includes latitude 47°33'N, longitude 21°38'E, and elevation 129.2m.

No. 380

地名 Kalocsa

Table with 14 columns (months and year) and 15 rows (climate statistics) for Kalocsa. Includes latitude 46°32'N, longitude 18°59'E, and elevation 108.7m.

No. 381

地名 Kaposvar

Table with 14 columns (months and year) and 15 rows (climate statistics) for Kaposvar. Includes latitude 46°22'N, longitude 17°48'E, and elevation 149.0m.

No. 382

地名 Basel (Binningen)

Table with 14 columns (months and year) and 15 rows (climate statistics) for Basel (Binningen). Includes latitude 47°33'N, longitude 7°35'E, and elevation 318.0m.

地名 St. Gallen

緯度 47°26'N 經度 9°23'E 海拔高 702.0m.

Table with 13 columns (months and year) and 16 rows (climate statistics) for St. Gallen. Includes data for average temperature, precipitation, and cloud cover.

地名 Neuchatel (Neuenburg)

緯度 47°0'N 經度 6°57'E 海拔高 487.3m.

Table with 13 columns (months and year) and 16 rows (climate statistics) for Neuchatel (Neuenburg). Includes data for average temperature, precipitation, and cloud cover.

地名 Montalegre

緯度 41°49'N 經度 7°45'W 海拔高 1,027m.

Table with 13 columns (months and year) and 16 rows (climate statistics) for Montalegre. Includes data for average temperature, precipitation, and cloud cover.

地名 Beja

緯度 38°1'N 經度 7°53'W 海拔高 288m.

Table with 13 columns (months and year) and 16 rows (climate statistics) for Beja. Includes data for average temperature, precipitation, and cloud cover.

No. 387

地名 Lagos

Table with columns for months (一月 to 十二月) and years (1913-1929*). Rows include average pressure, temperature, humidity, and precipitation data for Lagos.

No. 388

地名 Ponta Delgada (Acores)

Table with columns for months (一月 to 十二月) and years (1913-1930). Rows include average pressure, temperature, humidity, and precipitation data for Ponta Delgada.

No. 389

地名 Funchal (Medeira)

Table with columns for months (一月 to 十二月) and years (1913-1930). Rows include average pressure, temperature, humidity, and precipitation data for Funchal.

No. 390

地名 S. Vicente

Table with columns for months (一月 to 十二月) and years (1913-1930). Rows include average pressure, temperature, humidity, and precipitation data for S. Vicente.

No. 391

地名 Santander

緯度 43°29'N 經度 3°49'W 海拔高 14m.

Table with 14 columns (months) and 15 rows (climate metrics) for Santander. Includes data for 1921-1926 and annual averages.

備考 * 1/2 (Max+Min) * 18h 觀測 Annario del Observatoris de Madrid, Spain.

No. 392

地名 La Coruna

緯度 43°23'N 經度 8°23'W 海拔高 25m.

Table with 14 columns (months) and 15 rows (climate metrics) for La Coruna. Includes data for 1921-1926 and annual averages.

備考 * 1/2 (Max+Min) * 18h 觀測

No. 393

地名 Albacete

緯度 39°0'N 經度 1°51'W 海拔高 686m.

Table with 14 columns (months) and 15 rows (climate metrics) for Albacete. Includes data for 1921-1926 and annual averages.

備考 * 1/2 (Max+Min) * 18h 觀測

No. 394

地名 Alicante

緯度 38°25'N 經度 0°29'W 海拔高 24m.

Table with 14 columns (months) and 15 rows (climate metrics) for Alicante. Includes data for 1921-1926 and annual averages.

備考 * 1/2 (Max+Min) * 18h 觀測