



United States
Department of
Agriculture

Agricultural
Research
Service

Miscellaneous
Publication
No. 1438

George Henry Falkiner Nuttall and the Nuttall Tick Catalogue

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

AD-33 Bookplate
(1-68)

NATIONAL



AGRICULTURAL
LIBRARY

IND ✓


Ag84M
No 1438
1984
Copy 1

exchange card

10/07/88



825204



Geo. H. S. Nuttall

George Henry Falkiner Nuttall (1862-1937). Portrait in oils (1932) by Philip Alexius Laszlo de Lombos.



United States
Department of
Agriculture

Agricultural
Research
Service

Miscellaneous
Publication
No. 1438

George Henry Falkiner Nuttall and the Nuttall Tick Catalogue

By James E. Keirans

U.S. DEPT. OF AGRICULTURE
BUREAU OF ENTOMOLOGY
1945
13

Abstract

Keirans, James E. 1984. George Henry Falkiner Nuttall and the Nuttall tick catalogue. U.S. Department of Agriculture Miscellaneous Publication Number 1438, 1785 pp.

During the first third of this century, Professor George H. F. Nuttall of Cambridge University amassed what, at that time, was the world's largest collection of ticks (Acari: Ixodoidea). He kept detailed records on all Ixodoidea he received, including a three-volume

handwritten catalogue. This publication presents a biography of G. H. F. Nuttall, his tick catalogue in its original and updated form, and four appendixes listing type specimens of tick species, species names of Ixodoidea, host names, and localities found in the catalogue.

KEYWORDS: Acari, biography, George Henry Falkiner Nuttall, Ixodoidea, ticks.

Foreword

The ticks (Acari, Metastigmata) are without doubt the most important carriers and reservoir hosts of disease organisms affecting wild and domestic animals and, next to mosquitoes, the most important vectors of human pathogens. The bites of certain species may also cause an acute and sometimes fatal intoxication in humans known as tick paralysis, and heavy infestations on domestic animals may lead to unthriftiness and even death through exsanguination. Serious losses may also be caused by secondary infections of wounds inflicted by the parasites. Thus the bioeconomic problems created by the group are enormous, and clearly of fundamental importance to their understanding is an adequate taxonomic foundation. This to a great extent must be dependent on studies of museum material and particularly on studies of collections of outstanding importance in relation to the taxonomic history of the group.

Arguably, from this historical viewpoint, the single most important collection of ticks is that amassed by Professor G. H. F. Nuttall. Although Nuttall first turned his attention to the role of arthropods in the spread of disease as early as 1897, the real origin of the tick collection began with his investigations of canine piroplasmosis at the University of Cambridge in 1904. When these studies revealed a lack of coordinated knowledge of the biology and systematics of tick vectors, Nuttall planned and began to collect material for a comprehensive work, "Ticks: A Monograph of the Ixodoidea." For this project he enlisted the aid of C. Warburton, L. E. Robinson, and W. F. Cooper.

Originally the work was intended to be published as a single volume, but the task presented great difficulties. In 1908, the decision was made to issue separately Part I of Volume I dealing with the Argasidae. Part II ("Ixodidae,"

Section I, "Classification," Section II, "The Genus Ixodes") and Part III ("The Genus Haemaphysalis"), both by G. H. F. Nuttall and C. Warburton, were published in 1911 and 1915, but the work was seriously interrupted by World War I. Part IV ("The Genus Amblyomma," by L. E. Robinson), which formed the first part of Volume II, was not published until 1926. It was Nuttall's fervent wish that the "Monograph" be completed. Following his retirement as Quick Professor of Biology at Cambridge University in 1931, he was able to devote more attention to the project. Sadly his sudden death in December 1937 brought the undertaking to a standstill, and although another fasciculus (Part V, "On the Genera Dermacentor, Anocentor, Cosmiomma, Boophilus, and Margaropus," by Professor D. R. Arthur) was published in 1960, the Monograph remains unfinished.

Nuttall's systematic studies at Cambridge, undertaken mainly at the Quick Laboratory and at the Molteno Institute for Research in Parasitology, spanned a period of about 33 years. During this time he received enormous amounts of material for critical examination from physicians, veterinarians, parasitologists, and taxonomists working in all parts of the world, so that at the time of its presentation to the British Museum (Natural History) by the Molteno Institute in 1939 his collection was unrivaled in its importance. As presented, the collection comprised three sections: A reference collection, rich in types, representing nearly all the valid species then recognized; a "stock" collection with many species represented by long series of specimens; and an assemblage of laboratory reared material. All items were carefully labeled and numbered and were documented in detail in a three-volume handwritten register.

Over the years the Nuttall collection has

been curated with painstaking care by successive heads of the Arachnida Section, and in accordance with the terms of the gift it has been maintained as a discrete entity. However, although the need has long been recognized, the Museum has been unable to prepare a catalogue for publication. Thus, it was particularly pleasing to be able to welcome J. E. Keirans of the Rocky Mountain Laboratories, Hamilton, Mont., an authority of international standing on the Metastigmata, as a visiting scientist to the Arachnida Section, and to provide him with the facilities for a 12-month study of the Nuttall collection with a view to producing a critical catalogue. He has completed the task with notable suc-

cess. Tick workers everywhere will be greatly indebted to him, and, having been directly responsible for the curation of the Nuttall collection for several years, I feel privileged to have been invited to contribute the foreword to this important work.



J. G. Sheals
Keeper of Zoology
British Museum
(Natural History)

Preface

The Nuttall collection of ticks, which had never been revised and updated in toto, was discussed in the autumn of 1976 with the acarology staff of the British Museum (Natural History). This collection had been donated to the British Museum (Nat. Hist.) in 1939 by the Molteno Institute for Research in Parasitology, Cambridge University. The staff agreed that to have this important historical collection, rich in type specimens, entirely reidentified and updated would benefit the Museum. I agreed that, as a systematist on Ixodoidea from the Rocky Mountain Laboratories (RML), U.S. Public Health Service, it would be advantageous for RML because we were entering all data relating to the two largest tick collections in the world, the RML collection and that of Harry Hoogstraal, Naval Medical Research Unit No. 3 (NAMRU-3), Cairo, Egypt, into the computer at the U.S. National Museum of Natural History. With the addition of Professor Nuttall's collection, data on the three most important tick collections in the world would become available to researchers. In addition, the Nuttall collection contains type specimens for over 150 tick species and numerous species of medical and veterinary importance

collected from all over the world. Accurate determination of these species would be beneficial to all tick workers.

I began a year's visit to the British Museum (Nat. Hist.) in August 1977 for the purpose of reidentifying the Nuttall tick collection. This research was supported by the Office of International Health, National Institutes of Health, Bethesda, Md.

This publication brings up to date, in a slightly revised form, Nuttall's "Catalogue of Ticks," a three-volume handwritten journal, never before published but certainly a work that leading tick specialists have found one of the most useful single references on the Ixodoidea. The Nuttall catalogue, as now updated and revised, is a historical record of an exceedingly important group of ectoparasites. Because of Professor Nuttall's diligent listing of all relevant collection data relating to his ticks, combined with those data from the RML and NAMRU-3 tick collections, we will undoubtedly be able to better understand tick-host relationships, geographical distribution patterns, and seasonal dynamics within the Ixodoidea.

Acknowledgments

The following persons are gratefully acknowledged: At the British Museum (Natural History), J. Gordon Sheals, Keeper of Zoology, kindly invited me to conduct this research on Professor Nuttall's tick collection; Keith H. Hyatt, Arachnida and Myriapoda Section, freely provided access to the Nuttall collection plus space, tools, and time to study this material; Anne S. Baker, Arachnida and Myriapoda Section, provided rare and obscure references relating to Professor Nuttall that are available only in the library of the British Museum (Nat. Hist.). A special thanks, also, to Bernice E. Brewster, formerly of the Arachnida and Myriapoda Section, who provided host and locality information for which I am most grateful.

Donald Macfarlane, Commonwealth Institute of Entomology, through his knowledge of the British records office, was instrumental in enabling me to trace the daughter and son of Professor Nuttall. Macfarlane also provided invaluable assistance in solving certain British conventions in housing, schooling, banking, and so forth, for which my

family and I are most grateful. Dennis W. Babbage, emeritus fellow and former president, and Ralph E. Bennett, president, Magdalene College, Cambridge University, were gracious in assisting me in gathering background material on Professor Nuttall's later days at Cambridge.

To the following authorities on the Ixodoidea my thanks for their taxonomic assistance: Carleton M. Clifford, Rocky Mountain Laboratories, Hamilton, Mont.; Harry Hoogstraal and Hilda Wassem, NAMRU-3, Cairo, Egypt, and Jane B. Walker, Veterinary Research Institute, Onderstepoort, Republic of South Africa. Professor Nuttall's son, George R. F. Nuttall, was very helpful in filling in details on his father's life. I am grateful to F. G. A. M. Smit, British Museum (Nat. Hist.), R. W. Wenzel, Field Museum of Natural History, and K. C. Kim, Pennsylvania State University, for determinations of Siphonaptera, Hippoboscidae, and Anoplura, respectively. Parts of this research were aided by a Wellcome Research Travel Grant from the Burroughs Wellcome Fund.

Contents

	Page		Page
Biography of George H. F. Nuttall-	2	References-----	1697
Explanatory notes on the cata- logue-----	7	Appendix I - List of type speci- mens in the Nuttall tick col- lection-----	1717
Format-----	7	Appendix II - List of species names of Ixodoidea in the Nuttall tick collection-----	1730
Tick determinations-----	8	Appendix III - Host names for Ixodoidea in the Nuttall tick collection-----	1753
The Nuttall tick catalogue, vol- ume I, Nos. 1-800-----	11	Appendix IV - Geographical origin for Ixodoidea in the Nuttall tick collection-----	1774
The Nuttall tick catalogue, vol- ume II, Nos. 801-3500-----	353		
The Nuttall tick catalogue, vol- ume III, Nos. 3501-3972-----	1478		

Additional copies of this publication can be purchased from the U.S. Government Printing Office, Washington, D.C. 20402. When ordering by mail, ask for the publication by title and series. For faster service, call the GPO order desk at (202) 783-3238 and charge the publication to your Visa, MasterCard, or GPO Deposit Account. Discounts are available for

purchases of more than 100 copies mailed to the same address.

Microfiche copies can be purchased from the National Technical Information Service, 5285 Port Royal Road, Springfield, Va. 22161. For additional information, call NTIS order desk at (703) 487-4650.



George Henry Falkiner Nuttall and the Nuttall Tick Catalogue

by James E. Keirans^{1/}

From the turn of the century until his death in 1937, George H. F. Nuttall amassed what at the time was the world's largest tick collection. This collection was the basis for monographic revisions of the genera *Argas* and *Ornithodoros* (1908), *Ixodes* (1911), *Haemaphysalis* (1915), and *Amblyomma* (1926). These works are still consulted by specialists and, although outdated, the *Amblyomma* revision remains the best published work on that genus.

Nuttall was in a unique position with regard to the collection of ticks. He personally collected, but that was a secondary source of material. As Director of the Molteno Institute for Research in Parasitology, Cambridge University, he had access to collections by present and former students and corresponded with parasitologists throughout the world. He also exchanged tick specimens with most of the leading tick workers of the day, including L. G. Neumann, W. Dönitz, H. de B. Aragão, E. Brumpt, and R. A. Cooley. Readers of the scientific publications "Parasitology" and the "Journal of Hygiene," both of which he edited, were acquainted with his numerous publications on ticks and sent him samples for identification. More importantly, this was the era of the greatest expansion of the British Colonial Empire and the time of the formation of the Entomological Research Committee (Tropical Africa), later expanded to the Imperial

Bureau of Entomology and now the Commonwealth Institute of Entomology. This committee began the first systematic collection and study of insects and other arthropods injurious to man, animals, and crops in Africa (Anon., 1909; Shipley, 1910). Nuttall was a member of this committee and was responsible for all tick identifications.

However, all this access to huge tick collections would have been in vain had it not been for Nuttall's meticulous recordkeeping. Each collection received a Nuttall number, and all data were put on labels kept with the ticks in alcohol; numerically, the data were entered in his tick catalogue. The large number of ticks from collectors throughout the world, combined with Nuttall's detailed accurate recordkeeping and his taxonomic expertise, led to a tick collection unrivaled in its day.

After Nuttall's death in 1937, Cambridge University presented his tick collection to the British Museum (Nat. Hist.) with the single stipulation that it remain a separate entity as--The Nuttall Tick Collection--and not be incorporated into the general collection. Various investigators have studied parts of Nuttall's collection when they pertained to species groups in which they had an interest, but the entire collection has never been revised and updated. Since his death, taxonomic concepts have changed within the Ixodoidea and their numerous vertebrate hosts. In addition, the emergence of scores of new nations, especially in the post-World War II period, requires an updating of all locality data associated with the Nuttall collection.

^{1/} Research entomologist (medical), Department of Health and Human Services (HHS), Public Health Service, National Institutes of Health, National Institute of Allergy and Infectious Diseases, Epidemiology Branch, Rocky Mountain Laboratories, Hamilton, Mont. 59840; now in HHS, Entomology Department, National Museum of Natural History, Museum Support Center, Smithsonian Institution, Washington, D.C. 20560.

Biography of George H. F. Nuttall

George Henry Falkiner Nuttall was born in San Francisco, Calif., on July 5, 1862, the second of three sons and two daughters of Robert Kennedy Nuttall, M.D., and his wife, Magdalena. His father (1815-81) received his doctor of medicine degree from Aberdeen in 1847 and was a physician in the prison colony in Tasmania for 4 years before migrating to San Francisco and establishing an obstetrical practice. In 1865, the family moved to Europe, where the children were educated in France, Germany, England, and Switzerland. In 1873, his father took a house in Richmond, Surrey, and George went to Epsom for a part of his primary school education; in 1876, he was privately tutored before returning to America in 1878. It was to this cosmopolitan upbringing that Nuttall owed his ability to speak German, French, Italian, and Spanish, accomplishments that were to help him greatly in his scientific career and travels. He entered the University of California, Berkeley, to study medicine and obtained a doctor of medicine degree in 1884 and also won the Kane Prize.

After 1 year at Johns Hopkins University in Baltimore, Md., Nuttall went to Germany--first, to Breslau and later, Göttingen, where he became interested in parasitology, which became the main scientific interest of his life. In 1891, he returned to America as assistant to W. H. Welch, professor of pathology at Johns Hopkins. From 1892 to 1899, he worked on hygiene at Göttingen and Berlin. In 1895, he married Paula von Oertzen-Kittendorf (1873-1922) of Mecklenburg. They had two sons, George (b. 1896) and Winfred (1897-1972), and a daughter, Carmelita (b. 1902). In 1899, Nuttall gave lectures on bacteriology at Cambridge. A year later, he was appointed university lecturer in bacteriology and preventive medicine.

In 1901, Nuttall founded the "Journal of Hygiene," which he edited up to the time of his death. Seven years later he began "Parasitology," which he edited until 1933. The following note appears in

Nuttall's journal for May 1900: "In this month I saw Dr. John Haldane, F.R.S., at a meeting of the Physiological Society in Cambridge. We had a conversation which led to our starting the JOURNAL OF HYGIENE the public announcement of which appeared in October, the first number coming out in January 1901. The suggestion initiated from Haldane, who being a physiologist was unwilling to take on the chief editorship. Dr. Arthur Newsholme, representing the administration side of Hygiene, joined us as third editor and we soon secured a lengthy list of collaborators in all parts of the world." In his editorial work he displayed the same thoroughness as in his research. He considered that part of the duty of an editor was educational and spent much time in correcting and improving papers and in advising young and inexperienced workers. As editor, he exerted great influence on investigators all over the world, and his journals became models upon which the publications of several scientific societies were based.

Among his outstanding contributions to science was his discovery while working in Flugge's Institute (1888) that defibrinated blood possesses a strong bactericidal property against anthrax bacilli and that this property disappears by heating the blood to 55° C. The results of this work were incorporated in a paper "A Contribution to the Study of Immunity," which received the triennial Boylston Prize from Harvard University. This work initiated the study of humoral immunity and was the forerunner of such great discoveries as antitoxic immunity by workers like E. A. Behring and S. Kitasato. It occupied also a prominent place in the discussion of humoral versus cellular immunity formulated by E. Metchnikoff.

In collaboration with W. H. Welch (1892), he studied in great detail the anaerobic gas-producing micro-organism known now as Clostridium perfringens, the agent of gas gangrene, the importance of which as a pathogenic agent was not fully appreciated until World War I.

In collaboration with H. Thierfelder (1895-97), he carried out the first successful experiments on life under aseptic conditions. In these investigations, guinea pigs delivered by Caesarean section were kept alive and fed in a specially devised chamber under bacteria-free conditions.

In 1897, Nuttall turned his attention to the role of arthropods in the spread of disease, a subject to which he devoted his later life. In 1899, he published his well-known paper "On the Role of Insects, Arachnids and Myriapods as Carriers in the Spread of Bacterial and Parasitic Diseases of Man and Animals," which contains an exhaustive critical and historical review of the entire subject. Soon afterward (1900-01), he became interested in the history of malaria in England and in collaboration with L. Cobbett, T. Strangeways, and others undertook a survey of the distribution of the genus Anopheles in England. He found that three species of these mosquitoes were in all districts that were formerly malarious. The disappearance of malaria in England was therefore not due to the extinction of Anopheles. In collaboration with A. E. Shipley, he carried out an important investigation on the structure and biology of Anopheles, which is still considered a classic.

About the same time (1901), Nuttall turned his interest to precipitin reactions. He devoted the next 3 years to studying the application of the precipitin reaction to phylogenetic relationships among vertebrates. In 1904, he published his classic monograph "Blood Immunity and Blood Relationship," incorporating the results of an extensive investigation of precipitin tests carried out on the blood of about 600 species of animals. This investigation clearly established the correlation between the antigenic relationships of animal sera and the zoological relationships of the species. It threw a new light on the study of the phylogenetic relationships in the animal kingdom and provided also a new method for identifying the character of minute

traces of blood, a procedure that has had notable applications in forensic medicine.

After the publication of this monograph, Nuttall began his investigations on diseases transmitted to animals by ticks. By means of infected ticks (Haemaphysalis leachi) sent to him by C. P. Lounsbury from South Africa, he succeeded in infecting dogs with the agent of piroplasmosis, a disease unknown in England. This was the first case of investigating a disease imported by an infected vector. An important result of this study, which had great economic importance, was the discovery of the curative property of trypan blue for piroplasmosis in dogs, cattle, and sheep. This study was followed by an extensive investigation of the anatomy, biology, life history, and systematics of ticks, carried out in collaboration with C. Warburton and L. E. Robinson. The results of these investigations are incorporated in numerous papers and in the monographic study of ticks that occupied him on and off during the remaining years of his life. During this investigation Nuttall acquired a very large collection of ticks from all parts of the world, at that time the largest in existence and rich in type specimens.

Most of his research interest during and after World War I was in the study of the Anoplura, their life history, biology, anatomy, and the problems of combating the spread of these parasites.

In his early life Nuttall had traveled in Mexico, Cuba, and North America, and it was probably during this period that he became interested in natural science. His uncle, Tiburcio Parrott, gave him his first microscope and started him in making and preparing microscopic slide mounts of all varieties of animals and plants. This was perhaps the initial event in Nuttall's scientific career.

Nuttall's scientific work shows that he possessed the attributes of the acute observer, the experimental scientist, and the naturalist to a remarkable

degree. These powers enabled him to recognize small specific characters with the intuition of the systematist and, at the same time, to unravel the most complicated anatomical structures. As an experimentalist, he was able to devise complicated and well-controlled experiments and to overcome great technical difficulties in carrying them out.

As a naturalist, he showed a real passion for collecting all sorts of specimens and in preserving, classifying, and cataloguing them. This work was always carried out with a great regard for permanence. He selected always the correct container for the specimen, unfading ink, and paper of lasting quality. The catalogues of his various collections have several hundreds or, in the case of ticks, thousands of entries in his own handwriting, giving the complete history of specimens to which they refer. In his journal, with equal meticulousness, Nuttall recounted his daily experiences, conversations, trips to various meetings, and interesting visitors to his laboratory and home.

In addition to his scientific attainments, Nuttall read widely on a variety of subjects and spoke with expertise on such topics as heraldry and gardening. He was also an excellent draftsman with a great interest in art. In 1904, he was elected a Fellow of the Royal Society, at the same time as his friend A. E. Shipley, and the year 1906 was one of the most important of his life as shown by the following journal entry.

"July 20 admitted to a Junior Fellowship at Christ's College. October 16 elected Quick Professor of Biology at Cambridge, and duly admitted on the 19th by the Vice-Chancellor (Mr. Roberts of Caius) at the Lodge and on the same day went to Brighton to see Mother - back to C. 24th. 24 May proceeded to the degree of Dr. of Science (Cambridge). November 20 dined with Prof. Newton, F.R.S., at Magdalene College after having at 11 a.m. been one of a deputation which was presented to the King of Norway at Buckingham Palace on behalf of the Royal Institute of Public Health.

"This was a most eventful year. Following upon the San Francisco disaster which for some time we thought might end in the loss of our fortune, things began to look up and in the end the fire-insurance companies paid all that was due, less 5% for cash payment rec'd within a year of the disaster.

"It was a great satisfaction to be admitted a Fellow at Christ's for I felt that I had at last got into 'the inner circle.' Soon after, I was made Reader in Hygiene, the Lectureship in Bacteriology and Preventive Medicine, previously held being allowed to lapse. Curiously enough I only held this post for 4 days before I was elected to the newly established Quick chair when, in turn, the Readership lapsed, for both the Lectureship and Readership had been personal appointments. When the Readership was established, there had been no thought of my going in for the Professorship, for the conditions under which the latter was to be held had not as yet been determined. However, as time went on, it was decided that the holder of the chair should devote himself to the 'study of the protozoa, especially in relation to disease,' and this being the case I made an application for the post. The decision as to who should be the first holder of the chair was arrived at with some difficulty and a good deal of heart burning. My friends rallied nobly to the charge and I was elected. It is just as well to forget the disagreeable aspects of the campaign for it ended in Victory for me. In my printed application with the friend much matter relating to this event, so important for me & mine for it put me 'upon my legs' again after the San Francisco disaster which strained our finances badly, my income from that source having been cut off for upwards of a year."

Nuttall received honorary degrees from the Universities of California, Strasburg, Egypt, South Africa, and Liège and was elected corresponding member of many scientific societies. He received also the Belgian Order of Leopold II and the

French Order of Commandeur de la Légion d'Honneur.

On the afternoon of December 16, 1937, Nuttall rushed from Cambridge to London to attend an autograph party at Foyles Bookstore for his son, George, who had coauthored a book with H. M. Hyde on air defense and the civil population. From there he dashed off to an art gallery where the portraits of Philip Alexius Laszlo de Lombos were on display, including one of Nuttall painted in 1932 (see frontispiece). From there he went immediately to the Craven Hotel in Charing Cross where he suffered a fatal heart attack. Unfortunately, it was on the eve of a dinner in his honor to be given by 60 colleagues upon his retirement from his long and successful editorship of the "Journal of Hygiene."

G[raham]-S[mith] and K[eilin] (1938) published Nuttall's obituary with a list of his publications. The following list of additional publications by Professor Nuttall is not meant to be exhaustive because it does not include all abstracts, editorial reviews, or extracts of previous publications, but I have attempted to include most of the notes and longer works not in the 1938 publications list.

Nuttall, G. H. F. 1897. The part played by insects in the spread of plague, and on the receptivity of different animals to plague infection. Vet. Rec. 10: 390-391.

1899. Nachtrag zu meinem Bericht betreffend "Neure Untersuchungen über Malaria, Texas-fieber und Tsetsefliegen-Krankheit" in dieser Zeitschr. 1898, No. 22. Hyg. Rundschau 9: 117-118.

1899. The part played by insects, arachnids, and myriapods in the propagation of infective diseases of man and animals. Vet. Rec. 12: 171-174.

1899. The poisons given off by parasitic worms in man and animals. Ann. Mag. nat. Hist. 4: 235-236.

1899. The role of insects, arachnids and myriapods in the propagation of infective diseases of man and animals. Lancet 2: 775-778.

1900. Upon the part played by mosquitoes in the propagation of malaria. A historical and critical study. J. trop. Med. 2: Title correction of item 39 in Nuttall's (1938) list of publications. [See 3d from last entry in this publication list.]

Haldane, J., & Newsholme, A. 1901. Introduction. J. Hyg. Cambridge 1: 1-2.

1902. Note on the supposed transmission of plague by fleas and of relapsing fever by bed bugs. J. trop. Med. 5: 65-66.

1904. Directions for preserving filariae. J. R. Army med. Corps 3: 78.

& Graham-Smith, G. S. 1905. Canine piroplasmosis. Bull. Inst. Pasteur, Paris 3: 839-840.

1907. International Society of Tropical Medicine. J. trop. Med. and Hyg. 10: 337-338.

1907. Redwater fever and allied diseases. Proc. Assoc. econ. Biol. 1: 106.

1908. Letter to the editor. The International Society of Tropical Medicine. Lancet 1: 1109.

1909. The Harben lectures, 1908. Spirochaetosis in man and animals. J. trop. vet. Sci. 4: 144-158.

- Nuttall, G. H. F. & Hadwen, S. 1910. The drug treatment of piroplasmosis in cattle. Vet. J. 17: 38-45.
1911. On haematozoa occurring in wild animals in Africa. 1. Piroplasma rossi n. sp. and Haemogregarina canis adusti n. sp. found in the jackal. 2. Spirochaeta bovis caffris n. sp. found in the buffalo. J. trop. vet. Sci. 6: 83-90.
1913. Observations on British rat-fleas, July-October, 1911. Parasitology, Cambridge 6: 1.
1913. Personal opinions of Professor George H. F. Nuttall, F.R.S., M.A., M.D., Ph.D., Sc.D., regarding the proposed Rockefeller [sic] Institute for the study of prevention of disease (by request, January 1901) [pp. 55, 57-60]. 60 pp. Commercial Press, Bombay.
1913. Scheme for the organization of an institute for the study of tropical diseases in India [pp. 37, 39-43]. 60 pp. Commercial Press, Bombay.
- & Strickland, C. 1913. Report on rat-fleas in Cambridgeshire. Parasitology, Cambridge 6: 18-19. [The 2d entry above and this entry are corrections of item 123 in Nuttall's list of publications; see 3d from last entry in this publication list.]
1915. Report on the work of the Quick Laboratory, Cambridge. Rep. advis. Com. Trop. Dis. Res. Fd. Lond. (1914): 87-88.
- & Hindle, E. 1915. Conditions influencing the transmission of East Coast fever. Studies Rockefeller Inst. Med. Res. 20: 1-12.
1917. Foreword to Hindle, E. Notes on the biology of Pediculus humanus. Parasitology, Cambridge 9: 259-260.
1921. Notice to authors of papers intended for publication in Parasitology. Parasitology, Cambridge 13: [4 unnumbered pages appearing after p. 192 in issue No. 2.]
1922. Correspondence. The end of the International Society of Tropical Medicine. Am. J. trop. Med. 2: 369-370.
1922. Thomas Spencer Cobbold, biography with portrait. Parasitology, Cambridge 14: 417-418, portrait, pl. 20.
1925. Acarina (Ixodidae). Bull. Com. Etud. hist. sci. Afr. occident. Fr. 8: 100-101.
1927. The armorial bearings of Magdalene College. Magdalene Coll. Mag. 8: 109-110.
1927. The arms of Thomas Lord Audley of Walden (1488-1544) founder of Magdalene College, Cambridge. Cambridge Antiq. Soc. Comm. 28: 101-115.
1929. Philip Hedgeland Ross. Lancet 217: 1284.
1931. Le rôle pathogène des tiques. Bruxelles Med. 10: 1359-1366.
1938. List of scientific publications (1886-1938). Parasitology, Cambridge 30: 409-418.
1940. Notes on the preparation of papers for publication in the Journal of Hygiene and in Parasitology. J. Hyg. Cambridge 40: 1-62.
1940. Notes on the preparation of papers for publication in the Journal of Hygiene and in Parasitology. Parasitology, Cambridge 32: 1-62.

From George R. F. Nuttall, I purchased Professor Nuttall's personal set of

annotated reprints in 18 bound volumes.
Included in volume X were 3 publications
printed for private circulation.

Nuttall, G. H. F. 1906. Application of
G. H. F. Nuttall for election to the
Quick Professorship of Biology,
Cambridge. 21 pp. Printed by John
Clay, M.A., at the University Press.

(Undated but between 1909
and 1919). Statement regarding a
project to build a field laboratory
for research in parasitology in the
vicinity of Cambridge. 4 pp. Uni-
versity of Cambridge.

1907-24. Annual report of the
Quick Professor, Cambridge. [Reports
for 1907, 1910, 1912, 1913, and 1921
are in Nuttall's handwriting, but
copies were also undoubtedly
printed.]

Explanatory Notes on the Catalogue

Format

I have attempted to reproduce the Nuttall catalogue as a document historically faithful to the original work. In the left-hand column of each page is the catalogue as originally handwritten, including all remarks by Nuttall or his colleagues at Cambridge. Nuttall skipped the numbers 1555, 2101, and 3245-3254. These omissions are noted in the text. I found that the following original catalogue numbers needed to be rearranged: 2211, 2327-2344, 2746, 2905, and 3412 were repeated for completely unrelated collections and I have renumbered them, respectively, 2211Z, 2327Z-2344Z, 2746Z, 2905Z, and 3412Z. Nuttall misnumbered the catalogue item 1242 as 1142, which I have corrected.

At the Molteno Institute, Cambridge University, I was given various notebooks, including an almost complete one-volume copy of the tick catalogue that belonged to Nuttall. Professor Bruce Newton of the Molteno Institute graciously allowed me to deposit this material with Nuttall's tick collection at the British Museum (Nat. Hist.). Among these documents was a notebook entitled "Ticks. Collections Sent Away," which contains the names and addresses of numerous persons (usually parasitologists, teachers, and naturalists), the ticks they received, and the Nuttall number from which the ticks were taken. I have indicated these donations in the remarks section of the original catalogue column because they are part of Nuttall's original records although not so entered into his catalogue.

Nuttall often indicated the date he replied to the donor of a collection (i.e., R.14.VII.1914). In addition, he often entered the abbreviation of an author of a species name (i.e., Ambly. cohaerens Dö.). I have deleted reply dates and abbreviations. Throughout the catalogue he abbreviated names of tick genera, such as Ambly., Boo., Haem., and Hyal. I have given complete names for all tick genera. Also, in some but not

all instances, Nuttall cited a given collection as follows:

N3077 Aponomma trimaculatum ♂'s, N's
(i) ♂'s
(ii) N's

I have eliminated the redundant use of (i) and (ii). With these exceptions and a few minor corrections, all data appearing in the left-hand column are as they appeared in the original version of Nuttall's catalogue.

In his catalogue, Nuttall arranged collection data in seven general categories for each entry as follows: (1) Nuttall number, (2) tick determination, (3) host, (4) locality, (5) date, (6) collector, and (7) remarks. Entry (1) is always present and (2) is rarely absent. The remaining categories are usually included.

In the updated catalogue column, I have added to category (1) a Rocky Mountain Laboratories (RML) number. This number will allow these records to be added into the SELGEM (the acronym derived from SELF-GEnerating Master) information retrieval system of the National Museum of Natural History, Smithsonian Institution. This is a generalized system for information storage, management, and retrieval especially suited for collection management in museums. Often Nuttall neglected to list the number of specimens in a collection. I have added this information to the tick determination using the standard characters: ♂ = male, ♀ = female, N = nymph, and L = larva. Host data are indicated by current species designation whenever possible. Common names are used when applicable or when no other choice is available. Specific localities are given coordinates whenever possible, but where the localities are large areas (viz Queensland, Australia; South Africa), no coordinates are given. I have used the more readily recognizable names of localities rather than the less common, albeit more correct, names. For example, I have used Algiers instead of Alger and Cairo instead of Al-Qahirah. Where a Nuttall tick collection is

missing, all information is given as it appears in the catalogue, and no attempt is made to update or correct any data. The word "MISSING" appears in the update column.

The following abbreviations are used throughout the text:

BMNH	British Museum (Natural History)
C.W.	Cecil Warburton
G.H.F.N.	George H. F. Nuttall
J.E.K.	James E. Keirans
L.E.R.	Lloyd E. Robinson
NB	Nota bene
Nn	L. G. Neumann
RML	Rocky Mountain Laboratories
I.B.E.	(also cited as Imp. Bur. Ent.) Imperial Bureau of Entomology

At the end of the catalogue are four appendixes so that users can locate collection data by type specimens, genus and species of tick, host, and geographical locality.

Tick Determinations

The determination of most immature ticks should be considered tentative. Where nymphs or larvae were part of a reared series, I have given them the same identification as adults. I have made specific identifications of other immatures when I have felt confident of the determination, or where knowledge of immature stages is well known, or both, i.e., many Ornithodoros spp. and certain Ixodes spp.

Haemaphysalis leachi determinations may be considered as H. leachi group. This group of African carnivore parasites consists of H. leachi, H. moreli, H. paraleachi, H. punctateleachi, and H. spinulosa. Separation of these entities was not attempted.

Dermacentor auratus, D. compactus, D. atrosignatus, and at least two other unnamed species are currently under study by H. Hoogstraal and H. Wassef. I have used an unpublished key by these

workers for this group. When their revision of the D. auratus group is published, Nuttall's collections of these taxa will need to be restudied.

In Africa, the Rhipicephalus sanguineus group currently contains R. bergeoni, R. camacasi, R. guilhoni, R. moucheti, R. sanguineus, R. serranoi, R. sulcatus (two ecologically and morphologically distinct entities), and R. turanicus. The first three species are not well known, and the first two may be present in R. sanguineus collections, especially in the horn of Africa. R. guilhoni is characteristically a North and West African livestock tick and may be widely distributed. R. moucheti is a rare species, known only from a few specimens from Guinea, Benin, and Cameroon. Biosystematic investigations on the R. sanguineus group are being conducted by R. G. Pegram and coworkers. Specific identification of this group awaits the results of these studies.




Figure 1.--The Nuttall tick catalogue: Volume 1, Nos. 1-800; volume 2, Nos. 801-3500; and volume 3, Nos. 3501-3972.

The Nuttall Tick Catalogue

Volume I, Nos. 1-800

Catalogue of Ticks
collected by
George H.F. Nuttall,
M.A., M.D., Ph.D., Sc.D., F.R.S.
Fellow of Magdalene College,
Quick Professor of Biology in the
University of Cambridge

ORIGINAL DETERMINATION

CURRENT STATUS

N 1 N 1 MISSING

Dermacentor occidentalis 1 ♂

Wooded country, San Rafael,
California, U.S.A.

VII.1879

Mounted in balsam (transparent)
by G.H.F. Nuttall. (both slides
1 & 2 show ornamentation well by
reflected light) G.H.F.N. & C.W.
det. I.1915

N 2 N 2 MISSING

Dermacentor occidentalis 1 ♀

Wooded country, San Rafael,
California, U.S.A.

VII.1879

Mounted in balsam (transparent)
by G.H.F. Nuttall.

(both slides 1 & 2 show ornamenta-
tion well by reflected light).
G.H.F.N. & C.W. det. I.1915

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3	N	3 MISSING
	<i>Boophilus australis</i> larvae = <i>B. microplus</i>		
	Cattle		
	Queensland, Australia		
	1900		
	Presented by T. Bowhill		
	Larvae raised from ♀ taken from cattle suffering from piroplasmosis.		
	Mounted in balsam (transparent) by G.H.F. Nuttall		
N	4	N	4 MISSING
	Undetermined genus		
	Rat		
	"from my bungalow compound"		Dr. E. H. Hankin was stationed in Agra, India, which is probably the locality for this collection. See also Nuttall 327 and 759. [J.E.K.]
	Rec'd 11.IX.1905		
	Rec'd from Dr. E. H. Hankin		
N	5	N	5 MISSING
	Undetermined genus		
	Man, dog, hyaena, cow		
	Makindu, E. Africa		
	Rec'd 26.X.1904		
	Rec'd from Dr. P. H. Ross		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	6	N	6
		RML	105801
<u>Amblyomma cyprium</u> 2 ♂		2 ♂ <u>Amblyomma cyprium</u>	
"my clothing (trouser)"		<u>Homo sapiens</u>	
Join of the River Laloki and Goldie, 12 mi. from Port Moresbey [sic] British New Guinea.		Join of the River Laloki and Goldie, 17 km from Port Moresby (09.30 S, 147.10 E), Papua New Guinea.	
26.V.1905		26.V.1905	
Rec'd from Mr. R.F.L. Burton		Rec'd from Mr. R.F.L. Burton	
Mr. Burton writes - "My bearers said, 'louse belong to Boroma,' which probably means "pig-tick."		R.F.L. Burton (1864-1922), educated at Eton, lived many years in New Zealand where he farmed on a large scale.	
N	7	N	7
		RML	105802
<u>Ixodes hexagonus</u> ♀ (gorged)		1 ♀ <u>Ixodes hexagonus</u>	
Human		<u>Homo sapiens</u>	
Caxton, Cambs., England		Caxton (52.12 N, 0.06 W), Cambs., England	
Rec'd V.1905		Rec'd V.1905	
Dr. Giles. Rec'd from Dr. G. C. Wherry		Dr. Giles. Rec'd from Dr. G. C. Wherry	
Tick had been found attached to the anus of a female servant. An acquaintance reported that "a large live insect had worked its way out of her body through the skin - she sent me word last night (5.VI.1908) - she noticed a lump getting larger and larger for 3 or 4 days, and this was the climax".			

ORIGINAL DETERMINATIONCURRENT STATUS

N 8

N 8 MISSING

Haemaphysalis leachi all stages

Dogs

Raised in Cambridge. Rec'd from
Cape Colony, S. Africa

Rec'd II.1904

Sent by C. P. Lounsbury

Mounted by me in 1904 as slides
(Canada balsam)

I - V	♂'s
VI - IX	♀'s
X - XII	N's
XIII	L's

[13 slides]

N 9

N 9

RML 105803

Rhipicephalus sanguineus ♂, ♀5 ♂, 13 ♀, 4 N, 148 L Rhipicephalus
sanguineus1 N Amblyomma sp.

Dog

Dog

India

India

19.I.1906

19.I.1906

Dr. C. W. Daniels

Dr. C. W. Daniels

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	10	N 10
		RML 105804
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Barbados, West Indies	Barbados (13.10 N, 59.32 W)
	I.1906	I.1906
	H. H. Brindley	H. H. Brindley
	1 ♂, 1 ♀ to C. Strickland, Malaya	Harold Hulme Brindley (1865-1944) Educated at St. Johns College, Cambridge (Steward 1914-1923, Fellow 1931); a noted authority on the Dermaptera and a historian of nautical evolution.
N	11	N 11 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	
	Dogs	
	Cairo, Egypt	
	10.II.1906	
	Rec'd from Dr. Edna Steinhardt, 17.II.1906	
	The specimens were collected on 10.II.1906, a few hours before death, from a dog which died, after 2 days illness from (presumably) piroplasmosis. Given to Dr. Steinhardt by Dr. Looss (Cairo).	
N	12	N 12 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	
	Dogs	
	Cairo, Egypt	
	10.II.1906	
	Rec'd from Dr. Edna Steinhardt via Dr. Looss.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	13	N 13 MISSING
	<u>Amblyomma</u> n. sp. ♂, ♀	
	Tortoise	
	Malay Peninsula	
	Dr. H. E. Durhan [London Sch. Trop. Med. No. 214]	
N	14	N 14 MISSING
	<u>Ornithodoros moubata</u> 2 ♂, 2 ♀	
	Harar, Abyssinia	
	V.1901	
	Dr. E. Brumpt	
	Given to me by Dr. Brumpt in Paris, III.1906	
N	15,a	N 15,a MISSING
	(15) <u>Rhipicephalus bursa</u> ♂, N, L	
	(a) <u>Haemaphysalis cinnabarina</u> var. <u>punctata</u> 1 ♀ laying eggs (labelled <u>R. bursa</u> by Motas!)	
	Sent III.1906	
	Sent by Prof. C. S. Motas, Bucharest, Roumania	

ORIGINAL DETERMINATIONCURRENT STATUS

N 16 N 16 MISSING

Boophilus annulatus ♂, ♀, N

Sent III.1906

Sent by Prof. C. S. Motas,
Bucharest, Roumania

Mounted on 2 slides in balsam

N 17 N 17

RML 105822

Hyalomma aegyptium 42 ♂, 6 ♀

Camels

Cairo abattoir, Egypt

29.III.1906

Dr. A. Balfour

42 ♂, 6 ♀ Hyalomma a. anatomicum
2 ♂ Hyalomma dromedarii

Camelus dromedarius

Abattoir, Cairo (30.03 N, 31.15 E),
Egypt

29.III.1906

Dr. A. Balfour

Sir Andrew Balfour (b1859) was with
Wellcome Research Laboratories in
Khartoum, Sudan and later head of
London School of Hygiene and Trop-
ical Medicine.

N 18 N 18 MISSING

Hyalomma aegyptium

Cattle

Cairo abattoir, Egypt

29.III.1906

Dr. A. Balfour

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	19	N	19
		RML	105823
	<u>Ixodes canisuga</u> ♀		1 ♀ <u>Ixodes canisuga</u>
Dog		Dog	
Longner Hall, Shrewsbury		Longner Hall, Shrewsbury (52.43 N, 2.45 W), England	
12.IV.1906		12.IV.1906	
R.F.L. Burton		R.F.L. Burton	
		Cited: Nuttall & Warburton (1911: 214).	
N	20	N	20
		RML	105824
Undetermined genus ♂, ♀3			1 ♂, 3 ♀ <u>Hyalomma truncatum</u>
Giraffe			<u>Giraffa camelopardalis</u>
Katsina, S. Nigeria, West Africa		Katsina (13.00 N, 7.32 E), Nigeria	
VIII.1905		VIII.1905	
D. Alexander		D. Alexander	
N	21b	N	21b
		RML	105825
<u>Rhipicephalus</u>			1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
Sudan		Sudan	
Rec'd. 1.IV.1906		Rec'd. 1.IV.1906	
Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).		Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).	
"Ticks from the Sudan said to be <u>Hyal. aegyptium</u> ."		There is also 1 ♀ <u>Hyalomma truncatum</u> with the Nuttall number 21a but the collection data corresponds to Nuttall number 20.	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	22	N	22
		RML	105826
	3 ♂ <u>Amblyomma hebraeum</u>		1 ♂ <u>Amblyomma gemma</u> 3 ♂ <u>Amblyomma lepidum</u>
	Sudan		Sudan
	Rec'd. 1.IV.1906		Rec'd. 1.IV.1906
	Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).		Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).
N	23	N	23
		RML	105827
	<u>Argas miniatus</u>		3 ♀ <u>Argas persicus</u>
	Sudan		Sudan
	Rec'd. 1.IV.1906		Rec'd. 1.IV.1906
	Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).		Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).
			Vial label reads <u>Argas persicus</u> although <u>Argas miniatus</u> was entered in the catalogue.
N	24	N	24
		RML	105828
	<u>Rhipicephalus sanguineus</u>		1 ♀ <u>Rhipicephalus sanguineus</u>
	Sudan		Sudan
	Rec'd. 1.IV.1906		Rec'd. 1.IV.1906
	Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).		Rec'd. from Dr. Daniels (London) who in turn got them from Dr. A. Balfour (Khartoum).

ORIGINAL DETERMINATIONCURRENT STATUS

N	25	N	25d
		RML	105829
	Undetermined genus		18 ♂, 9 ♀ <u>Rhipicephalus</u> <u>sanguineus</u>
	Donkey, horse, camel, dog, and ox		Donkey, horse, camel, dog, and ox
	Hyderabad, Sind, India		Hyderabad (25.22 N, 68.22 E), Sind, Pakistan
	15.V.1906		15.V.1906
	Dr. Advani		Dr. Advani
	Thrown away		

ORIGINAL DETERMINATIONCURRENT STATUS

N 26a, b, c, c', d

N 26a, a', b, c, c', d

RML 105830

26a Rhipicephalus evertsi26a 2 ♂ Rhipicephalus evertsi
(pinned specimens)26a 2 ♂ Hyalomma rufipes26a 7 ♂ Hyalomma truncatum26a' 1 ♂ Amblyomma hebraeum26b Hyalomma aegyptium26b 1 ♂, 1 ♀ Hyalomma rufipes26b 1 ♂, 1 ♀ Rhipicephalus evertsi
(pinned specimens)26c Hyalomma aegyptium26c 9 ♂, 10 ♀ Hyalomma truncatum
(including 1 ♂ in tick
abnormalities jar)26c' Rhipicephalus evertsi26c' 2 ♀ Rhipicephalus evertsi
(pinned specimens)26d Rhipicephalus evertsi26d 1 ♀ Rhipicephalus simus26d 6 ♂, 6 ♀ Hyalomma truncatumOx (26a, a'), Horse (26b), Goats
and Sheep (26c, c'), Dog (26d)Ox (26a, a'), Horse (26b), Goats
and Sheep (26c, c'), Dog (26d)

South Africa

Republic of South Africa

Rec'd. 6.IV.1906

Rec'd. 6.IV.1906

Rec'd. from Dr. B. G. Brock
Germiston, Transvaal, South AfricaRec'd. from Dr. B. G. Brock,
Germiston, Transvaal, S. Africa

The abnormal ♂ Hyalomma truncatum
was figured in Robinson (1920: 178).
He indicated the specimen was from a
goat, Germiston, Transvaal, S. Africa,
6.IV.1918.

26a' was not entered in Nuttall's
catalogue.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	27	N	27a, b
		RML	105831
	<u>Hyalomma aegyptium</u> ♂, ♀		27a 40 ♂, 4 ♀ <u>Hyalomma marginatum</u>
			27b 3 ♀ <u>Rhipicephalus sanguineus</u>
	Cattle		Cattle
	Campagna Romano, Italy		Campagna di Roma (41.54 N, 12.29 E), Italy
	4-10.V.1906		4-10.V.1906
	Dr. B. Gosio		Dr. B. Gosio
N	28	N	28b
		RML	105832
	<u>Hyalomma aegyptium</u>		4 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>
	Cattle		Cattle
	Campagna Romano, Italy		Campagna di Roma (41.54 N, 12.29 E), Italy
	27.IV - 3.V.1906		27.IV - 3.V.1906
	Dr. B. Gosio		Dr. B. Gosio
	Dr. Gosio writes from Rome 12.V.1906, "Alles hängt von ver Viehart ab welche hierher gebracht wird gewöhnlich untersuche ich die Rinder des Schlachthauser. Bald wird Sardinien nach in grossen Maassstabe eingebührt. Dann werden sie sicher eine sehr grosse Anzahe von Zecken erhalten, auch in cetrudizen Zusstande."		Dr. Gosio writes from Rome 12.V.1906, "It all depends on the kind of cattle brought here. Usually I examine the slaughter house cattle. Soon there will be an import of Sardinian cattle on a large scale. Then they will receive a very large number of ticks, also in (cetrudizen ?) condition."

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	29 a, b	N 29 a, b
RML		105833
(29a)	<u>Amblyomma petersi</u> 1 ♂	29a 1 ♂ <u>Amblyomma rhinocerotis</u>
(29b)	<u>Dermacentor rhinocerotis</u> 3 ♂, 2 ♀	29b 2 ♂, 1 ♀ <u>Dermacentor rhinocerinus</u>
	Rhinoceros	<u>Diceros bicornis</u> (probably)
	Nimule, Nile Province, Uganda Protectorate	Nimule (3.36 N, 32.03 E), Equatoria Province, Sudan (on Sudan-Uganda border)
	22.III.1906	22.III.1906
	Dr. W. A. Densham	Dr. W. A. Densham
	Dr. Densham wrote, "They were not attached firmly like most ticks and I watched them for some time as they moved about over the skin." [♂, ♀ mounted dry in cell on a slide]	All of the above are pinned specimens. Slides missing.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	30	N	30
		RML	105834
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		20 ♂, 56 ♀ <u>Hyalomma dromedarii</u>
	Camels		<u>Camelus dromedarius</u>
	Biskra, Algeria, North Africa		Biskra (24.50 N, 5.52 E), Algeria
	4.I.1906		4.I.1906
	B. H. Soulsby		B. H. Soulsby
	[♂'s found on neck, ♀'s on belly and under shoulder.]		Collection in two vials.
	1 ♀ to Prof. Hewlett, Kings College, London 6.III.1907.		
	1 ♀ to Dr. H. deB. Aragão, Brazil 23.I.1910.		
	1 ♂, 1 ♀ to Dr. J. G. Parham, Portuguese East Africa 18.IV.1910.		
	1 ♂, 1 ♀ to N. Y. National Museum 18.IV.1910		
	1 ♂, 1 ♀ to Prof. Dr. Dahl, Berlin Museum VII.1914.		
	1 ♂, 1 ♀ to Prof. Dr. Schenkling, Deutsches Entomol. Museum VII.1914.		
	1 ♂, 1 ♀ to Prof. Dr. Gestro, Museo Civico di Stori Nat. Genova VII.1914.		
	4 ♂, 12 ♀ to Prof. Wheeler, Boston, Mass. 20.II.1915.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	31	N	31
		RML	105835
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s N's		43 ♂, 15 ♀ <u>Rhipicephalus sanguineus</u> 1 ♂ <u>Haemaphysalis bispinosa</u>
Dogs		Dogs	
S. Sylhet, India		S. Sylhet (24.54 N, 91.52 E), India	
5.IX.1904		5.IX.1904	
Dr. A. B. Dalgetty		Dr. A. B. Dalgetty	
[2 slides, balsam mounts (I) ♂, ♀, (II) N's]		Slides missing	

R. sanguineus were sent to the following:

1 ♂, 1 ♀ to Prof. G. H. Carpenter,
Royal College of Sciences,
Dublin 19.I.1910.
1 ♂, 1 ♀ to Dr. G. S. Graham, Smith
Medical Schools, Cambridge 19.I.1910.
1 ♂, 1 ♀ to E. E. Green, Government
Entomologist, Ceylon 19.I.1910.
1 ♂, 1 ♀ to Dschunkowsky, Transcaucasus
19.I.1910.
1 ♂, 1 ♀ to Dr. H. deB. Aragão,
Brazil, 23.I.1910.
Sex/stage unknown to Dr. Longin,
Navas, Zaragoza, Spain 28.V.1913.

N	32	N	32
		RML	105836
Undetermined genus			1 L <u>Ornithodoros</u> sp.
Rat		Rat	
Agra, India		Agra (27.11 N, 78.01 E) India	
Rec'd 11.IX.1905		Rec'd 11.IX.1905	
Rec'd from Dr. E. H. Hankin		Rec'd from Dr. E. H. Hankin	

ORIGINAL DETERMINATIONCURRENT STATUS

N 33

N 33

RML 105837

Boophilus australis2 ♂, 6 ♀, 3 N, 37 L Boophilus microplus

Cattle

Cattle

India

India

1906

1906

Capt. J.D.E. Holmes

Capt. J.D.E. Holmes

Ticks from Lt. Col. C. E. Nuthall, A.V.D., sent to me (G.H.F.N.) by Colonel B. Skinner, R.A.M.C. (War Office, 68 Victoria Street, London, S.W.) 12.I.1906:

N 34a

N 34a

RML 105838

Boophilus australis19 ♂, 14 ♀, 10 N Boophilus microplus

Bowen, N. Queensland

Bowen (20.01 S, 148.15 E),
Queensland, Australia

Sent 12.I.1906

Sent 12.I.1906

Lt. Col. C. E. Nuthall, A.V.D.

Lt. Col. C. E. Nuthall, A.V.D.

3 ♂ mounted in balsam on 3 slides

Slides missing.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	34b	N 34b
		RML 71482
	<u>Boophilus australis</u> ♂'s	24 ♂, 2 N <u>Boophilus microplus</u> 1 ♀ <u>Haemaphysalis intermedia</u>
	Cattle	Cattle
	Wellington District S. India	Wellington (11.22 N, 76.48 E) India
	Sent 12.I.1906	Sent 12.I.1906
	Lt. Col. C. E. Nuthall, A.V.D.	Lt. Col. C. E. Nuthall, A.V.D.
		There is a tick collection with the Nuttall number 34(2) that Prof. Nuttall did not enter into his catalogue containing the following ticks and data: 1 ♂, 1 ♀ <u>Haemaphysalis bispinosa</u> Wellington, S. India sent 12.I.1906 Lt. Col. C. E. Nuthall I believe this collection belongs with Nuttall 34b and am assigning it RML 71482.
N	34c	N 34c
		RML 105839
	<u>Haemaphysalis bispinosa</u> ♂, ♀	1 ♂ <u>Haemaphysalis bispinosa</u>
	Coimbatore District S. India	Coimbatore District (11.15 N, 77.20 E) India
	Sent 12.I.1906	Sent 12.I.1906
	Lt. Col. C. E. Nuthall, A.V.D.	Lt. Col. C. E. Nuthall, A.V.D.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	34d	N	34d
		RML	71472
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u>		3 ♀ <u>Haemaphysalis bispinosa</u> 8 ♀ <u>Haemaphysalis intermedia</u>
	Bangalore & Mysore Dist. India		Bangalore District (12.53 N, 77.30 E) and Mysore State (13.30 N, 76.45 E), India
	Sent 12.I.1906		Sent 12.I.1906
	Lt. Col. C. E. Nuthall, A.V.D.		Lt. Col. C. E. Nuthall, A.V.D.
			There is a tick collection with Nuttall 34.4 that Prof. Nuttall did not enter into his catalogue containing 1 ♀ <u>Rhipicephalus</u> <u>haemaphysaloides</u> . I am assigning it RML 71472.
			The <u>Haemaphysalis intermedia</u> collection cited: Hoogstraal & Trapido (1963: 838).
N	34e	N	34e
		RML	105840
	<u>Boophilus australis</u> ♀'s		26 ♀ <u>Boophilus microplus</u>
	Bangalore & Mysore Dist. India		Bangalore Dist. (12.53 N, 77.30 E) and Mysore State (13.30 N, 76.45 E) India
	Sent 26.I.1906		Sent 26.I.1906
	Lt. Col. C. E. Nuthall, A.V.D.		Lt. Col. C. E. Nuthall, A.V.D.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	34f	N 34f
		RML 105841
	<u>Ornithodoros savignyi</u>	34 ♀, 2 N <u>Ornithodoros savignyi</u>
	Secunderabad and Hyderabad Districts, India	Secunderabad (17.27 N, 78.30 E) and Hyderabad (18.00 N, 78.00 E) Districts, India
	Sent 12.I.1906	Sent 12.I.1906
	Lt. Col. C. E. Nuthall, A.V.D.	Lt. Col. C. E. Nuthall, A.V.D.
N	34g	N 34g
		RML 105842
	<u>Rhipicephalus haemaphysaloides</u>	1 ♂, 2 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Secunderabad and Hyderabad Districts, India	Secunderabad (17.27 N, 78.30 E) and Hyderabad (18.00 N, 78.00 E) Districts, India
	Sent 12.I.1906	Sent 12.I.1906
	Lt. Col. C. E. Nuthall, A.V.D.	Lt. Col. C. E. Nuthall, A.V.D.
		Vial label reads, " <u>Rhipicephalus</u> <u>haemaphysaloides</u> , var. <u>expeditus</u> fide, Neumann Letter of 12.X.1907"

ORIGINAL DETERMINATIONCURRENT STATUS

N 34h

N 34h

RML 71474

Haemaphysalis bispinosa
var. intermedia

Secunderabad and Hyderabad
 Districts, India

Sent 12.I.1906

Lt. Col. C. E. Nuthall, A.V.D.

2 ♀ to Dr. L. O. Howard, U.S.
 Dept. Agriculture, Washington, D.C.,
 21.V.1909

25 ♀ Haemaphysalis intermedia

Secunderabad (17.27 N, 78.30 E) and
 Hyderabad (18.00 N, 78.00 E)
 Districts, India

Sent 12.I.1906

Lt. Col. C. E. Nuthall, A.V.D.

There is a collection - Nuttall 34
 3 ♀ Hyalomma marginatum turanicum
 and Nuttall 34.8 3♂, 2 ♀ Hyalomma
anatolicum anatolicum that Prof.
 Nuttall did not enter in his
 catalogue both containing all the
 above collection data. I am assigning
 both collections RML 71474.

The H. a. anatolicum collection was
 cited by Kaiser & Hoogstraal (1964:
 272) as 4 ♂, 2 ♀. Only 3 ♂, 2 ♀
 were present in 1978.

The H. intermedia collection was
 cited by Hoogstraal & Trapido
 (1963: 838).

ORIGINAL DETERMINATIONCURRENT STATUS

Ticks received from the Zoological Gardens, London, N.W., during 1905:

N	35	N	35
		RML	61047
	<u><i>Hyalomma aegyptium</i></u> ♂'s, ♀'s		6 ♂, 10 ♀ <u><i>Hyalomma dromedarii</i></u>
	<u><i>Camelus dromedarius</i></u>		<u><i>Camelus dromedarius</i></u>
	Aden, Arabia		Peoples Democratic Republic of Yemen (Aden)
	30.XI.1905		30.XI.1905
	1 ♂, 1 ♀ sent to Prof. Dryer, Parasitology Dept., Oxford, 1 ♂, 1 ♀ sent to W. D. Hunter, USDA, Washington 1 ♂, 1 ♀ sent to Dr. de Blieck, Java 22.I.1915.		An additional 2 ♀ are in the Rocky Mountain Laboratory collection (Bishopp No. 430)
N	36	N	36
		RML	105843
	<u><i>Amblyomma nodosum</i></u> ♂'s TYPE SPECIMENS		7 ♂ <u><i>Amblyomma nodosum</i></u> (3 ♂ on slides) (2 ♂ pinned) (2 ♂ in alcohol) Lectotype and paralectotypes of <u><i>Amblyomma uncatum</i></u>
	<u><i>Tamandua tetradactyla</i></u> (<i>Tamandua anteater</i>)		<u><i>Tamandua tetradacytla</i></u>
	South America		South America
	22.XII.1906		22.XII.1906
	3 ♂'s & parts of ♂ mounted in balsam on 5 slides 1 ♂ sent to A. S. Hirst B.M. (N.H.)		3 ♂'s mounted on slides plus 2 slides as follows: 1. capitulum and leg IV of ♂ 2. chelicera and hypostome of ♂ 2. ♂ pinned specimens. Original description, Nuttall & Warburton (1908: 412); Robinson (1926: 199) cited this collection as <u><i>A. nodosum</i></u> . Lectotype designated: Keirans & Brewster (1981: 157).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	37	N	37
		RML	105844
	<u>Aponomma exornatum</u> ♂'s, ♀'s		11 ♂, 2 ♀ <u>Aponomma exornatum</u>
	<u>Varanus exanthematicus</u>		<u>Varanus exanthematicus</u>
	West Africa		West Africa
	23.XI.1905		23.XI.1905 (date on vial label is 13.V.1905)
	2 ♂'s mounted in cells with other <u>Aponomma</u>		Slide missing. Santos Dias (1958: 519-520) indicated the number of males as 10.
N	38	N	38
		RML	105845
	<u>Aponomma gervaisi</u> ♂'s, ♀'s		7 ♂ <u>Aponomma gervaisi</u>
	(<u>Varanus bengalensis</u>) Bengal monitor		<u>Varanus bengalensis</u>
	India		India
	6.XI.1905		6.XI.1905

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	39	N	39
		RML	105846
<u>Aponomma laeve</u> ♂, ♀		2 ♂, 2 ♀ <u>Aponomma latum</u>	
(<u>Python regius</u>)		1 ♂ <u>Aponomma pattoni</u>	
Royal python			<u>Python regius</u>
West Africa		West Africa	
1.XII.1905		1.XII.1905	
		The finding of the Asian species <u>A. pattoni</u> in a West African collection of <u>A. latum</u> must be the result of a mix-up either at the London Zoo or in Nuttall's laboratory.	
N	40	N	40
		RML	105847
<u>Amblyomma dissimile</u> 3 ♂		3 ♂ <u>Amblyomma dissimile</u>	
(<u>Iguana tuberculata</u>)			<u>Iguana tuberculata</u>
Tuberculated iguana			
Tropical America		Tropical America	
7.XII.1905		7.XII.1905	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	41	N	41
		RML	105848
<u>Aponomma gervaisi</u> 4 ♂, 2 ♀, N's var. <u>lucasi</u>		4 ♂, 2 ♀ <u>Aponomma varanensis</u>	
(<u>Eryx conicus</u>) Conical eryx		<u>Eryx conicus</u> (name not verified)	
India		India	
29.X.1905 (arrived at Zool. Soc. Gardens 13.III.1905)		29.X.1905 (arrived at Zool. Soc. Gardens 13.III.1905)	
Original determination by Neumann in 1907 was <u>Aponomma exornatum</u> . Redetermined by C. Warburton. (See descr. of Apon. g. var. l. in Dec. 1910 <u>Parasitology</u> 3: 406.)			
N	42	N	42
		RML	105849
<u>Aponomma decorosum</u>		13 ♂ <u>Aponomma decorosum</u>	
(<u>Varanus gouldi</u>) Gouldi monitor		<u>Varanus gouldi</u>	
Australia		Australia	
1905		1905	

ORIGINAL DETERMINATIONCURRENT STATUS

N	43	N	43
		RML	105850
	<u>Amblyomma clypeolatum</u> ♂'s		5 ♂ <u>Amblyomma clypeolatum</u>
	(<u>Testudo elegans</u>)		Lectotype and paralectotypes of <u>A. atrogenatum</u>
	Starved tortoise		<u>Geochelone elegans</u>
	India		India
	2.X.1905		2.X.1905
	Type specimens of <u>Amblyomma atrogenatum</u>		
	[♂ capitulum in balsam on a slide] 1 ♂ to A. S. Hirst, B.M. (N.H.)		Total includes 1 ♂ pinned. Nuttall & Warburton (1908: 410) and Robinson (1926: 81) indicated that the host was received at the Zoological Gardens, London 14.VIII.1905 and the ticks removed 2.X.1905.
			An empty token tube indicates a slide mount of a ♂ but slide missing 1977.
			Lectotype designated: Keirans & Brewster (1981: 155).

ORIGINAL DETERMINATIONCURRENT STATUS

N 44

N 44

RML 18591

Aponomma exornatum ♂'s, ♀'s
(Varanus niloticus)
 Nilotic monitor

Africa

28.XI.1905 (host arrived at Zool.
 Soc. Gardens 31.VIII.1905)

1 ♂ 1 ♀ to Prof. Kellogg, Stanford
 University

1 ♂ 1 ♀ to Dr. H. deB. Aragão,
 Brazil, 23.I.1910

1 ♂ 1 ♀ to Col. A. Alcock, London
 School Trop. Med. 26.I.1910

2 ♂ to Dr. J. G. Parkham, Portuguese
 East Africa 18.IV.1913

2 ♂ to N.Y. National Museum 18.IV.1913
 2 ♂ 1 ♀ to Prof. R. A. Cooley, Montana
 V.1928

36 ♂ Aponomma exornatum
Varanus niloticus

Africa

28.XI.1905 (host arrived at Zool.
 Soc. Gardens 31.VIII.1905)

There are an additional 2 ♂, 1 ♀ of
 this collection sent to Prof. R. A.
 Cooley, now in the Rocky Mountain
 Laboratory collection (RML 22405).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	45	N	45
		RML	105851
	<u>Aponomma gervaisi</u> ♀		1 ♀ <u>Aponomma gervaisi</u>
	(<u>Varanus griseus</u>)		<u>Varanus griseus</u>
	Grey monitor		
	North Africa		North Africa
	20.XII.1905		20.XII.1905
	1 ♀ mounted on slide		The collecting locality is incorrect. Slide missing.
N	46a, b	N	46a, b
		RML	105852
	(a) <u>Hyalomma aegyptium</u> ♂'s, ♀'s		(a) 26 ♂, 9 ♀, 10 N <u>Hyalomma anatolicum excavatum</u>
	(b) <u>Boophilus annulatus</u> ♂, ♀		(b) 2 ♂ <u>Boophilus annulatus</u>
	Egyptian cattle		Egyptian cattle
	Egypt		Egypt
	IV.1906		IV.1906
	Rec'd from Dr. W. Littlewood, Sanitary Dept., Cairo, Egypt		Rec'd from Dr. W. Littlewood, Sanitary Dept., Cairo, Egypt
	♂ & ♀ mounted in balsam on slide. 1 ♂, 1 ♀ <u>Hyalomma aegyptium</u> to Sheffield University 30.VI.1907.		Slide missing.
	1 ♂, 1 ♀ to Prof. B. Galli-Valerio, Lausanne, Switzerland 14.III.1912.		
	1 ♂, 1 ♀ to Prof. Dr. M. Miyajima, Tokio, Japan 7.III.1912.		
	1 ♂, 1 ♀ to Dr. G. L. Tuck, Tientsin, China 17.II.1912.		
	1 ♂, 1 ♀ to A. H. Cockayne, Wellington, New Zealand.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	47	N	47
		RML	105853
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		1 ♂, 3 ♀, 1 N <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Barbados, West Africa		Barbados Island (13.10 N, 59.32 W)	
V.1901		V.1901	
Dr. G. C. Low		Dr. G. C. Low	Catalogue incorrectly reads West Africa instead of West Indies.
N	48a, b	N	48a, b
		RML	105854
(a) <u>Rhipicephalus pulchellus</u> ♀'s		(a) 3 ♀ <u>Rhipicephalus pulchellus</u>	
(b) <u>Haemaphysalis Teachii</u>		(b) MISSING	
Dog		Dog	
Makindu, East Africa		Makindu (02.17 S, 37.49 E) Kenya	
10.XI.1904		10.XI.1904	
Dr. P. H. Ross		Dr. P. H. Ross	Philip Hedgeland Ross (1876-1929) Born Christchurch, New Zealand, he spent his active career in Africa working on trypanosomiasis, relapsing fever, and malaria. For an obituary see Nuttall (1929).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	49	N	49 MISSING
	<u>Rhipicephalus</u> sp.		
	Dog		
	Makindu, East Africa		
	10·XI·1904		
	Dr. P. H. Ross bad condition - thrown away		
N	50	N	50
		RML	105855
	<u>Rhipicephalus pulchellus</u>		2 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u>
	Striped hyaena		<u>Hyaena hyaena</u>
	Simba, East Africa		Simba (2.10 S, 37.36 E) Kenya
	13·X·1904		13·X·1904
	P. H. Ross		P. H. Ross
N	51	N	51
		RML	105856
	<u>Rhipicephalus pulchellus</u> ♀		1 ♀ <u>Rhipicephalus pulchellus</u>
	Off?		Off?
	Makindu, East Africa		Makindu (2.17 S, 37.49 E), Kenya
	10·XI·1904		10·XI·1904
	P. H. Ross		P. H. Ross

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	52	N	52
		RML	105857
<u>Margaropus winthemi</u>	1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Margaropus winthemi</u>
Cape Colony, South Africa			Cape Colony, Republic of South Africa
About 1907			About 1907
Rec'd from Mr. C. P. Lounsbury			Rec'd from Mr. C. P. Lounsbury
It was from this lot that Neumann described <u>M. lounsburyi</u> in 1907.			Probable syntypes of <u>M. lounsburyi</u>
N	53	N	53
		RML	105858
<u>Argas persicus</u> larvae and eggs			100+ larvae <u>Argas persicus</u>
Raised on fowls			Raised on fowls
Cambridge			Cambridge (52.13 N, 00.08 E), England
Probably S. African strain (not noted)			Probably S. African. Raised in Cambridge, England
1902			1902
N	54	N	54
		RML	105859
<u>Boophilus australis</u>			5 ♀ <u>Boophilus microplus</u>
Cattle			Cattle
Queensland, Australia			Queensland, Australia
1906			1906
C. J. Pound			C. J. Pound
(ex E. G. Wheler coll.)			

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	55		N	55
			RML	105860
	<u>Ixodes</u> sp.			3 ♀ <u>Ixodes hexagonus</u>
	Dog			Dog
	Bonn, Germany			Bonn (50.44 N, 7.05 E) Federal Republic of Germany
	XI·1903			XI·1903
	G. H. F. Nuttall			G. H. F. Nuttall
N	56		N	56
			RML	105861
	<u>Ixodes</u> sp.			2 ♀, 2 ♂ <u>Ixodes hexagonus</u>
	Dog			Dog
	Bonn, Germany			Bonn (50.44 N, 7.05E) Federal Republic of Germany
	XI·1903			XI·1903
	G. H. F. Nuttall			G. H. F. Nuttall
N	57		N	57 MISSING
	<u>Ixodes ricinus</u>			
	Found on Dr. Nuttall, his son and a relative			
	Kittendorf, Mecklenburg, Germany			
	IX·1905			
	Dr. Nuttall			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	58	N	58 MISSING
	Roe-deer		
	Kittendorf, Mecklenburg, Germany		
	13.IX.1905		
	Dr. Nuttall		
N	59a, b	N	59a, b
		RML	105862
	(a) <u>Hyalomma aegyptium</u>	(a)	MISSING
	(b) <u>Rhipicephalus sanguineus</u>	(b)	1 ♀ <u>Rhipicephalus sanguineus</u>
		(b)	1 ♀ <u>Rhipicephalus bursa</u>
	Cattle	Cattle	
	Rome, Italy	Rome (41.54 N, 12.29 E), Italy	
	Rec'd 21.VI.1906	Rec'd 21.VI.1906	
	Rec'd from Dr. Gosio	Rec'd from Dr. Gosio	
	(59b) 1 ♂, 1 ♀ to Sheffield University 3.VI.1907		
N	60	N	60
		RML	105863
	<u>Ixodes hexagonus</u> N's	10 N, 1 L	<u>Ixodes hexagonus</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Cambridge, England	Cambridge (52.13 N, 0.08 E), England	
	10.VII.1904	10.VII.1904	
			G.H.F. Nuttall
	Hedgehog kept in the laboratory some days	Cited:	Nuttall & Warburton (1911: 182).
	2 N sent to Prof. Matheson, Cornell, 27.V.1929		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	61	N 61 MISSING
	<u>Ixodes</u> sp.	
	No data	
	Rec'd from Mr. E. G. Wheler	
N	62	N 62 MISSING
	2 ♀ <u>Ixodes canisuga</u>	
	Dog	
	Sligo, Ireland	
	16.IX.1905	
	Rec'd from A.E.F. Nuttall	
	16.IX.1905	
N	63	N 63 MISSING
	<u>Ixodes</u> sp.	
	Young rat	
	Longner Hall, Shrewsbury, England	
	20.IV.1906	
	R.F.L. Burton	

ORIGINAL DETERMINATIONCURRENT STATUS

N 64 N 64 MISSING

Ixodes hexagonus ♀'s

Sheep

Lydd, Kent, England

1905

Thrown away, badly preserved 27.V. 1908

G.H. Nuttall

Ticks received from Dr. Gosio, Rome, Italy
27.VI.1906:

N 65 N 65, b

RML 105864

65 Hyalomma aegyptium

(65) MISSING

(b) 2 ♀ Rhipicephalus bursa

(b) 1 ♂, 1 ♀ Rhipicephalus sanguineus

Cattle

Cattle

Rome, Italy

Rome (41.54 N, 12.29 E), Italy

VI.1906

VI.1906

Dr. Gosio

Dr. Gosio

Nuttall 65b was not entered in the catalogue.

ORIGINAL DETERMINATION

N 66a, b
 (a) Hyalomma aegyptium ♂'s, ♀'s
 (b) Rhipicephalus sanguineus
 Cattle
 Rome, Italy
 VI·1906
 Dr. Gosio

CURRENT STATUS

N 66a, b
 RML 105865
 (a) 2 ♂, 3 ♀ Hyalomma marginatum
 (b) 2 ♂, 1 ♀ Rhipicephalus
sanguineus
 (b) 1 ♂, 4 ♀ Rhipicephalus bursa
 Cattle
 Rome (41.54 N, 12.29 E), Italy
 VI·1906
 Dr. Gosio

N 67
Rhipicephalus bursa ♂'s, ♀'s
 Cattle
 Rome, Italy
 VI·1906
 Dr. Gosio

N 67
 RML 105866
 1 ♂, 6 ♀ Rhipicephalus bursa
 Cattle
 Rome (41.54 N, 12.29 E), Italy
 VI·1906
 Dr. Gosio

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	68, a	N	68, a
		RML	105867
(68) <u>Rhipicephalus bursa</u> ♂'s, ♀'s (a) <u>Rhipicephalus sanguineus</u> ♀'s	Cattle	(68) 5 ♂, 9 ♀ <u>Rhipicephalus bursa</u> (68) 17 ♂, 5 ♀ <u>Hyalomma marginatum</u> (a) 6 ♀ <u>Rhipicephalus sanguineus</u>	Cattle
Rome, Italy		Rome (41.54 N, 12.29 E), Italy	
VI.1906		VI.1906	
Dr. Gosio		Dr. Gosio	
1 ♂, 1 ♀ on slide in balsam		Slide missing. The <u>Hyalomma</u> collection was not entered into the catalogue by Nuttall.	
N	69	N	69
		RML	105868
<u>Hyalomma syriacum</u> ♂, ♀	Tortoise	3 ♂ <u>Hyalomma aegyptium</u>	Tortoise
Cambridge, England		Cambridge (52.13 N, 0.08 E), England	
IX.1902		V.1904	
Mr. Child, presented to G.H.F. Nuttall by Dr. Graham-Smith		Mr. Child, presented to G.H.F. Nuttall by Dr. Graham-Smith	
See 2 slides		Slides missing. Vial label date is V.1904. Catalogue date was V.1904 but crossed out and IX.1902 inserted.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	70	N	70
		RML	105869
Amblyomma cooperi	1 ♂, ♀	2 ♂, 6 ♀	<u>Amblyomma cooperi</u>
TYPES			Lectotype and Paralectotypes
(Hydrochoerus capybara)	"Carpinchio"		<u>Hydrochoerus hydrochaeris</u>
Puerto Cooper, Alto		Puerto Cooper (23.03 S, 57.43 W),	
Paraguay, S. America		Alto, Paraguay, S. America	
1904		1904	
W. F. Cooper		W. F. Cooper	
♀ mounted in balsam on 2 slides		Slides present.	
Pinned specimens		Nuttall & Warburton (1908: 410)	
		original description. On p. 412	
		they indicated 1 ♂, 5 ♀ in collection.	
		Robinson (1926: 75) indicated more	
		than 1 ♂ but did not give total.	
		Lectotype designated: Keirans &	
		Brewster (1981: 155).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	71	N	71
		RML	105870
	<u>Ornithodoros moubata</u> unfed 1st stage N's (No data noted)		20 N <u>Ornithodoros moubata</u> (No data noted)
	Raised from lot received probably from British East Africa.		Raised from lot received probably from Kenya.
	Raised 1912		Raised 1912
N	72	N	72
		RML	105871
	<u>Haemaphysalis hystricis</u> 1 ♀		1 ♀ <u>Haemaphysalis celebensis</u> Holotype
	<u>Sus celebensis</u>		<u>Sus verrucosus celebensis</u>
	Celebes		Sulawesi (2.00 S. 121.00 E), Indonesia
	Presented by Hon. N. C. Rothschild as a mounted specimen (No. 916) which we unmounted 4.I.1915 C.W. det.		Presented by Hon. N. C. Rothschild as a mounted specimen (No. 916) which we unmounted 4.I.1915. C.W. det.
			Cited: Nuttall & Warburton (1915: 425, 426); Hoogstraal et al. (1965d; 1001; 1973a: 556). Nathaniel Charles Rothschild (1877- 1923) wealthy banker who also had a keen love of nature especially the Lepidoptera and the ectoparasitic insects.
			All collections presented by Rothschild to Nuttall and to the BM(NH) are discussed by Keirans (1982).

ORIGINAL DETERMINATIONCURRENT STATUS

N 73

N 73

RML 105872

Amblyomma cyprium 1 ♂1 ♂ Amblyomma cypriumSus celebensisSus verrucosus subsp.

Celebes

Sulawesi (2.00 S, 121.00 E),
Indonesia

Presented by Hon. N. F. Rothschild
as a slide "No. 915" which is
unmounted, being defraction
5.I.1915.

3 ♂ Amblyomma cyprium mounted as
slides, 2 transparent, 1 opaque -
see slides No. 73 (i) (ii) (iii)
(Rothschild No's. 917, 919, 920,
(3 slides)
(L. E. Robinson det. 26.I.1915)
Redet. 26.II.1919.

Presented by Hon. N. C. Rothschild
as a slide "No. 915" which is
unmounted, being defraction
5.I.1915.

3 slide-mounted males missing.

Cited: Robinson (1926: 236).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	74	N	74
		RML	105873
	<u>Amblyomma? caelatum</u> 1 N		1 N <u>Amblyomma</u> sp.
	<u>Sus celebensis</u>		<u>Sus verrucosus</u> subsp.
	Celebes		Sulawesi (2.00 S, 121.00 E), Indonesia
	Presented by Hon. N. C. Rothschild No. 918		Presented by Hon. N. C. Rothschild No. 918
	L.E.R. det. 26.I.1915		
N	75	N	75 MISSING
	<u>Amblyomma clypeolatum</u> 3 ♂ slides		
	Tortoise		
	Zoological Society's Gardens, London		
	11.X.1895		
	Presented by Hon. N. C. Rothschild		
	Mounted (i) opaque & (ii) (iii) transparent on 3 slides No's. 1015, 1017, 1019. L.E.R. det. 26.III.1919.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 76 N 76 MISSING

Amblyomma sp. 1 ♀ slide

Monitor

Kalao Island

[See also N 93]

From Hon. N. C. Rothschild
No. 964

Mounted opaque on slide.

N 77 N 77 MISSING

Amblyomma marmoreum 3 ♂ slides

Testudo pardalis
(Leopard tortoise)

No further data, mounted as
transparent specimens on slides
No's. 1033, 1034, 1035.

Presented by Hon. N. C. Rothschild

L.E.R. det. 26.III.1919.

N 78 N 78 MISSING

Amblyomma albolumbatum 1 ♂, 2 ♀ slides

Black and white snake

No further data

30.I.1896

Presented by Hon. N. C. Rothschild
Specimens No's. 997, 996, 999.

L.E.R. det. 26.III.1919.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	79a, b	N	79a, b
		RML	105778
(a)	<u>Boophilus decoloratus</u> ♀'s	(a)	1 ♂, 56 ♀ <u>Boophilus decoloratus</u>
(b)	<u>Amblyomma hebraeum</u> ♂'s	(a)	1 ♂ <u>Hyalomma marginatum turanicum</u>
		(b)	MISSING
	Cattle		Cattle
	Rustenburg, Transvaal, South Africa		Rustenburg (25.40 S, 27.15 E), Transvaal, Republic of South Africa
	V.1905		V.1905
	Dr. B. Brock		Dr. B. Brock
N	80	N	80
		RML	105874
	<u>Ixodes hexagonus</u> ♀		1 ♀, many eggs <u>Ixodes hexagonus</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	In laboratory Cambridge, England		In laboratory, Cambridge (52.13 N, 00.08 E), England
	26.VII.1904		26.VII.1904
	G.H.F. Nuttall		G.H.F. Nuttall
N	81	N	81 MISSING
	<u>Ixodes hexagonus</u> ♀'s		
	Dog		
	Northumberland, England		
	1904		
	Thrown away, bad condition.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	82	N 82
		RML 105875
	<u>Ixodes hexagonus</u> larvae	41 L <u>Ixodes hexagonus</u>
	Raised in laboratory Cambridge Progeny of ♀ No. 81	Raised in laboratory, Cambridge (52.13 N, 0.08 E), England
	[2 larvae mounted in balsam on a slide]	Slide missing.
N	83	N 83 MISSING
	<u>Ixodes ricinus</u>	
	Sheep	
	Scotland	
	1904	
	Rec'd from Mr. W. F. Cooper (Watford)	
N	84	N 84
		RML 105876
	<u>Hyalomma aegyptium</u> ♂, ♀	10 ♂, 5 ♀ <u>Hyalomma anatomicum</u> <u>excavatum</u>
	Horse	Horse
	Cairo abattoir, Egypt	Abattoir, Cairo (30.30 N, 31.15 E), Egypt
	13.IV.1906	13.IV.1906
	Rec'd from Dr. Little	Rec'd from Dr. Little
	1 ♂, 1 ♀ to W. S. Patton 14.I.1910	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	85	N	85
		RML	105877
	<u>Hyalomma aegyptium</u>		5 ♀ <u>Hyalomma anatomicum excavatum</u>
	Cattle		Cattle
	Cairo abattoir, Egypt		Abattoir, Cairo (30.30 N, 31.15E), Egypt
	29.III.1906		29.III.1906
	Dr. Little		Dr. Little
N	86	N	86
		RML	105878
	<u>Amblyomma lepidum</u> ♂'s, ♀'s		5 ♂, 7 ♀ <u>Amblyomma lepidum</u>
	Cattle		Cattle
	East London, Cape Colony, S. Africa		East London (33.02 S, 27.55 E), Cape Colony, South Africa
	1.V.1905		1.V.1905
	Dr. Williamson		Dr. Williamson
	1 ♂, 1 ♀ mounted in cells on slide II.1915.		Slide missing.
	1 ♂, 1 ♀ to Prof. R. Matheson, Cornell University 27.V.1929		
N	87	N	87
		RML	105879
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		3 ♂, 10 ♀, 4 N <u>Rhipicephalus sanguineus</u>
	Dogs		Dogs
	Dominica, West Indies		Dominica (15.30 N. 61.20 W), West Indies
	ex E. G. Wheler collection		ex E. G. Wheler collection

ORIGINAL DETERMINATIONCURRENT STATUS

N 88 N 88 MISSING

Ixodes tenuirostris 1 ♂

Toft, near Grantchester
Cambs., England

III.1904

Presented by N.D.F. Pearce, M.A.

[mounted on cell in balsam on a slide]

N 89	N 89
	RML 105880
<u>Amblyomma marmoreum</u> 2 ♂	2 ♂ <u>Amblyomma sparsum</u>
Southern Soudan	Southern Sudan
No further data	
Probably in 1909	Probably in 1909
Probably sent by Mr. H. H. King	Probably sent by Mr. H. H. King
L.E.R. det. 9.XII.1914	Cited: Theiler & Salisbury (1959: 111).

ORIGINAL DETERMINATIONCURRENT STATUS

N 90

N 90 MISSING

Aponomma gervaisi var. lucasi 4 ♂Ophiophagus bungarus
(Hamadryad)

Presented by Hon. N. C. Rothschild

No particulars [4 slides]

(Mounted as slides 738-941
2 in glycerine, 2 in balsam
C. Warburton det. I.1915).

N 91

N 91 MISSING

Aponomma gervaisi var. lucasi 1 ♂Varanus civitatus
(Monitor)

Presented by Hon. N. C. Rothschild

No particulars [1 slide]

(Mounted as slide 900 in dil. glycerine.
C. Warburton det. I.1915).

ORIGINAL DETERMINATIONCURRENT STATUS

N 92 N 92 MISSING

Aponomma gervaisi 2 ♂

Varanus civitatus
(Monitor)

Presented by Hon. N. C. Rothschild

No particulars [2 slides]

(Mounted as slides 962-965 in
glycerine.
C. Warburton det. I. 1915).

N 93 N 93 MISSING

Amblyomma decoratum 4 ♂, 1 ♀

Monitor

Kalas Island

[Kalao Island misspelled]

Presented by Hon. N. C. Rothschild

[5 slides] (3 in glycerine, 2 ♂ in
balsam R. 959, 961, 963, 964, 966)
C.W. det. I.1915

[R 964 is entered under N 76]

N 94 N 94 MISSING

Hyalomma aegyptium ♂'s, ♀'s

Horse

Macloutsie, Bechuanaland

I.1906

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	95	N	95
		RML	105881
	<u>Amblyomma marmoreum</u>		1 ♂ <u>Amblyomma marmoreum</u>
	Tortoise		Tortoise
	Macloutsi, Bechuanaland		Macloutsi (21.35 S, 27.21 E), Botswana
	Dr. B. G. Brock		Dr. B. G. Brock
			Robinson (1926: 89) indicated ♂'s present and Theiler & Salisbury (1959: 110) indicated 2 ♂ in this collection.
N	96	N	96 MISSING
	<u>Rhipicephalus</u> sp.		
	Mule		
	Macloutsie, Bechuanaland		
	I.1906		
	Dr. B. G. Brock		
N	97	N	97
		RML	105635
	<u>Rhipicephalus</u> sp.		2 ♂, 3 ♀ <u>Rhipicephalus simus</u>
	Dog		Dog
	Macloutsie, Bechuanaland		Macloutsi (21.35 S, 27.21 E), Botswana
	I.1906		I.1906
	Dr. B. G. Brock		Dr. B. G. Brock

<u>ORIGINAL DETERMINATION</u>				<u>CURRENT STATUS</u>	
N	98			N	98
	Undetermined			RML	105882
	hare				1 ♂, 1 ♀ <u>Rhipicephalus punctatus</u>
	Macloutsie, Bechuanaland				hare
	I.1906				Macloutsi (21.35 S, 27.21 E), Botswana
	Dr. B. G. Brock				I.1906
					Dr. B. G. Brock
N	99a, b			N	99a, b
				RML	105883
	(a) <u>Hyalomma aegyptium</u> ♂'s, ♀'s				(a) 10 ♂, 1 ♀ <u>Hyalomma rufipes</u>
	(b) <u>Rhipicephalus evertsi</u> ♂'s, ♀'s				(a) 4 ♂, 1 ♀ <u>Hyalomma truncatum</u>
	0x				(b) MISSING
	Macloutsie, Bechuanaland				0x
	I.1906				Macloutsi (21.35 S, 29.21 E), Botswana
	Dr. B. G. Brock				I.1906
					Dr. B. G. Brock
N	100 a, b, c			N	100 a, b, c
				RML	105884
	(a) <u>Hyalomma aegyptium</u>				(a) 4 ♂, 2 ♀ <u>Hyalomma truncatum</u>
	(b) <u>Rhipicephalus</u> sp.				(b) MISSING
	(c) <u>Amblyomma</u> sp.				(c) MISSING
	Sheep				Sheep
	Macloutsie, Bechuanaland				Macloutsi (21.35 S, 27.21 E), Botswana
	I.1906				I.1906
	Dr. B. G. Brock				Dr. B. G. Brock

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	101a, b	N	101a, b
		RML	105885
(a) <u>Hyalomma aegyptium</u>		(a) 3 ♂, 5 ♀ <u>Hyalomma truncatum</u>	
(b) <u>Rhipicephalus</u> sp.		(b) 1 ♂ <u>Rhipicephalus simus</u>	
Goat		Goat	
Macloutsie, Bechuanaland		Macloutsi (21.35 S, 27.21 E), Botswana	
I.1906		I.1906	
Dr. B. G. Brock		Dr. B. G. Brock	
Mixed lot of ticks received from Dr. P. H. Ross, from Nairobi, E. Africa, VII.1906. [All in a pill-box (dry) marked "Njiro, Dog"]			
N	102a-d	N	102a
		RML	105886
(a) <u>Rhipicephalus pulchellus</u> ♂, ♀		(a) 2 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u>	
(b) <u>Amblyomma variegatum</u> ♂, ♀		plus an additional 2 ♂, 2 ♀ pinned	
(c) <u>Haemaphysalis leachi</u> ♂		specimens. There is also 1 ♂ a	
(d) <u>Rhipicephalus</u> sp. ♂, ♀		<u>teneral</u> runt that is tentatively	
		considered this species.	
Pill box containing ticks marked "Njiro dog"		(b-d) MISSING	
Nairobi, E. Africa		Pill box containing ticks marked "Njiro dog"	
Received VII.1906		Nairobi (1.17 S, 36.49 E), Kenya	
Received from Dr. P. H. Ross		Received VII.1906	
All ticks dry in pill box. One slide of (b) ♀ in balsam.		Received from Dr. P. H. Ross	
		Slide missing.	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	103	N	103 MISSING
	<u>Rhipicephalus appendiculatus</u>		
	Nairobi, E. Africa		
	Received VII.1906		
	Received from Dr. P. H. Ross		
	All dry in pill box marked "No. 10 gland by Dr. Milen"		
N	104	N	104
		RML	105887
	<u>Amblyomma lepidum</u>		3 ♂ <u>Amblyomma lepidum</u>
	Cattle		Cattle
	East Coast of Africa		East coast of Africa
	Received VII.1906		Received VII.1906
	Received from Dr. P. H. Ross		Received from Dr. P. H. Ross
N	105	N	105
		RML	105888
	<u>Amblyomma variegatum</u>		8 ♂, 3 ♀, 2 N, <u>Amblyomma variegatum</u>
	Nairobi, E. Africa		Nairobi, (01.17 S, 36.49 E), Kenya
	Received VII.1906		Received VII.1906
	Received from Dr. P. H. Ross		Received from Dr. P. H. Ross
	Pinned in a pill box with a label as follows: "Dr. Hodges, Tumor No. 9"		Pinned specimens

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	106a, b, c	N	106c
		RML	105889
(a)	<u>Amblyomma variegatum</u> ♂, ♀	(a)	MISSING
(b)	<u>Rhipicephalus evertsi</u> ♂, ♀	(b)	MISSING
(c)	<u>Rhipicephalus pulchellus</u> ♀	(c)	1 ♀ <u>Rhipicephalus pulchellus</u>
	Nairobi		Nairobi (01.17 S, 36.49 E), Kenya
	Received VII.1906		Received VII.1906
	Received from Dr. P. H. Ross, Nairobi		Received from Dr. P. H. Ross, Nairobi
	No data label		Slides missing.
	(4 slides of ♂'s dissected)		
N	107	N	107
		RML	105890
	<u>Rhipicephalus capensis</u>		7 ♂, 4 ♀ <u>Rhipicephalus capensis</u>
	Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	1906		1906
	Received from Mr. C. P. Lounsbury		Received from Mr. C. P. Lounsbury
	[1 slide of 2 ♂, 2 ♀ in balsam prep.]		Slide missing. Charles Pugsley Lounsbury (1872-1955) born in Brooklyn, N.Y., B.Sc., Mass. Agric. College. Appointed Government Entomologist Union of South Africa in August 1895

108-118. Ticks received from Colonel B. Skinner, R.A.M.C., to whom they had been sent by Lt.-Col. C. E. Nuthall of the Army Veterinary Corps. They were all collected in Secunderabad, India, on the dates and hosts indicated below:

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	108a, b	N 108a, b
		RML 105891
(a)	<u>Hyalomma aegyptium</u>	(a) 193 ♂, 5 ♀, 1 N <u>Hyalomma anatolicum anatolicum</u>
(b)	<u>Rhipicephalus haemaphysaloides</u>	(b) 2 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Cattle at slaughter house Secunderabad, India	Cattle at slaughter house Secunderabad (17.27 N, 78.30 E) India
	23.VI.1906	23.VI.1906
N	109	N 109
		RML 105892
	<u>Rhipicephalus sanguineus</u>	20 ♂, 23 ♀ <u>Rhipicephalus sanguineus</u>
	Dog, ears	Dog, ears
	Secunderabad, India	Secunderabad (17.27 N, 78.30 E) India
	25.V.1906	25.V.1906
	Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner	Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner Date on vial label is 8.VIII.1906
N	110	N 110
		RML 105893
	<u>Rhipicephalus sanguineus</u>	1 ♂, 12 ♀, 17 N <u>Rhipicephalus sanguineus</u>
	Dog, face, back & thighs	Dog, face, back & thighs
	Secunderabad, India	Secunderabad (17.27 N, 78.30 E), India
	25.V.1906	25.V.1906
	Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner	Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	111	N	111
		RML	105894
♂	<u>Hyalomma aegyptium</u>	1 ♂	<u>Hyalomma anatolicum anatolicum</u>
Horse, ear		Horse, ear	
Secunderabad, India		Secunderabad (17.27 N, 78.30 E) India	
24.VI.1906		24.VI.1906	
Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner		Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner	
N	112	N	112
		RML	105895
<u>Hyalomma aegyptium</u>		13 N (engorged), 27 N (unengorged) <u>Hyalomma</u> sp.	
Donga ponies, ears		Donga ponies, ears	
Secunderabad, India		Secunderabad (17.27 N, 78.30 E), India	
22.VI.1906		22.VI.1906	
Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner		Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner	
Nymphs and larvae mounted on slides I, II		Slides missing. The 13 engorged specimens are in a separate vial from the 27 unengorged nymphs. These are most likely <u>Hyalomma anatolicum</u> <u>anatolicum</u> . See Kaiser & Hoogstraal (1964: 272).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	113	N	113
		RML	60033
	<u>Rhipicephalus sanguineus</u>		15 ♂, 18 ♀ <u>Rhipicephalus sanguineus</u>
	Dog (dachshund)		Dog (dachshund)
	Secunderabad, India		Secunderabad (17.27 N, 78.30 E), India
	26.V.1906		26.V.1960
	Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner		Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner
	1 ♂, 1 ♀ sent to Prof. Dryer, Parasitology Dept. Oxford. 1 ♂, 1 ♀ sent to W. D. Hunter, USDA, Washington. 1 ♂, 1 ♀ sent to A. D. Imms Allahabad Univ., India		An additional 1 ♂, 1 ♀ of this collection was sent to F. C. Bishop. (Bishop 433). These ticks are deposited in the Rocky Mountain Laboratory.
N	114	N	114 MISSING
	N's <u>Hyalomma aegyptium</u>		
	Pony, ear		
	Secunderabad, India		
	30.VI.1906		
	Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	115	N	115
		RML	105896
	<u>Rhipicephalus sanguineus</u>		2 ♂, 8 ♀ <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Secunderabad, India		Secunderabad (17.27 N, 78.30 E), India	
26.VI.1906		26.VI.1906	
Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner		Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner	
N	116	N	116
		RML	105897
	<u>Rhipicephalus sanguineus</u>		37 ♂, 6 ♀, 4 N <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Secunderabad, India		Secunderabad (17.27 N, 78.30 E), India	
26.VI.1906		26.VI.1906	
Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner		Lt. Col. C. E. Nuthall, A.V.C. Received from Col. B. Skinner	

ORIGINAL DETERMINATIONCURRENT STATUS

N 117

N 117

RML 105898

*Hyalomma aegyptium*2 ♂, 7 ♀ *Hyalomma dromedarii*

Water-cart bullock

Water-cart bullock

Secunderabad, India

Secunderabad (17.27 N, 78.30 E),
India

26.V.1906

26.V.1906

Lt. Col. C. E. Nuthall, A.V.C.
Received from Col. B. SkinnerLt. Col. C. E. Nuthall, A.V.C.
Received from Col. B. Skinner

1 ♂, 1 ♀ sent to Dr. K. F. Meyer,
 Univ. California, Berkeley
 15.XI.1913.

1 ♂, 1 ♀ sent to A. D. Imms,
 Allahabad Univ., India.

Determined by Kaiser & Hoogstraal
 as *H. dromedarii* in 1961 but
 cited (1964: 272) as *Hyalomma*
a. anatolicum.

N 118

N 118

RML 105899

*Hyalomma aegyptium*23 ♂, 2 ♀ *Hyalomma anatolicum*
anatolicum

Goat

Goat

Secunderabad, India

Secunderabad (17.27 N, 78.30 E),
India

28.V.1906

28.V.1906

Lt. Col. C. E. Nuthall, A.V.C.
Received from Col. B. SkinnerLt. Col. C. E. Nuthall, A.V.C.
Received from Col. B. Skinner

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	119		N	119
			RML	105900
	<u>Hyalomma syriacum</u>			5 ♂ <u>Hyalomma aegyptium</u>
	Land tortoise			Land tortoise
	Chepstow, Monmouthshire, Wales			Chepstow (51.38 N, 2.40 W), Gwent, Wales
	Received 15.VIII.1906			Received 15.VIII.1906
	Received from Dr. J. Cropper, Chepstow, Monmouthshire, Wales			Received from Dr. J. Cropper
				All pinned specimens
N	120		N	120
			RML	105901
	<u>Aponomma gervaisi</u>			1 ♀ <u>Aponomma hydrosauri</u>
	<u>Varanus gouldi</u>			<u>Varanus gouldi</u>
	Australia, received at the Zoo, London			Australia, received at the Zoo, London
	Received 6.V.1905			Received 6.V.1905
N	121		N	121
			RML	105902
	<u>Haemaphysalis leachi</u> ♂			1 ♂ <u>Haemaphysalis leachi</u>
	Dog			Dog
	Grahamstown, S. Africa			Grahamstown (33.18 S, 26.32 E), Republic of South Africa
	Received VI.1906			Received VI.1906
	Received from T. Bowhill, F.R.C.V.S.			Received from T. Bowhill, F.R.C.V.S.
				A pinned specimen

ORIGINAL DETERMINATIONCURRENT STATUS

N 122

N 122 MISSING

Ornithodoros moubata

Received 23.VII.1906

Received from Mr. Robert
Newstead, School of Tropical
Medicine, Liverpool.Robert Newstead (1859-1947) M.S.C.,
F.R.S. Lecturer in Economic
Entomology and Parasitology,
Liverpool School of Tropical
Medicine. Retired from Chair of
Entomology, 1924.

N 123

N 123 MISSING

Ixodes ricinus N

Grantchester, Cambs., England

Summer 1906

N.D.F. Pearce, Esq., M.A.

N 124

N 124

RML 105903

*Rhipicephalus sanguineus*13 ♂, 7 ♀ *Rhipicephalus sanguineus*

South Africa

Republic of South Africa

No particulars

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	125a, b	N	125
		RML	105904
(a)	<u>Ixodes hexagonus</u> ♀	2 ♀, 9 N	<u>Ixodes hexagonus</u>
(b)	<u>Ixodes hexagonus</u> N's		
Hedgehog			<u>Erinaceus europaeus</u>
Grantchester, Cambs., England			Grantchester (52.10 N, 00.06 E), Cambs., England
15.VIII.1906			15.VIII.1906
Mr. Pearce			Mr. Pearce
♀♀ (number not stated) sent to Dr. H. deB. Aragão, Brazil 23.I.1910			See also Nuttall 918
1 ♀, 1 N sent to Dr. J. H. Ashworth 22.VI.1910			
1 ♀ sent to Richard Hancock, England, 16.VI.1918			
N	126	N	126
		RML	105905
<u>Amblyomma dissimile</u>			4 ♂, 3 ♀, 1 N <u>Amblyomma dissimile</u>
British Guiana			Guyana
Sent 18.VIII.1906			Sent 18.VIII.1906
Sent by Dr. C. W. Daniels			Sent by Dr. C. W. Daniels
			Cited in Robinson (1926: 167). An additional 1 ♂, 1 ♀ are pinned.
			Dr. Daniels taught at the London School of Hygiene and Tropical Medicine. A group photo in 1901 including Dr. Daniels was pub- lished by Mattingly (1976).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	127	N 127
		RML 105906
	<u>Rhipicephalus sanguineus</u>	3 ♂, 14 ♀ <u>Rhipicephalus turanicus</u>
	Jerusalem, Palestine	Jerusalem (31.46 N, 35.14 E), Israel
	Received 4.IX.1906	Received 4.IX.1906
	Received from "Cropper's friend"	Received from "Cropper's friend"
		Vial label reads "Dr. Cropper's friend"
N	128	N 128
		RML 105907
	<u>Ixodes hexagonus</u>	2 ♀ <u>Ixodes hexagonus</u>
	Longner Hall, Shrewsbury	Longner Hall, Shrewsbury (52.43 N, 02.45 W), England
	Received IX.1906	Received IX.1906
	Received from Mr. R.F.L. Burton	Received from Mr. R.F.L. Burton
	1 ♀ sent to Sheffield University 3.VI.1907	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	129	N 129
		RML 105908
	<u>Haemaphysalis neumanni</u> 2 ♂, 4 ♀ (TYPES)	2 ♂, 2 ♀ <u>Haemaphysalis longicornis</u>
	Horse	Horse
	Japan	Japan
	Sent 1906	Sent 1906
	Sent by Prof. Dr. W. Dönitz from Berlin	Sent by Prof. Dr. W. Dönitz from Berlin
		Syntypes of <u>H. neumanni</u>
		Dönitz (1905: 127) original descrip- tion.
		F.K.W. Dönitz (1838-1912). Nuttall (1913a) wrote a memorial tribute and list of Dönitz's publications.
N	130	N 130
		RML 105909
	<u>Rhipicephalus sanguineus</u> 1 ♀	1 ♀ <u>Rhipicephalus sanguineus</u>
	No particulars	No particulars
	Cairo, Egypt	Cairo (30.03 N, 31.15 E), Egypt
	Sent IX.1906	Sent IX. 1906
	Sent by Dr. Bitter	Sent by Dr. Bitter

ORIGINAL DETERMINATIONCURRENT STATUS

N 131

N 131

RML 105910

Amblyomma hebraeum? Larvae1 L Amblyomma sp.

Human ♀

♀ Homo sapiens

Bihe District Angola

Distrito do Bie-Cuando Cubango
(16.00 S, 19.30 E), Angola

Probably V·1905

Probably V·1905

Sent by Dr. F. C. Wellman

Sent by Dr. F. Creighton Wellman

Dr. Wellman writes 28.VII.1906
 "Several years ago an English lady told me of a small white tick with a red head which appears in the middle of the wet season (Dec.-March) in numbers, and the bite of which is very painful, causing swellings and constitutional symptoms, faintness, nausea, etc." She sent this in consequence to Wellman (VII·1905) in "eau de Cologne" which she said she removed from her skin, its bite resulting in the symptoms she originally detailed to me. The specimen is from Bihe District of Angola, and probably dates from May 1905."

ORIGINAL DETERMINATIONCURRENT STATUS

N	132	N	132
		RML	105911
	<u>Ornithodoros moubata</u> (4)		2 ♀ <u>Ornithodoros moubata</u>
	Collected in native kraals		Collected in native kraals
	Benguella District W. Africa		Distrito de Benguela (12.00 S, 15.00 E), Angola
	18.V.1906		18.V.1906
	Received from Dr. F. C. Wellman		Received from Dr. F. Creighton Wellman
N	133	N	133
		RML	105986
	<u>Boophilus</u> spec. incert. ♀'s		4 ♀ <u>Boophilus decoloratus</u>
	0x		0x
	Bailundo District of Benguella W. Africa		Concelho do Bailundo (12.00 S, 16.00 E) Benguela, Angola
	15.VI.1905		15.VI.1905
	Dr. Wellman		Dr. F. Creighton Wellman
	♀ Hypostome mounted on a slide		Slide missing.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	134	N	See Nuttall 897
	<u>Haemaphysalis campanulata</u> n. sp. ♂, ♀ eggs [Specimens renumbered No. 897.]		
N	135	N	135 MISSING
	<u>Argas persicus</u> Fowls Central Research Institute Kasuli, Punjab, India IX.1906 Received from Capt. E.D.W. Greig I.M.S.		
	4 slides ♂, N skins and spiracle (Fig. 10 Ticks Part I) mounted in balsam and glycerin		
N	136	N	136
		RML	105987
	<u>Argas persicus</u> Fowls Central Research Institute Kasauli, Punjab, India IX.1906 Received from Capt. E.D.W. Greig, I.M.S.		1 ♂, 2 ♀, 1 N <u>Argas persicus</u> Fowls Central Research Institute, Kasauli (30.55 N, 76.57 E), Punjab, India IX.1906 Received from Capt. E.D.W. Greig, I.M.S.
	Has been using them for experiments on Spirochaetoses. Found disease in fowls and has communicated it to a variety of birds (mammalia refractory). The larvae (not adult ticks) appear to infect.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	137	N	137 MISSING
	<u>Boophilus</u> sp. eggs		
	Sent by Dr. A. Lutz, Sao Paulo, Brazil X.1906		
	No data		Dr. Adolfo Lutz (1855-1940), Medical degree Berne University 1878. Chief Medical Dept., Institute Oswaldo Cruz. Retired 1938. Died Rio de Janeiro 6.X.1940.
N	138	N	138 MISSING
	<u>Argas miniatus</u>		
	Sent by Dr. A. Lutz, Sao Paulo, Brazil, X.1906		
	No data		
N	139	N	139
		RML	105988
	<u>Amblyomma americanum</u> ♂'s, ♀'s		8 ♂, 5 ♀ <u>Amblyomma americanum</u>
	Hogs		Hogs
	Mountain House Farm		Mountain House Farm, Dallas (32.47 N, 96.48 W), Texas, USA
	24.III.1906		24.III.1906
	F. C. Pratt		F. C. Pratt
	Received from W. H. Dalrymple, M.R.C.V.S. Baton Rouge, Louisiana, USA [2 ♂, 2 ♀ mounted in cells with other <u>Amblyomma</u> spp.] Received 17.XII.1906		An additional 1 ♂, 1 ♀ are pinned specimens. Slides of 2 ♂, 2 ♀ missing. Additional locality information taken from vial label. Cited and 1 ♂, 1 ♀ figured in Robinson (1926: 46, 47).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	140	N	140
		RML	105989
<u>Argas persicus</u>			6 ♂, 2 ♀, 2 N, plus 2 specimens too damaged to sex <u>Argas persicus</u>
Kasauli, Punjab, India			Kasauli (30.55 N, 76.57 E), Punjab, India
Received 20·XII·1906			Received 20·XII·1906
Received from Capt. Greig, I.M.S.			Received from Capt. Greig, I.M.S.
He writes, 21·XI·1906 - "I have had 3 successful infection experiments, 2 with larvae and 1 with adult ticks." [2 larvae in balsam on slide] 2 (sex not given) sent to Col. Leishman 7·VIII·1907			Slide missing.
N	141	N	141 MISSING
<u>Boophilus australis</u> ♂'s, ♀'s, N's			
<u>Bos taurus</u>			
Determined by Dr. C. W. Stiles, 1901, received from Bur. Anim. Industry ("No. 4631"), U.S. Dept. Agriculture 20·XII·1906 (parasite coll) [2 ♂ mounted in balsam on 2 slides] Det. as <u>annulatus</u> in Washington! by Stiles [1901]			

ORIGINAL DETERMINATIONCURRENT STATUS

N	142	N	142
		RML	105990
	<u>Amblyomma pomposum</u> 1 ♂		3 ♂ <u>Amblyomma pomposum</u>
	Sheath of a mule		Sheath of a mule
	130 miles due E. of Benguella W. Africa at an altitude of 4,200 ft.		130 miles (208 km) E. of Benguella (12.35 S, 13.25 E), Angola at an altitude of 4,200 ft. (1280 m).
	20.X.1906		20.X.1906
	Received from Dr. F. C. Wellman		Received from Dr. F. Creighton Wellman
	A common species thereabouts Received 17.XII.1906		Cited in Robinson (1926: 100).
N	143	N	143 MISSING
	<u>Phonergates bicoloripes</u> (not a species of Ixodoidea)		
	Found in a pig-stye, Benguella, Angola, West Africa; rec'd from Dr. F. C. Wellman, 17.XII.1906. [Dr. Wellman writes: "I have taken two other individuals both feeding on ticks (<u>Orn. moubata</u>) in pig-styles, 2.X.1906, 130 miles due East of Benguella, altitude 4200 ft.-Rainy season"]. See his letter of 23.X.1906.		

144-154. Ticks received from Dr. Aldo Castellani, Clinic for Tropical Diseases Colombo, Ceylon, 22.XI.1906. Determined by C. Warburton, XII.1906. (All places in Colombo or its suburbs):

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	144	N	144
		RML	105991
	<u>Rhipicephalus sanguineus</u>	8 ♂, 3 ♀	<u>Rhipicephalus sanguineus</u>
	Civet cat	Civet cat	
	Kollupitiya, Ceylon	Kollupitiya (06.53 N, 79.51 E), Sri Lanka	
	20.XI.1906	20.XI.1906	
	Received from Dr. Aldo Castellani	Received from Dr. Aldo Castellani	
	Det. C. Warburton XII.1906	Prof. Marchese Sir Aldo Castellani (1877-1971). He proved (12.VI.1902) that <u>Trypanosoma gambiense</u> was the cause of sleeping sickness and that it occurred in the blood, the brain and in cerebrospinal fluid. He was Bacteriologist to the Ceylon Government (1903-1915).	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	145		N	145
			RML	105992
	<u>Rhipicephalus sanguineus</u>			26 ♂, 8 ♀ <u>Rhipicephalus sanguineus</u>
	Dog			Dog
	Kollupitiya, Ceylon			Kollupitiya (06.53 N, 79.51 E), Sri Lanka
	20·XI·1906			20·XI·1906
	Received from Dr. Aldo Castellani			Received from Dr. Aldo Castellani
	Determined C. Warburton XII·1906			
N	146		N	146
			RML	105993
	<u>Rhipicephalus sanguineus</u>			8 ♀ <u>Rhipicephalus sanguineus</u>
	Cow			Cow
	Gangodawila, Ceylon			Gangodawila (06.52 N, 79.53 E), Sri Lanka
	17·XI·1906			17·XI·1906
	Received from Dr. Aldo Castellani			Received from Dr. Aldo Castellani
	Determined C. Warburton XII·1906			
N	147		N	147
			RML	105994
	<u>Rhipicephalus sanguineus</u>			12 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
	Mongoose			Mongoose
	Koolupitiya, Ceylon			Kollupitiya (06.53 N, 79.51 E), Sri Lanka
	20·XI·1906			20·XI·1906
	Received from Dr. Aldo Castellani			Received from Dr. Aldo Castellani
	Determined C. Warburton XII·1906			

ORIGINAL DETERMINATIONCURRENT STATUS

N 148

N 148

RML 76099

Haemaphysalis bispinosa2 ♂ Haemaphysalis bispinosa
1 ♂ Haemaphysalis intermedia

Polecat

Polecat

Kollupitiya, Ceylon

Kollupitiya (06.53 N, 79.51 E),
Sri Lanka

20·XI·1906

20·XI·1906

Received from Dr. Aldo Castellani

Received from Dr. Aldo Castellani

Determined C. Warburton XII·1906

Cited in Nuttall & Warburton
(1915: 432).

N 149

N 149

RML 105995

Rhipicephalus sanguineus5 ♂, 1 ♀ Rhipicephalus sanguineus

Hare

Hare

Cotte, Ceylon

Kotte (06.43 N, 79.54 E),
Sri Lanka

18·XI·1906

18·XI·1906

Received from Dr. Aldo Castellani

Received from Dr. Aldo Castellani

Determined C. Warburton XII·1906

ORIGINAL DETERMINATIONCURRENT STATUS

N 150

N 150

RML 105996

Haemaphysalis bispinosa3 ♂, 3 ♀ Haemaphysalis bispinosa

Dogs

Dogs

Nugegoda, Ceylon

Nugegoda (06.52 N, 79.53 E),
Sri Lanka

19.XI.1906

19.XI.1906

Received from Dr. Aldo Castellani

Received from Dr. Aldo Castellani

Determined C. Warburton XII.1906

Cited in Nuttall & Warburton (1915:
432).

N 151

N 151

RML 105997

Haemaphysalis bispinosa3 ♂, 9 ♀ Haemaphysalis bispinosa

Mouse deer

Mouse deer

Cinnamon Gardens, Ceylon

Cinnamon Gardens (06.55 N, 79.52 E),
Sri Lanka

19.XI.1906

19.XI.1906

Received from Dr. Aldo Castellani

Received from Dr. Aldo Castellani

Determined C. Warburton XII.1906

Cited in Nuttall & Warburton (1915:
432).

ORIGINAL DETERMINATIONCURRENT STATUS

N 152

N 152

RML 105998

Haemaphysalis bispinosa2 ♂, 7 ♀ Haemaphysalis bispinosa

Pig

Pig

Government Model Farm, near
Colombo, CeylonGovernment Model Farm, near Colombo
(06.56 N, 79.51 E), Sri Lanka

17.XI.1906

17.XI.1906

Received from Dr. Aldo Castellani

Received from Dr. Aldo Castellani

Determined C. Warburton XII.1906
1 ♂, 1 ♀ sent to Dr. J. H. Ashworth,
Edinburgh 22.VI.1910Cited in Nuttall & Warburton (1915:
432).

N 153

N 153

RML 105999

Aponomma gervaisi1 ♂, 7 ♀ Aponomma gervaisi

Iguana

Iguana

Boralesgomuwa, Ceylon

Boralesgomuwa (06.50 N, 79.54 E),
Sri Lanka

18.XI.1906

18.XI.1906

Received from Dr. Aldo Castellani

Received from Dr. Aldo Castellani

Determined C. Warburton XII.1906

ORIGINAL DETERMINATIONCURRENT STATUS

N 154a, b

N 154a, b

RML 106000

(a) Boophilus australis 1 ♀
 (b) Rhipicephalus sanguineus 1 ♂, 2 ♀

(a) 1 ♀ Boophilus microplus
 (b) 1 ♂, 2 ♀ Rhipicephalus sanguineus

Cow

Cow

Cinnamon Gardens, Ceylon

Cinnamon Gardens (06.55 N, 79.52 E),
Sri Lanka

21.XI.1906

21.XI.1906

Received from Dr. Aldo Castellani

Received from Dr. Aldo Castellani

Determined C. Warburton XII.1906

ORIGINAL DETERMINATION

N 155

Argas persicus

Crevices in mud wall of hen roost at the Grand Hotel, Khartoum

Received 24·XI·1906

Mr. H. H. King & Dr. A. Balfour

Received from Dr. A. Balfour, Wellcome Research Laboratories, Gordon Memorial College, Khartoum, who states that these ticks are associated with a deadly spirochaetosis in fowls which occurred in fowls imported from Genoa, Italy, similar to the disease in Brazil (Marchoux & Salimbeni). "I am sending you nymphs, adults & casts, etc., which "infested these fowls." These were collected by Mr. H. H. King, our Entomologist & Dr. Balfour from crevices in the mud wall of the hen roost at the Grand Hotel, Khartoum. Some (sex/stage not stated) to Prof. G. H. Carpenter, Royal College Science, Dublin 19·I·1910. Some (sex/stage not stated) to Dr. G. S. Graham-Smith, Medical School, Cambridge 19·I·1910. Some (sex/stage not stated) to E. E. Green (F.E.S.) Govt. Entomologist, Ceylon 19·I·1910. Some (sex/stage not stated) to Dschunkowsky Transcaucasus 19·I·1910. Some (sex/stage not stated) to Dr. Edmund Sergent, Algeria N. Africa 19·IV·1910. Some (sex/stage not stated) to Dr. H. deB. Aragão, Brazil 23·I·1910

CURRENT STATUS

N 155

RML 104760

5 N *Argas persicus*

Crevices in mud wall of hen roost at the Grand Hotel, Khartoum (15.36 N, 32.32 E), Sudan

Received II·1907

Mr. H. H. King & Dr. A. Balfour

The date given above is from vial label which disagrees with catalogue. The reference is to Marchoux & Salimbeni (1903). There is one additional cast skin in this collection.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	156		N	156	
			RML	104761	
	<u>Boophilus annulatus</u>			3 ♀ <u>Boophilus microplus</u>	
	Received ca. 1901			Received ca. 1901	
	Received from Mr. E. G. Wheler			Received from Mr. E. G. Wheler	
N	157		N	157	
			RML	105762	
	<u>Boophilus annulatus</u> larvae			±2000 L <u>Boophilus microplus</u>	
	Queensland, Australia			Queensland, Australia	
	Received 1900			Received 1900	
	Received from T. Bowhill F.R.C.V.S.			Received from T. Bowhill F.R.C.V.S.	
N	158		N	158	
			RML	104763	
	<u>Aponomma trachysauri</u>			1 ♂, 1 ♀, 1 N <u>Aponomma hydrosauri</u>	
	<u>Trachysaurus rugosus</u> (the stump-tailed lizard)			<u>Trachysaurus rugosus</u>	
	Adelaide, S. Australia			Adelaide (34.55 S, 138.35 E), Australia	
	14.XI.1906			14.XI. 1906	
	Received from Dr. E. A. Johnson			Received from Dr. E. A. Johnson	

159-165. Ticks received from E. B. Haddon, B.A., 31.X.1906. All the specimens were collected off [sic] cows and oxen, at Jinja, Uganda, Africa:

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	159	N 159 MISSING
	<u>Amblyomma variegatum</u>	
	Cows and oxen	
	Jinja, Uganda	
	Received 31.X.1906	
	Received from E. B. Haddon, B.A.	
N	160a, b	N 160a, b MISSING
	(a) <u>Amblyomma variegatum</u>	
	(b) <u>Rhipicephalus appendiculatus</u>	
	Cows and oxen	
	Jinja, Uganda	
	Received 31.X.1906	
	Received from E. B. Haddon, B.A.	
N	161a, b	N 161a, b MISSING
	(a) <u>Amblyomma variegatum</u>	
	(b) <u>Rhipicephalus appendiculatus</u>	
	Cows and oxen	
	Jinja, Uganda	
	Received 31.X.1906	
	Received from E. B. Haddon, B.A.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 162a, b

N 162a, b MISSING

(a) Amblyomma variegatum
(b) Rhipicephalus appendiculatus

Cows and oxen

Jinja, Uganda

Received 31.X.1906

Received from E. B. Haddon, B.A.

N 163

N 163 MISSING

Amblyomma variegatum

Cows and oxen

Jinja, Uganda

Received 31.X.1906

Received from E. B. Haddon, B.A.

N 164

N 164 MISSING

Amblyomma variegatum

Cows and oxen

Jinja, Uganda

Received 31.X.1906

Received from E. B. Haddon, B.A.

ORIGINAL DETERMINATIONCURRENT STATUS

N 165 N 165 MISSING

Amblyomma variegatum

Cows and oxen

Jinja, Uganda

Received 31.X.1906

Received from E. B. Haddon, B.A.

N 166 N 166
RML 104764

♀'s Boophilus annulatus

14 ♀ *Boophilus annulatus*

Probably Nebraska, USA

Probably Nebraska, USA

Sent 18.XII.1906

Sent 18.XII.1906

Prof. W. E. Allen

Prof. W. E. Allen

Sent by Prof. H. B. Ward of the
Zoological Dept., The University
Nebraska, Lincoln, Nebr., USA
saying "cattle ticks collected
and preserved by Prof. W. E.
Allen of the State Normal
School, Kearney, Nebraska."

Henry Baldwin Ward (1865-1945)
Ph.D. Harvard 1892.
Established the Journal of
Parasitology in 1914.

167-177. Ticks received 3.I.1907 from Colonel B. Skinner, R.A.M.C., to whom they were sent by Lt.-Col. C. E. Nuthall, R.A.V.C.

ORIGINAL DETERMINATION

CURRENT STATUS

N 167

N 167

RML 71483

Haemaphysalis bispinosa

43 ♀ Haemaphysalis bispinosa
including 1 ♀ NEOTYPE
1 ♀ Haemaphysalis intermedia
1 ♂ Hyalomma brevipunctata

Cattle at slaughter house

Cattle at slaughter house

Madras, India

Madras (13.05 N, 80.17 E),
Tamil Nadu, India

9.XI.1906

9.XI.1906

Lt. Col. C. E. Nuthall, R.A.V.C.
sent by Col. B. Skinner, R.A.M.C.
Received by Nuttall 3.I.1907

Lt. Col. C. E. Nuthall, R.A.V.C.
sent by Col. B. Skinner, R.A.M.C.
Received by Nuttall 3.I.1907

For a discussion of this collection
including selection of the NEOTYPE
see Trapido (1965: 155, 156).
The H. bispinosa collection is
cited by Nuttall & Warburton
(1915: 431); Hoogstraal & Trapido
(1966: 1188).

N 168

N 168

RML 104765

Haemaphysalis bispinosa

15 ♀ Haemaphysalis bispinosa

Goat

Goat

Madras, India

Madras (13.05 N, 80.17 E),
Tamil Nadu, India

10.XI.1906

10.XI.1906

Lt. Col. C. E. Nuthall, R.A.V.C.
Sent by Col. B. Skinner, R.A.M.C.
Received by Nuttall 3.I.1907

Lt. Col. C. E. Nuthall, R.A.V.C.
Sent by Col. B. Skinner, R.A.M.C.
Received by Nuttall 3.I.1907

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	169		N	169	
			RML	104766	
	<u>Haemaphysalis ? bispinosa</u> (mostly nymphs)			<u>2 ♂, 2 ♀, 104 N, 9 L Haemaphysalis</u> <u>bispinosa</u>	
	Cattle			Cattle	
	Basin Road Depot, Madras, India			Basin Road Depot, Madras (13.05 N, 80.17 E), Tamil Nadu, India	
	15.XI.1906			15.XI.1906	
	Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907			Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907	
	2 ♂ to C. Strickland, Malaya				
N	170		N	170	
			RML	104767	
	<u>Rhipicephalus sanguineus</u>			<u>50 ♂, 55 ♀, Rhipicephalus sanguineus</u>	
	Dog			Dog	
	Madras, India			Madras (13.05 N, 80.17 E), Tamil Nadu, India	
	10.XI.1906			10.XI.1906	
	Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C Received by Nuttall 3.I.1907			Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907	

ORIGINAL DETERMINATIONCURRENT STATUS

N	171	N	171
		RML	104768
	<u>Hyalomma aegyptium</u>		13 ♂, 18 ♀ <u>Hyalomma anatolicum</u> <u>anatolicum</u>
	Cattle		Cattle
	S. & T. Transport Co., Madras, India		S. & T. Transport Co., Madras (13.05 N, 80.17 E) Tamil Nadu, India
	9.XI.1906		9.XI.1906
	Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907		Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907
	1 ♂, 1 ♀ to Prof. Hewlett, Kings College, London 6.III.1907		
N	172	N	172 MISSING
	<u>Hyalomma aegyptium</u>		
	Cattle		
	Harris Road Cattle Depot, Madras, India		
	8.XI.1906		
	Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907		
	1 ♂, 1 ♀ to Richard Hancock, England 16.VI.1918		

ORIGINAL DETERMINATIONCURRENT STATUS

N	173	N	173
		RML	104769
	<u>Rhipicephalus sanguineus</u>		37 ♂, 83 ♀ <u>Rhipicephalus sanguineus</u>
	Pariah dogs		Pariah dogs
	Madras, India		Madras (13.05 N, 80.17 E), Tamil Nadu, India
	9.XI.1906		9.XI.1906
	Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907		Lt. Col C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907
	1 ♂, 1 ♀ to Col Leishman 7.VIII.1907.		Vial label locality reads Secunderabad, India
	1 ♂, 1 ♀ to Prof. B. Galli-Valerio, Lausanne, Switzerland 14.III.1912.		
	1 ♂, 1 ♀ to Prof. Dr. M. Miyajima Tokio, Japan 7.III.1912.		
	1 ♂, 1 ♀ to Dr. G. L. Tuck, Tientsin, China 17.II.1912.		
	1 ♂, 1 ♀ to A. H. Cockayne, Wellington, N.Z.		
	1 ♂, 1 ♀ to Dr. Lajos Gwzony, Univ. Budapest, Hungary 23.VI.1914.		
N	174	N	174
		RML	104770
	<u>Rhipicephalus sanguineus</u>		88 ♂, 48 ♀, 2 N <u>Rhipicephalus sanguineus</u>
	Foxhounds		Foxhounds
	Madras, India		Madras (13.05 N, 80.17 E), Tamil Nadu, India
	10.XI.1906		10.XI.1906
	Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907		Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907
	1 ♂, 1 ♀ to Richard Hancock, England 16.VI.1918.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	175	N	175
		RML	104771
	<u>Hyalomma aegyptium</u>		<u>18 ♂, 9 ♀ Hyalomma anatolicum anatolicum</u>
	Donga ponies		Donga ponies
	Secunderabad, India		Secunderabad (17.27 N, 78.30 E), India
	26.V.1906		26.V.1906
	Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907		Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907
N	176	N	176
		RML	66586
	<u>Hyalomma aegyptium</u>		<u>2 ♂, 1 ♀ Hyalomma anatolicum anatolicum</u>
	Cattle		Cattle
	Harris Road Cattle Depot, Madras, India		Harris Road Cattle Depot, Madras (13.05 N, 80.17 E), Tamil Nadu, India
	8.XI.1906		8.XI.1906
	Lt. Col. C. E. Nuthall, R.A.M.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907		Lt. Col. C. E. Nuthall, R.A.V.C. Sent by Col. B. Skinner, R.A.M.C. Received by Nuttall 3.I.1907

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	177	N 177 MISSING
	<u>Amblyomma hebraeum</u> N's	
	Cape Colony, South Africa	
	♂'s, ♀'s received II.1906	
	N's received I.1908	
	C. P. Lounsbury	
	[2 slides, balsam]	
	N's sent for heartwater experiments	
N	177X	N 177X MISSING
	<u>Amblyomma hebraeum</u> ♂'s, ♀'s	
	Rec'd from C. P. Lounsbury	
	II.1906	
	Cape Colony, South Africa	
N	178	N 178 MISSING
	Larvae ?	
	Off a cesspit	
	Adelaide S. Australia	
	Received 14.XI.1906	
	Rec'd from Dr. E. A. Johnson	
	(what are they?)	
N	179	N 179 MISSING
	<u>Boophilus australis</u>	
	Labelled " <u>Rhipicephalus australis</u> "	
	Asia Minor	
	Rec'd XII.1906	
	Dr. E. Steinhardt. Sent by Dr. H. Bitter	
	[hypostome mounted on a slide]	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	180	N	180
		RML	104772
	<u>Boophilus australis</u> ♀'s		5 ♀ <u>Boophilus microplus</u>
	English cattle		English cattle
	Astana farm, Sarawak		Astana farm, Sarawak, Malaysia
	Sent 17.XII.1906		Sent 17.XII.1906
	John Hewitt, B.A.		John Hewitt, B.A. (1881-1961) born in England, spent some years in Sarawak, Director of Museum at Kuching. In 1908 went to South Africa and became Director of the Albany Museum, Grahamstown in 1910; retired in 1958. Authority on spiders and reptiles of South Africa.
	Taken from softer parts of the skin of English cattle belonging to the Astana farm. These ticks exist in thousands, forming a continuous crust on the skin of the unfortunate beasts. Apparently they cause no specific disease, but the cattle become rather emaciated. The grass of the area in question is swarming with very active young ticks for miles. These creatures do not seriously attack Indian cattle or buffaloes, so the farmer says. I would be glad of a name for the ticks. Perhaps Dr. Nuttall would look at them? I can send more specimens and representatives of every stage of the life-history of the tick, if anyone desires it. From John Hewitt, B.A., Superintendant of the Museum, Sarawak, Borneo 17.XII.1906.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	181	N	181
		RML	104773
	<u>Rhipicephalus sanguineus</u> 1 ♀ (young)		1 ♀ <u>Rhipicephalus sanguineus</u>
	Man in his bed		♂ <u>Homo sapiens</u>
	Sekondi, Gold Coast, W. Africa		Sekondi (04.56 N, 01.42 W), Ghana
	10.X.1906		10.X.1906
	Sent by Dr. W. M. Graham M.O. Gold Coast		Sent by Dr. W. M. Graham, M.O. Gold Coast

182-188 Ticks received from Colonel B. Skinner, R.A.M.C., from Ceylon,
15.I.1907:

N	182	N	182
		RML	104774
	<u>Amblyomma integrum</u> ♀'s		2 ♀ <u>Amblyomma integrum</u>
	Cattle		Cattle
	Naranpitiya, Ceylon		Naranpitiya (07.13 N, 80.21 E), Sri Lanka
	3.XII.1906		3.XII.1906
	Received from Col. B. Skinner R.A.M.C. 15.I.1907		Plus one additional ♀ pinned. Cited: Robinson (1926: 114).

ORIGINAL DETERMINATIONCURRENT STATUS

N 183a, d

N 183a, d

RML 104775

- (a) Rhipicephalus sanguineus
- (b) Boophilus australis ♀
- (c) Haemaphysalis bispinosa
- (d) Amblyomma sp.

Mouse-deer (? dying)

- (a) 8 ♂ Rhipicephalus sanguineus
- (b) 2 ♀ Boophilus microplus
- (c) 1 ♂, 2 ♀ Haemaphysalis bispinosa
- (d) 2 N Amblyomma sp.

Mouse-deer (? dying)

Boreasgama, Ceylon

Boralesgomuwa (06.50 N, 79.54 E),
Sri Lanka

6.XII.1906

6.XII.1906

Received from Col. B. Skinner
 R.A.M.C. 15.I.1907

Received from Col. B. Skinner
 R.A.M.C. 15.I.1907

ORIGINAL DETERMINATIONCURRENT STATUS

N	184	N	184
		RML	104776
	<u>Amblyomma integrum</u> ♂		4 ♂ <u>Amblyomma integrum</u>
Horse (? hare)			Horse (? hare)
Borlasgama, Ceylon			Boralesgomuwa (06.50 N, 79.54 E), Sri Lanka
6.XII.1906			6.XII.1906
Received from Col. B. Skinner R.A.M.C. 15.I.1907			Received from Col. B. Skinner R.A.M.C. 15.I.1907
2 ♂ to C. Strickland, Malaya			
N	185a, b	N	185a, b
		RML	104777
(a) <u>Boophilus australis</u> ♀'s			(a) 5 ♀ <u>Boophilus microplus</u>
(b) <u>Amblyomma</u> sp. N's			(b) 2 N <u>Amblyomma</u> sp.
Buffalo			Buffalo
Cotta, Ceylon			Cotta Road (?) (06.55 N, 79.53 E) Sri Lanka
4.XII.1906			4.XII.1906
Received from Col. B. Skinner R.A.M.C. 15.I.1907			Received from Col. B. Skinner R.A.M.C. 15.I.1907

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	186a, b	N	186a, b
		RML	104778
(a)	<u>Haemaphysalis bispinosa</u>	(a)	5 ♂, 4 ♀, 1 N <u>Haemaphysalis bispinosa</u>
(b)	<u>Boophilus</u> spec. incert	(b)	2 ♂ <u>Boophilus microplus</u>
	Country cat		Country cat
	Borlasgama, Ceylon		Boralesgomuwa (06.50 N, 79.54 E), Sri Lanka
	4.XII.1906		4.XII.1906
	Received from Col. B. Skinner R.A.M.C. 15.I.1907		Received from Col. B. Skinner R.A.M.C. 15.I.1907
	(a)[1 ♂, 3 ♀ mounted in balsam on 2 slides]		Slides missing. (186a) cited: Nuttall & Warburton (1915: 432).
N	187	N	187
		RML	104779
	<u>Haemaphysalis bispinosa</u>		4 ♂, 3 ♀ <u>Haemaphysalis bispinosa</u>
	Village dog		Village dog
	Borlasgama, Ceylon		Boralesgomuwa (06.50 N, 79.54 E), Sri Lanka
	4.XII.1906		4.XII.1906
	Received from Col. B. Skinner R.A.M.C. 15.I.1907		Received from Col. B. Skinner R.A.M.C. 15.I.1907
			There is an additional 1 ♂, 1 ♀ of this collection in the Rocky Mountain Laboratory collection. Cited: Nuttall & Warburton (1915: 432).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	188a, b	N 188a, b
		RML 76098
(a)	<u>Haemaphysalis bispinosa</u>	(a) 1 ♀ <u>Haemaphysalis intermedia</u>
(b)	<u>Boophilus australis</u>	(b) 5 ♀ <u>Boophilus microplus</u>
	Black monkey	Black monkey
	Raygam Koili, Ceylon	Raygam Koili, Sri Lanka (Locality not verified)
	5.XII.1906	5.XII.1906
	Received from Col. B. Skinner R.A.M.C. 15.I.1907	Received from Col. B. Skinner R.A.M.C. 15.I.1907
	[hypostome mounted on a slide]	Slide missing. An additional 1 ♀ <u>H. intermedia</u> is in the NAMRU-3 collection, Cairo, Egypt
	189-193. Ticks received 22.I.1906, from Dr. P. H. Ross, Government Bacteriologist, Nairobi, East African Protectorate:	
N	189	N 189 MISSING
	<u>Rhipicephalus appendiculatus</u>	
	Goats	
	Benadir Coast	[The Benadir Coast is in The Somali Democratic Republic.]
	Received 22.I.1907	
	Received from Dr. P. H. Ross, Government Bacteriologist, Nairobi East African Pro- tectorate.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 190

N 190 MISSING

Amblyomma variegatum ?

Cattle

Embu (Mt. Kenya)

Received 22.I.1907

Received from Dr. P. H. Ross,
 Government Bacteriologist,
 Nairobi East African Pro-
 tectorate.

N 191a, b

N 191 b

RML 104780

(a) Haemaphysalis leachi
 (b) Rhipicephalus simus 1 ♂

Dog

Nairobi, B. E. Africa

Received 22.I.1907

Received from Dr. P. H. Ross,
 Government Bacteriologist,
 Nairobi East African Pro-
 tectorate.

Dr. P. H. Ross collection 1906
 Compared with Neumann's
 type of R. simus

(a) MISSING

(b) 2 ♂, 1 ♀ Rhipicephalus simus

Dog

Nairobi (1.17 S, 36.49 E), Kenya

Received 22.I.1907

Received from Dr. P. H. Ross,
 Government Bacteriologist,
 Nairobi East African Pro-
 tectorate.

ORIGINAL DETERMINATIONCURRENT STATUS

N	192a, c	N	192a, c
		RML	104781
(a) <u>Amblyomma variegatum</u>		(a) 7 ♂, 2 ♀, 3 N <u>Amblyomma variegatum</u>	
(b) <u>Rhipicephalus evertsi</u> ♂		(b) MISSING	
(c) <u>Rhipicephalus pulchellus</u> ♀		(c) 1 ♀ <u>Rhipicephalus pulchellus</u>	
Cattle		Cattle	
Nairobi, B.E. Africa		Nairobi (01.17 S, 36.49 E), Kenya	
Received 22.I.1907		Received 22.I.1907	
Received from Dr. P. H. Ross, Government Bacteriologist, Nairobi East African Protectorate		Received from Dr. P. H. Ross, Government Bacteriologist Nairobi East African Protectorate	
(192a) 4 slides ♀'s mounted in balsam		Slides of N 192a missing.	
1 ♂, 1 ♀ of <u>A. variegatum</u> to Prof. Hewlett, Kings College, London			
N	193a, d	N	193b, d
		RML	104782
(a) <u>Hyalomma aegyptium</u>		(a) MISSING	
(b) <u>Rhipicephalus pulchellus</u> ♀		(b) 1 ♀ <u>Rhipicephalus pulchellus</u>	
(c) <u>Amblyomma lepidum</u> ♂		(c) 1 ♂ <u>Amblyomma lepidum</u>	
(d) <u>Rhipicephalus simus?</u> ♂		(d) 1 ♂ <u>Rhipicephalus humeralis</u>	
Cattle		Cattle	
Lamu and Kismayu		Lamu (02.16 S, 40.54 E) and Kismayu (locality not verified, Kisumu, 00.06 S, 34.45 E is a possibility), Kenya	
Received 22.I.1907		Received 22.I.1907	
Received from Dr. P. H. Ross, Government Bacteriologist, Nairobi East African Protectorate		Received from Dr. P. H. Ross, Government Bacteriologist, Nairobi East African Protectorate	

194-198. Ticks sent by Colonel W. B. Leishman, R.A.M.C., 24.I.1907, who wants diagnoses. These were sent to him by Captain W. H. Best, West African Medical Staff, collected by him in the Ikite Country, N.E. District of Lagos Province, West Africa:

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	194	N 194
		RML 104783
	<u>Amblyomma splendidum</u>	2 ♂ <u>Amblyomma splendidum</u>
	Buffalo	<u>Syncerus caffer</u>
	Ikiti Country, N. E. District of Lagos Province, West Africa	Ikiti Country, N. E. District of Lagos State (06.30 N, 03.30 E), Nigeria
	Received 24.I.1907	Received 24.I.1907
	Capt. W. H. Best, West African Medical Staff. Sent by Col. W. B. Leishman, R.A.M.C.	Capt. W. H. Best, West African Medical Staff. Sent by Col. W. B. Leishman, R.A.M.C.
	(I-III, slides, ♂ dissected, balsam)	Cited in Robinson (1926: 125). Slides missing.
		An additional pinned ♂ is in the BMNH collection.
N	195a, b	N 195b
		RML 104784
	(a) <u>Haemaphysalis leachi</u> 2 ♂ (b) <u>Rhipicephalus bursa</u> ♀	(a) MISSING (b) 1 ♀ <u>Rhipicephalus sanguineus</u> (tentative ID. Genital aperture narrow)
	Dog	Dog
	Ilesha	Ilesha (07.37 N, 04.44 E), Nigeria
	Received 24.I.1907	Received 24.I.1907
	Received from Dr. P. H. Ross, Government Bacteriologist, Nairobi East Africa	Received from Dr. P. H. Ross, Government Bacteriologist, Nairobi East Africa

ORIGINAL DETERMINATIONCURRENT STATUS

N	196	N	196
		RML	104785
3 °	<u>Amblyomma splendidum</u>	2 °	<u>Amblyomma splendidum</u>
Buffalo			<u>Syncerus caffer</u>
Ikiti Country		Ikiti Country, N.E. District of Lagos State (06.30 N, 03.30 E), Nigeria	
Received 24.I.1907		Received 24.I.1907	
Capt. W. H. Best, West African Medical Staff. Sent by Col. W. B. Leishman R. A. M. C.		Capt. W. H. Best, West African Medical Staff. Sent by Col. W. B. Leishman, R.A.M.C.	
From collection N 194		Cited: Robinson (1926: 125).	
N	197	N	197 MISSING
	<u>Rhipicephalus bursa</u>		
Harness deer			
Ose River			
Received 24.I.1907			
Capt. W. H. Best, West African Medical Staff. Sent by Col. W. B. Leishman, R.A.M.C.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	198	N	198
		RML	104786
	<u>Rhipicephalus simus</u> 1 ♂		1 ♂ <u>Rhipicephalus muhsamae</u>
Pig		Pig	
Ilesha, Lagos Province, W. Africa		Ilesha (07.37 N, 04.44 E), Nigeria	
Received 24.I.1907		Received 24.I.1907	
Capt. W. H. Best, West African Medical Staff. Sent by Col. W. B. Leishman R.A.M.C.		Capt. W. H. Best, West African Medical Staff. Sent by Col. W. B. Leishman, R.A.M.C.	
(L. G. Neumann determined 12.XI.1907 for us)			
N	199	N	199
		RML	104787
<u>Amblyomma marmoreum</u> larvae (Type)		7 L <u>Amblyomma</u> sp.	
Reared at Rosebank		Reared at Rosebank (33.57 S, 18.28 E), Republic of South Africa	
Reared III.1906		Reared III.1906	
Sent by Mr. Lounsbury, Govern- ment Entomologist Cape Colony, South Africa.		Sent by Mr. Lounsbury, Government Entomologist Cape Colony, South Africa.	
		Cited: Edwards & Evans (1967: 596).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	200	N 200
		RML 104788
<u>Amblyomma marmoreum</u> unfed nymphs		4 N <u>Amblyomma</u> sp.
Reared at Rosebank		Reared at Rosebank (33.57 S, 18.28 E), Republic of South Africa.
Reared V.1906		Reared V.1906
Sent by Mr. Lounsbury, Govern- ment Entomologist, Cape Colony South Africa		Sent by Mr. Lounsbury, Government Entomologist, Cape Colony, South Africa

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	201	N	201
		RML	104789
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		31 ♂, 67 ♀ <u>Rhipicephalus sanguineus</u>
	Reared on nymphs on dogs		Reared as nymphs on dogs
	Madras, India		Madras (13.04 N, 80.17 E), India
	14.X.1906		14.X.1906
	Rec'd from Lieut. S.R. Christophers M.B., I.M.S.		Rec'd from Lieut. S.R. Christophers M.B., I.M.S.
	Infected with Piroplasmosis (5 slides, balsam mounts of ♂'s, ♀'s) I-V		Slides missing 1978
			Colonel Sir Samuel Rickard Christophers (1873-1978). A brief review of his career and a photo are presented as a frontispiece in <u>Ann. Trop. Med. Parasit.</u> vol. 73 (1979).
N	202	N	202
		RML	22308
	<u>Amblyomma caelatum</u> ♂ & ♀		1 ♂, 1 ♀ <u>Amblyomma geoemydae</u>
	Tortoise		Tortoise
	Malay Peninsula		Malaysia
	Dr. H. E. Durham		Dr. H. E. Durham
	Given me by Dr. Daniels, whose number "214" it bore. See descriptive notes, drawings and slide with digit of one, mounted (See Neumann Archi. f Parasitologie) Nove VI, p. 10, figs. 9 & 10, a ♂ & ♀ from Bulikima, Singapore, specimen from British Museum [digit mounted in balsam on a slide]		Slide of digit missing Cited: Robinson (1926: 230). Santos Dias (1958: 500) records 2 ♂, 1 ♀ <u>A. geoemydae</u> in this collection.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	203	N 203 MISSING
	<u>Ornithodoros moubata</u>	
	Dowa, British Central Africa	
	Rec'd 1905	
	Out of Dr. Daniel's Collection, No. 206.	
N	204	N 204 MISSING
	<u>Ornithodoros moubata</u>	
	British Central (Africa)	
	Rec'd 1905	
	Out of Dr. Daniel's Collection No. 207.	
N	205	N 205
		RML 104790
	<u>Ornithodoros moubata</u>	1 ♂, 1 ♀, 1 N <u>Ornithodoros moubata</u>
	Tete, Portuguese Central Africa	Tete (10.56 S, 14.10 E), Angola
	Rec'd 1905	Rec'd 1905
	Out of Dr. Daniel's Collection No. 209.	Cited: Merriman (1911: 171).
N	206	N 206
		RML 104791
	<u>"Argas americanus"</u>	2 ♂, 1 ♀, 2 N <u>Argas radiatus</u>
	Rec'd 1905	Rec'd 1905
	No data. Out of Dr. Daniel's Collection, No. 213. Two specimens sent to Dr. E. Pavlovsky, Leningrad 9.X.1925.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	207	N	207
		RML	104792
	<u>Boophilus australis</u> ?, larvae, labelled " <u>Ixodes bovis</u> "		+ 500 L <u>Boophilus microplus</u>
	Rec'd 10.XI.1904		Probably Australia
	W. F. Cooper		Rec'd 10.XI.1904
	Rec'd from Queensland Bacteriological Station		W. F. Cooper
N	208	N	208
		RML	104793
	<u>Boophilus australis</u> ? adults, labelled " <u>Ixodes bovis</u> "		8 ♂ <u>Boophilus microplus</u>
	Rec'd 10.XI.1904		Probably Australia
	W. F. Cooper		Rec'd 10.XI.1904
	Rec'd from Queensland Bacteriological Station		W. F. Cooper
N	209	N	209 MISSING
	<u>Dermacentor andersoni</u> = <u>occidentalis</u> ♂		
	Victor, Montana		
	Rec'd from Dr. C. W. Stiles		
	Balsam mounted specimen on slide, with diamond scratched No. 9467 (from U. S. Pub. Health & Marine- Hospital Service, Washington, D.C., U.S.A.) [The word TYPE is crossed out beneath the species determination - J.E.K.]		There is an empty vial in token tube indicating 1 ♂ <u>D. andersoni</u> on a slide - Missing 1978. Number 9467 is the holotype ♂ of <u>Dermacentor andersoni</u> but the locality is Woodman, Montana, not Victor. See Stiles (1910: 40) and Keirans (1976: 262).

ORIGINAL DETERMINATIONCURRENT STATUS

N 210

N 210 MISSING

3 ♂, 2 ♀ Dermacentor occidentalis
 (Type)

Bos taurus

Helena, Montana

22.V.1904

Tuttle

Determined by Dr. C. W. Stiles
 10.IV.1906 and 11.V.1904.
 Presented by Tuttle, 1904.
 Sent by Dr. Stiles to G.H.F.N.
 and bearing No. 9487 (U.S. Pub.
 Health & Marine-Hospital Service,
 Washington, D.C., U.S.A.)

No. 9487 is Dermacentor andersoni
 collected in Hamilton, Montana -
 See Stiles (1910: 41).

N 211

N 211

RML 104794

Dermacentor andersoni
 (Type)

Man (♂ No. 9438)

Bitter Root Valley, Montana,
 U. S. America

5.V.1903

J. F. Anderson

Determined by Dr. C. W. Stiles
 Presented 29.VI.1903 by
 J. F. Anderson. Sent by Dr. Stiles
 to G.H.F.N. & bearing Nos. ♂ 9438,
 ♀ 9435 (U.S. Pub. Health &
 Marine-Hospital Service,
 Washington, D.C., U.S.A.).

1 ♂, 1 ♀ Dermacentor andersoniHomo sapiens (♂ No. 9438)Bitterroot Valley (47.06 N, 115.10 W)
 Montana, U.S.A.

5.V.1903

J. F. Anderson

These are not type specimens and the
 numbers 9438 and 9435 are not listed
 in Stiles (1910)

212-215. Ticks from the district (County) of Juchitan, on the Pacific side of the Isthmus of Tehuantepec, Mexico. Received from the collector, A. Laughton 12.III.1907

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	212	N 212
		RML 104795
	<u>Amblyomma cajennense</u> ♂, ♀	1 ♂, 1 ♀ <u>Amblyomma cajennense</u> Lectotype and paralectotype of <u>A. versicolor</u>
	Horse	Horse
	Tolosa, Oaxaca, Mexico	Tolosa (22.31 N, 101.22 W), Mexico
	10.I.1907	10.I.1907
	A. Laughton	A. Laughton
	L. E. Robinson Det. 1926	Nuttall & Warburton (1908: 407), original description. Cited: Robinson (1926: 53). Lectotype designated: Keirans & Brewster (1981: 158).
N	213	N 213
		RML 104796
	<u>Amblyomma versicolor</u> ? N	1 N <u>Amblyomma</u> sp.
	Man	<u>Homo sapiens</u>
	Between Chivela and Rincou Antonio, Est. Oaxaca, Mexico	Between Chivela (16.42 N, 94.59 E) and Rincou Antonio (locality not verified), Mexico
	2.I.1907	2.I.1907
	A. Laughton	A. Laughton

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	214	N	214
		RML	104797
	<u>Amblyomma</u> sp. Larvae	2 L	<u>Amblyomma</u> sp.
	Horse	Horse	
	Tolosa, Oaxaca, Mexico	Tolosa (22.31 N, 101.22 W), Mexico	
	10.I.1907	10.I.1907	
	A. Laughton	A. Laughton	
N	215	N	215
		RML	104798
	<u>Boophilus</u> sp. Larvae	4 L	<u>Amblyomma</u> sp.
	Cow	Cow	
	Tolosa, Oaxaca, Mexico	Tolosa (22.31 N, 101.22 W), Mexico	
	10.I.1907	10.I.1907	
	A. Laughton	A. Laughton	
N	216	N	216 MISSING
	<u>Ixodes hexagonus</u> ♀'s, N's, L's		
	<u>Lutra vulgaris</u>		
	No doubt British		
	Gift of Hon. N. C. Rothschild		
	7 slides (R.961-973)		
	I-III - larvae		
	IV - N		
	V-VII - ♀'s		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	217	N	217 MISSING
	<u>Ixodes hexagonus</u> 2 ♀		
	Fox		
	No doubt British		
	Gift of Hon. N. C. Rothschild (2 slides R 930-931)		
N	218	N	218
		RML	104799
	<u>Amblyomma tholloni</u> 2 ♀		2 ♀ <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Jinja, Busoga, Uganda, Africa		Jinja (00.26 N, 33.12 E), Uganda
	28.XI.1906		28.XI.1906
	Shot by E. G. Haddon, B.A.		E. B. Haddon, B.A.
			Cited: Robinson (1926: 252).
N	219	N	219
		RML	104800
	<u>Boophilus australis</u> ♀		34 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Kuching Sarawak, Borneo		Kuching (01.33 N, 110.20 E), Sarawak
	I.1907		I.1907
	Dr. A. R. Wellington, General Hospital, Kuching, Sarawak, Borneo		Dr. A. R. Wellington

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	220	N	220
		RML	104801
	<u>Haemaphysalis papuana</u>		1 ♀, 3 N <u>Haemaphysalis papuana</u>
	Dog		Dog
	Kuching, Sarawak, Borneo		Kuching (01.33 N, 110.20 E.), Sarawak
	I.1907		I.1907
	Dr. A. R. Wellington		Dr. A. R. Wellington
	1 ♂ to L. O. Howard U.S.D.A. 21.V.1909 [specimen now in RML collection - J.E.K.] 1 N to C. Strickland, Malaya 1 ♀ to A. S. Hirst, B.M.N.H.		The ♀ of this collection was cited by Trapido et al (1964: 178). Collection in two tubes. The nymphs are being retained with the ♀ although they probably are not <u>H. papuana</u> . See fig. 340, Nuttall & Warburton (1915: 406).
N	221	N	221
		RML	104802
	<u>Haemaphysalis wellingtoni</u> ♂'s ♀'s TYPE		1 ♂, 10 ♀, 2 N <u>Haemaphysalis</u> <u>wellingtoni</u> Lectotype and paralectotypes
	Fowls		Fowls
	Kuching, Sarawak, Borneo		Kuching (01.33 N, 110.20 E), Sarawak
	I.1907		I.1907
	Dr. A. R. Wellington		Dr. A. R. Wellington
	[2 ♀ mounted in balsam on 2 slides]		Slides present 1978. Nuttall & Warburton (1908: 397), original description.
	1 ♀ to Dr. de Blieck, Java 22.I.1915		1 ♂, 1 ♀ are in a separate vial with a blue TYPE label. Lectotype designated: Keirans & Brewster (1981: 163, 164).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	222	N	222 MISSING
	<u>Amblyomma cajennense</u> ♂ & ♀ (TYPE)		
	<u>Hydrochoerus capybara</u>		
	Brazil		
	Type gift of Professor L. G. Neumann of Toulouse, France 24.II.1907		
N	223	N	223
		RML	104803
	<u>Amblyomma striatum</u> ♂ & ♀ species epithet crossed out and <u>ovale</u> inserted. (TYPE)		1 ♀ <u>Amblyomma striatum</u>
	<u>Canis azarai</u>		<u>Dusicyon</u> sp.
	Brazil		Brazil
	Types gift of Professor L. G. Neumann of Toulouse, France 24.II.1907. Det. L. E. Robinson 1926		This is not a type specimen. Cited as <u>Amblyomma ovale</u> by Robinson (1926: 29).
N	224	N	224
		RML	104804
	<u>Ixodes brunneus</u> 1 ♀		2 ♀ <u>Ixodes arboricola</u> 1 ♀ <u>Ixodes frontalis</u>
	Owl		Owl
	Cambridge		Cambridge (52.12 N, 00.08 E), England
	Rec'd 1904		Rec'd 1904
	Rec'd from Dr. G. S. Graham-Smith		Cited: Nuttall & Warburton (1911: 192); Arthur (1952: 153); Arthur (1963: 118).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	225	N	225
		RML	104805
Larva	<u>Argas</u> sp.?	1 L	<u>Argas vespertilionis</u>
Bat		Bat	
Grantchester,	Cambs.	Grantchester (52.10 N, 00.06 E),	
		Cambs., England	
X.1906		X.1906	
N.D.F.	Pearce, M.A.	N.D.F.	Pearce, M.A.
N	226	N	226
		RML	104806
<u>Ornithodoros megnini</u>		10 N	<u>Otobius megnini</u>
<u>Bos taurus</u>		<u>Bos taurus</u>	
21.I.1899		21.I.1899	
A. M. Hildebrand		A. M. Hildebrand	
Determined 1899 by Stiles &			
Hassall. Sent me by Dr. C. W.			
Stiles of Washington, D.C., U.S.			
America.			
Some (sex/stage not stated) to			
W. F. Cooper 22.I.1910.			

ORIGINAL DETERMINATIONCURRENT STATUS

N	227	N	227
		RML	104807
	<u>Rhipicephalus haemaphysaloides</u> ♂ & ♀		2 ♂, 1 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Chin Hills, India		Probably Chin Hills (23.30 N, 93.30 E), Burma
	From collection sent by Lefroy to Warburton 1906 [1 slide, ♂ ♀ in balsam].		The word Type beneath the species name has been crossed out in the original determination.
228-235. Ticks received from Dr. B. Brock, Germiston, Transvaal, S. Africa. 4.III.1907, who wrote, 8.II.1907 that they were sent him from the "North." Those from tortoise (Nos. 228, 229) are the only ones his friend Mr. Fry could find on reptiles.			
N	228	N	228
		RML	104808
	<u>Amblyomma marmoreum</u> ♂♂ (many) (Type)		4 ♂, 2 ♀ <u>Amblyomma marmoreum</u>
	Tortoise		Tortoise
	"North" of Germiston, Transvaal South Africa		"North" of Germiston, Transvaal, Republic of South Africa
	Killed, 1906		Killed, 1906
	Mr. Fry		Mr. Fry
	Rec'd from Dr. B. Brock. Killed, 1906 by hot water & preserved in 10% formalin, which evaporated. 1 ♂ to Prof. Hewlett, Kings College, London.		Cited: Robinson (1926: 90). These are not type specimens. Theiler & Salisbury (1959: 108) lists 7 ♂, 2 ♀.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	229	N 229
		RML 104809
Amblyomma marmoreum ♂'s, 2 ♀ (Type)		10 ♂, 2 ♀ Amblyomma marmoreum
Tortoise		Tortoise
"North" of Germiston, Transvaal South Africa		"North" of Germiston, Transvaal, Republic of South Africa
Rec'd 4.III.1907		Rec'd 4.III.1907
Mr. Fry		Mr. Fry
Rec'd from Dr. B. Brock Compared 6.III.1907, a type, gorged ♀ of Lounsbury's also agree with Nn's descr. & fig. of ♂. 1 ♂ to Dr. S. Hadwen Brit. Columbia, Canada 10.X.1913. 1 ♂ to Prof. Kellogg, Stanford Univ. 1 ♂ to Sheffield Univ. 3.VI.1907.		These are not type specimens. 3 ♂, 1 ♀ of the above total are pinned specimens. Cited: Robinson (1926: 90); Theiler & Salisbury (1959: 108).
N	230a, b	N 230a, b
		RML 104810
(a) Rhipicephalus simus ♂ ♀ (b) Rhipicephalus sanguineus ♂		(a) 6 ♂, 4 ♀ Rhipicephalus simus (b) 3 ♂ Rhipicephalus sanguineus
Dog		Dog
"North" of Germiston Transvaal South Africa		"North" of Germiston Transvaal, Republic of South Africa
14.I.1907		14.I.1907
Mr. Fry		Mr. Fry
Rec'd from Dr. B. Brock		Date on vial label is 14.III.1907

ORIGINAL DETERMINATIONCURRENT STATUS

N 231 N 231 MISSING

Rhipicephalus appendiculatus 2 ♀

Cat

"North" of Germiston, Transvaal,
South Africa

14.I.1907

Mr. Fry

Rec'd from Dr. B. Brock

N 232a-d N 232a, c, d

RML 104811

- (a) Hyalomma aegyptium ♂ ♀
- (b) Rhipicephalus evertsi ♂ ♀
- (c) Rhipicephalus simus ♂ ♀
- (d) Amblyomma hebraeum 1 ♂

Horse

"North" of Germiston, Transvaal,
South Africa

11.I.1907

Mr. Fry

Rec'd from Dr. B. Brock

- (a) 5 ♂, 9 ♀ Hyalomma rufipes
- (b) MISSING
- (c) 1 ♂, 1 ♀ Rhipicephalus simus
- (d) 1 ♂ Amblyomma hebraeum

Horse

"North" of Germiston, Transvaal,
Republic of South Africa

11.I.1907

Mr. Fry

(232d) Cited: Robinson (1926: 107).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	233	N	233
		RML	104812
	<u>Hyalomma aegyptium</u>		24 ♂, 1 ♀ <u>Hyalomma rufipes</u>
	0x		0x
	"North" of Germiston, Transvaal South Africa		"North" of Germiston, Transvaal, Republic of South Africa
	22.I.1907		22.I.1907
	Mr. Fry		Mr. Fry
	Rec'd from Dr. B. Brock		Rec'd from Dr. B. Brock
N	234	N	234
		RML	104813
	<u>Hyalomma aegyptium</u>		9 ♂, 5 ♀ <u>Hyalomma truncatum</u>
	Sheep		Sheep
	"North" of Germiston, Transvaal, South Africa		"North" of Germiston, Transvaal, Republic of South Africa
	17.I.1907		17.I.1907
	Mr. Fry		Mr. Fry
	Rec'd from Dr. B. Brock		Rec'd from Dr. B. Brock
N	235	N	235
		RML	104814
	<u>Hyalomma aegyptium</u>		8 ♂ <u>Hyalomma truncatum</u>
	Goat		Goat
	"North" of Germiston, Transvaal South Africa		"North" of Germiston, Transvaal, Republic of South Africa
	17.I.1907		17.I.1907
	Mr. Fry		Mr. Fry
	Rec'd from Dr. B. Brock		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	236	N	236
		RML	104815
	<u>Argas persicus</u> var. <u>miniatus</u>		1 ♂, 1 ♀ <u>Argas miniatus</u> 1 ♂, 1 ♀ <u>Argas persicus</u>
Brazil		Brazil	
Rec'd II.1907		Rec'd II.1907	
Rec'd from Dr. E. Marchoux		Rec'd from Dr. E. Marchoux	
A) Some, which arrived dead, were preserved in 70% spirit. They conveyed spirochaetosis to fowl in Cambridge.			
B) After feeding on fowl and mouse on 19.II.1907, these ticks, placed at 24° C, cast skins by 6.III.1907; 7 out of lot "E", 2 out of lot "G", <u>re</u> which see protocols of experiments.			
N	237	N	237
		RML	104816
	<u>Rhipicephalus sanguineus</u> larvae		139 L <u>Rhipicephalus sanguineus</u>
Original stock from Cairo, Egypt		Original stock from Cairo, Egypt	
Rec'd 29.VIII.1906		Rec'd 29.VIII.1906	
Rec'd from Dr. Bitter		Rec'd from Dr. Heinrich Bitter	
Hatched 29.VIII.1906 [1 slide, larvae in balsam]		Slide missing Cited: Nuttall (1915: 448).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	238	N	238	MISSING
---	-----	---	-----	---------

Ornithodoros moubata

Lilongwe, Central Angoniland,
British Central Africa

Rec'd 12.III.1907

Rec'd from Dr. C. W. Daniels

"They are unusually light
in colour."

239-241. Ticks received from Dr. A. Balfour, Gordon College, Khartoum,
labelled from the "Wellcome Research Laboratories" (Entomological
Dept.), Khartoum, Sudan.

N	239	N	239
---	-----	---	-----

RML	104817
-----	--------

Rhipicephalus sanguineus

4 ♂, 2 ♀ *Rhipicephalus sanguineus*
3 ♂, 1 ♀ *Rhipicephalus simus*

No data

No data

Rec'd from Dr. A. Balfour

Rec'd from Dr. A. Balfour

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	240	N	240
		RML	104818
	<u>Amblyomma marmoreum</u>		2 ♂ <u>Amblyomma sparsum</u>
	No data		No data
	Rec'd from Dr. A. Balfour		Rec'd from Dr. A. Balfour
	The lot contained a malformed ♂ which will be found among the pinned specimens. It was described & figured by me in Parasitology, vol. VII, p. 254		Cited: Nuttall (1914a: 254); Robinson (1926: 89); Theiler & Salisbury (1959: 110). The pinned malformed ♂ is now in the BMNH collection.
N	241	N	241
		RML	104819
	<u>Hyalomma aegyptium</u>		8 ♂, 9 ♀ <u>Hyalomma dromedarii</u> 1 ♂, 1 ♀ <u>Hyalomma rufipes</u>
	No data		No data
	Rec'd from Dr. A. Balfour		Rec'd from Dr. A. Balfour
N	242	N	242
		RML	104817
	<u>Argas persicus</u> larvae		1 L <u>Argas persicus</u>
	Parents from Cairo, Egypt, larvae raised in Cambridge		Parents from Cairo (30.03 N, 31.15 E), Egypt; larvae raised in Cambridge (52.13 N, 00.08 E), England
	Rec'd 29.VIII.1906		Rec'd 29.VIII.1906
	Sent by Dr. Bitter		Sent by Dr. Heinrich Bitter
	Supposed to be infected with <u>Spirochaeta gallinarum</u> , the ♀'s having been fed on an infected fowl 19.II.1906.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	243	N	243
		RML	104821
	<u>Argas persicus</u> eggs		One vial of <u>Argas persicus</u> eggs
	Parent ticks probably from Kasauli, Punjab, India		Parent ticks probably from Kasauli, (30.55N, 76.57E), India
	Rec'd 20.XII.1906		Rec'd 20.XII.1906
	Sent by Capt. E.D.W. Greig		Sent by Capt. E.D.W. Greig
	Parent ticks received 20.XII.1906 fed 23.I.1907 on fowl, placed at 24° C. Laid eggs (many) by 6.III.1907		Retained in a separate jar for tick eggs.
N	244	N	244 MISSING
	<u>Boophilus annulatus</u> ♂, ♀		
	Cattle		
	Gainsville, Florida		
	8.III.1907		
	Professor J. M. Scott		
	Sent by C. L. Crow, Ph.D.		

245-248. Ticks sent by Dr. A. Yale Massey of Tanganyika Concessions, Ltd., Kansanshi, N.W. Rhodesia, 22.I.1907, to R. T. Leiper, M.B. (London School of Tropical Medicine) and transmitted to Professor Nuttall on behalf of Mr. Leiper by Dr. C. W. Daniels, 26.III.1907. The bottles marked respectively 1, 5, 8, 9 & Massey's letter to Leiper says the following: (We must pick out what we want & return the rest with diagnoses).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	245	N 245
		RML 104822
<u>Ixodes cavipalpus</u> ♂ ♀	TYPES	1 ♂, 3 ♀ <u>Ixodes cavipalpus</u> Lectotype and paralectotypes
Baboon		<u>Papio cynocephalus</u>
Kansanshi, N.W. Rhodesia		Kansanshi (12.05 S, 26.25 E), Zambia
Sent 22.I.1907 to London School Tropical Medicine		Sent 22.I.1907 to London School Tropical Medicine
Ticks sent by Dr. A. Yale Massey of Tanganyika Concessions, Ltd., Kansanshi, N.W. Rhodesia.		Nuttall & Warburton (1908:394), original description, p. 395 cited host as <u>Cynocephalus babuin</u> Cited: Nuttall & Warburton (1911: 194). Arthur (1965: 128) indicated 2 ♂, 7 ♀ types deposited in BMNH. Lectotype designated: Keirans & Brewster (1981: 165).
1 ♀ sent to A. S. Hirst B.M. (NH) 1 ♂, 1 ♀ to London School Tropical Medicine 29.I.1908. [3 slides of ♂, ♀ & hypostome & spiracle, in balsam]		Two slides present of a ♂ & ♀

ORIGINAL DETERMINATION

N 246

Rhipicephalus masseyi ♂ & ♀Bos caffer

Kansanshi, N.W. Rhodesia

1907

2 ♀, 2 ♂ returned to London
 Sch. Trop. Med.
 1 ♂, 1 ♀ to Prof. Dönitz, Berlin
 1 ♂, 1 ♀ to A. S. Hirst BM(N.H.)
 [3 slides ♂, ♀'s mounted in balsam]
 Ticks sent by Dr. A. Yale Massey
 of Tanganyika Concessions, LTD.,
 Kansanshi, N.W. Rhodesia

N 246

RML 104823

21 ♂, 12 ♀ Rhipicephalus masseyi
 Lectotype and paralectotypesSyncerus caffer

Kansanshi (12.05 S, 26.25 E), Zambia

1907

2 ♀ on slide, 1 ♂ on slide, ♀ digits
 on slide, 1 ♀ vulva on slide.
 Nuttall & Warburton (1908: 404),
 original description based on 31 ♂,
 21 ♀. This type series of R. masseyi
 also contains 1 ♀ Rhipicephalus kochi
 and 1 ♀ Rhipicephalus hurti. Both
 determinations tentative because
 neither specimen is typical.
 Lectotype designated: Keirans &
 Brewster (1981: 170).

N 247

Rhipicephalus annulatus var.
decoloratus

Cattle

Ticks sent by Dr. A. Yale Massey
 of Tanganyika Concessions, LTD.,
 Kansanshi, N.W. Rhodesia
 "have been recognized [as such] by
 Professor Neumann" Toulouse,
 France (for Museum, Lond. Sch.
 Trop. Med.).

N 247 MISSING

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	248a, b	N	248b
		RML	104824
(a) <u>Boophilus decoloratus</u> (b) <u>Rhipicephalus capensis</u> var. <u>compositus</u>		(a) MISSING (b) 11 ♂, 11 ♀ <u>Rhipicephalus compositus</u>	
Cattle		Cattle	
Kansanshi		Kansanshi (12.05 S, 26.25 E), Zambia	
Ticks sent by Dr. A. Yale Massey of Tanganyika Concessions, Ltd., Kansanshi N.W. Rhodesia. 1 ♂, 1 ♀ sent to Col. A. Alcock FRS, London Sch. Trop. Med. 26.I.1910.			
249-252. Ticks sent by Dr. P. H. Ross, from Nairobi, British East Africa. He says we may keep the specimens but he desires them identified and the diagnoses sent him, in accordance with his numbers. They were collected by him and Mr. Simpson (Gov't. Veterinary Bacteriologist):			
N	249	N	249
		RML	104825
<u>Amblyomma petersi</u> 1 ♂		1 ♂ <u>Amblyomma sparsum</u> (tentative ID) (A pinned specimen)	
Rhinoceros		Probably <u>Diceros bicornis</u>	
P. H. Ross & Mr. Simpson		Probably Kenya	
Sent by Dr. P. H. Ross from Nairobi, British East Africa. Ross No. "2"		P. H. Ross & Mr. Simpson	
		Cited: Robinson (1926: 90).	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	250	N	250
		RML	104826
	<u>Amblyomma personatum</u> 2 ♂		2 ♂ <u>Amblyomma personatum</u> pinned specimens
	Rhinoceros		Probably <u>Diceros bicornis</u>
			Probably Kenya
	P. H. Ross & Mr. Simpson		P. H. Ross & Mr. Simpson
	Sent by Dr. P. H. Ross from Nairobi British East Africa. Ross No. "1"		Cited: Robinson (1926: 260).
N	251	N	251
		RML	104827
	<u>Dermacentor rhinocerotis</u>		3 ♂ <u>Dermacentor rhinocerinus</u>
	Rhinoceros		Probably <u>Diceros bicornis</u>
			Probably Kenya
	P. H. Ross & Mr. Simpson		P. H. Ross & Mr. Simpson
	Sent by Dr. P. H. Ross from Nairobi British East Africa. Ross No. "3"		Pinned specimens
N	252	N	252
		RML	104828
	<u>Hyalomma aegyptium</u> ? 1 ♂		1 ♂ <u>Hyalomma rufipes</u> pinned specimen
	Cattle		Cattle
	Lamu		Lamu (02.16 S, 40.54 E), Kenya
	P. H. Ross & Mr. Simpson		P. H. Ross & Mr. Simpson
	Sent by Dr. P. H. Ross from Nairobi British East Africa Ross No. "4"		

ORIGINAL DETERMINATIONCURRENT STATUS

N 253 N 253 MISSING

Argas persicus

Rec'd IV.1907

Rec'd from Dr. E. A. Johnson
Adelaide, South Australia

Found associated with
spirochaetosis in fowls

N 254 N 254 MISSING

Hyalomma aegyptium ♂'s & ♀'s

Scrotum of bullock

Nowshera, India

16.IV.1907

Rec'd from Col. Skinner, R.A.M.C.

N 255 N 255 MISSING

Hyalomma aegyptium ♂'s & ♀'s

Scrotum of bullock

Nowshera, India

16.IV.1907

Rec'd. from Col. B. Skinner, R.A.M.C.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	256	N	256
		RML	104829
	<u>Hyalomma aegyptium</u> ♂'s & ♀'s		7 ♂, 4 ♀ <u>Hyalomma anatolicum</u> <u>anatolicum</u>
	Scrotum of bullock		Scrotum of bullock
	Nowshera, India		Nowshera (34.01 N, 71.59 E), Pakistan
	16.IV.1907		16.IV.1907
	Rec'd from Col. B. Skinner, R.A.M.C.		Rec'd from Col. B. Skinner, R.A.M.C.
			Cited: Kaiser & Hoogstraal (1964: 272).
N	257	N	257
		RML	104830
	<u>Hyalomma aegyptium</u> ♂'s & ♀'s		1 ♂, 2 ♀ <u>Hyalomma anatolicum</u> <u>anatolicum</u>
	Between mammary glands of ♀ pony		Between mammary glands of ♀ pony
	Nowshera, India		Nowshera (34.01 N, 71.59 E), Pakistan
	18.IV.1907		18.IV.1907
	Rec'd from Col. B. Skinner, R.A.M.C.		Rec'd from Col. B. Skinner, R.A.M.C.
N	258	N	258 MISSING
	<u>Hyalomma aegyptium</u> ♂'s		
	Ponies		
	Nowshera, India		
	18.IV.1907		
	Rec'd from Col. B. Skinner, R.A.M.C.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	259	N	259
		RML	104831
	<u>Hyalomma aegyptium</u> ♂'s		5 ♂ <u>Hyalomma anatomicum</u> <u>anatomicum</u>
	Scrotum of bullock		Scrotum of bullock
	Peshawar City, India		Peshawar City (34.02 N, 71.37 E), Pakistan
	20.IV.1907		20.IV.1907
	Rec'd from Col. B. Skinner, R.A.M.C.		Rec'd from Col. B. Skinner, R.A.M.C.
	Lice of the genus <u>Haematopinus</u> also collected		Vial label indicates host as buffalo
N	260	N	260 MISSING
	<u>Hyalomma aegyptium</u> ♂'s ♀		
	Mammary gland of mare		
	Peshawar City, India		
	20.IV.1907		
	Rec'd from Col. B. Skinner, R.A.M.C.		
N	261	N	261 MISSING
	<u>Hyalomma aegyptium</u> ♂ & ♀		
	Scrotum of bullock		
	Peshawar City, India		
	20.IV.1907		
	Rec'd from Col. B. Skinner, R.A.M.C.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	262	N	262
		RML	104832
	<u>Ixodes hexagonus</u> 3 ♀	1 ♀	<u>Ixodes hexagonus</u>
Dog		Dog	
Cambridge		Cambridge (52.12 N, 00.08 E), England	
15.V.1907		15.V.1907	
Dr. G. S. Haynes		Dr. G. S. Haynes	
		Cited: Nuttall & Warburton (1911:182).	
N	263	N	263
		RML	104833
	<u>Hyalomma syriacum</u> 1 ♂	1 ♂	<u>Hyalomma aegyptium</u>
Healthy garden tortoise		Healthy garden tortoise	
The Master's Lodge, Spalding, England		The Master's Lodge, Spalding (52.47 N, 00.09 W) England	
V.1907		V.1907	
Mr. S. H. Perry		Mr. S. H. Perry	
N	264	N	264
		RML	104834
	<u>Argas persicus</u>	1 N, 39 L	<u>Argas persicus</u>
Infected (spirochaetosis) fowl run		Infected (spirochaetosis) fowl run	
Probably Kasauli, India		Probably Kasauli (30.53 N, 76.57 E), India	
Sent alive 4.V.1907, rec'd 25.V.1907		Sent alive 4.V.1907, rec'd 25.V.1907	
Sent by Capt. E.D.W. Greig, IMS		Sent by Capt. E.D.W. Greig, IMS	
[1 ♂, 2 ♀ mounted dry in cell on slide]		Slide missing. Collection in two vials.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 265

N 265

RML 104835

Hyalomma syriacum ♂'s & ♀'s
(one small ♂)11 ♂, 3 ♀ Hyalomma aegyptium

Large tortoise

Large tortoise

Cambridge

Cambridge (52.12 N, 00.08 E), England

24.V.1907

24.V.1907

Rec'd from Prof. James Ward

Rec'd from Prof. James Ward

1 ♂, 1 ♀ to Dr. H. De B
Aragao, Brazil 23.I.1910

266-291. California Ticks: 26 tubes of ticks received 30.V.1907, from Professor Vernon L. Kellogg, Zoological Dept., Leland Stanford Junior University, California, U.S.A., being their whole collection. To be determined and mostly returned.

N 266

N 266 MISSING

Dermacentor variabilis ?Vernon Lyman Kellogg (1867-1937)
Professor of Zoology, Stanford University,
Mallophaga authority and charter
member, Entomological Society of America.

Short-tailed wild cat

Monterey, California

6.VIII.1895

(slide)

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	267	N	267
		RM1	104836
	<u>Ixodes brunneus</u> ♀		1 ♀ <u>Ixodes brunneus</u>
	" <u>Carpidacus pulatus</u> " ?		<u>Carpodacus</u> sp.
	Palo Alto California		Palo Alto (37.21 N, 122.07 W), California
	2.V.1891		2.V.1891
	Snodgrass		Snodgrass
			Cited: Nuttall & Warburton (1911:1912)
N	268	N	268 MISSING
	<u>Dermacentor variegatus</u> ?♀		
	Long Bridge, San Gregorio, California		
	10.VII.1896		
	F. J. Jack		
N	269a-c	N	269 MISSING
	(a) <u>Dermacentor variegatus</u> ?♂'s		
	(b) Fleas, etc.		
	(c) <u>Ixodes ricinus</u> ♂ & ♀'s		
	Fox		
	Palo Alto, California		
	III.1895		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	270	N	270
		RML	104837
	<u>Ixodes texanus</u> 1 ♀		1 ♀ <u>Ixodes texanus</u>
	Californian grey squirrel		Californian grey squirrel
	King's River, California		King's River (approximately 36.18 N, 119.52 W), California
	25.VII.1896		25.VII.1896
			Nuttall, et al. (1911: 215) figured this specimen and N992. The specimens are both correct but the captions are beneath the wrong figures. On pg. 216 he indicated 2 ♀ present but both catalogue and vial label read 1 ♀.
N	271	N	271 MISSING
	<u>Dermacentor albipictus</u> ♂ ♀		
	Horse		
	Menlo Park, California		
	VI.1892		
	W.G.F.		
	[A ♂ ♀ mounted as a slide ♂ ♀ spiracles ditto] C. W. det. I.1915		
N	272	N	272 MISSING
	<u>Ixodes ricinus</u> ♂, ♀'s		
	Mountain lion		
	14.XII.1894		
	Gilroy collection		
	[♂ ♀ mounted in balsam on a slide]		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	273	N	273
		RML	104838
	<u>Argas persicus</u>		1 ♀ <u>Argas sanchezi</u>
	Chickens		Chickens
	Merced, California		Merced (37.18 N, 120.29 W), California
	VII.1894		VII.1894
	E. M. Ehrhorn		E. M. Ehrhorn
	(2 ♀ & 1 N kept 1 ♀ large! 10.4 x 6.3 mm.)		
N	274	N	274 MISSING
	<u>Dermacentor</u>		
	Horse		
	Palo Alto, California		
	22.I.1895		
N	275	N	275 MISSING
	<u>Ixodes</u> sp. N.		
	Ear of ring-tailed cat		
	Santa Rosa, California		
	3.X.1895		
N	276	N	276 MISSING
	<u>Dermacentor</u> ♀'s		
	Probably California		
	No locality label		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	277	N 277 MISSING
	<u>Dermacentor</u>	
	Dog	
	Palo Alto, California	
	15.IV.1897	
	Dr. Jenkins	
N	278	N 278 MISSING
	<u>Ixodes brunneus</u> 1 ♀	
	Probably California	
	With feather attached	
	No locality label	
N	279	N 279
		RML 104839
	<u>Ixodes brunneus</u> 1 ♀	1 ♀ <u>Ixodes brunneus</u> slide of ♀ capitulum
	<u>Cyancitta stelleri frontalis</u>	<u>Cyanocitta stelleri</u>
		California
	15.XII.1895	15.XII.1895
	R. E. Snodgrass	R. E. Snodgrass
	Type of <u>Ixodes kelloggi</u> Nutt. & Warb. I. 1908 since condemned	Nuttall & Warburton (1908: 396), original description of <u>I. kelloggi</u> . Cited: Nuttall & Warburton (1911: 192).
		Paralectotype designated: Keirans & Brewster (1981: 166).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	280	N	280
		RML	104840
	<u>Ixodes brunneus</u> 1 ♀		1 ♀ <u>Ixodes brunneus</u> Lectotype of <u>Ixodes kelloggi</u>
	Thrush		Thrush
	Palo Alto, California		Palo Alto (37.21 N, 122.07 W), California
	14.XI.1895		14.XI.1895
			Cited: Nuttall & Warburton (1911: 192). Lectotype designated: Keirans & Brewster (1981: 166).
N	281	N	281 MISSING
	<u>Amblyomma</u> sp.? N's and larvae		
	<u>Amevia surinamensis</u>		
	McLane		
	Panama Coll, Zoological Museum Near <u>A. latiscutatum</u>		
N	282	N	282
		RML	104841
	<u>Ixodes brunneus</u> 2 ♀		2 ♀ <u>Ixodes brunneus</u>
	<u>Piranga ludoviciana</u>		<u>Piranga ludoviciana</u>
	Sunol, California		Sunol (37.36 N, 121.53 W), California
	20.V.1896		20.V.1896
	(rostrum mutilated)		Cited: Nuttall & Warburton (1911:192).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	283	N	283
		RML	104842
	<u>Ixodes brunneus</u> 2 ♀'s		2 ♀ <u>Ixodes brunneus</u>
	<u>Habia melanocephala</u>		<u>Habia melanocephala</u> (name not verified)
	Sunol, California		Sunol (37.36 N, 121.53 W), California
	20.V.1896		20.V.1896
			Cited: Nuttall & Warburton (1911: 192); Arthur (1952: 152).
N	284	N	284
		RML	104843
	<u>Ixodes angustus</u> 1 ♀		1 ♀ <u>Ixodes angustus</u>
	<u>Scuirus</u>		<u>Scuirus</u> sp.
	La Honda, California		La Honda (37.19 N, 122.16 W), California
	3.II.1895		3.II.1895
			Nuttall & Warburton (1911: 198) cited V. L. Kellogg as the collector.
N	285	N	285 MISSING
	<u>Ixodes</u> sp ? N		
	<u>Turdus ustulatus</u>		
	Palo Alto, California		
	2.V.1896		
	R. E. Snodgrass		
N	286	N	286 MISSING
	<u>Ixodes ricinus</u>		
	Probably California		
	No locality label		

ORIGINAL DETERMINATIONCURRENT STATUS

N 287 N 287 MISSING

Amblyomma sp ? N's & larvae

Amevia surinamensis

McLane

From Zoological Coll. Panama

N 288 N 288
RML 104844

Ornithodoros coriaceus
(9 ♀, 7 ♂ kept 3 ♂, 4 ♀)

2 ♂, 1 ♀ Ornithodoros coriaceus

Los Olivos, California

Los Olivos (34.41 N, 120.08 W)
California

VIII.1904

VIII.1904

H. A. Moran

H. A. Moran

[1 ♀ mounted dry in cell on
slide] Some sent to W. F. Cooper
22.I.1910

Slide missing.
Nuttall's notebook on ticks sent
away indicated that the collection
date was VII.1904.

N 289 N 289
RML 104845

Amblyomma dissimile ♂'s ♀'s

1 ♂, 2 ♀ Amblyomma dissimile

Boa

Boa

Panama

Panama

13.I.1896

13.I.1896

R.C.M.

R.C.M.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	290	N 290
		RML 10846
	<u>Ixodes signatus</u> 3 ♀, 1 N, 1 L	3 ♀, 1 N, 1 L <u>Ixodes signatus</u>
	Brandt's cormorant	<u>Phalacrocorax penicillatus</u>
	Pacific Grove, California	Pacific Grove (36.38 N, 121.57 W), California
	1894	1894
	(1 ♀ to be returned to Kellogg) 1♀ removed to give in exchange to British Museum (Nat. Hist.) 17.XI.32. Note what rec'd in exch. for this <u>Ix. signatus</u> = <u>Ix. nairobiensis</u> Nuttall.	The ♀ <u>I. signatus</u> given to the BMNH has accession number 1921.11.29.3. Note in vial: compared with Nn's <u>Ixodes parvirostris</u> & specimens in Hamburg & Washington (B.A.I.) G.H.F.N. VII.1916. The 1♀ returned to Dr. Kellogg was subsequently donated to the RML Collection by Dr. G. F. Ferris of Stanford University and given RML numbers 39115 and 50538.
N	291	N 291 MISSING
	<u>Ixodes ricinus</u>	
	Mouse	
	Palo Alto, California	
	18.III.1893	
N	292	N 292 MISSING
	<u>Ornithodoros</u>	
	Young nestling cormorant	
	Guernsey	
	VII.1898	
	Dr. G. S. Graham-Smith	
	[4 slides of larvae mounted in balsam]	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	293	N	293
		RML	104847
	<u>Haemaphysalis</u> N's & larvae		26 N, 33 L <u>Haemaphysalis</u> sp.
	Cat		Cat
	Sarawak, Borneo		Sarawak
	Sent V.1907		Sent V.1907
	Sent by Dr. A. R. Wellington		Sent by Dr. A. R. Wellington
N	294	N	294
		RML	104848
	<u>Haemaphysalis wellingtoni</u>		7 ♂, 3 ♀, 9 N <u>Haemaphysalis wellingtoni</u>
	Fowls		Fowls
	Sarawak, Borneo		Sarawak
	Sent V.1907		Sent V.1907
	Sent by Dr. A. R. Wellington		Sent by Dr. A. R. Wellington
	[a N mounted in balsam on a slide] 1 ♂, 1 ♀ to Prof. Dönitz, Berlin 1 ♂, 1 ♀ to L. O. Howard, U.S.D.A. 21.V.1909 1 ♂ to C. Strickland, Malaya 1 ♂, 1 ♀ to A. S. Hirst, BM(NH)		Slide missing. The specimens sent to L. O. Howard are now in the RML collection. Cited: Moritz & Fischer (1981: 363).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	295	N	295
		RML	104849
	<u>Haemaphysalis papuana</u>		1 ♀ <u>Haemaphysalis papuana</u>
	Dog		Dog
	Sarawak, Borneo		Sarawak
	Sent 11.VII.1907		Sent 11.VII.1907
	Sent by Dr. Daniels (who received it from Dr. A. R. Wellington)		Sent by Dr. Daniels (who received it from Dr. A. R. Wellington)
N	296	N	296
		RML	104850
	<u>Boophilus australis</u> ?		1 ♂, 2 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Sarawak, Borneo		Sarawak
	Sent 11.VI.1907		Sent 11.VI.1907
	Sent by Dr. Daniels (who received it from Dr. A. R. Wellington)		Sent by Dr. Daniels (who received it from Dr. A. R. Wellington)
N	297	N	297
		RML	104851
	<u>Rhipicentor bicornis</u>		1 ♀ <u>Rhipicentor bicornis</u>
	Found in a house		Found in a house
	Kansanshi, N.W. Rhodesia		Kansanshi (12.05 S, 26.25 E), Zambia
	Rec'd. 11.VI.1907		Rec'd. 11.VI.1907
	Dr. A. Yale Massey		Dr. A. Yale Massey
	Said to have habits similar to <u>Ornithodoros moubata</u> . Dr. Daniels writes further (13.VI.1907) "Massey is said to be a careful man." The tick doubtless found in native hut.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 298 N 298 MISSING

Ixodes hexagonus

Stoat, Putorius erminea

No doubt British

Gift of Hon. N. C. Rothschild

12 slides (R1000-1011)

I larva

II-VI nymphs

VII-XII ♀'s unfed & fed

299-303. Ticks received from Colonel B. Skinner, R.A.M.C., Nowshera, India, June 1907:-

N 299 N 299

RML 104852

Rhipicephalus sanguineus

1 ♂, 2 ♀ Rhipicephalus sanguineus

Breast of fox terrier bitch

Breast of fox terrier bitch

Nowshera Cantonments, India

Nowshera (34.01 N, 71.59 E), Pakistan

28.IV.1907

28.IV.1907

N 300 N 300

RML 104853

Hyalomma aegyptium

4 ♂, 3 ♀ Hyalomma anatomicum anatomicum

Between tail and rectum of a
buffalo

Between tail and rectum of a
buffalo

Nowshera City, India

Nowshera (34.01 N, 71.59 E), Pakistan

3.V.1907

3.V.1907

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	301		N	301	
			RML	104854	
	<u>Hyalomma aegyptium</u>			1 ♂, 5 ♀ <u>Hyalomma anatomicum</u>	<u>anatomicum</u>
	Horse			Horse	
	Nowshera City, India			Nowshera (34.01 N, 71.59 E), Pakistan	
	3.V.1907			3.V.1907	
N	302		N	302	
			RML	104855	
	<u>Rhipicephalus sanguineus</u>			1 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>	
	Grass in public garden			Grass in public garden	
	East end of Nowshera Contonments, India			Nowshera (34.01 N, 71.59 E), Pakistan	
	10.V.1907			10.V.1907	
N	303		N	303	MISSING
	<u>Hyalomma aegyptium</u>				
	Bullock				
	Nowshera City, India				
	3.V.1907				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	304	N 304
		RML 104856
	<u>Haemaphysalis punctata</u> ♀	1 ♀ <u>Haemaphysalis punctata</u>
	Sheep	Sheep
	Brooklands Farm, New Church New Romney, Kent	Brooklands Farm, New Church New Romney (50.59 N, 00.56 E) Kent, England
	IV.1907	IV.1907
	Sent by Professor R. T. Hewlett	Sent by Professor R. T. Hewlett
		Cited: Nuttall & Warburton (1915: 384).
N	305, a	305, a MISSING
	(305) <u>Boophilus annulatus?</u> ♀ (a) <u>Amblyomma</u> sp. N's	
	Off collector's clothes	
	Las Penas, Banderas Bay West Coast of Mexico about Lat. 20 N.	
	20.IV.1907	
	Maj. C. Ashburnham	
	"They seem to swarm there. In fact, it is difficult to avoid them if you go into the bush off the road."	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	306	N	306
		RML	104857
	<u>Boophilus decoloratus</u> (all stages)		363 ♂, 77 ♀, 107 N, 87 L, 1 vial eggs <u>Boophilus decoloratus</u>
	Cow		Cow
	Origin Cape Colony, S. Africa		Origin Cape Colony, Republic of South Africa
	VII.1907		VII.1907
	Sent by Mr. C. P. Lounsbury		Sent by Mr. C. P. Lounsbury
	Reared at Cambridge from larvae [23 slides, balsam mounts all stages ♂, ♀, N, L]		Slides missing. 2♂, 2♀ sent to Dr. Fred C. Bishopp are now in the RML Collection (Bishopp 426).
N	307a, b	N	307a, b
		RML	104858
	(a) <u>Boophilus australis</u> (b) <u>Haemaphysalis bispinosa</u>		(a) 1 ♂, 1 ♀, 1 N <u>Boophilus microplus</u> (b) 1 ♀ <u>Haemaphysalis bispinosa</u>
	Wild red-deer		Wild red-deer
	Kuching, Sarawak, Borneo		Kuching (01.32 N, 110.19 E) Sarawak, Malaysia
	Sent VII.1907		Sent VII.1907
	Sent by Dr. A. R. Wellington		Sent by Dr. A. R. Wellington
			(b) Cited: Nuttall & Warburton (1915: 433); Hoogstraal et al. (1969: 1076).

ORIGINAL DETERMINATION

N 308
Amblyomma helvolum
 Python
 Kuching, Sarawak, Borneo
 VII.1907
 Dr. A. R. Wellington
 1 ♂ to C. Strickland, Malaya
 1 ♂ to A. S. Hirst, B.M.(N.H.)

CURRENT STATUS

N 308
 RML 104859
 1 ♀ *Amblyomma helvolum*
Python sp.
 Kuching (01.32 N, 110.19 E),
 Sarawak, Malaysia
 VII.1907
 Dr. A. R. Wellington
 Cited incorrectly as N 303
 by Robinson (1926: 219).

 N 309
Haemaphysalis papuana
 Pig
 Kuching, Sarawak, Borneo
 VII.1907
 Dr. A. R. Wellington
 Cited: Nuttall & Warburton (1915:
 407); Trapido et al. (1964a: 178);
 Hoogstraal et al. (1969: 1076)
 cited 1 ♂ *Haemaphysalis bispinosa*
 (Nuttall 309) from a "dog". I have
 not seen this specimen.

ORIGINAL DETERMINATIONCURRENT STATUS

N 310 N 310 MISSING

Haemaphysalis leachi

Large man-eating male lion

Katanga Dist., Congo Free State,
Lualaba River, 10°40' S Lat.

Sent 27.VII.1907

Dr. A. Yale Massey

1 ♂, 1 ♀ to Dr. J. G. Parham
Portuguese East Africa 18.IV.1913.
1 ♂, 1 ♀ to N.Y. National Museum
18.IV.1913.

N 311 N 311
RML 104861

Amblyomma pomposum ♂

0x

Katanga Dist., Congo Free State,
Lualaba River 10°40' S. Lat.

27.VII.1907

Sent by Dr. A. Yale Massey

(Note: Wants diagnosis sent him.
Has sent specimens to Neumann
hitherto, but wants to "patronize
our own schools henceforth."
Neumann named 4 new spp. off
horse sent him by Massey, viz.
Rhipicephalus lunulatus,
R. supertritus, R. attenuatus.
and R. gladiger).

1 ♂ *Amblyomma pomposum*

0x

Katanga Dist. (10.40 S, 27.00 E),
Lualaba River, Zaire

27.VII.1907

Sent by Dr. A. Yale Massey

Cited: Robinson (1926: 100).

312-319. Ticks sent by Dr. H. A. Ballon, of the Imperial Department of Agriculture, Barbados, West Indies, 20.II.1907.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	312	N 312
		RML 104862
	<u>Boophilus australis</u>	7 ♀ <u>Boophilus microplus</u>
	Cow	Cow
	Barbados, W. Indies	Barbados (13.10 N, 59.32 W), West Indies
	20.II.1907	20.II.1907
	H. A. Ballon	H. A. Ballon
N	313	N 313 MISSING
	<u>Argas persicus</u>	
	Fowls	
	Trinidad	
	17.VIII.1901	
	G. H. Hart	
N	314	N 314 MISSING
	<u>Boophilus australis</u>	
	Cow	
	Barbados	
	II.1907	
	H. A. Ballon	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	315	N	315 MISSING
	<u>Argas persicus</u> , larvae		
	Fowl, attached to skin		
	Trinidad		
	28.V.1902		
	G. H. Hart		
N	316	N	316
		RML	104863
	<u>Boophilus australis</u>		3 ♀, 86 L <u>Boophilus microplus</u>
	Cattle		Cattle
	St. Philip, Barbados		St. Philip (13.10 N, 59.32 W), Barbados
	1905		1905
	Dr. Stoute		Dr. Stoute
N	317	N	317
		RML	104864
	<u>Boophilus australis</u> N's		2 N <u>Dermacentor</u> sp.
	Dog		Dog
	Barbados		Barbados
	1907		1907
	H. A. Ballon		H. A. Ballon

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	318	N 318
		RML 104865
	<u>Boophilus australis</u>	2 ♂, 4 ♀, 1 N <u>Boophilus microplus</u>
	Cattle	Cattle
	Buckley's, St. Kitts, W. Indies	Buckley's, St. Kitts-Nevis-Anguilla (17.21 N, 62.48 W).
	14.III.1907	14.III.1907
	H. A. Ballon	H. A. Ballon
N	319	N 319 MISSING
	<u>Amblyomma variegatum</u>	
	Antigua	
	VII.1904	
	Mr. Lidiette	
	Labelled No. 1 Gold Ticks	

ORIGINAL DETERMINATIONCURRENT STATUS

N	320 a-f	N	320a, d, e, f
		RML	104866 and RML 66580 (for 320d only)
(a)	<u>Dermacentor rhinoceratus</u>	(a)	<u>Dermacentor rhinocerinus</u>
(b)	<u>Amblyomma variegatum</u>	(b)	MISSING
(c)	<u>Hyalomma aegyptium</u>	(c)	MISSING
(d)	<u>Rhipicephalus falcatus</u>	(d)	<u>Rhipicephalus senegalensis</u>
(e)	<u>Rhipicephalus supertritus</u>	(e)	<u>Rhipicephalus supertritus</u>
(f)	<u>Rhipicentor bicornis</u> 1 ♂, 1 ♀ Types	(f)	3 ♂ <u>Rhipicentor bicornis</u> Lectotype and paralectotypes
	North Nyasa British Central Africa		Malawi
	III.1907		III.1907
	Dr. J.E.S. Old		Dr. J.E.S. Old
	Old sent them to Mr. Lounsbury for identification who sent them to us to identify.		320e-Lectotype & paralectotypes of <u>R. coriaceus</u> Nuttall & Warburton (1908: 402) original description. Cited: Old (1909: 20); Santos Dias (1958: 475). Lectotype designated: Keirans & Brewster (1981: 169).
	320e Types of <u>R. coriaceus</u> Nutt. & Warb. I.1908 (= <u>R. supertritus</u> nn. 1907 [1 ♀ on slide in balsam].		320f-One ♂ is mounted on 2 slides. Nuttall & Warburton (1908: 399) original description. Lectotype designated: Keirans & Brewster (1981: 169).
	320f. Types of <u>Rhipicentor bicornis</u> [2 slides, Type ♂ in balsam (i) body, ect. (ii) capitulum].		
N	321	N	321
		RML	104867
	<u>Rhipicentor bicornis</u> 1 ♀		1 ♀ <u>Rhipicentor bicornis</u>
	Benguella, W. Africa		Benguela (12.35 S, 13.25 E), Angola
	1907		1907
	Rec'd from Dr. F. Creighton Wellman		Rec'd from Dr. F. Creighton Wellman
			The vulva of this ♀ is mounted on a slide.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	322	N 322 MISSING
	<u>Ixodes hexagonus</u> 1 ♀	
	<u>Mustela putorius</u> ferret	
	Probably British	
	Gift of Hon. N. C. Rothschild R929 (Mounted in glycerin in glass cell)	
N	323	N 323
		RML 104868
	<u>Rhipicephalus sanguineus</u>	1 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Ear and neck of an old male rat (<u>Mus rattus</u>)	<u>Rattus rattus</u>
	Nowshera Cantonments N.W. Frontier Province, India	Nowshera (34.01 N, 71.59 E), Pakistan
	Rec'd 3.VI.1907	Rec'd 3.VI.1907
	Rec'd from Colonel B. Skinner, R.A.M.C.	Rec'd from Colonel B. Skinner, R.A.M.C.
N	324	N 324 MISSING
	<u>Ixodes hexagonus</u> 3 N	
	<u>Erinaceus europaeus</u>	
	Probably British	
	Gift of Hon. N. C. Rothschild (3 slides R 944-946)	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	325	N	325
		RML	104869
	<u>Boophilus australis</u>		1 ♂, 18 ♀, 3 N <u>Boophilus microplus</u>
	Goat		Goat
	Sarawak, Borneo		Sarawak, Malaysia
	30.VI.1907		30.VI.1907
	Dr. A. R. Wellington		Dr. A. R. Wellington
			Nymphs in a separate vial.
N	326	N	326 MISSING
	<u>Amblyomma personatum</u> ♀		
	Rhinoceros		Two pinned ♀ are in the BMNH collection.
	Nairobi, British Central Africa		
	Sent 1.III.1907		
	Sent by Dr. Philip H. Ross		
	See No. 250.		
N	327	N	327
		RML	104870
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u>		2 ♀ <u>Haemaphysalis kutchensis</u> Paratypes
	Cat		Cat
	Agra, India		Agra (27.11 N, 78.01 E), India
	Sent 14.IX.1907		Sent 14.IX.1907
	Sent by Dr. E. H. Hankin		Sent by Dr. E. H. Hankin
	Cotypes with 515a		Hoogstraal & Trapido (1963a: 489), original description.

ORIGINAL DETERMINATIONCURRENT STATUS

N 328

N 328 MISSING

Hyalomma aegyptium larvaeRat (Mus rattus)Nowshera, N.W. Frontier
Province, India

Sent 13.VI.1907

Sent by Colonel B. Skinner

Mounted on 2 slides

N 329

N 329

RML 104871

Rhipicephalus capensis ♂ ♀
(Type)1 ♂, 1 ♀ Rhipicephalus capensis

German S.W. Africa

Namibia

Sent 26.X.1907

Sent 26.X.1907

Sent by Professor W. Donitz
of Berlin.
(Considers them certainly "capensis"
in view of their source).Sent by Professor W. Dónitz
These specimens are not types.

ORIGINAL DETERMINATIONCURRENT STATUS

N 330

N 330

RML 105560

Rhipicephalus capensis ♂ ♀2 ♂ Rhipicephalus jeanneli
1 ♀ Rhipicephalus punctatus

Aruscha German East Africa

Arusha (03.22 S, 36.41 E),
Tanzania

Sent 1907

Sent 1907

Sent by Professor W. Donitz

Sent by Professor W. Dönnitz

[Dönnitz writes of these: "I can't determine those otherwise than as Rhip. capensis. Neumann's Rhip. compositus from Khartoum is unknown to me from personal observation; it is stated not to have confluent punctations (if my memory serves me right). In all specimens I have examined this depends much on the illumination. If you place a ♂ horizontally & illuminate it from head end, the punctations all appear discrete. Illuminate the tick sideways and punctations appear arranged in rows & partly confluent. The Rhipicephalus from German S. W. Africa have somewhat fewer punctations than my specimens from Central Africa, & for this reason agree more closely with Rhipicephalus compositus" [Dönnitz thinks that when Neumann described his R. compositus he was unable to determine the specimens from Koch's description & figures. Later he saw they were one and the same, but wishing to save his name he sought for differences which he thought to find in the punctations. If such differences exist can only be decided upon the examination of further ticks from the South, which we should get easier than he can]. He presents us with 329 and 330 for our collection. (Free translation of a letter from Prof. Dönnitz by G.H.F.N. 29.X.1907)]

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	331	N 331
		RML 104872
	<u>Hyalomma aegyptium</u> 4 ♂	4 ♂ <u>Hyalomma anatolicum excavatum</u>
	Mule	Mule
	Rhabat, Morocco	Rhabat (34.02 N, 06.51 W), Morocco
	24.IX.1907	24.IX.1907
	Major C. Ashburnham	Major C. Ashburnham
N	332	N 332
		RML 104873
	<u>Hyalomma aegyptium</u>	8 ♀ <u>Hyalomma marginatum</u>
	The Sultan's baggage camels	The Sultan's baggage camels <u>(Camelus dromedarius)</u>
	Rhabat, Morocco	Rhabat (34.02 N, 06.51 W), Morocco
	24.IX.1907	24.IX.1907
	Major C. Ashburnham	Major C. Ashburnham
	333	N 333
		RML 104874
	<u>Argas brumpti</u>	1 ♀ <u>Argas brumpti</u>
	Dakoto Valley Somaliland	Dakoto or Dakhatto Valley, Somali Democratic Republic (locality not verified)
	1901	1901
	Dr. Brumpt	Dr. Brumpt
	Dr. Brumpt sent this specimen, only has 4 thereof left. "He bears large scars on his body due to this tick bite. I saw the scars when I met Dr. Brumpt in Paris in 1905." Rec'd. XII.1905 G.H.F.N.	The locality is spelled Dakhatto Valley in Nuttall, et al. (1908a: 33).

334-338. Ticks received from Dr. A. Yale Massey 7.I.1908, who collected them in N. W. Rhodesia.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	334	N	334
		RML	104875
	<u>Rhipicephalus</u> sp. N	1 N	<u>Rhipicephalus</u> sp.
Man			<u>Homo sapiens</u>
N. W. Rhodesia		Zambia	
Rec'd 7.I.1908		Rec'd 7.I.1908	
Rec'd from Dr. A. Yale Massey		Rec'd from Dr. A. Yale Massey	
N	335	N	335 MISSING
	<u>Hyalomma aegyptium</u> ♀		
N.W. Rhodesia			
Rec'd 7.I.1908			
Rec'd from Dr. A. Yale Massey			
N	336	N	336
		RML	104876
	<u>Amblyomma pomposum</u> 2 ♂'s	2 ♂	<u>Amblyomma pomposum</u>
Eland			<u>Taurotragus oryx</u>
N.W. Rhodesia		Zambia	
9.IX.1907		9.IX.1907	
Rec'd from Dr. A. Yale Massey		Rec'd from Dr. A. Yale Massey	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	337a, b	N	337a
		RML	104877
(a) <u>Amblyomma pomposum</u> (b) <u>Rhipicephalus capensis</u> var. <u>compositus</u>		(a) 5 ♂ <u>Amblyomma pomposum</u> (b) MISSING	
Buffalo		<u>Syncerus caffer</u>	
Katanga, Congo Free State		Katanga (08.00 S, 27.00 E), Zaire	
25.VIII.1907		25.VIII.1907	
Rec'd from Dr. A. Yale Massey		Rec'd from Dr. A. Yale Massey	
1 ♂, 1 ♀ of 337b sent to E. Brumpt, Paris		Cited: Santos Dias (1958: 516) as <u>Amblyomma superbum</u>	
N	338	N	338
		RML	104878
<u>Amblyomma pomposum</u>		15 ♂ <u>Amblyomma pomposum</u>	
Hartebeest		<u>Alcelaphus buselaphus</u>	
Katanga, Congo Free State		Katanga (08.00 S, 27.00 E), Zaire	
27.VIII.1907		27.VIII.1907	
Rec'd from Dr. A. Yale Massey		Rec'd from Dr. A. Yale Massey	
1 ♂ sent to R. W. Mettam Weybridge IV.1931 1 ♂ sent to H. S. Purchase IV.1931		Cited: Robinson (1926: 100); Santos Dias (1958: 516) as <u>Amblyomma superbum</u> .	

339-345. Ticks received 9.I.1908 from R. T. Hewlett, of King's College, Strand, London. W. C., who received them from the Bacteriological Institute, Brisbane, Queensland, Australia, together with a memorandum giving the following particulars (Name ticks and return those we don't require):

N	339	N	339
		RML	104879
	<u>Ixodes fecialis</u> var. <u>aegrifossus</u> TYPES (scrub ticks) ♀♀♀		2 ♀ <u>Ixodes fecialis</u> Lectotype and paralectotype of <u>I. f. aegrifossus</u>
	Op osum		Op osum
	Tamberine Mountain, Logan River, S. E. Queensland		Tamberine Mountain, Logan River (27.43 S, 153.18 E), Queensland, Australia
	IV.1907		IV.1907
	[1 ♀'s Capitulum mounted in balsam on slide]		Warburton & Nuttall (1909: 59), original description.
			Token tube indicates a slide of of ♀ capitulum. Missing 1978. Cited: Nuttall & Warburton 1911: 250). Lectotype designated: Keirans & Brewster (1981: 166).
N	340	N	340
		RML	104880
	<u>Amblyomma triguttatum</u>		4 ♀ <u>Amblyomma triguttatum</u>
	Horse		Horse
	Albert River, Burketown		Albert River, Burketown (17.44 S, 139.22 E), Queensland, Australia
	V.1896		V.1896
			Cited: Robinson (1926: 57).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	341		N	341
			RML	104881
	<u>Rhipicephalus sanguineus</u> ♀'s			7 ♀ <u>Rhipicephalus sanguineus</u>
	Dogs			Dogs
	Lower Burdekin River, N. Queensland			Lower Burdekin River (19.39 S, 147.30 E), Queensland, Australia
	IX.1897			IX.1897
N	342		N	342 MISSING
	<u>Rhipicephalus sanguineus</u> 2 ♂, 1 ♀			
	Dog			
	Lower Burdekin River, N. Queensland			
	IX.1897			
N	343		N	343 MISSING
	<u>Rhipicephalus sanguineus</u> ♂ & ♀			
	Dog			
	Lower Burdekin River, N. Queensland			
	IX.1897			
	1 ♂, 1 ♀ to Prof. Hewlett Kings College, London			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	344	N	344
		RML	104882
	<u>Boophilus australis</u> ♂ & ♀'s		5 ♂, 15 ♀ <u>Boophilus microplus</u>
	Dog		Dog
	Lower Burdekin River, N. Queensland		Lower Burdekin River (19.39 S, 147.30 E), Queensland, Australia
	IX.1897		IX.1897
	1 ♂, ♀'s to Prof. Hewlett, Kings College, London.		
	1 ♂, 1 ♀ to Prof. E. Brumpt, Ecole Médicine, Paris 12.X.1922		
N	345 a - e	N	345 a - e
		RML	104883
(a)	<u>Boophilus australis</u> ♀'s	(a)	14 ♀ <u>Boophilus microplus</u>
(b)	<u>Boophilus australis</u> ♀'s	(b)	14 ♀ <u>Boophilus microplus</u>
(c)	<u>Boophilus australis</u> ♂	(c)	20 ♂ <u>Boophilus microplus</u>
(d)	<u>Boophilus australis</u> larvae & eggs	(d)	±1000 larvae & eggs mixed <u>Boophilus microplus</u>
(e)	<u>Boophilus australis</u> ♀'s	(e)	15 ♀, 3 N <u>Boophilus microplus</u>
	Cattle		Cattle
	Roper River, Northern Territory Australia		Roper River (14.43 S, 135.27 E) Northern Territory, Australia
	XII.1894		XII.1894
	(a) [♂ & ♀ mounted as slides]		
	(b) ready to oviposit. Note yellow spot.		
	(c) full-grown males		
	(e) young female cattle ticks		
	(c) 1 ♂ to C. Strickland, Malaya		
	(c) 2 ♂, 1 ♀ to Prof. Hewlett, Kings College, London		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	346	N	346
		RML	104884
	<u>Ornithodoros moubata</u>		1 ♂, 6 ♀ <u>Ornithodoros moubata</u>
	Blantyre		Blantyre (15.47 S, 35.00 E), Malawi
	Rec'd 21.I.1908		Rec'd 21.I.1908
	Col. Leishman		Col. Leishman
	Moulted skins of 2 adults & 2 nymphs, born X.1907, first fed 11.I.1908. The living specimens (346a) he gave me were received from Blantyre in June & were fed last on 10.VIII.1907.		Also 2 vials of nymphs. William Boog Leishman (1865-1926) Medical graduate, Univ. Glasgow. Worked in India until 1895. Then worked extensively on spirochaetes of relapsing fever and it's vector, <u>Ornithodoros moubata</u> .
N	347	N	347
		RML	104885
	<u>Hyalomma syriacum</u>		2 ♂ <u>Hyalomma aegyptium</u>
	Tortoise		Tortoise
	Cambridge, England		Cambridge (52.13 N, 00.08 E), England
	Rec'd 27.I.1908		Rec'd 27.I.1908
	Rec'd from Mr. Clay		Rec'd from Mr. Clay
	1 ♂ to J. de Meza, Zomba Nyasaland 19.II.1916		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	348	N	348
		RML	104886
1 ♂ <u>Ornithodoros turicata</u> COTYPE		1 ♂ <u>Ornithodoros turicata</u> SYNTYPE	
Guanajuato, Mexico		Guanajuato (21.01 N, 101.15 W), Mexico	
Sent by Dr. A. Dugès		Sent by Dr. A. Dugès	
[1 slide with tarsus 2 in balsam] Presented to me by Professor Neumann (Toulouse) 29.I.1908		♂ tarsus on slide Dugès (1876) p. 11, original description	
N	349	N	349
		RML	104887
<u>Ornithodoros coriaceus</u> 1 ♂, 2 ♀, 3 N		1 ♂, 2 ♀, 1 N <u>Ornithodoros</u> <u>coriaceus</u>	
Isthmus of Tehuantepec, Mexico		Isthmus of Tehuantepec (17.00 N, 95.00 W), Mexico	
I.1908		I.1908	
Mrs. Z. Nuttall		Mrs. Z. Nuttall	
One of the 2 large ones (arrived alive) gave her a painful bite which bled when the tick was removed & was troublesome after- wards - it bit through a stocking. The 4 small ones arrived dead. Rec'd 16.II.1908. Native name "talajas"		Mrs. Zelia Nuttall was the author of the Nuttall Codex and sister of G.H.F. Nuttall.	

350-353. Ticks sent by Dr. F. Creighton Wellman from Benguela Hinterland, Angola, W. Africa (Long. E. 15°05' X Lat. S 12°44', altitude 1360 meters) received 30.XII.1907.

N	350	N	350
		RML	104888
	<u>Ixodes cavipalpus</u> 3 ♀		3 ♀ <u>Ixodes cavipalpus</u>
	Ear of Duiker bok		Ear of <u>Sylvicapra grimmia</u>
	Benguela Hinterland, Angola		Benguela (12.44 S, 15.05 E), Angola
	Rec'd 3.XII.1907		Rec'd 3.XII.1907
	Sent by Dr. F. Creighton Wellman		Sent by Dr. F. Creighton Wellman
N	351	N	351
	<u>Rhipicephalus longiceps</u> TYPES		18 ♂, 2 ♀ <u>Rhipicephalus longiceps</u> Lectotype and paralectotypes.
	Klipspringer bok		<u>Oreotragus oreotragus</u>
	Benguela Hinterland, Angola (1360 meters)		Benguela (12.35 S, 13.25 E), Angola
	Rec'd 3.XII.1907		Rec'd 3.XII.1907
	Sent by Dr. F. Creighton Wellman		Sent by Dr. F. Creighton Wellman
			Warburton (1912: 11), original de- scription
			1 ♂ of the above total is in the tick abnormalities jar and cited by Nuttall (1914a: 253).
			Santos Dias (1958: 478) listed 12 ♂, 1 ♀ present in this collect- ion. Lectotype designated: Keirans & Brewster (1981: 170).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	352	N	352
		RML	64000
	<u>Rhipicephalus appendiculatus</u> ♂ ♀		8 ♂, 4 ♀ <u>Rhipicephalus punctatus</u>
	African rabbit (or hare)		African rabbit (or hare)
	Benguela Hinterland, Angola		Benguela (12.44 S, 15.05 E), Angola
	Rec'd 30.XII.1907		Rec'd 30.XII.1907
	Sent by Dr. Creighton Wellman		Sent by Dr. F. Creighton Wellman
	1 ♂, 1 ♀ to W. D. Hunter, U.S.D.A. Washington		1 ♂, 1 ♀ are in the RML collection (Bishopp 431)
N	353	N	353
		RML	104890
	<u>Ixodes cavipalpus</u> ♂		1 ♂ <u>Ixodes cavipalpus</u>
	native baby		<u>Homo sapiens</u> (native baby)
	Benguela Hinterland, Angola		Benguela (12.44 S, 15.05 E), Angola
	Rec'd 30.XII.1907		Rec'd. 30.XII.1907
	Sent by Dr. F. Creighton Wellman		Sent by Dr. F. Creighton Wellman
			Cited: Nuttall & Warburton (1911: 194).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	354	N	354
		RML	104891
	<u>Argas reflexus</u>		1 ♂ <u>Argas reflexus</u>
	Magdeburg, Germany		Magdeburg (52.10 N, 11.40 E), Democratic Republic of Germany
	27.II.1908		27.II.1908
	Sent by Dr. Fulleborn of Hamburg		Sent by Dr. Fulleborn of Hamburg
	[mounted skin, last stage nymph, dorsum on slide in balsam]		4 cast skins also present. Slide missing,
N	355	N	355 MISSING
	<u>Ixodes ricinus</u>		
	Wild cat		
	Invernesshire, Scotland		
	25.IV.1907		
	Rec'd from Dr. E. A. Wilson		
N	356	N	356
		RML	104892
	<u>Ixodes tenuirostris</u> larvae		4 L <u>Ixodes trianguliceps</u>
	Ear of <u>Sorex minutus</u>		Ear of <u>Sorex minutus</u>
	Grippetts, Gloucestershire, England		Grippett's, Gloucestershire (51.50 N, 02.15 W), England
	12.I.1908		12.I.1908
	Dr. E. A. Wilson		Dr. E. A. Wilson
			I did not mount any of these specimens on slides so the ID must be considered tentative. Cited: Nuttall & Warburton (1911: 248); Thompson (1968: 146).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	357	N	357 MISSING
	<u>Ixodes hexagonus</u> i larva ii nymph		
	raised in laboratory (Cambridge, England)		
	[2 slides in balsam]		
N	358	N	358 MISSING
	<u>Ixodes hexagonus</u> 2 ♂		
	Hedgehog		
	Grantchester, Cambs.		
	Dissection of parts 4 slides i-iv some fig in ticks Part [2 slides]		
N	359	N	359
		RML	104893
	<u>Ornithodoros moubata</u> eggs, Tarval skins, nymphs of 1st stage		One vial of eggs <u>Ornithodoros</u> <u>moubata</u>
	Raised in Cambridge laboratory		Originally from Africa
	Rec'd IV.1907		Rec'd IV.1907
	Rec'd from Mr. Newstead (School of Trop. Med.) Liverpool		Rec'd from Mr. Newstead (School of Trop. Med.) Liverpool

ORIGINAL DETERMINATIONCURRENT STATUS

N	360	N	360
		RML	104894
	<u>Ixodes nitens</u> 1♀ COTYPE	1 ♀ <u>Ixodes nitens</u> SYNTYPE	
	<u>Mus macleari</u>	<u>Rattus macleari</u>	
	Christmas Island, Pacific Ocean	Christmas Island (10.30 S, 105.40 E).	
	Hon. N. C. Rothschild (ex Shipley's coll. "No. 2")	Hon. N. C. Rothschild Neumann (1904: 460), original description. Cited: Nuttall & Warburton (1911: 185).	

361-366. Ticks received from Dr. A. Theiler, Government Veterinary Bacteriologist, Dept. of Agriculture, Pretoria, Transvaal, S. Africa; II.1908.

N	361	N	361	MISSING
---	-----	---	-----	---------

Rhipicephalus evertsi N's

No data re host

Pretoria, Transvaal, South Africa

Rec'd II.1908

Rec'd from Dr. A. Theiler

N	362	N	362	MISSING
---	-----	---	-----	---------

Hyalomma aegyptium ♂, ♀'s
(unfed), ♀'s (gorged)

No data re host

Pretoria, Transvaal, South Africa

Rec'd II.1908

Rec'd from Dr. A. Theiler

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	363	N	363 MISSING
	<u>Rhipicephalus appendiculatus</u> Larvae (gorged)		
	No data <u>re</u> host		
	Pretoria, Transvaal, South Africa		
	Rec'd II.1908		
	Rec'd from Dr. A. Theiler		
N	364	N	364 MISSING
	<u>Rhipicephalus evertsi</u> 1 ♂, 4 ♀		
	No data <u>re</u> host		
	Pretoria, Transvaal, South Africa		
	Rec'd II.1908		
	Rec'd from Dr. A. Theiler		
N	365	N	365
		RML	104895
	<u>Rhipicephalus appendiculatus</u> N's (unfed)		22 N <u>Rhipicephalus appendiculatus</u>
	No data <u>re</u> host		No data <u>re</u> host
	Pretoria, Transvaal, South Africa		Pretoria (25.45 S, 28.10 E), Transvaal, Republic of S. Africa
	Rec'd II.1908		Rec'd II.1908
	Rec'd from Dr. A. Theiler		Rec'd from Dr. A. Theiler

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	366	N	366
		RML	104896
	<u>Hyalomma aegyptium</u> larvae		±2000 L <u>Hyalomma</u> sp.
	No data re host		No data re host
	Pretoria, Transvaal, South Africa		Pretoria (25.45 S, 28.10E), Transvaal, Republic of S. Africa
	Rec'd II.1908		Rec'd II.1908
	Rec'd from Dr. A. Theiler		Rec'd from Dr. A. Theiler
N	367	N	367
		RML	66620
	<u>Rhipicephalus bursa</u> , all stages		1 ♂, 4 ♀, 1 L <u>Rhipicephalus bursa</u>
	Bucharest, Roumania		Bucharest (44.26 N, 26.06 E), Roumania
	Sent 19.II.1908		Sent 19.II.1908
	Sent by Prof. C. S. Motas		Sent by Prof. C. S. Motas
N	368	N	368
		RML	104897
	<u>Rhipicephalus neavei</u> 1 ♀		1 ♀ <u>Rhipicephalus kochi</u>
	Cattle		Cattle
	Makindani, German, East Africa		Mikindani, now Mtwara (10.16 S, 40.11 E), Tanzania
	Sent 7.III.1908		Sent 7.III.1908
	Sent by Professor W. Dönitz		Sent by Professor W. Dönitz
	[To compare with our <u>Rhip.</u> <u>masseyi</u> & to keep].		

ORIGINAL DETERMINATIONCURRENT STATUS

N	369	N	369
		RML	104898
	<u>Ornithodoros tholozani ♂ ?</u>		1 ♂ <u>Ornithodoros lahorensis</u>
			Sheep
			India
	Rec'd V.1907		Rec'd V.1907
	Rec'd from Mr. R. Newstead, School of Trop. Med., Liverpool		Rec'd from Mr. R. Newstead, School of Trop. Med., Liverpool
	[Described as <u>O. lahorensis</u> by Neumann, 1908, we determined it as <u>O. tholozani</u>]		Host and locality data were on vial label but not entered in the catalogue.

370-373. Ticks received 31.III.1908, from Dr. P. Hood, Senior Medical Officer, Bathurst, Colony of Gambia.

N	370	N	370
		RML	104899
	<u>Hyalomma aegyptium</u>		14 ♂, 4 ♀ <u>Hyalomma rufipes</u>
	Cattle		Cattle
	Gambia		Gambia
	1.II.1908		1.II.1908
	Dr. P. Hood		Dr. P. Hood
	1 ♂, 1 ♀ to J. deMeza, Zomba, Nyasaland 19.II.1916		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	371	N	371
		RML	104900
	<u>Rhipicephalus sanguineus</u> ♂'s, ♂'s		1 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
Dogs		Dogs	
Gambia		Gambia	
16.II.1908		16.II.1908	
Dr. P. Hood		Dr. P. Hood	
"browny-red" of collection		Specific locality taken from vial label.	
N	372a-c	N	372a, b
		RML	104901
(a) <u>Boophilus decoloratus</u>	1 ♂, many ♀'s	(a) 23 ♀ <u>Boophilus decoloratus</u>	
(b) <u>Hyalomma aegyptium</u>	2 ♂, many ♀'s	(b) 1 ♀ <u>Hyalomma truncatum</u>	
(c) <u>Amblyomma variegatum</u>	1 ♂	(b) 1 ♀ <u>Hyalomma rufipes</u>	
		(b) 11 N <u>Hyalomma</u> sp.	
Fawn-colored cow		(c) MISSING Cow	
Gambia		Banjul (13.27 N, 16.35 W), Gambia	
20.II.1908		20.II.1908	
Dr. P. Hood		Dr. P. Hood	
		Specific locality listed as Bathurst, taken from vial label.	
N	373a, b	N	373a, b MISSING
(a) <u>Boophilus decoloratus</u>	1 ♀		
(b) <u>Amblyomma variegatum</u>	1 ♂, 1 N		
Cattle			
Gambia			
5.II.1908			
Dr. P. Hood			

374-378. Ticks brought 31.III.1908 by Mrs. Zelia Nuttall from Mexico, where they were collected by Mr. Horace Levesley at Santa Lucrezia, Isthmus of Tehuantepec 1-15.II.1908; - "Some (fat ones) collected from horses, others from man; the starved ones from the weeds." Considered to be 4 different kinds; the native names being on the 4 bottles. Only the larvae arrived alive (377) bottle damp inside; ticks placed, after washing, in 70% spirit: -

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	374a, b	N 374a, b
		RML 104902
(a)	<u>Amblyomma cajennense</u> ♂'s & ♀'s	(a) 75 ♂, 3 N <u>Amblyomma cajennense</u>
(b)	<u>Amblyomma cajennense</u> ♀'s, N's (unfed) & N's (gorged)	(b) 1 ♂, 121 ♀ <u>Amblyomma cajennense</u>
Santa Lucrezia, Tehuantepec, Mexico		Jesus Carranza (17.26 N, 95.02 W), Tehuantepec, Mexico
1-15.II.1908		1-15.II.1908
Horace Levesley		Horace Levesley
1 ♂, 1 ♀ to A. D. Imms, Allahabad University, India.		The vial labels for this collection read 374 and 374a but to conform to the catalogue format I have listed them as 374a and b. Cited: Robinson (1926: 53).
1 ♂, 1 ♀ to Prof. Kellogg, Stanford.		
1 ♂, 1 ♀ to Prof. G. H. Carpenter, Royal College of Sciences, Dublin 19.I.1910.		
1 ♂, 1 ♀ to Dr. G. S. Graham-Smith Medical Schools, Cambridge, 19.I.1910.		
1 ♂, 1 ♀ to E. E. Green [F.E.S.] Gov. Entomologist, Ceylon 19.I.1910.		
1 ♂, 1 ♀ to Dschunkowsky, Trans-caucasus 19.I.1910.		
1 ♂, 1 ♀ to Dr. Edmund Sergent, Algeria, N. Africa 19.IV.1910.		
1 ♂, 1 ♀ to Dr. H. de B. Aragao Brazil 23.I.1910.		
1 ♂, 1 ♀ to Col. A. Alcock, FRS London School Trop. Med. 26.I.1910.		
1 ♂, 1 ♀ to Prof. Galli-Valerio, Lausanne, Switzerland 4.III.1912.		
1 ♂, 1 ♀ to Dr. M. Miyajima, Tokio, Japan 7.III.1912.		
1 ♂, 1 ♀ to G. L. Tuck, Tientsin, China 17.II.1912.		
1 ♂, 1 ♀ to A. H. Cockayne, Wellington, N.Z.		
Native name, "Vermejas"		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	375 a - c	N 375 a
		RML 104903
(a)	<u>Amblyomma cajennense</u> gorged Larvae & N's	(a) 38 N, 8 L <u>Amblyomma cajennense</u>
(b)	<u>Amblyomma cajennense</u> gorged N's	(b) MISSING
(c)	<u>Amblyomma cajennense</u> 1 ♀	(c) MISSING
Santa Lucrezia, Tehuantepec, Mexico		Jesus Carranza (17.26 N, 95.02 W), Tehuantepec, Mexico
1-15.II.1908		1-15.II.1908
Horace Levesley		Horace Levesley
Native name "Conchudas"		Vial label reads 375 but to conform to the catalogue format I have listed it as 375a.
N	376a, b	N 376a
		RML 104904
(a)	<u>Amblyomma cajennense</u> unfed N's	(a) 82 N <u>Amblyomma cajennense</u>
(b)	<u>Amblyomma cajennense</u> gorged N's	(a) 1 ♂ <u>Anocentor nitens</u> (b) MISSING
Santa Lucrezia, Tehuantepec, Mexico		Jesus Carranza (17.26 N, 95.02 W) Tehuantepec, Mexico
1-15.II.1908		1-15.II.1908
Horace Levesley		Horace Levesley
Native name "Garrapatas"		The <u>Amblyomma cajennense</u> collection cited Robinson (1926: 53).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	377a, b	N	377a, b
		RML	104905
(a) <u>Amblyomma cajennense</u> larvae (b) <u>Amblyomma cajennense</u> nymphs		(a&b) several thousand larvae <u>Amblyomma cajennense</u>	
Santa Lucrezia, Tehuantepec, Mexico		Jesus Carranza (17.26 N, 95.02 W), Tehuantepec, Mexico	
1-15.II.1908		1-15.II.1908	
Horace Levesley		Horace Levesley	
Native name "Pinolillos"		Cited: Robinson (1926 : 53).	
N	378	N	378
		RML	104906
<u>Dermacentor nitens</u> (gorged but shriveled)		3 ♀ <u>Anocentor nitens</u> Horses	
Santa Lucrezia, Tehuantepec, Mexico		Jesus Carranza (17.26 N, 95.02 W), Tehuantepec, Mexico	
1-15.II.1908		1-15.II.1908	
Horace Levesley		Horace Levesley	
Had oviposited en route from Mexico came mixed with lot 374		Host information taken from vial label.	

379-386. Ticks received, 8.IV.1908, from Mr. W. D. Hunter, Bureau of Entomology, U.S. Dept. of Agriculture, Dallas, Texas, U.S. America.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	379	N 379
		RML 104907
	<u>Argas persicus</u>	1 ♂, 3 ♀ <u>Argas radiatus</u>
	Fowl house	Fowl house
	Texas	Texas, U.S.A.
	XI.1907	XI.1907
	D. Hannis	D. Hannis
	(labelled <u>A. miniatus</u> Koch)	Walter David Hunter (1875-1925) Chief of section of insects affecting southern field crops, Bureau of Entomology. He worked on ticks and cotton pests and was president of American Association of Economic Entomologists.
N	380	N 380
		RML 104908
	<u>Amblyomma americanum</u> 2 ♀'s	2 ♀ <u>Amblyomma americanum</u>
	Goats	Goats
	Kerrville, Texas	Kerrville (30.03 N, 99.08 W), Texas, U.S.A.
	V.1907	V.1907
	Rec'd from W. D. Hunter	W. D. Hunter
		Collector's name taken from vial label
N	381	N 381 MISSING
	<u>Amblyomma cajennense</u> ♂, ♀'s	
	Horse	
	Brownsville, Texas	
	IV.1907	
	Rec'd from W. D. Hunter	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	382	N	382
		RML	104909
	<u>Amblyomma maculatum</u> ♂, ♀'s		1 ♂, 2 ♀ <u>Amblyomma maculatum</u>
	Cattle		Cattle
	Victoria, Texas		Victoria (28.48 N, 97.00 W), Texas, U.S.A.
	X.1906		X.1906
	Rec'd from W. D. Hunter		Rec'd from W. D. Hunter
			Cited: Robinson (1926: 44).
N	383	N	383 MISSING
	<u>Boophilus annulatus</u> 2 ♂, 2 ♀ (gorged)		
	Cows		
	Dallas, Texas		
	IV.1908		
	Rec'd from W. D. Hunter		
N	384	N	384
		RML	104910
	<u>Haemaphysalis leporispalustris</u> 2 ♂, 2 ♀		2 ♂, 1 ♀ <u>Haemaphysalis</u> <u>leporispalustris</u>
	Rabbit		Rabbit
	Maverick Co., Texas		Maverick Co. (28.40 N, 100.25 W), Texas, U.S.A.
	V.1906		V.1906
	Rec'd from W. D. Hunter		Rec'd from W. D. Hunter

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	385	N	385
		RML	104911
	<u>Dermacentor nitens</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Anocentor nitens</u>
	Horses ears		Horses ears
	Brownsville, Texas		Brownsville (25.54 N, 97.30 W), Texas, U.S.A.
	21.XI.1907		21.XI.1907
	Rec'd from W. D. Hunter		Rec'd from W. D. Hunter
N	386	N	386
		RML	104912
	<u>Dermacentor variabilis</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Dermacentor variabilis</u>
	Dogs		Dogs
	Jackson Co., Texas		Jackson Co. (29.00 N, 96.30 W), Texas, U.S.A.
	15.III.1907		15.III.1907
	Rec'd from W. D. Hunter		Rec'd from W. D. Hunter
			Total includes 1 ♂, 1 ♀ mounted on a slide
N	387	N	387 MISSING
	<u>Ornithodoros megnini</u> ♂, ♀, N		
	Cow's ear		
	Laredo, Texas		
	XI.1907		
	[2 nymphs mounted dry in cells on slides]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	388	N	388
		RML	104913
	<u>Rhipicephalus bursa</u> 2 ♂, 1 ♀		2 ♂ <u>Rhipicephalus bursa</u>
	Alassio, Italy		Alassio (44.00 N, 08.10 E), Italy
	IV.1908		IV.1908
	Rec'd from Mr. Scott		Rec'd from Mr. Scott
N	389	N	389
		RML	115895
	<u>Hyalomma aegyptium</u> 1 ♂		1 ♂ <u>Hyalomma anatolicum excavatum</u>
			Off?
	Alassio, Italy		Alassio (44.00 N, 08.10 E), Italy
	IV.1908		IV.1908
	Mr. Scott		Mr. Scott

390-394. Ticks from Benguella, Angola, W. Africa, 3.V.1908, and delivered by the collector, Dr. F. Creighton Wellman, in person. The bottle contained the following species:

N	390	N	390 MISSING
	<u>Ornithodoros moubata adults</u>		
	and nymphs		
	Benguella, Angola		
	3.V.1908		
	Dr. F. Creighton Wellman		
	Some (no. & sex not stated) to Prof. Dryer, Parasit. Dept., Oxford and also to Dr. J. H. Ashworth 22.VI.1910		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	391		N	391	
			RML	104914	
	<u>Boophilus decoloratus</u> ♂, ♀♀			5 ♂, 106 ♀ <u>Boophilus decoloratus</u>	
	Cattle			Cattle	
	Benguela, Angola			Benguela (12.35 S, 13.25 E), Angola	
	3.V.1908			3.V.1908	
	Dr. F. Creighton Wellman			Dr. F. Creighton Wellman	
	Called "Ohupa" by natives				
N	392		N	392	
			RML	104915	
	<u>Amblyomma pomposum</u>			2 ♂ <u>Amblyomma pomposum</u>	
	Benguela, Angola			Benguela (12.35 S, 13.25 E), Angola	
	3.V.1908			3.V.1908	
	Dr. F. Creighton Wellman			Dr. F. Creighton Wellman	
	Called "etengi" by natives			Cited: Robinson (1926: 100).	
N	393		N	393	
			RML	66672	
	<u>Rhipicephalus capensis</u> ♂ ♀			2 ♂ <u>Rhipicephalus sulcatus</u>	
	<u>Rhipicephalus longiceps</u>			15 ♂, 2 ♀ <u>Rhipicephalus longiceps</u>	
	TYPES			Paralectotypes	
	Benguela, Angola				
	3.V.1908				
	Dr. F. Creighton Wellman				
				Warburton (1912: 11), original	
				description. Paralectotypes	
				designated: Keirans & Brewster	
				(1981: 170).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	394	N	394
		RML	104916
	<u>Ixodes cavipalpus</u> 3 ♂, 1 ♀ (gorged)		1 ♂, 3 ♀ <u>Ixodes cavipalpus</u>
Benguela	Angola	Benguela	(12.35 S, 13.25 E), Angola
1908		1908	
Dr. F. Creighton Wellman		Dr. F. Creighton Wellman	
		Cited:	Nuttall & Warburton (1911: 194).
N	395	N	395 MISSING
	<u>Ixodes unicavatus</u> 3 larvae		
	<u>Phalacrocorax graculus</u>		
Probably British			
Gift of Hon. N. C. Rothschild			
Mounted on 3 slides R988-90			
G.H.F.N. det. 13.II.1915			
N	396	N	396 MISSING
	<u>Ixodes brunneus</u> ? 1 N		
	<u>Erythacus rubecula</u> (robin)		
Probably British			
Gift of Hon. N. C. Rothschild			
Mounted on a slide R1032			

ORIGINAL DETERMINATIONCURRENT STATUS

N 397 N 397 MISSING

Amblyomma hirtum 1 ♂

Bird (in spirit)

Galapagos Islds, Pacific Ocean
(W. of Ecuador)

Gift of Hon. N. C. Rothschild

Mounted on a slide R911
L.E.R. det. 6.III.1915

N 398 N 398 MISSING

Haemaphysalis cinnabarina var.
punctata 3 ♂, 3 ♀, 4 N

Sheep

Kent

mounted as slides VII-VI.1905

In connection with our work on the anatomy of this species published in Journal of Hygiene, vol. V (Nuttall, Cooper & Robinson). They were collected off sheep in Kent for us at various times [11 slides]

♂ I-III	N VII-X
♀ IV-VI	L's XI

The correct citation for the anatomy of Haemaphysalis punctata should be Nuttall, Cooper & Robinson 1908b Parasitology 1: 152-181.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	399	N	399
		RML	16471
	<u>Ixodes hexagonus</u> ♀'s & N's		3 ♀, 2 N, 1 L <u>Ixodes hexagonus</u>
	Stoat		<u>Mustela erminea</u>
	Histon, Cambs.		Histon (52.15 N, 00.06 E), Cambs., England
	12.V.1908		12.V.1908
	Mr. Orpen		Mr. Orpen
	1 ♀ to Col. A. Alcock London School Tropical Med., Royal Albert Dock 26.I.1910		2 ♀ sent to RML by P.A. Buxton (Rec'd 24.II.1940). An additional ♀ <u>I. hexagonus</u> presented to Dr. F.C. Bishop is now in the RML collection (Bishop 3231).
N	400	N	400 MISSING
	<u>Ixodes ricinus</u> ♂'s, ♀'s		
	Dog		
	Blackaddie, Sanquhar, Scotland		
	Rec'd 12.V.1908		
	Mr. R. Bramwell		
N	401	N	401 MISSING
	<u>Ixodes ricinus</u> ♂'s & ♀'s		
	Sheep, 24 hrs. after it died of "louping ill"		
	Blackaddie, Sanquhar, Scotland		
	Rec'd 12.V.1908		
	Mr. R. Bramwell		
	1 ♂, 1 ♀ to Royal College of Surgeons, London 20.XII.1909		

ORIGINAL DETERMINATIONCURRENT STATUS

N 402

N 402a

RML 104917

Ixodes ricinus ♂'s & ♀'s
Ixodes hexagonus 1 ♀402 MISSING
402a 1 ♀ Ixodes canisuga

Sheep

Sheep

Blackaddie, Sanquhar, Scotland

Blackaddie, Sanquhar
(55.21 N, 03.55 W), Scotland

Rec'd 12.V.1908

Rec'd 12.V.1908

Mr. R. Bramwell

Mr. R. Bramwell

There is no 402a listed in the catalogue.
 Cited: Nuttall & Warburton
 (1911: 213), who spelled
 the locality Blackadie.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	403	N 403
		RML 104918
<u>Argas vespertilionis</u> 2 gorged Larvae		2 L <u>Argas vespertilionis</u>
Bat		Bat
Histon, Cambs.		Histon (52.15 N, 00.06 E), Cambs., England
10.V.1908		10.V.1908
		Nuttall et al. (1908: 39) incorrectly stated the collection date as 11.V.1903. Arthur (1963: 194) repeated this error.
N	404	N 404
		RML 104919
<u>Ixodes hexagonus</u> ♀'s & N's		1 ♀, 12 N <u>Ixodes hexagonus</u>
Stoat, <u>Mustela putorius</u>		<u>Mustela erminea</u>
Holme, Peterborough		Holme (52.28 N, 00.14 W), Peterborough, England
31.III.1908		31.III.1908
Rec'd from Mr. W. Farren		Rec'd from Mr. W. Farren
Rec'd 14.V.1908 1 ♀ to W. D. Hunter, USDA Washington		The ♀ <u>I. hexagonus</u> sent to W. D. Hunter was given Bishop number 429 and is now in the RML collection
		Cited: Nuttall & Warburton (1911: 182).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
-------------------------------	--	-----------------------	--

N	405	N	405
		RML	66941

Ixodes ricinus ♂ & ♀

Cheviot sheep

Shelfhill Farm, Hawick
Scotland

Rec'd 22.V.1908

Rec'd from Mr. J. Murray

2 ♀ to Dr. E. Roubaud, Inst.
Pasteur, Paris, 12.X.1922; 2 ♀ to
Prof. J. Hjort, Christiania Univ.,
Norway, 12.X.1922; 2 ♀ to Dr. A.
Watkins Pitchford, Army Vet. School,
Thornhill, Aldershot, 12.X.1922; 2 ♀
to L.P.W. Renouf, Biol. Dept., Univ.
College, Cork, Ireland, 12.X.1922;
2 ♀ to Dr. Wm. Parry Morgan, Publ.
Hlth. Dept., Cardiff, Wales, 12.X.1922;
2 ♀ to J.E.M. Mellor, Malvern College,
Malvern, 16.X.1922; 2 ♀ to Prof. A.
Bettencourt, Inst. Camara Pestana,
Lisbon, 7.XI.1922; 2 ♀ to Prof. E.
Brumpt, Ecole de Medicine, Paris,
12.X.1922; 2 ♀ to I.C. Ross, Univ.
Sydney, Australia; 2 ♀ to Prof. G. H.
Carpenter, Royal College of Sciences,
Dublin, 19.I.1910; 2 ♀ to Dr. G. S.
Graham-Smith, Medical Schools, Cambridge,
19.I.1910; 2 ♀ to E. E. Green (F.E.S.)
Gov. Entomologist, Ceylon, 19.I.1910;
2 ♀ to Dschunkowsky (Transcaucasus),
19.I.1910; 2 ♀ to Dr. Edmond Sergent,
Algeria, N. Africa, 19.IV.1910; 2 ♀ to
Dr. H. de B. Aragão, Brazil, 23.I.1910;
1 ♂, 1 ♀ (in copulo) to Dr. H. de B.
Aragao, Brazil, 23.I.1910; 2 ♀ to Prof. Dr.
M. Miyajima, Tokio, Japan, 7.III.1912;
2 ♀ to Dr. G. L. Tuck, Tientsien, China,
17.II.1912; 2 ♀ to A. H. Cockangue,
Wellington, N.Z.; some (sex/stage unknown)
to Dr. Longin Navas, Zaragoza, Spain,
28.V.1913; 1 ♂, 1 ♀ to Dr. K. F. Meyer,
U. Calif., Berkeley, 13.XI.1913; 2 ♀ to
W. A. Pool, Indian Civil Vet. Dept., 12.X.1922;
2 ♀ to Prof. B. Galli-Valerio, Lausanne,
Switzerland, 14.III.1912;

This collection is missing from the
B.M.N.H. However, the 1 ♀ sent
to the U.S.N.M., Washington, D.C.,
is now in the RML collection.
Cited Nuttall & Warburton (1911:
152).

ORIGINAL DETERMINATIONCURRENT STATUS

405 (cont'd)

Some (sex/stage unknown) to Prof. O. Duboseq, Montpellier, France, 10.II. 1914; 1 ♀ to Prof. Dr. Dahl, Berlin Museum, VII.1914; 1 ♀ to Prof. Dr. S. Schenkling, Deutsches Entomol. Museum, VII.1914; 1 ♀ to Prof. Dr. R. Gestro, Museo Civico di Storia Nat. Genova, VII.1914; 1 ♀ to U.S.N.M., Washington; 1 ♂, 2 ♀ to F. C. Bishopp; 1 ♂, 2 ♀ to Prof. Dryer, Parasit. Dept., Oxford; 1 ♂, 1 ♀ to W. D. Hunter, U.S.D.A., Washington.

406-413. Ticks received from Dr. A. Theiler, Gov't Veterinary Bacteriologist, Dept. of Agriculture, Pretoria, Transvaal, S. Africa, 27.I.1908.

N 406

N 406

RML 104920

Hyalomma aegyptium eggsOne vial *Hyalomma* sp. eggs

Pretoria, Transvaal, S. Africa

Pretoria (25.45 S, 28.10 E),
Transvaal, Republic of South Africa

Rec'd 27.I.1908

Received 27.I.1908

Received from Dr. A. Theiler

Received from Dr. A. Theiler

N 407

N 407

RML 104921

Rhipicephalus appendiculatus eggs1 vial *Rhipicephalus appendiculatus* eggs

Pretoria, Transvaal, S. Africa

Pretoria (25.45 S, 28.10 E), Transvaal,
Republic of South Africa

Received 27.I.1908

Received 27.I.1908

Received from Dr. A. Theiler

Received from Dr. A. Theiler

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	408	N 408 MISSING
	<u>Rhipicephalus evertsi</u> eggs	
	Pretoria, Transvaal, S. Africa	
	Received 27.I.1908	
	Received from Dr. A. Theiler	
N	409	N 409
		RML 104922
	<u>Rhipicephalus evertsi</u> larvae	± 5000 L <u>Rhipicephalus evertsi</u>
	Pretoria, Transvaal, S. Africa	Pretoria (25.45 S, 28.10 E), Transvaal, Republic of South Africa
	Received 27.I.1908	Received 27.I.1908
	Received from Dr. A. Theiler	Received from Dr. A. Theiler
N	410	N 410 MISSING
	<u>Rhipicephalus evertsi</u> cast nymphal skins	
	Pretoria, Transvaal, S. Africa	
	Received 27.I.1908	
	Received From Dr. A. Theiler	
N	411	N 411
		RML 104923
	<u>Rhipicephalus evertsi</u> ♂'s and ♀'s issued from 410	3 ♂, 2 ♀ <u>Rhipicephalus evertsi</u>
	Pretoria, Transvaal, S. Africa	Pretoria (25.45 S, 28.10 E) Transvaal, Republic of South Africa
	Received 27.I.1908	Received 27.I.1908
	Received from Dr. A. Theiler	Received from Dr. A. Theiler

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	412	N	412 MISSING
	<u>Boophilus decoloratus</u> ♂'s, ♀'s (gorged)		
	Pretoria, Transvaal, S. Africa		
	Received 27.I.1908		
	Received from Dr. A. Theiler		
N	413	N	413
		RML	104924
	<u>Boophilus decoloratus</u> larvae		<u>± 10,000 L Boophilus decoloratus</u>
	Pretoria, Transvaal, S. Africa		Pretoria (25.45 S, 28.10 E), Transvaal, Republic of South Africa
	Received 27.I.1908		Received 27.I.1908
	Received from Dr. A. Theiler		Received from Dr. A. Theiler
414-416. Ticks received from Professor J. R. Wallace, Auchenbaingee, Thornhill, Dumfrieshire, Scotland, collected 26.V.1908.			
N	414	N	414
		RML	104925
	<u>Ixodes canisuga</u> ♀'s		33 ♀ <u>Ixodes canisuga</u>
	Dog		Dog
	Auchenbaingee, Thornhill, Dumfrieshire, Scotland		Auchenbaingee, Thornhill (55.14 N, 3.46 W), Dumfriesshire, Scotland
	26.V.1908		26.V.1908
	Received from Prof. J. R. Wallace		Received from Prof. J. R. Wallace
	♀'s (number not stated) to Dr. S. Hadwen, British Columbia, Canada		Cited: Nuttall and Warburton (1911: 213).
	10.X.1913		

ORIGINAL DETERMINATIONCURRENT STATUS

N 415

N 415 MISSING

Ixodes ricinus ♂'s, ♀'s

Lambs

Auchenbaingee, Thornhill,
Dumfrieshire, Scotland

26.V.1908

Received from Prof. J. R. Wallace

N 416

N 416 MISSING

Ixodes ricinus ♂'s, ♀'s

Cattle

Auchenbaingee, Thornhill,
Dumfrieshire, Scotland

26.V.1908

Received from Prof. J. R. Wallace

1 ♂, 1 ♀ to Dr. de Blieck, Java,
22.I.1915

<u>ORIGINAL DESCRIPTION</u>		<u>CURRENT STATUS</u>	
N	417 a-e	N	417
		RML	66940
	<u>Ixodes ricinus</u>	17 L <u>Ixodes ricinus</u> 121 L <u>Ixodes ricinus</u>	
	(a) - cow, (b) - dead lamb, (c) - ewe with "lingering trembling", (d) - wool of sheep, (e) - sheep	Hedgehog (17 L) Sheep (121 L)	
	Glenmaddie Farm Sanquhar, Scotland	Quick Laboratory, Cambridge (52.13 N, 00.08 E) England	
	(a) 26.V.1908, (b) 20.V.1908, (c) 26.V.1908, (d) 27.V.1908, (e) 27.V.1908	17.VIII.1909	
	Mr. R. Bramwell	1 engorged larva is in the RML collection	
		Evidently progeny of 417 a-e were reared at Cambridge but Nuttall did not so indicate in his catalogue. Cited: Nuttall and Warburton (1911: 152).	

ORIGINAL DETERMINATIONCURRENT STATUS

418-421. Ticks received from Dr. A. Theiler, Gov't Veterinary Bacteriologist, Dept. of Agriculture, Pretoria, Transvaal, S. Africa, received 1.VI.1908.

N 418

N 418

RML 60593

Amblyomma hebraeum ♂'s and ♀'s

Pretoria, Transvaal, S. Africa

Received 1.VI.1908

Received from Dr. A. Theiler

1 ♂, 1 ♀ to Prof. Dryer, Parasit.
Dept., Oxford

1 ♂, 1 ♀ to W. D. Hunter, USDA,
Washington

N 419

N 419 MISSING

Amblyomma hebraeum N's (gorged)

Pretoria, Transvaal, S. Africa

Received 1.VI.1908

Received from Dr. A. Theiler

N 420

N 420 MISSING

Amblyomma hebraeum N's (gorged)

Pretoria, Transvaal, S. Africa

Received 1.VI.1908

Received from Dr. A. Theiler

This collection is missing from the
B.M. (N.H.). However, there are 1 ♂,
2 ♀ now in the RML collection that
had Bishopp number 423.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	421	N	421
		RML	104926
	<u>Rhipicephalus appendiculatus</u> N's (gorged)		9 N <u>Rhipicephalus appendiculatus</u>
	Pretoria, Transvaal, S. Africa		Pretoria (25.45 S, 28.10 E), Transvaal, Republic of South Africa
	Received 1.VI.1908		Received 1.VI.1908
	Received from Dr. A. Theiler		Received from Dr. A. Theiler
N	422	N	422
		RML	104927
	<u>Ixodes canisuga</u>		1 ♀ <u>Ixodes canisuga</u>
	Dogs		Dogs
	Auchenbrack, Timron, Scotland		Auchenbrach, Tynron (55.13 N, 03.53 W), Scotland
	29.V.1908		29.V.1908
	Sent by J. McMonnies (shepherd)		Sent by J. McMonnies
			Cited: Nuttall and Warburton (1911: 213).
N	423	N	423 MISSING
	<u>Ixodes ricinus</u> ♀'s, N's and larvae		
	Sheep		
	Auchenbrack, Timron, Scotland		
	29.V.1908		
	Sent by J. McMonnies (shepherd)		

ORIGINAL DETERMINATIONCURRENT STATUS

424-434. Ticks received early in June 1908, from Dr. P. Hood, Senior Medical Officer, Bathurst, Colony of Gambia.

N	424	N	424
		RML	104928
<u>Haemaphysalis hoodi</u> TYPE			15 ♂, 34 ♀ <u>Haemaphysalis hoodi</u> Lectotype and paralectotypes
Fowls			Fowls
Bathurst, Gambia			Banjul (13.27 N, 16.35 W), Gambia
12.V.1908			12.V.1908
Dr. P. Hood			Dr. P. Hood
1 ♂, 1 ♀ to Dr. L. O. Howard USDA 21.V.1909			The specimens sent to Dr. Howard are now in RML. Warburton and Nuttall (1909: 63), original description. Lectotype designated: Keirans & Brewster (1981: 160).

N	425a, b	N	425 MISSING
	(a) <u>Hyalomma aegyptium</u> 3 ♂'s, 2 ♀'s (b) <u>Amblyomma variegatum</u> 4 ♂'s		
	Cow		
	Bathurst, Gambia		
	18.V.1908		
	Dr. P. Hood		
N	426	N	426
		RML	104929
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s Brown and white dog		22 ♂, 22 ♀, 9 N <u>Rhipicephalus sanguineus</u> Brown and white dog
	Bathurst, Gambia		Banjul (13.27 N, 16.35 W), Gambia
	18.V.1908		18.V.1908
	Dr. P. Hood		Dr. P. Hood

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	427a-e		N	427b, c	
			RML	104930	
(a)	<u>Amblyomma variegatum</u>	♂'s, 2 ♀'s	(b)	8 ♂, 3 ♀ <u>Hyalomma truncatum</u>	
(b)	<u>Hyalomma aegyptium</u>	5 ♂, 1 ♀	(c)	1 ♂ <u>Rhipicephalus senegalensis</u>	
(c)	<u>Rhipicephalus simus</u>	1 ♂	(a), (d), (e)	MISSING	
(d)	<u>Boophilus australis?</u>	2 ♀ (injured)			
(e)	<u>Amblyomma variegatum</u>	N			
	Brown cow			Brown cow	
	Bathurst, Gambia			Banjul (13.27 N, 16.35 W), Gambia	
	18.V.1908			18.V.1908	
	Dr. P. Hood			Dr. P. Hood	
				427a, d, e - MISSING	
N	428		N	428	
			RML	104931	
	<u>Boophilus australis</u>			6 ♀ <u>Boophilus geigyi</u>	
	Brown cow			Brown cow	
	Bathurst, Gambia			Banjul (13.27 N, 16.35 W), Gambia	
	13.V.1908			13.V.1908	
	Dr. P. Hood			Dr. P. Hood	
N	429		N	429	
			RML	115866	
	<u>Amblyomma variegatum</u>	11 ♂'s		2 ♂ <u>Amblyomma variegatum</u>	
	Sheep			Sheep	
	Bathurst, Gambia			Banjul (13.27 N, 16.35 W), Gambia	
	12.V.1908			12.V.1908	
	Dr. P. Hood			Dr. P. Hood	
	1 ♂ to W. D. Hunter, USDA, Washington				

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	430	N	430 MISSING
	<u>Amblyomma variegatum</u> 1 N (gorged)		
	Donkey		
	Bathurst, Gambia		
	18.V.1908		
	Dr. P. Hood		
N	431	N	431
		RML	104932
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		10 ♂, 11 ♀, 1 N <u>Rhipicephalus sanguineus</u>
	Brown cow		Brown cow
	Bathurst, Gambia		Banjul (13.27 N, 16.35 W), Gambia
	12.V.1908		12.V.1908
	Dr. P. Hood		Dr. P. Hood
N	432	N	432 MISSING
	<u>Boophilus decoloratus</u> ♂, ♀		
	Mandingo man		
	Bathurst, Gambia		
	12.V.1908		
	Dr. P. Hood		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	433	N 433 MISSING
	<u>Amblyomma variegatum</u> ♀	
	White pig	
	Bathurst, Gambia	
	12.V.1908	
	Dr. P. Hood	
	1 ♂, 1 ♀ to Prof. Kellogg, Stanford Univ.	
N	434	N 434 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	
	White dog	
	Bathurst, Gambia	
	12.V.1908	
	Dr. P. Hood	

ORIGINAL DETERMINATIONCURRENT STATUS

435-436. Ticks received 13.VI.1908 from Dr. K. S. Wise of the Public Hospital, Georgetown, British Guiana, who delivered them in person.

N	435	N	435
		RML	104933
<u>Boophilus australis</u>			72 ♀ <u>Boophilus microplus</u>
Cows			Cows
Along British Guiana coast			Along Guyana coast
Received 13.VI.1908			Received 13.VI.1908
Dr. K. S. Wise			Dr. K. S. Wise
1 ♂, 1 ♀ to A. D. Imms, Allahabad Univ., India; 1 ♂, 1 ♀ to Royal College of Surgeons, London, 20.XII.1909; 1 ♂, ♀'s to Prof. Kellogg, Stanford Univ.			
N	436	N	436
		RML	104934
<u>Rhipicephalus sanguineus</u> ♂, ♀'s larvae			2 ♂, 3 ♀, many larvae & eggs <u>Rhipicephalus sanguineus</u>
Dog suffering from piroplasmosis			Dog suffering from piroplasmosis
British Guiana			Georgetown (06.48 N, 58.10 W) Guyana
Received 13.VI.1908			Received 13.VI.1908
Dr. K. S. Wise			Dr. K. S. Wise
(will send notes)			Georgetown locality on vial label

ORIGINAL DETERMINATIONCURRENT STATUS

N	437, a, b	N	437a, b
		RML	104935
	(437) <u>Amblyomma variegatum</u> ♂'s, ♀'s		(437) MISSING
	(a) <u>Boophilus australis</u> 1 ♀		(a) 1 ♀ <u>Boophilus microplus</u>
	(b) <u>Rhipicephalus appendiculatus</u> 1 ♂		(b) 1 ♂ <u>Rhipicephalus appendiculatus</u>
	Goats and cattle		Goats and cattle
	Mauritius		Mauritius
	Sent 27.VI.1908		Sent 27.VI.1908
	Sent by M. de Charmoy, director of Museum, Port Louis		Sent by M. de Charmoy, Director of Museum, Port Louis

438-440. Ticks received from Dr. C. M. Wenyon, London School of Tropical Medicine, London E.C., 25.VI.1908.

N	438	N	438
		RML	104936
	<u>Aponomma laeve</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Aponomma latum</u>
	Yellow snake, <u>Psammophis sibilans</u>		<u>Psammophis sibilans</u>
	Barboy, White Nile, Sudan		Barboy, White Nile (15.38 N, 32.31 E), Sudan
	30.XI.1907		30.XI.1907
	Dr. C. M. Wenyon		Dr. C. M. Wenyon
			Host common name is the hissing sand snake
			Charles Morley Wenyon (1878-1948) graduate of Univ. Leeds, University College, London, and Guy's Hospital. Protozoologist at London School of Tropical Medicine and later Research Director of the Wellcome Bureau of Scientific Research. Perhaps the greatest protozoologist of the century (Garnham, 1979).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	439	N	439
		RML	104937
	<u>Aponomma laeve</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Aponomma latum</u>
	Snake, <u>Psammophis sibilans</u>		<u>Psammophis sibilans</u>
	River Sobat, Sudan		Sobat River (09.22 N, 31.33 E), Sudan
	3.VII.1907		3.VII.1907
	Dr. C. M. Wenyon		Dr. C. M. Wenyon
			Vial label incorrectly states the locality as River Sobat, Egypt.
N	440	N	440
		RML	104938
	<u>Argas persicus</u> larvae (gorged)		16 L <u>Argas persicus</u>
	Fowls		Fowls
	Meshra el Reh, Sudan		Mashra ar Raqq (08.25 N, 29.16 E), Sudan
	25.II.1908		25.II.1908
	Received from Dr. C. M. Wenyon		Received from Dr. C. M. Wenyon
N	441	N	441
		RML	104939
	<u>Argas persicus</u> all stages		4 ♂, 6 ♀, 3 L <u>Argas persicus</u>
	Cape Colony S. Africa		Cape Colony, Republic of South Africa
	Sent 29.VI.1908		Sent 29.VI.1908
	Sent by Mr. C. P. Lounsbury		Sent by Mr. C. P. Lounsbury

ORIGINAL DETERMINATIONCURRENT STATUS

N 442a-c

N 442a, b

RML 104940

- (a) Hyalomma aegyptium larvae
(gorged)
(b) Rhipicephalus sanguineus
(c) Amblyomma lepidum ♂, ♀

Young ostrich

- (a) 6 L Amblyomma sp.
(b) 1 ♂, 2 ♀ Amblyomma sp.
(c) MISSING

White Nile, Sudan

Struthio camelus

White Nile (15.38 N, 32.31 E), Sudan

25.VI.1908

Dr. C. M. Wenyon

- (c) on slides, L. E. Robinson
re-det 26.III.1919

Date and collector information
taken from vial label

N 443

N 443

RML 104941

Rhipicephalus sanguineus ♂'s, ♀'s13 ♂, 9 ♀ Rhipicephalus sanguineusProbably Lagos, S. Nigeria
(W. Africa)Probably Lagos (06.27 N, 03.23 E),
Nigeria

Received 30.VI.1908

Received 30.VI.1908

Received from Dr. H. Strachan,
Principal Medical OfficerReceived from Dr. H. Strachan,
Principal Medical Officer

N 444

N 444 MISSING

Amblyomma lepidum ♂, ♀

(Wenyon coll "438")

Slides L. E. Robinson re-determined
26.III.1919. Found with Hyal.
aegyptium

ORIGINAL DETERMINATIONCURRENT STATUS

N 445 N 445 MISSING

Rhipicephalus sanguineus ♂'s, ♀'s

Dogs

Allahabad, India

Rec'd 10.III.1908

Rec'd from Professor A. D. Imms

N 446 N 446

RML 104942

Ixodes hexagonus ♀'s, N's

Hedgehog

Madingly Hall, Cambs.

16.VII.1908

Mr. W. A. Harding

2 ♀, 6 N Ixodes hexagonus

Erinaceus europaeus

Madingley (52.13 N, 00.03 E),
Cambs., England

16.VII.1908

Mr. W. A. Harding

Cited: Nuttall & Warburton (1911: 182).

N 447 N 447

RML 56920 and RML 66149

Ixodes canisuga ♀'s and N's

Dog

Auchenbrack, Tynron, Scotland

Mr. J. McMonnies

1 ♀ to Prof. Dr. Dahl, Berlin
Museum VII.1914, 1 ♀ to Prof. Dr.
Schenkling, Deutsches Entomol.
Mus. VII.1914; 1 ♀ to Prof. Dr.
Gestro, Museo Civico di Storia
Nat., Genova VII.1914.

The Nuttall collection contains no
specimens of I. canisuga with this
Nuttall number. However, the BM(NH)
collection contains 1 N (13.2.12.7-8).
There is also 1 N (RML 56920) in the
RML collection from the Bishopp
collection (Bishopp 3239) and 1 N
(RML 66149) from the U.S.N.M. collection.
Cited and figured: Nuttall & Warburton
(1911: 212, 213).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	448	N	448
		RML	104943
	<u>Rhipicephalus simus</u> larvae		92 L <u>Rhipicephalus simus</u>
	Pretoria, Transvaal, S. Africa		Raised in Cambridge
	Received 30.III.1908		Raised in 1908
	Received from Dr. A. Theiler		Received from Dr. A. Theiler
			Larvae in 2 vials 1-14 L; 2-78 L
N	449	N	449 MISSING
	<u>Rhipicephalus appendiculatus</u> N's (gorged)		
	Pretoria, S. Africa		
	Sent 11.V.1908		
	Sent by Dr. A. Theiler		

ORIGINAL DETERMINATIONCURRENT STATUS

N	450	N	450 MISSING
---	-----	---	-------------

Amblyomma hebraeum 1 ♀

Pretoria, S. Africa

Received 11.V.1908

Received from Dr. A. Theiler

N	451	N	451
		RML	104944

Rhipicephalus pulchellus 1 ♂, 1 ♀

British East Africa

18.VII.1908

Sent by Mr. F. V. Theobald

1 ♂, 1 ♀ Rhipicephalus pulchellus

Kenya

18.VII.1908

Sent by Mr. F. V. Theobald

Frederick Vincent Theobald (1868-1930)
 Professor of economic zoology at the
 South-Eastern Agricultural College, Wye,
 Kent. Produced a famous monograph on
 the Culicidae for Trustees of the
 British Museum (Nat. Hist.) that was not
 well received. He later wrote a mono-
 graph on British Aphididae.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	452	N	452
		RML	104945
<u>Boophilus australis</u> ♂'s, ♀'s	Cattle	19 ♀ <u>Boophilus microplus</u>	Cattle
7 miles from Simla, India		7 miles from Simla (31.06 N, 77.10 E),	India
Sent 23.VI.1908		Sent 23.VI.1908	
Sent by Mr. Wm. Smith, Gov't Dairy Expert		Sent by Mr. Wm. Smith, Gov't Dairy Expert	
N	453	N	453
		RML	104946
<u>Argas vespertilionis</u> larvae		5 L <u>Argas vespertilionis</u>	
<u>Vesperugo pipistrellus</u>		<u>Pipistrellus pipistrellus</u>	
Church at Histon, Cambs		Church at Histon (52.15 N, 00.06 E),	Cambs, England
30.VII.1908		30.VII.1908	
Mr. W. A. Harding		Mr. W. A. Harding	
[6 larvae mounted in balsam on 2 slides]		Slides missing	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	454	N	454
		RML	104947
	<u>Ixodes putus</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Ixodes uriae</u>
	Bempton cliffs, ledges frequented by guillemots		Gulls
	Received 5.VIII.1908		Received 5.VII.1908
	Received from Oxley Grabham, M.A. The Museum, York		Received from Oxley Grabham, M.A. The Museum, York
	(Says jackdaws feed on them "with avidity")		Host taken from vial label Cited: Nuttall and Warburton (1911: 260).
N	455	N	455 MISSING
	<u>Ornithodoros moubata</u> 1 ♀		
	Received 10.VIII.1908		
	Received from A. B. Cook, MA, Cambridge		
	A. B. Cook received the tick from his brother, a medical missionary		
N	456	N	456
		RML	104948
	<u>Ixodes hexagonus</u> ♀		1 ♀ <u>Ixodes hexagonus</u>
	<u>Lutra vulgaris</u>		<u>Lutra lutra</u>
	Histon, Cambs., England		Histon (52.15 N, 00.06 E), Cambs., England
	1908		1908
	W. A. Harding		W. A. Harding
			Cited: Nuttall & Warburton (1911: 182).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	457	N	457
		RML	104949
	<u>Amblyomma cajennense</u> 1 ♀, 1 N & larvae Grass on mountain at Jamaica		1♀ , 2 N <u>Amblyomma cajennense</u> Grass on mountain at Jamaica
	1903		1903
	Mr. W. A. Harding		Mr. W. A. Harding
			Cited: Robinson (1926: 53).
N	458a-c	N	458b
		RML	104950
	(a) <u>Rhipicephalus evertsi</u> 2 ♀'s (b) <u>Rhipicephalus appendiculatus</u> 1 ♂ (c) <u>Boophilus decoloratus</u> 1♂, ♀'s		(a) MISSING (b) 1♂ <u>Rhipicephalus supertritus</u> (c) MISSING
	Cattle		Cattle
	Rhodesia, S. Africa		Zimbabwe
	Sent 10.VII.1908		Sent 10.VII.1908
	Sent by Prof. Wallace		Sent by Prof. Wallace
N	459	N	459
		RML	104951
	<u>Ixodes putus</u> 1♀		1♀ <u>Ixodes uriae</u>
	Sea gull		Sea gull
	Handa Island, Sutherland, Scotland		Handa Island (58.22 N, 05.12 W), Sutherland, Scotland
	Rec'd VIII.1908		Rec'd VIII.1908
	Rec'd from Dr. W.L.H. Duckworth		Rec'd from Dr. W.L.H. Duckworth

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	460	N	460
		RML	104952
	<u>Amblyomma dissimile</u> ♂'s		3 ♂ <u>Amblyomma cruciferum</u>
	Iguana		Iguana
	Received VIII.1908		Received VIII.1908
	Received from Dr. Duckworth, Cambridge		Received from Dr. Duckworth, Cambridge
	Iguana at Zoological Gardens, London?		Two pieces of skin in the vial with 1 ♂ still attached
N	461a, b	N	461a, b
		RML	104953
	(a) <u>Dermacentor nitens</u> ♂'s, ♀'s (b) <u>Boophilus</u> spec. incert ♀'s		(a) 4 ♂, 62 ♀ <u>Anocentor nitens</u> (b) 26 ♀ <u>Boophilus microplus</u>
	Horses		Horses
	Montserrat, W. Indies		Montserrat (16.45 N, 62.12 W), W. Indies
	30.VI.1908		30.VII.1908
	Dr. W. G. Heath		
	461a sent to the following:		Date taken from vial label
	1 ♂, 1 ♀ to Launcelot Harrison Australia 9.V.1910		
	1 ♂, 1 ♀ to Prof. M. Jesus Maynar, Zaragoza, Spain 10.V.1910		
	1 ♂, 1 ♀ to Prof. Poulton, Oxford, 26.V.1919		
	1 ♂, 1 ♀ to E. Hindle, Cambridge, 24.IX.1919		
	1 ♂, 1 ♀ to Major Lothian, School Hygiene, Blackpool 25.IX.1919		
	1 ♂, 1 ♀ to Major J.E.M. Boyd, Cambridge 20.XII.1919		
	1 ♂, 1 ♀ to Dr. J. Gordon Thompson London School Trop. Med. 8.I.1920		
	1 ♂, 1 ♀ to Dr. R. W. Hegner, Johns Hopkins, Baltimore 8.III.1920		
	1 ♂, 1 ♀ to Dr. R. J. Tillyard, Nelson, N.Z. VI.1920		

1 ♂, 1 ♀ to Prof. Jules Bordet,
Bruxelles, Belgium 30.VI.1920
1 ♂, 2 ♀ to E. T. Bordman Univ.
Florida, Gainesville 30.V.1929
461b [C. W. det. 1918]

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	462	N 462 MISSING
	<u>Boophilus australis</u> ♂'s, ♀'s	
	cattle	
	Montserrat, W. Indies	
	30.VI.1908	
	Dr. W. G. Heath	
N	463	N 463
		RML 104954
	<u>Rhipicephalus sanguineus</u> 1 ♂	1 ♂ <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Montserrat, W. Indies	Montserrat (16.45 N, 62.12 W), W. Indies
	12.VI.1908	12.VI.1908
	Dr. W. G. Heath	Dr. W. G. Heath
N	464	N 464
		RML 105622
	<u>Rhipicephalus sanguineus</u>	4 ♂, 43 ♀ <u>Rhipicephalus sanguineus</u>
	Dogs, horses and cat	Dogs, horses and cat
	Ebute Metta, S. Nigeria	Ebute Metta (06.29 N, 03.23 E), Nigeria
	30.VI.1908	30.VI.1908
	W. F. Macfarlane	W. F. Macfarlane
		1 ♂ teratological

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	465	N 465
		RML 57368
	<u>Amblyomma variegatum</u>	2 ♀ <u>Amblyomma variegatum</u>
	Cattle	Cattle
	Jaba, S. Nigeria	Jaba (07.52 N, 11.06 E) or (10.12 N, 13.00 E), Nigeria
	30.VI.1908	30.VI.1908
	W. F. Macfarlane	W. F. Macfarlane
	The ♀ to W. D. Hunter, USDA, Washington	The ♀ sent to Hunter was given Bishopp number 424 and is now in the RML collection.
N	466	N 466
		RML 104955
	<u>Aponomma</u> sp. ? N's	3 N <u>Dermacentor</u> sp.
	Ear of <u>Ptilocerus lowii</u>	Ear of <u>Ptilocerus lowii</u>
	Sarawak, Borneo	Sarawak, Malaysia
	Received IX.1908	Received IX.1908
	J. Hewitt	J. Hewitt
	Sent by Dr. A. R. Wellington	
N	467, a	N 467
		RML 104956
	(467) <u>Hyalomma aegyptium</u>	(467) 6 ♂, 3 ♀ <u>Hyalomma rufipes</u>
	(a) <u>Rhipicephalus evertsi</u>	1 ♂ <u>Boophilus decoloratus</u>
	Cows	(a) MISSING
	Rhodesia	Cows
	23.VII.1908	Zimbabwe
	Professor Robert Wallace	23.VII.1908
		Professor Robert Wallace

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	468	N	468
		RML	104957
	<u>Boophilus decoloratus</u>	2 ♂, 13 ♀	<u>Boophilus decoloratus</u>
	Sheep dead of heartwater	Sheep dead of heartwater	
	Rhodesia	Zimbabwe	
	25.VIII.1908	25.VIII.1908	
	Professor R. Wallace	Professor R. Wallace	
		Also many eggs	
N	469	N	469 MISSING
	<u>Argas persicus</u>		
	(a) Larvae attached to skin of chicken; (b) nymph; (c) adults which convey spirochaetosis		
	French Sudan		
	Dr. G. Borrel of the Pasteur Institute, Paris		
	Sent at the instance of Dr. E. Marchoux. He sends 3 tubes from French Sudan (all returned 25.IX.1908)		

ORIGINAL DETERMINATIONCURRENT STATUS

N	470	N	470
		RML	104958
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> ♂'s, ♀'s		1 ♂ <u>Aponomma gervaisi</u> 4 ♂, 25 ♀ <u>Aponomma varanensis</u>
	Rock snake, <u>Python molurus</u>		<u>Python molurus</u>
	Probably Zoological Gardens Calcutta, India		Probably Zoological Gardens Calcutta, India
	1908		1908
	Sent by Mr. Annandale		Sent by Mr. Annandale
	[2 ♂, 2 ♀ mounted in cells with other <u>Aponomma</u> spp.] Determined by C. Warburton, 1908 [Det. corrected by C.W. 29.III.1915]		Slides missing Nelson Annandale (1876-1924) sent to India 1904 as Deputy Superintendent of Natural History Section of the Indian Museum; appointed Superintendent 1907. In 1916 founded Zoological Survey of India.
N	471	N	471
		RML	104959
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> ♂'s, ♀'s, N's, L's		25 ♂, 11 ♀, 31 N, 4 L <u>Aponomma</u> <u>varanensis</u>
	Cobra, <u>Naia tripudians</u>		<u>Naja naja</u>
	Probably Zoological Garden, Calcutta, India		Probably Zoological Garden, Calcutta, India
	1908		1908
	Sent by Mr. Annandale		Gift of Dr. N. Annandale
	Determined by C. Warburton 1908. Det. corrected by C.W. 29.III.1915 2 ♂, 2 ♀ to C. Strickland, Malaya 1 ♂, 1 ♀ to Prof. Dryer, Parasit. Dept., Oxford 1 ♂, 1 ♀ to W. D. Hunter, USDA, Washington 1 ♂, 1 ♀ to A. D. Imms, Allahabad Univ., India Some (sex/stage not stated) to Dr. de Blieck, Java, 22.I.1915		Cited: Santos Dias (1958: 518) who gave tick numbers 26 ♂, 10 ♀, 4 N The 1♂, 1♀ sent to W. D. Hunter are now in the RML collection (Bishopp #425).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	472	N 472
		RML 104960
	<u>Aponomma gervaisi</u>	5 ♂, 2 ♀, 6 N <u>Aponomma varanensis</u>
	<u>Bungarus fasciatus</u>	<u>Bungarus fasciatus</u>
	Probably Zoological Gardens, Calcutta, India	Probably Zoological Gardens, Calcutta, India
	1908	1908
	Sent by Mr. Annandale	Sent by Mr. Annandale
N	473 a	473 MISSING
	(473) <u>Boophilus decoloratus</u> (a) <u>Rhipicephalus evertsi</u>	
	Sheep dying of Heartwater	
	Old "Umtali" Rhodesia, S. Africa	
	Sent 28.VIII.1908	
	Sent by Professor R. Wallace	
N	474	N 474 MISSING
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s	
	Cape Colony, S. Africa	
	1908	
	Received from Mr. C. P. Lounsbury	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	475	N	475
		RML	104961
	<u>Ornithodoros moubata</u>		9 ♂, 4 ♀, 3 N <u>Ornithodoros moubata</u>
	Nairobi, Uganda, British East Africa		Nairobi (01.17 S, 36.49 E), Kenya
	3.X.1910		3.X.1910
	Dr. P. H. Ross		Dr. P. H. Ross
	Supposed to be infected with <u>Spirochaeta duttoni</u> . [Raised in Cambridge for several generations. Slides, balsam mounts, moults, etc.]		Slides missing. Also in this collection are 8 cast skins and eggs.
N	476	N	476
		RML	104962
	<u>Amblyomma variegatum</u> ♀ (gorged)		1 ♀ <u>Amblyomma variegatum</u>
	Cow		Cow
	Nyasaland, B. E. Africa		Malawi
	Sent 15.X.1908		Sent 15.X.1908
	Sent by Dr. J.E.S. Old		Sent by Dr. J.E.S. Old
N	477	N	477
		RML	104963
	<u>Boophilus decoloratus</u>		11 ♀ <u>Boophilus decoloratus</u>
	Nyasaland, B. E. Africa		Malawi
	Sent 15.X.1908		Sent 15.X.1908
	Sent by Dr. J.E.S. Old		Sent by Dr. J.E.S. Old

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	478		N	478	
			RML	104964	
	<u>Rhipicephalus capensis</u> ♂, ♀'s			5 ♂, 6 ♀ <u>Rhipicephalus compositus</u>	
	"Big game"			"Big game"	
	Nyasaland, B. E. Africa			Malawi	
	Sent 15.X.1908			Sent 15.X.1908	
	Sent by Dr. J.E.S. Old			Sent by Dr. J.E.S. Old	
N	479		N	479	
			RML	104965	
	<u>Rhipicephalus sanguineus</u>			4 ♂, 5 ♀ <u>Rhipicephalus sanguineus</u>	
	Dogs			Dogs	
	Bussorah			Al Basrah (30.30 N, 47.47 E), Iraq	
	IX.1907			IX.1907	
	Sent by Dr. Nattan-Larrier of Paris X.1908			Sent by Dr. Nattan-Larrier of Paris X.1908	
N	480		N	480 MISSING	
	<u>Argas persicus</u> larvae				
	Fowls, ducks, and turkeys				
	Bouchir			[Bouchir is probably Buchir (27.03 N, 53.35 E), Iran]	
	III.1907				
	Sent by Dr. Nattan-Larrier of Paris X.1908				

ORIGINAL DETERMINATIONCURRENT STATUS

N	481	N	481
		RML	104966
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		2 ♂, 4 ♀ <u>Hyalomma dromedarii</u>
	Camels		Camels
	Western Australia, imported from India		Western Australia, imported from India
	Sent 25.IX.1908		Sent 25.IX.1908
	Sent by Dr. J. Burton Cleland, Gov't Bacteriologist, Dept. of State Medicine and Public Health, Central Board of Health, Perth, West Australia		Sent by Dr. J. Burton Cleland, Gov't Bacteriologist, Dept. of State Medicine and Public Health, Central Board of Health, Perth, West Australia
	"Shortly after the camels landed these ticks propagated themselves and were distributed amongst horses and cattle causing a good deal of irritation around their attachment". Sent with camel-lice (See louse-list No. 21) = <u>Haematopinus camelis</u>		Sir John Burton Cleland (1878-1971) Professor of Pathology, University of Adelaide 1920-1948; president Royal Society of South Australia, 1928 and 1941; knighted 1964.
N	482	N	482
		RML	104967
	<u>Amblyomma helvolum</u> 3 ♂, N		3 ♂ <u>Amblyomma helvolum</u>
	Iguana		Iguana
	St. John's Island, Singapore Straits Settlement		Sakijang Bendera, Pulau (01.13 N, 103.51 E), Singapore
	Received 6.X.1908		Received 6.X.1908
	Received from Dr. A. R. Wellington		Received from Dr. A. R. Wellington
			Cited: Robinson (1926: 219).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
483-492. Ticks received from Dr. J. C. Koningsberger X.1908, Zoological Museum, Buitenzorg, Java, who wrote, 22.VIII.1908, asking that the determinations be sent him and what specimens we could spare.		
N 483	N 483	
	RML 104968	
<u>Amblyomma sublaeve</u>		22 ♂, 2 ♀ <u>Amblyomma javanense</u>
<u>Manis javanica</u>		<u>Manis javanica</u>
Java		Java, Indonesia
Received X.1908		Received X.1908
Received from Dr. J. C. Koningsberger		Received from Dr. J. C. Koningsberger
		Dr. Jacob Christian Koningsberger (1868-1951) former Minister of the Colonies, Chairman of Parliament in the Netherlands Indies, former director of the National Botanical Gardens and of the Zoological Museum and Laboratory of Buitenzorg.
N 484	N 484	
	RML 104969	
<u>Aponomma gervaisi</u> 2 ♀		2 ♀ <u>Aponomma varanensis</u>
<u>Python reticulatus</u>		<u>Python reticulatus</u>
Java		Java, Indonesia
Received X.1908		Received X.1908
Received from Dr. J. C. Koningsberger		Received from Dr. J. C. Koningsberger

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	485	N 485 MISSING
	<u>Rhipicephalus sanguineus</u>	
	Java	
	Received X.1908	
	Received from Dr. J. C. Koningsberger	
N	486	N 486
		RML 104970
	<u>Amblyomma helvolum</u> 2 ♀	2 ♀ <u>Amblyomma helvolum</u>
	<u>Coluber onicephalus</u>	<u>Coluber onicephalus</u> (name not verified). Possibly <u>Gonyosoma oxycephalum</u> .
	Boie, Java	Boie, Java (locality not verified)
	Received X.1908	Received X.1908
	Received from Dr. J. C. Koningsberger	Received from Dr. J. C. Koningsberger
		Cited: Robinson (1926: 219).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	487	N	487
		RML	104971
<u>Aponomma exornatum</u>		31 ♂, 1 ♀, 10 N, 2 L <u>Aponomma varanensis</u>	
<u>Python reticulatus</u>		<u>Python reticulatus</u>	
Java		Java, Indonesia	
Received X.1908		Received X.1908	
Received from Dr. J. C. Koningsberger		Received from Dr. J. C. Koningsberger	
1 ♂ to Dr. J.E.M. Boyd, Cambridge, 20.XII.1919; 1 ♂ to Dr. J. Gordon Thompson, London School of Tropical Medicine 8.I.1920; 1 ♂ to Dr. R. W. Hegner, Johns Hopkins, Baltimore 8.III.1920; 1 ♂ to Dr. R. J. Tillyard, Nelson, N.Z. VI.1920; 1 ♂ to Prof. Jules Bordet, Bruxelles, Belgium 30.VI. 1920			
N	488	N	488
		RML	104972
<u>Rhipicephalus sanguineus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>	
<u>Canis familiaris</u>		<u>Canis familiaris</u>	
Java		Java, Indonesia	
Received X.1908		Received X.1908	
Received from Dr. J. C. Koningsberger		Received from Dr. J. C. Koningsberger	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	489	N 489
		RML 104973
	<u>Amblyomma prolongatum</u>	11 ♂ <u>Amblyomma testudinarium</u>
	<u>Bos bubalus</u>	<u>Bubalus bubalis</u>
	Java	Java, Indonesia
	Received X.1908	Received X.1908
	Received from Dr. J. C. Koningsberger	Received from Dr. J. C. Koningsberger
		Cited: Robinson (1926: 257).
N	490	N 490
		RML 104974
	<u>Amblyomma helvolum</u>	4 ♂, 1 ♀ <u>Amblyomma helvolum</u>
	<u>Ptyas (Zamenis) korros</u>	<u>Ptyas korros</u>
	Java	Java, Indonesia
	Received X.1908	Received X.1908
	Received from Dr. J. C. Koningsberger	Received from Dr. J. C. Koningsberger
		Cited: Robinson (1926: 219).
N	491	N 491
		RML 104975
	<u>Amblyomma helvolum</u>	1 ♂ <u>Amblyomma helvolum</u>
	<u>Dipsas dendrophila</u>	<u>Boiga dendrophila</u>
	Java	Java, Indonesia
	Received X.1908	Received X.1908
	Received from Dr. J. C. Koningsberger	Received from Dr. J. C. Koningsberger

ORIGINAL DETERMINATIONCURRENT STATUS

N	492	N	492
		RML	104976
	<u>Amblyomma helvolum</u> ♂'s, ♀'s		7 ♂, 1 ♀ <u>Amblyomma helvolum</u>
	Java		Java, Indonesia
	Received X.1908		Received X.1908
	Received from Dr. J. C. Koningsberger		Received from J. C. Koningsberger
N	493	N	493
		RML	104977
	<u>Aponomma exornatum</u>		2 ♂, 3 N <u>Aponomma varanensis</u>
	<u>Naja sputatrix</u>		<u>Naja naja sputatrix</u>
	Java		Java, Indonesia
	Received X.1908		Received X.1908
	Received from Dr. J. C. Koningsberger		Received from Dr. J. C. Koningsberger
N	494, a	N	494
		RML	104978
	(494) <u>Aponomma exornatum</u> (a) <u>Amblyomma helvolum</u>		(494) 2 ♂ <u>Aponomma varanensis</u> (a) 3 ♂, 1 ♀ <u>Amblyomma helvolum</u>
	<u>Varanus salvator</u>		<u>Varanus salvator</u>
	Java		Java, Indonesia
	Received X.1908		Received X.1908
	Received from Dr. J. C. Koningsberger		Received from Dr. J. C. Koningsberger

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	495a-d	N	495a-d
		RML	104979
(a) <u>Amblyomma testudinarium</u> (b) <u>Rhipicephalus haemaphysaloides</u> (c) <u>Haemaphysalis wellingtoni</u> (d) <u>Boophilus australis</u>		(a) 5 ♂ <u>Amblyomma testudinarium</u> (b) 2 ♂, 2 ♀ <u>Rhipicephalus pilans</u> (c) 4 ♀ <u>Haemaphysalis wellingtoni</u> (d) 18 ♀ <u>Boophilus microplus</u>	
<u>Bos indicus</u> and <u>Bos bubalus</u>		<u>Bos indicus</u> and <u>Bubalus bubalis</u>	
(a) Palembang, Sumatra (b-d) Java		(a) Palembang (02.55 S, 104.45 E), Sumatra, Indonesia (b-d) Java, Indonesia	
Received X.1908		Received X.1908	
Received from Dr. J. C. Koningsberger (a) 1 ♀ to C. Strickland, Malaya (c) 1 ♀ to C. Strickland, Malaya		Received from Dr. J. C. Koningsberger 495a Cited: Robinson (1926: 257) 495c Cited: Nuttall and Warburton (1915: 481) who gave the locality as Palembang, Sumatra	
N	496a-c	N	496a-c
		RML	104980
(a) <u>Rhipicephalus haemaphysaloides</u> ♀'s (b) <u>Haemaphysalis papuana</u> (c) <u>Haemaphysalis koningsbergeri</u> (type)		(a) 1 ♂, 4 ♀ <u>Rhipicephalus pilans</u> (b) 1 ♂ <u>Haemaphysalis nadchatrami</u> (c) 1 ♂, 2 ♀ <u>Haemaphysalis koningsbergeri</u> Lectotype and paratypes.	
<u>Felis pardus</u>		<u>Panthera pardus</u>	
Java		Java, Indonesia	
Received X.1908		Received X.1908	
Received from Dr. J. C. Koningsberger		Received from Dr. J. C. Koningsberger	
		Warburton and Nuttall (1909: 65), original description of <u>H. koningsbergeri</u> . The vulva of 1 ♀ of <u>H. koningsbergeri</u> has been removed and is on slide. Lectotype designated: Keirans and Brewster (1981: 162).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	497, a, b	N	497, b
		RML	104981
(497)	<u>Rhipicephalus capensis</u> var. <u>compositus</u>	(497)	3 ♂, 3 ♀ <u>Rhipicephalus compositus</u>
(a)	<u>Rhipicephalus sanguineus</u>	(a)	MISSING
(b)	<u>Boophilus decoloratus</u>	(b)	1 ♀ <u>Boophilus decoloratus</u>
	Sheep and buffalo		Sheep and buffalo
	Ruo District, Nyasaland		Ruo Basin (15.54 S, 35.39 E), Malawi
	1906, Received 10.XI.1908		1906, Received 10.XI.1908
	Received from Dr. J.E.S. Old		Received from Dr. J.E.S. Old
N	498	N	498
		RML	104982
	<u>Rhipicephalus appendiculatus</u> (small)		10 ♂, 14 ♀ <u>Rhipicephalus kochi</u>
	Scabby goat		Scabby goat
	Ruo District, Nyasaland		Ruo Basin (15.54 S, 35.39 E), Malawi
	Received 10.XI.1908		Received 10.XI.1908
	Received from Dr. J.E.S. Old		Received from Dr. J.E.S. Old
			The back of the vial label bears the word "cotypes". The determination on the obverse is <u>R. neavei</u> although the catalogue determination is <u>R. appendiculatus</u> .

ORIGINAL DETERMINATIONCURRENT STATUS

N 499 N 499 MISSING

Ixodes canisuga 1 larva

Mole

Longner Hall, Shrewsbury,
England

10.XI.1908

Sent by Mr. R.F.L. Burton

N 500 N 500 MISSING

Argas persicus

Persia

Sent 21.XI.1908

Dr. Nattan-Larrier of Paris

N 501 N 501
RML 56922

Ixodes canisuga ♀

25 ♀ Ixodes canisuga

Horse

Horse

Cambridge

Cambridge (52.13 N, 00.08 E), England

Received 20.V.1908

Received 20.V.1908

Received from Mr. G. Banham
F.R.C.V.S.

Received from Mr. G. Banham
F.R.C.V.S.

2 ♀ to N.Y. National Museum
18.IV.1913

1 ♀ from the Bishopp Collection
(Bishopp number 3230) is in the
RML collection. Cited: Nuttall &
Warburton (1911: 214).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
502-505. Ticks received from Dr. Graham, Medical Officer of Health, Gold Coast, W. Africa, Dec. 1908.			
N	502	N	502
		RML	104983
<u>Aponomma laeve</u>		3 ♂, 9 ♀ <u>Aponomma latum</u>	
Large black snake		Large black snake	
Axim, Gold Coast, W. Africa		Axim (04.52 N, 02.14 W), Ghana	
1908		1908	
Received from Dr. Graham		Received from Dr. Graham	
N	503	N	503
		RML	104984
<u>Ixodes rausus</u>		4 ♀ <u>Ixodes cumulatimpunctatus</u>	
Leopard		<u>Panthera pardus</u>	
Obuasi, Ashanti, W. Africa		Obuasi (06.55 N, 01.41 W) Ashanti Region, Ghana	
1908		1908	
Received from Dr. Graham		Received from Dr. Graham	
		Cited: Nuttall and Warburton (1911: 230). Cited: Arthur and Burrow (1957: 505).	
N	504	N	504
		RML	96399
<u>Haemaphysalis parmata</u>		2 ♂, 2 ♀, 1 N <u>Haemaphysalis parmata</u>	
Prahsu, Gold Coast		Prasu (05.56 N, 01.22 W), Ghana	
1908		1908	
Dr. Graham		Dr. Graham	
		Nuttall and Warburton (1915: 421) cite this collection as 2 ♂, 1 ♀, 2 N.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	505	N 505 MISSING
	<u>Ixodes rausus</u>	
	Man and dog	
	Kumasi, Ashanti, W. Africa	
	X.1907	
	Dr. Graham	
N	506	N 506
		RML 104985
	<u>Ixodes angustus</u>	2 ♀ <u>Ixodes angustus</u>
	<u>Sciurus hudsonicus</u>	<u>Tamiasciurus hudsonicus</u>
	Vancouver, British Columbia	Vancouver (49.15 N, 123.08 W), British Columbia, Canada
	Rec'd 10.XII.1908	Rec'd 10.XII.1908
	Rec'd from T. Bowhill, F.R.C.V.S.	Rec'd from T. Bowhill, F.R.C.V.S.
		Cited: Nuttall & Warburton (1911: 197).
507-508. Ticks received from Dr. H. Bayon, Medical Superintendent, Sesse S.S. Camp, Entebbe, Uganda, B.E. Africa 17.XI.1908:		
N	507	N 507
		RML 104986
	<u>Haemaphysalis leachi</u> ♂ ♀	1 ♂, 1 ♀ <u>Haemaphysalis leachi</u>
	Cattle	Cattle
	Lake Victoria, Nyanza	Lake Victoria, Nyanza (00.30S, 34.30E), Kenya
	Rec'd 17.XI.1908	Rec'd 17.XI.1908
	Rec'd from Dr. H. Bayon	Rec'd from Dr. H. Bayon

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	508	N	508
		RML	104987
	<u>Aponomma exornatum</u>		22 ♂ <u>Aponomma exornatum</u>
	Water lizard		Water lizard
	Sesse Islands, Lake Victoria		Sese Islands (00.20 S, 32.20 E), Lake Victoria, Uganda
	Rec'd 17.XI.1908		Rec'd 17.XI.1908
	Rec'd from Dr. H. Bayon		Rec'd from Dr. H. Bayon
	Water lizard very common in Sesse Islands. 1 ♂, 1 ♀ to Dr. S. Hadwen British Columbia, Canada 10.X.1910. 1 ♂, 1 ♀ to Dr. Lajos Gozony, Univ. Budapest, Hungary 23.I.1915. 1 ♂ to Launcelot Harrison, Australia 9.V.1919. 1 ♂ to Prof. M. Jesus Maynar Zaragoza, Spain 10.V.1919. 1 ♂ to Prof. Poulton, Oxford 26.V.1919. 1 ♂ to Prof. E. Hindle, Cambridge 24.IX.1919. 1 ♂ to Major Lothian, School of Hygiene, Blackpool 25.IX.1919.		
N	509	N	509 MISSING
	<u>Ixodes ricinus</u> 4 ♂, 2 ♀		
	Roe deer, <u>Cervus capreolus</u>		
	? British		
	Gift of Hon. N. C. Rothschild		
	Mounted on 5 slides (R982, 984-987)		

Ticks collected 1905-1907 in Ceylon by Mr. E. E. Green, F.E.S., who wants names, and, if possible, duplicates returned. Can give particulars of any numbered specimens by reference to his "Notes" on his return to Ceylon in Feb. 1909. Present address, Mote Hall, Bearsted, Kent (16.XII.1908).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	510	N 510
		RML 104988
	<u>Haemaphysalis bispinosa</u> 1 ♀	1 ♀ <u>Haemaphysalis bispinosa</u>
Dog		Dog
Ceylon		Sri Lanka
		I.1909
E. E. Green		E. E. Green Edward Ernest Green (1861-1949), born in Ceylon, educated in England. Government Entomologist to Ceylon 1899-1913 and international authority on scale insects.
		Cited: Nuttall & Warburton (1915: 432).
N	511	N 511 MISSING
	<u>Rhipicephalus sanguineus</u> 2 ♀'s	
Found on verandah wall		
Ceylon		
E. E. Green		
Peradeniya, Ceylon, in June		
Ret'd		

ORIGINAL DETERMINATIONCURRENT STATUS

N 512

N 512, a

RML 104995

Rhipicephalus sanguineus 4 ♀
(2 kept)2 ♀ Rhipicephalus haemaphysaloides
(a) 2 ♀ Amblyomma integrum

Ceylon

Sri Lanka

E. E. Green

E. E. Green

"Miscellaneous Ixodidae"

The Amblyomma integrum collection was not entered in the catalogue. The specimens were collected by Mr. Green at Matara (05.56 N, 80.33 E), Sri Lanka in 1906.

ORIGINAL DETERMINATIONCURRENT STATUS

N 513 N 513 MISSING

Rhipicephalus sanguineus
♂'s ♀'s

Cattle

Pullalam

(December)

E. E. Green

All sent back to Green

N 514 N 514

RML 104989

Hyalomma aegyptium

1 ♂ Hyalomma marginatum isaaci

Lunugalla, Ceylon
4,000 ft.

Lunugalla (07.01 N, 81.00 E),
4,000 ft. (1219 M), Sri Lanka

VII.1907

VII.1907

E. E. Green

E. E. Green

ORIGINAL DETERMINATIONCURRENT STATUS

N	515a, b	N	515a, b
	RML		76102
(a) <u>Haemaphysalis bispinosa intermedia</u> n. sp. W & N 1909 (Type)		(515) 11 ♀ <u>Boophilus microplus</u> (a) 1 ♀ <u>Haemaphysalis intermedia</u> Lectotype (b) 1 ♀ <u>Haemaphysalis bispinosa</u>	
(b) <u>Haemaphysalis bispinosa</u> ♀			
Cattle		Cattle	
Matara, Ceylon		Matara (05.56 N, 80.33 E), Sri Lanka	
VII.1906		VII.1906	
E. E. Green		E. E. Green	
		(515) was not entered in the catalogue. (a) Warburton & Nuttall (1909: 69), original description. Hoogstraal & Trapido (1963b: 838) selection of lectotype; also cited: Nuttall & Warburton (1915: 432).	
		The vulva of 515a is on a slide.	
N	516	N	516 MISSING
	<u>Ixodes putus</u> 5 N's		
	<u>Diomedea salvinii</u> (albatross) no data		
	Gift of Hon. N. C. Rothschild		
	(5 slides R901-3, 905)		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	517	N 517
		RML 104990
	<u>Ixodes putus</u> 1 ♀	5 ♂, 8 ♀, 3 N <u>Boophilus microplus</u>
	<u>Uria lachrymans</u> (ringed guillemot) no data	Cattle Matara (05.56 N, 80.33 E), Sri Lanka
		VII.1906
	Gift of Hon. N. C. Rothschild	E. E. Green
	[1 slide] (R934) slide missing [J.E.K.]	The collection data fit N 515 although the vial label indicates 517.
N	518	N 518
		RML 104991
	<u>Ixodes putus</u> 5 larvae	4 ♂, 1 ♀ <u>Amblyomma integrum</u>
	Puffin	?host
	Probably British	Sri Lanka
		1907
	Gift of Hon. N. C. Rothschild	E. E. Green
	[5 slides I-V] (R975-979) G.H.F.N. det. 12.II.1915 Slides missing [J.E.K.]	Robinson (1926: 114) cites this collection ex? cattle, Matara, Ceylon, 1906. Nuttall evidently duplicated the number 518. This collection was not entered in the catalogue.

ORIGINAL DETERMINATIONCURRENT STATUS

N	519	N	519
		RML	104992
	<u>Haemaphysalis</u> sp.? larvae	5 L	<u>Haemaphysalis</u> sp.
	<u>Cervus axis</u>		<u>Cervus axis</u>
	Vavuniya	Vavuniya (08.45 N, 80.30 E), Sri Lanka	
		I.1909	
	Rec'd from Mr. E. E. Green	Rec'd from Mr. E. E. Green	
		Dates for 517 - 519 taken from vial labels.	
N	520	N	520 MISSING
	<u>Rhipicephalus sanguineus</u> ♀ & eggs		
	Dog?		
	Returned to Green		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	521	N	521
		RML	104993
	<u>Aponomma exornatum</u>	13 ♂ <u>Aponomma exornatum</u>	
	<u>Varanus niloticus</u>	<u>Varanus niloticus</u>	
Iguana	Pietermaritzburg, Natal, S. Africa	Pietermaritzburg (29.37 S, 30.23 E), Natal, Republic of South Africa	
4.XI.1908		4.XI.1908	
Dr. W. Watkins Pitchford		Dr. W. Watkins Pitchford	
"Dark chocolate brown, with metallic green and gold markings on back"....."Small ticks adhering in a closely packed patch to skin of under surface of base of tail posterior to anus. Their presence produces an ulceration. Commonly found in this situation at this season of the year. Blood films on host, examined at same time, show no recognizable abnorm- ality." (All foregoing on label accompanying specimens) Thinks they may be new. See letter of 17.XI.1908 to G.H.F.N.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	522	N	522
		RML	104994
	<u>Argas vespertilionis</u> Nymph II		1 N <u>Argas vespertilionis</u>
	Guestline Rectory, Hastings		Guestline Rectory, Hastings (50.51 N, 00.36 E), England
	XII.1908		XII.1908
	Rev. E. N. Bloomfield		Rev. E. N. Bloomfield
	Rec'd. by C. Warburton 5.I.1909 He has sent specimens he says to British Museum "It is almost certainly from the rare serotine bat of which there is a colony on an inaccessible part of the roof of my house." It was found at one time not uncommonly in the room below the bat colony.		
N	523	N	523
		RML	104996
	<u>Ixodes brunneus</u> ♀ (minus hypostome, digits)		1 ♀ <u>Ixodes frontalis</u>
	<u>Passer montanus</u>		<u>Passer montanus</u>
	St. Genes de Malgoire (Gard) France		Saint-Genies-de-Malgoires (43.57 N, 04.13 E), France
	16.XI.1908		16.XI.1908
	Sent by Hon. N. C. Rothschild who received specimens from Albert Hugues, Naturalist		Sent by Hon. N. C. Rothschild who received specimens from Albert Hugues, Naturalist
	Bird found dead with tick attached to neck.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	524, a	N	524, a
		RML	104997
	<u>Haemaphysalis campanulata</u> (a) <u>Boophilus</u> sp. <u>incert</u>		1 ♀ <u>Haemaphysalis campanulata</u> (a) 7 ♀ <u>Boophilus microplus</u>
	Cattle and horses		Cattle and horses
	Wei-hai-Wei, China		Wei-Hai (37.30 N, 122.06 E), Peoples Republic of China
	Rec'd 5.I.1909		Rec'd 12.X.1908
	Rec'd from Dr. W. M. Muat Medical Officer of Health at Wei-hai-Wei.		Rec'd from Dr. W. M. Muat Medical Officer of Health at Wei-hai-Wei
			Collection date from vial label
			Cited: Nuttall & Warburton (1915; 492).

525-531. Ticks received January, 1909, from Mr. H. H. King, who collected them in Sudan (1908). He will give particulars later by reference to the letters which he has marked. Determined by C. Warburton.

N	525	N	525
		RML	104998
	<u>Rhipicephalus sanguineus</u> ♂'s ♀'s		4 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
	Sudan		Sudan
	1908		I.1908

ORIGINAL DETERMINATIONCURRENT STATUS

N 526 N 526 MISSING

Amblyomma lepidum ♀ var. with long
scutum

Sudan

1908

N 527 N 527
RML 104999

Amblyomma lepidum 1 ♂

Cattle

Tonga, Upper White Nile

Rec'd I.1909

H. H. King

Tick also said to occur in Uganda

N 528 N 528
RML 109235

Amblyomma tholloni 1 ♀

Elephant

Sudan

1908

H. H. King

1 ♂ Amblyomma variegatum

Cattle

Tonga (09.28 N, 31.03 E), Sudan

Rec'd I.1909

H. H. King

1 ♀ Amblyomma tholloni

Loxodonta africana

Sudan

1908

H. H. King

Cited: Robinson (1926: 252) but
no Nuttall number given.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	529	N	529
		RML	109236
	<u>Amblyomma lepidum</u> 4 ♂ (which we pro tem call <u>hebraeum-</u> <u>variegatum</u>)		4 ♂ <u>Amblyomma lepidum</u>
	Cattle		Cattle
	Tonga, Upper White Nile, Sudan		Tonga (09.28 N, 31.03 E), Sudan
	1909		1909
	H. H. King		H. H. King
	W. Dönitz det 14.III.1912		Cited: Robinson (1926: 96).
N	530	N	530
		RML	109237
	<u>Rhipicephalus sanguineus</u>		3 ♂, 1 ♀ <u>Rhipicephalus simus</u>
	Sudan		Sudan
	1908		1908
	H. H. King		H. H. King
N	531	N	531
		RML	109238
	<u>Aponomma exornatum</u> 1 ♂		1 ♂ <u>Aponomma flavomaculatum</u>
	Sudan		Sudan
	1908		1908
	H. H. King		H. H. King

ORIGINAL DETERMINATIONCURRENT STATUS

N	532 a-c	N	532c
		RML	109239
(a)	<u>Boophilus decoloratus</u> ♀'s	(a)	MISSING
(b)	<u>Boophilus decoloratus</u> ♂'s young ♀'s	(b)	MISSING
(c)	<u>Haemaphysalis leachi</u> ♂'s & ♀'s	(c)	3 ♂, 4 ♀ <u>Haemaphysalis leachi</u>
	Entebbe, Uganda, B.E. Africa		Entebbe (00.04 N, 32.28 E), Uganda
Rec'd	12.I.1909	Rec'd	12.I.1909
Rec'd	from R. P. Riches	Rec'd	from R. P. Riches
	1 ♂, 1 ♀ to Prof. B. Galli-Valerio, Lausanne, Switzerland, 14.III.1912		
	1 ♂, , ♀ to Prof. Dr. M. Miyajima Tokio, Japan 7.III.1912		
	1 ♂, 1 ♀ to Dr. G. L. Tuck, Tientsien, China 17.II.1912		
	1 ♂, 1 ♀ to A. H. Cockayne, Wellington, N.Z. (All ticks sent are from 532c)		
N	533		
	Nuttall inadvertently omitted this catalogue number.		

534-538. Ticks received from Captain R. Ford (The Elms, Wisborough Green, Sussex 10.I.1909). Wants particulars and duplicates, which we do not need, returned. All from British East Africa.

N	534	N	534
		RML	109240
	<u>Rhipicephalus pulchellus</u> 3 ♂, 2 ♀		3 ♂, 2 ♀ <u>Rhipicephalus pulchellus</u>
	Zebra		<u>Equus burchelli</u>
	Athi Plains, 30 miles N of Nairobi (dry season).		Athi Plains (01.25 S, 36.53 E), Kenya
	10.III.1906		10.III.1906
	Capt. R. Ford		Capt. R. Ford
N	535	N	535
		RML	109241
	<u>Rhipicephalus pulchellus</u> 2 N's		2 N <u>Rhipicephalus pulchellus</u>
	Off R. Ford's body or that of a native boy		Off R. Ford's body or that of native boy
	Athi Plains, 30 miles N. of Nairobi (dry season)		Athi Plains (01.25 S, 36.53 E), Kenya
	9.III.1906		10.III.1906
	Capt. R. Ford		Capt. R. Ford
	(Found with one typical gorged ♀ from which N appears inornate; ♀ returned) 9.III.1906 Same source as No. 534.		Vial label date disagrees with catalogue.

ORIGINAL DETERMINATIONCURRENT STATUS

N	536	N	536
		RML	109242
	<u>Rhipicephalus pulchellus</u> 2 N's		2 N <u>Rhipicephalus</u> sp.
	Hartebeest		<u>Alcelaphus buselaphus</u>
	Harley's Land, 30 miles N. of Nairobi		Harley's Land, 30 miles N. of Nairobi, Kenya (locality not verified)
	10.III.1906		10.III.1906
	Capt. R. Ford		Capt. R. Ford
	Label states "identified by L. G. Neumann"		
N	537	N	537 MISSING
	<u>Rhipicephalus evertsi</u> (adults)		
	Hartebeest		
	30 miles N. of Nairobi		
	Capt. R. Ford		
	"Identified by A. S. Hirst, seen by Neumann," 1906. All returned to collector.		
N	538	N	538 MISSING
	<u>Dermacentor rhinocerotis</u> 3 ♂, 1 ♀ (kept 1 large ♂, 1 ♀)		
	Rhinoceros		
	Walo River, British East Africa		
	Capt. R. Ford		

ORIGINAL DETERMINATIONCURRENT STATUS

N 539

N 539 MISSING

Haemaphysalis leachi ♂Erinaceus albiventris

Gebel Auli, White Nile, Egypt

9.V.1900

S. & F. Witherby. Rec'd from
Hon N. C. Rothschild (No. 1036)
1908.Det. by G.H.F.N. 27.I.1909
[1 ♂ mounted in balsam on slide]

540-543. Ticks received from Dr. J. C. Koningsberger 22.I.1909 from Buitenzorg, Java. Collected in Sumatra and Bali.

ORIGINAL DETERMINATION

- N 540a-j
- (a) Amblyomma testudinarium ♂'s ♀
 (b) Rhipicephalus haemaphysaloides
 3 ♂'s, 3 ♀'s
 (c) Haemaphysalis proxima n. sp.
 W & N 1909 1 ♀
- (d) Boophilus australis ♂'s ♀'s & N's
 (e) Amblyomma testudinarium ♂'s ♀'s
 (f) Rhipicephalus haemaphysaloides
 4 ♂'s
 (g) Boophilus australis ♀'s ♀
 (h) Amblyomma testudinarium ♂'s
 (i) Rhipicephalus haemaphysaloides
 ♂'s ♀'s
 (j) Boophilus australis ♂'s ♀
- Bos bubalus
- West Coast of Sumatra
- Dr. J. C. Koningsberger
- 540d 1 ♂, 1 ♀ to Dr. J. H. Ashworth,
 Edinburgh 22.VI.1910
 540h 1 ♂ to Prof. R. Matheson,
 Cornell 27.V.1929

CURRENT STATUS

- N 540a-d, f-j
- RML 109243
- (a) 13 ♂, 2 ♀ Amblyomma testudinarium
 (b) 2 ♂, 3 ♀ Rhipicephalus pilans
 (c) 1 ♀ Haemaphysalis cornigera
 TYPE of H. proxima
 1 N Haemaphysalis cornigera
 tentative ID in a separate vial
 (d) 5 ♂, 34 ♀, 3 N Boophilus microplus
 (e) MISSING
 (f) 4 ♂ Rhipicephalus pilans
- (g) 1 ♂, 17 ♀, 3 N Boophilus microplus
 (h) 6 ♂, 1 N Amblyomma testudinarium
 (i) 11 ♂, 1 ♀ Rhipicephalus pilans
- (j) 8 ♂, 35 ♀, 6 N Boophilus microplus
- Bubalus bubalis
- West Coast of Sumatra
- IX.1908
- Dr. J. C. Koningsberger
- 540c Warburton & Nuttall (1909: 61),
 original description of H. proxima.
 The vulva of this ♀ has been removed
 and is now on a slide.
- Collection date is on vial label
 but not in catalogue.
- 540a & h cited: Robinson (1926: 257).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N.	541	N	541
		RML	109244
	<u>Amblyomma testudinarium</u> 3 ♂, 1 ♀		3 ♂, 1 ♀ <u>Amblyomma testudinarium</u>
	<u>Cervus</u> sp.		<u>Cervus</u> sp.
	Bali		Bali
	IX.1908		IX.1908
	Dr. J. C. Koningsberger		Dr. J. C. Koningsberger
			Cited: Robinson (1926: 257)
N	542	N	542
		RML	109245
	<u>Haemaphysalis permata</u> 1 ♀ (bad specimen)		1 ♀ <u>Haemaphysalis</u> sp.
	<u>Equus cab.</u>		Horse
	Bali		Bali
	1908		1908
	Dr. J. C. Koningsberger		Dr. J. C. Koningsberger
			The vial label locality, German West Africa, is in error.
N	543	N	543
		RML	104246
	<u>Boophilus australis</u> ♀'s		6 ♀ <u>Boophilus microplus</u>
	<u>Bos</u>		<u>Bos</u> sp.
	Bali		Bali
	IX.1908		22. I.1909
	Dr. J. C. Koningsberger		Dr. J. C. Koningsberger
			Vial label date shows date received rather than date collected.

544-596. Ticks received from Hon. N. Charles Rothschild, M.A., 1908.
The numbers in brackets, thus [R253] are in accordance with his list:

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	544	N	544 MISSING
	<u>Amblyomma</u> sp. not <u>varium</u>		
	<u>Bradypus</u> <u>tridactylus</u>		
	Brazil		
	[R253]		
N	545	N	545
		RML	109247
	<u>Amblyomma</u> sp.		1 ♀ <u>Amblyomma</u> <u>geoemydae</u> (tentative ID)
	On ground		On ground
	Paquil, Luzon		Paquil, Luzon, Philippines (locality not verified)
	15.I.1895		15.I.1895
	A. Everett		A. Everett
	[R 258]		
N	546	N	546
		RML	109248
	<u>Amblyomma</u> <u>triguttatum</u>		4 ♀ <u>Amblyomma</u> <u>triguttatum</u>
	Kangaroo		Kangaroo
	Barrow Island, N.W. Australia		Barrow Island (20.48 S, 115.23 E), Australia
	XI.1900		XI.1900
	C. J. T. Tanney		C. J. T. Tanney
	Det. by L. E. Robinson		Cited: Robinson (1926: 57) who indicated that ♂'s were also present in this collection.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	547		N	547
			RML	109249
	<u>Amblyomma australiense</u>	6 ♂, 1 ♀		6 ♂, 1 ♀ <u>Amblyomma australiense</u>
	<u>Echidna aculeata</u>			<u>Tachyglossus aculeatus</u>
	Mt. Anderson, W. Australia			Mt. Anderson (17.58 S, 124.04 E), Australia
	C. J. T. Tanney			C. J. T. Tanney
	[R 274]			Robinson (1926: 135, 136) illustrated ♂ and ♀ from this collection. Taylor (1946: 100) repeated Robinson's descriptions and illustrations.
N	548		N	548 MISSING
	<u>Aponomma gervaisi</u>			
	Boa			
	II.1887			
	Given to D. S. MacLagan			
	14.X.1938 [R 257]			
N	549		N	549
			RML	109250
	<u>Hyalomma syriacum</u>			4 ♂ <u>Hyalomma aegyptium</u>
	Tortoise			Tortoise
	[R 254]			
	1 ♂, 1 ♀ to New York National Museum, New York City			
	18.IV.1913			

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	550		N	550	
			RML	109251	
	<u>Aponomma decorosum</u>			2 ♂ <u>Aponomma decorosum</u>	
	Australian monitor			Australian monitor	
	[R 196]				
N	551		N	551	MISSING
	<u>Amblyomma triguttatum</u>				
	Kangaroo				
	Barrow Island, N. W. Australia				
	20.XI.1900				
	C. J. T. T.				
	[R 181]				
N	552		N	552	
			RML	109252	
	<u>Amblyomma triguttatum</u>			2 ♂, 3 ♀ <u>Amblyomma triguttatum</u>	
	Kangaroo			Kangaroo	
	Barrow Island, N. W. Australia			Barrow Island (20.48 S, 115.23 E),	
				Australia	
	XI.1900			20.XI.1900	
	C. J. T. Tanney				
	[R 179]			Cited: Robinson (1926: 57). Date taken from vial label.	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	553		N	553	
			RML	109253	
	<u>Amblyomma triguttatum</u>			4 ♂, 13 ♀ <u>Amblyomma triguttatum</u>	
	Kangaroo			Kangaroo	
	Barrow Island, N. W. Australia			Barrow Island (20.48 S, 115.23 E), Australia	
	18.XI.1900			18.XI.1900	
	C. J. T. Tanney			C. J. T. Tanney	
	[R 211]			Cited: Robinson (1926: 57).	
N	554		N	554	
			RML	109254	
	<u>Aponomma exornatum</u>			2 ♂ <u>Aponomma varanensis</u>	
	<u>Monitor strix</u>			<u>Monitor strix</u> (name not verified)	
	? Australia			? Australia	
	[R 236]			Collection probably not from Australia. The only collection of <u>A. varanensis</u> from Australia is the type ♂ of <u>A. quadratus</u> (an inornate form of <u>A. varanensis</u>). The single record may have been an accidental importation of tick and host.	
N	555		N	555	
			RML	109255	
	<u>Dermacentor rhinocerotis</u>			7 ♂ <u>Dermacentor rhinocerinus</u>	
	No other data				
	[R 2592]			There is an additional ♂ <u>D. rhinocerinus</u> mounted on a slide.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	556	N	556
		RML	109256
	<u>Aponomma hydrosauri</u>		2 ♂, 1 ♀ <u>Aponomma hydrosauri</u>
	? Adelaide, W. Australia		? Adelaide (34.55 S, 138.35 E), Australia
	[R 287]		
N	557	N	557
		RML	109257
	<u>Amblyomma cajennense</u>		1 ♂, 2 ♀ <u>Amblyomma cajennense</u> 3 ♂ <u>Amblyomma pecarium</u>
	Peccary		<u>Tayassu</u> sp.
	Marpat, Tabasco		San Andres, Estado de Tabasco (18.00 N, 92.40 W), Mexico
			30.V.?
	[R 198]		Robinson (1926; 53) incorrectly gave the Nuttall number 577.
N	558a, b	N	558a, b
		RML	109258
	(a) <u>Hyalomma aegyptium</u> ♂ ♀		(a) 1 ♂, 1 ♀ <u>Hyalomma rufipes</u>
	(b) <u>Amblyomma gemma</u> 2 ♂		(b) 2 ♂ <u>Amblyomma gemma</u>
	Giraffe		<u>Giraffa camelopardalis</u>
	[R 263]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	559	N	559
		RML	109259
	<u>Amblyomma tholloni</u> 1 ♀		1 ♀ <u>Amblyomma tholloni</u>
	Ruwenzori, Africa		Ruwenzori (00.23 N, 29.54 E), a mountain on the Uganda-Zaire border.
	1906		1906
	A. F. R. Wollaston		A. F. R. Wollaston
	[R 285]		Cited: Robinson (1926: 252).
N	560	N	560
		RML	109260
	<u>Amblyomma longirostre</u> 1 ♂		1 ♂ <u>Amblyomma longirostre</u>
	<u>Coendou simonsi</u>		<u>Coendou bicolor simonsi</u>
	Charuplaya, Bolivia		Charapaya (17.22 S, 66.45 W), Bolivia
	22.VI.1901		22.VI.1901
	P. O. Simons		P. O. Simons
	[R 260]		Cited: Robinson (1926: 140).
N	561	N	561
		RML	109261
	<u>Hyalomma syriacum</u>		4 ♂ <u>Hyalomma aegyptium</u>
	Algerian tortoise		Algerian tortoise
	Hon. N. C. Rothschild		Hon. N. C. Rothschild
	No R. number		

ORIGINAL DETERMINATIONCURRENT STATUS

N	562	N	562
		RML	109262
	<u>Amblyomma ovale</u>		2 ♂ <u>Amblyomma ovale</u>
	<u>Speothos venaticus</u>		<u>Speothos venaticus</u>
	Charuplaya, Bolivia		Charapaya (17.22 S, 66.45 W), Bolivia
	27.VI.1901		27.VI.1901
	P. O. Simons		P. O. Simons
	[R 261]		
N	563	N	563
		RML	109263
	<u>Dermacentor rhinocerotis</u> 10 ♂'s		7 ♂ <u>Dermacentor rhinocerinus</u>
	Rhinoceros		Rhinoceros
			Malawi
			1907
	[R 266] 1 ♂ to Dr. J. G. Parham, Portuguese East Africa 18.IV.1913 1 ♂ to N.Y. National Museum, 18.IV.1913		Data on locality and date from Nuttall's notebook on ticks sent to various institutions and individuals.
N	564	N	564
		RML	109264
	<u>Amblyomma sublaeve</u>		6 ♂ <u>Amblyomma compressum</u>
	White-bellied Pangolin		<u>Manis tricuspidis</u>
	[R 218]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
-------------------------------	--	-----------------------

N	565	N	565
		RML	109265
	<u>Amblyomma quasicyprium</u> 1 ♀ TYPE		1 ♀ <u>Amblyomma cyprium</u>
	<u>Ateles melanochir</u>		<u>Ateles g. geoffroyi</u>
	Frontera, Tabasco, Mexico		Frontera (18.32 N, 92.38 W), Tabasco, Mexico
	[R 243]		Robinson (1926: 237, 238) incorrectly gave the Nuttall number 564 for this collection. Taylor (1946: 116) repeated Robinson's error. Cited: Keirans & Brewster (1981: 175). Both the locality and host are incorrect for <u>Amblyomma cyprium</u> although this ♀ appears to be true <u>A. cyprium</u> .
N	566	N	566
		RML	109266
	<u>Amblyomma ovale</u> 1 ♀		1 ♀ <u>Amblyomma ovale</u>
	<u>Speothos venaticus</u>		<u>Speothos venaticus</u>
	Charuplaya, Bolivia		Charapaya (17.22 S, 66.45 W), Bolivia
	[R 270]		Robinson (1926: 29) gave the date as 1900 and indicated the collection contained only males.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	567		N	567	
			RML	109267	
	<u>Amblyomma albolimbatum</u>			2 ♂, 1 ♀ <u>Amblyomma albolimbatum</u>	
	<u>Morelia variegata</u>			<u>Morelia spilotes variegata</u>	
	Perth, W. Australia			Perth (31.56 S, 115.50 E), Australia	
	Woodward			Woodward	
	[R 282]			The specimens have a very slight second spur on coxae II.	
N	568		N	568	
			RML	109268	
	<u>Amblyomma dissimile</u>			7 ♂, 2 ♀, 7 N <u>Amblyomma dissimile</u>	
	Large snake			Large snake	
	Small label seems to read thus - "Frontera Massacula" ? Tabasco			Probably Frontera (18.32 N, 92.38 W), Tabasco, Mexico	
	May 1			1.V.1901	
	[R 231]			Full date on vial label. Robinson (1926: 167) indicated the date as V.1900 and that only one female was present with the males.	
N	569		N	569	
			RML	109269	
	<u>Amblyomma albolimbatum</u>			1 ♀ <u>Amblyomma albolimbatum</u>	
	<u>Diemenia superciliosa</u>			<u>Diemenia textilis</u>	
	Herdman's Lake, W. Australia			Herdman's Lake near Perth (31.56 S, 115.15 E), Australia	
	[R 267]			Robinson (1926: 226) figured this ♀; on p. 227 he incorrectly gave the collection number as N 1569.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 570

N 570

RML 109270

Amblyomma marmoreum2 ♂ Amblyomma marmoreum

Leopard tortoise

Leopard tortoise

Africa

[R 182]

Note to 570 from Mr. Robinson
 17.XI.1922: "They originally
 showed the characteristic
 ornamentation, sufficient of
 which is still visible, especially
 if examined under alcohol, to
 leave no doubt. The coarse
 punctations are larger than
 those seen in specimens off
 Rhinoceros in East Africa, and
 the dark ornamentation is more
 salient, but I do not consider
 these differences to be of
 specific importance. The
 other morphological characters
 are typical."

N 571

N 571 MISSING

AponommaDiemenia superciliosa

Herdman's Lake, Perth, W. Australia

[R 279]

ORIGINAL DETERMINATIONCURRENT STATUS

N 572

N 572

RML 109001

Haemaphysalis hystricis3 ♀ Haemaphysalis hystricisCanis familiarisCanis familiaris

Lhassia, Assam, India

Lhassia, Assam (26.00 N, 92.00 E)
India

1907

1907

R. A. Lorrain

R. A. Lorrain

[R 288]

The specimens sent to L. O. Howard
are now in the RML collection.
Cited: Nuttall & Warburton (1915:
425); Hoogstraal et al.
(1965a: 476) gave combined
collection data for N 572 & 573.

1 ♂, 1 ♀ to L. O. Howard

U.S.D.A. 21.V.1909.
1 ♀ to C. Strickland, Malaya

N 573

N 573

RML 109271

Haemaphysalis hystricis2 ♀ Haemaphysalis hystricisCanis familiarisCanis familiaris

Lhassia, Assam, India

Lhassia, Assam (26.00 N, 92.00 E),
India

1907

1907

R. A. Lorrain

R. A. Lorrain

[R 293]

Hoogstraal et al (1965a) gave
combined collection data for
N 572 & 573.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	574		N	574	
			RML	109272	
	<u>Haemaphysalis bispinosa</u>			10 ♂, 6 ♀, 1 N	<u>Haemaphysalis bispinosa</u>
	No other data			No other data	
	[R 294c]				
N	575		N	575	
			RML	109273	
	<u>Haemaphysalis hystricis</u> ♀			2 ♀	<u>Haemaphysalis hystricis</u>
	No other data			No other data	
	[R 243]			Nuttall 565 & 3330 also bear Rothschild No. R 243	
N	575x		N	575x	
			RML	109274	
	<u>Haemaphysalis leachi</u>			1 ♂	<u>Haemaphysalis indica</u>
	<u>Hyaena crocuta</u>			<u>Hyaena hyaena</u>	
	Darie			Darie (Locality not verified) There is a Darhi in India and several localities spelled Dari in Pakistan where <u>H. indica</u> could be found.	
	(Exp. Erlanger Hilgert)			(Exp. Erlanger Hilgert)	
	[R 163]			The catalogue number is N 575x but the number on the vial label is N 575a. Nuttall 1395 also bears Rothschild No. R 163.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	576	N	576
		RML	109275
	<u>Haemaphysalis hystricis</u>		1 ♀, 1 N <u>Haemaphysalis hystricis</u>
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	Lushai Mountains, Assam, India		Lushai Hills (23.10 N, 92.50 E), Assam, India
	1907		1907
	R. A. Lorrain		R. A. Lorrain
	[R 294a]		Nuttall & Warburton (1915: 425) indicated that this collection was composed of 1 ♂, 3 ♀. Hoogstraal et al. (1965a: 476) saw the ♀ labelled N 576ii. The nymph, in a separate vial bears the label N 576i.
N	577	N	577
		RML	109276
	<u>Haemaphysalis leachi</u>		1 ♂, 1 ♀ <u>Haemaphysalis leachi</u>
	<u>Ictonyx capensis</u>		<u>Ictonyx striatus</u>
	Bulawayo, S. Rhodesia, S. Africa		Bulawayo (20.09 S, 28.35 E), Zimbabwe
	3.IV.1907		3.IV.1907
	E. C. Chubb		E. C. Chubb
	[R 297]		Nuttall 595 also bears Rothschild No. R 294. Cited: Nuttall & Warburton (1915: 471).

ORIGINAL DETERMINATIONCURRENT STATUS

N	578	N	578
		RML	109277
	<u>Haemaphysalis leachi</u> (?) (not long enough)		2 ♂, 1 ♀ <u>Haemaphysalis leachi</u>
	<u>Luricata tetradactyla</u>		<u>Suricata suricata</u> subsp.
	Deelfontein, S. Africa		Deelfontein (20.12 S, 32.28 E), Zimbabwe
	1.IV.1902		1.IV.1902
	C. J. B. Grant		C. J. B. Grant
	[R 154]		Nuttall & Warburton (1915: 472) indicated the host genus as <u>Suricata</u> . However, the collection locality appears to be out of the known range of the mierkat.
N	579	N	579
		RML	109278
	<u>Haemaphysalis campanulata</u>		2 ♂, 1 ♀ <u>Haemaphysalis campanulata</u>
	<u>Canis</u>		<u>Canis familiaris</u>
	Yokohama, Japan		Yokohama (35.26 N, 139.37 E), Japan
	24.IV.1902		24.IV.1902
	Allan Owston		Allan Owston
	[R 212]		Nuttall & Warburton (1915: 492) indicated the collection contained 2 ♂, 2 ♀ from a dog. Nuttall 609 also bears Rothschild No. R 212 but the data do not correspond to N 579.

ORIGINAL DETERMINATIONCURRENT STATUS

N	580	N	580
		RML	109279
	<u>Haemaphysalis punctata</u> ♂ ♀		1 ♂, 1 ♀ <u>Haemaphysalis punctata</u>
	Cambridge		Cambridge (52.13 N, 00.08 E), England
	A. E. Shipley		A. E. Shipley
	[R 160] (Nuttall determined)		
N	581	N	581
		RML	109280
	<u>Haemaphysalis</u> sp. N (bad condition, very queer. C.W.)		1 N <u>Haemaphysalis</u> sp.
	Flying squirrel		Flying squirrel
	Bunguran, India		Possibly Bungura (26.20 N, 84.05 E), India
	[R 183]		
N	582	N	582
		RML	109281
	<u>Haemaphysalis bispinosa</u>		2 ♀ <u>Haemaphysalis bispinosa</u>
	<u>Equus</u>		<u>Equus caballus</u>
	Lushai Mts., Assam, India		Lushai Hills (23.10 N, 92.50 E), Assam, India
	26.VI.1907		26.VI.1907
	R. A. Lorrain		R. A. Lorrain
	[R 284]		Cited: Nuttall & Warburton (1915: 431).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	583	N	583
		RML	109282
	<u>Haemaphysalis bispinosa</u>		1 ♂, 1 ♀ <u>Haemaphysalis bispinosa</u>
	<u>Talpa</u>		<u>Talpa</u> sp.
	Lushai Mts., Assam, India		Lushai Hills (23.10 N, 92.50 E), Assam, India
	1907		1907
	R. A. Lorrain		R. A. Lorrain
	[R 291]		Cited: Nuttall & Warburton (1915: 431).
N	584	N	584
		RML	109283
	<u>Rhipicephalus haemaphysaloides</u>		3 ♂, 1 ♀ <u>Rhipicephalus</u> <u>haemaphysaloides</u>
	No other data		No other data
	[R 294b]		
N	585	N	585
		RML	109284
	<u>Rhipicephalus appendiculatus</u>		2 ♂ <u>Rhipicephalus muehlensi</u>
	No other data		No other data
	[R 242]		

ORIGINAL DETERMINATIONCURRENT STATUS

N	586	N	586
		RML	109285
	<u>Rhipicephalus sanguineus ♂</u>		1 ♂ <u>Haemaphysalis</u> sp.
	Camel		Bear
	Unknown		Surnabad Transcaucasia
			VIII.1909
			Dr. E. Dschunkowsky
	[R 193]		Vial label reads N 586 but this collection has nothing to do with catalogue No. N 586. The Rothschild collection [R 193] is missing.
N	587	N	587 MISSING
	<u>Rhipicephalus sanguineus</u> 2 ♂		
	Zaghig		
	25.II.1908		
	N. C. Rothschild		
	[R 151]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	588	N	588
		RML	109286
	<u>Boophilus sp. incert.</u>		10 ♀ <u>Boophilus microplus</u>
	Entre-Rios, Argentina		Probably Provincia de Entre Rios (32.00 S, 59.00 W) although there are two small populated areas with the name Entre Rios at 23.18 S, 64.11 W and 28.50 S, 64.11 W which could have been the collection locality.
	IV.1897		IV.1897
	Dr. C. Berg		Dr. C. Berg
	[R 255] [C. W. det 1918]		This collection also contained 1 ♂ of the human sucking louse, <u>Pediculus humanus</u> .
N	589	N	589
		RML	109287
	<u>Argas persicus</u>		9 ♂, 6 ♀ <u>Argas persicus</u>
	No other data		No other data
	[R 290]		
N	590	N	590
		RML	109288
	<u>Argas persicus</u>		11 ♂, 4 ♀, 11 N <u>Argas persicus</u>
	No other data		No other data
	[R 292]		
	1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916		

ORIGINAL DETERMINATIONCURRENT STATUS

N	591	N	591
		RML	109289
	<u>Argas vespertilionis</u> larvae		16 L <u>Argas vespertilionis</u>
Bat		Bat	
	[R 214]		
N	592	N	592
		RML	109290
	<u>Argas vespertilionis</u> larvae		3 L <u>Argas vespertilionis</u>
	<u>Scot'us wroughtoni</u>		<u>Scotophilus temmincki wroughtoni</u>
Helwak near Satara, Western Ghâts, India			Helwak (17.22 N, 73.44 E), Maharashtra, India
	[R 195]		
N	593	N	593
		RML	109291
	<u>Argas vespertilionis</u>		3 L <u>Argas vespertilionis</u>
	<u>Vesperugo pipistrellus</u>		<u>Pipistrellus pipistrellus</u>
Puttenham			Puttenham (51.49 N, 00.44 W), Hertfordshire, England
28.VII.1899			28.VII.1899
	[R 224]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	594	N	594
		RML	109292
	<u>Ornithodoros talaje</u>		14 N <u>Ornithodoros capensis</u> group
	Nestlings		Nestlings
	Arrows sand? Puhekiox, Hawaii		Arrows sand? Puhekiox, Hawaii (locality not verified)
	30.VI.1900		30.VI.1900
	H. W. Henshaw		H. W. Henshaw
	[R 240]		
N	595	N	595 MISSING
	<u>Ornithodoros moubata</u>		
	No other data		
	[R 294]		
N	596	N	596 MISSING
	<u>Ornithodoros megnini</u> N's		
	Okanagen, British Columbia		
	12.XII.1902		
	Allan Brooks		
	[R 157]		
	1 ♂ to Col. A. Alcock, FRD, London School Tropical Medicine		
	26.I.1910		

597-613. Ticks received from Hon. N. C. Rothschild, M.A., during 1908.
The numbers in brackets thus [R 153] are in accordance with his list:

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	597	N	597
		RML	109293
	<u>Ixodes hexagonus</u>		8 N, 1 L <u>Ixodes hexagonus</u>
	<u>Erinaceus europaeus</u>		<u>Erinaceus europaeus</u>
	Belgium		Belgium
	E. A. Boulanger		E. A. Boulanger
	[R 153]		Cited: Nuttall & Warburton (1911: 183).
N	598	N	598
		RML	109294
	<u>Ixodes hexagonus</u>		1 ♀, 6 N <u>Ixodes hexagonus</u>
	Otter (<u>Lutra vulgaris</u>)		<u>Lutra lutra</u>
			England
	[R 206]		Nuttall & Warburton (1911: 182) indicated that collection was made in England.
N	599	N	599
		RML	109295
	<u>Ixodes hexagonus</u>		3 ♀, 4 N <u>Ixodes hexagonus</u>
	<u>Erinaceus europaeus</u>		<u>Erinaceus europaeus</u>
	Cambridge		Cambridge (52.13 N, 00.08 E), England
	[R 209]		Cited: Nuttall & Warburton (1911: 182).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	600		N	600	
			RML	109296	
	<u>Ixodes hexagonus</u>			3 ♀, 1 L <u>Ixodes hexagonus</u>	
Polecat				<u>Mustela putorius</u>	
Boxworth				Boxworth (52.16 N, 00.02 W), England	
30.IV.1901				30.IV.1901	
[R 221]				Cited: Nuttall & Warburton (1911: 182).	
N	601		N	601	
			RML	16476	
	<u>Ixodes hexagonus</u>			1 ♀, 41 L <u>Ixodes hexagonus</u>	
Otter (<u>Lutra vulgaris</u>)				<u>Lutra lutra</u>	
				England	
[R 208]				Nuttall & Warburton (1911: 182) indicated that the locality was England. One larva of this collection was donated to the Rocky Mountain Laboratory collection by P. A. Buxton, London School of Hygiene and Tropical Medicine in 1940 (See also N 1159). One addi- tional nymph was presented to Dr. F.C. Bishopp and is now in the RML collection (Bishopp 3232).	
N	602		N	602	
			RML	109297	
	<u>Ixodes hexagonus</u> ♀			1 ♀ <u>Ixodes hexagonus</u>	
	<u>Mustela erminea</u>			<u>Mustela erminea</u>	
Tring, Herts				Tring (51.48 N, 00.40 W), Herts., England	
19.V.1903				19.V.1903	
[R 222]				Cited: Nuttall & Warburton (1911: 182).	

ORIGINAL DETERMINATION

CURRENT STATUS

N	603	N	603
		RML	109298
	<u>Ixodes hexagonus</u>		2 ♀, 1 ♂ <u>Ixodes hexagonus</u>
	<u>Mustela erminea</u>		<u>Mustela erminea</u>
	Wigginton		Wigginton (51.47 N, 00.38 W), Herts., England
	4.V.1903		4.V.1903
	Barrett		Barrett
	[R 179a]		Cited: Nuttall & Warburton (1911: 182).
N	604	N	604
		RML	109299
	<u>Ixodes hexagonus</u>		4 N <u>Ixodes hexagonus</u>
	<u>Mustela vulgaris</u>		<u>Mustela putorius</u>
	Tring, Herts		Tring (51.48 N, 00.40 W), Herts., England
	20.III.1902		20.III.1902
	[R 143]		Cited: Nuttall & Warburton (1911: 182).
N	605	N	605
		RML	109300
	<u>Ixodes hexagonus</u>		3 ♀ <u>Ixodes lividus</u>
	<u>Cotile riparia</u>		<u>Riparia riparia</u>
	Warsborough Bridge, Barnsley		Worsbrough Bridge (53.32 N, 01.28 W), Barnsley, England
	6.VII.1906		6.VII.1906
	A. Whitaker		A. Whitaker
	[R 164]		Cited: Arthur (1963: 92); Thompson (1967: 106).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	606	N	606
		RML	109301
	<u>Ixodes hexagonus</u> ♂'s, ♀'s & L		3 ♀, 6 N, 8 L <u>Ixodes hexagonus</u>
Polecat			<u>Mustela putorius</u>
Aberystwyth, Wales			Aberystwyth (52.25 N, 04.05 W), Wales
26.XI.1902			26.XI.1902
[R 225]			Cited: Nuttall & Warburton (1911: 183).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	607	N	607
		RML	109302
	<u>Ixodes hexagonus</u>	1 N, 7 L	<u>Ixodes hexagonus</u>
	<u>Mustela erminea</u>		<u>Mustela erminea</u>
	Tring, Herts		Tring (51.47N, 00.39 W) Herts, England
	3.IX.1902	3.IX.1902	
	[R201]		Nuttall and Warburton (1911: 182) indicated that the collection contained only nymphs.
N	608	N	608
		RML	109303
	<u>Ixodes hexagonus</u>	4 N	<u>Ixodes hexagonus</u>
	<u>Erinaceus europaeus</u>		<u>Erinaceus europaeus</u>
	Dernberg		Durnberg (48.13 N, 11.55 E), Federal Republic of Germany
	3.IX.1898	3.IX.1898	
	[R215]		Nuttall and Warburton (1911: 183) gave the spelling as Dernburg rather than the catalogue spelling of Dermberg.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	609		N	609
			RML	109304
	<u>Ixodes hexagonus</u> N		1 N	<u>Ixodes hexagonus</u>
	Polecat			<u>Mustela putorius</u>
	Aberystwyth, Wales			Aberystwyth (52.25 N, 04.05 W), Wales
	23.XII.1902			23.XII.1902
	[R212]			Cited: Nuttall and Warburton (1911: 183) indicated that more than one nymph was in this collection.
N	610		N	610
			RML	109305
	<u>Ixodes hexagonus</u> N's, larvae		1 N, 15 L	<u>Ixodes hexagonus</u>
	<u>Mustela erminea</u>			<u>Mustela erminea</u>
	Tring, Herts.			Tring (51.48 N, 00.40 W) Herts., England
	7.V.1902			7.V.1902
	[R219]			Cited: Nuttall and Warburton (1911: 182).
N	611		N	611
			RML	109306
	<u>Ixodes hexagonus</u> N, larva		1 N, 1 L	<u>Ixodes hexagonus</u>
	<u>Mustela erminea</u>			<u>Mustela erminea</u>
	Lyndhurst			Lyndhurst (50.52 N, 01.34 W) Hants., England
	20.III.1901			20.III.1901
	G. Tate			G. Tate
	[R145]			Nuttall and Warburton (1911: 182) indicated that multiple nymphs and larvae were in this collection.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	612	N	612
		RML	109307
	<u>Ixodes hexagonus</u> ♀'s, N's		1 ♀, 7 N <u>Ixodes hexagonus</u>
	<u>Mustela erminea</u>		<u>Mustela erminea</u>
	Inismore		Inismore (54.18 N, 07.34 W), Ireland
	23.III.1902		23.III.1902
	[R180]		Cited: Nuttall and Warburton (1911: 183).
N	613	N	613
		RML	109308
	<u>Ixodes hexagonus</u> ♀'s, N's		5 N <u>Ixodes hexagonus</u>
	Stoat		<u>Mustela erminea</u>
	No other data		No other data
	[R202]		
N	614	N	614 MISSING
	<u>Ornithodoros moubata</u>		
	Nyasaland		
	Received 23.X.1908		
	Sent by Colonel W. B. Leishman		
	Fed 12.XI.1908 on a monkey with many <u>Spirochaeta duttoni</u> in its blood. Kept alive for study; adults, nymphs and eggs [1 ♀ mounted on slide in balsam]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	615	N	615
		RML	109309
	<u>Rhipicephalus simus</u> larvae		9 N, 79 L <u>Rhipicephalus simus</u> 99 L <u>Rhipicephalus simus</u>
	Parent ♀ from Transvaal, S. Africa		Transvaal, S. Africa
	Rec'd from A. Theiler		Rec'd from A. Theiler
	Larvae raised in Cambridge. Larvae hatched 11.VI.1908 lived unfed in bottle 11.XII.1908, all found dead 2.XII.1909 a) ditto (gorged) and some N's fed on rabbit in Cambridge found dead and shrivelled 2.XII.1909. (see "biological notes")		Collection in two vials
N	616	N	616 MISSING
	<u>Haemaphysalis leachi</u> unfed N's		
	Larvae from Cape Colony, S. Africa		
	Sent by Mr. C. P. Lounsbury		
	Unfed N's raised in Cambridge from larvae (supposedly infected strain). Found dead and shrivelled; bottled 2.II.1909.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	617	N	617
		RML	109310
<i>Ceratixodes putus</i> 1 ♂ (gorged) dilapidated			1 ♀ <i>Ixodes uriae</i>
Wild duck			Wild duck
No other data			No other data
[R177]			Cited: Nuttall and Warburton (1911: 261).
N	618	N	618
		RML	109311
<i>Ceratixodes putus</i> 1 ♂, 1 ♀, 2 N's			1 ♂, 1 ♀, 2 N <i>Ixodes uriae</i>
British			British
E. G. Wheler			E. G. Wheler
[R220]			
N	619	N	619
		RML	109312
<i>Ixodes tenuirostris</i> 1 ♂, 2 ♀			2 ♂, 2 ♀ <i>Ixodes trianguliceps</i>
<i>Hypudaeus glareolus</i>			<i>Clethrionomys glareolus</i>
Campfer			Campfer (46.28 N, 09.48 E), Switzerland
			7.VII.1904
K. Jordan			K. Jordan
[R147]			Date taken from vial label. Cited: Nuttall and Warburton (1911: 248).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	620		N	620 MISSING
		<u>Ixodes tenuirostris</u> 1 ♀		
		<u>Mus minutus</u> (Harvest mouse)		
		[R942] mounted on a slide		
N	621		N	621
			RML	109313
		<u>Ixodes tenuirostris</u> N's		1 N <u>Ixodes trianguliceps</u>
		<u>Sorex vulgaris</u>		<u>Sorex araneus</u>
		Bevendean, Sussex		Bevendean (50.51 N, 00.05 E), Sussex, England
		VI.1899		VI.1899
		[R204]		Nuttall and Warburton (1911: 248) indicated that more than one nymph was in the collection. Cited: Thompson (1968: 146).
				The capitulum is missing on the nymph.
N	622		N	622
			RML	109314
		<u>Ixodes tenuirostris</u> ♀		1 ♀ <u>Ixodes trianguliceps</u>
		<u>Arvicola amphibius</u>		<u>Arvicola terrestris</u>
		Reservoir ...		Reservoir ... England
		6.IV.1892		6.IV.1892
		[R166]		Nuttall & Warburton (1911: 248) indicated that the collection was from England. Cited: Thompson (1968: 146).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	623	N	623
		RML	109315
	<u>Ixodes tenuirostris</u> 2 ♀'s		2 ♀ <u>Ixodes trianguliceps</u>
	<u>Arvicola agrestis</u>		<u>Microtus agrestis</u>
	Tring, Herts.		Tring (51.48 N, 00.40 W), Herts., England
	[R197]		Cited: Nuttall and Warburton (1911: 248); Thompson (1968: 146).
N	624	N	624
		RML	109316
	<u>Ixodes tenuirostris</u> 1 ♀		1 ♀ <u>Ixodes trianguliceps</u>
	<u>Arvicola arvalis</u>		<u>Microtus arvalis</u>
	Campfer		Campfer (46.28 N, 09.48 E), Switzerland
	20.VII.1904		20.VII.1904
	K. Jordan		K. Jordan
	[R149]		Cited: Nuttall and Warburton (1911: 248).
N	625	N	625
		RML	109317
	<u>Ixodes tenuirostris</u> 3 ♀'s		3 ♀ <u>Ixodes trianguliceps</u>
	<u>Arvicola arvalis</u>		<u>Microtus arvalis</u>
	Campfer		Campfer (46.28 N, 09.48 E), Switzerland
	5.VII.1904		5.VII.1904
	K. Jordan		K. Jordan
	[R148]		Cited: Nuttall and Warburton (1911: 248).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	626	N 626
		RML 109318
	<u>Ixodes scapularis</u> ♂'s, ♀'s	4 ♂, 4 ♀ <u>Ixodes scapularis</u>
	<u>Cariacus virginianus</u>	<u>Odocoileus virginianus</u>
	Craven Co., N. Carolina, U.S. America	Craven Co. (35.07 N, 77.03 W), North Carolina, USA
	13.XI.1907	13.XI.1897
	[R226] [det. C. Warburton 1909. Found with N666].	Nuttall and Warburton (1911: 158) gave the date of collection as XI.1897. The date on the vial label is 13.XI.1897.
N	627	N 627
		RML 109319
	<u>Ixodes tenuirostris</u> 1 ♀	1 ♀ <u>Ixodes trianguliceps</u>
	British	British
	From Mr. E. G. Wheler	From Mr. E. G. Wheler

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	628	N	628 MISSING
	<u>Ixodes ricinus</u> ♀ and N		
	No other data		
	[R165]		
N	629	N	629 MISSING
	<u>Ixodes ricinus</u> 4 ♀'s		
	Stag		
	No other data		
	[R233]		
N	630	N	630 MISSING
	<u>Ixodes ricinus</u> 3 N's		
	<u>Sciurus vulgaris</u>		
	Timmer, Ireland		
	17.IV.1901		
	[R217]		
N	631	N	631 MISSING
	<u>Ixodes ricinus</u> 4 ♀'s		
	<u>Erinaceus europaeus</u>		
	Belgium		
	E. A. Boulanger		
	[R223]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	632	N	632 MISSING
	<u>Ixodes ricinus</u> 2 ♀'s		
	Fox		
	No other data		
	[R173]		
N	633	N	633
		RML	109320
	<u>Amblyomma</u> sp. N's	8 N	<u>Amblyomma</u> sp.
	<u>Macropus</u>		<u>Macropus</u> sp.
	No other data		W. Australia
			28.VII.1900
	[R169]		Nuttall 644 also bears Rothschild no. R169 and gives the locality and date for this collection.
Note on distribution of certain species of ticks in Africa from information given by Mr. Harold H. King who brought in the specimens to examine. He stated that:			
<u>Rhipicephalus evertsi</u> occurs on elephant at Taufikia (Upper White Nile Province and at Tonga (U.W. Nile).			
<u>Haemaphysalis leachi</u> occurs on hedgehogs and dogs at Taufikia. (v. supra) Roseires (Blue Nile Province) and at Khartoum.			
<u>Aponomma laeve</u> occurs on lizards at Taufikia (v. supra)			
Prob? <u>Amblyomma variegatum</u> N's on lizard, Taufikia.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	634	N	634
		RML	109321
<u>Ixodes percavatus</u>		2 ♀, 2 N <u>Ixodes rothschildi</u> Lectotype and paralectotypes of <u>I. percavatus rothschildi</u>	
Puffin Wrongly labelled. <u>Ix putus</u> "(Pocock)" on back of label; no particulars. (Sent to Neumann who confirmed the identification II.1909).		<u>Fratercula arctica</u>	
[R159]		Nuttall & Warburton (1911: 221), original description of <u>Ixodes</u> <u>percavatus rothschildi</u> . Zumpt (1952: 17) gave specific rank to <u>Ixodes rothschildi</u> . Arthur (1953: 222-226) independently gave specific rank to <u>I. rothschildi</u> . Arthur (1963: 134) referred to 2 ♀, 3 N in the type lot. There are now (IX.1977) only 2 ♀, 2 N present. Lectotype designated: Keirans & Brewster (1981: 167, 168).	
N	635	N	635
		RML	88419 (LECTOTYPE) 88420 (PARALECTOTYPES)
<u>Haemaphysalis doenitzi</u> ♂'s, ♀'s, N's TYPES		1 ♀ <u>Haemaphysalis doenitzi</u> Lectotype 2 ♀ <u>Haemaphysalis doenitzi</u> Paralecto- types	
Water hen		Water hen	
St. Johns Island, Singapore		Sakijang Bendera, Pulau (01.13 N, 103.51 E), Singapore	
Rec'd 8.II.1909		Rec'd 8.II.1909	
Rec'd from Dr. A. R. Wellington		Rec'd from Dr. A. R. Wellington	
		Vulva of one ♀ is on a slide. War- burton & Nuttall (1909: 64) original description, stated 4 ♂, 3 ♀ in the type series. This total again stated by Nuttall & Warburton (1915: 483); Hoogstraal & Wassef (1973: 1102) selected the lectotype.	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	636		N	636	
			RML	109322	
	<u>Aponomma exornatum</u>			6 ♂, 5 ♀ <u>Aponomma exornatum</u>	
	Water lizard			Water lizard	
	Entebbe, Uganda, B. E. Africa			Entebbe (00.04 N, 32.28 E), Uganda	
	Received 8.II.1909			Received 8.II.1909	
	Dr. H. Bayon			Dr. H. Bayon	
N	637		N	637	
			RML	109323	
	<u>Ixodes bicornis</u>			11 ♀ <u>Ixodes boliviensis</u>	
	<u>Felis concolor</u>			<u>Felis concolor</u>	
	[America]			[America]	
	[R213]			Nuttall and Warburton (1911: 187) indicated only one ♀ in the collection.	
N	638		N	638	
			RML	109324	
	<u>Ixodes loricatus</u> ♂ and ♀			1 ♂, 1 ♀ <u>Ixodes loricatus</u>	
	<u>Didelphia</u>			<u>Didelphis</u> sp.	
	Sapucay			Probably Sapucay (25.19 S, 56.55 W), Paraguay [see also Nuttall 1391].	
	Foster			Foster	
	[R276]			Cited: Nuttall and Warburton (1911: 269); Cooley and Kohls (1945: 190).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	639	N	639
		RML	109326
	<u>Ixodes loricatus</u>		1 ♂ <u>Ixodes loricatus</u>
	"Piquoti"		"Piquoti"
	No other data		No other data
	[R256]		[R256]
N	640	N	640
		RML	109327
	<u>Ixodes loricatus</u>		2 ♂, 2 ♀ <u>Ixodes loricatus</u>
	<u>Ateles melanochir</u>		<u>Ateles g. geoffroyi</u>
	Frontera, Tabasco, Mexico		Frontera (18.32 N, 92.38 W), Tabasco, Mexico
	[R241]		
	Compared with Neumann's types at Toulouse, 1910; agrees fully but Nu's type larger.		Cited: Nuttall and Warburton (1911: 269); Cooley and Kohls (1945: 190).
N	641	N	641
		RML	109328
	<u>Ixodes loricatus</u>		2 ♂, 1 L <u>Ixodes loricatus</u>
	<u>Didelphis aurita</u>		<u>Didelphis marsupialis</u>
	Brazil		Brazil
	24.XI.1901		24.XI.1901
	[R161]		Cited: Nuttall and Warburton (1911: 269); Cooley and Kohls (1945: 190).

ORIGINAL DETERMINATIONCURRENT STATUS

N	642	N	642
		RML	109329
	<u>Ixodes vestitus</u> 1 ♀, 1 N, 6 L		1 ♀, 5 N <u>Ixodes vestitus</u>
	<u>Diemenia superciliosa</u>		<u>Dimenia textilis</u>
	Herdman's Lake, near Perth, W. Australia		Herdman's Lake near Perth (31.56 S, 115.15 E), Australia
	B. H. Woodward		B. H. Woodward
	[R165]		Nuttall 628 also bears Rothschild no. R165; Nuttall & Warburton (1911: 255) indicated larvae as did the catalogue entry; Taylor (1946: 59, 60) repeated Nuttall & Warburton's description and figures. See also Roberts (1960: 451, 452).
N	643	N	643
		RML	109330
	<u>Ixodes holocyclus</u> 2 N's		2 N <u>Ixodes holocyclus</u>
	Perth, W. Australia		Perth (31.56 S, 115.15 E), Australia
	Woodward		B. H. Woodward
	[R265]		Cited: Nuttall & Warburton (1911 : 238).

<u>ORIGINAL DESCRIPTION</u>		<u>CURRENT STATUS</u>
N	644	N 644 MISSING
	<u>Ixodes holocyclus</u> 2 ♀	
	<u>Macropus</u> sp.	
	W. Australia	
	28.VII.1900	
	[R169]	
N	645	N 645
		RML 22284
	<u>Ixodes australiensis</u> 3 ♀	3 ♀ <u>Ixodes australiensis</u>
	Tame dog	<u>Canis familiaris</u>
	Cranbrook, West Australia	Cranbrook (34.18 S, 117.32 E), Australia
	1.IV.1900	1.IV.1900
	J. T. Young	J. T. Young
	[R275]	Cited Nuttall and Warburton (1911: 252); Taylor (1946: 57, 58) repeated Nuttall and Warburton's descriptions and figures. This collection was seen by Dr. R. A. Cooley in 1946.

ORIGINAL DETERMINATIONCURRENT STATUS

N	646	N	646
		RML	109331
	<u>Ixodes australiensis</u>		8 ♀ <u>Ixodes australiensis</u>
	<u>Bettongia lescuri</u>		<u>Bettongia lesueuri</u>
	Kogonup (?), W. Australia		Kojonup (33.50 S, 117.09 E), Australia
	4.XI.1900		4.XI.1900
	[R210]		Cited: Nuttall and Warburton (1911: 252); Taylor (1946: 57, 58) repeated Nuttall and Warburton's description and figures. Roberts (1960: 440); Roberts (1970: 40) gave the correct spelling of the collecting locality.
N	647	N	647
		RML	109332
	<u>Ixodes loricatus</u> var <u>spinosus</u> n. var, Nuttall, 1910 3 ♀		2 ♀ <u>Ixodes luciae</u> Lectotype and paralectotype of <u>Ixodes loricatus spinosus</u>
	Large opossum		<u>Didelphis</u> sp.
	Frontera, Tabasco, Mexico		Frontera (18.32 N, 92.38 W), Tabasco, Mexico
	May		May
	[R248] Found with 648 (Note long spine on coxa I)		Nuttall (1910: 411), original description; Nuttall and Warb- urton (1911: 269) repeated origin- al description and figures. Lectotype designated: Keirans and Brewster (1981: 167).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	648	N 648
		RML 109333
	<u>Amblyomma ?cajennense</u> N's and larvae	16 N <u>Amblyomma cajennense</u>
	Large opossum	<u>Didelphis</u> sp.
	Frontera, Tabasco, Mexico	Frontera (18.32 N, 92.38 W), Tabasco, Mexico
	May	V.1901
	[R248] Found with Nuttall 647	Cited: Robinson (1926: 53). Date on vial label is May, 1901
N	649	N 649
		RML 109334
	<u>Ixodes vespertilionis</u> N	1 N <u>Ixodes vespertilionis</u>
	<u>Vespertilio tricolor</u>	<u>Myotis tricolor</u>
	Kei Road, Kingwilliamstown, S. Australia (The S. Australia crossed out and S. Africa inserted)	Kei Road, King William's Town (32.51 S, 27.22 E) South Africa
	Purchased of Capt. H. Trevelyan	Purchased of Capt. H. Trevelyan
	[R185]	Cited: Nuttall and Warburton (1911: 277; Taylor (1946: 41) considered <u>I. vespertilionis</u> , "very doubtfully Australian" and "original specimen is unfortunately lost". Hoogstraal (1956a: 569, 570) considered this collection to be of South African origin.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	650	N 650
		RML 109335
	<u>Ixodes fecialis</u> n. sp. W & N, 1909 1 ♂ TYPE	1 ♀ <u>Ixodes fecialis</u> Holotype
	<u>Dasyurus geoffroyi</u>	<u>Dasyurus geoffroyi</u>
	Cranbrook, West Australia	Cranbrook (34.18 S, 117.32 E), Australia
	5.III.1900	5.III.1900
	[R203]	Warburton and Nuttall (1909: 58), original description. Nuttall and Warburton (1911: 248) repeated the original description and figures as did Taylor (1946: 56); Roberts (1960: 445) incorrectly gave the collection date as March 1910.
N	651	N 651 MISSING
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s	
	Sent from Cape Colony, S. Africa	
	Lot a) sent 9.XII.1908	
	Lot b) sent 20.I.1909	
	Sent by Mr. C. P. Lounsbury for our experiments	
	(infected adults; East Coast Fever) [5 slides ♂'s dissected, in balsam]	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	652	N	652
		RML	109336
	<u>Ixodes unicavatus</u> 2 ♀		1 ♀, 1 N <u>Ixodes unicavatus</u>
	Shag		<u>Phalacrocorax aristotelis</u>
	Plymouth, England		Plymouth (50.23 N, 04.10 W), England
	IX.1897		IX.1897
	[R168]		Nuttall and Warburton (1911: 266) indicated that the collection consisted of only one nymph. Arthur (1963: 126) repeated this error.
N	653	N	653
		RML	109337
	<u>Amblyomma diminutivum</u> ?1 ♀ (died, now in spirit) [L.E.R. det. X.1914]		1 ♀ <u>Amblyomma dissimile</u>
	<u>Boa constrictor</u>		<u>Boa constrictor</u>
	Probably Brazil		Probably Brazil
	Bought on 11.II.1909		Bought on 11.II.1909
	A pet snake belonging to Mr. W. A. Harding, of Histon, Cambs., who bought it on 11.II.1909. The snake is probably from Brazil. It has been at least one year in England & since it was received from the dealer, Mr. Harding has kept it in a box in which other snakes had previously been kept, or in which other snakes were kept in companion- ship with the boa. These other snakes were from N. America, Africa & Australia. The tick was only noticed in January, & Harding thinks it could not have been there before because the snake is often handled, & it would have been seen.		Robinson (1926: 191) figured this specimen.

ORIGINAL DETERMINATIONCURRENT STATUS

N 654 N 654 MISSING

Rhipicephalus sanguineus

Dog

Accra, W. Africa

VI.1908

Dr. W. M. Graham

Curious malformation: 2 anuses,
3 spiracles, etc. (See
"Parasitology" 1909, II, p. 75)
illustrated.

The reference is to Warburton
& Nuttall (1909: 75).

N 655 N 655

RML 109338

Hyalomma aegyptium ♂'s, ♀'s, N's

Camels

Biskra, S. Algeria

Sent 12.II.1909

Sent by Mr. Ernest Hartert from
Zoological Museum Tring, Herts.

1 ♂, 1 ♀ to Royal College of
Surgeons, London 20.XII.1909

20 ♂, 5 ♀ Hyalomma anatolicum
excavatum

Camelus dromedarius

Biskra (34.51 N, 05.44 E),
Algeria

Sent 12.II.1909

Sent by Mr. Ernst Hartert from
Zoological Museum, Tring, Herts.

ORIGINAL DETERMINATIONCURRENT STATUS

N 656 N 656 MISSING

Ixodes ricinus 2 larvae

Mustela erminea

Lyndhurst

25.VII.1900

G. Tate

[R205]

N 657 N 657

RML 109339

Ornithodoros savignyi

"Camel ticks"

Aden, India

Received 15.II.1909

Dr. Alex MacRae

Presented by Dr. J. H. Ashworth
of Zoological Dept., The
University, Edinburgh

Specimens sent to Col. A. Alcock FRS
London School Tropical Medicine,
Albert Dock 26.I.1910 and to W. F.
Cooper 22.I.1910.

4 ♂, 12 ♀, 40 N Ornithodoros savignyi

Camelus dromedarius

Peoples Democratic Republic of Yemen

Received 15.II.1909

Dr. Alex MacRae

In Nuttall's notebook on ticks sent
to various individuals and institutions
the date is given as "sent 15.IX.1909"

ORIGINAL DETERMINATIONCURRENT STATUS

N 658 N 658 MISSING

Argas persicus

Ivory Coast, Africa

Sent XII.1908 alive

Dr. Bouet

Sent by Dr. Marchoux (Paris)

N 659 N 659 MISSING

Argas persicus

Tunis, Africa

Sent XII.1908, alive

Dr. Nicolle

Sent by Dr. Marchoux (Paris)

660-665. Ticks collected by Dr. J. M. Dalziel at Katagum, N. Nigeria 1907.

N 660 N 660

RML 109340

Rhipicephalus sanguineus

2 ♂, 2 ♀ *Rhipicephalus sanguineus*

Dogs, hares, etc.

Dogs, hares, etc.

Katagum, N. Nigeria

Katagum (12.50 N, 10.51 E),
Nigeria

9.IX.1907

9.IX.1907

Dr. J. M. Dalziel

Dr. J. M. Dalziel

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	661	N 661
		RML 109341
	<u>Aponomma exornatum</u> 2♂, 2♀	2♂, 1♀ <u>Aponomma flavomaculatum</u>
	<u>Varanus exanthematicus</u>	<u>Varanus exanthematicus</u>
	Katagum, N. Nigeria	Katagum (12.50 N, 10.51 E), Nigeria
	23.VIII.1907	23.VIII.1907
	Dr. J. M. Dalziel	Dr. J. M. Dalziel
N	662	N 662
		RML 109342
	<u>Rhipicephalus sanguineus</u> N's	5 N, 2 L <u>Rhipicephalus sanguineus</u>
	Dogs	Dogs
	Katagum, N. Nigeria	Katagum (12.50 N, 10.51 E), Nigeria
	20.VIII.1907	20.VIII.1907
	Dr. J. M. Dalziel	Dr. J. M. Dalziel

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	663		N	663	
			RML	109343	
	<u>Rhipicephalus simus</u> ♂			♂ <u>Rhipicephalus muhsamae</u>	
Dog			Dog		
Katagum, N. Nigeria			Katagum (12.50 N, 10.51 E), Nigeria		
30.VI.1907			30.VI.1907		
Dr. J. M. Dalziel			Dr. J. M. Dalziel		
N	664		N	664	
			RML	109344	
	<u>Amblyomma variegatum</u> 3♂, 1 ♀			3♂, 1 ♀ <u>Amblyomma variegatum</u>	
Cattle			Cattle		
Katagum, N. Nigeria			Katagum (12.50 N, 10.51 E), Nigeria		
8.VI.1907			8.VI.1907		
Dr. J. M. Dalziel			Dr. J. M. Dalziel		
N	665		N	665	
			RML	109345	
	<u>Hyalomma aegyptium</u> 2♀			2♀ <u>Hyalomma truncatum</u>	
Cattle - goats - sheep			Cattle - goats - sheep		
Katagum, N. Nigeria			Katagum (12.50 N, 10.51 E), Nigeria		
6.VI.1907			6.VI.1907		
Dr. J. M. Dalziel			Dr. J. M. Dalziel		

Note: Nos. 660-665 all collected by Dr. J. M. Dalziel were sent for determination, with other specimens, by J. H. Ashworth, Zoological Dept., The University, Edinburgh, 17.II.1909.

Note on distribution of ticks (none kept, returned to Dr. Ashworth)
Hyalomma aegyptium 1 ♂, 4 ♀'s off camel, Sheikh Othman, Aden, collected
 1906, by Dr. Alex MacRae.

ORIGINAL DETERMINATION

CURRENT STATUS

N	666	N	666
		RML	109346
	<u>Dermacentor nigrolineatus</u> ♀		1 ♀ <u>Dermacentor albipictus</u>
	<u>Cariacus virginianus</u>		<u>Odocoileus virginianus</u>
	Found with N 626 q.v. for details		Craven Co. (35.07 N, 77.03 W), North Carolina, U.S.A.
	13.X.1897		13.X.1897
	[R226] C.W. det. 1917		
N	667	N	667
		RML	109347
	<u>Ixodes unicavatus</u> ♀'s, N's		3 ♀, 10 N, 3 L <u>Ixodes unicavatus</u>
	<u>Phalacrocorax graculus</u>		<u>Phalacrocorax aristotelis</u>
	Cromarty		Cromarty (57.40 N, 04.02 W), Scotland
	10.III.1898		10.III.1898
	W. Roy		W. Roy
			Cited: Nuttall & Warburton (1911: 266); Arthur (1963: 126); Thompson (1957: 215).
			Note in vial "3 ♀ removed".
			The 3 larvae are mounted on slides.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	668	N	668
		RML	109348
	<u>Ixodes hexagonus</u> ♀'s, N's		2 ♀, 9 N <u>Ixodes hexagonus</u>
	<u>Mustela vulgaris</u>		<u>Mustela nivalis</u>
	Tring, Herts.		Tring (51.47 N, 00.39 W), Herts., England
	Received 10.III.1909		Received 10.III.1909
	F. J. Cox		F. J. Cox
			Cited: Nuttall & Warburton (1911: 182).
N	669	N	669
		RML	109349
	<u>Haemaphysalis humerosa</u> (n. sp. Warb. & Nutt., 1909)		2 ♂, 1 ♀, 1 N <u>Haemaphysalis humerosa</u> Lectotype and paratypes
	<u>Permeles macrura</u>		<u>Isoodon macrourus</u>
	Barrow Island, N.W. Australia		Barrow Island (20.48 S, 115.23 E). Australia
	[R178] 1 ♂ to Dr. L.O. Howard U.S.D.A. Washington D.C. 21.V.1909		Warburton and Nuttall (1909: 60), original description. Nuttall and Warburton (1915: 496) and Taylor (1946: 82) repeated original description and figures. Roberts (1963: 39) discussed the type series and the note by Nuttall that one specimen was missing 20.X.1934. Vulva of ♀ is mounted on a slide. Lectotype designated: Keirans & Brewster (1981: 161).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	670	N	670
		RML	71004
	<u>Haemaphysalis elongata</u>	1♂	<u>Haemaphysalis elongata</u>
		4♂	, 2♀ <u>Haemaphysalis tiptoni</u>
	<u>Centetes ecaudatus</u>		<u>Tenerec ecaudatus</u>
	Madagascar		Democratic Republic of Madagascar
	[R172]		Cited: Nuttall and Warburton (1915: 500); Hoogstraal (1953: 59) for <u>H. elongata</u> and p. 64 discussed the two species present in Nuttall and Warburton's (1915) figures and descriptions; Hoogstraal et al. (1974:481)
			Vulva of both ♀ <u>H. tiptoni</u> are mounted on slides.
671-677. Ticks received from Dr. H. Hearsey, Principal Medical Officer, Nyasaland, Africa 28.III.1909.			
N	671	N	671
		RML	109350
	<u>Rhipicephalus appendiculatus</u>	1♂	, 1♀ <u>Rhipicephalus appendiculatus</u>
	Nyala antelope		<u>Tragelaphus angasi</u>
	Chiromo, Ruo District, Africa		Chiromo (16.33 S, 35.08 E), Ruo District, Malawi
	20.II.1909		20.II.1909
	Received from Dr. H. Hearsey		Received from Dr. H. Hearsey

ORIGINAL DETERMINATIONCURRENT STATUS

N	672 a, b	N	672b
		RML	109351
(a)	<u>Amblyomma variegatum</u>	(a)	MISSING
(b)	<u>Boophilus decoloratus</u>	(b)	1 ♂, 7 ♀ <u>Boophilus microplus</u>
Cattle		Cattle	
Zomba, Nyasaland, Africa		Zomba (15.23 S, 35.20 E), Malawi	
1908		1908	
Received from Dr. H. Hearsey		Received from Dr. H. Hearsey	
N	673a	N	673a MISSING
	<u>Amblyomma variegatum</u> 2 ♀		
Sable antelope			
Zomba, Nyasaland, Africa			
1908			
Received from Dr. H. Hearsey			
N	674	N	674 MISSING
	<u>Ixodes hexagonus</u> 3 ♀'s		
	<u>Myopotamus coypu</u>		
? locality, host a rodent from S. America			
Presented by Hon. N. C. Rothschild (R922-924)			
(see record of 2 other ♀'s in Ticks Part II, p. 183) G.H.F.N. det. II.1915			

ORIGINAL DETERMINATION		CURRENT STATUS	
N	675 a, b	N	675a, b MISSING
(a) <u>Rhipicephalus appendiculatus</u> (b) <u>Melophagi</u>			
Bush buck			
Near Runyinya River, Nyasaland, Africa			
1.XI.1908			
Received from D. H. Hearsey			
N	676	N	676
		RML	109352
<u>Boophilus decoloratus</u>		11♀ <u>Boophilus decoloratus</u> 1 vial of eggs in separate jar	
Cattle		Cattle	
Chintechi, West Nyasa District, Nyasaland, Africa		Chintechi (11.50 S, 34.10 E), Malawi	
X.1908		X.1908	
N	677a, b	N	677a
		RML	109353
(a) <u>Boophilus decoloratus</u> (b) <u>Rhipicephalus appendiculatus</u>		(a) 5 ♀ <u>Boophilus decoloratus</u> (b) MISSING	
Zebra		<u>Equus burchelli</u>	
Near Dwangwa River, Marimba District, Nyasaland, Africa		Near Dwangwa River (12.31 S, 34.12 E), Malawi	
1908		1908	
Received from Dr. H. Hearsey		Received from Dr. H. Hearsey	

ORIGINAL DETERMINATIONCURRENT STATUS

N	678	N	678
		RML	109354
	<u>Ixodes angustus</u> 1♀ (fide Banks)		1♀ <u>Ixodes angustus</u>
	<u>Tamus townsendi</u>		<u>Eutamias townsendi</u>
	Chilliwack, B.C.		Chilliwack (49.10 N, 121.57 W), British Columbia, Canada
	22.IV.1900		24.IV.1900
	Allan Brooks		Allan Brooks
			Cited: Nuttall and Warburton (1911 : 198).
N	679	N	679
		RML	109355
	<u>Haemaphysalis hystricis</u>		2 ♂ <u>Haemaphysalis semermis</u>
	Federated Malay States		Malaysia
	Received 29.III.1909		Received 29.III.1909
	H. C. Pratt		H. C. Pratt
	2 ♂ to C. Strickland, Malaya		Hoogstraal et al. (1965b) gave the collection date as 29.III.1903.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
680-682. Ticks received from Dr. H. Bayon, Medical Superintendent, Bussu, Uganda, Africa; posted 6.III.1909.		
N 680a-d	N 680a, b	
	RML 109356	
(a) <u>Boophilus</u> sp. N's	(a) 18 N <u>Boophilus</u> sp.	
(b) <u>Amblyomma variegatum</u>	(b) 14♂, 11♀ <u>Rhipicephalus pravus</u>	
(c) <u>Rhipicephalus appendiculatus</u> ♂, ♀, N	(c) MISSING	
(d) <u>Amblyomma variegatum</u> N's	(d) MISSING	
Cattle	Cattle	
Bussu	Probably Bussi Island (00.02 N, 32.20 E) Uganda	
1909	1909	
Received from Dr. H. Bayon	Received from Dr. H. Bayon	
N 681, a	N 681	
	RML 109357	
<u>Amblyomma nuttalli</u> ♂'s, 1♀. (a) <u>Aponomma laeve</u>	7♂, 1♀ <u>Amblyomma nuttalli</u> (a) 1♂ <u>Aponomma latum</u>	
Tortoise	Tortoise	
Bussu, Uganda Protectorate	Probably Bussi Island (00.02 N, 32.20 E), Uganda	
Sent 6.III.1909	Sent 6.III.1909	
Sent by Dr. H. Bayon	Sent by Dr. H. Bayon	
	Robinson (1926: 91, 93) figured a ♂ and ♀ from this collection. Cited: Theiler and Salisbury (1959: 115).	

ORIGINAL DETERMINATIONCURRENT STATUS

N 682 N 682 MISSING

Haemaphysalis leachi ♂'s, ♀'s

Dog

Bussu - Busoga, Uganda Protectorate

Sent 6.III.1909

Sent by Dr. H. Bayon

Collection of the London School of Tropical Medicine (683-693)

N 683 N 683 MISSING

Haemaphysalis bispinosa

Dog

Calcutta, India

C.R.M. Green

N 684 N 684 MISSING

Haemaphysalis spiniceps n. sp.

Malay Peninsula

H. C. Pratt

N 685 N 685 MISSING

Haemaphysalis hystricis n. sp.

Malay Peninsula

H. C. Pratt

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	686	N	686 MISSING
	<u>Haemaphysalis koningsbergeri</u>		
	<u>Paradoxurus</u>		
	Malay States		
	A. T. Stanton		
	Also contained two specimens (4a)		
	H. <u>dentipalpis</u> n. sp. and one (4b)		
	H. <u>vidua</u> n. sp.		
N	687	N	687 MISSING
	<u>Haemaphysalis hystricis</u> ♀		
	Wild boar		
	Malay States		
	A. T. Stanton		
N	688	N	688 MISSING
	<u>Haemaphysalis koningsbergeri</u>		
	<u>Viverra</u> sp.		
	Malay States		
	A. T. Stanton		
N	689	N	689 MISSING
	<u>Haemaphysalis papuana</u>		
	Sarawak, Borneo		
	A. R. Wellington		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	690	N 690 MISSING
	<u>Haemaphysalis leachi</u>	
	Uganda, Africa	
	H. Bayon	
N	691	N 691 MISSING
	<u>Haemaphysalis leachi</u>	
	Dog	
	Uganda, Africa	
	H. Bayon	
N	692	N 692 MISSING
	<u>Haemaphysalis leachi</u>	
	Ferret	
	Uganda, Africa	
	H. Bayon	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	693, a		N	693a	
			RML	22234	
	(693) <u>Haemaphysalis koningsbergeri</u> (a) <u>Haemaphysalis dentipalpis</u> n. sp. (which we have kept)			(693) MISSING (a) 2 ♂ <u>Haemaphysalis asiaticus</u> Lectotype and syntype of <u>H. dentipalpis</u>	
	<u>Felis chaus</u>			<u>Felis chaus</u> (This cat does not occur in Malaysia)	
	Malay States			Malaysia	
	A. T. Stanton			A. T. Stanton	
				Warburton & Nuttall (1909: 67), original description. Nuttall & Warburton (1915: 505) repeated original description and figures. Hoogstraal and Trapido (1966: 1176) selected lectotype.	
N	694		N	694	
			RML	109358	
	<u>Amblyomma variegatum</u> ♂'s, ♀'s			143 ♂, 41 ♀, 1 N <u>Amblyomma variegatum</u>	
	Mpumu, Chagwe, Uganda			Mpumu (00.12 N, 32.50 E), Uganda	
	Rec'd 30.IV.1909			Rec'd 30.IV.1909	
	Sent by Sir David Bruce FRS			Sent by Sir David Bruce FRS	
	Received in formalin, washed in water and placed in spirit (70%), large bottle. The original label read: "Amblyomma variegatum 394" 12				
	1 ♂, 1 ♀ to Dr. H. de B. Aragão 23.I.1910; 1 ♂, 1 ♀ to Prof. G. H. Carpenter, Royal College of Sciences, Dublin 9.I.1910; 1 ♂, 1 ♀ to Dr. G. S. Graham-Smith, Medical Schools, Cambridge 19.I.1910; 1 ♂, 1 ♀ to E. E. Green, Government Entomologist, Ceylon 19.I.1910; 1 ♂, 1 ♀ to Dschunkowsky, Transcaucasus 19.I.1910; 1 ♂, 1 ♀ to Dr. Edmund Sergent, Algeria, N. Africa 19.IV.1910; 1 ♂, 1 ♀ to Dr. S. Hadwen, British Columbia, Canada 10.X.1913; 1 ♂, 1 ♀ to Dr. de Blieck, Java 22.I.1915.				

ORIGINAL DETERMINATIONCURRENT STATUS

N 695

N 695 MISSING

Haemaphysalis leachi 2♂'s, 1♀

Mpumu, Chagwe, Uganda

Received 30.IV.1909

Sent by Sir David Bruce

In a tube bearing number "10",
 returned to Bruce. Two♂'s show
 great contrast in size.

696-723. Collection of American ticks (696-723): received 6.V.1909,
 having been sent by Dr. L. O. Howard (26.IV.1909), Chief of
 the Division of Entomology, Dept. of Agriculture, Washington,
 D.C., U.S.A. Mr. N. Banks is responsible for the labels on
 the 28 tubes. I (G.H.F.N.) have stated the numbers and sexes
 of each species.

N 696

N 696

RML 109359

Dermacentor variabilis 2♂, 2♀2♀ Dermacentor variabilis

Enterprize, Florida, U.S.A.

Enterprise (28.30 N, 81.15 W)
Florida, U.S.A.

Sent 26.IV.1909

Sent 26.IV.1909

From Dr. L. O. Howard; gift of U.S.D.A.

From Dr. L. O. Howard; gift of U.S.D.A.

1♀ to Dr. E. Pavlovsky, Leningrad
9.X.1925

Leland Ossian Howard (1857-1950),
 Chief, Division of Entomology, U.S.D.A.
 1894-1927 and one of America's eminent
 entomologists. His life and work have
 recently been reviewed by Russell (1978).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	697		N	697	
			RML	109360	
	<u>Dermacentor occidentalis</u> 2♂, 2♀			3♂, 1♀ <u>Dermacentor occidentalis</u>	
	Barr's Ranch, Humboldt Co., California, U.S.A.			Barr's Ranch, Humboldt Co. (40.19 N, 123.55 W), California, U.S.A.	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of U.S.D.A.			From Dr. L. O. Howard; gift of U.S.D.A.	
N	698		N	698	
			RML	109361	
	<u>Dermacentor modestus</u> 1♂			1♂ <u>Dermacentor andersoni</u>	
	Prescott, Washington, U.S.A.			Prescott (46.16 N, 118.12 W), Washington, U.S.A.	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of U.S.D.A.			From Dr. L. O. Howard; gift of U.S.D.A.	
N	699		N	699	
			RML	109362	
	<u>Dermacentor parumapertus</u> 1♂, 1♀			1♂, 1♀ <u>Dermacentor parumapertus</u>	
	Lakeside, California, U.S.A.			Lakeside (32.52 N, 116.55 W), California, U.S.A.	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of U.S.D.A.			From Dr. L. O. Howard; gift of U.S.D.A.	
				This collection is from the type locality of <u>D. parumapertus</u> .	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	700	N 700
		RML 109363
	<u>Dermacentor venustus</u> 2 ♀	2 ♀ <u>Dermacentor andersoni</u>
	Kaslo, British Columbia	Kaslo (49.55 N, 116.55 W), British Columbia, Canada
	Sent 26.IV.1909	Sent 26.IV.1909
	From Dr. L. O. Howard; gift of U.S.D.A.	From Dr. L. O. Howard; gift of U.S.D.A.
		Vial label date incorrectly reads 26.IV.1906.
N	701	N 701
		RML 109364
	<u>Dermacentor nitens</u> 1 ♂, 1 ♀	3 ♀ <u>Anocentor nitens</u> (ex Marx coll.)
	Crescent City, Florida, U.S.A.	Crescent City (26.26 N, 81.30 W), Florida, U.S.A.
	Sent 26.IV.1909	Sent 26.IV.1909
	From Dr. L. O. Howard; gift of U.S.D.A.	From Dr. L. O. Howard; gift of U.S.D.A.
N	702	N 702
		RML 109365
	<u>Dermacentor albipictus</u> 1 ♂, 1 ♀ (ex coll. Banks)	1 ♂, 1 ♀ <u>Dermacentor albipictus</u> (ex coll. Banks)
	Pullman, Washington, U.S.A.	Pullman (46.44 N, 117.10 W), Washington, U.S.A.
	Sent 26.IV.1909	Sent 26.IV.1909
	From Dr. L. O. Howard; gift of U.S.D.A.	From Dr. L. O. Howard; gift of U.S.D.A.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	703	
		N 703
		RML 109366
Dermacentor marginatus	1♂ , 1♀	1♂ , 1♀ <u>Dermacentor parumapertus</u>
(ex coll. Banks)		
Albuquerque, New Mexico		Albuquerque (35.05 N, 106.40 W), New Mexico, U.S.A.
Sent 26.IV.1909		Sent 26.IV.1909
From Dr. L. O. Howard; gift of U.S.D.A.		From Dr. L. O. Howard; gift of U.S.D.A.
N	704	
		N 704
		RML 109367
Dermacentor variabilis	1♂ , 3♀	3♀ <u>Dermacentor variabilis</u>
(ex coll. Banks)		(ex coll. Banks)
Falls Church, Virginia, U.S.A.		Falls Church (38.53 N, 77.11 W), Virginia, U.S.A.
Sent 26.IV.1909		Sent 26.IV.1909
From Dr. L. O. Howard; gift of U.S.D.A.		From Dr. L. O. Howard; gift of U.S.D.A.
		I believe Nuttall 3505 is also a portion of this collection.
N	705	
		N 705
		RML 109368
Amblyomma americana	1♂ , 2♀	1♂ , 2♀ <u>Amblyomma americanum</u>
Willow Springs, Missouri, U.S.A.		Willow Springs (36.59 N, 91.58 W) Missouri, U.S.A.
Sent 26.IV.1909		Sent 26.IV.1909
From Dr. L. O. Howard; gift of U.S.D.A.		From Dr. L. O. Howard; gift of U.S.D.A.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	706	N	706 MISSING
	<u>Amblyomma cajennense</u> ♂'s, ♀'s		
	Rocks Resaca, Texas, U.S.A.		
	Sent 26.IV.1909		
	From Dr. L. O. Howard; gift of U.S.D.A.		
N	707	N	707
		RML	109369
	<u>Amblyomma cajennense</u> ♂'s, ♀'s		9♂, 1♀ <u>Amblyomma cajennense</u>
	Jamaica		Jamaica
	Sent 26.IV.1909		Sent 26.IV.1909
	From Dr. L. O. Howard; gift of U.S.D.A.		From Dr. L. O. Howard; gift of U.S.D.A.
			Cited: Robinson (1926: 53).
N	708	N	708
		RML	109370
	<u>Amblyomma tuberculatum</u> 1♂, 1♀ (ex coll. Marx)		1♂, 1♀ <u>Amblyomma tuberculatum</u> (ex coll. Marx)
	Crescent City, Florida, U.S.A.		Crescent City (29.26 N, 81.30 W), Florida, U.S.A.
	Sent 26.IV.1909. Collected 1893- 1894.		Sent 26.IV.1909. Collected 1893-1894.
	From Dr. L. O. Howard; gift of U.S.D.A.		From Dr. L. O. Howard; gift of U.S.D.A.
	L. E. Robinson det. 1926		Cited: Robinson (1926: 177).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	709	N 709
		RML 109371
	<u>Amblyomma dissimile</u> 1 ♂, 1 ♀	1♂ , 1 ♀ <u>Amblyomma dissimile</u>
	Guatemala	Guatemala
	Sent 26.IV.1909	Sent 26.IV.1909
	From Dr. L. O. Howard; gift of U.S.D.A.	From Dr. L. O. Howard; gift of U.S.D.A.
		Cited: Robinson (1926: 167).
N	710	N 710
		RML 109372
	<u>Amblyomma maculatum</u> 1 ♂, 2 ♀	2 ♂, 2 ♀ <u>Amblyomma maculatum</u>
	Victoria, Texas, U.S.A.	Victoria (28.48 N, 97.00 W), Texas, U.S.A.
	Sent 26.IV.1909	Sent 26.IV.1909
	From Dr. L. O. Howard; gift of U.S.D.A.	From Dr. L. O. Howard; gift of U.S.D.A.
		Cited: Robinson (1926: 44).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	711		N	711	
			RML	59724	
	<u>Amblyomma pilosum</u> 1 ♀			1 ♀ <u>Amblyomma macfarlandi</u> Paratype	
	Galapagos Islands			Galapagos Islands	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of USDA			From Dr. L. O. Howard; gift of USDA	
				Robinson (1926: 159, fig. 74) determined and illustrated this specimen as <u>A. pilosum</u> . Santos Dias (1958: 505) thought this specimen was the holotype of <u>A. pilosum</u> . Keirans et al (1973: 677), original description of <u>A. macfarlandi</u> .	
N	712		N	712	
			RML	109373	
	<u>Boophilus australis</u> 4 ♀			1 ♂, 3 ♀ <u>Boophilus microplus</u>	
	New South Wales, Australia			New South Wales, Australia	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of USDA			From Dr. L. O. Howard; gift of USDA	
	2 ♀ to C. Strickland, Malaya				
N	713		N	713	MISSING
	<u>Boophilus annulatus</u> 2 ♂, 5 ♀				
	Texas, USA				
	Sent 26.IV.1909				
	From Dr. L.O. Howard; gift of USDA				

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	714		N	714	
			RML	109374	
	<u>Ceratixodes putus</u> 1 ♀			1 ♀ <u>Ixodes uriae</u>	
	Behring Island			Beringa, Ostroy (55.00 N, 166.15 W), USSR	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of USDA			From Dr. L. O. Howard; gift of USDA	
				Cited: Nuttall & Warburton (1911: 261)..	
N	715		N	715	
			RML	109375	
	<u>Ixodes angustus</u> 2 ♀			2 ♀ <u>Ixodes angustus</u>	
	Glacier Bay, Alaska			Glacier Bay (58.45 N, 136.30 W), Alaska, USA	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of USDA			From Dr. L. O. Howard; gift of USDA	
				Cited: Nuttall & Warburton (1911: 198).	
N	716		N	716	
			RML	109376	
	<u>Ixodes kingi</u> 1 ♀			1 ♀ <u>Ixodes kingi</u>	
	Death Valley, California			Death Valley (36.30 N, 117.00 W), California, USA	
	Sent 26.IV.1909			Sent 26.IV.1909	
	From Dr. L. O. Howard; gift of USDA			From Dr. L. O. Howard; gift of USDA	
				Determination changed from <u>I.</u> <u>pratti</u> to <u>I. kingi</u> by G.H.F.N. 26.VII.1915. Cited and figured as <u>I. pratti</u> by Nuttall & Warburton (1911: 174); Nuttall (1916: 335).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	717	N	717
		RML	109377
	<u>Ixodes cookei</u> 2 ♀		2 ♀ <u>Ixodes cookei</u>
	Iowa, USA		Iowa, USA
	Sent 26.IV.1909		Sent 26.IV.1909
	From Dr. L. O. Howard; gift of USDA		From Dr. L. O. Howard; gift of USDA
			Cited: Nuttall & Warburton (1911: 184) as a variety of <u>I. hexagonus</u> .
N	718	N	718
		RML	109378
	<u>Ixodes scapularis</u> 4 ♀		4 ♀ <u>Ixodes scapularis</u>
	Miami, Florida, USA		Miami (25.46 N, 80.12 W), Florida, USA
	Sent 26.IV.1909		Sent 26.IV.1909
	From Dr. L. O. Howard; gift of USDA		From Dr. L. O. Howard; gift of USDA
			Cited and figured by Nuttall & Warburton (1911: 157) as a variety of <u>I. ricinus</u> .
N	719	N	719
		RML	109379
	<u>Haemaphysalis leporis-palustris</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Haemaphysalis leporispalustris</u>
	Victoria, Texas, USA		Victoria (28.48 N, 97.00 W), Texas, USA
	Sent 26.IV.1909		Sent 26.IV.1909
	From Dr. L. O. Howard; gift of USDA		From Dr. L. O. Howard; gift of USDA
			Figured by Nuttall & Warburton (1915: 389).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	720	N	720
		RML	109380
	<u>Rhipicephalus texanus</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Victoria, Texas		Victoria (28.48 N, 97.00 W), Texas, USA
	Sent 26.IV.1909		Sent 26.IV.1909
	From Dr. L. O. Howard; gift of USDA		From Dr. L. O. Howard; gift of USDA
			The RML collection contains 1 ♂, 2 ♀ COTYPES of <u>Rhipicephalus</u> <u>texanus</u> (RML 56742) collected from a dog, Victoria, Texas, 16.X.1906 by J. D. Mitchell. Nuttall 720 may possibly be part of that type series. See Banks (1908: 35).
N	721	N	721 MISSING
	<u>Argas miniatus</u>		
	Miami, Florida, USA		
	Sent 26.IV.1909		
	From Dr. L. O. Howard; gift of USDA		
N	722	N	722 MISSING
	<u>Ornithodoros megnini</u> 4 specimens		
	Mineral Springs, New Mexico		
	Sent 26.IV.1909		
	From Dr. L. O. Howard; gift of USDA		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	723	N	723
		RML	109381
	<u>Ornithodoros turicata</u> 5 specimens Burnet, Texas, USA		6 N <u>Ornithodoros turicata</u> Burnet (30.46 N, 98.14 W), Texas, USA
	Sent 26.IV.1909		Sent 26.IV.1909
	From Dr. L. O. Howard; gift of USDA		From Dr. L. O. Howard; gift of USDA
N	724	N	724
		RML	109382
	<u>Ornithodoros moubata</u> Dowa Prison		6 ♂, 4 ♀, 20 N <u>Ornithodoros moubata</u> Dowa Prison (13.41 S, 33.59 E), Malawi
	20.III.1909		20.III.1909
	Dr. E. H. A. Pask		Dr. E. H. A. Pask
	Sent by Dr. H. Hearsey, Principal Medical Officer, Nyasaland, Africa. Rec'd. 9.V.1909.		Cited: Merriman (1911: 171).
	Dr. Hearsey writes (30.III.1909) stating that Dowa is in the Central Angoniland District. He encloses a letter from Dr. E.H.A. Pask, Medical Officer, Dowa who writes to him (24.III.1909):- "The ticks are all collected in the prison at Dowa, which is literally alive with them. Some were obtained from the roof, others from sweepings from the floor whilst others were secured by making small holes in the walls and examining the dust obtained by poking with a piece of stick. It is rather strange that no cases of tick fever have been discovered among the pri- soners during the month that I've been here - in fact no cases of fever at all. The natives round here suffer a good deal from it, in fact, I have		

ORIGINAL DETERMINATIONCURRENT STATUS

N 724 (Continued)

found it commoner than malaria in cases that have come "up" for treatment; new-comers to the district seem to suffer the worst. My cook developed it after being here 12 days. The number of parasites found in the blood do not seem to have much relation to the severity of the attack. My cook had two very sharp attacks - he was very ill. Temperature 103-104° and spleen down to the umbilicus but the parasites in the blood were scanty, one or two to a slide, whilst a little girl who came "up" feeling comparatively well (slight headache and temperature 102) had numerous parasites in the blood, two in some fields. The parasites seem to be a good deal in length and the number of curves, 14, 20th; some have few curves whilst others eight or nine; the latter probably being really two parasites "end to end". The ticks transmitted are all, I think, Ornithodoros moubata.

Dr. George Wallace (6.V.1909) sent ticks to be identified, and being all common species, they were returned to him. They were all collected in Mauritius, and comprised:-

Amblyomma variegatum ♂'s, ♀'s, N's off cattle 16-18.XI.1908

Rhipicephalus evertsi ♂'s, ♀'s off cattle, goats 18.XI-6.XII.1908

Rhipicephalus appendiculatus ♂, ♀ off cow 18.XI.1908

N 725

N 725

RML 109383

Ornithodoros talaje 1♂

1♂ Ornithodoros talaje

Brazil

Brazil

Rec'd 19.V.1909

Rec'd 19.V.1909

Through Col. A. Alcock, FRS,
London School of Tropical Medicine,
Royal Albert Dock

Dr. H. Bayon, of Bussu, Uganda, B. East Africa sent ticks 21.V.1909 to be determined, also 3 worms from the lung of a grass snake. The ticks were determined as follows:-

Amblyomma variegatum ♂'s, ♀'s)
Haemaphysalis leachi ♂'s, ♀'s)
Boophilus decoloratus ♂'s, ♀'s, N's) collected at Bussu, Uganda
Rhipicephalus appendiculatus ♂'s, ♀'s)

A large gray tick (♀) off a land tortoise has been kept, together with worms for identification purposes.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	726	N	726
		RML	109384
	<u>Ixodes brunneus</u> N	1 N	<u>Ixodes spinipalpis</u>
	Neck of a "varied thrush"		<u>Ixoreus naevius</u>
	Vancouver, British Columbia		Vancouver (49.15 N, 123.08 W), British Columbia, Canada
	28.V.1909		28.V.1909
	Thomas Bowhill, FRCVS		Thomas Bowhill, FRCVS

727-743. Ticks from N. & W. Nyasa Districts of Nyasaland, collected by Dr. J. B. Davey, Karonga, N. Nyasa, and sent by him 14.IV.1909 to Dr. Hearsey. Preserved in 90% alcohol; all ticks preserved since Jan'y 1909, were killed by dropping them into boiling fluid (abs alcohol & 1:500 Hg perchloride, equal parts); those killed earlier were dropped into boiling water etc. Sent by Dr. H. Hearsey, P.M.O., Zomba Nyasaland:-

N	727	N	727	MISSING
<u>Haemaphysalis leachi</u>				
	Native dog			
	Chizizi V., near Hewe River, Nyasaland			
	16.II.1909			
	J. B. Davey			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	728	N	728 MISSING
	<u>Rhipicephalus sanguineus</u>		
	Leopard		
	Kambwi near Karonga, N. Nyasa, Nyasaland		
	14.IV.1909		
	J. B. Davey		
N	729, a	N	729
		RML	109385
	(729) <u>Boophilus australis</u> (a) <u>Haemaphysalis leachi</u>		15 ♀ <u>Boophilus microplus</u> (a) MISSING
	Cattle		Cattle
	Karonga, N. Nyasa, Nyasaland		Karonga (09.56 S, 33.56 E), Malawi
	7.II.1909		7.II.1909
	J. B. Davey		J. B. Davey
N	730, a	N	730, a
		RML	109386
	(730) <u>Rhipicephalus simus</u> (a) <u>Rhipicephalus lunulatus</u> 1 ♂		(730) 3♂, 1 ♀ <u>Rhipicephalus simus</u> (a) 1 ♂ <u>Rhipicephalus lunulatus</u>
	Cattle		Cattle
	Ohilindi V., near Kanyezi Hill, N. Nyasa, Nyasaland		Ohilindi V., near Kanyezi Hill (14.18 S, 33.59 E), Malawi
	14.II.1909		14.II.1909
	J. B. Davey		J. B. Davey

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	731, a-d	N	731b, c
RML	109387		
(731) <u>Rhipicephalus sanguineus</u> (a) <u>Rhipicentor bicornis</u> (b) <u>Rhipicephalus lunulatus</u> (c) <u>Rhipicephalus simus</u> (d) <u>Haemaphysalis leachi</u>		(731) MISSING (a) MISSING (b) 3 ♂, 2 ♀ <u>Rhipicephalus lunulatus</u> (c) 10 ♂, 6 ♀ <u>Rhipicephalus simus</u> (d) MISSING	
Dog (terrier)		Dog (terrier)	
Journey Karonga = Forthill = Nyimbo = Misuko = Nkana = Karonga		Journey Karonga (09.56 S, 33.56 E), Chitipa (09.43 S, 33.16 E), Nyimbo Hill (09.41 S, 33.02 E), Misuku (09.40 S, 33.31 E), Nkana (locality not verified), Karonga, Malawi	
March-April, 1909		March-April, 1909	
J. B. Davey		J. B. Davey	
(731) 1 ♂, 1 ♀ to Royal College of Surgeons, London 20.XII.1909		731a - 1 ♂, 6 ♀ <u>Rhipicentor bicornis</u> are in the RML collection. They were previously in the USNM collection before it was transferred to RML in 1971.	
N	732	N	732
RML	109388		
<u>Rhipicephalus appendiculatus</u>		12 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>	
Cattle		Cattle	
Karonga, N. Nyasa		Karonga (09.56 S, 33.56 E), Malawi	
13.IV.1909		13.IV.1909	
J. B. Davey		J. B. Davey	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	733	N	733 MISSING
	<u>Haemaphysalis leachi</u>		
	Native dog		
	Nyika Plateau, N. Nyasa, Nyasaland		
	22.II.1909		
	J. B. Davey		
N	734, a, b	N	734, a, b
		RML	109389
	(734) <u>Amblyomma variegatum</u>	(734)	MISSING
	(a) <u>Boophilus australis</u>	(a)	2 ♀ <u>Boophilus decoloratus</u>
	(b) <u>Rhipicephalus simus</u>	(b)	1 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle	
	Fort Hill, N. Nyasa	Chitipa (09.43 S, 33.16 E), Malawi	
	26.I.1909	26.I.1909	
	J. B. Davey	J. B. Davey	
N	735	N	735 MISSING
	<u>Ornithodoros moubata</u>		
	From boys' houses		
	Fort Hill, N. Nyasa, Nyasaland		
	5.IV.1909		
	J. B. Davey		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	736	N	736
		RML	109390
	<u>Aponomma exornatum</u>		6 ♂ <u>Aponomma exornatum</u>
	Nostrils of a monitor "Muganzi"		Nostrils of a monitor "Muganzi"
	Ntawira, N. Nyasa		Ntawira (15.44 S, 35.05 E), Malawi
	28.XII.1908		28.XII.1908
	J. B. Davey		J. B. Davey
			Vial label incorrectly states the country as N. Nigeria
N	737	N	737
		RML	109391
	<u>Boophilus australis</u>		3 ♀ <u>Boophilus decoloratus</u>
	Cattle		Cattle
	Mwinweynia V. Sekwa River, N. Nyasa		Mwinweynia V. Sekwa Stream (10.05 S, 33.35 E), Malawi
	13.II.1909		13.II.1909
	J. B. Davey		J. B. Davey
N	738	N	738
		RML	109392
	<u>Rhipicephalus simus</u>		10 ♂, 1 ♀ <u>Rhipicephalus lunulatus</u>
	Bush-pigs		<u>Potamochaerus porcus</u>
	Kaporø, near Songwe River, N. Nyasa		Kaporø (09.45 S, 33.55 E), near Songwe River, Malawi
	6.I.1909		6.I.1909
	J. B. Davey		J. B. Davey

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	739		N	739	
			RML	109393	
	<u>Boophilus australis</u>			7 ♀ <u>Boophilus decoloratus</u> 1 ♀ <u>Boophilus microplus</u>	
	Cattle			Cattle	
	Karonga, N. Nyasa			Karonga (09.56 S, 33.56 E), Malawi	
	7.II.1909			7.II.1909	
	J. B. Davey			J. B. Davey	
N	740		N	740	
			RML	105674	
	<u>Rhipicephalus simus</u>			11 ♂, 10 ♀ <u>Rhipicephalus simus</u> 2 ♀, <u>Rhipicephalus supertritus</u> 1 ♀, <u>Rhipicephalus tricuspis</u>	
	Wart-hog			<u>Phacochoerus aethiopicus</u>	
	Near Kanyanyezi Hill, N. Nyasa			Near Kanyanyezi Hill (10.12 S, 33.35 E), Malawi	
	14.II.1909			14.II.1909	
	J. B. Davey			J. B. Davey	
N	741		N	741	
			RML	109394	
	<u>Rhipicephalus neavei</u> 2 ♂'s (like small <u>nitens</u>)			2 ♂ <u>Rhipicephalus kochi</u>	
	Bush-buck			<u>Tragelaphus scriptus</u>	
	Near Runyinya River, N. Nyasa			Near Runyina River (10.59 S, 33.44 E), Malawi	
	1.XI.1908			1.XI.1908	
	J. B. Davey			J. B. Davey	
	(With <u>Hippobosca</u>)			There is a cotype label in the vial with these specimens. However the only collection cited by Warburton (1912; 9) as being cotypes of <u>Rhipicephalus neavei</u> was Nuttall 1414	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	742	N	742 MISSING
	<u>Haemaphysalis leachi</u> N		
	Civet-cat		
	Karonga, N. Nyasa, Nyasaland		
	13.I.1909		
	J. B. Davey		
N	743, a, b	N	743a, b
		RML	109395
(743)	<u>Amblyomma variegatum</u>	(743)	MISSING
(a)	<u>Boophilus australis</u>	(a)	2 ♀ <u>Boophilus decoloratus</u>
(b)	<u>Rhipicephalus</u> sp.	(b)	3 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle		Cattle
	Mwinipigi V. near Songwe River, N. Nyasa		Mwinipigi V., near Songwe River (09.43 S, 33.56 E), Malawi
	11.III.1909		11.III.1909
	J. B. Davey		J. B. Davey
N	744	N	744 MISSING
	<u>Amblyomma marmoreum</u> ♀ (possibly the unknown ♀ of <u>A. clypeolatum</u>)		
	Land tortoise		
	Bussu, Uganda, B.E. Africa		
	Sent 27.IV.1909		
	Sent by Dr. H. Bayon		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	745	N	745
		RML	109396
	<u>Dermacentor albipictus</u> 1 ♀	1 ♀	<u>Dermacentor albipictus</u>
	Coast deer		<u>Odocoileus hemionus</u>
	British Columbia, Canada		British Columbia, Canada
	2.XII.1908		2.XII.1908
	T. Bowhill		T. Bowhill
N	746	N	746 MISSING
	<u>Ixodes hexagonus</u> larvae	1 N, 3 L	<u>Ixodes hexagonus</u> from
	Polecat		Nuttall 746 are in the general
	Aberystwyth, Wales		tick collection of the BM(N.H.)
	VIII.1900		
	[R 232]		

ORIGINAL DETERMINATIONCURRENT STATUS

N 747

N 747 MISSING

Dermacentor ? albipictus larvae

Cow (with redwater)

Fraser Valley, British Columbia

Rec'd. V.1909

T. Bowhill

Parent ♀ from a cow.

Oviposition began 25.I.1909.

Maintained at 29°C. the larvae
appeared 12.V.1909. (They all
arrived dead in Cambridge.)Note: ex Bowhills' letter of
16.V.1909. [5 larvae mounted
in balsam on 2 slides.]

748-750. Ticks collected by Dr. E.H.A. Pask, at Dowa, Central Angoniland,
April 7, 1909. Sent by Dr. H. Hearsey, Principal Medical Officer, Zomba,
Nyasaland, May 17, 1909:-

N 748, a

N 748, a

RML 109397

(748) Rhipicephalus sanguineus(748) 9 ♂, 9 ♀ Rhipicephalussanguineus(a) Rhipicephalus simus(a) 1 ♂ Rhipicephalus simus

Dogs and man

Dogs and man

Lilongwe, Central Angoniland

Lilongwe (13.59 S, 33.47 E), Malawi

7.IV.1909

7.IV.1909

Dr. E.H.A. Pask

Dr. E.H.A. Pask

ORIGINAL DETERMINATIONCURRENT STATUS

N	749, a	N	749
		RML	109398
(749)	<u>Rhipicephalus simus</u>	(749)	<u>5 ♂, 3 ♀ Rhipicephalus simus</u>
(a)	<u>Haemaphysalis leachi</u>	(a)	MISSING
Native dog		Native dog	
Chirua River, Central Angoniland		Chirua River (13.25 S, 34.19 E), Malawi	
6.V.1909		6.V.1909	
Dr. Pask		Dr. Pask	
N	750, a	N	750
		RML	109399
(750)	<u>Hyalomma aegyptium</u> 1 ♂, ♀'s	(750)	<u>4 ♂ Hyalomma truncatum</u>
(a)	<u>Amblyomma variegatum</u> 2 ♂'s	(a)	MISSING
Cattle		Cattle	
Dowa, Central Angoniland		Dowa (13.41 S, 33.59 E), Malawi	
14.IV.1909		14.IV.1909	
Dr. Pask		Dr. Pask	

751-755. Ticks collected by Mr. S. A. Neave in Rhodesia. Sent to us by Mr. K. Wilkinson (Secretary, Manchester Museum. The Victoria University of Manchester) at the request of Dr. C. Gordon Hewitt on July 21st, 1909. They were determined by Mr. C. Warburton, as follows:-

N	751	N	751	MISSING
<u>Hyalomma aegyptium</u>				
<u>Giraffe (Giraffa camelopardalis)</u>				
Mid Luangwa Valley, N.E. Rhodesia				
27.VII.1905				
Mr. S. A. Neave				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	752	N 752
		RML 109400
	<u>Rhipicephalus capensis</u>	1 ♂, 2 ♀ <u>Rhipicephalus compositus</u>
	<u>Buffalo (Bubalus caffer)</u>	<u>Syncerus caffer</u>
	Msofu River, Alala Plateau, N.W. Rhodesia (about 75 miles NE of Broken Hill Rhodesia)	Msofu River, Alala Plateau about 121 km NE of Kabwe (14.27 S, 28.27 E), Zambia
	22.IV.1905	22.IV.1905
	S. A. Neave	S. A. Neave
		Sheffield Airey Neave (1879-1961) took part in expeditions to various parts of Africa from 1904-1914. Director of what is now the Commonwealth Institute of Entomology 1942-1946.
N	753	N 753 MISSING
	<u>Rhipicephalus evertsi</u>	
	<u>Zebra (Equus brischelli)</u>	
	Petauke Luangwa Valley, N.E. Rhodesia	
	30.XII.1905	
	S. A. Neave	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	754	N	754
		RML	109401
	<u>Haemaphysalis leachi</u> var. <u>indica</u> 1 ♀		1 ♀ <u>Haemaphysalis leachi</u>
	Mongoose (<u>Helogale varia</u>)		<u>Helogale parvula varia</u>
	Msofu River, Alala Plateau, N.W. Rhodesia (about 75 miles N.E. of Broken Hill Railhead)		Msofu River, (13.27 S, 29.03 E), Alala Plateau about 121 km N.E. of Kabwe, Zambia
	7.XI.1905		7.XI.1905
			Cited: Nuttall & Warburton (1915: 471). There is a blue TYPE label in the vial and the genital aper- ture has been removed and mounted on a slide.
N	755	N	755
		RML	109402
	<u>Amblyomma pomposum</u>		1 ♂ <u>Amblyomma pomposum</u>
	Sable antelope, <u>Egoceros niger</u>		<u>Hippotragus niger</u>
	Msofu River, Alala Plateau, N.W. Rhodesia (about 75 miles N.E. of Broken Hill, Railhead)		Msofu River, (13.37 S, 29.03 E), Alala Plateau about 121 km N.E. of Kabwe, Zambia
	7.XI.1905		7.XI.1905
	S. A. Neave		S. A. Neave
	This specimen had been previously described as <u>A. variegatum</u> with the comment (n. var., received by us before, but not described).		Date on vial label is 8.XI.1905. Cited: Robinson (1926: 100). Figure 45 is of a ♀ from this lot now pinned and in the BMNH collection.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	756	N	756
		RML	109403
	<u>Hyalomma syriacum</u> 2 ♂'s		2 ♂ <u>Hyalomma aegyptium</u>
	<u>Testudo</u>		<u>Testudo</u> sp.
	Grantchester, Cambs.		Grantchester (52.10 N, 00.06 E), Cambs., England
	18.VI.1909		18.VI.1909
	E. S. Hay		E. S. Hay
N	757	N	757 MISSING
	<u>Ornithodoros moubata</u>		
	Inhambane, Portuguese East Africa		
	Sent 4.VI.1909		
	Sent by C. W. Howard, Government Entomologist, Lourenco Marques		
N	758	N	758
		RML	109404
	<u>Ornithodoros savignyi</u>		1 ♀ <u>Ornithodoros savignyi</u>
	N. Transvaal, S. Africa		N. Transvaal, S. Africa
	Sent 4.VI.1909		Sent 4.VI.1909
	Sent by Mr. C. W. Howard		Sent by Mr. C. W. Howard

ORIGINAL DETERMINATIONCURRENT STATUS

N	759	N	759
		RML	71487
	<u>Hyalomma</u> n. sp.		10 ♂ <u>Hyalomma kumari</u>
	Goats		Goats
	Agra, India		Agra (27.11 N, 78.01 E), India
	Rec'd 27.VII.1909		Rec'd 27.VII.1909
	Rec'd from Dr. E. H. Hankin		Rec'd from Dr. E. H. Hankin
	(Like 766: Montgomery's "19" also from India)		An additional 5 ♂ are now in the NAMRU-3 collection (HH 2742). Cited: Kaiser & Hoogstraal (1964: 262).

760-767. Ticks sent by Captain R. E. Montgomery, I.M.S. (from collection in the Liverpool School of Tropical Medicine, Liverpool), all collected in India, as follows:

N	760	N	760
		RML	109405
	<u>Haemaphysalis montgomeryi</u> n. sp., ♂		1 ♂ lectotype <u>Haemaphysalis montgomeryi</u> 4 ♂, 2 ♀ paralectotype <u>Haemaphysalis montgomeryi</u>
	Ear of pony		Ear of pony
	Muktesar, United Provinces India		Mukteswar (29.29 N, 79.39 E), India
	6-7.VI.1905		6-7.VI.1905
	R. E. Montgomery		R. E. Montgomery
	[♂ tarsus 4 mounted in balsam on slide]		Nuttall (1912: 57), original description; Hoogstraal et al. (1966: 180), redescription and selection of lectotype. Tarsal slide present. Vulva of one of the ♀ paralectotypes removed and mounted on a slide. Cited: Moritz & Fischer (1981: 355).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	761	N 761
		RML 109406
	<u>Haemaphysalis montgomeryi</u> n. sp., ♀	2 ♀ Paralectotypes <u>Haemaphysalis montgomeryi</u>
	Ear of bull	Ear of bull
	Berinag, India	Berinag (29.48 N, 80.04 E), India
	9.IX.1905	9.IX.1905
	R. E. Montgomery	R. E. Montgomery
		Nuttall (1912: 57), original description; Hoogstraal et al. (1966: 180) selection of paralectotypes.
N	762	N 762
		RML 109407
	<u>Haemaphysalis montgomeryi</u> ♂, 1 ♀	2 ♂, 1 ♀ Paralectotypes <u>Haemaphysalis montgomeryi</u>
	Back and ears of dog	Back and ears of dog
	Muktesar, U.P., India	Mukteswar (29.29 N, 79.39 E), India
	3.VIII.1905	3.VIII.1905
	R. E. Montgomery	R. E. Montgomery
		Nuttall (1912: 57), original description; Hoogstraal et al. (1966: 180) indicates 3 ♂ paralectotypes.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	763	N	763
		RML	109408
	<u>Haemaphysalis flava</u> ♂ & ♀		1 ♂, 1 ♀ <u>Haemaphysalis indoflava</u>
Dog		Dog	
Madras, India		Madras (13.05 N, 80.17 E), India	
9.V.1906		9.V.1906	
V. J. Phadke		V. J. Phadke	
Also from <u>Sus cristatus</u> at Muktesar 5.V.1905 by R. E. Montgomery			
N	764	N	764
		RML	109409
	<u>Rhipicephalus haemaphysaloides</u>		2 ♂, 4 ♀ <u>Rhipicephalus haemaphysaloides</u>
Jackal			<u>Canis aureus</u>
Muktesar, V.P., India		Mukteswar(29.29 N, 79.39 E), India	
14.VII.1905		14.VII.1905	
R. E. Montgomery		R. E. Montgomery	
		Date on vial label is 14.VI.1905	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	765	N	765
		RML	109410
	<u>Ornithodoros lahorensis</u> N's		7 N <u>Ornithodoros lahorensis</u>
	Sheep - suffering from "Chichere Ki bimari" = tick sickness		Sheep - suffering from "Chichere Ki bimari" = tick sickness
	Shadra, Lahore, India		Shahdara (31.38 N, 74.18 E), Pakistan
	IV.1906		IV.1906
	R. E. Montgomery		R. E. Montgomery
	Some to W. F. Cooper 22.I.1910. some to Dr. H. de B. Aragão, Brazil 23.I.1910. Some to Col. A. Alcock FRS, London School Tropical Medicine 26.I.1910.		One nymph of N 765 is now in the RML collection. It was found when the USNM collection was transferred to RML in 1971.
N	766	N	766 MISSING
	<u>Hyalomma</u> - n. sp. (like 759) off abdomen		
	Goat		
	Haldwani, U.P., India		
	2.VI.1905		
	Veterinary - Assistant Abdul Ghani coll ["19"]		
	(With <u>Haem. bispinosa</u>)		

ORIGINAL DETERMINATION

N 767

Dermacentor auratus var. compactusSus cristalus

R. E. Montgomery

(With Haemaphysalis) 1 ♂, 1 ♀ to
C. Strickland, MalayaCURRENT STATUS

N 767

RML 109411

1 ♂, 1 ♀ Dermacentor sp.Sus scrofa cristatus

India

18.X.1905

R. E. Montgomery

Data on locality and date from
vial label

The Montgomery collection also contained the following species (determined by C. Warburton) which were returned:-

Argas persicus, from chicken houses, Kalat, Baluchistan 10.VI.1906.

R. E. Montgomery collection [No. no.]. (1 nymph alive 6.X.1909 unfed, in bottle since 15.I.1907 G.H.F.N.).

Aponomma gervaisi, off Monitor, Kuala Lever, Siam 3.VII.1905
MacKenzie coll.

Boophilus australis, off cattle, Muktesar, U.P. 15.VII.1905

R. E. Montgomery coll (No. no.); also off cattle., Muktesar, "just arrived from Haldwani," 6.VI.1905.
R. E. Montgomery coll.

Haemaphysalis bispinosa (our 766) off goats abdomen, Haldwani U.P. India, 2.VI.1905, Abdul Ghani coll. (found with Hyalomma n. sp., 766)... (our 760c), off pony's ear, Haldwani, U.P. 6.VI.1905. R. E. Montgomery coll.

Hyalomma aegyptium N's, off sheeps ear (tick disease ?), Shadra, no date, etc. - N's, off rabbit, Lahore, no date, etc. - "4", N's off pony's ear, Kathgodam, U.P., 26 V. 1905.
R. E. Montgomery coll.

Rhipicephalus sanguineus, off dog. Haldwani, U.P., India 2.VI.1905.

Abdul Ghani coll.

- off pony's perinacum, same place and collection 2.VI.1905.
- off dog, Lahore 20.II.1906.
- off cattle coming from Berinag, Kumaun, Muktesar, 27.V.1905. R. E. Montgomery coll.
- off dog, Muktesar, U.P. 29.VII.1905. R. E. Montgomery coll.

768-771. Ticks collected at Kittendorf, near Stavenhagen, Mecklenburg, Germany, by G.H.F. Nuttall, VIII.1909:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	768	N	768
		RML	109412
	<u>Ixodes canisuga</u> 1 ♀		1 ♀ <u>Ixodes ricinus</u>
	Dog		Dog
	Kittendorf, near Stavenhagen, Mecklenburg, Germany		Kittendorf (53.38 N, 12.54 E), near Stavenhagen, Mecklenburg, German Democratic Republic.
	VIII.1909		VIII.1909
	G.H.F. Nuttall		G.H.F. Nuttall
			Nuttall & Warburton (1911: 214) indicate more than one ♀ present in this collection.
N	769	N	769 MISSING
	<u>Ixodes ricinus</u> ♂'s, ♀'s (one pair <u>in copula</u>)		
	Red Deer (<u>Cervus elephas</u>)		
	Kittendorf, near Stavenhagen, Mecklenburg, Germany		
	12.VIII.1909		
	G.H.F. Nuttall		
	1 ♂, 1 ♀ to Major J. E. M. Boyd, Cambridge 20.XII.1919.		
	1 ♂, 1 ♀ to Dr. J. Gordon Thompson London School Trop. Med. 8.I.1920.		
	1 ♂, 1 ♀ to Dr. R. W. Hegner, Johns Hopkins, Baltimore 8.III.1920.		
	1 ♂, 1 ♀ to Dr. R. J. Tillyard, Nelson, N.Z. VI.1920.		
	1 ♂, 1 ♀ to Prof. Jules Bordet, Bruxelles, Belgium 30.VI.1920.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 770

N 770 MISSING

Ixodes ricinus 2 ♂'s, 1 ♀
(in copula)

Cervus elephas

Kittendorf, near Stavenhagen,
Mecklenburg, Germany
17.VIII.1909

G.H.F. Nuttall

N 771

N 771 MISSING

Ixodes ricinus 1 ♀, 4 ♂'s, 1 N
(one in copula)

Roe-buck, (Capreolus capra)

Kittendorf, near Stavenhagen,
Mecklenburg, Germany

12.XIII.1909

G.H.F. Nuttall

Dublin National Museum Ticks

These Irish ticks were brought by Professor G. H. Carpenter in June, 1909. (Dr. Schaff, keeper of the Museum, lent them):-

- Ixodes ricinus:- from Glengariff, V.1891. - from Clonbrock, IX.1897 [197] - off cattle (redwater) Lochrea 2.VI.1909.
 - off cattle, Wexford, off cattle (healthy), Dingle, 19.VI.1909, Mr. W. Dagg. - Limerick 1898 - Cappamore, Co. Limerick, 29.IX.1895. - off (?) mare, Stepaside, Co. Dublin 16.VI.1909. - off cows, Cookstown - 16.VI.1909 - Kenmure, 1898 - off dog, Lughan, 14.V.1907. - Achill, 1898 - Glandore, 1895.
 - Trillick, Co. Tyrone - Crackhaven 1895 - Roundstone, J.H.H. - Ardagh, W.H.J. - Castletown 3.VI.1893 - Kenmore 15.VIII.1898 - Lough Carrib. 1905.

Eschatocephalus vespertilionis - 1 ♀ (gorged) Eden Vale Cave, Co. Clare, VII.1902 (Returned).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	771X	N	771X
		RML	109413
	<u>Amblyomma albolimbatum</u>	2 ♂ <u>Amblyomma albolimbatum</u>	
	<u>Egernia stokesii</u>	<u>Egernia stokesii</u> (name not verified)	
	No other data	No other data	
772-779. Ticks received from Colonel Sir David Bruce, C.B., F.R.S., Mpumu, Chagwe, Uganda, Africa, May 21, 1909:-			
N	772	N	772 MISSING
	<u>Amblyomma cohaerens</u> ♂, ♀ dry		
	Probably Mpumu, Chagwe, Uganda	1 ♂, 1 ♀ <u>Amblyomma cohaerens</u>	
	Rec'd 21.V.1909	(pinned) are in the BMNH collection.	
	Rec'd from Col. Sir David Bruce		
	L.E.R. det. 1926		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	773	N 773
		RML 109414
	<u>Amblyomma tholloni</u> ♂, ♀ dry	1 ♂, 1 ♀ <u>Amblyomma tholloni</u>
	Elephant	<u>Loxodonta africana</u>
	Probably Mpumu, Chagwe, Uganda	Probably Mpumu (00.12 N, 32.50 E), Uganda
	Rec'd. 21.IV.1909	Rec'd. 21.IV.1909
	Rec'd. from Col. Sir David Bruce	Rec'd. from Col. Sir David Bruce
		Pinned specimens Cited: Robinson (1926 : 252).
N	774	N 774
		RML 109415
	<u>Rhipicephalus capensis</u> ♂, ♀	1 ♂, 1 ♀ <u>Rhipicephalus</u> sp.
	Buffalo and warthog	<u>Syncerus caffer</u> & <u>Phacochoerus aethiopicus</u>
	Probably Mpumu, Chagwe, Uganda, Africa	Probably Mpumu (00.12 N, 32.50 E), Uganda
	Rec'd. 21.V.1909	Rec'd. 21.V.1909
	Rec'd. from Col. Sir David Bruce	Rec'd. from Col. Sir David Bruce
		Pinned specimens

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	775, a-d	N 775
		RML 109416
(775)	<u>Boophilus decoloratus</u>	(775) 9 ♀ <u>Boophilus decoloratus</u>
(a)	<u>Rhipicephalus appendiculatus</u>	(a) MISSING
(b)	<u>Rhipicephalus evertsi</u>	(b) MISSING
(c)	<u>Haemaphysalis leachi</u>	(c) MISSING
(d)	<u>Amblyomma variegatum</u>	(d) MISSING
	Cattle	Cattle
	Masaka, in Buddu, Uganda	Masaka (00.20 S, 31.44 E), Uganda
	VI.1909	VI.1909
	Rec'd. from Col. Sir David Bruce	Rec'd. from Col. Sir David Bruce
		Nuttall 2717 was also mislabelled with this Nuttall number.
N	776	N 776
		RML 109417
	<u>Boophilus decoloratus</u>	1 ♂, 65 ♀ <u>Boophilus decoloratus</u>
	Cattle	Cattle
	Sesse Islands, Victoria Nyanza	Sese Islands (00.20 S, 32.20 E), Uganda
	18.VI.1909	18.VI.1909
	Rec'd. from Col. Sir David Bruce	Rec'd. from Col. Sir David Bruce
	1 ♂, 1 ♀ to Royal College of Surgeons, London 20.XII.1909	Nuttall 776 is also 1 ♀ <u>Aponomma</u> <u>flavomaculatum</u> ex large lizard Uganda 1913 Dr. H. B. Owen There is no mention of this collection under 776 in the catalogue nor is Dr. H. B. Owen listed in Nuttall's notebook of doners to this collection.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	777		N	777	
			RML	109418	
	<u>Boophilus decoloratus</u>			12 ♀ <u>Boophilus decoloratus</u>	
	Cattle			Cattle	
	Sesse Islands, Victoria Nyanza			Sese Islands (00.20 S, 32.20 E), Uganda	
	Date ?			Date ?	
	Rec'd. from Col. Sir David Bruce			Rec'd. from Col. Sir David Bruce	
N	778		N	778	
			RML	109419	
	<u>Amblyomma variegatum</u>			39 ♂, 20 ♀ <u>Amblyomma variegatum</u>	
	Maseno cattle			Maseno cattle	
	Mpumu, Uganda			Mpumu (00.12 N, 32.50 E), Uganda	
	VI.1909			VI.1909	
	Rec'd. from Col. Sir David Bruce			Rec'd. from Col. Sir David Bruce	
	1 ♂, 1 ♀ to Richard Hancock, England, 16.VI.1918				
N	779		N	779	
			RML	109420	
	<u>Amblyomma petersi</u> (2♂, 2 ♀)			1 ♂, 2 ♀ <u>Amblyomma rhinocerotis</u>	
	Rhinoceros			<u>Diceros bicornis</u> or <u>ceratotherium</u> <u>simum</u>	
	Uganda			Uganda	
	Sent 2.VI.1909			Sent 2.VI.1909	
	Rec'd. from Col. Sir David Bruce			Rec'd. from Col. Sir David Bruce	

Dr. Eugen Dschunkowsky of Heßmendorf bei Elisabethpol, Transcaucasia, sent his collection of ticks during 1910. Their determination, together with full data are as follows:

N	780, a	N	780
		RML	109421
(780)	<u>Haemaphysalis inermis</u>	(780)	<u>7 ♂ Haemaphysalis parva</u>
(a)	<u>Haemaphysalis cinnabrina</u> 7 ♂	(a)	MISSING
Cattle		Cattle	
Surnabad		Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
Sent 1910		Sent 1903	
Dr. E. Dschunkowsky		Dr. E. Dschunkowsky	
(a) (1♂ with long spine on coxa IV, 1♂ with medium spine, 5♂ without spine) showing variability of this character! See also Nos.		Collecting date on vial label	
N	781	N	781
		RML	109422
	<u>Haemaphysalis inermis</u>	6 ♀	<u>Haemaphysalis inermis</u>
Cattle		Cattle	
Surnabad		Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
Sent 1910		Sent 1910	
Dr. E. Dschunkowsky "No. 2"		Dr. E. Dschunkowsky "No. 2"	
		Cited: Nuttall & Warburton (1915: 366).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	782	N	782
		RML	109423
	<u>Haemaphysalis punctata</u>		5 ♀ <u>Haemaphysalis parva</u>
	Hare		Hare
	Surnabad		Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	1.X.1903		
	Dr. E. Dschunkowsky "No. 84"		Dr. E. Dschunkowsky "No. 84"
N	783	N	783
		RML	109424
	<u>Haemaphysalis punctata</u>		4 ♂ <u>Haemaphysalis parva</u>
	Hare		Hare
	Surnabad		Zurnabad (40.30 N, 46,15 E), Azerbaijan SSR, USSR
	Sent 1910		1903
	Dr. E. Dschunkowsky "No. 93"		Dr. E. Dschunkowsky "No. 93"
	4 ♂ without spines on Coxa IV		Date taken from vial label
N	784	N	784
		RML	109425
	<u>Haemaphysalis cinnabarinus</u> , 4 ♂, 5 ♀		4 ♂, 8 ♀ <u>Haemaphysalis parva</u>
	Fox		<u>Vulpes vulpes</u>
	Surnabad		Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	1.X.1903		1.X.1903
	Dr. E. Dschunkowsky "No. 68"		Dr. E. Dschunkowsky "No. 68"
	♂'s without spine on Coxa IV		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	785		N	785 MISSING
	<u>Haemaphysalis</u> sp.			
	Fox			
	Surnabad			
	1.X.1903			
	Dr. E. Dschunkowsky "No. 66"			
N	786		N	786
			RML	109743
	<u>Haemaphysalis leachi</u> (very punctate)			1 ♂ <u>Haemaphysalis</u> sp.
	Bear			<u>Ursus arctos</u>
	Surnabad			Zurnabad (40.30 N, 46,15 E), Azerbaijan SSR, USSR
	VIII.1903			VIII.1903
	Dr. E. Dschunkowsky "No. 58"			Dr. E. Dschunkowsky "No. 58"
N	787		N	787
			RML	109744
	<u>Haemaphysalis cinnabarina</u> 6♂			6 ♂ <u>Haemaphysalis parva</u>
	Bear			<u>Ursus arctos</u>
	Surnabad			Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	VIII.1903			VIII.1903
	Dr. E. Dschunkowsky "No. 60"			Dr. E. Dschunkowsky "No. 60"
	Without spines on Coxa IV			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	788	N	788
		RML	109745
	<u>Haemaphysalis inermis</u> 1 ♀		1 ♀ <u>Haemaphysalis inermis</u>
Surnabad		Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
Sent 1910		Sent 1910	
Dr. E. Dschunkowsky "No. 74"		Dr. E. Dschunkowsky "No. 74"	
		Nuttall & Warburton (1915: 364) figured this specimen	
N	789	N	789, d, e
		RML	109746
(789)	<u>Haemaphysalis inermis</u>	(789)	2 ♂ <u>Haemaphysalis inermis</u>
(a)	<u>Haemaphysalis punctata</u>	(a)	MISSING
(b)	<u>Boophilus annulatus</u>	(b)	MISSING
(c)	<u>Boophilus annulatus</u>	(c)	MISSING
(d)	<u>Haemaphysalis inermis</u>	(d)	1 ♂ <u>Haemaphysalis inermis</u>
(e)	<u>Haemaphysalis cinnabarina</u>	(e)	5 ♂ <u>Haemaphysalis parva</u>
Fox		<u>Vulpes vulpes</u>	
Surnabad		Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
1903		1903	
Dr. E. Dschunkowsky "No. 64"		Dr. E. Dschunkowsky "No. 64"	
(e) without spines on Coxa IV		Nuttall & Warburton (1915: 363) figured the ♂ of 789d but it is incorrectly labelled 739d.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	790, a	N 790, a MISSING
(790)	<u>Haemaphysalis leachi</u> (scutum very short)	
(a)	<u>Amblyomma</u> sp. N's	
	Hare	
	Surnabad	
	4.IX.1904	
	Dr. E. Dschunkowsky "No. 86"	
N	791	N 791
		RML 109747
	<u>Boophilus calcaratus</u>	12 ♂ <u>Boophilus annulatus</u>
	Surnabad	Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	Sent 1910	Sent 1910
	Dr. E. Dschunkowsky "No. 8"	Dr. E. Dschunkowsky "No. 8"
		There is also one vial containing 2 ♂, 3 ♀ <u>Boophilus annulatus</u> with Nuttall No. 791-2
N	792	N 792
		RML 109748
	<u>Boophilus calcaratus</u>	17 ♀ <u>Boophilus annulatus</u>
	Surnabad	Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	Sent 1910	Sent 1910
	Dr. E. Dschunkowsky "No. 9"	Dr. E. Dschunkowsky "No. 9"
		See note under N 791

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	793	N 793
		RML 109749
	<u>Haemaphysalis</u> sp.	2 ♀ <u>Rhipicephalus bursa</u>
	Cattle	Cattle
	Surnabad	Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	Sent 1910	Sent 1910
	Dr. E. Dschunkowsky "No. 29" (A freak, undeterminable as yet GHFN 13.I.1915)	Dr. E. Dschunkowsky "No. 29"
N	794	N 794
		RML 109750
	<u>Ornithodoros tholozani</u> N	1 N <u>Ornithodoros</u> sp.
	Cattle	Cattle
	Surnabad	Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	Sent 1910	Sent 1910
	Dr. E. Dschunkowsky "No. 14" C. W. det. 1917, he notes, "1st st N, short legs, puzzling but we don't know that 1st st N has not short legs. Anyhow it is impossible to make a n. sp. of a 1st st N"	Dr. E. Dschunkowsky "No. 14"

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	795	N	795
		RML	73677
	<u>Hyalomma aegyptium</u> ♂'s "35", ♀'s "33"		2 ♂, 3 ♀ <u>Hyalomma marginatum</u> 1 ♂ <u>Hyalomma detritum</u> 1 ♂ <u>Hyalomma anatolicum excavatum</u>
	Camels		Camels
	Dschenvanschir "Reise"		Hills near Dnepropetrovsk (48.27 N, 34.59 E) Ukrainian SSR, USSR
	Sent 1910		Sent 1910
	Dr. E. Dschunkowsky		Dr. E. Dschunkowsky
			An additional 1 ♂, 1 ♀ <u>H. marginatum</u> are in the NAMRU-3 collection.
N	796	N	796
		RML	109751
	<u>Rhipicephalus sanguineus</u>		2 ♂ <u>Rhipicephalus turanicus</u> 1 ♂ <u>Rhipicephalus leporis</u>
	Hare		Hare
	Transcaucasia		Azerbaijan SSR, USSR
	13.VII.1907		13.VII.1907
	Dr. E. Dschunkowsky "No. 89"		Dr. E. Dschunkowsky "No. 89"
N	797	N	797 MISSING
	<u>Rhipicephalus sanguineus</u>		
	<u>Erinaceus colligenis</u>		
	Mugan-Steppe		
	IV.1902		
	Dr. E. Dschunkowsky "No. 69"		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	798	N 798
		RML 109752
	<u>Haemaphysalis punctata</u>	5 ♀ <u>Haemaphysalis parva</u>
	Bear	<u>Ursus arctos</u>
	Surnabad	Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	VIII.1903	VIII.1903
	Dr. E. Dschunkowsky "No. 59"	Dr. E. Dschunkowsky "No. 59"
N	799	N 799 MISSING
	<u>Ixodes ricinus</u> 2♀	
	Bear	
	Surnabad	
	VIII.1903	
	Dr. E. Dschunkowsky	
N	800	N 800
		RML 109753
	<u>Dermacentor reticulatus</u> 3 ♂, 2 ♀	2 ♂ <u>Dermacentor reticulatus</u>
	Bear	<u>Ursus arctos</u>
	Surnabad	Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
	VIII.1903	VIII.1903
	Dr. E. Dschunkowsky "No. 56"	Dr. E. Dschunkowsky "No. 56"

**The Nuttall Tick Catalogue
Volume II, Nos. 801-3500**

These labels accompanying specimens indicate:

- TYPE** = Types from which a new species has been described.
- CO-TYPE** = Co-types or specimens belonging to the same lot or lots from which the types are selected.
- O-TYPE** = O-type, specimens which have been compared with the types by N. & W.
- = Specimens of special interest, as being deformed, figured for our book, etc.

G.H.F. Nuttall

18.VI.1914

Tops of corks



= marked thus for types



= thus for co-types



= thus for specimens compared with types and which serve as types (O-types).



= brass nail on top = pinned



= black topped nail on top of slides

Signs on labels: ♂ ♀ stands for male & female

0 " " nymph

L " " larva

a,b,c,etc. after a number denotes the different species collected off the same host.

(i) (ii) (iii), etc. after a number denotes that the ticks of one species have been separated & put in different tubes, etc., according to the stages represented: ♂ ♀ are often together.
Os, Ls & eggs, empty skins etc. separated.

Some Addresses of Persons
who have sent ticks

Fletcher, J. B. (Esq.)	Govt. Entomologist, Agricultural College, Coimbatore, Madras	Sent 2 bats (<u>Scotophilus heathi</u> Horsfield) with <u>Argas vesper-</u> <u>tilionis</u> larvae attached. Bats presented to Brit. Mus. (Nat. Hist.) XI.19. [See N. 1856 - JEK]
Fletcher, N. J.	M.R.C.V.S. Veterinary Estab- lish. 51 Chester Street North Wales, Wrexham	Sent ticks Nos. 1991, 2079 - <u>R.</u> <u>sanguineus</u> off dog, Brymbo, near Wrexham, N. Wales. II & III.1913
Glover, H. J.	Labac J. E., Dewan, P. O. Cachar, (Assam), India	Ear tick.
Harrison, J.R.V. (Esq.)	11, Aurora Court Ellice Avenue, Winnipeg, Manitoba, Canada	Sent ticks (No. 2452) off cattle, Manitoba, Canada. 13.X.1913.
Hooker, C. W. (Esq.)	Entomologist, Porto Rico Agricultural Experiment Station Mayaguez, Porto Rico West Indies	Sent ticks, 9.I.1913.
Hull, Munro (Esq.)	"Cudgeree" Eumundi Queensland, Australia	VIII:1913
Kinnear, N. B. (Esq.)	Bombay Natural History Society 8 Apollo Street Bombay, India	Sent coll. of ticks to determine & keep some of the specimens. Also wants a short paper on them for publication in his journal. 17.V.1912.
Koningsberger, J. C. (Professor)	Lands Plantenuin Buitenzorg, Java, Dutch East Indies	Sent collection of ticks in 1909.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	801		N	801	
			RML	109754	
	<u>Rhipicephalus bursa</u> ♂'s ♀'s			5 ♂, 11 ♀ <u>Rhipicephalus bursa</u>	
	Cattle			Cattle	
	Surnabad			Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR.	
	Nymphs 26.X.1903 emerged 5.VI.1904			Nymphs 26.X.1903 emerged 5.VI.1904	
	Dr. E. Dschunkowsky "No 17"			Dr. E. Dschunkowsky "No 17"	
	(1/2 of lot returned)				
N	802		N	802	
			RML	109755	
	<u>Rhipicephalus bursa</u> ♂'s			6 ♂ <u>Rhipicephalus bursa</u>	
	Cattle			Cattle	
	Kazjan, Kreis Gesktschai			Kazjan, USSR (locality not verified)	
	1.VII.1904			1.VII.1904	
	Dr. E. Dschunkowsky "No 24"			Dr. E. Dschunkowsky "No 24"	
N	803		N	803	
			RML	109756	
	<u>Rhipicephalus bursa</u> N's			21 N <u>Rhipicephalus bursa</u>	
	Sheep			Sheep	
	Surnabad			Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR.	
	29.X.1903			29.X.1903	
	Dr. E. Dschunkowsky "No 55"			Dr. E. Dschunkowsky "No 55"	
	(1/2 of lot returned)				

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	804		N	804	
			RML	109757	
	<u>Haemaphysalis cinnabarina</u> 2 ♂, 2 ♀			4 ♂ <u>Haemaphysalis parva</u>	
	Sheep			Sheep	
	Surnabad			Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
	28.X.1903			28.X.1903	
	Dr. E. Dschunkowsky "No 42"			Dr. E. Dschunkowsky "No 42"	
N	805		N	805	
			RML	109758	
	<u>Haemaphysalis punctata</u>			5 ♂ <u>Haemaphysalis parva</u>	
	Sheep			Sheep	
	Surnabad			Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
	26.X.1903			26.X.1903	
	Dr. E. Dschunkowsky "No. 46" (1/2 of lot returned)			Dr. E. Dschunkowsky "No. 46"	
N	806		N	806	
			RML	109759	
	<u>Hyalomma aegyptium</u>			2 ♂ <u>Hyalomma detritum</u>	
	Sheep			Sheep	
	Utsch-Tapa			Uchtepe (39.19 N, 48.26 E), USSR	
	16.V.1909			16.V.1909	
	Dr. E. Dschunkowsky "No. 47"			Dr. E. Dschunkowsky "No. 47"	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	807		N	807	
			RML	109760	
	<u>Dermacentor reticulatus</u> ♂'s			2 ♂ <u>Dermacentor niveus</u>	
	Sheep			Sheep	
	Surnabad			Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
	25.III.1903			25.III.1903	
	Dr. E. Dschunkowsky "No. 45"			Dr. E. Dschunkowsky "No. 45"	
	(1/2 of lot returned)				
N	808		N	808	
	<u>Dermacentor reticulatus</u> 1 ♀		RML	109761	
	Sheep			1 ♀ <u>Dermacentor niveus</u>	
	Utsch-Tapa			Sheep	
	16.V.1909			Uchtepe (39.19 N, 48.26 E), USSR	
	Dr. E. Dschunkowsky "No. 51"			16.V.1909	
N	809		N	809	
			RML	109762	
	<u>Dermacentor reticulatus</u> 1 ♂, 1 ♀			1 ♀ <u>Dermacentor niveus</u>	
	Cattle			Cattle	
	Surnabad			Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR	
	Der. E. Dschunkowsky (ex tubes "4" and "5")			Dr. E. Dschunkowsky (ex tubes "4" and "5")	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	810	N	810
		RML	109763
	<u>Haemaphysalis punctata</u> 3 ♀'s		2 ♀ <u>Haemaphysalis parva</u>
	Surnabad		Zurnabad (40.30 N, 46.15 E), Azerbaijan SSR, USSR
			1903
	Dr. E. Dschunkowsky "No. 3"		Dr. E. Dschunkowsky "No. 3"
	Labelled " <u>caucasica</u> "		
N	811	N	811
		RML	109764
	<u>Amblyomma integrum</u> 1 ♂ (dry)		1 ♂ <u>Amblyomma integrum</u>
	Iala, Ceylon		Iala, Sri Lanka (locality not verified)
	9.II.1909		9.II.1909
	T. Bainbrigge Fletcher, R. N.		T. Bainbrigge Fletcher, R. N.
	(gift of Mr. Scott, Cambridge 24.IV.1909) L.E.R. det.		Pinned specimen. Cited: Robinson (1926: 114). Thomas Bainbrigge Fletcher (1878-1950) educated at Dulwich College. In 1911 appointed Government Entomologist in Madras. In 1913 succeeded Maxwell Lefroy as Imperial Entomologist. Published extensively on Indian insects, especially Lepidoptera.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	812	N	812
		RML	109765
	<u>Dermacentor albopictus</u> (sic) 1 ♀ shrivelled		1 ♀ <u>Dermacentor albipictus</u>
	Cow		Cow
	Vancouver, B.C.		Vancouver (49.15 N, 123.08 W) British Columbia, Canada
	Rec'd 1909		Rec'd 1909
	Rec'd from T. Bowhill		Rec'd from T. Bowhill
N	813	N	813
		RML	109766
	<u>Haemaphysalis punctata</u> larvae		32 L <u>Haemaphysalis punctata</u>
	Parent ♀ from Lydd, Kent		Parent ♀ from Lydd (50.57 N, 00.55 E), Kent, England
	Rec'd 9.X.1909		Rec'd 9.X.1909
	Rec'd from L. E. Robinson		Rec'd from L. E. Robinson
	Raised in Watford		Cited: Edwards & Evans (1967: 596).
N	814	N	814
		RML	109767
	<u>Haemaphysalis punctata</u> N's		2 N <u>Haemaphysalis punctata</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Cambridge		Cambridge (52.13 N, 00.08 E), England
	26.X.1905		26.X.1905
	Rec'd from L. E. Robinson		Rec'd from L. E. Robinson
	Laboratory reared		Catalogue indicates that although the ticks were reared in 1905 they were received in 1909.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	815		N	815	
			RML	109768	
	<u>Haemaphysalis punctata</u> ♂'s			1 ♂ <u>Haemaphysalis punctata</u>	
	Lydd, Kent			Lydd (50.57 N, 00.55 E), Kent, England	
	Rec'd 9.X.1909			Rec'd 9.X.1909	
	Rec'd from L. E. Robinson			Rec'd from L. E. Robinson	
	(2 pinned, dry)			An additional 1 ♂, 3 ♀ are pinned.	
N	816		N	816	
			RML	109769	
	<u>Haemaphysalis punctata</u> ♀'s			11 ♀ <u>Haemaphysalis punctata</u>	
	Lydd, Kent			Lydd (50.57 N, 00.55 E), Kent, England	
	Rec'd 9.X.1909			Rec'd 9.X.1909	
	Rec'd from L. E. Robinson			Rec'd from L. E. Robinson	
N	817		N	817	
			RML	109770	
	<u>Dermacentor</u> ? <u>compactus</u> ♂'s ♀'s			1 ♂, 2 ♀ <u>Dermacentor auratus</u>	
	<u>Felis tigris</u>			<u>Panthera tigris</u>	
	Maldun, Naini Tal District, U.P. India			Maldun, Naini Tal District (29.12 N, 79.25 E) India	
	14-19.II.1907			14-19.II.1907	
	(c. w's)				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	818a-c	N	818c
		RML	109771
	<u>Ornithodoros moubata</u>		
(a)	♂	(a)	MISSING
(b)	♀	(b)	MISSING
(c)	N	(c)	47 N <u>Ornithodoros moubata</u>
	Residency of Officer in Charge of District		Residency of Officer in Charge of District
	Ngara. Marimba District Nyasaland		Ngara (10.14 S, 34.07 E), Malawi
	Rec'd 11.X.1909		Rec'd 11.X.1909
	Rec'd from Dr. H. Hearsey		Rec'd from Dr. H. Hearsey
	(818b) 1 ♀ to Prof. R. A. Cooley V.1928		Cited: Merriman (1911; 171).
N	819	N	819 MISSING
	<u>Ornithodoros moubata</u>		
	Mpumu, Uganda		
	Rec'd 29.VI.1909		
	Rec'd from Dr. P. H. Ross		
	Some to Prof. G. H. Carpenter, Royal College of Sciences, Dublin 19.I.1910; Some to G. S. Graham-Smith, Medical Schools, Cambridge, 19.I.1910; Some to E. E. Green, Government Entomologist, Ceylon 19.I.1910; Some to Dr. Dschunkowsky, Transcaucasia 19.I.1910; Some to Dr. Edmond Sergent, N. Africa 19.IV.1910; Some to Dr. H. de B. Aragão, Brazil 23.I.1910; Some to Dr. J. G. Parham, Portuguese East Africa 18.IV.1913; Some to N.Y. National Museum 18.IV.1913.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	820	N 820 MISSING
	<u>Amblyomma pseudoconcolor</u> ♂, ♀ ♂ ex <u>Armadillo (Dasypus</u> sp.) ♀ ex <u>Nothura maculosa</u> , taken as a nymph	These pinned specimens (1 ♂, 1 ♀) are now in the BMNH collection.
	Aware State of San Paulo, Brazil, S. America	
	26.VI.1908	
	Rec'd from Dr. H. de B. Aragão of the Instituto de Manquinhos Rio de Janeiro, Brazil	
	To be regarded as co-types	
N	821	N 821
		RML 109772
	<u>Amblyomma cooperi</u> ♂♂, ♀ (dried & pinned)	2 ♂, 1 ♀ <u>Amblyomma cooperi</u>
	<u>Hydrochoerus capybara</u>	<u>Hydrochoerus hydrochaeris</u>
	State of Rio, Brazil, S. America	Estado do Rio de Janeiro (22.00 S, 42.30 W), Brazil
	20.X.1908	20.X.1908
	A. <u>lutzi</u> Aragão, as noted by the latter on the original label	H. B. Aragão

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	822	N 822 MISSING
	<u>Amblyomma mantiquirense</u> 1 ♂, 1 ♀ (dried & pinned)	These pinned specimens (1 ♂, 1 ♀) are now in the BMNH collection. They are <u>Amblyomma</u> <u>naponense</u> .
	Peccary (<u>Dicotyles torquatus</u>)	
	Herem, State of Rio, Brazil S. America	
	24.VII.1907	
N	823	N 823 MISSING
	<u>Amblyomma braziliense</u> 1 ♂, 1 ♀ (dried & pinned)	These pinned specimens (1 ♂, 1 ♀) are now in the BMNH collection.
	Peccary (<u>Dicotyles torquatus</u>)	
	Itabira, State of Minas, Brazil, S. America	
	8.IV.1908	
N	824	N 824 MISSING
	<u>Amblyomma badium</u> ♂♂, ♀ = <u>sublaeve</u>	
	<u>Manis</u> sp.	
	Kuala Lumpur	
	det. by Neumann ex A. E. Shipley's coll. TYPES of <u>badium</u> Nn	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	825	N	825
		RML	109773
	<u>Amblyomma integrum</u> 3 ♀		3 ♀ <u>Amblyomma integrum</u>
	Nettle hedge		Nettle hedge
	Gopkuda, S. Lake Chilka, India		Gopkuda, S. Lake Chilka (19.46 N, 85.20 E), India
	1907		1907
	Annandale		Nelson Annandale
	(Sent to C. W.)		Cited: Robinson (1926: 114).
N	826	N	826
		RML	109774
	<u>Ixodes hexagonus</u> 2 ♀'s		2 ♀ <u>Ixodes rubidus</u>
	Coypu, (<u>Myopotamus coypus</u>)		<u>Myocastor coypus</u>
	S. America		S. America
	Rothschild 189		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	827	N	827
		RML	109775
	<u>Argas brumpti</u> nymphs (2)		2 N <u>Argas brumpti</u>
	Sudan		Sudan
	Sent 27.VII.1909		Sent 27.VII.1909
	Sent by Harold H. King, Gov't Entomologist, Gordon Memorial College, Khartoum		Sent by Harold H. King, Gov't Entomologist, Gordon Memorial College, Khartoum
	Taken "at the foot of some Rocky Hills known as Gebelein. One bit me on the forearm and for several days I had a blue mark like a bruise just under 3 inches long and two inches wide. I don't know what they usually feed on but the hills harbour leopard, warthog, honey badgers, conies and hyenas".		King (1911: 128) cited 9 immature specimens and discussed his reaction to the bite of this tick.
N	828	N	828
		RML	109776
	<u>Argas vespertilionis</u> larvae		2 L <u>Argas vespertilionis</u>
	Bat		Bat
	Khartoum		Khartoum (15.36 N, 32.32 E), Sudan
	VII.1909		VII.1909
	Sent by H. H. King 29.VII.1909		Sent by H. H. King 29.VII.1909
			King (1911: 128) cited 8 larvae in this collection.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	829, a	N	829, a
		RML	109777
Dermacentor	<u>rhinocerotis</u> 1 ♂	1 ♂	<u>Dermacentor rhinocerinus</u>
(a)	<u>Amblyomma hippopotamense</u> 1 ♀	(a)	1 ♀ <u>Dermacentor rhinocerinus</u>
Vegetation		Vegetation	
Azzar		Azzar, Sudan (locality not verified). There is a pond at 11.56 N, 32.49 E and a waterhole at 11.43 N, 23.57 E both spelled Azzaraf which are possible localities.	
29.VII.1909		29.VII.1909	
H. H. King		H. H. King	
"There is a quantity of game there including elephant and rhino, also hippos"		King (1911: 128) indicated a large number of both sexes were collected.	
N	830	N	830
		RML	109778
Boophilus	<u>australis</u> ♂'s ♀'s (latter gorged)	1 ♂, 3 ♀	<u>Boophilus microplus</u>
Cattle		Cattle	
Cape Colony		Cape Colony, Republic of South Africa	
III.1906		III.1906	
C. P. Lounsbury		C. P. Lounsbury	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	831	N	831
		RML	109779
	<u>Boophilus australis</u> larvae unfed	71 L	<u>Boophilus microplus</u>
	Cape Colony	Cape Colony, Republic of South Africa	
	III.1906	III.1906	
	C. P. Lounsbury	C. P. Lounsbury	
		Probably progeny of N 830	
N	832	N	832
		RML	109780
	<u>Boophilus australis</u> ♀'s	7 ♂	<u>Boophilus microplus</u>
	N. S. Wales	N. S. Wales, Australia	
	1906	1906	
	From Mr. Pound	From Mr. Pound	
	ex E. G. Wheler's collection		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	833		N	833
			RML	109781
	<u>Boophilus caudatus</u> ♂, ♀			1 ♂, 1 ♀ <u>Boophilus microplus</u>
	Buffalo			Buffalo
	Penang			Penang (05.24 N, 100.19 E), Malaysia
	Rec'd 16.VII.1906			Rec'd 16.VII.1906
	Rec'd from E. A. Shipley			Rec'd from E. A. Shipley
N	834		N	834 MISSING
	<u>Boophilus decoloratus</u> ♂'s, ♀			
	Cape Colony			
	III.1906			
	C. P. Lounsbury			
N	835		N	835
			RML	109782
	<u>Amblyomma integrum</u> 2 ♂'s			2 ♂ <u>Amblyomma integrum</u>
	Calves			Calves
	Guindy, Saidapet, South India			Guindy, Saidapet (13.02 N, 80.13 E), India
	IX.1909			IX.1909
	From Capt. W. S. Patton, I.M.S.			From Capt. W. S. Patton, I.M.S.
				Walter Scott Patton (1876-1960), born in India, Medical Degree, Univ. of Edinburgh. Entered Indian Medical Service 1902, spent 20 years in that country. In WW I was entomologist to the Mesopotamia Expeditionary Force. 1927-1937 Dutton Memorial Professor of Entomology, Univ. of Liverpool & Liverpool School of Tropical Medicine. He wrote 2 volumes on insects, ticks, mites and venomous animals of medical & veterinary importance. Cited: Robinson (1926: 114).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	836	N	836
		RML	109783
	<u>Rhipicephalus appendiculatus</u> Larvae		277 L <u>Rhipicephalus appendiculatus</u>
	Cape Colony, South Africa		Cape Colony, Republic of South Africa
	1906		1906
	Rec'd from Mr. C. P. Lounsbury, Gov't Entomologist, Cape Town, South Africa		Rec'd from Mr. C. P. Lounsbury, Gov't Entomologist, Cape Town, South Africa
N	837	N	837
		RML	109784
	<u>Rhipicephalus appendiculatus</u> N's		5 N <u>Rhipicephalus appendiculatus</u>
	Cape Colony, South Africa		Cape Colony, Republic of South Africa
	1906		1906
	Rec'd from Mr. C. P. Lounsbury, Gov't Entomologist, Cape Town, South Africa		Rec'd from Mr. C. P. Lounsbury, Gov't Entomologist, Cape Town, South Africa
N	838	N	838
		RML	109785
	<u>Rhipicephalus appendiculatus</u> young ♀'s		3 ♀ <u>Rhipicephalus appendiculatus</u>
	Cape Colony, South Africa		Cape Colony, Republic of South Africa
	1906		1906
	From C. P. Lounsbury, Gov't Entomologist, Cape Town, S. Africa		From C. P. Lounsbury, Gov't Entomologist, Cape Town, S. Africa

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	839		N	839	
			RML	109786	
	<u>Rhipicephalus appendiculatus</u> gorged ♀'s			2 ♀ <u>Rhipicephalus appendiculatus</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	1906			1906	
	Rec'd from Mr. C. P. Lounsbury, Gov't Entomologist, Cape Town, S. Africa			Rec'd from Mr. C. P. Lounsbury, Gov't Entomologist, Cape Town, S. Africa	
N	840		N	840	
			RML	109787	
	<u>Rhipicephalus capensis</u> Taraeae, unfed			132 L <u>Rhipicephalus capensis</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From C. P. Lounsbury			From C. P. Lounsbury	
N	841		N	841	
			RML	109788	
	<u>Rhipicephalus capensis</u> larvae gorged. Placed on rabbit 8.X.1906 found gorged 15.X.1906			3 L <u>Rhipicephalus capensis</u>	
	Rabbit			Rabbit	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From C. P. Lounsbury			From C. P. Lounsbury	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	842		N	842	
			RML	109789	
	<u>Rhipicephalus capensis</u> nymphs unfed			28 N <u>Rhipicephalus capensis</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From C. P. Lounsbury			From C. P. Lounsbury	
N	843		N	843	
			RML	109790	
	<u>Rhipicephalus capensis</u> ♂'s ♀'s			2 ♂, 2 ♀ <u>Rhipicephalus capensis</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From C. P. Lounsbury			From C. P. Lounsbury	
N	844		N	844	
			RML	109791	
	<u>Rhipicephalus evertsi</u> N's gorged			9 N <u>Rhipicephalus evertsi</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From Mr. C. P. Lounsbury			From Mr. C. P. Lounsbury	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	845		N	845	
			RML	109792	
	<u>Rhipicephalus evertsi</u> larvae, unfed			162 L <u>Rhipicephalus evertsi</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From Mr. C. P. Lounsbury			From Mr. C. P. Lounsbury	
N	846		N	846	
			RML	109793	
	<u>Rhipicephalus evertsi</u> adults ♂ ♀			1 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From Mr. C. P. Lounsbury			From Mr. C. P. Lounsbury	
N	847		N	847	
			RML	109794	
	<u>Rhipicephalus evertsi</u> ♂, ♀			3 ♂, 5 ♀ <u>Rhipicephalus evertsi</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	5.VI.1906			5.VI.1906	
	From Mr. C. P. Lounsbury			From Mr. C. P. Lounsbury	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	848	N	848 MISSING
	<u>Rhipicephalus evertsi</u> ♂, ♀		
	From Mr. E. G. Wheler 1906		
N	849	N	849
		RML	109795
	<u>Rhipicephalus nitens</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	1906		1906
	From Mr. C. P. Lounsbury		From Mr. C. P. Lounsbury
N	850	N	850
		RML	109796
	<u>Rhipicephalus oculatus</u> 1 ♂, 1 ♀		1 ♀ <u>Rhipicephalus oculatus</u>
	Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	1906		1906
	From Mr. C. P. Lounsbury		From Mr. C. P. Lounsbury
			There is a blue COTYPE label in this vial; however, I do not believe this ♀ is a type specimen. The vulva has been removed and mounted on a slide.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	851	N	851
		RML	109797
	<u>Rhipicephalus pulchellus</u> ♂		1 ♂ <u>Rhipicephalus pulchellus</u>
	Received 1906		Received 1906
	Received from Mr. E. G. Wheler		Received from Mr. E. G. Wheler
N	852	N	852
		RML	109798
	<u>Rhipicephalus sanguineus</u> ♀		1 ♀ <u>Rhipicephalus sanguineus</u>
	Campagna Romana		Campagna di Roma (41.50 N, 12.35 E), Italy
	1906		1906
	Given by Pocock		Given by Pocock
	ex E. G. Wheler		
N	853	N	853
		RML	109799
	<u>Rhipicephalus sanguineus</u> larvae		11 L <u>Rhipicephalus sanguineus</u>
	Rabbit		Rabbit
	India		India
	From Mr. Lefroy		From Mr. Lefroy
	Sent to C. W.		Harold Maxwell-Lefroy (1877-1925). From 1899-1903, Entomologist, Imperial Department of Agriculture for the West Indies, chiefly in Barbados; 1903-1910 Imperial Entomologist for India; 1912- 1925 Professor of Entomology, Imperial College of Science, South Kensington; died of exposure to insecticide gasses in his London laboratory.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>
N	854	N	854
		RML	109800
	<u>Rhipicephalus sanguineus</u> nymphs		11 N <u>Rhipicephalus sanguineus</u>
	India		India
	From Mr. Lefroy		From Mr. Lefroy
	Sent to C. W.		
N	855	N	855
		RML	109801
	<u>Rhipicephalus sanguineus</u> ♂'s		3 ♂ <u>Rhipicephalus sanguineus</u>
	India		India
	From Mr. Lefroy		From Mr. Lefroy
	Sent to C. W.		
N	856	N	856
		RML	109802
	<u>Rhipicephalus sanguineus</u> ♀'s (young)		1 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
	India		India
	From Mr. Lefroy		From Mr. Lefroy
	Sent to C. W.		
N	857	N	857
		RML	109803
	<u>Rhipicephalus sanguineus</u> ♀'s (gorged)		4 ♀ <u>Rhipicephalus sanguineus</u>
	India		India
	From Mr. Lefroy		From Mr. Lefroy
	Sent to C.W.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	858		N	858	
			RML	109804	
	<u>Rhipicephalus simus</u> ♂'s, ♀'s			4 ♂, 4 ♀ <u>Rhipicephalus senegalensis</u>	
	West Africa			West Africa	
	1908			1908	
	From Dr. W. M. Graham			From Dr. W. M. Graham	
N	859		N	859	
			RML	109805	
	<u>Rhipicephalus simus</u> larvae			26 L plus 138 L (in 2 vials)	
	Cape Colony, S. Africa			<u>Rhipicephalus simus</u>	
	III.1906			Cape Colony, Republic of South Africa	
	From Mr. C. P. Lounsbury			III.1906	
				From Mr. C. P. Lounsbury	
N	860		N	860	
			RML	109806	
	<u>Rhipicephalus simus</u> ♂'s, ♀'s			1 ♂, 3 ♀ <u>Rhipicephalus simus</u>	
	Cape Colony, S. Africa			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From Mr. C. P. Lounsbury			From Mr. C. P. Lounsbury	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	861	N	861
		RML	109807
	<i>Boophilus australis</i> (ii) N's		2 ♂ <i>Boophilus microplus</i> (ii) 4 ♀ <i>Boophilus microplus</i> (in separate vial)
	Calves		Calves
	Belgaum, Bombay Presidency India		Belgaum (15.52 N, 74.30 E), India
	Rec'd 2.X.1909		Rec'd 2.X.1909
	From Capt. F.H.C. Hutchinson I.M.S., (D.T.M.H. Cambridge)		From Capt. F.H.C. Hutchinson I.M.S., (D.T.M.H. Cambridge)
N	862	N	862
		RML	109808
	<i>Rhipicephalus sanguineus</i>		3 ♀ <i>Rhipicephalus sanguineus</i>
	Calves		Calves
	Belgaum, Bombay Presidency, India		Belgaum (15.52 N, 74.30 E), India
	Rec'd 2.X.1909		Rec'd 2.X.1909
	From Capt. F.H.C. Hutchinson I.M.S. (D.T.M.H. Cambridge)		From Capt. F.H.C. Hutchinson I.M.S. (D.T.M.H. Cambridge)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	863	N	863
		RML	109809
	<u>Haemaphysalis bispinosa</u>		8 ♂, 17 ♀ <u>Haemaphysalis bispinosa</u>
	Calves		Calves
	Belgaum, Bombay Presidency, India		Belgaum (15.52 N, 74.30 E), India
	Rec'd 2.X.1909		Rec'd 2.X.1909
	From Capt. F.H.C. Hutchinson I.M.S. (D.T.M.H. Cambridge)		From Capt. F.H.C. Hutchinson I.M.S. (D.T.M.H. Cambridge)
	1 ♂, 1 ♀ to Dr. H. de B. Aragão, Brazil, 23.I.1910		Cited: Nuttall & Warburton (1915: 432).
N	864	N	864
		RML	109810
	<u>Hyalomma aegyptium</u>		9 ♂, 3 ♀, 1 N <u>Hyalomma anatolicum</u> <u>anatolicum</u>
	Calves		Calves
	Belgaum, Bombay Presidency, India		Belgaum (15.52 N, 74.30 E), India
	Rec'd 2.X.1909		Rec'd 2.X.1909
	From Capt. F.H.C. Hutchinson I.M.S. (D.T.M.H. Cambridge)		From Capt. F.H.C. Hutchinson I.M.S. (D.T.M.H. Cambridge)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	865	N 865 MISSING
	<u>Rhipicephalus sanguineus</u>	
	Foxhound	
	Belgaum, Bombay Presidency, India	
	Rec'd 2.X.1909	
	From Capt. F.H.C. Hutchinson	
N	866	N 866 MISSING
	<u>Rhipicephalus haemaphysaloides</u>	
	Foxhound	
	Belgaum, Bombay Presidency, India	
	Rec'd 2.X.1909	
	From Capt. F.H.C. Hutchinson	
	1 ♂, 1 ♀ to Capt. W. S. Patton 14.I.1910; 1 ♂, 1 ♀ to Col. A. Alcock FRS, London School of Tropical Medicine 26.I.1910; 1 ♂, 1 ♀ to Dr. S. Hadwen, British Columbia, Canada 10.X.1913; 1 ♂, 1 ♀ in general collection British Museum (N.H.)	1 ♂, 1 ♀ of this collection are now in the RML collection (RML 110162) and the general collection of the British Museum (Nat. Hist.).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	867		N	867
			RML	109811
	<u>Rhipicephalus haemaphysaloides</u>			2 ♂, 9 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Foxhound			Foxhound
	Belgaum, Bombay Presidency, India			Belgaum (15.52 N, 74.30 E), India
	Rec'd 2.X.1909			Rec'd 2.X.1909
	Capt. F.H.C. Hutchinson			Capt. F.H.C. Hutchinson
	1 ♂, 1 ♀ to C. Strickland, Malaya			
N	868		N	868
			RML	109812
	<u>Rhipicephalus haemaphysaloides</u>			7 ♂, 1 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Foxhound			Foxhound
	Belgaum, Bombay Presidency, India			Belgaum (15.52 N, 74.30 E), India
	Rec'd 2.X.1909			Rec'd 2.X.1909
	Capt. F.H.C. Hutchinson			Capt. F.H.C. Hutchinson
N	869		N	869
			RML	71477
	<u>Haemaphysalis bispinosa</u>			1 ♀ <u>Haemaphysalis bispinosa</u> 2 ♀ <u>Haemaphysalis intermedia</u>
	Foxhound			Foxhound
	Belgaum, Bombay Presidency, India			Belgaum (15.52 N, 74.30 E), India
	Rec'd 2.X.1909			Rec'd 2.X.1909
	Capt. F.H.C. Hutchinson			Capt. F.H.C. Hutchinson
				Cited: Nuttall & Warburton (1915: 432).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	870	N	870 MISSING
	<u>Haemaphysalis leachi</u>		
	Fox hound		
	Belgaum, Bombay Presidency, India		
	Rec'd 2.X.1909		
	Capt. F.H.C. Hutchinson		
	871-886. Ticks rec'd 19.X.1909 from Col. Sir David Bruce, C.B., F.R.S., Sleeping Sickness Commission, Uganda, Africa.		
N	871, a, b	N	871b
		RML	109813
	(871) <u>Amblyomma variegatum</u> ♂'s ♀'s N	(871)	MISSING
	(a) <u>Rhipicephalus appendiculatus</u> ♂, ♀'s	(a)	MISSING
	(b) <u>Boophilus decoloratus</u>	(b)	3 ♀ <u>Boophilus decoloratus</u>
	Healthy country cattle		Healthy country cattle
	Nagongera in Budama (Lat. 0° 4', Long. 33°55'32" E)		Nagongera (00.46 N, 34.01 E), Uganda
	26.VII.1909		26.VII.1909
N	872, a, b	N	872, b
		RML	109814
	(872) <u>Amblyomma variegatum</u> ♂'s, ♀'s, N's	(872)	3 N <u>Amblyomma variegatum</u>
	(a) <u>Boophilus decoloratus</u>	(a)	MISSING
	(b) <u>Rhipicephalus appendiculatus</u> ♂'s	(b)	4 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle		Cattle
	Kome Island, Uganda		Kome Island (00.06 S, 32.45 E), Uganda
	30.VIII.1909		30.VIII.1909

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	873, a, a', b, c	N	873b
		RML	109815
(a)	<u>Amblyomma variegatum</u> ♂'s	(a)	MISSING
(a')	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	(a')	MISSING
(b)	<u>Boophilus decoloratus</u>	(b)	2 ♀ <u>Boophilus decoloratus</u>
(c)	<u>Haemaphysalis leachi</u> ♂'s, ♀'s	(c)	MISSING
	Buyago District, in S. Buddu, Lake Shore		Buyaga (00.30 S, 31.48 E), Uganda
	6.VIII.1909		6.VIII.1909
N	874a - f + f2	N	874a, c, f2
		RML	109816
(a)	<u>Boophilus decoloratus</u>	(a)	9 ♀ <u>Boophilus decoloratus</u>
(b)	<u>Haemaphysalis leachi</u> 2 ♀'s	(b)	MISSING
(c)	<u>Amblyomma eburneum</u> 2 ♂'s	(c)	1 ♂ <u>Amblyomma lepidum</u>
(d)	<u>Rhipicephalus appendiculatus</u>	(d)	MISSING
(e)	<u>Rhipicephalus evertsi</u>	(e)	MISSING
f + f2	<u>Rhipicephalus simus</u>	(f2)	16 ♀ <u>Rhipicephalus appendiculatus</u>
	"Villages marked on map"		"Villages marked on map", Uganda
	12.VIII.1909		12.VIII.1909
	From E. G. Morris, Kumi, Bukedi		From E. G. Morris, Kumi, Bukedi
			Robinson (1926: 119) stated the locality of 874c as Kumi Bukedi.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	875, a-c	N	875a, b
		RML	109817
(875)	<u>Amblyomma variegatum</u> ♂'s	(875)	MISSING
(a)	<u>Boophilus decoloratus</u>	(a)	5 ♀ <u>Boophilus decoloratus</u>
(b)	<u>Rhipicephalus appendiculatus</u>	(b)	24 ♂, 38 ♀ <u>Rhipicephalus appendiculatus</u>
(c)	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s	(c)	MISSING
Cattle		Cattle	
Kiango, Buddu, Uganda		Kiango, Buddu County (00.25 S, 31.40 E), Uganda	
1.VIII.1909		1.VIII.1909	
D. Bruce		D. Bruce	
875b 1♂, 1♀ to Richard Hancock, England 16.VI.1918; 875b some (sex/stage not stated) to Prof. O. Duboscq, Montpellier, France, 10.II.1914.			
N	876	N	876 MISSING
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s		
Dog			
Mpumu, Chagwe, Uganda			
23.VI.1909			
D. Bruce			
1 ♂, 1 ♀ to Royal College of Surgeons, London, 20.XII.1909; 1 ♂, 1 ♀ to Prof. G. H. Carpenter, Royal College of Sciences, Dublin 19.I.1910; 1 ♂, 1 ♀ to Dr. G. S. Graham-Smith, Medical Schools, Cambridge, 19.I.1910; 1 ♂, 1 ♀ to E. E. Green (F.E.S.) Government Entomologist, Ceylon 19.I.1910; 1 ♂, 1 ♀ to Dschunkowsky, Transcaucasus 19.I.1910; 1 ♂, 1 ♀ to Dr. Edmond Sergent, Algeria, N. Africa 19.V.1910; 1 ♂, 1 ♀ to Dr. H. de B. Aragão, Brazil 23.I.1910; 1 ♂, 1 ♀ to Dr. J. H. Ashworth, Edinburgh 22.VI.1910; some (sex/stage not stated) to Dr. Longin Navas, Zaragoza, Spain 28.V.1913.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	877, a-e	N	877, b-e
		RML	88411
(877) <u>Haemaphysalis parmata</u> (a) <u>Rhipicephalus appendiculatus</u> (b) <u>Boophilus decoloratus</u> (c) <u>Amblyomma variegatum</u> ♂'s, ♀'s, N's (d) <u>Ixodes rausus</u> (e) <u>Rhipicephalus evertsi</u>		(877) 1 ♀ <u>Haemaphysalis parmata</u> (a) MISSING (b) 7 ♀ <u>Boophilus decoloratus</u> (c) 5 N, 6 L <u>Amblyomma variegatum</u> (d) 1 ♀ <u>Ixodes cumulatimpunctatus</u> (e) 2 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>	
Cattle		Cattle	
Bukedi to Mpumu, Uganda		Bukedi District (00.50 N, 34.00 E), to Mpumu (00.12 N, 32.50 E), Uganda	
10.IX.1909		10.IX.1909	
D. Bruce		D. Bruce	
		(877e) pinned specimens. The labels for this collection read only 877. Cited (877): Nuttall & Warburton (1915: 421).	
		Cited (877d): Nuttall & Warburton (1911: 230); Arthur & Burrow (1957: 505). Arthur (1965: 159) erroneously cited this collection as 877a.	
N	878a, b	N	878a
		RML	109818
(a) <u>Rhipicephalus appendiculatus</u> (b) <u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s, N's		(a) 2 ♀ <u>Rhipicephalus appendiculatus</u> (b) MISSING	
Cow		Cow	
Mpumu, Chagwe, Uganda		Mpumu (00.12 N, 32.50 E), Uganda	
30.VII.1909		30.VII.1909	
D. Bruce		D. Bruce	
878b 1 ♂, 1 ♀ to Royal College of Surgeons, London 20.XII.1909; 1 ♂, 1 ♀ to Col. A. Alcock FRS London School Tropical Medicine, Royal Albert Dock, 26.I.1910.			

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>
N	879, a-c	N	879b, c
		RML	109819
(879)	<u>Amblyomma variegatum</u> ♂'s	(879)	MISSING
(a)	<u>Amblyomma variegatum</u> ? 1 N	(a)	MISSING
(b)	<u>Boophilus decoloratus</u>	(b)	1 ♀ <u>Boophilus decoloratus</u>
(c)	<u>Rhipicephalus appendiculatus</u>	(c)	2 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>
Zebra			<u>Equus burchelli</u>
Kamakeken, Uganda			Kamakekera, Uganda (locality not verified)
11.VIII.1909			11.VIII.1909
879c 1♂ 1♀ to Prof. B. Galli-Valerio, Lausanne, Switzerland, 14.III.1912; 1 ♂, 1 ♀ to Prof. Dr. M. Miyajima, Tokio, Japan 7.III.1912; 1 ♂, 1 ♀ to Dr. G. L. Tuck, Tientsien, China 17.II.1912; 1 ♂, 1 ♀ to A. H. Cockayne, Wellington, N.Z.; some (sex/stage not stated) to Dr. Longin Navas, Zaragoza, Spain 28.V.1913.		879c Pinned specimens.	
N	880	N	880
		RML	109820
<u>Amblyomma</u> sp. gorged larvae, rotten		28 L <u>Amblyomma</u> sp.	
Oribi antelope		<u>Ourebia ourebi</u>	
Uganda		Uganda	
VI.1909		VI.1909	
D. Bruce		D. Bruce	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	881, a-d	N	881, a-d
		RML	109821
(881)	<u>Rhipicephalus appendiculatus</u>	(881)	52 ♂, 9 ♀ <u>Rhipicephalus appendiculatus</u>
(a)	<u>Boophilus decoloratus</u>	(a)	4 ♀, 1 N <u>Boophilus decoloratus</u>
(b)	<u>Rhipicephalus appendiculatus</u> ? N's	(b)	8 N <u>Rhipicephalus appendiculatus</u>
(c)	<u>Amblyomma</u> sp. N's	(c)	6 N <u>Amblyomma variegatum</u>
(d)	<u>Haemaphysalis</u> sp. larvae	(d)	6 L <u>Haemaphysalis</u> sp.
	Calves		Calves
	Mpumu, Chagwe, Uganda		Mpumu (00.12 N, 32.50 E), Uganda
VIII.1909		VIII.1909	
D. Bruce		D. Bruce	
N	882	N	882
		RML	109822
	<u>Amblyomma</u> sp. N's	6 N	<u>Amblyomma</u> sp.
	Scaly anteater		<u>Manis</u> sp.
	Uganda		Uganda
2.IX.1909		2.IX.1909	
D. Bruce		D. Bruce	
N	883, a	N	883, a MISSING
(883)	<u>Amblyomma variegatum</u> 2 ♂'s & N's		
(a)	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s & N's		
	Waterbuck		
	Kamakeken, Uganda		
11.VIII.1909			
D. Bruce			

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	884, b, c	N 884 b, c
		RML 88416
	(884) <u>Amblyomma variegatum</u> 2 ♂'s	(884) MISSING
	(b) <u>Rhipicephalus appendiculatus</u> ♀'s, N's	(b) 3 ♀, 16N <u>Rhipicephalus</u> sp.
	(c) <u>Haemaphysalis permata</u>	(c) 2 ♀ <u>Haemaphysalis permata</u>
	Bushbuck	<u>Tragelaphus scriptus</u>
	Uganda	Uganda
	30.III.1909	30.III.1909
	D. Bruce	D. Bruce
	N884a <u>Boophilus</u> was crossed out	Cited: Nuttall & Warburton (1915: 421).
N	885a-d	N 885c
		RML 109823
	(a) <u>Amblyomma</u> sp. N's	(a) MISSING
	(b) <u>Haemaphysalis leachi</u>	(b) MISSING
	(c) <u>Rhipicephalus appendiculatus</u>	(c) 1 ♂, 1 ♀, 3 N <u>Rhipicephalus appendiculatus</u>
	(d) <u>Rhipicephalus evertsi</u>	(d) MISSING
	Goat	Goat
	Mpumu, Chagwe, Uganda	Mpumu (00.12 N, 32.50 E), Uganda
	22.VI.1909	22.VI.1909
	D. Bruce	D. Bruce

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	886, a-c	N	886a, b
		RML	109824
(886)	<u>Amblyomma variegatum</u> 1 ♂	(886)	MISSING
(a)	<u>Amblyomma</u> sp. N's	(a)	2 N <u>Amblyomma variegatum</u>
(b)	<u>Boophilus decoloratus</u>	(b)	8 ♀ <u>Boophilus decoloratus</u>
(c)	<u>Rhipicephalus appendiculatus</u> ♂'s ♀'s, N's	(c)	MISSING
	Cattle		Cattle
	... alabulema, Buddu, Uganda		...alabulema, District of Buddu (00.25 S, 31.40 E), Uganda
VIII.1909		VIII.1909	
D. Bruce		D. Bruce	
N	887	N	887
		RML	109825
	<u>Ornithodoros moubata</u> ♂'s, ♀'s, N		56 ♂, 6 ♀, 20 N <u>Ornithodoros moubata</u>
	Uganda		Uganda
Rec'd 19.X.1909		Rec'd 19.X.1909	
From P. H. Ross, M.D.		From P. H. Ross, M. D.	
Received dead		1 ♂, 1 ♀, 2 N O. <u>moubata</u> were presented to Dr. F. C. Bishop and are now in the RML collection (Bishopp 3238)	
Some (number not stated) to W. F. Cooper 22.I.1910; 2 ♂, 3 N, eggs to Prof. R. A. Cooley V.1928.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	888	N	888
		RML	109826
	<u>Hyalomma aegyptium</u> 2 ♂'s, 1 ♀		2 ♂, 1 ♀ <u>Hyalomma rufipes</u>
	Giraffe		<u>Giraffa camelopardalis</u>
	Ogo, Senegal		Ogo, Senegal (locality not verified) There are two populated places and one campsite with the name Ogo in Senegal PPL 14.35 N, 15.50 W PPL 15.33 N, 13.17 W CMP 14.45 N, 15.03 W
	ex. Rigganbach coll.		ex. Rigganbach coll.
	Given by Hon. Walter Rothschild by African Entomol Cttee (rec'd 19.X.1909 from Guy A. K. Marshall)		
N	889	N	889 MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s, N's ex Lots 871, 872, 873, 875, 877, 879, 883, 884, 886 q.v.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	890	N	890
		RML	86306
	<u>Haemaphysalis bispinosa</u> ♂'s, ♀'s		20 ♂, 30 ♀ <u>Haemaphysalis bispinosa</u>
Horse		Horse	
Chin Hills, India		Chin Hills (22.30 N, 93.30 E), Burma	
1909		1909	
From H. Lefroy		From H. Lefroy	
(C.W.)			
1 ♂, 1 ♀ to Capt. W. S. Patton 14.I.1910; 1 ♂, 1 ♀ to N.Y. National Museum 18.IV.1913; 1 ♂, 1 ♀ to Dr. S. Hadwen, British Columbia, Canada 10.X.1913.		Cited: Nuttall & Warburton (1915 : 431).	
N	891	N	891
		RML	109827
	<u>Haemaphysalis bispinosa</u> 1 ♀		1 ♀ <u>Haemaphysalis bispinosa</u>
Cow		Cow	
Ceylon		Sri Lanka	
1906		1906	
ex Wheler collection		ex Wheler collection	
		Cited: Nuttall & Warburton (1915 : 432).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	892	N 892
		RML 109828
	<u>Haemaphysalis bispinosa</u>	7 ♂, 7 ♀ <u>Haemaphysalis bispinosa</u>
	<u>Canis familiaris</u>	<u>Canis familiaris</u>
	Luthaia Mts., Assam	Probably Lushai Hills (23.10 N, 92.50 E), Assam, India
	[R295]	Spelling is Luthaia in catalogue and Southaia in Nuttall & Warburton (1915: 431). I believe it should be spelled as in N576 & N582.
N	893	N 893
		RML 109829
	<u>Haemaphysalis flava</u> ♂, ♀♀	1 ♂, 2 ♀ <u>Haemaphysalis flava</u> (tentative ID)
	♂ off dog ♀ (small) off cattle ♀ (large) off horse	off dog (small) off cattle (large) off horse
	♂ Ise and ♀♀ Hiroshima, Japan	Ise Province (34.30 N, 136.25 E), and Hiroshima (34.24 N, 132.27 E) Japan
	Rec'd 1908	Rec'd 1908
	Rec'd from W. Dönitz	Rec'd from W. Dönitz
		Cited: Nuttall & Warburton (1915: 410).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	894	N	894
		RML	109830
	<u>Haemaphysalis leachi</u> N's	5 N	<u>Haemaphysalis leachi</u>
	Cape Colony, S. Africa	Cape Colony, Republic of South Africa	
	Rec'd III.1906	Rec'd III.1906	
	Rec'd from C. P. Lounsbury	Rec'd from C. P. Lounsbury	
		Nuttall & Warburton (1915: 472) indicated a dog as host	
N	895	N	895
		RML	109831
	<u>Haemaphysalis leachi</u> ♂, ♀	4 ♂, 1 ♀	<u>Haemaphysalis leachi</u>
		Cape Colony, Republic of South Africa	
	1902	1902	
	G.H.F.N.	C. P. Lounsbury	
		From fed nymphs (above information on vial label). Nuttall & Warburton (1915: 472) indicated a dog as host.	
N	896	N	896 MISSING
	<u>Haemaphysalis leachi</u> larvae		
	Raised in Cambridge		
	IV.1904		
	G.H.F.N.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	897	N	897
		RML	109832
	<u>Haemaphysalis campanulata</u> ♂'s, ♀'s TYPES		91 ♂, 4 ♀ <u>Haemaphysalis campanulata</u> Lectotype and paralectotype
	Chinese dogs		Chinese dogs
	Mongolia		Mongolia
	Rec'd 14.X.1906		Rec'd 14.X.1906
	Major M. L. Hearn		Major M. L. Hearn
	Rec'd from Col. Skinner, R.A.M.C.		Warburton (1908: 513), original description
	1 ♂, 1 ♀ to L. O. Howard, USDA, 21.V.1909; 1 ♂, 1 ♀ to Prof. Dönitz, Berlin; 1 ♂, 1 ♀ to Col. A. Alcock FRS, London School of Tropical Medicine, Royal Albert Dock. 26.I.1910.		There is an additional 1 ♂, 1 ♀ mounted on a slide that are not included in the above totals.
			The RML collection contains 2 ♂, 1 ♀ of this collection, probably from specimens sent to L. O. Howard.
			Cited: Nuttall & Warburton (1915: 492); Mortiz & Fischer (1981: 344). Lectotype designated: Keirans & Brewster (1981: 160).
N	898	N	898
		RML	109833
	<u>Haemaphysalis punctata</u> ♂'s, ♀'s		2 ♀ <u>Haemaphysalis punctata</u>
			Warwick (52.17 N, 01.35 W), England
	Rec'd 1902		Rec'd 1902
	Rec'd from E. G. Wheler		Rec'd from E. G. Wheler
			Locality information from vial label.

<u>ORIGINAL DESCRIPTION</u>		<u>CURRENT STATUS</u>	
N	899	N	899
		RML	109834
	<u>Haemaphysalis punctata</u>		3 ♂ <u>Haemaphysalis punctata</u>
			Sheep
	Lydd, Kent		Lydd (50.57 N, 00.55 E), Kent, England
	23.III.1905		23.III.1905
	Via W. F. Cooper		Via W. F. Cooper
			Nuttall & Warburton (1915 : 384) cited the host as sheep.
N	900	N	900
		RML	109835
	<u>Haemaphysalis punctata</u> ♂'s, ♀'s		8 ♂, 12 ♀, 3 N <u>Haemaphysalis punctata</u>
	Cow with English redwater		Cow with English redwater
			Cambridge (52.13 N, 00.08 E), England
	XI.1906		XI.1906
N	901	N	901
		RML	109836
	<u>Haemaphysalis punctata</u> larvae (gorged)		± 200 N, ± 50 L <u>Haemaphysalis punctata</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Raised out in Cambridge		Cambridge (52.13 N, 00.08 E), England
	X-XI.1905		X-XI.1905
	G.H.F.N.		G.H.F. Nuttall

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	902	N	902
		RML	109837
	<u>Haemaphysalis punctata</u> larvae		183 L <u>Haemaphysalis punctata</u>
	Cambridge		Cambridge (52.13 N, 00.08 E), England
	25.X.1905		25.X.1905
	G.H.F.N.		G.H.F. Nuttall
	Raised in laboratory.		
N	903	N	903
		RML	109838
	<u>Hyalomma syriacum</u> ♂'s		4 ♂ <u>Hyalomma aegyptium</u>
	1906		1906
	ex E. G. Wheler collection		ex E. G. Wheler collection

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	904		N	904	
			RML	109839	
	<u>Hyalomma aegyptium</u> 2 ♂'s , 1 ♀			1 ♂ , 1 ♀ <u>Hyalomma dromedarii</u>	
	Northern Baluchistan			Northern Baluchistan, Pakistan	
	Dr. Maynard & Capt. McMahon			Dr. Maynard & Capt. McMahon	
N	905		N	905	
			RML	109840	
	<u>Hyalomma aegyptium</u> larvae			± 250 L. <u>Hyalomma</u> sp.	
	Cape Colony			Cape Colony, Republic of South Africa	
	III.1906			III.1906	
	From C. P. Lounsbury			From C. P. Lounsbury	
	[2 slides]			Slide missing	
N	906, a, b		N	906, a, b	
			RML	71484	
	(906) <u>Haemaphysalis bispinosa</u>			(906) 2 ♀ <u>Haemaphysalis bispinosa</u>	
	(a) <u>Rhipicephalus haemaphysaloides</u>			(906) 4 ♀ <u>Haemaphysalis intermedia</u>	
	(b) <u>Hyalomma aegyptium</u>			(a) 1 ♂ , 1 ♀ <u>Rhipicephalus haemaphysaloides</u>	
	Madras, India			(b) 5 ♀ <u>Hyalomma brevipunctata</u>	
	26. X. 1909			Madras (13.05 N, 80.17 E), India	
	From Capt. W. S. Patton, I.M.S.			26. X. 1909	
				From Capt. W. S. Patton, I.M.S.	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	907		N	907
			RML	109841
	<u>Hyalomma aegyptium</u> N			1 ♂, 1 ♀ <u>Hyalomma rufipes</u>
	India			India
	ex C. Warburton coll.			ex C. Warburton coll.
				Cecil Warburton (1854-1958) Close associate of G.H.F. Nuttall and well known economic entomologist and tick authority.
N	908		N	908 MISSING
	<u>Ornithodoros megnini</u> N			
	1906			
	ex E. G. Wheler collection			
N	909		N	909
			RML	109842
	<u>Ornithodoros savignyi</u> N			6 N <u>Ornithodoros savignyi</u>
	1906			1906
	ex E. G. Wheler collection			ex E. G. Wheler collection

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	910	N	910
		RML	109843
	<u>Ornithodoros savignyi</u> ♀		1 ♀ <u>Ornithodoros savignyi</u>
	Camels		Camels
	Aden		Aden, India (locality not verified)
	19.I.1906		19.I. 1906
	Rec'd. from Dr. C.W. Daniels (London)		Rec'd from Dr. C.W. Daniels (London)
	[mounted in balsam on a slide]		Specimen no longer on slide. Locality data from vial label.
N	911	N	911
		RML	109844
	<u>Ornithodoros savignyi</u> N		15 N <u>Ornithodoros savignyi</u>
	1906		1906
	ex E. G. Wheler collection		ex E. G. Wheler collection
N	912	N	912
		RML	109845
	<u>Ornithodoros savignyi</u> ♀'s, ♂'s, N		1 ♀, 1 N <u>Ornithodoros savignyi</u>
	V. 1906		Republic of South Africa
	ex C.P. Lounsbury collection		V. 1906
			ex C.P. Lounsbury collection
			Locality taken from vial label

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	913		N	913	
			RML	109846	
	<u>Ornithodoros talaje</u> var. <u>capensis</u>			1 ♂ <u>Ornithodoros capensis</u>	
	Penguin's nest on guano			Penguin's nest on guano	
	Island off Cape Colony			Island off Cape Colony, Republic of South Africa	
	V.1906			V.1906	
	ex Lounsbury collection			ex Lounsbury collection	
				Vial label indicates island is west of Cape Colony.	
N	914		N	914	
			RML	109847	
	<u>Dermacentor reticulatus</u> ♂, ♀			1 ♂, 1 ♀ <u>Dermacentor reticulatus</u>	
	1905			1905	
	ex E. G. Wheler collection			ex E. G. Wheler collection	
				Specimens mounted on a slide.	
N	915		N	915	
			RML	109848	
	<u>Ixodes bicornis</u>			1 ♀ <u>Ixodes boliviensis</u>	
	America			America	
	No particulars			No particulars	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	916	N	916
		RML	109849
	<u>Ixodes hexagonus</u> N		1 N <u>Ixodes hexagonus</u>
	13.I.1901		13.I.1901
	ex E.G. Wheler collection		ex E.G. Wheler collection
	Rec'd 1906		
N	917	N	917
	<u>Ixodes hexagonus</u> ♀'s	RML	109850
	Stoat		<u>Mustela erminea</u>
	22.XI.1901		22.XI.1901
	ex E.G. Wheler collection		ex E.G. Wheler collection
	Rec'd 1906		
N	918	N	918
		RML	105904
	<u>Ixodes hexagonus</u> ♀		1 ♀ <u>Ixodes hexagonus</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Grantchester, Cambs.		Grantchester (52.10 N, 00.06 E) Cambs., England
	15.VIII.1906		15.VIII.1906
	From N.D.F. Pearce		From N.D.F. Pearce
	♀ with curious scutum from 125a		This specimen is in a jar marked "Tick abnormalities" with two notes: (1) "Not worth describing" (2) "Not worth figuring"

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N 919		N 919
		RML 109851
<u>Ixodes pilosus</u> unfed larvae		49 L <u>Ixodes pilosus</u> (tentative ID)
Cape Colony		Cape Colony, Republic of South Africa
Rec'd III.1906		Rec'd III.1906
Rec'd from Mr. C. P. Lounsbury		Rec'd from Mr. C. P. Lounsbury
[Larvae mounted on 2 slides in balsam]		Slides missing Cited: Nuttall & Warburton (1911: 225), fig. 221.
N 920		N 920
		RML 109852
<u>Ixodes pilosus</u> fed larvae		2 L <u>Ixodes pilosus</u> (tentative ID)
Cape Colony		Cape Colony, Republic of South Africa
Rec'd III.1906		Rec'd III.1906
Rec'd from Mr. C. P. Lounsbury		Rec'd from Mr. C. P. Lounsbury
		Cited: Nuttall & Warburton (1911: 225). 1 L of this collection was given to Dr. R. A. Cooley and is now in the RML Collection. Edwards & Evans (1967: 595).
N 921		N 921
		RML 109853
<u>Ixodes pilosus</u> unfed nymphs		14 N <u>Ixodes pilosus</u> (tentative ID)
Cape Colony		Cape Colony, Republic of South Africa
Rec'd III.1906		Rec'd III.1906
Rec'd from Mr. C. P. Lounsbury		Rec'd from Mr. C. P. Lounsbury
[2 N's in balsam on slides]		Cited: Nuttall & Warburton (1911: 224, fig. 220). 1 N of this collec- tion was given to Dr. R. A. Cooley and is now in the RML Collection.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	922	N	922
		RML	109854
	<u>Ixodes pilosus</u> fed nymphs		3 N <u>Ixodes pilosus</u> (tentative ID)
	Cape Colony		Cape Colony, Republic of South Africa
	Rec'd III. 1906		Rec'd III. 1906
	Rec'd from Mr. C.P. Lounsbury		Rec'd from Mr. C.P. Lounsbury
			Cited: Nuttall & Warburton (1911: 225).
N	923	N	923 MISSING
	<u>Ixodes pilosus</u> ♂'s, ♀'s		
	Cape Colony		
	Rec'd. III. 1906		
	Rec'd. from Mr. C.P. Lounsbury		
N	924	N	924 MISSING
	<u>Ixodes pilosus</u> ♀'s		
	Rec'd 1906		
	ex Wheler collection		
	[a ♀ in balsam on slide]		
	1 ♀ to Dr. E. Pavlovsky, Leningrad 9 X. 1925		
N	925	N	925 MISSING
	<u>Ixodes pilosus</u> ♀'s		
	Rec'd. 1906		
	ex Wheler collection		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	926	N	926
		RML	109855
	<u>Ixodes pilosus</u> ♀'s, ♂'s in copula		1 ♂, 1 ♀ <u>Ixodes lewisi</u>
	Rec'd. 1906		Rec'd 1906
	ex Wheler collection		ex Wheler collection
			Cited: Nuttall & Warburton (1911: 225) as <u>I. pilosus</u> .
N	927	N	927 MISSING
	<u>Ixodes pilosus</u> ♂'s		
	14 XI. 1904		
	From C.P. Lounsbury ex Wheler collection		
N	928	N	928 MISSING
	<u>Ixodes rasus</u> ♂'s, ♀'s		Arthur & Burrow (1957: 496) cite 1 ♂, 2 ♀ <u>I. rasus</u> and p. 505, 7 ♀ <u>I. pseudorarus</u> (sic). Both collections are now missing.
	Man & dog		
	Kumasi, Ashanti, Gold Coast		
	From Dr. Wm. Graham		
	1 ♀ to J. de Meza, Zomba Nyasaland		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	929	N 929
		RML 109856
	<u>Ixodes ricinus</u>	19 L <u>Ixodes ricinus</u>
	Dallyhaise, Co. Cavan	Dallyhaise, Co. Cavan (53.55 N, 07.15 W) Ireland
	5.VII.1905	5.VII.1905
	From J. W. Steen	From J. W. Steen
	[3 larvae, mounted in balsam on a slide, fig'd in <u>Ticks</u> , part II]	Slides missing. Cited and figured by Nuttall & Warburton (1911: 154 , fig. 147, 148).
N	930	N 930
		RML 109857
	<u>Ixodes ricinus</u> larvae, gorged	9 L <u>Ixodes ricinus</u>
	Hedgehog	<u>Erinaceus europaeus</u>
	Cambridge	Cambridge (52.13 N, 00.08 E) England
	1906	1906
	G.H.F.N.	G.H.F. Nuttall
		Cited: Nuttall & Warburton (1911: 149 , fig. 141).
N	931	N 931
		RML 66942
	<u>Ixodes ricinus</u> nymphs (unfed)	3 N <u>Ixodes ricinus</u>
	Hedgehog	<u>Erinaceus europaeus</u>
	Cambridge	Cambridge (52.13 N, 00.08 E) England
	1906	1906
	G.H.F.N.	G.H.F. Nuttall
	[2 N mounted in balsam on a slide]	An additional nymph of this collection was sent to the U.S. National Museum and is now in the RML collection.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	932	N 932
		RML 109858
	<u>Ixodes ricinus</u> nymphs (gorged)	14 N <u>Ixodes ricinus</u>
	Hedgehog	<u>Erinaceus europaeus</u>
	Cambridge	Cambridge (52.13 N, 00.08 E) England
	1906	1906
	G.H.F.N.	G.H.F. Nuttall
N	933	N 933
		RML 109859
	<u>Ixodes ricinus</u> ♂'s, ♀'s	3 ♂ <u>Ixodes ricinus</u>
	Coilesson, Scotland	Coilesson, Scotland (locality not verified). A possible locality is Collieston (57.21 N, 01.56 W)
	15.IV.1905	15.IV.1905
	From P. MacKenzie	From P. MacKenzie
	Det. by G.H.F.N. [7 slides, balsam-mounts, ♂'s, ♀'s and their mouthparts]	Slides missing. Cited: Nuttall & Warburton (1911: 148, fig. 139; 149, fig. 140; 150, fig. 144).
N	934	N 934 MISSING
	<u>Ixodes ricinus</u> ♀	
	Coilesson, Scotland	
	15.IV.1905	
	From P. MacKenzie	
	1 ♀ to Dr. Lajos Gozony, Univ. Budapest, Hungary 23.VI.1914.	
	1 ♂ to Dr. A. Watkins Pitchford, Army Veterinary School, Thornhill, Aldershot 12.X.1922	

ORIGINAL DETERMINATIONCURRENT STATUS

1 ♂ to L.P.W. Renouf, Biol. Dept.,
 University College, Cork, Ireland,
 12.X. 1922
 1 ♂ to W.A. Pool, Indian Civil
 Veterinary Service, 12.X. 1922
 1 ♂ to Dr. Wm. Parry Morgan,
 Publ. Hlth. Lab. Cardiff, Wales
 12 X. 1922
 1 ♂ to J.E.M. Mellor, Malvern College,
 Malvern 16.X. 1922
 1♂ to Prof. A. Bettencourt, Just.
 Camara Pestana, Lisbon, 7.XI. 1922

N	935	N	935
		RML	109860
	<u>Ixodes putus</u> N's, ♀'s gorged		1 ♀, 10 N <u>Ixodes uriae</u>
	1906		1906
	ex E.G. Wheler collection		ex E.G. Wheler collection
			Cited: Nuttall & Warburton (1911: 260).
N	936	N	936
		RML	109861
	<u>Ixodes putus</u> N's, ♂'s		1 N <u>Ixodes rothschildi</u>
	1903		1903
	ex E.G. Wheler collection		ex E.G. Wheler collection
			Cited: Nuttall & Warburton (1911: 260) as <u>Ixodes putus</u>
N	937	N	937
		RML	109862
	<u>Ixodes putus</u> ♂'s, ♀'s		1 ♂, 2 ♀ <u>Ixodes uriae</u>
	1906		1906
	ex E.G. Wheler collection		ex E.G. Wheler collection
			Cited: Nuttall & Warburton (1911: 260).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	938	N	938
		RML	109863
	<u>Amblyomma petersi</u> 1 ♀		1 ♀ <u>Amblyomma rhinocerotis</u>
	Rhinoceros		Rhinoceros
	Uganda, B.E. Africa		Uganda
	1909		1909
	H.G. Simpson		H.G. Simpson
	(ex "G.M." coll.)		
N	939a, b	N	939a, b
		RML	109864
	(939) <u>Ornithodoros moubata</u> ♂'s, ♀'s, Ns		(939) MISSING
	(a) <u>Amblyomma marmoreum</u>		(a) 1 ♀ <u>Amblyomma nuttalli</u>
	(b) <u>Aponomma laeve</u> 4 ♂'s, ♀'s		(b) 1 ♂, 3 ♀ <u>Aponomma latum</u>
	Uganda		Uganda
	Sent 8.X.1909		Sent 8.X.1909
	From Dr. H. Bayon		From Dr. H. Bayon
			Cited as <u>A. marmoreum</u> by Robinson (1926: 89, 90); Cited: Santos Dias (1958: 513).

	<u>ORIGINAL DESCRIPTION</u>		<u>CURRENT STATUS</u>
N	940	N	940
		RML	109865
	<u>Amblyomma marmoreum</u> 4♂'s, 2♀'s, 4N's		3♂, 2 ♀, 3 N <u>Amblyomma nuttalli</u>
	Viper, <u>Bitis gabonica</u>		<u>Bitis gabonica</u>
	Uganda		Uganda
	Sent 8.X.1909		Sent 8.X.1909
	From Dr. H. Bayon		From Dr. H. Bayon
	Snake det. by Col. A. Alcock, F.R.S.		Cited as <u>A. marmoreum</u> by Robinson (1926: 90).
N	941, a	N	941, a
		RML	109866
	(941) <u>Amblyomma petersi</u> ♂'s, ♀'s		(941) 3♀ <u>Amblyomma rhinocerotis</u>
	(a) <u>Dermacentor rhinocerotis</u>		(a) 2 ♂, 4 ♀ <u>Dermacentor rhinocer-</u> <u>inus</u>
	Off long grass		Off long grass
	2 days journey from Bussu Meros County, Uganda		2 days journey from Bussu Meros County, Uganda (locality not verified)
	Sent 8.X.1909		Sent 8.X.1909
	From Dr. H. Bayon		From Dr. H. Bayon
			Cited as <u>A. petersi</u> by Robinson (1926: 264).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	942 a-c	N	942 a-c
		RML	109867
(a)	<u>Hyalomma aegyptium</u>	(a)	<u>1 ♀ Hyalomma marginatum isaaci</u>
(b)	<u>Haemaphysalis Teachii</u> var. <u>indica</u> ♀	(b)	<u>1 ♀ Haemaphysalis indica</u>
(c)	<u>Rhipicephalus haemaphysaloides</u>	(c)	<u>1 ♀ Rhipicephalus haemaphysaloides</u>
	<u>Herpestes mungo</u>		<u>Herpestes</u> sp.
	India		India
	Sent 14.X.1909		Sent 14.X.1909
	Sent by Capt. W.S. Patton		Sent by Capt. W.S. Patton
			(b) Cited: Hoogstraal (1970a: 1013).
N	943	N	943
		RML	109868
	<u>Haemaphysalis punctata</u> ♀		<u>1 ♀ Haemaphysalis chordeilis</u>
	Cattle		Cattle
	Winnipeg, Manitoba, Canada		Winnipeg (49.53 N, 97.10 W), Manitoba, Canada
	9.XI.1909		9.XI.1909
	S. Hadwen, D.V. Sci.		S. Hadwen, D.V. Sci.
	(also, 1 ♀ mounted on slide)		Slide missing
			Semour A. Hadwen (1877-1947) Born in England, received Veterinary degree from McGill University, Montreal; 1929-1942 Director, Department of Veterinary Science, Ontario Research Foundation. Conducted many studies of ticks and warble flies.
			Incorrectly cited as N 934 in Nuttall & Warburton (1915: 376).

<u>ORIGINAL DESCRIPTION</u>		<u>CURRENT STATUS</u>	
N	944	N	944
		RML	109869
	<u>Amblyomma lepidum</u> 2 ♂'s		2 ♂ <u>Amblyomma lepidum</u> Syntypes
	Cattle		Cattle
	Zanzibar		Zanzibar, Tanzania
	Presented 20.XII.1909		Presented 20.XII.1909
	Presented by W. Dönnitz (Berlin)		Presented by W. Dönnitz (Berlin)
			There is a blue COTYPE label in the vial containing these two ♂ specimens. Dönnitz (1909: 460), original description. Cited: Robinson (1926: 97).
N	945	N	945
		RML	109870
	<u>Amblyomma gemma</u> 2 ♂, 1 ♀, (1 ♂ dry)		2 ♂, 1 ♀ <u>Amblyomma gemma</u> plus 1 ♂ pinned possible Syntypes
	Giraffe		<u>Giraffa camelopardalis</u>
	Ngomberenga, Mkatta-Steppe		Ngomberenga, Mkata Plain (07.00 S, 37.15 E), Tanzania
	Presented 20.XII.1909		Presented 20.XII.1909
	Presented by W. Dönnitz (Berlin)		Presented by W. Dönnitz (Berlin)
			Dönnitz (1906: 458) original description, p. 460 lists host as cattle and giraffe and Zanzibar and German East Africa as localities. Robinson (1926: 122) stated that Dönnitz's original material was from a giraffe, Mkatta-Steppe but he doesn't list this collection (which he incorrectly numbered N 965) as being part of the type series.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	946		N	946	
			RML	109871	
	<u>Amblyomma furcula</u> 1 ♂, 2 ♀, 15 N			1 ♂, 2 ♀, 16 N <u>Amblyomma neumannii</u>	
	Found free			Found free	
	Salta, Argentina, S. America			Salta (24.47 S, 65.25 W), Argentina	
	Presented 20.XII.1909			Presented 20.XII.1909	
	Presented by W. Dönnitz			Presented by W. Dönnitz	
				These are possible type specimens of <u>Amblyomma furcula</u> which was described by Dönnitz (1909: 478) and listed as being found free in Argentina. Cited: Robinson (1926: 127), fig. 53.	
N	947		N	947	
			RML	109872	
	<u>Amblyomma eburneum</u> ♂, ♀			1 ♂, 1 ♀ <u>Amblyomma eburneum</u>	
	1 ♂ pinned				
	Cattle			Cattle	
	Muengembo, German East Africa			Muengembo, Tanzania (locality not verified)	
	Presented 20.XII.1909			Presented 20.XII.1909	
	Presented by W. Dönnitz			Presented by W. Dönnitz	
				Cited: Robinson (1926: 119); Cited as <u>Amblyomma gemma</u> by Santos Dias (1958: 503). [The posterior accessory stripes of the ♂ do not reach the median stripe but the ♀ scutum is extensively dark (J.E.K.)]. The pinned ♂ is now in the BMNH collection.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	948	N	.948
		RML	109873
	<u>Rhipicephalus appendiculatus</u> ♂ abnormal, 2 anal orifices		1 ♂ <u>Rhipicephalus appendiculatus</u>
	Cape Colony		Cape Colony, Republic of South Africa
	Rec'd. 20.XII. 1907		Rec'd 20.XII. 1907
	Rec'd from C.P. Lounsbury		Rec'd from C.P. Lounsbury
			This specimen is in a jar marked "Tick Abnormalities" Cited and figured in Nuttall (1914a: 250, fig. 1)
N	949	N	949
		RML	109874
	<u>Ornithodoros savignyi</u>		15 N <u>Ornithodoros savignyi</u>
	Near Manmad, Deccan		Near Manmad (20.15 N, 74.27 E) Deccan upland, India
	X. 1909		X. 1909
	Sent by Capt. E.D.W. Greig, I.M.S.		Sent by Capt. E.D.W. Greig, I.M.S.
	Capt. Greig of the Bombay Bacteriological Laboratory, Paril, Bombay, India. Rec'd 29. XI. 1909		
	12.I. 1910 Captain Greig (4.XI. 1909) reports in his letter of these ticks: "The history is that the ticks were creeping about on the grass and bit men, both Europeans and natives freely. The ticks bit during the day & also at night. They were numerous on the ground under a chappar (shed) where people came to watch their crops at night."		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	950	N	950
		RML	109875
	<u>Haemaphysalis</u> sp. L & N		1 ♂, 2 ♀ <u>Haemaphysalis</u> sp.
	Off grass		Off grass
	Hakgalla, Ceylon		Hakgalla (07.08 N, 80.08 E), Sri Lanka
	IX. 1909		IX. 1909
	E.E. Green		E.E. Green
	(E.E. Green of Royal Botanic Gardens, Peradeniya Ceylon. Rec'd. 22 XI. 1909)		
N	951, a, b	N	951, a, b
		RML	109876
	(951) <u>Hyalomma aegyptium</u> (a) <u>Rhipicephalus neavei</u> (b) <u>Rhipicephalus simus</u>		(951) 5 ♂, 2 ♀ <u>Hyalomma truncatum</u> (a) 7 ♂ <u>Rhipicephalus kochi</u> (b) 11 ♂, 4 ♀ <u>Rhipicephalus simus</u>
	Eland Antelope		<u>Taurotragus oryx</u>
	Bua River, Marimba District Nyasaland		Bua River, (12.45 S, 34.16 E), Malawi
	20.IX. 1909		20.IX. 1909
	Dr. E.H.A. Pask		Dr. E.H.A. Pask
	Sent by Dr. H. Hearsey, P.M.O. Nyasaland		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	952, a	N	952, a
		RML	105621
(952) <u>Hyalomma aegyptium</u> N's (a) <u>Rhipicephalus sanguineus</u>		(952) 53 N <u>Hyalomma</u> sp. (a) 3 ♂ <u>Rhipicephalus sulcatus</u>	
Wild hare		Wild hare	
Bua River, Marimba District Nyasaland		Bua River (12.45 S, 34.16 E), Malawi	
27.IX. 1909		27.IX. 1909	
Dr. E.H.A. Pask		Dr. E.H.A. Pask	
Forwarded by Dr. H. Hearsey, P.M.O. Nyasaland			
N	953, a, b,	N	953, a, b
		RML	109877
(953) <u>Rhipicephalus pulchellus</u> (a) <u>Rhipicephalus sanguineus</u> (b) <u>Rhipicephalus simus</u>		(953) 1 ♂, 1 ♀ <u>Rhipicephalus pulchellus</u> (a) 1 ♀, 1 N <u>Rhipicephalus sanguineus</u> (b) 1 ♂ <u>Rhipicephalus simus</u> 1 ♀ <u>Rhipicephalus sanguineus</u>	
Dog		Dog	
Upper Sheikh (4500 Ft.) British Somaliland		Upper Sheikh (09.56 N, 45.13 E), Somali Democratic Republic	
6.XI. 1909		6.XI. 1909	
A.E. Drake-Brockman		A.E. Drake-Brockman	
From Guy A.K. Marshall Rec'd. 20 XII. 1909 (ex letter 13 I. 1910 from Mr. Marshall)			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	954, a	N	954, a
		RML	109878
(954)	<u>Haemaphysalis hystricis</u>	(954)	<u>2 ♀ Haemaphysalis semermis</u>
(a)	<u>Haemaphysalis koningsbergeri</u>	(a)	<u>1 ♂, 1 ♀ Haemaphysalis koningsbergeri</u>
Dog		Dog	
Upper Sarawak, Borneo		Sarawak	
XI. 1909		XI. 1909	
Rec'd from J.C. Moulton of Sarawak Museum, Jan. 1910		Rec'd. from J.C. Moulton of Sarawak Museum, Jan. 1910	
		(954) Cited Hoogstraal et al (1965b; 435).	
N	955	N	955
		RML	109879
	<u>Boophilus australis</u>		8 ♂, 207 ♀, 5 N <u>Boophilus microplus</u>
Cattle		Cattle	
Sarawak, Borneo		Sarawak	
Sent 4.X. 1909		Sent 4.X. 1909	
Sent by J.C. Moulton		Sent by J.C. Moulton	
N.B. 6♂'s, 5♀ in separate tube from many ♀'s.		Above collection in two vials; one vial containing 6 ♂, 5 ♀ and called, I believe "transparent"	
N	956	N	956 MISSING
	<u>Amblyomma petersi</u>		
Rhinoceros			
White Nile			
Sent 1.XII. 1909			
Sent by Col. A. Alcock F.R.S., (London School Tropical Medicine)			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	957	N	957 MISSING
	<u>Amblyomma petersi</u>		
	?Rhinoceros		
	Uganda		
	Sent I.XII.1909		
	Sent by Col. A. Alcock, F.R.S. (London School Tropical Medicine)		
N	958	N	958
		RML	109880
	<u>Amblyomma marmoreum</u>		1 ♂ <u>Amblyomma nuttalli</u>
	Tortoise		Tortoise
	Uganda		Uganda
	Sent I.XII.1909		Sent 1.XII.1909
	Sent by Col. A. Alcock, F.R.S. (London School Tropical Medicine)		Sent by Col. A. Alcock, F.R.S. (London School Tropical Medicine)
			Cited: SantosDias (1958: 513) as 1 ♀ X.1909. Theiler & Salisbury (1959: 115) mistakenly list the date as 1.XII.1900
N	959	N	959
		RML	109881
	<u>Amblyomma marmoreum</u>		1 ♂ <u>Amblyomma sparsum</u>
	Rhinoceros		<u>Diceros bicornis</u>
	British East Africa		Kenya
	Sent 1.XII.1909		Sent 1.XII.1909
	Sent by Col. A. Alcock, F.R.S. (London School Tropical Medicine)		Sent by Col. A. Alcock, F.R.S. (London School Tropical Medicine)
			Theiler & Salisbury (1959: 112) mistakenly list the date as 1900.

<u>ORIGINAL DETERMINATION</u>				<u>CURRENT STATUS</u>	
N	960			N	960
			RML		109882
	<u>Amblyomma gemma</u>				1 ♂ <u>Amblyomma gemma</u>
	Giraffe				<u>Giraffa camelopardalis</u>
	British East Africa				Kenya
	Sent 1.XII.1909				Sent 1.XII.1909
	Sent by Col. A. Alcock, F.R.S. (London School Tropical Medicine)				Sent by Col. A. Alcock, F.R.S (London School Tropical Medicine)
					Cited: Robinson (1926: 122).
N	961			N	961
			RML		109883
	<u>Ixodes caledonicus</u> 1 ♀				1 ♀ <u>Ixodes caledonicus</u> Lectotype
	Off rocks below dove's nest				Off rocks below dove's nest
	Fast Castle, Scotland				Fast Castle (55.56 N, 02.14 W), Scotland
	6.IX.1909				6.IX.1909
	Dr. J.H. Ashworth				Dr. J.H. Ashworth
	To be returned to J.H. Ashworth who sent it with the following on 21.XII.1909 for identification (Senders "No. 5")				Nuttall (1910: 408), original descrip- tion with J.H. Ashworth as collector. Nuttall & Warburton (1911: 200) cited J.F. Cormack and J. Waterston as collect- ors with the specimen being sent to Nuttall by J.H. Ashworth. Lectotype designated: Keirans & Brewster (1981: 164)
	8.XI.1910 & 28.X.1910 Kindly presented by Messrs. J.F. Cormack and J. Waterston				

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	962	N	962 MISSING
	(1) <u>Ixodes unicavatus</u> ♀, N, L (2) <u>Ixodes hexagonus</u>		
	(1) Cormorant (2) Polecat		
	(1) Firth of Forth, Scotland (2) Rossshire		
	(1) 17.XI.1906 (2) 6.XII.1907		
	(1) from Mr. William Evans 38 Morningside Drive, Edinburgh		
	Identified and returned 23.I.1910		
N	963	N	963 MISSING
	<u>Ixodes ricinus</u> ♀		
	Heifer affected with redwater		
	Tavistock, C. Devon		
	14.I.1910		
	G.H. Gibbings, F.R.C.V.S.		
N	964	N	964
		RML	109884
	<u>Amblyomma hebraeum</u> N's and adults which emerged there from		1 ♂, 1 ♀, 4 N <u>Amblyomma hebraeum</u>
	Goat		Goat
	Cape Colony		Cape Colony, Republic of South Africa
	Rec'd 6.VII.1908		17.IV., rec'd 6.VII.1908
	Rec'd from C.P. Lounsbury		Rec'd from C.P. Lounsbury
	Engorged as nymphs on goat 365 on day of its death (Heartwater)		Cited: Robinson (1926: 107).

ORIGINAL DETERMINATIONCURRENT STATUS

N 965

N 965 MISSING

Amblyomma personatum ♂

Said to be off rhinoceros

Nairobi, B. E. Africa

Rec'd 11.XII.1909

Rec'd from Col. Alcock, F.R.S.

N 966

N 966

RML 109885

Ornithodoros savignyi
♀ (dry, pinned) ♂ ♀ N (bottled)

Camel

Near Aden

Rec'd 29.X.1909

Rec'd from Dr. J. H. Ashworth
Zool. Dept., Edinburgh University2 adults to S. Hadwen, British
Columbia, Canada, 10.X.1913

N 967

N 967

RML 109886

Ornithodoros talaje 8 specimensSan Bernardino, Paraguay,
South America

22.III.1909

From Dr. Karl Fiebrig

ex W. F. Cooper collection
Rec'd 26.I.1910 from W. F. Cooper3 ♂, 10 ♀, 7 N Ornithodoros savignyi

Camel

Peoples Democratic Republic of Yemen

Rec'd 29.X.1909

Rec'd from Dr. J. H. Ashworth, Zool.
Dept., Edinburgh University

N 967

RML 109886

2 ♂, 1 ♀, 3 N Ornithodoros sp.San Bernardino (25.16 S, 57.19 W),
Paraguay

22.III.1909

From Dr. Karl Fiebrig

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	968	N	968
		RML	109887
	<u>Ceratixodes putus</u>		1 ♂, 2 ♀, 2 N <u>Ixodes uriae</u>
	Cliffs, Rhosilly, Gower Glamorganshire 20 miles from Swansea		Cliffs, Rhossili (51.35 N, 04.18 W), Glamorganshire, Wales
	15-20.V.1909		15-20.V.1909
	Rec'd from Dr. J.W.W. Stephens (Liverpool School of Tropical Medicine)		Rec'd from Dr. J.W.W. Stephens (Liverpool School of Tropical Medicine)
	Dr. Stephens supplies the following history: Guillemots chiefly, razorbills less, and puffins (a few pairs only) breed on the cliffs. The birds were beginning to lay at this period which may account for the few ticks captured. The cliffs are said to be "crawling" with them at other times (later in the season). These found under stones and in cracks in the earth a few inches down. I found one copulating pair in a crack hen alive they are about the colour of a Belgian hare, rather greener not so yellow. No larvae were found.		Cited: Nuttall & Warburton (1911: 258, fig. 255; 259, fig. 260; 260).
N	969	N	969
		RML	105772
	<u>Argas persicus</u> ♂ ♀		1♂, 1 ♀ <u>Argas miniatus</u>
	1906		1906
	ex Wheler's collection		ex Wheler's collection
	No particulars		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	970	N	970
		RML	105652
	<u>Argas persicus</u> larvae		26 L <u>Argas persicus</u>
	1906		1906
	ex Wheler's collection		ex Wheler's collection
	No particulars		Three larvae mounted on slides
N	971	N	971
		RML	109888
	<u>Argas persicus</u> adults		3 ♂, 2 ♀ <u>Argas miniatus</u>
	1906		1906
	ex Wheler's collection		ex Wheler's collection
	No particulars		
N	972	N	972
		RML	109889
	<u>Argas persicus</u> adults		3 ♂, 1 ♀ <u>Argas miniatus</u>
	1906		1906
	ex Wheler's collection		ex Wheler's collection
	No particulars		
N	973	N	973
		RML	109890
	<u>Argas persicus</u> unfed larvae		44 L <u>Argas miniatus</u>
	1906		1906
	ex Wheler's collection		ex Wheler's collection
	No particulars		

ORIGINAL DETERMINATIONCURRENT STATUS

N	974	N	974
		RML	109891
	<u>Argas miniatus</u>		12 ♂, 4 ♀, 3 N <u>Argas miniatus</u> (tentative ID, poor specimens)
	1904		1904
	Rec'd from Dr. Borrel, Paris		Rec'd from Dr. Borrel, Paris
	No particulars		
N	975	N	975
		RML	109892
	<u>Argas vespertilionis</u>		1 ♀, 2 N <u>Argas confusus</u>
	Cape Colony, South Africa		Cape Colony, Republic of South Africa
	Rec'd from C.P. Lounsbury		Rec'd from C.P. Lounsbury
			Cited: Hoogstraal (1955b: 593)
N	976	N	976
		RML	109893
	<u>Argas miniatus</u>		4 cast skins <u>Argas</u> sp.
			1904
	No particulars		The date is from the vial label and may associate this collection with N 974

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	977	N	977
		RML	109894
	<u>Argas persicus</u> adults		4 ♂, 8 ♀, 1 N <u>Argas persicus</u>
	Kasguli, Punjab, India		Kasauli (30.55 N, 76.57 E), India
	25.V.1907		25.V.1907
	Rec'd from Capt. E.D.W. Greig		Rec'd from Capt. E.D.W. Greig
	Some (sex stage not stated) were sent to the following:		
	Prof. Galli-Valerio, Lausanne, Switzerland, 14.III.1912		
	Prof. Dr. M. Miyajima, Tokio, Japan, 7.III.1912		
	Dr. G.L. Tuck, Director, Army Medical College, Tientsin, China 17.II.1910		
	Dr. J.H. Ashworth, Edinburgh 22.VI.1910		
	A.H. Cockayne, Wellington, N.Z.		
	Dr. Longin Navas, Zaragoza, Spain 28.V.1913		
	Richard Hancock, England, 16.VI.1918		
N	978	N	978
		RML	109895
	<u>Argas persicus</u> larvae		40 L <u>Argas persicus</u>
	Kasguli, Punjab, India		Kasauli (30.55 N, 76.57 E), India
	1.X.1907		1.X.1907
	Parents sent by Capt. E.D.W. Greig		Parents sent by Capt. E.D.W. Greig
N	979	N	979 MISSING
	<u>Argas persicus</u>		
	Kasguli, Punjab, India		
	20.XII.1907		
	Parents sent by Capt. E.D.W. Greig		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	980		N	980
			RML	109896
	<u>Argas persicus</u> gorged larvae			18 L <u>Argas persicus</u>
	Kasguli, Punjab, India			Kasauli (30.55 N, 76.57 E), India
	20.XII.1907			20.V.1907
	Parents sent by Capt. E.D.W. Greig			Parents sent by Capt. E.D.W. Greig
				Date from vial label
N	981		N	981
			RML	109897
	<u>Argas persicus</u> adults			1 ♂, 1 ♀ <u>Argas persicus</u>
	Cairo, Egypt			Cairo (30.03 N, 31.15 E), Egypt
	29.VIII.1906			29.VIII.1906
	Rec'd from Dr. Bitter			Rec'd from Dr. Bitter
				Parents of N 982 and 983
N	982		N	982
			RML	109898
	<u>Argas persicus</u> gorged larvae			2 L <u>Argas persicus</u>
	Cairo, Egypt			Cario (30.03 N, 31.15 E), Egypt
	1907			1907
	Parents rec'd from Dr. Bitter			Parents rec'd from Dr. Bitter

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	983	N	983
		RML	109899
	<u>Argas persicus</u> N		2 N <u>Argas persicus</u>
	Cairo, Egypt		Cairo (30.03 N, 31.15 E), Egypt
	1907		1907
	Parents rec'd from Dr. Bitter		Parents rec'd from Dr. Bitter
N	984	N	984 MISSING
	<u>Argas miniatus (americanus)</u>		
	1904		
	Rec'd from E. Marchoux, Paris		
N	985	N	985
		RML	109900
	<u>Argas persicus</u> adults		1 ♂, 6 ♀ <u>Argas miniatus</u>
	Rec'd 6.II.1907		Rec'd 6.II.1907
	Rec'd from E. Marchoux, Paris		Rec'd from E. Marchoux, Paris
N	986	N	986 MISSING
	<u>Rhipicephalus sanguineus</u>		
	Dog's ear		
	Suva, Fiji		
	8.XI.1909		
	F.P. Jepson		
	Rec'd 28.II.1910		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	987	N	987
		RML	109901
	<u>Amblyomma cyprium</u>		1 ♂ <u>Amblyomma cyprium</u>
	Near Suva, Fiji		Near Suva (18.08 S, 178.25 E), Fiji
	12.XI.1909		12.XI.1909
	Sent to F.P. Jepson		Sent to F.P. Jepson
	Rec'd 28.II.1910		F.P. Jepson (d. 1950) Government Entomologist, Fiji 1909-1919. Deputy Director of Agriculture Ceylon 1919-1940
N	988	N	988
		RML	109902
	<u>Rhipicephalus sanguineus</u>		2 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Suva, Fiji		Suva (18.08 S, 178.25 E), Fiji
	1.XII.1909		1.XII.1909
	F.P. Jepson		F.P. Jepson
	Received 28.II.1910		
N	989	N	989
		RML	109903
	<u>Rhipicephalus sanguineus</u>		1 N <u>Rhipicephalus sanguineus</u>
	Dog's ear		Dog's ear
	Suva, Fiji		Suva (18.08 S, 178.25 E), Fiji
	4.I.1910		4.I.1910
	F.P. Jepson		F.P. Jepson
	Rec'd 28.II.1910		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	990		N	990 MISSING
		<u>Hyalomma aegyptium</u>		
		Dog		
		India		
		Rec'd 11.II.1910		
		Sent by Col. A. Alcock		
N	991		N	991
			RML	109904
		<u>Ixodes angustus</u> 1 ♀		1 ♀ <u>Ixodes angustus</u>
		<u>Squirrel, Sciurus douglasii</u>		<u>Tamiasciurus douglasii</u>
		Mt. Lehman, B.C..		Mt. Lehman (49.07 N, 122.23 W) British Columbia, Canada
		2.XII.1909		2.XII.1909
		Rec'd from S. Hadwen		Rec'd. from S. Hadwen
		Rec'd 15.III.1910		Cited: Nuttall & Warburton (1911: 197).
N	992		N	992
			RML	109905
		<u>Ixodes texanus</u> 1 ♀		1 ♀ <u>Ixodes hearlei</u>
		Coon		<u>Procyon lotor</u>
		Mt. Lehman, B.C.		Mt. Lehman (49.07 N, 122.23 W), British Columbia, Canada
		10.I.1910		10.I.1910
		From S. Hadwen		From S. Hadwen
		Rec'd 15.III.1910		Nuttall & Warburton (1911: 215) figure this specimen and N 270, <u>I. texanus</u> . The specimens are both correct but the captions are beneath the wrong illustrations.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	993	N	993
		RML	109906
	<u>Boophilus australis</u>		23 ♀ <u>Boophilus microplus</u>
	Colombia, S. America		Colombia
			II.1910
			Dr. Gadow
	C.W. det.		Date & collection on vial label
N	994	N	994
		RML	109907
	<u>Amblyomma maculatum</u>		1 ♂, 6 ♀ <u>Amblyomma maculatum</u>
	Cattle		Cattle
	Ambalema, Rio Magdalena, Colombia, South America		Ambalema (04.47 N, 74.46 W), Rio Magdalena, Colombia
			Rec'd II.1910
	C.W. det.		An additional 1 ♀ of this collection is pinned Date on vial label Cited: Robinson (1926: 44).
N	995	N	995
		RML	109908
	<u>Amblyomma cajennense</u>		22 ♂, 13 ♀, 29 N, 68 L <u>Amblyomma cajennense</u>
	Colombia, S. America		Colombia
	Rec'd II.1910		Rec'd II.1910
	Dr. Gadow, F.R.S.		Dr. Gadow, F.R.S.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	996	N	996
		RML	109909
<u>Amblyomma nuttalli</u>	COTYPE	1 ♂	<u>Amblyomma nuttalli</u> SYNTYPE
<u>Varanus</u> or <u>Emys</u>		<u>Varanus</u> or <u>Emys</u>	
German East Africa		Tanzania	
Rec'd 15.III.1910		Rec'd 15.III.1910	
Rec'd from Prof. Dönnitz		Recd from Prof. Dönnitz	
(Daressalam and Bagamojo etc. see Dönnitz Über das Zeckengenus <u>Amblyomma</u> Sitzungeber. d. Gesellsch. f. Naturforsch. Freunde No. 8 Jahrg. 1909 p. 469-471, fig. 4 (?)		Dönnitz (1909: 469), original description. Cited: Robinson (1926: 93).	
N	997	N	997
		RML	109910
<u>Amblyomma nuttalli</u> ♀ COTYPE		1 ♀	<u>Amblyomma nuttalli</u> SYNTYPE
<u>Varanus</u> or <u>Emys</u>		<u>Varanus</u> or <u>Emys</u>	
German East Africa		Tanzania	
Rec'd 15.III.1910		Rec'd 15.III.1910	
Rec'd from Prof. Dönnitz		Rec'd from Prof. Dönnitz	
Abstract of a letter from Prof. W. Dönnitz, dated March ... 1910 regarding <u>Amblyomma nuttalli</u> . Prof. W. Dönnitz (Berlin) in his letter (III.1910) states that the ♀ is typical but he is uncertain if the ♂ belongs to the ♀. He assumes that they belong to the same species, because the punctations and ornamentations in general agree and that both were found on cold-blooded animals, <u>Varanus</u> , <u>Emys</u> . As yet he has only succeeded in obtaining 3 ♂ and 3 ♀ of which he has given one pair to the Zoological Museum, Berlin. The ♀ which he sends me is not as clearly marked as his own, but it nevertheless shows the characteristic design very clearly. The ♀ given to the Zoological Museum, Berlin, is much darker		Dönnitz (1909: 469), original description. Cited: Robinson (1926: 93).	

ORIGINAL DETERMINATIONCURRENT STATUS

than the one sent to me. (He notes that he has tried various ways for bringing out the design in specimens of Amblyomma which have grown dark, but that he has had very irregular results. On the whole, simple immersion in water appears to be best. He asks if we have had better results)

signed G.H.F. Nuttall

N	998	N	998 MISSING
<u>Ixodes ricinus</u> ♂ ♀ fed in copula			
	Pointer dog		
	Azazea, Algeria		
	13.III.1910		
	G.H.F. Nuttall		
N	999	N	999
		RML	109911
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		1 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Biskra, Algeria		Biskra (34.51 N, 05.44 E), Algeria
	22.III.1910		22.III.1910
	Collected by schoolboys		Collected by schoolboys
N	1000	N	1000
		RML	109912
	<u>Rhipicephalus sanguineus</u>		6 ♀ <u>Rhipicephalus sanguineus</u>
	Dog (hunting)		Dog (hunting)
	Biskra, Algeria		Biskra, (34.51 N, 05.44 E), Algeria
	22.III.1910		22.III.1910
	Collected by schoolboys		Collected by schoolboys

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1001	N	1001
		RML	109913
	<u>Rhipicephalus sanguineus</u>		4 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>
	Dog (hunting)		Dog (hunting)
	Biskra, Algeria		Biskra (43.51 N, 05.44 E), Algeria
	22.III.1910		22.III.1910
	Collected by schoolboys		Collected by schoolboys
N	1002	N	1002 MISSING
	<u>Rhipicephalus sanguineus</u> 1 ♂		
	In native mud hut		
	Old Biskra, Algeria		
	18.III.1910		
	G.H.F. Nuttall		
	Found with bed bugs		
N	1003	N	1003
		RML	109914
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		38 ♂, 15 ♀, 1 N <u>Rhipicephalus sanguineus</u>
	Dog (mongrel)		Dog (mongrel)
	Old Biskra		Biskra (34.51 N, 05.44 E), Algeria
	18.III.1910		18.III.1910
	G.H.F. Nuttall		G.H.F. Nuttall
	Mostly on neck and shoulders		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1004		N	1004 MISSING
	<u>Hyalomma aegyptium</u> 2 ♂'s			
	Camel			
	Biskra, Algeria			
	18.III.1910			
	G.H.F. Nuttall			
	About anus (all that could be found)			
N	1005		N	1005
		RML		109915
	<u>Hyalomma aegyptium</u> 2 ♀'s		2 ♀	<u>Hyalomma dromedarii</u>
	Camel			<u>Camelus dromedarius</u>
	Biskra			Biskra (34.51 N, 05.44 E), Algeria
	20.III.1910			20.III.1910
	Collected by schoolboys under direction of S. Muh'd Okbi (teacher)			Collected by schoolboys under direction of S. Muh'd Okbi (teacher)
N	1006		N	1006 MISSING
	<u>Hyalomma aegyptium</u> 1 ♀			
	Camel			
	Biskra, Algeria			
	20.III.1910			
	Collected by schoolboys under direction of S. Muh'd Okbi (teacher)			

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1007	N	1007 MISSING
	<u>Hyalomma aegyptium</u> ♂ ♀		
	Camel		
	Biskra, Algeria		
	20.III.1910		
	Collected by schoolboys under direction of S. Muh'd Okbi (teacher)		
N	1008	N	1008
		RML	109916
	<u>Argas persicus</u>		2 ♂, 5 ♀ <u>Argas persicus</u>
	Found on pine timber		Found on pine timber
	Biskra, Algeria		Biskra, (34.15 N, 05.44 E) Algeria
	21.III.1910		21.III.1910
	Collected by schoolboys under direction of S. Muh'd Okbi (teacher)		Collected by schoolboys under direction of S. Muh'd Okbi (teacher)
N	1009	N	1009
		RML	109917
	<u>Argas persicus</u>		2 ♂, 2 ♀, 2 N <u>Argas persicus</u>
	Fowl		Fowl
	Biskra, Algeria		Biskra (34.15 N, 05.44 E), Algeria
	20.III.1910		20.III.1910
	Collected by schoolboys under direction of S. Muh'd Okbi (teacher)		Collected by schoolboys under direction of S. Muh'd Okbi (teacher)

Ticks received 16 February 1910 from Dr. A. T. Stanton, Institute for Medical Research, Kuala Lumpur, Federated Malay States:

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1010	N 1010
		RML 109918
	<u>Boophilus australis</u> ♂'s, ♀'s Siamese & Indian bullocks Various districts of Negri Sembilan Rec'd 16.II.1910 Rec'd. from Dr. A. T. Stanton	8 ♂, 33♀, 6 N <u>Boophilus microplus</u> Siamese & Indian bullocks State of Negri Sembilan (02.45 N, 102.10 E), Malaysia Rec'd 16.II.1910 Rec'd. from Dr. A. T. Stanton
		Ambrose Thomas Stanton (1865-1946) formerly Director of Government Laboratories in Malaya, then Chief Medical Advisor to the Colonial Office. He was in large part responsible for discovering the cause of Beri-Beri. As an entomologist he was interested in the morphology of Anopheline larvae.
N	1011	N 1011
		RML 109919
	<u>Boophilus australis</u> ♂'s, ♀'s (large lot) Bullocks Just arrived from Siam quarantine station Rec'd 16.II.1910 Rec'd. from Dr. A. T. Stanton	28 ♀ <u>Boophilus microplus</u> Bullocks Quarantine station, Malaysia Rec'd 16.II.1910 Rec'd. from Dr. A. T. Stanton

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1012	N	1012
		RML	109920
	<u>Boophilus australis</u> 1 ♂		1 ♂ <u>Boophilus microplus</u>
	Dog		Dog
	Negri Sembilan		State of Negri Sembilan (02.45 N, 102.10 E), Malaysia
	Rec'd 16.II.1910		Rec'd 16.II.1910
	Rec'd from Dr. A. T. Stanton		Rec'd from Dr. A. T. Stanton
	ex tube 1013		
N	1013	N	1013
		RML	109921
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		16 ♂, 20 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Negri Sembilan		State of Negri Sembilan (02.45 N, 102.10 E), Malaysia
	Rec'd 16.II.1910		Rec'd 16.II.1910
	Rec'd from Dr. A. T. Stanton		Rec'd from Dr. A. T. Stanton
N	1014	N	1014
		RML	109922
	<u>Haemaphysalis wellingtoni</u> 1 ♀		1 ♀ <u>Haemaphysalis wellingtoni</u>
	Domestic fowl		Domestic fowl
	Federal Malay States		Malaysia
	Rec'd 16.II.1910		Rec'd 16.II.1910
	Rec'd. from Dr. A. T. Stanton		Rec'd from Dr. A. T. Stanton
			Cited: Nuttall & Warburton (1914: 481).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1015	N	1015
		RML	109923
	<u>Haemaphysalis proxima</u> ♀'s		2 ♀ <u>Haemaphysalis cornigera</u>
	Siamese bullock		Siamese bullock
	Mantin, Negri Sembilan		Mantin (02.49 N, 101.54 E), Negri Sembilan, Malaysia
	Rec'd 16.II.1910		Rec'd 16.II.1910
	Rec'd from Dr. A. T. Stanton		Rec'd from Dr. A. T. Stanton
N	1016	N	1016
		RML	109924
	<u>Amblyomma helvolum</u> 1 ♀, 2 N (♀ mutilated)		1 ♀ <u>Amblyomma helvolum</u>
	Snake (<u>Zamenis korros</u>) according to Wilkinson's Dictionary		<u>Ptyas korros</u>
	Federated Malay States		Kuala Lumpur (03.10 N, 101.42 E), Malaysia
	Rec'd 16.II.1910		Rec'd. 16.II.1910
	Rec'd from Dr. A. T. Stanton		Rec'd. from Dr. A. T. Stanton
			Collecting locality from Robinson (1926: 219).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1017a, b	N	1017a, b
		RML	109925
(a)	<u>Aponomma gervaisi</u> var. <u>Tucasi</u> 2 ♂'s	(a)	5 ♂ <u>Aponomma varanensis</u>
(b)	<u>Amblyomma helvolum</u> 4 ♂'s	(b)	3 ♂ <u>Amblyomma helvolum</u>
	<u>Varanus salvator</u>		<u>Varanus salvator</u>
	Singapore		Republic of Singapore
	Rec'd 16.II.1910		Rec'd 16.II.1910
	Rec'd from Dr. A. T. Stanton		Rec'd from Dr. A. T. Stanton
	1 ♂ of 1017b sent to C. Strickland, Malaya		♂ total of 1017b includes 1 pinned specimen
			(b) Cited: Robinson (1926: 219).
N	1018	N	1018 MISSING
	<u>Amblyomma larvae</u>		
	Rec'd 16.II.1910		
	Rec'd from Dr. A. T. Stanton		
	Known as "chemperas," common in jungle, said to inflict painful wounds		

Ticks sent 10.II.1910 by Prof. Harald Seidelin, Director de los Laboratorios del Hospital O'Horan, Mérida, Yucatán, Mexico

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1019	N	1019
		RML	109926
	<u>Boophilus australis</u> 1♀		1 ♀ <u>Boophilus microplus</u>
	Cow in herd affected with piroplasmosis		Cow in herd affected with piroplasmosis
	Mérida, Yucután, Mexico		Mérida (20.58 N, 89.37 W), Yucután, Mexico
	Sent 10.II.1910		Sent 10.II.1910
	Sent by Prof. H. Seidelin		Sent by Prof. H. Seidelin
			Harald Seidelin (1878-1932). Born in Denmark, went to Mexico in 1904 and worked on yellow fever. Liverpool School of Tropical Medicine 1911-1915. From 1915 until his death worked in the Belgian Congo.
N	1020	N	1020 MISSING
	<u>Boophilus australis</u> ♂'s, ♀'s		
	From field in which cattle were to go		
	Mérida, Yucután, Mexico		
	Sent 10.II.1910		
	Sent by Prof. H. Seidelin		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1021	N	1021
		RML	109927
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		2 ♀, 2 N <u>Rhipicephalus sanguineus</u>
	Healthy dog		Healthy dog
	Mérida, Yucután, Mexico		Mérida (20.58 N, 89.37 W), Yucután, Mexico
	Sent 10.II.1910		Sent 10.II.1910
	Sent by Prof. Harald Seidelin		Sent by Prof. Harald Seidelin
N	1022	N	1022
		RML	109928
	<u>Ornithodoros turicata</u>		11 ♂, 8 ♀, 10 N <u>Ornithodoros turicata</u>
	Aguascalientes, Mexico		Aguas Calientes (16.26 N, 95.28 W), Mexico
	Rec'd 8.III.1910		Rec'd. 8.III.1910
	Rec'd from Dr. R. Findeisen		Rec'd from Dr. R. Findeisen
	Gathered in a corral where pigs are kept, by a patient who claims that an ugly infiltrated ulcer on his hand was caused by their bites. This is a common story. "Roofs are often covered with earth from the corral back of the house. If this dirt contains the insect or its eggs, sooner or later (in the instance of a trustworthy neighbor, 7 years) the room becomes uninhabitable, the tick falling on the occupants while asleep." Fumigation with sulphur and steam are not able to kill the pest. ---they call it here "turicata" The ticks were rec'd. alive but were left until 22nd when all but 3 were found dead - the rest pickled.		
	2 (sex/stage not stated) to Prof. E. Brumpt, Paris.		
	2 (sex/stage not stated) to Dr. E. Pavlovsky, Leningrad, 9.X.1925.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1023	N	1023
		RML	109929
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N's		7 ♂, 3 ♀, 45 N <u>Rhipicephalus sanguineus</u>
	Dog - ears, body, paws		Dog - ears, body, paws
	Lan or Eastern group of Fijian Islands		Lan or Eastern group of Fijian Islands
	23.II.1910		23.II.1910
	F. P. Jepson at Lomaloma		F. P. Jepson at Lomaloma
			Found in this tick collection were 2 ♀ <u>Ctenocephalides felis felis</u>
N	1024	N	1024
		RML	109930
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		21 ♂, 8 ♀ <u>Hyalomma marginatum</u> 3 ♂ <u>Hyalomma anatomicum excavatum</u>
	Sheep		Sheep
	Hammam-Meskoutine		Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	25.IV.1910		25.IV.1910
	P. Deschabert		P. Deschabert
	On 8 of 10 sheep together with 1025 & 1026		
N	1025	N	1025 MISSING
	<u>Boophilus annulatus</u> ♂'s, ♀'s		
	Sheep		
	Hammam-Meskoutine, Algeria		
	25.IV.1910		
	P. Deschabert		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1026	N	1026
		RML	109931
	<u>Rhipicephalus bursa</u> 1 ♂		1 ♂ <u>Rhipicephalus bursa</u>
	Sheep		Sheep
	Hammam-Meskoutine, Algeria		Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	25.IV.1910		25.IV.1910
	P. Deschabert		P. Deschabert
N	1027	N	1027
		RML	66680
	<u>Rhipicephalus coriaceus</u> 18 ♂'s		12 ♂, 5 ♀ <u>Rhipicephalus supertritus</u>
	Eland		<u>Taurotragus oryx</u>
	Mpelele River, Marimba District Nyasaland		Mpelele River (13.07 S, 33.47 E), Malawi
	20.II.1910		20.II.1910
	Dr. Pask		Dr. Pask

ORIGINAL DETERMINATIONCURRENT STATUS

N	1028, a, b	N	1028, a, b
		RML	109932
(1028)	<u>Rhipicephalus simus</u> ♂'s	(1028)	<u>6 ♂ Rhipicephalus simus</u>
(a)	<u>Rhipicephalus lunulatus</u> 5 ♂	(a)	<u>5 ♂ Rhipicephalus lunulatus</u>
(b)	<u>Rhipicephalus falcatus</u> 2 ♂	(b)	<u>2 ♂ Rhipicephalus senegalensis</u>
Warthog			<u>Phacochoerus aethiopicus</u>
Mpelele River, Marimba District, Nyasaland			Mpelele River (13.07 S, 33.47 E), Malawi
20.II.1910			20.II.1910
Dr. R. Pask			Dr. R. Pask
(found together with <u>Hyalomma</u> <u>aegyptium</u> , these returned)			

Ticks received from Dr. H. Hearsey, Zomba Nyasaland, sent by him 10.VI.1909
(Numbered 772-776 by mistake in old catalogue, since renumbered).

N	1029	N	1029
		RML	109933
<u>Dermacentor rhinocerotis</u> 3 ♂'s		2 ♂ <u>Dermacentor rhinocerinus</u>	
Grass and leaves		Grass and leaves	
Deep Bay, Vua Road, North Nyasa		Vua Road, Chilumba (10.27 S, 34.16 E), Malawi	
13.V.1909		13.V.1909	
J. B. Davey		J. B. Davey	

ORIGINAL DETERMINATIONCURRENT STATUS

N 1030 N 1030 MISSING

Amblyomma hippopotamensis
or n. sp. 3 ♀'s

Grass and leaves
Deep Bay, Vua Road, North Nyasa

13.V.1909

J. B. Davey

N 1031 N 1031
RML 109934

Amblyomma petersi (? the
Tong lost ♂)

2 ♂ Amblyomma rhinocerotis

Grass and leaves

Grass and leaves

Deep Bay, Vua Road, North Nyasa

Vua Road, Chilumba (10.27 S, 34.16 E),
Malawi

13.V.1909

13.V.1909

J. B. Davey

J. B. Davey

Cited: Robinson (1926: 264).

N 1032 N 1032
RML 109935

Amblyomma petersi 3 ♀'s

1 ♀ Amblyomma rhinocerotis

Grass and leaves

Grass and leaves

Deep Bay, Vua Road, North Nyasa

Vua Road, Chilumba (10.27 S, 34.16 E),
Malawi

13.V.1909

13.V.1909

J. B. Davey

J. B. Davey

1 ♀ to Prof. R. Matheson,
Cornell 27.V.1929

Cited: Robinson (1926: 264).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1033	N	1033 MISSING
	<u>Boophilus australis</u> ♀'s		
	Sick calf which died 3 days later		
	Zomba, Nyasaland		
	13.V.1909		
	Sent by Dr. H. Hearsey		
N	1034	N	1034 MISSING
	<u>Ixodes ricinus</u> ♂'s, ♀'s		
	No particulars		
	Rec'd 16.X.1901		
	Rec'd from E. G. Wheler		
N	1035	N	1035 MISSING
	<u>Ixodes ricinus</u> 2 ♀'s		
	Collie dog		
	Sligo, Ireland		
	10.V.1905		
	Sent by A. E. F. Nuttall		
	Det. by G.H.F.N.		
N	1036	N	1036 MISSING
	<u>Ixodes ricinus</u> 1 ♀		
	Young rat		
	Longner Hall, Shrewsbury England		
	20.IV.1906		
	R. F. L. Burton		

<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
-------------------------------	-----------------------

N 1037	N 1037 MISSING
-------------	------------------------

Ixodes ricinus 1 ♀

Cat

Hants

27.III.1906

E. C. Burleigh

Det. by G.H.F.N.

N 1038	N 1038 MISSING
-------------	------------------------

Ixodes ricinus ♀'s

Cattle with redwater

Ireland

Rec'd 26.V.1905

Rec'd from Prof. Mettam
(Dublin coll.)

Det. by G.H.F.N.

N 1039a-c	N 1039a-c MISSING
----------------	---------------------------

(a) Ixodes ricinus ♂'s

(b) Ixodes ricinus ♀'s

(c) Ixodes ricinus ♀'s, N's

Sheep (?)

Bewshaugh, Kilder Station,
Northumberland

Rec'd 3.V.1905

Rec'd from J. Kedley

2 ♀ to Launcelot Harrison,
Australia 9.V.1919.

2 ♀ to Prof. M. Jesus Maynar
Zaragoza Spain 10.V.1919.

2 ♀ to Prof. Poulton, Oxford
26.V.1919.

2 ♀ to Prof. E. Hindle, Cambridge
24.IX.1919.

2 ♀ to Major Lothian, School of
Hygiene, Blackpool 25.IX.1919

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1040	N	1040 MISSING
	<u>Ixodes ricinus</u> 2 ♂'s		
	British origin		
	Rec'd 25.XI.1905		
	Rec'd from S. Stockman		
	1 ♂ to Prof. E. Brumpt, École Médecine, Paris 12.X.1922. 1 ♂ to I. C. Ross, University of Sydney, Australia.		
N	1041	N	1041
		RML	109936
	<u>Ixodes ricinus</u> ♂'s, ♀'s		80 L <u>Ixodes ricinus</u>
	Cattle		Cattle
	Tavistock, Co. Devon		Tavistock (50.33 N, 04.09 W), Devon, England
	12.IV.1910		12.IV.1910
	G. H. Gibbings		G. H. Gibbings
	1 ♂, 2 N, L's to Prof. Dr. Dahl Berlin Museum VII.1914.		Cited: Nuttall & Warburton (1911; 154).
	1 ♂, 2 N, L's to Dr. S. Schenkling, Deutsches Entomol. Mus. VII.1914.		
	1 ♂, 2 N, L's to R. Gestro, Museo Civico di Storia Nat. Genova VII.1914.		
	1 ♂ to Dr. E. Roubaud, Inst. Pasteur, Paris, 12.X.1922.		
	1 ♂ to Prof. J. Hjort, Univ. Christiana, Norway 12.X.1922.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 1042 N 1042 MISSING

Ixodes ricinus ♀'s

Scotland

Rec'd. 24.IV.1905

N 1043 N 1043 MISSING

Ixodes ricinus N's unfed

Rec'd 1903

Rec'd from E. G. Wheler

N 1044 N 1044 MISSING

Ixodes canisuga larvae

1906

E. G. Wheler

ex A. E. Shipley's coll.
[2 larvae mounted on balsam
on slide]

N 1045 N 1045

RML 109937

Ixodes canisuga ♀'s

3 ♀ Ixodes canisuga

Rec'd 1903

Rec'd 1903

Rec'd from E. G. Wheler

Rec'd from E. G. Wheler

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1046	N	1046
		RML	109938
	<u>Ixodes canisuga</u> ♀'s		4 ♀ <u>Ixodes canisuga</u>
Pragg			Gowanburn, N. Tyne, England
4.V.1901			4.V.1901
ex E. G. Wheler coll.			ex E. G. Wheler coll.
			Locality information from Nuttall & Warburton (1911: 213).
N	1047	N	1047
		RML	109939
	<u>Ixodes canisuga</u> 1♀		1 ♀ <u>Ixodes canisuga</u>
1906			1906
ex Wheler coll.			ex Wheler coll.
N	1048	N	1048
		RML	109940
	<u>Haemaphysalis leachi</u>		9 N <u>Haemaphysalis leachi</u>
nymphs unfed			
Cape Colony			Cape Colony, Republic of South Africa
III.1906			III.1906
From C. P. Lounsbury			From C. P. Lounsbury
1 N to Prof. Dr. Dahl, Berlin Museum VII.1914.			
1 N to Prof. Dr. Schenkling Deutsches Entomol. Mus. VII.1914.			
1 N to Prof. Dr. Gestro, Museo Civico di Storia Nat. Genova VII.1914.			

ORIGINAL DETERMINATIONCURRENT STATUS

N	1049	N	1049
		RML	109941
	<u>Haemaphysalis leachi</u> larvae unfed	21 L	<u>Haemaphysalis leachi</u>
	Cape Colony		Cape Colony, Republic of South Africa
	III.1906		III.1906
	From C. P. Lounsbury		From C. P. Lounsbury
	L's to Prof. Dr. Dahl, Berlin Museum VII.1914.		
	L's to Prof. Dr. Schenkling, Deutsches Entomol. Mus. VII.1914.		
	L's to Prof. Dr. Gestro, Museo Civico de Storia Genova VII.1914.		
N	1050	N	1050 MISSING
	<u>Haemaphysalis leachi</u> ♂, ♀'s		
	Hedgehog		
	Cambridge		
	1906		
N	1051	N	1051
		RML	109942
	<u>Ixodes canisuga</u> 1 ♀ (gorged)	1 ♀	<u>Ixodes canisuga</u>
	Grass	Grass	
	Downs, Lizard, England		Downs, Lizard (49.58 N, 05.13 W) England
	IX.1909		IX.1909
	Dr. L. Cobbett		Dr. L. Cobbett

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1052 a-c	N	1052 b, c
		RML	109943
(a) <u>Hyalomma aegyptium</u> ♂'s (b) <u>Rhipicephalus bursa</u> 1♀ (c) <u>Boophilus annulatus</u> ♀'s		(a) MISSING (b) 1 ♀ <u>Rhipicephalus bursa</u> (c) 33 ♀ <u>Boophilus annulatus</u>	
Sheep		Sheep	
Hamman-Meskoutine, Algeria		Hamman Meskoutine (36.27 N, 07.16 E), Algeria	
Rec'd 6.V.1910		Rec'd 6.V.1910	
From M. Paul Deschabert		From M. Paul Deschabert	
With <u>Melophagus ovinus</u> and 1 hippoboscid fly			
N	1053 a-d	N	1053 b, c
		RML	109944
(a) <u>Hyalomma aegyptium</u> ♂'s. ♀'s (b) <u>Rhipicephalus bursa</u> 2 ♂, 1 ♀ (c) <u>Boophilus annulatus</u> ♀'s (d) <u>Ixodes ricinus</u> 2 ♀'s		(a) MISSING (b) 2 ♂, 1 ♀ <u>Rhipicephalus bursa</u> (c) 8 ♀ <u>Boophilus annulatus</u> (d) MISSING	
Sheep		Sheep	
Hamman-Meskoutine, Algeria		Hamman Meskoutine (36.27 N, 07.16 E), Algeria	
Rec'd 8.V.1910		Rec'd 8.V.1910	
Rec'd from M. Paul Deschabert		Rec'd from M. Paul Deschabert	

ORIGINAL DETERMINATIONCURRENT STATUS

N 1054 N 1054 MISSING

Ixodes ricinus ♂

Sheep

Glenginert, Ardentinny
Argyllshire, Scotland

Rec'd 5.V.1910

Rec'd from Capt. Leschallus
through G. Merriman

N 1055 N 1055
RML 109945

Rhipicephalus evertsi ♂'s, ♀'s
N's and N's skins

Cow with East Coast Fever

Cape Colony

18.XI.1908

Rec'd from Mr. C. P. Lounsbury

Died in laboratory unfed. Rest
used for infecting cows
I & II, see Parasitol. vols.
II & III.

1 ♂, 1 ♀ to Dr. J. H. Ashworth
22.VI.1910.

102 ♂, 5 ♀ Rhipicephalus evertsi

Cow with East Coast Fever

Cape Colony, Republic of South Africa

18.XI.1908

Rec'd from Mr. C. P. Lounsbury

Ticks sent by Dr. A. T. Stanton of the Medical Research Institute, Kuala Lumpur, Federated Malay States 31.III.1910.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1056a, b	N	1056 b
		RML	109946
(a) <u>Amblyomma testudinarium</u> 1♀		(a) MISSING	
(b) <u>Dermacentor auratus</u> var. <u>compactus</u> 1 ♂		(b) 1 ♀ <u>Dermacentor</u> sp.	
Vegetation in jungle		Vegetation in jungle	
Negeri Sembilan, Fed. Malay States		State of Negri Sembilan (02.45 N, 102.10 E), Malaysia	
Sent 31.III.1910		Sent 31.III.1910	
Sent by Dr. A. T. Stanton		Sent by Dr. A. T. Stanton	
Sent back 1056a			
N	1057a, b	N	1057a, b
		RML	109947
(a) <u>Haemaphysalis wellingtoni</u> ♂'s		(a) 2 ♂ <u>Haemaphysalis wellingtoni</u>	
(b) <u>Haemaphysalis wellingtoni</u> 2 N, many L		(b) 2 N, 20 L <u>Haemaphysalis wellingtoni</u>	
Domestic fowl		Domestic fowl	
Selangor, F.M.S.		Kuala Selangor (03.21 N, 101.15 E), Malaysia	
Sent 31.III.1910		Sent 31.III.1910	
Sent by Dr. A. T. Stanton		Sent by Dr. A. T. Stanton	
Sent back 2 ♂ & some larvae 1057a & b [3 larvae mounted in balsam on a slide]		Slide missing	
		Nuttall & Warburton (1915: 481), indicated 25 larvae in this collection.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1058	N 1058
		RML 109948
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, L's, eggs	8 ♀, many L & eggs <u>Rhipicephalus</u> <u>sanguineus</u>
	Dog	Dog "
	Selangor, Fed. Malay States	Kuala Selangor (03.21 N, 101.15 E), Malaysia
	Sent 31.III.1910	Sent 31.III.1910
	Sent by Dr. A. T. Stanton	Sent by Dr. A. T. Stanton
	Sent back 1 ♂, 1 ♀, eggs & larvae of 1058	
N	1059	N 1059
		RML 109949
	<u>Boophilus australis</u> 3 ♀, L's, eggs	3 ♀, 27 L, many eggs <u>Boophilus</u> <u>microplus</u>
	Cattle	Cattle
	Selangor, Fed. Malay States	Kuala Selangor (03.21 N, 101.15 E), Malaysia
	Sent 31.III.1910	Sent 31.III.1910
	Sent by Dr. A. T. Stanton	Sent by Dr. A. T. Stanton

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1060 a-c		N	1060 a-c	
			RML	109950	
(a) <u>Rhipicephalus haemaphysaloides</u> ♂'s			(a) 2 ♂, 1 ♀ <u>Rhipicephalus haemaphysaloides</u>		
(b) <u>Haemaphysalis hystricis</u> ♂'s			(b) 1 ♂ <u>Haemaphysalis bispinosa</u>		
(c) <u>Haemaphysalis koningsbergeri</u> 1♂			(b) 3 ♂ <u>Haemaphysalis semermis</u>		
Tiger			(c) 1 ♂ <u>Haemaphysalis koningsbergeri</u>		
Pahang, Fed. Malay States			<u>Panthera tigris</u>		
Sent 31.III.1910			Kuala Pahang (03.32 N, 103.28 E), Malaysia		
Sent by Dr. A. T. Stanton			Sent 31.III.1910		
Sent back 3 ♂ (1060a)			Sent by Dr. A. T. Stanton		
Sent back 2 ♂, 1 ♀ (1060b)			(b) Cited: Hoogstraal (1965b: 435). (c) Cited: Nuttall & Warburton (1915: 475).		
N	1061		N	1061	
			RML	109951	
<u>Boophilus australis</u> ♀'s, ♂'s			38 ♂, 36 ♀, 5 N <u>Boophilus microplus</u>		
Australian calf suffering from "piroplasmosis" (bacilliform)			Australian calf suffering from "piroplasmosis" (bacilliform)		
Federated Malay States			Malaysia		
Sent 31.III.1910			Sent 31.III.1910		
Sent by Dr. A. T. Stanton			Sent by Dr. A. T. Stanton		
v. Dr. Symonds letter					
Sent back 3 ♂, 3 ♀ (1061).					
Some (sex/stage not stated) to					
Dr. Longin Navas, Zaragoza,					
Spain 28.V.1913.					
1 ♂, 1 ♀ to Richard Hancock,					
England 16.VI.1918.					
1 ♂, 1 ♀ to Dr. Lajos Gozony					
University of Budapest, Hungary					
23.VI.1914.					

ORIGINAL DETERMINATIONCURRENT STATUS

N	1062	N	1062
		RML	109952
	<u>Dermacentor auratus</u> var. <u>compactus</u> 1 ♂		2 ♂, 1 ♀ <u>Dermacentor</u> sp.
	Wild pig		Wild pig
	Pahang, F.M.S.		Kuala Pahang (03.32 N, 103.28 E), Malaysia
	Sent 31.III.1910		Sent 31.III.1910
	Sent by Dr. A. T. Stanton (with 3 lice, <u>Haematopinus</u> sp.)		Sent by Dr. A. T. Stanton
N	1063	N	1063
		RML	109953
	<u>Amblyomma sublaeve</u> ♂'s		8 ♂ <u>Amblyomma javanense</u>
	Scaly anteater (<u>Manis javanica</u>)		<u>Manis javanica</u>
	Negui Sembilan, Fed. Malay St.		State of Negri Sembilan (02.45 N, 102.10 E), Malaysia
	Sent 31.III.1910		Sent 31.III.1910
	Sent by Dr. A. T. Stanton		Sent by Dr. A. T. Stanton
	Sent back 2 ♀'s (1063)		Cited: Robinson (1926: 247).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1064	N	1064
		RML	109954
	<u>Dermacentor venustus</u> 1 ♂		1 ♂ <u>Dermacentor andersoni</u>
Kasle,	British Columbia	Kaslo,	(49.55 N, 116.55 W), British Columbia, Canada
5.IV.1908		5.IV.1908	
J. W. Cockle		J. W. Cockle	
Sent 30.XI.1909 by C. Gordon Hewitt, Dominion Entomologist, Central Experimental Farm, Ottawa, Canada, with another ♂ & ♀ (returned with the following specimens):	Ixodes ricinus ♀ (1) off man, Vancouver, B.C., 1907, Dr. G. W. Boggs.	Charles Gordon Hewitt (1885-1920), Attended University of Manchester, did pioneer studies in the life history of houseflies in England the subject of his doctoral thesis before becoming Dominion Entomologist of Canada.	
Ixodes scapularis 1 ♀ off man, 14.VIII.1906 ("caused great irritation and an ugly looking red spot for some weeks.") No. 62477.			
Ixodes scapularis 1 ♀ off ? Bracebridge, Ontario, 18.VI.1904 M. Mahfty.			
Ixodes cookei 1 ♀ off dog Calabogie, Ontario, 22.V.1908 Dr. R. M. Reid.			
Ixodes angustus 1 ♀ off mouse Jeffrey, N. B., 12.X.1908 C. H. McNutt.			
Dermacentori variabilis 1 ♀ off man, Winnipeg, 10.VI.1901 Rev. W. A. Burnan.			
Dermacentor variabilis 1 ♀ off man Winkler, 27.VII....Dr. L. B. Scott.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1065	N 1065
		RML 109955
	<u>Ixodes angustus</u> 1 ♂	1 ♂ <u>Ixodes angustus</u>
	<u>Sciurus hudsonicus douglasii</u>	<u>Tamiasciurus douglasii</u>
	Mt. Lehman, Brit. Columbia	Mt. Lehman, British Columbia, Canada (locality not verified).
	31.III.1910	31.III.1910
	S. Hadwen	S. Hadwen
		Cited: Nuttall & Warburton (1911: 197).
N	1066	N 1066
		RML 109956
	<u>Ixodes texanus</u> var. 5 ♀	5 ♀ <u>Ixodes</u> sp.
	Origin unknown	Origin unknown
	[R 245]	These ticks are not <u>Ixodes texanus</u> or <u>I. hearlei</u>
N	1067	N 1067
		RML 109957
	<u>Ixodes hexagonus</u> 1 ♀	1 ♀ <u>Ixodes hexagonus</u>
	Fox	<u>Vulpes vulpes</u>
	Boxworth, Hants	Boxworth (56.16 N, 00.02 W), England
	22.I.1898	22.I.1898
	[R 200] (very dark legs, etc., scutum corrugated in the lateral fields, G.H.F.N.)	Cited: Nuttall & Warburton (1911: 182).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1068	N	1068
		RML	109958
	<u>Ixodes canisuga</u> 6 ♂, 6 ♀		4 ♂, 4 ♀ <u>Ixodes lивидус</u>
	Nest of <u>Cotile riparia</u>		Nest of <u>Riparia riparia</u>
	Lyndhurst		Lyndhurst (50.52 N, 01.34 W), England
	11.VII.1900		11.VII.1900
	[R 190] G.H.F.N. det. V.1910 (♀'s unfed)		Cited: Nuttall & Warburton (1911: 214); Arthur (1963: 92) indicated 6 ♂, 6 ♀ were present; Thompson (1967: 106).
N	1069	N	1069
		RML	109959
	<u>Ixodes tenuirostris</u>		1 ♂, 2 ♀, 3 N <u>Ixodes trianguliceps</u>
	<u>Arvicola arvalis</u>		<u>Microtus arvalis</u>
	Campfer		Campfer (46.28 N, 09.48 E), Switzerland
	11.VII.1904		11.VII.1904
	Dr. K. Jordan		Dr. K. Jordan
	♂ & ♀ in copula (aberrant, hypostome not in vulva), 1 ♀ gorged, 3 N gorged [R 146]		Cited: Nuttall & Warburton (1911: 248). Heinrich Ernst Karl Jordan (1861-1959) came to England in 1893. A world authority on fleas but also published extensively on <u>Lepidoptera</u> and <u>Coleoptera</u> especially <u>Anthribidae</u> .

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1070a, b	N 1070a, b
		RML 109960
	(a) <u>Haemaphysalis hystricis</u> 2 ♀ (b) <u>Boophilus australis</u> 1 ♂, ♀'s	1 ♀ <u>Haemaphysalis longicornis</u> 2 ♂, 1 ♀ <u>Boophilus microplus</u>
	Some taken from Sambur <u>Cervus</u> probably <u>C. aristotelis</u> others from bullocks	Some taken from Sambur, <u>Cervus</u> probably <u>C. unicolor</u> others from bullocks
	Kelantan, Federated Malay States	State of Kelantan (05.20 N, 102.00 E), Malaysia
	Rec'd 21.V.1910	Rec'd 21.V.1910
	Rec'd from J. H. Ashworth, Zool. Dept. Edinburgh	Rec'd from J. H. Ashworth, Zool. Dept. Edinburgh
		(a) Cited: Nuttall & Warburton (1915: 425).
	Ticks received 23.V.1910 from Dr. W. H. Marshall, Assistant M. O., Rangoon.	
N	1071 a-c	N 1071 a, b
		RML 109961
	(a) <u>Boophilus australis</u> ♀'s (b) <u>Haemaphysalis bispinosa</u> 4 ♂, 1 ♀ (c) <u>Hyalomma aegyptium</u> 1 ♀	(a) 5 ♀, 1 ♂ <u>Boophilus microplus</u> (b) 4 ♂, 1 ♀ <u>Haemaphysalis bispinosa</u> (c) MISSING
	Cow	Cow
	Bangalore, India	Bangalore (12.59 N, 77.35 E), India
	6.I.1910	6.I.1910
	Rec'd from Dr. W. H. Marshall	Rec'd from Dr. W. H. Marshall
		Cited: Nuttall & Warburton (1915: 432).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1072	N	1072
		RML	109962
	<u>Rhipicephalus sanguineus</u> ♂, ♀'s		1 ♂, 7 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Bangalore, India		Bangalore (12.59 N, 77.35 E), India
	Rec'd 23.V.1910		Rec'd 23.V.1910
	Rec'd from Dr. W. H. Marshall		Rec'd. from Dr. W. H. Marshall
N	1073	N	1073
		RML	109963
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		8 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Bangalore, India		Bangalore (12.59 N, 77.35 E), India
	5.I.1910		5.I.1910
	Rec'd. from Dr. W. H. Marshall		Rec'd. from Dr. W. H. Marshall
N	1074	N	1074
		RML	109964
	<u>Aponomma laeve</u> var <u>paradoxa</u> 8 ♂		7 ♂ <u>Aponomma pattoni</u>
	Cobra		<u>Naja naja</u> or <u>Ophiophagus hannah</u>
	Bangalore, India		Bangalore (12.59 N, 77.35 E), India
	15.II.1910		15.II.1910
	Rec'd from Dr. W. H. Marshall		Rec'd from Dr. W. H. Marshall
			Note in vial, "No ♀♀ G.H.F.N. 2.III.33"

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1075	N	1075
		RML	109965
	<u>Haemaphysalis concinna</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Haemaphysalis concinna</u>
	France		France
	Presented V.1910		Presented V.1910
	Presented by Prof. L. G. Neumann (Toulouse)		Presented by Prof. L. G. Neumann (Toulouse)
	ex Neumann coll. (No. 993)		Cited & figured: Nuttall & Warburton (1915: 453).
N	1076	N	1076 MISSING
	<u>Ornithodoros moubata</u> 2		
	Rec'd 1905		
	Rec'd from Dr. G. C. Low Lond. Sch. Trop. Med.		
	No history except "native name "N kufu"		
N	1077	N	1077 MISSING
	<u>Ornithodoros moubata</u> eggs, nymphs, skin		
	Rec'd 1906		
	Rec'd from Dr. Breinl, Liverpool Sch. Trop. Med.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 1078

N 1078

RML 109966

Dermacentor reticulatus 3 ♀'s3 ♀ *Dermacentor nivus*

Sheep

Sheep

Surnabad, Transcaucasia

Zurnabad (40.30 N, 46.15 E),
Azerbaijan SSR, USSR.

25.III.1904 and 22.V.1907

25.III.1904

ex Dschunkowsky coll.
(No's. 44 and 39)

ex. Dschunkowsky coll. (No's. 44 & 39)

Only one date on vial label.

Ticks received 23.V.1910 from L. E. Robinson ex W. F. Cooper collection to be determined and returned. Notes thereon: (with his numbers bracketed).

Ixodes

Ixodes ricinus 2 ♀'s off Ferret, Canterbury, Kent (363)

" " ♀'s off sheep, Hawick, N.B. North Britain [Scotland] 22.VI.1906 C. Grieve coll. (246)

" " ♂, ♀'s off ? Roscommon, Ireland VIII.1906 coll. ? (244)

" " ♀ ox Maison Carree, Algeria 10.II.1908 coll. ? (364)

" " L ex E. G. Wheler coll., 1905 Alnwick, Northumberland, England (248)

Ixodes hexagonus 1 ♀ off wild boar, Algeria, S. Williamson (365)

" " ♀'s off ferret, Canterbury IV.1908, Spanton Coll. (245)

Ixodes canisuga ♀'s off dogs, Stanhope, Durham, England 25.IX.1905 D. Robertson (Keeper) coll. (242)

" " 3 ♂, 2 ♀, Alnwick Northumberland, E. G. Wheler coll. 1905, no number but one by W.F.C. in 1909 and now returned except for 1 ♂

Ixodes pilosus 2 ♀ off duiker bok, Gonubie Park, S. Africa, 11.XII.190? (183)

Ixodes holocyclus 4 ♀ off ?, Lismore, Tweedline, Queensland, Australia 14.X.1907, S. R. Scott coll. (252)

" " 1 ♂, 1 ♂ & ♀, 5 ♀'s off ?, Dept. Agric., Brisbane Queensland, Australia VI.1906, H. Tryon coll. (253)

Ixodes loricatus 1 ♂ off ?, Estancia Cooper, Paraguay VI.1906, Foster coll. (249)

Ixodes rubicundus 2 ♂, 3 ♀ & ♀, 18 ♀ off goats, Albert District, S. Africa 1905, H.E.F. coll. ? (250)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1079	N	1079
		RML	109967
	<u>Ixodes canisuga</u> 2 ♂		1 ♂ <u>Ixodes canisuga</u>
	Alnwick, Northumberland		Alnwick (55.24 N, 01.42 W), England
	ex E. G. Wheler coll, 1905		ex E. G. Wheler coll, 1905
	ex W. F. Cooper coll, 1910		ex W. F. Cooper coll, 1910
	(one mounted on two slides, figured by G.H.F.N.)		Slides missing
N	1080	N	1080
		RML	22287
	<u>Ixodes holocyclus</u> 1 ♀ heavily gorged		1 ♀ <u>Ixodes holocyclus</u>
	Lismore, Tweedline, Queensland, Australia		Lismore (28.48 S, 153.17 E), Tweedline, Queensland, Australia
	14.X.1907		14.X.1907
	S. R. Scott		S. R. Scott
	(ex Cooper coll 252 v. <u>supra</u>)		Cited: Nuttall & Warburton (1911: 238) but without Nuttall number.
N	1081	N	1081
		RML	109968
	<u>Ixodes holocyclus</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Ixodes holocyclus</u>
	Dept. Agric., Brisbane, Queensland, Australia		Department of Agriculture, Brisbane (27.28 S, 153.02 E), Queensland, Australia
	VI.1906		VI.1906
	H. Tryon		H. Tryon
	(ex Cooper coll 253 v. <u>supra</u>)		Cited: Nuttall & Warburton (1911: 238) but without Nuttall number.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1082	N	1082
		RML	109969
	<u>Ixodes rubicundus</u>		2 ♂, 4 ♀ <u>Ixodes rubicundus</u>
	Goats		Goats
	Albert District, S. Africa		Albert District (30.55 S, 26.20 E), Republic of South Africa
	1905		1905
	H.E.F.		H.E.F.
	(ex Cooper coll (250 v <u>supra</u>)		Cited: Nuttall & Warburton (1911: 207) but without Nuttall number.
N	1083	N	1083 MISSING
	<u>Argas persicus</u> mostly N's		
	Cape Colony		
	1909		
	Died in laboratory		

Ticks received from the Indian Museum 1910, sent to E. A. Shipley and determined by C. Warburton IV-V. 1910.

<u>Amblyomma testudinarium</u>	1 ♂, Sikkim ♂s ♀s, Sibsagar, Assam	5950 10 <u>8601-8602</u> 9
<u>Aponomma gervaisi</u>	adults, off <u>Varanus lunatus</u> (= <u>V. bengalensis</u>), Agra, U. Pr.	5953 10
" "	adults, off <u>Varanus bengalensis</u> , Karachi, Sind, ex No. 4667	5982 10
" "	adults, off <u>Varanus nebulosus</u> , Agra, U. Pr. ex. No. 2113	5984 10
" "	adults, off <u>Varanus bengalensis</u> , Agra, U. Pr. ex. No. 2110	5984 10
" "	1 ♂ (see <u>Ap. decorosum</u>), nymphs off <u>Naia tripundians</u> , Zool. Gardens, Calcutta	5967 10
<u>Aponomma decorosum</u>	adults off <u>Varanus salvator</u> , Brisbane, Queensland Australia as Nos. 11914 and 11916 with 1 ♂ <u>Apon. gervaisi</u>	5988 10
<u>Argas persicus</u>	found in a book, Ind. Mus. Library, Calcutta	5946 10
<u>Argas vespertilionis</u>	nymph, Belgaum, Bombay	416 1
<u>Dermacentor rhinocerotis</u>	2 ♂ off Rhinoceros, Ketloa, Anseba Valley, Abyssinia	5949 10
<u>Haemaphysalis bispinosa</u>	1 ♂ off dog, Berhampur, 5.I.1910	6001 10
" "	2 ♀ off <u>Felis tigris</u> , Burdwar, Nepal, Terai, (found with <u>H. leachi</u>)	6003-6001 10 8
" "	adults, off dog, Bhogaon, Purneah District, N. Bengal	6000 10
" "	♀ off <u>Macacus sinicus</u> , Maddathory, W. base of W. Ghats, Travancore	5947 10
<u>Haemaphysalis flava</u>	1 ♂ off sheep, Hillside below Phagu, (7000 feet) Simba hills, W. Himalayas	5998 10
" <u>hystricis</u>	5 ♀ off <u>Geomys spinosa</u> ? Burma, India (with <u>Ambly. n.sp.</u>)	19 1
" "	1 ♀ off ? Sibsagar, Assam	5940 10

<u>Haemaphysalis leachi</u> var <u>australis</u> Nn (see No. 1110 our coll.)		
1 ♀ off <u>Felis tigris</u> , Burdwar Nepal	6063	
Terai found with <u>H. bispinosa</u>	10	
" <u>wellingtoni</u> ♀ off ? Andamans	5951	
	10	
<u>Hyalomma aegyptium</u> 1 ♀ off <u>Cervus affinis</u> , Kota Nepal	5932	
	10	
3 ♂ off <u>Erinaceus megalotis</u> , Afghanistan	5970	
	10	
2 ♂ off <u>Euprepes</u> sp (= <u>Mabuia</u>), Karachi, Sind, W. India (found with <u>Ambly. sublaeve</u>)	5948	
	10	
1 N off <u>Erinaceus jerdoni</u> , Rajanpur N.W. Punjab (found with <u>Rh. sanguineus</u>)	5977	
	10	
N's off <u>Erinaceus pictus</u> , Karachi Sind, W. India	5968	
	10	
1 N off <u>Erinaceus grayi</u> (= <u>E. collaris</u>), Rohri, Sind	5975	
	10	
<u>Hyalomma syriacum</u> 3 ♀s off land tortoise, Quetta, Baluchistan	5946	
	10	
<u>Rhipicephalus sanguineus</u> ♂, Ns, off <u>Erinaceus grayi</u> (= <u>E. collaris</u>)	5971	
Kotri, Sind	10	
1 ♂ off <u>Erinaceus micropus</u> , Coimbatore	5969	
S. India (ex No. 212c)	10	
♂s off <u>Erinaceus pictus</u> , Alwar, Karachi, Sind or Gunah Central India	5973	
	10	
Adults & N's off <u>Erinaceus grayi</u> (= <u>E. collaris</u>), Karachi, Sind	5976	
	10	
♂s ♀s Ns off <u>Erinaceus pictus</u> , Karachi, Sind	5972	
	10	
♂ ♀ off <u>Canis aureus</u> (albino) Zool. Gardens, Calcutta	5965	
	10	
1 ♀ off ?, Katmandu Nepal	8603	
	9	
2 ♂ off <u>Erinaceus jerdoni</u> , Rajanpur, N.W. Punjab	5977	
	10	
1 ♀ off dog, Berhampur, Murshidabad District, Bengal (fd. with <u>H. bispinosa</u>)	6001	
	10	

<u>Rhipicephalus sanguineus</u>	1 ♂ off dog, Bhogaon, Purnea District N. Bengal (fd. with <u>H. bispinosa</u>)	6000 10
<u>Rhipicephalus haemaphysaloides</u>	1 ♀ off <u>Felis marmorata</u> , Zool. Gardens, Calcutta 2.XII.1909	5964 10

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1084		N	1084
			RML	109970
	<u>Amblyomma testudinarium</u> 6 ♀			1 ♂, 1 ♀ <u>Amblyomma testudinarium</u>
	<u>Felis tigris</u>			<u>Panthera tigris</u>
	Sibsagar, Assam			Sibsagar (26.59 N, 94.38 E), India
	S. E. Peal			S. E. Peal
	2 ♀ kept by us			
	1 ♀ to Prof. R. Matheson, Cornell, 27.V.1929			
	1 ♂ to C. Strickland, Malaya			
	Indian Museum No. <u>5941</u>	<u>10</u>		
	<u>Amblyomma decoratum</u> 1 ♀ (hitherto unknown) off <u>Geomys grandis</u> ,			
	Zoo1 Gardens Calcutta <u>346</u>	<u>1</u>		
	<u>Argas reflexus indicus</u> 1 found in a book at Entomological Room, Indian			
	Museum, Calcutta 15.111.1910 <u>6267</u>	<u>10</u>		
"	" "	" 1 found on wall of Museum Building, Calcutta		
		16.111.1910 <u>6269</u>	<u>10</u>	
"	" "	I found in box sent from Indian Museum Calcutta to Kurseong, E. Himalayas (4700 ft) 25.111.1910		
		6326 (birds building in roof of Museum. <u>Passer</u>		
		<u>domesticus</u> & <u>Cypelus affinis</u>)	<u>10</u>	
	<u>Haemaphysalis bispinosa</u>	1 ♀ off grass, Lake Chilka, N.E. Madras, III.1910,		
		Annandale coll. <u>6227</u>	<u>10</u>	
"	" "	adults off <u>Felis tigris</u> , Motilal, Garhual District, United Provinces of Rega and Udah, 5.111.1910,		
		R. Hadgart coll. <u>6268</u>	<u>10</u>	

ORIGINAL DETERMINATIONCURRENT STATUS

N 1085

N 1085

RML 109971

Haemaphysalis leachi
 σ' 's, φ' 's, N's, L's

1 σ , 6 N, 3 L Haemaphysalis sp.

Canis aureus

Canis aureus

Museum Compound, Calcutta

Museum Compound, Calcutta
 (26.32 N, 88.22 E), India

10 σ , 5 φ , 3 L kept by us

The σ is in a jar marked "Tick
 Abnormalities." The σ is figured
 in Nuttall (1914a: 252, fig. 3).

1 σ , 1 φ to Dr. de Blieck, Java,
 22.I.1915

Indian Museum No. $\frac{5994}{10}$ $\frac{5995}{10}$

Cited: Nuttall & Warburton
 (1915: 475).

<u>Hyalomma aegyptium</u>	3 ♀ off ? Sestan, Persia	5934 10
<u>Rhipicephalus haemaphysaloides</u>	1 ♂ off ? Basanti Forest Station, 24 Pergumas Sunderbunds 16.XI.1909 T. Jenkins	5952 10
<u>Aponomma gervaisi</u> var. <u>lucasi</u>	♂, ♀s off <u>Varanus salvator</u> , Cantor, Assam, ex. 469	5986 10
	♂ ♀s off <u>Varanus salvator</u> , Rungpur E Bengal, ex. 2126	5985 10
	♂ ♀s off <u>Varanus salvator</u> , Narcondam, Bay of Bengal	5990 10
	1 ♀ off <u>Var. nebulosus</u> , Moulmein L. Burma, ex. 2114	5983 10
	♂ ♀s off <u>Bos. frontalis</u> (can't be GHFN) Z. Gardens, Calcutta 2.XII.1909	5963 10
	♂ ♀s off <u>Ovis nahura</u> (can't be GHFN) Z. Gardens, Calcutta 2.XII.1909	5963 10
	♂ ♀s off <u>Var. salvator</u> , locality ?	5989 10
	♂s ♀s off <u>Naia bungarus</u> , Zool. Gardens, Calcutta, 2.XII.1909	5966 10
	♂ ♀s off <u>Naia tripudians</u> , Zool. Gardens, Alipore, Calcutta 5.II.1910	6223 10
	♂ ♀s off <u>Naia bungarus</u> , Zool. Gardens, Alipore, Calcutta 5.II.1910	6222 10
	♂s ♀s off <u>Vipera russelli</u> , Zool. Gardens, Alipore, Calcutta	6220 10
	♂ ♀s off <u>Python</u> sp., Zool. Gardens Alipore, Calcutta 5.II.1910	6221 10
	♂ ♀s off <u>Varanus bengalensis</u> , Kachha, Naini Tal District, United Prov. of Agra & Oudh	6224 8

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1086a, b		N	1086a, b	
			RML	109972	
(a) <u>Haemaphysalis bispinosa</u> ♂'s (b) <u>Haemaphysalis bispinosa</u> ♀'s			(a) 1 ♂ <u>Haemaphysalis bispinosa</u> (b) 6 ♀ <u>Haemaphysalis bispinosa</u>		
Chosen as typical from various E. Indian lots in our collection by C. Warburton, 27.V.1910.					
2 ♀, 2 N to C. Strickland Malaya					
Ticks received back from the Entomol. Committee C.O. 1.VI.1910. All collected by Dr. J. B. Davey, N. Nyasaland (See Report 8, p. 107-108 Ent.Cttee.)					
N	1087		N	1087	
			RML	109973	
<u>Dermacentor rhinocerotis</u> 2 ♂			2 ♂ <u>Dermacentor rhinocerinus</u>		
Rhinoceros			<u>Diceros</u> sp.		
Near Deer Bay (sic.) N.N.			Vua Road, Chilumba (10.27 S, 34.16 E), Malawi		
2.XI.1909			2.XI.1909		
Dr. J. B. Davey			Dr. J. B. Davey		
N	1088		N	1088	
			RML	109974	
<u>Amblyomma marmoreum</u> 4 ♂, 1 ♀			2 ♂, 1 ♀ <u>Amblyomma sparsum</u>		
Rhinoceros			<u>Diceros</u> sp.		
Near Deer Bay (sic.) N.N.			Near Chilumba (10.27 S, 34.16 E), Malawi		
2.XI.1909			2.XI.1909		
Dr. J. B. Davey			Dr. J. B. Davey		
1 ♂ to Dr. E. Pavlovsky, Leningrad 9.X.1925			Cited: Theiler & Salisbury (1959: 113).		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1089	N 1089
		RML 109975
	<u>Amblyomma petersi</u> 4 ♂, 1 ♀	4 ♂, 1 ♀ <u>Amblyomma rhinocerotis</u>
	Rhinoceros	<u>Diceros</u> sp.
	Near Deer Bay (sic.) N.N.	Near Chilumba (10.27 S, 34.16 E), Malawi
	2.XI.1909	2.XI.1909
	Dr. J. B. Davey	Dr. J. B. Davey
		Cited: Robinson (1926: 264).
N	1090	N 1090
		RML 109976
	<u>Boophilus australis</u> 5 ♂, 5 ♀	4 ♂, 5 ♀ <u>Boophilus microplus</u>
	Cattle	Cattle
	Mwenetete Village, N. Rukuru River, N.N.	Mwenetete Village, North Rukuru River (09.53 S, 33.56 E), Malawi
	16.VI.1909	16.VI.1909
	Dr. J. B. Davey	Dr. J. B. Davey
	(varietal forms, spines & no spines)	
N	1091	N 1091
		RML 109977
	<u>Rhipicephalus supertritus</u> 1 ♂	1 ♂ <u>Rhipicephalus supertritus</u>
	Bull eland	<u>Taurotragus oryx</u>
	Lufira River, N.N.	Lufilya River (09.50 S, 33.35 E), Malawi
	22.VI.1909	22.VI.1909
	Dr. J. B. Davey	Dr. J. B. Davey

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1092	N	1092
		RML	109978
	<u>Rhipicephalus capensis</u> 4 ♂		3 ♀ <u>Rhipicephalus compositus</u>
	Buffalo		<u>Syncerus caffer</u>
	Henga Valley, N.N.		Henga Valley, Malawi (locality not verified)
	3.XII.1909		3.XII.1909
	Dr. J. B. Davey		Dr. J. B. Davey
N	1093	N	1093
		RML	109979
	<u>Haemaphysalis hoodi</u> 1 ♂ 2 ♀		1 ♂, 2 ♀ <u>Haemaphysalis hoodi</u>
	Partridges ears		Partridges ears
	Nyungwi Stream, N.N.		Nyungwi Stream (13.42 S, 34.35 E), Malawi
	26.XI.1909		26.XI.1909
	Dr. J. B. Davey		Dr. J. B. Davey
			Cited: Nuttall & Warburton (1915: 486).
N	1094	N	1094
		RML	109980
	<u>Rhipicephalus supertritus</u> 1 ♂ (typical) 3 ♂ (typic.?)		3 ♂, 1 ♀ <u>Rhipicephalus supertritus</u>
	Eland		<u>Taurotragus oryx</u>
	Near Fort Hill, Nyami V., N.N.		Near Chitipa (09.43 S, 33.16 E), Malawi
	16.XI.1909		16.XI.1909
	Dr. J. B. Davey		Dr. J. B. Davey

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1095		N	1095
			RML	109981
	<u>Amblyomma marmoreum</u> 1 ♂			1 ♂ <u>Amblyomma sparsum</u>
	Monitor			<u>Varanus</u> sp.
	Wowwi R., N.N.			Wowwe River (10.17 S, 34.10 E), Malawi
	5.XI.1909			5.XI.1909
	Dr. J. B. Davey			Dr. J. B. Davey
				Cited: Theiler & Salisbury (1959: 113).
N	1096		N	1096
			RML	109982
	<u>Aponomma exornatum</u> 3 ♂, 3 ♀, 3 N			3 ♂, 1 ♀, 2 N <u>Aponomma exornatum</u>
	Monitor			<u>Varanus</u> sp.
	Wowwi R., N. N.			Wowwe River (10.17 S, 34.10 E), Malawi
	5.XI.1909			5.XI.1909
	Dr. J. B. Davey			Dr. J. B. Davey
N	1097		N	1097
			RML	109983
	<u>Dermacentor rhinocerotis</u> 3 ♂, 2 ♀			2 ♂, 1 ♀ <u>Dermacentor rhinocerinus</u>
	Off grass & leaves			Off grass & leaves
	Deep Bay, Vua Road, N.N.			Vua Road, Chilumba (10.27 S, 34.16 E), Malawi
	14.....1909			14.....1909
	Dr. J. B. Davey			Dr. J. B. Davey
	1 ♂ to Dr. J. H. Ashworth, Edinburgh, 22.VI.1910			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1098	N	1098
		RML	109984
	<u>Amblyomma petersi</u> 3 ♂, 4 ♀		2 ♂, 3 ♀ <u>Amblyomma rhinocerotis</u>
	Off grass & leaves		Off grass & leaves
	Deep Bay, Vua Road, N.N.		Vua Road, Chilumba (10.27 S, 34.16 E), Malawi
	14....1909		14....1909
	Dr. J. B. Davey		Dr. J. B. Davey
			Cited: Robinson (1926: 264) who indicated the collection month as May.
N	1099a, b	N	1099, a, b
		RML	109985
	(a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s		(1099) 10 ♂ <u>Rhipicephalus</u> sp. (Pinned)
	(b) <u>Rhipicephalus simus</u> ♂'s, ♀'s		(a) 14 ♂ <u>Rhipicephalus simus</u> (a) 60 ♂, 44 ♀ <u>Rhipicephalus senegalensis</u> (b) 51 ♂, 21 ♀ <u>Rhipicephalus simus</u> (b) 4 ♂ <u>Rhipicephalus longus</u>
	Warthog		<u>Phacochaeerus aethiopicus</u>
	Chitipa V., Dowa District, Lake Shore, N. Nyasaland		Chitipa Valley, Dowa District (13.35 S, 34.00 E), Lake Shore, Malawi
	25.I.1910		25.I.1910
	Dr. J. B. Davey		Dr. J. B. Davey
	Reexamined 28.IV.1919 by C. W. who states that 1099a are <u>R. falcatus</u> verging towards <u>R. supertritus</u> on the one hand & towards <u>R. simus</u> on the other. 1099b are <u>R. simus</u> verging towards <u>R. falcatus</u> & <u>R. lunulatus</u> in a similar manner.		Cited: Hoogstraal (1956a: 756).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1100	N	1100
		RML	109986
	<u>Rhipicephalus supertritus</u> ♂'s	9 ♂ <u>Rhipicephalus supertritus</u>	
	Eland	<u>Taurotraquus oryx</u>	
	Mpelele River, Marimba District, Nyasaland	Mpelele River (13.07 S, 33.47 E), Malawi	
	20.11.1910	20.11.1910	
	Dr. Pask	Dr. Pask	
	Ticks from the Indian Museum (1101-1104, 1106).		
N	1101	N	1101
		RML	109987
	<u>Amblyomma sublaeve</u> 19 ♂, 1 N	4 ♂, 1 N <u>Amblyomma javanense</u>	
	<u>Euprepes</u> (=Mabuia)	Without knowing the species name of the skink, it is not possible to be sure of the present generic placement for Karachi specimens.	
	Karachi, Sind	Karachi (24.52 N, 67.03 E), Pakistan	
	J. A. W. Murray	J. A. W. Murray	
	(taken 5 ♂, 1 N)	Cited: Robinson (1926:247).	
	Indian Museum No. <u>5948</u> and 12013 <u>10</u>		
[There is an additional host and tick collection listed for N1101 but missing and the ticks probably returned to the Indian Museum - J.E.K.]			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1102	N	1102
		RML	109988
	<u>Amblyomma sublaeve</u> 7 ♂, 1 ♀		2 ♂, 1 ♀ <u>Amblyomma javanense</u>
	<u>Manis pentadactyla</u>		<u>Manis pentadactyla</u>
	Purchased 1871 Reg. No. 3223		Purchased 1871 Reg. No. 3223
	(Taken 2 ♂, 1 ♀)		Cited: Robinson (1926: 247).
	Indian Museum No. 3223		
N	1103	N	1103
		RML	109989
	<u>Rhipicephalus breviceps</u> 1 ♀ TYPE		1 ♀ <u>Rhipicephalus sanguineus</u> (Holotype of <u>R. breviceps</u>)
	<u>Erinaceus collaris</u>		<u>Hemiechinus auritus collaris</u>
	Sind		Sind (25.30 N, 69.00 E), Pakistan
	Indian Museum No. 5954 10		Warburton (1910: 398), original description. The vulva of this ♀ has been removed and is now mounted on a slide.
N	1104	N	1104
		RML	109990
	<u>Ixodes gigas</u> 1 ♂ TYPE		1 ♂ <u>Ixodes acutitarsus</u> Lectotype of <u>I. gigas</u>
	Punkabari, Darjiling District, E. Himalayas		Punkabari, Darjeeling District (27.02 N, 88.16 E), India
			Warburton (1910: 397), original description. In that publication and in Nuttall & Warburton (1911: 204) the locality is spelled Punkabani. Lectotype designated: Keirans & Brew- ster (1981: 166).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1105	N	1105
		RML	109991
	<u>Dermacentor albipictus</u> 3 ♂, 3 ♀, 6 N		2 ♂, 3 ♀, 6 N <u>Dermacentor albipictus</u>
	Blucher Hall, British Columbia		Blucher Hall (51.06 N, 120.01 W), British Columbia, Canada
	III.1910		III.1910
	From Hon. N. C. Rothschild (London)		From Hon. N. C. Rothschild (London)
	Rec'd 2.IV.1910		
	1 ♂ to Dr. E. Pavlovsky, Leningrad 9.X.1925		
N	1106	N	1106
		RML	109992
	<u>Amblyomma supinoi</u> 1 ♀		2 ♀ <u>Amblyomma supinoi</u>
	<u>Geoemyda spinosa</u>		<u>Heosemys spinosa</u>
	India (Burma ?)		India (Burma ?)
	Indian Museum No <u>19</u> <u>1</u>		Warburton (1910: 403), original description of <u>A. annandalei</u> .
	This specimen had previously been determined as <u>Amblyomma</u> <u>geomydae</u> and <u>Amblyomma annandalei</u> TYPE		I do not know how the 2nd female came to be in this collection. The mutilated ♀ that conforms to fig. 8 of Warburton (1910: 403) is the holotype of <u>Amblyomma</u> <u>annandalei</u> [J.E.K.]

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1107	N	1107
		RML	109993
	<u>Haemaphysalis longipalpis</u> 10 ♂, 1 ♀ TYPES (= <u>H. aculeata</u> Lavarra 1904)		8 ♂, 1 ♀ <u>Haemaphysalis aculeata</u> Lectotype and paralectotypes of <u>H. longipalpis</u>
	<u>Tragulus meminna</u> (Mouse Deer)		<u>Tragulus meminna</u> (Mouse Deer)
	Colombo, Ceylon		Colombo (06.56 N, 79.51 E), Sri Lanka
	3.VIII.1909		3.VIII,1909
	C. C. Dobell		C. C. Dobell
			Warburton (1910: 399), original description of <u>H. longipalpis</u> .
			Cited: Nuttall & Warburton (1915: 442). Lectotype designated: Keirans & Brewster (1981: 163).
			The ♀ vulva is mounted on a slide.
N	1108	N	1108
		RML	88858
	<u>Haemaphysalis cuspidata</u> 30 ♂		24 ♂ <u>Haemaphysalis cuspidata</u>
	<u>Tragulus meminna</u>		<u>Tragulus meminna</u>
	Colombo, Ceylon		Colombo (06.56 N, 79.51 E), Sri Lanka
	3.VIII.1909		3.VIII.1909
	C. C. Dobell		C. C. Dobell
			Warburton (1910: 401), original description. Trapido (1965: 158) selection of a lectotype. Cited: Nuttall & Warburton (1915: 440).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1109	N	1109
		RML	109994
	<u>Aponomma laeve</u> 4 ♂, N, larvae		4 ♂, 2 N, 20 L <u>Aponomma pattoni</u>
	<u>Zamenis mucosus</u>		<u>Ptyas mucosus</u>
	Peradeniya, Ceylon		Peradeniya (07.15 N, 80.36 E), Sri Lanka
	25.VIII.1909		25.VIII.1909
	R.B.G. (brought by C. C. Dobell)		R.B.G. (brought by C. C. Dobell)
			Host genus on vial label misspelled <u>Zamensis</u>
N	1110	N	1110 MISSING
	<u>Haemaphysalis leachi</u> var. <u>australis</u> 1 ♀		
	<u>Felis tigris</u>		
	Burdwar, Nepal Terai		
	Found with <u>Haem.</u> <u>bispinosa</u> Indian Museum no. <u>6003</u> <u>10</u>		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1111a-d	N	1111d
		RML	109995
(a)	<u>Rhipicephalus evertsi</u> ♀'s	(a)	MISSING
(b)	<u>Ixodes pilosus</u> ♂'s, ♀'s	(b)	MISSING
(c)	<u>Boophilus decoloratus</u>	(c)	MISSING
(d)	<u>Hyalomma aegyptium</u> ♀'s	(d)	3 ♀ <u>Hyalomma rufipes</u>
	Cape Colony		Cape Colony, Republic of South Africa
	Rec'd 7.VI.1910		Rec'd 7.VI.1910
	Rec'd from A. W. Noel Pillers (Veterinary Dept. Great Central Railway, Sheffield, England)		Rec'd from A. W. Noel Pillers (Veterinary Dept. Great Central Railway, Sheffield, England)
	(b) 1 ♀ to J. de Mega, Zomba, Nyasaland 19.II.1916		
	(c) Returned to Mr. Pillers		
N	1112	N	1112 MISSING
	<u>Ornithodoros turicata</u>		
	Aquascalientes, Mexico		
	Sent 9.VI.1910		
	Sent by Dr. Reinhold Findeisen		
	(Many alive being raised; raised the larvae but they were lost by Gordon Merriman but for 1 mounted on slide in balsam).		

ORIGINAL DETERMINATIONCURRENT STATUS

N 1113

N 1113 MISSING

Ornithodoros megnini

Aquascalientes, Mexico

Sent 9.VI.1910

Sent by Dr. Reinhold Findeisen

Ticks received 27.VI.1910 from Hugh S. Stannus, M. B. London, Medical Officer, Zomba, Nyasaland, having been forwarded by Dr. Hearsey.

N 1114

N 1114 MISSING

Amblyomma variegatum 2 ♂, 1 ♀

Cattle

N. Angoniland

VI.1909

Dr. H. S. Stannus

Forms with B. decoloratus,
Rhip. appendiculatus, Hyal.
aegyptium, on cattle with
"T. parva" in blood

Mostly returned

N 1115

N 1115 MISSING

Amblyomma variegatum 3 ♂

Antelope (probably all eland)

Sakwa

X.1909

Dr. H. S. Stannus

Found with Rhip. capensis & Hyal.
aegyptium

All retained

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1116	N	1116
		RML	109996
	<u>Boophilus australis</u> 5 ♀		5 ♀ <u>Boophilus microplus</u>
	Cow		Cow
	Zomba		Zomba (15.23 S, 35.20 E), Malawi
	IV.1910		IV.1910
	Dr. H. S. Stannus		Dr. H. S. Stannus
	Found with <u>Ambly. variegatum</u>		
	Mostly returned		
N	1117	N	1117
		RML	109997
	<u>Boophilus decoloratus</u> 5 ♀		5 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Namadidi Estate, Zomba		Namadidi Estate (15.24 S, 35.15 E), Zomba, Malawi
	Rec'd 27.VI.1910		Rec'd 27.VI.1910
	Dr. H. S. Stannus		Dr. H. S. Stannus
	Animals infected with <u>I.</u> <u>dimorphon</u> . Found with <u>Ambly.</u> <u>variegatum</u> .		
	Mostly returned		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1118	N 1118 MISSING
	<u>Rhipicephalus appendiculatus</u> 2 ♂, 2 ♀, 1 N	
	Cattle	
	N. Angoniland, Nyasaland	
	VI.1909	
	Found with 1114 and other sp. listed above.	
	Mostly returned	
N	1119	N 1119
		RML 109998
	<u>Rhipicephalus simus</u> many	12 ♂, 8 ♀ <u>Rhipicephalus simus</u> 1 ♂ <u>Rhipicephalus jeannelli</u> 1 ♀ <u>Haemaphysalis leachi</u>
	Lion	<u>Panthera leo</u>
	Near Zomba	Near Zomba (15.23 S, 35.20 E), Malawi
	II.1910	II.1910
	Dr. H. S. Stannus	Dr. H. S. Stannus
	Found with 1 ♂ <u>Haemaphysalis leachi</u>	
	All retained	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1120	N	1120
		RML	109999
	<u>Rhipicephalus simus</u> 2 ♂, 2 ♀		2 ♂, 1 ♀ <u>Rhipicephalus simus</u>
Dog		Dog	
Zomba		Zomba (15.23 S, 35.20 E), Malawi	
III.1910		III.1910	
Dr. H. S. Stannus		Dr. H. S. Stannus	
Mostly returned			
N	1121	N	1121
		RML	105561
	<u>Rhipicephalus capensis</u> 17 ♂		6 ♂, 1 ♀ <u>Rhipicephalus compositus</u> 5 ♂, 1 ♀ <u>Rhipicephalus punctatus</u> 1 ♂ <u>Rhipicephalus simus</u>
Off antelope (probably all off eland)		Antelope probably <u>Taurotragus oryx</u>	
Sakwa Mt. N. Angoniland		Sakwa Mt. N. Angoniland, Malawi (locality not verified)	
X.1909		X.1909	
Dr. H. S. Stannus		Dr. H. S. Stannus	
A few returned			
1 ♂, 1 ♀ to R. W. Mettam, Weybridge IV.1931; 1 ♂, 1 ♀ to H. S. Purchase IV.1931			

The following specimens were returned to the collector

- Amblyomma variegatum off cow, Zomba, IV.1910 (with 1116) - off cows London, N. Angoniland XI.1909 - off cattle Camp Boma, Zomba I.1910 - off cattle, Namadidi Estate, Zomba (with No. 1117).
- Boophilus decoloratus off cattle, N. Angoniland, VI.1909 with 1118 q.v. - off cattle, London, N. Angoniland XI.1909 with Amblyomma variegatum - off cattle, Camp Boma, Zomba, I.1910 with Amblyomma variegatum - off sheep, Mzimba, VI.1910
- Hyalomma aegyptium off cattle, N. Angoniland, VI.1909, with 1118 q.v. - off antelope, Sakwa Mt. N. Angoniland, X.1909 with No. 1121 q.v.
- Haemaphysalis leachi 1 ♂ off lion with No. 1119 q.v.
- Ornithodoros moubata 1, in rest house, Hora, N. Angoniland, VI.1909
- Rhipicephalus sanguineus off dog, Zomba, II.1910

ORIGINAL DETERMINATION

CURRENT STATUS

N 1122

N 1122 MISSING

Hyalomma aegyptium ♂'s, ♀'s

Camels

Biskra, Algeria

4-6.VI.1910

Schoolboys

Sent in 13 tubes by the Schoolmaster
S. Mu'h'd Okbi

Some (sex/stage not stated) to Prof. O.
Duboscq, Montpellier, France 10.II.1914.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1123	N 1123 MISSING
	<i>Ixodes canisuga</i> 1 ♂ (mounted on a slide dry)	
	Gowanburn, N. Tyne	
	5.V.1901	
	Presented by Mr. E. G. Wheler	
	Mr. Wheler writes 25.VI.1910 it is "the only specimen I have ever seen"... "I feel sure that the males of this species are not to be found (unless accidentally) on a host at all & that if wanted the way to get them would be to keep dogs or ferrets in old kennels or boxes where the ticks would find harbourage and seek for them between the boards etc. I referred to this in my account of "British Ticks". This specimen may have come from a dog kennel.	This specimen was probably the ♂ cited by Wheler (1906; 414) as <i>Ixodes hexagonus</i> var. <i>inchoatus</i> .
N	1124	N 1124 MISSING
	<i>Ixodes ricinus</i> 2 ♀'s	
	Dog	
	Godesberg on the Rhine	
	22.VI.1910	
	F. v. Rigal's gamekeeper	
	G.H.F.N. det.	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1125	N	1125
		RML	110000
	<u>Rhipicephalus sanguineus</u> 2 ♀, 2 N Fowl		2 ♀, 2 N <u>Rhipicephalus sanguineus</u> Fowl
	Biskra, Algeria		Biskra (34.51 N, 05.44 E), Algeria
	6.VI.1910		6.VI.1910
	Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)		Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)
	Collected with <u>A. persicus</u> larvae		
N	1126	N	1126
		RML	110001
	<u>Rhipicephalus sanguineus</u> ♀'s, N's Dog		1 ♀, 17 N <u>Rhipicephalus sanguineus</u> Dog
	Biskra, Algeria		Biskra (34.51 N, 05.44 E), Algeria
	3.VI.1910		3.VI.1910
	Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)		Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)
N	1127	N	1127 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s Dogs		
	Biskra, Algeria		
	3-7.VI.1910		
	Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1128		N	1128	
			RML	110002	
	<u>Rhipicephalus sanguineus</u> N's			34 N <u>Rhipicephalus sanguineus</u>	
	Dogs			Dogs	
	Biskra, Algeria			Biskra (34.51 N, 05.44 E), Algeria	
	6-8.VI.1910			6-8.VI.1910	
	Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)			Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)	
N	1129		N	1129	
			RML	110003	
	<u>Hyalomma aegyptium</u> N's			2 N <u>Hyalomma</u> sp.	
	Rabbit			Rabbit	
	Biskra, Algeria			Biskra (34.51 N, 05.44 E), Algeria	
	6.VI.1910			6.VI.1910	
	Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)			Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)	
N	1130		N	1130	
			RML	110004	
	<u>Argas persicus</u>			3 ♂, 1 ♀ <u>Argas persicus</u>	
	Fowl			Fowl	
	Biskra, Algeria			Biskra (34.51 N, 05.44 E), Algeria	
	3.VI.1910			3.VI.1910	
	Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)			Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1131	N 1131
		RML 110005
	<u>Argas persicus</u> 3 larvae (gorged)	3 L <u>Argas persicus</u>
Fowl		Fowl
Biskra, Algeria		Biskra (34.51 N, 05.44 E), Algeria
6.VI.1910		6.VI.1910
Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)		Schoolboys and sent by S. Muhamed Okbi (Schoolmaster)
Found with 1025		
N	1132	N 1132 MISSING
	<u>Ixodes unicavatus</u> 1 larva	
Cormorant		
Fidra Point, Firth of Forth, Scotland		
17.XI.1906		
W. Evans		
Found with ♀, N, & L. Rec'd 25.VI.1910. The N of this lot figured by G.H.F.N. also <u>Ixodes putus</u> 1 N off gannet, Bass Scotland ca. 15.VI.1910 W. Evans coll. determined by G.H.F.N. and returned 4.VII.1910.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1133	N	1133
		RML	110006
	<u>Aponomma laeve</u> 2 ♂		2 ♂ <u>Aponomma latum</u>
	Say's snake (<u>Pituophis sayi</u>) (Schlegel)		<u>Pituophis sayi</u>
	Zool. Soc. Gardens, London		Zoological Society Gardens, London (51.30 N, 00.07 W), England
	Presented 2.VII.1910		Presented 2.VII.1910
	W. H. Harding (Histon)		W. H. Harding (Histon)
	The snake had been at the Zoological Gardens since 18.V.1909.		
N	1134	N	1134
		RML	110007
	<u>Ixodes angustus</u> 9N, 5 L		8 N, 5 L <u>Ixodes angustus</u>
	Squirrels		Squirrels
	Mt. Lehman, British Columbia, Canada		Mt. Lehman (49.07 N, 122.23 W), British Columbia, Canada
	Sent 7.VI.1910		Sent 7.VI.1910
	Sent by S. Hadwen		Sent by S. Hadwen
	[1 N mounted in balsam on slide VI.1915 G.H.F.N.]		Cited: Nuttall et al. (1911: 197, figs. 189, 190).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1135	N	1135
		RML	110008
	<u>Ixodes</u> sp. 4 N		4 N <u>Ixodes rugosus</u>
	Skunk		Probably <u>Mephitis mephitis</u>
	Mt. Lehman, British Columbia, Canada		Mt. Lehman (49.07 N, 122.23 W), British Columbia, Canada
	16.II.1910		16.II.1910
	S. Hadwen		S. Hadwen
	Hadwen believes them to be <u>I. texanus</u> but we find they differ considerably from the ♀ suggesting to Hadwen that he should raise some as the matter cannot be settled otherwise.		
N	1136	N	1136 MISSING
	<u>Dermacentor albipictus</u> 1 ♂, 2 ♀		
	Rec'd 10.VII.1910		
	Rec'd from Mr. C. Gordon Hewitt, Central Experimental Farm, Ottawa, Ontario, Canada		
N	1137	N	1137
		RML	110009
	<u>Ixodes canisuga</u> 7 ♀, 1 N		7 ♀, 1 N <u>Ixodes canisuga</u>
	Ferret		<u>Mustela furo</u>
	(♀) Longner Hall, Shrewsbury (N) Oxon, Salop		(♀) Longner Hall, Shrewsbury (52.43 N, 02.44 W) and (N) Oxon, Shropshire (52.40 N, 02.35 W), England
	(♀) 29.VI.1910 (N) 27.VI.1910		(♀) 29.VI.1910 (N) 27.VI.1910
	Sent by R.F.L. Burton		Sent by R.F.L. Burton

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1138	N	1138
		RML	110010
	<u>Ixodes canisuga</u> ♀'s		9 ♀ <u>Ixodes canisuga</u>
	Ferret		<u>Mustela furo</u>
	Longner Hall, Shrewsbury		Longner Hall, Shrewsbury (52.43 N, 02.44 W), England
	5.VII.1910		5.VII.1910
	Sent by R.F.L. Burton		Sent by R.F.L. Burton
N	1139	N	1139
		RML	110011
	<u>Hyalomma syriacum</u> ♂'s, ♀'s		6 ♂, 4 ♀ <u>Hyalomma aegyptium</u>
	Tortoise		Tortoise
	Longner Hall, Shrewsbury		Longner Hall, Shrewsbury (52.43 N, 02.44 W), England
	7.VII.1910		7.VII.1910
	Sent by R.F.L. Burton		Sent by R.F.L. Burton
N	1140	N	1140 MISSING
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		
	Dogs, asses, bullocks & horses		
	Nowshera Cavalry Cantonment, N.W. Frontier Province, India		
	9.VI.1910		
	Capt. A. B. Fry, I.M.S.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1141, a	N	1141
		RML	110012
	(1141) <u>Ixodes canisuga</u> 3 (out of 8) ♀'s (a) <u>Ixodes canisuga</u> larvae (progeny of ♀'s of lot 1141)		(1141) 1 ♀ <u>Ixodes lividus</u> (a) MISSING
	Sand Martin's nest		<u>Riparia riparia</u> nest
	Banks of the Severn		Banks of the River Severn (51.36 N, 02.38 W), England
	9.VII.1910		9.VII.1910
	R.F.L. Burton		R.F.L. Burton
	"As many as four were fixed to the top of the head of one young bird"		Cited: Nuttall et al. (1911: 214). Arthur (1963: 91, 92) indicated 3 ♀ and larvae present at that date; Thompson (1967: 106).
N	1142	N	1142
		RML	110013
	<u>Ixodes caledonicus</u> 1 N, 2 L TYPES		3 L <u>Ixodes caledonicus</u> Paralectotype
	Young domestic pigeon		<u>Columba livia</u>
	Dunipace, Stirlingshire		Dunipace (56.01 N, 03.55 W), Stirlingshire, Scotland
	18.IV.1910		18.IV.1910
	W. Evans (Edinburgh)		W. Evans (Edinburgh)
	(2 N & 5 L returned to Mr. E.)		Nuttall (1910: 408), original description. Cited: Nuttall & Warburton (1911: 200). Paralectotype designated: Keirans & Brewster (1981: 164).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1143a-c	N	1143a, c
		RML	56922 & 66150
(a)	<u>Ixodes canisuga</u> 18 ♂'s	(a)	1 ♂ <u>Ixodes lividus</u>
(b)	<u>Ixodes canisuga</u> ♀'s, N's (gorged)	(b)	MISSING
(c)	<u>Ixodes canisuga</u> larvae (progeny from ♀'s of 1143b)	(c)	82 L <u>Ixodes lividus</u>
Sandmartin's nests		<u>Riparia riparia</u> nests	
(c) raised on hedgehogs, 1911		(c) <u>Erinaceus europaeus</u>	
Banks of the Severn River		Banks of Severn River (51.36 N, 02.38 W), England	
11.VII.1910		11.VII.1910	
Mr. Richard F. L. Burton		Mr. Richard F. L. Burton	
Sent to me alive. Many ♂ & ♀'s in copula, ♂ repeatedly copulated with ♀'s in dishes in laboratory, they dropped off readily when disturbed. Some ♀'s put aside to oviposit.		The RML collection contains 1 ♂ from the Bishopp collection (B3230) (RML 56922) and 1 ♂ from the USNM collection (RML 66150). Cited: Nuttall & Warburton (1911: 214); Arthur (1963: 91, 92); Thompson (1967: 106).	
1 ♂ to Prof. Dr. Gestro, Museo Civico di Storia Nat. Genova, VII.1914; 1 ♂ to Prof. Dr. Schenkling, Deutsches Entomol. Mus. VII. 1914; 1 ♂ to Prof. Dr. Dahl, Berlin Museum, VII.1914; 1 ♀ to Prof. R. Matheson, Cornell, 27.V.1929.			

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1144	N 1144
		RML 110014
	<u>Haemaphysalis leporispalustris</u> 3 ♂, 1 ♀	2 ♂, 2 ♀ <u>Haemaphysalis leporispalustris</u>
	<u>Lepus americanus</u>	<u>Lepus americanus</u>
	Aweme, Manitoba, Canada	Aweme (49.43 N, 99.36 W) Manitoba, Canada.
	13.V.1910	13.V.1910
	Sent by S. Hadwen	Sent by S. Hadwen
	(See 1196)	British Columbia is the province listed on vial label.
		Cited: Nuttall & Warburton (1915 : 394).
N	1145	N 1145
		RML 110015
	<u>Dermacentor venustus</u> 2 ♂, 2 ♀	2 ♂, 2 ♀ <u>Dermacentor andersoni</u>
	Horse	Horse
	Osoyoos, B.C., Canada	Osoyoos (49.02 N, 119.28 W), British Columbia, Canada
	1.V.1910	1.V.1910
	S. Hadwen	S. Hadwen

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1146	N	1146
		RML	110016
	<u>Dermacentor venustus</u> 2♂, 1 ♀		2 ♂, 1 ♀ <u>Dermacentor andersoni</u>
	Horse		Horse
	Osoyoos, B.C., Canada		Osoyoos (49.02 N, 119.28 W), British Columbia, Canada
	11.V.1910		11.V.1910
	S. Hadwen		S. Hadwen
			1 ♂, 1 ♀ of the above total are pinned specimens.
N	1147	N	1147
		RML	110017
	<u>Dermacentor andersoni</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Dermacentor andersoni</u>
	<u>Lepus americanus</u>		<u>Lepus americanus</u>
	Tuesbank, Manitoba, Canada		Probably Treesbank (49.38 N, 99.36 W), Manitoba, Canada
	13.V.1910		13.V.1910
	S. Hadwen		S. Hadwen
	S. Hadwen det. as <u>D. occidentalis</u> . We consider <u>D. andersoni</u> a variety of <u>D. venustus</u> .		Above specimens are mounted on a slide.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1148	N 1148
		RML 110018
	<u>Dermacentor variabilis</u> 2 ♂, 1 ♀	2 ♂, 1 ♀ <u>Dermacentor variabilis</u>
	Man	Man
	Aweme, Manitoba, Canada	Aweme (49.43 N, 99.36 W), Manitoba, Canada
	V.1910	V.1910
	S. Hadwen (sender)	S. Hadwen (sender)
	S. Hadwen det. as <u>D. occidentalis</u>	I believe N 3504 is also part of this collection [J.E.K.].
N	1149	N 1149
		RML 110019
	<u>Amblyomma geayi</u> 4 ♀	3 ♀ <u>Amblyomma geayi</u> Lectotype and paralectotype of <u>A. v-notatum</u>
	Sloth, <u>Bradypus tridactylus</u>	<u>Bradypus tridactylus</u>
	Manãos, Brazil	Manãos (03.08 S, 60.01 W), Brazil
	1903	1903
	T. P. Beddoes	T. P. Beddoes
	Rec'd from Mr. Beddoes 13.VII.1910. Types of <u>Amblyomma v-notatum</u>	Nuttall (1910: 412) original description. Cited: Robinson (1926: 61). Lectotype designated: Keirans & Brewster (1981: 157). See also N 3125.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1150	N	1150
		RML	110020
	<u>Dermacentor circumguttatus</u> 3 ♂, 2 ♀	3 ♂, 2 ♀	<u>Dermacentor circumguttatus</u>
(♂) off ?		(♂) off ?	
(♀) off ? elephant		(♀) off ?	<u>Loxodonta africana</u>
Masindi, Uganda		Masindi (01.41 N, 31.43 E), Uganda	
8.V.1910		8.V.1910	
N	1151	N	1151
		RML	110021
	<u>Argas vespertilionis</u> 10 L	10 L	<u>Argas vespertilionis</u>
	<u>Pipistrellus pipistrellus</u>		<u>Pipistrellus pipistrellus</u>
Oristano, Sardinia		Oristano (39.54 N, 08.35 E), Sardinia	
V.1907		V.1907	
Dr. Krausse		Dr. Krausse	
[R. 296]			
N	1152	N	1152
		RML	110022
	<u>Argas vespertilionis</u> 6 L	6 L	<u>Argas vespertilionis</u>
	<u>Vesperugo pipistrellus</u>		<u>Pipistrellus pipistrellus</u>
Tring, Herts., England		Tring (51.48 N, 00.40 W), Herts., England	
1.IX.1898		1.IX.1898	
[R. 244]			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1153	N	1153
		RML	110023
	<u>Argas vespertilionis</u> 2 L		2 L <u>Argas vespertilionis</u>
	No particulars		No particulars
	[R 244]		
N	1154	N	1154
		RML	110024
	<u>Argas vespertilionis</u> 2 L		2 L <u>Argas (Carios) sp.</u>
	Perth, W. Australia		Perth (31.56 S, 115.50 E), Australia
	[R 271]		These specimens may represent a new species. It is not <u>Argas australiensis</u> , <u>A. dewae</u> or <u>A. daviesi</u> .
N	1155	N	1155
		RML	66882
	<u>Amblyomma marmoreum</u> 2 ♂, 2 ♀		1 ♀ <u>Amblyomma falsomarmoreum</u>
	Land tortoise		Land tortoise
	30.VII.1910		30.VII.1910
	E. Brumpt collection		E. Brumpt collection
	1 ♀ to Prof. R. A. Cooley V.1928.		1 ♂ of this collection is in the RML collection.
			Cited (without N number): Robinson (1926: 89) , who spelled the locality Gueldessa. Cited: Theiler & Salisbury (1959: 117).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1156		N	1156	
			RML	110025	
	<u>Rhipicephalus pulchellus</u> 2 ♂, 1 ♀			2 ♂, 1 ♀ <u>Rhipicephalus pulchellus</u>	
Zebra				<u>Equus burchelli</u>	
Mt. Finke Moulon				Monte Fiche (07.34 N, 38.30 E), Ethiopia	
30.VII.1910				30.VII.1910	
H. Brumpt collection				H. Brumpt collection	
N	1157		N	1157	
			RML	110026	
	<u>Amblyomma marmoreum</u> 2 ♂, 1 ♀			3 ♂ <u>Amblyomma marmoreum</u> Pinned specimens (one abnormal)	
Land tortoise				Land tortoise	
30.VII.1910				30.VII.1910	
H. Brumpt collection				H. Brumpt collection	
N	1158		N	1158	
			RML	110027	
	<u>Amblyomma gemma</u> 1 ♂, 1 ♀			1 ♂, 1 ♀ <u>Amblyomma gemma</u>	
Fed attached side by side, off				<u>Phacochoerus aethiopicus</u>	
30.VII.1910				Sagak, Somali Democratic Republic (locality not verified)	
H. Brumpt collection				11.VII.1901	
				H. Brumpt collection	
				Vial label gives partial information - host, Phocochre, Sacak, Somailand; other information from Robinson (1926: 122).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1159	N 1159
		RML 115865
	<u>Ixodes hexagonus</u> N's	3 N <u>Ixodes hexagonus</u>
	<u>Mustela erminea</u>	<u>Mustela erminea</u>
	Tring, Herts.	Tring (51.48 N, 00.40 W), Herts., England
	10.IV.1902	10.IV.1902
	[R 142]	One nymph of this collection was donated to RML by P. A. Buxton, London School of Hygiene and Tropical Medicine in 1940. Cited: Nuttall & Warburton (1911: 182).
N	1160	N 1160
		RML 110028
	<u>Ixodes hexagonus</u> L's	17 L <u>Ixodes hexagonus</u>
	Fox cub	<u>Vulpes vulpes</u> (cub)
	Boxworth	Boxworth (52.16 N, 00.02 W), England
	30.III.1900	30.III.1900
	[R 194] 2 L to Prof. R. Matheson, Cornell, 27.V.1929	Cited: Nuttall & Warburton (1911: 182).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1161	N	1161
		RML	110029
	<u>Ixodes tenuirostris</u> ♀		1 ♀ <u>Ixodes trianguliceps</u>
Tarasp,	Switzerland		Tarasp (46.38 N, 10.25 E), Switzerland
Summer	1901		Summer 1901
[R 278]			Cited: Nuttall & Warburton (1911: 248).
N	1162	N	1162
		RML	110030
	<u>Ixodes</u> sp. 2 L		2 L <u>Ixodes</u> sp.
	<u>Dromicia concinna</u>		<u>Cercartetus concinnus</u>
			Australia
[R 207]			The nocturnal marsupial <u>C. concinnus</u> inhabits the southern part of western and central Australia
N	1163	N	1163
		RML	110031
	<u>Argas vespertilionis</u> L's		13 L <u>Argas vespertilionis</u>
	<u>Vesperugo pipistrellus</u>		<u>Pipistrellus pipistrellus</u>
Galding,	Kent		Yalding (51.14 N, 00.26 E), Kent, England
8.VIII.1897 (However, 1997 was written)			8.VIII.1897
W.R.O.G.			W.R.O.G.
[R 247]			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N 1164		N 1164
		RML 110032
<u>Argas</u> sp. L's		5 L <u>Argas boueti</u>
Either <u>Phalacrocorax graculus</u> , Cromarty, or <u>Megaderma cor</u> , Salamana Havish, 4,500 ft. (Number on cork defaced)		<u>Megaderma cor</u> Salamana, Havish, (locality not verified)
[R 250, 251]		<u>Megaderma cor</u> ranges in East Africa from Ethiopia to Tanzania
		The correct Rothschild number for this collection is R 251. For R 250 see Nuttall 667.
N 1165		N 1165
		RML 110033
<u>Ixodes tenuirostris</u> 4 ♀		4 ♀ <u>Ixodes trianguliceps</u>
Field vole		<u>Microtus agrestis</u>
Longner Hall, Shrewsbury		Longner Hall, Shrewsbury (52.43 N, 02.44 W), England
1.VIII.1910		1.VIII.1910
R.F.L. Burton		R.F.L. Burton
		Cited: Nuttall & Warburton (1911: 248); Thompson (1968: 146).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1166	N	1166
		RML	110034
10 nymphs (species not stated)		10 N <u>Amblyomma</u> sp.	
<u>Mus escularis</u>		<u>Mus escularis</u> (name not verified)	
St. Aignan		Possibly Misima Island (10.41 S, 152.42 E), Louisade Archipelago, Papua New Guinea	
VIII-XI		VIII-XI	
(Meek)		(Meek)	
[R 230]		Misima Island was formerly known as St. Aignan.	
N	1167, a	N	1167, a
		RML	110035
(1167) <u>Ixodes</u> sp. 2 N		(1167) 2 N <u>Ixodes</u> sp.	
(a) <u>Hyatoma aegyptium</u> 1 ♂		(a) 1 ♂ <u>Hyatoma truncatum</u>	
A "Sasaby" a bastard hartebeest (<u>Damaliscus lunatus</u>)		<u>Damaliscus lunatus</u>	
S. Africa		Republic of South Africa	
[R 186]			
N	1168	N	1168
		RML	110036
<u>Ixodes hexagonus</u> 1 ♀, 5 N		1 ♀, 5 N <u>Ixodes hexagonus</u>	
Ferrets		<u>Mustela furo</u>	
Kittendorf, Mecklenburg-Schwerin, Germany		Kittendorf (53.38 N, 12.54 E), German Democratic Republic	
26.VI.1910		26.VI.1910	
G. von Oertzen's gamekeeper		G. von Oertzen's gamekeeper	
		Cited: Nuttall & Warburton (1911: 183).	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1169 <u>Ixodes ricinus</u> 7 ♀ Dogs Kittendorf, Mecklenburg-Schwerin, Germany 26.VI., 10, 19, 21, 25, 26.VI.1910 G. von Oertzen's gamekeeper	N 1169 MISSING
N	1170 No determination Fox Kittendorf, Mecklenburg-Schwerin, Germany 16.IV.1910 G. von Oertzen's gamekeeper	N 1170 MISSING
N	1171 <u>Ixodes schillingsi</u> 1 ♀, 2 N <u>Colobus caudatus</u> German East Africa Presented 9.VIII.1910 Presented by the Zoological Museum, Berlin Attached to the eyes From among Neumann's Types	N 1171 RML 110037 1 ♀ <u>Ixodes schillingsi</u> Syntype <u>Colobus guereza caudatus</u> Tanzania Presented 9.VIII.1910 Presented by the Zoological Museum, Berlin Neumann (1901: 288), original description. Cited: Nuttall & Warburton (1911: 241); Arthur (1957a: 544). The nymphs were lost in transit to Dr. D. E. Sonenshine, Old Dominion University, Norfolk, Virginia in 1969.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1172	N	1172 MISSING
	<u>Hyalomma aegyptium</u> ♂ ♀		
	Sheep		
	Slaughter house, Algiers		
	Summer 1910		
	M. Serge		
	Sent by Dr. Edmond Sergent 8.VIII.1910		
N	1173	N	1173
		RML	110038
	<u>Rhipicephalus bursa</u> ♂, ♀		27 ♂, 13 ♀ <u>Rhipicephalus bursa</u>
	Sheep		Sheep
	Slaughter house, Algiers		Slaughter house, Algiers (36.42 N, 03.08 E), Algeria
	Summer 1910		Summer 1910
	M. Serge		M. Serge
	Sent by Dr. Edmond Sergent 8.VIII.1910		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1174	N	1174
		RML	110039
	<u>Rhipicephalus bursa</u> ♂		1 ♂ <u>Rhipicephalus bursa</u>
	Horse		Horse
	Slaughter house, Algiers		Slaughter house, Algiers (36.42 N, 03.08 E), Algeria
	Summer 1910		Summer 1910
	M. Serge		M. Serge
	Sent by Dr. Edmond Sergent 8.VIII.1910		
N	1175	N	1175 MISSING
	<u>Hyalomma aegyptium</u> ♂, ♀		
	Horse		
	Slaughter house, Algiers		
	Summer 1910		
	M. Serge		
	Sent by Dr. Edmond Sergent 8.VIII.1910		
N	1176	N	1176
		RML	110040
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N		7 ♂, 10 ♀ <u>Rhipicephalus sanguineus</u>
	Dogs		Dogs
	Slaughter house, Algiers		Slaughter house, Algiers (36.42 N, 03.08 E), Algeria
	Summer 1910		Summer 1910
	M. Serge		M. Serge
	Sent by Dr. Edmond Sergent 8.VIII.1910		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1177	N	1177
		RML	110041
	<u>Boophilus australis</u> ♀		8 ♀ <u>Boophilus annulatus</u>
	Cattle		Cattle
	Slaughter house, Algiers		Slaughter house, Algiers (36.42 N, 03.08 E), Algeria
	Summer 1910		Summer 1910
	M. Serge		M. Serge
	Sent by Dr. Edmond Sergent 8.VIII.1910		
N	1178	N	1178 MISSING
	<u>Ixodes ricinus</u> 2 ♀		
	Cattle		
	Slaughter house, Algiers		
	Summer 1910		
	M. Serge		
	Sent by Dr. Edmond Sergent 8.VIII.1910		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1179	N	1179
		RML	110042
	<u>Hyalomma aegyptium</u> ♂, ♀		16 ♂, 12 ♀ <u>Hyalomma marginatum</u>
	Cattle		Cattle
	Slaughter house, Algiers		Slaughter house, Algiers (36.42 N, 03.08 E), Algeria
	Summer 1910		Summer 1910
	M. Serge		M. Serge
	Sent by Dr. Edmond Sergent 8.VIII.1910		
	Some (sex/stage not stated) to Dr. Longin Navas, Zaragoza, Spain 28.V.1913		
N	1180 a-c	N	1180 b
		RML	110043
	(a) <u>Amblyomma cajennense</u> ♀'s		(a) MISSING
	(b) <u>Boophilus annulatus</u> ♀'s		(b) 84 ♀ <u>Boophilus microplus</u>
	(c) <u>Boophilus annulatus</u> 1 ♂		(c) MISSING
	Cows		Cows
	Mérida, Yucután, Mexico		Mérida (20.58 N, 89.37 W), Yucatán, Mexico
	Presented 4.IX.1910		Presented 4.IX.1910
	Presented by Dr. Harald Seidelin		Presented by Dr. Harald Seidelin

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1181	N 1181 MISSING
	<u>Ixodes ricinus</u> 2 ♀'s	
	Dog	
	Godesberg a Rh., Germany	
	8.IX.1910	
	G.H.F. Nuttall	
N	1182	N 1182 MISSING
	<u>Ixodes ricinus</u> 1 ♂, 3 ♀	
	Roebuck	
	Schwandt bei Möhln, Mecklenburg-Schwerin	
	13.IX.1910	
	Count Schlieffen's gamekeeper	
N	1183	N 1183 MISSING
	<u>Ixodes ricinus</u> 1 ♀	
	Horse	
	Vossfeld, bei Möhln, Mecklenburg-Schwerin	
	25.VII.1910	
	Rec'd from Count Schlieffen	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1184	N 1184 MISSING
	<u>Ixodes ricinus</u> 1 ♀, 1 N	
	Dog	
	Rosenow, near Möhln, Mecklenburg-Schwerin	
	11.VII.1910	
	Rec'd from Count Schlieffen	
N	1185	N 1185 MISSING
	<u>Ixodes ricinus</u> 1 ♂	
	Dog	
	Near Maam Cross, Co. Galway	
	1.X.1910	
	G.H.F. Nuttall	
	Said to infest wooded islands in lake.	
N	1186 a, b	N 1186 b
		RML 110044
	(a) <u>Ixodes ricinus</u> 2 ♀	(a) MISSING
	(b) <u>Ixodes hexagonus</u> 1 ♀	(b) 1 ♀ <u>Ixodes hexagonus</u>
	Dog	Dog
	Godesberg a. Rh., Germany	Bad Godesberg (50.41 N, 07.09 E) Federal Republic of Germany
	1.VII.1910	1.VII.1910
	Baron von Rigal's gamekeeper	Baron von Rigal's gamekeeper
		Cited: Nuttall & Warburton (1911: 183).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1187	N	1187
		RML	110045
	<u>Ornithodoros talaje</u> var. <u>capensis</u>		61 ♂, 39 ♀, 81 N, 68 L <u>Ornithodoros capensis</u>
	Penguin nests		Penguin nests
	"adjacent to this coast" South Africa		"adjacent to this coast" Republic of South Africa
	Sent 24.VIII.1910		Sent 24.VIII.1910
	Sent by Charles K. Brain		Sent by Charles K. Brain
	Received alive and dead		
N	1188	N	1188
		RML	110046
	<u>Amblyomma cyprium</u> 1 ♀		1 ♀ <u>Amblyomma cyprium</u>
	Cow		Cow
	Tavenni, Fiji		Tavenni, Fiji (locality not verified)
	13.VII.1910		13.VII.1910
	F. P. Jepson		F. P. Jepson
	Sent to Nn (Neumann - J.E.K.) for examination & returned 31.X.1910. He writes that we have determined it correctly, that it is exactly like his specimen, except for the size: the hairs are thick (not large) and white; the porose areas "which I described as 'large' are not so in reality (a fresh example of the inconvenience of term lacking in precision; I now compare them to the eyes and say 'twice as small as the eyes'); article 1 of the palps is slightly prominent & trenchent ventrally when seen in profile."		Cited: Robinson (1926: 238).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1189 <u>Rhipicephalus sanguineus</u> 1 N Dog Fanning Island (3.8° N, 159.3 W between Hawaii and Fiji, Polynesia	N 1189 RML 110047 1 N <u>Rhipicephalus sanguineus</u> Dog Fanning Island (03.52 N, 159.20 W) Line Islands 1910 F. P. Jepson Date and collector from vial label
N	1190 (Gamasid mites) <u>Mus concolor</u> Rangoon, India 7.VII.1910 Sent by Dr. H. H. Marshall (Royal Hotel, Rangoon)	N 1190 MISSING
N	1191 (Gamasid mites) <u>Nesokia bengalensis</u> Rangoon, India 19.VII.1910 Sent by Dr. H. H. Marshall	N 1191 MISSING

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1191 a	N	1191 a
		RML	110048
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s Dog		12 ♂, 10 ♀ <u>Rhipicephalus sanguineus</u> Dog
	Rangoon, India		Rangoon (16.47 N, 96.10 E), Burma
	26.VI.1910		26.VI.1910
	Sent by Dr. H. H. Marshall		Sent by Dr. H. H. Marshall
N	1192	N	1192
		RML	110049
	<u>Argas vespertilionis</u> L Bat		1 L <u>Argas vespertilionis</u> Bat
	Longner Hall, Shrewsbury		Longner Hall, Shrewsbury (52.43 N, 02.44 W), England
	21.VIII.1910		21.VIII.1910
	R.F.L. Burton		R.F.L. Burton
			The bat's leg is also present but the larva is not attached.
N	1193	N	1193
		RML	110053
	<u>Ixodes hexagonus</u> N Hedgehog		1 N <u>Ixodes hexagonus</u> <u>Erinaceus europaeus</u>
	Near Longner Hall, Leebotwood, Salop		Near Longner Hall, Leebotwood (52.35 N, 02.47 W) Shropshire, England
	22.IX.1910		22.IX.1910
	R.F.L. Burton		R.F.L. Burton
			Cited: Nuttall & Warburton (1911: 182); Longner is misspelled Longnor in that citation.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1194	N 1194
		RML 110054
	<u>Ixodes hexagonus</u> 1 ♀, 2 N	1 ♀, 2 N <u>Ixodes hexagonus</u>
	Weasel	<u>Mustela nivalis</u>
	Claverdon Leys, Warwick	Claverdon (52.16 N, 01.42 W), Warwickshire, England
	21.IX.1910	21.IX.1910
	E. G. Wheler	E. G. Wheler
		Cited: Nuttall & Warburton (1911: 182).
N	1195	N 1195
		RML 110055
	<u>Ixodes angustus</u> ♂ & ♀ in copula	1 ♂, 1 ♀ <u>Ixodes angustus</u>
	(♂) <u>Lepus dalli</u>	(♂) <u>Lepus americanus dalli</u>
	(♀) <u>Sciurus hudsonicus douglassi</u>	(♀) <u>Tamiasciurus d. douglasii</u>
	Mt. Lehman, British Columbia, Canada	Mt. Lehman (49.07 N, 122.23 W), British Columbia, Canada
	24.VII.1910	24.VII.1910
	S. Hadwen	S. Hadwen
		Cited: Nuttall & Warburton (1911: 197).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1196	N	1196
		RML	110056
	<u>Haemaphysalis leporispalustris</u> var.?		2 ♂, 1 ♀, 1 L <u>Haemaphysalis leporispalustris</u>
	<u>Lepus dalli</u>		<u>Lepus americanus dalli</u>
	Peardonville, British Columbia, Canada		Peardonville (49.01 N, 122.24 W), British Columbia, Canada
	17.VI.1910		17.VI.1910
	From S. Hadwen		From S. Hadwen
	Differ slightly in size from 1144 only a variety of <u>Haem. palustris</u> . C. W. notes only <u>H. palustris</u> var. at most characterized by more protuberant 2nd palpal articles (our Banks & Hunter specimens show this variation) & shorter ♀ scutum. All have a rather peculiar character- istic, slight auriculae.		Cited: Nuttall & Warburton (1915: 394).
N	1197	N	1197
		RML	110057
	<u>Dermacentor venustus</u> 2 ♂		2 ♂ <u>Dermacentor andersoni</u>
	Horse		Horse
	Osoyoos, British Columbia, Canada		Osoyoos (49.02 N, 119.28 W), British Columbia, Canada
	11.V.1910		11.V.1910
	From S. Hadwen		From S. Hadwen

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1198	N	1198
		RML	110058
	<u>Amblyomma americanum</u> 1 ♂		1 ♂ <u>Amblyomma americanum</u>
	Off grass		Off grass
	Awema, Montana		This is undoubtedly Aweme, Manitoba (see N 1144 & N 1148). However, <u>A. americanum</u> does not naturally occur here. It must be an acci- dental introduction.
	J. B. Wallis		J. B. Wallis
			Robinson (1926: 48) lists Montana as a locality for <u>A. americanum</u> . Although no Nuttall number is given, I believe he means this collection.
N	1199	N	1199
		RML	110059
	<u>Dermacentor albipictus</u> larvae		11 L <u>Dermacentor albipictus</u>
	♀ taken at Okanagan Falls, British Columbia, Canada		♀ taken at Okanagan Falls (49.21 N, 119.34 W), British Columbia, Canada
	Sent 30.VIII.1910		Sent 30.VIII.1910
	Raised and sent by C. Gordon Hewitt		Raised and sent by C. Gordon Hewitt
	Larvae raised in laboratory from ♀		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1200	N	1200
		RML	110060
<u>Ixodes caledonicus</u> 2 N TYPES		2 N <u>Ixodes caledonicus</u> Paralectotype	
Young domestic pigeon		<u>Columba livia</u>	
Dunipace, Stirlingshire		Dunipace (56.01 N, 03.55 W), Stirlingshire, Scotland	
9.VIII.1910		9.VIII.1910	
Mr. Wm. Evans		Mr. Wm. Evans	
(1 ♀, 2 N returned to W. Evans)		Nuttall (1910: 408), original description.	
		Vial label date reads 18.IV.1910 but catalogue date of 9.VIII.1910 is given by Nuttall & Warburton (1911: 200). Paralectotype designated: Keirans & Brewster (1981: 164).	
N	1201	N	1201
		RML	110061
<u>Rhipicephalus neavei</u> var. <u>punctatus</u> ♂, ♀, 2 N		1 ♂, 1 ♀, 2 N <u>Rhipicephalus pravus</u>	
Abyssinia		Ethiopia	
1901		1901	
H. Brumpt		H. Brumpt	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1202	N	1202
		RML	110062
	<u>Rhipicephalus neavei</u> var. <u>punctatus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Rhipicephalus pravus</u>
	Antelope		Antelope
	Harar, Abyssinia		Harar (09.19 N, 42.09 E), Ethiopia
	VI.1901		VI.1901
	H. Brumpt		H. Brumpt
	Our determination (as <u>R. oculatus</u>) confirmed by Nn (Neumann) 4.VIII.1910 but since wrong since we saw types of <u>oculatus</u> at Berlin, see N 850.		
N	1203	N	1203 MISSING
	<u>Haemaphysalis calcarata</u> 1 ♂		
	<u>Xerus rutilus</u>		
	Halte de Biacobaba, Somaliland		
	IV.1901		
	H. Brumpt		
N	1204	N	1204 MISSING
	No determination 1 N		1 N <u>Dermacentor</u> sp.
	Campagnol		Vole
	M. Bessin		M. Bessin
	1908		1908
	H. Brumpt		H. Brumpt
			This specimen was inadvertently lost after determination.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1205	N	1205
		RML	110063
	<u>Aponomma trimaculatum</u> 2 ♀		1 ♀ <u>Aponomma trimaculatum</u>
	Iguana (? <u>Varanus</u>)		Iguana (? <u>Varanus</u>)
	Port Darwin		Darwin (12.28 S, 130.50 E), Australia
	Sent 22.VI.1910		Sent 22.VI.1910
	Sent by Col. A. Alcock		Sent by Col. A. Alcock
	L.E.R. det. (1 ♂ mutilated & 1 ♀ returned)		
N	1206	N	1206
		RML	22307
	<u>Amblyomma australiense</u> 1 ♂		1 ♂ <u>Amblyomma australiense</u>
	Iguana (? <u>Varanus</u>)		Iguana (? <u>Varanus</u>)
	Port Darwin		Darwin (12.28 S, 130.50 E), Australia
	Sent 22.VI.1910		Sent 22.VI.1910
	Sent by Col. A. Alcock		Sent by Col. A. Alcock
	(1 ♂, 1 ♀ returned to Col. Alcock) L.E.R. det.		3 slides of dissections present (1) ♂ hypostome (2) ♂ spiracular plate (3) ♂ legs I & IV
			Cited: Robinson (1926: 137).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1207	N	1207
		RML	110064
	<u>Haemaphysalis punctata</u> ♀'s		6 ♀ <u>Haemaphysalis punctata</u>
	Sheep		Sheep
	Ashford, Kent		Ashford (51.08 N, 00.53 E), Kent, England
	V.1906		V.1906
	Spanton		Spanton
	Ex W. F. Cooper coll., No. 234		Cited: Nuttall & Warburton (1915: 384).
	1 ♀ to J. de Meza, Zomba, Nyasaland, 19.II.1916.		
N	1208	N	1208
		RML	110065
	<u>Amblyomma cyprium</u> 1 ♂		1 ♂ <u>Amblyomma cyprium</u>
	Man's clothing		Man's clothing
	Daria, Vanna Leon, Fiji		Daria, Vanna Leon, Fiji (locality not verified)
	8.VII.1910		8.VII.1910
	F. P. Jepson		F. P. Jepson
	Found on clothing after marching through bush		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1209	N	1209
		RML	110066
	<u>Amblyomma cyprium</u> 1 ♂		1 ♀ <u>Amblyomma cyprium</u>
	Wild bush pig		Wild bush pig
	Taveuni, Fiji		Taveuni Island (16.51 S, 179.58 W), Fiji
	29.V.1910		29.V.1910
	F. P. Jepson		F. P. Jepson
	G.H.F.N. det. X.1910		
N	1210	N	1210
		RML	110067
	<u>Rhipicephalus sanguineus</u> 1 ♂ abnormal		1 ♂ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Puri, Orissa Coast, India		Puri (19.48 N, 85.51 E), Orissa, India
	Ex Indian Museum coll. <u>819a</u> <u>17</u>		This specimen is in a jar marked "Tick Abnormalities" Cited and figured: Nuttall (1914a: 252), fig. 4, who gives the Indian Museum collection number as <u>810a</u> . <u>10</u> The vial label gives the number as <u>819</u> . <u>17</u>

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1211	N 1211
		RML 110068
	<u>Ixodes</u> sp. 2 N	2 N, 1 L <u>Ixodes</u> <u>fecialis</u>
	<u>Tarsipes rostratus</u> or <u>Smiothopsis murinus</u>	<u>Sminthopsis murina</u>
	Albany, W. Australia	Albany (35.02 S, 117.53 E), Australia
	21.XII.1900	21.XII.1900-
	B. H. Woodward	B. H. Woodward
	[R 237] Also a larva of ?	Vial label gives the host as <u>S. murinus</u> .
N	1212	N 1212
		RML 110069
	<u>Ixodes</u> sp. 5 N	5 N <u>Ixodes</u> <u>holocyclus</u>
	Perth, W. Australia	Perth (31.56 S, 115.50 E), Australia
	Woodward	B. H. Woodward
	[R 272]	
N	1213	N 1213
		RML 110070
	<u>Ixodes</u> <u>fecialis</u> var. <u>aegrifossus</u> 1 ♀ (capitulum mutilated)	1 ♀ <u>Ixodes</u> <u>fecialis</u>
	<u>Perameles obesula</u>	<u>Isoodon obesulus</u>
	Bannister, W. Australia	Bannister (32.40 S, 116.33 E), Australia
	21.VIII.1900	21.VIII.1900
	[R 216]	Cited: Nuttall & Warburton (1911 : 250).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1214	N	1214
		RML	110071
<u>Rhipicephalus simpsoni</u> 3 ♂, 3 ♀		2 ♂, 1 ♀ <u>Rhipicephalus simpsoni</u> Lectotype and paralectotypes	
Large rodent		Probably <u>Thryonomys</u> sp.	
Oshogbo, W. Africa		Oshogbo (07.46 N, 04.34 E), Nigeria	
28.II.1910		28.II.1910	
J. J. Simpson		J. J. Simpson	
(41b Entom. Res. Cttee)		<u>Rhipicephalus simpsoni</u> is almost restricted to cane rats.	
		Nuttall (1910: 413), original de- scription; Santos Dias (1958: 477). Lectotype designated: Keirans & Brewster (1981: 171).	
		The vulva of the ♀ has been removed and is now mounted on a slide.	
N	1215	N	1215
		RML	110072
<u>Ixodes ugandanus</u> 2 ♀		<u>Ixodes ugandanus</u> 2 ♀	
Large rodent		Probably <u>Thrysonomys</u> sp.	
Oshogbo, W. Africa		Oshogbo (07.46 N, 04.34 E), Nigeria	
28.II.1910		28.II.1910	
J. J. Simpson		J. J. Simpson	
(41a Ent. Res. Cttee.)		Cited: Nuttall & Warburton (1911: 233).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1216	N	1216
		RML	110073
	<u>Ixodes ugandanus</u>		1 N <u>Ixodes</u> sp.
	Sheep		Sheep
	Ibesha, W. Africa		Ibese, Nigeria (there are four localities with this name)
	7.II.1910		7.II.1910
	J. J. Simpson		J. J. Simpson
	(40c Ent. Res. Cttee)		Cited: Nuttall & Warburton (1911: 233).
N	1217	N	1217
		RML	110074
	<u>Amblyomma tholloni</u> 3 ♂, 1 ♀		3 ♂, 1 ♀ <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Portuguese Congo		Angola
	Dr. M. Gamble		Dr. Mercier Gamble
	(88 Ent. Res. Cttee. X.1910)		Cited: Robinson (1926: 253).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1218		N	1218
			RML	110075
	<u>Rhipicephalus neavei</u> 2 ♂, 2 ♀			1 ♂, 1 ♀ <u>Rhipicephalus kochi</u>
	Wart-hog			<u>Phacochoerus aethiopicus</u>
	S.W. shore of Lake Nyasa			S.W. shore of Lake Malawi, (13.35 S, 34.20 E), Malawi
	II.1910			II.1910
	(72a Ent. Res. Cttee.)			J. J. Simpson
				Collector's name on vial label. Along with a label stating that these specimens are cotypes of <u>R. neavei</u> .
N	1219		N	1219
			RML	110076
	<u>Hyalomma monstrosum</u> 1 ♂			1 ♂ <u>Nosomma monstrosum</u>
	TYPE			Holotype
	Horse			Horse
	Chin Hills, India			Chin Hills (22.30 N, 93.30 E), Burma
	1907			1907
	Sent by Mr. H. Maxwell-Lefroy (Imperial Entomologist of India)			Sent by Mr. H. Maxwell-Lefroy (Imperial Entomologist of India)
	Dissected and mounted on 4 slides Vide Nuttall & Warburton (I.1908) Proc. Camb. Phil. Soc. XIV, p. 414 figs. 41-45.			Nuttall & Warburton (1908: 414), original description. Schulze (1919: 191) placed this species in the genus <u>Nosomma</u> .
	Chin Hills are in the country between E. Bengal & Burma, just E. of Chittagong			This specimen on four slides: (1) body (2) portion of venter (3) capitulum & spiracle (4) tarsus IV

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1220	N 1220
		RML 110077
	<u>Hyalomma monstrosum</u> 1 ♂	1 ♂ <u>Nosomma monstrosum</u>
	Buffalo	Buffalo
	Angul	Angul (20.51 N, 85.06 E), India
	31.VII.1909	31.VII.1909
	Mr. J. L. Bose, Veterinary Assistant at Angul, Bengal	Mr. J. L. Bose, Veterinary Assistant at Angul, Bengal
	Sent by Mr. D. Quinlan to Mr. Howlett	Frank Milburn Howlett (1877-1920) Second Imperial Entomologist of India (1907) and at the time of his death Imperial Pathological Entomologist at Pusa; a Diptera specialist.
		Cited: Warburton (1918: 285); Santos Dias (1958: 493).
N	1221	N 1221
		RML 110078
	<u>Amblyomma integrum</u> 3 ♂, 3 ♀	3 ♂, 2 ♀ <u>Amblyomma integrum</u>
	Buffalo	Buffalo
	Angul	Angul (20.51 N, 85.06 E), India
	31.VII.1909	31.VII.1909
	J. L. Bose	J. L. Bose
	Same lot as 1220	Cited: Robinson (1926: 114).
	1 ♀ to C. Strickland, Malaya	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1222	N 1222
		RML 110079
<u>Ixodes ugandanus</u> subsp. <u>djaronensis</u> 1 ♀		1 ♀ <u>Ixodes procaviae</u>
<u>Procavia brucei</u>		<u>Heterohyrax brucei</u>
Harar, Abyssinia		Harar (09.19 N, 42.09 E), Ethiopia
V.1901		V.1901
Dr. Brumpt		Dr. Emile Brumpt
A second ♀ returned to collector		Cited: Nuttall & Warburton (1911: 233).
Nuttall & Warburton det. 28.XI.1910		
N	1223	N 1223
		RML 110080
<u>Haemaphysalis leachi</u> 2♂, 1♀		2 ♂, 1 ♀ <u>Haemaphysalis leachi</u>
<u>Helogale parvula</u>		<u>Helogale parvula</u>
Harar, Abyssinia		Harar (09.19 N, 42.09 E), Ethiopia
10.V.1901		10.V.1901
Dr. Brumpt		Dr. Emile Brumpt
Returning 2 ♂, 1 ♀ to collector		Cited: Nuttall & Warburton (1915: 469); Hoogstraal (1956b : 169).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1224	N 1224
		RML 110081
	<u>Haemaphysalis calcarata</u> 3 ♂, 2 ♀, 1 N	2 ♂, 1 ♀, 1 N <u>Haemaphysalis calcarata</u>
	<u>Xerus rutilus</u>	<u>Xerus rutilus</u>
	Bio Caboba, Somaliland	Bio Caboba (10.23 N, 42.34 E), Ethiopia
	11.IV.1901	11.IV.1901
	Dr. Brumpt	Dr. Emile Brumpt
	Returning 4 ♂, 2 ♀, 1 N to collector	Cited: Nuttall & Warburton (1915: 444); Hoogstraal (1955a: 362).
N	1225	N 1225
		RML 110082
	<u>Rhipicephalus sanguineus</u> 1 ♀ deformed	1 ♂ <u>Rhipicephalus</u> sp.
	<u>Helogale parvula</u>	<u>Helogale parvula</u>
	Harar, Abyssinia	Harar (09.19 N, 42.09 E), Ethiopia
	10.V.1901	10.V.1901
	Dr. Brumpt	Dr. Emile Brumpt
		This specimen is in a jar marked "Tick Abnormalities". Both catalogue and vial label list this specimen as a ♀ but it is a ♂.
		Nuttall & Warburton (1915: 462) mistakenly listed Nuttall 1225 as <u>H. leachi</u> . The number should read N 1223.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1226	N	1226
		RML	110083
	<u>Haemaphysalis inermis</u> 1 ♀		1 ♀ <u>Haemaphysalis inermis</u>
	Caucasia		Kavkaz Region (42.00 N, 45.00 E), USSR
	Rec'd 14.XI.1910		Rec'd 14.XI.1910
	Rec'd from Prof. A. Birula (St. Petersburg)		Rec'd from Prof. A. Birula (St. Petersburg)
			Alexi Andreevitsch Bialintzky Birula (1864-1937). Director of the Zoological Museum, Leningrad. Knowledgeable in the systematics of Hymenoptera, scorpions, and SolPugida.
			This ♀ may be the holotype of <u>H.</u> <u>inermis</u> - see Birula (1895: 360), original description. Nuttall & Warburton (1915: 366).
N	1227	N	1227
		RML	110084
	<u>Ixodes signatus</u> 1 ♀		1 ♀ <u>Ixodes signatus</u>
	Unalashka		Unalaska Island (53.45 N, 166.45 W), Aleutian Islands, Alaska, USA
	Rec'd 14.XI.1910		Rec'd 14.XI.1910
	Rec'd from Prof. A. Birula (St. Petersburg)		Rec'd from Prof. A. Birula (St. Petersburg)
			This ♀ is probably one of the type series - see Birula (1895: 357), original description. Cited: Nuttall & Warburton (1911: 264); Keirans & Clifford (1978: 143).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1228	N 1228
		RML 22311
	<u>Amblyomma integrum</u> 2 ♂	2 ♂ <u>Amblyomma integrum</u>
	Domesticated buffalo	Domesticated buffalo
	Talawa, Ceylon	Talawa, Sri Lanka (There are 5 possible localities in Sri Lanka with the name Talawa).
	XI.1910	XI.1910
	E.E. Green	E.E. Green
	(Sent by C. Warburton)	Cited: Robinson (1926: 114).
N	1229	N 1229
		RML 110085
	<u>Amblyomma integrum</u> 2 ♀	2 ♀ <u>Amblyomma integrum</u>
	Wild buffalo	Wild buffalo
	Hambantota, Ceylon	Hambantota, (06.07 N, 81.07 E), Sri Lanka
	XI.1910	XI.1910
	E.E. Green	E.E. Green
	(Sent to C. Warburton)	Cited: Robinson (1926: 114).

The collection of ticks sent by Mr. E.E. Green, F.E.S. (Government Entomologist, Peradiniya, Ceylon) also contained the following, which have been returned to him. They were determined by Mr. Warburton, VII, 1910: - 24, 37.) Haemaphysalis bispinosa (mostly immature), from horse, Peradiniya, VII.1909.----2525). Aponomma laeve var. paradoxum and Aponomma gervaisi, from body of cobra, Kandy, XI.1909---2620). Amblyomma sublaeve, from Pangolin (Manis pentadactyla), Peradiniya, III.1910--2716.) Aponomma gervaisi var. lucasi from Monitor (Varanus salvator), Peradiniya, V.1910--2730) Gamasid mites, from rat-snake (Zamenis mucosus) Kandy, VII.1910---No number) Aponomma laeve var. paradoxum from cobra, Peradeniya, Date ? 1910. No number). Amblyomma testudinarium, ♂ found at large, Haldamulla, ? 1910.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1230a-c	N	1230 b,c
		RML	110086
(a)	<u>Boophilus annulatus</u> ♂'s, ♀'s	(a)	MISSING
(b)	<u>Boophilus annulatus</u> ♀ with eggs	(b)	1 ♀ <u>Boophilus annulatus</u>
(c)	<u>Boophilus annulatus</u> larvae	(c)	142 L <u>Boophilus annulatus</u>
Cow		Cow	
Experiment Station, Georgia, USA		Experiment Station, Georgia, USA	
(a) 11.VII.1910		(a) 11.VII.1910	
(b) eggs laid about 25.X.1910		(b) eggs laid about 25.X.1910	
(c) larvae hatched about 10.IX.1910		(c) larvae hatched about 10.IX.1910	
Rec'd 20.XI.1910 from Mr. L.J. Herring, Animal Pathologist and Veterinarian.		Rec'd 20.XI.1910 from Mr. L.J. Herring, Animal Pathologist and Veterinarian.	
(det. confirmed G.H.F.N.)			
N	1231	N	1231
		RML	110087
<u>Dermacentor rhinocerotis</u> 2♂, 1♀		1 ♂, 1 ♀ <u>Dermacentor rhinocerinus</u>	
Rhinoceros		<u>Diceros bicornis</u>	
Mpele River, Marimba District, Nyasaland		Mpele River (13.07 S, 33.47 E), Malawi	
2.VII.1910		2.VII.1910	
Dr. E.H.A. Pask		Dr. E.H.A. Pask	
(98 Ent. Res. Com.)			

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1232	N	1232
		RML	110088
	<u>Amblyomma tholloni</u> 2♂, 1♀, 1N		2 ♂, 1 ♀, 1 N <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Marimba District, Nyasaland		Marimba District (11.30 S, 33.30 E), Malawi
	XII.1909		XII.1909
	Dr. H.S. Stannus		Dr. H.S. Stannus
	(120 Ent. Res. Com.)		Cited: Robinson (1926: 253).
N	1233	N	1233
		RML	110089
	<u>Aponomma gervaisi</u> ♂'s, ♀'s		4 ♂, 1 ♀ <u>Aponomma gervaisi</u>
	Dried skin of undetermined snake		Dried skin of undetermined snake
	Matale, Ceylon		Matale (07.28 N, 80.37 E), Sri Lanka
	I.1911		I.1911
	E.E. Green		E.E. Green
N	1234	N	1234
		RML	110090
	<u>Aponomma transversale</u> 2N COTYPES		2 N <u>Aponomma transversale</u>
	Patria ignota, Paris museum		Country unknown, Paris museum
	1904, G. Neumann det. 1906, Rec'd 1910		1904, G. Neumann det. 1906, Rec'd 1910
			These are not type specimens although there is a blue COTYPE label in the vial, det. Neumann, 1906.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1235	N	1235
		RML	110091
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		3 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Cape Colony, South Africa		Cape Colony, Republic of South Africa
	Rec'd 10.VII.1910		Rec'd 10.VII.1910
	Rec'd from Mr. C.P. Lounsbury		Rec'd from Mr. C.P. Lounsbury
	Raised from nymphs, died unfed "Lot 1" used for infecting cow with East Coast Fever.		
N	1236	N	1236
		RML	110092
	<u>Ornithodoros savignyi</u>		1 ♂, 1 ♀, 2 N <u>Ornithodoros savignyi</u>
	Found in sand (crawling up a horse's leg)		Found in sand (crawling up a horse's leg)
	Near European Rest Camp at the village of Burgo, on the road from Geidam to Maidugari		Near European Rest Camp at the village of Burgo (12.39 N, 12.17 E), on the road from Geidam (12.53 N, 11.56 E), to Maidugari (10.54 N, 11.44 E), Nigeria
	V.1910		V.1910
	Sent by Dr. Pirie from North Borneo, Northern Nigeria, Africa		Sent by Dr. Pirie from North Borneo, Northern Nigeria, Africa
	(Ent. Res. Com. 125)		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1237	N 1237 MISSING
	<u>Ixodes hexagonus</u> ♂ on slide	
	Forêt de la Londe, Seine Inférieure, France	
	Presented 17.II.1911	
	ex Simon collection	
	Presented by Prof. L.G. Neumann out of his collection (lot 719, the same as that containing the ♂ figured in Ticks Part II). (N.B. no ♂ in London, Paris, and Berlin Mus!).	
	Ticks received from the Indian Museum, Calcutta, July 6, 1910. Sent to Mr. Shipley and determined by Mr. Warburton. (Received unnumbered, but the letters A - O, were given by Mr. Warburton): -	
(A,B)	<u>Argas reflexus</u> var. <u>indicus</u> , 2 ♀'s, from leaves of books in Museum, Hissar, Punjab, Calcutta.	
(C.)	<u>Argas persicus</u> , 2 ♀, from leaves of books in Museum, Hissar, Punjab, Calcutta.	
(D.)	<u>Amblyomma sublaeve</u> , off <u>Manis aurita</u> , Kakhyen Hills, Chinese Frontier, Upper Burma.	
(E.)	<u>Argas vespertilionis</u> , larva, off <u>Vespertilio muricata</u> , Calcutta.	
(F.)	<u>Rhipicephalus sanguineus</u> , off dog, Hissar, Punjab.	
(G.)	<u>Ixodes gigas</u> , 1 ♂, off?, near Darjiling, E. Himalayas, 7-8,000 ft., India.	
(H.)	<u>Haemaphysalis</u> sp. (mutilated), off <u>Gallus sonneratii</u> , Shevaroy Hills, S. India	
(I.)	<u>Boophilus</u> sp.? larva. No data.	
(J.)	<u>Argas reflexus</u> var. <u>indicus</u> , found in basin of water, Entomological room in Museum, Calcutta.	
(K.)	<u>Trombidium</u> sp., nymphs, host?, Simla, W. Himalayas.	
(L.)	<u>Acari</u> (<u>Erythaeidae</u>)	
(M.)	<u>Ornithodoros lahorensis</u> , off sheep, Lahore, Punjab.	
(N.)	<u>Argas persicus</u>	
(Na.)	<u>Rhipicephalus sanguineus</u> off?, Punjab.	
(O.)	<u>Cephalothorax</u> of Attid spider, Tonglu, Darjiling District, 10,000 ft.	

Ticks received from the Indian Museum, Calcutta, 1.XII.1910.

915

17. Argas persicus, off domestic poultry, Cape Town. C. Fuller.

916

17. Argas persicus, larva, off?, Calcutta. C. Paiva.

917

17. Haemaphysalis bispinosa, off? Katihar, Purneah District, N. Bengal. C. Paiva

918

17. Hyalomma aegyptium ♀ } found in long
Rhip. haemaphysaloides } grass. Bangalore, S. India, 3,000 ft. Dr. N. Annandale

919

17. Argas persicus, off domestic poultry, Bombay, P. Phipson.

818

17. Boophilus australis, off? Darjiling, E. Himalayas.

- 819&819a Boophilus australis } off dog and cattle, Puri, Orissa Coast.
 17.a) Rhip. sanguineus }

820

17. Hyalomma aegyptium, off?, Dumtaon, Bengal.

821

17. Rhipicephalus sanguineus, off dog, Monghyr, Bengal.

822

17. Hyalomma aegyptium ♀, off dog, Dumka, Bengal.

823

17. Hyalomma aegyptium, off bullock, Buxar, Bengal.

824

17. Hyalomma aegyptium, off?, Durbhunya, Bengal.

825 &826

17. Rhipicephalus sanguineus, off dog, Bhagulpur, Bengal.

827

17. Hyalomma aegyptium, off dog, Gaya, Bengal.

828

- 17.a) Hyalomma aegyptium } off? North Bhagulpur, Bengal
Rhip. sanguineus }

829

- 17.a) Rhipicephalus sanguineus ♀ } off? Gaya, Bengal
Boophilus australis ? }

830

17. Hyalomma aegyptium, off? Gaya, Bengal.

831

17. Hyalomma aegyptium, off bullock, Gaya, Bengal.

- 832 *Hyalomma aegyptium* } off goat, Angul, Bengal.
- 17.a) *Boophilus australis* }
- 833
17. *Rhipicephalus sanguineus*, off cattle, Angul, Bengal.
- 834
17. *Hyalomma aegyptium*, off? Bhagulpur, Bengal.
- 835 *Hyalomma aegyptium* } off?, Larpur, Bengal.
- 17.a) *Rhipicephalus haemaphysaloides* }
- 836
17. *Hyalomma aegyptium*, off sheep and goat, Larpur, Bengal.
- 837 *Hyalomma aegyptium* } off?, Larpur, Bengal.
- 17.a) *Rhipicephalus haemaphysaloides* }
- b) *Boophilus australis* }
- 838
17. *Rhipicephalus haemaphysaloides*, ♀, off horse, Purulia, W. Bengal.
- 839
17. *Rhipicephalus sanguineus*, ♀, off dog, Purulia, W. Bengal.
- 840
17. *Rhipicephalus sanguineus*, ♀, off dog, Purulia, W. Bengal.
- 841
17. *Rhipicephalus haemaphysaloides*, off goat, Sahibganj, Bengal.
- 842
17. *Boophilus australis*, off bullock, Purulia, Bengal.
- 843
17. *Boophilus australis*, off? Sahibganj, Bengal.
- 844
17. *Rhipicephalus sanguineus*, off? Sahibganj, Bengal.
- 846
17. *Aponomma gervaisi* var. *lucasi*, off *Varanus salvator*, Peradeniya, Ceylon.
- 847
17. *Haemaphysalis hystricis*, ♀, off?, Kandy, Ceylon.
- 848
17. *Amblyomma testudinarium*, ♀, off?, Peradeniya, Ceylon
- 849
17. *Haemaphysalis* sp., nymph, off?, Peradeniya, Ceylon.

Report on a Collection of Ticks received from Dr. Brumpt, Paris, France, July 27, 1910. Their determinations, together with all the data obtainable, are as follows:

- 1a.) Haemaphysalis calcarata 1 ♂,
- 1b.) Hyalomma aegyptium o probably off Xerus rutilus, Biacobaba, Somaliland, IV.1901.
- 1c.) Rhipicephalus oculatus ♀
- 2a.) Haemaphysalis leachi ♂, ♀ off Canis mesomelas, Harar, Abyssinia
- 2b.) Rhipicephalus simus ♂
- 3.) Hyalomma aegyptium, 1♂, off ?, Biacobaba, Somaliland, 10.IV.1909
- 4.) Amblyomma variegatum, 1 o, off man, Kankan, Guinea, 10.VI.1909 (Dr. Yoyeus coll.)
- 5.) Rhipicephalus sanguineus, ♀'s, probably on dog in my room at Djibouti, (Miss du Bourg), II.1901
- 6.) Boophilus australis, ♀'s, off cattle, Ivory Coast, (M. Fillassier coll.), II.1909
- 7.) Rhipicephalus sanguineus, ♀'s, o's, Macroscelides roseti, Oran, Algeria
- 8.) Boophilus australis, ♀'s, off cattle, Ivory Coast, II.1909 (M. Fillassier coll.) (Nos. 9a, 9b & 9c. Not entered, owing to lack of data)
- 10a.) Amblyomma variegatum, ♂♀ off cattle, Kankan, Guinea (Dr. Yoyeuse coll.)
- 10b.) Boophilus australis, ♀'s
- 11a.) Amblyomma variegatum ♀'s off cattle, Harar, Abyssinia, V.1901
- 11b.) Rhipicephalus evertsi, ♀
- 12.) Rhipicephalus sanguineus, ♀, off ?, Gueldessa, Somaliland
- 13.) Rhipicephalus sanguineus, ♂♀, off dog, Tunis. Sent by Dr. Blaizot
- 14.) Rhipicephalus oculatus, ♂♀, off Strepsiceros imberbis, Herrer Valley, Abyssinia, VI.1901. (Mission du Bourg)
- 15.) Rhipicephalus simus, ♂, off native dog, Abba-Quelle, Congo
- 16.) o, off Arvicola arvalis, near Paris, (M. Bessin coll.)
- 17.) Rhipicephalus sanguineus, ♀, off dog, Djibouti, Somaliland, I.1906
- 18.) Ixodes ricinus, ♂ and o's, off hedgehog, Chantilly, France, winter of 1910
- 19.) Ixodes hexagonus, ♀, off hedgehog, near Paris, Date?, (M. Bessin coll.)
- 20a.) Amblyomma variegatum, ♂♀ (bad condition) off cattle, Djibouti, Somaliland,
- 20b.) Hyalomma aegyptium, ♀'s (bad condition) II.1901 (Mission du Bourg)
- 21.) Amblyomma variegatum, ♂♀, off cow, Grand Popo, Dahomey
- 22.) Hyalomma syriacum, ♂♀, off Testudo graeca. No locality, etc.

(Dr. Brumpt's collection continued)

- 23.) Dermacentor reticulatus, ♂, off deer, Chantilly, France, X.1909.
- 24a.) Hyalomma aegyptium ♂♀,
24b.) Rhipicephalus sanguineus, ♂♀ } off dog, Djibouti, Somaliland, I.1901. (Dr. E. Brumpt coll.)
- 25a.) Rhipicephalus sanguineus, ♂♀ }
25b.) Hyalomma aegyptium, ♀, } off dog, Kankan, Guinea (Dr. Yoyeux coll.)
- 26.) Rhipicephalus pulchellus, ♂♀, off zebra (Equus grevyo), Mt. Finke, Moulo, Gallaland
- 27.) Amblyomma marmoreum, ♂♀, off land tortoise, sp.?, Artaud, Somaliland
- 28.) Amblyomma gemma (Dönitz), ♂, off Phacoherus aethiopicus africanus, Sagak, Somaliland, 11.VII.1901.
- 29.) Amblyomma marmoreum, ♂♀, off , Gueldessa, Somaliland.
- 30.) Hyalomma aegyptium, ♂♀, probably off cattle, Oran, Algeria.
- 31.) Ixodes ricinus, 1♀, off roe-deer, Halles, Paris, X.1908.
- 32.) Ixodes ricinus, ♂♀, off deer, Chantilly, France, X.1909.
- 33.) Ixodes ricinus, ♂♀, off roe-deer, Halles, Paris, X.1908.
- 34.) Ixodes ricinus, ♂♀, off deer, Chantilly, France, XI.1909.
- 35.) Ixodes ricinus, off hedgehog, Chantilly, France, X.1909.

The following ticks were received from Dr. Brumpt, Paris on October 20th, 1910:

- A.) Haemaphysalis leachi, ♂'s, ♀♂\$, off Hyaena crocuta, Harar, Abyssinia V.1901.
A1.) Rhipicephalus simus, ♂'s, off Hyaena crocuta, Harar, Abyssinia, V.1901.
- B.) Ixodes ugandanus var. djaronensis, off Procavia brucei, Harar, Abyssinia, V.1901
(= N. 1222)
- C.) Haemaphysalis leachi (small variety), off Procavia brucei and Procavia abyssinica, Harar, Abyssinia, (= N. 1223)
- D.) Rhipicephalus sp., off Helogale parvula, Harar, Abyssinia (= N. 1225).
- E.) Haemaphysalis calcarata, probably off Xerus rutilus, Biacobaba, Somaliland, IV.1901.

Rhipicephalus sanguineus ♂'s, ♀'s off hounds, Simla, 16.XII.1907, Col. H.T. Pease.
The hounds suffering from piroplasmosis - also from Hissar, 1908 off wild boar.

Haemaphysalis bispinosa off lion, Gaur Forest Kathiawar, 11.III.1909.

Hyalomma aegyptium ♂'s, ♀'s off buffalo with Nos. 1220 & 1221.

All of these were brought to us for identification by Mr. Howlett,
2nd Imperial Entomologist to the Govt. of India X-XI.1910

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1238	N 1238
		RML 110093
	<u>Aponomma exornatum</u> 1♂, 1♀	1 ♂, 1 ♀ <u>Aponomma exornatum</u>
	Water lizard	Water lizard
	Kibango Bay, Victoria, Nyanza	Kibanga Bay (00.07 N, 33.19 E), Uganda
	Presented 21.II.1911	Presented 21.II.1911
	Dr. McConnell	Dr. McConnell
	Presented by Prof. R. Newstead G.H.F.N. det.	
N	1239	N 1239
		RML 110094
	<u>Ixodes hexagonus</u> 1♀ 2/3 gorged	1 ♀ <u>Ixodes hexagonus</u>
	Polecat	<u>Mustela putorius</u>
	Somerset	Somerset (51.05 N, 03.00 W), England
	Sent alive 2.III.1911	Sent alive 2.III.1911
	Mr. W. Farren (Naturalist, Cambridge)	Mr. W. Farren (Naturalist, Cambridge) Cited: Nuttall (1916 : 328).
N	1240	N 1240
		RML 110095
	<u>Ixodes hexagonus</u> ♀'s, N's	2 ♀, 6 N <u>Ixodes hexagonus</u>
	Ferret	<u>Mustela furo</u>
	Histon, Cambs.	Histon (52.15 N, 00.06 E), Cambs. England
	13.III.1911	13.III.1911
	C. Warburton	C. Warburton Cited: Nuttall (1916: 327).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1241	N	1241
		RML	110096
	<u>Ixodes hexagonus</u> ♂! gorged Ls, 1 N		1 ♂, 1 N, 5 L <u>Ixodes hexagonus</u>
	Hedgehog's nest		Nest of <u>Erinaceus europaeus</u>
	Histon, Cambs.		Histon (52.15 N, 00.06 E), Cambs., England
	6.III.1911		6.III.1911
	C. Warburton		C. Warburton
			The vial label incorrectly gives the Nuttall number as N 1141a; cited: Nuttall (1916: 327).
N	1242	N	1242
		RML	110097
	<u>Ornithodoros lahorensis</u> 1 N		1 N <u>Ornithodoros lahorensis</u>
	Sheep		Sheep
	Lahore, Punjab		Lahore (31.35 N, 74.18 E), Pakistan
	(Civil Veterinary Dept., Punjab)		Civil Veterinary Dept., Punjab
	Indian Museum coll., Calcutta, ex <u>810</u> <u>17</u>		
N	1243	N	1243
		RML	110098
	<u>Argas reflexus</u> var. <u>indicus</u> 1 ♂, 1 ♀, 1 N TYPES		1 ♂, 1 ♀, 1 N <u>Argas reflexus indicus</u>
	Found in basin of water		Found in basin of water
	Entomological room, Indian Museum, Calcutta, India		Entomological room, Indian Museum, Calcutta (22.32 N, 88.22 E), India
	13.IV.1910		13.IV.1910
	F. H. Gravely		F. H. Gravely
			Warburton (1910: 396), original description. Keirans & Brewster (1981: 154) discussed the type status of these specimens.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N 1244		N 1244
		RML 110099
<u>Aponomma laeve var. paradoxum</u> Warb (in lit) 1 ♂, 2 ♀, 1 N TYPES		1 ♂, 2 ♀, 2 N <u>Aponomma pattoni</u>
Cobra		<u>Naja</u> sp.
Peradeniya, Ceylon		Peradeniya (07.15 N, 80.36 E), Sri Lanka
14.VI.1910		14.VI.1910
Sent by E.E. Green		Sent by E.E. Green
		Wall (1921: 186) published the name <u>Aponomma laeve paradoxum</u> [nomen nudum] Based on information from Nuttall pertaining to these specimens.
N 1245		N 1245
		RML 110100
<u>Aponomma laeve var. paradoxum</u> Warb. (in lit) 2♂, 1N, 3L		2 ♂, 1 N <u>Aponomma pattoni</u>
Cobra		<u>Naja</u> sp.
Kandy, Ceylon		Kandy (07.18 N, 80.38 E), Sri Lanka
XI.1909		XI.1909
Sent by E.E. Green		Sent by E.E. Green

The Indian Museum (Calcutta) also contains:-

998
17 Hyalomma aegyptium 1 ♀, from Mowai, Bara Banki, United Province of Agra and Oudh,
 13.X.1910 M.M.Khan Determined by C. Warburton

999
17 Haemaphysalis bispinosa, 1 ♀, off buffalo, Kolassy Factory, Purneah District, N.
 Bengal, XI.1910, L.R. Paiva. Determined by C. Warburton

Ticks received from the Indian Museum, Calcutta (per Dr. N. Annandale). 1.April.
 1910, and determined by Mr. C. Warburton:-

1069
17 Rhipicephalus sanguineus nymph, off?, Katihar, Purneah District, N. Bengal.
 C.A. Paiva.

1070
17 Amblyomma testudinarium, ♀, off?, Assam-Bhutan Frontier, Mangaldai District, NE

1071
17 Boophilus australis, ♀, off a cow, Bengal Veterinary College, Belgatchia, Calcutta

1072
17 Gamasid mites, sp.?, off?, near Darjiling, E. Himalayas, 7-8000 ft. R.B.
 Horsfall.

1073
17 Boophilus australis ♀, off cow, Berhampur Court, Murshidabad Dist., Bengal,
 Major Robertson-Milne.

1074
17 Rhipicephalus sanguineus, off dog, Berhampur Court, Murshidabad District, Bengal.
 Major Robertson-Milne.

Two tubes belonging to the Sarawak Museum, as follows:

SM
16 Amblyomma testudinarium, ♀, off?, from Matang, IV.1904, R.S. Coll.

SM
17 Amblyomma decoratum, ♀, No particulars in tube.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1246	N 1246
		RML 110101
	<u>Rhipicephalus pravus</u> COTYPES	3 ♂, 2 ♀ <u>Rhipicephalus pravus</u> Syntypes
	Oryx - antelope	<u>Oryx beisa</u>
	Southern borders of the Massai-Steppe, German East Africa	Southern borders of the Massai Steppe, Tanzania
	Presented IV.1911	Presented IV.1911
	Presented by Prof. W. Dönitz	Presented by Prof. W. Dönitz
		Dönitz (1910a: 479), original description. Yeoman & Walker (1967: 146).
N	1247	N 1247
		RML 87012
	<u>Haemaphysalis japonica</u> 2 ♂	2 ♂ <u>Haemaphysalis japonica</u> Lectotype and paralectotype
	<u>Nemorrhæodus crispus</u>	<u>Capricornis crispus</u>
	Hondo, Japan	Hondo (32.27 N, 130.12 E), Kyushu, Japan
	Received IV.1911	Received IV.1911
	Received from Mr. A. Hirst, British Museum, London	The Duke of Bedford's collector
		Warburton (1908: 512), original description; Nuttall & Warburton (1915: 403). gave the collector cited above. Lectotype designated: Keirans & Brewster (1981: 162).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1248	N	1248
		RML	110102
	<u>Haemaphysalis japonica</u> var. <u>douglasi</u> 2 ♂		1 ♂ <u>Haemaphysalis japonica douglasi</u> Lectotype
	Roe-deer		<u>Capreolus capreolus</u>
	Yen-an-fu, Shensi, North China		Yen-An (36.38 N, 109.27 E), Shensi, Peoples Republic of China
	Rec'd IV.1911		19.V.1909
	Captain H.E.M. Douglas		Captain H.E.M. Douglas
	Rec'd from Mr. A.S. Hirst British Museum, London		Nuttall & Warburton (1915: 403), origin- al description. They gave the locality as Ten-an-fu, Shiensi and the date of collection as 19.V.1909. The BM(NH) general tick collection con- tains 7 ♂ specimens (paralectotypes) of <u>H. japonica douglasi</u> from N 1248. Lectotype designated: Keirans & Brewster (1981: 162).
N	1249	N	1249
		RML	110103
	<u>Rhipicephalus haemaphysaloides</u> ♀'s		4 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Domestic cattle		Domestic cattle
	Panniar, Tranvancore, Western Ghants, S. India (alt 4,400 ft)		Panniar (26.06 N, 78.02 E), Kerala, India (alt. 1341 m)
	20-30.XII.1910		20-30.XII.1910
	E. R. Howlett		E. R. Howlett
	("colour, when alive, lightish brown, underside dirty-silver") C.W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1250	N	1250
		RML	110104
	<u>Boophilus annulatus</u> ♀'s		17 ♀ <u>Boophilus microplus</u>
	Domestic cattle		Domestic cattle
	Panniar, Travancore, Western Ghants, S. India (alt 4,400 ft)		Panniar (26.06 N, 78.02 E), Kerala, India
	20.XII.1910-27.I.1911		20.XII.1910-27.I.1911
	E. R. Howlett		E. R. Howlett
	G.H.F.N. det.		
N	1251a-c	N	1251a-c
		RML	(a) 71501, (b) 87419, (c) 110105
	(a) <u>Haemaphysalis proxima</u> 1 ♀		(a) 1 ♀ <u>Haemaphysalis shimoga</u>
	(b) <u>Haemaphysalis campanulata</u> 3 ♂		(b) 1 ♂ <u>Haemaphysalis campanulata</u>
	(c) <u>Amblyomma</u> sp. L (gorged)		(b) 1 ♂ <u>Haemaphysalis sambar</u> HOLOTYPE
			(c) 1 L <u>Amblyomma</u> sp.
	Sambhur deer		<u>Cervus unicolor</u>
	Satharangapara, Travancore, S. India (alt. 3000 ft)		Probably Chathurangapara (09.53 N, 77.13 E), Kerala, India (\pm 3,625 ft; \pm 1105 m)
	10.I.1911		10.I.1911
	E. R. Howlett		E. R. Howlett
	C.W. det		Hoogstraal (1971a: 173), original description of <u>H. sambar</u> . Trapido et al (1964b: 266) were unable to locate the <u>H. campanulata</u> collection at the BMNH.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1252 a, b	N 1252 a, b RML 110106
	(a) <u>Boophilus annulatus</u> ♂'s, ♀'s (b) <u>Hyalomma aegyptium</u> ♂, ♀, N	(a) 1 ♂, 7 ♀, 2 N <u>Boophilus microplus</u> (b) MISSING
	Cattle	Cattle
	Travancore	Kerala State (09.00 N, 77.00 E), India
	5.III.1911	5.III.1911
	T. Karunai, sent by E.R. Howlett	T. Karunai, sent by E.R. Howlett
	G.H.F.N. det.	
N	1253a, b	N 1253a, b RML 72831
	(a) <u>Haemaphysalis bispinosa</u> ♂, ♀ (b) <u>Rhipicephalus sanguineus</u> ♀'s	(a) 1 ♂, 1 ♀ <u>Haemaphysalis bispinosa</u> (a) 1 ♂ <u>Haemaphysalis intermedia</u> (b) 5 ♀ <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Travancore	Kerala State (09.00 N, 77.00 E), India
	7.III.1911	7.III.1911
	T. Karunai, sent by E.R. Howlett	T. Karunai, sent by E.R. Howlett
	C.W. det.	(a) Cited: Nuttall & Warburton (1915: 432).
N	Ticks received from Dr. H. H. Marshall, 1254	Rangoon, Burma, on 20.III.1911. N 1254 RML 110107
	<u>Boophilus annulatus</u> ♀'s	10 ♀ <u>Boophilus microplus</u>
	Calf	Calf
	Rangoon	Rangoon (16.47 N, 96.10 E), Burma
	18.X.1910	18.X.1910
	Rec'd. from H.H. Marshall	Rec'd. from H.H. Marshall
	G.H.F.N. det.	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1255	N 1255 RML 110108
	<u>Rhipicephalus sanguineus</u> ♂, ♀	12 ♂, 17 ♀ <u>Rhipicephalus sanguineus</u>
	Native dog	Native dog
	Rangoon	Rangoon (16.47 N, 96.10 E), Burma
	1910	1910
	Rec'd from H.H. Marshall	Rec'd from H.H. Marshall
	C.W. det	Vial label gives the following collection data: Native..... Rangoon, India 1911
N	1256	N 1256 RML 110109
	<u>Rhipicephalus sanguineus</u> 3 ♂, many gorged ♀'s	3 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Sheep	Sheep
	Hammam-Meskoutine, Algeria	Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	V.1911	V.1911
	M. Paul Dechabert (Rec'd 28.V.1911)	M. Paul Dechabert
N	1257	N 1257 RML 110110
	<u>Rhipicephalus bursa</u> 5♀, partly gorged	5 ♀ <u>Rhipicephalus bursa</u>
	Sheep	Sheep
	Hammam-Meskoutine, Algeria	Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	V.1911	V.1911
	M. Paul Dechabert (very punctate) (Rec'd 28.V.1911)	M. Paul Dechabert

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1258	N	1258
		RML	110111
	<u>Hyalomma aegyptium</u> ♀'s gorged		14 ♀ <u>Hyalomma marginatum</u>
	Sheep		Sheep
	Hammam-Meskoutine, Algeria		Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	V.1911		V.1911
	M. Paul Dechabert		M. Paul Dechabert
	(Rec'd 28.V.1911)		
N	1259	N	1259 MISSING
	<u>Argas reflexus</u> 1 ♂		
	Rec'd 28.V.1911		
	Gift of Mr. E. G. Wheler, rec'd by him from Prof. L. G. Neumann (Toulouse) 1901		
	Mounted on slide		
	Ticks presented by Dr. Henrique de Beaurepaire Aragão of Rio de Janeiro, Brazil, May 1911; all det'd by Aragão.		
N	1260	N	1260
		RML	110112
	<u>Argas persicus</u> ♂'s, ♀'s, N's		10 ♂, 7 ♀, 12 N <u>Argas miniatus</u>
	Chicken coops		Chicken coops
	Rio de Janeiro		Rio de Janeiro (22.54 S, 43.14 W), Brazil
	4.III.1911		4.III.1911
	Presented by Dr. H. de B. Aragão		Presented by Dr. H. de B. Aragão
			Ten of the nymphs are in a separate vial.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1261	N 1261
		RML 110113
	<u>Amblyomma cooperi</u> ♂'s, ♀'s	3 ♂, 8 ♀ <u>Amblyomma cooperi</u>
	<u>Hydrochoerus capibara</u>	<u>Hydrochoerus hydrochaeris</u>
	Estado de S. Paulo, Brazil	Estado de São Paulo (22.00 S, 49.00 W), Brazil
	XII.1909	XII.1909
	Presented by Dr. H. deB. Aragão (Ref. Nos. 2040-50)	Presented by Dr. H. deB. Aragão The above total includes 1 ♂, 1 ♀ pinned
N	1261x	N 1261x MISSING
	<u>Amblyomma humerale</u> ♂, ♀ (pinned) Rio Xingu, State of Pará, Brazil	These pinned specimens (2 ♂, 2 ♀) are now in the BMNH collection.
	Presented by Dr. H. deB. Aragão (Ref. Nos. 255-256)	
N	1262	N 1262 MISSING
	<u>Amblyomma braziliense</u> ♂, ♀ (pinned) <u>Dicotyles torquatus</u>	These pinned specimens (1 ♂, 1 ♀) are now in the BMNH collection.
	Habira do Matto Dentro, Brazil 21.VII.1908	
	Presented by Dr. H. deB. Aragão (Ref. Nos. 1359, 1363)	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1263	N	1263
		RML	110114
	<u>Amblyomma ovale</u> ♂, ♀ (pinned)		1 ♂, 1 ♀ <u>Amblyomma ovale</u> pinned
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	Pirauba, State of Minas, Brazil		Pirauba (21.17 S, 43.02 W), Estado de Minas Gerais, Brazil
	21.VII.1907		21.VII.1907
	Presented by Dr. H. deB. Aragão (Ref. Nos. 313, 426)		Presented by Dr. H. deB. Aragão Cited: Robinson (1926: 29).
N	1264	N	1264 MISSING
	<u>Amblyomma concolor</u> ♂, ♀ (pinned)		These pinned specimens (1 ♂, 1 ♀) are now in the BMNH collection.
	<u>Dasypus</u> sp.		They are <u>Amblyomma pseudoconcolor</u> .
	Remanso, State of Bahia, Brazil		
	11.I.1908		
	Presented by Dr. H. deB. Aragão (Nos. 867, 868)		
N	1265	N	1265 MISSING
	<u>Amblyomma incisum</u> ♂ (pinned)		This pinned ♂ is now in the
	<u>Tapirus americanus</u>		BMNH collection.
	São Luiz do Parahytinga, State of S. Paulo, Brazil.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1266	N	1266
		RML	110115
	<u>Amblyomma cajennense</u> 1 ♂, 1 ♀ (pinned)		1 ♂, 1 ♀ <u>Amblyomma cajennense</u> (pinned)
	<u>Hydrochoerus capibara</u>		<u>Hydrochoerus hydrochaeris</u>
	State of Minas, Brazil		Estado de Minas Gerais (18.00 S, 44.00 W), Brazil
	21.VII.1908		21.VII.1908
	Presented by Dr. H. deB. Aragão (Nos. 1364, 1365)		Presented by Dr. H. deB. Aragão Cited: Robinson (1926: 53).
N	1267	N	1267 MISSING
	<u>Amblyomma mantiquirensense</u> ♂, ♀ (pinned)		These pinned specimens (1 ♂, 1 ♀) are now in the BMNH collection.
	<u>Dicotyles</u> sp.		They are <u>Amblyomma naponense</u> .
	State of Rio, Brazil		
	Presented by Dr. H. deB. Aragão (Nos. 1547, 1548)		
N	1268	N	1268
		RML	110116
	<u>Amblyomma dissimile</u> ♂, ♀ (pinned)		1 ♂, 1 ♀ <u>Amblyomma dissimile</u> (pinned)
	<u>Iguana</u> sp.		<u>Iguana</u> sp.
	State of Para, Brazil		Estado do Pará (04.00 S, 53.00 W), Brazil
	IV.1908		IV.1908
	Presented by Dr. H. deB. Aragão (Nos. 1611, 1611)		Presented by Dr. H. deB. Aragão Cited: Robinson (1926: 167).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1269	N	1269
		RML	110117
	<u>Amblyomma nodosum</u> ♂ (pinned)		1 ♂ <u>Amblyomma nodosum</u> (pinned)
	<u>Myrmecophaga joubata</u>		<u>Myrmecophaga tridactyla</u>
	Lassance, State of Minas, Brazil		Lassance (17.54 S, 44.34 W), Estado de Minas Gerais, Brazil
	1908		1908
	Presented by Dr. H. deB. Aragão (No. 1648)		Presented by Dr. H. deB. Aragão Cited: Robinson (1926: 199).
N	1270	N	1270 MISSING
	<u>Amblyomma maculatum</u> ♀ (pinned)		This pinned ♀ is now in the BMNH collection. It is <u>Amblyomma</u> <u>tigrinum</u> .
	<u>Canis familiaris</u>		
	Avare, State of S. Paulo, Brazil		
	28.IV.1908		
	Presented by Dr. H. deB. Aragão (No. 1249)		
N	1271	N	1271
		RML	110118
	<u>Amblyomma ovale</u> ♂, ♀ (pinned)		1 ♂, 1 ♀ <u>Amblyomma striatum</u>
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	Cantagallo, State of Rio de Janeiro		Cantagallo (21.58 S, 42.22 W), Estado do Rio de Janeiro, Brazil
	4.III.1908		4.III.1908
	Presented by Dr. H. deB. Aragão (Nos. 1115, 1116)		Presented by Dr. H. deB. Aragão These specimens are not pinned. Cited: Robinson (1926: 29).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1272	N	1272
		RML	110119
	<u>Rhipicephalus sanguineus</u> ♂, ♀ (pinned)		1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u> (pinned)
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	State of Bahia, Brazil		Estado da Bahia (12.00 S, 42.00 W), Brazil
	XII.1909		XII.1909
	Presented by Dr. H. deB. Aragão (Nos. 1098, 1099)		Presented by Dr. H. deB. Aragão
N	1273	N	1273 MISSING
	<u>Boophilus microplus</u> ♂, ♀ (pinned)		
	<u>Bos taurus</u>		
	Manguinhos, Brazil		
	Presented by Dr. H. deB. Aragão (Nos. 1316, 1317)		
N	1274	N	1274
		RML	110120
	<u>Haemaphysalis hystricis</u> 1 ♂ (pinned)		1 ♂ <u>Haemaphysalis hystricis</u> (pinned)
	Occurs on dog and tiger		Dog
	Sumatra		Sumatra, Indonesia
	Presented 30.V.1911		Presented 30.V.1911
	Presented by Prof. W. Dönitz		Presented by Prof. W. Dönitz
			Tentative ID
			Nuttall & Warburton (1915: 425) listed the host as dog.

ORIGINAL DETERMINATIONCURRENT STATUS

Ticks received from Dr. S. T. Darling, M.D., Chief of Board of Health Laboratory, (Isthmian Canal Commission) Ancon, Panama Canal Zone, (sent) 11.V.1911. + = collected by A. H. Jennings, Θ = collected by Dr. S. T. Darling.

N 1275

N 1275 MISSING

Argas persicus

Hen coop

Ancon, Panama

3.V.1910

A. H. Jennings

N 1276

N 1276

RML 110121

Ornithodoros talaje 2 N2 N *Ornithodoros talaje*

Native house

Native house

Chame, R. P.

Chame (08.35 N, 79.53 W) Panama

Sent 11.V.1911

Sent 11.V.1911

Dr. S. T. Darling

Dr. S. T. Darling

Samuel Taylor Darling (1872-1925)
from 1906-1915, Chief of Laboratories
of the Isthmian Canal Commission,
Panama Canal Zone. Tropical medicine
specialist who worked on hookworm,
malaria and trypanosomiasis.

N 1277

N 1277 MISSING

Ornithodoros talaje 4 N

Rats

Panama, R. P.

Sent 11.V.1911

A. H. Jennings

Labelled larvae

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1278		N	1278 MISSING
	<u>Boophilus australis</u> ♂'s, ♀'s			
	Deer, (<u>Odocoileus</u> sp.)			
	Corozal, Canal Zone			
	14.VIII.1910			
	A.H. Jennings			
N	1279		N	1279
			RML	110122
	<u>Boophilus australis</u> ♀'s			2 ♀ <u>Boophilus australis</u>
	Cattle			Cattle
	Empire, Canal Zone			Empire Known Distance Range (09.04 N, 79.40 W), Panama
	15-19.V.1910			15-19.V.1910
	A.H. Jennings			A.H. Jennings
N	1280		N	1280
			RML	110123
	<u>Dermacentor nitens</u> ♂'s, ♀'s			3 ♂, 2 ♀ <u>Anocentor nitens</u>
	Domestic cat			Domestic cat
	Ancon, Canal Zone			Ancon (08.58 N, 79.33 W), Panama
	III.1911			III.1911
	A.H. Jennings			A.H. Jennings
	Labeled <u>R. sanguineus</u>			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1281	N 1281
		RML 110124
	<u>Dermacentor nitens</u> ♂, ♀, N	2 ♂, 2 ♀, 1 N <u>Anocentor nitens</u>
	Deer (<u>Odocoileus</u> sp.)	<u>Odocoileus virginianus</u>
	Corozal, Canal Zone	Corozal (08.59 N, 79.35 W), Panama
	14.VIII.1910	14.VIII.1910
	A.H. Jennings	A.H. Jennings
N	1282	N 1282
		RML 110125
	<u>Dermacentor nitens</u> ♂'s, ♀'s	8 ♂, 16 ♀, 1 N <u>Anocentor nitens</u>
	Horse	Horse
	Ancon, Canal Zone	Ancon (08.58 N, 79.33 W), Panama
	V.1910	V.1910
	A.H. Jennings	A.H. Jennings
N	1283	N 1283
		RML 110126
	<u>Amblyomma dissimile</u> 2♂, 1♀	2 ♂, 1 ♀ <u>Amblyomma dissimile</u>
	Iguana	Iguana
	Ancon, Canal Zone	Ancon (08.58 N, 79.33 W), Panama
	17.I.1911	17.I.1911
	A.H. Jennings	A.H. Jennings
		Cited: Robinson (1926: 167).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1284		N	1284 MISSING
		<u>Amblyomma cajennense</u> ♂'s, ♀'s		
		Horse		
		Las Cascadas, Canal Zone		
		5.IV.1910		
		A. H. Jennings		
N	1285		N	1285
			RML	110127
		<u>Amblyomma oblongoguttatum</u>		<u>Amblyomma oblongoguttatum</u>
		Types of <u>A. darlingi</u> n. sp.		Lectotype and paralectotypes of
		Nutt., 1912 4 ♂'s, 8 ♀'s		<u>A. darlingi</u>
		Deer (<u>Odocoileus</u> sp.)		<u>Odocoileus virginianus</u>
		Corozal, Canal Zone		Corozal (08.59 N, 79.35 W), Panama
		14.VIII.1910		14.VIII.1910
		A. H. Jennings		A. H. Jennings
		(1 ♂ & 1 ♀ of this lot pinned)		The pinned specimens are in the BMNH collection
				Nuttall (1912: 50), original description of <u>A. darlingi</u> .
				Cited: Robinson (1925: 36). Lectotype designated: Keirans & Brewster (1981: 36).
N	1286		N	1286
			RML	110128
		<u>Amblyomma oblongoguttatum</u>		<u>Amblyomma oblongoguttatum</u>
		40 N, 26 L Types of <u>A. darlingi</u>		Paralectotypes of <u>A. darlingi</u>
		Deer (<u>Odocoileus</u> sp.)		<u>Odocoileus virginianus</u>
		Corozal, Canal Zone		Corozal (08.59 N, 79.35 W), Panama
		14.VIII.1910		14.VIII.1910
		A. H. Jennings		A. H. Jennings
				The nymphs and larvae are in separate vials. Tentative ID.
				Nuttall (1912: 50), original description of <u>A. darlingi</u>

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1287	N	1287
		RML	110129
	<u>Amblyomma oblongoguttatum</u> 2N Types of <u>A. darlingi</u>		2 N <u>Amblyomma oblongoguttatum</u> Paratotypes of <u>A. darlingi</u>
	<u>Catharista atratus</u> (Turkey buzzard, on nape-head)		<u>Coragyps atratus</u>
	Panama		Empire Known Distance Range (09.04 N, 79.40 W), Panama
	IV.1911		IV.1911
	Dr. S. T. Darling		Dr. S. T. Darling
			Locality of Empire on vial label and in Nuttall (1912: 54). Tentative ID
			Cited: Robinson (1926: 36).
N	1288	N	1288 MISSING
	<u>Argas reflexus</u> 2 larvae		
	Raised in laboratory, École de Méd., Paris		
	1907		
	Dr. E. Brumpt		
	Presented 7.VI.1911		
N	1289	N	1289 MISSING
	<u>Argas reflexus</u> 2 skins from moulted gorged larvae		
	Raised in laboratory, École de Méd., Paris		
	1907		
	Dr. E. Brumpt		
	Presented 7.VI.1911		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1290		N	1290
			RML	110130
	<u>Amblyomma cohaerens</u> 1 ♂, 1 ♀			1 ♂, 1 ♀ <u>Amblyomma cohaerens</u>
	Found on earth where buffalo had been lying			Found on earth where buffalo had been lying
	Toro, Uganda			Probably Toro Game Preserve (01.05 N, 30.25 E), Uganda
	XII.1910			XII.1910
	Dr. R. van Someren			Dr. R. van Someren
	("159" Ent Ettee)			Cited: Robinson (1926: 110).
N	1291		N	1291
			RML	110131
	<u>Amblyomma cohaerens</u> 1♂, 2♀'s (unfed)			1 ♂, 2 ♀ <u>Amblyomma cohaerens</u>
	Bugoma Forest, Umgoro, Uganda			Bugoma Forest (01.15 N, 30.53 E), District of Bunyoro, Uganda
	VIII.-XI.1910			VIII.-XI.1910
	Dr. C.H. Marshall			Dr. C.H. Marshall
	Rec'd. 11.VI.1911 from Mr. Guy A.K. Marshall, Secretary to Ent. Res. Cttee (Tropical Africa) Memorandum: No. 1290 (♂♀) was to Gehimrate Dönitz for his opinion. He wrote from Berlin, 23.III.1911 that the ♂ agrees almost exactly with his two types; differs only in that its "Nebenstrahl" is more extensive where it joins the third "Seitenfleck" so that the light stripe which extends from the middle field and interposes itself is pointed thus: in our specimen (No. 1290) ♂ the light stripe is somewhat broad up to its end and penetrates deeper toward the "Randfurche": This is but a very slight difference, it may be individual or geographical (varietal); similar slight differences noted in ♀. Failing more material regards it as <u>cohaerens</u> , possibly a geographical variety.		Although the remarks opposite refer to N 1290, I have retained them after N 1291 where they were entered by Nuttall. Cited: Robinson (1926: 110).	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1292	N	1292
		RML	110132
	<u>Amblyomma sublaeve</u> ♂, ♀		1 ♂, 1 ♀ <u>Amblyomma javanense</u>
	<u>Manis</u> sp.		<u>Manis</u> sp.
	Kuala Lumpur, Federated Malay States		Kuala Lumpur (03.10 N, 101.42 E), Malaysia
	Ex A.E. Shipley's collection		Ex A.E. Shipley's collection
	L.E.R. det 1926		Cited: Robinson (1926: 247).
N	1293	N	1293
		RML	110133
	<u>Amblyomma sublaeve</u> 1 ♂ (pinned)		2 ♂ <u>Amblyomma javanense</u>
	<u>Manis</u> sp.		<u>Manis</u> sp.
	Kuala Lumpur, Federated Malay States		Kuala Lumpur (03.10 N, 101.42 E), Malaysia
	Ex E.A. Shipley's collection		Ex E.A. Shipley's collection
	L.E.R. det 1926		1 ♂ of this collection is pinned, the other ♂ lacking legs and capitulum is in alcohol.
			Cited: Robinson (1926: 247).
N	1294	N	1294
		RML	110134
	<u>Ixodes caledonicus</u> 1 N (fully gorged)		1 N <u>Ixodes caledonicus</u>
	Dead starling		<u>Sturnus vulgaris</u> (dead)
	Isle of May, Fife, Scotland		Isle of May (56.11 N, 02.34 W), Scotland
	V.1911		V.1911
	W. Evans		W. Evans
	(Found with 5 other gorged N's & 1 gorged ♀ which were returned to collector 14.VI.1911).		Nuttall (1911: 176) cited this collection as 1♀, 6N; Nuttall (1916: 325).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1295	N	1295
		RML	110135
	<u>Ixodes caledonicus</u> 1 ♂, 1 ♀ Male = Type!		1 ♂, 1 ♀ <u>Ixodes caledonicus</u>
	Found in rubbish & filth beneath pigeons' nests, sexes in copula.		Found in rubbish & filth beneath pigeons' nests, sexes in copula.
	Dunipace, Stirlingshire, Scotland		Dunipace (56.10 N, 03.55 W), Stirlingshire, Scotland
	25.V.1911		25.V.1911
	W. Evans		William Evans
			The male of this collection was described and figured by Nuttall (1911: 177). See also Nuttall catalogue number 1542.
N	1296	N	1296
		RML	110136
	<u>Hyalomma syriacum</u> 2 ♂, 1 ♀		1 ♂, 2 ♀ <u>Hyalomma aegyptium</u> pinned
	<u>Testudo graeca</u>		<u>Testudo graeca</u>
	Cambridge		Cambridge (52.13 N, 00.08 E), England
	1.X.1909		1.X.1909
	G. Merriman		G. Merriman
N	1297	N	1297
		RML	110137
	<u>Rhipicephalus sanguineus</u> 2♂'s		2 ♂ <u>Rhipicephalus sanguineus</u> pinned
	Dog		Dog
	Cairo, Egypt		Cairo (30.03 N, 31.15 E), Egypt
	10.II.1906		10.II.1906
	Dr. H. Bitter		Dr. H. Bitter

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1298	N	1298
		RML	110138
	<u>Amblyomma hebraeum</u>		7 ♂, 2 ♀ <u>Amblyomma hebraeum</u> pinned
	From Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	1905-1906		1905-1906
	Raised in Cambridge		
N	1299	N	1299 MISSING
	<u>Ixodes canisuga</u> larvae		Cited: Arthur (1963: 91, 92) as <u>I. lividus</u>
	Sandmartin's nest		
	Banks of River Severn		
	Rec'd 5.IV.1911		
	Rec'd from Mr. R.F.L. Burton Longner Hall, Shrewsbury		
N	1300	N	1300
		RML	110139
	<u>Ixodes angustus</u> 1 ♂, 2 ♀'s		1 ♂, 2 ♀ <u>Ixodes angustus</u>
	Squirrel		Squirrel
	Duncan's, British Columbia		Duncan (48.47 N, 123.42 W), British Columbia, Canada
	IX.1910		IX.1910
	S. Hadwen		S. Hadwen

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1301	N	1301
		RML	110140
	<u>Ixodes angustus</u> ♀, N & nymphal skins		1 ♀, nymphal skins <u>Ixodes angustus</u>
	Duncan's British Columbia		Duncan (48.47 N, 123.42 W), British Columbia, Canada
	IX-XI.1910		IX-XI.1910
	Raised by S. Hadwen		Raised by S. Hadwen
N	1302	N	1302
		RML	110141
	<u>Ixodes canisuga</u> ♀'s, N's		5 ♀ <u>Ixodes lividus</u>
	Young sandmartins in 3 nests		<u>Riparia riparia</u> in 3 nests
	Cauldwell Hall Farm, Boyton, Suffolk		Cauldwell Hall Farm, Boyton (52.04 N, 01.28 E), England
	11.VII.1911		11.VII.1911
	G.H.F. Nuttall		G.H.F. Nuttall
	(also whole bird!)		Cited: Nuttall (1916: 326); Arthur (1963: 91); Thompson (1967: 106).
N	1303	N	1303
		RML	110142
	<u>Ixodes canisuga</u> ♂, ♀, N		1 ♂, 6 ♀, 230 L <u>Ixodes lividus</u>
	3 Sandmartins' nest		3 nests of <u>Riparia riparia</u>
	Boyton Hall Farm, Suffolk		Undoubtedly Cauldwell Hall Farm, Boyton (52.04 N, 01.28 E), England
	11.VII.1911		11.VII.1911
	G.H.F. Nuttall		G.H.F. Nuttall
	L's to Prof. Dr. Dahl, Berlin Museum VII.1914. L's to Prof. Dr. S. Schenkling, Deutsches Entomol. Museum VII.1914. L's to Prof. Dr. R. Gestro, Museo Civico di Storia Nat. Genova VII.1914. 1 ♂, 1 ♀, 1 N to Dr. E. Pavlovsky, Leningrad 9.X.1925).		Cited: Nuttall (1916: 326); Arthur (1963: 91,92); Thompson (1967: 106).

ORIGINAL DETERMINATIONCURRENT STATUS

N 1304

N 1304
RML 110143Ixodes canisuga ♂'s, ♀'s14 ♂, 59 ♀, +400 L Ixodes lividus

Sandmartins' nest

Nest of Riparia ripariaBanks of River Severn, Longner
Hall, ShrewsburyBanks of River Severn (51.36 N, 02.38 W),
Longner Hall, Shrewsbury, England

29.VI.1911

29.VI.1911

R.F.L. Burton

R.F.L. Burton

[This nest had been flooded in the winter, it contained at least 100 ticks, the nests contained eggs of birds so the ticks must have fed on adults. Some of this lot preserved, the majority used for raising exp'ts.]
 [2 slides ♂'s teased spermatophore mounted in balsam.]

One vial of I. lividus eggs in a separate jar labeled "Eggs".
 Slides missing.
 Cited: Nuttall (1916: 326).
 Cited twice by Arthur (1963) on p. 91 and a third time on p. 92; Thompson (1967: 106).

1 ♂ to Prof. R. Matheson, Cornell
27.V.1929

ORIGINAL DETERMINATIONCURRENT STATUS

N 1305a, b

N 1305a, b

RML 110144

- (a) Hyalomma aegyptium 4 ♀ gorged
 (b) Rhipicephalus bursa ♀ gorged

- (a) 4 ♂, 22 ♀, 180 N, 90 L in alcohol
 plus 42 ♂, 178 ♀, cast N skins in vials
 of dry specimens, Hyalomma marginatum
 (b) 359 ♂, 355 ♀, 152 N, ± 500 L
 (unengorged), 179 L (engorged)
Rhipicephalus bursa

Sheep

Sheep

Haamam-Meskoutine, Algeria

Hammam Meskoutine (36.27 N, 07.16 E)
 AlgeriaSent alive for raising expts
 11.VI.1911Sent alive for raising expts
 11.VI.1911

Paul Dechabert

Paul Dechabert

(Parents of Nos. 1556, 1557, 1558,
 & 1559 respectively)

- (a) 1 ♂, 1 ♀ to Prof. Jules Bordet
 Bruxelles, Belgium 30.VI.1920.
 2 ♂, 2 ♀ to Prof. Sadeo Yoshida at
 Cambridge, 21.XII.1920.
 2 ♂, 2 ♀ to P. A. Buxton at
 Cambridge 10.II.1921.
 2 ♂, 2 ♀ to Prof. Dr. D. A. deYong
 at Cambridge, 8.IV.1921.
 2 ♂, 2 ♀ to Prof. G. Hedger-Wallace,
 U. of Wales Cardiff 1921.
 2 ♂, 2 ♀ to Dr. S. H. Daukes, Wellcome
 Bureau London 9.I.1924.
 All stages to Prof. R. A. Cooley,
 Montana V.1928.
 1 ♂, ♀'s to Prof. E. Malvoz, Liège
 30.V.1929.
 N's, L's to R. W. Mettam, Weybridge
 IV.1931.
 N's, L's to H. S. Purchase IV.1931.
 2 ♂, 2 ♀ to Prof. D'Arcy Thompson
 XI.1931.
 2 ♂, 2 ♀ to Prof. R. Matheson,
 Cornell 27.V.1929.
 1 ♂, 1 ♀ to Dr. S. Hadwen, British
 Columbia, Canada 10.X.1913.
 1 ♂ 1 ♀, N's, L's to Dr. Lajos Gozony,
 Univ. Budapest, Hungary 23.VI.1914.

The specimens listed above are in numerous vials. In addition there are the following specimens from 1305a glued on a card in the pinned specimen box - "Raised in Cambridge on ram. Gorged nymphs operated 1.VI.1915 immediately after they dropped off. Parts amputated and cast nymphal skins mounted on slides correspondingly numbered. All show perfect regeneration of legs, parts of which were cut off in nymphs Ticks 11 (left 3 leg) 12 (4 1) 13 (2 & 3 1) 14 (1 1) 15 (2 1) 16 (1 & 2 1) 17 (1234 left side). G.H.F. Nuttall 1.VII.1915.

- (a & b) cited: Nuttall (1915: 436, 438)
 (a) Hoogstraal (1956a: 515).
 Most of the collections were raised on rams in Cambridge although some portions of the life-cycle studies were reared on hedgehogs and calves.
 (b) also contains 2 vials of eggs in a separate jar marked Eggs.
 (b) 1 N of this collection now in the RML collection.

See also Nuttall 1556-1559.

1 ♀, 6 N, 105 L given to Professor Cooley
 are now in the RML collection.

ORIGINAL DETERMINATIONCURRENT STATUS

- N 1305a (Cont.)
- N's & L to Prof. Dr. Dahl, Berlin
Museum VII.1914.
- N's & L to Prof. Dr. Schenkling,
Deutsches Entomol. Museum VII.1914.
- N's & L to Prof. Dr. Gestro, Museu
Civico di Storia Nat Genova VII.1914.
- 1 ♂, 1 ♀ to Launcelot Harrison,
Australia 9.V.1919.
- 1 ♂, 1 ♀ to Prof. M. Jesus Maynar
Zaragoza Spain 10.V.1919.
- 1 ♂, 1 ♀ to Prof. Poulton Oxford
26.V.1919.
- 1 ♂, 1 ♀ to Prof. E. Hindle, Cambridge
24.IX.1919.
- 1 ♂, 1 ♀ to Maj. Lothian, Sch. Hygiene
Blackpool 25.IX.1919.
- 1 ♂, 1 ♀ to Dr. J. Gordon Thompson
Long. Sch. Trop. Med. 8.I.1920.
- 1 ♂, 1 ♀ to Dr. R. W. Hegner, Johns
Hopkins, Baltimore 8.III.1920.
- 1 ♂, 1 ♀ to Dr. R. J. Tillyard Nelson,
N.Z. VI.1920.
- 1305b
- ♂'s, ♀'s to Prof. Wheeler, Boston,
Mass. 20.II.1915.
- ♂'s, ♀'s to Launcelot Harrison,
Australia 9.V.1919.
- ♂'s, ♀'s to Prof. Jesus Maynar
Zaragoza, Spain 10.V.1919.
- ♂'s, ♀'s to Prof. Poulton, Oxford 26.V.1919.
- ♂'s, ♀'s to Prof. E. Hindle, Cambridge
24.IX.1919.
- ♂'s, ♀'s to Maj. Lothian, Sch. Hygiene
Blackpool 25.IX.1919.
- 1 ♂, 1 ♀ to Maj. J. E. M. Boyd
Cambridge 20.XII.1919.
- 1 ♂, 1 ♀ to Dr. R. W. Hegner
Johns Hopkins, Baltimore 8.III.1920.
- 1 ♂, 1 ♀ to Dr. R. J. Tillyard
Nelson N.Z. VI.1920.
- 1 ♂, 1 ♀ to Prof. Jules Bordet
Bruxelles Belgium 30.VI.1920.
- 2 ♂, 2 ♀ to Prof. Sadeo Yoshida
at Cambridge 21.XII.1920.
- 2 ♂, 2 ♀ to P. A. Buxton at Cambridge
10.II.1921.

ORIGINAL DETERMINATIONCURRENT STATUS

N 1305b (Cont.)

2 ♂, 2 ♀ to Prof. Dr. D. A. de Yong
at Cambridge 8.IV.1921.

2 ♂, 2 ♀ to Dr. G. Hedger-Wallace
Univ. Wales Cardiff 1921.

2 ♂, 2 ♀ to Dr. S. H. Daukes
Wellcome Bureau London 9.I.1924.

♂'s, ♀'s to Dr. E. Pavlovsky
Leningrad 9.X.1925.

1 ♂, 2 ♀ to Prof. E. Malvoz
Liege 30.V.1929.

2 ♂, 2 ♀ to Prof. D'Arcy Thompson
XI.1931.

2 ♂, 2 ♀ to Prof. R. Matheson
Cornell 27.V.1929.

1305a & b

1 ♂, 1 ♀ to Dr. E. Roubaud, Inst.
Pasteur Paris 12.X.1922.

1 ♂, 1 ♀ to Prof. J. Hjort, Univ.
Christiania Norway 12.X.1922.

1 ♂, 1 ♀ to Dr. A. Watkins
Pitchford Army Vet. Sch.

Thornhill, Aldershot 12.X.1922.

1 ♂, 1 ♀ to L. P. W. Renouf
Univ. College Cork Ireland 12.X.1922.

1 ♂, 1 ♀ to W. A. Pool, Indian Civil
Veterinary Dept. 12.X.1922.

1 ♂, 1 ♀ to Dr. Wm. Parry Morgan
Publ. Hlth. Lab. Cardiff, Wales 12.X.1922.

1 ♂, 1 ♀ to J. E. M. Mellor
Malvern College, Malvern 16.X.1922.

1 ♂, 1 ♀ to Prof. A. Bettencourt
Inst. Camara Pestana Lisbon 7.XI.1922.

1 ♂, 1 ♀ to Prof. E. Brumpt École Médecine
Paris 12.X.1922.

1 ♂, 1 ♀ to I. C. Ross, Univ. of
Sydney, Australia.

2 ♂, 2 ♀ to Prof. J. Drbohlav
Prague 30.V.1929.

2 ♂, 2 ♀ to Dr. A. C. Reed
San Francisco 30.V.1929.

ORIGINAL DETERMINATION

N 1306a-d

- (a) Boophilus microplus ♂'s
- (b) Boophilus microplus ♀'s
1/2 gorged and gorged
- (c) Boophilus microplus ♀'s unfed
to replete
- (d) Boophilus microplus N's

Bos taurus

Manguinhos, Rio de Janeiro

22.VI.1911

Sent by H. Aragão on 23.VI.1911

He writes he considers the tick a
good species and not merely a
variety of B. annulatus

CURRENT STATUS

N 1306a-d

RML 110145

- (a) 46 ♂, 2 ♀ Boophilus microplus
- (b) 38 ♀ Boophilus microplus
- (c) 17 ♀ Boophilus microplus
- (d) 12 N Boophilus microplus

Bos taurusManguinhos (21.24 S, 41.00 W),
Estado do Rio de Janeiro, Brazil

22.VI.1911

Sent by H. Aragão on 23.VI.1911

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1307	N	1307
		RML	57221
	<u>Ixodes putus</u>		8 ♂, 63 ♀, 84 N, 71 L <u>Ixodes uriae</u>
	In and about guillemot's nests creeping about (unfed ♀'s) on rocks and upon our persons.		In and about guillemot's nests creeping about (unfed ♀'s) on rocks and upon our persons.
	Cliff ledges, Worms Head, Gower Glamorganshire, S. Wales		Cliff ledges, Worms Head (51.34 N, 04.20 W), Gower, Glamorganshire, Wales
	2.VII.1911		2.VII.1911
	G.H.F. Nuttall		G.H.F. Nuttall
	N.B. This lot is being used for raising expt's - most of the ticks being kept alive.		One vial of eggs is in a jar marked "Eggs". The specimens sent to F. C. Bishopp (Bishopp 3233) are now in the RML collection. The BMNH general collection also has 1 ♂, 1 ♀ from 1307 (acc no. 13.2.12.1-4) Cited: Nuttall (1912: 60) (1916: 330); Thompson (1957: 214).
	1 ♂, 1 ♀, 1 N, 1 L to F.C. Bishopp. 1 ♀ to N.Y. National Museum 18.IV.1913. 1 N to Prof. Dr. Dahl, Berlin Museum VII.1914. 1 N to Prof. Dr. Schenkling, Deutsches, Entomol. Mus. VII.1914. 1 N to Prof. Dr. R. Gestro Museo Civico di Storia Nat. Genova VII.1914.		
N	1308	N	1308
		RML	110146
	<u>Ixodes ricinus</u> ♀'s		8 ♀ <u>Ixodes ricinus</u>
	Cattle with redwater		Cattle with redwater
	Athlone, Ireland		Athlone (53.26 N, 07.57 W), Ireland
	Rec'd. 28.IV and 3.V.1911		Rec'd 28.IV and 3.V.1911
	H. W. Percy		H. W. Percy
	Ticks preserved after they had ceased ovipositing (Raising expt's & for infection of cattle; pickled 6.VII.1911 G.H.F.N.)		Cited: Nuttall (1916: 332).

Ticks received back from the Entomological Research Committee (Tropical Africa)
London S.W. 15 July 1911. (Report No. 18)

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1309	N 1309
		RML 66881
	<u>Rhipicephalus capensis</u> ♂'s, ♀'s	1 ♂, 2 ♀ <u>Rhipicephalus compositus</u> 1 ♂, 2 ♀ <u>Rhipicephalus hurti</u>
	Cattle	Cattle
	Uhehe District, German East Africa	Utete Forest Reserve (08.01 S, 38.44 E), Tanzania
	3.XII.1910	3.XII.1910
	S. A. Neave	S. A. Neave
	1 ♂, 1 ♀ to Prof. R. A. Cooley, Montana V. 1928	The specimens sent to Prof. Cooley, 1 ♂, 2 ♀ <u>Rhipicephalus hurti</u> are now in the RML collection
N	1310	N 1310 MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s	
	Cattle	
	Utengub, German East Africa	
	23.XI.1910	
	S. A. Neave	
N	1311	N 1311 MISSING
	<u>Rhipicephalus neavei</u> 2 ♂, 1 ♀	
	Bush-pig (<u>Potamochoerus</u> <u>chaeropotamus</u>)	
	Niamidzi River, Luangwa Valley, N.E. Rhodesia	
	VIII.1910	
	S. A. Neave	

ORIGINAL DETERMINATIONCURRENT STATUS

N 1312 N 1312 MISSING

Ornithodoros moubata ♂, N

"In huts of Angoni workers on
Thompson's Cotton Plantation"

Near Cherteka's Luangwa River,
N.E. Rhodesia

10.IX.1910

S. A. Neave

N 1313 N 1313 MISSING

Rhipicephalus neavei 3 ♂, 3 ♀

Eland

Near mouth of Lasangazi River,
Luangwa Valley, N.E. Rhodesia

1.IX.1910

S. A. Neave

N 1314 N 1314

RML 110147

Rhipicephalus appendiculatus 3 ♂,
3 ♀

3 ♂, 3 ♀ Rhipicephalus sp.

Roan antelope

Hippotragus equinus

Upper Luangwa River, N.E. Rhodesia

Upper Luangwa River (vicinity of 10.30 S,
33.00 E), Zambia

7.VIII.1910

7.VIII.1910

S. A. Neave

S. A. Neave

This is Rhipicephalus sp. II of Yeoman
& Walter (1967).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1315		N	1315
			RML	110148
	<u>Amblyomma petersi</u>			1 ♀ <u>Amblyomma rhinocerotis</u>
	Off grasses			Off grasses
	Upper Luangwa Valley, N.E. Rhodesia			Upper Luangwa Valley (11.55 S, 32.10 E), Zambia
	6.VIII.1910			6.VIII.1910
	S. A. Neave			S. A. Neave
				Cited: Robinson (1926: 264).
N	1316		N	1316
			RML	110149
	<u>Aponomma exornatum</u> 2 ♂, 1 ♀			2 ♂, 1 ♀ <u>Aponomma flavomaculatum</u>
	Iguana			Iguana
	Offa, S. Nigeria			Either Offa (07.58 N, 04.19 E), or Offa (08.09 N, 04.43 E), Nigeria
	2.XI.1910			2.XI.1910
	R. C. Hiscock			R. C. Hiscock
				The nymph is a teratological specimen with 4 legs on the right side and 3 legs on the left.
N	1317		N	1317
			RML	110150
	<u>Aponomma exornatum</u> 2 ♂, 1 ♀, 1 N			2 ♂, 1 ♀, 1 N <u>Aponomma flavomaculatum</u>
	Iguana			Iguana
	Offa, S. Nigeria			Offa (07.58 N, 04.19 E), Nigeria
	29.IX.1910			29.IX.1910
	R. C. Hiscock			R. C. Hiscock

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1318, a (1318) <u>Amblyomma tholloni</u> 2 ♂, 2 ♀ (a) <u>Rhipicephalus maculatus</u> 2 ♀ Elephant Chiromo, Nyasaland, B.E. Africa XII.1910 H. S. Stannus	N 1318, a RML 110151 (1318) 2 ♂ <u>Amblyomma tholloni</u> (a) 2 ♀ <u>Rhipicephalus maculatus</u> <u>Loxodonta africana</u> Chiromo (16.33 S, 35.08 E), Malawi XII.1910 H. S. Stannus (1318) Cited: Robinson (1926: 253).
N	1319 <u>Ornithodoros moubata</u> 3 Bua River, Marimba, B.E. Africa 1910 H. S. Stannus	N 1319 MISSING
N	1320 <u>Dermacentor rhinocerotis</u> 2 ♂, 2 ♀ ? Nyasaland 1910 J. E. S. Old No data in tube	N 1320 RML 110152 1 ♂, 2 ♀ <u>Dermacentor rhinocerinus</u> ? Malawi 1910 J. E. S. Old
N	1321 <u>Hyalomma aegyptium</u> 3 ♂, 3 ♀ Roan antelope Mpala River, Marimba, Nyasaland, B.E. Africa 1.I.1911	N 1321 MISSING

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1322		N	1322
			RML	110153
	<u>Rhipicephalus falcatus</u> 2 ♂, 2 ♀			2 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Roan antelope			<u>Hippotragus equinus</u>
	Mpalali River, Marimba, Nyasaland			Probably Mpala River, now known as Mipala River (15.55 S, 35.16 E), Malawi
	1.I.1911			1.I.1911
	J. E. S. Old			J. E. S. Old
N	1323		N	1323 MISSING
	<u>Ixodes pilosus</u> ♀			
	Roan antelope			
	Mpalali River, Marimba, Nyasaland			
	1.I.1911			
	J. E. S. Old			
N	1324		N	1324
			RML	110154
	<u>Rhipicephalus coriaceus</u> 6 ♂, 2 ♀			5 ♂, 1 ♀ <u>Rhipicephalus supertritus</u>
	Roan antelope			<u>Hippotragus equinus</u>
	Mpalali River, Marimba, Nyasaland			Probably Mpala River, now known as Mipala River, (15.55 S, 35. 16 E), Malawi
	B.E. Africa			
	I.1911			I.1911
	J. E. S. Old			J. E. S. Old

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1325		N	1325	
			RML	110155	
	<u>Amblyomma variegatum</u> gorged larvae			128 L <u>Amblyomma variegatum</u>	
	Goat			Goat	
	Blantyre, Nyasaland, B.E. Africa			Blantyre (15.47 S, 35.00 E), Blantyre District, Malawi	
	18.V.1910			18.V.1910	
	J. E. S. Old			J. E. S. Old	
N	1326		N	1326	
			RML	110156	
	<u>Rhipicephalus pulchellus</u> ♂'s, ♀'s, N's & 2 larvae (gorged)			2 ♂, 2 ♀, 3 N <u>Rhipicephalus pulchellus</u>	
	Loke's (sic.) Hartebeeste			Coke's Hartebeest (<u>Alcelaphus buselaphus cokii</u>)	
	Thikar, Fort Hall Rd., Nairobi, Brit. E. Africa			Thikar, Fort Hall Road, Nairobi (01.17 S, 36.49 E), Kenya	
	29.I.1911			29.I.1911	
	S. A. Neave			S. A. Neave	
N	1327		N	1327	
			RML	110157	
	<u>Haemaphysalis leachi</u> 4 ♂'s			3 ♂ <u>Haemaphysalis leachi</u>	
	Off tall grass			Off tall grass	
	Zomba, Nyasaland, B.E. Africa			Zomba (15.23 S, 35.20 E), Zomba District, Malawi	
	7.II.1911			7.II.1911	
	A.M.D. Turnbull			A.M.D. Turnbull	
				Cited: Nuttall & Warburton (1915: 471).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1328	N	1328
		RML	110158
	<u>Rhipicephalus pulchellus</u> ♂'s		10 ♂ <u>Rhipicephalus pulchellus</u> Pinned specimens
	"Wilde beeste"		<u>Connochaetes taurinus</u>
	Simba, Uganda Railway, B.E. Africa		Simba (02.10 S, 37.36 E), Kenya
	8.IV.1911		8.IV.1911
	S. A. Neave		S. A. Neave
			The railway mentioned is the Mombasa-Victoria (Uganda) Railway
N	1329	N	1329
		RML	110159
	<u>Rhipicephalus pulchellus</u> ♀'s		7 ♀ <u>Rhipicephalus pulchellus</u>
	"Wilde beeste"		<u>Connochaetes taurinus</u>
	Simba, Uganda Railway, B.E. Africa		Simba (02.10 S, 37.36 E), Kenya
	8.IV.1911		8.IV.1911
	S. A. Neave		S. A. Neave
N	1330	N	1330
		RML	110160
	<u>Rhipicephalus pulchellus</u> 6 ♂, 6 ♀		5 ♂, 5 ♀ <u>Rhipicephalus pulchellus</u>
	Off grasses		Off grasses
	Simba, Uganda Railway, B.E. Africa		Simba (02.10 S, 37.36 E), Kenya
	9.IV.1911		9.IV.1911
	S. A. Neave		S. A. Neave
	1 ♂, 1 ♀ to J. deMeza Zomba, Nyasaland, 19.II.1916		The above total includes 3 ♀ specimens pinned

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1331	N	1331
		RML	110161
	<u>Rhipicephalus pulchellus</u> 4 ♂, 4 ♀		2 ♂, 2 ♀ <u>Rhipicephalus pulchellus</u>
	Off grasses		Off grasses
	Makindu, Uganda Railway, B.E. Africa		Makindu (02.17 S, 37.49 E), Kenya
	5-7.IV.1911		5-7.IV.1911
	S. A. Neave		S. A. Neave
N	1332	N	1332
		RML	110163
	<u>Dermacentor rhinocerotis</u> 2 ♀		2 ♀ <u>Dermacentor rhinocerinus</u>
	Off grasses		Off grasses
	Makindu, Uganda Railway, B.E. Africa		Makindu (02.17 S, 37.49 E), Kenya
	5-7.IV.1911		5-7.IV.1911
	S. A. Neave		S. A. Neave
N	1333	N	1333
		RML	110164
	<u>Rhipicephalus pulchellus</u> ♂'s, ♀'s		4 ♂, 2 ♀ <u>Rhipicephalus pulchellus</u>
	Off grasses		Off grasses
	Simba, Uganda Railway, B.E. Africa		Simba (02.10 S, 37.36 E), Kenya
	8.IV.1911		8.IV.1911
	S. A. Neave		S. A. Neave

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1334		N	1334
			RML	110165
	<u>Rhipicephalus pulchellus</u> 5 ♂, 5 ♀			4 ♂, 4 ♀ <u>Rhipicephalus pulchellus</u>
	"Impala"			<u>Aepyceros melampus</u>
	Makindu, B.E. Africa			Makindu (02.17 S, 37.49 E), Kenya
	6.IV.1911			6.IV.1911
	S. A. Neave			S. A. Neave
	1 ♂, 1 ♀ to Dr. S. Hadwen, Brit. Columbia, Canada, 10.X.1913			Above total includes 3 ♀ specimens pinned
N	1335		N	1335
			RML	110166
	<u>Rhipicephalus pulchellus</u> ♂'s, ♀'s			4 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u>
	"Cope's" (sic.) Hartebeeste			Coke's Hartebeest. (<u>Alcelaphus</u> <u>buseleaphus cokii</u>)
	Makindu, B.E. Africa			Makindu (02.17 S, 37.49 E), Kenya
	5.IV.1911			5.IV.1911
	S. A. Neave			S. A. Neave
	1 ♂, 1 ♀ to Dr. J. G. Parham, Portuguese East Africa, 18.IV.1913. 1 ♂, 1 ♀ to N.Y. National Museum, 18.IV.1913			
N	1336		N	1336
			RML	110167
	<u>Rhipicephalus pulchellus</u> ♂'s, ♀'s			2 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u>
	Off grasses			Off grasses
	Mtito Andei, Uganda Railway, B.E. Africa			Mtito Andei (02.41 S, 38.10 E), Kenya
	27.III.1911			27.III.1911
	S. A. Neave			S. A. Neave

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1337	N	1337
		RML	110168
	<u>Dermacentor rhinocerotis</u> ♂ ♀		1 ♂, 1 ♀ <u>Dermacentor rhinocerinus</u>
	Off grasses		Off grasses
	Mtito Andei, Uganda Railway B.E. Africa		Mtito Andei (02.41 S, 38.10 E), Kenya
	27.III.1911		27.III.1911
	S. A. Neave		S. A. Neave
N	1338	N	1338
		RML	110169
	<u>Amblyomma petersi</u> 1 ♀		1 ♀ <u>Amblyomma rhinocerotis</u>
	Off grasses		Off grasses
	Kibwezi, Uganda Railway, B.E. Africa		Kibwezi (02.25 S, 37.58 E), Kenya
	27.III.1911		2-4.IV.1911
	S. A. Neave		S. A. Neave
			Cited: Robinson (1926: 264) but without Nuttall number. Vial label date differs from date in catalogue.
N	1339	N	1339 MISSING
	<u>Ixodes</u> sp. 3 N		
	<u>Crocidura</u> sp. (skin No. 235)		
	E. of foot of Aberdare Mts. B.E. Africa		
	26.II.1911		
	S. A. Neave		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1340	N	1340 MISSING
	<u>Haemaphysalis</u> sp. 1 N		
	Mouse (skin No. 238)		
	W. foot of Aberdare Mts., B.E. Africa		
	1.III.1911		
	S. A. Neave		
N	1341	N	1341 MISSING
	<u>Ixodes</u> sp. 1 N		
	Mouse (skin No. 238)		
	W. foot of Aberdare Mts., B.E. Africa		
	1.III.1911		
	S. A. Neave		
N	1342	N	1342
		RML	110170
	<u>Dermacentor rhinocerotis</u> ♂'s, ♀'s		4 ♂, 3 ♀ <u>Dermacentor rhinocerinus</u>
	Off grasses		Off grasses
	Ngara, Nyasaland, B.E. Africa		Ngara (10.14 S, 34.07 E), Koronga District, Malawi
	4.I.1911		4.I.1911
	J. E. S. Old		J. E. S. Old
	1 ♂, 1 ♀ to Dr. Lajos Gazony, Univ. Budapest, Hungary, 23.VI.1914		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1343	N	1343
		RML	110171
	<u>Dermacentor rhinocerotis</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Dermacentor rhinocerinus</u>
	Off grass (rhinoceros seen nearby)		Off grass (rhinoceros seen nearby)
	Mpalale, Nyasaland, B.E. Africa		Mpalale, Malawi (locality not verified)
	3.I.1911		3.I.1911
	J.E.S. Old		J. E. S. Old
			1 ♂, 1 ♀ of the above total mounted on a slide.
			The spelling of the locality on the vial label is Mpalali. A possible locality is Mpali Estate (13.24 S, 33.37 E).
N	1344	N	1344
		RML	110172
	<u>Amblyomma variegatum</u> 2♀		2 ♀ <u>Amblyomma variegatum</u>
	Buffalo		<u>Syncerus caffer</u>
	Tero Forest, B.E. Africa		Tero Forest (00.50 S, 31.40 E), District of Buganda, Uganda
	20.VIII.1909		20.VIII.1909
	C. C. Gowdey		C. C. Gowdey
N	1345	N	1345 MISSING
	<u>Amblyomma variegatum</u> 1 ♂'s		
	Elephant		
	Tero Forest, Uganda, B.E. Africa		
	20.VII.1909		
	C. C. Gowdey		

Ticks received from the Indian Museum, Calcutta, India (per Dr. N. Annandale), 4.VII.1911. Determined by Mr. C. Warburton, &, being common species, they have all been returned:-

- 1114 Rhip. haemaphysaloides off Cervulus muntjae, Malwa Tal
17. (3,600 ft), Kumaun, W. Himalayas, 7.V.1911. S. Kemp
- 1115 Boo. australis, ♂'s & ♀'s, from cattle farm, Navy Bay, Andamans,
17. India, 6.IV.1911. O. Paiva
- 1116 Boo. australis, ♀'s from cattle farm, Navy Bay, Andamans, O. Paiva
17. India, 6.IV.1911.
- 1117 Haem. bispinosa. ♂, off ?, Caunter, Panvel, Bombay, India
17. 15.II.1911.
- 1118 R. sanguineus ♂
17. Haem. bispinosa ♂ off dog, Ross, Andamans, India, 23.III.1911. O. Paiva
- 1119 Rhip. sanguineus "probably from Pariah dog on wall of bungalow," Pusa,
17. Bengal, India, 31.III.-4.IV.1911. F.H.G.
- 1121 Rhip. sanguineus ♂ & ♀, off dog, Calcutta, India, 23.V.1911.
17.
- 1122 Argas persicus ? larvae, off common Indian crow (Corvus splendens),
Calcutta, India, 1911.

TM

1. Hyal. aegyptium ♀, off bullock, Nagercoil, India, XII.1910.

TM

- 1a. Hyal. aegyptium ♀, Ditto.

TM

2. Hyal. aegyptium ♀, " .

TM

3. Haem. bispinosa ♀, " .

TM

4. Haem. bispinosa ♀, " .

TM

5. Haem. bispinosa ♀, " .

TM

6. Haem. bispinosa ♀, " .

TM

7. Hyal. aegyptium ♂, " .

TM

9. Hyal. aegyptium ♂, " .

TM

10. Hyal. aegyptium ♂, " .

- TM
11. Hyal. aegyptium ♂, " .
12. Hyal. aegyptium ♂, " .

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1346	N 1346
		RML 110173
	<u>Argas persicus</u> larvae	6 L <u>Argas</u> sp.
	Common Indian crow (<u>Corvus splendens</u>)	Common Indian crow (<u>Corvus splendens</u>)
	Calcutta, India	Calcutta (22.32 N, 88.22 E), India
	1911	1911
	(Ex Indian Mus. Coll. 1122, 17)	
N	1347	N 1347
		RML 110174
	<u>Ixodes hexagonus</u> ♀ (gorged)	1 ♀ <u>Ixodes hexagonus</u>
	Rat	<u>Rattus norvegicus</u>
	Killed in a hedge, Brampton, Norfolk	Brampton (52.46 N, 01.17 E), Norfolk, England
	Hammond	Hammond
	Presented by C. Warburton, VI.1911	<u>Rattus norvegicus</u> is undoubtedly the correct host for this tick. In England, the black rat, <u>Rattus rattus</u> , is confined to port areas. Cited: Nuttall (1916; 327).

Ticks received from Mr. S. H. Gaiger of the Civil Veterinary Department, Punjab Veterinary College, Lahore, India, 23 July, 1911.

Hyal. aegyptium, ♂'s ♀'s, off camels, Lahore, Punjab, India. Date ?

Hyal. aegyptium, ♂'s ♀'s & N's, off horses, Kathgodown, India. Date ? 1910.

Hyal. aegyptium, N's, off horse, Lahore, India, 1908.

Hyal. aegyptium, ♂'s, & ♀'s, off camels, Lahore, India, 1908.

Hyal. aegyptium, larvae, off horse, India, 1908.

Hyal. aegyptium, N's, off horse, India, 1908.

Hyal. aegyptium, ♂ & ♀'s, off goat, Kathgodown, India, ? 1908.

Rhip. sanguineus, ♂'s ♀'s, off cattle, Lahore, Punjab, India, date ?

Rhip. sanguineus, ♂'s, ♀'s, & N's, off dogs, Kathgodown, India. ? 1908.

Rhip. sanguineus, ♂ ♀'s, off dog, Balaghat, Central Provinces, India, 1908.

Rhip. sanguineus, larvae, 1907. No data.

Hyalomma aegyptium, ♂'s & ♀'s, off cow, Kathgodown, India, ? 1908.

Bos. australis 2 ♀'s Ditto. (from same tube).

Bos. australis N's, off ? Muktesar, India, date ?.

Argas persicus, 1 gorged larva. No data in tube.

Argas persicus, eggs, 1908. No data. (India).

Bos. australis ♂'s, off hill bull, Muktesar, Naini Tal District, India, 1907.

Rhipicephalus sp. ? larvae. No data.

Rhipicephalus sp. ? eggs. Ditto.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1348	N	1348
		RML	110175
	<u>Boophilus australis</u> ♂'s, ♀'s		5 ♂, 7 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Muktesar, Naini Tal District, India		Mukteswar (29.29 N, 79.39 E), India
	1908		1908
	S. H. Gaiger		S. H. Gaiger
N	1349	N	1349
		RML	110176
	<u>Argas persicus</u>		1 ♂, 11 N <u>Argas persicus</u>
	The Zoo, Lahore, India		The Zoo, Lahore (31.35 N, 74.18 E), Pakistan
	1908		1908
	S. H. Gaiger		S. H. Gaiger
N	1350	N	1350
		RML	110177
	<u>Amblyomma hebraeum</u> adults & unfed larvae		116 L <u>Amblyomma hebraeum</u>
	Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	Rec'd IV.1905 and again III.1906		Rec'd IV.1905 & again III.1906
	Rec'd from Mr. C. P. Lounsbury		Rec'd. from Mr. C. P. Lounsbury
	[9 slides ♂'s, ♀'s, N's mounted in balsam]		Slides missing. The general tick collection of the BMNH contains six larvae from N 1350. Cited: Robinson (1926: 107).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1351	N	1351
		RML	110178
<u>Amblyomma hebraeum</u> gorged larvae	Cape Colony, South Africa	7 L <u>Amblyomma hebraeum</u>	Cape Colony, Republic of South Africa
Rec'd IV.1905 & again III.1906	Rec'd IV.1905 & again III.1906		
Rec'd from Mr. C. P. Lounsbury	Rec'd from Mr. C. P. Lounsbury		
2 slides & 1 of ♀		Slides missing. The general tick collection of the BMNH contains two larvae from N 1351.	
N	1352	N	1352
		RML	110179
<u>Amblyomma hebraeum</u> gorged nymphs	Cape Colony, Africa	1 N <u>Amblyomma hebraeum</u>	Cape Colony, Republic of South Africa
Rec'd IV.1905 & III.1906	Rec'd IV.1905 & III.1906		
Rec'd from Mr. C. P. Lounsbury	Rec'd from Mr. C. P. Lounsbury		
		The general tick collection of the BMNH contains one nymph from N 1352	
N	1353	N	1353
		RML	110180
<u>Amblyomma hebraeum</u> unfed nymphs	Cape Colony, S. Africa	16 N <u>Amblyomma hebraeum</u>	Cape Colony, Republic of South Africa
Rec'd 23.XII.1907	Rec'd 23.XII.1907		
Rec'd from Mr. C. P. Lounsbury	Rec'd from Mr. C. P. Lounsbury		
		The general tick collection of the BMNH contains three nymphs from N 1353	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1354	N 1354 MISSING
	<u>Amblyomma hebraeum</u> 1 ♂, 3 ♀	
	East London, S. Africa	
	Rec'd 3.IV.1905	
	Rec'd from Dr. Williamson	
	Rec'd dead	
N	1355	N 1355
		RML 110181
	<u>Amblyomma hebraeum</u> 4 ♀'s	2 ♀ <u>Amblyomma hebraeum</u>
	East London, S. Africa	East London (33.02 S, 27.55 E), Republic of South Africa
	Rec'd 3.IV.1905	Rec'd 3.IV.1905
	Rec'd from Dr. Williamson	Rec'd from Dr. Williamson
	Rec'd dead	Cited: Robinson (1926: 107).
N	1356	N 1356
		RML 110182
	<u>Amblyomma hebraeum</u> ♂'s	18 ♂ <u>Amblyomma hebraeum</u>
	East London, S. Africa	East London (33.02 S, 27.55 E), Republic of South Africa
	Rec'd 3.IV.1905	Rec'd 3.IV.1905
	Rec'd from Dr. Williamson	Rec'd from Dr. Williamson
	Rec'd dead	Cited: Robinson (1926: 107).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1357	N	1357
		RML	113745
	<u>Amblyomma hebraeum</u> ♂		2 ♂ <u>Amblyomma hebraeum</u>
	East London, S. Africa		East London (30.02 S, 27.55 E), Republic of South Africa
	Rec'd 1.V.1905		Rec'd 1.V.1905
	Rec'd from Dr. Williamson		Rec'd from Dr. Williamson
N	1358	N	1358
		RML	110183
	<u>Ixodes tenuirostris</u> 2 ♀'s		2 ♀ <u>Ixodes trianguliceps</u>
	Rat (No. 6536)		<u>Rattus norvegicus</u>
	Bank, Prike's farm, Dedham, Essex		Prike's farm, Dedham (51.57 N, 00.59 E), Essex, England
	16.X.1911		16.X.1911
	G. Merriman		G. Merriman
	G.H.F. Nuttall det.		See remark under N 1347. Cited: Nuttall (1916: 333); Thompson (1968: 148); Thompson & Knowles (1968: 193).
N	1359	N	1359
		RML	110184
	<u>Ixodes tenuirostris</u> 1 ♀		1 ♀ <u>Ixodes trianguliceps</u>
	Rat (No. 3591)		<u>Rattus norvegicus</u>
	Hedgebank, Ashford farm, Rendham, Suffolk		Ashford farm, Rendham (52.14 N, 01.26 E), Suffolk, England
	28.IX.1911		28.IX.1911
	C. Strickland		C. Strickland
	G.H.F.N. det.		See remarks under N 1347. The 3 ♀ <u>I. trianguliceps</u> (N 1358, 1359) are undoubtedly the specimens referred to by Strickland & Merriman (1913: 16). Both collections cited by Nuttall (1916: 333); Thompson (1968: 148).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1360		N	1360	
			RML	110185	
	<u>Ixodes hexagonus</u> 1 ♀			1 ♂ <u>Ixodes hexagonus</u>	
	Dog			Dog	
	Whitehouse farm, Parham, Suffolk			Whitehouse farm, Parham (52.12 N, 01.22 E), Suffolk, England	
	3.X.1911			3.X.1911	
	C. Strickland			C. Strickland	
	G.H.F.N. det.			Cited: Nuttall (1916: 327).	
N	1361		N	1361	
			RML	110186	
	<u>Ixodes angustus</u> 2 ♂, & 2 nymphal cases			2 ♂, N skins <u>Ixodes angustus</u>	
	Mt. Lehman, British Columbia			Mt. Lehman (49.07 N, 122.23 W), British Columbia, Canada	
	Rec'd 17.X.1911			Rec'd 17.X.1911	
	Rec'd from S. Hadwen			Rec'd from S. Hadwen	
	Gorged 28.VI.1911; hatched 24.VII.1911				
N	1362		N	1362	
			RML	110187	
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s			4 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>	
	(Host not recorded but probably dogs)			(Host not recorded but probably dogs)	
	Baghdad, Turkey			Baghdad (33.21 N, 44.25 E), Iraq	
	? 1910			? 1910	
	Dr. C. M. Wenyon			Dr. C. M. Wenyon	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	None	N	None MISSING
	<u>Ixodes canisuga</u> 3 ♀'s		
	Young fox-hound		
	Gibside, Co. Durham		
	1911		
	R. S. Bagnall		
	Returned specimen		
N	1363	N	1363
		RML	110188
	<u>Ixodes caledonicus</u> 1 ♀		1 ♀ <u>Ixodes caledonicus</u>
	Starling's head		<u>Sturnus vulgaris</u>
	Sunderland, England		Sunderland, (54.54 N, 01.22 W) England
	4.VI.1908		4.VI.1908
	Mr. Duthrie		Mr. Duthrie
	Rec'd from Mr. R. S. Bagnall Penshaw Lodge, Penshaw, Co. Durham (G.H.F. Nuttall det.)		Cited: Nuttall (1916: 325). Richard Siddoway Bagnall (1889-1962). A trained chemist but published ex- tensively on the insect orders Collembola and Thysanoptera
N	None	N	None MISSING
	<u>Hyalomma syriacum</u> 1 ♂		
	Tortoise		
	Penshaw Lodge, Penshaw, Co. Durham		
	X.1911		
	R. S. Bagnall		
	(G.H.F.N. det.) Returned 25.X.1911		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1364	N 1364
		RML 110189
	<u>Haemaphysalis hoodi</u> 1 N, 1 L	1 N, 1 L <u>Haemaphysalis hoodi</u> TYPES of <u>H. africana</u>
	<u>Centropus burchelli</u> (bird, on neck)	<u>Centropus superciliosus burchellii</u>
	Manhica, Lourenço Marques, Portuguese East Africa	Concelho de Manhica (25.15 S, 32.45 E), Lourenço Marques, now Maputo, Mozambique
	3.VI.1908	3.VI.1908
	C. W. Howard	C. W. Howard
	(<u>Haemaphysalis africana</u> C. W. Howard VIII.1909; ex bottle of his <u>types</u> , containing also ♂'s, ♀, N, L)	Howard (1909) p. 219 original description of <u>Haemaphysalis africana</u> Cited and figured: Nuttall & Warburton (1915: 485, 486) Charles Walter Howard (1882-1928) Assistant Entomologist in Transvaal 1905, appointed Entomologist 1906. Returned to the USA in 1911, Ento- mologist Univ. Minnesota 1912-1917. Professor of Biology Canton China Christian College. Died of injuries when struck by an interurban train.

Ticks received from the Indian Museum, Calcutta India (per Dr. N. Annandale), September, 1911. Determined by Mr. C. Warburton, as follows:-

<u>Apon. gervaisi</u> var. <u>lucasi</u> , off <u>Varanus salvator</u> (on piece of skin),			
Byik Hwaaw Bay, Tavoy, Burma, India	Capt. S. Sewell.	Indian Mus.	1129 7.
" " "	off <u>Naia tripudians</u> , Byikhwaaw Bay, Tavoy, Burma, India, Capt. S. Sewell.		1126 17
" " "	off <u>Zamenis mucosus</u> , VII.1911, Almorah, W. Him- alayas (5,400 ft.), India. Major F. Wall		1125 17
<u>Apon. laeve</u> var. <u>paradoxum</u> , off <u>Cobra</u> (<u>Naia tripudians</u>), Raniganj			
Lower Bengal, India, V.1910. A. Martin		Indian Mus.	1127 17
<u>Orn. lahorensis</u>) off ?, from Quetta, Baluchistan, India,			
<u>Argas persicus</u>) VII.1910. Capt. Davys, I.M.S.		Ind. Mus.	1128 7
<u>Argas persicus</u> (?) larvae, off <u>Corvus splendens</u> , Museum premises			
Calcutta, India, 30.V.1911.		Indian Mus.	1122 17.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1365	N	1365
		RML	110190
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> ♂'s		3 ♂ <u>Aponomma varanensis</u>
	<u>Zamenis mucosus</u>		<u>Ptyas mucosus</u>
	Almorah, W. Himalayas (5,400 ft.), India		Almora (29.37 N, 79.40 E), (1646 m), India
	VII.1911		VII.1911
	Maj. F. Wall		Maj. F. Wall
	[Ex Indian Museum <u>1125</u> / <u>17</u>]		Cited: Sharif (1928: 338).
N	1366	N	1366
		RML	110191
	<u>Aponomma laeve</u> var. <u>paradoxum</u> ♂, ♀, N's		4 N <u>Aponomma pattoni</u>
	<u>Cobra (Naia tripudians)</u>		<u>Naja naja</u>
	Raniganj, Lower Bengal, India		Raniganj (23.37 N, 87.08 E), India
	V.1910		V.1910
	A. Martin		A. Martin
	[Ex Indian Museum <u>1227</u> / <u>17</u>]		Cited: Sharif (1928: 339).
N	1367	N	1367 MISSING
	<u>Argas persicus</u>		
	(Host not stated)		
	Quetta, Baluchistan, India		
	VIII.1911		
	Captain Davys, I.M.S.		
	[Ex Indian Museum <u>1128</u> / <u>7</u>]		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1368	N	1368
		RML	110192
	<u>Ornithodoros lahorensis</u>		4 ♀ <u>Ornithodoros lahorensis</u>
	? (found with 1367)		? (found with 1367)
	Quetta, Baluchistan, India		Quetta (30.12 N, 67.00 E), Pakistan
	VIII.1911		VIII.1911
	Captain Davys I.M.S.		Captain Davys I.M.S.
	[Ex Indian Museum <u>1128</u> 7]		
N	1369	N	1369
		RML	22236
	<u>Amblyomma testudinarium</u> ♂		1 ♂ <u>Amblyomma testudinarium</u>
	<u>Sus jubatus</u>		<u>Sus scrofa jubatus</u>
	Perak, Malay Peninsula		State of Perak (05.00 N, 101.00 E), Malaysia
	Rec'd 19.X.1911		Rec'd. 19.X.1911
	Rec'd from Col. A. Alcock, F.R.S. London Sch. Trop. Med.		Rec'd from Col. A. Alcock, F.R.S. London Sch. Trop. Med.
	(Det. by Nuttall & Robinson XI.1911) [Returned 1 ♂ & 1 ♀ to Alcock 3.XI.1911]		P. A. Buxton (London School of Hygiene and Tropical Medicine) donated 3 ♂, 3 ♀ from this collection to R. A. Cooley of RML. Cited: Robinson (1926; 257).
N	1370	N	1370
		RML	110193
	<u>Rhipicephalus</u> sp. 1 N		1 N <u>Dermacentor</u> sp.
	<u>Tarabagan</u>		" <u>Tarbagán</u> ," <u>Marmota bobak</u>
	Sharbada, Mongolia		Sharbada, Mongolia (locality not verified)
	15.VIII.1911		15.VIII.1911
	Dr. G. L. Tuck		Dr. G. L. Tuck
	(Rec'd. mounted in balsam)		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1371	N	1371
		RML	110194
	<u>Ixodes canisuga</u> ♀'s		6 ♀ <u>Ixodes arboricola</u>
	Starlings nest		<u>Sturnus vulgaris</u> nest
	Framlingham, near Norwich, Norfolk		Framlingham (52.13 N, 01.20 E), Norfolk, England
	VI.1911		VI.1911
	Piggott		Piggott Cited: Nuttall (1916: 326).
	Four tubes of ticks purchased from Mr. T. V. Sherrin, (Taxidermist), Richmond, Surrey, 13.V.1911. Determined as follows:-		
N	1372	N	1372
		RML	115867
	<u>Haemaphysalis neumanni</u> ♀		1 ♀ <u>Haemaphysalis goral</u> Holotype
	<u>Nemorhaedus cinereus</u>		<u>Naemorhedus goral</u> subsp.
	Jehang, China		Probably Jo-heng-chen (28.24 N, 121.31 E), Peoples Republic of China
			Cited: Nuttall & Warburton (1915: 432) as <u>H. bispinosa</u> . Hoogstraal (1970: 1235), original description of <u>H. goral</u> .
N	1373	N	1373
		RML	86211
	<u>Haemaphysalis neumanni</u> ♂'s, ♀'s		4 ♂, 3 ♀ <u>Haemaphysalis mageshimaensis</u>
	<u>Cervulus</u> sp.		<u>Muntiacus reevesi</u>
	Feng Tuang Shan, An Wei, China		Feng Tuang Shan, Anhwei Province (32.00 N, 117.00 E), Peoples Republic of China
			Cited: Hoogstraal & Santana (1974: 866).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1374	N	1374
		RML	22299
	<u>Haemaphysalis japonica</u> ♂'s, ♀'s		25 ♂ <u>Haemaphysalis japonica</u>
	Roebuck		<u>Capreolus capreolus</u>
	10 miles south of Tan-Chow, Kansu, China		16 km. south of Tan-Chow, Kansu Province (38.00 N, 102.00 E), Peoples Republic of China
			Cited: Nuttall & Warburton (1915: 403).
N	1375	N	1375
		RML	47069
	<u>Dermacentor niveus</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Dermacentor</u> sp.
	Musk deer		<u>Moschus moschiferus</u>
	Kagan Valley (Alt. 10,500 ft.) N.W. Frontier, India		Valley nr. Kayan (34.47 N, 73.32E), Peshawar, Pakistan (3045 M)
			These specimens are not <u>D. niveus</u> , <u>D. everestianus</u> , or <u>D. raskemensis</u>

Ticks received from Dr. J. H. Ashworth, Zoological Dep't., The University, Edinburgh, N. B., 4.XI.1911. Determined by Mr. Warburton, as follows:

Amblyomma variegatum N's) off bush-buck Mohytea Plain.
Haemaphysalis 1 ♀) Toro, Uganda, B.E. Africa, ? Date. Dr. R. van Someren coll.
Aponogeton gervaisi) & off cobra (Naja Haie) Sokoto, N. Nigeria. ? Date.
Dr. J. M. Dalziel coll.

ORIGINAL DETERMINATION

CURRENT STATUS

N	1376	N	1376
		RML	110195
	<u>Ornithodoros coriaceus</u> (2)		1 ♀, 1 N <u>Ornithodoros coriaceus</u>
	Horse blanket		Horse blanket
	Coast Range, California, USA		Coast Range, California, USA
	Sent 31.X.1911		Sent 31.X.1911
	Sent by Dr. Rupert Blue		Sent by Dr. Rupert Blue

Dr. Blue's letter, dated 31.X.1911, states:

"These ticks are found in the Coast Ranges of California. The bite is very much feared by cattle-men in the Santa Clara and Monterey Hills, and it is stated that severe reactions follow at times, such as fever, prostration, sweating and headaches. There is the possibility of its conveying a Spirochaete of some kind."

Dr. Blue encloses a newspaper cutting which states that it occurs in the Mount Hamilton Range, that it attacks man, beasts and birds, and is nocturnal. The hill cattlemen call it the "bird bug."

G.H.F. Nuttall det.

Ticks received from Dr. Seymour Hadwen c/o Experimental Farm, Agassiz,
B. C., Canada III & XI.1911:- G.H.F. Nuttall det.

N	1377	N	1377
		RML	110196
	<u>Ixodes kingi</u> 1♀		1 ♀ <u>Ixodes kingi</u>
Dog		Dog	
Milk River, Alberta, Canada		Milk River (49.08 N, 112.05 W), Alberta, Canada	
VII.1911		VII.1911	
A. Watson		A. Watson	
G.H.F.N. det. 25.VII.1915		Cited: Nuttall (1916: 336).	
N	1378	N	1378
		RML	110197
	<u>Ixodes hexagonus</u> ♀		1 ♀ <u>Ixodes rugosus</u>
Weasel			<u>Mustela</u> sp.
Mt. Lehman Brit. Columbia		Mt. Lehman (49.43 N, 122.23 W), British Columbia, Canada	
27.I.1911		27.I.1911	
S. Hadwen		S. Hadwen	
N	None	N	None MISSING
	<u>Ixodes ricinus</u> ♀		
Dog			
Duncan British Columbia			
25.XII.1910			
D. Ashby			
Returned 15.XI.1911			

ORIGINAL DETERMINATIONCURRENT STATUS

N	None	N	None	MISSING
---	------	---	------	---------

Ixodes ricinus N & L

Man's arm

Shawnigan Lake, Vancouver
Island

15.XI.1910

E. M. Anderson

Returned 15.XI.1911

Ticks received from Dr. H. H. Marshall, 4 Voyle Road, Rangoon, Burma, India
14 November, 1911. Posted 9 October 1911:-

N	1379	N	1379
		RML	110198
	<u>Boophilus australis</u> 4 ♀'s		4 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Rangoon, India		Rangoon (16.47 N, 96.10 E), Burma
	1.X.1911		1.X.1911
	H. H. Marshall		H. H. Marshall
N	1380	N	1380
		RML	110199
	<u>Rhipicephalus sanguineus</u> 1 ♂, 2 ♀		1 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Rangoon, India		Rangoon (16.47 N, 96.10 E), Burma
	5.X.1911		5.X.1911
	H. H. Marshall		H. H. Marshall

ORIGINAL DETERMINATIONCURRENT STATUS

N	1381	N	1381
		RML	110200
	<u>Rhipicephalus sanguineus</u> 1 ♀		1 ♀ <u>Rhipicephalus sanguineus</u>
	Off house wall		Off house wall
	Rangoon, India		Rangoon (16.47 N, 96.10 E), Burma
	2.X.1911		2.X.1911
	H. H. Marshall		H. H. Marshall
N	1382	N	1382
		RML	110201
	<u>Rhipicephalus sanguineus</u> 2 ♀		2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Rangoon, India		Rangoon (16.47 N, 96.10 E), Burma
	X.1911		X.1911
	H. H. Marshall		H. H. Marshall
N	1383	N	1383
		RML	110202
	<u>Boophilus australis</u> 1 ♀ (unfed)		1 ♀ <u>Boophilus microplus</u>
	Calf		Calf
	Rangoon, India		Rangoon (16.47 N, 96.10 E), Burma
	30.IX.1911		30.IX.1911
	H. H. Marshall		H. H. Marshall

ORIGINAL DETERMINATIONCURRENT STATUS

N	1384, a	N	1384, a
		RML	86305
(1384)	<u>Boophilus australis</u> ♂	(1384)	1 ♂ <u>Boophilus microplus</u>
(a)	<u>Haemaphysalis bispinosa</u> 1 ♀	(a)	<u>Haemaphysalis bispinosa</u>
Goat		Goat	
Rangoon, India		Rangoon (16.47 N, 96.10 E), Burma	
3.IX.1911		3.IX.1911	
H. H. Marshall		H. H. Marshall	
		Cited: Nuttall & Warburton (1915: 432).	

Received from Hon. N. C. Rothschild [1385-1399].

N	1385	N	1385
		RML	110203
<u>Ixodes hexagonus</u> 1 ♀, N's, L's		1 ♀, 8 N, 7 L <u>Ixodes hexagonus</u>	
Ferrets		<u>Mustela furo</u>	
Chatteris, Cambridgeshire		Chatteris (52.27 N, 00.03 E), Cambridgeshire, England	
18.XI.1911		18.XI.1911	
A. Parkinson		A. Parkinson	
		The vial label for the larvae is mislabelled N 1835	
		Cited: Nuttall (1916 : 328).	
N	1386	N	1386
		RML	110204
<u>Amblyomma</u> sp. N's, L's		14 N, 2 L <u>Amblyomma</u> sp.	
<u>Cariacus virginianus mexicanus</u>		<u>Odocoileus virginianus</u>	
San Rafael, Vera Cruz, Mexico		San Rafael (20.12 N, 96.51 W), Veracruz, Mexico	
27.III.1903		27.III.1903	
[R 249]			

ORIGINAL DETERMINATIONCURRENT STATUS

N	1387	N	1387
		RML	110205
	? Genus 1 N		1 N <u>Dermacentor andersoni</u>
	<u>Lagomys princeps</u>		<u>Ochotona princeps</u>
	Canadian National Park, ? Ottawa, Canada		Probably Banff National Park (51.38 N, 116.22 W), Alberta, Canada
	5.VIII.1899		5.VIII.1899
	J. F. Dippie		J. F. Dippie
	[R 264]		Ontario is far to the east of the ranges of <u>D. andersoni</u> and the pika. The Canadian National Park and the date 1899 indicate that this collection and N 1390 are related.
N	1388	N	1388 MISSING
	<u>Argas</u> sp. 1 L		
	<u>Putorius energermanis</u>		
	Sumas, B. C., Canada		
	III.1903		
	[R 162]		
N	1389	N	1389
		RML	110206
	<u>Ixodes</u> sp. larvae		3 N <u>Ixodes</u> sp.
	<u>Crysomys longicaudatus</u>		<u>Oryzomys longicaudatus</u>
	Valpariso, Chili (sic.)		Valpariso (33.02 S, 71.38 W), Chile
	? Date		? Date
	J. A. Wolffshon		J. A. Wolffshon
	[R 155]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1390	N	1390
		RML	110207
	? genus (has eyes) 2 N		2 N <u>Dermacentor andersoni</u>
	Banff, Alberta, Canada		Banff (51.38 N, 116.22 W), Alberta, Canada
	9.VII.1899		9.VII.1899
	[R 280]		
N	1391	N	1391
		RML	110208
	? genus 4 N		3 N <u>Amblyomma</u> sp.
	<u>Didelphys</u> sp.		<u>Didelphis</u> sp.
	Sapucay, Paraguay, S. America		Sapucai (25.19 S, 56.55 W), Paraguay
	? Date		? Date
	[R 269]		
N	1392	N	1392
		RML	110209
	<u>Amblyomma</u> sp. N's		10 N <u>Amblyomma</u> sp.
	Hare Wallaby (<u>C. conspicillatus</u>)		<u>Lagorchestes conspicillatus</u>
	Barrow Island, N.W. Australia		Barrow Island (30.48 S, 115.23 E), Australia
	[R 187]		
N	1393	N	1393
		RML	110210
	<u>Amblyomma</u> sp. larvae		64 L <u>Amblyomma</u> sp.
	<u>Bettongia penicillata</u>		<u>Bettongia penicillata</u>
	Bokerup, W. Australia		Possibly Bokerup Swamp (34.24 S, 116.50 E), Australia
	20.IV.1900		20.IV.1900
	[R 176]		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1394	N	1394
		RML	110211
	<u>Amblyomma</u> sp. 2 N		2 N <u>Amblyomma</u> sp.
	<u>Ontalis yetula macalii</u>		<u>Neotoma allenii yetula</u>
	Frontera, Tabasco, Switzerland (sic.)		Frontera (18.32 N, 92.38 W), Tabasco, Mexico
	18.V		18.V
	[R 227]		
N	1395	N	1395
		RML	110212
	<u>Rhipicephalus</u> sp. N's		2 N <u>Rhipicephalus</u> sp.
	<u>Hyaena crocuta</u>		<u>Hyaena hyaena</u>
	Darie		Darie
	? Date		? Date
	Von Erlanger		Von Erlanger
			See Nuttall 575X for a discussion of possible locations for Darie
N	1396	N	1396
		RML	110213
	<u>Amblyomma</u> sp. 1 N		1 N <u>Amblyomma</u> sp.
	Black squirrel		<u>Sciurus</u> sp.
	Frontera, Tabasco		Frontera (18.32 N, 92.38 W), Tabasco, Mexico
	19.V		19.V
	[R 246]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1397	N	1397
		RML	110214
	<u>Amblyomma</u> sp. larvae		26 L <u>Amblyomma</u> sp.
	<u>Macropus eugenii</u>		<u>Macropus fuliginosus</u>
	Cranbrook, W. Australia		Cranbrook (34.18 S, 117.32 E), Australia
	6.III.1910		6.III.1910
	[R 171]		
N	1398	N	1398
		RML	110215
	? genus 1 larva		1 L <u>Hyalomma</u> sp.
	<u>Gerbillus gerbillus</u>		<u>Gerbillus gerbillus</u>
	Zaghig		Probably Zagazig now Az Zagaziq (30.35 N, 31.31 E), Egypt
	1.III.1903		1.III.1903
	Hon. N. C. Rothschild		Hon. N. C. Rothschild
			The Hon. N. C. Rothschild was in the Nile delta area of Egypt in the early months of 1903 - The Hon. Miriam Rothschild (in litt.)
N	1399	N	1399
		RML	110216
	<u>Ixodes</u> sp. N's		4 N, 4 L <u>Ixodes texanus</u>
	<u>Putorius energermanis</u>		<u>Mustela vison</u>
	Sumas, B.C., Canada		Sumas (49.00 N, 122.13 W), Washington, U.S.A.
	III.1903		III.1903
	[R 162b]		

Ticks purchased from Mr. T. V. Sherrin (taxidermist), The Limes,
Nightingale Road, Hampton, 29.VII.1911:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1400	N 1400
		RML 97408
	<u>Haemaphysalis warburtoni</u> TYPES 4 ♂'s, 9 ♀'s	3 ♂, 8 ♀ <u>Haemaphysalis warburtoni</u> 1 ♂ Lectotype, 2 ♂, 8 ♀ paralectotypes
	Serow goat	Probably <u>Capricornis sumatraensis</u> <u>milneedwardsi</u>
	Wen-chwan-hsien, near Si-ho-hsien, China	Wen-Ch'uan (44.59 N, 81.04 E), Sinkiang Province, Peoples Republic of China
	1.VII.1911	1.VII.1911
		Nuttall (1912: 55) original description. Cited: Nuttall & Warburton (1915: 371). Both of the above citations listed 5 ♂, 9 ♀ in the collection. Hoogstraal (1966: 787) selected the ♂ Lectotype and listed an additional 1 ♂, 9 ♀ paralectotypes.
N	1401	N 1401
		RML 110217
	<u>Ixodes ricinoides</u> 1 ♀ TYPE	1 ♀ <u>Ixodes nuttallianus</u> Lectotype
	Swamp deer	<u>Hydropotes inermis</u>
	Wen Chwan-hsien, near Si-ho-hsien, China	Wen-Ch'uan (44.59 N, 81.04 E) Sinkiang Province, Peoples Republic of China
	1.VII.1911	1.VII.1911
		Nuttall (1913b: 136), original description. Cited: Clifford et al (1971: 439). Lectotype designated. Keirans & Brewster (1981: 168).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1402	N	1402
		RML	110218
	<u>Ixodes ricinoides</u> 4 ♀ TYPES		3 ♀ <u>Ixodes nuttallianus</u> Paralectotypes
	Musk deer		<u>Moschus moschiferus</u>
	Wen-Chwan-hsien, near Si-ho-hsien, China		Wen-Ch'uan (44.59 N, 81.04 E), Sinkiang Province, Peoples Republic of China
	1.VII.1911		1.VII.1911
			Nuttall (1913: 136), original description. Cited: Clifford et al (1971: 439). Paralectotypes designated: Keirans & Brewster (1981: 168).
N	1403	N	1403 MISSING
	<u>Aponomma</u> sp.		
	<u>Simocephalus butleri</u>		
	Bussu, Uganda, B.E. Africa		
	VII.1911		
N	1404	N	1404 MISSING
	<u>Aponomma</u> sp.		
	<u>Grusus resimus</u>		
	Bussu, Uganda, B.E. Africa		
	VII.1911		
N	1405	N	1405 MISSING
	<u>Aponomma</u> sp.		
	<u>Boodon lineatus</u>		
	Bussu, Uganda, B.E. Africa		
	VII.1911		

Ticks received from the Indian Museum, Calcutta, India (per Dr. N. Annandale), September, 1911. Determined by Mr. C. Warburton, as follows:

Argas reflexus var. found between the leaves of a book in the Library
indicus (1) of the Indian Museum, Calcutta, 18.XII.1907.

Ind. Mus. 953
17

Amblyomma annandalei ♀ Warb., 1910. Off Geoemuda spinora,
from Burma, India. Ind. Mus. 19
1

Rhipicephalus sanguineus ♂'s ♀'s. off dog, Shai-Kara-Naraya (---?),
India, 29.XII.1907. Ind. Mus. TM
3

Gamasid mites taken from behind gills of Catla buchanani,
Siripur Savan, India, 23.I.1911.
B. L. Chandhuri. Ind. Mus. 1078
17

Rhipicephalus sanguineus ♀'s, off dog, recently brought from Nellore,
to Calcutta, II-III.1911. Ind. Mus. 1049
19

Argas persicus ? larvae, off crow (Corvus splendens),
Calcutta, 14.III.1911. F.H.G. Ind. Mus. 1080
17

Aponogeton gervaisi var. lucasi 2 ♂'s, off Eryx conicus, Zoological Gardens,
Calcutta, 5.III.1911. F.H. Gravely. Ind. Mus. 1081
17

Haemaphysalis bispinosa ♂'s, off Felis tigris, Neapalgonj, Nepal
Frontier, 22.II.1911. Ind. Mus. 1082
17

Haemaphysalis bispinosa ♂'s ♀'s N's, off sheep, Shai-Kara Nayara (?)
India, Trev. Dux (?) Ind. Mus. TM
2

ORIGINAL DETERMINATIONCURRENT STATUS

N	1406	N	1406
		RML	110219
	<u>Haemaphysalis bispinosa</u> ♂'s, ♀'s	3 ♂, 3 ♀ <u>Haemaphysalis bispinosa</u>	
	Sheep	Sheep	
	Shai-Kara Nayara, India	Shai-Kara Nayara, India (locality not verified)	
	XII.1910	XII.1910	
	(Ex Indian Museum Coll) <u>TM</u> <u>2</u>		
N	1407	N	1407
		RML	110220
	<u>Haemaphysalis montgomeryi</u> 1 ♂	1 ♂ <u>Haemaphysalis montgomeryi</u>	
	Dog	Dog	
	Balaghat, Central Provinces, India	Balaghat (21.48 N, 80.11 E), India	
	1908	1908	
	S. H. Gaiger	S. H. Gaiger	
	Rec'd 23.VII.1911	Cited: Nuttall & Warburton (1915: 397).	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1408	N	1408
		RML	110221
	<u>Rhipicephalus neavei</u> 2 ♂, 2 ♀		1 ♂, 1 ♀ <u>Rhipicephalus kochi</u>
	Bush-buck		<u>Tragelaphus scriptus</u>
	Lower Shire Valley, Nyasaland		Nsanje District (16.45 S, 35.10 E), Malawi
	IV.1910		IV.1910
	S. A. Neave		S. A. Neave
	ERC No. 74		
N	1409	N	1409
		RML	110222
	<u>Rhipicephalus sculptus</u> (types) ♂, ♀		1 ♂, 1 ♀ <u>Rhipicephalus sculptus</u> Lectotype and paralectotypes
	S. Rukura Valley, N. Nyasaland		Possibly South Rukuru River (10.44 S, 34.14 E), Malawi
	VI.1910		VI.1910
	S. A. Neave		S. A. Neave
	ERC No. 115b		Warburton (1912: 13) original de- scription; cited: Santos Dias (1958: 479). Lectotype designated: Keirans & Brewster (1981: 171).
N	1410	N	1410
		RML	110223
	<u>Rhipicephalus neavei</u> ♂'s		4 ♂ <u>Rhipicephalus kochi</u>
	<u>Lepus whytei</u>		<u>Lepus whytei</u>
	Zomba, Nyasaland		Zomba (15.23 S, 35.20 E), Malawi
	V.1910		V.1910
	S. A. Neave		S. A. Neave
	ERC No. 126a		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1411	N	1411
		RML	110224
	<u>Rhipicephalus neavei</u> var <u>punctatus</u> ♂'s, ♀'s		2 ♂, 1 ♀ <u>Rhipicephalus punctatus</u> Lectotype and paralectotype of <u>R. neavei punctatus</u>
	Kudu		<u>Tragelaphus strepsiceros</u>
	Near Fort Mlangeni, Central Angoniland, B.E. Africa		Near Fort Mlangeni (14.41 S, 34.32 E), Nchue District, Malawi
	V.1910		V.1910
	S. A. Neave		S. A. Neave
	ERC No. 132		Warburton (1912: 10) original description of <u>R. neavei punctatus</u> . Cited: Walker (1956: 250). Lecto- type designated: Keirans & Brewster (1981: 170, 171).
N	1412	N	1412
		RML	110225
	<u>Rhipicephalus neavei</u> ♂, ♀		2 ♂, 1 ♀ <u>Rhipicephalus kochi</u>
	Momberas cattle		Momberas cattle
	Mombera District, Nyasaland		Mombera (11.41, 33.43 E), Mzimba District, Malawi
	VI.1910		VI.1910
	S. A. Neave		S. A. Neave
	ERC No. 138c		
N	1413	N	1413
		RML	110226
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		2 ♂, 2 ♀ <u>Rhipicephalus kochi</u>
	Eland		<u>Taurotragus oryx</u>
	Mid Luangwa Valley, N.E. Rhodesia		Mid Luangwa Valley (vicinity 13.20 S, 31.20 E), Zambia
	31.VIII.1910		31.VIII.1910
	S. A. Neave		S. A. Neave

ORIGINAL DETERMINATIONCURRENT STATUS

N	1414	N	1414
		RML	110227
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		4 ♂, 4 ♀ <u>Rhipicephalus kochi</u> Lectotype and paratypes of <u>R. neavei</u>
	Eland		<u>Taurotragus oryx</u>
	Near mouth of Lasangazi River, Luangwa Valley, N.E. Rhodesia		Probably Lusangashi River (vicinity of 13.25 S, 31.34 E), Zambia
	1.IX.1910		1.IX.1910
	S. A. Neave		S. A. Neave
	ERC No. 168		Warburton (1912: 7) original description and on p. 9 spells the locality as Tasangazi River, Luangwe Valley. Walker (1956: 50) noted that on maps of the area the river is also spelled Lusangazi. Santos Dias (1958: 478) indicated that this collection contained 1 ♂, 1 ♀ <u>R.</u> <u>neavei</u> . An additional 14 ♂, 6 ♀ of this collection are in the general tick collection of the BMNH (Reg. No. 1911. 12.5.16-40). Lectotype designated: Keirans & Brewster (1981: 170).
N	1415	N	1415
		RML	110228
	<u>Rhipicephalus simus falcatus</u> ♂'s, ♀'s		5 ♂, 2 ♀ <u>Rhipicephalus longus</u>
	Off grass		Off grass
	Baro, Abyssinia, B.E. Africa		Wadi Baro (07.59 N, 33.22 E), Ethiopia
	16.X.1910		16.X.1910
	J. J. Simpson		J. J. Simpson
	ERC No. 186		

Note: Transition forms. falcatus is
probably nothing but = simus in
consequence of finding this lot.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1416	N	1416
		RML	110229
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		2 ♂, 3 ♀ <u>Rhipicephalus simus</u>
	Horse		Horse
	Kontagora, B.E. Africa		Kontagora, Kenya (locality not verified)
	5.X.1910		5.X.1910
	J. J. Simpson		J. J. Simpson
	ERC No. 182		
N	1417	N	1417
		RML	110230
	<u>Amblyomma tholloni</u> ♂'s, ♀'s		3 ♂, 4 ♀ <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Toro, W. Africa		Toro (00.19 N, 37.56 E), Kenya
	11.II.1910		11.II.1910
	Dr. R. van Someren		Dr. R. van Someren
	ERC No. 188		Vial label reads Toro, British East Africa, which is undoubtedly correct, the van Someren family being well known for Kenyan natural history.
	1 ♂, 1 ♀ to R. Matheson, Cornell, 27.V.1929.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1418	N	1418
		RML	110231
	<u>Rhipicephalus maculatus</u> ♂'s, ♀'s		2 ♂, 2 ♀ <u>Rhipicephalus maculatus</u>
	Buffalo		<u>Syncerus caffer</u>
	Chiromo, B.C. Africa		Chiromo (16.33 S, 35.08 E), Malawi
	I.1911		I.1911
	D. H.S. Stannus		Dr. H.S. Stannus
	ERC No. 193		
N	1419	N	1419
		RML	110232
	<u>Rhipicephalus maculatus</u> ♂'s		3 ♂ <u>Rhipicephalus maculatus</u>
	Buffalo		<u>Syncerus caffer</u>
	Chiromo, B.C. Africa		Chiromo (16.33 S, 35.08 E), Malawi
	I.1911		I.1911
	Dr. H.S. Stannus		Dr. H.S. Stannus
	ERC No. 194		
N	1420	N	1420
		RML	110233
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		2 ♂, 4 ♀ <u>Rhipicephalus kochi</u>
	Buffalo		<u>Syncerus caffer</u>
	Chiromo, B.C. Africa		Chiromo (16.33 S, 35.08 E), Malawi
	I.1911		I.1911
	Dr. H.S. Stannus		Dr. H.S. Stannus
	ERC No. 194a		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1421	N	1421
		RML	110234
	<u>Amblyomma nuttalli</u> ♂		1 ♂ <u>Amblyomma nuttalli</u>
	Iguana		Iguana
	Offa, S. Nigeria		Either Offa (07.58 N, 04.19 E), or (08.09 N, 04.43 E) Nigeria
	29.IX.1910		29.IX.1910
	R. C. Hiscock		R. C. Hiscock
	ERC No. 210a		Cited: Robinson (1926: 93); Theiler and Salisbury (1959: 115).
N	1422	N	1422
		RML	110235
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s		5 ♂, 1 ♀ <u>Haemaphysalis leachi</u>
	Dog		Dog
	Nairobi, B.E. Africa		Nairobi (01.17 S, 36.49 E), Kenya
	12.IV.1911		12.IV.1911
	T.J. Anderson		T.J. Anderson
	ERC No. 291		Cited: Nuttall & Warburton (1915: 469).
	2 ♂, 1 ♀ to C. Strickland, Malaya		
N	1423	N	1423
		RML	110236
	<u>Amblyomma variegatum</u> ♀'s		3 ♀ <u>Amblyomma variegatum</u>
	Cattle		Cattle
	Near Karunga, E. Shore of Victoria, Nyanza, B.E. Africa		Near Karunga (00.51 S, 34.09 E), Nyanza Region, Kenya
	29.IV.1911		29.IV.1911
	S.A. Neave		S.A. Neave
	ERC No. 302		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1424	N	1424
		RML	110237
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		10 ♂, 6 ♀ <u>Rhipicephalus simus</u>
	Lion		<u>Panthera leo</u>
	Yatta Plains, Ukamba Province (50 miles SE of Nairobi) E. African Protectorate		Yatta Plateau (02.00 S, 38.00 E), Kenya
	20.VII.1911		20.VII.1911
	S.W.J. Scholefield		S.W.J. Scholefield
	ERC No. 317		
N	1425	N	1425
		RML	110238
	<u>Rhipicephalus capensis</u> ♂'s, ♀'s		3 ♂, 5 ♀ <u>Rhipicephalus compositus</u>
	Buffalo (<u>Bos caffer</u>)		<u>Syncerus caffer</u>
	Ruo District, Nyasaland		Perhaps Ruo Basin (15.54 S, 35.39 E), Malawi
	13.VII.1911		13.VII.1911
	J.E.S. Old		J.E.S. Old
	ERC No. 312		
N	1426	N	1426
		RML	66677
	<u>Rhipicephalus armatus</u> ♂'s, ♀'s		4 ♂, 2 ♀ <u>Rhipicephalus armatus</u>
	Wild dog		<u>Lycaon pictus</u>
	Mowa River (60 mi SE of Kitui) E. African Protectorate		Mowa River 96 km SE of Kitui (01.22 S, 38.01 E), Kenya
	V.1911		V.1911
	S.W.J. Scholefield		S.W.J. Scholefield
	ERC No. 320		Note in vial: 1 ♂, 1 ♀ taken by M. Sharif 16.VI.1936

ORIGINAL DETERMINATIONCURRENT STATUS

N	1427	N	1427
		RML	110239
	<u>Aponomma exornatum</u> 2 ♂, 1 ♀, 2 N		2 ♂, 1 ♀, 2 N <u>Aponomma flavomaculatum</u>
	Large lizard (Iguana?)		Large lizard (Iguana?)
	Caught in house at Nimule, Uganda B.E. Africa		Caught in house at Nimule, Uganda (locality not verified)
	VII.1911		VII.1911
	Dr. R.E. McConnell		Dr. R.E. McConnell
	ERC No. 301		
N	1428	N	1428 MISSING
	<u>Amblyomma marmoreum</u> 2 ♂, ♀		
	Rhinoceros		
	Yatta Plains, Kitui, E. African Protectorate		
	8.V.1911		
	S.W.J. Scholefield		
	ERC No. 324		
N	1429	N	1429 MISSING
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s		
	Cattle		
	Dokolo, B.E. Africa		
	2.IV.1911		
	C.C. Gowdey		
	ERC No. 294		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1430	N	1430
		RML	110240
	<u>Rhipicephalus maculatus</u> ♂		1 ♂ <u>Rhipicephalus maculatus</u>
	Off grasses		Off grasses
	On road to Kilossa, S. Usagara, German East Africa		On road to Kilosa (06.50 S, 36.59 E), Morogoro Region, Tanzania
	XII.1910		XII.1910
	S.A. Neave		S.A. Neave
	ERC No. 205a		
N	1431	N	1431
		RML	110241
	<u>Rhipicephalus sulcatus</u> 2 ♀'s		2 ♀ <u>Rhipicephalus sulcatus</u>
	Domestic cat		Domestic cat
	Zomba, Nyasaland		Zomba, (15.23 S, 35.20 E), Malawi
	14.XII.1910		14.XII.1910
	A.M.D. Turnbull		A.M.D. Turnbull
	ERC No. 251		
N	1432	N	1432
		RML	110242
	<u>Amblyomma gemma</u> 3 ♂, 1 ♀		3 ♂, 1 ♀ <u>Amblyomma gemma</u>
	<u>Oryx calotis</u>		<u>Oryx gazella</u>
	Mowa River (60 miles SE of Kitui), B.E. Africa		Mowa River, 96 km SE of Kitui (01.22 S, 38.01 E), Kenya
	V.1911		V.1911
	S.W.J. Scholefield		S.W.J. Scholefield
	ERC No. 321a		Cited: Robinson (1926: 122).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1433	N	1433
		RML	110243
	<u>Rhipicephalus pulchellus</u> ♂'s, ♀'s		3 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u>
	<u>Rhinoceros</u>		<u>Diceros bicornis</u>
	Yatta Plains, Ukamba Province (50 miles SE of Nairobi), B.E. Africa		Yatta Plateau (02.00 S, 38.00 E), Kenya
	6.VIII.1910		6.VIII.1910
	S.W.J. Scholefield		S.W.J. Scholefield
	ERC No. 316a		
N	1434	N	1434
		RML	110244
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		1 ♂, 2 ♀ <u>Rhipicephalus simus</u>
	Dog		Dog
	Lango, Uganda, B.E. Africa		District of Lango (20.10 N, 33.00 E), Uganda
	VI.1911		VI.1911
	Dr. McConnell		Dr. McConnell
	ERC No. 300d		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1435	N	1435
		RML	110245
	<u>Amblyomma petersi</u> 4 ♂'s		3 ♂ <u>Amblyomma rhinocerotis</u>
	Rhinoceros		<u>Diceros bicornis</u>
	Yatta Plains, Ukamba Province (50 miles SE of Nairobi), B.E. Africa		Yatta Plateau (02.00 S, 38.00 E), Kenya
	6.VIII.1910		6.VIII.1910
	S.W.J. Scholefield		S.W.J. Scholefield
	ERC No. 315c		Cited: Robinson (1926: 264).
	1 ♂ to Prof. R. Matheson, Cornell, 27.V.1929		
N	1436	N	1436
		RML	110246
	<u>Ornithodoros savignyi</u> (6)		1 ♂, 2 ♀, 3 N <u>Ornithodoros savignyi</u>
	Found in dust (where hartebeeste and rhino roll)		Found in dust (where <u>Alcephalus buselaphus</u> and <u>Diceros bicornis</u> roll)
	Yatta Plains, Ukamba Province B.E. Africa		Yatta Plateau (02.00 S, 38.00 E), Kenya
	5.VIII.1910		5.VIII.1910
	S.W.J. Scholefield		S.W.J. Scholefield
	ERC No. 318		
N	1437	N	1437
		RML	110247
	<u>Amblyomma variegatum</u> ♂'s, 1 ♀		9 ♂, 1 ♀ <u>Amblyomma variegatum</u>
	Goats		Goats
	Teita Hills, near Voi, B.E. Africa		Teita Hills, near Voi (03.23 S, 38.34 E), Kenya
	11.IX.1911		11.IX.1911
	R. P. Thomas		R. P. Thomas
	ERC No. 330		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1438	N	1438
		RML	110248
	<u>Amblyomma marmoreum</u> ♂'s, ♀'s		2 ♂, 1 ♀ <u>Amblyomma sparsum</u>
	Rhinoceros		<u>Diceros bicornis</u>
	Yatta Plains, Ukamba Province, B.E. Africa		Yatta Plateau (02.00 S, 38.00 E), Kenya
	6.VIII.1910		6.VIII.1910
	S.W.J. Scholefield		S.W.J. Scholefield
	ERC No. 315a (1 ♀ mounted in cell on slide II.1915)		Slide missing Cited: Robinson (1926: 90).
N	1439	N	1439
		RML	110249
	<u>Rhipicephalus sulcatus</u> 3 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus sulcatus</u>
	Domestic cat		Domestic cat
	Zomba, Nyasaland, B.C. Africa		Zomba (15.23 S, 35.20 E), Malawi
	8.XII.1910		8.XII.1910
			A.M.D. Turnbull
			Collector's name on vial label
N	1440	N	1440
		RML	110250
	<u>Dermacentor rhinocerotis</u> ♂'s, ♀'s		4 ♂, 3 ♀ <u>Dermacentor rhinocerinus</u>
	Rhinoceros		Either <u>Diceros bicornis</u> or <u>Ceratotherium simum</u>
	Lango, Uganda, B.E. Africa		District of Lango (02.10 N, 33.00 E), Uganda
	VII.1911		VII.1911
	Dr. McConnell		Dr. McConnell
	ERC No. 299a 1 ♂, 1 ♀ to Dr. Kudicke, Dar es Salaam, German East Africa 22.VII.1914		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1441	N	1441
		RML	110251
	<u>Rhipicephalus falcatus</u> ♂'s, ♀'s		13 ♂, 12 ♀ <u>Rhipicephalus senegalensis</u>
	Off grass		Off grass
	Zomba, Nyasaland		Zomba (15.23 S, 35.20 E), Malawi
	1910		1910
	Dr. J.E.S. Old		Dr. J.E.S. Old
N	1442	N	1442
		RML	110252
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		14 ♂, 4 ♀ <u>Rhipicephalus pravus</u>
	Lesser Kudu		<u>Tragelaphus imberbis</u>
	Makindu, B.E. Africa		Makindu (02.17 S, 37.49 E), Kenya
	6.IV.1911		6.IV.1911
	S.A. Neave		S.A. Neave
	ERC No. 262a		
	1 ♂, 1 ♀ to Dr. S. Hadwen, British Columbia, Canada 10.X.1913		
	1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1443	N	1443
		RML	110299
	<u>Amblyomma nuttalli</u> 1 ♀ (gorged)		1 ♀ <u>Amblyomma nuttalli</u>
	Iguana (2 ft. long)		Iguana
	Offa, S. Nigeria		Either Offa (07.58 N, 04.19 E) or Offa (08.09 N, 04.43 E), Nigeria
	2.XI.1910		2.XI.1910
	R.C. Hiscock		R.C. Hiscock
	ERC No. 209a		Cited: Robinson (1926: 93); Theiler & Salisbury (1959: 115) incorrectly gave the collection date as 29.IX.1910.
N	1444	N	1444
		RML	110300
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		5 ♂, 5 ♀ <u>Rhipicephalus kochi</u>
	Old Roan Antelope		<u>Hippotragus equinus</u>
	Maplua, Marimba, Nyasaland		Maplua, Malawi (locality not verified)
	I.1911		I.1911
	Dr. J.E.S. Old		Dr. J.E.S. Old
	ERC No. 226		Vial label date reads I.1910
N	1445	N	1445 MISSING
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		
	Teita Hills, near Voi, B.E. Africa		
	11.IX.1911		
	R.P. Thomas		
	ERC No. 328		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1446	N 1446
		RML 110301
	<u>Rhipicephalus pulchellus</u>	1 ♂, 2 ♀ <u>Rhipicephalus pulchellus</u>
	Rhinoceros	<u>Diceros bicornis</u>
	Yatta Plains, Ukamba Province (50 miles SE of Nairobi), B.E. Africa	Yatta Plateau (02.00 S, 38.00 E) Kenya
	6.VIII.1910	6.VIII.1910
	S.W.J. Scholefield	S.W.J. Scholefield
	ERC No. 315	The 2 ♀ specimens are pinned. 1 ♂ specimen is in a jar marked "Tick abnormalities" and has been figured by Nuttall (1914a: 255)
N	1447	N 1447
		RML 110302
	<u>Rhipicephalus neavei</u>	8 ♂, 3 ♀ <u>Rhipicephalus pravus</u>
	Impala	<u>Aepyceros melampus</u>
	Makindu, Uganda, B.E. Africa	Makindu (02.17 S, 37.49 E), Kenya
	6.IV.1911	6.IV.1911
	S. A. Neave	S. A. Neave (see N 1442)
	ERC No. 260a	
N	1448	N 1448
		RML 110303
	<u>Rhipicephalus sculptus</u> 4 ♂, 3 ♀	3 ♂, 2 ♀ <u>Rhipicephalus sculptus</u> SYNTYPES
	Roan antelope	<u>Hippotragus equinus</u>
	Mpalali River, Marimba, Myasaland	Possibly Mpala River now known as Mipala River (15.55 S, 35.16 E), Malawi Dr J.E.S. Old
	Dr. J.E.S. Old 1.I.1911	1.I.1911
	ERC No. 227a	Warburton (1912:13) original descrip- tion. The vulva of one ♀ is mounted on a slide. For a photograph of this genital aperture see Feldman-Muhsam (1956)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1449	N	1449
		RML	110304
	<u>Rhipicephalus lunulatus</u> 2 ♂'s		1 ♂ <u>Rhipicephalus lunulatus</u> 1 ♂ <u>Rhipicephalus simus</u>
	Dog		Dog
	Lango, Uganda B.E. Africa		District of Lango (02.10 N, 33.00 E), Uganda
	VI.1911		VI.1911
	Dr. McConnell		Dr. McConnell
N	1450	N	1450
		RML	110305
	<u>Rhipicephalus masseyi</u> ♂'s		2 ♂ <u>Rhipicephalus muelensi</u>
	Lesser Kudu		<u>Tragelaphus imberbis</u>
	Makindu, B.E. Africa		Makindu (02.17 S, 37.49 E), Kenya
	6.IV.1911		6.IV.1911
	S.A. Neave		S.A. Neave
	ERC No. 262c		Except for the suffix on ERC 262, this appears to be part of N 1442
N	1451	N	1451
		RML	110306
	<u>Rhipicephalus lunulatus</u> ♂'s, ♀'s		4 ♂, 4 ♀ <u>Rhipicephalus lunulatus</u>
	Roan Antelope		<u>Hippotragus equinus</u>
	Mpalai River, Marimba, Nyasaland		Possibly Mpala River now known as Mipala River (15.55 S, 35. 16 E), Malawi
	1.I.1911		1.I.1911
	Dr. J.E.S. Old		Dr. J.E.S. Old
	ERC No. 227h		Except for the suffix on ERC 227, this appears to be part of N 1448.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1452	N	1452
		RML	110307
	<u>Haemaphysalis</u> sp. 1 N		1 N <u>Haemaphysalis</u> sp.
	Mouse		Mouse
	W. Foot of Aberdare Mountains, B.E. Africa		W. Foot of Aberdare Mountains (00.25 S, 36.38 E), Kenya
	1.III.1911		1.III.1911
	S.A. Neave		S.A. Neave
	ERC No. 270a		
N	1453	N	1453
		RML	110308
	<u>Ixodes</u> sp. 3 N		3 N <u>Ixodes</u> sp.
	<u>Crocidura</u> sp.		Probably <u>Crocidura</u> sp.
	E. Foot of Aberdare Mountains B.E. Africa		E. Foot of Aberdare Mountains (00.25 S, 36.38 E), Kenya
	26.III.1911		26.III.1911
	S.A. Neave		S.A. Neave
	ERC No. 268		
N	1454	N	1454
		RML	110309
	<u>Rhipicephalus</u> sp. N's		3 N <u>Rhipicephalus</u> sp.
	Guinea-fowl (<u>Numida mitratus</u>)		<u>Numida meleagris</u>
	Lower Lilongwe River, Central Angoniland Nyasaland, B.C. Africa		Lilongwe River (15.57 S, 35.07 E), District of Cholo, Malawi
	X.1910		X.1910
	S.A. Neave		S.A. Neave
	ERC No. 211		Two different species of <u>Rhipicephalus</u> are present in this collection.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1455	N	1455
		RML	110310
	<u>Ixodes</u> sp. 1 N		1 N <u>Ixodes</u> sp.
	Mouse		Mouse
	W. Foot of Aberdare Mountains, B.E. Africa		W. Foot of Aberdare Mountains (00.25 S, 36.38 E), Kenya
	1.III.1911		1.III.1911
	S.A. Neave		S.A. Neave
	ERC No. 270b		Except for the suffix on ERC 270, this appears to be part of N 1452
N	1456	N	1456
		RML	110311
	<u>Rhipicephalus</u> sp. 2 N's		2 N <u>Rhipicephalus</u> sp.
	"Self"		<u>Homo sapiens</u>
	Taveta Road, B.E. Africa		Taveta area (03.30 S, 37.42 E), Coast Region, Kenya
	1911		1911
	R.P. Thomas		R.P. Thomas
	ERC No. 327		
N	1457	N	1457
		RML	110312
	<u>Amblyomma</u> sp. 2 L's		2 L <u>Amblyomma</u> sp.
	Rhinoceros		<u>Either Diceros bicornis</u> or <u>Ceratotherium simum</u>
	Lango, Uganda, B.C. Africa		District of Lango (02.10 N, 33.00 E), Uganda
	VII.1911		VII.1911
	Dr. McConnell		Dr. McConnell
	ERC No. 299c		Except for the suffix on ERC 299, this appears to be part of N 1440

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1458	N	1458
		RML	110313
Genus 4 N, 1 L		1 N <u>Amblyomma</u> sp.	
Water-buck		<u>Kobus ellipsiprymnus</u>	
Masengari, L. Shire, Nyasaland, B.C. Africa		Masengari, District of Nsanje (16.45 S, 35.10 E), Malawi	
VIII.1910		VIII.1910	
Dr. J.E.S. Old		Dr. J.E.S. Old	
ERC No. 274			
N	1459	N	1459
		RML	110314
<u>Rhipicephalus neavei</u>		3 ♂, 1 ♀ <u>Rhipicephalus kochi</u>	
Eland		<u>Taurotragus oryx</u>	
Mid Luangwa Valley, N.E. Rhodesia		Mid Luangwa Valley (vicinity of 13.20 S, 31.20 E), Zambia	
10.IX.1910		10.IX.1910	
S. A. Neave		S. A. Neave	
ERC No. 167a		Except for the collection date this Nuttall collection is identical with N 1413.	
N	1460	N	1460
		RML	110315
<u>Rhipicephalus longus</u> 1 ♂ (Type!)		1 ♂ <u>Rhipicephalus longus</u> TYPE	
Cattle		Cattle	
Kasongo, Nyasaland, B.C. Africa		Kasonga (15.18 S, 35.17 E), District of Zomba, Malawi	
Rec'd IX.1911		Rec'd IX.1911	
Rec'd from Liverpool School of Trop- ical Medicine. (<u>Rhip. falcatus</u>) (Presented to our collection by Prof. R. Newstead 8.III.1912).		Neumann (1907:117) original description. Cited: Santos Dias (1958: 473,474).	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	None	N	None MISSING
	<u>Ixodes ricinus</u> ♀		
	No data		
	In the Newcastle Museum. Sent by Mr. R.S. Bagnall, Penshaw Lodge, Penshaw, Co. Durham, 22.XII.1911 for identification. Returned 29.XII.1911		
N	1461	N	1461
		RML	110316
	<u>Rhipicephalus appendiculatus</u> Larvae (gorged)		36 L <u>Rhipicephalus appendiculatus</u>
	Cape Colony, Africa		Cape Colony, Republic of South Africa
	Rec'd III.1906		Rec'd III.1906
	Rec'd from Mr. C.P. Lounsbury, Dept. of Agriculture		Rec'd from Mr. C.P. Lounsbury, Dept. of Agriculture
N	1462	N	1462
		RML	110317
	<u>Rhipicephalus appendiculatus</u> N's (unfed)		8 N <u>Rhipicephalus appendiculatus</u>
	Cape Colony, South Africa		Cape Colony, Republic of South Africa
	Rec'd III.1906		Rec'd III.1906
	Rec'd from Mr. C.P. Lounsbury Dept. of Agriculture		Rec'd from Mr. C.P. Lounsbury, Dept. of Agriculture
	2 ♂, 2 ♀ to Prof Sadeo Yoshida at Cambridge. 21XII.1920; 2 ♂, 2 ♀ to P.A. Buxton at Cambridge 10.II.1921; 2 ♂, 2 ♀ to Dr. D.A. de Young at Cambridge, 8.IV.1921; 2 ♂, 2 ♀ to Prof. G. Hedger-Wallace Univ. of Wales, Cardiff, 1921; 2 ♀ to Dr. S.H. Daukes, Wellcome Bureau, London, 9.I.1924		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1463	N	1463
		RML	110318
	<u>Hyalomma aegyptium</u> 2♀		2 ♀ <u>Hyalomma</u> sp.
	No particulars		No particulars
	Rec'd 1906		Rec'd 1906
	Rec'd from Mr. E.G. Wheler, Warwick		Rec'd from Mr. E.G. Wheler, Warwick
N	1464	N	1464
		RML	110319
	<u>Hyalomma aegyptium</u> ♂		1 ♂, 1 ♀ <u>Hyalomma aegyptium</u>
	No particulars		No particulars
	Rec'd 1906		Rec'd 1906
	Rec'd. from Mr. E.G. Wheler Warwick		Rec'd from Mr. E.G. Wheler, Warwick
N	1465	N	1465
		RML	110320
	<u>Boophilus australis</u> ♀'s		5 ♀ <u>Boophilus annulatus</u>
	Probably College Station, Texas		Probably College Station (30.37 N, 96.21 W), Texas, USA
	Rec'd 1906		Rec'd 1906
	From Mr. Francis		From Mr. Francis
	Rec'd. from Mr. Wheler, Warwick, 1906		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1466	N	1466
		RML	110321
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		2 ♂, 5 ♀ <u>Hyalomma rufipes</u>
	Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	Rec'd 1906		Rec'd 1906
	Rec'd from Mr. C.P. Lounsbury		Rec'd from Mr. C.P. Lounsbury
N	1467	N	1467 MISSING
	<u>Rhipicephalus appendiculatus</u> Larvae		
	E. London, South Africa		
	Rec'd 18.IV.1905		
	Rec'd from Dr. Williamson		
N	1468	N	1468 MISSING
	<u>Rhipicephalus appendiculatus</u> gorged Larvae		
	E. London, South Africa		
	Rec'd 18.IV.1905		
	Rec'd from Dr. Williamson		
N	1469	N	1469 MISSING
	<u>Rhipicephalus appendiculatus</u> nymphs		
	E. London, South Africa		
	Rec'd 18.IV.1905		
	Rec'd from Dr. Williamson		
N	1470	N	1470 MISSING
	<u>Rhipicephalus appendiculatus</u> 1 gorged nymph		
	E. London, South Africa		
	Rec'd 18.IV.1905		
	Rec'd from Dr. Williamson		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1471	N	1471 MISSING
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		
	E. London, South Africa		
	Rec'd 18.IV.1905		
	Rec'd from Dr. Williamson		
N	1472	N	1472
		RML	110322
	<u>Rhipicephalus appendiculatus</u> Larvae (unfed)		± 200 L <u>Rhipicephalus appendiculatus</u>
	Cape Colony, South Africa		Cape Colony, Republic of South Africa
	Rec'd III.1906		Rec'd. III.1906
	Rec'd from Mr. C.P. Lounsbury Gov't. Entomologist, Dept. of Agriculture		Rec'd from Mr. C.P. Lounsbury, Gov't. Entomologist, Dept. of Agriculture
N	1473	N	1473
		RML	110323
	<u>Rhipicephalus appendiculatus</u> ♀'s		1 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>
	Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	Rec'd III.1906		Rec'd III.1906
	Rec'd from Mr. C.P. Lounsbury Gov't. Entomologist, Dept. of Agriculture		Rec'd from Mr. C.P. Lounsbury, Gov't. Entomologist, Dept. of Agriculture

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1474	N	1474
		RML	110324
	<u>Rhipicephalus appendiculatus</u> ♀'s (young)		4 ♀ <u>Rhipicephalus appendiculatus</u>
	Cape Colony, S. Africa		Cape Colony, Republic of South Africa
	Rec'd. III.1906		Rec'd III.1906
	Rec'd. from Mr. C.P. Lounsbury Gov't. Entomologist, Dept. of Agriculture		Rec'd from Mr. C.P. Lounsbury, Gov't. Entomologist, Dept. of Agriculture
N	1475	N	1475 MISSING
	<u>Amblyomma hebraeum</u> larvae		
	East London, S. Africa		
	Rec'd 1906		
	Rec'd from Dr. Williamson		
N	1476	N	1476
		RML	110325
	<u>Amblyomma hebraeum</u> Larvae (gorged)		10 L <u>Amblyomma hebraeum</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Raised in laboratory, Cambridge		Raised in laboratory, Cambridge (52.13 N, 00.08 E), England
	21.II.1906		21.II.1906
			Cited: Robinson (1926: 107).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1477	N	1477 MISSING
	<u>Amblyomma hebraeum</u> nymphs		
	Hedgehog		
	Raised in laboratory, Cambridge		
	21.II.1906		
N	1478	N	1478
		RML	110326
	<u>Amblyomma hebraeum</u> ♂		1 ♂ <u>Amblyomma hebraeum</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Raised in laboratory, Cambridge		Raised in laboratory, Cambridge (52.13 N, 00.08 E), England
	21.II.1906		21.II.1906
N	1479	N	1479 MISSING
	<u>Amblyomma hebraeum</u> ♀'s		
	Hedgehog		
	Raised in laboratory, Cambridge		
	21.II.1906		
N	1480	N	1480 MISSING
	<u>Amblyomma hebraeum</u> ♀'s		
	Hedgehog		
	Raised in laboratory, Cambridge		
	21.II.1906		
N	1481	N	1481 MISSING
	<u>Amblyomma hebraeum</u> ♂, ♀		
	No particulars		
	Rec'd. 1906		
	Rec'd. from Mr. E.G. Wheler, Warwick		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1482	N	1482
		RML	110327
	<u>Amblyomma hebraeum</u> ♂, ♀		1 ♂, 1 ♀ <u>Amblyomma hebraeum</u>
	No particulars		No particulars
	Rec'd 1906		Rec'd 1906
	Rec'd from Mr. E.G. Wheler Warwick		Rec'd from Mr. E.G. Wheler, Warwick
N	1483	N	1483 MISSING
	<u>Amblyomma hebraeum</u> larval skins		
	Raised in Cambridge		
	1906		
	Parents received from Mr. Lounsbury, Cape Colony, S. Africa, III.1906.		
N	1484	N	1484
		RML	110328
	<u>Amblyomma hebraeum</u> gorged larvae		364 L <u>Amblyomma hebraeum</u>
	Raised in Cambridge		Raised in Cambridge (52.13 N, 00.08 E), England
	1906		1906
	Parents received from Mr. Lounsbury, Cape Colony, S. Africa, III.1906		Parents received from Mr. Lounsbury, Cape Colony, S. Africa, III.1906
N	1485	N	1485 MISSING
	<u>Amblyomma hebraeum</u> gorged larvae		
	Raised in Cambridge		
	1906		
	Parents rec'd from Mr. Lounsbury, Cape Colony, South Africa, III.1906		

ORIGINAL DETERMINATIONCURRENT STATUS

N 1486 N 1486 MISSING

Amblyomma hebraeum ♂, ♀

Raised in Cambridge

1906

Parents received from Mr.
Lounsbury, Cape Colony,
S. Africa, III.1906

1 ♀ to Dr.J.G. Parham, Portuguese
East Africa, 18.IV.1913;
1 ♀ to N.Y. National Museum,
18.IV.1913;
Some (sex/stage not stated) to Dr.
Longin Navas, Zaragoza Spain,
28.V.1913

N 1487 N 1487 MISSING

Amblyomma hebraeum ♀'s gorged

East London, South Africa

Rec'd 1.V.1905

Rec'd from Dr. Williamson

N 1488 N 1488

RML 110329

Amblyomma hebraeum ($\frac{1}{2}$ gorged)

3 ♀ Amblyomma hebraeum

East London, South Africa

East London (33.02 S, 27.55 E), Republic
of South Africa

Rec'd 1.V.1905

Rec'd 1.V.1905

Rec'd from Dr. Williamson

Rec'd from Dr. Williamson

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1489	N	1489 MISSING
	<u>Amblyomma hebraeum</u> ♀'s (gorged)		
	East London, South Africa		
	Rec'd 5.VI.1905		
	Rec'd from Dr. Williamson		
N	1490	N	1490 MISSING
	<u>Amblyomma hebraeum</u>		
	nymphal skins		
	Raised in Cambridge		
	Rec'd 1.V.1905		
	Rec'd from Dr. Williamson, E. London, South Africa		
N	1491	N	1491 MISSING
	<u>Amblyomma hebraeum</u> ♂		
	Pretoria, Transvaal, S. Africa		
	Rec'd 1.VI.1908		
	Rec'd from Dr. A. Theiler, Dept. of Agriculture		
N	1492	N	1492
		RML	110330
	<u>Rhipicephalus appendiculatus</u>		
	♂'s, ♀'s		7 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Reared on cattle		Reared on Cattle
	Rosebank, S. Africa		Rosebank (33.57 S, 18.28 E), Republic of South Africa
	8.III.1905		8.III.1905

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1493	N	1493 MISSING
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		
	Cattle		
	Kuysna, Cape Colony, S. Africa		
	1901-1903		
	Vet-Surgeon Robinson		
N	1494	N	1494
		RML	110331
	<u>Rhipicephalus capensis</u> ♂'s		8 ♂ <u>Rhipicephalus capensis</u>
	Horse		Horse
	Douglas, near Kimberley, S. Africa		Douglas (29.04 S, 23.46 E), near Kimberley, Republic of South Africa
	X.1904		X.1904
	S. Orpen		S. Orpen
N	1495	N	1495
		RML	110332
	<u>Rhipicephalus nitens</u> ♂, ♀		1 ♂, 4 ♀ <u>Rhipicephalus nitens</u>
	Goats		Goats
	Stellenbosch, S. Africa		Stellenbosch (33.56 S, 18.51 E), Republic of South Africa
	XII.1902		XII.1902
			Three of the above 4 ♀ look a good deal like <u>R. supertritus</u> .

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1496	N	1496 MISSING
	<u>Amblyomma cajennense</u> ♀'s, N's		
	Jamaica		
	1902		
	Rec'd from Mr. E. G. Wheler, Warwick		
	Ticks received from Hon. N. C. Rothschild, M.A., Arundel House, Kensington Palace Gardens, London, W., 16 January 1912.		
N	1497	N	1497
		RML	110333
	<u>Dermacentor</u> sp. 1 N		1 N <u>Dermacentor albipictus</u>
	Moose		<u>Alces alces</u>
	New Brunswick, Canada		New Brunswick, Canada
	30.XI.1911		30.XI.1911
	J. Birrell		J. Birrell
N	1498	N	1498
		RML	110334
	<u>Dermacentor albipictus</u> 1 ♂		1 ♂ <u>Dermacentor albipictus</u>
	Man (Dr. Walker)		Man (Dr. Walker)
	New Brunswick, Canada		New Brunswick, Canada
	29.XI.1911		29.XI.1911
	J. Birrell		J. Birrell

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1499	N	1499
		RML	110335
	<u>Dermacentor albipictus</u> 2♂		2 ♂ <u>Dermacentor albipictus</u>
	Moose		<u>Alces alces</u>
	New Brunswick, Canada		New Brunswick, Canada
	30.XI.1911		30.XI.1911
	J. Birrell		J. Birrell
			Date on vial label is 30.XII.1911
N	1500	N	1500
		RML	110336
	<u>Dermacentor albipictus</u> 2 ♂, 2 ♀, 1 N		2 ♂, 1 ♀, 1 N <u>Dermacentor albipictus</u>
	Carabou		<u>Rangifer tarandus</u>
	New Brunswick, Canada		New Brunswick, Canada
	25.XI.1911		25.XI.1911
	J. Birrell		J. Birrell
N	1501	N	1501
		RML	110337
	<u>Dermacentor</u> sp. 1 N		1 N <u>Dermacentor albipictus</u>
	Carabou		<u>Rangifer tarandus</u>
	New Brunswick, Canada		New Brunswick, Canada
	25.XI.1911		25.XI.1911
	J. Birrell		J. Birrell

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1502	N	1502
		RML	110338
	<u>Dermacentor</u> sp. 1 N		1 N <u>Dermacentor albipictus</u>
	Carabou		<u>Rangifer tarandus</u>
	New Brunswick, Canada		New Brunswick, Canada
	25.XI.1911		25.XI.1911
	J. Birrell		J. Birrell
N	1503	N	1503
		RML	110339
	<u>Dermacentor</u> sp. 1 ♂		5 N <u>Dermacentor albipictus</u>
	Carabou		<u>Rangifer tarandus</u>
	New Brunswick, Canada		New Brunswick, Canada
	25.XI.1911		25.XI.1911
	J. Birrell		J. Birrell
	Lost?		
N	1504	N	1504
		RML	110340
	<u>Ixodes hexagonus</u> 1 ♀		1 ♀ <u>Ixodes cookei</u>
	Black cat		Black cat
	New Brunswick, Canada		New Brunswick, Canada
	19.XII.1911		19.XII.1911
	J. Birrell		J. Birrell
	[Not typical-bad condition; possibly <u>I. rubidus</u>]		Cited: Nuttall (1916: 328).

ORIGINAL DETERMINATIONCURRENT STATUS

Ticks received from Dr. S. T. Darling, Board of Health Laboratory, Ancon, Panama Canal Zone, 24 January 1912.

N 1505 N 1505 MISSING

Amblyomma cajennense 1 ♀

Man

Ancon, Canal Zone

XI.1911

S. T. Darling ("130")

N 1506 N 1506 MISSING

Argas persicus

From cracks and joints in doors
and trap nests of poultry house

Ancon, Canal Zone

XII.1911

S. T. Darling

N 1507 N 1507

RML 110341

Haemaphysalis leporis

1 ♀, 63 L Haemaphysalis leporis-
palustris (tentative ID)

Conejo (Dasyprocta sp.)

Dasyprocta punctata

Mataichin, Canal Zone

Mataichin, Canal Zone (locality not
verified)

29.IX.1911

29.IX.1911

S. T. Darling

S. T. Darling

The ♀ & larvae are in separate tubes.
Nuttall & Warburton (1915: 394)
incorrectly give the collection number
as N 1907.

Ticks received from the Indian Museum Calcutta, India (per Dr. N. Annandale) 23 January 1912. Determined by Mr. C. Warburton, as follows:

Hyalomma syriacum ♂'s, 1 ♀ off Testudo ibera Pall, Banias. Mt. Hermon, Palestine
 (No. 1171) 17 Dr. J. Anderson coll.

Hyalomma syriacum ♂'s, ♀'s, off Testudo ibera, Pall, Banias. Mt. Hermon, Palestine
 (No. 1172) 17 Dr. J. Anderson coll.

Hyalomma syriacum 1 ♂, off Testudo horsfieldi Gray, Jugdulluk, Afghanistan, India
 Major Kinloch coll. (No. 1173) 14

Rhipicephalus sanquineus ♀'s, off jackal (Canis aureus), albino. Zoological Gardens
 Calcutta (No. 1174) 17

Rhipicephalus haemaphysaloides 1 ♂, off ?, W. Slopes of Pegu Yomas (1,300 ft.),
 Thayetmyo District, L. Burma, 4-8.XI.1911, C.J. Rogers (No. 1175) 17

Mites (Pteropus sp. & Gamasus sp.) off bats (Vesperugo tickelli Blyth), Balighai,
 near Puri, Orissa. N. Annandale & F.H. Gravely coll. (No. 1176) 17

Amblyomma atrogenatum ♂, 1 ♀ & o, off Testudo elegans, near Shore, West Coast
 of Ceylon. T. Southwell coll. (No. 1177) 17

Hyalomma syriacum 1 o, off "Man", Myawadi, Burmo-Siamese Frontier, Amherst District,
 L. Burma. F.H. Gravely coll. (No. 1197) 17

Mites (Uropoda sp.) off long-tailed bat (Rhinopoma microphyllum), Damathut,
 Guaing R., Amherst District, L. Burma. F.H. Gravely coll. (No. 1198) 17

Ornithodoros savignyi off?, Sheikh Othman, Aden, India. J.H. Ashworth coll.
 (No. 981) 17

ORIGINAL DETERMINATIONCURRENT STATUS

N	1508	N	1508
		RML	110343
	<u>Argas brumpti</u> (10 specimens)		1 ♂, 7 ♀ <u>Argas brumpti</u>
	Found "in the dust of an anthill where game rolled"		Found "in the dust of an anthill where game rolled"
	Kitui, British East Africa		Kitui (01.22 S, 38.01 E), Kenya
	I.1912		I.1912
	Dr. S. W. J. Scholefield		Dr. S. W. J. Scholefield
	Rec'd from Dr. P. H. Ross, Nairobi, B.E. Africa I.II.1912		Vial label lists locality as Nairobi Kenya
N	1509	N	1509
		RML	66675
	<u>Rhipicephalus rossicus</u> 3 ♂, 2 ♀		3 ♂, 2 ♀ <u>Rhipicephalus rossicus</u>
	Yakimoff, 1911		
	Dogs		Dogs
	Saratow Government, Russia		Saratov (51.34 N, 46.02 E), USSR
	Presented 24.I.1912		Presented 24.I.1912
	Presented by Dr. W. L. Yakimoff		Presented by Dr. W. L. Yakimoff
N	1510	N	1510
		RML	110342
	<u>Hyalomma syriacum</u> 2 ♂'s		2 ♂ <u>Hyalomma aegyptium</u>
	<u>Testudo ibera</u> Pall		<u>Testudo graeca ibera</u>
	Banias, Mt. Hermon, Palestine		Hermon, Nahal (33.13 N, 35.38 E), Israel
	Dr. J. Anderson		Dr. J. Anderson
	[ex Indian Museum <u>1171</u> <u>T7</u>]		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1511	N	1511
		RML	110344
	<u>Rhipicephalus sanguineus</u> 2 ♀'s		2 ♀ <u>Rhipicephalus sanguineus</u>
	Albino jackal (<u>Canis aureus</u>)		<u>Canis aureus</u>
	Zoological Gardens, Calcutta		Zoological Gardens, Calcutta (22.32 N, 88.22 E), India
	[ex. Indian Museum <u>1174</u>] 17		
N	1512	N	1512
		RML	110345
	<u>Amblyomma clypeolatum</u> 5 ♂'s		3 ♂ <u>Amblyomma clypeolatum</u>
	<u>Testudo elegans</u>		<u>Geochelone elegans</u>
	West Coast of Ceylon (near shore)		West Coast of Sri Lanka (near shore)
	T. Southwell		T. Southwell
	[ex. Indian Museum <u>1177</u>] 17		Cited: Robinson (1926: 81). See also N 3608
N	1513	N	1513
		RML	110346
	<u>Ornithodoros savignyi</u> (2)		1 ♂, 1 ♀ <u>Ornithodoros savignyi</u>
	Sheikh Othman, Aden		Shaykh Uthman (12.52 N, 44.59 E), Peoples Democratic Republic of Yemen
	Dr. J. H. Ashworth		Dr. J. H. Ashworth
	[ex. Indian Museum <u>981</u>] 17		

Ticks received back from the Zoological Society's Gardens, London (per Dr. Chalmers Mitchell) being those wanted from Report I, 2 February 1912:-

N	1514	N	1514
		RML	110347
	<u>Aponomma pattoni</u> ♂, ♀, N		2♂, 1♀, 1N <u>Aponomma pattoni</u>
	<u>Zamenis mucosus</u>		<u>Ptyas mucosus</u>
	Purch, India		India [The word Purch means purchased]
	31.X.1911		31.X.1911
			Cited: Kaufmann (1972: 318)
N	1515	N	1515
		RML	110348
	<u>Amblyomma moreliae</u> 1♂		1♂ <u>Amblyomma</u> sp.
	<u>Zamenis mucosus</u>		<u>Ptyas mucosus</u>
	Purch, India		India [The word Purch means purchased]
	31.X.1911		31.X.1911
N	1516	N	1516
		RML	110349
	<u>Aponomma gervaisi</u> ♂'s, ♀'s		1♂, 2♀ <u>Aponomma gervaisi</u>
	<u>Lachesis lanceolatus</u>		<u>Bothrops lanceolatus</u>
	India		India
			1911
			Date found on vial label.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1517	N	1517
		RML	110350
	<u>Aponomma exornatum</u> ♂'s, ♀'s		1 ♂, 4 ♀ <u>Aponomma exornatum</u>
	Off?		Off?
	India		Locality unknown. The locality of India is incorrect.
	? Date		? Date
N	1518	N	1518
		RML	110351
	<u>Aponomma gervaisi</u> var <u>lucasi</u> ♂, ♀, n's		2 ♂, 3 ♀, 5 N <u>Aponomma varanensis</u>
	<u>Naja tripudians</u>		<u>Naja naja</u>
	India		India
	Rec'd 13.VI.1911		Rec'd 13.VI.1911
N	1519	N	1519
		RML	110352
	<u>Aponomma gervaisi</u> var <u>lucasi</u> ♂'s, ♀'s (very typical)		4 ♂, 1 ♀ <u>Aponomma varanensis</u>
	<u>Naja bungarus</u>		<u>Ophiophagus hannah</u>
	India		India
	14.IX.1911		14.IX.1911
			Cited: Santos Dias (1958: 518).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1520	N 1520
		RML 110353
	<u>Amblyomma moreliae</u> 1 ♀	1 ♀ <u>Amblyomma moreliae</u> (tentative ID)
	<u>Zamenis germanensis</u>	<u>Coluber genonensis</u>
	India	India
	15.VII.1911	15.VII.1911
		Because this is a zoo animal, there is a chance that exchange took place with an Australian species.
N	1521	N 1521
		RML 110354
	<u>Aponomma gervaisi</u> var <u>Tucasi</u> ♂, ♀, N, L	4 ♂, 2 ♀, 2 N <u>Aponomma varanensis</u>
	<u>Naja tripudians</u>	<u>Naja naja</u>
	India	India
	11.VII.1911	11.VII.1911
N	1522	N 1522
		RML 110355
	<u>Amblyomma dissimile</u> ♂ & ♀	1 ♂, 1 ♀ <u>Amblyomma dissimile</u>
	<u>Boa constrictor</u>	<u>Boa constrictor</u>
	India	India
		1911
		Date found on vial label. The ♂ of this collection is <u>A. dissimile</u> , the ♀ is questionably <u>A. dissimile</u> . Either the locality of India is in error or the snake picked up this neotropical tick species in the London Zoo. See N 3609 for a similar case [J.E.K.].

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1523	N	1523
		RML	110356
	<u>Amblyomma moreliae</u> ♂		1 ♂ <u>Amblyomma</u> sp.
	<u>Boa constrictor</u>		<u>Boa constrictor</u>
	India		India
N	1524	N	1524
		RML	110357
	<u>Amblyomma diminutivum</u> 1 ♀ (gorged)		1 ♀ <u>Amblyomma dissimile</u>
	<u>Lachesis (Trimerisurus)</u> <u>lanceolatus</u>		<u>Bothrops lanceolatus</u>
	S. America		S. America
	21.III.1909		21.III.1909
	Presented by Gordon Merriman, Esq.		Presented by Gordon Merriman, Esq.
	L. G. Neumann, det. 12.II.1912		Cited: Robinson (1926: 191) but without Nuttall number

Ticks received from Dr. E. Brumpt, Laboratoire de Parasitologie, Paris, France, 5 February 1912 (He sent his collection of Haemaphysalis for purpose of study and allowed us to keep the following):-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1525	N	1525
		RML	110358
	<u>Haemaphysalis inermis</u> 2 ♀ (unfed)	2 ♀	<u>Haemaphysalis inermis</u>
	Stag	Stag	
	Fontainsbleau, France	Fontainebleau (48.24 N, 02.42), France	
	End of XI.1910	End of XI.1910	
	Dr. E. Brumpt	Dr. E. Brumpt	
	[Lot comprised of 9 specimens]	Emile Brumpt (1877-1951), distinguished French Parasitologist, author of 376 scientific articles and the famous "Précis de Parasitologie." Cited: Nuttall & Warburton (1915: 367).	
N	1526	N	1526 MISSING
	<u>Haemaphysalis inermis</u> 2 ♂, 3 ♀		
	Stag		
	Fontainsbleau, France		
	3.XI.1910		
	Dr. E. Brumpt		
	[Lot comprised 14 specimens] Note in vial - 1 ♂ 1 ♀ removed 16.III.1937 GHFN; 1 ♂, 2 ♀ sent to Dr. R. A. Cooley of RML by Mr. E. Browning 9.X.1945		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1527	N	1527
		RML	110359
	<u>Haemaphysalis inermis</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Haemaphysalis inermis</u>
	Stag		Stag
	Fontainsbleau, France		Fontainebleau (48.24 N, 02.42 E), France
	16.XII.1911		16.XII.1911
	Dr. E. Brumpt		Dr. E. Brumpt
	[Lot comprised 6 specimens]		Cited: Nuttall & Warburton (1915: 367).
N	1528	N	1528
		RML	110360
	<u>Haemaphysalis inermis</u> 3 ♂		3 ♂ <u>Haemaphysalis inermis</u>
	Stag		Stag
	Fontainsbleau, France		Fontainebleau (48.24 N, 02.42 E), France
	7.XII.1911		7.XII.1911
	Dr. E. Brumpt		Dr. E. Brumpt
	[Lot comprised 52 specimens of which 10 preserved and 42 alive. Dr. Brumpt also captured 1 ♂ on stag at Fontainsbleau 24.I.1912 which we examined. His notes state that he did not find this tick on 4 deer skins from Chantilly, which he examined very carefully]		Cited: Nuttall & Warburton (1915: 367).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1529	N	1529
		RML	110361
	<u>Haemaphysalis concinna</u> 1 ♂		1 ♂ <u>Haemaphysalis concinna</u>
	Stag		Stag
	Chantilly, France		Chantilly (49.12 N, 02.28 E), France
	5.X.1910		5.X.1910
	Dr. E. Brumpt		Dr. E. Brumpt
	Found as one of four gorged nymphs, which moulted 15.XII.1910 (2 mos.), Dr. B. writes he found 64 gorged L & 15 gorged N on a hedgehog at Chantilly - they gave rise to 64 N & 15 adults (8 ♂, 7 ♀) respectively; but even after 2 months had elapsed he failed to make them feed on dog, hedgehog, mouse & cat. This partial raising experiment links up all the stages ♂, ♀, N, L as belonging to one species. He sent me specimens of each stage and in returning them (5.II.1912) I am asking him to describe the N & L.		Cited: Nuttall & Warburton (1915: 457).

ORIGINAL DETERMINATIONCURRENT STATUS

Ticks received for the collection here from Mr. F. C. Bishopp, Entomological Assistant, Dallas, Texas, 12 February 1912:

N 1530

N 1530

RML 59112

Dermacentor albipictus9 ♂, 9 ♀ Dermacentor albipictus

Horse

Horses

Lakeside, Washington, D.C.

Lakeside (47.45 N, 120.00 W),
Washington, U.S.A.

12.IV.1910

12.IV.1910

L. D. Higley

F. C. Bishopp det [B1228]

Collector's name from Bishopp's accession card. 18 ♂, 1 ♀ of this collection deposited in RML.
 Fred Cory Bishopp (1884-1970). Worked with the U.S. Dept. of Agriculture from 1904-1953, pioneer researcher on ticks and other arthropods of medical-veterinary importance.

N 1531

N 1531

RML 59853

Dermacentor nigrolineatus4 ♂, 3 ♀ Dermacentor albipictus♂'s, ♀'s
Cow

Cow

Lake, Tennessee

Lake, Fentress County (36.40 N,
85.00 W), Tennessee, U.S.A.

14.XI.1911

14.XI.1911

Ben R. Stockton

F. C. Bishopp det. [B2381]

Collector's name from Bishopp's accession card.
 2 ♂, 11 ♀ of this collection deposited in RML.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1532	N	1532
		RML	60628
	<u>Dermacentor occidentalis</u> ♂'s, ♀'s		7 ♂, 9 ♀ <u>Dermacentor occidentalis</u>
	Cattle		Cattle
	Cayucos, California		Cayucos (35.27 N, 120.54 W), California, U.S.A.
	27.IV.1910		27.IV.1910
	F. A. Bishop det [B 1447]		P. Solmina
			Above total includes 1 ♂, 1 ♀ mounted on a slide Collectors name from Bishop's accession card. 11♂, 18♀, 1 N of this collection deposited in RML
N	1533	N	1533
		RML	60740
	<u>Dermacentor parumapertus</u> var. <u>marginatus</u> ♂'s, ♀'s		9 ♂, 5 ♀ <u>Dermacentor parumapertus</u>
	Jack rabbit		<u>Lepus californicus</u>
	Midland, Texas		Midland (32.00 N, 102.05 W), Texas, U.S.A.
	16.VI.1909		16.VI.1909
	F. C. Bishop		F. C. Bishop
	F. C. Bishop det [B593]		The total given above includes 1 ♂, 1 ♀ mounted on a slide. 43♂, 15 ♀ of this collection deposited in RML.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1534	N	1534
		RML	110362
	<u>Dermacentor venustus</u> ♂'s, ♀'s		7 ♂, 8 ♀ <u>Dermacentor andersoni</u>
	Horse		Horses
	Lo Lo, Montana		Lolo (46.45 N, 114.03 W), Montana, U.S.A.
	8.IV.1910		8-9.IV.1910
	F. C. Bishopp det. [B1214]		Frank Williams
			Collector's name and date taken from Bishopp's accession card. The above total includes 1♀ pinned.
N	1535	N	1535
		RML	58945
	<u>Dermacentor venustus</u> ♂'s, ♀'s		6 ♂, 4 ♀ <u>Dermacentor andersoni</u>
	Horse		Horses
	Riverside, Oregon		Riverside (43.32 N, 118.09 W), Oregon, U.S.A.
	12.V.1911		12-18.V.1911
	F. C. Bishopp det. [B2256]		Duncan McRae
			Collector's name and date taken from Bishopp's accession card. 8 ♂, 1 ♀ of this collection deposited in RML.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1536	N	1536
		RML	57135
	<u>Dermacentor hunteri</u> 3 ♂, 2 ♀		3 ♂, 1 ♀ <u>Dermacentor hunteri</u>
	Mountain sheep		<u>Ovis canadensis</u>
	Quartzsite, Arizona		Quartzsite (33.40 N, 114.13 W), Arizona, U.S.A.
	20.VIII.1910		20.IX.1910
	G. Hutson		George S. Hutson
	F. C. Bishopp det [B2066]		Although <u>D. hunteri</u> was described by Bishopp from specimens collected on <u>Ovis canadensis</u> , Quartzsite, Arizona, George S. Hutson, the specimens listed above are not types. The types were collected 2.IX.1911 and were given Bishopp number 2352. 2 ♂ of this collection deposited in RML.
N	1537	N	1537
		RML	56789
	<u>Ixodes banksi</u> 1 ♀		1 ♀ <u>Ixodes banksi</u> Paratype
	Muskrat		<u>Ondatra zibethicus</u>
	Monmouth Springs, Arkansas		Mammoth Spring (36.30 N, 91.33 W) Arkansas, U.S.A.
	14.VI.1910		14.VI.1910
			A. H. Howell
	F. C. Bishopp det [B1833]		Collectors name taken from Bishopp's accession card. Bishopp (1911: 200) original description; cited: Keirans & Clifford (1978: 142). 3 ♀ of this collection deposited in RML.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1538	N	1538
		RML	49377
	<u>Ixodes cookei</u> var. <u>rugosus</u> 2 ♀		2 ♀ <u>Ixodes rugosus</u>
	Dog		Dog
	Rjsht (?) Washington, D.C.		Pysht (48.12 N, 124.07 W), Washington, U.S.A.
			17.III.1910
			Guy Decker
	F. C. Bishopp det [B2225]		1 ♀ of this collection deposited in RML. Bishopp's accession cards show that he considered B2225 to be part of B1071. The ticks listed under B1071 were collected on 17.III.1910 by Guy Decker. See also Cooley & Kohls (1945: 123). Nuttall's vial label lists the date as 1911.
N	1539	N	1539
		RML	110363
	<u>Ixodes kingi</u> 1 ♂, 2 ♀		1 ♂, 2 ♀ <u>Ixodes kingi</u>
	Badger		<u>Taxidea taxus</u>
	Fairview, New Mexico		Fairview, New Mexico, U.S.A. (locality not verified)
	? 1909		2.X.1909
			E. A. Goldman
	F. C. Bishopp det [B707] (see lot listed by Bishopp, 1911).		Date and collector taken from Bishopp's accession card. Cited: Bishopp (1911:203); Cooley & Kohls (1945: 135).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1540	N	1540
		RML	110364
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		5 ♂ <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Chateau - Neuf, S. France		Chateauneuf (43.40 N, 06.59 E), France	
1.IX.1911		1.IX.1911	
Miss E. Barthès		Miss E. Barthès	
(C. W. & G.H.F.N. det.)			
N	1541	N	1541
		RML	110365
	<u>Rhipicephalus sanguineus</u> 1 ♀		1 ♀ <u>Rhipicephalus sanguineus</u>
Rabbit		Rabbit	
Begude de Mazenc, Drôme, S. France		La Béguide-de-Mazenc, (44.32 N, 04.56 E), France.	
31.VIII.1911		31.VIII.1911	
Miss E. Barthès		Miss E. Barthès	
(C.W. & G.N. det.)			

ORIGINAL DETERMINATIONCURRENT STATUS

N 1542, a, b

N 1542, a, b

RML 110135

(1542) Ixodes caledonicus
3 ♀, 7 N(a) Ixodes caledonicus 2 larvae
(gorged)
(b) Ixodes caledonicus 1 ♀
deformed

Dovecote

Dunipace, Stirlingshire,
Scotland

25.V.1911

Mr. Wm. Evans

Out of the same lot as 1295
 Presented 28.II.1912 (b) deformed
 showing anal groove closed as a
 ring: should serve as a prime
 warning not to found new species
 on a deformed specimen [figured
 & described] Note: Mr. Evans,
 20.II.1912 writes that he has
 given specimens of this lot of I.
caledonicus to Dr. Ashworth &
 Reltie, and is sending others to
 Prof. L. G. Neumann, the Brit. Mus.,
 and Edinburgh Mus. G.H.F.N.
 1.III.1912.

(1542) 3 ♀ 6 N Ixodes caledonicus(a) 2 L Ixodes caledonicus(b) 1 ♀ Ixodes caledonicus

Dovecote

Dunipace (56.01 N, 03.55 W),
Stirlingshire, Scotland

25.V.1911

Mr. William Evans

N 1542(b) is in a jar marked "Tick
 Abnormalities" and has been described
 and figured by Nuttall (1914a: 251).

William Evans (1851-1922) died 23.X.1922
 aged 70, Editor of the Scottish
Naturalist, Fellow Royal Society
 Edinburgh.

ORIGINAL DETERMINATIONCURRENT STATUS

N 1543 N 1543 MISSING

Ixodes ricinus 1 ♂

Man

Killarney, S. Ireland

9.IX.1911

G. Patrick

G.H.F.N. det.

Ticks received back from the Entomological Research Committee (ex Report No. 20), London, S.W., 3 March, 1911 per Mr. G.A.K. Marshall.

N 1544 N 1544

RML 110367

Amblyomma gemma ♂'s, ♀'s

4 ♂, 3 ♀ Amblyomma gemma
2 ♂ Amblyomma lepidum

British East Africa

Kenya

R. J. Stordy

R. J. Stordy

ERC 416

N 1545 N 1545

RML 110368

Rhipicephalus pulchellus ♂'s, ♀'s

3 ♂, 2 ♀ Rhipicephalus pulchellus

Desert country, B.E. Africa

Desert country, Kenya

? 1911

? 1911

R. J. Stordy

R. J. Stordy

ERC 419

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1546	N	1546
		RML	110369
	<u>Haemaphysalis hoodi</u> ♂, ♀		5 ♂, 4 ♀ <u>Haemaphysalis hoodi</u>
	Guinea-fowl		<u>Numida meleagris</u>
	Addah, Gold Coast		Ada (05.47 N, 00.38 E), Ghana
	15.X.1911		15.X.1911
	Dr. H. T. Palmer		Dr. H. T. Palmer
	ERC 422		Cited: Nuttall & Warburton (1915: 486).
N	1547	N	1547
		RML	110370
	<u>Aponomma exornatum</u> ♂, ♀, N		4 ♂, 4 N <u>Aponomma flavomaculatum</u>
	Monitor		Monitor
	Maiduguri, N. Nigeria		Maiduguri (11.51 N, 13.09 E), Nigeria
	3.IX.1911		3.IX.1911
	Dr. W. D. Inness		Dr. W. D. Inness
	ERC 407 1 ♂, 1 ♀ to I.C. Ross, University of Sydney, Australia		
N	1548	N	1548
		RML	110371
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s		5 ♂, 1 ♀ <u>Amblyomma cohaerens</u>
	Uganda, Brit. East Africa		Uganda
	? 1911		? 1911
	Dr. C. H. Marshall		Dr. C. H. Marshall
	ERC 333		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1549	N	1549
		RML	110372
	<u>Amblyomma cohaerens</u> 1 ♂		1 ♂ <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Uganda, B.E. Africa		Uganda
	1911		1911
	Dr. G. D. H. Carpenter		Dr. G. D. H. Carpenter
	ERC 420		Cited: Robinson (1926: 110).
N	1550	N	1550
		RML	66664
	<u>Ornithodoros savignyi</u>		1 ♂, 3 ♀, 16 N <u>Ornithodoros savignyi</u>
	Desert Country, B.E. Africa		Desert Country, Kenya
	1911		1911
	R. J. Stordy		R. J. Stordy
	ERC 419d		On the reverse of the vial label is "Nuttall 2011" which were raised in 1913 and evidently are progeny from this collection of ticks.
N	1551	N	1551
		RML	110373
	<u>Amblyomma variegatum</u> ♂'s, ♀'s		6 ♂, 3 ♀ <u>Amblyomma cohaerens</u>
	British East Africa		Kenya
	? 1911		? 1911
	R. J. Stordy		R. J. Stordy
	ERC 417		Cited: Robinson (1926: 108)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1552	N	1552
		RML	110374
	<u>Amblyomma gemma</u> ♂'s, ♀'s		2 ♂, 1 ♀ <u>Amblyomma gemma</u>
	British East Africa		Kenya
	? 1911		? 1911
	R. J. Stordy		R. J. Stordy
	ERC 418		
N	1553	N	1553
		RML	66679
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s		7 ♂, 5 ♀ <u>Rhipicephalus evertsi</u>
	Ponies		Ponies
	Maiduguri, N. Nigeria		Maiduguri (11.51 N, 13.09 E), Nigeria
	IX.1911		IX.1911
	Dr. W. D. Inness		Dr. W. D. Inness
	ERC 402a		
N	1554	N	1554 MISSING
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s		
	Donkey		
	Maiduguri, N. Nigeria		
	IX.1911		
	Dr. W. D. Inness		
	ERC 406C		
	1 ♂, 1 ♀ to Dr. K. F. Meyer, U. of California, Berkeley, 15.XI.1913.		
	Some (sex/stage not stated) to Prof. O. Duboscq, Montpellier, France 10.II.1914		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1555 - This number was omitted from the Nuttall catalogue	N	1556
N	1556	N	1556
		RML	110144
	<u>Hyalomma aegyptium</u> ♂'s		9 ♂, 2 ♀ <u>Hyalomma marginatum</u>
	Hedgehog in laboratory, Cambridge		<u>Erinaceus europaeus</u> in laboratory, Cambridge
	Hammam - Meskoutine, Algeria		Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	11.VI.1911		11.VI.1911
	M. P. Dechabert		M. P. Dechabert
	(Progeny of No. 1305a)		
N	1557	N	1557
		RML	110144
	<u>Hyalomma aegyptium</u> ♀'s		4 ♀ <u>Hyalomma marginatum</u>
	Hedgehog in laboratory, Cambridge		<u>Erinaceus europaeus</u> in laboratory, Cambridge
	Hammam - Meskoutine, Algeria		Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	11.VI.1911		11.VI.1911
	M. P. Dechabert		M. P. Dechabert
	(Progeny of 1305a)		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1558		N	1558	
			RML	110144	
	<u>Rhipicephalus bursa</u> ♂'s			93 ♂ <u>Rhipicephalus bursa</u>	
	Ram at Field Laboratory Cambridge, 1912			Ram at Field Laboratory, Cambridge, 1912	
	Hammam - Meskoutine, Algeria			Hammam Meskoutine (36.27 N, 07.16 E), Algeria	
	11.VI.1911			11.VI.1911	
	M. P. Dechabert			M. P. Dechabert	
	(Progeny of 1305b)			An additional ♂ is in the BMNH collection (1913.2.12.22-24).	
N	1559		N	1559	
			RML	110144	
	<u>Rhipicephalus bursa</u> ♀'s			157 ♀ <u>Rhipicephalus bursa</u>	
	Ram at Field Laboratory, Cambridge, 1912			Ram at Field Laboratory, Cambridge, 1912	
	Hammam - Meskoutine, Algeria			Hammam Meskoutine (36.27 N, 07.16 E), Algeria	
	11.VI.1911			11.VI.1911	
	M. P. Dechabert			M. P. Dechabert	
	(Progeny of 1305b)				
N	1560		N	1560	
			RML	110366	
	<u>Ixodes ricinus</u> ♂, ♀, N, L			10 ♀, 67 N <u>Ixodes ricinus</u>	
	Deer (dying)			Deer (dying)	
	Lord Falmouth's Estate, Falmouth, Cornwall			Lord Falmouth's Estate, Falmouth (50.09 N, 05.05 W), Cornwall, England	
	6.III.1912			6.III.1912	
	Skin received 4.III.1912			Label in vial "N & L removed." Cited: Nuttall (1916: 331).	

ORIGINAL DETERMINATIONCURRENT STATUS

N 1561

N 1561

RML 110375

Argas persicus gorged L's &
1st stage N's

Raised in the Quick Laboratory,
Cambridge, 1912 by Dr. E. Hindle.
Parents received from Beni-Ounif,
Algeria

1 N, L's to Prof. Dr. Dahl,
Berlin Museum VII.1914;
1 N, L's to Prof. Dr. Schenkling,
Deutsches Entomol. Mus. VII.1914;
1 N, L's to Prof. Dr. Gestro, Museo
Civico di Storia Nat. di Genova
VII.1914.

226 L & 1st stage N Argas persicus

Raised in the Quick Laboratory,
Cambridge, 1912 by Dr. E. Hindle.
Parents received from Beni Ounif
(32.03 N, 01.15 W), Algeria

See also Nuttall 1574

Edward Hindle (1886-1973) Sc. D.,
F.R.S. died III.1973 at 86.
Eminent Parasitologist and Zoologist,
Nuttall influenced Hindle's scientific
development, worked on spirochaetes
and piroplasms causing human relapsing
fever and East Coast Fever. After
WWI, Hindle worked as Professor of
Biology, School of Medicine, Cairo,
later was on the Kala-Azar Commission
to China.

N 1562

N 1562

RML 110376

Rhipicephalus shipleyi ♀

Hyaena sp.

Sudan

=R. simus shipleyi (Nn)

1 ♀ Rhipicephalus simus
SYNTYPES of R. shipleyi

Hyaena sp.

Sudan

Neumann (1902: 112, 113) original
description.

♀ vulva removed and mounted on a
slide.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1563, a	N	1563, a
		RML	22300
	<u>Haemaphysalis papuana</u> many ♂'s, 2 ♀, 2 N (gorged) & 2 L (gorged)		23 ♂, 2 ♀, 1 L <u>Haemaphysalis papuana</u>
	(a) 1 N <u>Haemaphysalis konings-</u> <u>bergeri</u>		(a) 1 N <u>Haemaphysalis papuana</u> (tentative ID)
	Malayan Honey-Bear (<u>Ursus</u> <u>malayanus</u>)		<u>Helarctos malayanus</u>
	Kuching, Sarawak, Borneo		Kuching (01.33 N, 110.20 E), Sarawak
	8.II.1912		8.II.1912
	J. C. Moulton (Curator of the Museum)		J. C. Moulton (Curator of the Museum)
	13.III.1912 (Sent Mr. Moulton 3 ♂, 1 ♀, & 1 N of this species, at his request, on 11 May, 1912).		Cited and larva figured: Nuttall & Warburton (1915: 407); Trapido et al (1964: 178) list 24 ♂ in this collection.
			Three slides of dissections present: ♂ Hypostome, ♂ spiracular plate, ♂ legs I & IV.
			John Coney Moulton (1886-1926) O.B.E., Curator of Sarawak Museum 1909-1914, served in WWI, then Director of Raffles Museum and Library, Singapore 1919-1923; from 1923 till his death Secretary to the Rajah of Sarawak; worked extensively on Malaysian Cicadidae.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1564	N	1564
		RML	110377
	<u>Haemaphysalis punctata</u> ♂'s, ♀'s		153 ♂, 21 ♀ <u>Haemaphysalis punctata</u>
	Sheep		Sheep
	Lydd, Kent		Lydd (50.57 N, 00.55 E), Kent, England
	4.IV.1905		4.IV.1905
	Received dead 1 ♂, 1 ♀ to Prof. E. Brumpt, Ecole Medicine, Paris, 12.X.1922		Cited: Nuttall & Warburton (1915: 384).
N	1565, a	N	1565, a
		RML	110378
	<u>Haemaphysalis punctata</u> ♀'s (a) <u>Haemaphysalis punctata</u> ♀'s		2 ♀ <u>Haemaphysalis punctata</u> (a) 7 ♀ <u>Haemaphysalis punctata</u>
	Sheep		Sheep
	Herne, Kent		Herne (51.20 N, 01.08 E), Kent, England
	4.IV.1905 (a) 15.IV.1905		4.IV.1905 (a) 15.IV.1905
	Messrs. Cooper & Nephews, Berkhamsted (a) Mr. Collard per Messrs. Cooper & Nephew, Berkhamsted		Messrs. Cooper & Nephews, Berkhamsted (a) Mr. Collard per Messrs. Cooper & Nephew, Berkhamsted
			Cited: Nuttall & Warburton (1915: 384).
	Ticks received for identification from Mr. L. Armstrong (per Mr. G. Merriman), British Museum (Nat. Hist.), Cromwell Road, London, S.H., 11. March, 1912:-		
	<u>Apon. laeve</u> ♀'s, off <u>snake</u> , Aburi, 5.IV.1911 [snake had large adult female bat inside.].		
	<u>Ixodes rasus</u> ♀, 2 N & L's, off (♂) <u>ground pig</u> , Aburi, 1.III.1911.		
	<u>Ixodes pilosus</u> ♀, off top of <u>cat's head</u> , Aburi, I.1911.		
	<u>Haem. leachi</u> ♀ off top of <u>cat's head</u> , Aburi, I.1911.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1566	N 1566
		RML 110379
	<u>Haemaphysalis inermis</u> var. <u>aponommooides</u> n.sp. ♀'s	20 ♀ <u>Haemaphysalis aponommooides</u> Lectotype and paralectotypes
	Himalayan zebras	Himalayan zebras
	Belgachia, Calcutta, India	Belgachia, Calcutta (22.32 N, 88.22 E), India
	Rec'd 13.III.1912	Rec'd 13.III. 1912
	Rec'd from Colonel F. Raymond F.R.C.V.S., Principal, Bengal Veterinary College	Rec'd from Colonel F. Raymond, F.R.C.V.S., Principal, Bengal Veterinary College
		Warburton (1913: 128) original description; Nuttall & Warburton (1915: 549) listed 23 ♀ in the BMNH collection; Hoogstraal (1962a: 195) raised <u>H. aponommooides</u> to specific rank; Moritz & Fischer (1981: 343). Lectotype designated: Keirans & Brewster (1981: 162) but due to a typographical error the ♂ symbol was inserted after the word lectotype.
N	1567	N 1567 MISSING
	<u>Boophilus australis</u> ♀'s	
	Himalayan zebras	
	Belgachia, Calcutta, India	
	Rec'd 13.III.1912	
	Rec'd. from Colonel F. Raymond, F.R.C.V.S., Principal, Bengal Veterinary College	

Ticks received from the Indian Museum, Calcutta, India (per Dr. N. Annandale), March, 1912. Determined by Mr. C. Warburton, as follows:-

<u>Haemaphysalis</u> 1 N,	off large, bushy-tailed <u>tree-shrew</u>		
<u>Amblyomma</u>	(<u>Tupaia chinensis</u>), Kobo, (Alt. 400 ft.),		
2 N's of one sp.	9.XII.1911. S. W. Kemp. Indian Mus.	1200	
1 N of another	(Abor. Expedition)	<u>17</u>	
<u>AmbL. testudinarium</u>	♂'s ♀'s off <u>wild pig</u> (<u>Sus cristatus</u>),		
	Kobo, 5.XII.1911. S. W. Kemp. Indian Mus.	1201	
	(Abor. Expedition)	<u>17</u>	
<u>Haem. bispinosa</u>	♂, found "by sweeping," Dibrugarh, Indian Mus.	1202	
	N. E. Assam, 17-21.XI.1911 S.W. Kemp	<u>17</u>	
<u>AmbL. testudinarium</u>	2 ♂'s, found "by sweeping," Kobo,		
	3.XII.1911. (Abor. Expedition) Indian Mus.	1203	
	S. W. Kemp	<u>17</u>	
Gamasid mites	off <u>Houbara macqueenii</u> killed in		
	desert, Bhawalnagar, Bhawalpore	Indian Mus.	
	State, Punjab, ?1911 Col. Phillot	<u>17</u>	

ORIGINAL DETERMINATIONCURRENT STATUS

N	1568	N	1568
		RML	110380
	<u>Amblyomma testudinarium</u> 1 ♂, 6 ♀'s		1 ♂, 5 ♀ <u>Amblyomma testudinarium</u>
	Wild pig (<u>Sus cristatus</u>)		<u>Sus scrofa cristatus</u>
	Kobo, India		Kobo (27.47 N, 95.23 E), India
	5.XII.1911		5.XII.1911
	S. W. Kemp		S. W. Kemp
	(Abor Expedition) [Ex. Indian Mus. 1201] 17		Cited: Robinson (1926: 257).

Two additional tubes of ticks received from the Indian Museum, Calcutta, India (per Dr. Annandale) March, 1912. Determined by Mr. Warburton, as follows:

<u>Argas persicus</u>	(1), from Quetta, Baluchistan, India, 1912. Major Stammers, R.A.M.C.	"A"
<u>Orn. tholozani</u>	1 nymph, from Quetta, Baluchistan, India, 1912. Major Stammers, R.A.M.C.	"B"

Ticks received from Professor W. B. Herms, Entomological Dept. Univ. of California, Berkeley, Cal., U.S. America, 18 March 1912. Determinations etc., as follows:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1569	N	1569
		RML	110381
	<u>Ornithodoros megnini</u> (15 specimens)		9 N <u>Otobius megnini</u>
	Cattle		Cattle
	California, U.S.A.		California, U.S.A.
	I.1912		I.1912
	W. B. Herms		W. B. Herms
	["Ear ticks"]		Original vial label lists 15 specimens; a small second label lists "only 9 left 20.X.1934"
			William Brodbeck Herms (1876-1949) Professor of Parasitology, University of California, Berkeley, died 9.V.1949 at 72. Leader in the field of Medical Entomology and author of the foremost textbook on that subject during his lifetime.
N	1570, a	N	1570, a
		RML	110382
	(1570) <u>Dermacentor occidentalis</u> 1 ♂, 1 ♀		(1570) 1 ♂, 1 ♀ <u>Dermacentor occidentalis</u>
	(a) <u>Ixodes ricinus</u> ♂ & ♀ (in copula), ♀		(a) 1 ♂, 2 ♀ <u>Ixodes pacificus</u>
	<u>Odocoileus columbianus</u>		<u>Odocoileus hemionus</u>
	Berkeley, California, U.S. America		Berkeley (37.57 N, 122.18 W), California, U.S.A.
	1912		1912
	F. C. Clark		F. C. Clark
			Cited: Nuttall (1916: 333).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1571	N	1571
		RML	110383
	<u>Argas vespertilionis</u> 1 ♀, 2 N, 1 L		1 ♂, 1 ♀, 1 N, 1 L <u>Argas boueti</u>
	Bats (sp. ?)		Bats (sp. ?)
	French Soudan		Sudan
	1911		1911
	Dr. Bouet		Dr. Bouet
	(Presented by Prof. L. G. Neumann, III.1912)		The 1 L is in a separate vial.
N	1572	N	1572
		RML	66579
	<u>Rhipicephalus maculatus</u> ♂'s, ♀'s		5 ♂, 5 ♀ <u>Rhipicephalus maculatus</u>
	Grasses		Grasses
	Masongalini, Uganda Railway, B.E. Africa		Masongaleni (02.29 S, 38.03 E), Kenya
	29.III-1.IV.1911		29.III-1.IV.1911
	S. A. Neave		S. A. Neave
	(E.R.C. 263)		There is a second collection bearing the catalogue number N 1572 with the following data and ticks: Indian Mus. $\frac{\text{TM}}{2}$
			1 ♂ 1 ♀ <u>Rhipicephalus haemaphysaloides</u> Shai Kara Nayara, India Sheep, XII.1910. This collection refers to N 1406 but the number is unmistakably N 1572.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1573	N	1573
		RML	110384
	<u>Rhipicephalus maculatus</u> ♂'s, ♀'s		8 ♂, 11 ♀ <u>Rhipicephalus maculatus</u>
	Grasses		Grasses
	Mtito Andei, Uganda Railway, B.E. Africa		Mtito Andei (02.41 S, 38.10 E), Kenya
	27.III.1911		27.III.1911
	S. A. Neave		S. A. Neave
	(E.R.C. 264c) 1 ♂, 1 ♀ to J. De Meza, Zomba, Nyasaland 19.II.1916		
N	1574, a-c	N	1574, a, b
		RML	110375
	(1574) <u>Argas persicus</u> larvae (unfed)		(1574) 56 L <u>Argas persicus</u>
	(a) <u>Argas persicus</u> larvae (gorged)		(a) 6 L <u>Argas persicus</u>
	(b) <u>Argas persicus</u> 1st stage N's		(b) 13 N <u>Argas persicus</u>
	(c) <u>Argas persicus</u> N's & adults Raised in Cambridge		(c) MISSING
	Beni Ounif, Algeria		Beni Ounif (32.03 N, 01.15 W), Algeria
	Presented 27.III.1912		Presented 27.III.1912
	Presented by Dr. E. Hindle		Presented by Dr. E. Hindle
			See also Nuttall 1561

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1575	N	1575
		RML	110385
	<u>Ornithodoros savignyi</u> (alive)		23 ♂, 12 ♀, 532 N <u>Ornithodoros savignyi</u>
	Aden, India		Peoples Democratic Republic of Yemen
	Rec'd VII.1911		Rec'd VII.1911
	Rec'd from Dr. J. H. Ashworth, Edinburgh		Rec'd from Dr. J. H. Ashworth, Edinburgh
	[Used for raising experiments].		Collection in two vials.
	1 ♂, 1 ♀, N's to Prof. Dr. Dahl, Berlin Museum, VII.1914.		
	1 ♂, 1 ♀, N's to Prof. Dr. Schenkling, Deutsches Entomol. Museum, VII.1914.		
	1 ♂, 1 ♀, N's to Dr. R. Gestro, Museo Civico di Storia Nat. Genova, VII.1914.		
	All stages to Prof. R. Matheson, Cornell, 27.V.1929.		
	All stages to Dr. A. C. Reed, San Francisco, 30.V.1929.		
	All stages to Prof. J. Drbohlav, Prague, 30.V.1929.		
	Different stages to Prof. E. Malvoz, Liege, 30.V.1929.		
N	1576	N	1576
		RML	66622
	<u>Ixodes ricinus</u> ♂, ♀, N, L (unfed)		71 N, 1 L <u>Ixodes ricinus</u>
	Grass in deer park		Grass in deer park
	Tregothnan near Truro, Cornwall		Tregothnan, near Truro (50.16 N, 05.03 W), Cornwall, England
	17.IV.1912		17.IV.1912
	G.H.F. Nuttall coll. & det.		G.H.F. Nuttall coll. & det.
	1 ♂, 1 N to J. de Meza, Zomba, Nyasaland 19.II.1916		Cited: Nuttall (1916: 332).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1577	N	1577
		RML	110386
	<u>Ixodes ricinus</u> N, L	39 N	<u>Ixodes ricinus</u>
	Wild rabbit (ears and eyelids)	Wild rabbit (ears and eyelids)	
	Treゴothnan, near Truro, Cornwall	Treゴothnan, near Truro (50.16 N, 05.03 W), Cornwall, England	
	17.IV.1912	17.IV.1912	
	G.H.F. Nuttall coll. & det.	G.H.F. Nuttall coll. & det.	
		Vial label date is 7.IV.1912. Nuttall (1916: 332) incorrectly cited this collection as N 1677.	
	Ticks received back from the Entomological Research Committee (Tropical Africa), London S.W. Ex. Report 21, April, 1912:-		

N	1578	N	1578
		RML	110387
	<u>Amblyomma splendidum</u> ♂'s, ♀'s	8 ♂, 3 ♀ <u>Amblyomma splendidum</u>	
	Buffalo	<u>Syncerus caffer</u>	
	Portuguese Congo, Africa	Angola	
	1911	1911	
	M. Gamble	M. Gamble	
	E.R.C. 425	Cited: Robinson (1926: 125).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	1579	N	1579
		RML	110388
	<u>Argas brumpti</u>		1 ♀, 6 N <u>Argas brumpti</u>
	Found in ant-heaps		Found in ant-heaps
	Yatta Plains, Ukamba, B.E. Africa		Yatta Plains (01.11 S, 37.33 E), Kenya
	1911		1911
	S.W.J. Scholefield		S.W.J. Scholefield
	E.R.C. 429		
N	1580	N	1580
		RML	110389
	<u>Ornithodoros moubata</u>		2 ♂, 2 ♀, 2 N <u>Ornithodoros moubata</u>
	Nairobi, E. African Protectorate		Nairobi (01.17 S, 36.49 E), Kenya
	Rec'd 1912		Rec'd 1912
	Laboratory Staff		Laboratory Staff
	E.R.C. 430 Rec'd from Principal Medical Officer		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1581	N 1581
		RML 110390
	<u>Rhipicephalus appendiculatus</u> ♂ (abnormal)	1 ♂ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Nbarra, Ankole, Uganda, B.E. Africa	Nbarra, District of Ankole (00.30 S, 30.30 E), Uganda
	I.1911	I.1911
	Dr. C. H. Marshall	Dr. C. H. Marshall
	E.R.C. 433	This specimen is in a jar marked "Tick abnormalities". Two notes in the vial Not worth describing. Not worth figuring.
N	1582	N 1582
		RML 110391
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s, 1 N	16 ♂, 6 ♀ <u>Amblyomma cohaerens</u>
	Buffalo	<u>Syncerus caffer</u>
	Semliki Plains, near S. Shore of Lake Albert, Belgian Congo, B.E. Africa	Semliki Plains, near S. Shore of Lake Albert (01.40 N, 31.00 E), Zaire
	XI.1911	XI.1911
	S.A. Neave	S. A. Neave
	E.R.C. 434	Cited: Robinson (1926: 110).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1583	N	1583
		RML	110392
	<u>Amblyomma cohaerens</u> ♂'s		8 ♂ <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Semliki Plains, near S. shore of Lake Albert, Belgian Congo, B.E. Africa		Semliki Plains, near S. shore of Lake Albert (01.40 N, 31.00 E), Zaire
	XI.1911		XI.1911
	S. A. Neave		S. A. Neave
	E.R.C. 435		Cited: Robinson (1926: 110).
N	1584	N	1584
		RML	110391
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s, 1 N		12 ♂, 5 ♀, 1 N <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Semliki Plains, near S. shore of Lake Albert, Belgian Congo, B.E. Africa		Semliki Plains, near S. shore of Lake Albert (01.40 N, 31.00 E), Zaire
	XI.1911		XI.1911
	S. A. Neave		S. A. Neave
	E.R.C. 434		The E.R.C. number of this collection is identical with that of Nuttall 1582. Cited: Robinson (1926: 110).

ORIGINAL DETERMINATIONCURRENT STATUS

N 1585 N 1585 MISSING

Ornithodoros moubata

From Senior Medical Officer's
boys' house

Entebbe, Uganda, B.E. Africa

? 1908

E.R.C. 437

N 1586 N 1586

RML 110393

Rhipicephalus appendiculatus
♂'s, ♀'s

4 ♂, 6 ♀ *Rhipicephalus appendiculatus*

Cattle

Cattle

Botanical Gardens, Entebbe,
Uganda, B.E. Africa

Botanical Gardens, Entebbe (00.04 N,
32.28 E), Uganda

16.IX.1911

16.IX.1911

Dr. G. C. Strathairn

Dr. G. C. Strathairn

E.R.C. 438

N 1587 N 1587

RML 110394

Rhipicephalus falcatus 2 ♂, 2 ♀

2 ♂, 2 ♀ *Rhipicephalus senegalensis*

No data

No data

Dr. J.E.S. Old

Dr. J.E.S. Old

E.R.C. 441a

ORIGINAL DETERMINATIONCURRENT STATUS

N	1588	N	1588
		RML	110395
	<u>Rhipicentor bicornis</u> ♂, ♀		1 ♂, 1 ♀ <u>Rhipicentor bicornis</u>
	Bull eland		♂ <u>Taurotragus oryx</u>
	Ruo, Portuguese Nyasaland, B.C. Africa		Perhaps vicinity of Ruo Basin (15.54 S, 35.39 E), Malawi
	19.VIII.1911		19.VIII.1911
	Dr. J.E.S. Old		Dr. J.E.S. Old
	E.R.C. 449e		
N	1589	N	1589
		RML	110396
	<u>Amblyomma</u> sp. larvae		35 L <u>Amblyomma</u> sp.
	Goat		Goat
	Blantyre, Nyasaland, B.E. Africa		Blantyre (15.47 S, 35.00 E), Malawi
	19.V.1910		19.V.1910
	Dr. J.E.S. Old		Dr. J.E.S. Old
	E.R.C. 453		
N	1590	N	1590
		RML	110397
	<u>Rhipicephalus supertritus</u> 1 ♂		1 ♂ <u>Rhipicephalus supertritus</u>
	No data		No data
	Dr. J.E.S. Old		Dr. J.E.S. Old
	E.R.C. 449a		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1591		N	1591	
			RML	110398	
	<u>Ixodes hexagonus</u> 1 ♀			1 ♀ <u>Ixodes hexagonus</u>	
	Portugal			Portugal	
	Rec'd IV.1912			Rec'd IV.1912	
	Dr. Carlos Franca			Dr. Carlos Franca Cited: Nuttall (1916: 328).	
N	1592		N	1592	
			RML	110399	
	<u>Rhipicephalus bursa</u> 2 ♀			2 ♀ <u>Rhipicephalus bursa</u>	
	Cattle			Cattle	
	Portugal			Portugal	
	Rec'd IV.1912			Rec'd IV.1912	
	Rec'd from Dr. C. Franca			Rec'd from Dr. C. Franca	
				There is a cotype label in the vial with these ticks. One ♀ vulva has been removed and mounted on a slide.	
N	1593		N	1593	
			RML	110400	
	<u>Hyalomma aegyptium</u> 1 ♂, 1 ♀			1 ♂, 1 ♀ <u>Hyalomma marginatum</u>	
	Cattle			Cattle	
	Portugal			Portugal	
	Rec'd IV.1912			Rec'd IV.1912	
	Rec'd from Dr. C. Franca			Rec'd from Dr. C. Franca	

Ticks taken out of the collection of the School of Tropical Medicine,
The University, Liverpool. Received from Professor R. Newstead, 24 April 1912.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1594	N	1594
		RML	110401
	<u>Ixodes vespertilionis</u> 1 ♀		1 ♀ <u>Ixodes vespertilionis</u>
	Lesser horse-shoe bat (<u>R. hipposideros</u>)		<u>Rhinolophus hipposideros</u>
	In caves, Cefn, N. Wales		Cefn Caves, Cefn-y-Bedd (53.05 N, 03.02 W), Wales
	4.IV.1896		4.IV.1896
	R. Newstead		R. Newstead Cited: Nuttall (1916: 334)
N	1595	N	1595
		RML	110402
	<u>Hyalomma syriacum</u> ♂'s, ♀'s		4 ♂, 3 ♀ <u>Hyalomma aegyptium</u>
	Tortoise (Magador)		Tortoise (Magador)
	Cross' Menagerie, Liverpool		Cross' Menagerie, Liverpool (53.25 N, 03.00 W), England
	1905		1905
N	1596	N	1596
		RML	110403
	<u>Boophilus annulatus</u> 1 ♂ (deformed)		1 ♂ <u>Boophilus annulatus</u>
	Boston, U.S. America		Perhaps Boston (30.47 N, 83.47 W), Georgia, U.S.A.
	T.F.R.		Described and figured by Nuttall (1914a: 255) who gave the locality as Boston, Massachusetts. However, that locality is far from the range of <u>B. annulatus</u> .

ORIGINAL DETERMINATIONCURRENT STATUS

N	1597	N	1597
		RML	110404
	<u>Amblyomma dissimile</u> 3 ♀		3 ♂ <u>Amblyomma dissimile</u>
	Toad		Toad
	British Guiana		Guyana
	1905		1905
	Dr. K. S. Wise		Dr. K. S. Wise
			Cited: Robinson (1926 : 167).
N	1598	N	1598
		RML	110405
	<u>Amblyomma dissimile</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Amblyomma dissimile</u>
	"Salapenter"		"Salapenter"
	British Guiana		Guyana
	1909		1909
	Dr. K. S. Wise		Dr. K. S. Wise
			Cited: Robinson (1926 : 167).
N	1599	N	1599
		RML	110406
	<u>Amblyomma dissimile</u> 1 ♂		1 ♂ <u>Amblyomma dissimile</u>
	Lizard		Lizard
	West Indies		West Indies
	1907		1907
	H. A. Ballon		H. A. Ballon
			Cited: Robinson (1926 : 167).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1600	N	1600
		RML	110407
	<u>Rhipicephalus neavei</u> 3 ♂, 3 ♀		3 ♂, 3 ♀ <u>Rhipicephalus kochi</u>
	Newala antelope		<u>Tragelaphus angasi</u>
	Upper Shire River, British C. Africa		Upper Shire River (15.04 S, 35.13 E), Malawi
	27.IX.1911		27.IX.1911
	J. B. Davey		J. B. Davey
N	1601	N	1601
		RML	110408
	<u>Ixodes cavipalpus</u> ♂, ♀ (in copula)		1 ♂, 1 ♀ <u>Ixodes cavipalpus</u>
	Cattle		Cattle
	Mwiniwerynig Village, Sekwa River, N. Nyasa, B. C. Africa		Mwiniwerynig Village, Sekwa River (10.05 S, 33.35 E), Malawi
	13.II.1909		13.II.1909
	J. B. Davey		J. B. Davey Cited: Nuttall (1916: 327).
N	1602	N	1602
		RML	110409
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		3 ♂, 3 ♀ <u>Rhipicephalus kochi</u>
	Newala antelope		<u>Tragelaphus angasi</u>
	Upper Shire River, Brit. C. Africa		Upper Shire River (15.04 S, 35.13 E), Malawi
	3.VIII.1911		3.VIII.1911
	J. B. Davey		J. B. Davey

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1603	N 1603
		RML 110410
	<u>Amblyomma tholloni</u> ♂'s, ♀'s	4 ♂, 4 ♀ <u>Amblyomma tholloni</u>
	Elephant	<u>Loxodonta africana</u>
	Lake Albert, Uganda, B.E. Africa	Lake Albert (01.50 N, 31.00 E) Uganda
	1905	1905
	Dr. Christy	Dr. Christy
		Cited: Robinson (1926: 252).
N	1604	N 1604
		RML 110411
	<u>Aponomma exornatum</u> ♂'s, ♀'s, N's	7 ♂, 5 ♀, 4 N <u>Aponomma flavomaculatum</u>
	<u>Varanus niloticus</u>	<u>Varanus niloticus</u>
	St. Louis, Senegal, W. Africa	Saint Louis (16.02 N, 16.30 W), Senegal
	24.I.1906	24.I.1906
	1 ♂, 1 ♀ to Dr. Kudicke, Dar es Salaam G.E.A. 22.VII.1914	Slides missing
N	1605	N 1605
		RML 110412
	<u>Boophilus decoloratus</u> ♂	1 ♂ <u>Boophilus decoloratus</u>
	Kudu	<u>Tragelaphus strepsiceros</u>
	Mombiras near Karonga, N. Nyasa, B.C. Africa	Mombiras near Karonga (09.56 S, 33.56 E) Malawi
	25.II.1908	25.II.1908
	J. B. Davey	J. B. Davey
		This specimen is in a jar marked "Tick Abnormalities" Two notes in vial "Not worth describing" "Not worth figuring"

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1606	N 1606
		RML 110413
	<u>Rhipicephalus capensis</u> ♂'s, ♀	5 ♂, 1 ♀ <u>Rhipicephalus compositus</u>
	Cattle	Cattle
	Nyangwe, Belgian Congo, Africa	Nyangwe (04.13 S, 26.11 E), Zaire
	15.XI.1904	15.XI.1904
N	1607	N 1607
		RML 110414
	<u>Amblyomma cohaerens</u> 2 ♂	2 ♂ <u>Amblyomma cohaerens</u>
	Buffalo	<u>Syncerus caffer</u>
	Lake Albert, Uganda, B.E. Africa	Lake Albert (01.50 N, 31.00 E), Uganda
	VII.1905	VII.1905
	Dr. Christy	Dr. Christy
		Cited: Robinson (1926; 110).
N	1608	N 1608
		RML 110415
	<u>Rhipicephalus lunulatus</u> 4 ♂, 2 ♀	4 ♂, 2 ♀ <u>Rhipicephalus lunulatus</u>
	Bush-pigs	<u>Potamochoerus porcus</u>
	Kapro, near Sangwe, N. Nyasa, B.C. Africa	Kapro (09.45 S, 33.55 E) near Sangwe River, Malawi
	6.I.1909	6.I.1909
	Dr. J. B. Davey	Dr. J. B. Davey

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>
N	1609		N 1609
		RML	110416
	<u>Rhipicephalus falcatus</u> 2 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u> 1 ♂ <u>Rhipicephalus gertrudae</u>
	Bush pigs		<u>Potamochoerus porcus</u>
	Kaporø, near Sangwe, N. Nyasa, B.C. Africa		Kaporø (09.45 S, 33.55 E) near Sangwe River, Malawi
	6.I.1909		6.I.1909
	Dr. J. B. Davey		Dr. J. B. Davey
N	1610		N 1610
		RML	110417
	<u>Amblyomma splendidum</u> ♂'s, ♀'s		17 ♂, 4 ♀ <u>Amblyomma splendidum</u>
	Buffalo		<u>Syncerus caffer</u>
	Tshumbiri, Congo Free State, Africa		Tshumbiri (02.39 S, 16.14 E), Zaire
	?1909		?1909
			Cited: Robinson (1926: 125).
N	1611		N 1611
		RML	110418
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s N's		103 ♂, 32 ♀, 12 N <u>Rhipicephalus appendiculatus</u>
	Grass		Grass
	Nwangopwani District, Zanzibar, Africa		Nwangopwani District, Zanzibar Island (06.10 S, 39.20 E), Tanzania
	1905		1905
	Mr. Last		Mr. Last

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1612	N	1612
		RML	110419
	<u>Rhipicephalus evertsi</u> 4 ♂, 2 ♀		4 ♂, 2 ♀ <u>Rhipicephalus evertsi</u>
	Grass		Grass
	Nwangopwani District, Zanzibar, Africa		Nwangopwani District, Zanzibar Island (06.10 S, 39.20 E), Tanzania
	1905		1905
	Mr. Last		Mr. Last
N	1613	N	1613
		RML	110420
	<u>Rhipicephalus falcatus</u> 3 ♂, 3 ♀		3 ♂, 3 ♀ <u>Rhipicephalus longus</u>
	W. Africa		West Africa
	Dr. Jackson		Dr. Jackson
N	1614	N	1614
		RML	110421
	<u>Rhipicephalus duttoni</u> ♂, ♀'s, N's		1 ♂, 1 ♀, 2 N <u>Rhipicephalus duttoni</u>
	Cattle		Cattle
	Zambu, Africa		Zambi, Zaire (there are 4 possible localities in Zambia with this name)
	No date		No date
	Drs. Dutton & Todd		Drs. Dutton & Todd
	Compared with R. <u>duttoni</u> 1 ♂ type N.1719 in Neumann coll., 18.VI.1914. Our ♂ more punctate & rougher caudal process less protruding. We call it a co-type as it is from the same lot as the type and was rec'd from Liverpool.		Blue COTYPE label in vial. Note in vial - "only 2 ticks 26.X.1934". [The nymphs were found in a separate vial].

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1615	N	1615
		RML	110422
	<u>Rhipicephalus sulcatus</u> ♂, ♀		5 ♂ <u>Rhipicephalus sulcatus</u>
	Banana, Belgian Congo, W. Africa		Banana (01.22 N, 28.52 E) or (06.01 S, 12.24 E), Zaire
	Dr. Etienne		Dr. Etienne
N	1616	N	1616
		RML	110423
	<u>Rhipicentor bicornis</u> 3 ♂, 10 ♀		2 ♂, 6 ♀ <u>Rhipicentor bicornis</u> 1 ♀ <u>Rhipicephalus simus</u>
	Airedale terrier		Airedale terrier
	During journey - Karonga - Fort Hill - Nyimbo - Masuko - Karonga, B.C. Africa		During journey Karonga (09.56 S, 33.56 E), Chitipa (09.43 S, 33.16 E), Nyimbo Hill (09.41 S, 33.02 E), Masuko (locality not verified), Karonga, Malawi
	III-IV.1909		III-IV.1909
	Dr. J. B. Davey		Dr. J. B. Davey
N	1617	N	1617 MISSING
	<u>Haemaphysalis leachi</u> ♀'s		
	Airedale terrier		
	During journey - Karonga, Fort Hill - Nyimbo - Masuko - Karonga, B.C. Africa		
	III-IV.1909		
	Dr. J. B. Davey		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1618		N	1618	
			RML	110424	
	<u>Rhipicephalus lunulatus</u> 3 ♂, 3 ♀			3 ♂, 3 ♀ <u>Rhipicephalus lunulatus</u>	
	Airedale terrier			Airedale terrier	
	During journey Karonga - Fort Hill - Nyimbo - Masuko - Karonga, B.C. Africa			During journey Karonga (09.56 S, 33.56 E), Chitipa (09.43 S, 33.16), Nyimbo Hill (09.41 S, 33.02 E), Masuko (locality not verified), Karonga, Malawi	
	III-IV.1909			III-IV.1909	
	Dr. J. B. Davey			Dr. J. B. Davey	
N	1619		N	1619	
			RML	110425	
	<u>Rhipicephalus evertsi</u> var. <u>albigeniculatus</u> 2 ♂ COTYPES			2 ♂ <u>Rhipicephalus evertsi mimeticus</u> Paralectotypes	
	Cattle			Cattle	
	Kasongo, Congo Free State			Either Kasonga (05.28 S, 21.11 E), or (05.42 S, 18.48 E), Zaire	
	Drs. Dutton & Todd			Drs. Dutton & Todd	
				Syntypes of <u>R. evertsi albigeniculatus</u> . Nuttall & Warburton (1916: 327) original description. Paralectotypes designated: Keirans & Brewster (1981: 169).	
				Blue COTYPE label in vial	
N	1620		N	1620	
			RML	110426	
	<u>Amblyomma eburneum</u> 1 ♂			1 ♂ <u>Amblyomma eburneum</u>	
	No data			No data	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1621	N 1621
		RML 110427
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s	12 ♂, 3 ♀ <u>Haemaphysalis leachi</u>
	Leopard	<u>Panthera pardus</u>
	Tshumbiri, Congo Free State	Tshumbiri (02.39 S, 16.14 E), Zaire
	Mrs. Billington	Mrs. Billington
		Cited: Nuttall & Warburton (1915: 473).
N	1622	N 1622 MISSING
	<u>Amblyomma variegatum</u> 30 ♂	
	Cattle	
	Salaga, Gold Coast, W. Africa	
	8.V.1911	
	Dr. LeFanu	
N	1623	N 1623 MISSING
	<u>Amblyomma variegatum</u> 20 ♀	
	Cattle	
	Salaga, Gold Coast, W. Africa	
	8.V.1911	
	Dr. LeFanu	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1624	N 1624
		RML 110428
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s	5 ♂, 6 ♀ <u>Hyalomma dromedarii</u>
	Camels	<u>Camelus dromedarius</u>
	Pyramids, Cairo, Egypt	Pyramids, Cairo (30.03 N, 31.15 E), Egypt
	1909-10	1909-1910
	Dr. J.W.W. Stephens	Dr. J.W.W. Stephens
N	1625	N 1625
		RML 110429
	<u>Aponomma gervaisi</u> 6 ♂, 2 ♀, 8 N	3 ♂, 1 ♀, 7 N <u>Aponomma gervaisi</u>
	Lizard	Lizard
	No other data	No other data
N	1626	N 1626
		RML 110430
	<u>Dermacentor nitens</u> 2 ♂, 4 ♀	2 ♂, 4 ♀ <u>Anocentor nitens</u>
	Horse	Horse
	No other data	No other data

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1627	N 1627
		RML 110431
	<u>Dermacentor albipictus</u> 2 ♀ & N'al skins	2 ♀ <u>Dermacentor albipictus</u>
Horse		Horse
Dolores, Colorado, U.S. America		Dolores (37.28 N, 108.30 W), Colorado, U.S.A.
26.II.1912		26.II.1912
S. Hadwen, coll. & det.		S. Hadwen, coll. & det.
		Two nymphal skins present
N	1628	N 1628
		RML 110432
	<u>Dermacentor albipictus</u> 3 N	3 N <u>Dermacentor albipictus</u>
Horse		Horse
Dolores, Colorado, U.S. America		Dolores (37.28 N, 108.30 W), Colorado, U.S.A.
26.II.1912		26.II.1912
S. Hadwen coll. & det.		S. Hadwen coll. & det.

ORIGINAL DETERMINATIONCURRENT STATUS

N 1629

N 1629

RML 110433

Haemaphysalis silacea 2 ♀2 ♀ Haemaphysalis silacea
Lectotype and paralectotype

Cattle

Cattle

Starvation Camp, Gonubie Park,
E. London, S. AfricaStarvation Camp, Gonubie Park
(32.55 S, 27.59 E), Republic of
South Africa

Rec'd from W. F. Cooper

Rec'd from W. F. Cooper

[Cattle excluded 2 years from
pasture, see "Parasitology" IV,
478]Robinson (1912: 478), original
description. See also Nuttall
catalogue number 2944. Lectotype
designated: Keirans & Brewster
(1981: 163).

One ♀ vulva is mounted on a slide.

Ticks received from Dr. J. G. Parham Government Bacteriologist, Zanzibar,
B.E. Africa, 20 May 1912.

N 1630

N 1630

RML 110434

Rhipicephalus appendiculatus ♂, ♀6 ♂, 1 ♀ Rhipicephalus appendiculatus

Goat

Goat

Zanzibar Town, B.E. Africa

Zanzibar City (06.10 S, 39.11 E),
Zanzibar Island, Tanzania

24.IV.1912

24.IV.1912

J. G. Parham

J. G. Parham

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1631, a	N 1631, a
		RML 110435
	(1631) <u>Rhipicephalus appendiculatus</u> ♂ ♀	(1631) 9 ♂, 8 ♀, 3 N <u>Rhipicephalus appendiculatus</u>
	(a) <u>Boophilus australis</u> ♀, N	(a) 10 ♀, 4 N <u>Boophilus microplus</u>
	Goat	Goat
	Ba-bu-bu, Zanzibar, B.E. Africa	Bububu (06.06 S, 39.13 E), Zanzibar Island, Tanzania
	25.IV.1912	25.IV.1912
	J. G. Parham	J. G. Parham
N	1632	N 1632
		RML 110436
	<u>Rhipicephalus appendiculatus</u> ♂, ♀	8 ♂, 4 ♀ <u>Rhipicephalus appendiculatus</u>
	Bullock	Bullock
	Ba-bu-bu, Zanzibar, B.E. Africa	Bububu (06.06 S, 39.13 E), Zanzibar Island, Tanzania
	25.IV.1912	25.IV.1912
	J. G. Parham	J. G. Parham
N	1633	N 1633
		RML 110437
	<u>Rhipicephalus appendiculatus</u> ♂, ♀	9 ♂, 6 ♀ <u>Rhipicephalus appendiculatus</u>
	Sheep	Sheep
	Mbelado, Zanzibar, B.E. Africa	Mbelado, Zanzibar Island, Tanzania (locality not verified).
	23.IV.1912	23.IV.1912
	J. G. Parham	J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1634	N 1634
		RML 110438
	<u>Rhipicephalus appendiculatus</u> ♂, ♀, N	8 ♂, 9 ♀, 2 N <u>Rhipicephalus appendiculatus</u>
	Bullock	Bullock
	Zanzibar Town, B.E. Africa	Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	23.IV.1912	23.IV.1912
	J. G. Parham	J. G. Parham
N	1635	N 1635
		RML 110439
	<u>Rhipicephalus appendiculatus</u> 1 ♀	1 ♀ <u>Rhipicephalus appendiculatus</u>
	Cow	Cow
	Zanzibar Town, B.E. Africa	Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	22.IV.1912	22.IV.1912
	J. G. Parham	J. G. Parham
N	1636	N 1636
		RML 110440
	<u>Rhipicephalus appendiculatus</u> ♂, ♀	11 ♂, 10 ♀, 2 N <u>Rhipicephalus appendiculatus</u>
	Bullock	Bullock
	Mangapwani, B.E. Africa	Mangapwani (06.00 S, 39.11 E), Zanzibar Island, Tanzania
	26.IV.1912	26.IV.1912
	J. G. Parham	J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1637	N 1637
		RML 110441
	<u>Rhipicephalus appendiculatus</u> ♂ ♀	3 ♂, 9 ♀ <u>Rhipicephalus appendiculatus</u>
	Donkey	Donkey
	Machin, Zanzibar, B.E. Africa	Machin, Zanzibar Island, Tanzania (locality not verified)
	22.IV.1912	22.IV.1912
	J. G. Parham	J. G. Parham
N	1638	N 1638
		RML 110442
	<u>Rhipicephalus appendiculatus</u> ♂, ♀	2 ♂, 5 ♀ <u>Rhipicephalus appendiculatus</u>
	Goat	Goat
	Gulioni, Zanzibar, B.E. Africa	Gulioni (05.59 S, 39.22 E), Zanzibar Island, Tanzania
	23.IV.1912	23.IV.1912
	J. G. Parham	J. G. Parham
N	1639	N 1639
		RML 110443
	<u>Rhipicephalus appendiculatus</u> ♂ ♀	10 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>
	Donkey	Donkey
	Zanzibar Town, B.E. Africa	Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	24.IV.1912	24.IV.1912
	J. G. Parham	J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1640	N 1640
		RML 110444
	<u>Rhipicephalus appendiculatus</u> ♂, ♀	2 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Ram	Ram
	Zanzibar Town, B.E. Africa	Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	22.IV.1912	22.IV.1912
	J. G. Parham	J. G. Parham
N	1641	N 1641
		RML 110445
	<u>Rhipicephalus appendiculatus</u> ♂, ♀	2 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>
	Goat	Goat
	N'gambo, Zanzibar, B.E. Africa	Ngambo (06.10 S, 39.12 E), Zanzibar Island, Tanzania
	23.IV.1912	23.IV.1912
	J. G. Parham	J. G. Parham
N	1642	N 1642
		RML 110446
	<u>Rhipicephalus appendiculatus</u> ♀	1 ♀ <u>Rhipicephalus appendiculatus</u>
	Donkey	Donkey
	N'gambo, Zanzibar, B.E. Africa	Ngambo (06.10 S, 39.12 E), Zanzibar Island, Tanzania
	23.IV.1912	23.IV.1912
	J. G. Parham	J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1643	N 1643
		RML 110447
	<u>Rhipicephalus appendiculatus</u> ♂, ♀, N (very small)	1 ♂, 1 ♀, 1 N <u>Rhipicephalus appendiculatus</u>
	Dog	Dog
	N'gambo, Zanzibar, B.E. Africa	Ngambo (06.10 S, 39.12 E), Zanzibar Island, Tanzania
	23.IV.1912	23.IV.1912
	J. G. Parham	J. G. Parham
N	1644	N 1644
		RML 110448
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N	11 ♂, 5 ♀, 47 N <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Zanzibar Town, B.E. Africa	Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	25.IV.1912	25.IV.1912
	J. G. Parham	J. G. Parham
N	1645	N 1645
		RML 110449
	<u>Rhipicephalus sanguineus</u> N's	6 N <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Ba-bu-bu, Zanzibar, B.E. Africa	Bububu (06.06 S, 39.13 E), Zanzibar Island, Tanzania
	25.IV.1912	25.IV.1912
	J. G. Parham	J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1646, a	N	1646, a
		RML	110450
(1646)	<u>Rhipicephalus appendiculatus</u> 2 ♂	(1646)	<u>Rhipicephalus appendiculatus</u>
(a)	<u>Rhipicephalus evertsi</u> ♂	(a)	<u>Rhipicephalus evertsi</u>
Sheep		Sheep	
Zanzibar Town, B.E. Africa		Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania	
24.IV.1912		24.IV.1912	
J. G. Parham		J. G. Parham	
N	1647	N	1647
		RML	110451
<u>Haemaphysalis spiniceps</u> 1 ♂ (unique type!)		1 ♂ <u>Haemaphysalis cornigera</u> Holotype of <u>H. spiniceps</u>	
Federated Malay States		Malaysia	
H. C. Pratt		H. C. Pratt	
(Lent by Col. A. Alcock, F.R.S. = <u>H. cornigera</u> Nn., 1897)		Warburton & Nuttall (1909: 68), original description of <u>H. spiniceps</u> ; Nuttall & Warburton (1915: 503).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	1648	N	1648
		RML	110452
	<u>Haemaphysalis vidua</u> 1 ♂ (unique type)		1 ♂ <u>Haemaphysalis vidua</u> Holotype
	<u>Paradoxurus</u> sp.		<u>Paradoxurus</u> sp.
	Federated Malay States		Malaysia
	(Lent by Col. A. Alcock, F.R.S., III.1909		Mr. A. T. Stanton
			Warburton & Nuttall (1909: 66), original description, and collect- or's name. Cited: Nuttall & Warb- urton (1915: 495); Hoogstraal (1962b: 719).
N	1649	N	1649
		RML	66578
	<u>Argas reflexus</u> var. <u>indicus</u> 1 specimen		1 ♀ <u>Argas reflexus indicus</u> Lectotype
	Found in book		Found in book
	Entomological room, Indian Museum, Calcutta		Entomological room, Indian Museum, Calcutta (22.32 N, 88.22 E), India
	15.III.1910		Warburton (1910: 396), original description. Lectotype designated: Keirans & Brewster (1981: 154).
	C. A. Paiva		
	[Indian Mus. <u>6267</u> / <u>10</u>]		

ORIGINAL DETERMINATIONCURRENT STATUS

N 1650, a-e

N 1650, a-e

RML 110453

(1650) Amblyomma splendidum ♂'s, ♀'s(1650) 153 ♂, 57 ♀ Amblyomma variegatum(a) Amblyomma splendidum ♂'s, ♀'s(a) 45 ♂, 8 ♀ Amblyomma splendidum(b) Boophilus annulatus ♂'s, ♀'s(b) 13 ♂, 6 ♀ Boophilus annulatus(c) Rhipicephalus evertsi var. albigeniculatus types(c) 16 ♂, 8 ♀ Rhipicephalus evertsi mimeticus Lectotype and Paralectotype(d) Rhipicephalus capensis ♂'s, ♀'s(d) 20 ♂, 39 ♀ Rhipicephalus longus(e) Rhipicephalus sulcatus 1 ♀(e) 1 ♀ Rhipicephalus sanguineus

Cattle

Cattle

Lower Congo

Mateba Island (05.54 S, 12.50 E), Zaire

23-30.IV.1912

23-30.IV.1912

[These ticks arrived mostly dead, living A. splendidum (1 ♂) and A. variegatum (♂ & ♀) were figured by E. Wilson and an attempt will be made to raise them. Some gorged female A. variegatum were ovipositing].

(1650) total includes 12 ♂, 4 ♀ pinned and 15 ♀ in a jar of dry specimens.

- (a) 1 ♂, 1 ♀ to R. W. Mettam, Weybridge IV.1931. 1 ♂, 1 ♀ to H. S. Purchase IV.1931
- (d) 1 ♂, 1 ♀ to D. S. Hadwen, Canada 10.X.1913. 1 ♂, 1 ♀ to Dr. E. Pavlovsky, Leningrad, 9.X.1925.

(a) Total includes 12 ♂, 3 ♀ pinned. In a separate vial is 1 ♂ A. splendidum with its hypostome embedded in the body of a nymph.

(1650) Cited Nuttall (1915: 419) original description. Lectotype designated: Keirans & Brewster (1981: 169).

(1650) & (1650a) are cited and figured by Nuttall (1913c: 49).

A. variegatum (N 1650) Raised in Cambridge

See also N 1694.

(a) 22.VI.12 eggs (in box with ova)

(b) larvae

(c)

(e) ♂'s

(f) ♀'s unfed (f¹) ♀'s after ovipositing

NOTE: re lot 1650; not to be published, for private information only. These ticks were received through the courtesy of Professor Meuleman (Brussels), who procured them for me from a Director of a large cattle raising company, who begged him (Meuleman) not to divulge the place whence the ticks came as the Government might get interested in cattle diseases there and worry the company. I can get a good supply from the co. in September when the rains set in again. All the ticks came from the Island of Mateba, near Boma, Belgian Congo. I am also not to mention that Meulman sent these ticks, as it would be known at once whence they came.

G.H.F. Nuttall
31 May 1912

Ticks from the collection of the Liverpool School of Tropical Medicine, received from Prof. R. Newstead, April 24, 1912. Determined by Prof. L. G. Neumann (Toulouse), 22 May 1912.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1651	N	1651
		RML	110454
	<u>Amblyomma geayi</u> 1 ♀		1 ♀ <u>Amblyomma geayi</u>
	"Mpouri"		"Mpouri"
	British Guiana		Guyana
	1909		1909
	Dr. K. S. Wise		Dr. K. S. Wise
			Cited: Robinson (1926: 61).
N	1652	N	1652
		RML	110455
	<u>Amblyomma tholloni</u> 1 ♂		1 ♂ <u>Amblyomma tholloni</u>
	No data		No data
	Rec'd from Professor R. Newstead Liverpool School of Tropical Medicine 22.V.1912. Det. L.E.R.		
N	1653	N	1653
		RML	110456
	<u>Amblyomma dissimile</u> 1 ♀		1 ♀ <u>Amblyomma dissimile</u>
	Sheep		Sheep
	No other data		No other data
			The specimen certainly appears to be <u>A. dissimile</u> although this species is exclusively a parasite of amphibians and reptiles. Either the host datum is incorrect, or because the tick is unfed, perhaps a case of straggling. Cited: Robinson (1926: 167).

ORIGINAL DETERMINATIONCURRENT STATUS

N 1654

N 1654

RML 110457

Amblyomma coelebs 4 ♂, 3 ♀3 ♂, 3 ♀ Amblyomma coelebs
1 ♂ Amblyomma cajennense

No data

No data

The ♂ of Amblyomma cajennense is in
a jar marked "Tick Abnormalities".
That same male was figured by
Robinson (1920 : 177).

N 1655

N 1655

RML 110458

Amblyomma ovale 2 ♂, 3 ♀2 ♂, 4 ♀ Amblyomma ovale

No data

No data

L.E.R. det. 1926

From Liverpool School of Tropical
Medicine #144c

There is a blue COTYPE label in the
vial with these ticks.

N 1656

N 1656

RML 110459

Amblyomma sp. nymphs62 N Amblyomma sp.

No data

No data

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1657	N 1657 RML 110460
	<u>Hyalomma syriacum</u> larvae	58 L <u>Hyalomma aegyptium</u>
	<u>Testudo graeca</u>	<u>Testudo graeca</u>
	Raised in Quick Laboratory, Cambridge	Raised in Quick Laboratory, Cambridge (52.13 N, 00.08 E), England
	IV.1911	IV.1912 [Date on vial label]
N	1658	N 1658 RML 110461
	<u>Boophilus annulatus</u> ♀'s (gorged)	86 ♂, 101 ♀, 181 L, 1 vial of eggs <u>Boophilus annulatus</u>
	Cattle	Cattle
	Dallas, Texas, U.S. America	Dallas (32.47 N, 96.48 W), Texas, U.S.A.
	3.V.1912	3.V.1912
	Rec'd from Mr. F. C. Bishopp, 29.V.1912	Rec'd from Mr. F. C. Bishopp, 29.V.1912
	<u>B. annulatus</u> : Raised in Cambridge in 1912 (a) eggs in box with ova (b) larvae (c) ♂'s (c') ♂'s (d) ♀'s gorged (e) ♀'s after oviposition	Cited: Edwards & Evans (1967: 596).
	3 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916	
	1 ♂, larvae to Dr. E. Roubaud, Inst. Pasteur 12.X.1922	
	1 ♂, larvae to Prof. J. Hjort, Univ. Christiania, Norway 12.X.1922	
	1 ♂, larvae to Dr. A. Watkins Pitchford Army Vet School, Thornhill, Aldershot 12.X.1922	

ORIGINAL DETERMINATIONCURRENT STATUS

N 1658 (cont'd)

1 ♂, larvae to L.P.W. Renouf, Biol. Dept. Univ. College, Cork, Ireland, 12.X.1922
 1 ♂, larvae to W.A. Pool, Indian Civil Veterinary Dept., 12.X.1922
 1 ♂, larvae to Dr. Wm. Parry Morgan, Publ. Hlth. Lab., Cardiff, Wales, 12.X.1922
 1 ♂, larvae to J.E.M. Mellor, Malvern College, Malvern, 16.X.1922
 1 ♂, larvae to Prof. A. Bettencourt, Inst. Camara Pestana, Lisbon 7.XI.1922
 1 ♂, larvae to Prof. E. Brumpt, École Médecine, Paris 12.X.1922
 1 ♂, larvae to I. C. Ross, University of Sydney, Australia
 1 ♂, 1 ♀ to Prof. R. Matheson, Cornell, 27.V.1929
 1 ♂, 1 ♀ to Dr. A. C. Reed 30.V.1929
 1 ♂, 1 ♀ to Prof. J. Drbohlav 30.V.1929
 2 ♀ to Prof. E. Malvoz 30.V.1929

N 1659

N 1659

RML 110462

Amblyomma marmoreum 1 ♂1 ♂ Amblyomma marmoreumTestudo leopardinusGeochelone pardalis

South Africa

Republic of South Africa

10.I.1912

10.I.1912

(Zool Soc "No. 19")

Cited: Robinson (1926: 90);
Theiler & Salisbury (1959: 107).The tick specimen was collected
at the London Zoo.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1660	N	1660
		RML	110463
	<u>Ornithodoros tholozani</u> (4 adults)		3 ♀ <u>Ornithodoros tholozani</u>
	Quetta, Baluchistan, India		Quetta (30.12 N, 67.00 E), Pakistan
	Rec'd 27.V.1912		Rec'd 27.V.1912
	Rec'd from Major G.E.F. Stammers, R.A.M.C.		Rec'd from Major G.E.F. Stammers, R.A.M.C.
	Compared with types in the Paris Museum, labelled " <u>Argas tholozani</u> Laboulb. et Mégnin recueillis en 1882 dans un poulailler, Téhéran, Tholozan. 1587-84." Kindly lent me by the Museum (Prof. Bouvier), who sent 3 specimens: 1 adult & 2 N's. N., 5.VI.1912.		
	Ticks received from the Indian Museum, Calcutta, India, (per Dr. N. Annandale), April-May, 1912. Determined by Mr. Warburton, as follows: (All Abor Expedition).		
	<u>Haem. bispinosa</u> 1 ♀, off <u>sweepings</u> , Badiya, N. E. Assam. 24.XI.19 (Abor Expedition) S.W. Kemp. [Indian Mus. 1244].		17
	<u>Haem. sp.?</u> o's, off jungle fowl (<u>Gallus gallus</u>), Yambung, India (1,100 ft.), II.1912. S.W. Kemp. [Indian Mus. 1245].		17
	<u>Haem. sp.?</u> o's, off <u>grass</u> , Upper Rotung (2,000 ft.), II.1912 S.W. Kemp. [Indian Mus. 1246].		17
	<u>Ixodes kempfi</u> off <u>Sciurus erythaeus intermedius</u> Aud, Kobo n.sp., Nuttall, 1913 (400 ft.), 24.III.1912. S.W. Kemp. [Indian Mus. 1247].		17
	<u>Ixodes acutitarsus</u> 1 ♀, off ?, Yambung (1,100 ft.), 13-17.I.1912. S. W. Kemp. [Indian Mus. 1248]		17
	<u>Amblyomma testudinarium</u> 1 ♀, off ? below Damda, banks of Siyom R, 1.II.1912. S.W. Kemp. [Indian Mus. 1249].		17
	<u>Haem. sp.?</u> o's, off ? Yambung (1,100 ft.), II.1912. S.W. Kemp. [Indian Mus. 1250]		17
	<u>Haem. aborensis</u> 1 ♀ off <u>grass sweepings</u> , Yambung (1,100 ft.), 13-17.I.1912. S.W. Kemp. [Indian Mus. 1251].		17

Amblyomma testudinarium ♀, found under logs, Sadiya, N. E. Assam 25.XI.1911.
 [Indian Mus. 1262]
17

Haemaphysalis hystricis off ?, De Krang R., Sadiya, N.E. Assam, 26.XII.1911.
 (not typical!) S.W. Kemp. [Indian Mus. 1253]
17

Ticks retained for our collection out of the consignment sent for determination by N. B. Kinnear, Esq., Bombay Natural History Society, Apollo Street, Bombay, India, 21.VI.1912:-

[When describing the n. sp. of this collection mention that they were obtained from the Bombay Natural History Society's Mammal Survey.

Write a short paper on them, with a brief popular introduction, as "it might be the means of interesting some of the members to collect specimens" which would be sent to us. The Society is prepared to pay for some tick blocks. (See letter by Kinnear, "Tick Correspondence, 21 June, 1912)].

ORIGINAL DETERMINATION

CURRENT STATUS

N 1661

N 1661

RML 110464

Haemaphysalis leachi var.
indica ♂, ♀

1 ♂, 1 ♀ Haemaphysalis indica

Mungos mungo

Herpestes edwardsi

Parola, Kandeish, India

Parola (20.53 N, 75.07 E),
 India

13.III.1911

13.III.1911

C. A. Crump

C. A. Crump

Cited: Nuttall & Warburton
 (1915: 475).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1662	N 1662
		RML 110465
	<u>Hyalomma</u> sp. N's	8 N <u>Hyalomma</u> sp.
	<u>Lepus simicoxi</u>	<u>Lepus nigricollis simcoxi</u>
	Fardapur, Kandeish, India	Fardapur, Maharashtra, India (locality not verified)
	1911	1911
	C. A. Crump	C. A. Crump
N	1663	N 1663 MISSING
	<u>Haemaphysalis leachi</u> ♂, ♀	
	<u>Felis affinis</u>	
	Fardapur, Kandeish, India	
	10.IV.1911	
	C. A. Crump	
N	1664	N 1664
		RML 110466
	<u>Amblyomma sublaeve</u> 1 ♀, 1 N	1 ♀ <u>Amblyomma javanense</u>
	<u>Hyaena hyaena</u>	<u>Hyaena hyaena</u>
	Ghodasgaon, Kandeish, India	Ghodasgaon, Maharashtra, India (locality not verified)
	4.V.1911	4.V.1911
	C. A. Crump	C. A. Crump
		Cited: Robinson (1926: 247).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1665	N	1665
		RML	110467
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> 1 ♂		1 ♂ <u>Haemaphysalis kutchensis</u> Paratype
	<u>Hyaena hyaena</u>		<u>Hyaena hyaena</u>
	Ghodasgaon, Kandeish, India		Ghodasgaon, Maharashtra, India (locality not verified)
	4.V.1911		4.V.1911
	C. A. Crump		C. A. Crump
			Cited: Nuttall & Warburton (1915: 435); Hoogstraal & Trapido (1963a: 489), original description of <u>H. kutchensis</u> .
N	1666	N	1666
		RML	110468
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> 2 ♂		2 ♂ <u>Haemaphysalis kutchensis</u> Paratype
	<u>Felis affinis</u>		<u>Felis chaus</u>
	Ghodasgaon, Kandeish, India		Ghodasgaon, Maharashtra, India (locality not verified)
	5.V.1911		5.V.1911
	C. A. Crump		C. A. Crump
			Cited: Nuttall & Warburton (1915: 435); Hoogstraal & Trapido (1963a: 489), original description of <u>H. kutchensis</u> .

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1667		N	1667	
			RML	110469	
	<u>Amblyomma sublaeve</u> ♂'s, ♀'s, N's			5 ♂, 1 ♀, 2 N <u>Amblyomma javanense</u>	
	<u>Hyaena hyaena</u>			<u>Hyaena hyaena</u>	
	Ghodasgaon, Kandeish, India			Ghodasgaon, Maharashtra, India (locality not verified)	
	1911			1911	
	C. A. Crump			C. A. Crump	
N	1668		N	1668	
			RML	110470	
	<u>Amblyomma sublaeve</u> 2 ♂, 1 ♀, 3 N			2 ♂, 1 ♀, 4 N <u>Amblyomma javanense</u>	
	<u>Hyaena hyaena</u>			<u>Hyaena hyaena</u>	
	Ghodasgaon, Kandeish, India			Ghodasgaon, Maharashtra, India (locality not verified)	
	10.V.1911			10.V.1911	
	C. A. Crump			C. A. Crump	
N	1669		N	1669	
			RML	110471	
	<u>Hyalomma aegyptium</u> N			1 N <u>Hyalomma</u> sp.	
	<u>Presbytis entellus</u>			<u>Presbytis entellus</u>	
	Chikalda, Berars, India			Either Chikalda (21.24 N, 77.19 E) or (22.05 N, 74.53 E), India	
	1911			1911	
	C. A. Crump			C. A. Crump	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1670	N 1670
		RML 66612
	<u>Hyalomma aegyptium</u> ? 2 ♀ (small)	2 ♀ <u>Hyalomma</u> sp.
	<u>Epimys rufescens</u>	<u>Rattus rattus rufescens</u>
	Pili, Sipna Valley, Berars, India	Pili, Sipna Valley, Bihar, India (locality not verified)
	31.V.1911	31.V.1911
	C. A. Crump	C. A. Crump
		These specimens key to <u>Hyalomma anatolicum</u> in Kaiser & Hoogstraal (1964) but the host is incorrect and, as Nuttall states, the specimens are very small.
N	1671	N 1671, b
		RML 110472
	<u>Rhipicephalus haemaphysaloides</u> 2 ♂, 1 ♀	(1671) 2 ♂, 1 ♀ <u>Rhipicephalus haemaphysaloides</u> (b) 3 ♂, 3 ♀ <u>Haemaphysalis paraturturis</u> Paratypes
	<u>Cuon dukhunensis</u>	<u>Cuon alpinus dukhunensis</u>
	Pili, Sipna Valley, Berars, India	Pili, Sipna Valley, Bihar, India (locality not verified)
	1911	1911
	C. A. Crump	C. A. Crump
		Collection 1671b was not entered into the catalogue. Hoogstraal et al. (1963: 686), original description of <u>H. paraturturis</u> .

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1672	N 1672
		RML 22293
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> ♂, ♀	5 ♂, 1 ♀ <u>Haemaphysalis paraturturus</u>
	<u>Cuon dukhunensis</u>	<u>Cuon alpinus dukhunensis</u>
	Pili, Sipna Valley, Berars, India	Pili, Sipna Valley, Bihar, India (locality not verified)
	1911	1911
	C. A. Crump	C. A. Crump
		Cited: Nuttall & Warburton (1915: 435); Hoogstraal et al. (1963: 686), original description of <u>H. paraturturus</u> .
		Three slides of a dissected ♂ are present.
N	1673, a	N 1673
		RML 110473
(1673)	<u>Rhipicephalus haemaphysaloides</u> 3 ♂, 1 ♀	(1673) 2 ♂, 1 ♀ <u>Rhipicephalus</u> <u>haemaphysaloides</u>
(a)	<u>Haemaphysalis bispinosa</u> 1 ♂ (an uncharacteristic form)	(a) MISSING
	<u>Cuon dukhunensis</u>	<u>Cuon alpinus dukhunensis</u>
	Pili, Sipna Valley, Berars, India	Pili, Sipna Valley, Bihar, India (locality not verified)
	1911	1911
	C. A. Crump	C. A. Crump

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1674		N	1674	
			RML	110474	
	<u>Rhipicephalus sanguineus</u> ♂ & ♀			1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>	
	<u>Felis ornata</u>			<u>Felis libyca ornata</u>	
	Bhuj, Cutch, India			Bhuj (23.16 N, 69.40 E), Kutch, India	
	1911			1911	
	C. A. Crump			C. A. Crump	
N	1675		N	1675	
			RML	110475	
	<u>Rhipicephalus sanguineus</u> 1 ♂			1 ♂ <u>Rhipicephalus sanguineus</u>	
	<u>Erinaceus collaris</u>			<u>Hemiechinus auritus collaris</u>	
	Bhuj, Cutch, India			Bhuj (23.16 N, 69.40 E), Kutch, India	
	8.VII.1911			8.VII.1911	
	C. A. Crump			C. A. Crump	
N	1676		N	1676	
			RML	110476	
	<u>Rhipicephalus sanguineus</u> 2 ♂, 2 ♀			1 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>	
	<u>Hyaena hyaena</u>			<u>Hyaena hyaena</u>	
	Nokania, Cutch, India			Nokania, Kutch, India (locality not verified)	
	10.VII.1911			10.VII.1911	
	C. A. Crump			C. A. Crump	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1677	N	1677
		RML	110477
	<u>Rhipicephalus sanguineus</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	<u>Erinaceus micropus</u>		<u>Paraechinus micropus</u>
	Bhuj, Cutch, India		Bhuj (23.16 N, 69.40 E), Kutch, India
	8.VII.1911		8.VII.1911
	C. A. Crump		C. A. Crump
N	1678	N	1678
		RML	110478
	<u>Hyalomma</u> sp. N		1 N <u>Hyalomma</u> sp.
	<u>Cremnomys cutchicus</u>		<u>Rattus (Cremnomys) cutchicus</u>
	Chalwa, Cutch, India		Probably Charwa (22.07 N, 76.54 E), Kutch, India
	7.VIII.1911		7.VIII.1911
	C. A. Crump		C. A. Crump
N	1679	N	1679
		RML	110479
	<u>Rhipicephalus</u> sp. N		1 N <u>Rhipicephalus</u> sp.
	<u>Cremnomys cutchicus</u>		<u>Rattus (Cremnomys) cutchicus</u>
	Chalwa, Cutch, India		Probably Charwa (22.07 N, 76.54 E), Kutch, India
	7.VIII.1911		7.VIII.1911
	C. A. Crump		C. A. Crump

ORIGINAL DETERMINATIONCURRENT STATUS

N	1680	N	1680
		RML	110480
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> 3 ♂, 1 ♀		3 ♂, 1 ♀ <u>Haemaphysalis kutchensis</u> Paratypes
	<u>Canis pallipes</u>		<u>Canis lupus pallipes</u>
	Charwa, Cutch, India		Charwa (22.07 N. 76.54 E), Kutch, India
	1911		1911
	C. A. Crump		C. A. Crump
			Cited: Nuttall & Warburton (1915: 434) with N. B. Kinnear listed as collector; Hoogstraal & Trapido (1963a: 489), original description of <u>H. kutchensis</u> with number of specimens listed as 2 ♂, 1 ♀.
N	1681	N	1681
		RML	110481
	<u>Rhipicephalus haemaphysaloides</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus</u> <u>haemaphysaloides</u>
	<u>Canis pallipes</u>		<u>Canis lupus pallipes</u>
	Charwa, Cutch, India		Charwa (22.07 N, 76.54 E), Kutch, India
	1911		1911
	C. A. Crump		C. A. Crump

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1682	N	1682
		RML	110482
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> 2 ♂		1 ♂ <u>Haemaphysalis kutchensis</u> Paratype
	<u>Felis caracal</u>		<u>Felis caracal</u>
	Bhuj, Cutch, India		Bhuj (23.16 N, 69.40 E), Kutch, India
	19.VIII.1911		19.VIII.1911
	C. A. Crump		C. A. Crump
			Cited: Nuttall & Warburton (1915: 434) with N. B. Kinnear listed as collector, Hoogstraal & Trapido (1963a: 489), original description of <u>H. kutchensis</u> .
N	1683	N	1683
		RML	110483
	<u>Rhipicephalus sanguineus</u> 1 ♂ (deformed)		1 ♂ <u>Rhipicephalus sanguineus</u>
	<u>Vulpes leucopus</u>		<u>Vulpes vulpes pusilla</u>
	Bhuj, Cutch, India		Bhuj (23.16 N, 69.40 E), Kutch, India
	1911		1911
	C. A. Crump		C. A. Crump
			This specimen is in a jar marked "Tick Abnormalities".
			Cited and figured by Nuttall (1914a: 253).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1684	N	1684
		RML	110484
	<u>Hyalomma</u> sp. ? N		1 N <u>Hyalomma</u> sp.
	<u>Erinaceus micropus</u>		<u>Paraechinus micropus</u>
	Bhuj, Cutch, India		Bhuj (23.16 N, 69.40 E), Kutch, India
	30.VIII.1911		30.VIII.1911
	C. A. Crump		C. A. Crump
N	1685	N	1685
		RML	110485
	<u>Aponomma gervaisi</u> 3 ♂, 3 ♀		3 ♂, 3 ♀ <u>Aponomma gervaisi</u>
	<u>Varanus griseus</u>		<u>Varanus griseus</u>
	Mirpurkhas, Sind, India		Mirpur Khas (25.32 N, 69.00 E), Pakistan
	15.IV.1911		15.IV.1911
	C. A. Crump		C. A. Crump
N	1686	N	1686
		RML	110486
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Haemaphysalis kutchensis</u> Paratypes
	<u>Lepus ruficaudatus</u>		<u>Lepus nigricollis ruficaudatus</u>
	Shamghar, India		Shamghar (24.11 N, 75.38 E), India
	25.III.1911		25.III.1911
	"N.B.K."		N. B. Kinnear
			Cited: Nuttall & Warburton (1915: 434); Hoogstraal & Trapido (1963a: 489), original description with number of specimens listed as 1 ♂, 1 ♀.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1687 <u>Argas persicus</u> (2) Khartoum, Soudan 1912 Dr. A. Balfour [Small tick was observed "feeding" through the back of the larger one, 19.III.1912]	N 1687 MISSING Nuttall illustrates the larger tick showing a scar on the dorsum where feeding took place.
N	1688 <u>Rhipicephalus sanguineus</u> 2 N's and 8 specimens of <u>Hunterellus hookeri</u> Dogs Corpus Christi, Texas Rec'd 26.III.1912 Rec'd from H. P. Wood Note: These hymenopterous parasites emerged at the Dallas Laboratory on 22.VI.1908 from the nymphal ticks which had been collected 29.V.1908 off dogs. Sent by my request by Mr. H. P. Wood (P.O. Box 208, Dallas, Texas) of the U.S. Dept. of Agric. 4 other specimens of <u>H. hookeri</u> were rec'd dry, these are being mounted on 2 slides; the others are in 50% alcohol as received.	N 1688 MISSING Herbert Poland Wood (1883-1925) B.S. Massachusetts Agricultural College 1907. Worked at Bureau of Entomology, Dallas, Texas where he investigated tick biology until transferred to Cereal and Forage Insect Investigations in 1920.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1689	N 1689
		RML 110487
	<u>Boophilus annulatus</u> ♀'s (gorged)	3 ♂, 31 ♀ <u>Boophilus annulatus</u> (in two vials)
	Immune Texas-fever bulls	Immune Texas-fever bulls
	Experiment Station, Dallas, Texas, U.S.A.	Experiment Station, Dallas (32.47 N, 96.48 W), Texas, U.S.A.
	14.IV.1912	15.IV.1912 & 1912
	Sent by Mr. F. C. Bishopp	Sent by Mr. F. C. Bishopp
	[Developed from larvae placed on bulls 13.III.1911; began moulting to nymphs 21.III; began moulting to adults 1.IV; the gorged ♀'s collected off bulls 14.IV.1912]. Sent by Mr. F. C. Bishopp at the request of Dr. L. O. Howard (used for raising experiments 9.V.1912). N.	Vial label dates given above.
	Ticks received from Professor Franz Hutyra, Budapest, Hungary, 7 June 1912. (Majority returned 10.VI.1912)	
N	1690	N 1690 MISSING
	<u>Ixodes ricinus</u> 1 ♂, 2 ♀	
	Budapest, Hungary	
	VI.1912	
	Prof. von Ratz	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1691	N	1691
		RML	110488
	<u>Ixodes ricinus</u> 3 ♂, 3 ♀ (in copula)		3 ♂, 3 ♀ <u>Ixodes ricinus</u>
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	Budapest, Hungary		Budapest (47.30 N, 19.05 E), Hungary
	VI.1912		VI.1912
	Prof. von Ratz		Prof. von Ratz Cited: Nuttall (1916: 333).
N	1692	N	1692 MISSING
	<u>Ixodes ricinus</u> 1 ♂		
	<u>Cervus capreolus</u>		
	Budapest, Hungary		
	VI.1912		
	Prof. von Ratz		
N	1693	N	1693
		RML	110489
	<u>Haemaphysalis punctata</u> 1 ♂, 4 ♀		4 ♀ <u>Haemaphysalis punctata</u>
	<u>Equus caballus</u>		<u>Equus caballus</u>
	Budapest, Hungary		Budapest (47.30 N, 19.05 E), Hungary
	VI.1912		VI.1912
	Prof. von Ratz		Prof. von Ratz
			Nuttall & Warburton (1915: 386) cited this record but gave it an incorrect Nuttall number (N 1695).

Ticks received 22.VI.1912, off cattle, Lower Congo, same origin as No. 1650 q.v., they arrived in wooden boxes, only a few alive (*A. variegatum*: ovipositing ♀'s & adults emerging from nymphal skins, also egg batches, kept for raising).

ORIGINAL DETERMINATION

N	1694a-d
	(a) <u>Amblyomma variegatum</u> ♂'s, ♀'s
	(b) <u>Rhipicephalus evertsi</u> var. <u>albigeniculatus</u> ♂'s, ♀'s <u>Types</u>
	(c) <u>Boophilus decoloratus</u> ? ♀ & eggs
	(d) <u>Rhipicephalus capensis</u> ♂, ♀

Cattle

Lower Congo

Rec'd 22.VI.1912

(a) 2 ♂, 2 ♀ to Dr. J. G. Parham,
Port. East Africa, 18.IV.1913
2 ♂, 2 ♀ to N.Y. National
Museum 18.IV.1913

CURRENT STATUS

N	1694 a, b, d
RML	110490
	(a) 318 ♂, 129 ♀ <u>Amblyomma variegatum</u>
	(b) 5 ♂, 3 ♀ <u>Rhipicephalus evertsi</u> <u>mimeticus</u> Paralectotypes
	(c) MISSING
	(d) 1 ♂, 13 ♀ <u>Rhipicephalus longus</u>

Cattle

Mateba Island (05.54 S, 12.50 E),
Zaire

Rec'd 22.VI.1912

Total for (a) includes 4 ♂, 6 ♀ pinned. There are three additional vials of *A. variegatum* containing (1) 7 ♀; (2) 1 ♂; (3) 200 + eggs from a rearing study conducted at Cambridge which are not included in the totals given above.
(b) Nuttall & Warburton (1916: 327), original description. Paralectotype designated: Keirans & Brewster (1981: 169).

N 1695

Argas persicus 1 ♀

Beni Ounif, Algeria

Presented 24.VI.1912

Presented by E. Hindle

Very large!

N 1695 MISSING

Ticks received 16.VI.1912 from Prof. Galli-Valerio, Faculté de Médecine, Lausanne, Switzerland. His determinations of Nos. 1695-1699 were found correct. I det'd Nos. 1700-1702.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1696	N 1696
		RML 110491
	<u>Hyalomma aegypticum</u> 1 ♀	1 ♀ <u>Hyalomma dromedarii</u>
	Dromedary, horse or cattle	Camel, horse or cattle
	Ile de Djerba, Tunisia	Jarbah, Jazirat (33.48 N, 10.54 E), Tunisia
	1910	1910
N	1697	N 1697
		RML 110492
	<u>Amblyomma splendidum</u> 1 ♂	1 ♂ <u>Amblyomma splendidum</u>
	Cattle	Cattle
	Ngômo sur l'Ogouille French Congo	Ngomo (03.31 S, 14.26 E), Congo
		Cited: Robinson (1926: 125).
N	1698.	N 1698
		RML 110493
	<u>Aponomma gervaisi</u> 2 ♂	2 ♂ <u>Aponomma gervaisi</u>
	<u>Varanus</u> sp.	<u>Varanus</u> sp.
	Ceylon	Sri Lanka
	1901	1901

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1699	N 1699
		RML 110494
	<u>Boophilus annulatus</u> 1 ♀	1 ♀ <u>Boophilus microplus</u>
	Cattle	Cattle
	Colombia, S. America	Colombia, South America
N	1700	N 1700
		RML 110495
	<u>Ixodes hexagonus</u> 1 ♀	1 ♀ <u>Ixodes hexagonus</u>
	<u>Erinaceus europaeus</u>	<u>Erinaceus europaeus</u>
	Lausanne, Switzerland	Lausanne (46.32 N, 06.40 E), Switzerland
	1908	1908 Cited: Nuttall (1916: 328).
N	1701	N 1701
		RML 110496
	<u>Ixodes ricinus</u> ♂ & ♀ pair (in copula)	1 ♂, 1 ♀ <u>Ixodes ricinus</u>
	<u>Lepus timidus</u>	<u>Lepus timidus</u> (probably an incorrect host determination)
	Château de Ripaille, Haute Savoie, France	Château de Ripaille, Department de la Haute - Savoie (46.00 N, 06.20 E), France
	1904	1904 Cited: Nuttall (1916 : 332).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1702	N	1702
		RML	110497
	<u>Ixodes ricinus</u> 1 ♀		1 ♀ <u>Ixodes ricinus</u>
	Dog		Dog
	Orbe, Canton de Vaud, Switzerland		Orbe (46.43 N, 06.32 E), Canton de Vaud, Switzerland
	1901		1901
			Cited: Nuttall (1916: 332).
N	1703	N	1703
		RML	110498
	<u>Ixodes putus</u> ♂'s, ♀'s (gorged & unfed), N's (gorged) & eggs		21 ♂, 53 ♀, 10 N, 176 L, 1 vial of eggs <u>Ixodes uriae</u>
	Collected from holes in cliffs		Collected from holes in cliffs
	Pitton, Gower, Glamorganshire, S. Wales		Pitton, Gower (51.36 N, 04.10 W), Glamorganshire, Wales
	3-4.VII.1912		3-4.VII.1912
	Mr. George Williams (Fisherman)		Mr. George Williams (Fisherman)
	Rec'd 5.VII.1912 (used for raising experiments). 3 slides mounted with larvae in balsam and 1 with N's. 1 ♂, 1 ♀, 1 N to Dr. S. Hadwen, Brit. Columbia, Canada, 10.X.1913 1 ♂, 1 ♀, L's to Prof. Dr. Dahl, Berlin Museum VII.1914 1 ♂, 1 ♀, 1♀s to Prof. Dr. Schenkling, Deutsches Entomol. Museum VII.1914 1 ♂, 1 ♀, L's to Prof. Dr. R. Gestro, Museo. Civico di Storia Nat., Genova, VII.1914 1 ♂, 1 ♀ L's to Dr. de Blieck, Java, 22.I.1915 2 ♂, 1 ♀ to Dr. E. Pavlovsky, Leningrad 9.X.1925 1 ♂, 2 ♀ to Prof. R. Matheson, Cornell, 27.V.1929		Collection of 5 vials Cited: Nuttall (1913d: 77); (1915: 437); (1916: 330). Slides missing

Ticks received from Dr. Lucius Nicholls, Victoria Hospital, St. Lucia,
Windward Islands, West Indies, 9 July 1912:

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1704	N	1704
		RML	110499
	<u>Amblyomma dissimile</u> 3 ♀'s		3 ♀ <u>Amblyomma dissimile</u>
	Toad		Toad
	St. Lucia, West Indies		Saint Lucia (13.55 N, 60.59 W), Lesser Antilles
	15.VI.1912		15.VI.1912
	Dr. L. Nicholls		Dr. L. Nicholls
N	1705	N	1705
		RML	110653
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, N's		2 ♂, 2 ♀, 5 N <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	St. Lucia, West Indies		Saint Lucia (13.55 N, 60.59 W), Lesser Antilles
	15.VI.1912		15.VI.1912
	Dr. L. Nicholls		Dr. L. Nicholls
N	1706	N	1706
		RML	110654
	<u>Boophilus australis</u> 3 ♀		3 ♀ <u>Boophilus microplus</u>
	Bull		Bull
	St. Lucia, W. Indies		Saint Lucia (13.55 N, 60.59 W), Lesser Antilles
	15.VI.1912		15.VI.1912
	Dr. L. Nicholls		Dr. L. Nicholls
	Bull recently came from Barbuda, Leeward Islands		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1707, a	N	1707, a
		RML	110655
(1707)	<u>Dermacentor nitens</u> ♂'s, ♀'s, N, L	(1707)	5 ♂, 4 ♀, 2 N, 1 L <u>Anocentor</u> <u>nitens</u>
(a)	<u>Rhipicephalus sanguineus</u> ♂ & ♀	(a)	1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Fallow buck (deer)		Deer
	Barbuda, Leeward Islands, W. Indies		Barbuda (17.38 N, 61.48 W), Lesser Antilles
	4.IX.1911		4.IX.1911
	Dr. L. Nicholls		Dr. L. Nicholls
Ticks received back from the Entomological Research Committee (Tropical Africa), London, S.W. ex Report No. 22, 2 July 1912:			
N	1708	N	1708
		RML	110656
	<u>Rhipicephalus appendiculatus</u> ♂, ♀'s		9 ♂, 6 ♀ <u>Rhipicephalus appendiculatus</u>
	<u>Cobus defassa</u>		<u>Kobus ellipsiprymnus</u>
	Near Lango Bay, South Buddu, Uganda, B.E. Africa		Near Lango Bay, South Buddu, Uganda (locality not verified)
	IX.1911		IX.1911
	S. A. Neave		S. A. Neave
	(E.C. 456)		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1709	N	1709
		RML	110657
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		11♂, 10 ♀ <u>Rhipicephalus appendiculatus</u>
	<u>Cobus defassa</u>		<u>Kobus ellipsiprymnus</u>
	Plains N.E. of Lake Edward, Uganda, B.E. Africa		Plains N.E. of Lake Edward (00.25 S, 29.30 E), Uganda
	X.1911		X.1911
	S. A. Neave (ERC 457)		S. A. Neave
N	1710	N	1710 MISSING
	<u>Amblyomma</u> sp. 2 N		
	Buffalo		
	Tero Forest Lango Bay, Uganda, B.E. Africa		
	30.IX.1911		
	S. A. Neave (ERC 458b)		
N	1711	N	1711
		RML	110658
	<u>Rhipicephalus lunulatus</u> ♂'s, ♀'s		16 ♂, 12 ♀ <u>Rhipicephalus lunulatus</u>
	Eland		<u>Taurotragus oryx</u>
	S.E. Ankole, Uganda, B.E. Africa		S.E. Ankole Kingdom (00.30 S, 30.30 E), Uganda
	X.1910		X.1910
	S.A. Neave (E.R.C. 461a)		S. A. Neave

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1712	N	1712
		RML	110659
	<u>Rhipicephalus falcatus</u> ♂'s, ♀'s Eland S.E. Ankole, Uganda, B.E. Africa		4 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u> <u>Taurotragus oryx</u> S.E. District of Ankole (00.30 S, 30.30 E), Uganda
	X.1910		X.1910
	S. A. Neave (ERC 461b)		S. A. Neave
N	1713	N	1713
		RML	110660
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s <u>Cobus defassa</u> Plains N of Lake Edward, Uganda, B.E. Africa		21 ♂, 11 ♀ <u>Rhipicephalus appendiculatus</u> <u>Kobus ellipsipymnus</u> Plains N. of Lake Edward (00.25 S, 29.30 E), Uganda
	X.1910		X.1910
	S.A. Neave (E.R.C. 462)		S. A. Neave
N	1714	N	1714
		RML	110661
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s (not typical) <u>Tragelaphus spekei</u> Entebbe, Uganda, B.E. Africa		14 ♂, 6 ♀ <u>Rhipicephalus</u> sp. <u>Tragelaphus spekei</u> Entebbe (00.04 N, 32.28 E), Uganda
	9.IX.1911		9.IX.1911
	S. A. Neave (E.R.C. 464)		S. A. Neave This is <u>Rhipicephalus</u> species III of Yeoman & Walker (1967)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1715	N	1715
		RML	110662
	<u>Amblyomma cohaerens</u> 1 ♀		1 ♀ <u>Amblyomma cohaerens</u>
	Off grasses		Off grasses
	N.W. Ankole, Uganda, B.E. Africa		N.W. District of Ankole (00.30 S, 30.30 E), Uganda
	X.1911		X.1911
	S. A. Neave (E.R.C. 471)		S. A. Neave
N	1716	N	1716
		RML	66575
	<u>Rhipicephalus dux</u> 2 ♂, 2 ♀		3 ♂, 1 ♀ <u>Rhipicephalus dux</u>
	Off grasses		Off grasses
	N.W. Ankole, Uganda, B.E. Africa		N.W. District of Ankole (00.30 S, 30.30 E), Uganda
	X.1911		X.1911
	S. A. Neave (E.R.C. 471b)		S. A. Neave
N	1717	N	1717
		RML	110663
	<u>Amblyomma</u> sp. larvae		6 L <u>Amblyomma</u> sp.
	<u>Cobus thomasi</u>		<u>Kobus kob thomasi</u>
	Kafu River, Ungoro, Uganda, B.E. Africa		Kafu River (00.05 S, 30.09 E), Uganda
	XII.1911		XII.1911
	S. A. Neave (E.R.C. 475)		S. A. Neave

ORIGINAL DETERMINATIONCURRENT STATUS

N	1718	N	1718
		RML	110664
	<u>Ixodes</u> sp. N's L's <u>Haemaphysalis</u> sp. N's, L's		2 N, 3 L <u>Ixodes</u> sp. 4 N, 9 L <u>Haemaphysalis</u> sp.
	<u>Gulteria cristata</u>		<u>Guttera edouardi sethsmithi</u>
	Budongo Forest, Ungoro, Uganda, B.E. Africa		Budongo Forest (01.45 N, 31.35 E), District of Bunyoro, Uganda
	4.XII.1911		4.XII.1911
	S. A. Neave		S. A. Neave
	(E.R.C. 479)		
N	1719	N	1719
		RML	110665
	<u>Amblyomma petersi</u> ♂'s, ♀'s		10 ♂, 1 ♀ <u>Amblyomma rhinocerotis</u>
	Six miles E. of Palango Station (3,700 ft), R. Nile, Uganda, B.E. Africa		Six miles E. of Palango (01.54 N, 32.22 E), District of Lango, Uganda (1128 m)
	10.I.1912		10.I.1912
	R. Paske Smith		R. Paske Smith
	(E.R.C. 481)		
N	1720	N	1720
		RML	110666
	<u>Amblyomma petersi</u> ♀'s		5 ♀ <u>Amblyomma rhinocerotis</u>
	Six miles E of Palango Station (3,700 ft), R. Nile, Uganda, B.E. Africa		Six miles E. of Palango (01.54 N, 32.22 E), District of Lango, Uganda (1128 m)
	10.I.1912		10.I.1912
	R. Paske Smith		R. Paske Smith
	(E.R.C. 482)		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1721	N 1721
		RML 48991
	<u>Amblyomma petersi</u> ♂'s, ♀'s	12 ♂, 1 ♀ <u>Amblyomma rhinocerotis</u>
	Six miles E. of Palango Station (3,700 ft), R. Nile, Uganda, B.E. Africa	Six miles E. of Palango (01.54 N, 32.22 E), District of Lango, Uganda (1128 m)
	10.I.1912	10.I.1912
	R. Paske Smith (E.R.C. 483)	S. A. Neave Vial label cites S. A. Neave as collector.
	1 ♂, 1 ♀ to Prof. R. A. Cooley, Montana V.1928	The specimens sent to R. A. Cooley are now in the RML collection.
N	1722	N 1722
		RML 110667
	<u>Dermacentor rhinocerotis</u> ♂'s	5 ♂ <u>Dermacentor rhinocerinus</u>
	Six miles E. of Palango Station (3,700 ft), R. Nile, Uganda, B.E. Africa	Six miles E. of Palango (01.54 N, 32.22 E), District of Lango, Uganda (1128 m)
	10.I.1912	10.I.1912
	S. A. Neave (E.R.C. 483a)	S. A. Neave
	1 ♂ to R. W. Mettam, Weybridge IV.1931 1 ♂ to H. S. Purchase IV.1931	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1723	N 1723
		RML 110668
	<u>Rhipicephalus pulchellus</u> ♂'s Cattle	6 ♂ <u>Rhipicephalus pulchellus</u> Cattle
	Marsabit, B.E. Africa	Marsabit (02.20 N, 37.59 E), Kenya
	X-XI.1911	X-XI.1911
	Captain C. A. Neave (E.R.C. 490)	Captain C. A. Neave The above total includes 2 ♂ pinned.
N	1724	N 1724 MISSING
	<u>Amblyomma gemma</u> 2 ♂, 1 ♀ Cattle	
	Marsabit, B.E. Africa	
	X-XI.1911	
	Captain C. A. Neave (E.R.C. 490a)	
	(1 ♂, 1 ♀ mounted on a slide in cell with other <u>Amblyommas</u>)	
N	1725	N 1725
		RML 110669
	<u>Dermacentor circumguttatus</u> 1 ♀ Off grasses	1 ♀ <u>Dermacentor circumguttatus</u> Off grasses
	Daro Forest, Toro, Uganda, B.E. Africa	Daro Forest, District of Toro (00.30 N, 30.30 E), Uganda
	X.1911	X.1911
	S. A. Neave (E.R.C. 460)	S. A. Neave

Ticks retained from Report No. 6 of the Zoological Society of London,
Regent's Park, London, N.W., 15 July 1912:

ORIGINAL DETERMINATION

CURRENT STATUS

N	1726	N	1726
		RML	110670
	<u>Amblyomma dissimile</u> ♂'s		4 ♂ <u>Amblyomma dissimile</u>
	Tuberculated iguana		<u>Iguana iguana</u>
	Mexico		Mexico
	10.VI.1912		10.VI.1912
	(Z.S. 28)		
N	1727	N	1727
		RML	110671
	<u>Haemaphysalis</u> sp. Nymphs		41 N <u>Haemaphysalis</u> sp.
	Green lizard, <u>Lacerta ocellata</u>		<u>Lacerta lepida</u>
	S. Europe		Southern Europe
	30.V.1912		30.V.1912
	(Z.S. 29)		
N	1728	N	1728
		RML	110672
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> ♂'s, 1 N		1 ♂, 1 N <u>Aponomma varanensis</u>
	Bengal monitor		Bengal monitor
	India		India
	24.V.1912		24.V.1912

ORIGINAL DETERMINATIONCURRENT STATUS

N	1729	N	1729
		RML	110673
	<u>Ixodes ricinus</u> 1 ♀, N's, larvae		1 ♀, 31 N, 21 L <u>Ixodes ricinus</u>
	Deer		Deer
	Deerpark, Tregothnan, Cornwall		Deerpark, Tregothnan near Truro (50.16 N, 05.03 W), Cornwall, England
	12.VII.1912		12.VII.1912
	Received from J. Dew (gamekeeper)		Received from J. Dew (gamekeeper) Cited: Nuttall (1916: 332).
N	1730	N	1730 MISSING
	<u>Ixodes canisuga</u> ♀'		
	Dogs		
	In kennels, Tregothnan, Cornwall		
	12.VII.1912		
	J. Dew (gamekeeper)		

ORIGINAL DETERMINATIONCURRENT STATUS

N 1731

N 1731

RML 110674

Dermacentor venustus

(vial 1) 1 ♂, 1 ♀, 6 N, 12 eggs
Dermacentor andersoni
 (vial 2) 4 ♂ *Dermacentor andersoni*
 (vial 3) 1 ♀ *Dermacentor andersoni*
 (vial 4) 1 ♀ *Dermacentor andersoni*
 (vial 5) 19 N *Dermacentor andersoni*
 (vial 6) 1 vial dry nymphal skins
Dermacentor andersoni
 (vial 7) 39 L *Dermacentor andersoni*
 (vial 8) + 2000 L *Dermacentor andersoni*
 (vial 9) 1 vial of eggs *Dermacentor andersoni*

Horses

Imported into British Columbia
 from Yakima, Washington, U.S.
 America

V.1912

Dr. C. Gordon Hewitt, Dominion
 Entomologist, Central Experiment
 Farm, Ottawa, Canada 22.VII.1912

[Used for raising experiments]
 Oviposition commenced 9.VI.1912

Raised in Cambridge: put in 5
 tubes in cabinet in "Series."
 (a) eggs (with other tick ova)
 (b) larvae unfed
 (c) larvae gorged
 (d) nymphs unfed
 (e) nymphs empty skins whence
 adults emerged
 (f) ♂'s
 (g) ♀'s unfed
 (h) ♀'s after ovipositing

Horses

Imported into British Columbia from
 Yakima (46.36 N, 120.31 W), Washington,
 U.S.A.

V.1912

Dr. C. Gordon Hewitt, Dominion Ento-
 mologist, Central Experiment Farm,
 Ottawa, Canada 22.VII.1912

Of the total cited for vial 1, 2N,
 17 L and 12 eggs are pinned.
 Cited: Nuttall (1915: 425); Hadwen &
 Nuttall (1913: 299) incorrectly stated
 the locality as Washington, D.C.; cited
 & figured: Nuttall (1920: 2, pl. II,
 figs. 1, 2); Edwards & Evans (1967: 595).

ORIGINAL DETERMINATIONCURRENT STATUS

N 1732

N 1732

RML 110675

Amblyomma hebraeum 2 fully gorged ♀'s4 ♂, 4 ♀, 15 N, 83 L, 1 vial of eggs
Amblyomma hebraeum

Raised on ram

Origin probably Pretoria (25.45 S,
28.10 E), Republic of South Africa.
Raised in Cambridge, England

Rec'd 20.VII.1912

Rec'd 20.VII.1912

Rec'd from Mr. C. P. Lounsbury,
Chief, Division of Entomology,
Dept. of Agriculture, Pretoria,
S. AfricaRec'd from Mr. C. P. Lounsbury,
Chief, Division of Entomology,
Dept. of Agriculture, Pretoria,
S. AfricaOf those raised: 2 ♂, 2 ♀ mounted
in cells on slides II.1915
2 ♂, 2 ♀ pinned
2 slides with larvaeAbove total includes 2 ♂, 2 ♀ pinned.
This collection also contains the
following material, all dry:

Raised in Cambridge put in box
 "series" complete
 (a) eggs (with other tick ova)
 (b) larvae (unfed)
 (c) larvae (gorged)
 (d) empty larval skins
 (e) nymphs (unfed)
 (f) nymphs (gorged)
 (g) empty nymphal skins
 (h) ♂'s unfed
 (i) ♀'s unfed
 (j) ♀'s gorged

1 vial ♀'s
 1 vial ♂'s
 1 vial nymphal skins
 1 vial unfed N's plus larval skins
 1 vial adults plus nymphal skins
 1 vial larval skins
 Cited: Nuttall (1915: 409);
 Nuttall (1919: 394); cited &
 figured: Nuttall (1920: 1, Pl. I,
 figs. 1, 2, 4).

An additional 7 pinned ♂ are in the
BM(NH) collection

1732 (Distribution)

1 ♂, 1 ♀ to Dr. S. Hadwen, Canada 10.X.1913
1 ♂, 1 ♀ to Dr. K. F. Meyer, University of California, Berkeley 15.XI.1913
1 ♂, 1 ♀, N's, L's to Dr. Lajos Gozony, Univ. Budapest, Hungary 23.VI.1914
1 ♂, 2 ♀, 2 N, L's to Prof. Dr. Dahl, Berlin Museum VII.1914
Some (sex/stage not stated) to Prof. O. Dobescq, Montpellier, France 10.II.1914
1 ♂, 2 ♀, 2 N, L's to Prof. Dr. S. Schenkling, Deutsches Entomol. Museum VII.1914
1 ♂, 2 ♀, 2 N, L's to Dr. R. Gestro, Museo Civico di Storia Nat., Genova VII.1914
1 ♂, 1 ♀ to Dr. Kudicke, Dar es Salaam, G.E.A. 22.VII.1914
Many, all stages to Prof. Wheeler, Boston, Mass. 20.II.1915
2 ♂, 3 ♀, 2 N, L's to Launcelot Harrison, Australia 9.V.1919
2 ♂, 3 ♀, 2 N, L's to Prof. M. Jesus Maynar, Zaragoza, Spain 10.V.1919
2 ♂, 3 ♀, 2 N, L's to Prof. Poulton, Oxford 26.V.1919
2 ♂, 3 ♀, 2 N, L's to Prof. E. Hindle, Cambridge 24.IX.1919
2 ♂, 3 ♀, 2 N, L's to Major Lothian, Sch. Hygiene, Blackpool 25.IX.1919
1 ♂, 1 ♀, N's, L's to Major J. E. M. Boyd, Cambridge 20.XII.1919
1 ♂, 1 ♀, N's, L's to Dr. J. Gordon-Thompson, London Sch. Trop. Med. 8.I.1920
1 ♂, 1 ♀, N's, L's to Dr. R. W. Hegner, Johns Hopkins Univ., Baltimore 8.III.1920
1 ♂, 1 ♀, N's, L's to Dr. R. J. Tillyard, Nelson, N.Z. VI.1920
1 ♂, 1 ♀, N's, L's to Prof. Jules Bordet, Bruxelles, Belgium 30.VI.1920
3 ♂, 3 ♀ to Prof. E. Brumpt, Paris
2 ♂, 2 ♀ to Prof. Sadao Yoshida at Cambridge 21.XII.1921
2 ♂, 2 ♀ to P. A. Buxton at Cambridge 10.II.1921
2 ♂, 2 ♀ to Prof. Dr. D. A. de Yong at Cambridge 8.IV.1921
2 ♂, 2 ♀ to Prof. G. Hedger-Wallace, Univ. of Wales, Cardiff 1921
2 ♂, 2 ♀ to S. H. Daukes, Wellcome Bureau, London 9.I.1924
1 ♂, 1 ♀, N's, L's, eggs to Dr. E. Roubaud, Inst. Pasteur, Paris 12.X.1922
1 ♂, 1 ♀, N's, L's, eggs to Prof. J. Hjort, Univ. Christiana, Norway 12.X.1922
1 ♂, 1 ♀, N's, L's, eggs to Dr. A. Watkins Pitchford, Army Vet. Sch. Thornhill,
Aldershot 12.X.1922
1 ♂, 1 ♀, N's, L's, eggs to L.P.W. Renouf, Univ. College, Cork, Ireland 12.X.1922
1 ♂, 1 ♀, N's, L's, eggs to W.A. Pool, Indian Civil Vet. Dept. 12.X.1922
1 ♂, 1 ♀, N's, L's, eggs to Dr. Wm. Parry Morgan, Publ. Hlth. Lab. Cardiff
12.X.1922
1 ♂, 1 ♀, N's, L's, eggs to J.E.M. Mellor, Malvern College 16.X.1922
1 ♂, 1 ♀, N's, L's, eggs to Prof. A. Bettencourt, Inst. Camara Pestana, Lisbon
7.XI.1922
1 ♂, 1 ♀, N's, L's, eggs to Prof. E. Brumpt, L'École de Médecine, Paris 12.X.1922
1 ♂, 1 ♀, N's, L's, eggs to I.C. Ross, Univ. of Sydney, Australia
♂'S, ♀'S, N's, L's to Dr. E. Pavlovsky, Leningrad 9.X.1925
♂'S, ♀'S, N's, L's to Prof. R. A. Cooley V.1928
♂'S, ♀'S, N's, L's to Dr. A. C. Reed, San Francisco 30.V.1929
♂'S, ♀'S, N's, L's to Prof. J. Drobolav, Prague 30.V.1929
2 ♂, 2 ♀, 2 N (unfed & fed) L's (unfed & fed) to Prof. R. Matheson, Cornell
27.V.1929
1 ♂, 1 ♀ to Prof. E. Malvoz, Liège 30.V.1929
1 ♂, 1 ♀ to E.T. Boardman, Univ. Florida, Gainsville 30.V.1929
N's, L's to R.W. Mettam, Weybridge IV.1931
N's, L's to H.S. Purchase IV.1931

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1733	N	1733
		RML	110676
	<u>Hyalomma syriacum</u> 2 ♂'s		2 ♂ <u>Hyalomma aegyptium</u>
	Tortoises		Tortoises
	Woolacombe, North Devon		Woolacombe (51.10 N, 04.13 W), Somerset, England
	20.VII.1912		20.VII.1912
	Rec'd from Mr. Fred Sanger		Rec'd from Mr. Fred Sanger
N	1734	N	1734
		RML	66621
	<u>Ornithodoros tholozani</u> (11 specimens)		1 ♂, 3 ♀, 6 N <u>Ornithodoros tholozani</u>
	Quetta, Baluchistan		Quetta (30.12 N, 67.00 E), Pakistan
	Rec'd 18.VII.1912		Rec'd 18.VII.1912
	Rec'd from Major G.E.F. Stammers, R.A.M.C.		Rec'd from Major G.E.F. Stammers, R.A.M.C.
N	1735	N	1735
		RML	110677
	<u>Dermacentor albipictus</u> ♂'s, ♀'s		8 ♂ <u>Dermacentor albipictus</u>
	Horse		Horse
	Mistatim, Saskatchewan, Canada		Mistatim (52.52 N, 103.22 W), Saskatchewan, Canada
	6.VI.1912		6.VI.1912
	Maurice O'Connell		Maurice O'Connell
			1 ♂ of the above total is mounted on a slide

ORIGINAL DETERMINATIONCURRENT STATUS

N 1736

N 1736

RML 110678

Ixodes percavatus var.
rothschildi ♀ & 6 N's10 ♀, 6 N *Ixodes rothschildi*Found attached to throat of a dead
Herring Gull (*Larus argentatus*)*Larus argentatus*

Sands at Perranporth, N.W. Cornwall

Sands at Perranporth (50.20 N,
05.09 W), Cornwall, England

15.VI.1912

15.VI.1912

L.P.W. Renouf (Trinity College,
Cambridge)L.P.W. Renouf (Trinity College,
Cambridge)[Fragments of ♀'s & N's on bird
skin, mounted dry in cell on slide]Cited: Nuttall (1916: 329);
Arthur (1953: 111) (1963: 134)
lists 10 ♀, 5 N in this collection;
Thompson (1957: 214).

Slide missing.

ORIGINAL DETERMINATIONCURRENT STATUS

N 1737

N 1737

RML 110679

Haemaphysalis leachi larvae
(alive), ♀'s24 ♂, 101 ♀, 9 N, 1 vial of eggs
Haemaphysalis leachi
(Collection in 8 separate vials)

Jackal

Canis aureusPathological Laboratory, Nairobi,
B.E. Africa

Nairobi (01.17 S, 36.49 E), Kenya

Rec'd 23.III.1912

Rec'd 23.III.1912

Rec'd from Dr. R. E. Montgomery

Rec'd from Dr. R. E. Montgomery

1 ♂, 1 ♀ to Dr. S. Hadwen,
British Columbia, Canada
10.X.1913.Cited: Nuttall (1913C: 94);
Nuttall & Warburton (1915: 536).1 ♂, 1 ♀ to Dr. K. F. Meyer,
Univ. California, Berkeley
15.XI.1913.1 ♂, 1 ♀ to Prof. Dr. Dahl,
Berlin Museum VII.1914.1 ♂, 1 ♀ to Prof. Dr. Schenkling,
Deutsches Entomol. Museum
VII.1914.1 ♂, 1 ♀ to Prof. Dr. Gestro, Museo
Civico di Storia Nat., Genova
VII.1914.All stages to Prof. R. A. Cooley,
Montana V.1928.Some (sex/stage not stated) to
R.W. Mettam, Weybridge IV.1931.

1 ♂, 1 ♀ to H.S. Purchase IV.1931.

Ten tubes of ticks purchased from F. V. Sherrin (Taxidermist), The Limes, Nightingale Road, Hampton, Middlesex, 12 July 1912÷

ORIGINAL DETERMINATION

CURRENT STATUS

N	1738, a, b	N	1738, a, b
		RML	110680
	(1738) <u>Amblyomma varium</u> ♂ (a) <u>Amblyomma incisum</u> 2 ♂ (b) <u>Amblyomma</u> sp. N's		(1738) 1 ♂ <u>Amblyomma pictum</u> (a) 2 ♂ <u>Amblyomma incisum</u> (b) 4 N <u>Amblyomma</u> sp.
	Large Cavy		Probably <u>Cavia</u> sp.
	Bonasica, British Guiana		Possibly Bonasika River (06.45 N, 58.30 W), Guyana
	IV.1912		IV.1912
N	1739	N	1739
		RML	110681
	<u>Aponomma hydrosauri</u> N's		2 N <u>Aponomma hydrosauri</u>
	Snake (<u>Notechis scutatus</u>)		<u>Notechis scutatus</u>
	Tasmania, Australia		Tasmania, Australia
	IV.1912		IV.1912
N	1740	N	1740
		RML	110682
	<u>Ixodes</u> sp. N's & L		21 N, 3 L <u>Ixodes</u> sp.
	Lizard (<u>Lacerta ocellata</u>)		<u>Lacerta lepida</u>
	Near Tunisia, N. Africa		Near Tunisia
	IV.1912		IV.1912

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1741	N	1741
		RML	110683
	<u>Amblyomma mantiquirense</u> ♂'s, ♀'s, N's		9 ♂, 1 ♀, 3 N <u>Amblyomma naponense</u>
	Great anteater		<u>Myrmecophaga tridactyla</u>
	Bonasica, British Guiana		Possibly Bonasika River (06.45 N, 58.30 W), Guyana
	IV.1912		IV.1912
N	1742	N	1742
		RML	110684
	<u>Ixodes</u> sp. (mutilated) N's		2 N <u>Ixodes</u> sp.
	<u>Tachychromus tachydromoides</u>		<u>Takydromus tachydromoides</u>
	Ning-po, Che-Kiang, China		Ning Po (29.53 N, 121.33 E), Chekiang, Peoples Republic of China
	IV.1912		IV.1912
N	1743	N	1743 MISSING
	<u>Ixodes ricinus</u> N's		
	Lizard (<u>Lacerta agilis</u>)		
	Kiev, Russia		
	IV.1912		
N	1744	N	1744
		RML	110685
	<u>Ixodes</u> sp. (mutilated) N's		13 N <u>Ixodes</u> sp.
	Lizard (<u>Lacerta ocellata</u>)		<u>Lacerta lepida</u>
	Tangiers, Morocco, N. Africa		Tangier (35.48 N, 05.45 W), Morocco
	IV.1912		IV.1912

ORIGINAL DETERMINATIONCURRENT STATUS

N	1745	N	1745
		RML	110686
	<u>Aponomma hydrosauri</u> 1 ♀		1 ♀ <u>Aponomma hydrosauri</u>
	Snake (<u>Denesoria superba</u>)		<u>Denisonia superba</u>
	Tasmania, Australia		Tasmania, Australia
	IV.1912		IV.1912
N	1746	N	1746
		RML	110687
	<u>Amblyomma naponense</u> ♂'s, ♀		4 ♂, 3 ♀ <u>Amblyomma naponense</u>
	Peccary		Probably <u>Tayassu tajacu</u>
	Bonasica, British Guiana		Possibly Bonasika River (06.45 N, 58.30 W), Guyana
	IV.1912		IV.1912
N	1747	N	1747
		RML	110688
	<u>Amblyomma marmoreum</u> 2 ♂'s		1 ♂ <u>Amblyomma sparsum</u>
	Puff adder (<u>Bitis arietans</u>)		<u>Bitis arietans</u>
	Yatta Plains, Brit. E. Africa		Yatta Plains (02.00 S, 38.00 E), Kenya
	IV.1912		Cited as 2 ♂ by Theiler & Salisbury (1959: 112).
	1 ♂ to Prof. R. A. Cooley, 1928		

Ticks received back from the Entomological Research Committee (per Mr. Marshall), London, S.W., 1 August 1912 [Ex. Report No. 23]

ORIGINAL DETERMINATION

CURRENT STATUS

N	1748	N	1748
		RML	110689
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s (small)		13 ♂, 14 ♀ <u>Rhipicephalus appendiculatus</u>
	Oxen		Oxen
	Mombasa, B.E. Africa		Mombasa (04.03 S, 39.40 E), Kenya
	10.III.1912		10.III.1912
	R. P. Thomas		R. P. Thomas
	[E.R.C. 496]		
N	1749	N	1749
		RML	110690
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s (remarkably variable in size)		39 ♂, 23 ♀ <u>Rhipicephalus appendiculatus</u>
	Oxen		Oxen
	Mumias, Kavirondo, B.E. Africa		Mumias (00.20 S, 34.29 E), Kenya
	10.VII.1911		10.VII.1911
	W. Kennedy		W. Kennedy
	[E.R.C. 497]		
N	1750	N	1750
		RML	110691
	<u>Rhipicephalus</u> sp. N's		7 N <u>Rhipicephalus</u> sp.
	Oxen		Oxen
	Magadi Railway, B.E. Africa		Magadi Railway between Magadi (01.54 S, 36.17 E) and Konza (01.45 S, 37.07 E), Kenya
	I.1912		I.1912
	C. W. Woodhouse		C. W. Woodhouse
	[E.R.C. 517]		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1751	N	1751
		RML	110692
	<u>Dermacentor rhinocerotis</u> 2 ♂, 2 ♀		1 ♂, 2 ♀ <u>Dermacentor rhinocerinus</u>
	Grass		Grass
	Magadi Railway, B.E. Africa		Magadi Railway between Magadi (01.54 S, 36.17 E) and Konza (01.45 S, 37.07 E), Kenya
	I.1912		I.1912
	C. W. Woodhouse		C. W. Woodhouse
	[E.R.C. 537]		
	1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916		
N	1752	N	1752
		RML	110693
	<u>Aponomma exornatum</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Aponomma exornatum</u>
	Land Monitor		Land Monitor
	Camp, Upper Shire, Nyasaland, B.C. Africa		Camp, Liwonde (15.04 S, 35.13 E), Malawi
	27.IX.1911		27.IX.1911
	J. B. Davey		J. B. Davey
	[E.R.C. 541]		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1753	N	1753
		RML	110694
	<u>Aponomma exornatum</u> ♂'s, ♀'s Land Monitor		6 ♂, 3 ♀ <u>Aponomma exornatum</u> Land Monitor
	Camp, Upper Shire, Nyasaland, B.C. Africa		Camp, Liwonde (15.04 S, 35.13 E), Malawi
	27.IX.1911		27.IX.1911
	J. B. Davey		J. B. Davey
	[E.R.C. 542]		
N	1754	N	1754
		RML	110695
	<u>Rhipicephalus maculatus</u> 2 ♂ Grasses		2 ♂ <u>Rhipicephalus maculatus</u> Grasses
	Voi, B.E. Africa		Voi (03.23 S, 38.34 E), Kenya
	8-10.II.1912		8-10.II.1912
	S. A. Neave		S. A. Neave
	[E.R.C. 546]		
Ticks received from Dr. J. G. Parham, Government Bacteriologist, Zanzibar, British East Africa, 4 July 1912			
N	1755	N	1755
		RML	110696
	<u>Rhipicephalus appendiculatus</u> Donkey		8 ♂, 14 ♀ <u>Rhipicephalus appendiculatus</u> Donkey
	Mtamani, Pemba Island, B.E. Africa		Probably Mtemani (of which there are at least 25 possible localities) Pemba Island, Tanzania
	1.V.1912		1.V.1912
	J. G. Parham		J. G. Parham

ORIGINAL DETERMINATIONCURRENT STATUS

N 1756

N 1756 MISSING

Rhipicephalus appendiculatus
(all stages)

Goat

Mkokotoni, B.E. Africa

30.IV.1912

J. G. Parham

N 1757

N 1757

RML 110697

Rhipicephalus appendiculatus

Cow

Mtamani, Pemba Island, B.E. Africa

1.V.1912

J. G. Parham

2 ♂, 2 ♀ to Prof. E. Malvoz,
Liège 30.V.1929

N 1758, a

N 1758, a

RML 110698

(1758) Amblyomma gemma 2 ♂, 2 ♀(a) Rhipicephalus appendiculatus

Cow

Mkokotoni, B.E. Africa

30.IV.1912

J. G. Parham

(1758) 1 ♀ Amblyomma gemma(1758) 2 ♀ Amblyomma lepidum(a) 6 ♂, 5 ♀, 6 N Rhipicephalus appendiculatus

Cow

Mkokotoni (05.52 S, 39.15 E),
Zanzibar Island, Tanzania

30.IV.1912

J. G. Parham

ORIGINAL DETERMINATIONCURRENT STATUS

N 1759 N 1759 MISSING

Rhipicephalus appendiculatus

Bullock

Mtamani, Pemba Island, B.E. Africa

1.V.1912

J. G. Parham

1 ♂, 1 ♀ to Dr. Lajos Gozony,
Univ. Budapest, Hungary 23.VI.1914

N 1760 N 1760 MISSING

Rhipicephalus appendiculatus

Goat

M'Koani, Pemba Island, B.E. Africa

6.V.1912

J. G. Parham

1 ♂, 1 ♀ to Dr. K. F. Meyer
Univ. California, Berkeley
15.XI.1913

N 1761 N 1761
RML 110699

Rhipicephalus appendiculatus

Donkey

Utani, Pemba Island, B.E. Africa

1.V.1912

J. G. Parham

61 ♂, 73 ♀ *Rhipicephalus appendiculatus*

Donkey

Probably Utaani (of which there are
at least 15 possible localities),
Pemba Island, Tanzania

1.V.1912

J. G. Parham

ORIGINAL DETERMINATIONCURRENT STATUS

N	1762, a	N	1762, a
		RML	110700
(1762)	<u>Rhipicephalus appendiculatus</u>	(1762)	121 ♂, 112 ♀, 18 N <u>Rhipicephalus appendiculatus</u>
(a)	<u>Boophilus australis</u> ♀'s	(1762)	1 ♂ <u>Amblyomma variegatum</u>
	Donkey	(a)	21 ♀ <u>Boophilus microplus</u>
	Jambagome, Pemba Island, B.E. Africa		Donkey
	6.V.1912		Jambangome (05.21 S, 39.42 E), Pemba Island, Tanzania
	J. G. Parham		6.V.1912
N	1763	N	1763
		RML	110701
	<u>Rhipicephalus appendiculatus</u>	9 ♂, 8 ♀, 6 N <u>Rhipicephalus appendiculatus</u>	
	Donkey	Donkey	
	Chake-Chake, Pemba Island, B.E. Africa	Chake-Chake (05.15 S, 39.46 E), Pemba Island, Tanzania	
	2.V.1912	2.V.1912	
	J. G. Parham	J. G. Parham	
N	1764	N	1764
		RML	110702
	<u>Rhipicephalus appendiculatus</u>	44 ♂ 44 ♀, 1 N <u>Rhipicephalus appendiculatus</u>	
	Donkey	Donkey	
	Wati, B.E. Africa	Perhaps Wete (05.04 S, 39.43 E), Tanzania	
	2.V.1912	2.V.1912	
	J. G. Parham	J. G. Parham	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1765	N	1765
		RML	110703
	<u>Rhipicephalus appendiculatus</u>		51 ♂, 47 ♀, 1 N <u>Rhipicephalus appendiculatus</u>
	Bull		Bull
	M'gabarouni, Pemba Island, B.E. Africa		Probably Mzambarauni (05.23 S, 39.38 E) Pemba Island, Tanzania
	1.V.1912		1.V.1912
	J. G. Parham		J. G. Parham
N	1766	N	1766 MISSING
	<u>Rhipicephalus appendiculatus</u>		
	Camel		
	Zanzibar Town, B.E. Africa		
	26.IV.1912		
	J. G. Parham		
N	1767, a	N	1767, a
		RML	110704
	(1767) <u>Boophilus australis</u> ♀'s (a) <u>Rhipicephalus appendiculatus</u>		(1967) 5 ♀ <u>Boophilus microplus</u> (a) 6 ♂ <u>Rhipicephalus appendiculatus</u>
	Bullock		Bullock
	Chuckwani, B.E. Africa		Chuckwani (06.14 S, 39.13 E), Zanzibar Island, Tanzania
	26.IV.1912		26.IV.1912
	J. G. Parham		J. G. Parham

ORIGINAL DETERMINATIONCURRENT STATUS

N 1768 N 1768 MISSING

Rhipicephalus appendiculatus

Bull

Chake-Chake, Pemba Is., B.E. Africa

2.V.1912

J. G. Parham

Given to D. S. Mac Logan
12.X.1938

N 1769 N 1769 MISSING

Rhipicephalus appendiculatus

Cow

M'Koani, Pemba Island, B.E. Africa

6.V.1912

J. G. Parham

N 1770 N 1770

RML 110705

Rhipicephalus appendiculatus

50 ♂, 51 ♀, 2 N *Rhipicephalus appendiculatus*

Goat

Goat

Utani, Pemba Island,
B.E. Africa

Probably Utaani (of which there are at least 15 possible localities),
Pemba Island, Tanzania

1.V.1912

1.V.1912

J. G. Parham

J. G. Parham

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1771	N	1771
		RML	110706
	<u>Boophilus australis</u>		6 ♀ <u>Boophilus microplus</u>
	Cow		Cow
	M'Koani, Pemba Island, B.E. Africa		Mkoani (05.22 S, 39.39 E), Pemba Island, Tanzania
	6.V.1912		6.V.1912
	J. G. Parham		J. G. Parham
N	1772	N	1772
		RML	110707
	<u>Rhipicephalus appendiculatus</u>		19 ♂, 22 ♀ <u>Rhipicephalus appendiculatus</u>
	Donkey		Donkey
	Jambagome, Pemba Island, B.E. Africa		Jambangome (05.21 S, 39.42 E), Pemba Island, Tanzania
	6.V.1912		6.V.1912
	J. G. Parham		J. G. Parham
	1 ♂, 1 ♀ to Dr. J. G. Parham Portuguese East Africa 18.IV.1913. 1 ♂, 1 ♀ to N.Y. National Museum 18.IV.1913.		
N	1773	N	1773
		RML	110708
	<u>Rhipicephalus appendiculatus</u>		1 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>
	Donkey		Donkey
	M'Koani, Pemba Island, B.E. Africa		Mkoani (05.22 S, 39.39 E), Pemba Island, Tanzania
	6.V.1912		6.V.1912
	J. G. Parham		J. G. Parham

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1774, a		N	1774, a	
			RML	110709	
(1774) <u>Boophilus australis</u>			(1774) 7 ♀ <u>Boophilus microplus</u>		
(a) <u>Rhipicephalus evertsi</u>			(a) 2 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>		
Donkey			Donkey		
Jambagome, Pemba, Is., B.E. Africa			Jambangome (05.21 W, 39.42 E), Pemba Island, Tanzania		
6.V.1912			6.V.1912		
J. G. Parham			J. G. Parham		
N	1775		N	1775	
			RML	110710	
<u>Boophilus australis</u> ♀'s			2 ♀ <u>Boophilus microplus</u>		
Cow			Cow		
M'Koani, Pemba Is., B.E. Africa			Mkoani (05.22 S, 39.39 E), Pemba Island, Tanzania		
6.V.1912			6.V.1912		
J. G. Parham			J. G. Parham		
N	1776		N	1776	
			RML	110711	
<u>Rhipicephalus appendiculatus</u>			6 ♂, 5 ♀ <u>Rhipicephalus appendiculatus</u>		
Goat			Goat		
Chake-Chake, Pemba Is., B.E. Africa			Chake-Chake (05.15 S, 39.46 E), Pemba Island, Tanzania		
2.V.1912			2.V.1912		
J. G. Parham			J. G. Parham		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1777	N	1777
		RML	110712
	<u>Rhipicephalus appendiculatus</u>		42 ♂, 37 ♀ <u>Rhipicephalus appendiculatus</u>
	Goat		Goat
	Mzambarouni, Pemba Is., B.E. Africa		Mzambarauni (05.23 S, 39.38 E), Pemba Island, Tanzania
	1.V.1912		1.V.1912
	J. G. Parham		J. G. Parham
N	1778	N	1778 MISSING
	<u>Rhipicephalus evertsi</u> ♂'s		
	Cow		
	Mtamani, Pemba Is., B.E. Africa		
	1.V.1912		
	J. G. Parham		
N	1779, a, b	N	1779, a, b
		RML	110713
	(1779) <u>Boophilus australis</u> ♀'s		(1779) 3 ♀ <u>Boophilus microplus</u>
	(a) <u>Rhipicephalus appendiculatus</u> ♂, ♀'s		(a) 1 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>
	(b) <u>Rhipicephalus pulchellus</u> ♂		(b) 3 ♂ <u>Rhipicephalus pulchellus</u>
	Goat		Goat
	Mahonda, B.E. Africa		Either Mahonda (06.00 S, 39.15 E), or (06.27 S, 39.28 E), Zanzibar Island, Tanzania
	30.IV.1912		30.IV.1912
	J. G. Parham		J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1780	N	1780
		RML	110714
	<u>Rhipicephalus appendiculatus</u>		37 ♂, 13 ♀ <u>Rhipicephalus appendiculatus</u>
	Donkey		Donkey
	Bu-bu-bu, B.E. Africa		Bububi (06.06 S, 39.13 E), Zanzibar Island, Tanzania
	25.II.1912		25.II.1912
	J. G. Parham		J. G. Parham
N	1781, a-e	N	1781, a-e
		RML	110715
	(1781) <u>Rhipicephalus appendiculatus</u>		(1781) 11 ♂, 4 ♀, 1 N <u>Rhipicephalus appendiculatus</u>
(a)	<u>Rhipicephalus pulchellus</u> ♂'s	(a)	2 ♂ <u>Rhipicephalus pulchellus</u>
(b)	<u>Boophilus australis</u> ♀	(b)	1 ♀ <u>Boophilus microplus</u>
(c)	<u>Rhipicephalus evertsi</u> ♂	(c)	1 ♂ <u>Rhipicephalus evertsi</u>
(d)	<u>Haemaphysalis bispinosa</u> ♀	(d)	1 ♀ <u>Haemaphysalis bispinosa</u>
(e)	<u>Amblyomma cohaerens</u> ♂	(e)	1 ♂ <u>Amblyomma lepidum</u>
	Bullock		Bullock
	Chukwani, B.E. Africa		Chukwani (06.14 S, 39.13 E), Zanzibar Island, Tanzania
	30.IV.1912		30.IV.1912
	J. G. Parham		J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1782, a, b	N 1782, a, b
		RML 110716
(1782)	<u>Rhipicephalus appendiculatus</u>	(1782) 4 ♂, 5 ♀ <u>Rhipicephalus appendiculatus</u>
(a)	<u>Boophilus australis</u>	(1782) 1 ♂ <u>Rhipicephalus pulchellus</u>
(b)	<u>Rhipicephalus evertsi</u> 2 ♂'s	(a) 5 ♀ <u>Boophilus microplus</u> (b) 2 ♂ <u>Rhipicephalus evertsi</u>
Bull		Bull
Kikwaguni, B.E. Africa		Kikwajuni (05.18 S, 39.47 E), Pemba Island, Tanzania
30.IV.1912		30.IV.1912
J. G. Parham		J. G. Parham
N	1783, a-c	N 1783, a-c
		RML 110717
(1783)	<u>Rhipicephalus appendiculatus</u>	(1783) 6 ♂, 4 ♀ <u>Rhipicephalus appendiculatus</u>
(a)	<u>Haemaphysalis bispinosa</u> ♀	(a) 1 ♀ <u>Haemaphysalis bispinosa</u>
(b)	<u>Boophilus australis</u> ♀	(b) 1 ♀ <u>Boophilus microplus</u>
(c)	<u>Rhipicephalus evertsi</u> ♂	(c) 1 ♂ <u>Rhipicephalus evertsi</u>
Goat		Goat
Mahonda, B.E. Africa		Either Mahonda (06.00 S, 39.14 E), or (06.27 S, 39.28 E), Zanzibar Island, Tanzania
30.IV.1912		30.IV.1912
J. G. Parham		J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1784	N 1784
		RML 110718
	<u>Boophilus australis</u>	4 ♀ <u>Boophilus microplus</u> 15 ♂, 11 ♀ <u>Rhipicephalus appendiculatus</u>
	Bullock	Bullock
	Mangapwani, B.E. Africa	Mangapwani (05.59 S, 39.12 E), Zanzibar Island, Tanzania
	27.IV.1912	27.IV.1912
	J. G. Parham	J. G. Parham
		Nuttall did not enter the <u>R.</u> <u>appendiculatus</u> collection in his catalogue
N	1785, a	N 1785, a
		RML 110719
	(1785) <u>Rhipicephalus append-</u> <u>iculatus</u>	(1785) 9 ♂, 4 ♀ <u>Rhipicephalus</u> <u>appendiculatus</u>
	(a) <u>Boophilus australis</u> 1 ♀	(a) 1 ♀ <u>Boophilus microplus</u>
	Goat	Goat
	Mangapwani, B.E. Africa	Mangapwani (05.59 S, 39.12 E), Zanzibar Island, Tanzania
	27.IV.1912	27.IV.1912
	J. G. Parham	J. G. Parham

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1786, a-c		N	1786, a-c	
RML			RML	110720	
(1786) <u>Rhipicephalus appendiculatus</u>			(1786) 2 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>		
(a) <u>Boophilus australis</u> ♀			(a) 1 ♀ <u>Boophilus microplus</u>		
(b) <u>Amblyomma gemma</u>			(b) 1 ♂ <u>Amblyomma gemma</u>		
(c) <u>Haemaphysalis bispinosa</u> ♀			(b) 3 ♂ <u>Amblyomma Tepidum</u>		
Bullock			(c) 1 ♀ <u>Haemaphysalis bispinosa</u>		
Bu-bu-bu, B.E. Africa			Bullock		
29.IV.1912			Bububu (06.06 S, 39.13 E), Zanzibar Island, Tanzania		
J. G. Parham			29.IV.1912		
N	1787, a-c		N	1787, a-c	
RML			RML	110721	
(1787) <u>Rhipicephalus appendiculatus</u>			(1787) 7 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>		
(a) <u>Boophilus australis</u>			(a) 4 ♀ <u>Boophilus microplus</u>		
(b) <u>Haemaphysalis bispinosa</u> 3 ♂			(b) 3 ♂ <u>Haemaphysalis bispinosa</u>		
(c) <u>Rhipicephalus pulchellus</u> ♂			(c) 1 ♂ <u>Rhipicephalus pulchellus</u>		
Bullock			Bullock		
Bet-el-Ras, B.E. Africa			Bet-el-Ras (06.07 S, 39.13 E), Zanzibar Island, Tanzania		
29.IV.1912			29.IV.1912		
J. G. Parham			J. G. Parham		
N	1788		N	1788	
RML			RML	110722	
<u>Boophilus australis</u>			4 ♀ <u>Boophilus microplus</u>		
Bullock			Bullock		
Mangapwani, B.E. Africa			Mangapwani (05.59 S, 39.12 E), Zanzibar Island, Tanzania		
27.IV.1912			27.IV.1912		
J. G. Parham			J. G. Parham		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1789, a, b	N	1789, a, b
		RML	110723
(1789)	<u>Rhipicephalus appendiculatus</u>	(1789)	<u>Rhipicephalus appendiculatus</u>
(a)	<u>Amblyomma gemma</u>	(a)	<u>2 ♂ Amblyomma gemma</u>
(b)	<u>Boophilus australis</u>	(b)	<u>3 ♀ Boophilus microplus</u>
Bullock		Bullock	
Bu-bu-bu, B.E. Africa		Bububu (06.06 S, 39.13 E), Zanzibar Island, Tanzania	
26.IV.1912		26.IV.1912	
J. G. Parham		J. G. Parham	
N	1790, a-c	N	1790, a-c
		RML	110724
(1790)	<u>Rhipicephalus appendiculatus</u>	(1790)	<u>1 ♂, 3 ♀ Rhipicephalus appendiculatus</u>
(a)	<u>Boophilus australis</u>	(a)	<u>1 ♀ Boophilus microplus</u>
(b)	<u>Haemaphysalis bispinosa</u>	(b)	<u>1 ♂ Haemaphysalis bispinosa</u>
(c)	<u>Rhipicephalus pulchellus</u> ♂	(c)	<u>1 ♂ Rhipicephalus pulchellus</u>
Bull		Bull	
Kikwaguni, B.E. Africa		Kikwajuni (05.18 S, 39.47 E), Pemba Island, Tanzania	
30.IV.1912		30.IV.1912	
J. G. Parham		J. G. Parham	
N	1791	N	1791
		RML	110725
	<u>Rhipicephalus sanguineus</u>	46 ♂, 49 ♀	<u>Rhipicephalus sanguineus</u>
Dog		Dog	
Zanzibar Town, B.E. Africa		Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania	
23.IV.1912		23.IV.1912	
J. G. Parham		J. G. Parham	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1792	N	1792
		RML	110726
	<u>Rhipicephalus evertsi</u> ♂, ♀		1 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>
	Bullock		Bullock
	Mangapwani, B.E. Africa		Mangapwani (05.59 S, 39.12 E), Zanzibar Island, Tanzania
	27.IV.1912		27.IV.1912
	J. G. Parham		J. G. Parham
N	1793	N	1793
		RML	110727
	<u>Rhipicephalus appendiculatus</u>		6 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>
	Bullock		Bullock
	Mkokotoni, B.E. Africa		Mkokotoni (05.18 S, 39.41 E), Pemba Island, Tanzania
	25.IV.1912		25.IV.1912
	J. G. Parham		J. G. Parham
N	1794, a-c	N	1794, a-c
		RML	110728
	(1794) <u>Rhipicephalus appendiculatus</u>		(1794) 4 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	(a) <u>Rhipicephalus pulchellus</u> 2 ♂		(a) 2 ♂ <u>Rhipicephalus pulchellus</u>
	(b) <u>Boophilus australis</u> ♀		(b) 1 ♀ <u>Boophilus microplus</u>
	(c) <u>Amblyomma gemma</u>		(c) 1 ♂ <u>Amblyomma lepidum</u>
	Bullock		Bullock
	Mkokotoni, B.E. Africa		Mkokotoni (05.18 S, 39.41 E), Pemba Island, Tanzania
	26.IV.1912		26.IV.1912
	J. G. Parham		J. G. Parham
			The vial label for 1794b is incorrectly labelled 1794a

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1795	N	1795
		RML	110729
	<u>Rhipicephalus appendiculatus</u>		8 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Bullock		Bullock
	Zanzibar Town, B.E. Africa		Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	22.IV.1912		22.IV.1912
	J. G. Parham		J. G. Parham
N	1796	N	1796
		RML	110730
	<u>Rhipicephalus appendiculatus</u>		14 ♂, 7 ♀ <u>Rhipicephalus appendiculatus</u>
	Horse		Horse
	Zanzibar Town, B.E. Africa		Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	24.IV.1912		24.IV.1912
	J. G. Parham		J. G. Parham
N	1797	N	1797
		RML	110731
	<u>Rhipicephalus sanguineus</u>		1 ♂, 7 N, 2 L <u>Rhipicephalus sanguineus</u>
	1 ♂, N's & L's		
	Civet cat		<u>Viverra civetta</u>
	Mangapwani, B.E. Africa		Mangapwani (05.59 S, 39.12 E), Zanzibar Island, Tanzania
	26.IV.1912		26.IV.1912
	J. G. Parham		J. G. Parham

ORIGINAL DETERMINATIONCURRENT STATUS

N	1798	N	1798
		RML	110732
	<u>Rhipicephalus appendiculatus</u>		8 ♂, 3 ♀, 1 N, 1 L <u>Rhipicephalus appendiculatus</u>
	Goat		Goat
	Zanzibar Town, B.E. Africa		Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania
	24.IV.1912		24.IV.1912
	J. G. Parham		J. G. Parham
N	1799	N	1799
		RML	110733
	<u>Rhipicephalus appendiculatus</u> ♂ (not typical)		1 ♂ <u>Rhipicephalus appendiculatus</u> (Tentative ID)
	Dog		Dog
	Mgambo, B.E. Africa		Mgambo (05.59 S, 39.18 E), Zanzibar Island, Tanzania
	23.IV.1912		23.IV.1912
	J. G. Parham		J. G. Parham

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1800	N 1800
		RML 110735
	<u>Dermacentor variabilis</u> 2 ♀'s	1 ♀ <u>Dermacentor variabilis</u>
	Raised on rabbit	Raised on rabbit
	Agassiz, British Columbia, Canada	Agassiz (49.14 N, 121.44W), British Columbia, Canada
	VII.1912	VII.1912
	Received from Dr. S. Hadwen	Received from Dr. S. Hadwen
	Received 21.VIII.1912	
N	1801	N 1801
		RML 110736
	<u>Dermacentor variabilis</u> 4 N	2 N <u>Dermacentor variabilis</u>
	Raised on rabbit	Raised on rabbit
	Agassiz, British Columbia, Canada	Agassiz (49.14 N, 121. 44 W), British Columbia, Canada
	VII.1912	VII.1912
	Received from Dr. S. Hadwen	Received from Dr. S. Hadwen
	Received 21.VIII.1912	
N	1802	N 1802
		RML 110737
	<u>Dermacentor variabilis</u> L (gorged)	2 N, 4 L <u>Dermacentor variabilis</u>
	Raised on rabbit	Raised on rabbit
	Agassiz, British Columbia, Canada	Agassiz (49.14 N, 121.44 W), British Columbia, Canada
	VII.1912	VII.1912
	Received from Dr. S. Hadwen	Received from Dr. S. Hadwen
	Received 21.VIII.1912	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1803	N 1803
		RML 110738
	<u>Dermacentor variabilis</u> L (unfed)	236 L <u>Dermacentor variabilis</u>
	Raised on rabbit	Raised on rabbit
	Agassiz, British Columbia, Canada	Agassiz (49.14 N, 188.44 W), British Columbia, Canada
	VII.1912	VII.1912
	Received from Dr. S. Hadwen	Received from Dr. S. Hadwen
	Received 21.VIII.1912	
N	1804	N 1804
		RML 71476
	<u>Haemaphysalis bispinosa</u> 1 ♂	1 ♂ <u>Haemaphysalis intermedia</u>
	Dog	Dog
	Recently brought from Nelore to Calcutta, India	Recently brought from Nelore (14.27 N, 80.01 E) to Calcutta (22.34 N, 88.24 E), India
	II-III.1911	II-III.1911
	(Ex Indian Mus. $\frac{1079}{17}$)	
N	1805	N 1805
		RML 105563
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	5 ♂, 4 ♀ <u>Rhipicephalus appendiculatus</u>
	Giraffe	<u>Giraffa camelopardalis</u>
	Shot 20 miles S.E. of Mulha Hill, near Mowa River, Kitui District, B.E. Africa	Shot 20 miles S.E. of Mulha Hill near Mowa River, Kitui District (01.11 S, 37.27 E), Kenya
	28.V.1911	28.V.1911
	S.W.J. Scholefield	S.W.J. Scholefield
	(E.R.C. 323a)	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1806		N	1806 MISSING
	<u>Ixodes ricinus</u> ♀'s			
	Irish Sheep			
	22.VIII.1912			
	Rec'd from Mr. A. W. Noël Pillars, Veterinary Department, Municipal Building, Liverpool 29 August 1912.			
N	1807		N	1807
			RML	110739
	<u>Ixodes ricinus</u> L & N's			4 N, 577 L <u>Ixodes ricinus</u>
	Deer			Deer
	Tregothnan, Truro Cornwall			Tregothnan near Truro (50.16 N, 05.03 W), Cornwall, England
	2.IX.1912			2.IX.1912
	J. Dew			J. Dew
				Cited: Nuttall (1916: 332).
N	1808		N	1808
			RML	110740
	<u>Ixodes ricinus</u> ♂'s & ♀'s			15 ♂, 46 ♀ <u>Ixodes ricinus</u>
	Deer			Deer
	Tregothnan, Truro, Cornwall			Tregothnan near Truro (50.16 N, 05.03 W), Cornwall, England
	2.IX.1912			2.IX.1912
	J. Dew			J. Dew
	1 ♂, 1 ♀ to N.Y. National Museum 18.IV.1913			Cited: Nuttall (1916: 332).

Ticks received back from the Entomological Research Committee (ex.
Report No. 24) 1 October 1912:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1809	N	1809
		RML	110741
	<u>Amblyomma tholloni</u> ♂, ♀		1 ♂, 1 ♀ <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Toro, B.E. Africa		Probably District of Toro (00.30 N, 30.30 E), Uganda
	11.II.1911		11.II.1911
	C. C. Gowdey		C. C. Gowdey
	[E.R.C. 551]		Cited: Robinson (1926: 252).
N	1810	N	1810
		RML	110742
	<u>Amblyomma</u> sp. N's		3 N <u>Amblyomma</u> sp.
	Dog		Dog
	Entebbe, Uganda, Africa		Entebbe (00.02 N, 32.30 E), Uganda
	7.VII.1911		7.VII.1911
	C. C. Gowdey		C. C. Gowdey
	[E.R.C. 555]		
N	1811	N	1811 MISSING
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s		
	Dog		
	Botkanu, West Africa		
	16.V.1912		
	J. J. Simpson		
	[E.R.C. 574]		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1812	N	1812 MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s		
	Cows		
	Rowerse, Sierra Leone, W. Africa		
	28.IV.1912		
	J. J. Simpson		
	[E.R.C. 576]		
N	1813	N	1813
		RML	110743
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s, N's		9 ♂, 5 ♀, 2 N <u>Amblyomma cohaerens</u>
	Buffalo		Buffalo
	Katwe, Uganda		Katwe (00.08 S, 29.52 E) or (00.47 S, 32.02 E) or (00.56 S, 30.52 E), Uganda
	11.II.1912		11.II.1912
	R. Fyffe		R. Fyffe
	[E.R.C. 590]		
	1 ♂, 1 ♀ to R. W. Mettam, Weybridge		Cited: Robinson (1926: 110).
	IV.1931		
	1 ♂, 1 ♀ to H. S. Purchase IV.1931		Nymphal determination tentative
N	1814	N	1814 MISSING
	<u>Amblyomma nuttalli</u> 1 ♂ & 1 ♀		
	Tortoise		
	Near Kavirondo Border, Lumbwa District, Myanza, B.E. Africa		
	16.III.1912		
	C. M. Dobbs		
	(1 ♂, 1 ♀ mounted as slides II.1915)		
	[E.R.C. 592]		

ORIGINAL DETERMINATIONCURRENT STATUS

N 1815 N 1815 MISSING

Hyalomma aegyptium ♂'s, ♀'s

Camel

Liongiani near Lake Rudolph, B.E.
Africa

1912

Capt. A. C. Saunders

[E.R.C. 595]

Collection of ticks received from Professor C. S. Motas (Director del
Instituto Nacional Bacteriologico), Bucharest Roumania, 16.IX.1912:-

N 1816 N 1816
RML 110744

Rhipicephalus bursa ♂'s, ♀'s

6 ♂, 17 ♀ Rhipicephalus bursa

Cattle

Cattle

Roumania

Romania

1912

1912

C. S. Motas

C. S. Motas

N 1817 N 1817 MISSING

Ixodes ricinus ♂'s, ♀'s

Horses

Roumania

1912

C. S. Motas

1 ♂, 1 ♀ to Prof. R. Matheson,
Cornell 27.V.1929.

1 ♂, 1 ♀ to Dr. A. C. Reed,
San Francisco 30.V.1929.

1 ♂, 1 ♀ to Prof. J. Drbohlav,
Prague 30.V.1929.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1818	N	1818
		RML	66654
	<u>Rhipicephalus bursa</u> ♂'s, ♀'s		9 ♂, 19 ♀ <u>Rhipicephalus bursa</u>
	Horses		Horses
	Roumania		Romania
	1912		1912
	C. S. Motas		C. S. Motas
	1 ♂, 1 ♀ to D. S. Hadwen, British Columbia, Canada 10.X.1913. 1 ♂, 1 ♀ to Dr. Lajos Gozony, Univ. Budapest, Hungard 23.VI.1914.		
N	1819	N	1819
		RML	66653
	<u>Rhipicephalus bursa</u> ♂'s, ♀'s		12 ♂, 24 ♀ <u>Rhipicephalus bursa</u>
	Sheep		Sheep
	Roumania		Romania
	1912		1912
	C. S. Motas		C. S. Motas
N	1820	N	1820
		RML	110745
	<u>Rhipicephalus bursa</u> ♂'s, ♀'s		8 ♂, 17 ♀ <u>Rhipicephalus bursa</u>
	Sheep		Sheep
	Roumania		Romania
	1912		1912
	C. S. Motas		C. S. Motas
	1 ♂, 1 ♀ to N.Y. National Museum 18.IV.1913		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1821, a	N	1821, a
		RML	102349
	(1821) <u>Hyalomma aegyptium</u> ♂'s, ♀'s (a) <u>Dermacentor niveus</u> ♂'s, ♀		(1821) 2 ♂ <u>Hyalomma detritum</u> (a) 5 ♂, 1 ♀ <u>Dermacentor niveus</u>
	Deer		Deer
	Roumania		Romania
	1912		1912
	C. S. Motas		C. S. Motas
N	1822	N	1822
		RML	110746
	<u>Amblyomma dissimile</u> ♂'s, 1 ♀		7 ♂, 1 ♀ <u>Amblyomma dissimile</u>
	<u>Boa constrictor</u>		<u>Boa constrictor</u>
	South America		South America
	20.IX.1912		20.IX.1912
	("Zool. Soc. No. 33")		
N	1823	N	1823
		RML	110747
	<u>Ixodes hexagonus</u> 1 ♀ & 1 N		1 ♀, 1 N <u>Ixodes hexagonus</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Quick Laboratory, Cambridge		Quick Laboratory, Cambridge (52.13 N, 00.08 E), England
	26.IX.1912		26.IX.1912
			Cited: Nuttall (1916: 327).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1824		N	1824	
			RML	110748	
	<u>Dermacentor variabilis</u> larvae (alive)			1 ♂, 1 ♀, 682 L <u>Dermacentor variabilis</u>	
	♀'s taken off horse			Parent ♀ from horse	
	Glenora, Manitoba, Canada			Glenora (57.50 N, 131.24 W), Manitoba, Canada	
	24.VI.1912			24.VI.1912	
	Rec'd. from Dr. S. Hadwen (Agassiz) 10.X.1912			Rec'd. from Dr. S. Hadwen (Agassiz) 10.X.1912	
	"Raising Experiments." Some have been preserved.			Cited & figured: Nuttall (1920: 3, pl. II, fig. 3).	
	Ticks received from J. F. Valladares, Esq., Government Veterinary College, Madras, India, 12 October 1912:-				
N	1825		N	1825	
			RML	110749	
	<u>Rhipicephalus sanguineus</u> ♂'s & ♀'s			11 ♂, 21 ♀ <u>Rhipicephalus sanguineus</u>	
	Dogs			Dogs	
	Madras, India			Madras (13.05 N, 80.17 E), India	
	1912			1912	
	J. F. Valladares			J. F. Valladares	
N	1826, a		N	1826	
			RML	110750	
	(1826) <u>Haemaphysalis bispinosa</u> ♂'s, ♀'s, N's & L			(1826) 68 ♂, 8 ♀, 3 N <u>Haemaphysalis</u> <u>bispinosa</u>	
	(a) <u>Hyalomma aegyptium</u> ♂'s, ♀'s N's & L			(a) <u>Hyalomma</u> sp. (see N3589)	
	Cow			Cow	
	Madras, India			Madras (13.05 N, 80.17 E), India	
	1912			1912	
	J. F. Valladares			J. F. Valladares	
				Cited: Nuttall & Warburton (1915: 431).	

<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
-------------------------------	-----------------------

N 1827	N 1827 MISSING
-------------	------------------------

Ornithodoros savignyi adults

"Found in a place where cattle were impounded"

Madras, India

1912

J. F. Valladares

1 ♂ to J. de Meza, Zomba Nyasaland
19.II.1916

Ticks received from Professor Lignières (Director del Instituto Nacional Bacteriologico), Buenos Aires, Argentine Republic, South America, 23.IX.1912:-

N 1828	N 1828
-------------	-------------

RML	110751
-----	--------

Boophilus sp. larvae (unfed)

± 1000 L Boophilus microplus

Parents off cattle

Parents off cattle

Argentine Republic, S. America

Argentina

20.VIII.1912

20.VIII.1912

Lignières

Lignières

ORIGINAL DETERMINATIONCURRENT STATUS

N	1829	N	1829
		RML	110752
	<u>Boophilus annulatus</u> ♀'s (gorged)		16 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Argentine Republic, S. America		Argentina
	20.I.1912		20.I.1912
	Lignières		Lignieres
	1 ♀ to Dr. E. Roubaud, Institute Pasteur, Paris 12.X.1922.		
	1 ♀ to Prof. J. Hjort, Univ. Christiana, Norway 12.X.1922.		
	1 ♀ to Dr. A. Watkins Pitchford, Army Vet. Sch., Thornhill, Aldershot 12.X.1922.		
	1 ♀ to L. P. W. Renouf, Biol. Dept. Univ. Coll, Cork, Ireland 12.X.1922		
	1 ♀ to W. A. Pool Indian Civil Vet. Dept. 12.X.1922.		
	1 ♀ to Dr. Wm. Parry Morgan, Publ. Hlth, Lab., Cardiff, Wales 12.X.1922.		
	1 ♀ to J.E.M. Mellor, Malvern College, Malvern 16.X.1922.		
	1 ♀ to Prof. A. Bettencourt Inst. Camara Pestana, Lisbon 7.XI.1922.		
	1 ♀ to Prof. E. Brumpt, L'Ecole Medicine, Paris 12.X.1922.		
	1 ♀ to I. C. Ross, Univ. of Sydney, Australia.		

N	1830	N	1830
		RML	110753
	<u>Boophilus annulatus</u> ♀'s (gorged)		21 ♀ <u>Boophilus annulatus</u>
	Cattle		Cattle
	Peru, S. America		Peru
	12.II.1912		12.II.1912

This is true B. annulatus although Peru is well beyond the known range of this tick species. [But see also N 2162, 2163, 2510]

ORIGINAL DETERMINATIONCURRENT STATUS

N	1831	N	1831
		RML	110770
	<u>Boophilus annulatus</u> ♀'s (gorged)		26 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Peru, S. America		Peru
	14.X.1912		14.X.1912
N	1832	N	1832
		RML	110771
	<u>Ornithodoros megnini</u>		3 ♀, 5 N <u>Otobius megnini</u>
	Cattles' ears		Cattle
	Chile, S. America		Chile
	26.IV.1912		26.IV.1912
	M. Blier		M. Blier
			5 cast nymphal skins present
N	1833	N	1833 MISSING
	<u>Boophilus annulatus</u> ♂'s & ♀'s (♂'s without tail!)		
	Cattle		
	Peru, S. America		
	4.II.1911		
N	1834	N	1834
		RML	110772
	<u>Boophilus annulatus</u> ♀'s (bad condition)		30 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Peru, S. America		Peru
	3.I.1911		3.I.1911

ORIGINAL DETERMINATIONCURRENT STATUS

N	1835	N	1835
		RML	110773
	<u>Boophilus australis</u> larvae (alive)		4 ♂, 1 ♀, 326 L <u>Boophilus microplus</u>
	Parents off cattle		Parents off cattle
	Argentine Republic, S. America		Argentina
	20.VIII.1912		20.VIII.1912
	Supposed to be infected [Used for experiments on calf]		Slide missing
	Raised in Cambridge		
	(a)		
	(b) larvae, unfed		
	(c) ♂'s		
	(d) ♀'s after ovipositing		
	1 slide of larvae mounted		

Ticks received from Dr. J. W. Scott Macfie, Ilorin, Northern Nigeria, West Africa, 14.X.1912:-

N	1836	N	1836
		RML	110774
	<u>Aponomma</u> sp. 1 N		1 N <u>Amblyomma</u> sp.
	Chameleon		Chameleon
	Ilorin, N. Nigeria, W. Africa		Ilorin (08.30 N, 04.33 E), Nigeria
	11.VI.1912		11.VI.1912
	Dr. J. W. Scott Macfie		Dr. J. W. Scott Macfie
			John William Scott Macfie (1879-1948) pioneer worker in the study of mosquitoes and ceratopogonid midges. Worked in West Africa from 1910-1923 then joined Liverpool School of Tropical Medicine.

ORIGINAL DETERMINATIONCURRENT STATUS

N	1837	N	1837
		RML	110775
	<u>Rhipicephalus</u> sp. 1 ♂		1 ♂ <u>Rhipicephalus senegalensis</u>
	Horse		Horse
	Ilorin, N. Nigeria, W. Africa		Ilorin (08.30 N, 04.33 E), Nigeria
	5.VIII.1912		5.VIII.1912
	Dr. J. W. Scott Macfie		Dr. J. W. Scott Macfie
N	1838	N	1838
		RML	110776
	<u>Amblyomma marmoreum</u> 2 ♂'s		2 ♂ <u>Amblyomma nuttalli</u>
	Hedgehog		Probably <u>Erinaceus albiventris</u>
	Ilorin, N. Nigeria, W. Africa		Ilorin (08.30 N, 04.33 E), Nigeria
	26.II.1912		26.II.1912
	Dr. J. W. Scott Macfie		Dr. J. W. Scott Macfie
			Cited: Theiler & Salisbury (1959: 115).
N	1839	N	1839 MISSING
	<u>Gekobia</u> sp. (Mites)		
	Lizard		
	Ilorin, N. Nigeria, W. Africa		
	IX.1912		
	Dr. J. W. Scott Macfie		

Ticks retained from the collection sent for determination by Dr. J. Burton Cleland, Bureau of Microbiology, Sydney, New South Wales, Australia, 2.IX.1912:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1840	N 1840
		RML 110777
	<u>Boophilus australis</u> ♀'s	14 ♀ <u>Boophilus microplus</u>
	Cattle	Cattle
	Queensland, Australia	Queensland, Australia
	1899	1899
N	1841	N 1841
		RML 110778
	<u>Amblyomma moreliae</u> 1 ♀	1 ♀ <u>Amblyomma moreliae</u>
	Tiger Snake (<u>Notechis scutatus</u>)	<u>Notechis scutatus</u>
	Sydney, N. S. Wales, Australia	Sydney (33.52 S, 151.13 E), N. S. Wales, Australia
	III.1909	III.1909
N	1842	N 1842
		RML 110779
	<u>Aponomma decorosum</u> 1 ♀	1 ♀ <u>Aponomma decorosum</u>
	Iguana (<u>Varanus</u> sp.)	<u>Varanus</u> sp.
	Cobar, N.S. Wales, Australia	Cobar (31.30 S, 145.49 E), N.S. Wales, Australia
	?Date	?Date
	Mr. Woollett	Mr. Woollett

ORIGINAL DETERMINATIONCURRENT STATUS

N	1843	N	1843
		RML	110780
	<u>Aponomma decorosum</u> ♂'s		35 ♂ <u>Aponomma decorosum</u>
	Lace Monitor (<u>Varanus varius</u>)		<u>Varanus varius</u>
	Dubbo, N.S. Wales, Australia		Dubbo (32.15 S, 148. 36 E), N.S. Wales, Australia
	X.1911		X.1911
	[2 ♂ mounted in cells with other Aponommata]		Slide missing Cited: Kaufman (1972: 359).
N	1844	N	1844
		RML	110781
	<u>Aponomma decorosum</u> ♀'s & N's		28 ♀, 4 N <u>Aponomma decorosum</u>
	Lace Monitor (<u>Varanus varius</u>)		<u>Varanus varius</u>
	Dubbo, N.S. Wales, Australia		Dubbo (32.15 S, 148.36 E), N.S. Wales, Australia
	X.1911		X.1911
	[2 ♀ mounted in cells with other Aponommata]		Slide missing Kaufman (1972: 370) incorrectly cites this collection as 28 ♂ <u>A. decorosum</u> . Note in vial "2 N removed 13/6/36 Bertram"
N	1845	N	1845
		RML	110782
	<u>Aponomma</u> sp. N's		10 N <u>Aponomma decorosum</u>
	Lace Monitor (<u>Varanus varius</u>)		<u>Varanus varius</u>
	Dubbo, N.S. Wales, Australia		Dubbo (32.15 S, 148.36 E), N.S. Wales, Australia
	X.1911		X.1911

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1846 <u>Ixodes holocyclus</u> 1 ♀ Human arm Sydney, N.S. Wales, Australia XII.1909	N	1846 MISSING
N	1847 <u>Ixodes fecialis</u> 2 N Native cat (<u>Dasyurus viverrinus</u>) N.S. Wales, Australia 22.I.1912 Mr. Steel	N	1847 RML 110783 2 N <u>Ixodes fecialis</u> <u>Dasyurus viverrinus</u> New South Wales, Australia 22.I.1912 Mr. Steel Cited: Nuttall (1916: 327).
N	1848 <u>Ixodes holocyclus</u> 1 ♀, 2 N's <u>Perameles nasuta</u> N.S. Wales, Australia 8.VIII.1911 Mr. Steel	N	1848 RML 66601 1 ♀, 2 N <u>Ixodes holocyclus</u> <u>Perameles nasuta</u> New South Wales, Australia 8.VIII.1911 Mr. Steel Cited: Nuttall (1916: 329).
N	1849 <u>Ornithodoros talaje?</u> N's, larvae <u>Penguin (Eudyptula minor)</u> Perth, W. Australia 20.V.1908	N	1849 RML 110784 2 L <u>Ornithodoros capensis</u> <u>Eudyptula minor</u> Perth (31.56 S, 115.50 E), Australia 20.V.1908

ORIGINAL DETERMINATIONCURRENT STATUS

N	1850	N	1850
		RML	110785
	<u>Ixodes percavatus</u> 2 ♀'s		3 ♀ <u>Ixodes</u> sp.
	Penguin (<u>Eudyptula minor</u>)		<u>Eudyptula minor</u>
	Perth, W. Australia		Perth (31.56 S, 115.50 E), Australia
	1908		1908
			This collection in 2 vials. 2 ♀ are lacking capituli. The 3rd has no internal flange as in <u>auritulus</u> or <u>pterodromae</u> . It has the dorsal spur on palpal article I and cornua as in <u>kohlsi</u> but coxal spurs are like those of <u>pterodromae</u> . These specimens are not <u>Ixodes kohlsi</u> , <u>I. eudyptidis</u> , <u>I. pterodromae</u> or <u>I. auritulus</u> . Cited: Nuttall (1916: 329).
N	1851	N	1851
		RML	69981
	<u>Haemaphysalis neumanni</u> 1 ♀		1 ♀ <u>Haemaphysalis longicornis</u>
	Horse		Horse
	Ballina, N.S. Wales, Australia		Ballina (28.52 S, 153.33 E), N.S. Wales, Australia
	5.X.1911		5.X.1911
			Cited: Hoogstraal et al (1968: 1206).
N	1852	N	1852
		RML	110786
	<u>Haemaphysalis neumanni</u> ♀'s (young)		11 ♀ <u>Haemaphysalis longicornis</u>
	Calf		Calf
	Bonville, N.S. Wales, Australia		Bonville, N.S. Wales, Australia
	? Date		? Date
	(Lab No. 6652)		

Ticks received from Dr. E. Maya, Assistant-Director of the Bacteriological Laboratory, Mauritius Island, Indian Ocean, 21 October 1912:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1853	N	1853
		RML	110787
	<u>Amblyomma variegatum</u> ♂'s		4 ♂ <u>Amblyomma variegatum</u>
	Bullocks		Bullocks
	Mauritius, Indian Ocean		Mauritius
	20.IX.1912		20.IX.1912
	Dr. E. Maya		Dr. E. Maya
N	1854	N	1854
		RML	110788
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		80 ♂, 43 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Mauritius, Indian Ocean		Mauritius
	13.IX.1912		13.IX.1912
	Dr. E. Maya		Dr. E. Maya
	Dog suffering from chronic piroplasmosis		
	1 ♂, 1 ♀ to Dr. J. G. Parham Port. East Africa 18.IV.1913. 1 ♂, 1 ♀ to N.Y. National Museum 18.IV.1913.		
N	1855	N	1855
		RML	110789
	<u>Amblyomma variegatum</u> ♂'s, ♀'s		33 ♂, 4 ♀, 1 N <u>Amblyomma variegatum</u> 1 ♀ <u>Boophilus microplus</u>
	Bullocks		Bullocks
	Mauritius, Indian Ocean		Mauritius
	1911		1911
	Dr. E. Maya		Dr. E. Maya

ORIGINAL DETERMINATIONCURRENT STATUS

N	1856	N	1856
		RML	110790
	<u>Argas vespertilionis</u> larvae		10 L <u>Argas vespertilionis</u>
	Bats (<u>Scotophilus heathi</u>)		<u>Scotophilus heathi</u>
	Pusa, Bihar, Bengal, India		Pusa (25.59 N, 85.41 E), India
	VI.1911		VI.1911
	Received from T. Bainbrigge Fletcher Esq., (Government Entomologist), Agricultural College, Coimbatore, Madras, S. India, 21.X.1912.		
N	1857	N	1857 MISSING
	<u>Boophilus australis</u> ♀'s		
	S. Paulo, Brazil		
	Rec'd 21.X.1912		
	Rec'd from Professor B. Galli-Valerio, Lausanne, Switzerland		
	Ticks retained from the collection (Nos. 147-184) sent for determination by Professor R. Newstead, F.R.S., School of Tropical Medicine, The University, Liverpool, 4.X.1912.		
N	1858	N	1858
		RML	110791
	<u>Aponomma gervaisi</u> 1 ♂		1 ♂ <u>Aponomma gervaisi</u>
	Cobra		<u>Naja</u> sp.
	Kasauli, India		Kasauli (30.55 N, 76.57 E), India
	1910		1910
	Captain R. M. Carter		Captain R. M. Carter
	("148")		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1859		N	1859	
			RML	110792	
	<u>Amblyomma testudinarium</u> 2 ♀			2 ♀ <u>Amblyomma testudinarium</u>	
	Assam, India			State of Assam, India	
	1910			1910	
	Captain R. M. Carter			Captain R. M. Carter	
	("150")			Cited: Robinson (1926: 256).	
N	1860		N	1860	
			RML	110793	
	<u>Dermacentor auratus</u> ♀			1 ♀ <u>Dermacentor auratus</u>	
	Assam, India			State of Assam, India	
	1910			1910	
	Captain R. M. Carter			Captain R. M. Carter	
	("150a")				
N	1861		N	1861	
			RML	110794	
	<u>Amblyomma sublaeve</u> 1 ♂			1 ♂ <u>Amblyomma javanense</u>	
	No data			No data	
	("154")				
N	1862		N	1862	
			RML	110795	
	<u>Amblyomma</u> sp. larvae			4 L <u>Amblyomma</u> sp.	
	Pig's ear			<u>Sus scrofa</u>	
	Manderville, Jamaica			Manderville (18.02 N, 77.30 W), Jamaica	
	23.XII.1908			23.XII.1908	
	R. Newstead			R. Newstead	
	("159")				

ORIGINAL DETERMINATIONCURRENT STATUS

N	1863	N	1863
		RML	110796
	<u>Dermacentor nitens</u> ♂, ♀		1 ♂, 3 ♀ <u>Anocentor nitens</u>
	Horse		Horse
	Llanrumny, Jamaica		Llanrumney (18.20 N, 76.54 W), Jamaica
	22.XII.1908		22.XII.1908
	L. B. Melville		L. B. Melville
	("160")		
N	1864	N	1864
		RML	110797
	<u>Amblyomma cajennense</u> ♂, ♀, N		1 ♂, 1 ♀, 1 N <u>Amblyomma cajennense</u>
	Cattle		Cattle
	Jamaica		Jamaica
	1908		1908
	M. L. Martin		M. L. Martin
	("162a")		Cited: Robinson (1926: 53).
N	1865	N	1865 MISSING
	<u>Amblyomma cajennense</u> ♀		
	Cattle		
	Kew Park, Jamaica		
	10.XII.1908		
	J. R. Williams		
	("163a")		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1866		N	1866	
			RML	110798	
	<u>Dermacentor nitens</u> ♂, ♀			2 ♂, 1 ♀ <u>Anocentor nitens</u>	
	Horse's ear			Horse	
	Great Valley, Jamaica			Either Great Valley (17.53 N, 77.31 W) or (18.24 N, 78.04 W), Jamaica	
	23.XII.1908			23.XII.1908	
	R. Newstead			R. Newstead	
	("180")				
N	1867		N	1867	
			RML	110799	
	<u>Dermacentor nitens</u> ♂, ♀			3 ♂, 2 ♀, 1 N <u>Anocentor nitens</u>	
	Horse's ear			Horse	
	Friendship, Jamaica			Friendship, Jamaica (locality not verified; there are 14 possible localities named Friendship on Jamaica)	
	23.XII.1908			23.XII.1908	
	R. Newstead			R. Newstead	
	("180")				
N	1868		N	1868	MISSING
	<u>Ixodes ricinus</u> ♂, ♀				
	Cattle				
	North Wales				
	X.1906				
	Dr. Annett				
	("181")				

ORIGINAL DETERMINATIONCURRENT STATUS

N 1869
Amblyomma sp. N's
 Cape Colony, S. Africa
 1910
 Mr. Lounsbury
 ("182")

N 1869
 RML 110800
 6 N Amblyomma sp.
 Cape Colony, Republic of South Africa
 1910
 Mr. C. P. Lounsbury

Ticks retained from the collection sent for determination by Dr. K. S. Wise,
 Government Bacteriological Department, Georgetown, British Guiana 3.IX.1912:-

NOTE: I do not believe the specimens in most instances were derived from the
 hosts enumerated. My hypothesis is that a willing native must have
 collected them for pay & found what he thought was wanted, inventing
 the hosts!

G.H.F.N.

N 1870
Amblyomma dissimile ♂, ♂
 Toad
 British Guiana
 1911
 Dr. K. S. Wise

N 1870
 RML 110801
 2 ♂, 1 ♀ Amblyomma dissimile
 Toad
 Guyana
 1911
 Dr. K. S. Wise

I agree with Nuttall's analysis of
 the host situation for this Guyana
 material. Therefore no attempt has
 been made to update or clarify any
 host information for collections
 1870-1890 [J.E.K.]

Cited: Robinson (1926: 167).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1871	N	1871
		RML	110802
	<u>Rhipicephalus sanguineus</u> ♀, ♂		3 ♂, 7 ♀ <u>Rhipicephalus sanguineus</u>
	Turtle (!)		Turtle
	British Guiana		Guyana
	1911		1911
	Dr. K. S. Wise		Dr. K. S. Wise
N	1872	N	1872
		RML	110803
	<u>Rhipicephalus sanguineus</u> ♂'s		5 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
	Hog		Hog
	British Guiana		Guyana
	1911		1911
	Dr. K. S. Wise		Dr. K. S. Wise
N	1873	N	1873
		RML	110804
	<u>Amblyomma dissimile</u> ♂, ♀		6 ♂, 2 ♀, 2 N <u>Amblyomma dissimile</u>
	Cow		Cow
	British Guiana		Guyana
	1911		1911
	Dr. K. S. Wise		Dr. K. S. Wise

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1874		N	1874	
			RML	110805	
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N			2 ♂, 1 ♀, 6 N	<u>Rhipicephalus sanguineus</u>
	"Salapenter"			"Salapenter"	
	British Guiana			Guyana	
	1911			1911	
	Dr. K. S. Wise			Dr. K. S. Wise	
N	1875		N	1875	
			RML	110806	
	<u>Rhipicephalus sanguineus</u> ♀			1 ♀	<u>Rhipicephalus sanguineus</u>
	Man			Man	
	British Guiana			Guyana	
	1911			1911	
	Dr. K. S. Wise			Dr. K. S. Wise	
	(Mibouli tick)				
N	1876		N	1876	
			RML	110807	
	<u>Rhipicephalus sanguineus</u> ♂, ♀			3 ♂, 5 ♀	<u>Rhipicephalus sanguineus</u>
	Crab dog			Crab dog	
	British Guiana			Guyana	
	1911			1911	
	Dr. K. S. Wise			Dr. K. S. Wise	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1877		N	1877
			RML	110808
	<u>Rhipicephalus sanguineus</u> ♂'s			6 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>
	Lizard			Lizard
	British Guiana			Guyana
	1911			1911
	Dr. K. S. Wise			Dr. K. S. Wise
	"Rot" [Editorial comment by Nuttall relating to hosts for N 1877-1879]			
N	1878		N	1878
			RML	110809
	<u>Rhipicephalus sanguineus</u> ♂, ♀			7 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>
	Turtle (:)			Turtle
	British Guiana			Guyana
	1912			1912
	Dr. K. S. Wise			Dr. K. S. Wise
N	1879		N	1879
			RML	110810
	<u>Rhipicephalus sanguineus</u> ♂, ♀			9 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Alligator			Alligator
	British Guiana			Guyana
	1912			1912
	Dr. K. S. Wise			Dr. K. S. WIse

ORIGINAL DETERMINATIONCURRENT STATUS

N	1880	N	1880
		RML	110811
	<u>Rhipicephalus sanguineus</u> ♂'s		4 ♂ <u>Rhipicephalus sanguineus</u>
Ocelot		Ocelot	
British Guiana		Guyana	
1912		1912	
Dr. K. S. Wise		Dr. K. S. Wise	
N	1881	N	1881
		RML	110812
	<u>Rhipicephalus sanguineus</u> ♂, ♀		7 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
Mongoose		Mongoose	
British Guiana		Guyana	
1912		1912	
Dr. K. S. Wise		Dr. K. S. Wise	
N	1882	N	1882
		RML	110813
	<u>Rhipicephalus sanguineus</u> ♂, ♀		2 ♂, 7 ♀ <u>Rhipicephalus sanguineus</u>
Labba		Labba	
British Guiana		Guyana	
1912		1912	
Dr. K. S. Wise		Dr. K. S. Wise	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1883		N	1883	
			RML	110814	
	<u>Amblyomma dissimile</u> ♂, ♀			5 ♂, 1 ♀ <u>Amblyomma dissimile</u>	
	Iguana			Iguana	
	British Guiana			Guyana	
	1912			1912	
	Dr. K. S. Wise			Dr. K. S. Wise	
				Cited & figured: Robinson (1926: 164, 166, 167).	
N	1884		N	1884	
			RML	110815	
	<u>Boophilus</u> sp. ♂, ♀			3 ♂, 6 ♀ <u>Boophilus microplus</u>	
	Chameleon			Chameleon	
	British Guiana			Guyana	
	1912			1912	
	Dr. K. S. Wise			Dr. K. S. Wise	
N	1885		N	1885	
			RML	110816	
	<u>Boophilus</u> sp. ♂, ♀			7 ♂, 2 ♀ <u>Boophilus microplus</u>	
	Marmoset			Marmoset	
	British Guiana			Guyana	
	1912			1912	
	Dr. K. S. Wise			Dr. K. S. Wise	

ORIGINAL DETERMINATIONCURRENT STATUS

N	1886	N	1886
		RML	110817
	<u>Boophilus</u> sp. ♂, ♀		2 ♂, 2 ♀ <u>Boophilus microplus</u>
	"Hackia"		"Hackia"
	British Guiana		Guyana
	1912		1912
	Dr. K. S. Wise		Dr. K. S. Wise
	"Rot" [Editorial comment by Nuttall relating to hosts for N 1886-1890]		
N	1887	N	1887
		RML	110818
	<u>Boophilus</u> sp. ♂, ♀		2 ♂, 7 ♀ <u>Boophilus microplus</u>
	"Water Hass"		"Water Hass"
	British Guiana		Guyana
	1912		1912
	Dr. K. S. Wise		Dr. K. S. Wise
N	1888	N	1888
		RML	110819
	<u>Boophilus</u> sp. ♂, ♀		8 ♂ <u>Boophilus microplus</u>
	"Raccoon"		"Raccoon"
	British Guiana		Guyana
	1912		1912
	Dr. K. S. Wise		Dr. K. S. Wise

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1889	N	1889
		RML	110820
	<u>Boophilus</u> sp. ♂, ♀		8 ♂, 2 ♀ <u>Boophilus microplus</u>
	"Grison"		"Grison"
	British Guiana		Guyana
	1912		1912
	Dr. K. S. Wise		Dr. K. S. Wise
N	1890	N	1890
		RML	110821
	<u>Boophilus</u> sp. ♂, ♀		7 ♂ <u>Boophilus microplus</u>
	"Kibihee"		"Kibihee"
	British Guiana		Guyana
	1912		1912
	Dr. K. S. Wise		Dr. K. S. Wise
N	1891	N	1891 MISSING
	<u>Rhipicephalus</u> sp. ♀'s (with eggs)		
	Dog		
	Argentine Republic, S. America		
	7.VI.1912		
	Rec'd. from Prof. Lignières 23.IX.1912		

Ticks received from Dr. H. de Beaurepaire Aragão, Instituto de Manguinhos,
Rio de Janeiro, Brazil, South America, 28 October 1912:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1892	N 1892
		RML 110822
	<u>Amblyomma pacae</u> ♂	1 ♂ <u>Amblyomma pacae</u>
	<u>Coelogenys paca</u>	<u>Agouti paca</u>
	Estado de Minas, Brazil	Estado do Minas Gerais (18.00 S, 44.00 W), Brazil
	II.1912	II.1912
	(Pinned) Had been in alcohol (No. 2780)	Pinned specimen Cited: Robinson (1926: 211).
N	1893	N 1893
		RML 110823
	<u>Amblyomma pacae</u> ♀	1 ♀ <u>Amblyomma pacae</u>
	<u>Coelogenys paca</u>	<u>Agouti paca</u>
	Estado de Rio, Brazil, S. America	Perhaps Estado do Rio de Janeiro (22.00 S, 42.30 W), Brazil
	1908	1908
	(Pinned) (No. 1327)	Pinned specimen Cited: Robinson (1926: 211).
N	1894	N 1894
		RML 110824
	<u>Haemaphysalis leporis</u> var. <u>proxima</u> 1 ♂, 3 ♀	1 ♂, 3 ♀ <u>Haemaphysalis leporispalustris</u>
	<u>Lepus brasiliensis</u>	<u>Sylvilagus brasiliensis</u>
	Manguinhos, Brazil, S. America	Manguinhos, Brazil (locality not verified; 4 possible localities).
	20.VII.1907	20.VII.1907
	(Pinned) (Nos. 135/138)	Pinned specimens Cited: Nuttall & Warburton (1915: 394).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1895	N	1895 MISSING
	<u>Ornithodoros rostratus</u>		
	Rio Guapore, Estado de Matto Grosso, Brazil, S. America		
	1909		
	(Pinned) No. 1774)		
N	1896	N	1896
		RML	110825
	<u>Amblyomma oblongoguttatum</u> ♂, ♀		1 ♂, 1 ♀ <u>Amblyomma oblongoguttatum</u>
	<u>Tapirus americanus</u>		<u>Tapirus terrestris</u>
	Estado do Espirito Santo, Brazil S. America		Estado do Espírito Santo (20.00 S, 40.45 W), Brazil
	1908		1908
	(Pinned) (Nos. 1555/56)		Cited: Robinson (1926: 36).
N	1897	N	1897 MISSING
	<u>Amblyomma incisum</u> ♀		This pinned ♀ is now in the BMNH collection.
	<u>Tapirus americanus</u>		
	Estado do Espirito Santo, Brazil, S. America		
	1908		
	(Pinned) (No. 1561)		

Ticks received back from the Entomological Research Committee (Tropical Africa), London, S.W., ex Report No. 24, 30 October 1912:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1898	N	1898
		RML	110826
	<u>Amblyomma splendidum</u> 1 ♀		1 ♀ <u>Amblyomma splendidum</u>
	Grasses		Grasses
	Yiraia, Sierra Leone, West Africa		Yiraia, either (09.06 N, 10.57 W) or (09.27 N, 11.15 W), Sierra Leone
	7.VI.1912		7.VI.1912
	J. J. Simpson		J. J. Simpson
	"580"		Cited: Robinson (1926: 125).
N	1899	N	1899
		RML	110827
	<u>Haemaphysalis permata</u> ♂, ♀, N		2 ♂, 3 ♀ <u>Haemaphysalis permata</u>
	"Harnessed" Antelope		"Harnessed" Antelope
	Port Lokko, Sierra Leone, West Africa		Port Loko (08.46 N, 12.47 W), Sierra Leone
	11.V.1912		11.V.1912
	J. J. Simpson		J. J. Simpson
	"584"		Cited: Nuttall & Warburton (1915: 421).
N	1900	N	1900
		RML	110828
	<u>Aponomma exornatum</u> ♂'s		6 ♂ <u>Aponomma exornatum</u>
	Lizard (<u>Varanus</u> sp.)		<u>Varanus</u> sp.
	Sesse Islands, Lake Victoria, B. E. Africa		Sese Islands (00.20 S, 32.20 E), Uganda
	18.IV.1912		18.IV.1912
	G. D. H. Carpenter		G. D. H. Carpenter
	"593"		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>
N	1901	N	1901
		RML	110829
	<u>Amblyomma</u> sp N's		2 N <u>Amblyomma</u> sp.
	Water-buck		<u>Kobus ellipsiprymnus</u>
	Laminaia, Sierra Leone, West Africa		Laminaia, either (08.44 N, 13.09 W) or (09.17 N, 12.23 W), Sierra Leone
	26.IV.1912		26.IV.1912
	J. J. Simpson		J. J. Simpson
	"567"		
N	1902	N	1902
		RML	110830
	<u>Dermacentor circumguttatus</u> ♂, ♀		2 ♂, 1 ♀ <u>Dermacentor circumguttatus</u>
	Elephant		<u>Loxodonta africana</u>
	Katonta, Sierra Leone, West Africa		Kakonta (09.06 N, 11.43 W), Sierra Leone
	19.IV.1912		19.IV.1912
	J. J. Simpson		J. J. Simpson
	"578a"		Total includes 1 ♂ mounted on a slide along with the ♀ from N 3383

Ticks taken out of the collection brought in for determination by Mr. F. M. Howlett, B.A., Assistant Entomologist, India, X.1912:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1903	N 1903
		RML 110831
	<u>Aponomma gervaisi</u> ♂, ♀, N	8 ♂, 4 ♀, 2 N <u>Aponomma gervaisi</u>
	Goat	Goat
	Kangra, Punjab, India	Kangra, Punjab, Pakistan (locality not verified; 4 possible localities with this name)
	1908	1908
N	1904	N 1904 MISSING
	<u>Argas persicus</u>	
	Fowls	
	Kangra, Punjab, India	
	1908	
	Some (sex/stage not given) to N.Y. National Museum 18.IV.1913	
N	1905	N 1905
		RML 110832
	<u>Argas persicus</u>	2 ♂, 3 ♀, 6 N <u>Argas persicus</u>
	Fowls	
	Etawah, United Provinces, India	Etawa (24.12 N, 78.12 E), India
	18.X.1906	18.X.1906

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1906		N	1906	
			RML	110833	
	<u>Haemaphysalis bispinosa</u> ♀'s			13 ♀ <u>Haemaphysalis bispinosa</u>	
	Cattle			Cattle	
	Bellary, Madras, India			Bellary (15.09 N, 76.56 E), India	
	9.VII.1906			9.VII.1906	
				Cited: Nuttall & Warburton (1915: 432).	
N	1907		N	1907	
			RML	110834	
	<u>Aponomma laeve</u> ♂, ♀			1 ♂, 6 ♀ <u>Aponomma pattoni</u>	
	Cobra			<u>Naja naja</u> or <u>Ophiophagus hannah</u>	
	Bombay, India			Bombay (18.58 N, 72.50 E), India	
	III.1909			III.1909	
N	1908		N	1908	
			RML	110835	
	<u>Amblyomma testudinarium</u> ♂, ♀			1 ♂, 2 ♀ <u>Amblyomma testudinarium</u>	
	Cattle			Cattle	
	Bombay, India			Bombay (18.58 N, 72.50 E), India	
	14.IV.1911			14.IV.1911	
				Cited: Robinson (1926: 256).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
-------------------------------	--	-----------------------	--

N	1909	N	1909
		RML	110836
	<u>Amblyomma testudinarium</u> ♀		1 ♀ <u>Amblyomma testudinarium</u>
	Cattle		Cattle
	Bamauk, India		Perhaps Bamaur (26.21 N, 78.05 E), India
	14.XI.1911		14.XI.1911
	1 ♂, 1 ♀ to Dr. de Blieck, Java, 22.I.1915		Cited: Robinson (1926: 256).
N	1910	N	1910
		RML	110837
	<u>Ornithodoros savignyi</u>		1 ♀, 1 N <u>Ornithodoros savignyi</u>
	Human habitations		Human habitations
	Baroda, India		Baroda, India (locality not verified; 4 possible localities)
	IV.1909		IV.1909
N	1911	N	1911 MISSING
	<u>Amblyomma cajennense</u> ♂'s, ♀'s		
	Horses ("in apparently good health")		
	Adelphi, Glasgow, Jamaica, West Indies		
	10.X.1912		
	Dr. H. G. Johnston		
	[2 ♂, 2 ♀ mounted in cells with other <u>Amblyommas</u>]		
	1 ♂, 1 ♀ to N.Y. National Museum		
	18.IV.1913		
	1 ♂, 1 ♀ to Richard Hancock, England		
	16.VI.1918		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1912	N	1912
		RML	110838
	<u>Ixodes pilosus</u> ♂, ♀		1 ♂, 1 ♀ <u>Ixodes pilosus</u>
	Cattle		Cattle
	Starvation Camp, Gonubie Park, E. London, South Africa		"Starvation Camp", Gonubie Park (32.55 S, 27.59 E), Republic of South Africa
	II.1912		II.1912
	(Ex collection sent for determination by L. E. Robinson, Esq., X.1912)		(Ex collection sent for determination by L. E. Robinson, Esq., X.1912) Cited: Nuttall (1916: 330).
N	1913	N	1913
	-	RML	110839
	<u>Rhipicephalus follis</u> 2 ♂		2 ♂ <u>Rhipicephalus follis</u>
	Cattle		Cattle
	Starvation Camp, Gonubie Park, E. London, South Africa		"Starvation Camp", Gonubie Park (32.55 S, 27.59 E), Republic of South Africa
	II.1912		II.1912
	(Ex collection sent for determination by L. E. Robinson, Esq. X.1912)		(Ex collection sent for determination by L. E. Robinson, Esq. X.1912)
N	1914	N	1914
		RML	110840
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		6 ♂, 25 ♀ <u>Rhipicephalus simus</u>
	Cattle		Cattle
	Starvation Camp, Gonubie Park, E. London, South Africa		"Starvation Camp", Gonubie Park (32.55 S, 27.59 E), Republic of South Africa
	II.1912		II.1912
	(Ex collection sent for determination by L. E. Robinson, Esq., X.1912)		(Ex collection sent for determination by L. E. Robinson, Esq., X.1912)

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1915	N	1915
		RML	110841
	<u>Amblyomma tholloni</u> ♂'s, ♀'s & N's Elephant Katanta, Sierra Leone, West Africa		16 ♂, 14 ♀ <u>Amblyomma tholloni</u> <u>Loxodonta africana</u> Katanta (09.06 N, 11.57 W), Sierra Leone
	19.IV.1912		19.IV.1912
	J. J. Simpson ("E.R.C. 578") (2 ♂ & 2 ♀ mounted in cells on slides II.1915)		J. J. Simpson Slides missing. Cited: Robinson (1926: 252).
N	1916	N	1916
		RML	110842
	<u>Ixodes hexagonus</u> 3 ♀'s Pole cat St. Clears, Carmarthenshire, South Wales		2 ♀ <u>Ixodes hexagonus</u> <u>Mustela putorius</u> Saint Clears (51.49 N, 04.30 W), Wales
	9.X.1912		9.X.1912
	("Z.S. 34") 1 ♀ to Dr. E. Pavlovsky, Leningrad 9.X.1925		Cited: Nuttall (1916: 328).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1917	N	1917
		RML	110843
	<u>Argas brumpti</u> N's		Vial 1 20 L plus eggs <u>Argas brumpti</u> Vial 2 3 N <u>Argas brumpti</u> Vial 3 3 L <u>Argas brumpti</u> 4 vials of cast skins from larvae, 1st stage N, 1st & 2nd stage N, 2nd & 3rd stage N.
	Probably Kitui, British East Africa		Probably Kitui (01.22 S, 28.01 E), Kenya
	Received 14.XI.1912		Received 14.XI.1912
	Received from S.W.J. Scholefield, Esq., Kitui, British East Africa		Received from S.W.J. Scholefield, Esq., Kitui, Kenya
	[2 larvae mounted on slide in balsam]		Slides missing
	A. <u>brumpti</u> : Raised in Cambridge (box "series")		There is also a vial containing 17 larvae <u>Argas</u> sp. and with two labels, N 1917 and N1288(<u>A.</u> <u>reflexus</u>). The larvae are neither <u>A. brumpti</u> nor <u>A. reflexus</u> .
	(a)		
	(b) larvae unfed		
	(c) larvae gorged		
	(d) " skins		
	(e) N's 1st stage unfed		
	(f) N's 1st stage skins		
	(i) larvae & eggs		
	(ii) N's skins 1st & 2nd stage		Cited: Cunliffe (1914b: 379).
	(iii) " " 2nd & 3rd "		
N	1918	N	1918
		RML	110844
	<u>Ornithodoros moubata</u>		6 ♂, 5 ♀, 4 N <u>Ornithodoros moubata</u>
	Probably Kitui, British East Africa		Probably Kitui (01.22 S, 38.01 E), Kenya
	Received 14.VI.1912		Received 14.VI.1912
	Received from S.W.J. Scholefield, Esq., Kitui, British East Africa		Received from S.W.J. Scholefield, Esq., Kitui, Kenya

Ticks received back from the Entomological Research Committee
(ex Report No. 25), 15 November 1912:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1919	N 1919 MISSING
	<u>Rhipicephalus appendiculatus</u> ♀'s	
	Cattle	
	Ankole (Mbarara), Uganda	
	V.1912	
	Dr. R. E. McConnell	
	"600"	
N	1920	N 1920
		RML 110845
	<u>Ornithodoros moubata</u>	4 ♀ <u>Ornithodoros moubata</u>
	Katwe, British East Africa	Katwe, Kenya (locality not verified; perhaps one of two towns named Katwe in Uganda)
	III.1912	III.1912
	Dr. R. E. McConnell	Dr. R. E. McConnell
	"601"	Probably <u>O. moubata porcinus</u>
N	1921	N 1921
		RML 110846
	<u>Amblyomma variegatum</u> ♂'s, ♀'s	2 ♂, 2 ♀ <u>Amblyomma variegatum</u>
	Cattle	Cattle
	Mbarara Ankole, Africa	Mbarara (00.37 S, 30.39 E), Uganda
	V.1912	V.1912
	Dr. R. E. McConnell	Dr. R. E. McConnell
	"600b")	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1922	N	1922
		RML	110847
	<u>Rhipicephalus simus</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus simus</u>
	Porcupine		Either <u>Atherurus africanus</u> or <u>Hystrix cristata</u>
	Mbarara, Ankole, Uganda		Mbarara (00.37 S, 30.39 E), Uganda
	3.V.1912		3.V.1912
	Dr. R. E. McConnell		Dr. R. E. McConnell
	"603"		
N	1923	N	1923 MISSING
	<u>Haemaphysalis leachi</u> ♂, ♀		
	Bush-cat (<u>Mungos paludinosus</u>)		
	Komatendu, Sierra Leone, West Africa		
	13.VIII.1912		
	J. J. Simpson		
	"604a"		
N	1924, a, b	N	1924, a, b
		RML	110848
	(1924) <u>Rhipicephalus sanguineus</u>		(1924) 38 ♂, 18 ♀, 14 N <u>Rhipicephalus sanguineus</u>
	(a) <u>Boophilus australis</u>		(a) 5 ♂, 13 ♀ <u>Boophilus microplus</u>
	(b) <u>Hyalomma aegyptium</u>		(b) MISSING
	Dogs		Dogs
	Barielly, United Provinces, India		Barielly (28.22 N, 79.27 E), India
	10.X.1912		10.X.1912
	Rec'd. from Captain W. F. Loughnan, R.A.M.C., 19.XI.1912		Rec'd. from Captain W. F. Loughnan, R.A.M.C., 19.XI.1912

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1925	N	1925 MISSING
	<u>Amblyomma hebraeum</u> ♀'s		
	Off ?		
	Probably East London, Cape Colony, South Africa		
	Rec'd 19.XI.1912		
	Rec'd from Messrs. W. Cooper & Nephews, East London, Cape Colony, South Africa		
	Ticks received from Dr. M. A. Ruffer, C.M.G. (Presidente Sanitaire, Maritime et Quarantenaire d' Egypt), Alexandria, Egypt, 26.XI.1912:-		
N	1926, a-c	N	1926, a-c
		RML	110849
	(1926) <u>Haemaphysalis punctata</u> ♀'s		(1926) 9 ♀ <u>Haemaphysalis</u> sp.
	(a) <u>Hyalomma aegyptium</u> ♀		(a) 3 ♀ <u>Hyalomma dromedarii</u>
	(b) <u>Boophilus australis</u> ♀		(b) 1 ♀ <u>Boophilus annulatus</u>
	(c) <u>Rhipicephalus sanguineus</u> ♀		(c) 1 ♀ <u>Rhipicephalus sanguineus</u>
	Sheep		Sheep
	Alexandria, Egypt		Alexandria (31.12 N, 29.54 E), Egypt
	XI.1912		XI.1912
	Dr. M. A. Ruffer		Dr. M. A. Ruffer 1926 (c) tentative identification; engorged specimen with a genital aperture suspiciously like that of <u>Rhipicephalus turanicus</u> .
N	1927	N	1927 MISSING
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		
	Camels		
	Alexandria, Egypt		
	XI.1912		
	Dr. M. A. Ruffer		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1928		N	1928	
			RML	110850	
	<u>Haemaphysalis punctata</u> ♀'s			4 ♀ <u>Haemaphysalis</u> sp.	
	Goat			Goat	
	Alexandria, Egypt			Alexandria (31.12 N, 29.54 E), Egypt	
	XI.1912			XI.1912	
	Dr. M. A. Ruffer			Dr. M. A. Ruffer	
N	1929, a		N	1929	
			RML	110851	
	(1929) <u>Haemaphysalis punctata</u> ♂, ♀'s			(1929) 1 ♂, 6 ♀ <u>Haemaphysalis</u> sp.	
	(a) <u>Hyalomma aegyptium</u> ♀			(a) MISSING	
	Sheep			Sheep	
	Mersyne, Egypt			Mersyne, Egypt (locality not verified)	
	XI.1912			XI.1912	
	Dr. M. A. Ruffer			Dr. M. A. Ruffer	
N	1930		N	1930	
			RML	110852	
	<u>Boophilus annulatus</u> ♂, ♀'s			1 ♂, 5 ♀ <u>Boophilus annulatus</u>	
	Calf			Calf	
	Tangiers, Morocco, North Africa			Tangier (35.48 N, 05.48 W), Morocco	
	XI.1912			XI.1912	
	Rec'd from Dr. Gabrielle Breeze, 29.XI.1912			Rec'd from Dr. Gabrielle Breeze, 29.XI.1912	

ORIGINAL DETERMINATIONCURRENT STATUS

N 1931

N 1931 MISSING

Boophilus annulatus ♂'s, ♀'s

Cattle

Tangiers, Morocco, North Africa

XI.1912

Rec'd. from Dr. Gabrielle Breeze,
29.XI.1912

ORIGINAL DETERMINATIONCURRENT STATUS

N 1932

N 1932

RML 110853

Rhipicephalus sanguineus ♂'s, ♀'s

This collection of Rhipicephalus sanguineus is in 13 vials as follows:
 ♂ - 33, 62, 62; ♀ - 27, 26, 20, 36,
 23; N - ±200, 393, 51, ±800; L -
 ±800, 7, ±3000, 26, ±1000; 1 vial
 of eggs

Dogs

Raised on dog and jackal

Central Research Institute, Kasauli,
Punjab, IndiaRaised in Cambridge (52.13 N,
00.08 E), England. Parent stock
from Kasauli (30.55 N, 76.57 E), India

X.1912

X.1912

Rec'd. from Captain C. D. Mackey
I.M.S., 27.XI.1912Rec'd. from Captain C. D. Mackey
I.M.S., 27.XI.1912(Sent originally to Major Christophers,
who handed them to us)There are also 10 vials of ticks to
show variation in size due to
nutrition - see Cunliffe (1914a; 372)1 ♂, ♀'s N's, L's to Prof. Dr. Dahl,
Berlin Museum VII.1914.1 - 94 L; 2 - 11 N; 3 - 10 ♂; 4 - 10 ♀;
 5 - 3 ♂; 6 - 6 ♂, 7 - 3 ♀; 8 - 5 ♀;
 9 - 1 N; 10 - 1 N.1 ♂, ♀'s, N's, L's to Prof. Dr. R.
Gestro, Museu Civico di Storia
Nat. Genova VII.1914.Cited: Nuttall (1915: 448); Edwards &
Evans (1967: 596).2 ♂, 2 ♀ to Launcelot Harrison,
Australia 9.V.1919.2 ♂, 2 ♀ to Prof. Poulton, Oxford
26.V.1919.2 ♂, 2 ♀ to Prof. M. Jesus Maynar,
Zaragoza, Spain 26.V.1919.2 ♂, 2 ♀ to Prof. E. Hindle,
Cambridge 24.IX.1919.1 ♂, 1 ♀ to Major J.E.M. Boyd,
Cambridge 20.XII.1919.1 ♂, 1 ♀ to Dr. J. Gordon Thompson,
London Sch. Trop. Med. 8.I.1920.1 ♂, 1 ♀ to Dr. R. W. Hegner, Johns
Hopkins, Baltimore 8.III.1920.1 ♂, 1 ♀ to Dr. R. J. Tillyard,
Nelson, N.Z. VI.1920.1 ♂, 1 ♀ to Prof. Jules Bordet,
Bruxelles, Belgium 30.VI.1920.

2 ♂, 2 ♀ to Prof. Sadeo Yoshida
at Cambridge 21.XII.1920.
2 ♂, 2 ♀ to P. A. Buxton at Cambridge
10.II.1921.
2 ♂, 2 ♀ to Dr. D. A. de Yong at
Cambridge 8.IV.1921.
2 ♂, 2 ♀ to Prof. G. Hedger-Wallace,
Univ. of Wales, Cardiff 1921.
1 ♂, 1 ♀ to Dr. Wm. Parry Morgan,
Publ. Hlth, Dept., Cardiff, Wales
12.X.1922.
1 ♂, 1 ♀ to W. A. Pool, Indian Civil
Veterinary Dept. 12.X.1922.
1 ♂, 1 ♀ to L. P. W. Renouf, Biol.
Dept., Univ. College, Cork, Ireland
12.X.1922.
1 ♂, 1 ♀ to Dr. A. Watkins Pitchford,
Army Vet. School, Thornhill,
Aldershot 12.X.1922.
1 ♂, 1 ♀ to Prof. J. Hjort, Univ. of
Christiana, Norway 12.X.1922.
1 ♂, 1 ♀ to Dr. E. Roubaud, Inst.
Pasteur, Paris 12.X.1922.
1 ♂, 1 ♀ to Dr. E. Brumpt, Ecole
Medicine, Paris 12.X.1922.
1 ♂, 1 ♀ to J.E.M. Mellor, Malvern College,
Malvern 16.X.1922.
1 ♂, 1 ♀ to Prof. A. Bettencourt, Inst.
Camara Pestana, Lisbon 7.XI.1922.
2 ♂, 2 ♀ to Dr. S. H. Daukes,
Wellcome Bureau, London 9.I.1924.
1 ♂, 1 ♀ to I. C. Ross, Univ. of
Sydney, Australia
All stages to Prof. R. A. Cooley,
Montana V.1928.
2 ♂, 2 ♀, N's, L's to Prof. R. Matheson,
Cornell 27.V.1929.
2 ♂, 2 ♀, N's, L's to Prof. J. Drbohlav,
Prague 30.V.1929.
2 ♂, 2 ♀, N's, L's to Dr. A. C. Reed,
San Francisco 30.V.1929.
1 ♂, 2 ♀, N's, L's to Prof. E. Molvoz,
Liege 30.V.1929.
1 ♂, 2 ♀, N's, L's to E. T. Boardman,
Univ. Florida, Gainesville 30.V.1929.
1 ♂, 2 ♀, N's, L's to R. W. Mettam,
Weybridge IV.1931.
1 ♂, 2 ♂, N's, L's to H. S. Purchase
IV.1931.
2 ♂, 2 ♀, to Prof. D'Arcy Thompson
XI.1931.

ORIGINAL DETERMINATIONCURRENT STATUS

Ticks received from the Liverpool School of Tropical Medicine, The University, Liverpool, 30.XI.1912:

N	1933	N	1933 MISSING
	<u>Haemaphysalis leachi</u> ♂, ♀		
	Lioness		
	Mpamadzi River, N.E. Rhodesia		
	9.IX.1911		
	Dr. A. Kinghorn		
N	1934	N	1934
		RML	110854
	<u>Amblyomma marmoreum</u> ♂		1 ♂ <u>Amblyomma sparsum</u>
	Rhinoceros		<u>Diceros bicornis</u>
	Nowalia, N.E. Rhodesia		Possibly Nawala (16.35 S, 23.50 E), Zambia
	6.VIII.1911		6.VIII.1911
	Dr. A. Kinghorn		Dr. A. Kinghorn
			Cited: Robinson (1926: 90); Theiler & Salisbury (1959: 114) cited the collector as Dr. A. King.
N	1935	N	1935
		RML	110855
	<u>Amblyomma dissimile</u>		1 ♂ <u>Amblyomma dissimile</u>
	<u>Boa constrictor</u>		<u>Boa constrictor</u>
	South America (probably upper Amazon)		South America (probably upper Amazon)
	27.CI.1912		27.XI.1912
	Dr. O'Connell		Dr. O'Connell
			Robinson (1926: 167) considers this collection to be from Brazil.

Ticks received 28.XI.1912 from Dr. Longin Navás, Colegio del Salvador, Zaragoza, Spain, on 28.XI.1912, comprising 24 pinned specimens collected in Spain the name of the host not being mentioned on the labels. Navás met C. Warburton this year at the Congress of Entomology, held at Oxford. Found on vegetation or on the earth:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1936	N 1936
		RML 110856
	<u>Dermacentor reticulatus</u> 1 ♂, 2 ♀	1 ♂, 2 ♀ <u>Dermacentor niveus</u>
	♂ & 1 ♀ from Goloso, Spain 1 ♀ from Zaragoza, Spain	♂ & 1 ♀ perhaps from Golosa, Puerto (40.22 N, 06.28 W) and 1 ♀ from Zaragoza (41.38 N, 00.53 W), Spain
	♂ & 1 ♀ 3 & 9.IV.1901 1 ♀ 1896	♂ & 1 ♀ 3 & 9.IV.1901 1 ♀ 1896
	[I returned 1 ♂ & 2 ♀ also collected at these places 1896 and IV.1901.]	Pinned specimens Longinos Navas S.J. (1858-1938) Neuroptera specialist.
N	1937	N 1937
		RML 110857
	<u>Hyalomma aegyptium</u> 2 ♂, 1 ♀	2 ♂, 1 ♀ <u>Hyalomma</u> sp.
	1 ♂ from Goloso, 1 ♂ from Chamartin, 1 ♀ from Zaragoza	1 ♂ perhaps Golosa, Puerto (40.22 N, 06.28 W), 1 ♂ Chamartin (locality not verified); 1 ♀ Zaragoza (41.38 N, 00.53 W), Spain
	1 ♂ (Goloso) 3.IV.1901 1 ♂ (Chamartin) 19.VI.1900; 1 ♀ III.1899	1 ♂ (Golosa), Puerto 3.IV.1901; 1 ♂ (Chamartin) 19.VI.1900; 1 ♀ III.1899
	[I returned 1 ♀ from Zaragoza VI.1898; 1 ♂, 1 ♀ from Goloso, 3 and 9.IV.1901; 1 ♂ from Sobradiel, 1898; 1 ♀ from Pardo, 17.IV.1900]	Pinned specimens

ORIGINAL DETERMINATIONCURRENT STATUS

N	1938	N	1938
		RML	110858
	<u>Rhipicephalus bursa</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus bursa</u>
	1 ♂ from Albarracin; ♀ from Moncayo		♂ from Albarracin (40.25 N, 01.26 W); ♀ from Moncayo (37.54 N, 02.36 W), Spain
	♂ 12.VII.?; ♀ VII.1902		♂ 12.VII. ; ♀ VII.1902
	[I returned 1 ♂ & 1 ♀ from Zaragoza 1.IV and 17.V.1902; 2 ♀'s from Sobradiel VI.1898; 1 ♂ from Montseny, VII.1899; 1 ♀ from Chamartin 19.V.1900].		Pinned specimens
	<u>Haemaphysalis punctata</u> 1 ♀ labelled "Aracnido" V.1897 [returned to Dr. Navas]		

Ticks received from Dr. W. B. Johnson (West African Medical Service),
Zungeru N. Nigeria, West Africa, 2 December 1912:-

N	1939, a-d	N	1939 b, c
		RML	110859
	(1939) <u>Boophilus decoloratus</u> ♂'s, ♀'s		(1939) MISSING
	(a) <u>Rhipicephalus evertsi</u> ♂'s, ♀'s		(a) MISSING
	(b) <u>Rhipicephalus sanguineus</u> ♂, ♀		(b) 2 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	(c) <u>Rhipicephalus simus</u> 1 ♂		(c) 1 ♂ <u>Rhipicephalus simus</u>
	(d) <u>Hyalomma aegyptium</u> 1 ♂		(d) MISSING
	Sheep		Sheep
	Kadiri, near Kano, N. Nigeria, West Africa		Kadiri (08.15 N, 11.03 E), Nigeria
	X.1912		X.1912
	Dr. W. B. Johnson		Dr. W. B. Johnson

<u>CURRENT DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1940	N	1940 MISSING
	<u>Boophilus decoloratus</u> ♂'s, ♀'s		
	Goats		
	Zaria, N. Nigeria, West Africa		
	IX.1912		
	Dr. W. B. Johnson		
N	1941	N	1941
		RML	110860
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		6 ♂, 8 ♀ <u>Rhipicephalus sanguineus</u>
	Dogs & horses in bush		Dogs & horses in bush
	Zungeru, N. Nigeria, West Africa		Zungeru (09.48 N, 06.09 E.), Nigeria
	VI-X, 1912		VI-X, 1912
	Dr. W. B. Johnson		Dr. W. B. Johnson
N	1942, a	N	1942a
		RML	110861
	(1942) <u>Hyalomma aegyptium</u> ♀'s, ♀'s		(1942) MISSING
	(a) <u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		(a) 2 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>
	Dogs		Dogs
	Barielly, United Provinces, India		Barielly (28.22 N, 79.27 E), India
	XI.1912		XI.1912
	Rec'd. from Captain W. F. Loughnan, R.A.M.C. 2.XII.1912		Rec'd. from Captain W. F. Loughnan, R.A.M.C. 2.XII.1912

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1943, a, b	N	1943a, b
		RML	110862
(1943)	<u>Hyalomma aegyptium</u> ♂'s, ♀'s	(1943)	MISSING
(a)	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	(a)	48 ♂, 17 ♀, 2 N <u>Rhipicephalus sanguineus</u>
(b)	<u>Boophilus australis</u> ♂'s, ♀'s, N's	(b)	3 ♂, 28 ♀, 17 N <u>Boophilus microplus</u>
	Buffaloes		Buffaloes
	Barielly, United Provinces, India		Barielly (28.22 N, 79.27 E), India
	XI.1912		XI.1912
	Rec'd from Captain W. F. Loughnan, R.A.M.C. 2.XII.1912		Rec'd from Captain W. F. Loughnan, R.A.M.C. 2.XII.1912
Ticks retained from the collection sent for determination by the Indian Museum (per Dr. Annandale), Calcutta, India, XI.1912. [See Report book]			
N	1944	N	1944
		RML	22316
	<u>Amblyomma sublaeve</u> ♂'s		9 ♂ <u>Amblyomma javanense</u>
	Pangolin (<u>Manis pentadactyla</u>)		<u>Manis pentadactyla</u>
	Nagpur, Central Provinces, India		Nagpur (21.09 N, 79.06 E), India
	29.VIII.1912		29.VIII.1912
	E. A. D'Abreu		E. A. D'Abreu
	[No. <u>1517</u> <u>17</u>]		3 slides of dissections present ♂ hypostome ♂ spiracular plate ♂ legs I & IV Cited: Robinson (1926: 247).

ORIGINAL DETERMINATIONCURRENT STATUS

N	1945	N	1945
		RML	110863
	<u>Aponomma laeve</u> ♂'s		3 ♂ <u>Aponomma pattoni</u>
	Rat-snake		<u>Ptyas mucosus</u> or <u>P. korros</u>
	Dhardeo, Mahabaleshwar District, W. Ghats, India		Dhardeo, Mahabaleshwar District, W. Ghats, India (locality not verified)
	1912		1912
	[No. <u>S.P.A.</u>] <u>7</u>		
N	1946	N	1946
		RML	110864
	<u>Haemaphysalis</u> sp. N's		17 N <u>Haemaphysalis</u> sp.
	Tambi, Koyna Valley Satara District, India		Tambi, Koyna River Valley (17.18 N, 74.10 E), Satara District, India
	24-26.IV.1912		24-26.IV.1912
	F. H. Gravely		F. H. Gravely
	[No. <u>S.P.A.</u>] <u>8</u>		
Ticks received from Dr. Mercier Gamble, of Matadi, Belgian Congo, W.-Central Africa, 16.XII.1912:-			
N	1947	N	1947
		RML	110865
	<u>Amblyomma splendidum</u> ♂'s, ♀'s		32 ♂, 13 ♀ <u>Amblyomma splendidum</u>
	Buffalo		<u>Syncerus caffer</u>
	Portuguese Congo, Central Africa		Angola
	I.1912		I.1912
	Dr. M. Gamble		Dr. M. Gamble
	2 ♂, 1 ♀ to Prof. R. Matheson, Cornell 27.V.1929		Cited: Robinson (1926: 125).

CURRENT DETERMINATIONCURRENT STATUS

N	1948	N	1948
		RML	110866
	<u>Ornithodoros moubata</u>		3 ♂. 4 ♀, 1 N <u>Ornithodoros moubata</u>
	From houses		From houses
	Kibokolo do Zombo, Portuguese Congo, Central Africa		Quibocolo (06.17 S, 15.10 E), Angola
	IV-V.1912		IV-V.1912
	Dr. M. Gamble		Dr. M. Gamble
N	1949, a	N	1949
		RML	110867
	1949) <u>Rhipicephalus sanguineus</u> ♂'s ♀'s		(1949) 8 ♂, 7 ♀ <u>Rhipicephalus</u> <u>sanguineus</u>
	(a) <u>Haemaphysalis leachi</u> 1♂, 2 ♀		(a) MISSING
	Dog		Dog
	San Salvador, Portuguese Congo, Central Africa		São Salvador do Congo (06.16 S, 14.15 E), Angola
	XI.1912		XI.1912
	Dr. M. Gamble		Dr. M. Gamble The collections comprising N1947-1950 were cited without Nuttall numbers by Gamble (1914:148,149)
N	1950, a-c	N	1950 a-c
		RML	110868
	(1950) <u>Haemaphysalis leachi</u> ♂'s, ♀'s		(1950) MISSING
	(a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s		(a) 4♂, 6♀ <u>Rhipicephalus senegalensis</u>
	(b) <u>Rhipicephalus sanguineus</u> ♂'s		(b) 2 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>
	(c) <u>Rhipicephalus lunulatus</u> ♂		(c) 1 ♂ <u>Rhipicephalus lunulatus</u>
	Dog		Dog
	Kibokolo do Zombo, Portuguese Congo, Central Africa		Quibocolo (06.17 S, 15.10 E), Angola
	IV.1911		IV.1911
	Dr. M. Gamble		Dr. M. Gamble

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1951	N 1951 MISSING
	<u>Argas persicus</u>	
	From "General Collection," Claremont, U.S. America	
	1912	
	(No other data)	
N	1952	N 1952 MISSING
	<u>Ixodes ricinus</u> ♂, ♀	
	From "General Collection," Claremont, U.S. America	
	1912	
	(No other data)	
N	1953	N 1953
		RML 110869
	<u>Dermacentor occidentalis</u> ♂	1 ♂ <u>Dermacentor occidentalis</u>
	From "General Collection," Claremont, U.S. America	From "General Collection," Claremont, U.S. America
	1912	1912
	(No other data)	
N	1954	N 1954
		RML 110870
	<u>Haemaphysalis leporis</u> ♀ (small form)	1 ♂, 3 ♀ <u>Haemaphysalis leporis palustris</u>
	From "General Collection," Claremont, U.S. America	From "General Collection," Claremont, U.S. America
	1912	1912
	(No other data)	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1955	N	1955
		RML	110871
	<u>Amblyomma</u> sp. N's		1 N <u>Amblyomma</u> sp.
	From "General Collection," Claremont, U.S. America		From "General Collection," Claremont, U.S. America
	1912		1912
	(No other data)		Not a North American species [J.E.K.]
N	1956, a	N	1956, a
		RML	110872
	(1956) <u>Boophilus decoloratus</u> ♀'s (a) <u>Hyalomma aegyptium</u> N's		(1956) 1 ♂, 5 ♀ <u>Boophilus decoloratus</u> (a) 12 N <u>Amblyomma variegatum</u>
	Horse		Horse
	Bole, Northern Territories, Gold Coast, West Africa		Bole (09.02 N, 02.29 W), Ghana
	XI.1912		XI.1912
	Dr. F. G. Thompson		Dr. F. G. Thompson
N	1957	N	1957 MISSING
	<u>Boophilus australis</u> ♂'s, ♀'s		
	Native cow		
	St. Augustice, Trinidad, West Indies		
	4.XII.1912		
	Prof. P. Carmody		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1958, a (1950) <u>Haemaphysalis bispinosa</u> ♂'s, ♀'s (a) <u>Rhipicephalus haemaphysaloides</u> ♂, ♀	N RML	1958, a 71481 (1958) 9♀ <u>Haemaphysalis intermedia</u> (a) 3 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Sheep		Sheep
	Agricultural College Farm, Coimbatore, S. India		Agricultural College Farm, Coimbatore (11.00 N, 76.58 E), India
	1912		1912
	T. Bainbrigge Fletcher		T. Bainbrigge Fletcher
N	1959 <u>Ornithodoros savignyi</u> 1 ♀ "Crawling on the ground" Tiruppur, Combatore District, S. India VI.1912 T. Bainbrigge Fletcher	N RML	1959 110873 1 ♂, 4 ♀, 1 N <u>Ornithodoros savignyi</u> "Crawling on the ground" Tiruppur, (11.06 N, 77.21 E), India VI.1912 T. Bainbrigge Fletcher Note in vial "raised in Cambridge, descended from ticks rec'd. from S. India VI.1912."
	Ticks received from Dr. John D. Gimlette, of Kota Bharu, Kelantan, Malay Peninsula, 1.I.1913:-		
N	1960 <u>Boophilus australis</u> 1 ♂, ♀'s Buffalo Kota Bharu, Kelantan, Malay Peninsula 16.XI.1912 J. D. Gimlette	N RML	1960 110874 3 ♂, 46 ♀, <u>Boophilus microplus</u> Buffalo Kota Bharu, Kelantan State (05.20 N, 102.00 E), Malaysia 16.XI.1912 J. D. Gimlette

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	1961		N	1961	
			RML	110875	
	<u>Boophilus australis</u> ♂'s, ♀'s			7 ♂, 44 ♀, 2 N	<u>Boophilus microplus</u>
	Stag			Stag	
	Kota Bharu, Kelantan, Malay Peninsula			Kota Bharu, Kelantan State (05.20 N, 102.00E), Malaysia	
	27.XI.1912			27.XI.1912	
	J. D. Gimlette			J. D. Gimlette	
N	1962		N	1962	
			RML	110876	
	<u>Boophilus australis</u> ♀'s & N's			2 ♀, 3 N	<u>Boophilus microplus</u>
	Bull			Bull	
	Kota Bharu, Kelantan, Malay Peninsula			Kota Bharu, Kelantan State (05.20 N, 102.00 E), Malaysia	
	27.XI.1912			27.XI.1912	
	Dr. J. D. Gimlette			Dr. J. D. Gimlette	
N	1963		N	1963	
			RML	110877	
	<u>Boophilus australis</u> ♀'s & N's			2 ♀, 1 N	<u>Boophilus microplus</u>
	Calf			Calf	
	Kota Bharu, Kelantan, Malay Peninsula			Kota Bharu, Kelantan State (05.20 N, 102.00 E), Malaysia	
	10.XI.1912			10.XI.1912	
	Dr. J. D. Gimlette			Dr. J. D. Gimlette	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1964		N	1964
			RML	110878
	<u>Boophilus australis</u> L's & N's			3 N, 2 L <u>Boophilus microplus</u>
	Goat			Goat
	Kota Bharu, Kelantan, Malay Peninsula			Kota Bharu, Kelantan State (05.20 N, 102.00 E), Malaysia
	27.XI.1912			27.XI.1912
	Dr. J. D. Gimlette			Dr. J. D. Gimlette
N	1965		N	1965
			RML	110879
	<u>Boophilus australis</u> ♀'s			9 ♀, 1 N <u>Boophilus microplus</u>
	Bull			Bull
	Kota Bharu, Kelantan, Malay Peninsula			Kota Bharu, Kelantan State (05.20 N, 102.00 E), Malaysia
	10.XI.1912			10.XI.1912
	Dr. J. D. Gimlette			Dr. J. D. Gimlette
N	1966		N	1966
			RML	110880
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s & N's			42 ♂, 39 ♀, 3 N <u>Rhipicephalus</u> <u>sanguineus</u>
	Chow dog			Chow dog
	Hong Kong, China			Hong Kong (22.15 N, 114.11 E)
	13.XII.1912			13.XII.1912
	Dr. F. Lindsay-Woods			Dr. F. Lindsay-Woods

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	1967		N	1967
			RML	110881
	<u>Boophilus australis</u> ♀'s			15 ♀ <u>Boophilus microplus</u>
	Cattle			Cattle
	Mayaguez, Porto Rico, West Indies			Mayaguez (18.12 N, 67.09 W), Puerto Rico
	17.XII.1912			17.XII.1912
	Rec'd from Dr. C. W. Hooker			Charles Worcester Hooker (1883-1913) Entomologist to the Federal Experiment Station and plant inspector of the port of Mayaguez, Puerto Rico. Died at age 30 of appendicitis
N	1968		N	1968
			RML	110882
	<u>Boophilus annulatus</u> ♀'s			5 ♀, 4 ♂ <u>Anocentor nitens</u>
	Horse			Horse
	Mayaguez, Porto Rico, West Indies			Mayaguez (18.12 N, 67.09 W), Puerto Rico
	7.VIII.1912			7.VIII.1912
	Rec'd from Dr. C. W. Hooker 8.I.1913			Rec'd from Dr. C. W. Hooker 8.I.1913
	Ticks received from Dr. A. Brown, Serenje, N. Rhodesia, B.C. Africa, 13.I.1913:-			
N	1969		N	1969
			RML	110883
	<u>Boophilus decoloratus</u> ♀'s			22 ♀ <u>Boophilus decoloratus</u>
	Cow			Cow
	Serenje, N. Rhodesia			Serenje (13.14 S, 30.14 E), Zambia
	XII.1912			XII.1912
	Dr. A. Brown			Dr. A. Brown

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	1970	N 1970 MISSING
	<u>Ornithodoros moubata</u> "human ticks"	
	Serenje, N. Rhodesia	
	XII.1912	
	Dr. A. Brown	
	2 adults, N's to Prof. Dr. Dahl, Berlin Museum VII.1914.	
	2 adults, N's to Prof. Dr. S. Schenkling, Deutsches Entomol. Mus. VII.1914.	
	2 adults, N's to Prof. Dr. R. Gestro, Museo Civico di Storia Nat. Genova VII.1914.	
N	1971, a	N 1971a
		RML 110884
	(1971) <u>Haemaphysalis leachi</u> ♀'s (a) <u>Rhipicephalus capensis</u> ♀	(1971) MISSING (a) 1 ♀ <u>Rhipicephalus compositus</u>
	Dog	Dog
	Serenje, N. Rhodesia	Serenje (13.14 S, 30.14 E), Zambia
	XII.1912	XII.1912
	Dr. A. Brown	Dr. A. Brown
	Ticks received from Dr. J.G.F. Hosken, Morro Vellis, Villa Nova de Lima, Minas Geraes, Brazil, South America, 14.I.1913:-	
N	1972	N 1972 MISSING
	<u>Amblyomma cajennense</u> N's	
	Dog	
	Minas Geraes, Brazil, S. America	
	XII.1912	
	Dr. J.G.F. Hosken	

ORIGINAL DETERMINATIONCURRENT STATUS

N	1973	N	1973
		RML	110885
	<u>Amblyomma cajennense</u> ♀'s & N's		4 ♀, 3 N <u>Amblyomma cajennense</u>
	Horse		Horse
	Minas Geraes, Brazil, S. America		Estado do Minas Gerais (18.00 S, 44.00 W), Brazil
	XII.1912		XII.1912
	Dr. J.G.F. Hosken		Dr. J.G.F. Hosken
			Cited: Robinson (1926: 53).
N	1974, a	N	1974
		RML	110886
	(1974) <u>Boophilus australis</u> ♀'s		(1974) 3 ♀ <u>Boophilus microplus</u>
	(a) <u>Amblyomma cajennense</u> 1 ♀		(a) MISSING
	Bullock		Bullock
	Minas Geraes, Brazil, S. America		Minas Gerais (18.00 S, 44.00 W), Brazil
	XII.1912		XII.1912
	Dr. J.G.F. Hosken		Dr. J.G.F. Hosken
	Ticks received from E. J. Wortley, Esq., Department of Agriculture, Hope, Kingston P.O., Jamaica, West Indies, 16 January 1913:-		
N	1975, a, b	N	1975a
		RML	110887
	(1975) <u>Amblyomma cajennense</u> 2 ♂'s		(1975) MISSING
	(a) <u>Dermacentor nitens</u> ♂'s, ♀'s & N		(a) 27 ♂, 14 ♀, 12 N <u>Anocentor nitens</u>
	(b) <u>Boophilus australis</u> ♂'s, ♀'s		(b) MISSING
	Ears of horses		Horses
	Hope, Jamaica, West Indies		Hope, Jamaica (locality not verified; 5 possible localities)
	6.XII.1912		6.XII.1912
	E. J. Wortley		E. J. Wortley

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1976	N	1976
		RML	110888
	<u>Boophilus annulatus</u> ♀'s & eggs		10 ♀ <u>Boophilus microplus</u>
	Cow (suffering from Texas fever)		Cow
	Hope, Jamaica, West Indies		Hope, Jamaica (locality not verified; 5 possible localities)
	4.XII.1912		4.XII.1912
	E. J. Wortley		E. J. Wortley
N	1977	N	1977
		RML	110889
	<u>Argas persicus</u>		1 ♂, 5 ♀ <u>Argas miniatus</u>
	Fowls		Fowls
	Hope, Jamaica, W. Indies		Hope, Jamaica (locality not verified; 5 possible localities)
	XII.1912		XII.1912
	E. J. Wortley		E. J. Wortley
	[Some alive. Try on fowl to see if infected with <u>Spirochaetosis</u>]		1 ♀ is considered a tentative identification because of a destroyed genital aperture. 1 cast skin is also present
N	1978	N	1978 MISSING
	<u>Boophilus annulatus</u> ♀'s & L		
	Cow (suffering from Texas fever)		
	Hope, Jamaica, W. Indies		
	4.XII.1912		
	E. J. Wortley		

ORIGINAL DETERMINATIONCURRENT STATUS

N	1979	N	1979
		RML	110890
	<u>Haemaphysalis howletti</u> 1 ♂, 1 ♀ TYPES		1 ♂, 1 ♀ <u>Haemaphysalis howletti</u> Lectotype & Paralectotype
	Hill pony		Hill pony
	Rawalpindi, Punjab, India		Rawalpindi (33.36 N, 73.04 E), Pakistan
	?Date		?Date
	F. M. Howlett		F. M. Howlett
			Warburton (1913: 123, figs. 2, 3) original description. Nuttall & Warburton (1915: 494), stated the collection date as 1912; Dhanda (1964: 459). Lectotype designated: Keirans & Brewster (1981: 161).
N	1980	N	1980 MISSING
	<u>Haemaphysalis aborensis</u> TYPE!		
	Grass		
	Yambung (1,100 ft.) India		
	13-17.I.1912		
	S. W. Kemp		
	Indian Mus. <u>1251</u> 17		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1981	N	1981
		RML	70082
	<u>Haemaphysalis aciculifer</u> 1 ♂, 1 ♀ TYPES		1 ♂, 1 ♀ <u>Haemaphysalis aciculifer</u> Lectotype and paralectotype
	<u>Cobus thomasi</u>		<u>Kobus kob thomasi</u>
	N.E. Shore of Lake Edward, Uganda		N.E. Shore of Lake Edward (00.25 S, 29.30 E), Uganda
	X.1910		X.1910
	S. A. Neave		S. A. Neave
	[ex. Ent. Res. Com 463a]		Warburton (1913: 125, figs. 4, 5) original description. Nuttall & Warburton (1915: 413) cited this collection but did not give a Nuttall number. Hoogstraal & El Kammah (1972: 765). Lectotype designated: Keirans & Brewster (1981: 158).
N	1982	N	1982
		RML	110891
	<u>Boophilus australis</u> ♀'s		93 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Hong Kong, China		Hong Kong (22.15 N, 114.11 E)
	XII.1913		XII.1913
	Rec'd from Dr. J. Bell, Superintendent, Civil Hospital, Hong Kong		Rec'd from Dr. J. Bell Superintendent, Civil Hospital, Hong Kong

ORIGINAL DETERMINATIONCURRENT STATUS

N	1983	N	1983
		RML	110892
	<u>Boophilus annulatus</u>		57 ♂ <u>Boophilus annulatus</u>
	On skin of cattle		Cattle
	Bagdad, Asiatic Turkey		Baghdad (33.21 N, 44.25 E), Iraq
	Rec'd 21.I.1913		Rec'd 21.I.1913
	Rec'd from Professor E. Gotschlich, of Alexandria, Egypt		Rec'd from Professor E. Gotschlich, of Alexandria, Egypt
N	1984	N	1984
		RML	110893
	<u>Aponomma</u> sp. N's		11 N, 12 L <u>Amblyomma</u> sp.
	Coral snake (<u>Elaps</u> sp.)		<u>Elaps</u> sp.
	Panama, Central America		Panama
	XII.1912		XII.1912
	Dr. S. T. Darling		Dr. S. T. Darling
N	1985	N	1985
		RML	110894
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, N's		3 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Chiengmai, Siam		Chiang Mai (18.47 N, 98.59 E), Thailand
	27.XI.1912		27.XI.1912
	Dr. A. G. Kerr		Dr. A. G. Kerr

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1986	N	1986
		RML	110895
	<u>Boophilus australis</u> ♂, ♀'s & N's		1 ♂, 10 ♀, 6 N <u>Boophilus microplus</u>
	Cattle		Cattle
	Chiengmai, Siam		Chiang Mai (18.47 N, 98.59 E), Thailand
	28.XI.1912		28.XI.1912
	Dr. McKean		Dr. McKean
	Received from Dr. A.F.G. Kerr, Chiengmai, Siam, Farther India, 28.I.1913		
N	1987	N	1987
		RML	110896
	<u>Haemaphysalis hirudo</u>		2 ♀ <u>Haemaphysalis concinna</u>
	Amur River, E. Siberia		Amur River (52.56 N, 141.10 E), U.S.S.R.
	28.VI.1899		28.VI.1899
	Dickmann		Dickmann
	[Presented to Professor G.H.F. Nuttall, F.R.S., by the Hamburg Museum, Germany (per Prof. Dr. v. Brunn), 27.I.1913]		Cited: Nuttall & Warburton (1915: 457) but without Nuttall number.
N	1988	N	1988
		RML	110897
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		86 ♂, 22 ♀, 6 N <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Hong Kong, China		Hong Kong (22.15 N, 114.11 E)
	I.1913		I.1913
	Rec'd from Dr. J. Bell 29.I.1913		Rec'd from Dr. J. Bell, 29.I.1913
			This collection also contained 2 ♀ <u>Heterodoxus spiniger</u> (Mallophaga)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1989	N	1989
		RML	110898
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		4 ♂, 8 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Hyderabad, Deccan, India		Hyderabad (17.23 N, 78.28 E), India
	15.XII.1912		15.XII.1912
	Rec'd from Dr. S. Mallanneh 3.II.1913		Rec'd from Dr. S. Mallanneh 3.II.1913
N	1990, a	N	1990, a
		RML	110899
	(1990) <u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		(1990) 5 ♂, 5 ♀ <u>Rhipicephalus</u> <u>sanguineus</u>
	(a) <u>Hyalomma aegyptium</u> ♀		(a) 1 ♀ <u>Hyalomma a. anatomicum</u>
	(1990) Dog		(1990) Dog
	(a) Horse		(a) Horse
	Hyderabad, Deccan, India		Hyderabad (17.23 N, 78.28 E), India
	9.I.1913		9.I.1913
	Rec'd from Dr. S. Mallanneh, 3.II.1913		Rec'd from Dr. S. Mallanneh, 3.II.1913
			1990a cited: Kaiser & Hoogstraal (1964: 272).
N	1991	N	1991
		RML	110900
	<u>Rhipicephalus sanguineus</u> ♂'s ♀'s		4 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Brymbo near Wrexham, North Wales, Great Britain		Brymbo (53.04 N, 03.04 W), Wales
	XII.1912		XII.1912
	Dr. R. E. Montgomery		Dr. R. E. Montgomery

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	1992, a	N 1992, a
		RML 110901
(1992)	<u>Boophilus australis</u> ♂'s ♀'s	(1992) MISSING
(a)	<u>Amblyomma cajennense</u> 1 ♀	(a) 1 ♀ <u>Amblyomma cajennense</u>
	Sheep	Sheep
	Hope, Jamaica, West Indies	Hope, Jamaica (locality not verified; 5 possible localities)
	4.XII.1912	4.XII.1912
	E. J. Wortley	E. J. Wortley
		Cited: Robinson (1926: 53).
N	1993	N 1993 MISSING
	<u>Boophilus australis</u> ♀'s	
	Half-bred Zebu	
	Trinidad, West Indies	
	5.XII.1912	
	Rec'd from Professor P. Carmody, 4.II.1913	
N	1994	N 1994 MISSING
	<u>Boophilus australis</u> ♀'s	
	Bull, pure-bred short-horn	
	Trinidad, West Indies	
	5.XII.1912	
	Prof. P. Carmody	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1995	N	1995 MISSING
	<u>Argas persicus</u>		
	From cracks in woodwork of fowl house		
	Kingston, Jamaica, West Indies		
	I.1913		
	Rec'd from E. J. Barclay, Esq., Sec'y., Jamaica Agricultural Society, 27.I.1913		
N	1996	N	1996 MISSING
	<u>Haemaphysalis cornigera</u> var. <u>anomala</u>		
	1 ♂ TYPE		
	Wolf		
	4 miles W. of Koderma Station, Chota Nagpur, India		
	9.VIII.1912		
	Major O. A. Smith		
	[Indian Mus. Coll. <u>1524</u> <u>a</u>]		
N	1997	N	1997
		RML	110902
	<u>Haemaphysalis kinneari</u> 1 ♀ TYPE!		1 ♀ <u>Haemaphysalis kinneari</u> Holotype
	Tiger (<u>Felis tigris</u>)		<u>Panthera tigris</u>
	Kadra, Kanara, India		Kadra (14.54 N, 74.22 E), India
	XI.1910		XI.1910
	N. B. Kinnear		N. B. Kinnear
			♀ vulva mounted on a slide Warburton (1913: 127, fig. 6) original description. Cited: Nuttall & Warburton (1915: 398); Trapido et al (1964a: 178).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	1998	N	1998
		RML	110903
	<u>Haemaphysalis spinigera</u> ♂ & ♀		1 ♂, 1 ♀ <u>Haemaphysalis spinigera</u>
	Tiger (<u>Felis tigris</u>)		<u>Panthera tigris</u>
	Kadra, Kanara, India		Kadra (14.54° N, 74.22° E), India
	XI.1910		XI.1910
	N. B. Kinnear		N. B. Kinnear
			Cited & figured: Nuttall & Warburton (1915: 448,449).
Ticks received from Dr. S. T. Darling, Board of Health Laboratory, Ancon, Canal Zone, Panama, 7.II.1913:-			
N	1999	N	1999
		RML	110904
	<u>Dermacentor nitens</u> ♂'s		3 ♂ <u>Anocentor nitens</u>
	Horse		Horse
	Ancon, Panama		Ancon (09.58° N, 79.33° W), Panama
	13.I.1913		13.I.1913
	Dr. S. T. Darling		Dr. S. T. Darling
	Horse suffering from piroplasmosis		
N	2000	N	2000
		RML	110905
	<u>Amblyomma cajennense</u> ♂, ♀		1 ♂, 1 ♀ <u>Amblyomma cajennense</u>
	Horse		Horse
	Ancon, Panama		Ancon (08.58° N, 79.33° W), Panama
	13.I.1913		13.I.1913
	Dr. S. T. Darling		Dr. S. T. Darling
			Cited: Robinson (1926: 53).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
-------------------------------	--	-----------------------	--

N	2001	N	2001
		RML	22312
	<u>Amblyomma integrum</u> 3 ♀'s		3 ♀ <u>Amblyomma integrum</u>
	Taken off "own person"		<u>Homo sapiens</u>
	Ceylon		Sri Lanka
	Rec'd. II.1913		Rec'd. II.1913
	Mr. J. S. Fryer		Mr. J. S. Fryer
	L.E.R. det. 1926		Three slides of dissections ♀ hypostome ♀ spiracular plate ♀ legs I & IV Cited: Robinson (1926: 114).

Ticks retained from those sent for determination by Mr. B. Kinnear, Bombay, India; rec'd. 4.XI.1912:-

N	2002	N	2002
		RML	110906
	<u>Haemaphysalis bispinosa</u> ♀		1 ♀ <u>Haemaphysalis turturis</u>
	Tiger (<u>Felis tigris</u>)		<u>Panthera tigris</u>
	Kadra, Kanara, India		Kadra (14.54 N, 74.22 E), India
	XI.1910		XI.1910
	N. B. Kinnear		Cited: Nuttall & Warburton (1915:432).
	C. W. det. as <u>H. bispinosa</u> 1933.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2003	N	2003
		RML	110907
	<u>Haemaphysalis leachi</u> var. <u>indica</u> ♂'s, 1 ♀, 1 N		2 ♂, 1 ♀, 2 N <u>Haemaphysalis indica</u>
	<u>Canis indicus</u>		<u>Canis aureus indicus</u>
	Alibagh, Bombay, India		Alibag (18.39 N, 42.54 E), India
	25.I.1912		25.I.1912
	N. B. Kinnear		N. B. Kinnear
	(Rec'd. with Nos. 1997 & 1998)		Nymphal determinations tentative. Vial label for the nymphs is incorrectly numbered N 2002.

Ticks received from Dr. J. Preston Maxwell, The Hospital, Yungchun, via Amoy, China, 10.February, 1913:-

N	2004	N	2004
		RML	110908
	<u>Boophilus australis</u> ♂'s, ♀'s		1 ♂, 61 ♀ <u>Boophilus microplus</u>
	Cow		Cow
	Central Fukien, South China		Fukien Province, now Fu-Chien Sheng (26.00 N, 118.00 E), Peoples Republic of China
	XI.1912		XI.1912
	Dr. J. Preston Maxwell		Dr. J. Preston Maxwell

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2005	N	2005
		RML	110909
	<u>Boophilus australis</u> ♂'s, ♀'s		8 ♂, 23 ♀, 3 N <u>Boophilus microplus</u>
	Goat		Goat
	Central Fukien, South China		Fukien Province now Fu-Chien Sheng (26.00 N, 118.00 E), Peoples Republic of China
	XI.1912		XI.1912
	Dr. J. Preston Maxwell		Dr. J. Preston Maxwell
N	2006	N	2006
		RML	110910
	<u>Haemaphysalis</u> sp. nymphs		8 N <u>Haemaphysalis</u> sp.
	Dog		Dog
	Central Fukien, South China		Fukien Province now Fu-Chien Sheng (26.00 N, 118.00 E), Peoples Republic of China
	XI.1912		XI.1912
	Dr. J. Preston Maxwell		Dr. J. Preston Maxwell
N	2007	N	2007
		RML	110911
	<u>Boophilus australis</u> ♂'s, ♀'s		6 ♂, 56 ♀, 1 N <u>Boophilus microplus</u>
	Cow		Cow
	Central Fukien, South China		Fukien Province now Fu-Chien Sheng (26.00 N, 118.00 E), Peoples Republic of China
	XI.1912		XI.1912
	Dr. J. Preston Maxwell		Dr. J. Preston Maxwell

Two tubes of ticks received from Dr. E. M. Ehrhorn, Board of Commissioners of Agriculture and Forestry (Division of Entomology), Honolulu, Hawaii Islands, 18 February, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2008	N 2008
		RML 110912
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N	1 ♂, 1 ♀, 1 N <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Honolulu, Hawaii Islands	Honolulu (21.19 N, 157.52 W) Hawaii, U.S.A.
	20.VIII.1912	20.VIII.1912
	E. M. Ehrhorn	E. M. Ehrhorn
		Edward Macfarlane Ehrhorn (1862-1941), educated in Germany 1871-1878. One of the pioneer workers in plant quarantine began working in Honolulu in 1909. Died 11.II.1941 at age 79.
N	2009	N 2009
		RML 110913
	<u>Rhipicephalus sanguineus</u> ♀'s	4 ♂, 8 ♀ <u>Rhipicephalus sanguineus</u>
	"in shed where dog was sleeping"	"in shed where dog was sleeping"
	Honolulu, Hawaii Islands	Honolulu (21.19 N, 157.52 W) Hawaii, U.S.A.
	22.I.1913	22.I.1913
	E. M. Ehrhorn	E. M. Ehrhorn

ORIGINAL DETERMINATIONCURRENT STATUS

N	2010	N	2010
		RML	110914
	<u>Amblyomma dissimile</u> ♂'s, ♀'s, N's		10 ♂, 1 ♀, 9 N <u>Amblyomma dissimile</u>
	Snake		Snake
	Trinidad, British West Indies		Trinidad
	II.1913		II.1913
	Rec'd from Professor P. Carmody, 19.II.1913		Rec'd from Professor P. Carmody, 19.II.1913
			Cited: Robinson (1926: 167).

Ticks retained from collection sent for determination by Dr. J. H. Ashworth,
Zoological Dep't., The University, Edinburgh, N.B., 19 February, 1913:-

N	2011	N	2011
		RML	66664
	<u>Ornithodoros savignyi</u>		11 ♂, 6 ♀, 316 N <u>Ornithodoros savignyi</u>
	No data		See N 1550 for comment relating to this collection
	J.H.A.		
	[Used for raising experiments]		
N	2012	N	2012 MISSING
	<u>Haemaphysalis leachi</u> ♀		
	Dog		
	Bongandanga, Upper Congo, Africa		
	1912		
	W. D. Armstrong		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2013	N	2013
		RML	110915
	<u>Argas persicus</u> larvae		4 L <u>Argas persicus</u>
	Fowl		Fowl
	Sokoto, N. Nigeria, West Africa		Sokoto (13.04 N, 05.15 E), Nigeria
	1912		1912
	Dr. J. M. Dalziel		Dr. J. M. Dalziel
N	2014	N	2014
		RML	110916
	<u>Aponomma exornatum</u> 2 ♂'s		2 ♂ <u>Aponomma exornatum</u>
	<u>Varanus niloticus</u>		<u>Varanus niloticus</u>
	Benin River, West Africa		Benin River (05.45 N, 05.04 E), Nigeria
	1912		1912
N	2015	N	2015
		RML	110917
	<u>Aponomma</u> sp. N's		3 N <u>Aponomma</u> sp.
	<u>Varanus niloticus</u>		<u>Varanus niloticus</u>
	Benin River, West Africa		Benin River (05.45 N, 05.04 E), Nigeria
	X.1912		X.1912
	Stewart		Stewart

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2016	N	2016 MISSING
	<u>Boophilus australis</u> 2 ♂'s, ♀'s		
	0x		
	Dominica, Leeward Islands		
	31.I.1913		
	Dr. A. A. Myers		
	Rec'd 19.II.1913		
N	2017	N	2017
		RML	110918
	<u>Apronoma laeve</u> var. <u>paradoxum</u> ♂'s, ♀		6 ♂, 2 ♀ <u>Apronoma pattoni</u>
	Tuberculated Iguanas		Iguanas, tuberculated
	Zoological Society's Gardens, London N.W.		Zoological Society's Gardens, London, England
	II.1913		II.1913
	(Original locality not mentioned) [Z S "36"]		

Ticks received back from the Imperial Bureau of Entomology (ex Report No. 26), London, S.W., 21.II.1913.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2018	N	2018
		RML	110919
	<u>Amblyomma tholloni</u> 3 ♂'s		3 ♂ <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Near Kafu River, Uganda, Africa		Near Kafu River (00.05 S, 30.09E), Uganda
	24.X.1912		24.X.1912
	F. A. Knowles		F. A. Knowles
	"611"		There are 3 other rivers named Kafu in Uganda. However, I have selected this as the most logical collecting site because the Entomological Research Committee, forerunner of the Imperial Bureau of Entomology, is known to have been working in the Kingdom of Ankole within which this river Kafu flows - see also N 1717.
			Cited: Robinson (1926: 252).
N	2019	N	2019
		RML	110920
	<u>Dermacentor circumguttatus</u> ♂'s, 1 ♀		3 ♂, 1 ♀ <u>Dermacentor circumguttatus</u>
	Elephant		<u>Loxodonta africana</u>
	Near Kafu River, Uganda, Africa		Near Kafu River (00.05 S, 30.09 E), Uganda
	24.X.1912		24.X.1912
	F. A. Knowles		F. A. Knowles
	"612"		See comment under N 2018

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2020	N	2020
		RML	110921
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s		3 ♂, 1 ♀ <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Shot near Mchera River, Ankole, Uganda, Africa		Possibly Mchuera now Nchwera River (00.25 S, 29.45 E), Uganda
	22.VIII.1912		22.VIII.1912
	Dr. R. E. McConnell		Dr. R. E. McConnell
	"613"		Cited: Robinson (1926: 110).
N	2021	N	2021
		RML	110922
	<u>Ornithodoros moubata</u>		3 ♂, 2 ♀, 3 N <u>Ornithodoros moubata</u>
	Old native hut		Old native hut
	Caia, Zambezi River, Portuguese East Africa		Caia (25.19 S, 32.58 E), Peoples Republic of Mozambique
	1912		1912
	Dr. H. Swale		Dr. H. Swale
	"616"		Probably <u>O. moubata porcinus</u>
N	2022	N	2022
		RML	110923
	<u>Amblyomma variegatum</u> ♂'s, ♀'s		2 ♂, 3 ♀ <u>Amblyomma variegatum</u>
	Sena, Portuguese East Africa		Vila de Sena (17.26 S, 35.02 E), Peoples Republic of Mozambique
	22.II.1910		22.II.1910
	Senhor Jose' de O. S. de Azevedo		Senhor Jose' de O. S. de Azevedo
	"626"		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	2023		N	2023
			RML	110924
	<u>Ornithodoros lahorensis</u> N's			25 N <u>Ornithodoros lahorensis</u>
	Sheep			Sheep
	Srinagar, Kashmir, India			Srinagar (34.05 N, 74.49 E), India
	I.1913			I.1913
	Rec'd from Dr. A. Neve 22.II.1913			Rec'd from Dr. A. Neve 22.II.1913

Ticks received from Dr. Thomas S. Dunn, Assistant Commissioner, Hlatikulu, Swaziland, Transvaal, S. Africa 24.II.1913:-

N	2024		N	2024
			RML	110925
	<u>Ornithodoros moubata</u>			4 ♂, 4 ♀, 10 N <u>Ornithodoros moubata</u>
	From huts			From huts
	Hlatikulu, Swaziland, S. Africa			Hlatikulu District (27.00 S, 31.40 E), Republic of South Africa
	23.I.1913			23.I.1913
	Dr. T. S. Dunn			Dr. T. S. Dunn
	[Note: Said by natives to cause "Fever." Native name: "Mahonondo"]			

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2025, a, b	N	2025, a, b
		RML	110926
	(2025) <u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		(2025) 4 ♂, 5 ♀ <u>Rhipicephalus appendiculatus</u>
	(a) <u>Rhipicephalus evertsi</u> ♂		(a) 1 ♀ <u>Rhipicephalus evertsi</u>
	(b) <u>Rhipicephalus simus</u> ♀		(b) 1 ♀ <u>Rhipicephalus simus</u>
	Horse (English mare)		Horse
	Hlatiulu, Swaziland, S. Africa		Hlatikulu District (27.00 S, 31.40 E), Republic of South Africa
	23.I.1913		23.I.1913
	Dr. T. S. Dunn		Dr. T. S. Dunn
	Horse suffering from biliary fever		
N	2026	N	2026
		RML	110927
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		4 ♂, 3 ♀ <u>Rhipicephalus simus</u>
	Dogs		Dogs
	Hlatikulu (4,000 ft), Swaziland, S. Africa		Hlatikulu District (27.00 S, 31.40 E), Republic of South Africa
	28.I.1913		28.I.1913
	Dr. T. S. Dunn		Dr. T. S. Dunn

Ticks received from Dr. W. C. Wigan, U.M.C.A. Mpondar, Fort Johnston, Nyasaland, B. C. Africa 24.II.1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2027	N	2027 MISSING
	<u>Ornithodoros moubata</u>		
	From a boy's dormitory		
	Malindi, Brit. East Africa		
	I.1913		
	Dr. W. C. Wigan		
	Some (sex/stage not stated) to Prof. O. Duboscq, Montpellier, France 10.II.1914		
	Ticks retained from the collection sent for determination by Dr. M. B. Mitzmain, Veterinary Entomologist, Veterinary Research Laboratory, Alabang, Rizal, Philippine Islands, 17 February, 1913.		
N	2028	N	2028
	RML		110928
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		3 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Native dog		Native dog
	Occidental Negros, P.I.		Province of Negros Occidental (10.25 N, 123.00 E), Republic of the Philippines
	14.XI.1911		14.XI.1911
N	2029	N	2029
	RML		110929
	<u>Argas vespertilionis</u> 1 adult		1 ♀ <u>Argas vespertilionis</u>
	Bat's nest		Bat's nest
	Manila, P.I.		Manila (14.35 N, 121.00 E), Republic of the Philippines
	12.XI.1910		12.XI.1910

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2030	N	2030
		RML	110930
	<u>Argas vespertilionis</u> larvae	4 L	<u>Argas vespertilionis</u>
	Brown house bat		Brown house bat
	Manila, P.I.		Manila (14.35 N, 121.00 E), Republic of the Philippines
	30.X.1910	30.X.1910	
N	2031	N	2031
		RML	110931
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	1 ♂, 1 ♀	<u>Rhipicephalus sanguineus</u>
	Dog	Dog	
	La Carlota, Occidental Negros, P.I.		La Carlota (10.25 N, 122.55 E), Republic of the Philippines
	11.XI.1911	11.XI.1911	
N	2032	N	2032
		RML	110932
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	4 ♂, 5 ♀	<u>Rhipicephalus sanguineus</u>
	Collie dog	Dog (Collie)	
	Alabang, Rizal, P.I.		Alabang (14.25 N, 121.03 E), Republic of the Philippines
	VII.1912	VII.1912	
N	2033	N	2033
		RML	110933
	<u>Boophilus australis</u> ♀'s	9 ♀	<u>Boophilus microplus</u>
	Indo-Chinese cattle	Cattle, Indo-Chinese	
	Manila, P.I.		Manila (14.35 N, 121.00 E), Republic of the Philippines
	XII.1911	XII.1911	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	2034		N	2034
			RML	110934
	<u>Boophilus australis</u> ♀'s			5 ♀ <u>Boophilus microplus</u>
	Indo-Chinese cattle			Cattle, Indo-Chinese
	Manila, P.I.			Manila (14.35 N, 121.00 E), Republic of the Philippines
	1.XI.1910			1.XI.1910
N	2035		N	2035
			RML	110935
	<u>Boophilus australis</u> ♀'s			5 ♀ <u>Boophilus microplus</u>
	Indo-Chinese cattle			Cattle, Indo-Chinese
	Manila, P.I.			Manila (14.35 N, 121.00 E), Republic of the Philippines
	1.XI.1910			1.XI.1910
N	2036		N	2036
			RML	110936
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s			15 ♂, 23 ♀ <u>Rhipicephalus sanguineus</u>
	Collie dog			Dog, Collie
	Alabang, Rizal, P.I.			Alabang (14.25 N, 121.03 E), Republic of the Philippines
	VII.1912			VII.1912
N	2037		N	2037
			RML	110937
	<u>Boophilus australis</u> ♀'s			6 ♀ <u>Boophilus microplus</u>
	Indo-Chinese cattle			Cattle, Indo-Chinese
	Manila, P.I.			Manila (14.35 N, 121.00 E), Republic of the Philippines
	31.X.1910			31.X.1910

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2038	N	2038
		RML	110938
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> ♂'s & ♀		8 ♂, 1 ♀ <u>Aponomma trimaculatum</u>
	Large lizard (Iguana or Monitor)		Large lizard (Iguana or Monitor)
	Polo, Bulacan Province, P.I.		Probably Polo (15.01 N, 120.44 E) Province of Bulacan, Republic of the Philippines
	18.IV.1911		18.IV.1911
N	2039	N	2039
		RML	110939
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N		1 ♂, 3 ♀, 1 N <u>Rhipicephalus sanguineus</u>
	Bull dog		Dog, Bull
	Rizal Province, P.I.		Province of Rizal (14.35 N, 121.10 E), Republic of the Philippines
	19.IX.1911		19.IX.1911
N	2040	N	2040
		RML	110940
	<u>Ornithodoros moubata</u>		52 ♂, 23 ♀, 1098 N <u>Ornithodoros moubata</u>
	From huts		From huts
	Livingstone, N. Rhodesia, S. Africa		Livingstone (17.51 S, 25.52 E), Zambia
	4.II.1913		4.II.1913
	Rec'd from Dr. D. S. MacKnight 3.III.1913		Rec'd from Dr. D. S. MacKnight 3.III.1913
	[Used for raising experiments]		
	Some (sex/stage not stated) to Dr. de Blieck, Java 22.I.1915		

Ticks received from L. C. Heath, Esq., Native Commissioner, Mumbwa, Baluba District, Broken Hill, N. Rhodesia, B.C. Africa, 3 March, 1913:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2041, a, b	N 2041, a RML 110941
	(2041) <u>Rhipicephalus sculptus</u> ♂'s, ♀'s	(2041) 12 ♂, 3 ♀ <u>Rhipicephalus sculptus</u>
	(a) <u>Amblyomma variegatum</u> ♂	(a) 1 ♂ <u>Amblyomma pomposum</u>
	(b) <u>Hyalomma aegyptium</u> ♂, ♀	(b) MISSING
	Zebra	<u>Equus burchelli</u>
	Near Mulendemas, Baluba, N. Rhodesia	Near Mulendema (15.14 S, 26.40 E), Zambia
	6.I.1913	6.I.1913
	L. C. Heath	L. C. Heath
		Cited: Santos Dias (1958: 479).
N	2042	N 2042 MISSING
	<u>Amblyomma variegatum</u> 1 ♂	
	Water-buck	
	Near Chikunis, Baluba, N. Rhodesia	
	7.I.1913	
	L. C. Heath	
N	2042 a	N 2042 a RML 110942
	<u>Ixodes ricinus</u> ♂'s, ♀'s	1 ♂, 4 ♀ <u>Ixodes ricinus</u>
	Irish hare	<u>Lepus timidus</u>
	Waterford, Ireland	Waterford (52.15 N, 07.06 W), Ireland
	26.IX.1905	26.IX.1905
		Cited: Nuttall (1916: 332).

Ticks received from Dr. S. Hadwen, Agassiz, British Columbia, Canada
3 March, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2043	N	2043
		RML	110943
	<u>Dermacentor venustus</u> ♂, ♀		1 ♂, 1 ♀ <u>Dermacentor andersoni</u>
	<u>Sciurus hudsonicus douglasi</u>		<u>Tamiasciurus d. douglasi</u>
	Merritt, British Columbia		Merritt (50.07 N, 120.47 W), British Columbia, Canada
	VIII.1912		VIII.1912
N	2044	N	2044
		RML	110944
	<u>Dermacentor venustus</u> N's		2 N <u>Dermacentor andersoni</u>
	<u>Sciurus hudsonicus douglasi</u>		<u>Tamiasciurus d. douglasi</u>
	Merritt, British Columbia		Merritt (50.07 N, 120.47 W), British Columbia, Canada
	VIII.1912		VIII.1912
N	2045	N	2045
		RML	110945
	<u>Ornithodoros megnini</u> adult		1 ♀ <u>Otobius lagophilus</u>
	Jack Rabbit (<u>Lepus americanus</u>)		<u>Lepus americanus</u>
	Lethbridge, Alberta, British Columbia		Lethbridge (49.42 N, 112.50 W), Alberta, Canada
	2.X.1912		2.X.1912
	Dr. S. Hadwen		Dr. S. Hadwen

ORIGINAL DETERMINATIONCURRENT STATUS

N	2046	N	2046
		RML	110946
	<u>Ornithodoros megnini</u> N's		4 N <u>Otobius lagophilus</u>
	<u>Lepus americanus</u>		<u>Lepus americanus</u>
	Lethbridge, Alberta, British Columbia		Lethbridge (49.42 N, 112.50 W), Alberta, Canada
	2.X.1912		2.X.1912
	Dr. S. Hadwen		Dr. S. Hadwen
Ticks retained from Dr. M. B. Mitzmain's collection (see also Nos. 2028-2039), Philippine Islands, 6 March, 1913:-			
N	2047	N	2047
		RML	110947
	<u>Ixodes hexagonus</u> var. <u>cookei</u> 1 ♀ & N's		1 ♀, 3 N <u>Ixodes sculptus</u>
	<u>Putorius xanthogenys</u>		<u>Mustela frenata xanthogenys</u>
	San Mateo County, California, U.S. America		San Mateo County (37.25 N, 122.20 W), California, U.S.A.
	14.IX.1909		14.IX.1909
	M. B. Mitzmain		M. B. Mitzmain
			Cited: Nuttall (1916: 328).
N	2048	N	2048
		RML	110948
	<u>Ixodes hexagonus</u> var. <u>cookei</u> 1 ♀		1 ♀ <u>Ixodes sculptus</u>
	<u>Putorius xanthogenys</u>		<u>Mustela frenata xanthogenys</u>
	San Francisco, California, U.S. America		San Francisco (37.48 N, 122.24 W), California, U.S.A.
	1.IX.1909		1.IX.1909
	M. B. Mitzmain		M. B. Mitzmain
			Cited: Nuttall (1916 : 328).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2049	N	2049
		RML	110949
	<u>Ixodes hexagonus</u> var. <u>cookei</u> 2 N's, 2 L		2 N, 1 L <u>Ixodes sculptus</u>
	<u>Putorius xanthogenys</u>		<u>Mustela frenata xanthogenys</u>
	San Mateo County, California, U.S. America		San Mateo County (37.25 N, 122.20 W), California, U.S.A.
	7.IX.1909		7.IX.1909
	M. B. Mitzmain		M. B. Mitzmain
			Cited: Nuttall (1916: 328).
N	2050	N	2050
		RML	110950
	<u>Aponomma trimaculatum</u> ♂'s, 2 ♀ Lizard (Monitor)		3 ♂, 1 ♀ <u>Aponomma trimaculatum</u> Lizard (Monitor)
	Alabang, Rizal, Philippine Islands		Alabang (14.25 N, 121.03 E), Republic of the Philippines
	23.IV.1912		23.IV.1912
	M. B. Mitzmain		M. B. Mitzmain
N	2051	N	2051
		RML	105779
	<u>Aponomma exornatum</u> Lizard (Monitor)		6 ♂ <u>Amblyomma helvolum</u> 2 ♀ <u>Aponomma fimbriatum</u> 8 N <u>Aponomma</u> sp. Lizard (Monitor)
	Occidental Negros Province, Philippine Islands		Province of Negros Occidental (10.25 N, 123.00 E), Republic of the Philippines
	XII.1911		XII.1911
	M. B. Mitzmain		M. B. Mitzmain

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2052	N	2052 MISSING
	<u>Aponomma trimaculatum</u>		
	Lizard (Monitor)		
	La Carlota, Occidental Negros Province, Philippine Islands		
	11.XI.1911		
	M. B. Mitzmain		
N	2053	N	2053
		RML	110951
	<u>Dermacentor reticulatus</u> 1 ♀		1 ♀ <u>Dermacentor reticulatus</u>
	Dog		Dog
	Aberystwyth, Wales		Aberystwyth (52.25 N, 04.04 W), Wales
	3.III.1913		3.III.1913
	Rec'd from C. L. Walton, Esq., Zoological Department, University College of Wales, Aberystwyth Wales, 6 March 1913.		Rec'd from C. L. Walton, Esq., Zoological Department, University College of Wales, Aberystwyth, Wales,
N	2054	N	2054
		RML	110952
	<u>Ixodes hexagonus</u> var <u>cookei</u> ♂, L		1 ♀ <u>Ixodes sculptus</u>
	<u>Putorius xanthogenys</u>		<u>Mustela frenata xanthogenys</u>
	San Mateo County, California, U.S. America		San Mateo County (37.25 N, 122.20 W), California, U.S.A.
	20.IX.1909		20.IX.1909
	M. B. Mitzmain		M. B. Mitzmain
	(see also Nos. 2028-2039; 2047-2052)		Cited: Nuttall (1916: 328). Label in vial "larvae removed." Both the catalogue and vial label state the tick to be a ♂, it is a ♀.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2055	N	2055 OMITTED CATALOGUE NUMBER
N	2056	N	2056 MISSING
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> ♂'s, ♀'s		
	Wolf		
	4 miles W. of Koderma Station, Chota Nagpur, India		
	9.VIII.1912		
	Major O. A. Smith		
	[Ex. Ind. Mus. <u>1524</u> / <u>17</u>]		
N	2057	N	2057
		RML	110953
	<u>Rhipicephalus pulchellus</u> 3 ♂		4 ♂ <u>Rhipicephalus pulchellus</u>
	Cattle		Cattle
	Montgomery District near Kasauli, Punjab, India		Montgomery District near Kasauli, Punjab, India (see below)
	1911		1911
	Capt. R. Markham Carter		Capt. R. Markham Carter
	(Ex. Liverpool Sch. Trop. Med. "153")		Locality data incorrect. <u>R. pulchellus</u> is not found in India although these are possibly imported cattle.

Ticks received from Dr. E. J. Marzinowsky, Hospital of Emperor Paul I,
Moscow, Russia, June, 1912:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2058	N	2058
		RML	110954
	<u>Dermacentor reticulatus</u> ♂, ♀		1 ♂ <u>Dermacentor reticulatus</u>
	No data		No data
	Moscow		Moscow (55.45 N, 37.35 E), U.S.S.R.
			Note in vial, "1 ♀ removed."
N	2059	N	2059
		RML	110955
	<u>Dermacentor reticulatus</u> L & eggs		+ 500 L <u>Dermacentor reticulatus</u>
	No data		No data
	Moscow, Russia		Moscow (55.45 N, 37.35 E), U.S.S.R. Cited: Edwards & Evans (1967: 595).
N	2060	N	2060
		RML	110956
	<u>Dermacentor reticulatus</u> 2 N		2 N <u>Dermacentor reticulatus</u>
	No data		No data
	Moscow, Russia		Moscow (55.45 N, 37.35 E), U.S.S.R.
N	2061	N	2061
		RML	110957
	<u>Boophilus australis</u> 3 ♀'s		3 ♀ <u>Boophilus annulatus</u>
	No data		No data
	Moscow, Russia		Moscow (55.45 N, 37.35 E), U.S.S.R.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2062	N	2062 MISSING
	<u>Ixodes ricinus</u> 3 ♀		
	No data		
	Moscow, Russia		
N	2063	N	2063
		RML	110958
	<u>Argas persicus</u>		2 ♂ <u>Argas persicus</u>
	No data		No data
	Moscow, Russia		Moscow (55.45 N, 37.35 E), U.S.S.R.
N	2064	N	2064
		RML	110959
	<u>Rhipicephalus rossicus</u>		1 ♂, 1 ♀ <u>Rhipicephalus rossicus</u>
	No data		No data
	Moscow, Russia		Moscow (55.45 N, 37.35 E), U.S.S.R.
N	2065	N	2065
		RML	110960
	<u>Ixodes oldi</u> n. sp. 7 ♀		6 ♀ <u>Ixodes oldi</u> Lectotype and paralectotypes
	Bush cat		Probably a West African species of <u>Genetta</u>
	Komatendu, Sierra Leone, West Africa		Komatendu, Sierra Leone (locality not verified)
	13.VIII.1912		13.VIII.1912
	J. J. Simpson		J. J. Simpson
	(Im. Bur. Ent. 604) co-types ?		Nuttall (1913b: 135), original description with 14 ♀ in the original collection. I believe that the catalogue record of 7 ♀ is correct. Arthur (1958: 47) and (1965: 138) discussed a "holotype ♀" deposited in the BM(NH), however Nuttall never selected a holotype. Lectotype designated: Keirans & Brewster (1981: 167). Cited: Keirans et al. (1982:321).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2066	N	2066
		RML	110961
	<u>Ixodes kemp</u> n.sp. 4 ♀		3 ♀ <u>Ixodes granulatus</u> Lectotype & paralectotypes of <u>I. kemp</u>
	<u>Sciurus erythraeus intermedius</u>		<u>Callosciurus erythraeus intermedius</u>
	Kobo (400 ft. elevation), India		Kobo (27.47 N, 95.23 E), India (122 m)
	24.III.1912		24.III.1912
	S. W. Kemp		S. W. Kemp
	(Abor Expedition) [Indian Mus. Calcutta <u>1247</u> / <u>17</u>] Co-types!		Nuttall (1913b: 131), original description with 8 ♀ collected 29.III.1912. Cited: Sharif (1928: 237); Arthur (1957b: 684). Lectotype designated: Keirans & Brewster (1981: 167).
N	2067	N	2067
		RML	110962
	<u>Ixodes unicavatus</u> 1 larva		1 L <u>Ixodes unicavatus</u>
	<u>Phalacrocorax carbo</u>		<u>Phalacrocorax carbo</u>
	Anglesea, North Wales		Anglesea (53.17 N 04.22 W), Wales
	23.II.1886		23.II.1886
	Gift of W. F. Cooper who rec'd. it mounted on a slide from C. Oldham		Gift of W. F. Cooper who rec'd. it mounted on a slide from C. Oldham
	[G.H.F. Nuttall det.]		Cited: Nuttall (1916: 334); Thompson (1957: 215).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2068	N	2068
		RML	110963
	<u>Ixodes eudyptidis</u> 1 ♀		1 ♀ <u>Ixodes eudyptidis</u>
	<u>Sterna antarctica</u>		<u>Sterna anaethetus antarctica</u>
	New Plymouth, New Zealand		New Plymouth (39.04 S, 174.05 E), New Zealand
	22.XI.1909		22.XI.1909
	W. W. Smith		W. W. Smith
	[Determined by the donor, Prof. Charles Chilton, Canterbury, N.Z., as <u>Ix. eudyptidis</u>]		Cited: Nuttall (1916: 327).
	Note: On 29.VI.1915 our sp. [<u>Ixodes neumanni</u>] condemned by us after we saw the type sent us from New Zealand.		
N	2069	N	2069
		RML	110964
	<u>Ixodes anatis</u> 1 ♀, 1 N co-types		1 ♀, 1 N <u>Ixodes anatis</u>
	Off?		Off?
	Ashburton, Canterbury, New Zealand		Canterbury (43.30 S, 171.30 E), Ashburton County, New Zealand
	1903		1903
	W. W. Smith		W. W. Smith
	[Rec'd. from Prof. C. Chilton, N.Z. VII.1912]		Chilton (1904: 201) original description; cited: Nuttall (1916: 317).
	Hypostome mounted on a slide, broken off by accident.		Slide present of nymphal hypostome

ORIGINAL DETERMINATIONCURRENT STATUS

N	2070	N	2070
		RML	110965
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s Off?		5 ♂, 14 ♀ <u>Rhipicephalus sanguineus</u> Off?
	Samoa Islands, Pacific Ocean		Samoa Islands (14.00 S, 171.00 W)
	15.I.1913		15.I.1913
	Dr. G. Fredricks		Dr. G. Fredricks
	(Gift of the Natural History Museum, Hamburg, Germany 17.III.1913)		

Ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa, N. Rhodesia,
Central Africa 17.III.1913:-

N	2071, a	N	2071 a
		RML	110966
	(2071) <u>Rhipicephalus evertsi</u> 2 ♂'s (a) <u>Hyalomma aegyptium</u> 1 ♂, 2 ♀		(2071) MISSING (a) 1 ♂, 2 ♀ <u>Hyalomma truncatum</u>
	Eland		<u>Taurotragus oryx</u>
	Baluba, Broken Hill, N. Rhodesia		Baluba, Kabwe (14.27 S, 28.27 E), Zambia
	II.1913		II.1913
	L. C. Heath		L. C. Heath

ORIGINAL DETERMINATIONCURRENT STATUS

N	2072, a	N	2072, a
		RML	110967
(2072)	<u>Rhipicephalus supertritus</u> 1 ♂	(2072)	<u>Rhipicephalus supertritus</u>
(a)	<u>Rhipicephalus sculptus</u> ♂'s, ♀'s	(a)	5 ♂, 4 ♀ <u>Rhipicephalus sculptus</u>
Sable Antelope			<u>Hippotragus niger</u>
Baluba, Broken Hill, N. Rhodesia		Baluba, Kabwe (14.27 S, 28.27 E), Zambia	
II.1913		II.1913	
L. C. Heath		L. C. Heath	
			(2072a) cited by Santos Dias (1958: 479) who stated that this collection consisted of 2 ♂, 2 ♀ <u>R. sculptus</u>

Ticks received from Dr. W. L. Thompson, Mount Silinda, Melsetter, S. Rhodesia, S. Africa, 17 March, 1913:-

N	2073, a	N	2073, a
		RML	110968
(2073)	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	15 ♂, 11 ♀ <u>Rhipicephalus appendiculatus</u>	
(a)	<u>Rhipicephalus simus</u> 1 ♂	(a) 1 ♂ <u>Rhipicephalus simus</u>	
Cattle		Cattle	
Mount Silinda, S. Rhodesia		Mount Selinda (20.27 S, 32.43 E), Zimbabwe	
XII.1912		XII.1912	
Dr. W. L. Thompson		Dr. W. L. Thompson	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2074	N 2074
		RML 110969
	<u>Ornithodoros moubata</u>	3 ♂, 11 ♀, 2 N <u>Ornithodoros moubata</u>
	Native huts	Native huts
	Mount Silinda, S. Rhodesia	Mount Selinda (20.27 S, 32.43 E), Zimbabwe
	I.1913	I.1913
	Dr. W. L. Thompson	Seven of the 11 ♀ in this collection fit within the taxonomic limits of <u>O. moubata porcinus</u> , the 4 remaining ♀ are <u>O. m. moubata</u> . The two groups have been separated but retained within one vial.
N	2075	N 2075
		RML 110970
	<u>Rhipicephalus appendiculatus</u> ♂, ♀'s	1 ♂, 11 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Mount Silinda, S. Rhodesia	Mount Selinda (20.27 S, 32.43 E), Zimbabwe
	II.II.1913	II.II.1913
	Dr. W. L. Thompson	Dr. W. L. Thompson
N	2076	N 2076
		RML 110971
	<u>Rhipicephalus follis</u> ♂'s, ♀'s (♀ new to science)	5 ♂, 2 ♀ <u>Rhipicephalus jeannelli</u>
	Oxen	Oxen
	Kijabe, British East Africa	Kijabe (00.56 S, 36.34 E), Kenya
	II.II.1912	II.II.1912
	R. Edmondson	R. Edmondson
	(E.R.C. No. 504)	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2077	N	2077
		RML	110972
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> ♂'s, ♀'s		2 ♂, 2 ♀ <u>Haemaphysalis paraturturi</u> Paratypes
	Wolf		Probably <u>Canis lupus pallipes</u>
	5 miles west of Koderma Station, Chota Nagpur, India		5 miles west of Koderma Station, Chota Nagpur (22.13 N, 88.54 E), India
	9.VIII.1912		9.VIII.1912
	Major O. A. Smith		Major O. A. Smith
	[Indian Mus. 1524] 17		Hoogstraal et al (1963: 686) original description. Cited as <u>H.</u> <u>bispinosa intermedia</u> by Nuttall & Warburton (1915: 435).
N	2078	N	2078
		RML	110973
	<u>Boophilus annulatus</u> ♀'s		6 ♀ <u>Boophilus annulatus</u>
	Cattle		Cattle
	Auburn, Alabama, U.S. America		Auburn (32.36 N, 85.29 W), Alabama, U.S.A.
	13.III.1913		13.III.1913
	Professor C. A. Cary		Professor C. A. Cary
N	2079	N	2079
		RML	110974
	<u>Rhipicephalus sanguineus</u> ♂, ♀		1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Dog (Toy terrier)		Dog
	Brymbo, near Wrexham, North Wales		Brymbo (53.04 N, 03.04 W), Wales
	22.III.1913		22.III.1913
	W. J. Fletcher, M.R.C.V.S.		W. J. Fletcher, M.R.C.V.S.

Two tubes of ticks received from Dr. George V. Perez, Puerto Orotava, Teneriffe, Canary Islands, 26.III.1913:-

N 2080 N 2080 MISSING

Haemaphysalis punctata ♂'s, ♀'s

Goat

Puerto Orotava, Teneriffe,
Canary Islands

II.1913

Dr. G. V. Perez

Given to D. S. Machagan 14.X.1938

N 2081 N 2081

RML 110975

Haemaphysalis punctata ♀'s

6 ♀ Haemaphysalis punctata

Goats

Goats

Puerto Orotava, Teneriffe,
Canary Islands

Puerto Orotava, Teneriffe (28.19 N,
16.34 W), Canary Islands

II.1913

II.1913

Dr. G. V. Perez

Dr. G. V. Perez

Four tubes of ticks received from Dr. Jesus E. Monjarás, Exequel Montes 15, Mexico, Central America, 24.III.1913:-

N 2082 N 2082 MISSING

Argas persicus

Fowls

Mexico City, Mexico, Central
America

I.1913

1 adult, 1 N to Prof. Dr. Dahl,
Berlin Museum VII.1914.

1 adult, 1 N to Prof. Dr. Schenkling,
Deutsches Entomol. Mus. VII.1914.

1 adult, 1 N to Prof. Dr. Gestro,
Museo Civico de Storia Nat., Genova
VII.1914.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2083	N	2083
		RML	110976
	<u>Dermacentor nigrolineatus</u> ♀'s		1 ♂, 4 ♀ <u>Dermacentor albipictus</u>
	Horse		Horse
	Mexico City, Mexico, Central America		Mexico City (19.24 N, 99.09 W), Mexico
	I.1913		I.1913
	[C. W. det. 1913]		
N	2084	N	2084
		RML	110977
	<u>Boophilus annulatus</u> ♀'s		1 ♂, 9 ♀ <u>Boophilus annulatus</u>
	Off?		Off?
	Agua Prieta, Sonora, Mexico, Central America		Argua Prieta (31.18 N, 109.34 W), Sonora, Mexico
			I.1913
			Date on vial label
N	2085, a, b	N	2085, b
		RML	110978
	(2085) <u>Boophilus annulatus</u> ♀'s		(2085) 16 ♀ <u>Boophilus microplus</u>
	(a) <u>Ornithodoros megnini</u>		(a) MISSING
	(b) <u>Dermacentor nitens</u> 1 ♀		(b) 1 ♀ <u>Anocentor nitens</u>
	Cattle, horses, & sheep		Cattle, horses, & sheep
	District of Federal Mexico, Mexico, Central America		Distrito Federal (19.15 N, 99.10 W), Mexico
	I.1913		I.1913
			Date on vial label
			Vial label for 2085 c lists host as horse.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2086	N 2086
		RML 110979
	<u>Amblyomma dissimile</u> 1 ♂	1 ♂ <u>Amblyomma dissimile</u>
	Bushmaster (<u>Lachesis mutus</u>)	<u>Lachesis mutus</u>
	Trinidad, West Indies	Trinidad
	7.III.1913	7.III.1913
	(Z. S. "37")	Cited: Robinson (1926: 167).
N	2087	N 2087
		RML 110980
	<u>Ixodes marxi</u> 3 ♀'s	3 ♀ <u>Ixodes marxi</u>
	Raccoon	<u>Procyon lotor</u>
	Montgomery Co., Alabama, U.S.A.	Montgomery Co. (32.23 N, 86.18 W), Alabama, U.S.A.
	III.1913	III.1913
	Sent by Professor C. A. Cary, State Veterinarian, Auburn, Ala., U.S. America 8.IV.1913	Sent by Professor C. A. Cary, State Veterinarian, Auburn, Ala., U.S. America 8.IV.1913.
		Cited: Nuttall (1916: 329) Cooley & Kohls (1945: 129) stated that Nuttall & Warburton (1911) listed <u>I. marxi</u> from raccoon in Montgomery County, Alabama. Because the collection date was 1913, Cooley & Kohls must have meant to cite the Nuttall (1916) reference.

Two tubes of ticks received from Dr. A.F.G. Kerr, Chiengmai, Siam,
Farther India, 8 April, 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2088	N	2088
		RML	110981
	<u>Amblyomma</u> sp. N's		2 N <u>Amblyomma</u> sp.
	Off "self" (human being)		<u>Homo sapiens</u>
	Coi Chieng Dao, N. Siam		Doi Chieng Dao, Thailand (locality not verified)
	28.I.1913		28.I.1913
	Dr. A. F. G. Kerr		Dr. A. F. G. Kerr
N	2089	N	2089
		RML	110982
	<u>Haemaphysalis wellingtoni</u> ♂'s		3 ♂ <u>Haemaphysalis wellingtoni</u>
	Turkey		Turkey
	Chiengmai, Siam		Chiang Mai (18.47 N, 98.59 E), Thailand
	10.XII.1912		10.XII.1912
	Mrs. Harris		Mrs. Harris
	1 ♂ to Dr. de Blieck, Java 22.I.1915		Nuttall & Warburton (1915; 482) listed 7 ♂ in the original collection.

Ticks received back from the Imperial Bureau of Entomology (per Mr. G.A.K. Marshall), London S.W., 8 April, 1913, ex Report No. 27 (Nos. 627-661a):-

N	2090	N	2090
		RML	110983
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		3 ♂, 1 ♀ <u>Hyalomma truncatum</u>
	Cattle (suspected to be infected with East Coast fever)		Cattle (suspected to be infected with East Coast fever)
	Marimba District, Nyasaland		Marimba District, Malawi (locality not verified)
	VIII.1912		VIII.1912
	Dr. J. C. Morgan ("627")		Dr. J. C. Morgan
	1 ♂, 1 ♀ to R. M. Mettam, Weybridge IV.1931. 1 ♂, 1 ♀ to H. S. Purchase IV.1931		
N	2091	N	2091
		RML	110984
	<u>Boophilus decoloratus</u> ♀'s		4 ♀ <u>Boophilus decoloratus</u>
	Cattle (suspected to be infected with East Coast fever)		Cattle (suspected to be infected with East Coast fever)
	Marimba District, Nyasaland		Marimba District, Malawi (locality not verified)
	VIII.1912		VIII.1912
	Dr. J. C. Morgan ("627a")		Dr. J. C. Morgan

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	2092		N	2092
			RML	110985
	<u>Rhipicephalus neavei</u> 1 ♀			1 N <u>Rhipicephalus</u> sp.
	Cattle (suspected to be infected with East Coast fever)			Cattle (suspected to be infected with East Coast fever)
	Marimba District, Nyasaland			Marimba District, Malawi (locality not verified)
	VIII.1912			VIII.1912
	Dr. J. C. Morgan			Dr. J. C. Morgan
	("627b")			
N	2093		N	2093 MISSING
	<u>Rhipicephalus evertsi</u> N's			
	Reed-buck			
	Muona, Ruo District, Nyasaland			
	17.X.1912			
	Dr. J.E.S. Old			
	("645")			
N	2094		N	2094
			RML	110986
	<u>Amblyomma variegatum</u> N's			8 N <u>Amblyomma variegatum</u>
	Water-buck			<u>Kobus ellipsiprymnus</u>
	Masengari, Ruo District, Nyasaland			Perhaps Masenjere (16.20 S, 35.06 E), Malawi
	23.IX.1912			23.IX.1912
	Dr. J.E.S. Old			Dr. J.E.S. Old
	("652")			

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2095	N	2095
		RML	110987
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s		5 ♂, 12 ♀ <u>Rhipicephalus evertsi</u>
	Reed-buck		<u>Redunca</u> sp.
	Nyasaland		Malawi
	21.IX.1912		21.IX.1912
	Dr. J.E.S. Old		Dr. J.E.S. Old
	("655")		
N	2096	N	2096 MISSING
	<u>Rhipicephalus evertsi</u> N's		
	Reed-buck		
	Masengari, Ruo District, Nyasaland		
	IX.1912		
	Dr. J.E.S. Old		
	("656")		
N	2097	N	2097 MISSING
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s		
	Reed-buck		
	Masengari, Ruo District, Nyasaland		
	23.IX.1912		
	Dr. J.E.S. Old		
	("657")		
	2 ♂, 2 ♀ to Prof. E. Brumpt, Paris		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2098

N 2098 MISSING

Rhipicephalus sanguineus ♂'s, ♀'s

Dog (bull-terrier bitch)

Bundajuma, N Sherbrs District,
Sierra Leone, West Africa

15.III.1913

Rec'd from Major E.D.H.
Fairtlough, Esq., C.M.G.,
D.S.O. 21.IV.1913Two tubes of ticks received from Dr. T. L. Bancroft, Eidsvold, Queensland,
Australia, 21 April, 1913:-

N 2099

N 2099

RML 110988

Boophilus australis ♀'s3 ♂, 8 ♀, 1 N Boophilus microplus

Cattle

Cattle

Burnett District, Queensland

Burnett District, Queensland,
Australia

III.1913

III.1913

Thomas Lane Bancroft (1860-1933) son
of Dr. Joseph Bancroft who confirmed
in 1876 microfilaria of Wuchereria
bancrofti in human blood. T. L.
Bancroft discovered the mode of trans-
mission of W. bancrofti from mosquito
to man. He was the father of all
research on dengue fever.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2100	N	2100
		RML	110989
	<u>Haemaphysalis bancrofti</u> 2 ♂, 5 ♀ TYPES	2 ♂, 5 ♀ <u>Haemaphysalis bancrofti</u> Lectotype and Paralectotypes	
	<u>Macropus dorsalis</u>	<u>Macropus dorsalis</u>	
	Burnett District, Queensland	Burnett District, Queensland Australia	
	III.1913	III.1913	
		Nuttall & Warburton (1915: 487) original description. Roberts (1963: 62) redescribed ♂, ♀ and N. Lectotype designated: Keirans & Brewster (1981: 159).	

130

Two tubes of ticks received from Dr T. L. Bancroft,
Eidsvold, Queensland, Australia, 21 April, 1913.

2099. *Bos. australis* ^{Fuller} ♀, off cattle, Burnett District,
Queensland, III. 1913.
2100. *Haem. bancrofti* ^{N.W. 1914} ~~2105~~ off *Inacopus dorsalis*, Burnett
District, Queensland, III. 1913. ^{Typhus!}

2. Four tubes of ticks received from Dr Oscar Pau,
(The Palang Consolidated Company, Ltd.), Sungai Lembing,
Kuantan, Federated Malay States, 21 April, 1913.

2102. *Bos. australis* ^{Fuller, 1897} ♀, off bullock, Sungai Lembing,
Kuantan, Palang, II. 1913.
2103. *Amb. testudinarium* ³⁵² ♀, off water buffaloes, Sungai Lembing,
^{Koch, 1844.} Kuantan, Palang, I. II. 1913.
2104. *Haem. cornigera* ^{Hm., 1897} ♂. } off wild pig, or tiger (shot
2105. *Haem. proxima* ^{Warb. & Rutt., 1902} } in jungle, Kuantan,
2106. *Haem. Lystrius* ^{Sapire, 1897} ♂. } Palang, I. 1913.
[R.B. Nos. 2104, 2105 + 2106 were found
mixed owing to tube breaking in transit]

2107. *Ovn. Calaje* 352 ♀ 20, found in camp-bed (in
folds of canvas), on the Rio Condoto,
tributary of the San Juan, Choco,
Republic of Colombia, S. America,
IX. 1912, having bitten the occupant
and collector severely. Presented by
the collector (Dr Samuel Sheppard)
in person, 23. IV. 1913.

Figure 2.--Sample page from volume 2 of the Nuttall tick catalogue.

Four tubes of ticks received from Dr. Oscar Pou, (The Pahang Consolidated Company, Ltd.), Sungei Lembing, Kuantan, Federated Malay States, 21 April, 1913:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2101	N 2101 OMITTED CATALOGUE NUMBER
N	2102	N 2102 RML 110990
	<u>Boophilus australis</u> ♀'s Bullock Sungei Lembing Kuantan, Pahang	17 ♀ <u>Boophilus microplus</u> Bullock Sungai Lembing (03.55 N, 103.02 E) Pahang, Malaysia
	II.1913	II.1913
N	2103	N 2103 RML 110991
	<u>Amblyomma testudinarium</u> 3 ♂, 2 ♀ Water buffalo Sungei Lembing, Kuantan, Pahang	3 ♂, 2 ♀ <u>Amblyomma testudinarium</u> <u>Bubalus bubalis</u> Sungai Lembing (03.55 N, 103.02 E), Pahang, Malaysia
	1.II.1913	1.II.1913 Cited: Robinson (1926: 257).
N	2104	N 2104 RML 110992
	<u>Haemaphysalis cornigera</u> ♂'s Wild pig or tiger (shot in jungle) Kuantan, Pahang	4 ♂ <u>Haemaphysalis cornigera</u> Wild pig or tiger (shot in jungle) Kuantan (03.48 N, 103.20 E), Pahang, Malaysia
	I.1913	I.1913 Dr. H. F. Conyngham
	[N.B. Nos. 2104, 2105 & 2106 were found mixed owing to tube breaking in transit]	Collector's name taken from vial label Cited: Nuttall & Warburton (1915: 503).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2105	N	2105
		RML	110993
	<u>Haemaphysalis proxima</u> 2 ♀'s		3 ♀ <u>Haemaphysalis cornigera</u>
	Wild pig or tiger (shot in jungle)		Wild pig or tiger (shot in jungle)
	Kuantan, Pahang		Kuantan (03.48 N, 103.20 E), Pahang, Malaysia
	I.1913		I.1913
	[N.B. Nos. 2104, 2105 & 2106 were found mixed owing to tube breaking in transit]		Cited: Nuttall & Warburton (1915: 503).
N	2106	N	2106
		RML	22298
	<u>Haemaphysalis hystricis</u>		6 ♂, 1 ♀ <u>Haemaphysalis semermis</u> 1 ♀ <u>Haemaphysalis calvus</u> 1 ♀ <u>Haemaphysalis longicornis</u>
	Wild pig or tiger (shot in jungle)		Wild pig or tiger (shot in jungle)
	Kuantan, Pahang		Kuantan (03.48 N, 103.20 E), Pahang, Malaysia
	I.1913		I.1913
	[N.B. Nos. 2104, 2105 & 2106 were found mixed owing to tube breaking in transit]		The H. <u>semermis</u> collection cited by Hoogstraal et al (1965b: 435).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2107	N	2107
		RML	110994
	<u>Ornithodoros talaje</u> 3 ♂, 2 ♀, 2 N		3 ♂, 1 ♀, 2 N <u>Ornithodoros talaje</u>
	Camp bed (in folds of canvas)		Camp bed (in folds of canvas)
	Rio Condoto, tributary of the San Juan, Choco, Republic of Colombia, S. America		Rio Condoto, tributary of the San Juan, Departamento del Choco (06.00 N, 77.00 W), Colombia
	IX.1912		IX.1912
	Dr. Samuel Shepheard		Dr. Samuel Shepheard
	Having bitten the occupant and collector severely, presented by the collector in person 23.IV.1913.		

Ticks sent to me by Geheimrath W. Dönitz of Berlin 30.V.1911 (see letter) being his type material of the species named. Unless they are reclaimed by his representatives in the future I propose that they be retained in our collection where they will be more useful than elsewhere. I think this would have been in accordance with Dönitz's wishes. He died 12.III.1912. (See my "In Memoriam" in Parasitology vol. V No. 4. G.H.F.N. 24.IV.1913:-)

N	2108	N	2108
		RML	110995
	<u>Rhipicephalus glyphis</u> 1 ♂ TYPE (pinned)		1 ♂ <u>Rhipicephalus lunulatus</u>
	<u>Wasserschwein</u>		<u>Wasserschwein</u>
	Lake Tanganyika		Lake Tanganyika (06.00 S, 29.30 E), Tanzania
	(There must be a second ♂ in Berlin of this lot.)		Dönitz (1910b: 278) original description. Warburton (1912: 19) synonymized <u>R. glyphis</u> with <u>R.</u> <u>lunulatus</u> , the latter considered by Warburton to be a subspecies of <u>R. simus</u> .

ORIGINAL DETERMINATIONCURRENT STATUS

N 2109

Rhipicephalus kochi 1 ♂ (on slide) unique type

Cattle

Saadani, German East Africa

(Unfortunately charred somewhat by Dönitz in photographing it, but still shows spec. characters)
[mounted on a slide, dry, in cell]

N 2109

RML 110996

1 ♂ Rhipicephalus kochi

Cattle

Sadani (06.03 S, 38.47 E), Tanzania

Dönitz (1905: 106) original description. Cited: Clifford et al (1983: 77,78).

N 2110

Rhipicephalus follis 2 ♂

Off undet. host

German S.W. Africa

Knuth

(In his letter Dö. states they were formerly pinned. The white border to festoons has disappeared in alcohol but will doubtless reappear if specimens are again dried.) He described the species from these 2 types.

N 2110

RML 111463

2 ♂ Rhipicephalus follis (Syntypes)
1 ♂ Rhipicephalus follis (probably not a Syntype)

Off undet. host

Namibia

Knuth

Dönitz (1910a: 481) original description.
The ♂ without the pinhole may have been added inadvertently by an investigator comparing his specimen with the types.

N 2111

N 2111 OMITTED CATALOGUE NUMBER

ORIGINAL DETERMINATIONCURRENT STATUS

N 2112

N 2112

RML 110997

Amblyomma dissimile ♂'s, ♀'s,
N's, L18 ♂, 4 ♀, 6 N, 1 L Amblyomma dissimile

Iguana

Iguana

Trinidad, Brit. West Indies

Trinidad

Rec'd 29.IV.1913

Rec'd 29.IV.1913

Rec'd from Prof. P. Carmody

Rec'd from Prof. P. Carmody

[2 ♂ mounted in cells with
Amblyomma spp.]

Cited: Robinson (1926: 167).

1 ♂, 1 ♀ to Dr. S. Hadwen, Brit.
Columbia, Canada 10.X.1913.
1 ♂, 1 ♀ to Dr. E. Pavlovsky,
Leningrad 9.X.1925.Ticks received from Dr. T. L. Bancroft, Eidsvold, Queensland, Australia,
5 May, 1913:-

N 2113

N 2113 MISSING

Aponomma gervaisi var lucasi ♂'sVaranus gouldii

Burnett River, Queensland

III.1913

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2114	N	2114
		RML	110998
	<u>Haemaphysalis bancrofti</u> 1 ♀, 1 N COTYPES		1 ♀, 1 N <u>Haemaphysalis bancrofti</u> Paralectotypes
	"Crawling on trousers"		"Crawling on trousers"
	Brigaton Scrub, Burnett, Queensland		Brigaton Scrub, Burnett, Queensland, Australia (locality not verified)
	III.1913		III.1913
			Dr. T. L. Bancroft
	[tarsus 4 of N in balsan on a slide]		Slide present Nuttall & Warburton (1915: 487) original description. Paralectotypes designated: Keirans & Brewster (1981: 159).
N	2115	N	2115
		RML	110999
	<u>Haemaphysalis bancrofti</u> 1 ♂ COTYPE		1 ♂ <u>Haemaphysalis bancrofti</u> Paralectotype
	Kanderoo (<u>Macropus giganteus</u>)		<u>Macropus giganteus</u>
	Burnett District, Queensland		Burnett District, Queensland, Australia (locality not verified)
	III.1913		III.1913
			Dr. T. L. Bancroft
			Nuttall & Warburton (1915: 487) original description. Paralectotype designated: Keirans & Brewster (1981: 159).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2116	N	2116
		RML	111000
	<u>Haemaphysalis papuana</u> 1 ♂		1 ♂ <u>Haemaphysalis papuana</u>
	Pariah dog		Pariah dog
	"Kampong, China" near Kota Bharu, Kelantan, Fed. Malay States		Probably Kampong China (04.11 N, 100.41 E) near Kota Bharu (04.24 N, 101.05 E), Malaysia
	17.III.1913		17.III.1913
	Rec'd from Dr. John D. Gimlette 5.V.1913		Rec'd from Dr. John D. Gimlette 5.V.1913
			Cited: Nuttall & Warburton (1915: 405), fig. 339; Trapido et al (1964a: 173, 178).
N	2117, a	N	2117, a
		RML	111001
	(2117) <u>Dermacentor reticulatus</u> 1 ♂		(2117) 1 ♂ <u>Dermacentor niveus</u>
	(a) <u>Hyalomma aegyptium</u> ♂'s, ♀'s		(a) 3 ♂, 6 ♀ <u>Hyalomma marginatum</u>
	<u>Tamarix gallica</u>		<u>Tamarix gallica</u>
	Pina, Zaragoza, Spain		Pina de Ebro (41.29 N, 00.32 W), Provincia de Zaragoza, Spain
	IV.1913		IV.1913
	Rec'd from Dr. Longin Navas, 28.IV.1913		Rec'd from Dr. Longin Navas, 28.IV.1913
	Note:- <u>Tamarix gallica</u> is often used as a hedge - a shrub or small tree.		

Three tubes of ticks received from Dr. H. F. Conyngham, Sandakan, British North Borneo, 7 May, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2118	N 2118
		RML 22295, 69994
	<u>Haemaphysalis cornigera</u> ♂'s, ♀'s	23 ♂, 7 ♀ <u>Haemaphysalis cornigera</u> (RML 22295) 1 ♂ <u>Haemaphysalis borneata</u> (RML 69994) Holotype
	Sambar deer	<u>Cervus unicolor brookei</u>
	Bode River, Sandakan Bay	Bode River (05.41 N, 117.57 E), Sandakan Harbor, Sabah, Malaysia
	IV.1913	IV.1913
	1 ♂, 1 ♀ to Dr. de Blieck, Java 22.I.1915	Dr. H. E. Conyngham Collectors name with middle initial E. from vial label. Nuttall's catalogue, his book containing names of donor's to his tick collection, and Nuttall & Warburton (1915: 503) all list it as F. Hoogstraal (1971: 1096) original description of <u>H. borneata</u> .
N	2119, a, b	N 2119, a, b
		RML 111002
	(2119) <u>Boophilus australis</u> ♂'s, ♀'s	(2119) 7 ♂, 24 ♀ <u>Boophilus microplus</u>
	(a) <u>Amblyomma testudinarium</u> 2 ♂'s	(a) 2 ♂ <u>Amblyomma testudinarium</u>
	(b) <u>Haemaphysalis cornigera</u> ♂, ♀	(b) 1 ♂, 1 ♀ <u>Haemaphysalis cornigera</u>
	Water buffalo	<u>Bubalus bubalis</u>
	Labuk River, N. B. Borneo	Labuk River (05.55 N, 117.37 E), Sabah, Malaysia
	10.XII.1912	10.XII.1912
		Dr. H. F. Conyngham
		Cited: Nuttall & Warburton (1915: 503); Robinson (1926: 257).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2120, a	N	2120, a
RML	111003	(2120) 2 ♀ <u>Haemaphysalis proxima</u> 2 ♀ (a) <u>Haemaphysalis calvus</u> 3 ♂, 1 ♀ TYPE	(2120) 2 ♀ <u>Haemaphysalis cornigera</u> (a) 3 ♂, 1 ♀ <u>Haemaphysalis calvus</u> Lectotype & paralectotype
Buffaloes	Buffaloes	Sekong River, Sandakan	Sekong River, Sandakan (05.50 N, 118.05 E), Sabah, Malaysia
Sekong River, Sandakan		IV.1913	19.IV.1913
IV.1913		Dr. H. F. Conyngham	
		Nuttall & Warburton (1915: 503) original description of <u>H. calvus</u> . The vulva of 2120a has been removed and mounted on a slide. 2120 cited: Nuttall & Warburton (1915: 503); Hoogstraal & Wassef (1981: 119, 120). Lectotype designated: Keirans & Brewster (1981: 160).	
N	2121	N	2121
		RML	111004
<u>Haemaphysalis</u> sp. nymphs	14 N <u>Haemaphysalis</u> sp.		
Jungle fowl (<u>Gallus gallus</u>)	<u>Gallus gallus</u>		
Yambung (1100 ft.), India	Yambung, India (335 m) (locality not verified).	II.1912	II.1912
II.1912		S. W. Kemp	S. W. Kemp
S. W. Kemp		(Abor Expedition) [Indian Museum <u>1245</u>] <u>17</u>	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2122	N	2122
		RML	111005
	<u>Haemaphysalis</u> sp. nymphs		3 N <u>Haemaphysalis</u> sp.
	Off grass sweepings		Off grass sweepings
	Upper Rotung (2000 ft.) India		Perhaps Rotung (28.08 N, 95.12 E), India (610 m)
	II.1912		II.1912
	S. W. Kemp		S. W. Kemp
	(Abor Expedition)		
	[Indian Museum $\frac{1246}{17}$]		

Collection of ticks received from Dr. J. Y. Wood, Medical Officer, Kaballa, Koinadugu District, Sierra Leone Protectorate, West Africa, 9 April, 1913:-

N 2123 N 2123 MISSING

Boophilus decoloratus ♂'s, ♀'s

Dog

Mabonto, Sierra Leone

14.II.1913

16.IV.1913 sent back specimens of
"2a, 10, 11a, 20a, 21a"

N.B. All Boophilus of this
collection seem to unite
decoloratus and australis.

Hypostomes are mostly 4/4, but
the projection on article 1 of the
palps is present & the ♂ anal
plates are distinctly of the
decoloratus type. See especially
N 2137.

C.W. & G.H.F.N.

"1" [these are Wood's numbers.-
J.E.K.]

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2124, a	N	2124a
		RML	111006
(2124)	<u>Boophilus decoloratus</u> ♂, ♀'s	(2124)	MISSING
(a)	<u>Rhipicephalus simus</u> ♀	(a) 1 ♀	<u>Rhipicephalus senegalensis</u>
	Cattle	Cattle	
	Mabonto, Sierra Leone		Either Mabonto (08.38 N, 12.37 W) or (08.52 N, 11.49 W), Sierra Leone
	14.II.1913		14.II.1913
			J. Y. Wood
"2"			Dr. Wood's initials are given both as J. Y. and J. J.
N	2125	N	2125 MISSING
	<u>Boophilus decoloratus</u> ♂, N's		
	Dog		
	Dean Securella, Sierra Leone		
	19.II.1913		
	"3"		
N	2126	N	2126 MISSING
	<u>Boophilus decoloratus</u> ♂'s, ♀'s, N's		
	Sheep		
	Securella, Sierra Leone		
	22.I.1913		
	"4"		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2127	N	2127 MISSING
	<u>Boophilus decoloratus</u> N's		
	Cows		
	Foniba, Sierra Leone		
	24.I.1913		
	"5"		
N	2128	N	2128 MISSING
	<u>Boophilus decoloratus</u> ♂'s, ♀'s & N's		
	Goats		
	Farandugo, Sierra Leone		
	18.I.1913		
	"6"		
N	2129	N	2129
		RML	111007
	<u>Rhipicephalus sanguineus</u> ♂'s & ♀'s		1 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Koinadugu, Sierra Leone		Koinadugu (09.32 N, 11.22 W), Sierra Leone
	17.I.1913		17.I.1913
			J. Y. Wood
	"7"		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2130	N 2130 MISSING
	<u>Boophilus decoloratus</u> ♂, ♀, N	
	Dog	
	Kamadugu, Sierra Leone	
	21.I.1913	
	"8"	
N	2131	N 2131
		RML 111008
	<u>Boophilus decoloratus</u> ♀'s, N's	6 ♀, 3 N <u>Boophilus geigyi</u>
	Sheep	Sheep
	Kondembia, Sierra Leone	Either Kondembia (09.09 N, 11.13 W) or (09.23 N, 11.34 W), Sierra Leone
	24.I.1913	24.I.1913
		J. Y. Wood
	"9"	
N	2132	N 2132 MISSING
	<u>Boophilus decoloratus</u> ♂'s, ♀'s, N's	
	Cattle	
	Waia, Sierra Leone	
	8.II.1913	
	"10"	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2133, a	N	2133a
		RML	111009
(2133)	<u>Boophilus decoloratus</u> ♂'s, ♀'s	(2133)	MISSING
(a)	<u>Amblyomma</u> sp. N	(a)	4 N <u>Amblyomma variegatum</u>
	Goats		Goats
	Kondembia, Sierra Leone		Either Kondembia (09.09 N, 11.13 W) or (09.23 N, 11.34 W), Sierra Leone
	24.I.1913		24.I.1913
			Dr. J. Y. Wood
	"11"		
N	2134	N	2134, a
		RML	111010
	<u>Rhipicephalus sanguineus</u> ♀	(2134)	2 ♀ <u>Rhipicephalus sanguineus</u>
		(a)	1 N <u>Amblyomma variegatum</u>
	Dogs		Dogs
	Kamadugu, Sierra Leone		Kamadugu (08.48 N, 11.41 W), Sierra Leone
	21.I.1913		21.I.1913
	"12"		N 2134a was not entered in the catalogue
N	2135	N	2135
		RML	111011
	<u>Amblyomma</u> sp. N	1 N	<u>Amblyomma variegatum</u>
	Goat		Goat
	Kamadugu, Sierra Leone		Kamadugu (08.48 N, 11.41 W) Sierra Leone
	21.I.1913		21.I.1913
			Dr. J. Y. Wood
	"13"		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2136, a	N 2136, a
		RML 111012
(2136)	<u>Boophilus decoloratus</u> ♀	(2136) 7 ♀ <u>Boophilus geigyi</u>
(a)	<u>Amblyomma</u> sp. N	(a) 1 N <u>Amblyomma variegatum</u>
Goat		Goat
Dean Securella, Sierra Leone		Dean Securella, Sierra Leone (locality not verified)
22.I.1913		22.I.1913
"14"		Dr. J. Y. Wood
N	2137	N 2137 MISSING
		<u>Boophilus decoloratus</u> ♂'s, ♀'s, N's
Cattle		
Kumala, Sierra Leone		
21.I.1913		
"15"		
N	2138	N 2138
		RML 111013
<u>Boophilus decoloratus</u>		2 ♂, 118 ♀ <u>Boophilus geigyi</u>
Cattle		4 N <u>Amblyomma variegatum</u>
Koinadugu, Sierra Leone		Cattle
17.I.1913		Koinadugu (09.32 N, 11.22 W), Sierra Leone
"16"		17.I.1913
		J. Y. Wood

ORIGINAL DETERMINATIONCURRENT STATUS

N	2139	N	2139
		RML	111014
	<u>Boophilus decoloratus</u>		9 ♂, 112 ♀ <u>Boophilus geigyi</u>
	Cow		Cow
	Kumala, Sierra Leone		Kumala (09.04 N, 11.24 W), Sierra Leone
	21.II.1913		21.II.1913
			J. Y. Wood
	"17"		
N	2140	N	2140
		RML	111015
	<u>Boophilus decoloratus</u>		9 ♀ <u>Boophilus geigyi</u> 2 N <u>Amblyomma variegatum</u>
	Cows		Cows
	Dean Securella, Sierra Leone		Dean Securella, Sierra Leone (locality not verified)
	22.I.1913		22.I.1913
	"18"		
N	2141	N	2141 MISSING
	<u>Boophilus decoloratus</u>		
	Cows		
	Alakalia, Sierra Leone		
	24.II.1913		
	"19"		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2142, a	N 2142a
RML		111016
(2142)	<u>Boophilus decoloratus</u>	(2142) MISSING
(a)	<u>Amblyomma variegatum</u> ♂, ♀	(a) 1 N <u>Amblyomma variegatum</u>
Cattle		Cattle
Farandugu, Sierra Leone		Farandugu (09.29 N, 11.27 W), Sierra Leone
18.I.1913		18.I.1913
"20"		Dr. J. Y. Wood
N	2143, a	N 2143a
RML		111017
(2143)	<u>Boophilus decoloratus</u>	(2143) MISSING
(a)	<u>Rhipicephalus falcatus</u> ♂, ♀	(a) 2 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
Cattle		Cattle
Kondembia, Sierra Leone		Either Kondembia (09.09 N, 11.13 W) or (09.23 N, 11.34 W) Sierra Leone
24.I.1913		24.I.1913
"21"		J. Y. Wood
N	2144, a, b	N 2144, a, b
RML		111018
(2144)	<u>Boophilus decoloratus</u>	(2144) 2 ♀ <u>Boophilus geigyi</u>
(a)	<u>Amblyomma</u> sp. N	(a) 2 N <u>Amblyomma variegatum</u>
(b)	<u>Rhipicephalus falcatus</u> ♀'s	(b) 2 ♀ <u>Rhipicephalus senegalensis</u>
Cattle		Cattle
Kondembia, Sierra Leone		Either Kondembia (09.09 N, 11.13 W) or (09.23 N, 11.34 W), Sierra Leone
24.I.1913		24.I.1913
"22"		Dr. J. Y. Wood

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2145	N	2145
		RML	111019
	<u>Boophilus decoloratus</u>		21 ♀ <u>Boophilus geigyi</u>
	Cows		Cows
	Alakalia, Sierra Leone		Alidalia (09.10 N, 11.24 W), Sierra Leone
	24.II.1913		22.II.1913
	"23"		
N	2146, a	N	2146a
		RML	111020
	(2146) <u>Boophilus decoloratus</u>		(2146) MISSING
	(a) <u>Amblyomma</u> sp. N		(a) 1 N <u>Amblyomma variegatum</u>
	Cows		Cows
	Kamadugu, Sierra Leone		Kamadugu (08.48 N, 11.41 W), Sierra Leone
	21.I.1913		21.I.1913
	"24"		
N	2147	N	2147
		RML	111021
	<u>Boophilus</u> sp.		4 ♂, 21 ♀ <u>Boophilus geigyi</u>
	Sheep		Sheep
	Kumala, Sierra Leone		Kumala (09.04 N, 11.24 W), Sierra Leone
	21.II.1913		21.II.1913
			J. Y. Wood
	"25"		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2148

N 2148

RML 111022

Boophilus sp.1 ♂, 35 ♀ Boophilus geigyi

Cattle

Cattle

Koinadugu, Sierra Leone

Koinadugu (09.32 N, 11.22 W), Sierra Leone

17.I.1913

17.I.1913

"26"

ORIGINAL DETERMINATIONCURRENT STATUS

N 2149

N 2149

RML 111023

Rhipicephalus appendiculatus
♂'s & ♀'s

24 vials of Rhipicephalus appendiculatus
as follows: 34♂, 37 ♀; 86♂, 82♀;
42♀; 72♀; 37 ♂; 13 ♀; 112 ♂; 9 ♀;
224 ♀; 14 N; 122 N; 4 N; 276 N; 321 N;
+600 N; 5 N, 16 L; 336 L; +1000 L;
+1000 L; 4 ♀ dry in token tube; 72 ♂
dry in token tube; 1 vial of eggs in
separate egg jar

Calf

Cape Colony, S. Africa

Cape Colony, Republic of South Africa

Rec'd 10.XI.1910

Rec'd 10.XI.1910

Rec'd from Mr. C. P. Lounsbury

Rec'd from Mr. C. P. Lounsbury

[Used for East Coast Fever
investigations I raised through
several generations]
(See Parasitology, vol. VI, p. 111)
et seq.

Rearing cycle study at Cambridge,
England
Cited: Nuttall (1913d: 111)
(1913e: 197).

[2 slides, balsam mounts (I)
♂ ♀ (II) larvae]

1 ♂, ♀'s, N's, L's to Prof. Dr. Dahl, Berlin Museum VII.1914.
1 ♂, ♀'s, N's, L's to Prof. Dr. S. Schenkling, Deutsches Entomol. Mus. VII.1914.
1 ♂, 1 ♀ to Dr. E. Roubaud, Institute Pasteur, Paris 12.X.1922.
1 ♂, 1 ♀ to Prof. J. Hjort Univ. Christiana Norway, 12.X.1922.
1 ♂, 1 ♀ to Dr. A. Watkins Pitchford, Army Vet. Sch. Thorhill, Aldershot 12.X.1922.
1 ♂, 1 ♀ to L.P.W. Renouf, Biol. Dept. Univ. Coll., Cork, Ireland 12.X.1922.
1 ♂, 1 ♀ to W. A. Pool, Indian Civil Veterinary Dept. 12.X.1922.
1 ♂, 1 ♀ to Dr. Wm. Parry Morgan, Publ. Hlth. Dept., Cardiff, Wales 12.X.1922.
1 ♂, 1 ♀ to J.E.M. Mellor, Malvern, Coll., Malvern 12.X.1922.
1 ♂, 1 ♀ to Prof. A. Bettencourt, Inst. Camara Pestana, Lisbon 7.XI.1922.
1 ♂, 1 ♀ to Prof. E. Brumpt, Ecole Medicine, Paris 12.X.1922.
1 ♂, 1 ♀ to I. C. Ross, Sydney University, Australia.
♂'s, ♀'s to Dr. E. Pavlovsky, Leningrad 9.X.1925.
All stages to Prof. R. A. Cooley, Montana V.1928.
2 ♂, 2 ♀ to Dr. A. C. Reed, San Francisco 30.V.1929.
2 ♂, 2 ♀ to Prof. J. Drbohlav, Prague 30.V.1929.
LL♂'s to R. W. Mettam, Weybridge IV.1931.
LL's to H. S. Purchase IV.1931.
1 ♂, 1 ♀ to Prof. D'Arcy Thompson XI.1931.
2 ♂, 2 ♀ to Prof. R. Matheson, Cornell 27.V.1929.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2150	N	2150
		RML	111024
	<u>Hyalomma aegyptium</u> 1 ♂		1 ♂ <u>Hyalomma anatolicum</u> <u>anatolicum</u>
	Bullock		Bullock
	Lahore, Punjab, India		Lahore (31.35 N, 74.18 E), Pakistan
	Sent 2.IV.1913		Sent 2.IV.1913
	K. Walker		K. Walker
	Sent by Major G. N. Mather, C.V.D.		This specimen is in a jar marked "Tick Abnormalities."
			Cited and figured: Nuttall (1914a: 257) who listed the tick as being sent by Major J. N. Mathers.
N	2151	N	2151
		RML	111025
	<u>Haemaphysalis punctata</u> ♀'s		3 ♀ <u>Haemaphysalis punctata</u>
	Sheep		Sheep
	Lydd, Kent		Lydd (50.57 N, 00.55 W), Kent, England
	13.III.1905		13.III.1905
	C. T. Sellens		C. T. Sellens
			1 ♀ of this collection in a jar marked "Tick Abnormalities" Cited: Warburton & Nuttall (1909: 71).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2152	N 2152
		RML 111026
	<u>Haemaphysalis punctata</u> ♀'s	3 ♀ <u>Haemaphysalis punctata</u>
	Sheep	Sheep
	Littlebourne, Kent	Littlebourne (51.16 N, 01.10 E), Kent, England
	15.IV.1905	15.IV.1905
		All specimens in a jar marked "Tick Abnormalities." Cited: Warburton & Nuttall (1909: 71).
N	2153	N 2153 MISSING
	<u>Haemaphysalis bispinosa</u> ♂	
	"22b" from India	
	No other data [Mentioned in <u>Parasitology</u> vol. V, p. 70 (foot)]	
N	2154	N 2154 MISSING
	<u>Amblyomma hebraeum</u> 2 ♀'s Laying large numbers of eggs	
	Rec'd 12.V.1913	
	Rec'd from Messrs. Wm. Cooper & Nephews, Terminus Street, East London, South Africa [Used for raising experiments.]	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2155	N 2155
		RML 111027
	<u>Ornithodoros lahorensis</u> nymphs	7 N <u>Ornithodoros lahorensis</u>
	Sharpo (<u>Ovis vignei</u>)	<u>Ovis orientalis vignei</u>
	Gilgit, Kashmir, India	Gilgit (35.55 N, 74.18 E), Kashmir, India
	20.III.1913	20.III.1913
	Rec'd from Captain G. D. Franklin, 12 May, 1913	Rec'd from Captain G. D. Franklin, 12 May, 1913
	(C. W. det. 1917)	
N	2156, a	N 2156
		RML 111028
	(2156) <u>Dermacentor niveus</u> ♂ & ♀	(2156) 11 vials of <u>Dermacentor niveus</u> as follows: 2 ♂; 3 ♀; 12 N; 40 L; 4 ♂, 5 ♀, 7 N; 3 ♀; 24 L; 21 N; 124 L; 50 ♂, 86 ♀; 9 ♂, 7 ♀, 7 N.
	(a) <u>Hyalomma aegyptium</u>	(a) MISSING
	<u>Tamarix gallica</u> (shrub)	<u>Tamarix gallica</u>
	Pina, Zaragoza, Spain	Pina de Ebro (41.29 N, 00.32 W) Provincia de Zaragoza, Spain
	12.V.1913	12.V.1913
	Rec'd from Dr. Longin Navas, Colegio del Salvador, Zaragoza, 16.V.1913	Rec'd from Dr. Longin Navas, Colegio del Salvador, Zaragoza, 16.V.1913
	[♂ & ♀ 2156 painted alive by Wilson. Placed on sheep, copulated, ♂ lost, ♀ oviposited, eggs fertile, progeny being raised G.H.F.N.]	Ticks raised on ram at Cambridge Cited: Nuttall (1915: 421); Cited & Figured: Nuttall (1920: 2, pl II, figs. 4,5).

Five tubes of ticks received from P. A. Buxton, Esq., Trinity College, Cambridge, 16 May, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2157	N 2157
		RML 111029
	<u>Ixodes brunneus</u> ♀	1 N <u>Ixodes ricinus</u>
	<u>Hawfinch Coccothraustes c. burryi</u>	<u>Coccothraustes c. burryi</u>
	Hammam-Meskoutine, E. Algeria, N. Africa	Hammam Meskoutine (36.27 N, 07.16 E), Algeria
	31.III.1913	31.III.1913
	P. A. B.	Patrick Alfred Buxton (1892-1955) Diploma in tropical medicine 1921, Entomologist in Palestine and 2 years later to Samoa. Well known Medical Entomologist and author of books on The Louse, History of Tsetse Flies and Memoirs on Trypanosomiasis in Eastern Africa. Cited: Nuttall (1916: 325).
N	2158	N 2158
		RML 111030
	<u>Rhipicephalus (Pterygodes)</u> <u>fulvus</u> N's	20 N, 1 L <u>Rhipicephalus fulvus</u>
	Gundi (<u>Ctenodactylus gundi</u>) a rodent	<u>Ctenodactylus gundi</u>
	E1 Kantara, Algeria, N. Africa	E1 Kantara (35.13 N, 05.43 E), Algeria
	14.IV.1913	14.IV.1913
	P. A. B.	P. A. Buxton

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2159	N	2159
		RML	111031
	<u>Hyalomma syriacum</u> ♂'s	6 ♂ <u>Hyalomma aegyptium</u>	
	Tortoise (<u>Testudo</u> sp.)	<u>Testudo</u> sp.	
	Hammam-Meskoutine, E. Algeria, N. Africa	Hammam Meskoutine (36.27 N, 07.16 E), Algeria	
	1.IV.1913	1.IV.1913	
	P. A. B.	P. A. Buxton	
N	2160	N	2160 MISSING
	<u>Ixodes ricinus</u> ♀		
	Crested Lark		
	Hammam-Meskoutine, E. Algeria, N. Africa		
	31.III.1913		
	P. A. B.		
N	2161	N	2161
		RML	111032
	<u>Hyalomma</u> sp. N	1 N <u>Hyalomma</u> sp.	
	Sand plover (<u>Aegialitis cantiana</u>)	<u>Charadrius alexandrinus</u>	
	Garaet Achkal, N.E. Tunisia, N. Africa	Qar'at al Ashkal (37.10 N, 09.40 E) Banzart, Tunisia	
	26.III.1913	26.III.1913	
	P. A. B.	P. A. Buxton	

Ticks received from Dr. O. Wagner, Successor de J. Meyer, Botica Inglesa, Union-Espaderos, Lima, Peru, S. America:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2162	N	2162
		RML	111033
	<u>Boophilus australis</u> ♀'s		15 ♀ <u>Boophilus annulatus</u>
	Cattle		Cattle
	Lima, Peru		Lima (12.03 S, 77.03 W), Peru
	II.1913		II.1913
			See remark under N 1830
N	2163	N	2163
		RML	111034
	<u>Boophilus australis</u> ♀'s		17 ♀ <u>Boophilus annulatus</u>
	Cattle		Cattle
	Lima, Peru		Lima (12.03 S, 77.03 W), Peru
	II.1913		II.1913
			See remark under N 1830
N	2164	N	2164
		RML	111035
	<u>Ixodes hexagonus</u> 1 ♀, 2 N's, 2 L		1 ♀, 2 N, 1 L <u>Ixodes hexagonus</u>
	White ferret		<u>Mustela furo</u>
	White House Farm, Gresford, near Wrexham, North Wales		White House Farm, Gresford (53.05 N, 02.58 W), Wales
	19.V.1913		19.V.1913
	Sent by Miss G. D. Hay, 21.V.1913		Sent by Miss G. D. Hay, 21.V.1913
			Cited: Nuttall (1916: 328).

ORIGINAL DETERMINATIONCURRENT STATUS

N 2165

N 2165 MISSING

Haemaphysalis sp. 6 larvae
(mounted in balsam)

Parents off cattle?

North Island, New Zealand

IV.1913

Rec'd from C. J. Reakes, Esq.,
Officer in Charge, Veterinary
Laboratory, Dept. of Agriculture,
Industries & Commerce,
Wallaceville, New Zealand,
20 May, 1913. [a slide]

Five tubes of ticks received from E. A. Copeman, Esq., Broken Hill, N. Rhodesia,
British Central Africa, 24 May, 1913:-

N 2166

N 2166 MISSING

Ornithodoros moubata

Human beings (natives)

Broken Hill, N. Rhodesia

II-III.1913

[Native name Mkufu]

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2167, a	N	2167
		RML	111036
(2167) <u>Boophilus decoloratus</u> ♀'s (a) <u>Amblyomma variegatum</u> 2 ♂, 1 ♀		(2167) 8 ♀ <u>Boophilus decoloratus</u> (a) MISSING	
Cattle		Cattle	
Broken Hill, N. Rhodesia		Kabwe (14.27 S, 28.27 E), Zambia	
III.1913		III.1913	
♀'s to Dr. K. F. Meyer, Univ. California, Berkeley 15.XI.1913. Some (sex/stage not stated) to Prof. O. Duboscq, Montpellier, France 10.II.1914.			
N	2168	N	2168 MISSING
<u>Hyalomma aegyptium</u> ♂, ♀'s			
Sheep			
Broken Hill, N. Rhodesia			
IV.1913			
N	2169 a, b	N	2169, a, b
		RML	111037
(2169) <u>Rhipicephalus sulcatus</u> ♂'s, ♀'s (a) <u>Ixodes rubicundus</u> 3 ♀'s (b) <u>Haemaphysalis leachi</u> 2 ♀'s		(2169) 13 ♂, 29 ♀ <u>Rhipicephalus sulcatus</u> (a) 3 ♀ <u>Ixodes cavipalpus</u> (b) 2 ♀ <u>Haemaphysalis leachi</u>	
Dogs		Dogs	
Broken Hill, N. Rhodesia		Kabwe (14.27 S, 28.27 E), Zambia	
II-III.1913		II-III.1913	
R. <u>sulcatus</u> compared 18.VI.1914 with R. <u>sulcatus</u> 1 ♂, 1 ♀ types No. 1439 in Neumann's coll., our ♂ identical but smaller = R. <u>sanguineus</u> var. <u>sulcatus</u> (Nn) Warb. & Nutt.		2169a cited: Nuttall (1916: 333). 2169b cited: Nuttall & Warburton (1915: 470).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2170, a-c	N	2170, c
		RML	111038
	(2170) <u>Amblyomma variegatum</u> ♂'s, ♀'s		(2170) 25 ♂, 5 ♀ <u>Amblyomma variegatum</u>
	(a) <u>Rhipicephalus evertsi</u> ♂'s, ♀'s		(a) MISSING
	(b) <u>Hyalomma aegyptium</u> 1 ♀		(b) MISSING
	(c) <u>Boophilus decoloratus</u> ♀'s		(c) 10 ♀ <u>Boophilus decoloratus</u>
	Sheep		Sheep
	Broken Hill, N. Rhodesia		Kabwe (14.27 S, 28.27 E), Zambia
	II-III.1913		II-III.1913
	1 ♂, 1 ♀ <u>R. evertsi</u> to J. de Meza, Zomba, Nyasaland 19.II.1916		Vial label for <u>Boophilus decoloratus</u> collection incorrectly reads 2170b.
N	2171, a	N	2171, a
		RML	111039
	(2171) <u>Hyalomma aegyptium</u> ♂, ♀'s		(2171) 5 ♂, 4 ♀ <u>Hyalomma marginatum</u>
	(a) <u>Rhipicephalus sanguineus</u> ♀'s		(a) 9 ♀ <u>Rhipicephalus sanguineus</u>
	Dogs		Dogs
	Huelva, Spain		Huelva (37.16 N, 06.57 W), Spain
	20.V.1913		20.V.1913
	Received from Dr. Ian Macdonald, Casa Colon, Huelva, 26.V.1913.		Received from Dr. Ian Macdonald, Casa Colon, Huelva, 26.V.1913.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2172	N	2172
		RML	66647
	<u>Rhipicephalus (Pterygodes) fulvus</u>		1 ♂, 2 ♀, 2 N <u>Rhipicephalus fulvus</u>
	Gondi		<u>Ctenodactylus gundi</u>
	Matmata, S. Tunisia, N. Africa (1,000-1,500 ft.)		Matmatah (33.33 N, 09.58 E), Tunisia (305-457 m)
	Rec'd 8 May, 1913		Rec'd 8 May, 1913
	Rec'd from Miss Helen L. M. Pixell (Lister Institute, London, S.W.)		Rec'd from Miss Helen L. M. Pixell (Lister Institute, London, S.W.)
			One nymphal skin present
N	2173	N	2173
		RML	111040
	<u>Ornithodoros moubata</u>		1 ♂, 8 N <u>Rhipicephalus</u> sp.
	Native prison		Native prison
	Uganda, E. Africa		Uganda
	IV.1913		IV.1913
	Dr. J. Howard Cook		Dr. J. Howard Cook
	Received 26.V.1913		The ♂ had just molted to an adult when it was killed. It is a shriveled runt and difficult to examine.
N	2174	N	2174
		RML	111041
	<u>Hyalomma syriacum</u> ♂'s, ♀'s		8 ♂ <u>Hyalomma aegyptium</u>
	Tortoise		Tortoise
	Cambridge		Cambridge (52.13 N, 00.08 E), England
	26.V.1913		26.V.1913
	B. G. Clarke		B. G. Clarke
	[Used for raising experiments.]		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2175	N	2175 MISSING
	<u>Boophilus annulatus</u> ♀'s		
	Cattle		
	Fray Bentos, Uruguay, S. America		
	III.1913		
	Rec'd from Dr. Breitung 28.V.1913		
	Ten tubes of ticks received from Dr. S. T. Darling, Department of Sanitation, Ancon, Canal Zone, Panama, Central America, 28 May, 1913:-		
N	2176	N	2176
		RML	111042
	<u>Amblyomma dissimile</u> ♂, ♀, N, L		2 ♂, 1 N, 1 L <u>Amblyomma dissimile</u>
	Green snake (<u>Oxybelis acuminatus</u>)		<u>Oxybelis aeneus</u>
	Panama		Panama
	IV.1913		IV.1913
			Cited: Robinson (1926: 167).
N	2177	N	2177
		RML	111043
	<u>Ornithodoros talaje</u>		5 ♂, 2 ♀, 3 N <u>Ornithodoros talaje</u>
	From bamboo bed in native shack		From bamboo bed in native shack
	Chorerra, Republic of Panama		La Chorrera (08.53 N, 79.47 W), Panama
	IV.1913		IV.1913
	("Chinche mammones")		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2178	N	2178
		RML	111044
	<u>Amblyomma cajennense</u> 2 ♂'s		2 ♂ <u>Amblyomma cajennense</u>
	Native horses		Horses
	Chorerra, Rep. of Panama		La Chorrera (08.53 N, 79.47 W), Panama
	IV.1913		IV.1913
			Cited: Robinson (1926: 53).
N	2179	N	2179 MISSING
	<u>Amblyomma cajennense</u> 2 ♀'s		
	Native horse		
	Chorerra, Rep. of Panama		
	IV.1913		
N	2180	N	2180 MISSING
	<u>Amblyomma cajennense</u> 2 ♀'s		
	Native horse		
	Chorerra, Rep. of Panama		
	IV.1913		
N	2181	N	2181
		RML	111045
	<u>Dermacentor nitens</u> N's		5 N <u>Anocentor nitens</u>
	Native horse		Horse
	Chorerra, Rep. of Panama		La Chorrera (08.53 N, 79.47 W), Panama
	IV.1913		IV.1913

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2182	N	2182 MISSING
	<u>Amblyomma cajennense</u> 1 ♂ & N's		
	Native horse		
	Chorerra, Rep. of Panama		
	IV.1913		
N	2183	N	2183
		RML	111046
	<u>Amblyomma cajennense</u> 3 N's		
	Native horse	Horse	
	Chorerra, Rep. of Panama	La Chorrera (08.53 N, 79.47 W), Panama	
	IV.1913	IV.1913	
		Cited: Robinson (1926: 53).	
N	2184, a	N	2184
		RML	111047
	(2184) <u>Dermacentor nitens</u> 1 ♂	(2184) 1 ♂ <u>Anocentor nitens</u>	
	(a) <u>Amblyomma cajennense</u> 1 N	(a) MISSING	
	Native horse	Horse	
	Chorerra, Rep. of Panama	La Chorrera (08.53 N, 79.47 W), Panama	
	IV.1913	IV.1913	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2185	N	2185
		RML	111048
	<u>Amblyomma dissimile</u> ♂'s & ♀'s		4 ♂, 3 ♀ <u>Amblyomma dissimile</u>
	Snake (sp. unknown)		Snake
	Panama		Panama
	IV.1913		IV.1913
	[2 ♀ mounted in cells with other <u>Amblyomma</u> spp.]		Slide missing
	1 ♂, 1 ♀ to Prof. E. Brumpt, Paris		Robinson (1926: 167) gave the species of snake as <u>Oxybelis</u> <u>acuminatus</u> .
N	2186	N	2186
		RML	111049
	<u>Boophilus australis</u> ♀'s		50 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Fray Bentos, Uruguay, S. America		Fray Bentos (33.08 S, 58.18 W), Uruguay
	IV.1913		IV.1913
	Rec'd from Dr. Breitung, 28.V.1913		Rec'd from Dr. Breitung, 28.V.1913
N	2187, a	N	2187
		RML	111050
	(2187) <u>Aponomma gervaisi</u> var. <u>lucasi</u> ♂'s, ♀'s		(2187) 7 ♂, 3 ♀, 2 N <u>Aponomma</u> <u>varanensis</u>
	(a) <u>Amblyomma decoratum</u>		(a) MISSING
	<u>Varanus salvator</u>		<u>Varanus salvator</u>
	Buitenzorg, Java, Dutch East Indies		Bogor (06.35 S, 106.47 E), Java, Indonesia
	14.IV.1913		14.IV.1913
	Rec'd from F. P. Jepson 29.V.1913		Rec'd from F. P. Jepson 29.V.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N	2188, a	N	2188
		RML	105656
	(2188) <u>Rhipicephalus simus</u> ♂'s, ♀'s		(2188) 15 ♂, 4 ♀ <u>Rhipicephalus simus</u>
	(a) <u>Hyalomma aegyptium</u> ♂'s, ♀'s		(a) MISSING
	Wart-hogs		<u>Phacochoerus aethiopicus</u>
	Mwengwa, Mumbwa, via Broken Hill, N. Rhodesia, B.C. Africa		Mwengwa (15.17 S, 25.59 E), Zambia
	21.IV.1913		21.IV.1913
	Rec'd from L. C. Heath, Esq., 2.VI.1913		Rec'd from L. C. Heath, Esq., 2.VI.1913
	1 ♂, 1 ♀ <u>R. simus</u> to Dr. S. Hadwen, British Columbia 10.X.1913.		

Four tubes of ticks received from Dr. T. L. Bancroft, Eidsvold, Queensland, Australia, 3 June, 1913:-

N	2189	N	2189
		RML	111051
	<u>Aponomma decorosum</u> ♂'s & N's		14 ♂, 10 N <u>Aponomma decorosum</u>
	<u>Varanus varius</u>		<u>Varanus varius</u>
	Queensland		Queensland, Australia
	IV.1913		IV.1913
	T.L.B.		T. L. Bancroft
			The 14 ♂ cited by Kaufman (1972: 369).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2190	N	2190
		RML	111052
	<u>Ixodes tasmani</u> 1 ♀		1 ♀ <u>Ixodes tasmani</u>
	<u>Trichosurus vulpecula</u>		<u>Trichosurus vulpecula</u>
	Queensland		Queensland, Australia
	IV.1913		IV.1913
	T. L. Bancroft		T. L. Bancroft
			Cited and figured: Nuttall (1916: 323).
N	2191	N	2191
		RML	111053
	<u>Boophilus australis</u> L & eggs		64 L plus eggs <u>Boophilus microplus</u>
	Parents off cattle		Cattle
	Burnett District, Queensland		Burnett District, Queensland, Australia
	IV.1913		IV.1913
	T.L.B.		T. L. Bancroft
N	2192	N	2192
		RML	111054
	<u>Haemaphysalis</u> sp. 1 N		1 N <u>Haemaphysalis bancrofti</u>
	<u>Macropus dorsalis</u>		<u>Macropus dorsalis</u>
	Queensland		Queensland, Australia
	IV.1913		IV.1913
	T.L.B.		T. L. Bancroft

ORIGINAL DETERMINATIONCURRENT STATUS

N	2193	N	2193
		RML	111055
	<u>Rhipicephalus sanguineus</u> 1 ♀ & eggs		1 ♀, many eggs <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Matmata, S. Tunisia, N. Africa		Matmatah (33.33 N, 09.58 E), Tunisia
	IV.1913		IV.1913
	Miss Helen L. M. Pixell Rec'd 4.VI.1913		Miss Helen L. M. Pixell Rec'd 4.VI.1913

Ticks retained from the collection submitted for determination by Dr. J. H. Ashworth, Zoological Department, The University, Edinburgh, N.B. 30 May, 1913:-

N	2194	N	2194
		RML	111056
	<u>Rhipicephalus falcatus</u> ♂ & ♀		1 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Cattle		Cattle
	Forea, Sierra Leone, W. Africa		Perhaps Fore (09.44 N, 11.09 W), Sierra Leone
	28.II.1913		28.II.1913
	Dr. J. Y. Wood "3a"		Dr. J. Y. Wood "3a"
N	2195	N	2195 MISSING
	<u>Boophilus australis</u> ♂'s, ♀'s		
	Cow (sick)		
	Kondembia, Sierra Leone, W. Africa		
	24.I.1913		
	Dr. J. Y. Wood "4"		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2196	N	2196
		RML	111057
	<u>Amblyomma marmoreum</u> 2 ♂		2 ♂ <u>Amblyomma nuttalli</u>
	<u>Varanus exanthematicus</u>		<u>Varanus exanthematicus</u>
	N. Nigeria		Nigeria
	1912		1912
	Dr. J. M. Dalziel "3"		Dr. J. M. Dalziel "3"
			Cited: Santos Dias (1958: 513); Theiler & Salisbury (1959: 115).
N	2197	N	2197
	.	RML	111058
	<u>Rhipicephalus sanguineus</u> ♂'s & ♀'s		24 ♂, 11 ♀ <u>Rhipicephalus sanguineus</u>
	Civet cat		<u>Genetta</u> sp.
	Baro, N. Nigeria, W. Africa		Either Baro (08.36 N, 06.25 E), or (10.57 N, 08.20 E), Nigeria
	2.X.1910		2.X.1910
	Dr. Dalziel "4"		Dr. Dalziel "4"
N	2198	N	2198
	.	RML	111059
	<u>Haemaphysalis leachi</u> ♂'s & ♀'s		3 ♂, 1 ♀ <u>Haemaphysalis leachi</u>
	Civet cat		<u>Genetta</u> sp.
	Baro, N. Nigeria, W. Africa		Either Baro (08.36 N, 06.25 E) or (10.57 N, 08.20 E), Nigeria
	2.X.1910		2.X.1910
	Dr. Dalziel "4b"		Dr. Dalziel "4b"
			Cited: Nuttall & Warburton (1915: 473).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2199	N 2199
		RML 111060
	<u>Amblyomma marmoreum</u> 4 ♂'s	4 ♂ <u>Amblyomma nuttalli</u>
	<u>Varanus exanthematicus</u>	<u>Varanus exanthematicus</u>
	Abinsi, N. Nigeria	Abinsi (07.45 N, 08.45 E), Nigeria
	XI.1912	XI.1912
	Dr. Dalziel "5"	Dr. Dalziel "5"
		Cited: Santos Dias (1958: 513); Theiler & Salisbury (1959: 115).
N	2200	N 2200
		RML 111061
	<u>Aponomma exornatum</u> ♂'s & ♀'s	5 ♂, 5 ♀ <u>Aponomma flavomaculatum</u>
	<u>Varanus exanthematicus</u>	<u>Varanus exanthematicus</u>
	Abinsi, N. Nigeria	Abinsi (07.45 N, 08.45 E), Nigeria
	XI.1912	XI.1912
	Dr. Dalziel "5a"	Dr. Dalziel "5a"

Eleven tubes of ticks received for determination from F. Eugene Mason, Esq., M.R.C.V.S., Public Health Department, Cairo, Egypt, 4 June, 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2201	N	2201
		RML	66655
	<u>Rhipicephalus sanguineus</u> ♂'s & ♀'s		39 ♂, 48 ♀, 2 N <u>Rhipicephalus sanguineus</u>
	Dogs		Dogs
	Cairo		Cairo (30.03 N, 31.15 E), Egypt
	1913		1913
N	2202, a	N	2202a
		RML	111062
	(2202) <u>Hyalomma aegyptium</u> ♂'s, ♀'s		(2202) MISSING
	(a) <u>Rhipicephalus bursa</u> ♂'s, 1 ♀		(a) 2 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>
	Cattle		Cattle
	Khartoum		Khartoum (15.36 N, 32.32 E), Sudan
	1913		1913
N	2203, a	N	2203
		RML	111063
	(2203) <u>Amblyomma lepidum</u> ♂'s		(2203) 8 ♂ <u>Amblyomma lepidum</u>
	(a) <u>Hyalomma aegyptium</u> ♂, ♀		(a) MISSING
	Cattle		Cattle
	Sudan		Sudan
	1913		1913

<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
-------------------------------	-----------------------

N	2204	N	2204
		RML	111064
	<u>Amblyomma lepidum</u> ♂'s, ♀'s		1 ♂, 1 ♀ <u>Amblyomma lepidum</u>
	Cattle		Cattle
	Sudan		Sudan
	1913		1913
			Cited: Robinson (1926: 97).
N	2205, a, b	N	2205a, b
		RML	111065
	(2205) <u>Hyalomma aegyptium</u> ♂, ♀		(2205) MISSING
	(a) <u>Amblyomma lepidum</u> ♂, ♀'s		(a) 1 ♂, 3 ♀ <u>Amblyomma lepidum</u>
	(b) <u>Rhipicephalus sanguineus</u> 2 ♀'s		(b) 2 ♀ <u>Rhipicephalus sanguineus</u>
	Cattle		Cattle
	Wady Halfa, Egypt		Wadi Halfa (21.56 N, 31.20 E), Sudan
	1913		1913
N	2206	N	2206 MISSING
	<u>Hyalomma aegyptium</u> N's		
	Camel		
	Egypt		
	1913		

<u>CURRENT DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2207	N	2207
		RML	111066
	<u>Argas persicus</u>		5 ♂, 8 ♀, 14 N <u>Argas persicus</u>
	Fowls (after death on a farm)		Fowls (after death on a farm)
	Cairo		Cairo (30.03 N, 31.15 E), Egypt
	1913		1913
N	2208, a	N	2208
		RML	111067
	(2208) <u>Boophilus annulatus</u> ♂'s, ♀'s		(2208) 3♂, 20 ♀, 1 N <u>Boophilus annulatus</u>
	.		
	(a) <u>Hyalomma aegyptium</u> ♂'s		(a) MISSING
	Egyptian cattle (during an outbreak of Texas fever)		Cattle, Egyptian (during an outbreak of Texas fever)
	Lower Egypt		Lower Egypt
	1913		1913
N	2209	N	2209
	.	RML	111068
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		2 ♂, 10 ♀ <u>Rhipicephalus guilhoni</u>
	Egyptian sheep (after an outbreak of Malaria)		Sheep, Egyptian (after an outbreak of Malaria)
	Lower Egypt		Lower Egypt
	1913		1913
			Tentative identification; the ♂ spiracular plates have a very wide dorsal extension.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2210, a (2210) <u>Hyalomma aegyptium</u> ♂'s, ♀'s (a) <u>Amblyomma lepidum</u> ♂'s Sudan cattle	2210a RML 111069 (2210) MISSING (a) 5 ♂ <u>Amblyomma lepidum</u> Cattle, Sudanese
	Cairo abattoir	Abattoir, Cairo (30.03 N, 31.15 E), Egypt
	1913	1913
	[2 ♂ mounted in cell on slide]	2210a cited: Robinson (1926: 97).
N	2211 <u>Boophilus</u> sp. N's Egyptian bull (at close of an attack of Egyptian fever) Cairo	2211 RML 111070 15 N <u>Boophilus annulatus</u> Bull, Egyptian (at close of an attack of Egyptian fever) Cairo (30.03 N, 31.15 E), Egypt
	1913	1913
	Ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa, N. Rhodesia, B. C. Africa, 9 June 1913:-	
N	2211 Z <u>Rhipicephalus neavei</u> var. <u>punctatus</u> 3 ♂'s Duikerbok Mwengwa, Mumbwa, N. Rhodesia 30.IV.1913	2211 Z RML 111071 2 ♂, 1 ♀ <u>Rhipicephalus punctatus</u> <u>Sylvicapra grimmia</u> Mwengwa (15.17 S, 25.59 E), Zambia 30.IV.1913 When turning from page 140 to 141 in his catalogue, Nuttall inadvertently repeated N 2211

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2212, a	N	2212
		RML	111072
	(2212) <u>Rhipicephalus simus</u> ♂'s, ♀'s (a) <u>Hyalomma aegyptium</u> ♂, ♀		(2212) 5 ♂, 2 ♀ <u>Rhipicephalus simus</u> (a) MISSING
	Wart-hog		<u>Phacochoerus aethiopicus</u>
	Mwengwa, Mumbwa, N. Rhodesia		Mwengwa (15.17 S, 25.59 E), Zambia
	30.IV.1913		30.IV.1913
N	2213	N	2213 MISSING
	<u>Hyalomma aegyptium</u> ♂, ♀		
	Off. Mr. Dollman's leg		
	Mwengwa, Mumbwa, N. Rhodesia		
	30.IV.1913		

Eleven tubes of ticks received from Professor Louis E. Migone, Asuncion, Paraguay, South America, 4 June 1913:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2214	N 2214
		RML 111073
	<u>Amblyomma cajennense</u> ♀'s	9 ♀ <u>Amblyomma cajennense</u> 7 ♀ <u>Amblyomma coelebs</u>
	Man, cow, dog, some on leaves of trees	Man, cow, dog, some on leaves of trees
	Forests of San Pedro, Alto, Paraguay	Forests of San Pedro (24.07 S, 56.59 W), Paraguay
	1.III.-1.III.1913	1.II-1.III.1913
	<p>[2214-2216] Prof. Migone wrote 7.XII.1913 regarding these ticks. <u>A. cajennense</u> called in the Guarani language there "Yatebu'vacapi", "Yatebu'Panuelo" or "Yatebu'corbata". Yatebu' is the generic name for tick. "vacapi" = hide; "panuelo" [Spanish] = handkerchief; "corbata" [Spanish] = neck-kerchief. The names meaning tick looking like a hide or have [?] a handkerchief or neck-kerchief. This tick more in the large forests than in the plains, on vegetation, ferociously attack man, cattle, tapir, dog, etc; effects of bite bad (sent reprint) see Migone (1913 Bull. Soc. Path. Exot. VI.118) where refers to effect of bite as bad "when the weather is dry they can be heard walking in the dry leaves on the ground approaching their prey." <u>A. cajennense</u> N's called in Guarani "Yatebu'pŷtami" or "Yatebu poropí" = red ticks or ticks that bite." They live in numbers on leaves in May, falling off in hundreds on the passerby. He adds "They scarcely attack the animals." <u>A. cajennense</u> abounds now in all N. of Paraguay attacking man, wild & domesticated animals of all sorts.</p>	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2215	N	2215
		RML	111074
	<u>Amblyomma cajennense</u> ♂'s		5 ♂ <u>Amblyomma cajennense</u> 3 ♂ <u>Amblyomma coelebs</u>
	Man, cow, dog, some on leaves of trees		Man, cow, dog, some on leaves of trees
	Forests of San Pedro, Alto, Paraguay		Forests of San Pedro (24.07 S, 56.59 W), Paraguay
	1.II-1.III.1913		1.II-1.III.1913
N	2216	N	2216
	.	RML	111075
	<u>Amblyomma cajennense</u> gorged N's		61 N <u>Amblyomma</u> sp.
	Man, cow, dog, some on leaves of trees		Man, cow, dog, some on leaves of trees
	San Pedro, Paraguay		San Pedro (24.07 S, 56.59 W), Paraguay
	1.II-1.III.1913		1.II-1.III.1913
N	2217	N	2217
		RML	111076
	<u>Ornithodoros talaje</u>		8 ♂, 18 ♀, 4 N <u>Ornithodoros talaje</u>
	Asuncion, Paraguay		Asuncion (25.16 S, 57.40 W), Paraguay
	1913		1913
	L. E. Migone		L. E. Migone
	"Fowl lice." Abounds in fowl yards & unkempt places. Migone doesn't think spirochaetosis occurs there.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2218	N	2218
		RML	111077
	<u>Ornithodoros rostratus</u> (3)		1 ♂, 2 ♀ <u>Ornithodoros rostratus</u>
	North Paraguay		Paraguay, northern
	II.1913		II.1913
	L. E. Migone		L. E. Migone
	Called by Brazilians in Portuguese "garrapata do chas" = ticks of the soil. They attack man, fowl, dog. (see 2676)		
N	2219, a, b	N	2219, a, b
		RML	111078
	(2219) <u>Amblyomma ovale</u> 3 ♂, 2 ♀		(2219) 2 ♂, 1 ♀ <u>Amblyomma ovale</u>
	(a) <u>Amblyomma cajennense</u> ♂, ♀		(2219) 1 ♂, 1 ♀ <u>Amblyomma striatum</u>
	(b) <u>Amblyomma cooperi</u> 1 ♂		(a) 1 ♂, 1 ♀ <u>Amblyomma cajennense</u>
			(b) 1 ♂ <u>Amblyomma brasiliense</u>
	Man and cow		Man and cow
	San Pedro, Alto, Paraguay		San Pedro (24.07 S, 56.59 W), Paraguay
	II.1913		II.1913
			2219, a cited: Robinson (1926: 29 and 53) respectively.
N	2220	N	2220
		RML	113641
	<u>Boophilus australis</u> ♂'s, ♀'s		6 ♂, 9 ♀ <u>Boophilus microplus</u>
	Horse		Horse
	San Bernardino, Argentine Republic		San Bernardino (30.49 S, 64.01 W) Provincia de Córdoba, Argentina
	V.1913		V.1913

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2221	N	2221 MISSING
	<u>Boophilus australis</u> ♂'s		
	Horse		
	San Pedro, Paraguay		
	V.1913		
N	2222, a, b	N	2222, b
		RML	111079
	(2222) <u>Amblyomma cajennense</u> ♂'s, ♀'s		(2222) 7 ♂, 5 ♀, 1 N <u>Amblyomma cajennense</u>
	(a) <u>Boophilus australis</u> ♂, ♀'s, N's		(a) MISSING
	(b) <u>Amblyomma ovale</u> 4 ♀		(b) 4 ♀ <u>Amblyomma striatum</u>
	Cow		Cow
	San Pedro, Paraguay		San Pedro (24.07 S, 56.59 W), Paraguay
	II.1913		II.1913
	(b) det. L. E. Robinson 1926		Cited: Robinson (1926: 53).
N	2223	N	2223 MISSING
	<u>Boophilus australis</u> ♂, ♀'s, N's		
	Cattle		
	San Bernardino, Paraguay		
	V.1913		

ORIGINAL DETERMINATION

N 2224, a
 (2224) Amblyomma ovale 1 ♀
 (a) Amblyomma sp. 2 ♀'s
 (2224) Hunting dog
 (a) Tapir (hunted by the dog)
 Villa Rica, Paraguay
 I.1913
 L. E. Robinson det. 1926

CURRENT STATUS

N 2224
 RML 111080
 (2224) 1 ♀ Amblyomma ovale
 (a) MISSING
 Dog, hunting
 Villarrica (25.45 S, 56.26 W),
 Paraguay
 I.1913
 2224 figured: Robinson (1926: 28).

Five tubes of ticks received from Walter W. Charter, Esq., Inspector of Agriculture, Repartição de Agriculture Quelimane, Zambezia, Portuguese E. Africa 27.IV.1913:-

N 2225
Boophilus australis ♂'s, ♀'s, N's
 Cattle
 Zambezia
 27.IV.1913

N 2225
 RML 111081
 6 ♂, 23 ♀ Boophilus microplus

Cattle
 Distrito da Zambezia (17.00 S,
 37.00 E), Mozambique

27.IV.1913

N 2226
Boophilus australis 1 ♂, ♀'s
 Cattle
 Bompona, Zambezia
 27.IV.1913

N 2226
 RML 111082
 23 ♀ Boophilus microplus

Cattle

Bompona (17.34 S, 35.19 E), Distrito da Zambezia, Mozambique

27.IV.1913

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2227	N	2227
		RML	111083
	<u>Boophilus australis</u> 1 ♂, ♀'s		1 ♂, 18 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Zambezia		Distrito da Zambezia (17.00 S, 37.00 E), Mozambique
	27.IV.1913		27.IV.1913
N	2228	N	2228
	.	RML	111084
	<u>Boophilus australis</u> 2 ♂'s, ♀'s		1 ♂, 19 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Zambezia		Distrito da Zambezia (17.00 S, 37.00 E), Mozambique
	27.IV.1913		27.IV.1913
N	2229, a	N	2229
	.	RML	111085
	(2229) <u>Boophilus australis</u> 2 ♂'s ♀'s		(2229) 3 ♂, 11 ♀ <u>Boophilus microplus</u>
	(a) <u>Amblyomma variegatum</u> 2 ♀		(a) MISSING
	Cattle		Cattle
	Zambezia		Distrito da Zambezia (17.00 S, 37.00 E), Mozambique
	27.IV.1913		27.IV.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N 2230

N 2230

Ornithodoros tholozani (1) alive1 ♀ Ornithodoros tholozani

Quetta, Baluchistan, India

Quetta (30.12 N, 37.00 E), Pakistan

1912

1912

Major G. Browse, I.M.S.

Major G. Browse, I.M.S.

Rec'd from Colonel Sir W. B.
 Leishman, R.A.M.C., London, S.W.,
 31.V.1912

[Used for raising experiments -
 failed. Tick died 22.I.1912
 Kept at room temperature]
 [Moult on slide]
 Some given to D. S. MacLagan
 14.X.38.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2231	N	2231
		RML	111087
	<u>Argas persicus</u> (all stages)		2 N, +500 L. <u>Argas persicus</u> group
	Fowls		Fowls
	Adelaide, South Australia		Adelaide (34.55 S, 138.35 E), Australia
	Rec'd 17.VI.1913		Rec'd 17.VI.1913
	Rec'd from D. F. Lauria, Esq., Government Poultry Expert, Adelaide		Rec'd from D. F. Lauria, Esq., Government Poultry Expert, Adelaide
	♂, ♂ all sizes to H. S. Purchase IV.1931.		
	♂, ♀ all sizes to R. W. Mettam, Weybridge IV.1931.		
	Different stages to Prof. E. Malvoz, Liège 30.V.1929.		
	Different stages to E. T. Boardman, Univ. Florida, Gainesville 30.V.1929.		
	1 ♂, 1 ♀, 1 N, 1 L to Dr. A. C. Reed, San Francisco 30.IV.1929.		
	1 ♂, 1 ♀, 1 N, 1 L to Prof. J. Drbohlav, Prague 30.V.1929.		
	1 ♂, 1 ♀, 1 N, 1 L to Prof. R. Matheson, Cornell 27.V.1929.		
	LL's to I. C. Ross, Univ. of Sydney, Australia		
	LL's to Prof. E. Brumpt, L'École de Médecine, Paris 12.X.1922.		
	Some (sex/stage unknown) to Dr. K. F. Meyer, Univ. California, Berkeley 15.XI.1913.		
	Some (sex/stage unknown) to Dr. Lajos Gozony, Univ. Budapest, Hungary 23.VI.1914.		
	1 ♂, 1 ♀ to Dr. de Blieck, Java 22.I.1915		
	LL's to Dr. E. Roubaud, Inst. Pasteur, Paris 12.X.1922.		
	LL's to Prof. J. Hjort, Univ. Christiana, Norway 12.X.1922.		
	LL's to Dr. A. Watkins Pitchford, Army Vet. School, Thornhill, Aldershot 12.X.1922.		
	LL's to L.P.W. Renouf, Univ. College, Cork, Ireland 12.X.1922.		
	LL's to W. A. Pool, Indian Civil Vet. Dept. 12.X.1922.		
	LL's to Dr. Wm. Parry Morgan, Publ. Hlth. Lab, Cardiff, Wales 12.X.1922.		
	LL's to J.E.M. Mellor, Malvern College, Malvern 12.X.1922.		
	LL's to Prof. A. Bettencourt, Inst. Camara Pestana, Lisbon 7.XI.1922.		

Four tubes of ticks received from R. Stokoe, Esq., M.R.C.V.S., Lakhon, Lampang, Siam, Farther India, 17 June, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2232	N 2232
		RML 84532
	<u>Haemaphysalis wellingtoni</u> ♂'s, 1 ♀, N's	8 ♂, 1 ♀, 1 N <u>Haemaphysalis wellingtoni</u>
	Chicken	Chicken
	Lakhon, Lampang	Lampang (18.18 N, 99.31 E), Thailand
	IV.1913	IV.1913
		Nuttall & Warburton (1915: 481) gave the specimen numbers as 6 ♂, 1 ♀, 3 N
N	2233	N 2233
		RML 111088
	<u>Haemaphysalis wellingtoni</u> ♀'s (gorged)	5 ♀ <u>Haemaphysalis wellingtoni</u>
	Buffalo	Buffalo
	Lakhon, Lampang	Lampang (18.18 N, 99.31 E), Thailand
	IV.1913	IV.1913
		Nuttall & Warburton (1915: 482) cited 6 ♀
N	2234	N 2234
		RML 22305
	<u>Haemaphysalis wellingtoni</u> ♀'s	2 ♀ <u>Haemaphysalis wellingtoni</u>
	Dog	Dog
	Lakhon, Lampang	Lampang (18.18 N, 99.31 E), Thailand
	IV.1913	IV.1913
		Nuttall & Warburton (1915: 482) cited 7 ♀

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2235	N	2235
		RML	111089
	<u>Boophilus australis</u> 1 ♀		1 ♀ <u>Boophilus microplus</u>
	Horse		Horse
	Lakhon, Lampang		Lampang (18.18 N, 99.31 E), Thailand
	IV.1913		IV.1913
N	2236	N	2236
		RML	111090
	<u>Ixodes ricinus</u> 1 ♂, 4 ♀		1 ♂, 1 ♀ <u>Ixodes ricinus</u>
	Cattle (suffering from redwater)		Cattle (suffering from redwater)
	Near Toensberg on the farm Melsom in Stokke County of Jarlsberg & Larvik, S. Norway, also from Sundalen, County Romsdalen, W. Norway		Near Toensberg, vicinity of Jaresberg (59.17 N, 10.21 E) and Larvik (59.04 N, 10.00 E), Norway
	Rec'd 20.IV.1913		Rec'd 20.IV.1913
	Rec'd from Direktor Malm, Veterinaer-Laboratoriet, Kristiania, Norway		Dr. O. Malm
	Also received unstained cover-glass blood smears. Blood films from cow at Sundalen examined by me & found to contain <u>P. divergens</u>		Vial label gave no information on 2nd collecting site of Sundalen. See also N 2272. Cited: Nuttall (1916 : 332).
	G.H.F.N. 21.VI.1913		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2237	N 2237
		RML 111091
	<u>Dermacentor albipictus</u> ♀'s gorged	17 ♀ <u>Dermacentor albipictus</u>
	Moose (shot)	<u>Alces alces</u>
	Northern Manitoba, Canada	Northern Manitoba, Canada
	Rec'd 21.VI.1913	Rec'd 21.VI.1913
	Rec'd from Mr. M. J. O'Connell (sent to Mr. O'C. by hunter)	Rec'd from Mr. M. J. O'Connell (sent to Mr. O'C. by hunter)
	♀'s to Dr. E. Pavlovsky, Leningrad 9.X.1925	
N	2238	N 2238 MISSING
	<u>Argas persicus</u>	
	Trinidad, W. Indies	
	Sent 9.VI.1913	
	Sent by Dr. James W. Eakin	
	From "Gov't. Store" Labelled "fowl ticks"	
N	2239	N 2239
		RML 111092
	[Undetermined genus]	24 ♀ <u>Boophilus microplus</u>
	Trinidad, W. Indies	Trinidad (10.30N, 61.15W), Trinidad and Tobago
	Sent 9.VI.1913	Sent 9.VI.1913
	Sent by Dr. James W. Eakin	Sent by Dr. James W. Eakin
	From "Gov't Store" Labelled "cow ticks"	

Three tubes of ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa, Broken Hill, N. Rhodesia, B. C. Africa, 3 July, 1913:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2240	N 2240
		RML 111093
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	16 ♂, 4 ♀ <u>Rhipicephalus appendiculatus</u>
	Impala (shot)	<u>Aepyceros melampus</u>
	Near Muroa's, Chisamba, N. Rhodesia	Near Muroa's (14.58 S, 28.27 E), Kabwe District, Zambia
	26.V.1913	26.V.1913
N	2241	N 2241 MISSING
	<u>Hyalomma aegyptium</u> 2 ♂, 1 ♀	
	Water-buck (shot)	
	Near Nangwena River, near Mwendanis, N. Rhodesia	
	26.V.1913	
N	2242	N 2242
		RML 111094
	<u>Rhipicephalus neavei</u> ♂ & ♀	1 ♂, 1 ♀ <u>Rhipicephalus punctatus</u>
	"Lichtenstein's Hartebeeste" (shot)	<u>Alcelaphus lichtensteini</u>
	Near Mwengwa Station, N. Rhodesia	Near Mwengwa (15.17 S, 25.59 E), Zambia
	5.V.1913	5.V.1913

Five tubes of ticks received from Dr. Wm. C. Wigan, U.M.C.A., Mpondas, Fort Johnston, Nyasaland, B.C. Africa, 27 June, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2243	N	2243
		RML	111095
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		8 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u> 3 ♂ <u>Rhipicephalus pravus</u>
	Eland		<u>Taurotragus oryx</u>
	Monkey Bay, Lake Nyasa		Monkey Bay (14.05 S, 34.55 E), Fort Johnston District, Malawi
	V.1913		V.1913
N	2244	N	2244
		RML	111096
	<u>Haemaphysalis leachi</u> ♂, ♀'s, N		1 ♂, 4 ♀ <u>Haemaphysalis indica</u>
	Dog (?)		Dog (?)
	Mpondas Fort Johnston, Nyasaland		Fort Johnston (14.28 S, 35.23 E), Fort Johnston District, Malawi
	I.1913		I.1913
	[a map of collecting localities is supplied by Dr. Wigan]		
N	2245	N	2245
		RML	111097
	<u>Rhipicephalus sanguineus</u> 1 ♂		1 ♂ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Msinje, Lake Nyasa, B.C. Africa		Msinje (13.31 S, 34.52 E), Fort Johnston District, Malawi
	V.1913		V.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N	2246	N	2246
		RML	111098
	<u>Rhipicephalus sanguineus</u> ♂, N's		1 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Kota Kota, Lake Nyasa		Nkota Kota (12.55 S, 34.18 E), Nkota Kota District, Malawi
	I.1913		I.1913
N	2247 .	N	2247 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		
	Dog		
	Mpondas Fort Johnston, Nyasaland		
	I.1913		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2248	N 2248
		RML 111099
	<u>Hyalomma syriacum</u> ♂'s, ♀'s	3 vials of <u>Hyalomma aegyptium</u> as follows: 4 ♂, 1 ♀; 1 ♀; 34 L
Tortoise		Tortoise
Cambridge		Cambridge (52.13 N, 00.08 E), England
4.VII.1913		4.VII.1913
Presented by Dr. Hindle		Presented by Dr. Hindle
One fully gorged ♀ reserved so that she may oviposit, she dropped off naturally & was supposed to be a baby tortoise by the lady who owned the host!		Cited: Nuttall (1915: 436).
G.H.F.N. det.		
Ticks from Kosantu, Congo Free State, rec'd. for determination from Professor R. Newstead F.R.S., The University, Liverpool, 4.VII.1913, to whom they were sent by Reverend Père Renard, Recteur du Collège S. Servais, Liège, Belgium. The collection comprises		
<u>Boophilus decoloratus</u> (many ♀'s), off cattle <u>Rhipicephalus appendiculatus</u> (♀'s), off cattle <u>Rhipicephalus simus</u> <u>Rhipicephalus supertritus</u> <u>Amblyomma splendidum</u> (many ♂'s, ♀'s), off ? <u>Ornithodoros moubata</u> (many adults & N's)		

Two tubes of ticks received from the Rev. T. B. Green, Quintana Yrrigoyen, Concordia, Entre Rios, Argentina, S. America, July 2, 1913:-

N	2249	N 2249 MISSING
	<u>Boophilus australis</u> ♂'s, ♀'s	
	Angus bull	
	La Paz, Estancia Santa Inz, Entre Rios Argentina	
	27.V.1913	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2250		N	2250	
			RML	111100	
	<u>Boophilus australis</u> ♀'s			84 ♀ <u>Boophilus microplus</u>	
	Angus cow			Cow, Angus	
	La Paz, Estancia Santa Inz, Entre Rios, Argentina			La Paz, Estancia Santa Inz Provincia de Entre Rios (32.00 S, 59.00 W), Argentina	
	22.V.1913			22.V.1913	
	Three tubes of ticks received from Dr. M. Abdullah, Assistant Surgeon, Gilgit, Kashmir, India, 4 July, 1913:-				
N	2251, a, b		N	2251, b	
			RML	111101	
	(2251) <u>Rhipicephalus sanguineus</u> ♂'s, ♀'s			(2251) 18 ♂, 16 ♀ <u>Rhipicephalus</u> <u>sanguineus</u>	
	(a) <u>Hyalomma aegyptium</u> ♂, ♀'s			(a) MISSING	
	(b) <u>Haemaphysalis montgomeryi</u> 1 ♀			(b) 1 ♀ <u>Haemaphysalis montgomeryi</u>	
	Sheep			Sheep	
	Gilgit, Kashmir, India			Gilgit (35.55 N, 74.18 E), Kashmir, India	
	V.1913			V.1913	
				Dr. M. Abdullah	
				Cited: Nuttall & Warburton (1915; 397).	
N	2252		N	2252	
			RML	111102	
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s			12 ♂, 5 ♀ <u>Rhipicephalus sanguineus</u>	
	Dog			Dog	
	Gilgit, Kashmir, India			Gilgit (35.55 N, 74.18 E), Kashmir, India	
	V.1913			V. 1913	
				Dr. M. Abdullah	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2253, a	N	2253
		RML	111103
(2253)	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	(2253)	7 ♂, 6 ♀ <u>Rhipicephalus</u> <u>sanguineus</u>
(a)	<u>Hyalomma aegyptium</u> ♂'s, ♀'s	(a)	MISSING
Goat		Goat	
Gilgit, Kahmir, India		Gilgit (35.55 N, 74.18 E), Kashmir, India	
V.1913		V.1913	
		Dr. M. Abdullah	
N	2254	N	2254 MISSING
	<u>Boophilus australis</u> ♀'s		
Calf			
Gilgit, Kashmir, India			
V.1913			

Collection of ticks received from Dr. John Y. Wood, District Medical Officer, Kaballa, Koinadugu District, Sierra Leone Protectorate, West Africa, 2 July, 1913:-

N	2255, a	N	2255
		RML	111104
(2255)	<u>Rhipicephalus lunulatus</u> ♂'s, ♀'s	(2255)	1 ♂, 3 ♀ <u>Rhipicephalus</u> <u>lunulatus</u>
(a)	<u>Rhipicephalus</u> sp. ♂'s, ♀'s	(a)	MISSING
Goats (healthy)		Goats (healthy)	
Konkoba, Sierra Leone		Konkoba (09.31 N, 11.40 W), Sierra Leone	
29.V.1913		29.V.1913	
		J. Y. Wood	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2256, a, b	N	2256a, b
		RML	111105
	(2256) <u>Amblyomma variegatum</u> ♂'s, ♀'s (a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s (b) <u>Boophilus australis</u> ♀'s		(2256) MISSING (a) 9 ♂, 5 ♀ <u>Rhipicephalus senegalensis</u> (b) 4 ♀ <u>Boophilus geigyi</u>
	Cattle		Cattle
	Kasuntana, Sierra Leone		Kasunta, Sierra Leone (locality not verified)
	25.V.1913		25.V.1913
	.		J. Y. Wood
N	2257, a	N	2257, a
		RML	111106
	(2257) <u>Rhipicephalus neavei</u> ♂'s (small not characteristic) (a) <u>Haemaphysalis leachi</u> 1 ♂		(2257) 3 ♂ <u>Rhipicephalus ziemanni</u> (a) 1 ♂ <u>Haemaphysalis leachi</u>
	Goats (healthy)		Goats (healthy)
	Kagbo, Sierra Leone		Kagbo (09.03 N, 11.50 W), Sierra Leone
	19.V.1913		19.V.1913
	.		Dr. J. Y. Wood
			(2257a) cited: Nuttall & Warburton (1915:474).
N	2258, a	N	2258
		RML	111107
	(2258) <u>Haemaphysalis leachi</u> ♂, ♀ (a) <u>Rhipicephalus lunulatus</u> 1 ♂		(2258) 1 ♂, 2 ♀ <u>Haemaphysalis leachi</u> (a) MISSING
	Cows		Cows
	Kapankuna, Sierra Leone		Kapankina, Sierra Leone (locality not verified)
	24.V.1913		24.V.1913
	.		Dr. J. Y. Wood

ORIGINAL DETERMINATIONCURRENT STATUS

N	2259, a, b	N	2259, a
		RML	111108
	(2259) <u>Boophilus australis</u> ♀'s (a) <u>Amblyomma splendidum</u> ♂'s, 1 ♀ (b) <u>Amblyomma variegatum</u> ♂'s		(2259) 4 ♀ <u>Boophilus geigyi</u> (a) 7 ♂, 1 ♀ <u>Amblyomma splendidum</u> (b) MISSING
	Cattle (healthy)		Cattle (healthy)
	Madina, Sierra Leone		Madina, Sierra Leone (locality not verified; over 20 possible localities named Madina)
	18.V.1913		18.V.1913
			J. Wood
			(2259a) cited: Robinson (1926: 125).
N	2260, a	N	2260
		RML	111109
	(2260) <u>Boophilus australis</u> ♀'s (a) <u>Amblyomma variegatum</u> ♂'s, ♀'s		(2260) 3 ♀ <u>Boophilus geigyi</u> (a) MISSING
	Cows		Cows
	Kamakola, Sierra Leone		Kamakola, Sierra Leone (locality not verified)
	26.V.1913		26.V.1913
	[a ♀ mounted on slide in cell] [a ♀ of <u>A. variegatum</u> - JEK]		Slide missing

ORIGINAL DETERMINATIONCURRENT STATUS

N	2261, a-d	N	2261 a-d
		RML	111110
	(2261) <u>Amblyomma variegatum</u> ♂'s, ♀'s, N's		(2261) MISSING
	(a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s		(a) 14 ♂, 11 ♀ <u>Rhipicephalus senegalensis</u>
	(b) <u>Rhipicephalus neavei</u> (small not characteristic) ♂'s		(b) 3 ♂ <u>Rhipicephalus ziemanni</u>
	(c) <u>Haemaphysalis leachi</u> 1 ♀		(c) 1 ♀ <u>Haemaphysalis leachi</u>
	(d) <u>Boophilus australis</u> ♂, ♀		(d) 239 ♀, 39 N <u>Boophilus geigyi</u>
	Cattle (healthy)		Cattle (healthy)
	Koinadugu, Sierra Leone		Koinadugu (09.32 N, 11.22 W), Sierra Leone
	III-IV-1913		III-IV.1913
	1 ♂, 1 ♀ [2261a] to Dr. S. Hadwen, Brit. Columbia, Canada 10.X.1913		Dr. J. Y. Wood
			(2261c) cited: Nuttall & Warburton (1915: 474).
N	2262, a-d	N	2262, A-d
		RML	111111
	(2262) <u>Amblyomma variegatum</u> ♂'s, ♀'s, N's		(2262) 1 ♀ <u>Amblyomma variegatum</u>
	(a) <u>Boophilus australis</u> ♀'s		(a) 76 ♀, 3 N <u>Boophilus geigyi</u>
	(b) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s		(b) 8 ♂, 11 ♀ <u>Rhipicephalus senegalensis</u>
	(c) <u>Amblyomma splendidum</u> 1 ♂		(c) 1 ♂ <u>Amblyomma splendidum</u>
	(d) <u>Rhipicephalus neavei</u> (small like 2257 & 2261) 2 ♂		(d) 1 ♂, 1 ♀ <u>Rhipicephalus ziemanni</u>
	Cattle (healthy)		Cattle (healthy)
	Koinadugu, Sierra Leone		Koinadugu (09.32 N, 11.22 W), Sierra Leone
	III-IV.1913		III-IV.1913
	1 ♀ <u>A. variegatum</u> pinned, 2 ♂, 1 ♀ in cell on slide		Dr. J. Wood
			(2262) a pinned specimen. Slide missing.
			(2262c) cited: Robinson (1926: 125).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2263	N 2263
		RML 111112
	<u>Amblyomma tholloni</u> ♂'s, ♀'s	20 ♂, 17 ♀ <u>Amblyomma tholloni</u>
	Elephant	<u>Loxodonta africana</u>
	Yeria, Sierra Leone	Yeria, Sierra Leone (locality not verified)
	23.V.1913	23.V.1913
	Shot by Captain Stanley	Shot by Captain Stanley
	1 ♂, 1 ♀ to Prof. R. A. Cooley, Montana V.1928	The collection sent to Prof. Cooley comprises 1 ♂, 2 ♀ <u>A. tholloni</u> and is now in the RML collection.
		Cited: Robinson (1926; 252).
N	2264	N 2264 MISSING
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s	
	Goats (healthy)	
	Koinadugu, Sierra Leone	
	III-IV.1913	
	1 ♀ to Prof. Dr. Dahl, Berlin Museum VII.1914.	
	1 ♀ to Prof. Dr. Schenkling, Deutsches Entomol. Mus. VII.1914.	
	1 ♀ to Prof. Dr. Gestro, Museo Civico di Storia Nat., Genova VII.1914.	
N	2265	N 2265 MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s	
	Bull (healthy)	
	Kakanema, Sierra Leone	
	15.V.1913	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2266	N	2266
		RML	111113
	<u>Haemaphysalis leachi</u> N		1 N <u>Haemaphysalis indica</u>
	Leopard cub		<u>Panthera pardus</u>
	Kaballa, Sierra Leone		Kabala (09.35 N, 11.33 W), Sierra Leone
	V.1913		V.1913
	.		Dr. J. Y. Wood
			Cited: Nuttall & Warburton (1915: 474).
N	2267	N	2267
		RML	111114
	<u>Boophilus australis</u> ♀, N's		1 ♀, 11 N <u>Boophilus geigyi</u>
	Sheep		Sheep
	Koinadugu, Sierra Leone		Koinadugu (09.32 N, 11.22 W), Sierra Leone
	III-IV.1913		III-IV.1913
	.		Dr. J. Y. Wood
N	2268	N	2268
		RML	111115
	<u>Rhipicephalus falcatus</u> 1 ♂		1 ♂ <u>Rhipicephalus senegalensis</u>
	Goat (healthy)		Goat (healthy)
	Kasuntana, Sierra Leone		Kasuntana, Sierra Leone (locality not verified)
	20.V.1913		20.V.1913
	.		Dr. J. Y. Wood

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2269	N	2269
		RML	111116
	<u>Haemaphysalis leachi</u> ♀'s		2 ♀ <u>Haemaphysalis leachi</u>
	Dog, young		Dog, young
	Kasuntana, Sierra Leone		Kasuntana, Sierra Leone (locality not verified)
	20.V.1913		20.V.1913
			Dr. J. Y. Wood
			Cited: Nuttall & Warburton (1915: 474).
N	2270	N	2270
		RML	111117
	<u>Rhipicephalus lunulatus</u> ♂'s, ♀'s		4 ♂, 10 ♀ <u>Rhipicephalus lunulatus</u>
	Sheep (healthy)		Sheep (healthy)
	Konkoba, Sierra Leone		Konkoba (09.31 N, 11.40 W), Sierra Leone
	29.V.1913		29.V.1913
			J. Y. Wood
N	2271	N	2271
		RML	111118
	<u>Amblyomma tholloni</u> ♂'s, ♀'s		3 ♂, 5 ♀ <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Yeria, Sierra Leone		Yeria, Sierra Leone (locality not verified)
	22.V.1913		22.V.1913
	Shot by Captain Stanley		Shot by Captain Stanley
			Cited: Robinson (1926: 252).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2272	N	2272
		RML	111119
	<u>Ixodes ricinus</u> ♂'s, ♀'s		5 ♀ <u>Ixodes ricinus</u>
	Cow		Cow
	Toensberg, County of Jarlsberg & Larvik		Christiania now Oslo (59.55 N, 10.45 E), Norway
	Rec'd 1.VII.1913		Rec'd 1.VII.1913
	Mr. Kragerud		Mr. Kragerud
	Rec'd from Dr. O. Malm, Direktor, Veterinaer - Laboratories, Christiania, Norway		Vial label locality disagrees with catalogue. Cited: Nuttall (1916: 332).
	1 ♂ to Prof. E. Malvoz, Liège 30.V.1929.		
	1 ♂ to E. T. Boardman, Univ. Florida, Gainesville 30.V.1929.		
N	2273	N	2273
	.	RML	111120
	<u>Boophilus australis</u> ♀'s, N's		3 ♀, 2 N <u>Boophilus geigyi</u>
	Cow		Cow
	Pujehun, N. Sherbro District, Sierra Leone, West Africa		Pujehun (07.21 N, 11.42 W), Sierra Leone
	VI.1913		VI.1913
	Rec'd from Major E. D'H Fairtlough 11.VII.1913		Rec'd from Major E. D'H Fairtlough 11.VII.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N 2274 a-i

N 2274 a-i MISSING

*Dermacentor venustus*Montana, U.S. America (raised
experimentally)

Rec'd. 28.V.1912

Rec'd from Miss M. B. Maver, M.D.,
Pathological Laboratory, Univ. of
Chicago, Illinois, U.S.A.
[Nine slides, lettered a-i;
all stages]Ticks retained from the collection forwarded for determination by Dr. N.
Annandale, Superintendent, Indian Museum, Calcutta, India, 5th July, 1913:-

N 2275

N 2275

RML 111121

Aponomma gervaisi var. *lucasi*
*♂'s, ♀'s, N's*9 ♂, 6 ♀, 3 N *Aponomma varanensis**Naia tripudians**Naja naja*

Zoological Gardens, Calcutta, India

Zoological Gardens, Calcutta
(22.32 N, 88.22 E), India

28.II.1913

28.II.1913

Dr. N. Annandale

[Ind. Mus. $\frac{1789}{17}$]1 ♂, 1 ♀ to Dr. S. Hadwen, Brit.
Columbia, Canada 10.X.1913

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2276	N	2276
		RML	111122
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> ♂'s, ♀'s		1 ♂, 4 ♀ <u>Aponomma varanensis</u>
	<u>Varanus salvator</u>		<u>Varanus salvator</u>
	Zoological Gardens, Calcutta, India		Zoological Gardens, Calcutta (22.32 N, 88.22 E), India
	6.II.1913		6.II.1913
	[Ind. Mus. <u>1791</u> <u>17</u>]		Dr. N. Annandale
N	2277	N	2277
		RML	111123
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s Dog		3 ♂, 5 ♀ <u>Rhipicephalus sanguineus</u> Dog
	Purnlia, Chota Nagpur, India		Purnlia, (23.20 N, 86.22 E) India
	10.IV.1913		10.IV.1913
	[Ind. Mus. <u>1794</u> <u>17</u>]		Dr. N. Annandale
N	2278	N	2278 MISSING
	<u>Boophilus annulatus</u> 1 ♂, ♀'s Horse, carriage		
	Kefi Kenna, Galilee, Palestine		
	12.X.1912		
	N. Annandale		
	[Ind. Mus. <u>NA</u> <u>17</u>]		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2279	N	2279
		RML	111124
	<u>Argas reflexus</u> 2 adults		1 ♂, 1 ♀ <u>Argas reflexus</u> group
	Host ?		Host ?
	Girgaon, Bombay Presidency		Girgaon (30.20 N, 80.11 E), India
	1913		1913
	[Ind. Mus. <u>S.P.A.</u> <u>19</u>]		

Seven tubes of ticks received from Dr. J. Jejament, Veterinarian, Institut Pasteur Marocain, Tangiers, North Africa, 18 July, 1913:-

N	2280	N	2280
		RML	111125
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		19 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Tangiers, Morocco		Tangier (35.48 N, 05.48 W), Morocco
	IV.1913		IV.1913
			Dr. J. Jejament

(Good specimens!) Jejament writes that ticks are very common on horses, cattle & dogs; almost all animals infested.

N	2281	N	2281
		RML	111126
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		3 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Tangiers, Morocco		Tangier (35.48 N, 05.48 W), Morocco
	16.IV.1913		16.IV.1913
			Dr. J. Jejament

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2282	N	2282
		RML	111127
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		6 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Tangiers, Morocco		Tangier (35.48 N, 05.48 W), Morocco
	20.V.1913		20.V.1913
			Dr. J. Jejament
N	2283	N	2283
		RML	111128
	<u>Rhipicephalus sanguineus</u> ♂, ♀'s		10 ♂, 24 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	VI.1913		VI.1913
			Dr. J. Jejament
	(Very fine specimens!)		Vial label with Nuttall 2284 but undoubtedly it refers to this collection.
N	2284, a, b	N	2284, a
		RML	111129
	(2284) <u>Hyalomma aegyptium</u> ♂, ♀'s		(2284) 1 ♂, 7 ♀ <u>Hyalomma anatomicum</u> <u>excavatum</u>
	(a) <u>Rhipicephalus bursa</u> ♀'s		(a) 8 ♀ <u>Rhipicephalus bursa</u>
	(b) <u>Boophilus</u> sp. ♀'s		(b) MISSING
	Cows		Cows
	Tangiers, Morocco		Tangier (35.48 N, 05.48 W), Morocco
	IV-V.1913		IV-V.1913
			Dr. J. Jejament

ORIGINAL DETERMINATION

N 2285, a, b
 (2285) Boophilus annulatus ♀'s
 (a) Rhipicephalus sanguineus ♀'s
 (b) Hyalomma aegyptium ♀'s

Cows

Tangiers, Morocco

VI-VII-1913

N 2286, a

(2286) Rhipicephalus bursa ♂'s, ♀'s
 (a) Hyalomma aegyptium ♂'s, ♀'s

Horses

Tangiers, Morocco

VII.1913

CURRENT STATUS

N 2285, a, b
 RML 111130
 (2285) 3 ♀ Boophilus annulatus
 (a) 13 ♀ Rhipicephalus sanguineus
 (b) 2 ♀ Hyalomma anatomicum excavatum

Cows

Tangier (35.48 N, 05.48 W), Morocco

VI-VII.1913

Dr. J. Jejament

2285a - Tentative ID

N 2286, a

RML 66591

(2286) 17 ♂, 14 ♀ Rhipicephalus bursa
 (a) 9 ♂ Hyalomma marginatum

Horses

Tangier (35.48 N, 05.48 W), Morocco

VII.1913

Dr. J. Jejament

1 ♀ R. bursa with an intact
 spermatophore is in a separate vial.

Collection of ticks received for determination from the Chief Veterinary Surgeon (Dr. J. B. Botelho) Repartição de Agricultura, Seccas de Veterinaria, Lourenço Marques, Portuguese East Africa, 8 July 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2287	N	2287
		RML	111131
	<u>Rhipicephalus falcatus</u> ♀'s	2 ♀ <u>Rhipicephalus senegalensis</u> 3 ♀ <u>Rhipicephalus compositus</u>	
	Pig	Pig	
	Magul	Either Magul (22.41 S, 35.11 E) or (25.03 S, 33.01 E), Mozambique	
	I.1913	I.1913	
N	2288, a-c	N	2288a, c
		RML	111132
	(2288) <u>Amblyomma hebraeum</u> ♂'s (a) <u>Boophilus australis</u> ♀'s (b) <u>Rhipicephalus evertsi</u> 1 ♂ (c) <u>Rhipicephalus appendiculatus</u> 1 ♂	(2288) MISSING (a) 3 ♀ <u>Boophilus microplus</u> (b) MISSING (c) 2 ♂ <u>Rhipicephalus appendiculatus</u>	
	Goat	Goat	
	Bilene	Concelho do Bilene (25.10 S, 33.10 E), Mozambique	
	III.1913	III.1913	
N	2289, a	N	2289a
		RML	111133
	(2289) <u>Amblyomma hebraeum</u> ♂'s, ♀'s (a) <u>Boophilus australis</u>	(2289) MISSING (a) 2 ♀ <u>Boophilus microplus</u>	
	Ox	Ox	
	Bilene	Concelho do Bilene (25.10 S, 33.10 E), Mozambique	
	III.1913	III.1913	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2290, a	N 2290a
		RML 111134
(2290)	<u>Amblyomma hebraeum</u> ♂'s, ♀'s	(2290) MISSING
(a)	<u>Boophilus australis</u> ♀'s	(a) 4 ♀ <u>Boophilus microplus</u>
0x		0x
Bilene		Concelho do Bilene (25.10 S, 33.10 E), Mozambique
III.1913		III.1913
N	2291, a, b	N 2291, a, b
		RML 111135
(2291)	<u>Boophilus australis</u> 1 ♀	(2291) 3 ♂ <u>Boophilus microplus</u>
(a)	<u>Amblyomma hebraeum</u> ♂, ♀	(a) 1 ♂, 1 ♀ <u>Amblyomma hebraeum</u>
(b)	<u>Rhipicephalus appendiculatus</u> ♂'s	(b) 3 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>
0x		0x
Bilene		Concelho do Bilene (25.10 S, 33.10 E), Mozambique
III.1913		III.1913
		(2291a) cited: Robinson (1926: 107).
N	2292, a	N 2292a
		RML 111136
(2292)	<u>Amblyomma hebraeum</u> ♂'s, ♀'s	(2292) MISSING
(a)	<u>Boophilus australis</u> ♀'s & eggs	(a) 2 ♀, many eggs <u>Boophilus microplus</u>
0x		0x
Bilene		Concelho do Bilene (25.10 S, 33.10 E), Mozambique
III.1913		III.1913

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2293	N	2293
		RML	111137
	<u>Amblyomma hebraeum</u> ♂		17 ♂ <u>Amblyomma hebraeum</u>
	0x		0x
	Guija		Guija (23.50 S, 34.57 E), Mozambique
	IV.1913		IV.1913
			Cited: Robinson (1926: 107).
N	2294	N	2294
		RML	111138
	<u>Boophilus australis</u> 2 ♀ & eggs		2 ♀, many eggs <u>Boophilus microplus</u>
	0x		0x
	Guija		Guija (23.50 S, 34.57 E), Mozambique
	IV.1913		IV.1913
N	2295	N	2295
		RML	111139
	<u>Amblyomma hebraeum</u> ♂'s, 1 ♀		3 ♂ <u>Amblyomma hebraeum</u>
	0x		0x
	Guija		Guija (23.50 S, 34.57 E), Mozambique
	IV.1913		IV.1913
			Cited: Robinson (1926: 107).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2296	N	2296
		RML	111140
	<u>Amblyomma hebraeum</u> ♂'s		3 ♂ <u>Amblyomma hebraeum</u>
	0x		0x
	Guija		Guija (23.50 S, 34.57 E), Mozambique
	IV.1913		IV.1913
			Cited: Robinson (1926: 107).
N	2297, a	N	2297a
		RML	111141
	(2297) <u>Rhipicephalus evertsi</u> ♂'s, ♀'s		(2297) MISSING
	(a) <u>Rhipicephalus simus</u> ♀'s		(a) 4 ♀ <u>Rhipicephalus simus</u>
	Goats		Goats
	Marlana		Marlana, Mozambique (locality not verified)
	II.1913		II.1913
N	2298, a, b	N	2298a, b
		RML	111142
	(2298) <u>Rhipicephalus evertsi</u> ♂'s, ♀'s		(2298) MISSING
	(a) <u>Amblyomma hebraeum</u> 2 ♂, 1 ♀, N's		(a) 2 ♂, 1 ♀, 2 N <u>Amblyomma hebraeum</u>
	(b) <u>Rhipicephalus appendiculatus</u> 1 ♀		(b) 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Donkey		Donkey
	Marlana		Marlana, Mozambique (locality not verified)
	II.1913		II.1913
			(2298a) cited: Robinson (1926: 107).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2299	N	2299
		RML	111143
	<u>Rhipicephalus maculatus</u> ♂'s, ♀'s	5 ♂, 1 ♀ <u>Rhipicephalus maculatus</u>	
Pig		Pig	
Marlana		Marlana, Mozambique (locality not verified)	
II.1913		II.1913	
N	2300, a	N	2300, a MISSING
(2300) <u>Amblyomma hebraeum</u> ♂, ♀'s			
(a) <u>Rhipicephalus evertsi</u> 1 ♂, ♀'s			
0x			
Marlana, Portuguese East Africa			
II.1913	.		
Given to D. S. MacLagan 14.X.1938			

<u>ORIGINAL DETERMINATION</u>				<u>CURRENT STATUS</u>	
N	2301, a, b			N	2301b
			RML	111144	
	(2301) <u>Amblyomma hebraeum</u> ♂'s, ♀'s			(2301)	MISSING
	(a) <u>Rhipicephalus evertsi</u> ♂, ♀'s			(a)	MISSING
	(b) <u>Boophilus australis</u> ♀'s			(b) 3 ♀ <u>Boophilus microplus</u>	
	0x			0x	
	Marlana			Marlana, Mozambique (locality not verified)	
	II.1913			II.1913	
N	2302, a		N	2302	
			RML	111145	
	(2302) <u>Amblyomma hebraeum</u> ♂'s, ♀'s			(2302) 3 ♂, 2 ♀ <u>Amblyomma hebraeum</u>	
	(a) <u>Rhipicephalus evertsi</u> ♂'s, ♀'s			(a) MISSING	
	0x			0x	
	Marlana			Marlana, Mozambique (locality not verified)	
	II.1913			II.1913	
				(2302) Cited: Robinson (1926: 107).	
N	2303, a, b		N	2303, a	
			RML	111146	
	(2303) <u>Boophilus australis</u> ♂'s, ♀'s			(2303) 2 ♂, * ♀, 2 N <u>Boophilus microplus</u>	
	(a) <u>Rhipicephalus appendiculatus</u> ♂, ♀'s			(a) 2 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>	
	(b) <u>Rhipicephalus evertsi</u> 1 ♂			(b) MISSING	
	Horse			Horse	
	Namahacha			Namaacha (25.58 S, 32.01 E), Mozambique	
	II.1913			II.1913	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2304, a, b	N	2304a
		RML	111147
(2304)	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s	(2304)	MISSING
(a)	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	(a)	4 ♂, 4 ♀ <u>Rhipicephalus</u> <u>appendiculatus</u>
(b)	<u>Amblyomma hebraeum</u> ♂, ♀	(b)	MISSING
	Horse		Horse
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	II.1913		II.1913
N	2305	N	2305
		RML	111148
	<u>Boophilus australis</u> ♀'s		24 ♀, 1 N <u>Boophilus microplus</u>
	0x		0x
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	II.1913		II.1913
N	2306	N	2306
		RML	111149
	<u>Boophilus australis</u> ♀		1 ♂, 19 ♀ <u>Boophilus microplus</u>
	0x		0x
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	II.1913		II.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N 2307 N 2307 MISSING

Rhipicephalus evertsi ♂'s, ♀'s

Sheep

Namahacha, Portuguese East Africa

II.1913

N 2308, a, b N 2308, a, b

RML 111150

(2308) Boophilus australis ♂'s, ♀'s

(a) Rhipicephalus appendiculatus
♂'s, ♀

(b) Amblyomma hebraeum ♂'s

0x

Namahacha

II.1913

(2308) 19 ♂, 36 ♀, 12 N Boophilus microplus

(a) 2 ♂, 1 ♀ Rhipicephalus appendiculatus

(b) 3 ♂ Amblyomma hebraeum

0x

Namaacha (25.58 S, 32.01 E),
Mozambique

II.1913

(2308b) Cited: Robinson (1926: 107).

N 2309, a, b N 2309a, b

RML 111151

(2309) Boophilus australis ♀'s

(a) Amblyomma hebraeum ♂'s

(b) Rhipicephalus appendiculatus ♂'s

0x

Namahacha

II.1913

(2309) MISSING

(a) 2 ♂ Amblyomma hebraeum

(b) 2 ♂ Rhipicephalus appendiculatus

0x

Namaacha (25.58 S, 32.01 E),
Mozambique

II.1913

(2309a) Cited: Robinson (1926: 107).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2310, a, b	N 2310, a, b
		RML 111152
(2310)	<u>Rhipicephalus simus</u> ♂'s, ♀'s	(2310) 4 ♂, 6 ♀ <u>Rhipicephalus simus</u>
(a)	<u>Amblyomma hebraeum</u> ♂'s, ♀, N	(a) 3 ♂, 1 N <u>Amblyomma hebraeum</u>
(b)	<u>Haemaphysalis leachi</u> ♂, ♀	(b) 2 ♂, 1 N <u>Haemaphysalis leachi</u>
Dog		Dog
Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
II.1913		II.1913
.		(2310a) Cited: Robinson (1926: 107).
N	2311, a, b	N 2311, a
		RML 111153
(2311)	<u>Boophilus australis</u> ♀'s	(2311) 7 ♀ <u>Boophilus microplus</u>
(a)	<u>Amblyomma hebraeum</u> ♂'s, ♀'s	(a) 4 ♂, 1 ♀ <u>Amblyomma hebraeum</u>
(b)	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s	(b) MISSING
Ox		Ox
Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
II.1913		II.1913
.		(2311a) Cited: Robinson (1926: 197).
N	2312, a, b	N 2312, a, b
		RML 111154
(2312)	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	(2312) 15 ♂, 5 ♀ <u>Rhipicephalus</u> <u>appendiculatus</u>
(a)	<u>Amblyomma hebraeum</u> ♂, ♀	(a) 1 ♂, 1 ♀ <u>Amblyomma hebraeum</u>
(b)	<u>Boophilus australis</u> ♂, ♀'s, N's	(b) 1 ♂, 10 ♀ <u>Boophilus decoloratus</u>
Horse		Horse
Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
II.1913		II.1913
.		(2312a) Cited: Robinson (1926: 107).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2313, a, b	N	2313, b
		RML	111155
	(2313) <u>Boophilus australis</u> ♂'s, ♀'s (a) <u>Amblyomma hebraeum</u> ♂'s, eggs (b) <u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		(2313) 2 ♂, 7 ♀ <u>Boophilus microplus</u> (a) MISSING (b) 1 ♂, 4 ♀ <u>Rhipicephalus appendiculatus</u>
	0x		0x
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	II.1913		II.1913
N	2314	N	2314
		RML	111156
	<u>Boophilus australis</u> ♀'s & eggs		15 ♀, eggs <u>Boophilus microplus</u>
	0x		0x
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	II.1913		II.1913
N	2315	N	2315
		RML	111157
	<u>Boophilus australis</u> ♀'s & eggs		1 ♂, 14 ♀, eggs <u>Boophilus microplus</u>
	0x		0x
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	II.1913		II.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N	2316, a-c	N	2316, a, c
		RML	111158
	(2316) <u>Boophilus australis</u> ♀'s & eggs (a) <u>Amblyomma hebraeum</u> ♂'s (very bad) (b) <u>Rhipicephalus evertsi</u> ♂'s, ♀'s (c) <u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		(2316) 5 ♀, eggs <u>Boophilus microplus</u> (a) 8 ♂ <u>Amblyomma hebraeum</u> (b) MISSING (c) 6 ♂, 4 ♀ <u>Rhipicephalus appendiculatus</u>
	Sheep		Sheep
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	III.1913		III.1913
	(2316a) 1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916		(2316a) Cited: Robinson (1926; 107).
		N	2317
		RML	111159
			12 ♀ <u>Boophilus microplus</u>
			0x
			Namaacha (25.58 S, 32.01 E), Mozambique
			II.1913
			This tick collection, found 24.V.1978, and belonging to the series sent by Dr. Botelho for determination, was never entered in Professor Nuttall's catalogue.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2317	N	2317
		RML	111160
	<u>Amblyomma nodosum</u> 1 ♀		1 ♀ <u>Amblyomma nodosum</u>
	"Found beneath a cage recently occupied by a 3-toed sloth, <u>Bradypus</u> "		Found beneath a cage recently occupied by <u>Bradypus infuscatus</u>
	Ancon, Canal Zone, Panama		Ancon (08.58 N, 79.33 W), Panama
	19.IV.1913		19.IV.1913
	Rec'd from Dr. S. T. Darling 22.VII.1913		Rec'd from Dr. S. T. Darling, 22.VII.1913
	Note: wants report; fully gorged it measured 19 X 13 mm by 9 mm thick, dropped off 19.IV, began to oviposit 7.V, stopped laying 31.V, she deposited an enormous number of eggs - "the largest ♀ I have ever seen." Letter destroyed G.H.F.N.		<u>Amblyomma nodosum</u> is exclusively a parasite of New World anteaters. It probably did not feed on a sloth.
N	2318, a-c	N	2318, a-c
		RML	92723
	(2318) <u>Rhipicephalus pulchellus</u> ♂'s, ♀'s		(2318) 1 ♂, 7 ♀ <u>Rhipicephalus pulchellus</u>
	(a) <u>Haemaphysalis leachi</u> ♀'s		(a) 8 ♀ <u>Haemaphysalis leachi</u>
	(b) <u>Boophilus australis</u> ♀'s		(b) 3 ♀ <u>Boophilus microplus</u>
	(c) <u>Amblyomma tholloni</u> ♀'s & N's		(c) 1 N <u>Amblyomma variegatum</u>
	Dog and mules		(c) 1 ♀ <u>Amblyomma tholloni</u>
	Dire Daoua, Ethiopia, Abyssinia, E. Africa		Dog and mules
	28.V.1913		Diredawa (09.35 N, 41.52 E), Ethiopia
	Rec'd from M. Pellerin, 14.VII.1913		28.V.1913
			One ♀ <u>H. leachi</u> is now in the NAMRU-3 tick collection, Cairo, Egypt. The <u>Amblyomma tholloni</u> identification is tentative. This is not good host or locality information for <u>A. tholloni</u> . The legs are missing so the banding cannot be checked but I do not believe it to be <u>A. eburneum</u> .

Two tubes of ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa,
Via Broken Hill, N. Rhodesia, 28 July, 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2319, a (2319) <u>Hyalomma aegyptium</u> ♂'s, ♀ (a) <u>Rhipicephalus evertsi</u> 1 ♂	N	2319, a MISSING
	Burchell's zebras		
	Near Mwengwa, N. Rhodesia		
V.1913			
N	2320 <u>Rhipicephalus</u> sp. nymph	N	2320
	Lichtenstein's hartebeeste	RML	111161
	Near Mwengwa, N. Rhodesia		1 N <u>Rhipicephalus</u> sp. <u>Alcelaphus lichtensteini</u>
			Near Mwengwa (15.17 S, 25.59 E), Zambia
	21.VI.1913		
	Ticks received from F. C. Bishop, Esq., Dallas, Texas, U.S. America, 30 July, 1913:-		
N	2321 <u>Haemaphysalis leporis-palustris</u> (unfed larvae)	N	2321
	Off ?	RML	+500 L <u>Haemaphysalis leporispalustris</u> <u>Lepus californicus</u>
	Utopia, Texas		Utopia (29.37 N, 99.32 W), Texas, USA
	1912		11.IX.1910
	"2039"		Host and date information taken from Bishop accession card 2039 now in RML.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2322	N 2322
		RML 111163
	<u>Haemaphysalis leporis-palustris</u> (unfed Larvae)	+200 L <u>Haemaphysalis</u> <u>leporispalustris</u>
	Host ?	<u>Lepus californicus</u>
	Refugio, Texas	Refugio (28.18 N, 97.17 W), Texas, U.S.A.
	1913	2.II.1911
		C. T. Atkinson
	"2136" [7 larvae mounted in balsam on 2 slides]	Slides missing. Host, date, and collector information taken from Bishopp accession card 2136 now in RML.
N	2323	N 2323
		RML 111164
	<u>Haemaphysalis leporis-palustris</u> (gorged larvae)	17 L <u>Haemaphysalis leporispalustris</u>
	Host ?	Host?
	Texas	Texas, U.S.A.
	1913	1913
	"No no."	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2324	N	2324
		RML	111163
	<u>Haemaphysalis leporis-palustris</u> (unfed nymphs)		21 N <u>Haemaphysalis leporispalustris</u>
	Host ?		<u>Lepus californicus</u>
	Refugio, Texas		Refugio (28.18 N, 97.17 W), Texas, U.S.A.
	1913		2.II.1911
	.		C. T. Atkinson
	"2136" [a N mounted in balsam on slide]		Slide missing
			See note under 2322.

Collection of ticks received from Dr. J. Y. Wood, Kaballa, Koinadugu District, Sierra Leone Protectorate, West Africa, 29 July, 1913:-

N	2325, a	N	2325, a
		RML	111165
	(2325) <u>Rhipicephalus lunulatus</u> 1 ♂ (a) <u>Boophilus australis</u>		(2325) 1 ♂ <u>Rhipicephalus lunulatus</u> (a) 10 ♀ <u>Boophilus geigyi</u>
	Goats		Goats
	Dunkiawallia, Sierra Leone		Dunkiawallia, Sierra Leone (locality not verified)
	28.VI.1913		28.VI.1913

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2326	N	2326
		RML	111166
	<u>Amblyomma marmoreum</u> 1 ♀		1 ♀ <u>Amblyomma nuttalli</u>
	Tortoise from bush		Tortoise from bush
	Ninkintumania, Sierra Leone		Ninkintumania, Sierra Leone (locality not verified)
	28.VI.1913		28.VI.1913
			Cited: Hoogstraal (1954b: 275); Theiler & Salisbury (1959: 115).
N	2327	N	2327
		RML	111167
	<u>Rhipicephalus lunulatus</u> ♀'s		2 ♀ <u>Rhipicephalus senegalensis</u>
	"Self" (in bush)		<u>Homo sapiens</u>
	Near Yaria, Sierra Leone		Near Yaria, perhaps Yaraia (08.56 N, 11.08 W), Sierra Leone
	16.VI.1913		16.VI.1913
			Dr. J. Y. Wood
N	2328	N	2328
		RML	113746
	<u>Haemaphysalis leachi</u> ♀'s		2 ♀ <u>Haemaphysalis leachi</u>
	Dogs		Dogs
	Dunkiawallia, Sierra Leone		Dunkiawallia, Sierra Leone (locality not verified)
	28.VI.1913		28.VI.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N	2329, a, b	N	2329a, b
		RML	111168
	(2329) <u>Amblyomma variegatum</u> ♀ (a) <u>Rhipicephalus lunulatus</u> ♂'s, ♀'s (b) <u>Boophilus australis</u>		(2329) MISSING (a) 7 ♂, 16 ♀ <u>Rhipicephalus lunulatus</u> (b) 28 ♀ <u>Boophilus geigyi</u>
	Sheep		Sheep
	Firawa, Sierra Leone		Firawa, either (09.21 N, 11.18 W) or (09.31 N, 10.51 W), Sierra Leone
	16.VI.1913		16.VI.1913
N	2330, a	N	2330, a
		RML	111169
	(2330) <u>Amblyomma</u> sp. N's (a) <u>Rhipicephalus lunulatus</u> ♀'s		(2330) 2 N <u>Amblyomma variegatum</u> (a) 1 ♀ <u>Rhipicephalus lunulatus</u>
	Water-buck		<u>Kobus ellipsiprymnus</u> subsp.
	Kamagototo, Sierra Leone		Kamagototo, Sierra Leone (locality not verified)
	15.VI.1913		15.VI.1913
	Shot by Captain Stanley		Shot by Captain Stanley
			The <u>R. lunulatus</u> ♀ is a teratological specimen.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2331, a-c	N 2331, b, c
		RML 111170
	(2331) <u>Rhipicephalus lunulatus</u>	(2331) 18 ♂, 15 ♀ <u>Rhipicephalus lunulatus</u>
	(a) <u>Amblyomma variegatum</u>	(a) MISSING
	(b) <u>Boophilus australis</u>	(b) 14 ♀ <u>Boophilus geigyi</u>
	(c) <u>Rhipicephalus falcatus</u>	(c) 2 ♂ <u>Rhipicephalus senegalensis</u>
	Cows	Cows
	Ninkintumania, Sierra Leone	Ninkintumania, Sierra Leone (locality not verified)
	27.VI.1913	27.VI.1913
	(2331) 1 ♂, 1 ♀ to J. de Meza Zomba, Nyasaland 19.II.1916	
N	2332, a	N 2332a
		RML 111171
	(2332) <u>Amblyomma variegatum</u> ♂	(2332) MISSING
	(a) <u>Rhipicephalus lunulatus</u>	(a) 2 ♂, 3 ♀ <u>Rhipicephalus lunulatus</u>
	Goats	Goats
	Bende, Sierra Leone	Bende (08.24 N, 10.19 W), Sierra Leone
	23.VI.1913	23.VI.1913
N	2333, a, b	N 2333, a, b
		RML 111172
	(2333) <u>Amblyomma splendidum</u>	(2333) 9 ♂ <u>Amblyomma splendidum</u>
	(a) <u>Rhipicephalus lunulatus</u>	(a) 176 ♂, 40 ♀ <u>Rhipicephalus lunulatus</u>
	(b) <u>Rhipicephalus falcatus</u>	(a) 3 ♂ <u>Rhipicephalus senegalensis</u>
		(b) 13 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
		(b) 1 ♂ <u>Rhipicephalus longus</u>
	Bush-cow	Cow, bush
	Sierra Leone	Sierra Leone
	VI.1913	VI.1913
	R. <u>lunulatus</u> & R. <u>falcatus</u>	(2333) Cited: Robinson (1926: 125).
	merging into one another & females probably confused.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2334, a	N	2334, a
		RML	111173
(2334)	<u>Rhipicephalus lunulatus</u>	(2334)	11 ♂, 9 ♀ <u>Rhipicephalus lunulatus</u>
(a)	<u>Amblyomma variegatum</u>	(a)	2 ♂, 1 ♀ <u>Amblyomma variegatum</u>
Cows		Cows	
Bandakarifa, Sierra Leone		Bandakarafaia (09.16 N, 11.12 W), Sierra Leone	
18.VI.1913		18.VI.1913	
N	2335, a, b	N	2335
		RML	111174
(2335)	<u>Rhipicephalus lunulatus</u>	(2335)	20 ♂, 13 ♀ <u>Rhipicephalus lunulatus</u>
(a)	<u>Amblyomma variegatum</u>	(a)	MISSING
(b)	<u>Boophilus australis</u>	(b)	MISSING
Cattle		Cattle	
Dunkiawallia, Sierra Leone		Dunkiawallia, Sierra Leone (locality not verified)	
28.VI.1913		28.VI.1913	
N	2336, a, b	N	2336, a
		RML	111175
(2336)	<u>Boophilus australis</u>	(2336)	30 ♀ <u>Boophilus geigyi</u>
(a)	<u>Rhipicephalus lunulatus</u>	(a)	6 ♂, 8 ♀ <u>Rhipicephalus lunulatus</u>
(b)	<u>Amblyomma variegatum</u>	(b)	MISSING
Cows		Cows	
Kurnbum, Sierra Leone		Kurnbum, Sierra Leone (locality not verified)	
21.VI.1913		21.VI.1913	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2337, a-c	N	2337, b, c
RML		RML	111176
(2337) <u>Amblyomma splendidum</u> 2 ♂'s 1 ♀		(2337) 2 ♂, 1 ♀ <u>Amblyomma</u> <u>splendidum</u>	
(a) <u>Amblyomma variegatum</u>		(a) MISSING	
(b) <u>Rhipicephalus falcatus</u>		(b) 3 ♂, 6 ♀ <u>Rhipicephalus lunulatus</u>	
(c) <u>Boophilus australis</u>		(b) 27 ♂, 15 ♀ <u>Rhipicephalus</u> <u>senegalensis</u>	
		(c) 3 ♀ <u>Boophilus geigyi</u>	
Cattle		Cattle	
Ninkintumania, Sierra Leone		Ninkintumania, Sierra Leone (locality not verified)	
26.VI.1913		26.VI.1913	
N	2338, a, b	N	2338, a, b
RML		RML	111177
(2338) <u>Rhipicephalus falcatus</u>		(2338) 2 ♂ <u>Rhipicephalus longus</u>	
(a) <u>Rhipicephalus lunulatus</u>		(2338) 6 ♂, 3 ♀ <u>Rhipicephalus</u> <u>senegalensis</u>	
(b) <u>Amblyomma splendidum</u>		(2338) 2 ♂, 2 ♀ <u>Rhipicephalus</u> <u>lunulatus</u>	
		(a) 6 ♂, 4 ♀ <u>Rhipicephalus lunulatus</u>	
Bush-cow		(b) 33 ♂, 15 ♀ <u>Amblyomma</u> <u>splendidum</u>	
Shot near Ninkintumania, Sierra Leone		Bush-cow	
27.VI.1913		Shot near Ninkintumania, Sierra Leone (locality not verified)	
(2338b) 1 ♂, 1 ♀ to Dr. S. Hadwen, Brit. Columbia, Canada 10.X.1913		27.VI.1913	
(2338b) 1 ♂, 1 ♀ to prof. E. Brumpt, Ecole Médecine, Paris 12.X.1922.		The <u>Rhipicephalus longus</u> collection was cited by Clifford & Anastos (1962: 24).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2339	N 2339 MISSING
	<u>Amblyomma variegatum</u>	
	Cows	
	Kurnbum, Sierra Leone	
	21.VI.1913	
N	2340, a, b	N 2340a, b
		RML 111178
	(2240) <u>Amblyomma variegatum</u>	(2240) MISSING
	(a) <u>Rhipicephalus simus</u>	(a) 1 ♀ <u>Rhipicephalus senegalensis</u>
	(b) <u>Boophilus australis</u>	(b) 1 ♀ <u>Boophilus geigyi</u>
	Cattle	Cattle
	Serakoria, Sierra Leone	Perhaps Serakolia (09.32 N, 11.05 W), Sierra Leone
	24.VI.1913	24.VI.1913
N	2341, a, b	N 2341a, b
		RML 111179
	(2341) <u>Amblyomma variegatum</u>	(2341) MISSING
	(a) <u>Rhipicephalus lunulatus</u> ♀'s	(a) 2 ♀ <u>Rhipicephalus lunulatus</u>
	(b) <u>Boophilus australis</u> ♀'s	(b) 2 ♀ <u>Boophilus geigyi</u>
	Cattle	Cattle
	Bende, Sierra Leone	Bende (08.24 N, 10.19 W), Sierra Leone
	23.VI.1913	23.VI.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N	2342, a, b	N	2342a, b
		RML	111180
	(2342) <u>Amblyomma variegatum</u>	(2342)	MISSING
	(a) <u>Boophilus australis</u>	(a) 7 ♀	<u>Boophilus geigyi</u>
	(b) <u>Rhipicephalus simus</u>	(b) 1 ♀	<u>Rhipicephalus senegalensis</u>
	Cattle	Cattle	
	Koinadugu, Sierra Leone	Koinadugu (09.32 N, 11.22 W), Sierra Leone	
	11.VI.1913	11.VI.1913	
N	2343, a-c	N	2343, a, b
		RML	111181
	(2343) <u>Rhipicephalus lunulatus</u>	(2343)	56 ♂, 62 ♀ <u>Rhipicephalus lunulatus</u>
	(a) <u>Rhipicephalus falcatus</u> 2 ♂, 1 ♀	(a)	2 ♂, 1 ♀ <u>Rhipicephalus compositus</u>
	(b) <u>Boophilus australis</u>	(a)	5 ♂, 8 ♀ <u>Rhipicephalus senegalensis</u>
	(c) <u>Amblyomma variegatum</u>	(b)	10 ♀ <u>Boophilus geigyi</u>
		(c)	MISSING
	Cattle	Cattle	
	Yeria, Sierra Leone	Yeria, Sierra Leone (locality not verified)	
	15.VI.1913	15.VI.1913	
	(2343) 1 ♂, 1 ♀ to Dr. S. Hadwen, Brit. Columbia, Canada 10.X.1913		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2344, a, b

N 2344 a-c

RML 111182

(2344) Amblyomma variegatum
 (a) Rhipicephalus lunulatus
 (b) Rhipicephalus falcatus
 (c) Boophilus australis

(2344) MISSING
 (a) 59 ♂, 48 ♀ Rhipicephalus lunulatus
 (b) 5 ♂, 4 ♀ Rhipicephalus senegalensis
 (c) 1 ♂, 28 ♀ Boophilus geigyi

Cows

Cows

Firawa, Sierra Leone

Either Firawa (09.21 N, 11.18 W) or
(09.31 N, 10.51 W), Sierra Leone

16.VI.1913

16.VI.1913

The R. lunulatus collection was
incorrectly labelled N2344.

NOTE: Professor Nuttall inadvertently repeated numbers N2327-N2344. To
these entries I have added the suffix Z to facilitate separation of the
collections.

Five tubes of ticks received from Mr. R. Hancock, "Hadleigh," Mary's Road,
Stechford, 2 August, 1913:-

N 2327Z

N 2327Z

RML 111183

Ixodes hexagonus 4 ♀'s4 ♀ Ixodes hexagonus

Stoat

Mustela ermineaLittle Packington, Warwickshire,
EnglandLittle Packington (52.27 N, 01.41 W),
Warwickshire, England

VII.1913

VII.1913

R. Cornish

R. Cornish

Cited: Nuttall (1916; 328).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2328Z	N	2328Z
		RML	111184
	<u>Ixodes hexagonus</u> 5 ♀'s		4 ♀ <u>Ixodes hexagonus</u>
	Stoat		<u>Mustela erminea</u>
	Little Packington, Warwickshire,		Little Packington (52.27 N, 01.41 W), Warwickshire, England
	VII.1913		VII.1913
	R. Cornish		R. Cornish
			Cited: Nuttall (1916: 328).
N	2329Z	N	2329Z
		RML	111185
	<u>Ixodes hexagonus</u> 3 N's		3 N <u>Ixodes hexagonus</u>
	Stoat		<u>Mustela erminea</u>
	Little Packington, Warwickshire, England		Little Packington (52.27 N, 01.41 W), Warwickshire, England
	VII.1913		VII.1913
	R. Cornish		R. Cornish
			Cited: Nuttall (1916: 328).
N	2330Z	N	2330Z
		RML	111186
	<u>Ixodes hexagonus</u> 1 ♀		1 ♀ <u>Ixodes hexagonus</u>
	Ferret		<u>Mustela furo</u>
	Little Packington, Warwickshire, England		Little Packington (52.27 N, 01.41 W), Warwickshire, England
	VII.1913		VII.1913
	R. Cornish		R. Cornish
			Cited: Nuttall (1916: 328).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2331Z	N	2331Z
		RML	111187
	<u>Ixodes hexagonus</u> 2 ♀'s		2 ♀ <u>Ixodes hexagonus</u>
	Rat		Probably <u>Rattus norvegicus</u>
	Little Packington, Warwickshire, England		Little Packington (52.27 N, 01.41 W), Warwickshire, England
	VII.1913		VII.1913
	R. Cornish		R. Cornish
			Cited: Nuttall (1916: 328).

Ticks rec'd from Dr. R. A. Cleveland, Medical Officer of Health, Nicosia, Cyprus Island, Mediterranean Sea, 5 August, 1913:-

N	2332Z	N	2332Z MISSING
---	-------	---	---------------

Argas persicus

From chicken house

Nicosia, Cyprus

8.V.1913

M. Aziz

N	2333Z	N	2333Z MISSING
---	-------	---	---------------

Hyalomma aegyptium ♂, ♀'s

Camel

Famagousta, Cyprus

24.IV.1913

M. Aziz

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2334Z	N	2334Z
		RML	111188
	<u>Rhipicephalus sanguineus</u> ♂, ♀'s		1 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Nicosia, Cyprus		Nicosia (35.10 N, 33.22 E), Cyprus	
19.V.1913		19.V.1913	
M. Aziz		Dr. M. A. Cleveland	
Dog in government house			
N	2335Z	N	2335Z
		RML	111189
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		2 ♂, 5 ♀ <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Nicosia, Cyprus		Nicosia (35.10 N, 33.22 E), Cyprus	
21.IV.1913		21.IV.1913	
M. Aziz		Dr. M. A. Cleveland	
		This collection also contained 1 ♀ <u>Ctenocephalides canis</u> (Siphonaptera)	
N	2336Z	N	2336Z
		RML	111190
	<u>Rhipicephalus sanguineus</u> ♀'s		6 ♀ <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Nicosia, Cyprus		Nicosia (35.10 N, 33.22 E), Cyprus	
21.IV.1913		21.IV.1913	
M. Aziz		Dr. M. A. Cleveland	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2337Z	N	2337Z
		RML	111191
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		2 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Nicosia, Cyprus		Nicosia (35.10 N, 33.22 E), Cyprus
	21.IV.1913		21.IV.1913
	M. Aziz		Dr. M. A. Cleveland
			This collection also contained 1 ♀ <u>Ctenocephalides canis</u> (Siphonaptera)
N	2338Z	N	2338Z
		RML	111192
	<u>Rhipicephalus sanguineus</u> N's		1 ♂, 12 N <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Larnaka, Cyprus		Larnaka (35.18 N, 33.08 E), Cyprus
	23.VI.1913		23.VI.1913
	M. Aziz		Dr. M. A. Cleveland
N	2339Z	N	2339Z
		RML	111193
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀		6 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Papho, Cyprus		Paphos (34.45 N, 32.25 E), Cyprus
	16.VI.1913		16.VI.1913
	M. Aziz		Dr. M. A. Cleveland

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2340Z	N 2340Z
		RML 111194
	<u>Rhipicephalus sanguineus</u> N's	7 N <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Limasol, Cyprus	Limassol (34.40 N, 33.02 E), Cyprus
	22.VI.1913	22.VI.1913
	M. Aziz	Dr. M. A. Cleveland
N	2341Z	N 2341Z
		RML 111195
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀	4 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Papho, Cyprus	Paphos (34.45 N, 32.25 E), Cyprus
	20.VI.1913	20.VI.1913
	M. Aziz	Dr. M. A. Cleveland
N	2342Z	N 2342Z
		RML 111196
	<u>Ornithodoros tholozani</u> (alive)	3 ♂, 3 ♀, 4 N <u>Ornithodoros tholozani</u>
	Quetta, Baluchistan, India	Quetta (30.12 N, 67.00 E), Pakistan
	6.VIII.1913	6.VIII.1913
	Rec'd from Major G.E.F. Stammers, R.A.M.C.	Rec'd from Major G.E.F. Stammers, R.A.M.C.
	[Used for raising experiments] Found dead 12.VIII.1914 ["Collected amongst a host of <u>A. persicus</u> by Major Browse's men. Sent in a bottle with crumpled filter paper"]. Survived just one year unfed in laboratory in Cambridge, at room temperature.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2343Z	N	2343Z
		RML	111197
	<u>Boophilus australis</u> ♀'s		10 ♀ <u>Boophilus microplus</u>
	Ox		Ox
	Shanghai, China		Shanghai (31.14 N, 121.28 E), Peoples Republic of China
	VII.1913		VII.1913
	Rec'd from Dr. A. Stanley, Health Department, Shanghai, 6.VIII.1913		Rec'd from Dr. A. Stanley, Health Department, Shanghai, 6.VIII.1913
	[Native name for these ox ticks in China: "Yoong"]		

Three tubes of ticks received from Dr. L. de Blieck, Veeartsenijkundig Laboratorium, Departement van Landbouw, Nijverheid en Handel, Buitenzorg, Java, Dutch E. Indies 6.VIII.1913:-

N	2344Z	N	2344Z	MISSING
	<u>Hyalomma aegyptium</u> ♂'s			
	Cattle, Bengalese			
	Bengalen, Java, Dutch East Indies			
	21.VI.1912			
N	2345	N	2345	
		RML	111198	
	<u>Boophilus australis</u> ♂'s, ♀'s, N's			8 ♂, 10 ♀, 14 N <u>Boophilus microplus</u>
	Bullock			Bullock
	Deli, Sumatra, Dutch East Indies			Labuhandeli (03.45 N, 98.41 E), Sumatra, Indonesia
	21.VI.1913			21.VI.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N	2346	N	2346
		RML	111199
	<u>Boophilus australis</u> ♂'s, ♀'s, N's		4 ♂, 7 ♀, 2 N <u>Boophilus microplus</u>
	Bullock		Bullock
	Deli, Sumatra, Dutch East Indies		Labuhandeli (03.45 N, 98.41 E), Sumatra, Indonesia
	21.VI.1913		21.VI.1913

Ticks received from Major T. W. Rudd, A.V.C., D.V.O., (5th Mhow Division),
Station Veterinary Hospital, Mhow, Central Provinces, India, 11 August, 1913:-

N	2347	N	2347
		RML	111200
	<u>Rhipicephalus sanguineus</u> 2 ♀'s		2 ♀ <u>Rhipicephalus sanguineus</u>
	Foxhound		Dog (Foxhound)
	Mhow, C. P., India		Mhow (22.33 N, 75.46 E), India
	20.VII.1913		20.VII.1913
			Major T. W. Rudd

N	2348	N	2348 MISSING
	<u>Hyalomma aegyptium</u> nymphs		
	Horse (belonging to Colonel Stephen)		
	Mhow, C. P., India		
	19.VII.1913		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2349	N	2349
		RML	111201
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		22 ♂, 20 ♀, 2 N <u>Rhipicephalus sanguineus</u>
	Dog (fox terrier)		Dog (fox terrier)
	Mhow, C. P., India		Mhow (22.33 N, 75.46 E), India
	23.VII.1913		23.VII.1913
			Major T. W. Rudd

1 ♂, 1 ♀ to Dr. K. F. Meyer, Univ.
California, Berkeley 15.XI.1913

Two tubes of ticks retained from the collection sent for determination by
Dr. N. Annandale, Superintendent, Indian Museum, Calcutta, India.

N	2350	N	2350
		RML	111202
	<u>Rhipicephalus haemaphysaloides</u> 2 ♂'s, 3 ♀'s		2 ♂, 6 ♀ <u>Rhipicephalus haemaphysaloides</u>
	Off ?		Off ?
	Singla (1,500 ft.), Darjiling District		Singla, Darjeeling District, India (456 m) (locality not verified)
	IV.1913		IV.1913
	Lord Carmichael's coll.		Lord Carmichael's coll.
	[Indian Museum $\frac{CC}{367}$ b]		

<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
-------------------------------	-----------------------

N	2351	N	2351
		RML	111203
	<u>Boophilus australis</u> 2 ♂'s, ♀'s		2 ♂, 6 ♀ <u>Boophilus microplus</u>
	Off ?		Off ?
	Sukna (1,000 ft.), Darjiling District		Sukna (26.47 N, 88.22 E), India (305 m)
	IV.1913		IV.1913
	Lord Carmichael's coll.		Lord Carmichael's coll.
	[Indian Museum $\frac{CC}{370}$]		

Five tubes of ticks received from F. Harken, Esq., c/o Mission de Prospection, Luofu (Rutshuru), Congo Belge (Via Mombasa & Fort Portal), Central Africa, 11 August , 1913:-

N	2352	N	2352
		RML	111204
	<u>Rhipicephalus appendiculatus</u> ♀'s & N's		1 ♂, 3 ♀, 4 N <u>Rhipicephalus appendiculatus</u>
	Sheep		Sheep
	Kimaku, Belgian Congo		Kimaku (00.38 S, 29.08 E), Zaire (1280 m)
	23.V.1913		23.V.1913
	[Note: Kimaka Lat. 0°38 S, Long. 29°08 E. Alt. 4,200 ft.		I could not verify this locality in any Zaire gazetteer so have relied on the coordinates given by Nuttall

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2353	N	2353
		RML	111205
	<u>Ixodes rausus</u> ♀'s		2 ♀ <u>Ixodes cumulatimpunctatus</u>
	Goat		Goat
	Beeba-Shero, Belgian Congo		Beeba-Shero (00.45 S, 29.31 E), Zaire (1707 m)
	23.V.1913		23.V.1913
	[Note: Beeba-Shero Lat. 0°45 S, Long. 29°31 E. Alt. 5,600 ft.]		I could not verify this locality in any Zaire gazetteer so have relied on the coordinates given by Nuttall. Nuttall (1916: 331) gave the locality as Buba-Shero; Arthur & Burrow (1957: 503).
N	2354, a	N	2354, a
		RML	90007
	(2354) <u>Haemaphysalis parmata</u> ♂, N, L		(2354) 1 ♀, 1 N, 2 L <u>Haemaphysalis</u> <u>parmata</u>
	(a) <u>Rhipicephalus appendiculatus</u> ♂, ♀		(a) 1 ♂, 1 ♀ <u>Rhipicephalus</u> <u>appendiculatus</u>
	Antelope (light-brown with white spots)		Antelope (light-brown with white spots)
	Kimaka, Belgian Congo		Kimaka (00.38 S, 29.08 E), Zaire (1280 m)
	15.V.1913		15.V.1913
			See remark under N 2352

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2355	N	2355
		RML	111206
	<u>Rhipicephalus appendiculatus</u> ♂, ♀		1 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
	Sheep		Sheep
	Mahleo, Belgian Congo		Mahleo (00.27 S, 29.12 E), Zaire (1768 m)
	2.VI.1913		2.VI.1913
	[Note: Mahleo Lat 0°27 S, Long. 29°12 E. Alt. 5,800 ft.]		I could not verify this locality in any Zaire gazetteer so have relied on the coordinates given by Nuttall.
N	2356	N	2356
		RML	111207
	<u>Rhipicephalus appendiculatus</u> ♂, N's		3 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>
	Sheep		Sheep
	Kimaka, Belgian Congo		Kimaka (00.38 S, 29.08 E), Zaire (1280 m)
	14.V.1913		14.V.1913
			See remark under N 2352
N	2357	N	2357
		RML	111208
	<u>Aponomma gervaisi</u> ♂'s		2 ♂ <u>Aponomma gervaisi</u>
	Bengal Monitor		<u>Varanus bengalensis</u>
	India		India
	8.VIII.1913		8.VIII.1913
	[Z.S. 38]		

Three tubes of ticks received from H. E. Cross, Esq., M.R.C.V.S., B. Sc., Camel Specialist, Sohawa, Hjelum District, Punjab, Indian 19 August, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2358	N	2358
		RML	111209
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		4 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Sohawa, Punjab, India		Sohawa, Pakistan (locality not verified; 3 possible localities in Punjab)
	22.VII.1913		22.VII.1913
N	2359	N	2359 MISSING
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		
	Goat		
	Sohawa, Punjab, India		
	22.VII.1913		
N	2360	N	2360 MISSING
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		
	Camel		
	Sohawa, Punjab, India		
	22.VII.1913		

Two tubes of ticks received from L. C. Heath, Fsa., Mwengwa, Mumhwa,
N. Rhodesia, 26.VIII.1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2361, a	N	2361a
		RML	111210
	(2361) <u>Amblyomma variegatum</u> ♂'s (a) <u>Boophilus australis</u> ♀		(2361) MISSING (a) 1 ♀ <u>Boophilus decoloratus</u>
	Sable bull		<u>Hippotragus niger</u>
	Shot at Salama (Native District of Baluba District) N. Rhodesia		Shot at Salama (15.10 S, 26.20 E), Native District of Baluba, Namwala District, Zambia
	7.VII.1913		7.VII.1913
N	2362, a	N	2362
		RML	111211
	(2362) <u>Rhipicephalus evertsi</u> ♂, ♀, N (a) <u>Hyalomma aegyptium</u>		(2362) 2 ♂, 2 ♀, 13 N <u>Rhipicephalus</u> <u>evertsi</u> (a) MISSING
	Reed-buck		<u>Redunca arundinum</u>
	Shot at Nangoma (Native District of Baluba District) N. Rhodesia		Shot at Nangoma (14.22 S, 22.02 E), Zambia
	5.VII.1913		5.VII.1913
	Four tubes of ticks received from Dr. Wm. C. Wigan, Mpandas, Fort Johnston, Nyasaland B. C. Africa 26 August, 1913:-		
N	2363	N	2363 MISSING
	<u>Hyalomma aegyptium</u> 1 ♀		
	Found "in saloon of steamer"		
	Monkey Bay, Lake Nyasa, Nyasaland		
	23.V.1913		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2364 N 2364 MISSING

Rhipicephalus sanguineus ♂

Man (European)

Liborna Island, Monkey Bay,
Nyasaland

20.VI.1913

N 2365 N 2365 MISSING

Rhipicephalus sanguineus ♂'s

Wart-hog

Monkey Bay, Lake Nyasa, Nyasaland

V.1913

N 2366 N 2366 MISSING

Haemaphysalis leachi ? ♂

Hyrax

Monkey Bay, Lake Nyasa, Nyasaland

23.V.1913

Hoogstraal (1956b: 169) noted that
this collection was missing

Three tubes of ticks received from Captain A. J. Williams, A.V.C., i/p
Station Veterinary Hospital, Secunderabad, Deccan, India, 26 August 1913:-

N 2367 N 2367 MISSING

Rhipicephalus sanguineus ♂, ♀, N

Dog (animal dying-suspected
Piroplasmosis)

Secunderabad, Deccan, India

20.VII.1913

ORIGINAL DETERMINATIONCURRENT STATUS

N	2368	N	2368
		RML	111212
	<u>Hyalomma aegyptium</u> ♀'s, N's		5 ♂, 5 ♀, 3 N <u>Hyalomma anatolicum</u> <u>anatolicum</u>
	Horse		Horse
	Secunderabad, Deccan, India		Secunderabad (17.27 N, 78.30 E), India
	22.VII.1913		22.VII.1913
N	2369	N	2369 MISSING
	<u>Hyalomma aegyptium</u> N's		
	Cattle		
	Secunderabad, Deccan, India		
	23.VII.1913		
Collection of ticks received from Richard Hancock, Esq., "Hadleigh" Mary's Road, Stechford 10th June, 1913:-			
N	2370, a, b	N	2370, b
		RML	111213
	(2370) <u>Rhipicephalus pulchellus</u> 2 ♂, 2 ♀		(2370) 2 ♀ <u>Rhipicephalus pulchellus</u>
	(a) <u>Hyalomma aegyptium</u> 1 ♀		(a) MISSING
	(b) <u>Boophilus australis</u> 1 ♂, 2 ♀		(b) 1 ♂, 2 ♀ <u>Boophilus decoloratus</u>
	Zebra		Zebra
	Africa		Africa
	No other data		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2371	N	2371 MISSING
	<u>Hyalomma aegyptium</u> ♂, ♀		
	Ibex, Nubian		
	Africa		
	No other data		
N	2372, a	N	2372, a
		RML	111214
	(2372) <u>Ixodes ricinus</u> 2 ♀'s		(2372) 2 ♀ <u>Ixodes ricinus</u>
	(a) <u>Ixodes canisuga</u> ♀'s & N		(a) 1 ♀, 2 N <u>Ixodes canisuga</u>
	Fox, common		<u>Vulpes vulpes</u>
	No other data		
N	2373	N	2373
		RML	111215
	<u>Rhipicephalus</u> sp. N's		12 N <u>Rhipicephalus</u> sp.
	Jackal		Jackal
	No other data		
N	2374	N	2374
		RML	111216
	<u>Ixodes ricinus</u> ♀'s		1 ♂, 3 ♀ <u>Ixodes ricinus</u>
	English red deer		<u>Cervus elaphus</u>
	No other data		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2375, a	N	2375
		RML	111217
	(2375) <u>Rhipicephalus pulchellus</u> 1 ♂ (a) <u>Rhipicephalus</u> sp. 2 ♀		(2375) 1 ♂ <u>Rhipicephalus pulchellus</u> (a) MISSING
	Burchell's zebra		<u>Equus burchelli</u>
			Africa
	No other data Thrown away, no good 13.I.1915. N.		
N	2376, a	N	2376, a
		RML	111218
	(2376) <u>Ixodes ricinus</u> 2 ♀'s (a) <u>Ixodes canisuga</u> 1 ♀		(2376) 2 ♀ <u>Ixodes ricinus</u> (a) 1 ♀ <u>Ixodes canisuga</u>
	Wild boar		<u>Sus scrofa</u>
	No other data		(2376a) tentative ID
N	2377, a	N	2377, a
		RML	111219
	(2377) <u>Rhipicephalus pulchellus</u> 1 ♀ (a) <u>Haemaphysalis leachi</u> 2 N's (mutilated)		(2377) 1 ♀ <u>Rhipicephalus pulchellus</u> (a) 3 N <u>Haemaphysalis leachi</u>
	Rhinoceros		<u>Diceros bicornis</u> or <u>Ceratotherium simum</u>
	Africa		Africa
	No other data		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2378	N	2378
		RML	111220
	<u>Rhipicephalus pulchellus</u> 2 ♂'s		2 ♂ <u>Rhipicephalus pulchellus</u>
	Wildebeeste		<u>Connochaetes taurinus</u>
			Africa
	No other data		
N	2379	N	2379
		RML	111221
	<u>Ixodes schillingsi</u> ! 1 ♂, 2 ♀		1 ♂, 2 ♀ <u>Ixodes schillingsi</u>
	Colobus monkey		<u>Colobus</u> sp.
	Africa		Africa
	1913		1913
	No other data		Cited: Nuttall (1916: 333); Arthur (1957a: 545).
N	2380, a	N	2380, a
		RML	111222
	(2380) <u>Ixodes canisuga</u> N's		(2380) 3 N <u>Ixodes canisuga</u>
	(a) <u>Ixodes ricinus</u> 1 ♀		(a) 1 ♀ <u>Ixodes ricinus</u>
	Scotch red deer		<u>Cervus elaphus</u>
			Scotland
	No other data		(2380a) Cited: Nuttall (1916: 331) who gave Scotland as the locality.
N	2381	N	2381 MISSING
	<u>Aponomma</u> sp. 1 ♀		
	Monitor		
	No other data		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2382, a	N	2382
		RML	111223
(2382)	<u>Rhipicephalus pulchellus</u> ♂, ♀'s	(2382)	1 ♂, 3 ♀ <u>Rhipicephalus</u> <u>pulchellus</u>
(a)	<u>Hyalomma aegyptium</u> 1 ♀	(a)	MISSING
Giraffe			<u>Giraffa camelopardalis</u>
			Africa
	No other data		
N	2383	N	2383 MISSING
	Undetermined genus		
	Striped Hyaena		
	No other data		
N	2384, a	N	2384a
		RML	111224
(2384)	<u>Hyalomma aegyptium</u> 2 ♂, 2 ♀	(2384)	MISSING
(a)	<u>Rhipicephalus pulchellus</u> ♂	(a)	1 ♂ <u>Rhipicephalus pulchellus</u>
Buffalo			<u>Syncerus caffer</u>
			Africa
	No other data		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2385, a, b	N	2385, b
		RML	111225
(2385) <u>Rhipicephalus pulchellus</u> σ, 3 ♀		(2385) 1 σ, 3 ♀ <u>Rhipicephalus pulchellus</u>	
(a) <u>Hyalomma aegyptium</u> σ		(a) MISSING	
(b) <u>Rhipicephalus pravus</u> ♀'s		(b) 4 ♀ <u>Rhipicephalus pravus</u>	
Eland		<u>Taurotragus oryx</u>	
Note to 2385b: should read <u>R. neavei</u> Warb., Dönitz's <u>pravus</u> (nom. nuda) is merely a form of <u>neavei</u>	G.H.F.N. 7.V.1919	Africa	
(2385b) Cited: Walker (1956: 250); Santos Dias (1958: 477).			
N	2386, a	N	2386, a
		RML	111226
(2386) <u>Aponomma exornatum</u> 3 σ, 1 ♀		(2386) 1 σ, 1 ♀ <u>Aponomma exornatum</u>	
(a) <u>Amblyomma marmoreum</u> σ's		(2386) 2 σ <u>Aponomma flavomaculatum</u>	
Lizard		(a) 2 σ <u>Amblyomma sparsum</u>	
No other data		Lizard	
No other data		No other data	
N	2387	N	2387
		RML	111227
<u>Ixodes ricinus</u> ♀'s		1 σ, 5 ♀ <u>Ixodes ricinus</u>	
Wild cat		Wild cat	
No other data		No other data	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2388, a-d	N	2388, a-d
		RML	22302, 71478, 71479
	(2388) <u>Haemaphysalis spinigera</u> 5 ♂, 2 ♀		(2388) 5 ♂, 3 ♀ <u>Haemaphysalis spinigera</u> (RML 22302)
	(a) <u>Rhipicephalus haemaphysaloides</u> ♂		(a) 1 ♂ <u>Rhipicephalus haemaphysaloides</u> (RML 22302)
	(b) <u>Haemaphysalis parva</u>		(b) 2 ♂, 1 ♀ <u>Haemaphysalis intermedia</u> (RML 71478)
	(c) <u>Haemaphysalis leachi</u> ♀		(b) 5 ♂, 1 ♀ <u>Haemaphysalis turturis</u> (RML 71478)
	(d) <u>Haemaphysalis parva</u> 1 ♂		(c) 1 ♀ <u>Haemaphysalis leachi</u> (RML 22302)
			(d) 1 ♂ <u>Haemaphysalis intermedia</u> (RML 71479)
Panther		Panther	
	No other data 2388b ♂'s ♀'s but some specimens very large (C. W. det. 11.I.1915)		The vial label for the 1 ♂ <u>Rhipicephalus haemaphysaloides</u> incorrectly reads N 2388b
N	2389	N	2389
		RML	111228
	<u>Ornithodoros moubata</u> N		1 N <u>Ornithodoros moubata</u>
	Wart-hog		<u>Phacochoerus aethiopicus</u>
	Shot near Mwengwa Station, N. Rhodesia, B.C. Africa		Shot near Mwengwa (15.17 S, 25.59 E), Zambia
	9.VIII.1913		9.VIII.1913
	Rec'd 14.IX.1913 from L. C. Heath		Rec'd 14.IX.1913 from L. C. Heath
	Note: The only tick found on the wart-hog by Mr. Eminson who shot it, writes L. C. Heath, his letter destroyed. N.		Cited: Hoogstraal (1954: 274).

ORIGINAL DETERMINATIONCURRENT STATUS

N 2390

N 2390 MISSING

Amblyomma variegatum ♂'s, ♀

Bullock

Yei, Lado Enclave, Sudan

VIII.1913

Rec'd from Captain H. S. Ranken,
R.A.M.C., 12.IX.1913

N 2391

N 2391 MISSING

Boophilus annulatus ♂, ♀'s

Cattle

Texas, U. S. America

VIII.1913

Rec'd from Lieut. H. S. Michil,
U.S.A. Medical Corps, Washington,
D.C., 30.VIII.1913Ticks received back from the Imperial Bureau of Entomology, London,
S.W. (ex Report No. 28), 16 September, 1913:-

N 2392

N 2392

RML 111229

Ornithodoros savignyi2 ♀, 9 N Ornithodoros savignyi

Bulhar, British Somaliland, Africa

Bulhar (10.23 N, 44.25 E), Somalia

6.IV.1913

[No. 676]

[Somali name:- Kudkudeh or
Kudkuda]

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2393		N	2393	
			RML	111230	
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s "Gwapi" West Nyasa I.1913 Dr. J. G. Morgan [No. 679]			1 ♂, 2 ♀ <u>Rhipicephalus kochi</u> <u>Sylvicapra grimmia</u> Malawi	
N	2394		N	2394	
			RML	111231	
	<u>Rhipicephalus supertritus</u> ♂'s, ♀'s Wart-hog Marimba, Nyasaland VI.1913 Dr. J. G. Morgan [No. 682a]			1 ♂ <u>Rhipicephalus compositus</u> 3 ♂, 2 ♀ <u>Rhipicephalus longus</u> 1 ♂ <u>Rhipicephalus simus</u> <u>Phacochoerus aethiopicus</u> Marimba, Malawi (locality not verified)	
					VI.1913
					Dr. J. G. Morgan
					The R. <u>longus</u> collection was cited as 2 ♂, 1 ♀ by Santos Dias (1958: 474). Cited as R. <u>supertritus</u> . (Hoogstraal 1954b: 279).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2395	N 2395
		RML 111232
	<u>Rhipicephalus simus</u> ♂'s, ♀'s	2 ♂, 3 ♀ <u>Rhipicephalus simus</u>
	Dog	Dog
	Sichenya River, Mlanje, Nyasaland	Sichenya River, Mlanje (15.50 S, 35.35 E), Malawi
	XII.1912	XII.1912
	S. A. Neave	S. A. Neave
	[No. 690]	
N	2396	N 2396
		RML 111233
	<u>Rhipicephalus supertritus</u> ♂'s, ♀'s	5 ♂, 5 ♀ <u>Rhipicephalus supertritus</u>
	Buffalo	<u>Syncerus caffer</u>
	Mpenga, Gomba, Uganda	Probably Mpenja (00.10 N, 32.41 E) or (00.14 N, 32.03 E), District of Gomba, Uganda
	19.XII.1912	19.XII.1912
	F. A. Knowles	F. A. Knowles
	[No. 694a]	
	Three tubes of ticks received from Dr. A. Yale Massey, Boma, Belgian Congo, Central Africa, 17 September, 1913:-	
N	2397	N 2397
		RML 111234
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s	3 ♂, 6 ♀ <u>Amblyomma cohaerens</u>
	Wild Buffalo	<u>Syncerus caffer</u>
	Belgian Congo	Zaire
	1913	1913
		Cited: Robinson (1926: 110).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2398	N	2398
		RML	111235
	<u>Rhipicephalus falcatus</u> ♂'s, ♀'s		1 ♂ <u>Rhipicephalus ziemanni</u> 4 ♂, 1 ♀ <u>Rhipicephalus cliffordi</u> 10 ♂, 6 ♀ <u>Rhipicephalus senegalensis</u>
	Dog		Dog
	Belgian Congo		Zaire
	1913		1913
	1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916		
N	2399	N	2399 MISSING
	<u>Haemaphysalis leachi</u> 1 ♀		
	Off ?		
	Belgian Congo		
	1913		
Ticks received from Dr. Lucius Nicholls, Mile 28, Magadi Railway, British East Africa, 16 September, 1913:-			
N	2400	N	2400 MISSING
	<u>Amblyomma variegatum</u> ? N's		
	Small ground bird		
	Magadi Railway, Brit. East Africa		
	VII.1913		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2401	N	2401
		RML	111236
	<u>Rhipicephalus simus</u> ♀'s		2 ♀ <u>Rhipicephalus simus</u>
	Lion		<u>Panthera leo</u>
	River Kadjiado, Magadi Railway		River Olkejuado (02.27 S, 37.17 E), Kenya
	VIII.1913		VIII.1913
N	2402	N	2402
		RML	111237
	<u>Rhipicephalus simus</u> ♂'s		2 ♂ <u>Rhipicephalus simus</u>
	Lion		<u>Panthera leo</u>
	River Kadjiado, Magadi Railway		River Olkejuado (02.27 S, 37.17 E), Kenya
	VIII.1913		VIII.1913
N	2403, a-c	N	2403, a, b
		RML	111238
	(2403) <u>Rhipicephalus appendiculatus</u> ♂'s		(2403) 2 ♂ <u>Rhipicephalus appendiculatus</u>
	(a) <u>Rhipicephalus simus</u> ♂		(a) 1 ♂ <u>Rhipicephalus simus</u>
	(b) <u>Rhipicephalus pulchellus</u> ♂		(b) 1 ♂ <u>Rhipicephalus pulchellus</u>
	(c) <u>Haemaphysalis leachi</u> ♂		(c) MISSING
	Lion		<u>Panthera leo</u>
	River Kadjiado, Magadi Railway		River Olkejuado (02.27 S, 37.17 E), Kenya
	VIII.1913		VIII.1913

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2404	N	2404
		RML	111239
	<u>Rhipicephalus appendiculatus</u> ♀'s		4 ♀ <u>Rhipicephalus carnoralis</u>
	Lion cubs		<u>Panthera leo</u> (cubs)
	Magadi		Magadi (01.54 S, 36.17 E), Kenya
	VIII.1913		VIII.1913
N	2405	N	2405
		RML	111240
	<u>Rhipicephalus evertsi</u> ♂'s, ♀		3 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>
	Zebra		<u>Equus burchelli</u>
	Kadjiado Plains, Magadi		Kadjiado District (02.00 S, 36.45 E) Kenya
	VIII.1913		VIII.1913
N	2406	N	2406
		RML	111241
	<u>Rhipicephalus pulchellus</u> ♀		1 ♀ <u>Rhipicephalus pulchellus</u>
	Zebra		<u>Equus burchelli</u>
	Kadjiado Plains, Magadi		Kadjiado District (02.00 S, 36.45 E), Kenya
	VIII.1913		VIII.1913
N	2407	N	2407 MISSING
	<u>Hyalomma aegyptium</u> ♂'s		
	Zebra		
	Kadjiado Plains, Magadi, B.E. Africa		
	VIII.1913		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2408	N	2408
		RML	111242
	<u>Rhipicephalus pulchellus</u> ♂'s		4 ♂ <u>Rhipicephalus pulchellus</u>
	Zebra		<u>Equus burchelli</u>
	Kadjiao Plains, Magadi		Kadjiao District (02.00 S, 36.45 E), Kenya
	VIII.1913		VIII.1913
N	2409, a	N	2409, a .
		RML	111243
	(2409) <u>Rhipicephalus simus</u> ♂ (a) <u>Rhipicephalus evertsi</u> ♂		(2409) 1 ♂ <u>Rhipicephalus simus</u> (a) 1 ♂ <u>Rhipicephalus evertsi</u>
	Zebra		<u>Equus burchelli</u>
	Kadjiao Plains, Magadi		Kadjiao District (02.00 S, 36.45 E), Kenya
	VIII.1913		VIII.1913
N	2410	N	2410
		RML	111244
	<u>Rhipicephalus</u> sp. N's		31 N <u>Rhipicephalus</u> sp.
	Ear of hare		<u>Lepus</u> sp.
	Magadi Railway		Magadi Railway, Kenya (locality not verified)
	VIII.1913		VIII.1913

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2411	N	2411
		RML	111245
	<u>Rhipicephalus neavei</u> ♀'s	1 ♀ <u>Rhipicephalus kochi</u>	
	<u>Impala</u>	1 ♀ <u>Rhipicephalus punctatus</u>	
	Mwengwa, Mumbwa, N. Rhodesia, B. C. Africa	<u>Aepyceros melampus</u>	
	14.VIII.1913	Mwengwa (15.17 S, 25.59 E), Zambia	
	Rec'd from Mr. L. C. Heath, 23.IX.1913	14.VIII.1913	
		Rec'd from Mr. L. C. Heath, 23.IX.1913	

Twenty-nine tubes of ticks received from Dr. João Baptista Botelho, Chief Veterinary Surgeon, Repartição de Agricultura, Seccao de Veterinaria, Lourenco Marques, Portuguese East Africa, 25 September 1913:-

N	2412	N	2412 MISSING
<u>Boophilus decoloratus</u>			
Cow			
Namahacha, Portuguese East Africa			
28.VII.1913			
Rec'd from Dr. J. B. Botelho			
"32"			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2413, a	N 2413, a
		RML 111246
(2413)	<u>Boophilus australis</u>	(2413) 60 ♀ <u>Boophilus microplus</u>
(a)	1 ♀ <u>Amblyomma hebraeum</u>	(a) 1 ♀ <u>Amblyomma hebraeum</u>
	1 ♀ (abnormal)	
Cow		Cow
Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
28.VII.1913		28.VII.1913
Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
"33"		
(2413a)	det. L.E.R. XII.1914	(2413a) is in a jar marked "Tick Abnormalities" (2413a) figured by Robinson (1920: 175, 176).
N	2414	N 2414
		RML 111247
	<u>Boophilus australis</u>	4 ♂, 52 ♀ <u>Boophilus microplus</u>
Cow		Cow
Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
28.VII.1913		28.VII.1913
Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
"34"		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2415	N 2415
		RML 111248
	<u>Boophilus australis</u>	54 ♀ <u>Boophilus microplus</u>
	0x	0x
	Namahacha	Namaacha (25.58 S, 32.01 E), Mozambique
	28.VII.1913	28.VII.1913
	Rec'd from Dr. J. B. Botelho	Rec'd from Dr. J. B. Botelho
	"35"	
N	2416	N 2416
		RML 111249
	<u>Boophilus australis</u>	5 ♂, 33 ♀ <u>Boophilus microplus</u>
	0x	0x
	Namahacha	Namaacha (25.58 S, 32.01 E), Mozambique
	28.VII.1913	28.VII.1913
	Rec'd from Dr. J. B. Botelho	Rec'd from Dr. J. B. Botelho
	"36"	
N	2417, a, b	N 2417, a, b
		RML 111250
	(2417) <u>Rhipicephalus evertsi</u> ♂, ♀, N	(2417) 10 ♂, 5 ♀, 4 N <u>Rhipicephalus evertsi</u>
	(a) <u>Boophilus australis</u>	(a) 16 ♀ <u>Boophilus microplus</u>
	(b) <u>Amblyomma</u> sp. N's	(b) 6 N <u>Amblyomma</u> sp.
	Ewe	Ewe
	Namahacha	Namaacha (25.58 S, 32.01 E), Mozambique
	28.VII.1913	28.VII.1913
	Rec'd from Dr. J. B. Botelho	Rec'd from Dr. J. B. Botelho
	"37"	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2418, a, b	N	2418, a
		RML	111251
	(2418) <u>Boophilus australis</u> (a) <u>Rhipicephalus evertsi</u> (b) <u>Amblyomma hebraeum</u> ♂'s		(2418) 1 ♂, 39 ♀ <u>Boophilus microplus</u> (a) 3 ♂, 2 ♀ <u>Rhipicephalus evertsi</u> (b) MISSING
	Ewe		Ewe
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	28.VII.1913		28.VII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"38"		
N	2419, a, b	N	2419, a, b
		RML	111252
	(2419) <u>Boophilus australis</u> ♂'s, ♀'s (a) <u>Rhipicephalus evertsi</u> (b) <u>Amblyomma hebraeum</u>		(2419) 6 ♂, 50 ♀ <u>Boophilus microplus</u> (a) 1 ♂, 4 ♀ <u>Rhipicephalus evertsi</u> (b) 1 ♂ <u>Amblyomma hebraeum</u>
	Horse		Horse
	Namahacha		Namaacha (25.58 S, 32.01 E), Mozambique
	28.VII.1913		28.VII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"39"		(2419b) cited: Robinson (1926: 107).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2420, a	N	2420, a
		RML	111253
(2420)	<u>Rhipicephalus evertsi</u>	(2420)	2 ♂, 2 ♀, 2 N <u>Rhipicephalus evertsi</u>
(a)	<u>Boophilus australis</u> ♀	(a)	1 ♂, 3 ♀ <u>Boophilus microplus</u>
Goat		Goat	
Moamba		Moamba (25.36 S, 32.15 E), Mozambique	
9.VIII.1912		9.VIII.1912	
Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho	
"40"			
N	2421, a	N	2421, a
		RML	111254
(2421)	<u>Boophilus australis</u>	(2421)	1 ♂, 19 ♀ <u>Boophilus microplus</u>
(a)	<u>Amblyomma hebraeum</u> 1 ♂ (abnormal)	(a)	6 ♂ <u>Amblyomma hebraeum</u>
Cow		Cow	
Moamba		Moamba (25.36 S, 32.15 E), Mozambique	
8.VIII.1913		8.VIII.1913	
Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho	
"41"		(2421a) cited: Robinson (1926; 107).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2422	N	2422
		RML	105675
	<u>Rhipicephalus evertsi</u>		5 ♂, 2 ♀ <u>Rhipicephalus evertsi</u> 1 ♀ <u>Boophilus microplus</u>
	Goat		Goat
	Moamba		Moamba (25.36 S, 32.15 E), Mozambique
	8.VIII.1913		8.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"42"		
N	2423, a	N	2423
		RML	111255
	(2423) <u>Rhipicephalus evertsi</u> (a) <u>Rhipicephalus pulchellus</u> ♀		(2423) 5 ♂, 2 ♀ <u>Rhipicephalus evertsi</u> (a) MISSING
	Mule		Mule
	Moamba		Moamba (25.36 S, 32.15 E), Mozambique
	9.VIII.1913		9.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"43"		
N	2424	N	2424 MISSING
	<u>Amblyomma hebraeum</u>		
	Ox		
	Namahacha, Portuguese East Africa		
	31.VII.1910		
	Rec'd from Dr. J. B. Botelho		
	"44"		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2425, a (2425) <u>Haemaphysalis leachi</u> (a) <u>Amblyomma</u> sp. N Dog Magude 11.VIII.1913 Rec'd from Dr. J. B. Botelho "45"	N 2425, a RML 111256 (2425) 3 ♀ <u>Haemaphysalis leachi</u> (a) 9 N <u>Amblyomma</u> sp. Dog Magude (25.02 S, 32.40 E), Mozambique 1.VIII.1913 Rec'd from Dr. J. B. Botelho
N	2426 <u>Boophilus australis</u> 0x Magude 8.VIII.1913 Rec'd from Dr. J. B. Botelho "46"	N 2426 RML 105780 1 ♂, 16 ♀ <u>Boophilus microplus</u> 1 ♂ <u>Haemaphysalis leachi</u> group 0x Magude (25.02 S, 32.40 E), Mozambique 8.VIII.1913 Rec'd from Dr. J. B. Botelho
N	2427 <u>Boophilus australis</u> ♀ 0x Magude 12.VIII.1913 Rec'd from Dr. J. B. Botelho "47"	N 2427 RML 111257 16 ♀ <u>Boophilus microplus</u> 0x Magude (25.02 S, 32.40 E), Mozambique 12.VIII.1913 Rec'd from Dr. J. B. Botelho

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2428	N	2428
		RML	111258
	<u>Rhipicephalus evertsi</u>		1 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>
	Mare		Mare
	Infulene		Infulene (25.48 S, 32.34 E), Mozambique
	9.VIII.1913		9.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"48"		
N	2429, a	N	2429
		RML	111259
	(2429) <u>Boophilus australis</u> ♂, ♀ (a) <u>Amblyomma hebraeum</u>		(2429) 6 ♂, 16 ♀ <u>Boophilus microplus</u> (a) MISSING
	Cow		Cow
	Infulene		Infulene (25.48 S, 32.34 E), Mozambique
	9.VIII.1913		9.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"49"		
N	2430	N	2430
		RML	111260
	<u>Boophilus australis</u>		14 ♂, 14 ♀, 9 N, eggs <u>Boophilus microplus</u>
	Cow		Cow
	Combeze		Combezi (16.05 S, 34.20 E), Mozambique
	8.VIII.1913		8.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"50"		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2431	N 2431
		RML 105781
	<u>Boophilus australis</u>	4 ♂, 15 ♀, 1 N, eggs <u>Boophilus microplus</u> 1 ♀ <u>Rhipicephalus kochi</u>
	Ox	Ox
	Macia	Macia (16.48 S, 37.46 E), Mozambique
	6.VIII.1913	6.VIII.1913
	Rec'd from Dr. J. B. Botelho	Rec'd from Dr. J. B. Botelho
	"51"	
N	2432, a	N 2432a
		RML 111261
	(2432) <u>Amblyomma hebraeum</u> (a) <u>Rhipicephalus evertsi</u>	(2432) MISSING (a) 4 ♂ <u>Rhipicephalus evertsi</u>
	Goat	Goat
	Incomati	Incomati (25.28 S, 32.02 E), Mozambique
	15.VIII.1913	15.VIII.1913
	Rec'd from Dr. J. B. Botelho	Rec'd from Dr. J. B. Botelho
	"52"	
N	2433	N 2433 MISSING
	<u>Amblyomma hebraeum</u>	
	Cow	
	Incomati, Portuguese East Africa	
	15.VIII.1913	
	Rec'd from Dr. J. B. Botelho	
	"53"	

ORIGINAL DETERMINATIONCURRENT STATUS

N 2434 N 2434 MISSING

Amblyomma hebraeum

0x

Incomati, Portuguese East Africa

15.VIII.1913

Rec'd from Dr. J. B. Botelho

"54"

1 ♀ to Prof. D'Arcy Thompson XI.1931

N 2435 N 2435 MISSING

Amblyomma hebraeum

Cow

Incomati, Portuguese East Africa

15.VIII.1913

Rec'd from Dr. J. B. Botelho

"55"

1 ♂, 1 ♀ to R. W. Mettam, Weybridge
IV.1931.

1 ♂, 1 ♀ to H. S. Purchase IV.1931.

N 2436 N 2436 MISSING

Amblyomma hebraeum ♂'s, ♀'s

0x

Incomati, Portuguese East Africa

15.VIII.1913

Rec'd from Dr. J. B. Botelho

"56"

Given to D. S. MacLagan 14/10/38

ORIGINAL DETERMINATIONCURRENT STATUS

N	2437, a	N	2437, a
		RML	111262
	(2437) <u>Rhipicephalus evertsi</u> (a) <u>Amblyomma hebraeum</u> ♂, N's		(2437) 3 ♂, 2 ♀ <u>Rhipicephalus evertsi</u> (a) 1 ♂, 4 N <u>Amblyomma hebraeum</u>
	Ewe		Ewe
	Incomati		Incomati (25.28 S, 32.02 E), Mozambique
	15.VIII.1913		15.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"57"		(2437a) cited: Robinson (1926: 107).
N	2438	N	2438
		RML	66623
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		20 ♂, 11 ♀, 2 N <u>Rhipicephalus punctatus</u>
	Bush-Buck		<u>Tragelaphus scriptus</u>
	Umbeluzi		Umbeluzi River (26.01 S, 32.28 E), Mozambique
	17.VIII.1913		17.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"58"		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2439	N	2439
		RML	111263
	<u>Amblyomma hebraeum</u> ♂, ♀		1 ♂, 1 ♀ <u>Amblyomma hebraeum</u>
	Goats		Goats
	Lourenço Marques		Lourenço Marques (25.58 S, 32.34 E), Mozambique
	20.VIII.1913		20.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"59"		Cited: Robinson (1926: 107).
N	2440	N	2440
		RML	111264
	<u>Argas persicus</u> larvae		9 L <u>Argas persicus</u>
	Fowls		Fowls
	Lourenço Marques		Lourenço Marques (25.58 S, 32.34 E), Mozambique
	20.VIII.1913		20.VIII.1913
	Rec'd from Dr. J. B. Botelho		Rec'd from Dr. J. B. Botelho
	"60"		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2441	N	2441
		RML	111265
	<u>Ornithodoros tholozani</u> 4 nymphs		4 N <u>Ornithodoros tholozani</u>
	Egyptian camel		<u>Camelus dromedarius</u>
	Cairo, Egypt		Cairo (30.03 N, 31.15 E), Egypt
	VIII.1913		VIII.1913
	Rec'd from Dr. F. C. Willcocks, 11.II.1913		Rec'd from Dr. F. C. Willcocks, 11.II.1913
	[These ticks are known to Bedouin camel dealers as "Dallum" - Camels probably imported from Syria or the Sinai via Khartoum or via Suez Canal]		Willcocks (1922: 429) stated "the camel was in the Gizeh market and may have been an animal recently imported from the Sinai via Kantara."
	Note: These ticks "occur amongst the thick hair behind the hump". Wants these lice & <u>Mallophaga</u> det? Frank C. Willcocks 21.X.1913, Post Box 63, Cairo. Letter destroyed - N.		Cited: Hoogstraal (1956a: 867) but without Nuttall number.
N	2442	N	2442
		RML	111266
	<u>Ornithodoros talaje</u> (3)		2 ♀ <u>Ornithodoros talaje</u>
	From houses		From houses
	Condoto, Colombia, South America		Condoto (05.06 N, 76.37 W), Colombia
	VIII.1913		VIII.1913
	Dr. H. E. F. Spurrell		Dr. H. E. F. Spurrell
	Rec'd from Colonel A. Alcock (London) 8.X.1913		
	Note: Said to be common in houses at Condoto, Alcock writes 6.X.1913. He has others of this lot. Letter destroyed. N.		

Three tubes of ticks received from Major T. W. Rudd, A.V.C., D.V.O. 5th Mhow Division, Station Veterinary Hospital, Mhow, Central Provinces, India, 8 October, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2443	N 2443 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	
	Airedale terrier (pup)	
	Mhow, India	
	17.IX.1913	
	Rec'd from Major T. W. Rudd	
N	2444	N 2444
		RML 111267
	<u>Boophilus australis</u> ♂'s, ♀'s	2 ♂, 17 ♀ <u>Boophilus microplus</u>
	Cow	Cow
	Gov't Military Dairy Farm, Mhow, India	Gov't Military Dairy Farm, Mhow (22.33 N, 75.46 E), India
	16.IX.1913	16.IX.1913
	Rec'd from Major T. W. Rudd	Rec'd from Major T. W. Rudd
N	2445	N 2445
		RML 111268
	<u>Boophilus australis</u> ♂, ♀'s	1 ♂, 4 ♀ <u>Boophilus microplus</u>
	Cow (No. 222)	Cow (No. 222)
	Gov't Military Dairy Farm, Mhow, India	Gov't Military Dairy Farm, Mhow (22.33 N, 75.46 E), India
	16.IX.1913	16.IX.1913
	Rec'd from Major T. W. Rudd	Rec'd from Major T. W. Rudd

Four tubes of ticks received from Major F. D. Hunt, A.V.C., Superintendent, Remount Depot, Ahmednagar, Deccan, India, 9 October, 1913:-

ORIGINAL DETERMINATION

CURRENT STATUS

N 2446

N 2446 MISSING

Hyalomma aegyptium ♂'s, ♀'s

Horse

Ahmednagar, India

28.VIII.1913

Rec'd. from Major F. D. Hunt

N 2447

N 2447 MISSING

Rhipicephalus sanguineus
♂'s, ♀'s, N's

Dog

Ahmednagar, India

28.VIII.1913

Rec'd. from Major F. D. Hunt

N 2448

N 2448

RML 111269

Argas persicus

18 ♂, 16 ♀, 11 N *Argas persicus*

Fowls

Fowls

Ahmednagar, India

Ahmadnagar (19.05 N, 74.44 E),
India

28.VIII.1913

28.VIII.1913

Rec'd. from Major F. D. Hunt

Rec'd. from Major F. D. Hunt

ORIGINAL DETERMINATIONCURRENT STATUS

N 2449

N 2449 MISSING

Hyalomma aegyptium ♂'s, ♀'s

Cow

Ahmednagar, India

28.VIII.1913

Rec'd. from Major F. D. Hunt

Two tubes of ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa, N. Rhodesia, B. C. Africa, 8 October, 1913:-

N 2450

N 2450

RML 115870

Boophilus decoloratus ♀1 ♀ Boophilus decoloratus

Hartebeeste

Alcelaphus lichtensteini

Mwengwa, N. Rhodesia

Mwengwa (15.17 S, 25.59 E), Zambia

VIII.1913

VIII.1913

Rec'd. from L. C. Heath

Rec'd. From L. C. Heath

Note: L. C. Heath writes, 31.VIII.1913, that (tick) "larvae are always to be found in a pocket immediately beneath the frontal horn plate of Lichtensteins Hartebeest. They seem to blacken when exposed to light." Many "animals have no ticks at all just now. Yesterday a wart-hog & reedbuck with none."

Letter destroyed.

ORIGINAL DETERMINATIONCURRENT STATUS

N 2451

N 2451 MISSING

Rhipicephalus sanguineus N's

Cane rat

Mwengwa, N. Rhodesia

VIII.1913

Rec'd. from L. C. Heath

N 2452

N 2452

RML 111270

Haemaphysalis chordeilis ♀'sFour tubes of Haemaphysalis chordeilis as follows: +300 L; 1 ♂, 1 ♀, 3 N; 29 N; 261 L.

Cattle

Cattle

Manitoba, Canada

Manitoba, Canada

IX.1913

IX.1913

Received from J.R.N. Harrison, Esq.,
Winnipeg, Manitoba, Canada
13.X.1913Received from J.R.N. Harrison, Esq.,
Winnipeg, Manitoba, Canada
13.X.1913[Used for raising experiments]
Figured for book on ticks.Cited: Nuttall (1915: 430);
cited and figured by Nuttall &
Warburton (1915: 373-375).

H. chordeilis raised in Cambridge
separated into boxes of adults
N & L eggs
(a) eggs (put with ova)
(b) larvae unfed
(c) larvae gorged
(d) N's unfed
(e) N's gorged
(f) ♂'s, ♀ unfed

There is also one vial of eggs
in a separate jar containing
eggs of numerous species.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2453	N 2453
		RML 111271
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s	4 ♂, 1 ♀ <u>Rhipicephalus kochi</u>
	Bush-buck	<u>Tragelaphus scriptus</u>
	Mwengwa, Mumbwa, N. Rhodesia B. C. Africa	Mwengwa (15.17 S, 25.59 E), Zambia
	3.IX.1913	3.IX.1913
	Rec'd from L. C. Heath, Esq., 3.IX.1913	Rec'd from L. C. Heath, Esq., 3.IX.1913
		Nuttall cited the collection date and date of receipt as the same.
	Three tubes of ticks received from Captain C. A. Murray, A.V.C., Sialkot, Punjab, India	
N	2454	N 2454 MISSING
	<u>Rhipicephalus sanguineus</u> N's	
	Dog (Irish terrier)	
	Sialkot, Punjab, India	
	IX.1913	
	Rec'd from Capt. C. A. Murray	
N	2455	N 2455
		RML 111272
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	16 ♂, 11 ♀ <u>Rhipicephalus sanguineus</u>
	Dog (Irish terrier)	Dog
	Sialkot, Punjab, India	Sialkot, Pakistan (locality not verified; 3 possible localities)
	IX.1913	IX.1913
	Rec'd from Capt. C. A. Murray	Rec'd from Capt. C. A. Murray

ORIGINAL DETERMINATIONCURRENT STATUS

N 2456 N 2456 MISSING

Hyalomma aegyptium 2 ♀

Horse

Sialkot, Punjab, India

IX.1913

Rec'd from Capt. C. A. Murray

Ticks received from Dr. W. M. Scott (late of Singapore, F. M. States), Pathological Laboratory, Medical Schools, Cambridge.

N 2457 N 2457

RML 111273

Boophilus australis 1 ♂

1 ♂ Boophilus microplus

Cattle

Cattle

Singapore

Singapore (01.17 N, 103.51 E), Republic of Singapore

III.1913

III.1913

Rec'd from Dr. W. M. Scott

Rec'd from Dr. W. M. Scott

N 2458 N 2458 MISSING

Rhipicephalus sanguineus ♂'s, ♀'s

Dog

Singapore

III.1913

Rec'd from Dr. W. M. Scott

ORIGINAL DETERMINATIONCURRENT STATUS

N	2459	N	2459
		RML	111274
	<u>Haemaphysalis bispinosa</u> ♂'s, ♀'s		1 ♂, 6 ♀ <u>Haemaphysalis bispinosa</u>
	Fowls		Fowls
	Singapore		Singapore (01.17 N, 103.51 E), Republic of Singapore
	III.1913		III.1913
	Rec'd from Dr. W. M. Scott		Rec'd from Dr. W. M. Scott
	1 ♂, 1 ♀ to Dr. de Blieck, Java 22.I.1915		Cited: Nuttall & Warburton (1915: 432).

Six tubes of ticks received from Major R. C. Cochrane, A.V.C., Station Veterinary Hospital, Rawalpindi, Punjab, India, 20 October, 1913:-

N	2460	N	2460
		RML	111275
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		111 ♂, 34 ♀, 1 N <u>Hyalomma anatolicum</u> <u>anatolicum</u> 1 ♂ <u>Hyalomma dromedarii</u> 1 ♂ <u>Hyalomma marginatum</u> <u>isaaci</u>
	Goats		Goats
	Rawalpindi, Punjab, India		Rawalpindi (33.36 N, 73.04 E), Pakistan
	IX.1913		IX.1913
	Rec'd from Major R. C. Cochrane		Rec'd from Major R. C. Cochrane
			This collection also contained 1 ♀ <u>Lipoptena capreoli</u> (Insecta: Hippoboscidae)

ORIGINAL DETERMINATIONCURRENT STATUS

N 2461 N 2461 MISSING

Rhipicephalus sanguineus ♂'s, ♀'s

Dogs

Rawalpindi, Punjab, India

IX.1913

Rec'd from Major R. C. Cochrane

N 2462 N 2462

RML 111276

Hyalomma aegyptium ♂'s, ♀'s

69 ♂, 15 ♀, 1 N Hyalomma anatolicum
anatolicum
1 ♂ Hyalomma marginatum isaaci

Sheep

Sheep

Rawalpindi, Punjab, India

Rawalpindi (33.36 N, 73.04 E),
Pakistan

IX.1913

IX.1913

Rec'd from Major R. C. Cochrane

Rec'd from Major R. C. Cochrane

N 2463 N 2463

RML 111277

Boophilus australis ♀'s

32 ♀ Boophilus microplus

Cows

Cows

Rawalpindi, Punjab, India

Rawalpindi (33.36 N, 73.04 E),
Pakistan

IX.1913

IX.1913

Rec'd from Major R. C. Cochrane

Rec'd from Major R. C. Cochrane

ORIGINAL DETERMINATIONCURRENT STATUS

N 2464 N 2464 MISSING

Rhipicephalus sanguineus ♂'s, ♀'s

Dogs

Rawalpindi, Punjab, India

IX.1913

Rec'd from Major R. C. Cochrane

N 2465 N 2465

RML 66587

Hyalomma aegyptium ♂'s, ♀'s

9 ♂, 1 ♀ Hyalomma marginatum isaaci
2 ♂, 1 ♀ Hyalomma dromedarii

Buffaloes

Buffaloes

Rawalpindi, Punjab, India

Rawalpindi (33.36 N, 73.04 E),
Pakistan

IX.1913

IX.1913

Rec'd from Major R. C. Cochrane

Rec'd from Major R. C. Cochrane

The H. m. isaaci collection was
cited by Kaiser & Hoogstraal
(1961: 276).

Ticks received from F. Harker, Esq., Kasindi, Congo Belge, Central Africa,
20 October, 1913:-

N 2466 N 2466

RML 111278

Aponomma exornatum 2 ♂

2 ♂ Aponomma flavomaculatum

Iguana

Iguana

Lake Albert Edward, Belgian Congo

Lake Albert (01.40 N, 31.00 E),
Zaire

8.VII.1913

8.VII.1913

Rec'd from F. Harker

Rec'd from F. Harker

ORIGINAL DETERMINATIONCURRENT STATUS

N	2467	N	2467
		RML	111279
	<u>Ornithodoros moubata</u>	1 N	<u>Ornithodoros moubata</u>
	From native hut	From native hut	
	Kamatabe, Belgian Congo	Kamatabe, Zaire (locality not verified)	
	5.VII.1913	8.VII.1913	
	Rec'd from F. Harker	Rec'd from F. Harker	
	[native name = "Kimputu"]	Date from vial label	
N	2468	N	2468 MISSING
	<u>Rhipicephalus sanguineus</u> 1 ♀		
	Goat		
	Kamatabe, Belgian Congo		
	5.VII.1913		
	Rec'd. from F. Harker		
N	2469	N	2469
		RML	111280
	<u>Rhipicephalus sanguineus</u> ♂, ♀	1 ♂, 1 ♀	<u>Rhipicephalus sanguineus</u>
	Goats	Goats	
	Bolemo, Belgian Congo	Bolemo (02.25 N, 19.08 E), Zaire	
	12.VII.1913	12.VII.1913	
	Rec'd. from F. Harker	Rec'd from F. Harker	
		Tentative ID	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2470	N	2470 MISSING
<u>Rhipicephalus sanguineus</u> N (rotten!)			
Sheep			
Bolemo, Belgian Congo			
19.VII.1913			
Rec'd from F. Harker			
N	2471	N	2471
		RML	111281
<u>Ornithodoros moubata</u>			2 ♀ <u>Ornithodoros moubata</u>
From Native hut			From native hut
E. of Bolemo, Belgian Congo			E. of Bolemo (02.25 N, 19.08 E), Zaire
26.VII.1913			26.VII.1913
Rec'd from F. Harker			Rec'd from F. Harker
		Probably <u>O. moubata porcinus</u> . Van der Merwe (1968: 286) cited this collection without Nuttall number and gave the locality as "East of Bolerro."	
N	2472	N	2472
		RML	111282
<u>Rhipicephalus appendiculatus</u> ♀'s			1 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>
Sheep			Sheep
E. of Bolemo, Belgian Congo			E. of Bolemo (02.25 N, 19.08 E), Zaire
26.VII.1913			26.VII.1913
Rec'd from F. Harker			Rec'd from F. Harker

ORIGINAL DETERMINATIONCURRENT STATUS

N	2473	N	2473
		RML	111283
	<u>Rhipicephalus appendiculatus</u> ♂, ♀'s	1 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>	
	Goats	Goats	
	Bolemo, Belgian Congo	Bolemo (02.25 N, 19.08 E), Zaire	
	26-27.VII.1913	26-27.VII.1913	
	Rec'd from F. Harker	Rec'd from F. Harker	
N	2474	N	2474 MISSING
	<u>Rhipicephalus sanguineus</u> ♂, ♀		
	Dogs		
	Bolemo, Belgian Congo		
	3.VIII.1913		
	Rec'd from F. Harker		
N	2475	N	2475 MISSING
	<u>Haemaphysalis leachi</u> ♀'s		
	Leopard		
	Kimaka, Belgian Congo		
	4.VIII.1913		
	Rec'd from F. Harker		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2476		N	2476	
			RML	111284	
	<u>Ornithodoros moubata</u>			2 ♂, 1 ♀ <u>Ornithodoros moubata</u>	
	From floor of hut			From floor of hut	
	Kasindi, Belgian Congo			Either Kasindi (00.03 N, 29.41 E), or (01.39 S, 28.05 E), Zaire	
	1.IX.1913			1.IX.1913	
	Rec'd from F. Harker			Rec'd from F. Harker	
				Probably <u>O. moubata porcinus</u>	
N	2477, a		N	2477, a	
			RML	111285	
	(2477) <u>Rhipicephalus appendiculatus</u>			(2477) 1 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>	
	(a) <u>Amblyomma variegatum</u> ♂			(a) 1 ♂ <u>Amblyomma variegatum</u>	
	Cow			Cow	
	Kasindi, Belgian Congo			Either Kasindi (00.03 N, 29.41 E), or (01.39 S, 28.05 E), Zaire	
	1.IX.1913			1.IX.1913	
	Rec'd from F. Harker			Rec'd from F. Harker	
N	2478		N	2478	
			RML	111286	
	<u>Amblyomma pauperculum</u> ♀'s			3 ♀ <u>Amblyomma pauperculum</u>	
	Monitor lizard (Local name "Mbambi")			<u>Varanus</u> sp.	
	San Salvador, Portuguese Congo, Central Africa			São Salvador do Congo (06.16 S, 14.15 E), Angola	
	IX.1913			IX.1913	
	Rec'd from Dr. Mercier Gamble, 20.X.1913			Rec'd from Dr. Mercier Gamble, 20.X.1913	
	L.E.R. det. III.1914				

ORIGINAL DETERMINATIONCURRENT STATUS

N	2479	N	2479
		RML	111287
	<u>Amblyomma cajennense</u> ♂, ♀		3 ♂, 2 ♀ <u>Amblyomma cajennense</u>
	Off ?		Off ?
	Jamaica, West Indies		Jamaica, West Indies
	1913		1913
	Rec'd from Colonel A. Alcock, F.R.S., London, 22.X.1913		
N	2480	N	2480
		RML	111288
	<u>Ixodes ratus</u> nymph		1 N <u>Ixodes</u> sp.
	Man's arm		<u>Homo sapiens</u>
	Chercher Mts. (8,000 ft.) near Harar, Abyssinia, E. Africa		Chercher Mts. (08.55 N, 40.35 E), near Harar, Ethiopia (2438 m)
	XII.1912		XII.1912
	Mr. Armbruster		Mr. Armbruster
	Rec'd from Dr. G. Wherry (Cambridge) 25.X.1913		Rec'd from Dr. G. Wherry (Cambridge) 25.X.1913
			Cited: Nuttall (1916: 331).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2481	N	2481
		RML	111289
	<u>Rhipicephalus simus</u> ♂'s, ♀'s, N's		9 ♂, 5 ♀, 38 N <u>Rhipicephalus simpsoni</u>
	Cane rat		<u>Thryonomys</u> sp.
	Mwengwa, Mumbwa, N. Rhodesia, B. C. Africa		Mwengwa (15.17 S, 25.59 E), Zambia
	VIII.1913		VIII.1913
	Rec'd from L. C. Heath, Esq., 28.X.1913		Rec'd from L. C. Heath, Esq., 28.X.1913
	[Small & not characteristic]		

Twenty-six tubes of ticks received from Dr. John Y. Wood, Kaballa, Koinadugu District, Sierra Leone Protectorate, West Africa, 14 October 1913:-

N	2482, a-c	N	2482a, c
		RML	111290
	(2482) <u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		(2482) MISSING
	(a) <u>Rhipicephalus lunulatus</u> ♂		(a) 1 ♂ <u>Rhipicephalus lunulatus</u>
	(b) <u>Haemaphysalis leachi</u> 1 ♀		(b) MISSING
	(c) <u>Boophilus australis</u>		(c) 1 ♀ <u>Boophilus geigyi</u>
	Sheep		Sheep
	Kasukura, Sierra Leone		Kasukura, Sierra Leone (locality not verified)
	8.IX.1913		8.IX.1913
	Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2483, a	N 2483, a
RML		111291
	(2483) <u>Dermacentor circumguttatus</u> 4 ♂'s, 1 ♀	(2483) 4 ♂, 1 ♀ <u>Dermacentor circumguttatus</u>
	(a) <u>Amblyomma tholloni</u> ♂'s, ♀'s	(a) 8 ♂, 8 ♀ <u>Amblyomma tholloni</u>
	Elephant	<u>Loxodonta africana</u>
	Ferenkia, Sierra Leone	Ferenkia, Sierra Leone (locality not verified)
	31.VII.1913	31.VII.1913
	Rec'd from Dr. J. Y. Wood	Rec'd from Dr. J. Y. Wood
		(2483a) cited: Robinson (1926: 252).
N	2484, a	N 2484, a
RML		111292
	(2484) <u>Boophilus australis</u> ♀'s	(2484) 26 ♀, 1 N <u>Boophilus geigyi</u>
	(a) <u>Rhipicephalus lunulatus</u> ♂'s	(a) 1 ♂ <u>Rhipicephalus lunulatus</u>
	Cattle	(a) 1 ♀ <u>Rhipicephalus senegalensis</u>
	Kondembia, Sierra Leone	Cattle
	Either Kondembia (09.09 N, 11.13 W), or (09.23 N, 11.34 N), Sierra Leone	
	12.IX.1913	12.IX.1913
	Rec'd from Dr. J. Y. Wood	Rec'd from Dr. J. Y. Wood

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2485, a, b	N	2485, b
		RML	111293
(2485)	<u>Boophilus australis</u> ♀'s	(2485)	13 ♀ <u>Boophilus geigyi</u>
(a)	<u>Amblyomma variegatum</u> ♂	(a)	MISSING
(b)	<u>Rhipicephalus lunulatus</u> ♀	(b)	1 ♀ <u>Rhipicephalus senegalensis</u>
Cattle		Cattle	
Alakalia, Sierra Leone		Alikalia (09.10 N, 11.24 W), Sierra Leone	
22.VIII.1913		22.VIII.1913	
Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood	
N	2486, a	N	2486a
		RML	111294
(2486)	<u>Haemaphysalis leachi</u> 1 ♂, 3 ♀	(2486)	MISSING
(a)	<u>Rhipicephalus sanguineus</u> ♂, ♀'s, N	(a)	2 ♂, 11 ♀, 1 N <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Fulamanca, Sierra Leone		Fulamanca, Sierra Leone (locality not verified)	
28.VII.1913		28.VII.1913	
Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood	
N	2487	N	2487
		RML	111295
	<u>Rhipicephalus lunulatus</u> ♂		1 ♂ <u>Rhipicephalus lunulatus</u>
Man			<u>Homo sapiens</u>
Kamasiki, Sierra Leone			Either Kamasiki (09.10 N, 11.46 W) or (09.20 N, 11.55 W), Sierra Leone
9.IX.1913		9.IX.1913	
Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2488, a, b	N 2488, a
		RML 111296
(2488)	<u>Rhipicephalus sanguineus</u> ♀'s & N's	(2488) 1 ♀, 3 N <u>Rhipicephalus sanguineus</u>
(a)	<u>Amblyomma variegatum</u> ♂'s	(a) 3 ♂ <u>Amblyomma variegatum</u>
(b)	<u>Haemaphysalis leachi</u> 1 ♂	(b) MISSING
	Cattle	Cattle
	Mananeoln, Sierra Leone	Mananeoln, Sierra Leone (locality not verified)
	2.VIII.1913	2.VIII.1913
	Rec'd from Dr. J. Y. Wood	Rec'd from Dr. J. Y. Wood
N	2489	N 2489
		RML 105676
	<u>Rhipicephalus sanguineus</u> ♂'s	8 ♂, 17 ♀ <u>Rhipicephalus sanguineus</u> 1 ♀ <u>Haemaphysalis leachi</u>
	Dog	Dog
	Kamasiki, Sierra Leone	Either Kamasiki (09.10 N, 11.46 W), or (09.20 N, 11.55 W), Sierra Leone
	9.IX.1913	9.IX.1913
	Rec'd from Dr. J. Y. Wood	Rec'd from Dr. J. Y. Wood
N	2490, a, b	N 2490a, b
		RML 111297
(2490)	<u>Haemaphysalis leachi</u> ♀	(2490) MISSING
(a)	<u>Rhipicephalus sanguineus</u> ♀	(a) 1 ♀ <u>Rhipicephalus sanguineus</u>
(b)	<u>Boophilus australis</u> ♀	(b) 1 ♀ <u>Boophilus geigyi</u>
	Dog	Dog
	Gahnia, Sierra Leone	Gahnia, Sierra Leone (location not verified)
	25.VII.1913	25.VII.1913
	Rec'd from Dr. J. Y. Wood	Rec'd from Dr. J. Y. Wood

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2491	N	2491
		RML	111298
	<u>Boophilus australis</u> ♀'s		32 ♀ <u>Boophilus geigyi</u>
	Sheep		Sheep
	Katumbo, Sierra Leone		Possibly Katumpu (09.30 N, 11.54 W), Sierra Leone
	5.IX.1913		5.IX.1913
	Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood
			The vial label for this collection incorrectly bears the collection data for N 2492
N	2492, a, b	N	2492, b
		RML	111299
	(2492) <u>Boophilus australis</u> (a) <u>Haemaphysalis leachi</u> ♀'s (b) <u>Rhipicephalus lunulatus</u> ♀		(2492) 3 ♀ <u>Boophilus geigyi</u> (a) MISSING (b) 1 ♀ <u>Rhipicephalus lunulatus</u>
	Dog		Dog
	Gaenikora, Sierra Leone		Gaenikora, Sierra Leone (locality not verified)
	19.VII.1913		19.VII.1913
	Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2493, a, b		N	2493, b	
RML			RML	111300	
(2493) <u>Boophilus australis</u> ♀'s			(2493) 1 ♂, 6 ♀ <u>Boophilus geigyi</u>		
(a) <u>Amblyomma variegatum</u> ♂'s, ♀'s			(a) MISSING		
(b) <u>Rhipicephalus falcatus</u> ♂'s			(b) 2 ♂ <u>Rhipicephalus senegalensis</u>		
Cattle			Cattle		
Ferenkia, Sierra Leone			Ferenkia, Sierra Leone (locality not verified)		
31.VII.1913			31.VII.1913		
Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood		
N	2494, a, b		N	2494a, b	
RML			RML	111301	
(2494) <u>Amblyomma variegatum</u> ♂'s, ♀			(2494) MISSING		
(a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s			(a) 10 ♂, 9 ♀ <u>Rhipicephalus</u> <u>senegalensis</u>		
(b) <u>Boophilus australis</u> ♀'s			(b) 26 ♀ <u>Boophilus geigyi</u>		
Cattle			Cattle		
Farandugu, Sierra Leone			Farandugu (09.29 N, 11.27 W), Sierra Leone		
17.VIII.1913			17.VIII.1913		
Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood		
N	2495, a		N	2495, a	
RML			RML	111302	
(2495) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s			(2495) 5 ♂, 7 ♀ <u>Rhipicephalus</u> <u>senegalensis</u>		
(a) <u>Rhipicephalus lunulatus</u> ♀'s			(a) 3 ♀ <u>Rhipicephalus lunulatus</u>		
Cattle			Cattle		
Kumala, Sierra Leone			Kumala (09.04 N, 11.24 W), Sierra Leone		
25.VIII.1913			25.VIII.1913		
Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2496, a	N	2496
		RML	111303
(2496)	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, N's	(2496)	43 ♂, 60 ♀ <u>Rhipicephalus sanguineus</u>
(a)	<u>Haemaphysalis leachi</u> ♂'s, ♀'s	(a)	MISSING
Dogs		Dogs	
Yiben, Sierra Leone		Yiben (09.19 N, 11.42 W), Sierra Leone	
11.IX.1913		11.IX.1913	
Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood	
N	2497, a-c	N	2497, b
		RML	111304
(2497)	<u>Boophilus australis</u> ♀'s	(2497)	36 ♀ <u>Boophilus geigyi</u>
(a)	<u>Rhipicephalus lunulatus</u> ♂'s, ♀'s	(a)	MISSING
(b)	<u>Rhipicephalus falcatus</u> 2 ♂	(b)	2 ♂ <u>Rhipicephalus senegalensis</u>
(c)	<u>Amblyomma variegatum</u> 2 ♀	(c)	MISSING
Cattle		Cattle	
Kulakunko, Sierra Leone		Kulakunko, Sierra Leone (locality not verified)	
24.VIII.1913		24.VIII.1913	
Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood	
N	2498	N	2498
		RML	111305
<u>Rhipicephalus falcatus</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>	
Cattle		Cattle	
Konkola, Sierra Leone		Perhaps Konkoia (09.01 N, 10.39 W), Sierra Leone	
15.VIII.1913		15.VIII.1913	
Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2499, a, b	N	2499
		RML	111306
(2499)	<u>Boophilus australis</u> ♀'s	(2499)	<u>10 ♀ Boophilus geigyi</u>
(a)	<u>Amblyomma variegatum</u> ♂'s	(a)	MISSING
(b)	<u>Haemaphysalis leachi</u> ♂, ♀	(b)	MISSING
	Cattle		Cattle
	Kakonta, Sierra Leone		Kakonta (09.06 N, 11.43 W), Sierra Leone
	6.IX.1913		6.IX.1913
	Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood
N	2500, a	N	2500a
		RML	111307
(2500)	<u>Amblyomma variegatum</u> ♂'s, ♀'s	(2500)	MISSING
(a)	<u>Boophilus australis</u> ♀'s	(a)	<u>4 ♀ Boophilus geigyi</u>
	Cattle		Cattle
	Sengunua, Sierra Leone		Sinkunia (09.52 N, 11.26 W), Sierra Leone
	1.VIII.1913		1.VIII.1913
	Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood
N	2501, a	N	2501
		RML	111308
(2501)	<u>Boophilus australis</u> ♀'s	(2501)	<u>45 ♀ Boophilus geigyi</u>
(a)	<u>Amblyomma variegatum</u> ♂'s, ♀'s	(2501)	<u>2 ♀ Rhipicephalus tunulatus</u>
	Cattle	(a)	MISSING
	Bangka, Sierra Leone		Probably Banka, Sierra Leone (locality not verified; 4 possible localities)
	25.VII.1913		25.VII.1913
	Rec'd from Dr. J. Y. Wood		Rec'd from Dr. J. Y. Wood

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2502, a		N	2502	
			RML	111309	
(2502)	<u>Rhipicephalus sanguineus</u>	♂'s, ♀'s	(2502)	28 ♂, 25 ♀ <u>Rhipicephalus sanguineus</u>	
(a)	<u>Haemaphysalis leachi</u>	♂, ♀'s	(a)	MISSING	
Dogs			Dogs		
Kasukura, Sierra Leone			Kasukura, Sierra Leone (locality not verified)		
9.IX.1913			9.IX.1913		
Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood		
N	2503, a		N	2503, a	
			RML	111310	
(2503)	<u>Amblyomma variegatum</u>	♂'s, ♀'s	(2503)	4 ♂, 2 ♀ <u>Amblyomma variegatum</u>	
(a)	<u>Boophilus australis</u>	♀'s	(a)	3 ♀ <u>Boophilus geigyi</u>	
Cattle			Cattle		
Falaka, Sierra Leone			Falaka, Sierra Leone (locality not verified)		
24.IX.1913			24.IX.1913		
Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood		
N	2504, a		N	2504	
			RML	111311	
(2504)	<u>Boophilus australis</u>	♀	(2504)	55 ♀ <u>Boophilus geigyi</u>	
(a)	<u>Amblyomma variegatum</u>	2 ♂	(a)	MISSING	
Cattle			Cattle		
Katumbo, Sierra Leone			Possibly Katumpu (09.30 N, 11.54 W), Sierra Leone		
2.IX.1913			2.IX.1913		
Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood		

ORIGINAL DETERMINATION

N 2505, a-c

(2505) Boophilus australis ♀'s
 (a) Amblyomma variegatum ♂'s, ♀'s
 (b) Amblyomma splendidum ♂'s
 (c) Rhipicephalus falcatus ♂, ♀

Cattle

Firawa, Sierra Leone

19.VIII.1913

Rec'd from Dr. J. Y. Wood

N 2506, a-c

(2506) Boophilus australis 1 ♂, ♀'s
 (a) Amblyomma variegatum ♂'s, ♀'s
 (b) Amblyomma splendidum 1 ♂
 (c) Rhipicephalus falcatus 2 ♀

Cattle

Kabunga, Sierra Leone

3.IX.1913

Rec'd from Mr. J. Y. Wood

(2506a) 1 ♂, 1 ♀ to Dr. de Blieck,
Java, 22.I.1915CURRENT STATUS

N 2505, b, c

RML 111312

(2505) 4 ♂, 170 ♀ Boophilus geigyi
 (a) MISSING
 (b) 4 ♂ Amblyomma splendidum
 (c) 2 ♂, 2 ♀ Rhipicephalus senegalensis

Cattle

Either Firawa (09.21 N, 11.18 W) or
(09.31 N, 10.51 W), Sierra Leone

19.VIII.1913

Rec'd from Dr. J. Y. Wood

(2505b) cited: Robinson (1926: 125).

N 2506, b, c

RML 111313

(2506) 1 ♂, 126 ♀ Boophilus geigyi
 (a) MISSING
 (b) 1 ♂ Amblyomma splendidum
 (c) 2 ♀ Rhipicephalus senegalensis

Cattle

Kabunga (09.29 N, 11.43 W),
Sierra Leone

3.IX.1913

Rec'd from Dr. J. Y. Wood

(2506b) cited: Robinson (1926: 125).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2507	N	2507
		RML	111314
	<u>Amblyomma tholloni</u> ♂'s, ♀'s (many)	23 ♂, 62 ♀, 1 N	<u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Kalakunko, Sierra Leone	Kalakunko, Sierra Leone (locality not verified)	
	22.VII.1913	22.VII.1913	
	Rec'd from Dr. J. Y. Wood	Rec'd from Dr. J. Y. Wood	
		Cited: Robinson (1926: 252).	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2508	N	2508
		RML	111315
	<u>Haemaphysalis</u> sp. N		1 N <u>Haemaphysalis</u> sp.
	Green lizard (<u>Lacerta ocellata</u>)		<u>Lacerta lepida</u>
	El Kantara, S. Algeria, North Africa		El Kantara (35.13 N, 05.43 E), Algeria
	15.IV.1913		15.IV.1913
	P. A. Buxton		P. A. Buxton
N	2509	N	2509
		RML	111316
	<u>Ixodes tenuirostris</u> 1 L		1 L <u>Ixodes trianguliceps</u>
	Ear of <u>Microtus arvensis</u>		Ear of <u>Microtus agrestis</u>
	Barton, Cambs, England		Barton (51.59 N, 01.37 W), England
	20.X.1913		20.X.1913
	P. A. Buxton		P. A. Buxton
	(Received from P. A. Buxton, Esq., Trinity College, Cambridge, 3.XI.1913.)		Cited: Nuttall (1916: 334); Thompson (1968: 148).

Collection of ticks received for determination from Dr. C.H.T. Townsend,
 Director de Estaciones Entomologicas, Direccion de Aguas y Agricultura,
 Casilla de Correo 1237, Lima, Peru, S. America 22 October 1913:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2510	N 2510
		RML 111317
	<u>Boophilus annulatus</u> ♂'s, ♀'s	1 ♂, 12 ♀ <u>Boophilus annulatus</u>
	Horse	Horse
	Chosica, Peru	Chosica (11.54 S, 76.42 W), Peru
	22.I.1913	22.I.1913
	Rec'd. from C.H.T. Townsend	Rec'd. from C.H.T. Townsend
	Townsend No. A.2157	See comment under N 1830.
		Charles Henry Tyler Townsend (1863-1944), well known Entomologist and author of more than 1000 articles including the "Manual of Myiology" in 12 parts, 3760 pages.
N	2511	N 2511
		RML 111318
	<u>Boophilus annulatus</u> ♀'s	7 ♀ <u>Boophilus annulatus</u>
	Cattle	Cattle
	Santa Ana, Salvador	Santa Ana, Salvador, Peru (locality not verified)
	25.XI.1912	25.XI.1912
	Rec'd. from C.H.T. Townsend	Rec'd. from C.H.T. Townsend
	Townsend No. A.2157	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2512	N	2512
		RML	105773
	<u>Ornithodoros furcosus</u>	4 ♂, 10 ♀, 15 N	<u>Ornithodoros furcosus</u>
	"in walls of mud houses"	"in walls of mud houses"	
	Chachapoyas, Amazonas	Chachapoyas (06.13 S, 77.51 W),	
		Peru	
	1913	1913	
	Rec'd. from C.H.T. Townsend	Rec'd. from C.H.T. Townsend	
	Townsend No. A.3157		
	C. W. det. 1917		
N	2513	N	2513
		RML	111319
	<u>Ixodes nuttalli</u> N	1 N	<u>Ixodes nuttalli</u>
	"Vizcacha"		<u>Lagidium peruanum</u>
	Ninahuanchi, Peru	Ninahuanchi, Peru (locality not verified)	
	1.II.1913	1.II.1913	
	Rec'd. from C.H.T. Townsend	Rec'd. from C.H.T. Townsend	
	Townsend No. A.3158	Cited: Nuttall (1916: 311).	
	[mounted by me on a slide]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2514	N 2514
		RML 111320
	<u>Ixodes nuttalli</u> L & N's	2 N, 19 L <u>Ixodes nuttalli</u>
	"Vizcacha"	<u>Lagidium peruanum</u>
	Ninahuanchi, Peru	Ninahuanchi, Peru (locality not verified)
	1.II.1913	1.II.1913
	Rec'd. from C.H.T. Townsend	Rec'd. from C.H.T. Townsend
	Townsend No. A.3158	Cited and figured: Nuttall (1916: 310).
N	2515	2515 MISSING
	<u>Ixodes nuttalli</u> 1 L	
	"Vizcacha"	
	Ninahuanchi, Peru	
	14.V.1913	
	Rec'd. from C.H.T. Townsend	
	Townsend No. A.3158 [Height above Mt. Suico 8,000 ft.]	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2516	N	2516
		RML	105653
	<u>Argas persicus</u> larvae		7 L <u>Argas</u> sp. nr. <u>dalei</u>
	"Goat-suckers"		"Goat-suckers"
	Mouth of Santa Eulalia Valley, Peru		Santa Eulalia (15.28 S, 74.42 W), Peru
	1.II.1913		1.II.1913
	Rec'd. from C.H.T. Townsend		Rec'd. from C.H.T. Townsend
	Townsend No. A.4157 (Like our African 1574, C. W. det. 1917)		2 larvae mounted on slides and retained at RML. These specimens are similar to <u>A. dalei</u> except for tarsal setae counts.
N	2517	N	2517
		RML	111321
	<u>Ixodes nuttalli</u> ♂, ♀'s		1 ♂, 2 ♀ <u>Ixodes nuttalli</u>
	"Vizcacha"		<u>Lagidium peruanum</u>
	Ninahuanchi, Peru		Ninahuanchi, Peru (locality not verified)
	1.II.1913		1.II.1913
	Rec'd. from C.H.T. Townsend		Rec'd. from C.H.T. Townsend
	Townsend No. A.5157		Cited and figured: Nuttall (1916: 308, 309, 311).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2518	N	2518
		RML	111322
	<u>Ixodes auritulus</u> 1 ♀		1 ♀ <u>Ixodes auritulus</u>
	Head of "thrush"		Head of "thrush"
	Oroya, Peru (12,000 ft.)		Oroya, Peru (3658 m) (locality not verified; 3 possible localities)
	7.III.1913		7.III.1913
	Rec'd. from C.H.T. Townsend		Rec'd. from C.H.T. Townsend
	Townsend No. A.6158		Cited: Nuttall (1916: 314).
N	2519	N	2519
		RML	111323
	<u>Ixodes</u> sp. N's & L		11 N, 38 L <u>Ixodes</u> sp.
	Rat		Rat
	Pachacayo, Peru (12,000 ft.)		Pachacayo (11.46 S, 75.44 W), Peru (3658 m)
	27.III.1913		27.III.1913
	Rec'd. from C.H.T. Townsend		Rec'd. from C.H.T. Townsend
	Townsend No. A.7517		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2520	N	2520
		RML	111324
	<u>Ixodes auritulus</u> 1 ♀, 3 N		1 ♀, 2 N <u>Ixodes auritulus</u>
	Pipit		Pipit
	Junin, Peru (14,000 ft.)		Junin (11.10 S, 76.00 W), Peru (4267 m)
	19.III.1913		19.III.1913
	Rec'd from C.H.T. Townsend		Rec'd from C.H.T. Townsend
	Townsend No. A.7518		Cited: Nuttall (1916: 314). Arthur (1960a: 204) cited the locality as Lunin, Peru.
N	2521	N	2521
		RML	111325
	<u>Argas</u> sp. L		24 L <u>Ornithodoros</u> sp.
	<u>Athlene</u> sp.		<u>Athene</u> sp.
	Chosica, Canyon, Peru (3,500 ft.)		Chosica (11.54 S, 76.42 W), Peru (1067 m)
	30.IV.1913		30.IV.1913
	Rec'd from C.H.T. Townsend		Rec'd from C.H.T. Townsend
	Townsend No. A.8157		Cited: Townsend (1913: 125).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2522	N	2522
		RML	111326
	<u>Ornithodoros talaje</u> 1 adult & N's		1 ♂, 1 ♀, 15 N <u>Ornithodoros amplus</u>
	Sea-birds		Sea-birds
	Guano Islands, Peru		Islas de Chincha (13.38 S, 76.25 W), Peru
	IV.1913		IV.1913
	Rec'd. from C.H.T. Townsend		Rec'd. from C.H.T. Townsend
	Townsend No. A.8158		
N	2523	N	2523 MISSING
	<u>Argas</u> sp. L		
	Sea-birds		
	Ancon, Peru		
	12.V.1913		
	Rec'd. from C.H.T. Townsend		
	Townsend No. A.9157		

Ticks received from Dr. Donald W. Carr, Ispahan, Persia, who presented them in person on 10 November, 1913. [Home address: Holbrook Hall, Derby.]

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2524	N	2524
		RML	111327
	<u>Ornithodoros lahorensis</u>		4 ♂, 13 ♀ <u>Ornithodoros lahorensis</u>
	From "mud walls of sheep pens"		From "mud walls of sheep pens"
	Ispahan, Persia		Esfahan (32.00 N, 57.30 E), Iran
	IX.1913		IX.1913
	Rec'd. from Dr. Donald W. Carr		Rec'd. from Dr. Donald W. Carr
	Some (sex/stage not stated) to Dr. Adler, Hebrew University, Jerusalem 22.IV.1925.		
N	2525	N	2525
		RML	111328
	<u>Ornithodoros lahorensis</u>		1 ♂, 6 ♀, 24 N <u>Ornithodoros lahorensis</u>
	Sheep and Goats		Sheep and Goats
	Ispahan, Persia		Esfahan (32.00 N, 57.30 E), Iran
	IX.1913		IX.1913
	Rec'd. from Dr. Donald W. Carr		Rec'd. from Dr. Donald W. Carr
N	2526	N	2526
		RML	105706
	<u>Argas persicus</u>		2 ♂, 2 ♀ <u>Argas persicus</u> 2 ♀ <u>Argas hermanni</u>
	Off ?		Off ?
	Ispahan, Persia		Esfahan (32.00 N, 57.30 E), Iran
	5.XII.1910		5.XII.1910
	Rec'd. from Dr. Donald W. Carr		Rec'd. from Dr. Donald W. Carr

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2527	N	2527
		RML	111329
	<u>Dermacentor niveus</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Dermacentor niveus</u>
	"Coney" (<u>Ochotona rufescens</u>)		<u>Ochotona rufescens</u>
	Soh, near Ispahan, Persia		Soh (33.26 N, 51.27 E), Iran
	VIII.1913		VIII.1913
	Rec'd. from Dr. Donald W. Carr		Rec'd. from Dr. Donald W. Carr
	Note re 2527. Reexamined 14.VII.1921, we think it a poorly characterized <u>niveus</u> , small possibly underdeveloped. See Neumann's letter of 9.I.1914. [Note: Soh is a small village about 60 miles from Ispahan & is situated at an altitude of 8,000 ft. "Coney" is a small rodent 6-8 inches in length; has no tail; fur brown; & lives in holes amongst stones (usually) under ground.]		
N	2528	N	2528
		RML	111330
	<u>Ixodes canisuga</u> 2 N's		2 N <u>Ixodes</u> sp.
	Badger		<u>Meles meles</u>
	Ispahan, Persia		Esfahan (32.00 N, 57.30 E), Iran
	IV.1913		IV.1913
	Rec'd. from Dr. Donald W. Carr		Rec'd. from Dr. Donald W. Carr
			Cited: Nuttall (1916: 327).

Eight tubes of ticks received from Colonel E.R.C. Butler, A.V.C. Ootacamund, Madras, India, 10 November, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2529, a-c	N 2529a-c
		RML 111331
(2529)	<u>Hyalomma aegyptium</u> ♂'s, ♀'s	(2529) MISSING
(a)	<u>Boophilus australis</u> ♂, ♀, N	(a) 1 ♂, 3 ♀, 3 N <u>Boophilus microplus</u>
(b)	<u>Haemaphysalis bispinosa</u> ♂, ♀	(b) 1 ♂, 1 ♀ <u>Haemaphysalis bispinosa</u>
(c)	<u>Rhipicephalus haemaphysaloides</u> ♂, ♀'s	(c) 1 ♂, 4 ♀ <u>Rhipicephalus haemaphysaloides</u>
Bullocks		Bullocks
Poona, India		Poona (18.32 N, 73.52 E), India
X.1913		X.1913
Major Eassie		Major Eassie
		(2529b) cited: Nuttall & Warburton (1915: 432).
N	2530, a	N 2530
		RML 111332
(2530)	<u>Boophilus australis</u> ♀, N's	(2530) 2 ♀, 1 N <u>Boophilus microplus</u>
(a)	<u>Hyalomma aegyptium</u> ♂	(a) MISSING
Buffalo		Buffalo
Poona, India		Poona (18.32 N, 73.52 E), India
X.1913		X.1913
Major Eassie		Major Eassie
N	2531	N 2531 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	
Dogs		
Poona, India		
X.1913		
Major Eassie		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2532	N	2532
		RML	111333
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		4 ♂, 11 ♀ <u>Hyalomma anatomicum</u> <u>anatomicum</u>
	Horse		Horse
	Hyderabad-Sind, India		Hyderabad (17.23 N, 78.28 E), India
	X.1913		X.1913
	Lt. E. G. Turner		Lt. E. G. Turner
N	2533	N	2533 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		
	Dog		
	Hyderabad-Sind, India		
	X.1913		
	Lt. E. G. Turner		
N	2534	N	2534 MISSING
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		
	Bullock & Horse		
	Hyderabad-Sind, India		
	X.1913		
	Lt. E. G. Turner		
N	2535	N	2535 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		
	Dogs		
	Trimulgerry, Deccan, India		
	X.1913		
	Capt. A. J. Williams		
	Given to D. S. MacLagan 14/10/38		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2536	N	2536
		RML	111334
	<u>Hyalomma aegyptium</u> ♂'s		2 ♂ <u>Hyalomma marginatum isaaci</u>
	Horses		Horses
	Trimulgherry, India		Trimulgherry (17.28 N, 78.30 E), India
	X.1913		X.1913
	Capt. A. J. Williams		Capt. A. J. Williams
			One of these males is partially deformed.

Four tubes of ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa,
N. Rhodesia, B. C. Africa, 11 November 1913:-

N	2537	N	2537
		RML	111335
	<u>Rhipicephalus simus</u> ♂'s, ♀'s, N's & L		5 ♂, 1 ♀, 15 N <u>Rhipicephalus simpsoni</u>
	Cane rats		<u>Thryonomys</u> sp.
	Yongwe River, Mwengwa District, N. Rhodesia		Yongwe River (14.03 S, 28.57 E), Zambia
	17.IX.1913		17.IX.1913
	Rec'd. from L. C. Heath		Rec'd. from L. C. Heath

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2538, a		N	2538, a	
			RML	111336	
	(2538) <u>Boophilus</u> sp. N's (a) <u>Rhipicephalus capensis</u> 1 ♂			(2538) 9 N <u>Boophilus</u> sp. (a) 1 ♂ <u>Rhipicephalus pravus</u>	
	Sable antelope			<u>Hippotragus niger</u>	
	Near Kampengele's, Mwengwa District, N. Rhodesia			Near Kampengele (15.10 S, 26.29 E), Zambia	
	18.IX.1913			18.IX.1913	
	Rec'd. from L. C. Heath			Rec'd. from L. C. Heath	
N	2539, a		N	2539, a	
			RML	111337	
	(2539) <u>Boophilus decoloratus</u> 1 ♀ (a) <u>Rhipicephalus</u> sp. 1 N (with beady eyes)			(2539) 1 ♀ <u>Boophilus decoloratus</u> (a) 1 N <u>Rhipicephalus</u> sp.	
	Impala			<u>Aepyceros melampus</u>	
	Balumbwa, N. Rhodesia			Balumbwa (15.25 S, 26.24 E), Zambia	
	23.IX.1913			23.IX.1913	
	Rec'd. from L. C. Heath			Rec'd. from L. C. Heath	
N	2540		N	2540	
			RML	111338	
	<u>Rhipicephalus evertsi</u> N's			20 N <u>Rhipicephalus evertsi</u>	
	Reed-buck			<u>Redunca arundinum</u>	
	Balumbwa, N. Rhodesia			Balumbwa (15.25 S, 26.24 E), Zambia	
	23.IX.1913			23.IX.1913	
	Rec'd. from L. C. Heath			Rec'd. from L. C. Heath	

Ticks received from Captain Ronald E. Todd, R.A.M.C., Public Health Department, Asyut, 17 November 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2541	N	2541
		RML	111339
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		3 ♂, 9 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Minia, Upper Egypt		El Minya (28.06 N, 30.45 E), Egypt
	15.II.1913		15.II.1913
	H. Mason		H. Mason
N	2542	N	2542 MISSING
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		
	Bulls		
	Maghagha, Upper Egypt		
	5.II.1913		
	H. Mason		
N	2543	N	2543
		RML	111340
	<u>Boophilus australis</u> ♀'s		49 ♀ <u>Boophilus annulatus</u>
	Bulls		Bulls
	Maghagha, Upper Egypt		Maghaghah (28.39 N, 30.50 E), Egypt
	5.II.1913		5.II.1913
	H. Mason		H. Mason

Ticks received from Professor A. Berlese, R. Stazione di Entomologia Agraria,
Via Romana N.19, Firenze, Italy, 17 November, 1913:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2544, a, b (2544) <u>Rhipicephalus bursa</u> nymphs (a) <u>Ixodes ricinus</u> 1 ♂, ♀'s (b) <u>Haemaphysalis punctata</u> 1 ♂, ♀'s Off ? (probably sheep or cattle) Coscana, Maremma, Tuscany, Italy XI.1913 A. Berlese (2544a) 1 ♀ to J. de Meza Zomba, Nyasaland 19.II.1916 ♀'s to Prof. Wheeler, Boston, Mass. 20.II.1915. 2 ♀ to Prof. E. Malvoz, Liège 30.V.1929. 2 ♀ to E. T. Boardman, Univ. Florida, Gainesville 30.V.1929.	2544, a, b (2544) 565 N <u>Rhipicephalus bursa</u> (a) 17 ♀ <u>Ixodes ricinus</u> (b) 1 ♂, 37 ♀, 1 N <u>Haemaphysalis punctata</u> Off ? (probably sheep or cattle) Coscana, Maremma Region (42.30 N, 11.30 E), Italy XI.1913 A. Berlese Antonio Berlese (1863-1927) Expert on Mesostigmata, an excellent scientific artist and one of the fathers of Acarology. (2544b) label in vial "4 specimens given to E. B. Britten 27.XI.1959." (2544a) cited: Nuttall (1916: 333). (2544b) cited: Nuttall & Warburton (1915: 386).
N	2545 <u>Rhipicephalus bursa</u> nymphs (alive) Off ? (probably sheep or cattle) Coscana, Maremma, Tuscany, Italy XI.1913 A. Berlese [No. 2545 used for raising experiments.]	2545 MISSING

ORIGINAL DETERMINATIONCURRENT STATUS

N	2546	N	2546
		RML	111342
	<u>Ixodes brunneus</u> 1 ♀ (alive)		1 ♀ <u>Ixodes frontalis</u>
	Wagtail (<u>Motacilla lugubris</u>)		<u>Motacilla alba yarrellii</u>
	Near Pulborough, Sussex, England		Near Pulborough (50.57 N, 00.31 W), England
	20.XI.1913		20.XI.1913
	S. Baxter		S. Baxter
	Rec'd. from Dr. A.F.R. Wollaston (London, S.W.), 25.XI.1913 [Used for raising experiments]		Cited: Nuttall (1916: 325); Arthur (1952: 153); Arthur (1963: 118).

Ticks received from C. A. de F. Roofe, Mountcoombe, Surrey, 27.XI.1913, stating that he had just returned from N. Nigeria. (The covering letter was addressed to G. Merriman, Quick Laboratory, "if left, please hand to Professor Nuttall"):-

N	2547, a, b	N	2547a, b
		RML	111343
	(2547) <u>Rhipicephalus sanguineus</u> 1 ♀		(2547) MISSING
	(a) <u>Rhipicephalus simus</u> ♀		(a) 1 ♀ <u>Rhipicephalus simus</u>
	(b) <u>Boophilus</u> sp. nymph		(b) 1 ♂ <u>Boophilus geigyi</u>
	Bull terrier pup		Dog
	Gurum Camp (about 4 miles north of Naraguta), Banchi Province, N. Nigeria		Gurum (10.02 N, 08.50 E) (about 6.6 km N of Naraguta Hausawa), Benu Plateau, Nigeria
	19.IX.1913		19.IX.1913
	Rec'd. from C. A. de F. Roofe (with fleas)		Rec'd. from C. A. de F. Roofe

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2548	N	2548
		RML	111344
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		11 ♂, 3 ♀ <u>Rhipicephalus carnivoralis</u>
	Old leopard		<u>Panthera pardus</u>
	Buji (about 10 miles north of Naraguta), Banchi Province, N. Nigeria		Buji (10.07 N, 08.50 E), (about 16 km N of Naraguta Hausawa), Benue Plateau, Nigeria
	16.I.1913		16.I.1913
	Rec'd. from C. A. de F. Roofe		Rec'd. from C. A. de F. Roofe
	[Ticks found chiefly attached round ears and chest.]		
N	2549	N	2549 MISSING
	<u>Amblyomma variegatum</u> ♀'s		
	(Haussa) Ram		
	Hephham (about 19 miles S.W. of Jos), N. Nigeria		
	10.VI.1913		
	Rec'd. from C. A. de F. Roofe		
	[Tick on neck and breast]		
N	2550	N	2550 MISSING
	<u>Amblyomma variegatum</u> 1 ♂		
	Pagan Bitch		
	Hephham (about 19 miles S.W. of Jos), N. Nigeria		
	20.VI.1913		
	Rec'd. from C. A. de F. Roofe		
	[Ticks found between toes)		
	N. B. Mr. Roofe writes "This Pagan dog was the ordinary pie dog found in most bush villages."		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2551 N 2551 MISSING

Amblyomma variegatum 1 ♂

Beagle pup

Hepharn N. Nigeria

28.VI.1913

Rec'd from C. A. de F. Roofe

[Tick found on hind leg.]

Four tubes of ticks received from W. H. J. van Heemstra, Oglan-Anassi, Djumowassi, Smyrna, Asiatic Turkey, 29 November 1913:-

N 2552, a, b, N 2552, 2552b

RML 111345

(2552) Hyalomma aegyptium ♂'s, ♀'s
 (a) Boophilus annulatus ♂'s, ♀'s
 (b) Haemaphysalis punctata ♀'s

Horses and Cattle

Smyrna, Turkey

XI.1913

Rec'd from W. H. J. van Heemstra

(2552) 2 ♂, 3 ♀ Hyalomma anatolicum excavatum
 (a) MISSING
 (b) 2 ♀ Haemaphysalis punctata

Horses and Cattle

Izmir (38.25 N, 27.09 E), Turkey

XI.1913

Rec'd from W. H. J. van Heemstra

(2552b) incorrectly cited as
 2552a by Nuttall & Warburton
 (1915: 387).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2553, a, b		N	2553, a, b	
			RML	111346	
(2553)	<u>Ixodes ricinus</u> var <u>gibbosus</u>	5 ♂, 6 ♀	(2553)	5 ♂, 6 ♀ <u>Ixodes gibbosus</u>	Lectotype and paralectotypes
(a)	<u>Haemaphysalis punctata</u>	♂'s, ♀'s	(a)	2 ♂, 6 ♀ <u>Haemaphysalis punctata</u>	
(b)	<u>Hyalomma aegyptium</u>	♂, ♀	(b)	1 ♀ <u>Hyalomma marginatum</u>	
	Goats			Goats	
	Smyrna, Turkey			Izmir (38.25 N, 27.09 E), Turkey	
	XI.1913			XI.1913	
	Rec'd from W.H.J. van Heemstra			Rec'd from W.H.J. van Heemstra	
	(2553) Types			Nuttall (1916: 300) original description of <u>I. ricinus gibbosus</u>	
				(2553a) cited: Nuttall & Warburton (1915: 387). Lectotype designated: Keirans & Brewster (1981: 168).	
N	2554		N	2554	
			RML	111347	
	<u>Haemaphysalis punctata</u> ♂, ♀'s			1 ♂, 2 ♀ <u>Haemaphysalis punctata</u>	
	Sheep			Sheep	
	Smyrna, Turkey			Izmir (38.25 N, 27.09 E), Turkey	
	XI.1913			XI.1913	
	Rec'd from W.H.J. van Heemstra			Rec'd from W.H.J. van Heemstra	
N	2555		N	2555	
			RML	111348	
	<u>Hyalomma aegyptium</u> ♂, ♀			1 ♂, 1 ♀ <u>Hyalomma anatomicum excavatum</u>	
	Camel			<u>Camelus dromedarius</u>	
	Smyrna, Turkey			Izmir (38.25 N, 27.09 E), Turkey	
	XI.1913			XI.1913	
	Rec'd from W.H.J. van Heemstra			Rec'd from W.H.J. van Heemstra	

ORIGINAL DETERMINATIONCURRENT STATUS

N 2556

N 2556 MISSING

Hyalomma aegyptium ♂'s, ♀'s

Black buck

Mhow, Central Provinces, India

11.XI.1913

Rec'd. from Major T. W. Rudd,
A.V.C. 29.XI.1913Collection of ticks received for determination from Dr. Kudicke, Institut
für Seuchenbekämpfung, Daressalam, German East Africa, 25 November 1913:-

N 2557

N 2557

RML 111349

Rhipicephalus evertsi7 ♂, 5 ♀ Rhipicephalus evertsi

Cattle

Cattle

Wilhelmsdal, G. E. Africa

Lushoto (04.47 S, 38.17 E),
Tanzania

Rec'd. 25.XI.1913

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

Rec'd. from Dr. Kudicke

Sixty collections from Dr. Kudicke
which Nuttall numbered "1" - "60"
spanning Nuttall numbers 2557-2616.

N 2558

N 2558 MISSING

Ornithodoros moubata

From Negro huts

Lindi, German E. Africa

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2559	N 2559 MISSING
	<u>Ornithodoros moubata</u>	
	From rest-houses	
	Bukoba-Bezirk, German East Africa	
	Rec'd. 25.XI.1913	
	Rec'd. from Dr. Kudicke	
N	2560, a	N 2560, a
		RML 111350
	(2560) <u>Rhipicephalus evertsi</u> ♂	(2560) 6 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>
	(a) <u>Rhipicephalus neavei</u> 2 ♀	(a) 2 ♀ <u>Rhipicephalus kochi</u>
	Camel	<u>Camelus dromedarius</u>
	Lindi, German East Africa	Lindi (10.00 S, 39.43 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
N	2561	N 2561
		RML 111351
	<u>Rhipicephalus evertsi</u> ♂, ♀	10 ♂, 4 ♀ <u>Rhipicephalus evertsi</u>
	Cattle	Cattle
	Wilhemstal, German E. Africa	Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2562	N 2562
		RML 111352
	<u>Rhipicephalus evertsi</u> ♂, ♀	9 ♂, 7 ♀ <u>Rhipicephalus evertsi</u>
	Cattle	Cattle
	Wilhelmsdal, German E. Africa	Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
N	2563	N 2563
		RML 111353
	<u>Ornithodoros moubata</u>	1 ♂, 3 ♀ <u>Ornithodoros moubata</u>
	From Negro huts	From Negro huts
	Lindi, German E. Africa	Lindi (10.00 S, 39.43 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
		Probably <u>O. moubata porcinus</u> cited as 1 ♀, 2 ♀ by van der Merwe (1968: 286).
N	2564	N 2564
		RML 111354
	<u>Rhipicephalus evertsi</u> ♀	1 ♀ <u>Rhipicephalus evertsi</u>
	Cattle	Cattle
	Wilhelmsdal, German E. Africa	Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2565	N	2565
		RML	111355
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N		9 ♂, 13 ♀, 9 N <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Wilhelmsdal, German E. Africa		Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
	1 ♂, 1 ♀, 1 N to J. de Meza, Zomba, Nyasaland 19.II.1916		
N	2566, a, b	N	2566, a, b
		RML	111356
	(2566) <u>Rhipicephalus neavei</u> ♀'s		(2566) 5 ♀ <u>Rhipicephalus kochi</u>
	(a) <u>Rhipicephalus evertsi</u> ♂		(a) 1 ♂ <u>Rhipicephalus evertsi</u>
	(b) <u>Rhipicephalus sanguineus</u> ♀		(b) 1 ♀ <u>Rhipicephalus sanguineus</u>
	Cattle		Cattle
	Wilhelmsdal, German E. Africa		Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
			(2566b) tentative ID. Genital aperture quite narrow.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2567, a	N	2567, a
		RML	111357
	(2567) <u>Amblyomma variegatum</u> ♂, ♀		(2567) 68 ♂, 26 ♀ <u>Amblyomma variegatum</u>
	(a) <u>Rhipicephalus neavei</u> ♀'s		(a) 2 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle		Cattle
	Bukoba-Bezirk, German E. Africa		Bukoba District (01.35 S, 31.30 E), Tanzania
	28.XI.1912		28.XI.1912
N	2568	N	2568 MISSING
	<u>Ornithodoros moubata</u>		
	West Ussuri, Bukoba-Bezirk, German E. Africa		
	Rec'd. 25.XI.1913		
	Rec'd. from Dr. Kudicke		
N	2569	N	2569
		RML	111358
	<u>Ornithodoros moubata</u>		16 ♂, 11 ♀, 16 N <u>Ornithodoros moubata</u>
	From Resting houses		From Resting houses
	Bukoba-Bezirk, German E. Africa		Bukoba District (01.35 S, 31.30 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
			Probably <u>O. moubata porcinus</u>

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2570, a-d	N 2570, a-d
RML	66661	(2570) 10 ♂, 7 ♀ <u>Rhipicephalus pulchellus</u>
		(a) 3 ♂ <u>Hyalomma rufipes</u>
		(b) 3 ♂, 2 ♀ <u>Rhipicephalus evertsi</u>
		(c) 1 ♂, 1 ♀ <u>Amblyomma gemma</u>
		(d) 4 ♀ <u>Rhipicephalus pravus</u>
	Cattle	Cattle
	Lewäre-Saguta, place in Bezirk Wilhelmstal (Massai Steppe, right bank of Pangani River), Sanitätsdienststelle, Wilhelmstal, German E. Africa	Lewäre-Saguta, Lushoto District (04.40 S, 38.20 E), Tanzania
	16.V.1913	16.V.1913
	Meyer	Meyer
N	2571, a	N 2571, a
RML	111359	(2571) 2 ♂, 3 ♀ <u>Rhipicephalus evertsi</u>
		(a) 2 ♀ <u>Rhipicephalus kochi</u>
	Goat	Goat
	Wilhelmstal, German E. Africa	Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
N	2572	N 2572 MISSING
	<u>Ornithodoros moubata</u>	
	From Negro huts	
	Lindi, German E. Africa	
	Rec'd. 25.XI.1913	
	Rec'd. from Dr. Kudicke	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2573, a, b	N	2573, a
		RML	111360
	(2573) <u>Rhipicephalus evertsi</u> ♂, ♀		(2573) 24 ♂, 8 ♀ <u>Rhipicephalus evertsi</u>
	(a) <u>Rhipicephalus pulchellus</u> ♂		(a) 1 ♂ <u>Rhipicephalus pulchellus</u>
	(b) <u>Rhipicephalus neavei</u> ♂, ♀		(b) MISSING
	Goats		Goats
	Lewäre-Saguta, place in Bezirk Wilhelmstal (Massai Steppe, right bank of Pangani River), Sanitätsdienststelle, Wilhelmstal, German E. Africa		Lewäre-Saguta, Lushoto District (04.40 S, 38.20 E), Tanzania
	17.V.1913		17.V.1913
	Meyer		Meyer
N	2574	N	2574
		RML	111361
	<u>Ornithodoros moubata</u>		1 ♂, 2 N <u>Ornithodoros moubata</u>
	From Negro huts		From Negro huts
	Lindi, German E. Africa		Lindi (10.00 S, 39.43 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
			Probably <u>O. moubata porcinus</u> . Cited as 3 ♀ by van der Merwe (1968: 286).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2575, a	N	2575, a
		RML	111362
	(2575) <u>Rhipicephalus evertsi</u> (a) <u>Rhipicephalus neavei</u> ♀		(2575) 2 ♂, 1 ♀ <u>Rhipicephalus evertsi</u> (a) 1 ♀ <u>Rhipicephalus kochi</u>
	Cattle		Cattle
	Wilhelmsdal, German E. Africa		Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
N	2576	N	2576
		RML	111363
	<u>Rhipicephalus evertsi</u>		5 ♂, 3 ♀ <u>Rhipicephalus evertsi</u>
	Cattle		Cattle
	Wilhelmsdal, German E. Africa		Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke

ORIGINAL DETERMINATIONCURRENT STATUS

N 2577, a-d

N 2577, 2-d

RML 66618

(2577) Amblyomma gemma
 (a) Hyalomma aegyptium
 (b) Rhipicephalus neavei
 (c) Rhipicephalus evertsi
 (d) Rhipicephalus longicoxatus
 ♂'s, ♀'s.

(2577) 210 ♂, 38 ♀ Amblyomma gemma
 (2577) 1 ♂ Hyalomma rufipes
 (a) 30 ♂, 3 ♀ Hyalomma rufipes
 (a) 47 ♂, 25 ♀ Hyalomma albiparmatum
 (b) 39 ♂, 28 ♀ Rhipicephalus pravus
 (b) 3 ♂, 2 ♀ Rhipicephalus kochi
 (c) 2 ♂, 1 ♀ Rhipicephalus evertsi
 (d) 84 ♂, 44 ♀ Rhipicephalus camelopardalis
 (d) 1 ♀ Rhipicephalus pravus

Giraffe

Giraffa camelopardalis

Near Manyoni, Ngogo, German E. Africa

Near Manyoni (05.51 S, 34.57 E),
Tanzania

[dated Kilimatindi, 14.VII.1913]

[dated Kilimatindi, 14.VII.1913]

Dr. W. Bartels

Dr. W. Bartels

(2577) 1 ♂, 1 ♀ to Dr. Kudicke,
 Dar es Salaam, G.E. Africa
 22.VII.1914

(2577d) An additional 3 ♂, 5 ♀
R. camelopardalis are in the
 RML collection.

N 2578

N 2578 MISSING

Ornithodoros moubataWest Ussuri, Bukoba-Bezirk,
German E. Africa

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2579	N	2579
		RML	111364
	<u>Rhipicephalus evertsi</u>		4 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>
	Goat		Goat
	Lindi, German E. Africa		Lindi (10.00 S, 39.43 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
N	2580	N	2580
		RML	111365
	<u>Rhipicephalus evertsi</u>		14 ♂, 3 ♀ <u>Rhipicephalus evertsi</u>
	Cattle		Cattle
	Wilhelmsdal, German E. Africa		Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
N	2581, a, b	N	2581, a, b
		RML	111366
	(2581) <u>Rhipicephalus simus</u>		(2581) 7 ♂, 5 ♀ <u>Rhipicephalus simus</u>
	(a) <u>Rhipicephalus sanguineus</u> ♂, ♀		(a) 1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	(b) <u>Haemaphysalis leachi</u>		(b) 1 ♀ <u>Haemaphysalis leachi</u>
	Jackals		<u>Canis adustus</u> or <u>Canis mesomelas</u>
	Kilimabindi, Ngogo, German E. Africa		Kilimatinde (05.51 S, 34.57 E), Tanzania
	14.VII.1913		14.VII.1913
	Dr. W. Bartels		Dr. W. Bartels
	(2581) 1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916.		(2581b) cited: Nuttall & Warburton (1915: 470).
	(2581b) 1 ♂, 1 ♀ to Dr. Kudicke, Dar es Salaam, German E. Africa 22.IV.1914.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2582 N 2582 MISSING

Ornithodoros moubata

From Native huts

Buiko & Ndungo Bezirk Wilhelmstal,
German E. Africa

28.V.1911

Rec'd. from Dr. Kudicke

Given to D. S. MacLagan 14/10/38

N 2583 N 2583
RML 111367

Rhipicephalus evertsi

Cattle

Wilhelmstal, German E. Africa

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

6 ♂, 2 ♀ *Rhipicephalus evertsi*

Cattle

Lushoto (04.47 S, 38.17 E),
Tanzania

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

N 2584 N 2584
RML 111368

Ornithodoros moubata

"Wawindi" (probably the name of a
spot or district in Bezirk Iringa,
writes Dr. Kudicke 24.IV.1914.)

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

4 ♀, 9 N *Ornithodoros moubata*

"Wawindi", Iringa District
(08.00 S, 35.30 E), Tanzania

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

ORIGINAL DETERMINATIONCURRENT STATUS

N	2585, a, b	N	2585a
		RML	111369
	(2585) <u>Amblyomma variegatum</u> ♂'s, ♀'s (a) <u>Hyalomma aegyptium</u> (b) <u>Rhipicephalus appendiculatus</u>		(2585) MISSING (a) 7 ♂, 1 ♀ <u>Hyalomma albiparmatum</u> (b) MISSING
	Cattle		Cattle
	Itamba, Bezirk Iringa, German E. Africa		Itamba (08.42 S, 34.13 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
N	2586, a-e	N	2586, a, c, e
		RML	111370
	(2586) <u>Boophilus</u> sp. (a) <u>Hyalomma aegyptium</u> (b) <u>Rhipicephalus evertsi</u> (c) <u>Amblyomma gemma</u> (d) <u>Amblyomma variegatum</u> (e) <u>Rhipicephalus appendiculatus</u>		(2586) 38 ♀ <u>Boophilus decoloratus</u> (a) 6 ♂, 3 ♀ <u>Hyalomma albiparmatum</u> (b) MISSING (c) 3 ♂ <u>Amblyomma gemma</u> (d) MISSING (e) 1 ♂, 5 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle		Cattle
	Iringa ?, German E. Africa		Iringa ? (07.46 S, 35.42 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
	(2586b) 1 ♂, 1 ♀ to Prof. E. Brumpt, École Médecine, Paris 12.X.1922.		(2586c) Robinson (1926: 122) cited the collector as Dr. Bartels.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2587	N 2587
		RML 111371
	<u>Rhipicephalus neavei</u> ♀	1 ♀ <u>Rhipicephalus kochi</u>
	Goat	Goat
	Lindi, German E. Africa	Lindi (10.00 S, 39.43 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
N	2588, a, b	N 2588, a, b
		RML 111372
	(2588) <u>Amblyomma variegatum</u>	(2588) 37 ♂, 29 ♀ <u>Amblyomma variegatum</u>
	(a) <u>Ornithodoros moubata</u>	(a) 1 ♂ <u>Ornithodoros moubata</u>
	(b) <u>Rhipicephalus appendiculatus</u> ♀'s	(b) 6 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Bukoba-Bezirk, German E. Africa	Bukoba District (01.35 S, 31.30 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
N	2589	N 2589
		RML 111373
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s	2 ♂, 3 ♀ <u>Rhipicephalus evertsi</u>
	Cattle	Cattle
	Wilhelmsthal, German E. Africa	Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke

ORIGINAL DETERMINATIONCURRENT STATUS

N	2590, a	N	2590, a
		RML	111374
	(2590) <u>Hyalomma aegyptium</u> ♂, ♀		(2590) 2 ♂, 2 ♀ <u>Hyalomma albiparmatum</u>
	(a) <u>Rhipicephalus evertsi</u>		(a) 1 ♂ <u>Rhipicephalus evertsi</u>
	Goats		Goats
	Iringa, German E. Africa		Iringa (07.46 S, 35.42 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
N	2591, a, b	N	2591, a, b
		RML	111375
	(2591) <u>Rhipicephalus evertsi</u>		(2591) 8 ♂, 3 ♀ <u>Rhipicephalus evertsi</u>
	(a) <u>Rhipicephalus neavei</u> ♀		(a) 2 ♀ <u>Rhipicephalus kochi</u>
	(b) <u>Rhipicephalus simus</u>		(b) 1 ♂ <u>Rhipicephalus simus</u>
	Cattle		Cattle
	Wilhelmsdal		Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
	(2591) 1 ♂, 1 ♀ to Dr. Lajos Gozony, Univ. Budapest, Hungary 23.VI.1914.		(2591B) tentative ID

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2592	N 2592
		RML 111376
	<u>Amblyomma variegatum</u> ♂, ♀	68 ♂, 14 ♀ <u>Amblyomma variegatum</u>
	Cattle belonging to the Sultan	Cattle belonging to the Sultan
	Kitorora - near Shirati, German E. Africa	Kitorora near Shirati (01.08 S, 33.59 E), Tanzania
	3.VI.1913	3.VI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
	1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916.	
	1 ♂, 2 ♀ to R. W. Mettam, Weybridge, IV.1931.	
	2 ♂, 1 ♀ to H. S. Purchase IV.1931.	
N	2593, a	N 2593, a
		RML 111377
	(2593) <u>Amblyomma variegatum</u>	(2593) 32 ♂, 22 ♀ <u>Amblyomma variegatum</u>
	(a) <u>Boophilus</u> sp. ♀'s	(a) 8 ♀ <u>Boophilus decoloratus</u>
	Cattle	Cattle
	Singidda, German E. Africa	Singida (04.49 S, 34.45 E). Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
N	2594	N 2594
		RML 111378
	<u>Rhipicephalus evertsi</u>	7 ♂, 6 ♀ <u>Rhipicephalus evertsi</u>
	Cattle	Cattle
	Wilhelmsdal, German E. Africa	Lushoto (04.47 S, 38.17 E), Tanzania
	Rec'd. 25.XI.1913	Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2595, a	N	2595, a
		RML	111379
	(2595) <u>Amblyomma tholloni</u> (a) <u>Rhipicephalus maculatus</u> ♂		(2595) 7 ♂, 4 ♀ <u>Amblyomma tholloni</u> (a) 1 ♂ <u>Rhipicephalus maculatus</u>
	Off ?		Off ?
	Bezirk Lindi, German E. Africa		Lindi District (10.00 S, 39.20 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
	(2595) 1 ♂, 1 ♀ to Dr. Kudicke, Dar es Salaam, German E. Africa 22.VII.1914		(2595) cited: Robinson (1926: 253).
N	2596	N	2596
		RML	111380
	<u>Amblyomma variegatum</u>		33 ♂, 29 ♀, 2 N <u>Amblyomma variegatum</u> 1 ♀ <u>Boophilus decoloratus</u>
	Cattle		Cattle
	Singidda, German E. Africa		Singida (04.49 S, 34.45 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
	1 ♂, 1 ♀ to Dr. Kudicke, Dar es Salaam, German E. Africa 22.XII.1914.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	2597, a		N	2597
			RML	111381
(2597)	<u>Rhipicephalus pulchellus</u>	1 ♂, 2 ♀	(2597)	1 ♂, 2 ♀ <u>Rhipicephalus pulchellus</u>
(a)	<u>Rhipicephalus evertsi</u>	♂	(a)	MISSING
Kongoni	Antelope		Kongoni	antelope
Schembekuli,	Bezirk Wilhelmstal		Schembekuli,	Lushoto District
(Massai Steppe,	right bank of Pangani		(04.40 S, 38.20 E),	Tanzania
River), Sanitätsdienststelle-				
Wilhelmstal,	German E. Africa			
13.V.1913			13.V.1913	
Meyer			Meyer	
N	2598, a		N	2598, a
			RML	111382
(2598)	<u>Rhipicephalus sanguineus</u>		(2598)	28 ♂, 22 ♀ <u>Rhipicephalus sanguineus</u>
(a)	<u>Rhipicephalus evertsi</u>	1 ♂	(a)	1 ♂ <u>Rhipicephalus evertsi</u>
Dog			Dog	
Usukuma,	German E. Africa		Usukuma,	Tanzania (locality not verified)
V.1913			V.1913	
Rec'd. from Dr. Kudicke			Rec'd. from Dr. Kudicke	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2599, a	N	2599, a
		RML	111383
(2599)	<u>Amblyomma gemma</u> ♂'s, ♀'s	(2599)	10 ♂, 1 ♀ <u>Amblyomma gemma</u>
(a)	<u>Rhipicephalus pulchellus</u>	(a)	8 ♂, 1 ♀ <u>Rhipicephalus pulchellus</u>
Eland Antelope			<u>Taurotragus oryx</u>
Schembekuli, Bezirk Wilhelmstal (Massai Steppe, right bank of Pangani River), Sanitätsdienststelle-Wilhelmstal, German E. Africa		Schembekuli, Lushoto District (04.40 S, 38.20 E), Tanzania	
13.V.1913		13.V.1913	
Meyer		Meyer	
		(2599) cited: Robinson (1926: 122).	
N	2600, a	N	2600
		RML	111384
(2600)	<u>Rhipicephalus simus</u>	(2600)	33 ♂, 10 ♀ <u>Rhipicephalus simus</u>
(a)	<u>Ornithodoros moubata</u>	(a)	MISSING
Warzenischwein			<u>Phacochoerus aethiopicus</u>
Tabora, German E. Africa		Tabora, Tanzania (locality not verified; 5 possible localities)	
Rec'd. 25.XI.1913		Rec'd. 25.XI.1913	
Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2601, a	N 2601, a
RML		111385
(2601)	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	(2601) 16 ♂, 9 ♀ <u>Rhipicephalus sanguineus</u>
(a)	<u>Rhipicephalus simus</u>	(a) 9 ♂, 12 ♀ <u>Rhipicephalus simus</u>
	Wild dog	<u>Lycaon pictus</u>
	Usukuma, German E. Africa	Sukuma (02.27 S, 33.07 E) or (02.38 S, 33.31 E), Tanzania
	V.1913	V.1913
	Rec'd. from Dr. Kudicke	Rec'd. from Dr. Kudicke
N	2602, a	N 2602, a
RML		111386
(2602)	<u>Rhipicephalus evertsi</u>	(2602) 2 ♂, 1 ♀ <u>Rhipicephalus evertsi</u>
(a)	<u>Rhipicephalus pulchellus</u> ♀	(a) 1 ♀ <u>Rhipicephalus pulchellus</u>
	Grants gazelle	<u>Gazella granti</u>
	Marangeek, Bezirk Wilhelmstal (Massai Steppe, right bank of Pani River), Sanitätsdienststelle Wilhelmstal, German E. Africa	Marangeek, Lushoto District (04.40 S, 38.20 E), Tanzania
	16.V.1913	16.V.1913
	Meyer	Meyer

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2603, a	N	2603, a
		RML	66682
	(2603) <u>Rhipicephalus pulchellus</u>		(2603) 40 ♂, 26 ♀ <u>Rhipicephalus pulchellus</u>
	(a) <u>Amblyomma gemma</u> ♂		(a) 1 ♂ <u>Amblyomma gemma</u>
	Gnu		<u>Connochaetes taurinus</u>
	Marangeek, Bezirk Wilhelmstal (Massai Steppe, right bank of Pani River), Sanitätsdienststelle Wilhelmstal, German E. Africa		Marangeek, Lushoto District (04.40 S, 38.20 E), Tanzania
	Rec'd 25.XI.1913		Rec'd 25.XI.1913
	Rec'd from Dr. Kudicke		Rec'd from Dr. Kudicke
	(2603) 1 ♂, 1 ♀ to R. W. Mettam, Weybridge IV.1931. 1 ♂, 1 ♀ to H. S. Purchase IV.1931.		(2603a) cited: Robinson (1926: 122).
N	2604, a, b	N	2604, a, b
		RML	66678
	(2604) <u>Rhipicephalus pulchellus</u>		(2604) 46 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u>
	(a) <u>Rhipicephalus evertsi</u>		(a) 8 ♂, 3 ♀ <u>Rhipicephalus evertsi</u>
	(b) <u>Amblyomma gemma</u>		(b) 15 ♂, 1 ♀ <u>Amblyomma gemma</u>
	Eland antelope		<u>Taurotragus oryx</u>
	Schembekuli, Bezirk Wilhelmstal (Massai Steppe, right bank of Pangani River), Sanitätsdienststelle Wilhelmstal, German E. Africa		Schembekuli, Lushoto District (04.40 S, 38.20 E), Tanzania
	13.V.1913		13.V.1913
	Rec'd from Dr. Kudicke		Rec'd from Dr. Kudicke
	(2604b) 2 ♂, 2 ♀ mounted on slides in cells II.1915		Slides missing. (2604b) cited: Robinson (1926: 122).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
-------------------------------	--	-----------------------

N	2605	N	2605
		RML	111387
	<u>Ornithodoros moubata</u>		3 ♀ <u>Ornithodoros moubata</u>
	From Negro huts		From Negro huts
	Bezirk Lindi, German E. Africa		Lindi District (10.00 S, 39.20 E), Tanzania
	Rec'd 25.XI.1913		Rec'd 25.XI.1913
	Rec'd from Dr. Kudicke		Rec'd from Dr. Kudicke
			Probably <u>O. moubata porcinus</u>
N	2606,a	N	2606, a
		RML	66646
	(2606) <u>Hyalomma aegyptium</u>		(2606) 12 ♂, 7 ♀ <u>Hyalomma rufipes</u>
	(a) <u>Rhipicephalus evertsii</u>		(2606) 1 ♂ <u>Hyalomma albiparmatum</u>
			(a) 54 ♂, 20 ♀ <u>Rhipicephalus evertsii</u>
	Cattle		Cattle
	Usukuma, German E. Africa		Sukuma (02.27 S, 33.07 E) or (02.38 S, 33.31 E), Tanzania
	V.1913		V.1913
	Rec'd from Dr. Kudicke		Rec'd from Dr. Kudicke
	(2606) 1 ♂, 1 ♀ to Dr. Kudicke, Dar es Salaam, German E. Africa 22.VII.1914.		
	(2606a) 1 ♂, 1 ♀ to Prof. R. Matheson, Cornell 27.V.1929.		
	1 ♂, 1 ♀ to Dr. A. C. Reed, San Francisco 30.V.1929.		
	1 ♂, 1 ♀ to Prof. J. Drbohlav, Prague 30.V.1929.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2607, a	N	2607, a
		RML	111388
(2607)	<u>Rhipicephalus neavei</u>	(2607)	15 ♂, 10 ♀ <u>Rhipicephalus pravus</u>
(a)	<u>Rhipicephalus pulchellus</u>	(a)	5 ♂, 4 ♀ <u>Rhipicephalus pulchellus</u>
	Sheep		Sheep
Lewäre-Saguta, place in Bezirk Wilhelmstal (Massai Steppe, right bank of Pangani River), Sanitätsdienststelle, Wilhelmstal, German E. Africa		Lewäre-Saguta, Lushoto District (04.40 S, 38.20 E), Tanzania	
V.1913		V.1913	
Meyer		Meyer	
N	2608	N	2608
		RML	111389
	<u>Amblyomma variegatum</u>		53 ♂, 34 ♀ <u>Amblyomma variegatum</u>
West Ussuri, Bukoba-Bezirk, German E. Africa		West Ussuri, Bukoba District (01.35 S, 31.30 E), Tanzania	
Rec'd. 25.XI.1913		Rec'd. 25.XI.1913	
Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2609		N	2609	
			RML	111390	
	<u>Ornithodoros moubata</u>			19 ♂, 1 ♀, 20 N <u>Ornithodoros moubata</u>	
	From Native huts			From Native huts	
	Kihurio, Bezirk Wilhelmstal, at foot of Pare Mts., Sanitätsdienststelle Wilhelmstal			Kihurio (04.28 S, 38.04 E), Lushoto District, Tanzania	
	Rec'd. 25.XI.1913			Rec'd. 25.XI.1913	
	Rec'd. from Dr. Kudicke			Rec'd. from Dr. Kudicke	
	2 ♂, 2 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916			Probably <u>O. moubata porcinus</u>	
N	2610		N	2610	
			RML	111391	
	<u>Rhipicephalus evertsi</u> ♀			1 ♀ <u>Rhipicephalus evertsi</u>	
	Cattle			Cattle	
	Wilhelmstal, German E. Africa			Lushoto (04.47 S, 38.17 E), Tanzania	
	Rec'd. 25.XI.1913			Rec'd. 25.XI.1913	
	Rec'd. from Dr. Kudicke			Rec'd. from Dr. Kudicke	
N	2611		N	2611	
			RML	111392	
	<u>Rhipicephalus evertsi</u> N & L			91 N, 24 L <u>Rhipicephalus evertsi</u>	
	Lire Antelope			Lire Antelope	
	Mara Plain, near Bukenje, Shirati, Bezirk Muansa, near British border			Mara (03.30 S, 36.42 E), Tanzania	
	19.V.1913			19.V.1913	
	Rec'd. from Dr. Kudicke			Rec'd. from Dr. Kudicke	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2612, a	N	2612
		RML	111393
(2612)	<u>Rhipicephalus evertsi</u> ♀'s, N's, & L	(2612)	2 ♀, 82 N, 32 L <u>Rhipicephalus</u> <u>evertsi</u>
(a)	<u>Amblyomma variegatum</u>	(a)	MISSING
	Cow antelope		Cow antelope
	High plateau of Viregi Shirati near British-German Frontier		High plateau of Viregi, Shirati (01.08 S, 33.59 E), Tanzania
	24.V.1913		24.V.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
N	2613, a, b	N	2613, a, b
		RML	105677
(2613)	<u>Amblyomma variegatum</u>	(2613)	16 ♂, 15 ♀ <u>Amblyomma</u> <u>variegatum</u>
(a)	<u>Rhipicephalus evertsi</u>	(a)	8 ♂, 2 ♀, 18 N <u>Rhipicephalus</u> <u>evertsi</u>
(b)	<u>Rhipicephalus capensis</u>	(b)	10 ♂, 4 ♀ <u>Rhipicephalus longus</u>
	Horse antelope		Horse antelope
	Mori Plain near Utegi		Mori Plain (01.21 S, 33.59 E), Tanzania
	6.V.1913		6.V.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2614, a-e	N	2614
		RML	111394
(2614)	<u>Rhipicephalus appendiculatus</u>	(2614)	10 ♂, 3 ♀ <u>Rhipicephalus appendiculatus</u>
(a)	<u>Hyalomma aegyptium</u>	(a)	7 ♂, 4 ♀ <u>Hyalomma albiparmatum</u>
(b)	<u>Rhipicephalus sanguineus</u>	(b)	3 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
(c)	<u>Rhipicephalus simus</u> ♀'s	(c)	2 ♀ <u>Rhipicephalus simus</u>
(d)	<u>Rhipicephalus evertsi</u> ♀	(d)	1 ♀ <u>Rhipicephalus evertsi</u>
(e)	<u>Amblyomma variegatum</u> ♂	(e)	MISSING
	Sheep		Sheep
	Iringa, German E. Africa		Iringa (07.46 S, 35.42 E), Tanzania
	1913		1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
			Vial label for 2614d incorrectly reads 2614b.
N	2615	N	2615
		RML	111395
	<u>Ornithodoros moubata</u>		6 ♂, 6 ♀, 3 N <u>Ornithodoros moubata</u>
	West Ussuri, Bukoba-Bezirk, German E. Africa		West Ussuri, Bukoba District (01.35 S, 31.30 E), Tanzania
	Rec'd. 25.XI.1913		Rec'd. 25.XI.1913
	Rec'd. from Dr. Kudicke		Rec'd. from Dr. Kudicke
	Some (sex/stage not stated) to Dr. Lajos Gozony, Univ. Budapest, Hungary 23.VI.1914.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2616, a

N 2616, a

RML 111396

(2616) Amblyomma variegatum(2616) 53 ♂, 31 ♀ Amblyomma variegatum(a) Rhipicephalus appendiculatus(a) 7 ♂, 8 ♀ Rhipicephalus appendiculatus

Off ?

Off ?

West Ussuri, Bukoba-Bezirk,
German E. AfricaWest Ussuri, Bukoba District
(01.35 S, 31.30 E), Tanzania

Rec'd. 25.XI.1913

Rec'd. 25.XI.1913

Rec'd. from Dr. Kudicke

Rec'd. from Dr. Kudicke

Three tubes of ticks received from Colonel A. Alcock, F.R.S., London School of Tropical Medicine, Royal Albert Dock, London, E., 3 December, 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2617	N	2617
		RML	111397
	<u>Amblyomma goeldii</u> 1 ♀		1 ♀ <u>Amblyomma rotundatum</u>
	Toad (big)		Toad
	Condoto, Colombia, S. America		Condoto (05.06 N, 76.37 W) Colombia
	1913		1913
	Dr. H.F.G. Spurrell		Dr. H.F.G. Spurrell
N	2618	N	2618
		RML	111398
	<u>Amblyomma varium</u> 1 ♂		1 ♂ <u>Amblyomma varium</u>
	3-toed sloth		<u>Bradypus tridactylus</u>
	Condoto, Colombia, S. America		Condoto (05.06 N, 76.37 W), Colombia
	1913		1913
	Dr. H.F.G. Spurrell		Dr. H.F.G. Spurrell
			Cited: Robinson (1926: 209).
N	2619	N	2619
		RML	111399
	<u>Argas</u> sp. 1 L		1 L <u>Ornithodoros</u> sp.
	Bat		Bat
	Condoto, Colombia, S. America		Condoto (05.06 N, 76.37 W), Colombia
	Dr. H.F.G. Spurrell		Dr. H.F.G. Spurrell

Ticks received back from the Imperial Bureau of Entomology, London, S.W.
(ex. Report No. 29), 3 December, 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2620	N	2620
		RML	111400
	<u>Amblyomma humerale</u> 2 ♂'s		2 ♂ <u>Amblyomma humerale</u>
	Turtle		Turtle
	New Amsterdam, Berbice, British Guiana		New Amsterdam (06.15 N, 57.31 W), Guyana
	21.IX.1913		21.IX.1913
	G. E. Bodkin		G. E. Bodkin
	I. B. E. 696		Cited: Santos Dias (1958: 496).
N	2621	N	2621
		RML	111401
	<u>Boophilus australis</u> ? ♀'s		3 ♀ <u>Boophilus microplus</u>
	Toad (<u>Bufo marinus</u>)		<u>Bufo marinus</u>
	Georgetown, British Guiana		Georgetown (06.48 N, 58.10 W), Guyana
	13.IV.1913		13.IV.1913
	G. E. Bodkin		G. E. Bodkin
	I.B.E. 697		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2622	N	2622
		RML	111402
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s		1 ♀ <u>Haemaphysalis leachi</u>
Dog		Dog	
Entebbe, Uganda, E. Africa		Entebbe (00.04 N, 32.28 E), Uganda	
20.IV.1913		20.IV.1913	
C. C. Gowdey		C. C. Gowdey	
I.B.E. 705			
Some (sex/stage not stated) to Prof. O. Duboscq, Montpellier, France 10.II.1914.			
N	2623, a	N	2623, a
		RML	66683
(2623) <u>Rhipicephalus neavei</u> ♂'s, ♀'s (a) <u>Rhipicephalus supertritus</u> ♂, ♀		(2623) 8 ♂, 4 ♀ <u>Rhipicephalus kochi</u> (a) 3 ♂, 1 ♀ <u>Rhipicephalus supertritus</u>	
Eland		Taurotragus oryx	
Mwanza River, Shire Valley Nyasaland		Mwanza River (16.09 S, 34.54 E), Malawi	
VII.1913		VII.1913	
S. A. Neave		S. A. Neave	
I.B.E. 715, 715a			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2624	N	2624
		RML	111403
	<u>Rhipicephalus neavei</u> ♂'s, ♀'s		3 ♂, 9 ♀ <u>Rhipicephalus kochi</u>
	Bush-buck		<u>Tragelaphus scriptus</u>
	Mwanza River, Shire Valley, Nyasaland		Mwanza River (16.09 S, 34.54 E), Malawi
	VII.1913		VII.1913
	S. A. Neave		S. A. Neave
	I.B.E. 719		
N	2625	N	2625
		RML	87719
	<u>Haemaphysalis aciculifer</u>		1 ♂ <u>Haemaphysalis rugosa</u> Holotype
	Reed-buck		Probably <u>Redunca arundinum</u>
	Wandara, Gold Coast		Wandara (09.02 N, 02.35 W), Ghana
	16.V.1913		16.V.1913
	J. J. Simpson		J. J. Simpson
	I.B.E. 722		Cited: Nuttall & Warburton (1915: 413); Santos Dias (1956: 5), original description of <u>H. a. rugosa</u> . Hoogstraal (1972: 970) gave <u>H.</u> <u>rugosa</u> species status.

Three tubes of ticks received from Dr. J. Preston Maxwell, Yungchun, Via Amoy, China, 6 December, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2626	N	2626
		RML	111404
	<u>Boophilus australis</u> ♂'s, ♀'s, N		5 ♂, 41 ♀, 7 N <u>Boophilus microplus</u>
	Cow		Cow
	South Fukien, south of Amoy, China		Fu-Chien Sheng Province (26.00 N, 118.00 E), Peoples Republic of China
	1913		1913
	Rec'd. from Dr. J. Preston Maxwell		Rec'd. from Dr. J. Preston Maxwell
N	2627	N	2627
		RML	111405
	<u>Boophilus australis</u> ♂'s, ♀'s		13 ♂, 47 ♀, 33 N, 4 L <u>Boophilus microplus</u>
	Goat		Goat
	South Fukien, south of Amoy, China		Fu-Chien Sheng Province (26.00 N, 118.00 E), Peoples Republic of China
	1913		1913
	Rec'd. from Dr. J. Preston Maxwell		Rec'd. from Dr. J. Preston Maxwell
N	2628	N	2628
		RML	113744
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, N's		53 ♂, 90 ♀, 17 N <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	South Fukien, south of Amoy, China		Fu-Chien Sheng Province (26.00 N, 118.00 E), Peoples Republic of China
	1913		1913
	Rec'd. from Dr. J. Preston Maxwell		Rec'd. from Dr. J. Preston Maxwell

Nine tubes of ticks received from Major R. Cecil Cochrane, A.V.C., Station Veterinary Hospital, Rawalpindi, Punjab, India, 9 December, 1913:-

ORIGINAL DETERMINATION

CURRENT STATUS

N	2629	N	2629 MISSING
---	------	---	--------------

Hyalomma aegyptium ♂'s, ♀'s

Camel

Rawalpindi, Punjab, India

X.1913

Rec'd. from Major R. C. Cochrane

N	2630	N	2630 MISSING
---	------	---	--------------

Hyalomma aegyptium ♂, ♀

Donkey

Rawalpindi, Punjab, India

X.1913

Rec'd. from Major R. C. Cochrane

N	2631	N	2631
---	------	---	------

RML	111406
-----	--------

Hyalomma aegyptium ♂'s, ♀'s

Bullock

Rawalpindi, Punjab, India

X.1913

Rec'd. from Major R. C. Cochrane

23♂, 4 ♀ Hyalomma dromedarii

Bullock

Rawalpindi (33.36 N, 73.04 E),
Pakistan

X.1913

Rec'd. from Major R. C. Cochrane

ORIGINAL DETERMINATION

N 2632
Hyalomma aegyptium N's
Goat
Rawalpindi, Punjab, India
X.1913
Rec'd. from Major R. C. Cochrane

N 2633
Argas persicus
Fowl
Rawalpindi, Punjab, India
X.1913
Rec'd. from Major R. C. Cochrane

N 2634
Hyalomma aegyptium ♂'s, ♀'s
Buffaloes
Rawalpindi, Punjab, India
X.1913
Rec'd. from Major R. C. Cochrane

CURRENT STATUS

N 2632
RML 111407
20 N *Hyalomma* sp.
Goat
Rawalpindi (33.36 N, 73.04 E),
Pakistan
X.1913
Rec'd. from Major R. C. Cochrane

N 2633
RML 111408
6 ♂, 5 ♀, 62 N *Argas persicus*
Fowl
Rawalpindi (33.36 N, 73.04 E),
Pakistan
X.1913
Rec'd. from Major R. C. Cochrane

N 2634 MISSING

ORIGINAL DETERMINATIONCURRENT STATUS

N	2635	N	2635 MISSING
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		
	Sheep		
	Rawalpindi, Punjab, India		
	X.1913		
	Rec'd. from Major R. C. Cochrane		
N	2636	N	2636 MISSING
	<u>Rhipicephalus sanguineus</u> ♀, N's		
	Dog		
	Rawalpindi, Punjab, India		
	X.1913		
	Rec'd. from Major R. C. Cochrane		
N	2637	N	2637
		RML	111409
	<u>Hyalomma aegyptium</u> ♀'s ♀		7 ♂, 1 ♀ <u>Hyalomma anatolicum</u> <u>anatolicum</u>
	Horse		Horse
	Rawalpindi, Punjab, India		Rawalpindi (33.36 N, 73.04 E), Pakistan
	X.1913		X.1913
	Rec'd. from Major R. C. Cochrane		Rec'd. from Major R. C. Cochrane

Two tubes of ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa, N. Rhodesia, B.C. Africa, 9 December 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2638	N	2638
		RML	111410
	<u>Amblyomma pomposum</u> ♂'s		3 ♂ <u>Amblyomma pomposum</u>
	Roan antelope		<u>Hippotragus equinus</u>
	Shot near Chishila's, Mwengwa, N. Rhodesia		Shot near Chishila's, Mwengwa (15.17 S, 25.59 E), Zambia
	11.X.1913		11.X.1913
	Rec'd. from L. C. Heath		Rec'd. from L. C. Heath
			Cited: Robinson (1926: 100).
N	2639, a	N	2639, a
		RML	111411
	(2639) <u>Amblyomma pomposum</u> ♂'s (a) <u>Rhipicephalus neavei</u> ♂, ♀		(2639) 4 ♂ <u>Amblyomma pomposum</u> (a) 1 ♂, 1 ♀ <u>Rhipicephalus punctatus</u>
	"Kudu"		<u>Tragelaphus strepsiceros</u>
	Near Chikunis, Mwengwa, N. Rhodesia Rhodesia		Near Chikunis (15.10 S, 25.58 E), Mwengwa, Zambia
	13.X.1913		13.X.1913
	Rec'd. from L. C. Heath		Rec'd. from L. C. Heath
	(2639) 2 ♂ mounted in cells on slides II.1915.		Slides missing
	(2639) 2 ♂ to Prof. R. Matheson, Cornell 27.V.1929.		Cited: Robinson (1926: 100).

Three tubes of ticks received from J. Murray, Esq., Agent, Compagnie Générale Frigorifique, Ambodimanga Station, Marovoay, Madagascar, Africa, 10 December, 1913.

ORIGINAL DETERMINATION

CURRENT STATUS

N	2640, a	N	2640
		RML	111412
	(2640) <u>Boophilus australis</u> ♂, ♀'s (a) <u>Amblyomma variegatum</u> ♀		(2640) 4 ♀ <u>Boophilus microplus</u> (a) MISSING
	Cattle		Cattle
	Marovoay, Madagascar		Marovoay (16.06 S, 46.39 E), Democratic Republic of Madagascar
	X.1913		X.1913
	J. Murray		J. Murray
N	2641, a	N	2641
		RML	111413
	(2641) <u>Boophilus australis</u> ♀'s (a) <u>Amblyomma variegatum</u> ♀		(2641) 3 ♀ <u>Boophilus microplus</u> (a) MISSING
	Cattle		Cattle
	Marovoay, Madagascar		Marovoay (16.06 S, 46.39 E), Democratic Republic of Madagascar
	X.1913		X.1913
	J. Murray		J. Murray
N	2642	N	2642 MISSING
	<u>Amblyomma variegatum</u> ♂'s, 1 ♀		
	Cattle		
	Marovoay, Madagascar		
	X.1913		
	J. Murray		

ORIGINAL DETERMINATION

N 2643
 RML
Rhipicephalus haemaphysaloides 1 ♂
 Man (Formosan Chinaman)
 Tainan, Formosa
 X.1913
 Rec'd. from Dr. James L. Maxwell,
 E.P.M. Hospital, Tainan, Formosa,
 19.XII.1913

[Dr. Maxwell writes as follows regarding this tick: "Formosan Chinaman aged 22 years, male (cow-herd) applied for treatment on account of Splenomegaly and Anaemia - possibly an early stage of a little known but very definite disease - Febrile Tropical Splenomegaly. On undoing his clothes to examine abdomen a tick was found firmly adherent to skin of epigastrium - tick not engorged. Removed and placed in weak formalin.]

Three tubes of ticks received from Dr. Henry S. Hollenbeck, Kamundongo, Bie, Angola (Benguella), West Africa, 19 December, 1913:-

N 2644
 RML
Ornithodoros moubata
 Man
 Angola
 X.1913
 Rec'd. from Dr. H. S. Hollenbeck

N 2643
 RML 111414
Rhipicephalus haemaphysaloides
Homo sapiens
 T'ai-nan (23.00 N, 120.12 E), Taiwan
 X.1913
 Rec'd. from Dr. James L. Maxwell,
 E.P.M. Hospital, Tainan, Formosa,
 19.XII.1913

N 2644
 RML 111415
 2 ♂, 4 ♀ Ornithodoros moubata
Homo sapiens
 Angola
 X.1913
 Rec'd. from Dr. H. S. Hollenbeck

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2645	N	2645
		RML	111416
	<u>Rhipicephalus tricuspis</u> 3 ♂, 3 ♀		3 ♂, 3 ♀ <u>Rhipicephalus tricuspis</u>
	Rabbit		Rabbit
	Angola		Angola
	X.1913		X.1913
	Rec'd. from Dr. H. S. Hollenbeck		Rec'd. from Dr. H. S. Hollenbeck
	[Doubtfully distinct from <u>R. lunulatus</u>]		
N	2646, a, b	N	2646, a, b
		RML	111417
	(2646) <u>Amblyomma pomposum</u> ♂'s		(2646) 5 ♂, 1 ♀ <u>Amblyomma pomposum</u>
	(a) <u>Boophilus australis</u> ♀'s		(a) 5 ♀ <u>Boophilus decoloratus</u>
	(b) <u>Rhipicephalus evertsi</u> ♀		(b) 1 ♀ <u>Rhipicephalus evertsi</u>
	Cattle		Cattle
	Angola		Kamundongo now Comundongo (12.30 S, 17.02 E), Angola
	X.1913		X.1913
	Rec'd. from Dr. H. S. Hollenbeck		Rec'd. from Dr. H. S. Hollenbeck
			Locality name taken from vial label.
			(2646) cited: Santos Dias (1958: 516) (as <u>A. superbum</u>)

Ticks received back from the Imperial Bureau of Entomology (ex Report No. 30),
London, S.W., 31 December, 1913:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2647	N 2647
		RML 111418
	<u>Rhipicephalus simus</u>	40 ♂, 13 ♀ <u>Rhipicephalus simus</u> 2 ♂ <u>Rhipicephalus sanguineus</u>
Lioness		<u>Panthera leo</u>
Shot at Port Herald, Nyasaland		Nsanje (16.55 S, 35.16 E), Malawi
7.V.1913		7.V.1913
Dr. J. E. S. Old		Dr. J. E. S. Old
I.B.E. 727		
N	2648	N 2648
		RML 111419
	<u>Rhipicephalus simus</u> ♂'s, ♀'s	5 ♂, 9 ♀ <u>Rhipicephalus simus</u>
Dogs		Dogs
Mwanza River, Shire Valley, Nyasaland		Mwanza River (16.09 S, 34.54 E), Malawi
VII.1913		VII.1913
S. A. Neave		S. A. Neave
I.B.E. 729		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2649	N	2649
		RML	111420
	<u>Amblyomma splendidum</u> ♂'s, ♀'s (different sizes for variation)		3 vials containing 34 ♂, 41 ♂, 54 ♀ <u>Amblyomma splendidum</u>
	Buffalo		<u>Syncerus caffer</u>
	Fukian, San Salvador, Portuguese Congo		Fukian, São Salvador do Congo (06.16 S, 14.15 E), Angola
	1.I.1913		1.I.1913
	Dr. M. Gamble		Dr. M. Gamble
	I.B.E. 736		
	(2 ♂, 2 ♀ mounted in cells on slides V.1915)		Slides missing Cited: Robinson (1926: 125).
N	2650	N	2650
		RML	111421
	<u>Ornithodoros moubata</u>		3 ♂, 3 ♀, 1 N <u>Ornithodoros moubata</u>
	Off ?		Off ?
	Congo, Portuguese		Angola
	1913		1913
	Dr. M. Gamble		Dr. M. Gamble
	I.B.E. 739		
	Under host the word elephant has been crossed out and "wrong host" inserted.		

ORIGINAL DETERMINATION

N 2651
RML
Rhipicephalus capensis ♂'s, ♀'s
Pig
Congo, Portuguese
1913
Dr. M. Gamble
I.B.E. 737

N 2652
Haemaphysalis leachi ♂'s, ♀'s
Dog
Kibokolo do Zombo, Portuguese Congo
IV-V-1911
Dr. M. Gamble
I.B.E. 740
1 ♂, 1 ♀ to Dr. Lajos Gozony, Univ.
Budapest, Hungary 23.VI.1914.
1 ♂, 1 ♀ to Launcelot Harrison,
Australia 9.V.1919.
1 ♂, 1 ♀ to Prof. M. Jesus Maynar,
Zaragoza, Spain 10.V.1919.
1 ♂, 1 ♀ to Prof. Poulton, Oxford
26.V.1919.
1 ♂, 1 ♀ to Prof. E. Hindle, Cambridge
24.IX.1919.
1 ♂, 1 ♀ to Major Lothian, School
of Hygiene, Blackpool 25.IX.1919.

CURRENT STATUS

N 2651
111422
3 ♂, 1 ♀ Rhipicephalus longus
Pig
Angola
1913
Dr. M. Gamble

N 2652 MISSING

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2653 <u>Ornithodoros megnini</u> nymphs Cattle Kahukii, Oahu, Hawai Islands 1.XII.1913 Rec'd. from E. M. Ehrhorn, Esq., Division of Entomology, Board of Commissioners of Agriculture & Forestry, Honolulu, Hawai Islands, 23.XII.1913.	N 2653 MISSING
	Seventeen tubes of ticks received from Dr. John Y. Wood, Kaballa, Koinadugu District, Sierra Leone Protectorate, West Africa, 29 December, 1913:-	
N	2654 <u>Haemaphysalis leachi</u> ♀ Dog, Healthy Mussaiya, Sierra Leone 17.XI.1913 Rec'd. from J. Y. Wood	N 2654 MISSING
N	2655, a (2655) <u>Boophilus australis</u> 1 ♂, ♀'s (a) <u>Rhipicephalus falcatus</u> ♂ Cattle Kombile, Sierra Leone 12.X.1913 Rec'd. from Dr. J. Y. Wood	N 2655, a RML 111423 (2655) 1 ♂, 14 ♀, 1 N <u>Boophilus geigyi</u> (a) 1 ♂ <u>Rhipicephalus senegalensis</u> Cattle Kombile (09.41 N, 11.05 E), Sierra Leone 12.X.1913 Rec'd. from Dr. J. Y. Wood

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>
N	2656	N	2656
		RML	111424
	<u>Boophilus australis</u> ♂, ♀'s, N's		9 ♀ <u>Boophilus geigyi</u>
	Cattle		Cattle
	Simamaia, Sierra Leone		Simamaia, Sierra Leone (locality not verified)
	28.X.1913		28.X.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood
N	2657	N	2657
		RML	111425
	<u>Boophilus australis</u>		19 ♀ <u>Boophilus geigyi</u>
	Cattle		Cattle
	Tilia, Sierra Leone		Probably Talia, Sierra Leone (locality not verified; 9 possible localities)
	13.XI.1913		13.XI.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood
N	2658	N	2658
		RML	111426
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s		5 ♂, 4 ♀ <u>Haemaphysalis leachi</u>
	Dog		Dog
	Tilia, Sierra Leone		Probably Talia, Sierra Leone (locality not verified; 9 possible localities)
	13.XI.1913		13.XI.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood
	1 ♀ to Prof. R. Matheson, Cornell 27.V.1929.		Cited: Nuttall & Warburton (1915: 474).
	1 ♀ to Prof. J. Drbohlav, Prague 30.V.1929.		
	1 ♀ to Dr. A. C. Reed, San Francisco 30.V.1929.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2659, a-c		N	2659, a-c	
			RML	105782	
	(2659) <u>Boophilus australis</u> ♂'s, ♀'s (a) <u>Haemaphysalis leachi</u> ♂'s, ♀'s (b) <u>Amblyomma variegatum</u> ♂, ♀ (c) <u>Rhipicephalus sanguineus</u> ♂, ♀'s			(2659) 1 ♂, 137 ♀ <u>Boophilus geigyi</u> (a) 1 ♀ <u>Haemaphysalis leachi</u> group (b) MISSING (c) 2 ♂ <u>Rhipicephalus sulcatus</u>	
	Cattle			Cattle	
	Boulakarafia, Sierra Leone			Boulakarafia, Sierra Leone (locality not verified)	
	11.X.1913			11.X.1913	
	Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood	
				(2659a) cited: Nuttall & Warburton (1915: 474).	
N	2660		N	2660	
			RML	111427	
	<u>Boophilus australis</u> 2 ♀'s			2 ♀ <u>Boophilus geigyi</u>	
	Cattle			Cattle	
	Kaballa, Sierra Leone			Kabala (09.35 N, 11.33 W), Sierra Leone	
	20.X.1913			20.X.1913	
	Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood	
N	2661		N	2661	
			RML	111428	
	<u>Boophilus australis</u> ♀'s			100 ♀ <u>Boophilus geigyi</u>	
	Cattle			Cattle	
	Kamba, Sierra Leone			Kamba, Sierra Leone (locality not verified; 5 possible localities)	
	16.XI.1913			16.XI.1913	
	Rec'd from Dr. J. Y. Wood			Rec'd from Dr. J. Y. Wood	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	2662, a		N	2662
			RML	111429
(2662) <u>Boophilus australis</u> 2 ♀			(2662) 18 ♀ <u>Boophilus geigyi</u>	
(a) <u>Amblyomma variegatum</u> ♂			(a) MISSING	
Cattle			Cattle	
Dunkiawallia, Sierra Leone			Dunkiawallia, Sierra Leone (locality not verified)	
24.X.1913			24.X.1913	
Rec'd. from Dr. J. Y. Wood			Rec'd. from Dr. J. Y. Wood	
			Both catalogue and vial label give the <u>Boophilus</u> collection as containing 2 ♀.	
N	2663		N	2663 MISSING
<u>Haemaphysalis leachi</u> ♀'s				
Dog				
Kaballa, Sierra Leone				
20.X.1913				
Rec'd. from Dr. J. Y. Wood				
N	2664, a-c		N	2664, a, b
			RML	111430
(2664) <u>Boophilus australis</u> ♀'s			(2664) 41 ♀, 1 N <u>Boophilus geigyi</u>	
(a) <u>Rhipicephalus falcatus</u> 2 ♂, 1 ♀			(a) 2 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>	
(b) <u>Rhipicephalus appendiculatus</u> 2 ♂,			(b) 2 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>	
1 ♀				
(c) <u>Rhipicephalus sanguineus</u>			(c) MISSING	
Cattle			Cattle	
Kamaducta, Sierra Leone			Kamaducta, Sierra Leone (locality not verified)	
6.XI.1913			6.XI.1913	
Rec'd. from Dr. J. Y. Wood			Rec'd. from Dr. J. Y. Wood	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2665, a	N	2665a
		RML	111431
	(2665) <u>Hyalomma aegyptium</u> ♂ (a) <u>Rhipicephalus falcatus</u> ♀ "self"		(2665) MISSING (a) 1 ♀ <u>Rhipicephalus lunulatus</u> <u>Homo sapiens</u>
	Ninkintumania, Sierra Leone		Ninkintumania, Sierra Leone (locality not verified)
	6.X.1913		6.X.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood
N	2666, a, b	N	2666, a
		RML	111432
	(2666) <u>Boophilus australis</u> ♂'s, ♀'s, N's (a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s (b) <u>Rhipicephalus sanguineus</u> ♂, ♀ Cow, sick		(2666) 78 ♀, 2 N <u>Boophilus geigyi</u> (a) 4 ♀, 2 ♀ <u>Rhipicephalus senegalensis</u> (b) MISSING Cow, sick
	Kamagoto, Sierra Leone		Kamagoto, Sierra Leone (locality not verified)
	1.XI.1913		1.XI.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood
N	2667, a, b	N	2667, a, b
		RML	111433
	(2667) <u>Boophilus australis</u> ♂'s, ♀'s, N's (a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s (b) <u>Rhipicephalus lunulatus</u> ♂'s, ♀'s Cattle, healthy		(2667) 5 ♂, 163 ♀, 2 N <u>Boophilus geigyi</u> (a) 10 ♂, 14 ♀ <u>Rhipicephalus senegalensis</u> (b) 1 ♂ <u>Rhipicephalus lunulatus</u> Cattle, healthy
	Ninkintumania, Sierra Leone		Ninkintumania, Sierra Leone (locality not verified)
	5.X.1913		5.X.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2668	N	2668
		RML	111434
	<u>Boophilus australis</u> ♂, ♀'s		2 ♂, 21 ♀, 2 N <u>Boophilus geigyi</u>
	Sheep		Sheep
	Ninkintumania, Sierra Leone		Ninkintumania, Sierra Leone (locality not verified)
	6.X.1913		6.X.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood
N	2669, a, b	N	2669, a
		RML	111435
	(2669) <u>Boophilus australis</u> ♂'s, ♀'s		(2669) 1 ♂, 67 ♀, <u>Boophilus geigyi</u>
	(a) <u>Rhipicephalus falcatus</u> ♂'s, ♀'s		(a) 3 ♂, 2 ♀ <u>Rhipicephalus senegalensis</u>
	(b) <u>Amblyomma variegatum</u> ♂		(b) MISSING
	Cattle		Cattle
	Serakoria, Sierra Leone		Possibly Serakolia (09.32 N, 11.05 W), Sierra Leone
	9.X.1913		9.X.1913
	Rec'd. from Dr. J. Y. Wood		Rec'd. from Dr. J. Y. Wood

ORIGINAL DETERMINATIONCURRENT STATUS

N 2670, a-d

N 2670, a-c

RML 90931

(2670) Boophilus australis ♂'s, ♀'s(2670) 1 ♂, 238 ♀, 1 N Boophilus geigyi(a) Rhipicephalus falcatus ♂'s, ♀'s(2670) 1 ♂, 3 ♀ Boophilus annulatus(b) Rhipicephalus lunulatus ♂(a) 9 ♂, 16 ♀ Rhipicephalus senegalensis(c) Amblyomma splendidum ♂'s(b) 1 ♀ Rhipicephalus sanguineus(d) Amblyomma variegatum ♂'s(c) 2 ♂ Amblyomma splendidum

(d) MISSING

Cattle

Cattle

Kamagoto, Sierra Leone

Kamagoto, Sierra Leone
(locality not verified)

1.XI.1913

1.XI.1913

Rec'd. from Dr. J. Y. Wood

Rec'd. from Dr. J. Y. Wood

The R. senegalensis collection cited:
Clifford & Anastos (1962: 21).The B. annulatus and B. geigyi (as B.
decoloratus) cited by Hoogstraal
(1954b: 276).

N 2671

N 2671

RML 111436

Boophilus australis ♀'s4 ♀ Boophilus microplus

Cow

Cow

Kwei Chow Fu, Szechuan, China

Feng-Chieh (31.03 N, 109.31 E),
Szechuan Province, Peoples Republic
of China

8.XII.1913

8.XII.1913

Rec'd. from S. A. Stericker, Esq.,
Szechuan, West China,
7 January 1914.Rec'd. from S. A. Stericker, Esq.,
Szechuan, West China,
7 January 1914.

Four tubes of ticks received from Albert F. Eichhorn, Esq., Friedrich Wilhelmshaven, German New Guinea, 29 December, 1913:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2672	N	2672
		RML	111437
	<u>Ixodes eichhorni</u> 1 ♀ TYPE		1 ♀ <u>Ixodes eichhorni</u> Lectotype.
	Man ("self")		<u>Homo sapiens</u>
	Rook Island		Rook Island now known as Umboi Island (05.36 S, 148.00 E), Papua New Guinea
	IX.1913		IX.1913
	A. F. Eichhorn		A. F. Eichhorn
			Nuttall (1916: 295) original description. Lectotype designated: Keirans & Brewster (1981: 165, 166).
N	2673	N	2673
		RML	111438
	<u>Haemaphysalis</u> s-----a var. p-----s 3 ♂, 1 ♀, 5 N TYPES		3 ♂, 1 ♀, 5 N <u>Haemaphysalis novaeguineae</u>
	[Publication of the above name would constitute a <u>nomen nudum</u> - J.E.K.]		
	Bandicoot		Bandicoot
	Manus, Admiralty Islands		Manus Island (02.05 S, 147.00 E), Admiralty Islands
	20.IX.1913		20.IX.1913
	A. F. Eichhorn		A. F. Eichhorn
			Cited and figured: Nuttall & Warburton (1915: 450, 451). These are not type specimens - see Roberts (1963: 57).
N	2674	N	2674 MISSING
	<u>Aponomma</u> sp. 2 ♂'s		
	Iguana		
	Rook Island		
	25.VII.1913		
	A. F. Eichhorn		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2675	N	2675
		RML	111439
	<u>Ixodes eichhorni</u> 2 N's TYPES (unengorged)	2 N	<u>Ixodes eichhorni</u> Paralectotypes
	Kingfisher	Kingfisher	
	Manus, Admiralty Islands	Manus Island (02.05 S, 147.00 E), Admiralty Islands	
	IX-X.1913	IX-X.1913	
	A. F. Eichhorn	A. F. Eichhorn	
			Nuttall (1916: 295) original descrip- tion. Paralectotypes designated: Keirans & Brewster (1981: 165, 166).

Two tubes of ticks received from Professor L. E. Migone, Asuncion, Paraguay,
South America, 8 January, 1914:-

N	2676	N	2676
		RML	111440
	<u>Ornithodoros rostratus</u>	3 ♂, 8 ♀	<u>Ornithodoros rostratus</u>
	San Salvador, Paraguay	San Salvador (22.51 S, 57.48 W), Paraguay	
	17.I.1913	17.I.1913	
	Rec'd from Prof. Migone	Rec'd from Prof. Migone	

ORIGINAL DETERMINATIONCURRENT STATUS

N 2677 N 2677 MISSING

Boophilus australis 2 ♂, 1 ♀, N's

Cattle

Asuncion, Paraguay

18.XII.1913

With tristeza (Piroplasma bigeminum) "Disease doesn't exist in Paraguay, when it appears it is in animals introduced from Buenos Aires, Santa Fe or provinces of S. Argentina."

Ticks received back from the Imperial Bureau of Entomology (ex. Report No. 31), London S. W., 20 January, 1914:-

N 2678 N 2678 MISSING

Amblyomma variegatum ♂'s

Cattle

Antigua, West Indies

VI.1913

P. T. Saunders

I.B.E. 743

N 2679 N 2679 MISSING

Amblyomma variegatum ♀'s

Cattle

Antigua, West Indies

VI.1913

P. T. Saunders

I.B.E. 744

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2680		N	2680	
			RML	111441	
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s			4 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>	
	Dogs			Dogs	
	Antigua, West Indies			Antigua (17.03 N, 61.48 W), West Indies	
	14.VI.1913			14.VI.1913	
	P. T. Saunders			P. T. Saunders	
	I.B.E. 745				
N	2681		N	2681	
			RML	111442	
	<u>Dermacentor nitens</u> ♂'s, ♀'s, N, L			5 ♂, 1 ♀, 2 N, 2 L <u>Anocentor nitens</u>	
	Horse			Horse	
	Montserrat, West Indies			Montserrat (16.45 N, 62.12 W), West Indies	
	9.VI.1913			9.VI.1913	
	P. T. Saunders			P. T. Saunders	
	I.B.E. 751				
N	2682		N	2682	
			RML	111443	
	<u>Dermacentor nitens</u> 1 ♂, 4 ♀			1 ♂, 4 ♀ <u>Anocentor nitens</u>	
	Donkey			Donkey	
	Montserrat, West Indies			Montserrat (16.45 N, 62.12 W), West Indies	
	10.VI.1913			10.VI.1913	
	P. T. Saunders			P. T. Saunders	
	I.B.E. 51				

ORIGINAL DETERMINATIONCURRENT STATUS

N	2683	N	2683 MISSING
	<u>Boophilus australis</u> 2 ♂, 2 ♀		
	Cattle		
	St. Kitts, West Indies		
	28.VII.1913		
	P. T. Saunders		
	I.B.E. 752		
N	2684	N	2684
	RML	111444	
	<u>Argas</u> sp. 1 larva	1 L	<u>Ornithodoros</u> sp.
	Rat (<u>Mus norwegicus</u>)		<u>Rattus norvegicus</u>
	St. Vincent, West Indies	Saint Vincent (13.15 N, 61.12 W), West Indies	
	8.VIII.1913	8.VIII.1913	
	P. T. Saunders	P. T. Saunders	
	I.B.E. 757		
N	2685	N	2685
	RML	111445	
	<u>Amblyomma dissimile</u> 4 ♂'s, 1 N	4 ♂, 1 N	<u>Amblyomma dissimile</u>
	Coral snake	<u>Elaps</u> sp.	
	British Guiana	Guyana	
	6.VI.1913	6.VI.1913	
	G. E. Bodkin	G. E. Bodkin	
	I.B.E. 761		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2686	N	2686
		RML	111446
	<u>Amblyomma dissimile</u> ♂'s		12 ♂ <u>Amblyomma dissimile</u>
	Snake (<u>Boa constrictor</u>)		<u>Boa constrictor</u>
	South America		South America
	13.I.1914		13.I.1914
	[Z. S. No. 41]		

Two tubes of ticks received from Dr. A. Carini, Instituto Pasteur de S. Paulo, Avenida Paulista 158, São Paulo, Brazil, South America, 26 January, 1914:-

N	2687	N	2687
		RML	111447
	<u>Ixodes loricatus</u> 1 ♀		1 ♀ <u>Ixodes loricatus</u>
	Gamba		<u>Chironectes minimus</u>
	Brazil, South America		Brazil
	XII.1913		XII.1913
	Dr. A. Carini		Dr. A. Carini
			Cited: Nuttall (1916: 329).

N	2688	N	2688
		RML	111448
	<u>Amblyomma ovale</u> 1 ♂		1 ♂ <u>Amblyomma striatum</u>
	Dog		Dog
	Brazil, South America		Brazil
	I.1914		I.1914
	Rec'd. from Dr. A. Carini		Rec'd. from Dr. A. Carini
			Cited: Robinson (1926: 29). (as <u>A. ovale</u>).

Three tubes of ticks received from Dr. T. L. Bancroft, Eidsvold, Queensland, Australia, 2 February, 1914:

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2689	N	2689
		RML	111449
	<u>Haemaphysalis bancrofti</u> 2 ♀'s, L, eggs TYPES		2 ♀, 223 L <u>Haemaphysalis bancrofti</u> Paralectotypes
	Wallaby (<u>Macropus dorsalis</u>)		<u>Macropus dorsalis</u>
	Eidsvold, Queensland, Australia		Eidsvold (25.22 S, 151.07 E), Queensland, Australia
	XII.1913		XII.1913
	Dr. T. L. Bancroft		Dr. T. L. Bancroft
	[7 larvae in balsam on a slide]		Larval total includes the 7 slide mounted specimens Nuttall & Warburton (1915: 487) original description. Paralectotypes designated: Keirans & Brewster (1981: 159).
N	2690a-c	N	2690a-c
		RML	111450
	(a) <u>Aponomma decorosum</u> 2 ♀'s (b?) <u>Amblyomma albolimbatum</u> (c) <u>Aponomma trimaculatum</u> 1 ♀		(a) 2 ♀ <u>Aponomma decorosum</u> (b?) 3 ♀ <u>Amblyomma moreliae</u> (c) 1 ♀ <u>Aponomma trimaculatum</u>
	<u>Varanus varius</u>		<u>Varanus varius</u>
	Eidsvold, Queensland, Australia		Eidsvold (25.22 S, 151.07 E), Queensland, Australia
	25.X.1913		25.X.1913
	Dr. T. L. Bancroft		Dr. T. L. Bancroft
	N2690b? L.E.R. det. 1926		(2690b) cited and figured: Robinson (1926: 150).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2691, a	N	2691, a
		RML	111451
(2691)	<u>Haemaphysalis bancrofti</u> TYPES 6 ♂, 3 ♀, 2 N	(2691)	6 ♂, 3 ♀, 2 N <u>Haemaphysalis bancrofti</u> Paralectotypes
(a)	<u>Boophilus australis</u> ♀'s, N's	(a)	3 ♀, 5 N <u>Boophilus microplus</u>
Off ?		Off ?	
Eidsvold, Queensland, Australia		Eidsvold (25.22 S, 151.07 E), Queensland, Australia	
1913		1913	
Dr. T. L. Bancroft		Dr. T. L. Bancroft	
			Nuttall & Warburton (1915: 487) original description. Paralectotypes designated: Keirans & Brewster (1981: 159).
N	2692	N	2692
		RML	111452
	<u>Haemaphysalis cuspidata</u> 1 ♀, 7 N's, 4 L TYPES		1 ♀, 7 N, 3 L <u>Haemaphysalis cuspidata</u>
	<u>Paradoxurus niger</u>		<u>Paradoxurus hermaphroditus</u>
Colombo, Ceylon		Colombo (06.56 N, 79.51 E), Sri Lanka	
9.XII.1909		9.XII.1909	
Dr. A. Willey		Dr. A. Willey	
[1 N in balsam on a slide]			♀ vulva removed and mounted on a slide. 7 N total includes one mounted on a slide. Warburton (1910: 401), original description. Cited: Nuttall & Warburton (1915: 439, 440, figs. 369, 370).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2693	N	2693
		RML	111453
	<u>Argas persicus</u>		69 ♂, 52 ♀, 32 N <u>Argas persicus</u>
	Fowls		Fowls
	Sohawa, Jhelum District, Punjab, India		Either Sohawa (32.51 N, 73.00 E) or (33.08 N, 73.26 E), Pakistan
	XII.1913		XII.1913
	Rec'd. from H. E. Cross, Esq., B. Sc., etc. Camel Specialist, 3 February 1914.		Rec'd. from H. E. Cross, Esq., B. Sc., etc. Camel Specialist, 3 February 1914.
	Some (sex/stage not stated) to Prof. O. Duboscq, Montpellier, France 10.II.1914.		
	Six tubes of ticks received from Professor W. Rae Sheniffs (Professor of Zoology), Madras Christian College, Balfour Hall, Kilpank, Madras W., India, 2 February, 1914:-		
N	2694	N	2694 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		
	Dog		
	Kilpank, Madras, W., India		
	1913		
	Rec'd. from W. Rae Sheniffs		
N	2695	N	2695
		RML	111454
	<u>Rhipicephalus sanguineus</u> eggs		1 vial of eggs <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Kilpank, Madras, W. India		Kilpank, Madras, India (locality not verified)
	1913		1913
	Rec'd. from W. Rae Sheniffs		Rec'd. from W. Rae Sheniffs

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2696	N	2696
		RML	111455
	<u>Rhipicephalus sanguineus</u> larvae		191 L <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Kilpank, Madras, W., India		Kilpank, Madras, India (locality not verified)
	1913		1913
	Rec'd. from W. Rae Sheniffs		Rec'd. from W. Rae Sheniffs
N	2697	N	2697
		RML	111456
	<u>Aponomma gervaisi</u> ♂'s		9 ♂ <u>Aponomma gervaisi</u>
	<u>Varanus bengalensis</u>		<u>Varanus bengalensis</u>
	Kilpank, Madras W., India		Kilpank, Madras, India (locality not verified)
	1913		1913
	Rec'd. from W. Rae Sheniffs		Rec'd. from W. Rae Sheniffs
N	2698	N	2698
		RML	111457
	<u>Aponomma gervaisi</u> ♂'s, ♀'s, N's		14 ♂, 3 ♀, 5 N <u>Aponomma gervaisi</u>
	<u>Varanus bengalensis</u>		<u>Varanus bengalensis</u>
	Kilpank, Madras W., India		Kilpank, Madras, India (locality not verified)
	1913		1913
	Rec'd. from W. Rae Sheniffs		Rec'd. from W. Rae Sheniffs
	1 ♂, 1 ♀, L's to Prof. E. Malvoz, Liège 30.V.1929.		
	1 ♂, ♀'s to E. T. Boardman, Univ. Florida, Gainesville 30.V.1929.		

ORIGINAL DETERMINATION

N 2699
Aponomma laeve var. paradoxum
 5 ♂, 1 ♀, 1 N
 Common rat snake (Zamenis mucosus)
 Kilpank, Madras W., India
 1913
 Rec'd. from W. Rae Sheniffs

Three tubes of ticks received from L. C. Heath, Esq., Mwengwa, Mumbwa, N. Rhodesia, B. C. Africa, 4 February:-

N 2700
Rhipicephalus sulcatus 4 ♀'s
 Hare
 Shot at Mwengwa Station,
 N. Rhodesia
 XII.1913
 Rec'd. from L. C. Heath

CURRENT STATUS

N 2699
 RML 111458
 5 ♂, 1 ♀, 2 N Aponomma pattoni
Ptyas mucosus
 Kilpank, Madras, India (locality
 not verified)
 1913
 Rec'd. from W. Rae Sheniffs

N 2700
 RML 111459
 1 ♂, 1 ♀ Rhipicephalus sulcatus
 2 ♂ Rhipicephalus sanguineus
Lepus sp.
 Shot at Mwengwa (15.17 S, 25.59 E),
 Zambia
 XII.1913
 Rec'd. from L. C. Heath

ORIGINAL DETERMINATIONCURRENT STATUS

N	2701, a, b	N	2701
		RML	111460
	(2701) <u>Rhipicephalus sulcatus</u> 2 ♂, 1 ♀		(2701) 2 ♂, 1 ♀ <u>Rhipicephalus sulcatus</u>
	(a) <u>Ixodes pilosus</u> 2 ♀		(a) MISSING
	(b) <u>Amblyomma variegatum</u> N		(b) MISSING
	Hartebeest		Probably <u>Alcelaphus lichtensteini</u>
	Near Mwengwa Station, N. Rhodesia		Near Mwengwa (15.17 S, 25.59 E), Zambia
	24.XII.1913		24.XII.1913
	Rec'd. from L. C. Heath		Rec'd. from L. C. Heath
N	2702, a	N	2702, a
		RML	105697
	(2702) <u>Ixodes pilosus</u> 1 ♂, 2 ♀		(2702) 1 ♂, 1 ♀ <u>Ixodes cavipalpus</u>
	(a) <u>Rhipicephalus neavei</u> 1 ♂, 1 ♀		(2702) 1 ♀ <u>Ixodes pilosus</u>
	(not typical)		(a) 1 ♂, 1 ♀ <u>Rhipicephalus punctatus</u>
	Grysbock		<u>Raphicerus sharpei</u>
	Shot at Mwengwa Station, N. Rhodesia		Shot at Mwengwa (15.17 S, 25.59 E), Zambia
	XII.1913		XII.1913
	Rec'd. from L. C. Heath		Rec'd. from L. C. Heath
			Although far from the known range of <u>I. pilosus</u> , this 2702 female looks like typical South African <u>I. pilosus</u> .
			(2702) cited: Nuttall (1916: 330).

Two Tubes of ticks received from Dr. H. de Beaurepaire Aragão, Instituto de Manguinhos, Rio de Janeiro, Brazil, South America, 4 February 1914:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2703	N 2703
		RML 111461
	<u>Amblyomma rotundatum</u> 1 ♀	1 ♀ <u>Amblyomma rotundatum</u>
	Toad	Toad
	Rio de Janeiro, Brazil	Rio de Janeiro (22.54 S, 43.14 W), Brazil
	8.I.1914	8.I.1914
	Rec'd. from Dr. H. de B. Aragão	Rec'd. from Dr. H. de B. Aragão
	Began to oviposit 12.I.1914	Also one vial of eggs in a separate jar containing eggs from numerous species.
	2703 L.E.R. redet. 1926.	
N	2704	N 2704
		RML 111462
	<u>Amblyomma rotundatum</u> 1 ♀	1 ♀, 32 L <u>Amblyomma rotundatum</u>
	Toad	Toad
	Rio de Janeiro, Brazil	Rio de Janeiro (22.54 S, 43.14 W), Brazil
	12.I.1914	12.I.1914
	Rec'd. from H. de B. Aragão	Rec'd. from H. de B. Aragão
	Started ovipositing during transit. [Nos. 2673 & 2674 used for raising experiments.] L.E. Robinson det. 1926.	The 32 L were raised in Cambridge, England. Cited: Robinson (1926: 169).

Six tubes of ticks received from Herrn Professor Dr. Knuth, Hygienisches Institut der Tierärztlichen Hochschule, Luisenstr. 56, Berlin N.W. 6, Germany, 9 February, 1914:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2705	N 2705
		RML 111464
	<u>Haemaphysalis cinnabarina</u> 1 ♂, 2 ♀ [also 1 ♀ with small leg IV in sep. tube]	1 ♂, 3 ♀ <u>Haemaphysalis punctata</u>
	Dairy cattle	Cattle, dairy
	Norderney	Norderney (53.42 N, 07.09 E), Federal Republic of Germany
	30.X.1913	30.X.1913
	Rec'd. from Dr. Knuth	Rec'd. from Dr. Knuth
	Knuth No. 1	Cited: Nuttall & Warburton (1915: 386).
N	2706	N 2706
		RML 111465
	<u>Haemaphysalis cinnabarina</u> 2 ♂, 1 ♀	2 ♂, 1 ♀ <u>Haemaphysalis punctata</u>
	Cattle	Cattle
	Island of Juist	Island of Juist (53.41 N, 07.00 E), Federal Republic of Germany
	22.XI.1913	22.XI.1913
	Rec'd. from Dr. Knuth	Rec'd. from Dr. Knuth
	Knuth No. 3.	Cited & figured: Nuttall & Warburton (1915: 382, 386).
		Vulva of ♀ mounted on a slide.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2707	N	2707
		RML	111466
	<u>Haemaphysalis cinnabarina</u> 3 ♂, 2 ♀		3 ♂, 3 ♀ <u>Haemaphysalis punctata</u>
	Cattle		Cattle
	Sportplatz, Norderney		Sportplatz, Norderney (53.42 N, 07.09 E), Federal Republic of Germany
	3.XI.1913		3.XI.1913
	Rec'd. from Dr. Knuth		Rec'd. from Dr. Knuth
	Knuth No. 6.		Cited: Nuttall & Warburton (1915: 125).
N	2708	N	2708
		RML	111467
	<u>Haemaphysalis cinnabarina</u> 5 ♂'s (vary!)		5 ♂ <u>Haemaphysalis punctata</u>
	Cattle		Cattle
	Kassö-Feld, Kreis Apenrade		Kassö-Feld, Kreis Apenrade, Federal Republic of Germany (locality not verified)
	IX.1912		IX.1912
	Rec'd. from Dr. Knuth		Rec'd. from Dr. Knuth
	Knuth No. 7.		Cited & figured: Nuttall & Warburton (1915: 381, 385).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2709	N	2709
		RML	111468
	<u>Haemaphysalis cinnabarina</u> 1 ♂ (small!)		1 ♂ <u>Haemaphysalis punctata</u>
	Cattle		Cattle
	Bau, Kreis Tondern		Bau (51.09 N, 06.09 E), Kreis Tondern, Federal Republic of Germany
	IX.1912		IX.1912
	Rec'd. from Dr. Knuth		Rec'd. from Dr. Knuth
	Knuth No. 10.		Cited: Nuttall & Warburton (1915: 385).
N	2710	N	2710
		RML	111469
	<u>Haemaphysalis cinnabarina</u> 2 ♂ (average size!)		2 ♂ <u>Haemaphysalis punctata</u>
	Cattle		Cattle
	Kassö-Hof, Kreis Apenrade		Kassö-Hof, Kreis Apenrade, Federal Republic of Germany (locality not verified)
	XI.1912		XI.1912
	Rec'd. from Dr. Knuth		Rec'd. from Dr. Knuth
	Knuth No. 14.		Cited: Nuttall & Warburton (1915: 385).

Ticks received from Dr. J. R. Allin, West African Medical Staff (posted from Beausite, Rushbrooke, Co. Cork, Ireland), 6 February, 1914:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2711	N 2711
		RML 111470
	<u>Amblyomma variegatum</u> ♂'s, ♀'s	17 ♂, 8 ♀ <u>Amblyomma variegatum</u>
	Hausa cattle	Cattle, Hausa
	Obudu, Eastern Province of N. Nigeria, West Africa	Obudu (06.40 N, 09.10 E), South-Eastern Prov., Nigeria
	8.VII.1913	8.VII.1913
	J. R. Allin	J. R. Allin
N	2712	N 2712
		RML 90807
	<u>Boophilus australis</u> ♂'s, ♀'s	6 ♀ <u>Boophilus annulatus</u> 2 ♂, 27 ♀ <u>Boophilus decoloratus</u>
	Hausa cattle	Cattle, Hausa
	Obudu, Eastern Province of N. Nigeria, West Africa	Obudu (06.40 N, 09.10 E), South-Eastern Prov., Nigeria
	8.VII.1913	8.VII.1913
	J. R. Allin	J. R. Allin
		2 ♀ <u>Boophilus annulatus</u> from this lot are in the Dr. H. Hoogstraal collection, NAMRU 3, Cairo, Egypt.
N	2713	N 2713
		RML 111471
	<u>Rhipicephalus falcatus</u> 4 ♂, 1 ♀	4 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Hausa cattle	Cattle, Hausa
	Obudu, Eastern Province of N. Nigeria, West Africa	Obudu (06.40 N, 09.10 E), South-Eastern Prov., Nigeria
	8.VII.1913	8.VII.1913
	J. R. Allin	J. R. Allin

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2714	N	2714
		RML	111472
	<u>Dermacentor albipictus</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Dermacentor albipictus</u>
	Horse		Horse
	Honolulu		Honolulu (21.19 N, 157.52 W), Hawaii, U.S.A.
	7.I.1911		7.I.1911
	Dr. S. Hadwen		Dr. S. Hadwen
N	2715	N	2715
		RML	111473
	<u>Haemaphysalis formosensis</u> Nn., 1 ♂ CO-TYPE!		1 ♂ <u>Haemaphysalis formosensis</u> Syntype
	Dog (<u>Canis familiaris</u>)		Dog (<u>Canis familiaris</u>)
	Kosempo, Formosa, Japan		Kosempo, Taiwan (locality not verified)
	IV.1912		IV.1912
	Presented by Professor L. G. Neumann (Toulouse) 13 February 1914		Presented by Professor L. G. Neumann (Toulouse) 13 February 1914
	(Neumann Cat. No. 1792).		Neumann (1913: 35), original description. Cited: Nuttall & Warburton (1915: 402).

Ticks received back from the Imperial Bureau of Entomology (ex. Report No. 32), London, S. W., 24 February, 1914:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2716	N	2716
		RML	111474
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s		6 ♀ <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Chagwe, Uganda, E. Africa		Chagwe, Uganda (locality not verified)
	10.XI.1913		10.XI.1913
	C.E.H. Brogan coll (No. 3726).		C.E.H. Brogan coll (No. 3726).
	I.B.E. No. 765		Cited: Robinson (1926: 110);
N	2717	N	2717
		RML	111475
	<u>Amblyomma tholloni</u> ♂'s, 1 ♀		7 ♂, 1 ♀ <u>Amblyomma tholloni</u>
	Elephant		<u>Loxodonta africana</u>
	Portuguese Congo, Central Africa		Angola
	1909-1910		1909-1910
	Dr. Mercier Gamble		Dr. Mercier Gamble
	I.B.E. 775.		Cited: Robinson (1926: 253).
N	2718	N	2718 MISSING
	<u>Aponomma exornatum</u> 1 ♀		
	Large lizard		
	Uganda, E. Africa		
	1913		
	Dr. H. B. Owen		
	I.B.E. 776.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2719	N	2719
		RML	111476
	<u>Ixodes schillingsi</u> 1 ♀		1 ♀ <u>Ixodes schillingsi</u>
	Colobus monkey		<u>Colobus</u> sp.
	Nairobi, B.E. Africa		Nairobi (01.17 S, 36.49 E), Kenya
	1913		1913
	T. J. Anderson		T. J. Anderson
	I.B.E. 777		Cited: Nuttall (1916: 333).
N	2720	N	2720
		RML	111477
	<u>Boophilus annulatus</u> ? ♀'s		10 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Fray Bentos, Republic of Uruguay, South America		Fray Bentos (33.08 S, 58.18 W), Uruguay
	I.1913		I.1913
	Rec'd. from Dr. Breitung, 23.II.1914.		Rec'd. from Dr. Breitung, 23.II.1914.
N	2721	N	2721
		RML	111478
	<u>Boophilus australis</u> ♂'s, ♀'s		2 ♂, 12 ♀ <u>Boophilus microplus</u>
	Buffalo (<u>Buffelus indicus</u>)		<u>Bubalus bubalis</u>
	Thai-ha-ap, près Hanoi, Tonkin, French Indo-China		Thai-Ha-Ap (21.00 N, 105.50 E), Vietnam
	XII.1913		XII.1913
	Rec'd. from Dr. A. Gauduchean, Directeur de l'Institut Vaccinal de Thai-ha-ap, près Hanoi, 25 February, 1914.		Rec'd. from Dr. A. Gauduchean, Directeur de l'Institut Vaccinal de Thai-ha-ap, près Hanoi, 25 February, 1914.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2722, a	N	2722
		RML	111479
(2722)	<u>Ixodes putus</u> ♀	(2722)	<u>Ixodes uriae</u>
(a)	<u>Ixodes unicavatus</u> N	(a)	MISSING
Albatros	(<u>Diomedea exulans</u>)		<u>Diomedea exulans</u>
Antipodes Island,	S. Pacific	Antipodes Islands	(49.40 S, 178.47 E), New Zealand
Ocean			
1907		1907	
Professor W. B. Benham		Professor W. B. Benham	
(Rec'd. from Professor Chas. Chilton, Canterbury College, Christchurch, New Zealand 23.XI.1913.).		(2722a) A note by L. J. Dumbleton found in the <u>Ixodes unicavatus</u> jar states that the specimen is a nymph of <u>Ixodes auritulus</u> .	
		(2722) cited: Nuttall (1916; 330).	
N	2723	N	2723
		RML	111480
<u>Hyalomma aegyptium</u> 4 ♂, 1 ♀		4 ♂, 1 ♀ <u>Hyalomma dromedarii</u>	
Horses		Horses	
Bellary, Madras, South India		Bellary (15.09 N, 76.56 E), India	
II.1914		II.1914	
Rec'd. from Major R. L. Cranford A.V.C., Station Veterinary Hospital, Bangalore, S. India, 2 March, 1914.		Rec'd. from Major R. L. Cranford A.V.C., Station Veterinary Hospital, Bangalore, S. India, 2 March, 1914.	
[Major Cranford writes (12.II.1914):- "There had been no outbreak of disease among horses & no unusual amount of sickness among them at the time these ticks were collected I should be glad to hear from you as to the name of the ticks sent."].			

ORIGINAL DETERMINATIONCURRENT STATUS

N	2724	N	2724
		RML	111481
	<u>Ixodes hexagonus</u> nymph		1 N <u>Ixodes hexagonus</u>
Otter			<u>Lutra lutra</u>
No other data.			Cambridge (52.13 N, 00.08 E), England
Rec'd. 27.II.1914			Rec'd. 27.II.1914
Rec'd. from Mr. Hony, Cambridge			Rec'd. from Mr. Hony, Cambridge
			Cited: Nuttall (1916; 328) who gave the locality as Cambridge.

Three tubes of ticks received from Dr. H. A. A. Nicholls, C.M.G., Senior Medical Officer, Kingsland House, Dominica, West Indies, 3 March, 1914:-

N	2725	N	2725
		RML	111482
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, N's		11 ♂, 36 ♀, 5 N <u>Rhipicephalus</u> <u>sanguineus</u>
Dogs			Dogs
Roseau District, Dominica			Roseau District, Dominica (15.30 N, 61.20 W), West Indies
I. 1914			I. 1914
Rec'd. from Dr. H.A.A. Nicholls			Rec'd. from Dr. H.A.A. Nicholls

ORIGINAL DETERMINATIONCURRENT STATUS

N 2726

N 2726 MISSING

Boophilus australis ♂'s, ♀'s

Cattle

Lasoye District, Dominica

II.1914

Rec'd. from Dr. H.A.A. Nicholls

1 ♂, 2 ♀ to J. de Meza, Zomba,
Nyasaland.

N 2727

N 2727

RML 111483

Boophilus australis ♀'s

Cattle

Roseau District, Dominica

I.1914

Rec'd. from Dr. H.A.A. Nicholls

31 ♀ Boophilus microplus

Cattle

Roseau District, Dominica (15.30 N,
61.20 W), West Indies

I.1914

Rec'd. from Dr. H.A.A. Nicholls

N 2728

N 2728

RML 111484

Boophilus annulatus ? ♀'s

Horse

Coahuayana, near Colima,
Michoacan, Mexico

IV.1913

A. Laughton

9 ♀ Boophilus annulatus

Horse

Coahuayana (18.44 N, 103.41 W),
Mexico

IV.1913

A. Laughton

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2729	N	2729 MISSING but see N 2732.
	Undetermined genus & species 1 ♂		
	Black panther (<u>Felis pardus</u>)		
	Kampong Batu, Negri Sembilan, Federated Malay States		
	XI.1913		
	Rec'd from Dr. _____, 10.March 1914.		
N	2730	N	2730
		RML	111485
	<u>Haemaphysalis formosensis</u> 4 ♂'s [CO-TYPES!]		4 ♂ <u>Haemaphysalis formosensis</u> Syntypes
	Dog (<u>Canis familiaris</u>)		Dog (<u>Canis familiaris</u>)
	Kosempo, Formosa, Japan		Kosempo, Taiwan (locality not verified)
	IV.1912		IV.1912
	(Presented to G.H.F. Nuttall by the Deutsches Entomologisches Museum, Gosslerstrasse 20, Berlin-Dahlem, Germany, 6 March, 1914).		Neumann (1913: 135) original description. Cited & figured: Nuttall & Warburton (1915: 400, 402).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2731	N 2731
		RML 111486
	<u>Haemaphysalis aculeata</u> Lavarra, 1904. 1 ♂ [CO-TYPE!]	1 ♂ <u>Haemaphysalis aculeata</u> Lectotype
	<u>Tragulus meminna</u>	<u>Tragulus meminna</u>
	Bodd, East Indies	Bodd, Indonesia (locality not verified)
	1904	1904
	[Presented to G.H.F. Nuttall by Professor Dr. Leonardo Lavarra, R. Scuola Technica, Cola di Rienzo, V. Governo Vecchio No. 34, Rome, Italy, 10 March 1914.]	Lavarra (1904: 255), original description. Cited: Nuttall & Warburton (1915: 441). Trapido (1965: 154) designated N2731 as the lectotype.
N	2732	N 2732
		RML 111487
	<u>Haemaphysalis leachi</u> 1 ♂	1 ♂ <u>Haemaphysalis koningsbergeri</u>
	Black panther (<u>Felis pardus</u>)	<u>Panthera pardus</u>
	Kampong Batu, Negri Sembilan, Federated Malay States	Kampong Batu (02.35 N, 102.08 E), Negri Sembilan, Malaysia
	XI.1913	XI.1913
	Rec'd from C. Strickland, Esq., M.A., 10 March 1914	Rec'd from C. Strickland, Esq., M.A., 10 March 1914
		Cited: Nuttall & Warburton (1915: 476).

Ticks received from Professor C. S. Walton, Zoology Dep't., University College of Wales, Aberystwyth, Cardiganshire, Wales, 10 March, 1914:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2733	N	2733
		RML	111488
	<u>Ixodes hexagonus</u> nymph		1 N <u>Ixodes hexagonus</u>
	From beneath skin of fox		From beneath skin of <u>Vulpes vulpes</u>
	Llanrhystyd, S. of Aberystwyth		Llanrhystyd (52.18 N, 04.09 W), Wales
	III.1914		III.1914
	Rec'd. from Prof. C. S. Walton		Rec'd. from Prof. C. S. Walton
	Sent back 3 unopened cysts & kept 1 (N 2735).		Cited: Nuttall (1914b: 258).
N	2734	N	2734
		RML	111489
	<u>Ixodes ricinus</u> 1 ♀		1 ♀ <u>Ixodes ricinus</u>
	Found <u>under the skin</u> (below the ear) <u>of a fox</u>		Found under the skin (below the ear) of <u>Vulpes vulpes</u>
	Llanrhystyd S. of Aberystwyth		Llanrhystyd (52.18 N, 04.09 W), Wales
	III.1914		III.1914
	Rec'd. from Professor C. S. Walton		Rec'd. from Professor C. S. Walton
			Cited: Nuttall (1914b: 258).

ORIGINAL DETERMINATIONCURRENT STATUS

N 2735

N 2735 MISSING

Ixodes hexagonus or ricinus
 N (probably) sack unopened

From beneath skin of fox

Llanrhystyd, S of Aberystwyth, Wales

III.1914

Rec'd. from Professor C. S. Walton

[See under "Deformities" at end
 of Cat.]

N 2736

N 2736

RML 111490

Ixodes ricinus 3 ♂, 3 ♀ (in copula)

Sardinian cattle

Slaughterhouse at Rome

Rec'd. 13.III.1914

Rec'd. from Professor Dr. Leonardo
 Lavarra, Rome, Italy.

Ticks common on cattle at Sardinia
 and Campagna Romana.

2 ♂, 2 ♀ Ixodes ricinus

Cattle, Sardinian

Slaughterhouse, Rome (41.54 N,
 12.29 E), Italy

Rec'd. 13.III.1914

Rec'd. from Professor Dr. Leonardo
 Lavarra, Rome, Italy.

Cited: Nuttall (1916: 333).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2737	-	N	2737	
			RML	111491	
				1 ♀ <u>Haemaphysalis chordeilis</u>	
		<u>Haemaphysalis chordeilis</u> 1 ♀			
		Ruffed grouse		<u>Bonansa umbellus</u>	
		Catskill Mountain, New York, U. S. America		Catskill Mountains (42.10 N, 74.30 W), New York, U.S.A.	
	VII.1909			VII.1909	
		(Presented by the Bureau of Entomology, U. S. Dep't. of Agriculture, - per Dr. L. O. Howard, Washington, D. C., 20 March, 1914).		(Presented by the Bureau of Entomology, U. S. Dep't. of Agriculture, - per Dr. L. O. Howard, Washington, D. C., 20 March, 1914).	
				Cited: Nuttall & Warburton (1915: 377).	
N	2738		N	2738	
			RML	111492	
		<u>Amblyomma</u> sp. 1 N		1 N <u>Amblyomma</u> sp.	
		Porcupine		<u>Atherurus</u> sp. or <u>Hystrix</u> sp.	
		Ulu Gombak, Selangor, Federated Malay States		Ulu Gombak Forest Reserve (03.18 N, 101.47 E), Selangor, Malaysia	
	II.1914			II.1914	
		Rec'd from C. Strickland (Kuala Lumpur), 19.III.1914		Rec'd from C. Strickland (Kuala Lumpur), 19.III.1914	
		(T. 59).			

ORIGINAL DETERMINATIONCURRENT STATUS

N 2739 N 2739 MISSING

Ornithodoros coriaceus eggs,
laid on 8-10.III.1914

Parents collected at San Antone
Valley, Santa Clara County,
California II.1914

Rec'd. 29.III.1914

Rec'd. from Professor W. B. Herm's,
Agricultural Experiment Station,
Univ. of California, Berkeley,
Cal., U.S.A.

Ticks received back from the Imperial Bureau of Entomology (ex. Report No. 33), London, S. W. 1 April, 1914:-

N 2740 N 2740 MISSING

Rhipicephalus evertsi ♂'s, ♀'s

Off ?

Olorogoti, Masai Reserve,
B. E. Africa

XII.1913

Captain A. O. Luckman
I.B.E. No. 778.

N 2741 N 2741

RML 111493

Rhipicephalus evertsi ♂'s, ♀'s

Off ?

Olorogoti, Masai Reserve,
B. E. Africa

3.IX.1913

Captain A. O. Luckman

I.B.E. No. 786.

5 ♂, 5 ♀ Rhipicephalus evertsi

Off ?

Olorong'oti (00.29 S, 36.28 E),
Kenya

3.IX.1913

Captain A. O. Luckman

ORIGINAL DETERMINATIONCURRENT STATUS

N	2742	N	2742
		RML	111494
	<u>Amblyomma splendidum</u> ♂'s, ♀'s		13 ♂, 12 ♀ <u>Amblyomma splendidum</u>
	Off ?		Off ?
	Portuguese Congo, Central Africa		Angola
	? Date		? Date
	Mr. Larsen		Mr. Larsen
	I.B.E. No. 791.		Cited: Robinson (1926: 125).
N	2743	N	2743
		RML	111495
	<u>Rhipicephalus lunulatus</u> ♂'s, ♀'s		4 ♂, 4 ♀ <u>Rhipicephalus lunulatus</u>
	Eland		<u>Taurotragus oryx</u>
	Kola River, near Mt. Chiperone, Portuguese East Africa		Kola River, near Mt. Chiperone, Angola (locality not verified)
	XI.1913		XI.1913
	S. A. Neave		S. A. Neave
	I.B.E. No. 796.		
N	2744	N	2744 MISSING
	<u>Boophilus decoloratus</u> 3 ♂, 2 ♀		
	Sable Antelope		
	Kola River, near Mt. Chiperone, Portuguese East Africa		
	XI.1913		
	S. A. Neave		
	I.B.E. No. 797.		

Two tubes of ticks received from Captain W. S. Patton, I.M.S., The King Institute of Preventive Medicine, Guindy, Madras, India, 6 April, 1914:-

ORIGINAL DETERMINATION

CURRENT STATUS

N	2745	N	2745
		RML	71475
	<u>Haemaphysalis bispinosa</u> 2 ♀ & eggs		2 ♀, + 60 L <u>Haemaphysalis intermedia</u>
	Calves		Calves
	Guindy, Madras		Guindy, Madras, India
	III.1914		III.1914
	Rec'd. from Captain W. S. Patton		Rec'd. from Captain W. S. Patton
	Larvae raised in Cambridge		Cited: Nuttall & Warburton (1915: 432).-

ORIGINAL DETERMINATIONCURRENT STATUS

N 2746

N 2746

RML 111496

Argas vespertilionis 1 adult, N's
& larvae4 N, 17 L Argas vespertilionis
(in 3 vials)Bat (Scotophilus kuhli)Scotophilus sp.

Guindy, Madras, India

Guindy, Madras, India
(locality not verified)

XII.1912

XII.1912

Rec'd. from Captain W. S. Patton

Rec'd. from Captain W. S. Patton

[Nos. 2745 & 2746 used for raising
experiments.]

Note: Capt. Patton writes,
 19.III.1914, the N's fed on him
 26.X.1913, took 20-48 minutes to
 feed (shortest & longest time);
 the larvae were taken off a bat,
 12.XII.1912 so that the N's
 (1st stage) fasted until 26.X.1913,
 he finds they can fast nearly 1 year.
 Without again feeding the 1st stage
 N's moulted to 2nd stage N's on
 9.XI.1913 & these lived unfed for
 4 months. They do not feed well on
 pigeons, guinea pigs, etc. On
 dissection they show Leishmann's
 granules in the Malpighian tubes,
 but the bat (Scotophilus kuhli)
 has not been found to have
 spirochaetosis; he is sceptical
 regarding the granules. Letter
 destroyed, G.H.F.M.

Three tubes of ticks received from Captain W. S. Patton, I.M.S., Guindy, Madras, India, 14 April, 1914:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2746z, a	N 2746z, a
RML		111497
(2746z)	<u>Aponomma gervaisi</u> 2 ♂	(2746z) 4 ♂ <u>Aponomma gervaisi</u>
(a)	<u>Aponomma laeve</u> var. <u>paradoxum</u> ♂'s, ♀'s, N's	(a) 16 ♂, 1 ♀ 16 N, 4 L <u>Aponomma pattoni</u>
Off rat snake,	<u>Zamenis mucosus</u>	<u>Ptyas mucosus</u>
Guindy, Madras, India		Guindy, Madras, India (locality not verified)
III.1914		III.1914
Rec'd. from Captain W. S. Patton		Rec'd. from Captain W. S. Patton
N	2747	N 2747
RML		111498
<u>Aponomma gervaisi</u> ♂'s, ♀'s (TYPE variety)		21 ♂, 1 ♀, 2 N <u>Aponomma gervaisi</u>
Rat snake (<u>Zamenis mucosus</u>)		<u>Ptyas mucosus</u>
Guindy, Madras, India		Guindy, Madras, India (locality not verified)
III.1914		III.1914
Rec'd. from Captain W. S. Patton		Rec'd. from Captain W. S. Patton
N	2748	N 2748
RML		111499
<u>Aponomma laeve</u> var. <u>paradoxum</u> ♂'s, ♀'s, N's		29 ♂, 2 ♀, 16 N <u>Aponomma pattoni</u>
<u>Zamenis mucosus</u>		<u>Ptyas mucosus</u>
Guindy, Madras, India		Guindy, Madras, India (locality not verified)
III.1914		III.1914
Rec'd. from Captain W. S. Patton		Rec'd. from Captain W. S. Patton

Ticks received from Mr. Armbruster (per Dr. G. Wherry, Cambridge),
Abyssinia, E. Africa, 22 April, 1914:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2749	N	2749
		RML	111500
	<u>Amblyomma</u> sp. L		1 L <u>Amblyomma</u> sp.
	Man		Man
	Chercher Plateau, near Harar, S. E. Abyssinia		Chercher Plateau (vicinity of 08.55 N, 40.35 E) near Harar (09.19 N, 42.09 E), Ethiopia
	I.1913		I.1913
	Rec'd. from Mr. Armbruster		Rec'd. from Mr. Armbruster
N	2750	N	2750 MISSING
	<u>Amblyomma</u> sp. L		
	Man		
	Gojjam, Abyssinia		
	7.III.1913		
	Rec'd. from Mr. Armbruster		

ORIGINAL DETERMINATION

N 2751

Ixodes anatis Chilton, 1904, 2 ♀'sKiwi (Apteryx mantelli)

North Island, New Zealand

III.1914

W. W. Smith

[Rec'd. from Professor C. Chilton,
 Biological Laboratory, Canterbury
 College, Christchurch, New Zealand,
 27 April 1914.] Compared with
 type. G.H.F.N. det.

Note: Prof. Chas. Chilton, writes
 20.III.1914 "Mr. Smith says he has
 2 young kiwis, 2 months old, much
 subject to the attacks of the
Ixodes, which generally attack them
 about the ears & on the top of the
 head, while in older birds they are
 found about the base of the remnants
 of the wings. He says that in life
 the Ixodes are dark blue in colour
 and shining with brilliant red legs."
 Letter destroyed G.H.F.N.

CURRENT STATUS

N 2751

RML 111501

2 ♀ Ixodes anatisApteryx australis mantelli

North Island, New Zealand

III.1914

W. W. Smith

Cited: Nuttall (1916: 318).

Ticks retained from the collection sent for examination by M. le Dr. E. Brumpt, Laboratoire de Parasitologie, 15 Rue de l'École de Médecine, Paris (VIe), France, 16 March, 1914:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2752	N 2752
		RML 111502
	<u>Haemaphysalis inermis</u> 2 ♀	2 ♀ <u>Haemaphysalis inermis</u>
	Deer	<u>Cervus</u> sp.
	Fontainebleau, France	Fontainebleau (48.24 N, 02.42 E), France
	3.XI.1911	3.XI.1911
	E. Brumpt	E. Brumpt
	Brumpt's No. 2	Cited: Nuttall & Warburton (1915: 367).
N	2753	N 2753
		RML 111503
	<u>Haemaphysalis inermis</u> 2 ♂	2 ♂ <u>Haemaphysalis inermis</u>
	Deer	<u>Cervus</u> sp.
	Fontainebleau, France	Fontainebleau (48.24 N, 02.42 E), France
	16.XII.1911	16.XII.1911
	E. Brumpt	E. Brumpt
	Brumpt's No. 4'	Cited: Nuttall & Warburton (1915: 367).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2754	N 2754
		RML 111504
	<u>Haemaphysalis concinna</u> 2 ♂, 1 ♀	2 ♂, 1 ♀ <u>Haemaphysalis concinna</u>
	Deer	<u>Cervus</u> sp.
	R. Treville	Treville (43.23 N, 01.57 E), France
	27.II.1912	27.II.1912
	E. Brumpt	E. Brumpt
	Brumpt's No. 4	Cited: Nuttall & Warburton (1915: 457).
N	2755	N 2755
		RML 111505
	<u>Haemaphysalis concinna</u> 1 ♂, 1 N	1 ♂, 1 N <u>Haemaphysalis concinna</u>
	Deer	<u>Cervus</u> sp.
	Fontainebleau	Fontainebleau (48.24 N, 02.42 E), France
	20.II.1912	20.II.1912
	E. Brumpt	E. Brumpt
	Brumpt's No. 5	Cited: Nuttall & Warburton (1915: 457).
N	2756	N 2756
		RML 111506
	<u>Haemaphysalis inermis</u> 1 ♀	1 ♀ <u>Haemaphysalis inermis</u>
	Deer	<u>Cervus</u> sp.
	Fontainebleau	Fontainebleau (48.24 N, 02.42 E), France
	XI.1910	XI.1910
	E. Brumpt	E. Brumpt
	Brumpt's No. 7	Cited: Nuttall & Warburton (1915: 367).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2757, a	N 2757, a
		RML 111507
(2757)	<u>Haemaphysalis inermis</u> 1 ♀ with eggs & larvae	(2757) 1 ♀, 1 L <u>Haemaphysalis</u> <u>inermis</u>
(a)	<u>Haemaphysalis inermis</u> larvae (dry) raised in Paris by E. Brumpt	(a) 34 L <u>Haemaphysalis inermis</u>
	Deer and Hedgehog	<u>Cervus</u> sp. and <u>Erinaceus europaeus</u>
	Raised in Paris	Raised in Paris (48.52 N, 02.20 E), France
	10.XII.1911	10.XII.1911
	E. Brumpt	E. Brumpt
	Brumpt's No. 13 (2757) Brumpt's No. 30 (2757a)	Cited & figured: Nuttall & Warburton (1915: 365, 366).
N	2758	N 2758
		RML 111508
	<u>Haemaphysalis inermis</u> N & 2 empty nymphal skins; 1 empty L skin	3 N <u>Haemaphysalis inermis</u>
	Raised in Paris	Raised in Paris (48.52 N, 02.20 E), France
	IX.1912	IX.1912
	E. Brumpt	E. Brumpt
	Brumpt's No. 17	Cited: Nuttall & Warburton (1915: 367).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2759	N	2759
		RML	111509
	<u>Haemaphysalis inermis</u> 5 gorged L	5 L	<u>Haemaphysalis inermis</u>
	Raised on hedgehog	Raised on	<u>Erinaceus europaeus</u>
	Paris	Paris	(48.52 N, 02.20 E), France
	1912	1912	
	E. Brumpt	E. Brumpt	
	Brumpt's No. 25	Cited:	Nuttall & Warburton (1915: 367).
N	2760	N	2760
		RML	111510
	<u>Haemaphysalis concinna</u> 1 N (gorged)	1 N	<u>Haemaphysalis concinna</u>
	Hedgehog	<u>Erinaceus europaeus</u>	
	Fontainebleau	Fontainebleau	(48.24 N, 02.42 E), France
	7.II.1912	7.II.1912	
	E. Brumpt	E. Brumpt	
	Brumpt's No. 26	Cited:	Nuttall & Warburton (1915: 457).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2761	N	2761
		RML	111511
	<u>Haemaphysalis concinna</u> larvae (unfed & replete)		18 L <u>Haemaphysalis concinna</u>
	Raised in Paris		Raised in Paris (48.52 N, 02.20 E), France
	1912		1912
	E. Brumpt		E. Brumpt
	Brumpt's No. 27		Slide missing
	[1 slide]		Cited: Nuttall & Warburton (1915; 457).
N	2762	N	2762
		RML	111512
	<u>Haemaphysalis inermis</u> N's (fed & unfed)		51 N <u>Haemaphysalis inermis</u>
	No other data		No other data
	1911		1911
	E. Brumpt		E. Brumpt
	Brumpt's No. 34		Slide missing
	[Hypostome of a N in balsam on a slide]		Cited: Nuttall & Warburton (1915; 367).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2763	N 2763
		RML 111513
	<u>Haemaphysalis concinna</u> ♂'s, ♀'s & N's	4 ♂, 6 ♀, 7 N <u>Haemaphysalis concinna</u>
	No data	No data
	[N's raised in Paris, 1912]	N's raised in Paris (48.52 N, 02.20 E), France
	1912	1912
	E. Brumpt	E. Brumpt
	Brumpt's No. 35	Figured: Nuttall & Warburton (1915: 455, 456).
N	2764	N 2764
		RML 111514
	<u>Haemaphysalis inermis</u> ♂'s, ♀'s, N's	9 ♂, 8 ♀ <u>Haemaphysalis inermis</u>
	No data	No data
	E. Brumpt	E. Brumpt
	Brumpt's No. 35	Slides missing
	[N's = slides]	
N	2765	N 2765
		RML 111673
	<u>Haemaphysalis inermis</u> 3 ♂, 5 ♀	4 ♂, 6 ♀ <u>Haemaphysalis inermis</u>
	Raised in Paris	Raised in Paris (48.52 N, 02.20 E), France
	1911	1911
	E. Brumpt	E. Brumpt
	No other data	
	No Brumpt number	
	[See also Nos. 2778, 2779]	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2766	N 2766
		RML 22296
	<u>Haemaphysalis cuspidata</u> 3 ♂, 1 ♀	3 ♂ <u>Haemaphysalis cuspidata</u>
	<u>Herpestes mungo</u>	<u>Herpestes edwardsi</u>
	Peradeniya, Ceylon	Peradeniya (07.15 N, 80.36 E), Sri Lanka
	II.1912	II.1912
	J. S. Fryer	J. S. Fryer
	Gift of C. Warburton 8.V.1914	Three slides of dissections made by R. A. Cooley ♂ hypostome ♂ legs I & IV ♂ spiracular plate
		Note in vial - 1 ♀ given to Sharif, April, 1929.
		Cited: Nuttall & Warburton (1915: 440).
N	2767	N 2767
		RML 111674
	<u>Dermacentor nitens</u> ♀, N, L	1 ♀, 8 N, 6 L <u>Anocentor nitens</u>
	Buck	Probably <u>Odocoileus virginianus</u>
	Barbados, W. Indies	Barbados (13.10 N, 59.32 W), West Indies
	Shot VIII.1912	Shot VIII.1912
	Dr. Lucius Nicholls who presented the specimen of skin with innumerable ticks on it.	Dr. Lucius Nicholls
	(a) ♀, (b) 10 N's, (c) 8 larvae placed in separate tubes. (d) piece of skin preserved with ticks in situ. G.H.F.N.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2768	N	2768
		RML	111675
	<u>Argas reflexus</u> 1 specimen		1 ♀ <u>Argas reflexus</u> group
	Labelled from human habitations		Labelled from human habitations
	Bombay		Bombay (18.58 N, 72.50 E), India
	Found on C. W.'s bench		This specimen looks like good <u>A. reflexus</u> but the collection data are poor and <u>A. reflexus</u> should not be found east of 15° longitude.
N	2769	N	2769
		RML	111676
	<u>Argas reflexus</u> 1 ♀		1 ♀ <u>Argas reflexus</u>
	Canterbury Cathedral		Canterbury Cathedral, Canterbury (51.16 N, 01.05 E), Kent, England
	Rec'd. (dried & dead) 8.V.1914		Rec'd. (dried & dead) 8.V.1914
	Rec'd. from Mr. J. McClemens, Senior Vesturer at the suggestion of Dr. Mason, with a request for information about the tick "we only capture a specimen every 10 or 12 years."		Rec'd. from Mr. J. McClemens
N	2770	N	2770 MISSING
			Arthur (1963: 91), cited this collection as 1 ♀ <u>Ixodes lividus</u> .
	<u>Ixodes canisuga</u> 1 ♀		
	Sandmartin		
	6.VIII.1909		
	Sent by Mr. R. F. L. Burton of Shrewsbury.		
	(a malformed specimen G.H.F.N. det. 4.X.1915).		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2771	N 2771 MISSING
	<u>Haemaphysalis leachi</u> 2 ♀	
	Dog	
	Kobondo (near Kapamba?) Belgian Congo	
	1914	
	F. Harker (mission de Prospection) says ticks scarce, has examined many goats & sheep with negative result.) See his letter. G.H.F.N. det.	
N	2772	N 2772
	RML 111677	
	<u>Haemaphysalis leporis - palustris</u> (Packard, 1867) 10 ♂, 12 ♀	7 ♂, 12 ♀, 3 N <u>Haemaphysalis</u> <u>leporis palustris</u>
	<u>Lepus auduboni</u>	<u>Sylvilagus audubonii</u>
	San Francisco, California	San Francisco (37.48 N, 122.24 W), California, U.S.A.
	30.IV.1909	30.IV.1909
	Dr. M. B. Mitzmain	Dr. M. B. Mitzmain
	A ♂ was sent by C. Warburton to L. O. Howard [Washington, D.C.] who submitted it to N. Banks; L.O.H. cites Banks' opinion [30.IV.1913]: "We have no ♂ of <u>H. leporis - palustris</u> which has the angles as prominent as those you send.... I think it is hardly a good variety." The species clearly varies. (letter destroyed). G.H.F.N.	Cited: Nuttall & Warburton (1915 : 394) who listed the collection as containing only 12 ♀.

ORIGINAL DETERMINATIONCURRENT STATUS

N 2773 N 2773 MISSING

Amblyomma variegatum N's

Calf

Sicoma Isl., Lake Nyasa, Nyasaland

VII.1913

Wm. C. Wigan (Luddesdown,
Gravesend)

(Nutt. det.).

N 2774 N 2774

RML 111678

Amblyomma ovale 7 ♂, 5 ♀

Jaguar

Shot near Villa de San Pedro,
Chaco, Paraguay

12.XII.1913

Sent by Dr. L. E. Migone
(Asunción, Paraguay 8.IV.1914)

(L.E.R. det.)

6 ♂, 5 ♀ Amblyomma ovale

Felis onca

Shot near Villa de San Pedro,
Gran Chaco (23.00 S, 60.00 W),
Paraguay

12.XII.1913

Sent by Dr. L. E. Migone

Cited and ♂ figured: Robinson
(1926: 26).

N 2775 N 2775 MISSING

Amblyomma sp. 1 ♀ (replete)

Hunting dog

Villa de San Pedro, Chaco, Paraguay

II.1914

Sent by Dr. L. E. Migone
(Asunción, Paraguay, 8.IV.1914).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2776	N	2776
		RML	111679
	<u>Ixodes hexagonus</u> var. <u>cookei</u> 1 ♀ (replete)		1 ♀ <u>Ixodes rugosus</u>
Dog		Dog	
Mt. Lehman, B. C., Canada		Mt. Lehman (49.07 N, 122.23 W), British Columbia, Canada	
4.V.1914		4.V.1914	
Gift of S. Hadwen, Agasiz, B.C.		Gift of S. Hadwen, Agasiz, B.C.	
Nutt. & Warb. det. 26.V.14.		Cited: Nuttall (1916: 328).	
N	2777	N	2777
		RML	111680
<u>Ixodes ricinus</u> N and L		1 N, 21 L <u>Ixodes ricinus</u>	
Dead grouse		Grouse, dead	
Scotland		Scotland	
Rec'd. by Dr. A. E. Shipley 22.V.1914 who brought them in to be det'd		Rec'd. by Dr. A. E. Shipley 22.V.1914 who brought them in to be det'd	
(Nuttl. det.)		Cited: Nuttall (1916: 331).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2778	N	2778
		RML	111681
	<u>Haemaphysalis concinna</u> larvae, unfed	1 N, 38 L	<u>Haemaphysalis concinna</u>
	No data	No data	
	Raised in Paris	Raised in Paris (48.52 N, 02.20 E), France	
	Dr. E. Brumpt	Dr. E. Brumpt	
	Brumpt's No. 28	Cited: Nuttall & Warburton (1915: 457).	

[See entry before N. 2752]

Figured for book on ticks.

N	2779	N	2779
		RML	111682
	<u>Haemaphysalis inermis</u> nymphal skins	4 N skins	<u>Haemaphysalis inermis</u>
	From specimens raised by Dr. E. Brumpt	From specimens raised by Dr. E. Brumpt	
	Paris	Paris (48.52 N, 02.20 E), France	
	No data	No data	
	Brumpt's No. 33		
	[See foregoing].		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2780	N	2780
		RML	111683
	<u>Haemaphysalis cinnabarina</u> ♀'s (replete)		6 vials of <u>Haemaphysalis punctata</u> as follows: 10 ♀; 13 ♀; 7 N; 170 N; 7 L; ± 250 L.
	Sheep		Sheep
	Lydd, Kent		Parent ♀'s from Lydd (50.57 N, 00.55 E), subsequent generations reared in Cambridge (52.13 N, 00.08 E), England
	Rec'd. alive 25.V.1914		Rec'd. alive 25.V.1914
	W. F. Cooper		W. F. Cooper
	Some preserved, others to use for raising (Nutt. det.)		Cited: Nuttall & Warburton (1915: 384).
	Raised in Cambridge, placed in 4 tubes containing: (a) larvae, unfed, (b) larvae, gorged on ram 1914, (c) nymphs, unfed, (d) ♀'s after ovipositing. All put with immature stages in cabinet.		
N	2781	N	2781
		RML	111684
	<u>Boophilus australis</u> ca 20 ♀, 2 N		21 ♀, 2 N <u>Boophilus microplus</u>
	Cattle		Cattle
	Samarai, Papua		Samarai (10.37 S, 150.40 E), Papua, New Guinea
	30.VIII.1913		30.VIII.1914
	G. C. Eichhorn		G. C. Eichhorn
	(Rec'd. 1.VI.1914 his address- Sariba, Samarai, Papua).		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2782	N	2782
		RML	111685
	<u>Boophilus australis</u> ♀'s		34 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Sariba Island, 3 miles from Samarai, Papua		Sariba Island, 3 miles from Samarai (10.37 S, 150.40 E), Papua, New Guinea
	11-14.XII.1913		11-14.XII.1913
	G. C. Eichhorn		G. C. Eichhorn
	(Rec'd. 1.VI.1914).		

Ticks retained for our collection from the consignment sent for determination by the Königl. Zoologische Museum (per Prof. Dr Dahl), Berlin N4, Germany.

N	2783	N	2783 MISSING
<u>Ornithodoros moubata</u>			
From Askari (native) huts			
Ussuwi, German East Africa			
Dr Neubert			
Berlin Mus. No. 1279/1913.			

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2784	N	2784
		RML	111686
	<u>Dermacentor rhinocerotis</u> 2 ♂		2 ♂ <u>Dermacentor rhinocerinus</u>
	Rhinoceros		<u>Diceros bicornis</u>
	Karagwe, Njkwenda, German East Africa		Karagwe District (01.30 S, 31.00 E), Tanzania
	3.I.1912		3.I.1912
	Dr Neubert		Dr Neubert
	Berlin Mus. No. 1159/1913.		
N	2785	N	2785
		RML	111687
	<u>Amblyomma petersi</u> 3 ♂		2 ♂ <u>Amblyomma rhinocerotis</u>
	Rhinoceros		<u>Diceros bicornis</u>
	Karagwe, Njkwenda, German East Africa		Karagwe District (01.30 S, 31.00 E), Tanzania
	3.I.1912		3.I.1912
	Dr Neubert		Dr Neubert
	Berlin Mus. No. 1159/1912.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2786	N	2786
		RML	105562
	<u>Rhipicephalus capensis</u> ♂, ♀		2 ♂, 2 ♀ <u>Rhipicephalus compositus</u>
	Sumpfbock		<u>Tragelaphus spekei</u>
	Kigarama, German East Africa		Either Kigarama (01.04 S, 31.45 E), or (01.23 S, 30.48 E), Tanzania
	19.II.1912		19.II.1912
	Dr Neubert		Dr Neubert
	Berlin Mus. No. 1159/1913.		
N	2787	N	2787
		RML	111688
	<u>Aponomma exornatum</u> 6 ♂, 2 ♀, 1 N		6 ♂, 1 ♀ <u>Aponomma exornatum</u>
	Off ?		Off ?
	Daresalam, Tangani & Hinterland, German East Africa		Dar es Salaam (06.48 S, 39. 17 E), Tanzania
	? date		? date
	R. Regner		R. Regner
	Berlin Mus. No. 1030/09.		
N	2788	N	2788
		RML	111689
	<u>Rhipicephalus simus</u> 4 ♂, 4 ♀		4 ♂, 4 ♀ <u>Rhipicephalus jeanneli</u>
	Buffalo		<u>Syncerus caffer</u>
	Kissenji, German East Africa		Kissenji, Tanzania (locality not verified)
	II-XI.1908		II-XI.1908
	v. Stegmann & Stein		v. Stegmann & Stein
	Berlin Mus. No. 1496/09.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2789	N	2789
		RML	105783
	<u>Rhipicephalus simus</u> 8 ♂, 6 ♀		6 ♂, 5 ♀ <u>Rhipicephalus simus</u> 3 ♂, 2 ♀ <u>Rhipicephalus reichenowi</u> 1 ♀ <u>Rhipicephalus punctatus</u>
	Porcupine		<u>Hystrix</u> sp. or <u>Atherurus</u> sp.
	Mikesse, Bezirk Morogoro, German East Africa		Mikese (06.46 S, 37.54 E), Morogoro Region, Tanzania
	? date		? date
	Dr W. Fanensch		Dr W. Fanensch
N	2790	N	2790 MISSING
	<u>Haemaphysalis leachi</u> 6 ♂, 2 ♀		
	Civet-cat		
	Usumbura, Central Africa		
	15.XI.1907		
	v. Stegmann & Stein		
	Berlin Mus. No. 1496/09.		
N	2791	N	2791
		RML	111690
	<u>Rhipicephalus complanatus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Rhipicephalus complanatus</u>
	<u>Potamochoerus</u> sp.		<u>Potamochoerus porcus</u>
	Amani, German East Africa		Amani (05.06 S, 38.38 E), Tanzania
	8.VI.1904		8.VI.1904
	Prof. Vosseler		Prof. Vosseler
	Berlin Mus. No. 1417/08.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2792	N	2792
		RML	111691
	<u>Rhipicephalus neavei</u> 4 ♂, 4 ♀		1 ♂, 1 ♀ <u>Rhipicephalus kochi</u> 3 ♂, 3 ♀ <u>Rhipicephalus pravus</u>
	Kudu		<u>Tragelaphus strepsiceros</u> or <u>Tragelaphus imberbis</u>
	Kilimatinde, German East Africa		Kilimatinde (05.51 S, 34.57 E), Tanzania
	VII.1908		VII.1908
	Dr Claus		Dr Claus
	Berlin Mus. No. 1417/08 (Turu Expedition).		
N	2793	N	2793
		RML	105657
	<u>Rhipicephalus kochi</u> ♂ & ♀		1 ♂, 1 ♀ <u>Rhipicephalus jeannelli</u>
	Off ?		Off ?
	Found at the "Fuss der Hochweiden" am Bismarkhügel oberhalb Maranga, südlich von Mawensi (3000-2500 meters) Kilimandscharo, German East Africa		Mawensi cone (03.06 S, 37.27 E), (3000-2500 m) Mt. Kilimanjaro (03.04 S, 37.22 E), Tanzania
	II.1912		II.1912
	Dr Chr. Schröder		Dr Chr. Schröder
	Berlin Mus. No. 1204/1912.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2794	N	2794
		RML	111692
	<u>Ixodes ugandanus djaronensis</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Ixodes lewisi</u>
	Schira		Schira (name not verified)
	Kilimandscharo, German East Africa		Mt. Kilimanjaro (03.04 S, 37.22 E), Tanzania
	3.V.1907		3.V.1907
	Dr E. H. Förster		Dr E. H. Förster
	Berlin Mus. No. 1325/04.		Cited: Nuttall (1916: 334).
N	2795	N	2795 MISSING
	<u>Haemaphysalis leachi</u> 2 ♂, 1 ♀ (small!)		
	Squirrel (<u>Anomalurus orientalis</u>)		
	Amani, German East Africa		
	X.1907		
	Prof. Vosseler		
	Berlin Mus. No. 1417/08.		
N	2796	N	2796
		RML	111693
	<u>Rhipicephalus falcatus</u> 2 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus pravus</u> 1 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Off ?		Off ?
	Usuisa, German East Africa		Usuisa, Tanzania (locality not verified)
	IV.1912		IV.1912
	Lieut Diesener		Lieut Diesener
	Berlin Mus. No. 1237/1912.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2797	N	2797
		RML	111694
	<u>Amblyomma marmoreum</u> 4 ♂'s		4 ♂ <u>Amblyomma nuttalli</u>
	Yellow land tortoise		Tortoise, yellow land
	Bagamoyo, German East Africa		Bagamoyo, Tanzania (locality not verified; 11 possible localities)
	6.VI.1908		6.VI.1908
	Prof. Vosseler		Prof. Vosseler
	Berlin Mus. No. 1417/08.		Santos Dias (1958: 513) incorrectly gave this collection Nuttall number 2497.
N	2798	N	2798
		RML	111695
	<u>Rhipicephalus lunulatus</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus lunulatus</u>
	"Flusschwein"		<u>Potamochoerus porcus</u>
	Alsamwialager		Alsamwialager, Africa (locality not verified)
	? date		? date
	Capt. Fromm		Capt. Fromm
	No Berlin Mus. No.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2799	N	2799
		RML	111696
	<u>Ixodes putus</u> 1 N		1 N <u>Ixodes uriae</u>
	From ground, off <u>Eudyptes</u> (?)		From ground, off <u>Eudyptes</u> sp. (?)
	Kerguelen		Kerguelen Island (49.30 S, 69.30 E)
	Deutsches Tiefsee Expedition, 1898-1899		Deutsches Tiefsee Expedition, 1898-1899
	No Berlin Mus. No.		Cited: Nuttall (1916: 330).
N	2800	N	2800
		RML	111697
	<u>Rhipicephalus complanatus</u> 6 ♂'s		6 ♂ <u>Rhipicephalus complanatus</u>
	"Flusschwein"		<u>Potamochoerus porcus</u>
	Msamwia-Lager		Msamwia-Lager, Africa (locality not verified)
	? date		? date
	Capt. Fromm		Capt. Fromm
	No Berlin Mus. No.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2801	N	2801
		RML	111698
	<u>Rhipicephalus neavei</u> 1 ♂, 1 ♀		1 ♂ <u>Rhipicephalus kochi</u>
	Off ?		Off ?
	Kisenje Niundo, Ruanda		Possibly Nindo (01.23 S, 29.43 E), Rwanda
	1906		1906
	No Berlin Mus. No.		
N	2802	N	2802
		RML	111699
	<u>Amblyomma splendidum</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Amblyomma splendidum</u>
	Buffalo		<u>Syncerus caffer</u>
	Mougang		Mougang, Africa
	25.III.1912		25.III.1912
	Dr. L. Waibel		Dr. L. Waibel
	Berlin Mus. No. 894/1912		Note in vial - "Probably Kamorun not G.E. Africa" - L.E.R.
			Vial label reads G.E. Africa but A. <u>splendidum</u> is not found in Tanzania. I have been unable to find the locality Mougang in Cameroen. - J.E.K.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2803	N	2803
		RML	111700
	<u>Ixodes rarus</u> 2 ♀		1 ♀ <u>Ixodes rarus</u>
	"Schuppentier" (?)		<u>Manis</u> sp. (?)
	Lolodorf		Lolodorf (03.14 N, 10.44 E), Cameroon
	29.III.1907		29.III.1907
	Berlin Mus. No. 1600/07		Cited: Nuttall (1916: 331).
N	2804	N	2804
		RML	111701
	<u>Rhipicephalus complanatus</u> 2 ♂, 3 ♀		2 ♂, 3 ♀ <u>Rhipicephalus complanatus</u>
	Wild pigs		<u>Sus scrofa</u>
	Kamerun, German S. W. Africa		Cameroon
	? date		? date
	Dr. Schäfer		Dr. Schäfer
	Berlin Mus. No. 604/1910		
N	2805	N	2805
		RML	111702
	<u>Rhipicephalus sanguineus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Leopard		<u>Panthera pardus</u>
	Lagdo Berge, Lake Chad		Lagdo Berge, Lake Chad (13.20 N, 14.00 E), Chad
	25.VI.1909		25.VI.1909
	Riggenbach		Riggenbach
	Berlin Mus. No. 1040/09		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2806	N	2806
		RML	111703
	<u>Rhipicephalus simus</u> 1 ♂		1 ♂ <u>Rhipicephalus simus</u>
	Leopard		<u>Panthera pardus</u>
	Lagdo Berge, Lake Chad		Lagdo Berge, Lake Chad (13.20 N, 14.00 E), Chad
	25.VI.1909		25.VI.1909
	Riggenbach		Riggenbach
	Berlin Mus. No. 1040/09		
N	2807	N	2807
		RML	111704
	<u>Rhipicephalus lunulatus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Rhipicephalus lunulatus</u>
	Off ?		Off ?
	Yako		Possibly Yako (12.58 N, 02.15 W), Upper Volta
	10.V.1912		10.V.1912
	Dr. L. Waibel & Prof. Thorbecke		Dr. L. Waibel & Prof. Thorbecke
	Berlin Mus. No. 204/1913		
N	2808	N	2808 MISSING
	<u>Amblyomma varium</u> 2 ♂, 1 ♀		
	Sloth		
	David, Panama, Central America		
	11.XI.1911		
	O. Garlepp		
	Berlin Mus. No. 1327/		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2809	N	2809 MISSING
	<u>Rhipicephalus sanguineus</u> 3 ♂, 3 ♀		
	Dog		
	Paramaribo, Surinam, Dutch Guiana, S. America		
	1.VI.1908		
	Heller		
	Berlin Mus. No. 784/08		
N	2810	N	2810
		RML	111705
	<u>Ixodes boliviensis</u> 1 ♀		1 ♀ <u>Ixodes boliviensis</u>
	"Pisote"		<u>Nasua narica</u>
	Foot of Turrialba (1,600 metres) E. of Cartago, Costa Rica la Trinidad, S. America		Foot of Volcan Turrialba (10.02 N, 83.46 W), Costa Rica (1,600 m.).
	Garlepp		O. Garlepp
	Berlin Mus. No. 592/1913		Cited: Nuttall (1916: 325).
N	2811	N	2811
		RML	111706
	<u>Ixodes bicornis</u> 1 ♀		1 ♀ <u>Ixodes boliviensis</u>
	<u>Nasua narica</u>		<u>Nasua narica</u>
	Foot of Turrialba (1,600 m.), E. of Cartago, Costa Rica la Trinidad, S. America		Foot of Volcan Turrialba (10.02 N, 83.46 W), Costa Rica (1,600 m.)
	Garlepp		O. Garlepp
	Berlin Mus. No. 619/13		Cited: Nuttall (1916: 325) with Berlin Mus. No. 619/1913.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2812	N	2812
		RML	111707
	<u>Ixodes bicornis</u> 9 ♀		9 ♀ <u>Ixodes boliviensis</u>
	Stag		<u>Odocoileus virginianus</u> or <u>Mazama</u> sp.
	Foot of Turrialba (1,600 m.), E. of Cartago, Costa Rica la Trinidad, S. America		Foot of Volcan Turrialba (10.02 N, 83.46 W), Costa Rica
	Garlepp	O.	Garlepp
	Berlin Mus. No. 592/1913.		Cited: Nuttall (1916: 325).
N	2813	N	2813
		RML	111708
	<u>Ixodes boliviensis</u> 1 ♀		1 ♀ <u>Ixodes boliviensis</u>
	Mapatsching		Mapatsching [<u>Procyon lotor</u>]
	Foot of Turrialba (1,600 m.), E. of Cartago, Costa Rica la Trinidad, S. America		Foot of Volcan Turrialba (10.02 N, 83.46 W), Costa Rica (1,600 m.)
	Garlepp	O.	Garlepp
	Berlin Mus. No. 592/1913.		Cited: Nuttall (1916: 325).
N	2814	N	2814 MISSING
	<u>Rhipicephalus sanguineus</u> 5 ♂, 5 ♀		
	Dog		
	Amping, Formosa		
	VII.1910		
	H. Sauter		
	Berlin Mus. No. 672/1911.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2815	N	2815
		RML	111709
	<u>Ixodes canisuga</u> 6 ♀'s		6 ♀ <u>Ixodes canisuga</u>
	Young foxes		<u>Vulpes vulpes</u>
	Naüen, Germany		Naüen (51.59 N, 10.14 E), Federal Republic of Germany
	? date		? date
	Geh-Rat Cohn		Geh-Rat Cohn
	No. Berlin Mus. No.		Cited: Nuttall (1916: 326).
N	2816	N	2816
		RML	111710
	<u>Haemaphysalis obtusa</u> 1 ♂ (TYPE!)		1 ♂ <u>Haemaphysalis obtusa</u> SYNTYPE
	Off		Off
	Island of Réunion, Indian Ocean		Réunion Island (48.27 S, 68.48 E)
	No other data		
	No Berlin Mus. No.		Dönitz (1910a: 492) original description. Cited: Nuttall & Warburton (1915: 477); Hoogstraal (1953: 42).

ORIGINAL DETERMINATIONCURRENT STATUS

N 2817 N 2817 MISSING

Rhipicephalus sanguineus 3 ♂, 3 ♀

Gazelle

Sendschirli am Amanus (Jiaur Dagli),
Zwischen Aleppo and Marasch (500 m.
elev.), Asiatic Turkey

? Date

Frau v. Luschan

Berlin Mus. No. 152/1912

N 2818	N 2818
	RML 111711
<u>Hyalomma syriacum</u> 2 ♂, 2 ♀	2 ♂, 2 ♀ <u>Hyalomma aegyptium</u>
<u>Testudo graeca</u>	<u>Testudo graeca</u>
Olympia, Greece	Olympus (38.55 N, 24.31 E), Greece
? Date	? Date
Dr. E. Moll	Dr. E. Moll
Berlin Mus. No. 1198/10.	
N 2819	N 2819 MISSING
<u>Haemaphysalis leachi</u> 2 ♂, 1 ♀	
<u>Herpestes</u> sp.	
Eritrea, Abyssinia	
5.III.1913	
Dr. Klatt	
Berlin Mus. No. 676/1913.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2820	N	2820
		RML	111712
	<u><i>Rhipicephalus complanatus</i></u> 3 ♂, 1 ♀ [O-TYPE!]		3 ♂, 1 ♀ <u><i>Rhipicephalus complanatus</i></u>
	"Pinselohrschwein"		<u><i>Potamochoerus porcus</i></u>
	Molundu, Africa		Probably Molundu, now Moloundou (02.02 N, 15.13 E), Cameroon
	I.1910		I.1910
	No. Berlin Mus. No.		
	Compared 18.VI.1914 with type ♂ No. 1722 in Neumann collection with which it fully agrees.		Nuttall's O-type was a specimen which had been compared to a type of a species. The ♂ is in a separate small vial.
N	2821	N	2821
		RML	111713
	<u><i>Amblyomma ovale</i></u> Koch, 1844 1 ♂, 1 ♀		1 ♂, 1 ♀ <u><i>Amblyomma ovale</i></u>
	" <u><i>Ixod</i></u> 6328"		" <u><i>Ixod</i></u> 6328"
	S. America		S. America
	No other data		No other data
	No Berlin Mus. No.		
	L.E.R. det. 1926.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2822	N	2822
		RML	76103
	<u>Haemaphysalis parva</u> 3 ♂, 1 ♀		3 ♂, 1 ♀ <u>Haemaphysalis intermedia</u>
	"Ähnlich der <u>H. neumanni</u> aber ♂ viel kleiner, nur 4 Reihen Zähne bei ♂ & ♀. Coll. Scholde. Fundort unbekannt. (Dönitz Label)"		"Similar to <u>H. neumanni</u> but ♂ much smaller, only 4 rows of teeth in ♂ & ♀. Coll. Scholde. Locality unknown (Dönitz Label)"
	No Berlin Mus. No.		A cotype label for <u>H. parva</u> is in the vial but these do not appear to be syntypes - see N2889. Cited: Hoogstraal & Trapido (1963b: 838).
N	2823	N	2823
		RML	111714
	<u>Aponomma exornatum</u> 1 ♂		1 ♂ <u>Aponomma trimaculatum</u>
	<u>Varanus</u> sp.		<u>Varanus</u> sp.
	Manila, Philippine Islands		Manila (14.35 N, 121.00 E), Philippines
	4.IV.1906		4.IV.1906
	No Berlin Mus. No.		
N	2824	N	2824
		RML	111715
	<u>Rhipicephalus longicoxatus</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus muelensi</u>
	Giraffe		<u>Giraffa camelopardalis</u>
	Negero, Africa		Probably Negero (05.46 S, 37.48 E), Tanzania
	15/6 No other data		15/6 No other data
	Dönitz		
	Corrected 11.XI.35 G.H.F.N. (C.W. re-det.)		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2825, a		N	2825, a	
RML			RML	111716	
(2825) <u>Rhipicephalus ziemanni</u> 4 ♂, 4 ♀			(2825) 2 ♂, 4 ♀ <u>Rhipicephalus jeanneli</u>		
(a) <u>Rhipicephalus longicoxatus</u>			(a) 2 ♂ <u>Rhipicephalus muehlensi</u>		
<u>Strepsiceros kudu</u>			<u>Tragelaphus strepsiceros</u>		
Irangi, Africa			Kondoa Irangi, now Kondoa (04.54 S, 35.47 E), Tanzania		
"Rhip. ohne Randfurche nicht <u>excinctus</u> und nicht <u>kochi</u> " (Donitz's label) "261".			Locality on vial label - Kondoa Irangi		
N	2826		N	2826	
RML			RML	111717	
<u>Rhipicephalus complanatus</u> 4 ♂, 4 ♀			4 ♂, 4 ♀ <u>Rhipicephalus complanatus</u>		
"Pinselohrschwein"			<u>Potamochoerus porcus</u>		
Molundu, Haberer			Probably Molundu, now Moloundou (02.02 N, 15.13 E), Cameroon		
No other data.			No other data.		
No Berlin Mus. No.					
N	2827		N	2827	
RML			RML	111718	
<u>Dermacentor auratus</u> 1 ♀			1 ♀ <u>Dermacentor auratus</u>		
Dog			Dog		
Deli, Sumatra, Dutch East Indies			Labuhandeli (03.45 N, 98.41 E), Indonesia		
IIIe. No other data			IIIe. No other data		
No Berlin Mus. No.					

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2828 <u>Hyalomma aegyptium</u> 4 ♂, 1 ♀ Buffalo Gore, Neu-Kamerun, German S.W. Africa XII.1912 Dr. Houy Berlin Mus. No. 823/1913.	N 2828 MISSING
N	2829 <u>Amblyomma variegatum</u> 2 ♂ Buffalo Gore, Neu-Kamerun, German S.W. Africa XII.1912 Dr. Houy Berlin Mus. No. 823/1913.	N 2829 MISSING
N	2830 <u>Rhipicephalus simus</u> 1 ♂ Buffalo Gore, Neu-Kamerun, German S. W. Africa XII.1912 Dr. Houy Berlin Mus. No. 823/1913.	N 2830 RML 111719 1 ♂ <u>Rhipicephalus muhsamae</u> <u>Syncerus caffer</u> Perhaps Gore, Hosere (09.11 N, 13.52 E), Cameroon XII.1912 Dr. Houy

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2831	N	2831 MISSING
	<u>Ornithodoros moubata</u>		
	Aus Gros-Namaland, Deutsch S. W. Africa		
	1912		
	Dr. Trommsdorff		
	No. Berlin Mus. No.		
N	2832	N	2832
		RML	111720
	<u>Haemaphysalis spinigera</u> var. <u>novaeguineae</u> 5 ♂, 5 ♀ (S. Hirst, VI.1915), N & W. 1914		5 ♂, 5 ♀ <u>Haemaphysalis novaeguineae</u>
	Kangaroo		Kangaroo
	Northern Territory, Queensland Australia		Northern Territory, Queensland, Australia
	No date		No date
	Dr. Georgina Sweet		Dr. Georgina Sweet
	ex. tube 463.		Georgina Sweet died 1.I.1946, former Associate Professor of Zoology, University of Melbourne and first woman in Australia to take the degree of Doctor of Science.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2833	N	2833
		RML	111721
	<u>Haemaphysalis chordeilis</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Haemaphysalis chordeilis</u>
	Meadow lark (<u>Sturnella magna</u>)		<u>Sturnella magna</u>
	Victoria, Texas, U.S.A.		Eastern Victoria County (28.48 N, 97.00 W), Texas, U.S.A.
	1909		15.XI.1909
	(Bishopp (Acc. 888)		J. D. Mitchell
			Cited: Nuttall & Warburton (1915: 377). Collection data from Bishopp accession card 888.
N	2834	N	2834
		RML	111722
	<u>Haemaphysalis chordeilis</u> 1 ♀		1 ♀ <u>Haemaphysalis chordeilis</u>
	Meadow lark (<u>Sturnella magna</u>)		<u>Sturnella magna</u>
	Victoria, Texas, U.S.A.		Victoria County (28.48 N, 97.00 W), Texas, U.S.A.
	12.XI.1909		12.XI.1909
	(Bishopp acc. 886) [Lots 2833 & 2834 rec'd. from Mr. F. C. Bishopp, Dallas, Texas, U.S.A., 2.VI.1914]		J. D. Mitchell
			Cited: Nuttall & Warburton (1915: 377) Collection data from Bishopp Accession card 886.

Ticks received back from the Imperial Bureau of Entomology (ex. Report No. 34), London, S.W., 5 June, 1914:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2835	N	2835
		RML	111723
	<u>Rhipicephalus kochi</u> 2 ♂, 2 ♀	3 ♂, 1 ♀	<u>Rhipicephalus jeanneli</u>
	Cattle	Cattle	
	Mau, Narok, Masai Reserve, B. E. Africa	Mau (00.10 S, 35.41 E), Kenya	
	20.I.1914	20.I.1914	
	Captain A. O. Luckman	Captain A. O. Luckman	
	I.B.E. No. 842.		
N	2836	N	2836 MISSING
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s		
	Dogs		
	Mau, Narok, Masai Reserve, B. E. Africa		
	15.I.1914		
	Captain A. O. Luckman		
	I.B.E. No. 844.		
N	2837	N	2837
		RML	111724
	<u>Rhipicephalus capensis</u> ♂'s, ♀'s	4 ♂, 4 ♀	<u>Rhipicephalus jeanneli</u>
	Cattle	Cattle	
	Mau, Narok, Masai Reserve,	Mau (00.10 S, 35.41 E), Kenya	
	20.I.1914	20.I.1914	
	Capt. A. O. Luckman	Capt. A. O. Luckman	
	I.B.E. No. 848.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2838	N	2838
		RML	111725
	<u><i>Rhipicephalus capensis</i></u> ♂'s, ♀'s		2 ♂, 2 ♀ <u><i>Rhipicephalus jeanneli</i></u>
	Cattle		Cattle
	Mau, Narok, Masai Reserve, B. E. Africa		Mau (00.10 S, 35.41 E), Kenya
	20.I.1914		20.I.1914
	Capt. A. O. Luckman		Capt. A. O. Luckman
	I.B.E. No. 849.		
N	2839	N	2839 MISSING
	<u><i>Rhipicephalus simus</i></u> ♂'s, ♀'s		
	Dogs		
	S.W. of Lake Chilwa, Nyasaland, B.C. Africa		
	I.1914		
	S. A. Neave		
	I.B.E. No. 852.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2840	N	2840
		RML	111726
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		2 ♂, 2 ♀ <u>Rhipicephalus simus</u>
	Dogs		Dogs
	S. W. Of Lake Chilwa, Nyasaland, B. C. Africa		S. W. of Lake Chilwa (15.12 S, 35.50 E), Malawi
	I.1914		I.1914
	S. A. Neave		S. A. Neave
	I.B.E. No. 853.		Note in vial "1 ♂, 1 ♀ removed Cooley"
	1 ♂, 1 ♀ to Prof. R. A. Cooley, Montana V.1928.		
	1 ♂, 1 ♀ to Prof. R. Matheson Cornell, 27.V.1929.		
	1 ♂, 1 ♀ to Dr. A. C. Reed, San Francisco 30.V.1929.		
	1 ♂, 1 ♀ to Prof. J. Drbohlav, Prague 30.V.1929.		
N	2841	N	2841
		RML	111727
	<u>Haemaphysalis leachi</u> ♂'s, ♀'s		7 ♂, 3 ♀ <u>Haemaphysalis leachi</u>
	Dogs		Dogs
	S. W. of Lake Chilwa, Nyasaland, B. C. Africa		S. W. of Lake Chilwa (15.12 S, 35.50 E), Malawi
	I.1914		I.1914
	S. A. Neave		S. A. Neave
	I.B.E. No. 854.		Cited: Nuttall & Warburton (1915: 472).
	1 ♂, 1 ♀ to J. de Meza, Zomba, Nyasaland 19.II.1916.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2842	N	2842
		RML	111728
	<u>Rhipicephalus lunulatus</u> ♂'s		6 ♂, 2 ♀ <u>Rhipicephalus lunulatus</u>
	Dogs		Dogs
	S. W. of Lake Chilwa, Nyasaland, B. C. Africa		S. W. of Lake Chilwa (15.12 S, 35.50 E), Malawi
	I.1914		I.1914
	S. A. Neave		S. A. Neave
	I.B.E. No. 854b.		
N	2843	N	2843
		RML	111729
	<u>Rhipicephalus sanguineus</u> var. <u>sulcatus</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	"Oribi"		<u>Ouribia ourebi</u>
	Plains S.W. of Lake Chilwa		Plains S.W. of Lake Chilwa (15.12 S, 35.50 E), Malawi
			I.1914
			S. A. Neave
	I.B.E. No. 855.		Date and collector on vial label.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2844	N	2844
		RML	111730
	<u>Ixodes pilosus</u> 1 ♀		1 ♀ <u>Ixodes lewisi</u>
	Reedbuck		<u>Reduvinca arundinum</u> or <u>R. fulvorufula</u>
	Plains S.W. of Lake Chilwa		Plains S.W. of Lake Chilwa (15.12 S, 35.50 E), Malawi
			I. 1914
			S. A. Neave
	I.B.E. No. 856		Date and collector on vial label and given by Nuttall (1916: 330).
N	2845	N	2845 MISSING
	<u>Boophilus australis</u> 2 ♂, 3 ♀, N's		
	Indian calf		
	Pusin Island, Zanzibar		
	IX.1913		
	Dr. W. M. Aders		
	I.B.E. No. 869.		
N	2846	N	2846
		RML	111731
	<u>Haemaphysalis bispinosa</u> ♂'s		6 ♂ <u>Haemaphysalis bispinosa</u>
	Imported Indian (Bombay) cows		Cows, imported from Bombay, India
	Zanzibar		Zanzibar Island (06.10 S, 39.20 E), Tanzania
	2.IX.1913		2.IX.1913
	Dr. W. M. Aders		Dr. W. M. Aders
	I.B.E. No. 870.		Cited: Nuttall & Warburton (1915: 433).

Ticks received back from the Imperial Bureau of Entomology (per Guy A. K. Marshall, Esq.), London S.W., 11 June, 1914:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2847	N 2847
		RML 95816
	<u>Haemaphysalis hoodi</u> var. <u>orientalis</u> Nutt. & Warb., 1914 1 ♂	2 ♂, 1 ♀ <u>Haemaphysalis orientalis</u> Lectotype and paralectotypes
	<u>Procavia manningi</u> Wroughton	<u>Heterohyrax brucei manningi</u>
	S.W. Shore of Lake Nyasa, B.C. Africa	S.W. Shore of Lake Malawi (12.00 S, 34.30 E), Malawi
	III.1910	III.1910
	S. A. Neave	S. A. Neave
	I.B.E. No. 66a.	Nuttall & Warburton (1915: 485), original description. Hoogstrall (1956b: 161) raised <u>H. orientalis</u> to specific rank. Lectotype design- ated: Keirans & Brewster (1981: 161).
N	2848	N 2848
		RML 95816
	<u>Haemaphysalis hoodi</u> var. <u>orientalis</u> N. & W., 1914 2 ♂, 1 ♀ TYPES	3 ♂, 2 ♀ <u>Haemaphysalis orientalis</u> Paralectotypes
	<u>Procavia manningi</u> Wroughton	<u>Heterohyrax brucei manningi</u>
	S.W. Shore of Lake Nyasa, B.C. Africa	S.W. Shore of Lake Malawi (12.00 S, 34.30 E), Malawi
	III.1910	III.1910
	S. A. Neave	S. A. Neave
	I.B.E. No.69.	Nuttall & Warburton (1915: 486), original description. Hoogstraal (1956b: 161) raised <u>H. orientalis</u> to specific rank. Paralectotypes designated: Keirans & Brewster (1981: 161).
		1 ♂ and 1 ♀ hypostome are mounted on slides.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2849	N	2849
		RML	111732
	<u>Argas persicus</u> 2 specimens		1 ♂, 1 ♀ <u>Argas persicus</u>
	Elizabethville, Belgian Congo, Central Africa		Elisabethville (11.40 S, 27.28 E), Zaire
	1914		1914
	Dr. Pulieri		Dr. Pulieri
	[Rec'd. from Professor G. Severin, Musée Royal d'Histoire Naturelle de Belgique, Bruxelles, 12 June 1914.]		Guillaume Severin (1862-1938) Honorary conservator of the Entomological Section, Royal Museum of Natural History of Belgium. He died suddenly of an embolism while he was determining some insects captured by him the day before.
N	2850	N	2850 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		
	Dog (Fox-terrier)		
	Mhow, Central India		
	5.VI.1914		
	Rec'd. from Major T. W. Rudd, A.V.C., Station Veterinary Hospital, Mhow, 22 June 1914.		

Thirteen tubes of ticks received from Dr. Jijournaut, Institut Pasteur
Morocain, Tangier, Morocoo, North Africa, 22 June, 1914:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2851, a	N	2851, a
		RML	111733
	(2851) <u>Rhipicephalus bursa</u> ♂'s, ♀'s (a) <u>Hyalomma aegyptium</u> ♂'s, ♀'s		(2851) 7 ♂, 15 ♀ <u>Rhipicephalus bursa</u> (a) 9 ♂, 4 ♀ <u>Hyalomma marginatum</u>
	Horses		Horses
	Tangier		Tangier (35.48 N, 05.48 W), Morocco
	VI.1914		VI.1914
	Rec'd. from Dr. J. Jijournaut		Rec'd. from Dr. J. Jijournaut
N	2852, a	N	2852, a
		RML	111734
	(2852) <u>Hyalomma aegyptium</u> ♂'s, ♀'s (a) <u>Rhipicephalus bursa</u> 1 ♀		(2852) 18 ♂, 13 ♀ <u>Hyalomma marginatum</u> (a) 1 ♀ <u>Rhipicephalus bursa</u>
	Horse		Horse
	Casablanca		Casablanca (33.37 N, 07.35 W), Morocco
	V.1914		V.1914
	Rec'd. from Dr. Jijournaut		Rec'd. from Dr. Jijournaut
N	2853, a	N	2853, a
		RML	111735
	(2853) <u>Hyalomma aegyptium</u> ♂'s (a) <u>Boophilus australis</u> 2 ♀		(2853) 11 ♂ <u>Hyalomma anatomicum</u> <u>excavatum</u> (a) 2 ♀ <u>Boophilus annulatus</u>
	Dog		Dog
	Tangier		Tangier (35.48 N, 05.48 W), Morocco
	IV.1914		IV.1914
	Rec'd. from Dr. Jijournaut		Rec'd. from Dr. Jijournaut

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2854, a-c	N	2854, a, c
		RML	111736
(2854)	<u>Hyalomma aegyptium</u> 1 ♂, 3 ♀	(2854)	<u>Hyalomma marginatum</u>
(a)	<u>Rhipicephalus bursa</u> 3 ♂, 4 ♀	(a)	3 ♂, 3 ♀ <u>Rhipicephalus bursa</u>
(b)	<u>Rhipicephalus sanguineus</u> 2 ♂, 3 ♀	(b)	MISSING
(c)	<u>Rhipicephalus bursa</u> 1 ♂ (1 lost) with some approach to <u>R. sanguineus</u> C.W. det. 9.I.1915	(c)	1 ♂ <u>Rhipicephalus bursa</u>
Pig			<u>Sus scrofa</u>
Casablanca			Casablanca (33.37 N, 07.35 W), Morocco
V.1914			V.1914
Rec'd. from Dr. Jijournaut			Rec'd. from Dr. Jijournaut
N	2855, a	N	2855, a
		RML	111737
(2855)	<u>Hyalomma aegyptium</u> ♂'s, ♀'s	(2855)	<u>Hyalomma marginatum</u>
(a)	<u>Rhipicephalus bursa</u> 1 ♀	(a)	1 ♀ <u>Rhipicephalus bursa</u>
Horse			Horse
Tangier			Tangier (35.48 N, 05.48 W), Morocco
IV.1914			IV.1914
Rec'd. from Dr. Jijournaut			Rec'd. from Dr. Jijournaut
N	2856	N	2856 MISSING
	<u>Rhipicephalus bursa</u> ♂'s, ♀'s		
Sheep			
Casablanca, Morocco			
V.1914			
Rec'd. from Dr. Jijournaut			

ORIGINAL DETERMINATIONCURRENT STATUS

N	2857	N	2857
		RML	111738
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		36 ♂, 56 ♀ <u>Rhipicephalus sanguineus</u>
	Dogs		Dogs
	Tangier		Tangier (35.48 N, 05.48 W), Morocco
	V-VI.1914		V-VI.1914
	Rec'd. from Dr. Jijournaut		Rec'd. from Dr. Jijournaut
N	2858	N	2858 MISSING
	<u>Rhipicephalus sanguineus</u> 1 ♂		
	Off ?		
	Tangier, Morocco		
	X.1913		
	Rec'd. from Dr. Jijournaut		
N	2859, a	N	2859, a
		RML	111739
	(2859) <u>Rhipicephalus bursa</u> ♂'s, ♀'s		(2859) 23 ♂, 20 ♀ <u>Rhipicephalus bursa</u>
	(a) <u>Hyalomma aegyptium</u> ♂, ♀		(a) 1 ♂, 1 ♀ <u>Hyalomma marginatum</u>
	0x		0x
	Casablanca		Casablanca (33.37 N, 07.35 W), Morocco
	V.1914		V.1914
	Rec'd. from Dr. Jijournaut		Rec'd. from Dr. Jijournaut

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2860, a		N	2860, a	
			RML	111740	
	(2860) <u>Hyalomma aegyptium</u> 2 ♂, 3 ♀		(2860) 2 ♂, 3 ♀ <u>Hyalomma marginatum</u>		
	(a) <u>Rhipicephalus bursa</u> 1 ♂, 3 ♀		(a) 1 ♂, 3 ♀ <u>Rhipicephalus bursa</u>		
	Donkey		Donkey		
	Casablanca		Casablanca (33.37 N, 07.35 W), Morocco		
	V.1914		V.1914		
	Rec'd. from Dr. Jijournaut		Rec'd. from Dr. Jijournaut		
N	2861		N	2861 MISSING	
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s				
	Camels				
	Casablanca, Morocco				
	IV.1914				
	Rec'd. from Dr. Jijournaut				
N	2862, a		N	2862, a	
			RML	111741	
	(2862) <u>Hyalomma aegyptium</u> 2 ♀		(2862) 2 ♀ <u>Hyalomma marginatum</u>		
	(a) <u>Rhipicephalus bursa</u> 2 ♂		(a) 2 ♂ <u>Rhipicephalus bursa</u>		
	Camels		<u>Camelus dromedarius</u>		
	Tangier		Tangier (35.48 N, 05.48 W), Morocco		
	VI.1914		VI.1914		
	Rec'd. from Dr. Jijournaut		Rec'd. from Dr. Jijournaut		

ORIGINAL DETERMINATIONCURRENT STATUS

N	2863, a-c	N	2863, a, c
RML	111742		
(2863) <u>Hyalomma aegyptium</u>		(2863) 27 ♂, 30 ♀ <u>Hyalomma anatolicum excavatum</u>	
(a) <u>Boophilus annulatus</u>		(a) 1 ♂, 41 ♀ <u>Boophilus annulatus</u>	
(b) <u>Rhipicephalus sanguineus</u>	2 ♂, 4 ♀, 1 N	(b) MISSING	
(c) <u>Rhipicephalus bursa</u>	2 ♂, 4 ♀	(c) 2 ♂, 4 ♀ <u>Rhipicephalus bursa</u>	
Cattle		Cattle	
Tangier		Tangier (35.48 N, 05.48 W), Morocco	
IV.1914		IV.1914	
Rec'd. from Dr. Jijournaut		Rec'd. from Dr. Jijournaut	

Ticks retained from specimens sent for determination by the Indian Museum
(per Dr. Annandale), Calcutta, India, 22 June, 1914 (Chilka Survey):-

N	2864	N	2864
RML	71470		
<u>Haemaphysalis bispinosa</u> ♂'s, ♀'s		11♂, 3 ♀ <u>Haemaphysalis intermedia</u>	
<u>Viverricula malaccensis</u> (Gmel.)		<u>Viverricula indica</u>	
Satpara, Puri District, Orissa, India		Satpara (19.39 N, 85.26 E), India	
17.III.1914		17.III.1914	
Dr. N. Annandale		Dr. N. Annandale	
Indian Mus. No. 2140 17			

ORIGINAL DETERMINATIONCURRENT STATUS

N	2865	N	2865
		RML	72830
	<u>Haemaphysalis parva</u> 1 ♂, 2 ♀		1 ♂, 2 ♀ <u>Haemaphysalis intermedia</u>
	<u>Felis viverrina</u> Bennett		<u>Felis viverrina</u>
	Satpara, Puri District, Orissa, India		Satpara (19.39 N, 85.26 E), India
	16.III.1914		16.III.1914
	Dr. N. Annandale		Dr. N. Annandale
	Indian Mus. No. <u>2141</u> <u>17</u>		

Ticks CO-TYPES (!) presented by Prof. L. G. Neumann of the École Nationale Vétérinaire, Toulouse, 16.VI.1914 (we sent him co-types of our species in exchange).

[Neumann's syntypes comprise Nuttall catalogue numbers 2866-2870, 2872, 2873-2885, 2887-2894, 2896-2898 - J.E.K.]

N	2866	N	2866
		RML	111743
	<u>Amblyomma albopictum</u> Neumann 1899, 1 ♂		1 ♂ <u>Amblyomma albopictum</u> SYNTYPE
	<u>Cyclura harlani</u>		<u>Cyclura nubila nubila</u>
	Guiana		Havana (23.08 N, 82.22 W), Cuba
	Lucas coll., rec'd. from Paris Museum, being the co-types of <u>Ixodes variegatus</u> Lucas, 1852 of which there were about 40 ♂ in Paris.		Lucas coll., rec'd. from Paris Museum, being the co-types of <u>Ixodes variegatus</u> Lucas, 1852 of which there were about 40 ♂ in Paris.
	Neumann No. 897.		Neumann (1899: 244) original description with locality of Havana. Cited & figured: Robinson (1926: 155, 156).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2867	N	2867
		RML	111744
	<u>Amblyomma testudinis</u> (Conil, 1877) 1 ♂ [species epithet <u>argentinae</u> crossed out]		1 ♂ <u>Amblyomma testudinis</u> Syntype of <u>A. argentinae</u>
	<u>Testudo argentinae</u>		<u>Geochelone chilensis</u>
	Argentine Republic		Argentina
	Received 22.II.1904		Received 22.II.1904
	Received from F. Lahille		Received from F. Lahille
	Neumann No. 1282		Neumann (1905: 226) original description of <u>A. argentinae</u> . Cited: Robinson (1926: 162) but without Nuttall number.
N	2868	N	2868
		RML	111745
	<u>Amblyomma austroliense</u> Neumann, 1905 1 ♂		1 ♂ <u>Amblyomma austroliense</u> SYNTYPE
	<u>Echidna aculeata</u>		<u>Tachyglossus aculeatus</u>
	Mr. Anderson, West Australia		Mt. Anderson (17.58 S, 124.04 E), Australia
	1903		1903
	Hon. N. C. Rothschild coll.		Hon. N. C. Rothschild coll.
	Neumann No. 1271		Neumann (1905: 224), original description. Robinson (1926: 137) cited this and other Neumann specimens but without Nuttall number and gave the collection date as 1900 and collector as G. Shaw. He was actually the author of <u>Echidna aculeata</u> not the collector of the ticks.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2869	N	2869
		RML	111746
	<u>Amblyomma calcaratum</u> Neumann, 1899, 1 ♂, 1 ♀		1 ♀ <u>Amblyomma calcaratum</u> SYNTYPE
	<u>Myrmecophaga tetradactyla</u>		<u>Tamandua tetradactyla</u>
	Colonia Alpina, Brazil		Colonia Alpina, Brazil (locality not verified)
	Received 1894		Received 1894
	Received from Prof. Goeldi		Received from Prof. Goeldi
	Neumann No. 828.		Neumann (1899: 226), original description. Cited & Figured: Robinson (1926: 192-194).
N	2870	N	2870
		RML	111747
	<u>Amblyomma coelebs</u> Neumann 1899, 1 ♂		1 ♂ <u>Amblyomma coelebs</u> SYNTYPE
	Off ?		Off ?
	Guanajuato, Mexico		Guanajuato, Mexico (locality not verified; there are 4 populated places and one state with the name Guanajuato)
	Received 1896		Received 1896
	Received from A. Dugès		Received from A. Dugès
	Neumann No. 824.		Neumann (1899: 223), original description. Robinson (1926: 33) incorrectly gave it Nuttall No. 2780.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2871	N	2871
		RML	111748
	<u>Amblyomma coelebs</u> Neumann 1899, 1 ♀		1 ♀ <u>Amblyomma coelebs</u>
	<u>Tapirus</u> sp.		<u>Tapirus</u> sp.
	Province of Chiquitos, Bolivia		Provincia Chiquitos (18.00 S, 60.00 W), Bolivia
	Received 1905		Received 1905
	Received from British Museum		Received from British Museum
	Neumann No. 1370 (see Neumann, 1906 p. 213)		Neumann (1906: 213) first description of ♀. Robinson (1926: 32) figured this specimen but incorrectly gave it Nuttall No. 2781.
N	2872	N	2872
		RML	111749
	<u>Amblyomma concolor</u> Neumann, 1899, 1 ♀		1 ♀ <u>Amblyomma auricularium</u> SYNTYPE of <u>A. concolor</u>
	<u>Dasypus</u> sp.		<u>Dasypus</u> sp.
	Belém Pará , Brazil		Belém (01.27 S, 48.29 W), Brazil
	Received 1896		Received 1896
	M. Rebourgeon Received from Raphael Blanchard		M. Rebourgeon Received from Raphael Blanchard
	Neumann No. 823.		Neumann (1899: 222), original description of <u>A. concolor</u> . Cited & figured: Robinson (1926: 68).
			The capitulum of this ♀ is missing.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2873	N	2873
		RML	111750
	<u>Amblyomma goeldii</u> Neumann, 1899 ♂	1 ♂ <u>Amblyomma goeldii</u> SYNTYPE	
	<u>Myrmecophaga tetradactyla</u>	<u>Tamandua tetradactyla</u>	
	Belém di Pará, Brazil	Belém (01.27 S, 48.29 W), Brazil	
	Received 28.I.1897	Received 28.I.1897	
	Received from Prof. Goeldi	Received from Prof. Goeldi	
	Neumann No. 849.	Neumann (1899: 238), original description. Cited & figured: Robinson (1926: 242, 244).	
N	2874	N	2874
		RML	111751
	<u>Amblyomma goeldii</u> Neumann, 1899 ♀	1 ♀ <u>Amblyomma rotundatum</u> Misidentified by Neumann as <u>A. goeldii</u>	
	<u>Bufo agua</u>	<u>Bufo marinus</u>	
	Pará, Brazil	Belém (01.27 S, 48.29 W), Brazil	
	Rec'd. 28.I.1897	Rec'd. 28.I.1897	
	Rec'd. from Prof. Goeldi	Rec'd. from Prof. Goeldi	
	Neumann No. 848.	Neumann (1899: 238), original description of <u>A. goeldii</u> . Cited & figured: Robinson (1926: 243, 244).	
		This specimen is being retained in the jar containing <u>A. goeldii</u> specimens.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	2875	N	2875
		RML	111752
	<u>Amblyomma nodosum</u> Naumann, 1899 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Amblyomma nodosum</u> SYNTYPES
	Off ?		Off ?
	Costa Rica		Costa Rica
	Received 1896		Received 1896
	de Lafon. Received from the Paris Museum		de Lafon. Received from the Paris Museum
	Neumann No. 892.		Neumann (1899: 224) original description. Cited & figured: Robinson (1926: 197-199).
N	2876	N	2876
		RML	111753
	<u>Amblyomma scutatum</u> Neumann, 1899, 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Amblyomma scutatum</u> SYNTYPES
	Lizard		Lizard
	Guatemala		Guatemala
	Received 1885		Received 1885
	Received from M. Soula		Received from M. Soula
	Neumann No. 896.		Neumann (1899: 237), original description. Cited & figured: Robinson (1926: 203, 204) who incorrectly gave the collector and date as "Sorda coll., 1855". Whittick (1939: 438) figured this ♀.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2877	N	2877
		RML	111754
	<u>Aponomma ecinctum</u> Neumann, 1901, 1 ♂		1 ♂ <u>Aponomma fimbriatum</u> SYNTYPE of <u>A. ecinctum</u>
	Off ? (stated by W. W. Froggatt to occur on a beetle: <u>Aulacocyclus</u> <u>kaupi!</u>)		Off ? (stated by W. W. Froggatt to occur on a beetle: <u>Aulacocyclus</u> <u>kaupi!</u>)
	New South Wales, Australia		New South Wales, Australia
	Rec'd. 30.I.1900		Rec'd. 30.I.1900
	Rec'd. from W. W. Froggatt		Rec'd. from W. W. Froggatt
	Neumann No. 792.		Neumann (1901: 293) original description of <u>A. ecinctum</u> .
			A second vial contains the right tarsus I of this male along with the note - "right tarsus I broken off but returned to tube. D.S.B. 2/6/36".
N	2878	N	2878
		RML	111755
	<u>Aponomma oudemansi</u> Neumann, 1910 1 ♂		1 ♂ <u>Aponomma oudemansi</u> SYNTYPE
	<u>Zaglossus (Proechidna) bruyni</u> <u>nigrolineatus</u> Roth.		<u>Tachyglossus aculeatus</u>
	Fak Fak, New Guinea		Fakfak (02.55 S, 132.18 E), Papua, New Guinea
	Received 1909		Received 1909
	Received from Dr. A. C. Oudemans		Received from Dr. A. C. Oudemans
	Neumann No. 1755.		Neumann (1910: 11), original description. Kaufman (1972) considered <u>A. oudemansi</u> to be a synonym of <u>A.</u> <u>concolor</u> . This ♂ definitely has no ventral lobes on palpal articles II which makes <u>A. concolor</u> such an easy species to identify. Kaufman did not see the types of <u>A. concolor</u> or <u>A.</u> <u>oudemansi</u> but based his decision on figures of the species.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2879	N	2879
		RML	111756
	<u>Aponomma pattoni</u> Neumann, 1897, 1 ♂		1 ♂ <u>Aponomma pattoni</u> SYNTYPE
	Snake		Snake
	Saidapet, East Indies		Probably Saidapet (13.02 N, 80.13 E), India
	Rec'd. 1907		Rec'd. 1907
	Rec'd. from Dr. W. S. Patton		Rec'd. from Dr. W. S. Patton
	Neumann No. 1761.		Neumann (1910b: 163), original description.
N	2880	N	2880
		RML	111757
	<u>Dermacentor nitens</u> Neumann, 1897, 2 ♂, 2 ♀		1 ♂, 3 ♀ <u>Anocentor nitens</u> SYNTYPES
	<u>Equus caballus</u>		<u>Equus caballus</u>
	Santa Cruz, Jamaica		Santa Cruz (18.03 N, 77.42 W), Jamaica
	Received 1897		Received 1897
	Received from the Jamaica Institute		Received from the Jamaica Institute
	Neumann No. 1039.		Neumann (1897: 376), original description.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2881	N	2881
		RML	111758
	<u>Haemaphysalis ambigua</u> Neumann 1901, 1 ♀		1 ♀ <u>Haemaphysalis inermis</u> SYNTYPE of <u>H. ambigua</u>
	Off ?		Off ?
	France		France
	Received 1894		Received 1894
	Received from E. Simon		Received from E. Simon
	(= <u>H. inermis</u> Birula, 1895) Neumann No. 1039.		Neumann (1901: 262), original description.
N	2882	N	2882
		RML	111759
	<u>Haemaphysalis calcarata</u> Neumann, 1902 1 ♂		1 ♂ <u>Haemaphysalis calcarata</u> SYNTYPE
	<u>Spermocciurus</u> sp.		<u>Xerus</u> sp.
	Sichi, Balz, Abyssinia		Sichi, Balz, Ethiopia (locality not verified)
	Rec'd. 1901		Rec'd. 1901
	Hilgert coll. Rec'd. from von Erlanger		Hilgert coll. Rec'd. from von Erlanger
	(Exactly like our N. 1203) Neumann No. 1292.		Neumann (1902: 113), original description. Cited: Nuttall & Warburton (1915: 444); Hoogstraal (1955: 362).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2883	N	2883
		RML	69995
	<u>Haemaphysalis cornigera</u> Neumann, 1897, 1 ♂		1 ♂ <u>Haemaphysalis cornigera</u> Paralectotype
	<u>Cervus</u> sp.		<u>Cervus</u> sp.
	Borneo		Borneo
	Rec'd. 1894		Rec'd. 1894
	Rec'd. from Raphael Blanchard		Rec'd. from Raphael Blanchard
	Neumann No. 1008.		Neumann (1897: 350), original description. Cited & figured: Nuttall & Warburton (1915: 501, 504). Neumann collection 1008 consisted of 2 ♂. Trapido (1965: 157) selected the ♂ in the collection at Toulouse as Lectotype.
N	2884	N	2884
		RML	71067
	<u>Haemaphysalis elongata</u> Neumann, 1897, 1 ♂		1 ♂ <u>Haemaphysalis elongata</u> SYNTYPE
	<u>Centetes madagascariensis</u>		<u>Tenerec ecaudatus</u>
	Zura, Madagascar		Zura, Democratic Republic of Madagascar (locality not verified)
	Rec'd. 1894		Rec'd. 1894
	Rec'd. from Sikora		Rec'd. from Sikora
	Neumann No. 1009.		Neumann (1897: 354), original description. Cited: Nuttall & Warburton (1915: 500); Hoogstraal (1953: 58).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2885	N	2885
		RML	111760
	<u>Haemaphysalis elongata</u> Neumann, 1897, 1 N		1 N <u>Haemaphysalis elongata</u> SYNTYPE
	<u>Erinaceus</u> sp.		<u>Erinaceus</u> sp.
	Madagascar		Democratic Republic of Madagascar
	Rec'd. 1894		Rec'd. 1894
	Rec'd. from Sikora		Rec'd. from Sikora
	Neumann No. 1011.		Neumann (1897: 354) original description. Cited: Nuttall & Warburton (1915: 500).
N	2886	N	2886
		RML	111761
	<u>Haemaphysalis flava</u> , Neumann, 1897, 1 ♀		1 ♀ <u>Haemaphysalis campanulata</u> Misidentified by Neumann as <u>H. flava</u> .
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	Tokio, Japan		Tokyo (35.42 N, 139.46 E) Japan
	Rec'd. 1894		Rec'd. 1894
	Rec'd. from Janson		Rec'd. from Janson
	(= <u>H. campanulata</u> Warburton, 1908, not the <u>H. flava</u> descr. by Neumann originally). Neumann No. 990.		Cited: Nuttall & Warburton (1915: 492).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2887	N	2887
		RML	111762
	<u>Haemaphysalis</u> <u>parmata</u> Neumann, 1905, 1 ♂		1 ♂ <u>Haemaphysalis</u> <u>parmata</u> SYNTYPE
	<u>Bos</u> <u>taurus</u>		<u>Bos</u> <u>taurus</u>
	Njanga, Cameroon		Perhaps Nganga (02.56 N, 12.17 E), or (04.19 N, 12.33 E), Cameroon
	Rec'd. 1904		Rec'd. 1904
	Rec'd. from Dr. H. Ziemann		Rec'd. from Dr. H. Ziemann
	Neumann No. 1288.		Neumann (1905: 288), original description. Cited: Nuttall & Warburton (1915: 421).
N	2888	N	2888
		RML	111763
	<u>Haemaphysalis</u> <u>parmata</u> Neumann, 1905, 1 ♀		1 ♀ <u>Haemaphysalis</u> <u>parmata</u> SYNTYPE
	<u>Capra</u> <u>hircus</u>		<u>Capra</u> <u>hircus</u>
	Mbula, Cameroon		Mboula (06.40 N, 13.59 E), Cameroon
	Rec'd. 1904		Rec'd. 1904
	Rec'd. from H. Ziemann		Rec'd. from H. Ziemann
	Neumann No. 1289.		Neumann (1905: 228), original description. Cited: Nuttall & Warburton (1915: 421).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2889		N	2889	
			RML	76104	
	<u>Haemaphysalis parva</u> Neumann, 1908, 1 ♂, 1 ♀			1 ♂, 1 ♀ <u>Haemaphysalis intermedia</u> SYNTYPE of <u>H. parva</u>	
	<u>Canis aureus</u>			<u>Canis aureus</u>	
	Ceylon			Sri Lanka	
	Rec'd. 1907			Rec'd. 1907	
	Rec'd. from Prof. Galli-Valerio			Rec'd. from Prof. Galli-Valerio	
	Neumann No. 1426.			Neumann (1908a: 89), original description. Cited: Nuttall & Warburton (1915: 437); Hoogstraal & Trapido (1963b: 838).	
N	2890		N	2890	
			RML	111764	
	<u>Haemaphysalis numidiana</u> Neumann, 1905, 1 ♂			1 ♂ <u>Haemaphysalis erinacei</u> SYNTYPE of <u>H. numidiana</u>	
	<u>Erinaceus</u> sp.			<u>Erinaceus</u> sp.	
	Tebessa, Algeria			Tebessa (35.24 N, 08.07 E), Algeria	
	Rec'd. 1894			Rec'd. 1894	
	Rec'd. from Fayet			Rec'd. from Fayet	
	Neumann No. 999.			Neumann (1905: 230), original description. Cited: Neumann (1897: 349 as <u>H. leachi</u>); Nuttall & Warburton (1915: 479); Hoogstraal (1955c: 221).	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2891	N	2891
		RML	71079
	<u>Haemaphysalis simplex</u> Neumann, 1897, 1 ♂		1 ♂ <u>Haemaphysalis simplex</u> SYNTYPE
	<u>Erinaceus</u> sp.		<u>Setifer setosus</u>
	Madagascar		Democratic Republic of Madagascar
	Rec'd. 1894		Rec'd. 1894
	Rec'd. from Sikora		Rec'd. from Sikora
	(The specimen has no lateral grooves). Neumann No. 998.		Neumann (1897: 345), original description. Cited: Nuttall & Warburton (1915: 460); Hoogstraal (1953: 51).
N	2892	N	2892
		RML	111765
	<u>Rhipicentor vicinus</u> Neumann, 1908, 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicentor nuttalli</u> SYNTYPES of <u>R. vicinus</u>
	<u>Erinaceus frontalis</u>		<u>Erinaceus frontalis</u>
	Pretoria, Transvaal		Pretoria (25.45 S, 28.10 E), Republic of South Africa
	Rec'd. 1907		Rec'd. 1907
	Rec'd. from C. W. Howard		Rec'd. from C. W. Howard
	(= <u>R. nuttalli</u> Cooper & Robinson II. 1908). Neumann No. 1727.		Neumann (1905b: 170), original description. ♀ vulva removed and mounted on a slide.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2893	N	2893
		RML	111766
	<u>Rhipicephalus appendiculatus</u> Neumann, 1901, 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u> SYNTYPES
	<u>Bos caffer</u>		<u>Syncerus caffer</u>
	Tangani, German East Africa		Perhaps Tangeni (06.56 S, 37.36 E), Tanzania
	Rec'd. 1900		Rec'd. 1900
	Rec'd. from Schillings		Rec'd. from Schillings
	Neumann No. 1143.		Neumann (1901: 270), original description.
N	2894	N	2894
		RML	111767
	<u>Rhipicephalus deltoideus</u> Neumann, 1910, 1 ♀		1 ♀ <u>Rhipicephalus deltoideus</u> SYNTYPE
	Off ?		Off ?
	Basutoland, South Africa		Lesotho
	Rec'd. from C. P. Lounsbury		Rec'd. from C. P. Lounsbury
	Neumann No. 1721.		Neumann (1910a: 13), original description.
			The vulva has been removed and mounted on a slide.

ORIGINAL DETERMINATIONCURRENT STATUS

N 2895

N 2895 MISSING

Rhipicephalus falcatus
Neumann, 1908, 1 ♂, 1 ♀

Off ?

North of Lake Nyasa
Brit. Centr. Africa

Rec'd. 1907

Dr. Old. Rec'd. from
British Museum

Neumann No. 1438.

N 2896

N 2896

RML 111768

Rhipicephalus nitens
Neumann, 1904, 1 ♂

Off vegetation

Stellenbosch, southeast of
Cape Colony

Rec'd. 1903

Rec'd. from Mr. C. P. Lounsbury
(a good specimen)

Neumann No. 1783.

1 ♂ Rhipicephalus nitens
SYNTYPE

Off vegetation

Stellenbosch (33.56 S, 18.51 E),
Republic of South Africa

Rec'd. 1903

Rec'd. from Mr. C. P. Lounsbury
(a good specimen)

Neumann (1904: 462), original
description.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2897	N	2897
		RML	111769
	<u>Rhipicephalus rossicus</u> Yakimoff, 1911, 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus rossicus</u> SYNTYPES
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	Government of Saratow, Russia		Saratov (51.34 N, 46.02 E), U.S.S.R.
	Rec'd. 1910		Rec'd. 1910
	Rec'd. from Yakimoff		Rec'd. from Yakimoff
	Neumann No. 1783.		Yakimov & Kol-Yakimova (1911: 419), original description.
			♀ vulva removed and mounted on a slide.
N	2898	N	2898
		RML	111770
	<u>Rhipicephalus ziemanni</u> Neumann, 1904, 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus ziemanni</u> SYNTYPES
	Cattle		Cattle
	Cameroon		Cameroon
	Dr. Ziemann		Dr. Ziemann
	Neumann No. 1244.		Neumann (1904: 464), original description. Cited: Clifford & Anastos (1962: 31).
			♀ vulva removed and mounted on a slide.

Ticks received back from the Imperial Bureau of Entomology (ex.
Report No. 35), London S.W.: -

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2899	N 2899
		RML 111771
	<u>Amblyomma cajennense</u> ♂, ♀	1 ♂, 1 ♀ <u>Amblyomma cajennense</u>
	Off ?	Off ?
	Greeklands Canje Ch., Brit. Guiana	Perhaps a locality along Canje Creek (06.16 N, 57.31 W), Guyana
	7.VI.1913	7.VI.1913
	Rev. J. Aiken	Rev. J. Aiken
	I.B.E. No. 873.	
N	2900	N 2900
		RML 111772
	<u>Amblyomma splendidum</u> ♂, ♀	5 ♂, 3 ♀ <u>Amblyomma splendidum</u>
	Buffalo	<u>Syncerus caffer</u>
	Tagi, N. Nigeria, West Africa	Tagi, Nigeria (locality not verified)
	27.IV.1913	27.IV.1913
	Dr. G. F. Petrie	Dr. G. F. Petrie
	I.B.E. No. 875.	Cited: Robinson (1926: 125).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2901	N	2901
		RML	111773
	<u>Haemaphysalis bispinosa</u> ♂, ♀, N Goats		1 ♂, 3 ♀, 2 N <u>Haemaphysalis bispinosa</u> Goats
	Hakgala, Ceylon		Hakgala (06.55 N, 80.49 E), Sri Lanka
	27.III.1914		27.III.1914
	A. Rutherford		A. Rutherford
	I.B.E. No. 876a		Cited: Nuttall & Warburton (1915: 432)
N	2902, a	N	2902, a
		RML	111774
	(2902) <u>Amblyomma cohaerens</u> ♂'s, ♀'s (a) <u>Rhipicephalus dux</u> 2 ♀		(2902) 6 ♂, 3 ♀ <u>Amblyomma cohaerens</u> (a) 2 ♀ <u>Rhipicephalus dux</u>
	Buffalo		<u>Syncerus caffer</u>
	Beni, Belgian Congo, Central Africa		Beni (00.30 N, 29.28 E), Nord-Kivu, Zaire
	20.V.1914		20.V.1914
	Rec'd. from F. Harker, Esq., Mission de Prospection, Beni, 29 June, 1914		Rec'd. from F. Harker, Esq., Mission de Prospection, Beni, 29 June, 1914
	F. Harker, in his letter of 20.V.1914 says of Beni: "altitude of present camp 3510 ft., Lat. 0.30'.00N, Long. 29.05'.00E. The country I am in now is dense jungle & game is scarce. Population there is none practi- cally and pygmies are here today & on the trail of a wounded elephant miles away tomorrow." Letter destroyed		(2902) cited: Robinson (1926: 110).
	27.IX.1914 G.H.F.N.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2903

N 2903

RML 111775

Haemaphysalis novae-guineae
 Hirst, 1914, 1 ♂, 1 ♀ CO-TYPES

1 ♂, 1 ♀ Haemaphysalis novaeguineae
 Paralectotypes

Hydromys sp.

Hydromys sp.

Sattelberg, Huon Gulf,
 German New Guinea

Sattelberg, Huon Gulf (07.10 S,
 147.25 E), Papua, New Guinea

1911

1911

Professor F. Forster coll.

Professor F. Forster

[Presented by the British Museum
 (Nat. Hist.), London, 3 July, 1914]

Hirst (1914: 328), original
 description. Cited: Nuttall &
 Warburton (1915: 452). Roberts
 (1963: 57) selected paralectotypes
 from specimens in the British Museum
 (Nat. Hist.) to which this collection
 originally belonged before being
 presented to Prof. Nuttall. There-
 fore the ♂ & ♀ of this collection
 (N2903) are paralectotypes.

Ticks retained from the collection sent for determination by the Deutsches
 Entomologisches Museum (per Professor Dr. S. Schenkling), Gossler-Strasse 20,
 Berlin-Dahlem, Germany, 6 March, 1914:-

N 2904

N 2904 MISSING

Hyalomma aegyptium 2 ♀

Off ?

Karawaserei, N.W. Persia

No date

Dr. Blau

D.E.M. No. 1

ORIGINAL DETERMINATIONCURRENT STATUS

N 2905 N 2905 MISSING

Haemaphysalis bispinosa ♀'s

Off ?

Tsingtau, China

No date

Professor Hoffmann

D.E.M. No. 3.

N 2905z, a N 2905z, a MISSING

(2905z) Haemaphysalis hystricis ♂'s
(a) Dermacentor niveus 2 ♂

Hedgehog

Tsingtau, China

No date

Prof. Hoffmann

D.E.M. No. 13, 13a.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2906, a-c	N	2906, a-c
		RML	90006
	(2906) <u>Rhipicephalus cuneatus</u> ♂'s, ♀'s (a) <u>Rhipicephalus dux</u> 2 ♂, 1 ♀ (b) <u>Amblyomma cohaerens</u> 1 ♂, 2 N's (c) <u>Haemaphysalis permata</u> 1 ♂ (large!)		(2906) 3 ♂, 3 ♀ <u>Rhipicephalus ziemanni</u> (a) 1 ♂, 1 ♀ <u>Rhipicephalus dux</u> (b) 1 ♂, 2 N <u>Amblyomma cohaerens</u> (c) 1 ♂ <u>Haemaphysalis permata</u>
	Buffalo		<u>Syncerus caffer</u>
	Beni, Belgian Congo, Central Africa		Beni (00.30 N, 29.28 E), Nord-Kivu, Zaire
	31.V.1914		31.V.1914
	F. Harker		F. Harker
			(2906b) cited: Robinson (1926: 110); (2906c) Nuttall & Warburton (1915: 421) gave the collection date as 31.VI.1913.
			Note in vial with (2906a) "Only 2 ticks 26.X.1934."

Collection of ticks received from Dr. M. Miyajima, Imperial Institute for the study of Infectious Diseases, Tokio, Japan, 6 July, 1914:-

N	2907, a	N	2907, a
		RML	111776
	(2907) <u>Dermacentor niveus</u> 2 ♂, 3 ♀ (a) <u>Haemaphysalis hystricis</u> ♀'s		(2907) 2 ♂, 3 ♀ <u>Dermacentor</u> sp. (a) 3 ♀ <u>Haemaphysalis longicornis</u>
	Horse		Horse
	Aomori, North-Central Japan		Aomori (40.49 N, 140.45 E), Japan
	15.VII.1912		15.VII.1912
	Rec'd. from Dr. Miyajima		Rec'd. from Dr. Miyajima
	Miyajima No. 1		(2907a) cited: Nuttall & Warburton (1915: 433).
	2907 reexamined 19.VII.21 by G.H.F.N. & referred to <u>niveus</u> as C.W. had previously noted it recalls <u>reticulatus</u> ♂ pattern.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2908, a	N	2908
		RML	111777
(2908)	<u>Haemaphysalis bispinosa</u> ♂'s, ♀'s, larvae	(2908)	8 ♀ <u>Haemaphysalis longicornis</u>
(a)	<u>Ixodes ricinus</u> 1 ♀	(a)	MISSING
Horse		Horse	
Daisen, North-western part of Central Japan		Daisen (35.23 N, 133.32 E), Japan	
2.VIII.1912		2.VIII.1912	
Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima	
Miyajima No. 2.		Cited: Nuttall & Warburton (1915: (433).	
(2908) 1 ♂, 1 ♀ to Prof. E. Brumpt, École Médecine, Paris 12.X.1922.			
N	2909, a, b	N	2909, a
		RML	111778
(2909)	<u>Haemaphysalis bispinosa</u> ♀'s	(2909)	1 ♂, 9 ♀ <u>Haemaphysalis</u> <u>longicornis</u>
(a)	<u>Amblyomma testudinarium</u> 2 ♀	(a)	<u>Amblyomma testudinarium</u>
(b)	<u>Ixodes ricinus</u> 1 ♂, 2 ♀	(b)	MISSING
Horse		Horse	
Takanabe, Kiushiu		Takanabe (32.08 N, 131.30 E), Kyushu, Japan	
5-VI-12.X.1912		5-VI-12.X.1912	
Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima	
Miyajima No. 3.		(2909) Cited: Nuttall & Warburton (1915: 433); Hoogstraal et al (1968: 1206); (2909a) Robinson (1926: 257).	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2910	N	2910
		RML	111779
	<u>Boophilus australis</u> ♀'s		4 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Hiroshima, Sanyado		Hiroshima (34.24 N, 132.27 E), Japan
	5.VIII.1910		5.VIII.1910
	Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima
	Miyajima No. 4.		
N	2911, a	N	2911, a
		RML	111780
	(2911) <u>Boophilus australis</u>		(2911) 6 ♀ <u>Boophilus microplus</u>
	(a) <u>Haemaphysalis bispinosa</u> 1 ♀		(a) 1 ♀ <u>Haemaphysalis flava</u>
	Cattle		Cattle
	Tokio, Central Japan		Tokyo (35.42 N, 139.46 E), Japan
	16.X.1911		16.X.1911
	Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima
	Miyajima No. 5.		(2911a) Tentative I.D.
N	2912	N	2912
		RML	111781
	<u>Boophilus australis</u> ♂'s, ♀, L & eggs		3 ♂, 4 ♀, 4 L <u>Boophilus microplus</u>
	Cattle		Cattle
	Taihoku, Formosa		Taihoku, Taiwan (locality not verified)
	23.IV.1911		23.IV.1911
	Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima
	Miyajima No. 6.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2913	N	2913
		RML	111782
	<u>Boophilus australis</u> ♀'s, N's		6 ♀, 2 ♂ <u>Boophilus microplus</u>
	Cattle		Cattle
	Koshin, Formosa		Koshin (23.21 N, 121.12 E), Taiwan
	3.IX.1910		3.IX.1910
	Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima
	Miyajima No. 7.		
N	2914, a-c	N	2914, a-c
		RML	22304
	(2914) <u>Boophilus australis</u> 2 ♀		(2914) 2 ♀ <u>Boophilus microplus</u>
	(a) <u>Amblyomma testudinarium</u> 1 ♀		(a) 1 ♀ <u>Amblyomma testudinarium</u>
	(b) <u>Rhipicephalus sanguineus</u> 1 ♀		(b) 1 ♀ <u>Rhipicephalus sanguineus</u>
	(c) <u>Haemaphysalis warburtoni</u> 1 ♂		(c) 1 ♂ <u>Haemaphysalis formosensis</u>
	Cattle		Cattle
	Taihoku, Formosa		Taihoku, Taiwan (locality not verified)
	16.VII.1909		16.VII.1909
	Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima
	Miyajima No. 8.		(2914a) Cited: Robinson (1926: 257).
N	2915	N	2915
		RML	111783
	<u>Boophilus australis</u> ♀'s		8 ♀ <u>Boophilus microplus</u>
	Native cattle		Cattle
	Koshin, Formosa		Koshin (23.21 N, 121.12 E), Taiwan
	4.VII.1907		4.VII.1907
	Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima
	Miyajima No. 9.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	2916, a		N	2916, a
			RML	111784
(2916)	<u>Boophilus australis</u> ♀'s, N's		(2916)	9 ♀, 5 N <u>Boophilus microplus</u>
(a)	<u>Amblyomma testudinarium</u> 1 ♂, 1 ♀		(a)	1 ♂, 1 ♀ <u>Amblyomma testudinarium</u>
Water buffalo				<u>Bubalus bubalis</u>
Koshin, Formosa				Koshin (23.21 N, 121.12 E), Taiwan
7.VIII.1911				7.VIII.1911
Rec'd. from Dr. M. Miyajima				Rec'd. from Dr. M. Miyajima
Miyajima No. 10.				(2916a) Cited: Robinson (1926: 257).
N	2917		N	2917
			RML	111785
	<u>Haemaphysalis campanulatus</u> ♂ & ♀			1 ♂, 1 ♀ <u>Haemaphysalis campanulata</u>
House rat				<u>Rattus rattus</u> or <u>Rattus norvegicus</u>
Tokio, Japan				Tokyo (35.42 N, 139.46 E), Japan
11.IX.1912				11.IX.1912
Rec'd. from Dr. M. Miyajima				Rec'd. from Dr. M. Miyajima
Miyajima No. 11.				Cited: Nuttall & Warburton (1915: 492).
N	2918		N	2918
			RML	111786
	<u>Boophilus australis</u> ♀'s			4 ♀ <u>Boophilus microplus</u>
Cattle				Cattle
Yayeyama, Riu-kiu Islands				Yaeyama-Retto Island (24.20 N, 124.00 E), Ryukyu Islands, Japan
2.X.1912				2.X.1912
Rec'd. from Dr. M. Miyajima				Rec'd. from Dr. M. Miyajima
Miyajima No. 12.				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2919	N	2919
		RML	111787
	<u>Amblyomma testudinarium</u> 1 ♀		1 ♀ <u>Amblyomma testudinarium</u>
	Off ?		Off ?
	Amamioshima, Kiushiu		Perhaps Amamioshima Island (28.15 N, 129.20 E), Ryukyu Islands, Japan
	20.IV.1910		20.IV.1910
	Rec'd. from Dr. M. Miyajima		Rec'd. from Dr. M. Miyajima
	Miyajima No. 13.		Cited: Robinson (1926: 257).
N	2920	N	2920
		RML	111788
	<u>Dermacentor niveus</u> 1 ♀		1 ♀ <u>Dermacentor asper</u>
	Hedgehog		Hedgehog
	China		Peoples Republic of China
	1907		1907
	Rec'd. from Dr. Miyajima		Rec'd. from Dr. Miyajima
	Miyajima No. 14		Tentative ID. Cited: Arthur (1960: 114).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2921	N	2921
		RML	87420
	<u>Haemaphysalis campanulata</u> ♂'s, ♀'s		6 ♂, 6 ♀ <u>Haemaphysalis campanulata</u>
	Dog		Dog
	Tokio, Japan		Tokyo (35.42 N, 139.46 E), Japan
	18.VI.1914		18.VI.1914
	Rec'd from Dr. M. Miyajima		Rec'd from Dr. M. Miyajima
	Miyajima No. 15		These specimens are in the Harry Hoogstraal collection, Cairo, Egypt.
			Cited: Nuttall & Warburton (1915: 492).
N	2922	N	2922
		RML	66557
	<u>Rhipicephalus bursa</u> ♂'s, ♀'s		21 ♂, 6 ♀ <u>Rhipicephalus bursa</u> 1 ♂ <u>Hyalomma marginatum</u>
	Cow		Cow
	"Portezuelo" Farm, Teneriffe, Canary Islands		"Portezuelo" Farm, Tenerife (29.19 N, 16.34 W), Canary Islands
	28.VI.1914		28.VI.1914
	Received from Dr. G. V. Perez ("La Quinto," Santa Ursula, Teneriffe), 10 July, 1914.		Received from Dr. G. V. Perez ("La Quinto," Santa Ursula, Tenerife), 10 July, 1914.

Ticks received from W.H.J. van Heemstra, Esq., Oglan-Anassi, Djumowassi, Smyrna, Asiatic Turkey, 10 July, 1914:-

ORIGINAL DETERMINATION

CURRENT STATUS

N 2923

N 2923 MISSING

Hyalomma aegyptium ♂'s, ♀'s

Camel

Djumowassi, Smyrna, Asiatic Turkey

2.VII.1914

Rec'd. from W.H.J. van Heemstra

N 2924, a, b

N 2924a

RML 111789

(2924) Hyalomma aegyptium ♂'s, ♀'s

(a) Rhipicephalus bursa 1 ♀

(b) Rhipicephalus sanguineus 1 ♀

(2924) MISSING

(a) 1 ♀ Rhipicephalus bursa

(b) MISSING

Goats

Goats

Djumowassi, Smyrna, Asiatic Turkey

Djumowassi, Izmir (38.25 N, 27.09 E),
Turkey

2.VII.1914

2.VII.1914

Rec'd. from W.H.J. van Heemstra

Rec'd. from W.H.J. van Heemstra

N 2925

N 2925

RML 111790

Rhipicephalus sanguineus 2 ♂, 1 ♀

2 ♂, 1 ♀ Rhipicephalus sanguineus

Dogs

Dogs

Djumowassi, Smyrna, Asiatic Turkey

Djumowassi, Izmir (38.25 N, 27.09 E),
Turkey

2.VII.1914

2.VII.1914

Rec'd. from W.H.J. van Heemstra

Rec'd. from W.H.J. van Heemstra

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2926		N	2926	
			RML	111791	
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s			2 ♂, 26 ♀ <u>Hyalomma marginatum</u>	
	Camel			<u>Camelus dromedarius</u>	
	Djumowassi, Smyrna, Asiatic Turkey			Djumowassi, Izmir (38.25 N, 27.09 E), Turkey	
	2.VII.1914			2.VII.1914	
	Rec'd from W.H.J. van Heemstra			Rec'd from W.H.J. van Heemstra	
N	2927		N	2927	MISSING
	<u>Boophilus ? annulatus</u> ♀'s				
	Cow (apparently suffering from piroplasmosis).				
	Djumowassi, Smyrna, Asiatic Turkey				
	3.VII.1914				
	Rec'd from W.H.J. van Heemstra				
	[Used for raising experiments.]				
	Three tubes of ticks presented to Mr. Warburton by J.E.M. Mellor, who collected them in Kashmir, North India, during 1912:-				
N	2928		N	2928	
			RML	111792	
	<u>Haemaphysalis montgomeryi</u> 1 ♂			1 ♂ <u>Haemaphysalis montgomeryi</u>	
	Dog			Dog	
	Kashmir, India			Kashmir, India	
	1912			1912	
	J.E.M. Mellor			J.E.M. Mellor	
				Cited: Nuttall & Warburton (1915: 397).	

ORIGINAL DETERMINATIONCURRENT STATUS

N 2929 N 2929 MISSING

Ixodes ricinus 3 ♀

Dog

Kashmir, India

1912

J.E.M. Mellor

N 2930 N 2930

RML 111793

Dermacentor reticulatus 1 ♀

1 ♂ Dermacentor sp.

Dog

Dog

Kashmir, India

Kashmir, India

1912

1912

J.E.M. Mellor

J.E.M. Mellor

Ticks received from the Indian Museum (per Dr. N. Annandale) Calcutta, India, 12 July, 1914:-

N 2931, a N 2931, a

RML 22301

(2931) Rhipicephalus sp. 2 nymphs
(a) Haemaphysalis parva 2 ♂, 2 ♀

(2931) 2 N Hyalomma sp.
(a) 2 ♂, 1 ♀ Haemaphysalis intermedia

Lepus ruficaudatus

Lepus ruficaudatus

Satapara, Puri District
Orissa, India

Satapara, Puri, Orissa
(21.00 N, 84.00 E), India

16.III.1914

16.III.1914

Dr. N. Annandale

Dr. N. Annandale

(Ind. Mus. 2143)
17

(2931a) Cited: Hoogstraal & Trapido (1963b: 838). Collection 2931a was also given RML No. 72829 & 2832.

Ticks presented by the Deutsches Entomol. Museum, Berlin-Dahlem, 13.VII.1914, having been asked for by me, when I returned their specimens numbered 1-48 which were determined by C.W. & me. Pinned specimens:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2932	N	2932
		RML	111794
	<u>Dermacentor reticulatus</u> (Fabr.) 1 ♂		1 ♂ <u>Dermacentor</u> sp.
	Off ?		Off ?
	Sarepta, Russia		Sarepta (49.40 N, 72.23 E), Kazakh S.S.R., U.S.S.R.
	No date		No date
	Kraatz coll.		Kraatz coll.
	D.E.M. No. 40.		A pinned specimen.
N	2933	N	2933
		RML	111795
	<u>Ixodes vespertilionis</u> Koch 1 ♂ (rare!)		1 ♂ <u>Ixodes vespertilionis</u>
	Off ?		Off ?
	Bosnia		Bosnia (44.00 N, 18.00 E), Yugoslavia
	No date		No date
	Roeschke coll.		Roeschke coll.
	D.E.M. No. 42.		A pinned specimen
			Cited: Nuttall (1916: 334).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2934	N	2934
		RML	111796
	<u>Amblyomma integrum</u> Karsch 1879 1 ♀		1 ♀ <u>Amblyomma integrum</u>
	Off ?		Off ?
	Dambulla Ceylon		Either Dambulla (07.21 N, 80.22 E) or (07.51 N, 80.39 E), Sri Lanka
	1899		1899
	W. Horn coll.		W. Horn coll.
	D.E.M. No. 46.		A pinned specimen.
N	2935	N	2935 MISSING
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, N's		
	Dog (suffering from piroplasmosis)		
	Station Veterinary Hospital, Mhow, Central India		
	27.VI.1914		
	Rec'd. from Major T. W. Rudd, A.V.C. 20.VII.1914.		
N	2936, a	N	2936
		RML	111797
	(2936) <u>Argas reflexus</u> (22 spec's.) (a) <u>Argas persicus</u> (2)		(2936) 4 ♂, 7 ♀, 12 N <u>Argas reflexus</u> (a) MISSING
	Fowls (suffering from spirochaetosis)		Fowls
	Budapest, Hungary		Budapest (47.30 N, 19.05 E), Hungary
	VI.1914		VI.1914
	Rec'd. from Prof. Dr. von Ratz, 20.VII.1914.		Rec'd. from Prof. Dr. von Ratz, 20.VII.1914.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2937	N	2937
		RML	111798
<u>Dermacentor variabilis</u> eggs		1 vial of eggs <u>Dermacentor variabilis</u>	
Winnipeg, Canada		Winnipeg (49.53 N, 97.10 W), Canada	
Received 21.VII.1914 alive		Received 21.VII.1914	
J.R.N. Harrison		J.R.N. Harrison	
Some preserved, rest to be raised [J.R.N.H. det.]		In a jar containing vials of eggs of various species.	
[Thrown away, they shrivelled up & did not hatch out. G.H.F.N. 8.IX.1914]			
Collection of type specimens received from W. F. Cooper & L. E. Robinson, Watford (per L. E. Robinson, Esq.), 23 July, 1914:-			
N	2938	N	2938
		RML	111799
<u>Amblyomma caelatum</u> C.& R., II.1908 (=A. <u>malayanum</u>)		2 ♂, 1 ♀ <u>Amblyomma geoemydae</u> Lectotype and paralectotypes of A. <u>caelatum</u>	
Tortoise (<u>Geoemyda spinosa</u>)		<u>Heosemys spinosa</u>	
Kuala Aring, Java, Malay Peninsula		Kuala Aring, Malaysia (locality not verified)	
1899		1899	
F. F. Laidlaw (Skeat Expedition)		Dr. N. Annandale	
Cooper's No. 259 L.E.R. det. 1926.		Cooper & Robinson (1908: 460) original description of A. <u>caelatum</u> ; Robinson (1926: 230) corrected locality and collector information. Lectotype designated: Keirans & Brewster (1981: 155).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2939	N	2939
		RML	111800
	<u>Amblyomma fiebri</u> (<u>=A. pacae</u> Aragao 1911)		1 ♂, 1 ♀ <u>Amblyomma pacae</u> Lectotype and paralectotype of <u>A. fiebri</u>
	Off ?		Off ?
	San Bernardino, Paraguay, S. America		San Bernardino (25.16 S, 57.19 W), Paraguay
	1911		1911
	Dr. Karl Fiebrig		Dr. Karl Fiebrig
	Cooper's No. 6.		Robinson (1912: 482) original description of <u>A. fiebri</u> : Cited: Robinson (1926: 211). Lectotype designated: Keirans & Brewster (1981: 156).
N	2940	N	2940
		RML	111834
	<u>Amblyomma longirostrum</u> C. & R., II. 1908 (<u>=A. humerale</u> Koch, 1844)		1 ♀ <u>Amblyomma humerale</u> Holotype of <u>A. longirostrum</u>
	Off ?		Off ?
	British Guiana, S. America		Guyana
	1907		1907
	E. C. Foote, coll.		E. C. Foote
	Cooper's No. 265.		
	L. E. Robinson det. 1926.		Cooper & Robinson (1908: 457) original description of <u>A. longirostrum</u> ; cited: Robinson (1926: 181).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2941	N	2941
		RML	111835
	<u>Amblyomma variegatum</u> var. <u>nocens</u> Robinson I. 1912 1 ♂ (= <u>pomposum</u> Dohitz, 1909)		1 ♂ <u>Amblyomma pomposum</u> Lectotype of <u>A. variegatum nocens</u>
	Off ?		Off ?
	Rhodesia, S. Africa		Zimbabwe
	1911		1911
	E. M. Jarvis		E. M. Jarvis
	Cooper's No. 371. L.E.R. det. 1926.		Robinson (1912: 480) original description of <u>A. variegatum nocens</u> : Robinson (1926: 100) stated collect- ion was "? off cattle"; Hoogstraal (1956a: 243) discussed the question- able locality record of "Southern Rhodesia" for this collection. Lectotype designated: Keirans & Brewster (1981: 157).
N	2942	N	2942
		RML	111836
	<u>Aponomma simplex</u> C. & R., II. 1908 1 ♂		1 ♂ <u>Aponomma fimbriatum</u> Holotype of <u>Ap. simplex</u>
	<u>Iguana</u> sp.		<u>Varanus</u> sp.
	Quambone, New South Wales, Australia		Quambone (30.31 S, 147.38 E), New South Wales, Australia
	1899		1899
	W. F. Cooper		W. F. Cooper
	Cooper's No. 275.		Cooper & Robinson (1908: 466) original description of <u>Ap. simplex</u> ; Roberts (1953: 136) gave the spel- ling Quamborne for the collecting locality.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2943	N	2943
		RML	111837
	<u>Aponomma quadratum</u> C. & R., II. 1908 ♂		1 ♂ <u>Aponomma varanensis</u> Holotype of <u>Ap. quadratum</u>
	<u>Iguana</u> sp.		<u>Varanus</u> sp.
	Quambone, New South Wales, Australia		Quambone (30.31 S, 147.38 E), New South Wales, Australia
	1899		1899
	W. F. Cooper		W. F. Cooper
	Cooper's No. 280.		Cooper & Robinson (1908: 468) original description of <u>Ap. quadratum</u> cited: Roberts (1953: 137); Kaufman (1972: 355).
N	2944	N	2944
		RML	111838
	<u>Haemaphysalis silacea</u> R., I. 1912 2 ♀'s		2 ♀ <u>Haemaphysalis silacea</u> Lectotype and paralectotype
	Cattle		Cattle
	Starvation Camp, Gonubie Park, E. London, South Africa		Starvation Camp, Gonubie Park (32.55 S, 27.59 E), Republic of South Africa
	24.II.1911		24.II.1911
	("R.J.D.")		Mr. R. J. Davys
	Cooper's No. 370.		Robinson (1912: 478) original description; Nuttall & Warburton (1915: 418) added the collector's name. Lectotype designated: Keirans & Brewster (1981: 163).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2945	N	2945
		RML	111839
	<u>Rhipicentor nuttalli</u> C.&R., 1908 1 ♂		1 ♀ <u>Rhipicentor nuttalli</u>
	Off ?		Off ?
	Sandown, Rhodesia, South Africa		Either Sandown (16.58 S, 30.57 E) or (17.33 S, 30.46 E), Zimbabwe
	1907		1907
	J. S. Looseley		J. S. Looseley
	Cooper's No. 282		Cooper & Robinson (1908: 462) original description based on 1 ♂. This ♀ is not the type specimen.
	Five tubes of ticks received from F. K. Ward, Esq. (through Mrs. Marshall Ward, Cambridge), 25.VII.1914:-		
N	2946	N	2946
		RML	111840
	<u>Ixodes gigas</u> 1 ♂		1 ♂ <u>Ixodes acutitarsus</u>
	Off "self"		<u>Homo sapiens</u>
	Salween Valley jungles (7-8,000 ft), Chamuteng, Tibet		Perhaps vicinity of Salween River (16.31 N, 97.37 E), Tibet Autonomous Republic, Peoples Republic of China (2134-2438 m).
	1914		1914
	F. K. Ward		F. K. Ward
			Cited: Nuttall (1916: 327).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2947, a	N 2947, a
	RML 22288	(2947) 1 ♂, 1 ♀ <u>Ixodes ovatus</u>
	(2947) <u>Ixodes japonensis</u> COTYPE ♂, 1 ♂, 1 ♀	(a) 1 N <u>Haemaphysalis</u> sp.
	(a) <u>Haemaphysalis</u> ? <u>warburtoni</u> 1 N	<u>Homo sapiens</u>
	Off "self"	Kā-gur-pu forests (11,000 ft) (Yünnan-Tibet border)
	1914	Kā-gur-pu Mountains, Yunnan Province (25.00 N, 102.00 E), Peoples Republic of China (3353 m)
	Dr. F. K. Ward	1914
	Note: Consult map & note to N3019 Kā-gur-pu are mountains near Doker-la in N.W. corner of Yünnan, China on border of Tibet. Atun-tsi is in N.W. Yünnan G.H.F.N.	Dr. F. K. Ward
		Nuttall (1916: 305) first description of the ♂ of <u>I. ovatus</u> .
		2947 - 5 slides of dissections ♀ legs I & IV; ♀ spiracular plate; ♂ spiracular plate; ♂ legs I & IV; ♂ hypostome.
N	2948	N 2948
	RML 111841	4 ♀ <u>Ixodes ovatus</u>
	Off "self"	<u>Homo sapiens</u>
	Doker-la (13,000 ft.), (Mts. Yünnan- Tibet border)	Doker-la Mountains Yunnan Province (25.00 N, 102.00 E), Peoples Republic of China (3962 m)
	1914	1914
	F. K. Ward	F. K. Ward
		Cited & figured: Nuttall (1916: 305); Hoogstraal (1970c: 81).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2949	N	2949
		RML	111842
	<u>Ixodes japonensis</u> 5 ♀		5 ♀ <u>Ixodes ovatus</u>
	Cow		Cow
	Kā-gur-pu forests (11,000 ft.)		Kā-gur-pu, Yunnan Tibet border Yunnan Province (25.00 N, 102.00 E), Peoples Republic of China (3353 m).
	VI.1913		VI.1913
	F. K. Ward		F. K. Ward
	Nutt. & Warb. det.		Cited: Nuttall (1916: 306).
N	2950	N	2950
		RML	111843
	<u>Haemaphysalis</u> sp. 1 N like 2947a		1 N <u>Haemaphysalis</u> sp.
	Off "self"		<u>Homo sapiens</u>
	A-tun-tsi (13,000 ft) (N.W. Yunnan, China)		Atuntze-now Te-Chin (28.30 N, 98.52 E) Yunnan Province, Peoples Republic of China
	1914		1914
	F. K. Ward		F. K. Ward

Ticks received from C. Strickland M.B., Malaria Bureau, Bicket Nanas,
Kuala Lumpur, Federated Malay States, 27.VII.1914:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	2951	N 2951
		RML 111844
	<u>Haemaphysalis hystricis</u> 1 ♀	1 ♀ <u>Haemaphysalis semermis</u>
	Dog	Dog
	Port Dickinson, N. Sembilan	Port Dickinson (02.31 N, 101.48 E), Negeri Sembilan, Malaysia
	II.1912	II.1912
	Rec'd. from C. Strickland	Rec'd. from C. Strickland
	Strickland No. T.60.	Cited: Nuttall & Warburton (1915: 425); Hoogstraal <u>et al</u> (1965b: 434).
N	2952	N 2952
		RML 111845
	<u>Haemaphysalis hystricis</u> 1 ♂, 1 ♀	1 ♂, 1 ♀ <u>Haemaphysalis semermis</u>
	Dog	Dog
	Ulu Gombak, Selangor	Ulu Gombak, Selangor, Malaysia (locality not verified)
	XI.1913	XI.1913
	Rec'd. from C. Strickland	Rec'd. from C. Strickland
	Strickland's No. T 61.	Cited: Nuttall & Warburton (1916: 425).

ORIGINAL DETERMINATIONCURRENT STATUS

N	2953	N	2953
		RML	111846
	<u>Haemaphysalis hystricis</u> 2 ♀		2 ♀ <u>Haemaphysalis semermis</u>
	<u>Ursus malayensis</u>		<u>Helarctos malayanus</u>
	Ulu Gombak, Selangor		Ulu Gombak, Selangor, Malaysia (locality not verified)
	IV.1913		IV.1913
	Rec'd. from C. Strickland		Rec'd. from C. Strickland
	Strickland's No. T 65b.		Cited: Nuttall & Warburton (1915: 425); Hoogstraal <u>et al</u> (1965b: 435).
N	2954	N	2954
		RML	111847
	<u>Haemaphysalis koningsbergeri</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Haemaphysalis koningsbergeri</u>
	<u>Ursus malayensis</u>		<u>Helarctos malayanus</u>
	Ulu Gombak, Selangor		Ulu Gombak, Selangor, Malaysia (locality not verified)
	IV.1913		IV.1913
	Rec'd. from C. Strickland		Rec'd. from C. Strickland
	Stricklands No. T 65b.		Cited: Nuttall & Warburton (1915: 475).

Ticks presented by the Museo Civico di Storia Naturale di Genova (per Professor Gestro), Genova, Italy 29 July, 1914:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2955	N	2955
		RML	111848
	<u>Amblyomma sublaeve</u> 1 nymph (deformed!)		1 N <u>Amblyomma</u> sp.
	<u>Manis javanica</u>		<u>Manis javanica</u>
	Karkebet, Burma		Karkebet, Burma (locality not verified)
	L. Fea		L. Fea
	A type of <u>Rhipicephalus javanensis</u> Supino (see Nn II.416)		Supino (1897: 233) original description of <u>R. javanensis</u> . Cited: Neumann (1897: 416) Nuttall (1914a: 256) figured this specimen.
	Genoa Mus. No. given me 28a.		

NOTE: These specimens are of particular interest as they are pickings from those collected by L. Fea on his journey in Burma. They were contained in 2 bottles labelled I "Tipi di Canestrini St. Supino" & II Aecki di Birmaniae (Viaggio Fea)". See F. Supino "Nuovi Ixodes della Birmania," Padova; also G. Canestrini, Ann Museo Civico Genova XXXVII, p. 417-422. I gave the Genoa Museum many good specimens in exchange. The original labels give scarcely more data than the names. I have added particulars from Neumann II (1897) pp. 416-418 etc. The collection was sent to me by Prof. Gestro after my visit to Genoa.

G.H.F.N.

Names of places where Fea collected are given in Gestro 1904 pp. 6-8
Leonardo Fea ed i suoi Viaggi Genova: biographia R. Instituto Sordomuti.
He reached Bhamo Burma, VI.1885 and collected there for 11 months, then
the northernmost point reached by the Yrrawaddy Flotilla. He explored
the Catcin Mts., etc. Spent 1 year in Carin Mts. & returned to Genoa 1889.
N.

ORIGINAL DETERMINATIONCURRENT STATUS

N 2956

N 2956

RML 111849

Haemaphysalis hystricis 1 ♂
 CO-TYPE of H. hystricis Supino 1897

1 ♂ Haemaphysalis hystricis
 Lectotype

Hystrix bengalensis & Ursus torquatus

Hystrix hodgsoni & Selenarctos thibetanus

Yado-Carin-Ascinii-Chebā and
 Carin-Chebā Burma (900 m elev.)

Yado-Carin-Ascinii-Chebā and
 Carin-Chebā, Burma (900,1000 m)
 (locality not verified)

L. Fea

L. Fea

(Nn II.342 & Fea cited in Gestro
 Genoa Mus. No. given me. 20.

Supino (1897: 237) original
 description. Cited: Nuttall &
 Warburton (1915: 425); Hoogstraal
 et al (1965c: 467, 476). Trapido
 (1965: 159) designated the lectotype.

N 2957

N 2957

RML 111850

Haemaphysalis hystricis 1 ♀
 Supino CO-TYPE

1 ♀ Haemaphysalis hystricis
 Paralectotype

Hystrix bengalensis & Ursus torquatus

Hystrix hodgsoni & Selenarctos tibetanus

Yado-Carin-Ascinii-Chebā and
 Carin-Chebā Burma (900 m elev.)

Yado-Carin-Ascinii-Chebā and
 Carin-Chebā, Burma (900-1000 m)
 (locality not verified)

L. Fea

L. Fea

Genoa Mus. No. given me. 21.

Supino (1897: 237) original
 description. Cited: Nuttall &
 Warburton (1915: 425); Hoogstraal
 (1965c: 467, 476); Trapido
 (1965: 159).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2958	N	2958
		RML	70007
	<u>Haemaphysalis formosensis</u> 1 ♀		1 ♀ <u>Haemaphysalis aborensis</u>
	In same tube as N 2957		In same tube as N 2957
	Burma		Burma
	L. Fea		L. Fea
	Genoa Mus. No. given me. 21a.		Cited: Nuttall & Warburton (1915: 402); Hoogstraal <u>et al</u> (1971: 758).
N	2959	N	2959
		RML	111851
	<u>Haemaphysalis leachi</u> 1 ♀		1 ♀ <u>Haemaphysalis asiaticus</u> SYNTYPE of <u>Opisthon gestroi</u>
	<u>Viverra zibetha</u> or <u>Felis nebulosa</u>		<u>Viverra zibetha</u> or <u>Neofelis nebulosa</u>
	Yado & Caro-Cheba, Burma (Nn.II.357)		Yado & Caro-Cheba, Burma (locality not verified)
	L. Fea		L. Fea
	Labelled " <u>Prosopodon gestroi</u> " (Supino 1897) of which it must be a COTYPE (in same tube as <u>R. haemaphysaloides</u>).		Supino (1897: 238), original description of <u>Opistodon gestroi</u> . Cited: Neumann (1897: 357); Nuttall & Warburton (1915: 475).
	Genoa Mus. No. given me. 22.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2960	N 2960
		RML 111852
	<u>Haemaphysalis leachi</u> 1♂ labelled "Prosopodon canestrinii" (Supino, 1897) a CO-TYPE?	1♂ <u>Haemaphysalis</u> sp. Syntype of <u>Opisthodon canestrinii</u>
	<u>Centrococcyx intermedius</u> <u>Felis bengalensis</u> , <u>Nicoria trijuga</u> & <u>Testudo elongata</u>	<u>Centropus sinensis intermedius</u> , <u>Felis bengalensis</u> , <u>Nicoria trijuga</u> , & <u>Testudo elongata</u> (names obviously unreliable).
	Bhamo, Burma	Bhamo (24.16 N, 97.14 E), Burma
	L. Fea	L. Fea
	Genoa Mus. No. given me. 23.	Supino (1897: 237) original description of <u>O. canestrinii</u> . Cited: Neumann (1897: 357); Nuttall & Warburton (1915: 475).
N	2961	N 2961
		RML 111853
	<u>Dermacentor auratus</u> 1♂, 2♀ Supino CO-TYPE	1♂, 2♀ <u>Dermacentor auratus</u> Syntypes
	<u>Ursus torquatus</u> & <u>Sus cristatus</u>	<u>Selenarctos thibetanus</u> <u>Sus scrofa cristatus</u>
	Carin Cheba and Mt. Mooleyit, Burma (Nn II. p. 382 also Gestro p. 8)	Carin Cheba and Mt. Mooleyit, Burma (locality not verified)
	L. Fea	L. Fea
	Genoa Mus. No. given me. 26.	Supino (1897: 235) original description. Cited: Neumann (1897: 382); Arthur (1960b: 157). ♂ mounted on a slide.
		The ♀'s appear to represent two different species and should be restudied.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2962	N	2962
		RML	86285
	<u>Haemaphysalis birmaniae</u> 4 ♂		2 ♂ <u>Haemaphysalis birmaniae</u> Lectotype & Paralectotype 1 ♂ <u>Haemaphysalis</u> sp. nr. <u>choprai</u>
	<u>Cervulus muntjac</u> & <u>Antherura macrura</u>		<u>Muntiacus muntjac</u> & <u>Antherurus macrourus</u>
	Carin Gheen and Yado-Carin-Ascinii Cheba, Burma		Carin Gheen and Yado Carin Ascinii Cheba, Burma (locality not verified)
	1887-9		1887-9
	L. Fea		L. Fea
	Genoa Mus. No. given me. 27.		Supino (1897: 236) original description. Cited: Neumann (1897: 336); Trapido (1965: 154) selected the lectotype; Hoogstraal et al (1965a: 115); Hoogstraal (1970b: 1228). Hoogstraal & Dhanda (1970: 169) described <u>Haemaphysalis</u> <u>darjeeling</u> , one male of which was from N 2962. This specimen could not be located.
			Note in vial "1 ♂ gone 18.X.1934".
N	2963	N	2963
		RML	111854
	<u>Rhipicephalus haemaphysaloides</u> 1 ♂ Supino CO-TYPE		1 ♂ <u>Rhipicephalus haemaphysaloides</u> Syntype
	Off vegetation		Off vegetation
	Mt. Muleyit, Meteleo also at Thagata, Juva & N.E. of Bomo, Burma		Mt. Muleyit, Meteleo also at Thagata, Juva & N.E. of Bomo, Burma (locality not verified)
	L. Fea		L. Fea
	Genoa Mus. No. given me. 30. (labelled " <u>Rhip. haemaphysaloides</u> <u>ruber</u> ♂").		Supino (1897: 234) original description. Cited: Neumann (1897: 418).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2964	N	2964
		RML	111855
	<u>Ixodes globulosus</u> 1 nymph Supino CO-TYPE		1 N <u>Ixodes</u> sp. SYNTYPE of <u>I. globulosus</u>
	<u>Antherura macrura</u>		<u>Antherurus macrourus</u>
	Yado Carin Ascini Cheba, Burma (Nn III.165)		Yado Carin Ascini Cheba, Burma (locality not verified)
	L. Fea		L. Fea
	(labelled "Ix. <u>globulosus</u> ♀") Genoa Mus. No. given me. 31.		Supino (1897: 232) original description. Cited: Neumann (1899:165).
N	2965	N	2965
		RML	111856
	<u>Rhipicephalus haemaphysaloides</u> 1 ♀		1 ♀ <u>Rhipicephalus haemaphysaloides</u> SYNTYPE
	Off vegetation		Off vegetation
	Mt. Muleyit, Meteleo also at Thagata, Juva & N.E. of Bomo, Burma		Mt. Muleyit, Meteleo also at Thagata, Juva & N.E. of Bomo, Burma (locality not verified)
	L. Fea		L. Fea
	Genoa Mus. No. given me. 32. (labelled " <u>Rhip. haemaphysaloides</u> <u>ruber</u> Supino ♀. Co-Type)		Supino (1897: 234) original description. Cited: Neumann (1897: 418).
			Vulva removed and mounted on a slide.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2966	N	2966
		RML	111857
	<u>Ixodes granulatus</u> 4 ♀ CO-TYPES		4 ♀ <u>Ixodes granulatus</u> SYNTYPES
	<u>Sciurus gordoni</u> , <u>S. rufigenis</u> , <u>S. striatus</u> , <u>Felis tigris</u>		<u>Callosciurus erythraeus gordoni</u> , <u>Dremomys rufigenis</u> , <u>Tamias sibiricus</u> <u>striatus</u> , <u>Panthera tigris</u>
	Bhamo, Mooleyis, Tarrawaddy, Terinzo in Upper & Lower Burma (Nn. III.165)		Bhamo (24.16 N, 97.14 E), Burma (other localities not verified)
	L. Fea		L. Fea
	Genoa Mus. No. given me. 37. [<u>Ix.</u> <u>granulatus</u> is a good species closely allied to <u>Ix.</u> <u>angustus</u> . G.H.F.M.]		Supino (1897: 232), original description. Cited: Neumann (1899: 164); figured: Nuttall (1916: 316); Arthur (1957b: 684).
N	2967	N	2967
		RML	111858
	<u>Amblyomma testudinis</u>		2 ♀ <u>Amblyomma supinoi</u> SYNTYPES of <u>Ixodes testudinis</u>
	<u>Testudo elongata</u> , <u>Nicoria trijuga</u> & <u>Varanus bengalensis</u>		<u>Testudo elongata</u> , <u>Nicoria trijuga</u> & <u>Varanus bengalensis</u> (names not verified)
	Bhamo, Burma (Nn III.200)		Bhamo (24.16 N, 97.14 E), Burma
	L. Fea		L. Fea
	Genoa Mus. No. given me. 38. ("Ixodes testudinis Supino") Redetermined as <u>Amblyomma supinoi</u> by L. E. Robinson, 1926.		Supino (1897:230), original description. Cited: Neumann (1899: 199) as <u>Aponomma testudinis</u> .

ORIGINAL DETERMINATIONCURRENT STATUS

N 2968

N 2968

RML 111859

Aponomma gervaisi var. lucasi 2 ♂
("Ixodes varanensis" Supino" CO-TYPE)2 ♂ Aponomma varanensis SYNTYPES
of Ixodes varanensisVaranus salvatorVaranus salvator

Mt. Catcin, Burma (Nn.II.185)

Mt. Catcin, Burma (locality
not verified)

L. Fea

L. Fea

Genoa Mus. No. given me. 39.

Supino (1897: 231), original
description. Cited: Neumann
(1897: 185); Kaufman (1972: 336).

N 2969

N 2969

RML 111860

Amblyomma sublaeve 2 ♂ ("Dermacentor
indicus ♂") CO-TYPE2 ♂ Amblyomma javanense SYNTYPES
of Dermacentor indicus

Off ?

Off ?

Kokarit, Tenasserim, British Burma

Kokarit (spelled Kokarcet in Supino
(1897: 236), Tenasserim Island
(12.35 N, 97.52 E), Burma

L. Fea

L. Fea

Genoa Mus. No. given me. 40.

Supino (1897: 236), original
description. Cited: Neumann
(1897: 382).Determined as Amblyomma sublaeve
by L. E. Robinson, 1926.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2970	N	2970
		RML	111861
	<u>Haemaphysalis birmaniae</u> 1 ♂ 1 of 4 TYPES		1 ♂ <u>Haemaphysalis birmaniae</u> Paralectotype
	<u>Cervulus muntjac</u> & <u>Antheura macrura</u>		<u>Muntiacus muntjac</u> & <u>Antherurus macrourus</u>
	Carin Gheen and Yado-Carin-Ascinii Cheba, Burma		Carin Gheen and Yado Carin Ascinii Cheba, Burma (locality not verified)
	1887-9		1887-9
	L. Fea		L. Fea
	Genoa Mus. No. given me. 44.		Supino (1897: 236) original description. Cited: Neumann (1897: 336); Trapido (1965: 154) selected the paralectotype; Hoogstraal <u>et al</u> (1965a: 115).
N	2971	N	2971
		RML	111862
	<u>Rhipicephalus haemaphysaloides</u> 1 ♂ CO-TYPE		1 ♂ <u>Rhipicephalus haemaphysaloides</u> SYNTYPE
	Off vegetation		Off vegetation
	Mt. Muleyit, Meteleo also at Thagata Juva & N.E. of Bomo, Burma		Mt. Muleyit, Meteleo also at Thagata Juva & N.E. of Bomo, Burma (locality not verified)
	L. Fea		L. Fea
	Genoa Mus. No. given me. 46.		Supino (1897: 234), original description. Cited: Neumann (1897: 418).

ORIGINAL DETERMINATION

N 2972
Amblyomma petersi 1 ♂, 1 ♀
 Off ?
 Uganda, E. Africa
 1909
 Dr. H. Bayon
 Genoa Mus. No. given me. 53.

N 2973

Dermacentor rhinocerotis 2 ♂
 Off ?
 Uganda, E. Africa
 1909
 Dr. H. Bayon
 Genoa Mus. No. given me. A.
 (Picked ex. ca. 40♂)

CURRENT STATUS

N 2972
 RML 111863
 1 ♂, 1 ♀ *Amblyomma rhinocerotis*
 Off ?
 Uganda
 1909
 Dr. H. Bayon

N 2973
 RML 111864
 2 ♂ *Dermacentor rhinocerinus*
 Off ?
 Uganda
 1909
 Dr. H. Bayon

ORIGINAL DETERMINATIONCURRENT STATUS

N	2974	N	2974
		RML	111865
	<u>Dermacentor rhinocerotis</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Dermacentor rhinocerinus</u>
	Off ?		Off ?
	Nimula, Uganda, E. Africa		Nimula, Uganda (locality not verified)
	VI.1910		VI.1910
	Dr. H. Bayon		Dr. H. Bayon
	Genoa Mus. No. given me. B		
	(picked ex hundreds in lot)		

Ticks presented by the Deutsches Entomologisches Museum (per Professor Dr. S. Schencking), Berlin-Dahlem, Germany, 31 July, 1914:-

N	2975	N	2975
		RML	111866
	<u>Hyalomma aegyptium</u> 2 ♀		2 ♀ <u>Hyalomma dromedarii</u>
	Off ?		Off ?
	Kasawaserei, N.W. Persia		Kasawaserei, Iran (locality not verified)
	No date		No date
	Dr. Blau		Dr. Blau
	D.E.M. No. 1		Nuttall apparently entered this collection in his catalogue twice: see N 2904.

ORIGINAL DETERMINATIONCURRENT STATUS

N	2976	N	2976
		RML	111867
	<u>Haemaphysalis bispinosa</u> ♀'s		3 ♀ <u>Haemaphysalis longicornis</u>
	Dog		Dog
	Tsingtau, China		Ching-Tao (36.04 N, 120.19 E), Shantung, Peoples Republic of China
	No date		
	Professor Hoffmann		Professor Hoffmann
	D.E.M. No. 3.		Nuttall apparently entered this collection in his catalogue twice; See 2905.
			Nuttall & Warburton (1915: 433) gave the collection date of 7.VIII.1914 but this is incorrect because the ticks were presented to Nuttall on 31.VII.1914. Cited: Hoogstraal et al. (1968: 1204).
N	2977	N	2977
		RML	111868
	<u>Haemaphysalis hystricis</u> 2 ♀		2 ♀ <u>Haemaphysalis longicornis</u>
	Hedgehog		<u>Erinaceus europaeus</u>
	Tsingtau, China		Ching-Tao (36.04 N, 120.19 E), Shantung, Peoples Republic of China
	No date		No date
	Professor Hoffmann		Professor Hoffmann
	D.E.M. No. 13.		Nuttall apparently entered this collection in his catalogue twice; see 2905z.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	2978	N	2978
		RML	111869
	<u>Dermacentor niveus</u> 2 ♂'s		2 ♂ <u>Dermacentor asper</u> SYNTYPES
	Hedgehog		<u>Erinaceus europaeus</u>
	Tsingtau, China		Ching-Tao (36.04 N, 120.19 E), Shantung, Peoples Republic of China
	No date		No date
	Professor Hoffmann		Professor Hoffmann
	D.E.M. No. 13a.		Arthur (1960b:114) original description. Nuttall apparently entered this collection in his catalogue twice; see 2905z, a.
	Reexamined 14.VII.1921, <u>not</u> <u>"modestus."</u> We regard it as an atypical variant of <u>D. niveus</u> Nn.		
N	2979	N	2979
		RML	111870
	<u>Ixodes caledonicus</u> 1 ♀		1 ♀ <u>Ixodes</u> sp.
	Off ?		Off ?
	Bosnia, Austria-Hungary		Bosnia (44.00 N, 18.00 E), Yugoslavia
	No date		No date
	Roeschke coll.		Roeschke coll.
	D.E.M. No. 48.		Cited: Nuttall (1916: 325).
N	2980	N	2980
		RML	111871
	<u>Rhipicephalus sanguineus</u> N's (gorged)		23 N <u>Rhipicephalus sanguineus</u>
	Dog (Fox-terrier puppy)		Dog
	Mhow, Central Provinces, India		Mhow (22.33 N, 75.46 E), India
	VII.1914		VII.1914
	Major T. W. Rudd, A.V.C. Rec'd. 4.VIII.1914.		Major T.W. Rudd, A.V.C.

Ticks retained from specimens sent for determination by the Indian Museum
(per Dr. Annandale), Calcutta, India, 27 July, 1914:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2981	N	2981
		RML	111872
	<u>Aponomma gervaisi</u> 3 ♀'s		3 ♀ <u>Aponomma gervaisi</u>
	Bengal Monitor (<u>Varanus bengalensis</u>)		<u>Varanus bengalensis</u>
	Zoological Gardens, Calcutta		Zoological Gardens, Calcutta (22.32 N, 88.22 E), India
	26.I.1914		26.I.1914
	Rec'd. from Dr. N. Annandale		Rec'd. from Dr. N. Annandale
	Indian Mus. No. <u>2144</u> <u>17</u> .		
N	2982	N	2982
		RML	111873
	<u>Amblyomma sublaeve</u> 1 ♂		1 ♂ <u>Amblyomma javanense</u>
	<u>Manis pentadactyla</u>		<u>Manis pentadactyla</u>
	Zoological Gardens, Calcutta		Zoological Gardens, Calcutta (22.32 N, 88.22 E), India
	1.III.1914		1.III.1914
	Rec'd. from Dr. N. Annandale		Rec'd. from Dr. N. Annandale
	Indian Mus. No. <u>2145</u> <u>17</u>		
	L.E.R. det. 1926.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 2983

N 2983

RML 111874

Aponomma gervaisi ♂'s, ♀'s1 ♂, 1 ♀ Aponomma gervaisiVaranus bengalensisVaranus bengalensisNiroddumunai, Trincomali District,
CeylonNiroddumunai (08.31 N, 31.11 E),
Eastern Province, Sri Lanka

II.1914

II.1914

Rec'd. from Dr. N. Annandale

Rec'd. from Dr. N. Annandale

Indian Mus. No. CM
T

Slide missing

[2 ♂, 2 ♀ mounted in cells with
other Aponomma sp.]1 ♂, 1 ♀ to Dr. E. Pavlovsky,
Leningrad 9.XI.1925.

Ticks retained from the collection sent for determination by Dr. Georgina Sweet, The Veterinary School, University of Melbourne, Parkville, Melbourne, Victoria, Australia, 18 February, 1914:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2984	N	2984
		RML	111875
<u>Ixodes ornithorhynchi</u> 2 ♀, 4 N 0-TYPE		2 ♀, 4 N <u>Ixodes ornithorhynchi</u>	
<u>Platypus</u> sp.		<u>Ornithorhynchus anatinus</u>	
Australia		Australia	
17.IV.1910		17.IV.1910	
Rec'd. from Dr. Georgina Sweet			
Sweet No. 257		Cited: Nuttall (1916: 329).	
<p>Compared with (a) Lucas' type I. <u>ornithorhynchi</u> Lucas ♀ in the Paris Museum, 31.VII.1914, and found it identical in all respects (The Paris label reads "<u>Ixodes ornithorhynchi</u> ♀, Type Patria ignota," also with (b) a specimen labelled "<u>Ix. ornithorhynchi</u> Lucas ♀, Iles Mariannes, A. Marshe 59.-1888. L. G. Neumann det. 1904." Both (a) & (b) were loaned me by the Paris Museum & were returned by me on 31.VII.1914.</p>			
G.H.F.N.			
N	2985	N	2985
		RML	111876
<u>Aponomma trimaculatum</u> 2 N's		2 N <u>Aponomma trimaculatum</u>	
Goanna		<u>Varanus</u> sp.	
Lochinvar, Queensland, Australia		Lochinvar, Queensland, Australia (locality not verified). There is a Lochinvar (32.42 S, 151.29E) in New South Wales.	
Sent 18.II.1914		Sent 18.II.1914	
Rec'd. from Dr. Georgina Sweet		Rec'd. from Dr. Georgina Sweet	
Sweet No. 334.		Tentative ID.	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	2986		N	2986	
			RML	111876	
	<u>Aponomma trimaculatum</u> 2 ♂, 2 ♀			3 ♀ <u>Aponomma trimaculatum</u>	
	Goanna			<u>Varanus</u> sp.	
	Lochinvar, Queensland, Australia			Lochinvar, Queensland, Australia (locality not verified). There is a Lochinvar (32.42 S, 151.29 E) in New South Wales.	
	Sent 18.II.1914			Sent 18.II.1914	
	Rec'd. from Dr. Georgina Sweet			Rec'd. from Dr. Georgina Sweet	
	Sweet No. 334.			Note in vial "1 ♀ missing 2.III.33 G.H.F.N.".	
N	2987		N	2987	
			RML	111877	
	<u>Aponomma trimaculatum</u> 3 N			3 N <u>Aponomma trimaculatum</u>	
	Brown water snake			Brown water snake	
	Lochinvar Station, Queensland, Australia			Lochinvar Station, Queensland, Australia (locality not verified). There is a Lochinvar (32.42 S, 151.29E) in New South Wales.	
	Sent 18.II.1914			Sent 18.II.1914	
	Rec'd. from Dr. Georgina Sweet			Rec'd. from Dr. Georgina Sweet	
	Sweet No. 338			Tentative ID.	
N	2988		N	2988	
			RML	111878	
	<u>Aponomma trimaculatum</u> ♂'s			6 ♂ <u>Aponomma trimaculatum</u>	
	On piece of skin, off goanna			On piece of skin, off <u>Varanus</u> sp.	
	Adelaide River, Northern Territory S. Australia?			Adelaide River (31.15 S, 131.06 E), Northern Territory, Australia	
	Sent 18.II.1914			Sent 18.II.1914	
	Rec'd. from Dr. Georgina Sweet			Rec'd. from Dr. Georgina Sweet	
	Sweet No. 460.				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2989	N	2989
		RML	111879
	<u>Aponomma trimaculatum</u> 2 ♂ Snake (poisonous, 10 ft. long)		2 ♂ <u>Aponomma trimaculatum</u> Snake
	Sent 18.II.1914		Australia
	Rec'd. from Dr. Georgina Sweet Sweet No. 556.		Sent 18.II.1914
			Rec'd. from Dr. Georgina Sweet
N	2990	N	2990
		RML	111880
	<u>Aponomma trimaculatum</u> 2 ♂ Goanna Victoria, W. Australia Sent 18.II.1914 Rec'd. from Dr. Georgina Sweet Sweet No. 1 a. (with N2991).		2 ♂ <u>Aponomma trimaculatum</u> <u>Varanus</u> sp. Victoria, Australia Sent 18.II.1914 Rec'd. from Dr. Georgina Sweet
N	2991	N	2991
		RML	111880
	<u>Aponomma decorosum</u> 3 ♂ Goanna Victoria, W. Australia Sent 18.II.1914 Rec'd. from Dr. Georgina Sweet Sweet No. 1. (with N. 2990).		3 ♂ <u>Aponomma decorosum</u> <u>Varanus</u> sp. Victoria, Australia Sent 18.II.1914 Rec'd. from Dr. Georgina Sweet

ORIGINAL DETERMINATIONCURRENT STATUS

N 2992

N 2992

RML 111881

Aponomma decorosum 4 ♂, 1 ♀, N's & L4 ♂, 1 ♀, 11 N, 2 L Aponomma decorosum

On piece of skin of goanna

Attached to 3 pieces of skin of
Varanus sp.

Gunnedah, New South Wales

Gunnedah (30.59 S, 150.15 E),
New South Wales, Australia

XII.1912

XII.1912

Rec'd. from Dr. Georgina Sweet

Sweet No. 2.

Ticks received 17.VIII.1914 from Prof. W. B. Herms, Dept. of Entomology, Berkeley, University of California who has had them raised by Mr. Chandler (see his letter or entry in Ticks I ms) extracted:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2993	N	2993
		RML	111882
	<u>Ornithodoros coriaceus</u> eggs & larvae		9 L <u>Ornithodoros coriaceus</u>
	Raised in Berkeley, California		Raised in Berkeley (37.57 N, 122.18 W), California, U.S.A.
	Laid & hatched 4-7.VII.1914		Laid & hatched 4-7.VII.1914
	Rec'd. from Prof. W. B. Herms		Rec'd. from Prof. W. B. Herms
	Extract of Herms' letter of 20.VII.1914. These ticks feed readily on ears of rabbits. Larvae stayed on 5-6 days, nymphs 15-20 minutes. Eggs laid 4.VII.14 had mostly hatched on arrival 17.VIII in Cambridge. The other larvae (all put together in N 2993) hatched out on 7.VII.14. The two N's 2994 (I) fed 19.V.14 as larvae, moulted 6.VI.14 as 1st stage nymphs and <u>without feeding</u> moulted again 26.VI.14 N2994 (ii) are skins of 1st stage N's.		
N	2994	N	2994
		RML	111883
	<u>Ornithodoros coriaceus</u> The 2nd stage N's & first stage N's skins		2 N <u>Ornithodoros coriaceus</u>
			Fed as larvae on ears of rabbit
	Raised in Berkeley, California		Raised in Berkeley (37.57 N, 122.18 W), California, U.S.A.
	Rec'd. 17.VIII.1914		Rec'd. 17.VIII.1914
	Rec'd. from W. B. Herms		Rec'd. from Dr. W. B. Herms.

Ticks from Zoologisches Museum, Berlin, received for determination in 1914. Picked out duplicates as follows:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2995	N	2995
		RML	111884
	<u>Amblyomma concolor</u> 1 ♀		1 ♀ <u>Amblyomma auricularium</u>
	No data other than "ekt. 6255"		No data other than "ekt. 6255"
			South America
	Berlin No. 240 (L. E. R. det.)		
N	2996	N	2996
		RML	111885
	<u>Haemaphysalis calcarata</u> var. <u>houyi</u> 3 ♂, 1 ♀, L N COTYPES		3 ♂, 1 ♀, 1 N <u>Haemaphysalis houyi</u> Lectotype and Paralectotypes
	Off ?		Off ?
	Bate, New Cameroon, Africa		Bade (06.41 N, 17.07 E), Central African Republic
	Dr. Houy coll.		Dr. Houy coll.
	Berlin Mus. No. 279. (leaving 4 ♂, 1 N to return to Berlin)		Nuttall & Warburton (1915: 444), original description. Hoogstraal (1954a: 307) raised the taxon to specific rank; Hoogstraal (1955a: 373) gave coordinates similar to those above. Lectotype designated: Keirans & Brewster (1981: 159).
	[Moritz & Fischer (1981: 351) cited these 4 ♂, 1 N but gave the number 279 as a Nuttall number rather than a Berlin Museum number.-J.E.K.]		♀ vulva removed and mounted on a slide.

ORIGINAL DETERMINATIONCURRENT STATUS

N 2997 N 2997 MISSING

Ixodes ricinus N's, L'sOn a lizard Lacerta muralisSchorfheide, Berlin, Joachimstal,
Germany

8.VI.1888

Möbius coll.

(two lizards rec'd., the more
heavily infested specimen returned;
lizard det'd. by Dr. Gadow here
in Cambridge.)

Berlin Mus. No. 352.

N 2998 N 2998 MISSING

Rhipicephalus sanguineus 1 ♂, 1 ♀

Off ?

Central Mesopotamia

21.III.1913

Dr. Kohl Coll. "1155/1913"

Expedition of Baron von Oppenheim

Berlin Mus. No. 289.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	2999	N	2999
		RML	111886
	<u>Rhipicephalus pulchellus</u> 4 ♂, 4 ♀		4 ♂, 4 ♀ <u>Rhipicephalus pulchellus</u>
Mule		Mule	
Kiomoni, near Tanga		Kiomoni (05.04 S, 39.03 E), Tanga Region, Tanzania	
10.II.1909		10.II.1909	
(Mule had just arrived from Hodeida in Arabia), rec'd. from Biol. Agric. Inst., Amani "644/1909."			
Berlin Mus. No. 302.			
N	3000	N	3000
		RML	111887
	<u>Amblyomma variegatum</u> 1 ♀		1 ♂ <u>Amblyomma variegatum</u>
Off ?		Off ?	
Thies, Senegal, Africa		Thies (14.48 N, 16.56 W), Thies Region, Senegal	
1-10.VII.1908		1-10.VII.1908	
F. W. Riggenbach coll. "1393/1908"			
Berlin Mus. No. 308.		Both catalogue and vial label state that this specimen is a ♀. It is a ♂.	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3001	N 3001
		RML 111888
	<u>Amblyomma eburneum</u> 5 ♂, 3 ♀	2 ♂, 2 ♀ <u>Amblyomma eburneum</u> 3 ♂, 1 ♀ <u>Amblyomma gemma</u>
	Off ?	Off ?
	Amani, G. E. Africa	Amani (05.06 S, 38.38 E), Tanzania
		1912
	Sent by Kaiserl. Biol. Inst., Amani "1058/1912"	Sent by Kaiserl. Biol. Inst., Amani "1058/1912"
	Berlin Mus. No. 312. (15 ♂ & 5 ♀ returned).	The <u>A. eburneum</u> collection cited by Robinson (1926: 119).
N	3002	N 3002
		RML 111889
	<u>Aponomma exornatum</u> 2 ♂	2 ♂ <u>Aponomma exornatum</u>
	<u>Varanus</u> sp. (inside nostrils)	<u>Varanus</u> sp. (inside nostrils)
	Chifumbazi, Portuguese E. Africa	Possibly Mt. Chifumbazi (14.20 S, 32.55 E), Mozambique
	10.X.1905	10.X.1905
	W. Tiester coll 1092/1905	W. Tiester coll 1092/1905
	Berlin Mus. No. 317.	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	3003		N	3003
			RML	111890
	<u>Amblyomma splendidum</u> ♂'s, ♀'s			10 ♂, 2 ♀ <u>Amblyomma splendidum</u>
	Buffalo			<u>Syncerus caffer</u>
	Between Gaza & Baturi New-Cameroon			Probably between Gazi (06.21 N, 14.20 E) and Batouri (07.01 N, 14.53 E), Cameroon
	No date			Probably 1914
	Lieut. Naumann coll. "383/1914" (Picked out of a lot of 49) Berlin Mus. No. 320.			Lieut. Naumann coll. "383/1914"
N	3004		N	3004
			RML	111891
	<u>Dermacentor circumguttatus</u> 2 ♂			2 ♂ <u>Dermacentor circumguttatus</u>
	Off ?			Off ?
	Hinterland Alen, Spanish Guinea			Alen, Equatorial Guinea (locality not verified; 15 possible localities)
	VII.1906-I.1907			VII.1906-I.1907
	Fessmann coll.			Fessmann coll.
	Berlin Mus. No. 321a. (Had been correctly det'd. by Dönitz, witness his original label in Berlin tube returned with 2 ♂).			

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3005	N 3005
		RML 111892
	<u>Ixodes rausus</u> 1 ♀	1 ♀ <u>Ixodes rausus</u>
	Wild pig	<u>Sus scrofa</u>
	Cameroon	Cameroon
		Probably 1914
	Dr. Schäfer coll. "416/1914"	Dr. Schäfer coll. "416/1914"
	Berlin Mus. No. 325 (Dönitz's det. correct, sent back a 2nd ♀).	Cited: Nuttall (1916: 331).
N	3006	N 3006
		RML 111893
	<u>Rhipicephalus longicoxatus</u> 2 ♂ (N.B. ILL characterized)	1 ♂ <u>Rhipicephalus muehlensi</u>
	<u>Hippotragus equinus</u>	<u>Hippotragus equinus</u>
	German E. Africa	Tanzania
		Probably 1912
	Dr. Schellhase coll. "1186/1912"	Dr. Schellhase coll. "1186/1912"
	Berlin Mus. No. 328 (5 ♂ returned)	Cited: Hoogstraal (1954b: 278).
	Determination revised 11.XI.1935 after C. W.'s exam. G.H.F.N.	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3007	N	3007
		RML	111894
	<u>Ixodes</u> sp. (? <u>brunneus</u> 1 N)		1 N <u>Ixodes</u> sp.
	Birds (No. 3, 1989, 1994, 2004, I.352)		Birds
	German New Guinea		Papua New Guinea
			Probably 1913
	Dr. Bürger's coll. "880/1913"		Dr. Bürger's coll. "880/1913"
	Berlin Mus. No. 344. (2 N returned).		
N	3008	N	3008
		RML	111895
	<u>Haemaphysalis cinnabarina</u> , 1 N		1 N <u>Haemaphysalis</u> sp.
	<u>Turdus viscivorus</u>		<u>Turdus viscivorus</u>
	Gouv. Poltawa, Russia		Poltava (49.35 N, 34.34 E), Ukrainian S.S.R., U.S.S.R.
	20.IV.1907		20.IV.1907
	Berlin Mus. No. 353. (No further data, 1 N returned).		
N	3009	N	3009 MISSING
	<u>Ixodes ricinus</u> N		
	<u>Turdus merula</u>		
	Rumowschina Gouv. Poltawa, Russia		
	15.IV.1907		
	Berlin Mus. No. 356 (No further particulars, many returned).		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3010	N	3010
RML		RML	111896
<u>Ixodes putus</u> 1 N, 2 L		1 N, 2 L <u>Ixodes uriae</u>	
..... <u>fuliginosus</u>		Possibly <u>Phoebetria fusca</u> (= <u>P. fuliginosa</u>) which ranges between 50° and 30° S. Lat. in the southern Atlantic & Indian Oceans.	
17.XII.1901		17.XII.1901	
Berlin Mus. No. 364. Deutsche Südpolar Exped. 1901-1903. (Returned the rest: 1 ♀, 2 N, 5 L; had been correctly det'd. by P. Speiser).			
N	3011	N	3011
RML		RML	111897
<u>Haemaphysalis spinigera</u> var. <u>novae-guineae</u> 4 ♂, 4 ♀, 4 N		4 ♂, 4 ♀, 4 N <u>Haemaphysalis novaeguineae</u>	
<u>Perameles dorevanus</u>		<u>Echymipera kalubu</u>	
Astrolabe Bay, German New Guinea		Astrolabe Bay (05.20 S, 145.50 E), Papua New Guinea	
Kaufmann "8346"		Kaufmann "8346"	
Berlin Mus. No. 185.		Cited: Nuttall & Warburton (1915: 452)	
		The vial label gives the revised host name.	
N	3012	N	3012
RML		RML	111898
<u>Rhipicephalus cuneatus</u> 4 ♂, 2 ♀		5 ♂, 2 ♀ <u>Rhipicephalus ziemannii</u>	
Cattle		Cattle	
Cameroon		Cameroon	
Berlin Mus. No. 95. (No further data).			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3013	N 3013
		RML 111899
	<u>Hyalomma aegyptium</u> 2 ♂, 2 ♀	1 ♂, 1 ♀ <u>Hyalomma anatomicum</u> <u>anatomicum</u>
	Wild boar ("No. 547")	<u>Sus scrofa</u>
	Tall Halaf, Central Mesopotamia	Tall Halaf (36.49 N, 40.01 E), Al Hasakah, Syria
	6.VIII.1913	6.VIII.1913
	Dr. Kohl coll. "1155/1913" Exped. of Baron von Oppenheim	Dr. Kohl coll. "1155/1913" Exped. of Baron von Oppenheim
	Berlin Mus. No. 285. (4 ♂, ♀ returned).	
	Ticks from the Imperial Bureau of Entomology. Rec'd. 13.VI.1913.	
N	3014	N 3014
		RML 111900
	<u>Amblyomma cohaerens</u>	36 ♂, 10 ♀, 1 N <u>Amblyomma cohaerens</u>
	Buffalo	<u>Syncerus caffer</u>
	Shot near Villa Maria, Buddu, Uganda	Villa Maria (00.14 S, 31.44 E), District of Buganda, Uganda
	25.XII.1913	25.XII.1913
	F. A. Knowles	F. A. Knowles
	Bureau No. 693. (Picked from about 300 spec's. for variation).	Cited: Robinson (1926: 110). ♂ specimens in separate vial.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N 3015		N 3015
		RML 111901
<u>Amblyomma cohaerens</u>		23 ♂, 44 ♀, 1 N <u>Amblyomma cohaerens</u>
Buffalo		<u>Syncerus caffer</u>
Shot at Mpenga, Gomba, Uganda		Either Mpenja (00.10 N, 32.41 E), or (00.14 N, 32.03 E), District of Buganda, Uganda
19.XII.1912		19.XII.1912
F. A. Knowles		F. A. Knowles
Bureau No. 694. (picked for variation out of ca. 360). (2 ♂, 2 ♀ mounted in cells on slides II.1915).		♂ specimens in separate vial.
N 3016, a		N 3016, a
		RML 111902
(3016) <u>Amblyomma gemma</u> 1 ♂, 1 ♀ [the ♀ mounted on a slide in cell] (a) <u>Hyalomma aegyptium</u> 1 ♂, 3 ♀		(3016) 1 ♂ <u>Amblyomma gemma</u> (a) 1 ♂ <u>Hyalomma dromedarii</u>
East Africa		East Africa
Rec'd. alive on 2.IX.1913 from H.S. Leeson (Newstead's Lab'y., Liverpool School of Trop. Med.)		Rec'd. alive on 2.IX.1913 from H.S. Leeson (Newstead's Lab'y., Liverpool School of Trop. Med.)
(Presented by Prof. Newstead per H. S. Leeson 11.IX.1914) Newstead No. 319. A. <u>gemma</u> ♂, ♀ scutums painted in colours whilst alive by Edwin Wilson 3-4.IX.1914 on my outlines drawn to scale.		(3016) Cited & figured: Nuttall (1920: 1, pl I, fig. 5); figure repeated in Robinson (1926, pl I, fig. 5).
G.H.F.N.		Slide missing.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3017	N	3017
		RML	111903
	<u>Boophilus</u> sp. 1 N		1 ♀ <u>Boophilus microplus</u>
	<u>Pachyura murina</u>		<u>Suncus murinus</u>
	Manila, Philippine Islands		Manila (14.35 N, 121.00 E), Philippines
	3.XI.1910		3.XI.1910
	M. B. Mitzmain (with mites)		M. B. Mitzmain
	Mitzmain No. 33.		
N	3018	N	3018
		RML	111904
	<u>Ornithodoros moubata</u> all stages, alive		6 ♂, 5 ♀, 100 N <u>Ornithodoros moubata</u>
	From native huts		From native huts
	Chitambo Station, Serenje N. Rhodesia		Chitambo Station, Serenje (13.14 S, 30.14 E), Zambia
	Rec'd. 10.IX.1914		Rec'd. 10.IX.1914
	M. Moffat		M. Moffat
	Sent by L. E. Robinson (Watford). Kept for raising.		

Ticks received 26.IX.1914 from F. Kingdon Ward B.A. (Christs), collected off himself (man) in Hpimaw District, Upper Burma, 6000-8000 ft. altitude in the jungle. 3 ticks:-

ORIGINAL DETERMINATION

N 3019, a, b
 (3019) Ixodes acutitarsus 1 ♀ unfed
 (a) Ixodes japonensis 1 ♂
 (b) Rhipicephalus haemaphysaloides
 1 ♀ unfed

Man

Hpimaw outpost, Myitkyina,
 Upper Burma

Rec'd. 26.IX.1914

F. K. Ward

3019, a (G.H.F.N. det.)
 3019 b (C. Warburton det.)

Note: This map shows places whence F. K. Ward sent specimens including Mites q. v. Mrs. Ward, his mother writes 29.IX.14 that Hpimaw is a new outpost in the Myitkyina District 12 days journey from Myitkyina itself, where the railway from Rangoon ends (N.N.W. from Bhamo). See the map.

CURRENT STATUS

N 3019, a, b
 RML 22283
 (3019) 1 ♀ Ixodes acutitarsus
 (a) 1 ♂ Ixodes ovatus
 (b) 1 ♀ Rhipicephalus haemaphysaloides

Homo sapiens

Hpimaw (26.01 N, 98.37 E), Myitkyina District, Kchin State, Burma

Rec'd. 26.IX.1914

F. K. Ward

(3019, a) Cited: Nuttall (1916: 306, 325); Hoogstraal (1970c: 80).

N 3020

Argas persicus adults &
 1st stage N's, unfed larvae

Beni-Ounif, Algeria

Presented 29.IX.1914

Presented by Dr. E. Hindle.

N 3020


RML 111905

2 ♀, 28 N, 179 L Argas persicus

Beni Ounif (32.03 N, 01.15 W), Algeria

Presented 29.IX. 1914

Presented by Dr. E. Hindle.



Map 1.--Collecting locality for N 3019, a, b.

ORIGINAL DETERMINATIONCURRENT STATUS

Ticks received 2.X.1914 from H. C. Myers, Ph.D., Box 442, Spokane, Washington, U.S.A.

N	3021	N	3021
		RML	111906
	<u>Dermacentor venustus</u> 1 ♀		1 ♀ <u>Dermacentor andersoni</u>
	Cat		Cat
	Black+ ., Idaho, U.S.A.		Blacktail (48.07 N, 116.30 W), Idaho, U.S.A.
	17.IV.1914		17.IV.1914
	Rec'd from Dr. H. C. Myers (C. Warburton det.).		Rec'd from Dr. H. C. Myers
N	3022	N	3022
		RML	111907
	<u>Dermacentor venustus</u> 2 ♀		2 ♀ <u>Dermacentor andersoni</u>
	Dog		Dog
	Blacktail, Idaho, U.S.A.		Blacktail (48.07 N, 116.30 W), Idaho, U.S.A.
	23.IV.1914		23.IV.1914
	Rec'd from Dr. H. C. Myers (C. Warburton det.).		Rec'd from Dr. H. C. Myers

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3023	N	3023
		RML	111908
	<u>Haemaphysalis chordeilis</u> ♂'s, ♀'s		2 ♂, 15 ♀ <u>Haemaphysalis chordeilis</u>
	Calves		Calves
	Ashern, Manitoba, Canada (116 miles N.W. of Winnipeg)		Ashern (51.11 N, 98.21 W), Manitoba, Canada
	17.IX.1914		17.IX.1914
	Rec'd. 4.X.1914 from J.R.N. Harrison		Rec'd. 4.X.1914 from J.R.N. Harrison
	Some of the gorged ♀'s alive & kept for raising but died without result.		Cited: Nuttall & Warburton (1915: 376).
N	3024	N	3024
		RML	111909
	<u>Haemaphysalis humerosa</u> 2 ♀, 2 ♂		2 ♀, 2 ♂ <u>Haemaphysalis humerosa</u>
	<u>Perameles macrura</u>		<u>Isoodon macrourus</u>
	Stapleton, Northern Territory, Australia		Stapleton, Northern Territory, Australia (locality not verified)
	31.XI.1913		31.XI.1913
	G.F. Hill		G.F. Hill
	Presented by L. Harrison 26.X.1914 Harrison No. 23.		Cited: Nuttall & Warburton (1915: 497).
			Launcelot Harrison (1880-1928) Challis Professor of Zoology, University of Sydney and President, Linnaean Society of New South Wales. He worked for a time in Professor Nuttall's laboratory. He suffered from both typhus and malaria and died at 48.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3025	N	3025
		RML	111910
	<u>Haemaphysalis humerosa</u> 6 ♂		6 ♂ <u>Haemaphysalis humerosa</u>
	<u>Perameles nasuta</u>		<u>Perameles nasuta</u>
	Sydney, New South Wales		Sydney (33.52 S, 151.13 E), Australia
	III.1913		III.1913
	L. Harrison, presented 26.X.1914		L. Harrison, presented 26.X.1914
	Harrison No. 13.		Cited: Nuttall & Warburton (1915: 498)
N	3026	N	3026
		RML	111911
	<u>Haemaphysalis chordeilis</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Haemaphysalis chordeilis</u>
	Cattle		Cattle
	Stonewall, Manitoba, Canada		Stonewall (50.08 N, 97.19 W), Manitoba, Canada
	14.IX.1911		14.IX.1911
	J. D. Ross		J. D. Ross
	Rec'd. from Dr. S. Hadwen, X.1914.		Cited: Nuttall & Warburton (1915: 376).
N	3027	N	3027
		RML	111912
	<u>Haemaphysalis chordeilis</u> 1 ♂		1 ♂ <u>Haemaphysalis chordeilis</u>
	Man		<u>Homo sapiens</u>
	Kamloops, British Columbia, Canada		Kamloops (50.40 N, 120.20 W), British Columbia, Canada
	IX.1914		IX.1914
	Dr. S. Hadwen		Dr. S. Hadwen
			Cited: Nuttall & Warburton (1915: 376).

ORIGINAL DETERMINATIONCURRENT STATUS

N 3028

N 3028

RML 111913

Argas persicus

Cannibalism! specimens killed in the act by Dr. S. Hindle. Probably from the lot rec'd. from Beni-Ounif, Algeria, but not noted.

2 ♀ *Argas persicus*

Cannibalism! specimens killed in the act by Dr. S. Hindle. Probably from the lot rec'd. from Beni-Ounif (32.03 N, 01.15 W), Algeria, but not noted.

These specimens are in a jar marked "Tick Abnormalities."

Ticks rec'd. 4.XI.1914 from L. C. Heath, Kalomo, near Livingstone, N.W. Rhodesia, who writes 5.X.1914 that they were collected on a shooting trip in the Namwala District by his friends Messrs. Scott & Cunningham. [If they are n. sp., Heath says that they might be called after these gentlemen]. Letter destroyed:-

N 3029

N 3029

RML 111914

Amblyomma pomposum 2 ♂

Sable antelope

Namwala District, N.W. Rhodesia

13.VIII.1914

Scott & Cunningham

2 ♂ *Amblyomma pomposum**Hippotragus niger*

Namwala District (16.00 S, 26.15 E), Southern Province, Zambia

13.VIII.1914

Scott & Cunningham

Cited: Robinson (1926: 100).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3030	N 3030
		RML 111915
	<u>Rhipicephalus evertsi</u> 1 ♂	1 ♀ <u>Rhipicephalus evertsi</u>
	Roan antelope	<u>Hippotragus equinus</u>
	Namwala District, N.W. Rhodesia	Namwala District (16.00 S, 26.15 E), Southern Province, Zambia
	7.IX.1914	7.IX.1914
	Scott & Cunningham	Scott & Cunningham
N	3031	N 3031
		RML 111916
	<u>Rhipicephalus evertsi</u> 1 ♂	1 ♂ <u>Rhipicephalus evertsi</u>
	Waterbuck	<u>Kobus ellipsiprymnus</u>
	Namwala District, N.W. Rhodesia	Namwala District (16.00 S, 26.15 E), Southern Province, Zambia
	13.IX.1914	13.IX.1914
	Scott & Cunningham	Scott & Cunningham
N	3032	N 3032
		RML 111917
	<u>Amblyomma pomposum</u> 2 ♂	2 ♂ <u>Amblyomma pomposum</u>
	Eland	<u>Taurotragus oryx</u>
	Kafur River, Namwala District, N.W. Rhodesia	Kafur River (15.56 S, 28.55 E), Namwala District, Southern Province, Zambia
	18.VIII.1914	18.VIII.1914
	Scott & Cunningham	Scott & Cunningham
		Cited: Robinson (1926: 100).

ORIGINAL DETERMINATIONCURRENT STATUS

N 3033

N 3033 MISSING

Rhipicephalus neavei

Bush pig

Namwala District, N. W. Rhodesia

10.IX.1914

Scott & Cunningham

26 tubes of ticks rec'd. 3.XI.1914 from Dr. John J. Wood, Kalalla, Koinadugu District, Sierra Leone Protectorate:-

N 3034, a-c

N 3034, a-c

RML 111918

(3034) Rhipicephalus lunulatus ♂'s
 & ♀'s
 (a) Amblyomma splendidum 1 ♂
 (b) Amblyomma variegatum ♂'s & ♀'s
 (c) Boophilus australis ♀'s

(3034) 22 ♂, 12 ♀ Rhipicephalus lunulatus
 (3034) 1 ♀ Rhipicephalus senegalensis
 (3034) 1 ♀ Amblyomma variegatum
 (a) 1 ♂ Amblyomma splendidum
 (b) 30 ♂, 8 ♀ Amblyomma variegatum
 (c) 12 ♀ Boophilus geigyi

Cattle

Cattle

Kulakunko, Sierra Leone

Kulakunko, Sierra Leone (locality
not verified)

27.VII.1914

27.VII.1914

Rec'd. from Dr. J. J. Wood

Rec'd. from Dr. J. J. Wood

(3034a) Cited: Robinson (1926: 125).

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	3035, a		N	3035, a
			RML	111919
(3035)	<u>Rhipicephalus sanguineus</u>	5 ♀'s	(3035)	<u>Rhipicephalus sanguineus</u>
(a)	<u>Haemaphysalis leachi</u>	1 ♂, 3 ♀'s	(a)	1 ♂, 3 ♀ <u>Haemaphysalis leachi</u>
Dogs			Dogs	
Falaba, Sierra Leone			Falaba, Sierra Leone (locality not verified; 6 possible localities)	
16.VIII.1914			16.VIII.1914	
Rec'd. from Dr. J. J. Wood			Rec'd. from Dr. J. J. Wood	
N	3036, a		N	3036, a
			RML	111920
(3036)	<u>Boophilus australis</u>	♀'s	(3036)	<u>Boophilus geigyi</u>
(a)	<u>Rhipicephalus falcatus</u>	2 ♂'s	(a)	<u>Rhipicephalus senegalensis</u>
Cattle			Cattle	
Gbenekoro, Sierra Leone			Binkolo (08.57 N, 11.59 W), Sierra Leone	
15.VIII.1914			15.VIII.1914	
Rec'd. from Dr. J. J. Wood			Rec'd. from Dr. J. J. Wood	
N	3037, a, b		N	3037, b
			RML	111921
(3037)	<u>Rhipicephalus lunulatus</u>	♂'s, ♀'s	(3037)	<u>Rhipicephalus lunulatus</u>
(a)	<u>Amblyomma variegatum</u>	2 ♂'s & 2 ♀'s	(a)	MISSING
(b)	<u>Boophilus australis</u>	4 ♀'s	(b)	4 ♀ <u>Boophilus geigyi</u>
Goat			Goat	
Ninkintumania, Sierra Leone			Ninkintumania, Sierra Leone (locality not verified)	
18.VII.1914			18.VII.1914	
Rec'd. from Dr. J. J. Wood			Rec'd. from Dr. J. J. Wood	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3038	N	3038
		RML	111922
	<u>Haemaphysalis leachi</u>		37 ♂, 12 ♀ <u>Haemaphysalis leachi</u>
	Cerval		<u>Felis serval</u>
	Kaballa, Sierra Leone		Kabala (09.35 N, 11.33 W), Sierra Leone
	17.IX.1914		17.IX.1914
	Rec'd. from Dr. J. J. Wood		Rec'd. from Dr. J. J. Wood
	2 ♂, 2 ♀ to Prof. E. Brumpt, Paris.		
N	3039	N	3039
		RML	111923
	<u>Aponomma laeve</u> ♂'s, ♀'s		11 ♂, 3 ♀ <u>Aponomma latum</u>
	Small python		<u>Python</u> sp.
	Kaballa		Kabala (09.35 N, 11.33 W), Sierra Leone
	24.IX.1914		24.IX.1914
	Rec'd. from Dr. J. J. Wood		Rec'd. from Dr. J. J. Wood
			Note in vial "5 ♂, 1 ♀ removed 13/6/36 Bertram".
N	3040, a	N	3040, a
		RML	111924
	(3040) <u>Boophilus australis</u> ♀'s (a) <u>Rhipicephalus falcatus</u> 3 ♂'s, 1 ♀		(3040) 21 ♀ <u>Boophilus geigyi</u> (a) 3 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Dog		Dog
	Kulakunko, Sierra Leone		Kulakunko, Sierra Leone (locality not verified)
	27.VII.1914		27.VII.1914
	Rec'd. from Dr. J. J. Wood		Rec'd. from Dr. J. J. Wood.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3041, a, b	N	3041, a, b
		RML	111925
	(3041) <u>Boophilus australis</u> ♂ & ♀'s		(3041) 1 ♂, 13 ♀, 1 N <u>Boophilus geigyi</u>
	(a) <u>Rhipicephalus sanguineus</u> 3 ♂'s, 2 ♀		(a) 3 ♂, 3 ♀ <u>Rhipicephalus sanguineus</u>
	(b) <u>Haemaphysalis leachi</u> 1 ♂		(b) 1 ♂ <u>Haemaphysalis leachi</u>
	Dogs		Dogs
	Kinkintumania, Sierra Leone		Kinkintumania, Sierra Leone (locality not verified)
	18.VII.1914		18.VII.1914
	Rec'd. from Dr. J. J. Wood		Rec'd. from Dr. J. J. Wood
			N 3037 and others more often spell the locality Ninkintumania.
N	3042	N	3042
		RML	111926
	<u>Amblyomma marmoreum</u> ♂'s		4 ♂ <u>Amblyomma nuttalli</u>
	Tortoise		Tortoise
	Kaballa, Sierra Leone		Kabala (09.35 N, 11.33 W), Sierra Leone
	23.IX.1914		23.IX.1914
	Rec'd. from Dr. J. J. Wood		Rec'd. from Dr. J. J. Wood
			Cited: Santos Dias (1958: 513); Theiler & Salisbury (1959: 115).

ORIGINAL DETERMINATION

N 3043, a
 (3043) Rhipicephalus sanguineus
 ♂'s & ♀'
 (a) Haemaphysalis leachi 1 ♂
 Dog
 Yeria, Sierra Leone
 21.VII.1912
 Rec'd. from Dr. J. J. Wood

N 3044, a-c
 (3044) Rhipicephalus lunulatus
 ♂'s & ♀'
 (a) Rhipicephalus falcatus ♂'s & ♀'
 (b) Amblyomma variegatum ♂'s & ♀'
 (c) Boophilus australis ♀'s, N & L
 Cattle
 Firiwa, Sierra Leone
 23.VII.1914
 Rec'd. from Dr. J. J. Wood

CURRENT STATUS

N 3043, a
 RML 111927
 (3043) 8 ♂, 3 ♀ Rhipicephalus sanguineus
 (a) 1 ♂ Haemaphysalis leachi
 Dog
 Perhaps Yaraia (08.56 N, 11.08 W),
 Sierra Leone
 21.VII.1912
 Rec'd. from Dr. J. J. Wood

N 3044, a-c
 RML 111928
 (3044) 30 ♂, 40 ♀ Rhipicephalus lunulatus
 (3044) 1 ♂, 2 ♀ Rhipicephalus senegalensis
 (a) 6 ♂, 2 ♀ Rhipicephalus senegalensis
 (b) 18 ♂, 15 ♀ Amblyomma variegatum
 (c) 40 ♀, 2 N Boophilus geigyi
 Cattle
 Either Firawa (09.21 N, 11.18 W) or
 (09.31 N, 10.51 W), Sierra Leone
 23.VII.1914
 Rec'd. from Dr. J. J. Wood

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	3045, a		N	3045
			RML	111929
(3045) <u>Boophilus australis</u> ♀'s & N (a) <u>Amblyomma variegatum</u> ♂ & ♀			(3045) 117 ♀, 2 N <u>Boophilus geigyi</u> (a) MISSING	
Cattle			Cattle	
Falaba, Sierra Leone			Falaba, Sierra Leone (locality not verified; 6 possible localities)	
19.VIII. -			19.VIII. -	
Rec'd. from Dr. J. J. Wood			Rec'd. from Dr. J. J. Wood	
N	3046, a		N	3046
			RML	111930
(3046) <u>Boophilus australis</u> 11 ♀'s (a) <u>Amblyomma variegatum</u> 10 ♂, 1 ♀			(3046) 11 ♀ <u>Boophilus geigyi</u> (a) MISSING	
Goats			Goats	
Gahnia, Sierra Leone			Gahnia, Sierra Leone (locality not verified)	
18.VIII.1914			18.VIII.1914	
Rec'd. from Dr. J. J. Wood			Rec'd. from Dr. J. J. Wood	
N	3047, a		N	3047, a
			RML	111931
(3047) <u>Boophilus australis</u> 5 ♀'s (a) <u>Haemaphysalis leachi</u> 1 ♀			(3047) 5 ♀ <u>Boophilus geigyi</u> (a) 1 ♀ <u>Haemaphysalis leachi</u>	
Dog			Dog	
Kombile, Sierra Leone			Kombile, Sierra Leone (locality not verified)	
21.VIII.1914			21.VIII.1914	
Rec'd. from Dr. J. J. Wood			Rec'd. from Dr. J. J. Wood	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3048, a-e		N	3048, a-e	
			RML	111932	
(3048)	<u>Amblyomma variegatum</u> ♂'s & ♀'s		(3048)	MISSING	
(a)	<u>Rhipicephalus lunulatus</u> ♂'s & ♀'s		(a)	9♂, 33♀ <u>Rhipicephalus lunulatus</u>	
(b)	<u>Rhipicephalus falcatus</u> ♂'s & ♀'s		(a)	4♂, 1♀ <u>Rhipicephalus senegalensis</u>	
(c)	<u>Boophilus australis</u> ♂'s & N		(b)	20♂, 32♀ <u>Rhipicephalus senegalensis</u>	
(d)	<u>Rhipicephalus sanguineus</u>		(c)	6♀, 1 N <u>Boophilus geigyi</u>	
(e)	<u>Haemaphysalis leachi</u> 1♂		(d)	3♂, 2♀ <u>Rhipicephalus sanguineus</u>	
	Cattle		(d)	1♂ <u>Rhipicephalus senegalensis</u>	
	Dunkiawallia, Sierra Leone		(e)	1♂ <u>Haemaphysalis leachi</u>	
	17.VII.1914		Cattle		
	Rec'd. from Dr. J. J. Wood		Dunkiawallia, Sierra Leone (locality not verified)		
N	3049, a		N	3049	
			RML	111933	
(3049)	<u>Boophilus australis</u> ♀'s		(3049)	1♂, 6♀ <u>Boophilus geigyi</u>	
(a)	<u>Amblyomma variegatum</u> ♂'s & ♀'s		(a)	MISSING	
	Cattle		Cattle		
	Gahnia, Sierra Leone		Gahnia, Sierra Leone (locality not verified)		
	17-18.VIII.1914		17-18.VIII.1914		
	Rec'd. from Dr. J. J. Wood		Rec'd. from Dr. J.J. Wood		

ORIGINAL DETERMINATION

N 3050, a-c
 RML
 (3050) Boophilus australis 1 ♂ & ♀'s
 (a) Amblyomma variegatum 2 ♂'s & 2 ♀'s
 (b) Rhipicephalus falcatus 3 ♂'s &
 3 ♀'s
 (c) Rhipicephalus lunulatus ♂'s & ♀'s

Cattle

Kamadugu, Securella, Sierra Leone

30.VII.1914

Rec'd. from Dr. J. J. Wood

N 3051, a
 RML
 (3051) Rhipicephalus lunulatus ♀
 (a) Rhipicephalus sanguineus var.
sulcatus ♀

One off self, one off dispenser
in hospital

Sonkonia, Koinadugu District, Sierra Leone

Dr. J. Y. Wood

CURRENT STATUS

N 3050, b, c
 RML 111934
 (3050) 1 ♂, 25 ♀ Boophilus geigyi
 (a) MISSING
 (b) 3 ♂, 3 ♀ Rhipicephalus senegalensis
 (c) 7 ♂, 10 ♀ Rhipicephalus lunulatus

Cattle

Kamadugu Sokurela (09.26 N, 11. 29 W),
Sierra Leone

30.VII.1914

Rec'd. from Dr. J. J. Wood

N 3051, a
 RML 111935
 (3051) 1 ♀ Rhipicephalus lunulatus
 (a) 1 ♀ Rhipicephalus sanguineus

Homo sapiens (1), Dispenser in
hospital (1)Sonkonia (09.43 N, 11.23 W),
Sierra Leone

Dr. J. Y. Wood

As noted earlier Dr. Wood's name
was entered into the catalogue as
both J. J. and J. Y. His correct
middle initial is Y, as cited by
Nuttall in his annual report for
1914.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3052, a, b	N 3052 a, b
		RML 111936
(3052)	<u>Amblyomma variegatum</u> 1 ♂, 3 ♀	(3052) MISSING
(a)	<u>Rhipicephalus falcatus</u> 3 ♀	(a) 3 ♀ <u>Rhipicephalus senegalensis</u>
(b)	<u>Rhipicephalus lunulatus</u> 1 ♂, 2 ♀	(b) 1 ♂, 1 ♀ <u>Rhipicephalus lunulatus</u> (b) 1 ♀ <u>Rhipicephalus senegalensis</u>
Cattle		Cattle
Ninkintumania, Sierra Leone		Ninkintumania, Sierra Leone (locality not verified)
18.IX.1914		18.IX.1914
Dr. J. Y. Wood		Dr. J. Y. Wood
N	3053, a-c	N 3053, a, c
		RML 111937
(3053)	<u>Boophilus australis</u>	(3053) 1 ♂, 75 ♀ <u>Boophilus geigyi</u>
(a)	<u>Rhipicephalus falcatus</u>	(a) 16 ♂, 16 ♀ <u>Rhipicephalus senegalensis</u>
(b)	<u>Amblyomma variegatum</u>	(b) MISSING
(c)	<u>Haemaphysalis leachi</u> 1 ♂, 1 ♀	(c) 1 ♂, 1 ♀ <u>Haemaphysalis leachi</u>
Cattle		Cattle
Boalakarafaia, Sierra Leone		Boalakarafaia (09.37 N, 11.00 W), Sierra Leone
22.VIII.1914		22.VIII.1914
Dr. J. Y. Wood		Dr. J. Y. Wood
		<u>Haemaphysalis leachi</u> vial label incorrectly numbered 3035C.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3054, a-e

N 3054, a-c, e

RML 111938

(3054) Rhipicephalus lunulatus ♀'s,(3054) 17 ♂, 34 ♀ Rhipicephalus lunulatus(a) Rhipicephalus falcatus ♂'s, ♀'s(3054) 4 ♂, 2 ♀ Rhipicephalus senegalensis(b) Rhipicephalus sanguineus 2 ♂(a) 11 ♂, 18 ♀ Rhipicephalus senegalensis(c) Boophilus australis 1 ♂, ♀'s(a) 1 ♀ Rhipicephalus sanguineus(d) Amblyomma variegatum 4 ♂, 1 ♀(b) 2 ♂ Rhipicephalus sanguineus(e) Haemaphysalis leachi 1 ♂(c) 2 ♂, 19 ♀ Boophilus geigyi

(d) MISSING

(e) 1 ♂ Haemaphysalis leachi

Sheep

Sheep

Kinkintumania, Sierra Leone

Kinkintumania, Sierra Leone
(locality not verified)

11.VII.1914

11.VII.1914

Dr. J. Y. Wood

Dr. J. Y. Wood

(3054a) cited: Clifford & Anastos (1962: 21). The vial label for this collection bears the data ex cattle, Yeria, Sierra Leone, 21.VII.1912, Dr. J. Y. Wood. The label data are probably incorrect because they correspond to collection data for N3055 immediately following.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3055, a-c	N	3055, a, b
		RML	111939
	(3055) <u>Rhipicephalus lunulatus</u> ♂'s, ♀'s		(3055) 21 ♂, 54 ♀ <u>Rhipicephalus lunulatus</u>
	(a) <u>Rhipicephalus falcatus</u>		(3055) 2 ♀ <u>Rhipicephalus senegalensis</u>
	(b) <u>Boophilus australis</u> ♀'s		(a) 4 ♂, 9 ♀ <u>Rhipicephalus senegalensis</u>
	(c) <u>Amblyomma variegatum</u> 5 ♂		(b) 12 ♀ <u>Boophilus geigyi</u>
	Cattle		(c) MISSING
	Yeria, Sierra Leone		Cattle
	21.VII.1912		Perhaps Yaraia (08.56 N, 11.08 W), Sierra Leone
	Dr. J. Y. Wood		21.VII.1912
N	3056, a	N	3056, a
		RML	111940
	(3056) <u>Boophilus australis</u> 2 ♂'s ♀'s, N's		(3056) 1 ♂, 34 ♀, 1 N <u>Boophilus geigyi</u>
	(a) <u>Rhipicephalus falcatus</u> 1 ♂, 1 ♀		(a) 1 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Goats		Goats
	Kulakunko, Sierra Leone		Kulakunko, Sierra Leone (locality not verified)
	20.VII.1914		20.VII.1914
	Dr. J. Y. Wood		Dr. J. Y. Wood

ORIGINAL DETERMINATIONCURRENT STATUS

N	3057, a	N	3057, a
		RML	111941
(3057)	<u>Boophilus australis</u> ♀'s	(3057)	41 ♀, 1 ♂ <u>Boophilus geigyi</u>
(a)	<u>Rhipicephalus lunulatus</u> 1 ♂, 5 ♀	(a)	1 ♂, 4 ♀ <u>Rhipicephalus lunulatus</u>
Sheep		Sheep	
Kulakunko, Sierra Leone		Kulakunko, Sierra Leone (locality not verified)	
20.VII.1914		20.VII.1914	
Dr. J. Y. Wood		Dr. J. Y. Wood	
N	3058, a-c	N	3058, a, b
		RML	111942
(3058)	<u>Rhipicephalus lunulatus</u> ♂'s, ♀'s	(3058)	19 ♂, 18 ♀ <u>Rhipicephalus</u> <u>lunulatus</u>
(a)	<u>Boophilus australis</u> ♀'s	(a)	10 ♀ <u>Boophilus geigyi</u>
(b)	<u>Rhipicephalus falcatus</u> 4 ♂, 3 ♀	(b)	5 ♂, 2 ♀ <u>Rhipicephalus</u> <u>senegalensis</u>
(c)	<u>Amblyomma variegatum</u> 7 ♂, 1 ♀	(c)	MISSING
Sheep		Sheep	
Firiwa, Sierra Leone		Either Firawa (09.21 N, 11.18 W) or (09.31 N, 10.51 W), Sierra Leone	
23.VII.1914		23.VII.1914	
Dr. J. Y. Wood		Dr. J. Y. Wood	

Ticks received back 28.XI.1914 from Imperial Bureau of Entomology
per Guy A. K. Marshall:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3059	N 3059
		RML 111943
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	3 ♂, 4 ♀ <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Lorha, Northern Territory, Gold Coast, W. Africa	Perhaps Lora (09.23 N, 01.51 W) Northern Region, Ghana
	4.XI.1913	4.XI.1913
	Dr. Corson	Dr. Corson
	Imp. Bur. Ent. No. 882.	
N	3060	N 3060
		RML 111944
	<u>Rhipicephalus sanguineus</u> 1 ♂, 1 ♀	1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Mityana, Uganda	Mityana (00.24 N, 32.03 E), District of Buganda, Uganda
	VI.1913	VI.1913
	C. C. Gowday (No. 5087)	C. C. Gowday
	Imp. Bur. Ent. No. 883.	
N	3061	N 3061 MISSING
	<u>Amblyomma variegatum</u> 2 ♂, 2 ♀	
	Cattle	
	Tamale, N. Territory, Gold Coast, W. Africa	
	29.VI.1912	
	Dr. Harpir	
	Imp. Bur. Ent. No. 884.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 3062

N 3062

RML 111945

Rhipicephalus falcatus ♂'s, ♀'s24 ♂, 9 ♀ Rhipicephalus senegalensis
1 ♂, 1 ♀ Rhipicephalus lunulatus

Warthog

Phacochoerus aethiopicusDimawa, N. Territory, Gold Coast
W. AfricaPerhaps Dimalla (09.27 N, 00.54 W),
Northern Region, Ghana

Imp. Bur. Ent. No. 885.

N 3063

N 3063 MISSING

Amblyomma variegatum 2 ♂, 2 ♀
(variation)

Off grass

Yapi, N. Territory, Gold Coast,
W. Africa

VI.1914

Dr. J. J. Simpson

Imp. Bur. Ent. No. 886.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3064	N	3064
		RML	111946
	<u>Boophilus australis</u> 4 ♂, 4 ♀		3 ♂, 4 ♀ <u>Boophilus microplus</u>
	"Mpoula" bull dead of Trypanosomiasis		"Mpoula"
	Port Herald, Nyasaland		Port Herald now Nsanje (16.55 S, 35.16 E), Malawi
	10.VIII.1913		10.VIII.1913
	Dr. J.E.S. Old		Dr. J.E.S. Old
	Imp. Bur. Ent. No. 887.		
N	3065	N	3065
		RML	111947
	<u>Haemaphysalis leachi</u> ♀'s (small form with short scutum & concave palps)		4 ♀ <u>Haemaphysalis leachi</u>
	<u>Tachyoryctes audax</u>		<u>Tachyoryctes splendens</u>
	Near Embu, E. of Mt. Kenya, Brit. E. Africa		Near Embu (00.32 S, 37.27 E), Kenya
	2.II.1911		2.II.1911
	S. A. Neave		S. A. Neave
	Imp. Bur. Ent. No. 267.		
N	3066	N	3066
		RML	111948
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s		6 ♂, 6 ♀ <u>Rhipicephalus evertsi</u>
	Off ?		Off ?
	Olorogoti, Masai Reserve, Brit. E. Africa		Olorongoti (00.29 S, 36.28 E), Kenya
	XII.1913		XII.1913
	Capt. A. O. Luckman		Capt. A. O. Luckman
	Imp. Bur. Ent. No. 779.		

Ticks received 25.XI.1914 from Indian Museum, Calcutta, per Mr. F. H. Gravely, being pickings from lots of common species to be returned:-

ORIGINAL DETERMINATION

CURRENT STATUS

N	3067	N	3067 MISSING
---	------	---	--------------

Hyalomma aegyptium 2 ♂, 1 ♀, 1 N

Mostly off horses

Zairat, Baluchistan

VIII.1914

Major Wilson

Ind. Mus. No. 2165
17.

N	3068	N	3068
---	------	---	------

RML	111949
-----	--------

Ornithodoros tholozani 5 N

5 N Ornithodoros tholozani

From empty house

From empty house

Zairat, Baluchistan

Ziarat, Pakistan (locality
not verified; 6 possible localities)

VIII.1914

VIII.1914

Major Wilson through Major Stammers

Major Wilson through Major Stammers

Ind. Mus. No. 2166
17.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3069	N	3069
		RML	111950
	<u>Amblyomma integrum</u> 4 ♂, 2 ♀		4 ♂, 2 ♀ <u>Amblyomma integrum</u>
	Found under stones and on bushes in jungle (stated to be liable to attack man)		Found under stones and on bushes in jungle (stated to be liable to attack man)
	Barkul, 0-1000 ft., Puri District, Orissa		Barkul, Puri District, Orissa (21.00 N, 84.00 E), India (0-305 m)
	1-3.VIII.1914		1-3.VIII.1914
	F. H. Gravely		F. H. Gravely
	Ind. Mus. No. <u>2170</u> 17 (picked for variation from ca 15 specimens). L. E. Robinson det. 1926. Found with <u>Haem. spinigera</u> ♂, ♀		Cited: Robinson (1926: 114); Sharif (1928: 322).
N	3070	N	3070
		RML	111951
	<u>Aponomma gervaisi</u> 2 ♂, 1 ♀, 1 N		1 ♂, 1 ♀, 1 N <u>Aponomma gervaisi</u>
	<u>Varanus bengalensis</u> (venter)		<u>Varanus bengalensis</u> (venter)
	Barkuda Island, Lake Chilka, Ganjam District, Madras Presidency		Barkuda Island, Lake Chilka (19.46 N, 85.20 E), India
	19.VII.1914		19.VII.1914
	Chilka Survey coll.		Chilka Survey coll.
	Ind. Mus. No. <u>2171</u> 17		Cited: Sharif (1928: 337).

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3071	N 3071
		RML 111952
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u> 1 ♂, 2 ♀	1 ♂, 2 ♀ <u>Haemaphysalis paraturturis</u> Paratypes
	<u>Sus cristatus</u> ♀	<u>Sus scrofa cristatus</u> ♀
	Near Barhi, Hazaribagh District, Chota Nagpur	Near Barhi (24.18 N, 85.25 E), India
	21.VII.1914	21.VII.1914
	Major O. A. Smith	Major O. A. Smith
	Ind. Mus. No. <u>2172.</u> 17	Cited: Nuttall & Warburton (1915: 435); Hoogstraal et al (1963: 686) original description of <u>H. paraturturis</u> .
	3071 found with (a) <u>Rhip.</u> <u>haemaphysaloides</u> ♀ and (b) ? <u>Hyal. monstrosum</u> ♀.	
N	3072	N 3072
		RML 111953
	<u>Haemaphysalis bispinosa</u> 4 ♂, 2 ♀	2 ♂, 2 ♀ <u>Haemaphysalis bispinosa</u> 2 ♂ <u>Haemaphysalis turturis</u>
	<u>Hemitragus hylocrius</u> (Nilgiri wild goat)	<u>Hemitragus hylocrius</u>
	Parambikulam (1700-3200 ft.) Cochin State, South India	Parambikulam (10.23 N, 76.49 E), India (518-975 m)
	16-24.IX.1914	16-24.IX.1914
	F. H. Gravely	F. H. Gravely
	Ind. Mus. No. <u>2173</u> (a). 17	Cited: Nuttall & Warburton (1915: 432).
	3072 found with <u>Hyalomma</u> n. sp. ♂'s, ♀'s (to be described).	The <u>Hyalomma</u> n. sp. to be described was <u>Hyalomma kumari</u> Sharif (1928: 319).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3073	N	3073
		RML	71473
	<u>Haemaphysalis parva</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Haemaphysalis intermedia</u>
	<u>Lepus</u> sp.		<u>Lepus</u> sp.
	Satpara, Lake Chilka, Orissa		Satpara (19.39 N, 85.26 E), Lake Chilka, India
	IX.1914		IX.1914
	Chilka Survey coll.		Chilka Survey coll.
	Ind. Mus. No. <u>2176.</u> <u>17</u>		
	Found with (a) <u>Haem. leachi</u> var. <u>indica</u> ♀, (b) <u>Amblyomma</u> sp. N's, (c) <u>Rhip. haemaphysaloides</u> ♂, ♀.		
N	3074	N	3074
		RML	111954
	<u>Dermacentor auratus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Dermacentor</u> sp.
	<u>Ursus malayensis</u>		<u>Helarctos malayanus</u>
	Ulu Gombak, Selangor		Ulu Gombak Forest Reserve (03.18 N, 101.47 E), Selangor, Malaysia
	1914		1914
	C. Strickland		C. Strickland
	"T 65".		

ORIGINAL DETERMINATION

N 3075
Amblyomma lepidum ♂'s, ♀'s
 Buffalo
 Meshra el Rom
 21.VI.1909
 Rec'd. from H. H. King
 (Entomologist Khartum)
 L.E.R. det. XII.1914
 (1 ♂, 1 ♀ mounted as slides
 in cells II. 1915).

N 3076
Aponomma trimaculatum ♂'s, ♀'s, N's
 "Iguana monitor" lizard
 Alabang Rizal, Philippine Islands
 23.IV.1912
 M. B. Mitzmain
 Mitzmain No. 14.
 L.E.R. det. 10.XII.1914.

CURRENT STATUS

N 3075
 RML 111955
 2 ♂, 2 ♀ Amblyomma lepidum
Syncerus caffer
 Perhaps Mashra ar Raqq (08.25 N,
 29.16 E), Sudan
 21.VI.1909
 Rec'd. from H. H. King
 (Entomologist Khartum)
 Slides missing
 Robinson (1926: 97) gave the
 collection date 21.VI.1910.

N 3076
 RML 111956
 7 ♂, 2 ♀, 2 N Aponomma trimaculatum
 "Iguana monitor" lizard
 Alabang (14.25 N, 121.03 E),
 Philippines
 23.IV.1912
 M. B. Mitzmain

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3077, a (3077) <u>Aponomma trimaculatum</u> ♂'s, N's (a) <u>Amblyomma helvolum</u> ♂'s Monitor lizard Occidental Negros, Philippine Islands XII.1911 M. B. Mitzmain Mitzmain No. 25. [2 ♂ mounted in cells with other <u>Aponomma</u> ♂ spp.] Collector's note reads "the large ticks from caudal region, the small ticks from axillae." L.E.R. det. 10.XII.1914. Redet. of 3077a 1926.	N RML	3077, a 111957 (3077) 7 ♂, 12 N <u>Aponomma trimaculatum</u> (a) 10 ♂ <u>Amblyomma helvolum</u> Monitor lizard Province of Negros Occidental (10.25 N, 123.00 E), Philippines XII.1911 M. B. Mitzmain Note in vials, "♂ ♂ given Sharif Ap. 1929." Slide missing.
N	3078 <u>Aponomma trimaculatum</u> ♀'s, N's Monitor lizard La Carlota, Occidental Negros Province, Philippine Islds. 11.XI.1911 M. B. Mitzmain Mitzmain No. 26.	N RML	3078 111958 1 ♀, 15 N <u>Aponomma trimaculatum</u> Monitor lizard La Carlota (10.25 N, 122.55 E), Negros Occidental Province, Philippines 11.XI.1911 M. B. Mitzmain

Ticks received from Dr. J. W. Scott-Macfie, Pathologist, Accra Laboratory, Victoriaborg, Accra, Gold Coast Colony, W. Africa 9.XII.1914:-

ORIGINAL DETERMINATION

N 3079, a, b
 (3079) Boophilus sp. ♀'s
 (a) Amblyomma variegatum N's
 (b) Hyalomma aegyptium 1 ♂

Sheep

Accra, Gold Coast

14.XI.1914

J. W. Scott-Macfie

Macfie's No. 1.

Dr. Macfie writes 15.XI.1914 saying the sheep & cattle are mostly infected with a parasite of the P. mutans type which he thinks some of these ticks must carry.

G.H.F.N.

N 3080, a, b

(3080) Amblyomma variegatum ♂'s, ♀'s
 N's
 (a) Boophilus sp. ♀'s
 (b) Hyalomma aegyptium 1 ♂, 1 ♀

Dwarf cattle

Accra, Gold Coast

24.X.1914

Dr. J. W. Scott-Macfie

Macfie No. 2.

CURRENT STATUS

N 3079
 RML 111959
 (3079) 5 ♀ Boophilus decoloratus
 (a) MISSING
 (b) MISSING

Sheep

Accra (05.33 N, 00.13 W), Ghana

14.XI.1914

J. W. Scott-Macfie

N 3080, a

RML 111960

(3080) 13 ♂, 11 ♀, 2 N Amblyomma variegatum
 (a) 7 ♀ Boophilus decoloratus
 (b) MISSING

Cattle (dwarf)

Accra (05.33 N, 00.13 W), Ghana

24.X.1914

Dr. J. W. Scott-Macfie

ORIGINAL DETERMINATIONCURRENT STATUS

N	3081	N	3081
		RML	111961
	<u>Amblyomma marmoreum</u> N		1 N <u>Amblyomma</u> sp.
	<u>Agama colonorum</u> (lizard)		<u>Agama agama</u>
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	27.VIII.1914		27.VIII.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 3.		
N	3082	N	3082
		RML	111962
	<u>Amblyomma marmoreum</u> N's, L's		9 N, 1 L <u>Amblyomma</u> sp.
	<u>Varanus niloticus</u> (Monitor)		<u>Varanus niloticus</u>
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	28.VIII.1914		28.VII.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 4. "Larvae on ear drums, others on digits."		The nymphs are of two different species of <u>Amblyomma</u> .

ORIGINAL DETERMINATIONCURRENT STATUS

N	3083	N	3083
		RML	111963
	<u>Amblyomma marmoreum</u> 1 N		1 N <u>Amblyomma</u> sp.
	<u>Dispholidus typus</u> [large green snake No. 57]		<u>Dispholidus typus</u>
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	7.IX.1914		7.IX.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 5.		
	Note re 3083 and 3084. Dr. Macfie wrote, later, 28.I.1915 giving the sci. names of the hosts as det'd. by Dr. Boulenger of Brit. Mus.		

N	3084	N	3084
		RML	111964
	<u>Aponomma laeve</u> 3 ♂		3 ♂ <u>Aponomma latum</u>
	<u>Ramphiophis oxyrhynchus</u> [Snake, buff coloured back and pale belly, No. 288]		<u>Rhamphiophis oxyrhynchus</u>
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	15.X.1914		15.X.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 6.		
	Nos. 3083, 3086 & 3087 are probably <u>Amb. nuttalli</u> Dö.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3085, a	N	3085, a
		RML	111965
	(3085) <u>Amblyomma nuttalli</u> 1 ♀, 1 N (a) <u>Haemaphysalis leachi</u> 1 ♀		(3085) 1 ♀, 1 N <u>Amblyomma nuttalli</u> (a) 1 ♀ <u>Haemaphysalis leachi</u>
	Hedgehog		Hedgehog
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	20.X.1914		20.X.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 7.		(3085) cited: Theiler & Salisbury (1959: 115). (3085a) cited: Nuttall & Warburton (1915: 473).
	(3085) det. L.E.R. 1926.		Nymph in separate vial.
N	3086	N	3086
		RML	111966
	<u>Amblyomma marmoreum</u> 4 N's		4 N <u>Amblyomma nuttalli</u>
	<u>Agama colonorum</u> (lizard) [No. 351]		<u>Agama agama</u>
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	24.X.1914		24.X.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 8.		These nymphs appear identical with the nymph from N3085.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3087	N	3087
		RML	111967
	<u>Amblyomma marmoreum</u> 3 N's		3 N <u>Amblyomma</u> sp.
	<u>Agama colonorum</u> (lizard) from axillae		<u>Agama agama</u>
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	24.X.1914		24.X.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 9.		
N	3088	N	3088
		RML	111968
	<u>Amblyomma nuttalli</u> ♂'s & gorged ♀'s, N's		5 ♂, 6 ♀, 3 N <u>Amblyomma nuttalli</u>
	Hedgehog No. [438]		Hedgehog
	Accra, Gold Coast		Accra (05.33 N, 00.13 W), Ghana
	18.XI.1914		18.XI.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Macfie No. 10-11.		Cited: Robinson (1926: 93) who gave the collection number as N3088e. Theiler & Salisbury (1959: 115) listed 5 ♀ in this collection.
	Dr. Macfie writes (18.XI.1914) of N3088 that the ticks were found that morning on a hedgehog which was moribund, the man who found them said many gorged ♀'s dropped off in carrying animal to the laboratory. The blood "was extremely fluid & looked like pale red water. I could find no parasites in it, but there were great numbers of nucleated red corpuscles. The hedgehog died soon after it was brought to me. On dissection all the tissues & organs were found to be extremely pale, but otherwise healthy. One might almost suspect that the animal had been bled to death by the ticks on its back."		Collection in 3 vials.
			G.H.F.N. 11.XII.1914

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3089	N	3089
		RML	111969
	<u>Ixodes holocyclus</u> 1 N		1 N <u>Ixodes holocyclus</u>
	Dog		Dog
	Gumundi, Australia		Eumundi (26.29 S, 152.57 E), Queensland, Australia
	8.V.1913		8.V.1913
	Sent by Mr. Munro Hull, 13.V.1913		Sent by Mr. Munro Hull, 13.V.1913
	G.H.F.N. det.		Cited: Nuttall (1916: 329).
N	3090	N	3090
		RML	111970
	<u>Haemaphysalis bancrofti</u> 1 ♂, 2 N		1 ♂, 2 N <u>Haemaphysalis bancrofti</u>
	Rat-Kangaroo		Probably <u>Bettongia tropica</u>
	Queensland, Australia		Probably Eidsvold (25.22 S, 151.07 E), Queensland, Australia
	Presented 17.XII.1914		Presented 17.XII.1914
	Presented by L. Harrison		Probably Dr. T. L. Bancroft
	(L.H. says they were probably collected by Dr. T. L. Bancroft at Eidsvold, Queensland (2 ♂, 5 N, 2 L returned to donor)		Cited: Nuttall & Warburton (1915: 490).
	Harrison No. 44.		

Ticks rec'd back as gifts 23.XII.1914 from Imperial Bureau of Entomology per G.A.K. Marshall. Specimens determined by us:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3091	N 3091
		RML 111971
	<u>Amblyomma paulopunctatum</u> 1 ♀	1 ♀ <u>Amblyomma paulopunctatum</u>
	Off grasses	Off grasses
	Daro Forest, Toro, Uganda, B.E. Africa	Daro Forest, District of Toro (00.30 N, 30.30 E), Uganda
	X.1911	X.1911
	S. A. Neave	S. A. Neave
	(L.E.R. det. 1926) I.B.E. No. 460a.	Cited: Robinson (1926: 85).
N	3092	N 3092
		RML 111972
	<u>Amblyomma tholloni</u> 1 ♀	1 ♀ <u>Amblyomma tholloni</u>
	Off grass in forest	Off grass in forest
	Semliki Valley, Uganda, E.A.	Semliki Forest (00.44 N, 30.03 E), Uganda
	XI.1911	XI.1911
	S. A. Neave	S. A. Neave
	I.B.E. No. 468. (L.E.R. det.).	Cited: Robinson (1926: 252).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3093	N	3093
		RML	111973
	<u>Amblyomma nuttalli</u> 1 ♂		1 ♂ <u>Amblyomma nuttalli</u>
	Tortoise		Tortoise
	Upper Shire Valley, Nyasaland, B.C. Africa		Liwonde (15.04 S, 35.13 E), Malawi
	8.X.1911		8.X.1911
	Dr. J. B. Davey		Dr. J. B. Davey
	I.B.E. No. 543. (G.H.F.N. & L.E.R. det.).		
N	3094	N	3094
		RML	111974
	<u>Rhipicephalus ziemanni</u> 7 ♂, 4 ♀		5 ♂, 4 ♀ <u>Rhipicephalus ziemanni</u>
	Harnessed antelope		Antelope (harnessed)
	Port Lokko, Sierra Leone, W. Africa		Port Loko (08.46 N, 12.47 W), Sierra Leone
	11.V.1912		11.V.1912
	Dr. J. J. Simpson		Dr. J. J. Simpson
	I.B.E. No. 584a (C.W. det.).		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3095	N	3095
		RML	111975
	<u>Rhipicephalus masseyi</u> 2 ♂		2 ♂ <u>Rhipicephalus masseyi</u>
	Dogs		Dogs
	Mlanje, Nyasaland, B.C. Africa		Mlanje (16.02 S, 35.30 E), Mlanje District, Malawi
	VIII.1913		VIII.1913
	S. A. Neave		S. A. Neave
	I.B.E. No. 734a (C.W. det.) Not typical.		These males do not agree well with the type series of <u>R. masseyi</u> (N246). However, they are being retained under this name until such time as revisionary work is under- taken on <u>R. masseyi</u> and related species.

Ticks rec'd. 28.XII.1914 from Dr. H. K. Wise, Surgeon General's Office, Georgetown, Demerara, British Guiana. Collected by himself far in the Interior of the Colony in areas where few men penetrate and "where bushes & long grass brush against you at every step" - hitherto unexplored country:-

N	3096	N	3096
		RML	111976
	<u>Amblyomma cajennense</u> 1 ♀		1 ♀ <u>Amblyomma cajennense</u>
	Man		<u>Homo sapiens</u>
	Rupununi River, British Guiana		Rupununi River (04.03 N, 58.34 W), Guyana
	IX.1913		IX.1913
	Dr. H. K. Wise		Dr. H. K. Wise
	Wise's No. 1609.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3097	N	3097 MISSING
	<u>Amblyomma cajennense</u> 1 ♂, 1 ♀		
	Man		
	Rupununi Forest, British Guiana		
	IX.1913		
	Dr. H. K. Wise		
	Wise's No. 1611, 1620.		
N	3098	N	3098 MISSING
	<u>Amblyomma cajennense</u> 1 N		
	Man		
	Essequibo River, British Guiana		
	IX.1913		
	Dr. H. K. Wise		
	Wise's No. 1648.		
N	3099	N	3099
		RML	111977
	<u>Amblyomma cajennense</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Amblyomma oblongoguttatum</u>
	Man		<u>Homo sapiens</u>
	Siparuni River, British Guiana		Siparuni River (04.50 N, 58.49 W), Guyana
	X.1913		X.1913
	Dr. H. K. Wise		Dr. H. K. Wise
	Wise's No. 1649.		
	G.H.F.N. & C.W. det 6.I.15		

Ticks received 7.I.1915 from Mr. F. C. Bishopp, P.O. Box 208, Dallas, Texas, U.S.A.:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3100	N 3100
		RML 57169
	<u>Dermacentor nigrolineatus</u> 2 ♂, 2 ♀, L	1 ♀, 1 L <u>Dermacentor albipictus</u>
	Cattle	Cattle
	Lake, Tennessee, U.S.A.	Lake City (36.13 N, 84.09 W), Tennessee, U.S.A.
	Rec'd. I.1915	6.XII.1911
	Rec'd. from F. C. Bishopp (Acc. No. 2390).	H. P. Wood Collection data taken from Bishopp's accession card. An additional 11 ♂, 4 ♀ are in the RML collection.
N	3101	N 3101
		RML 59961
	<u>Dermacentor nigrolineatus</u> 5 ♀	5 ♀ <u>Dermacentor albipictus</u>
	Cow	Cow
	Larman, Mississippi, U.S.A.	Lorman (31.49 N, 91.03 W), Mississippi, U.S.A.
	Rec'd. I.1915	27.I.1913
	Rec'd. from F. C. Bishopp (Acc. No. 2758). (B's det. confirmed C.W. det. 8.I.1915).	A. T. Montgomery Collection data taken from Bishopp's accession card.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3102

N 3102 MISSING

Ornithodoros moubata
(6, badly preserved)

"about 5°40'S and 23°30'E, [Belgian Congo], which is a new locality for them."

Rec'd. 2.I.1915

Rec'd. from Dr. A. Yale Massey,
Belgian Congo Medical Service,
Lusambo, Belgian Congo

C.W. det. 8.I.1915.

Ticks collected by Charles Harpley, Quick Laboratory Assistant whilst in Antigua assisting Dr. E. S. Marshall in work on Ankylostomiasis:-

N 3103

N 3103

RML 111978

Rhipicephalus sanguineus ♂'s, ♀'s,
1 N

47 ♂, 6 ♀, 1 N Rhipicephalus
sanguineus

Dog

Dog

St. John's, Antigua, W.I.

Saint John's (17.06 N, 61.51 W),
Antigua

27.VII.1914

27.VII.1914

C. Harpley

C. Harpley

N 3104

N 3104

RML 111979

Rhipicephalus sanguineus N's, L's

9 N, 16 L Rhipicephalus sanguineus

Puppy dog

Dog

St. John's, Antigua, W.I.

Saint John's (17.06 N, 61.51 W),
Antigua

2.XI.1914

2.XI.1914

C. Harpley

C. Harpley

ORIGINAL DETERMINATIONCURRENT STATUS

N	3105	N	3105 MISSING
	<u>Boophilus australis</u> 1 ♂, ♀'s		
	Calf		
	St. John's, Antigua, W.I.		
	17.XI.1914		
	C. Harpley		
	(3103-3105 C.W. det. 8.I.1915).		
N	3106	N	3106 MISSING
	<u>Boophilus australis</u> 1 ♂, ♀'s		
	Cow		
	St. John's Antigua, W.I.		
	15.XI.1914		
	C. Harpley		
	C.W. det. 8.I.1915.		
N	3107	N	3107
		RML	111980
	<u>Boophilus australis</u> ♀'s	83 ♀	<u>Boophilus microplus</u>
	Cow	Cow	
	St. John's, Antigua, W.I.	Saint John's (17.06 N, 61.51 W), Antigua	
	16.XI.1914	16.XI.1914	
	C. Harpley	C. Harpley	
	C.W. det. 8.I.1915.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3108	N	3108
		RML	111981
	<u>Ixodes hexagonus</u> 1 ♀		1 ♀ <u>Ixodes hexagonus</u>
	Weasel		<u>Mustela nivalis</u>
	Swavesey, Cambs.		Swavesey (52.18 N, 0.00), England
	11.X.1913		11.X.1913
	G. B. Hony		G. B. Hony
	(found in N. Cunliff's drawer when putting his place tidy 11.I.1915). G.H.F.N. & C.W. det.		Cited: Nuttall (1916: 328).

Ticks rec'd back 19.I.1915 from Imperial Bureau of Entomology, London
per Mr. G.A.K. Marshall:-

N	3109	N	3109
		RML	111982
	<u>Rhipicephalus sanguineus</u> var. <u>sulcatus</u> 1 ♂		1 ♂ <u>Rhipicephalus sanguineus</u>
	Bushcat sp.		Bushcat
	Yapi, Northern Territory, Gold Coast, W. Africa		Yapei (09.10 N, 01.10 W), Northern Region, Ghana
	26.VI.1914		26.VI.1914
	Dr. J. J. Simpson		Dr. J. J. Simpson
	Imp. Bur. Ent. No. 904. C.W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3110	N	3110
		RML	111983
	<u>Amblyomma dissimile</u> 1 larva		1 L <u>Amblyomma</u> sp.
	<u>Bufo marinus</u>		<u>Bufo marinus</u>
	Berbice, British Guiana		Berbice (05.27 N, 57.57 W), Guyana
	5.VIII.1914		5.VIII.1914
	Rev. James Aiken		Rev. James Aiken
	Imp. Bur. Ent. 905. C.W. det.		
N	3111	N	3111
		RML	111984
	<u>Boophilus decoloratus</u> 3 ♀		3 ♀ <u>Boophilus geigyi</u>
	Dead cow		Cow, dead
	Karene District, Batkano, Sierra Leone		Perhaps either Batkanu (09.05 N, 12.25 W) or (09.47 N, 11.53 W), Sierra Leone
	16.X.1914		16.X.1914
	Dr. P. A. Clearkin		Dr. P. A. Clearkin
	Imp. Bur. Ent. 906. G.H.F.N. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3112, a	N	3112a
		RML	111985
(3112)	<u>Amblyomma variegatum</u> 2 ♂, 1 ♀	(3112)	MISSING
(a)	<u>Boophilus decoloratus</u> 4 ♀	(a)	4 ♀ <u>Boophilus decoloratus</u>
	Hump-backed cattle		Cattle, hump backed
	Accra, Gold Coast, W. Africa		Accra (05.33 N, 00.13 W), Ghana
	XI.1914		XI.1914
	Dr. J. W. Scott-Macfie		Dr. J. W. Scott-Macfie
	Imp. Bur. Ent. No. 907, 907a C.W. & G.H.F.N. det.		
N	3113	N	3113
		RML	111986
	<u>Rhipicephalus falcatus</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Rhipicephalus</u> sp.
	Warthog		<u>Phacochoerus aethiopicus</u>
	Wasa River, Uganda		Wasa River (01.02 N, 30.30 E), Uganda
	13.IV.1914		13.IV.1914
	Dr. R. E. McConnell		Dr. R. E. McConnell
	Imp. Bur. Ent. No. 888 & 9 C.W. det. (pinned specs.).		Pinned specimens

Ticks brought by Dr. de Blieck (Java) 19.I.1915 to Cambridge for us to determine. Specimens collected by him and his colleagues:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3114	N 3114
		RML 111987
	<u>Rhipicephalus haemaphysaloides</u> 1 ♂, 1 ♀	1 ♂, 1 ♀ <u>Rhipicephalus pilans</u>
	Horse	Horse
	Docko-Kangean, Madoera Island (N.E. of Java, dry climate)	Docko-Kangean, Madura Island (07.00 S, 113.20 E), Indonesia
	9.V.1914	9.V.1914
	Dr. de Blieck & colleagues	Dr. de Blieck & colleagues
	deB. No. 1 C.W. det.	
N	3115	N 3115
		RML 111988
	<u>Rhipicephalus sanguineus</u> 2 ♂, 2 ♀	2 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog	Dog
	Buitenzorg, Java	Bogor (06.35 S, 106.47 E), Java, Indonesia
	6.XI.1908	6.XI.1908
	Dr. de Blieck & colleagues	Dr. de Blieck & colleagues
	deB. No. 8 (G.H.F.N. det.).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3116	N	3116
		RML	111989
	<u>Boophilus australis</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Buitenzorg, Java		Bogor (06.35 S, 106.47 E), Java, Indonesia
	Dr. de Blieck & colleagues		Dr. de Blieck & colleagues
	deB. No. 5 (G.H.F.N. & C.W. det.).		
N	3117, a	N	3117, a
		RML	111990
	(3117) <u>Dermacentor auratus</u> 1 ♂, 1 ♀		(3117) 1 ♂, 1 ♀ <u>Dermacentor</u> sp.
	(a) <u>Haemaphysalis papuana</u> 1 ♂		(a) 1 ♂ <u>Haemaphysalis papuana</u>
	Wild pig		<u>Sus scrofa</u>
	Tjibarosa, near Buitenzorg, Java		Tjibarusa (06.26 S, 107.04 E), Java, Indonesia
	1914		1914
	Dr. de Blieck & colleagues		Dr. de Blieck & colleagues
	deB. No. 6, 6a (3117) G.H.F.N. det. (a) G.H.F.N. & C.W. det.		(3117a) cited: Nuttall & Warburton (1915: 407).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3118	N	3118
		RML	111991
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> 1 ♂ "leguan"		1 ♂ <u>Aponomma varanensis</u> "leguan"
	Buitenzorg, Java		Bogor (06.35 S, 106.47 E), Java, Indonesia
	1914		1914
	Dr. de Blieck & colleagues		Dr. de Blieck & colleagues
	deB. No. 8a C.W. det.		See also N3123, a
N	3119	N	3119
		RML	111992
	<u>Ixodes hexagonus</u> 1 N Stoat		1 N <u>Ixodes hexagonus</u> <u>Mustela erminea</u>
	Fairhill, Tonbridge, Kent, England		Fairhill, Tonbridge (51.11 N, 00.17 E), Kent, England
	XII.1914		XII.1914
	P. A. Buxton		P. A. Buxton
	G.H.F.N. & C.W. det. (Found with flea N. 288 and mites N. 233).		Cited: Nuttall (1916: 328)
N	3120	N	3120
		RML	111993
	<u>Argas persicus</u> N's & adults Beni Ounif, Algeria		7 ♂, 8 ♀, 107 N <u>Argas persicus</u> Parents from Beni Ounif (32.03 N, 01.15 W), Algeria; raised at Quick Laboratory, Cambridge (52.13 N, 00.08 E), England
	Strain raised in Quick Laboratory by Dr. Hindle.		See also N1561, N1574

ORIGINAL DETERMINATIONCURRENT STATUS

N	3121	N	3121
		RML	111994
	<u>Argas persicus</u> N's & adults		49 ♂, 75 ♀, 162 N, 26 L <u>Argas persicus</u>
	Khartoum, Soudan		Parents from Khartoum (15.36 N, 32.32 E), Sudan raised in Quick Laboratory, Cambridge (52.13 N, 00.08 E), England
	III.1912		III.1912
	(Strain raised in Quick Laboratory).		
N	3122	N	3122 OMITTED CATALOGUE NUMBER
N	3123, a	N	3123, a
		RML	111995
	(3123) <u>Amblyomma helvolum</u> 1 ♂ (a) <u>Aponomma gervaisi</u> 4 ♀		(3123) 1 ♂ <u>Amblyomma helvolum</u> (a) 3 ♀ <u>Aponomma varanensis</u>
	"leguan"		"leguan"
	Buitenzorg, Java		Bogor (06.35 S, 106.47 E), Java, Indonesia
	1914		1914
	Dr. de Blieck		Dr. de Blieck
	de Blieck No. 8, 8a L.E.R. det. 26.I.1915		This collection apparently identical to N 3118.

Ticks received 3.II.1915 from Malcolm E. MacGregor, B.A., Wellcome Bureau of Scientific Research, 10 Henrietta St., Cavendish Sq., London, W.
(Coll. of Bureau, mostly without data):-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3124	N 3124
		RML 111996
	<u>Amblyomma albolimbatum</u> 4 ♂	2 ♂ <u>Amblyomma albolimbatum</u>
	<u>Trachysaurus rugosus</u> (stump-tailed lizard)	<u>Trachysaurus rugosus</u>
	Australia	Australia
	12.VI.1906	12.VI.1906
	Rec'd. from M.E. MacGregor MacG. No. 6 L.E.R. det., reports 6.III.1915 he is retaining 2 ♂.	Rec'd. from M.E. MacGregor Cited: Robinson (1926: 227).
N	3125	N 3125
		RML 111997
	<u>Amblyomma geayi</u> 2 ♂, 2 ♀	1 ♂, 1 ♀ <u>Amblyomma geayi</u>
	<u>Bradypus tridactylus</u> (sloth)	<u>Bradypus tridactylus</u>
	Manaos, Brazil	Manaus (03.08 S, 60.01 W), Brazil
	T. P. Beddoes	T. P. Beddoes
	MacG. No. 9. (Note that our type lot N1149 ♀'s only from same collector & place! So this must be some of the same lot). G.H.F.N. & C.W. det. L.E.R. det. 1926 L.E.R. retains 1 ♂, 1 ♀, returned 1 ♂, 1 ♀ 6.III.1915.	Note in vial "1 ♂, 1 ♀ retained by L.E.R." Cited & figured: Robinson (1926: 59, 61) but he incorrectly gave the Nuttall number 3215 to the ♀ figure.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3126	N	3126
		RML	111998
	<u>Amblyomma clypeolatum</u> 1 ♂		1 ♂ <u>Amblyomma clypeolatum</u>
	<u>Cinyxis erosa</u> [a land tortoise occurs W. Africa]		<u>Kinixys erosa</u>
	No further data. Rec'd. 3.II.1915		No further data Rec'd. 3.II.1915
	Rec'd. from M.E. MacGregor		Rec'd. from M.E. MacGregor
	MacG. No. 11 L.E.R. det. 1926.		Cited: Robinson (1926: 81) but he gave collection data for N 1512.
N	3127	N	3127
		RML	111999
	<u>Amblyomma testudinarium</u> 3 ♂		3 ♂ <u>Amblyomma testudinarium</u>
	<u>Tapirus indicus</u> (Malayan tapir)		<u>Tapirus indicus</u>
	Rec'd. 3.II.1915		Rec'd. 3.II.1915
	Rec'd. from M.E. MacGregor		Rec'd. from M.E. MacGregor
	MacG. No. 13. C.W. & L.E.R. det.		

ORIGINAL DETERMINATION

N 3128

Amblyomma nodosum 7 ♂Tamandua tetradactyla

(No further data but (!) our types N 36 ♂'s, were from same host, Zool. Soc. Gardens, London. These are probably some of the same lot taken at that time (1905) by Dr. L.W. Samson).

Rec'd. 3.II.1915

Rec'd. from M.E. MacGregor

MacG. No. 16.
G.H.F.N. & C.W. det.
5 ♂ returned, 2 ♂ retained by
L.E.R. 6.III.1915.
L.E.R. det. 1926.

CURRENT STATUS

N 3128

RML 112000

5 ♂ Amblyomma nodosumTamandua tetradactyla

(No further data but (!) our types N 36 ♂'s, were from same host, Zool. Soc. Gardens, London. These are probably some of the same lot taken at that time (1905) by Dr. L.W. Samson).

Rec'd. 3.II.1915

Rec'd. from M.E. MacGregor

Although no Nuttall number was cited, Robinson (1926: 199) listed "♂'s off Tamandua tetradactyla, ? Zool. Soc. Gardens, London, Dr. L. W. Samson donor, 1905" which probably refers to this collection.

N 3129

Haemaphysalis cinnabrina
var. punctata Larvae

Partridge

? place

15.VIII.1908

H. Smith

MacG. No. 1.
G.H.F.N. & C.W. det.

N 3129

RML 112001

± 200 L Haemaphysalis sp.

Partridge

? place

15.VIII.1908

H. Smith

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3130	N	3130
		RML	112002
	<u>Aponomma gervaisi</u> ♂'s		3 ♂ <u>Aponomma gervaisi</u>
	Bengal Monitor		<u>Varanus bengalensis</u>
	Zool. Soc. Garden, London		Zoological Society Gardens, London (51.30 N, 00.07 W), England
	L. Sambon		L. Sambon
	MacG. No. 3		MacG. No. 3
	C.W. det.		
N	3131, a	N	3131, a
		RML	112003
	(3131) <u>Aponomma decorosum</u> ♂ (a) <u>Aponomma trimaculatum</u> ♀		(3131) 1 ♂ <u>Aponomma fimbriatum</u> (a) 1 ♀ <u>Aponomma trimaculatum</u>
	Lace monitor		<u>Varanus</u> sp.
	Zool. Soc. Garden, London		Zoological Society Gardens, London (51.30 N, 00.07 W), England
	L. Sambon		L. Sambon
	MacG. No. 4, 4a (3131) C.W. det. (a) L.E.R. det.		(3131a) is an abnormal ♀ with hypostome dentition 4/7 or more.

ORIGINAL DETERMINATION

N 3132

Ixodes vespertilionis 1 ♀
(semi-gorged)Bat (Vespertilio kuhni)

Algiers, Algeria

8.I.1915

Rivet

Gift of Dr. Edmond Sergent (perfect
but for hypostome.
Agrees well with my figure in
"Ticks" Part II.).
G.H.F.N. det.

CURRENT STATUS

N 3132

RML 112004

1 ♀ Ixodes vespertilionisPipistrellus kuhli

Algiers (36.47 N, 03.03 E), Algeria

8.I.1915

Rivet

Cited: Nuttall (1916: 334).

N 3133

N 3133 MISSING

Ixodes tenuirostris Larvae

Mole

Shrewsbury, England

22.XII.1908

Mr. R.F.L. Burton

Mounted on 4 slides 19.X.1909
(I-IV slides) G.H.F.N. det. 11.II.1915.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3134	N	3134
		RML	112005
	<u>Argas vespertilionis</u>		2 L <u>Argas reflexus</u>
	Off ?		Off ?
	Zaragoza		Zaragoza (41.38 N, 00.53 W), Spain
	IX.1914		IX.1914
	Sent by Longin Navás S.J. Colegio del Salvador, Apartado Num. 32, Zaragoza, Spain Rec'd. 15.II.1915 [dry]. G.H.F.N. det.		Sent by Longin Navás S.J. Colegio del Salvador, Apartado Num 32, Zaragoza, Spain Rec'd. 15.II.1915 [dry]. G.H.F.N. det.
N	3135	N	3135 MISSING
	<u>Argas transgariepinus</u> 1 ♀ (Rec'd. alive)		
	Found in old wood		
	Valdealgorfa, Tereul, Spain		
	Rec'd. 15.II.1915		
	Rec'd. from Longin Navas		
	Slide G.H.F.N. det.		Hoogstraal (1954: 273) cited this record but was also unable to locate the specimen.
	Tick kept alive since it was captured 4 months ago. (This the first record in Europe! See "Ticks" Part I p. 29; types from S. Africa Gariep = Orange River). G.H.F.N. det.		
	Water colour fig. by Edwin Wilson 11.III.1915, the last he executed for me (he died 15.IV.1915!).		
	13.III.1915 partly fed on fowl for 45 minutes, refused to feed on fowl 28.IV.1915.		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3136 <u>Hyalomma</u> sp. 1 ♂ <u>Capra falconeri</u> (The Markhoar) No further data Gift of Hon. N.C. Rothschild (slide R 958)	N 3136 MISSING
	Note: The host occurs in Kashmir, Afghanistan, Gilgit, etc. [1 slide]	
N	3137 <u>Hyalomma aegyptium</u> ♂'s, ♀'s India Data lost, mounted as slides by C. Warburton to show diff't. parts: capitulum, spiracles, etc! [7 slides]	N 3137 MISSING
N	3138 <u>Aponomma laeve</u> var. <u>capensis</u> 1 ♂ <u>Echidna</u> No further data Gift of Hon. N.C. Rothschild (Unmounted by me from a slide R. 926) L.E.R. det.	N 3138 RML 112006 1 ♂ <u>Aponomma</u> sp. <u>Echidna</u> sp. No further data Gift of Hon. N.C. Rothschild This specimen lacks cervical pits, otherwise it is close to <u>Aponomma pattoni</u> .

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3139	N 3139 MISSING
	<u>Hyalomma syriacum</u>	
	Tortoise	
	No further data	
	Gift of Hon. N.C. Rothschild	
	(5 slides R. 1012-1020)	
	[5 slides] (I-V)	
N	3140	N 3140 MISSING
	<u>Hyalomma syriacum</u> 2 ♀	
	<u>Testudo pardalis</u>	
	No further data	
	Gift of Hon. N.C. Rothschild	
	(2 slides: R. 1022-1023)	
	[2 slides I, II]	
N	3141	N 3141 MISSING
	<u>Hyalomma syriacum</u>	
	Araconda [sic]	
	Gift of Hon. N.C. Rothschild	
	(2 slides R. 906, 1031)	
	[2 slides I, II]	
	(Evidently bought slides from M. Pillischer, Optician, 88 New Bond St., London, W.)	

Ticks received 20.II.1905 [sic. Must be 1915, see collection dates - J.E.K.] from Dr. John Y. Wood, Kaballa, Koinadugu District, Sierra Leone:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3142	N	3142
		RML	112007
	<u>Rhipicephalus sanguineus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Karafaia, Sierra Leone		Karafaia (09.17 N, 10.45 W), Sierra Leone
	22.XII.1914		22.XII.1914
	J. Y. Wood		J. Y. Wood
N	3143, a-c	N	3143, b, c
		RML	112008
	(3143) <u>Boophilus australis</u> ♀'s (a) <u>Amblyomma variegatum</u> N's (b) <u>Rhipicephalus simus</u> ♂ (c) <u>Rhipicephalus sanguineus</u> ? (Large)		(3143) 45 ♀, 16 N <u>Boophilus geigyi</u> (a) MISSING (b) 1 ♂ <u>Rhipicephalus senegalensis</u> (c) 1 ♀ <u>Rhipicephalus sanguineus</u>
	Cattle		Cattle
	Dunkiawallia, Sierra Leone		Dunkiawallia, Sierra Leone (locality not verified)
	26.XII.1914		26.XII.1914
	J. Y. Wood		J. Y. Wood
N	3144, a	N	3144
		RML	112009
	(3144) <u>Boophilus australis</u> ♀'s (a) <u>Amblyomma variegatum</u> N's		(3144) 8 ♀ <u>Boophilus geigyi</u> (a) MISSING
	Sheep		Sheep
	Tengifera, Sierra Leone		Tengifera (09.38 N, 11.13 W), Sierra Leone
	24.XII.1914		24.XII.1914
	J. Y. Wood		J. Y. Wood

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3145, a, b	N	3145, a
		RML	112010
	(3145) <u>Boophilus australis</u> ♀'s (a) <u>Haemaphysalis leachi</u> 2 ♀ (b) <u>Amblyomma variegatum</u> 3 N's		(3145) 4 ♀ <u>Boophilus geigyi</u> (a) MISSING (b) MISSING
	Dog		Dog
	Dunkiawallia, Sierra Leone		Dunkiawallia, Sierra Leone (locality not verified)
	25.XII.1914		25.XII.1914
	J. Y. Wood		J. Y. Wood
N	3146	N	3146
		RML	112011
	<u>Boophilus australis</u> ♀'s		21 ♀ <u>Boophilus geigyi</u>
	Goats		Goats
	Tengifera, Sierra Leone		Tengifera (09.38 N, 11.13 W), Sierra Leone
	24.XII.1914		24.XII.1914
	J. Y. Wood		J. Y. Wood
N	3147, a	N	3147, a
		RML	112012
	(3147) <u>Boophilus australis</u> ♀'s (a) <u>Rhipicephalus falcatus</u> ♂		(3147) 21 ♀ <u>Boophilus geigyi</u> (a) 1 ♂ <u>Rhipicephalus senegalensis</u>
	Cow (sick)		Cow (sick)
	Kombile, Sierra Leone		Kombile (09.41 N, 11.05 W), Sierra Leone
	23.XII.1914		23.XII.1914
	J. Y. Wood		J. Y. Wood

ORIGINAL DETERMINATION

N 3148, a
 (3148) Boophilus australis ♀'s
 (a) Rhipicephalus simus 2 ♂
 (approaching R. falcatus)

Cow
 Kombile, Sierra Leone
 22.XII.1914
 Dr. John Y. Wood
 C.W. det. 24.II.1915

N 3149, a
 (3149) Haemaphysalis leachi 5 ♂, 2 ♀
 (a) Boophilus australis 1 ♂

Dog
 Mabonto, Sierra Leone
 10.XII.1914
 Dr. John Y. Wood
 C.W. det. 24.II.1915

CURRENT STATUS

N 3148, a
 RML 112013
 (3148) 22 ♀, 2 N Boophilus geigyi
 (a) 2 ♂ Rhipicephalus senegalensis

Cow
 Kombile (09.41 N, 11.05 W),
 Sierra Leone
 22.XII.1914
 Dr. John Y. Wood

N 3149
 RML 112014
 (3149) 4 ♂, 2 ♀ Haemaphysalis leachi
 (a) MISSING

Dog
 Either Mabonto (08.38 N, 12.37 W)
 or (08.52 N, 11.49 W), Sierra Leone
 10.XII.1914
 Dr. John Y. Wood

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3150	N	3150
		RML	112015
	<u>Boophilus australis</u> ♀'s		20 ♀, 20 N <u>Boophilus geigyi</u>
	Cows		Cows
	Tengifera, Sierra Leone		Tengifera (09.38 N, 11.13 W), Sierra Leone
	24.XII.1914		24.XII.1914
	Dr. John Y. Wood		Dr. John Y. Wood
	C.W. det. 24.II.1915		
N	3151, a	N	3151
		RML	112016
	(3151) <u>Boophilus australis</u> ♀'s (a) <u>Amblyomma variegatum</u> N's, L		(3151) 25 ♀, 12 N <u>Boophilus geigyi</u> (a) MISSING
	Cow		Cow
	Dunkiawallia, Sierra Leone		Dunkiawallia, Sierra Leone (locality not verified)
	25.XII.1914		25.XII.1914
	Dr. John Y. Wood		Dr. John Y. Wood
	C.W. det. 24.II.1915		

ORIGINAL DETERMINATION

N 3152, a, b
 (3152) Boophilus australis ♀'s
 (a) Amblyomma variegatum 1 ♂, 1 N
 (b) Rhipicephalus simus 1 ♀

Cattle

Karafaia, Sierra Leone

22.XII.1914

Dr. John Y. Wood

C.W. det. 24.II.1915

N 3153
Boophilus australis ♀'s

Dog

Kombile, Sierra Leone

23.XII.1914

Dr. John Y. Wood

C.W. det. 24.II.1915

CURRENT STATUS

N 3152, b
 RML 112017
 (3152) 25 ♀ Boophilus geigyi
 (a) MISSING
 (b) 1 ♀ Rhipicephalus senegalensis

Cattle

Karafaia (09.17 N, 10.45 W),
Sierra Leone

22.XII.1914

Dr. John Y. Wood

N 3153
 RML 112018
 9 ♀ Boophilus geigyi

Dog

Kombile (09.41 N, 11.05 W),
Sierra Leone

23.XII.1914

Dr. John Y. Wood

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3154, a	N	3154, a
		RML	93730, RML 102188
(3154)	<u>Haemaphysalis leachi</u> ♂'s, ♀'s	(3154)	1 ♂ <u>Haemaphysalis leachi</u> group (RML 93730)
(a)	<u>Rhipicephalus sanguineus</u>	(3154)	2 ♀ <u>Haemaphysalis</u> sp. (RML 102188)
Dog		(a)	2 ♂, 6 ♀, 4 N <u>Rhipicephalus sanguineus</u> (RML 93730)
Karafaia, Sierra Leone		Dog	
.....1914		Karafaia (09.17 N, 10.45 W), Sierra Leone	
Dr. John Y. Wood	1914	
C.W. det. 24.II.1915		Dr. John Y. Wood	
N	3155	N	3155 MISSING
	<u>Ixodes canisuga</u> 1 ♀		
	<u>Passer domesticus</u> (sparrow)		
	Ingham, Statham, Norfolk, England		
V. 1914			
P. A. Buxton			
C.W. det. 2.III.1915			

ORIGINAL DETERMINATION

N 3156
Amblyomma varium 1 ♀
Choloepus hoffmanni (sloth)
 Ancon, Panama Canal Zone
 31.X.1913
 Dr. S. T. Darling
 C.W. det. 5.III.1915

Dr. Darling writes, 12.I.1915, it was found in sloth's cage. The ♀ measured 30 X 24 X 15 (deep) mm., weighed 5.9 grammes; began to oviposit 12.XI.1913 & laid on 13, 14, 16, 17, 18, 19, 20, 21, 24, 26th a total (actual count) of 9759 eggs. 25 fresh (24 hrs. old) eggs weighed 2.25 milligrammes; average egg weighed 0.09 milligrammes. On 2.XII.1913 all the eggs weighed 0.9827 grammes (evidently losing moisture). ♀ died 29.XI.1913 her weight on 2.XII = 2.76 grammes. All eggs shrivelled by 17.III.1914. These notes made by L. H. Dunn, Darling's assistant. The sloth's blood contained Endotrypanum schaudinni.
 G.H.F.N.

CURRENT STATUS

N 3156
 RML 112019
 1 ♀ Amblyomma varium
Choloepus hoffmanni
 Ancon (08.58 N, 79.33 W), Panama
 31.X.1913
 Dr. S. T. Darling
 Cited: Robinson (1926: 209)

ORIGINAL DETERMINATIONCURRENT STATUS

N 3157, a N 3157, a MISSING

(3157) Rhipicephalus evertsi 3 ♂'s
 (a) Boophilus decoloratus 1 ♂

Zebra

Not stated

Gift of Hon. N.C. Rothschild (1908)

[Mounted on slides in balsam I-IV]
 (R 1026-1029)

(3157) C.W. det. 18.III.1915
 (a) C.W. & G.H.F.N. det. 1915.

N 3158 N 3158 MISSING

Rhipicephalus haemaphysalooides 1 ♀

India

Gift of Hon. N.C. Rothschild (1908)
 (Prep bought from Fred'k. Enoch)

[Mounted on slide in glycerin] (R. 907)

N 3159 N 3159 MISSING

Argas reflexus 3 N's

India

Gift of Hon. N.C. Rothschild (1908)
 (3 slides No.s 908-910)
 Fred'k. Enoch prep., cost
 2 shillings each!

G.H.F.N. det. III.1915.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3160	N	3160
		RML	112020
	<u>Dermacentor reticulatus</u> 2 ♂, 1 ♀, 1 N		1 ♂, 1 ♀, 1 N <u>Dermacentor reticulatus</u>
	Revelstoke		Stoke Point (50.18 N, 04.01 W), England
	III.1902		III.1902
	Gift of Hon. N.C. Rothschild (tube No. 238)		Gift of Hon. N.C. Rothschild (tube No. 238)
	G.H.F.N. & C.W. det. III.1915.		
N	3161	N	3161
		RML	112021
	<u>Amblyomma testudinarium</u> 2 ♂, 2 ♀		1 ♂, 2 ♀ <u>Amblyomma testudinarium</u>
	Buffalo		<u>Subalus bubalis</u>
	Buitenzorg, Java		Bogor (06.35 S, 106.47 E), Java, Indonesia
	1914		1914
	Gift of Dr. de Blieck (His No. 7 of which 2 ♂ returned)		Gift of Dr. de Blieck
	L.E.R. det. 1915.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3162	N	3162
		RML	112022
	<u>Ornithodoros talaje</u> 2 spec's.		1 ♂, 1 ♀ <u>Ornithodoros talaje</u>
	Fowls		Fowls
	Villavalencio, Strato Valley, Colombia, C. America		Villavalencio, Strato Valley, Colombia (locality not verified)
	26.XI.1914		26.XI.1914
	Gift of Wellcome Bur. Sci. 23.IV.1915		Gift of Wellcome Bureau of Science 23.IV.1915
	"W. 23"		
	C.W. det. 28.IV.1915.		
N	3163	N	3163
		RML	112023
	<u>Rhipicephalus simus</u> ♂ & ♀		1 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Cattle		Cattle
	Ibadan, S. Nigeria		Probably Ibadan (07.17 N, 3.30 E) Nigeria (However 6 other populated places in Nigeria named Ibadan)
	27.III.1915		27.III.1915
	Gift of Wellcome Bur. Sci. 23.IV.1915		Gift of Wellcome Bureau of Science 23.IV.1915
	"W. 29."		
	C.W. det. 28.IV.1915.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3164

N 3164 MISSING

Boophilus australis ♂'s, ♀'s

Cattle

Fray Bentos, Uruguay, S. America

Sent me 27.III.1914

Dr. Breitung

C.W. det. 28.IV.1915.

N 3165

N 3165 MISSING

Argas reflexus 2

Valdealgorfa, Teruel, Spain

Rec'd. 14.V.1915

Rev. Longin Navás, S.J. of
Colegio del Salvador,
Saragossa, Spain

G.H.F.N. det. 14.V.1915

Rec'd. alive Slide

ORIGINAL DETERMINATIONCURRENT STATUS

N 3166

N 3166

RML 112024

Hyalomma aegyptium ♂, ♀'s5 ♂, 1 ♀ Hyalomma truncatum

Roan antelope

Hippotragus equinus

Shot near Kontagora, N. Nigeria

Shot near Kontagora, (09.06 N,
08.31 E) or (10.24 N, 05.29 E),
Nigeria

V.1914

V.1914

Dr. W. B. Johnson
(Hillside, Seaton, Devon)Dr. W. B. Johnson
(Hillside, Seaton, Devon)

G.H.F.N. det. 20.V.1915

Note ♂'s differ somewhat from
typical specs.

N 3167, a

N 3167, a

RML 105658

(3167) Rhipicephalus simus ♂'s, ♀'s(3167) 8 ♂, 6 ♀ Rhipicephalus longus
(3167) 1 ♂ Rhipicephalus lunulatus
(3167) 2 ♂, 3 ♀ Rhipicephalus senegalensis
(3167) 1 ♂ Rhipicephalus simus group
(a) 1 ♂ Hyalomma truncatum(a) Hyalomma aegyptium 1 ♂

Wart-hog

Phacochoerus aethiopicus

Shot near Zungeru, N. Nigeria

Shot near Zungeru (09.48 N,
06.09 E), Nigeria

VI.1914

VI.1914

Dr. W. B. Johnson
(Hillside, Seaton, Devon)Dr. W. B. Johnson
(Hillside, Seaton, Devon)

C.W. det. 20.V.1915.

The 1 ♂ Rhipicephalus simus group
specimen is the R. planus of some
authors or a runt R. planus
complanatus.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3168

N 3168 MISSING

Amblyomma variegatum larvae (gorged)

Cat

Gondar, Abyssinia

XII.1914

Mr. C. H. Armbruster (Intelligence
Dept., War Office, Cairo, Egypt)

Rec'd. 8.VII.1915

C.W. det. 8.VII.1915.

N 3169

N 3169 MISSING

Amblyomma variegatum larvae (unfed)

Man

Gondar, Abyssinia

XII.1914

Mr. C.H. Armbruster (Intelligence
Dept., War Office, Cairo, Egypt)

Rec'd. 8.VII.1915

C.W. det. 8.VII.1915.

N 3170

N 3170

RML 112025

Rhipicephalus simus 1 ♀1 ♀ Rhipicephalus simus

Host ?

Host ?

Gondar, Abyssinia

Gondar (12.34 N, 37.36 E), Ethiopia

?.XII.1914

?.XII.1914

Mr. C.H. Armbruster (Intelligence
Dept., War Office, Cairo, Egypt)

Mr. C.H. Armbruster

Rec'd. 8.VII.1915

C.W. det. 8.VII.1915.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3171		N	3171	
			RML	70967	
(3171)	<u>Rhipicephalus haemaphysaloides</u> 3 ♂, 3 ♀		(3171)	2 ♂, 1 ♀ <u>Rhipicephalus haemaphysaloides</u>	
(a)	<u>Haemaphysalis montgomeryi</u> 2 ♀ (atypical)		(a)	2 ♀ <u>Haemaphysalis sundrai</u>	
	<u>Cervulus muntjac</u>			<u>Muntiacus muntjac</u>	
	Peshok, Darjiling District, E. Himalayas (2500-3500 ft. elev.)			Pashok (27.04 N, 88.23 E), Darjeeling District, West Dinajpur, India (762-1067 m)	
	30.IV.1915			30.IV.1915	
	R. S. Lister			R. S. Lister	
	ex Ind. Mus. $\frac{2344}{17}$ & $\frac{2344}{17}$ a			(3171a) retained in collection of Dr. H. Hoogstraal, NAMRU-3, Cairo, Egypt.	
	C.W. det. VII.1915				
	Received from Indian Museum Calcutta per F.H. Gravely.				
N	3172		N	3172	
			RML	112026	
	<u>Haemaphysalis bispinosa</u> 3 ♂, 3 ♀, 1 N Dog			3 ♂, 3 ♀, 1 N <u>Haemaphysalis bispinosa</u> Dog	
	Paksey, Pubna District, Bengal			Paksey, Pubna District, Bengal, India (locality not verified)	
	3.III.1915			3.III.1915	
	C. Paiva			C. Paiva	
	Ind. Mus. No. $\frac{2347}{17}$				
	C.W. det. VII.1915.				

ORIGINAL DETERMINATIONCURRENT STATUS

N	3173	N	3173
		RML	112027
	<u>Argas vespertilionis</u> 2 larvae	2 L	<u>Argas vespertilionis</u>
	<u>Nycticejus kuhlii</u> (bat)		<u>Scotophilus temmincki</u>
	Lahore, Punjab		Lahore (31.35 N, 74.18 E), Pakistan
	I.1915	I.1915	
	Baini Barshud		Baini Barshud
	Ind. Mus. No. <u>2350</u> <u>17</u>		
	C.W. & G.H.F.N. det. VII.1915.		
N	3174	N	3174
		RML	112028
	<u>Hyalomma aegyptium</u> ? 1 N	1 N	<u>Hyalomma</u> sp.
	<u>Vidua principalis</u> (a small bird, off its head)		<u>Vidua</u> sp.
	Accra, W. Africa		Accra (05.33 N, 00.13 W), Ghana
	27.III.1915	27.III.1915	
	Dr. J.W.S. Macfie		Dr. J.W.S. Macfie
	Imp. Bur. Ent. No. 927.		
	C.W. & G.H.F.N. det. VII.1915.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3175	N 3175
		RML 105641
	<u>Rhipicephalus sanguineus</u> ♂, ♀, N	3 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u> 2 N <u>Hyalomma</u> sp.
	Wild rabbit	Rabbit, wild
	Accra, W. Africa	Accra (05.33 N, 00.13 W), Ghana
	26.I.1915	26.I.1915
	Dr. J.W.S. Macfie	Dr. J.W.S. Macfie
	Imp. Bur. Ent. NO. 928	
	C.W. & G.H.F.N. det. VII.1915.	
N	3176	N 3176 MISSING
	<u>Boophilus australis</u> ♂, ♀, N	
	Cow (dead of anthrax, from inside ear)	
	British Guiana	
	IV.1913	
	G. E. Bodkin	
	Imp. Bur. Ent. No. 930	
	C.W. & G.H.F.N. det. VII.1915.	

ORIGINAL DETERMINATION

N 3177
Rhipicephalus simus or falcatus
Cattle
Marimba District, Nyasaland
VII.1912
J. G. Morgan, M.O.
Impt. Bur. Ent. No. 931.
C.W. & G.H.F.N. det. VII.1915.

N 3178
Ixodes auritulus 1 ♀
Haliaëetus leucocephalus alascanus
(eagle)
Masset, Queen Charlotte Islands,
B.C., Canada
17.VI.1910
E.M. Anderson (Assistant Curator,
Provincial Museum)
Gift of S. Hadwen
G.H.F.N. det. I figured this ♀
[leg 4 of ♀ mounted on slide]
Sent by Dr. S. Hadwen 25.III.1911,
labelled by him "I. rutherfordi n. sp."
(Ms.).

CURRENT STATUS

N 3177
RML 112029
2 N Rhipicephalus sp.
Cattle
Marimba District, Malawi
(locality not verified)

VII.1912
J. G. Morgan, M.O.

N 3178
RML 112030
1 ♀ Ixodes auritulus
Haliaeetus leucocephalus

Masset (54.01 N, 132.09 W), Queen
Charlotte Islands, British Columbia,
Canada

17.VI.1910
E.M. Anderson (Assistant Curator,
Provincial Museum)
Cited & figured: Nuttall
(1916: 313, 314).

Slide missing.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3179

N 3179

RML 112031

Ixodes auritulus 1 N, L's TYPES1 N, 1 L Ixodes auritulusCyanocitta stelleri carlotae (jay)Cyanocitta stelleriMasset, Queen Charlotte Islands,
B.C., CanadaMasset (54.01 N, 132.09 W), Queen
Charlotte Islands, British Columbia
Canada

23.VI.1910

23.VI.1910

E. M. Anderson (Assistant Curator,
Provincial Museum)E. M. Anderson (Assistant Curator,
Provincial Museum)

Gift of S. Hadwen

Nuttall: (1916: 313, 314), first
description and figures of the
immature stages.

N 3180

N 3180

RML 112032

Ixodes dentatus var. spinipalpis1 ♀ Ixodes spinipalpis Lectotype of
I. dentatus spinipalpisLepus americanusLepus americanus

Mt. Lehman, B.C., Canada

Mount Lehman (94.07 N, 122.23 W),
British Columbia, Canada

1.IX.1910

1.IX.1910

Dr. S. Hadwen

Dr. S. Hadwen

Sent by Dr. S. Hadwen 25.III.1911,
labelled by him "I. dentatus
var. spinipalpis n. var."Hadwen & Nuttall in Nuttall (1916:
301) original description. Keirans
& Clifford (1978: 143) incorrectly
cited this specimen as the holotype.
Lectotype designated: Keirans &
Brewster (1981: 165).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3181	N 3181
		RML 112033
	<u>Ixodes dentatus</u> var. <u>spinipalpis</u> Hadwen & Nuttall 1915	2 N, 4 L <u>Ixodes spinipalpis</u> Paratypes of <u>I. dentatus</u> <u>spinipalpis</u>
	1 N child 1 N <u>Lepus americanus</u> 4 L <u>Lepus americanus</u>	1 N ex <u>Homo sapiens</u> 1 N, 4 L ex <u>Lepus americanus</u>
	Mt. Lehman, B.C., Canada	Mount Lehman (49.07 N, 122.23 W) British Columbia, Canada
	5.III.1910	5.III.1910
	Dr. S. Hadwen	Dr. S. Hadwen
	[1 L mounted by me in balsam]	Hadwen & Nuttall in Nuttall (1916: 301) original description. Cited: Keirans & Clifford (1978: 143). The original collection data by Hadwen & Nuttall (1916: 304) listed one nymph from <u>Sciurus hudsonicus</u> . This specimen could not be found and is probably an erroneous listing. Paratypes designated: Keirans & Brewster (1981: 165).
N	3182	N 3182
	<u>Ixodes hexagonus</u> 1 ♀ Ovipositing, rec'd. alive	
	Probably dog, found on steps of porch	
	Fryern, Pulborough, W. Sussex, England	
	ca. 28.VII.1915	
	Edward King	
	G.H.F.N. det.	
	Rec'd. from P. Anderson Grahame, Editor of "Country Life" 20 Tavistock St., Covent Garden, London, W.D. Reported 31.VII.1915.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 3183

N 3183 MISSING

Ixodes ricinus 1 ♂, 1 ♀

Shepherd dog

Wastwater, Cumberland, England

2.IX.1915

G.H.F. Nuttall

G.H.F.N. det. 5.IX.1915

N 3184

N 3184 MISSING

Ixodes ricinus 2 L

Off my hand (sheep & dogs about)

Buttermore, Cumberland, England

17.VIII.1915, 28.VIII.1915

G.H.F. Nuttall

G.H.F.N. det. 5.IX.1915

N 3185

N 3185

RML 112182

Dermacentor auratus 1 ♂1 ♂ Dermacentor auratus

Collector

Homo sapiens

Doi Sutep, Siam (2500 ft. elev.)

Ban Bon Doi Suthep (18.48 N,
98.55 E), Chiang Mai, Thailand
(762 m.)

17.V.1914

17.V.1914

Dr. A.F.G. Kerr, Chiengmai, Siam

Dr. A.F.G. Kerr, Chiang Mai, Thailand

G.H.F.N. & C.W. det. 21.IX.1915

Posted 22.VII.1915, rec'd. 11.IX.1915,
all taken in neighborhood of
Chiengmai.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3186 <u>Dermacentor auratus</u> Doi Sutep, Siam 1200 metres 25.X.1914 Dr. A.F.G. Kerr, Chiengmai, Siam G.H.F.N. & C.W. det. 21.IX.1915.	N 3186 MISSING
N	3187, a (3187) <u>Dermacentor auratus</u> 1 ♀ (unfed) Collector Chungianen, Siam 1915 Dr. A.F.G. Kerr, Chiengmai, Siam G.H.F.N. & C.W. det. 21.IX.1915.	N 3187, a RML 84499 (3187) 1 ♀ <u>Dermacentor auratus</u> (a) 1 ♂ <u>Haemaphysalis darjeeling</u> <u>Homo sapiens</u> Chunginen, Chiang Mai, Thailand (locality not verified)
N	3188 <u>Haemaphysalis hystricis</u> 1 ♀ Collector Doi Sutep, Siam 3000 ft. 21.VI.1914 Dr. A.F.G. Kerr, Chiengmai, Siam G.H.F.N. & C.W. det. 21.IX.1915.	N 3188 RML 84345 1 ♀ <u>Haemaphysalis hystricis</u> 1 ♂ <u>Haemaphysalis koningsbergeri</u> <u>Homo sapiens</u> Ban Bon Doi Suthep (18.48 N, 98.55 E), Chiang Mai, Thailand (914 m.)
		21.VI.1914 Dr. A.F.G. Kerr, Chiang Mai, Thailand

ORIGINAL DETERMINATIONCURRENT STATUS

N	3189	N	3189
		RML	112183
	<u>Haemaphysalis leachi koningsbergeri</u> 4 ♂		3 ♂ <u>Haemaphysalis koningsbergeri</u>
	<u>Felis nebulosa</u>		<u>Neofelis nebulosa</u>
	Muar, Johore		Muar (02.02 N, 102.34 E), Johor, Malaysia
	I.1914		I.1914
	? sent by C. Strickland		? sent by C. Strickland
	G.H.F.N. & C.W. det. 21.IX.1915.		
N	3190	N	3190 MISSING
	<u>Ixodes ricinus</u> 1 ♀		
	<u>Lepus variabilis</u> (Mountain hare)		
	Tarvie, Pitlochry, N.B., Scotland		
	21.IX.1915		
	P. A. Buxton		
	G.H.F.N. rec'd. & det. 25.IX.1915.		
N	3191	N	3191
		RML	112184
	<u>Amblyomma lepidum</u> 1 ♂		1 ♂ <u>Amblyomma lepidum</u>
	Cattle		Cattle
	Egypt		Egypt
	? 1915		? 1915
	Dr. L. H. Gough		Dr. L. H. Gough
	Imp. Bur. Ent. No. 935		
	G.H.F.N. det. 22.IX.1915.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3192	N 3192 MISSING
	<i>Ixodes rausus</i> 3 ♂, 6 ♀ (1 pair in copula)	
	Leopard	
	Near Chininda, S. Rhodesia (3800 ft.)	
	26.XII.1909	
	C. F. Swynnerton	
	Imp. Bur. Ent. No. 932.	
	Mounted dry on 3 slides	
	G.H.F.N. det. 22.IX.1915.	
N	3193	N 3193
		RML 112185
	<i>Ixodes granulatus</i> 1 ♀	1 ♀ <i>Ixodes granulatus</i>
	<i>Epimys rufescens</i>	<i>Rattus rattus rufescens</i>
	Peshok, Darjeeling District, India	Pashok (27.04 N, 88.23 E), West Dinajpur, India
	R. S. Lister	R. S. Lister
	Ind. Mus. No. <u>2345</u> <u>17</u>	Cited: Nuttall (1916: 316); Sharif (1928: 237).
	2 other ♀'s returned	
	G.H.F.N. det. 4.X.1915.	

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3194		N	3194	
			RML	112186	
	<i>Ixodes victoriensis</i> Nuttall 1915 1 ♀ TYPE!			1 ♀ <i>Ixodes victoriensis</i> Lectotype	
	Wombat			Doubtless <i>Vombatus ursinus</i>	
	Victoria, Australia			Victoria, Australia	
	X.1892			X.1892	
	Sent by Dr. G. Sweet of Melbourne (returning 1 ♀ Sweet 236a)			Sent by Dr. G. Sweet of Melbourne	
				Nuttall (1915: 297) original description. He stated the host was doubtless <i>Phascolomys mitchelli</i> [= <i>V. ursinus</i>]. Lectotype designated: Keirans & Brewster (1981: 168).	
N	3195		N	3195	
			RML	112187	
	<i>Aponomma p[-----]s</i> Robinson 1915 2 ♂, 8 ♀, 2 N CO-TYPES			1 ♂, 8 ♀, 1 N <i>Aponomma auruginans</i>	
	Wombat			<i>Vombatus ursinus</i> or <i>Lasiorhinus</i> sp	
	5.III.1911			5.III.1911	
	Sent by Dr. Sweet = Sweet 3 rest to return			Sent by Dr. Georgina Sweet	
				Robinson's species name not re- corded here because its publication would constitute a <u>nomen nudum</u> .	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3196	N 3196
		RML 112188
Aponomma p[-----]s	1 ♂, 1 ♀	1 ♂, 1 ♀ <u>Aponomma auruginans</u>
CO-TYPES		
Wombat		<u>Vombatus ursinus</u> or <u>Lasiorhinus</u> spp.
Zool. Gardens, Melbourne, Victoria, Australia		Zoological Gardens, Melbourne (37.49 S, 144.58 E), Victoria, Australia
X.1892		X.1892
Sent by Dr. Sweet = Sweet 5 rest to return		Sent by Dr. Georgina Sweet
		Robinson's species name not recorded here because its publication would constitute a <u>nomen nudum</u> .
N	3197	N 3197
		RML 112189
Aponomma p[-----]s	2 ♀ gorged	2♀ <u>Aponomma auruginans</u>
Wombat		<u>Vombatus ursinus</u> or <u>Lasiorhinus</u> sp.
Melbourne, Victoria, Australia		Melbourne (37.49 S, 144.58 E), Australia
X.1892		X.1892
Sent by Dr. Sweet = Sweet 236 rest to return		Sent by Dr. Georgina Sweet
		Robinson's species name not recorded here because its publication would constitute a <u>nomen nudum</u> .

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3198	N	3198
		RML	112190
	<u>Ixodes tasmani</u> 1 ♀		1 ♀ <u>Ixodes tasmani</u>
	<u>Dasyurus maculatus</u>		<u>Dasyurus maculatus</u>
	Zool. Gardens, Melbourne, Victoria, Australia		Zoological Gardens, Melbourne (37.49 S, 144.58 E), Victoria, Australia
	11.VIII.1910		11.VIII.1910
	Dr. Stapley		Dr. Stapley
	Sent by Dr. G. Sweet = Sweet 325		Cited & figured: Nuttall (1916: 323) who gave the collection date as 11.VII.1910.
	G.H.F.N. det. & fig'd.		
N	3199	N	3199
		RML	112191
	<u>Aponomma gervaisi</u> 5 ♂		5 ♂ <u>Aponomma gervaisi</u>
	<u>Uromastix hardwickii</u>		<u>Uromastix hardwickii</u>
	Origin India. In Zool. Soc. Gard's., London		Origin India. In Zoological Society Gardens, London (51.30 N, 00.07 W), England
	X.1915		X.1915
	Prof. Plimmer, F.R.S.		Prof. Plimmer, F.R.S.
	Nutt. & Warb. det. 5.X.1915 10 ♂ returned with report. = Z.S. 41.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3200

N 3200

RML 112192

Ixodes oldi 2 ♀2 ♀ Ixodes sp.

Leopard

Panthera pardusNear Chirinda, S. Rhodesia
3800 ft.Perhaps Chirinda hill (20.05 S,
31.28 E), Zimbabwe (1158 m.)

26.XII.1909

26.XII.1909

C.F.M. Swynnerton

C.F.M. Swynnerton

G.H.F.N. det. 11.X.1915.
Imp. Bur. Ent. No. 932CMutilated specimens
Cited: Nuttall (1916: 329).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3201	N	3201
		RML	112193
	<u>Dermacentor</u> sp. 11 ♂'s, 11 ♀'s, unfed		9 ♂, 9 ♀ <u>Dermacentor niveus</u>
	On grass		On grass
	Esterel Mts., Cannes, S. France (South African Hospital, France)		Esterel Mts. (43.30 N, 06.50 E), Cannes, France
	Rec'd. 25.X.1915		Rec'd. 25.X.1915
	Dr. H. Bayon		Dr. H. Bayon
	C.W. det. 28.X.1915		1 ♂, 1 ♀ of above total mounted on a slide.
N	3202, a	N	3202, a
		RML	112194
	(3202) <u>Hyalomma aegyptium</u> 2 ♂ (a) <u>Rhipicephalus sanguineus</u> 3 N		(3202) 2 ♂ <u>Hyalomma marginatum</u> - (a) 3 N <u>Rhipicephalus sanguineus</u>
	Rabbit		Rabbit
	Esterel Mts., Cannes, S. France (South African Hospital, France)		Esterel Mts. (43.30 N, 06.50 E), Cannes, France
	Rec'd. 25.X.1915		Rec'd. 25.X.1915
	Dr. H. Bayon		Dr. H. Bayon
	C.W. det. 28.X.1915.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3203	N	3203
		RML	112195
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> 1 ♂		1 ♂ <u>Aponomma varanensis</u>
	Found in tube with termites (<u>Termes carbonarius</u> Hazen) in a nest		Found in tube with termites, <u>Macrotermes carbonarius</u> (Hagen), in a nest.
	Kampong, Jahor, Malay Peninsula		? Kampong ? perhaps state of Johor (02.00 N, 103.30 E), Malaysia
	19.XI.1901		19.XI.1901
	Skeat Expedition (presented by Hugh Scott, M.A., Cambridge XI.1915).		Skeat Expedition (presented by Hugh Scott, M.A., Cambridge XI.1915).
	G.H.F.N. det. 2.XI.1915		
	N.B.:— lizards feed on termites which would explain ticks presence. G.H.F.N.		
N	3204	N	3204 MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s		
	On skin of cow (& then preserved)		
	South Nigeria		
	22.VII.1910		
	Dr. J. G. Copland		
	G.H.F.N. det. for I. Bureau of Entomol. = E. 421.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3205 N 3205 MISSING

Ixodes ricinus 5 N

From nose of sheep

Llwyngwinan, Cardiganshire, Wales

15.VI.1915

Prof. C. W. Walton, (Zool. Dept.
Univ. of Wales, Aberystwyth)

G.H.F.N. & C.W. det.

N 3206 N 3206 MISSING

Ixodes ricinus 2 ♀

Cat

Crosswood, Llwyngwinan,
Cardiganshire, Wales

24.V.1915

Prof. C. W. Walton (Zool. Dept.
Univ. of Wales, Aberystwyth)

G.H.F.N. & C.W. det.

N 3207 N 3207 MISSING

Ixodes ricinus 5 N

Squirrel

Brought in from Goginnan
Cardiganshire to Aberystwyth

VI.1915

Messrs. Hutchings, taxidermists,
Aberystwyth (gift of C.W. Walton)

G.H.F.N. & C.W. det.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3208	N	3208 MISSING
	<u>Ixodes ricinus</u> 1 ♀		
	Ear of ewe		
	Llwyngwinan, Cardiganshire, Wales		
	15.VI.1915		
	Prof. C. W. Walton		
	G.H.F.N. & C.W. det.		
N	3209	N	3209 MISSING
	<u>Ixodes hexagonus</u> 1 ♂		
	Found attached to ear of badger, <u>Meles taxus</u>		
	Rec'd from Llanrhystyd, Cardiganshire, Wales		
	VI.? 1915		
	Messrs. Hutchings, taxidermists, Aberystwyth (Gift of C.W. Walton)		
	G.H.F.N. & C.W. det.		
N	3210	N	3210
		RML	112196
	<u>Amblyomma variegatum</u> 2 ♂		2 ♂ <u>Amblyomma variegatum</u>
	Host ?		Host ?
	Namasagali, Uganda		Namasagali (01.01 N, 32.57 E), Uganda
	1915		1915
	Commander H. Hutchinson		Commander H. Hutchinson
	Imp. Bur. Ent. 949, 950		Pinned specimens
	G.H.F.N. det. 19.XI.1915.		
	(pinned spec's.).		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3211	N	3211
		RML	112197
	<u>Amblyomma cohaerens</u> 3 ♂, 2 ♀		3 ♂, 2 ♀ <u>Amblyomma cohaerens</u>
	Elephant		<u>Loxodonta africana</u>
	Chagwe, Uganda		Chagwe, Uganda (locality not verified).
	24.VII.1915		24.VII.1915
	Mr. C. C. Gowdey		Mr. C. C. Gowdey
	Imp. Bur. Ent. E. 951.		Cited: Robinson (1926: 110).
	G.H.F.N. det. 19.XI.1915.		
N	3212, a	N	3212, a
		RML	112198
	(3212) <u>Dermacentor nitens</u> 2 ♂, 2 ♀		(3212) 2 ♂, 2 ♀ <u>Anocentor nitens</u>
	(a) <u>Amblyomma maculatum</u> 1 ♀		(a) 1 ♀ <u>Amblyomma triste</u>
	Cattle		Cattle
	Guayaquil, Ecuador		Guayaquil (02.10 S, 79.50 W), Ecuador
	1915		1915
	Dr. Espirosa - Tamaye		Dr. Espirosa - Tamaye
	Rec'd. 1.XII.1915 from Prof. B. Galli Valerio, Univ. of Lausanne in a tube labelled "garrapatas"		
	G.H.F.N. & C.W. det. 2.XII.1914. Reported 2.XII.1915 & asked for particulars.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3213	N	3213
		RML	112199
	<u>Dermacentor reticulatus</u> var. <u>niveus</u> CO-TYPE	1 ♂, 1 ♀	<u>Dermacentor niveus</u> SYNTYPES
	Sheep		Sheep
	10 leagues from Teheran, Persia		48.3 km. from Teheran (35.40 N, 51.26 E), Iran
	Tholozan coll. Gift of Paris Mus. 11.XII.1915		Tholozan coll. Gift of Paris Mus. 11.XII.1915
	No. 19.		Neumann (1897: 365) original description.
N	3214	N	3214
		RML	112200
	<u>Dermacentor nitens</u> 2 ♂, 3 ♀, 2 N	1 ♂, 4 ♀, 2 N	<u>Anocentor nitens</u>
	Mules		Mules
	Grenada, W. Indies		Grenada (12.07 N, 61.40 W), British Lesser Antilles
	Rec'd. 27.I.1916		Rec'd. 27.I.1916
	? Gift of Wellcome Bur. Sci. (per M. E. MacGregor)		? Gift of Wellcome Bur. Sci. (per M. E. MacGregor)
	G.H.F.N. & C.W. det. 27.I.1916. Reported 28.I.1916 to M.E. MacGregor & rest of lot returned.		

ORIGINAL DETERMINATION

N 3215a-i

- (a) Rhipicephalus pulchellus ♂'s, ♀'s
- (b) Rhipicephalus evertsii 3 ♂
- (c) Rhipicephalus maculatus 10 ♂, 3 ♀
- (d) Rhipicephalus neavei 1 ♂, 1 ♀
- (e) Amblyomma gemma 4 ♂, 2 ♀
- (f) Amblyomma marmoreum 4 ♂
- (g) Amblyomma petersi 1 ♀
- (h) Amblyomma variegatum 5 ♂
- (i) Dermacentor rhinocerotis 1 ♂

- (a) Eland antelope
- (g, i) Rhinoceros
- (b,c,d,e,f,h) Unknown

Mombasa or Makindu, B.E. Africa

Rec'd. 22.I.1916

Sent by Dr. J. O. Shircore
 Mombasa (collected by himself
 or friends)

- (a,b,e,f,g,h,i) G.H.F.N. det.
- (c) G.H.F.N. & C.W. det.
- (d) C.W. det.

3215c N.B. especially good for variation.

CURRENT STATUS

N 3215a-g, i

RML 66590

- (a) 79 ♂, 49 ♀ Rhipicephalus pulchellus
- (b) 3 ♂ Rhipicephalus evertsii
- (c) 11 ♂, 3 ♀ Rhipicephalus maculatus
- (d) 1 ♂, 1 ♀ Rhipicephalus pravus
- (e) 4 ♂, 2 ♀ Amblyomma gemma
- (f) 3 ♂ Amblyomma sparsum
- (g) 1 ♀ Amblyomma rhinocerotis
- (h) MISSING
- (i) 1 ♂ Dermacentor rhinocerinus

- (a) Taurotragus oryx
- (g, i) Diceros bicornis
- (b,c,d,e,f,h) Unknown

Mombasa (04.03 S, 39.40 E) or
 Makindu (02.17 S, 37.49 E), Kenya

Rec'd. 22.I.1916

Sent by Dr. J. O. Shircore
 Mombasa (collected by himself
 or friends)

- (3215e) Robinson (1926: 122) stated
 the specimens of A. gemma
 were from an eland.
- (f) cited: Theiler & Salisbury
 (1958: 112) who spelled the
 collector's name Shircow.

ORIGINAL DETERMINATION

N 3216
Ornithodoros moubata 4 N's
 Warthog's hole
 Monkey Bay, Nyasaland
 27.VIII.1915
 Dr. W. A. Lamborn
 G.H.F.N. & C.W. det.
 Reported 15.III.1916 to Ent. Bur.
 There were 64 specimens in the
 original lot. = E 956-7.

N 3217
Dermacentor niveus 2 ♂, 2 ♀
 Maremma, Toscana, Italy
 Rec'd. 1916
 From Prof. Dr. Guido Paoli,
 Florence
 G.H.F.N. & C.W. det.
 Sender Prof. Dr. Guido Paoli,
 Inspettore per le Malattie delle
 Piante, R. Stazione di
 Entomologia Agraria, Via Romana 19,
 Firenze, Italy.

CURRENT STATUS

N 3216
 RML 112201
 4 N Ornithodoros moubata
 Burrow of Phacocherus aethiopicus
 Monkey Bay (14.05 S, 34.55 E), Malawi

27.VIII.1915
 Dr. W. A. Lamborn

N 3217
 RML 112202
 2 ♂, 2 ♀ Dermacentor niveus
 Maremma Region (42.30 N, 11.30 E),
 Italy

Rec'd. 1916
 From Prof. Dr. Guido Paoli,
 Florence
 Guido Paoli (1881-1947) noted
 phytopathologist of Genoa, Italy

ORIGINAL DETERMINATIONCURRENT STATUS

N 3218

N 3218 MISSING

Haemaphysalis birmaniae 6 ♂

Porcupine

Nakxiyidiniya, S.P., India

2.V.1913

Major E. W. Mayor

G.H.F.N. & C.W. det. 31.I.1916;
gift of Brit. Mus.Reported 31.I.1916 vide
Rep. Bk. p. 181.

N 3219

N 3219

RML 69934, RML 72605

Haemaphysalis parmata 1 ♂, 3 ♀1 ♀ Haemaphysalis aciculifer
(RML 69934)
1 ♂, 1 ♀ Haemaphysalis parmata
(RML 72605)

Bush buck

Tragelaphus scriptus

Nyeri District, Brit. E. Africa

Nyeri District (00.25 S, 27.00 E),
Central Region, Kenya

17.VIII.1914

17.VIII.1914

W. J. Street

W. J. Street

G.H.F.N. & C.W. det. 31.I.1916;
gift of Brit. Mus.Reported 31.I.1916 vide
Rep. Bk. p. 181.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3220	N	3220
		RML	112203
	<u>Haemaphysalis cuspidata</u> 2 ♂, 4 ♀		2 ♂, 2 ♀ <u>Haemaphysalis cuspidata</u>
	Mouse deer		<u>Tragulus meminna</u>
	Cheddi Kulam, N.P., India		Cheddi Kulam, N.P., India (locality not verified)
	17.XI.1913		17.XI.1913
	Major E. W. Mayor		Major E. W. Mayor
	G.H.F.N. & C.W. det. 31.I.1916; gift of Brit. Mus.		Note in vial "1 ♂, 1 N-M. Sharif"
	Reported 31.I.1916 vide Rep. Bk. p. 181.		
N	3221	N	3221
		RML	76101
	<u>Haemaphysalis parva</u> 2 ♂		2 ♂ <u>Haemaphysalis intermedia</u>
	Tame rabbit		Rabbit, tame
	Colombo, Ceylon		Colombo (06.56 N, 79.51 E), Sri Lanka
	1.X.1914		1.X.1914
	G.H.F.N. & C.W. det. 31.I.1916; gift of Brit. Mus.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3222	N	3222
		RML	112204
	<u>Haemaphysalis bancrofti</u> 2 ♀		1 ♀ <u>Haemaphysalis bancrofti</u>
	Wild pig		<u>Sus scrofa</u>
	Cape York, Queensland		Cape York (10.43 S, 142.28 E), Queensland, Australia
	VII.1912		VII.1912
	R. Kemp		R. Kemp
	G.H.F.N. & C.W. det. 31.I.1916; gift of Brit. Mus.		Note in vial "1 ♀ found 1933"
N	3223	N	3223
		RML	112205
	<u>Haemaphysalis bancrofti</u> 1 ♂		1 ♂ <u>Haemaphysalis bancrofti</u>
	<u>Canis familiaris</u>		<u>Canis familiaris</u>
	Kelsey Creek, N. Queensland		Kelsey Creek (20.26 S, 148.27 E), Queensland, Australia
	1911		1911
	A. Fontaine		A. Fontaine
	G.H.F.N. & C.W. det. 31.I.1916; gift of Brit. Mus.		This specimen undoubtedly came from the Rothschild tick collection donated to the British Museum (Nat. Hist.). See collection K 60 in Keirans (1982:25)

ORIGINAL DETERMINATIONCURRENT STATUS

N 3224

N 3224 MISSING

Ixodes tenuirostris 1 N, 1 LArvicola nivalisMayens di Van, Vallei de Salvan,
Canton du Valais, Switzerland

VII.1914

Prof. B. Galli - Valerio

[On 2 slides in balsam]
G.H.F.N. det. 13.IV.1916; gift of
Prof. B. Galli-Valerio, Univ.
of Lausanne.Reported 14.IV.1916 returning
9 slides containing 1 ♀, 1 N, 7 L
from same source and 1 L from
Hypudaeus glareolus, Cesy,
near Lausanne, Switzerland, ca. 1914.

N 3225

N 3225 MISSING

Dermacentor occidentalis, 3 ♂, 1 ♀
unfed

Captured on collector's clothes

Foot Hills behind Santa Barbara,
California

14.III.1916

Mrs. Zelia Nuttall

[on 2 slides dry in cells]
C.W. & G.H.F.N. det. 13.IV.1916.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3226	N	3226
		RML	101313
	<u>Hyalomma aegyptium</u> ♂, ♀		1 ♂, 7 ♀ <u>Hyalomma lusitanicum</u> 1 ♀ <u>Rhipicephalus evertsii</u>
	Cattle		Cattle
	Fuerteventura Isl. & Teneriffe		Isla de Fuerteventura (28.20 N, 12.00 W) & Isla de Tenerife (28.19 N, 16.34 W), Canary Islands
	Sent 25.V.1916		Sent 25.V.1916
	Dr. Geo. V. Perez		Dr. Geo. V. Perez
	C.W. & G.H.F.N. det. VI.1916.		An additional 1 ♂, 2 ♀ <u>H. lusitanicum</u> are in the collection of Dr. H. Hoogstraal, NAMRU-3, Cairo, Egypt.
			Cited: Hoogstraal (1956a: 885); Hoogstraal & Kaiser (1959: 256).
N	3227	N	3227
		RML	112206
	Undetermined genus N		1 N <u>Amblyomma</u> sp.
	<u>Crax alector</u>		<u>Crax alector</u>
	British Guiana		Guyana
	Rec'd. VII.1916		Rec'd. VII.1916
	E. Bodkin		E. Bodkin
	Genus pro tem undet. Gift of Ent. Comm. (E. 968) 7.VII.1916.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3228

N 3228

RML 112207

Haemaphysalis sp. 1 ♀, N's1 ♂, 1 ♀, 6 N Haemaphysalis
verticalisSpermophilus citellusCitellus citellus

Harbin, Manchuria, China

Ha-erh-pin (45.45 N, 126.39 E),
Heilungkiang, Peoples Republic
of China

Sent me 16.VIII.1915

Sent me 16.VIII.1915

Dr. Wu Lien Tep (=Dr. Tuck)

Dr. Wu Lien Tep (=Dr. Tuck)

(1 tube & 2 slides)

Slides missing

C.W. det.

C. Warburton noted 23.IX.1916.
 Only 1 ♀ of leachi type closely
 resembling our koningsbergeri,
 but dentition ? 3/3. Asking
 sender to send more adults.

An additional 3 N are in the
 Dr. Harry Hoogstraal collection,
 NAMRU-3, Cairo, Egypt.

N 3229

N 3229 MISSING

Ixodes ricinus 2 larvaeOff my hand on pasture where
sheep were.

Capel Carig, N. Wales

2.IX.1916

G.H.F. Nuttall

G.H.F.N. det.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3230		N	3230	
			RML	112208	
	<u>Rhipicephalus sculptus</u> 2 ♂, 1 ♀			2 ♂, 1 ♀ <u>Rhipicephalus sculptus</u>	
	Zebra			<u>Equus burchelli</u>	
	Ngara, Nyasaland			Ngara (10.14 S, 34.07 E), Karonga District, Malawi	
	4.I.1915			4.I.1915	
	Dr. J. B. Davey			Dr. J. B. Davey	
	C.W. det. Gift of Imp. B. Ent. (=E. 996) III.1917.			Cited: Santos Dias (1958: 479).	
N	3231		N	3231	
			RML	112209	
	<u>Ixodes hexagonus</u> Many ♀ gorged			26 ♀ <u>Ixodes hexagonus</u>	
	<u>Erinaceus europaeus</u>			<u>Erinaceus europaeus</u>	
	Cambridge			Cambridge (52.13 N, 00.08 E), England	
	14.V.1917			14.V.1917	
	Prof. J. S. Gardiner			Prof. J. S. Gardiner	
	C.W. & G.H.F.N. [det.]				
	2 ♀ to Prof. R. Matheson, Cornell 27.V.1929.				

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3232	N 3232
		RML 112210
	<u>Ixodes hexagonus</u> 1 ♀, gorged	1 ♀ <u>Ixodes hexagonus</u>
	<u>Canis familiaris</u>	<u>Canis familiaris</u>
	Cambridge	Cambridge (52.13 N, 00.08 E), England
	22.V.1917	22.V.1917
	S. W. Cole	S. W. Cole
	G.H.F.N. & C.W. [det.].	
N	3233	N 3233 MISSING
	<u>Ixodes ricinus</u> 1 N, unfed	
	Creeping on girl's hand off grass, sheep about.	
	Easedale Tarn, Cumberland	
	9.IX.1917	
	G.H.F. Nuttall	
	G.H.F.N. det.	
N	3234	N 3234
		RML 112211
	<u>Hyalomma aegyptium</u> 2 ♂, 2 ♀ unfed	2 ♂, 2 ♀ <u>Hyalomma anatolicum anatolicum</u>
	Off collector's clothing	<u>Homo sapiens</u>
	Sollum, near Tripoli, W. frontier of Egypt	Sollum (31.34 N, 25.09 E), Egypt
	XI.1916	XI.1916
	E. S. Hay whilst on active service (my secretary)	E. S. Hay whilst on active service (my secretary)
	G.H.F.N. det.	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3235	N	3235
		RML	112212
	<u>Argas reflexus</u> 2 adults		2 ♀ <u>Argas reflexus</u>
	Canterbury		Canterbury (51.16 N, 01.05 E), England
	Rec'd. 2.V.1917 alive		Rec'd. 2.V.1917 alive
	Correspondent of donor Mr. Brockett (Zool. Dept., Cambridge)		Correspondent of donor Mr. Brockett (Zool. Dept., Cambridge)
	C.W. & G.H.F.N. det. 2.V.1917.		
N	3236	N	3236
		RML	112213
	<u>Ixodes hexagonus</u> 3 ♀		3 ♀ <u>Ixodes hexagonus</u>
	<u>Erinaceus europaeus</u>		<u>Erinaceus europaeus</u>
	Grantchester, Cambs.		Grantchester (52.10 N, 00.06 E), England
	27.XI.1917		27.XI.1917
	N.D.F. Pearce		N.D.F. Pearce
	C.W. det.		
N	3237	N	3237
		RML	112214
	<u>Ixodes hexagonus</u> 10 N		11 N <u>Ixodes hexagonus</u>
	Dog & cat		Dog & cat
	Grantchester, Cambs		Grantchester (52.10 N, 00.06 E), England
	27.XI.1917		27.XI.1917
	N.D.F. Pearce		N.D.F. Pearce
	C.W. & G.H.F.N. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3238	N	3238
		RML	112215
	<u>Amblyomma dissimile</u> 5 N, 1 L		5 N, 2 L <u>Amblyomma dissimile</u>
	Snake		Snake
	in forest, Peru, S. America		Peru, in forest
	Posted 23.X.1917		Posted 23.X.1917
	Dr. Ramon E. Ribeyro		Dr. Ramon E. Ribeyro
	C.W. det.		
	Rect. acknowledged 18.XII.1917, determination to follow if possible to make it. G.H.F.N.		
	Address: Dr. Ramon E. Ribeyro, Direccion Instituto Nacional de Vacuna, Lima, Peru R. 4.VIII.1919		
N	3239	N	3239
		RML	112216
	<u>Hyalomma aegyptium</u> ♂, N's		1 ♂ <u>Hyalomma impeltatum</u>
	<u>Lepus</u> sp.		<u>Lepus</u> sp.
	Amara, R. Tigris, Mesopotamia		A1 Amarah (31.50 N, 47.09 E), Iraq
	30.X.1917		30.X.1917
	P. A. Buxton, Lieutenant, R.A.M.C.		P. A. Buxton, Lieutenant, R.A.M.C.
	Rec'd 14.I.1918. Det'd. by C.W.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3240	N	3240
		RML	112217
	<u>Hyalomma aegyptium</u> ♂, ♀, N		1 ♂ <u>Hyalomma impeltatum</u> 1 ♀ <u>Hyalomma anatolicum</u> excavatum
	<u>Ruticilla phoenicurus</u> (Restart)		<u>Phoenicurus phoenicurus</u>
	Amara, R. Tigris, Mesopotamia		Al Amarah (31.50 N, 47.09 E), Iraq
	25.X.1917		25.X.1917
	P. A. Buxton, Lieutenant, R.A.M.C.		P. A. Buxton, Lieutenant, R.A.M.C.
	Rec'd. 14.I.1918 Det'd. by C.W.		
N	3241	N	3241
		RML	112218
	<u>Rhipicephalus sanguineus</u>		3 ♂, 1 ♀, 2 N <u>Rhipicephalus sanguineus</u>
	Hedgehog, ? <u>Erinaceus calligoni</u> (Satunin)		? <u>Hemiechinus auritus</u>
	Amara, R. Tigris, Mesopotamia		Al Amarah (31.50 N, 47.09 E), Iraq
	8.XI.1917		8.XI.1917
	P. A. Buxton, Lieutenant, R.A.M.C.		P. A. Buxton, Lieutenant, R.A.M.C.
	Rec'd 14.I.1918. Det'd by C.W.		
N	3242	N	3242
		RML	112219
	<u>Hyalomma aegyptium</u> N		1 N <u>Hyalomma</u> sp.
	Lark (<u>Glarida</u> sp.)		<u>Glarida</u> sp.
	Amara, R. Tigris, Mesopotamia		Al Amarah (31.50 N, 47.09 E), Iraq
	IX.1917		IX.1917
	P. A. Buxton, Lieutenant, R.A.M.C.		P. A. Buxton, Lieutenant, R.A.M.C.
	Rec'd. 14.I.1918. Det'd. by C.W.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3243	N	3243
		RML	112220
	<u>Amblyomma mantiquirense</u> 3 ♂, 2 ♀		3 ♂, 2 ♀ <u>Amblyomma naponense</u>
	<u>Dicotyles labiatus</u> (wild hog)		<u>Tayassu pecari</u>
	Tkuraka Lake, Ttiribiaci Creek, Essequibo, British Guiana		Tkuraka Lake, Ttiribiaci Creek, Essequibo (05.24 N, 58.33 W), Guyana
	G. E. Bodkin (from I. B.E. VI.1918. No. 1043)		G. E. Bodkin (from I. B.E. VI.1918. (No. 1043)
	C.W. det.		
N	3244	N	3244
		RML	112221
	<u>Argas persicus</u>		9 ♂, 2 ♀, 12 N <u>Argas arboreus</u>
	Queenstown, C.P., S. Africa		Queenstown (31.54 S, 26.53 E), Republic of South Africa
	3.XI.1917		3.XI.1917
	Chas. K. Brain, M. Sc., M.A., Dept. of Agr., Pretoria		Chas. K. Brain, M. Sc., M.A., Dept. of Agr., Pretoria
	G.H.F.N. det.		These specimens have more compact ridges, more numerous mamillae, and are consistantly longer and wider than <u>A. arboreus</u> - Tentative ID.
N	3245 - 3254 OMITTED CATALOGUE NUMBERS	N	3245 - 3254 OMITTED CATALOGUE NUMBERS

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3255	N	3255
		RML	112222
	<u>Boophilus australis</u>		2 ♀ <u>Boophilus decoloratus</u>
	"Cattle & dogs"		"Cattle & dogs"
	Broken Hill, N. Rhodesia		Kabwe (14.27 S, 28.27 E), Zambia
	1917		1917
	E. A. Copeman, District Commissioner, Broken Hill, N. Rhodesia		E. A. Copeman, District Commissioner, Broken Hill, N. Rhodesia
	C.W. det.		
N	3256	N	3256
		RML	112223
	<u>Ixodes pilosus</u>		2 ♂, 2 ♀ <u>Ixodes cavipalpus</u>
	"Cattle & dogs"		"Cattle & dogs"
	Broken Hill, N. Rhodesia		Kabwe (14.27 S, 28.27 E), Zambia
	1917		1917
	E. A. Copeman, District Commissioner, Broken Hill, N. Rhodesia		E. A. Copeman, District Commissioner, Broken Hill, N. Rhodesia
	C.W. det.		1 ♂ had its mouthparts embedded in the dorsum of an engorged ♀.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3257

N 3257 MISSING

Haemaphysalis leachi

"Cattle & Dogs"

Broken Hill, N. Rhodesia

1917

E. A. Copeman, District Commissioner,
Broken Hill, N. Rhodesia

C.W. det.

2 ♀ to Prof. D'Arcy Thompson
XI. 1931.

N 3258

N 3258

RML 112224

Rhipicephalus sanguineus7 ♀ Rhipicephalus sanguineus

"Cattle & dogs"

"Cattle & dogs"

Broken Hill, N. Rhodesia

Kabwe (14.27 S, 28.27 E), Zambia

1917

1917

E. A. Copeman, District Commissioner,
Broken Hill, N. Rhodesia.E. A. Copeman, District Commissioner,
Broken Hill, N. Rhodesia.

N 3259

N 3259

RML 112225

Rhipicephalus simus1 ♂, 2 ♀ Rhipicephalus simus
1 ♀ Rhipicephalus punctatus

"Cattle & Dogs"

"Cattle & Dogs"

Broken Hill, N. Rhodesia

Kabwe (14.27 S, 28.27 E), Zambia

1917

1917

E. A. Copeman, District Commissioner,
Broken Hill, N. RhodesiaE. A. Copeman, District Commissioner,
Broken Hill, N. Rhodesia

C.W. det.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3260	N 3260 MISSING
	<u>Ornithodoros moubata</u> ??	
	"Cattle & dogs"	
	Broken Hill, N. Rhodesia	-
	1917	
	E. A. Copeman, District Commissioner, Broken Hill, N. Rhodesia	
	C. W. Det.	
N	3261, a-c	N 3261, a-c
		RML 66673
	(3261) <u>Amblyomma lepidum</u> ♂'s, ♀'s (a) <u>Boophilus australis</u> 2 ♀ (b) <u>Rhipicephalus pulchellus</u> 2 ♂, 3 ♀ (c) <u>Rhipicephalus neavei</u> 1 ♀	(3261) 8 ♂, 2 ♀ <u>Amblyomma lepidum</u> (a) 2 ♀ <u>Boophilus microplus</u> (b) 2 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u> (c) 1 ♀ <u>Rhipicephalus pravus</u>
	Zanzibar	Zanzibar Island (06.10 S, 39.20 E), Tanzania
	1.V.1917	1.V.1917
	W. Mansfield Aders, Econ. Entomologist, Med. Dept., Publ. Health Division, Biol. Section, Zanzibar (He wrote 13.V.1918).	W. Mansfield Aders
	C.W. det.	(3261) cited: Robinson (1926: 97).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3262	N	3262
		RML	105678
<u><i>Rhipicephalus sanguineus</i></u>		126 ♂, 77 ♀ <u><i>Rhipicephalus sanguineus</i></u> 1 ♂ <u><i>Haemaphysalis parvata</i></u>	
Dogs		Dogs	
Zanzibar		Zanzibar Island (06.10 S, 39.20 E), Tanzania	
9.VI.1916		9.VI.1916	
W. Mansfield Aders		W. Mansfield Aders	
C.W. det.			
N	3263, a, b	N	3263, a, b
		RML	112226
(3263) <u><i>Amblyomma gemma</i></u> ♂'s, ♀'s, N (a) <u><i>Boophilus australis</i></u> 10 ♀ (b) <u><i>Amblyomma variegatum</i></u> ♂'s, ♀'s		(3263) 15 ♂ <u><i>Amblyomma gemma</i></u> (a) 10 ♀ <u><i>Boophilus microplus</i></u> (b) 2 ♂, 2 ♀ <u><i>Amblyomma variegatum</i></u>	
Cattle		Cattle	
Zanzibar (Mr. Kunduchi)		Zanzibar Island (06.10 S, 39.20 E), Tanzania	
29.IV.1918		29.IV.1918	
W. Mansfield Aders		W. Mansfield Aders	
L. E. Robinson det.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3264, a	N	3264, a
		RML	112227
(3264)	<u>Haemaphysalis bispinosa</u> ♂'s, ♀'s	(3264) + 75 ♂, 75 ♀, 15 N, 5 L <u>Haemaphysalis bispinosa</u>	
(a)	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	(a) MISSING	
	Cattle (local)	Cattle (local)	
Zanzibar		Zanzibar Island (06.10 S, 39.20 E), Tanzania	
1.V.1918		1.V.1918	
W. Mansfield Aders		W. Mansfield Aders	
C.W. det.			
N	3265	N	3265 MISSING
	<u>Rhipicephalus appendiculatus</u> 1 ♂, 2 ♀		
Cattle			
Zanzibar Town			
1.IV.1912			
W. Mansfield Aders			
C.W. det.			
N	3266	N	3266
		RML	112228
<u>Haemaphysalis bispinosa</u> 2 ♂, 3 ♀		3 ♂, 2 ♀ <u>Haemaphysalis bispinosa</u>	
Dog		Dog	
Zanzibar		Zanzibar Island (06.10 S, 39.20 E), Tanzania	
23.IV.1911		23.IV.1911	
W. Mansfield Aders		W. Mansfield Aders	
C.W. det.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3267	N	3267
		RML	112229
	<u>Rhipicephalus maculatus</u> 1 ♂		1 ♂ <u>Rhipicephalus humeralis</u>
Ox		Ox	
Zanzibar Town		Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania	
2.IV.1912		2.IV.1912	
W. Mansfield Aders		W. Mansfield Aders	
C.W. det.			
3267 Note "maculatus of sorts with rather a distinct variation of pattern" C.W.			
N	3268	N	3268
		RML	112230
	<u>Rhipicephalus kochi</u> 4 ♂		4 ♂ <u>Rhipicephalus kochi</u>
Leopard			<u>Panthera pardus</u>
Zanzibar		Zanzibar Island (06.10 S, 39.20 E), Tanzania	
15.III.1918		15.III.1918	
W. Mansfield Aders		W. Mansfield Aders	
C.W. det.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3269, a	N	3269, a
		RML	112231
(3269)	<u>Haemaphysalis bispinosa</u> ♂'s, ♀'s	(3269)	8 ♂, 64 ♀ <u>Haemaphysalis bispinosa</u>
(a)	<u>Rhipicephalus appendiculatus</u> ♂'s	(a)	5 ♂, 1 ♀ <u>Rhipicephalus appendiculatus</u>
Dairy cows (Indian breed)		Dairy cows (Indian breed)	
Zanzibar Town		Zanzibar City (06.10 S, 39.11 E), Zanzibar Island, Tanzania	
11.XII.1914		11.XII.1914	
W. Mansfield Aders		W. Mansfield Aders	
C.W. det.			
N	3270	N	3270
		RML	112232
<u>Aponomma</u> sp. ♀ (bad cond.)		1 ♀ <u>Aponomma</u> sp.	
In decaying coconut trunk		In decaying coconut trunk	
Zanzibar	-	Zanzibar Island (06.10 S, 39.20 E), Tanzania	
15.I.1918		15.I.1918	
W. Mansfield Aders		W. Mansfield Aders	
C.W. det.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3271	N 3271
		RML 105784
	<u>Aponomma laeve</u> (?)	6 ♂, 2 ♀, 1 N <u>Aponomma latum</u> 1 ♀ <u>Haemaphysalis</u> <u>parmata</u>
	<u>Naia naia</u>	<u>Naja naja</u>
	Zanzibar	Zanzibar Island (06.10 S, 39.20 E), Tanzania
	13.V.1918	13.V.1918
	W. Mansfield Aders	W. Mansfield Aders
	C.W. det.	
N	3272, a-c	N 3272, a-c
		RML 112233
	(3272) <u>Rhipicephalus pulchellus</u> ♂'s, ♀'s	(3272) 42 ♂, 2 ♀ <u>Rhipicephalus</u> <u>pulchellus</u>
	(a) <u>Hyalomma aegyptium</u> ♂'s, ♀'s	(a) 8 ♂, 3 ♀ <u>Hyalomma dromedarii</u>
	(b) <u>Amblyomma lepidum</u> 4 ♂	(a) 5 ♂, 2 ♀ <u>Hyalomma rufipes</u>
	(c) <u>Rhipicephalus maculatus</u>	(b) 4 ♂ <u>Amblyomma lepidum</u> (c) 4 ♂ <u>Rhipicephalus humeralis</u>
	Camels (imported)	<u>Camelus dromedarius</u>
	Zanzibar	Zanzibar Island (06.10 S, 39.20 E), Tanzania
	1.V.1918	1.V.1918
	W. Mansfield Aders	W. Mansfield Aders
	C.W. det.	
	3272c "like 3267 ? n. sp."	(3272b) cited: Robinson (1926: 97)

ORIGINAL DETERMINATIONCURRENT STATUS

N 3273, a N 3273, a MISSING

(3273) Amblyomma variegatum ♂'s, ♀'s
 (a) Rhipicephalus appendiculatus
 ♂'s, ♀'s

Cattle

Zanzibar
 (M. Kunduchi)

26.IV.1918

W. Mansfield Aders

C.W. det.

N 3274 N 3274

RML 112234

Rhipicephalus appendiculatus
 ♂'s, ♀'s

74 ♂, 60 ♀, 25 N Rhipicephalus
appendiculatus

Donkeys

Donkeys

Zanzibar Town

Zanzibar City (06.10 S, 39.11 E),
 Zanzibar Island, Tanzania

1917

1917

W. Mansfield Aders

W. Mansfield Aders

C.W. det.

N 3275 N 3275 MISSING

Rhipicephalus appendiculatus ♂'s, ♀'s
 (poorly developed)

Cattle

Zanzibar

2.VIII.1911

W. Mansfield Aders

C.W. det.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3276, a	N	3276a
		RML	112235
(3276)	<u>Rhipicephalus appendiculatus</u> ♀'s, N's	(3276)	MISSING
(a)	<u>Boophilus australis</u> 3 ♀	(a)	3 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Zanzibar		Zanzibar Island (06.10 S, 39.20 E), Tanzania
	22.IV.1911		22.IV.1911
	W. Mansfield Aders		W. Mansfield Aders
	C.W. det.		
N	3277	N	3277
		RML	112236
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s	8 ♂, 5 ♀	<u>Rhipicephalus sanguineus</u>
	Hedgehog sp.		Hedgehog
	Amara, Mesopotamia		A1 Amarah (31.50 N, 47.09 E), Iraq
	7.III.1918		7.III.1918
	P. A. Buxton, Capt. R.A.M.C.		P. A. Buxton, Capt. R.A.M.C
	C.W. det.		
N	3278	N	3278
		RML	112237
	<u>Hyalomma aegyptium</u> N's, ♂'s, ♀	1 ♂, 2 ♀, 6 N	<u>Hyalomma marginatum</u>
	Hare		Hare
	Kumait, R. Tigris, 32°N		A1 Kumayt (32.02 N, 46.52 E), Iraq
	XI.1917		XI.1917
	P. A. Buxton, Capt. R.A.M.C.		P. A. Buxton, Capt. R.A.M.C.
	C.W. & N. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3279	N	3279
		RML	112238
	<u>Hyalomma aegyptium</u> N's		7 N <u>Hyalomma</u> sp.
	Hare		Hare
	Amara, Mesopotamia		A1 Amarah (31.50 N, 47.09 E), Iraq
	28.XII.1917		28.XII.1917
	P. A. Buxton, Capt. R.A.M.C.		P. A. Buxton, Capt. R.A.M.C.
	C.W. & N. det.		
N	3280	N	3280
		RML	112239
	<u>Hyalomma aegyptium</u> N's		9 N <u>Hyalomma</u> sp.
	Hare		Hare
	Amara, Mesopotamia		A1 Amarah (31.50 N, 47.09 E), Iraq
	1.II.1918		1.III.1918
	P. A. Buxton, Capt.R.A.M.C. No. 144		P. A. Buxton, Capt. R.A.M.C.
	C.W. & N. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3281	N	3281
		RML	112240
	<u>Hyalomma ? syriacum</u> N's <u>(not aegyptium)</u>		1 N <u>Hyalomma</u> sp.
	Magpie		<u>Pica pica</u>
	R. Vardar near Karasouli, Salonika		Vardar River (40.35 N, 22.50 E), Greece
	10.VIII.1917		10.VIII.1917
	Lt. J. Waterston, R.A.M.C. (B.E. Force)		Lt. J. Waterston, R.A.M.C. (B.E. Force)
	C.W. det. 1918.		Rev. James Waterston (1879-1930) born in Paisly, Scotland, educated at Edinburgh University. He was a minister in the Shetland Islands where he became an authority on British Mallophaga. In 1914 he joined the staff of the Imperial Bureau of Entomology. In May 1917 he received a temporary commission in the R.A.M.C. as entomologist to the Malaria Commission in Macedonia.
N	3282	N	3282
		RML	112241
	<u>Hyalomma ? syriacum</u> N <u>(not aegyptium)</u>		2 N <u>Hyalomma</u> sp.
	Little owl		<u>Athene noctua</u>
	Kalamaria, Salonica		Kalamaria (40.35 N, 22.58 E), Macedonia, Greece
	14.VIII.1917		14.VIII.1917
	Lt. J. Waterston, R.A.M.C. (B.E. Force)		Lt. J. Waterston, R.A.M.C. (B.E. Force)
	C.W. det. 1918.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3283	N	3283
		RML	112242
	<u>Hyalomma ? syriacum</u> L		1 N, 1 L <u>Hyalomma</u> sp.
	Jackdaw		<u>Corvus monedula</u>
	T.E.F. Mikra, Salonica		T.E.F. Mikra, Salonica, Greece (locality not verified)
	15-22.VII.1917		15.22.VII.1917
	Lt. J. Waterston, R.A.M.C. (B.E. Force)		Lt. J. Waterston, R.A.M.C. (B.E. Force)
	C.W. det. 1918.		
N	3284	N	3284
		RML	112243
	<u>Hyalomma ? syriacum</u> N's, L (not <u>aegyptium</u>)		2 N, 1 L <u>Hyalomma</u> sp.
	Magpie		<u>Pica pica</u>
	Vardar River, Gumendze Bridge, Salonika		Gumendze Bridge, Vardar River (40.35 N, 22.50 E), Greece
	26.VII.1917		26.VII.1917
	Lt. J. Waterston, R.A.M.C. (B.E. Force)		Lt. J. Waterston, R.A.M.C. (B.E. Force)
	C.W. det. 1918.		
N	3285	N	3285
		RML	112244
	<u>Hyalomma ? syriacum</u> N's (not <u>aegyptium</u>)		1 N <u>Hyalomma</u> sp. 1 N <u>Haemaphysalis</u> sp.
	Partridge		Partridge
	Near Lohana, Salonika		Near Lakhanas (40.58 N, 23.12 E), Macedonia, Greece
	3.IX.1917		3.IX.1917
	Lt. J. Waterston, R.A.M.C. (B.E. Force)		Lt. J. Waterston, R.A.M.C. (B.E. Force)
	C.W. det. 1918.		

ORIGINAL DETERMINATION

N 3286
Haemaphysalis cinnabarina N's
 Partridge
 Near Lehana, Salonica
 3.IX.1917
 Lt. J. Waterston, R.A.M.C.
 (B.E. Force)
 C.W. det. 1918.

N 3287
Ixodes brunneus N
 Chaffinch
 Oneovica, Salonika
 30.X.1917
 Lt. J. Waterston, R.A.M.C.
 (B.E. Force)
 C.W. det. 1918.
 Returned

N 3288
Argas vespertilionis 1.
Desmodus rufus
 Lima, Peru
 Rec'd. by me 11.IV.1916
 Dr. Ramon E. Ribeyro
 (see address at No. 3238)
 C.W. det. 1917.

CURRENT STATUS

N 3286
 RML 112245
 2 N Haemaphysalis sp.
 Partridge
 Near Lakanas (40.58 N, 23.12 E),
 Macedonia, Greece
 3.IX.1917
 Lt. J. Waterston, R.A.M.C.
 (B.E. Force)

N 3287 MISSING

5 L Ornithodoros sp.

Desmodus rotundus

Lima (12.03 S, 77.03 W), Peru

Rec'd. by me 11.IV.1916

(Dr. Ramon E. Ribeyro
 (see address at No. 3238)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3289	N	3289
		RML	112247
	<u>Boophilus australis</u> ♀		1 ♂, 9 ♀ <u>Boophilus annulatus</u>
	Cow		Cow
	Lima, Peru		Lima (12.03 S, 77.03 W), Peru
	Rec'd. by me 11.IV.1916		Rec'd. by me 11.IV.1916
	Dr. Ramon E. Ribeyro (see address at No. 3238)		Dr. Ramon E. Ribeyro (see address at No. 3238)
	C.W. det. 1917.		
N	3290	N	3290 MISSING
	<u>Ornithodoros megnini</u> N's, ♂'s, ♀'s		
	Dog (ears)		
	Huancayo, Peru		
	Rec'd. by me 11.IV.1916		
	Dr. Ramon E. Ribeyro (see address at No. 3238)		
	C.W. det. 1917.		
	Given to D.S. MacLagan 14/10/38.		
N	3291	N	3291 MISSING
	<u>Boophilus</u> sp. ♀'s		
	Belgian Congo, Labelled "Stipley"		
	Rec'd. 27.VII.1915		
	W. F. Cooper (sent by L. M. Long from Tshinsinda for W.F.C. to me)		
	C.W. det.		
	[Thrown away]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3292	N 3292 MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s	
	Belgian Congo, labelled "Stipley"	
	Rec'd. 27.VII.1915	
	W. F. Cooper (sent by L. M. Long, from Tshinsinda, for W.F.C. to me)	
	C.W. det.	
	[Thrown away]	
N	3293	N 3293
		RML 112248
	<u>Rhipicephalus neavei</u> var. <u>punctatus</u> 2 ♂, 3 ♀ (very typical)	2 ♂, 3 ♀ <u>Rhipicephalus pravus</u>
	Belgian Congo, labelled "Stipley"	Zaire
	Rec'd. 27.VII.1915	Rec'd. 27.VII.1915
	W. F. Cooper (sent by L. M. Long, from Tshinsinda for W.F.C. to me)	W. F. Cooper (sent by L. M. Long, from Tshinsinda for W.F.C. to me)
	C.W. det.	
N	3294	N 3294
		RML 112249
	<u>Boophilus australis</u> ♂'s, ♀'s, N's	5 ♂, 19 ♀, 1 N <u>Boophilus microplus</u>
	Cow	Cow
	Queensland, Australia	Queensland, Australia
	12.IV.1913	12.IV.1913
	Munroe Hull	Munroe Hull
	C.W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3295	N	3295
		RML	112250
	<u>Boophilus australis</u> 2 ♂, 2 young ♀, N's		3 ♂, 3 ♀, 17 N <u>Boophilus microplus</u>
	Cow		Cow
	Queensland, Australia		Queensland, Australia
	12.IV.1913		12.IV.1913
	Munroe Hull		Munroe Hull
	C.W. det.		
N	3296	N	3296
		RML	112251
	<u>Boophilus australis</u> 2 ♀		2 ♀ <u>Boophilus microplus</u>
	Cow		Cow
	Queensland, Australia		Queensland, Australia
	8.IV.1913		8.IV.1913
	Munroe Hull		Munroe Hull
	C.W. det.		

Collection of ticks from German East Africa, posted to me on 31.VIII.1918 by Lt-Col. H. B. Newham, R.A.M.C. (of Lond. School of Trop. Med.) from c/o D.D.M.S., E. Africa Exped. Force who wrote of the tubes: "The history of them will interest you. In going over a lot of old things stowed away in the German Laboratory here we came across this box with your name on, so they had evidently been collected for you & probably the outbreak of war had prevented them being sent. I spoke to the D.D.M.S. here (Col. Tate) & he agreed with me that they ought to be sent to you so here you are." I am sure the ticks were collected for me by Dr. Kudicke of the Institut für Senchenbekämpfung, Daressalam, G.E.A. who had previously sent specimens.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3297	N	3297
		RML	112252
	<u>Rhipicephalus evertsi</u> ♂, ♀		16 ♂, 11 ♀ <u>Rhipicephalus evertsi</u>
	Cattle		Cattle
	Kondoa - Irangi		Kondoa (04.54 S, 35.47 E), Dodoma Region, Tanzania
	5.X.1913		5.X.1913
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		This collection also contained 1 ♂, 1 N <u>Haematopinus quadripertusus</u> (Insecta: Anoplura) Det. Dr. K.C. Kim.
N	3298	N	3298
		RML	112253
	<u>Ornithodoros moubata</u>		1 ♂, 1 ♀, 2 N <u>Ornithodoros moubata</u>
	Jumbe Makwayila		Jumbe Makwayila, Tanzania (locality not verified)
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		These specimens are <u>Ornithodoros porcinus porcinus</u> according to Walton (1962: 126).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3299	N	3299
		RML	112254
	<u>Ornithodoros moubata</u>		3 ♂, 1 ♀, 11 N <u>Ornithodoros moubata</u>
	Jumbe Sawanga		Jumbe Sawanga, Tanzania (locality not verified)
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		These specimens are <u>Ornithodoros porcinus porcinus</u> according to Walton (1962: 126).
N	3300	N	3300
		RML	112255
	<u>Ornithodoros moubata</u>		5 N <u>Ornithodoros moubata</u>
	Kajanja		Kajanja, Tanzania (locality not verified)
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		These specimens are <u>Ornithodoros porcinus porcinus</u> according to Walton (1962: 126).

ORIGINAL DETERMINATION

N 3301, a-d

- (3301) Haemaphysalis leachi
 (a) Rhipicephalus simus
 (b) Rhipicephalus sanguineus
 (c) Amblyomma tholloni
 (d) Rhipicephalus kochi (small)

2 leopards

Lindi District

1913

Dr. Kudicke

C. Warburton det.

3301 H. leachi to:

- 1 ♂, 1 ♀ to Prof. Sadeo Yoshida at Cambridge 21.XII.1920.
 1 ♂, 1 ♀ to P. A. Buxton at Cambridge 10.II.1921.
 1 ♂, 1 ♀ to Prof. Dr. D. A. deYong at Cambridge 8.IV.1921.
 1 ♂, 1 ♀ to Prof. G. Hedger-Wallace, Univ. Wales, Cardiff 1921.
 1 ♂, 1 ♀ to S. H. Dankes, Wellcome Bureau, London 9.I.1924.
 1 ♂, 1 ♀ to Dr. E. Roubaud, Inst. Pasteur, Paris 12.X.1922.
 1 ♂, 1 ♀ to Prof. J. Hjort, Univ. Christiana, Norway 12.X.1922
 1 ♂, 1 ♀ to Dr. A. Watkins Pitchford, Army Vet. Sch., Thornhill, Aldershot 12.X.1922.
 1 ♂, 1 ♀ to L.P.W. Renouf, Biol. Dept., Univ. Coll., Cork, Ireland 12.X.1922.
 1 ♂, 1 ♀ to W. A. Pool, Indian Civil Vet. Dept. 12.X.1922.
 1 ♂, 1 ♀ to Dr. Wm. Parry Morgan, Publ. Hlth, Lab, Cardiff, Wales 12.X.1922.
 1 ♂, 1 ♀ to J.E.M. Mellor, Malvern College, Malvern 16.X.1922.
 1 ♂, 1 ♀ to Prof. A. Bettencourt, Inst. Camara Pestana, Lisbon 7.XI.1922.
 1 ♂, 1 ♀ to Prof. E. Brumpt, L' École de Médecine, Paris, 12.X.1922.
 1 ♂, 1 ♀ to I. C. Ross, Univ. of Sydney, Australia.

CURRENT STATUS

N 3301, a-d

RML 112256

- (3301) 7 ♂, 1 ♀ Haemaphysalis leachi
 (a) 11 ♂, 2 ♀ Rhipicephalus simus
 (b) 6 ♂, 1 ♀ Rhipicephalus sanguineus
 (c) 8 ♂, 7 ♀ Amblyomma tholloni
 (d) 2 ♂, 2 ♀ Rhipicephalus punctatus

Panthera pardus (2)Lindi District (10.00 S, 39.44 E),
Mtwara Region, Tanzania

1913

Dr. Kudicke

Tentative ID on ♀ of Rhipicephalus sanguineus

(3301c) cited: Robinson (1926: 253).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3302	N	3302
		RML	112257
	<u>Rhipicephalus simus</u>		11 ♂, 22 ♀ <u>Rhipicephalus simus</u>
	Lion		<u>Panthera leo</u>
	Lake Nyasa		Lake Nyasa (12.00 S, 34.30 E), Tanzania
	1913		1913
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		
N	3303, a	N	3303a
		RML	112258
	(3303) <u>Amblyomma variegatum</u> ♂, ♀		(3303) MISSING
	(a) <u>Boophilus australis</u>		(a) 12 ♀ <u>Boophilus decoloratus</u>
	Cattle		Cattle
	Daressalam		Daressalaam (06.48 S, 39.17 E), Coast Region, Tanzania
	1912		1912
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		
N	3304	N	3304
		RML	112259
	<u>Boophilus australis</u>		2 ♂, 62 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Ssongea		Songea (10.41 S, 35.39 E), Ruvuma Region, Tanzania
	1913		1913
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3305	N	3305
		RML	112260
	<u>Rhipicephalus evertsi</u>		13 ♂, 2 ♀ <u>Rhipicephalus evertsi</u>
	Goat		Goat
	Kondoa - Irangi		Kondoa (04.54 S, 35.47 E), Dodoma Region, Tanzania
	5.X.1913		5.X.1913
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		
N	3306	N	3306
		RML	112261
	<u>Rhipicephalus sanguineus</u> 2 ♂		2 ♂ <u>Rhipicephalus sanguineus</u>
	Dog (with piroplasmosis)		Dog
	Kondoa - Irangi		Kondoa (04.54 S, 35.47 E), Dodoma Region, Tanzania
	IX.1913		IX.1913
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		
N	3307	N	3307
		RML	112262
	<u>Rhipicephalus evertsi</u>		16 ♂, 4 ♀ <u>Rhipicephalus evertsi</u>
	Sheep		Sheep
	Kondoa - Irangi		Kondoa (04.54 S, 35.47 E), Dodoma Region, Tanzania
	5.X.1913		5.X.1913
	Dr. Kudicke		Dr. Kudicke
	C. Warburton det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3308, a

N 3308, a

RML 112263

(3308) Haemaphysalis leachi
(a) Rhipicephalus sanguineus(3308) 11 ♂, 2 ♀ Haemaphysalis leachi
(a) 4 ♂, 2 ♀ Rhipicephalus sanguineus

Wild dog

Lycaon pictus

Lindi

Lindi (10.00 S, 39.43 E),
Mtwara Region, Tanzania

18.X.1913

18.X.1913

Dr. Kudicke

Dr. Kudicke

C. Warburton det.

ORIGINAL DETERMINATION

N 3309
Ixodes vespertilionis L, N
Rhinolophys ferrum-equinum
Zaragoza, Spain
Sent alive on 25.III.1919
Prof. Jesus Maynar, Faculty of
Sci. at Z. Sent by M. Longin
Navas, S.J.
Determined by G.H.F. Nuttall.

N 3310
Dermacentor variabilis 1 ♂, 1 ♀
Long-tailed wild cat
Monterey, California
6.VIII.1895
Sent by Prof. Vernon Kellogg
ex his No. 266
C.W. det.

CURRENT STATUS

N 3309
RML 112264
2 N, 2 L Ixodes vespertilionis
Rhinolophus ferrumequinum
Zaragoza (41.38 N, 00.53 W), Spain
Sent alive on 25.III.1919
Prof. Jesus Maynar, Faculty of
Sci. at Z. Sent by M. Longin
Navas, S.J.
N 3310
RML 112265
1 ♂, 1 ♀ Dermacentor variabilis
Felis concolor
Monterey (36.37 N, 121.55 W),
California, U.S.A.
6.VIII.1895
Sent by Prof. Vernon Kellogg
ex his No. 266
Spiracular plate dissected from
one side of both ♂ & ♀.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3311	N	3311
		RML	112266
	<u>Dermacentor albipictus</u> 2 ♂, 4 ♀		2 ♂, 4 ♀ <u>Dermacentor albipictus</u>
	Horse		Horse
	Menlo Park, California		Menlo Park (37.28 N, 122.13 W), California, U.S.A.
	VI.1892		VI.1892
	Sent by Prof. Vernon Kellogg ex his No. 271		Sent by Prof. Vernon Kellogg ex his No. 271
	C.W. det.		

Ticks collected by Dr. W. B. Johnson on his travels in Nigeria & sent to me 8.I.1917 from "Scotch Cottage, Hanworth, Norfolk." He also sent insects, but desired none returned:-

N	3312, a	N	3312, a
		RML	112267
	(3312) <u>Hyalomma aegyptium</u> (a) <u>Rhipicephalus falcatus</u>		(3312) 6 ♂, 2 ♀ <u>Hyalomma truncatum</u> (a) 11 ♂, 1 ♀ <u>Rhipicephalus senegalensis</u>
	Roan antelope		<u>Hippotragus equinus</u>
	Zungeru, Nigeria		Zungeru (09.48 N, 06.09 E), Nigeria
	17.X.1915		17.X.1915
	Dr. W. B. Johnson (His No. 1)		Dr. W. B. Johnson (His No. 1)
	C. Warburton det. 1917.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3313	N	3313
		RML	112268
	<u>Rhipicephalus simus</u> 2 ♂		2 ♂ <u>Rhipicephalus muhsamae</u>
	The collector		<u>Homo sapiens</u>
	Zungeru, Nigeria		Zungeru (09.48 N, 06.09 E), Nigeria
	14.XI.1915		14.XI.1915
	Dr. W. B. Johnson (His No. 5)		Dr. W. B. Johnson (His No. 5)
	C. Warburton det. 1917.		
N	3314	N	3314
		RML	112269
	<u>Rhipicephalus sanguineus</u> 1 ♂, 1 N		1 ♂, 1 N <u>Rhipicephalus sanguineus</u>
	Hare		<u>Lepus</u> sp.
	Zungeru, Nigeria		Zungeru (09.48 N, 06.09 E), Nigeria
	7.XII.1915		7.XII.1915
	Dr. W. B. Johnson (his No. 9)		Dr. W. B. Johnson (His No. 9)
	C. Warburton det. 1917.		
N	3315	N	3315
		RML	112270
	<u>Aponomma laeve</u> ♂'s		6 ♂, 1 N <u>Aponomma latum</u>
	Snake No. 34		Snake
	Zungeru, Nigeria		Zungeru (09.48 N, 06.09 E), Nigeria
	30.III.1916		30.III.1916
	Dr. W. B. Johnson (His No. 35)		Dr. W. B. Johnson (His No. 35)
	C. Warburton det. 1917.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3316	N	3316
		RML	112271
	<u>Rhipicephalus simus</u>		8 ♂, 11 ♀ <u>Rhipicephalus longus</u> 1 ♂ <u>Rhipicephalus cuspidatus</u>
	Wart-hog		<u>Phacochoerus aethiopicus</u>
	Zungeru, Nigeria		Zungeru (09.48 N, 06.09 E), Nigeria
	2.IV.1916		2.IV.1916
	Dr. W. B. Johnson (His No. 40)		Dr. W. B. Johnson (His No. 40)
	C. Warburton det. 1917.		
N	3317	N	3317
		RML	112272
	<u>Aponomma exornatum</u>		17 ♂, 2 ♀, 3 N <u>Aponomma flavomaculatum</u>
	Monitor		<u>Varanus</u> sp.
	Zungeru, Nigeria		Zungeru (09.48 N, 06.09 E), Nigeria
	3.IV.1916		3.IV.1916
	Dr. W. B. Johnson (His No. 41)		Dr. W. B. Johnson (His No. 41)
	C. Warburton det. 1917.		Vial label locality spelled Zungaru.
N	3318, a	N	3318, a
		RML	112273
	(3318) <u>Hyalomma aegyptium</u>		(3318) 18 ♂, 28 ♀ <u>Hyalomma truncatum</u>
	(a) <u>Rhipicephalus simus</u>		(a) 35 ♂, 27 ♀ <u>Rhipicephalus muhsamae</u>
	8 wart-hogs		(a) 1 ♂, 3 ♀ <u>Rhipicephalus cuspidatus</u>
	Katagum, Nigeria		8 <u>Phacochoerus aethiopicus</u>
	V-X.1916		Katagum (12.17 N, 10.21 E), Nigeria
	Dr. W. B. Johnson (His No. 45)		V-X.1916
	C. Warburton det. 1917.		Dr. W. B. Johnson (His No. 45).

ORIGINAL DETERMINATIONCURRENT STATUS

N	3319	N	3319
		RML	112274
	<u>Hyalomma aegyptium</u>		77 ♂, 15 ♀ <u>Hyalomma truncatum</u>
	5 Roan antelope		5 <u>Hippotragus equinus</u>
	Katagum, Nigeria		Katagum (12.17 N, 10.21 E), Nigeria
	V-VII.1916		V-VII.1916
	Dr. W. B. Johnson (His No. 46)		Dr. W. B. Johnson (His No. 46).
	C. Warburton det. 1917.		
N	3320, a-c	N	3320 a-c
		RML	112275
	(3320) <u>Rhipicephalus simus</u>		(3320) MISSING
	(a) <u>Rhipicephalus sanguineus</u>		(a) 49 ♂, 42 ♀, 4 N <u>Rhipicephalus sanguineus</u>
	(b) <u>Hyalomma aegyptium</u>		(b) 5 ♂, 4 ♀ <u>Hyalomma truncatum</u>
	(c) <u>Haemaphysalis leachi</u>		(c) 3 ♂, 6 ♀ <u>Haemaphysalis leachi</u>
	"Dog & hares & collector"		Dog & <u>Lepus</u> sp. & <u>Homo sapiens</u>
	Katagum, Nigeria		Katagum (12.17 N, 10.21 E), Nigeria
	X-XI.1916		X-XI.1916
	Dr. W. B. Johnson (His No. 60)		Dr. W. B. Johnson (His No. 60).
	C. Warburton det. 1917.		
N	3321, a	N	3321, a
		RML	112276
	(3321) <u>Rhipicephalus sanguineus</u>		(3321) 41 ♂, 19 ♀ <u>Rhipicephalus sanguineus</u>
	(a) <u>Amblyomma</u> sp. N's		(a) 7 N <u>Hyalomma</u> sp.
	4 Hares		4 <u>Lepus</u> sp.
	Katagum, Nigeria		Katagum (12.17 N, 10.21 E), Nigeria
	VI-VII.1916		VI-VII.1916
	Dr. W. B. Johnson (His No. 62)		Dr. W. B. Johnson (His No. 62).
	C. Warburton det. 1917.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3322	N	3322
		RML	112277
	<u>Rhipicephalus sanguineus</u> 5 ♂		5 ♂ <u>Rhipicephalus sanguineus</u>
	2 Senegal gazelle & 2 Duiker buck & <u>Echestypus sepiaceus</u>		2 Senegal gazelle & 2 Duiker buck
	Katagum, Nigeria		Katagum (12.17 N, 10.21 E), Nigeria
	V-VII.1916		V-VII.1916
	Dr. W. B. Johnson (His No. 64)		Dr. W. B. Johnson (His No. 64)
	C. Warburton det. 1917.		<u>Echesotypus sepiaceus</u> is now <u>Lipoptena sepiacea</u> (Insecta:Hippoboscidae).
N	3323	N	3323
		RML	112278
	<u>Rhipicephalus simus</u> 2 ♂, 5 ♀		5 ♀ <u>Rhipicephalus muhsamae</u>
	Jackal		Probably <u>Canis adustus</u>
	Katagum, Nigeria		Katagum (12.17 N, 10.21 E), Nigeria
	30.VI.1916		30.VI.1916
	Dr. W. B. Johnson (His No. 66)		Dr. W. B. Johnson (His No. 66).
	C. Warburton det. 1917.		
N	3324	N	3324
		RML	112279
	<u>Rhipicephalus sanguineus</u> ♂, ♀		10 ♂, 5 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Zungaru, Nigeria		Zungeru (09.48 N, 06.09 E), Nigeria
	I-IV.1916		I-IV.1916
	Dr. W. B. Johnson (His No. 67)		Dr. W. B. Johnson (His No. 67).
	C. Warburton det. 1917.		

ORIGINAL DETERMINATION

N 3325, a
 (3325) Rhipicephalus simus ♂, ♀
 (a) Haemaphysalis leachi 1 ♀
 Hyena
 Katagum, Nigeria
 28.X.1916
 Dr. W. B. Johnson (His No. 74)
 C. Warburton det. 1917.

N 3326
Amblyomma integrum 2 ♂
 Pig
 Ceylon
 29.III.1915
 Indian Mus. $\frac{\text{GMH}}{1}$ (2 returned)
 C. Warburton det. 1917.

CURRENT STATUS

N 3325, a
 RML 112280
 (3325) 31 ♂, 5 ♀ Rhipicephalus muhsamae
 (a) 1 ♀ Haemaphysalis leachi
Crocuta crocuta
 Katagum (12.17 N, 10.21 E), Nigeria
 28.X.1916
 Dr. W. B. Johnson (His No. 74).
 N 3326
 RML 112281
 1 ♂ Amblyomma integrum
Sus scrofa
 Sri Lanka
 29.III.1915
 Cited: Robinson (1926: 114).

ORIGINAL DETERMINATIONCURRENT STATUS

N	3327	N	3327
		RML	112282
	<u>Amblyomma helvolum</u> 2 ♀		2 ♀ <u>Amblyomma helvolum</u>
	<u>Coluber decoratus</u>		<u>Dendrelaphis pictus</u>
	Singora, Siam		Probably Singgora now Songkhla (07.12 N, 100.36 E), Thailand
	27.I.1916		27.I.1916
	N. Annandale		N. Annandale
	Ind. Mus. <u>2388</u> / <u>17</u> (2 returned)		Cited: Sharif (1928:326).
	C. Warburton det. 1917. L.E.R. det. 1926.		
N	3328	N	3328
		RML	112283
	<u>Dermacentor variabilis</u> 1 ♂		1 ♂ <u>Dermacentor variabilis</u>
	Fox		<u>Vulpes fulva</u> or <u>Urocyon cinereoargenteus</u>
	Palo Alto, California		Palo Alto (37.27 N, 122.09 W), California, U.S.A.
	V.1895		V.1895
	Sent for det. by Prof. V. Kellogg		Sent for det. by Prof. V. Kellogg.
	C. W. det.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3329	N	3329
		RML	112284
	<u>Dermacentor auratus</u> ♂'s, ♀'s		5 ♂, 2 ♀ <u>Dermacentor</u> sp.
	Malay bear		<u>Helarctos malayanus</u>
	Kuala Lumpur, F. Malay States		Kuala Lumpur (03.10 N, 101.42 E), Malaysia
	III.1915		III.1915
	? C. Strickland		? C. Strickland
	C. W. det.		
N	3330	N	3330
		RML	112285
	<u>Dermacentor auratus</u> 1 ♀		1 ♀ <u>Dermacentor</u> sp.
	No particular		No particular
	Gift of Hon. N.C. Rothschild "R. 243"		Gift of Hon. N.C. Rothschild "R. 243"
	C. W. det.		
N	3331	N	3331
		RML	112286
	<u>Haemaphysalis montgomeryi</u> 2 ♂		2 ♂ <u>Haemaphysalis montgomeryi</u>
	Hill goat		Goat, hill
	Rawalpindi		Rawalpindi (33.36 N, 73.04 E), Pakistan
	V.H. Woodley, Supt. C.V.O.		V.H. Woodley, Supt. C.V.O.
	Rec'd. from Mr. F. M. Howlett "6"		
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3332	N	3332
		RML	112287
	<u>Boophilus australis</u>		9 ♂, 134 ♀, 10 N <u>Boophilus geigy</u>
	Cattle		Cattle
	Kamabai, Sierra Leone, W. Africa		Kamabai (09.09 N, 11.58 W), Northern Province, Sierra Leone
	14.XII.1913		14.XII.1913
	Dr. J. Y. Wood		Dr. J. Y. Wood.
	C. W. det.		
N	3333	N	3333
		RML	22289
	<u>Ixodes ornithorhynchi</u> ♀, N's		1 ♀, 11 N <u>Ixodes ornithorhynchi</u>
	Platypus		<u>Ornithorhynchus anatinus</u>
	W. Australia		Western Australia, Australia
	12.VII.1911		12.VII.1911
	From G. Sweet "No. 763"		From G. Sweet "No. 763".
	G.H.F.N. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3334	N 3334
		RML 71471
	<u>Haemaphysalis bispinosa</u> var. <u>intermedia</u>	10 ♂, 21 ♀ <u>Haemaphysalis intermedia</u>
	Pittapur, E. India	Pittapur, E. India (locality not verified)
	3.VII.1906	3.VII.1906
	"J. R. <u>87</u> " <u>IV</u> "	"J. R. <u>87</u> " <u>IV</u> "
	C. W. det.	Cited: Hoogstraal & Trapido (1963: 838).
		There are an additional 3 ♂, 4 ♀ of this collection in the R.M.L. collection (RML 27165).
N	3335	N 3335
		RML 112288
	<u>Ornithodoros piriformis</u> 5 CO-TYPES	1 ♂, 3 ♀ <u>Ornithodoros piriformis</u> Lectotype and paralectotypes
	Mahabaleshwar, Satara Distr., ca. 4200 ft. (ex Robber Cave)	Robbers Cave, Mahabaleshwar (17.55 N, 73.40 E), Maharashtra, India (ca 1280 m)
	13-16.IV.1912	13-16.IV.1912
	"F.H.G."	"F.H.G." [F.H. Gravely]
	Ind. Mus. <u>SPA</u> <u>10</u>	Warburton (1918: 285) original description. Lectotype designated: Keirans & Brewster (1981: 154).
	C.W. det.	Label in vial with data "Hypostome, palp & leg I on slide." Slide missing.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3336	N	3336
		RML	112289
	<u>Aponomma laeve</u> var. <u>paradoxum</u> ♂, ♀		1 ♂, 2 ♀ <u>Aponomma pattoni</u>
	<u>Naia tripudians</u>		<u>Naja naja</u>
	Bangalore, India		Bangalore (12.59 N, 77.35 E), India
	18.VII.1917		18.VII.1917
	Dr. H. H. Marshall "8"		Dr. H. H. Marshall "8".
	C. W. det.		
N	3337	N	3337
		RML	112290
	<u>Aponomma laeve</u> 3 ♂		2 ♂ <u>Aponomma pattoni</u>
	<u>Naia tripudians</u>		<u>Naja naja</u>
	Rangoon, Burma		Rangoon (16.47 N, 96.10 E), Burma
	16.I.1916		16.I.1916
	Dr. H. H. Marshall "11"		Dr. H. H. Marshall "11".
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3338, a, b	N	3338, a, b
		RML	87364
	(3338) <u>Amblyomma testudinarium</u> 2 ♂, 3 ♀		(3338) 2 ♂, 3 ♀ <u>Amblyomma testudinarium</u>
	(a) <u>Haemaphysalis leachi</u> 1 ♀		(3338) 1 ♂ <u>Haemaphysalis japonica</u>
	(b) <u>Haemaphysalis kinneari</u> 1 ♀		(a) 1 ♀ <u>Haemaphysalis</u> sp.
			(b) 1 ♀ <u>Haemaphysalis kinneari</u>
	<u>Felis tigris</u>		<u>Panthera tigris</u>
	Pugyi, Burma		Pugyi (17.15 N, 96.01 E), Burma
	10.VI.1918		10.VI.1918
	Mr. Christopher "R. 22"		Mr. Christopher "R. 22"
	N & C.W. det.		(3338) cited: Robinson (1926: 257).

Ticks sent by Dr. de Greef, méd cin vétérinaire dans le Haut Ituri,
 ca. 50 miles W. of Lake Edward, Belgian Congo, Central Africa.
 Communicated by M. Smeyers (of the Belgian Agric. Dept., residing
 pro tem in Cambridge).

N	3339	N	3339 MISSING
	<u>Amblyomma variegatum</u> ♂, ♀		
	Cattle		
	Dolo, Lower Congo		
	1916		
	R. van Saceghem		
	C.W. det.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3340	N	3340 MISSING
	<u>Amblyomma variegatum</u> (l queer)		
	Cattle		
	Haut-Ituri, near Lake Edward, Belgian Congo		
	1916		
	Dr. de Greef		
	C. W. det.		
N	3341	N	3341 MISSING
	<u>Amblyomma variegatum</u>		
	Cattle		
	Haut-Ituri, near Lake Edward, Belgian Congo		
	1916		
	Dr. de Greef		
	C. W. det.		
N	3342	N	3342
		RML	112291
	<u>Boophilus decoloratus</u>		2 ♀ <u>Boophilus decoloratus</u>
	Cattle		Cattle
	Zambi, Lower Congo		Zambi, Zaire (locality not verified; 4 possible localities)
	12.II.1916		12.II.1916
	R. van Saceghem		R. van Saceghem.
	C. W. det.		

ORIGINAL DETERMINATION

N 3343
Rhipicephalus evertsi
 var. with banded legs

Cattle

Zambi, Lower Congo

12.II.1916

R. van Saceghem

C. W. det.

N 3344
Rhipicephalus appendiculatus 4 ♀
 small not typical

Cattle

Zambi, Lower Congo

12.II.1916

R. van Saceghem

C. W. det.

CURRENT STATUS

N 3343
 RML 112292
 4 ♂, 4 ♀ Rhipicephalus evertsi

Cattle

Zambi, Zaire (locality not verified;
 4 possible localities)

12.II.1916

R. van Saceghem.

N 3344
 RML 112293
 4 ♀ Rhipicephalus appendiculatus

Cattle

Zambi, Zaire (locality not verified;
 4 possible localities)

12.II.1916

R. van Saceghem.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3345	N	3345
		RML	112294
	<i>Rhipicephalus duttoni</i> with others ranging to <u>appendiculatus</u> (d. a variant of <u>a.</u> ?)		4 ♂, 1 ♀ <i>Rhipicephalus duttoni</i>
	Cattle		Cattle
	Haut-Ituri nr. Lake Edward, Belgian Congo		Ituri (01.51 N, 29.58 E), Zaire
	1916		1916
	Dr. de Greef		Dr. de Greef
	C. W. det.		Nymph tentatively this species. Cited: Santos Dias (1958: 474).
N	3346	N	3346
		RML	112295
	<i>Aponomma gervaisi</i> var. <u>lucasi</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <i>Aponomma varanensis</i>
	<i>Varanus nebulosus</i>		<i>Varanus bengalensis</i>
	Ko Yaw near Singora Taté Sap, Siam		Ko Yaw near Songkhla (07.12 N, 100.36 E), Thailand
	2.I.1916		2.I.1916
	N. Annandale		N. Annandale
	Ind. Mus. <u>2401</u> / ₁₇ (rest returned)		
	C. W. det.		

ORIGINAL DETERMINATION

N 3347

Hyalomma aegyptium 10 ♂, 7 ♀Hemitragus hilocrius (Ogilby) the Nilgiri wild goatParambikulan, Cochin State
(1700-3200 ft.)

16.24.IX.1914

F. H. Graveley

Ind. Mus. 2173₁₇ the bulk returned

Also a deformed ♀ separately bottled

C. W. & N. det.

No. 3347 described by L. E. Robinson
in Parasitology XII (1920)

N.B. The ♀'s normal, the ♂'s
aberrant; with anal plates broad
behind, accessory anal plates
laterally placed, no posterior
"points" (so typical of the species),
but otherwise indistinguishable from
the Indian H. aegyptium.

CURRENT STATUS

N 3347

RML 112296

10 ♂, 7 ♀ Hyalomma kumariHemitragus hilocriusParambikolam (10.23 N, 76.49 E),
India (518-975m)

16.24.IX.1914

F. H. Graveley

1 ♀ of the above total in a jar
marked "Tick Abnormalities"

Figured: Robinson (1920: 178).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3348	N	3348
		RML	66611
	<u>Hyalomma aegyptium</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Hyalomma hussaini</u>
	Buffalo		Buffalo
	Bangalore		Bangalore (12.59 N, 77.35 E), India
	5.V.1913		5.V.1913
	W. Baillie. Rec'd from Dr. H. H. Marshall, 8 Voyle Road, Rangoon, Burma		W. Baillie. Rec'd from Dr. H. H. Marshall, 8 Voyle Road, Rangoon, Burma
	C. W. & N. det. N.B. The ♀'s normal, the ♂'s aberrant; with anal plates broad behind, accessory anal plates laterally placed, no posterior "points" (so typical of the species), but otherwise indistinguishable from the Indian <u>H. aegyptium</u> .		
	Picked out of many typical ♂'s & ♀'s that were returned to Dr. Marshall 5.V.1916. See Report book p. 183.		
N	3349	N	3349
		RML	112297
	<u>Ornithodoros talaje</u> 14 spec's (rec'd. alive)		1 N <u>Ornithodoros</u> sp.
	Jamaica		Jamaica
	Rec'd IX.1916		Rec'd IX.1916
	Anderson		Anderson
	C. W. & N. det.		

ORIGINAL DETERMINATION

N 3350
 RML
Haemaphysalis sp. ♀
 N. Auckland, N. Zealand
 IV.1917
 C.S.M. Hopkirk
 G.H.F.N. det.

Said to be punctata. Rec'd. in
 bad condition treated with caustic
 & no capitulum found, scutum &
 coxae as in punctata.

N 3351
Amblyomma varium ♀
Bradypus tridactylus
 (Sloth)
 No record of locality
 Gift of Hon. N. C. Rothschild
 years ago
 L. E. Robinson det. 26.III.1919
 3 slides, scutum, legs, spiracle.

CURRENT STATUS

N 3350
 112298
 1 ♀ Haemaphysalis sp.
 Auckland (36.52 S, 174.46 E),
 New Zealand
 IV.1917
 C.S.M. Hopkirk

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3352	N 3352
		RML 112299
	<u>Rhipicephalus maculatus</u> 6 ♂ atypical	5 ♂ <u>Rhipicephalus humeralis</u>
	No record of locality	Africa
	Gift 15.IV.1919	Gift 15.IV.1919
	Gift of I.B.E. "498"	Gift of I.B.E. "498".
	C. W. det.	
	Reports 23 & 68 to Bureau	
	Note: ornamentation limited to front of scutum.	
N	3353	N 3353 MISSING
	<u>Ixodes ricinus</u> 1 ♀	
	Horse (from neck)	
	Ty Gwyn, a farm 5 miles from Machynlleth, Montgomeryshire, Wales (a mountain sheep farm)	
	2.VII.1919	
	C. L. Walton (now at Fisheries Laby University, Liverpool)	
	G.H.F.N. det.	
N	3354	N 3354 MISSING
	<u>Dermacentor reticulatus</u> var. <u>niveus</u> 2 ♂, 2 ♀	.
	G.H.F.N. det.	
	Rec'd. alive	
	On 1 slide dry.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	3355	N	3355
		RML	107233
	<u>Ornithodoros talaje</u> 1 ♂, 2 ♀		1 ♂, 2 ♀ <u>Ornithodoros coniceps</u>
	Pigeon (in lab'y.)		<u>Columba livia</u>
	France		France
	1916		1916
	E. Brumpt, Paris		E. Brumpt, Paris
	C. W. det.		

Note to 3355: 1 ♂ & 2 ♀ picked from a lot totalling 3 ♂ 1 ♀ 7 ♀ sent 16.VI.1916 to me by Dr. E. Brumpt of Paris, then with the army at Héricourt, Haute Saonne, France. He is studying their biology & finds:

Larvae gorge in 4-8 days on pigeon, placed at 25°C. they moult to nymphs in 5-6 days.

Nymphs (1st st.) refuse to feed, and whilst fasting moult after some days. The subsequent development to adults is normal, takes some months. Brumpt asks if we still consider O. coniceps only a var. of talaje.

C.W. remarks (Vii.19) coniceps & capensis are light racial varieties of O. talaje, all 3 are essentially alike.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3356

N 3356

RML 112300

Amblyomma tuberculatum 2 ♂, 4 ♀, 1 N
(preserved dry)2 ♂, 4 ♀ Amblyomma tuberculatum
(dry)Gopherus polyphemusGopherus polyphemus

Washington County, Alabama, U.S.A.

Washington County (31.28 N, 88.16 W),
Alabama, U.S.A.

Posted 18.VII.1919

Posted 18.VII.1919

C. A. Cary, State Veterinarian
Livestock Sanitary Dept. of
Alabama, Auburn, Ala., U.S.A.C. A. Cary, State Veterinarian
Livestock Sanitary Dept. of
Alabama, Auburn, Ala., U.S.A.

L. E. Robinson det. 3.VIII.1919

Cited & figured: Robinson (1926:
175-177).

"Land turtle commonly called 'gopher'
[ticks] attached to legs, head, neck
& soft part of body" many ticks
present.

An additional 1 ♂, 1 ♀ (pinned)
are in the BMNH collection.

Note N3356. Rec'd in box with
wool, 1 ♀ feebly alive, had
oviposited on journey. Shall try
to hatch eggs (This failed, G.H.F.N.
23.X.1919).
Rec'd. ackn'd. & Report sent 6.VIII.
1919.

Mr. Cary wrote 24.VIII.1919 giving
scientific name of host & stating
that it "is rather common on the
pine barrens & high lands in the
Southern States. It is quite a
large turtle & is often eaten by
natives..."

ORIGINAL DETERMINATION

N 3357
Ornithodoros marocanus ♂'s, ♀'s, N's
 Bit pigs at night
 Collected in the Casba, Casablanca,
 Morocco (in chinks of walls)
 1.XII.1918
 H. Velu, Major de 2^e Classe,
 Chef du Laboratoire de Recherches
 du Service de l'Élevage, Casablanca,
 Morocco (Service Zootechnique et des
 Epizootics)
 Velu det., who presented them
 (at my request) 4.X.1919

- (a) pickled when dead (badly preserved)
- (b) ♂'s killed in hot 70% alcohol
- (c) ♀'s killed in hot 70% alcohol

Note: N3357. Very closely allied
 to O. talaje, some seen to have
 moveable "cheeks" at capitulum sides,
 the cheeks as though fragmented

C.W. & G.H.F.N.

Aponomma gervaisi ♂'sVaranus bengalensis (on piece of skin)

Madras, India

1916

Dr. Sheriffs (Gift of Prof. White,
 Dept. of Zool, Univ. of Wales, Bangor,
 7.I.1920 per C. L. Walton).

C. W. det. 4.XII.1919.

CURRENT STATUS

N 3357
 RML 112301
 4 ♂, 1 ♀, 5 N Ornithodoros erraticus
Sus scrofa

Casablanca (33.37 N, 07.35 W),
 Morocco

1.XII.1918

H. Velu

N 3358 N 3358 MISSING

3359-61. Sent by Mr. Buxton from Fairhill, Tonbridge, in 3 tubes, rec'd.
22.XII.1919:-

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3359	N	3359
		RML	112302
	<u>Hyalomma</u> ? <u>syriacum</u> N's		9 N <u>Hyalomma</u> sp.
	<u>Hypocolius</u> <u>ampelinus</u>		<u>Hypocolius</u> <u>ampelinus</u>
	Amara, Mesopotamia		A1 Amarah (31.50 N, 47.09 E), Iraq
	24.VI.1918		24.VI.1918
	P. A. Buxton		P. A. Buxton
	C. W. det. 27.I.1920.		
N	3360	N	3360
		RML	112303
	<u>Rhipicephalus</u> <u>sanguineus</u> ♂		1 ♂ <u>Rhipicephalus</u> <u>sanguineus</u>
	<u>Felis</u> <u>chaus</u> ?		<u>Felis</u> <u>chaus</u> ?
	Amara Mesopotamia		A1 Amarah (31.50 N, 47.09 E), Iraq
	2.XII.1917		2.XII.1917
	P. A. Buxton		P. A. Buxton
	C. W. det. 27.I.1920.		
N	3361	N	3361
		RML	112304
	<u>Ixodes</u> <u>tenuirostris</u> ♀		1 ♀ <u>Ixodes</u> <u>alluaudi</u>
	<u>Crocidura</u> sp. (shrew)		<u>Crocidura</u> sp.
	Umkomoas, Natal		Umkomaas (30.12 S, 30.48 E), Republic of South Africa
	16.VII.1917		16.VII.1917
	P. A. Buxton		P. A. Buxton
	C. W. det. 27.I.1920.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3362

N 3362

RML 112305

Boophilus australis 1 ♂
♀'s gorged & ung.11 ♀ Boophilus microplus

Cattle

Cattle

Torilla Plains, Queensland, Australia

Probably vicinity of Torilla
hill (22.23 S, 150.03 E),
Queensland, Australia

15.V.1911

15.V.1911

C. A. Rogers

C. A. Rogers

C. W. det. 27.I.1920

Note: From the collection of F.S.W. Raikes, a Cambridge student killed in the war. Sent by his mother to Dr. A. E. Shipley, F.R.S. ca. 1917, who passed them onto me with other specimens 24 Jan. 1920. Raikes was a student at Trinity Coll. Camb., he took up Geology after showing promise at Zoology. A notebook that accompanied the specimens bore the date 1913.

G.H.F.N. 28.I.1920

N 3363

N 3363

RML 112306

Hyalomma syriacum 2 ♂'s2 ♂ Hyalomma aegyptium

Tortoise

Tortoise

Spagge-Brandon, Suffolk, England

Spagge-Brandon (52.22 N, 01.24 W)
Suffolk, England

27.III.1911

27.III.1911

F.S.W. Raikes

F.S.W. Raikes

C. W. Det. 27.I.1920.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3364	N	3364
		RML	112307
	<u>Apronoma laeve</u> var. <u>paradoxum</u> ♂'s		7 ♂, 4 L <u>Apronoma pattoni</u>
	<u>Zaocys mucosus</u> (snake)		<u>Ptyas mucosus</u>
	Bangalor, India		Bangalor (12.59 N, 77.35 E), India
	1920		1920
	Lt. Col. F. Wall, I.M.S.		Lt. Col. F. Wall, I.M.S.
	C. W. det. 5.II.1920.		Cited: Wall (1921: 186)
N	3365	N	3365
		RML	112308
	<u>Apronoma laeve</u> var. <u>paradoxum</u> N		1 N <u>Apronoma</u> sp.
	<u>Coluber helena</u> (snake)		<u>Elaphe helena</u>
	Bangalore, India		Bangalore (12.59 N, 77.35 E), India
	1920		1920
	Lt. Col. F. Wall, I.M.S.		Lt. Col. F. Wall, I.M.S.
	C. W. det. 5.II.1920		
N	3366	N	3366
		RML	112309
	<u>Apronoma laeve</u> var. <u>paradoxum</u> ♂'s, N, L's		5 ♂, 3 N, 4 L <u>Apronoma pattoni</u>
	<u>Naia tripudians</u> (snake)		<u>Naja naja</u>
	Bangalore, India		Bangalore (12.59 N, 77.35 E), India
	1920		1920
	Lt. Col. F. Wall, I.M.S.		Lt. Col. F. Wall, I.M.S.
	C. W. det. 5.II.1920.		

3367-3369a rec'd. 3.III.1920 from L. C. Heath, Esq., Namwala District. "All collected within 100 miles of Mumbwa-on the banks of the Kafue." Letter destroyed, dat. 20.I.1920. His address: see N 3029:-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3367 <u>Amblyomma variegatum</u> ♂'s Reed-buck Namwala Distr. North Rhodesia XII.1919 L. C. Heath C. Warburton det. 5.III.1920.	N 3367 MISSING
N	3368 <u>Rhipicephalus tricuspis</u> 6 ♂, 3 ♀ Spring hare Namwala Distr., North Rhodesia 1919 L. C. Heath C. Warburton det. 5.III.1920.	N 3368 RML 112310 6 ♂, 3 ♀ <u>Rhipicephalus tricuspis</u> <u>Pedetes capensis</u> Namwala District (16.00 S, 26.15 E), Zambia 1919 L. C. Heath
N	3369, a (3369) <u>Amblyomma variegatum</u> ♂, ♀ (a) <u>Boophilus australis</u> 1 ♀ Cattle Namwala Distr. North Rhodesia I.1920 L. C. Heath C. Warburton det. 5.III.1920.	N 3369a RML 112311 (3369) MISSING (a) 1 ♀ <u>Boophilus decoloratus</u> Cattle Namwala District (16.00 S, 26.15 E), Zambia I.1920 L. C. Heath

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3370	N	3370
		RML	112312
	<u>Hyalomma scupense</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Hyalomma detritum</u> SYNTYPES of <u>H. scupense</u>
	Cattle		Cattle
	Üsküb, Macedonia		Skopje (42,00 N, 21.29 E), Macedonia, Yugoslavia
	II.1918		II.1918
	Determined by Dr. P. Schulze, Berlin Zool. Inst. Invalidenstr. 43, Berlin N.4. or Schillingstr. 80, Charlottenburg		Schulze (1918: 62) original description of <u>H. scupense</u> Note in vial "vulva on slide"
	Wrote & thanked 7.V.1920.		Prof. Dr. Leopold Ernst Paul Schulze (30.XI.1887 - 13.V.1949) well known authority on ticks. For an obituary see Hase (1950).
N	3371	N	3371
		RML	112313
	<u>Dermacentor reticulatus</u> 26 ♂♂, 3 ♀♀, 17 LL (unfed) with pinned specimens		23 ♂, 2 ♀, 16 L <u>Dermacentor</u> <u>reticulatus</u>
	Dog (experimentally raised)		Dog
	Parasitol. Lab. Paris		Paris (48.52 N, 02.20 E), France
	Sent on 31.XII.1919		Sent on 31.XII.1919
	Prof. E. Brumpt		Prof. E. Brumpt
	Determined by E. Brumpt & confirmed by C.W. & G.H.F.N. on our spec's.		Pinned specimens.
	Note to No. 3371. These caused piroplasmosis in Brumpt's dog No. 62 (see his papers in Bull. Soc. Path. Exot.) The few larvae gummed on card by me here had issued from eggs laid by 2 ♀♀ en route. A fine series of ♂♂, graded sizes.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3372

N 3372 MISSING

Ornithodoros rostratus
4 adults with pinned spec's.

Raised in Paris through several generations

Originally from Matto Grosso, Brazil

Sent on 8.III.1920

Prof. E. Brumpt

Determined by Brumpt & confirmed by C.W. & G.H.F.N. on our spec's.

Note to N. 3372. Rec'd. dead & dry. Compared with N 1895 rec'd. from Aragão.

N 3373

N 3373

RML 22292

Haemaphysalis bancrofti

3 ♀ Haemaphysalis bancrofti

Wallaby (near vent)

Wallaby

Queensland

Queensland, Australia

VII.1919

VII.1919

Dr. J. F. Illingworth

Dr. J. F. Illingworth

C. W. det. ex I.B.E. No. 1107.

Six slides of dissections; 2 each of ♀ hypostome, legs I & IV, and spiracular plate.

3374-3385 From collection sent us for determination by the Musée du Congo Belge, Section des Sci. Nat. Tervuren, Belgium. Posted on 22.IV.1920 (Dr. H. Schouteden).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3374	N	3374
		RML	112314
	<u>Aponomma laeve</u> 5 ♂		5 ♂ <u>Aponomma latum</u>
	Snake (n. 535)		Snake (n. 535)
	Bufwasenda		Bafwasende (01.05 N, 27.16 E), Haut-Congo, Zaire
	4.IX.1912		4.IX.1912
	Dr. Christy		Dr. Christy
	L.E.R. det. ex No. 7. Coll. No. 7.		
N	3375	N	3375
		RML	112315
	<u>Rhipicephalus simpsoni</u> 2 ♂'s, ♀		2 ♂, 1 ♀ <u>Rhipicephalus simpsoni</u>
	<u>Aulacodus swinderianus</u> (Rodent)		<u>Thryonomys swinderianus</u>
	Congo du Lemba		Congo du Lemba, Zaire (locality not verified)
	10.II.1914		10.II.1914
	R. Mayne'		R. Mayne'
	C. W. det. Coll. No. 11a.		Cited: Santos Dias (1958: 477) who stated that these specimens were "wrongly considered as types." [?]

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3376	N 3376
		RML 112316
	<u>Amblyomma splendidum</u> 2 ♂	2 ♂ <u>Amblyomma splendidum</u>
	Udder of Buffalo	<u>Syncerus caffer</u>
	Lukula	Either Lukula (05.23 S, 12.57 E) or (06.09 S, 26.41 E), Zaire
	VIII.1911	VIII.1911
	Daniel	Daniel
	L.E.R. det. Coll. No. 14.	
N	3377	N 3377
		RML 112317
	<u>Ixodes cavipalpus</u> ♀	1 ♀ <u>Ixodes cavipalpus</u>
	Kapiri	Either Kapiri (09.42 S, 27.13 E) or (10.18 S, 26.10 E), Nord-Katanga, Zaire
	1912	1912
	Agric. Meiss.	Agric. Meiss.
	C. W. Det. Coll. No. 29.	
N	3378	N 3378
		RML 112318
	<u>Ixodes cavipalpus</u> 2 ♀'s	2 ♀ <u>Ixodes cavipalpus</u>
	<u>Cephalophus</u> sp.	<u>Cephalophus</u> sp.
	Katanga	Katanga, Zaire (locality not verified; 16 possible localities)
	XI.1912	XI.1912
	Legros	Legros
	C. W. det. Coll. No. 30.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3379	N	3379
		RML	112319
	<u>Amblyomma cuneatum</u> 4 ♂'s, 4 ♀'s, 2 N's (n. 132)		4 ♂, 4 ♀, 2 N <u>Amblyomma compressum</u>
	Pangolin		<u>Manis</u> sp.
	Avakubi		Avakubi (01.19 N, 27.33 E), Haut-Congo, Zaire
	28.IX.1912		28.IX.1912
	Dr. Christy		Dr. Christy
	L.E.R. det. Coll. No. 32.		Cited: Robinson (1926: 143).
N	3379X	N	3379X
		RML	112320
	See abnormalities		1 ♀ <u>Boophilus decoloratus</u>
			Either Banana (01.22 N, 28.52 E), or (06.01 S, 12.24 E), Zaire
			11.I.1910
			Dr. Etienne
			This specimen is in a jar marked "Tick Abnormalities".
N	3380	N	3380
		RML	112321
	<u>Aponomma exornatum</u>		5 ♂ <u>Aponomma exornatum</u>
	Oshwe		Either Oshwe (02.45 S, 18.59 E) or (03.24 S, 19.30 E), Mai-Ndombe, Zaire
	fin de XII.1913		End of.XII.1913
	Dr. J. Naes		Dr. J. Naes
	L.E.R. det. Coll. No. 33.		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3381	N 3381
		RML 99177
	<u>Amblyomma tholloni</u> ♂'s, ♀'s	8 ♂, 5 ♀ <u>Amblyomma tholloni</u>
	Region des Lacs	Region des Lacs, Zaire (locality not verified)
	Dr. Sagona	Dr. Sagona
	L.E.R. det. Coll. No. 53a.	Cited & figured: Robinson (1926: 250, 251, 252); Hoogstraal (1956a: 258). An additional 1 ♂, 1 ♀ from this lot are in the collection of Dr. Harry Hoogstraal, NAMRU-3, Cairo, Egypt.
N	3382	N 3382
		RML 112322
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s	2 ♂, 2 ♀ <u>Amblyomma cohaerens</u>
	Region des Lacs	Region des Lacs, Zaire (locality not verified)
	Dr. Sagona	Dr. Sagona
	L.E.R. det. Coll. No. 53b.	
N	3383	N 3383
		RML 112323
	<u>Dermacentor circumguttatus</u> ♂'s, ♀'s	2 ♂, 2 ♀ <u>Dermacentor circumguttatus</u>
	Region des Lacs	Region des Lacs, Zaire (locality not verified)
	Dr. Sagona	Dr. Sagona
	C. W. det. Coll. No. 53c.	The above total includes 1 ♀ mounted on a slide with 1 ♂ from N1902.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3384		N	3384	
			RML	112324	
	<u>Amblyomma tholloni</u> ♂'s, ♀'s			4 ♂, 7 ♀ <u>Amblyomma tholloni</u>	
	Region des Lacs			Region des Lacs, Zaire (locality not verified)	
	Dr. Sagona			Dr. Sagona	
	L.E.R. det. Coll. No. 54.			Cited: Robinson (1926: 252).	
N	3385		N	3385	MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s				
	Prov. Elisabethville, Belgian Congo				
	12.XI.1911				
	Valdonis				
	L.E.R. det. Coll. No. 61.				
N	3386		N	3386	
			RML	112325	
	<u>Haemaphysalis hystricis</u> 1 ♂, 1 ♀			1 ♂, 1 ♀ <u>Haemaphysalis hystricis</u>	
	Pashok, Darjiling district E. Himalayas, 2500 ft.			Pashok (27.04 N, 88.23 E), Darjeeling District, India (762 m)	
	L. C. Hartless			L. C. Hartless	
	C. W. det. 27.V.1920			Cited: Hoogstraal et al (1965c: 476) with the collecting locality spelled Pashol.	
	Ind. Mus. No. <u>2439</u> <u>17</u> (2 ♂, 1 ♀ ret'd.)				
	3386-33. Pickings from collection of Indian Museum, Calcutta, posted to me by Dr. N. Annandale 17.V.1919. G.H.F.N.				

ORIGINAL DETERMINATION

N 3387
Rhipicephalus haemaphysaloides 1 ♂
 Pashok, Darjeeling district,
 E. Himalayas, 2500 ft.
 L. C. Hartless
 C. W. det. 27.V.1920
 Ind. Mus. No. 2439
17a
 (1 ♂ returned).

N 3388
Haemaphysalis birmaniae 13 ♂, 6 ♀
Nemorhaedus bubalinus Hodg. (Bovidae)
 Pashok, Darjiling district,
 E. Himalayas, at 1800 ft.
 L. C. Hartless
 C. W. det. 27.V.1920
 Ind. Mus. No. 2441
17
 (25 ♂, 6 ♀ returned)
 N. B. ♀ new to science.

CURRENT STATUS

N 3387
 RML 112326
 1 ♂ Rhipicephalus haemaphysaloides
 Pashok (27.04 N, 88.23 E), Darjeeling
 District, India (762 m).
 L. C. Hartless
 L. C. Hartless
 11 ♂, 4 ♀ Haemaphysalis darjeeling
 Including 1 ♂ Holotype, 1 ♀
 Allotype and 10 ♂, 3 ♀ paratypes
Capricornis sumatraensis
 Pashok (27.04 N, 88.23 E), Darjeeling
 District, India (626 m).
 L. C. Hartless
 An additional 2 ♂, 2 ♀ paratypes
 are in the collection of Dr. H.
 Hoogstraal, NAMRU-3, Cairo, Egypt
 Hoogstraal & Dhanda (1970: 169)
 original description.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3389	N	3389
		RML	112327
	<u>Aponomma gervaisi</u> var. <u>lucasi</u> 5 ♂, 1 ♀, 4 N		5 ♂, 1 ♀, 3 N <u>Aponomma varanensis</u>
	<u>varanus nebulosus</u>		<u>Varanus bengalensis</u>
	Calcutta		Calcutta (22.32 N, 88.22 E), India
	3.VII.1916		3.VII.1916
	C. W. det. 27.V.1920		Cited: Sharif (1928: 338).
	Ind. Mus. No. <u>2430</u> <u>17</u> (many returned).		
N	3390	N	3390
		RML	112328
	<u>Dermacentor auratus</u> 1 ♂		1 ♂ <u>Dermacentor</u> sp.
	Upper Burma		Burma
	1916		1916
	W. G. Rogers		W. G. Rogers
	C. W. det. 27.V.1920		Cited: Sharif (1928: 292).
	Ind. Mus. No. <u>2435</u> <u>17</u> (1 ♂ returned)		
	Specimen missing L.E.R. 5.VIII.1928.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3391	N	3391
		RML	112329
	<u>Amblyomma supinoi</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Amblyomma supinoi</u>
	<u>Testudo elongata</u>		<u>Testudo elongata</u>
	Baradighi, Jalpaiguri district, Bengal		Baradighi (26.48 N, 88.44 E), India
	VIII.1916		VIII.1916
	W. L. Travers		W. L. Travers
	L.E.R. det. 29.V.1920		Cited: Sharif (1928: 325).
	Ind. Mus. No. <u>2424</u> <u>17</u> (Many ret'd.).		
N	3392	N	3392
		RML	22317
	<u>Amblyomma supinoi</u> 2 ♂, 1 N		2 ♂, 1 N <u>Amblyomma supinoi</u>
	<u>Testudo elongata</u>		<u>Testudo elongata</u>
	Baradighi, Jalpaiguri district, Bengal		Baradighi (26.48 N, 88.44 E), India
	VII.1916		VII.1916
	W. L. Travers		W. L. Travers
	L.E.R. det. 29.V.1920		Cited & figured: Robinson (1926: 184, 186); Sharif (1928: 325).
	Ind. Mus. No. <u>2431</u> <u>17</u> (1 ♀ & ♂'s ret'd.).		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3393	N	3393
		RML	112330
	<u>Haemaphysalis cinnabarina</u> var. <u>punctata</u> 1 ♂		1 ♂ <u>Haemaphysalis punctata</u>
	Free (sheep about)		Free (sheep about)
	On Downs, Eastbourne, England		On Downs, Eastbourne (50.48 N, 00.15 E), England
	1.VI.1920		1.VI.1920
	F. V. Rigal		F. V. Rigal
	G.H.F.N. det. 3.VI.1920.		
N	3394	N	3394
		RML	112331
	<u>Ixodes anatis</u> (?) ♂		1 ♂ <u>Ixodes anatis</u>
	<u>Apteryx Kiwi</u>		<u>Apteryx australis mantelli</u>
	Far North of New Zealand: Mt. Ratea, North Hokianga, near Broadwood village, North Auckland, N.Z.		Near Broadwood (35.16 S, 173.23 E), Hokianga County, New Zealand
	I.1920		I.1920
	Sent by G. Harris (a farmer) to Prof. Charles Chilton, who gave it to us. 18.IX.1920		Sent by G. Harris (a farmer) to Prof. Charles Chilton, who gave it to us. 18.IX.1920.
	C. W. & G.H.F.N. det.		
	N. B. Probably the unknown ♂ of <u>I. anatis</u> (= <u>I. eudyptidis</u> Maskell ? type lost?).		

ORIGINAL DETERMINATION

N 3395

Haemaphysalis bispinosa 2 ♀

Cattle

N. Island, New Zealand

I.1920

Sent by G. Harris, a farmer,
to Prof. Chas. ChiltonNote by C.W. A large variant,
larger than type & with more
punctate scutum; similar to
Japanese form.Note by C.C. This "tick is giving
the farmers a lot of trouble just
now" writes the farmer to C.C.

N 3396

Ixodes ricinus 1 1Lacerta sp. attached in axilla

Marburg A/L. Germany

Sent 19.VIII.1920

Sent by Dr. Maynar, S. J.
Affällerstr. 3, Marburg A/L. Germany

G.H.F.N. det. 9.IX.1920.

CURRENT STATUS

N 3395

RML 112332

2 ♀ Haemaphysalis longicornis

Cattle

North Island, New Zealand

I.1920

Sent by G. Harris, a farmer,
to Prof. Chas. Chilton

N 3396

RML 112333

1 L Ixodes ricinusLacerta sp.Marburg (50.49 N, 08.46 E),
Federal Republic of Germany

Sent 19.VIII.1920

Sent by Dr. Mayar, S.J.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
-------------------------------	--	-----------------------	--

N	3397	N	3397 MISSING
---	------	---	-----------------

Argas persicus

Kazvin, N.W. Persia

VII.1919

P.A. Buxton.

N	3398	N	3398
		RML	112334

Boophilus australis 4 ♂'s (typic.),
but ♂'s have no caudal appendage

Cattle

Remuna Horona

4.VII.1920

Mr. J. C. Hutson, Govt. Entomologist
Ceylon, India. Gift of Imperial
Bureau of Entomology, London

C. W. det. X.1920.

4 ♂ Boophilus microplus

Cattle

Remuna (06.41 N, 80.04 E),
Sri Lanka

4.VII.1920

Mr. J. C. Hutson.

N	3399	N	3399
		RML	112335

Amblyomma cyprium 1 ♀

Cyclemis flav.

Kankan, Formosa

VII.1908

H. Sauter Ns. No. 157

Berlin Mus. No. 672/1911

L.E.R. det. XII.1920.

1 ♀ Amblyomma cyprium

Geoemyda flavomarginata

Kankan, Taiwan (locality not
verified)

VII.1908

H. Sauter Ns. No. 157

Cited & figured: Robinson (1926: 236).

ORIGINAL DETERMINATIONCURRENT STATUS

N 3400

N 3400

RML 22319

Amblyomma triguttatum 1 ♂, 4 ♀'s1 ♂, 4 ♀ Amblyomma triguttatum

Kangaroo

Kangaroo

Herberton Dist. Hinterland
von Colans Silver Valley,
North QueenslandHerberton (17.24 S, 145.23 E),
Queensland, Australia

Dr. Edlinger S.G. Ns, No. 272

Dr. Eddinger, S.G.

Berlin Mus. No. 364/1913

Robinson (1926: 57) incorrectly
gave this collection Berlin Museum
Number 364/1903 and Nuttall
number 272.

L.E.R. det. XII.1920.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3401	N	3401
		RML	112338
	<u>Amblyomma cuneatum</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Amblyomma compressum</u>
	<u>Schuppentier</u> ?		<u>Manis</u> sp.
	Lolodorf, Kamerun		Lolodorf (03.14 N, 10.44 E), Cameroon
	29.III.1907		29.III.1907
	Lt. Jacob		Lt. Jacob
	Prof. Ziemann, G., Ns No. 89 Berlin Mus. No. 1600/07		Cited: Robinson (1926: 143).
	L.E.R. det. XII.1920.		
N	3402	N	3402
		RML	112339
	<u>Argas vespertilionis</u>		1 ♂ <u>Argas vespertilionis</u>
	Off collector's leg		<u>Homo sapiens</u>
	Amara on Tigris		A1 Amarah (31.50 N, 47.09 E), Iraq
	VII.1918		VII.1918
	W. E. Evans, Esq. (late Capt., R.A.M.C.) 38 Morningside Park, Edinburgh, Scotland.		W. E. Evans
	C. W. det. I.1921.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3403	N	3403 MISSING
	<u>Amblyomma variegatum</u> ♂		
	Nyasaland		
	20.X.1919		
	Dr. W. A. Lambourn		
	"This tick placed in a box with <u>Aucheromyia</u> larvae promptly impaled one on its proboscis. Larva showed blood in its interior."		
	Gift of I.B.E. ex tube No. 1134		
	C. W. det. X.1920.		
N	3404	N	3404
		RML	112340
	<u>Amblyomma ovale</u> 2 ♂'s		2 ♂ <u>Amblyomma ovale</u>
	Ears of <u>Galictis vittata</u>		Ears of <u>Galictis vittata</u>
	Joinville, Humboldt Prov., Sta. Catharina, Brazil		Joinville (26.18 S, 48.50 W), Humboldt, Estado de Santa Catharina, Brazil
	22.XI.1915		22.XI.1915
	W. Ehrhardt		W. Ehrhardt
	L.E.R. det.		Cited: Robinson (1926: 29).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3405	N	3405
		RML	112341
	<u>Amblyomma ovale</u> 2 ♂'s		2 ♂ <u>Amblyomma ovale</u>
	<u>Nasus familiaris</u> ? <u>Canis familiaris</u> or <u>Nasua socialis</u>		<u>Nasua nasua</u> or <u>Canis familiaris</u>
	Humboldt Joinville, Sta. Catharina, Brazil		Joinville (26.18 S, 48.50 W), Humboldt, Estado de Santa Catharina, Brazil
	5.VIII.1918		5.VIII.1918
	W. Ehrhardt		W. Ehrhardt
	L.E.R. det.		Cited: Robinson (1926: 29).
N	3406, a	N	3406
		RML	112342
	(3406) <u>Rhipicephalus</u> 2 N		(3406) 2 N <u>Rhipicephalus</u> sp.
	(a) <u>Hyalomma</u> L's		(3406) 1 N, 3 L <u>Haemaphysalis</u> sp.
	Fieldmouse		(a) MISSING
	Tagbha, Tiberias, Palestine		<u>Mus musculus</u>
	10.IX.1919		En Sheva (32.52 N, 35.32 E), Israel
	P. E. Schmitz		10.IX.1919
	C. W. det.		P. E. Schmitz

ORIGINAL DETERMINATION

N 3407
Ixodes loricatus ♀
Didelphys cancrivora
Joinville, Humboldt, Prov. Sta.
Catharina, Brazil
10.XII.1915
W. Ehrhardt
C. W. det.

N 3408
Ixodes loricatus ♀
Didelphys aurita
Joinville, Humboldt, Prov. Sta.
Catharina, Brazil
16.XII.1915
W. Ehrhardt
C. W. det.

CURRENT STATUS

N 3407
RML 112343
1 ♀ Ixodes loricatus
Didelphis marsupialis
Joinville (26.18 S, 48.50 W),
Humboldt, Estado de Santa
Catharina, Brazil
10.XII.1915
W. Ehrhardt

N 3408
RML 112344
1 ♀ Ixodes loricatus
Didelphis marsupialis aurita
Joinville (26.18 S, 48.50 W),
Humboldt, Estado de Santa
Catharina, Brazil
16.XII.1915
W. Ehrhardt

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3409	N	3409
		RML	112345
	<u>Amblyomma longirostre</u> N	2 N	<u>Amblyomma longirostre</u>
	<u>Ramphastos discolors</u>		<u>Ramphastos dicolorus</u>
	Joinville, Humboldt, Prov. Sta. Catharina, Brazil		Joinville (26.18 S, 48.50 W), Humboldt, Estado de Santa Catharina, Brazil
	18.X.1915	18.X.1915	
	W. Ehrhardt	W. Ehrhardt	
	L.E.R. det.		
N	3410	N	3410
		RML	112346
	<u>Amblyomma longirostre</u> 2 N's	2 N	<u>Amblyomma longirostre</u>
	<u>Ramphastos discolors</u>		<u>Ramphastos dicolorus</u>
	Joinville, Humboldt, Prov. Sta. Catharina, Brazil		Joinville (26.18 S, 48.50 W), Humboldt, Estado de Santa Catharina, Brazil
	4.VIII.1916	4.VIII.1916	
	W. Ehrhardt	W. Ehrhardt	
	L.E.R. det.		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3411	N 3411
		RML 112347
	<u>Amblyomma calcaratum</u> 2 ♂'s	2 ♂ <u>Amblyomma calcaratum</u>
	<u>Tamandua tetradactyla</u>	<u>Tamandua tetradactyla</u>
	Joinville, Humboldt, Prov. Sta. Catharina, Brazil	Joinville (26.18 S, 48.50 W), Humboldt, Estado de Santa Catharina, Brazil
	25.XI.1915	25.XI.1915
	W. Ehrhardt	W. Ehrhardt
	L.E.R. det.	
N	3412	N 3412
		RML 112348
	<u>Amblyomma</u> N	1 N <u>Amblyomma</u> sp.
	Rats & Mice	Rats & Mice
	Joinville, Humboldt, Prov. Sta. Catharina, Brazil	Joinville (26.18 S, 48.50 W), Humboldt, Estado de Santa Catharina, Brazil
	VII.1918	VII.1918
	W. Ehrhardt	W. Ehrhardt
	L.E.R. det.	
N	3412Z	N 3412Z MISSING
	<u>Ixodes ricinus</u> N	
	<u>Lacerta</u> sp., attached to right axilla	
	Brieselang, near Berlin, Germany	
	17.IV.1921	
	Rev. Dr. J. Maynar, S.J., Kaiserallee 96 III, Berlin-Friedenau	
	G.H.F.N. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3413	N	3413
		RML	112349
	<u>Hyalomma aegyptium</u> ♂'s, ♀		7 ♂ <u>Hyalomma dromedarii</u> 100 ♂, 8 ♀ <u>Hyalomma impeltatum</u> 5 ♂ <u>Hyalomma truncatum</u>
	Cattle		Cattle
	Socotra Island prior to landing at Zanzibar		Suqutra Island (12.30 N, 54.00 E), Peoples Democratic Republic of Yemen, prior to landing at Zanzibar Island (06.10 S, 39.20 E), Tanzania
	15.III.1921		15.III.1921
	W. Mansfield-Aders, Economic Biologist, Public Health Division, Biological Section, Zanzibar, E. Africa		W. Mansfield-Aders
	C. W. & G.H.F.N. det.		Yeoman & Walker (1967) do not list <u>H. dromedarii</u> as occurring in Tanzania and I am aware of the remark by Hoogstraal (1956a: 460) concerning this species. However <u>H. dromedarii</u> is found in Yemen and could easily be imported on cattle.
N	3414	N	3414
		RML	112350
	<u>Dermacentor reticulatus</u> var. <u>niveus</u>		1 ♂ <u>Dermacentor niveus</u>
	Sheep		Sheep
	Ciudad Lineal Madrid, Spain		Ciudad Lineal Madrid (40.24 N, 03.41 W), Spain
	2.IV.1920		2.IV.1920
	L. E. Robinson		L. E. Robinson
			A pinned specimen.

ORIGINAL DETERMINATION

N 3415
Amblyomma ovale 3 ♂, 3 ♀, 3 N
Canis azarae
Assuncion, Paraguay
1904
Gift of Dr. A. Kotlán, Lecturer in
Parasitology, R. Hungarian
Veterinary College, Budapest
(rec'd. 9.VI.1921)
L.E.R. det. 9.VI.1921
L.E.R. det. 1926.
Reply sent 9.VI.1921 to Dr. Kotlán,
who kept duplicates & let me
keep these Nos.

N 3416
Amblyomma clypeolatum 2 ♂
Not known (probably tortoise)
Zool. Gdns., Budapest, Hungary
Date not known
Gift of Dr. A. Kotlan
L.E.R. det.

CURRENT STATUS

N 3415
RML 112351
3 ♂, 3 ♀ Amblyomma ovale
Dusicyon gymnocercus
Asuncion (25.16 S, 57.40 W), Paraguay
1904
Gift of Dr. A. Kotlán
Cited: Robinson (1926: 29).
N 3416
RML 112352
2 ♂ Amblyomma clypeolatum
Not known (probably tortoise)
Zoological Gardens, Budapest
(47.30 N, 19.05 E), Hungary
Date not known
Gift of Dr. A. Kotlán
Cited: Robinson (1926: 81)
but without Nuttall number.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3417	N	3417
		RML	112353
	<u>Dermacentor parumapertus</u> 4 ♂, 4 ♀		4 ♂, 4 ♀ <u>Dermacentor parumapertus</u>
	Rabbit		Rabbit
	California		California, U.S.A.
	1904		1904
	Sent for det. by L'pool School of Trop. Med. (Prof. Newstead F.R.S. No. 34, bulk returned)		Sent for determination by Liverpool School of Tropical Medicine (Prof. Newstead F.R.S., No. 34, bulk returned.)
	C.W. & G.H.F.N. det.		
N	3418, a	N	3418, a
		RML	75981
	(3418) <u>Haemaphysalis bispinosa</u> ♀ (a) <u>Hyalomma aegyptium</u> ♂, ♀		(3418) 2 ♂ <u>Haemaphysalis bispinosa</u> (a) 2 ♂ <u>Hyalomma anatomicum anatomicum</u>
	Hill mules		Mules, hill
	India		India
	Sent X.1912		Sent X.1912
	Sent by F. M. Howlett (No. 2)		Sent by F. M. Howlett (No. 2)
	Sent by F. M. Howlett, B.A. X.1912 from India, no further particulars. He died 1921. Had not called for return of these ticks so I now incorporate them. His No's. 1, 6, 9, 12 are already incl. in part or wholly under No's. 1903, 1904, 1979, 3331 q.v.		
	C.W. & G.H.F.N. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3419, a	N	3419, a
		RML	112354
(3419)	<u>Rhipicephalus sanguineus</u> ♂, ♀	(3419)	2 ♂, 2 ♀ <u>Rhipicephalus sanguineus</u>
(a)	<u>Haemaphysalis bispinosa</u> ♂, ♀	(a)	3 ♂, 1 ♀ <u>Haemaphysalis bispinosa</u>
Hill	dog	Dog, hill	
India		India	
Sent X.1912		Sent X.1912	
Sent by F. M. Howlett (No. 3)		Sent by F. M. Howlett (No. 3)	
C.W. & G.H.F.N.			
N	3420, a	N	3420, a
		RML	112355
(3420)	<u>Hyalomma aegyptium</u> ♀	(3420)	1 ♂ <u>Hyalomma marginatum isaaci</u>
(a)	<u>Rhipicephalus haemaphysaloides</u> ♂, ♀	(a)	2 ♂, 1 ♀ <u>Rhipicephalus haemaphysaloides</u>
Hill	pony	Pony, hill	
India		India	
Sent X.1912		Sent X.1912	
Sent by F. M. Howlett (No. 4)		Sent by F. M. Howlett (No. 4)	
C.W. & G.H.F.N. det.			

ORIGINAL DETERMINATIONCURRENT STATUS

N	3421, a	N	3421, a
		RML	75983
(3421)	<u>Rhipicephalus sanguineus</u> ♂, ♀	(3421)	1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
(a)	<u>Haemaphysalis bispinosa</u> ♀	(a)	1 ♀ <u>Haemaphysalis bispinosa</u>
Dog		Dog	
India		India	
Sent X.1912		Sent X.1912	
Sent by F. M. Howlett (No. 5)		Sent by F. M. Howlett (No. 5)	
C. W. & G.H.F.N. det.			
N	3422	N	3422
		RML	112356
	<u>Boophilus australis</u>	4 ♀, 1 N	<u>Boophilus microplus</u>
Hill cows		Cows, hill	
India		India	
Sent X.1912		Sent X.1912	
Sent by F. M. Howlett (No. 7)		Sent by F. M. Howlett (No. 7)	
C.W. & G.H.F.N. det.			
N	3423	N	3423
		RML	112357
	<u>Hyalomma aegyptium</u> ♀	2 ♂, 1 ♀	<u>Hyalomma anatolicum anatolicum</u>
		1 ♂	<u>Hyalomma marginatum isaaci</u>
Hare		<u>Lepus</u> sp.	
India		India	
Sent X.1912		Sent X.1912	
Sent by F. M. Howlett (No. 8)		Sent by F. M. Howlett (No. 8)	
C.W. & G.H.F.N. det.		Cited: Kaiser & Hoogstraal (1964: 277).	

ORIGINAL DETERMINATIONCURRENT STATUS

N	3424, a	N	3424, a
		RML	112358
(3424)	<u>Hyalomma</u> sp. larvae	(3424)	5 N, 3 L <u>Hyalomma</u> sp.
(a)	<u>Rhipicephalus sanguineus</u> ♂	(a)	1 ♂ <u>Rhipicephalus sanguineus</u>
Hill pony		Pony, hill	
India		India	
Sent X.1912		Sent X.1912	
Sent by F. M. Howlett (No. 9)		Sent by F. M. Howlett (No. 9)	
C.W. & G.H.F.N. det.			
3424 & 3424a out of same lot as N. 1979. q.v.			
N	3425	N	3425
		RML	112359
	<u>Hyalomma aegyptium</u>	5 ♂, 3 ♀	<u>Hyalomma anatolicum anatolicum</u>
Bullocks		8 ♂, 20 ♀	<u>Hyalomma dromedarii</u>
Lahore, India		Lahore (31.35 N, 74.18 E), Pakistan	
Sent X.1912		Sent X.1912	
Sent by F. M. Howlett		Sent by F. M. Howlett	
C.W. & G.H.F.N. det.			
3 lots combined by G.H.F.N.			

ORIGINAL DETERMINATIONCURRENT STATUS

N	3426	N	3426
		RML	66651
	<u>Rhipicephalus sanguineus</u> ♂, ♀	26 ♂, 22 ♀, 10 N, 1 L	<u>Rhipicephalus sanguineus</u>
Dog		Dog	
Manila, Philippine Islds.		Manila (14.35 N, 121.00 E), Philippines	
Rec'd. 17.II.1912		17.IV.1911	
M. B. Mitzmain		M. B. Mitzmain	
C.W. det.		Collecting date taken from vial label.	
N	3427	N	3427
		RML	112360
	<u>Boophilus australis</u> ♀'s	1 ♂, 37 ♀	<u>Boophilus microplus</u>
Cattle		Cattle	
Manila, Philippine Islds.		Manila (14.35 N, 121.00 E), Philippines	
17.IV.1911		17.IV.1911	
M. B. Mitzmain (Rec'd. 17.II.1912)		M. B. Mitzmain (Rec'd. 17.II.1912)	
C. W. det.			
Note: 3 other lots of <u>B. australis</u> thrown away 27.VII.1921 by me.			

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3428	N	3428
		RML	112361
	<u>Ixodes putus</u> ♂'s, ♀'s, N's, L's & eggs		1 ♂, 1 ♀, 2 N, 2 L <u>Ixodes uriae</u>
	Jan Mayen, Is. N. of Iceland		Jan Mayen Island (71.00 N, 08.20 W), Norway
	VIII.1921		VIII.1921
	W. S. Bristowe		W. S. Bristowe
	L.E.R. det. 18.X.1921		William Syer Bristowe (1901-1979). Authority on spiders and pompilid wasps. Author of "The Comity of Spiders." Also an authority on Sherlock Holmes.
N	3429	N	3429
		RML	112362
	<u>Amblyomma petersi</u> 1 ♀		1 ♀ <u>Amblyomma rhinocerotis</u>
	On acanthaceous shrub near stream edge.		On acanthaceous shrub near stream edge.
	Kibwezi Kenia 2900 ft.		Kibwezi (02.25 S, 37.58 E), Eastern Region, Kenya (884m)
	R. A. Dummer		R. A. Dummer
	C. Warburton det.		
N	3430	N	3430
		RML	112363
	<u>Amblyomma testudinarium</u> 2 ♀'s		2 ♀ <u>Amblyomma testudinarium</u>
	Lushai Hills, Assam		Lushai Hills (23.10 N, 92.50 E), Assam, India
	X.1921		X.1921
	W.L.F. Nuttall		W.L.F. Nuttall
	C. Warburton det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3431	N	3431
		RML	112364
	<u>Hyalomma aegyptium</u> ♀		1 ♀ <u>Hyalomma dromedarii</u>
	Camel		<u>Camelus dromedarius</u>
	Sibi, Baluchistan		Sibi (29.33 N, 67.53 E), Pakistan
	XII.1921		XII.1921
	W.L.F. Nuttall		W.L.F. Nuttall
	C. Warburton det.		
N	3432	N	3432
		RML	112365
	<u>Rhipicephalus maculatus</u> var. (like our 3352)		2 ♂ <u>Rhipicephalus humeralis</u>
	Kenya Colony No particulars		Kenya
	Col. Stordy (H.W. No. 12)		Col. Stordy
	Sent by H. Wilkinson, Ent. Lab. Kabete 14.IV.1922. Tubes sent without particulars. Coll. by Col. Stordy on Marsabit track but diary lost.		
	C. Warburton det.		-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3433	N 3433
		RML 112366
	<u>Rhipicephalus kochi</u>	4 ♂, 4 ♀ <u>Rhipicephalus hurti</u>
	Cattle	Cattle
	Nairasha, Kenya Colony	Naivasha (00.43 S, 36.26 E), Kenya
	10.X.1921	10.X.1921
	H. Wilkinson (H.W. No. 7)	H. Wilkinson (H.W. No. 7)
	C. Warburton det.	
N	3434	N 3434
		RML 112367
	<u>Rhipicephalus masseyi</u> ♂, ♀, N	3 ♂, 3 ♀ <u>Rhipicephalus muehlensi</u>
	Inyala (an antelope) <u>Tragelaphus angasi</u>	<u>Tragelaphus angasi</u>
	Nkuzi R.	Perhaps Nkuzi Mt. (28.50 S, 29.21 E), Zululand, Republic of South Africa
	1.VIII.1921	1.VIII.1921
	H. H. Curson, Vet. Reg. Officer Zululand (H.H.C.'s. No. 1234)	H. H. Curson
	C. Warburton det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3435	N	3435
		RML	112368
	<i>Ixodes dentatus</i> 6 ♂, 10 ♀ ♂'s new. ♀'s show the var. <u>spinipalpis</u> [lapás?] = <u>dentatus</u>		6 ♂, 10 ♀ <u>Ixodes dentatus</u>
	Rabbit		Rabbit
			U.S.A.
	20.III.?		20.III.?
	Presented by E. A. Chapin to whom Fisher had given these.		Presented by E. A. Chapin to whom Fisher had given these.
	Hadwen det. VII.1922.		
N	3436	N	3436
		RML	112369
	<u>Rhipicephalus dux</u>		9 ♂, 5 ♀ <u>Rhipicephalus dux</u>
	Congo		Zaire
	From Hadwen's 720		From Hadwen's 720
	C. W. det.		
	2 ♂, 1 ♀ (1 ♂ to be returned) to Dr. F. Larousse, Brumpt's Laboratory 31.X.1927. Wrote him that his <u>R.</u> <u>schwetzi</u> = <u>R. dux</u> in our opinion; stated we had 2 other lots in our collection (N1716, N2902a) of which I gave him particulars.. Also gave him full reference to Donitz, W. 1910 p. 275.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3437	N	3437
		RML	112370
	<u>Amblyomma paulopunctatum</u>		5 ♂, 4 ♀ <u>Amblyomma paulopunctatum</u>
	Red River hogs		<u>Potamochoerus porcus</u>
	Congo		Zaire
	Presented VII.1922		Presented VII.1922
	Presented by Hadwen		Presented by Hadwen
	C. W. det. L.E.R. det. 1926		This and other tick collections from the Lang-Chapin expedition were sent to S. Hadwen for identification. Bequaert (1930: 6) said that Hadwen sent part of this collection to Nuttall. Robinson (1926: 85) listed this collection from West Africa although the catalogue indicates Congo and collection data for another 5 ♂, 5 ♀ <u>A. paulopunctatum</u> in the RML collection cite Medje, Belgian Congo as the locality.
N	3438	N	3438
		RML	112371
	<u>Ornithodoros talaje</u>		2 ♂, 5 ♀, 1 N <u>Ornithodoros capensis</u>
			Penguins
	S. W. Africa		Namibia
			1911
	From Michaelsens 12.		From Michaelsens 12.
	C. W. det.		Host and date taken from vial label.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3439, a

N 3439

RML 112372

(3439) Argas reflexus
(a) Argas reflexus 6 sp. aliveFound between leaden roof and
stone roof of King's College
Chapel(3439) 4.VIII.1922
(a) IV-V.1923L. H. Mathews, King's A.D. Hobson
Christ's College, Cambridge

C.W. det.

N 3440

N 3440

RML 112373

Amblyomma ovale ♂

Man

Surinam

Posted 15.V.1922

Dr. C. Bonne (No. 1) Medical
Director, Surinam Bauxite Co.,
Moengo, Surinam, S. AmericaC. Warburton det.
L.E.R. det. 1926(3439) 1 ♀ Argas reflexus
(a) MISSINGFound between leaden roof and stone
roof of King's College Chapel,
Cambridge (52.13 N, 00.08 E), England

4.VIII.1922

L. H. Mathews, King's A.D. Hobson
Christ's College, Cambridge

Cited: Matthews & Hobson (1922: 313).

C.W. det.

1 ♂ Amblyomma ovaleHomo sapiens

Surinam

Posted 15.V.1922

Dr. C. Bonne

ORIGINAL DETERMINATION

N 3441

Amblyomma cajennense ♀

Man

Surinam

Posted 15.V.1922

Dr. C. Bonne (No. 2)

C. Warburton det.

N 3442

Boophilus australis ♂'s, ♀'s

Cattle

Surinam

Posted 15.V.1922

Dr. C. Bonne (No. 3)

C. Warburton det.

N 3443

Amblyomma mantiquirense ♂, ♀Dicotyles torquatus "Pakira"

Surinam

Posted 15.V.1922

Dr. C. Bonne (No. 4)

L. E. Robinson det.

CURRENT STATUS

N 3441

RML 112374

1 ♀ Amblyomma cajennenseHomo sapiens

Surinam

Posted 15.V.1922

Dr. C. Bonne

N 3442

RML 112375

2 ♂, 10 ♀ Boophilus microplus

Cattle

Surinam

Posted 15.V.1922

Dr. C. Bonne

N 3443

RML 112376

2 ♀ Amblyomma naponenseTayassu tajacu patira

Surinam

Posted 15.V.1922

Dr. C. Bonne

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3444	N	3444
		RML	112377.
	<u>Aponomma</u> sp. N		1 N <u>Amblyomma</u> sp.
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 5)		Dr. C. Bonne
	C. W. det.		
N	3445	N	3445
		RML	112378
	<u>Amblyomma ovale</u>		1 ♀ <u>Amblyomma ovale</u>
	Jaguar		<u>Felis onca</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 6)		Dr. C. Bonne
	L.E.R. det.		
	L.E.R. redet. 1926.		
N	3446	N	3446
		RML	112379
	<u>Amblyomma goeldii</u> ♀'s		2 ♀ <u>Amblyomma rotundatum</u>
	<u>Boa</u> sp.		<u>Boa</u> sp.
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 7)		Dr. C. Bonne
	L.E.R. det.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3447	N	3447
		RML	112380
	<u>Ixodes loricatus</u> var. <u>spinosus</u> ♀		2 ♀ <u>Ixodes luciae</u>
	<u>Didelphys</u> sp.		<u>Didelphis</u> sp.
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 8)		Dr. C. Bonne
	C. W. det.		
N	3448	N	3448
		RML	112501
	<u>Haemaphysalis cinnabarina</u> larvae		4 L <u>Haemaphysalis</u> sp.
	<u>Dasyprocta agouti</u>		<u>Dasyprocta aguti</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 9)		Dr. C. Bonne
	C. W. det.		
N	3449	N	3449
		RML	112502
	<u>Amblyomma mantiquirense</u> ♂, ♀		1 ♂, 1 ♀ <u>Amblyomma naponense</u>
	<u>Dicotyles torquatus</u>		<u>Tayassu tajacu patira</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 10)		Dr. C. Bonne
	L.E.R. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3450	N	3450
		RML	112503
	<u>Amblyomma mantiquirense</u>		1 ♀ <u>Amblyomma naponense</u>
	<u>Dicotyles labiatus</u> "Pingo"		<u>Tayassu pecari</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 11)		Dr. C. Bonne
	L.E.R. det.		
N	3451	N	3451
		RML	112504
	<u>Amblyomma oblongoguttatum</u>		1 ♀ <u>Amblyomma oblongoguttatum</u>
	<u>Dicotyles labiatus</u> "Pingo"		<u>Tayassu pecari</u> .
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 12)		Dr. C. Bonne
	L.E.R. det.		
N	3452	N	3452
		RML	112505
	<u>Amblyomma ovale</u> ♂		1 ♂ <u>Amblyomma ovale</u>
	<u>Galictus</u> sp. (Carnivore: Mustelidae) "Aira"		Probably <u>Eira barbara</u> subsp.
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 15)		Dr. C. Bonne
	L.E.R. det.		
	L.E.R. redet. 1926.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3453	N	3453
		RML	112506
	<u>Amblyomma ovale</u> ♂, ♀		2 ♂, 1 ♀ <u>Amblyomma ovale</u>
	Dog		Dog
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 16)		Dr. C. Bonne
	L.E.R. det.		
	L.E.R. redet. 1926.		
N	3454	N	3454
		RML	112507
	<u>Amblyomma calcaratum</u> ♂		1 ♂ <u>Amblyomma calcaratum</u>
	<u>Cicloturus didactylus</u> ?		<u>Cyclopes didactylus</u>
	Small ant-eater		
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 17)		Dr. C. Bonne
	L.E.R. det.		
N	3455	N	3455 MISSING
	<u>Amblyomma cajennense</u>		
	Surinam		
	Posted 15.V.1922		
	Dr. C. Bonne (No. 18)		
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3456		N	3456	
			RML	112508	
	<u>Amblyomma ovale</u>			1 ♀ <u>Amblyomma ovale</u>	
	<u>Galictus</u> sp.			Probably <u>Eira barbara</u> subsp.	
	Surinam			Surinam	
	Posted 15.V.1922			Posted 15.V.1922	
	Dr. C. Bonne (No. 19)			Dr. C. Bonne	
	L.E.R. det.				
	L.E.R. redet. 1926.				
N	3457		N	3457	
			RML	112509	
	<u>Amblyomma ovale</u>			2 ♀ <u>Amblyomma ovale</u>	
	Jaguar			<u>Felis onca</u>	
	Surinam			Surinam	
	Posted 15.V.1922			Posted 15.V.1922	
	Dr. C. Bonne (No. 20)			Dr. C. Bonne	
	L.E. Robinson det.				
	L.E.R. redet. 1926.				
N	3458		N	3458	
			RML	112510	
	<u>Amblyomma mantiquirense</u>			1 ♂ <u>Amblyomma naponense</u>	
	<u>Dicotyles torquatus</u> "Pakira"			<u>Tayassu tajacu patira</u>	
	Surinam			Surinam	
	Posted 15.V.1922			Posted 15.V.1922	
	Dr. C. Bonne (No. 21)			Dr. C. Bonne	
	L. E. Robinson det.				

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3459	N	3459
		RML	112511
	<u>Amblyomma humerale</u>		2 ♂, 1 ♀ <u>Amblyomma humerale</u>
	<u>Testudo tabulata</u> (Land turtle)		<u>Geochelone denticulata</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 22)		Dr. C. Bonne
	L. E. Robinson det.		Cited: Santos Dias (1958: 496).
N	3460	N	3460
		RML	112512
	<u>Amblyomma</u> sp. (larvae)		1 L <u>Amblyomma</u> sp.
	Man		<u>Homo sapiens</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 14)		Dr. C. Bonne
	L. E. Robinson det.		
N	3461	N	3461
		RML	112513
	<u>Amblyomma cajennense</u> ♂, ♀ (in copula)		1 ♀ <u>Amblyomma cajennense</u>
	Tapir		<u>Tapirus</u> sp.
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 23)		Dr. C. Bonne
	C. Warburton det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3462	N	3462
		RML	112514
	<u>Amblyomma calcaratum</u>		1 ♂, 1 ♀ <u>Amblyomma calcaratum</u>
	<u>Cycloturus didactylus</u> Small ant-eater		<u>Cyclopes didactylus</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 24)		Dr. C. Bonne
	L.E.R. det.		
N	3463	N	3463
		RML	112515
	<u>Amblyomma ovale</u>		1 ♂ <u>Amblyomma ovale</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 25)		Dr. C. Bonne
	L.E.R. det.		
	L.E.R. redet. 1926		
N	3464	N	3464
		RML	112516
	<u>Amblyomma cajennense</u>		1 ♂ <u>Amblyomma cajennense</u>
	Man (on ear)		<u>Homo sapiens</u>
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. C. Bonne (No. 26)		Dr. C. Bonne
	C. W. det.		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3465 <u>Amblyomma cajennense</u> ♂, N Surinam Posted 15.V.1922 Dr. C. Bonne (No. 28) L.E.R. det.	N 3465 MISSING
N	3466 <u>Amblyomma</u> sp. N's Surinam Posted 15.V.1922 Dr. C. Bonne (No. 29) C. W. det.	N 3466 RML 112517 1 N <u>Amblyomma</u> sp. Surinam Posted 15.V.1922 Dr. C. Bonne
N	3467 <u>Amblyomma cajennense</u> Surinam Posted 15.V.1922 Dr. C. Bonne (No. 30) C. W. Det.	N 3467 MISSING

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3468	N	3468
		RML	112518
	<u>Amblyomma coelebs</u>		2 ♂ <u>Amblyomma coelebs</u>
	Tapir (young)		<u>Tapirus</u> sp.
	Surinam		Surinam
	Posted 15.V.1922		Posted 15.V.1922
	Dr. D. Bonne (No. 36)		Dr. C. Bonne
	L.E.R. det.		
N	3469	N	3469
		RML	112519
	<u>Amblyomma testudinarium</u> ♀		1 ♀ <u>Amblyomma testudinarium</u>
	Found free		Found free
	In jungle, Tripura State, India		Tripura State (24.00 N, 92.00 E), India
	1921		1921
	W.L.F. Nuttall, D.F.C. Son of G.H.F.N.		W.L.F. Nuttall
	L.E.R. & C.W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3470	N	3470
		RML	112520
	<u>Boophilus annulatus</u> 2 ♀		2 ♀ <u>Boophilus microplus</u>
	<u>Bos taurus</u>		<u>Bos taurus</u>
	Jacksonville, Florida, U.S.A.		Jacksonville (30.20 N, 81.40 W), Florida, U.S.A.
	1918		1918
	U.S. Bureau of Animal Industry, Washington, D.C.		U.S. Bureau of Animal Industry, Washington, D.C.
	Gift of Dr. S. Hadwen, 1922.		Gift of Dr. S. Hadwen, 1922.
	No. 18774 B.A.I. (Staff det'd.)		
N	3471, a, b	N	3471, a, b
		RML	112521
	(3471) <u>Rhipicephalus falcatus</u> ♂, ♀ (leaning to <u>supertritus</u>)		(3471) 19 ♂, 9 ♀ <u>Rhipicephalus kochi</u>
	(a) <u>Rhipicephalus simus</u> 1 ♀		(a) 1 ♂ <u>Rhipicephalus simus</u>
	(b) <u>Haemaphysalis leachi</u>		(b) 14 ♂, 8 ♀ <u>Haemaphysalis leachi</u>
	Africa ? Nyasaland		Africa ? Malawi
	Rec'd. by me 7.V.1921. Parcel "Damaged by sea water," no stamps, sender unknown up to now. 4.X.1922		Rec'd. by me 7.V.1921. Parcel "Damaged by sea water," no stamps, sender unknown up to now. 4.X.1922
	C. W. det.		
	(b) 1 ♂ to Prof. R. Matheson, Cornell 27.V.1929		Two females of <u>R. kochi</u> with genital apertures removed. Tentative ID. Possibly <u>R. hurti</u> also in this collection.
	1 ♂ to Dr. A. C. Reed, San Francisco 30.V.1929		
	1 ♂ to Prof. J. Drbohlav, Prague 30.V.1929		
	1 ♂ to Prof. E. Malvoz, Liège 30.V.1929		
	1 ♂ to E. T. Boardman, Univ. of Florida, Gainesville 30.V.1929.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3472

N 3472

RML 112522

Ornithodoros crossi

Camelus. Many in cracks of walls
in stables.

Murree Hills, ca 5000 ft alt.,
ca 30 miles north of Rawalpindi,
N. Punjab, India

Sent me on 1.VIII.1922

Capt. H. E. Cross, I.C.V.D., Camel
specialist, Sohawa District,
Jhelum, Punjab, India

C. W. det. XI.1922

Note: Captain Cross writes
(1.VIII.1922) that Prof. E. Brumpt
informs him that he "proposes to
name them *O. crossii*." Mr. Pool
now (5.X.1922) working in the Molteno
Institute tells me that Cross has
published a paper in India on "the
cyclical transmission of Surra in
camels" by this tick. I am writing
to Cross about this. See Warburton
(1918) Parasitology X. p. 287, fig. 3.

N 3473

N 3473

RML 112523

*Haemaphysalis cinnabrina**Bos taurus*

Jaffa, Palestine

III.1922

P. A. Buxton, M.A. (Cantab.)
Jerusalem

G.H.F.N. & C.W. det.

2 ♂, 2 ♀, 3 N *Ornithodoros tholozani*

Camelus dromedarius. Many in cracks
of walls in stables.

Murree (33.54 N, 73.24 E), Pakistan
(1524 m)

Sent me on 1.VIII.1922

Capt. H. E. Cross, I.C.V.D., Camel
specialist, Sohawa District
Jhelum, Punjab, India

The publication referred to is
Cross & Patel (1921).

1 ♀ *Haemaphysalis punctata*

Bos taurus

Tel Aviv (32.04 N, 34.46 E), Israel

III.1922

P. A. Buxton

Tentative ID. Cited: Buxton
(1924: 329).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3474, a-c	N 3474, a-c
		RML 112524
	(3474) <u>Rhipicephalus maculatus</u>	(3474) 18 ♂, 6 ♀ <u>Rhipicephalus maculatus</u>
	(a) <u>Rhipicephalus simus</u>	(3474) 1 ♂ <u>Rhipicephalus appendiculatus</u>
	(b) <u>Rhipicephalus appendiculatus</u>	(a) 6 ♂, 2 ♀ <u>Rhipicephalus simus</u>
	(c) <u>Amblyomma hebraeum</u> 2 ♂	(b) 1 ♂, 2 ♀ <u>Rhipicephalus longus</u>
		(c) 2 ♂ <u>Amblyomma hebraeum</u>
	<u>Phacochoerus aethiopicus</u> (Wart Hog)	<u>Phacochoerus aethiopicus</u>
	Lower Omfolozi, Zululand, Natal	Lower Omfolozi, Zululand (28.00 S, 32.00 E), Republic of South Africa
	25.V.1922	25.V.1922
	Laurence Hill (No. 36), Vet. Res. Dept., P.O. Box 405, Pietermaritzburg, S. Africa	Laurence Hill
	Sent 31.VII.1922	
	C. W. det.	
N	3475, a	N 3475, a
		RML 112525
	(3475) <u>Amblyomma hebraeum</u> 3 ♂	(3475) 3 ♂ <u>Amblyomma hebraeum</u>
	(a) <u>Rhipicephalus appendiculatus</u> ♀	(a) 1 ♀ <u>Rhipicephalus appendiculatus</u>
	<u>Tragelaphus scriptus sylvaticus</u> (Bushbuck)	<u>Tragelaphus scriptus</u>
	Lower Omfolozi, Zululand, Natal	Lower Omfolozi, Zululand (28.00 S, 32.00 E), Republic of South Africa
	21.V.1922	21.V.1922
	Laurence Hill (No. 283)	Laurence Hill
	C. W. det.	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3476, a (3476) <u>Amblyomma hebraeum</u> (a) <u>Amblyomma marmoreum</u> (v. fine spec.)	N 3466, a MISSING
	<u>Rhinoceros bicornis</u> (Black Rhinoceros)	
	Lower Omfolozi, Zululand, Natal	
	29.V.1922	
	Laurence Hill (No. 305)	
	C. W. det.	
N	3477 <u>Amblyomma hebraeum</u>	N 3477 MISSING
	<u>Bos caffer</u> (Cape Buffalo)	
	Lower Omfolozi, Zululand, Natal	
	18.V.1922	
	Laurence Hill (No. 252)	
	C. W. det.	
N	3478 <u>Aponomma exornatum</u>	N 3478
	Tree Iguana	RML 112526
	Empangeni, Zululand, Natal	5 ♂, 1 ♀ <u>Aponomma exornatum</u>
	30.I.1922	Iguana, tree
	Laurence Hill (No. 73)	Empangeni (28.45 S, 31.54 E), Zululand, Republic of South Africa
	C. W. det.	30.I.1922
		Laurence Hill

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3479, a	N 3479, a
		RML 112527
	(3479) <u>Haemaphysalis leachi</u> (a) <u>Rhipicephalus sanguineus</u> N's	(3479) 2 ♀ <u>Haemaphysalis leachi</u> (a) 2 N <u>Rhipicephalus</u> sp.
	<u>Herpestes gracilis typicus</u> (Mongoose)	<u>Herpestes</u> sp.
	Empangeni, Zululand, Natal	Empangeni (28.45 S, 31.54 E), Zululand, Republic of South Africa
	VI.1921	VI.1921
	Laurence Hill (No. 167)	Laurence Hill
	C. W. det.	
N	3480	N 3480 MISSING
	<u>Rhipicephalus evertsii</u>	
	Zebra	
	Empangeni, Zululand, Natal	
	23.IX.1921	
	Laurence Hill (No. 171)	
	C. W. det.	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3481, a, b (3481) <u>Amblyomma hebraeum</u> (a) <u>Rhipicephalus evertsi</u> (b) <u>Boophilus decoloratus</u> ♂'s, ♀'s Cattle, Horses, Dog Empangeni, Zululand, Natal IX.1922 Laurence Hill (No. 186)	N 3481, a, b MISSING The ticks were sent from South Africa on 31.VII.1922 (see N 3474). Therefore the collection date is in error and should probably be IX.1921. The specimens sent to Prof. Cooley are now in the RML collection (RML 66883).
	C. W. det. (3481) 1 ♂ to Prof. D'Arcy Thompson XI.1931 (a) 2 ♂, 2 " to Prof. R. A. Cooley, Montana V.1928.	
N	3482, a (3482) <u>Rhipicephalus sanguineus</u> (a) <u>Haemaphysalis leachi</u> <u>Erinaceus roumanicus</u> Jerusalem, Palestine 3.VII.1922 P. A. Buxton, M.A. (No. 528) C. W. det.	N 3482, a RML 112528 (3482) 1 ♂, 3 N <u>Rhipicephalus</u> <u>sanguineus</u> (a) 1 ♂ <u>Haemaphysalis erinacei</u> <u>Erinaceus europaeus</u> Jerusalem (31.46 N, 35.14 E), Israel 3.VII.1922 P. A. Buxton, M.A. Cited: Buxton (1924: 329). (a) cited: Hoogstraal (1955c: 223).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3483	N	3483
		RML	112529
	<u>Boophilus annulatus</u> ♀		1 ♀ <u>Boophilus annulatus</u>
	<u>Bos taurus</u>		<u>Bos taurus</u>
	Beisan, Palestine		Bet Shean (32.30 N, 35.30 E), Israel
	VII.1922		VII.1922
	P. A. Buxton, M.A.		P. A. Buxton, M.A.
N	3484	N	3484
		RML	112530
	<u>Rhipicephalus sanguineus</u> ♀		1 ♀ <u>Rhipicephalus sanguineus</u>
	On grass		On grass
	Jerusalem, Palestine		Jerusalem (31.46 N, 35.14 E), Israel
	15.III.1922		15.III.1922
	P. A. Buxton, M.A.		P. A. Buxton, M.A.
	C. W. det.		
N	3485	N	3485
		RML	112531
	<u>Rhipicephalus sanguineus</u> ♂, ♀'s		1 ♂ <u>Rhipicephalus sanguineus</u> 2 ♀ <u>Rhipicephalus turanicus</u>
	<u>Equus caballus</u>		<u>Equus caballus</u>
	Nazareth, Galilee		Nazareth (32.42 N, 35.18 E), Israel
	24.V.1922		24.V.1922
	P. A. Buxton, M.A.		P. A. Buxton, M.A.
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3486	N	3486
		RML	112532
	<u>Hyalomma syriacum</u>	1 ♀	<u>Hyalomma aegyptium</u>
	<u>Agama</u>		<u>Agama</u> sp.
	Nazareth, Galilee		Nazareth (32.42 N, 35.18 E), Israel
	24.V.1922		24.V.1922
	P. A. Buxton, M.A.		P. A. Buxton, M.A.
	C. W. det.		Cited: Buxton (1924: 330).
N	3487	N	3487
		RML	112533
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s, N's	8 ♂, 9 ♀, 93 N, 1 L	<u>Rhipicephalus</u> <u>sanguineus</u>
	Honolulu, Hawaian Isl's.		Honolulu (21.19 N, 157.52 W), Hawaii, U.S.A.
	Rec'd. 12.IX.1921		Rec'd. 12.IX.1921
	Dr. E. M. Ehrhorn, Division of Entomol., Board of Commissioners of Agric. & Forestry, Honolulu, Hawaian Islands.		Dr. E. M. Ehrhorn
	C. Warburton det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3488

Undetermined genus

Havana Cuba in Caves on ground among
bat dung

Sent to me 26.VIII.1922

Dr. Cabrera

Sent by Dr. Walther Horn, Gosslerstr.
20. Berline-Dahlem, Germany for
determination.

Note: 10 specimens of a remarkable new genus or family of ticks of which we may keep 1/3. Dr. Cabrera, according to Dr. Horn could not find out if they lived on bats. We should ask Horn the name of the cave & to try & get more specimens as these rotted & most filthy having to be scraped off.

N 3489

Amblyomma supinoi 2 ♀

Tortoise

In sender's garden, Rangoon, Burma

Sent to me 30.VI.1922

Dr. H. H. Marshall
16 Kokine Road, Rangoon

L.E.R. det. X.1922.

N 3488 MISSING

These were undoubtedly specimens of the genus Antricola Cooley & Kohls, 1942.

N 3489

RML 112534

1 ♀ Amblyomma supinoi

Tortoise

Rangoon (16.47 N, 96.10 E), Burma

Sent 30.VI.1922

Dr. H. H. Marshall

ORIGINAL DETERMINATIONCURRENT STATUS

N	3490	N	3490
		RML	112535
	<u>Amblyomma tuberculatum</u> 1 ♂, 1 ♀		1 ♂, 1 ♀, 1 N <u>Amblyomma tuberculatum</u>
	Land tortoise		Tortoise, land
	Pensacola, Florida, U.S.A.		Pensacola (30.25 N, 87.13 W), Florida, U.S.A.
	1916		1916
	C. A. Carey		C. A. Carey
	Gift of S. Hadwen X.1922		
	C. W. det.		
N	3491	N	3491
		RML	112536
	<u>Amblyomma cuneatum</u> 1 ♀		1 ♀ <u>Amblyomma compressum</u>
	<u>Hylochoerus</u>		<u>Hylochoerus meinertzhageni</u>
	Congo Exped.		Zaire
	X.1913		X.1913
	American Mus. of Nat. Hist. "672" "A. Kaull" (= illegible at end) Lang-Chapin		American Museum of Natural History "672"
	Gift of S. Hadwen X.1922		Cited: Robinson (1926: 143).
	L.E.R. det.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3492	N	3492
		RML	112537
	<u>Amblyomma dissimile</u> 2 ♂		2 ♂ <u>Amblyomma dissimile</u>
	<u>Iguana iguana</u>		<u>Iguana iguana</u>
	Central America		Central America
	W. L. Brown		W. L. Brown
	Gift of S. Hadwen X.1922		
	L.E.R. det.		
N	3493	N	3493
		RML	112538
	<u>Amblyomma maculatum</u> 1 ♂		1 ♂ <u>Amblyomma maculatum</u>
	<u>Bos taurus</u>		<u>Bos taurus</u>
	Baton Rouge, La., U.S.A.		Baton Rouge (30.23 N, 91.11 W), Louisiana, U.S.A.
	VIII.1916		VIII.1916
	S. Hadwen		S. Hadwen
	Gift of S. Hadwen X.1922		
	C. W. det.		
N	3494	N	3494
		RML	112539
	<u>Aponomma pattoni</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Aponomma pattoni</u>
	Snake		Snake
	India		India
	Major W. S. Patton		Major W. S. Patton
	Gift of S. Hadwen X.1922		Cited: Kaufmann (1972: 318)
	W. S. Patton. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3495		N	3495	
			RML	112540	
	<u>Dermacentor auratus</u> 2 ♂			2 ♂ <u>Dermacentor</u> sp.	
	"Pig"			Pig	
	Tennascrinnis, Tanjong Badek			Tennascrinnis, Tanjang Badek (locality not verified) Questionably Malaysia	
	IX.1897			IX.1897	
	Abbott			Abbott	
	Gift of S. Hadwen X.1922				
	C. W. det.				
N	3496		N	3496	
			RML	112541	
	<u>Dermacentor nitens</u>			4 ♂, 3 ♀ <u>Anocentor nitens</u>	
	Bishopp's gift to S. Hadwen			Bishopp's gift to S. Hadwen	
	Gift of S. Hadwen X.1922				
	C. W. confirmed.				
N	3497		N	3497	
			RML	112542	
	<u>Dermacentor nitens</u> ♂, ♀			1 ♀, 1 N <u>Anocentor nitens</u>	
	Hayti			Haiti	
	N. Banks' gift to S. Hadwen			N. Banks' gift to S. Hadwen	
	C. W. det.				

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3498	N	3498
		RML	112543
	<u>Dermacentor nigrolineatus</u> 1 ♀ (unpinned)		1 ♀ <u>Dermacentor albipictus</u>
	Catskills, New York, U.S.A.		Catskill Mountains (42.10 N, 74.30 W), New York, U.S.A.
	N. Banks' gift to S. Hadwen		N. Banks' gift to S. Hadwen
	Gift of S. Hadwen X.1922		
	C. W. det.		
N	3499	N	3499
		RML	112544
	<u>Dermacentor parumapertus</u> 3 ♂		3 ♂ <u>Dermacentor parumapertus</u>
	Santa Rosa Mts., California, U.S.A.		Santa Rosa Mountains, California, U.S.A. (locality not verified). Perhaps vicinity of Santa Rosa (38.26 N, 122.43 W).
	N. Banks' gift to S. Hadwen		N. Banks' gift to S. Hadwen
	Gift of S. Hadwen X.1922.		
N	3500	N	3500
		RML	112545
	<u>Dermacentor marginatus</u> 1 ♂, 3 ♀		1 ♂, 2 ♀ <u>Dermacentor parumapertus</u>
	Brownsville, Texas, U.S.A.		Brownsville (25.54 N, 97.30 W), Texas, U.S.A.
	N. Banks' gift to S. Hadwen		N. Banks' gift to S. Hadwen
	Gift of S. Hadwen X.1922		
	C. W. det.		

List of Abnormalities in Collection

- 186b Boo. australis 1 ♂, with reduced anal plates on one side. See Fig. 21, Parasitology, Vol. II, p. 74. (1909). Off cat, Borlasgama, Ceylon, XII.1906. Colonel B. Skinner. Slide!
- 654 Rhip. sanguineus 1 ♂, off dog, Accra, West Africa, VI.1908. Dr. W. M. Graham. [Two ani and three spiracles.] Slide! Described in Parasitology II, 75, figs. 25-26- (1909).
- 306 Boo. decoloratus 1 ♂, raised in Cambridge, II.1908; stock rec'd. from Mr. C. P. Lounsbury, Cape Colony, S. Africa, VII.1907. [Two ani and two spines]. Slide! Described in Parasitology, II, 74, fig. 22 (1909).
- 2153 Haem. bispinosa 1 ♂, "22b" from India. No data. [With unequal palps]. Slide! Mentioned in Parasitology, II, p. 70 (foot), 1909.
- 26c Hyal. aegyptium 1 ♂, off goat, Germiston, Transvaal, S. Africa, IV.1906. Dr. G. Y. Brock. [Showing abnormality of posterior portion of venter]. Described in Parasitology, II, 71, fig. 18, (1909).
- 2151 Haem. punctata 1 ♀, off sheep, Lydd, Kent, 23.III.1905. Mentioned in Parasitology, II, 71, (1909)
- 2152 Haem. punctata ♀, off sheep, Littlebourne, Kent; rec'd. 15.IV.1905. Mentioned in Parasitology, II.71, (1909).
- 918 Ix. hexagonus 1 ♀, off hedgehog, Grantchester, Cambs, 15.VIII.1906. [Possesses a curious scutum.]
- 948 Rhip. appendiculatus 1 ♂, rec'd. from Mr. C. P. Lounsbury, Cape Colony, S. Africa, 20.XII.1909. [Possesses two anal orifices.] Described in Parasitology (Oct. 1914) vol. VII, p. 250, fig. 1.
- 1085 Haem. leachi 1 ♂, off Canis aureus, Museum Compound, Calcutta, India, 1911. (Ex Indian Mus. coll $\frac{5994}{10}$ - $\frac{5995}{10}$) [Deformed] Described in Parasitology (Oct. 1914) vol. VII, p. 252, fig. 3.
- 1210 Rhip. sanguineus 1 ♂ off dog, Puri, Orissa Coast, Bengal, India; 1911. (Ex Ind. Mus. $\frac{819}{197a}$). [Abnormal] Described in Parasitology (Oct. 1914) vol. VII, p. 252, fig. 4.

- 1446 Rhip. pulchellus 1 ♂, off rhinoceros, Yatta Plains, Ukamba Province, B.E. Africa, 6.VIII.1910. S.W.J. Scholefield coll. [Deformed: Described in Parasitology (Oct. 1914) vol. VII, p. 255, fig. 8.]
- 1542b Ix. caledonicus 1 ♀, from dove-cot, Dunipace, Stirlingshire Scotland, 25.V.1911. W. Evans coll. [Deformed: Described in Parasitology (Oct. 1914) vol. VII, p. 251, fig. 2.]
- 1581 Rhip. appendiculatus 1 ♂, off cattle, Nbars, Ankole, Uganda, Africa, I.1911. Dr. C. H. Marshall. [Abnormal: (not worth fig. or descr., adanal plates poorly developed.)]
- 1596 Boo. annulatus 1 ♂, off cattle, Boston, Mass, U.S. America, 1912. "T.F.R." [Deformed: (not worth fig. or descr., adanal plates poorly developed, p. 255, fig. 9.)]
- 1605 Boo. decoloratus 1 ♂, off "Kudu," Mombiras, N. Nyasa, B.C. Africa, 25.II.1908. Dr. J. B. Davey. [Abnormal: (not worth fig. or descr. adanal plates not well developed.)]
- 2150 Hyal. aegyptium 1 ♂, off bullock Lahore, Punjab, India, IV.1913. Major G. K. Walker. [Abnormal: 5 legs on one side]. (not worth fig. or descr. adanal plates not well developed p. 257, fig. 11.)
- 1683 Rhip. sanguineus 1 ♂, off Vulpes cucopus, Bhey, Cutch, India, 1911. C. A. Crump. "Kinnear 441." [Deformed: (not worth fig. or descr. adanal plates not well developed, p. 253, fig. 5.)]
- 2286 Rhip. bursa 1 ♀ (unfed), off horse, Tangiers, Morocco, North Africa, VII.1913. Dr. I. Jejament. [Normal unfed ♀ with spermatophore attached to vulva]. Not abnormal!
- 2622 Haem. leachi 1 ♀, off dog, Entebbe, Uganda, E. Africa, 20.IV.1913 C. C. Gowdey. [Normal partly-fed ♀ with spermatophore]. Not abnormal!
- 2553 Ix. ricinus ♂'s ♀'s, off goats, Smyrna, Asiatic Turkey, XI.1913. W.H.J. van Heemstra. [Specimens possess humped tarsi.]. Not abnormal!
- 2553a Haem. punctata ♂'s ♀'s, off goats, Smyrna, Asiatic Turkey, XI.1913. Not abnormal!
- 2554 Haem. punctata ♂ 2 ♀'s, off sheep, Smyrna, Asiatic Turkey, XI.1913. W.H.J. van Heemstra. [♂ with spine.]. Not abnormality.

- 2735 Ixodes hexagonus or ricinus sp. N (probably) found beneath the skin of a fox (sack unopened) (below the ear), at Llanrhystyd, Cardiganshire, Wales, III.1914. Rec'd from Professor C. L. Walton, University College of Wales, Aberystwyth, 10 March 1914. Not abnormality.
- 240 Amb1. marmoreum 1 ♂, off ? Khartoum, Sudan, 1908. Dr. A. Balfour (abnormal!) coll. (specimen pinned). Described in Parasitology (Oct. 1914) vol. VII, p. 254, fig. 7.
- 2413a Amb1. hebraeum 1 ♀ abnormal. off cow, Namachacha, Portuguese E. Africa, 28.VII.1913, Dr. J. B. Botelks coll. (Worth describing some day, has much deformed scutum & spiracle). 2413a, Described by L. E. Robinson in Parasitology XII (1920) p. 175.
- 351 Rhipicephalus longiceps Nuttall & Warburton 1 ♂ from type lot, off Klippspringer bok, Cephalophus grimmii, Benguella, Angola, 1907, Dr. F. C. Wellman coll. Described by L. E. Robinson in Parasitology XII. (1920) p. 253, fig. 6.
- 3347 Hyalomma aegyptium
1 ♀ deformed off Hemitragus hitocrius, Cochin State 1914. Indian Museum. Described by L. E. Robinson, in Parasitology XII. (1920) p. 178.
- 3379 Boophilus decoloratus
1 ♀ from Banana, Belgian Congo, 11.I.1910, Dr. Etienne, No. 1 Envoi. "191" at 025 (our no.) rec'd April 1920 from Musee du Congo Belge, Tervueren, Belgium (Dr. H. Schouteden) shows abnormality of leg: triplicated!

**The Nuttall Tick Catalogue
Volume III, Nos. 3501-3972**

Catalogue of Ticks

Vol. III

collected by

George H. F. Nuttall

Quick Professor of Biology, Director of the Molteno Institute

for Research in Parasitology, Cambridge.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3501	N	3501
		RML	112546
	<u>Ornithodoros lahorensis</u> 1 N	1 N	<u>Ornithodoros lahorensis</u>
	On goat-skin mat	On goat-skin mat	
	Lahore, Punjab, India	Lahore (31.35 N, 74.18 E), Pakistan	
	Gift of S. Hadwen 1922	Gift of S. Hadwen 1922	
	S. H. det. C. W. confirmed.		

This tick procured for Dr. Hadwen
 the local reputation of a
 Sherlock Holmes. A friend in
 Canada brought it to him with the
 remark "Well you can't tell me what
 this is!" Dr. Hadwen said "It is
Ornithodoros lahorensis, which
 infects goats in the Punjab:" The
 friend had found it in a goat-skin
 mat which his father had recently
 sent him from Lahore!

C. W. 4.XII.1922.

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3502	N 3502
		RML 112547
	<u>Dermacentor andersoni</u> ♂'s, ♀'s	7 ♂, 9 ♀ <u>Dermacentor andersoni</u>
	Okanagan Falls, B.C., Canada	Okanagan Falls (49.21 N, 119. 31 W), British Columbia, Canada
	V.1913	V.1913
	Rothschild coll.	Rothschild coll.
	Gift of S. Hadwen, 1922	
	S. H. det. C. W. conf.	
N	3503	N 3503
		RML 112548
	<u>Dermacentor andersoni</u> 1 ♂, 1 ♀	1 ♂, 1 ♀ <u>Dermacentor andersoni</u>
	Boseman, Montana, U.S.A.	Bozeman (45.41 N, 111.02 W), Montana, U.S.A.
	Gift of N. Banks to S. Hadwen & latters gift to us 1922	Gift of N. Banks to S. Hadwen & latters gift to us 1922.
	N. Banks det. (C. W. & S. H. confirmed).	Nathan Banks (1868-1953) with Division of Entomology, U.S. Department of Agriculture (1890-1916), Curator of Insects, Museum of Comparative Zoology, Harvard (1916-1944).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3504	N	3504
		RML	112549
	<u>Dermacentor variabilis</u> 1 ♂, 1 ♀ ("Oregon form" C.W.)		1 ♂, 1 ♀ <u>Dermacentor variabilis</u>
	Man		<u>Homo sapiens</u>
	Aweme, Manitoba		Aweme (49.43 N, 99.36 W), Manitoba, Canada
	V.1910		V.1910
	N. Criddle		N. Criddle
	Gift of S. Hadwen 1922		I believe N 1148 is also part of this collection.
	S. H. & C. W. det.		
N	3505	N	3505
		RML	112550
	<u>Dermacentor variabilis</u> ♂'s, ♀'s		3 ♂, 3 ♀ <u>Dermacentor variabilis</u>
	Falls Church, Virginia, U.S.A.		Falls Church (38.53 N, 77.11 W), Virginia, U.S.A.
	Gift of N. Banks & passed on to us by S. Hadwen, 1922		Gift of N. Banks & passed on to us by S. Hadwen, 1922
	N. Banks del. S. H. & C. W. conf.		I believe N 704 is also part of this collection.
N	3506	N	3506
		RML	112551
	<u>Dermacentor occidentalis</u> 1 ♂, 3 ♀		2 ♂, 3 ♀ <u>Dermacentor occidentalis</u>
			Either California or Oregon, U.S.A.
	Rec'd from Bishopp by S. Hadwen (donor to us, 1922)		Rec'd from Bishopp by S. Hadwen (donor to us, 1922).
	S. H. & C. W. conf.		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3507	N 3507
		RML 112552
	<u>Dermacentor occidentalis</u> 4 ♂, 3 ♀	4 ♂, 3 ♀ <u>Dermacentor occidentalis</u>
	Horses	Horses
	Las Lomas, California, U.S.A.	Las Lomas (36.52 N, 121.44 W), California, U.S.A.
	4.V.1915	4.V.1915
	Gift of S. Hadwen, 1922	Gift of S. Hadwen, 1922
	S.H. & C.W. conf.	Las Lomas is no longer a town but a marshy area located 3.2 km S of Watsonville, California [J.E.K.]
N	3508	N 3508
		RML 112553
	<u>Dermacentor hunteri</u> 1 ♂, 3 ♀	1 ♂, 3 ♀ <u>Dermacentor hunteri</u>
		Southwestern U.S.A. or northern Mexico
	Rec'd from Bishopp by S. Hadwen (donor to us, 1922)	Rec'd from Bishopp by S. Hadwen (donor to us, 1922)
	S.H. & C.W. conf.	
N	3509	N 3509 MISSING
	<u>Argas persicus</u> alive	
	Fowls infected with spirochaetosis	
	Ouargla, Sahara Constantinois [Algeria]	
	10.V. and 11-14.VI.1922. Rec'd 24.XI.1922 hungry	
	Gift of Dr. Edm. Sergent Inst. Pasteur, Algiers, Algeria, N. Africa.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3510	N 3510 MISSING
	<u>Argas persicus</u> alive	
	Fowls	
	Beni-Ounif de Figuig, Sahara Oranais [Algeria]	
	XI.1922 Rec'd 24.XI.1922	
	Gift of Dr. Edm. Sergent Inst. Pasteur, Algiers, Algeria, N. Africa.	
N	3511	N 3511
		RML 112554
	<u>Amblyomma testudinarium</u> 4 ♂'s, 4 ♀'s	2 ♂ <u>Amblyomma testudinarium</u> 1 ♂, 4 ♀ <u>Amblyomma crenatum</u>
	<u>Rhinoceros sondaicus</u>	<u>Rhinoceros sondaicus</u>
	Rec'd 17.X.1922	Quite possibly Java, Indonesia
	Rec'd from Dr. K. W. Dammerman, Director, Islands Plantation, Zoologisch Museum en Laboratorium, Buitenzorg, Java.	Rec'd 17.X.1922
		Rec'd from Dr. K. W. Dammerman, Director, Islands Plantation, Zoologisch Museum en Laboratorium, Buitenzorg, Java
		Java ? is locality on vial label.
N	3512	N 3512 MISSING
	<u>Hyalomma aegyptium</u> (3) deprived of Haller's organs (from my raised strain)	
	Attached to dead rat's skin	
	Cambridge (Quick Lab'y.)	
	1912	
	Hindle & Merriman	
	See Parasitology V.215.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	3513	N	3513
		RML	112555
	<u>Ixodes vespertilionis</u>	3 N	<u>Ixodes vespertilionis</u>
	Horse-shoe Bat		<u>Rhinolophus ferrumequinum</u> or <u>Rhinolophus hipposideros</u>
	Dundry, Somerset		Dundry (51.24 N, 02.38 W), Somerset, England
	26.XII.1922		26.XII.1922
	L. H. Matthers		L. H. Matthers
	C. W. det.		Vial label indicates hosts are Greater & Lesser horseshoe bat.
N	3514	N	3514
		RML	112556
	<u>Amblyomma sublaeve</u> ♂ (= <u>badium</u>)	1 ♂	<u>Amblyomma javanense</u>
	From groin of <u>Semnopithecus</u> monkey		<u>Presbytis</u> sp.
	Mountains of Borneo		Borneo, mountains of
	VII.1920		VII.1920
	Dr. Chas. Hose		Dr. Chas. Hose
	Dissected in the Anatomy School, Cambridge. Rec'd from L. H. Matthers, Cambridge		
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3515	N	3515
		RML	71005, RML 71138
	<u>Haemaphysalis elongata</u>		2 ♂, 3 ♀ <u>Haemaphysalis elongata</u> (RML 71005) 4 ♂ <u>Haemaphysalis subelongata</u> (RML 71138)
	Preserved tenerec demonstration specimen		Tenerec
	Zoological Laboratory, Cambridge		Zoological Laboratory, Cambridge (52.13 N, 00.08 E), England
	XII.1922		XII.1922
	L. H. Matthers, Cambridge		L. H. Matthers, Cambridge
	C. W. det.		Cited: Hoogstraal <u>et al</u> (1974: 481).
N	3516	N	3516
		RML	112557
	<u>Aponomma hydrosauri</u> ♂		1 ♂ <u>Aponomma hydrosauri</u>
	<u>Tiliqua scinoides</u>		<u>Tiliqua scinoides</u>
	Seaforth, Victoria		Seaford (38.06 S, 145.08 E), Victoria, Australia
	Sent 23.I.1923		Sent 23.I.1923
	W. F. Hill		W. F. Hill
	Sent to Prof. R. Newstead, Liverpool Sch. of Trop. Med. who sent them to us for identification.		
	C. W. & L.E.R. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3517	N	3517
		RML	112558
	<u>Aponomma hydrosauri</u>		4 ♀ <u>Aponomma concolor</u>
	Echidna		<u>Tachyglossus aculeatus</u>
			Undoubtedly Australia
	1911		1911
	W. F. Hill, Australia. Sent to Prof. R. Newstead, Liverpool School of Trop. Med. who sent them to us for identification Jan. 23, 1923.		W. F. Hill.
	C. W. & L.E.R. det.		
N	3518	N	3518
		RML	112559
	<u>Amblyomma triguttatum</u> ♀♀		3 ♀ <u>Amblyomma triguttatum</u>
	<u>Macropus rufus</u>		<u>Megaleia rufa</u>
	Pentland, N. Qld.		Pentland (20.32 S, 145.24 E), Queensland, Australia
	Sent 23.I.1923		Sent 23.I.1923
	W. F. Hill, Australia. Sent to Prof. R. Newstead, Liverpool Sch. of Trop. Med. who sent them to us for identification.		W. F. Hill.
	L.E.R. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3519

N 3519

RML 112560

Aponomma trimaculatum3♂, 1♀ Aponomma trimaculatumPython spilotesPython spilotes

Tvl.

Tvl. in all probability is
Townsville (19.14 S, 146.49 E),
Queensland, Australia

21. VII. 1913

21.VII.1913

W. F. Hill, Australia. Sent to
 Prof. R. Newstead, Liverpool
 Sch. of Trop. Med. who sent them
 to us for identification
 Jan. 23, 1923

W. F. Hill

L.E.R. det.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3520	N	3520
		RML	112561
	<u>Aponomma p[-----]s</u>		1 ♂ <u>Aponomma auruginans</u>
	<u>Phascolomys mitchelli</u>		<u>Vombatus ursinus</u>
	N.S.W.		New South Wales, Australia
	1911		1911
	W. F. Hill, Australia. Sent to Prof. R. Newstead, Liverpool Sch. of Trop. Med. who sent them to us for identification Jan. 23, 1923.		W. F. Hill See comment under 3195
	L.E.R. det.		Note in vial "1 N removed 13/6/36 Bertram".
N	3521	N	3521
		RML	112562
	<u>Dermacentor albipictus</u>		2 ♂, 1 N <u>Dermacentor</u> sp.
	Deer		Deer
	New Caledonia		New Caledonia
	Sent 23.I.1923		Sent 23.I.1923
	W. F. Hill, Australia. Sent to Prof. R. Newstead, Liverpool Sch. of Trop. Med. who sent them to us for identification.		W. F. Hill These specimens look like true <u>D.</u> <u>albipictus</u> . There is perhaps a mix-up in specimens or labelling or, more unlikely, an introduction of deer into New Caledonia from North America with <u>D. albipictus</u> attached.
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3522	N	3522
		RML	112563
	<u>Amblyomma australiense</u>	3 ♂ <u>Amblyomma echidnae</u>	
	Echidna	<u>Tachyglossus aculeatus</u>	
	Tvl.	Tvl. in all probability is Townsville (19.14 S, 146.49 E) Australia	
	Sent 23.I.1923	Sent 23.I.1923	
	W. F. Hill, Australia. Sent to Prof. R. Newstead, Liverpool Sch. of Trop. Med. who sent them to us for identification.	W. F. Hill	
	C. W. & L.E.R. det.		
N	3523	N	3523
		RML	112564
	<u>Amblyomma albolimbatum</u> (atypical says L.E.R. 1926)	1 ♂, 1 ♀ <u>Amblyomma moreliae</u>	
	Carpet snake	Perhaps <u>Python spilotes variegatus</u> , the carpet python	
	Koolpinyak, N.T.	Koolpinyah (12.23 S, 131.10 E), Northern Territory. Australia	
	22.VIII.1911	22.VIII.1911	
	W. F. Hill, Australia. Sent to Prof. R. Newstead, Liverpool Sch. of Trop. Med. who sent them to us for identification Jan. 23, 1923.	W. F. Hill	
	L.E.R. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3524	N	3524
		RML	112565
	<u>Aponomma hydrosauri</u>	2 ♂ <u>Aponomma hydrosauri</u>	
	Blue-tongued lizard	<u>Tiliqua scinoides</u>	
	Seaford, Vic.	Seaford (38.06 S, 145.08 E), Victoria, Australia	
	Sent 23.I.1923	Sent 23.I.1923	
	W. F. Hill, Australia. Sent to Prof. R. Newstead, Liverpool Sch. of Trop. Med. who sent them to us for identification.	W. F. Hill.	
	L.E.R. det.		
N	3525	N	3525 MISSING
	<u>Amblyomma dissimile</u> 1 ♀		
	<u>Bufo marinus</u>		
	? West Indies		
	Rec'd 7.XII.1922		
	Gift of Dr. S. H. Dankes of Wellcome Bur. Sci.		
	G.H.F.N. det.		
	Note to No. 3525. Rec'd at Wellcome Bur. Sci. London, during war, no particulars available. Tick & toad & possible origin det'd. by me G.H.F.N. 11.V.1923.		
	Host with gorged tick attached mounted as <u>Museum Specimen</u> .		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3526	N	3526 MISSING
	<u>Amblyomma variegatum</u> ♂'s, ♀'s		
	Sheep		
	Jinja, Nyasaland, B.E. Africa		
	Rec'd 26.VI.1923		
	Gift of Thos. Bowhill, Esq.		
	C. W. det.		
N	3527	N	3527 MISSING
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s		
	Sheep		
	Jinja, Nyasaland, B.E. Africa		
	Rec'd 26.VI.1923		
	Gift of Thos. Bowhill, Esq.		
	C. W. det.		
N	3528	N	3528
		RML	112566
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s		6 ♂, 5 ♀ <u>Rhipicephalus appendiculatus</u>
	Sheep		Sheep
	Jinja, Nyasaland, B.E. Africa		Probably Jinja (00.26 N, 33.12 E), Uganda
	Rec'd. 26.VI.1923		Rec'd 26.VI.1923
	Gift of Thos. Bowhill, Esq.		Gift of Thos. Bowhill, Esq.
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3529		N	3529	
			RML	112567	
	<u>Haemaphysalis bispinosa</u> ♀			1 ♀ <u>Haemaphysalis aciculifer</u>	
	Sheep			Sheep	
	Jinja, Nyasaland, B.E. Africa			Probably Jinja (00.26 N, 33.12 E), Uganda	
	Rec'd 26.VI.1923			Rec'd 26.VI.1923	
	Gift of Thos. Bowhill, Esq.			Gift of Thos. Bowhill, Esq.	
N	3530	,	N	3530	
			RML	112568	
	<u>Amblyomma splendidum</u>			6 ♂, 2 ♀ <u>Amblyomma splendidum</u>	
	Bush cow			Cow, bush	
	Mabonto			Either Mabonto (08.38 N, 12.37 W) or (08.52 N, 11.49 W), Sierra Leone	
	VI.1923			VI.1923	
	Mr. M. J. Dawe, Sierra Leone (His No. 1363)			Mr. M. J. Dawe	
	C. W. det.				
N	3531		N	3531	
			RML	112569	
	<u>Ixodes vespertilionis</u> 3 nymphs			1 N, 2 L <u>Ixodes vespertilionis</u>	
	Lesser horseshoe bat			<u>Rhinolophus hipposideros</u>	
	Clifton (England)			Clifton, England (locality not verified; 6 possible localities).	
	25.XI.1923			25.XI.1923	
	Coldstream Tuckett, Esq. coll. & gift			Coldstream Tuckett, Esq. coll. & gift	
	C. W. det.				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3532	N	3532
		RML	112570
	<u>Ixodes tenuirostris</u> 1 ♀		1 ♀ <u>Ixodes trianguliceps</u>
	<u>Arvicola arvalis</u>		<u>Microtus arvalis</u>
	Weissenstein, Jura, Switzerland		Weissenstein (47.15 N, 07.32 E), Switzerland
	16.VIII.1917		16.VIII.1917
	Gift of Dr. K. Jordan, 1923		Gift of Dr. K. Jordan, 1923
	C. W. det.		
N	3533	N	3533
		RML	112571
	<u>Ixodes tenuirostris</u> 2 ♀		1 ♀ <u>Ixodes trianguliceps</u>
	<u>Hypudaeus glareolus</u>		<u>Clethrionomys glareolus</u>
	Weissenstein, Jura, Switzerland		Weissenstein (47.15 N, 07.32 E), Switzerland
	26.VIII.1917		26.VIII.1917
	Gift of Dr. K. Jordan, 1923		Gift of Dr. K. Jordan, 1923
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3534	N	3534
		RML	112572
	<u>Ixodes tenuirostris</u> 2 ♀, 3 ♂		1 ♀, 2 ♂ <u>Ixodes trianguliceps</u>
	<u>Hypudaeus glareolus</u>		<u>Clethrionomys glareolus</u>
	Goslar, Harz, Germany		Goslar (51.54 N, 10.26 E), Harz Mountains, Federal Republic of Germany
	12.VII.1921		12.VII.1912
	Gift of Dr. K. Jordan, 1923		
	C. W. det.		
	1 ♀ to Dr. E. Pavlovsky, Leningrad 9.X.1925.		
N	3535	N	3535
		RML	112573
	<u>Ixodes tenuirostris</u> 2 ♂		1 ♂, 1 L <u>Ixodes trianguliceps</u>
	<u>Hypudaeus glareolus</u>		<u>Clethrionomys glareolus</u>
	Goslar, Harz, Germany		Goslar (51.54 N, 10.26 E), Harz Mountain, Federal Republic of Germany
	12.VII.1921		12.VII.1912
	Gift of Dr. K. Jordan, 1923		Gift of Dr. K. Jordan, 1923
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3536

N 3536 MISSING

Argas persicus 1 ♀Found on wall
Djama, Algeria

25.II.1920

Hon. N.C. Rothschild & K. Jordan

Gift of Dr. K. Jordan, 1923

C. W. det.

N 3537

N 3537

RML 112574

Haemaphysalis leachi N's10 N Haemaphysalis erinaceiDipodillus campestrisGerbillus campestris

Timgad, Algeria

Timgad (35.30 N, 06.35 E), Algeria

15.IV.1920

15.IV.1920

Hon. N.C. Rothschild & K. Jordan

Hon. N.C. Rothschild & K. Jordan

Gift of Dr. K. Jordan, 1923

Cited: Hoogstraal (1955c: 222, 223).
See note under N3539.

C. W. det.

N 3538

N 3538

RML 112575

Haemaphysalis leachi N's11 N Haemaphysalis erinaceiDipodillus campestrisGerbillus campestris

Timgad, Algeria

Timgad (35.30 N, 06.35 E), Algeria

15.IV.1920

15.IV.1920

Hon. N.C. Rothschild & K. Jordan

Hon. N.C. Rothschild & K. Jordan

Gift of Dr. K. Jordan, 1923.

C. W. Det.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3539	N	3539
		RML	112576
	<u>Haemaphysalis leachi</u> N's		4 N <u>Haemaphysalis erinacei</u>
	<u>Dipodillus campestris</u>		<u>Gerbillus campestris</u>
	Timgad, Algeria		Timgad (35.30 N, 06.35 E), Algeria
	17.IV.1920		17.IV.1920
	Hon. N.C. Rothschild & K. Jordan		Hon. N.C. Rothschild & K. Jordan
	Gift of Dr. K. Jordan, 1923.		Cited: Hoogstraal (1955c: 223) who gave the Nuttall number 3739 for this collection and gave a total number of nymphs as 17 for N 3537 and N 3539.
N	3540	N	3540
		RML	112577
	<u>Amblyomma dissimile</u> ♀'s, N's, L's		3 ♀, 7 N, 12 L <u>Amblyomma dissimile</u>
	From skin of large toad (sp. incert.)		From skin of large toad (sp. incert.)
	Sacco de São Francisco Nictheroy, Estado do Rio, Brazil		Saco de São Francisco (22.55 S, 43.06 W) Estado do Rio de Janeiro, Brazil
	17.VII.1923		17.VII.1923
	L. H. Matthews		L. H. Matthews
	L.E.R. & C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3541	N	3541 MISSING
	<u>Amblyomma cajennense</u> ♀'s & N's "carapatas"		
	Sacco de São Francisco Nictheroy, Estado do Rio, Brazil		
	1.IX.1923		
	L. H. Matthews		
	L.E.R. & C.W.		
	(A most troublesome pest - one gets covered with them by walk- ing through thick herbage in dry weather).		
N	3542	N	3542
		RML	112578
	<u>Hyalomma aegyptium</u> ♂, ♀		1 ♂, 1 ♀ <u>Hyalomma impressum</u> Tentative ID
	<u>Camelus dromedarius</u>		<u>Camelus dromedarius</u>
	Mauritania, N. Africa		Mauritania
	♂ XII.1922 ♀ 1.III.1923		♂ XII.1922 ♀ 1.III.1923
	Dr. Belleu. Received from Th. Monod. Mus. Hist. Nat. Paris		Dr. Belleu
	C. W. det. 3.II.1924		
	From collections of Zoological Mission to Mauritania Th. Monod 1922. 23.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3543	N	3543
		RML	112579
	Undetermined genus 2 N		2 N <u>Dermacentor</u> sp.
	<u>Sciurus brooki</u>		<u>Sundasciurus brookei</u>
	Mt. Dulit, Sarawak, Borneo		Banjaran Dulit (03.15 N, 114.15 E), Sarawak, Malaysia
	Dr. E. Mjöberg, Curator of Sarawak Museum, Kuching Sarawak		Dr. E. Mjöberg
	C. W. det. I.1924		
	3543 <u>Rhipicephalus</u> like. They don't quite agree with <u>R.</u> <u>sanguineus</u> , & the only other oriental <u>Rhipicephalus</u> (<u>haemaphysaloides</u>) has unknown mature [sic] stages: but we cannot distinguish <u>Rhipicephalus</u> nymphs from <u>Dermacentor</u> nymphs and these may possibly be the unknown immature forms of <u>D. auratus</u> .		
N	3544	N	3544
		RML	112580
	<u>Ixodes granulatus</u> 2 ♀		2 ♀ <u>Ixodes granulatus</u>
	<u>Sciurus prevostii</u>		<u>Callosciurus prevostii</u>
	Mt. Dulit 3,500 ft. Sarawak, Borneo		Banjaran Dulit (03.15 N, 114.15 E), Sarawak, Malaysia (1067 m)
	Rec'd I.1924		Rec'd I.1924
	Rec'd from Dr. E. Mjöberg, Sarawak Museum, Kuching, Borneo		Rec'd from Dr. E. Mjöberg
	C. W. det		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3545, a	N 3545, a
		RML 112581
(3545)	<u>Ornithodoros normandi</u> 11 CO-TYPES v. states (a) <u>Ornithodoros normandi</u> 2 slides larvae & N's	(3545) 7 ♀, 3 ♂ <u>Ornithodoros normandi</u> (a) 5 N, 1 L <u>Ornithodoros normandi</u> (slide) (a) 8 L <u>Ornithodoros normandi</u> (slide) SYNTYPES
	Found in burrows of small rodents	Found in burrows of small rodents
	Le Kef, Tunisia	Al Kaf (36.11 N, 08.43 E), Tunisia
	VII-IV.1922	VII.IX.1922
	Dr. Larrousse, Lab. de Parasit., Faculte de Med., Paris. Donor	Dr. Larrousse
	Dr. Larousse det.	Larrousse (1923: 170) original description.
	See Larrousse, F. (VI, 1923) Ann. de Parasitol. I.170-177, figs. 1-4	Fernand Larrousse (1888-1937) Received his MD in 1921. Professor on the medical faculty at Strasbourg; worked primarily on phlebotomine sandflies, especially north African species.
N	3546	N 3546
		RML 112582
	<u>Rhipicephalus neavei</u> var. <u>punctatus</u>	2 ♂, 2 ♀ <u>Rhipicephalus pravus</u>
	Cattle	Cattle
	Karamaja, Uganda	District of Karamoja (02.45 N, 34.15 E), Uganda
	1923	1923
	H. Hargreaves	H. Hargreaves
	C. W. Det.	
	Gift of Imperial Bureau of Entomology, No. 1368b. Sent by Dr. G.A.K. Marshall 29.IV.1924	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3547	N	3547
		RML	112583
	<u>Argas vespertilionis</u> 1 N		1 N <u>Argas vespertilionis</u>
	Bat (in hollow tree inhabited by)		Bat (in hollow tree inhabited by)
	Verinag, Kashmir 6000 ft.		Vernag (33.33 N, 75.15 E) Kashmir, India (1829 m)
	2.VIII.1923		2.VIII.1923
	Dr. T. Bainbrigge Fletcher (No. 7)		Dr. T. Bainbrigge Fletcher (No. 7)
	C. W. det.		
	Dr. Bainbrigge Fletcher, Imperial Entomologist, Agric. Res. Inst. Pusa, Bihar, India. Letter rec'd. 2.I.1924. Report on this & other specimens sent 16.IX.1924.		
N	3548	N	3548
		RML	78392
	<u>Ornithodoros crossi</u>		5 ♂, 7 ♀ <u>Ornithodoros tholozani</u>
	Camel		<u>Camelus dromedarius</u>
	Punjab, India		Punjab, Pakistan
	VIII.1924		VIII.1924
	Capt. H. E. Cross.		Capt. H. E. Cross.
N	3549	N	3549
		RML	71385
	<u>Ornithodoros lahorensis</u>		4 ♂, 13 ♀, 6 N <u>Ornithodoros lahorensis</u>
	Punjab, India		Punjab, Pakistan
	VIII.1924		VIII.1924
	Capt. H. E. Cross coll. & gift.		Capt. H. E. Cross coll. & gift.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3550	N	3550 MISSING
	<u>Argas persicus</u>		
	Punjab, India		
	VIII.1924		
	Capt. H. E. Cross coll. & gift.		
N	3551	N	3551
		RML	66610
	<u>Hyalomma aegyptium</u>		1 ♂, 4 ♀ <u>Hyalomma anatomicum excavatum</u>
	Calf		Calf
	Punjab, India		Punjab, Pakistan
	VII.1924		VII.1924
	Capt. H. E. Cross coll. & gift.		Capt. H. E. Cross coll. & gift.
N	3552	N	3552
		RML	71486
	<u>Hyalomma aegyptium</u> 3 ♀		2 ♀ <u>Hyalomma anatomicum anatomicum</u>
	Sheep		Sheep
	Punjab, India		Punjab, Pakistan
	VII.1924		VII.1924
	Capt. H. E. Cross coll. & gift.		Capt. H. E. Cross coll. & gift.
			This collection also contained 1 ♀ <u>Hyalomma</u> now in the collection of Dr. H. Hoogstraal, NAMRU-3, Cairo, Egypt which was cited: Kaiser & Hoogstraal (1964: 262).

ORIGINAL DETERMINATIONCURRENT STATUS

N 3553

Ornithodoros sp.

From ground around small trees
where kangaroos camp (not
found on kangaroos or sheep)

Sesbania, Corfield
Queensland, Australia

Sent 14.VII.1924

L. E. Cooling, Entomologist

3 slides
C. W. det.

Sender: Lancelot E. Cooling,
Entomologist Australian Inst.
of Trop. Med. Townsville,
N. Queensland, Australia.

N 3554

Aponomma exornatum ♂'s & ♀'s

Iguana (attached to pieces of
skin)
(a) small piece
(b) large piece
(a) Wiltshire Estate
(b) Nairira Native Reserve
S. Rhodesia

Posted to us 15.V.1924

Sent us by J. D. Coutts, Vet.
Dpt. Enkeldoork. S. Rhodesia

C. W. det.

Mounted for Museum.

N 3553 MISSING

Lancelot E. Cooling (1893-1924).
Served in France in W.W.I. then
worked in Laboratory of Tropical
Medicine, Egypt. In 1921, he
conducted a mosquito survey of
Western Australia and the Northern
Territory.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3555	N 3555
		RML 112584
	<u>Ixodes spinicoxalis</u> ♀	1 ♀ <u>Ixodes spinicoxalis</u>
	<u>Martes flavigula henricii</u>	<u>Martes flavigula</u>
	Andalas (Tanjung) W. Coast, Sumatra	Andalas (00.07 S, 100.41 E), Sumatra, Indonesia
	1924	1924
	Gift of E. Jacobson, Esq. Fortde-Kock, Sumatra, Dutch East Indies	Gift of E. Jacobson, Esq.
	January 1925	
	C. W. det.	
N	3556	N 3556 MISSING
	Undetermined genus	
	<u>Sphenodon punctatum</u> "The Tuatura" (a lizard)	
	New Zealand	
	24.XI.1924	
	C. Lindsay Gift 1.II.1925 from Prof. R. J. Tillyard, The Cawthron Institute, Nelson, New Zealand.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	3557	N	3557
		RML	112585
	<u>Rhipicephalus sanguineus</u> ♂		1 ♂ <u>Rhipicephalus sanguineus</u>
	<u>Erinaceus roumanicus</u> socer (from ear)		<u>Erinaceus europaeus</u>
	Jerusalem, Palestine		Jerusalem (31.46 N, 35.14 E), Israel
	8.II.1925		8.II.1925
	S. Adler		S. Adler
	C. W. & G.H.F.N. det.		
	The hedgehog showed a heavy infection with parasites like <u>Piroplasma ninense</u> Yakimof 1909 and <u>Nuttalia ninense</u> Sinlon 1921 as also <u>Anaplasma</u> , according to letter of S. Adler dated 11.II.1925 from address: Microbiological Institute, Hebrew University P.O. Box 250, Jerusalem, Palestine.		Saul Adler (1895-1966) MD Leeds Univ (1919). Researcher on <u>Leishmania</u> , <u>Isospora</u> , <u>Theileria</u> and <u>Babesia</u> at Hebrew University.
N	3558	N	3558
		RML	112586
	<u>Argas vespertilionis</u> N		1 N <u>Argas vespertilionis</u>
	Pusa, India		Pusa (25.59 N, 85.41 E), India
	2.VII.1923		2.VII.1923
	C. S. Muir		C. S. Muir
	Rec'd by C. W. & particulars lost by him. G.H.F.N. 24.III.1925		
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3659	N	3559
		RML	112587
	<u>Ornithodoros lahorensis</u> 2nd N		1 N <u>Ornithodoros lahorensis</u>
	Cow		Cow
	Jerusalem, Palestine		Jerusalem (31.46 N, 35.14 E), Israel
	20.II.1925		20.II.1925
	O. Theodor, Assistant to S. Adler (see No. 3557)		O. Theodor
	C.W. & G.H.F.N. det. 23.III.1925.		
N	3560	N	3560
		RML	112588
	<u>Haemaphysalis mjobergi</u> CO-TYPE		1 ♂ <u>Haemaphysalis mjobergi</u> Lectotype
	<u>Rissa equina</u>		<u>Cervus unicolor</u>
	Mt. Poi, Sarawak		Mt. Poi, Sarawak, Malaysia (locality not verified)
	IV.1924		Sent 7.IV.1924
	Dr. E. Mjöberg, Sarawak Museum, Kuching, Sarawak		Dr. E. Mjoberg
	C.W. det.		Warburton (1926: 57) original de- scription. Cited: Kohls (1961: 305) who gave the correct host name, Hoogstraal & Wassef (1982: 138). Lectotype designated: Keirans & Brewster (1981: 163).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3561	N	3561
		RML	22286
	<u>Ixodes fecialis</u>		1 ♀, 1 N <u>Ixodes fecialis</u>
	<u>Dasyurus maculatus</u>		<u>Dasyurus maculatus</u>
	Bundanoon N. S. Wales		Either Bundanoon (34.54 S, 150.31 E) or (34.39 S, 150.18 E), New South Wales, Australia
	31.III.1925		31.III.1925
	T. Steel		T. Steel
	Sent to us by Prof. J. H. Ashworth		Three slides of dissections ♀ hypostome ♀ spiracular plate ♀ legs I & IV
N	3562	N	3562
		RML	112589
	<u>Ornithodoros gurneyi</u> CO-TYPE		1 ♂ <u>Ornithodoros gurneyi</u> Lectotype
	In old shed		In old shed
	Pindera Section, Tibbobura, N. S. Wales		Pindera Section, Tibbobura (29.26 S, 142.01 E), New South Wales, Australia
	24.II.1922		24.XI.1922
	W. B. Gurney		W. B. Gurney
	Sent to us by Dr. G.A.K. Marshall, London 1925.		Warburton (1926: 55) original description. Both catalogue and vial label date are 24.II.1922. Date in publication is 24.XI.1922. Lectotype designated: Keirans & Brewster (1981: 154).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3563	N	3563
		RML	112590
	Undetermined genus N		1 N <u>Ixodes tasmani</u>
	<u>Dasyurus maculatus</u>		<u>Dasyurus maculatus</u>
	Bundanoon, N.S. Wales		Either Bundanoon (34.54 S, 150.31 E) or (34.39 S, 150.18 E), New South Wales, Australia
	31.III.1925		31.III.1925
	T. Steel		T. Steel
	Sent by Prof. J. H. Ashworth		
	C. W. Det.		
	Curious nymph removed from 3561 (<u>Ix. fecialis</u>), coxae & spiracle right but capit. wrong.		
N	3564	N	3564
		RML	112591
	<u>Ixodes ricinus</u> ♀		1 ♀ <u>Ixodes ricinus</u>
	Herbage		Herbage
	Llwyngwril, Merionethshire, Wales		Llwyngwril (52.40 N, 04.05 W), Wales
	15.VIII.1925		15.VIII.1925
	Dr. H. Scott		Dr. H. Scott
	G.H.F.N. det. 2.X.1925		Hugh Scott (1885-1960), Sc.D. (1919) Trinity College, Cambridge. Distinguished entomologist and biogeographer. He was interested in East African and South West Arabian Coleoptera, where the Palearctic and Ethiopian faunal elements meet and overlap. Assistant Keeper of Entomology British Museum (Nat. Hist.) 1930-1948.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3565	N	3565
		RML	112592
	<u>Aponomma laeve</u> var. <u>paradoxum</u> ♂'s		21 ♂ <u>Aponomma pattoni</u>
	Rat snake		<u>Ptyas mucosus</u>
	Bangalore, South India		Bangalore (12.59 N, 77.35 E), India
	IV.1925, Rec'd 26.X.1925		IV.1925, Rec'd. 26.X.1925
	Dr. H. H. Marshall		Dr. H. H. Marshall
	C. W. det. 30.X.1925		
N	3566	N	3566
		RML	112593
	<u>Ixodes hexagonus</u> 3 ♀'s		2 ♀ <u>Ixodes hexagonus</u>
	<u>Mustela putorius</u>		<u>Mustela putorius</u>
	Zoological Gardens, London (received alive)		Zoological Gardens, London (51.30 N, 00.07 W), England
	31.X.1925		31.X.1925
	Dr. H. H. Scott		Dr. H. H. Scott
	C. W. det.		
N	3567	N	3567
		RML	112594
	<u>Amblyomma testudinarium</u> 1 ♂, 2 ♀ larvae		1 ♂, 2 ♀, 9 L <u>Amblyomma testudinarium</u>
	An adult on "wild pig". Larvae off man. 2 adults on ground		One adult on <u>Sus scrofa</u> . Larvae on <u>Homo sapiens</u> . Two adults on ground.
	Sarawak, Borneo		Sarawak, Malaysia
	Rec'd 2.VI.1926		Rec'd. 2.VI.1926
	Murray Pollock		Murray Pollock
	Gift to G.H.F.N.		
	C. W. det. 5.VI.1926.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3568	N	3568
		RML	22310
	<u>Amblyomma cordiferum</u> 1 ♀		1 ♀ <u>Amblyomma cordiferum</u>
	Snake		Snake
	Vailele, near Apia, Upolu Is., Samoa		Vailele, near Apia (13.50 S, 171.44 W), Upolu Island, Western Samoa
	18.I.1925		18.I.1925
	P. A. Buxton & Hopkins (P.A.B. donor)		P. A. Buxton and G.H.E. Hopkins
	L.E.R. det.		Three slides of dissections ♀ hypostome ♀ spiracular plate ♀ legs I & IV
N	3569	N	3569
		RML	112595
	<u>Amblyomma quasicyprium</u> ♀		1 ♀ <u>Amblyomma cyprium</u>
	On grass		On grass
	Tanna, S. New Hebrides		Tanna Island (19.30 S, 169.20 E), Vanuatu
	IX.1925		IX.1925
	P. A. Buxton		P. A. Buxton
	L.E.R. det. VI.1926.		Note by Santos Dias in vial " <u>Amblyomma quasicyprium</u> Robinson, 1926 is not a valid species. After the examination of all type material I concluded that this species is synonymous of <u>A. cyprium</u> and <u>A. breviscutatum</u> this last having priority. We shall be consider: <u>Amblyomma breviscutatum</u> SIN: <u>A. cyprium</u> Max & Nn <u>A. quasicyprium</u> Rob."

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3570	N	3570
		RML	112596
	<u>Amblyomma cyprium</u> ♂		1 ♂ <u>Amblyomma cyprium</u>
	Biting man		<u>Homo sapiens</u>
	Mai Island, New Hebrides		Ile Emae' (17.04 S, 168.24 E), Vanuatu
	23.VI.1925		23.VI.1925
	P. A. Buxton		P. A. Buxton
	L.E.R. det. VI.1926.		
N	3571	N	3571
		RML	112597
	<u>Rhipicephalus sanguineus</u> ♂, ♀		1 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Apia, Upolu Is. Samoa		Apia (13.50 S, 171.44 W), Upolu Island, Western Samoa
	IX.1925		IX.1925
	P. A. Buxton & Hopkins		P. A. Buxton & G.H.E. Hopkins
	C. W. det. VI.1926.		
N	3572	N	3572
		RML	112598
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		10 ♂, 19 ♀ <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Apia, Upolu Is. Samoa		Apia (13.50 S, 171.44 W), Upolu Island, Western Samoa
	VI.1924		VI.1924
	P. A. Buxton & Hopkins		P. A. Buxton & G.H.E. Hopkins
	C. W. det. VI.1926.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3573	N	3573
		RML	112599
	<u>Rhipicephalus sanguineus</u>		4 ♂, 6 ♀, 1 N <u>Rhipicephalus sanguineus</u>
	Dog		Dog
	Apia, Upolu Is., Samoa		Apia (13.50 S, 171.44 W), Upolu Island, Western SAmoa
	IV.1924		IV.1924
	P. A. Buxton & Hopkins		P. A. Buxton & G.H.E. Hopkins
	C. W. det. VI.1926.		
N	3574	N	3574 MISSING
	<u>Amblyomma cajennense</u> ♀ a curio		
	Unknown		
	Jamaica, W.I. most probably		
	Sent to me 4.III.1926		
	Prof. Robt. Newstead, F.R.S. Liverpool		
	L.E.R. det. 13.III.1926		
	A <u>curiosity</u> Semi-gorged ♀ with appearance of having ornate discs on venter, found in Newstead's "stockpot" for use of students, no particulars, asks for particulars. L.E. Robinson examined it & 13.III.26 reported that the supposed "plaques" were doubtless artifacts due to specimen drying against surface of bottle & adhering thereto, the surfaces in contact with glass becoming glazed like a photographic print, the remaining cuticle has become dried and shrivelled, hence the contrast. The cuticle of the "plaques" is perfectly normal. I note that the sham "plaques" are remarkably symmetrical!		
	G.H.F.N. 14.VI.1926.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3575	N	3575
		RML	112600
	<u>Ixodes vespertilionis</u> larva	1 L	<u>Ixodes vespertilionis</u>
	Bat ("16")	Bat	
	Tsinan, Shantung, China	Tsinan (36.40 N, 117.00 E), Shantung Province, Peoples Republic of China	
	11.VIII.1925	11.VIII.1925	
	Dr. E. Hindle	Dr. E. Hindle	
	G.H.F.N. & C.W. det. 12.III.1926.		
N	3576	N	3576
		RML	22294
	<u>Haemaphysalis campanulata</u> (dry)	65 ♂, 36 ♀, 48 N	<u>Haemaphysalis campanulata</u>
	Dogs	Dogs	
	Tsinan, Shantung, China	Tsinan (36.40 N, 117.00 E), Shantung Province, Peoples Republic of China	
	IX-X.1925	IX-X.1925	
	Dr. E. Hindle	Dr. E. Hindle	
	C. W. det. 12.III.1926	Six slides of dissections ♂ & ♀ hypostome ♂ & ♀ spiracular plates ♂ & ♀ legs I & IV.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 3577

N 3577 MISSING

Hyalomma scupense 2 ♂, 1 ♀Bos bovis

Uskub [Yugoslavia]

II.1918, rec'd by me 24.IV.1926

Donor Prof. P. Schulze, Zool.
Inst., Rostock, Mecklenburg

P. Schulze det.

Prof. P. Schulze wrote on
 22.IV.1926:- (translated) Sending
 species again. They were killed
 in Carnoy & as result show colour
 better than when killed in
 alcohol. The statement by him-
 self & "Chodziumer" that this
 tick has a brown "Parma" was
 doubtless due to browning in
 alcohol. G.H.F.N. 15.VI.1926.

N 3578

N 3578

RML 112601

Amblyomma supinoi 2 ♂2 ♂ Amblyomma supinoiGeomyda tricarinata
(on fleshy part)Melanochelys tricarinata

Sornapur, Assam

Sornapur, Assam (26.00 N, 93.00 E), India

Sent for det. 17.VI.1919

Sent for det. 17.VI.1919

C. W. Middleton

C. W. Middleton

Indian Mus. 2426
17

(2 kept, 3 returned)

L.E.R. & C.W. det. 1926.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3579

N 3579

RML 112602

Ixodes hexagonus1 ♀ Ixodes hexagonusSender says, "Introduced in a
parcel of bananas."Sender says, "Introduced in a parcel
of bananas."

(British no doubt)

England (no doubt)

Rec'd 14.VI.1926

Rec'd. 14.VI.1926

Geo. B. Walch, Linthorpe, Stepney
Drive, Scarborough, England

George B. Walch

C.W. & G.H.F.N. det. VI.1926.

N 3580

N 3580 MISSING

Ixodes sp.Jackdaw, picked up dying.
Many on head

Scarborough, England

Rec'd 14.VI.1926

Geo. B. Walch, Linthorpe, Stepney
Drive, Scarborough, England

C.W. & G.H.F.N. det. VI.1926.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3581		N	3581	
			RML	112603	
	<u>Ixodes theodori</u> 1 ♀ TYPE			1 ♀ <u>Ixodes acuminatus</u> Holotype of <u>I. theodori</u>	
	Man			<u>Homo sapiens</u>	
	Nahalal, Palestine			Nahalal (32.41 N, 35.12 E), Israel	
	I.1926			I.1926	
	Sent by Dr. Oskar Theodor, Hebrew Univ. Palestine on 20.IV.1926			Sent by Dr. Oskar Theodor	
	<u>N.O. Olenov (1929) C.R. Acad. Sci.</u> URSS, pp. 489-494 says this is his <u>Ix. redikortsevi</u> , described in vol. for 1927, p. 219.			Warburton (1927: 405) original description	
N	3582		N	3582	
			RML	112604	
	<u>Haemaphysalis cinnabarina</u> var. <u>punctata</u>			2 ♂, 1 ♀ <u>Haemaphysalis sulcata</u>	
	Camel			<u>Camelus dromedarius</u>	
	Kalendieh, Palestine			Kalendieh, Israel (locality not verified)	
	II.1926			II.1926	
	Sent by Dr. Oskar Theodor, Hebrew, Univ., Palestine on 20.IV.1926			Sent by Dr. Oskar Theodor	
	C.W. det.				

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3583	N	3583 MISSING
	<u>Ornithodoros</u> sp.		
	In fowl house (in cracks)		
	Kalendieh, Palestine		
	II.1926		
	Sent by Dr. Oskar Theodor, Hebrew Univ., Palestine on 20.IV.1926		
N	3584	N	3584
		RML	112605
	<u>Amblyomma latum</u> 2 ♂		2 ♂ <u>Amblyomma sylvaticum</u>
	" <u>Hemop. areolata</u> "		<u>Homopus areolatus</u>
	Natal		Natal, Republic of South Africa
	1852.II.5		1852.II.5
	From Vienna Museum No. 16 came labelled " <u>Ixodes</u> sp."		From Vienna Museum No. 16 came labelled " <u>Ixodes</u> sp."
	C.W. & G.H.F.N. det.		Cited: Warburton (1927: 410)
			The numbers 1852.II.5 probably do not refer to a date - see 3585.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3585, a	N	3585, a
		RML	112606
	(3585) <u>Amblyomma latum</u> 2 ♂ (a) <u>Amblyomma latum</u> 1 N		(3585) 2 ♂ <u>Amblyomma sylvaticum</u> (a) 1 N <u>Amblyomma sylvaticum</u>
	No particulars obtainable from Vienna Mus. over & above those on labels of 3584 & 3585		No particulars obtainable from Vienna Mus. over & above those on labels of 3584 & 3585
	1856.I.35		1856.I.35
	From Vienna Museum No. 22 "H.16 Zaleb" on label		From Vienna Museum No. 22 "H.16 Zaleb" on label
	C.W. & G.H.F. det.		Cited & (a) figured: Warburton (1927: 410) who stated that Vienna tube No. 22 contained 10 ♂ and a nymph.
	Unique in being <u>the only</u> <u>Amblyomma nymph</u> yet known to be ornate. See Warburton (1927) <u>Parasitology</u> vol. 19, p. 410, fig. 4 (scutum).		
N	3586	N	3586
		RML	112607
	<u>Ixodes hexagonus</u> 1 ♀		1 ♀ <u>Ixodes hexagonus</u>
	In nest of mole (<u>Talpa europaea</u>)		<u>Talpa europaea</u> (nest of mole)
	Water Eaton, Oxon., England		Water Eaton (51.48 N, 01.16 W), England
	22.II.1925		22.II.1925
	T. Collins, rec'd alive from Prof. E. B. Poulton, Oxford 28.II.1925		T. Collins
	C.W. & G.H.F.N. det.		Edward Bagnall Poulton (1856-1943) Hope Professor, Oxford University (1893-1933), expert on mimicry, President, 2nd International Congress of Entomology.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3587	N	3587
		RML	112608
	<u>Amblyomma astrion</u> 3 ♂, 2 ♀		2 ♂, 2 ♀ <u>Amblyomma astrion</u> 1 ♂ <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Binga Pan, Queve River, Novo Redondo, Angola		Binga Pan, Rio Cuvo, Nova Redondo (11.13 S, 13.50 E), Angola
	1926		1926
	Sent 20.XII.1926 by G.H.A. [sic] Bedford to Dr. L. E. Robinson who presented them to our coll 16.III.1927		Sent 20.XII.1926 by G.A.H. Bedford Gerald Augustus Harold Bedford (1891- 1938). Born in England in May 1891. He worked with F. V. Theobald at the British Museum (Nat. Hist.). In 1920 he became Research Officer at Onderstepoort Veterinary Laboratory, a post he held until his death.
	L.E.R. det 16.III.1927		
	G.H.A. Bedford, Dept. of Agric., Division of Veter. Educ. & Research, P.O. Box 593, Pretoria, Union of S. Africa - who under- stands about ticks.		
N	3588	N	3588
		RML	112609
	<u>Rhipicephalus evertsi</u> N's		40 N <u>Rhipicephalus evertsi</u>
	Heifer (on which 3 <u>Rhip.</u> <u>appendiculatus</u> had been put for experiment!)		Cattle
	Salisbury, S. Rhodesia (Agricul. Lab.)		Salisbury (17.50 S, 31.03 E), Zimbabwe
	1927		1927
	J. Isgair Roberts (Sent by L.E.R. for confirmation of J.I.R.'s determination 16.V.1927).		J. Isgair Roberts
	C. W. det.		
	Report sent to L.E.R. 21.V.1927. asked to keep them. J.I. Roberts Entomologist.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3589	N	3589
	<u>Hyalomma aegyptium</u> N Dog (its head) Cyprus Rec'd 4.X.1926 A. W. Noël Pillars Wavertree, Liverpool		<u>Hyalomma</u> sp. This collection and N1826a were in the past combined and are now in one vial. Because they were from different hosts and countries no attempt has been made to segregate and identify this material and it has not been assigned an RML number.
	C.W. det.		
N	3590	N	3590
		RML	112610
	<u>Ornithodoros gurneyi</u> (Specific host unknown) Woolfield, Queensland, Australia		1 N <u>Ornithodoros gurneyi</u> (Specific host unknown) Woolfield, Queensland, Australia (locality not verified)
	Sent us 28.IV.1927		Sent us 28.IV.1927
	Gift of Frank H. Taylor		Gift of Frank H. Taylor
	C. W. det.		Frank Henry Taylor (1886-1947) carried out surveys of Diptera in New Guinea and northern Australia. He also investigated dengue. Died in New South Wales.
	(see also 3562). This lot presented by F. H. Taylor, Australian Inst. of Tropical Med. Townsville, N. Queensland. Thanked 14.VI.1927 G.H.F.N. [See <u>Parasitology</u> vol. 18 p. 55.]		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3591	N 3591
		RML 22290
	<u>Ixodes tasmani</u> 1 ♀, 1 N	1 ♀, 1 N <u>Ixodes tasmani</u>
	<u>Sarcophilus</u> sp. (a marsupial)	<u>Sarcophilus harrisii</u>
	Locality not stated	Undoubtedly Tasmania, Australia
	Rec'd 3.VI.1927	Rec'd. 3.VI.1927
	Gift of Prof. R. Matheson	Gift of Prof. R. Matheson
	Prof. R. Matheson, Cornell Univ. Ithaca, N.Y., U.S.A. Thanked for gift 14.VI.1927. G.H.F.N.	
N	3592	N 3592
		RML 112611
	<u>Ixodes tenuirostris</u> ♂, ♀ in copula	1 ♂, 1 ♀ <u>Ixodes trianguliceps</u>
	<u>Arvicola amphibius</u>	<u>Arvicola terrestris</u>
	Quy, Cambridgeshire	Quy (52.13 N, 00.13 E), Cambridgeshire, England
	23.V.1925	
	G. E. Pickford & G. E. Hutchinson	
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3593	N	3593
		RML	112612
	<u>Ixodes tenuirostris</u> N		2 N <u>Ixodes trianguliceps</u>
	<u>Arvicola amphibius</u> (off ear)		<u>Arvicola terrestris</u>
	Quy, Cambridgeshire, England		Quy (52.13 N, 00.13 E), Cambridgeshire, England
	23.V.1925		23.V.1925
	G. E. Pickford & G. E. Hutchinson		G. E. Pickford & G. E. Hutchinson
	C. W. det.		
N	3594	N	3594
		RML	112613
	<u>Ixodes arvicola</u> 3 ♀ COTYPES		2 ♀ <u>Ixodes arvicola</u> Paralectotypes
	<u>Arvicola amphibius</u> (from nest)		<u>Arvicola terrestris</u>
	Quy, Cambridgeshire, England		Quy (52.13 N, 00.13 E), Cambridgeshire, England
	21-23.V.1925		21-23.V.1925
	G. E. Pickford & G. E. Hutchinson		G. E. Pickford & G. E. Hutchinson
	C. W. det.		Warburton (1925: 56) original description. Paralectotypes designated: Keirans & Brewster (1981: 164).

See Warburton (1926)
Parasitology vol. 18 p. 55.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3595	N	3595
		RML	112614
	<u>Ixodes arvicola</u> 1 ♀ TYPE		1 ♀ <u>Ixodes arvicola</u> Lectotype
	<u>Arvicola amphibius</u>		<u>Arvicola terrestris</u>
	Quy, Cambridgeshire, England		Quy (52.13 N, 00.13 E), Cambridgeshire, England
	23.V.1925		23.V.1925
	G. E. Pickford & G. E. Hutchinson		G. E. Pickford & G. E. Hutchinson
	C. W. det.		Warburton (1913: 56) original description. Lectotype designated; Keirans & Brewster (1981: 164).
N	3596	N	3596
		RML	112615
	<u>Ixodes arvicola</u> 2 ♀		2 ♀ <u>Ixodes acuminatus</u> Syntypes of <u>Ixodes guernseyensis</u>
	<u>Apodemus sylvaticus</u> (38)		<u>Apodemus sylvaticus</u>
	Jerborg, Guernsey		Jerbourg Point (49.25 N, 02.32 W), Guernsey, Channel Islands, England
	4.II.1925		4.II.1925
	C. W. det.		Arthur (1955: 138) original description of <u>I. guernseyensis</u>
			Both ♀ missing capituli
			Four slides of dissections ♀ capitulum ♀ scutum ♀ spiracular plate ♀ leg I

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3597	N	3597
		RML	112616
	<u>Haemaphysalis montgomeryi</u> ♂, ♀		17 ♂, 27 ♀ <u>Haemaphysalis montgomeryi</u>
	Cattle		Cattle
	Bhowali, United Provinces, India (6000 ft.)		Bhowali (29.23 N, 79.31 E), India (1829 m)
	V-VII.1925		V-VII.1925
	S. Sundar Rao		S. Sundar Rao
	C. W. det.		
	S. S. Rao, Fairy Cottage, Bhowali, U.P., India.		
N	3598	N	3598
		RML	22322
	<u>Haemaphysalis montgomeryi</u> ♂'s, ♀'s		41 ♂, 20 ♀ <u>Haemaphysalis montgomeryi</u>
	Sheep		Sheep
	Bhowali, United Provinces India (6000 ft.)		Bhowali (29.23 N, 79.31 E), India (1829 m)
	VI-VII.1925		VI-VII.1925
	S. Sundar Rao		S. Sundar Rao
	C. W. det.		Cited: Hoogstraal et al (1966: 180). Two additional ♂ and ♀ of this lot are in the RML collection.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3599

N 3599

RML 112617

Haemaphysalis lagrangei
CO-TYPE1 ♂ Haemaphysalis lagrangei
ParalectotypeCervulus muntjacMuntiacus muntjac

Nhatrang, Annam

Nha Trang (12.15 N, 109.11 E), Vietnam

Gift 28.I.1927

Gift 28.I.1927

Gift of Dr. Larrousse
Lab. de Parasitol. etc.
(see 3545)

Gift of Dr. Larrousse

See F. Larrousse (1925)
Annales de Parasitol. etc.
III.301.Larrousse (1925: 304) original description.
Trapido (1965: 159) selected the
lectotype and cited this collection.
Cited: Hoogstraal & Trapido (1966: 1193);
Hoogstraal et al. (1973b: 1118).

N 3600

N 3600

RML 112618

Argas vespertilionis1 ♀ Argas vespertilionis

Found on verandah

Found on verandah

Bhowali, U.P., India

Bhowali (29.23 N, 79.31 E), India

6.V.1925

6.V.1925

S. S. Rao
(see 3597)

S. S. Rao

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3601	N	3601
		RML	112619
	<u>Amblyomma crenatum</u> 2 ♂, 1 ♀		2 ♂, 1 ♀ <u>Amblyomma crenatum</u>
	<u>Rhinocerus</u>		<u>Rhinoceros sondaicus</u>
	Kuala Lumpur, F.M.S.		Kuala Lumpur (03.10 N, 101.42 E), Malaysia
	Rec'd III.1927		Rec'd III.1927
	Picked by C. W. from Lond. Sch. of Trop. Med. coll. III.1927.		Picked by C. W. from Lond. Sch. of Trop. Med. coll. III.1927.
	C. W. det.		
N	3602	N	3602
		RML	112620
	<u>Amblyomma personatum</u> 5 ♂'s		4 ♂ <u>Amblyomma personatum</u>
	<u>Rhinocerus</u>		<u>Diceros bicornis</u>
	Nairobi, E. Africa		Nairobi (01.17 S, 36.49 E), Kenya
	Rec'd III.1927		Rec'd III.1927
	Picked by C. W. from Lond. Sch. of Trop. Med. coll. III.1927.		Picked by C. W. From Lond. Sch. of Trop. Med. coll. III.1927.
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3603

N 3603

RML 22314, RML 83010, RML 104088

Amblyomma loculosum
2 ♂, 4 ♀, N's & L's2 ♂, 4 ♀, 6 N, 44 L Amblyomma loculosum

Men and N's, L's off Noddy Tern

Homo sapiens
Anous stolidusMichaelmas Cay, off
Cairns, QueenslandMichaelmas Cay (16.36 S, 145.59 E)
Queensland, Australia

V-VI.1926. Sent 10.VIII.1926

V-VI.1926

Picked from lots of Australian
Mus., Sydney Tube K55062
-3-5-72T. Iredale and G. P. Whitney
(Great Barrier Reef Boring
Expedition)

G.H.F.N. & C. W. det.

Cited: Hoogstraal et al (1976: 12)
who gave the collectors' names.Report sent X.1926 to W. T. Wells,
Sec'y. of Austral. Mus., Sydney.
Many on bodies of collectors and
men sinking a bore, 8 ft. above
high water.

N 3604

N 3604

RML 112621

1 N Ornithodoros tholozaniOrnithodoros crossi
1 emerging from N

Rec'd III.1927

Rec'd III.1927

Picked by C. W. from Lond. Sch.
of Trop. Med. coll. III.1927.Picked by C. W. from Lond. Sch. of
Trop. Med. coll. III.1927.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3605	N	3605
		RML	112622
	<u>Ornithodoros talaje</u>		11 ♂, 4 ♀, 1 N <u>Ornithodoros talaje</u>
	Colombia		Colombia
	Rec'd III.1927		Rec'd III.1927
	Dr. E. J. Pampane		Dr. E. J. Pampane
	Picked by C. W. from Lond. Sch. of Trop. Med. coll. III.1927.		One ♀ <u>Haemaphysalis montgomeryi</u> (RML 105679), a Himalayan species was found floating in the alcohol containing the <u>O. talaje</u> specimens.
N	3606	N	3606
		RML	112623
	<u>Rhipicephalus appendiculatus</u>		223 ♂, 38 ♀, 1 N <u>Rhipicephalus</u> <u>appendiculatus</u>
	Cattle		Cattle
	E.C.F. Camp, Kabete, Kenya Colony		East Coast Fever Camp, Kabete (01.16 S, 36.43 E), Kenya
	13-15.I.1926		13-15.I.1926
	Sent by J. B. Purvis to the I.B.E., spec's. picked by C. W. from "Tube 1420."		Sent by J. B. Purvis to the I.B.E., spec's. picked by C. W. from "Tube 1420."
N	3607	N	3607 MISSING
	<u>Boophilus</u> alleged to be <u>annulatus</u> (♂'s with short tails)		
	Belazi, Honduras, Central America		
	Rec'd III.1927		
	Picked from Lond. Sch. Trop. Med. coll. by C. W.		
	<u>B. australis</u> ? C. W. 1933.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3608	N	3608
		RML	112624
	<u>Amblyomma clypeolatum</u> ♂'s, 1 ♀, N		2 ♂, 1 ♀, 1 N, 1 L <u>Amblyomma clypeolatum</u>
	<u>Testudo elegans</u>		<u>Geochelone elegans</u>
	Near shore, West Coast of Ceylon		West Coast of Sri Lanka (near shore)
	Rec'd I.1912		Rec'd I.1912
	Picked from Indian Mus. coll. No. <u>1177</u> <u>17</u>		Picked from Indian Mus. coll. No. <u>1177</u> <u>17</u>
	(See our Tick Catal. p. 70: No's 801-3500)		Nuttall 1512 also has Indian Museum No. <u>1177</u> <u>17</u>
	C. Warburton det'd as <u>A.</u> <u>atrogenatum</u> , now degraded		
	Rare		
	L.E.R. det.		
N	3609	N	3609
		RML	112625
	<u>Amblyomma dissimile</u> 1 ♂		1 ♂ <u>Amblyomma dissimile</u>
	<u>Iguana tuberculata</u>		<u>Iguana tuberculata</u>
	Central or South America: wrongly labelled India		Central or South America: wrongly labelled India
	22.VI.1912		22.VI.1912
	Z.S. 37		See N 1522 for a similar case [J.E.K.]
	L.E.R. det. 1926.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3610	N	3610
		RML	112626
	<u>Amblyomma gemma</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Amblyomma gemma</u>
	Somali, Afrique Orientale		Somali Democratic Republic
	Rec'd 5.VIII.1927		Rec'd 5.VIII.1927
	Dr. G. Franchini, Bologna, Italy		Dr. G. Franchini
	C. W. det.		
N	3611	N	3611
		RML	22309
	<u>Amblyomma clypeolatum</u> 3 ♂, 1 ♀		3 ♂, 1 ♀ <u>Amblyomma falsomarmoreum</u>
	Somaliland		Somali Democratic Republic
	Rec'd 5.VIII.1927		Rec'd 5.VIII.1927
	Dr. G. Franchini, Bologna, Italy		Dr. G. Franchini
	C. W. det.		3 slides of ♂ dissections legs I & IV spiracular plate hypostome
N	3612	N	3612
		RML	112627
	<u>Hyalomma aegyptium</u> 3 ♂, 2 ♀		3 ♂, 2 ♀ <u>Hyalomma anatolicum excavatum</u>
	Tripoli, Afrique Nord		Tripoli (32.54 N, 13.11 E), Libya
	Rec'd VIII.1927		Rec'd VIII.1927
	Dr. G. Franchini, Bologna, Italy		Dr. G. Franchini
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	3613		N	3613
			RML	112628
	<u>Ornithodoros savignyi</u> 1 adult		1 N	<u>Ornithodoros savignyi</u>
	Rec'd VIII.1927		Rec'd VIII.1927	
	Dr. G. Franchini, Bologna, Italy		Dr. G. Franchini	
	C. W. det.			
N	3614		N	3614
			RML	80174
	<u>Haemaphysalis toxopei</u> 3 ♂, 1 ♀		<u>Haemaphysalis toxopei</u>	
	Bat		♂ Lectotype, 2 ♂, 1 ♀ Paralectotypes	
	Buru, Moluccas		Buru Island (03.24 S, 126.40 E), Moluccas Islands, Indonesia	
	Rec'd XII.1926		Rec'd XII.1926	
	Mr. L. J. Toxopeus, Leader of Buru Exped. 1921/1922		Mr. L. J. Toxopeus	
	C. W. det.		Warburton (1927: 407) original description; Hoogstraal (1964a: 778) selected lectotype. ♀ vulva mounted on a slide. Prof. Dr. L. J. Toxopeus (d. 1951). Specialist in Lepidoptera especially Lycaenidae and Hesperiidae of Indonesia and leader of the Entomological Association of Indonesia. Died 21 April 1951 in a traffic accident.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 3615

N 3615

RML 112629

Amblyomma dammermani 1 ♀
CO-TYPE

Kei-eil (102 Goeneng Daab,
Groot Kei, pl. m. 300 M

1922

H. C. Sibers coll.

Sent by Dr. K. U. Damerman, Java

C.W. & L.E.R. det.

1 ♀ Amblyomma cyprium
Holotype of A. dammermani

Kei Islands (05.35 S, 132.45 E),
102 Goenoeng Daab (Groot Kei) pl. m.
300 M, Indonesia

6.IV.1922

H. C. Sibers coll.

Warburton (1927: 409) original
description

Dr. Karel Willem Damerman (1885-1951).
Traveled to Java in 1910 where in 1919
he became head of the Zoological Museum
of the National Botanical Gardens.
Returned to the Netherlands in 1939.
Author of "Animals of Agricultural
Importance in East India" (1919);
"The Agricultural Zoology of the Malay
Archipelago" (1929) and "The Fauna of
Krakatau, 1883-1933" (1948).

ORIGINAL DETERMINATIONCURRENT STATUS

N	3616	N	3616
		RML	112630
	<u>Amblyomma cordiferum</u> 4 ♀		4 ♀ <u>Amblyomma cordiferum</u>
	Python		Python
	Krakatau		Krakatoa Island (06.07 S, 105.24 E), Indonesia
	VII.1924		VII.1924
	Dr. K. U. Dammerman		Dr. K. U. Dammerman
	C.W. & L.E.R. det		
	Received from Dr. K. U. Dammerman Director of Zool. Mus., Buitenzorg, Java 11.VIII.1926, rec't. acknowl- edged 13.VIII.1926. Report sent 27.IX.1927 (see Report Book pp. 66, 67.). The n. spp. descr. by Warb- urton (1927) in Parasitology, vol... p...		
N	3617	N	3617
		RML	112631
	<u>Amblyomma robinsoni</u> 3 ♂, 1 ♀ CO-TYPES		3 ♂, 1 ♀ <u>Amblyomma robinsoni</u> Lectotype and paralectotypes
	<u>Varanus komodoensis</u>		<u>Varanus komodoensis</u>
	Komodo		Komodo Island (08.36 S, 119.30 E), Lesser Sunda Islands, Indonesia
	VII.1923		VII.1923
	Museum Buitenzorg, Java		Museum, Bogor, Java
	C.W. & L.E.R. det.		Warburton (1927: 408) original descrip- tion. Lectotype designated: Keirans & Brewster (1981: 156, 157).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3618	N	3618 MISSING
	<u>Ornithodoros</u>		
	Villages near Jerusalem, Palestine		
	Rec'd 9.IX.1927 alive		
	Sent by Dr. Oskar Theodor		
N	3619	N	3619 MISSING
	<u>Ornithodoros</u>		
	Chickens		
	Chicken house near Jerusalem, Palestine		
	7.V.1927 (collected) Rec'd. 9.IX.1927 in alcohol		
	Sent by Dr. Oskar Theodor.		
N	3620	N	3620
		RML	112632
	<u>Ixodes canisuga</u> 2 ♀'s		2 ♀ <u>Ixodes crenulatus</u>
	Badger		<u>Meles meles</u>
	Palestine		Israel
	VII.1927		VII.1927
	Sent by Dr. Oskar Theodor		Sent by Dr. Oskar Theodor

ORIGINAL DETERMINATIONCURRENT STATUS

N	3621	N	3621
		RML	112633
	<u>Ornithodoros marocanus</u>		2 ♂, 6 ♀, 2 N <u>Ornithodoros erraticus</u>
	Pig, man		<u>Sus scrofa</u> & <u>Homo sapiens</u>
	Bournika, Morocco		Bournika, Morocco (locality not verified)
	Rec'd 17.XI.1927 from Dr. F. Larrousse		Rec'd 17.XI.1927 from Dr. F. Larrousse
	E. Brumpt		E. Brumpt
	E. Brumpt det.		4 cast skins present also
	See Brumpt's <u>Précis de Paras.</u> 4th ed. 1927. Specimens raised in his lab. & sent me by his assistant Dr. Larrousse.		
N	3622	N	3622
		RML	107234
	<u>Ornithodoros coniceps</u>		5 ♂, 1 N <u>Ornithodoros coniceps</u>
	Pigeon, man		<u>Columba livia</u> & <u>Homo sapiens</u>
	Dept. Aude, France		Département de l'Aude (43.05 N, 02.30 E), France
	Rec'd 17.XI.1927 from Dr. F. Larrouse		Rec'd 17.XI.1927 from Dr. F. Larrousse
	E. Brumpt		E. Brumpt
	E. Brumpt det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3623	N	3623
		RML	66617
	<u>Ornithodoros crossi</u>	1 ♀ 2 N <u>Ornithodoros tholozani</u> 1 ♂ <u>Ornithodoros lahorensis</u>	
	Camel, etc.	<u>Camelus dromedarius</u> , etc.	
	Punjab, India	Punjab, Pakistan	
	Rec'd 17.XI.1927 from Dr. F. Larrousse	Rec'd 17.XI.1927 from Dr. F. Larrousse	
	H. E. Cross	H. E. Cross	
	E. Brumpt det.		
N	3624	N	3624
		RML	112634
	<u>Ixodes dentatus</u> ♂'s, ♀'s in copula	6 ♂, 9 ♀ <u>Ixodes pomerantzi</u>	
	<u>Silvilagus ecaudatus</u>	<u>Silvilagus brasiliensis andinus</u>	
	Pichincha, Ecuador 4000 m	Either Pichincha (00.43 S, 75.17 W) or (01.01 S, 79.49 W), Ecuador (4000 M)	
	1927	1927	
	Dr. S. Spillmann S 20	Dr. S. Spillmann S 20	
	Received from Dr. K. Jordan, Tring 3.I.1928		
	G.H.F.N. & C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3625	N	3625
		RML	112635
	<u>Ixodes spinicoxalis</u> 2 N's		2 N <u>Ixodes</u> sp.
	<u>Microtus</u> nov. sp.		<u>Microtus</u> sp.
	Cotopaxi, Ecuador above 5000 m		Probably Cotopaxi Mtn. (00.40 S, 78.26 W), Ecuador (5000 m)
	1927		1927
	Dr. Spillmann "M2"		Dr. Spillmann "M2"
	Received from Dr. K. Jordan, Tring 3.I.1928		
	G.H.F.N. & C.W. det.		
	3625 undetermined as yet; much like <u>Ix. tenuirostris</u> N!		
N	3626	N	3626
		RML	112636
	<u>Ixodes anatis</u> 3 ♀		3 ♀ <u>Ixodes anatis</u>
	"Canada Goose", <u>Bernicla</u> <u>canadensis</u>		<u>Branta canadensis</u>
	New Plymouth, New Zealand		New Plymouth (39.04 S, 174.05 E), New Zealand
	1927		1927
	W. H. Smith Dr. R. J. Tillyard, Nelson, N. Zealand sender.		W. H. Smith
	C.W. & G.H.F.N. det		Robin John Tillyard (1881-1937) Educated at Queens College, Cambridge; in 1928 became Commonwealth Entomologist for Australia; expert in Odonata and Neuroptera. He was killed in an auto accident in Australia, 13.I.1937.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3627	N	3627
		RML	112637
	<u>Haemaphysalis campanulata</u> 1 ♂		1 ♂ <u>Haemaphysalis campanulata</u>
	<u>Badger (young) skin</u> 95 <u>Meles chinensis</u>		<u>Meles meles</u>
	Tsinan, Shantung, China		Tsinan (36.40 N, 117.00 E), Shantung, Peoples Republic of China
	2.VII.1926		2.VII.1926
	Dr. E. Hindle donor 11.I.1928		Dr. E. Hindle donor 11.I.1928
	C. W. det. 28.I.1928		
	3627, 3628, 3629 - Scientific names of hosts supplied 14 Jan. 1928 by Mt. Oldfield Thomas, Brit. Mus. to whom the skins as numbered went. G.H.F.N. 16.I.1928.		
N	3628	N	3628
		RML	112638
	<u>Argas vespertilionis</u> larvae		6 ♀ <u>Argas vespertilionis</u>
	Bat No. 92 (young) <u>Eptesicus serotinus</u>		<u>Eptesicus serotinus</u>
	Tsinan, Shantung, China		Tsinan (36.40 N, 117.00 E), Shantung, Peoples Republic of China
	2.VII.1926		2.VII.1926
	Dr. E. Hindle donor 11.I.1928		Dr. E. Hindle donor 11.I.1928
	G.H.F.N. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3629	N	3629
		RML	112639
	<u>Ixodes vespertilionis</u> 1 N, 1 Larva		1 N, 1 L <u>Ixodes vespertilionis</u>
	<u>Bat No. 93, Rhinolophus ferrum-equinum nippon</u>		<u>Rhinolophus ferrumequinum nippon</u>
	Tsinan, Shantung, China		Tsinan (36.40 N, 117.00 E), Shantung, Peoples Republic of China
	2.VII.1926		2.VII.1926
	Dr. E. Hindle donor 11.I.1928		Dr. E. Hindle donor 11.I.1928
	G.H.F.N. det.		
N	3630	N	3630
		RML	112640
	<u>Ornithodoros papillipes</u>		3 ♂, 3 ♀ <u>Ornithodoros tholozani</u>
	Shochrisjabs, Buckara, Turkestan		Shochrisjabs, Buckara, Turkistan (45.00 N, 70.00 E), U.S.S.R.
	VI.1927		VI.1927
	Dr. J. Moskvin		Dr. J. Moskvin
	E. N. Pavlovsky det.		
	Gift of Professor Pavlovsky, Zool. Inst. Milit. Acad. of Med. Leningrad, Russia. Rec'd 5.III.1928. G.H.F.N.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3631	N	3631
		RML	112641
	<u>Dermacentor reticulatus</u> ♀		1 ♀ <u>Dermacentor niveus</u>
	Cyrenaica, N. Africa (Italian)		Cyrenaica (31.00 N, 22.30 E), Libya
	Received 6.III.1928		Received 6.III.1928
	Received from Dr. Giuseppe Franchini, Bologna		Received from Dr. G. Franchini
	C. W. det.		
N	3632	N	3632
		RML	112642
	<u>Aponomma</u> sp. N's		16 N <u>Aponomma</u> sp.
	Snakes		Snakes
	Andagoja, Brit. Columbia		Unknown
	Received 6.III.1928		Received 6.III.1928
	Received from Dr. Giuseppe Franchini		Received from Dr. G. Franchini
			There are no species of <u>Aponomma</u> in British Columbia. The Locality is probably in Africa.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3633	N	3633
		RML	112643
	<u>Amblyomma lepidum</u> ♂'s, ♀'s		52 ♂, 21 ♀, 1 N <u>Amblyomma lepidum</u> 1 ♂ <u>Hyalomma truncatum</u>
	Giuba		Giuba (00.15 S, 42.38 E), Somali Democratic Republic
	1926		1926
	Received from Dr. Giuseppe Franchini, Bologna 6.III.1928		Received from Dr. G. Franchini
	C. W. det.		
N	3634	N	3634
		RML	112644
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		26 ♂, 3 ♀ <u>Hyalomma rufipes</u> 9 ♂, 1 ♀ <u>Hyalomma truncatum</u> 1 ♂, 1 ♀ <u>Rhipicephalus pulchellus</u>
	Giuba		Giuba (00.15 S, 42.38 E), Somali Democratic Republic
	1926		1926
	Received from Dr. Giuseppe Franchini, Bologna, 6.III.1928		Received from Dr. G. Franchini
	C. W. det.		
N	3635	N	3635
		RML	112645
	<u>Rhipicephalus pulchellus</u> ♂'s, ♀'s		4 ♂, 3 ♀ <u>Rhipicephalus pulchellus</u>
	Giuba		Giuba (00.15 S, 42.38 E), Somali Democratic Republic
	1926		1926
	Received from Dr. Giuseppe Franchini, Bologna 6.III.1928		Received from Dr. G. Franchini
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3636	N	3636
		RML	112646
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		3 ♂, 1 ♀ <u>Rhipicephalus simus</u> 1 ♂ <u>Rhipicephalus humeralis</u>
	Giuba		Giuba (00.15 S, 42.38 E), Somali Democratic Republic
	1926		1926
	Received from Dr. Giuseppe Franchini, Bologna 6.III.1928		Received from Dr. G. Franchini
	C. W. det.		
N	3637	N	3637
		RML	112647
	<u>Ornithodoros</u> sp. nymph		1 N <u>Ornithodoros</u> sp.
	Camel		<u>Camelus dromedarius</u>
	Kalendieh, Palestine		Kalendieh, Israel (locality not verified)
	II.1926		II.1926
	Dr. O. Theodor, Jerusalem 20.IV.1926		Dr. O. Theodor
	C. W. det.		
N	3638	N	3638
		RML	112648
	<u>Amblyomma cohaerens</u>		3 ♂, 3 ♀ <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Uganda		Uganda
	Chief Veterinary Officer, Uganda ex I.B.E. 1564		Chief Veterinary Officer, Uganda
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>	
N	3639		N	3639
			RML	112649
	<u>Dermacentor venustus</u>			2 ♂, 2 ♀, 10 N, 36 L, eggs <u>Dermacentor andersoni</u>
	Raised in lab at Hamilton, Montana, U.S.A.			Raised in lab at Hamilton (46.15 N, 114.09 W), Montana, U.S.A.
	1927			1927
	R. A. Cooley gift 2.V.1928			R. A. Cooley gift 2.V.1928
	R.A.C. det.			Robert Allen Cooley (1873-1968) one of America's foremost entomologists; Professor and Head of Department of Zoology and Entomology, Montana State College 1899-1931 when he resigned to become senior entomologist (1931-1946) at the Rocky Mountain Laboratory, Hamilton, Montana. Author of classic taxonomic works on New World family Argasidae and the genera <u>Dermacentor</u> and <u>Ixodes</u> .
N	3640		N	3640
			RML	112650
	<u>Dermacentor venustus</u> Infected with <u>Ixodiphagus caucurtei</u>			1 N <u>Dermacentor andersoni</u> Infected with <u>Hunterellus hookeri</u>
	Reared in lab at Bozeman, Montana from stock received from Dr. E. Brumpt, Paris			Reared in lab at Bozeman (45.41 N, 111.02 W), Montana U.S.A.
	1928			1928
	R. A. Cooley gift 2.V.1928			R. A. Cooley gift 2.V.1928
	R.A.C. det.			
	3640A. Nymph of tick showing pupae in position.			
	3640B. Dry nymph with imago of parasites that have escaped.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3641	N	3641
		RML	112651
	<u>Dermacentor variabilis</u> ♀		1 ♀ <u>Dermacentor variabilis</u>
	Cheyney, Philadelphia, Penn. U.S.A.		Cheyney (39.56 N, 75.31 W) Pennsylvania, U.S.A.
	31.V.1927		31.V.1927
	Dr. K. Jordan		Dr. K. Jordan
	C. W. det.		For a discussion of this collecting trip see Jordan (1928: 178).
	3641-3644 received 12.IV.1928. Reported on 10.V to Dr. K. Jordan the donor.		
N	3642	N	3642
		RML	112652
	<u>Ixodes hexagonus</u> var. <u>cookei</u> 1 ♂, 1 ♀, 7 N		1 ♂, 1 ♀, 6 N <u>Ixodes cookei</u>
	<u>Marmota monax</u>		<u>Marmota monax</u>
	Rolling Rock, Ligonier, Penn., U.S.A.		Rolling Rock, Ligonier (40.15 N, 79.14 W), Pennsylvania, U.S.A.
	25.VI.1927		25.VI.1927
	Dr. K. Jordan		Dr. K. Jordan
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3643	N	3643
		RML	112653
	<u>Dermacentor variabilis</u> N <u>Peromyscus leucopus</u>		<u>1 N Dermacentor variabilis</u> <u>Peromyscus leucopus</u>
	Plummer's Isl, Potomac River, U.S.A.		Plummers Island, (38.58 N, 77.10 W), Maryland, U.S.A.
	14.V.1927		14.V.1927
	Dr. K. Jordan		Dr. K. Jordan
	C.W. det.		
N	3644	N	3644 MISSING
	<u>Haemaphysalis leachi</u> var..... ♂'s, ♀'s		
	A small rodent		
	Anda-Steppe near Harbin, China		
	Dr. Jettmar		
	C.W. det.		
N	3645	N	3645
		RML	112654
	<u>Hyalomma aegyptium</u>		4 ♂, 1 ♀ <u>Hyalomma dromedarii</u>
			No other data.
N	3646	N	3646
		RML	112655
	<u>Hyalomma aegyptium</u>		26 ♂, 8 ♀ <u>Hyalomma dromedarii</u>
			No other data.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3647, a, b	N	3647a
		RML	112656
(3647)	<u>Ornithodoros lahorensis</u> ♂'s, ♀'s, N's, eggs	(3647)	MISSING
(a)	<u>Rhipicephalus sanguineus</u> ♂'s & ♀'s	(a)	4 ♂, 6 ♀ <u>Rhipicephalus sanguineus</u>
(b)	<u>Haemaphysalis cinnabrina</u> <u>punctata</u> 1 ♀	(b)	MISSING
	Anatolia		Anatolia (39.00 N, 35.00 E), Turkey
(3647)	Rec'd 17.VII.1928	(3647)	Rec'd 17.VII.1928
(a&b)	Rec'd 16.VII.1928	(a&b)	Rec'd 16.VII.1928
(3647)	Rec'd from M. D. Blagoff Istanbul, Turkey	(3647)	Rec'd from M. D. Blagoff Istanbul, Turkey
(a&b)	Donor L. E. Robinson	(a&b)	Donor L. E. Robinson
	C. W. det.		
N	3648	N	3648
		RML	97043
	<u>Haemaphysalis cinnabrina</u> var. <u>punctata</u>		2 ♂ <u>Haemaphysalis sulcata</u>
	Sheep		Sheep
	Cyprus		Cyprus
	Rec'd 17.VII.1928		Rec'd 17.VII.1928.
	Donor Dr. P. A. Buxton		Donor Dr. P. A. Buxton
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3649	N	3649
		RML	112657
	<u>Argas vespertilionis</u> N's	3 L	<u>Argas vespertilionis</u>
Bat		Bat	
Scarborough, England		Scarborough (54.17 N, 00.26 W), England	
Rec'd. 20.VIII.1928		Rec'd. 20.VIII.1928	
George B. Walsh		George B. Walsh	
G.H.F.N. det.			
Reported det. 21.VIII.1928 to sender "Linthorpe," Stepney Drive, Scarborough.			
	G.H.F.N.		
N	3650	N	3650 MISSING
	<u>Amblyomma marmoreum</u> ♂, ♀		
	<u>Varanus</u> sp. attached to skin		
Sikwi Island, Lake Victoria, Nyanza 0.26'S, 34.225'E [Kenya]			
XII.1927			
Michael Graham Donor B. G. Clarke X.1928			
N. & W. det.			

ORIGINAL DETERMINATIONCURRENT STATUS

N 3651

N 3651 MISSING

Ixodes ricinus

Man: off child's chest

S. Wales

Rec'd 22.X.1928

Gift of Dr. K. Jordan

G.H.F.N. det.

On slide.

N 3652

N 3652

RML 112658

Ornithodoros gurneyi1 ♂, 3 ♀ Ornithodoros gurneyi

Melbourne, Australia

Melbourne (37.50 S, 145.00 E)
Queensland, Australia

Received XI.1928

Received XI.1928

Received from P. A. Buxton

Received from P. A. Buxton

C. W. det.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3653	N	3653
		RML	112659
<u>Ixodes tenuirostris</u> ♀'s gorged, 2 ♀ unfed, 2 N's, 3 L, N's & L's on ear		20 ♀, 2 N <u>Ixodes trianguliceps</u>	
<u>Apodemus sylvaticus</u>		<u>Apodemus sylvaticus</u>	
Mill at Oxford		Mill at Oxford (51.45 N, 01.15 W), England	
1926-1928		1926-1928	
C. S. Elton coll. & donor		C. S. Elton coll. & donor	
C. W. det.			
Taken from 29 hosts between Feb. & Nov. inclusive, some spp. returned to Elton including an only male taken in April - most of the females were taken March, April & Nov., most of the nymphs in June. The record shows the distribution on host as follows for 20 lots: 7 behind, on and inside ear; 6 on neck; 4 on head front & top; 2 on shoulder & base of foreleg; one on flank.			
N	3654	N	3654
		RML	112660
<u>Ixodes tenuirostris</u> 3 ♀, 1 N 1 L		2 ♀, 1 N, 1 L <u>Ixodes trianguliceps</u>	
<u>Microtus agrestis</u>		<u>Microtus agrestis</u>	
Mill at Oxford		Mill at Oxford (51.45 N, 01.15 W), England	
1926-1927		1926-1927	
C. S. Elton coll. & donor		C. S. Elton coll. & donor	
C. W. det.			
Collected from 4 hosts in March, April, Oct., Dec. 1926-1927.			

ORIGINAL DETERMINATIONCURRENT STATUS

N 3655

N 3655

RML 112661

Ixodes tenuirostris 4 ♀, N's & L,
N's & L's attached to ear2 ♀, 7 N, 1 L Ixodes triangulicepsEvotomys glariolus
Mill at OxfordClethrionomys glareolus
Mill at Oxford (51.45 N, 01.15 W),
England

1926-1928

1926-1928

C. S. Elton coll. & donor

C. S. Elton coll. & donor

C. W. det.

Taken from 13 hosts. Females
 taken in April, July, September.
 Nymphs in June and July.
 Larvae in July & December.

ORIGINAL DETERMINATIONCURRENT STATUS

N 3656

N 3656

RML 112662

Amblyomma sp. larvae58 L Amblyomma sp.Man, from a planter's leg,
over 400 collectedHomo sapiens

Kuala Lumpur, F. Malay States

Kuala Lumpur (03.10 N, 101.42 E),
Malaysia

Sent 23.I.1929

Sent 23.I.1929

Mr. B.A.R. Gater, Entomologist
Inst. Med. Research

Mr. B.A.R. Gater

C. W. det.

Mr. Gater asked if these = A. testudinarium. C.W. reports they are Ambly. & may be testudinarium - I advised Gater to try & get eggs & raise larvae to make sure. This the first record he believes "of ticks attacking man in this country." The planter put his leg in a hole covered by plant. Slight irritation caused for some weeks. "Malay's say they get them occasionally but we never see them."

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3657	N	3657
		RML	22315
	<u>Amblyomma nitidum</u> ♂, ♀, N		1 ♂, 1 ♀, 1 N <u>Amblyomma nitidum</u>
	<u>Laticauda laticaudatus</u>		<u>Laticauda laticaudata</u>
	Port Blair Andamans		Port Blair (11.36 N, 92.45 E), Andaman Islands, India
	31.V.1926		31.V.1926
	Dr. A. Bayler de Costa		Dr. A. Bayler de Costa
	M. Sharif gift 1929		Cited: Sharif (1928: 328)
			6 slides of dissections ♂ & ♀ hypostomes ♂ & ♀ spiracular plates ♂ & ♀ legs I & IV
N	3658	N	3658
		RML	82979
	<u>Haemaphysalis cornigera</u> var. <u>anomala</u> ♀		1 ♀ <u>Haemaphysalis anomala</u>
	Bullock & cow		Bullock & cow
	Ramgarti Hazaribagh District Bihar		Ramgarh, Hazaribagh (23.59 N, 85.21 E), India
	M. Ming donor. M. Sharif gift 1929		M. Ming donor. M. Sharif gift 1929
			Cited: Sharif (1928: 274).

ORIGINAL DETERMINATIONCURRENT STATUS

N	3659	N	3659
		RML	71485
	<u>Hyalomma</u> (<u>Hyalommina</u>) <u>kumari</u> ♂, ♀		2 ♂, 2 ♀ <u>Hyalomma</u> <u>kumari</u> SYNTYPES
	<u>Hemitragus</u> <u>hylocrius</u>		<u>Hemitragus</u> <u>hylocrius</u>
	Parambikulam, Cochin State		Parambikolam (10.23 N, 76.49 E), India
	16-24.IX.1924		16-24.IX.1924
	F. A. Gravely		F. A. Gravely
	M. Sharif det. & gift 1929 (on label "Exch <u>2173</u> " <u>17</u>)		Sharif (1928: 319) original description. Cited: Kaiser & Hoogstraal (1964: 262).
N	3660	N	3660
		RML	66581
	<u>Hyalomma</u> (<u>Hyalommina</u>) <u>hussani</u> ♂'s, ♀'s		3 ♂, 5 ♀ <u>Hyalomma</u> <u>hussani</u>
	Bullock		Bullock
	Gaya		Gaya (24.47 N, 85.00 E), India
	11.II.1926		11.II.1926
	M. Sharif gift 1929		M. Sharif gift 1929
	M. Sharif det.		Cited: Kaiser & Hoogstraal (1964: 270).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3661	N	3661
		RML	66608
	<u>Hyalomma (Hyalomma) aegyptium</u> sub. sp. <u>isaaci</u>		1 ♂, 1 ♀ <u>Hyalomma marginatum isaaci</u> SYNTYPES
	Buffalo		Buffalo
	Kandeli, Hoshangabad Central Provinces		Kandeli, Hoshangabad Central Provinces, India (locality not verified)
	8.I.1926		8.I.1926
	M. Sharif gift 1929		M. Sharif gift 1929
	M. Sharif gift		Sharif (1928: 307) original description.
	(On label "Exch $\frac{60}{18}$ ").		
N	3662	N	3662
		RML	112663
	<u>Ixodes angustus</u> N's <u>Ixodes auritulus</u> unfed N		4 ♀, 1 N <u>Ixodes soricis</u>
	<u>Sorex</u> sp.		<u>Sorex</u> sp.
	Salt Spring Isld., Canada		Saltspring Island (48.50 N, 123.30 W), British Columbia, Canada
	20.VIII.1925		20.VIII.1925
	K. Racey, Vancouver, Canada		K. Racey, Vancouver, Canada
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3663, a	N	3663
		RML	112664
(3663)	<u>Ixodes angustus</u> ♀ (large sp.)	1 ♀, 18 N	<u>Ixodes angustus</u>
(a)	<u>Ixodes auritulus</u> nymph (small)		
	<u>Ochotona canadensis</u>		<u>Ochotona princeps</u>
Mous,	B.C. 2200 ft.	Mous,	British Columbia, Canada (locality not verified) (671 m)
27.IX.1927		27.IX.1927	
K. Racey,	Vancouver, Canada	K. Racey,	Vancouver, Canada
C. W. det.			
N	3664	N	3664
		RML	112665
	<u>Ixodes</u> sp. (nymphs)	1 N	<u>Ixodes</u> sp.
	<u>Sciurus</u> sp.		<u>Sciurus</u> sp.
Mous,	B.C. 2200 ft.	Mous,	British Columbia, Canada (locality not verified) (671 m)
27.IX.1927		27.IX.1927	
K. Racey,	Vancouver, Canada	K. Racey,	Vancouver, Canada
C. W. det.		Mutilated specimen	
? <u>Ix.</u> <u>texanus</u>			

ORIGINAL DETERMINATIONCURRENT STATUS

N	3665	N	3665
		RML	112666
	<u>Ixodes angustus</u> ♀'s		3 ♀ <u>Ixodes ochotonae</u>
	<u>Ochotona canadensis</u>		<u>Ochotona princeps</u>
	Mous, B.C. 2200 ft.		Mous, British Columbia, Canada (locality not verified) (671 m)
	30.VII.1928		30.VII.1928
	K. Racey, Vancouver, Canada		K. Racey, Vancouver, Canada
	C. W. det.		
N	3666	N	3666
		RML	112667
	<u>Haemaphysalis hystricis</u>		1 ♂ <u>Haemaphysalis traguli</u> 3 ♂, 4 ♀ <u>Haemaphysalis semermis</u> 1 ♂, 5 ♀ <u>Haemaphysalis nodchatrami</u> PARATYPES
	Wild pig		<u>Sus scrofa</u>
	East Central Dutch Borneo		East Central Borneo
	1929		1929
	Malte von Kühlerwein		Malte von Kühlerwein
	Sent to us by Mr. J. J. Cox, Tring, Herts		Hoogstraal et al (1965b: 433) original description of <u>H. nadchatrami</u> . The <u>H. semermis</u> collection cited: Hoogstraal et al (1965b: 435).

ORIGINAL DETERMINATIONCURRENT STATUS


N	3667	N	3667
		RML	112668
	<u>Dermacentor auratus</u> ♂'s, ♀'s		6 ♂, 2 ♀ <u>Dermacentor</u> sp.
	Wild pig		<u>Sus scrofa</u>
	East Central Dutch Borneo		East Central Borneo
	1929		1929
	Malte von Kühlerwein		Malte von Kühlerwein
	Sent to us by Mr. J. J. Cox Tring, Herts.		
N	3668	N	3668
		RML	112669
	<u>Rhipicephalus complanatus</u> 2 ♂, 2 ♀		2 ♂, 2 ♀ <u>Rhipicephalus complanatus</u>
	Mangara, Belgian Congo		Mangara, Zaire (locality not verified)
	VI.1929		VI.1929
	Sent by Prof. Franchini, Bologna		Sent by Prof. G. Franchini
	C. W. det.		
N	3669	N	3669
		RML	112670
	<u>Rhipicephalus falcatus</u> ♂, ♀		8 ♂, 18 ♀ <u>Rhipicephalus longus</u>
	Mangara, Belgian Congo		Mangara, Zaire (locality not verified)
	VI.1929		VI.1929
	Sent by Prof. Franchini, Bologna		Sent by Prof. G. Franchini
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3670		N	3670	
			RML	112671	
	<u>Amblyomma lepidum</u> ♂'s, ♀'s			3 ♂, 3 ♀ <u>Amblyomma lepidum</u>	
	Camels			<u>Camelus dromedarius</u>	
	Agordat, Eritrea			Agordat (15.32 N, 37.52 E), Somali Democratic Republic	
	IV.1929			IV.1929	
	Sent by Prof. Franchini, Bologna			Sent by Prof. G. Franchini	
N	3671		N	3671	
			RML	112672	
	<u>Haemaphysalis leachi</u>			28 ♂, 2 ♀ <u>Haemaphysalis leachi</u>	
	Belgian Congo			Zaire	
	IV.1929			IV.1929	
	Sent by Prof. Franchini, Bologna			Sent by Prof. G. Franchini	
	C. W. det.				
N	3672		N	3672	
			RML	112673	
	<u>Amblyomma personatum</u> ♂, ♀			1 ♂, 1 ♀ <u>Amblyomma personatum</u>	
	Rhinoceros			<u>Diceros bicornis</u> or <u>Ceratotherium simum</u>	
	Limurn			Limurn, Africa (locality not verified) although this is possibly Limuru, Kenya	
	VIII.1927			VIII.1927	
	Gift I.B.E. (1571)			Gift I.B.E. (1571)	
	C. W. det.				

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3673		N	3673	
			RML	112674	
	<u>Haemaphysalis cinnabrina</u> var. <u>punctata</u> 3 ♂, 3 ♀			3 ♂, 3 ♀ <u>Haemaphysalis sulcata</u>	
	Goat			Goat	
	Berson			Berson (locality unknown)	
	22.I.1929			22.I.1929	
	Gift I.B.E. (1680)			Gift I.B.E. (1680)	
	C. W. det.				
N	3674		N	3674	
			RML	112675	
	<u>Haemaphysalis calcarata</u> var. <u>houyi</u> ♂, ♀, N			2 ♂, 1 ♀, 1 N <u>Haemaphysalis houyi</u>	
	<u>Euxerus microdon</u>			<u>Euxerus erythropus microdon</u>	
	Machokos, Kenya Colony			Machakos (03.31 S, 37.16 E), Kenya	
	6.XI.1928			6.XI.1928	
	Gift I.B.E. (1665)			Gift I.B.E. (1665)	
	C. W. det.			<u>Euxerus</u> is often included within the genus <u>Xerus</u> , for unstriped ground squirrels.	
N	3675		N	3675	
			RML	112676	
	<u>Rhipicephalus cuspidatus</u> ♂, ♀, N			6 ♂, 6 ♀, 1 N <u>Rhipicephalus cuspidatus</u>	
	<u>Phacocère</u> (wart hog)			<u>Phacochoerus aethiopicus</u>	
	Africa ?			Africa	
	2.II.1928			2.II.1928	
	A. Theodor Monod coll. & gift			A. Theodor Monod coll. & gift	
	C. W. det.				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3676	N 3676
		RML 112677
	<u>Amblyomma triguttatum</u>	1 ♀, 1 N <u>Amblyomma triguttatum</u>
	Kangaroo	Kangaroo
	Gogo Stn. Kimberley Div. W.A.	Gogo (18.17 S, 125.35 E) Western Australia, Australia
	Sent 19.IX.1929	Sent 19.IX.1929
	Coll. Mr. Hill of Melbourne. Sent by Dr. P. A. Buxton 19.IX.1929	Mr. Hill
	C. W. det.	
N	3677	N 3677 MISSING
	<u>Ixodes caledonicus</u> ♀'s, N's, L's	
	Jackdaw	
	Scarborough	
	18.VI.1927	
	G. B. Walsh gift	
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3678, a	N	3678, a
		RML	105785
(3678)	<u>Hyalomma</u> sp.	(3678)	<u>5 ♂, 2 ♀ Hyalomma truncatum</u>
(a)	<u>Rhipicephalus simus</u>	(a)	<u>2 ♂, 2 ♀ Rhipicephalus jeanneli</u>
		(a)	<u>1 ♀ Rhipicephalus hurti</u>
	<u>Phacochoerus aethiopicus</u>		<u>Phacochoerus aethiopicus</u>
Cedarwood, Kenya Colony E. Africa		Cedarwood Estate (00.06 S, 36.39 E), Kenya	
21.IX.1929		21.IX.1929	
G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.		G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.	
C. W. det.			
No's. 3678-2692 collected at points marked by me in this rough map.			
G.H.F.N. Cedarwood estate of Mr. Ryder, Abardare Mts. ca 9000 ft. (ca 154 miles by road from Nairobi).			
N	3679, a	N	3679a
		RML	112678
(3679)	<u>Ixodes pilosus</u> ♀	(3679)	<u>MISSING</u>
(a)	<u>Rhipicephalus evertsi</u>	(a)	<u>8 ♂, 2 ♀ Rhipicephalus evertsi</u>
Sheep (domestic) (Lot 1)		Sheep (domestic)	
Cedarwood, Kenya Colony, E. Africa		Cedarwood Estate (00.06 S, 36.39 E), Kenya	
19.IX.1929		19.IX.1929	
G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.		G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.	
C. W. det.			



Map 2.--Collecting localities for N 3678-3692.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3680, a	N	3680
		RML	112679
	(3680) <u>Rhipicephalus evertsi</u> (a) <u>Hyalomma</u> sp.		(3680) 3 ♂, 2 ♀ <u>Rhipicephalus evertsi</u> (a) 9 ♂, 2 ♀ <u>Hyalomma truncatum</u>
	Sheep (domestic) (Lot 2)		Sheep (domestic)
	Cedarwood, Kenya Colony, E. Africa		Cedarwood Estate (00.06 S, 36.39 E), Kenya
	19.IX.1929		21.IX.1929
	G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.		G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.
	C. W. det.		Date taken from vial label.
N	3681, a	N	3681, a
		RML	66662
	(3681) <u>Ixodes schillingsi</u> (a) <u>Rhipicephalus evertsi</u> L		(3681) 1 ♀ <u>Ixodes cavipalpus</u> (a) 1 L <u>Rhipicephalus evertsi</u>
	<u>Colobus</u> sp.		<u>Colobus</u> sp.
	Cedarwood, Kenya Colony E. Africa		Cedarwood Estate (00.06 S, 36.39 E), Kenya
	19.IX.1929		19.IX.1929
	G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.		G.H.F. Nuttall & R. Daubney Shot by G.H.F.N.
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3682	N	3682
		RML	112680
	<u>Ixodes schillingsi</u> ♀		1 ♀ <u>Ixodes schillingsi</u>
	<u>Colobus caudatus</u> ♂ (monkey, from axilla)		<u>Colobus guereza caudatus</u> ♂
	Cedarwood, Kenya Colony, E. Africa		Cedarwood Estate (00.06 S, 36.39 E), Kenya
	18.IX.1929		18.IX.1929
	Shot by G.H.F. Nuttall		SHOT by G.H.F. Nuttall
	C. W. det.		
N	3683	N	3683
		RML	112681
	<u>Ixodes schillingsi</u> N & L		1 N, 1 L <u>Ixodes schillingsi</u>
	<u>Colobus caudatus</u> ♀ (from eyelids)		<u>Colobus guereza caudatus</u> ♀
	Cedarwood, Kenya Colony, E. Africa		Cedarwood Estate (00.06 S, 36.39 E), Kenya
	18.IX.1929		18.IX.1929
	Shot by G.H.F. Nuttall		Shot by G.H.F. Nuttall
	C. W. det.		Cited: Arthur (1957a: 545)

ORIGINAL DETERMINATIONCURRENT STATUS

N	3684	N	3684
		RML	112682
	<u>Ixodes schillingsi</u> ♀'s		3 ♀ <u>Ixodes schillingsi</u>
	<u>Colobus caudatus</u> ♀ (from axilla)		<u>Colobus guereza caudatus</u> ♀
	Cedarwood, Kenya Colony, E. Africa		Cedarwood Estate (00.06 S, 36.39 E), Kenya
	18.IX.1929		18.IX.1929
	Shot by G.H.F. Nuttall		Shot by G.H.F. Nuttall
	C. W. det.		
N	3685	N	3685
		RML	112683
	<u>Amblyomma variegatum</u> ♂		1 ♂ <u>Amblyomma variegatum</u>
	Cow		Cow
	Carnegie Estate, Kenya Colony, East Africa		Carnegie Estate (00.06 S, 36.40 E), Kenya
	17.IX.1929		17.IX.1929
	G.H.F. Nuttall		G.H.F. Nuttall
	C. W. det.		
N	3686	N	3686
		RML	112684
	<u>Hyalomma aegyptium</u>		2 ♂, 4 ♀ <u>Hyalomma truncatum</u>
	Cow		Cow
	Carnegie Estate, Kenya Colony, East Africa		Carnegie Estate (00.06 S, 36.40 E), Kenya
	17.IX.1929		17.IX.1929
	G.H.F. Nuttall		G.H.F. Nuttall
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3687	N	3687
		RML	112685
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s Angora goats		10 ♂, 6 ♀ <u>Rhipicephalus evertsi</u> Goats, angora
	Carnegie Estate, Kenya Colony, East Africa		Carnegie Estate (00.06 S, 36.40 E), Kenya
	17.IX.1929		17.IX.1929
	G.H.F. Nuttall		G.H.F. Nuttall
	C. W. det.		
N	3688	N	3688
		RML	112686
	<u>Rhipicephalus evertsi</u> <u>Oryx beisa</u> ♂ (antelope)		1 ♂, 2 ♀ <u>Rhipicephalus evertsi</u> <u>Oryx beisa</u> ♂
	Isiolo, Kenya Colony, East Africa		Isiolo (00.21 N, 37.35 E), Kenya
	22.IX.1929		22.IX.1929
	Shot by Kelly (G.H.F. Nuttall present)		Shot by Kelly (G.H.F. Nuttall present)
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3689, a

N 3689, a

RML 112687

(3689) Amblyomma variegatum 2 N
(a) Rhipicephalus evertsi(3689) 2 N Amblyomma variegatum
(a) 8 ♂, 3 ♀, 13 N Rhipicephalus evertsiLithocranius walleri ♂
"Gerenuk" (antelope)
From ears, perinaeum, axillaLitocranius walleri ♂

Isiolo, Kenya Colony, East Africa

Isiolo (00.21 N, 37.35 E), Kenya

22.IX.1929

22.IX.1929

Shot by G.H.F.N.

Shot by G.H.F.N.

C. W. det.

(R. evertsi from ears only)

N 3690

N 3690

RML 112688

Rhipicephalus evertsi N & L10 N, 18 L Rhipicephalus evertsiLithocranius walleriLitocranius walleri

Isiolo, Kenya Colony, East Africa

Isiolo (00.21 N, 37.35 E), Kenya

23.IX.1929

23.IX.1929

Shot by R. Daubney

Shot by R. Daubney

C. W. det.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3691	N	3691
		RML	112689
	<u>Rhipicephalus evertsi</u> N & L		1 N, 8 L <u>Rhipicephalus evertsi</u>
	<u>Lithocranius walleri</u>		<u>Litocranius walleri</u>
	Ngare & Ndari River Barsaloi Road, N. Frontier		Engare, Ondare River (00.35 N, 37.23 E), Kenya
	23.IX.1929		23.IX.1929
	Shot by R. Daubney		Shot by R. Daubney
	C. W. det.		
N	3692	N	3692
		RML	112690
	<u>Rhipicephalus pulchellus</u> ♂		1 ♂ <u>Rhipicephalus pulchellus</u>
	On man's neck		<u>Homo sapiens</u>
	S. of Nairobi		South of Nairobi (01.17 S, 36.49 E), Kenya
	24.VIII.1929		24.VIII.1929
	C. W. det.		
N	3693	N	3693
		RML	112691
	<u>Rhipicentor nuttalli</u>		2 ♂, 2 ♀ <u>Rhipicentor nuttalli</u>
	Porcupine		Probably <u>Hystrix africaeaustralis</u>
	Sandown, Near Bulawayo, S. Rhodesia		Sandown, near Bulawayo (20.09 S, 28.35 E), Zimbabwe
	4.V.1917		4.V.1917
	J. W. Shoebottom		J. W. Shoebottom
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3694, a, b	N	3694
		RML	112692
(3694)	<u>Ixodes caledonicus</u>	(3694)	<u>Ixodes caledonicus</u>
(a)	<u>Ixodes caledonicus</u>	(a)	1 ♀, 1 N, 31 L <u>Ixodes caledonicus</u>
(b)	<u>Ixodes caledonicus</u>	(b)	6 ♂, 6 N, 46 L <u>Ixodes caledonicus</u>
(3694)	Hawk	(3694)	Hawk
(a)	Jackdaw	(a)	<u>Corvus monedula</u>
(b)	Kestrel & Jackdaw	(b)	<u>Falco tinnunculus</u> & <u>Corvus monedula</u>
Newcastleton,	Roxburghshire	Newcastleton	(55.10 N, 02.49 W), Scotland
V.1930		V.1930	
J. Macleod coll.	& gift	J. Macleod coll.	& gift
N. det.			
N	3695	N	3695
		RML	112693
<u>Ixodes canisuga</u>	1 ♂	1 ♂, 23 ♀, 1 N	<u>Ixodes canisuga</u>
Nymphal skin	♀, ♀'s & eggs		
Dogs		Dogs	
Shaws, Lunds, Sedbergh, Yorks		Shaws, Lunds, Sedbergh	(54.19 N, 02.31 W), England
VI.1930		VI.1930	
R. A. Scott Macfie coll.	& gift	R. A. Scott Macfie coll.	& gift
N. det.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3696	N	3696
		RML	112694
	<u>Haemaphysalis bispinosa</u>	5 ♂, 18 ♀, 110 N, 44 L	<u>Haemaphysalis bispinosa</u>
	Milch cow	Cow	
	Cochin State, S. India	Kerala State (10.25 N, 76.30 E), India	
	Rec'd. 3.XII.1929	Rec'd. 3.XII.1929	
	C. W. Venkasksubla Entomologist, Cochin State	C. W. Venkasksubla Entomologist, Cochin State	
	C. W. det.		
N	3697	N	3697
		RML	112695
	<u>Hyalomma aegyptium</u>	2 ♂, 1 ♀ <u>Hyalomma rufipes</u> 1 ♂, 7 ♀ <u>Hyalomma truncatum</u>	
	Cattle	Cattle	
	Epworth South Rhodesia	Probably Epworth Mission (17.52 S, 31.08 E), Zimbabwe	
	16.II.1929	16.II.1929	
	H. S. Leeson, Rhodesia	H. S. Leeson, Rhodesia	
	P. A. Buxton gift		
	C. W. det.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3698	N	3698
		RML	112696
	<u>Rhipicephalus sanguineus</u>		12 ♀ <u>Rhipicephalus sanguineus</u>
Dog		Dog	
Tangier		Tangier	(35.48 N, 05.48 W), Morocco
11.VII.1930		11.VII.1930	
P. A. Buxton coll. & gift		P. A. Buxton coll. & gift	
C. W. det.			
Unusually large. C.W.			
N	3699	N	3699
		RML	112697
	<u>Hyalomma syriacum</u>		31 ♂, 4 ♀ <u>Hyalomma aegyptium</u>
Tortoise		Tortoise	
Tangier		Tangier	(35.48 N, 05.48 W), Morocco
11.VII.1930		11.VII.1930	
P. A. Buxton coll. & gift		P. A. Buxton coll. & gift	
C. W. det.			
N	3700	N	3700
		RML	112698
	<u>Hyalomma syriacum</u>		2 ♂, 2 ♀ <u>Hyalomma aegyptium</u>
Tortoise		Tortoise	
Shelford near Cambridge		Shelford	(52.08 N, 00.08 E), England
Dr. H. P. Bayon coll. & gift		Dr. H. P. Bayon coll. & gift	
N. det.			

Nos. 3701-3705 are gifts of Miss S. Finnegan of the British Museum (Nat. Hist.) the Nos. of their tubes being 695, 2243 & 2343c, 2793 and no number on last tube (See Report p. 109):-

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3701 <u>Amblyomma oblongoguttatum</u> ♀ Near a camp on the Essequibo River, British Guiana 22.VIII.1929 O. W. Richards Gift of Brit. Mus. C. W. det.	N 3701 MISSING
N	3702 <u>Amblyomma incisum</u> ♂, ♀ Tapir especially pubic region Near a camp on the Essequibo River, British Guiana 19.IX.1929 O. W. Richards Gift of Brit. Mus. C. W. det.	N 3702 RML 112699 1 ♂, 1 ♀ <u>Amblyomma incisum</u> <u>Tapirus</u> sp. Near a camp on the Essequibo River (06.59 N, 58.23 W), Guyana 19.IX.1929 O. W. Richards

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3703	N 3703
		RML 112700
	<u>Amblyomma coelebs</u>	2 ♂ <u>Amblyomma coelebs</u>
	Tapir	<u>Tapirus</u> sp.
	Near a camp on the Essequibo River, British Guiana	Near a camp on the Essequibo River (06.59 N, 58.23 W), Guyana
	19.IX.1929	19.IX.1929
	O. W. Richards	O. W. Richards
	Gift of Brit. Mus.	
	C. W. det.	
N	3704	N 3704
		RML 112701
	<u>Amblyomma oblongoguttatum</u> ♀	1 ♀ <u>Ambloyomma oblongoguttatum</u>
	Tapir 90 ft. up a tree	<u>Tapirus</u> sp. 27 m up a tree
	Near a camp on the Essequibo River, British Guiana	Moraballi Creek (06.53 N, 59.20 W), Essequibo River, Guyana
	25.IX.1929	25.IX.1929
	O. W. Richards	O. W. Richards
	Gift of Brit. Mus.	Locality taken from vial label
	C. W. det.	Oxford University Expedition to British Guiana

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3705	N	3705
		RML	112702
	<u>Haemaphysalis kochi</u> ♂		1 ♂ <u>Haemaphysalis juxtakochi</u>
	Deer		Deer
	Near a camp on the Essequibo River, British Guiana		Near a camp on the Essequibo River (06.59 N, 58.23 W), Guyana
	25.IX.1929		25.IX.1929
	O. W. Richards		O. W. Richards
	Gift of Brit. Mus.		
	C. W. det.		
N	3706	N	3706
		RML	112703
	<u>Hyalomma lusitanicum</u> ♀'s Rec'd alive/gorged		42 ♂, 49 ♀, 266 N, ±333 L <u>Hyalomma lusitanicum</u> (in 8 vials)
	Algiers		Algiers (36.47 N, 03.03 E), Algeria
	Posted 14.XII, rec'd 20.XII.1930		Posted 14.XII, rec'd 20.XII.1930
	Rec'd from Dr. Edmond Sergent Inst. Pasteur		Rec'd from Dr. Edmond Sergent Inst. Pasteur
	H. <u>lusitanicum</u> raised by H. S. Purchase here 1931 <u>not</u> 1930 as on labels.		Tentative ID.
	1. ♂'s, ♀'s, ex ♀ 2 2. ♂'s, ♀'s, ex ♀ 6 3. N's gorged ex lot 4 4. N's unfed ex lot 4 5. L's gorged ex lot 4 6. L's gorged ex lot 3 7. L's unfed ex lot 4 8. L's to N's ext lot 3.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3707	N	3707
		RML	112704
	<u>Hyalomma aegyptium</u> ♀'s N's and ♂'s, ♀'s rec'd dead		26 ♂, 23 ♀ <u>Hyalomma dromedarii</u> also 6 vials of <u>H. dromedarii</u> as follows: 13 ♂, 18 ♀, 55 ♀, 57 ♂, 1 vial N skins, 19 N, +1000 L
	Cairo		Cairo (30.03 N, 31.15 E), Egypt
	Rec'd. from Soliman El Zoghari, Ministry of Agriculture, Cairo, Egypt (per S. Hadwen)		Rec'd from Soliman El Zoghari, Ministry of Agriculture, Cairo, Egypt (per S. Hadwen)
	3707 <u>Hyalomma aegyptium</u> raised 1931 etc. as above [3706]		
	1. Larvae unfed ex ♀ 7 2. N's moulted skins ex ♀ 7 3. N's gorged ex ♀ 7 4. ♀'s unfed ex ♀ 7 5. ♀'s unfed ex ♀ 7 6. ♂'s, ♀'s unfed ex ♀ 3		
N	3708	N	3708
		RML	112705
	<u>Dermacentor albipictus</u>		33 ♂, 29 ♀ <u>Dermacentor albipictus</u>
	Moose		<u>Alces alces</u>
	Canada		Alberta, Canada
	Rec'd IV.1931		Rec'd IV.1931
	Gift of Prof. R. A. Cooley, Bozeman, Mont.		H. H. Cochrane
	R. A. C. det.		Province locality and collector's name taken from vial label.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3709	N	3709
		RML	112706
	<u>Amblyomma nuttalli</u>		1 ♀, 11 L <u>Amblyomma nuttalli</u>
	Tortoise		Tortoise
	Onderstepoort		Onderstepoort (25.39 S, 28.11 E), Republic of South Africa
	Sent 1931		Sent 1931
	Dr. P. J. du Toit		Dr. P. J. du Toit
	Sent to R. W. Mettam here		Cited: Theiler & Salisbury (1959: 116).
N	3710	N	3710
		RML	112707
	<u>Amblyomma cohaerens</u> ♂'s, ♀'s, N's		28 ♂, 12 ♀ <u>Amblyomma cohaerens</u>
	Buffalo		<u>Syncerus caffer</u>
	Namagongo & Bugongo, Uganda		Namagongo (locality not verified) & Bugongo (00.51 N, 33.24 E), Uganda
	Rec'd 20.XII.1930		Rec'd. 20.XII.1930
	E. G. Gibbins		E. G. Gibbins
	I.B.E. gift		
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3711	N	3711
		RML	112708
	<u>Haemaphysalis wellingtoni</u> ♂'s, ♀'s		3 ♂, 1 ♀ <u>Haemaphysalis bancrofti</u>
	Kangaroo		Pig
	Dutch East Indies		Indonesia
	V.1930		V.1930
	Dr. Kühlein		Dr. M. von Kuhlwein
	Sent by Dr. Jordan, Tring		Vial label indicates the host as a pig, which is probably correct.
	C. W. det.		
N	3712	N	3712 MISSING
	<u>Hyalomma aegyptium</u>		
	Biskra [Algeria]		
	Rec'd 4.VIII.1931		
	Dr. Ed Sargent		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3713

N 3713

Amblyomma nodosum ♂'s, ♀'s

RML 112709

Tamandua tetradactyla mexicana
(ant eater)7 ♂, 1 ♀ Amblyomma nodosum

Mexico

Tamandua tetradactyla

Rec'd 10.VI.1931

Mexico

C. E. Sanborn donor

Rec'd 10.VI.1931

C. W. det. 11.VI.1931

C. E. Sanborn donor

Sent by C. E. Sanborn, Head of Entomol.
 Dept., Oklahoma Agric. & Mechanical
 College, Stillwater, Oklahoma, U.S.A.
 26.V.1931 who kept duplicates. The
 host had wintered in Oklahoma and had
 come from a firm in Laredo, Texas.
 Sender thinks it must have come from
 southern Mexico. Sender thought tick
 "related" to A. nodosum (Notes from
 sender's 3 letters on the subject
 dated 26 & 29 May & 23.VI.31,
 destroyed G.H.F.N.).

ORIGINAL DETERMINATIONCURRENT STATUS

N	3714	N	3714
		RML	112710
	<u>Rhipicephalus sanguineus</u> 2 ♂, 5 ♀ one partly fed (pinned specimens)		2 ♂, 5 ♀ <u>Rhipicephalus sanguineus</u> Pinned specimens
	Lesser Bustard (ticks off occipital region)		Bustard, Lesser (name not verified) Not <u>Tetrax tetrax</u> ; probably a species of <u>Neotis</u>
	Dar Es Salaam, East Africa		Dar Es Salaam (06.48 S, 39.17 E), Tanzania
	Sent 18.VIII.1928 by J. W. McHardy		Sent 18.VIII.1928 by J. W. McHardy
	Dr. Shircore		Dr. Shircore
	C. W. det. 29.X.1931		
	Sent by John W. McHardy, Entomologist, Deputy Director of Laboratory Service, Dar Es Salaam with letter dated 18.VIII.1928, stating ticks recently collected. Wanted to know sp. of <u>Rhip.</u> Reply 29.X.1931. (letter destroyed G.H.F.N. 30.X.1931).		
N	3715	N	3715
		RML	112711
	<u>Rhipicephalus sanguineus</u> ♂'s, ♀'s fed Dog		7 ♂, 5 ♀ <u>Rhipicephalus sanguineus</u> Dog
	Papua, nr. coast		Papua New Guinea
	Rec'd 29.II.1932 sent 2.XII.1931		Rec'd. 29.II.1932
	H.O.C. Littlechild, Govt. Medical Patrol, Territory of Papua		H.O.C. Littlechild, Govt. Medical Patrol, Territory of Papua
	C. W. & N. det. 29.II.1932.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3716	N	3716
		RML	102803
	<u>Argas yespertilionis</u> 1 adult		1 ♂ <u>Argas confusus</u>
	Found in house		Found in house
	Pretoria, S. Africa		Pretoria (25.45 S, 28.10 E), Republic of South Africa
	I.1932 (Rec'd 24.II.1932)		I.1932 (Rec'd 24.II.1932)
	G.A.H. Bedford P.O. 593, Pretoria		G.A.H. Bedford
	Bedford et. (confirmed by N.)		Cited: Hoogstraal (1955b: 593)

Important: No's. 3717-3719-3720-3721 record Mr. E. A. Lewis's success in raising these species for the first time. G.H.F.N. 14.III.1932:-

N	3717	N	3717
		RML	66668
	<u>Hyalomma impressum albiparmatum</u> (a) ♀ parent of b-g; (b) L's unfed; (c) L's gorged; (d) N's moulted on host (unfed); (e) N's gorged; (f) ♂'s, ♀'s not hardened (unfed); (g) ♂'s, ♀'s hardened 21 days (unfed)		<u>Hyalomma truncatum</u> (a) 1 ♀; (b) 126 L; (c) 30 L; (d) 47 N; (e) 70 N; (f) 14 ♂, 10 ♀; (g) 10 ♂, 19 ♀
	(a) Cattle (groin) (c) Calf (ears) (d), (e) Rabbit (ears) <u>Lepus capensis</u> <u>crawshayi</u>		(a) Cattle (groin) (c) Calf (ears) (d), (e) Rabbit (ears) <u>Lepus</u> <u>crawshayi</u>
	(a) Naivasha Kenya (b-g) Kabete, Kenya		(a) Naivasha (00.43 S, 36.26 E), Kenya (b-g) Kabete (01.16 S, 36.43 E), Kenya
	(a) 7.X.1931 (c) 20.XI.1931 (d) 21.XI.1931		(a) 7.X.1931 (c) 20.XI.1931 (d) 21.XI.1931
	E. A. Lewis (1-7)		E. A. Lewis (1-7)
	E.A.L. det.		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3718	N 3718
		RML 112712
	<u>Rhipicephalus maculatus</u> 2 ♂	2 ♂ <u>Rhipicephalus maculatus</u>
	<u>Elephas africanus</u> (on abdomen)	<u>Loxodonta africana</u>
	Tana River, Kipini, Kenya	Tana River (02.32 S, 40.31 E), Kenya
	8.XII.1931	8.XII.1931
	E. A. Lewis (8)	
	N. & C. W. det.	
N	3719	N 3719
		RML 112713
	<u>Rhipicephalus pulchellus</u> L's (unfed) N's unfed	8 N, 30 L <u>Rhipicephalus pulchellus</u>
	Hare	Hare
	Raised in laboratory, Kabete, Kenya	Raised in laboratory, Kabete (01.16 S, 36.43 E), Kenya
	15.I.1932	15.I.1932
	E. A. Lewis (24,25)	E. A. Lewis (24,25)
	E.A.L. det.	Several eggs present also

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3720		N	3720	
			RML	112714	
	<u>Haemaphysalis aciculifer</u> parent ♀ are unfed L's N's (unfed)			1 ♀, 47 N, 228 L <u>Haemaphysalis aciculifer</u>	
	Rabbit (ear)			Rabbit (ear)	
	Raised in laboratory, Kabete, Kenya			Raised in laboratory, Kabete (01.16 S, 36.43 E), Kenya	
	12.X.1931			12.X.1931	
	E. A. Lewis (26,27)			E. A. Lewis (26,27)	
	E.A.L. det.				
N	3721		N	3721	
			RML	112715	
	<u>Amblyomma variegatum</u> L's unfed L's gorged N's			7 N, 89 L (unfed), 5 L (gorged) <u>Amblyomma variegatum</u>	
	Rabbit (larvae)			Rabbit (larvae)	
	Hare (nymphs)			Hare (nymphs)	
	Raised in laboratory, Kabete, Kenya			Raised in laboratory, Kabete, (01.16 S, 36.43 E), Kenya	
	13.XI.1931 (larvae)			13.XI.1931 (larvae)	
	1.XII.1931 (nymphs)			1.XII.1931 (nymphs)	
	E. A. Lewis (28-30)			E. A. Lewis (28-30)	
	E.A.L. det.				

Nos. 3722-3732 were sent by Mr. L. H. Dunn, Gorgas Memorial Laboratory, P.O. Box 5025, Ancon, Canal Zone, Panama, R. deP. on 6 Jan. 1932 to Dr. L. E. Robinson of Cooper Technical Bureau, as a gift. All the specimens except 3731 were accurately determined by Dunn as confirmed by Robinson who gave the specimens to me for our collection in Cambridge on 6.IV.1932. Robinson thinks No. 3731, a nymph, may be that of Amb. longirostre.

G.H.F.N. 7.IV.1932:-

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3722	N	3722
		RML	112716
	<u>Amblyomma coelebs</u>		4 ♂, 2 ♀ <u>Amblyomma coelebs</u>
	<u>Tapirella bairdi</u> (tapir)		<u>Tapirus bairdi</u>
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (2)		L. H. Dunn (2)
	L.H.D. det.		
N	3723	N	3723
		RML	112717
	<u>Amblyomma calcaratum</u>		3 ♂, 1 ♀ <u>Amblyomma varium</u>
	<u>Choloepus hoffmanni</u> (sloth)		<u>Choloepus hoffmanni</u>
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (3)		L. H. Dunn (3)
	L.H.D. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3724

N 3724

RML 22320

Amblyomma oblongoguttatum4 ♂, 4 ♀ Amblyomma oblongoguttatumTapirella bairdi (tapir)Tapirus bairdi

Panama

Panama

1931 or before, rec'd by us
6.IV.19321931 or before, rec'd by us
6.IV.1932

L. H. Dunn (4)

L. H. Dunn (4)

L.H.D. det.

1 ♀ A. oblongoguttatum and
1 ♂ A. cajennense from this Nuttall
collection are now in the RML
collection.

N 3725

N 3725

RML 112718

Amblyomma geayi3 ♂ Amblyomma geayiBradypus griseus griseus (slope)Bradypus infuscatus griseus

Panama

Panama

1931 or before, rec'd. by us
6.IV.19321931 or before, rec'd. by us
6.IV.1932

L. H. Dunn (5)

L. H. Dunn (5)

L.H.D. det.

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3726	N	3726
		RML	112719
	<u>Amblyomma nodosum</u>		2 ♂, 1 ♀ <u>Amblyomma nodosum</u>
	<u>Tamandua tetradactyla chiriquensis</u> (anteater)		<u>Tamandua tetradactyla chiriquensis</u>
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (6)		L. H. Dunn (6)
	L.H.D. det.		
N	3727	N	3727
		RML	112720
	<u>Amblyomma humerale</u>		2 ♂ <u>Amblyomma sabanerae</u>
	Tortoise		Tortoise
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (7)		L. H. Dunn (7)
	L.H.D. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3728	N	3728
		RML	112721
	<u>Amblyomma concolor</u>		3 ♂, 3 ♀ <u>Amblyomma auricularium</u>
	<u>Dasypus novemcinctus fenestratus</u> (armadillo)		<u>Dasypus novemcinctus fenestratus</u>
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (8)		L. H. Dunn (8)
	L.H.D. det.		
N	3729	N	3729
		RML	112722
	<u>Amblyomma concolor</u>		2 ♂, 2 ♀ <u>Amblyomma auricularium</u>
	<u>Didelphis marsupialis etensis</u> (opossum)		<u>Didelphis marsupialis caucae</u>
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (9)		L. H. Dunn (9)
	L.H.D. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3730	N	3730
		RML	112723
	<u>Amblyomma pacae</u>		1 ♂, 1 ♀ <u>Amblyomma pacae</u>
	<u>Cuniculus paca virgatus</u> (paca)		<u>Agouti paca virgatus</u>
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (10)		L. H. Dunn (10)
	L.H.D. det.		
N	3731	N	3731
		RML	112724
	<u>Amblyomma</u> sp. N		1 N <u>Amblyomma</u> sp.
	<u>Artibeus jamaicensis jamaicensis</u> (bat)		<u>Artibeus jamaicensis jamaicensis</u>
	Panama		Panama
	1931 or before, rec'd by us 6.IV.1932		1931 or before, rec'd by us 6.IV.1932
	L. H. Dunn (11)		L. H. Dunn (11)
	L.H.D. det.		

Not Amb. longirostre N though similar,
 scutum broader & shorter, much less
 pitted in the lateral fields.
 Posterior dorsal margin different.
 G.H.F.N. 18.IV.1932.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3732		N	3732	
			RML	112725	
	<u>Ornithodoros venezuelensis</u>			10 ♂, 3 ♀, 2 N, 123 L	<u>Ornithodoros rufus</u>
	Panama			Panama	
	1931 or before, rec'd by us 6.IV.1932			1931 or before, rec'd by us 6.IV.1932	
	L. H. Dunn (12)			L. H. Dunn (12)	
	L.H.D. det.				
N	3733		N	3733	
			RML	112726	
	<u>Rhipicephalus sanguineus</u> ♀			1 ♀	<u>Rhipicephalus pravus</u>
	Hare (ear)			Hare (ear)	
	Sangole, Kenya			Songole (01.30 S, 40.36 E), Kenya	
	12.II.1931			12.II.1931	
	E. A. Lewis (13)			E. A. Lewis (13)	
	C. W. det.				
N	3734		N	3734	
			RML	112727	
	<u>Rhipicephalus appendiculatus</u> (small var.)			11 ♂, 10 ♀	<u>Rhipicephalus pravus</u>
	Hare			Hare	
	Naivasha			Naivasha (00.43 S, 36.26 E), Kenya	
	27.XI.1928			27.XI.1928	
	E. A. Lewis (13B)			E. A. Lewis (13B)	
	C. W. det.				

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3735	N	3735
		RML	112728
	<u>Haemaphysalis leachi</u> (small) Hare (ear)		2 ♂, 1 ♀ <u>Haemaphysalis leachi</u> Hare (ear)
	Sangole, Kenya		Songole (01.30 S, 40.36 E), Kenya
	12.II.1931		12.II.1931
	E. A. Lewis (15)		E. A. Lewis (15)
	C. W. det.		
N	3736, a	N	3736, a
		RML	112729
	(3736) <u>Rhipicephalus appendiculatus</u> (a) <u>Rhipicephalus evertsi</u> ♀		(3736) 55 ♂, 14 ♀, 1 N <u>Rhipicephalus pravus</u> (a) 1 ♀ <u>Rhipicephalus evertsi</u>
	Machakos, Kenya		Machakos (01.31 S, 37.16 E), Kenya
	2.XII.1928		2.XII.1928
	E. A. Lewis (16)		E. A. Lewis (16)
	C. W. det.		
N	3737	N	3737
		RML	112730
	<u>Rhipicephalus kochi</u> Bushbuck		5 ♂, 8 ♀ <u>Rhipicephalus hurti</u> <u>Tragelaphus scriptus</u>
	Karati Forest, Kenya		Karati Forest (00.43 S, 36.29 E), Kenya
	30.VI.1931		30.VI.1931
	E. A. Lewis (17)		E. A. Lewis (17)
	E.A.L. & C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3738	N	3738
		RML	69895
	<u>Haemaphysalis aciculifer</u>		7 ♂, 19 ♀ <u>Haemaphysalis aciculifer</u>
	Bushbuck		<u>Tragelaphus scriptus</u>
	Karati Forest, Kenya		Karati Forest (00.43 S, 36.29 E), Kenya
	1.VII.1931		1.VII.1931
	E. A. Lewis (18)		E. A. Lewis (18)
N	3739	N	3739
		RML	112731
	<u>Rhipicephalus simus</u>		26 ♂, 13 ♀ <u>Rhipicephalus simus</u>
	Wart hog		<u>Phacochoerus aethiopicus</u>
	Karati Forest, Kenya		Karati Forest (00.43 S, 36.29 E), Kenya
	16.VI.1931		16.VI.1931
	E. A. Lewis (19)		E. A. Lewis (19)
	E.A.L. & C.W. det.		
N	3740	N	3740
		RML	112732
	<u>Rhipicephalus kochi</u>		26 ♂, 12 ♀ <u>Rhipicephalus jeannelli</u>
	Wart hog		<u>Phacochoerus aethiopicus</u>
	Karati Forest, Kenya		Karati Forest (00.43 S, 36.29 E), Kenya
	16.VI.1931		16.VI.1931
	E. A. Lewis (20)		E. A. Lewis (20)
	C. W. det.		

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3741	N 3741
		RML 26114
	<u>Rhipicephalus oculatus</u>	10 ♂, 2 ♀ <u>Rhipicephalus oculatus</u>
	<u>Lepus zuluensis</u>	<u>Lepus crawshayi zuluensis</u>
	Pretoria, Morning Market	Pretoria (26.45 S, 28.10 E), Republic of South Africa
	26.VII.1928	26.VII.1928
	R. A. Cooley (32)	R. A. Cooley (32)
	C. W. det.	
N	3742	N 3742
		RML 94464
	<u>Haemaphysalis leachi</u> larvae	8 L <u>Haemaphysalis leachi</u> group
	Dog	Dog
	Acorn Hoek, Orinoco	Acornhoek (24.36 S, 31.04 E), Republic of South Africa
	1.VIII.1928	1.VIII.1928
	R. A. Cooley (46)	R. A. Cooley (46)
	C. W. det.	
N	3743	N 3743
		RML 112733
	<u>Rhipicephalus appendiculatus</u>	24 ♂, 8 ♀, 2 N <u>Rhipicephalus appendiculatus</u>
	Goats	Goats
	Klasserie Farm Scotia	Klaserie (24.33 S, 31.02 E), Republic of South Africa
	30.VII.1928	30.VII.1928
	R. A. Cooley (53)	R. A. Cooley (53)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3744	N 3744
		RML 26111
	<u>Rhipicephalus oculatus</u> ♂, ♀, 2 N	2 ♂, 2 ♀, 1 N <u>Rhipicephalus oculatus</u>
	<u>Lepus ochropus</u>	<u>Lepus capensis ochropus</u>
	Glen, O.F.S.	Glen (28.58 S, 26.20 E), Orange Free State, Republic of South Africa
	28.VIII.1928	28.VIII.1928
	R. A. Cooley (100)	R. A. Cooley (100)
	C. W. det.	
N	3745	N 3745
		RML 26141
	<u>Rhipicephalus oculatus</u>	2 ♂, 2 ♀ <u>Rhipicephalus oculatus</u>
	<u>Lepus capensis</u>	<u>Lepus capensis</u>
	Grootfontein, Middleburg	Grootfontein, Middleburg, Republic of South Africa (locality not verified; 21 possible localities)
	31.VIII.1928	31.VIII.1928
	R. A. Cooley (119)	R. A. Cooley (119)
	C. W. det.	
N	3746	N 3746
		RML 112734
	<u>Rhipicephalus appendiculatus</u>	17 ♂, 25 ♀ <u>Rhipicephalus appendiculatus</u>
	Exper. rabbit #3, Vet Lab. Stock	Exper. rabbit #3, Vet Lab. Stock
		Veterinary Research Laboratory, Onderstepoort (25.39 S, 28.11 E), Republic of South Africa
	R. A. Cooley (145)	R. A. Cooley (145)
	C. W. det.	C. W. det.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3747		N	3747	
			RML	26128	
	<u><i>Rhipicephalus oculatus</i></u> var. <u><i>pravus</i></u>			7 ♂, 3 ♀ <u><i>Rhipicephalus punctatus</i></u>	
	<u><i>Lepus zuluensis</i></u>			<u><i>Lepus crawshayi zuluensis</i></u>	
	Pienaars River			Pienaars River (25.06 S, 27.34 E), Republic of South Africa	
	1.X.1928			1.X.1928	
	R. A. Cooley (195)			R. A. Cooley (195)	
	C. W. det.				
N	3748		N	3748	
			RML	112735	
	<u><i>Rhipicephalus evertsi</i></u> ♂, ♀			8 ♂, 4 ♀ <u><i>Rhipicephalus evertsi</i></u>	
	Cattle			Cattle	
	Middleburg			Middleburg, Republic of South Africa (locality not verified)	
	20.IX.1928			20.IX.1928	
	R. A. Cooley (202)			R. A. Cooley (202)	
	C. W. det.			The vial label reads Middleburg, Kenya, E. A. Lewis coll. but these data are incorrect.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3749	N	3749
		RML	26124
	<u><i>Rhipicephalus oculatus</i></u>		4 ♂, 2 ♀, 1 N <u><i>Rhipicephalus oculatus</i></u>
	<u><i>Lepus zuluensis</i></u>		<u><i>Lepus crawshayi zuluensis</i></u>
	Pienaars River, Silverton Farm		Pienaars River (25.06 S, 27.34 E), Silverton Farm, Republic of South Africa
	1.X.1928		1.X.1928
	R. A. Cooley (211)		R. A. Cooley (211)
	C. W. det.		
N	3750	N	3750
		RML	26150
	<u><i>Rhipicephalus oculatus pravus</i></u> form		16 ♂, 1 ♀, 12 N <u><i>Rhipicephalus punctatus</i></u>
	<u><i>Lepus zuluensis</i></u>		<u><i>Lepus crawshayi zuluensis</i></u>
	Acorn Hoek, Fleur de Lys		Acornhoek (24.36 S, 31.04 E), Republic of South Africa
	30.VII.1932		30.VII.1928
	R. A. Cooley (219)		R. A. Cooley (219)
	C. Warburton det.		The date 1932 is incorrect. Dr. Cooley's only trip to South Africa was in 1928.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3751	N	3751
		RML	25839
	<u>Haemaphysalis silacea</u>		1 ♂, 1 ♀ <u>Haemaphysalis silacea</u>
	Cattle		Cattle
	Bathurst		Either Bathurst (25.32 S, 23.27 E) or (33.31 S, 26.50 E), Republic of South Africa
	12.IX.1928		12.IX.1928
	R. A. Cooley (220)		R. A. Cooley (220)
	C. Warburton det.		
N	3752	N	3752
		RML	66619
	<u>Rhipicephalus evertsi</u>		30 ♂, 4 ♀ <u>Rhipicephalus evertsi</u>
	Sheep		Sheep
	Klasserie, Farm Scotia		Klaserie (24.33 S, 31.02 E), Republic of South Africa
	31.VII.1928		31.VII.1928
	R. A. Cooley (236)		R. A. Cooley (236)
	C. Warburton det.		
N	3753	N	3753 MISSING
	<u>Boophilus decoloratus</u>		
	Sable antelope		
	Acorn Hoek, Spring Valley		
	4.VIII.1928		
	R. A. Cooley (243)		
	C. Warburton det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3754	N	3754
		RML	112736
	<u>Argas persicus</u>		11 ♂, 12 ♀, 11 N <u>Argas walkerae</u>
	In pepper trees		In pepper trees
	Queenstown		Queenstown (31.54 S, 26.53 E), Republic of South Africa
	17.IX.1928		17.IX.1928
	R. A. Cooley (269)		R. A. Cooley (269)
	C. Warburton det.		
N	3755	N	3755 MISSING
	<u>Ornithodoros megnini</u>		
	Cattle		
	Queenstown		
	18.IX.1928		
	Lounsbury		
	R. A. Cooley no. 271		
	C. Warburton det.		
N	3756	N	3756 MISSING
	<u>Amblyomma hebraeum</u>		
	Cow		
	Pretoria, Nefdt Siding		
	27.IX.1928		
	Lounsbury		
	R. A. Cooley no. 277		
	C. Warburton det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3757	N	3757
		RML	112737
	<u>Ornithodoros megnini</u>		38 N <u>Otobius megnini</u>
	Horses		Horses
	Petersburg O.F.S.		Perhaps Petrusburg (29.07 S, 25.25 E), Orange Free State, Republic of South Africa
	27.IX.1928		27.IX.1928
	C. S. Biggs		C. P. Lounsbury
	R. A. Cooley no. 304		Catalogue and vial label disagree on collector of this material.
	C. Warburton det.		
N	3758	N	3758
		RML	25830
	<u>Haemaphysalis leachi</u>		7 ♂, 5 ♀ <u>Haemaphysalis</u> sp.
	Dog		Dog
	Klasserie		Klaserie (24.33 S, 31.02 E), Republic of South Africa
	27.VII.1928		27.VII.1928
	R. A. Cooley (307)		R. A. Cooley (307)
	C. Warburton det.		
N	3759	N	3759
		RML	112738
	<u>Rhipicephalus appendiculatus</u>		13 ♂, 19 ♀ <u>Rhipicephalus appendiculatus</u>
	Dog		Dog
	Sand River		Sand River (33.11 S, 22.08 E), Republic of South Africa
	R. A. Cooley (71)		R. A. Cooley (71)
	C. Warburton det.		The date of this collection is 28.VII.1928 - see Cooley (1934:28)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3760	N	3760
		RML	112739
	<u>Rhipicephalus evertsi</u>		10 ♂, 7 ♀ <u>Rhipicephalus evertsi</u>
	Cattle		Cattle
	Queenstown		Queenstown (31.54 S, 26.53 E), Republic of South Africa
	R. A. Cooley (no number)		R. A. Cooley (no number)
	C. Warburton det.		
N	3761	N	3761
		RML	66681
	<u>Rhipicephalus pulchellus</u> ♂'s, ♀'s		9 ♂, 32 ♀ <u>Rhipicephalus pulchellus</u>
	Somaliland		Somali Democratic Republic
	Gift 1930		Gift 1930
	Dr. Bachelli		Dr. Bachelli
	Prof. Franchini gift		
	C. W. det.		
N	3762	N	3762
		RML	112740
	<u>Hyalomma aegyptium</u> var.		90 ♂, 9 ♀ <u>Hyalomma rufipes</u> 2 ♂ <u>Hyalomma truncatum</u> 2 ♂ <u>Hyalomma dromedarii</u>
	Dog & Sheep		Dog & Sheep
	Agerdat, Eritraea		Agordat (15.32 N, 37.52 E), Ethiopia
	Gift 1931		Gift 1931
	Dr. Ganova		Dr. Ganova
	Prof. Franchini gift		
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3763	N	3763
		RML	112741
	<u>Haemaphysalis cinnabarina</u> var. <u>punctata</u>		2 ♂, 2 ♀ <u>Haemaphysalis sulcata</u>
	Goats		Goats
	Cyprus		Cyprus
	Gift 1929		Gift 1929
	Dr. P. A. Buxton gift		Dr. P. A. Buxton gift
	C. W. det.		
N	3764	N	3764
		RML	112742
	<u>Rhipicephalus simus</u> N's		2 ♂, 58 N <u>Rhipicephalus simus</u>
	From nest of <u>Arvicantis</u>		From nest of <u>Arvicantis</u> sp.
	Kenya Colony		Kenya
	1930		1930
	J. I. Roberts (1729)		J. I. Roberts (1729)
	C. W. det.		
N	3765	N	3765
		RML	112743
	<u>Haemaphysalis leachi</u>		12 ♂, 18 ♀, 2 N <u>Haemaphysalis leachi</u>
	From nest of <u>Arvicantis</u>		From nest of <u>Arvicantis</u> sp.
	Kenya Colony		Kenya
			Probably 1930
	J. I. Roberts (1736)		J. I. Roberts (1736)
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3766	N	3766
		RML	112744
	<u>Rhipicephalus sanguineus</u> 2 N	2 N	<u>Rhipicephalus sanguineus</u>
	Attacking man in large numbers		<u>Homo sapiens</u>
	Region of Akbou (Kabilie), Algeria	Akbou (36.28 N, 04.32 E), Algeria	
	Sent to me 2.VIII.1932	Sent to me 2.VIII.1932	
	Sent by M. Marc André	Sent by M. Marc André	
	C. W. det. 5.VIII.1932		
	M. André (Museum National d'Hist. Nat., Lab. de Zool., 61 rue Buffon, Paris) wrote 2.VIII.1932: "Cette espèce s'est développée dans cette région en si grande abondance dans certains jardins, qu'on ne peut y circuler sans en être couvert."		
	G.H.F.N.		
N	3767	N	3767 MISSING
	<u>Ixodes ricinus</u> larvae		
	Attacking man (harvesters). One brought to England on Boycott's arm.		
	Glengariff, S. W. Ireland		
	VIII.1929		
	Prof. A. E. Boycott, F.R.S. London Sent 11.XII for det.		
	G.H.F.N. det 20.XII.1929		
	(Mounted on slide) balsam.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3768

N 3768

RML 112745

Ornithodoros papillipes
TYPE material1 ♂ Ornithodoros tholozani
SYNTYPE of O. papillipes

Caucasus

Caucasus Mountains, U.S.S.R.

Before 1895. Rec'd from
E. P.....Before 1895. Rec'd from
E. P.....Gift of Prof. E. Pavlovsky
Leningrad. His slides No's 51 & 52Gift of Prof. E. Pavlovsky
Leningrad. His slides No's 51 & 52

A. Birula det. No. 718

Birula (1895: 354), original
description(Dorsum, venter, hypostome
chelicerae, mounted on 2 slides).The second slide of this series
is missing.

N 3769

N 3769

RML 112746

Ornithodoros talaje (1 specimen)1 ♀ Ornithodoros kelleyi

From Mrs. Neuman's house

From Mrs. Neuman's house

Ransomville, N.Y., U.S.A.

Ransomville (43.14 N, 78.55 W),
New York, U.S.A.

9.I.1928

Gift of Prof. R. Matheson of
Cornell, Univ.

Mrs. R. A. Neuman

C. W. & G.H.F.N. det.

Cited: Matheson (1931: 270).

See Matheson R. (1931)
Parasitology vol. 23 p. 270 re this.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3770	N 3770 MISSING
	<u>Amblyomma nuttalli</u> larvae	
	Raised from ♀ off tortoise	
	Onderstepoort, Pretoria, S. Africa	
	11.X.1930	
	Gift of H. S. Purchase	
	(Mounted in balsam on slide).	
N	3771	N 3771 MISSING
	<u>Ixodes pilosus</u>	
	Bushbuck (head & shoulders)	
	Uplands, Kenya Colony	
	5.V.1931	
	Dr. E. A. Lewis	
	C. W. det.	
N	3772	N 3772
		RML 112747
	<u>Amblyomma gemma</u>	114 ♂, 16 ♀ <u>Amblyomma gemma</u>
		2 ♂ <u>Rhipicephalus pulchellus</u>
	Cattle	Cattle
	Marsabit, N.F.D., Kenya Colony	Marsabit (02.20 N, 37.59 E), Kenya
	10.X.1930	10.X.1930
	V. O. Mulligan	V. O. Mulligan
	E.A.W. & C.W. det.	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3773	N	3773
		RML	95074
	<u>Hyalomma aegyptium</u>		11 ♂, 2 ♀ <u>Hyalomma albiparmatum</u>
	Cattle (abdomen)		Cattle
	Kedong Valley, Kenya Colony		Nkidong Valley (01.10 S, 36.30 E), Kenya
	15.I.1931		15.I.1931
	E. A. Lewis		E. A. Lewis
	C. W. det.		Hoogstraal (1956a: 517) illustrated 1 ♂, 1 ♀ of this species.
	Schulze's <u>impressum albiparmatum</u> .		
N	3774	N	3774 MISSING
	<u>Rhipicephalus evertsi</u>		
	Sheep (under tail)		
	Ngobit Laikipia, Kenya Colony		
	14.VI.1931		
	E. A. Lewis		
	C. W. det.		
N	3775	N	3775
		RML	112748
	<u>Rhipicephalus simus</u>		39 ♂, 28 ♀ <u>Rhipicephalus simus</u> 1 ♂ <u>Rhipicephalus pulchellus</u>
	Sheep		Sheep
	Marsabit, N.F.D., Kenya Colony		Marsabit (02.20 N, 37.59 E), Kenya
	1.II.1931		1.II.1931
	E. A. Lewis		E. A. Lewis
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3776		N	3776	
			RML	112749	
	<u>Rhipicephalus pulchellus</u>			9 ♂, 7 ♀ <u>Rhipicephalus pulchellus</u>	
	Cattle			Cattle	
	Ngobit, Laikipia, Kenya			Ongobit (00.03 S, 36.47 E), Laikipia District, Kenya	
	14.I.1931			14.I.1931	
	E. A. Lewis			E. A. Lewis	
	E.A.L. & C.W. det.				
N	3777		N	3777	
			RML	112750	
	<u>Rhipicephalus maculatus</u>			6 ♂ <u>Rhipicephalus maculatus</u>	
	Rhinoceros			<u>Diceros bicornis</u>	
	Mount Kenya, Kenya			Mount Kenya (00.10 S, 37.20 E), Kenya	
	3.VI.1930			3.VI.1930	
	E. A. Lewis			E. A. Lewis	
	E.A.L. & C.W. det.				
N	3778		N	3778	
			RML	112751	
	<u>Margaropus winthemi</u>			2 ♀ <u>Margaropus winthemi</u>	
	Cattle "imported" (whence?)			Cattle "imported" (whence?)	
	Mombasa, Kenya			Mombasa (04.03 S, 39.40 E), Kenya	
	29.X.1930			29.X.1930	
	E. A. Lewis			E. A. Lewis	
	E.A.L. & C.W. det.				

ORIGINAL DETERMINATIONCURRENT STATUS

N 3779 N 3779 MISSING

Ornithodoros megnini

Cattle (ears) imported

Nairobi (quarantine) Kenya

1.IV.1931

E. A. Lewis

E.A.L. & C.W. det.

N 3780 N 3780

RML 112752

Rhipicephalus pulchellus larvae
Reared from ♀

1 L Rhipicephalus pulchellus

Zebra (abdomen)

Equus burchelli

Athi Plains, Kenya

Athi Plains (01.24 S, 36.54 E),
Kenya

4.X.1930

4.X.1930

E. A. Lewis

E. A. Lewis

E.A.L. det.

N 3781 N 3781

RML 69894

Haemaphysalis aciculifer 1 N
raised from ♀

9 N Haemaphysalis aciculifer

Bushbuck (head)

Tragelaphus scriptus

Karati Forest, Kenya

Karati Forest (00.43 S, 36.29 E),
Kenya

2.II.1931

2.II.1931

E. A. Lewis

E. A. Lewis

E.A.L. det.

Cited: Santos Dias (1958: 535).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3782	N	3782
		RML	113176
	<u>Rhipicephalus simus</u> (chiefly)		276 ♂, 160 ♀ <u>Rhipicephalus simus</u> 1 ♂ <u>Rhipicephalus evertsi</u>
	Cattle		Cattle
	Kijabe, Kenya		Kijabe (00.56 S, 36.34 E), Kenya
	15.I.1931		15.I.1931
	E. A. Lewis		E. A. Lewis
	C. W. det.		
N	3783	N	3783
		RML	115896
	<u>Hyalomma aegyptium</u>		1 ♂, 16 ♀ <u>Hyalomma anatolicum</u> <u>excavatum</u>
	Host unknown		Host unknown
	Arabia		Saudi Arabia
	Reported back by us 10.VI.1930		Reported back by us 10.VI.1930
	Dr. Ganova		Dr. Ganova
	Sent by Prof. Franchini		Sent by Prof. Franchini
	C. W. det.		
N	3784	N	3784
		RML	113177
	<u>Ornithodoros</u> sp. larvae		+500 L <u>Ornithodoros</u> sp.
	Domestic hen Massive infestation on piece of skin		Hen, domestic
	Palestine		Israel
	Rec'd by us 8.VII.1927		Rec'd by us 8.VII.1927
	G. E. Bodkin		G. E. Bodkin
	From I.B.E. No. 1562		Specimens attached to skin.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3785	N	3785
		RML	113178
	<u>Rhipicephalus bursa</u>		11 ♂, 3 ♀ <u>Rhipicephalus evertsi</u> 2 ♂, 1 ♀ <u>Rhipicephalus sanguineus</u>
	Sheep (& dog, ticks mixed by collector)		Sheep (& dog, ticks mixed by collector)
	Eritrea, Italian Somaliland		Eritrea (15.20 N, 39.00 E), Ethiopia
	Rec'd by us 25.III.1931		Rec'd by us 25.III.1931
	Dr. Ganova		Dr. Ganova
	Sent by Prof. Franchini		
N	3786	N	3786
		RML	105680
	<u>Amblyomma gemma</u> ♂'s, ♀'s		16 ♂, 6 ♀ <u>Amblyomma gemma</u> 1 ♀ <u>Hyalomma rufipes</u>
	Host unknown		Host unknown
	Italian Somaliland		Somali Democratic Republic
	Rec'd by us I.1932		Rec'd by us I.1932
	Dr. Bachelli		Dr. Bachelli
	Sent by Prof. Franchini		
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3787	N	3787
		RML	113179
	<u>Rhipicephalus pulchellus</u> ? 2 ♂, many ♀		2 ♂ <u>Rhipicephalus pulchellus</u> 68 ♂, 77 ♀ <u>Rhipicephalus humeralis</u>
	Host unknown		Host unknown
	Italian Somaliland		Somali Democratic Republic
	Rec'd by us I.1932		Rec'd by us I.1932
	Dr. Bachelli		Dr. Bachelli
	Sent us by Prof. Franchini		Some of the ♀'s listed above may be <u>R. pulchellus</u>
	C. W. det.		
	C. Warburton notes ♂ with pattern obsolete, ♀ mixed.		
N	3788	N	3788
		RML	105681
	<u>Rhipicephalus pulchellus</u>		42 ♂ <u>Rhipicephalus pulchellus</u> 108 ♂, 122 ♀ <u>Rhipicephalus humeralis</u> 1 ♂ <u>Amblyomma eburneum</u> 1 ♀ <u>Hyalomma impletatum</u>
	Host unknown		Host unknown
	Madisces, Italian Somaliland		Madisces, Somali Democratic Republic (locality not verified)
	2.III.1932		2.III.1932
	Dr. Bachelli		Dr. Bachelli
	Sent by Prof. Franchini		Some of the ♀'s listed under <u>R. humeralis</u> are <u>R. pulchellus</u> but have not been separated.
	C. Warburton notes "both varieties" (I ask is this bad & good preservation?) G.H.F.N. 15.VIII.1932		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3789	N	3789
		RML	113180
	<u>Ixodes kingi</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Ixodes kingi</u>
Dog		Dog	
(Saskatoon?), Saskatchewan, Canada		? Saskatoon (52.07 N, 106.38 W)	Saskatchewan, Canada
18.VI.1930		18.VI.1930	
Dr. L. G. Saunders		Dr. L. G. Saunders	
F.C.B. det.			
C. Warburton notes: 12.VII.30 in letter to <u>Saunders</u> , like what we conceive to be <u>Ix. pratti</u> , but Banks muddled the species: Bishopp said Bank's ♂ <u>pratti</u> = <u>ricinus</u> & Banks's ♀ <u>pratti</u> = <u>Ix. kingi</u> . (Refer to Bishopp).			
N.B. sent to Dr. F. C. Bishopp, U.S. Dept. of Agric., Bureau of Entomol., Washington, D.C. 20.I. who replied 6.II.1933 & returned specimens to me saying species somewhat variable, our 3789 fairly typical. He notes that lateral carinae of ♂'s <u>scutum</u> extend further back than in type ♂ <u>basis capituli</u> with postero lateral angles not produced quite as strongly as in type. G.H.F.N. 17.II.1933.			
N	3790	N	3790
		RML	113181
<u>Ornithodoros talaje</u>		4 ♀ <u>Ornithodoros talaje</u>	
Colombia, S. America		Colombia	
Rec'd 3.X.1927		Rec'd. 3.X.1927	
Dr. Pamfano		Dr. Pamfano	
Sent us for identif. by Dr. P. A. Buxton, rest returned			
C. W. det.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3791	N	3791
		RML	97788
	<u>Ixodes acutitarsus</u> 1 ♀		1 ♀ <u>Ixodes acutitarsus</u>
	Found on ground		Found on ground
	Lachen, India		Lachen (27.44 N, 88.33 E), India
	21.III.1931		21.III.1931
	Ex tube No. 6647 Arthropod Section Calcutta School of Trop. Med. Sent by C. Strickland		Ex tube No. 6647 Arthropod Section Calcutta School of Trop. Med. Sent by C. Strickland
	C. W. det.		
	2791, 2792 in one bottle. Rare.		
N	3792	N	3792
		RML	97788
	<u>Ixodes acutitarsus</u> 1 ♂		1 ♂ <u>Ixodes acutitarsus</u>
	Lachen, India		Lachen (27.44 N, 88.33 E), India
	21.X.1931		21.X.1931
	Ex tube No. 6648 Arthropod Section Calcutta School of Trop. Med. Sent by C. Strickland		Ex tube No. 6648 Arthropod Section Calcutta School of Trop. Med. Sent by C. Strickland
	C. W. det.		
	3791, 3792 in one bottle. Rare.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3793	N	3793
		RML	113182
	<u>Dermacentor everestiana</u> 1 ♂, 2 ♀ gorged		1 ♂, 2 ♀ <u>Dermacentor everestianus</u>
	Sheep		Sheep
	Dochen, Tibet (14,700 feet alt.)		Tocheng (28.09 N, 89.18 E), Tibetan Autonomous Republic, Peoples Republic of China (4481 m)
	19.VIII.1931		19.VIII.1931
	Ex tube No. 6573 Arthropod Section Calcutta School of Trop. Med. Sent by C. Strickland		Ex tube No. 6573 Arthropod Section Calcutta School of Trop. Med. Sent by C. Strickland
	C. W. det.		Cited: Arthur (1960b: 142).
	3793 See Warburton letter of 18.XI.1931 to Strickland: C. W. states type of species 1 ♂ is in Brit. Museum. Stanley Hirst gave but brief descr. & named it, but died before giving full description. (Report Book p. 123).		
N	3794	N	3794
		RML	113183
	<u>Ixodes tenuirostris</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Ixodes trianguliceps</u>
	Found in nest of field mouse		Found in nest of field mouse
	Oxfordshire		Oxfordshire (51.45 N, 01.10 W) England
	3.III.1927		3.III.1927
	C. S. Elton (Oxford)		C. S. Elton (Oxford)
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3795	N	3795
		RML	113184
	<u>Ornithodoros peringueyi</u> (6 specimens)		2 ♂, 3 ♀, 1 N <u>Ornithodoros peringueyi</u>
	From nests of <u>Petrochlidon spilodera</u> , S. African Cliff Swallow		<u>Hirundo spilodera</u> , nests of
	Onderstepoort, Pretoria		Onderstepoort (25.39 S, 28.11 E), Republic of South Africa
	VI.1927		VI.1937
	G. A. H. Bedford (donor)		G. A. H. Bedford (donor)
	G.A.H.B. det.		See also N3865
	3795 See description of species; Bedford & Hewitt (XII.1925) S. <u>Afric. J. of Nat. Hist.</u> , Pretoria 5, 259, pl. XIX, figs. 1-3; <u>types</u> from infested native church, Ngamakwe, Cape Province 10.XII.1923.		
N	3796, a	N	3796, a
		RML	113185
	(3796) <u>Rhipicephalus sanguineus</u> ♂'s, ♀'s		(3796) 5 ♂, 16 ♀, 5 N <u>Rhipicephalus</u> <u>sanguineus</u>
	(a) <u>Boophilus annulatus</u> ♀'s gorged		(a) 5 ♀ <u>Boophilus microplus</u>
	Dog		Dog
	Near Georgetown, Brit. Guiana		Near Georgetown (06.48 N, 58.10 W) Guyana
	1930		1930
	W. Beveridge		W. Beveridge
	Sent by Dr. P. A. Buxton & not wanted back. III.1931		
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3797

N 3797 MISSING

Ornithodoros coriaceus 1 ♀

California

Rec'd. 4.VI.1931 alive

Miss Florence M. Frost's gift to me,
brought by her who has worked on its
biol.

G.H.F.N. & F.M.F. det.

(mounted in cell on slide).

N 3798

N 3798

RML 113186

Ornithodoros moubata
N's unfed, 1st stage36 N Ornithodoros moubataRaised in sender's laboratory near
Manchester, EnglandRaised in sender's laboratory near
Manchester (53.30 N, 02.13 W),
England

Rec'd ca. 13.I.1930

Rec'd. ca. 13.I.1930

Mr. Chas. D. Radford

Mr. Chas D. Radford

G.H.F.N. & others det.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3799	N 3799
		RML 113187
	<u>Rhipicephalus appendiculatus</u> all stages	84 ♂, 36 ♀, 54 N <u>Rhipicephalus</u> <u>appendiculatus</u>
	Cattle	Cattle
	Stock Farm, Mbarara Ankole & Mbarara Quarantine	Mbarara (00.37 S, 30.39 E), Uganda
	Received 2,3,4,9, & 10.II.1932	Received 2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (9)	Received from R. W. Mettam, Entebbe, Uganda (9)
	C. W. det.	
N	3800	N 3800
		RML 113188
	<u>Amblyomma variegatum</u>	34 ♂ <u>Amblyomma variegatum</u>
	Cattle	Cattle
	Mbarara Quarantine	Mbarara (00.37 S, 30.39 E), Uganda
	Received 2,3,4,9, & 10.II.1932	Received 2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (9)	Received from R. W. Mettam, Entebbe, Uganda (9)
	C. W. det.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	3801	N	3801
		RML	113189
	<u>Rhipicephalus appendiculatus</u>		36 ♂, 16 ♀ 2 N <u>Rhipicephalus appendiculatus</u>
	Sheep		Sheep
	Kichwamba, Lake George		Kichwamba, Lake George (00.00, 30.12 E), Uganda
	Received 2,3,4,9, & 10.II.1932		Received 2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (25,44)		Received from R. W. Mettam, Entebbe, Uganda (25,44)
	C. W. det.		
N	3802	N	3802
		RML	113190
	<u>Rhipicephalus appendiculatus</u> small & N's		1 ♂, 2 N <u>Rhipicephalus appendiculatus</u>
	Goat		Goat
	Kichwamba, Lake George		Kichwamba, Lake George (00.00, 30.12 E), Uganda
	Received 2,3,4,9, & 10.II.1932		Received 2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (31)		Received from R. W. Mettam, Entebbe, Uganda (31)
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3803	N 3803
		RML 113191
	<u>Rhipicephalus appendiculatus</u>	7 ♂, 2 ♀ <u>Rhipicephalus appendiculatus</u>
Lamb		Sheep
Kichwamba, Lake George		Kichwamba, Lake George (00.00, 30.12 E), Uganda
2,3,49, & 10.II.1932		2,3,4,9, & 10.II.1932
Received from R. W. Mettam, Entebbe, Uganda (46)		Received from R. W. Mettam, Entebbe, Uganda (46)
C. W. det.		
N	3804	N 3804
		RML 113192
	<u>Rhipicephalus appendiculatus</u>	6 ♂, 7 ♀, 61 N, 2 L <u>Rhipicephalus</u> <u>appendiculatus</u>
Goat		Goat
Kabak, Kigesi		Kabak, District of Kigezi (01.00 S, 29.45 E), Uganda
2,3,4,9, & 10.II.1932		2,3,4,9, & 10.II.1932
Received from R. W. Mettam, Entebbe, Uganda (52)		Received from R. W. Mettam, Entebbe, Uganda (52)
C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3805	N 3805
		RML 113193
	<u>Rhipicephalus appendiculatus</u>	7 ♂, 13 ♀, 12 N <u>Rhipicephalus appendiculatus</u>
	Sheep	Sheep
	Kabak, Kigesi	Kabak, District of Kigezi (01.00 S, 29.45 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (53)	Received from R. W. Mettam, Entebbe, Uganda (53)
	C. W. det.	
N	3806	N 3806
		RML 113194
	<u>Rhipicephalus appendiculatus</u>	111 ♂, 77 ♀, 137 N <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Kabak, Kigesi	Kabak, District of Kigezi (01.00 S, 39.45 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (54,56)	Received from R. W. Mettam, Entebbe, Uganda (54,56)
	C. W. det.	This collection also contained 2 ♂, 1 ♀ <u>Haematopinus quadripertitus</u> (Insecta: Anoplura).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3807	N 3807
		RML 113195
	<u>Rhipicephalus appendiculatus</u> good varia's	46 ♂, 72 ♀, 109 N <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Kabak, Kigesi	Kabak, District of Kigezi (01.00 S, 29.45 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (55)	Received from R. W. Mettam, Entebbe, Uganda (55)
	C. W. det.	
N	3808	N 3808
		RML 113296
	<u>Rhipicephalus appendiculatus</u>	75 ♂, 60 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Lake Bunyoni, Kigesi	Lake Bunyoni, District of Kigezi (01.00 S, 29.45 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (63)	Received from R. W. Mettam, Entebbe, Uganda (63)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3809	N 3809
		RML 113197
	<u>Rhipicephalus appendiculatus</u>	104 ♂, 54 ♀, 5 N <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Kabale in Toro	Kabale (00.28 N, 30.12 E), District of Kigizi, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (66)	Received from R. W. Mettam, Entebbe, Uganda (66)
	C. W. det.	
N	3810	N 3810
		RML 113198
	<u>Rhipicephalus appendiculatus</u>	20 ♂, 18 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Old Entebbe	Old Entebbe (00.03 N, 32.26 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (70,71)	Received from R. W. Mettam, Entebbe, Uganda (70,71)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3811	N 3811
		RML 113199
	<u>Amblyomma variegatum</u>	9 ♂, 7 ♀, 4 N <u>Amblyomma variegatum</u>
	Cattle	Cattle
	Old Entebbe	Old Entebbe (00.03 N, 32.26 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (70,71)	Received from R. W. Mettam, Entebbe, Uganda (70,71)
	C. W. det.	
N	3812	N 3812
		RML 113200
	<u>Rhipicephalus appendiculatus</u> (feeble)	5 ♂, 9 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Buruli	Either District of Buruli (01.20 N, 32.20 E) or (01.35 N, 31.50 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (98)	Received from R. W. Mettam, Entebbe, Uganda (98)
	C. W. det.	

ORIGINAL DETERMINATIONCURRENT STATUS

N 3813

N 3813

RML 113201

Rhipicephalus appendiculatus16 ♂, 19 ♀, 1 N Rhipicephalus appendiculatus

Cattle

Cattle

Old Entebbe

Old Entebbe (00.03 N, 32.26 E),
Uganda

2,3,4,9, & 10.II.1932

2,3,4,9, & 10.II.1932

Received from R. W. Mettam,
Entebbe, Uganda (71)Received from R. W. Mettam,
Entebbe, Uganda (71)

C. W. det.

N 3814

N 3814

RML 113202

Rhipicephalus appendiculatus6 ♂ Rhipicephalus appendiculatus

Cattle

Cattle

Buruli

Either District of Buruli (01.20 N,
32.20 E) or (01.35 N, 31.50 E),
Uganda

2,3,4,9, & 10.II.1932

2,3,4,9, & 10.II.1932

Received from R. W. Mettam,
Entebbe, Uganda (99)Received from R. W. Mettam,
Entebbe, Uganda (99)

C. W. det.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3815	N 3815
		RML 113203
	<u>Rhipicephalus evertsi</u>	2 ♂ <u>Rhipicephalus evertsi</u>
	Cattle	Cattle
	Buruli	Either District of Buruli (01.20 N, 32.20 E), or (01.35 N, 31.50 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (99)	Received from R. W. Mettam, Entebbe, Uganda (99)
	C. W. det.	Locality on vial label is Entebbe
N	3816	N 3816
		RML 113204
	<u>Amblyomma variegatum</u> adults, N's	5 ♂, 3 ♀, 5 N <u>Amblyomma variegatum</u>
	Cattle	Cattle
	Buruli	Either District of Buruli (01.20 N, 32.20 E), or (01.35 N, 32.50 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (00,100)	Received from R. W. Mettam, Entebbe, Uganda (99,100)
	C. W. det.	

ORIGINAL DETERMINATION

N 3817
 RML
Rhipicephalus evertsi
 Cattle
 Entebbe
 2,3,4,9, & 10.II.1932
 Received from R. W. Mettam,
 Entebbe, Uganda (117)
 C. W. det.

N 3818
 RML
Rhipicephalus appendiculatus
 Cattle
 Entebbe
 2,3,4,9, & 10.II.1932
 Received from R. W. Mettam,
 Entebbe, Uganda (117)
 C. W. det.

CURRENT STATUS

N 3817
 RML 113205
 2 ♂, 1 ♀ Rhipicephalus evertsi
 Cattle
 Entebbe (00.04 N, 32.28 E), Uganda
 2,3,4,9, & 10.II.1932

Received from R. W. Mettam,
 Entebbe, Uganda (117)

N 3818
 RML 113206
 16 ♂, 20 ♀, 6 ♀ Rhipicephalus
appendiculatus
 Cattle
 Entebbe (00.04 N, 32.28 E), Uganda
 2,3,4,9, & 10.II.1932
 Received from R. W. Mettam,
 Entebbe, Uganda (117)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3819	N	3819
		RML	113207
	<u>Rhipicephalus appendiculatus</u>		1 ♂, 5 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle		Cattle
	Sukulu, Tororo		Sukulu (00.39 N, 34.10 E), District of Tororo, Uganda
	2,3,4,9, & 10.II.1932		2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (118)		Received from R. W. Mettam, Entebbe, Uganda (118)
	C. W. det.		
N	3820	N	3820
		RML	113208
	<u>Amblyomma variegatum</u>		26 ♂, 7 ♀ <u>Amblyomma variegatum</u>
	Cattle		Cattle
	Sukulu, Tororo		Sukulu (00.39 N, 34.10 E), District of Tororo, Uganda
	2,3,4,9, & 10.II.1932		2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (118)		Received from R. W. Mettam, Entebbe, Uganda (118)
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3821	N 3821
		RML 113209
	<u>Amblyomma variegatum</u> N's	8 N <u>Amblyomma variegatum</u>
	Goat	Goat
	Sukulu, Tororo	Sukulu (00.39 N, 34.10 E), District of Tororo, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (120)	Received from R. W. Mettam, Entebbe, Uganda (120)
	C. W. det.	
N	3822	N 3822
		RML 113210
	<u>Amblyomma variegatum</u> ♂'s, ♀'s	50 ♂, 6 ♀ <u>Amblyomma variegatum</u> 2 ♂ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Lira Stock Farm, Lango	Lira Stock Farm, District of Lango (02.10 N, 33.00 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (124)	Received from R. W. Mettam, Entebbe, Uganda (124)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3823	N 3823
		RML 113211
	<u>Rhipicephalus appendiculatus</u>	20 ♂, 7 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Lira Stock Farm, Lango	Lira Stock Farm, District of Lango (10.10 N, 33.00 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (124,125)	Received from R. W. Mettam, Entebbe, Uganda (124,125)
	C. W. det.	
N	3824	N 3824
		RML 105786, 113212
	<u>Amblyomma variegatum</u> ♂'s, ♀'s	96 ♂, 11 ♀, 7 N <u>Amblyomma variegatum</u> 1 ♂ <u>Rhipicephalus appendiculatus</u>
	Lira Stock Farm, Lango	Lira Stock Farm, District of Lango
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (125)	Received from R. W. Mettam, Entebbe, Uganda (125)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3825	N 3825
		RML 113213
	<u>Rhipicephalus appendiculatus</u>	1 ♂, 7 ♀ <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Masindi, Bunyoro	Masindi (01.41 N, 31.43 E), District of Bunyoro, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (126)	Received from R. W. Mettam, Entebbe, Uganda (126)
	C. W. det.	
N	3826	N 3826
		RML 115883
	<u>Rhipicephalus appendiculatus</u>	5 ♂, 15 ♀ <u>Rhipicephalus appendiculatus</u>
	Sheep	Sheep
	Masindi, Bunyoro	Masindi (01.41 N, 31.43 E) District of Bunyoro, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (127)	Received from R. W. Mettam, Entebbe, Uganda (127)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3827	N 3827
		RML 113214
	<u>Amblyomma variegatum</u>	12 ♂, 13 ♀, 2 N <u>Amblyomma variegatum</u>
	Cattle	Cattle
	Masindi, Bunyoro	Masindi (01.41 N, 31.43 E), District of Bunyoro, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (126)	Received from R. W. Mettam, Entebbe, Uganda (126)
N	3828	N 3828
		RML 113215
	<u>Amblyomma variegatum</u>	87 ♂, 11 ♀ <u>Amblyomma variegatum</u>
	Cattle	Cattle
	Jinja, Busoga	Jinja (00.26 N, 33.12 E), District of Busoga, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.I.1932
	Received from R. W. Mettam, Entebbe, Uganda (130)	Received from R. W. Mettam, Entebbe, Uganda (130)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3829, a	N 3829, a
		RML 88410
(3829)	<u>Haemaphysalis parmata</u> ♂'s, ♀'s	(3829) 1♂, 4 ♀ <u>Haemaphysalis parmata</u>
(a)	<u>Ixodes rausus</u> 1 ♀, 1 N	(a) 1 ♀, 1 N <u>Ixodes cumulatimpunctatus</u>
Bushbuck		<u>Tragelaphus scriptus</u>
Kyagwe, Uganda		County of Kyagwe (00.25 N, 32.50 E), District of Buganda, Uganda
2,3,4,9, & 10.II.1932		2,3,4,9, & 10.II.1932
Received from R. W. Mettam, Entebbe, Uganda (142)		Received from R. W. Mettam, Entebbe, Uganda (142)
C. W. det.		(a) Cited: Arthur & Burrow (1957: 505) who stated that the collection contained 1 ♀, 10 N.
N	3830	N 3830
		RML 113216
	<u>Rhipicephalus appendiculatus</u>	204 ♂, 81 ♀ <u>Rhipicephalus</u> <u>appendiculatus</u>
Cattle		Cattle
Mpungwe, Koja		Mpungwe (00.27 N, 33.31 E), District of Busoga, Uganda
2,3,4,9, & 10.II.1932		2,3,4,9, & 10.II.1932
Received from R. W. Mettam, Entebbe, Uganda (83)		Received from R. W. Mettam, Entebbe, Uganda (83)
C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3831	N 3831
		RML 113217
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s, N's	7 ♂, 6 ♀, 1 N <u>Rhipicephalus appendiculatus</u>
	Calves, Halfbred	Calves, halfbred
	Luwafu, Koja	Luwafu, Koja, Uganda (locality not verified)
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (85)	Received from R. W. Mettam, Entebbe, Uganda (85)
	C. W. det.	
N	3832	N 3832
		RML 113218
	<u>Rhipicephalus appendiculatus</u>	169 ♂, 49 ♀, 1 N <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Mpungwe, Koja	Mpungwe (00.27 N, 33.31 E), District of Busoga, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (90)	Received from R. W. Mettam, Entebbe, Uganda (90)
	C. W. det.	

ORIGINAL DETERMINATION		CURRENT STATUS
N	3833	N 3833
		RML 113219
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	192 ♂, 46 ♀, 2 N <u>Rhipicephalus</u> <u>appendiculatus</u>
	Cattle	Cattle
	Mpungwe, Koja	Mpungwe (00.27 N, 33.31 E), District of Busoga, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (91)	Received from R. W. Mettam, Entebbe, Uganda (91)
	C. W. det.	
N	3834	N 3834
		RML 113220
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s, N's	144 ♂, 53 ♀ <u>Rhipicephalus</u> <u>appendiculatus</u>
	Cattle	Cattle
	Mpungwe, Koja	Mpungwe (00.27 N, 33.31 E), District of Busoga, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (92)	Received from R. W. Mettam, Entebbe, Uganda (92)
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3835	N 3835
		RML 113221
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s, N's	129 ♂, 59 ♀, 2 N <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Mpungwe, Koja	Mpungwe (00.27 N, 33.31 E), District of Busoga, Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (93,95)	Received from R. W. Mettam, Entebbe, Uganda (93,95)
	C. W. det.	
N	3836	N 3836
		RML 113222
	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s, N's	217 ♂, 141 ♀, 2 N <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Luwafu, Koja	Luwafu, Koja (00.10 N, 32.47 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (147,150)	Received from R. W. Mettam, Entebbe, Uganda (147,150)
	C. W. det.	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3837	N 3837
	RML 113223	
	<u>Rhipicephalus appendiculatus</u> ♂'s & ♀'s	8 ♂, 4 ♀ <u>Rhipicephalus</u> <u>appendiculatus</u>
	Cattle	Cattle
	Buruli & Jinja, Busoga, Uganda	Either County of Buruli (01.20 N, 32.20 E), or (01.35 N, 31.50 E) & Jinja (00.26 N, 33.12 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (100 ♂'s, ♀'s 130 1 ♀)	Received from R. W. Mettam, Entebbe, Uganda (100 ♂'s, ♀'s, 130 1 ♀)
N	3838	N 3838
	RML 113224	
	<u>Rhipicephalus appendiculatus</u> many N's few ♂'s & ♀'s	1 ♀, 155 N <u>Rhipicephalus</u> <u>appendiculatus</u>
	Cattle	Cattle
	Luwafu, Koja & Mpungwe, Koja	Luwafa, Koja (00.10 N, 32.47 E), and Mpungwe (00.27 N, 33.31 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (85 & 150 from Luwafu) (83,90,91,92,93,95 from Mpungwe)	Received from R. W. Mettam, Entebbe, Uganda (85 & 150 from Luwafu) (83,90,91,92,93,95 from Mpungwe)
	In all his No's the nymphs were found with adults which are preserved separately.	
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3839	N	3839
		RML	113225
<u>Amblyomma variegatum</u> ♂'s, ♀'s, N's		6 ♂, 2 ♀, 3 N <u>Amblyomma variegatum</u>	
Cattle		Cattle	
Mpungwe, Koja		Mpungwe (00.27 N, 33.31 E), Uganda	
2,3,4,9, & 10.II.1932		2,3,4,9, & 10.II.1932	
Received from R. W. Mettam, Entebbe, Uganda (83a)		Received from R. W. Mettam, Entebbe, Uganda (83a)	
C. W. det.			
N	3840	N	3840
		RML	113226
<u>Amblyomma variegatum</u> ♂'s, ♀'s, N's & L		5 ♂, 2 ♀, 33 N, 63 L <u>Amblyomma variegatum</u>	
Cattle & Waterbuck		Cattle & <u>Kobus ellipsiprymus</u>	
Cattle-Mbarara, Ankole, Mpungwe, Koja, Buruli; Waterbuck-Chambura River, Lake George (N's & L's only)		Cattle-Mbarara (00.37 S, 30.30 E), Mpungwe (00.27 N, 33.31 E) Buruli (01.20 N, 32.20 E) or (01.35 N, 31.50 E), Waterbuck-Chambura River (00.07 S, 30.04 E), Uganda	
2,3,4,9, & 10.II.1932		2,3,4,9, & 10.II.1932	
Received from R. W. Mettam, Entebbe, Uganda (4,91-93,95 cattle) (34 waterbuck)		Received from R. W. Mettam, Entebbe, Uganda (4,91-93,95 cattle) (34 waterbuck)	
C. W. det.			

ORIGINAL DETERMINATIONCURRENT STATUS

N 3841

N 3841

RML 113227

Amblyomma sp. prob. variegatum
N's & L's9 N, 18 L Amblyomma variegatum

Cattle

Cattle

Mpungwe, Koja and Luwafu, Koja

Mpungwe (00.27 N, 33.31 E), and
Luwafu (locality not verified),
Uganda

2,3,4,9, & 10.II.1932

2,3,4,9, & 10.II.1932

Received from R. W. Mettam,
Entebbe, Uganda (83,90,92 Mpungwe)
(85 & 150 Luwafu)Received from R. W. Mettam,
Entebbe, Uganda (83,90,92 Mpungwe)
(85 & 150 Luwafu)In lot 92 4 L's were found with
A. variegatum adults & N's.

C. W. det.

N 3842

N 3842 MISSING

Boophilus decoloratus ♂'s, ♀'s & N's

Cattle

Stock Farm, Mbarara, Koja; Lake
Bunyoni Kigesi; Old Entebbe;
Mpungwe, Koja; Lira Stock Farm,
Lango

2,3,4,9, & 10.II.1932

Received from R. W. Mettam,
Entebbe, Uganda (4 Mbarara);
(63 Lake Bunyoni); (71 Old Entebbe);
(90,91,93 Mpungwe); (124 Lango)

C. W. det.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3843	N 3843
		RML 113228
	<u>Rhipicephalus evertsi</u> ♂'s & ♀'s	6 ♂, 3 ♀ <u>Rhipicephalus evertsi</u>
	Cattle	Cattle
	Old Entebbe	Old Entebbe (00.03 N, 32.26 E), Uganda
	2,3,4,9, & 10.II.1932	2,3,4,9, & 10.II.1932
	Received from R. W. Mettam, Entebbe, Uganda (71)	Received from R. W. Mettam, Entebbe, Uganda (71)
	C. W. det.	
N	3844	N 3844 MISSING
	<u>Rhipicephalus appendiculatus</u>	
	N monstrosity	
	Cattle	
	Mpungwe, Koja	
	2,3,4,9, & 10.II.1932	
	Received from R. W. Mettam, Entebbe, Uganda (93)	
	C. W. det.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	3845	N	3845
		RML	113229
	<u>Rhipicephalus ayrei</u> 4 ♂, 2 ♀ CO-TYPES		4 ♂, 2 ♀ <u>Rhipicephalus compositus</u> Syntypes of <u>R. ayrei</u>
	Buffalo (abdomen)		<u>Syncerus caffer</u>
	Mount Kenya, Kenya Colony		Mount Kenya (00.10 S, 37.20 E), Kenya
	28.X.1930		28.X.1930
	E. A. Lewis, Vet Lab., Kabete (His No. 23) Donor		E. A. Lewis
	E.A.L. & C.W. det.		♀ vulva mounted on a slide
	See paper by Lewis, <u>Parasitology</u> vol. 25 p. 269, figs. (1933).		Lewis (1933: 269) original description. Cited: Santos Dias (1958: 473) who gave the total number of ticks in this collection as 3 ♂, 1 ♀.
	See also Report p. 129.		

No's 3846-3852 were sent 22.VII.1932 by Dr. Charles Searle, Maragua P.O. Nanyuki, Kenya Colony, stating he had 2 cases of typhus on a farm (Maragua) among Europeans. The ticks from dogs in close contact with the cases, sleeping in their beds. Some of the cattle healthy. 18 cases of typhus among Europeans with 1 death. Typhus apparently only in game district where all kind of game abound. Note some ticks rotten. rotten evertsi had black legs:-

N	3846	N	3846	MISSING
---	------	---	------	---------

Boophilus decoloratus ♂'s, ♀'s, N's

Cattle

Maragua, Kenya Colony

21-22.VII.1932

Dr. C. Searle coll. & gift
Lots 1 & 2 combined

C. W. det.

3846 given to D. S. MacLagan
14/10/38.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3847		N	3847	
			RML	113230	
	<u>Rhipicephalus evertsi</u> ♂'s, ♀'s, N's			16 ♂, 14 ♀, 6 N <u>Rhipicephalus evertsi</u>	
	Cattle			Cattle	
	Maragua, Kenya Colony			Maragua (00.47 S, 37.08 E), Kenya	
	21-22.VII.1932			21-22.VII.1932	
	Dr. C. Searle coll. & gift Lots 1,2,4 combined			Dr. C. Searle	
	C. W. det.				
N	3848		N	3848	
			RML	113231	
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s			10 ♂, 3 ♀ <u>Hyalomma truncatum</u>	
	Cattle			Cattle	
	Maragua, Kenya Colony			Maragua (00.47 S, 37.08 E), Kenya	
	21-22.VII.1932			21-22.VII.1932	
	Dr. C. Searle coll. & gift Lots 1 & 4 combined			Dr. C. Searle	
	C. W. det.				
N	3849		N	3849	
			RML	113232	
	<u>Boophilus australis</u> ♀'s			3 ♀, 1 N <u>Boophilus decoloratus</u>	
	Cattle			Cattle	
	Maragua, Kenya Colony			Maragua (00.47 S, 37.08 E), Kenya	
	1932			1932	
	Dr. C. Searle coll. & gift, Lot 4			Dr. C. Searle	
	C. W. det.				

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3850	N	3850
		RML	113233
	<u>Rhipicephalus pulchellus</u> 2 ♂'s		2 ♂ <u>Rhipicephalus pulchellus</u>
	Man (2 men) (the smaller from Lord "K", the larger from man with typhus)		<u>Homo sapiens</u>
	Maragua, Kenya Colony		Maragua (00.47 S, 37.08 E), Kenya
	1932		1932
	Dr. C. Searle coll. & gift Lots 3 & 5 combined		Dr. C. Searle
	C. W. det.		
N	3851	N	3851
		RML	113234
	<u>Haemaphysalis leachi</u> 7 ♀'s		7 ♀ <u>Haemaphysalis leachi</u>
	Dog		Dog
	Maragua, Kenya Colony		Maragua (00.47 S, 37.08 E), Kenya
	1932		1932
	Dr. C. Searle coll. & gift, Lot 6		Dr. C. Searle
	C. W. det.		
N	3852	N	3852
		RML	105659
	<u>Rhipicephalus simus</u> or <u>falcatus</u> 1 ♀		1 ♀ <u>Rhipicephalus hurti</u>
	Dog		Dog
	Maragua, Kenya Colony		Maragua (00.47 S, 37.08 E), Kenya
	1932		1932
	Dr. C. Searle coll. & gift, Lot 6		Dr. C. Searle
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3853	N	3853
		RML	113235
	<u>Amblyomma nuttalli</u> 3 ♂'s, 1 ♀, larvae		3 ♂, 1 ♀ <u>Amblyomma nuttalli</u>
	<u>Varanus albicularis</u> (general on body)		<u>Varanus exanthematicus</u>
	Sokoke Forest, Kenya		Sokoke Forest (03.29 S, 39.50 E), Kenya
	4.VII.1932		4.VII.1932
	E. A. Lewis donor (40)		E. A. Lewis
	E.A.L. & C.W. det.		Theiler & Salisbury (1959: 115) incorrectly gave this collection Nuttall number 3953.
			Some eggs and 1 larva raised from the 1 ♀ are in a separate vial.
N	3854	N	3854
		RML	113236
	<u>Rhipicephalus maculatus</u> 7 ♂'s, 7 ♀'s		7 ♂, 6 ♀ <u>Rhipicephalus maculatus</u>
	<u>Elephas africanus</u> (anus)		<u>Loxodonta africana</u>
	Tana River, Kenya		Tana River (02.32 S, 40.31 E), Kenya
	14.VI.1932		14.VI.1932
	E. A. Lewis donor (41)		E. A. Lewis
	E.A.L. & C.W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3855, a	N	3855
	(3855) <u>Ornithodoros franchini</u> ♀	RML	113237
	(a) <u>Ornithodoros franchini</u> Larvae		1 ♀, 25 L <u>Ornithodoros foleyi</u>
	Found on ground		Found on ground
	Kiefur, Cyrenaica		Kiefur, Cyrenaica (31.00 N, 22.30 E), Libya
	Sent 26.IX.1932		Sent 26.IX.1932
	Dr. Floris		Dr. Floris
	Sent by Prof. Franchini.		
N	3856	N	3856
	<u>Dermacentor rhinocerotis</u> var. <u>permaculatus</u> 1 ♂	RML	113238
	Black rhinoceros		1 ♂ <u>Dermacentor rhinocerinus</u>
	North Rhodesia		<u>Diceros bicornis</u>
	Rec'd 6.VII.1932		Zambia
	H. S. Purchase.		Rec'd 6.VII.1932
			H. S. Purchase.
N	3857	N	3857
	<u>Ixodes acutitarsus</u> ♂, ♀	RML	113239
	Man (biting)		1 ♂, 1 ♀ <u>Ixodes acutitarsus</u>
	Darjeeling, Himalayas		<u>Homo sapiens</u>
	13.XI.1925		Darjeeling (27.02 N, 88.16 E), India
	Ex. Calcutta Museum No. 3132 Arthropod Section		13.XI.1925
			Ex. Calcutta Museum No. 3132 Arthropod Section
			Cited: Hoogstraal (1970c: 80)

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3858	N	3858
		RML	113240
	<u>Ixodes hexagonus</u> ♀'s		6 ♀ <u>Ixodes hexagonus</u>
	Dog		Dog
	Cambridge		Cambridge (52.13 N, 00.08 E), England
	V.1932		V.1932
	Dr. Boyes		
	C. W. det.		
N	3859	N	3859
		RML	105682
	<u>Amblyomma testudinarium</u> ♂'s, ♀'s		35 ♂, 17 ♀ <u>Amblyomma testudinarium</u> 1 ♀ <u>Dermacentor auratus</u> group
	Sambar, <u>Cervus aristotelis</u>		<u>Cervus unicolor</u>
	Dhumpara, Res. Forest, India		Dhumpara, Res. Forest, India (locality not verified)
	V.1926		V.1926
	E. Duars, Sent by C. Strickland his No. 1A		E. Duars
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3860	N	3860
		RML	113241
	<u>Dermacentor auratus</u> ♂'s, ♀'s		50 ♂, 22 ♀ <u>Dermacentor auratus</u> group
	<u>Cervus aristotelis</u>		<u>Cervus unicolor</u>
	Dhumpara, Res. Forest, India		Dhumpara, Res. Forest, India (locality not verified)
V.	1926	V.	1926
	E. Duars. Sent by C. Strickland his No. 1 tube		E. Duars
	C. W. det.		
N	3861	N	3861
		RML	113242
	<u>Amblyomma testudinis</u> 1 ♂		1 ♂ <u>Amblyomma testudinis</u>
	Tortoise		Tortoise
	Jujuy, Argentina		Probably Provincia de Jujuy (23.00 S, 66.00 W), Argentina
	Rec'd. 25.VI.1932		Rec'd 25.VI.1932
	A. Mazza		A. Mazza
	Rec'd from Prof. G. Franchini.		
N	3862	N	3862
		RML	113243
	<u>Ixodes percavatus</u> 3 ♀'s		2 ♀ <u>Ixodes auritulus zelandicus</u>
	Dove Petrel		Probably <u>Pachyptila desolata</u>
	Stephens Island		Stephens Island (40.40 S, 174.00 E), New Zealand
I.	1922	I.	1922
	R. J. Tillyard coll. & sender		R. J. Tillyard coll. & sender
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3863	N	3863
		RML	113244
	<u>Ixodes</u>		2 ♂, 1 ♀, 1 N <u>Ixodes anatis</u>
	<u>Kiwi, Apteryx</u>		<u>Apteryx australis mantelli</u>
	Wallaceville, New Zealand		Wallaceville (41.08 S, 175.03 E), New Zealand
	Rec'd. 17.III.1921		Rec'd. 17.III.1921
	Rec'd. from H. A. Reid		Rec'd. from H. A. Reid
	C. W. det.		
	Maskell's <u>aptericola?</u> 3 ♂, 1 ♀, 1 N.		
N	3864	N	3864
		RML	88309
	<u>Aponomma</u> 3 ♂, 1 ♀, 6 N, 2 L		2 ♂, 1 ♀, 6 N, 2 L <u>Aponomma sphenodonti</u>
	<u>Sphenodon punctata</u> (Tuatara lizard)		<u>Sphenodon punctatus</u>
	Stephens Island, New Zealand		Stephens Island (40.40 S, 174.00 E), New Zealand
	22.I.1922		22.I.1922
	R. J. Tillyard		R. J. Tillyard
	C. W. det.		These specimens are part of the same collection of ticks from which Dumbleton (1944: 186B) described <u>Aponomma sphenodonti</u> .
			An additional 1 ♂, 1 N <u>Aponomma sphenodonti</u> are in the collection of Dr. Harry Hoogstraal NAMRU-3 Cairo.

ORIGINAL DETERMINATIONCURRENT STATUS

N	3865	N	3865
		RML	66157
	<u>Ornithodoros peringueyi</u>		1 ♂, 2 ♀ <u>Ornithodoros peringueyi</u>
	<u>Petrochelidon spilodera</u> S. African Cliff Swallow		<u>Hirundo spilodera</u>
	Onderstepoort nr. Pretoria, S. Africa		Onderstepoort (25.39 S, 28.11 E), Republic of South Africa
	31.VIII.1931		31.VIII.1931
	G.A.H. Bedford. Sent 1.IX.1931		G.A.H. Bedford. Sent 1.IX.1931
	3865 See also 3795 both numbers <u>not co-types</u> , but gift from Bedford (Onderstepoort).		
N	3866	N	3866
		RML	113246
	<u>Haemaphysalis cooleyi</u> 3 ♂		3 ♂ <u>Haemaphysalis cooleyi</u>
	<u>Procavia capensis coombsi</u>		<u>Procavia capensis</u>
	Onderstepoort nr. Pretoria, S. Africa		Onderstepoort (25.39 S, 28.11 E), Republic of South Africa
	5.VI.1931		5.VI.1931
	G.A.H. Bedford. Sent 1.IX.1931		G.A.H. Bedford. Sent 1.IX.1931
	Bedford det.		
	3866 <u>Haem. cooleyi</u> Bedford, see Ann. Rep. Dir. Veter. Services, Onderstepoort, S. Africa, 1929. This species described on p. 494, pl II, figs. 3A & D. All figs. bad. See paper by Warburton dis- cussing this sp. in <u>Parasitology</u> .		These are the specimens upon which Warburton (1933: 566) based his redescription of the ♂. Cited: Hoogstraal (1956b:164). <u>Chelicerae mounted on a slide.</u>

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3867	N	3867
		RML	113247
	<u>Rhipicephalus punctatus</u> 3 ♂ CO-TYPE		3 ♂ <u>Rhipicephalus distinctus</u>
	<u>Procavia capensis coombsi</u>		<u>Procavia capensis</u>
	Onderstepoort nr. Pretoria, S. Africa		Onderstepoort (25.39 S, 28.11 E), Republic of South Africa
	5.VI.1931		5.VI.1931
	G.A.H. Bedford		G.A.H. Bedford
	<u>Rhip. punctatus</u> Bedford 1929 Same ref. as 3866, p. 495, pl. III, figs, 4B & D, & 5B. See ms. note by Warburton in correspondence re Bedford 1.IX.1931.		With a collection date of 5.VI.1931, these do not appear to be types.
N	3868	N	3868
		RML	113248
	<u>Haemaphysalis spinulosa</u> 2 ♂ Warthog		1 ♂ <u>Haemaphysalis spinulosa</u> <u>Phacochoerus aethiopicus</u>
	Lake Naivasha, Kenya Colony		Lake Naivasha (00.46 S, 36.21 E), Kenya
	II.1931		II.1931
	G.A.H. Bedford Sent 1.IX.1931.		G.A.H. Bedford Sent 1.IX.1931. Cited & figured: Hoogstraal (1964b:788).

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3869	N	3869
		RML	113249
	<u>Rhipicephalus</u> sp.?		3 ♂, 1 ♀, 4 N <u>Rhipicephalus muehleni</u>
	<u>Nyala</u> <u>angasi</u>		<u>Tragelaphus</u> <u>angasi</u>
	False Bay, Zululand		False Bay (27.59 S, 32.23 E), Zululand, Republic of South Africa
	4.II.1930		4.II.1930
	G.A.H. Bedford Sent 1.IX.1931		G.A.H. Bedford Sent 1.IX.1931
N	3870	N	3870
		RML	113250
	<u>Rhipicephalus</u> <u>theileri</u> 1 ♂ CO-TYPE		1 ♂ <u>Rhipicephalus</u> <u>theileri</u>
	<u>Atelerix</u> <u>frontalis</u>		<u>Erinaceus</u> <u>frontalis</u>
	Petrusburg O.F.S.		Petrusburg (29.07 S, 25.25 E), Orange Free State, Republic of South Africa
	1931		1931
	G.A.H. Bedford. Sent 1.IX.1931		G.A.H. Bedford. Sent 1.IX.1931
	Bedford det.		This is not a type specimen.
N	3871	N	3871
		RML	113251
	<u>Aponomma</u> <u>laeve</u> 2 ♂, 2 ♀		1 ♂, 1 ♀ <u>Aponomma</u> <u>latum</u>
	<u>Dendraspis</u> <u>angusticeps</u>		<u>Dendroaspis</u> <u>angusticeps</u>
	Pretoria Zoo		Zoological Park, Pretoria (25.45 S, 28.10 E), Republic of South Africa
	25.VII.1931		25.VII.1931
	G.A.H. Bedford. Sent 1.IX.1931		G.A.H. Bedford. Sent 1.IX.1931
	C. W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3872	N	3872
		RML	113252
	<u>Ixodes petauristae</u> 1 ♀		1 ♀ <u>Ixodes petauristae</u> Holotype
	<u>Petaurista phillipensis</u> (Sciuridae)		<u>Petaurista petaurista</u>
	C. P. Ceylon (Mousa Kande, Gommaduwa)		Mousakande (07.34 N, 80.43 E), Sri Lanka
	Rec'd V.1930		Rec'd V.1930
	? "(W. W. Phillips)" From Tring Museum, Herts per Mr. J. J. Cox		? "(W. W. Phillips)" From Tring Museum, Herts per Mr. J. J. Cox
	C. W. det.		Warburton (1933: 558), original description.
N	3873	N	3873
		RML	113253
	<u>Ixodes ampullaceus</u> 1 ♀		1 ♀ <u>Ixodes ugandanus</u> Lectotype of <u>I. ampullaceus</u> .
	<u>Cricetomys ganibicus</u> (edible rat)		<u>Cricetomys gamianus</u>
	Ankole, Uganda		Kingdom of Ankole (00.30 S, 30.30 E), Uganda
	Sent us 11.III.1931		Sent us 11.III.1931
	Rupert L. L. Hart		Rupert L. L. Hart
	C. W. det.		Warburton (1933: 559) original description of <u>I. ampullaceus</u> . Lectotype designated: Keirans & Brewster (1981: 164).

ORIGINAL DETERMINATIONCURRENT STATUS

N 3874

N 3874

RML 113254

Dermacentor imitans 12 ♂, 1 ♀
TYPES10 ♂, 1 ♀ *Dermacentor imitans*
Lectotype and paralectotypes*Pecari angulatus* (peccary)*Tayassu tajacu*

Turrialba, Costa Rica

Turrialba (09.54 N, 83.41 W),
Costa Rica

1.VIII.1927

1.VIII.1927

W. J. Hamilton Junr.
Gift of Prof. R. Matheson,
Cornell Univ.

W. J. Hamilton, Jr.

Warburton (1933: 559), original
description. Cited: Arthur (1960:
97). Lectotype designated: Keirans
& Brewster (1981: 158).

N 3875

N 3875

RML 113255

Aponomma draconis 3 ♂, 6 ♀
TYPES3 ♂, 6 ♀ *Aponomma komodoense*
Lectotype and paralectotypes of
*A. draconis**Varanus komodoensis**Varanus komodoensis*Komodo Isl., Flores, Dutch E. Indies
but for some years at Zool. Soc.
Gdns., LondonKomodo Island (08.36 S, 119.30 E),
Indonesia but for some years in the
Zoological Gardens, London, England.

Sent us IV.1931

Sent us IV.1931

Dr. P. A. Buxton

Dr. P. A. Buxton

C. W. det.

Warburton (1933: 564) original
description. Lectotype designated:
Keirans & Brewster (1981: 158).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3876	N 3876 MISSING
	<u>Haemaphysalis</u> sp. 1 N dent. 2/2	
	<u>Paradoxurus hermaphroditus</u> Subsp.	
	Sungei Buloh, Selangor	
	1.V.1930	
	Mr. B.A.R. Gater "1073"	
	C. W. det. 20.I.1931.	
N	3877	N 3877
		RML 113256
	<u>Haemaphysalis</u> sp. 3 ♂	3 ♂ <u>Haemaphysalis traguli</u>
	<u>Tragulus kanchil fulviventer</u>	<u>Tragulus javanicus</u>
	Sungei Buloh, Selangor	Kampong Sungai Buloh (03.15 N, 101.18 E), Selangor, Malaysia
	3.V.1930	
	Mr. B.A.R. Gater "1080"	
	C. W. det. 20.I.1931.	
N	3878	N 3878 MISSING
	<u>Haemaphysalis</u> sp. 1 ♂, 1 ♀	
	<u>Tragulus kanchil fulviventer</u>	
	Sungei Buloh, Selangor	
	26.III.1930	
	Mr. B.A.R. Gater "1014"	
	C. W. det. 20.I.1931.	

ORIGINAL DETERMINATIONCURRENT STATUS

N	3879	N	3879
		RML	113257
	<u>Rhipicephalus maculatus</u> 5 ♂, 4 ♀		5 ♂, 4 ♀ <u>Rhipicephalus maculatus</u>
	Elephant (general)		<u>Loxodonta africana</u>
	Tana River, Kenya Colony		Tana River (02.32 S, 40.31 E), Kenya
	8.V.1932		8.V.1932
	C. Oulton (on 22.VII.1932 rec'd from Lewis "No. 39")		C. Oulton
	C. W. det.		
	*N.B. fine coloration!		
N	3880	N	3880
		RML	22291, RML 71456
	<u>Haemaphysalis aculeata</u> 4 ♂, 1 ♀, 1 N		4 ♂, 1 ♀ <u>Haemaphysalis aculeata</u>
	Off own person		<u>Homo sapiens</u>
	Bangalore, E. India		Bangalore (12.59 N, 77.35 E), India
	3.II.1926		3.II.1926
	C. Strickland 3218 Calcutta Sch. of Trop. Med. He wrote 29.III.1926		C. Strickland
	C. W. det.		Three slides of dissections ♂ hypostome ♂ spiracular plate ♂ legs I & IV.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3881		N	3881	
			RML	105660	
	<u>Rhipicephalus kochi</u> 2 ♂ (very small)			1 ♂ <u>Rhipicephalus muehleni</u> 3 ♂ <u>Rhipicephalus sanguineus</u>	
	Hare (on ear)			Hare	
	Sangole, Kenya Colony			Songole (01.30 S, 40.36 E), Kenya	
	12.II.1931			12.II.1931	
	E. A. Lewis 14			E. A. Lewis 14	
	C. W. det.				
N	3882		N	3882	
			RML	113258	
	<u>Rhipicephalus kochi</u> 13 ♂, 2 ♀			10 ♂, 1 ♀ <u>Rhipicephalus jeannelli</u> 1 ♀ <u>Rhipicephalus hurti</u>	
	Cattle (tail)			Cattle	
	Loilokitok, Kenya Colony (Southern Masai Preserve, foot of Mt. Kilimanjaro)			Oloitokitok (02.56 S, 37.30 E), Kenya	
	8.II.1932			8.II.1932	
	E. A. Lewis 31			E. A. Lewis 31	
	C. W. det.				
N	3883		N	3883	
			RML	113259	
	<u>Rhipicephalus kochi</u> 9 ♂, 12 ♀			9 ♂, 12 ♀ <u>Rhipicephalus hurti</u>	
	Cattle (on bush of tail)			Cattle	
	Loilokitok, Kenya Colony			Oloitokitok (02.56 S, 37.30 E), Kenya	
	8.II.1932			8.II.1932	
	E. A. Lewis 32			E. A. Lewis 32	
	C. W. det.				

ORIGINAL DETERMINATIONCURRENT STATUS

N 3884

N 3884

RML 113260

Hyalomma aegyptium impressum
2 ♂, 10 ♀2 ♂, 9 ♀ Hyalomma truncatum

Cattle (on groin)

Cattle

Lake Magadi, Kenya Colony

Lake Magadi (01.52 S, 36.17 E), Kenya

24.II.1932

24.II.1932

E. A. Lewis 33

E. A. Lewis 33

C. W. det.

N 3885

N 3885 MISSING

Rhipicephalus kochi 1 ♂, 4 ♀
(not characteristic)

Cattle (on udder)

Loitokitok, Kenya Colony

8.II.1932

E. A. Lewis 34

C. W. det.

N 3886

N 3886

RML 66624

Hyalomma aegyptium impressum 5 ♂, 3 ♀6 ♂, 2 ♀ Hyalomma rufipes

Cattle (abdomen)

Cattle

Lamongo, Kenya Colony

Lamongo, Masai Reserve, Kenya
(locality not verified)

4.II.1932

4.II.1932

E. A. Lewis 35

E. A. Lewis 35

C. W. det.

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3887		N	3887	
			RML	113261	
	<u>Hyalomma aegyptium impressum</u>	5 ♂, 2 ♀		5 ♂, 2 ♀	<u>Hyalomma truncatum</u>
	Cattle (groin)			Cattle	
	Merueshi, Kenya Colony			Merueshi (02.22 S, 37.33 E), Kenya	
	15.II.1932			15.II.1932	
	E. A. Lewis 36			E. A. Lewis 36	
	C. W. det.			1 ♂ with white parma.	
N	3888		N	3888	
			RML	113262	
	<u>Amblyomma lepidum</u>	1 ♂		1 ♂	<u>Amblyomma lepidum</u>
	Goats (native) on abdomen			Goats	
	Kacheliba, Suk, Kenya Colony			Kuchelabai (01.29 N, 35.01 E), Kenya	
	9.V.1932			9.V.1932	
	E. A. Lewis 38			E. A. Lewis 38	
	C. W. det.				
N	3889		N	3889	
			RML	113263	
	<u>Rhipicephalus sanguineus</u>	4 ♂		4 ♂	<u>Rhipicephalus sanguineus</u>
	<u>Neotis cafra</u> (crown of head)			<u>Neotis cafra</u>	
	Kajiado Plains, Kenya Colony			Kajiado District (02.00 S, 36.45E), Kenya	
	12.VII.1932			12.VII.1932	
	E. A. Lewis 42			E. A. Lewis 42	
	C. W. det.				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3890	N	3890
		RML	97544
	<u>Ornithodoros franchini</u> 4		1 ♀ <u>Ornithodoros foleyi</u>
	Bengasi, Cirenaica, N. Africa		Bengasi (32.07 N, 20.04 E), Libya
	Sent 11.VI.1930		Sent 11.VI.1930
	Sent by Prof. G. Franchini (Modena)		Sent by Prof. G. Franchini (Modena)
	See Warburton (1932) <u>Parasitology</u> vol. 24 No. 4 P.... Franchini wrote that this tick causes "tick bite fever" in Cirenaica & probably lives on small rodents in grottoes along- side rivulets. Tonelli - Rondelli types come [from] a hole, Oasis of Gadames, Tripolitania.		An additional ♀ <u>O. foleyi</u> is in the collection of Dr. H. Hoogstraal, NAMRU-3, Cairo
	(3891) <u>Ixodes pilosus</u> 1 ♂, 1 ♀		Cited: Warburton (1933: 565); Hoogstraal & Kaiser (1960: 446)
	(a) <u>Rhipicephalus oculatus</u> 4 ♂'s 1 ♀		
N	3891, a	N	3891a
		RML	113264
	<u>Oreotragus</u> ♀		<u>Oreotragus oreotragus</u>
	Ishingiro Hill, Ishingiro County Ankole, Uganda 5100 ft.		Ishingiro Hill, District of Ishingiro (00.50 S, 30.55 E), Ankole, Uganda (1554m)
	28.XI.1931		28.XI.1931
	Rec'd from W. F. Poulton; Director Vet. Services, P.O. Box 141 Kampala, Uganda 9.I.1932		Rec'd from W. F. Poulton; Director Vet. Services, P.O. Box 141 Kampala, Uganda 9.I.1932
	C. Warburton det.		♀ vulva removed and mounted on a slide.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3892	N	3892
		RML	113265
	<u>Rhipicephalus appendiculatus</u> 6 ♂, 5 ♀ (small)		7 ♂, 2 ♀, 2 N <u>Rhipicephalus appendiculatus</u>
	<u>Oreotragus</u> ♂		<u>Oreotragus oreotragus</u> ♂
	Shot at Ishingiro		County of Ishingiro (00.50 S, 30.55), District of Ankole, Uganda (1585 m)
	2.XII.1931		2.XII.1931
	Rec'd from W. F. Poulton 2. Director, Vet. Services, P.O. Box 141, Kampala, Uganda 9.I.1932		Rec'd from W. F. Poulton 2. Director, Vet. Services, P.O. Box 141, Kampala, Uganda 9.I.1932
	C. Warburton det.		
N	3893, a, b	N	3893, a, b
		RML	105661
	(3893) <u>Amblyomma variegatum</u> 1 ♂ (a) <u>Rhipicephalus simus</u> ♂, ♀ (many)		(3893) 1 ♂ <u>Amblyomma variegatum</u> (a) 22 ♂, 22 ♀ <u>Rhipicephalus simus</u> (a) 3 ♂ <u>Rhipicephalus hurti/jeannelli</u> group
	(b) <u>Haemaphysalis parmata</u> 1 ♂, 6 ♀, 1 N		(b) 6 ♀, 1 N <u>Haemaphysalis parmata</u>
	Buffalo ♂		<u>Syncerus caffer</u> ♂
	Shot N. Masha Plains, Ishingiro County, Ankole Uganda 4,600 ft.		Perhaps Masha Game Reserve (00.39 S, 30.48 E), County of Ishingiro, District of Ankole, Uganda (1402 m)
	30.XI.1931		30.XI.1931
	Rec'd from W. F. Poulton 3.		Rec'd from W. F. Poulton 3.
	C. W. det.		

ORIGINAL DETERMINATIONCURRENT STATUS

N 3894, a

N 3894, a

RML 113266

(3894) Rhipicephalus appendiculatus
 σ' 's, φ 's (feeblely developed)
 (a) Ixodes pilosus 1 σ , 1 φ

Oreotragus σ Shot at Ishingiro Hill, Ishingiro
Co., Uganda 5200 ft.

2.XII.1931

Rec'd from W. F. Poulton 4.

C. W. det. (3894)

G.H.F.N. det. (3894a)

Oreotragus = "Klipspringer"
 5 tubes of ticks from 3 of these
 antelopes were rec'd no indic.
 as to which is which 2 tubes of
 28.XI. at 5100 ft. 3 tubes of
 2.XII. at 5200 ft.

G.H.F.N.

(3894) 5 σ , 4 φ Rhipicephalus
appendiculatus
 (a) 1 σ , 1 φ Ixodes cavipalpus

Oreotragus oreotragus σ Ishingiro Hill, County of
Ishingiro (00.50 S, 30.55 E),
District of Ankole, Uganda (1585 m)

2.XII.1931

Rec'd from W. F. Poulton 4.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3895	N	3895
		RML	113267
(3895) <u>Ixodes pilosus</u> 2 ♂, 4 ♀ (a) <u>Rhipicephalus pravus</u> ♂'s, ♀'s		(3895) 2 ♂, 4 ♀ <u>Ixodes cavipalpus</u> (a) 21 ♂, 13 ♀ <u>Rhipicephalus punctatus</u>	
<u>Oreotragus</u> ♂		<u>Oreotragus oreotragus</u> ♂	
Shot at Ishingiro Hill, Ishingiro Co., Uganda 5200 ft.		Ishingiro Hill, District of Ishingiro (00.50 S, 30.55 E), Ankole, Uganda (1585 m)	
2.XII.1931		2.XII.1931	
Rec'd from W. F. Poulton 5.		Rec'd from W. F. Poulton 5.	
C. W. det.		Cited: Walker (1956: 250)	
3895a. <u>Rh. pravus</u> Dönitz 1910 differs from <u>Rh. oculatus</u> Nn. 1901 (a beady eyed sp.) in having an ordinary eye, whence the name " <u>pravus</u> ", the eye being "not right" writes Dönitz. Fide C.W. seem to be intermediate between <u>appendiculatus</u> and <u>oculatus</u> , eyes not beady, but anal plates broad.			
N	3896	N	3896
		RML	113268
<u>Rhipicephalus simus</u> 2 ♂, 3 ♀		2 ♂, 3 ♀ <u>Rhipicephalus simus</u>	
Wart Hog ♂		<u>Phacochoerus aethiopicus</u> ♂	
Lugeye Valley-Ishingiro Co., Ankole, Uganda 4300 Ft.		Lugeye Valley, District of Ishingiro (00.50 S, 30.55 E), Ankole, Uganda (1311 m)	
28.XI.1931		28.XI.1931	
Rec'd from W.F. Poulton 6.		Rec'd from W.F. Poulton 6.	
C.W. det.			

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3897, a	N 3897
		RML 113269
(3897)	<u>Rhipicephalus appendiculatus</u> ♂'s, ♀'s	(3897) 7 ♂, 9 ♀ <u>Rhipicephalus appendiculatus</u>
(a)	<u>Ixodes pilosus</u> 2 ♀	(a) MISSING
	<u>Oreotragus</u> ♀	<u>Oreotragus oreotragus</u> ♀
	Ishingiro Hill, Ishingiro Co., Ankole, Uganda 5100 ft.	Ishingiro Hill, County of Ishingiro (00.50 S, 30.55 E), District of Ankole, Uganda (1554 m)
	28.XI.1931	28.XI.1931
	Rec'd from W. F. Poulton 7.	Rec'd from W. F. Poulton 7.
	C. W. Det.	
	2891-97 reply 20.I.1932 by air mail.	
N	3898	N 3898
		RML 113270
	<u>Amblyomma cajennense</u> 3 ♂, 2 ♀	3 ♂, 2 ♀ <u>Amblyomma oblongoguttatum</u>
	<u>Crax panamensis</u> (wild turkey)	<u>Crax rubra</u>
	Shot near Alhajuela, Panama Republic	Alhajuela (09.11 N, 79.38 W), Panama
	Sent to me 23.VIII.1921	Sent to me 23.VIII.1921
	L. H. Dunn 336	L. H. Dunn 336
	C. W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N 3899		N 3899
		RML 113271
<u>Amblyomma parvum</u> 2 ♂, 1 ♀, 5 N		1 ♂, 2 ♀, 5 N <u>Amblyomma parvum</u>
<u>Sigmodon hispidus chiriquensis</u> (the cotton rat)		<u>Sigmodon hispidus chiriquensis</u>
Balboa, Panama Canal Zone		Balboa (08.57 N, 79.34 W), Panama
Sent to me 23.VIII.1921		Sent to me 23.VIII.1921
L. H. Dunn 371		L. H. Dunn 371
(Caught host in grass)		
2 spp? L.E.R. det.		
N 3900, a		N 3900, a
		RML 113272
(1900) <u>Amblyomma geayi</u> 6 ♂, 1 ♀		(1900) 5 ♂, 1 ♀ <u>Amblyomma geayi</u>
(a) <u>Amblyomma varium</u> 1 ♂		(a) 1 ♂ <u>Amblyomma varium</u>
<u>Bradypus griseus griseus</u> (3-toed sloth)		<u>Bradypus infuscatus griseus</u>
Balboa, Panama Canal Zone		Balboa (08.57 N, 79.34 W), Panama
Sent to me 23.VIII.1921		Sent to me 23.VIII.1921
L. H. Dunn 380-2		L. H. Dunn 380-2
3900 eyes distinct, long palps		
3900a eyes obscure, short palps		
G.H.F.N.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3901	N	3901
		RML	113273
	<u>Ornithodoros talaje</u> 13 diff. stages		4 ♂, 6 ♀, 1 N <u>Ornithodoros talaje</u>
	From bamboo bed in native hut		From bamboo bed in native hut
	Doubtless Panama Canal Zone		Doubtless Panama
	Sent to me 23.VIII.1921		Sent to me 23.VIII.1921
	L. H. Dunn 385		L. H. Dunn 385
	C. W. det.		
N	3902, a	N	3902, a
		RML	113274
	(3902) <u>Ixodes ricinus</u> var. <u>scapularis</u> 1 ♀		(3902) 1 ♀ <u>Ixodes affinis</u>
	(a) <u>Amblyomma parvum</u> 1 ♂, 1 N (very small)		(a) 1 ♂, 1 N <u>Amblyomma parvum</u>
	<u>Felis pardalis mearnsi</u> (ocelot)		<u>Felis pardalis mearnsi</u>
	Host killed near La Cabima, Panama Republic		La Cabima (09.08 N, 79.32 W), Panama
	Sent me on 23.VIII.1921		Sent me on 23.VIII.1921
	L. H. Dunn 395		L. H. Dunn 395
	C. W. det.		
N	3903	N	3903
		RML	113275
	<u>Amblyomma parvum</u> ♂, ♀, 1 N		75 ♂, 11 ♀, 1 N <u>Amblyomma parvum</u> 1 ♂ <u>Haemaphysalis juxtakochi</u>
	Goat (young)		Goat
	Host wandering on Ancon Hill, Ancon, Panama Canal Zone		Ancon Hill (08.57 N, 79.33 W), Panama
	Sent me 23.VIII.1921		Sent me 23.VIII.1921
	L. H. Dunn 404		L. H. Dunn 404
	N. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3904	N	3904
		RML	113276
	<u>Amblyomma personatum</u> ~ ♂, 6 ♀		31 ♂, 6 ♀ <u>Amblyomma personatum</u>
	Rhinoceros		<u>Diceros bicornis</u>
	N'Gobit River, Kenya Colony		Ngobit River (01.17 N, 36.47 E), Kenya. This is an intermittent stream. There is also a stream named Ngobit, Engare at (00.02 S, 36.54 E).
	XII.1927		XII.1927
	R. Daubney donor		R. Daubney donor
	C. W. det.		
	Some few <u>Rhipicephalus simus</u> and <u>Hyalomma aegyptium</u> , taken with this lot were thrown away by C. W. XII.1932. G.H.F.N.		
N	3905	N	3905
		RML	113277
	<u>Boophilus australis</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Boophilus microplus</u>
	Cow		Cow
	Lachung (Sikkim) ca 7000 ft.		Lachung (27.42 N, 88.45 E), Sikkim, India (ca 2134 m)
	Received 5.XII.1932		Received 5.XII.1932
	C. Strickland Calcutta, India (His No. 6785)		C. Strickland
	C. W. det.		
	3905. Picked from many specimens.		

ORIGINAL DETERMINATIONCURRENT STATUS

N	3906	N	3906
		RML	113278
	<u>Ixodes nairobiensis</u> 1 ♀		1 ♀ <u>Ixodes auriculaelongae</u> Holotype
	On a mouse "Serere No. 9"		Mouse
	Morogoro, Tanganyika		Morogoro, Tanzania (locality not verified; 5 possible localities)
	XII.1931		XII.1931
	W. V. Harris		W. V. Harris
	N. & C.W. det.		Arthur (1958: 41) original description. Cited: Arthur (1965: 119). The specimen is lacking a capitulum.
	Received from Miss S. Finnegan on behalf of the Brit. Mus. Nat. Hist. 6.XII.1932 in exchange (sanctioned by the Trustees) for <u>Ixodes signatus</u> 1 ♂ from our coll.		1 ♀ paratype from this series is in the British Museum (Nat. Hist.) collection Reg. No. 1932.11.29.1.
N	3907	N	3907
		RML	113279
	<u>Boophilus australis</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Boophilus microplus</u>
	Cattle		Cattle
	Subathu, Simla Hills, near Kasauli, India		Subathu, Simla Hills, near Kasauli (30.55 N, 76.57 E), India
	Sent us on 3.XI.1932		Sent us on 3.XI.1932
	A medical officer		A medical officer
	Sent by Dr. I. M. Puri C.W. det. Took pickings & returned rest.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3908		N	3908	
			RML	113280	
	<u>Hyalomma aegyptium</u> 1 ♂			1 ♂ <u>Hyalomma anatolicum anatolicum</u>	
	Cattle			Cattle	
	Subathu, Simla Hills, near Kasauli, India			Subathu, Simla Hills, near Kasauli (30.55 N, 76.57 E), India	
	Sent us on 3.XI.1932			Sent us on 3.XI.1932	
	A medical officer			A medical officer	
	Sent by Dr. I. M. Puri C.W. det. Took pickings & returned rest.				
N	3909		N	3909	
			RML	113281	
	<u>Haemaphysalis parmata</u> 2 ♀'s			2 ♀ <u>Haemaphysalis parmata</u>	
	Blue Forest Duiker			<u>Cephalophus monticola</u>	
	Mabira Forest, Kyagwe, Uganda			Mabira Forest (00.29 S, 30.33 E), Kingdom of Ankole, Uganda	
	Sent to us on 30.XII.1932			Sent to us on 30.XII.1932	
	R. W. Mettam, Entebbe, coll. & gift 1933 His No. 209			R. W. Mettam 209	
	C.W. det.				
N	3910		N	3910	
			RML	113282	
	<u>Amblyomma cuneatum</u> 4 ♂'s			4 ♂ <u>Amblyomma compressum</u>	
	Spiny Ant-eater			<u>Manis</u> sp.	
	Entebbe, Uganda			Entebbe (00.04 N, 32.28 E), Uganda	
	Sent to us on 30.XII.1932			Sent to us on 30.XII.1932	
	R. W. Mettam 284			R. W. Mettam 284	
	C.W. det.			Cited: Mettam (1933:36).	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3911	N 3911
		RML 113283
	<u>Dermacentor rhinocerotis</u> 3 ♂'s, 1 ♀	3 ♂, 1 ♀ <u>Dermacentor rhinocerinus</u>
	Off grass	Off grass
	Maruzi, Lango, Uganda	County of Maruzi (01.50 N, 32.25 E), District of Lango, Uganda
	Sent to us 30.XII.1932	Sent to us 30.XII.1932
	R. W. Mettam 309a	R. W. Mettam 309a
	C. W. det.	Cited: Mettam (1933:36).
N	3912	N 3912
		RML 113284
	<u>Amblyomma petersi</u> 1 ♂, 4 ♀'s	1 ♂, 4 ♀ <u>Amblyomma rhinocerotis</u>
	Off grass	Off grass
	Kibuzi, Lango, Uganda	Possibly Kibuji (01.54 N, 32.23 E), District of Lango, Uganda
	Sent us on 30.XII.1932	Sent us on 30.XII.1932
	R. W. Mettam 311	R. W. Mettam 311
	C. W. det.	Cited: Mettam (1933:36).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3913	N 3913
		RML 113285
	<u>Amblyomma petersi</u> 1 ♂, 3 ♀	1 ♂, 3 ♀ <u>Amblyomma rhinocerotis</u>
	Off grass (unfed)	Off grass (unfed)
		Possibly Kibuji (01.54 N, 32.23 E), District of Lango, Uganda
	Sent to us on 30.XII.1932	Sent to us on 30.XII.1932
	R. W. Mettam 314	R. W. Mettam 314
	C.W. det.	Cited: Mettam (1933: 36).
	Lot contained 3 ♂, 8 ♀	
N	3914	N 3914
		RML 113286
	<u>Amblyomma cohaerens</u> 6 ♂, 3 ♀	6 ♂, 3 ♀ <u>Amblyomma cohaerens</u>
	Buffalo	<u>Syncerus caffer</u>
	Koja, Buganda	Koja (00.10 N, 32.47 E), Uganda
	Sent us on 30.XII.1932	Sent us on 30.XII.1932
	J. Carmichael 105	J. Carmichael
	C.W. det.	
	Lot contained 11 ♂, 7 ♀	

	<u>ORIGINAL DETERMINATION</u>	<u>CURRENT STATUS</u>
N	3915	N 3915
		RML 113287
	<u>Amblyomma tholloni</u> 1♂	1 ♂ <u>Amblyomma tholloni</u>
	Elephant	<u>Loxodonta africana</u>
	Bunyoro	District of Bunyoro (01.40 N, 31.30 E), Uganda
	Sent to us on 30.XII.1932	Sent to us on 30.XII.1932
	Game Ranger 235	Game Ranger 235
	C.W. det. Lot contained 2 ♂, 1♀	
N	3916	N 3916
		RML 113288
	<u>Dermacentor circumguttatus</u> 1 ♂	1 ♂ <u>Dermacentor circumguttatus</u>
	Elephant	<u>Loxodonta africana</u>
	Bunyoro	District of Bunyoro (01.40 N, 31.30 E), Uganda
	Sent to us on 30.XII.1932	Sent to us on 30.XII.1932
	Game Ranger 235a	Game Ranger 235a
	C.W. det. Lot contained 2 ♂	
N	3917	N 3917
		RML 113289
	<u>Aponomma exornatum</u> 5 ♂, 3 ♀	3 ♂, 2 ♀ <u>Aponomma exornatum</u>
	<u>Varanus</u>	<u>Varanus</u> sp.
	Victoria, Nyanza	Victoria, Lake (01.00 S, 33.00 E), Uganda
	Sent to us on 30.XII.1932	Sent to us on 30.XII.1932
	R. W. Mettam 104	R. W. Mettam 104
	C.W. det. Lot contained 14 ♂, 5 ♀.	

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3918	N	3918 MISSING
	<u>Ixodes hexagonus</u> 1 N SLIDE		
	Unknown		
	Europe		
	G.H.F.N. det.		
	3918 An old slide with green paper cover found in a cabinet labelled <u>Ix. ricinus</u> .		
N	3919	N	3919
		RML	113290
	<u>Dermacentor parumapertus</u>		24 ♂, 7 ♀ <u>Dermacentor parumapertus</u>
	Jackrabbit		<u>Lepus</u> sp.
	Sandview, Idaho, U.S.A.		Grand View (43.00 N, 116.04 W), Idaho, U.S.A.
	VII.1932		VII.1932
	Prof. R. A. Cooley, Hamilton, Montana, U.S.A. gift		Prof. R. A. Cooley, Hamilton, Montana, U.S.A. gift
	C.W. det.		
N	3920	N	3920
		RML	113291
	<u>Rhipicephalus supertritus</u> ♂		1 ♂ <u>Rhipicephalus supertritus</u>
	<u>Hyrax</u> sp.		<u>Procavia</u> sp.
	S.W. Shore, Lake Nyasa		Southwest shore of Lake Malawi (approx. 13.50 S, 34.25 E), Malawi
	1910		1910
	Imp. Bur. Entomol. No. 68b		
	N. & C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3921	N	3921
		RML	113292
	<u>Argas persicus</u> 1st & 2nd stage N's		10 first stage N, 64 second stage N <u>Argas persicus</u>
	Regeneration experiments, after various leg amputations on gorged larvae and 1st stage nymphs		Regeneration experiments, after various leg amputations on gorged larvae and 1st stage nymphs
	See Hindle & Cunliffe (I.1914) <u>Parasitology</u> vi. 353-371, 4 figs.		Experiments conducted at Cambridge (52.13 N, 00.08 E), England
	Ticks from many difft. expt's put in 2 tubes by me II.1933 to save space, the tubes put in tick coll. bottle Abnormalities		These specimens in a jar marked "Tick Abnormalities"
	N. & C.W. det.		Cited: Hindle & Cunliffe (1914: 353)
N	3922	N	3922 MISSING
	<u>Ornithodoros franchini</u> Larvae unfed		
	Cirenaica, N. Africa		
	Rec'd. 26.II.1933		
	From Prof. Franchini Modena		
	Franchini det.		
	Franchini wrote saying larvae had refused to feed & suggested that we describe these. C.W. replied 28 Feb. thanking for specimens & saying Signorina Tonelli as author of species should describe them.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N 3923		N 3923
		RML 113293
<u>Ixodes eudyptidis</u> 4 ♀, 1 N		4 ♀, 1 N <u>Ixodes eudyptidis</u>
Penguin		Penguin
Picked up on beach, Gisborne, New Zealand		Gisborne (38.40 S, 178.01 E), New Zealand
Posted 17.I.1934		Posted 17.I.1934
By C.S.M. Hopkirk His gift		By C.S.M. Hopkirk His gift
C.W. & G.H.F.N. det. 22.II.1934		
Mr. Hopkirk, Officer in Charge, Veterinary Lab., Livestock Division, Dept. of Agric., Wallaceville, New Zealand, wrote it appears to be <u>Ixodes nuttalli</u> (it is not).		
N 3924		N 3924
		RML 113294
<u>Ixodes</u> sp. 2 N		2 N <u>Ixodes</u> sp.
Golden mole ♀ (No. 1213)		<u>Chrysochloris</u> sp.
Mushongcus, L. Mutanda Kigezi, S.W. Uganda 6500 ft.		Mushongcus, Lake Mutanda (01.13 S, 29.40 E), District of Kigezi, Uganda
10.XI.1933 (rec'd 15.II.1934)		10.XI.1933 (rec'd 15.II.1934)
C.R.S. Pitman		C.R.S. Pitman
C.W. & G.H.F.N. det.		
Closely allied to <u>Ix. tenuirostris</u>		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3925	N 3925
		RML 113295
	<u>Haemaphysalis leachi</u> ♂, ♀'s, N, L	1 ♂, 8 ♀, 2 N <u>Haemaphysalis leachi</u>
Otter	♀	<u>Aonyx</u> sp.
L Bunyonyi - Kigezi, Uganda		Lake Bunyonyi (01.17 S, 29.55 E), District of Kigezi, Uganda
20.XI.1933		29.XI.1933
C.R.S. Pitman		C.R.S. Pitman
C.W. det.		
N	3926	N 3926
		RML 113296
	<u>Amblyomma marmoreum</u> 1 ♀	1 ♀ <u>Amblyomma sparsum</u>
Off grass		Off grass
Narrosura, Kenya		Probably Marosura (01.32 S, 35.52 E), Kenya
29.XI.1932		29.XI.1932
E. A. Lewis coll. & donor his "A.M. 12."		E. A. Lewis
E.A.L. & C.W. det.		Cited: Theiler & Salisbury (1959: 112).
N	3927	N 3927
		RML 113297
	<u>Amblyomma splendidum</u> 1 ♂	1 ♂ <u>Amblyomma splendidum</u>
Eland antelope		<u>Taurotragus oryx</u>
Mara River, Kenya		Mara River (00.21 S, 37.53 E), Kenya
20.XII.1932		20.XII.1932
E. A. Lewis coll. & donor "A.V. 136"		E. A. Lewis
E.A.L. & C.W. det.		

<u>ORIGINAL DETERMINATION</u>			<u>CURRENT STATUS</u>		
N	3928		N	3928	
			RML	69896	
	<u>Haemaphysalis aciculifer</u>			2 ♀ <u>Haemaphysalis aciculifer</u>	
	a) gorged: 1 ♀				
	b) unfed: 1 ♀				
	a) Calf (Masai)		a) Calf		
	b) Thompson's Gazelle		b) <u>Gazella thomsoni</u>		
	a) Ndulele-Nairro Ngare, Kenya		a) Ndulele (01.06 S, 36.05 E)		
	b) Narrosura, Kenya		b) Probably Narosura (01.32 S, 35.52 E), Kenya		
	a) 26.XI.1932		a) 26.XI.1932		
	b) 29.XI.1932		b) 29.XI.1932		
	E. A. Lewis		E. A. Lewis		
	a) "H.A. 130"				
	b) "H.A. 133"				
				Santos Dias (1958: 535) gave the total number of specimens in this collection as 7♂, 19 ♀.	
N	3929		N	3929	
			RML	113298	
	<u>Ixodes pilosus</u>			1 ♂, 27 ♀ <u>Ixodes lewisi</u>	
	Cattle			Cattle	
Kenya	Loitokitok		Oloitokitok (02.56 S, 39.30 E);		
5 lots combined	Bongri Forest Sta.		Bongri Forest Sta. (locality not verified); Ildungushi (01.35 S, 35.35 E); Osubugo Loita (locality not verified); Vorijo (locality not verified); Kenya		
	Ildungushi				
	Osubugo Loita				
	Vorijo				
	8.II.1932; 9.II.1932; 9.II.1932;		8.II.1932; 9.II.1932; 9.II.1932;		
	30.XI.1932; 30.XI.1932		30.XI.1932; 30.XI.1932		
	E. A. Lewis SF 637; SF 671;		E. A. Lewis		
	SF 19; IP 16; IP 17				
	E.A.L. & C.W. det.				

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3930	N	3930
		RML	113299
	<u>Ixodes pilosus</u>		4 ♂, 4 ♀ <u>Ixodes lewisi</u>
	Goats		Goats
	Loitokitok, Kenya		Oloitokitok (02.56 S, 39.30 E), Kenya
	8.II.1932		8.II.1932
	E. A. Lewis SF 636		E. A. Lewis
	E.A.L. & C.W. det.		
N	3931	N	3931
		RML	113300
	<u>Ixodes pilosus</u>		1 L <u>Ixodes</u> sp.
	Genet Cat (head)		<u>Genetta</u> sp.
	Ngong, Kenya		Ngong (01.22 S, 36.39 E), Kenya
	29.XI.1931		29.XI.1931
	L. T. Boreham I.P. 13		L. T. Boreham
	E.A.L. & C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3932	N	3932
		RML	113301
	<u>Ixodes pilosus</u>		3 ♀ <u>Ixodes lewisi</u>
	Thompson's Gazelle		<u>Gazella thomsoni</u>
	Barketabuk, Kenya Narrosura, Kenya		Basketabuk (locality not verified). Probably Narosura (01.32 S, 35.52 E), Kenya
	5.XII.1932 29.XI.1932		5.XII.1932 29.XI.1932
	E. A. Lewis coll. & gift		E. A. Lewis
	"I.P. 18 & 15" combined		
	E.A.L. & C.W. det.		
N	3933	N	3933
		RML	113302
	<u>Rhipicephalus ayrei</u> ♂, ♀'s		1 ♂, 2 ♀ <u>Rhipicephalus compositus</u>
	♂ from Eland ♀'s from Lion		<u>Taurotragus oryx</u> <u>Panthera leo</u>
	Mara River, Kenya (Eland) Ngong, Kenya (Lion)		Mara River (00.21 S, 37.53 E), Ngong (01.22 S, 36.39), Kenya
	20.XII.1932 29.X.1932		20.XII.1932 29.X.1932
	E. A. Lewis "R.A. 105" "R.A. 78"		E. A. Lewis
			Cited: Santos Dias (1958: 473).

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3934	N	3934
		RML	113303
	<u>Rhipicephalus kochi</u> ♂, ♀		2 ♂, 12 ♀ <u>Rhipicephalus jeannelli</u>
a)	Cattle (Masai)	a)	Cattle
b)	Cattle (Masai)	b)	Cattle
c)	Calf (Masai)	c)	Calf
d)	Lion	d)	<u>Panthera leo</u>
a)	nr. Ndulele	a)	nr. Ndulele (01.06 S, 36.05 E);
b)	Ndulele, Naiarg, Ngore	b)	Ndulele (01.06 S, 36.05 E);
c)	Naiarg Ngore	c)	Naiarg Ngore (locality not verified);
d)	Ngong	d)	Ngong (01.22 S, 36.39 E), Kenya
a-c)	26.XI.1932	a-c)	26.XI.1932
d)	29.X.1932	d)	29.X.1932
E. A. Lewis	a) R.A. 79; b) R.A. 80, c) R.A. 81, d) R.A. 77	E. A. Lewis	
E.A.L. det.			
N	3935	N	3935
		RML	113304
	<u>Rhipicephalus simus</u> var. <u>lunulatus</u> 1 ♂		1 ♂ <u>Rhipicephalus lunulatus</u>
Lion			<u>Panthera leo</u>
Masai area			Masai land area (01.45 S, 36.00 E), Kenya
20.XII.1930			20.XII.1930
E. A. Lewis R.S. 30			E. A. Lewis
E.A.L. det.			

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3936	N	3936
		RML	113305
	<u>Rhipicephalus maculatus</u> ♂'s, ♀'s (fine lot)		26 ♂, 48 ♀ <u>Rhipicephalus maculatus</u>
	Elephant		<u>Loxodonta africana</u>
	Tana River		Tana River (02.32 S, 40.31 E), Kenya
	18.XII.1931		18.XII.1931
	Gift of E. A. Lewis IX.1933		Gift of E. A. Lewis IX.1933
N	3937	N	3937
		RML	113306
	<u>Ornithodoros moubata</u> ♂'s, ♀, N's		2 ♂, 3 ♀, 12 N <u>Ornithodoros moubata</u>
	<u>Phacochoerus</u> in burrows		<u>Phacochoerus aethiopicus</u> burrows
	Lake Edward region & notably in plain of Ratchum river		Lake Edward region (00.21 S, 29.35 E), plain of Ratchum River (locality not verified), Zaire
	Sent 12.VII.1933		Sent 12.VII.1933
	Dr. J. Schwetz		Dr. J. Schwetz
	G.H.F.N. det. 3.IX.1933 Confirmed J.S.'s det.		
	3937 Sent by Dr. Schwetz from Lab de Parasitol. Stanleyville, Belgian Congo numerous in burrows, called (ticks) "Kimpulu".		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3938	N	3938
		RML	113307
	<u>Ixodes tasmani</u> ♂, N's, L		1 ♂, 1 ♀, 1 L <u>Ixodes tasmani</u>
	♂ off <u>Petauroides volans</u> 2 N, 1 L off <u>Trichosurus vulpicola</u>		<u>Schoinobates volans</u> <u>Trichosurus vulpecula</u>
	Gippsland Victoria, Australia		Gippsland (38.00 S, 147.50 E), Victoria, Australia
	Before 1916		Before 1916
	T. H. Johnston		T. H. Johnston
	G.H.F.N. det.		Cited: Nuttall (1916: 324)
	See descr. Nuttall (1916) <u>Parasitology</u> VIII, pp 329 ♂ not descr. in Ticks II Hosts Marsupials <u>P. volans</u> = flying phalanger <u>T. vulpicola</u> vulpine phalanger.		Specimens mounted on two slides. The 3rd slide is missing.
	3 slides balsam.		
N	3939	N	3939
		RML	113308
	<u>Amblyomma testudinarium</u> 2 ♂, 2 ♀		3 ♂, 3 ♀ <u>Amblyomma testudinarium</u>
	Bear		<u>Hilarctos malayanus</u>
	Selangor, Malaya		State of Selangor (03.10 N, 101.30 E), Malaysia
	Rec'd 7.VIII.1934		Rec'd 7.VIII.1934
	Gift of L. G. Saunders coll.		Gift of L. G. Saunders coll.
	C.W. det.		
	3939 to 3941 brought by Dr. Saunders (of Saskatoon Univ. Sask., Canada) when he visited us - he worked here with us of old.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3940, a	N	3940, a
		RML	113309
(3940)	<u>Dermacentor auratus</u> 9 ♂, 4 ♀	(3940)	8 ♂, 5 ♀ <u>Dermacentor</u> sp.
(a)	<u>Haemaphysalis</u> sp. 1 ♂, 1 ♀	(a)	1 ♂, 1 ♀ <u>Haemaphysalis nadchatrami</u>
Wild Boar		<u>Sus scrofa</u> subsp.	
Selangor, Malaya		State of Selangor (03.10 N, 101.30 E), Malaysia	
26.I.1934		26.I.1934	
Gift of Dr. L. G. Saunders coll.		Gift of Dr. L. G. Saunders coll.	
C.W. & G.H.F.N. det.			
N	3941	N	3941
		RML	113310
	<u>Dermacentor atrosignatus</u> 5 ♂, 3 ♀	5 ♂, 1 ♀ <u>Dermacentor</u> sp.	
Bear		<u>Helarctos malayanus</u>	
Selangor, Malaya		State of Selangor (03.10 N, 101.30 E), Malaysia	
Rec'd. 7.VIII.1934		Rec'd. 7.VIII.1934	
Gift of Dr. L. G. Saunders coll.		Gift of Dr. L. G. Saunders coll.	
C. W. det.			
3941 ♂ well fig'd. by Nn (IV.1906 p. 211, dorsum); "♀ unknown". - "origin unknown, probably Australian." descr. from 1 ♂ in Brit. Museum. <u>Type</u>			

ORIGINAL DETERMINATIONCURRENT STATUS

N	3942	N	3942
		RML	10447
	<u>Haemaphysalis hystricis</u> 1 ♂, 2 ♀		3 ♀ <u>Haemaphysalis longicornis</u>
	Goats		Goats
	On mountains 40 miles from Tsinan, Shantung, China		On mountains 64 km from Tsinan (36.40 N, 117.00 E), Shantung, Peoples Republic of China
	Summer, 1934		Summer, 1934
	R. T. Shields coll; gift of Prof. R. A. Cooley		R. T. Shields coll; gift of Prof. R. A. Cooley
	C.W. det.		
	3 ticks sent 20.XI.1934 to me by Prof. R. A. Cooley (Rocky Mt. Lab., Hamilton, Montana, U.S.A.) who ran them down in "Ticks" to this sp. C.W. finds them "not quite normal, but quite within known variations." We to keep specimens. G.H.F.N.		
N	3943	N	3943
		RML	113311
	<u>Amblyomma mantiquirense</u> 9 ♂, 1 ♀		9 ♂, 1 ♀ <u>Amblyomma naponense</u>
	<u>Pecari angulatus</u> (Peccary)		<u>Tayassu tajacu</u>
	Turrialba, Costa Rica		Turrialba (09.54 N, 83.41 W), Costa Rica
	1.VIII.1927		1.VIII.1927
	W. J. Hamilton, Jr.		W. J. Hamilton, Jr.
	C. W. det.		
	Gift of Prof. Matheson 11.II.1928.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3944	N	3944
		RML	113312
	<u>Rhipicephalus simus</u> ♂'s, ♀'s		47 ♂, 14 ♀ <u>Rhipicephalus simus</u>
	Warthog		<u>Phacochoerus aethiopicus</u>
	Ankole, Uganda		District of Ankole (00.30 S, 30.30 E), Uganda
	Rec'd 22.I.1934		Rec'd 22.I.1934
	W. F. Poulton Rec'd from Mettam 420		W. F. Poulton
	C.W. det.		
N	3945	N	3945
		RML	113313
	<u>Ixodes cavipalpus</u> 1 ♀		1 ♀ <u>Ixodes cavipalpus</u>
	Bukoba, Tanganyika		Bukoba (01.20 S, 31.49 E), Tanzania
	Rec'd V.1933		Rec'd V.1933
	Mettam 216a		R. W. Mettam
	C.W. det.		
N	3946	N	3946
		RML	113314
	<u>Amblyomma cuneatum</u> 10 ♂		9 ♂ <u>Amblyomma compressum</u>
	Pangolin		<u>Manis</u> sp.
	Entebbe, Uganda		Entebbe (00.04 N, 32.28 E), Uganda
	Rec'd 22.I.1934		Rec'd 22.I.1934
	R. W. Mettam 410		R. W. Mettam
	C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3947	N 3947
		RML 113315
	<u>Rhipicephalus appendiculatus</u>	25 ♂, 43 ♀, 1 N <u>Rhipicephalus appendiculatus</u>
	Cattle	Cattle
	Kigezi, Uganda	Kigezi (00.16 N, 31.37 E), District of Kigezi, Uganda
	Rec'd 22.I.1934	Rec'd 22.I.1934
	W. Mackintosh Rec'd from Mettam 347	W. Mackintosh
	C.W. det.	
N	3948	N 3948
		RML 113316
	<u>Amblyomma cuneatum</u> 2 ♀	2 ♀ <u>Amblyomma compressum</u>
	Pangolin	<u>Manis</u> sp.
	Mabira Forest, Uganda	Mabira Forest (00.30 N, 32.55 E), District of Buganda, Uganda
	Rec'd 22.I.1934	Rec'd 22.I.1934
	Capt. Pitman Rec'd from Mettam 414	Capt. Pitman

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3949	N 3949
		RML 113317
	<u>Rhipicephalus</u> sp.	1 ♂, 1 ♀ <u>Rhipicephalus</u> sp.
	<u>Sitatunga</u> , <u>Tragelaphus spekei</u>	<u>Tragelaphus spekei</u>
	Luwafu, Uganda	Luwafu, Uganda (locality not verified)
	Rec'd V.1933	Rec'd V.1933
	W. F. Poulton Rec'd from Mettam 338	W. F. Poulton
	C.W. det.	These specimens are <u>Rhipicephalus</u> species III of Yeoman & Walker (1967: 174).
N	3950	N 3950 MISSING
	<u>Haemaphysalis</u> sp. 1♂	
	Buffalo	
	Masha ?	
	[?Masha Game Reserve, Uganda]	
	Rec'd from Mettam 77.	
N	3951	N 3951 MISSING
	Leopard	
	Belgian Congo	
	Mrs. van den Bergh	
	C.W. det.	

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N 3952		N 3952
		RML 113318
<u>Haemaphysalis calcarata</u> ♂'s, ♀'s, N's		4 ♂, 3 ♀, 1 N <u>Haemaphysalis houyi</u>
<u>Euxeni erythropus</u> (ground squirrel)		<u>Xerus erythropus</u>
Kampala, Uganda		Kampala (00.19 N, 32.35 E), Uganda
10.V.1934		10.V.1934
"Gordon" coll.		"Gordon" coll. Gordon Burnett Thompson (1911-1979)
Sent by G. B. Thompson of Brit. 28.VIII.1934		For an obituary see George (1981: 87).
N 3953		N 3953
		RML 113319
<u>Amblyomma marmoreum</u> ♂'s, ♀'s		3 ♂ <u>Amblyomma rhinocerotis</u> 1 ♂, 2 ♀ <u>Amblyomma sparsum</u>
Rhinocerus		<u>Diceros bicornis</u> or <u>Ceratotherium simum</u>
Karamoja, Uganda		District of Karamoja (02.45 N, 34.15 E), Uganda
Rec'd X.1934		Rec'd. X.1934
J. Carmichael 471		J. Carmichael 471
C.W. det.		Theiler & Salisbury (1959: 113) cited the A. <u>sparsum</u> collection. They also (p. 115) incorrectly gave N3953 to an <u>Amblyomma nuttalli</u> collection from Kenya.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3954	N	3954
		RML	70083
	<u>Haemaphysalis aciculifer</u>		8 ♂, 4 ♀ <u>Haemaphysalis aciculifer</u>
	Sitatunga, <u>Tragelaphus spekei</u>		<u>Tragelaphus spekei</u>
	Lake Victoria, Uganda		Lake Victoria (01.00 S, 33.00 E), Uganda
	Rec'd X.1934		Rec'd X.1934
	J. Carmichael 488		J. Carmichael 488
	C.W. det.		Cited: Santos Dias (1958: 535).
N	3955	N	3955
		RML	113320
	<u>Amblyomma mantiquirense</u> 1 ♀		1 ♀ <u>Amblyomma naponense</u>
	Sitatunga, <u>Tragelaphus spekei</u>		Host unknown; obviously not <u>Tragelaphus spekei</u>
	Tela, Honduras, Central America		Tela (15.44 N, 87.27 W), Honduras
	1926		1926
	R. Deyo		R. Deyo
	C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3956	N	3956
		RML	22318
	<u>Amblyomma testudinarium</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Amblyomma testudinarium</u>
	Elephant		<u>Elephas maximus</u>
	Assam		State of Assam (26.00 N, 93.00 E), India
	Sent us 9.VIII.1934		Sent us 9.VIII.1934
	A.W.N. Pillers		A.W.N. Pillers
	C.W. det.		
	3956 Asked to keep lot here. Recorded from many hosts, but not elephant.		
N	3957	N	3957
		RML	61134
	<u>Ornithodoros talaje</u> of sorts C.W.		2 ♂, 1 ♀ <u>Ornithodoros coniceps</u>
	In chicken house		Chicken house
	Palestine (Jerusalem)		Jerusalem (31.46 N, 35.14 E), Israel
	IV.1930		IV.1930
	Theodore		O. Theodor
	C.W. det.		An additional ♀ is in the RML collection.
			Cited: Hoogstraal <u>et al</u> (1979: 404) but collecting data incorrect.

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3958	N	3958
		RML	113321
	<u>Rhipicephalus maculatus</u> many ♂'s, ♀'s		73 ♂, 64 ♀ <u>Rhipicephalus maculatus</u>
	Elephant		<u>Loxodonta africana</u>
	Tana River, Kenya		Tana River (02.32 S, 40.31 E), Kenya
	Brought XI.1933		Brought XI.1933
	Brought by E. A. Lewis gift		Brought by E. A. Lewis gift
	C.W. & E.A.L. det.		
N	3959	N	3959
		RML	113322
	<u>Rhipicephalus simpsoni</u> 2 ♂, 3 ♀		6 ♂, 4 ♀, 3 N <u>Rhipicephalus simpsoni</u>
	Edible rat		<u>Thryonomys</u> sp.
	Joro, Uganda		Joro, Uganda (locality not verified)
	Rec'd by us X.1934		Rec'd by us X.1934
	J. Carmichael No. 493 Entebbe, Uganda		J. Carmichael
	C.W. det.		

<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>	
N	3960	N	3960
		RML	113323
	<u>Rhipicephalus pulchellus</u> 1 ♂, 1 ♀ larvae unfed		1 ♂, 1 ♀ ±1000 L <u>Rhipicephalus pulchellus</u>
	Off grass		Off grass
	Italian Somaliland		Somali Democratic Republic
	Rec'd 4.V.1934		Rec'd 4.V.1934
	Coll. Dr. Giordano G. Franchini (Modena) gift		Coll. Dr. Giordano
	C.W. det.		
N	3961	N	3961
		RML	113324
	<u>Amblyomma cuneatum</u> ♂'s, ♀'s, N's		3 ♂, 3 ♀, 25 N <u>Amblyomma compressum</u>
	<u>Manis tricuspidis</u> (white bellied pangolin)		<u>Manis tricuspidis</u>
	Zool. Soc. Gardens, London		Zoological Society Gardens, London (51.30 N, 00.07 W), England
	2.VI.1934		2.VI.1934
	A. E. Hamerton coll; gift of Prof. P. A. Buxton		A. E. Hamerton
	C.W. det.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3962	N	3962
		RML	113325
	<u>Hyalomma dromedarii</u> 1 ♂, 1 ♀, or <u>aegyptium</u> var.		1 ♂, 1 ♀ <u>Hyalomma dromedarii</u>
	Camel		<u>Camelus dromedarius</u>
	Italian Somaliland		Somali Democratic Republic
	Rec'd VII.1933		Rec'd VII.1933
	Dr. Talamonte & Dante Rec'd from Prof. Franchini		Dr. Talamonte & Dante
	C.W. det.		
N	3963	N	3963
		RML	113326
	<u>Hyalomma aegyptium</u> ♂'s, ♀'s		1 ♂, 18 ♀ <u>Hyalomma dromedarii</u>
	Camels		<u>Camelus dromedarius</u>
	Tripoli		Tripoli (32.54 N, 13.11 E), Libya
	Dr. Berti coll. Rec'd. from Prof. Franchini		Dr. Berti
	C.W. det.		Ventrally, the ♂ has an abnormal spur on left coxa I.
N	3964	N	3964
		RML	113327
	<u>Ixodes vespertilionis</u> 1 ♀		1 ♀ <u>Ixodes vespertilionis</u>
	Greater horse-shoe bat <u>Rhinolophus</u> <u>ferrum-equinum</u> (on back)		<u>Rhinolophus ferrumequinum</u>
	Cheddar Caves, Somerset, Engl.		Cheddar Caves, Cheddar (51.16 N, 02.46 W), Somerset, England
	VIII.1933		VIII.1933
	R. C. Burbank. Gift of G. Gordon Thompson		R. C. Burbank
	C.W. det.		

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3965	N	3965
		RML	113328
	<u>Amblyomma dissimile</u> 1 ♂, 1 ♀		1 ♂, 1 ♀ <u>Amblyomma dissimile</u>
	Iguana		Iguana
	Audubon Zoo, New Orleans, U.S.A.		Audubon Zoo, New Orleans (29.58 N, 90.07 W), Louisiana, U.S.A.
	4.XII.1931		4.XII.1931
	Dr. E. H. Hinman		Dr. E. H. Hinman
	C.W. & G.H.F.N. det.		
N	3966	N	3966
		RML	113329
	<u>Ornithodoros brodyi</u>		1 N <u>Ornithidoros brodyi</u>
	Chilibrillo Caulo, Panama		Chilibrillo (09.11 N, 79.37 W), Panama
	18.II.1931		18.II.1931
	R. Matheson		R. Matheson
	R. Matheson det.		
N	3967	N	3967
		RML	113330
	<u>Ornithodoros dunni</u>		1 N, 2 L <u>Ornithodoros hasei</u>
	<u>Dirias albiventris minor</u>		<u>Noctilio labialis</u>
	Panama City		Panama City (08.58 N, 79.32 W), Panama
	31.III.1931		31.III.1931
	R. Matheson		R. Matheson

	<u>ORIGINAL DETERMINATION</u>		<u>CURRENT STATUS</u>
N	3968	N	3968
		RML	113331
	<u>Ornithodoros azteci</u>		1 ♂, 1 ♀ <u>Ornithodoros azteci</u>
	<u>Hemiderma perspicillatum aztecum</u>		<u>Carollia perspicillata azteca</u>
	Summit, Canal Zone		Summit Park (09.04 N, 79.39 W), Panama
	12.XI.1930		12.XI.1930
	R. Matheson		R. Matheson
N	3969	N	3969
		RML	113332
	<u>Amblyomma pecarium</u>		2 ♂ <u>Amblyomma pecarium</u>
	<u>Pecari angulatus bangsi</u> collared peccary		<u>Tayassu tajacu</u>
	Miraflores, Canal Zone, Panama		Miraflores (08.59 N, 79.36 W), Panama
	11.IV.1932		11.IV.1932
N	3970	N	3970
		RML	113333
	<u>Amblyomma tapirellum</u>		3 ♂, 3 ♀ <u>Amblyomma tapirellum</u>
	<u>Tapirella bairdii</u>		<u>Tapirus bairdi</u>
	Summit, Canal Zone, Panama		Summit Park (09.04 N, 79.39 W), Panama
	7.III.1931		7.III.1931
	L. H. Dunn		L. H. Dunn

ORIGINAL DETERMINATIONCURRENT STATUS

N 3971

N 3971 MISSING

Amblyomma parvitarsum2 ♂, 1 ♀ pinned specimens (N3971)
are in BMNH collection.

Llama

S. Leon - Jujuy, R. Argentina

V.1935

S. Mazzo

L.E.R. det.

3971. The specimens were given
by Dr. H. deB Aragão of the
Instituto Oswaldo Cruz, Rio de
Janeiro, as examples of Amb.
altiplanum Dias.

N 3972

N 3972

RML 113334

Amblyomma parvum1 ♂ Amblyomma parvum

Rato selvagen ? (name not verified)

Estado de Goyaz, now Estado de Goiás
(12.00 S, 48.00 W), Brazil

1935 ?

H. Tonfea ?

All collection data taken from a
label pasted on the outside of
the vial.

Two tick collections never received Nuttall catalogue numbers:

21 ♂, 53 ♀ Rhipicephalus sanguineus (RML 113335)

Dog

India

1915

1 ♂, 41 ♀, 6 N Boophilus microplus (RML 113336)

Nyasaland

The following is a list of the contents of a jar containing vials of tick eggs. All collection data are taken directly from the vial label and only the species determination of the tick is updated.

N 243 Argas persicus

Kasuli, Punjab, India

20.XII.1906

Capt. E.D.W. Greig

N 306 Boophilus decoloratus

Cow (in lab)

Sent from Cape Colony, S. Africa

VII.1907

C. P. Lounsbury

N 359 Ornithodoros moubata

School of Trop. Med.

Liverpool, England

IV.1907

Mr. Newstead

N 406 Hyalomma sp.
Pretoria, Transvaal, South Africa
27.I.1908
Dr. A. Theiler

N 407 Rhipicephalus appendiculatus
Pretoria, Transvaal, South Africa
27.I.1908
Dr. A. Theiler

N 676 Boophilus decoloratus
Cattle
Chintechi, W. Nyasa Dist., Nyasaland
X.1908
Dr. H. Hearsey

N 1304 Ixodes lividus
Sand Martin's nest
River Severn, Shrewsbury, England
29.VI.1911
R.F.L. Burton

N 1305b Rhipicephalus bursa (2 vials)
Sheep
Hammam Muskoutine, Algeria
11.VI.1911
Paul Dechabert

N 1307h Ixodes uriae

Guillemot nests

Worms Head, Gower,
Glamorganshire, S. Wales

2.VII.1911

G.H.F. Nuttall

N 1658 Boophilus annulatus

Cattle

Dallas, Texas

13.V.1912

F. C. Bishopp

N 1703 Ixodes uriae

Pitton, Gower

Glamorganshire, S. Wales

3-4.VII.1912

George Williams

N 1731 Dermacentor andersoni

Horses (original parents)

Yakima, Washington

V.1912

Dr. C. Gordon Hewitt

N 1732 Amblyomma hebraeum

Pretoria, S. Africa

20.VII.1912

C. P. Lounsbury

N 1737 Haemaphysalis leachi

Jackal (parent)

Nairobi, B.E. Africa

23.III.1912

R. E. Montgomery

N 1932 Rhipicephalus sanguineus

Dogs

Kasauli, Punjab, India

X.1912

C. D. Mackey

N 2149 Rhipicephalus appendiculatus (2 vials)

Cape Colony, S. Africa

10.XI.1910

C. P. Lounsbury

N 2452 Haemaphysalis chordeilis

Cattle

Manitoba, Canada

IX.1913

N. Harrison

N 2695 Rhipicephalus sanguineus

Dogs

Madras, W. India

W. Rae Sheniffs

N 2703 Amblyomma rotundatum

Toad

Rio de Janeiro, Brazil

8.I.1914

Dr. H. deB. Aragão

N 2937 Dermacentor variabilis

Winnepeg, Canada

21.VII.1914

J.R.N. Harrison

No N Ornithodoros savignyi (4 eggs)

number Raised in my lab by

G. Merriman ca. 1912

No N Ornithodoros moubata (55 eggs)

number Dissected out of ♀

No N Amblyomma hebraeum

number 25.V.1905 boiled, placed

in 70% alcohol 11.X.1905

1696

No N Hyalomma sp.
number Raised in Cambridge
 Measured fresh 0.75-0.5
 May 30, 1912

REFERENCES

- Anonymous. 1909. African entomological research. Lancet 2: 878-879.
- Arthur, D. R. 1952. Ixodes frontalis Panzer, 1795. A review of the species. Parasitology, Cambridge 52: 151-154.
- _____ 1953. The systematic status of Ixodes percavatus var. rothschildi Nuttall & Warburton, 1911. Parasitology, Cambridge 43: 222-226.
- _____ 1955. New species of ticks (Ixodes) associated with small mammals. Parasitology, Cambridge 45: 131-140.
- _____ 1957a. The Ixodes schillingsi group: Ticks of Africa and Madagascar, parasitic on primates, with descriptions of two new species (Ixodoidea, Ixodidae). Parasitology, Cambridge 47: 544-559.
- _____ 1957b. Studies on exotic Ixodes ticks (Ixodoidea, Ixodidae) from United States Navy and Army activities. J. Parasit. 43: 681-694.
- _____ 1958. New species of Ixodes ticks from eastern Africa, with a description of the male and nymph of Ixodes oldi Nuttall, 1913. Parasitology, Cambridge 48: 38-69.
- _____ 1960a. A review of some ticks (Acarina-Ixodidae) of sea birds. Part II. The taxonomic problems associated with the Ixodes auritulus-percavatus group of species. Parasitology, Cambridge 50: 199-226.
- _____ 1960b. The genera Dermacentor, Anocentor, Cosmiomma, Boophilus, & Margaropus. Ticks. A monograph of the Ixodoidea. Part V. Cambridge.
- _____ 1963. British Ticks. London.
- _____ 1965. Ticks of the genus Ixodes in Africa. London.
- _____ & Burrow, C. 1957. The Ixodes rausus group of African ticks with descriptions of four new species (Ixodoidea, Ixodidae). Bull. Mus. comp. Zool. Harv. 116: 493-537.

Banks, N. 1908. A revision of the Ixodoidea, or ticks of the United States.
Tech. Ser. Bur. Ent. U.S. Dept. Agric., (15), 61 p.

Bequaert, J. 1930. Ticks collected by the American Museum Congo Expedition 1909-1915, with notes on the parasites and predaceous enemies of these arthropods. Am. Mus. Novit. (426): 1-12.

Birula, A. 1895. Ixodidae novi vel paum cogniti Musei Zoologici Academiae Caesareae Scientiarum Petropolitanoe. I. Izv. Imp. Akad. Nauk, Ser. 5. 2: 353-364.

Bishopp, F. C. 1911. Some new North American Ixodidae with notes on other species. Proc. biol. Soc. Wash. 24: 197-208.

Buxton, P. A. 1924. Applied entomology of Palestine, being a report to the Palestine Government. Bull. ent. Res. 14: 289-340.

Cabrera, A. 1957, 1960. Catalogo de los mamiferos de American del Sur. Buenos Aires.

Chilton, C. 1904. A species of Ixodes parasitic on the grey duck. Trans. Proc. N. Z. Inst. 26, n.s. 19: 201-202.

Clifford, C. M. & Anastos, G. 1962. Ticks. Explor. Parc. natn. Upemba Miss. G. F. de Witte (1946-49), fasc. 66, 45 p.

_____, Keirans, J. E. & Hoogstraal, H. 1971. Ixodes (Ixodes) nuttallianus Schulze: Redescription of female, description of male, and hosts and ecology in Nepal (Acarina: Ixodidae). J. med. Ent. 8: 439-442.

_____, Walker, J. B. & Keirans, J. E. 1983. Clarification of the status of Rhipicephalus kochi Dönitz, 1905 (Ixodoidea, Ixodidae). Onderstepoort J. vet. Res. 50: 77-89.

Cooley, R. A. 1934. A search for tick parasites in South Africa. Onderstepoort J. vet. Sci. Anim. Ind. 3: 23-42.

- _____, & Kohls, G. M. 1945. The genus Ixodes in North America.
Natn. Inst. Hlth. Bull. (184): 1-246.
- Cooper, W. F. & Robinson, L. E. 1908. On six new species of Ixodidae, including a second species of the new genus Rhipicentor. Proc. Camb. phil. Soc. math. phys. Sci. 14: 457-470.
- Corbet, G. B. 1975. Finding and identifying mammals in Britain. London.
- _____. 1978. The mammals of the Palearctic region: a taxonomic review. London.
- Cross, H. E. & Patel, P. G. 1921. A note on the transmission of surra by ticks. Vet. Bull. Dep. Agric. Punjab (6): 1-3.
- Cunliffe, N. A. 1914a. Rhipicephalus sanguineus: variation in size and structure due to nutrition. Parasitology, Cambridge 6: 372-378.
- _____. 1914b. Observations on Argas brumpti Neumann 1907. Parasitology, Cambridge 6: 379-381.
- Dhanda, V. 1964. Description of immature stages of Haemaphysalis howletti (Ixodoidea-Ixodidae) and redescription of adults. J. Parasit. 50: 549-565.
- Dönitz W. 1905. Die Zecken des Rindes als Krankheitsüberträger. Sber. Ges. naturf. Freunde Berl. (4): 105-134.
- _____. 1909. Über das Zeckengenuss Amblyomma. Sber. Ges. naturf. Freunde Berl. (8): 440-482.
- _____. 1910a. Die Zecken Sudafrikas. Denkschr. med.-naturw. Ges. Jena 16: 397-494.
- _____. 1910b. Zwei neue afrikanische Rhipicephalusarten. Sber. Ges. naturf. Freunde Berl. (6): 276-280.

Dorst, J. & Dandelot, P. 1970. A field guide to the larger mammals of Africa. London.

Dugès A. D. 1876. El repertorio de Guanajuato, Mexico. [I have not seen this publication.]

Dumbleton, L. J. 1943. A new tick from the tuatara (Sphenodon punctatus). N. Z. Jl. Sci. Technol. 24: 185B-190B.

Edwards, M. & Evans, G. O. 1967. Some observations on the chaetotaxy of the legs of larval Ixodidae (Acari: Metastigmata). J. nat. Hist. 4: 595-601.

Ellerman, J. R. & Morrison-Scott, T.C.S. 1951. Checklist of Palearctic and Indian mammals 1758 to 1946. London.

Feldman-Muhsam, B. 1956. The value of the female genital aperture and the peristigmal hairs for specific diagnosis in the genus Rhipicephalus. Bull. Res. Coun. Isreal Sect. B. 5B: 300-307.

Gamble, M. 1914. A list of blood-sucking arthropods from the lower Congo, with a vocabulary. J. trop. Med. Hyg. 17: 148-150.

Garnham, P.C.C. 1979. Centenary biographical note. Charles Morley Wenyon, 1878-1948. Int. J. Parasit. 9: 83-84.

George, R. S. 1981. Obituary Gordon Burnett Thompson, 1911-1979. Entomologist's mon. Mag. 117: 87-88.

G[raham]-S[mith], G. S. & K[eilin], D. 1938. George Henry Falkiner Nuttall 1862-1937. Parasitology, Cambridge 30: 403-418.

Hadwen, S. & Nuttall, G.H.F. 1913. Experimental "tick paralysis" in the dog. Parasitology, Cambridge 6: 298-301.

Hase, A. 1950. Paul Schulze. Z. Parasitenk. 14: 423-425.

Hindle, E. & Cunliffe, N. 1914. Regeneration in Argas persicus. Parasitology, Cambridge 6: 353-371.

Hirst, S. 1914. Report on the Arachnida and Myriopoda collected by the British Ornithologists' Union Expedition and the Wollaston Expedition in Dutch New Guinea. Trans. zool. Soc. Lond. 20: 325-334.

Hoogstraal, H. 1953. Ticks (Ixodoidea) of the Malagasy faunal region (excepting the Seychelles). Their origins and host-relationships; with descriptions of five new Haemaphysalis species. Bull. Mus. comp. Zool. Harv. 111: 37-133.

_____ 1954a. A preliminary, annotated list of ticks (Ixodoidea) of the Anglo-Egyptian Sudan. J. Parasit. 40: 304-310.

_____ 1954b. Noteworthy African tick records in the British Museum Natural History collections (Ixodoidea). Proc. ent. Soc. Wash. 56: 273-279.

_____ 1955a. Notes on African Haemaphysalis ticks. II. The ground squirrel parasites, H. calcarata Neumann, 1902, and H. houyi Nuttall and Warburton, 1915 (Ixodoidea, Ixodidae). J. Parasit. 41: 361-373.

_____ 1955b. Bat ticks of the genus Argas (Ixodoidea, Argasidae).
1. The subgenus Chiropterargas. Fieldiana. Zool. 37: 579-600.

_____ 1955c. Notes on African Haemaphysalis ticks. I. The Mediterranean-littoral hedgehog parasite H. erinacei Pavesi, 1884 (Ixodoidea, Ixodidae). J. Parasit. 41: 221-223.

_____ 1956a. African Ixodoidea. 1. Ticks of the Sudan (with special reference to Equatorial Province and with preliminary reviews of the genera Boophilus, Margaropus and Hyalomma). Dep. Navy Bur. Med. Surg.: Washington, D.C. 1101 p.

1956b. Notes on African Haemaphysalis ticks. III. The hyrax parasites, H. bequaerti sp. nov., H. orientalis N. and W., 1915 (new combination), and H. cooleyi Bedford, 1929 (Ixodoidea, Ixodidae). J. Parasit. 42: 156-172.

1961. Redescription of Haemaphysalis (Alloceraea) inermis aponommoides Warburton, 1913 (Ixodoidea, Ixodidae). J. Parasit. 47: 317-318.

1962a. Haemaphysalis nepalensis sp. n. from a Himalayan rodent and man, and description of the male of H. aponommoides Warburton (n. comb.), (Ixodoidea, Ixodidae). J. Parasit. 48: 195-203.

1962b. Rediscovery, redescription, and relationships of Haemaphysalis vidua Warburton and Nuttall, 1909 (Ixodoidea, Ixodidae) from Malaya. J. Parasit. 48: 419-722.

1964a. Studies on southeast Asian Haemaphysalis ticks (Ixodoidea, Ixodidae). Redescription, hosts, and distribution of H. traguli Oudemans. The larva and nymph of H. vidua W. and N. Identity of H. papuana toxopei Warburton (new combination). J. Parasit. 50: 765-782.

1964b. Notes on African Haemaphysalis ticks. VI. H. spinulosa Neumann, and its relation to biological and nomenclatorial problems in the H. leachii group of Africa and Asia (Ixodoidea, Ixodidae). J. Parasit. 50: 786-791.

1966. Haemaphysalis (Allophysalis) pospelovashtromae sp. n. from USSR and redescription of the type material of H. (A.) warburtoni Nuttall from China (Ixodoidea: Ixodidae). J. Parasit. 52: 787-800.

1970a. Identity, distribution, and hosts of Haemaphysalis (Rhipistoma) indica Warburton (Resurrected) (Ixodoidea: Ixodidae), a carnivore parasite of the Indian subregion. J. Parasit. 56: 1013-1022.

- 1970b. Haemaphysalis (H.) birmaniae Supino and H. (H.) goral sp. n. (Ixodoidea: Ixodidae), Asian parasites of artiodactyl mammals. J. Parasit. 56: 1227-1238.
- 1970c. Human infestation by ticks (Ixodidae) in the Himalaya. In: H. D. Srivastava commemoration volume, Singh & Tandan eds. Div. Parasit. Indian Vet. Res. Inst., Izatnagar, India, p. 75-89.
- 1971a. Haemaphysalis (H.) sambar sp. n. (Ixodoidea: Ixodidae), a parasite of the sambar deer in southern India. J. Parasit. 57: 173-176.
- 1971b. Haemaphysalis (Kaiseriana) borneata sp. n. (Ixodoidea: Ixodidae), a tick of the H. (K.) aculeata group parasitizing the sambar deer in Borneo. J. Parasit. 57: 1096-1098.
- & Dhanda, V. 1970. Haemaphysalis (H.) darjeeling sp. n., a member of the H. (H.) birmaniae group (Ixodoidea: Ixodidae) parasitizing artiodactyl mammals in Himalayan forests of India, and in Burma and Thailand. J. Parasit. 56: 169-174.
- & El Kammah, K. M. 1972. Notes on African Haemaphysalis ticks, X. H. (Kaiseriana) aciculifer Warburton and H. (K.) rugosa Santos Dias, the African representatives of the spinigera subgroup (Ixodoidea: Ixodidae). J. Parasit. 58: 960-978.
- & Kaiser, M. N. 1959. Observations on Egyptian Hyalomma ticks (Ixodoidea; Ixodidae). 5. Biological notes and differences in identity of H. anatomicum and its subspecies anatomicum Koch and excavatum Koch among Russian and other workers. Identity of H. lusitanicum Koch. Ann. ent. Soc. Am. 52: 243-261.
1960. Observations on ticks (Ixodoidea) of Libya. Ann. ent. Soc. Am. 53: 445-457.

& Santana, F. J. 1974. Haemaphysalis (Kaiseriana) mageshimaensis (Ixodoidea: Ixodidae): human and wild and domestic mammal hosts, and distribution in Japan, Taiwan, and China. J. Parasit. 60: 866-869.

& Trapido, H. 1963a. Haemaphysalis kutchensis sp. n., a common larval and nymphal parasite of birds in Northwestern India (Ixodoidea: Ixodidae). J. Parasit. 49: 489-497.

1963b. Redescription of cotypes and all stages of Haemaphysalis intermedia Warburton & Nuttall, 1909. (= H. parva Neumann, 1908, preoccupied) from Ceylon and India (Ixodoidea: Ixodidae). J. Parasit. 59: 838-846.

1966a. Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). Species described by Supino in 1897 from Burma, with special reference to H. (Rhipistoma) asiaticus (= H. dentipalpis Warburton & Nuttall). J. Parasit. 52: 1172-1187.

1966b. Redescription of the type materials of Haemaphysalis (Kaiseriana) bispinosa Neumann (India), H. (K.) neumanni Dönitz (Japan), H. (K.) lagrangei Larrousse (Vietnam), and H. (K.) yenii Toumanoff (Vietnam) (Ixodoidea, Ixodidae). J. Parasit. 52: 1188-1198.

& Wassef, H. Y. 1981. Haemaphysalis (Garnhamphysalis) subgen. nov. (Acarina: Ixodidae): Candidate tick vectors of Hematozoa in the Oriental Region. J. Protozool. (Garnham Festschrift) Special Pub. 1: 117-124.

1982. Haemaphysalis (Garnhamphysalis) mjobergi: identity, structural variation and biosystematic implications, deer hosts, and distribution in Borneo and Sumatra (Ixodoidea: Ixodidae). J. Parasit. 68: 138-144.

Clifford, C. M. & Keirans, J. E. 1979. The Ornithodoros (Alectorobius) capensis group (Acarina: Ixodoidea: Argasidae) of the Palearctic and Oriental regions. O. (A.) coniceps identity, bird and mammal hosts, virus infections, and distribution in Europe, Africa, and Asia. J. Parasit. 65: 395-407.

____ Lim, L., & Anastos, G. 1969. Haemaphysalis (Kaiseriana) bispinosa Neumann (Ixodoidea: Ixodidae): Evidence for consideration as an introduced species in the Malay Peninsula and Borneo. J. Parasit. 55: 1075-1077.

____ Trapido, H. & Kohls, G. M. 1965a. Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). The identity, distribution, of H. antherurus sp. n. and redescription of type material of H. birmaniae Supino, 1897 and hosts of H. (Kaiseriana) hystricis Supino. J. Parasit. 51: 114-125.

____ 1965b. Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). H. (Kaiseriana) papuana nadchatrami spp. n. and redescription of H. (K.) serermis Neumann. J. Parasit. 51: 433-451.

____ 1965c. Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). The identity, distribution, and hosts of H. (Kaiseriana) hystricis Supino. J. Parasit. 51: 467-480.

____ 1965d. Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). H. (Kaiseriana) celebensis sp. n., from a wild boar in Celebes. J. Parasit. 51: 1001-1003.

____ 1966. Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). Speciation in the H. (Kaiseriana) obesa group: H. semermis Neumann, H. obesa Larrousse, H. roubaudi Toumanoff, H. montgomeryi Nuttall, and H. hirsuta sp. n. J. Parasit. 52: 169-191.

____ & Rebello, M. J. 1963. Haemaphysalis paraturturi sp. n., a carnivore parasite of the H. turturis group in India (Ixodoidea, Ixodidae). J. Parasit. 49: 686-691.

- Wassef, H. Y. & Uilenberg, G. 1974. Haemaphysalis (Elongphysalis) elongata Neumann, subgen. n. (Ixodoidea: Ixodidae): structural variation, hosts, and distribution in Madagascar. J. Parasit. 60: 480-498.
- Carney, W. P., Kadarsan, S. & Van Peenen, P.F.D. 1973a. Haemaphysalis (Kaiseriana) celebensis Hoogstraal, Trapido, and Kohls (Ixodoidea: Ixodidae), a Wallacean member of the hystricis group: Identity, distribution, hosts, and ecology. J. Parasit. 59: 556-562.
- El Kamah, K. M., Santana, F. J., & Van Peenen, P. F. D. 1973b. Studies on Southeast Asian Haemaphysalis ticks (Ixodoidea: Ixodidae). H. (Kaiseriana) lagrangei Larrousse: Identify, distribution, and hosts. J. Parasit. 59: 118-129.
- Roberts, F.H.S., Kohls, G. M. & Tipton, V. J. 1968. Review of Haemaphysalis (Kaiseriana) longicornis Neumann (resurrected) of Australia, New Zealand, New Caledonia, Fiji, Japan, Korea, and Northeastern China and U.S.S.R., and its parthenogenetic and bisexual populations (Ixodoidea: Ixodidae). J. Parasit. 54: 1197-1213.
- Wassef, H., Converse, H. Y., Keirans, J. E., Clifford, C. M., & Feare, C. F. 1976. Amblyomma loculosum (Ixodoidea: Ixodidae): identity, marine bird and human hosts, virus infection, and distribution in the southern oceans. Ann. ent. Soc. Am. 69: 3-14.
- Howard, C. W. 1909. A new species of Haemaphysalis from East Africa. Ann. Transv. Mus. 1: 219-223.
- Jordan, K. 1928. Siphonaptera collected during a visit to the eastern United States of North America in 1927. Novit. zool. 34: 178-188.
- Kaiser, M. N. & Hoogstraal, H. 1964. The Hyalomma ticks (Ixodoidea: Ixodidae) of Pakistan, India, and Ceylon with keys to subgenera and species. Acarologia 6: 247-286.

Kaufman, T. 1972. A revision of the genus Aponomma Neumann, 1899 (Acarina: Ixodidae) Ph.D. thesis University of Maryland ix + 389 pp.

Keirans, J. E. 1976. Dermacentor venustus Marx ms. in Neumann, 1897: Proposed suppression under the plenary powers so as to conserve Dermacentor andersoni Stiles, 1908 (Acarina: Ixodidae). Bull. zool. Nom. 32: 261-264.

_____ 1982. The tick collection (Acarina: Ixodoidea) of the Hon. Nathaniel Charles Rothschild deposited in the Nuttall and general collections of the British Museum (Natural History). Bull. Br. Mus. nat. Hist. (Zool.) 42: 1-36.

_____ & Brewster, B. E. 1981. The Nuttall and British Museum (Natural History) tick collections: Lectotype designations for ticks (Acarina: Ixodoidea) described by Nuttall, Warburton, Cooper, and Robinson. Bull. Br. Mus. nat. Hist. (Zool.) 41: 153-178.

_____ & Clifford, C. M. 1978. The genus Ixodes in the United States: a scanning electron microscope study and key to the adults. J. med. Ent. Suppl. No. 2, 149 p.

_____ & Walker, J. B. 1982. The Ixodes (Afrixodes) oldi group (Acari: Ixodidae) from sub-saharan Africa with descriptions of five new species. J. med. Ent. 19: 309-329.

_____, Hoogstraal, H. & Clifford, C. M. 1973. The Amblyomma (Acarina: Ixodidae) parasitic on giant tortoises (Reptilia: Testudinidae) of the Galapagos Islands. Ann. ent. Soc. Am. 66: 673-688.

King, H. H. 1911. Report of the entomological section of the Wellcome Tropical Research Laboratories. Rept. Wellcome trop. Res. Labs. 4B: 95-150.

Kohls, G. M. 1961. Rediscovery of Haemaphysalis mjöbergi Warburton, 1926. (Acarina: Ixodidae). Pacif. Insects 3: 305-306.

Larrousse, F. 1923. Présence au Kef (Tunisie) d'une nouvelle espèce du genre Ornithodoros: O. normandi n. sp. Annls Parasit. hum. comp. 1: 170-177.

_____ 1925. Contribution a l'etude des tiques de l'Annam; description de deux espèces nouvelles du genre Haemaphysalis: H. obesa n. sp. et H. lagrangei n. sp. Annls Parasit. hum. comp. 3: 301-305.

Lavarra, L. 1904. Sopra una nuova specie di Haemaphysalis. Boll. Soc. zool. ital. 5: 255-258.

Lewis, E. A. 1933. Rhipicephalus ayrei n. sp. (a tick) from Kenya Colony. Parasitology, Cambridge 25: 269-272.

Marchoux, E. & Salembeni, A. 1903. La spirillose des poules. Ann. Inst. Pasteur 17: 569-580.

Matheson, R. 1931. Note on the tick Ornithodoros talaje (Guer.-Men.). Parasitology, Cambridge 23: 270.

_____ 1935. Three new species of ticks, Ornithodoros (Acarina, Ixodoidea). J. Parasit. 21: 347-353.

Matthews, L. H. & Hobson, A. D. 1922. The pigeon tick. Nature, Lond. 110: 313.

Mattingly, P. 1976. Amedeo John Terzi 1872-1956. Mosquito Syst. 8: 114-120.

Meester, J. & Setzer, H. W. (eds.) 1971. The mammals of Africa: an identification manual. Washington.

Merriman, G. 1911. The geographical distribution of Ornithodoros moubata Murray, (1877). Parasitology, Cambridge 4: 168-173.

Merwe, S. van der. 1968. Some remarks on the "tampans" of the Ornithodoros moubata complex in Southern Africa. Zool. Anz. 181: 280-289.

Mettam, R.W.M. 1933. Annual report, 1932, of the veterinary pathologist, Entebbe. Rept. vet. Dept. Uganda (1932): 21-37.

Moritz, M. & Fischer, S.-C. 1981. Die Typen der Arachniden-Sammlung des Zoologischen Museums Berlin IV. Ixodei. Mitt. Zool. Mus. Berl. 57: 341-364

Neumann, L. G. 1897. Révision de la famille des Ixodidés. (2^e mémoire) Mém. Soc. zool. Fr. 10: 324-422.

_____ 1899. Révision de la famille des Ixodidés. (3^e mémoire). Mém. Soc. zool. Fr. 12: 107-373.

_____ 1901. Révision de la famille des Ixodidés. (4^e mémoire). Mém. Soc. zool. Fr. 14: 249-372.

_____ 1902. Notes sur les Ixodidés. Archs Parasit. 6: 109-128.

_____ 1904. Notes sur les Ixodidés. II. Archs Parasit. 8: 444-464.

_____ 1905. Notes sur les Ixodidés. III. Archs Parasit. 9: 225-241.

_____ 1906. Notes sur les Ixodidés. IV. Archs Parasit. 10: 195-219.

_____ 1907. Description of two new species of African ticks. Ann. trop. Med. Parasit. 1: 115-120.

_____ 1908a. Notes sur les Ixodidés. VII. Notes Leyden Mus. 30: 73-91.

_____ 1908b. A new species of tick from Transvaal. Ann. Transv. Mus. 1: 170-172.

_____ 1910a. Description de deux nouvelles espèces d'Ixodinae. Tijdschr. Ent. 53: 11-17.

1910b. Sur quelques especes d'Ixodidae nouvelles ou insuffisamment connues. Annls Sci. nat. 12: 161-176.

1913. Pediculidae, Siphonaptera, Ixodidae. Ent. Mitt., 2 Supp. Ent., (2): 134-137.

Nuttall, G.H.F. 1910. New species of ticks (Ixodes, Amblyomma, Rhipicephalus). Parasitology, Cambridge 3: 408-416.

1911. Notes on ticks. I. (1) Ixodes calendonicus, description of male, together with considerations regarding the structures of the foot in male Ixodes, (2) Types of parasitism in ticks, illustrated by a diagram, together with some remarks upon longevity in ticks, (3) Regarding the loss of life in ticks occurring on wandering hosts. Parasitology, Cambridge 4: 175-182.

1912. Notes on ticks. II. (1) new species (Amblyomma, Haemaphysalis). (1) Ixodes putus: Description of the hitherto unknown larval stage. Parasitology, Cambridge 5: 50-60.

1913a. In Memoriam. Wilhelm Donitz. Parasitology, Cambridge 5: 261-263.

1913b. Notes on ticks. III. On four new species of Ixodes. Parasitology, Cambridge 6: 131-318.

1913c. Note on colouration in ticks. Parasitology, Cambridge 6: 49-51.

1913d. Observations on the biology of Ixodidae. Part I. Parasitology, Cambridge 6: 68-118.

1913e. Rhipicephalus appendiculatus. Variation in size and structure due to nutrition. Parasitology, Cambridge 6: 195-203.

1914a. Tick abnormalities. Parasitology, Cambridge 7: 250-257.

1914b. Penetration of Ixodes beneath the skin. Parasitology, Cambridge 7: 258-259.

1915. Observations on the biology of Ixodidae. Part II. Parasitology, Cambridge 7: 408-456.

1916. Notes on ticks. IV. Relating to the genus Ixodes and including a description of three new species and two new varieties. Parasitology, Cambridge 8: 294-337.

1919. Observations on the biology of the Ixodidae. Part III. Dealing with the behaviour of the sexes in Amblyomma hebraeum, Hyalomma aegyptium and Rhipicephalus bursa when upon the host. Parasitology, Cambridge 11: 393-404.

1920. On coloration in ticks. II. Parasitology, Cambridge 12: 1-6.

1929. Philip Hedgeland Ross. Lancet 217, v. 2 (24): 1284.
& Warburton, C. 1908. On a new genus of Ixodoidea together with a description of eleven new species of ticks. Proc. Camb. phil. Soc. math. phys. Sci. 14: 392-416.

1911. Section II. The genus Ixodes, in Nuttall, et al. Ticks. A monograph of the Ixodoidea. Part II. Cambridge.

1915. The genus Haemaphysalis. In Nuttall, et al. Ticks. A monograph of the Ixodoidea. Part III. Cambridge.

1916. Ticks of the Belgian Congo and the diseases they convey. Bull. ent. Res. 6: 313-352.

- Cooper, W. F. & Robinson, L. E. 1908b. The structure and biology of Haemaphysalis punctata Canestrini and Fanzago. I. Parasitology, Cambridge 1: 152-181.
- Warburton, C., Cooper, W. F., & Robinson, L. E. 1908a. Ticks. A monograph of the Ixodoidea, Part I. Cambridge.
- Old, J.E.S. 1909. Contribution to the study of trypanosomiasis and to the geographical distribution of some of the blood sucking insects, etc. J. trop. Med. Hyg. 12: 15-22.
- Peters, J. L. 1931-1979. Checklist of birds of the world. Vols. I-X, XII-XV. Cambridge.
- Ride, W.D.L. 1970. A guide to the native mammals of Australia. Melbourne.
- Roberts, F.H.S. 1960. A systematic study of the Australian species of the genus Ixodes (Acarina: Ixodidae). Aust. J. Zool. 8: 392-485.
1963. A systematic study of the Australian species of the genus Haemaphysalis Koch (Acarina: Ixodidae). Aust. J. Zool. 11: 35-80.
1970. Australian Ticks. Commonwealth Scientific and Industrial Research Organization, Australia, Melbourne.
- Robinson, L. E. 1912. New species of the ticks (Haemaphysalis, Amblyomma). Parasitology, Cambridge 4: 478-484.
1920. Malformation in ticks. Parasitology, Cambridge 12: 175.
1926. The genus Amblyomma. In Nuttall et al., Ticks. A Monograph of the Ixodoidea. Part IV. Cambridge.
- Russell, L. M. 1978. Leland Ossian Howard: A historical review. A. Rev. Ent. 23: 1-15.

Santos Dias, J.A.T. 1956. Notas ixodologicas. I. Sobre duas entidades do genero Haemaphysalis C. L. Koch, 1844. Mems. Estud. Mus. zool. Univ. Coimbra (242): 1-9.

1958. Notes on various ticks (Acarina: Ixodoidea) in collection of some entomological institutes in Paris and London. Anais Inst. Med. trop., Lisb. 15: 459-563.

Schulze, P. 1918. Ein Beitrag zur Zeckenfauna Mazedoniens. Sber. Ges. naturf. Freunde Berl. (1-2): 61-66.

1919. Bestimmungstabelle fur das Zeckengenus Hyalomma Koch. Sber. Ges. naturf. Freunde Berl. 5: 189-196.

Sharif, M. 1928. A revision of the Indian Ixodidae with special reference to the collection in the Indian Museum. Rec. Indian Mus. 30: 217-344.

Shipley, A. E. 1910. Foreword. Bull. ent. Res. 1: 1-6.

Stiles, C. W. 1910. The taxonomic value of the microscopic structure of the stigmal plates in the tick genus Dermacentor. Bull. hyg. Lab. Wash. (62): 1-72.

Supino, F. 1897. Nuovi Ixodes della Birmania (Nota preventiva). Atti. Soc. ven.-trent. sci. 3: 230-238.

Taylor, F. H. 1946. Spiders, ticks, and mites including the species harmful to man in Australia and New Guinea. Section 1. Descriptive. Serv. Publs. Sch. publ. Hlth. trop. Med. Univ. Sydney (6): 7-234.

Theiler, G. & Salisbury, L. E. 1959. Ticks in the South African zoological survey collection. Part IX. "The Amblyomma marmoreum group." Onderstepoort J. vet. Res. 28: 47-124.

- Thompson, G. B. 1957. The parasites of British birds and mammals - XXXI.
Summary of the records of ticks of sea-birds. Entomologist's mon. Mag.
93: 213-216.
- _____ 1967. The parasites of British birds and mammals - XLII.
The sand-martin tick - Ixodes lividus (C. L. Koch, 1844) (Ixodoidea).
Entomologist's mon. Mag. 102: 106-109.
- _____ 1968. The parasites of British birds and mammals - XLIV.
Summary of records of Ixodes (Exopalpiger) trianguliceps (Birula, 1895)
(Ixodoidea). Entomologist's mon. Mag. 103: 146-152.
- _____ & Knowles, R. J. 1968. Records of Ixodoidea (ticks) from
Essex. Essex Nat. 32: 193-196.
- Townsend, C. H. T. 1913. Progress in the study of Verruga transmission by
blood-suckers. Bull. ent. Res. 4: 125-128.
- Trapido, H. 1965. Notes on critical Asian Haemaphysalis specimens in
European museum collections with designations of lectotypes and a neotype.
Proc. ent. Soc. Wash. 67: 152-165.
- _____ Hoogstraal, H. & Varma, M.G.R. 1964a. Status and descriptions of
Haemaphysalis p. papuana Thorell (n. comb.) and of H. papuana kinneari
Warburton (n. comb.) (Ixodoidea: Ixodidae) of southern Asia and New
Guinea. J. Parasit. 50: 172-188.
- _____ Varma, M.G.R., Rajagopalan, P. K., Singh, K.R.P. & Rebello, M. J.
1964b. A guide to the identification of all stages of the Haemaphysalis
ticks of south India. Bull. ent. Res. 55: 249-270.
- Walker, J. B. 1956. Rhipicephalus pravus Donitz, 1910. Parasitology,
Cambridge 46: 243-260.

Wall, F. 1921. *Ophidia Taprobanica or the Snakes of Ceylon.* Colombo.

Walton, G. A. 1962. The Ornithodoros moubata superspecies problem in relation to human relapsing fever epidemiology. Symp. zool. Soc. Lond. (6): 83-156.

Warburton, C. 1908. On some new and obscure species of the genus Haemaphysalis of the Ixodidae. Proc. Camb. phil. Soc. math. phys. Sci. 14: 508-519.

_____. 1912. Notes on the genus Rhipicephalus, with the description of new species, and the consideration of some species hitherto described. Parasitology, Cambridge 5: 1-20.

_____. 1918. Notes on Ticks. Being descriptions of two new species of Ornithodoros and of the hitherto unknown female of Hyalomma monstrosum. Parasitology, Cambridge 10: 284-287.

_____. 1926. On three new species of ticks (Arachnida, Ixodoidea). Ornithodoros gurneyi, Ixodes arvicola, and Haemaphysalis mjöbergi. Parasitology, Cambridge 18: 55-58.

_____. 1927. On five new species of ticks (Arachnida: Ixodoidea). Ornithodoros nattereri, Ixodes theodori, Haemaphysalis toxopei, Amblyomma robinsoni and A. dammermani, with a note on the ornate nymph of A. latum. Parasitology, Cambridge 19: 405-410.

_____. & Nuttall, G.H.F. 1909. On new species of Ixodidae, with a note on abnormalities observed in ticks. Parasitology, Cambridge 2: 57-76.

Wheler, E. G. 1906. British ticks. J. agric. Sci., Camb. 1: 400-429.

Whittick, R. J. 1939. On some ticks belonging to the genera Aponomma and Amblyomma. Parasitology, Cambridge 31: 434-441.

Willcocks, F. C. 1922. Acarina. In: A survey of the more important economic insects and mites of Egypt. Tech. Bull. Sultanic agric. Soc. (1): 427-432.

Yakimov, V. L. & Kol-Yakomova, N. K. 1911. Etude des Ixodidés de Russie. Archs Parasit. 14: 416-425.

Yeoman, G. H. & Walker, J. B. 1967. The Ixodid Ticks of Tanzania. Commonwealth Institute of Entomology, London.

Zumpt, F. 1952. The ticks of sea birds. Aust. nat. Antarctic res. Rep. (Ser. B) 1: 12-20.

Appendix I

List of Type Specimens in the Nuttall Tick Collection

Professor Nuttall, being a meticulous researcher, would customarily place blue "type" or "cotype" labels in vials containing the type specimen(s) of tick species, whether described by himself, coworkers at Cambridge, or foreign investigators. Keirans and Brewster (1981) discussed the type status of species described by Nuttall and his coworkers. There remain, however, certain problem areas. Matheson (1935) described three species of Ornithodoros, types of which may or may not be represented in the Nuttall collection (N3966, N3967, N3968). There are

neither blue "type" or "cotype" labels in the vials containing the ticks nor any indication in the catalogue or on the vial labels that these are type specimens. Also, Matheson (op. cit.) stated that all specimens were deposited in the Cornell University collection. Nevertheless, most of the collecting data accompanying these specimens agree with data published by Matheson. The exact status of these Ornithodoros specimens remains moot.

The following is a listing of the 160 tick species that are represented in the Nuttall tick collection by one or more type specimens. I am reasonably certain that specimens represented here have valid type status and that the list is relatively complete.

ARGASIDAE

- N 975, Argas confusus Hoogstraal, 1955. Fieldiana: Zool. 37: 586,
N 3716 figs 126-131.
- N 3768 Argas papillipes Birula, 1895. Izv. Imp. Akad. Nauk 2: 354,
pl. 1, figs 4-6.
- N 1243 Argas reflexus indicus Warburton, 1910. Parasitology Cambridge
3: 396.
- N 3562 Ornithodoros gurneyi Warburton, 1926. Parasitology, Cambridge
18: 55, fig. 1.
- N 3545,a Ornithodoros normandi Larrousse, 1923. Annls Parasit. hum. comp.
1: 170, figs 1-4.
- N 3335 Ornithodoros piriformis Warburton, 1918. Parasitology, Cambridge
10: 285, fig. 2.
- N 348 Ornithodoros turicata Dugès, 1876. Rept. de Guanajuato, Mexico
14: 1, figs 1-8.

IXODIDAE

- N 2866 Amblyomma albopictum Neumann, 1899. Mém. Soc. zool. Fr. 12: 244.
- N 1106 Amblyomma annandalei Warburton, 1910. Parasitology, Cambridge
3: 403, fig. 8.
- N 2867 Amblyomma argentinae Neumann, 1905. Archs Parasit. 9: 226.
- N 2868 Amblyomma austroliense Neumann, 1905. Archs Parasit. 9: 227.
- N 2869 Amblyomma calcaratum Neumann, 1899. Mém. Soc. zool. Fr. 12: 226.
- N 2870 Amblyomma coelebs Neumann, 1899. Mém. Soc. zool. Fr. 12: 223.
- N 2872 Amblyomma concolor Neumann, 1899. Mém. Soc. zool. Fr. 12: 222.
- N 70 Amblyomma cooperi Nuttall & Warburton, 1908. Proc. Camb. phil. Soc. math. phys. Sci. 14: 410, figs 33-36.
- N 3615 Amblyomma dammernani Warburton, 1927. Parasitology, Cambridge
19: 409, pl. XXVII, fig. 3.

- N 1285, 1286, Amblyomma darlingi Nuttall, 1912. Parasitology, Cambridge
1287 5: 50, figs 1-4.
- N 2939 Amblyomma fiebrigi Robinson, 1912. Parasitology, Cambridge
4: 482, figs 3, 4.
- N 946 Amblyomma furcula Dönitz, 1909. Sber. Ges. naturf. Freunde
Berl. (8): 478.
- N 945 Amblyomma gemma Dönitz, 1909. Sber. Ges. naturf. Freunde
Berl. (8): 458.
- N 2873 Amblyomma goeldii Neumann, 1899. Mém. Soc. zool. Fr. 12: 238.
- N 944 Amblyomma lepidum Dönitz, 1909. Sber. Ges. naturf. Freunde
Berl. (8): 460, fig. 12.
- N 2940 Amblyomma longirostrum Cooper & Robinson, 1908. Proc. Camb.
phil. Soc. math. phys. Sci. 14: 457, figs 1-5.
- N 711 Amblyomma macfarlandi Keirans, Hoogstraal, & Clifford, 1973.
Ann. ent. Soc. Am. 66: 677, figs 21-40.
- N 996, 997 Amblyomma nuttalli Dönitz, 1909. Sber. Ges. naturf. Freunde
Berl. (8): 469, fig. 4.
- N 565 Amblyomma quasicyprium Robinson, 1926. Ticks. A Monograph of
the Ixodoidea Pt. IV: 237, fig. 117.
- N 3617 Amblyomma robinsoni Warburton, 1927. Parasitology, Cambridge
19: 408, pl. XXVII, fig. 1, 2.
- N 2876 Amblyomma scutatum Neumann, 1899. Mém. Soc. zool. Fr. 12: 237.
- N 36 Amblyomma uncatum Nuttall & Warburton, 1908. Proc. Camb. phil.
Soc. math. phys. Sci. 14: 412, figs 37-40.
- N 1149 Amblyomma v-notatum Nuttall, 1910. Parasitology, Cambridge
3: 412, fig. 5.

- N 2941 Amblyomma variegatum nocens Robinson, 1912. Parasitology, Cambridge 4: 480, fig. 2.
- N 212 Amblyomma versicolor Nuttall & Warburton, 1908. Proc. Camb. Soc. math. phys. Sci. 14: 407, figs 27-29.
- N 2875 Aponomma draconis Warburton, 1933. Parasitology, Cambridge 24: 564, fig. 7.
- N 2877 Aponomma ecinctum Neumann, 1901. Mém. Soc. zool. Fr. 14: 293.
- N 2878 Aponomma oudemansi Neumann, 1910. Tijdschr. Ent. 53: 11, pl. 1, figs 1, 2.
- N 2879 Aponomma pattoni Neumann, 1910. Ann. Sci. Nat. 12: 163, figs 2, 3.
- N 2943 Aponomma quadratum Cooper & Robinson, 1908. Proc. Camb. phil. Soc. math. phys. Sci. 14: 468, figs 22-24.
- N 2942 Aponomma simplex Cooper & Robinson, 1908. Proc. Camb. phil. Soc. math. phys. Sci. 14: 466, figs 18-21.
- N 2978 Dermacentor asper Arthur, 1960. Ticks. A monograph of the Ixodoidea, Pt. V: 114.
- N 2961 Dermacentor auratus Supino, 1897. Atti Soc. ven.-trent. sci. 3: 235.
- N 3874 Dermacentor imitans Warburton, 1933. Parasitology, Cambridge 24: 559, figs 3, 4.
- N 2969 Dermacentor indicus Supino, 1897. Atti Soc. ven.-trent. sci. 3: 236.
- N 2880 Dermacentor nitens Neumann, 1897. Mém. Soc. zool. Fr. 10: 376, fig. 28.
- N 3213 Dermacentor reticulatus niveus Neumann, 1897. Mém. Soc. zool. Fr. 10: 365.

- N 1981 Haemaphysalis aciculifer Warburton, 1913. Parasitology, Cambridge 6: 125, figs 4, 5.
- N 2625 Haemaphysalis aciculifer rugosa Santos Dias, 1956. Mém. Estud. Mus. zool. Univ. Coimbra (242): 5, fig. 4.
- N 2731 Haemaphysalis aculeata Lavarra, 1904. Bol. Soc. zool. ital. 5: 255.
- N 1364 Haemaphysalis africana Howard, 1909. Ann. Transv. Mus. 1: 219, pl. 34, figs 1-10.
- N 2881 Haemaphysalis ambigua Neumann, 1901. Mém. Soc. zool. Fr. 14: 362.
- N 2100, 2114, 2115, 2689, 2691 Haemaphysalis bancrofti Nuttall & Warburton, 1915. Ticks. A monograph of the Ixodoidea III: 487, figs 427-430.
- N 2962, 2970 Haemaphysalis birmaniae Supino, 1897. Atti Soc. ven.-trent sci. 3: 236.
- N 167 Haemaphysalis bispinosa Neumann, 1897. Mém. Soc. zool. Fr. 10: 341, figs 7, 8.
- N 515a Haemaphysalis bispinosa var. intermedia Warburton & Nuttall, 1909. Parasitology, Cambridge 2: 69, fig. 16.
- N 2118 Haemaphysalis borneata Hoogstraal, 1971. J. Parasit. 57: 1096, figs 1-9.
- N 2882 Haemaphysalis calcarata Neumann, 1902. Archs. Parasit. 6: 113, figs 2, 3.
- N 2996 Haemaphysalis calcarata houyi Nuttall & Warburton, 1915. Ticks. A Monograph of the Ixodoidea, Pt. III: 444.

- N 2120a Haemaphysalis calvus Nuttall & Warburton, 1915. Ticks, A Monograph of the Ixodoidea, Pt. III: 445, figs 378, 379.
- N 897 Haemaphysalis campanulata Warburton, 1908. Proc. Camb. phil. Soc. math, phys. Sci. 14: 513, figs 5, 6.
- N 72 Haemaphysalis celebensis Hoogstraal, Trapido & Kohls, 1965. J. Parasit. 51: 1001, figs 1-9.
- N 2883 Haemaphysalis cornigera Neumann, 1897. Mém. Soc. zool. Fr. 10: 350, figs 16, 17.
- N 1108, 2692 Haemaphysalis cuspidata Warburton, 1910. Parasitology, Cambridge 3: 401, figs 6, 7.
- N 3388 Haemaphysalis darjeeling Hoogstraal & Dhanda, 1970. J. Parasit. 56: 169, figs 1-20.
- N 693a Haemaphysalis dentipalpis Warburton & Nuttall, 1909. Parasitology, Cambridge 2: 67, fig. 14.
- N 635 Haemaphysalis doenitzi Warburton & Nuttall, 1909. Parasitology, Cambridge 2: 64, figs 9, 10.
- N 2884, 2885 Haemaphysalis elongata Neumann, 1897. Mém. Soc. zool. Fr. 10: 354, fig. 19.
- N 2715, 2730 Haemaphysalis formosensis Neumann, 1913. Ent. Mitt., 2 Supp. Ent., (2): 135, figs 1, 2.
- N 1372 Haemaphysalis goral Hoogstraal, 1970. J. Parasit. 56: 1235, figs 36-44.
- N 424 Haemaphysalis hoodi Warburton & Nuttall, 1909. Parasitology, Cambridge 2: 62, figs 7, 8.
- N 2847, 2848 Haemaphysalis hoodi var. orientalis Nuttall & Warburton, 1915. Ticks. A Monograph of the Ixodoidea Pt III: 486.
- N 1979 Haemaphysalis howletti Warburton, 1913. Parasitology, Cambridge 6: 123, figs 2, 3.

- N 669 Haemaphysalis humerosa Warburton & Nuttall, 1909. Parasitology,
Cambridge 2: 60, figs 4, 5.
- N 2956, 2957 Haemaphysalis hystricis Supino, 1897. Atti Soc. ven.-trent.
sci. 3: 237.
- N 1226 Haemaphysalis inermis Birula, 1895. Izv. Imp. Akad. Nauk,
Ser. 5, 2: 360, pl. II, figs 7-9.
- N 1566 Haemaphysalis inermis aponommoides Warburton, 1913.
Parasitology, Cambridge 6: 128, fig. 8.
- N 1247 Haemaphysalis japonica Warburton, 1908. Proc. Camb. phil.
Soc. math. phys. Sci. 14: 512, figs 3, 4.
- N 1248 Haemaphysalis japonica douglasi Nuttall & Warburton, 1915.
Ticks. A monograph of the Ixodoidea, Pt. III: 403.
- N 1997 Haemaphysalis kinneari Warburton, 1913. Parasitology,
Cambridge 6: 127, fig. 6.
- N 496c Haemaphysalis koningsbergeri Warburton & Nuttall, 1909.
Parasitology, Cambridge 2: 65, figs 11, 12.
- N 327, 1665,
1666, 1680,
1682, 1686 Haemaphysalis kutchensis Hoogstraal & Trapido, 1963. J. Parasit.
49: 489, figs 1-28.
- N 3599 Haemaphysalis lagrangei Larrousse, 1925. Annls Parasit.
hum. comp. 3: 304, fig. 3.
- H 1107 Haemaphysalis longipalpis Warburton, 1910. Parasitology,
Cambridge 399, figs 4, 5.
- N 3560 Haemaphysalis mjoebergi Warburton, 1926. Parasitology,
Cambridge 18: 57, fig. 3.
- N 760-762 Haemaphysalis montgomeryi Nuttall, 1912. Parasitology,
Cambridge 5: 57, figs 7, 8.

- N 129 Haemaphysalis neumanni Dönitz, 1905. Sber. Ges. naturf.
Freunde Berl. (4): 127, figs 4-6.
- N 2890 Haemaphysalis numidiana Neumann, 1905. Archs Parasit. 9: 230.
- N 2816 Haemaphysalis obtusa Dönitz, 1910. Denkschr. med. naturw.
Ges. Jeana 16: 492, pl. 17, figs 11, 12.
- N 3666 Haemaphysalis papuana nadchatrami Hoogstraal, Trapido & Kohls,
1965. J. Parasit. 51: 433, figs 1-18, 44-50.
- N 1671b, 1672, 2077, 3071 Haemaphysalis paraturturus Hoogstraal, Trapido & Rebello,
1963. J. Parasit. 49: 686, figs 1-17.
- N 2887, 2888 Haemaphysalis parmata Neumann, 1905. Archs Parasit 9: 228.
- N 2889 Haemaphysalis parva Neumann, 1908. Notes Leyden Mus. 30:
fig. 10.
- N 540c Haemaphysalis proxima Warburton & Nuttall, 1909. Parasitology,
Cambridge 2: 61, fig. 6.
- N 1251b Haemaphysalis sambar Hoogstraal, 1971. J. Parasit. 57: 153,
figs 1-10.
- N 1629, 2944 Haemaphysalis silacea Robinson, 1912. Parasitology, Cambridge
4: 478, fig. 1a-f.
- N 2891 Haemaphysalis simplex Neumann, 1897. Mém. Soc. zool. Fr. 10:
345, figs 10-12.
- N 1647 Haemaphysalis spiniceps Warburton & Nuttall, 1909. Parasitology,
Cambridge 2: 68, fig. 15.
- N 2903 Haemaphysalis spinigera novaeguineae Hirst, 1914. Trans. zool.
Soc. Lond. 20: 325, fig. 16.
- N 3614 Haemaphysalis toxopei Warburton, 1927. Parasitology, Cambridge
19: 407, fig. 3.

- N 1648 Haemaphysalis vidua Warburton & Nuttall, 1909. Parasitology, Cambridge 2, 66, fig. 13.
- N 1400 Haemaphysalis warburtoni Nuttall, 1912. Parasitology, Cambridge 5: 55, figs 5, 6.
- N 221 Haemaphysalis wellingtoni Nuttall & Warburton, 1908. Proc. Camb. phil. Soc. math. phys. Sci. 14: 397, figs 9-11.
- N 3661 Hyalomma aegyptium isaaci Sharif, 1928. Rec. Indian Mus. 30: 307, fig 36, pl. IX, fig. 2.
- N 1219 Hyalomma monstrosum Nuttall & Warburton, 1908. Proc. Camb. Phil. Soc. math. phys. Sci. 14: 414, figs 41-45.
- N 3659 Hyalomma kumari Sharif, 1928. Rec. Indian Mus. 30: 319, fig 40, pl. IX, fig. 5.
- N 3873 Ixodes ampullaceus Warburton, 1933. Parasitology, Cambridge 24: 559, fig. 2.
- N 2069 Ixodes anatis Chilton, 1904. Trans. Proc. N.Z. Inst. 36, n.s. 19: 201, pl. 10, figs 1-6.
- N 3594, 3595 Ixodes arvicola Warburton, 1926. Parasitology, Cambridge 18: 56, fig. 2.
- N 3906 Ixodes auriculaelongae Arthur, 1958. Parasitology, Cambridge 48: 41, figs 7-12.
- N 1537 Ixodes banksi Bishop, 1911. Proc. biol. Soc. Wash. 24: 200, pl. 2, figs 3-6.
- N 961, 1142,
1200 Ixodes caledonicus Nuttall, 1910. Parasitology, Cambridge 3: 408, figs 1-3.
- N 245 Ixodes cavipalpus Nuttall & Warburton, 1908. Proc. Camb. phil. math. phys. Sci. 14: 394, figs 1-5.
- N 3180, 3181 Ixodes dentatus var. spinipalpis Hadwen & Nuttall, 1916. In Nuttall, Parasitology, Cambridge 8: 301, figs 6-8.

- N 2672, 2775 Ixodes eichhorni Nuttall, 1916. Parasitology, Cambridge
 8: 295, figs 1, 2.
- N 650 Ixodes facialis Warburton & Nuttall, 1909. Parasitology,
Cambridge 2: 58, figs 1, 2.
- N 339 Ixodes facialis var. aegrifossus Warburton & Nuttall, 1909.
Parasitology, Cambridge 2: 59, fig. 3.
- N 1104 Ixodes gigas Warburton, 1910. Parasitology, Cambridge 3: 397,
figs 1, 2.
- N 2964 Ixodes globulosus Supino, 1897. Atti Soc. ven.-trent. Sci. 3:
232.
- N 2966 Ixodes granulatus Supino, 1897. Atti Soc. ven.-trent. sci. 3:
232.
- N 3596 Ixodes gurnseyensis Arthur, 1955. Parasitology, Cambridge 45:
138, figs 10-16.
- N 279, 280 Ixodes kelloggi Nuttall & Warburton, 1908. Proc. Camb. phil.
Soc. math. phys. Sci. 14: 396, figs 6-8.
- N 2066 Ixodes kempfi Nuttall, 1913. Parasitology, Cambridge 6:
131, fig. 1.
- N 647 Ixodes loricatus spinosus Nuttall, 1910. Parasitology, Cambridge
3: 411, fig. 4.
- N 360 Ixodes nitens Neumann, 1904. Archs Parasit. 8: 460.
- N 2065 Ixodes oldi Nuttall, 1913b. Parasitology, Cambridge 6: 135,
fig. 3.
- N 634 Ixodes percavatus rothschildi Nuttall & Warburton, 1911.
Ticks. A Monograph of the Ixodoidea, Pt. II: 221.
- N 3872 Ixodes petauristae Warburton, 1933. Parasitology, Cambridge
24: 558, fig. 1.

- N 1401, 1402 Ixodes ricinoides Nuttall, 1913. Parasitology, Cambridge
 6: 136, fig. 4.
- N 2533 Ixodes ricinus gibbosus Nuttall, 1916. Parasitology, Cambridge
 8: 300, fig. 5.
- N 1171 Ixodes schillingsi Neumann, 1901. Mém. Soc. zool. Fr. 14: 288.
- N 1227 Ixodes signatus Birula, 1895. Izv. Imp. Akad. Nauk, Ser. 5,
 2: 357, pl. I, figs 10-13.
- N 2967 Ixodes testudinis Supino, 1897. Atti Soc. ven.-trent. sci.
 3: 230.
- N 2968 Ixodes varanensis Supino, 1897. Atti Soc. ven.-trent. sci.
 3: 231.
- N 3194 Ixodes victoriensis Nuttall, 1916. Parasitology, Cambridge
 8: 297, fig. 3.
- N 52 Margaropus lounsburyi Neumann, 1907. Archs Parasit. 11: 218,
 figs 4-8.
- N 2960 Opisthodon canestrinii Supino, 1897. Atti Soc. ven.-trent.
 sci. 3: 237.
- N 2959 Opisthodon gestroi Supino, 1897. Atti Soc. ven.-trent sci.
 3: 238.
- N 320f Rhipicentor bicornis Nuttall & Warburton, 1908. Proc. Camb.
 phil. Soc. math. phys. Sci. 14: 399, figs 12-16.
- N 2892 Rhipicentor vicinus Neumann, 1908. Ann. Transv. Mus. 1: 170,
 pl. VII, figs f-1.
- N 2893 Rhipicephalus appendiculatus Neumann, 1901. Mém. Soc. zool. Fr.
 14: 270.
- N 3845 Rhipicephalus ayrei Lewis, 1933. Parasitology, Cambridge 25:
 269, figs 1, 2.

- N 1103 Rhipicephalus breviceps Warburton, 1910. Parasitology, Cambridge
3: 398, fig. 3.
- N 320e Rhipicephalus coriaceus Nuttall & Warburton, 1908. Proc. Camb.
Phil. Soc. math. phys. Sci. 14: 402, figs 17-20.
- N 2894 Rhipicephalus deltoideus Neumann, 1910. Tijdschr. Ent. 53:
13, pl. 1, figs 3-7.
- N 1619, 1650,
1694 Rhipicephalus evertsi albigeniculatus Nuttall & Warburton,
1916. Bull. ent. Res. 6: 327.
- N 2110 Rhipicephalus follis Dönitz, 1910. Denkschr. med.-naturw.
Ges. Jena, 16: 481, pl. 14b, fig. 12, pl. 16a, fig. 3.
- N 2108 Rhipicephalus glyphis Dönitz, 1910. Sber. Ges. naturf.
Freunde Berl. (6): 278, fig 4.
- N 2963, 2965
2971 Rhipicephalus haemaphysaloides Supino, 1897. Atti Soc.
ven.-trent. sci. 3: 232.
- N 2955 Rhipicephalus javanensis Supino, 1897. Atti Soc. ven.-trent.
3: 233.
- N 2109 Rhipicephalus kochi Dönitz, 1905. Sber. Ges. naturf. Freunde
Berl. (4): 106, figs 1-3.
- N 351, 393 Rhipicephalus longiceps Warburton, 1912. Parasitology, Cambridge
5: 11, figs 6, 7.
- N 1460 Rhipicephalus longus Neumann, 1907. Ann. trop. Med. Parasit. 1:
117, figs 24, 25.
- N 246 Rhipicephalus masseyi Nuttall & Warburton, 1908. Proc. Camb.
phil. Soc. math. phys. Sci. 14: 404, figs 21-26.
- N 1414 Rhipicephalus neavei Warburton, 1912. Parasitology, Cambridge
5: 9, figs 2, 3.
- N 1411 Rhipicephalus neavei punctatus Warburton, 1912. Parasitology,
Cambridge 5: 10, figs 4, 5.

- N 2896 Rhipicephalus nitens Neumann, 1904. Archs Parasit. 8: 462.
- N 1246 Rhipicephalus pravus Dönitz, 1910. Denkschr. med.-naturw.
Ges. Jena 16: 479.
- N 2897 Rhipicephalus rossicus Yakimov & Kol-Yakimova, 1911. Archs Parasit. 14: 419.
- N 1409, 1448 Rhipicephalus sculptus Warburton, 1912. Parasitology, Cambridge
5: 13, figs 8, 9.
- N 1562 Rhipicephalus shipleyi Neumann, 1902. Archs Parasit. 6: 112.
- N 1214 Rhipicephalus simpsoni Nuttall, 1910. Parasitology, Cambridge
3: 413, figs 6, 7.
- N 2898 Rhipicephalus ziemannii Neumann, 1904. Archs Parasit. 8: 464.

Appendix II

List of Species Names of Ixodoidea in
the Nuttall Tick Collection

Nuttall numbers follow each species name. A number in brackets [] indicates a collection is missing. A species name or Nuttall number in italic indicates a junior subjective synonym or a tick

collection in which the original determination has been revised by myself or some other investigator whose identification agrees with mine. For example, N 273 was originally identified as Argas persicus. I redetermined it as Argas sanchezi; thus, the number appears under both names with italic used for the earlier determination.

Argasidae

Antricola sp. [3488]

Argas americanus (Marx) 206

- " arboreus Kaiser, Hoogstraal, & Kohls 3244
- " boueti Robaud & Colas-Belcour 1164, 1571
- " brumpti Neumann 333, 827, 1508, 1579, 1917
- " confusus Hoogstraal 975, 3716
- " dalei (sp. near) Clifford, Keirans, Hoogstraal & Corwin 2516
- " hermanni Audouin 2526
- " miniatus C. L. Koch 23, [138], 236, [721], 969, 971, 972, 973, 974, 976, [984], 985, 1260, 1977
- " persicus (Oken) 23, 53, [135], 136, 140, 155, 236, 242, 243, [253], 264, 273, [313], [315], 379, 440, 441, [469], [480], [500], 589, 590, [658], [659], 969, 970, 971, 972, 973, 977, 978, [979], 980, 981, 982, 983, 985, 1008, 1009, [1083], 1130, 1131, 1246, 1260, [1275], 1349, [1367], [1506], 1561, 1574, a, b, [1574c], [1687], [1695], [1904], 1905, [1951], 1977, [1995], 2013, 2063, [2082], 2207, 2231, [2238], [2332Z], 2440, 2448, 2516, 2526, 2633, 2693, 2849, [2936a], 3020, 3028, 3120, 3121, 3244, [3397], [3509], [3510], [3536], [3550], 3754, 3921
- " persicus group 2231
- " persicus var. miniatus C. L. Koch 236
- " radiatus Railliet 206, 379
- " reflexus (Fabricius) 354, [1259], [1288], [1289], 2279, 2768, 2769, 2936, 3134, [3159], [3165], 3235, 3439, [3439a]
- " reflexus group 2279, 2768
- " reflexus var. indicus Warburton 1243, 1649
- " sanchezi Dugès 273
- " transgariepinus White [3135]

- " vespertilionis Latreille 225, 403, 453, 522, 591, 592, 593, 828,
 975, 1151, 1152, 1153, 1163, 1192, 1571, 1856, 2029,
 2030, 2746, 3134, 3173, 3288, 3402, 3547, 3558, 3600,
 3628, 3649, 3716
- " walkerae Kaiser & Hoogstraal 3754
- " sp. 225, 976, 1154, 1164, 1346, [1388], 2521, [2523], 2619,
 2684
- Ornithodoros amblyus Chamberlin 2522
- " azteci Matheson 3968
- " brodyi Matheson 3966
- " capensis Neumann 913, 1187, 1849, 3438
- " capensis group 594
- " coniceps (Canestrini) 3355, 3622, 3957
- " coriaceus C. L. Koch 288, 349, 1376, [2739], 2993, 2994, [3797]
- " crossi Brumpt 3472, 3548, 3604, 3623
- " dunni Matheson 3967
- " erraticus (Lucas) 3357, 3621
- " foleyi Parrot 3855, 3890
- " franchinii Rondelli 3855, 3890, [3922]
- " furcosus Neumann 2512
- " gurneyi Warburton 3562, 3590, 3652
- " hasei Schulze 3967
- " kellteyi Cooley & Kohls 3769
- " lahorensis Neumann 369, 765, 1242, 1368, 2023, 2155, 2524, 2525,
 3501, 3549, 3559, 3623, [3647]
- " maroccanus Velu 3357, 3621
- " magnini (Duges) 226, [387], [596], [722], [908], [1113],
 1569, 1832, [2085a], [2653], [3290], [3755], 3757, [3779]
- " moubata (Murray) [14], 71, [122], 132, [203], [204], 205, [238],
 346, 359, [390], [455], 475, [595], [614], 724, [757],
 818c, [819], 887, [939], [1076], [1077], [1312], [1319],
 1580, [1585], 1918, 1920, 1948, [1970], 2021,
 2024, [2027], 2040, 2074, [2166], 2173, 2389, 2467,
 2471, 2476, [2558], [2559], 2563, [2568], 2569, [2572],
 2574, [2578], [2582], 2584, 2588a, [2600a], 2605, 2609,
 2615, 2644, 2650, [2783], [2831], 3018, [3102], 3216,
 [3260], 3298, 3299, 3300, 3798, 3937
- " normandi Larrousse 3545
- " papillipes (Birula) 3630, 3768
- " peringueyi Bedford 3795, 3865
- " piriformis Warburton 3335
- " rostratus Aragao [1895], 2218, 2676, [3372]
- " rudis Karsch 3732
- " savignyi (Audouin) 34f, 657, 758, 909, 910, 911, 912, 949, 966,
 1236, 1436, 1513, 1550, 1575, [1827], 1910, 1959, 2011,
 2392, 3613
- " talaje (Guerin Meneville) 594, 725, 967, 1276, [1277], 1849,
 2107, 2177, 2217, 2442, 2522, 3162, 3349, 3355,
 3438, 3605, 3769, 3790, 3901, 3957
- " talaje var. capensis Neumann 913, 1187

Ornithodoros tholozani (Laboulbène & Megnin) 369, 794, 1660, 1734, 2230,
 2342Z, 2441, 3068, 3472, 3548, 3604, 3623, 3630, 3768
 " turicata (Dugès) 348, 723, 1022, [1112]
 " venezuelensis Brumpt 3732
 " sp. 32, [292], 794, 967, 2521, 2619, 2684, 3288, 3349, [3553],
 [3583], [3618], [3619], 3637, 3784

Otobius lagophilus Cooley & Kohls 2045, 2046
 " megnini (Dugès) 226, 1569, 1832, 2045, 2046, 3757

Ixodidae

Amblyomma albolimbatum Neumann [78], 567, 569, 771X, 2690b, 3124, 3523
 " albopictum Neumann 2866
 " americanum (Linnaeus) 139, 380, 705, 1198
 " annandalei Warburton 1106
 " argentinae Neumann 2867
 " astrion Dönitz 3587
 " auricularium (Conil) 2872, 2995, 3728, 3729
 " australiense Neumann 547, 1206, 2868, 3522
 " badium Neumann [824]
 " braziliense Aragão 823, 1262, 2219b
 " caelaturum Cooper & Robinson 2938
 " cajennense (Fabricius) 212, [222], 374a, b, 375a, [375b, c], 376a,
 377a, b, [381], 457, 557, 648, [706], 707, 995, [1180a],
 1266, [1284], [1496], [1505], 1654, 1864, [1865], [1911],
 [1972], 1973, [1974a], [1975], 1992, a, 2000, 2178,
 [2179], [2180], [2182], 2183, [2184a], 2214, 2215, 2216,
 2219a, 2222, 2479, 2899, 3096, [3097], [3098], 3099,
 3441, [3455], 3461, 3464, [3465], [3467], [3541], [3574],
 3724, 3898
 " calcaratum Neumann 2869, 3411, 3454, 3462, 3723
 " clypeolatum Neumann 43, [75], 3126, 3416, 3608, 3611
 " coelebs Neumann 1654, 2214, 2215, 2870, 2871, 3468, 3703, 3722
 " cohaerens Dönitz 772, 1290, 1291, 1548, 1549, 1551, 1582, 1583,
 1584, 1607, 1715, 1781e, 1813, 2020, 2397, 2716, 2902,
 2906b, 3014, 3015, 3211, 3382, 3587, 3638, 3710, 3914, 3927
 " compressum Macalister 564, 3379, 3401, 3491, 3910, 3946, 3948, 3961
 " concolor Neumann 1264, 2872, 2995, 3728, 3729
 " cooperi Nuttall & Warburton 70, 821, 1261, 2219b
 " cordiferum Neumann 3568, 3616
 " crenatum Neumann 3511, 3601
 " cruciferum Neumann 460
 " cuneatum Neumann 564, 3379, 3401, 3491, 3910, 3946, 3948, 3961
 " cyprium Neumann 6, 73, 565, 987, 1188, 1208, 1209, 3399, 3569, 3570,
 3615
 " dammermani Warburton 3615
 " darlingi Nuttall 1285, 1286, 1287
 " decoratum C. L. Koch [93], [2187a]
 " deminutivum Neumann 642, 1524

- Amblyomma dissimile C. L. Koch 40, 126, 289, 460, 568, 653, 709, 1268, 1283, 1522, 1524, 1597, 1598, 1599, 1653, 1704, 1726, 1822, 1870, 1873, 1883, 1935, 2010, 2086, 2112, 2176, 2185, 2685, 2686, 3110, 3238, 3492, [3525], 3540, 3609, 3965
- " eburneum Gerstäcker 874c, 947, 1620, 3001, 3788
- " echidnae Roberts 3522
- " falsomarmoreum Rondelli 1155, 3611
- " fiebrigi Robinson 2939
- " furcula Donitz 946
- " geayi Neumann 1149, 1651, 3125, 3725, 3900
- " gemma Dönitz 22, 558b, 945, 960, 1158, 1432, 1544, 1552, [1724], 1758, 1786b, 1789a, 1794c, 2570c, 2577, 2586c, 2599, 2603a, 2604b, 3001, 3016, 3215e, 3263, 3610, 3772, 3786
- " geoemydae (Cantor) 202, 545, 2938
- " goeldii Neumann 2617, 2873, 2874, 3446
- " hebraeum C. L. Koch 22, 26, [79], 131, [177], [177X], 232d, [418], [419], [420], [450], 964, 1298, 1350, 1351, 1352, 1353, [1354], 1355, 1356, 1357, [1475], 1476, [1477], 1478, [1479], [1480], [1481], 1482, [1483], 1484, [1485], [1486], [1487], 1488, [1489], [1490], [1491], 1732, [1925], [2154], [2288], [2289], [2290], 2291a, [2292], 2293, 2295, 2296, 2298a, [2300], [2301], 2302, [2304b], 2308b, 2309a, 2310a, 2311a, 2312a, [2313a], 2316a, 2413a, [2418b], 2419b, 2421a, [2424], [2429a], [2432], [2433], [2434], [2435], [2436], 2437a, 2439, 3474c, 3475, [3476], [3477], [3481], [3756]
- " helvolum C. L. Koch 308, 482, 486, 490, 491, 492, 494a, 1016, 1017b, 2051, 3077a, 3123, 3327
- " hippopotamensis (Denny) [1030]
- " hirtum Neumann [397]
- " humerale C. L. Koch 1261X, 2620, 2940, 3459, 3727
- " incisum Neumann 1265, 1738a, 1897, 3702
- " integrum Karsch 182, 184, 512a, 518, 811, 825, 835, 1221, 1228, 1229, 2001, 2934, 3069, 3326
- " javanense (Supino) 483, 1063, 1101, 1102, 1292, 1293, 1664, 1667, 1668, 1861, 1944, 2969, 2982, 3514
- " latum C. L. Koch 3584, 3585
- " lepidum Dönitz 22, 86, 104, 193c, [442c], [444], [526], 527, 529, 874c, 944, 1544, 1758, 1781e, 1786b, 1794c, 2203, 2204, 2205a, 2210a, 3075, 3191, 3261, 3272b, 3633, 3670, 3888
- " loculosum Neumann 3603
- " Tongirostre (C. L. Koch) 560, 2940, 3409, 3410
- " macfarlandi Keirans, Hoogstraal & Clifford 711
- " maculatum C. L. Koch 382, 710, 994, 1270, 3212, 3493
- " mantiquirense Aragão 822, 1267, 1741, 3243, 3443, 3449, 3450, 3458, 3943, 3955
- " marmoreum C. L. Koch [77], 89, 95, 199, 200, 228, 229, 240, 570, [744], 939a, 940, 958, 959, 1088, 1095, 1155, 1157, [1428], 1438, 1659, 1747, 1838, 2196, 2199, 2326, 2386a, 2797, 3042, 3081, 3082, 3083, 3086, 3087, 3215f, [3650], 3926, 3953

- Amblyomma moreliae (L. Koch) 1520, 1523, 1841, 2690b, 3523
 " naponense (Packard) 822, 1267, 1741, 1746, 3243, 3443, 3449, 3450,
 3458, 3943, 3955
 " neumannii Dönitz 946
 " nitidum Hirst & Hirst 3657
 " nodosum Neumann 36, 1269, 2317, 2874, 3128, 3713, 3726
 " nuttalli Dönitz 681, 939a, 940, 958, 996, 997, 1421, 1443, [1814], 1838,
 2196, 2199, 2326, 2797, 3042, 3085, 3086, 3088, 3093, 3709,
 [3770], 3853
 " oblongoguttatum C. L. Koch 1285, 1286, 1287, 1896, 3099, 3451,
 [3701], 3704, 3724, 3898
 " ovale C. L. Koch 562, 566, 1263, 1271, 1655, 2219, 2222b, 2224,
 2688, 2774, 2821, 3404, 3405, 3415, 3440, 3445,
 3452, 3453, 3456, 3457, 3463
 " pacae Aragão 1892, 1893, 2939, 3730
 " parvitarsum Neumann 3971
 " parvum Aragão 3899, 3902a, 3903, 3972
 " paulopunctatum Neumann 2478, 3091, 3437
 " pecarium Dunn 557, 3969
 " personatum Neumann 250, 326, [965], 3602, 3672, 3904
 " petersi Karsch 29, 249, 779, 938, 941, [956], [957], 1031, 1032,
 [1089], 1098, 1315, 1338, 1435, 1719, 1720, 1721, 2785,
 2972, 3215g, 3429, 3912, 3913
 " pictum Neumann 1738
 " pilosum Neumann 711
 " pomposum Dönitz 142, 311, 336, 337a, 338, 392, 755, 2041a, 2638,
 2639, 2646, 2941, 3029, 3032
 " pseudoconcolor Aragão 820, 1264
 " quasicyprium Robinson 565, 3569
 " rhinocerotis (de Geer) 29, 779, 938, 941, 1031, 1032, 1089, 1098,
 1315, 1338, 1435, 1719, 1720, 1721, 2785, 2972, 3215g,
 3429, 3912, 3913, 3953
 " robinsoni Warburton 3617
 " rotundatum C. L. Koch 2617, 2703, 2704, 2874, 3446
 " sabanerae Stoll 3727
 " scutatum Neumann 2876
 " sparsum Neumann 89, 240, 249, 959, 1088, 1095, 1438, 1747, 1934,
 2386a, 3215f, 3926, 3953
 " splendidum Giebel 194, 196, 1578, 1610, 1650a, 1697, 1898, 1947,
 2259a, 2262c, 2333, 2337, 2338b, 2505b, 2506b, 2649, 2670c,
 2742, 2802, 2900, 3003, 3034a, 3376, 3530, 3927
 " striatum C. L. Koch 223, 1271, 2219, 2222b, 2688
 " sublaeve Neumann 483, 564, [824], 1063, 1101, 1102, 1292, 1293,
 1664, 1667, 1668, 1859, 1944, 2955, 2969, 2982, 3514
 " supinoi Neumann 1106, 2967, 3391, 3392, 3489, 3578
 " sylvaticum (de Geer) 3584, 3585
 " tapiarellum Dunn 3970

- Amblyomma testudinarium C. L. Koch 489, 495a, 540a, [540e], 540h, 541, [1056a], 1084, 1369, 1568, 1859, 1908, 1909, 2103, 2119a, 2909a, 2914a, 2916a, 2919, 3127, 3161, 3338, 3430, 3469, 3511, 3567, 3859, 3939, 3956
- " testudinis (Conil) 2867, 2967, 3861
- " tholloni Neumann 218, 528, 559, 773, 1217, 1232, 1318, 1417, 1603, 1652, 1809, 1915, 2018, 2263, 2271, 2318c, 2483a, 2507, 2595, 2717, 3092, 3301c, 3381, 3384, 3915
- " tigrinum C. L. Koch 1270
- " triguttatum C. L. Koch 340, 546, [551], 552, 553, 3400, 3518, 3676
- " triste C. L. Koch 3212a
- " tuberculatum Marx 708, 3356, 3490
- " uncatum Nuttall 36
- " v-notatum Nuttall 1149
- " variegatum (Fabricius) [102b], 105, [106a], [159], [160], [161a], [162a], [163], [164], [165], [190], 192a, [319], [320b], [372c], [373b], [425b], [427a, e], 429, [430], [433], [437], 465, 476, 527, 664, [672a], [673a], 680d, 694, [734], [743], [750a], [775d], 778, [871], 872, [873], [875], 877c, [879,a], 881c, [883], [884], [886], 886a, [889], [1114], [1115], [1310], 1325, 1344, [1345], 1423, 1437, 1551, [1622], [1623], 1650, 1694a, 1762, [1812], 1853, 1855, 1921, 1956a, 2022, 2041a, [2042], 2094, 2133a, 2134a, 2135, 2136a, 2138, 2140, 2142a, 2144a, 2146a, [2167a], 2170, [2229a], [2256], [2259b], [2260a], [2261], 2262, [2265], 2318c, [2329], 2330, [2331a], [2332], 2334a, [2335a], [2336b], [2337a], [2339], [2340], [2341], [2342], [2343c], [2344], [2361], [2390], [2400], 2477a, [2485a], 2488a, [2493a], [2494], [2497c], [2499a], [2500], [2501a], 2503, [2504a], [2505a], [2506a], [2549], [2550], [2551], 2567, [2585], [2586d], 2588, 2592, 2593, 2596, 2608, [2612a], 2613, [2614e], 2616, [2640a], [2641a], [2642], [2659b], [2662a], [2669b], [2670d], [2678], [2679], [2701b], 2711, [2773], [2829], 3000, 3034, b, [3037a], 3044b, [3045a], [3046a], [3048], [3049a], [3050a], [3052], [3053b], [3054d], [3055c], [3058c], [3061], [3063], [3079a], 3080, [3112], [3143a], [3144a], [3145b], [3151a], [3152a], [3168], [3169], [3204], 3210, [3215h], 3263b, [3273], [3292], [3303], [3339], [3340], [3341], [3367], [3369], [3385], [3403], [3526], 3685, 3689, 3721, 3800, 3811, 3816, 3820, 3821, 3822, 3824, 3827, 3828, 3839, 3840, 3841, 3893
- " variegatum var. nocens Robinson 2941
- " varium C. L. Koch 1149, 2618, [2808], 3156, [3351], 3723, 3900a
- " versicolor Nuttall & Warburton 212
- " n. sp. [13]
- " sp. 9, 74, [76], [100], 131, 183d, 185b, 199, 200, 213, 214, 215, [281], [287], [305a], 442a, b, [544], 545, 633, [790a], 880, 881c, 882, [885a], [1018], 1166, 1251c, 1386, 1391, 1392, 1393, 1394, 1396, 1397, 1457, 1458, 1515, 1523, 1589, 1656, [1710], 1717, 1738b, 1810, 1836, 1862, 1869, 1901, 1955, 1984, 2088, 2133a, 2135, 2136a, 2144a, 2146a, 2216, [2224a], 2330, 2417b, 2425a, 2738, 2749, [2750], [2775], 2955, 3081, 3082, 3083, 3087, 3110, 3227, 3321a, 3412, 3444, 3460, 3466, 3656, 3731

- Anocentor nitens (Neumann) 376a, 378, 385, 461a, 701, 1280, 1281, 1282, 1626, 1707, 1863, 1866, 1867, 1968, 1975a, 1999, 2085b, 2181, 2184, 2681, 2682, 2767, 2880, 3212, 3214, 3496, 3497
- Aponomma auruginans Schulze 3195, 3196, 3197, 3520
 " concolor Neumann 3517
 " decorosum (L. Koch) 42, 550, 1842, 1843, 1844, 1845, 2189, 2690a, 2991, 2992, 3131
 " draconis Warburton 3875
 " ecinctum Neumann 2877
 " exornatum (C. L. Koch) 37, 44, 487, 493, 494, 508, 521, 531, 554, 636, 661, 736, 1096, 1238, 1316, 1317, 1427, 1517, 1547, 1604, 1752, 1753, 1900, 2014, 2051, 2386, 2466, [2718], 2788, 2823, 3002, 3317, 3380, 3478, [3554], 3917
 " fimbriatum (C. L. Koch) 2051, 2877, 2942, 3131
 " flavomaculatum (Lucas) 531, 661, 776, 1316, 1317, 1427, 1547, 1604, 2200, 2386, 2466, 3317
 " gervaisi (Lucas) 38, 45, [92], 120, 153, 470, 472, 484, [548], 1233, 1516, 1625, 1685, 1698, 1858, 1903, 2357, 2697, 2698, 2746z, 2747, 2981, 2983, 3070, 3123a, 3130, 3199, [3358]
 " gervaisi var. lucasi Warburton 41, [90], [91], 470, 471, 1017a, 1365, 1518, 1519, 1521, 1728, 2038, [2113], 2187, 2275, 2276, 2968, 3118, 3203, 3346, 3389
 " hydrosauri (Denny) 120, 158, 556, 1739, 1745, 3516, 3517, 3524
 " komodoense Oudemans 3875
 " laeve Neumann 39, 328, 439, 502, 681a, 939b, 1109, 1133, 1907, 1945, 3039, 3084, 3271, 3315, 3337, 3374, 3871
 " laeve var. capensis Neumann 3138
 " laeve var. paradoxum Nuttall in Wall 1074, 1244, 1245, 1366, 2017, 2699, 2746a, 2748, 3336, 3364, 3365, 3366, 3565
 " latum (C. L. Koch) 39, 438, 439, 502, 681a, 939b, 1133, 3039, 3084, 3271, 3315, 3374, 3871
 " oudemansi Neumann 2878
 " p[-----]s 3195, 3196, 3197, 3520
 " pattoni Neumann 39, 1074, 1109, 1244, 1245, 1366, 1514, 1907, 1945, 2017, 2699, 2746a, 2748, 2879, 3336, 3337, 3364, 3366, 3494, 3565
 " quadratum Cooper & Robinson 2943
 " simplex Cooper & Robinson 2942
 " sphenodonti Dumbleton 3864
 " trachysauri (Lucas) 158
 " transversale (Lucas) 1234
 " trimaculatum (Lucas) 1205, 2038, 2050, [2052], 2690c, 2823, 2985, 2986, 2987, 2988, 2989, 2990, 3076, 3077, 3078, 3131a, 3519
 " varanensis (Supino) 41, 470, 471, 472, 484, 487, 493, 494, 554, 1017a, 1365, 1518, 1519, 1521, 1728, 2187, 2275, 2276, 2943, 2968, 3118, 3123a, 3203, 3346, 3389
 " sp. 466, [571], [1403], [1404], [1405], 1836, 1984, 2015, 2051, [2381], [2674], 3138, 3270, 3365, 3632, 3864

- Boophilus annulatus (Say) [16], 46b, 156, 157, 166, [244], [305], [383], [713], [789b, c], 791, 792, [1025], 1052c, 1053c, 1177, 1180b, [1180c], [1230a], 1230b, c, 1250, 1252a, 1254, 1465, 1596, 1650b, 1658, 1689, 1699, 1829, 1830, 1831, [1833], 1834, 1926b, 1930, [1931], 1976, [1978], 1983, 2061, 2078, 2084, 2085, 2162, 2163, [2175], 2208, 2211, [2278], 2285, [2391], 2510, 2511, 2543, [2552a], 2670, 2712, 2720, 2728, 2853a, 2863a,, 3289, 3470, 3483, [3607], 3796a
- " australis (Fuller) [3], 33, 34a, b, e, 54, [141], 154a, [179], 180, 183b, 185a, 188b, 207, 208, 219, 296, 307a, 312, [314], 316, 317, 318, 325, 344, 345a-c, [427d], 428, 435, 437a, 452, [462], 495d, 540d, g, j, 543, 712, 729, 734a, 737, 739, 743a, 830, 831, 832, 861, 955, 993, 1010, 1011, 1012, 1019, [1020], [1033], 1059, 1061, 1070b, 1071a, 1090, 1116, 1177, [1278], 1279, 1348, 1379, 1383, 1384, 1465, [1567], 1631a, 1706, 1762a, 1767, 1771, 1774, 1775, 1779, 1781b, 1782a, 1783b, 1784, 1785a, 1786a, 1787a, 1788, 1789b, 1790a, 1794b, 1835, 1840, [1857], 1924, 1926b, 1943b, [1957], 1960, 1961, 1962, 1963, 1964, 1965, 1967, 1968, 1974, [1975b], 1982, 1986, [1992], [1993], [1994], 2004, 2005, 2007, [2016], 2033, 2034, 2035, 2037, 2061, 2099, 2102, 2119, 2162, 2163, 2186, 2191, [2195], 2220, [2221], [2222a], [2223], 2225, 2226, 2227, 2228, 2229, 2235, [2249], 2250, [2254], 2256b, 2259, 2260, 2261d, 2262a, 2267, 2273, 2288a, 2289a, 2290a, 2291, 2292a, 2294, 2301b, 2303, 2305, 2306, 2308, [2309], 2311, 2312b, 2313, 2314, 2315, 2316, 2318b, 2325a, 2329b, 2331b, [2335b], 2336, 2337c, 2340b, 2341b, 2342a, 2343b, 2343z, 2345, 2346, 2351, 2361z, 2370b, 2413, 2414, 2415, 2416, 2417a, 2418, 2419, 2420a, 2421, 2426, 2427, 2429, 2430, 2431, 2444, 2445, 2457, 2463, 2482c, 2484, 2485, 2490b, 2491, 2492, 2493, 2494b, 2497, 2499, 2500a, 2501, 2503a, 2504, 2505, 2506, 2529a, 2530, 2543, 2621, 2626, 2627, 2640, 2641, 2646a, 2655, 2656, 2657, 2659, 2660, 2661, 2662, 2664, 2666, 2667, 2668, 2669, 2670, 2671, [2677], [2683], 2691a, 2712, 2721, [2726], 2727, 2781, 2782, [2845], 2853a, 2910, 2911, 2912, 2913, 2914, 2915, 2916, 2918, 3034c, 3036, 3037b, 3040, 3041, 3044c, 3045, 3046, 3047, 3048c, 3049, 3050, 3053, 3054c, 3055b, 3056, 3057, 3058a, 3064, [3105], [3106], 3107, 3116, 3143, 3144, 3145, 3146, 3147, 3148, [3149a], 3150, 3151, 3152, 3153, [3164], [3176], 3255, 3261a, 3263a, 3276a, 3289, 3294, 3295, 3296, 3303a, 3304, 3332, 3362, 3369a, 3398, 3422, 3427, 3442, 3849, 3905, 3907
- " calcaratus (Birula) 791, 792
- " caudatus (Neumann) 833

- Boophilus decoloratus (C. L. Koch) 79a, 133, [248a], 306, 372a, [373a], 391, [412], 413, [432], [458c], 467, 468, [473], 477, 497b, [532a, b], 672b, 676, 677a, 734a, 737, 739, 743a, 775, 776, 777, 871b, 873b, 874a, 875a, 877b, 879b, 881a, 886b, [1111c], 1117, 1605, [1694c], [1939], [1940], 1956, 1969, 2091, 2131, 2136, 2138, 2139, 2140, [2141], [2142], [2143], 2144, 2145, [2146], 2147, 2148, 2167, 2170c, 2256b, 2259, 2260, 2261d, 2262a, 2267, 2273, 2312b, 2325a, 2329b, 2331b, 2336, 2337c, 2340b, 2341b, 2342a, 2343b, 2344c, 2343b, 2344c, 2361a, 2370b, 2450, 2539, 2586, 2593a, 2596, 2646a, 2712, [2744], 3079, 3080a, 3111, 3112a, [3157a], 3255, 3303a, 3342, 3369a, 3379X, [3481b], [3753], [3842], [3946], 3849
- " geigy Aeschlimann & Morel 428, 2131, 2136, 2138, 2139, 2140, 2144, 2145, 2147, 2148, 2256b, 2259, 2260, 2261d, 2262a, 2267, 2273, 2325a, 2329b, 2331b, 2336, 2337c, 2340b, 2341b, 2342a, 2343b, 2344c, 2482c, 2484, 2485, 2490b, 2491, 2492, 2493, 2494b, 2497, 2499, 2500a, 2501, 2503a, 2504, 2505, 2506, 2547b, 2655, 2656, 2657, 2659, 2660, 2661, 2662, 2664, 2666, 2667, 2668, 2669, 2670, 3034c, 3036, 3037b, 3040, 3041, 3044c, 3045, 3046, 3047, 3048c, 3049, 3050, 3053, 3054c, 3055b, 3056, 3057, 3058a, 3111, 3143, 3144, 3145, 3146, 3147, 3148, 3150, 3151, 3152, 3153, 3332
- " microplus (Canestrini) 33, 34a,b,e, 54, 154a, 156, 157, 180, 183b, 185a, 186b, 188b, 207, 208, 219, 296, 307a, 312, 316, 318, 325, 344, 345a-e, 435, 437a, 452, 461b, 495d, 515, 517, 524a, 540d,g,j, 543, 588, 672b, 712, 729, 739, 830, 831, 832, 833, 861, 955, 993, 1010, 1011, 1012, 1019, 1059, 1061, 1070b, 1071a, 1090, 1116, 1117, 1180b, 1250, 1252a, 1254, [1273], 1]79, 1306a-d, 1348, 1379, 1383, 1384, 1631a, 1699, 1706, 1762a, 1767, 1771, 1774, 1775, 1779, 1781b, 1782a, 1783b, 1784, 1785a, 1786a, 1787a, 1788, 1789b, 1790a, 1794b, 1828, 1829, 1831, 1834, 1835, 1840, 1855, 1884, 1885, 1886, 1887, 1888, 1889, 1890, 1924a, 1943b, 1960, 1961, 1962, 1963, 1964, 1965, 1967, 1974, 1976, 1982, 1986, 2004, 2005, 2007, 2033, 2034, 2035, 2037, 2085, 2099, 2102, 2119, 2186, 2191, 2220, 2225, 2226, 2227, 2228, 2229, 2235, 2239, 2250, 2288a, 2289a, 2290a, 2291, 2292a, 2294, 2301b, 2303, 2305, 2306, 2308, 2311, 2313, 2314, 2315, 2316, 2317, 2318b, 2343Z, 2345, 2346, 2351, 2413, 2414, 2415, 2416, 2417a, 2418, 2419, 2420a, 2421, 2422, 2426, 2427, 2429, 2430, 2431, 2444, 2445, 2457, 2463, 2529a, 2530, 2621, 2626, 2627, 2640, 2641, 2671, 2691a, 2720, 2721, 2727, 2781, 2782, 2910, 2911, 2912, 2913, 2914, 2915, 2916, 2918, 3017, 3064, 3107, 3116, 3261a, 3263a, 3276a, 3294, 3295, 3296, 3304, 3362, 3398, 3422, 3427, 3442, 3470, 3796a, 3905, 3907, one collection without Nuttall number

Boophilus sp. 133, [137], 186b, 471b, 588, 680a, 1828, 1884, 1885, 1886, 1887, 1888, 1889, 1890, 2147, 2148, 2211, [2284b], 2538, 2547b, 2586, 2593a, [2927], 3017, 3079, 3080a, [3291]

Ceratixodes putus (Pickard-Cambridge) 617, 618, 714, [968]

Dermacentor albipictus (Packard) [271], 666, 702, 745, [747], 812, 1105, [1136], 1199, 1497, 1498, 1499, 1500, 1501, 1502, 1503, 1530, 1531, 1627, 1628, 1735, 2083, 2237, 2714 3100, 3101, 3311, 3498, 3521, 3708
 " andersoni Stiles [209], 211, 698, 700, 1064, 1145, 1146, 1147, 1197, 1387, 1390, 1534, 1535, 1731, 2043, 2044, 3021, 3022, 3502, 3503, 3639, 3640
 " asper Arthur 2920, 2978
 " atrosignatus Neumann 3941
 " auratus Supino 817, 1860, 2827, [2905z, a], 2961, 3074, 3117, 3185, [3186], 3187, 3329, 3330, 3390, 3495, 3667, 3860, 3940
 " auratus compactus Neumann 767, 1056b, 1062
 " " group 3859, 3860
 " circumguttatus Neumann 1150, 1725, 1902, 2019, 2483, 3004, 3383, 3916
 " compactus Neumann 817
 " everestianus Hirst 3793
 " hunteri Bishop 1536, 3508
 " imitans Warburton 3874
 " indicus (Supino) 2969
 " marginatus (Sulzer) 703, 3500
 " modestus Banks 698
 " nigrolineatus (Packard) 660, 1531, 2083, 3100, 3101, 3498
 " nitens Neumann 379, 385, 461a, 701, 1280, 1281, 1282, 1626, 1707, 1863, 1866, 1867, 1975a, 1999, 2085b, 2181, 2184, 2681, 2682, 2767, 2880, 3212, 3214, 3496, 3497
 " niveus Neumann 807, 808, 809, 1078, 1375, 1821a, 1936, 2117, 2156, 2527, 2907, 2920, 2978, 3201, 3213, 3217, 3414, 3631
 " occidentalis Marx [1], [2], [209], [210], 697, 1532, 1570, 1953, [3225], 3506, 3507
 " parumapertus Neumann 699, 703, 1533, 3417, 3499, 3500, 3919
 " parumapertus var. marginatus Banks 1533
 " reticulatus (Fabricius) 800, 807, 808, 809, 914, 1077, 1936, 2053, 2058, 2059, 2060, 2117, 2930, 2932, 3160, [3354], 3371, 3631
 " reticulatus niveus Neumann 3213, 3414
 " rhinocerinus (Denny) 29b, 251, 320a, 555, 563, 829a, 941a, 1029, 1087, 1097, 1231, 1320, 1332, 1337, 1342, 1343, 1440, 1722, 1751, 2784, 2973, 2974, 3215i, 3856, 3911

- Dermacentor rhinocerotis* (de Geer) 251, 320a, [538], 555, 563, 829, 829a, 941a, 1029, 1087, 1097, 1231, 1320, 1332, 1337, 1342, 1343, 1440, 1722, 1751, 2784, 2973, 2974, 3215i, 3911
 " *rhinocerotis* var. *permaculatus* Neumann 3856
 " *variabilis* (Say) (266), 386, 696, 704, 1148, 1800, 1801, 1802, 1803, 1824, 2937, 3310, 3328, 3504, 3505, 3641, 3643
 " *variegatus* Marx [268], [296a]
 " *venustus* Marx 700, 1064, 1145, 1146, 1197, 1534, 1535, 1731, 2043, 2044, [2274], 3021, 3022, 3639, 3640
 " sp. [274], [276], [277], 317, 466, 767, 1056b, 1062, [1204], 1370, 1375, 1497, 1501, 1502, 1503, 2907, 2930, 2932, 3074, 3117, 3201, 3329, 3330, 3390, 3495, 3521, 3543, 3667, 3940, 3941

Gekobia sp. (mites) [1829]

- Haemaphysalis *aborensis* Warburton [1980], 2958
 " *aciculifer* Warburton 1981, 2625, 3219, 3529, 3720, 3738, 3781, 3928, 3954
 " *aculeata* Lavarra 1107, 2731, 3880
 " *africana* Howard 1364
 " *ambigua* Neumann 2881
 " *anomala* Warburton 3658
 " *aponommoides* Warburton 1566
 " *asiaticus* (Supino) 693a, 2959
 " *bancrofti* Nuttall & Warburton 2100, 2114, 2115, 2192, 2689, 2691, 3090, 3222, 3223, 3373, 3711
 " *birmaniae* Supino 2962, 2970, 3187a, [3218], 3388
 " *bispinosa* Neumann 31, 34b, c,d, 148, 150, 151, 152, 167, 168, 169, 183c, 186a, 187, 188a, 307b, 510, 515a, 515b, 574, 582, 583, [683], 863, 869, 890, 891, 892, 906, 1060b, 1071b, 1086a,b, 1253a, 1384a, 1406, [1673a], 1781d, 1783a, 1786c, 1787b, 1790b, 1804, 1826, 1906, 1958, 2002, [2153], 2459, 2529b, 2745, 2846, 2864, 2901, [2905], 2908, 2909, 2911a, 2976, 3072, 3172, 3264, 3266, 3269, 3395, 3418, 3419a, 3421a, 3529, 3696
 " *bispinosa* var. *intermedia* Warburton & Nuttall 34d, h, 327, 1665, 1666, 1672, 1680, 1682, 1686, [2056], 2077, 3071, 3334
 " *borneata* Hoogstraal 2118
 " *calcarata* Neumann [1203], 1224, 2882, 3952
 " *calcarata* var. *houyi* Nuttall & Warburton 2996, 3674
 " *calvus* Nuttall & Warburton 2106, 2120a
 " *campanulata* Warburton 524, 579, 897, 1251b, 2886, 2917, 2921, 3576, 3627
 " *celebensis* Hoogstraal, Trapido & Kohls 72
 " *choprai* Sharif (sp. near) 2962
 " *chordeilis* (Packard) 943, 2452, 2737, 2833, 2834, 3023, 3026, 3027

- Haemaphysalis cinnabrina* C. L. Koch [780a], 784, 787, 789e, 804, 2705, 2706, 2707, 2708, 2709, 2710, 2780, 3008, 3286, 3448, 3473
- " *cinnabrina* var. *punctata* Neumann [15], [398], 3129, 3393, 3582 [3647b], 3648, 3673, 3763
- " *concinna* C. L. Koch 1075, 1529, 1987, 2754, 2755, 2760, 2761, 2763, 2778
- " *cooleyi* Bedford 3866
- " *cornigera* Neumann 540c, 1015, 1647, 2104, 2105, 2118, 2119b, 2120, 2883
- " *cornigera* var. *anomala* Warburton [1996], 3658
- " *cuspidata* Warburton 1108, 2692, 2766, 3220
- " *darjeeling* Hoogstraal & Dhanda [2962], 3187a, 3388
- " *dentipalpis* Warburton & Nuttall 693a
- " *doenitzi* Warburton & Nuttall 635
- " *elongata* Neumann 670, 2884, 2885, 3515
- " *erinacei* Pavesi 2890, 3482a, 3537, 3538, 3539
- " *flava* Neumann 763, 893, 2886, 2911a
- " *formosensis* Neumann 2715, 2730, 2914c, 2958
- " *goral* Hoogstraal 1372
- " *hirudo* L. Koch 1987
- " *hoodi* Warburton & Nuttall 424, 1093, 1364, 1546
- " *hoodi* var. *orientalis* Nuttall & Warburton 2847, 2848
- " *houyi* Nuttall & Warburton 2996, 3674, 3952
- " *howletti* Warburton 1979
- " *humerosa* Warburton & Nuttall 669, 3024, 3025
- " *hystricis* Supino 72, 572, 573, 575, 576, 679, [685], [687], 954, 1060b, 1070a, 1274, 2106, [2905z], 2907a, 2951, 2952, 2953, 2956, 2957, 2977, 3386, 3666, 3942
- " *indica* Warburton 575x, 942b, 1661, 2003, 2244, 2266
- " *indoflava* Dhanda & Bhat 763
- " *inermis* Birula 780, 781, 788, 789, 789d, 1226, 1274, 1525, [1526], 1527, 1528, 2752, 2753, 2756, 2757, 2758, 2759, 2762, 2764, 2765, 2779, 2881
- " *inermis* var. *aponommooides* Warburton 1566
- " *intermedia* Warburton & Nuttall 34b,d,h, 148, 167, 188a, 515a, 869, 906, 1253a, 1804, 1958, 2388b, d, 2745, 2822, 2864, 2865, 2889, 2931a, 3073, 3221, 3334
- " *japonica* Warburton 1247, 1374, 3338
- " *japonica* var. *douglasi* Nuttall & Warburton 1248
- " *juxtakochi* Cooley 3705, 3903
- " *kinnarei* Warburton 1997, 3338b
- " *kochi* Aragão 3705
- " *koningsbergeri* Warburton & Nuttall 496c, [686], [688], [693], 954a, 1060c, 1563, 2732, 2954, 3188, 3189
- " *kutchensis* Hoogstraal & Trapido 327, 1665, 1666, 1680, 1682, 1686
- " *lagrangei* Larrousse 3599

- Haemaphysalis leachi (Audouin) [8], [48], [102c], 121, [191a], [195a], [310], [474], 507, 532c, [539], 575x, 577, 578, [616], [682], [690], [691], [692], [695], [727], [729a], [731d], [733], [742], [749a], 754, [775c], 786, [790], [870], [873c], [874b], [876], [885b], 894, 895, [896], 1048, 1049, [1050], 1085, 1119, 1223, 1327, 1422, [1617], 1621, [1663], 1737, [1811], [1923], [1933], [1949a], [1950], [1971], [2012], 2169b, 2198, 2244, 2257a, 2258, 2261c, [2264], 2266, 2269, 2310b, 2318a, 2328, [2366], 2377a, 2388c, [2399], [2403c], 2425, [2475], [2482b], [2486], [2488b], 2489, [2490], [2492a], [2496a], [2499b], [2502a], 2581b, 2622, [2652], [2654], 2658, 2659a, [2663], 2732, [2771], [2790], [2795], [2819], [2836], 2841, 2959, 2960, 3035a, 3038, 3041b, 3043a, 3047a, 3048e, 3053c, 3054e, 3065, 3085a, 3145a, 3149, 3154, [3257], 3301, 3308, 3320c, 3325a, 3338a, 3471b, 3479, 3482a, 3537, 3538, 3539, [3644], 3671, 3735, 3742, 3758, 3765, 3851, 3925
- " leachi var. australis Neumann [1110]
- " leachi group 2426, 2659a, 3154, 3742
- " leachi var. indica Warburton 754, 942b, 1661, 2003
- " leachi koningsbergeri Warburton & Nuttall 3189
- " leporis [i.e., leporispalustris] (Packard) 1507, 1954
- " leporis var. proxima Aragão 1894
- " leporispalustris (Packard) 384, 719, 1144, 1196, 1507, 1894, 1954, 2321, 2322, 2323, 2324, 2772
- " longicornis Neumann 129, 1070a, 1851, 1852, 2106, 2907a, 2908, 2909, 2976, 2977, 3395, 3942
- " longipalpis Warburton 1107
- " mageshimaensis Hoogstraal & Santana 1373
- " mjoebergi Warburton 3560
- " montgomeryi Nuttall 760, 761, 762, 1407, 2251b, 2928, 3171a, 3331, 3597, 3598, 3605
- " nadchatrami Hoogstraal, Trapido, & Kohls 496b, 3666, 3940a
- " neumanni Dönnitz 129, 1372, 1373, 1851, 1852
- " novaeguineae Hirst 2673, 2832, 2903, 3011
- " numidiana Neumann 2890
- " obtusa Dönnitz 2816
- " orientalis Nuttall & Warburton 2847, 2848
- " papuana Thorell 220, 295, 309, 496b, [689], 1563, 2116, 3117a
- " paraturturis Hoogstraal, Trapido, & Rebello 1671b, 1672, 2077, 3071
- " parmata Neumann 504, 542, 877, 884c, 1899, 2354, 2887, 2888, 2906c, 3219, 3262, 3271, 3829, 3893b, 3909
- " parva Neumann 780, 782, 783, 784, 787, 789e, 798, 804, 805, 810, 2388b, d, 2822, 2865, 2889, 2931a, 3073, 3221
- " proxima Warburton & Nuttall 540c, 1251a, 2105, 2120
- " punctata Canestrini & Fanzago 304, 580, 782, 783, [789a], 798, 805, 810, 813, 814, 815, 816, 898, 899, 900, 901, 902, 943, 1107, 1564, 1565, 1693, 1926, 1928, 1929, [2080], 2081, 2151, 2152, 2544b, 2552b, 2553a, 2554, 2705, 2706, 2707, 2708, 2709, 2710, 2780, 3393, 3473

- Haemaphysalis rugosa Santos Dias 2625
 " sambar Hoogstraal 1251b
 " semermis Neumann 679, 954, 1060b, 2106, 2951, 2952, 2953, 3666
 " shimoga Trapido & Hoogstraal 1251a
 " silacea Robinson 1629, 2944, 3751
 " simplex Neumann 2891
 " spiniceps Warburton & Nuttall [684], 1647
 " spinigera Neumann 1998, 2388, 2832
 " spinigera var. novaeguineae Hirst 3011
 " s[-----]a p[-----]s 2673
 " spinulosa Neumann 3868
 " subelongata Hoogstraal 3515
 " sulcata Canestrini & Fanzago 3582, 3648, 3673, 3763
 " sundrai Sharif 3171a
 " tiptoni Hoogstraal 670
 " toxopei Warburton 3614
 " traguli Oudemans 3666, 3877
 " turturis Nuttall & Warburton 2002, 2388b, 3072
 " verticalis Itagaki, Noda, & Yamaguchi 3228
 " vidua Warburton & Nuttall 1648
 " warburtoni Nuttall 1400
 " wellingtoni Nuttall & Warburton 221, 294, 495c, 1014, 1057a, b,
 2089, 2232, 2233, 2234, 3711
 " sp. 293, 519, 524a, 542, 581, 586, [785], 786, 793, 881d, 950,
 1085, [1340], 1452, 1718, 1727, 1926, 1928, 1929, 1946, 2006,
 2121, 2122, [2165], 2192, 2508, 2947a, 2950, 2960, 3008, 3129,
 3154, 3228, 3285, 3286, 3338a, 3350, 3406, 3448, 3758, [3876],
 3877, [3878], 3940a, [3950]

- Hyalomma aegyptium (Linnaeus) 17, [18], 26, 27, 28, 30, 35, 46, [59], [65],
 66, 69, 84, 85, [94], 99, 100, 101a, 108a, 111, 112, [114],
 117, 118, 119, 171, [172], 174, 176, [193a], 232a, 233, 235,
 241, 252, [254], [255], 256, 257, [258], 259, [260], [261],
 263, 265, 300, 301, [303], [320c], [328], 331, 332, [335],
 347, [362], 366, 370, 372b, 389, 406, 425a, 427b, 442a,
 467, 481, 514, 549, 558a, 561, 655, 665, 750, [751], 756,
 795, 806, 864, 888, 903, 904, 905, 906b, 907, 942a, 951,
 952, [990], [1004], 1005, [1006], [1007], 1024, [1052a],
 [1053a], [1071c], 1111d, [1122], 1129, 1139, [1140], 1167a,
 [1172], [1175], 1179, [1252b], 1258, 1296, 1305a, [1321],
 1463, 1464, 1466, 1510, 1556, 1557, 1593, 1595, 1624, 1657,
 1669, 1670, 1696, 1733, [1815], 1821, 1826a, [1924b], 1926a,
 [1927], [1929a], 1937, [1939d], [1942], [1943], 1956a, 1990a,
 [2041b], 2071a, 2090, 2117a, 2150, [2156a], 2159, [2168],
 [2170b], 2171, 2174, [2188], [2202], [2203a], [2205], [2206],
 [2208a], [2210], [2212a], [2213], [2241], 2248, [2251a],
 [2253a], 2284, 2285b, 2286a, [2319], [2333Z], [2344Z],
 [2348], [2359], [2360], [2362a], [2363], 2368, [2369], [2370a],
 [2371], [2382a], [2384], [2385a], [2407], [2446], [2449],
 [2456], 2460, 2462, 2465, [2529], [2530a], 2532, [2534],
 2536, [2542], 2552, 2553b, 2555, [2556], 2570a, 2577a,
 2585a, 2586a, 2590, 2606, 2614a, [2629], [2630], 2631,

- Hyalomma aegyptium (cont'd)
- 2632, [2634], [2635], 2637, [2665], 2723, 2818, [2828],
 2851a, 2852, 2853, 2854, 2855, 2859a, 2860, [2861], 2862,
 2863, [2904], [2923], [2924], 2926, 2975, 3013, 3016a,
 [3067], [3079b], [3080b], [3137], 3166, 3167a, 3174, 3202,
 3226, 3234, 3239, 3240, 3242, 3272a, 3278, 3279, 3280,
 3312, 3318, 3319, 3320b, 3347, 3348, 3363, 3413, 3418a,
 3420, 3423, 3425, 3431, 3486, [3512], 3542, 3551, 3552,
 3589, 3612, 3634, 3645, 3646, 3686, 3697, 3699, 3700,
 3707, [3712], 3762, 3773, 3783, 3848, 3908, 3963
- " aegyptium impressum Neumann 3884, 3886, 3887
- " aegyptium isaaci Sharif 3661
- " albiparmatum Schulze 2577a, 2585a, 2586a, 2590, 2606, 2614a, 3773
- " anatolicum anatolicum C. L. Koch 17, 34h, 108a, 111, 118, 171, 175,
 176, 256, 257, 259, 300, 301, 864, 1990a, 2150,
 2368, 2460, 2462, 2532, 2637, 3013, 3234, 3418a,
 3423, 3425, 3552, 3908
- " anatolicum excavatum C. L. Koch 46a, 84, 85, 331, 389, 655, 795, 1024,
 2284, 2285b, 2552, 2555, 2853, 2863, 3240, 3551, 3612
- " brevipunctata Sharif 167, 906b
- " detritum Schulze 795, 806, 1821, 3370
- " dromedarii C. L. Koch 17, 30, 35, 117, 241, 481, 904, 1005, 1624,
 1696, 1926a, 2460, 2465, 2631, 2723, 2975, 3016a, 3272a,
 3413, 3425, 3431, 3645, 3646, 3707, 3762, 3962, 3963
- " hussani Sharif 3348, 3660
- " impeltatum Schulze & Schlottke 3239, 3240, 3413, 3788
- " impressum C. L. Koch 3542
- " impressum albiparmatum Schulze 3717
- " kumari Sharif 759, 3347, 3552, 3659
- " tusitanicum C. L. Koch 3226, 3706
- " marginatum C. L. Koch 27a, 66, 68, 332, 795, 1024, 1179, 1258, 1305a,
 1556, 1557, 1593, 2117a, 2171, 2286a, 2553b, 2851a, 2852,
 2854, 2855, 2859a, 2860, 2862, 2922, 2926, 3202, 3278
- " marginatum isaaci Sharif 514, 942a, 2460, 2462, 2465, 2636, 3420,
 3423, 3661
- " marginatum turanicum Pomerantsev 34h, 79
- " monstrosum Nuttall & Warburton 1219, 1220
- " rufipes C. L. Koch 26a,b, 99, 232a, 233, 241, 252, 370, 372b, 467, 558a,
 888, 907, 1111d, 1466, 2570a, 2577, a, 2606, 3272a, 3634, 3697,
 3762, 3786, 3886
- " scupense Schulze 3370, [3577]
- " syriacum C. L. Koch 69, 119, 263, 347, 549, 561, 756, 903, 1139, 1296,
 1510, 1595, 1657, 1733, 2159, 2174, 2248, 2818, [3139],
 [3140], [3141], 3281, 3282, 3283, 3284, 3285, 3359, 3363,
 3486, 3699, 3700
- " truncatum C. L. Koch 20, 26a,c,d, 99, 100, 101a, 234, 235, 372b, 427b,
 665, 750, 951, 1167a, 2071a, 2090, 3166, 3167a, 3312, 3318,
 3319, 3320b, 3413, 3633, 3634, 3678, 3680a, 3686, 3697, 3717,
 3762, 3848, 3884, 3887

Hyalomma sp. 112, 366, 372b, 406, 905, 952, 1129, 1398, 1463, 1464, 1662, 1669, 1670, 1678, 1684, 1826a, 1937, 2161, 2632, 2931, [3136], 3174, 3175, 3242, 3279, 3280, 3281, 3282, 3283, 3284, 3285, 3321a, 3359, [3406a], 3424, 3589, 3678, 3680a
 " n. sp. 759, [766]

Ixodes acuminatus Neumann 3581, 3596
 " acutitarsus (Karsch) 1104, 2946, 3019, 3791, 3792, 3857
 " affinis Neumann 3902
 " alluaudi Neumann 3361
 " ampullaceus Warburton 3873
 " anatis Chilton 2069, 2751, 3394, 3626, 3863
 " angustus Neumann 284, 506, 678, 715, 991, 1065, 1134, 1195, 1300, 1301, 1361, 3662, 3663, 3665
 " arboricola Schulze & Schlottke 224, 1371
 " arvicola Warburton 3594, 3595, 3596
 " auriculongae Arthur 3906
 " auritulus Neumann 2518, 2520, 3178, 3179, 3662, 3663
 " auritulus zelandicus Dumbleton 3862
 " australiensis Neumann 645, 646
 " banksi Bishopp 1537
 " bicornis Neumann 637, 915, 2811, 2812
 " boliviensis Neumann 637, 915, 2810, 2811, 2812, 2813
 " bovis (Riley) 207, 208
 " brunneus C. L. Koch 224, 267, 278, 279, 280, 282, 283, [396], 523, 726, 2157, 2546, 3007, [3287]
 " caledonicus Nuttall 961, 1142, 1200, 1294, 1295, 1363, 1542, 2979, [3677], 3694, a, b
 " canisuga Johnston 19, [62], 402a, 414, 422, 447, [499], 501, 768, [1044], 1045, 1046, 1047, 1051, 1068, 1079, [1123], 1137, 1138, 1141, [1141a], [1143a], 1143b, [1143c], [1299], 1302, 1303, 1304, 1371, [1730], 2372a, 2376a, 2380, 2528, [2770], 2815, [3155], 3620, 3695
 " cavipalpus Nuttall & Warburton 245, 350, 353, 394, 1601, 2169a, 2702, 3256, 3377, 3378, 3681, 3894a, 3895, 3945
 " cookei Packard 717, 1504,
 " cookei var. rugosus Bishopp 1538
 " crenulatus C. L. Koch 3620
 " cumulatimpunctanus Schulze 503, 877d, 2353, 3829a
 " dentatus Marx 3435, 3624
 " dentatus var. spinipalpis Hadwen & Nuttall 3180, 3181
 " eichhorni Nuttall 2672, 2675
 " eudyptidis Maskell 2068, 3923
 " facialis Warburton & Nuttall 339, 650, 1211, 1213, 1847, 3561
 " facialis var. aegrifossus Warburton & Nuttall 339, 1213
 " frontalis (Panzer) 224, 523, 2546
 " gibbosus Nuttall 2553
 " gigas Warburton 1104, 2946
 " globulosus Supino 2964
 " granulatus Supino 2066, 2966, 3193, 3544
 " guernseyensis Arthur 3596
 " hearlei Gregson 992

- Ixodes hexagonus Leach 7, 55, 56, 60, [64], 80, [81], 82, 125, 128, [216], [217], 262, [298], [322], [324], [357], [358], 399, [402], 404, 446, 456, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 668, [674], [746], 826, 916, 917, 918, [962], 1067, 1159, 1160, 1168, 1186b, 1193, 1194, [1237], 1239, 1240, 1241, 1347, 1360, 1378, 1385, 1504, 1591, 1700, 1823, 1916, 2164, 2327Z, 2328Z, 2329Z, 2330Z, 2331Z, 2724, 2733, [2735], 3108, 3119, [3182], [3209], 3231, 3232, 3236, 3237, 3566, 3579, 3586, 3858, [3918]
- " hexagonus var. cookei Packard 2047, 2048, 2049, 2054, 2776, 3642
- " holocyclus Neumann 643, [644], 1080, 1081, 1212, [1846], 1848, 3089
- " japonensis Neumann 2947, 2948, 2949, 3019a
- " kempi Nuttall 2066
- " kingi Bishopp 716, 1377, 1539, 3789
- " Lewisii Arthur 926, 2794, 2844, 3929, 3930, 3932
- " lividus C. L. Koch 605, 1068, 1141, 1143a,c, 1302, 1303, 1304
- " loricatus Neumann 638, 639, 640, 641, 2687, 3407, 3408
- " loricatus var. spinosus Nuttall 647, 3447
- " luciae Senevet 647, 3447
- " marxi Banks 2087
- " nairobensis Nuttall 3906
- " nitens Neumann 360
- " nuttalli Lahille 2513, 2514, [2515], 2517
- " nuttallianus Schulze 1401, 1402
- " ochotonae Gregson 3665
- " oldi Nuttall 2065, 3200
- " ornithorhynchi Lucas 2984, 3333
- " ovatus Neumann 2947, 2948, 2949, 3019a
- " pacificus Cooley & Kohls 1570a
- " percavatus Neumann 634, 1850, 3862
- " percavatus var. rothschildi Nuttall 1736
- " petauristae Warburton 3872
- " pilosus C. L. Koch 919, 920, 921, 922, [923], [924], [925], 926, [927], [1111b], [1323], 1912, [2701a], 2702, 2844, 3256, [3679], [3771], [3891], 3894a, 3895, [3897a], 3929, 3930, 3931, 3932
- " pomerantzi Kohls 3624
- " procaviae Arthur & Burrow 1222
- " putus (Pickard-Cambridge) 454, 459, [516], [517], 935, [936], 937, 1308, 1703, 2722, 2799, 3010, 3428
- " rasus Neumann [505], 877d, [928], 2353, 2480, 2803, 3005, [3192], 3829a
- " ricinoides Nuttall 1401, 1402
- " ricinus (Linnaeus) [57], [58], [123], [269c], [272], [286], [291], [355], [400], [401], [402], 405, [415], [416], 417, [423], 509, [628], [629], [630], [631], [632], [656], 768, [769], [770], [771], [799], 929, 930, 931, 932, 933, [934], [998], [1034], [1035], [1036], [1037], [1038], [1039a-c], [1040], 1041, [1042], [1043], [1053d], [1054], [1124], [1169], [1178], [1181], [1182], [1183], [1184], [1185], [1186a], 1308, [1543],

- Ixodes ricinus (cont'd)
 1560, 1570a, 1576, 1577, [1690], 1691, [1692], 1701, 1702,
 1729, [1743], [1806], 1807, 1808, [1817], [1868], [1952],
 2042a, [2062], 2157, [2160], 2236, 2272, 2372, 2374, 2376,
 2380a, 2387, 2544a, 2734, [2735], 2736, 2777, [2908a],
 [2909b], [2929], [2997], [3009], [3183], [3184], [3190], [3205],
 [3206], [3207], [3208], [3229], [3233], [3353], 3396, [3412Z],
 3564, [3651], [3767]
- " ricinus var. gibbosus Nuttall 2553
 " ricinus var. scapularis (Say) 3902
 " rothschildi Nuttall & Warburton 634, 936, 1736
 " rubicundus Neumann 1082, 2169a
 " rubidus Neumann 826
 " rugosus Bishopp 1135, 1378, 1538, 2776
 " scapularis Say 626, 718
 " schillingsi Neumann 1171, 2379, 2719, 3681, 3682, 3683, 3684
 " sculptus Neumann 2047, 2048, 2049, 2054
 " signatus Birula 290, 1227
 " soricis Gregson 3662
 " spinicoxalis Neumann 3555, 3625
 " spinipalpis Hadwen & Nuttall 726, 3180, 3181
 " tasmani Neumann 2190, 3198, 3563, 3591, 3938
 " tenuirostris Neumann [88], 356, 619, [620], 621, 622, 623, 624, 625,
 627, 1069, 1161, 1165, 1358, 1359, 2509, [3133], [3224],
 3361, 3532, 3533, 3534, 3535, 3592, 3593, 3653, 3654,
 3655, 3794
 " testudinis (Supino) 2967
 " texanus Banks 270, 992, 1066, 1399
 " theodori Warburton 3581
 " trianguliceps Birula 356, 619, 621, 622, 623, 624, 625, 627, 1069,
 1161, 1165, 1358, 1359, 2509, 3532, 3533, 3534, 3535,
 3592, 3593, 3653, 3654, 3655, 3794
 " ugandanus Neumann 1215, 1216, 3873
 " ugandanus djaronensis Neumann 1222, 2794
 " unicavatus Neumann [395], 652, 667, [962], [1132], 2067, [2722a]
 " uriae White 454, 459, 617, 618, 714, 935, 937, 968, 1307, 1703, 2722,
 2799, 3010, 3428
 " varanensis (Supino) 2968
 " vespertilionis C. L. Koch 649, 1594, 2933, 3132, 3309, 3513, 3531,
 3575, 3629, 3964
 " vestitus Neumann 642
 " victoriensis Nuttall 3194
 " sp. 55, 56, [61], [63], [275], [285], 1066, 1135, 1162, 1167,
 1211, 1212, 1216, [1339], [1341], 1389, 1399, 1453, 1455,
 1718, 1740, 1742, 1744, 1850, 2480, 2519, 2528, 2964, 2979, 3007,
 3200, 3576, [3580], 3625, 3664, 3678, 3680a, 3863, 3924, 3931,
 3940a

Margaropus winthemi Karsch 52, [731a], 3778

Nosomma monstrosum (Warburton) 1219, 1220

Omitted catalogue numbers 533, 1555, 2055, 2101, 2111, 3122, 3245-3254

Opisthodon canestrinii Supino 2960

" *gestroi* Supino 2959

Rhipicentor bicornis Nuttall 297, 320f, 321, [731a], 1588, 1616

" nuttalli Cooper & Robinson 2892, 2945, 3693

" vicinus Neumann 2892

Rhipicephalus annulatus var. decoloratus C. L. Koch [247]

Rhipicephalus appendiculatus Neumann [103], [160b], [161b], [162b], [189], 231, 352, [363], 365, 407, 421, 437b, [449], 458b, 498, 585, 671, 675a, [677b], [680c], 732, 734b, 743b, [775a], 836, 837, 838, 839, 849, [871a], 872b, [873a], [874d], 874f, 875b, [877a], 878a, [878b], 879c, 881,b, [883a], 884b, 885c, [886c], 948, [1118], 1235, 1314, [1445], 1461, 1462, [1467], [1468], [1469], [1470], [1471], 1472, 1473, 1474, 1492, [1493], 1581, 1586, 1611, 1630, 1631, 1632, 1633, 1634, 1635, 1636, 1637, 1638, 1639, 1640, 1641, 1642, 1643, 1646, 1708, 1709, 1713, 1748, 1749, 1755, [1756], 1757, 1758a, [1759], [1760], 1761, 1762, 1763, 1764, 1765, [1766], 1767a, [1768], [1769], 1770, 1772, 1773, 1776, 1777, 1779a, 1780, 1781, 1782, 1783, 1784, 1785, 1786, 1787, 1789, 1790, 1793, 1794, 1795, 1796, 1798, 1799, 1805, [1919], 2025, 2073, 2075, 2149, 2240, 2243, 2288c, 2291b, 2298b, 2303a, 2304a, 2308a, 2309b, 2312, 2313b, 2316c, 2352, 2354a, 2355, 2356, 2403, 2404, 2472, 2473, 2477, 2548, 2567a, [2585b], 2586e, 2588b, 2614, 2616a, 2664b, 2893, [3264a], [3265], 3269a, [3273a], 3274, [3275], [3276], 3344, 3474, 3474b, 3475a, 3528, 3606, 3734, 3736, 3743, 3746, 3759, 3799, 3801, 3802, 3803, 3804, 3805, 3806, 3807, 3808, 3809, 3810, 3812, 3813, 3814, 3818, 3819, 3822, 3823, 3824, 3825, 3826, 3830, 3831, 3832, 3833, 3834, 3835, 3836, 3837, 3838, [3844], 3892, 3894, 3897, 3947

" armatus Pocock 1426

" ayrei Lewis 3845, 3933

" breviceps Warburton 1103

" bursa Canestrini & Fanzago [15], 59, 65, 66, 67, 68, 195b, [197], 367, 388, 793, 801, 802, 803, 1026, 1052b, 1053b, 1173, 1174, 1257, 1305b, 1558, 1559, 1592, 1816, 1818, 1819, 1820, 1938, 2202a, 2284a, 2286, 2544, [2545], 2851, 2852a, 2854a, c, 2855a, [2856], 2859, 2860a, 2862a, 2863c, 2922, 2924a, 3785

" camelopardalis Walker & Wiley 2577d

- Rhipicephalus capensis Neumann 107, 329, 330, [393], 478, 752, 774, 840, 841, 842, 843, 1092, 1121, 1309, 1314, 1494, 1606, 1650d, 1694d, 1971a, 2538a, 2613b, 2651, 2786, 2837, 2838
- " carnivoralis Walker 2403, 2404, 2548
- " cliffordi Morel 2398
- " complanatus Neumann 2791, 2800, 2804, 2820, 2826, 3668
- " compositus Neumann 248b, 478, 497, 752, 1092, 1121, 1309, 1425, 1606, 1971a, 2287, 2343a, 2394, 2786, 3845, 3933
- " coriaceus Nuttall & Warburton 320e, 1027, 1324
- " cuneatus Neumann 2906, 3012
- " cuspidatus Neumann 3316, 3318a, 3675
- " deltoideus Neumann 2894
- " distinctus Bedford 3867
- " duttoni Neumann 1614, 3345
- " dux Dönnitz 1716, 2902a, 2906a, 3436
- " evertsi Neumann 26, [99], [106b], [192b], [232b], [361], [364], [408], 409, [410], 411, [458a], [467a], [473a], [537], [651], [753], [775b], 844, 845, 846, 847, [848], [873a], [874e], [875c], 877e, [885d], 1055, [1111a], [1429], 1553, [1554], 1612, 1646a, 1774a, [1778], 1781c, 1782b, 1783c, 1792, [1939a], 2025a, [2071], [2093], 2095, [2096], [2097], [2170a], 2202a, [2288b], [2297], [2298] [2300a], [2301a], [2302a], [2303b], [2304], [2307], [2311b], [2316b], [2319a], 2362, 2405, 2409a, 2417, 2418a, 2419a, 2420, 2422, 2423, 2428, 2432a, 2437, 2540, 2557, 2560, 2561, 2562, 2564, 2566a, 2570b, 2571, 2573, 2575, 2576, 2577c, 2579, 2580, 2583, [2586b], 2589, 2590a, 2591, 2594, [2597a], 2598a, 2602, 2604a, 2606a, 2610, 2611, 2612, 2613a, 2614d, 2646b, [2740], 2741, 3030, 3031, 3066, [3157], 3215b, 3226, 3297, 3305, 3307, 3343, [3480], [3481a], [3527], 3588, 3679a, 3680, 3681a, 3687, 3688, 3689a, 3690, 3691, 3736a, 3748, 3752, 3760, [3774], 3782, 3785, 3815, 3817, 3843, 3847
- " evertsi var. albigeniculatus Nuttall & Warburton 1619, 1650c, 1694b
- " evertsi mimeticus Donitz 1619, 1650c, 1694b
- " falcatus Neumann 320d, 1028b, 1099a, 1322, 1441, 1587, 1609, 1613, 1712, 1950a, 2143a, 2144b, 2194, 2256a, 2261a, 2262b, 2268, 2287, 2331c, 2333b, 2337b, 2338, 2343a, 2344b, 2398, 2493b, 2494a, 2495, 2497b, 2498, 2505c, 2506c, 2655a, 2664a, 2665a, 2667a, 2669a, 2670a, 2713, 2796, [2895], 3036a, 3040a, 3044a, 3048b, 3050b, 3052a, 3053a, 3054a, 3055a, 3056a, 3058b, 3062, 3113, 3147a, 3177, 3312a, 3669, 3471, 3852
- " follis Dönnitz 1913, 2110
- " fulvus Neumann 2158, 2172
- " gertrudae Feldman-Muhsam 1609
- " glyphis Dönnitz 2108
- " guilhoni Morel & Vassiliades 2209

- Rhipicephalus haemaphysaloides Supino 34d,g, 108b, 227, 495b, 496a, 512, 540b,f,i, 584, 764, [866], 867, 868, 906a, 942c, 1060a, 1249, 1572, 1671, 1673, 1681, 1958a, 2350, 2388a, 2529c, 2643, 2963, 2965, 2971, 3019b, 3114, [3158], 3171, 3387, 3420a
- " humeralis Rondelli 193d, 3267, 3272c, 3352, 3432, 3636, 3787, 3788
- " hurti Wilson 1309, 3433, 3678a, 3737, 3852, 3882, 3883
- " hurti/jeanneli group 3893a
- " jeanneli Neumann 330, 1119, 2076, 2788, 2793, 2825, 2835, 2837, 2838, 3678a, 3740, 3882, 3934
- " kochi Donitz 368, 498, 741, 951a, 1218, 1408, 1410, 1412, 1413, 1414, 1420, 1444, 1459, 1600, 1602, 2109, 2393, 2411, 2431, 2453, 2560a, 2566, 2571a, 2575a, 2577b, 2587, 2591a, 2623, 2624, 2792, 2793, 2801, 3268, 3310d, 3433, 3471, 3737, 3740, 3881, 3882, 3883, [3885], 3934
- " leporis Pomerantsev 796
- " Tongiceps Warburton 351, 393
- " longicoxatus Neumann 2577d, 2824, 2825a, 3006
- " longus Neumann 1099b, 1415, 1460, 1613, 1650d, 1694d, 2188, 2333b, 2338, 2394, 2613b, 2651, 3167, 3316, 3474b, 3669
- " lunulatus Neumann 730a, 731b, 738, 1028a, 1449, 1451, 1608, 1618, 1711, 1950c, 2108, 2255, [2258a], 2270, 2325, 2327, 2329a, 2330a, 2331, 2332a, 2333a, 2334, 2335, 2336a, 2337b, 2338a, 2341a, 2343, 2344a, 2482a, 2484a, 2485b, 2487, 2492b, 2495a, [2497a], 2501, 2665a, 2667b, 2670b, 2743, 2798, 2807, 2842, 3034, 3037, 3044, 3048a, 3050c, 3051, 3052b, 3054, 3055, 3057a, 3058, 3062, 3167, 3935
- " maculatus Neumann 1318a, 1418, 1419, 1430, 1572, 1573, 1754, 2299, 2595a, 3215c, 3267, 3272c, 3352, 3432, 3474, 3718, 3777, 3854, 3879, 3936, 3958
- " masseyi Nuttall & Warburton 246, 1450, 3095, 3434
- " muehlensi Zumpt 585, 1450, 2824, 2825a, 3006, 3434, 3869, 3881
- " muhsamae Morel & Vassiliades 198, 663, 2830, 3313, 3318a, 3323, 3325
- " neavei Warburton 368, 741, 951a, 1218, [1311], [1313], 1408, 1410, 1412, 1413, 1414, 1420, 1442, 1444, 1447, 1459, 1600, 1602, 1714, 2092, 2242, 2257, 2261b, 2262d, 2393, 2411, 2438, 2453, 2560a, 2566, 2567a, 2570d, 2571a, [2573d], 2575a, 2577b, 2587, 2591a, 2607, 2623, 2624, 2639a, 2702a, 2792, 2801, [3033], 3215d, 3261c
- " neavei var. punctatus Warburton 1201, 1202, 1411, 3293, 3546
- " nitens Neumann 849, 1495, 2896
- " oculatus Neumann 850, 3741, 3744, 3745, 3749, 3891a
- " oculatus var. pravus Nuttall 3747, 3750
- " pilans Schulze 495b, 496a, 540b,f,i, 3114
- " planus Neumann 3167
- " planus complanatus Neumann 3167
- " pravus Donitz 680b, 1201, 1202, 1246, 1442, 1447, 2243, 2385b, 2538a, 2570d, 2577b, d, 2607, 2792, 2796, 3215d, 3261c, 3293, 3546, 3733, 3734, 3736, 3891a, 3895a

- Rhipicephalus pulchellus* Gerstacker 48, 50, 51, 102a, 106c, 192c, 193b, 451, 534, 535, 536, 851, 953, 1156, 1326, 1328, 1329, 1330, 1331, 1333, 1334, 1335, 1336, 1433, 1446, 1595, 1723, 1779b, 1781a, 1782, 1787c, 1790c, 1794a, 2057, 2318, 2370, 2375, 2377, 2378, 2382, 2384a, 2385, 2403b, 2406, 2408, [2423a], 2570, 2573a, 2597, 2599a, 2602a, 2603, 2604, 2607a, 2999, 3215a, 3261b, 3272, 3634, 3635, 3692, 3719, 3761, 3772, 3775, 3776, 3780, 3787, 3788, 3850, 3960
- " *punctatus* Warburton 98, 330, 352, 1121, 1411, 2211z, 2242, 2411, 2438, 2639a, 2702a, 2789, 3259, 3301d, 3747, 3750, 3867, 3891a, 3895a
- " *reichenowi* Zumpt 2789
- " *rossicus* Yakimov & Kol-Yakimova 1509, 2064, 2897
- " *sanguineus* (Latrelle) 9, 10, [11], [12], 21b, 24, 25b, 28b, 31, 47, 59b, 65b, 68a, 87, 109, 110, 113, 115, 116, 124, 127, 130, 144, 145, 146, 147, 149, 154b, 170, 173, 174, 181, 183a, 195b, 201, 230b, 237, 239, 299, 302, 323, 341, [342], [343], 371, 426, 431, [434], 436, 442b, 443, [445], 463, 464, 479, [485], 488, [497a], [511], 512, [513], [520], 525, 530, 586, [587], [654], 660, 662, 720, [728], [731], 748, 796, [797], 852, 853, 854, 855, 856, 857, 862, [865], 952a, 953a, b, [986], 988, 989, 999, 1000, 1001, [1002], 1003, 1013, 1021, 1023, 1058, 1072, 1073, 1103, 1125, 1126, [1127], 1128, 1176, 1189, 1191a, 1210, 1225, 1253b, 1255, 1256, 1272, 1297, 1362, 1380, 1381, 1382, 1511, 1540, 1541, 1644, 1645, 1650e, 1674, 1675, 1676, 1677, 1683, [1688], 1705, 1707a, 1791, 1797, 1825, 1854, 1871, 1872, 1874, 1875, 1876, 1877, 1878, 1879, 1880, 1881, 1882, 1924, 1926c, 1932, 1939b, 1941, 1942a, 1943a, 1949, 1950b, 1966, 1985, 1988, 1989, 1990, 1991, 2008, 2009, 2028, 2031, 2032, 2036, 2039, 2070, 2079, [2098], 2129, 2134, 2171a, 2193, 2197, 2201, 2205b, 2245, 2246, [2247], 2251, 2252, 2253, 2277, 2280, 2281, 2282, 2283, 2285a, 2334z, 2335z, 2336z, 2337z, 2338z, 2339z, 2340z, 2341z, 2347, 2349, 2358, [2364], [2365], [2367], [2443], [2447], [2451], [2454], 2455, [2458], [2461], [2462], [2468], 2469, [2470], [2474], [2482], 2486a, 2488, 2489, 2490a, 2496, 2502, [2531], [2533], [2535], 2541, [2547], 2565, 2566b, 2581a, 2598, 2601, 2614b, [2628], [2636], 2647, 2659c, [2664c], [2666b], 2670a, 2680, [2694], 2695, 2696, 2700, 2725, 2805, [2809], [2814], [2817], 2843, [2850], [2854b], 2857, [2858], [2863b], 2914b, [2924b], 2925, [2935], 2980, [2998], 3035, 3041a, 3043, 3048d, 3051a, 3054a, b, 3059, 3060, 3103, 3104, 3109, 3115, 3142, 3143c, 3154a, 3175, 3203a, 3241, 3258, 3262, 3277, 3301b, 3306, 3308a, 3314, 3320a, 3321, 3322, 3324, 3360, 3419, 3421, 3424a, 3426, 3479a, 3482, 3484, 3485, 3487, 3557, 3571, 3572, 3573, 3647a, 3698, 3714, 3715, 3733, 3766, 3785, 3796, 3881, 3889, one collection without Nuttall number.

- Rhipicephalus sanguineus* var. *sulcatus* Neumann 3051a, 3109
 " *schwetzi* Larrousse 3436
 " *sculptus* Warburton 1409, 1448, 2041, 2072a, 3230
 " *senegalensis* C. L. Koch 320d, 427c, 858, 1028b, 1099a, 1322, 1441,
 1587, 1609, 1712, 1837, 1950a, 2124a, 2143a, 2144b,
 2194, 2256a, 2261a, 2262b, 2268, 2287, 2327, 2331c,
 2333a, b, 2337b, 2338, 2340a, 2342b, 2343a, 2344b,
 2398, 2484a, 2485b, 2493b, 2494a, 2495, 2497b,
 2498, 2505c, 2506c, 2655a, 2664a,b, 2666a, 2667a,
 2669a, 2670a, 2713, 2796, 3034, 3036a, 3040a, 3044,a,
 3048a,b,d, 3050b, 3052a,b, 3053a, 3054,a, 3055,a,
 3056a, 3058b, 3062, 3143b, 3147a, 3148a, 3152b, 3163,
 3167, 3312a
 " *shipleyi* Neumann 1562
 " *simpsoni* Nuttall 1214, 2481, 2537, 3375, 3959
 " *simus* C. L. Koch 26d, 97, 101b, 191b, 193d, 230a, 232c, 239,
 427c, 448, 530, 615, 730, 731c, 734b, 738, 740, 748a,
 749, 858, 859, 860, 874f, 951b, 953b, 1028, 1099a,b,
 1119, 1120, 1121, 1416, 1424, 1434, 1449, 1562,
 1616, 1914, 1922, 1939c, 2025b, 2026, 2073a, 2124a,
 2188, 2212, 2297a, 2310, 2340a, 2342b, 2394, 2395,
 2401, 2402, 2403a, 2409, 2481, 2537, 2547a, 2581, 2591b,
 2600, 2601a, 2614c, 2647, 2648, 2788, 2789, 2806, [2839],
 2840, 3143b, 3148a, 3152b, 3161, 3170, 3177, 3259, 3301a,
 3302, [3320], 3471a, 3474a, 3636, 3678a, 3739, 3764, 3775,
 3782, 3852, 3893a, 3896, 3944
 " *simus falcatus* Nuttall 1415
 " *simus* var. *lunulatus* Neumann 3935
 " *simus* group 3167
 " *sulcatus* Neumann 393, 952a, 1431, 1439, 1615, 1650e, 2169,
 2659c, 2700, 2701
 " *supertritus* Neumann 320e, 458b, 740, 1027, 1091, 1094, 1100,
 1324, 1590, 2072, 2394, 2396, 2623a, 3920
 " *theileri* Bedford & Hewitt 3870
 " *tricuspis* Donitz 740, 2645, 3368
 " *turanicus* Pomerantsev 127, 796, 3485
 " *ziemanni* Neumann 2257, 2261b, 2262d, 2398, 2825, 2898, 2906
 3012, 3094
 " sp. [49], [96], 97, [100], 101b, [102d], 334, 536, 743b,
 774, 884b, 1099, 1225, 1314, 1370, 1395, 1454, 1456, 1679,
 1714, 1750, 1837, [1891], 2092, 2173, [2255a], 2320, 2373,
 [2375a], 2410, 2539a, 2931, 3113, 3177, 3406, 3479a,
 3869, 3949, [3951]
- Undetermined genus [4], [5], 20, 25, 32, 98, [178], 1166, [1170], 1204, 1387,
 1390, 1391, 1398, 2239, [2383], [2729], 3227, [3488],
 3543, [3556]

Appendix III

Host Names for Ixodoidea in the Nuttall Tick Collection

The following individuals and sources were consulted in preparing host names used throughout this catalogue: Amphibia and Reptilia: E. N. Arnold, B. T. Clark, A. G. C. Grandison, and A. F. Stimson, Reptile and Amphibian Section,

Zoology Department, British Museum (Nat. Hist.). Aves: Peters (1931-79). Mammalia: P. D. Jenkins, Mammal Section, Zoology Department, British Museum (Nat. Hist.), Cabrera (1957, 1960), Corbet (1975, 1978), Dorst and Dandelot (1970), Ellerman and Morrison-Scott (1951), Meester and Setzer (1971), Miller and Kellogg (1955), and Ride (1970). Nuttall numbers in brackets indicate missing collections.

CLASS AMPHIBIA

ORDER SALIENTIA

Bufo marinus 2621, 2874, 3110, 3525
toad 1597, 1704, 1870, 2617, 2703, 2704, 3540

CLASS REPTILIA

ORDER CHELONIA

<u>Emys</u> sp.	996, 997
<u>Geochelone</u>	<u>chilensis</u> 2867
	<u>denticulata</u> 3459
	<u>elegans</u> 43, 1512, 3608
	<u>pardalis</u> 1659
<u>Geoemyda</u>	<u>flavomarginata</u> 3399
<u>Gopherus</u>	<u>polyphemus</u> 3356
<u>Heosemys</u>	<u>spinosa</u> 1106, 2938
<u>Homopus</u>	<u>areolatus</u> 3584
<u>Kinixys</u>	<u>erosa</u> 3126
<u>Melanochelys</u>	<u>tricarinata</u> 3578
<u>Nicora</u>	<u>trijuga</u> 2960, 2967

Order Chelonia (cont'd)

- Testudo elongata 2960, 2967, 3391, 3392
graeca 1296, 1657, 2818
graeca ibera 1510
pardalis [77], [3140]
sp. 756, 2159
tortoise [13], 69, [75], 95, 119, 202, 228, 229, 263, 265, 347,
549, 561, 681, [744], 1139, 1155, 1157, 1595, 1733, 2174,
2248, 2326, 3042, 3093, [3139], 3363, 3416, 3489, 3490,
3699, 3700, 3709, 3727, [3770], 3861
tortoise, leopard 570
turtle 1871, 1878, 2620

ORDER RHYNCHOCEPHALIA

- Sphenodon punctatus [3556], 3864

ORDER SQUAMATA

SUBORDER SAURIA

- Agama agama 3081, 3086, 3087
sp. 3486
Amevia surinamensis [281], [287]
chameleon 1836, 1884
Cyclura nubila nubila 2866
Egernia stokesii 771x
Euprepes sp. 1101
iguana 40, 153, 460, 482, 1283, 1316, 1317, 1421, 1443, 1883,
2017, 2112, 2466, [2674], 3478, [3554], 3965
iguana (? varanus) 1205, 1206
Iguana iguana 1726, 3492
tuberculata 3609
sp. 1268
Lacerta agilis [1743]
leptodeira 1727, 1740, 1744, 2508
muralis [2997]
sp. 3396, [3412Z]
"Leguan" 3118, 3122
lizard 508, 1599, 1625, [1839], 1877, 1900, 2038, 2050, 2051,
[2052], 2386, [2708], 2876, 3076, 3077, 3078
lizard (iguana?) 1427
lizard, water 636, 1238
monitor [76], [93], 550, 736, 1547, [2381]
monitor, Bengal 1728
monitor, land 1752, 1753
Monitor strix 554
Takydromus tachydromoides 1742

Suborder Sauria (cont'd)

- Tiliqua scincoides 3516, 3524
Trachysaurus rugosus 158, 3124
Uromastix hardwickii 3199
Varanus bengalensis 38, 2357, 2697, 2698, 2967, 2981, 2983, 3070,
 3130, 3346, [3358], 3389
 civitatus [91], [92]
 exanthematicus 37, 661, 2196, 2199, 2200, 3853
 gouldi 42, 120, [2113]
 griseus 45, 1685
 komodoensis 3617, 3875
 niloticus 44, 521, 1604, 2014, 2015, 3082
 salvator 494, 1017, 2187, 2276, 2968
 varius 1843, 1844, 1845, 2189
 sp. 996, 997, 1095, 1096, 1698, 1842, 2478, 2690, 2823,
 2942, 2943, 2985, 2986, 2988, 2990, 2991, 2992, 3002,
 3131, 3317, [3650], 3917

SUBORDER SERPENTES

- anaconda [3141]
Bitis arietans 1747
 gabonica 940
Boa constrictor 653, 1522, 1523, 1822, 1935, 2686
 sp. 289, [548], 3446
Boiga dendrophila 491
Boodon lineatus [1405]
Bothrops lanceolatus 1516, 1524
Bungarus fasciatus 472
Coluber genonensis 1520
Dendroaspis angusticeps 3871
Dendrelaphis pictus 3327
Denesonia superba 1745
Diemenia superciliosa [571]
 textilis 569, 642
Dispholidus typus 3083
Elaphe helena 3365
Elaps sp. 1984, 2685
Eryx conicus 41
Lachesis mutus 2086
Laticauda laticaudata 3657
Morelia spilotes variegata 567
Naja naja 471, 1074, 1366, 1518, 1521, 1907, 2275, 3271, 3336,
 3337, 3366
 sputatrix 493
 sp. 1244, 1245
Notechis scutatus 1739, 1841
Ophiophagus bungarus [90]
 hannah 1074, 1519, 1907

Suborder Serpentes (cont'd)

Oxybelis aeneus 2176
Pitnophis sayi 1133
Psammophis sibilans 438, 439
Ptyas korros 490, 1016, 1945
mucosus 1109, 1365, 1514, 1515, 1945, 2699, 2746Z, 2747,
 python 308
Python molurus 470
regius 39
reticulatus 484
spilotes 3519
spilotes variegatus 3523
 sp. 3039, 3616
Rhamphiophis oxyrhynchus 3084
Simocephalus butleri [1403]
 snake 2010, 2185, 2879, 2987, 2989, 3238, 3315, 3374, 3494, 3568,
 3632

ORDER CROCODILIA

alligator 1879

CLASS AVES

bird [397], [2160], [2400], 3007
 sea birds 2522, [2523]

ORDER STRUTHIONIFORMES

Struthio camelus 442

ORDER APTERYGIFORMES

Apteryx australis mantelli 2751, 3863

ORDER SPHENISCIFORMES

Eudyptes sp. 2799
Eudyptula minor 1849, 1850
 penguin 3438, 3923

ORDER PROCELLARIIFORMES

Diomedea exulans 2722
salvinii 516
Pachyptila desolata 3862
Phoebetria fusca 3010

ORDER PELECANIFORMES

cormorant [262], [962], [1132]
Phalacrocorax aristotelis 652, 667
carbo 2067
penicillatus 290

ORDER ANSERIFORMES

Branta canadensis 3626
 duck 223, [480]

ORDER GALLIFORMES

Bonasa umbellus 2737
 chicken (see fowl) 273, [469], 2232, [3619],
Crax alector 3227
rubra 3898
 fowl 53, [135], 136, 221, 294, [313], [315], 424, 440, [480],
 1009, 1014, 1057, 1125, 1130, 1131, [1904], 1905, 1977, 2013,
 [2082], 2207, 2231, 2440, 2448, 2459, 2633, 2693, 2936, 3162,
 [3509], [3510]
Gallus gallus 2121
 grouse 2777
Guttera edouardi sethmithi 1718
 hen (see fowl) 3784
Numida meleagris 1454, 1546
 partridge 1093, 3129, 3286
 turkey [480], 2089

ORDER GRUIFORMES

Neotis cafra 3889
 sp. 3714
 water hen 635

ORDER CHARADRIIFORMES

Anous stolidus 3603
Charadrius alexandrinus 2161
Fratercula arctica 634
 gull, sea 459
 gulls 454
Larus argentatus 1736
 puffin 518
Sterna anaethetus antarctica 2067

ORDER FALCONIFORMES

Coragyps atratus 1287
Falco tinnunculus 3694
Haliaeetus leucocephalus 3178
hawk 3694

ORDER COLUMBIFORMES

Columba livia 1142, 1200, 3355, 3622

ORDER CUCULIFORMES

Centropus sinensis intermedius 2960
superciliosus burchelli 1364

ORDER STRIGIFORMES

Athene nivalis [3224]
noctua 3282
sp. 2521
owl 224

ORDER CAPRIMULGIFORMES

goat suckers 2516

ORDER CORACIFORMES

kingfisher 2675

ORDER PICIFORMES

Ramphastos dicolorus 3409, 3410

ORDER PASSERIFORMES

Carpodacus sp. 267
chaffinch [3287]
Coccothraustes coccothraustes burryi 2157
Corvus monedula 3283, 3694
splendens 1346
Cyanocitta stelleri [279], 3179
Erythacus rubecula [396]
Glarida sp. 3242, 3305
Habia melanocephala 283
Hirundo spilogaster 3795, 3865
Hypocolius ampelinus 3359
Ixoreus naevius 726
jackdaw [3580], [3677]

Order Passeriformes (cont'd)

- Motacilla alba yarrellii 2546
Passer domesticus [3155]
montanus 523
Phoenicurus phoenicurus 3240
Pica pica 3281, 3284
 pipit 2520
Piranga ludoviciana 282
Riparia riparia 605, 1302, 1303
sandmartin [2770]
Sturnella magna 2833, 2834
Sturnus vulgaris 1294, 1363
 thrush 280, 2518
Turdus merula [3009]
ustulatus [285]
viscivorus 3008
Vidua sp. 3174

CLASS MAMMALIA

ORDER MONOTREMATA

- Echidna sp. 3138
Ornithorhynchus anatinus 2984, 3333

ORDER MARSUPALIA

- bandicoot 2673
Bettongia lesueuri 646
penicillata 1393
tropica 3090
Cercartetus concinnus 1162
Chironectes minimus 2687
Dasyurus geoffroyi 650
maculatus 3198, 3561, 3563
viverrinus 1847
Didelphis marsupialis 641, 3407
marsupialis aurita 3408
marsupialis caucae 3729
sp. 638, 647, 648, 1391, 3447
Echympera kalubu 3011
Isoodon fecialis 1213
macrourus 669, 3024
 kangaroo 546, [551], 552, 553, 2832, 3400, 3676
Lagorchestes conspicillatus 1392
Lasiorhinus sp. 3195, 3196, 3197

Order Marsupalia (cont'd)

- Macropus dorsalis 2100, 2192, 2689
fuliginosus 1397
giganteus 2115
sp. 633, [644]
Megaleia rufa 3518
opossum 339
Perameles nasuta 1848, 3025
Sarcophilus harrisii 3591
Schoinobates volans 3938
Sminthopsis murina 1211
Tachyglossus aculeatus 547, 2868, 2878, 3517, 3522
Trichosurus vulpecula 2190, 3938
Vombatus ursinus 3194, 3196, 3197, 3520
wallaby 3373

ORDER INSECTIVORA

- Chrysochloris sp. 3924
Crocidura sp. [1339], 1453, 3361
Erinaceus albiventris (539), 1838
colligenis [797]
europaeus 60, 80, 125, [324], 446, 597, 599, 608, 814,
901, 918, 930, 931, 932, 1143, 1193, 1476,
1557, 1700, 1823, 2757,a, 2759, 2760, 2977,
2978, 3231, 3236, 3482, 3557
frontalis 2892, 3870
Luxoraeus europaeus [631]
sp. 2885, 2890
hedgehog [358], 417, [1050], [1479], [1480], [2905z], 2920, 3085,
3088, 3277
Hemiechinus auritus 3241
auritus collaris 1103, 1675
mole [499], [3133]
Paraechinus micropus 1677, 1684
Ptilocerus lowii 466
Setifer setosus 2891
Sorex araneus 621
minutus 356
sp. 3662
Suncus murinus 3017
Talpa europaea 3586
sp. 583
tenerec 3515
Tenerec ecaudatus 2884

ORDER CHIROPTERA

- Artibeus jamaicensis jamaicensis 3731
 bat 225, 403, 591, 828, 1192, 1571, 2030, 2619, 3547, 3575, 3614,
 3649
- Carollia perspicillata azteca 3968
- Desmodus rotundus 3288
- Eptesicus seratinus 3628
- Megaderma cor 1164
- Myotis tricolor 649
- Noctilio labialis 3967
- Pipistrellus kohli 3132
 pipistrellus 593, 1151, 1152, 1163
- Rhinolophus ferrumequinum 3309, 3513, 3964
 ferrumequinum nippon 3629
 hipposideros 1594, 3513, 3521
- Scotophilus heathi 1856
 temmincki 3173
 temmincki wroughtoni 592
 sp. 2746

ORDER PRIMATES

- Ateles geoffroyi geoffroyi 565, 640
- Colobus guereza caudatus 1171, 3682, 3683, 3684
 sp. 2379, 2719, 3681
- Homo sapiens 6, 7, 131, 181, 211, 213, 334, 353, 543, 1456, [1846],
 1910, 2001, 2088, [2166], 2327, 2480, 2487, [2556],
 2643, 2644, 2665, 2672, 2946, 2947, 2948, 2950, 3019,
 3027, 3051, 3096, 3099, 3181, 3184, [3185], 3187,
 3188, 3234, 3313, 3320, 3402, 3440, 3441, 3460, 3464,
 3504, 3567, 3570, 3581, 3603, 3622, 3656, 3692, 3766,
 3850, 3857, 3880
- man [5], [57], [432], [505], 748,a, 1148, 1498, [1505], [1543],
 1875, [2213], 2214, 2215, 2216, 2219, [2364], 2749, [2750],
 [3097], [3098], [3169], [3229], 3233, [3651], [3767]
- marmoset 1885
- monkey 188
- Papio cynocephalus 245
- Presbytis entellus 1669
 sp. 3514

ORDER EDENTATA

- Bradyurus infuscatus griseus 3725, 3900
 tridactylus [544], 1149, 2103, 2119, 2618, 3125, [3351]
- Choloepus hoffmanni 3156, 3723
- Cyclopes didactylus 3454, 3462
- Dasyurus novemcinctus fenestratus 3728
- Myrmecophaga tridactyla 1269, 1749
- sloth [2808]

Order Edentata (cont'd)

Tamandua tetradactyla 36, 2869, 2873, 3128, 3411, 3713
tetradactyla chiriquensis 3726

ORDER PHOLIDOTA

Manis javanica 483, 1063, 2955
pentadactyla 1102, 1944, 2982
tricuspis 564, 3961
sp. [824], 882, 1292, 1293, 2803, 3379, 3401, 3910, 3946,
3948

ORDER LAGOMORPHA

hare 98, 149, 660, 782, 783, 784, [790], 796, 952,a, 3278, 3279,
3280, 3719, 3721, 3733, 3734, 3735, 3881
Lepus americanus 1142, 1147, 2045, 2046, 3180, 3181
americanus dalli 1195, 1196
capensis 3745
californicus 1533, 2321, 2322, 2324
crawshayi 3717
crawshayi zuluensis 3741, 3747, 3749, 3750
nigricollis kutchensis 1686
nigricollis simcoxi 1662
ochropus 3744
ruficaudatus 2931
timidus 1701, 2042
variabilis [3190]
whytei 1410
sp. 2410, 2700, 3073, 3239, 3314, 3320,a-c, 3321, 3423, 3919
Ochotona princeps 1387, 3663, 3665
rufescens 2527
rabbit 352, 384, 841, 1129, 1541, 1577, 1800, 1801, 1802, 1803,
2645, 2994, 3175, 3202, 3221, 3417, 3435, 3717, 3720,
3721, 3746
Sylvilagus audubonii 2772
braziliensis 1894
braziliensis andinus 3624

ORDER RODENTIA

Agouti paca 1892, 1893
paca virgatus 3730
Anomalurus orientalis [2795]
Apodemus sylvaticus 3596, 3653
Arvicanthis sp. 3764, 3765
Arvicola nivalis [3224]
terrestris 622, 3592, 3593, 3594, 3595
Atherurus africanus 1922
macrourus 2962, 2964, 2970
sp. 2738, 2789

Order Rodentia (cont'd)

- Callosciurus erythraeus gordoni 2966
erythraeus intermedius 2066
prevostii 3544
- Cavia sp. 1738
- Citellus citellus 3228
- Clethrionomys glareolus 619, 3533, 3534, 3535, 3655
- Coendou bicolor simonsi 560
- Cricetomys gambianus 3873
- Ctenodactylus gundi 2158, 2172
- Dasyprocta agouti 3448
punctata 1507
sp. [1264], 2872
- Dremomys rufigenis 2966
- Eutamias townsendi 678
- Euxerus erythropus microdon 3674
- Gerbillus campestris 3537, 3538, 3539
gerbillus 1398
- Hydrochoerus capybara 70, [222], 821, 1261, 1266
- Hydromys sp. 2903
- Hystrix africaeaustralis 3693
bengalensis 2957
cristata 1922
hodgsoni 2956
- Lagidium peruanum 2513, 2514, 2517
- Marmota bobak 1370
monax 3642
- mice 3412
- Microtus agrestis 629, 1165, 2509, 3654
arvalis 624, 625, 1069, 3532
sp. 3625
- mouse [291], [1340], [1341], 1452, 1455, 3794, 3906
- Mus concolor [1190]
escularis 1166
minutus [620]
musculus 3406
- Myocastor coypus 826
- Myopotamus coypu [674]
- Neotoma alleni vetula 1394
- Ondatra zibethicus 1537
- Oryzomys longicaudatus 1389
- Pedetes capensis 3368
- Peromyscus leucopus 3643
- Petaurista petaurista 3872
- porcupine [3218]
- rat [4], 32, [63], [328], [1036], [1277], [2451], 2519, 3412, [3512]

Order Rodentia (cont'd)

- Rattus cutchicus 1678, 1679
macleari 360
norvegicus 1347, 1358, 1359, 2341Z, 2684, 2917
rattus 323, 2917
rattus rufescens 1670, 3193
rodent 3545, [3644]
Sciurus vulgaris [630]
sp. 284, 1396, 3664
Sigmodon hispidus chiriquensis 3899
squirrel 270, 581, 1134, 1300, [3207]
Sundasciurus brookei 3543
Tachyoryctes splendens 3065
Tamias sibericus striatus 2966
Tamiasciurus douglasii 1065
douglasii douglasii 1195, 2043, 2044
Thryonomys swinderianus 3375
sp. 1214, 1215, 2481, 2537, 3959
vole 1204
Xerus erythropus 3952
rutilus [1203], 1224
sp. 2882

ORDER CARNIVORA

- Aonyx sp. 3925
bear 586, [799]
bush cat 3109
Canis adustus 2581,a,b, 3323
aureus 764, 1085, 1510, 1737, 2889
aureus indicus 2003, 2007
familiaris 488, 572, 573, 576, 579, 645, 892, 1263, [1270],
1271, 1272, 1691, 2715, 2730, 2886, 2897, 3223,
3232, 3405
lupus pallipes 1680, 1681, 2077
mesomelas 2581,a,b
vulpes [217]
cat 186, [231], 293, [275], 327, 464, [1037], 1280, 1431, 1439,
1504, 3021, [3168], [3206], 3237
cat, wild [266], [355], 2387
civet cat 144, [742], [2790]
Crocuta crocuta 3325
Cuon alpinus dukhunensis 1671, 1672, [1673]
dog [5], [8], 9, 10, [11], [12], 19, 25d, 26d, 47, 48, [49], 55,
56, [62], [81], 87, 97, 102, 109, 110, 113, 115, 116, 121, 145,
150, 173, 174, 187, 191, 195, 201, 220, 230, 262, [277], 295,
299, 317, 341, [342], [343], 344, 371, 386, [400], 414, 422,
426, [434], 436, [445], 447, 463, 464, 479, [505], 510, [520],
[654], 660, 662, 663, [682], [683], [691], [727], 731, [733],

Order Carnivora (cont'd)

dog (cont'd)

748, 749, 762, 763, 768, [865], [866], 867, 868, 869, [870], [876], 893, 897, 953,b, 954, [986], 988, 989, [990], [998], 999, 1000, 1001, 1003, 1013, 1021, 1023, [1035], 1058, 1072, 1073, 1120, [1124], 1126, [1127], 1128, [1140], [1169], 1176, [1181], [1184], [1185], 1186, 1189, 1191, 1210, 1253, 1255, 1274, 1297, 1360, 1362, 1377, 1380, 1382, 1407, 1434, 1449, 1509, 1538, 1540, 1616, [1617], 1618, 1643, 1644, 1645, [1688], 1702, 1705, [1730], 1791, 1799, 1804, 1810, [1811], 1825, 1854, 1876, [1891], 1924, 1932, 1941, 1942, 1949, 1950, 1966, 1971, [1972], 1985, 1988, 1989, 1900,a, 1991, 2008, [2012], 2026, 2028, 2032, 2036, 2039, 2053, 2079, 2116, 2123, [2125], 2129, [2130], 2134, 2169, 2171, 2193, 2201, 2214, 2215, 2216, 2224, 2234, 2244, 2245, 2246, 2252, 2269, 2277, 2280, 2281, 2283, 2310, 2318, [2328], 2334Z, 2335Z, 2336Z, 2337Z, 2338Z, 2339Z, 2340Z, 2341Z, 2347, 2349, 2358, [2367], 2395, 2398, 2425, [2443], [2447], [2454], 2455, [2458], [2461], [2464], [2474], 2486, 2489, 2490, 2492, 2497, 2502, [2531], [2533], [2535], 2547, [2551], 2565, 2598, 2622, 2628, [2636], 2648, [2652], [2654], 2658, [2663], 2682, 2688, [2694], 2695, 2696, 2725, [2771], [2775], 2776, [2809], [2814], 2827, [2836], [2839], 2840, 2841, 2842, [2850], 2853, 2857, 2921, 2925, 2928, [2929], 2930, [2935], 2951, 2952, 2976, 2980, 3022, 3035, 3040, 3041, 3054, 3047, 3059, 3060, 3089, 3095, 3103, 3104, 3115, 3142, 3145, 3149, 3153, 3154, 3172, 3182, [3183], 3237, 3255, 3256, [3257], 3258, 3259, [3260], 3262, 3266, [3290], 3306, 3320 a-c, 3324, 3371, 3419, 3421, 3426, 3454, [3481,a,b], 3571, 3572, 3573, 3576, [3589], 3695, 3698, 3715, 3742, 3758, 3759, 3762, 3785, 3789, 3796, 3851, 3852, 3858

Dusicyon gymnocerus 3415

Dusicyon sp. 223

Eira barbara subsp. 3452, 3456

Felis affinis [1663]

bengalensis 2960

caracal 1682

chaus 693, 1666, 3360

concolor 637, 3310

libyca ornata 1675

onca 3445, 3457

pardalis mearnsi 3902

pardus [2729]

serval 3038

tigris [1110]

viverrina 2865

ferret [692]

fox [269], [632], [785], [1170], [2735]

Galictis vittata 3404

Genetta sp. 2065, 2197, 2198, 3931

Order Carnivora (cont'd)

- Helarctos malayanus 1563, 2953, 2954, 3074, 3329, 3939, 3941
Helogale parvula 1223, 1225
 parvula varia 764
Herpestes edwardsi 1661, 2766
 sp. 942, [2819], 3479
hyaena [5], [2383]
Hyaena hyaena 50, 575x, 1395, 1665, 1668, 1676
 sp. 1562
Ictonyx striatus 477
jackal 1932, 2373
leopard [728], [2475], [3192], [3951]
lion [310], [1933]
Lutra lutra 456, 598, 601, 2724
 vulgaris [216]
Lycaon pictus 1425, 2601, 3308
Martes flavigula 3555
Meles meles 2528, 3620, 3627
 taxus [3209]
Mephitis mephitis 1135
mongoose 147, 1881
mountain lion [272]
Mungos paludinosus [1923]
Mustela erminea 399, 404, 602, 603, 607, 610, 611, 612, 613, [656],
 917, 1159, 2327Z, 2328Z, 2329Z, 3119
 frenata zanthogenys 2047, 2048, 2049, 2054
 furo 1137, 1138, 1168, 1240, 1385, 2164, 2330Z
 nivalis 668, 1194, 3108
 putorius [322], 600, 604, 606, 609, 1239, 1916, 3566
 vison 1399
 sp. 1378
Nasua narica 2810, 2811
 nasua 3405, 3455
Neofelis nebulosa 2959
ocelot 1880
panther 2388
Panthera leo 1119, 1424, 2401, 2402, 2403, 2404, 2647, 3302, 3933,
 3934 d , 3935
 pardus 496, 503, 1621, 2266, 2548, 2732, 2805, 2806,
 3200, 3268, 3301
 tigris 3338
Paradoxurus hermaphroditus 2692, [3876]
 sp. [686], [648]
polecat 148, [746], [962]
Procyon lotor 992, 2087, 2813
Putorius energermania [1388]
 erminea [298]
raccoon 1888
Selenarctos thibetanus 2956, 2961
Speothos venaticus 562, 566

Order Carnivora (cont'd)

Suricata suricata 578
Taxidea taxus 1539
tiger 2104, 2105, 2106
Urocyon cinereoargenteus 3328
Ursus arctos 786, 787, 798, 800
 torquatus 2957
Viverra civetta 1697
 zibetha 2959
sp. [688]
Viverricula indica 2864
Vulpes fulva 3328
 vulpes 784, 789, 1157, 1170, 2372, 2733, 2734, 2815
 vulpes pusilla 1683
wolf 1996, [2056]

ORDER PROBOSCIDEA

elephant [1345]
Elephas maximus 3956
Loxodonta africana 216, 528, 733, 1150, 1217, 1232, 1318, 1417,
1603, 1809, 1902, 1915, 2018, 2019, 2263, 2271,
2483, 2507, 2717, 3211, 3718, 3854, 3879, 3915,
3916, 3936, 3958

ORDER HYRACOIDEA

Heterohyrax brucei 1222
 brucei manningi 2847, 2848
Hyrax [2365]
Procavia capensis 3866, 3867
sp. 3920

ORDER PERISSODACTYLA

asses [1140]
Ceratotherium simum 1440, 1457, 2377,a, 3672, 3953
Diceros bicornis 1231, 1433, 1435, 1438, 1440, 1446, 1457, 1934,
2377,a, 2784, 2785, 3215, 3602, 3672, 3777, 3856,
3904, 3953
sp. 1087, 1088, 1089
donkey 25, [430], [1554], 1637, 1639, 1642, 1755, 1761, 1762, 1763,
1764, 1772, 1773, 1774, 1780, 2298, [2630], 2682, 2960, 3274
Equus burchelli 534, 677, 879, 1156, 1409, 2041, 2375, 2405, 2406,
2408, 2409, 3230, 3780
 caballus 582, 1693, 2880, 3485
"Grison" 1889
horse 25, 26b, 84, [94], 111, 129, 184, 212, 214, 232, [271], [274],
301, 340, [381], 385, 461, 464, 501, 524,a, 542, 890, 893,
[1140], 1145, 1146, 1174, [1175], [1183], 1197, 1219, 1282,
[1284], 1416, 1494, 1530, 1532, 1535, 1626, 1627, 1628, 1696,
1731, 1735, 1796, [1817], 1818, 1824, 1834, 1851, 1853, 1866,

Order Perissodactyla (cont'd)

horse (cont'd)

1867, [1868], [1911], [1941], 1956, 1968, 1973, 1975, 1900,a,
 1999, 2000, 2025, 2083, 2085,b, 2178, [2179], [2180], 2181,
 [2182], 2183, 2184, 2220, [2221], 2235, [2278], 2286, 2303,
 2304, 2312, [2348], 2368, 2419, [2446], [2456], 2510, 2532,
 [2534], 2637, 2681, 2714, 2723, 2728, 2851, 2852, 2855, 2907,
 2908, 2909, [3067], 3114, 3311, [3353], [3481,a,b], 3507, 3757
 mare (see horse) [260], 2428
 mule [96], 142, 331, 2318, 2423, 2999, 3214, 3418
 pony 112, [114], 175, 257, [258], 760, 1553, 1979, 3420, 3424
 rhinoceros [326], [538], 563, 938, [956], [965], [1428]
Rhinoceros bicornis [3476]
sondaicus 3601
Tapirus americanus [1265], [1897]
bairdi 3722, 3624, 3970
indicus 3127
 sp. 2871, 3461, 3468, 3702, 3703, 3704

ORDER ARTIODACTYLA

Aepyceros melampus 1334, 1447, 2240, 2411, 2539
Alcelaphus buselaphus 338, 536
buselaphus cokii 1326, 1335
Lichtensteini 2242, 2320, 2450, 2701
Alces alces 1497, 1499, 2237, 3708
antelope [673a], [1115], 1202, 1899, 2354, 2597, 2612, 3094,
 [3753]
 boar (see pig) [687]
Bos bovis [3577]
caffer [3477]
indicus 495a-d
taurus [141], [210], 226, [1273], 1306, 2887, 3470, 3473,
 3485, 3493
 sp. 543
Bubalus bubalis 489, 495a-d, 540, 2721, 2916, 3161
 buffalo 185, 300, 497b, 833, 1220, 1221, 1228, 1229, [1710], 1815,
 1960, 2120, 2233, 2465, 2530, 2534, [2634], [2828], [2829],
 3348, 3661, [3950]
 bull (see cattle) 761, 1689, 1706, 1765, [1768], 1782, 1790, 1962,
 1965, [1994], 2211, [2249], [2265], [2542], 2543
 bullock (see cattle) 117, [254], [255], 256, 259, [261], [303],
 1010, 1011, 1015, 1070, [1140], 1632, 1634,
 1636, [1759], 1767, 1781, 1784, 1786, 1787,
 1788, 1789, 1792, 1793, 1794, 1795, 1853,
 1855, 1974, 2102, 2150, 2345, 2346, [2390],
 2529, 2534, 2631, 3425, 3658, 3660
 bushbuck 675, [3771]

Order Artiodactyla (cont'd)

- calf (see cattle) 835, 861, 862, 864, 881, [1033], 1061, 1254, 1383, 1852, 1930, 1963, 2149, [2254], 2745, [2773], [2845], 3023, [3105], 3551, 3717, 3831, 3928, 3934 c
- camel 25d, 481, 795, 910, 966, [1004], [1006], [1007], [1122], 1696, [1766], [1815], [1926], [2206], [2333Z], [2360], [2629], [2861], [2923]
- Camelus dromedarius 17, 30, 35, 332, 655, 657, 1005, 1624, 2441, 2555, 2560, 2862, 2926, 3272, 3431, 3472, 3542, 3549, 3582, 3623, 3627, 3670, 3963
- Capra falconeri [3136]
hircus 2888
- Capreolus capra [771]
capreolus 1248, 1374
- Capricornis sumatraensis 3388
sumatraensis milnedwardsi 1400
- cattle [3], [18], 27, 28, 33, 34, 46, 54, 59, 65, 66, 67, 68, 79, 85, 86, 104, 108, 167, 169, 171, [172], 176, 180, 182, [190], 192, 193, 219, [244], [247], 248, 252, 296, 316, 318, 345, 368, 370, [373], 382, 391, [416], 437, 452, 458b, [462], 465, 507, [513], 515, 517, 524,a, 527, 529, 664, 665, 672, 676, 680, 729, 730, 732, 734, 737, 739, 743, 750, 775, 776, 777, 778, 780, 781, 793, 794, 801, 802, 809, 830, 871, 872, 875, 877, 886, 893, 943, 944, 947, 955, 994, [1038], 1041, 1059, 1090, [1114], 1117, [1118], 1177, [1178], 1179, 1249, 1250, 1252, 1279, 1308, 1309, [1310], 1348, 1379, 1412, 1423, [1429], 1460, 1492, [1493], 1532, 1569, 1581, 1586, 1592, 1593, 1601, 1606, 1614, 1619, [1622], [1623], 1629, 1650, 1658, 1694, 1696, 1697, 1723, [1724], 1816, 1828, 1829, 1830, 1831, 1832, [1833], 1834, 1835, 1840, 1864, [1865], 1906, 1908, 1909, 1912, 1913, 1914, [1919], 1921, [1931], 1967, 1982, 1983, 1986, 2033, 2034, 2035, 2037, 2057, 2073, 2075, 2078, 2085,b, 2090, 2091, 2092, 2099, 2109, 2124, [2132], [2137], [2138], 2143, 2144, 2148, 2162, 2163, [2165], 2167, [2175], 2186, 2191, 2194, 2202, 2203, 2204, 2205, 2208, 2210, [2223], 2225, 2226, 2227, 2228, 2229, 2236, 2256, 2259, 2261, 2262, 2335, 2337, 2340, 2341, 2342, 2343, [2344Z], [2369], [2391], 2452, 2457, 2482, 2485, 2488, 2493, 2494, 2495, 2497, 2498, 2499, 2500, 2501, 2503, 2504, 2505, 2506, 2511, 2544, [2545], 2552b, 2557, 2561, 2562, 2564, 2566, 2568, 2570, 2575, 2580, 2583, 2585, 2586, 2588, 2589, 2591, 2592, 2593, 2594, 2596, 2606, 2610, 2640, 2641, [2642], 2646, [2653], 2655, 2656, 2657, 2659, 2660, 2661, 2662, 2664, 2667, 2669, 2670, [2678], [2679], [2683], 2705, 2706, 2707, 2708, 2709, 2710, 2711, 2712, 2713, 2720, [2726], 2727, 2736, 2781, 2782, 2835, 2837, 2838, 2863, 2898, 2910, 2911, 2912, 2913, 2914, 2915, 2918, 2944, 3012, 3026, 3034, 3036, 3044, 3045,

Order Artiodactyla (cont'd)

cattle (cont'd)

3048, 3049, 3050, 3052, 3053, 3056, [3061], 3080, 3100,
 3112, 3116, 3143, 3152, 3163, [3164], 3177, 3191, 3212,
 3226, 3255, 3256, [3257], 3258, 3259, [3260], 3263, [3265],
 [3273], [3275], 3276, 3297, 3303, 3304, 3332, [3339], [3340],
 [3341], 3342, 3343, 3344, 3345, 3362, 3369, 3370, 3413, 3427,
 3433, 3442, [3481,a,b], 3547, 3588, 3597, 3606, 3697, 3717,
 3748, 3751, [3755], 3760, 3772, 3773, 3776, 3778, [3779],
 3782, 3799, 3800, 3806, 3807, 3808, 3809, 3810, 3811, 3812,
 3813, 3814, 3815, 3816, 3817, 3818, 3819, 3820, 3822, 3823,
 3824, 3825, 3827, 3828, 3830, 3832, 3833, 3834, 3835, 3836,
 3837, 3839, 3840, 3841, [3842], 3843, [3844], [3846], 3847,
 3848, 3849, 3882, 3883, 3884, [3885], 3886, 3887, 3907, 3908,
 3929, 3934,a,b, 3947

Cephalophus monticola 3909

sp. 3378

Cervus axis 519capreolus [509], 1692elephas [769], [770], 2374, 2380unicolor 1070, 1251, 3560, 3859, 3860unicolor brookei 2118

sp. 541, 2752, 2753, 2754, 2755, 2756, 2757,a, 2883

Connochaetes taurinus 1328, 1329, 2378, 2603

cow [5], 146, [159], [160a,b], [161a,b], [162a,b], [163], [164],
 [165], 215, 306, 312, [314], 372, [383], [387], 417 a-e, [425],
 427, 428, 431, 435, 467, 476, [747], 812, 878, 891, 900, 1019,
 1055, 1071, 1116, 1180, 1188, 1230, 1531, 1635, 1757, 1758,
 [1769], 1771, 1775, [1778], [1812], 1826, [1957], 1969, 1973,
 1976, [1978], 2004, [2127], 2139, 2140, [2141], 2146, [2195],
 2214, 2215, 2216, 2219, 2222, 2250, 2258, 2260, 2273, 2284,
 2285, 2331, 2333, 2334, 2336, 2338, [2339], 2344, [2412],
 2413, 2414, 2421, 2429, 2430, [2433], [2435], 2444, 2445,
 [2449], 2463, 2477, 2626, [2828], 2666, 2671, 2846, 2922,
 [2927], 2949, 3101, [3106], [3107], 3110, 3147, 3148, 3150,
 3151, [3176], [3204], 3269, 3289, 3294, 3295, 3296, 3422,
 3530, 3559, 3658, 3685, 3686, 3696, [3756], 3905

Damaliscus lunatus 1167

deer [197], 307, 1560, 1707, 1729, 1807, 1808, 1821, 3521, 3703

Dicotyles torquatus [822], [823], [1262]

sp. [1267]

duiker buck 3322

eland [1313]

ewe (see sheep) 2417, 2418, 2437

Gazella granti 2602thomsoni 3928, 3932

gazelle [2817]

gazelle, Senegal 3322

Order Artiodactyla (cont'd)

- Giraffa camelopardalis 20, 558, [751], 888, 945, 960, 1805, 2382, 2577, 2824
- goat 26c, 101a,b, 118, 168, [189], 235, 325, 380, 437a,b, 497b, 665, 759, [766], 885, 964, 1082, 1325, 1384, 1437, 1495, 1589, 1630, 1631, 1638, 1641, [1756], [1760], 1770, 1776, 1777, 1779, 1783, 1785, 1798, 1903, 1928, [1940], 1964, 2005, [2080], 2081, [2128], 2133, 2135, 2136, 2253, 2255, 2257, [2264], 2268, 2288, 2297, 2325, 2332, 2353, [2359], 2420, 2422, 2432, 2439, 2460, [2468], 2469, 2473, 2525, 2541, 2553, 2571, 2573, 2579, 2587, 2590, 2627, 2681, 2901, 2924, 3037, 3046, 3056, 3146, 3305, 3331, 3673, 3687, 3743, 3763, 3802, 3804, 3821, 3888, 3903, 3930, 3942
- Hartebeest [537]
- heifer (see cattle) [963]
- Hemitragus hylocrius 3072, 3347, 3659
- Hippotragus equinus 1314, 1322, 1324, 1444, 1448, 1451, 2638, 3006, 3166, 3312, 3319
- niger 755, 2072, 2361, 2538, 3029
- hog (see pig) 1872
- horse antelope 2613
- Hydropotes inermis 1401
- Hylochoerus meinertzhageni 3491
- ibex [2371]
- Kobus ellipsiprymnus 1458, 1708, 1709, 1713, 1901, 2094, 2330, 3031, 3840
- kob thomasi 1717, 1981
- lamb (see sheep) [415], 417a-e
- Litocranius walleri 3689, 3690, 3691
- llama [3971]
- Mazama sp. 2812
- Moschus moschiferus 1375, 1402
- mouse deer 151, 183
- Muntiacus muntjac 2962, 2970, 3171, 3599
- reevesi 1373
- Naemorhedus goral subsp. 1372
- Odocoileus hemionus 745, 1570
- virginianus 1281, 1285, 1286, 1386, 2767, 2812
- sp. [1278]
- Oreotragus oreotragus 351, 3891, 3892, 3894, 3895, 3897
- Oryx beisa 1246, 3688
- gazella 1432
- Ourebia ourebi 880, 2843
- Ovis canadensis 1536
- orientalis lahorensis 2155
- ox (see cattle) 25d, 26a, 99a,b, 133, [159], [160a,b], [162a,b], [163], [164], [165], 233, 311, 1748, 1749, 1750, [2016], 2076, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, [2300], 2301, 2302, 2305, 2306, 2308,

Order Artiodactyla (cont'd)

ox (cont'd)

2309, 2311, 2313, 2314, 2315, [2317], 2343Z, 2415,
 2416, [2424], 2426, 2427, 2431, [2434], [2436],
 2859, 3267

Phacochoerus aethiopicus 740, 744, 1218, 2188, 2212, 2389, 2394,
 2600, 3113, 3167, 3216, 3316, 3318, 3474,
 3675, 3678, 3739, 3740, 3868, 3896, 3937,
 3944

pig 152, 198, 309, [433], 1062, 2104, 2105, 2106, 2287, 2299, 2651,
 [3033], 3495, 3711

pig, wild bush 1209

Potamochoerus chaeropotamus [1311]

porcus 738, 1608, 1609, 2791, 2798, 2800, 2820, 2826,
 3437

ram (see sheep) [2549]

Raphicerus sharpei 2702

Redunca arundinum 2362, 2540, 2625, 2844

fulvorufula 2844

sp. 2095

reed-buck [2096], [2097], [3367]

roan antelope [1321], [1323]

roe-buck [1182]

roe-deer [58]

sable antelope [2744]

sheep 26c, [64], [83], 100, 234, 304, 369, [398], [401], 402, 405,
 417 a-e, [423], 429, 468, [473], 497b, 665, 765, 803, 804,
 805, 806, 807, 808, 899, 1024, [1025], 1026, [1039], 1052,
 1053, [1054], 1078, [1172], 1173, 1207, 1216, 1242, 1256,
 1257, 1258, 1305, 1406, 1564, 1565, 1633, 1646, 1653, [1806],
 1819, 1820, 1926, 1929, 1939, 1958, 1992, 2023, 2085,b,
 [2126], 2131, 2147, 2151, 2152, [2168], 2170, 2209, 2251,
 2267, 2270, [2307], 2316, 2329, 2352, 2355, 2356, 2462,
 [2470], 2472, 2482, 2491, 2525, 2544, [2545], 2554, 2607,
 2614, [2635], 2668, 2780, [2856], 3054, 3057, 3058, 3079,
 3144, [3205], [3208], 3213, 3307, 3393, 3414, [3526], [3527],
 3528, 3529, 3552, 3598, 3648, 3679, 3680, 3752, 3762, [3774],
 3775, 3785, 3793, 3801, 3803, 3805, 3826

stag 1525, [1526], 1527, 1528, 1529, 1961

Sus scrofa 1852, 2376, 2804, 2854, 3005, 3013, 3222, 3326, 3357,
 3567, 3621, 3666, 3667, 3940

scrofa cristatus 767, 1568, 2961, 3071

scrofa jubatus 1369

verrocosus celebensis 72

verrocosus subsp. 73, 74

Sylvicapra grimmia 350, 2211Z, 2393

Syncerus caffer 194, 196, 246, 337, 752, 775, 2020, 2384, 2396,
 2397, 2649, 2716, 2788, 2802, 2830, 2893, 2900,
 2902, 2960, 3003, 3014, 1015, 3075, 3376, 3587,
 3638, 3710, 3845, 3893, 3914

Order Artiodactyla (cont'd)

- Taurotragus oryx 336, 951, 1027, 1091, 1094, 1100, 1121, 1413,
1414, 1459, 1588, 1711, 1712, 2071, 2243, 2385, 2599,
2604, 2623, 2743, 3032, 3215, 3927, 3933
- Tayassu pecari 3243, 3450, 3451
tajacu 1746, 3874, 3943, 3969
tajacu patira 3443, 3449, 3458
sp. 557
- Tragelaphus angasi 1600, 1602, 3434, 3869
inberbis 1442, 1450, 2792
scriptus 741, 884, 1408, 2438, 2624, 3219, 3475, 3737,
3738, 3781, 3829
spekei 1714, 2786, 3949, 3954
strepsiceros 1411, 1605, 2639, 2792, 2825
- Tragulus javanicus 3877
kanchil fulviventer [3878]
meminna 1107, 1108, 3220
wart hog [2365], 3062
wasserschwein 2108
waterbuck [883], [2042], [2241]
zebra [753], [2319], 2370, [2407], [3157], [3480]
zebu 1566, [1567], [1993]

MISCELLANEOUS

- big game [? Mammalia] 478
Grusus resimus [1404]
"kibihee" 1890
"labba" 1882
"impoula" 3064
"mpouri" 1651
Rato selvagen 3972
"salapenter" [? Reptilia] 1874
"schira" 2794
Tamarix gallica [a shrub] 2117, 2156
"vizcacha" [2515]
"water hass" 1887

Appendix IV

Geographical Origin for Ixodoidea in the Nuttall Tick Collection

At the time of Professor Nuttall's death in 1937 there were 70 nations in the world community. By January 1, 1984, that number had increased to 168. In the following list of countries, territories, islands, and so forth, a few concepts should be borne in mind. If a tick collection is missing, I have listed the locality as it originally appeared in Nuttall's handwritten catalogue. If a tick collection is present, I have, if necessary, updated the locality to what is the currently recognized name. Thus, the reader will

find both Gold Coast and Ghana, Persia and Iran, Ceylon and Sri Lanka, and so forth, in this listing. In most cases, I have used the short form of the name of a country, e.g., Algeria, not Democratic and Popular Republic of Algeria. However, in a few instances, it was necessary for clarity to use the official long form of the name, e.g., People's Republic of China, not China, to prevent confusion with the political area listed as Taiwan. I have also retained the names of certain familiar islands although they may not be independent. For example, it is more convenient to locate a tick collection from the Galapagos Islands by looking it up under that name rather than looking under Ecuador.

Abyssinia 14, 2750, 2819, 3168

Admiralty Islands 2673, 2675

Africa 44, 570, 2370, 2371, 2375, 2377-2379, 2382, 2384, 2385, 2798, 2800, 2802, 2824, 3352, 3672, 3675, 3922

Algeria 30, 655, 998-1009, 1024-1026, 1052, 1053, 1122, 1125-1131, 1172-1179, 1256-1258, 1305a, b, 1556-1559, 1561, 1574, 1695, 2157-2160, 2508, 2890, 3020, 3028, 3120, 3132, 3509, 3510, 3536-3539, 3706, 3712, 3766

America 637, 915

Angola 131-133, 142, 205, 321, 350-353, 390-394, 1217, 1578, 1947-1950, 2478, 2644-2646, 2649-2652, 2717, 2742, 2743, 3587

Antigua 319, 2678-2680, 3103-3107

Argentina 588, 946, 1828, 1829, 1835, 2220, 2249, 2250, 2867, 3861, 3971

Argentine Republic 1891

Asia Minor 179

Australia 3, 34a, 42, 54, 120, 157, 158, 178, 207, 208, 339-345, 481, 546, 547, 550-554, 556, 567, 569, 571, 633, 642-646, 650, 669, 712, 832, 1080, 1081, 1154, 1162, 1205, 1206, 1211-1213, 1392, 1393, 1397, 1739, 1745, 1840-1845, 1846, 1847-1852, 2099, 2100, 2113-2115, 2189-2192, 2231, 2689-2691, 2832, 2868, 2877, 2942, 2943, 2984-2992, 3024, 3025, 3089, 3090, 3124, 3194, 3198, 3222, 3223, 3294-3296, 3333, 3362, 3373, 3400, 3516-3520, 3522-3524, 3553, 3561-3563, 3590, 3591, 3603, 3652, 3676, 3938

Baluchistan 3067

Barbados 10, 47, 312, 314, 316, 317, 2767

Barbuda 1707

Bechuanaland 94, 96

Belgian Congo 2399, 2468, 2470, 2474, 2475, 2771, 3102, 3291-3293, 3339-3341, 3385, 3951

Belgium 597, 631

Bolivia 560, 562, 566, 2871

Borneo 2883, 3514, 3666, 3667

Botswana 95, 97, 98, 99, 100, 101, 329

Brazil 222, 223, 236, 544, 641, 653, 725, 820-823, 1149, 1260-1273, 1306a-d, 1857, 1892-1897, 1972, 1973, 1974, 2687, 2688, 2703, 2704, 2869, 2872-2874, 3125, 3372, 3404, 3405, 3407-3412, 3540, 3541, 3972

British Central Africa 203-204, 238, 326, 1617, 2895

British East Africa 5, 49, 537, 538, 965, 1319, 1321, 1339-1341, 1429, 1445, 1710, 1724, 1756, 1759, 1760, 1766, 1768, 1769, 1778, 1814, 1815, 2027, 2400, 2407, 2740, 2836

British Guiana 3097, 3098, 3176, 3701

Burma 227, 890, 1106, 1191a, 1219, 1254, 1255, 1379-1384,a, 2955-2971, 3019, 3337, 3338, 3390, 3489

Cameroon 2803, 2804, 2820, 2826, 2830, 2887, 2888, 2898, 3003, 3005, 3012, 3401

Canada 506, 596, 678, 700, 726, 745, 747, 812, 943, 991, 992, 1064, 1065, 1105, 1134-1136, 1144-1148, 1195-1199, 1300, 1301, 1361, 1377, 1378, 1387, 1388, 1390, 1497-1504, 1735, 1800-1803, 1824, 2043-2046, 2237, 2452, 2776, 2937, 3023, 3026, 3027, 3178-3181, 3502, 3504, 3662-3665, 3708, 3789

Canary Islands 2080, 2081, 2922, 3226

Central Africa 2790

Central African Republic 2996

Central America 3492, 3609

Ceylon 511, 513

Chad 2805, 2806

Chile 1389, 1832

China 2628, 2905, 2905z, 3644

Christmas Islands 360

Colombia 993-995, 1699, 2107, 2442, 2617-2619, 3162, 3605, 3790

Congo 1697

Congo Free State 310

Costa Rica 2810, 2813, 2875, 3874, 3943

Cuba 2866, 3488

Cyprus 2332Z-2341Z, 3589, 3648, 3763

Dominica 87, 2016, 2725-2727

Dutch East Indies 2344Z

East Africa 103, 3016

East African Protectorate 1428

East Coast of Africa 104

Ecuador 3212, 3624, 3625

Egypt 11, 12, 17, 18, 46, 84, 85, 130, 237, 242, 539, 981-983, 1297, 1398, 1624, 1926, 1930, 2201, 2206-2211, 2441, 2541-2543, 3191, 3234, 3707

England 7, 19, 53, 60, 62-64, 69, 75, 80, 81, 88, 123, 125, 128, 216, 217, 224, 225, 263, 265, 292, 298, 304, 322, 324, 347, 356-359, 395, 396, 398, 399, 403, 404, 446, 453, 454, 456, 499, 501, 509, 518, 522, 580, 593, 598-605, 607, 610, 611, 618, 621-623, 627, 652, 656, 668, 756, 813-816, 896, 898-902, 918, 930-932, 963, 1036, 1037, 1039-1041, 1046, 1050, 1051, 1067, 1068, 1079, 1123, 1133, 1137-1139, 1141, 1143, 1152, 1159, 1160, 1165, 1192-1194, 1207, 1239-1241, 1296, 1299, 1302-1304, 1347, 1358-1360, 1363, 1371, 1385, 1476-1480, 1483-1486, 1490, 1560, 1564, 1565, 1576, 1577, 1595, 1657, 1729, 1730, 1732, 1733, 1736, 1807, 1808, 1823, 2017, 2151, 2152, 2174, 2248, 2327Z-2331Z, 2509, 2546, 2724, 2769, 2770, 2780, 3108, 3119-3121, 3130, 3131, 3133, 3155, 3160, 3182-3184, 3199, 3231-3233, 3235-3237, 3363, 3393, 3439, 3512, 3513, 3515, 3531, 3566, 3579, 3580, 3586, 3592-3596, 3649, 3653-3655, 3677, 3694, 3695, 3700, 3794, 3798, 3858, 3875, 3921, 3961, 3964

Equatorial Guinea 3004

Ethiopia 1156, 1201, 1202, 1222-1225, 1415, 2318, 2480, 2749, 2882, 3170, 3762, 3785

Europe 3918

Federated Malay States 2729

Fiji 986-989, 1023, 1188, 1208, 1209

Formosa 2814

- France 523, 1075, 1234, 1237, 1288, 1289, 1525-1529, 1540, 1541, 1701, 2752-2761, 2763, 2765, 2778, 2779, 2881, 3201, 3202, 3355, 3371, 3372, 3622
- French Sudan 469
- Galapagos Islands 397, 711
- Gambia 370-373, 424-434
- German East Africa 1310, 2558, 2559, 2568, 2572, 2578, 2582, 2783, 2795
- German South West Africa 2828, 2829, 2831
- Germany 1124, 1169, 1170, 1181-1184, 2997, 3412Z
- Germany, Democratic Republic of 354, 768-771, 1168
- Germany, Federal Republic of 55-58, 608, 1186, 2705-2710, 2815, 3396, 3534, 3535
- Ghana 181, 502-504, 1546, 1956, 2625, 3059, 3062, 3079-3088, 3109, 3132, 3174, 3175
- Gold Coast 928, 1622, 1623, 3061, 3063
- Greece 2818, 3281-3287
- Grenada 3214
- Guatemala 709, 2876
- Guyana 126, 435, 436, 1546, 1651, 1738, 1741, 1746, 1870-1890, 2620, 2621, 2685, 2899, 2940, 3096, 3099, 3110, 3227, 3243, 3702-3705, 3796
- Haiti 3497
- Hawaii Islands 2653
- Honduras 3607, 3955
- Hong Kong 1966, 1982, 1988
- Hungary 1690-1693, 2936, 3416
- India 4, 9, 31-33, 34b-h, 38, 41, 43, 108-118, 135, 136, 140, 167-176, 201, 243, 254, 255, 258, 260, 261, 264, 303, 327, 328, 369, 445, 452, 470-472, 572, 573, 576, 581-583, 592, 683, 759-764, 766, 767, 817, 825, 835, 853-857, 861-870, 892, 906, 907, 910, 942, 949, 977-980, 990, 1071-1074, 1084-1086, 1104, 1106, 1140, 1190, 1191, 1210, 1220, 1221, 1243, 1249-1253, 1346, 1348, 1365-1367, 1406, 1407, 1511, 1514-1516, 1518-1523, 1566-1568, 1572, 1649, 1661-1684, 1686, 1728, 1804, 1825-1827, 1856, 1858-1860,

India (cont'd)

1904-1910, 1924, 1932, 1942, 1946, 1958, 1959, 1980, 1989, 1990,
 1996-1998, 2002, 2003, 2023, 2056, 2066, 2077, 2121, 2122, 2153,
 2155, 2251-2254, 2275-2277, 2279, 2347, 2351, 2357, 2359, 2360,
 2367-2369, 2443-2449, 2454, 2456, 2461, 2464, 2529-2536, 2556,
 2629, 2630, 2634-2636, 2694-2699, 2723, 2745-2745, 2768, 2850,
 2864, 2865, 2879, 2928-2931, 2935, 2980-2982, 3069-3073, 3137, 3158,
 3159, 3171, 3172, 3193, 3199, 3218, 3220, 3334-3336, 3347, 3348,
 3358, 3364-3366, 3386-3389, 3391, 3392, 3418-3424, 3430, 3469,
 3494, 3547, 3550, 3558, 3565, 3578, 3597, 3598, 3600, 3657-3660,
 3696, 3791, 3792, 3857, 3859, 3860, 3880, 3905, 3907, 3908, 3956,

Indonesia 483-496, 541-543, 2187, 2345, 2346, 2731, 2827, 3114-3118, 3123,
 3161, 3511, 3555, 3614-3617, 3711, 3875

Iran 480, 2524-2528, 2975, 3213

Iraq 479, 1362, 1983, 3239-3242, 3277-3280, 3359, 3360, 3402

Ireland 62, 612, 630, 929, 1035, 1038, 1185, 1308, 1543, 2042a, 3767

Israel 127, 1510, 3406, 3473, 3482-3486, 3557, 3559, 3581, 3582, 3620, 3637,
 3784, 3957

Italy 27, 28, 59, 65, 66, 67, 388, 389, 852, 2544, 2545, 2736, 3217

Ivory Coast 658

Jamaica 457, 707, 1496, 1862-1864, 1865, 1866, 1867, 1911, 1975a-1977,
 1978, 1992a, 1995, 2479, 2880, 3349, 3574

Japan 129, 579, 893, 1247, 2886, 2907-2911, 2917-2919, 2921

Kalao Island 76, 93

Kenya 48, 50, 51, 71, 102, 105, 106, 190-193, 249-252, 451, 475, 507,
 534-536, 959, 960, 1326, 1328-1338, 1416, 1417, 1422-1424, 1426,
 1432, 1433, 1435-1438, 1442, 1446, 1447, 1450, 1452, 1453, 1455,
 1456, 1508, 1544, 1545, 1550-1552, 1572, 1573, 1579, 1580, 1723,
 1737, 1747-1751, 1754, 1805, 1917, 1918, 1920, 2076, 2401-2406,
 2408-2410, 2719, 2741, 2835, 2837, 2838, 3065, 3066, 3215, 3219,
 3429, 3432, 3433, 3602, 3606, 3650, 3674, 3678-3692, 3717-3721,
 3733-3740, 3764, 3765, 3771-3782, 3845-3854, 3868, 3879, 3881-3889,
 3904, 3926-3936, 3958

Kergulen Island 2799

Lesotho 2894

Libya 3612, 3631, 3855, 3890, 3963

Line Islands 1189

Madagascar 2642

Madagascar, Democratic Republic of 670, 2640, 2641, 2884, 2885, 2891

Malawi 320, 346, 476-478, 497, 498, 563, 671, 672, 676, 677, 724, 729-732, 734, 736-741, 743, 748-750, 818, 951, 952, 1027-1029, 1031, 1032, 1087-1100, 1116, 1117, 1119-1121, 1218, 1231, 1232, 1318, 1320, 1322, 1324, 1325, 1327, 1342, 1343, 1408-1412, 1425, 1431, 1439, 441, 1444, 1448, 1451, 1454, 1458, 1460, 1588, 1589, 1600-1602, 1605, 1608, 1609, 1616, 1618, 1752, 1753, 2090-2092, 2094, 2095, 2243-2246, 2393-2395, 2623, 2624, 2647, 2648, 2840-2844, 2847, 2848, 3064, 3093, 3095, 3177, 3216, 3230, 3471, 3920

Malay Peninsula 13, 684-688

Malaysia 180, 202, 679, 693, 824, 833, 1010-1016, 1056-1063, 1070, 1292, 1293, 1369, 1647, 1648, 1960-1965, 2102-2106, 2116, 2118, 2120, 2732, 2738, 2938, 2951-2954, 3074, 3189, 3203, 3329, 3495, 3543, 3544, 3560, 3567, 3601, 3656, 3876-3878, 3939-3941

Mauritania 3542

Mauritius 437, 1853-1855

Mesopotamia 2998

Mexico 212-215, 305, 348, 349, 374-378, 557, 565, 568, 640, 647, 648, 1019-1022, 1112, 1113, 1180, 1386, 1394, 1396, 1726, 2082-2085, 2728, 2870, 3508, 3713

Mongolia 897, 1370

Montserrat 461-463, 2681, 2682

Morocco 331, 332, 1744, 1931, 2280-2286, 2851-2863, 3357, 3621, 3698, 3699

Mozambique 1364, 2225-2229, 2287-2299, 2301-2306, 2308-2317, 2413-2423, 2425-2432, 2437-2440, 3002

Mozambique, Peoples Republic of 2021, 2022

Namibia 329, 2110, 3438

Nepal 1110

New Caledonia 3521

New Zealand 2068, 2069, 2165, 2722, 2751, 3350, 3394, 3395, 3556, 3626, 3862-3864, 3923

Nigeria 20, 194-198, 443, 464, 465, 660-665, 1214-1216, 1236, 1316, 1317, 1417, 1421, 1443, 1547, 1553, 1836-1838, 1939, 1941, 2013-2015, 2196-2200, 2547, 2548, 2711-2713, 2900, 3163, 3166, 3167, 3312-3325

Nigeria, Northern 1554, 1839, 1940, 2042, 2213, 2241, 2319, 2451, 2549-2551

North Africa 45

Norway 2236, 2272, 3428

Nyasaland 614, 673a, 675, 727, 728, 733, 735, 742, 1030, 1033, 1114, 1115, 1118, 1323, 2093, 2096, 2097, 2247, 2363-2366, 2773, 2839, 3403, 3526, 3527

Pakistan 256, 257, 259, 299-302, 323, 765, 904, 1101, 1103, 1242, 1349, 1368, 1375, 1660, 1685, 1734, 1903, 1979, 2150, 2230, 2342Z, 2358, 2455, 2460, 2462, 2463, 2465, 2631-2633, 2637, 2693, 3068, 3173, 3331, 3425, 3431, 3472, 3501, 3548, 3549, 3551, 3552, 3623

Palestine 2278, 3583, 3618, 3619

Panama 289, 1275-1287, 1505-1507, 1984, 1999, 2000, 2176-2185, 2317, 2808, 3156, 3722-3732, 3898-3903, 3966-3970

Papua New Guinea 6, 1166, 2672, 2781, 2782, 2878, 2903, 3007, 3011, 3715

Paraguay 70, 638, 967, 1391, 2214-2219, 2221, 2224, 2676, 2677, 2774, 2775, 2939, 3415

Peoples Republic of China 524, 1248, 1372-1373, 1400-1402, 1742, 2004-2007, 2343Z, 2626-2628, 2671, 2920, 2946-2950, 2976-2978, 3228, 3575, 3576, 3627-3629, 3793, 3942

Persia 500, 2904, 3397

Peru 1830, 1831, 1833, 1834, 2162, 2163, 2510-2523, 3238, 3288-3290

Philippine Islands 2052

Philippines 545, 2843, 3017, 3076-3078, 3426, 3427

Philippines, Republic of 2028-2039, 2050, 2051

Portugal 1591-1593

Portuguese Congo 2652

Portuguese East Africa 757, 2300, 2307, 2412, 2424, 2433-2436, 2744

Puerto Rico 1967, 1968

Reunion Island 2816

Rhodesia 473, 751, 753, 1311-1313

- Rhodesia, Northern 1933, 1970, 2166, 2168, 3257, 3260, 3367
- Rhodesia, North West 335, 3033
- Rhodesia, Southern 3192, 3554
- Romania 367, 1816, 1818-1821
- Rook Island 2674
- Roumania 1817
- Russia 2062, 3009
- Rwanda 2801
- Saint Kitts 318, 2683
- Saint Lucia 1704-1706
- Saint Vincent 2684
- Samoa Islands 2070
- Sarawak 219-221, 293-296, 307-309, 325, 466, 689, 954, 955, 1563
- Sardinia 1151
- Saudi Arabia 3783
- Scotland 83, 355, 400-402, 405, 414-417, 422, 423, 447, 459, 667, 933, 934, 961, 962, 1042, 1054, 1132, 1142, 1200, 1294, 1295, 1542, 2380, 2777, 3190
- Senegal 888, 1604, 3000
- Siam 3186
- Sierra Leone 1812, 1898, 1899, 1901, 1902, 1915, 1923, 2065, 2098, 2123-2148, 2194, 2195, 2255-2271, 2273, 2325-2344, 2482-2507, 2654-2670, 3034-3058, 3094, 3111, 3142-3154, 3332, 3530
- Singapore 482, 635, 2457-2459
- Singapore, Republic of 1017
- Somalia 2392
- Somali Democratic Republic 189, 333, 953, 1155, 1158, 3610, 3611, 3633-3636, 3670, 3761, 3786-3788, 3960, 3962
- Somaliland 1203

- South Africa 8, 177, 177X, 231, 361-364, 408, 410, 412, 418-420, 449, 450, 474, 616, 651, 834, 923, 924, 1083, 1354, 1467-1471, 1475, 1487, 1489, 1491, 1493, 1925, 2154, 3476, 3477, 3480, 3481, 3753, 3755, 3756, 3770
- South Africa, Republic of 26, 52, 53, 79, 107, 121, 124, 199, 200, 228-230, 232-235, 306, 365, 366, 406, 407, 409, 411, 413, 421, 441, 448, 521, 615, 649, 758, 830, 831, 836-847, 849, 850, 859, 860, 894, 895, 905, 912, 913, 919-922, 948, 964, 975, 1048, 1049, 1055, 1082, 1111, 1167, 1187, 1235, 1298, 1350-1353, 1355-1357, 1461, 1462, 1466, 1472-1474, 1488, 1492, 1494, 1629, 1659, 1732, 1912-1914, 2024-2026, 2149, 2892, 2896, 2944, 3244, 3361, 3434, 3474, 3475, 3478, 3479, 3584, 3709, 3716, 3741-3752, 3754, 3757-3760, 3795, 3865-3867, 3869-3871
- South America 36, 674, 826, 1524, 1822, 1935, 2686, 2821, 2995, 3609
- South Nigeria 3204
- Southern Europe 1727
- Spain 1936-1938, 2117, 2156, 2171, 3134, 3135, 3165, 3309, 3414
- Sri Lanka 144-154, 182-188, 510, 512a, 514, 515, 517-519, 811, 891, 950, 1107-1109, 1228, 1229, 1233, 1244, 1245, 1512, 1698, 2001, 2692, 2766, 2889, 2901, 2934, 2983, 3221, 3326, 3398, 3608, 3872
- Sudan 21b, 22, 23, 24, 29, 89, 155, 239-241, 438-440, 442, 525-531, 827-829, 1562, 1571, 1687, 2202-2205, 2390, 3075, 3121
- Sulawesi 72, 73, 74
- Sumatra 540, 1274
- Surinam 2809, 3440-3468
- Switzerland 619, 624, 625, 1069, 1161, 1700, 1702, 3224, 3532, 3533
- Syria 3013
- Taiwan 2643, 2715, 2730, 2912-2916, 3399
- Tanzania 330, 368, 944, 945, 947, 996, 997, 1171, 1246, 1309, 1430, 1611, 1612, 1630-1646, 1755, 1757, 1758, 1761-1765, 1767, 1770-1777, 1779-1799, 2108, 2109, 2557, 2560-2567, 2569-2571, 2573-2577, 2579-2581, 2583-2616, 2784-2789, 2791-2794, 2796, 2797, 2825, 2846, 2893, 2999, 3001, 3006, 3261-3264, 3266-3272, 3274, 3276, 3297-3308, 3413, 3714, 3906, 3945
- Thailand 1985, 1986, 2088, 2089, 2232-2235, 3185, 3187, 3188, 3327, 3346
- Trinidad 313, 315, 1957, 1993, 1994, 2010, 2086, 2112, 2238

Trinidad and Tobago 2239

Tropical America 40

Tunisia 659, 1696, 2161, 2172, 2193, 3545

Tunisia, Near 1740

Turkey 2552-2555, 2817, 2923-2927, 3647

Uganda 159-165, 218, 508, 532, 636, 680-682, 690-692, 694, 695, 744, 772-779, 819, 871-887, 938-941, 957, 958, 1150, 1238, 1290, 1291, 1344, 1345, 1403-1405, 1427, 1434, 1440, 1449, 1457, 1548, 1549, 1581, 1585, 1586, 1603, 1607, 1708-1722, 1725, 1809, 1810, 1813, 1900, 1919, 1921, 1922, 1981, 2018-2020, 2173, 2396, 2622, 2716, 2718, 2972, 2973, 3014, 3015, 3060, 3091, 3092, 3113, 3210, 3211, 3528, 3529, 3546, 3638, 3710, 3799-3844, 3873, 3891-3897, 3909-3917, 3924, 3925, 3944, 3946-3950, 3952-3954, 3959

Uganda-Zaire border 559

Unknown 15, 16, 61, 77, 78, 90-92, 122, 137, 138, 141, 156, 206, 247, 253, 272, 281, 287, 444, 455, 460, 516, 520, 548, 549, 555, 558, 561, 564, 574, 575X, 584-587, 589-591, 595, 613, 617, 620, 628, 629, 632, 634, 639, 771X, 848, 851, 889, 903, 908, 909, 911, 914, 916, 917, 924-927, 935-937, 969-974, 976, 984, 985, 1018, 1034, 1043-1045, 1047, 1066, 1076, 1077, 1102, 1153, 1157, 1164, 1198, 1204, 1259, 1395, 1463, 1464, 1481, 1482, 1517, 1587, 1590, 1620, 1625, 1626, 1652-1656, 1806, 1861, 2011, 2372-2374, 2376, 2381, 2383, 2386-2388, 2762, 2764, 2822, 3010, 3127-3129, 3136, 3138-3143, 3157, 3330, 3351, 3354, 3496, 3585, 3604, 3613, 3632, 3645, 3646, 3673

Upper Congo 2012

Upper Volta 2807

Uruguay 2175, 2186, 2720, 3164

U.S.A. 1, 2, 139, 166, 209-211, 226, 244, 266-271, 273-280, 282-286, 288, 290, 291, 379-387, 594, 626, 666, 696-699, 701-706, 708, 710, 713, 715-723, 1227, 1230, 1376, 1399, 1465, 1530-1539, 1569, 1570, 1596, 1627, 1628, 1629, 1658, 1689, 1731, 1951-1955, 2008, 2009, 2047-2049, 2054, 2078, 2087, 2274, 2321-2324, 2391, 2714, 2737, 2739, 2772, 2833, 2834, 2993, 2994, 3021, 3022, 3100, 3101, 3225, 3310, 3311, 3328, 3356, 3417, 3435, 3470, 3487, 3490, 3493, 3498-3500, 3503, 3505-3508, 3639-3643, 3769, 3797, 3919, 3965

U.S.S.R. 714, 780-810, 1078, 1226, 1594, 1743, 1987, 2058-2061, 2063, 2064, 2897, 2932, 3008, 3630, 3768

Vanuatu 3569, 3570

- Vietnam 2721, 3599
- Wales 119, 606, 609, 746, 968, 1307, 1594, 1703, 1868, 1916, 1991, 2053, 2067, 2079, 2164, 2733-2735, 3205-3209, 3229, 3353, 3564, 3651
- West Africa 37, 39, 505, 654, 858, 1613, 1811, 3126
- West Indies 1599, 3525
- Western Samoa 3568, 3571-3573
- White Nile 956
- Yemen, Peoples Republic of 35, 657, 966, 1513, 1575, 3413
- Yugoslavia 2933, 2979, 3370, 3577
- Zaire 311, 337, 338, 1582-1584, 1606, 1610, 1614, 1615, 1619, 1621, 1650, 1694, 2352-2356, 2397, 2398, 2466, 2467, 2469, 2471-2473, 2476, 2477, 2849, 2902, 2906, 3342-3345, 3374-3384, 3436, 3437, 3491, 3668, 3669, 3671, 3937
- Zambia 245, 246, 297, 334, 336, 752, 754, 755, 1314, 1315, 1413, 1414, 1459, 2040, 2041, 2071a, 2072, 2167, 2169, 2170, 2188, 2211Z, 2212, 2240, 2242, 2320, 2361, 2362, 2389, 2411, 2450, 2453, 2481, 2537-2540, 2638, 2639, 2700-2702, 3018, 3029-3032, 3255, 3256, 3258, 3259, 3368, 3369, 3856
- Zanzibar 2845, 3265, 3273, 3275
- Zimbabwe 458, 467, 468, 577, 578, 2073-2075, 2941, 2945, 3200, 3588, 3693, 3697





