POINTS OBSERVED IN JUDGING DAIRY CATTLE.




Diagram of cow showing points.

34. Fore udder. 1. Head. 12. Withers. 23. Shoulder. 24. Elbow. 35. Hind udder. 2. Muzzle. 13. Back. 25. Forearm. 3. Nostril. 14. Loins. 36. Teats. 4. Face. 15. Hip bone. 26. Knee. 37. Upper thigh. 5. Eye. 16. Pelvic arch. 27. Ankle. 38. Stifle. 6. Forehead. 17. Rump. 28. Hoof. 39. Twist. 40. Leg, or gaskin. 7. Horn. 18. Tail. 29. Heart girth. 19. Switch. 8. Ear. 30. Side, or barrel. 41. Hock. 9. Cheek. 20. Chest. 31. Belly. 42. Shank. 10. Throat. 32. Flank. 43. Dew claw. 21. Brisket. 11. Neck. 22. Dewlap. 33. Milk vein.

AYRSHIRES.

Scale of points adopted by the Ayrshire Breeders' Association December 2, 1903.

FOR COWS.

The following scale of points for the Ayrshire cow was adopted, being similar to the scale adopted in Scotland in 1884, and changed in a few points to render it applicable to this country:

		Points.
1.	Head medium in length, forehead wide, nose fine between the muzzle and	
	eyes, muzzle wide, eyes full and lively, causing a hollow in face; wide	
	between horns, inclining upward	10
2.	Neck moderately long, free from loose skin on underside, fine at its junc-	
	tion with the head, and enlarging symmetrically toward the shoulders.	5
3.	Fore quarters-shoulders sloping, withers fine, chest sufficiently broad and	
	deep to insure constitution, brisket and whole fore quarters light, the	
	cow gradually increasing in depth and width backward	5

 $\mathbf{2}$

		Points.
4.	Back short and strong, spine well defined, especially at the shoulders; ribs	
	well sprung, giving large barrel capacity; the body deep at the flanks	10
5.	Hind quarters long, broad, and straight, except at pelvic arch; hook	
	bones wide apart, and not overlaid with fat; tail long, slender, and set	
	on a level with the back	7
6.	Udder capacious and not fleshy, hind part broad and firmly attached to	
	the body, the sole nearly level and extending well forward; milk veins	
	about udder and abdomen well developed, the teats from $2\frac{1}{2}$ to 3 inches	
	in length, equal in thickness—the thickness being in proportion to the	
	length-hanging perpendicularly. Their distance apart at the sides	
	should be equal to one-third of the length of the vessel, and across to	
	one-half the breadth with no divisions between quarters of the udder	30
7.	Legs short in proportion to size, hind legs straight when viewed from	
	behind; thighs thin, giving plenty of room for udder	4
8.	Skin yellow, soft and elastic, and covered with soft, close woolly hair	5
9.	Color, red of any shade, brown or white, or a mixture of these, each color	
	being distinctly defined	3
10.	Average live weight in full milk about 1,000 pounds	8
11.	General appearance, including style and movement	10
12.	Escutcheon large and fine development	3
	Perfection	100

The points desirable in the female are generally so in the male, but must, of course, be attended with that masculine character which is inseparable from a strong and vigorous constitution. Even a certain degree of coarseness is admissible; but then it must be so exclusively of masculine description as never to be discovered in a female of his get. Pointe

AFR & 7 1905

		romo.
1.	The head of the bull may be shorter than that of the cow, but the frontal	
	bone should be broad, the muzzle good size, throat nearly free from	
	hanging folds, eyes full. The horns should have an upward turn, with	
	sufficient size at the base to indicate strength of constitution	10
2.	Neck of medium length, somewhat arched, and large in those muscles	
	which indicate power and strength	10
3.	Fore quarters: Shoulders close to the body, without any hollow space be-	
	hind; chest broad, brisket deep and well developed, but not too large	7
4.	Back short and straight; spine sufficiently defined, but not in the same	
	degree as in the cow; ribs well sprung, and body deep in the flanks	10
5.	Hind quarters long, broad, and straight; hip bones wide apart; pelvis	
	long, broad, and straight; tail set on a level with the back; thighs deep	
	and broad	10
6.	Scrotum large, with well-developed teats in front	7
	Legs short in proportion to size, joints firm; hind legs well apart, and	
	not to cross in walking.	5
8.	Skin yellow, soft, elastic, and of medium thickness	10
	Color, red of any shade, brown or white, or a mixture of these, each color	
	being distinctly defined	3
10	Average live weight at maturity, about 1,500 pounds	10
	General appearance, including style and movement	15
	Escutcheon large and fine development	3
14.	TROUTON IN IS AND THE GOVOID HOLD	
	Perfection	100

3

TÚU

BROWN SWISS.

Scale of points adopted by the Brown Swiss Breeders' Association.

FOR COWS.

		Points.
1.	Head medium size and rather long	2
2.	Face dished, broad between the eyes and narrow between the horns	2
3.	Ears of a deep orange color within	1
4.	Nose black, square, and with the mouth surrounded by a light, meal-	
	colored band; tongue black	2
5.	Eyes full and placid	1
6.	Horns rather short, flattish, and regularly set, with black tips	5
7.	Neck straight, rather long, and not too heavy at shoulders	4
8.	Chest broad and deep	4
9.	Back level to the setting on of the tail and broad across the loin	6
10.	Barrel hooped, broad, and deep at the flank	8
11.	Hips wide apart, rump long and broad	4
	Thighs wide, with heavy quarters	
13.	Legs short and straight, with good hoofs	4
	Tail slender, pliable, not too long, with good switch	4
	Hide thin and movable	3
16.	Color shades from dark brown to light brown, and at some seasons of the	
	year gray; slight splashes of white near udder not objectionable; light	
	stripe along the back	6
17.	Hair between horns light, not reddish; hair on inside of ears light. (No	
	points.)	
18.	Fore udder full in form and carried up, reaching far forward on the abdo-	
	men	10
19.	Hind udder not too deeply hung, full in form, and well up behind	10
20.	Teats rather large, set well apart and hanging straight down	5
	Milk veins prominent	4
22.	Escutcheon high and broad and full in thighs	7
23.	Disposition quiet and good-natured	4
	Perfection	100

For bulls and heifers omit judgment on Nos. 18, 19, and 20 (considering them perfect), and color should be brown.

DEVONS.

Scale of points adopted at the third annual meeting of the American Devon Cattle Club, Chicago, November 11, 1886.

.

FOR COWS.

		Deinte
		Points.
1.	Head moderately long, with a broad, indented forehead, tapering consid-	
	erably toward the nostrils; the nose of a flesh color, nostrils high and	
	open, the jaws clean, the eye bright, lively, and prominent, and sur-	
	rounded by a flesh-colored ring, throat clean, ears thin, the expression	
	gentle and intelligent; horns matching, spreading, and gracefully turned	
	up, of a waxy color, tipped with a darker shade	8
2.	Neck, upper line short, fine at head, widening and deep at withers, and	
	strongly set to the shoulders	4
3.	Shoulders fine, flat, and sloping, with strong arms and firm joints	4
4.	Chest deep, broad, and somewhat circular in character	8

5.	Ribs well sprung from the backbone, nicely arched, deep, with flanks fully developed	8
6.	Back straight and level from the withers to the setting on of the tail, loin	0
	broad and full, hips and rump of medium width and on a level with the	10
77	back	16
	Hind quarters deep, thick, and square	8
8.	Udder not fleshy, coming well forward in line with the belly and well up behind; teats moderately large and squarely placed	20
9.	Tail well set on at a right angle with the back, tapering, with a switch of white or roan hair, and reaching the hocks	2
10.	Legs straight, squarely placed when viewed from behind, not to cross or sweep in walking; hoof well formed	4
11.	Skin moderately thick and mellow, covered with an abundant coat of rich	
	hair of a red color; no white spot admissible, except the udder	8
12.	Size, minimum weight at 3 years old, 1,000 pounds	2
13.	General appearance as indicated by stylish and quick movement, form, constitution and vigor, and the under line as nearly as possible parallel	
	with the line of the back	8
	Perfection.	100

1.	Head masculine, full, and broad, tapering toward the nose, which should	
	be flesh-colored; nostrils high and open; muzzle broad; eyes full and	
	placid and surrounded with flesh-colored ring; ears of medium size and	
	thickness; horns medium size, growing at right angles from the head or	
	slightly elevated, waxy at the base, tipped with a darker shade	10
2.	Cheek full and broad at root of tongue; throat clean	2
	Neck of medium length and muscular, widening from the head to the	
	shoulders and strongly set on	4
4.	Shoulders fine, flat, sloping, and well-fleshed; arms strong, with firm	
	joints	6
5.	Chest deep, broad, and somewhat circular	10
	Ribs well sprung from the backbone, nicely arched, deep, with flanks	
	fully developed	10
7.	Back straight and level from the withers to the setting on of the tail; loin	
	broad and full; hips and rump of medium width and on a level with the	
	back	20
8.	Hind quarters deep, thick, and square	12
	Tail well set on a right angle with the back, tapering, with a switch of	
	white or roan hair, and reaching the hocks	2
10.	Legs short, straight, and squarely placed when viewed from behind, not	
	to cross or sweep in walking; hoof well formed	4
11.	Skin moderately thick and mellow, covered with an abundant coat of rich	
	hair of a red color; no white spot admissible unless around the purse	8
12.	Size, minimum weight at 3 years old, 1,400 pounds	4
13.	General appearance, as indicated by stylish and quick movement, form,	
	constitution, and vigor, and the under line as nearly as possible parallel	
	with the line of the back	8
		100
	Perfection	100

DUTCH BELTED.

Scale of points adopted by the Dutch Belted Cattle Association.

	FOR COWS.	Points.
1.	Body: Color, black, with clearly defined continuous white belt; the belt to	Point s.
	be of medium width, beginning behind the shoulder and extending nearly to the hips	8
2.	Head: Comparatively long and somewhat dishing, broad between the eyes;	
	poll prominent; muzzle fine; dark tongue	6
3.	Eyes black, full, and mild; horns long compared with their diameter	4
4.	Neck fine and moderately thin, and should harmonize in symmetry with	
	the head and shoulders	6
5.	Shoulders fine at the top, becoming deep and broad as they extend back-	
	ward and downward, with a low chest	4
6.	Barrel large and deep, with well-developed abdomen; ribs well rounded and free from fat	10
7.	Hips broad, and chine level, with full loin	10
	Rump high, long, and broad	6
	Hind quarters long and deep, rear line incurving; tail long, slim, tapering	
	to a full switch	8
10.	Legs short, clean, standing well apart	3
11.	Udder large, well-developed front and rear; teats of convenient size and	
	wide apart; mammary veins large, long, and crooked, entering large	
10	orifices.	20
	Escutcheon.	2
13.	Hair fine and soft; skin of moderate thickness, of a rich dark or yellow color	3
14.	Quiet disposition and free from excessive fat	4
	General condition and apparent constitution	6
	Perfection	100

FOR BULLS.

The scale of points for males shall be the same as those given for females, except that No. 11 shall be omitted and the bull credited 10 points for size and wide-spread placing of rudimentary teats, and 10 additional points for perfection of belt.

GUERNSEYS.

Scale of points adopted by the American Guernsey Cattle Club, December 13, 1899.

FOR COWS.

Dairy temperament, constitution, 38-	Points.
Clean-cut lean face; strong, sinewy jaw; wide muzzle with wide-open nos- trils; full, bright eye, with quiet and gentle expression; forehead long and broad	
Long, thin neck, with strong juncture to head; clean throat; backbone rising well between shoulder blades; large, rugged spinal processes, in- dicating good development of the spinal cord	•
Pelvis arching and wide; rump long; wide, strong structure of spine as setting on of tail; long, thin tail, with good switch; thin, incurving thighs	
Ribs amply and fully sprung and wide apart, giving an open, relaxed con- formation; thin, arching flank	. 5
Abdomen large and deep, with strong muscular and navel development, indicative of capacity and vitality	15

Dairy temperament, constitution, 38-Continued.	Points.
Hide firm, yet loose, with an oily feeling and texture, but not thick	3
Milking marks denoting quantity of flow, 10-	
Escutcheon wide on thighs; high and broad, with thigh ovals Milk veins long, crooked, branching, and prominent, with large or deep	2
wells	
Udder formation, 26—	8
Udder full in front	8
Udder full and well up behind	8
Udder of large size and capacity	4
Teats well apart, squarely placed, and of good and even size	6
Indicating color of milk, 15—	Ŭ
Skin deep yellow in ear, on end of bone of tail, at base of horns, on udder,	
teats, and body generally; hoof amber colored	15
Milking marks denoting quality of flow, 6-	
Udder showing plenty of substance, but not too meaty	6
Symmetry and size, 5—	
Color of hair a shade of fawn, with white markings; cream-colored nose;	
horns amber colored, small, curved, and not coarse	3
Size for the breed: Mature cows, 4 years old or over, about 1,050 pounds.	2
	100
FOR BULLS.	100
Dairy temperament, constitution, 38—	
Clean-cut lean face; strong, sinewy jaw, wide muzzle, with wide-open nostrils; full, bright eye, with quiet and gentle expression; forehead	
long and broad	5
Long masculine neck, with strong juncture to head; clean throat; back-	
bone rising well between shoulder blades; large, rugged spinal processes,	
indicating good development of the spinal cord	5
Pelvis arching and wide; rump long; wide, strong structure of spine at setting on of tail; long, thin tail, with good switch; thin, incurving	
thighs	5
Ribs amply and fully sprung and wide apart, giving an open, relaxed con-	
formation; thin, arching flank	5
Abdomen large and deep, with strong muscular and navel development,	
indicative of capacity and vitality	15
Hide firm, yet loose, with an oily feeling and texture, but not thick	. 3
Dairy prepotency, 15— As shown by having a great deal of vigor, style, alertness, and resolute	
appearance	15
Rudimentaries and milk veins, 10-	10
Rudimentaries and mink venis, 10- Rudimentaries of good size, squarely and broadly placed in front of and	
free from scrotum; milk veins prominent	10
Indicating color of milk in offspring, 15—	10
Skin deep yellow in ear, on end of bone of tail, at base of horns, and body	
generally; hoofs amber colored.	15
Symmetry and size, 22-	

 Color of hair, a shade of fawn, with white markings; cream-colored nose; horns amber colored curving, and not coarse
 8

 Size for the breed: Mature bulls, 4 years old or over, about 1,500 pounds.
 4

 General appearance as indicative of the power to beget animals of strong dairy qualities
 10

100

EXPLANATORY NOTES BY THE COMMITTEE.

We recognize the Guernsey should be-

First. A dairy animal with a distinctive dairy temperament and conformation, having a strong, nervy structure with a corresponding flow of nervous energy, and every indication of capacity and vitality.

Second. In color of hair, a shade of fawn, with white on limbs and underpart of body are considered the prevailing markings, and some degree of uniformity is desirable.

Third. One of the important distinguishing features of the breed is the presence of a yellow color in the pigment of the skin, which is indicative of rich golden color in the milk. This is very pronounced in the Guernsey and held by her to the greatest extent under all conditions of stabling and feed. The intensity of this trait is more marked in some animals and families than in others, but it should be kept at the highest standard. It is fast being recognized that this color is accompanied by a superior flavor in the milk and thus in the butter.

DAIRY TEMPERAMENT.

By "dairy temperament" is meant a strong overruling predisposition or tendency - to turn the consumption of food toward the production of milk with a high content of solids, especially butter fat, as against the constitutional tendency so often seen to turn food into flesh. Even in the strongest dairy breeds there are more or less frequent outcrops in male and female of the flesh-making temperament. To breed from such animals while we are striving to establish a prepotent dairy temperament or tendency is not wise. All cattle bred specifically for dairy purposes should possess a clear and decided dairy temperament, for it is that quality of character we most desire to establish, enlarge, and perpetuate in the Guernsey cow.

This is especially indicated by the shape of the head, showing brain capacity, wide muzzle, open nostril, full bright eyes, feminine neck, and a construction of the backbone indicating a strong flow of nerve power and support from the brain to all of the maternal organs.

CONSTITUTION.

In breeding our domestic animals, especially for long service, like the dairy cow, it is very important that they should have abundant vital power, which we call "constitution." But constitution must be judged and measured by the peculiar function the animal is bred to fulfill. With the race horse the function is speed; with the steer, the laying on of flesh; with the dairy cow, the production of milk solids. In all these various functions the animal that is to represent any one of them must show not only large capacity in the line of that function, but also the ability to endure long and well the strain of such function and keep in good health. Constitution is best indicated by a full development at the navel, and strong abdominal walls, showing that the animal when in a prenatal state was abundantly nourished by the mother through a well-developed umbilical cord.

PREPOTENCY.

In the scale for bulls, for the first time, we believe, in the history of dairy breeds, this point is introduced. The reason we have included it is that "prepotency" is the chief consideration in the selection of all male breeding animals. The pedigree and conformation is often all that can be desired, but because the bull is lacking in prepotent breeding power he is an expensive failure. This quality is, in a sense, difficult to perceive or describe, but we know certain animals have it in high degree and others fail of it completely. It is fairly well indicated by vigor of appearance, strong resolute bearing, and abundant nervous energy. We would distinguish this from an ugly disposition. A bull is ugly by the way he is handled rather than by his breeding. What we want is strong impressive blood. A dull, sluggish spirit and action we consider indicative of a lack of true dairy prepotency, but we would prefer to breed to a rather sluggish-appearing bull with first-class rudimentaries than to a stylish one with badly placed rudimentaries.

RUDIMENTARY TEATS.

We consider that a well-balanced and well-shaped udder in the cow is largely due to the way the rudimentary teats are placed on the sire. If they are crowded close together, the result is likely to be narrow-pointed udders. If they are placed well apart, of good size, and well forward of the scrotum, the effect, we think, will be to influence largely the production of well-shaped udders in the resulting heifers and counteract the tendency to ill-shaped udders inheritable from dams deficient in this respect. We believe the future excellence of the Guernsey cow will be greatly aided by close attention on the part of her breeders to this point.

HOLSTEIN-FRIESIAN.

Scale of points in use by the Holstein-Friesian Association of America, revised and adopted June 1, 1904.

FOR COWS.

Points

Head decidedly feminine in appearance, fine in contour	2
Forehead broad between the eyes, dishing	2
Face of medium length, clean and trim, especially under the eyes, showing	
facial weins, the bridge of the nose straight.	2
Muzzle broad, with strong lips	1
Ears of medium size, of fine texture, the hair plentiful and soft, the secretions	
oily and abundant	1
Eyes large, full, mild, bright	2
Horns small, tapering finely toward the tips, set moderately narrow at base, oval, inclining forward, well-bent inward, of fine texture, in appearance waxy	1
Neck long, fine and clean at juncture with the head, free from dewlap, evenly	-
and smoothly joined to shoulders.	4
Shoulders slightly lower than hips, fine and even over tops, moderately broad	-
and full at sides	3
Chest of moderate depth and lowness, smooth and moderately full in the	
brisket, full in the foreflanks [or through at the heart]	6
Crops moderately full	2
Crops moderately full Chine straight, strong, broadly developed with open vertebræ	6
Barrel long, of wedge shape, well rounded, with a large abdomen, trimly held	
up [in judging the last item age must be considered]	7
Loin and hips broad, level or nearly level between the hook bones, level and	
strong laterally, spreading from chine broadly and nearly level, hook bones	
fairly prominent	6
Rump long, high, broad, with roomy pelvis, nearly level laterally, compara- tively full above the thurl, carried out straight to dropping of tail	6
Thurl high, broad	3
Quarters deep, straight behind; twist filled with development of udder, wide	J
and moderately full at the sides	4
Flanks deep, comparatively full	2
Legs comparatively short, clean and nearly straight, wide apart, firmly and	
sourcely set under the body, feet of medium size, round, solid, and deep	4

Poi	nts.

Tail large at base, the setting well back, tapering finely to switch, the end of the bone reaching to hocks or below, the switch full	2
skin of medium thickness and loose, mellow under the hand, the secretions	
oily, abundant, and of a rich brown or yellow color	8
Mammary veins very large, very crooked (age must be taken into considera-	
tion in judging of size and crookedness), entering very large or numerous	
orifices, double extension, with special developments such as branches, con-	
nections, etc	10
Udder and teats very capacious, very flexible, quarters even, nearly filling the space in the rear below the twist, extending well forward in front, broad and	
well held up	12
Teats well formed, wide apart, plumb and of convenient size	2
Escutcheon largest, finest	2
	100

Head showing full vigor; elegant in contour	2
Forehead broad between the eyes, dishing	2
Face of medium length; clean and trim, especially under the eyes; the bridge	
of the nose straight	2
Muzzle broad, with strong lips	1
Ears of medium size, of fine texture; the hair plentiful and soft; the secretions	
oily and abundant	1
Eyes large, full, mild, bright	2
Horns short, of medium size at base, gradually diminishing toward tips;	
oval, inclining forward; moderately curved inward; of fine texture; in	
appearance waxy	1
Neck long; finely crested (if the animal is mature); fine and clean at juncture	
with the head; nearly free from dewlap; strongly and smoothly joined to	
shoulders	5
Shoulders of medium height; of medium thickness, and smoothly rounded at	
tops; broad and full at sides; smooth over front	4
Chest deep and low; well filled and smooth in the brisket; broad between the	
forearms; full in the foreflanks [or through at the heart]	7
Crops comparatively full; nearly level with the shoulders	4
Chine strong; straight; broadly developed with open vertebrae	6
Barrel long, well rounded, with large abdomen; strongly and trimly held up.	7
Loin and hips broad, level or nearly level between hook bones; level and strong	
laterally; spreading from the chine broadly and nearly level; the hook bones	
fairly prominent	7
Rump long, broad, high, nearly level laterally; comparatively full above the	
thurl; carried out straight to dropping of tail	7
Thurl high, broad	4
Quarters deep, broad, straight behind, wide and full at sides; open in the	
twist	5
Flanks deep, full	2
Legs comparatively short, clean, and nearly straight; wide apart; firmly and	
squarely set under the body; arms wide, strong, and tapering; feet of	
medium size, round, solid, and deep	5
Tail large at base, the setting well back; tapering finely to switch; the end of	
bone reaching to hocks or below; the switch full	2

I	oints.
Hair and handling-Hair healthful in appearance, fine, soft, and furry; skin	
of medium thickness and loose; mellow under the hand; the secretions oily,	
abundant, and of a rich brown or yellow color	10
Mammary veins-Large, full, entering large orifices; double extension; with	
special developments, such as forks, branches, connections, etc	10
Rudimentary teats large, well placed	. 2
Escutcheon largest, finest	2
-	
Perfection	100

JERSEYS.

Scale of points adopted by the American Jersey Cattle Club at their annual meeting held May 6, 1903.

FOR COWS.

For cows.	D
Head: A, medium size, lean; face dished; broad between eyes and narrow	Points.
between horns	4
B, eyes full and placid; horns small to medium, incurving; muzzle broad,	-
	3
with muscular lips; strong under jaw	5 5
Neck thin, rather long, with clean throat; thin at withers	•
Body: A, lung capacity, as indicated by depth and breadth through body,	
just back of fore legs	5
B, wedge shape, with deep, large paunch, legs proportionate to size and	
of fine quality 4	
C, back straight to hip bones	2
D, rump long to tail setting and level from hip bones to rump bones	
E, hip bones high and wide apart; loins broad, strong	5
F, thighs flat and well cut out	
Tail, thin, long, with good switch, not coarse at setting on	
Udder: A, large size and not fleshy	
B, broad, level or spherical, not deeply cut between teats	
C, fore udder full and well rounded, running well forward of front teats.	
D, rear udder well rounded, and well out and up behind	8
Teats of good and uniform length and size, regularly and squarely placed	
Milk veins, large, tortuous, and elastic	
Size, mature cows, 800 to 1,000 pounds	3
General appearance, a symmetrical balancing of all the parts, and a propor-	
tion of parts to each other, depending on size of animal, with the gen-	
eral appearance of a high-class animal, with capacity for food and pro-	
ductiveness at pail	10
Perfection	100

FOR BULLS.

Head: A, broad, medium length; face dished; narrow between horns; horns	
medium in size and incurving	5
B, muzzle broad, nostrils open, eyes full and bold; entire expression one	
of vigor, resolution, and masculinity	5
Neck, medium length, with full crest at maturity; clean at throat	10
Body: A, lung capacity as indicated by depth and breadth through body just	
back of fore shoulders; shoulders full and strong	15
B barrel long, of good depth and breadth, with strong, well-sprung ribs.	15

Points.

D, rump of good length and proportion to size of body, and level from 7 L, loins broad and strong; hips rounded and of medium width compared 7 E, loins broad and strong; hips rounded and of medium width compared 7 with female. 7 F, thighs rather flat, well cut up behind, high arched flank. 3 G, legs proportionate to size and of fine quality, well apart, and not to 4 weave or cross in walking. 5 Rudimentary teats, well placed. 2 Tail, thin, long, with good switch, not coarse at setting on. 4 Size, mature bulls, 1,200 to 1,500 pounds. 5 General appearance, thoroughly masculine in character, with a harmonious 5 blending of the parts to each other; thoroughly robust, and such an ani- 16 wal as in a herd of wild cattle would likely become master of the herd 16		
hip bone to rump bone 7 E, loins broad and strong; hips rounded and of medium width compared with female. 7 F, thighs rather flat, well cut up behind, high arched flank. 3 G, legs proportionate to size and of fine quality, well apart, and not to weave or cross in walking. 5 Rudimentary teats, well placed. 7 Tail, thin, long, with good switch, not coarse at setting on 6 Size, mature bulls, 1,200 to 1,500 pounds. 6 General appearance, thoroughly masculine in character, with a harmonious blending of the parts to each other; thoroughly robust, and such an animal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest. 16	• / 5 1	2
 E, loins broad and strong; hips rounded and of medium width compared with female		_
with female		7
F, thighs rather flat, well cut up behind, high arched flank	E, loins broad and strong; hips rounded and of medium width compared	
G, legs proportionate to size and of fine quality, well apart, and not to weave or cross in walking. 5 Rudimentary teats, well placed. 2 Tail, thin, long, with good switch, not coarse at setting on. 4 Size, mature bulls, 1,200 to 1,500 pounds. 5 General appearance, thoroughly masculine in character, with a harmonious blending of the parts to each other; thoroughly robust, and such an animal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest. 16	with female	7
weave or cross in walking. 5 Rudimentary teats, well placed. 2 Tail, thin, long, with good switch, not coarse at setting on. 4 Size, mature bulls, 1,200 to 1,500 pounds. 5 General appearance, thoroughly masculine in character, with a harmonious blending of the parts to each other; thoroughly robust, and such an animal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest. 16	F, thighs rather flat, well cut up behind, high arched flank	3
Rudimentary teats, well placed 2 Tail, thin, long, with good switch, not coarse at setting on 4 Size, mature bulls, 1,200 to 1,500 pounds. 4 General appearance, thoroughly masculine in character, with a harmonious 5 blending of the parts to each other; thoroughly robust, and such an animal as in a herd of wild cattle would likely become master of the herd 16 by the law of natural selection and survival of the fittest 16	G, legs proportionate to size and of fine quality, well apart, and not to	
Tail, thin, long, with good switch, not coarse at setting on 4 Size, mature bulls, 1,200 to 1,500 pounds. 5 General appearance, thoroughly masculine in character, with a harmonious blending of the parts to each other; thoroughly robust, and such an animal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest. 16	weave or cross in walking	5
Tail, thin, long, with good switch, not coarse at setting on 4 Size, mature bulls, 1,200 to 1,500 pounds. 5 General appearance, thoroughly masculine in character, with a harmonious blending of the parts to each other; thoroughly robust, and such an animal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest. 16	Rudimentary teats, well placed	2
General appearance, thoroughly masculine in character, with a harmonious blending of the parts to each other; thoroughly robust, and such an ani- mal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest		4
blending of the parts to each other; thoroughly robust, and such an ani- mal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest	Size, mature bulls, 1,200 to 1,500 pounds.	5
mal as in a herd of wild cattle would likely become master of the herd by the law of natural selection and survival of the fittest	General appearance, thoroughly masculine in character, with a harmonious	
by the law of natural selection and survival of the fittest	blending of the parts to each other; thoroughly robust, and such an ani-	
by the law of natural selection and survival of the fittest	mal as in a herd of wild cattle would likely become master of the herd	
		15
Pertection	Perfection	100
		200

POLLED DURHAMS.

[NOTE.—These cattle are recorded in the Shorthorn Herd Book and have all the characteristics of Shorthorns, excepting only the absence of horns. The American Polled Durham Breeders' Association has never formulated a scale of points, but the scale applying to Shorthorn cattle would apply to these, except in the hornless feature. The head is the same as the head of the Shorthorn, excepting poll; it should not be as pointed as the head of a Red Poll animal, but gently rounded at the crown.]

POLLED JERSEYS.

[NOTE.—The American Polled Jersey Cattle Club accepts the scale of points of the American Jersey Cattle Club for Jerseys, excepting only "Horns, small to medium, incurying," for which they substitute "Head smooth, without scurs or rudimentary horns."]

RED POLLS.

The "standard description" of Red Polled cattle.

[NOTE.—The Red Polled Cattle Club of America having adopted no scale of points for judging animals of the breed, the following "standard description" is published instead.]

ESSENTIALS.

Color, red. The switch of the tail should be mixed with white. A portion of the udder may be white, and also a little white on the belly along the milk veins. Any additional white markings shall disqualify.

Polled.—There must be no horns, slugs, or abortive horns. Should any animal which has been admitted to registry afterwards develop horns or scurs, the registration of such animal shall be canceled and its progeny debarred from registration.

POINTS OF A SUPERIOR ANIMAL.

Color, a deep red, with udder of the same color, but the switch of the tail should be mixed with white; nose not dark or cloudy.

Form: A neat head and throat; a full eye; a tuft or crest of hair should hang over the forehead; the frontal bones should begin to contract a little above the eyes and should terminate in a comparatively narrow prominence at the summit of the head.

In all other particulars the commonly accepted points of a superior animal are to be taken as applying to the Red Polled cattle.

SHORTHORNS.

Scale of points.

[Note.—The American Shorthorn Breeders' Association has adopted no scale for judging cattle, but its secretary recommends the following revision of the scale of points established by the Massachusetts State Board of Agriculture.]

FOR COWS.

1.	Head small, lean, and bony, tapering to the muzzle, face somewhat long,	
	the fleshy portion of the nose of a light, delicate color	3
2.	Eye is of great significance, and should be prominent, bright, and clear,	

- 3. Horns light in substance and waxy in color, and symmetrically set on head; the ear large, thin, and with considerable action.....
- 4. Neck rather short than long, tapering to the head, clean in the throat, and full at its base, thus covering and filling out the points of the shoulders.....
- 5. Chest broad from point to point of the shoulders, deep from the anterior dorsal vertebra to the floor of the sternum, and both round and full just back of the elbows, sometimes designated by the phrase "thick through the heart." These are unquestionably the most important points in every animal, as constitution must depend on their perfect development and the ample room thus afforded for the free action of the heart and lungs.
- 6. Brisket, however deep or projecting, must not be confounded with capacity of chest, for, though a very attractive and selling point, it in reality adds nothing to the space within, however it may increase the girth without. It is, in fact, nothing more nor less than a muscular adipose substance attached to the anterior portion of the sternum, or breastbone, and thence extending itself back. This form, however, of the brisket indicates a disposition to lay on fat generally throughout the frame, and in this point of view is valuable
- 7. Shoulder, where weight, as in the Shorthorn, is the object, should be somewhat upright and of good width at the points, with the bladebone just sufficiently curved to blend its upper portion smoothly with the crops
- 8. Crops must be full and level with the shoulders and back, and is, perhaps, one of the most difficult points to breed right in a Shorthorn

Points.

2

1

2

12

2

4

8

8

4

2

	Po	ints.
17. Plates of t	he belly strong, and thus preserving nearly a straight underline.	3
18. Tail flat a	nd broad at its root, but fine in its cord, and placed high up and	
on a lev	el with the rumps	2
19. Carriage o	of an animal gives style and beauty; the walk should be square	
and the	step quick, the head up	2
20. Quality.	On this the thriftiness, the feeding properties, and the value of	
the anir	nal depend; and upon the touch of this quality rests, in a good	
measure	e, the grazier's and the butcher's judgment. If the "touch" be	
good, so	ome deficiency of form may be excused; but if it be hard and	
stiff, no	thing can compensate for so unpromising a feature. In raising	
the skin	n from the body, between the thumb and the finger, it should	
have a	soft, flexible, and substantial feel, and when beneath the out-	
spread l	hand it should move easily with it and under it, as though resting	
on a sof	t, elastic, cellular substance, which, however, becomes firmer as	
	nal ripens. A thin, papery skin is objectionable, more especially	
	d climate	15
21. Coat shou	ld be thick, short, and mossy, with longer hair in winter; fine,	
,	d glossy in summer	2
-	able and thin in its texture, reaching well forward, roomy behind,	
and the	e teats standing wide apart and of convenient size	10
Perfect	ion	100

As regards the male animal, it is only necessary to remark that the points desirable in the female are generally so in the male, but must, of course, be attended by that masculine character which is inseparable from a strong, vigorous constitution. Even a certain degree of coarseness is admissible, but then it must be so exclusively of a masculine description as never to be discovered in the female of his get.

In contradistinction to the cow, the head of the bull may be shorter, the frontal bone broader, and the occipital flat and stronger, that it may receive and sustain the horn, and this latter may be excused if a little heavy at the base so its upward form, its quality, and color be right. Neither is the looseness of the skin attached to and depending from the under jaw to be deemed other than a feature of the sex, provided it is not extended beyond the bone, but leaves the gullet and throat clean and free from dewlap.

The upper portion of the neck should be full and muscular, for it is an indication of strength, power, and constitution. The spine should be strong, the bones of the loin long and broad, and the whole muscular system wide and thoroughly developed over the entire frame.

0