

526  
481  
C23  
1896  
704  
A

LIST OF THE BIRDS

OF

EASTERN NORTH AMERICA

BY *arnoy*

CHARLES B. CORY  
"

FOR SALE BY

BRADLEY WHIDDEN

18 ARCH ST., BOSTON

SMITHSONIAN

DEC 04 1967

LIBRARIES

BOSTON

1896



*Ch*  
*621*  
*673*  
*1896*  
*5113*

A

LIST OF THE BIRDS

OF

EASTERN NORTH AMERICA

BY

*army*

CHARLES B. CORY

FOR SALE BY

BRADLEY WHIDDEN

18 ARCH ST., BOSTON



BOSTON

1896



Cory, Charles Barry

List of the birds of  
Eastern North America

PREFACE.

IN the following list special reference is made to species which occur in New England, Illinois, and Florida. Taking these States to form the points of an imaginary triangle, a somewhat crude idea of the range of species which occur within this area may be obtained, as it is evident that birds which occur in Illinois, New England, and Florida must, in all probability, also occur in most of the intermediate States; whereas those which are recorded from only one of these localities would probably be species which only touched within the limits of this area during their migrations, or birds of comparatively local distribution. Of course, a number of the species do not occur in either New England, Illinois, or Florida, as the list includes all birds which are known to occur in North America east of the ninetieth meridian.

CHARLES B. CORY.



# A LIST

## OF THE

# BIRDS OF EASTERN NORTH AMERICA.



### FAMILY PODICIPIDÆ. Grebes.

- |   |       |   |                 |
|---|-------|---|-----------------|
| ✓ | 1 (2) | COLYMBUS HOLBÆLLII (REINH.).<br>Holbœll's Grebe.  | N. E. Ill.      |
| ✓ | 2 (3) | COLYMBUS AURITUS LINN.<br>Horned Grebe.   | N. E. Fla. Ill. |
|   | 3 (4) | COLYMBUS NIGRICOLLIS CALIFORNICUS (HEERM.).<br>American Eared Grebe.                                | Ill.            |
|   |       | Ranges from Mississippi Valley Westward. Does not occur in the Atlantic States. (Illinois Ridgway.) |                 |
| ✓ | 4 (6) | PODILYMBUS PODICEPS (LINN.).<br>Pied-billed Grebe.  | N. E. Fla. Ill. |

### FAMILY URINATORIDÆ. Loons.

- |   |        |  |                 |
|---|--------|--|-----------------|
| ✓ | 5 (7)  | URINATOR IMBER (GUNN.).<br>Loon.                   | N. E. Fla. Ill. |
| ✓ | 6 (9)  | URINATOR ARCTICUS (LINN.).<br>Black-throated Loon. | N. E. Ill.?     |
| ✓ | 7 (11) | URINATOR LUMME (GUNN.).<br>Red-throated Loon.      | N. E. Fla. Ill. |

### FAMILY ALCIDÆ. Auks, Murres, and Puffins.

- |          |  |       |
|----------|--|-------|
| 8 (12)   | LUNDA CIRRHATA PALL.<br>Tufted Puffin.   |       |
|          | Pacific species claimed by Audubon to have once been taken on coast of Maine. No other record. |       |
| 9 (13)   | FRATERCULA ARCTICA (LINN.).<br>Puffin.   | N. E. |
| 10 (13a) | FRATERCULA ARCTICA GLACIALIS (TEMM.).<br>Large-billed Puffin.                                  | N. E. |

- | A. O. U.<br>No. |   |       |
|-----------------|---|-------|
| 11 (27)         | CEPPHUS GRYLLE (LINN.).<br>Black Guillemot.                 | N. E. |
| 12 (28)         | CEPPHUS MANDTII (LICHT.).<br>Mandt's Guillemot.             | N. E. |
| 13 (30)         | URIA TROILE (LINN.).<br>Murre.                              | N. E. |
| 14 (31)         | URIA LOMVIA (LINN.).<br>Brünnich's Murre.                   | N. E. |
| 15 (32)         | ALCA TORDA LINN.<br>Razor-billed Auk.                       | N. E. |
| 16 (33)         | PLAUTUS IMPENNIS (LINN.).<br>Great Auk.<br>Extinct species. | N. E. |
| 17 (34)         | ALLE ALLE (LINN.).<br>Dovekie.<br>Little Auk.               | N. E. |

#### FAMILY STERCORARIIDÆ. Skuas and Jaegers.

- |         |   |                 |
|---------|---|-----------------|
| 18 (35) | MEGALESTRIS SKUA (BRUNN.).<br>Skua.                     | N. E. III.      |
| 19 (36) | STERCORARIUS POMARINUS (TEMM.).<br>Pomarine Jaeger.     | N. E.           |
| 20 (37) | STERCORARIUS PARASITICUS (LINN.).<br>Parasitic Jaeger.  | N. E. Fla. III. |
| 21 (38) | STERCORARIUS LONGICAUDUS VIEILL.<br>Long-tailed Jaeger. | N. E. Fla. III. |

#### FAMILY LARIDIÆ. Gulls and Terns.

- |         |   |            |
|---------|---|------------|
| 22 (39) | GAVIA ALBA (GUNN.).<br>Ivory Gull.<br>Rather rare winter visitant to New Brunswick, and probably northern<br>New England. |            |
| 23 (40) | RISSA TRIDACTYLA (LINN.).<br>Kittiwake Gull.  | N. E. III. |
| 24 (42) | LARUS GLAUCUS BRÜNN.<br>Glaucous Gull.  | N. E. III. |
| 25 (43) | LARUS LEUCOPTERUS FABER.<br>Iceland Gull.   | N. E. III. |



A. O. U.  
NO.

- 26 (45) LARUS KUMLIENI BREWST.  
Kumlien's Gull. N. E.
- 27 (47) LARUS MARINUS LINN.  
Great Black-backed Gull. N. E. Fla. Ill.
- 28 (50) LARUS AFFINIS REINH.  
Siberian Gull.  
Old World species recorded from Greenland.
- 29 (51) LARUS ARGENTATUS BRÜNN.  
Herring Gull. Ill.  
European species, accidental on the Atlantic coast of N. A.
- 30 (51a) LARUS ARGENTATUS SMITHSONIANUS COUES.  
American Herring Gull. N. E. Fla. Ill.
- 31 (54) LARUS DELAWARENSIS ORD.  
Ring-billed Gull. N. E. Fla. Ill.
- 32 (56) LARUS CANUS LINN.  
Mew Gull.  
European species recorded from Labrador (one record).
- 33 (58) LARUS ATRICILLA LINN.  
Laughing Gull. N. E. Fla. Ill.?
- 34 (59) LARUS FRANKLINII SW. & RICH.  
Franklin's Gull. Ill.  
Not common east of the Mississippi River; not found on the Atlantic coast.
- 35 (60) LARUS PHILADELPHIA (ORD.).  
Bonaparte's Gull. N. E. Fla. Ill.
- 36 (60.1) LARUS MINUTUS PALL.  
Little Gull.  
European species; only once taken on our coast.
- 37 (61) RHODOSTETHIA ROSEA (MACGIL.).  
Ross's Gull.  
Northern species, recorded from Alaska and Greenland.
- 38 (62) XEMA SABINII (SAB.).  
Sabine's Gull. N. E. Ill.
- 39 (63) GELOCHELIDON NILOTICA (HASSELQ.).  
Gull-billed Tern. N. E. Fla. Ill.
- 40 (64) STERNA TSCHEGRAVA LEPECH.  
Caspian Tern. N. E. Fla. Ill.
- 41 (65) STERNA MAXIMA BODD.  
Royal Tern. N. E. Fla. Ill.

- A. O. U.  
NO.
- 42 (67) STERNA SANDVICENSIS ACUFLAVIDA (CABOT).  
Cabot's Tern. N. E. Fla.
- 43 (68) STERNA TRUDEAUI AUD.  
Trudeau's Tern.  
South American species; stragglers have been taken on the Atlantic coast of United States.
- 44 (69) STERNA FORSTERI NUTT.  
Forster's Tern. N. E. Fla. Ill.
- 45 (70) STERNA HIRUNDO LINN.  
Common Tern. N. E. Fla. Ill.
- 46 (71) STERNA PARADISÆA BRÜNN.  
Arctic Tern. N. E.
- 47 (72) STERNA DOUGALLI MONTAG.  
Roseate Tern. N. E. Fla.
- 48 (74) STERNA ANTILLARUM (LESS.).  
Least Tern. N. E. Fla. Ill.
- 49 (75) STERNA FULIGINOSA GMEL.  
Sooty Tern. N. E. Fla.
- 50 (76) STERNA ANÆTHETUS SCOP.  
Bridled Tern.  
Tropical species, accidental on Florida coast. South Carolina, one record.
- 51 (77) HYDROCHELIDON NIGRA SURINAMENSIS (GMEL.)  
Black Tern. N. E. Fla. Ill.
- 52 (78) HYDROCHELIDON LEUCOPTERA (MEISN. & SCHINZ).  
White-winged Black Tern.  
European species, of accidental occurrence in the United States—Wisconsin, one record.
- 53 (79) ANOUS STOLIDUS (LINN.).  
Noddy. Fla.

#### FAMILY RHYNCHOPIDÆ. Skimmers.

- 54 (80) RYNCHOPS NIGRA LINN.  
Black Skimmer. N. E. Fla.

#### FAMILY DIOMEDEIDÆ. Albatrosses.

- 55 (81) DIOMEDEA EXULANS (LINN.).  
Wandering Albatross.  
Species common to southern seas, claimed to have been seen at Tampa Bay, Florida.

A. O. U.  
NO.

- 56 (83) **THALASSOGERON CULMINATUS** (GOULD).  
Yellow-nosed Albatross.  
South Pacific species, accidental in eastern North America. St. Lawrence River, one record.

**FAMILY PROCELLARIIDÆ. Fulmars and Shearwaters.**

- 57 (86) **FULMAREUS GLACIALIS** (LINN.).  
Fulmar. N. E.
- 58 (86a) **FULMAREUS GLACIALIS MINOR** KJÆRBÆLLING.  
Lesser Fulmar. N. E.
- 59 (88) **PUFFINUS BOREALIS** CORY.  
Cory's Shearwater. N. E.
- 60 (89) **PUFFINUS MAJOR** FABER.  
Greater Shearwater. N. E. Fla.
- 61 (90) **PUFFINUS PUFFINUS** (BRÜNN.).  
Manx Shearwater. N. E.  
European species, accidental on the Atlantic coast.
- 62 (92) **PUFFINUS AUDUBONI** FINSCH.  
Audubon's Shearwater. Fla.
- 63 (94) **PUFFINUS STRICKLANDI** RIDGW.  
Sooty Shearwater. N. E.
- 64 (98) **ÆSTRELATA HASITATA** (KÜHL).  
Black-capped Petrel. Fla.
- 65 (99) **ÆSTRELATA SCALARIS** BREWST.  
Scaled Petrel.  
Rare straggler; one specimen known, taken in western New York.
- 66 (101) **BULWERIA BULWERI** (JARD. & SELBY).  
Bulwer's Petrel.  
Old world species, accidental in Greenland.
- 67 (104) **PROCELLARIA PELAGICA** LINN.  
Stormy Petrel. N. E.
- 68 (106) **OCEANODROMA LEUCORHOA** (VIEILL.).  
Leach's Petrel. N. E.
- 69 (109) **OCEANITES OCEANICUS** (KÜHL).  
Wilson's Petrel. N. E. Fla.
- 70 (110) **CYMODROMA GRALLARIA** (VIEILL.).  
White-bellied Petrel.  
Tropical species, once taken near St. Marks, Florida.

- A. O. U.  
NO.
- 71 (111) PELAGODROMA MARINA (LATH.).  
White-faced Petrel.  
South Atlantic species, accidental off coast of Massachusetts.

FAMILY PHAËTHONTIDÆ. Tropic Birds.

- 72 (112) PHAËTHON FLAVIROSTRIS BRANDT.  
Yellow-billed Tropic Bird. Fla.
- 73 (113) PHAËTHON ÆTHEREUS LINN.  
Red-billed Tropic Bird.  
Accidental on Newfoundland Banks.

FAMILY SULIDÆ. Gannets.

- 74 (114) SULA CYANOPS SUND.  
Blue-faced Booby. Fla.  
Accidental on Florida coast.
- 75 (115) SULA SULA (LINN.).  
Booby. N. E. Fla.
- 76 (116) SULA PISCATOR (LINN.).  
Red-footed Booby. Fla.  
Accidental on Florida coast.
- 77 (117) SULA BASSANA (LINN.).  
Gannet. N. E. Fla.

FAMILY ANHINGIDÆ. Darters.

- 78 (118) ANHINGA ANHINGA (LINN.).  
Anhinga. Fla. Ill.

FAMILY PHALACROCORACIDÆ. Cormorants.

- 79 (119) PHALACROCORAX CARBO (LINN.).  
Cormorant. N. E.
- 80 (120) PHALACROCORAX DILOPHUS (SW. & RICH.).  
Double-crested Cormorant. N. E. Fla. Ill.
- 81 (120a) PHALACROCORAX DILOPHUS FLORIDANUS (AUD.).  
Florida Cormorant. Fla. Ill.
- 82 (121) PHALACROCORAX MEXICANUS (BRANDT).  
Mexican Cormorant.  
Western species, casual in Mississippi Valley to Illinois.

## FAMILY PELECANIDÆ. Pelicans.

- A. O. U.  
 No.
- L 83 (125) PELECANUS ERYTHORHYNCHOS GMEL.  
 American White Pelican. N. E. Fla. Ill.
- L 84 (126) PELECANUS FUSCUS LINN.  
 Brown Pelican. N. E. Fla. Ill.

## FAMILY FREGATIDÆ. Man-o'-War Birds.

- 85 (128) FREGATA AQUILA (LINN.).  
 Man-o'-War Bird. N. E. Fla.

## FAMILY ANATIDÆ. Ducks, Geese, and Swans.

- L 86 (129) MERGANSER AMERICANUS (CASS.).  
 American Merganser.  
 Sheldrake. N. E. Fla. Ill.
- L 87 (130) MERGANSER SERRATOR (LINN.).  
 Red-breasted Merganser.  
 Sheldrake. N. E. Fla. Ill.
- L 88 (131) LOPHODYTES CUCULLATUS (LINN.).  
 Hooded Merganser. N. E. Fla. Ill.
- L 89 (132) ANAS BOSCHAS LINN.  
 Mallard Duck. N. E. Fla. Ill.
- L 90 (133) ANAS OBSCURA GMEL.  
 Black Duck. N. E. Fla. Ill.
- L *anas obscura rubripes*  
 91 (134) ANAS FULVIGULA RIDGW.  
 Florida Duck.  
 Florida Black Duck. Fla.
- L 92 (135) ANAS STREPERA LINN.  
 Gadwall. N. E. Fla. Ill.
- L 93 (136) ANAS PENELOPE LINN.  
 Widgeon.  
 European Widgeon. N. E. Ill.  
 European species, often taken on our coast.
- L 94 (137) ANAS AMERICANA GMEL.  
 American Widgeon. Baldpate. N. E. Fla. Ill.

~~95 (138) ANAS CRECCA LINN.~~  
 European Teal. N. E.  
 Accidental in Eastern North America. New England, several records.

✓	A. O. U. NO.	96 (139)	ANAS CAROLINENSIS GMEL. Green-winged Teal.	N. E. Fla. Ill.
✓		97 (140)	ANAS DISCORS LINN. Blue-winged Teal.	N. E. Fla. Ill.
✓		98 (141)	ANAS CYANOPTERA VIEILL. Cinnamon Teal.	Fla. Ill.
✓		99 (142)	SPATULA CLYPEATA (LINN.). Shoveller Duck.	N. E. Fla. Ill.
✓		100 (143)	DAFILA ACUTA (LINN.). Pintail Duck.	N. E. Fla. Ill.
✓		101 (144)	AIX SPONSA (LINN.). Wood Duck.	N. E. Fla. Ill.
		102 (145)	NETTA RUFINA (PALL.). Rufous-crested Duck. European species. New York, one record.	
✓		103 (146)	AYTHYA AMERICANA (EYT.). Redhead Duck.	N. E. Fla. Ill.
✓		104 (147)	AYTHYA VALLISNERIA (WILS.). Canvas-back Duck.	N. E. Fla. Ill.
✓		105 (148)	AYTHYA MARILA NEARCTICA STEJN. American Scaup Duck. Blue Bill or Black Head.	N. E. Fla. Ill.
✓		106 (149)	AYTHYA AFFINIS (EYT.). Lesser Scaup Duck. Blue Bill or Black Head.	N. E. Fla. Ill.
✓		107 (150)	AYTHYA COLLARIS (DONOV.). Ring-necked Duck.	N. E. Fla. Ill.
✓		108 (151)	GLAUCIONETTA CLANGULA AMERICANA (BONAP.). American Golden-eye Duck. Whistler.	N. E. Fla. Ill.
✓		109 (152)	GLAUCIONETTA ISLANDICA (GMEL.). Barrow's Golden-eye Duck.	N. E. Ill.
✓		110 (153)	CHARITONETTA ALBEOLA (LINN.). Buffle-head Duck. Dipper.	N. E. Fla.
✓		111 (154)	CLANGULA HYEMALIS (LINN.). Old-squaw. Long-tailed Duck.	N. E. Fla. Ill.

- A. O. U.  
No.
- 112 (155) *HISTRIONICUS HISTRIONICUS* (LINN.).  
Harlequin Duck. N. E. Fla.? Ill.
- 113 (156) *CAMPTOLAIMUS LABRADORIUS* (GMEL.).  
Labrador Duck. N. E.  
Probably extinct.
- 114 (157) *ENICONETTA STELLERI* (PALL.).  
Steller's Duck.  
Arctic species which occurs in Greenland.
- 115 (159) *SOMATERIA MOLLISSIMA BOREALIS* (BREHM).  
Northern Eider Duck. N. E.
- 116 (160) *SOMATERIA DRESSERI* SHARPE.  
American Eider Duck. N. E. Ill.
- 117 (162) *SOMATERIA SPECTABILIS* (LINN.).  
King Eider Duck. N. E. Ill.
- 118 (163) *OIDEMIA AMERICANA* SW. & RICH.  
American Scoter Duck.  
Velvet Scoter. Butter-bill Coot. N. E. Fla. Ill.
- 119 (164) *OIDEMIA FUSCA* (LINN.).  
European species, recorded from Greenland.
- 120 (165) *OIDEMIA DEGLANDI* BONAP.  
White-winged Scoter Duck.  
White-winged Coot. N. E. Fla. Ill.
- 121 (166) *OIDEMIA PERSPICILLATA* (LINN.).  
Surf Scoter Duck.  
Skunk-head Coot. N. E. Fla. Ill.
- 122 (167) *ERISMATURA RUBIDA* (WILS.).  
Ruddy Duck. N. E. Fla. Ill.
- 123 (168) *NOMONYX DOMINICUS* (LINN.).  
Masked Duck. N. E.  
Tropical species, accidental in eastern United States.
- 124 (169) *CHEN HYPERBOREA* (PALL.).  
Lesser Snow Goose. N. E. Ill.  
Rare in eastern United States.
- 125 (169a) *CHEN HYPERBOREA NIVALIS* (FORST.).  
Greater Snow Goose. N. E. Fla. Ill.
- 126 (169.1) *CHEN CÆRULESCENS* (LINN.).  
Blue Goose. Fla. Ill.

A. O. U.  
NO.~~127 (171) ANSER ALBIFRONS (Gmel.).~~

White-fronted Goose.

European species, recorded from Greenland.

L 128 (171a) ANSER ALBIFRONS GAMBELI (Hartl.).

American White-fronted Goose.

N. E. Ill.

L 129 (172) BRANTA CANADENSIS (Linn.).

Canada Goose.

N. E. Fla. Ill.

L 130 (172a) BRANTA CANADENSIS HUTCHINSII (Sw. &amp; Rich.).

Hutchins's Goose.

N. E.

L 131 (172c) BRANTA CANADENSIS MINIMA Ridgw.

Cackling Goose.

Ill.

Not recorded farther east than Illinois.

L 132 (173) BRANTA BERNICLA (Linn.).

Brant.

N. E. Fla. Ill.

133 (174) BRANTA NIGRICANS (Lawr.).

Black Brant.

N. E.

Western species, occasionally taken on Atlantic coast.

134 (175) BRANTA LEUCOPSIS (Bechst.).

Barnacle Goose.

N. E.

Greenland; rare on Atlantic coast of United States.

135 (179) OLOR CYGNUS (Linn.).

Whooping Swan.

Old world species which occurs in Greenland, but not elsewhere in North America.

L 136 (180) OLOR COLUMBIANUS (Ord.).

Whistling Swan.

N. E. Fla. Ill.

L 137 (181) OLOR BUCCINATOR (Rich.).

Trumpeter Swan.

Western species, rare on Atlantic coast of United States. Illinois.

## FAMILY PHŒNICOPTERIDÆ. Flamingoes.

138 (182) PHŒNICOPTERUS RUBER (Linn.).

American Flamingo.

Fla.

## FAMILY PLATALEIDÆ. Spoonbills.

L 139 (183) AJAJA AJAJA (Linn.).

Roseate Spoonbill.

Fla.



## FAMILY IBIDIDÆ. Ibises.

- A. O. U.  
 NO.
- 140 (184) GUARA ALBA (LINN.).  
 White Ibis. N. E. Fla. Ill.
- 141 (185) GUARA RUBRA (LINN.).  
 Scarlet Ibis.  
 A tropical species; no evidence of its recent occurrence in North America.
- 142 (186) PLEGADIS AUTUMNALIS (HASSELQ.).  
 Glossy Ibis. N. E. Fla. Ill.
- 143 (187) PLEGADIS GUARAUNA (LINN.).  
 White-faced Glossy Ibis.  
 Western species, once recorded from Florida.

## FAMILY CICONIIDÆ. Storks and Wood Ibises.

- 144 (188) TANTALUS LOCULATOR LINN.  
 Wood Ibis. Fla. Ill.

## FAMILY ARDEIDÆ. Herons, Bitterns, etc.

- 145 (190) BOTAURUS LENTIGINOSUS (MONTAG.).  
 American Bittern. N. E. Fla. Ill.
- 146 (191) ARDETTA EXILIS (GMEL.).  
 Least Bittern. N. E. Fla. Ill.
- 147 (191.1) ARDETTA NEOXENA CORY.  
 Cory's Least Bittern. Fla.
- 148 (192) ARDEA OCCIDENTALIS AUD.  
 Great White Heron. Fla.  
 Accidental in Illinois.
- 149 ARDEA WUERDEMANNI BAIRD.  
 Wuerdemann's Heron. Fla.  
 Probably a colored phase of *A. occidentalis*, or an abnormally colored specimen of *Ardea wardi*.
- 150 (193) ARDEA WARDI RIDGW.  
 Ward's Heron. Fla.
- 151 (194) ARDEA HERODIAS LINN.  
 Great Blue Heron. N. E. Fla. Ill.
- 152 (195) ARDEA CINEREA LINN.  
 European Blue Heron.  
 European species, recorded from Greenland.
- 153 (196) ARDEA EGRETTEA GMEL.  
 American Egret. N. E. Fla. Ill.

- | L | A. O. U.<br>NO. |   |                 |
|---|-----------------|---|-----------------|
| L | 154 (197)       | ARDEA CANDIDISSIMA GMEL.<br>Snowy Heron.                            | N. E. Fla. Ill. |
| L | 155 (198)       | ARDEA RUFESCENS GMEL.<br>Reddish Egret.                             | Fla. Ill.       |
| L | 156 (199)       | ARDEA TRICOLOR RUFICOLLIS (GOSSE).<br>Louisiana Heron.              | Fla.            |
| L | 157 (200)       | ARDEA CÆRULEA LINN.<br>Little Blue Heron.                           | N. E. Fla. Ill. |
| L | 158 (201)       | ARDEA VIRESCENS LINN.<br>Green Heron.                               | N. E. Fla. Ill. |
| L | 159 (202)       | NYCTICORAX NYCTICORAX NÆVIUS (BODD.).<br>Black-crowned Night Heron. | N. E. Fla. Ill. |
| L | 160 (203)       | NYCTICORAX VIOLACEUS (LINN.).<br>Yellow-crowned Night Heron.        | N. E. Fla. Ill. |

#### FAMILY GRUIDÆ. Cranes.

- |   |           |  |                 |
|---|-----------|--|-----------------|
| L | 161 (204) | GRUS AMERICANA (LINN.).<br>Whooping Crane.   | N. E. Fla. Ill. |
|   | 162 (205) | GRUS CANADENSIS (LINN.).<br>Little Brown Crane.<br>Western species, two records east of Mississippi River. |                 |
| L | 163 (206) | GRUS MEXICANA (MÜLL.).<br>Sandhill Crane.  | N. E. Fla. Ill. |

#### FAMILY ARAMIDÆ. Courlans.

- |   |           |  |      |
|---|-----------|--|------|
| L | 164 (207) | ARAMUS GIGANTEUS (BONAP.).<br>Limpkin. | Fla. |
|---|-----------|--|------|

#### FAMILY RALLIDÆ. Rails, Gallinules, and Coots.

- |   |            |   |                 |
|---|------------|---|-----------------|
| L | 165 (208)  | RALLUS ELEGANS AUD.<br>King Rail.                               | N. E. Fla. Ill. |
|   | 166 (211)  | RALLUS CREPITANS GMEL.<br>Clapper Rail.                         | N. E. Fla.      |
|   | 167 (211a) | RALLUS CREPITANS SATURATUS (RIDGW.).<br>Louisiana Clapper Rail. |                 |
| L | 168 (211b) | RALLUS SCOTTII (SENN.).<br>Scott's Rail.                        | Fla.            |

- A. O. U.  
 NO.
- L 169 (212) RALLUS VIRGINIANUS LINN.  
 Virginia Rail. N. E. Fla. Ill.
- 170 (213) PORZANA PORZANA (LINN.).  
 Spotted Crane.  
 European species, recorded from Greenland.
- L 171 (214) PORZANA CAROLINA (LINN.).  
 Sora. Carolina Rail. N. E. Fla. Ill.
- L 172 (215) PORZANA NOVEBORACENSIS (GMEL.).  
 Yellow Rail. N. E. Fla. Ill.
- L 173 (216) PORZANA JAMAICENSIS (GMEL.).  
 Black Rail. N. E. Fla. Ill.
- 174 (217) CREX CREX (LINN.).  
 Corn Crane.  
 European species, accidental in eastern North America.
- L 175 (218) IONORNIS MARTINICA (LINN.).  
 Purple Gallinule. N. E. Fla. Ill.
- L 176 (219) GALLINULA GALEATA (LICHT.).  
 Florida Gallinule. N. E. Fla. Ill.
- 177 [220] FULICA ATRA LINN.  
 European Coot.  
 European species, recorded from Greenland.
- L 178 (221) FULICA AMERICANA GMEL.  
 American Coot. N. E. Fla. Ill.

FAMILY PHALAROPODIDÆ. Phalaropes.

- L 179 (222) CRYMOPHILUS FULICARIUS (LINN.).  
 Red Phalarope. N. E. Fla. Ill.
- L 180 (223) PHALAROPUS LOBATUS (LINN.).  
 Northern Phalarope. N. E. Ill.
- L 181 (224) PHALAROPUS TRICOLOR (VIEILL.).  
 Wilson's Phalarope. N. E. Ill.

FAMILY RECURVIROSTRIDÆ. Avocets and Stilts.

- L 182 (225) RECURVIROSTRA AMERICANA GMEL.  
 American Avocet. N. E. Fla. Ill.
- L 183 (226) HIMANTOPUS MEXICANUS (MÜLL.).  
 Black-necked Stilt. N. E. Fla. Ill.

## FAMILY SCOLOPACIDÆ. Snipes, Sandpipers, etc.

- A. O. U.  
NO.
- 184 [227] *SCOLOPAX RUSTICOLA* LINN.  
European Woodcock.  
European species, accidental in eastern North America; several records.
- 185 (228) *PHILOHELA MINOR* (GMEL.).  
American Woodcock. N. E. Fla. Ill.
- 186 [229] *GALLINAGO GALLINAGO* (LINN.).  
European Snipe.  
European species, occurs in Greenland.
- 187 (230) *GALLINAGO DELICATA* (ORD.).  
Wilson's Snipe.  
Jack Snipe. N. E. Fla. Ill.
- 188 (231) *MACRORHAMPHUS GRISEUS* (GMEL.).  
Dowitcher.  
Red-breasted Snipe. N. E. Fla. Ill.
- 189 (232) *MACRORHAMPHUS SCOLOPACEUS* (SAY.).  
Long-billed Dowitcher.  
Western Red-breasted Snipe. N. E. Fla. Ill.
- 190 (233) *MICROPALAMA HIMANTOPUS* (BONAP.).  
Stilt Sandpiper. N. E. Fla. Ill.
- 191 (234) *TRINGA CANUTUS* LINN.  
Knot. N. E. Fla. Ill.
- 192 (235) *TRINGA MARITIMA* BRÜNN.  
Purple Sandpiper. N. E. Fla. Ill.
- 193 (239) *TRINGA MACULATA* VIEILL.  
Pectoral Sandpiper.  
Grass-bird. N. E. Fla. Ill.
- 194 (240) *TRINGA FUSCICOLLIS* VIEILL.  
White-rumped Sandpiper.  
Bonaparte's Sandpiper. N. E. Fla. Ill.
- 195 (241) *TRINGA BAIRDII* (COUES).  
Baird's Sandpiper. N. E. Ill.
- 196 (242) *TRINGA MINUTILLA* VIEILL.  
Least Sandpiper. N. E. Fla. Ill.
- 197 [243] *TRINGA ALPINA* LINN.  
Dunlin.  
European species, accidental in North America.

A. O. U.  
NO.

- 198 (243a) *TRINGA ALPINA PACIFICA* (COUES).  
Red-backed Sandpiper.  
American Dunlin. N. E. Fla. Ill.
- 199 (244) *TRINGA FERRUGINEA* BRÜNN.  
Curlew Sandpiper. N. E.  
European species, of rare occurrence in eastern North America.
- 200 (246) *EREUNETES PUSILLUS* (LINN.).  
Semipalmated Sandpiper. N. E. Fla. Ill.
- 201 (247) *EREUNETES OCCIDENTALIS* LAWR.  
Western Sandpiper. N. E. Fla. Ill.
- 202 (248) *CALIDRIS ARENARIA* (LINN.).  
Sanderling Sandpiper.  
Bull Peep. N. E. Fla. Ill.
- 203 (249) *LIMOSA FEDOA* (LINN.).  
Marbled Godwit. N. E. Fla. Ill.
- 204 (251) *LIMOSA HÆMASTICA* (LINN.).  
Hudsonian Godwit.  
Goose Bird. N. E. Fla. Ill.
- 205 [252] *LIMOSA LIMOSA* (LINN.).  
Black-tailed Godwit.  
European species, which occurs in Greenland.
- 206 [253] *TOTANUS NEBULARIUS* (GUNN.).  
Green-shank.  
Old world species, accidental in Florida. No recent records.
- 207 (254) *TOTANUS MELANOLEUCUS* (GMEL.).  
Greater Yellow-legs.  
Winter Yellow-legs. N. E. Fla. Ill.
- 208 (255) *TOTANUS FLAVIPES* (GMEL.).  
Yellow-legs.  
Summer Yellow-legs. N. E. Fla. Ill.
- 209 (256) *TOTANUS SOLITARIUS* (WILS.).  
Solitary Sandpiper. N. E. Fla. Ill.
- 210 [257] *TOTANUS OCHROPUS* (LINN.).  
Green Sandpiper.  
European species, once recorded from Nova Scotia.
- 211 (258) *SYMPHEMIA SEMIPALMATA* (GMEL.).  
Willet. N. E. Fla. Ill.
- 212 (258a) *SYMPHEMIA SEMIPALMATA INORNATA* BREWST.  
Western Willet. Fla.

- A. O. U.  
NO.
- 213 [260] PAVONCELLA PUGNAX (LINN.).  
Ruff. N. E.  
European species, accidental in United States.
- 214 (261) BARTRAMIA LONGICAUDA (BECHST.).  
Bartramian Sandpiper.  
Upland Plover. N. E. Fla. Ill.
- 215 (262) TRYNGITES SUBRUFICOLLIS (VIEILL.).  
Buff-breasted Sandpiper. N. E. Fla. Ill.
- 216 (263) ACTITIS MACULARIA (LINN.).  
Spotted Sandpiper. N. E. Fla. Ill.
- 217 (264) NUMENIUS LONGIROSTRIS WILS.  
Long-billed Curlew.  
Sickle-bill Curlew. N. E. Fla. Ill.
- 218 (265) NUMENIUS HUDSONICUS LATH.  
Hudsonian Curlew.  
Jack Curlew. N. E. Fla. Ill.
- 219 (266) NUMENIUS BOREALIS (FORST.).  
Eskimo Curlew.  
Dough Bird. N. E. Fla. Ill.
- 220 (267) NUMEMIUS PHÆOPUS (LINN.).  
Whimbrel.  
Not recorded from United States; it has been taken in Greenland.

#### FAMILY CHARADRIIDÆ. Plovers.

- 221 (269) VANELLUS VANELLUS (LINN.).  
Lapwing.  
European species, occurs in Greenland; one record for eastern United States.
- 222 (270) CHARADRIUS SQUATAROLA (LINN.).  
Black-bellied Plover.  
Beetle Head. N. E. Fla. Ill.
- 223 (271) CHARADRIUS APRICARIUS LINN.  
Golden Plover.  
European species, which occurs in Greenland.
- 224 (272) CHARADRIUS DOMINICUS MÜLL.  
American Golden Plover.  
Green Plover. N. E. Fla. Ill.
- 225 (273) ÆGIALITIS VOCIFERA (LINN.).  
Killdeer Plover. N. E. Fla. Ill.

- A. O. U.  
No.
- 226 (274) *ÆGIALITIS SEMIPALMATA* BONAP.  
Semipalmated Plover. N. E. Fla. Ill.
- 227 (275) *ÆGIALITIS HIATICULA* (LINN.).  
Ring Plover.  
Not recorded from United States; it occurs in Greenland.
- 228 (277) *ÆGIALITIS MELODA* (ORD).  
Piping Plover. N. E. Fla.
- 229 (277a) *ÆGIALITIS MELODA CIRCUMCINCTA* RIDGW.  
Belted Piping Plover. N. E. Ill.
- 230 (280) *ÆGIALITIS WILSONIA* (ORD).  
Wilson's Plover. N. E. Fla.
- 231 (281) *ÆGIALITIS MONTANA* (TOWNS.).  
Mountain Plover.  
Western species, accidental in Florida.

#### FAMILY APHRIZIDÆ. Surf Birds and Turnstones.

- 232 (283) *ARENARIA INTERPRES* (LINN.).  
Turnstone. N. E. Fla. Ill.

#### FAMILY HAEMATOPODIDÆ. Oyster Catchers.

- 233 (285) *HÆMATOPUS OSTRALEGUS* LINN.  
Oyster-catcher.  
European species, which occurs in Greenland.
- 234 (286) *HÆMATOPUS PALLIATUS* TEMM.  
American Oyster-catcher. N. E. Fla.

#### FAMILY TETRAONIDÆ. Grouse, Partridges, etc.

- 235 (289) *COLINUS VIRGINIANUS* (LINN.).  
Quail. Bob-white. N. E. Fla. Ill.
- 236 (289a) *COLINUS VIRGINIANUS FLORIDANUS* (COUES).  
Florida Quail. Florida Bob-white. Fla.
- 237 (298) *DENDRAGOPUS CANADENSIS* (LINN.).  
Canada Grouse. Spruce Partridge.
- 238 (300) *BONASA UMBELLUS* (LINN.).  
Ruffed Grouse. N. E. Ill.
- 239 (300a) *BONASA UMBELLUS TOGATA* (LINN.).  
Canadian Ruffed Grouse.

- A. O. U.  
NO.
- 240 (301) LAGOPUS LAGOPUS (LINN.).  
Willow Ptarmigan. N. E.
- 241 (301a) LAGOPUS LAGOPUS ALLENI STEEN.  
Allen's Ptarmigan.  
Peculiar to Newfoundland.
- 242 (302) LAGOPUS RUPESTRIS (GMEL.).  
Rock Ptarmigan.
- 243 (302a) LAGOPUS RUPESTRIS REINHARDTI (BREHM).  
Reinhardt's Ptarmigan.  
Northern Labrador and Greenland.
- 244 (303) LAGOPUS WELCHI BREWST.  
Welch's Ptarmigan.  
Peculiar to Newfoundland.
- 245 (305) TYMPANUCHUS AMERICANUS (REICH.).  
Prairie Hen. Ill.
- 246 (306) TYMPANUCHUS CUPIDO (LINN.).  
Heath Hen. N. E.  
Island of Martha's Vineyard, Mass.
- 247 (308b) PEDIOCÆTES PHASIANELLUS CAMPESTRIS  
RIDGEW.  
Prairie Sharp-tailed Grouse. Ill.  
Western species, which sometimes occurs in Wisconsin and Illinois.

#### FAMILY PHASIANIDÆ. Pheasants.

- 248 (310) MELEAGRIS GALLOPAVO LINN.  
Wild Turkey. Northern Florida. Fla. Ill.
- 249 (310a) MELEAGRIS GALLOPAVO OSCEOLA SCOTT.  
Florida Turkey. Southern Florida.

#### FAMILY COLUMBIDÆ. Pigeons.

- 250 (314) COLUMBA LEUCOCEPHALA LINN.  
White-crowned Pigeon. Fla.
- 251 (315) ECTOPISTES MIGRATORIUS (LINN.).  
Passenger Pigeon. N. E. Ill.
- 252 (316) ZENAIDURA MACROURA (LINN.).  
Mourning Dove. N. E. Fla. Ill.
- 253 (317) ZENAIDA ZENAIDA (BONAP.).  
Zenaida Dove. Fla.  
Florida Keys.



A. O. U.  
NO.

- 254 (319) MELOPELIA LEUCOPTERA (LINN.).  
White-winged Dove. Fla.  
Western species, accidental at Key West, Fla.
- 255 (320) COLUMBIGALLINA PASSERINA TERRESTRIS  
Ground Dove. CHAPMAN.  
Fla.
- 256 (322) GEOTRYGON MARTINICA (Gmel.).  
Key West Quail-Dove. Fla.  
West Indian species, recorded from Florida Keys.
- 257 (322.1) GEOTRYGON MONTANA (LINN.).  
Mountain Dove. Fla.  
West Indian species, once recorded from Key West, Fla.
- 258 (323) STARNENAS CYANOCEPHALA (LINN.).  
Blue-headed Quail Dove.  
Cuban species, accidental on Florida Keys.

## FAMILY CATHARTIDÆ. American Vultures.

- 259 (325) CATHARTES AURA (LINN.).  
Turkey Vulture. Turkey Buzzard. N. E. Fla. Ill.
- 260 (326) CATHARISTA ATRATA (BARTR.) *Wurby*  
Black Vulture. Carrion Crow. N. E. Fla. Ill.

FAMILY FALCONIDÆ. Vultures, Falcons, Hawks,  
Eagles, etc.

- 261 (327) ELANOIDES FORFICATUS (LINN.).  
Swallow-tailed Kite. N. E. Fla. Ill.
- 262 (328) ELANUS LEUCURUS (VIEILL.).  
White-tailed Kite. Fla. Ill.
- 263 (329) ICTINIA MISSISSIPPIENSIS (WILS.).  
Mississippi Kite. Fla. Ill.
- 264 (330) ROSTRHAMUS SOCIABILIS (VIEILL.).  
Everglade Kite. Fla.
- 265 (331) CIRCUS HUDSONIUS (LINN.).  
Marsh Hawk. N. E. Fla. Ill.
- 266 (332) ACCIPITER VELOX (WILS.).  
Sharp-shinned Hawk. N. E. Fla. Ill.
- 267 (333) ACCIPITER COOPERI (BONAP.).  
Cooper's Hawk. N. E. Fla. Ill.

- A. O. U.  
NO.
- ✓ 268 (334) ACCIPITER ATRICAPILLUS (WILS.).  
American Goshawk. N. E. Fla. Ill.
- 269 (335) BUTEO UNICINCTUS HARRISI (AUD.).  
Harris's Hawk.  
Western species, which occurs in Louisiana.
- 270 (336) BUTEO BUTEO (LINN.).  
European Buzzard.  
European species, once taken in United States; Michigan, one record.
- ✓ 271 (337) BUTEO BOREALIS (GMEL.).  
Red-tailed Hawk. N. E. Fla. Ill.
- ✓ 272 (337a) BUTEO BOREALIS KRIDERII HOOPES.  
Kridler's Hawk. Ill.
- ✓ 273 (337b) BUTEO BOREALIS CALURUS (CASS.).  
Western Red-tail.  
Western species, recorded from Illinois.
- ✓ 274 (338) BUTEO BOREALIS HARLANI (AUD.).  
Harlan's Hawk. Ill.
- ✓ 275 (339) BUTEO LINEATUS (GMEL.).  
Red-shouldered Hawk. N. E. Fla. Ill.
- 276 (339a) BUTEO LINEATUS ALLENI RIDGW.  
Florida Red-shouldered Hawk. Fla.
- ✓ 277 (342) BUTEO SWAINSONI BONAP.  
Swainson's Hawk. N. E. Ill.  
Western species, occasionally occurring in eastern United States;  
casual in Florida.
- ✓ 278 (343) BUTEO LATISSIMUS (WILS.).  
Broad-winged Hawk. N. E. Fla. Ill.
- 279 (344) BUTEO BRACHYURUS VIEILL.  
Short-tailed Hawk. Fla.  
Tropical species, resident in Florida.
- ✓ 280 (346) ASTURINA PLAGIATA SCHLEGEL.  
Mexican Goshawk. Ill.  
Western species, once observed in Illinois; no other record.
- ✓ 281 (347a) ARCHIBUTEO LAGOPUS SANCTI-JOHNANNIS (GMEL.).  
American Rough-legged Hawk. N. E. Ill.
- ✓ 282 (348) ARCHIBUTEO FERRUGINEUS (LICHT.).  
Ferruginous Rough-leg. Ill.
- ✓ 283 (349) AQUILA CHRYSÆTOS (LINN.).  
Golden Eagle. N. E. Fla. Ill.

A. O. U.  
NO.

- 284 (351) *HALIAETUS ALBICILLA* (LINN.).  
Gray Sea Eagle.  
Occurs in Greenland, but has not been taken in the United States.
- 285 (352) *HALIAETUS LEUCOCEPHALUS* (LINN.).  
Bald Eagle. N. E. Fla. Ill.
- 286 (353) *FALCO ISLANDUS* BRÜNN.  
White Gyrfalcon. N. E.
- 287 (354) *FALCO RUSTICOLUS* LINN.  
Gray Gyrfalcon. N. E. ?
- 288 (354a) *FALCO RUSTICOLUS GYRFALCO* (LINN.).  
Gyrfalcon. N. E.
- 289 (354b) *FALCO RUSTICOLUS OBSOLETUS* (GMEL.).  
Black Gyrfalcon. N. E.
- 290 (355) *FALCO MEXICANUS* SCHLEG.  
Prairie Falcon. Ill.
- 291 (356) *FALCO PEREGRINUS ANATUM* (BONAP.).  
Duck Hawk.  
Peregrine Falcon. N. E. Fla. Ill.
- 292 (357) *FALCO COLUMBARIUS* LINN.  
Pigeon Hawk. N. E. Fla. Ill.
- 293 (358.1) *FALCO REGULUS* PALL.  
Merlin.  
European species, recorded from Greenland.
- 294 (359.1) *FALCO TINNUNCULUS* LINN.  
Kestrel. N. E.  
European species, once taken in Massachusetts.
- 295 (360) *FALCO SPARVERIUS* LINN.  
American Sparrow Hawk. N. E. Fla. Ill.
- 296 (361) *FALCO SPARVERIODES* VIG.  
Cuban Sparrow Hawk. Fla.
- 297 (362) *POLYBORUS CHERIWAY* (JACQ.).  
Audubon's Caracara. Fla.
- 298 (364) *PANDION HALIAËTUS CAROLINENSIS* (GMEL.).  
American Osprey. Fish Hawk. N. E. Fla. Ill.
- FAMILY STRIGIDÆ. Barn Owls.**
- 299 (365) *STRIX PRATINCOLA* BONAP.  
American Barn Owl. N. E. Fla. Ill.

## FAMILY BUBONIDÆ. Horned Owls.

- | A. O. U.<br>NO. |   |  |                 |
|-----------------|---|--|-----------------|
| ✓ 300 (366)     | ASIO WILSONIANUS (LESS.).               | American Long-eared Owl.   | N. E. Ill.      |
| ✓ 301 (367)     | ASIO ACCIPITRINUS (PALL.).              | Short-eared Owl.   | N. E. Ill.      |
| ✓ 302 (368)     | SYRNIUM NEBULOSUM (FORST.).             | Barred Owl.  | N. E. Fla. Ill. |
| 303 (368a)      | SYRNIUM NEBULOSUM ALLENI RIDGW.         | Florida Barred Owl.  | Fla.            |
| ✓ 304 (370)     | SCOTIAPTEX CINEREA (GMEL.).             | Great Gray Owl. Cinereus Owl.                                      | N. E. Ill.      |
| ✓ 305 (371)     | NYCTALA TENGMALMI RICHARDSONI (BONAP.). | Richardson's Owl.  | N. E. Ill.      |
| ✓ 306 (372)     | NYCTALA ACADICA (GMEL.).                | Saw-whet Owl. Acadian Owl.   | N. E. Ill.      |
| ✓ 307 (373)     | MEGASCOPS ASIO (LINN.).                 | Screech Owl.   | N. E. Ill.      |
| 308 (373a)      | MEGASCOPS ASIO FLORIDANUS (RIDGW.).     | Florida Screech Owl.   | Fla.            |
| ✓ 309 (375)     | BUBO VIRGINIANUS (GMEL.).               | Great Horned Owl.  | N. E. Fla. Ill. |
| 310 (375a)      | BUBO VIRGINIANUS SUBARCTICUS (HOY).     | Western Horned Owl.  | Ill.            |
|                 |   | Western race; specimens have been taken in Illinois and Wisconsin. |                 |
| 311 (375c)      | BUBO VIRGINIANUS SATURATUS RIDGW.       | Dusky Horned Owl.  |                 |
|                 |   | Labrador and Hudson's Bay, westward.                               |                 |
| ✓ 312 (376)     | NYCTEA NYCTEA (LINN.).                  | Snowy Owl.   | N. E. Ill.      |
| ✓ 313 (377a)    | SURNIA ULULA CAPAROCH (MÜLL.).          | American Hawk Owl.   | N. E. Ill.      |
| 314 (378)       | SPEOTYTO CUNICULARIA HYPOGÆA (BONAP.).  | Burrowing Owl.   | N. E.           |
|                 |   | Western species, one record from Massachusetts.                    |                 |
| 315 (378a)      | SPEOTYTO CUNICULARIA FLORIDANA RIDGW.   | Florida Burrowing Owl.   | Fla.            |

## FAMILY PSITTACIDÆ.

A. O. U.  
NO.

- 316 (382) CONURUS CAROLINENSIS (LINN.).  
Carolina Paroquet. Fla.

## FAMILY CUCULIDÆ. Cuckoos, Anis, etc.

- 317 (383) CROTOPHAGA ANI LINN.  
Ani.  
West Indian species, recorded from Florida, Louisiana, and Pennsylvania.
- 318 (386) COCCYZUS MINOR (GMEL.).  
Mangrove Cuckoo. Fla.  
West Indian species, casual in Southern Florida.
- 319 (386a) COCCYZUS MINOR MAYNARDI RIDGW.  
Maynard's Cuckoo. Fla.  
Southern Florida.
- 320 (387) COCCYZUS AMERICANUS (LINN.).  
Yellow-billed Cuckoo. N. E. Fla. Ill.
- 321 (388) COCCYZUS ERYTHROPHthalmus (WILS.).  
Black-billed Cuckoo. N. E. Fla. Ill.

## FAMILY ALCEDINIDÆ. Kingfishers.

- 322 (390) CERYLE ALCYON (LINN.).  
Belted Kingfisher. N. E. Fla. Ill.

## FAMILY PICIDÆ. Woodpeckers.

- 323 (392) CAMPEPHILUS PRINCIPALIS (LINN.).  
Ivory-billed Woodpecker. Fla. Ill.
- 324 (393) DRYOBATES VILLOSUS (LINN.).  
Hairy Woodpecker. N. E. Ill.
- 325 (393b) DRYOBATES VILLOSUS AUDUBONII (SWAINS.).  
Southern Hairy Woodpecker. Fla.
- 326 (394) DRYOBATES PUBESCENS (LINN.). *medianus*  
Downy Woodpecker. N. E. Fla. Ill.
- 327 (395) DRYOBATES BOREALIS (VIEILL.).  
Red-cockaded Woodpecker. Fla.
- 328 (400) PICOIDES ARCTICUS (SWAINS.).  
Arctic Three-toed Woodpecker. N. E. Ill.

A. O. U.  
NO.

- 329 (401) PICOIDES AMERICANUS BREHM.  
American Three-toed Woodpecker. N. E.
- 330 (402) SPHYRAPICUS VARIUS (LINN.).  
Yellow-bellied Sapsucker.  
Yellow-bellied Woodpecker. N. E. Fla. Ill.
- 331 (405) CEOPHLEUS PILEATUS (LINN.). *alberticola*  
Pileated Woodpecker. N. E. Fla. Ill.
- 332 (406) MELANERPES ERYTHROCEPHALUS (LINN.).  
Red-headed Woodpecker. N. E. Fla. Ill.
- 333 (409) MELANERPES CAROLINUS (LINN.).  
Red-bellied Woodpecker. N. E. Fla. Ill.
- 334 (412) COLAPTES AURATUS (LINN.).  
Flicker.  
Golden-winged Woodpecker. N. E. Fla. Ill.

## FAMILY CAPRIMULGIDÆ. Goatsuckers.

- 335 (416) ANTROSTOMUS CAROLINENSIS (GMEL.).  
Chuck-will's-widow. N. E. Fla. Ill.
- 336 (417) ANTROSTOMUS VOCIFERUS (WILS.).  
Whip-poor-will. N. E. Fla. Ill.
- 337 (420) CHORDEILES VIRGINIANUS (GMEL.).  
Nighthawk. N. E. Fla. Ill.
- 338 (420a) CHORDEILES VIRGINIANUS HENRYI (CASS.).  
*merced*  
Western Nighthawk. Ill.  
Western species, recorded from Illinois.
- 339 (420c) CHORDEILES VIRGINIANUS CHAPMANI (SENNETT).  
Florida Nighthawk. Fla.

## FAMILY MICROPODIDÆ. Swifts.

- 340 (423) CHÆTURA PELAGICA (LINN.).  
Chimney Swift. N. E. Fla. Ill.

## FAMILY TROCHILIDÆ. Hummingbirds.

- 341 (428) TROCHILUS COLUBRIS LINN.  
Ruby-throated Hummingbird. N. E. Fla. Ill.

## FAMILY TYRANNIDÆ. Tyrant Flycatchers.

A. O. U.  
No.

- 342 (442) MILVULUS TYRANNUS (LINN.).  
Fork-tailed Flycatcher.  
South American species, occasionally taken in the United States;  
recorded from New Jersey and Mississippi.
- 343 (443) MILVULUS FORFICATUS (GMEL.).  
Scissor-tailed Flycatcher. N. E. Fla.  
Western species, accidental in eastern United States.
- 344 (444) TYRANNUS TYRANNUS (LINN.).  
Kingbird. N. E. Fla. Ill.
- 345 (445) TYRANNUS DOMINICENSIS (GMEL.).  
Gray Kingbird. N. E. Fla.  
Semi-tropical species, not uncommon in Florida; accidental in Georgia  
and South Carolina.
- 346 (447) TYRANNUS VERTICALIS SAY.  
Arkansas Kingbird. N. E.  
Western species, accidental east of the Mississippi; one record for  
New England.
- 347 (452) MYIARCHUS CRINITUS (LINN.).  
Crested Flycatcher. N. E. Fla. Ill.
- 348 (456) SAYORNIS PHŒBE (LATH.).  
Phœbe. N. E. Fla. Ill.
- 349 (457) SAYORNIS SAYA (BONAP.).  
Say's Phœbe. N. E. Ill.  
Western species, only once recorded from New England; casual in  
Illinois and Wisconsin.
- 350 (459) CONTOPUS BOREALIS (SWAINS.).  
Olive-sided Flycatcher. N. E. Ill.
- 351 (461) CONTOPUS VIRENS (LINN.).  
Wood Pewee. Flycatcher. N. E. Fla. Ill.
- 352 (463) EMPIDONAX FLAVIVENTRIS BAIRD.  
Yellow-bellied Flycatcher. N. E. Fla. Ill.
- 353 (465) EMPIDONAX VIRESCENS (VIEILL.).  
Acadian Flycatcher. N. E. Fla. Ill.
- 354 EMPIDONAX TRAILLII ALNORUM BREWSTER.  
Alder Flycatcher. N. E. Ill.
- 355 (467) EMPIDONAX MINIMUS BAIRD.  
Least Flycatcher. N. E. Fla. Ill.

## FAMILY ALANDIDÆ. Larks.

- A. O. U.  
NO.
- 356 (473) *ALAUDA ARVENSIS* LINN.  
European Skylark.  
Accidental in Greenland.
- 357 (474) *OTOCORIS ALPESTRIS* (LINN.).  
Horned Lark.  
Shore Lark. N. E. Ill.
- 358 (474b) *OTOCORIS ALPESTRIS PRATICOLA* HENSH.  
Prairie Horned Lark. N. E. Ill.

## FAMILY CORVIDÆ. Crows, Jays, and Magpies.

- 359 (475) *PICA PICA HUDSONICA* (SAB.).  
American Magpie.  
A western species; stragglers have been recorded from Illinois and Montreal, Canada.
- 360 (477) *CYANOCITTA CRISTATA* (LINN.).  
Blue Jay. N. E. Ill.
- 361 (477a) *CYANOCITTA CRISTATA FLORINCOLA* COUES.  
Florida Blue Jay. Fla.
- 362 (479) *APHELOCOMA FLORIDANA* (BARTR.).  
Florida Jay. Fla.
- 363 (484) *PERISOREUS CANADENSIS* (LINN.).  
Canada Jay. N. E.
- 364 (484c) *PERISOREUS CANADENSIS NIGRICAPILLUS* RIDGW.  
Labrador Jay.
- 365 (486a) *CORVUS CORAX PRINCIPALIS* RIDGW.  
Northern Raven. N. E. Ill.
- 366 (488) *CORVUS AMERICANUS* AUD.  
American Crow. N. E. Fla. Ill.
- 367 (488a) *CORVUS AMERICANUS FLORIDANUS* BAIRD.  
Florida Crow. Fla.
- 368 (490) *CORVUS OSSIFRAGUS* WILS.  
Fish Crow. N. E. Fla.

## FAMILY STURNIDÆ. Starlings.

- 369 (493) *STURNUS VULGARIS* LINN.  
Starling.  
An old world species, accidental in Greenland. Some years ago it was introduced in New York, and is now not uncommon in Central Park.



## FAMILY ICTERIDÆ. Blackbirds, Orioles, etc.

- A. O. U.  
NO.
- 370 (494) DOLICHONYX ORYZIVORUS (LINN.).  
Bobolink. N. E. Fla. Ill.
- 371 (495) MOLOTHRUS ATER (BODD.).  
Cowbird. N. E. Fla. Ill.
- 372 (497) XANTHOCEPHALUS XANTHOCEPHALUS (BONAP.).  
Yellow-headed Blackbird. N. E. Fla. Ill.
- 373 (498) AGELAIUS PHENICEUS (LINN.).  
Red-winged Blackbird. N. E. Fla. Ill.
- 374 (498b) AGELAIUS PHENICEUS BRYANTI RIDGW.  
Bahaman Red-winged Blackbird. Fla.
- 375 (501) STURNELLA MAGNA (LINN.).  
Meadowlark. N. E. Fla. Ill.
- 376 (501b) STURNELLA MAGNA NEGLECTA (AUD.).  
Western Meadowlark. Ill.
- 377 (502) ICTERUS ICTERUS (LINN.).  
Troupial.  
South American species, recorded by Audubon from South Carolina; no subsequent records for eastern North America.
- 378 (506) ICTERUS SPURIUS (LINN.).  
Orchard Oriole. N. E. Fla. Ill.
- 379 (507) ICTERUS GALBULA (LINN.).  
Baltimore Oriole. N. E. Fla. Ill.
- 380 (508) ICTERUS BULLOCKI (SWAINS.).  
Bullock's Oriole.  
Western species, only once recorded from our Eastern States; Bangor, Me., one record.
- 381 (509) SCOLECOPHAGUS CAROLINUS (MÜLL.).  
Rusty Blackbird. N. E. Ill.
- 382 (510) SCOLECOPHAGUS CYANOCEPHALUS (WAGL.).  
Brewer's Blackbird. Ill.  
A western species, which sometimes occurs in Illinois; stragglers have been killed in South Carolina and Louisiana.
- 383 (511) QUISCALUS QUISCULA (LINN.).  
Purple Grackle. N. E.
- 384 (511a) QUISCALUS QUISCULA AGLÆUS (BAIRD).  
Florida Grackle. Fla.

- A. O. U.  
NO.
- 385 (511*b*) *QUISCALUS QUISCULA ÆNEUS* (RIDGW.).  
Bronzed Grackle. N. E. Ill.
- 386 (513) *QUISCALUS MAJOR* (VIEILL.).  
Boat-tailed Grackle. Fla.

FAMILY FRINGILLIDÆ. Finches, Sparrows, etc.

- ✓ 387 (514) *COCCOTHAUSTES VESPERTINA* (COOP.).  
Evening Grosbeak. N. E. Ill.
- ✓ 388 (515) *PINICOLA ENUCLEATOR* (LINN.).  
Pine Grosbeak. N. E. Ill.
- ✓ 389 (517) *CARPODACUS PURPUREUS* (GMEL.).  
Purple Finch. N. E. Fla. Ill.
- ✓ 390 *PASSER DOMESTICUS* (LINN.).  
English Sparrow. N. E. Fla. Ill.  
European species, introduced in United States.
- 391 *PASSER MONTANUS*.  
European Tree Sparrow. N. E. ?  
European species, introduced in United States.
- ✓ 392 (521) *LOXIA CURVIROSTRA MINOR* (BREHM).  
American Crossbill. N. E. Ill.
- ✓ 393 (522) *LOXIA LEUCOPTERA* GMEL.  
White-winged Crossbill. N. E. Ill.
- 394 (527) *ACANTHIS HORNEMANNII* (HOLB.).  
Greenland Redpoll.
- ✓ 395 (527*a*) *ACANTHIS HORNEMANNII EXILIPES* (COUES).  
Hoary Redpoll. N. E. Ill.
- ✓ 396 (528) *ACANTHIS LINARIA* (LINN.).  
Redpoll. Redpoll Linnet. N. E. Ill.
- 397 (528*a*) *ACANTHIS LINARIA HOLBÆLLII* (BREHM).  
Holbæll's Redpoll. N. E.
- ✓ 398 (528*b*) *ACANTHIS LINARIA ROSTRATA* (COUES).  
Greater Redpoll. N. E. Ill.
- 399 *CARDUELIS CARDUELIS* LINN.  
European Goldfinch. N. E.  
Introduced in Massachusetts and New York.
- ✓ 400 (529) *SPINUS TRISTIS* (LINN.).  
American Goldfinch. Yellow Bird. N. E. Fla. Ill.

A. O. U.  
NO.

- 401 (532) **SPINUS NOTATUS** (DuBUS).  
Black-headed Goldfinch.  
Mexican species, recorded by Audubon from Kentucky.
- ✓ 402 (533) **SPINUS PINUS** (WILS.).  
Pine Siskin. Pine Finch. N. E. Fla. Ill.
- ✓ 403 (534) **PLECTROPHENAX NIVALIS** (LINN.).  
Snowflake.  
Snow Bunting. N. E. Fla. Ill.
- ✓ 404 (536) **CALCARIUS LAPPONICUS** (LINN.).  
Lapland Longspur. N. E. Ill.
- ✓ 405 (537) **CALCARIUS PICTUS** (SWAINS.).  
Smith's Longspur. Ill.
- 406 (538) **CALCARIUS ORNATUS** (TOWNS.).  
Chestnut-collared Longspur. N. E.  
Western species, accidental in Massachusetts and New York.
- ✓ 407 (539) **RHYNCHOPHANES MCCOWNII** (LAWR.).  
McCown's Longspur. Ill.  
Western species, casual in Illinois.
- ✓ 408 (540) **POOCÆTES GRAMINEUS** (GMEL.).  
Vesper Sparrow.  
Bay-winged Bunting. N. E. Fla. Ill.
- 409 (541) **AMMODRAMUS PRINCEPS** (MAYN.).  
Ipswich Sparrow. N. E.
- ✓ 410 (542a) **AMMODRAMUS SANDWICHENSIS SAVANNA** (WILS.).  
Savanna Sparrow. N. E. Fla. Ill.
- ✓ 411 (546) **AMMODRAMUS SAVANNARUM PASSERINUS** (WILS.).  
Grasshopper Sparrow.  
Yellow-winged Sparrow. N. E. Fla. Ill.
- ✓ 412 (547) **AMMODRAMUS HENSLOWII** (AUD.).  
Henslow's Sparrow. N. E. Fla. Ill.
- ✓ 413 (548) **AMMODRAMUS LECONTEII** (AUD.).  
Leconte's Sparrow. Fla. Ill.
- 414 (549) **AMMODRAMUS CAUDACUTUS** (GMEL.).  
Sharp-tailed Sparrow. Sharp-tailed Finch. N. E. Fla.
- ✓ 415 (549a) **AMMODRAMUS CAUDACUTUS NELSONI** ALLEN.  
Nelson's Sparrow. N. E. Ill.
- 416 (549b) **AMMODRAMUS CAUDACUTUS SUBVIRGATUS**  
Acadian Sharp-tailed Sparrow. DWIGHT.  
N. E.

- A. O. U.  
No.
- 417 (550) AMMODRAMUS MARITIMUS (WILS.).  
Seaside Sparrow.  
Seaside Finch. N. E. Fla.
- 418 (550a) AMMODRAMUS MARITIMUS PENINSULÆ ALLEN.  
Scott's Seaside Sparrow. Fla.
- 419 (551) AMMODRAMUS NIGRESCENS RIDGW.  
Dusky Seaside Sparrow. Fla.
- ✓ 420 (552) CHONDESTES GRAMMACUS (SAY).  
Lark Sparrow. Lark Finch. N. E. Fla. Ill.
- ✓ 421 (553) ZONOTRICHIA QUERULA (NUTT.).  
Harris's Sparrow. Ill. (rare).
- ✓ 422 (554) ZONOTRICHIA LEUCOPHRYS (FORST.).  
White-crowned Sparrow. N. E. Ill.
- ✓ 423 (558) ZONOTRICHIA ALBICOLLIS (GMEL.).  
White-throated Sparrow. N. E. Fla. Ill.
- ✓ 424 (559) SPIZELLA MONTICOLA (GMEL.).  
Tree Sparrow. N. E. Ill.
- ✓ 425 (560) SPIZELLA SOCIALIS (WILS.).  
Chipping Sparrow. N. E. Fla. Ill.
- ✓ 426 (561) SPIZELLA PALLIDA (SWAINS.).  
Clay-colored Sparrow. Ill.
- ✓ 427 (562) SPIZELLA BREWERI CASS.  
Brewer's Sparrow. N. E.  
Western species, once taken in Massachusetts.
- ✓ 428 (563) SPIZELLA PUSILLA (WILS.).  
Field Sparrow. N. E. Fla. Ill.
- 429 (563a) SPIZELLA PUSILLA ARENACEA CHADB.  
Western Field Sparrow.  
Accidental in southern Louisiana.
- ✓ 430 (567) JUNCO HYEMALIS (LINN.).  
Slate-colored Junco. Snowbird. N. E. Fla. Ill.
- 431 (567a) JUNCO HYEMALIS OREGONUS (TOWNS.).  
Oregon Junco.  
Western species, recorded from Illinois; one record.
- 432 JUNCO HYEMALIS SHUFELDTI COALE.  
Shufeldt's Junco. N. E. Ill.  
Western species, accidental in Massachusetts, Illinois, and Maryland.

leave the juncos to be arranged later

A. O. U.  
No.

- 433 (567.1) *JUNCO HYEMALIS CAROLINENSIS* BREWST.  
Carolina Junco.  
Alleghany Mountains, from Virginia to the Carolinas.
- 434 (575) *PEUCÆA ÆSTIVALIS* (LICH.).  
Pine-woods Sparrow. Fla.
- 435 (575a) *PEUCÆA ÆSTIVALIS BACHMANII* (AUD.).  
Bachman's Sparrow. Fla. Ill.
- 436 (581) *MELOSPIZA FASCIATA* (GMEI.).  
Song Sparrow. N. E. Fla. Ill.
- 437 (583) *MELOSPIZA LINCOLNI* (AUD.).  
Lincoln's Sparrow. N. E. Ill.
- 438 (584) *MELOSPIZA GEORGIANA* (LATH.).  
Swamp Sparrow. N. E. Fla. Ill.
- 439 (585) *PASSERELLA ILIACA* (MERR.).  
Fox Sparrow. N. E. Fla. Ill.
- 440 (587) *PIPILO ERYTHROPHthalmus* (LINN.).  
Towhee. N. E. Fla. Ill.
- 441 (587a) *PIPILO ERYTHROPHthalmus ALLENI* COUES.  
White-eyed Towhee. Fla.
- 442 (593) *CARDINALIS CARDINALIS* (LINN.).  
Cardinal. Cardinal Grosbeak. N. E. Fla. Ill.
- 443 (595) *HABIA LUDOVICIANA* (LINN.).  
Rose-breasted Grosbeak. N. E. Fla. Ill.
- 444 (596) *HABIA MELANOCEPHALA* (SWAINS.).  
Blackheaded Grosbeak.  
A western species, which has been taken in Michigan.
- 445 (597) *GUIRACA CÆRULEA* (LINN.).  
Blue Grosbeak. N. E. Fla. Ill.
- 446 (598) *PASSERINA CYANEA* (LINN.).  
Indigo Bunting. N. E. Fla. Ill.
- 447 (600) *PASSERINA VERSICOLOR* (BONAP.).  
Varied Bunting.  
Western species, which has been taken in Michigan.
- 448 (601) *PASSERINA CIRIS* (LINN.).  
Painted Bunting. Fla. Ill.
- 449 (603) *EUETHEIA BICOLOR* (LINN.).  
Grassquit. Black-faced Finch.  
West Indian species, recorded from Florida Keys.

- A. O. U.  
NO.
- 450 (603.1) EUETHEIA CANORA (GMEL.).  
Melodious Grassquit.  
Cuban Finch.  
Cuban species, recorded from Florida Keys.
- ✓ 451 (604) SPIZA AMERICANA (GMEL.).  
Dickcissel.  
Black-throated Bunting. N. E. Ill.
- 452 (605) CALAMOSPIZA MELANOCORYS STEJN.  
Lark Bunting.  
Western species, recorded from Massachusetts and Long Island.

#### FAMILY TANAGRIDÆ. Tanagers.

- 453 (607) PIRANGA LUDOVICIANA (WILS.).  
Louisiana Tanager. N. E.  
Western species, recorded from Massachusetts and New York.
- ✓ 454 (608) PIRANGA ERYTHROMELAS VIEILL.  
Scarlet Tanager. N. E. Fla. Ill.
- ✓ 455 (610) PIRANGA RUBRA (LINN.).  
Summer Tanager. N. E. Fla. Ill.

#### FAMILY HIRUNDINIDÆ. Swallows.

- ✓ 456 (611) PROGNE SUBIS (LINN.).  
Purple Martin. N. E. Fla. Ill.
- 457 (611.1) PROGNE CRYPTOLEUCA BAIRD.  
Cuban Martin. Fla.
- ✓ 458 (612) PETROCHELIDON LUNIFRONS (SAY).  
Cliff Swallow. N. E. Ill.
- 459  
PETROCHELIDON FULVA (VIEILL.).  
Cuban Cliff Swallow.  
West Indian species, accidental at Dry Tortugas, Fla.
- 460  
CALLICHELIDON CYANEOVIRIDIS (BRYANT).  
Bahaman Swallow.  
Bahaman species, accidental at Dry Tortugas, Fla.
- ✓ 461 (613) CHELIDON ERYTHROGASTER (BODD.).  
Barn Swallow. N. E. Ill.
- ✓ 462 (614) TACHYCINETA BICOLOR (VIEILL.).  
Tree Swallow.  
White-bellied Swallow. N. E. Fla. Ill.

✓ 463 (616) CLIVICOLA RIPARIA (LINN.).  
 Bank Swallow. N. E. Fla. Ill.

✓ 464 (617) STELGIDOPTERYX SERRIPENNIS (AUD.).  
 Rough-winged Swallow. N. E. Fla. Ill.

FAMILY AMPELIDÆ. Waxwings.

✓ 465 (618) AMPELIS GARRULUS LINN.  
 Bohemian Waxwing. N. E. Ill.

✓ 466 (619) AMPELIS CEDRORUM (VIEILL.).  
 Cedar Waxwing. N. E. Fla. Ill.

FAMILY LANIIDÆ. Shrikes.

✓ 467 (621) LANIUS BOREALIS VIEILL.  
 Northern Shrike.  
 Butcher Bird.

468 (622) LANIUS LUDOVICIANUS LINN.  
 Loggerhead Shrike.

N. E. Ill.  
*May be migrans,  
 leave to  
 future*

FAMILY VIREONIDÆ. Vireos.

469 (623) VIREO CALIDRIS BARBATULUS (CAB.).  
 Black-whiskered Vireo. Fla.

✓ 470 (624) VIREO OLIVACEUS (LINN.).  
 Red-eyed Vireo. N. E. Fla. Ill.

471 (625) VIREO FLAVOVIRIDIS (CASS.).  
 Yellow-green Vireo.  
 Mexican species, once recorded from Province of Quebec.

✓ 472 (626) VIREO PHILADELPHICUS (CASS.).  
 Philadelphia Vireo. N. E. Fla. Ill.

✓ 473 (627) VIREO GILVUS (VIEILL.).  
 Warbling Vireo. N. E. Fla. Ill.

✓ 474 (628) VIREO FLAVIFRONS VIEILL.  
 Yellow-throated Vireo. N. E. Fla.

✓ 475 (629) VIREO SOLITARIUS (WILS.).  
 Blue-headed Vireo. N. E. Fla.

476 (629b) VIREO SOLITARIUS PLUMBEUS (COUES).  
 Plumbeous Vireo.  
 Western species, one record in New York State.

A. O. U.  
No.

- 477 (629c) VIREO SOLITARIUS ALTICOLA BREWST.  
Mountain Solitary Vireo. Fla.
- ✓ 478 (631) VIREO NOVEBORACENSIS (GMEL.).  
White-eyed Vireo. N. E. Fla. Ill.
- 479 (631a) VIREO NOVEBORACENSIS MAYNARDI BREWST.  
Key West Vireo. Southern Fla.
- ✓ 480 (633) VIREO BELLII (AUD.).  
Bell's Vireo. Ill.

## FAMILY CÆREBIDÆ. Honey Creepers.


- 481 (635) CÆREBA BAHAMENSIS (REICH.).  
Bahama Honey Creeper.  
Bahaman species; stragglers have been taken on the Florida Keys.

## FAMILY MNIOTILTIDÆ. Wood Warblers.

- ✓ 482 (636) MNIOTILTA VARIA (LINN.).  
Black and White Warbler. N. E. Fla. Ill.
- ✓ 483 (637) PROTONOTARIA CITREA (BODD.).  
Prothonotary Warbler. N. E. Fla. Ill.
- ✓ 484 (638) HELINAIA SWAINSONII AUD.  
Swainson's Warbler. Fla. Ill.
- ✓ 485 (639) HELMITHERUS VERMIVORUS (GMEL.).  
Worm-eating Warbler. N. E. Fla. Ill.
- ✓ 486 (640) HELMINTHOPHILA BACHMANI (AUD.).  
Bachman's Warbler. Fla.
- ✓ 487 (641) HELMINTHOPHILA PINUS (LINN.).  
Blue-winged Warbler. N. E. Fla. Ill.
- ✓ 488 (642) HELMINTHOPHILA CHRYSOPTERA (LINN.).  
Golden-winged Warbler. N. E. Fla. Ill.
- 489 HELMINTHOPHILA LAWRENCEI (HERRICK).  
Lawrence's Warbler. N. E.  
Probably a hybrid between *H. pinus* and *H. chrysoptera*.
- 490 HELMINTHOPHILA LEUCOBONCHIALIS (BREWSST.).  
Brewster's Warbler. N. E.  
Probably a hybrid between *H. pinus* and *H. chrysoptera*.
- ✓ 491 (645) HELMINTHOPHILA RUFICAPILLA (WILS.).  
Nashville Warbler. N. E. Fla. Ill.



- |   | A. O. U.<br>NO. |                                    |  |                                    |
|---|-----------------|------------------------------------|--|------------------------------------|
| ✓ | 492 (646)       | HELMINTHOPHILA CELATA (SAY).       | Orange-crowned Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 493 (647)       | HELMINTHOPHILA PEREGRINA (WILS.).  | Tennessee Warbler.   | N. E. Fla. Ill.                    |
| ✓ | 494 (648)       | COMPSOTHTYPIS AMERICANA (LINN.).   | Parula Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 495 (650)       | DENDROICA TIGRINA (GMEL.).         | Cape May Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 496 (652)       | DENDROICA ÆSTIVA (GMEL.).          | Yellow Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 497 (654)       | DENDROICA CÆRULESCENS (GMEL.).     | Black-throated Blue Warbler.   | N. E. Fla. Ill.                    |
| ✓ | 498 (655)       | DENDROICA CORONATA (LINN.).        | Yellow-rumped Warbler.<br>Myrtle Warbler.  | N. E. Fla. Ill.<br>N. E. Fla. Ill. |
|   | 499 (656)       | DENDROICA AUDUBONI (TOWNS.).       | Audubon's Warbler.   | N. E.                              |
|   |                 |                                    | A western species; stragglers have been taken in Massachusetts and Pennsylvania. |                                    |
| ✓ | 500 (657)       | DENDROICA MACULOSA (GMEL.).        | Magnolia Warbler.<br>Black and Yellow Warbler.                                   | N. E. Fla. Ill.                    |
| ✓ | 501 (658)       | DENDROICA CÆRULEA (WILS.).         | Cerulean Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 502 (659)       | DENDROICA PENNSYLVANICA (LINN.).   | Chestnut-sided Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 503 (660)       | DENDROICA CASTANEA (WILS.).        | Bay-breasted Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 504 (661)       | DENDROICA STRIATA (FORST.).        | Black-poll Warbler.  | N. E. Fla. Ill.                    |
| ✓ | 505 (662)       | DENDROICA BLACKBURNIÆ (GMEL.).     | Blackburnian Warbler.  | N. E. Fla. Ill.                    |
|   | 506 (663)       | DENDROICA DOMINICA (LINN.).        | Yellow-throated Warbler.   | N. E. Fla.                         |
| ✓ | 507 (663a)      | DENDROICA DOMINICA ALBILORA BAIRD. | Sycamore Warbler.  | Ill.                               |
| ✓ | 508 (667)       | DENDROICA VIRENS (GMEL.).          | Black-throated Green Warbler.  | N. E. Fla. Ill.                    |

- 
A. O. U.  
NO.
- 509 (668) *DENDROICA TOWNSENDI* (NUTT.).  
 Townsend's Warbler.  
 A western species; one record from Pennsylvania.
- ✓ 510 (670) *DENDROICA KIRTLANDI* BAIRD.  
 Kirtland's Warbler. Fla. Ill.
- ✓ 511 (671) *DENDROICA VIGORSII* (AUD.).  
 Pine Warbler. N. E. Fla. Ill.
- ✓ 512 (672) *DENDROICA PALMARUM* (GMEL.).  
 Palm Warbler.  
 Red Poll Warbler. N. E. Fla. Ill.
- 513 (672a) *DENDROICA PALMARUM HYPOCHRYSEA* RIDGW.  
 Yellow Palm Warbler. N. E. Fla.
- ✓ 514 (673) *DENDROICA DISCOLOR* (VIEILL.).  
 Prairie Warbler. N. E. Fla. Ill.
- ✓ 515 (674) *SEIURUS AUROCAPILLUS* (LINN.).  
 Oven-bird. N. E. Fla. Ill.
- ✓ 516 (675) *SEIURUS NOVEBORACENSIS* (GMEL.).  
 Water-Thrush. N. E. Fla. Ill.
- ✓ 517 (675a) *SEIURUS NOVEBORACENSIS NOTABILIS* (GRINN.).  
 Grinnell's Water-Thrush. Ill.  
 Illinois, westward; occasionally east to Virginia and New Jersey
- ✓ 518 (676) *SEIURUS MOTACILLA* (VIEILL.).  
 Louisiana Water-Thrush. N. E. Fla. Ill.
- ✓ 519 (677) *GEOTHLYPIS FORMOSA* (WILS.).  
 Kentucky Warbler. N. E. Fla. Ill.
- ✓ 520 (678) *GEOTHLYPIS AGILIS* (WILS.).  
 Connecticut Warbler. N. E. Fla. Ill.
- ✓ 521 (679) *GEOTHLYPIS PHILADELPHIA* (WILS.).  
 Mourning Warbler. N. E. Ill.
- ✓ 522 (681) *GEOTHLYPIS TRICHAS* (LINN.).  
 Maryland Yellow-throat. N. E. Fla. Ill.
- 523 *GEOTHLYPIS TRICHAS IGNOTA* CHAPMAN.  
 Florida Yellow-throat. Fla.
- ✓ 524 (683) *ICTERIA VIRENS* (LINN.).  
 Yellow-breasted Chat. N. E. Ill.
- ✓ 525 (684) *SYLVANIA MITRATA* (GMEL.).  
 Hooded Warbler. N. E. Fla. Ill.

- ✓ <sup>A. O. P.  
NO.</sup>  
526 (685) SYLVANIA PUSILLA (WILS.).  
Wilson's Warbler. N. E. Ill.
- ✓ 527 (686) SYLVANIA CANADENSIS (LINN.).  
Canadian Warbler. N. E. Ill.
- ✓ 528 (687) SETOPHAGA RUTICILLA (LINN.).  
American Redstart. N. E. Fla. Ill.

FAMILY MOTACILLIDÆ. Wagtails.

- 529 (694) MOTACILLA ALBA LINN.  
White Wagtail.  
European species, accidental in Greenland.
- ✓ 530 (697) ANTHUS PENSILVANICUS (LATH.).  
Titlark. American Pipit. N. E. Fla. Ill.
- 531 (698) ANTHUS PRATENSIS (LINN.).  
Meadow Pipit.  
European species, accidental in Greenland.
- 532 (700) ANTHUS SPRAGUEII (AUD.).  
Sprague's Pipit.  
Western species, Charleston, S. C., one record.

FAMILY TROGLODYTIDÆ. Wrens, Thrashers, etc.

- ✓ 533 (703) MIMUS POLYGLOTTOS (LINN.).  
Mockingbird. N. E. Fla. Ill.
- ✓ 534 (704) GALEOSOPTES CAROLINENSIS (LINN.).  
Catbird. N. E. Fla. Ill.
- ✓ 535 (705) HARPORHYNCHUS RUFUS (LINN.).  
Brown Thrasher.  
Brown Thrush. N. E. Fla. Ill.
- ✓ 536 (718) THRYOTHORUS LUDOVICIANUS (LATH.).  
Carolina Wren. N. E. Fla. Ill.
- ✓ 537 (718a) THRYOTHORUS LUDOVICIANUS MIAMENSIS  
Ridgw.  
Florida Wren. Fla.
- ✓ 538 (719) THRYOTHORUS BEWICKII (AUD.).  
Bewick's Wren. Fla. Ill.

A. O. U.  
NO.

- ✓ 539 (721) *TROGLODYTES AËDON* VIEILL.  
House Wren. N. E. Fla. Ill.
- ✓ 540 (721*b*) *TROGLODYTES AËDON AZTECUS* (BAIRD).  
Western House Wren. Ill.
- ✓ 541 (722) *TROGLODYTES HIEMALIS* VIEILL.  
Winter Wren. N. E. Fla.
- ✓ 542 (724) *CISTOTHORUS STELLARIS* (LICHT.).  
Short-billed Marsh Wren. N. E. Fla. Ill.
- ✓ 543 (725) *CISTOTHORUS PALUSTRIS* (WILS.).  
Long-billed Marsh Wren. N. E. Fla. Ill.
- 544 *CISTOTHORUS PALUSTRIS* GRISEUS BREWST.  
Worthington's Marsh Wren.
- 545 (725.1) *CISTOTHORUS MARIANÆ* SCOTT.  
Marian's Marsh Wren. Fla.

## FAMILY CERTHIIDÆ. Creepers.

- ✓ 546 (726) *CERTHIA FAMILIARIS AMERICANA* (BONAP.).  
Brown Creeper. N. E. Fla. Ill.

## FAMILY PARIDÆ. Nuthatches and Tits.

- ✓ 547 (727) *SITTA CAROLINENSIS* LATH.  
White-breasted Nuthatch. N. E. Ill.
- 548 (727*a*) *SITTA CAROLINENSIS ATKINSI* (SCOTT).  
Florida White-breasted Nuthatch. Fla.
- ✓ 549 (728) *SITTA CANADENSIS* LINN.  
Red-breasted Nuthatch. N. E. Ill.
- 550 (729) *SITTA PUSILLA* LATH.  
Brown-headed Nuthatch. Fla.
- ✓ 551 (731) *PARUS BICOLOR* (LINN.).  
Tufted Titmouse. N. E. Fla. Ill.
- ✓ 552 (735) *PARUS ATRICAPILLUS* (LINN.).  
Chickadee. N. E. Ill.
- ✓ 553 (736) *PARUS CAROLINENSIS* ORD.  
Carolina Chickadee. Fla. Ill.
- ✓ 554 (740) *PARUS HUDSONICUS* FORST.  
Hudsonian Chickadee. N. E. Ill.

FAMILY SYLVIIDÆ. Warblers, Kinglets, Gnat-catchers.

- 555 (748) <sup>A. O. U.  
NO.</sup> REGULUS SATRAPA LICHT.  
Golden-crowned Kinglet. N. E. Fla. Ill.
- 556 (749) REGULUS CALENDULA (LINN.).  
Ruby-crowned Kinglet. N. E. Fla. Ill.
- 557 (751) POLIOPTILA CÆRULEA (LINN.).  
Blue-gray Gnatcatcher. N. E. Fla. Ill.

FAMILY TURDIDÆ. Thrushes, Solitaires, Stone-chats, Bluebirds, etc.

- 558 (754) MYADESTES TOWNSENDII (AUD.).  
Townsend's Solitaire.  
Western species, accidental in Illinois; one record.
- 559 (755) TURDUS MUSTELINUS GMEL.  
Wood Thrush. N. E. Fla.
- 560 (756) TURDUS FUSCESCENS STEPH.  
Wilson's Thrush. N. E. Fla.
- 561 (756a) TURDUS FUSCESCENS SALICICOLUS (RIDGW.).  
Willow Thrush. Ill.
- 562 (757) TURDUS ALICIÆ BAIRD.  
Gray-cheeked Thrush. N. E. Fla. Ill.
- 563 (757a) TURDUS ALICIÆ BICKNELLI (RIDGW.).  
Bicknell's Thrush. N. E. Ill.
- 564 (758a) TURDUS USTULATUS SWAINSONII (CAB.).  
Olive-backed Thrush. N. E. Fla. Ill.
- 565 (759b) TURDUS AONALASCHKÆ PALLASII (CAB.).  
Hermit Thrush. N. E. Fla. Ill.
- 566 (760) TURDUS ILIACUS LINN.  
Red-winged Thrush.  
European species, accidental in Greenland.
- 567 (761) MERULA MIGRATORIA (LINN.).  
American Robin. N. E. Fla. Ill.

A. O. U.  
NO.

- 568 (763) **HESPEROCICHLA NÆVIA** (GMEL.).  
Varied Thrush. N. E.  
Western species; stragglers have been taken in Massachusetts,  
Long Island, and New Jersey.
- 569 (765) **SAXICOLA CENANTHE** (LINN.).  
Wheatear. N. E.  
Old-world species, which occur in Greenland and Labrador; stragglers  
have been taken in Nova Scotia, Maine, and Long  
Island.
- ✓ 570 (766) **SIALIA SIALIS** (LINN.).  
Bluebird. N. E. Fla. Ill.

✓ *Sialia arctica* H  
do not study on Lohr  
until I see arrangement



