



Gypsy Moth Management in the United States: a cooperative approach

DRAFT

ENVIRONMENTAL
IMPACT
STATEMENT

Summary

April 1995



United States
Department
of Agriculture



Forest Service



Animal and Plant
Health Inspection
Service

United States
Department of
Agriculture



National Agricultural Library



St

supp
the li

llar in areas where
liation

eradication—eliminating isolated infestations of the gypsy moth, to prevent establishment in new areas

slow the spread—keeping low level populations of the gypsy moth from rapidly increasing, to slow the spread of the insect from areas where it is already established

Alternatives

Alternative 1—No suppression, no eradication, no slow the spread

Alternative 2—Suppression

Alternative 3—Eradication

Alternative 4—Suppression and eradication

Alternative 5—Eradication and slow the spread

Alternative 6—Suppression, eradication, and the slow the spread



U.S.A., National Agricultural Library
10001 Baltimore Blvd
Beltsville, MD 20705-2351



Summary

Draft Environmental Impact Statement

Contents

What is Being Proposed and Why	1
Parts of the Environment That May Be Affected	3
Strategies	4
Suppression	5
Eradication	5
Slow the Spread	6
Alternatives Considered	6
What Are People's Concerns?	6
What Would Be the Consequences of Implementing the Alternatives? ..	8
Alternative 1. No Suppression, No Eradication, No Slow the Spread	9
Alternative 2. Suppression	9
Alternative 3. Eradication	10
Alternative 4. Suppression and Eradication	10
Alternative 5. Eradication and Slow the Spread	10
Alternative 6. Suppression, Eradication, and Slow the Spread	11
Effects of the Gypsy Moth and Gypsy Moth Treatments	12
How People May Be Affected by the Gypsy Moth	12
How the Environment May Be Affected by the Gypsy Moth	14
Effects Associated With Insecticide Treatments	17
<i>Bacillus thuringiensis</i> var. <i>kurstaki</i>	17
Diflubenzuron	19
Nucleopolyhedrosis Virus (Gypchek)	21
Effects Associated With Noninsecticidal Treatments	22
Mass Trapping	22
Mating Disruption	23
Sterile Insect Release	23
Mitigating Adverse Effects	24
Commenting on the Draft Environmental Impact Statement	25
Federal Depository Libraries	26

This is a summary of the draft environmental impact statement. Your comments, in writing, are invited. If you wish to comment, you are encouraged to first read the full draft environmental impact statement, which provides comprehensive information. The draft environmental impact statement is available at many libraries across the United States. These libraries are listed at the end of this summary. The draft environmental impact statement is also available, while supplies last, from the USDA Forest Service, Northeastern Area State and Private Forestry by calling (610) 975-4150. Comments on the draft environmental impact statement may be addressed to John W. Hazel, EIS Team Leader, USDA Forest Service, P.O. Box 6775, Radnor, PA 19087-8775, and must be received by June 26, 1995.

What is Being Proposed and Why

The Forest Service and Animal and Plant Health Inspection Service (APHIS) propose to adopt a new comprehensive long-term national program to protect the forests and trees of the United States from the adverse effects of the gypsy moth. Gypsy moth management activities are conducted by these agencies of the U.S. Department of Agriculture (USDA) under the authority of Federal laws.

The gypsy moth disrupts people's lives, alters ecosystems, and destroys the beauty of woodlands by feeding on the foliage of trees, shrubs, and other plants. During **outbreaks**, when gypsy moth populations increase rapidly, caterpillars pose a hazard to human health and interfere with the enjoyment of hiking, camping, and other outdoor activities. **Defoliation** caused by the caterpillars feeding reduces the vigor and general health of forests and shade trees, leads to tree death, alters wildlife habitat, changes the quality and quantity of water, lowers property values, and reduces the economic value of timber.



Even backyard trees are subject to gypsy moth feeding.


Since its accidental introduction in eastern Massachusetts in the late 1860's, the **European strain** of the gypsy moth has been spreading. By 1994 it was established as a permanent resident in all or parts of 16 States (Connecticut, Delaware, Maine, Maryland, Massachusetts, Michigan, New Hampshire, New Jersey, New York, North Carolina, Ohio, Pennsylvania, Rhode Island, Vermont, Virginia, and West Virginia) and the District of Columbia. People also spread the gypsy moth to areas of the country where it is not established by unknowingly carrying eggs, pupae, and caterpillars on recreational vehicles, campers, automobiles, nursery stock, logs, lumber, and outdoor household articles. This accidental spread can result in **isolated infestations**.

In 1991 the **Asian strain** of the gypsy moth was discovered for the first time in the United States in Oregon and Washington. It was traced to ships from eastern Russian ports. Eradication in these States has been achieved. In 1993 the Asian strain was introduced to North Carolina from a ship returning military cargo from Germany. This introduction was also eradicated and is being monitored to determine whether follow-up treatments will be required. The Asian strain is of particular concern because it may spread faster than the European strain. Although both gypsy moth strains are the

Gypsy Moth Life Cycle

Caterpillar


8 weeks during spring and early summer



Hatching of caterpillars coincides with bud break of most hardwood trees, as well as outdoor activities. Insecticides usually are applied when foliage and caterpillars are at an early stage of development.

Pupa


2 weeks during spring-summer



The female pupa is larger than the male.


Adult

Several days during summer



male

The male adult is brown or gray and has feather-like antennae to detect the pheromone emitted by the female, which is white with small black markings.




female

The female lays an egg mass on almost any object. For this reason and because the egg is the longest life style, it is most often moved accidentally by people.

Egg Mass

9 months, summer-spring



same species (*Lymantria dispar*), they have different behavioral characteristics. For example, some females of the Asian strain are known to fly up to 18 miles before depositing an egg mass, while females of the European strain do not fly. The Asian strain also feeds on a wider variety of trees and shrubs and may cause more damage than the European strain.

Six alternative programs to protect the forests and trees of the United States from the effects of the gypsy moth are being proposed. These programs range from taking no action to using one or more strategies to reduce damage caused by outbreaks where the gypsy moth is established (**suppression**), eliminate isolated infestations that are detected in other areas of the country (**eradication**), and slow the insect's rate of spread from the area where it is established (**slow the spread**).



Gypsy moth caterpillars feed on hundreds of tree species.

No suppression, eradication, or slow-the-spread projects will be conducted as a direct result of the decision on the draft environmental impact statement. Each decision to conduct a treatment project would be made only after a site-specific environmental analysis of the treatment proposal has been conducted. Project proposals will also be analyzed for compliance with applicable Federal laws such as the Endangered Species Act; Wilderness Act; Wild, Scenic; and Recreational Rivers Act; and National Historic Preservation Act; and with presidential executive orders concerning natural resource issues; such as environmental justice and floodplain and wetland protection.

Certain gypsy moth management activities are outside the scope of this draft environmental impact statement and, consequently, are not examined. These activities include regulatory actions (such as treatment of quarantined items infested with gypsy moths), the boarding and inspection of ships entering seaports, and research and methods development activities carried out by the Forest Service and APHIS, as well as actions against the gypsy moth by other agencies or individuals.


Parts of the Environment That May Be Affected

Within the United States all areas where the gypsy moth is established and could become established constitute the affected environment. Establishment of the gypsy moth in an area depends on the presence of shrubs and trees with leaves that the insect prefers to eat.

Hardwood trees, particularly oaks, are preferred by the gypsy moth. At risk from defoliation and damage are at least 311 million acres of publicly and privately owned forests dominated by hardwoods. The Asian strain also feeds on conifers such as larch and Douglas-fir. Also at risk are countless urban and rural forested areas throughout the country where plants susceptible to both gypsy moth strains grow naturally or have been planted,

Summary

Susceptible Forest Type Groups



such as forested areas in cities, towns, and communities; greenways; parks; wildlife reserves; areas along streams and rivers; and small woodlots.

Strategies

The area of the United States where the European strain of the gypsy moth is established is called the **generally infested area**. Next to this area is a band 50 to 100 miles wide, called the **transition area**, where the gypsy moth is spreading from the generally infested area. The area where the gypsy moth is not established, is called the **uninfested area**. Isolated infestations, the result of accidental spread of the gypsy moth by people, are found in this area. Different management strategies apply in these areas: suppression in the generally infested area, slow the spread in the transition area, and eradication of isolated infestations of the European strain in the uninfested area. In addition, the Asian strain may be eradicated wherever feasible, including the generally infested area if the time, location, and extent of the introduction can be determined.



Large numbers of caterpillars suddenly appear during gypsy moth outbreaks.

Suppression

The objective of suppression is to reduce high populations of gypsy moth caterpillars, thus minimizing heavy defoliation. Suppression does not eliminate the gypsy moth from the generally infested area, but reduces damage to ecosystems and effects on people in treated areas. Treatments available for use in suppression are application of the insecticides *Bacillus thuringiensis* var. *kurstaki*, diflubenzuron, and the gypsy moth nucleopolyhedrosis virus (Gypchek).

Participation of State or other Federal agencies in cooperative suppression projects is voluntary. Private landowners may participate by coordinating with State and local agencies.

Within the generally infested area, the U.S. Department of Agriculture would provide assistance to cooperating Federal and State agencies for suppression projects wherever gypsy moth outbreaks are likely to cause defoliation. Projects may be conducted in residential areas, recreation areas, uninhabited forests, and special-use areas such as scenic byways and watersheds.

Eradication

The objective of eradication is to eliminate isolated infestations of the gypsy moth that are detected in the uninfested area of the United States to prevent the insect from becoming established. Infestations of the European strain would be eliminated wherever they are detected in the uninfested area. In addition, infestations of the Asian strain would be eliminated wherever they are found, including the generally infested area if the time, location, and extent of the introduction can be determined. The objective of treating infestations of the Asian strain in the generally infested area is to eliminate all of the gypsy moths that exhibit traits characteristic of the Asian gypsy moth.

Treatments available for eradication are application of the insecticides *Bacillus thuringiensis* var. *kurstaki*, diflubenzuron, and Gypchek; as well

as the use of the noninsecticidal treatments of mass trapping, mating disruption, and sterile insect release. The smaller the treatment area the more likely that noninsecticidal treatments can be used.

The most common cause of isolated infestations is movement of outdoor household articles from the generally infested area to the uninfested area. Therefore, the most likely locations for future



People unknowingly give caterpillars a free ride.

isolated infestations are wooded residential areas with high incidences of relocation by people. Sawmills, nurseries, mobile home parks, and tourist attractions such as campgrounds and State and National Parks are other likely locations for isolated infestations.

The U.S. Department of Agriculture does not require private landowners to participate in eradication projects. Participation is governed by State law and by the policies and regulations of the cooperating State agency. In some States, participation in eradication projects may be mandatory. If it determines that State actions are inadequate, the U.S. Department of Agriculture can declare an emergency and conduct an eradication project.

Summary

Slow the Spread

The objective of slow the spread is to slow the rate of spread of the European strain of the gypsy moth in front of the generally infested area and delay the impacts and costs associated with gypsy moth outbreaks. This strategy, which is being tested in a pilot project, entails intensively surveying the transition area and aggressively treating pockets of low-level gypsy moth populations to keep them from increasing rapidly.



Slow the spread involves intensive surveys to find the gypsy moth.

Treatments available for use in slow the spread are application of the insecticides *Bacillus thuringiensis* var. *kurstaki*, diflubenzuron, and Gypchek; as well as the use of the noninsecticidal treatments of mass trapping, mating disruption, and sterile insect release.

Alternatives Considered

The strategies of suppression, eradication, and slow the spread—or their absence—are the building blocks for six **alternatives** analyzed in the draft environmental impact statement:

- Alternative 1.** No suppression, no eradication, no slow the spread
- Alternative 2.** Suppression
- Alternative 3.** Eradication
- Alternative 4.** Suppression and eradication
- Alternative 5.** Eradication and slow the spread
- Alternative 6.** Suppression, eradication, and slow the spread (preferred alternative).

The alternatives describe how the U.S. Department of Agriculture could respond to the gypsy moth on State and private lands through State agencies, and on Federal lands through appropriate Federal land management agencies.




All alternatives have two elements in common:

- They offer USDA support for an integrated pest management approach to manage the gypsy moth in the United States.
- They include delivery of technical advice and support to State and Federal cooperators by the Forest Service and APHIS.

What Are People's Concerns?

To learn the concerns of interested and affected people across the country, the preparers of the draft environmental impact statement invited public comments for 120 days through a notice in the *Federal Register*, mailings, news releases, articles, and through presentations to natural resource managers.

The Alternatives



Summary

Most of the concerns that were within the scope of the draft environmental impact statement were centered around the following issues:

1. How does the presence of the gypsy moth affect people and the environment?
2. How do the insecticide treatments applied to the gypsy moth affect people and the environment?
3. How do the noninsecticidal treatments applied to the gypsy moth affect people and the environment?

A variety of specific concerns related to the gypsy moth was identified from more than 800 letters received from the public. Specific concerns that are within the scope of the draft environmental impact statement were analyzed. The following list of broad topics by which the proposed alternatives could be evaluated and compared was developed:

Human health and safety

Social and economic characteristics

Perceptions and behaviors

Economics

Recreation



People's concerns include spraying insecticides and low flying aircraft.

Ecological characteristics

Nontarget organisms

Forest condition

Water quality

Microclimate

Soil productivity and fertility.

What Would Be the Consequences of Implementing the Alternatives?

The alternatives were evaluated by comparing environmental consequences and how each alternative addressed these criteria:

- How they meet the USDA goal of reducing the adverse effects of the gypsy moth nationwide by protecting forests and trees
- The flexibility they afford the U.S. Department of Agriculture to manage or assist others in managing affected ecosystems
- Estimated conditions throughout the United States by the year 2010 (conditions in 1994 are provided for comparison—see box)
- How they respond to the three issues, that is, whether they pose risks to people and the environment from the gypsy moth, insecticides, or noninsecticidal treatments.

Conditions in 1994

Generally infested area

Total size 255,874,560 acres

Gypsy moth outbreaks
and defoliation 881,752 acres

Suppression treatments 649,653 acres

Transition area

Slow-the-spread treatments . . . 34,309 acres

Uninfested area


Isolated infestations 38 infestations

Eradication treatments 71,826 acres

Proposed treatment projects will be analyzed on an individual basis to determine whether they are biologically sound, environmentally acceptable, and economically feasible. Suppression projects are often cost efficient, depending on the land manager's or landowner's objectives and the values at risk. Benefits of suppression include avoiding tree loss that would affect recreation, property, watershed, wildlife habitat, or timber values. The greatest economic benefit of eradication is the absence of long-term suppression costs. A 1991 economic analysis indicated that significant economic efficiency is possible with the slow-the-spread strategy.

Alternative 1. No Suppression, No Eradication, No Slow the Spread

Under alternative 1, the U.S. Department of Agriculture would do nothing to reduce the adverse effects of the gypsy moth in the United States. The effects of implementing this alternative arise from the presence of gypsy moth caterpillars and the defoliation they cause. Because no strategies are



Caterpillar droppings are an unwanted addition to a picnic.

available, natural resource professionals would have little flexibility to manage affected ecosystems nationwide.

The generally infested area could grow from 156 million acres (in 1994) to 238 million acres by 2010. Effects associated with the gypsy moth would be possible on 8.3 million of those acres.

In the transition area, the gypsy moth would continue to spread from the generally infested area. In 2010, effects from the gypsy moth would be possible on 475,000 acres of the transition area.

By 2010 an additional 35 million acres of the uninfested area could become generally infested due to isolated infestations of the gypsy moth left untreated. Effects similar to those expected in the generally infested area could also occur on those acres. In 2010 alone, an estimated 39 new isolated infestations covering 66,000 acres could occur.

Alternative 2. Suppression

Under alternative 2, the U.S. Department of Agriculture would reduce the adverse effects of the gypsy moth only in the generally infested area. Flexibility to manage affected ecosystems would be high.

The generally infested area could grow from 156 million acres (in 1994) to 238 million acres by 2010. Gypsy moth outbreaks could occur on 8.3 million of those acres, and 1.4 million acres likely would be treated with insecticides. Effects associated with insecticide treatments would be possible in treated areas. Effects from the gypsy moth would be possible on 6.9 million acres where outbreaks would probably not be treated.

In the transition area, the outlook would be the same as under alternative 1.

By 2010 an additional 34 million acres of the uninfested area could become generally infested due to isolated infestations of the gypsy moth left untreated. Effects similar to those expected in the

Summary

generally infested area could also occur on those acres. In 2010 alone, 34 new isolated infestations covering 58,000 acres could occur. Fewer acres would probably be affected than under alternative 1 because suppression of the gypsy moth in the generally infested area likely would reduce the potential for accidental spread of the insect by people.

Alternative 3. Eradication

Under alternative 3 the U.S. Department of Agriculture would reduce the potential for adverse effects of the gypsy moth in the uninfested area, and of the Asian strain anywhere in the United States. Flexibility to manage affected ecosystems would be high in local areas with isolated infestations.

In the generally infested area, the outlook would be the same as under alternative 1.

In the transition area, the gypsy moth would continue to spread. In 2010, effects from the gypsy moth would be possible on 465,000 acres.

In the uninfested area, all isolated infestations found since 1994 would have been eliminated. There would be no effects from the gypsy moth in the uninfested area. The 39 new isolated infestations projected for 2010, encompassing 66,000 acres, would be eradicated. Effects from insecticide treatments could occur on 62,000 acres, and those from noninsecticidal treatments would be possible on 4,000 acres.

Alternative 4. Suppression and Eradication

Alternative 4 represents no change from the current gypsy moth program. The U.S. Department of Agriculture would reduce the potential for adverse effects of the gypsy moth in both the generally infested and uninfested areas, and of the Asian strain anywhere in the United States. With

two strategies available, flexibility to manage ecosystems would be higher than under alternatives 2 and 3.

In the generally infested area, the outlook would be the same as under alternative 2.

In the transition area, the outlook would be the same as under alternative 3.

In the uninfested area, all isolated infestations found since 1994 would have been eliminated. There would be no effects from the gypsy moth in the uninfested area. The 34 new isolated infestations projected for 2010, encompassing about 58,000 acres, would be eradicated. Effects from insecticide treatments could occur on 54,000 acres, and those from noninsecticidal treatments on 4,000 acres. The number of infestations and acres affected would be fewer than under alternative 3, because suppression of gypsy moth outbreaks in the generally infested area may help reduce the potential for accidental spread of the insect by people.

Alternative 5. Eradication and Slow the Spread

Under alternative 5, the U.S. Department of Agriculture would reduce the potential for adverse effects of the gypsy moth in both the uninfested and transition areas, and of the Asian strain anywhere in the United States. With two strategies available, flexibility to manage ecosystems would be the same as under alternative 4 and higher than under alternatives 2 and 3. To slow the spread of the gypsy moth from the generally infested area, pockets of gypsy moths detected in the transition area could be treated with insecticides or noninsecticidal treatments.

The generally infested area would grow to 175 million to 217 million acres by 2010 depending on the success of the slow-the-spread strategy. Effects from the gypsy moth could occur on 6.1 million to 7.6 million of those acres.

In the transition area, slow-the-spread projects would be conducted on 465,000 acres by 2010. Effects from insecticide treatments could occur on 400,000 acres, and those from noninsecticidal treatments would be possible on 65,000 acres.

In the uninfested area, all isolated infestations found since 1994 would have been eliminated. There would be no effects from the gypsy moth in the uninfested area. In 2010, the number of isolated infestations would range from 32 to 36 and would cover 54,000 to 61,000 acres, depending on the success of slow-the-spread projects. Eradication projects could result in effects from insecticide treatments on 50,000 to 57,000 acres, and from noninsecticidal treatments on 4,000 acres.

Alternative 6. Suppression, Eradication, and Slow the Spread

Under alternative 6—the preferred alternative—the U.S. Department of Agriculture would fully pursue its goal of reducing adverse effects of the gypsy moth (including the Asian strain) anywhere in the United States. A full range of strategies would be available, and flexibility to manage affected ecosystems would be high nationwide, higher than under all other alternatives.

The generally infested area would grow to 175 million to 217 million acres by 2010. Effects from insecticide treatments would be possible on 1.0 million to 1.3 million acres where gypsy moth outbreaks would be suppressed. Effects from the gypsy moth would be possible on 5.1 million to 6.3 million acres where outbreaks are not treated. Acres affected would vary depending on the success of the slow-the-spread strategy.

In the transition area, the outlook would be the same as under alternative 5.

In the uninfested area, all isolated infestations found since 1994 would have been eliminated. There would be no effects from the gypsy moth in

the uninfested area. In 2010, 28 to 32 new isolated infestations covering 48,000 to 54,000 acres could occur depending on the success of the slow-the-spread strategy. Effects from insecticide treatments used in eradication projects could occur on 45,000 to 51,000 acres, and from noninsecticidal treatments on 3,000 acres. The number of isolated infestations and acres affected would be fewer than under alternative 5 because suppression of gypsy moth outbreaks in the generally infested area likely would reduce the potential for accidental spread of the insect by people.

Summary

Effects of the Gypsy Moth and Gypsy Moth Treatments

Effects associated with the gypsy moth, insecticide treatments, and noninsecticidal treatments are described in general in this section. Where the choice is made not to treat the gypsy moth, effects would be from the insect. In some parts of the generally infested area, gypsy moth populations will be too low to affect people or the environment.

Risk assessments were prepared to logically and scientifically examine how the gypsy moth and available treatments that could be used in the USDA gypsy moth program affect human health and the environment.

How People May Be Affected by the Gypsy Moth

After being exposed to young caterpillars during moderate or heavy gypsy moth outbreaks, children and others who spend a lot of time outside may develop rashes or other skin irritation.

Strategies and Treatment Options Available Under the Alternatives

Treatment ² options	Alternative and strategy ¹									
	1	2	3	4	5	6				
		S	E	S	E	E	STS	S	E	STS
Insecticide treatment										
<i>Bacillus thuringiensis</i> var. <i>kurstaki</i>		●	●	●	●	●	●	●	●	●
Diflubenzuron		●	●	●	●	●	●	●	●	●
Gypsy moth virus		●	●	●	●	●	●	●	●	●
Noninsecticidal treatment										
Mass trapping			●	●	●	●		●	●	
Mating disruption			●	●	●	●		●	●	
Sterile insect release			●	●	●	●		●	●	

¹ S = suppression strategy: Reduce damage caused by the gypsy moth in the generally infested area

E = eradication strategy: Prevent establishment of isolated infestations of the gypsy moth

STS = slow the spread strategy: Slow the spread of the gypsy moth in the transition area

² No treatment is an option in all the alternatives.

Summary

Irritation to the eyes or respiratory tract is also possible. Some individuals may develop an allergy to the gypsy moth after repeated exposures over one or more years.

On rare occasions, gypsy moth outbreaks can create a safety hazard as caterpillars and their droppings can make roads and walkways slippery. Falling limbs can pose a hazard when trees die as a result of defoliation.



Contact with caterpillars may cause a rash.

Infestations that are particularly bothersome to people or have a significant adverse effect on esthetic values can induce stress in some individuals.

Because some people will spend less time in outdoor activities to avoid contact with the gypsy moth, and repeated heavy defoliation can change the

character of an area, recreation and tourism businesses may suffer. Economic losses can also result from the damage to trees on woodlots and subsequent reduction in property values.

Property owners may incur costs for treating the gypsy moth, removing caterpillars or their droppings, removing or scraping egg masses, repainting buildings, pruning or removing trees, and replacing damaged or dead trees and shrubs.



Homeowners are faced with cleanup after an outbreak.

Summary

How the Environment May Be Affected by the Gypsy Moth

Ecological effects from the gypsy moth vary depending on population levels, the amount of defoliation, and the duration of an outbreak. Defoliation is **light** (less than 30 percent) when gypsy moth populations are at low levels. Defoliation is **moderate** (30-60 percent) or **heavy** (more than 60 percent) during population outbreaks, which may last for 1 to 3 years. Effects are noticeable after moderate and heavy defoliation.

Low Populations and Light Defoliation

In the absence of outbreaks, as gypsy moth populations build, the numbers of certain natural enemies of the insect, such as the gypsy moth virus, parasites, and disease-causing fungi, may increase.



Oak trees produce no new acorns the year of defoliation.

Moderate Outbreaks and Defoliation

Nontarget Organisms

Changes in populations of nontarget organisms may occur as a result of changes in habitat and availability of food after moderate defoliation. Short-lived changes may include increases in gypsy moth parasites and in numbers and types of birds. Populations of some bird species, such as flycatchers, may decline, as may those of gray squirrel and various amphibians. Increases in water temperature could cause short-term increases in aquatic insects, but the habitat quality of some marginal trout streams may decline. Numbers and types of other insects, particularly moth and butterfly species, may decrease.

Long-term changes, after two or three consecutive years of moderate defoliation, may include an increase or decrease in numbers of gray squirrel and white-footed mouse depending on long-term survival rates of trees and the capacity of dominant oaks to produce acorns. Numbers of nongame bird species may increase, but neotropical migrants may not be affected. Salamander populations should benefit from increases in dead and downed branches and trees. The numbers and types of pollinators and other insects may increase in response to greater variety within the plant community.

Forest Condition

Short-term impacts of moderate defoliation on forest condition may be slight. Tree health may begin to deteriorate, growth of wood in susceptible trees may decline, and growth of vegetation beneath the tree canopy may increase. After 2 years of defoliation, oaks may begin to produce fewer acorns (hard mast), a situation that can persist for as long as 5 years. Production of berries and other fruit (soft mast) could increase should shrubs and herbaceous plants increase. If an outbreak continues for a third year, the abundance of organisms that attack weakened trees, such as shoestring fungus and two-lined chestnut borer, increases.



Trees killed as a result of defoliation provide nest and den sites.

In the long term, after two or more years of moderate defoliation, some of the shorter subdominant trees may die, resulting in a more one-storied forest. Tree species favored by the gypsy moth will probably decline and less-favored species will thrive. The growth of species that do well in shade, such as red maple, will accelerate. In surviving dominant oaks, the production of acorns eventually will return to predefoliation levels. The forest as a whole will probably become less susceptible to feeding by the gypsy moth.

Water Quality

Slight short-term increases in water temperature and water yield, as well as decreases in dissolved oxygen, may result from moderate defoliation.

Long-term effects should be few. Sustained moderate outbreaks could result in a seasonal increase in water temperature—for a decade or more—in small streams bordered by susceptible vegetation.

Microclimate, and Soil Productivity and Fertility

Moderate defoliation may cause an increase in the seasonal temperature of soil and leaf litter, and increased exposure to sunlight, resulting in short-term increases in biological productivity on the forest floor.

Heavy Outbreaks and Defoliation


Nontarget Organisms

Short- and long-term effects of 1 year of heavy defoliation on nontarget organisms will probably be similar to those of two or three consecutive years of moderate defoliation.

Short-term impacts of two or more years of heavy defoliation can be dramatic. The numbers of gray squirrel are likely to decline, as are those of

Summary

some bird species, though woodpecker populations may increase. Populations of small mammals and amphibians such as salamanders will probably decline, as may those of the timber rattlesnake. Trout may decline or disappear from small streams, along with small crayfish and snails. Forest-feeding moths and butterflies—particularly those that feed on oaks—and their parasites (and perhaps their predators) also are likely to decline, as may other forest-dwelling invertebrates. Natural enemies of the gypsy moth may increase significantly. White-tailed deer will probably migrate to undefoliated areas, and nesting failures of grouse and turkey may increase. Bear, turkey, and bats may migrate to undefoliated or less defoliated areas.



Bats may move from defoliated areas.

In the long term, populations of gray squirrel and possibly trout might be reduced or eliminated from defoliated areas for years due to changes in habitat. Other nontarget organisms will increase or remain at predefoliation levels. Species that will increase include those that do not require a closed canopy and multistoried forest. Standing dead trees will provide cavity nests and den sites for animals, and dead and downed trees will provide den sites and habitat for a variety of animals. In streams, logs and debris will improve habitat conditions for some species of fish and aquatic insect.

Forest Condition


The condition of trees in the forest canopy will be degraded and mortality rates will increase even after only 1 year of heavy defoliation. Production of both wood and hard mast (nuts and seeds) will decline temporarily. The growth rate of many shrubs and herbaceous plants may increase.



Repeated defoliation reduces a tree's ability to grow and maintain a healthy condition.

Short-Term Changes—After 2 years of heavy defoliation, the production of wood, and hard and soft mast will be greatly reduced. Shoestring fungus and twolined chestnut borer, which attack and kill trees weakened by defoliation, will become more abundant. Mortality is likely within 5 years, both among oaks and among species that are less favored by the gypsy moth. After 3 years of heavy defoliation, mortality will be high in oaks and less favored hosts. The growth of wood will be drastically reduced, and production of hard mast will probably cease for at least 5 years. Shrubs and herbaceous plants, such as raspberry and sweetfern, will increase dramatically.

Long-Term Changes—After 1 year of heavy defoliation, many subdominant trees will be removed in the long term, but few other effects will likely be apparent. After 2 years of heavy defoliation, stands of trees will become one-storied; however, surviving trees will recover, experiencing



The two-lined chestnut borer can kill trees weakened by defoliation.

accelerated new growth and producing mast crops. Shrub cover will increase, as will red maple and other species that grow well in shade.

After three successive years of heavy defoliation on poor growth sites, many or most of the overstory trees will die, and sites will revert to plants such as blueberry, sweetfern, and raspberry. Regeneration to young forests will take decades. In areas where trees less favored by the gypsy moth remain, stands will be dominated by species such as red maple and birches. If dead trees are not removed, the fire hazard will increase. The resulting forest, particularly on better sites, will be less susceptible to future gypsy moth outbreaks.

Water Quality

After heavy defoliation of trees along small streams, a short-term increase in water temperature is likely. Decomposition of leaf fragments and caterpillar droppings in these small streams could reduce oxygen levels and result in dramatic increases in algae. The capacity to neutralize acids could be reduced in some upland streams. Watershed yields will increase.

In the long term, these same changes in water conditions may persist for years, though water yields should return to predefoliation levels.

Microclimate, and Soil Productivity and Fertility

After heavy defoliation, increased exposure to sunlight can elevate the temperature of soil and leaf litter and temporarily increase soil moisture content. These factors could result in increased rates of soil decomposition, mineralization, and plant productivity. Such changes should be short-lived.

Effects Associated With Insecticide Treatments

Insecticide treatments available for use under all strategies in all parts of the country are formulations of *Bacillus thuringiensis* var. *kurstaki*, diflubenzuron, and the gypsy moth nucleopolyhedrosis virus product Gypchek.

Bacillus thuringiensis* var. *kurstaki

Bacillus thuringiensis var. *kurstaki* (*B.t.k.*), a bacterium that has insecticidal activity against caterpillars of moths and butterflies, is a variety of *Bacillus thuringiensis* (*B.t.*).

How People May Be Affected by *B.t.k.*

If directly exposed to *B.t.k.* spray, some individuals (most likely project workers) may develop minor irritation of the skin, eyes, or respiratory tract. These effects are relatively mild and transient. Additional effects are not likely, even in individuals with impaired immune systems. No allergic response to *B.t.k.* has been documented.

How the Environment May Be Affected by *B.t.k.*

Due to the relatively short insecticidal activity of *B.t.k.*, the risks associated with its use are usually limited to the time immediately after application.

Summary

Nontarget Organisms


Some caterpillars of moths and butterflies may be adversely affected by exposure to *B.t.k.* Large caterpillars eat more vegetation than small ones and are more likely to consume *B.t.k.* The potential for exposure to *B.t.k.* and mortality increases with an increase in the application rate and greater height in the tree canopy, because most *B.t.k.* spray is deposited in the tops of trees. *B.t.k.* poses a risk primarily to caterpillars present in spring because it is applied at that time and has relatively short insecticidal activity. Not all of these caterpillars may be affected due to wide differences in response to *B.t.k.* among species. Total numbers of moths and butterflies may be temporarily reduced. Some species appear to be particularly susceptible to *B.t.k.* and populations may be eliminated from treatment areas.

Permanent changes in nontarget caterpillar populations are not likely following suppression projects, which usually consist of a single application of *B.t.k.* An exception might occur in an area that supports a small isolated population of moths and butterflies that are highly susceptible to *B.t.k.* If unaffected individuals of the same species are unlikely to or cannot physically migrate from untreated areas to the treated area, a single application of *B.t.k.* may have a greater effect on the ability of those populations to recover.

Both the numbers and types of nontarget caterpillars may be reduced after multiple applications of *B.t.k.* in the same year, as is possible in eradication projects. These effects can persist for 1 year or longer.

The predominant effect of *B.t.k.* on some parasites of caterpillars is indirect through effects on their hosts. Caterpillars that are exposed to *B.t.k.* but do not die eat less, grow more slowly, and remain longer in the larval stage, increasing their susceptibility to parasites. Parasitism of the gypsy moth by at least two parasitic wasps increases in areas sprayed with *B.t.k.* Few other species or groups are affected.

Vertebrates that feed on caterpillars in spring will have a reduced number of prey on which to feed for a short time. Reductions in caterpillar numbers from application of *B.t.k.* may force a switch in diet for birds and mammals that eat them. In birds, the number of nesting attempts per year may be reduced, but the overall number of fledglings per breeding territory may not change. Bats that feed on night-flying moths in summer may have to expand their foraging territories and adjust their foraging habits temporarily.



The Red-eyed Vireo eats all life stages of the gypsy moth.

Use of *B.t.k.* reduces the incidence of infection by the nucleopolyhedrosis virus in gypsy moth populations. *B.t.k.* reduces both the number of early stage caterpillars available for infection by the virus and the amount of virus released that can infect the residual gypsy moth population.

Forest Condition

B.t.k. reduces defoliation caused by all spring-feeding caterpillars. As a result, its use is more likely to maintain the forest condition than change it.

Water Quality and Microclimate

By protecting tree foliage, *B.t.k.* reduces the likelihood of changes in water quality and microclimate that might be associated with feeding by gypsy moth caterpillars.

Soil Productivity and Fertility

Changes in soil productivity and fertility due to *B.t.k.* are not likely. *B.t.k.* persists for a relatively short time, *B.t.* is known to occur naturally in soils worldwide, and applications of insecticides containing *B.t.* do not appear to increase levels of *B.t.* in soil. Some soil invertebrates may be affected by *B.t.k.*, but additional research is needed to determine what effects, if any, this might have on rates of soil decomposition.

Difflubenzuron

Difflubenzuron (Dimilin), a chemical insecticide, interferes with the growth of some immature insects

How People May Be Affected by Difflubenzuron

No human health effects are likely from exposure to difflubenzuron as it is used in gypsy moth projects. At very high exposures, increases in methemoglobin, an abnormal blood pigment that reduces the oxygen-carrying capacity of the blood, might be detectable. If other compounds that raise levels of methemoglobin—cigarette or other combustion smoke, carbon monoxide, nitrates in air or water—are present, the effect may be additive. A conservative estimate of cancer risk from exposure to difflubenzuron or 4-chloroaniline, a breakdown product of difflubenzuron, is less than one in 1 million over a lifetime.



Aerial application of difflubenzuron may be used in suppression, eradication, or slow the spread.

How the Environment May Be Affected by Difflubenzuron

Difflubenzuron is persistent on vegetation throughout the growing season and may remain in leaf litter 1 year following a spray.

Nontarget Organisms

Moths and butterflies, grasshoppers, parasitic wasps, aquatic insects, bottom-dwelling crustaceans, and immature free-floating crustaceans could be adversely affected from the lowest application rate of difflubenzuron used in gypsy moth treatment projects (0.25 oz active ingredient per acre). Higher application rates reduce populations even more and affect more types of species groups. More aquatic organisms could be affected at the highest application rate registered for use (1.0 oz active ingredient per acre).

Terrestrial Organisms—Moths, butterflies, and grasshoppers may be affected in both the upper and lower tree canopy in spring and fall. Most difflubenzuron spray is deposited in the upper canopy, and the amount of difflubenzuron residue begins to diminish after spraying in spring. As a result, the population reduction is greater for species that feed in the upper canopy.

Summary

Because diflubenzuron can kill caterpillars that serve as hosts, parasitic wasps of caterpillars may be indirectly affected. Diflubenzuron can have different effects on different species of parasites of nontarget insects. Of predators that eat prey contaminated with diflubenzuron, more of those in immature stages, such as lacewings, die than do adults. The adults, such as ladybird beetles, may produce fewer offspring.

Ground spiders could be directly affected by diflubenzuron applications or indirectly by a reduction in prey. Overall species diversity would remain unchanged.

Vertebrates, beetles, and earthworms are not likely to be affected by exposure to diflubenzuron.

Birds are not directly affected by exposure to diflubenzuron. Some insectivorous species may show subtle changes, such as a switch in diet, reduced fat loads, and expanded foraging territories. Similar changes may occur in bats that feed primarily on moths and butterflies.

Aquatic Organisms—Aquatic organisms may be affected by diflubenzuron treatments in both undeveloped forest areas and developed residential areas. Bottom-dwelling insects may be affected in all habitats except ponds in undeveloped forest areas, which have the lowest concentrations of diflubenzuron. Free-floating crustaceans may be less affected in undeveloped areas. Mollusks do not appear to be at risk.

Fish are not likely to be directly affected from exposure to diflubenzuron as it is used in gypsy moth projects. Fish could suffer indirect effects through a reduction in prey but would likely compensate for this by eating other organisms.

Multiple Applications and Recolonization—The effects on most organisms from exposure to diflubenzuron applied 1 to 2 weeks apart, as in eradication projects, would be similar to one treatment at twice the application rate. Consecutive annual applications of diflubenzuron may affect



Fish are not likely to be affected by exposure to diflubenzuron as used in gypsy moth projects.

invertebrates in leaf litter more than would a single application, because some diflubenzuron residues would persist into the following spring when the next treatment would be applied.

Some generalizations can be made about the risk of eliminating nontarget invertebrates from an area treated with diflubenzuron:

- Susceptible invertebrates that produce more than one generation per year and are exposed to persistent diflubenzuron (for example, on leaves or in leaf litter) are more likely to be affected severely than similar organisms that produce a single generation per year.
- Invertebrates that disperse rapidly or in large numbers will be able to recolonize treated areas.
- Invertebrates whose populations are severely reduced by diflubenzuron and have low dispersal rates will be affected for the longest period.
- Low dispersal capabilities of invertebrates, treatment of a large area, and frequent retreatment of an area will hinder the recovery of invertebrate populations.

Forest Condition

Diflubenzuron is not poisonous to plants and has no direct effect on them. Diflubenzuron may indirectly help maintain existing forest condition by reducing gypsy moth populations and protecting tree foliage.

Water Quality

Diflubenzuron may reduce numbers of two groups of stream invertebrates: those that process particulate organic matter from plant and animal remains, and those that feed on algae. Changes in water quality due to reductions of organisms in these groups, however, have not been observed.

Microclimate

Diflubenzuron indirectly helps maintain the existing microclimate by reducing the amount of defoliation by the gypsy moth and other insect defoliators.

Soil Productivity and Fertility

Earthworms are not at risk from diflubenzuron. Other invertebrates in leaf litter, particularly mites and ground dwelling spiders, may be affected by exposure to diflubenzuron, but decomposition rates of leaf litter do not seem to be affected.

Nucleopolyhedrosis Virus (Gypchek)

The nucleopolyhedrosis virus, which occurs naturally, is specific to the gypsy moth. Gypchek is an insecticide product made from the gypsy moth nucleopolyhedrosis virus.

How People May Be Affected by Gypchek

Irritation of the eyes, skin, and respiratory tract is possible from exposure to Gypchek, but this possibility cannot be assessed due to limitations in the available data. Because Gypchek contains gypsy moth parts, irritant effects might be similar to those caused by the gypsy moth itself. Individuals with allergies may be at greater risk of developing irritation. Workers are more likely to be affected than the general public because their exposure will be higher.



Workers are more likely than the public to be exposed to insecticides.

How the Environment May Be Affected by Gypchek

The gypsy moth virus is not known to affect organisms other than the gypsy moth, and no change in nontarget species or their populations is likely from the use of Gypchek.

Changes in forest condition, water quality, microclimate, and soil productivity and fertility from the use of Gypchek will be minimal compared with those that otherwise would occur from feeding by the gypsy moth.

Summary

Effects Associated With Noninsecticidal Treatments

Noninsecticidal treatments available for use in slow-the-spread projects (in the transition area) and eradication projects (primarily in the uninfested area) are mass trapping, mating disruption, and sterile insect release.

Mass Trapping

Mass trapping entails the deployment of large numbers of male moth traps in the treatment area. The purpose is to attract male gypsy moths into the traps and thereby prevent them from mating with female moths. The effect is population reduction and eventual elimination of the infestation.

Two types of traps could be used in mass trapping. Both contain a minute amount of disparlure, a synthetic version of the sex-attractant produced by female gypsy moths to attract male moths. The smaller delta trap has a sticky inside surface for trapping moths. The larger milk-carton trap contains a pest strip impregnated with the insecticide DDVP (2,2 dichloroethenyl dimethyl ester phosphoric acid), also called dichlorvos. To date only the delta trap, which contains no insecticide, has been used in mass trapping. It is possible, however, that the milk carton trap would be effective for mass trapping in the transition area because of its larger capacity. Milk carton traps are commonly used for survey purposes in the transition area and where the estimated number of male moths that would be caught exceeds the capacity of the delta trap.

How People May Be Affected by Mass Trapping

The insecticide DDVP as used in milk carton traps would pose more than a negligible health risk to humans only if an individual were to disassemble a trap and tamper with the DDVP-impregnated strip.



Milk carton traps contain the insecticide DDVP (dichlorvos).

Skin contact with the strip or eating the strip could inhibit the production of acetylcholinesterase. This enzyme prevents the accumulation of acetylcholine, the buildup of which can impair the function of the nervous system. Obvious signs of toxicity to the nervous system are possible but unlikely. Exposure to other substances that inhibit acetylcholinesterase, including similar insecticides, could have an additive effect with DDVP. The cancer risk from eating the strip or from skin contact with it is about one in 1 million over a lifetime.

The use of the smaller delta trap (which contains no insecticide) poses no known risks to people.

How the Environment May Be Affected by Mass Trapping

Invertebrates that inadvertently enter delta or milk carton traps are likely to die. Invertebrates that come into contact with a DDVP strip that has accidentally fallen on the ground, vegetation, or in water might also be adversely affected. The potential for adverse effects decreases over time as DDVP dissipates from the strip. Large animals, such as bears, that may tamper with traps are not likely to be affected by DDVP strips.

Mass trapping using either type of trap is not likely to cause changes in forest condition, water quality, microclimate, or soil productivity and fertility.

Mating Disruption

Mating disruption entails the aerial application of tiny plastic flakes or beads that contain disparlure, the synthetic version of the gypsy moth sex attractant. The effect is to confuse male moths and prevent them from locating and mating with females.



Female gypsy moths produce a chemical to attract males.

How People May Be Affected by Mating Disruption

By analogy to other insect pheromones, the risk of toxic effects from exposure to disparlure is


believed to be slight. After direct contact with disparlure, a person (most commonly a project worker) may attract male gypsy moths. Although this attraction may last for years, and could be annoying and particularly stressful for individuals with an aversion to insects, it is not known to pose a health risk. The general public is not likely to be exposed to sufficient amounts of disparlure to experience this rare effect.

How the Environment May Be Affected by Mating Disruption

Disparlure has low toxicity to vertebrates and is specific to the gypsy moth. As used in mating disruption (and as an attractant in mass trapping), disparlure is not likely to cause changes in nontarget organisms, forest condition, water quality, microclimate, or soil productivity and fertility.

Sterile Insect Release

The purpose of sterile insect releases is to add large numbers of sterile gypsy moth adults to a treatment area that will mate with fertile adults. The effect is population reduction and eventual elimination of the infestation. This technique can include the release of male pupae that were sterilized by a dose of radiation, male pupae that have been irradiated but not sterilized, or egg masses that were produced from mating of irradiated males with nonirradiated females.



Sterile insect release involves pupae or egg masses.

Summary

How People May Be Affected by Sterile Insect Release

Because this technique increases the number of gypsy moths in the treatment area, it could increase both the chance of effects from the gypsy moth and contact with gypsy moth caterpillars.

How the Environment May Be Affected by Sterile Insect Release

Effects from releasing sterile male pupae occur only in the year of treatment, while the effects from releasing irradiated male pupae or egg masses from an irradiated parent occur over 2 years.

Release of egg masses could add enough gypsy moth caterpillars to the treatment area to cause light defoliation in the year of release. Effects from this defoliation would be negligible.


None of the three release approaches has any known effect on other organisms, or on forest condition, water quality, microclimate, or soil productivity and fertility.

Mitigating Adverse Effects

In some cases, different treatments can be used to avoid possible adverse effects. When the use of an alternate treatment is not possible on a treatment site, effects may be lessened and sometimes avoided by using mitigation measures.

For example, applying insecticides when weather conditions favor spray deposition and establishing an untreated buffer zone around a treatment site can prevent the drift of insecticide spray into a habitat of special concern, for example, a body of water or an organic farm.

Informing the public about treatment projects can help avoid inaccurate perceptions and reduce anxiety. Notifying people of the insecticide application schedule allows those who live in treatment areas or who use recreation areas to plan activities so that exposure can be avoided.



Notices provide individuals the opportunity to avoid insecticide exposure.

Mitigating measures are largely project-specific and are developed on a site-by-site basis during environmental analyses conducted for each proposed treatment project.

Commenting on the Draft Environmental Impact Statement

The complete draft environmental impact statement is available at the libraries in the list that follows. If you choose to comment on the complete draft environmental impact statement, be sure to submit your comments in writing and please be as specific as possible. Send comments to John W. Hazel, USDA Forest Service, P.O. Box 6775, Radnor, PA 19087-8775 (telephone: 610-975-4150), by June 26, 1995.

Summary

FEDERAL DEPOSITORY LIBRARIES

A copy of the complete draft environmental impact statement is on file at each of the libraries listed.

ALABAMA

AUBURN UNIVERSITY
RALPH BROWN DRAUGHON
LIBRARY
MIC & DOCS DEPT
MELL ST
AUBURN 36849

SAMFORD UNIVERSITY
HARWELL G DAVIS LIBRARY
800 LAKESHORE DR
BIRMINGHAM 35229

BIRMINGHAM PUBLIC LIBRARY
GOVERNMENT DOCS DEPT
2100 PARK PL
BIRMINGHAM 35203

ENTERPRISE STATE JUNIOR COLLEGE
LEARNING RESOURCES CENTER
600 PLAZA DR
PO BOX 1300
ENTERPRISE 36330

BEVILL STATE COMMUNITY
COLLEGE
LEARNING RESOURCES CENTER
2631 TEMPLE AVENUE, N
FAYETTE 35555

GADSDEN PUBLIC LIBRARY
254 COLLEGE ST
GADSDEN 35999

UNIVERSITY OF ALABAMA
LIBRARY-DOCS
UNIVERSITY DR
HUNTSVILLE 35899

UNIVERSITY OF SOUTHERN
ALABAMA
DOCUMENTS DIV LIBRARY
307 UNIVERSITY BLVD
MOBILE 36688

AUBURN UNIVERSITY LIBRARY
7300 UNIVERSITY DR
MONTGOMERY 36117

ALABAMA A & M UNIVERSITY
DRAKE MEMORIAL LIBRARY
4900 MERIDIAN ST
PO BOX 489
NORMAL 35762

UNIVERSITY OF ALABAMA
GOVT DOCS-112 MAIN LIBRARY
2ND ST AT RIDGECREST DR
TUSCALOOSA 35487

ALASKA

UNIVERSITY OF ALASKA
RASMUSON LIBRARY-DOCS
310 TANANA DR UAF
FAIRBANKS 99775

UNIVERSITY OF ALASKA
SOUTHEAST
KETCHIKAN COMMUNITY COLLEGE
LIBRARY
7TH AND MADISON
KETCHIKAN 99901

ARIZONA

NORTHERN ARIZONA UNIVERSITY
LIBRARY - GOVT DOCS
KNOLES & OSBORNE DR.
PO BOX 6022
FLAGSTAFF 86011

MESA PUBLIC LIBRARY
DOCUMENTS
64 EAST 1ST ST
MESA 85201

DEPT OF LIBRARIES, ARCHIVES
FED DOCS-3RD FL STATE CAPITOL
1700 W WASHINGTON
PHOENIX 85007

GRAND CANYON UNIVERSITY
FLEMING LIBRARY
3300 W CAMELBACK RD
PO BOX 11097
PHOENIX 85017

PHOENIX PUBLIC LIBRARY
GOVT DOCS
12 EAST MCDOWELL RD
PHOENIX 85004

YAVAPAI COLLEGE LIBRARY
1100 EAST SHELDON ST
PRESCOTT 86301

ARIZONA STATE UNIVERSITY
HAYDEN LIBRARY 308
DOCUMENTS SERVICE
TEMPE 85287

UNIVERSITY OF ARIZONA
MAIN LIBRARY GOVT DOCS
1510 E UNIVERSITY
TUCSON 85720

ARKANSAS

UNIVERSITY OF ARKANSAS
MULLINS LIBRARY
GOVERNMENTS DOCS DEPT
FAYETTEVILLE 72701

UNIVERSITY OF ARKANSAS
SCHOOL OF LAW LIBRARY
FAYETTEVILLE 72701

ARKANSAS STATE LIBRARY
DOCS SERVICES SECTION
1 CAPITOL MALL
LITTLE ROCK 72201

SOUTHERN ARKANSAS UNIVERSITY
MAGALE LIBRARY
GOVT DOCS
PO BOX 1228
MAGNOLIA 71753

UNIVERSITY OF ARKANSAS AT
MONTICELLO
LIBRARY-DOCS
UNIVERSITY DR
PO BOX 3599
MONTICELLO 71656

ARKANSAS TECH UNIVERSITY
TOMLINSON LIBRARY
HIGHWAY 7 NORTH
RUSSELLVILLE 72801

WILLIAMS BAPTIST COLLEGE
FELIX GOODSON LIBRARY
210 FULBRIGHT AVE-B#3667
WALNUT RIDGE 72476

CALIFORNIA

ANAHEIM PUBLIC LIBRARY
500 W BROADWAY
ANAHEIM 92805

HUMBOLDT STATE UNIVERSITY
LIBRARY - DOCS DEPT
ARCATA 95521

UNIVERSITY OF CALIFORNIA
GENERAL LIBRARY
GOVT & SOC SCI INFO
BERKELEY 94720

CALIFORNIA STATE UNIVERSITY
CHICO LIBRARY-GOVT PUBS
FIRST & HAZEL STS
CHICO 95929

CLAREMONT COLLEGES
HONNOLD/MUDD LIBRARY
GOVT PUBS
800 DARTMOUTH ST
CLAREMONT 91711

UNIVERSITY OF CALIFORNIA
LIBRARY
GOVT DOCUMENTS DEPT
DAVIS 95616

FRESNO COUNTY FREE LIBRARY
2420 MARIPOSA ST
FRESNO 93721

CALIFORNIA STATE UNIVERSITY
MADDEN LIBRARY - DOCS
5200 N BARTON AVE
FRESNO 93740

UNIVERSITY OF CALIFORNIA
MAIN LIBRARY-GOVT DOCS
CAMPUS DR
PO BOX 19557
IRVINE 92713

LANCASTER PUBLIC LIBRARY
1150 W AVENUE J
LANCASTER 93534

LONG BEACH PUBLIC LIBRARY
101 PACIFIC AVE
LONG BEACH 90802

UNIVERSITY OF CALIFORNIA
LIBRARY
PUBLIC AFFAIRS SERV US DOCS
405 HILGARD AVE
LOS ANGELES 90024

LOS ANGELES PUBLIC LIBRARY
SERIALS DIVISION
630 WEST 5TH ST
LOS ANGELES 90071

CALIFORNIA STATE UNIVERSITY
JFK LIBRARY
GOVT PUBS SECTION
5151 STATE UNIVERSITY DR
LOS ANGELES 90032

PEPPERDINE UNIVERSITY
PAYSON LIBRARY-DOCS
24255 PACIFIC COAST HIGHWAY
MALIBU 90265

US GEOLOGICAL SURVEY
LIBRARY - MS 955
345 MIDDLEFIELD RD
MENLO PARK 94025

OAKLAND PUBLIC LIBRARY
DOCS DEPT
125 14TH ST
OAKLAND 94612

ONTARIO CITY LIBRARY
215 EAST C ST
ONTARIO 91764

CALIFORNIA STATE LIBRARY
GOVT PUBS SECTION
914 CAPITOL MALL
SACRAMENTO 94237

SAN BERNARDINO COUNTY
LIBRARY
104 W FOURTH ST
SAN BERNARDINO 92415

SAN DIEGO PUBLIC LIBRARY
820 E ST
SAN DIEGO 92101

SAN DIEGO STATE UNIVERSITY
LIBRARY
GOVT PUBS DEPT
SAN DIEGO 92182

SAN FRANCISCO STATE UNIVERSITY
LIBRARY - GOVT DOCS
1630 HOLLOWAY AVE
SAN FRANCISCO 94132

SAN FRANCISCO PUBLIC LIBRARY
GOVT DOCS DEPT
CIVIC CTR-200 LARKIN ST
SAN FRANCISCO 94102

SAN JOSE STATE UNIVERSITY
CLARK LIBRARY
GOVT PUBLICATIONS DEPT
SAN JOSE 95192

UNIVERSITY OF CALIFORNIA
LIBRARY
GOVT PUBLICATIONS DEPT
SANTA BARBARA 93106

UNIVERSITY OF CALIFORNIA
UNIVERSITY LIBRARY
DOCUMENTS SECTION
SANTA CRUZ 95064

STANFORD UNIVERSITY LIBRARIES
JONSSON LIBRARY OF GOVERNMENT
DOCUMENTS
STANFORD 94305

CALIFORNIA STATE UNIVERSITY
STANISLAUS LIBRARY-GOVT PUBS
801 W MONTE VISTA AVE
TURLOCK 95380

COLORADO

ADAMS STATE COLLEGE
LEARNING RESOURCES CENTER
ALAMOSA 81102

UNIVERSITY OF COLORADO
LIBRARIES
GOV DOCUMENTS DIV
MACKY DR., CAMPUS B 184
BOULDER 80309

COLORADO COLLEGE
TUTT LIBRARY
1021 NO CASCADE AVE
COLORADO SPRINGS 80903

DENVER PUBLIC LIBRARY
GOVT PUBS DEPT
1357 BROADWAY
DENVER 80203

UNIVERSITY OF DENVER LIBRARY
GOVERNMENT DOCS DEPT
2150 E EVANS
PO BOX 100600
DENVER 80250

DAYTON MEMORIAL LIBRARY
REGIS UNIVERSITY-DOCS
3333 REGIS BLVD
DENVER 80221

COLORADO STATE UNIVERSITY
LIBRARIES
DOCUMENTS DEPT
217 MORGAN
FORT COLLINS 80523

COLORADO SCHOOL OF MINES
LIBRARY-US DOCS
14TH & ILLINOIS
GOLDEN 80401

MESA STATE COLLEGE
TOMLINSON LIBRARY
1200 COLLEGE PL
PO BOX 2647
GRAND JUNCTION 81502

UNIVERSITY OF NORTHERN
COLORADO
JAMES A. MICHENER LIBRARY
GOVT PUB SERVICE
GREELEY 80639

Summary

WESTERN STATE COLLEGE
LESLIE J SAVAGE LIBRARY
GOVT DOCS
GUNNISON 81231

JEFFERSON COUNTY PUBLIC
LIBRARY
LAKEWOOD BRANCH
10200 WEST 20TH AVE
LAKE WOOD 80215

PUEBLO LIBRARY DISTRICT
MCCLELLAND LIBRARY-DOCS
100 E ABRIENDO AVE
PUEBLO 81004

CONNECTICUT

CONNECTICUT STATE LIBRARY
231 CAPITOL AVE
HARTFORD 06106

YALE UNIVERSITY
SEELEY MUDD LIBRARY
GOVT DOCS
PO BOX 208294
38 MANSFIELD STREET
NEW HAVEN 06520

UNIVERSITY OF CONNECTICUT
GOVT PUBLICATIONS DEPT
BABBIDGE LIBRARY U-5RP
STORRS 06268

DELAWARE

UNIVERSITY OF DELAWARE LIBRARY
GOVERNMENT DOCUMENTS
NEWARK 19717

DISTRICT OF COLUMBIA

D C PUBLIC LIBRARY
DOCS DEPT - ACQUIS DIV
901 G ST NW-RM 434
WASHINGTON 20001

DEPARTMENT OF THE INTERIOR
NATIONAL RESEARCH LIBRARY
SERIALS MS 2258
18TH & C STS NW
WASHINGTON 20240

LIBRARY OF CONGRESS
SER/GOVT PUBS
MADISON BLDG ROOM 133
101 INDEPENDENCE AVE SE
WASHINGTON 20540

FLORIDA

FLORIDA ATLANTIC UNIVERSITY
LIBRARY DOCUMENTS DIV
500 NW 20TH ST
PO BOX 3092
BOCA RATON 33431

MANATEE COUNTY PUBLIC LIBRARY
INFORMATION SERVICES DEPT
1301 BARCARROTA BLVD WEST
BRADENTON 34205

UNIVERSITY OF MIAMI LIBRARY
GOVT DOCS
PO BOX 248214
1300 MEMORIAL DR-ENT.#7
CORAL GABLES 33124

BROWARD COUNTY MAIN LIBRARY
GOVERNMENT DOCUMENTS
100 SOUTH ANDREWS AVE
FORT LAUDERDALE 33301

UNIVERSITY OF FLORIDA LIBRARIES
241 LIBRARY WEST
DOCUMENTS DEPT
GAINESVILLE 32611

JACKSONVILLE PUBLIC LIBRARY
122 N OCEAN ST
JACKSONVILLE 32202

LAKELAND PUBLIC LIBRARY
100 LAKE MORTON DR
LAKELAND 33801

FLORIDA INTL UNIVERSITY LIBRARY
TAMIAMI CAMPUS DOCS SECTION
8TH ST, SW 107TH AVE
MIAMI 33174

MIAMI-DADE PUBLIC LIBRARY
DOCUMENTS DIVISION
101 WEST FLAGLER ST
MIAMI 33130

UNIVERSITY OF WEST FLORIDA
PACE LIBRARY-DOCUMENTS
1100 UNIVERSITY PKWY
PENSACOLA 32514

FLORIDA STATE UNIVERSITY
STROZIER LIBRARY
DOCUMENTS DEPT
TALLAHASSEE 32306

UNIVERSITY OF SOUTH FLORIDA
LIBRARY - LIB 122
4202 E FLOWER AVE
TAMPA 33620

TAMPA-HILLSBOROUGH PUBLIC
LIBRARY - DOCUMENTS DIVISION
900 N ASHLEY DR
TAMPA 33602

GEORGIA

DOUGHERTY COUNTY LIBRARY
CENTRAL BRANCH
300 PINE AVE
ALBANY 31701

GEORGIA SOUTHWESTERN COLLEGE
CARTER LIBRARY-DOCS
800 WHEATLEY ST
AMERICUS 31709

UNIVERSITY OF GEORGIA LIBRARIES
GOVT DOCS DEPT
JACKSON ST
ATHENS 30602

ATLANTA-FULTON PUBLIC LIBRARY
GOVT DOCUMENTS
I MARGARET MITCHELL SQ
ATLANTA 30303

GEORGIA INSTITUTE OF
TECHNOLOGY
PRICE GILBERT MEMORIAL LIBRARY
225 NORTH AVE NW
ATLANTA 30332

AUGUSTA COLLEGE
REESE LIBRARY
2500 WALTON WAY
AUGUSTA 30904

WEST GEORGIA COLLEGE
INGRAM LIBRARY DOCUMENTS
1500 MAPLE STREET
CARROLLTON 30118

COLUMBUS COLLEGE
SCHWOB MEMORIAL LIBRARY-DOCS
3600 ALGONQUIN DR
COLUMBUS 31907

NORTH GEORGIA COLLEGE
STEWART LIBRARY
DAHLONEGA 30597

KENNESAW STATE COLLEGE
STURGIS LIBRARY-DOCUMENTS
3455 FREY RD
PO BOX 444
KENNESAW 30061

MERCER UNIVERSITY
MAIN LIBRARY
1300 EDGEWOOD AVE
MACON 31207

BERRY COLLEGE LIBRARY
DOCUMENTS
2277 MARTHA BERRY HWY
MOUNT BERRY 30149

CHATHAM-EFFINGHAM-LIBERTY
REGIONAL LIBRARY
2002 BULL ST
SAVANNAH 31499

GEORGIA SOUTHERN COLLEGE
HENDERSON LIBRARY
DOCUMENTS DEPT
STATESBORO 30460

VALDOSTA STATE COLLEGE
ODUM LIBRARY
1500 N PATTERSON ST
VALDOSTA 31698

HAWAII

UNIVERSITY OF HAWAII LIBRARY
GOVT DOCS COLLECTION
2550 THE MALL
HONOLULU 96822

IDAHO

IDAHO STATE LIBRARY
325 W STATE ST
BOISE 83702

UNIVERSITY OF IDAHO LIBRARY
DOCS DEPT-ROOM I04A
RAYBURN ST
MOSCOW 83844

NORTHWEST NAZARENE COLLEGE
RILEY LIBRARY-DOCS
611 HOLLY ST
NAMPA 83686

IDAHO STATE UNIVERSITY LIBRARY
DOCUMENTS DEPT
850 S NINTH ST
PO BOX 8089
POCATELLO 83209

RICKS COLLEGE
DAVID O MCKAY LIBRARY
REXBURG 83440

ILLINOIS

SOUTHERN ILLINOIS UNIVERSITY
MORRIS LIBRARY
DOCUMENTS CTR
CARBONDALE 62901

EASTERN ILLINOIS UNIVERSITY
BOOTH LIBRARY
CHARLESTON 61920

FIELD MUSEUM OF NATURAL
HISTORY LIBRARY
ROOSEVELT RD & LAKE SHORE DR
CHICAGO 60605

CHICAGO PUBLIC LIBRARY
GOVERNMENT PUBLICATIONS DEPT
400 S. STATE ST
CHICAGO 60605

UNIVERSITY OF ILLINOIS
DOCS DEPT-MAIN LIBRARY
801 S MORGAN
CHICAGO 60607

NORTHERN ILLINOIS UNIVERSITY
FOUNDERS MEMORIAL LIBRARY
GOVT PUB DEPT
DE KALB 60115

SOUTHERN ILLINOIS UNIVERSITY
LOVEJOY MEMORIAL LIBRARY
EDWARDSVILLE 62025

FREEPORT PUBLIC LIBRARY
314 W STEPHENSON ST
FREEPORT 61032

WESTERN ILLINOIS UNIVERSITY
LIBRARY
GOVT DOCS
801 WESTERN AVE
MACOMB 61455

PEORIA PUBLIC LIBRARY
107 NE MONROE
PEORIA 61602

ILLINOIS STATE LIBRARY
FEDERAL DOCUMENTS
300 SOUTH SECOND ST
SPRINGFIELD 62701

GOVERNORS STATE UNIVERSITY
LIBRARY
DOCUMENTS DEPT
UNIVERSITY PARK 60466

UNIVERSITY OF ILLINOIS
DOCS LIBRARY
1408 W GREGORY DR
URBANA 61801

INDIANA

INDIANA UNIVERSITY LIBRARIES
GOVT PUBLICATIONS DEPT
BLOOMINGTON 47405

ALLEN COUNTY PUBLIC LIBRARY
900 WEBSTER ST
P.O BOX 2270
FORT WAYNE 46801

GARY PUBLIC LIBRARY
220 W 5TH AVE
GARY 46402

DE PAUW UNIVERSITY
ROY O WEST LIBRARY
400 S COLLEGE AVE
GREENCASTLE 46135

HUNTINGTON COLLEGE LIBRARY
2303 COLLEGE AVE
HUNTINGTON 46750

INDIANA STATE LIBRARY
SERIALS SECTION
140 N SENATE AVE
INDIANAPOLIS 46204

INDIANAPOLIS-MARION COUNTY
PUBLIC LIBRARY
NEWSPAPER & PERIODICAL DIV
40 E ST CLAIR ST
PO BOX 211
INDIANAPOLIS 46206

PURDUE UNIVERSITY LIBRARIES
GOVT DOCS
1535 STEWART CENTER
LAFAYETTE 47907

INDIANA UNIVERSITY SOUTHEAST
LIBRARY-TECH SERVICES
4201 GRANTLINE ROAD
NEW ALBANY 47150

CUNNINGHAM MEMORIAL LIBRARY
DOCUMENTS UNIT
INDIANA STATE UNIVERSITY
TERRE HAUTE 47809

IOWA

IOWA STATE UNIVERSITY
PARKS LIBRARY
GOVT DOCUMENTS DEPT
AMES 50010

UNIVERSITY OF NORTHERN IOWA
DOCUMENTS COLLECTION
LIBRARY
CEDAR FALLS 50613

DAVENPORT PUBLIC LIBRARY
321 MAIN ST
DAVENPORT 52801

Summary

GRINNELL COLLEGE LIBRARY
6TH AVENUE
PO BOX 805
GRINNELL 50112

UNIVERSITY OF IOWA LIBRARIES
GOVT DOCS DEPT
WASHINGTON & MADISON STS
IOWA CITY 52242

GRACELAND COLLEGE
SMITH LIBRARY-GOVT DOCS
700 COLLEGE AVE
LAMONI 50140

CORNELL COLLEGE
COLE LIBRARY-GOVT DOCS
600 1ST ST WEST
MOUNT VERNON 52314

KANSAS

FORT HAYS STATE UNIVERSITY
FORSYTH LIBRARY DOC DEPT
600 PARK STREET
HAYS 67601

UNIVERSITY OF KANSAS
GOVT DOCS & MAP LIBRARY
6001 MALOTT HALL
LAWRENCE 66045

KANSAS STATE UNIVERSITY
LIBRARY
DOCUMENTS DEPT
MANHATTAN 66506

PITTSBURG STATE UNIVERSITY
AXE LIBRARY-DOCS DEPT
1605 S JOPLIN ST
PITTSBURG 66762

JOHNSON COUNTY LIBRARY
8700 SHAWNEE MISSION PKWY
BOX 2901
SHAWNEE MISSION 66202

KENTUCKY

ASHLAND COMMUNITY COLLEGE
UNIVERSITY OF KENTUCKY
1400 COLLEGE DRIVE
ASHLAND 41101

WEEKS MEMORIAL LIBRARY-DOCS
UNION COLLEGE
310 COLLEGE ST
BARBOURVILLE 40906

WESTERN KENTUCKY UNIVERSITY
HELM CRAVENS LIBRARY-DOCS
ALUMNI DR
BOWLING GREEN 42101

KENTUCKY STATE UNIVERSITY
BLAZER LIBRARY-DOCS
EAST MAIN ST
FRANKFORT 40601

HAZARD COMMUNITY COLLEGE
LIBRARY
HIGHWAY 15 SOUTH
ONE COMMUNITY COLLEGE DRIVE
HAZARD 41701

NORTHERN KENTUCKY UNIVERSITY
STEELEY LIBRARY-GOVT DOCS
NUNN DR
HIGHLAND HTS 41076

UNIVERSITY OF KENTUCKY
LIBRARY
RESEARCH & INFO SERVICES
PATTERSON DRIVE
LEXINGTON 40506

LOUISVILLE FREE PUBLIC LIBRARY
301 W YORK ST
LOUISVILLE 40203

MOREHEAD STATE UNIVERSITY
CAMDEN-CARROLL LIBRARY
MOREHEAD 40351

MURRAY STATE UNIVERSITY
LIBRARY
15TH & OLIVE STS
MURRAY 42071

EASTERN KENTUCKY UNIVERSITY
JOHN GRANT CRABBE LIBRARY
RICHMOND 40475

LOUISIANA

LOUISIANA STATE UNIVERSITY
LIBRARY
GOVT DOCUMENTS DEPT
BATON ROUGE 70803

SOUTHERN UNIVERSITY LIBRARY
GOVT DOCUMENTS DEPT
SWAN AVE., SOUTHERN BR PO
BATON ROUGE 70813

SOUTHEASTERN LOUISIANA
UNIVERSITY
SIMS MEMORIAL LIBRARY
SYCAMORE AVE
PO BOX 896
HAMMOND 70402

NORTHEAST LOUISIANA
UNIVERSITY
SANDEL LIBRARY-DOCS
700 UNIVERSITY AVE
MONROE 71209

NORTHWESTERN STATE UNIVERSITY
WATSON MEM LIBRARY-DOCS
913 COLLEGE AVE
NATCHITOCHE 71497

NEW ORLEANS PUBLIC LIBRARY
GOVERNMENT DOCUMENTS
219 LOYOLA AVE
NEW ORLEANS 70140

UNIVERSITY OF NEW ORLEANS
LIBRARY
GOVT DOCUMENTS DIV
LAKE FRONT
NEW ORLEANS 70148

LOUISIANA TECH UNIVERSITY
PRESCOTT MEMORIAL LIBRARY
RUSTON 71272

NICHOLLS STATE UNIVERSITY
LIBRARY DOCS DIV
THIBODAUX 70310

MAINE

MAINE STATE LIBRARY-DOCS
CULTURAL BLDG
LMA BLDG - STATION #64
AUGUSTA 04333

BANGOR PUBLIC LIBRARY
145 HARLOW ST
BANGOR 04401

BOWDOIN COLLEGE LIBRARY
DOCS DEPT
COLLEGE ST
BRUNSWICK 04011

MAINE MARITIME ACADEMY
NUTTING MEM LIBRARY-DOCS
BATTLE AVE
CASTINE 04420

BATES COLLEGE LIBRARY
DOCS DEPT
48 CAMPUS AVE
LEWISTON 04240

UNIVERSITY OF MAINE
FOGLER LIBRARY
GOVT DOCUMENTS DEPT
ORONO 04469

PORTLAND PUBLIC LIBRARY
5 MONUMENT SQUARE
PORTLAND 04101

UNIVERSITY OF MAINE
LIBRARY
181 MAIN STREET
PRESQUE ISLE 04769

MARYLAND

ENOCH PRATT FREE LIBRARY
DOCUMENTS OFFICE
400 CATHEDRAL ST
BALTIMORE 21201

US DEPT OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
SERIAL SECTION RM 002
BELTSVILLE 20705

UNIVERSITY OF MARYLAND
MCKELDIN LIBRARY
GOVT DOCS/MAPS UNIT
COLLEGE PARK 20742

ALLEGANY COMMUNITY COLLEGE
LIBRARY
WILLOWBROOK RD
CUMBERLAND 21502

MASSACHUSETTS

UNIVERSITY OF MASSACHUSETTS
UNIVERSITY LIBRARY
GOVERNMENT DOCS COLL
AMHERST 01003

BOSTON PUBLIC LIBRARY
DOCUMENTS RECEIPTS
666 BOYLSTON STREET
BOSTON 02117

HARVARD COLL LIBRARY
GOVERNMENT DOCUMENTS
LAMONT LIBRARY
CAMBRIDGE 02138

WILLIAMS COLLEGE LIBRARY
DOCUMENTS SECTION
WILLIAMSTOWN 01267

MICHIGAN

ALMA COLLEGE LIBRARY
DOCUMENTS
614 W SUPERIOR ST
ALMA 48801

DETROIT PUBLIC LIBRARY
5201 WOODWARD AVE
DETROIT 48202

MICHIGAN STATE UNIVERSITY
LIBRARY DOCS DEPT
E LANSING 48824

OAKLAND COMMUNITY COLLEGE
MARTIN L. KING LRNG RES
27055 ORCHARD LAKE RD
FARMINGTON 48334

FLINT PUBLIC LIBRARY
1026 E KEARSLEY ST
FLINT 48502

CALVIN COLLEGE AND SEMINARY
LIBRARY-DOCS
3207 BURTON ST SE
GRAND RAPIDS 49546

MICHIGAN TECH UNIVERSITY
LIBRARY-DOCS
1400 TOWNSEND DR
HOUGHTON 49931

WESTERN MICHIGAN UNIVERSITY
DWIGHT B. WALDO LIBRARY
KALAMAZOO 49008

LIBRARY OF MICHIGAN
GOVT DOCS
717 W ALLEGAN ST
PO BOX 30007
LANSING 48909

SCHOOLCRAFT COLLEGE LIBRARY
DOCUMENTS
18600 HAGGERTY RD
LIVONIA 48152

NORTHERN MICHIGAN UNIVERSITY
OLSON LIBRARY-DOCUMENTS
HARDEN CIRCLE DR
MARQUETTE 49855

MONROE COUNTY LIBRARY SYSTEM
DOCUMENTS DIVISION
3700 SOUTH CUSTER ROAD
MONROE 48161

NORTH CENTRAL MICHIGAN
COLLEGE
LIBRARY
1515 HOWARD ST
PETOSKEY 49770

HOYT PUBLIC LIBRARY
505 JANES ST
SAGINAW 48605

NORTHWESTERN MICHIGAN
COLLEGE
OSTERLIN LIBRARY-DOCS
1701 E FRONT ST
TRAVERSE CITY 49686

DELTA COLLEGE LIBRARY
DOCUMENTS
MACKINAW & DELTA RDS
UNIVERSITY CENTER 48710

MINNESOTA

BEMIDJI STATE UNIVERSITY
CLARK LIBRARY-DOCS
1500 BIRCHMONT DR NE
BEMIDJI 56601

DULUTH PUBLIC LIBRARY
DOCUMENTS SECTION
520 W SUPERIOR ST
DULUTH 55802

SOUTHDALE-HENNEPIN AREA
LIBRARY
GOVERNMENT DOCUMENTS
7001 YORK AVENUE SOUTH
EDINA 55435

MANKATO STATE UNIVERSITY
LIBRARY
MSU BOX 19-GOVT DOCS
MAYWOOD & ELLIS
MANKATO 56001

SOUTHWEST STATE UNIVERSITY
LIBRARY
DOCUMENTS
MARSHALL 56258

UNIVERSITY OF MINNESOTA
409 WILSON LIBRARY-DOCS
309 19TH AVE SOUTH
MINNEAPOLIS 55455

MINNEAPOLIS PUBLIC LIBRARY
300 NICOLLET MALL
MINNEAPOLIS 55401

ST OLAF COLLEGE
ROLVAAG MEMORIAL LIBRARY
NORTHFIELD 55057

ST PAUL PUBLIC LIBRARY
DOCUMENTS
90 WEST 4TH ST
SAINT PAUL 55102

UNIVERSITY OF MINNESOTA
ST PAUL CAMPUS LIBRARY
1984 BUFORD AVE
SAINT PAUL 55108

Summary

MISSISSIPPI

UNIVERSITY OF SOUTHERN
MISSISSIPPI
COOK LIBRARY-DOCS
SOUTHERN STATION BOX 5053
HATTIESBURG 39401

ALCORN STATE UNIVERSITY
J D BOYD LIBRARY
PO BOX 539
LORMAN 39096

MISSISSIPPI STATE UNIVERSITY
MITCHELL MEMORIAL LIBRARY-
DOCS
HARDY RD-DRAWER 5408
MISSISSIPPI STATE 39762

UNIVERSITY OF MISSISSIPPI
LIBRARY
DOCUMENTS DEPT
106 OLD GYM BLDG
UNIVERSITY 38677

MISSOURI

UNIVERSITY OF MISSOURI
DOCUMENTS SECTION
106B ELLIS LIBRARY
COLUMBIA 65201

LINCOLN UNIVERSITY
INMAN E PAGE LIBRARY
820 CHESTNUT ST
PO BOX 29
JEFFERSON CY 65101

MISSOURI SOUTHERN STATE
COLLEGE
SPIVA LIBRARY - DOCS
3950 E NEWMAN RD
JOPLIN 64801

UNIVERSITY OF MISSOURI
GEN LIBRARY GOVT DOCS
5100 ROCKHILL RD
KANSAS CITY 64110

NORTHWEST MISSOURI STATE
UNIVERSITY
OWENS LIBRARY
800 UNIVERSITY DR
MARYVILLE 64468

RIVER BLUFFS REGIONAL LIBRARY
10TH & FELIX STS
SAINT JOSEPH 64501

ST LOUIS UNIVERSITY
PIUS XII MEMORIAL LIBRARY
3650 LINDELL BLVD
SAINT LOUIS 63108

UNIVERSITY OF MISSOURI
THOMAS JEFFERSON LIBRARY
8001 NATURAL BRIDGE RD
SAINT LOUIS 63121

MARYVILLE COLLEGE LIBRARY
DOCUMENTS DEPT
13550 CONWAY ROAD
SAINT LOUIS 63141

SOUTHWEST MISSOURI STATE
UNIVERSITY
MEYER LIBRARY-GOVT DOCS DEPT
901 SOUTH NATIONAL
SPRINGFIELD 65804

CENTRAL MISSOURI STATE
UNIVERSITY
WARD EDWARDS LIBRARY-DOCS
SOUTH & COLLEGE STS
WARRENSBURG 64093

MONTANA

MONTANA STATE UNIVERSITY
COLLECTION DEVELOPMENT
RENEE LIBRARY
BOZEMAN 59717

MONTANA STATE LIBRARY
1515 EAST 6TH AVE
HELENA 59620

UNIVERSITY OF MONTANA
MAUREEN & MIKE MANSFIELD
LIBRARY
DOCUMENTS DIVISION
MISSOULA 59812

NEBRASKA

UNIVERSITY OF NEBRASKA
LOVE MEM LIBRARY
DOCUMENTS DEPT
LINCOLN 68588
NEBRASKA LIBRARY COMM
THE ATRIUM
1200 N ST, #120
LINCOLN 68508

OMAHA PUBLIC LIBRARY
CLARK BRANCH
BUSINESS SCI TECH DEPT
215 SOUTH 15TH ST
OMAHA 68102

NEVADA

NEVADA STATE LIBRARY
US DOCS
CAPITOL COMPLEX
100 STEWART STREET
CARSON CITY 89710

ELKO COUNTY LIBRARY
720 COURT STREET
ELKO 89801

UNIVERSITY OF NEVADA LIBRARIES
BUS & GOVT INFO CENTER
MAIL STOP 322
RENO 89557

WASHOE COUNTY LIBRARY
301 S CENTER ST
P O BOX 2151
RENO 89501

NEW HAMPSHIRE

NEW HAMPSHIRE STATE LIBRARY
TECH SERVICES BUREAU
20 PARK ST
CONCORD 03301

UNIVERSITY OF NEW HAMPSHIRE
LIBRARY - DOCUMENTS
DURHAM 03824

DARTMOUTH COLLEGE
DOC SEC
BAKER LIBRARY
HANOVER 03755

NEW ENGLAND COLLEGE
DANFORTH LIBRARY-DOCS
BRIDGE ST
HENNIKER 03242

NEW JERSEY

BAYONNE FREE PUBLIC LIBRARY
697 AVE C
BAYONNE 07002

EAST ORANGE PUBLIC LIBRARY
GOVERNMENT DOCUMENTS
21 SOUTH ARLINGTON AVE
EAST ORANGE 07018

JERSEY CITY STATE COLLEGE
IRWIN LIBRARY PER & DOCS
2039 KENNEDY BLVD
JERSEY CITY 07305

RAMAPO COLLEGE LIBRARY
DOCS DEPT
505 RAMAPO VALLEY RD
MAHWAH 07430

RUTGERS UNIVERSITY LIBRARY
GOVT DOCS DEPT
169 COLLEGE AVE
NEW BRUNSWICK 08903

NEWARK PUBLIC LIBRARY
5 WASHINGTON ST
P O BOX 630
NEWARK 07101

STOCKTON STATE COLLEGE
LIBRARY - DOCUMENTS
POMONA 08240

TRENTON FREE PUBLIC LIBRARY
120 ACADEMY ST
PO BOX 2448
TRENTON 08608

NEW MEXICO

UNIVERSITY OF NEW MEXICO
ZIMMERMAN LIBRARY
ALBUQUERQUE 87131

NEW MEXICO STATE UNIVERSITY
LIBRARY DOCUMENT DIVISION
FRENGER & WILLIAMS
PO BOX 30006
LAS CRUCES 88003

EASTERN NEW MEXICO UNIVERSITY
GOLDEN LIBRARY
UNIVERSITY & AVENUE K
PORTALES 88130

NEW MEXICO STATE LIBRARY
325 DON GASPAR AVE
SANTA FE 87503

NEW YORK

NEW YORK STATE LIBRARY
DOCS CONTROL CULTURAL EDU CTR
EMPIRE STATE PLAZA
ALBANY 12230

UNIVERSITY AT BUFFALO
LOCKWOOD LIBRARY BUILDING
ACQ DEPT/DOC PROC
BUFFALO 14260

STATE UNIVERSITY OF NEW YORK
AGRI & TECH COLLEGE
LIBRARY-GOVT DOCS
MAIN ST RTE 10
DELHI 13753

EAST ISLIP PUBLIC LIBRARY
381 EAST MAIN STREET
EAST ISLIP 11730

ELMIRA COLLEGE
GANNETT TRIPP LEARNING CENTER
SIXTH & COLUMBIA
ELMIRA 14901

STATE UNIVERSITY OF NEW YORK
MILNE LIBRARY-DOCS DEPT
I COLLEGE CIRCLE
GENESEO 14454

LONG ISLAND UNIVERSITY
C W POST CENTER
LIBRARY - GOVT. DOC.
GREENVALE 11548

CORNELL UNIVERSITY
ALBERT R MANN LIBRARY
ACQUISITIONS DIVISION
ITHACA 14853

STATE UNIVERSITY OF NEW YORK
PENFIELD LIBRARY
DOCUMENTS CENTER
OSWEGO 13126

STATE UNIVERSITY OF NEW YORK
LIBRARY
PIERREPONT AVE
POTSDAM 13676

STATE UNIVERSITY OF NEW YORK
MAIN LIBRARY DOCUMENTS SEC
NICOLLS RD
STONY BROOK 11794

NORTH CAROLINA

UNIVERSITY OF NORTH CAROLINA
RAMSEY LIBRARY-DOCS
ONE UNIVERSITY HEIGHTS
ASHEVILLE 28804

APPALACHIAN STATE UNIVERSITY
LIBRARY GOVT DOCUMENTS
BOONE 28607

UNIVERSITY OF NORTH CAROLINA
DAVIS LIBRARY CB#3912
BA/SS DIVISION - FED DOCS
CHAPEL HILL 27599

UNIVERSITY OF NORTH CAROLINA
ATKINS LIBRARY DOCUMENTS DEPT
UNIVERSITY CITY BLVD-UNCC STA
CHARLOTTE 28223

WESTERN CAROLINA UNIVERSITY
HUNTER LIBRARY
DOCUMENTS DIVISION
CULLOWHEE 28723

DUKE UNIVERSITY
PERKINS LIBRARY-PUB DOCS
RESEARCH DR
DURHAM 27706

FAYETTEVILLE STATE UNIVERSITY
CHESNUTT LIBRARY-DOCS
1200 MURCHISON RD
FAYETTEVILLE 28301

NORTH CAROLINA AGRI & TECH
STATE UNIVERSITY
BLUFORD LIBRARY-DOCS
1601 EAST MARKET ST
GREENSBORO 27411

EAST CAROLINA UNIVERSITY
LIBRARY DOCS DEPT
EAST FIFTH ST
GREENVILLE 27858

PEMBROKE STATE UNIVERSITY
DOCUMENTS DEPT
LIVERMORE LIBRARY
PEMBROKE 28372

NORTH CAROLINA STATE
UNIVERSITY
D H HILL LIBRARY
DOCUMENTS DEPT
2205 HILLSBOROUGH ST
RALEIGH 27695

UNIVERSITY OF NORTH CAROLINA
RANDALL LIBRARY
601 SOUTH COLLEGE RD
WILMINGTON 28403

BARTON COLLEGE
HACKNEY LIBRARY-DOCS
COLLEGE STATION
WILSON 27893

WAKE FOREST UNIVERSITY
ZSR LIBRARY - DOCUMENTS
WAKE FOREST RD
WINSTON-SALEM 27109

FORSYTH COUNTY PUBLIC LIBRARY
SYSTEM
660 W 5TH ST
WINSTON-SALEM 27101

Summary

NORTH DAKOTA

NORTH DAKOTA STATE UNIVERSITY
LIBRARY
DOCUMENTS OFFICE
12TH AVE NO & ALBRECHT BLVD
FARGO 58105

UNIVERSITY OF NORTH DAKOTA
FRITZ LIBRARY-DOCS DEPT
PO BOX 9000 UNIVERSITY STATION
GRAND FORKS 58202

OHIO

AKRON-SUMMIT CTY PUBLIC
LIBRARY
55 SOUTH MAIN ST
AKRON 44326

UNIVERSITY OF AKRON
BIERCE LIBRARY-DOCUMENTS
315 BUCHEL AVE
AKRON 44325

MT UNION COLLEGE LIBRARY
DOCUMENTS
1972 CLARK AVE
ALLIANCE 44601

OHIO UNIVERSITY LIBRARY
DOCS DEPT
PARK PLACE
ATHENS 45701

MALONE COLLEGE
EVERETT L CATTELL LIBRARY
515 25TH ST NW
CANTON 44709

PUBLIC LIBRARY OF CINCINNATI
& HAMILTON COUNTY
800 VINE ST
CINCINNATI 45202

UNIVERSITY OF CINCINNATI
LANGSAM LIBRARY
DOCUMENTS DEPT
CINCINNATI 45221

CLEVELAND PUBLIC LIBRARY
GOVT DOCS DEPT
325 SUPERIOR AVE
CLEVELAND 44114

STATE LIBRARY OF OHIO
DOCUMENTS SECTION
65 S FRONT ST
COLUMBUS 43215

OHIO STATE UNIVERSITY
LIBRARIES DOCS DIV
1858 NEIL AVE
COLUMBUS 43210

COLUMBUS METROPOLITAN
LIBRARY
BIO., HISTORY & TRAVEL DIV.
96 SOUTH GRANT AVENUE
COLUMBUS 43215

DAYTON & MONTGOMERY COUNTY
PUBLIC LIBRARY
215 E 3RD ST
DAYTON 45402

OHIO WESLEYAN UNIVERSITY
BEEGHLY LIBRARY-DOCS
43 UNIVERSITY AVE
DELAWARE 43015

HIRAM COLLEGE
TEACHOUT-PRICE LIBRARY
DOCUMENTS
HIRAM 44234

KENT STATE UNIVERSITY LIBRARY
DOCUMENTS DIV
CAMPUS DR & EAST SUMMIT ST
KENT 44242

OBERLIN COLLEGE LIBRARY
DOCUMENTS
148 WEST COLLEGE ST
OBERLIN 44074

MIAMI UNIVERSITY LIBRARIES
DOCUMENTS DEPT
OXFORD 45056

UNIVERSITY OF TOLEDO
LIBRARY-DOCUMENTS
2801 W BANCROFT ST
TOLEDO 43606

WORTHINGTON PUBLIC LIBRARY
805 HARTFORD ST.
WORTHINGTON 43085

YOUNGSTOWN STATE UNIVERSITY
LIBRARY
410 WICK AVE
YOUNGSTOWN 44555

OKLAHOMA

NORTHWESTERN OKLAHOMA STATE
UNIVERSITY LIBRARY
700 OKLAHOMA BLVD
ALVA 73717

UNIVERSITY OF OKLAHOMA
LIBRARIES
DOCS DIV
401 W BROOKS ST
NORMAN 73019

OKLAHOMA DEPT OF LIBRARIES
U S GOVT DOCUMENTS
200 N E 18TH ST
OKLAHOMA CITY 73105

OKLAHOMA STATE UNIVERSITY
LOW LIBRARY
DOCS DEPT
STILLWATER 74078

NORTHEASTERN OKLAHOMA STATE
UNIVERSITY
JOHN VAUGHAN LIBRARY
TAHLEQUAH 74464

UNIVERSITY OF TULSA
MCFARLIN LIBRARY - DOCS
2933 EAST 6TH ST
TULSA 74104

OREGON

SOUTHERN OREGON STATE
COLLEGE LIBRARY - DOCS
1250 SISKIYOU BLVD
ASHLAND 97520

OREGON STATE UNIVERSITY
KERR LIBRARY
DOCUMENTS DEPT
CORVALLIS 97331

UNIVERSITY OF OREGON LIBRARY
DOCS SECTION
EUGENE 97403

PACIFIC UNIVERSITY LIBRARY
2043 COLLEGE WAY
FOREST GROVE 97116

REED COLLEGE LIBRARY
DOCUMENTS
3203 SE WOODSTOCK BLVD
PORTLAND 97202

PORTLAND STATE UNIVERSITY
LIBRARY
934 SW HARRISON
PO BOX 1151
PORTLAND 97207

OREGON STATE LIBRARY
STATE LIBRARY BLDG
250 WINTER ST NEDG
SALEM 97310

PENNSYLVANIA

ROBERT MORRIS COLLEGE LIBRARY
ACQUISITIONS-GD
NARROWS RUN ROAD
CORAOPOLIS 15108

STATE LIBRARY OF PENNSYLVANIA
SERIAL RECORDS (GOV), RM 46
WALNUT & COMMONWEALTH AVES
HARRISBURG 17105

BUCKNELL UNIVERSITY
BERTRAND LIBRARY
U S DOCUMENTS
LEWISBURG 17837

ALLEGHENY COLLEGE
PELLETIER LIBRARY
NORTH MAIN ST
MEADVILLE 16335

FREE LIBRARY OF PHILADELPHIA
GOVT PUBLICATIONS DEPT
LOGAN SQ
PHILADELPHIA 19103

POTTSVILLE FREE PUBLIC LIBRARY
GOVT PUBS SECTION
16 NORTH THIRD ST
POTTSVILLE 17901

SLIPPERY ROCK UNIVERSITY
BAILEY LIBRARY
35 E CENTRAL LOOP
SLIPPERY ROCK 16057

PENNSYLVANIA STATE UNIVERSITY
PATTEE LIBRARY
DOCS SECTION C-207
UNIVERSITY PK 16802

RHODE ISLAND

UNIVERSITY OF RHODE ISLAND
LIBRARY
GOVT PUBLICATIONS OFFICE
KINGSTON 02881

SOUTH CAROLINA

CLEMSON UNIVERSITY
COOPER LIBRARY
PUB DOCS
PAULMETTO BLVD
CLEMSON 29634

UNIVERSITY OF SOUTH CAROLINA
COOPER LIBRARY
DOCS & MFORMS
GREEN & SUMTER STS
COLUMBIA 29208

ERSKINE COLLEGE
MCCAIN LIBRARY
DUE WEST 29639

SOUTH DAKOTA

SOUTH DAKOTA STATE UNIVERSITY
H M BRIGGS LIBRARY
NORTH CAMPUS DR
PO BOX 2115
BROOKINGS 57007

SOUTH DAKOTA STATE LIBRARY
FEDERAL DOCUMENTS DEPT
800 GOVERNORS DR
PIERRE 57501

SOUTH DAKOTA SCHOOL OF MINES
& TECHNOLOGY
DEVEREAUX LIBRARY
501 E ST JOSEPH STREET
RAPID CITY 57701

AUGUSTANA COLLEGE
LEARNING RESOURCE CENTER
29TH AND SUMMIT
SIOUX FALLS 57197

UNIVERSITY OF SOUTH DAKOTA
I D WEEKS LIBRARY, DOCS.
414 E. CLARK STREET
VERMILLION 57069

TENNESSEE

COLUMBIA STATE COMMUNITY
COLLEGE
FINNEY MEMORIAL LIBRARY
P O BOX 1315 - HWY 412W
COLUMBIA 38402

TENNESSEE TECH UNIVERSITY
LIBRARY
GOVERNMENT PUBS DEPT
UNIVERSITY & PEACHTREE STS
COOKEVILLE 38505

EAST TENNESSEE STATE UNIVERSITY
SHERROD LIBRARY-DOCS DEPT
PEDESTRIAN MALL
JOHNSON CITY 37614

UNIVERSITY OF TENNESSEE
LIBRARY
1015 VOLUNTEER BLVD
KNOXVILLE 37996

UNIVERSITY OF TENNESSEE
PAUL MEEK LIBRARY
MARTIN 38238

UNIVERSITY LIBRARIES
GOVERNMENT PUBLICATIONS DEPT
MEMPHIS 38152

TENNESSEE STATE LIBRARY &
ARCHIVES
TECH SERVICES
403 7TH AVE NORTH
NASHVILLE 37219

UNIVERSITY OF THE SOUTH
DUPONT LIBRARY-GOVT DOCS
ALABAMA AVE
SEWANEE 37375

TEXAS

ABILENE CHRISTIAN UNIVERSITY
MARGARET & HERMAN BROWN
LIBRARY
1600 CAMPUS CRT
ABILENE 79699

TEXAS STATE LIBRARY
US DOCUMENTS SECTION
1201 BRAZOS
PO BOX 12927
AUSTIN 78711

UNIVERSITY OF TEXAS
WASSERMAN PUBLIC AFFAIRS
LIBRARY
SRH 3.243
AUSTIN 78712

UNIVERSITY OF TEXAS
GENERAL LIBRARIES/DOCUMENTS
PCL 2.402C
AUSTIN 78713

WEST TEXAS STATE UNIVERSITY
LIBRARY - DOCS
2501 4TH AVE
CANYON 79016

TEXAS A & M UNIVERSITY
DOCUMENTS DIVISION
EVANS LIBRARY
COLLEGE STA 77843

Summary

EAST TEXAS STATE UNIVERSITY
LIBRARY
EAST TEXAS STATION
COMMERCE 75428

DALLAS PUBLIC LIBRARY
GOVT PUB DIVISION
1515 YOUNG ST
DALLAS 75201

EL PASO PUBLIC LIBRARY
DOCS & GENEALOGY DEPT
501 N OREGON ST
EL PASO 79901

UNIVERSITY OF TEXAS
LIBRARY DOCS DIV
EL PASO 79968

FORT WORTH PUBLIC LIBRARY
300 TAYLOR STREET
FORT WORTH 76102

TEXAS CHRISTIAN UNIVERSITY
MARY COUTS BURNETT LIBRARY
2913 LOWDEN ST
FORT WORTH 76129

HOUSTON PUBLIC LIBRARY
DOCUMENTS SECTION
500 MCKINNEY AVE
HOUSTON 77002

TEXAS TECH UNIVERSITY LIBRARY
U.S. DOCUMENTS
LUBBOCK 79409

STEPHEN F AUSTIN STATE
UNIVERSITY
STEEN LIBRARY
1900 NORTH ST
NACOGDOCHES 75962

TRINITY UNIVERSITY LIBRARY
DOCUMENTS COLLECTION
715 STADIUM DR
SAN ANTONIO 78212

SOYTHWESTERN TEXAS STATE
UNIVERSITY
ALKEK LIBRARY-GOV DOCS
601 UNIVERSITY DR
SAN MARCOS 78666

UTAH

UTAH STATE UNIVERSITY
MERRILL LIBRARY LRC
DOCS UMC 30
LOGAN 84322

WEBER STATE UNIVERSITY LIBRARY
SERIALS DEPT 2901
3750 HARRISON BLVD
OGDEN 84408

BRIGHAM YOUNG UNIVERSITY
LEE LIBRARY - 1354 HBLL
DOCS AND MAPS SECTION
PROVO 84602

UNIVERSITY OF UTAH
MARRIOTT LIBRARY
DOCUMENTS
SALT LAKE CY 84112

VERMONT

UNIVERSITY OF VERMONT
BAILEY-HOWE LIBRARY
DOCS AND MAPS DEPT
BURLINGTON 05405

JOHNSON STATE COLLEGE
JOHN DEWEY LIBRARY
JOHNSON 05656

VIRGINIA

VIRGINIA POLYTECHNIC & STATE
UNIVERSITY
NEWMAN LIBRARY-DOCS/REF
KENT STREET
BLACKSBURG 24062

UNIVERSITY OF VIRGINIA
ALDERMAN LIBRARY., PUB. DOCS.
IVY AND MCCORMICK
CHARLOTTESVILLE 22903

GEORGE MASON UNIVERSITY
LIBRARY - DOCUMENTS
4400 UNIVERSITY DR
FAIRFAX 22030

JAMES MADISON UNIVERSITY
CARRIER LIBRARY
HARRISONBURG 22807

OLD DOMINION UNIVERSITY
LIBRARY
CATALOGING DEPT
GOVT PUBLICATIONS PROCESSING
NORFOLK 23529

LIBRARY OF VIRGINIA
DOCUMENTS SECTION
11TH ST AT CAPITOL SQUARE
RICHMOND 23219

UNIVERSITY OF RICHMOND
BOATWRIGHT MEMORIAL LIBRARY
RICHMOND 23173

VIRGINIA COMMONWEALTH
UNIVERSITY
CABELL LIBRARY - DOCUMENTS
901 PARK AVE
RICHMOND 23284

COLLEGE OF WILLIAM & MARY
SWEM LIBRARY-DOCS
LANDRUM DR
WILLIAMSBURG 23187

WASHINGTON

KING COUNTY LIBRARY SYSTEM
1111 110TH AVENUE, NE
BELLEVUE 98004

WESTERN WASHINGTON
UNIVERSITY
WILSON LIBRARY
516 HIGH ST
BELLINGHAM 98225

EASTERN WASHINGTON UNIVERSITY
DOCUMENTS
816 F ST - LIBRARY MAIL STOP 84
CHENEY 99004

HIGHLINE COMMUNITY COLLEGE
LIBRARY 25-5D
PO BOX 98000
2400 S. 240TH ST
DES MOINES 98198

CENTRAL WASHINGTON UNIVERSITY
LIBRARY-DOCS DEPT
400 E 8TH AVE
ELLENSBURG 98926

WASHINGTON STATE LIBRARY
GOVERNMENT PUBLICATIONS
16TH & WATER
PO BOX 42478
OLYMPIA 98504

NORTH OLYMPIC LIBRARY SYSTEM
207 S LINCOLN ST
PORT ANGELES 98362

WASHINGTON STATE UNIVERSITY
HOLLAND LIBRARY
DOCUMENTS PROCESSING
PULLMAN 99164

UNIVERSITY OF WASHINGTON
SUZZALLO LIBRARY-FM-25
GOVT DOCUMENTS CENTER
SEATTLE 98195

TACOMA PUBLIC LIBRARY
DOCS DIV
1102 TACOMA AVE SO
TACOMA 98402

WEST VIRGINIA

WEST VIRGINIA UNIVERSITY
LIBRARY
GOVERNMENT DOCUMENTS
SECTION
1549 UNIVERSITY AVE
PO BOX 6069
MORGANTOWN 26506

SALEM-TEIKYO UNIVERSITY
LIBRARY-DOCUMENTS
PENNSYLVANIA AVE
SALEM 26426

WISCONSIN

LAWRENCE UNIVERSITY
MUDD LIBRARY-DOCUMENTS
LAW ST
APPLETON 54912

UNIVERSITY OF WISCONSIN
LIBRARY-GOVT Pubs
2420 NICOLET DR
GREEN BAY 54311

UNIVERSITY OF WISCONSIN
MURPHY LIBRARY
1631 PINE ST
LA CROSSE 54601

STATE HISTORICAL SOCIETY
LIBRARY
GOVT PUBLICATIONS
816 STATE ST
MADISON 53706

MADISON PUBLIC LIBRARY
201 W MIFFLIN ST
MADISON 53703

MILWAUKEE PUBLIC LIBRARY
DOCS DIVISION
814 W WISCONSIN AVE
MILWAUKEE 53233

UNIVERSITY OF WISCONSIN
LIBRARY-DOCUMENTS
2311 EAST HARTFORD
MILWAUKEE 53211

UNIVERSITY OF WISCONSIN
POLK LIBRARY
800 ALGOMA BLVD
OSHKOSH 54901

RIPON COLLEGE LIBRARY
GOVT DOCS
300 SEWARD STREET
RIPON 54971

UNIVERSITY OF WISCONSIN
LIBRARY
GOVT DOCS
RIVER FALLS 54022

MEAD PUBLIC LIBRARY
710 PLAZA 8TH ST
SHEBOYGAN 53081

UNIVERSITY OF WISCONSIN
LRC-DOCS SECTION
900 RESERVE ST
STEVENS POINT 54481

UNIVERSITY OF WISCONSIN
JIM DAN HILL LIBRARY
GOVT DOCS/DEPT
1800 GRAND AVENUE
SUPERIOR 54880

WYOMING

WYOMING STATE LIBRARY
SUPREME COURT & LIBRARY BLDG
CHEYENNE 82002

UNIVERSITY OF WYOMING
COE LIBRARY, DOCUMENTS DIV
13TH & IVISON ST
LARAMIE 82071

PUERTO RICO

UNIVERSITY OF PUERTO RICO
LIBRARY
MAYAGUEZ CAMPUS - DOCS
PO BOX 5000
MAYAGUEZ 00681

CATHOLIC UNIVERSITY OF PUERTO
RICO
ENCARNACION VALDES LIBRARY
LAS AMERICAS AVE
PONCE 00732

Unit Conversions and Abbreviations

To convert . . .	Into . . .	Multiply by . . .
acres	hectares (ha)	0.4047
gallons (gal)	liters (L)	3.785
gallons per acre (gal/acre)	liters per hectare (L/ha)	9.34
grams (g)	ounces (oz)	0.035
hectares (ha)	acres	2.471
kilograms (kg)	pounds (lb)	2.2046
kilograms per hectare (kg/ha)	pounds per acre (lb/acre)	0.892
kilometers (km)	miles (mi)	0.621
liters (L)	gallons (gal)	0.264
miles (mi)	kilometers (km)	1.609
milligrams (mg)	ounces (oz)	0.000035
ounces (oz)	grams (g)	28.35
ounces per acre (oz/acre)	grams per hectare (g/ha)	70.1
ounces per acre (oz/acre)	kilograms per hectare (kg/ha)	0.0701
pounds (lb)	grams (g)	453.6
pounds (lb)	kilograms (kg)	0.4536
pounds per acre (lb/acre)	kilograms per hectare (kg/ha)	1.121
pounds per gallon (lb/gal)	grams per liter (g/L)	119.8
square centimeters (cm ²)	square inches (in ²)	0.155

The United States Department of Agriculture (USDA) Forest Service is a diverse organization committed to equal opportunity in employment and program delivery. USDA prohibits discrimination on the basis of race, color, national origin, sex, religion, age, disability, political affiliation and familial status. Persons believing they have been discriminated against should contact the Secretary, U.S. Department of Agriculture, Washington, DC 20250, or call 202-720-7327 (voice), or 202-720-1127 (TTY).



This environmental impact statement mentions the use of insecticides. All uses of insecticides must be registered by appropriate State or Federal agencies, or both.

Some States have restrictions on the use of certain insecticides. Check State and local regulations. Also, because registrations of insecticides are under constant review by the U.S. Environmental Protection Agency, consult your county agricultural agent or State extension specialist to be sure the intended use is still registered.

Caution: Insecticides may injure humans, domestic animals, livestock, crops, beneficial insects, fish, and other wildlife if they are not handled or applied properly. Use all insecticides selectively and carefully. Follow the directions and heed all precautions on the labels.

Do not apply insecticides when there is danger of drift or in ways that may contaminate water or leave illegal residues.

Avoid prolonged inhalation of insecticide sprays or dusts; wear protective clothing and equipment if specified on the container.

If hands become contaminated with an insecticide, do not eat or drink until you have washed. In case an insecticide is swallowed or gets in the eyes, follow the first-aid treatment given on the label and get prompt medical attention. If an insecticide is spilled on your skin or clothing, remove clothing immediately and wash skin thoroughly.

Store insecticides in original containers out of the reach of children and animals, and away from food and feed.

Dispose of surplus insecticides and empty containers promptly, using recommended practices.

Mention of company names, trade names, or products is for information only and does not imply endorsement by the U.S. Department of Agriculture.





1022272970