

Vital Statistics of the Bengal Presidency.

SICKNESS AND MORTALITY

IN THE

EUROPEAN ARMY OF THE BENGAL PRESIDENCY FROM
1870 TO 1879:

AN

ABSTRACT OF THE STATISTICS OF THE TEN-YEAR
PERIOD,

BY

THE LATE

JAMES L. ERYDLN, M.D., *Surgeon-Major*,

AND

ARTHUR R. STEPHEN, M.A., M.B., *Surgeon-Major*,

PREPARED FOR THE GOVERNMENT OF INDIA IN THE SANITARY AND MEDICAL DEPARTMENTS.



SIMLA:

GOVERNMENT CENTRAL BRANCH PRESS.

1882.

S. 108

Vol. 6.

~~_____~~
Vital Statistics of the Bengal Presidency.



SICKNESS AND MORTALITY

IN THE

102-a-6

EUROPEAN ARMY OF THE BENGAL PRESIDENCY FROM
1870 TO 1879:

AN

AGGREGATE OF THE STATISTICS OF THE TEN-YEAR
PERIOD,

INDIA, BY Sanitary Commissioner

THE LATE

JAMES L. BRYDEN, M.D., *Surgeon-Major*,

AND

ARTHUR STEPHEN, M.A., M.B., *Surgeon-Major*,

STATISTICAL OFFICERS TO THE GOVERNMENT OF INDIA IN THE SANITARY AND MEDICAL DEPARTMENTS.



S I M L A :

GOVERNMENT CENTRAL BRANCH PRESS.

—
1882.

(541.2)
312(54)
29715
9-12-63

SL

P R E F A C E.

THE late Surgeon-Major Bryden had, in 1880, commenced the compilation of the Statistics of the European Army of India for the ten-year period 1870-79, when, in consequence of failing health, he was compelled to go to England on sick leave. On his departure from India he hoped, after spending a few months at home, to return with renewed strength, to finish this work, and to continue his other duties. Unfortunately for science in general, and for Epidemiological Science in India in particular, his hopes were not realized, for the disease from which he was suffering increased, and he died in November 1880. As it has fallen to my lot to take Surgeon-Major Bryden's place as Statistical Officer, I have, to the best of my ability, completed the tables which he commenced. They contain the aggregate of the Statistics of the European Army of India for the years 1870-79, and are compiled on exactly the same plan as the tables which were published in 1873, giving the statistics of the European Army of the Bengal Presidency for the ten-year period 1860-69.

In the following introductory pages the experience of the Army of the Bengal Presidency, and of the Army of India as a whole, during the ten years 1870-79, is compared with that of the preceding ten years. The principal diseases which contributed to make up the sickness and mortality of the Army during these ten years are also shortly commented on, and the effect which age and length of Indian service have on the health of the European soldier in this country is illustrated by means of a few special tables.

SIMLA: }
19th June 1882.

A. STEPHEN.



Digitized by the Internet Archive
in 2015

<https://archive.org/details/b24749345>

REPORT

ON THE

SICKNESS AND MORTALITY OF THE EUROPEAN ARMY OF INDIA

DURING THE

TEN-YEAR PERIOD 1870-79.

THE average strength of the European Army of India for the ten years 1870-79 was 57,742. During this period there were 851,564 admissions into hospital; the average number daily sick was 3,472, and the number of deaths 11,166, giving an average annual admission-rate of 1474·8, a daily sick-rate of 60·1, and a death-rate of 19·34 per 1,000. There are no statistics in this Office of the Army of India previous to 1870, so that the health of the European Army as a whole during the period 1870-79 cannot be compared with that of the preceding ten-year period.

Summary of the vital statistics of the Army of India from 1870 to 1879.

2. During the ten years 1860-69 the average death-rate of the European Army of the Bengal Presidency was 29·98

Summary of the vital statistics of the Bengal Army from 1870 to 1879.

per 1,000. In the succeeding ten years 1870-79 (including the casualties in Afghanistan in 1878 and 1879), the mortality in that Presidency fell to 21·00 per 1,000—a reduction of 8·98 per 1,000. Moreover, of this reduced death-rate a considerable portion was due to Afghanistan; for, although comparatively few of those on active service in that country died of wounds, the mortality from disease was very great. Excluding the troops on active service during 1879, and taking into account only the men in cantonments, the average death-rate of the troops in the Bengal Presidency during the ten years 1870-79 was only 19·20 per 1,000. The admission-rate for the Bengal Presidency, which during the period 1860-69 was 1754·9 per 1,000, fell during the following ten-year period to 1522·0 per 1,000, and the daily sick-rate for the same period fell from 67·1 to 60·9 per 1,000.

3. During the period 1870-79 the average admission-rate in the European Army of Madras was 1264·4, the daily sick-rate was 60·2, and the death-rate 17·69 per 1,000. In the Bombay Army the average admission-rate for the same period was 1533·5, the daily sick-rate was 57·4, and the death-rate 15·27 per 1,000.* The average admission-rate in the Madras Army during the ten years 1860-69 was 1,396, the daily sick-rate 62·0, and the death-rate 20·27 per 1,000. In the Bombay Army during the same ten years the daily sick-rate was 59·8, and the death-rate 21·46 per 1,000; and during the nine years 1861-69, the admission-rate of that army was 1,152 per 1,000.

Summary of the vital statistics of the Madras and Bombay Armies from 1870 to 1879.

4. Not only have the sickness and mortality of the European troops of the Bengal Presidency as a whole considerably diminished, but the health of each of the provincial areas into which the Presidency is divided has also improved, as may be seen from the accompanying statement.

The troops of each of the provincial areas of the Bengal Presidency healthier during 1870-79 than during 1860-69.

* See the Annual Reports of the Sanitary Commissioner with the Government of India for the years 1870 and 1871.

Statement contrasting the sickness and mortality of the European Troops in the different provincial areas of the Bengal Presidency during the ten-year periods 1860-69 and 1870-79.

	BENGAL PROPER.		GANGETIC PROVINCES AND OUDH.		MEERUT AND ROHILCUND.	
	1860-69.	1870-79.	1860-69.	1870-79.	1860-69.	1870-79.
Admission-rate	1821·2	1310·7	1614·6	1410·3	1576·4	1461·2
Daily sick-rate	69·6	54·3	69·5	66·3	72·8	58·5
Death-rate	29·57	14·43	28·59	20·06	26·61	18·31

	AGRA AND CENTRAL INDIA.		PUNJAB.		HILL STATIONS.	
	1860-69.	1870-79.	1860-69.	1870-79.	1860-69.	1870-79.
Admission-rate	2169·2	1530·1	1740·7	1847·2	1069·5	1041·0
Daily sick-rate	74·1	61·5	56·7	62·9	49·5	47·9
Death-rate	38·48	18·41	25·24	20·71	14·78	12·23

The death-rates have thus fallen in each of the provincial areas: in the Punjab only has there been an increase in the admission and daily sick-rates.

5. Although the mortality has fallen in all the provincial areas, the diminution has been much greater in some than in others. With the exception of the hill stations, the death and daily sick-rates in

Decrease in the admission and death-rates greater in some provincial areas than in others.

the Punjab during the period 1860-69 were lower than in any of the other provincial areas, and only two provinces had a lower admission-rate. During the last ten-year period, on the other hand, the Punjab had the highest admission and death-rates, and, next to the Gangetic Provinces and Oudh, it had the highest daily sick-rate. Bengal Proper, again, which, during the period 1860-69, had, next to Agra and Central India, the highest death-rate, during the period 1870-79 had a very much lower death-rate than any of the other provincial areas in the plains. This death-rate was indeed but little in excess of that in the hill stations. Its daily sick and admission-rates were also lower than those of the other provinces in the plains. This diminution in the sickness and mortality among the troops in Bengal Proper is principally due to the great improvement that has taken place in the health of the men stationed at Fort William. Nearly one-half of the European troops of Bengal Proper are cantoned in that fortress, and there the average death-rate has fallen from 25·19 to 10·78 per 1,000. The health of the troops stationed in Dum-Dum and Barrackpore has also, however, considerably improved during the last ten years. The troops stationed in Agra and Central India have also enjoyed much better health during the ten years 1870-79 than they did during the former ten-year period. The death-rate of that provincial area is not half so high as it was during 1860-69, and the admission and daily sick-rates have also fallen very considerably. In the Gangetic Provinces, in Oudh, and also in Meerut and Rohilcund, a marked improvement has taken place, but not in the same proportion as in Bengal Proper and in Agra and Central India.

6. Although the average mortality of the Bengal Presidency for the ten-year period 1870-79 is much less than that for the ten-year period immediately preceding it, the improvement has not been gradual from year to year. The death-rate of 1879, the highest of any year during the period, was 44·15 per 1,000. This high mortality was partly due to the severe epidemic of cholera which in that year caused a mortality of 16·18 per 1,000, and partly to the excessive mortality that occurred among the troops in Afghanistan. During that year 9,500 of the men belonging to the Bengal Army were on active service in

Afghanistan, and among them there was a death-rate of 88·12 per 1,000. The year 1872 was, next to 1879, the most unhealthy of the period. In it the death-rate rose to 27·45 per 1,000, but in that year the mortality from cholera alone was 10·66 per 1,000. The year 1877 had the lowest mortality during the period—in it the death-rate was only 11·64 per 1,000—and 1874 comes next in order with a mortality of 14·62 per 1,000.

7. The average death-rate of the European troops in the Bengal Presidency during the first five years of the ten-year period 1870-79 was 19·53 per 1,000, and during the second five years it was 22·42. If the Army of Afghanistan for 1879 be excluded, and the Army in cantonments alone be taken into account, the death-rate for the second five years of the period was 18·85 per 1,000, or slightly under the average of the first five years. In the European Army of the Madras Presidency the average death-rate for the first five years of the period was 18·19, and for the second five years 17·18 per 1,000, so that in the second five years there was a diminution of 1 per 1,000 in the death-rate. The death-rate in the Bombay Army, on the other hand, has risen 2 per 1,000 during the second five years of the period; in the first five years it averaged 14·32, and in the second five 16·29 per 1,000. Taking the Army of India as a whole, with the exception of the troops in Afghanistan in 1879, the average death-rate during the first five years of the period was 18·31, and during the second five years 18·07 per 1,000.

8. Of the principal diseases which contributed to the death-rate of the European Army of the Bengal Presidency, cholera is the one in which the greatest diminution has taken place during the ten-year period 1870-79. During the ten years 1860-69 the average annual mortality from cholera was 9·24 per 1,000, and during the period 1870-79 it fell to 4·18 per 1,000. During the former period about 30 per cent. of the total death-rate was due to cholera, and in the latter period less than 20 per cent. was due to that cause. Not only has the mortality from cholera decreased very much in the Bengal Presidency as a whole, but the diminution is well marked in each of the provincial areas.

Table contrasting the mortality from cholera among European Troops in the provincial areas of the Bengal Presidency during the two ten-year periods 1860-69 and 1870-79.

Provincial Areas.	Average death-rate per 1,000 during the period 1860-69.	Average death-rate per 1,000 during the period 1870-79.
Bengal Proper	6·26	·85
Gangetic Provinces and Oudh	8·12	4·24
Meerut and Rohileund	6·55	2·06
Agra and Central India	15·94	3·22
Punjab	8·89	3·95
Hill Stations	1·80	1·60

9. Although the total mortality from cholera has thus diminished very much during these last ten years, the number of deaths out of each 100 cases treated for that disease has increased. During the period 1860-69, of those attacked by cholera 62·72 per cent. died, but during the period 1870-79 the percentage rose to 70·26. Cholera has not only become more fatal during the period 1870-79, as compared with the period immediately preceding it, but it has, comparing each ten-year period with the one preceding it, gradually become more virulent in the Bengal Presidency from 1827, the year in which the death-rate from that disease is first given, up to the present time.

Although the number of deaths from cholera in the European Army of Bengal has diminished of late, the percentage of deaths to number treated has on the whole increased.

* Died out of each 100 cases of cholera treated in the European Army of Bengal from 1827 to 1880.

Year.	Died out of each 100 cases treated.	Year.	Died out of each 100 cases treated.
1827	28.13	1854	50.54
1828	29.77	1855	50.00
1829	22.89	1856	57.85
1830	26.13	1857	No records.
1831	23.50	1858	54.34
1832	21.12	1859	50.17
1833	31.96	1860	53.25
1834	32.31	1861	64.04
1835	26.04	1862	61.28
1836	16.17	1863	75.11
1837	33.42	1864	69.59
1838	27.70	1865	72.50
1839	18.50	1866	60.00
1840	31.25	1867	60.87
1841	38.46	1868	65.52
1842	43.46	1869	63.55
1843	39.77	1870	42.86
1844	44.81	1871	61.00
1845	48.67	1872	66.61
1846		1873	64.70
1847		1874	100.00†
1848		1875	67.66
1849	40.74	1876	70.55
1850		1877	84.21
1851		1878	73.04
1852		1879	74.47
1853	61.00	1880	71.37

10. During the period 1870-79 the percentage of deaths among the European

Percentage of deaths from cholera to number treated in the Madras and Bombay Presidencies.

troops attacked with cholera in the Madras Presidency was 58.49, and in the Bombay Presidency during the same period the percentage was 73.27.

11. The seasons of greatest prevalence of cholera in the different provincial

Seasonal prevalence of cholera during 1870-79 agrees with former experience as noted by Bryden.

areas during the period 1870-79 agree with the experience of former years as noted by Dr. Bryden in his report on epidemic cholera in the Bengal Presidency.

Monthly distribution of cholera in Bengal Proper.

12. European troops of Bengal Proper, ‡ 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	2	...	5	1	3	2	2	...	2	1	2	3	23

Admitted in each month per cent. of the total admissions.

1870-79	8.70	...	21.74	4.34	13.04	8.70	8.70	...	8.70	4.34	8.70	13.04	100
---------	------	-----	-------	------	-------	------	------	-----	------	------	------	-------	-----

There has been so little cholera among the European troops stationed in Bengal Proper during these ten years that the above table happily contains but few data; but, as far as it goes, it coincides with former experience. Bengal Proper is in the endemic area. The spring cholera from March to May is the great cholera of the year, and 39.12 per cent. of the admissions took place during these three months. The cholera of the monsoon season from July to September is the least important, with 17.40 per cent. of the admissions, and the cholera of the cold weather from November to January takes a midway place with 30.44 per cent.

* See Bryden's Epidemic Cholera in the Bengal Presidency, page 234.

† Only eight cases occurred in 1874, all of which proved fatal.

‡ The stations which make up this and the other provincial groups of Military stations may be ascertained in detail on reference to the tables.

Monthly distribution of cholera in the Gangetic Provinces and in Oudh.

13. European troops of the Gangetic Provinces and Oudh, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	...	2	7	38	39	24	41	133	161	16	41	3	505

Admitted in each month per cent. of the total admissions.

1870-7940	1.39	7.52	7.72	4.75	8.12	26.34	31.88	3.17	8.12	.59	100
---------	-----	-----	------	------	------	------	------	-------	-------	------	------	-----	-----

The provincial area of the Gangetic provinces and Oudh is, according to Dr. Bryden, in the eastern division of the epidemic area, and the cholera of the monsoon season is the great cholera of the year. From July to September 66.34 per cent. of the total admissions took place. The spring and cold weather cholera are, however, distinctly represented, but in the spring cholera April and May take the place of March and April in the endemic area. 16.63 per cent. of the total admissions took place in March, April and May, and 8.71 per cent. in the cold weather months, in November, December and January.

Monthly distribution of cholera in Rohilcund and Meerut.

14. European Troops of Rohilcund and Meerut, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	2	4	7	3	...	28	73	2	119

Admitted in each month per cent. of the total admissions.

1870-79	1.68	3.36	5.88	2.52	...	23.53	61.35	1.68	100
---------	-----	-----	------	------	------	------	-----	-------	-------	------	-----	-----	-----

The Rohilcund and Meerut Division is in the western division of the epidemic area. Here the cholera of the monsoon season is more distinctly the principal cholera of the year than it is in the Gangetic Provinces; for out of a total of 119 admissions among the European troops during the ten-year period 1870-79, 101 occurred in the monsoon season, from July to September, or 84.88 per cent. The cold weather cholera, from November to January, was not represented by a single admission during the period; and in the spring cholera, from March to May, there were only 13 cases, or 10.92 per cent. of the whole, 7 out of the 13 having occurred in May.

Monthly distribution of cholera in Agra and Central India.

15. European troops of Agra and Central India, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	1	...	44	20	20	50	35	10	...	1	181

Admitted in each month per cent. of the total admissions.

1870-7955	...	24.31	11.05	11.05	27.63	19.34	5.5255	100
---------	-----	-----	-----	-----	-------	-------	-------	-------	-------	------	-----	-----	-----

In this provincial area the spring cholera is much more distinctly marked than it is in Rohilkund and Meerut, but it is later in manifesting itself than in the eastern division of the epidemic area. During the ten years under review, 24·31 per cent. of the admissions among the European troops occurred in May, not a single case having occurred in March and April. The cholera of the monsoon season is, however, the principal cholera of the year. In July, August and September there were 105 admissions, or 58·02 per cent. of the total for the year. The cold weather cholera was scarcely represented; during the ten years there was only one admission during the cold weather months—November, December and January—or ·55 per cent. of the whole.

Monthly distribution of cholera in the Punjab.

16. European troops of the Punjab,
1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	20	67	69	42	195	101	115	3	...	612

Admitted in each month per cent. of the total admissions.

1870-79	3·27	10·95	11·28	6·86	31·86	16·50	18·79	·49	...	100
-------------	-----	-----	-----	------	-------	-------	------	-------	-------	-------	-----	-----	-----

16. As in the last two provincial areas, the spring cholera appears later than in the eastern areas. May and June in this area take the place of April and May, in the Gangetic Provinces. From April to June there were 156 admissions from cholera among the European troops in the Punjab during the period 1870-79, or 25·50 per cent. of the total admissions. As in the other portions of the western division of the epidemic area, the cholera of the monsoon season is by far the most important one, but it is later in manifesting itself than in the eastern districts, August, September and October taking the place of July, August and September. In the Peshawar District more especially, cholera has on several occasions been very prevalent in October. In these three months there were 411 admissions from cholera among the European troops during the period under review, being 67·15 per cent. of the whole. During the ten years the cold weather cholera was not represented at all. Three cases occurred in November, but these seem rather to have been the termination of the cholera of the monsoon season than the representative of the cold weather cholera of the endemic area.

Monthly distribution of cholera in Rajpootana,
Malwa and Sind.

17. European troops of Rajpootana,
Malwa and Sind, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	1	...	5	16	10	10	59	21	6	10	1	139

Admitted in each month per cent. of the total admissions.

Years.	Jan.	Feb.	Mar.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	72	...	3.60	11.51	7.19	7.19	42.45	15.11	4.32	7.19	72	100

This provincial area is situated to the west of Agra and Central India, and cholera has very much the same distribution in it as in that area. The spring cholera is seen in April and May, the May cholera being more severe than that of April. In these two months 15.11 per cent. of the total admissions among the European troops occurred during the years 1870-79. During the same period 64.75 per cent. of the admissions occurred during the monsoon season—in July, August and September. The cold weather cholera was more marked during this period than in Agra and Central India. From November to January there were 11 admissions, or 7.91 per cent. of the whole.

Monthly distribution of cholera in Nagpur and the Deccan.

18. European troops of Nagpur and the Deccan, 1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	2	9	1	2	76	11	35	36	8	1	3	1	185

Admitted in each month per cent. of the total admissions.

1870-79 ...	1.08	4.87	.54	1.08	41.08	5.95	18.92	19.46	4.32	.54	1.62	.54	100
-------------	------	------	-----	------	-------	------	-------	-------	------	-----	------	-----	-----

This area extends from Kamptec in the north to the 15th degree of N. latitude in the south, but none of the stations occupied by European troops are under the influence of the north-east monsoon. Among the European troops of this area the spring cholera took the most prominent place during the ten years under review. But out of the 78 cases that occurred during April and May, 71 took place at Secunderabad in May 1871. This severe outbreak has probably given the spring cholera of this area a greater prominence than a more extended experience might do; but it shows that the spring cholera in the Deccan may be a very important one. This severe outbreak at Secunderabad also takes away from the cholera of the monsoon season of June, July and August the prominence that it would otherwise have had. During these three months there were 82 admissions among the European troops during these ten years, or 44.33 per cent. of the total number admitted. That the cholera of the monsoon season, *viz.*, June, July and August, is the most important one in this area is shown by the following table, which gives the deaths from cholera recorded among the Civil population during the same ten years:—

Monthly distribution of cholera among the Civil population of the Deccan, *viz.*, Berars, Hyderabad Assigned Districts, Khandeish, Nassik, Ahmednagar, Poona, Sholapur, Satara, Kaladji, Belgaum, Dharwar, Kanara, Ratnaghiri, Tanna, Bombay and Colaba.

19. Civil population of the Deccan,* 1870-79—

Cholera deaths for each month of the period.

Years.	Jan.	Feb.	Mar.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	6,083	7,949	13,036	19,305	31,917	44,642	59,775	49,889	21,133	9,784	5,180	4,977	273,670

* In the Hyderabad Assigned Districts the cholera statistics for the years 1870-74 were not available.

Died in each month per cent. of the total deaths.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	2.22	2.91	4.76	7.06	11.66	16.31	21.84	18.23	7.72	56.38	1.89	1.82	100

Thus 56.38 per cent. of the deaths recorded from cholera among the civil population in the Deccan occurred during the monsoon season from June to August.

Monthly distribution of cholera among the troops on the western side of the Madras Presidency, *viz.*, Bellary, Bangalore, Cannanore, Malliaporum and Calicut.

20. European troops stationed on the western side of the Madras Presidency exposed principally to the south-west monsoon, 1870-79—

Cholera admissions for each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	1	2	...	2	...	5	7	1	1	1	3	2	25

Admitted in each month per cent. of the total admissions.

1870-79 ...	4.00	8.00	...	8.00	...	20.00	28.00	4.00	4.00	4.00	12.00	8.00	100
-------------	------	------	-----	------	-----	-------	-------	------	------	------	-------	------	-----

Monthly distribution of cholera among the troops on the eastern coast of the Madras Presidency, *viz.*, Trichinopoly, St. Thomas' Mount and Madras.

21. European troops stationed on the eastern coast of the Madras Presidency principally exposed to the north-east monsoon, 1870-79—

Cholera admissions for each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	4	1	7	5	3	2	2	1	2	1	...	2	30

Admitted in each month per cent. of the total admissions.

1870-79 ...	13.33	3.33	23.33	16.67	10.00	6.67	6.67	3.33	6.67	3.33	...	6.67	100
-------------	-------	------	-------	-------	-------	------	------	------	------	------	-----	------	-----

There have been so few cases of cholera among the European troops of the Madras Presidency during the years 1870-79 that the two preceding tables are of little value. As far as they go, they seem to show that on the western coast the cholera of the south-west monsoon season, *viz.*, June to August, is distinctly marked, and that the cold weather cholera is also of considerable importance. The table for the troops on the east coast gives the spring cholera as the principal one of the year, with a distinctly marked cold weather cholera.

The two following tables give the cholera statistics of the civil population of the Madras Presidency during the same ten-year period.

Monthly distribution of cholera among the Civil population of the western districts of the Madras Presidency, *viz.*, Bellary, Kurnool, Coimbatore, Neilgherries, South Kanara, Malabar and Mysore.

22. Civil population of the Western districts of the Madras Presidency exposed principally to the south-west monsoon, 1870-79—

Cholera deaths for each month for the period.

Years.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	14,314	17,408	18,475	19,022	21,285	19,730	15,132	11,799	10,901	9,436	11,897	18,380	187,779

Died in each month per cent. of the total deaths.

1870-79 ...	7.62	9.27	9.84	10.13	11.34	10.51	8.06	6.28	5.81	5.02	6.33	9.79	100
-------------	------	------	------	-------	-------	-------	------	------	------	------	------	------	-----

Monthly distribution of cholera among the Civil population of the Eastern Districts of the Madras Presidency, *viz.*, Ganjam, Vizagapatam, Godavery, Kistna, Cuddapah, Nellore, North Arcot, Madras, Chingleput, South Arcot, Tanjore, Tinnevely, Trichinopoly, Madura and Salem.

23. Civil population of the eastern districts of the Madras Presidency exposed principally to the north-east monsoon, 1870-79—

Cholera deaths for each month for the period.

Years.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79 ...	79,486	56,254	42,510	33,404	44,215	48,880	73,303	65,839	44,599	24,057	24,489	41,995	579,031

Died in each month per cent. of the total deaths.

1870-79 ...	13.73	9.72	7.34	5.77	7.64	8.44	12.67	11.37	7.70	4.14	4.23	7.25	100
-------------	-------	------	------	------	------	------	-------	-------	------	------	------	------	-----

24. From these two tables it appears that the reported deaths from cholera

among the civil population of the districts towards the west coast are slightly more numerous during the cold weather months, when the north-east monsoon is blowing, than they are during the months of the south-west monsoon. 26.68 per cent. of the reported deaths occurred in December, January and February, and 24.85 per cent. during June, July and August—the south-west monsoon months. On the other hand, more cases of cholera seem to occur among the inhabitants of the eastern districts during the south-west monsoon months than during the north-east monsoon months. During June, July and August, 32.48 per cent. of the reported deaths took place, and 30.70 per cent. during December, January and February. Civil statistics must always, however, be received with a certain degree of caution, so that these two tables cannot be regarded as giving, with absolute accuracy, the history of cholera in the Madras Presidency during the ten years 1870-79. They are, however, sufficiently accurate to show that in the Madras Presidency the cholera outbreaks of the south-west and north-east monsoon seasons are nearly equal in magnitude; that in March, April and May cholera is also frequently seen; that on the east coast the disease is least frequently seen in October and November; and that on the west coast, September and October are the months of least frequency.

Monthly distribution of cholera in British Burma.

25. European troops of British Burma,
1870-79—

Cholera admissions of each month for the period.

Years.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
1870-79	43	3	14	41	4	11	2	118

Admitted in each month per cent of the total admissions.

1870-79	36.44	2.54	11.86	34.75	3.39	9.32	1.70	100
-------------	-----	-----	-----	-------	------	-------	-------	------	------	------	-----	-----	-----

In British Burma the spring cholera is seen in April, as in the eastern division of the epidemic area, and, as in India, with the exception of the Madras Presidency and Bengal Proper, the principal cholera of the year occurs during the south-west monsoon, *viz.*, July, August and September. Of the 43 admissions which occurred in April, 28 took place at Thayetmyo in April 1870, so that the April cholera for this ten-year period is probably more prominent than longer experience would give it. During this ten-year period 36.44 per cent. of the admissions occurred in April, and 47.46 per cent. during the monsoon months in July, August and September. There was not a single admission from cholera among the European troops of British Burma in the cold weather months in November, December and January during the ten years under review.

26. In the tables of the Bengal Presidency for the ten-year period 1860-69 Death-rate from fevers as a whole nearly the same enteric fever was included under "Remittent and continued fevers." The average death-rate from fevers taken as a whole in Bengal during the period 1860-69 was 3.58 per 1,000. During the ten-year period 1870-79 the average death-rate from the same causes was 4.02 per 1,000, an increase of .44 per 1,000. Before enteric fever was recognised as a distinct disease, many cases which would now be denominated enteric fever were then more than probably called chronic diarrhoea. As the death-rate from diarrhoea has fallen from .75 per 1,000 during the period 1860-69 to .12 per 1,000 during the next ten-year period, a much greater relative reduction than has taken place in the case of dysentery; it is probably the case that the slightly increased mortality from fevers is more apparent than real.

27. Out of 4.02 per 1,000, the total mortality from fevers in the Bengal Presidency during the ten-year period 1870-79, 2.28 per 1,000 was due to enteric fever. In the Army of India as a whole the mortality caused by enteric fever was 2.03 per 1,000; in the Madras Presidency the death-rate from that disease was 1.42; and in Bombay 1.75 per 1,000. The enteric fever statistics are, however, probably far from correct, as what one medical officer calls enteric fever may be called simple continued fever by a second, and remittent fever by a third.

28. Enteric fever is either a much more fatal disease in this country than it is in England and the Continent of Europe, or a great many cases, which in Europe are called cases of enteric fever, are in this country entered under some other denomination. The mortality from enteric fever in Europe is under 20 per cent., whereas out of 2,365 admissions from that disease among the European troops of the Army of India during the period 1870-79, 1,168 died, or at the rate of 43.83 per cent.

29. Enteric fever has been seen in all parts of India. During the last ten years it appeared in almost every station occupied by European troops. Whatever part local conditions may play as causes of the disease, these local causes

seem to be secondary to a general seasonal cause. It is more prevalent at certain seasons than at others, and these results are so constant for the different provincial areas of India that the greater prevalence of the disease at these times would appear in the main to be dependent on some common cause.

30. In the two following tables the number of deaths and the death-rates

Number of deaths and death-rates from enteric fever, month by month, for each of the provincial areas of India. from enteric fever during the ten years 1870-79 are given, month by month, for each of the provincial areas of India. The death-rates have been given in preference to the admission-rates, because in fatal cases the diagnosis of the disease was confirmed by means of *post-mortem* examinations.

Enteric fever deaths among European troops in each of the provincial areas for each month of the period.

Provincial areas.	Jan.	Feb.	Mar.	Apl.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Bengal Proper	1	2	1	1	3	5	2	15
Gangetic Provinces } and Oudh }	11	8	10	22	34	19	20	26	24	9	6	11	200
Rohileund and Meerut	5	2	5	12	25	14	6	6	13	11	4	4	107
Agra and Central India	6	4	2	9	5	2	2	7	19	16	9	2	83
Punjab ...	8	12	10	21	38	58	29	26	22	17	8	11	260
Hill stations of Bengal	1	...	1	3	7	8	17	18	7	9	2	1	74
Rajpootana, Malwa, } Sind and Aden }	4	8	3	9	9	6	3	10	40	19	11	9	131
Deccan and Nagpur ...	7	4	3	10	13	9	8	12	26	12	4	3	111
Southern India ...	8	7	3	8	1	6	8	3	5	4	...	6	59
Burma and Pegu ...	1	2	1	...	4	2	2	12
Hill stations of Mad- } ras and Bombay }	...	1	...	2	3	5	...	3	...	1	3	...	18
Total ...	51	49	39	97	136	127	98	116	161	100	47	49	1,070*

* This total does not agree with the total of Table I, as casualties on the march and in the field are not included in it.

EUROPEAN TROOPS OF INDIA, 1870-79.

Died from enteric fever in each month per cent. of the total deaths.

Provincial areas.	Jan.	Feb.	Mar.	Apl.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Bengal Proper	6·67	13·33	6·67	6·67	20·00	33·33	13·33	100·00
Gangetic Provinces } and Oudh }	5·50	4·00	5·00	11·00	17·00	9·50	10·00	13·00	12·00	4·50	3·00	5·50	100·00
Rohileund and Meerut	4·67	1·87	4·67	11·22	23·36	13·08	5·61	5·61	12·15	10·28	3·74	3·74	100·00
Agra and Central India	7·23	4·82	2·41	10·84	6·03	2·41	2·41	8·43	22·89	19·28	10·84	2·41	100·00
Punjab ...	3·07	4·61	3·85	8·08	14·62	22·31	11·15	10·00	8·46	6·54	3·08	4·23	100·00
Hill stations of Bengal	1·35	...	1·35	4·06	9·46	10·81	22·97	24·33	9·46	12·16	2·70	1·35	100·00
Rajpootana, Malwa, } Sind and Aden }	3·05	6·11	2·29	6·87	6·87	4·58	2·29	7·63	30·54	14·50	8·40	6·87	100·00
Deccan and Nagpur ...	6·31	3·60	2·70	9·01	11·71	8·11	7·21	10·81	23·43	10·81	3·60	2·70	100·00
Southern India ...	13·56	11·87	5·08	13·56	1·70	10·17	13·56	5·08	8·47	6·78	...	10·17	100·00
Burma and Pegu ...	8·33	16·67	8·33	...	33·33	16·67	16·67	100·00
Hill stations of Mad- } ras and Bombay }	...	5·55	...	11·11	16·67	27·78	...	16·67	...	5·55	16·67	...	100·00
Total ...	4·77	4·58	3·64	9·06	12·71	11·87	9·16	10·84	15·05	9·35	4·39	4·58	100·00

31. The deaths from enteric fever in Bengal Proper, Burma and Pegu

and in the hill stations of Madras and Bombay, are so few as to render their portion of the above table of little value.

Taking the Army of India as a whole, there are seen to be two maxima—one in May and June, and the other in September. In Agra and Central India, in the Deccan and Nagpur, and in Rajpootana, Malwa, Sind and Aden, the September maximum is the higher one; whereas in the Gangetic Provinces and Oudh, in Meerut and Rohileund, and in the Punjab, the higher maximum is in May or June. In the hill stations of the Bengal Presidency there is only one maximum—in July and August—the percentage gradually rising from February till June, with a sudden rise in July and August, and again a sudden fall in September. In Southern India there is no maximum, but the mortality is pretty evenly distributed throughout the year. This behaviour of enteric fever throughout India agrees so closely

with the periods of greatest heat, that it is more than probable that the enteric fever and the heat maxima are connected with each other. In the plains of Northern India and in the Deccan, the months of greatest heat are June, before the rains commence, and September, after the rains cease; May, June and September are the months of greatest prevalence of enteric fever in these provinces. In the hill stations of Bengal the greatest heat occurs in the end of June and the beginning of July, just before the rains commence, and enteric fever has its maximum death-rate in the hills in July and August. Southern India, again, is so near the equator, that the temperature remains very nearly the same throughout the year, and in that provincial area enteric fever has no distinct rise and fall.

Statement showing the number of deaths from Enteric Fever in the European Army of India during the five-year period 1875-79, classified according to Ages and Periods of Indian Service.

Indian Service.	Aggregate Strength on 1st July at different periods of Indian Service during the five years.	AGES.							Total Aggregate Strength 289,529.	Annual Death-rate per 1,000 of Strength.
		Under 20 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 years and over.			
		Aggregate Strength 7,395.	Aggregate Strength 94,646.	Aggregate Strength 95,613.	Aggregate Strength 47,235.	Aggregate Strength 35,498.	Aggregate Strength 9,112.			
Under 1 year ...	41,852	16	215	50	11	4	1	297	7·10	
1 year and under 2 years	37,669	5	125	53	3	2	1	189	5·02	
2 years " 3 " ...	31,478	...	40	28	5	1	...	74	2·35	
3 " 4 " ...	30,474	1	20	28	3	3	...	55	1·80	
4 " 5 " ...	28,485	...	7	16	2	...	1	26	·91	
5 " 6 " ...	24,333	14	5	1	...	20	·82	
6 " 7 " ...	18,868	13	3	1	...	17	·90	
7 " 8 " ...	75,221	4	...	1	...	5	} ·31	
8 " 9 "	4	3	3	...	10		
9 " 10 "	2	2		
10 years and over	4	1	1	6		
Total ...	288,380									
Number of Deaths	22	407	210	41	17	4	701		
Annual Death-rate per 1,000 of Strength	...	2·97	4·30	2·20	·87	·48	·44	...		

NOTE.—The Aggregate Strength on the 1st of July at different periods of service for these 5 years is 288,380, and at the different ages 289,529, the strengths given by some of the corps at different periods of service being slightly different from the strengths given at the different ages.

32. The above table shows that recent arrival in India and youth are both powerful factors in producing enteric fever, and at the same time it shows that recent arrival is the more powerful of the two. The aggregate strength of boys under 20 years of age in the European Army of India during the 5 years 1875-79 was 7,395, and of these 22 died of enteric fever, or 2·97 per 1,000. Out of an aggregate strength of 94,646 between the ages of 20 and 24, there were 407 deaths from the same disease, or 4·30 per 1,000, a much greater mortality than among those under 20 years of age. There were 210 deaths from this disease among the men between 25 and 29 years of age, out of an aggregate strength of 95,613, at the rate of 2·20 per 1,000, a mortality nearly equal to that among boys under 20 years of age. The mortality from enteric fever among men of 30 years of age and over was inconsiderable; out of an aggregate strength of 91,875 men of 30 years of age and over during these 5 years, there were only 62 deaths, or ·67 per 1,000. Hence, the mortality from enteric fever among boys under 20 years of age is much smaller than among men from 20 to 24 years of age. The mortality from this cause among men of 25 to 29 years of age is nearly the same as that among boys under 20 years of age, and after 30 years of age the mortality from enteric fever is very small. During the same five years the aggregate strength of men under one year's service was 41,852; of these, 297 died from enteric fever, or 7·10 per 1,000. The aggregate strength of the men of one year's service and under two years' was 37,669; among them

there were 189 deaths from this cause, at the rate of 5.02 per 1,000. There were 74 deaths among men who had served between two and three years in India, whose aggregate strength was 31,478, a death-rate of 2.35 per 1,000. The death-rate from enteric fever among men between three and four years' Indian service was 1.80; among those from four to seven years' service it was .88; and among those of seven years' service and upwards it was .31 per 1,000. Hence the mortality from enteric fever among men of less than one year's Indian service is much greater than the mortality from the same cause among men who have served longer in the country, and it is very much greater than the mortality among men of the age of 20 to 24, the period of life which furnishes the greatest number of fatal cases of enteric fever as shown by the statistics of these five years.

33. There were 318,493 admissions and 818 deaths from intermittent, remittent and continued fevers during the ten-year period 1870-79 in the European Army of India, giving an admission-rate of 551.6, and a death-rate of 1.42 per 1,000 from these diseases. Of this number, 220,717 admissions and 631 deaths occurred in the Bengal Presidency, the admission-rate being 607.3 and the death-rate 1.74 per 1,000. These fevers are much more prevalent in the Punjab than in the other divisions of the Presidency; and in that Province the admission-rate from fevers as a whole has risen from 741.3 during the ten-year period 1860-69 to 969.7 per 1,000 during the ten-year period under review. The admission-rate is also greater in Meerut and Rohilkund than it was during the former ten-year period, but in the other provinces it has fallen.

34. In the Madras Presidency there were 29,413 admissions from fevers, excluding enteric fever, and 69 deaths during the ten-year period 1870-79, with an admission-rate of 266.5, and a death-rate of .62 per 1,000. This is less than half the admission and death-rates from the same diseases in the Bengal Presidency. During the ten-year period 1860-69 the admission-rate from fevers in the Madras Presidency was 236.3 per 1,000.

35. There were 68,363 admissions and 118 deaths from the same fevers in the Bombay Presidency during the period 1870-79, with an admission-rate of 659.9 and a death-rate of 1.14 per 1,000. The admission-rate is slightly higher than that of the Bengal Presidency from the same causes, but the death-rate is considerably less than in Bengal. During the years 1863-69 the average admission-rate from fevers in Bombay was 277.1 per 1,000.

36. During the ten-year period 1870-79 there were 12,009 admissions from dysentery and 22,683 from diarrhœa among the European troops of the Bengal Presidency, being at the rate of 33.1 per 1,000 from the former and 62.4 per 1,000 from the latter disease. The deaths from dysentery in Bengal during that period were 496, and from diarrhœa 44; the death-rate from dysentery being 1.37, and from diarrhœa .12 per 1,000. This is a considerable improvement in the admission and death-rates from these diseases as compared with the preceding ten years. During the period 1860-69 the average admission-rate from dysentery in Bengal was 48.9, and the death-rate 2.72 per 1,000, and the corresponding rates from diarrhœa were 109.4 and .75 per 1,000. As stated above, some cases which were formerly called chronic diarrhœa may now be denominated enteric fever, and this is rendered more likely by the fact that, during 1860-69, .69 per cent. of the diarrhœa cases died, and during the period 1870-79 only .19 per cent.

37. In the Madras Presidency during 1870-79 the average admission-rate from dysentery was 76.9, and the death-rate 2.32 per 1,000; diarrhœa gave an admission-rate of 64.8 and a death-rate of .04 per 1,000 for the same period. Dysentery was thus much more prevalent and more fatal in Madras than in Bengal during these ten years. Diarrhœa occurred with equal frequency in both Presidencies, but was less fatal in Madras than in Bengal. During the ten years 1860-69 the admission-

rate from dysentery in Madras was 84·9, and from diarrhœa 86·3 per 1,000, so that, as compared with the previous ten-year period, taking the two diseases together, there has been a reduction of 30 per 1,000 during the period 1870-79.

38. The admission-rate from dysentery in the Bombay Presidency during the years 1870-79 was 27·6, and from diarrhœa 60·8, and the death-rates were ·98 and ·17 per 1,000 respectively.

Dysentery and diarrhœa in the Army of Bombay.

During the period under review dysentery was thus less prevalent and less fatal in Bombay than it was either in Bengal or in Madras. The admission-rate from dysentery in the Bombay Presidency during the years 1863-69 was 19·1, and from diarrhœa 45·7 per 1,000. Both the diseases have thus increased in frequency during the last ten years.

39. In the European Army of India 28,780 admissions and 1,267 deaths were recorded under "Hepatitis" during the ten-year period 1870-79. This gives an admission-rate of 49·8 and a death-rate

Hepatitis in the Army of India and in the Army of Bengal.

of 2·19 per 1,000. In the Army of Bengal the admission-rate was 47·1 and the death-rate 2·04 per 1,000. In the preceding ten-year period the admission-rate was 59·2 and the death-rate 3·31 per 1,000. A considerable reduction has thus taken place in both the admission-rate and the death-rate, and the diminution has been pretty evenly distributed over the different sections of the Presidency.

40. There were 7,417 admissions and 319 deaths from hepatitis in the European Army of Madras during the years 1870-79, an admission-rate of 67·2, and a death-rate of 3·16 per 1,000—much higher rates than those for Bengal. During the immediately preceding ten-year period the admission-rate from hepatitis was 70·2, so that very little diminution has taken place in the frequency of this disease.

Hepatitis in the Madras Army.

41. During the period 1870-79 there were 4,234 admissions and 177 deaths from hepatitis in the European Army of the Bombay Presidency, the admission-rate being 40·9, and the death-rate 1·71 per 1,000—slightly less than the corresponding-rates for Bengal. For the years 1863-69 the average admission-rate from this disease in Bombay was 26·6 per 1,000. Hepatitis thus appears to have been more prevalent of late in the Bombay Presidency—an experience opposed to that of Bengal and Madras.

Hepatitis in the Bombay Army.

42. In the European Army of Bengal there were 30,578 admissions and 455 deaths from respiratory diseases during the years 1870-79, an admission-rate of 84·1, and a death-rate of 1·25 per 1,000. Of the 455 deaths, 123 occurred in 1879, and 85 of these took place among the troops on active service in Afghanistan. Excluding the troops on active service in Afghanistan, and for 1879 taking account only of the troops in cantonments, the number of admissions for the ten-year period in Bengal was 29,326, and the number of deaths 370, an admission-rate of 82·9 and a death-rate of 1·05 per 1,000.

Respiratory diseases in the Bengal Army.

43. As might be expected, the admission and death-rates from these diseases are much higher in the Punjab than in any of the other provincial areas of the Presidency. In the Punjab the average admission-rate for these ten years was 100·7 and the death-rate 1·59 per 1,000.

Respiratory diseases very prevalent in the Punjab.

44. That cold is not, however, the only cause of the greater frequency of respiratory diseases in the Punjab is shown by the fact that the hill stations of the Bengal Presidency give an admission-rate of 82·6 and a death-rate of ·84 per 1,000—lower rates than those for the Punjab; and yet the hill stations have a lower temperature than the plains of the Punjab. Malarial fevers are much more prevalent in the Punjab than in the other provincial areas of the Bengal Presidency, and certain forms of pneumonia seem to have an intimate connection with malarial fevers. During the period

Respiratory diseases closely connected with malarial fevers.

1860-69 the admission-rate from respiratory diseases in the Bengal Presidency was 74·7, and the death-rate ·99 per 1,000; so that, even excluding the Army of Afghanistan, these diseases have become more prevalent and fatal during the last ten years. The increase in the mortality is, however, entirely due to the increased death-rate from these diseases in the Punjab. In the Punjab the death-rate has risen from ·89 to 1·59 per 1,000, and in all the other provincial areas of the Presidency it has fallen. But during the last ten years the admission-rate from fevers has risen in the Punjab, and fallen in all the other provincial areas, with the exception of Meerut and Rohilkund. It is also worthy of remark that the admission-rate from respiratory diseases has also risen in Meerut and Rohilkund, though the death-rate has fallen. These facts are brought out in the following table:—

Statement contrasting the admission-rates from fevers (chiefly malarial) and the admission and death-rates from respiratory diseases in the different provincial areas of the Bengal Presidency during the ten-year periods 1860-69 and 1870-79.

PROVINCIAL AREAS.	TEN-YEAR PERIOD 1860-69.			TEN-YEAR PERIOD 1870-79.		
	Fevers.*	Respiratory diseases.		Fevers, excluding enteric.	Respiratory diseases.	
	Admission-rate per 1,000.	Admission-rate per 1,000.	Death-rate per 1,000.	Admission-rate per 1,000.	Admission-rate per 1,000.	Death-rate per 1,000.
Bengal Proper	567·5	71·2	1·07	406·8	48·8	·32
Gangetic Provinces and Oudh ...	467·0	64·5	·93	341·0	65·6	·43
Rohilkund and Meerut	410·4	72·0	·88	551·4	78·8	·63
Agra and Central India	995·7	78·4	·99	690·6	71·5	·74
Punjab	741·3	80·2	·89	964·9	100·7	1·59

* This includes the admission-rate from enteric fever.

45. In the European Army of the Madras Presidency there were 6,338 admissions and 35 deaths from respiratory diseases during 1870-79, an admission-rate of 57·4, and a death-rate of ·32 per 1,000. These are very much smaller than the corresponding rates in the Bengal Presidency. The higher temperature of the cold weather months, and the comparatively low admission-rate from malarial fevers, probably account for the comparative freedom of Madras from respiratory diseases. During the ten-year period 1860-69 the average admission-rate from these diseases in Madras was 43·2, so that they have increased in frequency of late years.

46. In the European Army of Bombay the admissions from respiratory diseases during 1870-79 were 6,614 and the deaths 72, an admission-rate of 63·9, and a death-rate of ·70 per 1,000. During this period Bombay has thus held a midway place between Bengal and Madras as regards these diseases. The admission-rate from respiratory diseases among the European troops of this Presidency during the period 1863-69 was 23·0 per 1,000.

47. The admissions from venereal diseases in the European Army of India during the ten-year period 1870-79 were 117,485, an admission-rate of 203·5 per 1,000. The admission-rates of 1878 and 1879 from these diseases were considerably above the average rate of the period.

48. 75,811 of the admissions from venereal diseases during this ten-year period occurred among the Bengal troops with an admission-rate of 208·6 per 1,000. In the immediately preceding ten-year period the admission-rate from these diseases was 265·5 per 1,000—a very much higher admission-rate than the average of the last ten years. Although the average admission-rate of the ten years 1870-79 is thus less than that of the preceding ten-year period, the

diminution has not been gradual, but the rate has varied very much from year to year, as may be seen from the following table :—

Table showing the annual admission-rate from venereal diseases in the European Army of Bengal for 20 years 1860-79.

Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.
1860	338·0	1865	227·2	1870	202·7	1875	212·4
1861	369·1	1866	217·7	1871	208·8	1876	194·7
1862	318·1	1867	170·6	1872	190·7	1877	202·5
1863	281·7	1868	199·2	1873	167·0	1878	288·8
1864	254·9	1869	200·3	1874	200·1	1879	270·3 *

* Excluding the troops on active service in Afghanistan.

49. Thus the admission-rate from venereal diseases was very high in 1860 and 1861, and gradually fell from 1862 to 1867, in which year it reached the rate of 170·6 per 1,000. The rate again rose nearly 30 per 1,000 in 1868 to 199·2 per 1,000, and remained about the same from that year to 1877, with the exception of 1873, in which year it fell to 167·0 per 1,000, the lowest recorded admission-rate. There was again a sudden rise in 1878 and 1879, the average admission-rates from venereal diseases in these two years being nearly the same as the rate in 1863.

50. There were 21,874 admissions from venereal diseases in the European Army of Madras during the ten years under review, giving an admission-rate of 198·1 per 1,000—a little under the average admission-rate in Bengal. During the period 1860-69 the admission-rate was 236·6, considerably under the average of the following ten years. As in the Bengal Presidency the admission-rate from venereal diseases has varied much from year to year during the 20 years 1860-79, as may be seen from the following table :—

† *Table showing the annual admission-rate from venereal diseases in the European Army of Madras for 20 years 1860-79.*

Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.
1860	267·0	1865	227·7	1870	165·9	1875	208·6
1861	293·3	1866	234·7	1871	180·3	1876	184·4
1862	304·5	1867	208·5	1872	164·6	1877	231·8
1863	257·3	1868	250·5	1873	152·2	1878	250·2
1864	269·2	1869	192·8	1874	188·9	1879	261·6

† The admission-rates for the years 1860-69 have been taken from the Madras Sanitary Reports.

51. In the European Army of Bombay there were 19,800 admissions from venereal diseases during 1870-79, an admission-rate of 191·1 per 1,000, slightly less than the admission-rate from the same causes in Madras. The admission-rate from venereal diseases in Bombay during the period 1863-69 was 127·5 per 1,000, very considerably less than the average rate of the succeeding ten years.

The following Table gives the admission-rates year by year from venereal diseases in the European Army of Bombay for 15 years 1865-79 :—

*Table showing the annual admission-rate from venereal diseases in the European Army of Bombay for 15 years 1865-79.

Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.	Year.	Admission-rate from venereal diseases.
1865	201·8	1870	180·4	1875	174·4
1866	212·1	1871	174·4	1876	178·8
1867	227·6	1872	154·8	1876	205·0
1868	204·4	1873	181·1	1878	230·6
1869	159·0	1874	170·8	1879	269·9

* The admission-rates for the years 1865-69 have been taken from the Bombay Sanitary Reports.

52. The average death-rates from the principal diseases of the European Army of India is given in the following table. The details for each of the ten years are entered in this table, as well as

The average death-rates from the principal diseases in the Army of India.

the composition of the standard derived from the aggregate of the statistics of the ten-year period 1870-79 :—

Composition of the death-rate of the Army of India in each year of the ten years 1870-79, cholera being excluded.

CAUSES OF DEATHS.	Standard of ten years 1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.
Hepatitis ...	2·19	3·28	2·73	2·45	2·33	2·16	1·85	1·68	1·62	2·25	1·68
Enteric fever ...	2·03	1·58	1·62	1·87	1·34	1·70	1·44	1·82	1·60	3·64	3·59
Accidental and suicidal deaths ...	1·90	1·76	1·81	1·63	1·70	1·66	1·73	1·61	1·92	1·68	3·50†
Apoplexy ...	1·52	1·67	·83	1·93	1·29	·95	1·73	1·63	1·22	1·73	2·17
Dysentery ...	1·48	2·11	1·34	1·85	1·31	1·23	·84	1·16	·82	1·73	2·49
Fevers not enteric ...	1·42	2·57	1·74	1·38	1·11	·86	1·04	·59	·56	1·43	2·96
Heart diseases ...	1·19	1·50	1·63	1·28	1·53	1·25	1·03	1·05	·98	·83	·80
Phthisis pulmonalis ...	1·18	1·47	1·53	1·24	1·16	1·03	1·25	1·07	·93	1·06	1·05
Respiratory diseases ...	·97	1·23	·99	·95	·85	·52	·77	·66	·49	·74	2·52
Delirium tremens ...	·18	·27	·39	·19	·09	·14	·14	·10	·12	·25	·17
Diarrhœa ...	·12	*	·12	·17	·10	·03	·14	·05	·07	·07	·30
All other causes ...	1·94	2·55	1·71	2·02	1·69	1·87	2·20	1·58	1·54	2·05	2·25
Died per 1,000 from all causes...	16·12	19·99	16·44	16·96	14·50	13·40	14·16	13·00	11·87	17·46	23·48

Percentage of deaths from the principal causes in each year of the ten years 1870-79, cholera being excluded.

CAUSES OF DEATHS.	Standard of ten years 1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.
Hepatitis ...	13·59	16·41	16·61	14·44	16·07	16·12	13·06	12·92	13·65	12·89	7·16
Enteric fever ...	12·59	7·90	9·85	11·03	9·24	12·69	10·17	14·00	13·48	20·85	15·29
Accidental and suicidal deaths ...	11·79	8·80	11·01	9·61	11·72	12·39	12·22	12·39	16·18	9·62	†14·91
Apoplexy ...	9·43	8·36	5·05	11·38	8·90	7·09	12·22	12·53	10·28	9·91	9·24
Dysentery ...	9·18	10·56	8·15	10·91	9·03	9·18	5·93	8·92	6·91	9·91	10·60
Fevers not enteric ...	8·81	12·86	10·58	8·14	7·66	6·42	7·35	4·54	4·72	8·19	12·61
Heart diseases ...	7·38	7·50	9·92	7·55	10·55	9·33	7·27	8·08	8·26	4·75	3·41
Phthisis pulmonalis ...	7·32	7·35	9·31	7·31	8·00	7·69	8·83	8·23	7·83	6·07	4·47
Respiratory diseases ...	6·02	6·15	6·02	5·60	5·86	3·88	5·43	5·08	4·12	4·24	10·73
Delirium tremens ...	1·12	1·35	2·37	1·12	·62	1·04	·99	·77	1·01	1·42	·73
Diarrhœa ...	·74	*	·73	1·00	·69	·22	·99	·39	·59	·40	1·27
All other causes ...	12·03	12·76	10·40	11·91	11·66	13·95	15·54	12·15	12·97	11·75	9·58
All causes ...	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

* Included with dysentery.

† Of these, 71 were killed in action or died of wounds received in battle.

Excluding cholera, hepatitis was the principal cause of death in the European Army of India during the ten-year period 1870-79, 13·59 per cent. of the deaths being due to that cause. Enteric fever and suicidal deaths and other deaths by violence come next on the list, causing respectively 12·59 and 11·79 per cent. of the total deaths. Next come apoplexy, dysentery and fevers, not enteric; about 9 per cent. of the total deaths being due to each of these causes. After these come heart diseases and phthisis pulmonalis, each contributing over 7 per cent. of the death-rate; and then follow respiratory diseases with a percentage of 6·02.

53. The two following tables give the statistics of regiments in the first Experience of regiments in the first year of their year of their Indian service for the ten- Indian service. year period 1870-79 as compared with the experience of the Army generally:—

Table giving the admissions, number daily sick, total deaths, and deaths from the principal diseases among regiments in the first year of their Indian service and in the Army generally for the ten years 1870-79.

Years.	STRENGTH.		ADMISSIONS.		DAILY SICK.		DEATHS.		DEATHS FROM									
	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	ENTERIC FEVER.		OTHER FEVERS.		APOPLEXY.		DYSSEN- TERY AND DIAR- RHŒA.		HEPATITIS.	
									Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.
1870	54,578	4,331	89,800	6,479	3,428	249	1,152	124	87	18	140	30	91	20	115	14	179	14
1871	56,806	4,372	82,345	5,638	3,291	223	996	78	92	23	99	14	47	3	83	12	155	3
1872	58,870	4,000	88,130	6,517	3,306	245	1,425	118	110	12	81	11	114	15	119	7	144	6
1873	58,769	4,608	78,054	7,266	3,253	282	899	102	79	38	65	2	76	10	83	7	137	18
1874	59,308	3,934	80,520	7,152	3,409	275	806	103	101	40	51	3	56	11	73	8	128	11
1875	58,409	4,959	78,141	6,443	3,315	252	1,021	117	84	24	61	7	101	14	57	6	108	4
1876	57,858	4,304	78,773	6,219	3,277	271	886	115	105	31	34	4	94	24	70	10	97	4
1877	57,260	4,192	71,992	5,750	3,196	262	728	64	92	20	32	2	70	11	5	2	93	10
1878	56,475	4,719	93,257	9,632	3,821	383	1,212	158	206	56	80	22	98	14	102	17	127	5
1879	59,082	4,851	110,552	10,277	4,431	404	2,041	122	212	40	175	7	128	23	165	10	99	6
Ten years	577,416	44,269	851,564	71,373	34,719	2,849	11,166	1,101	1,168	302	818	102	875	145	920	93	1,267	81

Table comparing the admission-rate, daily sick-rate, total death-rate, and the death-rates from the principal diseases of regiments in the first year of their Indian service, with the corresponding rates of the Army generally for the ten years 1870-79.

YEARS.	STRENGTH.		RATIO PER 1,000 OF STRENGTH.																												
	Army generally.	New regiments.	Admission-rate.		Daily sick-rate.		Death-rate.		DEATH-RATE FROM																						
			Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Enteric fever.		Other fevers.		Apoplexy.		Dysentery and diarrhœa.		Hepatitis.														
Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.	Army generally.	New regiments.												
1870	...	54,578	4,331	1,645	1,496	63	57	21	11	28	63	1	59	4	16	2	57	6	93	1	67	4	62	2	11	3	23	3	23	3	23
1871	...	56,806	4,372	1,450	1,290	58	51	17	53	17	84	1	62	5	26	1	74	3	20	83	68	1	46	2	74	2	73	68	68		
1872	...	58,870	4,000	1,497	1,629	56	62	24	21	29	50	1	87	3	00	1	38	2	75	1	93	3	75	2	02	1	75	2	45	1	50
1873	...	58,769	4,608	1,328	1,577	55	61	15	30	22	14	1	34	8	25	1	11	43	1	29	2	17	1	41	1	52	2	33	3	91	
1874	...	59,308	3,934	1,358	1,818	57	70	13	58	26	18	1	70	10	17	86	76	95	2	80	1	26	2	03	2	16	2	80	2	80	
1875	...	58,409	4,959	1,338	1,299	57	51	17	48	23	59	1	44	4	84	1	04	1	41	1	73	2	82	98	1	21	1	85	81	81	
1876	...	57,858	4,304	1,361	1,444	57	63	15	32	26	72	1	82	7	20	59	93	1	63	5	58	1	21	2	32	1	68	93	93		
1877	...	57,260	4,192	1,257	1,371	56	62	12	71	15	27	1	60	4	77	56	48	1	22	2	62	89	48	1	62	2	38	38	38		
1878	...	56,475	4,719	1,651	2,041	68	81	21	46	33	48	3	64	11	87	1	43	4	66	1	73	2	97	1	80	3	60	2	25	1	06
1879	...	59,082	4,851	1,871	2,118	75	83	34	55	25	15	3	59	8	25	2	96	1	44	2	17	4	74	2	79	2	06	1	68	1	24
Ten years...		577,416	44,269	1,475	1,612	60	64	19	34	24	87	2	03	6	82	1	42	2	30	1	52	3	28	1	60	2	10	2	19	1	83

The above tables show that, as a rule, regiments in the first year of their Indian service have a higher mortality than the Army generally. Enteric fever is by far the principal cause of this higher death-rate. Fresh arrivals also suffer more severely from heat apoplexy than more seasoned men do, and their death-rate from fevers, other than enteric, and from dysentery and diarrhoea, is also slightly higher. The death-rate from hepatitis, on the other hand, is higher in the Army generally than it is among men in the first year of their Indian service.

54. The following tables give the number of deaths and the average death-rates of the men composing the European Army of India at different ages for the nine years 1871-79, as well as the corresponding deaths and death-rates in the separate European Armies of Bengal, Madras, and Bombay:—

Deaths and death-rates at different ages.

Distribution according to age of the aggregate strength of the European Army of India during the nine years 1871-79.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
525,540	21,900	171,716	158,826	98,305	173,098	14,058

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATHS.	NUMBER OF DEATHS BY AGES.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				Total.
	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	
	Cholera	22	575	568	638	1.00	3.35	3.57	3.69	8.61	28.85	30.75	
Enteric fever	56	644	298	89	2.55	3.75	1.88	.51	20.34	43.15	21.04	5.87	100
Other fevers	15	233	211	212	.68	1.36	1.33	1.22	14.81	29.63	28.98	26.58	100
Apoplexy	5	150	181	447	.23	.87	1.14	2.58	4.77	18.05	23.65	53.53	100
Delirium tremens	...	3	23	6502	.14	.38	...	3.70	25.93	70.37	100
Dysentery and diarrhoea	7	178	255	365	.32	1.04	1.61	2.11	6.30	20.47	31.69	41.54	100
Hepatitis	3	166	325	593	.14	.97	2.05	3.43	2.12	14.72	31.11	52.05	100
Phthisis pulmonalis	5	137	151	298	.23	.80	.95	1.72	6.22	21.62	25.68	46.48	100
Heart diseases	1	29	92	478	.05	.17	.58	2.76	1.40	4.78	16.29	77.53	100
All other diseases	13	308	374	764	.60	1.78	2.35	4.41	6.57	19.47	25.71	48.25	100
All diseases	127	2,423	2,478	3,949	5.80	14.11	15.60	22.81	9.95	24.19	26.75	39.11	100
All diseases, excluding cholera	105	1,848	1,910	3,311	4.80	10.76	12.03	19.12	10.27	23.04	25.76	40.93	100
Injuries and other deaths from violence	11	208	309	473	.50	1.21	1.94	2.74	7.82	18.94	30.36	42.88	100
All causes, excluding cholera	116	2,056	2,219	3,784	5.30	11.97	13.97	21.86	9.98	22.54	26.31	41.17	100

Distribution according to age of the aggregate strength of the European Army of Bengal during the nine years 1871 to 1879.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
329,616	12,297	107,387	101,645	62,466	37,196	8,625
					108,287	

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATHS.	NUMBER OF DEATHS BY AGES.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				Total.
	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	
	Cholera ...	19	485	481	512	1.56	4.51	4.73	4.73	9.98	29.06	30.48	
Enteric fever ...	39	463	216	62	3.17	4.31	2.13	.57	31.14	42.31	20.92	5.60	100
Other fevers ...	13	181	164	176	1.06	1.68	1.61	1.63	17.73	28.09	26.32	27.26	100
Apoplexy ...	3	107	114	278	.24	1.00	1.12	2.57	4.87	20.28	22.72	52.13	100
Delirium tremens	2	14	3602	.14	.33	...	4.08	28.57	67.35	100
Dysentery and diarrhoea ...	6	124	151	183	.49	1.15	1.45	1.63	10.19	23.91	30.77	35.13	100
Hepatitis ...	1	92	193	325	.08	.86	1.90	3.00	1.37	14.73	32.53	61.37	100
Pneumonia ...	2	76	107	194	.16	.71	1.05	1.79	4.31	19.14	28.30	48.25	100
Heart diseases	19	54	28818	.53	2.66	...	5.34	15.73	78.93	100
All other diseases ...	7	218	269	534	.57	2.03	2.65	4.93	5.60	19.94	26.63	48.43	100
All diseases ...	90	1,767	1,763	2,588	7.32	16.45	17.34	23.90	11.26	25.31	26.67	36.76	100
All diseases, excluding cholera ...	71	1,282	1,282	2,076	5.77	11.94	12.61	19.17	11.66	24.13	25.48	38.73	100
Injuries and other deaths from violence ...	4	134	204	297	.38	1.25	2.01	2.74	5.21	19.75	31.75	43.29	100
All causes, excluding cholera ...	75	1,416	1,486	2,373	6.10	13.19	14.62	21.31	10.93	23.63	26.19	39.25	100

Distribution according to age of the aggregate strength of the European Army of Madras during the nine years 1871-79.

Aggregate strength.	DIED PER 1,000 OF THE STRENGTH ABOVE STATED.					RATIO OF LIABILITY IN PERCENTAGES.				
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Total.
100,941	4,435	31,057	28,534	20,405	36,915	13,321	26,831	35,875	44,385	100

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATHS.	NUMBER OF DEATHS BY AGES.					DIED PER 1,000 OF THE STRENGTH ABOVE STATED.					RATIO OF LIABILITY IN PERCENTAGES.				
	Under 20.	20 to 24.	25 to 29.	30 and upwards.	68	29	48	68	10	14	19	24	30	36	43
Cholera	3	29	48	68	136	277	144	184	27	2329	4743	2466	3587	462	100
Enteric fever	6	86	41	10	22	74	81	12	22	1048	3524	3857	1571	1571	100
Other fevers	1	23	23	12	22	71	26	79	22	124	4942	2910	4942	4942	100
Anoplexy	1	22	36	18	22	14	14	4	18	508	455	2121	7424	7424	100
Delirium tremens	1	1	4	18	22	19	19	18	37	300	1621	3202	4877	4877	100
Dysentery and diarrhoea	1	37	67	132	22	119	235	181	47	490	1557	2928	5051	5051	100
Hepatitis	2	47	81	181	45	151	284	84	26	171	2282	2473	4647	4647	100
Phthisis pulmonalis	1	26	26	63	22	84	91	63	22	598	443	1725	7832	7832	100
Heart diseases	1	6	21	124	19	74	74	124	19	336	443	1725	7832	7832	100
All other diseases	1	44	40	119	23	142	141	119	23	366	2261	2245	5128	5128	100
All diseases	16	321	387	806	360	1033	1358	2184	730	730	2093	2752	4425	4425	100
All diseases, excluding cholera	13	292	339	738	292	940	1190	2000	660	660	2126	2691	4523	4523	100
Injuries and other deaths from violence	5	40	52	99	113	129	182	268	1633	1633	1864	2631	3872	3872	100
All causes, excluding cholera	18	332	391	837	405	1069	1372	2268	792	792	2090	2683	4435	4435	100

Distribution according to age of the aggregate strength of the European Army of Bombay during the nine years 1871-79.

	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
Aggregate strength.						
	5,168	33,272	28,647	15,434	27,896	2,244
94,983					10,218	

Deaths of the nine-year period 1871-79 and the death-rates at the different ages.

CAUSES OF DEATHS.	NUMBER OF DEATHS BY AGES.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				TOTAL.
	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	Under 20.	20 to 24.	25 to 29.	30 and upwards.	
	Cholera	61	39	68	...	1.83	1.36	2.08	...	34.72	25.81	
Enteric fever ...	11	95	41	17	2.13	2.86	1.43	.61	30.3	40.68	20.34	8.68	100
Other fevers ...	1	29	24	24	.19	.87	.84	.86	6.8	31.52	30.44	31.16	100
Apoplexy ...	1	21	31	90	.19	.63	1.08	3.23	3.71	12.28	21.05	62.96	100
Delirium tremens	5	1118	.39	32.73	67.27	100
Dysentery and diarrhoea	17	37	5051	1.29	1.79	...	14.21	35.93	49.86	100
Hepatitis	27	51	8781	1.78	3.12	...	14.19	31.17	54.64	100
Pneumonia ...	2	35	18	41	.39	1.05	.63	1.47	...	29.66	17.80	41.52	100
Heart diseases ...	1	4	17	66	.19	.12	.59	2.36	5.83	3.68	18.10	72.39	100
All other diseases ...	5	46	65	111	.97	1.39	2.27	3.98	11.27	16.15	26.36	46.22	100
All diseases ...	21	335	328	555	4.06	10.07	11.45	19.89	8.93	22.15	25.18	43.74	100
All diseases, excluding cholera ...	21	274	289	497	4.06	8.24	10.09	17.81	10.10	20.48	25.11	44.31	100
Injuries and other deaths from violence ...	2	34	53	77	.39	1.02	1.85	2.76	6.48	16.94	30.73	45.85	100
All causes, excluding cholera ...	23	308	342	574	4.45	9.26	11.94	20.57	9.63	20.02	25.84	44.51	100

55. The number of boys under 20 years of age, given in the foregoing tables, is comparatively small, so that the statistics are not of so much value as they would have been had the numbers been larger. As far as they go, these tables, however, show that the mortality under 20 years of age is small, and probably very much smaller than at other ages. Were these boys to be exposed to great hardships, such as are experienced on active service, the result might, however, be very different.

56. In the European Army of India as a whole (excluding boys under 20 years of age), the men from 20 to 24 years of age had the smallest death-rate during these nine years. Men from 25 to 29 years of age, however, had nearly as low a death-rate, and the great mortality was among men of 30 years of age and over. Thus it appears that there is no great increase in the mortality up to 30 years of age, but beyond that age the effect of climate begins to tell, and among men of 30 years of age and over the death-rate rapidly rises. The experience of the three Armies in this particular is the same as that of India taken as a whole; the death-rate remains comparatively low up to 30 years of age and then rapidly rises.

57. As was first shown by Dr. Bryden, the principal cause of death among young soldiers in India is enteric fever. In the Army of India, excluding cholera and deaths by violence, during the nine years 1871-79, 34·85 per cent. of the deaths among soldiers of 20 to 24 years of age resulted from enteric fever, and in the Bengal Army for the same period the percentage was as high as 36·12. Men from 25 to 29 years of age suffer to a much less extent from this disease. In the Army of India, excluding deaths from cholera and violent deaths, 15·60 per cent. of the deaths among soldiers at that period of life resulted from enteric fever. In the Army of Bengal the percentage was 16·85, in Madras 12·09, and in Bombay 14·19. Among men of 30 years of age and over, enteric fever is an uncommon cause of death. Excluding, as before, deaths from cholera and violent deaths, only 2·69 per cent. of the deaths among soldiers of 30 years of age and over, during the nine years 1871-79, were due to enteric fever; in Bengal the percentage was 2·99, in Madras 1·36, and in Bombay 3·42.

58. Excluding boys under 20 years of age, the young soldier suffers rather more from fevers, other than enteric fever, than the older soldier, but the difference is slight. Hepatitis is the most frequent cause of death among soldiers of 25 years of age and over—a disease which comparatively seldom attacks men under 25 years of age. Apoplexy, delirium tremens and heart diseases are also much more fatal among men over than under 25 years of age. Dysentery, diarrhoea, and phthisis pulmonalis also cause a greater mortality among men over 25 years of age, but the difference is not so great as in the case of hepatitis, apoplexy, delirium tremens and heart diseases.

59. The following set of tables gives the death-rates among the men of the Army of India as a whole and of the separate Armies of Bengal, Madras, and Bombay at different periods of residence in India for the three years 1877-79.

Death rates at different periods of service.

Distribution by length of residence of the aggregate strength of the European Army of India during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
171,514	..	49,345	65,226	39,484	17,459

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

Causes of deaths.	NUMBER OF DEATHS.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				
	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	Total=100.
Cholera	301	367	181	79	6.10	5.62	4.58	4.52	29.30	26.99	22.00	21.71	100
Enteric fever	325	133	46	6	6.59	2.04	1.17	.34	64.99	20.12	11.54	3.35	100
Other fevers	115	108	41	23	2.33	1.66	1.04	1.32	36.69	26.14	16.38	20.79	100
Apoplexy	120	89	52	35	2.43	1.36	1.32	2.01	34.13	19.10	18.54	28.23	100
Delirium tremens	7	13	8	3	.14	.20	.20	.17	19.72	28.17	28.17	23.94	100
Dysentery and diarrhoea	108	97	70	43	2.19	1.49	1.77	2.46	27.69	18.84	22.37	31.10	100
Hepatitis	64	114	95	46	1.30	1.75	2.40	2.63	16.09	21.66	29.70	32.55	100
Ptychosis pulmonalis	51	60	43	23	1.03	.92	1.09	1.32	23.62	21.10	25.00	30.28	100
Heart diseases	24	40	41	45	.49	.61	1.04	2.58	10.39	12.92	22.03	54.66	100
All other diseases	127	191	133	103	2.57	2.93	3.37	5.90	17.40	19.84	22.82	39.94	100
All diseases	1,242	1,212	710	406	25.17	18.58	17.98	23.25	29.62	21.86	21.16	27.36	100
All diseases, excluding cholera	941	845	529	327	19.07	12.96	13.40	18.73	29.72	20.19	20.89	29.20	100
Suicidal deaths	18	33	31	18	.36	.50	.79	1.03	13.43	18.66	29.48	38.43	100
Accidental deaths*	70	96	110	35	1.42	1.47	2.78	2.00	18.51	19.17	36.25	26.07	100
All causes, excluding cholera	1,029	974	670	380	20.85	14.93	16.97	21.76	27.98	20.04	22.77	29.21	100

* Including men killed in action, those drowned in the Kahlil River, and those who died from wounds received in battle.

Distribution by length of residence of the aggregate strength of the European Army of Bengal during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
108,692		30,799	41,927	23,914	12,022

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

CAUSES OF DEATHS.	NUMBER OF DEATHS.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				
	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	Total=100.
Cholera ...	259	328	145	60	8.41	7.82	6.06	4.99	30.83	28.67	22.21	18.29	100
Enteric fever ...	269	93	35	5	8.73	2.22	1.46	.42	68.05	17.30	11.38	3.27	100
Other fevers ...	92	91	31	18	2.99	2.17	1.29	1.50	37.61	27.29	16.23	18.87	100
Apoplexy ...	88	55	23	28	2.86	1.31	.96	2.33	38.34	17.56	12.87	31.23	100
Delirium tremens ...	6	11	5	1	.19	.26	.21	.08	25.67	35.14	28.38	10.81	100
Dysentery and diarrhoea ...	78	64	35	21	2.53	1.53	1.46	1.75	34.80	21.04	20.09	24.07	100
Hepatitis ...	45	70	36	33	1.46	1.67	1.50	2.74	19.81	22.06	20.35	37.18	100
Phthisis pulmonalis ...	37	40	26	13	1.20	.96	1.09	1.08	27.72	22.17	25.17	24.94	100
Heart diseases ...	17	27	25	25	.55	.64	1.04	2.08	12.76	14.85	24.13	48.26	100
All other diseases ...	95	138	93	63	3.09	3.29	3.89	5.24	19.92	21.21	25.08	33.79	100
All diseases ...	986	917	454	267	32.01	21.87	18.96	22.21	33.67	23.01	19.96	23.36	100
All diseases, excluding cholera ...	727	589	300	207	23.60	14.05	12.90	17.22	34.82	20.73	19.04	25.41	100
Suicidal deaths ...	13	17	13	11	.42	.41	.54	.91	18.42	17.99	23.68	39.91	100
Accidental deaths* ...	47	78	83	21	1.53	1.86	3.47	1.75	17.77	21.60	40.30	20.33	100
All causes, excluding cholera ...	787	684	405	239	25.55	16.32	16.91	19.88	32.48	20.75	21.49	25.28	100

* Including men killed in action, those drowned in the Kabul River, and those who died from wounds received in battle.

Distribution by length of residence of the aggregate strength of the European Army of Madras during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
	32,482 *	9,364	11,285	8,554	3,279

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

CAUSES OF DEATHS.	NUMBER OF DEATHS.					DIED PER 1,000 OF THE STRENGTH ABOVE STATED.					RATIO OF LIABILITY IN PERCENTAGES.				
	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	Total=100.
Cholera ..	17	24	21	11		1.82	2.13	2.45	3.36		18.66	21.82	25.10	34.42	100
Enteric fever ..	29	13	8	..		3.10	1.15	.94	..		59.73	22.16	18.11	..	100
Other fevers ..	12	4	4	3		1.28	.36	.47	.92		42.24	11.88	15.51	30.37	100
Apoplexy ..	23	12	18	3		2.46	1.06	2.10	.92		37.62	16.21	32.11	14.06	100
Delirium tremens ..	1	..	3	2		.11	..	.35	.61		10.28	..	32.71	57.01	100
Dysentery and diarrhoea ..	21	19	24	14		2.24	1.68	2.80	4.27		20.38	15.29	25.48	38.85	100
Hepatitis ..	16	27	43	8		1.71	2.39	5.03	2.44		14.78	20.66	43.47	21.09	100
Phthisis pulmonalis ..	8	11	14	4		.85	.98	1.64	1.21		18.16	20.94	35.04	25.86	100
Heart diseases ..	2	6	10	15		.21	.53	1.17	4.58		3.24	8.16	18.03	70.57	100
All other diseases ..	14	26	23	18		1.50	2.30	2.69	5.48		12.53	19.22	22.47	45.78	100
All diseases ..	143	142	168	78		15.28	12.58	19.64	23.79		21.43	17.65	27.55	33.37	100
All diseases, excluding cholera ..	126	118	147	67		13.46	10.45	17.19	20.43		21.88	16.98	27.94	33.20	100
Suicidal deaths ..	2	6	7	3		.21	.53	.82	.92		8.47	21.37	33.06	37.10	100
Accidental deaths ..	13	7	18	8		1.39	.62	2.10	2.44		21.22	9.46	32.06	37.26	100
All causes, excluding cholera ..	141	131	172	78		15.06	11.60	20.11	23.79		21.34	16.44	28.50	33.72	100

Distribution by length of residence of the aggregate strength of the European Army of Bombay during the three years 1877 to 1879.

ARMY AS A BODY.		First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.
30,340		9,182	12,014	6,986	2,158

Deaths of the three-year period 1877 to 1879 and the death-rates at the different periods of residence.

CAUSES OF DEATHS.	NUMBER OF DEATHS.				DIED PER 1,000 OF THE STRENGTH ABOVE STATED.				RATIO OF LIABILITY IN PERCENTAGES.				
	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	First and second years.	Third to sixth year.	Seventh to tenth year.	Ten years and upwards.	Total = 100.
Cholera ...	25	15	15	8	2.72	1.25	2.15	3.71	27.67	12.72	21.87	37.74	100
Enteric fever ...	27	27	3	1	2.94	2.25	.43	.46	48.36	37.00	7.07	7.57	100
Other fevers ...	11	13	6	2	1.20	1.08	.86	.93	29.48	26.53	21.13	22.86	100
Apoplexy ...	9	22	11	4	.98	1.83	1.57	1.85	15.73	29.37	25.20	29.70	100
Delirium tremens	217	100.00	100
Dysentery and diarrhoea ...	9	14	11	8	.98	1.17	1.57	3.71	13.19	15.74	21.14	49.93	100
Hepatitis ...	3	17	16	5	.33	1.41	2.29	2.32	5.20	22.20	36.06	36.54	100
Phtisis pulmonalis ...	6	9	3	6	.65	.75	.43	2.78	14.10	16.27	9.33	60.30	100
Heart diseases ...	5	7	6	5	.55	.58	.86	2.32	12.76	13.46	19.95	53.83	100
All other diseases ...	18	27	17	22	1.96	2.25	2.43	10.19	11.65	13.37	14.44	60.54	100
All diseases ...	113	133	88	61	12.31	12.74	12.59	28.27	18.68	19.33	19.10	42.89	100
All diseases, excluding cholera ...	88	138	73	53	9.59	11.49	10.44	24.56	17.10	20.49	18.62	43.79	100
Suicidal deaths ...	3	10	11	4	.33	.83	1.57	1.85	7.21	18.12	34.28	40.39	100
Accidental deaths ...	10	11	9	6	1.08	.91	1.29	2.78	17.82	15.02	21.29	45.87	100
All causes, excluding cholera ...	101	159	93	63	11.00	13.23	13.30	29.19	16.49	19.83	19.93	43.75	100

60. These tables show that for the three years 1877-79, the death-rate from disease in the European Army of India among men in their first and second year's of Indian service, is greater than at any of the other three periods of service given in the tables. This is due to the excessive death-rate in the Bengal Army among men in the first and second years of their service. Up to two years' service the average death-rate in Bengal during these three years was 23·60 per 1,000; among men in their third to sixth year of Indian service the death-rate was 14·05; among men in their seventh to tenth year it was 12·90; and among men of ten years' service and over, the death-rate was 17·22 per 1,000.

61. The experience of the same three years in Madras and Bombay is different to that of Bengal. In Madras, excluding deaths from cholera and violent deaths, the death-rate among men in their seventh to tenth year was 17·19 per 1,000, and among men of ten years' service and over, 20·43 per 1,000; whereas the death-rate among men in their first and second year's service was only 13·46. In this Presidency during the three years 1877-79, the men in their third to sixth year of service had the lowest death-rate; among them it was only 10·45 per 1,000.

62. In Bombay, again, during the same three years the men under two years' service had the lowest death-rate. The rate of mortality remained nearly the same among the men from their third up to their tenth year of service; among those in their third to sixth year the death-rate, excluding cholera deaths and deaths by violence, was 11·49; and among those in their seventh to tenth year it was 10·44 per 1,000. Men of ten years' service and over suffered much more severely, the death-rate among them being 24·56 per 1,000.

63. Enteric fever is by far the most frequent cause of death among soldiers in the first and second year of their Indian service. Excluding deaths from cholera and violent deaths, 34·54 per cent. of the deaths in the Army of India during the years 1877-79 among men of two years' service and under was due to enteric fever. In the Bengal Presidency the corresponding percentage was 37·00. Among men in their third to sixth year of Indian service in the Bengal Army the percentage was 15·79; among those in their seventh to tenth year it was 11·33, and among men of 10 years' service and over, only 2·42 per cent. of the deaths was due to enteric fever.

64. These tables seem to show that recent arrival in India plays a more important part in the pre-disposition to enteric fever than youth does. Taking the Army of Bengal, which suffers most from enteric fever, the percentage of liability to enteric fever during the years 1871-79 among boys of 20 years of age and under, was 31·14, among men of 20 to 24 years of age 42·34, among those of 25 to 29 years of age 20·92, and among those 30 years old and upwards 5·60. Hence the liability among those under 20 years of age was very much less than among those between 20 to 24 years old, and the liability among those between 25 and 29 years of age was still considerable. On the other hand, the percentage of liability of the soldier in Bengal in the first and second years of his Indian service is as high as 68·05, whereas it falls to 17·30 among men in their third to sixth years of Indian service, and is only 11·38 among men in the seventh to tenth year of their service. The soldier in the first and second years of his Indian service falls a victim to fevers other than enteric fever, and to apoplexy more readily than the man who has passed a longer time in the country, and he also suffers very severely from dysentery and diarrhoea. The diseases which produce the greatest mortality among men of ten years' service and over are hepatitis, heart diseases, dysentery and apoplexy.

Distribution according to age of the aggregate strength of the European Army of India during the nine years 1871 to 1879.

Aggregate strength.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.
525,540	21,900	171,716	158,826	98,305	60,735	14,058

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.				RATIO OF LIABILITY IN PERCENTAGES.				Total=103.
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	
Fevers ...	5	218	270	168	182	95	1.15	1.70	1.71	3.70	13.92	20.58	20.70	44.80	100
Phthisis pulmonalis ...	23	542	595	320	220	56	2.92	3.75	3.26	3.69	21.44	27.53	23.94	27.09	100
Rheumatism ...	4	180	297	214	383	242	.95	1.87	2.18	8.36	7.11	14.90	16.32	62.57	100
Syphilis ...	3	184	341	216	167	34	.97	2.15	2.20	2.69	12.11	26.84	27.47	33.58	100
Epilepsy and brain affection ...	8	199	170	80	74	19	1.07	1.07	.81	1.24	25.54	25.54	19.33	29.59	100
Mental affections ...	4	180	185	131	68	17	.95	1.16	1.33	1.14	20.74	25.33	29.04	24.89	100
Heart diseases and palpitation ...	16	824	717	262	270	100	4.34	4.51	2.67	4.95	26.36	27.38	16.21	30.05	100
Bronchitis and asthma ...	4	83	147	115	200	119	.45	.93	1.17	4.27	6.61	13.63	17.15	62.61	100
Dysentery and diarrhoea ...	14	429	451	236	180	81	2.29	2.84	2.40	3.49	20.78	25.77	21.78	31.67	100
Hepatitis ...	7	570	952	684	683	255	2.98	5.99	6.96	12.54	10.47	21.04	24.45	44.04	100
Spleen diseases ...	5	66	78	45	45	16	.36	.49	.46	.81	16.98	23.11	21.70	38.21	100
Debility and anæmia ...	37	697	896	730	1,731	1,206	3.79	5.64	7.42	39.27	6.75	10.05	13.22	69.98	100
All other causes ...	22	580	756	494	588	310	3.11	4.76	5.02	12.00	12.50	19.12	20.17	48.21	100
All causes	152	4,752	5,855	3,695	4,791	2,550	25.33	36.86	37.59	38.15	12.80	18.62	18.99	49.59	100

Distribution according to age of the aggregate strength of the European Army of Bengal during the nine years 1871 to 1879.

Aggregate strength.	Under 20.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 and upwards.	
	Under 20.	12,297	107,387	101,645	62,466	37,196	8,625					
329,616												

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.						RATIO OF LIABILITY IN PERCENTAGES.						
	Under 20.		20 to 24.		25 to 29.		30 to 34.		35 and upwards.		24 and under.		25 to 29.		30 to 34.		35 and upwards.		Total=100.
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.					
Fevers	2	100	138	96	111	52	85	136	154	356	1163	1860	2107	4870	100				
Phthisis pulmonalis	17	343	369	201	147	33	301	363	322	393	2183	2632	2335	2850	100				
Rheumatism	3	92	187	140	268	168	79	184	224	951	549	1280	1558	6613	100				
Syphilis	...	80	163	126	93	21	67	160	202	249	988	2360	2979	3673	100				
Epilepsy and brain affections	5	118	103	43	42	11	103	101	69	116	2648	2596	1774	2982	100				
Mental affections	3	113	122	91	47	11	97	120	146	127	1980	2449	2979	2592	100				
Heart diseases and palpitation	11	589	482	167	170	71	501	474	267	526	2834	2681	1510	2975	100				
Bronchitis and asthma	4	49	99	73	131	85	44	98	117	471	603	1342	1603	6452	100				
Dysentery and diarrhoea	6	158	194	104	58	44	137	191	166	223	1911	2664	2315	3110	100				
Hepatitis	3	316	636	404	459	172	267	527	647	1377	947	1870	2296	4887	100				
Spleen diseases	5	38	54	34	32	13	36	53	54	98	1494	2199	2241	4066	100				
Debility and anæmia	20	343	500	448	1,097	759	303	492	717	4050	545	885	1289	7281	100				
All other causes	15	338	463	301	360	189	295	456	482	1198	1213	1876	1983	4928	100				
All causes	94	2,677	3,410	2,228	3,015	1,629	2315	3355	3567	10135	1195	1732	1841	5232	100				

Distribution according to age of the aggregate strength of the European Army of Madras during the nine years 1871 to 1879.

Aggregate strength.	Under 20.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 and upwards.	
	Under 20.	4,435	20 to 24.	31,057	25 to 29.	28,534	30 to 34.	20,405	35 to 39.	13,321	40 and upwards.	3,189
1,00,941												

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.						RATIO OF LIABILITY IN PERCENTAGES.					
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	Total=100.			
	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	24 and under.	25 to 29.	30 to 34.	35 and upwards.	Total=100.			
Fevers ...	1	14	23	11	12	4	.42	.80	.54	.97	15.38	29.31	19.78	35.53	100			
Phthisis pulmonalis ...	4	112	128	74	42	17	3.27	4.49	3.63	3.57	21.86	30.02	24.26	23.86	100			
Rheumatism	41	46	41	61	43	1.16	1.61	2.01	6.30	10.47	14.53	18.14	56.86	100			
Syphilis ...	3	67	94	55	49	7	1.97	3.29	2.70	3.39	17.36	28.98	23.79	29.87	100			
Epilepsy and brain affections ...	3	49	33	26	15	6	1.46	1.16	1.27	1.27	28.30	22.48	24.61	24.61	100			
Mental affections	29	33	27	13	3	.82	1.16	1.32	.97	19.20	27.17	30.91	22.72	100			
Heart diseases and palpitation ...	5	142	120	65	68	19	4.14	4.20	3.19	5.27	24.64	25.00	18.99	31.37	100			
Bronchitis and asthma	16	21	23	39	19	.45	.74	1.13	3.51	7.72	12.69	19.38	60.21	100			
Dysentery and diarrhoea ...	6	217	174	108	99	28	6.28	6.10	5.29	7.70	24.75	24.05	20.85	30.35	100			
Hepatitis ...	2	163	233	189	137	53	4.65	8.17	9.26	11.51	13.84	24.32	27.57	34.27	100			
Spleen diseases	2	1	1	4	1	.06	.03	.05	.30	13.64	6.82	11.36	68.18	100			
Debility and anæmia ...	6	110	132	130	336	236	3.27	4.63	6.37	34.65	6.69	9.46	13.02	70.83	100			
All other causes ...	4	111	121	100	114	58	3.24	4.24	4.90	10.42	14.21	18.60	21.49	45.70	100			
All causes ...	34	1,073	1,159	850	989	494	31.19	40.62	41.65	89.83	15.34	19.98	20.49	44.19	100			

Distribution according to age of the aggregate strength of the European Army of Bombay during the nine years 1871 to 1879.

Aggregate Strength.	Under 20.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 and upwards.	
94,983	5,168	33,272	28,647	15,434	10,218	2,244						

Invaliding of the nine-year period 1871 to 1879 and the invaliding rates at the different ages.

CAUSES OF INVALIDING.	NUMBER INVALIDED.						INVALIDED PER 1,000 OF THE ABOVE STRENGTH.						RATIO OF LIABILITY IN PERCENTAGES.								
	Under 20.		20 to 24.		25 to 29.		30 to 34.		35 to 39.		40 and upwards.		24 and under.		25 to 29.		30 to 34.		35 and upwards.		Total=100.
Revers	2	104	109	61	59	39	276	380	395	786	1502	2069	2150	4279	100						
Phthisis pulmonalis	2	87	98	45	31	6	232	342	292	297	1995	2940	2511	2554	100						
Rheumatism	1	47	64	33	54	31	125	223	214	682	1005	1793	1720	5482	100						
Syphilis	...	37	84	35	25	6	96	293	227	249	1110	3387	2624	2879	100						
Epilepsy and brain affections	...	32	34	11	17	2	83	119	71	153	1948	2793	1667	3592	100						
Mental affections	1	38	30	13	8	3	101	105	84	88	2672	2778	2222	2328	100						
Heart diseases and palpitation	...	93	115	30	32	10	242	401	194	337	2061	3416	1652	2871	100						
Bronchitis and asthma	...	18	27	19	30	15	47	94	123	361	752	1504	1968	5776	100						
Dysentery and diarrhoea	2	54	83	24	23	9	146	290	156	257	1720	3416	1837	3027	100						
Hepatitis	2	91	183	91	87	30	242	639	590	939	1004	2652	2448	3896	100						
Spleen diseases	...	26	23	10	9	2	67	80	65	88	2233	2667	2167	2933	100						
Debility and anæmia	11	244	264	152	298	211	603	922	985	4085	996	1386	1480	6138	100						
All other causes	3	131	172	93	114	63	349	601	602	1420	1174	2022	2026	4778	100						
All causes	24	1,002	1,286	617	787	427	2669	4489	3998	9742	1277	2148	1913	4662	100						

65. In the above tables are given the total invalidating rates and the invalidating rates at different ages of the European Army of India as a whole, and of the Armies of Bengal, Madras and Bombay separately during the years 1871-79. In the Army of India the invalidating rate among men of 24 years of age and under is comparatively low, being 25·33 per 1,000. The rate among men of 25 to 29 years of age is very nearly the same as that among men of the age of 30 to 34 years, being 36·86 per 1,000 among the former, and 37·59 among the latter. Among men of 35 years of age and upwards the invalidating ratio during these nine years amounted to 98·15 per 1,000. Although the amount of invalidating varies a little in the Armies of the different Presidencies, the relative amount at the different ages is nearly the same in all as in the Army of India, as a whole, except that in Bombay there is rather less invalidating among men from 30 to 34 years of age than among those of the age of 25 to 29.

66. Palpitation is the most frequent cause of invalidating among men of 24 years of age and under. The next most frequent causes are anæmia and debility, and after them hepatitis, phthisis pulmonalis, and dysentery and diarrhœa. Among soldiers of 35 years of age and upwards debility and anæmia are by far the most frequent causes of invalidating; 40·01 per cent. of the cases of invalidating in the Army of India at this age, during the years 1871-79, were from these causes. After these, Hepatitis and rheumatism are the most frequent causes of invalidating among old soldiers.

Distribution by length of residence of the aggregate strength of the European Army of India during the four years 1877 to 1880.

Army as a body.	1st and 2nd years.	3rd to 6th year.	7th to 10th year.	10 years and upwards.
227,589	68,075	87,155	50,045	22,314

Invaliding of the four-year period 1877 to 1880 and the invaliding rates at the different periods of residence.

CAUSES OF INVALIDING.	NUMBER INVALIDED.				INVALIDED PER 1,000 OF THE ABOVE STRENGTH.				RATIO OF LIABILITY IN PERCENTAGE.				
	1st and 2nd years.	3rd to 6th year.	7th to 10th year.	10 years and upwards.	1st and 2nd years.	3rd to 6th year.	7th to 10th year.	10 years and upwards.	1st and 2nd years.	3rd to 6th year.	7th to 10th year.	10 years and upwards.	Total = 100.
	Fevers ...	173	169	90	83	2.54	1.94	1.80	3.72	25.40	19.40	18.00	37.20
Phthisis pulmonalis ...	198	216	107	44	2.91	2.47	2.14	1.97	30.66	26.03	22.55	20.76	100
Rheumatism and neuralgia ...	79	199	120	110	1.16	2.28	2.40	4.93	10.77	21.17	22.28	45.78	100
Syphilis ...	57	131	72	51	.84	1.50	1.44	2.20	13.84	24.71	23.72	37.73	100
Epilepsy and brain affections ...	95	71	43	21	1.40	.81	.86	.94	34.91	20.20	21.45	23.44	100
Mental affections ...	84	83	57	18	1.23	.95	1.14	.81	29.78	23.90	27.61	19.61	100
Heart diseases ...	120	100	60	45	1.76	1.14	1.20	2.02	28.76	18.63	19.61	33.00	100
Palpitation ...	131	179	63	25	1.92	2.05	1.26	1.12	30.25	32.23	19.84	17.63	100
Bronchitis and asthma ...	32	82	67	45	.47	.94	1.34	2.02	9.85	19.71	28.09	42.35	100
Dysentery and diarrhoea ...	151	184	141	71	2.22	2.11	2.81	3.18	21.51	20.45	27.23	30.81	100
Hepatitis ...	176	395	288	179	2.59	4.53	5.75	8.02	12.40	21.68	27.52	38.40	100
Spleen diseases ...	33	62	28	23	.48	.75	.56	1.03	17.02	26.60	19.86	30.52	100
Debility and anemia ...	462	1,019	630	748	6.79	11.69	12.59	33.52	10.51	18.10	19.40	51.90	100
All other causes ...	319	449	272	233	4.69	5.15	5.43	10.44	18.24	20.03	21.12	40.61	100
All causes	2,110	3,339	2,038	1,696	31.00	38.31	40.72	76.01	16.66	20.59	21.90	40.85	100

67. This table gives the invalidating rates in the European Army of India during the years 1877-80 at different periods of Indian service. The average during the first and second years of Indian Service was 31·00 per 1,000. Among men in their third to sixth year of service the rate was 38·31, and among those in their seventh to tenth year it was 40·72 per 1,000. Among men of ten years service and over the ratio was 76·01 per 1,000—nearly twice as great as that among men in their third to tenth year of service.

68. The principal causes of invalidating among men in their first and second years of Indian service were debility and anæmia, phthisis pulmonalis, hepatitis and fevers. Among men of ten years' service and over, debility and anæmia were much the most frequent causes of invalidating. During the years 1877 to 1880 these diseases caused 44·10 per cent. of the total invalidating at that period of service. After debility and anæmia, hepatitis was the most frequent cause of invalidating among men of ten years' service and over, and after it rheumatism and fevers ; but the numbers invalided from these latter were comparatively small.

ERRATA.

Table I	Page VIII	...	Died out of each hundred cases treated from Intermittent Fever—For “0·4” read “·04.”
” V	” XII	...	Death-rate from Apoplexy—For “1·42” read “1·42.”
” XI	” XVIII	...	In the Heading—read “Gangetic” before “Provinces.”
” XVII	” XXIV	...	Suicidal death-rate—For “1·3” read “1·38.”
” XIX	” XXVI	...	Death-rate from Apoplexy—For “0·7” read “·07.”
		”	” Phthisis Pulmonalis—For “48” read “·48.”
” XX	” XXVII	...	Total deaths from “Other Fevers, and Apoplexy,—Read “31” and “3” respectively.
” XXXII	” XXXIX	...	Mortality relative to the number treated—Read “Gangetic Provinces and Oudh” for “Gangetic Provinces.”
” XL	” LVI	...	Death-rate from Delirium Tremens—For “1·1” read “·11.”
” LXXXVIII	” CIV	...	Died out of each hundred cases treated from Intermittent Fever—For “0·3” read “·03.”
” XCVI	” CXII	...	Death-rate from Delirium Tremens—For “38” read “·38.”
” CXXI	” CXXXVII	...	In Section III.—Omit 1 death from ‘Other Fevers, in 1872,’ and read total “4” for “5” and in the same year read “Deaths from all other causes, 4” for “3” and total “22” for “21.”
” CCXXXVII	” CCLV	...	Admission-rate from Eye Diseases—For “1” read “1·3.”
” CCXXXIX	” CCLVII	...	Admissions from Respiratory Diseases in 1874—For “9” read “97.” Admissions from Phthisis Pulmonalis in 1874—For “...” read “8.”
” CCLXIV	” CCLXXXII	...	In the Heading—Read “Agra District” for “Agra.”
” CCLXXXIII	” CCXCI	...	In death-rate table—Read “Total rates from Delirium Tremens 100·00” for “00·00.”
” CCLXXVII	” CCXCVIII	...	Admission-rate from Dysentery in Agra and Central India in January—Read “1·3” for “·3.”
” CCLXXX	” CCCVI	...	Opposite “All other causes” an asterisk should be placed.
” CCLXXXIII	” CCCIX	...	”
” CCC	” CCCXLIV	...	Transfer 1 death in Chakrata from November to October.



CONTENTS.

I.—STATISTICS OF PRESIDENCIES AND PROVINCES.

	TABLE.
Table showing the Aggregate of Sickness and Mortality among the European Troops composing the Army of India during the Ten-Year Period, and the prevalence of the Principal Diseases in each Month	I
General Statistics of Sickness and Mortality of the European Army of India for each Year of the Ten-Year Period	II
I.—Daily Sick-rate of each Month of the Ten Years.	
II.—Composition of the Admission-rate of each Year and of the Ten-Year Period.	
III.—Death-rate of each Year and of the Period, and the Chief Causes of Mortality.	
IV.—Prevalence of Cholera in each Month during the Ten Years.	
Sickness and Mortality in the European Army of the Bengal Presidency during the Ten-Year Period	III
General Statistics of the European Army of the Bengal Presidency for each Year of the Ten-Year Period	IV
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army of the Madras Presidency during the Ten-Year Period	V
General Statistics of the European Army of the Madras Presidency for each Year of the Ten-Year Period	VI
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army of the Bombay Presidency during the Ten-Year Period	VII
General Statistics of the European Army of the Bombay Presidency for each Year of the Ten-Year Period	VIII
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army of Bengal Proper during the Ten-Year Period	IX
General Statistics of the European Army of Bengal Proper for each Year of the Ten-Year Period	X
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in the Gangetic Provinces and in Oudh during the Ten-Year Period	XI
General Statistics of the European Army serving in the Gangetic Provinces and in Oudh for each Year of the Ten-Year Period	XII
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in Meerut and Rohilcund during the Ten-Year Period	XIII
General Statistics of the European Army serving in Meerut and Rohilcund for each Year of the Ten-Year Period	XIV
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in Agra and in Central India during the Ten-Year Period	XV
General Statistics of the European Army serving in Agra and in Central India for each Year of the Ten-Year Period	XVI
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in the Punjab during the Ten-Year Period	XVII
General Statistics of the European Army serving in the Punjab for each Year of the Ten-Year Period	XVIII
<i>(Details as above.)</i>	
Sickness and Mortality in the European Army serving in the Hill Stations of the Bengal Presidency during the Ten-Year Period	XIX

TABLE.

SOUTHERN INDIA.

BELLARY	CLXXII	AND	CLXXIII
BANGALORE	CLXXIV	"	CLXXV
CANNANORE	CLXXVI	"	CLXXVII
MALLIAPOORUM	CLXXVIII	"	CLXXIX
CALICUT	CLXXX	"	CLXXXI
TRICHINOPOLY	CLXXXII	"	CLXXXIII
ST. THOMAS' MOUNT	CLXXXIV	"	CLXXXV
MADRAS	CLXXXVI	"	CLXXXVII

BURMA AND PEGU.

RANGOON	CLXXXVIII	"	CLXXXIX
TOUNGOO	CXC	"	CXCI
THAYETMYO	CXCII	"	CXCIII
PORT BLAIR	CXCIV	"	CXCV

HILL STATIONS AND CONVALESCENT DEPÔTS (MADRAS AND BOMBAY PRESIDENCIES.)

MOUNT ABOO	CXCVI	"	CXCVII
PURANDHAR	CXCVIII	"	CXCIX
WELLINGTON	CC	"	CCI

IV.—MONTHLY DISTRIBUTION OF DISEASE.

Sickness and Mortality of the European Army of India in each Month of the Ten-Year Period	CCII	TO	CCXIII
Sickness and Mortality of the European Army of the Bengal Presidency in each Month of the Ten-Year Period	CCXIV	"	CCXXV
Sickness and Mortality of the European Army of the Madras Presidency in each Month of the Ten-Year Period	CCXXVI	"	CCXXXVII
Sickness and Mortality of the European Army of the Bombay Presidency in each Month of the Ten-Year Period	CCXXXVIII	"	CCXLIX
Ratio in which the European Army of India has been affected by the Chief Causes of Sickness and Mortality in each Month...			CCL
Relative Liability in each Month of the European Army of India to the Chief Causes of Sickness and Mortality,—shown in Percentages			CCLI
Ratios of each Month for the European Army of the Bengal Presidency	CCLII	AND	CCLIII
" " " Madras	CCLIV	"	CCLV
" " " Bombay	CCLVI	"	CCLVII
" " " serving in Bengal Proper	CCLVIII	"	CCLIX
" " " the Gangetic Provinces and in Oudh	CCLX	"	CCLXI
" " " Rohilcund and Meerut	CCLXII	"	CCLXIII
" " " Agra and Central India...	CCLXIV	"	CCLXV
" " " the Punjab...	CCLXVI	"	CCLXVII
" " " Rajpootana, Malwa, Sind, and Aden	CCLXVIII	"	CCLXIX
" " " the Deccan and Nagpore	CCLXX	"	CCLXXI
" " " Southern India	CCLXXII	"	CCLXXIII
" " " Burma and Pegu	CCLXXIV	"	CCLXXV
Statement contrasting in the different Presidencies the Liability in each Month of the European Army to the Chief Causes of Sickness			CCLXXVI
A.—Daily Sick-rate and Admission-rates for the Chief Diseases.			
B.—Monthly Percentage of the Annual Sick-rate and Admission-rates.			
Statement contrasting in the different Provinces the Liability in each Month of the European Army to the Chief Causes of Sickness			CCLXXVII
(Details as above.)							
Statement contrasting in the different Presidencies the Liability in each Month of the European Army to the Chief Causes of Mortality...			CCLXXVIII
A.—General Death-rate and Death-rates for the Chief Causes of Mortality.			
B.—Monthly Percentage of the Annual Death-rate.			
Statement contrasting in the different Provinces the Liability in each Month of the European Army to the Chief Causes of Mortality			CCLXXIX
A.—General Death-rate and Death-rates for the Chief Causes of Mortality.			
B.—Monthly Percentage of the Annual Death-rate.			
Number of Deaths out of each Hundred Cases Treated in each Month in the European Army of India on the Totals for the Ten-Year Period			CCLXXX
" " " European Army of the Bengal Presidency			CCLXXXI
" " " Madras			CCLXXXII
" " " Bombay			CCLXXXIII
Ratio in which the Suicidal Deaths of the European Army of India have occurred in each Month, and the Number of Suicides in each Month of the Ten-Year Period			CCLXXXIV

TABLE.

V.—DISTRIBUTION BY PROVINCES OF SPECIAL DISEASES.

Admissions from Cholera in each Month of the Ten-Year Period in the different						
Provinces	CCLXXXV
Smallpox	CCLXXXVI
Enteric Fever	CCLXXXVII
Intermittent Fever	CCLXXXVIII
Remittent and Continued Fevers	CCLXXXIX
Fevers as a class, excluding Enteric Fever	CCXC
Apoplexy	CCXCI
Dysentery	CCXCII
Diarrhœa	CCXCIII
Hepatitis	CCXCIV
Respiratory Diseases	CCXCV
Phthisis Pulmonalis	CCXCVI

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS.

Distribution in each Month of the Total Deaths of the Principal Military Stations during the Ten-Year Period, Cholera Deaths being excluded						CCXCVII
Distribution by Months of the Total Deaths from Cholera in the Principal Military Stations	CCXCVIII
Enteric Fever	CCXCIX
Fevers, excluding Enteric Fever	CCC
Apoplexy	CCCI
Dysentery	CCCII
Hepatitis	CCCIII

VII.—INVALIDING OF THE EUROPEAN ARMY.

Invaliding Ratios for each Year of the Ten-Year Period of the European Army of India,						CCCV
Bengal Presidency	CCCVI
Madras	CCCVII
Bombay	CCCVIII

VIII.—CAUSES OF FLUCTUATION IN STRENGTH OF THE EUROPEAN ARMY.

Causes of Fluctuation in Strength of the European Army of India						CCCVIII
Bengal	CCCVIX
Madras	CCCVX
Bombay...	CCCVXI

IX.—DETAIL OF ADMISSIONS AND DEATHS AND CAUSES OF INVALIDING.

Statement showing the Causes of Deaths returned in the General Tables under the Head "All other Causes"						CCCVXII
Detail of the Causes of Admissions into Hospital in each Year, and the Number of Admissions and Deaths and Cases Invalided during the Ten Years						CCCVXIII

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY.

Sickness and Mortality among the Women of the European Army of India during the Ten-Year Period and the prevalence of the Principal Diseases in each Month	CCCVXIV
Children	CCCVXV
Women Bengal	CCCVXVI
Children	CCCVXVII
Women Madras	CCCVXVIII
Children	CCCVXIX
Women Bombay...	CCCVXX
Children	CCCVXXI
Causes of Sickness and Mortality among the Women of the European Army of India in each Year, and for the Ten-Year Period						CCCVXXII
Ratios of Sickness and Mortality of each Year and for the Period						CCCVXXIII
Causes of Sickness and Mortality among the Children of the European Army of India in each Year, and for the Ten-Year Period						CCCVXXIV
Ratios of Sickness and Mortality of each Year, and for the Ten-Year Period						CCCVXXV
Causes of Sickness and Mortality among the Women of the European Army of the Bengal Presidency in each Year, and for the Ten-Year Period						CCCVXXVI
Ratios of Sickness and Mortality of each Year and for the Period						CCCVXXVII
Causes of Sickness and Mortality among the Children of the European Army of the Bengal Presidency in each Year, and for the Ten-Year Period						CCCVXXVIII
Ratios of Sickness and Mortality of each Year and for the Period						CCCVXXIX
Causes of Sickness and Mortality among the Women of the European Army of the Madras Presidency in each Year, and for the Ten-Year Period						CCCVXXX
Ratios of Sickness and Mortality of each Year and for the Period						CCCVXXXI

TABLE.

Causes of Sickness and Mortality among the Children of the European Army of the Madras Presidency in each Year, and for the Ten-Year Period	CCCXXXII
Ratios of Sickness and Mortality of each Year and for the Period	CCCXXXIII
Causes of Sickness and Mortality among the Women of the European Army of the Bombay Presidency in each Year, and for the Ten-Year Period	CCCXXXIV
Ratios of Sickness and Mortality of each Year and for the Period	CCCXXXV
Causes of Sickness and Mortality among the Children of the European Army of the Bombay Presidency in each Year, and for the Ten-Year Period	CCCXXXVI
Ratios of Sickness and Mortality of each Year and for the Period	CCCXXXVII
Number of Deaths and the Chief Causes of Mortality among the Women of the European Army of India in the Principal Military Stations occupied from 1870-79	CCCXXXVIII
" " " Children	CCCXXXIX
Detail of the Causes of Admissions among the Women of the European Army of India in each Year, and for the Ten-Year Period	CCCXL
" " " Children	CCCXLI

I.—STATISTICS OF PRESIDENCIES AND PROVINCES, 1870-79.

I.—STATISTICS OF THE EUROPEAN ARMY OF INDIA, 1870-79.

I.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of INDIA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents, Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.		All other Causes.	
January	569,507	31,299	55.0	738	1.30	7	5	55	6	41	14	7	65	1	110	3	121	60	78	2	1	2	73	8	79
February	572,582	31,135	54.4	573	1.00	7	5	55	4	21	9	3	32	1	91	1	57	52	61	1	1	4	70	6	88
March	579,703	30,055	51.8	622	1.07	19	10	43	2	36	19	3	54	1	95	1	49	64	53	...	1	7	66	10	69
April	584,156	31,158	53.3	749	1.28	92	16	104	4	56	19	9	43	2	71	2	25	47	41	...	1	4	83	5	109
May	582,672	33,653	57.8	1,014	1.74	215	11	150	4	72	151	9	55	3	77	1	32	52	36	...	2	4	82	12	58
June	581,733	35,252	60.6	1,295	2.23	328	5	141	3	77	291	19	56	6	90	1	26	38	51	...	3	3	82	4	73
July	579,850	36,530	63.0	1,078	1.86	239	2	108	2	61	164	15	69	9	101	1	25	69	60	...	1	2	79	12	76
August	578,551	38,198	66.0	1,264	2.18	435	...	131	4	84	62	7	85	8	127	5	12	60	60	...	1	1	80	7	80
September	576,654	39,937	69.3	1,209	2.10	330	1	171	14	93	53	12	105	8	130	2	17	67	47	...	2	1	96	4	69
October	570,239	39,325	69.0	997	1.75	138	1	103	11	92	24	13	106	9	132	1	35	64	58	...	2	3	97	7	69
November	579,072	36,955	63.8	812	1.40	41	...	53	14	71	20	6	89	12	142	1	55	55	64	...	1	1	95	3	85
December	574,277	33,125	57.7	815	1.42	13	4	54	11	35	15	3	88	7	101	...	108	77	67	...	1	1	79	14	129
						1,864	60	1,168	79	739	875	106	853	67	1,267	18	562	685	679	8	10	42	986	84	1,014†
						Died per 1,000 of the Average Strength.																			
For the Ten Years	577,416	34,719	60.1	11,166	19.34	3.22	.10	2.03	1.42	1.52	.18	1.48	.12	2.19	.03	.97	1.19	1.18	.01	.02	.07	1.71	.14	1.76	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73 and 1876)	132	10	339	728	876	550	1,103	807	1,542	1,525	644	309	8,565	14.8	...
Cholera	11	16	25	150	311	457	358	650	454	180	67	18	2,687	4.7	69.11
Smallpox	47	46	65	101	65	21	16	1	4	2	12	28	408	.7	14.71
Enteric Fever	159	122	137	275	383	245	233	264	371	199	116	153	2,665	4.6	43.83
Fever, Intermittent	12,379	9,447	9,150	11,427	14,298	15,291	18,035	21,219	28,852	34,616	29,628	20,481	224,823	369.4	0.4
Fever, Remittent and Continued	2,714	2,842	4,470	7,973	10,745	10,484	10,849	10,491	11,979	10,473	6,546	4,104	93,670	162.2	.79
Apoplexy	34	37	67	150	339	692	447	180	126	81	48	26	2,227	3.9	39.29
Delirium Tremens	163	117	159	159	174	164	224	238	207	204	142	128	2,079	3.6	5.10
Dysentery	1,731	1,348	1,372	1,740	1,736	1,688	2,170	2,708	2,623	2,304	1,990	1,956	23,356	40.4	3.65
Diarrhoea	1,944	1,727	2,269	3,279	3,041	2,873	4,714	5,193	3,568	2,601	2,352	2,574	36,135	62.6	.19
Hepatitis	2,016	1,905	1,994	2,145	2,454	2,611	2,887	2,875	2,900	2,698	2,277	2,013	28,780	49.8	4.40
Spleen disease	217	247	247	258	287	297	362	302	286	368	284	321	3,476	6.0	5.2
Respiratory diseases	5,077	4,450	4,009	3,793	3,586	2,814	2,895	2,830	2,627	2,985	3,656	4,808	43,530	75.4	1.29
Phthisis Pulmonalis	372	292	319	282	322	385	469	449	453	506	513	446	4,808	8.3	14.12
Scurvy	12	16	18	10	21	22	18	27	17	23	28	18	230	.4	4.35
Rheumatism	2,781	2,701	2,822	2,829	2,821	2,795	3,137	2,920	2,696	2,555	2,359	2,357	32,803	56.8	...
Veneral diseases	11,601	10,991	11,580	11,712	9,732	8,639	9,385	8,716	8,238	8,762	8,779	9,450	117,485	203.5	...
Eye diseases	737	706	999	1,145	1,102	925	1,016	1,211	1,091	968	733	693	11,411	19.8	...
Abscess and Ulcer	3,922	3,835	4,260	4,750	4,584	4,876	5,467	4,858	4,219	3,861	3,619	3,471	61,722	89.6	...
Wounds and Accidents	4,532	4,588	5,214	5,142	4,711	4,112	4,249	3,900	3,959	4,245	3,994	5,303	54,039	93.6	...
All other Causes	7,031	7,035	8,007	9,045	9,618	9,533	11,033	10,662	9,904	9,282	8,099	7,406	106,655	184.7	47
	57,612	52,378	57,522	67,093	71,209	69,474	79,072	80,591	86,116	88,498	75,926	66,073	851,564		
	Admitted per 1,000 of the Average Strength in each Month.														
	101.2	91.5	99.2	114.9	122.2	119.4	136.4	139.3	149.3	155.2	131.1	115.1	1,474.8		

* This is the aggregate of the Statistics of the whole Army of India for the 10-Year Period. The Provincial Tables which follow do not include Troops on Active Service and on

† Accidental, Suicidal, and other Deaths from violence.

I.—STATISTICS OF THE EUROPEAN ARMY OF INDIA, 1870-79.

II.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of INDIA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	54,578	56.7	58.4	57.9	59.1	64.6	66.6	66.7	69.3	71.4	69.5	60.6	52.0	62.8
1871	"	56,806	51.6	53.0	53.5	53.6	58.0	62.3	64.5	66.3	65.0	61.7	55.0	57.9	
1872	"	58,870	51.7	49.8	47.5	49.6	54.4	56.4	56.2	61.6	67.7	67.0	58.9	56.2	
1873	"	58,769	52.0	47.8	48.9	51.7	53.3	55.7	58.8	61.9	64.4	61.7	55.5	55.3	
1874	"	59,308	50.5	50.8	47.3	51.6	53.8	56.5	61.9	67.3	66.4	65.8	61.2	57.5	
1875	"	58,409	56.0	54.7	49.5	52.8	57.7	61.1	59.6	61.5	62.2	57.4	53.1	56.8	
1876	"	57,858	50.3	51.3	49.0	50.2	54.1	57.0	58.3	59.6	65.5	66.0	61.7	56.6	
1877	"	57,260	51.7	50.9	48.4	47.9	53.0	57.0	59.6	63.0	62.8	60.1	59.9	55.8	
1878	"	56,475	57.7	59.5	54.6	56.3	61.7	65.8	66.8	71.2	81.6	83.9	80.6	67.7	
1879	"	59,082	71.7	68.5	62.7	60.7	69.0	71.3	76.1	80.4	86.1	92.2	86.9	75.0	
Ten Years, 1870-79		577,416	55.0	54.4	51.8	53.3	57.8	60.6	63.0	66.0	69.3	69.0	63.8	57.7	60.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1.9	3.1	738.1	3.6	6.3	40.7	68.7	55.3	6.0	71.7	9.5	62.7	191.2	24.4	93.7	89.8	178.7	1,645.4
1871	2.1	3.6	529.0	2.2	5.1	39.5	62.8	58.1	6.6	76.1	9.7	63.2	196.8	23.3	94.5	95.0	182.0	1,449.6
1872	10.7	3.8	472.3	4.5	4.2	44.7	74.9	52.8	5.1	68.5	9.9	58.8	179.0	22.3	91.0	87.8	306.7	1,497.0
1873	1.3	3.6	456.1	2.9	2.8	40.9	53.9	56.8	6.6	76.9	9.2	56.3	166.7	21.0	90.4	89.0	193.7	1,328.1
1874	2.2	4.1	461.7	2.4	3.1	36.6	49.2	53.0	5.9	82.6	8.3	62.6	192.7	20.6	92.9	94.5	187.3	1,357.7
1875	4.9	2.8	445.6	4.1	3.4	35.8	62.6	46.5	7.3	71.1	8.9	51.7	205.1	20.4	88.3	96.8	182.6	1,337.8
1876	3.5	4.6	480.5	4.3	3.3	33.9	50.5	49.1	5.8	72.4	8.1	57.0	189.9	17.4	83.1	97.5	200.6	1,361.5
1877	1.3	4.1	387.0	4.1	3.3	31.9	50.4	43.5	5.0	67.7	7.3	53.7	209.5	16.1	87.2	102.2	184.0	1,237.3
1878	5.4	8.8	662.1	4.5	2.8	49.3	70.3	43.6	4.1	74.3	6.0	51.0	271.3	16.7	90.9	94.9	195.6	1,651.3
1879	14.9	8.0	893.5	5.7	2.1	51.0	82.7	40.0	7.8	91.8	6.4	51.3	234.8	15.8	84.2	88.5	192.7	1,871.2
Ten Years, 1870-79	4.7	4.6	551.6	3.9	3.6	40.4	62.6	49.8	6.0	75.4	8.3	56.8	203.5	19.8	89.6	93.6	200.6	1,474.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	1.12	1.76	18.23	21.11	1,152	61	6	87	140	91	15	115	179	2	67	82	80	131	96	
1871	1.09	1.81	14.63	17.53	996	62	1	92	99	47	22	83	155	1	56	93	87	95	103	
1872	7.25	1.63	15.33	24.21	1,425	427	11	110	81	114	11	119	144	1	56	75	73	107	96	
1873	.80	1.70	12.80	15.30	899	47	11	79	65	76	5	83	137	2	50	90	63	87	99	
1874	.18	1.66	11.74	13.58	806	11	8	101	51	56	8	75	123	1	31	74	61	103	98	
1875	3.32	1.73	12.43	17.48	1,021	194	2	84	61	101	8	57	108	6	45	60	73	121	101	
1876	2.32	1.61	11.39	15.32	886	134	...	105	34	94	6	70	97	1	38	61	62	91	93	
1877	.84	1.92	9.95	12.71	728	48	1	92	32	70	7	51	93	1	28	56	53	86	110	
1878	4.00	1.68	15.78	21.46	1,212	226	15	206	80	98	14	102	127	2	42	47	60	98	95	
1879	11.07	3.50	19.98	34.55	2,041	654	5	212	175	128	10	165	99	1	149	47	62	127	207	
Ten Years, 1870-79	3.22	1.90	14.22	19.34	11,166	1,864	60	1,168	818	875	106	920	1,267	18	562	685	679	1,046	1,098	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	3	9	37	5	10	28	5	2	4	1	1	105
1871	3	3	72	6	3	2	4	...	24	2	119
1872	1	10	34	28	51	282	155	67	5	1	634
1873	13	2	8	8	10	14	3	16	2	76
1874	2	1	2	2	4	...	1	12
1875	3	10	20	12	21	121	76	17	6	2	288
1876	...	2	4	4	30	9	10	24	45	29	45	202
1877	...	7	7	2	2	6	8	10	4	9	11	73
1878	...	2	2	1	10	41	3	38	85	95	11	13	6	305
1879	34	120	370	171	96	69	22	1	4	883
Ten Years, 1870-79	11	16	25	150	311	457	358	650	454	180	67	18	2,697	

* See note at foot of preceding page.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BENGAL PRESIDENCY, 1870-79.

III.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of BENGAL during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.			All other Causes.	
January	360,136	19,532	54.2	459	1.27	2	5	34	5	20	6	4	33	1	54	2	103	40	38	1	1	2	52	6	50	
February	362,146	19,519	53.9	336	.93	1	5	31	4	12	5	1	10	...	50	...	52	26	38	2	49	5	44	
March	366,950	19,093	52.0	381	1.04	13	6	33	2	28	8	1	26	...	49	1	33	35	32	...	1	5	53	6	49	
April	366,552	19,782	54.0	479	1.31	45	11	75	1	39	17	3	26	1	41	2	23	29	33	4	39	5	85	
May	365,415	21,729	59.5	703	1.92	167	7	123	2	63	61	4	38	3	48	1	28	35	27	2	50	4	34	
June	364,931	22,780	62.4	971	2.66	292	5	115	3	64	204	13	38	6	47	1	18	29	32	3	48	8	45	
July	363,616	23,413	64.4	754	2.07	174	1	85	1	49	133	9	40	4	67	1	17	35	43	1	...	1	48	1	44	
August	362,843	24,475	67.5	900	2.48	357	...	100	3	63	50	5	50	5	78	4	7	37	38	1	1	3	51	1	46	
September	361,856	25,672	70.9	855	2.36	304	1	99	10	77	40	8	57	6	77	2	14	33	30	58	1	38	
October	358,599	25,078	69.9	693	1.93	128	...	67	7	76	14	7	65	5	86	1	25	39	38	3	67	5	60	
November	364,619	23,411	64.2	535	1.47	29	...	35	12	53	8	3	60	7	86	1	43	33	36	1	4	66	2	56
December	363,509	20,996	57.8	563	1.55	7	4	33	10	27	10	1	53	6	58	...	92	48	51	...	1	6	56	12	95	
						1,519	45	830	60	571	556	60	496	44	741	16	455	414	436	3	5	35	643	56	646	
Died per 1,000 of the Average Strength.																										
For the Ten Years	363,431	22,123	60.9	7,631	21.00	4.18	.12	2.28	1.74	1.53	.17	1.37	.12	2.04	.04	1.25	1.14	1.20	.01	.01	.10	1.77	.15	1.78		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	Aug.	SEPT.	OCT.	Nov.	Dec.														
Dengue (of 1872-73 and 1876)	10	2	8	196	322	113	268	468	1,312	1,353	531	172	4,755	13.1	...											
Cholera	2	3	17	74	210	412	261	543	410	166	49	10	2,162	5.9	70.26											
Smallpox	28	34	41	73	51	19	13	1	2	...	9	23	294	.8	15.31											
Enteric Fever	95	73	90	204	325	205	177	181	244	134	86	99	1,913	5.3	43.39											
Fever, Intermittent	8,398	5,939	5,802	7,793	9,966	10,188	11,802	14,256	19,994	24,451	21,526	14,427	154,605	425.4	.04											
Fever, Remittent and Continued	1,524	1,595	2,561	5,598	8,100	7,710	8,189	7,883	9,127	7,421	4,183	2,311	66,112	181.9	.86											
Apoplexy	13	10	34	72	139	460	386	151	86	46	28	13	1,438	4.0	38.66											
Delirium Tremens	74	60	83	71	97	89	123	121	122	106	66	64	1,076	3.0	5.58											
Dysentery	802	576	698	1,027	1,014	829	932	1,343	1,411	1,277	1,099	1,001	12,009	33.1	4.13											
Diarrhœa	1,109	966	1,333	2,224	2,024	1,686	2,792	3,422	2,425	1,626	1,438	1,588	22,683	62.4	.19											
Hepatitis	1,013	1,049	1,145	1,285	1,513	1,675	1,810	1,828	1,804	1,613	1,273	1,120	17,129	47.1	4.33											
Spleen disease	169	184	183	108	207	213	265	231	217	273	229	244	2,583	7.1	.62											
Respiratory diseases	3,702	3,193	2,809	2,671	2,571	1,894	1,920	1,906	1,773	1,997	2,518	3,594	80,578	84.1	1.49											
Phthisis Pulmonalis	211	149	185	197	191	236	290	278	308	322	345	265	2,979	8.2	14.64											
Scurvy	8	9	12	8	14	18	12	18	10	18	22	15	164	.5	3.05											
Rheumatism	2,067	1,892	1,974	1,947	1,925	1,889	2,083	1,987	1,818	1,725	1,616	1,686	22,549	62.0												
Veneral diseases	7,790	7,339	7,715	7,718	6,330	5,439	5,924	5,453	4,959	5,441	5,459	6,214	75,811	208.6												
Eye diseases	482	465	668	802	762	573	616	775	693	597	446	438	7,313	20.1												
Abscess and Ulcer	2,288	2,170	2,427	2,595	2,456	2,636	3,417	3,035	2,523	2,137	2,103	1,961	29,748	81.9												
Wounds and Accidents	2,863	2,816	3,273	3,198	2,923	2,466	2,489	2,322	2,393	2,556	2,289	3,312	33,005	90.8												
All other Causes	3,967	4,188	4,876	5,361	5,773	5,845	6,882	6,568	6,293	5,537	4,765	4,259	64,229	176.7												
	36,560	32,722	36,015	43,195	46,913	41,595	50,660	52,773	57,880	58,796	50,210	42,916	553,135													
Admitted per 1,000 of the Average Strength in each Month.																										
	101.5	90.4	98.1	117.8	128.4	122.2	139.3	145.4	160.0	164.0	137.7	117.8	1,522.0													

* This is the aggregate of the Statistics of the European Army of the Bengal Presidency for the 10-year Period. The Provincial Tables of Bengal which follow do not include Troops on Active Service and on the March.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BENGAL PRESIDENCY, 1870-79.

IV.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of BENGAL in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK IN EACH MONTH OF THE PERIOD.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	33,373	56.2	56.6	57.0	60.0	66.0	67.0	69.2	71.2	75.6	71.3	62.5	52.4	63.8
1871	"	35,122	51.2	53.8	54.2	54.0	60.2	63.6	65.0	69.4	69.1	63.9	51.5	50.0	59.2
1872	"	36,507	50.7	47.9	47.0	49.1	55.9	58.2	58.2	63.8	70.2	69.1	59.3	52.3	56.8
1873	"	36,617	49.0	45.5	47.2	52.7	54.8	58.4	60.7	64.1	66.5	69.9	54.8	51.9	55.7
1874	"	37,278	49.1	50.6	47.6	53.5	58.1	60.6	64.4	71.4	69.2	65.6	60.1	54.4	58.7
1875	"	37,184	53.9	54.9	50.6	53.6	57.1	58.6	61.9	59.6	61.8	63.8	59.8	55.9	57.6
1876	"	36,582	51.2	52.1	49.9	50.8	56.2	59.2	59.3	60.2	67.8	69.4	63.3	55.8	58.0
1877	"	36,179	51.3	50.5	48.5	48.0	52.8	56.9	57.8	60.5	59.5	55.6	55.8	54.7	54.3
1878	"	35,836	55.6	57.7	54.2	57.9	64.1	68.4	69.0	71.6	81.6	83.5	80.8	74.5	68.3
1879	"	38,755	73.2	68.8	64.3	60.2	69.4	73.3	73.0	82.2	87.7	95.9	88.7	73.2	76.1
Ten Years, 1870-79		363,431	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	1.5	2.9	831.6	3.0	5.6	37.6	65.2	57.0	6.7	77.1	10.1	69.7	202.7	25.6	85.0	85.9	164.7	1,731.9
1871	1.2	3.8	590.5	1.8	3.7	34.2	61.7	59.7	8.0	85.0	9.0	67.7	208.8	24.0	86.3	90.6	168.7	1,507.7
1872	16.0	2.9	495.9	4.3	4.0	35.0	77.5	56.0	6.3	75.6	9.5	64.0	190.7	24.4	80.2	85.0	286.6	1,514.1
1873	1.4	3.0	516.1	3.2	2.5	29.1	49.9	50.5	2.1	84.4	8.8	59.5	187.0	19.9	80.0	84.7	179.9	1,340.8
1874	2	4.7	552.8	2.6	2.5	26.2	51.4	45.2	6.4	94.6	8.1	67.5	200.1	22.4	84.7	91.9	182.5	1,443.8
1875	5.4	3.1	499.8	4.1	2.4	27.9	62.5	40.8	7.9	79.7	2.9	59.1	212.4	20.7	80.3	94.2	177.0	1,387.5
1876	4.5	4.7	537.7	4.6	2.5	26.7	48.5	46.3	7.6	81.3	2.3	65.0	194.7	17.1	77.2	98.4	198.5	1,443.4
1877	5	3.7	408.9	4.3	2.3	20.3	43.3	40.7	6.3	73.9	7.3	60.1	202.5	14.7	80.7	104.3	173.3	1,251.3
1878	5.7	11.5	686.2	4.3	2.2	39.7	68.6	39.8	4.6	83.7	6.1	53.8	288.3	17.3	87.2	91.9	184.7	1,075.5
1879	21.7	10.9	935.4	6.5	2.1	53.4	90.9	37.1	8.5	104.0	6.0	53.3	218.7	15.6	76.9	81.4	189.0	1,913.4
Ten Years, 1870-79	5.9	5.3	607.3	4.0	3.0	33.1	62.4	47.1	7.1	81.1	8.2	62.0	208.6	20.1	81.9	90.8	191.1	1,522.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	.63	1.86	20.19	22.68	757	21	6	55	93	54	9	74	130	2	53	52	53	93	62
1871	.71	1.74	15.38	17.83	626	25	1	60	79	28	9	45	96	1	48	58	58	57	61
1872	10.66	1.75	15.04	27.45	1,002	389	7	59	65	58	5	74	86	1	48	41	36	69	64
1873	.90	1.66	12.84	15.40	564	33	10	56	51	50	2	34	66	1	42	52	44	62	61
1874	.21	1.71	12.70	14.62	545	8	7	75	41	36	7	47	72	1	20	51	44	72	64
1875	3.66	1.53	12.13	17.32	614	136	1	59	44	71	1	27	55	6	35	29	46	77	57
1876	3.14	1.35	11.53	16.02	586	115	...	64	23	65	4	41	52	1	29	37	41	62	49
1877	.44	1.63	9.57	11.64	421	16	1	56	24	41	5	21	55	1	21	34	32	55	59
1878	4.16	1.53	15.94	21.63	775	149	7	168	57	52	8	55	67	1	36	31	42	47	55
1879	16.18	4.38	23.59	44.15	1,711	627	5	178	151	101	10	122	62	1	123	29	40	92	170†
Ten Years, 1870-79	4.18	1.93	14.89	21.00	7,631	1,519	45	830	631	556	60	540	741	16	455	414	436	686	702

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	2	2	9	3	4	19	4	1	4	...	49
1871	3	3	1	3	2	2	...	23	...	41
1872	1	6	31	24	38	271	143	66	3	584
1873	1	1	4	2	10	14	3	1	51
1874	2	2	2	5
1875	3	...	10	8	2	70	71	...	15	201
1876	4	10	5	8	23	42	27	44	6	163
1877	...	1	...	1	1	4	2	19
1878	...	1	...	1	1	14	54	...	6	...	204
1879	34	117	364	144	93	67	22	1	842
Ten Years, 1870-79	...	2	3	17	74	210	412	261	548	410	166	49	2,162

* See note at foot of preceding page.

† Sixty-two of these were killed in battle, 9 died of wounds received in battle, and 46 were drowned while crossing the Kabul river in 1879.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE MADRAS PRESIDENCY, 1870-79.

V.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of MADRAS during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January ...	108,075	6,415	59·4	159	1·47	5	...	12	...	12	4	2	22	...	37	1	5	11	18	1	11	1	17
February ...	108,865	6,513	59·8	148	1·36	6	...	15	...	4	2	22	...	29	7	19	12	10	1	25
March ...	111,254	5,894	53·0	133	1·19	6	...	5	...	3	8	17	...	25	2	17	9	1	17	1	11
April ...	112,176	6,069	54·1	107	1·49	38	...	14	...	1	6	27	...	12	14	5	12
May ...	111,929	6,343	56·7	201	1·80	36	...	11	...	1	7	53	...	16	9	5	14
June ...	111,598	6,655	56·9	164	1·47	21	...	13	...	5	23	4	...	15	6	2	15
July ...	111,252	6,976	62·7	177	1·59	36	...	16	...	6	12	1	...	18	11	9	19
August ...	111,129	7,242	65·2	178	1·60	15	...	17	...	6	6	1	...	23	17	12	1	5	1	15
September ...	110,502	7,234	65·9	181	1·64	12	...	26	...	5	5	1	...	33	17	10	19
October ...	108,474	7,084	65·3	161	1·48	2	...	13	...	4	4	4	...	32	15	11	2	16
November ...	110,253	6,833	62·0	132	1·20	5	...	5	...	7	4	1	...	18	13	14	17
December ...	109,248	6,425	58·8	152	1·39	4	...	10	...	2	5	1	...	28	22	12	2	10	1	25
						186	10	157	2	67	157	26	256	5	349	1	35	171	130	3	...	4	176	13	205
						Died per 1,000 of the Average Strength.																			
For the Ten Years ...	110,396	6,644	60·2	1,953	17·69	1·68	·09	1·42	·62	142	·24	2·32	·04	3·16	·01	·32	1·55	1·18	·03	...	·04	1·59	·12	1·86	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.													
Dengue (of 1872-73 and 1876) ...	103	8	67	57	202	169	238	188	148	68	13	12	1,273	11·5	58·49										
Cholera ...	8	12	8	65	80	28	63	17	19	5	7	6	318	2·9	18·18										
Smallpox ...	5	6	16	11	7	1	1	...	2	2	2	2	55	·5	36·43										
Enteric Fever ...	47	33	27	37	36	25	50	49	62	26	10	29	431	3·9	·01										
Fever, Intermittent ...	883	1,239	991	968	1,098	1,345	1,480	1,497	1,673	1,711	1,278	1,308	15,471	140·2	·48										
Fever, Remittent and Continued ...	774	780	1,052	1,309	1,376	1,377	1,397	1,222	1,271	1,323	1,109	947	13,942	126·3	·47										
Apoplexy ...	12	13	21	44	136	64	16	15	12	11	8	6	358	3·3	43·85										
Delirium Tremens ...	52	32	45	41	39	41	53	49	38	44	42	35	511	4·6	5·00										
Dysentery ...	722	595	489	523	571	690	933	976	896	753	645	688	8,486	76·9	3·02										
Diarrhoea ...	458	453	525	561	580	687	1,073	864	565	456	428	508	7,158	64·8	·07										
Hepatitis ...	681	574	513	513	575	574	684	677	703	697	642	584	7,417	67·2	4·71										
Spleen disease ...	13	25	24	34	19	28	27	19	13	29	13	24	268	2·4	·37										
Respiratory diseases ...	598	569	576	562	534	446	511	501	463	551	520	507	6,338	57·4	·55										
Phthisis Pulmonalis ...	94	74	76	55	70	79	85	104	79	98	103	113	1,030	9·3	12·62										
Scurvy	1	3	1	2	1	2	5	2	2	2	1	22	·2	...										
Rheumatism ...	392	392	402	400	404	458	512	465	450	475	395	350	5,125	46·4	...										
Veneral diseases ...	2,069	1,818	2,040	2,088	1,724	1,643	1,826	1,685	1,743	1,750	1,755	1,733	21,874	198·1	·47										
Eye diseases ...	108	95	131	125	128	176	229	234	181	203	173	137	1,920	17·4	...										
Abscess and Ulcer ...	908	945	993	1,205	1,207	1,230	1,076	953	897	909	777	789	11,889	107·7	...										
Wounds and Accidents ...	889	967	1,067	983	918	897	940	923	804	848	834	1,086	11,156	101·1	...										
All other Causes ...	1,834	1,710	1,843	2,135	2,242	2,145	2,387	2,321	2,063	2,150	1,913	1,796	24,539	222·3	...										
													10,650	10,341	10,909	11,717	11,948	12,104	13,613	12,764	12,084	12,121	10,669	10,661	139,581
													Admitted per 1,000 of the Average Strength in each Month.												
													98·5	95·0	98·1	104·5	106·7	108·5	122·4	114·9	109·4	111·7	96·8	97·6	1264·4

* This is the aggregate of the Statistics of the European Army of the Madras Presidency for the 10-Year Period. The Provincial Tables of Madras which follow do not include Troops on Active Service and on the March.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE MADRAS PRESIDENCY, 1870-79.

VI.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of MADRAS in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	10,697	59.8	69.4	62.6	62.4	67.2	70.1	70.3	71.4	65.5	64.2	55.5	50.2	64.1
1871	"	10,844	53.8	56.4	53.4	54.2	55.0	60.8	63.2	60.4	59.1	59.9	56.2	58.2	57.5
1872	"	11,544	57.3	61.1	53.3	53.3	58.5	60.9	59.4	66.1	70.2	66.4	56.4	52.1	59.5
1873	"	11,487	61.8	54.0	55.8	53.7	54.0	54.8	60.7	65.4	67.7	66.8	61.9	56.2	59.4
1874	"	11,501	54.1	54.5	44.7	50.2	49.0	51.4	57.7	60.7	64.3	66.9	68.4	66.3	57.3
1875	"	11,041	65.8	60.4	48.7	52.2	56.2	60.4	60.7	57.9	59.4	58.0	50.8	50.6	56.8
1876	"	11,034	52.9	52.9	47.8	49.7	50.1	52.5	57.2	60.8	63.4	58.9	59.5	58.6	55.4
1877	"	10,989	53.4	54.3	49.2	48.6	52.9	57.8	64.1	68.4	68.0	66.8	65.0	58.7	58.9
1878	"	10,815	66.6	67.6	56.7	50.7	60.3	65.1	65.2	68.6	71.0	71.7	73.0	67.4	65.7
1879	"	10,444	69.1	69.9	58.7	60.6	64.2	63.2	69.2	72.5	70.6	73.5	73.9	70.0	68.0
Ten Years, 1870-79		110,396	59.4	59.8	53.0	54.1	56.7	56.9	62.7	65.2	65.9	65.3	62.0	58.8	60.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.													Admission-rate of each Year and of the Period.				
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.		Eye diseases.	Abscess and Ulcers.	Wounds and Accidents.	All other Causes.
1870	5.1	4.0	438.4	5.0	7.8	68.9	69.9	63.7	7.1	61.6	6.3	54.5	165.9	23.3	123.5	117.7	233.2	1,455.9
1871	7.0	4.4	167.1	2.2	8.7	73.0	60.4	66.5	3.0	62.4	12.2	55.7	180.3	17.4	122.4	114.0	236.5	1,193.2
1872	4	6.2	267.7	4.8	4.7	85.1	76.9	59.3	2.0	64.8	11.3	49.8	164.6	19.3	123.6	102.9	313.4	1,357.4
1873	2.2	4.2	236.8	2.2	2.9	91.8	76.5	81.7	2.7	59.6	10.8	52.1	152.2	20.5	108.7	96.9	268.8	1,270.6
1874	1	3.0	187.1	1.5	3.0	82.2	45.6	82.5	2.5	60.3	10.7	54.2	183.9	13.8	103.0	96.2	209.3	1,143.9
1875	6	2.1	196.3	2.1	4.3	68.7	55.2	71.1	1.1	44.1	10.7	31.4	208.6	14.5	96.8	93.4	208.7	1,109.7
1876	3.1	4.4	200.1	4.4	4.6	63.9	60.5	63.3	1.5	60.4	9.2	43.2	184.4	14.1	91.9	93.9	228.1	1,131.0
1877	3.3	6.2	218.5	2.3	4.4	73.2	68.4	61.6	1.2	50.1	9.4	38.6	231.3	19.5	101.2	88.0	199.9	1,177.6
1878	4.0	1.9	360.5	4.1	3.9	93.9	72.3	61.8	1.4	56.0	6.3	42.6	250.2	14.0	102.3	99.5	217.0	1,392.1
1879	3.5	1.7	409.2	4.0	2.2	66.1	62.4	58.9	1.5	54.2	6.0	41.6	261.6	17.4	103.3	109.5	225.3	1,428.4
Ten Years, 1870-79	2.9	3.9	266.5	3.3	4.6	76.9	64.8	67.2	2.4	57.4	9.3	46.4	198.1	17.4	107.7	101.1	234.5	1264.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a	b																
1870	3.65	2.06	15.23	20.94	224	39	...	14	10	19	3	26	37	...	6	20	10	18	22
1871	3.32	2.21	14.57	20.10	218	36	...	16	9	6	7	25	39	...	5	21	13	17	24
1872	1.7	1.22	17.59	18.98	219	2	2	27	8	28	4	32	38	...	1	24	19	20	14
1873	1.22	2.36	14.71	18.29	210	14	1	9	8	11	1	42	46	...	4	25	13	9	27
1874	0.9	1.48	11.39	12.96	149	1	1	12	2	8	1	23	38	...	5	12	13	17	17
1875	0.6	2.71	11.78	14.85	164	4	...	7	4	8	2	17	35	...	2	22	14	19	30
1876	1.54	1.81	12.42	15.77	174	17	...	22	5	21	2	19	22	...	1	14	11	20	20
1877	1.73	2.28	12.82	16.83	185	19	...	22	3	14	1	24	28	...	2	16	12	19	25
1878	2.77	1.67	17.38	21.82	236	30	6	13	12	27	5	35	37	1	5	9	13	25	18
1879	2.30	2.01	12.35	16.66	174	24	...	15	8	15	...	19	29	...	4	8	12	19	21
Ten Years, 1870-79	1.68	1.98	14.03	17.69	1,953	186	10	157	69	157	26	261	349	1	35	171	130	183	218

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	7	28	...	6	9	1	1	55
1871	71	2	1	...	1	76
1872	1	...	1	4
1873	12	...	1	25
1874	1	1
1875	7
1876	...	2	3	...	20	3	2	...	1	2	34
1877	...	5	7	...	1	1	6	...	2	8	...	1	36
1878	...	1	1	...	2	...	2	...	11	5	...	2	43
1879	1	5	...	26	3	37
Ten Years, 1870-79	8	12	8	65	80	28	63	17	19	5	7	6	318

*See note at foot of preceding Table.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BOMBAY PRESIDENCY, 1870-79.

VII.*

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS composing the ARMY of BOMBAY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.		
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.
January	101,278	5,351	52.8	120	1.18	9	1	9	4	1	10	...	19	...	13	9	22	10	1	12
February	101,571	5,102	50.2	89	.88	9	...	5	...	6	1	...	12	...	3	7	11	1	11	19	
March	101,499	5,068	49.9	108	1.06	...	1	9	...	5	...	11	...	21	...	9	12	12	1	16	9	9	
April	105,428	5,307	50.3	103	.98	9	3	15	2	11	9	1	5	...	15	...	2	4	6	9	12	
May	105,328	5,582	53.0	110	1.04	12	1	16	1	2	32	2	3	...	9	...	3	8	4	9	10	
June	105,204	5,817	55.3	160	1.52	15	...	13	...	8	64	2	3	...	13	...	5	3	6	12	13	
July	104,982	6,141	58.5	147	1.40	29	...	7	1	6	19	5	1	11	5	7	3	13	8	...	2	...	15	13	
August	104,574	6,481	62.0	186	1.78	63	...	14	1	15	6	1	12	2	13	1	4	6	10	15	15	
September	104,296	6,981	66.9	173	1.66	14	...	46	4	11	8	3	3	15	1	21	...	3	7	7	16	
October	103,166	7,160	69.4	143	1.39	8	...	23	4	12	5	2	2	9	4	8	...	5	10	9	...	2	...	23	
November	104,200	6,710	64.4	145	1.39	7	...	13	2	11	8	2	2	11	5	22	...	11	9	14	1	12	
December	101,520	5,652	55.7	98	.97	2	...	11	1	6	2	1	7	...	17	...	11	12	4	1	13	9	
						159	5	181	17	101	162	20	101	18	177	1	72	100	113	2	5	3	167	15	163
						Died per 1,000 of the Average Strength.																			
For the Ten Years	103,587	5,946	57.4	1,582	15.27	1.53	.05	1.75	1.14	1.56	.19	.98	.17	1.71	.01	.70	.97	1.09	.02	.05	.03	1.61	.14	1.57	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.													
Dengue (of 1872-73)	19	...	264	475	352	268	597	151	82	104	100	125	2,537	24.5	73.27										
Cholera	1	1	...	11	21	17	34	85	25	9	11	2	217	2.1	8.47										
Smallpox	14	6	8	17	7	1	2	1	3	59	.6	8.47										
Enteric Fever	17	16	20	34	25	15	11	34	65	39	20	25	321	3.1	56.39										
Fever, Intermittent	3,098	2,209	2,357	2,663	3,234	3,758	4,753	5,466	7,185	8,454	6,824	4,746	54,747	523.5	.03										
Fever, Remittent and Continued	416	467	857	1,156	1,269	1,397	1,263	1,386	1,581	1,724	1,254	846	13,616	131.4	.74										
Apoplexy	9	14	12	34	64	168	45	14	28	24	12	7	431	4.2	37.59										
Delirium Tremens	37	25	31	47	38	34	48	68	47	54	34	29	492	4.7	4.07										
Dysentery	207	177	185	190	151	169	305	389	316	269	236	267	2,861	27.6	3.53										
Diarrhoea	377	308	361	494	437	500	849	907	578	519	486	478	6,294	60.8	.29										
Hepatitis	322	282	335	347	366	362	393	370	393	388	362	314	4,234	40.9	4.18										
Spleen disease	35	38	40	56	61	56	70	52	56	66	42	53	625	6.0	.16										
Respiratory diseases	777	688	624	560	481	474	464	423	391	437	588	707	6,614	63.9	1.09										
Phthisis Pulmonalis	67	69	58	30	61	70	85	69	71	86	65	68	799	7.7	14.14										
Scurvy	4	6	3	1	5	3	4	4	5	3	4	2	44	.4	11.36										
Rheumatism	332	417	446	482	492	448	512	468	428	385	348	321	5,129	49.5	...										
Veneral diseases	1,742	1,734	1,795	1,906	1,678	1,557	1,635	1,578	1,536	1,571	1,565	1,503	19,800	191.1	...										
Eye diseases	147	146	200	218	212	176	171	202	221	198	164	123	2,178	21.0	...										
Abscess and Ulcer	726	720	840	950	921	1,010	974	870	799	815	739	721	10,985	97.4	...										
Wounds and Accidents	775	805	874	961	870	749	820	745	762	841	771	905	9,878	95.4	...										
All other Causes	1,280	1,187	1,288	1,549	1,603	1,543	1,764	1,773	1,583	1,595	1,421	1,351	17,887	172.7	...										
													158,848												
													Admitted per 1,000 of the Average Strength in each Month.												
													102.7	91.7	104.4	115.5	117.2	121.4	141.0	144.0	154.9	170.4	144.4	124.1	1,533.5

* This is the aggregate of the Statistics of the European Army of the Bombay Presidency for the 10-Year Period. The Provincial Tables of Bombay which follow do not include Troops on Active Service and on the March.

I.—STATISTICS OF THE EUROPEAN ARMY OF THE BOMBAY PRESIDENCY, 1870-79.

VIII.*

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS composing the ARMY of BOMBAY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	10,509	55.6	51.8	55.6	52.6	57.8	62.0	55.8	61.3	61.7	68.8	59.7	52.6	58.3
1871	"	10,840	50.6	47.0	51.4	51.4	54.0	60.0	63.8	62.2	57.8	56.1	54.9	44.8	54.6
1872	"	10,819	49.3	44.2	43.0	47.4	45.4	45.5	46.3	49.8	56.8	60.7	60.1	54.0	50.3
1873	"	10,665	52.1	48.9	47.5	46.3	47.3	47.2	50.0	50.4	53.2	58.8	51.2	45.5	49.8
1874	"	10,529	51.1	47.7	49.3	46.5	43.5	47.5	57.9	59.9	59.2	65.2	57.0	54.1	53.2
1875	"	10,184	52.1	47.4	46.1	50.8	50.2	51.4	53.3	61.4	62.7	60.8	55.9	46.1	53.6
1876	"	10,242	44.6	46.8	46.9	48.5	51.3	54.2	55.9	56.3	59.9	61.6	58.4	52.7	53.0
1877	"	10,092	51.6	48.1	47.3	46.8	53.8	56.6	61.2	66.3	68.9	68.5	69.4	57.6	58.0
1878	"	9,825	55.8	57.4	53.9	50.2	54.6	57.1	60.6	72.5	93.7	98.8	88.1	68.6	67.3
1879	"	9,883	68.0	65.7	60.2	63.1	72.7	71.9	76.3	81.6	95.8	98.1	93.4	85.3	78.0
Ten Years, 1870-79	...	103,587	52.8	50.2	49.9	50.3	53.0	55.3	58.5	62.0	66.9	69.4	64.4	55.7	57.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen ease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1	3.0	746.4	4.4	6.7	22.0	78.4	41.4	2.4	64.8	10.6	48.6	180.4	21.7	91.0	73.9	167.3	1,563.1
1871	2	2.3	691.6	3.4	6.2	23.2	59.2	44.5	5.7	60.9	9.2	56.4	174.4	26.9	93.1	90.2	170.2	1,517.6
1872	4.3	3.7	611.2	5.1	4.1	34.6	63.9	34.9	4.0	48.5	9.5	51.1	154.8	18.1	92.4	81.1	367.2	1,588.5
1873	1.6	486.1	2.8	3.5	27.1	43.8	52.0	5.6	70.0	8.6	50.2	181.1	25.0	103.4	95.4	159.9	1,316.1	
1874	3	3.0	439.1	2.7	5.1	23.7	45.6	48.0	8.2	64.4	6.8	54.5	170.8	21.7	110.9	101.6	179.8	1,286.2
1875	7.9	2.7	518.0	6.3	6.2	29.0	70.7	40.4	7.8	69.0	6.8	46.7	174.4	25.5	108.3	110.0	174.3	1,404.0
1876	5	4.3	507.2	3.2	4.7	27.5	46.8	44.1	4.6	53.2	6.2	43.3	178.8	21.4	94.6	97.9	178.7	1,317.0
1877	1.8	3.0	492.0	3.8	5.1	28.6	54.6	33.7	4.2	64.9	5.0	47.1	205.0	17.1	95.2	110.2	194.3	1,365.6
1878	5.9	4.6	905.9	5.7	3.6	35.3	74.3	37.1	7.0	60.5	5.3	50.3	230.6	17.3	91.3	100.8	212.1	1,348.1
1879	4	2.9	1,241.0	4.5	2.2	25.6	71.8	31.4	11.2	83.7	8.7	46.0	269.9	14.7	92.5	94.4	172.4	2,173.3
Ten Years, 1870-79	2.1	3.1	659.9	4.2	4.7	27.6	60.8	40.9	6.0	63.9	7.7	49.5	191.1	21.0	97.4	95.4	198.2	1,533.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen ease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	10	1.14	15.03	16.27	171	1	...	18	37	18	3	15	12	...	8	10	17	20	12	
1871	09	1.66	12.27	14.02	152	1	...	16	11	13	6	13	20	...	3	14	16	21	18	
1872	3.33	1.66	13.87	18.86	204	36	2	24	8	28	2	13	20	...	7	10	18	18	18	
1873	...	1.03	10.69	11.72	125	14	6	15	2	7	25	...	4	13	11	16	11	
1874	19	1.62	8.83	10.64	112	2	...	14	8	12	...	6	18	...	6	11	4	14	17	
1875	5.30	1.37	14.25	20.92	213	54	1	18	13	22	5	13	18	...	8	9	13	25	14	
1876	19	2.34	9.77	12.30	126	2	...	19	3	8	...	10	23	...	8	10	10	9	24	
1877	1.29	2.57	8.23	12.09	122	13	...	14	5	15	1	6	10	...	5	6	9	12	26	
1878	4.79	2.24	13.43	20.46	201	47	2	25	11	19	1	12	23	...	1	7	5	26	22	
1879	30	1.61	13.87	15.78	156	3	...	19	16	12	...	24	8	...	22	10	10	16	16	
Ten Years, 1870-79	1.53	1.71	12.03	15.27	1,582	159	5	181	118	162	20	119	177	1	72	100	113	177	178	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	1	1
1871	1	2
1872	3	3	13	11	12	1	46
1873
1874	1	...	2	3
1875	11	10	2	50	5	1	80
1876	1	1	...	1	2	5
1877	...	1	1	...	2	8	2	1	...	2	18
1878	8	2	...	2	20	6	5	10	...	53
1879	2	1	7	4
Ten Years, 1870-79	...	1	1	...	11	21	17	34	85	25	9	11	2	217

* See note at foot of preceding Table.

I.—STATISTICS OF PROVINCES, 1870-79.

IX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in BENGAL PROPER during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents	Suicidal Deaths, and other Deaths out of Hospital.													
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.									
January ...	18,722	923	49.3	24	1.28	2	1	1	1	5	2	2	1	1	...	2	4								
February ...	19,670	940	47.8	16	.81	1	...	1	1	4	2	2	5	1	1								
March ...	19,049	878	46.1	16	.84	5	...	2	2	1	1	2	2							
April ...	19,192	907	47.3	15	.78	1	1	1	...	1	2	1	1	2	2							
May ...	19,061	977	51.3	25	1.31	3	1	2	2	2	1	...	5	4	2							
June ...	19,023	1,036	54.5	18	.95	1	3	1	2	...	4	4	2	2	2	2							
July ...	18,994	1,138	59.9	23	1.21	1	...	1	2	1	...	2	...	2	2	...	3	1	1	3	4	2							
August ...	18,944	1,207	63.7	32	1.69	3	2	4	1	6	3	3	4	7	2							
September ...	18,936	1,199	63.3	24	1.27	1	...	5	1	...	1	...	1	1	1	...	1	1	...	2	3	3	6							
October ...	18,816	1,141	60.6	34	1.81	1	...	2	3	1	1	5	...	9	1	2	4	3	3	2							
November ...	18,107	1,010	55.8	25	1.38	1	6	...	1	2	...	5	1	...	2	2	...	1	3	5	1							
December ...	18,449	962	52.1	21	1.14	1	1	4	1	6	...	1	1	...	1	1	...	4							
						16	1	15	1	19	13	3	24	3	50	4	6	23	25	3	29	2	36									
Died per 1,000 of the Average Strength.																																		
For the Ten Years	18,914	1,027	54.3	273	14.43	.85	.05	.79	1.06	.69	.16	1.27	.16	2.64	.21	.32	1.22	1.3216	1.53	.10	1.90										

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.						
Dengue (of 1872) ...	1	...	7	196	309	71	60	36	1	681	36.0	...			
Cholera ...	2	...	5	1	3	2	2	...	2	3	23	1.2	69.57			
Smallpox	1	1	2	.1	50.00			
Enteric Fever ...	2	6	5	...	4	2	3	4	7	2	...	2	39	2.1	38.46			
Fever, Intermittent ...	366	191	147	184	179	186	232	274	238	258	476	558	3,289	173.9	.03			
Fever, Remittent and Continued ...	147	152	202	294	358	522	507	629	431	423	427	223	4,405	232.9	.43			
Apoplexy ...	2	1	5	10	7	9	1	1	3	4	2	1	46	2.5	28.26			
Delirium Tremens ...	8	3	4	4	4	7	2	9	7	5	6	...	59	3.1	5.08			
Dysentery ...	75	57	51	63	70	58	93	113	96	91	65	76	908	48.0	2.64			
Diarrhoea ...	70	44	44	53	61	55	122	128	97	88	68	69	899	47.5	.33			
Hepatitis ...	83	71	75	62	91	115	107	117	102	110	79	78	1,090	57.6	4.59			
Spleen disease ...	6	7	4	5	8	7	4	6	12	7	4	3	73	3.9	5.48			
Respiratory diseases ...	69	94	84	57	74	66	86	95	60	65	85	88	923	48.8	.65			
Phthisis Pulmonalis ...	17	7	12	10	15	16	26	21	25	16	23	17	205	10.8	12.20			
Scurvy	1	1	.1	...			
Rheumatism ...	59	51	59	64	90	80	96	80	69	71	61	60	840	44.4	...			
Veneral diseases ...	341	334	391	308	301	243	277	304	247	309	276	287	3,618	191.3	...			
Eye diseases ...	12	26	29	23	24	16	14	17	14	17	20	25	237	12.5	...			
Abscess and Ulcer ...	140	120	144	120	128	143	161	174	145	113	107	90	1,585	83.8	44			
Wounds and Accidents ...	160	171	181	152	156	140	141	148	124	137	115	148	1,771	93.6	...			
All other Causes ...	222	260	303	309	332	327	433	447	465	433	310	255	4,096	216.6	...			
	1,782	1,596	1,753	1,916	2,214	2,065	2,457	2,603	2,145	2,151	2,127	1,981	24,790					
Admitted per 1,000 of the Average Strength in each Month.																		
	95.2	81.1	92.0	99.8	116.2	108.6	129.4	137.4	113.3	114.3	117.5	107.4	1,310.7					

I.—STATISTICS OF PROVINCES, 1870-79.

X.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in BENGAL PROPER in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,995	40.8	45.3	53.5	56.2	63.9	66.9	71.0	71.1	67.5	60.0	51.0	50.8	59.1
1871	"	1,975	48.6	54.0	42.3	44.0	44.9	49.3	52.3	52.3	56.3	51.5	55.4	51.8	50.1
1872	"	1,974	61.6	62.2	55.5	60.6	74.0	71.2	71.7	74.6	72.9	61.9	53.9	56.5	64.8
1873	"	1,900	61.4	57.7	46.3	40.6	55.9	59.7	70.5	68.6	66.5	55.1	54.1	49.4	58.4
1874	"	2,007	36.4	36.5	34.4	47.3	48.6	57.5	63.8	67.8	65.7	61.1	53.3	47.0	52.3
1875	"	1,978	40.7	38.2	36.5	32.9	37.7	46.1	54.4	63.0	59.4	51.5	45.1	35.9	45.0
1876	"	2,008	56.1	49.7	52.1	51.2	42.7	43.5	51.7	62.7	60.5	70.2	67.9	69.1	56.3
1877	"	1,867	50.9	40.5	44.5	46.1	48.6	46.9	45.6	47.7	56.9	63.8	65.6	59.2	50.9
1878	"	1,898	50.3	52.1	44.6	38.7	34.0	47.8	52.1	58.8	59.6	53.2	56.6	51.8	50.1
1879	"	1,308	46.2	40.1	54.7	44.9	67.3	54.8	68.1	73.0	69.3	73.3	57.2	51.2	57.3
Ten Years, 1870-79	...	18,914	49.3	47.8	46.1	47.3	51.3	54.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1.5	2.0	303.2	3.0	3.0	67.7	43.6	71.2	6.5	34.6	4.0	48.1	209.5	21.6	80.7	86.2	193.0	1,179.4
1871	1.0	4.1	366.1	2.0	2.5	47.1	62.8	101.3	7.1	39.0	6.1	47.1	154.9	10.6	87.1	108.3	244.1	1,291.2
1872	1.5	1.0	434.2	6.1	2.0	62.3	62.3	104.4	7.1	72.4	24.3	63.3	187.9	13.7	78.0	124.1	582.6	1,827.2
1873	1.6	.5	296.3	1.6	2.6	53.7	43.7	85.8	2.1	52.1	23.2	50.5	143.7	8.4	75.3	109.5	245.7	1,196.3
1874	.5	5.0	366.1	2.0	5.5	59.8	56.8	25.4	.5	44.9	12.0	44.9	153.4	10.0	92.3	79.7	175.3	1,134.0
1875	...	3.5	274.5	1.5	3.5	34.9	45.0	37.9	2.0	45.0	8.6	26.8	179.5	14.2	118.3	79.4	172.9	1,047.5
1876	2.5	2.5	531.4	2.0	2.0	50.8	50.8	48.8	2.5	75.2	10.0	37.3	210.6	12.4	68.2	83.2	236.1	1,426.8
1877	1.6	...	472.4	3.7	3.7	23.0	25.2	34.3	4.3	46.1	5.9	46.6	219.1	9.1	57.3	79.8	214.3	1,246.9
1878	1.1	.5	527.9	1.1	2.6	29.0	33.7	23.2	2.1	31.1	6.8	36.9	206.0	10.0	95.4	82.2	218.1	1,307.7
1879	.7	.7	548.2	.7	3.8	50.5	50.5	35.9	4.6	45.9	6.1	41.3	278.3	16.1	84.1	109.3	240.1	1,516.8
Ten Years, 1870-79	1.2	2.1	406.8	2.3	3.1	48.0	47.5	57.6	3.9	48.8	10.8	44.5	191.3	12.5	83.8	93.6	252.8	1,310.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	1.00	1.51	14.03	16.54	33	2	1	...	1	1	...	5	9	...	1	2	1	7	3	
1871	.51	2.02	16.19	18.72	37	1	1	...	1	16	5	2	4	4	
1872	1.01	2.53	14.69	18.23	36	2	
1873	.53	1.58	12.10	14.21	27	1	
1874	.50	1.99	17.44	19.93	40	1	
1875	...	2.53	9.10	11.63	23	
1876	2.49	1.99	9.96	14.44	29	5	
1877	1.07	2.68	5.36	9.11	17	
1878	1.05	1.59	6.84	9.48	18	
1879	...	1.53	8.41	9.94	13	
Ten Years, 1870-79	.85	2.00	11.58	14.43	273	16	1	15	20	13	3	27	50	4	6	23	25	32	38	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1	3
1871	2
1872	3
1873	3
1874	1	1
1875
1876	2	...	3	5
1877	...	1	1	3
1878	...	1	...	1	2
1879	1
Ten Years, 1870-79	...	2	...	5	1	3	2	2	...	2	1	2	23

I.—STATISTICS OF PROVINCES, 1870-79.

XI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the PROVINCES and in OUDH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number of Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.	
January ...	73,046	4,412	60·4	72	·99	11	1	2	1	...	5	...	12	...	6	5	10	10	...	9	
February ...	76,447	4,836	63·3	52	·68	8	2	...	11	...	6	6	5	7	...	4	
March ...	80,180	4,960	61·6	78	·97	...	3	10	3	...	10	...	3	6	4	7	...	14	
April ...	78,624	4,989	63·5	111	1·41	...	6	22	1	...	14	4	6	10	
May ...	78,255	5,112	65·3	174	2·22	...	4	34	2	...	9	5	4	14	
June ...	77,983	5,245	67·3	155	1·99	...	3	19	1	...	7	6	4	10	
July ...	77,770	5,339	68·7	125	1·61	...	1	20	1	...	4	6	4	14	
August ...	77,552	5,582	72·0	209	2·69	...	80	209	1	...	7	4	4	14	
September ...	77,113	5,755	74·6	240	3·11	24	1	...	14	6	4	7	
October ...	75,894	5,514	72·7	109	1·44	9	1	...	14	9	8	14	
November ...	69,033	4,641	67·2	102	1·48	6	1	...	11	3	7	13	
December ...	71,705	4,208	58·7	101	1·41	...	2	11	1	...	9	6	7	16	
						323	19	200	6	89	138	6	95	7	179	1	33	75	93	3	114	14	133	
						Died per 1,000 of the Average Strength.																				
For the Ten Years	76,159	5,049	66·3	1,528	20·06	4·24	·25	2·63	1·25	1·81	·08	1·25	·09	2·35	·01	·43	·98	1·22	·04	1·50	·18	1·75		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73 and 1876) ...	7	2	1	...	12	42	208	425	928	1,029	341	106	3,101	40·7	...
Cholera	2	7	38	39	24	41	133	161	16	41	3	505	6·6	63·96
Smallpox ...	2	12	14	30	16	10	5	2	8	99	1·3	19·19
Enteric Fever ...	38	25	22	72	74	44	33	43	55	26	19	35	486	6·4	41·15
Fever, Intermittent ...	599	590	725	978	1,008	1,021	1,285	1,291	1,554	2,146	1,556	1,017	13,770	180·8	·04
Fever, Remittent and Continued ...	353	409	793	1,382	1,341	1,288	1,291	1,316	1,564	1,285	714	468	12,204	160·2	·73
Apoplexy ...	1	...	9	17	63	161	64	22	15	12	5	3	372	4·9	37·10
Delirium Tremens ...	22	17	19	17	22	16	26	18	23	17	21	17	235	3·1	2·55
Dysentery ...	191	133	195	267	211	160	250	376	326	270	205	223	2,807	36·8	3·38
Diarrhoea ...	240	232	474	508	420	269	541	763	539	304	317	398	5,005	65·7	·14
Hepatitis ...	241	269	273	290	350	384	409	406	443	381	270	258	3,974	52·2	4·50
Spleen disease ...	24	20	28	22	31	26	26	34	23	30	22	19	305	4·0	·33
Respiratory diseases ...	506	479	516	481	377	299	361	348	358	358	394	519	4,996	65·6	·66
Phthisis Pulmonalis ...	43	32	36	44	36	56	62	61	72	86	83	67	678	8·9	13·72
Scurvy ...	3	3	1	1	4	3	1	5	1	...	2	5	29	·4	...
Rheumatism ...	353	349	396	325	349	350	382	453	375	366	282	258	4,243	55·7	...
Veneral diseases ...	2,235	2,383	2,465	2,111	1,927	1,695	1,889	1,599	1,649	1,771	1,493	1,611	22,828	299·7	...
Eye diseases ...	137	129	213	222	218	212	235	272	210	169	121	99	2,237	29·4	...
Abscess and Ulcer ...	554	550	636	651	678	776	993	804	713	605	510	447	7,917	104·0	...
Wounds and Accidents ...	532	562	731	660	599	528	533	473	445	513	448	652	6,676	87·7	...
All other Causes ...	908	1,025	1,220	1,149	1,330	1,340	1,594	1,520	1,514	1,348	1,059	934	14,941	196·2	...
	6,994	7,223	8,774	9,265	9,105	8,704	10,229	10,362	10,908	10,732	7,905	7,147	107,408		
	Admitted per 1,000 of the Average Strength in each Month.														
	95·7	94·5	109·0	117·8	116·4	111·6	131·5	133·6	142·2	141·4	114·5	99·7	1,410·3		

I.—STATISTICS OF PROVINCES, 1870-79.

XII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the GANGETIC PROVINCES and in OUDH in each year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	7,185	60.5	56.7	56.4	65.1	62.5	64.0	65.4	67.6	70.8	69.3	52.9	47.9	61.8
1871	"	8,126	52.3	57.0	57.2	59.5	64.3	66.6	67.2	72.1	72.0	67.7	58.0	53.4	62.4
1872	"	8,251	54.1	52.1	47.1	50.6	54.8	59.3	60.8	69.2	74.1	71.7	69.4	50.9	58.8
1873	"	8,049	53.4	57.2	60.9	58.4	57.9	63.9	63.5	61.1	65.3	57.9	65.9	54.2	59.9
1874	"	8,540	57.6	53.4	59.4	71.6	73.3	70.1	78.6	90.5	85.8	75.2	65.6	64.3	71.2
1875	"	7,790	67.1	76.4	72.6	66.6	60.9	63.6	69.0	66.4	67.8	68.3	59.9	49.5	65.9
1876	"	7,390	53.8	63.4	65.7	67.1	70.6	75.3	72.5	67.5	73.7	83.8	77.7	62.5	69.6
1877	"	7,326	64.6	67.1	58.7	56.1	60.5	65.0	63.7	69.4	69.6	60.5	63.0	61.8	63.3
1878	"	7,168	67.5	70.6	63.8	66.5	71.4	68.5	74.4	72.5	80.3	85.5	79.3	66.8	72.0
1879	"	6,341	74.9	79.7	79.3	76.1	80.6	79.5	71.5	83.4	88.6	94.0	95.5	77.1	81.5
Ten Years, 1870-79		76,159	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral dis. cases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	5.4	3.8	355.1	3.5	6.6	45.8	65.8	67.8	2.9	51.0	8.1	61.7	286.5	39.8	106.0	81.5	162.8	1,354.1
1871	4.7	5.8	342.3	1.4	2.7	37.0	53.5	56.7	4.6	52.7	8.2	53.1	287.1	35.1	95.0	78.0	158.9	1,276.8
1872	17.7	3.4	253.8	5.3	2.7	38.8	79.2	57.2	4.0	53.6	9.8	59.5	229.4	39.1	99.3	79.9	472.6	1,505.8
1873	4.9	8.7	344.3	5.3	2.7	38.0	63.0	50.2	5.3	72.3	10.1	60.3	250.4	30.4	110.1	78.6	240.5	1,375.6
1874	7	9.6	357.4	2.6	3.4	44.9	71.8	48.2	3.8	85.9	11.0	51.0	333.7	39.5	107.3	88.7	218.6	1,478.1
1875	8.5	4.6	223.4	2.6	2.1	29.4	62.4	43.0	3.1	55.3	9.1	52.1	372.0	20.8	89.7	75.6	181.2	1,234.9
1876	4.7	7.2	319.9	7.7	3.4	35.0	59.9	59.5	7.2	74.1	8.8	63.6	310.6	20.4	102.4	105.3	296.6	1,486.3
1877	1.0	1.5	297.3	6.7	2.5	23.9	50.9	49.0	4.3	57.6	6.7	57.9	257.6	19.1	111.4	103.7	210.0	1,261.4
1878	16.3	7.8	319.3	5.6	2.7	37.9	82.5	46.9	2.2	74.8	7.4	51.5	354.2	21.8	104.6	94.6	220.5	1,450.6
1879	1.9	11.7	655.1	9.1	2.4	36.7	67.2	42.3	2.2	80.0	9.3	45.4	324.7	24.0	116.7	94.6	202.3	1,725.6
Ten Years, 1870-79	6.6	6.4	341.0	4.9	3.1	36.8	65.7	52.2	4.0	65.6	8.9	55.7	299.7	29.4	104.0	87.7	238.6	1,410.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Heart dis. cases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths
		a Violent Deaths.	b Diseases.																
1870	2.37	1.53	19.07	22.97	165	17	1	14	25	8	1	17	35	...	4	10	9	13	11
1871	2.83	1.97	13.54	18.34	149	23	...	18	15	8	...	17	23	...	4	8	9	8	16
1872	11.15	1.69	12.97	25.81	213	92	2	10	13	15	...	13	22	...	5	5	6	13	14
1873	3.23	1.61	15.41	20.25	163	26	9	31	5	23	...	2	15	...	7	13	11	8	13
1874	7.0	2.92	16.52	20.14	172	6	2	39	10	9	...	1	15	...	1	10	16	16	25
1875	5.65	2.06	10.39	18.10	141	44	...	15	2	12	...	3	17	...	4	2	11	14	16
1876	3.11	1.90	12.85	17.86	132	23	...	21	4	17	9	...	1	10	9	12	14
1877	68	2.46	10.10	13.24	97	5	1	7	6	10	...	1	5	...	2	10	8	12	18
1878	11.58	97	12.28	24.83	178	83	2	23	2	15	2	10	14	...	2	...	7	7	7
1879	63	2.05	15.93	18.61	118	4	2	22	13	21	1	8	10	...	3	...	7	14	13
Ten Years, 1870-79	4.24	1.93	13.89	20.06	1,528	323	19	200	95	138	6	102	179	1	33	75	93	117	147

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	...	7	3	3	19	2	...	4	...	39
1871	3	3	1	2	2	2	23	38
1872	5	23	8	10	56	39	2	...	146
1873	1	1	1	3	1	10	8	1	...	39
1874	1	...	1	2	6
1875	1	7	10	42	...	5	...	66
1876	1	9	2	6	13	4	35
1877	1	1	3	...	2	7
1878	1	5	38	67	4	...	117
1879	5	2	1	12
Ten Years, 1870-79	...	2	7	38	39	24	41	133	161	16	41	3	505

I.—STATISTICS OF PROVINCES, 1870-79.

XIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in MEERUT and ROHILCUND during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.	
January ...	40,438	2,011	49.7	36	89	...	1	5	...	1	1	1	4	1	5	...	3	5	1	1	...	4	...	3		
February ...	41,989	2,104	50.1	36	86	...	2	5	...	1	1	1	10	...	3	6	7	
March ...	43,385	2,116	48.8	43	99	...	1	5	9	...	1	4	
April ...	40,563	2,067	51.0	49	121	...	3	12	...	2	3	...	2	...	5	...	1	1	
May ...	40,269	2,277	56.5	77	191	...	2	3	
June ...	39,989	2,377	59.4	81	203	...	5	25	...	4	12	1	2	
July ...	39,903	2,346	58.8	49	123	...	1	1 1/2	...	4	5	1	5	
August ...	39,784	2,640	66.4	67	168	...	1	6	...	2	14	1	
September ...	39,631	2,900	73.4	118	298	...	16	6	...	4	5	1	6	
October ...	39,170	2,832	72.3	78	199	...	53	13	...	7	7	4	4	
November ...	35,687	2,319	65.0	52	146	...	2	1	1	...	10	1	12	...	3	3	3	4	4	5	
December ...	36,433	1,936	53.1	42	115	4	...	1	3	1	...	8	7	...	1	4	
						4	...	1	7	2	7	6
						82	8	107	2	39	64	10	54	9	109	2	25	40	46	...	1	1	75	4	50	
						Died per 1,000 of the Average Strength.																				
For the Ten Years	39,770	2,328	58.5	728	18.31	2.06	.20	2.69	1.03	1.61	.25	1.36	.23	2.74	.05	.63	1.01	1.1602	.02	1.89	.10	1.26		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872) ...	2	1	1	207	166	44	35	456	11.5	...
Cholera	7	28	73	2	119	3.0	68.91
Smallpox ...	9	5	5	8	12	4	1	6	52	1.3	15.38
Enteric Fever ...	12	6	9	28	71	22	11	...	36	17	12	15	251	6.3	42.63
Fever, Intermittent ...	639	576	624	811	1,077	1,130	1,526	2,458	2,881	2,891	1,635	974	17,222	43.0	.01
Fever, Remittent and Continued ...	117	131	229	492	561	522	455	605	707	564	207	87	4,707	11.4	.83
Apoplexy ...	3	3	4	9	19	51	13	21	13	3	8	2	169	4.2	37.87
Delirium Tremens ...	14	10	5	10	15	11	13	20	22	13	8	10	156	3.9	6.41
Dysentery ...	93	47	63	96	108	78	86	168	212	188	150	143	1,430	36.0	3.78
Diarrhoea ...	111	108	165	291	211	163	197	385	377	234	155	119	2,516	63.3	.36
Hepatitis ...	109	131	135	148	191	191	184	223	219	205	159	122	2,017	50.7	5.40
Spleen disease ...	19	20	16	15	20	21	240	262	240	202	248	278	3,134	7.8	.80
Respiratory diseases ...	301	302	332	271	253	205	240	39	30	34	35	32	297	7.5	15.49
Phthisis Pulmonalis ...	18	14	18	15	14	19	29	3	1	2	1	...	15	.4	6.67
Scurvy	2	3	1	151	3.8	...
Rheumatism ...	213	225	215	161	188	194	236	210	158	208	153	...	2,312	58.1	...
Veneral diseases ...	974	829	882	788	672	577	583	572	517	507	449	623	7,978	200.6	...
Eye diseases ...	67	62	67	97	103	51	63	84	87	57	45	44	827	20.8	...
Abscess and Uleer ...	241	266	311	289	296	300	394	345	337	265	229	215	3,488	87.7	...
Wounds and Accidents ...	321	351	367	357	338	281	273	257	264	281	288	322	3,708	93.2	...
All other Causes ...	436	477	582	567	618	600	715	738	651	616	507	455	6,962	175.1	...
	3,699	3,566	4,033	4,467	4,777	4,426	5,118	6,455	7,063	6,496	4,359	3,661	58,110		
	Admitted per 1,000 of the Average Strength in each Month.														
	91.5	84.9	93.0	109.9	118.6	110.7	128.3	162.3	178.2	165.8	122.1	100.5	1,461.2		

I.—STATISTICS OF PROVINCES, 1870-79.

XIV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in MEERUT and ROHILCUND in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	3,700	52.3	57.5	55.3	50.7	53.0	55.8	57.2	63.0	79.1	75.8	62.4	43.2	58.9
1871	"	4,234	53.9	61.5	65.2	53.3	62.2	63.7	65.0	75.5	81.5	75.3	67.2	53.0	65.0
1872	"	4,119	50.2	44.6	46.0	49.3	56.2	56.9	55.3	64.3	76.6	70.0	52.5	52.1	56.6
1873	"	3,920	46.8	37.7	36.5	41.6	46.1	48.3	48.2	54.8	59.9	61.2	60.9	56.4	49.8
1874	"	3,933	54.8	55.6	46.1	44.1	53.7	60.8	60.2	77.4	79.7	72.8	72.7	60.9	61.3
1875	"	4,395	53.1	53.1	49.4	62.7	57.4	54.5	58.0	56.4	64.0	57.7	50.5	41.5	54.6
1876	"	4,393	45.7	45.5	43.5	42.7	46.9	55.0	55.9	56.2	63.4	60.6	56.2	41.7	51.0
1877	"	4,135	41.0	42.2	45.8	46.9	53.2	52.3	50.9	58.8	57.1	49.4	56.8	44.1	49.8
1878	"	3,721	38.3	39.1	39.5	55.1	70.8	81.8	69.6	68.2	75.7	90.1	86.2	72.2	64.8
1879	"	3,219	65.7	63.6	63.7	66.2	68.8	68.3	70.5	95.7	105.0	118.1	97.1	76.9	79.5
Ten Years, 1870-79	...	39,770	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis-cases.	Respiratory diseases.	Phthisis Pul-monals.	Rheumatism.	Veneral dis-cases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	8	3.0	416.1	1.1	6.5	44.3	55.4	65.9	6.7	51.1	11.9	58.6	222.7	22.4	81.6	89.5	146.5	1,284.1
1871	4.7	571.6	1.4	3.8	55.0	78.4	74.4	11.6	137.5	12.5	74.2	188.9	21.5	113.8	98.0	211.9	1,659.2	
1872	17.5	2.9	528.3	7.8	6.6	49.0	81.3	55.3	12.6	102.5	5.6	88.6	162.4	20.2	93.2	84.0	304.7	1,622.5
1873	2	5.9	439.5	4.4	4.4	31.2	75.5	49.5	4.4	81.4	4.6	59.4	135.7	20.4	81.6	74.5	153.7	1,229.3
1874	5.6	868.3	3.6	4.6	23.1	61.2	57.5	4.1	69.7	5.1	55.4	201.1	16.5	84.9	93.8	175.7	1,730.2	
1875	7.7	2.0	450.7	4.1	4.3	37.1	70.8	32.3	7.3	71.7	4.6	43.2	211.6	24.3	89.0	103.8	159.3	1,323.8
1876	1.8	3.0	390.9	4.6	2.7	29.3	46.0	41.9	3.6	56.7	9.1	47.8	162.1	23.2	71.7	104.0	167.8	1,166.2
1877	5.3	229.7	3.6	3.6	18.4	37.3	39.4	6.5	72.1	8.0	53.7	165.2	18.2	74.5	110.8	170.4	1,016.7	
1878	3	22.3	521.1	4.8	1.3	37.9	74.2	52.4	5.9	60.7	5.4	43.8	283.3	21.0	94.6	83.6	191.0	1,503.6
1879	11.2	1263.8	7.8	1.0	30.1	50.9	39.1	11.8	80.8	8.1	55.9	305.4	19.5	93.2	84.8	200.0	2,263.4	
Ten Years, 1870-79	3.0	6.3	551.4	4.2	3.9	36.0	63.3	50.7	7.4	78.8	7.5	58.1	200.6	20.8	87.7	93.2	188.3	1,461.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis-cases.	Respiratory diseases.	Heart dis-cases.	Phthisis Pul-monals.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	...	1.62	17.03	18.65	69	...	3	6	2	4	2	8	18	1	3	3	7	6	6	
1871	...	1.18	15.35	16.53	70	...	1	8	5	1	7	15	15	...	3	3	4	12	5	
1872	11.90	1.21	20.87	33.98	140	49	...	7	11	5	4	14	11	...	11	4	5	14	14	
1873	25	1.79	13.01	15.05	59	1	1	7	4	6	...	7	10	1	2	2	5	8	7	
1874	...	1.02	13.73	14.75	58	...	4	2	2	7	1	12	16	...	2	3	3	4	4	
1875	5.92	2.05	13.65	21.62	95	26	1	7	2	9	...	5	7	...	4	8	4	13	9	
1876	1.14	1.14	12.97	15.25	67	5	...	8	3	12	...	4	11	...	5	5	6	7	5	
187748	9.68	10.16	42	9	...	7	1	3	10	...	4	4	4	2	2	
1878	27	2.42	15.85	18.54	69	1	2	33	1	6	...	1	5	1	1	6	3	9	9	
187962	17.71	18.33	59	18	11	7	...	2	6	...	2	2	3	2	2	
Ten Years, 1870-79	2.06	1.36	14.89	18.31	728	82	8	107	41	64	10	63	109	2	25	40	46	77	54	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	2	3
1871	13	72
1872	1
1873	1
1874
1875	1	...	3	7	2	6	...	14
1876	1	1	6	1
1877	6
1878	1
1879
Ten Years, 1870-79	2	4	7	3	...	28	73	2	119

I.—STATISTICS OF PROVINCES, 1870-79.

XVI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the AGRA DISTRICT and in CENTRAL INDIA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	4,274	70.7	72.4	69.4	70.2	71.6	73.1	83.1	90.6	91.1	89.1	77.5	67.3	77.5
1871	"	4,120	54.6	48.0	50.1	53.5	57.8	61.9	66.7	79.3	83.1	83.6	75.9	61.4	64.6
1872	"	4,213	57.2	54.4	49.4	43.4	47.6	46.6	46.3	53.8	70.4	66.0	51.4	41.1	52.2
1873	"	4,133	36.4	35.6	40.4	42.1	42.8	45.9	50.5	53.2	63.8	57.4	46.6	39.3	46.4
1874	"	4,096	48.5	55.7	48.2	56.4	50.9	46.4	47.8	60.0	65.9	68.8	67.4	58.5	56.1
1875	"	4,310	53.3	52.6	47.6	42.9	57.8	59.9	59.8	60.5	69.7	68.8	65.9	56.5	58.0
1876	"	3,982	44.1	50.2	47.2	43.5	51.6	51.2	50.6	48.9	59.6	61.2	57.9	45.9	51.2
1877	"	3,831	48.9	47.9	61.4	55.9	56.2	53.8	54.7	64.7	61.7	53.6	59.6	51.6	55.9
1878	"	4,156	48.4	55.0	51.3	54.4	63.1	63.1	59.9	66.1	81.9	101.8	107.7	89.8	69.5
1879	"	3,517	85.7	86.0	77.5	64.4	72.4	71.3	74.9	87.3	103.6	119.9	110.9	83.5	85.9
Ten Years, 1870-79	...	40,631	54.7	55.8	54.1	52.5	57.0	57.2	59.3	66.2	74.7	76.1	71.5	59.6	61.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	.5	1.4	1,207.7	3.3	4.4	33.7	64.6	47.5	7.3	70.4	13.1	69.0	235.4	24.1	90.8	85.9	163.5	2,122.6
1871	.2	1.9	1,063.9	1.2	5.8	26.2	46.4	41.7	13.8	73.3	4.9	67.0	204.4	26.5	94.7	99.0	157.5	1,928.4
1872	7.9	.7	650.1	3.6	4.0	23.5	47.2	36.8	7.6	64.5	9.5	73.1	157.4	19.0	63.6	68.6	222.9	1,463.0
1873	1.4	.7	437.2	1.7	1.7	15.2	32.7	46.0	4.6	54.5	2.9	42.1	176.2	17.4	70.9	75.7	137.9	1,118.0
1874	...	5.1	627.4	2.7	1.7	18.1	46.9	55.7	4.6	97.1	4.1	58.1	194.6	22.0	82.0	86.7	155.1	1,461.9
1875	6.5	.5	467.0	3.5	1.2	27.1	53.6	53.8	7.0	58.2	5.3	42.7	160.3	28.8	75.6	83.5	166.6	1,241.3
1876	1.3	3.3	577.9	2.7	1.3	19.6	35.1	48.0	4.0	92.7	4.8	53.0	167.2	17.3	73.3	87.9	137.8	1,327.2
1877	1.3	6.0	280.1	5.7	2.1	13.9	32.9	39.9	12.0	73.9	5.7	60.3	226.6	10.4	103.9	96.1	174.1	1,144.9
1878	20.0	19.7	582.8	7.2	2.4	37.5	65.2	39.7	2.9	58.2	6.3	34.8	300.0	17.6	85.9	76.8	181.5	1,538.5
1879	5.1	5.1	1,020.5	5.1	3.1	53.7	58.6	46.5	9.1	74.5	3.7	44.1	288.6	14.8	83.0	77.4	191.6	1,983.5
Ten Years, 1870-79	4.4	4.4	690.6	3.6	2.8	26.6	48.4	45.5	7.2	71.5	6.1	54.6	209.8	20.0	82.2	83.7	168.7	1,530.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.															
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.		
		a Violent Deaths.	b Diseases.																		
1870	.47	3.51	18.25	22.23	95	2	...	2	13	7	...	1	11	16	...	2	5	7	14	15	
1871	.24	1.70	16.51	18.45	76	1	...	8	21	1	4	11	...	3	9	3	8	7	
1872	4.75	.95	9.73	15.43	65	20	...	1	3	6	3	10	...	3	5	5	8	4	
1873	.97	1.93	9.20	12.10	50	4	10	2	3	5	11	2	5	8	
1874	...	1.22	10.74	11.96	49	...	4	...	5	2	1	2	2	4	3	5	
1875	5.57	.93	10.21	16.71	72	24	...	2	3	8	4	3	4	4	5	11	
1876	.25	1.76	5.78	7.79	31	1	...	6	2	4	1	5	1	1	1	7	
1877	1.31	1.04	12.01	14.36	55	5	...	13	1	7	2	7	6	5	1	4	
1878	14.92	1.44	22.38	38.74	161	62	2	34	5	9	2	8	13	7	3	9	5	3	
1879	3.41	1.42	21.90	26.73	94	12	...	9	12	9	2	16	7	5	3	8	5	
Ten Years, 1870-79	3.22	1.60	13.59	18.41	748	131	6	83	75	55	6	54	84	...	30	56	38	65	65	65	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1	2
1871	1	1
1872	5	...	16	...	2	33
1873	1	...	4	6
1874
1875	17	28
1876	1	...	4	5
1877	5
1878	39	...	1	...	9	83
1879	2	...	1	18
Ten Years, 1870-79	1	44	...	20	...	20	181

I.—STATISTICS OF PROVINCES, 1870-79.

XVII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the PUNJAB during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.	
						
January	131,914	7,513	57.0	160	1.21	...	3	8	1	5	1	2	11	...	15	1	46	15	15	1	21	3	12	
February	128,128	6,999	54.6	88	.69	...	2	12	2	5	2	2	...	2	...	10	...	15	5	10	11	2	16
March	125,315	6,391	51.0	105	.84	...	1	10	...	12	3	1	7	...	11	...	11	11	6	3	1	1	14
April	113,375	5,673	50.0	112	.99	21	...	12	5	...	5	...	6	...	7	6	6	3	1	1	11	17
May	101,320	5,723	56.5	186	1.84	...	12	38	1	12	4	3	10	...	9	...	6	13	9	13	11
June	99,800	6,158	61.7	279	2.80	58	...	19	81	8	12	1	2	7	7	10	10
July	99,754	6,422	64.4	247	2.48	29	1	23	86	5	11	...	11	...	6	10	7	1	1	14	12
August	99,291	6,716	67.6	280	2.82	...	125	26	1	23	32	4	6	...	11	1	2	13	12	12	12
September	99,272	7,670	77.3	251	2.53	...	76	1	22	4	38	19	1	13	...	18	1	8	10	9	21	10
October	100,424	8,130	81.0	253	2.52	...	85	...	17	4	36	4	2	17	...	2	18	8	10	14	21	14
November	119,290	9,003	75.5	175	1.47	...	3	...	8	6	25	3	1	18	...	1	26	21	19	13	19	20
December	129,585	8,408	64.9	190	1.47	1	11	8	13	4	1	19	...	2	14	...	15	18	1	3	19	13
							444	8	260	29	223	244	28	131	5	156	4	179	125	127	...	1	8	188	11	155
						Died per 1,000 of the Average Strength.																				
For the Ten Years	112,288	7,067	62.9	2,326	20.71	3.95	.07	2.32	2.24	2.17	2.25	1.17	.05	1.39	.04	1.59	1.11	1.1301	.07	1.67	.10	1.3		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
Dengue (of 1872 and 1876)	67	69	42	195	101	9	108	14	131	1.2	...	
Cholera	20	12	13	4	7	1	2	...	3	...	612	5.5	72.55	
Smallpox	12	13	13	20	13	13	4	7	1	2	...	4	5	86	.8	9.30	
Enteric Fever	28	23	32	44	83	89	59	42	44	38	24	30	30	536	4.8	48.51	
Fever, Intermittent	4,811	3,236	2,890	3,059	3,658	4,025	4,488	5,599	10,050	13,494	13,170	8,501	76,951	685.6	.04		
Fever, Remittent and Continued	522	647	767	2,071	4,229	3,699	4,041	3,911	4,905	3,820	1,886	960	31,353	279.3	.71		
Apoplexy	4	4	9	17	25	146	254	87	38	18	6	3	611	5.4	39.93		
Delirium Tremens	19	18	37	29	39	39	46	47	40	43	22	26	405	3.6	6.91		
Dysentery	230	158	153	231	240	182	203	270	401	400	355	267	3,093	27.5	4.24		
Diarrhoea	362	313	340	745	675	455	674	886	695	531	499	517	6,592	58.7	.08		
Hepatitis	359	338	370	329	324	395	454	439	415	411	419	393	4,645	41.4	3.36		
Spleen disease	95	105	95	52	51	63	82	76	65	111	123	141	1,059	9.4	.88		
Respiratory diseases	1,784	1,447	1,112	795	714	583	560	577	475	613	1,029	1,616	11,305	100.7	1.58		
Phthisis Pulmonalis	76	54	47	44	51	52	78	69	69	80	129	92	841	7.5	15.10		
Scurvy	3	6	6	3	4	2	7	8	4	4	5	9	61	.5	1.64		
Rheumatism	860	770	756	630	533	486	545	524	490	535	623	721	7,473	66.5			
Veneral diseases	2,404	2,094	2,107	1,984	1,411	1,218	1,209	1,065	976	1,115	1,471	1,927	13,981	169.0			
Eye diseases	155	156	216	242	228	150	164	226	218	170	148	133	2,206	19.6			
Abscess and Ulcer	861	742	794	734	631	701	1,076	1,041	722	557	665	713	9,237	82.3	.48		
Wounds and Accidents	1,173	1,068	1,236	1,199	922	734	728	679	710	747	855	1,278	11,329	100.9			
All other Causes	1,459	1,433	1,623	1,645	1,539	1,698	2,053	1,962	1,696	1,530	1,687	1,548	19,878	177.0			
	15,217	12,525	12,603	13,888	15,437	14,790	16,675	17,704	22,116	24,341	23,231	18,894	207,421				
														Admitted per 1,000 of the Average Strength in each Month.			
	115.4	97.8	100.6	122.5	152.4	148.2	167.2	178.3	222.8	242.4	194.8	145.8	1,847.2				

I.—STATISTICS OF PROVINCES, 1870-79.

XVIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the PUNJAB in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	10,582	61.3	60.0	61.1	62.6	72.3	72.1	70.5	71.6	85.4	81.3	78.1	58.9	69.1
1871	...	11,084	52.8	52.0	49.6	45.7	55.9	61.5	61.1	68.9	65.1	56.0	48.8	43.1	54.2
1872	...	12,118	48.1	49.8	45.1	44.1	60.7	56.5	54.4	61.4	70.3	73.1	71.8	58.9	56.8
1873	...	12,181	48.7	45.1	45.0	52.8	54.1	55.5	59.1	62.9	70.4	67.0	65.0	56.0	56.4
1874	...	11,587	49.2	48.1	45.8	41.7	51.1	58.5	61.0	63.1	61.8	68.1	65.1	56.6	55.4
1875	...	11,888	53.4	51.0	44.0	48.6	53.2	55.5	59.9	56.0	64.7	76.9	71.3	72.1	58.8
1876	...	11,295	62.5	56.7	46.3	43.6	47.3	54.1	53.9	64.0	83.1	84.4	68.6	65.6	60.4
1877	...	11,522	55.9	51.5	43.8	40.4	49.5	60.6	64.1	62.4	57.6	62.1	61.6	62.3	55.6
1878	...	10,524	60.7	57.5	59.6	54.8	62.3	72.4	75.0	84.0	110.7	120.8	129.0	106.0	79.1
1879	...	9,507	82.8	79.1	76.9	74.5	73.0	75.3	90.1	87.5	109.9	136.7	118.1	90.1	91.0
Ten Years, 1870-79	...	112,288	57.0	54.6	51.0	50.0	56.5	61.7	64.4	67.6	77.3	81.0	75.5	64.9	62.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.				
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	1	4.3	1,446.0	4.6	6.8	29.2	68.2	43.3	7.2	105.0	9.8	72.6	149.0	23.9	84.4	92.0	176.6	2,323.0
1871	...	4.3	707.3	2.7	3.7	27.8	58.7	53.4	8.2	89.6	7.2	63.3	172.1	23.1	75.5	92.6	144.8	1,594.3	1,594.3
1872	...	19.3	3.9	754.2	4.4	5.0	32.2	75.8	53.6	6.7	83.8	8.5	53.1	183.9	24.8	77.3	93.8	187.2	1,667.5
1873	...	1	2.5	801.8	3.0	2.8	26.9	39.3	49.4	13.3	100.1	8.3	62.1	130.0	18.5	77.3	95.7	165.8	1,596.9
1874	...	4.0	4.5	776.9	3.4	1.7	16.6	42.7	42.1	10.5	110.0	6.8	81.0	127.0	19.7	79.8	94.9	180.9	1,596.6
1875	...	6.4	4.5	834.8	8.1	3.5	23.7	60.3	34.3	14.0	114.8	9.2	66.8	149.6	19.3	83.1	107.7	171.4	1,729.1
1876	...	1	3.1	689.9	5.8	2.9	19.2	48.7	33.2	6.1	95.3	6.8	69.1	160.7	14.7	81.0	117.2	176.3	1,530.1
1877	...	1	10.2	1,208.1	5.6	3.2	39.1	58.3	31.9	4.8	95.5	5.7	65.4	265.7	18.9	91.6	108.3	189.7	2,202.1
1878	...	26.7	9.2	1,611.1	11.7	3.5	44.9	96.3	31.2	13.2	124.4	6.4	50.8	222.5	15.8	93.0	94.0	214.1	2,668.8
Ten Years, 1870-79	...	5.5	4.8	964.9	5.4	3.6	27.5	58.7	41.4	9.4	100.7	7.5	66.5	169.0	19.6	82.3	100.9	179.5	1,847.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	1.23	23.25	24.48	259	...	1	31	37	32	4	16	24	1	30	18	19	33	13	
1871	...	1.80	16.33	18.13	201	22	30	13	6	7	17	1	26	16	24	19	20	
1872	...	13.86	2.15	16.42	32.43	168	5	33	27	25	1	24	22	1	17	17	12	15	26	
1873	...	1.64	12.65	14.29	174	13	22	15	1	10	18	...	23	13	14	25	20	
187409	1.12	10.27	11.48	13	18	13	3	10	13	...	9	18	4	18	13	
1875	...	2.27	.92	15.15	18.34	192	...	28	27	41	1	9	10	...	20	7	15	22	11	
1876	...	4.43	1.15	11.42	17.00	192	50	16	12	27	2	7	14	1	12	13	8	17	13	
1877	1.65	9.03	10.68	123	...	13	14	17	3	5	13	...	9	6	7	17	19	
1878	...	10	1.62	17.76	19.48	205	1	47	38	18	4	25	12	...	10	6	14	12	17	
1879	...	20.72	1.47	22.62	45.01	428	197	1	44	27	43	3	23	13	...	23	11	19	14	
Ten Years, 1870-79	...	3.95	1.48	15.28	20.71	2,326	444	8	260	252	244	28	136	156	4	179	125	127	197	166

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.				
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
1870	1	1
1871
1872	1
1873	3	8	...	143	...	18	...	61	234
1874	1	1
1875	1	1
1876	1	30	7	...	6	...	3	47
1877	1	6	22	44	72
1878	1
1879	18	63	69	33	16	52	3	1
Ten Years, 1870-79	20	67	69	42	195	101	115	3	612

I.—STATISTICS OF PROVINCES, 1870-79.

XIX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the HILL STATIONS of the BENGAL PRESIDENCY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
January ...	22,817	891	39.0	24	1.05	1	1	1	2	5	4	1	1	5	...	3	
February ...	24,695	961	38.9	15	.61	1	4	4	2
March ...	29,506	1,209	41.0	18	.61	1	1	1	4	4
April ...	40,912	1,913	46.8	22	.54	3	1	3	3
May ...	52,332	2,650	50.6	48	.92	5	5
June ...	54,607	2,803	51.3	53	.97	3	3	3
July ...	56,710	3,059	53.9	71	1.25	4	...	7	...	1	1	1	5	2	5	...	3	4
August ...	57,221	3,006	52.5	110	1.92	6	...	18	...	5	4	1	8	...	9	...	10	1
September ...	57,174	2,830	49.5	59	1.03	41	...	18	...	4	4	1	9	...	13	1	2	5	4	...	1
October ...	50,949	2,305	46.1	45	.90	11	...	7	1	3	8	2	6	...	3	6
November ...	32,982	1,441	43.7	21	.64	2	...	9	...	6	3	...	4	...	1	4
December ...	22,436	939	41.9	25	1.11	1	2	...	5	...	2	2
						67		74	4	27	3	4	48	6	52	2	35	50	20	1	1	3	68	8	38
						Died per 1,000 of the Average Strength.																			
For the Ten Years ...	41,787	2,001	47.9	511	12.23	1.60	...	1.77	.74	0.7	.10	1.15	.11	1.25	.05	.84	1.20	48	.02	.02	.07	1.63	.19	.91	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	98	2.3	68.37
Cholera	1	.0	...
Smallpox	211	5.0	35.07
Enteric Fever	2	3	1	...	21	23	44	48	41	14	3	8,492	203.2	.95
Fever, Intermittent	172	156	219	640	1,256	1,279	1,360	1,249	996	668	321	176	...	203.2	...	8.4
Fevers, Remittent and Continued	50	55	83	281	499	436	582	456	512	251	64	43	...	77.2	...	15.00
Apoplexy	3	1	1	2	2	4	2	4	2	1	20	.5	6.16
Delirium Tremens	65	1.6	6.16
Dysentery	33	25	28	68	137	132	114	125	102	75	39	24	...	21.6	5.32	
Diarrhoea	69	51	64	144	228	280	617	491	267	139	67	68	...	2,485	59.5	2.4
Hepatitis	54	42	76	120	147	192	228	224	217	145	82	39	...	1,566	37.5	3.32
Spleen disease	5	7	10	29	27	24	32	20	18	21	9	3	...	205	4.9	.98
Respiratory diseases	269	300	281	383	439	317	286	259	285	277	187	107	...	3,450	82.6	1.01
Phthisis Pulmonalis	252	6.0	7.94
Scurvy	8	11	15	18	20	31	28	25	40	32	13	11	...	13	.3	7.69
Rheumatism	2,834	67.8	...
Veneral disease	124	120	163	253	353	356	370	315	302	214	149	115	...	7,561	180.9	...
Eye diseases	339	397	570	909	847	732	814	838	694	638	472	311	...	513	12.3	...
Abscess and Ulcer	21	20	28	63	82	54	52	51	49	50	23	20	...	2,364	54.2	...
Wounds and Accidents	120	136	139	243	244	240	251	243	293	204	126	85	...	3,861	93.1	...
All other Causes	172	213	294	312	469	404	399	410	428	392	206	192	...	5,377	133.5	...
	1,663	1,720	2,252	3,927	5,363	5,169	5,964	5,476	4,934	3,645	2,054	1,453	...	43,625
	Admitted per 1,000 of the Average Strength in each Month.															
	72.9	69.6	76.3	96.0	102.6	94.7	105.2	95.7	86.3	72.8	62.3	64.8	...	1,044.0

I.—STATISTICS OF PROVINCES, 1870-79.

XX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the HILL STATIONS of the BENGAL PRESIDENCY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	3,402	38.0	33.5	31.4	35.3	45.5	45.1	46.4	49.7	42.5	34.4	44.8	34.2	40.9
1871	"	3,652	37.6	48.4	49.1	57.3	53.0	55.2	56.9	46.6	44.8	41.1	36.3	47.2	48.5
1872	"	3,379	44.4	40.2	46.0	39.1	45.0	44.9	49.9	44.0	42.1	40.0	37.3	33.5	42.9
1873	"	4,149	45.2	34.0	43.3	51.7	54.3	57.5	60.4	64.8	55.6	46.6	38.2	40.7	51.3
1874	"	4,511	40.2	38.8	36.5	43.7	40.9	46.1	50.2	49.4	44.6	40.9	41.4	38.2	43.5
1875	"	4,450	39.7	40.6	42.3	44.1	50.8	48.4	48.6	44.0	38.5	34.0	35.0	38.7	42.9
1876	"	5,393	33.1	32.7	42.6	46.7	52.3	49.5	52.4	49.4	45.7	45.1	39.3	38.2	45.6
1877	"	5,082	33.9	35.1	36.6	38.6	41.0	44.5	45.9	45.5	50.0	43.8	38.5	37.6	42.5
1878	"	4,470	29.1	39.7	36.1	59.4	58.9	60.6	60.2	60.1	56.6	56.5	57.6	70.6	56.2
1879	"	3,299	76.2	63.2	52.3	62.5	75.3	63.6	67.1	68.5	69.2	76.7	76.0	66.9	69.4
Ten Years, 1870-79	...	41,787	39.0	38.9	41.0	46.8	50.6	51.3	53.9	52.5	49.5	46.1	43.7	41.9	47.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	3	371.8	4.4	14.1	52.3	40.6	1.4	96.7	6.4	74.4	120.8	11.5	46.5	89.4	112.3	1,042.9		
1871	10.4	273.5	2.7	24.4	83.5	39.7	3.6	102.1	7.4	93.4	188.4	9.9	68.7	88.4	123.4	1,114.7		
1872	2.1	115.1	2.4	22.2	88.5	31.1	2.6	72.8	5.4	65.4	161.3	10.0	50.0	84.6	122.5	846.7		
1873	2.9	384.9	1.0	20.2	44.1	37.1	3.6	102.7	4.3	59.3	143.2	12.3	50.6	83.2	129.9	1,081.0		
1874	1.6	194.7	1.3	10.6	32.6	32.1	4.0	100.9	5.5	80.0	145.0	11.8	62.5	104.4	124.6	911.8		
1875	1.6	250.4	1.4	14.8	61.3	30.3	3.4	69.0	5.4	78.4	169.7	17.3	53.7	104.9	134.2	996.2		
1876	3.0	296.7	1.3	23.2	41.7	40.8	9.4	72.9	3.4	58.8	177.8	12.6	46.0	81.8	134.1	1,016.0		
1877	6.1	178.4	1.2	20.8	45.6	35.8	4.5	56.9	3.7	50.0	197.6	12.0	41.7	100.5	121.3	878.2		
1878	13.9	255.1	4.7	28.9	60.4	36.7	3.1	85.9	5.4	80.6	273.8	12.5	61.3	91.5	133.7	1,123.9		
1879	11.8	16.7	554.4	1.2	40.0	113.0	53.9	12.7	75.2	6.6	67.0	220.4	10.3	67.0	101.2	208.5	1,560.2	
Ten Years, 1870-79	2.3	5.0	280.4	5	1.6	21.6	59.5	37.5	4.9	82.6	6.0	67.8	180.9	12.3	54.2	93.1	133.8	1,044.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.65	8.52	11.17	38	4	...	1	2	6	3	5	...	5	9	
187155	8.49	9.04	33	1	1	7	6	3	5	...	2	2	
1872	6.22	.59	11.25	18.06	61	21	...	8	2	...	12	4	...	2	1	1	10	2	
1873	...	1.69	8.19	9.88	41	3	5	1	5	4	...	6	6	1	2	7	
1874	...	1.33	8.20	9.53	43	3	3	...	1	3	...	4	3	5	12	6	
1875	...	1.57	5.84	8.31	37	4	...	3	3	...	3	4	...	1	1	3	1	7	
1876	2.23	.74	10.38	13.35	72	12	...	9	3	1	...	8	...	6	6	4	12	4	
187759	5.90	6.49	33	11	1	2	...	1	6	6	5	3	
187867	12.97	13.64	61	22	2	11	...	5	4	...	9	3	
1879	9.00	.91	17.88	27.88	92	30	...	14	8	...	1	11	4	2	8	3	
Ten Years, 1870-79	1.60	1.10	9.53	12.23	511	67	...	74	4	54	52	2	35	50	20	73	46

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	1
1871	1
1872
1873	3	28	1	3	35
1874
1875
1876	1	5	1	7
1877	16	16
1878
1879	1	6	7	5	9	11	30
Ten Years, 1870-79	1	6	8	9	58	12	3	1	98

I.—STATISTICS OF PROVINCES, 1870-79.

XXI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in RAJ-POOTANA, MALWA, SIND, and ADEN during the TEN YEARS, from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anemia.	All other Causes.	
January ...	52,506	2,678	51.0	70	1.33	4	...	5	3	1	8	...	8	...	10	4	15	5	2	5	
February ...	53,667	2,661	49.6	50	.93	3	...	4	1	...	3	...	3	...	3	2	4	7	...	16	
March ...	54,333	2,625	48.3	50	.92	8	...	5	1	...	7	...	11	...	5	5	4	6	...	5	
April ...	55,032	2,681	48.7	54	.98	4	1	9	...	4	5	...	3	...	6	...	1	4	4	7	...	7	
May ...	54,871	2,793	50.9	64	1.17	11	1	9	...	1	21	4	...	1	3	2	4	...	7	
June ...	55,084	2,957	53.7	107	1.94	9	...	6	...	5	60	1	1	...	5	...	4	4	4	1	...	6	
July ...	55,653	3,094	55.6	72	1.29	8	...	3	1	3	17	4	4	...	1	...	2	4	4	5	...	10	
August ...	55,373	3,331	60.2	113	2.04	47	...	10	1	10	2	1	3	1	5	1	1	5	6	13	...	6	
September ...	54,950	3,917	71.3	129	2.35	11	...	40	3	11	7	3	8	1	17	...	1	3	4	10	...	9	
October ...	54,955	4,116	74.9	99	1.80	7	...	19	2	7	5	1	9	3	6	...	2	5	5	13	...	13	
November ...	52,487	3,681	70.1	75	1.43	7	...	11	2	9	4	1	3	...	8	...	2	3	7	11	...	7	
December ...	51,985	2,998	58.7	60	1.17	1	...	9	...	3	1	...	4	...	9	...	6	6	2	10	...	7	
						105	2	131	9	67	127	12	53	6	87	1	37	44	57	1	2	...	94	9	99	
						Died per 1,000 of the Average Strength.																				
For the Ten Years ...	54,166	3,128	57.7	943	17.41	1.94	.04	2.42	1.40	2.34	.22	.98	.11	1.61	.02	.68	.81	1.05	.02	.04	...	1.74	.16	1.63		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73) ...	18	...	3	7	201	165	520	104	7	60	95	122	1,302	24.0	...
Cholera	1	...	5	16	10	10	59	21	7	10	1	140	2.6	75.00
Smallpox ...	4	1	...	4	4	1	3	18	3	11.11
Enteric Fever ...	12	13	15	19	15	6	5	18	54	29	14	16	216	4.0	60.65
Fever, Intermittent ...	1,601	1,214	1,217	1,374	1,704	1,773	2,158	3,137	4,943	5,767	4,135	2,889	31,912	589.2	.03
Fevers, Remittent and Continued ...	168	225	415	569	662	766	645	668	1,041	1,021	635	429	7,244	133.7	.92
Apoplexy ...	1	7	6	21	49	157	41	9	26	16	5	3	341	6.3	37.24
Delirium Tremens ...	24	15	12	24	20	14	28	39	36	30	20	15	277	5.1	4.33
Dysentery ...	110	84	105	91	65	75	127	217	195	169	116	102	1,456	26.9	3.64
Diarrhea ...	225	199	217	294	233	219	334	529	367	310	225	225	3,377	62.4	.18
Hepatitis ...	132	146	176	171	228	211	230	225	239	239	192	139	2,328	43.0	3.74
Spleen disease ...	17	24	25	30	42	31	41	26	36	46	24	36	378	7.0	.26
Respiratory diseases ...	458	394	356	303	252	260	263	210	199	235	311	401	3,642	67.2	1.02
Phthisis Pulmonalis ...	28	22	28	10	33	25	47	36	34	35	32	34	364	6.7	15.66
Scurvy ...	1	2	2	...	3	2	1	3	2	2	3	1	22	.4	9.09
Rheumatism ...	215	221	245	245	267	229	313	262	222	217	200	181	2,817	52.0	
Veneral diseases ...	832	838	850	889	790	722	740	689	674	652	609	670	8,955	165.3	
Eye diseases ...	88	93	119	121	104	87	95	103	134	106	90	75	1,215	22.4	.41
Abscess and Ulcer ...	372	376	429	489	516	581	617	530	453	451	373	339	5,526	102.0	
Wounds and Accidents ...	463	436	485	512	463	406	502	417	415	445	342	495	5,381	99.4	
All other Causes ...	705	671	690	860	896	946	1,149	1,140	971	918	777	791	10,514	194.1	
	5,474	4,982	5,396	6,038	6,563	6,686	7,866	8,421	10,069	10,755	8,208	6,967	87,425		
	Admitted per 1,000 of the Average Strength in each Month.														
	104.3	92.8	99.3	109.7	119.6	121.4	141.3	152.1	183.2	195.7	156.4	136.4	1,614.0		

I.—STATISTICS OF PROVINCES, 1870-79.

XXII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in RAJPOOTANA, MALWA, SIND, and ADEN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	4,900	45.1	56.8	58.1	55.6	56.9	61.2	55.3	67.7	81.9	84.2	77.0	60.0	63.9
1871	"	5,620	50.4	49.7	55.3	55.7	54.5	61.2	58.7	60.1	60.8	59.4	59.1	43.2	55.7
1872	"	5,587	52.1	48.3	41.9	41.8	41.2	42.8	49.4	54.1	67.1	74.4	71.2	68.2	54.4
1873	"	5,275	50.1	48.0	45.8	47.9	51.0	51.8	53.2	50.2	58.5	69.6	68.7	54.0	53.8
1874	"	5,464	52.6	50.0	45.6	43.4	43.7	43.7	53.7	58.8	58.6	70.0	57.8	53.9	52.5
1875	"	5,587	48.9	44.1	43.4	49.8	48.4	48.0	52.2	58.6	68.6	62.5	54.3	45.3	51.9
1876	"	5,368	44.4	45.2	43.6	47.0	55.2	54.7	52.9	55.8	65.6	63.4	59.8	53.4	53.7
1877	"	5,549	46.9	45.3	49.0	41.7	46.9	56.6	55.5	56.5	62.8	60.5	61.7	51.3	52.8
1878	"	5,591	46.4	47.8	48.3	47.2	47.5	52.7	58.3	66.7	89.5	102.1	88.8	69.0	63.3
1879	"	5,226	72.8	63.2	55.9	57.7	64.7	65.5	67.1	74.1	102.1	106.4	104.1	87.9	76.7
Ten Years, 1870-79	...	54,166	51.0	49.6	48.3	48.7	50.9	53.7	55.6	60.2	71.3	74.9	70.1	58.7	57.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	...	2.0	985.5	7.1	7.6	22.3	86.5	33.3	2.0	66.1	7.8	56.9	190.2	25.7	105.3	79.0	214.5	1,801.8
1871	...	4.3	751.4	5.3	6.6	29.5	79.0	52.7	6.6	71.0	5.9	72.4	200.9	29.5	105.2	96.9	214.5	1,731.9
1872	...	6.1	812.4	7.5	6.6	30.6	69.1	37.6	3.6	42.8	8.6	38.8	152.9	17.6	96.0	83.2	367.4	1,785.5
1873	...	2.3	624.9	4.9	4.6	25.2	51.4	52.7	6.6	82.1	10.0	53.3	153.2	19.9	99.5	103.3	197.9	1,491.8
1874	...	4.6	453.1	3.7	4.8	20.9	33.7	55.3	12.8	56.4	6.4	47.7	133.2	25.8	111.8	104.1	169.7	1,244.0
1875	...	9.5	475.7	9.8	5.2	25.4	58.5	37.9	9.6	65.1	6.3	49.8	146.4	27.7	114.4	114.6	153.0	1,311.6
1876	...	7.0	515.8	4.8	5.6	19.7	48.8	46.8	5.6	55.0	6.1	46.6	152.8	25.5	98.0	101.2	200.6	1,339.6
1877	...	4.0	437.6	5.6	4.9	22.3	37.1	34.9	4.7	75.3	4.0	49.9	163.8	17.8	98.6	110.2	222.6	1,293.9
1878	...	7.5	862.2	8.4	3.2	40.4	85.0	42.8	7.3	71.0	4.5	52.0	164.4	19.3	93.2	102.3	247.1	1,817.2
1879	...	4.0	1362.0	5.6	2.3	31.6	76.2	35.0	10.5	89.0	8.0	52.8	198.6	15.3	98.4	94.9	196.7	2,281.1
Ten Years, 1870-79	...	2.6	722.9	6.3	5.1	26.9	62.4	43.0	7.0	67.2	6.7	52.0	165.3	22.4	102.0	99.4	218.8	1,614.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All Cause s.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.22	17.35	18.57	91	8	27	13	2	...	9	...	4	
1871	...	1.78	13.34	15.30	86	1	...	15	6	11	3	7	...	15	6	
1872	...	4.83	16.64	23.98	134	27	...	16	6	22	2	8	
1873	...	1.14	12.89	14.03	74	10	...	13	10	
1874	...	2.38	9.33	11.71	64	13	6	
1875	...	6.62	14.50	22.91	128	37	...	11	10	6	
1876	...	3.7	9.68	13.22	71	14	12	
1877	...	3.6	8.47	11.35	63	9	7	
1878	...	6.08	15.74	23.79	133	34	...	21	...	15	1	14	
1879	...	3.8	17.22	18.94	99	2	...	14	10	...	16	12	3	11	
Ten Years, 1870-79	...	1.94	13.48	17.41	943	105	2	131	76	127	12	59	87	1	37	44	57	97	108

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871	1
1872	3	...	3	2	6	10	12
1873
1874
1875	9	...	31
1876	...	1	1	...	1
1877	1
1878	2	2	1	...
1879	2	17	...	5	10	...
Ten Years, 1870-79	...	1	...	5	16	10	10	59	21	7	10	1	140	

I.—STATISTICS OF PROVINCES, 1870-79.

XXIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the DECCAN and in NAGPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anemia.	All other Causes.	
January ...	71,351	4,031	56.5	70	.98	7	...	7	1	...	9	...	20	...	4	2	7	6	1	6	
February ...	72,489	3,998	55.2	57	.79	3	...	4	...	3	3	...	11	...	14	2	6	7	6
March ...	74,397	3,786	50.9	71	.95	1	4	3	...	1	5	1	9	...	15	...	3	3	2	7
April ...	78,438	3,945	50.3	70	.89	1	4	10	1	6	12	2	6	...	9	...	1	4	3	8	7
May ...	78,176	4,097	52.4	125	1.60	34	3	13	1	5	29	2	2	...	10	...	1	1	4	7	4
June ...	78,984	4,261	53.9	95	1.20	10	...	9	...	3	16	1	4	...	16	...	2	1	3	9	4
July ...	79,248	4,542	57.3	96	1.21	26	...	8	...	4	4	1	7	...	9	...	2	10	4	13	13
August ...	78,925	4,849	61.4	128	1.62	24	...	12	...	8	4	...	13	...	21	...	2	7	9	...	1	10	7	
September ...	78,758	4,904	62.3	110	1.40	26	...	26	1	4	1	...	21	...	12	...	2	7	7	15	11
October ...	76,389	4,831	63.2	102	1.34	12	2	6	1	...	16	...	19	...	4	12	4	12	11
November ...	74,613	4,604	61.7	87	1.17	1	...	4	...	2	4	...	16	...	22	...	2	12	7	7	14
December ...	71,134	4,042	56.8	65	.91	3	...	3	2	...	16	5	6	9	1	...	8	7
						106	11	111	6	49	82	12	130	8	186	...	29	78	61	...	2	1	102	8	94	
Died per 1,000 of the Average Strength.																										
For the Ten Years	76,075	4,324	56.8	1,076	1.414	1.39	.14	1.46	.72	1.08	.16	1.71	.11	2.4438	1.02	.8003	.01	1.34	.11	1.24		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.													
Dengue (of 1872-73) ...	2	...	243	456	150	103	95	72	80	64	7	3	1,275	16.8	...										
Cholera ...	2	9	1	2	76	11	35	36	8	1	3	1	155	2.4	57.29										
Smallpox ...	6	9	16	17	8	1	1	...	1	1	1	2	63	.8	17.46										
Enteric Fever ...	15	10	8	26	27	15	22	37	48	27	9	13	257	3.4	43.19										
Fever, Intermittent ...	1,468	1,186	1,189	1,321	1,526	1,979	2,809	2,934	3,242	3,566	2,861	2,035	26,126	343.4	.02										
Fever, Remittent and Continued ...	434	440	708	932	1,053	1,026	952	918	853	1,074	843	574	9,812	129.0	.50										
Apoplexy ...	7	6	12	23	47	49	6	7	1	8	7	3	181	2.4	45.30										
Delirium Tremens ...	33	17	34	27	19	27	23	42	21	39	27	20	329	4.3	3.65										
Dysentery ...	323	254	215	196	192	201	393	508	485	430	338	366	3,901	51.3	3.33										
Diarrhoea ...	279	252	276	325	331	409	911	760	447	379	287	371	5,027	66.1	.16										
Hepatitis ...	311	239	215	242	226	224	238	241	311	340	295	273	3,155	41.5	5.90										
Spleen disease ...	17	21	16	24	15	25	23	22	17	30	17	18	250	3.3	...										
Respiratory diseases ...	491	454	439	367	347	284	310	338	333	343	380	401	4,487	59.0	.65										
Phtisis Pulmonalis ...	36	46	27	18	32	47	2	2	4	60	44	51	501	6.6	12.13										
Scurvy	2	1	...	2	17	.2	11.76										
Rheumatism ...	275	299	272	270	276	288	355	290	314	274	233	223	3,360	44.3	...										
Veneral diseases ...	1,472	1,439	1,524	1,575	1,353	1,244	1,411	1,371	1,315	1,449	1,318	1,264	16,735	220.0	...										
Eye diseases ...	87	67	125	121	121	119	136	137	150	164	102	79	1,454	19.1	...										
Abscess and Ulcer ...	601	570	667	739	733	714	642	547	576	561	530	542	7,422	97.5	...										
Wounds and Accidents ...	588	657	729	698	682	559	613	579	538	620	594	674	7,531	99.0	...										
All other Causes ...	980	975	1,053	1,114	1,208	1,108	1,169	1,151	1,103	1,196	1,043	1,010	13,110	172.3	...										
	7,428	6,952	7,780	8,408	8,424	8,433	10,193	10,089	9,890	10,627	8,941	7,923	105,187												
Admitted per 1,000 of the Average Strength in each Month.																									
	104.1	95.5	104.6	108.3	107.8	106.8	128.6	127.8	125.7	139.1	119.8	111.4	1,382.7												

I.—STATISTICS OF PROVINCES, 1870-79.

XXIV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the DECCAN and in NAGPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	7,611	49.3	46.6	52.2	48.9	55.4	56.3	52.1	55.7	53.1	52.7	49.2	46.0	51.6
1871	..	7,783	44.0	45.4	47.1	47.0	53.5	57.8	63.0	59.4	55.0	56.2	54.0	49.8	52.9
1872	..	8,307	52.7	48.4	45.5	53.9	54.3	54.2	48.4	57.7	64.2	61.3	55.8	56.9	54.5
1873	..	8,082	58.5	48.4	48.8	45.5	42.5	40.7	46.9	52.1	51.6	50.4	45.9	45.4	48.0
1874	..	8,022	54.7	51.5	47.8	44.3	38.9	42.8	53.3	52.4	53.8	55.2	58.9	52.8	50.7
1875	..	7,352	55.7	51.5	46.0	47.0	47.9	52.6	58.4	58.4	54.8	58.4	58.4	50.6	53.5
1876	..	7,384	57.6	56.9	49.4	48.5	45.9	49.9	54.4	55.4	55.4	58.3	58.2	54.7	50.7
1877	..	7,368	55.6	56.4	47.3	49.7	56.9	54.8	61.1	70.0	68.4	71.5	71.6	64.6	63.6
1878	..	7,106	70.5	73.1	63.3	58.3	62.1	64.1	62.9	75.7	87.2	88.0	85.8	71.6	71.6
1879	..	7,060	65.8	72.5	65.1	60.9	68.5	68.2	75.4	81.6	83.5	85.6	85.0	76.9	74.7
Ten Years, 1870-79	..	76,075	56.5	55.2	50.9	50.3	52.4	53.9	57.3	61.4	62.3	63.2	61.7	56.8	56.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.	
1870	.1	3.3	371.8	1.4	5.1	51.9	59.5	23.0	1.5	51.6	6.7	34.7	172.0	19.6	87.9	81.9	200.1	1,172.1	
1871	9.6	1.5	439.4	1.4	6.6	36.0	51.5	37.6	3.9	50.3	6.9	45.2	180.0	24.4	94.7	96.4	137.4	1,222.8	
1872	1.6	6.1	394.4	4.5	2.8	76.2	79.6	35.9	2.5	61.1	8.3	52.4	167.1	20.1	109.4	83.8	294.7	1,401.0	
1873	..	1.7	349.3	1.2	2.6	55.6	57.9	57.3	3.5	63.5	6.3	49.9	186.1	26.1	105.8	102.1	184.1	1,252.0	
1874	..	4	339.9	..	4.5	38.9	51.9	50.4	1.7	73.2	7.9	56.2	215.9	14.8	98.8	101.4	195.5	1,252.8	
1875	..	3.3	451.3	1.8	5.8	47.3	83.7	49.8	3.3	66.8	7.9	36.7	223.3	17.8	101.2	112.1	198.4	1,413.8	
1876	..	1.1	430.0	4.9	4.5	44.0	51.9	43.3	3.0	59.9	6.1	38.3	221.0	17.0	88.0	101.3	175.3	1,296.2	
1877	..	3.1	58	435.5	2.0	5.3	42.3	84.3	36.4	3.4	48.3	4.5	38.1	243.0	20.4	103.7	109.8	160.2	1,346.2
1878	..	4.8	2.8	726.0	3.4	4.1	78.5	84.4	42.4	3.8	56.6	4.9	47.8	295.4	14.2	91.8	103.6	187.8	1,752.3
1879	..	6	1.8	850.1	2.4	2.1	40.9	57.9	37.8	6.8	57.2	6.5	40.9	317.0	15.6	91.9	100.2	155.8	1,785.5
Ten Years, 1870-79	..	2.4	3.4	472.4	2.4	4.3	51.3	66.1	41.5	3.3	59.0	6.6	44.3	220.0	19.1	97.5	99.0	190.1	1,382.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					CAUSES OF DEATHS.															
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.		
		a Violent Deaths.	b Diseases.																		
1870	.13	.79	12.22	13.14	100	1	..	14	9	8	2	20	11	..	7	7	9	6	6		
1871	4.63	1.68	11.42	17.73	138	36	..	5	5	5	3	11	27	3	9	6	15	13	13		
1872	1.20	.48	16.13	17.81	148	10	4	21	9	16	2	27	22	..	13	7	7	11	4		
1873	..	1.48	10.89	12.37	100	..	1	4	8	2	..	23	30	..	2	9	3	6	12		
1874	..	.25	.50	8.10	71	2	..	4	4	5	..	4	23	..	1	10	5	9	4		
1875	..	2.04	1.36	13.06	16.46	121	15	1	10	4	..	4	12	20	..	2	6	11	10		
1876	..	.41	1.22	11.78	13.41	99	3	..	19	3	15	..	8	16	..	7	5	7	9		
1877	..	1.90	2.58	8.41	12.89	95	14	..	14	3	6	..	7	11	..	1	6	6	8		
1878	..	3.24	1.83	13.22	18.29	130	23	5	11	5	13	1	16	16	..	2	5	4	16		
1879	..	.28	1.70	8.50	10.48	74	2	..	9	5	6	..	10	10	..	2	6	5	12		
Ten Years, 1870-79	..	1.39	1.35	11.40	14.14	1,076	106	11	111	55	82	12	138	186	..	29	78	61	105		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	1	1	
1871	71	..	2	..	1	
1872	2	..	7	
1873	1	1	2	
1874	1	
1875	1	
1876	19	1	1	
1877	..	1	3	..	1	2	1	
1878	..	5	..	1	..	1	..	3	8	2	1	
1879	..	1	1	1	..	16	12	4	
Ten Years, 1870-79	..	2	9	1	2	76	11	35	36	8	1	3	1	185

I.—STATISTICS OF PROVINCES, 1870-79.

XXV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in SOUTHERN INDIA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.
January ...	45,061	2,807	62.3	63	1.38	3	...	8	...	5	3	...	18	1	...	6	8	6	...	5
February ...	45,534	2,917	64.1	58	1.27	3	...	7	...	3	...	1	...	8	...	7	...	7	5	3	...	11
March ...	48,475	2,684	55.4	45	.93	5	...	3	...	1	...	3	...	7	...	3	...	7	3	8	...	2
April ...	48,461	2,710	55.9	48	.99	3	...	8	...	2	...	10	...	3	...	1	...	6	1	5	...	2
May ...	47,514	2,779	58.5	62	1.30	1	...	1	...	2	...	21	...	3	...	7	...	6	2	7	...	7
June ...	47,390	2,848	60.1	59	1.24	6	...	6	...	3	...	7	...	1	...	6	...	10	3	5	...	5
July ...	47,430	2,996	63.2	61	1.29	7	...	1	...	2	...	5	...	1	...	2	...	14	3	7	...	6
August ...	47,560	3,032	63.8	51	1.07	1	...	3	...	2	...	2	...	1	...	7	...	10	5	...	1
September ...	47,297	3,037	64.2	44	.93	1	...	5	...	1	...	1	...	3	...	1	...	9	4	...	10
October ...	46,528	2,982	64.1	51	1.10	2	...	4	...	1	...	2	...	1	...	9	...	10	2	...	6
November ...	46,283	2,992	64.6	37	.80	1	...	4	...	1	...	1	...	5	...	5	...	10	3	...	7
December ...	44,635	2,774	62.1	63	1.41	3	...	6	...	2	...	1	...	4	...	9	...	9	7	...	13
						36	1	59	1	28	52	11	60	2	116	1	13	66	44	2	67	5	78
						Died per 1,000 of the Average Strength.																			
For the Ten Years	46,847	2,880	61.5	642	13.70	.77	.02	1.26	.62	1.11	.23	1.28	.04	2.48	.02	.28	1.41	.94	.04	1.43	.11	1.66	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73) ...	102	7	36	31	77	52	122	58	71	36	3	9	604	12.9	...
Cholera ...	5	3	7	7	3	7	9	2	3	2	3	4	55	1.2	65.45
Smallpox ...	3	1	6	3	1	...	1	...	1	...	2	...	18	.4	5.56
Enteric Fever ...	30	20	14	20	13	12	20	14	17	6	3	20	189	4.0	31.22
Fever, Intermittent ...	281	709	587	474	497	497	485	420	332	391	408	496	5,427	115.8	.02
Fever, Remittent and Continued ...	349	328	520	644	554	562	641	534	559	526	496	496	6,244	133.3	.45
Apoplexy ...	4	4	8	14	63	13	9	3	4	3	...	3	128	2.7	40.63
Delirium Tremens ...	24	16	13	16	18	19	25	22	14	18	17	13	215	4.6	5.12
Dysentery ...	218	192	160	208	214	252	337	302	239	228	203	245	2,798	59.7	2.15
Diarrhoea ...	170	169	236	221	179	242	284	211	155	138	177	196	2,378	50.8	.08
Hepatitis ...	252	220	218	208	207	216	243	258	245	248	252	248	2,815	60.1	4.12
Spleen disease ...	5	9	16	21	12	16	12	12	10	9	7	8	137	2.9	.73
Respiratory diseases ...	154	198	233	255	235	200	222	198	174	207	199	176	2,451	52.3	.53
Phthisis Pulmonalis ...	39	30	27	22	28	41	43	42	34	52	48	52	458	9.8	9.61
Scurvy	2	1	1	1	5
Rheumatism ...	142	130	176	190	177	204	187	224	174	186	156	129	2,075	44.3	...
Veneral diseases ...	844	747	870	886	780	755	879	836	932	837	896	837	10,099	215.6	...
Eye diseases ...	34	42	47	52	63	86	133	104	92	92	86	57	888	18.9	...
Abscess and Ulcer ...	399	442	419	578	585	593	516	443	414	459	400	360	5,608	119.7	.31
Wounds and Accidents ...	355	400	453	446	379	413	396	404	348	397	373	461	4,828	103.1	...
All other Causes ...	794	698	830	956	956	906	1,015	967	831	917	801	779	10,450	223.1	...
	4,204	4,365	4,876	5,252	5,043	5,086	5,579	5,052	4,639	4,727	4,543	4,504	57,870		
	Admitted per 1,000 of the Average Strength in each Month.														
	93.3	95.9	100.6	108.4	106.1	107.3	117.6	106.2	98.1	101.6	98.2	100.9	1,235.3		

I.—STATISTICS OF PROVINCES, 1870-79.

XXVI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in SOUTHERN INDIA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	5,178	56.5	76.1	65.1	63.9	71.2	71.1	72.3	68.9	59.4	62.0	51.1	51.0	64.3
1871	"	4,892	59.8	60.5	48.2	48.1	48.9	56.7	60.4	58.0	54.1	52.8	56.9	61.5	55.4
1872	"	4,949	61.8	67.4	55.0	57.7	57.9	60.5	60.1	63.1	63.6	60.4	58.3	56.2	60.2
1873	"	4,979	65.9	59.9	57.1	53.8	52.2	56.4	61.4	66.1	68.6	67.2	64.8	61.5	61.5
1874	"	4,748	53.5	52.8	47.9	55.5	54.2	53.6	60.7	67.7	69.5	76.7	80.5	73.1	62.3
1875	"	4,586	73.5	70.7	53.8	53.2	61.0	60.3	59.1	56.9	58.2	55.0	53.2	48.2	58.7
1876	"	4,703	53.1	52.1	45.6	44.4	43.5	44.7	47.3	49.6	49.9	48.4	48.8	46.9	47.8
1877	"	4,726	49.1	52.4	53.2	43.2	47.9	52.1	58.4	56.8	63.6	64.3	67.4	60.1	55.4
1878	"	4,598	64.0	67.6	54.7	60.7	67.0	65.8	69.5	73.8	77.7	74.7	84.8	83.1	70.0
1879	"	3,490	85.1	84.3	77.9	85.9	89.5	86.4	89.2	80.6	83.8	85.9	92.4	83.5	85.4
Ten Years, 1870-79		46,847	62.3	64.1	55.4	55.9	58.5	60.1	63.2	63.8	64.2	64.1	64.6	62.1	61.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	2.9	4.6	537.1	6.6	7.3	40.3	73.6	57.9	10.6	59.7	6.6	41.2	153.2	20.5	122.4	119.7	216.5	1,530.7
1871	4	5.1	115.9	1.8	11.0	57.6	43.1	52.3	3.1	64.4	12.7	49.9	138.6	16.6	137.0	117.9	254.5	1,079.9
1872	...	8.1	165.9	4.0	5.7	59.6	69.3	60.2	3.2	72.7	14.1	60.2	173.2	22.2	137.8	130.9	370.8	1,357.9
1873	...	7.4	154.5	1.8	2.8	90.8	62.3	76.1	2.8	47.4	13.1	47.8	183.8	21.3	131.3	96.6	260.3	1,203.1
1874	...	4.6	178.2	2.1	2.5	73.3	33.3	78.1	4.0	51.2	10.5	48.6	215.9	15.6	126.6	106.6	211.9	1,163.0
1875	1.1	1.5	192.5	1.5	2.6	46.4	38.2	63.9	4	34.9	7.4	33.6	215.7	20.9	103.6	87.2	208.9	1,060.4
1876	2.5	9	136.7	1.9	3.0	48.3	45.3	53.8	1.0	42.7	6.2	38.3	161.2	11.7	99.5	89.3	196.9	939.2
1877	2.5	4.2	183.0	4	2.8	56.3	48.9	55.4	4	41.3	8.5	34.9	279.7	20.3	100.5	71.1	167.4	1,077.6
1878	2.0	9	349.1	2.4	5.0	59.2	40.2	46.7	1.5	52.9	8.9	37.6	301.2	15.4	116.4	93.5	189.0	1,321.9
1879	...	1.7	467.7	4.9	2.0	67.0	49.0	53.9	6	54.1	9.4	51.3	394.6	22.6	121.5	117.5	295.1	1,712.9
Ten Years, 1870-79	1.2	4.0	240.1	2.7	4.6	59.7	50.8	60.1	2.9	52.3	9.8	44.3	215.6	18.9	119.7	103.1	236.5	1,235.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.																
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.			
		a. Violent Deaths.	b. Diseases.																			
1870	2.12	1.74	13.52	17.33	90	11	...	6	4	10	...	8	15	...	3	11	4	9	11			
1871	...	2.25	11.24	13.49	66	9	3	1	5	9	8	...	2	7	5	6	11			
1872	...	1.21	12.33	13.54	67	12	1	11	1	6	10	6	6	7	6			
1873	...	2.01	10.64	12.65	63	6	2	3	1	6	14	...	2	7	4	7	10			
1874	...	2.11	11.58	13.69	65	...	1	6	1	4	1	9	14	...	1	7	4	7	10			
1875	...	87	2.62	8.07	53	5	...	5	10	...	2	7	4	3	12			
1876	...	1.49	1.70	9.36	59	7	...	3	5	5	1	4	14	...	7	3	6	6	8			
1877	...	1.27	1.48	10.37	62	6	...	9	2	2	...	5	10	...	1	6	6	7	7			
1878	...	1.74	1.30	13.27	75	8	...	4	8	7	2	6	12	...	1	3	6	11	6			
1879	1.14	10.89	42	6	5	4	...	4	9	...	1	...	2	7	4			
Ten Years, 1870-79	77	1.77	11.16	13.70	642	36	1	59	29	52	11	62	116	1	13	66	44	69	83			

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	7	6	1	15
1871	2
1872
1873
1874
1875
1876	2	1	...	1	5
1877	7	1	12
1878	...	4	2	1	3	12
1879	...	1	2	2	...	2	...	9
Ten Years, 1870-79	...	5	3	7	7	3	7	9	2	3	2	3	55

I.—STATISTICS OF PROVINCES, 1870-79.

XXVII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in BURMAH and PEGU during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with multiple sections: 'CAUSES OF DEATHS IN HOSPITAL' (top right), 'Died per 1,000 of the Average Strength' (middle), 'CAUSES OF ADMISSIONS' (bottom left), and 'NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH' (bottom right). Includes columns for months (Jan-Dec) and years (1870-1879), and rows for various diseases like Cholera, Smallpox, Enteric Fever, etc.

I.—STATISTICS OF PROVINCES, 1870-79.

XXVIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in BURMAH and PEGU in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,669	57.3	58.9	59.4	60.9	61.9	75.0	70.2	64.1	53.7	53.3	46.9	42.6	58.7
1871	"	1,819	33.9	40.1	45.6	47.1	48.8	54.3	59.8	49.7	49.8	46.2	42.1	38.1	46.2
1872	"	1,968	27.7	37.7	36.2	33.1	41.2	47.7	43.7	37.7	33.1	33.6	34.1	26.0	36.0
1873	"	2,076	33.2	34.3	36.6	31.7	35.8	38.5	43.9	55.3	52.9	45.1	40.0	35.9	40.0
1874	"	2,113	32.2	36.3	35.1	38.1	38.3	36.6	43.7	47.0	47.5	44.2	41.2	40.1	40.2
1875	"	2,065	36.1	34.5	32.1	43.2	43.2	57.5	54.3	48.4	47.0	48.9	38.6	36.1	43.4
1876	"	2,024	37.1	36.8	40.4	40.4	48.0	58.2	61.5	62.2	67.0	52.2	56.4	54.4	50.9
1877	"	1,910	44.9	40.7	40.3	46.1	45.0	47.8	55.3	55.6	51.8	49.1	44.5	39.9	47.1
1878	"	1,923	49.3	54.2	47.0	36.4	44.4	58.6	57.3	49.3	50.8	54.4	56.2	39.1	49.4
1879	"	2,871	47.1	45.1	30.0	39.9	46.3	50.0	60.3	65.7	54.1	55.3	58.8	62.0	51.9
Ten Years, 1870-79	...	20,406	39.6	41.7	39.7	41.3	45.0	51.8	54.9	54.0	50.8	48.4	46.5	42.1	46.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	23.4	6.0	232.5	3.6	16.2	79.7	56.3	68.3	1.8	59.1	6.0	74.3	135.4	24.6	142.0	155.8	309.1	1,387.7
1871	...	6.0	203.5	3.3	8.8	85.8	69.8	74.2	6.6	61.6	8.2	48.4	157.2	10.4	100.0	127.0	208.9	1,173.7
1872	...	1.0	65.5	1.0	2.5	67.6	33.5	67.1	...	35.0	3.0	27.5	117.6	10.5	85.1	78.1	352.4	947.4
1873	11.1	3.4	83.3	3.9	2.4	97.3	80.9	81.9	5.5	57.3	6.7	39.5	101.2	10.1	73.2	72.3	244.2	969.2
1874	5	1.9	116.8	9	4.8	117.9	52.1	93.2	9	47.3	4.3	43.1	107.9	3.3	80.0	66.7	162.8	904.4
1875	5	1.4	117.4	1.4	10.5	95.5	58.7	71.6	1.4	43.0	7.6	22.4	126.0	6.7	98.3	94.0	210.9	987.5
1876	...	5	114.6	1.0	6.0	105.2	73.6	66.7	1.0	43.0	10.9	46.4	148.2	13.8	80.5	90.4	283.2	1,085.0
1877	5.2	1.0	113.1	5.2	5.2	119.4	68.1	67.0	...	57.6	3.1	42.4	144.0	8.4	77.0	101.6	250.8	1,069.1
1878	4.7	5	230.9	7.8	1.6	96.7	86.8	77.5	1.6	58.2	2.1	53.0	125.3	12.0	102.4	120.1	248.6	1,229.8
1879	12.2	1.0	310.4	6.3	2.4	51.2	104.5	72.4	7	51.9	4.2	31.4	117.0	8.7	90.9	119.8	225.7	1,210.7
Ten Years, 1870-79	5.8	1.7	162.9	3.5	5.7	90.2	70.0	74.2	8	51.0	5.6	41.7	126.9	10.5	91.9	101.8	247.4	1,091.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.															
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.		
		a Violent Deaths.	b Diseases.																		
1870	16.18	3.00	7.18	26.36	44	27	5	2	2	1	4	...	5			
1871	...	1.10	10.44	11.54	21	2	3	1	1	1	2			
1872	...	2.50	8.00	10.50	21	2	2	4	3	...	5			
1873	5.78	2.41	15.89	24.08	50	12	...	2	1	5	...	9	6	8	...	5			
1874	4.7	9.5	7.57	8.99	19	1	...	2	6	4	1	...	2			
1875	...	3.34	7.16	10.50	22	2	1	...	1	2	5	7			
1876	...	3.46	8.89	12.35	25	1	1	...	8			
1877	3.14	4.19	14.13	21.46	41	6	1	5	...	10	4	2	...	7			
1878	3.12	3.12	17.68	23.92	46	6	1	...	1	6	1	8	9	...	1	3	...	8			
1879	8.01	3.48	11.50	22.99	66	23	...	3	1	7	...	6	9	...	2	4	...	10			
Ten Years, 1870-79	3.66	2.73	10.88	17.32	355	75	1	12	8	33	7	54	45	...	2	26	11	57			

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	28	1	6	3	1	39
1871
1872
1873	12	1	4	6	23
1874	1	1
1875	1	1
1876
1877
1878	8	2	10
1879	2	...	4	6	1	9
Ten Years, 1870-79	43	3	14	41	4	11	2	118

I.—STATISTICS OF PROVINCES, 1870-79.

XXIX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS serving in the HILL STATIONS and CONVALESCENT DEPOTS of MADRAS and BOMBAY PRESIDENCIES during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns: MONTHS, Aggregate Strength for each Month of the Ten Years, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths, Died per 1,000 of Strength, and CAUSES OF DEATHS IN HOSPITAL (Cholera, Smallpox, Enteric Fever, etc.). Includes a summary row for 'For the Ten Years' and a 'Died per 1,000 of the Average Strength' row.

Table with columns: CAUSES OF ADMISSIONS (Dengue, Cholera, Smallpox, etc.) and NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH (JAN., FEB., MAR., APRIL, MAY, JUNE, JULY, AUG., SEPT., OCT., NOV., DEC.). Includes a summary row for 'Admitted per 1,000 of the Average Strength in each Month'.

I.—STATISTICS OF PROVINCES, 1870-79.

XXX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS serving in the HILL STATIONS and CONVALESCENT DEPOTS in MADRAS and BOMBAY PRESIDENCIES in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	650	86.1	78.7	85.4	82.4	84.2	98.7	100.9	88.9	82.9	101.4	92.1	69.9	87.7
1871	"	681	51.0	54.4	36.6	63.4	78.1	83.4	73.4	76.6	77.9	70.1	75.7	77.8	69.0
1872	"	685	69.6	55.0	28.0	47.0	65.4	61.0	66.7	59.4	54.9	60.9	73.3	76.6	59.9
1873	"	790	98.6	67.2	73.7	81.9	91.5	86.3	86.7	69.4	67.7	65.9	73.3	63.3	78.5
1874	"	880	44.6	44.7	51.9	72.8	74.0	93.4	92.3	85.1	88.0	87.8	75.1	100.2	70.5
1875	"	891	87.8	81.6	60.0	61.9	68.5	62.8	62.0	48.5	54.5	50.8	36.5	38.7	58.4
1876	"	874	35.4	43.3	71.4	88.8	80.8	79.5	80.6	75.5	77.6	77.5	71.7	69.8	74.4
1877	"	992	58.9	57.2	40.6	67.9	83.3	82.5	107.8	131.5	104.9	80.6	57.5	60.3	81.7
1878	"	829	50.5	43.5	45.5	53.0	60.1	65.9	68.4	63.5	54.5	63.3	54.4	51.0	57.9
1879	"	908	48.3	50.3	48.4	57.7	73.5	62.4	61.4	65.8	53.1	64.7	57.6	62.3	60.6
Ten Years, 1870-79	...	8,178	62.6	58.0	54.1	68.0	75.9	77.4	80.0	77.4	72.3	71.9	64.7	66.4	70.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.				
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	3.1	581.5	1.5	16.9	46.2	53.9	46.2	4.6	101.5	9.2	138.5	126.2	20.0	81.5	104.6	501.5	1,836.9	
1871	...	1.4	703.4	...	2.9	57.3	58.7	74.9	5.9	83.7	10.3	92.3	211.5	23.5	120.4	73.4	368.6	1,888.4	
1872	...	1.5	2.9	848.2	2.9	38.0	78.8	52.6	1.5	68.6	7.3	80.3	156.3	19.0	93.4	58.4	281.7	1,794.2	
1873	5.1	654.5	...	1.3	30.4	63.3	82.3	12.6	81.0	11.4	102.5	141.8	25.3	108.8	72.1	360.8	1,753.2
1874	1.1	358.0	3.4	1.1	33.0	37.5	26.1	8.0	94.3	20.5	88.6	163.6	37.5	115.9	92.1	336.3	1,417.0
1875	3.4	268.3	4.5	1.1	38.2	34.8	41.5	9.0	46.0	7.9	38.2	240.2	12.3	65.1	41.9	193.0	1,048.3
1876	...	1.1	5.7	470.3	8.0	8.0	45.8	75.5	66.4	4.6	139.6	13.7	75.5	145.3	20.6	101.8	84.7	302.0	1,568.6
1877	...	2.0	12.1	515.2	3.0	4.0	62.5	77.6	85.7	3.0	107.9	30.2	59.5	187.5	16.1	97.8	90.7	323.6	1,678.4
1878	4.8	600.8	1.2	1.2	59.1	41.0	67.5	8.4	27.7	6.0	36.2	171.3	12.1	78.4	70.0	339.0	1,524.7
1879	2.2	763.2	5.5	2.2	50.7	30.8	34.2	14.3	73.8	7.7	28.6	239.0	17.6	95.8	84.8	159.7	1,610.1
Ten Years, 1870-795	4.4	565.1	3.2	3.9	46.3	54.8	57.7	7.3	82.8	13.0	71.2	180.4	20.3	95.8	77.7	309.8	1,594.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	13.85	13.85	9	1	1	1	1	1	...	
1871	...	1.46	1.47	13.22	14.69	12	1	...	2	
1872	1.46	14.60	17.52	12	
1873	1.27	18.98	20.25	16	...	1	
1874	1.14	10.23	11.37	10	1	
1875	1.12	13.47	14.59	13	1	
1876	2.28	12.59	14.87	13	2	
1877	...	1.01	2.02	14.11	17.14	17	...	1	...	3	...	1	
1878	1.21	13.27	14.48	12	2	1	1	...	1	
1879	1.10	12.12	13.22	12	
Ten Years, 1870-7925	1.35	13.56	15.16	124	2	...	18	4	7	2	15	15	...	8	15	6	21	11

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1
1874
1875
1876
1877	1	1
1878
1879
Ten Years, 1870-79	1	1	...	1	1	4

I.—STATISTICS OF PROVINCES, 1870-79.

XXXI.

COMPARATIVE STATEMENT showing the GENERAL RATIOS of SICKNESS and MORTALITY in the different PRESIDENCIES on the AVERAGE of the TEN-YEAR PERIOD, 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH.

ARMIES.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate of the Period.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Army of Bengal ...	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9
" of Madras ...	59.4	59.3	53.0	54.1	56.7	56.9	62.7	65.2	65.9	65.3	62.0	58.8	60.2
" of Bombay ...	52.8	50.2	49.9	50.3	53.0	55.3	58.5	62.0	66.9	69.4	64.4	55.7	57.4
Army of India ...	55.0	54.4	51.8	53.3	57.8	60.6	63.0	66.0	69.3	69.0	63.8	57.7	60.1

II.—COMPOSITION OF THE ADMISSION-RATE.

ARMIES.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH.													Admission-rate of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	Eye diseases.	Rheumatism.	Veneral diseases.	All other Causes.	
Army of Bengal ...	5.9	5.3	607.3	4.0	33.1	62.4	47.1	84.1	8.2	20.1	63.0	208.6	373.9	1,522.0
" of Madras ...	2.9	3.9	265.5	3.3	76.9	64.8	67.2	57.4	9.3	17.4	46.4	193.1	450.3	1,264.4
" of Bombay ...	2.1	3.1	639.9	4.2	27.6	60.8	40.9	63.9	7.7	21.0	49.5	191.1	401.7	1,533.5
Army of India ...	4.7	4.6	551.6	3.9	40.4	62.6	49.8	75.4	8.3	19.8	56.8	203.5	393.4	1,474.8

III.—COMPOSITION OF THE DEATH-RATE.

ARMIES.	DIED PER 1,000 OF THE AVERAGE STRENGTH.														TOTAL DEATH-RATE.	
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	All other Causes.	Suicidal Deaths and other Deaths out of Hospital.	All Causes.	Excluding Cholera.
Army of Bengal ...	4.18	.12	2.28	.17	1.57	1.53	.17	1.37	.12	2.04	1.25	3.22	1.78	21.00	16.82	
" of Madras ...	1.63	.09	1.42	.02	.60	1.42	.24	2.32	.04	3.16	.32	3.34	1.86	17.69	16.01	
" of Bombay ...	1.53	.05	1.75	.16	.98	1.56	.19	.98	.17	1.71	.70	2.83	1.57	15.27	13.74	
Army of India ...	3.22	.10	2.03	.13	1.29	1.52	.18	1.43	.12	2.19	.97	3.17	1.76	19.34	16.12	

IV.—MORTALITY RELATIVE TO THE NUMBER TREATED.

ARMIES.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED.													
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	All other Causes.	
Army of Bengal ...	70.26	15.31	43.39	.04	.86	38.66	5.58	4.13	.19	4.33	1.49	14.64	.49	
" of Madras ...	58.49	18.18	36.43	.01	.43	43.85	5.09	3.02	.07	4.71	.55	12.62	.47	
" of Bombay ...	73.27	8.47	56.39	.03	.74	37.59	4.07	3.53	.29	4.18	1.09	14.14	.43	
Army of India ...	69.11	14.71	43.83	.04	.79	39.29	5.10	3.65	.19	4.40	1.29	14.12	.47	

I.—STATISTICS OF PROVINCES, 1870-79.

XXXII.

COMPARATIVE STATEMENT showing the GENERAL RATIOS of SICKNESS and MORTALITY in the different PROVINCES on the AVERAGE of the TEN-YEAR PERIOD, 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH.

PROVINCES.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate of the Period.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Bengal Proper ...	49.3	47.8	46.1	47.3	51.3	54.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3
Gangetic Provinces and Oudh ...	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3
Meerut and Rohilcund ...	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5
Agra and Central India ...	54.7	55.8	54.1	52.5	57.0	57.2	59.3	66.2	74.7	76.1	71.5	59.6	61.5
Punjab ...	57.0	54.6	51.0	50.0	56.5	51.7	64.4	67.6	77.3	81.0	75.5	64.9	62.9
Hill Stations ...	39.0	33.9	41.0	46.8	50.6	51.3	53.9	52.5	49.5	46.1	43.7	41.9	47.9
Rajpootana, Malwa, Sind, and Aden ...	51.0	49.6	48.3	48.7	50.9	53.7	55.6	60.2	71.3	74.9	70.1	58.7	57.7
Deccan and Nagpore ...	56.5	55.2	50.9	50.3	52.4	53.9	57.3	61.4	62.3	63.2	61.7	56.8	56.8
Southern India ...	62.3	64.1	55.4	55.9	58.5	60.1	63.2	63.8	64.2	64.1	64.6	62.1	61.5
Burmah and Pegu ...	39.6	41.7	39.7	41.3	45.0	51.8	54.9	54.0	50.8	48.4	46.5	42.1	46.4
Hill Stations and Hill Depôts (Madras and Bombay) ...	62.6	58.0	54.1	68.0	75.9	77.4	80.0	77.4	72.3	71.9	64.7	66.4	70.9

II.—COMPOSITION OF THE ADMISSION-RATE.

PROVINCES.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH.													Admission-rate of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Eye diseases.	Rheumatism.	Veneral diseases.	Respiratory diseases.	All other Causes.	
Bengal Proper ...	1.2	2.1	406.8	2.5	48.0	47.5	57.6	10.8	12.5	44.4	191.3	48.8	437.2	1,310.7
Gangetic Provinces and Oudh ...	6.6	6.4	341.0	4.9	36.8	65.7	52.2	8.9	29.4	55.7	299.7	65.6	437.4	1,410.3
Meerut and Rohilcund ...	3.0	6.3	551.4	4.2	36.0	63.3	50.7	7.5	20.8	58.1	200.6	78.8	380.5	1,461.2
Agra and Central India ...	4.4	4.4	690.6	3.6	26.6	48.4	45.5	6.1	20.0	54.6	209.8	71.5	344.6	1,530.1
Punjab ...	5.5	4.8	964.9	5.4	27.5	58.7	41.4	7.5	19.6	66.5	169.0	100.7	375.7	1,847.2
Hill Stations ...	2.3	5.0	280.4	.5	21.6	59.5	37.5	6.0	12.3	67.8	180.9	82.6	287.6	1,044.0
Rajpootana, Malwa, Sind, and Aden ...	2.6	4.0	722.9	6.3	26.9	62.4	43.0	6.7	22.4	52.0	165.3	67.2	432.3	1,614.0
Deccan and Nagpore ...	2.4	3.4	472.4	2.4	51.3	66.1	41.5	6.6	19.1	44.3	220.0	59.0	394.2	1,382.7
Southern India ...	1.2	4.0	249.1	2.7	59.7	50.8	60.1	9.8	18.9	44.3	215.6	52.3	466.8	1,235.3
Burmah and Pegu ...	5.8	1.7	162.9	3.5	90.2	70.0	74.2	5.6	10.6	41.7	126.9	51.0	447.6	1,091.6
Hill Stations and Hill Depôts (Madras and Bombay)5	4.4	565.1	3.2	46.3	54.8	57.7	13.0	20.3	71.2	180.4	82.8	494.5	1,594.2

III.—COMPOSITION OF THE DEATH-RATE.

PROVINCES.	DIED PER 1,000 OF THE AVERAGE STRENGTH.														TOTAL DEATH-RATE.	
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	All other Causes.	Suicidal Deaths and other Deaths out of Hospital.	All other Causes.	Excluding Cholera.
Bengal Proper85	.05	.79	.05	1.01	.69	.16	1.27	.16	2.64	1.32	.32	3.22	1.90	14.43	13.58
Gangetic Provinces and Oudh ...	4.24	.25	2.63	.08	1.17	1.81	.08	1.25	.09	2.35	1.22	.43	2.71	1.75	20.06	15.82
Meerut and Rohilcund ...	2.60	.26	2.69	.05	.98	1.61	.25	1.36	.23	2.74	1.16	.63	3.09	1.26	18.31	16.25
Agra and Central India ...	3.22	.16	2.04	.27	1.58	1.35	.15	1.17	.07	2.07	.94	.74	3.09	1.48	18.41	15.19
Punjab ...	3.85	.07	2.32	.26	1.94	2.15	.25	1.17	.05	1.39	1.13	1.59	3.00	1.38	20.71	16.76
Hill Stations ...	1.60	...	1.77	.10	.64	.07	.10	1.15	.14	1.25	.48	.84	3.18	.91	12.23	10.63
Rajpootana, Malwa, Sind, and Aden ...	1.94	.04	2.42	.16	1.24	2.34	.22	.98	.11	1.61	1.05	.68	2.79	1.83	17.41	15.47
Deccan and Nagpore ...	1.39	.14	1.46	.08	.64	1.08	.16	1.71	.11	2.44	.80	.38	2.51	1.24	14.14	12.75
Southern India77	.02	1.26	.02	.60	1.11	.23	1.25	.04	2.48	.94	.28	3.01	1.66	13.70	12.93
Burmah and Pegu ...	3.66	.05	.5839	1.61	.34	2.63	...	2.20	.54	.10	2.63	2.59	17.32	13.66
Hill Stations and Hill Depôts (Madras and Bombay)25	...	2.2049	.85	.25	1.46	.37	1.83	.73	.98	4.77	.98	15.16	14.91

IV.—MORTALITY RELATIVE TO THE NUMBER TREATED.

PROVINCES.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED.												
	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	All other Causes.
Bengal Proper ...	69.57	50.00	38.46	.03	.43	28.26	5.08	2.64	.33	4.59	12.20	.65	.44
Gangetic Provinces ...	63.96	19.19	41.15	.04	.73	37.10	2.55	3.38	.14	4.50	13.72	.66	.33
Meerut and Rohilcund ...	68.91	15.38	42.63	.01	.83	37.87	6.41	3.78	.36	5.40	15.40	.80	.37
Agra and Central India ...	72.38	15.38	46.37	.05	1.10	37.16	5.31	4.72	.15	4.54	15.32	1.08	.50
Punjab ...	72.55	9.30	48.51	.04	.71	39.93	6.91	4.24	.08	3.36	15.10	1.58	.48
Hill Stations ...	68.37	...	35.07	.05	.84	15.00	6.16	5.32	.24	3.32	7.94	1.01	.37
Rajpootana, Malwa, Sind, and Aden ...	75.00	11.11	60.65	.03	.92	37.24	4.33	3.64	.18	3.74	15.66	1.02	.41
Deccan and Nagpore ...	57.29	17.46	43.19	.02	.50	45.30	3.65	3.33	.16	5.90	12.18	.65	.37
Southern India ...	65.45	5.56	31.22	.02	.45	40.63	5.12	2.15	.08	4.12	9.61	.53	.31
Burmah and Pegu ...	63.56	14.29	34.2946	45.83	5.98	2.92	...	2.96	9.65	.19	.43
Hill Stations and Hill Depôts (Madras and Bombay) ...	50.00	...	50.0041	26.92	6.25	3.17	.67	3.18	5.66	1.18	.63

I.—STATISTICS OF PROVINCES, 1870-79.

XXXIII.

TABLE showing the SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying the CONVALESCENT DEPOTS of the BENGAL PRESIDENCY during the HOT SEASON of the TEN YEARS, 1870-79.

(These Statistics have already been incorporated in the Provincial Tables which precede.)

DEPOTS.	Aggregate Strength of the Ten Years in the Month of June.	Deaths during the Period of Occupation.	Death-rate per 1,000 for Period of Occupation during the Ten Years.	CAUSES OF DEATHS DURING THE TEN YEARS.																
				Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.	Suicidal Deaths, and other Deaths out of Hospital.	
Darjeeling ...	1,807	37	20.43	2	3	...	0	4	4	6	...	7	2	
Naini Tal ...	3,213	33	10.27	1	...	4	...	13	1	...	7	1	
Landour ...	2,177	26	11.94	1	...	1	...	8	3	7	...	
Kasauli ...	5,678	114	20.08	23	1	7	5	3	7	...	25	11	...	10	...	16	...	
Dalhousie ...	3,975	33	8.30	4	...	1	...	8	4	8	...	
Murree ...	4,678	103	22.02	46	...	5	...	3	6	...	9	7	4	11	2	
				69	1	14	...	14	5	1	22	1	72	29	18	33	...	56	11	
				Died per 1,000 of the Strength of June.																
Ten Years ...	21,528	346	16.07	3.20	.05	.05	.65	.23	.05	1.02	.05	3.34	1.35	.84	1.53	...	2.60	.51		

CAUSES OF ADMISSIONS.	AGGREGATE OF THE ADMISSIONS OF THE TEN YEARS.						Total Admissions of the Ten Years.	Admitted per 1,000 of Strength of June.	Died out of each hundred cases treated.
	Darjeeling.	Naini Tal.	Landour.	Kasauli.	Dalhousie.	Murree.			
Cholera	46	...	65	111	5.1	62.16
Smallpox	2	3	6	.3	16.67
Enteric Fever	1	8	48	2.2	29.17
Fever, Intermittent ...	392	776	874	1,445	1,282	2,088	6,857	318.5	...
Fever, Remittent and Continued ...	39	219	39	313	209	135	954	44.3	1.47
Apoplexy ...	1	4	3	8	1	3	20	.9	25.00
Delirium Tremens ...	2	2	...	14	4	8	30	1.4	3.33
Dysentery ...	76	118	55	136	96	62	543	25.2	4.05
Diarrhoea ...	91	188	85	660	257	215	1,496	69.5	.07
Hepatitis ...	147	356	175	406	167	263	1,514	70.3	4.76
Respiratory diseases ...	162	331	126	375	330	439	1,763	81.9	1.64
Phthisis Pulmonalis ...	15	67	25	80	37	103	327	15.2	10.09
Rheumatism ...	122	259	158	414	273	329	1,555	72.2	...
Veneral diseases ...	314	668	252	682	675	557	3,148	146.2	...
Eye diseases ...	21	43	12	70	47	43	236	11.0	...
Abscess and Ulcer ...	80	214	92	312	159	204	1,061	49.3	.64
Wounds and Accidents ...	86	198	120	282	202	232	1,120	52.0	...
All other Causes ...	264	905	332	1,112	690	1,079	4,382	203.5	...
	1,813	4,358	2,354	6,383	4,429	5,834	25,171		
	Admitted per 1,000 of the Strength of June for the Period of Occupation.								
	1,003.3	1,356.4	1,081.3	1,124.2	1,114.2	1,247.1	1,169.2		

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIV.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS FROM THE CHIEF CAUSES OF MORTALITY.														Total Deaths of the Period.	Death-rate per 1,000 of the Average Strength.	
		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.			Died out of Hospital, including Suicidal Deaths.
Fort William Dum-Dum Barraekpore	8,719 6,068 4,056	11 3 2	4 2 7	1 2 ...	7 8 9	1 1 1	17 13 20	2 3 1	10 9 4	10 12 3	1 1 ...	12 15 8	18 10 8	94 93 85	10.78 15.33 20.96
BENGAL PROPER	18,914	16	1	15	20	13	3	24	3	50	6	23	25	2	36	36	273	14.43
Hazaribagh Dinapore Benares Fyzabad Lucknow Sitapur Fatehgarh Cawnpore Allahabad	4,697 8,503 4,988 8,810 23,062 5,530 2,258 8,423 9,163	6 18 13 93 97 1 ...	1 3 ...	28 16 7 36 71 9 ...	7 5 12 5 30 9 1	2 14 15 8 40 6 3	...	3 21 6 13 24 4	6 37 19 16 41 10 7 17 20	1 2 ...	2 12 6 10 20 5 2 9 9	5 4 6 14 35 7 1 1 12	1 ...	13 5 11 2 35 9 6 18 14	6 20 11 8 41 11 3 19 11	75 171 101 220 462 74 26 153 192	15.97 20.11 20.25 21.97 20.03 13.38 11.51 21.73 20.95
GANGETIC PROVINCES AND OUDH	76,159	323	19	200	95	138	6	95	7	179	33	75	93	14	118	133	1,528	20.06
Shajahanpur Bareilly Moradabad Roorkee Meerut Delhi Muttra	3,351 7,788 2,079 3,989 11,222 4,495 3,846	1 4 1 7 59 6 4	...	7 27 3 6 38 8 18	4 2 4 2 14 11 4	2 3 2 5 22 15 15	...	3 7 ...	5 ...	8 8 7 10 59 8 9	1 2 ...	4 8 2 5 14 4 5	6 10 ...	1 1 ...	4 17 5 10 26 14 7	3 5 2 7 18 7 5	49 96 23 66 321 96 72	14.62 12.33 13.47 16.55 22.57 21.36 18.72
ROHILCUND AND MERHUT	39,770	82	8	107	41	64	10	54	9	109	25	40	46	4	79	50	728	18.31
Agra Morar Gwalior Fortress Jhansi Nowgong Saugor Jubbulpore	9,896 10,708 3,416 4,136 2,825 4,590 4,974	27 67 12 2 7 11 5	1 4 ...	27 29 3 8 5 13 4	18 21 4 3 6 9 11	15 21 4 3 1 1 5	2 2 ...	9 23	17 30 5 4 3 7 7 14	5 9 1 3 3 4 7 2	8 21 6 7 4 3 5 5	11 7 ...	1 ...	14 16 9 5 10 7 8	9 15 13 1 5 10 4 8	164 266 69 44 55 75 71	16.57 24.84 20.20 10.61 20.53 16.34 14.27
AGRA AND CENTRAL INDIA	40,631	131	6	83	75	55	6	51	3	84	30	56	38	5	65	60	748	18.41
Umballa Jullundur Ferozepore Mooltan Dera Ismail Khan Meeran Meer Fort Lahore Amritsar and Govindgarh Sialkot Rawalpindi Attock Nowshera Peshawar	13,298 7,075 10,400 8,109 988 9,291 1,130 2,532 10,161 16,145 1,697 5,744 15,274	23 9 10 2 1 118 10 2 10 3 25 5 172	...	29 16 19 6 1 26 4 4 1 30 37 6 7 13 44	8 25 22 14 3 34 8 11 8 33 25 1 1 14 22 45	2 11 2 4	9 16	18 9 14 9 2 21 2 2 17 25 2 9 11 7	6 19 1 14 ...	13 8 18 7 ...	18 9 10 9 ...	2 ...	21 13 20 14 ...	23 7 16 10 1 10 2 21 2 6 9 11 11	194 136 180 121 17 324 43 42 182 252 41 100 436	14.59 19.22 17.31 14.92 17.12 34.87 38.05 16.59 17.91 15.61 24.16 17.41 28.55
PUNJAB	112,288	444	8	260	252	244	28	131	5	156	179	125	127	11	201	155	2,326	20.71
Darjeeling Ranikhet Chakrata Dagshai Subathu Jutogh Dhamsala (9 years) Dillhousie (6 years) Murree Hills Cherat (9 years)	630 7,845 7,153 8,317 6,645 858 651 400 5,733 3,392	2 8 7 10 7 1 1	2 6 14 10 2 ...	1 5 3 1	5 92 61 97 86 10 6 2 8 4	7.94 11.73 8.95 11.66 12.94 11.66 9.22 5.00 16.40 19.16
HILL STATIONS	41,787	67	...	74	31	3	4	48	6	52	35	50	20	8	75	38	511	12.23
BENGAL PRESIDENCY	363,431	1,519	45	830	631	556	60	496	44	741	455	414	436	56	702	646	7,631	21.00

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIV—continued.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS FROM THE CHIEF CAUSES OF MORTALITY.														Total Deaths of the Period.	Death-rate per 1,000 of the Average Strength.	
		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.			Died out of Hospital including Suicidal Deaths.
Nusseerabad	6,363	13	...	27	17	14	1	10	2	15	7	5	4	1	18	17	151	23.73
Neemuch	4,260	55	...	16	9	10	3	8	...	8	1	4	4	6	124	29.11
Indore	937	8	...	1	3	1	2	1	1	19	20.28
Mhow	13,270	10	...	26	15	9	...	7	...	21	4	6	8	5	23	14	155	11.68
Deesa	7,065	3	...	10	9	24	3	5	1	12	8	6	17	...	18	8	124	17.55
Ahmedabad	2,735	12	...	11	9	17	1	1	...	5	3	4	1	...	7	8	79	28.88
Kurrachee and Ghizree	7,698	2	...	23	9	13	2	10	2	9	4	5	18	...	12	12	126	16.37
Hyderabad	3,764	7	3	11	1	3	3	2	2	4	10	46	12.22
Aden	7,277	1	...	2	2	25	...	11	...	16	7	9	5	1	4	21	104	14.29
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	105	2	131	76	127	12	53	6	87	37	44	57	9	98	99	943	17.41
Bombay	4,764	3	8	5	1	7	1	18	3	8	5	1	7	7	74	15.53
Asirgarh	812	1	2	1	2	1	...	1	1	9	11.09
Ahmednagar	4,612	4	...	3	3	5	1	3	...	3	...	2	...	1	8	6	40	8.62
Poona and Kirkee	20,984	40	...	22	14	11	3	20	5	30	8	21	24	3	23	20	250	11.91
Satara	1,708	3	1	1	1	1	...	1	2	4	1	...	1	3	20	11.71
Belgaum	9,660	1	...	8	3	2	1	3	1	14	6	5	3	1	13	13	75	7.76
Secunderabad	23,411	56	...	64	10	32	4	88	...	100	7	23	19	1	23	35	467	19.95
Kamptee	10,084	5	...	7	14	25	1	8	...	18	3	15	8	1	19	9	141	14.05
DECCAN AND NAGPORE	76,075	106	11	111	55	82	12	130	8	186	29	78	61	8	105	94	1,076	14.14
Bellary	8,609	3	...	3	13	4	1	3	1	11	2	11	8	...	12	13	85	9.87
Bangalore	16,678	8	...	32	6	6	4	12	...	36	3	25	15	3	23	23	197	11.81
Cannanore	6,579	2	...	15	2	3	2	17	...	27	4	5	6	...	6	9	93	14.90
Malliapooram	921	2	...	2	1	2	...	3	...	2	1	15	16.29
Calicut	909	1	1	1	...	5	...	4	...	3	1	16	17.60
Trichinopoly	2,688	4	3	14	2	2	1	13	2	3	4	...	10	6	64	23.81
St. Thomas' Mount	3,639	1	...	5	1	11	1	14	...	17	...	9	5	...	9	7	80	21.98
Madras	6,825	16	...	1	2	11	1	4	...	6	2	8	6	2	10	18	87	12.75
SOUTHERN INDIA	46,847	36	1	59	29	52	11	60	2	116	13	66	44	5	70	78	642	13.70
Rangoon	8,145	3	...	3	1	5	2	33	...	17	1	11	3	3	12	24	119	14.61
Toungoo	4,299	1	...	2	4	12	2	17	...	13	...	5	1	...	6	9	72	16.75
Thayetmyo	6,553	71	...	6	2	15	3	4	...	14	1	9	5	1	5	16	152	22.18
Port Blair	1,199	1	1	1	1	...	1	2	...	1	4	12	10.01
BURMAH AND PEGU	20,496	75	1	12	8	33	7	54	...	45	2	26	11	4	24	53	355	17.32
Mount Aboo	1,069	2	1	2	1	4	...	1	1	3	1	...	3	2	21	19.64
Purundhar	825	2	1	1	...	2	1	7	8.48
Wellington	4,390	1	...	10	2	3	...	4	...	9	5	12	3	2	16	4	71	16.17
HILL STATIONS AND DEPÔTS	8,178	2	...	18	4	7	2	12	3	15	8	15	6	3	21	8	124	15.16
Army of Bengal	363,431	1,519	45	830	631	556	60	406	44	741	455	414	436	56	703	646	7,631	21.00
Army of Madras	110,396	186	10	157	69	157	26	256	5	349	35	171	130	13	184	205	1,953	17.69
Army of Bombay	103,587	159	5	181	118	162	20	101	18	177	72	100	113	15	178	163	1,582	15.27
ARMY OF INDIA	577,416	1,864	60	1,163	818	875	106	853	67	1,267	562	685	679	84	1,064	1,014	11,166	19.34

II.—GENERAL STATISTICS OF STATIONS, 1870-79

XXXV—continued.

TABLE showing the DEATH-RATE from ALL CAUSES and from the CHIEF DISEASES in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	DEATH-RATE PER 1,000 FROM THE CHIEF CAUSES OF MORTALITY.														AVERAGE ANNUAL DEATH-RATE.		
		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Wounds and Accidents.	All other Causes.	Died out of Hospital including Suicidal Deaths.	All Causes.	Excluding Cholera-rate.
Nusseerabad ...	6,363	2'04	...	4'24	2'67	2'20	'16	1'57	'31	2'36	1'10	'79	'63	'16	2'83	2'67	23'73	21'69
Neemuch ...	4,260	12'91	...	3'75	2'11	2'35	'71	1'88	...	1'88	'23	'94	'94	1'41	29'11	16'20
Indore ...	937	8'54	...	1'07	3'20	1'07	2'13	2'13	1'07	1'07	20'28	11'74
Mhow ...	13,270	'75	...	1'96	1'13	'68	'08	'53	'08	1'58	'30	'45	'60	'38	2'11	1'05	11'68	10'93
Deesa ...	7,065	'42	...	1'42	1'27	3'40	'42	'71	'14	1'70	1'13	'85	2'41	...	2'55	1'13	17'55	17'13
Ahmedabad ...	2,735	4'39	'36	4'02	2'93	6'22	'36	'36	...	1'83	1'10	1'46	'36	...	2'56	2'93	28'88	24'49
Kurrachee and Ghizree ...	7,693	'26	...	3'63	1'17	1'69	'26	1'30	'26	1'17	'52	'65	2'34	...	1'56	1'56	16'37	16'11
Hyderabad ...	3,764	1'86	'80	2'92	'80	'27	'80	'53	'53	1'06	2'65	12'22	12'22
Aden ...	7,277	'14	...	'27	'27	3'43	...	1'51	...	2'20	'96	1'24	'69	'14	'55	2'89	14'29	14'15
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	1'94	'04	2'42	1'40	2'34	'22	'98	'11	1'61	'68	'81	1'05	'16	1'82	1'83	17'41	15'47
Bombay ...	4,764	'63	1'68	1'05	'21	1'47	'21	3'77	'63	1'68	1'05	'21	1'47	1'47	15'53	15'53
Asirgarh ...	812	1'23	2'47	1'23	2'47	1'23	...	1'23	1'23	11'09	11'09
Ahmednagar ...	4,642	'86	...	'65	'65	1'08	'21	'65	'21	'65	...	'43	...	'21	1'73	1'29	8'62	7'76
Poona and Kirkee ...	20,981	1'91	'05	1'05	'67	'52	'14	'95	'24	1'43	'38	1'00	1'14	'14	1'34	'95	11'91	10'00
Satara ...	1,708	...	'59	1'76	'59	'59	'59	'59	...	1'17	2'34	'59	...	'59	1'76	1'76	11'71	11'71
Belgaum ...	9,660	'10	'10	'83	'31	'21	'10	'31	'10	1'45	'62	'52	'31	'10	1'35	1'35	7'76	7'66
Secunderabad ...	23,411	2'39	...	2'74	'43	1'37	'17	3'76	...	4'27	'30	'98	'81	'04	1'19	1'50	19'95	17'56
Kamptee ...	10,034	'50	'80	'70	1'39	2'49	'10	'80	...	1'79	'30	1'49	'80	'10	1'89	'90	14'05	13'55
DECCAN AND NAGPORE ...	76,075	1'39	'14	1'46	'72	1'08	'16	1'71	'11	2'44	'38	1'02	'80	'11	1'38	1'24	14'14	12'75
Bellary ...	8,609	'35	...	'35	1'51	'47	'11	'35	'11	1'28	'23	1'28	'93	...	1'39	1'51	9'87	9'52
Bangalore ...	16,678	'48	'06	1'92	'36	'36	'24	'72	...	2'15	'18	1'50	'90	'18	1'38	1'38	11'81	11'33
Cannanore ...	6,579	'30	...	2'23	'30	'46	'30	2'59	...	4'11	'61	'76	'91	...	'91	1'37	14'90	14'60
Malliampoorum ...	921	2'17	...	2'17	1'09	2'17	...	3'26	...	2'17	...	2'17	1'09	16'29	14'12
Calicut ...	909	1'10	1'10	1'10	...	5'50	...	4'40	...	3'30	1'10	17'60	17'60
Trichinopoly ...	2,688	1'49	1'12	5'21	'74	'74	'37	4'84	'74	1'12	1'49	...	3'72	2'23	23'81	22'32
St. Thomas' Mount ...	3,639	'28	...	1'37	'28	3'02	'28	3'85	...	4'67	...	2'47	1'37	...	2'47	1'92	21'98	21'70
Madras ...	6,825	2'34	...	'15	'29	1'61	'15	'59	...	'88	'29	1'17	'88	'29	1'47	2'64	12'75	10'41
SOUTHERN INDIA ...	46,847	'77	'02	1'26	'62	1'11	'23	1'28	'04	2'48	'28	1'41	'94	'11	1'49	1'66	13'70	12'93
Rangoon ...	8,145	'37	'12	'37	'12	'61	'25	4'05	...	2'09	'12	1'35	'37	'37	1'47	2'95	14'61	14'24
Toungoo ...	4,299	'23	...	'47	'93	2'79	'47	3'96	...	3'03	...	1'16	'23	...	1'39	2'09	16'75	16'52
Thayetmyo ...	6,853	10'36	...	'88	'29	2'19	'44	'58	...	2'04	'15	1'31	'73	'15	'73	2'33	22'18	11'82
Port Blair ...	1,199	'83	'83	'83	'83	...	'83	1'67	...	'83	3'34	10'01	10'01
BURMAN AND PEGU ...	20,496	3'66	'05	'53	'39	1'61	'34	2'63	...	2'20	'10	1'27	'54	'19	1'17	2'59	17'32	13'66
Mount Aboo ...	1,069	1'87	'94	1'87	'94	3'74	...	'94	'94	2'81	'94	...	2'81	1'87	19'64	19'64
Purandhar ...	825	2'42	1'21	1'21	...	2'42	1'21	8'48	8'48
Wellington ...	4,390	'23	...	2'28	'46	'68	...	'91	...	2'05	1'14	2'73	'68	'46	3'64	'91	16'17	15'94
HILL STATIONS AND DEPÔTS ...	8,178	'25	...	2'20	'49	'85	'25	1'46	'37	1'83	'98	1'83	'73	'37	2'57	'98	15'16	14'91
Army of Bengal ...	363,431	4'18	'12	2'28	1'74	1'53	'17	1'37	'12	2'04	1'25	1'14	1'20	'15	1'93	1'78	21'00	16'82
Army of Madras ...	110,396	1'68	'09	1'42	'62	1'42	'24	2'32	'04	3'16	'32	1'55	1'18	'12	1'67	1'86	17'69	16'01
Army of Bombay ...	103,587	1'53	'05	1'75	1'14	1'56	'19	'98	'17	1'71	'70	'97	1'09	'14	1'72	1'57	15'27	13'74
ARMY OF INDIA ...	577,416	3'22	'10	2'03	1'42	1'52	'18	1'48	'12	2'19	'97	1'19	1'18	'14	1'84	1'76	19'34	16'12

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVI.

TABLE showing the DAILY SICK-RATE of each MONTH for the Principal MILITARY STATIONS occupied from 1870 to 1879 on the AVERAGE of the TEN YEARS.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	DAILY SICK PER 1,000 OF THE AVERAGE STRENGTH, 1870-79.												Average for the Period.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Fort William Dum-Dum Barrackpore	8,719 6,068 4,056	48.1 43.3 65.2	47.3 41.6 59.4	46.9 36.9 57.4	49.1 40.8 52.4	50.8 46.5 59.0	56.8 44.3 63.5	65.7 48.3 63.7	65.5 55.5 71.0	64.4 56.2 70.8	60.2 54.5 70.0	52.9 45.5 81.7	51.3 44.3 70.6	54.9 46.3 65.1
BENGAL PROPER	18,914	49.3	47.8	46.1	47.3	51.3	54.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3
Hazaribagh Dinapore Benares Fyzabad Lucknow Sitapur Fatehgarh Cawnpore Allahabad	4,697 8,503 4,988 8,810 23,062 5,530 2,258 8,423 9,163	47.2 53.7 63.7 58.6 57.2 51.3 54.9 77.2 70.6	48.9 62.8 68.2 62.8 60.5 56.4 55.6 80.2 70.1	47.0 60.2 63.7 65.3 62.0 53.2 54.3 74.3 61.1	49.8 61.0 61.5 61.1 65.3 54.8 59.6 78.9 62.0	48.6 68.8 69.4 62.3 67.7 56.6 62.5 71.8 66.6	47.1 69.7 76.1 65.1 68.9 59.4 66.3 72.2 69.8	50.9 72.3 74.8 65.7 68.1 63.2 70.8 80.6 68.3	53.5 74.3 82.1 66.8 71.0 61.5 74.6 88.5 72.3	50.6 70.9 85.5 64.1 76.4 63.2 77.3 97.2 76.5	46.7 68.4 84.1 61.3 76.8 56.0 61.5 95.8 75.7	44.7 62.9 70.4 57.2 67.2 54.0 72.8 88.1 74.4	38.9 50.3 60.0 53.7 59.8 49.1 57.4 69.6 65.8	48.1 65.9 71.8 62.1 66.8 56.6 64.2 81.2 69.4
GANGETIC PROVINCES AND OUDH	76,159	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3
Shahjahanpur Bareilly Moradabad Roorkee Meerut Delhi Muttra	3,351 7,788 2,079 3,989 14,222 4,495 3,846	49.7 46.8 42.7 38.2 51.5 64.7 47.3	52.6 51.7 43.1 41.2 50.3 55.7 48.7	46.2 47.0 40.1 46.9 50.3 52.3 52.1	59.0 46.3 36.5 40.6 55.0 58.5 49.0	59.1 49.4 42.1 46.6 61.5 67.1 55.7	64.5 53.0 48.4 47.8 65.0 68.2 55.1	60.5 51.3 44.3 51.9 65.9 65.0 53.9	59.3 54.4 50.5 62.8 73.3 83.9 67.4	60.0 57.5 63.8 63.4 80.5 102.7 72.6	59.8 52.8 63.8 62.0 80.3 104.5 71.0	49.7 44.2 53.5 52.0 76.7 85.3 69.1	44.8 40.6 47.3 42.9 58.7 75.2 51.0	55.2 49.6 47.6 48.9 64.0 73.2 58.0
ROHILCUND AND MEERUT	39,770	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5
Agra Morar Gwalior Fortress Jhansi Nowgong Saugor Jubbulpore	9,596 10,708 3,416 4,136 2,825 4,590 4,974	58.4 53.3 51.4 51.0 55.6 47.3 61.1	59.8 55.3 53.0 55.4 61.3 50.0 53.2	58.8 55.5 49.6 48.6 51.7 48.8 55.3	54.1 55.2 48.4 51.3 51.7 49.8 50.3	61.3 58.3 52.5 56.2 61.7 48.5 53.5	61.2 59.6 53.5 54.4 65.4 51.9 48.4	64.4 62.6 54.0 60.4 60.0 54.3 49.7	69.6 68.5 63.0 65.8 69.1 54.3 57.8	69.4 77.2 69.0 88.9 74.6 77.6 66.5	68.1 76.9 71.5 101.4 76.5 78.7 68.0	62.0 86.1 55.6 78.8 59.7 72.4 71.0	57.6 71.9 49.5 57.7 46.7 53.8 59.4	61.9 64.7 55.9 64.1 60.5 58.2 57.7
AGRA AND CENTRAL INDIA	40,631	54.7	55.8	54.1	52.5	57.0	57.2	59.3	66.2	74.7	76.1	71.5	59.6	61.5
Umballa Jullundur Ferozepore Mooltan Dera Ismail Khan Meeran Meer Fort Lahore Amritsar and Govindgarh Sialkot Rawalpindi Attock Nowshera Peshawar	13,298 7,075 10,400 8,109 993 9,291 1,130 2,532 10,161 16,145 1,697 5,744 15,274	54.3 64.6 48.4 62.7 47.6 92.3 43.6 64.1 59.6 55.0 59.2 57.4 60.6	57.6 67.7 49.5 57.2 37.7 78.9 36.2 51.3 55.9 57.1 53.2 47.3 51.9	51.8 59.2 46.2 53.8 32.2 68.5 27.7 36.3 51.5 53.5 45.6 40.2 50.0	48.9 46.4 46.9 54.0 35.2 62.1 39.1 46.5 51.2 49.9 40.7 49.0 52.8	56.0 48.6 49.9 58.7 40.2 65.5 46.3 46.5 56.4 53.3 55.1 61.7 63.3	55.1 58.0 51.2 66.2 58.5 79.8 51.7 56.9 62.5 56.4 66.5 65.9 72.3	55.1 62.0 57.2 73.4 68.7 87.9 56.7 63.6 64.7 56.4 61.3 66.6 71.8	63.5 74.9 64.8 74.4 72.1 92.5 50.8 66.9 70.3 58.4 62.1 56.4 67.0	69.4 93.2 78.6 71.7 84.3 100.6 62.7 86.4 79.3 73.2 66.9 57.4 83.0	67.9 97.5 72.2 73.8 91.5 113.2 72.3 91.6 73.9 79.1 94.5 82.3 106.1	69.0 78.0 68.1 70.9 94.0 120.3 60.4 89.6 75.4 79.4 90.2 96.3 103.8	55.8 67.2 51.0 59.8 59.8 121.3 49.3 68.6 65.4 64.8 77.8 85.6 82.6	58.4 67.6 56.9 64.4 60.4 89.8 49.6 64.8 63.6 61.0 64.2 63.7 70.1
PUNJAB	112,288	57.0	54.6	51.0	50.0	56.5	61.7	64.4	67.6	77.3	81.0	75.5	64.9	62.9
Darjeeling Ranikhet Chakrata Dagshai Subathu Jutogh Dharmasala (9 years) Dalhousie (6 years) Murree Hills Cherat (9 years)	630 7,845 7,153 8,317 6,645 858 651 400 5,733 3,392	49.2 38.8 38.8 39.3 38.3 24.5 38.9 ...	35.8 40.6 38.8 41.7 34.7 28.6 48.4 ...	36.8 39.8 41.6 44.5 39.2 40.0 44.2 ...	49.2 53.0 44.4 52.0 49.0 40.7 38.2 28.9 25.5 25.4	48.2 62.2 44.7 54.9 56.4 39.6 46.6 45.4 38.2 39.0	36.9 61.6 44.2 52.7 55.4 44.3 48.6 47.0 43.0 47.7	42.6 60.5 43.9 53.6 61.0 52.9 50.5 39.5 48.2 59.5	44.1 53.2 42.3 53.6 59.7 66.9 47.6 39.7 49.6 63.3	48.4 51.6 40.4 46.4 55.3 48.6 45.4 24.3 48.1 60.4	48.9 47.2 33.9 42.6 45.1 46.7 44.0 24.0 55.2 51.8	39.1 41.3 29.3 45.4 48.2 47.3 53.9 21.9 64.9 39.3	42.9 39.3 33.0 45.1 52.2 24.8 72.0 ... 33.1 45.1	42.9 50.5 40.1 48.5 50.3 43.1 46.1 35.0 46.7 53.4
HILL STATIONS	41,787	39.0	38.9	41.0	46.8	50.6	51.3	53.9	52.5	49.5	46.1	43.7	41.9	47.9
BENGAL PRESIDENCY	363,431	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVI—continued.

TABLE showing the DAILY SICK-RATE of each MONTH for the Principal MILITARY STATIONS occupied from 1870 to 1879 on the AVERAGE of the TEN YEARS.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	DAILY SICK PER 1,000 OF THE AVERAGE STRENGTH, 1870-79.												Average for the Period.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Nusseerabad ...	6,363	51.9	54.3	56.8	64.0	66.1	66.8	60.1	68.1	89.9	96.5	88.5	61.3	68.5
Neemuch ...	4,260	51.5	49.3	49.2	49.2	53.1	55.0	59.4	70.5	101.6	145.0	128.4	79.9	74.2
Indore ...	937	49.0	39.4	46.5	60.4	51.9	45.6	48.7	53.5	65.1	77.6	63.1	53.9	54.4
Mhow ...	13,270	64.3	60.2	53.0	55.7	59.1	56.4	63.7	75.1	88.9	87.1	73.1	64.1	66.8
Deesa ...	7,065	45.9	40.2	43.6	42.5	40.0	45.4	55.4	55.7	59.2	63.5	59.7	44.3	50.0
Ahmedabad ...	2,735	53.2	52.7	47.8	48.3	47.8	56.9	63.2	61.2	68.3	75.3	72.8	67.4	58.9
Kurrachee and Ghizree ...	7,698	48.7	51.4	48.4	45.9	48.0	54.2	53.1	51.2	58.3	55.4	59.7	54.1	52.5
Hyderabad ...	3,764	47.6	38.8	39.6	38.1	38.6	43.4	43.0	44.6	50.6	56.2	70.1	71.9	48.1
Aden ...	7,277	33.2	37.8	38.5	33.7	40.6	46.0	40.5	40.0	39.3	30.9	27.7	35.6	37.0
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	51.0	49.6	48.3	48.7	50.9	53.7	55.6	60.2	71.3	74.9	70.1	58.7	57.7
Bombay ...	4,764	63.4	59.2	61.1	62.8	67.0	66.6	62.5	68.0	76.1	86.5	76.7	71.6	68.2
Asirgarh ...	812	60.5	52.7	42.9	41.2	42.5	32.6	31.4	43.0	56.6	71.2	63.5	56.1	49.3
Ahmednagar ...	4,642	49.1	46.5	43.3	38.3	39.4	46.7	54.7	59.5	58.5	52.6	55.4	43.8	48.9
Poona and Kirkee ...	20,984	56.0	51.9	51.3	49.4	52.1	53.2	60.6	63.7	59.1	57.5	57.7	55.2	55.9
Satara ...	1,708	50.6	49.7	58.7	59.1	61.7	61.2	65.3	62.1	63.5	68.5	78.8	50.2	60.3
Belgaum ...	9,660	44.3	46.1	44.1	45.3	48.6	51.6	53.5	56.8	53.8	57.9	65.1	53.5	51.7
Secunderabad ...	23,411	61.0	58.4	50.1	49.7	51.0	52.0	53.8	57.4	63.3	64.8	62.6	61.8	57.1
Kamptee ...	10,034	58.2	63.2	56.8	57.5	58.7	60.2	60.3	69.2	71.7	71.7	58.7	49.5	61.1
DECCAN AND NAGPORE ...	76,075	56.5	55.2	50.9	50.3	52.4	53.9	57.3	61.4	62.3	63.2	61.7	56.8	56.8
Bellary ...	8,609	75.4	74.9	56.2	54.4	56.3	57.9	68.7	70.1	72.5	71.7	77.7	71.4	67.0
Bangalore ...	16,678	54.9	65.4	58.8	58.2	60.3	61.6	59.8	61.4	60.8	60.1	60.7	57.1	60.0
Cannanore ...	6,579	61.6	53.8	46.1	47.3	45.5	51.4	58.4	60.6	61.2	61.7	56.3	64.2	55.6
Mallanpore ...	921	41.2	36.3	30.3	32.5	49.4	51.6	57.7	49.9	44.5	39.6	38.5	37.0	42.3
Calicut ...	47.7	49.9	36.4	40.0	43.8	41.8	52.7	52.3	63.5	68.9	48.2	42.2	48.4	
Trichinopoly ...	2,688	76.3	73.1	68.0	68.3	66.1	76.6	75.3	67.0	69.0	79.8	78.2	70.5	72.2
St. Thomas' Mount ...	3,639	64.9	68.3	57.0	61.1	69.8	62.4	59.5	60.7	65.7	68.1	67.0	65.7	64.0
Madras ...	6,825	62.4	59.0	54.6	58.0	63.6	63.9	68.5	68.2	65.4	60.9	66.0	62.7	62.7
SOUTHERN INDIA ...	46,847	62.3	64.1	55.4	55.9	58.5	60.1	63.2	63.8	64.2	64.1	64.6	62.1	61.5
Rangoon ...	8,145	49.0	49.9	42.4	44.4	49.1	50.5	56.5	54.8	52.9	53.6	52.5	50.2	50.5
Toungoo ...	4,299	39.1	41.7	43.6	44.3	41.9	56.3	55.9	56.9	49.2	43.7	40.3	34.9	45.8
Thayetmyo ...	6,853	30.2	33.7	35.3	38.5	45.0	52.4	56.6	54.5	52.9	49.4	45.7	39.1	44.9
Port Blair ...	1,199	26.0	24.7	27.8	23.6	28.9	38.1	29.9	33.7	30.5	27.7	29.7	26.5	29.2
BURMAH AND PEGU ...	20,496	39.6	41.7	39.7	41.3	45.0	51.8	54.9	54.0	50.8	48.4	46.5	42.1	46.4
Mount Aboo ...	1,069	45.9	48.1	38.9	52.6	61.2	52.3	67.4	59.5	61.4	61.7	68.2	49.7	55.2
Purandhar ...	825	83.2	68.1	82.3	95.2	86.4	93.5	92.0	77.6	69.2	86.5	88.4	94.8	86.1
Wellington ...	4,390	69.3	64.4	53.7	66.7	72.0	76.6	79.0	75.4	71.1	68.2	61.2	66.6	70.2
HILL STATIONS AND DEPOTS ...	8,178	62.6	58.0	54.1	68.0	75.9	77.4	80.0	77.4	72.3	71.9	64.7	66.4	70.9
Army of Bengal ...	363,431	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	60.0	64.2	57.8	60.9
Army of Madras ...	110,396	59.4	59.8	53.0	54.1	56.7	56.9	62.7	65.2	65.9	65.3	62.0	58.8	60.2
Army of Bombay ...	103,587	52.8	50.2	49.9	50.3	53.0	55.3	58.5	62.0	66.9	69.4	64.4	55.7	57.4
ARMY OF INDIA ...	577,416	55.0	54.4	51.8	53.3	57.8	60.6	63.0	66.0	69.3	69.0	63.8	57.7	60.1

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVII—continued.

TABLE showing the GENERAL ADMISSION-RATE of each MONTH for the Principal MILITARY STATIONS occupied from 1870 to 1879 on the AVERAGE of the TEN YEARS.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	ADMISSION-RATE PER 1,000 OF THE AVERAGE STRENGTH.												Admission-rate of the Period.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Nusserabad ...	6,363	122.2	105.7	114.5	141.5	152.9	137.6	148.1	191.6	237.4	245.8	183.9	124.2	1,897.5
Neemuch ...	4,260	114.2	98.3	100.0	119.5	124.7	123.2	151.7	204.4	327.6	374.4	303.2	199.8	2,242.5
Indore ...	937	127.2	105.4	146.9	128.0	99.7	91.3	129.0	175.4	194.2	175.3	118.5	119.3	1,613.7
Mhow ...	13,270	109.3	103.1	106.4	123.1	121.9	100.2	127.6	176.0	230.4	226.2	147.9	121.7	1,695.5
Deesa ...	7,065	83.2	77.2	82.7	80.4	79.8	106.2	175.5	120.6	125.9	164.8	125.3	90.5	1,329.7
Ahmedabad ...	2,735	134.9	119.1	131.5	125.7	126.3	176.3	175.0	192.1	228.3	263.0	211.0	194.2	2,044.6
Kurrachee and Ghizree ...	7,698	102.0	93.3	99.3	107.5	120.6	136.9	135.6	127.3	132.6	131.1	139.6	136.6	1,471.4
Hyderabad ...	3,764	126.9	92.4	86.4	99.1	91.3	112.2	118.4	109.4	126.4	180.4	219.9	247.4	1,584.5
Aden ...	7,277	65.2	60.5	71.3	71.6	129.9	127.4	122.8	107.1	80.1	65.0	46.1	93.5	1,046.0
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	104.3	92.8	99.3	109.7	119.6	121.4	141.3	152.1	183.2	195.7	156.4	136.4	1,614.0
Bombay ...	4,764	129.9	112.5	119.4	145.7	160.5	146.3	154.5	173.9	214.7	302.4	231.0	178.2	2,039.3
Asirgarh ...	812	128.1	97.6	93.7	82.4	87.5	87.7	108.2	146.6	207.5	253.3	175.5	142.6	1,580.0
Ahmednagar ...	4,642	90.4	77.5	81.3	90.2	84.5	88.7	120.7	115.4	97.9	115.4	101.8	88.8	1,154.5
Poona and Kirkee ...	20,984	97.0	91.9	131.8	131.9	120.0	119.5	151.8	137.7	121.0	125.1	123.0	120.2	1,488.1
Satara ...	1,708	87.3	76.8	78.9	104.5	113.1	121.4	132.2	133.3	127.7	145.9	136.3	116.7	1,365.9
Belgaum ...	9,660	73.1	74.9	78.6	81.0	80.1	82.2	91.6	88.6	83.9	97.2	111.1	85.2	1,026.3
Secunderabad ...	23,411	110.7	99.9	94.9	94.8	96.5	84.0	108.9	109.6	112.5	123.0	101.1	106.8	1,241.6
Kamptee ...	10,034	121.1	112.9	112.1	109.8	121.7	144.3	147.7	169.0	175.8	184.3	115.3	100.3	1,601.4
DECCAN AND NAGPORE	76,075	104.1	95.5	104.6	108.3	107.8	106.8	128.6	127.8	125.7	139.1	119.8	111.4	1,382.7
Bellary ...	8,609	104.3	90.4	91.1	91.2	83.4	91.8	119.2	109.6	111.6	120.0	127.7	132.7	1,271.2
Bangalore ...	16,678	82.7	114.1	117.0	118.5	111.6	118.4	112.8	106.3	89.6	89.9	86.5	90.9	1,241.8
Cannanore ...	6,578	103.2	84.6	91.5	109.0	98.6	101.7	116.4	105.7	103.0	103.8	102.4	114.4	1,233.0
Malliapoorem ...	921	72.9	59.8	43.2	70.4	112.8	91.4	79.4	75.5	59.0	66.0	81.4	79.4	891.4
Calicut ...	909	110.5	72.7	76.1	77.7	86.4	72.8	92.3	78.4	93.5	103.2	80.7	85.4	1,031.9
Trichinopoly ...	2,688	123.1	95.1	100.5	120.3	110.2	124.5	110.3	93.8	105.7	115.5	90.6	105.8	1,295.8
St. Thomas' Mount ...	3,639	96.7	87.0	106.2	123.0	141.9	98.8	118.4	97.2	97.3	111.7	95.3	90.5	1,264.4
Madras ...	6,825	82.3	83.3	89.2	101.2	110.3	110.3	140.8	119.8	100.1	97.6	94.5	85.1	1,210.4
SOUTHERN INDIA	46,847	93.3	95.9	100.6	108.4	106.1	107.3	117.6	106.2	98.1	101.6	98.2	100.9	1,235.3
Rangoon ...	8,145	96.2	84.1	76.4	79.3	93.3	100.4	115.9	96.2	95.6	96.8	88.0	101.8	1,123.4
Toungoo ...	4,299	73.1	74.6	81.6	84.4	93.9	116.5	124.8	108.8	90.5	79.3	72.9	65.4	1,075.6
Thayetmyo ...	6,853	64.1	66.1	75.3	100.2	109.5	119.1	128.8	102.5	98.6	85.4	78.0	75.2	1,118.8
Port Blair ...	1,199	59.3	51.2	54.8	51.5	61.2	98.5	64.0	71.6	60.2	62.0	72.2	67.9	777.3
BURMAH AND PEGU	20,496	78.9	74.6	75.9	86.2	97.2	110.2	119.3	99.6	93.5	87.1	80.6	84.0	1,091.6
Mount Aboo ...	1,069	147.8	101.8	125.1	148.1	136.0	143.1	279.0	178.4	141.6	286.7	271.5	246.9	2,032.7
Purandhar ...	825	149.8	136.3	235.7	219.0	172.9	152.6	200.3	131.8	150.4	167.1	176.9	179.9	2,112.7
Wellington ...	4,390	99.4	85.3	139.4	128.6	130.3	120.2	130.8	107.0	96.8	97.7	78.0	83.1	1,313.4
HILL STATIONS AND DEPÔTS	8,178	112.8	96.1	143.2	150.5	146.3	133.7	163.3	126.8	117.7	130.7	113.8	114.9	1,594.2
Army of Bengal ...	363,431	101.5	90.4	98.1	117.8	128.4	122.2	139.3	145.4	160.0	164.0	137.7	117.8	1,522.0
Army of Madras ...	110,396	98.5	95.0	98.1	104.5	106.7	108.5	122.4	114.9	109.4	111.7	96.8	97.6	1,264.4
Army of Bombay ...	103,587	102.7	91.7	104.4	115.5	117.2	121.4	141.0	144.0	154.9	170.4	144.4	124.1	1,533.5
ARMY OF INDIA	577,416	101.2	91.5	99.2	114.9	122.2	119.4	136.4	139.3	149.3	155.2	131.1	115.1	1,474.8

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXVIII—continued.

TABLE showing the ADMISSION-RATES from ALL CAUSES and from the CHIEF DISEASES in the Principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	AVERAGE ANNUAL ADMISSION-RATE PER 1,000 FOR THE CHIEF DISEASES.															Average Annual Ad-mission-rate from all Causes.		
		Dengue.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.		Eye diseases.	All other Causes.
Nusseerabad ...	6,363	11·8	2·2	·2	6·3	745·9	81·4	7·2	6·4	37·1	75·6	53·4	97·6	4·7	66·2	216·7	29·7	455·1	1,897·5
Neemuch ...	4,260	...	16·9	...	5·4	1,058·0	247·7	4·7	5·6	24·6	100·0	55·4	67·8	4·7	56·6	204·5	16·0	374·6	2,242·5
Indore ...	937	...	9·6	...	3·2	527·2	96·1	3·2	14·9	14·9	76·8	33·1	76·8	20·3	61·9	274·3	18·2	383·2	1,613·7
Mhow ...	13,270	·8	1·1	·2	3·5	701·9	81·8	3·0	3·7	21·6	44·9	58·2	79·3	6·3	59·6	205·0	25·2	399·4	1,695·5
Deesa ...	7,065	83·8	·7	·3	3·0	431·0	75·0	8·9	3·3	18·8	39·6	43·8	70·1	10·6	35·0	157·3	33·5	315·0	1,329·7
Ahmedabad ...	2,735	9·1	7·3	·7	5·1	507·1	407·7	12·8	7·7	16·5	107·5	29·6	55·9	6·6	89·6	163·1	26·3	592·0	2,044·6
Kurrachee and Ghizree ...	7,698	23·0	·4	·7	6·0	466·7	184·4	3·0	4·3	35·6	95·1	25·6	57·1	5·7	38·7	101·6	19·1	404·4	1,471·4
Hyderabad ...	3,764	6·4	...	·3	2·1	712·3	93·3	10·6	4·5	22·6	35·9	17·5	48·6	5·0	42·5	143·7	12·5	426·7	1,584·5
Aden ...	7,277	85·2	·1	·3	1·0	205·4	112·4	8·8	7·1	33·0	40·1	36·3	40·8	7·0	44·2	85·8	11·4	327·1	1,046·0
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	24·0	2·6	·3	4·0	589·2	133·7	6·3	5·1	26·9	62·4	43·0	67·2	6·7	52·0	165·3	22·4	402·9	1,614·0
Bombay ...	4,764	39·1	·4	·6	·8	917·3	94·5	2·3	6·5	52·3	68·2	59·4	50·8	9·5	55·0	239·9	12·0	421·7	2,039·3
Asirgarh ...	812	2·4	1·2	565·3	147·8	3·7	4·9	30·8	40·6	39·4	75·1	9·9	56·6	158·9	28·3	415·1	1,580·0
Ahmednagar ...	4,642	...	1·1	1·1	2·4	345·5	74·1	2·2	3·7	16·8	45·2	30·8	45·2	1·9	35·1	194·8	21·5	333·1	1,154·5
Poona and Kirkee ...	20,984	47·9	2·6	1·0	2·2	441·7	175·2	1·0	3·7	28·6	63·8	27·0	59·2	8·0	47·2	210·5	24·8	343·7	1,488·1
Satara ...	1,708	...	1·2	1·2	3·5	522·8	113·6	·6	6·4	18·1	27·5	27·5	56·8	7·6	27·5	319·7	11·1	220·8	1,365·9
Belgaum ...	9,660	...	·1	·1	1·0	257·7	56·4	·5	4·9	16·5	36·3	20·1	45·2	4·9	36·4	233·4	10·8	302·0	1,026·3
Secunderabad ...	23,411	·1	4·7	·3	6·8	86·0	131·0	2·8	4·0	104·4	94·3	68·5	57·2	5·8	46·2	196·9	16·9	415·7	1,241·6
Kamptee ...	10,034	8·0	·9	2·4	1·9	486·5	140·3	6·5	4·8	31·2	51·3	27·5	81·2	7·6	42·1	269·4	23·2	416·6	1,601·4
DECCAN AND NAGPORE	76,075	16·8	2·4	·8	3·4	343·4	129·0	2·4	4·3	51·3	66·1	41·5	59·0	6·6	44·3	220·0	19·1	372·3	1,382·7
Bellary ...	8,609	...	·8	·1	·8	149·5	213·8	1·2	1·6	20·8	47·2	39·5	36·1	4·9	36·4	323·6	27·1	367·8	1,271·2
Bangalore ...	16,078	1·8	·8	·8	6·1	204·9	85·1	·8	5·5	52·8	42·9	47·1	57·6	9·0	50·3	204·4	23·5	448·4	1,241·8
Cannanore ...	6,579	4·7	·5	·2	10·0	10·9	185·6	1·1	4·0	126·6	81·9	100·0	45·3	12·9	40·3	122·8	8·5	477·7	1,233·0
Mallapoorum ...	921	...	2·2	...	3·3	11·9	77·1	14·1	5·4	146·6	59·7	85·8	39·1	13·0	29·3	68·4	3·3	332·2	891·4
Calicut ...	909	1·1	13·2	80·3	5·5	5·5	92·4	58·3	74·8	47·3	13·2	30·8	199·1	6·6	403·8	1,031·9
Trichinopoly ...	2,688	45·4	2·2	·4	·4	89·3	143·6	8·6	4·4	62·1	50·2	71·8	37·2	8·6	36·1	194·9	14·9	525·7	1,295·8
St. Thomas' Mount ...	3,639	34·6	·5	·5	2·2	31·9	120·1	11·3	6·1	77·2	55·5	87·1	49·7	12·4	40·7	216·3	16·5	501·8	1,264·4
Madras ...	6,825	43·2	3·2	...	·3	39·7	116·6	2·3	5·9	34·9	39·9	55·0	76·3	13·0	52·5	225·8	14·4	487·4	1,210·4
SOUTHERN INDIA	46,847	12·9	1·2	·4	4·0	115·8	133·3	2·7	4·6	59·7	50·8	60·1	52·3	9·8	44·3	215·6	18·9	448·9	1,235·3
Rangoon ...	8,145	36·2	·9	·4	2·2	79·1	90·6	1·8	6·7	107·3	58·2	63·5	51·8	5·2	49·0	166·4	9·4	394·7	1,123·4
Toungoo ...	4,299	15·3	1·2	·7	·7	46·5	88·2	4·4	6·5	142·6	90·3	94·7	40·0	9·1	33·5	116·3	9·3	376·8	1,075·6
Thayetmyo ...	6,853	21·6	15·5	·1	1·8	63·2	121·6	5·3	4·1	49·3	79·4	75·6	57·3	4·1	41·7	97·2	13·3	467·7	1,118·8
Port Blair ...	1,199	1·7	1·7	70·1	22·5	1·7	5·0	20·0	24·2	65·1	49·2	4·2	20·8	66·7	5·8	418·6	777·3
BURMAH AND PEGU	20,406	24·8	5·8	·3	1·7	66·4	96·5	3·5	5·7	90·2	70·0	74·2	51·0	5·6	41·7	126·9	10·5	416·8	1,091·6
Mount Aboo ...	1,069	·9	4·7	1,147·8	15·9	2·8	5·6	35·6	66·4	48·6	65·5	4·7	50·5	203·0	27·1	353·6	2,032·7
Purandhar ...	825	3·6	738·2	38·8	3·6	1·2	21·8	54·6	49·7	99·4	20·6	93·3	190·3	17·0	780·6	2,112·7
Wellington ...	4,390	...	·7	...	5·4	150·3	132·8	2·7	4·1	54·2	49·9	57·4	98·2	15·5	80·4	145·6	19·6	496·6	1,313·4
HILL STATIONS AND DÉPÔTS	8,178	...	·5	·2	4·4	446·9	118·2	3·2	3·9	46·3	54·8	57·7	82·8	13·0	71·2	180·4	20·3	490·4	1,594·2
Army of Bengal ...	363,431	13·1	5·9	·8	5·3	425·4	181·9	4·0	3·0	33·1	62·4	47·1	84·1	8·2	62·0	208·6	20·1	357·0	1,522·0
Army of Madras ...	110,396	11·5	2·9	·5	3·9	140·2	126·3	3·3	4·6	76·9	61·8	67·2	57·4	9·3	46·4	198·1	17·4	433·7	1,264·4
Army of Bombay ...	103,587	24·5	2·1	·6	3·1	528·5	131·4	4·2	4·7	27·6	60·8	40·9	63·9	7·7	49·5	191·1	21·0	371·9	1,533·5
ARMY OF INDIA	577,416	14·8	4·7	·7	4·6	389·4	162·2	3·9	3·6	40·4	62·6	49·8	75·4	8·3	56·8	203·5	19·8	374·3	1,474·8

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIX.

TABLE showing the MORTALITY from the CHIEF DISEASES relative to the NUMBER of CASES treated in the Principal MILITARY STATIONS between 1870 and 1879.


STATIONS.	Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED FROM 1870 TO 1879.														
		Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	All other Causes.
Fort William	8,719	68.75	28.57	2.94	2.39	.38	3.68	...	10.0042	
Dum-Dum	6,068	60.00	...	71.4367	18.18	25.00	3.49	.46	6.13	12.00	1.12	17.39	.63	
Barrackpore	4,056	100.00	100.00	52.63	...03	...62	33.33	...	2.33	.24	4.84	7.69	.39	8.33	.29	
BENGAL PROPER	18,914	69.57	50.00	38.46	.03	.43	28.26	5.08	2.64	.33	4.59	5.48	.65	12.20	.44	
Hazaribagh	4,697	27.27	100.00	40.58	...	1.09	66.67	...	2.91	...	33.3336	5.68	.33	
Dinapore	8,503	66.67	42.86	50.0048	42.42	7.69	4.17	.39	5.1231	8.51	.38	
Benares	4,988	59.09	...	58.33	.09	1.88	48.39	...	3.02	...	6.76	16.67	.25	
Fyzabad	8,810	61.14	100.00	44.4433	26.67	...	3.83	.18	4.1234	17.72	.32	
Lucknow	23,062	66.90	19.23	35.8677	39.22	2.33	3.09	.06	3.59	...	1.04	14.40	.33	
Sitapur	5,530	50.00	50.00	47.37	.24	1.01	46.15	...	2.21	...	4.18	...	7.17	28.00	.35	
Fatehgarh	2,25852	37.50	6.60	50.00	1.74	11.11	.49	
Cawnpore	8,423	75.00	15.38	48.57	.08	.58	37.70	...	3.66	.20	3.82	...	1.04	12.68	.35	
Allahabad	9,163	60.47	15.38	39.47	.04	.63	31.51	5.00	3.86	.19	4.6444	15.00	.33	
GANGETIC PROVINCES AND OUDH	76,159	63.96	19.19	41.15	.04	.73	37.10	2.55	3.38	.14	4.50	.33	.66	13.72	.33	
Shahjahanpur	3,351	50.00	...	46.67	...	1.90	28.57	...	2.91	2.87	6.2056	24.00	.39	
Bareilly	7,788	57.14	11.11	50.0021	25.00	4.17	2.95	...	2.45	1.96	.39	15.38	.51	
Moradabad	2,079	50.00	...	42.86	...	1.66	50.00	...	4.83	...	8.2424	
Roorkee	3,989	63.64	...	28.5744	71.43	...	3.55	.63	4.6784	33.33	.67	
Meerut	14,222	71.95	31.25	36.19	.02	.67	29.33	12.28	4.60	.24	6.92	...	1.03	12.61	.59	
Delhi	4,495	85.71	5.88	80.00	...	2.26	88.24	...	4.09	...	3.54	1.23	.88	16.67	.39	
Muttra	3,846	50.00	33.33	46.1570	31.91	25.00	4.8654	7.69	.46	
ROHILCUND AND MEERUT	39,770	68.91	15.38	42.63	.01	.83	37.87	6.41	3.78	.36	5.40	.68	.80	15.49	.47	
Agra	9,896	64.29	6.25	40.91	.07	.89	40.54	7.14	3.75	...	3.9775	23.91	.34	
Morar	10,708	76.14	30.77	54.72	.09	.79	36.84	6.67	7.03	.17	5.95	...	1.23	14.00	.70	
Gwalior Fortress	3,416	70.59	25.00	33.33	...	1.87	20.00	...	1.55	...	3.6255	25.81	.66	
Jhansi	4,136	100.00	...	28.57	...	2.27	33.33	11.11	5.49	...	2.4768	9.09	.45	
Newong	2,825	100.00	...	62.50	.06	.93	66.67	...	4.08	...	5.11	...	1.60	10.00	.48	
Saugor	4,590	57.89	...	50.00	.03	1.03	20.00	12.50	3.28	...	2.83	...	2.15	16.67	.49	
Jubbulpore	4,974	83.33	...	40.00	.08	4.02	45.45	...	4.88	.92	6.0655	3.03	.48	
AGRA AND CENTRAL INDIA	40,631	72.38	15.38	46.37	.05	1.10	37.16	5.31	4.72	.15	4.54	...	1.03	15.32	.50	
Umballa	13,298	54.76	...	35.80	.03	.19	47.83	4.00	2.47	...	3.09	2.27	.54	17.14	.35	
Jullundur	7,075	90.00	50.00	55.17	...	2.12	45.83	10.00	8.51	...	3.63	...	1.92	14.29	.50	
Ferozepore	10,400	83.33	...	46.35	.02	.76	39.39	5.48	4.26	...	4.64	...	1.84	13.70	.62	
Mooltan	8,109	66.67	...	46.15	.07	1.29	29.79	12.00	3.69	...	2.07	...	1.64	9.78	.46	
Dera Ismail Khan	993	100.00	...	25.0033	27.27	...	4.76	1.32	4.0079	
Meean Meer	9,291	69.01	20.00	53.06	.03	1.74	38.20	6.38	5.95	.21	4.71	...	1.24	16.00	.50	
Fort Lahore	1,130	100.00	...	30.77	.06	1.82	66.67	20.00	4.00	...	7.694279	
Amritsar and Govindgarh	2,532	28.57	...	57.1475	42.11	16.67	1.33	...	3.854235	
Sialkot	10,161	66.67	8.33	62.50	.03	1.35	33.33	16.00	4.01	...	3.12	1.32	1.08	16.46	.47	
Rawalpindi	16,145	75.76	9.52	49.33	.03	.72	33.33	...	4.82	.13	3.79	...	1.17	20.24	.44	
Attock	1,697	100.00	...	60.00	.05	...	66.67	12.50	2.25	...	1.44	33.33	.75	
Nowshera	5,744	71.43	...	46.67	.06	.54	34.38	16.67	4.96	...	4.25	1.79	2.06	13.33	.35	
Peshawar	15,274	75.11	15.38	43.56	.05	.31	42.11	6.35	4.83	.10	1.20	...	1.13	16.79	.49	
PUNJAB	112,288	72.55	9.30	48.51	.04	.71	39.93	6.91	4.24	.08	3.36	.38	1.58	15.10	.48	
Darjeeling	630	5.26	16.67	.51	
Ranikhet	7,845	50.0085	10.56	.54	3.037066	
Chakrata	7,153	25.00	...	50.0032	4.08	.45	2.9571	7.50	.90	
Dagshai	8,317	66.67	...	42.50	.09	1.15	2.27	...	5.35	6.67	1.40	2.38	.55	
Subathu	6,645	69.29	...	29.2746	50.00	7.14	3.37	.50	2.2538	7.27	.65	
Jutogh	858	2.27	...	3.45	
Dhamsala (9 years)	651	80.00	4.76	12.50	...	
Dalhousie (6 years)	400	1.61	20.00	
Murree Hills	5,733	75.61	...	45.00	.09	.83	20.00	16.67	5.00	...	3.10	2.00	.83	3.85	.45	
Cherat (9 years)	3,392	50.00	...	41.0773	3.48	...	3.43	...	1.29	2.63	.69	
HILL STATIONS	41,787	68.37	...	35.07	.05	.84	15.00	6.16	5.32	.24	3.32	.98	1.01	7.94	.57	
BENGAL PRESIDENCY	363,431	70.26	15.31	43.39	.04	.86	38.66	5.58	4.13	.19	4.33	.62	1.49	14.64	.49	

II.—GENERAL STATISTICS OF STATIONS, 1870-79.

XXXIX—continued.

TABLE showing the MORTALITY from the CHIEF DISEASES relative to the NUMBER of CASES treated in the Principal MILITARY STATIONS between 1870 and 1879.

STATIONS.	Aggregate of the Average Strength of the Ten Years.	NUMBER OF DEATHS OUT OF EACH HUNDRED CASES TREATED FROM 1870 TO 1879.														
		Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	All other Causes.
Nusserabad ...	6,363	92'86	...	67'50	'08	2'51	30'43	2'44	4'24	'42	4'41	...	1'13	13'33	...	'49
Neemuch ...	4,260	76'39	...	69'57	'02	'76	50'00	12'50	7'62	...	3'39	...	'35	'29
Indore ...	937	88'89	...	33'33	...	3'33	33'33	10'53	...	'29
Mhow ...	13,270	66'67	...	55'32	'02	1'20	22'50	2'04	2'45	'17	2'72	...	'38	9'64	...	'43
Deesa ...	7,065	60'00	...	47'62	'07	1'32	38'10	13'04	3'76	'36	3'88	2'56	1'62	22'67	33'33	'50
Ahmedabad ...	2,735	60'00	50'00	78'57	...	'72	48'57	4'76	2'22	...	6'17	...	1'96	5'56	...	'46
Kurrachee and Ghizree ...	7,698	66'67	...	60'87	...	'63	56'52	6'06	3'65	'27	4'57	...	'91	40'91	...	'38
Hyderabad ...	3,764	87'50	...	'85	27'50	1'52	...	1'64	10'53	...	'38
Aden ...	7,277	100'00	...	28'57	...	'24	39'06	...	4'58	...	6'06	...	2'36	9'80	...	'35
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	75'00	11'11	60'65	'03	'92	37'24	4'33	3'64	'18	3'74	'26	1'02	15'66	9'09	'41
Bombay ...	4,764	75'00	'07	1'11	45'45	3'23	2'81	'31	6'36	...	1'05	11'11	...	'44
Asirgarh ...	812	100'00	...	1'67	33'33	6'25	12'50	...	'19
Ahmednagar ...	4,642	80'00	...	27'27	...	'87	50'00	5'88	3'85	'48	2'10	'41
Poona and Kirkee ...	20,984	72'73	4'55	47'83	'02	'33	52'38	3'90	3'33	'37	5'29	...	'64	14'37	18'18	'36
Satara ...	1,708	...	50'00	50'00	'11	...	100'00	9'09	3'23	...	2'13	...	2'06	7'69	...	'51
Belgaum ...	9,660	100'00	100'00	80'00	...	'55	40'00	2'13	1'89	'28	7'22	...	1'37	6'38	...	'34
Secunderabad ...	23,411	50'45	...	40'00	...	'33	49'23	4'26	3'60	...	6'24	...	'52	13'07	...	'33
Kamptee ...	10,034	55'56	33'33	36'84	...	'99	38'46	2'08	2'56	...	6'52	...	'37	10'53	...	'46
DECCAN AND NAGPORE ...	76,075	57'29	17'46	43'19	'02	'50	45'30	3'65	3'33	'16	5'90	...	'65	12'18	11'76	'37
Bellary ...	8,609	42'86	...	42'86	'08	'65	40'00	7'14	1'68	'25	3'24	...	'64	19'05	...	'35
Bangalore ...	16,678	61'54	7'09	31'68	...	'42	42'86	4'40	1'36	...	4'59	...	'31	10'00	...	'42
Cannanore ...	6,579	66'67	...	22'73	...	'16	42'86	7'69	2'04	...	4'10	...	1'34	7'06	...	'26
Mallapooram ...	921	100'00	...	66'67	...	1'41	15'38	...	2'22	...	2'53	'50
Calicut ...	909	100'00	...	1'37	20'00	...	5'95	...	5'88	'52
Trichinopoly ...	2,688	66'67	'78	60'87	16'67	1'20	'74	6'74	20'00	2'00	17'39	...	'55
St. Thomas' Mount ...	3,639	50'00	...	62'50	...	'23	26'83	4'55	4'98	...	5'36	11'11	...	'61
Madras ...	6,825	72'72	...	50'00	...	'25	68'75	2'50	1'68	...	1'60	...	'38	6'74	...	'36
SOUTHERN INDIA ...	46,847	65'45	5'56	31'22	'02	'45	40'63	5'12	2'15	'08	4'12	'73	'53	9'61	...	'31
Rangoon ...	8,145	42'86	33'33	16'67	...	'14	33'33	3'64	3'78	...	3'29	...	'24	7'14	...	'49
Toungoo ...	4,299	20'00	...	66'67	...	1'06	63'16	7'14	2'77	...	3'19	2'56	...	'47
Thayetmyo ...	6,853	66'98	...	50'00	...	'24	41'67	10'71	1'18	...	2'70	...	'25	17'86	...	'34
Port Blair ...	1,199	50'00	...	3'70	50'00	1'28	40'00	...	'33
BURMAH AND PEGU ...	20,496	63'56	14'29	34'29	...	'40	45'83	5'98	2'92	...	2'96	...	'19	9'65	...	'43
Mount Aboo ...	1,069	40'00	...	5'88	66'67	16'67	10'53	...	1'92	...	1'43	20'00	...	'89
Purandhar ...	825	66'67	...	3'13	5'56	...	4'88	...	2'44	'93
Wellington ...	4,390	33'33	...	41'67	...	'34	25'00	...	1'68	...	3'57	...	1'16	4'41	...	'93
HILL STATIONS AND DERÔTS ...	8,178	50'00	...	50'00	...	'41	26'92	6'25	3'17	'67	3'18	...	1'18	5'66	...	'63
Army of Bengal ...	363,431	70'26	15'31	43'39	'04	'86	38'66	5'58	4'13	'19	4'33	'62	1'49	14'64	3'05	'49
Army of Madras ...	110,396	58'49	18'18	36'43	'01	'48	43'85	5'09	3'02	'07	4'71	'37	'55	12'62	...	'47
Army of Bombay ...	103,587	73'27	8'47	56'39	'03	'74	37'59	4'07	3'53	'29	4'18	'16	1'09	14'14	11'36	'43
ARMY OF INDIA ...	577,416	69'11	14'71	43'83	'04	'79	39'29	5'10	3'65	'19	4'40	'52	1'29	14'12	4'35	'47



III.—STATISTICS OF INDIVIDUAL STATIONS, 1870-79.

III.—STATISTICS OF INDIVIDUAL STATIONS—FORT WILLIAM, 1870-79.

XLI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FORT WILLIAM in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	875	36.1	36.5	50.8	61.4	78.5	82.1	80.0	77.8	72.3	77.0	79.5	76.0	67.4
1871	"	800	66.8	69.2	51.7	53.0	53.3	55.6	62.6	66.0	75.2	60.0	81.1	77.8	62.5
1872	"	823	90.6	98.1	80.2	82.3	81.4	96.1	101.0	103.4	103.8	80.4	80.5	90.0	90.6
1873	"	859	89.9	92.9	62.1	60.1	72.5	80.4	100.6	87.2	83.7	70.5	65.5	58.7	76.8
1874	"	954	33.5	43.0	34.7	51.0	48.9	39.0	50.6	58.9	56.0	58.2	42.4	34.3	46.1
1875	"	922	41.1	33.2	27.3	28.1	34.8	50.3	57.0	61.5	59.5	48.0	34.0	27.0	41.2
1876	"	934	43.6	31.0	44.8	51.2	42.1	47.6	51.1	50.2	49.2	56.0	48.1	62.8	48.2
1877	"	855	46.9	37.0	52.0	37.0	32.4	26.7	35.0	38.4	40.9	44.9	46.6	43.5	39.8
1878	"	941	40.3	35.3	28.8	24.7	17.3	40.0	56.3	50.8	47.4	45.7	43.5	39.6	39.3
1879	"	751	21.3	23.1	40.6	40.4	46.9	48.5	62.1	59.8	55.5	61.3	32.4	34.4	45.3
Ten Years, 1870-79	...	8,719	48.1	47.3	46.9	49.1	50.8	56.8	65.7	65.5	64.4	60.2	52.9	51.3	54.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	2.3	4.6	413.7	1.1	2.3	75.4	36.6	77.7	10.3	24.0	4.6	37.7	196.6	16.0	85.7	65.1	235.4	1,289.1
1871	7.4	292.6	...	1.3	38.8	38.8	97.5	13.7	45.0	8.7	38.8	206.2	16.2	102.5	70.0	252.5	1,230.0	
1872	2.4	543.5	2.4	3.6	71.3	26.6	129.2	6.0	62.8	26.6	73.7	285.0	9.7	82.1	97.8	555.6	1,980.7	
1873	3.5	339.9	...	3.5	48.9	43.1	85.0	...	80.3	33.7	62.9	159.5	7.0	79.2	128.0	279.4	1,353.9	
1874	1.1	197.0	1.1	10.5	22.0	33.5	16.8	...	43.0	7.3	52.4	160.4	9.4	67.1	68.1	149.9	840.7	
1875	...	187.6	2.2	6.5	22.8	19.5	27.1	...	40.1	11.9	31.4	155.1	13.0	112.8	69.4	187.7	887.2	
1876	3.2	158.5	4.3	2.1	18.2	16.1	37.5	1.1	57.8	4.3	46.0	225.9	7.5	63.2	61.0	156.3	863.0	
1877	2.3	188.3	1.2	2.3	8.2	14.0	33.9	9.4	43.3	7.0	50.3	193.0	4.7	46.3	79.5	154.4	838.6	
1878	2.1	282.7	2.1	1.1	6.4	29.7	12.8	...	34.0	6.4	21.2	157.3	8.5	109.5	68.0	214.6	956.4	
1879	1.3	266.3	1.3	5.3	30.6	47.9	25.3	1.3	26.6	5.3	40.0	190.4	10.7	54.6	86.6	123.9	917.4	
Ten Years, 1870-79	1.8	1.5	283.7	1.6	3.9	33.6	30.2	53.0	4.0	45.8	11.5	45.2	191.9	10.2	80.7	78.8	229.0	1106.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	2.29	1.14	9.14	12.57	11	2	3	3	2	1		
1871	10.00	10.00	8		
1872	1.21	2.42	10.86	14.49	12		
1873	1.16	1.16	6.99	9.31	8		
1874	1.05	3.14	11.53	15.72	15		
1875	...	3.25	3.25	6.51	6		
1876	3.21	2.14	5.36	10.71	10		
1877	1.17	4.68	7.02	12.87	11		
1878	2.13	2.13	5.30	9.56	9		
1879	...	1.33	4.00	5.33	4		
Ten Years, 1870-79	1.26	2.18	7.34	10.78	94	11	4	1	8	17	...	2	10	10	12	19	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1	2
1871
1872
1873	1	2
1874	1	3
1875	1
1876	2	...	1	3
1877	...	1	2
1878	...	1	...	1	2
1879	1	1
Ten Years, 1870-79	...	2	...	5	1	1	1	2	...	2	16

III.—STATISTICS OF INDIVIDUAL STATIONS—DUM-DUM, 1870-79.

XLIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DUM-DUM in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	611	46.9	53.1	58.5	59.0	57.7	59.8	72.1	71.0	73.6	68.8	33.3	30.3	55.7
1871	... "	672	35.8	37.7	27.5	28.9	32.1	39.9	36.1	23.0	26.1	29.3	34.3	44.9	32.7
1872	... "	702	45.1	38.0	31.0	30.8	52.4	36.7	38.6	45.0	40.6	48.6	30.3	32.9	38.5
1873	... "	641	43.3	28.2	23.6	31.7	30.1	30.3	43.5	50.2	48.7	46.1	43.5	37.0	37.4
1874	... "	619	42.2	31.6	22.6	34.6	36.5	46.3	54.1	52.8	54.6	39.4	37.0	37.8	40.4
1875	... "	636	19.4	23.6	27.6	31.5	40.5	37.0	35.1	44.1	45.8	42.0	33.2	33.6	33.0
1876	... "	634	52.4	58.7	47.9	50.2	40.4	34.9	41.7	67.1	58.2	61.0	63.6	69.8	53.6
1877	... "	614	48.6	39.9	34.4	41.9	55.1	50.7	43.8	57.6	67.8	74.5	66.5	64.0	53.7
1878	... "	590	60.2	57.1	45.6	44.6	57.8	59.9	54.8	73.1	78.9	62.2	50.3	42.0	57.6
1879	... "	351	57.8	57.5	86.5	55.7	84.3	60.2	75.5	84.8	81.8	88.0	106.5	78.1	74.1
Ten Years, 1870-79	...	6,068	43.3	41.6	36.9	40.8	46.5	44.3	48.3	55.5	56.2	54.5	45.5	44.3	46.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1.6	...	204.6	...	3.3	55.7	45.8	44.2	6.6	50.7	4.9	57.3	234.0	19.7	72.0	72.0	147.3	1,019.7
1871	3.0	1.5	447.9	4.5	4.5	19.3	25.3	29.8	1.5	40.2	4.3	35.7	135.4	4.5	69.9	96.7	126.4	1,050.6
1872	320.5	5.7	1.4	49.9	38.5	58.4	10.0	66.9	15.7	41.3	123.9	8.3	69.6	121.0	441.6	1,403.1
1873	104.5	21.8	12.5	53.1	1.6	14.0	17.1	34.3	120.1	9.4	65.5	40.6	132.6	628.7
1874	...	1.6	229.4	43.6	35.6	22.6	1.6	22.6	14.5	17.8	111.5	11.3	82.4	48.5	135.7	780.3
1875	...	3.2	199.7	28.3	40.9	9.4	4.7	28.3	6.3	20.5	152.5	6.3	88.0	42.5	108.6	731.1
1876	1.6	...	572.5	...	1.6	37.9	55.2	41.0	4.7	56.8	20.5	37.9	224.0	17.3	56.8	53.6	258.7	1,440.1
1877	1.6	...	518.0	6.5	...	14.7	22.8	27.7	...	40.7	8.1	30.9	215.0	8.1	71.7	45.6	226.4	1,237.8
1878	688.1	...	1.7	39.0	30.5	13.6	1.7	27.1	10.1	39.0	240.7	6.8	67.8	64.4	178.6	1,408.5
1879	...	2.8	814.9	91.2	68.4	54.1	11.4	68.4	11.4	42.7	387.5	14.2	102.6	68.4	364.6	2,102.6
Ten Years, 1870-79	...	1.8	389.0	1.8	1.3	37.7	36.1	34.9	4.1	44.2	11.4	35.4	183.9	10.4	73.3	66.1	206.7	1,138.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	3.27	14.73	18.00	11	
1871	1.49	2.98	14.87	19.34	13	1	
1872	...	2.85	17.09	19.94	14	
1873	...	1.56	12.48	14.04	9	
1874	...	1.62	19.38	21.00	13	
1875	...	1.57	12.58	14.15	9	
1876	...	1.58	14.19	17.35	11	1	
1877	1.63	1.63	3.25	6.51	4	1	
1878	6.73	6.78	4	
1879	14.25	14.25	5	
Ten Years, 1870-79	...	1.50	13.02	15.33	93	3	...	5	9	2	2	9	13	3	3	9	12	12	11	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.							
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.								
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	1	1	...	1	5

III.—STATISTICS OF INDIVIDUAL STATIONS—BARRACKPORE, 1870-79.

XLIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BARRACKPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.				
January	3,314	216	65.2	7	1	1	2	1	1	2
February	3,990	237	59.4	5	1
March	4,234	243	57.4	1	1	...
April	4,277	234	52.4	7	1	1	1
May	4,305	254	59.0	7	1
June	4,361	277	63.5	6
July	4,411	281	63.7	7
August	4,380	311	71.0	9	3	...	1	1
September	4,365	309	70.8	8	1
October	4,242	297	70.0	10
November	3,539	289	81.7	11
December	3,258	230	70.6	7	1
						2	1	10	1	10	7	...	9	1	20	1	1	4	3	1	6	8		
Died per 1,000 of the Average Strength.																													
For the Ten Years	4,056	264	65.1	85	20.96	.49	.25	2.46	2.71	1.72	...	2.22	.25	4.93	.25	.25	.90	.7425	1.48	1.97			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	37	163	35	3	2	240	59.2	...	
Cholera	1	2	5	100.00	
Smallpox	1	1	2	100.00	
Enteric Fever	1	...	2	...	2	5	2	1	2	19	4.7	52.63	
Fever, Intermittent	140	75	66	74	58	56	47	57	70	136	229	230	1,238	305.2	.08	
Fever, Remittent and Continued	40	49	84	113	189	283	156	135	121	172	173	89	1,604	395.5	.62	
Apoplexy	5	5	3	...	1	1	2	1	1	21	5.2	33.33	
Delirium Tremens	4	...	1	1	...	2	3	2	2	...	15	3.7	...	
Dysentery	29	23	17	27	35	26	43	51	42	43	22	28	386	95.2	2.33	
Diarrhœa	28	11	23	20	32	23	63	63	54	46	30	23	416	102.6	.24	
Hepatitis	33	34	30	20	31	44	41	55	30	38	34	23	413	101.8	4.84	
Spleen disease	1	1	1	1	4	2	2	3	13	3.2	7.69	
Respiratory diseases	20	28	27	9	23	19	24	26	17	10	24	27	254	62.6	.39	
Phthisis Pulmonalis	2	1	3	3	5	5	7	2	4	1	2	1	36	8.9	8.33	
Scurvy
Rheumatism	8	19	24	19	23	24	29	18	22	17	15	9	227	56.0	...	
Veneral diseases	62	93	107	61	77	50	72	83	52	71	47	49	824	203.1	...	
Eye diseases	3	8	8	5	9	4	4	4	4	7	9	11	76	18.7	...	
Abscess and Ulcer	26	23	50	40	37	35	47	53	38	34	26	18	427	105.3	...	
Wounds and Accidents	41	67	63	68	61	56	61	62	50	51	43	46	669	164.9	...	
All other Causes	49	71	117	114	101	101	152	162	149	126	89	46	1,277	314.8	...	
Admitted per 1,000 of the Average Strength in each Month.												8,158				
146.7	126.3	147.4	144.0	197.9	175.6	170.5	177.6	152.6	179.2	211.4	186.0		2,011.3			

III.—STATISTICS OF INDIVIDUAL STATIONS—BARRACKPORE, 1870-79.

XLV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BARRACKPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	442	53.6	54.1	57.9	41.9	43.8	51.1	53.2	59.2	51.0	54.4	39.0	45.0	49.8
1871	"	504	42.7	49.0	48.7	49.3	47.5	50.1	53.8	63.3	61.9	61.5	63.5	33.0	51.6
1872	"	444	43.6	45.2	52.6	46.6	92.3	73.7	60.7	60.0	58.0	43.9	57.0	52.9	56.3
1873	"	400	48.1	53.4	48.7	52.4	59.3	57.5	46.6	56.1	56.4	39.1	45.1	45.2	50.0
1874	"	434	32.5	13.5	49.7	59.0	67.6	105.4	100.4	102.5	97.1	94.2	95.9	85.0	82.9
1875	"	420	78.6	72.1	67.6	44.6	39.9	48.9	73.8	89.9	76.9	71.1	97.0	91.7	69.0
1876	"	440	97.5	75.2	72.8	52.5	47.6	47.6	67.6	82.6	88.2	114.8	115.6	80.1	77.3
1877	"	398	62.1	48.4	43.6	70.6	71.8	82.7	69.3	52.3	74.3	85.0	128.4	105.3	70.4
1878	"	367	74.3	85.0	80.2	61.8	40.1	49.9	33.9	57.6	61.6	53.0	123.1	120.6	68.1
1879	"	206	136.4	76.9	51.1	41.3	100.9	65.1	74.4	95.7	96.2	93.6	111.1	77.3	82.5
Ten Years, 1870-79	...	4,056	62.5	59.4	57.4	52.4	59.0	63.5	63.7	71.0	70.8	70.0	81.7	70.6	65.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	226.2	11.3	...	79.2	58.8	99.5	...	34.0	2.3	54.3	221.7	18.1	74.7	128.9	176.5	1,185.5	
1871	...	2.0	373.0	2.0	2.0	97.2	159.8	202.4	4.0	27.8	4.0	75.4	99.2	9.9	85.3	184.5	386.9	1,706.4	
1872	2.3	...	409.9	13.5	...	65.3	166.7	130.6	4.5	51.8	33.8	78.3	108.1	29.3	83.3	177.9	855.9	2,211.7	
1873	510.0	7.5	5.0	115.0	95.0	140.0	7.5	52.5	10.0	50.0	147.5	10.0	82.5	180.0	355.0	1,767.5	
1874	...	16.1	933.2	6.9	2.3	165.9	133.3	48.4	...	80.6	18.4	66.8	198.2	9.2	161.3	149.2	288.0	2,283.4	
1875	...	11.9	578.6	2.4	2.4	71.4	107.1	104.8	2.4	81.0	4.7	26.2	273.8	28.6	176.2	157.1	250.0	1,878.6	
1876	2.3	11.4	1,263.6	...	2.3	138.6	118.2	84.1	2.3	138.6	6.8	20.5	159.1	15.9	95.5	172.7	372.7	2,604.6	
1877	1,012.6	5.0	12.5	67.8	52.8	45.2	...	60.3	...	62.2	231.4	20.1	60.3	133.2	324.2	2,138.2	
1878	...	2.7	899.2	...	8.2	70.8	49.0	65.4	8.2	30.0	2.7	73.6	275.2	19.1	103.5	147.2	291.5	2,046.3	
1879	1,121.4	...	4.9	53.4	29.1	43.7	4.9	77.7	...	43.7	412.6	38.8	60.2	262.1	551.4	2,703.9	
Ten Years, 1870-79	...	5	47	700.7	5.2	3.7	95.2	102.6	101.8	3.2	62.6	8.9	56.0	203.1	18.7	105.3	164.9	374.2	2,011.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	22.62	22.62	10	...	1	...	1	
1871	...	3.97	27.78	31.75	16	1	1	1	
1872	2.25	2.25	18.02	22.52	10	1	1	1	...	1	1	
1873	...	2.50	22.50	25.00	10	
1874	27.65	27.65	12	4	...	3	...	3	
1875	...	2.38	16.67	19.05	8	1	1	1	
1876	2.27	2.27	13.64	18.13	8	1	1	
1877	5.03	5.03	2	1	1	1	
1878	...	2.72	10.90	13.62	5	1	1	
1879	...	4.85	14.57	19.42	4	2	1	1	
Ten Years, 1870-79	...	4.9	19.97	20.96	85	2	1	10	11	7	...	10	20	1	1	4	3	7	8

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873	1	...
1874
1875
1876	1
1877
1878
1879
Ten Years, 1870-79	1	1	...

III.—STATISTICS OF INDIVIDUAL STATIONS—HAZARIBAGH, 1870-79.

XLVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying HAZARIBAGH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.
January ...	4,939	233	47.2	5	15.97	1	1	1	...	1	
February ...	4,866	238	48.9	2	15.97	1	
March ...	4,868	229	47.0	3	15.97	
April ...	4,921	245	49.8	5	15.97	3	...	1	
May ...	4,915	239	48.6	7	15.97	1	...	1	
June ...	4,907	231	47.1	3	15.97	2	...	1	
July ...	4,892	249	50.9	15	15.97	6	...	7	
August ...	4,877	261	53.5	13	15.97	6	...	2	
September ...	4,862	246	50.6	7	15.97	4	
October ...	4,837	226	46.7	4	15.97	2	
November ...	3,287	147	44.7	4	15.97	
December ...	4,193	163	38.9	7	15.97	1	...	2	
						6	1	28	...	7	2	...	3	...	6	...	1	2	5	7	1	6
						Died per 1,000 of the Average Strength.																			
For the Ten Years	4,697	226	48.1	75	15.97	1.28	.21	5.96	1.40	.4364	...	1.2821	.43	1.06	1.40	.21	1.28	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
Dengue (of 1872)	22	4.7	27.27										
Cholera	19	2	...	1	1	2	100.00										
Smallpox	1	...	40.58										
Enteric Fever	4	2	1	7	5	12	14	14	4	...	2	3	...	69	14.7											
Fever, Intermittent	13	13	16	11	12	24	39	93	131	162	64	34	...	612	130.3											
Fever, Remittent and Continued	22	30	63	86	60	43	64	73	101	64	10	29	...	645	137.3											
Apoplexy	3	6	66.67										
Delirium Tremens	2	...	1	...	1	1	7	1.5											
Dysentery	4	3	3	12	6	13	22	16	7	2	5	10	...	103	21.9											
Diarrhea	11	14	27	18	9	14	32	14	15	4	3	17	...	178	37.9											
Hepatitis	11	17	14	8	12	14	16	18	23	28	9	10	...	180	38.3											
Spleen disease	2	1	2	1	2	1	9	1.9											
Respiratory diseases	25	27	25	40	29	20	10	20	21	18	18	24	...	277	59.0											
Phthisis Pulmonalis	6	3	2	10	4	6	7	13	8	8	14	7	...	88	18.8											
Scurvy	3	1	4	9											
Rheumatism	9	14	11	15	15	12	12	12	12	22	8	16	...	158	33.7											
Veneral diseases	156	107	99	101	107	81	77	68	72	75	73	81	...	1,097	233.5											
Eye diseases	25	32	33	32	29	32	28	26	31	17	16	23	...	329	70.1											
Abscess and Ulcer	46	30	36	49	32	36	48	36	35	22	20	24	...	414	88.1											
Wounds and Accidents	33	25	36	36	35	22	26	15	17	18	10	20	...	293	62.3											
All other Causes	57	56	50	53	75	54	74	86	88	67	33	33	...	726	154.6											
													5,215													
													Admitted per 1,000 of the Average Strength in each Month.													
													86.9	76.9	85.7	97.1	87.9	79.1	100.2	103.8	116.2	105.9	87.0	80.6	1,110.3	

III.—STATISTICS OF INDIVIDUAL STATIONS—HAZARIBAGH, 1870-79.

XLVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying HAZARIBAGH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For Eleven Months	842	29.5	25.9	26.2	27.2	28.4	29.6	34.4	37.0	37.2	38.7	...	33.7	32.1
1871	For the Year	887	59.8	65.4	64.9	84.1	71.9	56.4	62.5	55.9	48.1	49.3	64.3	54.0	60.9
1872	"	879	56.6	55.8	51.9	45.3	42.0	45.5	43.2	48.9	42.1	37.6	31.9	45.5	
1873	For Eleven Months	877	37.9	42.3	42.2	38.6	34.1	34.1	39.8	50.1	43.3	42.1	...	38.0	
1874	"	878	59.0	53.2	56.8	60.0	66.8	73.7	77.6	80.3	75.1	55.7	35.0	62.6	
1875	For the Year	117	9.2	27.5	18.4	9.2	36.7	27.5	36.7	55.1	36.7	46.3	16.2	25.6	
1876	"	101	48.1	57.7	39.6	39.6	29.7	19.8	29.7	49.5	59.4	69.3	50.0	49.5	
1877	"	104	29.4	58.8	58.8	58.8	68.0	48.5	48.5	48.5	58.3	38.8	9.2	48.1	
1878	"	107	45.5	45.5	18.2	36.4	63.6	45.9	45.9	45.9	51.0	81.6	61.2	46.7	
1879	"	110	28.6	53.6	35.7	44.6	35.7	53.6	62.5	72.1	54.1	72.7	65.4	54.5	
Ten Years, 1870-79		4,697	47.2	48.9	47.0	49.8	48.6	47.1	50.9	53.5	50.6	46.7	44.7	38.9	48.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	24.9	3.6	256.5	...	3.6	32.1	39.2	21.4	...	41.6	15.4	29.7	172.2	26.1	34.4	64.2	112.8	877.7
1871	1.1	21.4	337.1	1.1	2.3	25.9	50.7	27.1	...	75.5	39.4	38.4	384.5	75.5	81.2	69.9	162.3	1,384.4
1872	...	8.0	238.9	1.1	...	23.2	33.0	70.5	4.5	53.5	26.2	37.5	211.2	87.6	104.7	56.9	128.5	1,118.3
1873	...	5.7	182.4	9.1	18.2	49.0	3.4	52.5	17.1	27.4	163.1	83.2	101.9	31.9	148.3	896.2
1874	...	39.9	220.9	...	1.1	23.9	39.9	26.2	2.3	80.9	6.8	26.2	184.5	93.4	118.5	53.5	170.9	1,088.9
1875	256.4	8.5	8.5	...	17.1	17.1	17.1	136.8	25.7	17.1	59.3	76.9	641.0
1876	435.7	9.9	59.4	108.9	...	9.9	148.5	227.7	1,108.9	
1877	211.5	48.1	28.2	...	9.6	9.6	48.1	134.6	163.5	903.8	
1878	271.0	9.4	9.4	9.4	37.4	18.7	...	28.0	...	46.7	186.9	28.0	74.3	93.4	205.6	1,018.7
1879	454.5	18.2	9.1	...	27.3	9.1	27.3	200.0	9.1	72.7	54.5	227.3	1,109.1
Ten Years, 1870-79	4.7	14.7	267.6	.6	1.5	21.9	37.9	38.3	1.9	59.0	18.8	33.7	233.5	70.1	88.1	62.3	155.7	1,110.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart cases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	7.13	...	11.87	19.00	16	6	...	2	2	1	1	2	1	...	
1871	...	1.13	15.73	16.91	15	4	3	1	
1872	6.83	6.83	6	2	1	1	
1873	...	1.14	5.70	6.84	6	2	1	...	1	...	
1874	...	5.70	29.61	35.31	31	...	1	18	3	1	3	5	
1875	
1876	9.90	9.90	1	1	
1877	
1878	
1879	
Ten Years, 1870-79	1.28	1.49	13.20	15.97	75	6	1	28	7	2	...	3	6	...	1	2	5	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	18	2	...	1	21
1871	1	1
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	19	2	...	1	22

III.—STATISTICS OF INDIVIDUAL STATIONS—DINAPORE, 1870-79.

XLVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DINAPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.															
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anamia.	All other Causes.											
January ...	8,319	488	58.7	11	...																															
February ...	8,626	542	62.8	8	...				1				1																							
March ...	8,773	528	60.2	16	...				2																											
April ...	8,642	527	61.0	11	...				2																											
May ...	8,683	597	68.8	17	...				2																											
June ...	8,655	603	69.7	15	...				2																											
July ...	8,632	624	72.3	19	...				2																											
August ...	8,618	640	74.3	17	...				2																											
September ...	8,595	609	70.9	16	...				2																											
October ...	8,375	573	68.4	15	...				2																											
November ...	8,088	509	62.9	16	...				2																											
December ...	8,027	476	59.3	10	...				1																											
						18	3	16	...	5	14	3	21	3	37	...	2	12	4	13	20		
Died per 1,000 of the Average Strength.						2.12	.35	1.88	.59	1.65	.35	2.47	.35	4.3524	1.41	.47	1.53	2.35											

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
Dengue (of 1872)	3	179	190	43	19	...	435	51.2	...												
Cholera	7	...	4	5	3	6	27	3.2	66.67												
Smallpox	1	1	4	...	1	7	.8	42.86												
Enteric Fever ...	1	3	5	3	5	3	1	4	4	...	2	32	3.7	50.00												
Fever, Intermittent ...	94	105	170	222	213	187	173	121	106	170	163	1,849	217.5	...												
Fever, Remittent and Continued ...	27	26	55	140	93	99	112	79	137	161	90	1,049	123.4	48												
Apoplexy	1	3	7	13	4	1	3	1	...	33	3.9	42.42												
Delirium Tremens ...	2	5	4	3	7	3	4	...	5	1	2	39	4.6	7.69												
Dysentery ...	57	31	46	31	53	41	58	56	29	41	29	31	503	59.2	4.17											
Diarrhoea ...	52	32	73	92	94	75	89	81	60	41	47	41	777	91.4	.39											
Hepatitis ...	57	47	60	42	67	60	76	86	76	49	60	42	722	84.9	5.12											
Spleen disease ...	1	4	5	...	3	3	5	1	7	7	5	1	42	4.9	...											
Respiratory diseases ...	63	53	69	47	52	34	70	46	64	58	54	45	655	77.0	.31											
Phthisis Pulmonalis ...	4	2	5	3	3	3	3	2	5	7	5	6	47	5.5	8.51											
Scurvy	1	1	...	1	1	5	.6	...											
Rheumatism ...	62	50	39	34	45	52	72	66	47	42	27	28	564	66.3	...											
Veneral diseases ...	200	210	219	204	200	164	157	163	161	165	153	180	2,176	255.9	...											
Eye diseases ...	22	13	23	17	23	33	38	46	18	24	13	14	284	33.4	...											
Abscess and Ulcer ...	51	56	68	54	69	89	95	78	67	76	39	42	784	92.2	...											
Wounds and Accidents ...	43	45	71	59	57	54	48	36	37	47	45	57	599	70.4	...											
All other Causes ...	111	133	146	111	148	172	179	169	195	150	142	127	1,783	209.7	...											
													847	815	1,057	1,075	1,144	1,093	1,369	1,226	1,065	1,062	883	776	12,412	...
Admitted per 1,000 of the Average Strength in each Month.																										
101.8	94.5	120.5	124.4	131.8	126.3	153.6	142.3	123.9	126.8	109.2	96.7	1,459.7		...												

III.—STATISTICS OF INDIVIDUAL STATIONS—DINAPORE, 1870-79.

XLIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DINAPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	849	51.3	55.7	43.0	54.1	62.6	59.1	55.6	54.6	59.6	50.8	44.7	55.0	54.2
1871	...	881	73.0	74.9	61.0	49.3	64.9	74.2	73.3	78.0	72.4	73.6	54.7	63.9	67.0
1872	...	829	57.1	66.0	58.1	58.0	77.5	84.7	102.3	120.7	88.2	77.6	54.6	51.7	74.8
1873	...	728	47.2	64.6	57.4	53.3	51.0	59.0	58.2	62.3	58.5	38.6	36.6	27.6	53.6
1874	...	929	59.5	37.0	57.4	78.9	92.7	84.5	83.7	85.7	67.1	68.2	77.2	70.9	73.2
1875	...	922	59.9	64.4	62.2	66.9	56.2	57.4	69.0	61.6	58.4	67.4	64.6	52.2	61.8
1876	...	874	48.1	65.1	91.0	71.6	74.5	79.5	70.3	56.2	70.3	72.8	70.7	49.8	68.6
1877	...	826	55.9	64.0	48.4	38.9	50.2	59.1	51.8	54.4	60.9	54.9	42.8	58.8	53.3
1878	...	830	75.3	75.7	64.0	71.1	83.0	82.0	87.0	82.2	92.0	94.0	78.8	66.9	79.5
1879	...	835	63.1	55.2	57.2	62.3	70.0	54.9	69.1	85.7	82.5	85.5	85.3	75.1	70.7
Ten Years, 1870-79	...	8,503	58.7	62.8	60.2	61.0	68.8	69.7	72.3	74.3	70.9	68.4	62.9	59.3	65.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	4.7	1.2	188.4	9.4	11.7	83.7	83.7	113.1	7.1	63.6	2.4	102.5	253.2	24.7	62.4	38.9	147.2	1,197.9
1871	7.9	1.1	121.5	1.1	...	67.0	69.2	115.8	2.3	61.3	2.3	60.2	320.1	48.8	84.0	52.2	129.4	1,144.2
1872	2.4	2.4	247.3	1.2	1.2	78.4	137.5	82.0	7.2	65.1	7.2	78.4	182.2	42.2	85.7	76.0	779.3	1,875.7
1873	4.1	5.5	388.7	4.1	2.7	46.7	34.3	52.2	13.8	44.0	2.7	49.4	195.1	22.0	72.8	63.2	195.1	1,196.4
1874	4.3	9.7	849.7	3.2	7.5	58.1	104.4	79.7	5.4	82.9	2.2	47.3	265.9	56.0	107.6	86.1	221.8	1,982.8
1875	...	6.4	275.5	4.3	1.1	65.1	107.4	61.8	2.2	93.3	10.8	41.2	273.3	38.0	106.3	73.8	158.3	1,317.8
1876	6.9	2.3	310.1	2.3	6.9	67.5	50.3	129.3	1.1	122.4	6.9	50.4	296.3	30.9	113.3	76.6	243.7	1,517.2
1877	...	3.6	207.1	4.8	4.8	49.6	102.9	72.6	6.1	61.7	7.3	65.4	261.5	20.6	110.2	79.9	187.6	1,245.7
1878	1.2	3.6	416.9	4.8	3.6	43.4	116.9	101.2	4.8	89.2	8.4	107.2	234.9	21.7	83.1	84.4	303.6	1,628.9
1879	...	2.4	383.2	3.6	6.0	28.7	100.6	35.9	1.2	79.0	4.8	64.7	259.9	24.0	91.0	71.9	276.6	1,433.5
Ten Years, 1870-79	3.2	3.7	340.9	3.9	4.6	59.2	91.4	84.9	4.9	77.0	5.5	66.3	255.9	33.4	92.2	70.4	262.3	1,459.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre-mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	3.53	3.53	24.74	31.80	27	3	...	1	1	3	...	4	8	1	2	3	
1871	5.68	3.41	17.02	26.11	23	5	...	1	4	8	1	...	3	
1872	2.41	2.41	16.89	21.71	18	2	2	...	1	...	4	4	...	1	2	
1873	1.37	2.75	17.86	21.98	16	1	1	1	2	5	2	
1874	3.23	3.23	22.60	29.06	27	3	...	6	2	...	1	4	5	1	3	
1875	...	3.25	9.77	13.02	12	2	3	...	1	3	
1876	3.43	1.14	13.74	18.31	16	3	1	...	3	3	...	2	...	1	3	1	
1877	...	2.42	14.53	16.95	14	1	1	...	1	2	1	...	2	
1878	1.20	...	6.03	7.23	6	1	1	1	1	1	
1879	...	1.20	13.17	14.37	12	...	1	...	2	1	2	2	2	1	
Ten Years, 1870-79	2.12	2.35	15.64	20.11	171	18	3	16	5	14	3	24	37	...	2	12	4	13	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	3	4
1871	1	6	1	7
1872	3
1873	1	...	2	3
1874	2	3
1875	3
1876	6	6
1877	1	1
1878	1
1879	1
Ten Years, 1870-79	7	...	4	5	3	6	2	27

III.—STATISTICS OF INDIVIDUAL STATIONS—BENARES, 1870-79.

L.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BENARES during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns: MONTHS., Aggregate Strength for each Month of the Ten Years., Average Number Daily Sick., Number Daily Sick per 1,000 of Strength., Number of Deaths., Died per 1,000 of Strength., and CAUSES OF DEATHS IN HOSPITAL. (Cholera, Smallpox, Enteric Fever, etc.). Includes a summary row 'For the Ten Years' and a section 'Died per 1,000 of the Average Strength.'

Table with columns: CAUSES OF ADMISSIONS., and NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH. (JAN., FEB., MAR., etc.). Includes a summary row 'Admitted per 1,000 of the Average Strength in each Month.'

III.—STATISTICS OF INDIVIDUAL STATIONS—BENARES, 1870-79.

LI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BENARES in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	524	71.9	57.8	47.4	53.8	52.0	58.4	54.8	61.1	81.6	82.0	32.4	51.2	59.2
1871	"	514	69.6	61.7	63.2	41.6	45.6	53.6	53.6	68.4	62.9	55.8	42.5	53.0	56.4
1872	"	493	38.8	60.5	50.2	56.9	61.1	61.1	57.3	65.4	79.9	81.8	60.8	49.1	60.9
1873	"	474	59.4	51.2	61.1	49.2	47.2	63.0	57.1	53.6	49.6	61.8	60.4	48.1	54.9
1874	"	478	17.2	51.7	55.4	81.0	71.0	79.4	87.3	103.2	95.6	75.2	56.2	46.9	71.1
1875	"	511	68.8	85.5	87.6	97.3	84.1	94.3	92.7	101.0	118.8	106.9	89.2	50.8	90.0
1876	"	477	59.8	72.3	78.2	69.3	90.5	95.1	97.5	86.9	91.1	129.4	100.9	88.4	88.1
1877	"	526	87.2	73.3	66.1	72.2	88.3	94.2	87.0	89.5	87.8	80.3	90.9	77.1	81.7
1878	"	507	81.7	82.9	59.2	44.4	62.8	62.9	67.3	74.5	86.2	63.3	75.8	49.2	67.1
1879	"	484	63.9	78.2	67.9	78.0	90.2	97.7	93.3	115.7	100.6	109.7	101.3	89.5	90.9
Ten Years, 1870-79	...	4,988	63.7	68.2	63.7	64.5	69.4	76.1	74.8	82.1	85.5	84.1	70.4	60.0	71.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents	All other Causes.	
1870	318.7	3.8	9.5	40.1	38.2	78.2	3.8	43.9	...	89.7	345.4	42.0	135.5	78.3	150.8	1,377.9	
1871	...	5.8	184.8	3.9	2.0	29.2	81.7	70.0	2.0	85.6	2.0	58.4	321.0	38.9	95.3	95.3	186.7	1,262.6	
1872	...	6.1	204.9	6.1	2.0	30.4	64.9	99.4	4.1	109.5	...	38.5	306.3	22.3	119.7	109.5	342.5	1,466.5	
1873	...	14.8	2.1	94.9	4.2	4.2	33.8	44.3	46.4	69.6	2.1	40.1	293.2	12.7	139.3	107.6	179.3	1,088.6	
1874	6.3	349.3	8.4	12.5	52.3	144.4	50.2	29.3	8.4	50.2	418.4	20.9	165.3	113.0	148.5	1,577.4	
1875	3.9	236.8	7.8	2.0	41.1	52.9	66.5	50.9	19.6	66.5	418.2	15.7	138.9	84.1	195.7	1,401.2	
1876	4.2	184.5	4.2	...	21.0	33.5	54.5	2.1	65.0	6.3	593.3	10.5	169.8	100.6	176.1	1,475.9	
1877	...	11.4	1.9	612.2	13.3	1.9	11.4	102.7	17.1	1.9	49.4	5.7	597.0	19.0	254.7	95.1	199.6	2,039.9	
1878	...	2.0	2.0	303.7	2.0	2.0	19.7	53.3	23.7	...	84.8	5.9	412.2	7.9	161.8	114.4	179.5	1,388.6	
1879	...	4.1	4.1	822.3	8.3	10.3	28.9	76.4	57.8	4.1	45.4	22.7	68.2	18.6	150.8	148.8	225.5	2,243.8	
Ten Years, 1870-79	...	4.4	2.4	332.4	6.2	4.6	30.7	69.2	56.3	1.8	63.4	7.2	53.3	425.2	21.1	152.4	104.2	198.3	1,533.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths	
		a. Violent Deaths.	b. Diseases.																	
1870	...	1.91	13.36	15.27	8	3	1	3	1	1	
1871	...	5.84	1.95	19.45	27.24	14	3	3	1	3	
1872	...	4.06	6.08	6.09	16.23	8	2	1	
1873	...	4.22	...	8.44	12.66	6	2	...	1	1	3	
1874	2.09	23.01	25.10	12	1	1	1	...	
1875	3.91	23.49	27.40	14	1	3	1	2	
1876	8.39	8.39	4	1	
1877	...	7.60	...	19.02	26.62	14	4	...	1	...	2	1	...	2	
1878	...	1.97	3.94	9.87	15.78	8	1	...	1	2	2	
1879	...	2.07	4.13	20.66	26.86	13	1	...	1	4	1	...	1	2	1	2	
Ten Years, 1870-79	...	2.61	2.41	15.23	20.25	101	13	...	7	12	15	...	6	19	...	6	6	5	12	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871	1	...	1
1872	1
1873	3
1874	1	6
1875
1876
1877	1	...	3	2
1878	1	6
1879	2	1
Ten Years, 1870-79	1	3	6	...	1	10	1	22

II.—STATISTICS OF INDIVIDUAL STATIONS—FYZABAD, 1870-79.

LII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FYZABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Average Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.													Wounds and Accidents.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Suicidal Deaths, and other Deaths out of Hospital.
January ...	8,133	477	58·6	7	4	1	3	...	1	1	...	1	
February ...	9,219	579	62·3	8
March ...	9,324	609	65·3	6	1
April ...	8,941	546	61·1	15	...	3	1	3	1
May ...	8,915	555	62·3	22	...	6	...	8	...	2
June ...	8,881	578	65·1	17	7	...	3
July ...	8,864	582	65·7	7	3
August ...	8,846	591	66·8	21	...	12	1
September ...	8,780	563	64·1	82	...	70	...	2	...	2	2
October ...	8,537	523	61·3	11	...	2	...	2	1
November ...	8,239	471	57·2	14	3
December ...	9,086	485	53·7	10	2	1	1
						93	1	36	5	8	13	1	16	2	10	14	11	2	8	
						Died per 1,000 of the Average Strength.																		
For the Ten Years	8,810	547	62·1	220	24·97	10·56	11	4·08	5·7	9·1	...	1·47	11	1·82	...	2·3	1·13	1·59	1·25	2·3	9·1

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.													Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	1	...	1	1	24	71	69	167	19·0	...	
Cholera	7	5	1	...	22	104	5	145	16·5	64·14	
Smallpox	1	1	1	100·00	
Enteric Fever ...	14	4	...	10	18	8	3	1	9	5	4	5	81	9·2	44·44	
Fever, Intermittent ...	21	47	42	67	66	61	71	78	57	108	93	39	750	85·1	...	
Fever, Remittent and Continued ...	35	57	99	213	221	191	156	127	133	95	97	75	1,499	170·1	33	
Apoplexy	1	...	3	14	7	3	...	1	1	...	30	3·4	26·67	
Delirium Tremens ...	1	3	1	...	3	...	3	2	3	2	20	2·3	...	
Dysentery ...	14	17	28	33	33	20	28	34	36	37	23	36	339	38·5	3·88	
Diarrhoea ...	34	23	50	42	30	18	35	80	74	39	54	78	557	63·2	18	
Hepatitis ...	19	40	25	24	34	48	39	26	37	37	30	29	388	44·0	4·12	
Spleen disease ...	1	...	1	...	1	3	1	2	1	...	10	1·1	...	
Respiratory diseases ...	63	60	66	61	39	41	42	49	35	42	48	51	597	67·8	34	
Phthisis Pulmonalis ...	8	6	5	8	3	2	8	6	3	13	8	9	79	9·0	17·72	
Scurvy	2	1	2	2	...	2	7	8	...	
Rheumatism ...	40	32	44	36	43	36	32	55	38	34	42	32	464	52·7	...	
Veneral diseases ...	250	313	313	230	240	219	224	208	163	206	198	212	2,776	315·1	...	
Eye diseases ...	11	8	16	27	23	22	26	44	26	19	15	7	244	27·7	...	
Abscess and Ulcer ...	52	50	58	58	70	83	95	80	60	58	40	45	758	86·0	...	
Wounds and Accidents ...	41	53	62	57	57	52	58	49	50	51	51	73	654	74·2	32	
All other Causes ...	121	175	195	142	166	183	211	182	246	173	120	124	2,038	231·3	...	
	725	888	1,008	1,017	1,058	1,008	1,089	1,048	1,072	949	911	886	11,604			
	Admitted per 1,000 of the Average Strength in each Month.															
	89·1	96·3	108·1	113·7	118·7	112·9	117·2	118·5	122·1	111·2	110·6	98·1	1,317·1			

III.—STATISTICS OF INDIVIDUAL STATIONS—FYZABAD, 1870-79.

LIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FYZABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	797	44.1	45.4	51.1	50.2	44.9	61.2	64.6	59.0	61.6	58.5	40.2	26.8	51.4
1871	"	930	31.7	47.5	59.5	63.5	71.1	78.6	76.6	67.2	64.0	50.2	39.3	40.8	58.1
1872	"	966	47.0	34.8	33.1	49.4	64.9	66.0	52.8	51.8	35.7	43.6	57.5	51.7	49.7
1873	"	919	51.4	73.7	104.6	91.4	84.2	73.3	64.6	55.9	59.3	47.1	58.1	47.0	67.5
1874	"	982	49.8	46.1	70.7	65.1	60.0	56.1	84.9	87.0	67.6	62.8	48.9	48.5	62.1
1875	"	1,055	62.9	82.5	72.4	55.2	53.2	46.2	46.3	65.8	89.9	74.8	40.4	50.6	61.6
1876	"	980	75.6	88.7	69.9	60.9	51.9	84.0	79.1	69.1	69.4	62.6	69.1	59.3	70.4
1877	"	945	67.5	65.3	54.8	42.9	53.7	57.3	56.9	69.5	70.0	43.5	69.2	75.2	60.3
1878	"	806	75.1	67.3	52.6	58.0	60.2	53.6	70.5	73.1	52.9	111.3	113.5	100.7	69.5
1879	"	430	70.5	84.9	93.2	85.3	81.7	85.2	53.5	77.7	74.9	85.8	78.4	63.6	76.7
Ten Years, 1870-79	...	8,810	58.6	62.8	65.3	61.1	62.3	65.1	65.7	66.8	64.1	61.3	57.2	53.7	62.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	13.8	8.8	331.2	...	8.8	69.0	28.9	77.8	2.5	32.6	7.5	42.7	331.2	46.4	92.9	74.0	136.8	1,304.9
1871	...	2.2	217.1	2.2	2.2	30.1	18.3	39.8	1.1	40.9	5.3	71.0	209.7	23.6	46.2	44.1	126.9	880.7
1872	33.3	3.1	135.6	2.1	1.0	25.9	33.1	35.2	1.0	47.6	1.0	41.4	206.0	13.5	64.2	59.1	281.6	989.7
1873	1.1	27.2	510.3	2.2	...	20.7	69.6	35.9	1.1	97.9	12.0	54.4	446.1	38.1	86.0	99.0	327.5	1,820.1
1874	...	10.2	199.6	49.9	56.0	47.9	2.0	30.6	5.1	35.6	333.0	21.4	91.7	85.5	273.9	1,242.4
1875	11.4	5.7	166.8	...	9	26.5	98.6	31.3	9	69.2	7.6	56.9	503.3	12.3	71.1	53.1	238.9	1,354.5
1876	2.0	19.4	318.0	17.3	6.1	44.9	73.5	21.4	...	113.3	22.5	72.5	344.9	27.6	95.9	91.8	325.5	1,626.6
1877	...	2.1	119.6	5.3	1.1	28.6	59.3	44.4	...	74.1	7.4	58.2	210.6	39.1	131.2	86.8	284.6	1,152.4
1878	101.7	1.2	235.8	1.2	2.5	57.1	111.7	60.8	2.5	103.0	13.6	45.9	277.9	22.3	73.2	67.0	232.0	1,400.4
1879	...	14.0	388.3	2.3	...	41.8	97.7	69.8	...	69.8	7.0	37.2	207.0	48.8	134.9	93.0	272.1	1,483.7
Ten Years, 1870-79	16.5	9.2	255.2	3.4	2.3	38.5	63.2	44.0	1.1	67.8	9.0	52.7	315.1	27.7	86.0	74.2	251.2	1317.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All other Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	8.78	1.25	20.08	30.11	24	7	1	5	1	...	2	4	1	1	1	1	
1871	...	2.15	10.75	12.90	12	1	...	2	1	1	1	1	2	
1872	21.74	...	15.53	37.27	36	21	...	1	1	1	1	5	...	1	4	1	1	...	
1873	20.67	20.67	19	12	...	2	
1874	...	1.02	7.13	8.15	8	1	2	1	2	1	1	
1875	5.69	.95	10.42	17.06	18	6	...	3	1	3	1	1	1	
1876	2.04	2.04	24.40	28.57	28	2	...	11	2	2	...	5	2	2	2	
1877	...	2.12	6.35	8.47	8	1	1	1	1	2	
1878	70.72	1.24	7.44	79.40	64	57	1	1	2	2	1	
1879	6.98	6.98	3	1	...	1	
Ten Years, 1870-79	10.56	1.14	13.27	24.97	220	93	1	36	5	8	...	14	16	...	2	10	14	11	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	7	3	1	11
1871	37
1872	5	32	1
1873	1	...	12
1874	7	5	2
1875
1876
1877	2
1878
1879	17	65	82
Ten Years, 1870-79	7	5	1	...	22	104	5	1	...	145

III.—STATISTICS OF INDIVIDUAL STATIONS—LUCKNOW, 1870-79.

LIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying LUCKNOW during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.		
January ...	21,470	1,229	57.2	23	4	1	...	2	...	3	...	2	...	2	5	...	4
February ...	23,422	1,416	60.5	19	4	1	...	3	...	1	...	2	...	4	2	...	1
March ...	25,036	1,552	62.0	22	6	1	...	2	...	1	...	2	...	1	1	...	1
April ...	23,969	1,566	65.3	29	10	2	...	3	...	3	...	1	...	1	2	...	2
May ...	23,773	1,609	67.7	59	15	10	...	3	...	3	...	1	...	1	4	...	1
June ...	23,680	1,632	68.9	39	6	2	...	2	...	2	...	1	...	1	1	...	2
July ...	23,646	1,611	68.1	39	7	3	...	1	...	5	...	1	...	1	1	...	2
August ...	23,578	1,673	71.0	54	21	8	...	4	...	1	...	1	...	1	3	...	2
September ...	23,456	1,791	76.4	75	31	7	...	6	...	5	...	4	...	5	7	...	3
October ...	23,263	1,786	76.8	36	7	3	...	3	...	1	...	2	...	1	1	...	1
November ...	20,527	1,379	67.2	36	18	7	...	2	...	1	...	3	...	1	1	...	3
December ...	20,927	1,252	59.8	31	1	3	...	3	...	3	...	4	...	1	2	...	1
						97	5	71	...	30	40	1	24	1	41	...	14	20	35	2	33	7	41		
						Died per 1,000 of the Average Strength.																					
For the Ten Years	23,062	1,541	66.8	462	20.03	4.21	.21	3.08	1.30	1.73	.04	1.04	.04	1.78	..	.61	.87	1.5209	1.43	.30	1.78			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
Dengue (of 1872) ...	6	2	...	1	...	2	...	3	1	...	13	34	406	710	254	34	1,447	62.8	...							
Cholera	145	6.3	66.90							
Smallpox	26	1.1	19.23							
Enteric Fever ...	14	11	14	39	36	17	6	...	17	198	8.6	35.86							
Fever, Intermittent ...	120	119	150	217	213	209	304	301	335	334	316	198	2,816	122.1	...	77										
Fever, Remittent and Continued ...	112	136	334	484	427	470	456	452	459	313	130	106	3,879	168.2	...	33										
Apoplexy	102	4.4	39.22	...										
Delirium Tremens ...	8	2	4	4	2	36	20	9	7	4	1	...	43	1.9	2.33	...										
Dysentery ...	55	30	61	84	42	33	56	101	92	...	3	...	777	33.7	3.09	...										
Diarrhoea ...	81	89	165	188	140	71	176	261	194	120	123	178	1,786	77.4	.06	...										
Hepatitis ...	65	79	88	112	103	101	107	107	124	101	74	61	1,142	49.5	3.59	...										
Spleen disease ...	6	5	10	7	12	5	4	3	3	4	6	5	70	3.0										
Respiratory diseases ...	124	134	140	119	112	89	92	95	101	109	95	134	1,344	58.3	1.04	...										
Phthisis Pulmonalis ...	13	8	8	9	12	27	21	21	33	36	28	27	243	10.5	14.40	...										
Scurvy							
Rheumatism ...	88	101	104	91	90	...	88	...	101	65	...	1,070	46.4	...								
Veneral diseases ...	541	715	660	611	486	500	543	453	523	557	409	413	6,411	278.0										
Eye diseases ...	35	37	59	67	71	64	63	67	56	38	29	23	609	26.4										
Abscess and Ulcer ...	144	174	224	216	251	227	330	275	212	217	155	153	2,578	111.8										
Wounds and Accidents ...	177	183	250	219	228	174	173	170	137	174	138	216	2,239	97.1										
All other Causes ...	243	279	349	338	379	397	467	469	413	412	287	276	4,309	180.8										
												1,832	2,106	2,625	2,816	2,633	2,523	2,926	2,975	3,250	3,304	2,219	2,025	31,234		
												Admitted per 1,000 of the Average Strength in each Month.														
												85.3	89.9	104.8	117.5	110.8	106.5	123.7	126.2	138.6	142.0	108.1	96.8	1,354.3		

III.—STATISTICS OF INDIVIDUAL STATIONS—LUCKNOW, 1870-79.

LV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying LUCKNOW in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	2,215	62.9	67.8	57.6	76.6	78.4	76.4	71.7	72.7	74.8	75.0	56.6	50.0	68.6
1871	"	2,425	40.1	44.2	43.1	46.7	54.5	55.4	51.2	63.6	75.5	82.8	69.1	45.9	56.1
1872	"	2,426	52.4	46.0	42.3	45.1	49.6	58.6	56.4	57.1	65.8	69.8	60.0	46.1	54.0
1873	"	2,255	44.8	40.2	45.0	49.3	58.0	64.1	59.2	55.4	61.4	51.0	55.8	59.4	53.2
1874	"	2,429	51.3	41.9	51.8	59.0	60.7	60.0	65.9	90.6	86.1	70.3	49.1	62.7	63.4
1875	"	2,342	62.2	69.2	69.6	66.3	61.7	69.8	75.4	64.4	50.1	60.0	53.9	46.4	63.2
1876	"	2,379	40.4	57.9	75.6	87.9	86.1	83.3	84.2	76.8	90.2	103.0	85.2	64.8	78.2
1877	"	2,269	68.2	73.2	67.7	68.0	65.0	65.4	68.7	75.5	74.9	79.9	83.0	71.2	71.4
1878	"	2,272	71.9	80.8	81.2	79.8	84.7	78.7	79.6	71.4	91.9	96.0	108.1	77.5	82.7
1879	"	2,050	81.2	85.4	88.5	77.7	78.0	79.8	69.9	82.6	95.1	81.7	74.0	75.1	81.0
Ten Years, 1870-79		23,062	57.2	60.5	62.0	65.3	67.7	68.9	68.1	71.0	76.4	76.8	67.2	59.8	66.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.
1870	3.6	372.9	4.5	2.7	34.3	100.2	51.2	1.4	51.9	5.9	61.4	268.6	45.6	154.4	100.7	148.5	1,410.8
1871	7.8	6.6	212.4	1.2	3.3	27.2	56.9	48.3	1.2	40.3	7.0	40.0	266.4	29.7	116.3	100.2	1,094.4
1872	14.8	3.3	182.2	2.1	2.9	32.2	105.5	40.4	4.2	44.5	14.0	61.3	227.5	34.2	118.3	83.3	1,466.3
1873	7.1	11.1	325.5	7.1	2.2	44.8	82.5	55.9	4.2	82.9	16.9	38.1	178.7	22.2	114.4	88.2	1,296.7
1874	4	7.8	303.0	1.2	8	42.0	79.0	46.9	2.5	76.2	17.3	35.8	288.1	34.2	55.6	86.5	1,298.0
1875	16.2	4.6	180.7	1.7	9	24.8	66.2	37.1	1.9	49.9	10.7	31.2	389.4	18.8	87.1	73.8	1,150.7
1876	4.2	8.4	254.7	5.5	1.3	18.5	61.4	63.5	7.6	51.3	5.9	56.3	321.5	16.4	85.1	117.3	1,528.4
1877	5	2.6	267.6	7.5	2.2	24.2	45.8	59.9	5.3	52.0	8.4	56.3	205.8	16.3	107.5	122.1	1,228.7
1878	9.7	17.6	312.9	4.4	2.2	44.0	106.5	50.6	2.2	65.2	9.7	44.0	355.6	22.0	124.1	98.6	1,549.7
1879	1.0	22.0	534.1	10.2	...	47.3	70.7	38.0	2.9	70.7	9.3	38.5	229.8	24.4	125.4	102.0	1,516.0
Ten Years, 1870-79	6.3	8.6	290.3	4.4	1.9	33.7	77.4	49.5	3.0	58.3	10.5	46.4	278.0	26.4	111.8	97.1	1,354.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Heart dis. cases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	1.81	23.02	24.83	55	4	16	2	...	5	9	
1871	3.30	2.06	11.96	17.32	42	8	...	7	5	1	...	2	6	
1872	10.31	2.47	11.13	23.91	58	25	...	3	3	4	...	3	4	
1873	5.77	1.77	16.41	23.95	54	13	4	10	...	6	...	1	4	
1874	...	2.47	15.64	18.11	44	9	1	5	7	
1875	11.96	2.99	7.25	22.20	52	28	...	4	...	3	...	1	3	
1876	3.36	1.26	11.77	16.39	39	8	...	6	...	9	...	1	1	
1877	4.4	2.64	7.50	10.58	24	1	...	3	1	4	2	
1878	6.16	1.32	16.73	24.21	55	14	1	13	...	4	...	1	5	
1879	...	1.95	17.07	19.02	39	12	4	7	2	
Ten Years, 1870-79	4.21	2.08	13.74	20.03	462	97	5	71	30	40	1	25	41	...	14	20	35	35	48

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871	1
1872	3
1873	9	...	14	...	2
1874	1	13	...
1875
1876	6	...	32
1877	6	4
1878	1
1879	1	...	3	...	12	...	1	4	...
Ten Years, 1870-79	1	2	3	7	13	37	41	7	33	1	145

III.—STATISTICS OF INDIVIDUAL STATIONS—SITAPUR, 1870-79.

LVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SITAPUR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																							
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anaemia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
January ...	5,619	290	51·3	6	1	1	2	...	1
February ...	5,620	317	56·4
March ...	5,772	307	53·2	4	...	1
April ...	5,600	310	54·8	3
May ...	5,637	319	56·6	5
June ...	5,636	335	59·4	14
July ...	5,614	355	63·2	10
August ...	5,608	345	61·5	12
September ...	5,585	353	63·2	7
October ...	5,447	305	56·0	10
November ...	4,985	269	54·0	3
December ...	5,151	253	49·1
						1	1	9	2	7	6	...	4	...	10	...	2	5	7	9	11	
						Died per 1,000 of the Average Strength,																							
For the Ten Years	5,530	313	56·6	74	13·38	·18	·18	1·63	1·63	1·08	...	·72	...	1·81	...	·36	·90	1·27	1·63	1·99		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.				
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.							
Dengue (of 1872)	2	...	4	50·00
Cholera	1	1	4	50·00
Smallpox	1
Enteric Fever	1	2	1	...	3	3	3	3	1	19	3·4	47·37
Fever, Intermittent	33	51	61	103	114	82	82	67	68	...	52	46	49	818	147·9	·24
Fevers, Remittent and Continued ...	18	14	46	96	102	67	86	102	69	54	24	24	692	125·1	1·01
Apoplexy ...	1	1	1	...	4	3	2	1	13	2·4	46·15
Delirium Tremens ...	1	...	3	1	...	2	3	4	...	3	2	...	3	...	26	4·7	...
Dysentery ...	19	8	14	33	...	6	11	16	23	15	13	8	181	32·7	2·21
Diarrhoea ...	11	7	20	13	9	9	16	22	17	12	9	5	150	27·1	...
Hepatitis ...	13	11	7	17	16	40	21	35	32	23	11	13	239	43·2	4·18
Spleen disease ...	2	2	...	2	...	2	2	4	2	2	20	3·6	...
Respiratory diseases ...	20	22	34	33	...	17	19	24	20	26	21	20	18	279	50·5	7·17
Phthisis Pulmonalis	1	6	1	...	2	2	5	1	3	2	2	25	4·5	28·00
Scurvy	1	1	·2	...
Rheumatism ...	26	29	29	19	32	...	39	...	61	...	37	425	76·9	...
Veneral diseases ...	161	152	168	131	140	112	136	89	105	105	67	71	1,443	260·9	...
Eye diseases ...	8	11	21	27	18	22	10	14	12	8	7	4	162	29·3	...
Abscess and Ulcer ...	39	31	35	45	39	35	43	43	48	35	33	20	449	81·2	·35
Wounds and Accidents ...	43	60	57	40	34	49	34	36	30	24	26	55	483	88·3	...
All other Causes ...	58	69	90	66	116	83	109	98	95	79	77	66	1,006	181·9	...
	461	473	594	645	653	563	632	618	589	473	369	365	6,440
	Admitted per 1,000 of the Average Strength in each Month.																		
	81·6	81·2	102·9	114·0	115·8	100·8	112·6	110·2	105·5	86·8	71·0	70·9	1,164·6

III.—STATISTICS OF INDIVIDUAL STATIONS—SITAPUR, 1870-79.

LVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SITAPUR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	532	39.4	37.2	62.3	63.3	59.7	61.3	54.7	47.2	55.2	44.1	18.5	20.4	47.0
1871	"	613	15.9	32.5	33.8	36.2	47.3	42.6	37.9	31.6	38.2	35.0	27.2	23.6	34.3
1872	"	608	26.1	27.4	25.7	35.6	46.8	45.4	56.9	65.1	68.5	49.0	29.7	30.9	42.8
1873	"	600	36.0	44.2	50.1	46.8	48.4	64.0	56.5	56.8	62.0	49.3	42.8	36.7	50.0
1874	"	631	45.7	86.3	76.0	89.6	89.6	75.7	86.7	94.6	96.7	98.7	91.1	83.2	85.6
1875	"	579	76.4	85.4	82.2	61.4	54.5	59.8	79.2	58.4	67.5	62.4	74.1	72.0	69.1
1876	"	614	73.5	74.8	52.1	59.9	70.2	70.0	63.3	59.9	59.9	66.9	79.4	68.2	66.8
1877	"	565	63.5	43.3	58.0	53.7	52.7	66.8	70.1	62.9	47.4	40.7	45.7	50.5	54.9
1878	"	568	57.6	51.6	42.9	42.3	40.7	53.2	76.4	85.4	76.6	63.6	68.9	41.8	58.1
1879	For 10 Months	255	79.0	96.2	67.1	59.5	49.8	49.8	33.6	38.1	50.4	29.5	58.8
Ten Years, 1870-79	...	5,530	51.3	56.4	53.2	54.8	56.6	59.4	63.2	61.5	63.2	56.0	54.0	49.1	56.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	293.2	...	9.4	28.2	35.7	20.7	...	52.6	3.8	107.2	282.0	35.7	69.6	69.6	170.9	1,178.6	
1871	...	1.6	143.6	1.6	4.9	50.6	11.4	37.5	...	40.8	...	57.1	133.3	21.2	68.5	66.9	169.6	809.1	
1872	...	3.3	233.6	...	3.3	36.2	37.8	47.7	1.6	37.8	1.6	52.6	88.8	24.7	85.5	57.6	189.2	901.3	
1873	...	1.7	8.3	235.0	6.7	8.3	33.3	30.0	...	35.0	1.7	143.3	131.7	11.7	90.0	40.0	230.0	1,031.7	
1874	277.3	...	7.9	33.3	33.3	31.9	6.4	80.8	7.9	120.4	380.3	68.2	99.8	125.2	220.3	1,496.0	
1875	...	1.7	169.2	1.7	5.2	27.6	10.4	72.5	8.6	29.4	12.1	24.2	397.2	43.2	58.7	100.2	181.4	1,143.3	
1876	239.4	...	29.3	27.7	61.9	3.3	74.9	6.5	70.0	333.9	27.7	109.1	118.9	192.2	1,307.8		
1877	610.6	5.3	3.5	21.2	31.9	53.1	10.6	54.9	5.3	53.1	295.6	21.2	86.7	131.0	201.8	1,585.8	
1878	...	5.3	285.2	3.5	1.8	35.2	31.7	35.2	3.5	52.3	3.5	51.1	297.5	15.8	65.2	91.5	79.2	1,058.0	
1879	203.9	7.8	...	23.5	11.8	31.4	...	23.5	...	82.4	262.7	7.9	54.9	58.8	149.0	917.6	
Ten Years, 1870-79	...	4	3.4	273.0	2.4	4.7	32.7	27.1	43.2	3.6	50.5	4.5	76.9	260.0	29.3	81.2	88.3	182.5	1,164.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart cases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	7.52	7.52	4		
1871	...	1.63	11.42	13.05	8	1		
1872	11.51	11.51	7	1		
1873	...	5.00	16.67	21.67	13	3		
1874	...	3.17	4.75	7.92	5		
1875	...	1.73	8.63	12.09	7		
1876	...	1.63	9.77	11.40	7	1		
1877	...	1.77	8.85	10.62	6		
1878	17.61	17.61	10	3		
1879	...	7.84	19.61	27.45	7	...	1		
Ten Years, 1870-79	...	1.8	1.99	11.21	13.38	74	1	1	9	9	6	...	4	10	...	2	5	7	9	11

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	1	2

III.—STATISTICS OF INDIVIDUAL STATIONS—FATEHGARH, 1870-79.

LVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FATEHGARH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns: MONTHS., Aggregate Strength for each Month of the Ten Years., Average Number Daily Sick., Number Daily Sick per 1,000 of Strength., Number of Deaths., Died per 1,000 of Strength., and CAUSES OF DEATHS IN HOSPITAL. (Cholera, Smallpox, Enteric Fever, etc.). Includes a summary row for 'For the Ten Years'.

Table with columns: CAUSES OF ADMISSIONS., and NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH. (JAN., FEB., MAR., APRIL., MAY., JUNE., JULY., AUG., SEPT., OCT., NOV., DEC.). Includes summary rows for 'Admitted per 1,000 of the Average Strength in each Month.' and 'Total Admitted during the Ten Years.'.

III.—STATISTICS OF INDIVIDUAL STATIONS—CAWNPORE, 1870-79.

LX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying CAWNPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.								
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
January	7,562	584	77.2	6	1	1
February	7,710	618	80.2	8	1	1
March	8,929	663	74.3	10	3	1
April	9,076	716	78.9	18	1	1
May	8,981	645	71.8	26	2	2
June	8,923	644	72.2	27	1	1
July	8,868	715	80.6	9	1	1
August	8,825	781	88.5	25	3	2
September	8,592	835	97.2	16	2	2
October	8,436	808	95.8	14	2	2
November	7,642	673	88.1	10	2	2
December	7,528	524	69.6	14	3	4
						36	4	17	2	8	23	...	12	1	17	...	7	9	9	1	17	1	19				
						Died per 1,000 of the Average Strength.																							
For the Ten Years	8,423	684	81.2	183	21.73	4.27	.47	2.02	1.19	2.73	...	1.42	.12	2.0283	1.07	1.0712	2.02	.12	2.26					

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)	34	338	235	13	1	621	73.7	...												
Cholera	12	17	8	...	5	4	48	5.7	75.00												
Smallpox	...	2	9	3	26	3.1	15.38												
Enteric Fever	...	1	1	3	1	...	35	4.2	48.57												
Fever, Intermittent	...	76	61	85	124	4	...	10	3	3	...	2	35	4.2	...												
Fever, Remittent and Continued	...	18	21	47	112	130	99	128	203	265	213	101	34	1,371	162.8	.08											
Apoplexy	1	2	2	3	33	5	2	...	3	...	6	61	7.2	37.70											
Delirium Tremens	...	3	...	3	2	3	...	5	3	...	3	...	1	33	3.9	...											
Dysentery	...	9	13	13	34	31	24	31	51	49	39	19	15	328	39.0	3.66											
Diarrhoea	...	13	19	41	52	51	37	61	110	47	35	23	19	508	60.3	..90											
Hepatitis	...	19	26	39	31	39	57	61	42	44	36	24	27	445	52.8	3.82											
Spleen disease	...	6	2	7	2	3	4	5	1	2	4	1	2	39	4.6	...											
Respiratory diseases	...	70	63	70	98	42	.29	35	50	35	32	45	106	675	80.1	1.04											
Phthisis Pulmonalis	...	5	5	6	2	4	5	4	12	6	7	10	5	71	8.4	12.68											
Scurvy	1	1	1	6											
Rheumatism	...	38	31	57	41	38	36	44	60	40	53	31	27	501	59.5	...											
Veneral diseases	...	365	336	418	317	229	213	296	211	193	231	211	197	3,247	385.5	...											
Eye diseases	...	15	13	23	22	15	12	17	28	22	25	15	7	214	25.4	..35											
Abscess and Ulcer	...	54	48	65	70	57	88	120	103	89	53	44	36	827	98.2	...											
Wounds and Accidents	...	61	62	82	90	67	62	67	62	60	67	55	67	802	95.2	...											
All other Causes	...	93	81	152	174	167	172	224	174	140	173	131	92	1,773	210.5	...											
													848	794	1,116	1,238	1,038	1,007	1,312	1,388	1,660	1,719	1,095	871	14,086		
Admitted per 1,000 of the Average Strength in each Month.																											
	112.1	103.0	125.0	138.4	115.6	112.9	148.0	157.3	193.2	203.8	143.3	115.7		1,672.3													

III.—STATISTICS OF INDIVIDUAL STATIONS—CAWNPORE, 1870-79.

LXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CAWNPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	756	104.3	96.0	107.1	117.8	85.9	87.1	115.8	137.2	151.1	138.8	87.5	60.7	108.5
1871	"	837	74.5	80.4	95.8	105.9	105.9	111.5	128.0	143.0	135.5	103.1	99.1	112.6	107.5
1872	"	856	84.6	78.4	72.0	77.2	63.0	77.5	88.5	87.6	147.0	152.6	90.5	76.5	92.3
1873	"	856	89.9	81.9	70.5	85.3	81.4	79.3	87.8	77.7	89.3	85.5	116.7	84.0	84.1
1874	For 10 Months	1,018	61.6	88.9	85.0	71.1	84.3	107.7	112.4	114.3	117.0	92.6	93.3
1875	For the Year	877	93.2	103.6	98.0	81.9	54.0	60.1	61.2	64.7	68.3	59.0	52.7	25.1	69.6
1876	"	712	31.3	51.8	41.1	44.5	47.7	54.3	55.9	57.1	64.9	68.5	66.2	44.0	53.4
1877	"	870	50.2	82.8	46.4	39.6	44.5	48.5	47.4	57.9	52.1	41.8	48.3	41.5	50.6
1878	"	814	55.5	48.2	43.1	62.1	56.8	42.7	50.8	53.4	58.2	51.2	40.0	38.3	51.6
1879	"	946	85.8	88.2	80.0	82.0	86.5	83.0	80.8	91.0	94.5	131.8	157.8	114.1	99.4
Ten Years, 1870-79	...	8,423	77.2	80.2	74.3	78.9	71.8	72.2	80.6	88.5	97.2	95.8	88.1	69.6	81.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	...	9.3	497.3	...	4.0	45.0	56.9	142.9	1.3	70.1	19.8	27.8	441.8	47.6	90.0	99.2	211.6	1,764.6
1871	...	1.2	2.4	856.6	...	55.0	55.0	98.0	20.3	44.2	17.9	56.1	500.6	41.8	111.1	75.3	242.5	2,178.0
1872	...	28.0	3.5	331.8	28.0	9.4	49.1	85.3	53.7	9.4	44.4	2.3	100.5	442.7	40.9	82.9	118.0	2,412.4
1873	...	7.0	3.5	313.1	2.3	4.7	38.6	98.1	51.4	5.8	56.1	5.8	95.8	365.7	22.2	116.8	88.8	2,617.7
1874	...	1.0	3.9	235.8	3.9	2.9	54.0	70.7	32.4	1.0	134.6	12.8	51.1	397.8	15.7	103.2	74.7	1,443.0
1875	...	6.8	8.0	212.1	3.4	6.8	25.1	51.3	33.1	1.2	54.7	9.1	78.7	375.2	12.5	88.9	81.0	1,290.8
1876	...	8.4	...	368.0	12.6	4.2	46.3	67.4	45.0	2.8	66.0	7.0	77.3	228.9	22.5	70.2	122.2	1,447.7
1877	190.8	2.3	3.5	20.7	20.7	21.8	1.1	54.0	6.9	47.1	236.8	10.3	49.1	83.9	1,357.7
1878	255.5	2.5	3.7	29.5	45.4	17.2	1.2	102.0	...	33.2	337.8	18.4	104.4	114.3	2,236.6
1879	...	4.2	7.4	1,169.1	15.9	...	22.2	40.2	38.0	2.1	131.1	2.1	22.2	419.7	23.2	130.0	85.6	2,243.1
Ten Years, 1870-79	...	5.7	4.2	454.3	7.2	3.9	39.0	60.3	52.8	4.6	80.1	8.4	59.5	385.5	25.4	98.2	95.2	2,672.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	2.64	18.52	21.16	16	2	1	3	4	1	1	2		
1871	...	3.58	9.56	13.14	11	2	4	3		
1872	...	19.86	3.50	18.70	36	17	...	1	1	6	...	1	5	3		
1873	...	5.84	...	14.02	17	5	2	1	1	1	2	3		
187498	2.95	14.73	19	1	...	3	3	3	1	...	3	...	1		
1875	...	5.70	1.14	12.54	19	5	...	2	...	2	...	1	...	3	1	1	...	1		
1876	...	8.43	2.81	11.23	16	6	3	...	1	...	1	1	2		
1877	3.45	16.09	17	...	1	...	2	1	...	1	...	1	3	...	3	3		
1878	1.23	9.83	9	...	1	2	...	1	...	3	1	1		
1879	...	2.11	2.11	22.21	25	2	...	4	2	7	...	1	...	1	3	2		
Ten Years, 1870-79	...	4.27	2.38	15.08	21.73	36	4	17	10	23	...	13	17	...	7	9	9	18	20	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.													Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	1	1
1871	16
1872	8
1873	1	2	4
1874
1875	1	5
1876	3	3
1877
1878
1879	4
Ten Years, 1870-79	2	12	17	8	...	5	4	48

III.—STATISTICS OF INDIVIDUAL STATIONS—ALLAHABAD, 1870-79.

LXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ALLAHABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.									
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.					
January ...	9,010	636	70·6	10	2	...	1	1	1			
February ...	9,099	638	70·1	3	1	1		
March ...	9,393	574	61·1	8	...	2	...	1	1	...	2		
April ...	9,188	570	62·0	20	...	5	2	...	2	...	2	2	...	2	...		
May ...	9,135	608	66·6	17	...	3	1	3	1	2	2	1	2	...		
June ...	9,102	635	69·8	25	...	2	1	...	1	...	2	13	1	2	...		
July ...	9,095	621	68·3	8	...	1	1	4		
August ...	9,064	655	72·3	44	...	33	2	...	2	4	1	...	1	...		
September ...	9,123	698	76·5	21	...	6	...	2	...	3	...	1	...	2	1	...	
October ...	9,106	689	75·7	8	1	2	1	1	...	
November ...	9,221	686	74·4	12	2	2	...	2	...
December ...	9,424	620	65·8	16	2	...	2	6	...	1	...
						52	4	15	1	14	23	1	11	1	20	...	3	9	12	14	1	11				
						Died per 1,000 of the Average Strength.																								
For the Ten Years ...	9,163	636	69·4	192	20·95	5·67	·43	1·64	1·64	2·51	·11	1·20	·11	1·28	...	·33	·98	1·31	1·53	·11	1·29					

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	5	33	7	141	98	27	2	2	318	34·7	...	
Cholera	2	2	5	7	2	2	54	11	...	1	...	86	9·4	60·47	
Smallpox	3	10	4	5	2	2	...	26	2·8	15·38	
Enteric Fever ...	4	3	...	4	4	1	1	2	5	7	1	6	38	4·2	39·47	
Fever, Intermittent ...	150	117	94	84	109	134	204	219	265	478	264	198	2,316	252·8	·04	
Fevers, Remittent and Continued ...	103	101	119	181	232	232	179	162	271	313	198	147	2,238	244·2	·03	
Apoplexy	2	2	4	37	16	2	3	3	2	2	73	8·0	31·51	
Delirium Tremens ...	2	1	1	3	...	3	3	3	1	2	...	1	20	2·2	5·00	
Dysentery ...	21	15	14	19	19	6	19	52	41	28	26	25	285	31·1	3·86	
Diarrhoea ...	10	28	39	56	44	20	51	120	72	20	26	30	516	56·3	·19	
Hepatitis ...	30	19	26	32	34	31	47	48	44	53	36	31	431	47·0	4·64	
Spleen disease ...	5	3	5	9	10	7	7	19	7	10	7	9	98	10·7	...	
Respiratory diseases ...	82	77	69	46	44	43	58	27	32	50	72	82	682	74·4	·44	
Phthisis Pulmonalis ...	7	3	5	5	6	6	7	4	9	9	11	8	80	8·7	15·00	
Scurvy	2	2	2
Rheumatism ...	55	67	69	51	44	42	43	40	56	46	30	33	585	63·9	...	
Veneral diseases ...	271	256	264	247	221	173	176	155	211	207	186	203	2,570	280·5	...	
Eye diseases ...	12	11	18	16	25	17	30	21	31	19	16	7	223	24·3	...	
Abscess and Ulcer ...	91	88	86	93	86	115	123	92	96	71	92	70	1,103	120·4	·33	
Wounds and Accidents ...	75	78	93	65	59	54	63	48	53	74	64	76	802	87·5	...	
All other Causes ...	112	123	127	137	143	140	165	187	186	161	159	128	1,768	193·0	...	
	1,030	992	1,036	1,065	1,100	1,104	1,203	1,405	1,492	1,578	1,195	1,060	14,260			
	Admitted per 1,000 of the Average Strength in each Month.															
	114·3	109·0	110·3	115·9	120·4	121·3	132·3	155·1	163·5	173·3	129·6	112·5	1,556·3			

III.—STATISTICS OF INDIVIDUAL STATIONS—ALLAHABAD, 1870-79.

LXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ALLAHABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation,	Average Strength of each Year and for the Period,	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	389	49.9	52.2	55.9	50.4	53.4	59.2	61.9	50.0	58.8	77.2	88.3	91.3	64.3
1871	...	797	51.7	66.1	57.7	62.7	65.9	67.8	73.6	69.1	59.9	57.8	51.1	69.5	62.7
1872	...	985	76.5	73.6	49.6	49.8	50.1	44.4	46.5	92.1	76.1	63.9	72.7	64.9	62.9
1873	...	1,023	78.4	89.6	81.0	60.1	53.6	70.3	81.3	76.2	98.0	92.5	101.5	89.9	81.1
1874	...	1,030	103.0	89.3	61.5	81.2	84.9	81.7	85.5	83.3	90.7	78.4	71.6	54.2	80.6
1875	...	1,049	63.9	67.1	59.7	57.2	60.0	59.2	62.3	62.5	73.4	71.6	70.4	53.5	62.9
1876	...	944	57.5	50.3	38.7	48.5	70.4	66.3	53.5	56.7	45.2	65.2	74.4	72.4	58.3
1877	...	909	75.7	55.4	66.6	62.6	62.6	71.2	66.5	69.8	87.4	55.9	56.4	58.0	66.0
1878	...	986	59.5	74.1	65.1	68.6	69.7	76.3	74.2	72.3	81.4	88.5	67.9	59.9	71.0
1879	...	1,052	71.9	72.5	69.5	67.6	85.6	93.6	73.1	70.9	80.0	100.3	88.6	58.2	77.0
Ten Years, 1870-79	...	9,163	70.6	70.1	61.1	62.0	66.6	69.8	68.3	72.3	76.5	75.7	74.4	65.8	69.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	2.6	2.6	475.5	7.7	5.1	48.9	36.0	38.6	18.0	66.8	18.0	41.1	316.2	20.6	174.8	97.7	208.2	1,578.4
1871	8.8	7.5	816.8	1.3	2.5	25.1	82.8	40.2	15.1	46.4	...	70.3	179.4	11.3	104.1	89.1	173.1	1,673.8
1872	44.7	3.0	434.6	5.1	1.0	42.6	79.2	76.1	8.1	55.8	11.2	50.8	163.5	49.7	106.6	82.2	451.8	1,666.0
1873	4.9	2.0	545.4	11.7	3.9	58.7	77.2	64.5	11.7	98.7	5.9	75.3	217.3	33.2	154.5	82.1	328.4	1,805.4
1874	...	1.9	393.2	5.8	2.9	30.1	50.5	51.5	11.6	129.1	16.5	61.2	352.4	26.2	128.2	89.3	243.7	1,594.1
1875	7.6	4.8	352.7	2.9	1.9	13.3	32.4	32.4	7.6	49.6	9	88.7	239.8	14.3	101.1	78.2	152.5	1,230.7
1876	10.6	2.1	574.2	11.7	1.1	30.7	63.6	40.2	29.7	70.3	9.5	82.6	220.3	15.9	131.3	94.3	238.3	1,632.4
1877	...	1.1	366.3	6.6	1.1	14.3	30.8	56.1	7.7	68.2	3.3	57.2	217.5	16.5	115.5	106.7	149.7	1,248.6
1878	9.1	6.1	391.5	17.3	1.0	24.3	55.8	29.4	1.0	57.8	7.1	50.7	420.9	29.4	108.5	87.2	159.3	1,456.4
1879	1.9	9.5	661.6	8.6	2.9	31.4	47.5	36.1	2.9	82.7	18.1	47.5	356.5	20.9	109.3	77.9	175.8	1,691.1
Ten Years, 1870-79	9.4	4.2	497.0	8.0	2.2	31.1	56.3	47.0	10.7	74.4	8.7	63.9	280.5	24.3	120.4	87.5	230.7	1,556.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a	b																
1870	15.42	15.42	6	1	...	1	...	2	
1871	8.78	...	17.57	26.35	21	3	1	
1872	25.38	...	17.26	42.64	42	25	...	4	...	1	
1873	4.89	...	17.69	22.48	23	5	3	1	
1874	...	1.94	16.51	18.45	19	...	1	1	
1875	3.81	.95	12.40	17.16	18	4	...	3	1	
1876	3.18	4.24	7.41	14.83	14	3	...	2	
1877	...	3.30	8.80	12.10	11	2	
1878	8.11	...	13.19	21.30	21	8	...	2	...	6	1	
1879	...	1.90	14.26	16.16	17	2	...	2	...	3	
Ten Years, 1870-79	5.67	1.31	13.97	20.95	192	52	4	15	15	23	1	12	20	3	9	12	14	12	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	1	1
1871	2	...	3	...	1	7
1872	2	4	44
1873	1	...	1	5
1874	8
1875	1	10
1876	6	...	4
1877
1878	1	9
1879	1	6	...	1	2
Ten Years, 1870-79	...	2	2	5	7	2	2	54	11	...	1	86

III.—STATISTICS OF INDIVIDUAL STATIONS—SHAHJAHANPUR, 1870-79.

LXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SHAHJAHANPUR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns for Months (Jan-Dec), Aggregate Strength, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths, Died per 1,000 of Strength, and various Causes of Deaths in Hospital (Cholera, Smallpox, Enteric Fever, etc.), plus Wounds and Accidents and Suicidal Deaths.

Died per 1,000 of the Average Strength.

FINISH

Table with columns for Causes of Admissions, Number of Admissions into Hospital in Each Month (Jan-Dec), Total Admitted during the Ten Years, Admitted per 1,000 of Strength, and Died out of each hundred cases treated. Includes a summary row for Admitted per 1,000 of the Average Strength in each month.

III.—STATISTICS OF INDIVIDUAL STATIONS—SHAHJAHANPUR, 1870-79.

LXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SHAHJAHANPUR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 10 Months	309	49.5	93.1	71.3	67.7	63.4	70.9	82.4	71.2	74.9	86.1	71.2
1871	For the Year	403	88.6	91.1	81.9	90.2	85.0	115.3	107.1	71.4	61.2	61.5	49.0	41.1	76.9
1872	"	380	38.1	32.7	33.2	30.5	41.2	50.0	61.1	69.8	72.8	72.4	56.4	52.1	50.0
1873	"	229	47.5	38.7	38.5	65.1	59.2	71.0	65.1	53.3	47.3	35.3	47.3	54.5	48.0
1874	For 3 Months	167	55.6	37.5	22.2	35.9
1875	For the Year	536	76.9	51.9	40.1	69.7	64.7	61.1	46.4	42.4	46.6	33.8	35.9	36.1	50.4
1876	"	485	35.8	33.8	28.1	44.4	59.9	51.9	37.5	33.3	45.6	31.3	31.4	22.4	37.1
1877	"	423	34.3	55.0	58.3	52.1	30.7	30.7	38.0	49.9	57.0	45.2	23.8	22.3	42.6
1878	"	368	31.1	26.5	27.5	53.3	58.4	68.9	56.4	82.1	80.3	100.3	79.5	82.8	62.5
1879	"	229	45.5	50.7	49.2	74.9	80.0	75.6	76.6	81.1	59.1	112.1	116.8	103.9	74.2
Ten Years, 1870-79	...	3,351	49.7	52.6	46.2	59.0	59.1	64.5	60.5	59.3	60.0	59.8	49.7	44.8	55.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	80.9	...	3.2	48.5	13.0	51.8	...	9.7	6.5	55.0	297.7	45.3	103.6	38.8	129.5	883.5
1871	...	14.8	719.7	2.5	2.5	7.4	166.2	39.7	2.5	218.4	7.4	139.0	265.5	49.6	131.5	76.9	335.0	2,178.6
1872	2.6	...	223.7	...	2.6	44.7	81.6	39.5	...	26.3	...	94.7	84.2	21.1	47.4	44.7	186.9	900.0
1873	179.0	8.7	96.1	56.8	...	21.8	13.1	78.6	61.1	17.5	69.9	39.3	135.4	777.3
1874	12.0	6.0	6.0	...	18.0	...	29.9	35.9	...	12.0	17.9	41.9	179.6
1875	85.8	1.9	...	31.7	24.3	24.3	...	54.1	5.5	7.4	300.4	54.1	91.4	48.6	108.2	837.7
1876	...	6.2	146.4	2.1	...	26.8	12.4	14.4	...	16.5	12.4	18.6	245.3	41.2	65.9	41.2	138.2	787.6
1877	...	4.7	115.9	2.4	...	28.4	30.7	28.4	4.7	21.3	4.7	35.5	319.1	16.5	92.2	52.0	139.5	896.0
1878	2.7	5.4	146.8	8.2	...	54.3	24.5	38.0	...	27.2	5.4	35.3	375.0	32.6	78.8	111.4	168.5	1,114.1
1879	...	8.7	607.0	17.5	34.9	96.1	...	61.1	17.5	43.7	296.9	43.7	144.1	113.5	366.8	1,851.5
Ten Years, 1870-79	6	4.5	239.4	2.1	9	30.7	51.9	38.5	9	53.4	7.5	54.6	260.2	37.0	90.4	61.8	183.2	1,117.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	3.24	3.23	6.47	2	1	
1871	14.89	14.89	6	1	1	1	
1872	...	2.63	10.53	13.16	5	2	1	
1873	13.10	13.10	3	1	
1874	5.99	5.99	1	1	
1875	...	1.87	18.65	20.52	11	1	1	1	
1876	...	2.06	8.25	10.31	5	3	1	
1877	16.55	16.55	7	2	...	1	1	
1878	2.72	...	10.87	13.59	5	1	1	1	
1879	17.47	17.47	4	1	1	
Ten Years, 1870-79	3.0	1.20	13.12	14.62	49	1	...	7	4	2	...	8	8	...	1	4	6	4	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873	1	1
1874
1875
1876
1877
1878	1	1
1879
Ten Years, 1870-79	2	2

III.—STATISTICS OF INDIVIDUAL STATIONS—BAREILLY, 1870-79.

LXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BAREILLY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	855	59.8	65.7	64.4	48.0	42.0	44.6	37.3	48.3	66.4	59.4	47.4	41.8	52.6
1871	"	803	50.1	56.6	55.4	33.0	47.4	45.3	46.7	49.2	57.6	50.3	54.6	51.1	49.8
1872	"	753	63.7	51.5	34.4	38.9	40.4	46.9	48.1	46.9	53.4	49.5	30.3	45.7	44.9
1873	"	768	42.9	35.2	31.3	30.8	25.7	30.8	43.8	61.9	59.4	38.7	31.6	29.1	39.1
1874	"	850	45.4	65.2	45.8	33.0	38.8	45.8	48.1	55.6	49.6	35.2	14.8	27.4	42.4
1875	"	803	33.6	22.8	32.7	42.4	44.0	37.8	51.9	48.3	46.8	43.2	34.5	33.1	38.6
1876	"	800	35.6	31.7	37.3	44.3	44.1	51.0	43.4	53.8	56.3	53.4	49.7	43.6	45.0
1877	"	735	39.2	45.6	47.9	49.4	55.0	49.7	52.6	56.6	56.5	46.6	56.9	40.1	49.0
1878	"	667	35.5	40.2	25.5	55.6	106.8	128.4	84.2	64.2	72.3	70.0	70.9	64.9	66.0
1879	"	749	65.9	97.0	91.9	91.8	61.2	70.2	68.4	63.8	61.5	83.6	61.4	37.1	70.8
Ten Years, 1870-79	...	7,788	46.8	51.7	47.0	46.3	49.4	53.0	51.3	54.4	57.5	52.8	44.2	40.6	49.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	138.0	...	5.8	31.6	24.6	69.0	22.2	25.7	9.3	29.2	253.8	12.9	59.6	43.3	65.6	790.6
1871	1.2	185.6	...	26.1	12.4	72.2	13.7	37.4	10.0	18.7	198.0	10.0	51.1	58.5	99.6	794.5
1872	2.6	252.0	2.6	2.6	23.7	75.2	51.5	14.5	84.4	5.3	67.3	228.2	18.5	69.9	103.0	1,166.2
1873	2.6	183.6	...	1.3	29.9	58.6	35.2	3.9	91.1	6.5	48.2	119.8	11.7	74.3	72.9	871.1
1874	237.6	2.4	4.7	12.9	30.6	55.3	3.5	82.4	1.2	38.8	250.6	12.9	81.2	118.8	1,083.5
1875	1.2	153.2	3.7	1.2	38.6	54.8	21.2	2.5	98.4	7.5	54.8	163.1	16.2	61.0	85.9	184.4
1876	7.5	112.5	1.2	6.2	36.3	41.2	15.0	...	66.3	16.3	67.5	136.2	8.8	68.4	130.0	226.2
1877	4.1	136.0	1.4	6.8	20.4	19.0	35.4	...	62.6	12.3	61.2	171.4	24.5	53.1	92.5	185.0
1878	63.0	410.7	4.5	...	72.0	94.5	19.5	3.0	67.5	10.5	28.5	302.8	39.0	137.9	63.0	217.3
1879	4.0	391.2	...	1.3	18.7	17.3	37.4	...	38.7	5.3	44.1	456.6	18.7	64.1	66.8	1,301.7
Ten Years, 1870-79	...	9	6.9	219.5	1.5	3.1	30.4	41.9	41.9	6.6	65.2	8.3	45.7	226.5	16.8	71.1	83.7	1,024.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	1.17	11.70	12.87	11	1	
1871	...	2.49	8.72	11.21	9	2	
1872	...	1.32	7.92	9.24	7	1	
1873	3.91	3.91	3	
1874	4.71	4.71	4	
1875	...	1.25	8.71	11.21	9	1	...	1	1	1	
1876	...	3.75	8.75	12.50	10	3	
1877	12.24	12.24	9	2	...	1	
1878	43.48	44.98	30	...	1	22	...	1	...	1	1	
1879	5.34	5.34	4	1	
Ten Years, 1870-7951	.77	11.05	96	4	1	27	2	3	1	7	8	1	2	8	10	16	6	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	1
1877	6
1878
1879
Ten Years, 1870-79	1	6	7

III.—STATISTICS OF INDIVIDUAL STATIONS—MORADABAD, 1870-79.

LXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MORADABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 11 Months	399	44.2	40.7	37.8	56.1	55.7	76.9	38.3	38.3	63.4	66.9	47.9	...	45.3
1871	For the Year	181	79.8	112.7	132.1	22.9	28.6	28.6	22.9	40.0	28.6	34.3	32.3	19.4	49.7
1872	...	205	25.8	37.0	35.7	31.2	32.9	37.6	32.9	42.3	46.9	37.7	33.2	33.3	34.1
1873	...	195	33.7	4.8	19.7	51.3	41.2	36.3	31.1	31.1	52.1	31.3	26.7	42.8	35.9
1874	...	200	37.4	32.8	21.9	15.4	28.3	52.1	61.6	51.9	56.9	44.8	26.0	25.0	40.0
1875	...	202	39.8	59.7	48.8	49.0	49.0	48.1	59.1	59.1	39.8	45.7	44.8	35.0	49.5
1876	...	212	30.2	40.2	20.5	23.1	22.9	27.4	32.3	32.0	50.9	51.2	37.2	23.0	33.0
1877	...	221	27.7	21.5	22.9	41.3	36.7	22.9	18.3	27.6	41.3	32.1	42.3	46.5	31.7
1878	...	182	46.7	36.4	15.0	39.2	52.4	49.5	49.5	77.3	111.7	101.7	73.9	63.8	60.4
1879	...	196	59.5	43.2	43.5	26.9	69.7	94.5	100.0	115.0	141.4	196.0	170.9	142.1	102.0
Ten Years, 1870-79	...	2,079	42.7	43.1	40.1	36.5	42.1	48.4	44.3	50.5	62.8	63.8	53.5	47.3	47.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	246.0	6.5	35.6	68.0	...	22.6	3.2	32.4	236.2	3.2	42.1	45.3	71.2	812.3
1871	342.5	...	5.5	38.7	11.1	55.3	16.6	5.5	...	49.7	259.7	27.6	105.0	33.1	116.0	1,066.3
1872	190.2	...	19.5	78.1	9.8	39.0	4.9	34.1	4.9	43.9	180.5	19.5	92.7	53.6	78.1	848.8
1873	179.5	...	25.6	76.9	...	30.8	...	20.5	...	25.6	169.2	20.5	97.5	25.6	66.7	738.4
1874	195.0	...	5.0	10.0	65.0	50.0	5.0	45.0	...	35.0	255.0	15.0	75.0	35.0	190.0	980.0
1875	9.9	...	183.1	34.6	64.4	19.8	...	74.2	5.0	29.7	252.5	24.8	118.8	113.8	143.6	1,079.2
1876	...	14.2	122.6	4.7	...	51.9	103.8	51.9	4.7	51.9	...	47.2	122.6	18.9	75.5	122.6	108.5	901.0
1877	...	4.5	108.6	13.6	18.1	9.0	31.7	18.1	...	31.7	...	54.3	199.1	4.5	45.2	104.1	144.8	787.3
1878	...	5.5	247.2	16.5	104.4	33.0	...	38.4	5.5	38.5	472.5	5.5	115.4	65.9	115.4	1,263.7
1879	...	5.1	1,418.4	20.4	66.3	25.5	...	112.2	20.4	224.5	443.9	15.3	66.3	56.1	193.9	2,668.3
Ten Years, 1870-79	1.0	3.4	317.9	1.9	7.2	33.2	49.1	40.9	2.9	43.3	3.8	57.2	257.3	14.9	81.3	66.4	121.7	1,103.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	3.24	12.94	16.18	5	3	1	1	
1871	5.52	5.52	1	1	
1872	4.88	4.88	1	
1873	...	5.13	10.25	15.38	1	1	1	
1874	10.00	10.00	1	2	
1875	...	4.95	19.80	24.75	1	1	1	
1876	14.15	14.15	1	1	
1877	...	4.52	4.52	9.05	1	1	1	
1878	...	10.99	5.49	16.48	1	1	2	
1879	15.31	15.31	3	1	2	
Ten Years, 1870-79	48	2.41	10.58	13.47	28	1	...	3	4	2	...	3	7	...	2	...	1	5	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874
1875
1876	2	2
1877
1878
1879
Ten Years, 1870-79	2	2

III.—STATISTICS OF INDIVIDUAL STATIONS—ROORKEE, 1870-79.

LXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ROORKEE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.				
January	4,794	183	38.2	4	1	1	1	
February	4,276	176	41.2	6	1
March	4,305	202	46.9	7	1	
April	4,019	163	40.6	2	1	
May	3,972	185	46.6	11	
June	3,957	189	47.8	12	2	
July	3,969	206	51.9	3	
August	3,910	227	58.1	4	1	
September	3,867	245	63.4	4	1	
October	3,855	239	62.0	6	1	
November	3,349	174	52.0	2	1	
December	3,590	154	42.9	5	1	1	
						7	...	6	...	2	5	...	5	1	10	...	3	5	5	5	10	...	7	
						Died per 1,000 of the Average Strength.																							
For the Ten Years	3,989	195	48.9	66	16.55	1.76	...	1.51	.50	1.25	...	1.25	.25	2.5175	1.25	1.25	2.51	...	1.76		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	...	1	1	2		...
Cholera	5	11		...
Smallpox	1	2		...
Enteric Fever	...	1	21		...
Fever, Intermittent	67	101	76	60	76	77	85	159	242	173	60	57	1,233	309.1	...
Fevers, Remittent and Continued	11	11	27	40	59	39	60	71	66	52	15	5	456	114.3	...
Apoplexy	7		...
Delirium Tremens	...	1	1	10		...
Dysentery	14	7	7	8	13	8	...	16	15	9	17	18	141	2.5	...
Diarrhea	10	12	19	15	7	7	14	29	17	15	9	6	160	35.3	3.55
Hepatitis	...	10	12	16	18	19	15	27	31	20	10	12	214	40.1	.63
Spleen disease	...	2	12		4.67
Respiratory diseases	39	46	38	31	33	19	26	24	20	24	31	27	358	89.7	...
Phthisis Pulmonalis	2	4	2	1	2	15		3.8
Scurvy	1		...
Rheumatism	14	25	16	208	52.1	...
Veneral diseases	99	56	71	40	67	47	80	37	31	62	32	59	681	170.7	...
Eye diseases	9	4	4	8	10	8	8	4	6	10	4	7	32	20.6	...
Abscess and Ulcer	24	19	24	32	26	29	41	26	21	37	16	20	315	79.0	...
Wounds and Accidents	39	26	34	33	9	16	20	19	16	18	16	30	276	69.2	...
All other Causes	54	44	65	57	50	56	74	71	65	66	34	44	680	170.5	...
	394	370	401	367	403	348	460	499	558	508	269	308	4,885		
Admitted per 1,000 of the Average Strength in each Month.															
	82.2	86.5	93.1	91.3	101.5	87.9	115.9	127.6	144.3	131.8	80.3	85.9	1,224.6		

III.—STATISTICS OF INDIVIDUAL STATIONS—ROORKEE, 1870-79.

LXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ROORKEE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	316	82.8	60.2	56.0	24.5	47.3	34.7	50.5	60.9	133.6	120.5	54.8	36.9	63.3
1871	...	367	35.6	39.8	48.0	59.9	64.4	62.5	53.0	72.1	75.7	63.5	60.3	57.8	54.5
1872	...	432	14.9	32.5	58.7	40.8	53.0	55.4	72.8	53.9	41.9	50.1	36.6	29.7	44.0
1873	...	378	41.9	34.3	31.8	26.7	16.0	16.0	24.5	32.9	44.2	20.6	40.5	29.1	40.5
1874	...	360	17.9	42.3	41.2	42.9	36.3	39.1	49.4	73.1	57.1	47.0	53.3	35.5	44.4
1875	...	463	36.8	32.8	41.7	51.3	41.2	35.1	46.6	48.2	55.2	47.9	24.8	31.9	41.0
1876	...	477	43.5	49.7	45.4	38.3	55.8	71.4	51.5	60.4	56.1	58.4	56.5	42.3	52.4
1877	...	475	39.5	31.3	41.7	36.1	53.3	49.3	52.1	54.7	59.9	63.2	58.2	41.4	48.4
1878	...	458	38.2	46.2	48.5	43.6	52.3	65.4	74.1	63.3	66.4	70.9	96.6	73.9	61.1
1879	...	309	69.1	48.6	60.1	39.9	43.9	40.5	46.4	74.5	76.2	69.0	55.0
Ten Years, 1870-79	...	3,989	38.2	41.2	46.9	40.6	46.6	47.8	51.9	58.1	63.4	62.0	52.0	42.9	48.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-case.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-cases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	1,101.3	38.0	22.1	28.5	...	47.5	3.2	34.8	132.9	3.2	75.9	41.1	126.6	1,655.1	
1871	...	2.7	515.0	2.7	...	103.5	70.8	117.2	2.7	139.0	10.9	70.8	177.1	40.9	117.2	98.1	231.6	1,709.2	
1872	...	11.6	356.5	2.3	6.9	34.7	67.1	88.0	9.3	88.0	6.9	150.4	173.6	48.6	104.2	46.3	201.4	1,395.8	
1873	...	2.6	230.2	...	2.6	15.9	23.8	37.1	2.7	119.0	7.9	34.4	119.0	29.1	87.3	105.8	135.0	952.4	
1874	488.9	...	8.3	22.2	33.3	30.6	...	61.1	...	33.3	200.0	13.9	72.2	80.6	197.2	1,241.6	
1875	...	13.0	133.9	8.6	4.3	32.4	36.7	41.0	2.2	92.9	2.2	38.9	209.5	10.8	67.0	71.2	205.2	969.8	
1876	...	2.1	448.6	2.1	...	29.4	29.4	39.8	...	65.0	...	37.7	169.8	12.6	67.1	52.4	100.6	1,056.6	
1877	...	2.1	172.6	...	2.1	23.2	46.3	50.5	8.4	141.1	...	37.9	101.1	18.9	63.2	69.5	181.0	917.9	
1878	...	32.8	303.4	37.1	30.6	56.8	2.2	76.4	4.4	48.0	264.2	13.1	61.1	72.0	172.5	1,174.6	
1879	...	6.5	754.0	16.2	32.4	35.6	...	32.4	3.2	16.2	113.2	9.7	74.4	45.3	132.7	1,271.8	
Ten Years, 1870-79	...	2.8	5.3	423.4	1.7	2.5	35.3	40.1	53.6	3.0	89.7	3.8	52.1	170.7	20.6	79.0	69.2	171.8	1,224.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-case.	Respiratory diseases.	Heart dis-cases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	9.40	9.40	3	1	1	
1871	8.17	8.17	3	1	
1872	...	4.63	20.83	25.46	11	2	2	1	1	1	
1873	...	7.94	2.64	10.58	4	
1874	19.44	19.44	7	
1875	...	10.80	28.08	38.88	18	5	1	
1876	...	2.10	6.29	8.39	4	1	
1877	6.32	6.32	3	
1878	...	6.55	15.28	21.83	10	
1879	9.71	9.71	3	
Ten Years, 1870-79	...	1.76	1.76	13.03	16.55	66	7	...	6	2	5	...	6	10	...	3	5	5	10	7

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	
1871	
1872	
1873	5	
1874	
1875	4	...	2	
1876	
1877	
1878	
1879	
Ten Years, 1870-79	4	2	5	11

III.—STATISTICS OF INDIVIDUAL STATIONS—MEERUT, 1870-79.

LXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MEERUT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,292	45.4	52.7	52.8	55.7	60.7	65.9	74.5	73.4	80.0	78.7	76.9	50.0	65.0
1871	"	1,644	45.4	58.0	64.2	58.8	67.4	68.3	79.7	102.8	111.8	102.0	86.6	59.1	76.0
1872	"	1,441	42.6	41.6	51.6	59.3	71.9	73.5	66.7	84.9	98.7	91.4	64.9	65.5	66.6
1873	"	1,486	50.2	45.6	42.7	44.6	55.5	56.4	56.7	63.3	67.1	74.0	85.4	66.1	58.5
1874	"	1,490	61.3	57.9	50.8	53.8	64.2	69.8	64.6	87.4	102.3	102.2	107.1	88.4	75.2
1875	"	1,498	63.7	67.6	57.2	79.1	71.2	67.8	70.0	69.4	75.7	66.7	60.8	49.8	66.1
1876	"	1,507	67.3	54.2	49.0	45.6	39.0	54.5	67.2	57.3	58.8	63.1	60.1	39.9	54.4
1877	"	1,473	45.3	41.5	44.5	48.4	60.2	60.3	56.2	66.5	63.0	55.6	67.8	53.8	55.0
1878	"	1,418	36.3	31.2	40.1	51.7	69.7	57.6	56.4	57.6	74.5	78.1	58.9	57.1	55.0
1879	"	973	61.0	57.7	49.9	54.3	53.2	51.5	51.7	67.1	92.8	97.6	78.2	60.5	63.7
Ten Years, 1870-79	...	14,222	51.5	50.3	50.3	55.0	61.5	65.0	65.9	73.3	80.5	80.3	76.7	58.7	64.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1.6	3.2	486.7	1.6	8.5	61.9	108.4	75.8	4.0	72.8	13.2	82.8	169.5	38.7	96.6	145.5	222.9	1,593.7
1871	4.8	770.8	2.4	6.7	82.1	101.0	90.6	19.5	217.8	17.6	82.1	125.3	130.2	17.0	93.6	130.2	233.6	1,995.1
1872	4.2	728.6	18.7	6.9	61.8	93.0	45.1	21.5	174.2	7.6	86.1	122.8	15.9	109.7	99.2	331.8	1,972.9	
1873	7	12.8	673.6	4.7	3.4	40.4	107.0	51.8	6.0	84.8	2.0	68.7	158.8	24.9	86.1	80.8	168.9	1,575.4
1874	14.8	1,461.0	6.0	2.7	40.9	89.9	70.5	5.4	75.2	4.0	63.8	184.6	20.8	98.0	100.0	202.0	2,439.6	
1875	3.3	835.8	4.0	7	47.4	94.8	41.4	15.4	62.7	2.0	57.4	223.0	25.4	112.1	146.2	174.9	1,855.2	
1876	2.0	529.5	6.6	3.3	29.2	61.1	61.7	41.8	10.0	52.4	149.3	27.2	69.0	124.7	152.0	1,319.8		
1877	9.5	316.4	4.8	2.7	21.7	58.4	51.6	2.0	69.2	8.1	67.2	150.7	14.3	91.0	161.6	167.7	1,196.9	
1878	14.1	255.3	1.4	2.8	27.5	97.3	66.3	7	62.7	4.3	52.9	265.9	14.8	97.3	99.4	197.5	1,260.2	
1879	4.1	998.0	1.0	2.1	19.5	50.4	33.9	2.1	75.0	9.3	40.1	233.3	19.5	98.7	92.5	160.2	1,839.7	
Ten Years, 1870-79	5.8	7.4	701.2	5.3	4.0	44.3	87.2	59.9	8.0	95.8	7.8	66.2	175.6	21.7	95.0	118.8	202.2	1,706.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.32	25.54	27.86	36	...	3	4	2	2	2	4	9	...	2	...	4	1	3
1871	...	1.22	21.29	22.51	37	...	1	6	...	1	6	7	6	2
1872	32.62	.69	35.39	68.70	99	47	...	3	4	...	4	3	9	1
1873	67	2.02	14.13	16.82	25	...	1	6	2	...	3	1	2	3
1874	...	2.01	18.12	20.13	30	...	4	4	1	4	3
1875	7.34	1.34	9.34	18.02	27	11	...	3	...	2	...	1	1	2
187666	17.26	17.92	27	3
187768	9.50	10.18	15	4	1
1878	...	1.41	6.35	7.76	11	4	...	2	2
1879	...	1.03	13.36	14.39	14	2	...	1	...	1	1
Ten Years, 1870-79	4.15	1.34	17.08	22.57	321	59	5	38	14	22	7	32	59	...	14	12	14	26	19

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1	2
1871
1872	12	54	66
1873	1	1
1874
1875	1	11	...	1	...	13
1876
1877
1878
1879
Ten Years, 1870-79	1	14	65	2	82

III.—STATISTICS OF INDIVIDUAL STATIONS—DELHI, 1870-79.

LXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DELHI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents, Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.		Scurvy.	Atrophy and Anæmia.	All other Causes.	
January	4,796	315	65·7	7	1	...	2	2	2		
February	5,027	280	55·7	2		
March	4,727	247	52·3	9	...	1	2	1	1	1	1		
April	4,375	256	58·5	3	...	1		
May	4,364	293	67·1	6	1	...	2	2	1		
June	4,354	297	68·2	14	1	...	2	5		
July	4,354	283	65·0	7	3	1		
August	4,350	365	83·9	12	...	3	...	1	...	1	...	1		
September	4,335	445	102·7	10	...	1	2	3	1		
October	4,306	450	104·5	8	1	...	1	1	1		
November	4,523	386	85·3	9	2	...	3	1		
December	4,428	333	75·2	9	1	...	1		
						6	1	8	...	11	15	...	7	...	8	1	4	4	10	1	12	1	7
						Died per 1,000 of the Average Strength.																			
For the Ten Years	4,405	320	73·2	96	21·36	1·34	·22	1·78	2·45	3·34	...	1·56	...	1·78	·22	·89	·89	2·22	·22	2·67	·22	1·56	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	1	139	14	32	33	219	48·7	...
Cholera	1	...	1	...	4	1	7	16	85·71
Smallpox	...	2	...	2	3	6	17	3·8	
Enteric Fever	...	1	1	1	1	...	2	...	10	2·2	
Fever, Intermittent	195	102	131	208	316	385	435	682	941	860	447	326	5,028	1,118·6	
Fever, Remittent and Continued	4	9	24	68	78	32	42	40	76	74	26	13	486	108·1	
Apoplexy	1	1	1	7	4	1	3	17	3·8	
Delirium Tremens	2	6	1	3	9	1	4	7	6	2	1	1	39	8·7	
Dysentery	11	6	10	11	4	11	28	20	13	24	25	25	171	38·0	
Diarrhoea	7	17	16	42	29	25	22	58	43	24	36	35	354	78·8	
Hepatitis	12	9	17	15	19	20	17	29	24	23	18	17	226	50·3	
Spleen disease	5	5	1	2	2	1	5	3	8	19	10	20	81	18·0	
Respiratory diseases	71	56	41	20	15	18	32	24	28	35	46	67	453	100·8	
Phthisis Pulmonalis	5	2	3	2	5	2	4	8	6	7	10	6	60	13·3	
Scurvy	1	1	...	2	·4	
Rheumatism	40	36	32	16	19	18	18	23	25	34	13	29	303	67·4	
Veneral diseases	112	89	79	94	61	44	64	51	38	54	48	87	821	182·6	
Eye diseases	9	12	8	9	8	3	7	5	7	4	6	6	84	18·7	
Abscess and Ulcer	27	40	31	35	43	42	33	32	26	26	27	30	392	87·2	
Wounds and Accidents	27	45	43	30	35	28	21	33	23	36	49	41	411	91·4	
All other Causes	64	64	74	59	85	63	78	72	84	75	67	54	839	186·7	
												10,020			
Admitted per 1,000 of the Average Strength in each Month.															
123·9	98·9	108·5	141·5	168·0	161·9	183·1	253·3	345·6	302·1	191·2	179·8	2,229·1			

III.—STATISTICS OF INDIVIDUAL STATIONS—DELHI, 1870-79.

LXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DELHI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	339	54.1	51.3	49.6	52.8	65.4	69.2	59.7	85.4	75.7	66.2	65.7	28.6	59.0
1871	"	418	59.3	56.9	70.2	57.3	81.7	79.7	60.5	79.9	82.5	79.7	51.1	69.7	69.4
1872	"	513	123.9	59.8	42.4	62.7	72.2	61.6	52.3	69.6	122.1	113.9	69.3	63.6	73.7
1873	"	474	52.7	36.0	29.4	35.9	48.5	57.2	48.7	55.0	65.7	96.4	86.1	125.0	59.1
1874	"	531	126.5	47.7	36.7	41.1	52.7	58.4	64.2	88.8	94.2	76.1	80.9	61.6	65.5
1875	"	482	53.6	77.9	75.0	78.8	66.3	59.9	49.5	41.4	62.6	69.3	68.1	50.6	64.3
1876	"	487	42.1	50.8	53.9	42.0	42.1	46.8	58.3	83.1	107.9	98.9	94.5	70.6	65.7
1877	"	424	58.2	50.7	59.0	60.8	66.0	66.0	61.0	75.8	64.0	46.3	61.7	47.5	59.0
1878	"	386	52.5	63.0	51.0	80.6	75.7	105.1	97.6	111.1	154.5	210.2	180.8	111.1	106.2
1879	"	409	90.5	63.8	61.5	82.9	115.5	96.0	118.0	181.3	221.9	220.3	98.8	115.6	119.8
Ten Years, 1870-79		4,495	65.7	55.7	52.3	58.5	67.1	68.2	65.0	83.9	102.7	104.5	85.3	75.2	73.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.
1870	5.9	725.7	5.9	8.8	59.0	53.1	67.8	3.0	85.6	32.4	61.9	277.3	5.9	70.8	79.7	76.7	1,619.5
1871	...	839.7	...	4.7	62.2	110.0	19.1	...	55.0	19.1	71.8	308.6	12.0	193.8	79.0	244.1	2,019.1
1872	1.8	1,055.3	1.8	11.0	47.9	117.9	75.5	3.7	70.0	7.4	103.1	195.2	14.7	84.7	70.0	541.4	2,401.4
1873	...	664.6	6.3	10.6	48.5	78.1	90.7	8.4	97.0	8.4	57.0	128.7	21.1	61.2	84.4	204.6	1,589.6
1874	...	1,282.8	5.6	11.2	13.1	78.7	18.7	1.9	82.4	22.4	76.8	108.6	11.2	76.8	125.5	116.1	2,031.8
1875	10.4	2.1	827.8	2.1	31.1	33.2	122.4	24.9	4.1	87.1	2.1	43.6	27.0	91.3	93.3	116.2	1,676.4
1876	4.1	4.1	835.7	4.1	...	24.7	61.6	51.3	20.5	145.8	12.4	57.5	158.1	32.9	108.8	115.0	1,811.1
1877	...	2.4	469.3	7.1	2.4	7.1	21.2	35.4	21.2	134.4	21.2	61.3	122.6	21.2	70.8	106.1	1,341.9
1878	...	7.8	2,349.7	...	2.6	31.1	51.8	80.3	41.4	85.5	5.2	38.9	204.7	25.9	59.6	59.6	3,282.4
1879	3,501.2	4.9	...	63.6	70.9	44.0	88.0	171.1	7.3	92.9	217.6	12.2	51.3	90.6	4,811.7
Ten Years, 1870-79	1.6	2.2	1,226.7	3.8	8.7	33.0	73.8	50.3	18.0	100.8	13.3	67.4	182.6	18.7	87.2	91.4	2,229.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Heart dis. cases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	29.50	29.50	10	2	...	2	...	1	...	1	...	1	...	1	
1871	...	2.39	16.75	19.14	8	
1872	...	3.68	20.26	23.94	13	1	
1873	29.54	29.54	14	
1874	...	1.87	13.11	14.98	8	
1875	...	8.30	6.22	16.60	15	
1876	...	4.11	2.05	10.27	8	
1877	14.15	14.15	6	
1878	10.36	10.36	4	
1879	24.45	24.45	10	
Ten Years, 1870-79	1.34	1.78	18.24	21.36	96	6	1	8	11	15	...	7	8	1	4	4	10	13	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	...	1	...	4	1	7

III.—STATISTICS OF INDIVIDUAL STATIONS—MUTTRA, 1870-79.

LXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MUTTRA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL,																			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.
January ...	3,042	144	47·3	2	1	
February ...	3,590	175	48·7	2	1	
March ...	4,354	227	52·1	2	
April ...	4,121	202	49·0	16	...	2	1	1	...	
May ...	4,096	228	55·7	15	...	1	...	5	1	1	
June ...	4,086	225	55·1	7	...	1	...	1	
July ...	4,082	220	53·9	4	
August ...	4,064	274	67·4	3	
September ...	4,035	293	72·6	8	1	
October ...	4,072	289	71·0	7	1	
November ...	3,517	243	69·1	3	4	
December ...	3,099	158	51·0	3	1	
						4	1	18	...	4	15	2	9	...	1	5	1	7	...	5
						Died per 1,000 of the Average Strength,																			
For the Ten Years ...	3,846	223	58·0	72	18·72	1·04	·26	4·68	1·04	3·90	·52	2·34	...	·26	1·30	·26	1·82	...	1·30	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	15	109	124	32·2	...
Cholera	8	2·1	50·00
Smallpox	3	·8	33·33
Enteric Fever	39	10·1	46·15
Fever, Intermittent ...	18	5	12	32	31	31	130	212	120	200	169	52	1,012	263·1	70
Fevers, Remittent and Continued ...	8	31	30	69	85	83	51	51	63	52	35	11	569	148·0	...
Apoplexy	47	12·2	31·91
Delirium Tremens	4	1·1	25·00
Dysentery ...	21	1	78	20·5	...
Diarrhoea ...	12	5	16	10	10	15	17	33	22	11	3	6	160	41·6	...
Hepatitis ...	6	13	11	19	20	23	11	10	24	20	16	12	185	48·1	4·86
Spleen disease ...	4	2	2	1	2	1	27	7·0	...
Respiratory diseases ...	17	14	28	19	23	...	9	11	3	10	12	17	184	47·8	54
Phthisis Pulmonalis ...	1	1	13	3·4	7·69
Scurvy
Rheumatism ...	22	18	20	21	20	10	202	52·5	...
Veneral diseases ...	64	92	95	69	75	64	62	101	60	45	39	41	807	209·8	...
Eye diseases ...	6	1	6	10	11	4	5	4	6	6	5	2	66	17·2	...
Abscess and Ulcer ...	24	39	48	35	30	27	46	29	39	35	31	21	404	105·1	46
Wounds and Accidents ...	33	31	35	26	34	24	25	18	22	33	27	26	334	86·9	...
All other Causes ...	27	43	52	55	59	49	75	70	41	61	76	42	650	169·0	...
	264	301	358	384	427	361	474	572	459	626	435	260	4,921		
	Admitted per 1,000 of the Average Strength in each Month.														
	86·8	83·8	82·2	93·2	104·2	88·4	116·1	140·7	113·8	153·7	123·7	83·9	1,279·5		

III.—STATISTICS OF INDIVIDUAL STATIONS—MUTTRA, 1870-79.

LXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MUTTRA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	357	35.0	29.6	46.5	41.7	31.4	20.0	34.3	51.4	77.4	71.6	60.1	46.6	44.8
1871	"	418	61.9	61.2	55.0	41.3	38.9	31.7	31.7	36.6	51.3	51.7	50.0	35.4	45.5
1872	For 10 Months	432	82.2	49.3	57.0	51.3	42.0	28.0	25.7	37.5	40.0	73.1	48.6
1873	"	463	41.6	52.7	63.6	66.1	53.3	49.0	60.2	56.2	47.8	50.0	53.4
1874	For the Year	457	47.5	65.1	64.6	52.6	74.4	83.5	74.7	85.7	77.8	79.1	85.4	55.3	70.0
1875	"	410	49.7	47.1	35.3	33.7	36.5	49.6	63.2	64.6	102.6	85.6	69.8	41.3	56.1
1876	"	426	27.1	41.8	49.1	47.2	76.0	73.5	73.5	65.5	80.5	61.3	50.0	34.6	56.3
1877	"	384	27.2	39.6	37.0	33.7	43.4	55.4	48.0	48.0	36.0	33.6	64.0	18.2	41.7
1878	For 9 Months	324	70.4	69.4	47.6	44.3	47.8	68.2	65.1	55.2	55.6
1879	For 11 Months	437	...	45.0	66.4	67.0	90.5	81.5	80.1	157.9	137.1	139.8	151.1	102.6	100.7
Ten Years, 1870-79	...	3,846	47.3	48.7	52.1	49.0	55.7	55.1	53.9	67.4	72.6	71.0	69.1	51.0	58.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spice case.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	2.8	14.0	27.4	...	11.2	22.4	11.2	50.4	...	53.2	11.2	72.8	243.7	11.2	92.4	112.1	196.1	1,179.2
1871	...	9.6	267.9	...	2.4	7.2	35.9	74.2	2.4	74.2	2.4	102.9	208.1	23.9	217.7	114.8	215.3	1,353.9
1872	...	6.9	194.5	2.3	2.3	48.6	41.7	59.9	6.9	32.4	...	55.6	159.7	11.6	104.2	90.3	425.9	1,233.8
1873	...	2.1	220.1	15.0	...	10.7	51.3	29.9	...	49.1	...	66.2	109.0	10.7	81.2	47.0	126.1	813.4
1874	293.2	4.4	28.5	91.9	6.5	30.6	...	54.7	253.8	19.7	76.6	28.5	183.2	1,074.4
1875	...	17.1	2.4	141.5	7.3	...	14.6	56.1	9.8	31.7	12.2	26.8	195.1	9.3	63.4	100.0	126.2	851.2
1876	2.3	204.3	9.4	4.7	14.1	11.7	39.9	11.7	28.2	23.2	176.0	18.8	54.0	83.2	244.1	936.6
1877	78.1	2.6	7.8	15.6	23.4	...	2.6	18.2	145.9	26.0	67.7	75.6	114.6
1878	487.7	30.9	...	6.2	40.1	33.9	6.2	21.6	...	37.0	154.3	6.2	64.5	53.6	98.8
1879	51.9	1,040.8	50.3	...	57.2	96.1	20.6	...	93.8	2.3	25.2	308.9	20.6	151.1	103.0	132.6
Ten Years, 1870-79	2.1	10.1	411.1	12.2	2.1	20.5	41.6	48.1	7.0	47.8	3.4	52.5	209.8	17.2	105.1	86.9	202.0	1,279.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spice disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	5.60	5.60	2	1	1		
1871	14.35	14.35	6	1		
1872	9.26	9.26	4	1		
1873	14.96	14.96	7	3		
1874	13.13	13.13	6		
1875	...	9.76	4.88	9.75	10	4	...	1	...	1	2		
1876	2.35	21.12	10	1	...	3	2	1		
1877	3.09	15.43		
1878	2.29	45.76	6	...	1	3	1		
1879	48.05	21	13	...	2	1		
Ten Years, 1870-79	1.04	1.30	16.38	18.72	72	4	1	18	4	15	2	...	9	...	1	5	1	7		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872
1873
1874
1875
1876	3	3	1	7
1877
1878
1879
Ten Years, 1870-79	3	3	2	8

III.—STATISTICS OF INDIVIDUAL STATIONS—AGRA, 1870-79.

LXXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying AGRA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns: MONTHS., Aggregate Strength for each Month of the Ten Years., Average Number Daily Sick., Number Daily Sick per 1,000 of Strength., Number of Deaths., Died per 1,000 of Strength., CAUSES OF DEATHS IN HOSPITAL. (Cholera, Smallpox, Enteric Fever, etc.), Wounds and Accidents., Suicidal Deaths, and other Deaths out of Hospital.

Table with columns: CAUSES OF ADMISSIONS., JAN., FEB., MAR., APRIL., MAY., JUNE., JULY., AUG., SEPT., OCT., NOV., DEC., Total Admitted during the Ten Years., Admitted per 1,000 of Strength., Died out of each hundred cases treated.

III.—STATISTICS OF INDIVIDUAL STATIONS—AGRA, 1870-79.

LXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AGRA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	789	51.5	56.6	48.8	62.9	70.1	71.2	88.0	83.3	60.6	46.4	46.4	59.5	62.1
1871	"	997	52.2	37.9	47.4	49.4	60.2	59.0	62.0	74.6	63.6	58.3	43.9	50.9	55.2
1872	"	1,156	57.1	54.7	48.2	42.8	43.7	44.2	41.7	45.4	63.3	57.1	31.7	26.4	46.7
1873	"	1,088	25.4	31.0	43.1	39.8	50.9	53.7	59.5	62.6	63.4	57.7	40.9	31.4	46.0
1874	"	1,027	43.7	53.9	57.1	66.0	58.4	59.5	61.5	57.7	60.4	57.3	51.7	59.8	57.4
1875	"	1,119	62.5	65.0	54.1	41.2	54.1	55.8	56.9	57.9	62.7	68.0	34.5	59.8	58.1
1876	"	1,008	40.3	54.3	57.0	47.0	47.3	43.7	48.6	53.3	49.6	57.0	51.3	29.7	48.6
1877	"	871	59.3	59.1	57.1	55.7	72.9	65.8	68.5	77.0	58.9	42.3	52.2	54.5	59.7
1878	"	1,042	55.4	61.2	67.6	64.6	77.5	76.5	71.6	80.1	106.6	126.3	131.1	133.7	87.3
1879	"	800	127.5	113.5	106.3	83.0	97.9	102.5	109.1	133.4	120.6	127.7	104.4	79.1	108.7
Ten Years, 1870-79		9,896	58.4	59.8	58.8	54.1	61.3	61.2	64.4	69.6	69.4	68.1	62.0	57.6	61.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	955.6	2.0	1.3	31.7	40.6	30.4	2.6	52.0	11.4	77.3	247.1	29.2	45.6	93.8	133.0	1,751.6
1871	...	5.0	532.6	2.0	6.0	13.0	78.2	29.1	1.0	44.1	2.0	55.2	266.8	37.1	111.3	84.3	112.4	1,380.1
1872	26.0	1.7	180.0	6.0	4.3	31.1	71.8	27.7	8	34.6	6.9	40.7	213.7	32.0	54.5	62.3	428.2	1,222.3
1873	...	1.8	137.0	...	1.8	14.7	44.1	41.4	1.8	31.0	3.7	21.1	229.8	24.8	72.6	74.5	121.3	824.4
1874	...	1.0	559.9	1.9	1.9	21.4	47.7	48.7	5.9	123.6	5.9	54.5	208.4	19.5	81.8	90.5	159.7	1,434.3
1875	328.9	3.6	1.8	26.8	60.8	56.3	5.4	55.4	1.8	27.7	144.8	29.5	62.5	106.3	153.7	1,065.3
1876	...	1.0	309.5	3.0	4.0	16.9	43.6	73.4	3.0	146.8	4.0	40.7	140.9	19.8	74.4	112.1	129.9	1,123.0
1877	2.3	13.8	217.0	13.8	...	8.0	48.2	41.3	...	85.0	3.4	55.1	275.5	11.5	93.0	99.9	189.5	1,157.3
1878	9.6	39.3	532.7	4.8	1.9	37.4	89.2	33.6	...	41.3	4.8	27.8	456.8	10.6	106.5	88.3	188.1	1,672.7
1879	...	2.5	1,130.0	2.5	5.0	43.8	56.2	50.0	7.5	61.3	3.8	41.2	408.8	12.5	118.8	110.0	168.6	2,222.5
Ten Years, 1870-79	4.2	6.7	459.3	3.7	2.8	24.3	58.8	43.3	2.7	67.4	4.7	42.8	254.6	23.0	81.3	91.3	182.6	1,353.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	1.27	10.14	11.41	9	2	1	1	...	1	1	1	1		
1871	...	2.01	23.07	25.08	25	7	10	1	...	1	2	...	2	2		
1872	15.57	86	10.39	26.82	31	18	...	1	...	1	1	1	1	1	2	1		
1873	...	1.84	4.59	6.43	7	1	1	2	1	1		
1874	7.79	7.79	8	...	1	...	1	1	1	2	1	1	2		
1875	11.62	11.62	13	2	2		
1876	...	1.98	5.96	7.94	8	1	...	2	1	1	2	4	...		
1877	2.30	...	18.37	20.67	18	6	...	5	...	3	...	2	2		
1878	6.72	96	18.23	25.91	27	7	...	1	1	1	1	1	2	...	1	2		
1879	...	1.25	21.25	22.50	18	11	2	...	2	3	4	...	1	1	4	1		
Ten Years, 1870-79	2.73	1.01	12.83	16.57	164	27	1	27	18	15	2	9	17	5	8	11	14	10		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	5	15
1873	5	3	2
1874
1875
1876
1877	2
1878	1	1	2	5	1
1879
Ten Years, 1870-79	6	16	7	8	3	2	42

III.—STATISTICS OF INDIVIDUAL STATIONS—MORAR, 1870-79.

LXXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MORAR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	875	57.3	53.9	60.2	68.7	69.7	74.3	72.6	75.3	95.6	103.7	90.2	77.8	75.4
1871	"	1,075	55.0	58.5	75.4	81.4	76.6	89.2	98.2	105.5	100.9	94.8	89.8	79.3	83.7
1872	"	1,076	62.2	56.5	61.0	50.2	49.5	50.5	51.6	58.2	72.2	53.3	61.2	47.3	56.7
1873	"	1,068	49.0	42.2	46.2	46.6	39.7	47.7	54.7	53.0	55.7	46.1	43.7	32.1	46.8
1874	"	1,087	28.3	34.1	38.5	42.8	43.6	42.8	43.9	56.2	61.5	64.2	61.1	47.6	46.9
1875	"	1,173	57.5	64.0	55.5	53.4	71.1	72.0	74.7	71.4	73.7	69.6	85.8	72.7	69.1
1876	"	1,008	48.2	52.8	52.7	46.1	45.7	46.6	57.5	50.4	61.3	56.0	68.2	64.2	53.7
1877	"	1,032	49.4	58.9	52.1	49.6	49.0	42.0	45.7	63.5	52.8	40.5	37.3	41.8	49.4
1878	"	1,208	40.4	45.8	39.0	47.2	64.8	58.2	48.7	61.0	80.8	95.2	126.5	85.1	64.6
1879	"	1,017	87.4	87.6	78.1	65.3	76.0	76.9	83.1	95.7	126.7	157.9	172.5	161.1	103.2
Ten Years, 1870-79		10,708	53.3	55.3	55.5	55.2	58.3	59.6	62.6	68.5	77.2	76.9	86.1	71.9	64.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	4.6	982.8	4.6	8.0	43.4	65.1	53.3	4.6	50.3	6.8	53.7	172.6	34.3	106.3	99.5	165.7	1,860.6
1871	1,389.8	1.8	6.5	56.7	34.4	39.1	38.2	107.0	4.6	70.7	174.9	24.2	99.5	107.0	205.6	2,360.0
1872	...	9	635.9	1.9	6.5	16.7	66.0	44.6	5.6	90.1	10.2	75.3	149.6	18.6	77.2	92.0	148.7	1,489.8
1873	389.5	2.8	...	14.0	29.0	41.2	4.7	34.6	...	45.0	152.6	10.3	54.3	59.9	130.2	968.1
1874	448.9	9	1.8	7.5	26.7	50.6	1.2	56.1	1.8	82.2	191.3	17.5	76.4	99.4	156.4	1,219.9
1875	...	17.9	305.2	5.1	...	12.3	57.1	50.3	2.5	53.7	5.1	74.2	180.7	24.7	75.9	87.8	174.0	1,133.0
1876	...	3.6	413.5	3.6	...	8.2	36.4	41.9	2.5	80.2	3.6	64.7	145.7	19.1	63.2	82.9	133.9	1,103.8
1877	...	2.9	311.1	8.7	...	14.5	37.8	52.3	1.9	49.4	4.9	64.9	142.5	9.7	88.2	101.7	189.9	1,033.3
1878	...	38.1	22.4	914.7	15.7	4.2	50.5	72.0	2	48.8	6.6	32.3	183.0	12.4	66.2	51.3	149.0	1,707.7
1879	...	16.7	14.7	1,396.3	6.9	2.0	85.5	118.0	9.8	113.1	2.9	46.2	166.2	9.8	75.7	74.7	231.2	2,425.7
Ten Years, 1870-79	...	8.2	5.0	714.8	5.3	2.8	30.5	54.0	7.8	68.2	4.7	61.0	166.2	17.8	77.6	85.0	167.8	1,523.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre-mens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	5.71	26.29	32.00	28	1	...	2	...	3	7	...	1	2	2	5	5	
1871	...	1.86	14.88	16.74	18	6	4	...	1	3	...	2	2	
187293	11.15	12.08	13	2	...	1	5	...	1	2	...	1	1	
187394	15.92	16.86	18	5	1	3	6	1	1	1	1	
1874	4.60	4.60	5	1	
1875	...	16.20	11.08	27.28	32	19	3	...	1	...	2	...	2	1	2	...	2	
1876	4.56	6.33	7	2	...	1	2	
1877	...	2.91	1.94	12.60	13	3	...	1	1	...	1	...	1	1	1	2	
1878	...	28.15	.83	65.40	79	34	1	15	3	6	2	...	6	4	2	2	1	
1879	...	10.82	.98	52.11	53	11	...	8	7	5	12	2	1	1	1	
Ten Years, 1870-79	...	6.26	1.40	24.84	266	67	4	29	21	21	2	24	30	...	9	21	7	16	15	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	1
1873
1874
1875	10	...	8	...	3	...
1876
1877	3
1878	37	7	1
1879	2	...	13
Ten Years, 1870-79	37	3	1	23	17	7	88

III.—STATISTICS OF INDIVIDUAL STATIONS—GWALIOR FORTRESS, 1870-79.

LXXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying GWALIOR FORTRESS during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.													Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.			Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
January	3,308	170	51·4	3	1	1	1	...
February	3,437	182	53·0	8	1
March	3,466	172	49·6	3	1
April	3,472	168	48·4	5	1	1
May	3,467	182	52·5	2
June	3,460	185	53·5	8	1	1
July	3,480	188	54·0	10	...	6
August	3,461	218	63·0	9	...	5	1	1
September	3,465	239	69·0	7	...	1
October	3,384	242	71·5	6	1
November	3,273	182	55·6	4	1
December	3,313	164	49·5	4	1
For the Ten Years	3,416	191	55·9	69	20·20	3·51	·29	·88	1·17	1·17	...	·59	...	1·46	...	·29	1·76	2·34	2·64	·29	3·81	

Died per 1,000 of the Average Strength.

NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.

CAUSES OF ADMISSIONS.	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
Dengue (of 1872)
Cholera	8	7	1	17	5·0	70·59	
Smallpox	4	1·2	25·00	
Enteric Fever	...	1	...	2	4	1	...	1	9	2·6	33·33	
Fever, Intermittent	...	65	63	51	65	93	71	92	123	176	142	114	87	1,142	334·3	...
Fevers, Remittent and Continued	...	12	6	14	32	26	23	19	23	55	50	19	13	292	85·5	1·37
Apoplexy	3	5	6	3	1	2	20	5·9	20·00	
Delirium Tremens	2	3	1	...	3	...	1	10	2·9	...	
Dysentery	...	1	4	5	6	9	9	33	28	13	9	4	129	37·8	1·55	
Diarrhoea	...	2	3	6	7	7	2	25	51	35	7	2	148	43·3	...	
Hepatitis	...	2	5	8	7	17	24	16	17	9	13	10	138	40·4	3·62	
Spleen disease	1	2	3	2	4	1	4	2	...	2	22	6·4	...	
Respiratory diseases	...	19	21	20	13	17	12	15	9	8	13	17	183	53·6	·55	
Phthisis Pulmonalis	...	3	2	1	5	3	2	5	1	5	...	2	31	9·1	25·81	
Scurvy	1	·3	...	
Rheumatism	...	27	14	19	11	13	12	21	19	20	13	14	192	56·2	...	
Veneral diseases	...	74	70	71	65	50	41	52	49	42	41	38	53	646	189·1	...
Eye diseases	...	9	6	7	9	4	6	4	9	15	17	6	5	97	28·4	...
Abscess and Ulcer	...	18	22	16	24	27	37	33	13	16	19	18	14	257	75·2	·76
Wounds and Accidents	...	27	31	23	33	20	15	20	22	23	30	18	23	290	84·9	...
All other Causes	...	26	48	35	50	62	69	49	64	59	62	59	32	615	180·0	...
	286	299	263	337	356	334	374	443	502	426	327	276	4,243			

Admitted per 1,000 of the Average Strength in each Month.

86·5 87·0 81·7 97·1 102·7 96·5 107·5 128·0 144·9 125·9 99·9 83·3 1,242·1

II.—STATISTICS OF INDIVIDUAL STATIONS—Gwalior Fortress, 1870-79.

LXXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying Gwalior Fortress in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	289	66.4	62.7	47.1	62.1	58.6	44.7	53.9	74.6	85.0	93.7	96.1	74.1	69.2
1871	"	310	70.4	40.4	35.9	26.3	36.2	42.8	62.3	53.0	47.0	39.5	44.4	45.2	
1872	"	355	53.4	58.4	64.6	64.1	72.0	58.3	64.1	72.6	76.1	73.4	48.2	62.0	
1873	"	321	41.3	34.4	44.4	40.5	46.4	52.3	52.6	46.8	40.3	34.2	46.0	46.7	
1874	"	371	85.4	83.1	53.5	49.3	44.3	28.7	20.8	51.9	65.1	54.8	40.1	51.2	
1875	"	346	42.0	62.8	42.1	22.2	49.6	74.8	55.7	74.3	78.3	71.2	48.6	54.9	
1876	"	324	38.5	32.3	41.2	44.4	44.4	53.4	55.9	52.5	64.0	76.7	66.5	55.5	
1877	"	356	37.6	46.1	53.9	36.8	56.2	64.6	67.4	59.7	73.4	71.4	46.0	56.2	
1878	"	361	46.5	41.0	48.4	65.9	44.8	53.4	60.9	67.6	82.6	96.3	50.6	58.2	
1879	"	384	40.4	62.0	60.3	69.9	70.5	65.2	66.5	63.8	66.7	86.5	86.6	62.5	
Ten Years, 1870-79	...	3,416	51.4	53.0	49.6	48.4	52.5	53.5	54.0	63.0	69.0	71.5	55.6	49.5	55.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	536.3	3.5	10.4	55.3	27.7	38.1	...	62.3	10.4	51.9	214.5	27.7	83.0	93.4	186.9	1,401.4
1871	...	6.5	554.8	3.2	6.5	45.2	61.3	41.9	3.2	41.9	3.2	87.1	87.1	25.8	87.1	93.6	167.7	1,316.1
1872	...	2.8	487.3	2.8	...	11.3	22.5	19.7	8.5	62.0	8.5	118.3	121.1	5.6	78.8	98.6	180.3	1,228.1
1873	...	3.1	364.5	3.1	3.1	3.1	28.1	34.3	...	46.7	24.9	43.6	84.1	28.1	96.5	93.5	134.0	990.7
1874	234.5	10.8	...	32.3	64.7	27.0	2.7	70.1	2.7	45.8	167.1	70.1	88.9	75.4	156.4	1,048.5
1875	...	17.3	436.4	8.7	...	83.8	66.5	43.4	...	78.0	8.7	43.4	156.1	54.9	98.3	101.1	208.3	1,401.8
1876	...	15.4	407.4	6.2	...	61.7	40.1	52.5	9.3	43.2	6.2	67.9	142.0	21.6	43.2	114.2	206.7	1,237.6
1877	165.7	2.8	2.8	28.1	16.9	47.8	36.5	73.0	11.2	47.8	311.8	5.6	61.8	50.5	236.0	1,098.3
1878	...	24.9	301.9	2.8	...	30.5	58.2	38.8	2.8	30.5	2.3	24.9	246.5	24.9	36.6	83.1	193.9	1,108.0
1879	...	2.6	726.6	13.0	7.8	31.2	44.3	59.9	...	28.6	7.8	36.5	325.5	18.2	80.7	54.7	151.1	1,588.5
Ten Years, 1870-79	...	5.0	419.8	5.9	2.9	37.8	43.3	40.4	6.4	53.6	9.1	56.2	189.1	28.4	75.2	84.9	181.5	1,242.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	10.38	3.46	13.84	4	3	
1871	...	3.23	9.67	12.90	4	1	
1872	...	2.82	2.82	5.64	2	1	
1873	...	6.23	18.69	24.92	8	2	
1874	...	5.39	13.48	18.87	7	2	
1875	...	11.56	2.89	14.45	11	4	...	1	1	1	...	1	1	
1876	...	6.17	15.43	21.60	7	2	
1877	16.85	16.85	6	1	...	1	
1878	...	19.39	2.77	22.16	12	7	1	...	1	1	1	
1879	...	2.60	15.63	18.23	8	1	1	
Ten Years, 1870-79	...	3.51	4.10	7.61	60	12	1	3	4	4	...	2	5	...	1	6	8	14	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	1
1874
1875	6	6
1876
1877
1878	1	...	6	1	9
1879	1	1
Ten Years, 1870-79	1	...	8	7	1	17

III.—STATISTICS OF INDIVIDUAL STATIONS—JHANSI, 1870-79.

LXXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying JHANSI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
January	3,903	199	51.0	5	1	1	1	1	1
February	4,401	244	55.4	2	1
March	4,298	209	48.6	3
April	4,132	212	51.3	3	1
May	4,113	231	56.2	1
June	4,118	224	54.4	3
July	4,109	218	60.4
August	4,103	270	65.8	5
September	4,094	364	88.9	7
October	4,012	407	101.4	6
November	4,125	325	78.8	5
December	4,229	244	57.7	4
						2	...	2	...	8	3	1	5	...	4	...	3	7	2	1	4	1	1
Died per 1,000 of the Average Strength.																									
For the Ten Years	4,136	265	64.1	44	10.64	.4848	1.94	.73	.24	1.219773	1.69	.4824	.97	.24	.24	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
Dengue (of 1872)	
Cholera	
Smallpox	
Enteric Fever	
Fever, Intermittent	
Fever, Remittent and Continued	
Apoplexy	
Delirium Tremens	
Dysentery	
Diarrhoea	
Hepatitis	
Spleen disease	
Respiratory diseases	
Phthisis Pulmonalis	
Scurvy	
Rheumatism	
Veneral diseases	
Eye diseases	
Abscess and Ulcer	
Wounds and Accidents	
All other Causes	
												523	512	546	488	515	400	636	847	1,270	1,532	1,103	751	9,213		
Admitted per 1,000 of the Average Strength in each Month.																										
134.0	116.3	127.0	118.1	125.5	119.0	154.8	206.4	310.2	381.9	267.4	177.6	2,227.5														

III.—STATISTICS OF INDIVIDUAL STATIONS—JHANSI, 1870-79.

LXXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JHANSI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	...	For the Year	484	138.5	101.7	80.7	74.1	81.1	85.2	113.1	121.2	135.6	113.4	81.8	69.6	99.2
1871	...	"	473	71.7	57.2	50.5	42.7	38.6	53.8	67.3	83.0	108.1	132.9	132.4	88.4	76.1
1872	...	"	401	48.7	32.8	30.0	30.8	35.7	48.6	43.5	46.2	82.3	97.9	82.0	52.6	52.4
1873	...	"	436	32.1	44.2	49.2	72.2	67.0	54.1	54.4	57.1	119.5	85.1	47.1	35.4	57.3
1874	...	"	402	75.4	102.4	65.4	81.5	61.9	52.1	44.8	44.9	57.4	91.6	92.8	56.4	69.7
1875	...	"	378	38.1	37.7	43.4	51.9	59.8	46.1	62.2	70.3	91.9	100.0	57.1	51.6	58.2
1876	...	For 11 Months	395	38.6	45.7	37.6	42.1	96.5	94.1	70.2	72.7	108.6	119.3	92.1	...	73.4
1877	...	For the Year	400	...	41.8	53.6	43.3	32.6	27.9	34.9	35.9	34.9	30.4	36.1	34.1	35.0
1878	...	"	425	27.5	51.4	29.8	31.4	31.4	31.4	49.5	41.3	51.0	90.0	95.2	69.6	49.4
1879	...	"	377	49.8	41.4	41.4	39.3	55.3	44.7	52.9	74.5	93.8	121.1	80.6	11.9	61.0
Ten Years, 1870-79	...		4,136	61.0	55.4	48.6	51.3	56.2	54.4	60.4	65.8	88.9	101.4	78.8	57.7	64.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	2.1	...	1,677.7	8.3	8.3	28.9	62.0	35.1	14.5	101.2	14.5	111.6	384.3	35.1	90.9	90.1	272.7	2,946.3
1871	2.1	...	2,154.3	5.0	5.0	10.6	42.3	23.3	4.2	118.4	...	67.6	209.3	29.6	63.4	114.2	203.9	3,042.3
1872	1,865.3	5.0	5.0	12.5	29.9	10.0	29.9	132.2	7.5	157.1	77.3	19.9	117.2	32.4	187.1	2,688.3
1873	1,149.1	2.3	2.3	11.5	29.8	25.2	4.6	153.7	...	96.3	181.2	29.8	126.1	112.4	250.2	2,183.5
1874	1,154.2	5.0	...	22.4	27.4	57.2	7.5	116.9	7.5	69.6	283.6	24.9	119.4	104.4	139.3	2,154.2
1875	1,947.7	37.0	66.1	142.9	31.7	79.4	5.3	23.8	97.9	31.7	150.8	103.2	240.7	2,060.2
1876	1,582.4	...	2.5	25.3	27.9	50.6	15.2	139.2	2.5	58.2	184.8	20.3	149.4	53.2	192.4	2,513.9
1877	609.4	10.0	27.5	22.5	10.0	77.5	10.0	30.0	155.0	10.0	100.0	87.5	140.0	862.5
1878	1,270.6	16.5	56.5	21.2	...	44.7	2.4	14.1	204.7	44.7	72.9	42.3	167.1	1,296.5
1879	1,270.6	47.7	37.1	10.6	10.6	92.8	2.7	45.1	257.3	26.5	47.7	45.1	185.7	2,079.5
Ten Years, 1870-79	...	5	1,300.8	2.2	2.2	22.0	41.3	39.2	12.6	106.9	5.3	69.1	209.1	27.8	103.7	81.2	201.9	2,227.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	2.07	...	16.53	18.60	9	1	2	2	1	1	2		
1871	2.11	2.11	14.81	19.03	9	1	2	1	3	1	1	1		
1872	12.47	12.47	5	1	1		
1873	6.88	6.88	3	1	1		
1874	12.44	12.44	5	2	1	...	1	1	1		
1875	...	2.65	5.29	7.94	3	1	1		
1876		
1877	7.50	7.50	3	1	...	1		
1878	2.35	2.35	1	1		
1879	15.92	15.92	6	3	1	1	...	1	...		
Ten Years, 1870-79	...	4.8	9.68	10.64	44	2	...	2	8	3	1	5	4	...	3	7	2	5		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871	1	1
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	2	2

III.—STATISTICS OF INDIVIDUAL STATIONS—NOWGONG, 1870-79.

LXXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NOWGONG in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	176	51.5	58.4	68.4	47.4	68.8	101.1	74.5	64.2	74.8	76.1	33.3	21.3	62.5
1871	...	304	54.8	71.0	53.0	56.3	70.0	83.6	66.9	70.2	98.0	105.1	81.0	57.9	72.4
1872	...	315	73.2	80.2	66.7	66.7	76.2	67.3	61.1	64.7	84.7	63.9	49.4	46.7	66.7
1873	...	274	63.7	67.1	50.7	60.5	53.4	57.3	71.9	68.3	61.2	73.2	50.2	31.7	58.4
1874	...	310	53.2	92.8	52.8	88.2	85.3	73.7	79.6	97.6	100.9	103.3	93.8	78.1	83.9
1875	...	317	62.7	28.7	19.2	31.0	65.0	59.2	59.2	37.5	81.2	59.7	41.9	29.7	47.3
1876	For 11 Months	293	43.0	43.6	40.0	20.2	34.4	48.1	48.1	34.4	48.1	55.2	28.7	...	41.0
1877	...	306	...	27.9	47.6	54.0	53.8	69.8	51.0	54.3	51.8	51.9	52.3	42.9	52.3
1878	For the Year	293	46.1	49.5	53.7	41.0	48.1	44.7	34.4	45.0	49.0	68.4	61.2	35.8	47.8
1879	...	287	47.9	96.2	71.0	45.5	59.4	59.6	56.1	62.5	90.9	110.7	92.9	54.9	69.7
Ten Years, 1870-79	...	2,825	55.6	61.3	51.7	51.7	61.7	65.4	60.0	60.1	74.6	76.5	59.7	46.7	60.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phtisis Pul- monalis.	Rheumatism.	Veneral dis- cases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	...	5.7	1,187.5	5.7	...	51.1	45.5	39.8	34.1	73.9	45.5	62.5	244.3	16.9	90.9	73.9	204.5	2,181.8	
1871	...	3.3	1,115.1	...	3.3	9.9	46.1	72.4	6.6	75.6	6.6	141.4	236.8	46.1	72.4	118.4	164.4	2,118.4	
1872	...	6.3	746.0	6.3	6.3	6.3	41.3	38.1	6.3	85.7	28.6	190.5	146.1	28.6	44.5	114.3	260.3	1,755.5	
1873	...	3.7	624.0	3.7	7.3	14.6	47.5	43.8	7.3	91.2	...	69.3	343.1	21.9	87.6	109.5	208.0	1,682.5	
1874	...	13.0	1,058.0	...	3.2	25.8	154.8	77.4	...	141.9	...	48.4	296.8	32.3	158.1	87.1	267.7	2,361.5	
1875	...	3.2	709.8	3.2	...	41.0	18.9	28.4	...	22.1	6.3	18.9	224.0	41.0	75.7	41.0	192.4	1,425.9	
1876	...	3.4	686.0	3.4	...	3.4	23.9	47.8	...	47.8	13.6	27.3	197.9	17.1	81.9	81.9	109.3	1,344.7	
1877	268.0	...	6.5	...	13.1	26.1	13.1	22.9	3.3	98.0	212.4	13.1	149.5	124.2	117.6	1,058.8	
1878	...	13.7	194.6	3.4	3.4	17.0	17.0	30.7	...	71.7	10.2	54.6	218.4	34.1	51.2	116.0	239.0	1,075.0	
1879	602.8	7.0	3.5	13.9	10.4	69.7	3.5	20.9	3.5	31.4	449.5	7.0	66.2	90.6	139.3	1,519.2	
Ten Years, 1870-79	...	2.5	2.8	715.0	3.2	3.5	17.4	42.8	48.5	6.0	66.2	10.6	76.8	259.8	26.9	88.5	98.1	193.7	1,602.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- cases.	Phtisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	5.68	11.37	17.05	3	1	...	1	1	
1871	26.31	26.31	8	1	1	2	...	1	...	1	
1872	6.35	3.17	15.88	25.40	8	2	...	1	1	...	1	1	1	
1873	...	7.30	10.95	18.25	6	1	1	
1874	...	3.23	22.58	25.81	9	2	1	1	
1875	3.15	3.15	9.47	15.77	6	1	1	1	1	
1876	...	3.41	6.83	10.24	3	1	1	1	
1877	...	6.54	9.80	16.34	6	2	
1878	13.65	6.83	10.24	30.72	9	4	1	1	2	
1879	...	3.48	10.46	13.94	4	2	1	
Ten Years, 1870-79	...	2.48	4.25	13.80	20.53	58	7	...	5	4	6	...	2	7	...	3	4	3	5

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872	2
1873
1874
1875	1
1876
1877
1878	4
1879
Ten Years, 1870-79	7	7

III.—STATISTICS OF INDIVIDUAL STATIONS—SAUGOR, 1870-79.

LXXXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SAUGOR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
January	4,757	225	47.3	7	1	2	...	2	...	1	1		
February	4,639	232	50.0	3	1	1	...	1		
March	4,733	231	48.8	4	2	1	1		
April	4,700	234	49.8	1	1		
May	4,701	228	48.5	4	1	1	...	1	1	...		
June	4,698	214	45.9	2		
July	4,693	255	54.3	7	...	1	1	3	2	...		
August	4,689	315	67.2	9	...	3	...	1	2	...	1	1		
September	4,679	363	77.6	10	...	6	...	1	...	1	...	1	...	1		
October	4,651	366	78.7	11	5	...	1	...	1	...	1		
November	3,924	284	72.4	14	4	...	3	3	...	3	...	1		
December	4,217	227	53.8	3	...	1	1		
						11	...	13	1	8	1	1	4	...	7	...	7	5	6	7	...	4
						Died per 1,000 of the Average Strength.																	
For the Ten Years	4,590	267	58.2	75	16.34	2.40	...	2.83	1.96	.21	.21	.87	...	1.53	...	1.53	1.09	1.31	1.5387	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																
Dengue (of 1872)			
Cholera		
Smallpox		
Enteric Fever		
Fever, Intermittent	173	156	91	128	158	162	213	390	581	638	323	214	3,227	703.1	0.3		
Fever, Remittent and Continued	21	11	62	77	89	80	101	130	83	66	35	22	777	163.3	1.03		
Apoplexy		
Delirium Tremens		
Dysentery	5	3	13	13	12	7	12	18	13	15	7	4	122	26.6		
Diarrhea	10	14	18	8	3	5	15	28	16	9	3	8	137	29.8		
Hepatitis	11	17	16	15	27	24	22	23	30	26	19	17	247	53.8		
Spleen disease	3	3	2	3	3	3	3	3	7	11	4	7	56	12.2	2.83		
Respiratory diseases	28	21	31	26	35	20	23	25	26	35	29	27	326	71.0		
Phthisis Pulmonalis	3	...	2	3	4	3	4	2	8	4	3	...	36	7.8		
Scurvy		
Rheumatism	22	23	18	19	13	21	12	14	20	18	15	10	205	44.7		
Veneral diseases	74	110	104	82	81	73	86	106	55	58	48	43	920	200.4		
Eye diseases	4	2	3	6	3	4	6	4	4	6	3	3	48	10.5		
Abscess and Ulcer	38	20	38	33	38	35	31	48	33	28	25	17	384	83.7		
Wounds and Accidents	29	25	36	33	25	28	29	29	29	27	13	36	339	73.9		
All other Causes	39	48	58	44	60	57	47	42	43	40	40	38	556	121.1		
														460	454	406	490	554	531	608	860	962	994	575	448	7,441
Admitted per 1,000 of the Average Strength in each Month.																												
														96.7	97.9	104.8	104.3	117.8	113.0	129.6	185.3	205.6	213.7	146.5	106.2	1,621.1

III.—STATISTICS OF INDIVIDUAL STATIONS—SAUGOR, 1870-79.

LXXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SAUGOR in each Year of the TEN YEARS from 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEO.	
1870	For the Year	948	48.2	67.7	72.4	73.4	56.9	54.0	65.6	70.9	67.9	65.1	68.9	47.4	63.3
1871	"	635	38.9	38.2	26.5	36.8	44.5	44.3	44.4	65.8	82.8	88.1	102.2	42.4	52.0
1872	"	456	51.3	52.4	33.2	18.8	39.8	44.5	53.9	77.3	86.7	94.1	65.3	47.5	54.8
1873	"	394	40.1	32.1	31.5	30.6	35.3	40.0	42.4	40.0	65.9	61.3	65.5	75.5	45.7
1874	"	360	43.1	32.8	39.3	51.6	34.4	39.3	49.4	81.9	77.3	87.5	103.9	90.9	62.3
1875	"	383	50.1	28.9	33.9	33.6	38.8	43.9	38.8	49.1	56.7	55.1	61.2	51.1	44.4
1876	"	357	42.9	48.9	38.9	49.3	41.1	46.7	44.1	46.8	68.9	55.1	39.1	30.5	47.6
1877	"	377	45.9	49.3	83.8	71.1	66.2	61.1	53.3	91.4	100.5	83.5	90.9	60.8	71.6
1878	"	360	58.5	66.5	47.4	50.3	63.3	84.4	84.2	78.9	78.6	116.0	71.8	61.6	73.2
1879	"	302	65.0	58.5	59.2	63.5	60.0	70.5	60.4	63.8	107.0	99.3	64.3	53.6	69.5
Ten Years, 1870-79		4,590	47.3	50.0	48.8	49.8	48.5	51.9	54.3	67.2	77.6	78.7	72.4	53.8	58.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870			1,243.7	1.1	1.1	13.7	41.1	54.9	4.2	100.2	12.7	51.7	193.0	10.6	104.4	66.4	132.9	2,031.7
1871			965.4		4.7	11.0	12.6	74.0	12.6	67.7	12.6	52.0	149.6	11.0	107.1	92.9	144.9	1,718.1
1872			1,103.1			41.7	11.0	30.7	8.7	35.1	4.4	17.5	153.5	6.6	30.7	41.7	74.5	1,559.2
1873			812.2		2.5	22.8	2.5	106.6	17.8	71.1		38.1	172.6	15.2	53.3	66.0	96.4	1,477.1
1874		27.1	1,222.2			32.5	62.3	89.4	19.0	78.6	8.1	56.9	94.9	2.7	51.5	51.5	132.8	1,929.5
1875			618.8		5.2	20.9	80.9	47.0	5.2	54.8	7.8	18.3	122.7	13.1	49.6	60.1	94.0	1,198.4
1876	14.0	5.6	577.1			42.0	22.4	11.2	2.8	61.6	2.8	75.6	162.5	14.0	47.6	114.8	134.5	1,288.5
1877		10.6	328.9			8.0	13.3	21.2	23.9	98.1	5.3	42.4	371.4	15.9	148.5	100.8	76.9	1,265.2
1878	37.9	24.4	436.3	8.1		48.8	43.4	54.2	8.1	62.3	10.8	27.1	376.7		116.5	92.2	130.1	1,476.9
1879		3.3	695.4	3.3	3.3	59.6	3.3	29.8	36.4	39.7	3.3	62.9	281.5	16.6	92.7	56.3	195.4	1,532.8
Ten Years, 1870-79	4.1	5.7	872.4	1.1	1.7	26.6	29.8	53.8	12.2	71.0	7.8	44.7	200.4	10.5	83.7	73.9	121.7	1,621.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870		3.17	13.71	16.88	16				4							4	2	3	
1871			9.45	9.45	6				2							1	1		
1872			6.58	6.58	3														
1873			5.08	5.08	2				2										
1874		2.71	27.10	29.81	11			4			1						2	1	
1875			5.22	5.22	2			1											
1876	2.80		8.40	11.20	4	1		1											
1877			18.57	18.57	7			2											
1878		27.10	32.52	59.62	22	10		5						4					
1879			6.62	6.62	2				1						1				
Ten Years, 1870-79	2.40	.87	13.07	16.34	75	11		13	9	1	1	4	7		7	5	6	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870													
1871													
1872													
1873													
1874													
1875													
1876						1	4						
1877													
1878								5	8				
1879												1	
Ten Years, 1870-79						1	4	5	8			1	

III.—STATISTICS OF INDIVIDUAL STATIONS—JUBBULPORE, 1870-79.

XC.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying JUBBULPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
January	5,171	316	61.1	10	2	...	3	1	...	1	...	2	...	2	...	1	1
February	4,714	251	53.2	7	...	1	...	1	...	1	2	...	2	...	1	1
March	4,952	274	55.3	4	2	...	2	...	1	2
April	5,054	254	50.3	...	2	1	...	1	...	1	1
May	5,050	270	53.5	7	1	...	1	...	1	2
June	5,041	244	48.4	2	1	...	1	...	1
July	5,109	254	49.7	2	1	...	1	...	1
August	5,139	297	57.8	7	3	3	...	3	...	2
September	5,159	343	66.5	9	...	3	...	1	...	1	...	1	...	1	...	2	...	2	1	...
October	5,146	350	68.0	10	...	1	...	1	...	2	...	1	...	1	...	1	...	1	1	...	1	...
November	4,538	322	71.0	6	1	...	1	...	1	...	2	...	2	1	...	2	...
December	4,609	274	59.4	7	1	2	2	...	2	1	...	1	...	1	...
						5	...	4	2	9	5	...	6	2	14	...	2	5	1	2	6	...	8		
Died per 1,000 of the Average Strength.																											
For the Ten Years	4,974	287	57.7	71	14.27	1.0180	2.21	1.01	...	1.21	.40	2.8140	1.01	.2040	1.21	...	1.61	...	1.61	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)
Cholera	1	4	...	1	6	...	1	1	...	83.33
Smallpox	1	10	...	2	2	...	40.00
Enteric Fever	...	2	1	...	1	...	4	...	1	10	1	...	40.00
Fever, Intermittent	...	221	154	177	146	166	135	170	203	309	454	275	161	2,576	517.9
Fever, Remittent and Continued	...	14	10	23	16	20	6	11	20	27	50	19	8	224	45.0
Apoplexy	1	...	3	11	2.2
Delirium Tremens	1	4.88
Dysentery	...	13	7	12	4	8	19	13	16	15	6	18	3.6
Diarrhoea	...	13	9	15	18	8	16	30	32	28	25	11	13	218	4.88
Hepatitis	...	14	10	16	14	18	19	19	25	33	28	21	14	231	3.2
Spleen disease	...	2	1	8	2	1	...	4	3	4	4	5	2	36	7.2
Respiratory diseases	...	32	27	35	37	42	25	16	33	38	27	25	28	365	5.5
Phthisis Pulmonalis	...	4	2	1	2	...	2	1	2	2	1	5	6	33	3.03
Scurvy
Rheumatism	...	20	19	21	19	21	17	23	28	22	11	18	14	233	46.9
Veneral diseases	...	81	70	106	106	127	79	101	79	77	75	72	52	1,025	206.1
Eye diseases	2	6	5	3	7	8	5	8	6	4	1	55	11.1
Abscess and Ulcer	...	21	31	34	34	39	27	38	22	29	32	30	31	368	74.0
Wounds and Accidents	...	30	20	34	34	23	23	38	27	30	27	15	38	339	68.2
All other Causes	...	40	53	56	58	58	41	59	61	68	72	64	41	671	134.9
509													417	546	498	537	405	529	569	698	838	582	415	6,543			
Admitted per 1,000 of the Average Strength in each Month.																											
98.4	88.5	110.3	98.5	106.3	80.3	103.5	110.7	135.3	162.8	128.3	90.0	1,315.4															

III.—STATISTICS OF INDIVIDUAL STATIONS—JUBBULPORE, 1870-79.

XCI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JUBBULPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	627	129.8	113.7	105.2	88.1	92.7	93.5	112.0	129.3	113.7	106.2	99.0	94.6	106.9
1871	For the Year	326	51.7	5.9	26.1	46.1	46.1	36.3	48.5	58.8	72.4	75.3	56.0	48.8	52.1
1872	For 9 Months	549	34.4	36.2	27.1	21.7	29.0	49.1	49.6	42.9	38.4	36.4
1873	For the Year	553	18.3	13.1	16.1	16.3	16.3	16.3	18.1	37.9	50.7	56.6	57.7	52.0	30.7
1874	For the Year	530	53.9	46.2	36.6	33.6	38.6	23.9	30.0	48.8	62.0	58.3	64.2	39.8	45.3
1875	For the Year	594	35.5	33.9	45.4	34.9	50.7	54.1	51.0	49.4	58.9	62.1	60.5	50.9	50.5
1876	For the Year	565	50.2	53.4	36.6	37.5	57.2	46.5	32.2	28.6	35.8	37.5	42.8	38.9	42.5
1877	For the Year	515	45.4	25.4	92.8	84.5	59.3	59.3	63.8	62.0	76.6	87.1	113.0	72.3	68.0
1878	For the Year	460	68.0	74.0	69.5	75.7	80.5	78.5	69.4	73.0	82.3	88.5	120.0	115.4	82.6
1879	For the Year	350	93.4	89.5	72.4	55.9	53.4	38.5	44.5	53.3	59.3	56.0	55.1	36.9	60.0
Ten Years, 1870-79		4,974	61.1	53.2	55.3	50.3	53.5	48.4	49.7	57.8	66.5	68.0	71.0	59.4	57.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1.6	1.6	1,548.6	4.8	4.8	46.2	143.5	62.2	12.8	57.4	17.5	81.4	242.4	16.0	95.7	76.6	133.9	2,547.0
1871	659.5	...	12.3	15.3	46.0	24.6	6.1	24.6	6.1	30.7	291.4	9.2	76.7	95.1	82.8	1,380.4
1872	229.5	1.8	1.8	21.9	10.9	67.4	7.3	31.0	7.3	10.9	82.0	1.8	34.6	27.3	43.7	579.2
1873	9.0	...	240.5	1.8	...	23.5	36.2	45.2	1.8	28.9	...	23.5	85.0	...	45.2	59.7	86.8	687.1
1874	334.0	3.8	3.8	5.7	15.1	62.3	...	117.0	3.8	20.7	135.8	7.5	37.7	71.7	103.8	922.7
1875	468.0	1.7	1.7	13.5	18.5	23.6	...	69.0	8.4	48.8	181.8	21.9	55.6	47.1	141.4	1,101.0
1876	649.6	1.8	...	10.6	30.1	28.3	...	49.6	5.3	33.6	228.3	5.3	58.4	40.7	85.0	1,226.6
1877	...	7.8	436.8	...	9.7	27.2	36.9	40.8	27.2	110.7	5.8	79.6	200.0	7.8	126.2	91.3	196.1	1,403.9
1878	...	10.9	382.6	2.2	4.4	32.6	54.3	65.2	15.2	143.5	4.4	78.3	371.7	19.5	139.1	106.5	258.7	1,689.1
1879	354.3	2.9	...	42.9	17.1	20.0	...	97.1	2.9	45.7	237.1	22.9	68.6	77.1	220.0	1,208.6
Ten Years, 1870-79	1.2	2.0	562.9	2.2	3.6	24.7	43.8	46.4	7.2	73.4	6.6	46.9	206.1	11.1	74.0	68.2	135.1	1,315.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	1.59	3.19	35.09	39.87	25	1	5	2	...	5	4	...	1	...	5	2		
1871	...	3.07	15.33	18.40	6	2	1	2	1		
1872	5.47	5.47	3	1		
1873	7.23	1.81	3.62	12.66	7	4	1	1		
1874	...	1.89	7.55	9.44	5	2	1	1		
1875	...	1.68	8.42	10.10	6	1	1	1		
1876	3.54	3.54	2	1	1		
1877	5.83	5.83	3	1	1		
1878	...	2.17	21.74	23.91	11	...	3	...	1	5	...	1	1		
1879	...	2.86	5.71	8.57	3	1	1	1		
Ten Years, 1870-79	1.01	1.61	11.65	14.27	71	5	...	4	11	5	...	8	14	...	2	5	1	8		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	1	1
1871
1872
1873	4
1874	1
1875
1876
1877
1878
1879
Ten Years, 1870-79	...	1	4	1	6

III.—STATISTICS OF INDIVIDUAL STATIONS—UMBALLA, 1870-79.

XIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying UMBALLA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,257	31.8	46.8	50.8	47.9	59.9	55.2	52.7	47.0	63.4	64.2	53.6	37.4	51.7
1871	"	1,177	31.9	45.8	42.6	34.7	47.6	50.0	47.3	61.4	61.9	53.6	41.3	28.4	45.9
1872	"	1,380	28.0	29.5	29.9	49.1	48.4	43.6	38.0	51.1	65.2	62.2	64.8	36.9	44.2
1873	"	1,435	37.2	33.8	37.5	47.2	46.1	41.6	48.4	53.9	61.5	58.3	83.8	57.7	48.8
1874	"	1,480	51.6	58.8	49.1	46.1	58.7	57.9	58.6	73.5	66.4	57.1	65.6	53.5	58.1
1875	"	1,435	55.1	52.9	39.9	44.9	45.8	50.7	56.4	50.7	42.7	46.9	59.5	52.6	50.2
1876	"	1,434	77.8	77.8	63.6	61.9	36.5	38.2	33.2	48.1	75.6	61.2	46.7	62.6	57.9
1877	"	1,339	66.1	61.4	56.6	54.0	61.6	79.6	72.8	79.6	70.5	68.6	55.1	68.5	66.5
1878	"	1,313	69.5	62.6	61.9	64.9	81.9	69.8	85.3	90.7	85.7	133.8	147.9	94.8	83.8
1879	"	1,047	77.1	90.7	70.2	58.6	78.7	72.2	63.4	91.2	113.7	134.6	94.7	69.1	83.1
Ten Years, 1870-79	...	13,298	54.3	57.6	51.8	48.9	56.0	55.1	55.1	63.5	69.4	67.9	69.0	55.8	58.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	8	2.4	623.7	2.4	4.8	15.1	49.3	45.3	4.8	78.8	13.5	96.3	150.4	27.8	90.7	130.4	146.4	1,482.9
1871	...	4.2	463.1	1.7	4.2	32.3	56.1	38.2	3.4	52.7	7.7	63.7	162.3	29.7	81.6	75.6	158.0	1,234.5
1872	2.2	3.6	484.1	3.6	8.7	22.5	62.3	48.6	3.6	52.9	5.8	59.4	241.3	36.2	77.6	76.8	130.4	1,319.6
1873	7	7.7	418.1	1.4	2.8	36.2	44.6	67.6	8.4	108.0	11.8	84.3	165.2	18.8	109.4	98.3	285.0	1,468.3
1874	...	4.7	552.7	4.1	3.4	14.2	82.4	27.7	3.4	124.3	6.7	70.3	179.1	30.4	114.9	141.2	26.9	1,628.4
1875	19.5	2.1	253.0	2.8	5.6	24.4	66.9	40.4	3.5	79.4	6.3	78.0	163.8	21.6	88.5	137.3	179.7	1,172.8
1876	...	2.8	523.0	3.5	2.8	20.9	69.7	44.6	6.3	91.3	3.5	65.6	160.4	11.2	104.6	121.3	181.3	1,412.8
1877	...	5.2	379.4	6.7	7	32.9	159.1	38.8	2.2	82.9	5.2	69.5	156.1	18.7	139.7	149.4	245.7	1,492.2
1878	...	24.4	575.0	4.6	2.3	34.3	75.4	51.0	10.7	57.9	13.7	60.9	184.3	22.1	147.0	108.9	237.6	1,610.1
1879	8.6	3.8	1,225.4	3.8	1.9	46.8	68.8	33.4	23.9	100.3	4.8	72.6	200.6	14.3	128.0	94.6	228.2	2,259.8
Ten Years, 1870-79	3.1	6.1	532.0	3.5	3.8	27.4	73.7	43.8	6.6	83.5	7.9	72.0	176.0	23.2	107.9	114.4	207.2	1,492.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	1.59	14.32	15.91	20	1	...	3	4	...	1	1	5	3	2
1871	...	3.40	11.89	15.29	18	3	...	2	1	...	2	...	1	1	4	...	4
1872	...	5.80	15.94	21.74	30	3	1	4	...	3	2	1	3	3	8
1873	...	7.0	11.15	11.85	17	2	2	1	...	2	1	1	3	3	1
1874	...	6.7	8.11	8.78	13	2	2	2	...	2	...	1	1	...	3	3	1
1875	11.85	2.09	8.36	22.30	32	17	...	1	2	1	2	...	3	2	1	3	3
1876	...	7.0	7.67	8.37	12	2	...	4	...	1	...	1	...	1	...	2	1
1877	...	7.5	4.48	5.23	7	1	...	3	...	1	...	1	...	1	...	1	1
1878	...	7.6	18.28	19.04	25	13	2	2	1	3	3	1	1
1879	...	5.73	10.51	19.10	20	6	...	1	1	1	...	2	2	...	1	...	1	1	3
Ten Years, 1870-79	1.73	1.88	10.98	14.59	194	23	...	29	8	22	2	9	18	2	6	13	18	19	25

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872	1	2	3
1873	1	1	1
1874
1875	27	1	28
1876
1877
1878
1879	3	6	9
Ten Years, 1870-79	4	6	28	4	42

III.—STATISTICS OF INDIVIDUAL STATIONS—JULLUNDUR, 1870-79.

XCIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying JULLUNDUR during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	
January ...	8,061	521	64.6	9	1	1	...	1	...	1	3	...	1	
February ...	8,108	519	67.7	4
March ...	8,260	489	59.2	9
April ...	6,895	320	46.4	3
May ...	6,766	329	48.6	9
June ...	6,737	391	58.0	14
July ...	6,691	415	62.0	11
August ...	6,623	496	74.9	12
September ...	6,600	615	93.2	21
October ...	6,111	596	97.5	19
November ...	6,512	508	78.0	13
December ...	7,541	507	67.2	12
						9	1	16	...	25	11	2	16	...	9	...	10	8	9	13	...	7
						Died per 1,000 of the Average Strength.																				
For the Ten Years	7,075	478	67.6	136	19.22	1.27	.14	2.26	3.54	1.56	.28	2.26	...	1.27	...	1.41	1.13	1.27	1.8499	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent ...	192	107	107	187	217	260	232	500	904	966	501	221	4,344	614.0	2.12												
Fever, Remittent and Continued ...	50	28	49	61	85	114	142	154	213	180	79	73	1,178	166.5	45.83												
Apoplexy
Delirium Tremens ...	2	...	3	...	2	...	1	3	2	3	
Dysentery ...	11	12	3	12	12	8	8	6	19	57	23	17	188	26.5	8.51												
Diarrhea ...	23	22	21	53	15	10	35	40	31	39	36	44	369	52.2	...												
Hepatitis ...	24	14	18	14	20	21	22	33	25	12	20	25	248	35.1	3.63												
Spleen disease ...	6	12	4	2	4	1	6	3	3	8	3	4	56	7.9	...												
Respiratory diseases ...	63	65	55	32	47	32	32	29	32	43	59	521	73.7	1.92													
Phthisis Pulmonalis ...	5	3	5	2	1	3	9	5	7	10	6	63	8.9	14.29													
Scurvy
Rheumatism ...	60	68	63	29	34	38	42	45	53	53	50	39	574	81.1	...												
Veneral diseases ...	158	153	160	95	86	66	79	59	65	36	97	113	1,167	165.0	...												
Eye diseases ...	9	6	9	20	21	20	8	25	17	16	11	3	165	23.3	...												
Abscess and Ulcer ...	51	44	48	44	37	50	57	62	44	30	41	30	538	76.0	...												
Wounds and Accidents ...	64	55	53	46	51	39	34	27	26	38	42	64	539	76.2	...												
All other Causes ...	98	98	100	77	68	105	111	122	89	115	109	84	1,176	166.2	...												
	817	689	702	621	709	779	826	1,123	1,540	1,549	1,070	784	11,212														
	Admitted per 1,000 of the Average Strength in each Month.																										
	101.4	85.1	85.0	90.5	104.8	115.6	123.4	169.6	233.3	253.5	164.3	104.0	1,584.7														

III.—STATISTICS OF INDIVIDUAL STATIONS—JULLUNDUR, 1870-79.

XCV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JULLUNDUR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	669	78.2	60.5	55.8	49.2	50.7	88.4	110.2	118.8	132.2	95.2	91.6	82.1	83.7
1871	"	702	90.2	72.9	76.2	61.5	48.6	50.3	58.9	84.3	75.2	65.2	46.9	32.8	64.1
1872	"	800	43.7	56.1	43.1	39.4	56.7	55.0	53.7	74.0	81.5	71.8	60.3	66.1	57.5
1873	"	738	76.9	91.3	77.3	55.4	50.8	53.8	51.1	63.6	70.4	56.2	41.6	56.8	62.3
1874	"	839	54.2	55.8	58.5	37.7	53.5	76.3	82.4	76.5	78.1	127.5	67.3	55.6	66.7
1875	"	805	42.3	60.6	61.5	30.9	22.8	31.1	60.0	69.9	78.3	72.0	63.1	69.4	55.9
1876	"	855	53.0	61.0	46.4	39.8	43.4	48.4	52.6	77.8	111.2	105.6	95.1	78.7	67.8
1877	"	739	79.9	64.6	35.4	20.1	30.2	33.0	31.7	37.4	46.0	43.8	47.6	67.5	46.0
1878	For 11 Months	743	59.3	79.8	75.3	80.5	72.0	85.8	58.9	78.1	158.9	260.8	269.7	...	106.3
1879	For the Year	238	163.4	183.7	93.2	64.5	73.9	59.1	73.5	78.8	104.2	130.4	41.6	58.7	75.6
Ten Years, 1870-79	...	7,075	64.6	67.7	59.2	46.4	48.6	58.0	62.0	74.9	93.2	97.5	78.0	67.2	67.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	...	3.0	1,233.2	6.0	12.0	15.0	77.7	56.8	7.5	74.8	7.5	133.0	186.8	13.4	127.0	94.2	221.2	2,269.1	
1871	401.7	...	2.9	14.2	45.6	61.3	14.2	85.5	1.4	79.8	123.9	34.2	41.3	58.4	178.1	1,142.5	
1872	...	8.8	277.4	1.2	...	11.2	87.5	32.5	2.5	86.3	10.0	50.0	167.5	38.8	42.3	61.3	116.2	1,002.5	
1873	...	1.3	273.8	1.3	4.0	8.1	21.7	54.2	8.1	71.8	15.0	66.4	162.6	17.6	51.5	54.2	115.2	926.8	
1874	429.1	9.5	19.1	46.5	14.3	78.7	9.5	71.5	122.8	9.5	47.7	67.9	163.3	1,089.4	
1875	...	7.5	419.8	6.2	1.3	5.0	24.9	8.7	...	44.7	3.7	106.8	135.4	12.4	62.1	84.5	136.6	1,059.6	
1876	...	7.0	1,262.0	...	1.2	5.8	23.4	18.7	10.5	53.8	10.5	111.1	163.2	26.9	80.7	94.8	149.7	2,009.3	
1877	...	1.3	404.7	8.1	2.7	16.2	32.4	23.0	9.5	63.6	8.1	71.7	134.0	19.0	78.5	82.5	157.0	1,112.3	
1878	...	4.0	1,974.5	9.5	2.7	146.7	82.1	24.3	6.7	91.5	10.7	47.1	277.3	36.1	145.4	56.5	245.0	3,160.1	
1879	...	12.6	1,827.7	...	4.2	33.6	239.5	16.8	...	109.3	16.8	46.2	218.5	25.2	105.0	151.3	226.9	3,046.2	
Ten Years, 1870-79	...	1.4	4.1	780.5	3.4	2.8	26.5	52.2	35.1	7.9	73.7	8.9	81.1	165.0	23.3	76.0	76.2	166.6	1,584.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	13.45	13.45	9	2	...	1	2	2	...		
1871	...	1.42	14.25	15.67	11	3	1	1	...		
1872	...	7.50	1.25	20.00	23	6	1	1	1	...		
1873	1.35	10.85	12.20	9	1	...		
1874	1.19	5.96	7.15	6	1	...		
1875	1.24	19.88	21.12	17	1	...		
1876	10.53	10.53	9	1	...		
1877	1.35	8.12	9.47	7	1	...		
1878	1.35	47.10	48.45	36	1	...		
1879	...	12.61	...	25.21	37.82	9	3	...	1	1	2	...		
Ten Years, 1870-79	...	1.27	.99	16.96	19.22	136	9	1	16	25	11	2	16	9	...	10	8	9	13	7

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873	4	...	3
1874
1875
1876
1877
1878
1879	3
Ten Years, 1870-79	3	4	3	10

III.—STATISTICS OF INDIVIDUAL STATIONS—FEROZEPORE, 1870-79.

XCVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying FEROZEPORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.	
January ...	10,874	526	48·4	17	4	...	1	5	2	1	2	...	1	
February ...	11,343	562	49·5	9	3	1	1	1	1	
March ...	10,763	497	46·2	3
April ...	10,369	486	46·9	5
May ...	10,327	515	49·9	12
June ...	10,310	559	54·2	19
July ...	10,271	587	57·2	30
August ...	10,219	662	64·8	16
September ...	10,192	801	78·6	22
October ...	9,762	705	72·2	23
November ...	9,658	658	68·1	10
December ...	10,718	547	51·0	14
						10	...	19	1	21	26	4	10	...	14	...	10	18	10	1	19	1	16	
						Died per 1,000 of the Average Strength.																				
For the Ten Years	10,400	592	56·9	180	17·31	·96	...	1·83	2·11	2·50	38	·96	...	1·35	...	·96	1·73	·96	·10	1·83	·10	1·54		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	12	1·2	...
Cholera	3	...	3	...	1	...	3	...	8	·8	83·33
Smallpox	3	...	2	...	1	...	1	41	3·9	46·35
Enteric Fever	...	14	...	4	...	5	...	3	...	3	371	4·568	439·2
Fever, Intermittent	...	199	...	127	...	124	...	271	...	316	...	320	...	935	825	655
Fever, Remittent and Continued	...	45	...	35	...	74	...	241	...	351	...	292	...	391	548	392
Apoplexy	1	...	1	...	23	...	26	...	8	3	2
Delirium Tremens
Dysentery	...	13	...	9	...	11	...	18	...	18	...	11	...	12	25	40
Diarrhoea	...	29	...	20	...	36	...	43	...	36	...	17	...	32	52	53
Hepatitis	...	14	...	27	...	19	...	23	...	22	...	26	...	28	38	32
Spleen disease
Respiratory diseases	...	111	...	87	...	91	...	70	...	30	...	45	...	41	42	54
Phthisis Pulmonalis
Scurvy
Rheumatism
Veneral diseases	...	62	...	52	...	44	...	33	...	38	...	25	...	45	47	48
Eye diseases	...	182	...	230	...	198	...	153	...	170	...	140	...	154	139	109
Abscess and Ulcer	...	12	...	14	...	17	...	23	...	27	...	22	...	11	33	27
Wounds and Accidents	...	57	...	53	...	76	...	69	...	54	...	82	...	101	107	79
All other Causes	...	96	...	117	...	111	...	108	...	73	...	57	...	56	68	60
		141		112		143		167		174		192		219	207	221
		989		903		955		1,100		1,325		1,249		1,461	1,606	2,064
Admitted per 1,000 of the Average Strength in each Month.																
	91·0	79·6	88·7	106·1	128·3	121·1	142·2	157·2	202·5	168·9	137·5	99·4	1,509·0			

III.—STATISTICS OF INDIVIDUAL STATIONS—FEROZEPORE, 1870-79.

XCVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FEROZEPORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	962	54.6	53.6	59.9	57.0	74.3	57.1	61.7	59.7	55.7	51.8	41.1	33.5	56.1
1871	"	1,077	29.7	40.9	38.6	35.6	41.4	39.5	38.7	44.5	42.6	38.9	35.9	36.1	38.1
1872	"	1,118	39.6	44.1	36.1	35.0	36.9	37.9	36.1	50.6	62.3	51.7	44.8	30.3	42.0
1873	"	1,109	36.2	48.6	50.8	53.4	46.5	49.2	59.9	69.7	87.1	55.3	43.7	35.8	53.2
1874	"	1,034	41.1	62.6	48.7	49.3	48.3	55.2	72.1	96.3	81.6	77.0	69.1	50.7	62.9
1875	"	1,068	51.8	42.7	33.6	43.9	38.1	49.9	45.9	39.0	42.1	48.2	45.9	31.2	42.1
1876	"	1,077	52.0	66.4	46.1	39.0	43.8	51.3	51.4	68.2	119.2	105.7	91.9	69.6	
1877	"	1,007	57.8	42.1	36.2	52.6	67.1	78.5	75.7	70.6	73.4	55.8	67.4	57.4	
1878	"	1,033	56.0	52.0	62.3	65.1	58.2	77.5	74.0	91.9	165.7	154.8	134.0	87.1	
1879	"	917	67.1	42.6	46.0	37.5	46.5	47.7	55.2	56.3	72.2	97.5	96.3	62.6	
Ten Years, 1870-79		10,400	48.4	49.5	46.2	46.9	49.9	51.2	57.2	61.8	78.6	72.2	68.1	51.0	56.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	3.1	679.9	10.4	20.8	23.9	53.0	18.7	4.2	104.0	14.5	28.1	190.2	35.3	91.5	98.7	197.5	1,573.8	
1871	1.9	363.9	10.4	4.6	28.8	53.9	13.9	...	53.9	9.3	19.5	219.1	37.1	66.8	87.3	122.6	1,082.6	
1872	1.8	348.8	10.7	9.8	33.7	88.5	18.8	...	63.5	5.4	31.0	163.7	49.3	82.3	81.4	178.9	1,165.5	
1873	...	234.4	5.4	5.4	12.6	37.0	50.5	2.7	65.8	9.9	85.7	128.9	7.2	79.4	94.7	210.1	1,030.6	
1874	1.0	387.8	1.9	...	5.8	21.3	55.1	3.9	89.9	3.9	123.8	154.7	15.5	46.4	60.0	201.1	1,173.1	
1875	7.5	236.6	4.7	...	15.9	37.8	37.4	7.5	53.4	8.4	43.9	177.9	10.3	68.4	86.1	182.6	984.1	
1876	...	236.6	8.4	3.7	25.1	25.1	23.2	1.8	65.9	4.6	44.6	134.0	17.6	129.0	96.6	294.3	1,826.4	
1877	...	840.1	8.9	4.0	8.9	15.9	29.8	1.6	49.7	5.0	28.8	135.1	7.6	77.3	94.3	154.9	1,452.8	
1878	...	1,805.4	4.8	15.5	53.3	27.1	28.1	1.0	74.5	5.8	54.2	310.8	32.9	69.0	110.3	206.2	2,796.7	
1879	3.3	1,415.5	8.7	6.6	13.1	40.3	12.0	5.5	105.8	3.3	39.3	143.9	29.7	93.8	118.9	130.7	2,164.7	
Ten Years, 1870-79	1.2	3.9	706.3	6.3	7.0	22.6	41.4	29.0	2.8	71.8	7.0	50.7	175.8	22.5	79.4	92.4	198.9	1,509.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	...	2.08	27.03	29.11	28	2	1	8	...	3	...	2	5	...	4	2		
187193	10.21	11.14	12	1	1		
1872	12.52	12.52	14		
1873	...	2.71	16.23	18.94	21	1	4	1	3		
187497	20.31	21.28	22	1	9	1	...	2	6	...		
1875	...	5.62	12.17	18.73	20	6	...	2	1	5	...	1	2	1		
1876	16.71	17.64	19	6	3	2	1		
1877	10.92	13.90	14	1	1	1	...	1	4	3		
1878	13.55	17.42	18	2	2	3	4		
1879	...	3.27	7.64	13.09	12	3	...	2	1	2	1	2		
Ten Years, 1870-7996	14.71	17.31	180	10	...	19	22	26	4	10	14	...	10	18	10	20	17	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874	1
1875	3	...	1
1876	3	...	2
1877
1878
1879	3
Ten Years, 1870-79	3	3	1	3	2	12

III.—STATISTICS OF INDIVIDUAL STATIONS—MOOLTAN, 1870-79.

XCIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MOOLTAN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	790	81.4	57.6	53.7	39.9	49.3	60.0	61.5	60.1	65.5	56.5	37.7	23.7	53.2
1871	"	843	39.2	37.5	30.2	35.2	45.1	50.2	57.8	46.9	36.0	37.3	32.1	37.3	40.3
1872	"	831	39.6	36.2	46.6	55.6	71.7	92.8	103.2	96.0	84.8	87.0	102.5	77.5	73.4
1873	"	786	70.9	66.0	59.9	80.8	88.6	94.0	90.1	86.5	91.4	68.7	81.4	115.4	81.4
1874	"	869	51.5	66.2	68.0	52.1	52.0	49.8	58.1	66.4	67.0	57.4	65.4	59.6	58.7
1875	"	837	58.8	39.3	39.9	36.6	51.0	64.3	64.6	54.0	65.9	69.2	69.5	74.7	57.3
1876	"	743	65.0	43.2	33.4	33.0	45.4	61.5	61.7	68.2	83.3	92.2	127.4	94.1	63.3
1877	"	697	73.0	53.2	43.2	45.4	52.1	48.9	74.0	87.0	57.6	65.9	62.8	57.4	58.8
1878	For 10 Months	795	78.5	89.1	83.8	73.1	66.8	79.9	91.6	118.8	108.8	37.1	83.0
1879	For the Year	998	81.0	78.6	74.3	81.3	63.8	61.7	72.7	65.9	59.9	113.9	35.6	52.2	68.1
Ten Years, 1870-79	...	8,109	62.7	57.2	53.8	54.0	58.7	66.2	73.4	74.4	71.7	73.8	70.9	59.8	64.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	931.0	2.5	7.6	53.2	43.0	64.6	5.1	94.9	12.6	84.8	83.5	30.4	101.3	81.0	201.3	1,846.8
1871	323.8	3.6	8.3	36.8	15.4	73.5	3.6	111.5	19.0	53.4	104.4	19.0	67.6	62.9	116.2	1,019.0
1872	3.6	...	604.1	6.0	6.0	57.8	9.6	91.5	9.6	122.7	24.2	49.3	143.2	10.8	66.2	80.6	232.2	1,517.4
1873	...	1.3	690.8	1.3	1.3	42.0	12.7	129.8	25.4	131.0	28.0	47.1	128.5	16.5	63.6	77.6	134.9	1,531.8
1874	499.4	6.9	1.1	3.4	10.6	33.4	...	55.2	1.1	166.9	92.1	13.8	63.3	47.2	143.9	1,147.3
1875	1,028.7	9.6	...	12.0	78.9	35.8	1.2	63.3	9.6	66.9	175.6	16.7	120.6	94.4	135.0	1,848.3
1876	2.7	...	1,410.5	4.0	2.7	5.4	39.0	37.7	1.3	48.5	2.7	68.6	142.7	6.7	80.8	84.8	160.1	2,098.2
1877	727.4	10.0	4.3	12.9	41.6	14.4	1.4	155.0	4.3	80.3	193.7	10.0	109.0	100.5	139.2	1,604.0
1878	...	8.8	558.5	7.5	...	11.3	71.7	16.4	...	147.2	1.3	44.0	320.8	17.6	130.8	110.7	145.9	1,592.5
1879	...	3.0	317.6	6.0	...	27.1	21.0	32.1	8.0	113.2	9.0	48.1	240.5	13.0	97.2	83.2	226.5	1,245.5
Ten Years, 1870-79	4	1.6	729.2	5.8	3.1	26.8	35.6	53.5	5.7	105.6	11.3	71.6	166.2	15.7	91.2	82.9	167.7	1,573.9

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.27	21.51	22.78	18	2	2	1	2	2	...	4	...	3	1	
1871	...	1.19	18.98	20.17	17	2	1	1	1	...	4	1	
1872	2.41	2.41	14.43	19.25	16	2	2	1	1	2	
1873	...	1.27	11.45	12.72	10	1	1	1	
1874	...	1.15	10.36	11.51	10	4	1	
1875	...	1.19	9.56	10.75	9	1	3	1	
1876	...	1.35	9.42	10.77	8	1	1	1	1	1	
1877	4.30	4.30	3	1	1	1	
1878	...	1.13	15.22	16.35	13	3	5	...	1	1	...	1	...	1	...	1	
1879	...	2.00	15.03	17.03	17	1	1	4	...	2	...	4	2	2	
Ten Years, 1870-79	25	1.35	13.32	14.92	121	2	...	6	24	14	3	8	9	...	14	7	9	14	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873	3
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	3	3

III.—STATISTICS OF INDIVIDUAL STATIONS—DERA ISMAIL KHAN, 1870-79.

CI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DERA ISMAIL KHAN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	97	60.6	30.3	20.2	30.3	30.3	81.6	71.4	103.1	113.4	62.5	36.1	...	51.5
1871	"	100	20.0	20.0	20.0	10.0	39.6	69.3	49.5	59.4	49.5	49.5	30.6	20.0	40.0
1872	"	99	30.0	20.0	30.0	10.0	50.0	60.6	90.9	90.9	121.2	191.9	222.2	80.8	
1873	"	101	108.1	45.0	10.1	40.4	50.5	40.4	50.5	51.0	102.0	61.2	61.2	40.8	
1874	"	98	40.0	40.0	60.0	40.0	50.5	51.0	81.6	72.2	92.8	105.3	94.7	60.0	
1875	"	99	20.0	30.0	30.0	40.0	50.0	70.0	100.0	70.0	100.0	114.6	105.3	40.4	
1876	"	100	40.0	40.0	10.0	20.0	20.0	40.0	30.0	20.0	40.0	20.2	70.0	30.0	
1877	"	98	50.0	50.0	50.5	20.2	20.2	50.5	50.5	30.6	61.2	51.0	55.6	50.0	
1878	"	102	30.0	50.0	40.4	62.5	50.5	80.8	90.9	121.2	121.2	173.9	182.6	84.1	
1879	"	98	70.7	50.5	50.5	61.2	40.4	60.6	92.8	93.7	93.7	125.0	135.4	10.0	
Ten Years, 1870-79	...	993	47.6	37.7	32.2	35.2	40.2	58.5	68.7	72.1	84.3	91.5	94.0	59.8	60.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	...	10.3	1,041.3	10.3	...	30.9	82.5	10.3	72.2	144.3	...	103.1	10.3	257.7	1,773.2	
1871	550.0	30.0	30.0	60.0	100.0	150.0	30.0	90.0	30.0	180.0	1,250.0	
1872	1,484.9	40.4	30.3	80.8	...	171.7	50.0	40.4	181.8	60.6	30.3	141.4	2,343.4	
1873	831.7	29.7	79.2	59.4	29.7	108.9	...	9.9	...	39.6	59.4	148.5	1,405.9	
1874	1,959.2	10.2	10.2	...	61.2	122.5	...	224.5	...	91.8	214.3	20.4	255.1	193.9	397.9	
1875	...	10.1	878.8	10.1	50.5	20.2	70.7	30.3	...	131.3	...	40.4	292.9	20.2	212.1	121.2	606.1	
1876	10.0	20.0	1,040.0	...	10.0	...	70.0	40.0	...	30.0	...	30.0	160.0	30.0	90.0	40.0	240.0	
1877	581.7	10.2	...	10.2	71.4	61.2	...	102.0	...	71.4	153.1	51.0	81.6	122.5	346.9	
1878	2,411.8	29.4	9.8	19.6	127.4	78.4	...	156.9	...	49.0	225.5	...	68.7	49.0	529.4	
1879	2,438.8	40.8	10.2	30.6	142.9	20.4	...	234.7	...	61.2	183.7	...	193.9	61.2	438.8	
Ten Years, 1870-79	1.0	4.0	1,321.2	11.1	9.1	21.1	76.6	50.4	14.1	121.9	5.0	56.4	171.2	21.1	115.8	71.5	328.3	2,399.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	10.31	20.62	30.93	3	1	...	1	1	
1871	
1872	20.20	20.20	2	
1873	19.80	19.80	2	
1874	10.20	10.20	1	
1875	20.20	20.20	2	
1876	10.00	1	
1877	10.20	10.20	1	
1878	9.80	9.80	1	
1879	40.82	40.82	4	
Ten Years, 1870-79	1.01	1.01	15.10	17.12	17	1	...	1	1	3	...	2	2	5	...	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	1
1877
1878
1879
Ten Years, 1870-79	1

III.—STATISTICS OF INDIVIDUAL STATIONS—MEEAN MEER, 1870-79.

CII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MEEAN MEER during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Main table showing statistics by month from January to December, including aggregate strength, average number sick, number of deaths, and causes of deaths in hospital (Cholera, Smallpox, Enteric Fever, etc.).

Table showing the NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH, categorized by causes of admissions (Dengue, Cholera, Smallpox, etc.) and including total admissions, admitted per 1,000 strength, and deaths out of each hundred cases treated.

III.—STATISTICS OF INDIVIDUAL STATIONS—MEEAN MEER, 1870-79.

CIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MEEAN MEER in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	905	86.3	95.0	84.8	104.1	91.6	101.7	98.3	83.8	90.2	76.4	108.8	45.3	88.4
1871	...	907	49.5	62.7	57.3	68.9	68.8	72.2	77.0	87.9	90.9	75.6	65.8	59.7	68.4
1872	...	1,013	65.0	57.5	68.1	72.2	76.5	89.6	80.4	97.6	92.7	170.8	171.2	98.3	93.8
1873	...	1,081	74.0	73.7	38.4	48.8	53.5	49.9	61.1	92.0	108.0	123.5	125.1	113.9	79.6
1874	...	736	119.8	87.2	65.2	51.2	49.8	50.5	72.1	75.5	55.5	68.5	71.9	51.7	70.7
1875	...	1,050	47.7	46.6	49.2	57.2	72.3	72.8	66.5	62.2	83.3	96.7	119.5	275.8	88.6
1876	...	886	125.1	96.3	68.2	48.2	56.8	71.3	89.7	115.3	109.7	104.3	86.5	106.7	90.3
1877	...	1,003	89.9	59.4	54.9	49.7	55.0	75.1	78.9	72.5	61.2	73.9	112.9	127.7	75.8
1878	...	811	90.9	64.6	84.1	43.7	49.0	85.1	81.0	103.9	181.0	161.4	154.7	167.8	103.6
1879	...	899	177.6	153.3	131.1	69.5	74.2	128.5	192.2	149.7	156.3	191.7	152.8	127.9	140.2
Ten Years, 1870-79	...	9,291	92.3	78.9	68.5	62.1	65.5	79.8	87.9	92.5	100.6	113.2	129.3	121.3	89.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	9.9	1,697.3	3.3	3.3	32.0	108.3	38.7	12.2	87.3	4.4	92.8	198.9	21.0	121.5	99.5	156.9	2,687.3
1871	...	2.2	436.6	6.6	4.4	24.3	45.2	80.5	4.4	108.0	12.1	105.8	183.0	33.1	89.3	118.0	201.8	1,455.3
1872	133.3	6.9	1,155.0	14.8	4.9	66.1	187.5	41.5	15.8	109.6	9.9	73.0	189.5	41.5	127.4	77.0	244.8	2,498.5
1873	...	1.9	1,955.5	2.8	...	27.8	77.7	46.2	15.7	139.7	7.4	57.3	164.7	13.9	89.7	107.3	226.7	2,934.3
1874	...	1.3	1,119.6	9.5	2.7	25.8	112.8	47.6	16.3	176.6	2.7	163.1	123.6	34.0	108.7	133.2	195.6	2,273.1
1875	...	2.9	1,485.7	17.1	8.6	33.3	109.5	32.4	16.2	161.0	17.1	116.2	160.0	14.3	74.3	70.4	248.6	2,571.4
1876	...	2.3	1,545.1	4.5	4.5	23.7	90.3	62.1	27.1	167.0	3.4	98.2	137.7	14.7	98.2	119.6	209.9	2,603.3
1877	...	8.0	1,519.4	15.0	10.6	33.9	57.8	48.9	10.0	116.7	23.0	183.4	49.9	27.9	102.6	106.6	232.3	2,545.4
1878	...	4.9	2,667.1	2.5	6.2	37.0	88.8	43.1	17.3	160.3	17.3	71.5	238.1	13.6	82.6	112.2	196.0	3,748.5
1879	...	36.7	3,416.0	17.8	5.6	54.5	132.4	42.3	22.2	170.2	7.8	50.1	248.0	12.2	117.9	95.7	300.3	4,740.8
Ten Years, 1870-79	...	18.4	1,692.7	9.6	5.1	36.2	101.2	48.0	15.6	138.4	10.8	85.9	181.8	22.5	100.9	102.6	222.8	2,797.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.10	23.21	24.31	22	8	3	2	...	1	1	...	1	2	2	1	
1871	...	3.31	14.33	17.64	16	3	1	1	...	1	1	...	1	2	2	3	
1872	86.87	...	29.63	115.50	117	88	...	3	1	6	1	9	1	...	1	3	2	...	
1873	21.28	21.28	23	2	9	1	...	4	1	...	6	
1874	...	4.08	13.58	17.66	13	1	...	3	...	3	2	...	1	3	
1875	1.90	...	35.24	37.14	39	2	...	3	7	10	...	3	3	...	3	...	6	3	
1876	...	3.39	15.80	19.19	17	1	2	...	6	3	
1877	17.95	17.95	18	4	1	1	...	6	...	
1878	...	1.23	18.50	19.73	16	3	2	1	1	...	3	1	
1879	...	31.15	16.68	47.83	43	28	1	2	1	3	...	1	2	...	1	...	
Ten Years, 1870-79	...	12.70	1.19	20.98	34.87	324	118	1	26	24	34	3	22	21	...	16	10	16	22

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	1
1873	129	...	5
1874
1875	3
1876
1877
1878
1879	2	...	28	3
Ten Years, 1870-79	2	28	3	1	129	5	3	171

III.—STATISTICS OF INDIVIDUAL STATIONS—FORT LAHORE, 1870-79.

CV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying FORT LAHORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	84	51.3	50.0	50.0	49.4	49.4	38.0	50.6	25.0	36.1	72.3	48.2	14.9	47.6
1871	"	83	24.4	21.1	24.1	48.8	61.0	36.6	73.2	60.2	24.1	35.7	36.6	36.6	36.1
1872	"	82	48.2	11.9	12.0	34.9	46.5	46.0	60.2	108.1	100.0	89.9	119.0	12.0	61.0
1873	"	86	36.1	36.1	35.3	70.6	83.3	59.5	47.6	47.6	69.8	69.8	69.8	95.2	58.1
1874	"	110	73.4	18.2	8.9	18.0	45.5	27.3	35.7	27.3	18.2	18.2	9.2	27.3	
1875	"	128	45.9	50.0	29.2	51.3	33.1	46.2	56.0	40.3	104.0	88.0	56.0	95.2	54.7
1876	"	156	52.6	33.5	42.4	52.3	45.8	65.4	51.9	32.7	52.3	39.2	32.7	33.3	44.9
1877	"	149	19.4	27.2	26.8	26.8	26.8	47.6	46.7	26.7	27.0	34.5	53.7	34.5	33.6
1878	"	129	31.6	40.0	29.2	16.4	23.8	48.0	58.3	75.0	94.5	172.1	77.6	99.2	62.0
1879	"	124	57.9	64.0	16.1	32.0	72.6	88.7	88.7	88.7	96.0	104.8	107.4	40.3	72.6
Ten Years, 1870-79	...	1,130	43.6	36.2	27.7	39.1	46.3	51.7	56.7	50.8	62.7	72.3	60.4	49.3	49.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	1,392.9	...	11.9	59.5	131.0	11.9	...	59.5	333.3	...	154.7	95.2	59.6	2,309.5
1871	722.9	12.0	12.0	144.6	108.4	96.4	...	156.6	108.4	48.2	96.4	289.2	144.6	1,987.9
1872	85.4	24.4	1,609.7	24.4	...	24.4	170.7	24.4	...	85.4	12.2	97.6	97.6	73.1	158.5	2,187.8
1873	2,162.8	...	23.3	34.9	104.7	23.3	...	151.2	186.0	34.9	81.4	104.6	232.5	3,197.7
1874	963.6	18.2	...	36.4	36.4	27.3	...	181.8	9.0	...	72.7	27.3	45.5	45.5	172.7	1,645.5
1875	...	7.8	1,000.0	15.6	...	23.4	132.8	70.3	7.8	...	140.6	31.3	70.3	31.3	195.3	1,773.4
1876	12.8	19.2	1,269.3	...	6.4	23.6	64.1	25.6	6.4	76.9	6.4	83.4	198.7	25.6	102.6	83.4	89.7	2,006.1
1877	1,302.0	6.7	...	6.7	47.0	13.4	6.7	26.8	33.6	...	100.7	6.7	60.4	80.5	107.4	1,832.2
1878	...	38.8	1,945.7	23.3	...	100.8	62.0	15.5	...	139.5	7.7	31.0	248.1	7.7	77.5	69.8	116.3	2,883.7
1879	8.1	16.1	2,193.5	8.1	...	56.4	153.2	16.1	...	88.7	306.5	...	96.8	137.1	177.4	3,266.1
Ten Years, 1870-79	8.9	11.5	1,454.9	10.6	4.4	44.2	95.6	23.0	1.8	99.1	8.0	38.9	179.6	17.7	85.8	94.7	142.5	2,321.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	11.90	11.90	23.81	2	1	
1871	...	12.05	36.14	48.19	4	1	1	
1872	85.37	...	36.58	121.95	10	7	...	1	
1873	34.88	34.88	3	1	
1874	18.18	18.18	2	
1875	15.62	15.62	2	
1876	12.82	...	19.23	32.05	5	2	1	
1877	...	20.13	20.13	40.27	6	1	3	
1878	...	46.51	46.51	46.51	6	2	1	1	
1879	8.06	8.06	8.07	24.19	3	1	...	1	1	
Ten Years, 1870-79	8.85	5.31	23.89	38.05	43	10	...	4	2	8	1	2	2	...	2	1	3	6	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872	6	1
1873
1874
1875
1876	2
1877
1878
1879	1
Ten Years, 1870-79	7	3	10

III.—STATISTICS OF INDIVIDUAL STATIONS—AMRITSAR AND GOVINDGARH, 1870-79.

CVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying AMRITSAR and GOVINDGARH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns: MONTHS, Aggregate Strength for each Month of the Ten Years, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths, Died per 1,000 of Strength, and CAUSES OF DEATHS IN HOSPITAL (Cholera, Smallpox, Enteric Fever, etc.). Includes a summary row 'For the Ten Years' and a section 'Died per 1,000 of the Average Strength.'

Table with columns: CAUSES OF ADMISSIONS, and NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH (JAN. to DEC.). Includes summary rows for 'Total Admitted during the Ten Years' and 'Admitted per 1,000 of the Average Strength in each Month.'

III.—STATISTICS OF INDIVIDUAL STATIONS—AMRITSAR AND GOVINDGARH, 1870-79.

CVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AMRITSAR AND GOVINDGARH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	128	76.3	75.8	60.6	106.1	127.8	84.3	124.0	107.7	100.8	111.1	76.3	94.0	93.7
1871	"	161	79.4	73.8	22.1	47.6	55.6	47.6	48.3	44.3	59.4	62.5	90.4	24.4	55.9
1872	"	273	29.1	24.2	29.4	10.1	33.6	37.3	37.3	44.1	51.4	44.5	41.0	36.5	36.6
1873	"	285	56.5	33.4	20.1	46.3	46.6	53.8	54.0	57.1	100.4	104.7	83.0	44.8	59.6
1874	"	281	37.2	40.5	20.3	34.3	62.1	76.1	76.1	90.3	125.9	129.4	108.4	83.0	73.9
1875	"	306	64.1	71.2	50.8	44.3	51.1	48.2	55.0	49.0	57.4	96.2	75.1	50.0	58.8
1876	"	319	70.0	53.5	42.5	46.8	38.3	53.6	59.3	73.7	106.2	115.7	114.4	111.5	72.1
1877	"	285	61.9	38.6	25.9	44.8	35.2	47.1	54.2	50.5	54.5	44.9	66.2	50.7	49.1
1878	"	265	56.7	53.6	40.6	49.4	55.6	44.4	59.3	82.1	123.1	133.4	147.9	137.8	79.2
1879	"	225	12.3	64.9	57.9	76.9	119.8	96.8	106.0	93.5	84.1	85.9	92.6	73.0	88.9
Ten Years, 1870-79	...	2,532	64.1	51.3	36.3	46.5	56.9	56.9	63.6	66.9	86.4	91.6	89.6	68.6	64.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	7.8	1,367.2	7.8	7.8	31.3	78.2	78.2	7.8	46.8	31.3	54.6	328.1	15.6	78.2	109.3	453.1	2,703.1
1871	...	12.4	689.4	6.2	6.2	43.5	37.3	31.0	6.2	37.3	...	49.7	518.6	68.3	118.0	124.3	124.3	1,776.4
1872	...	3.7	857.1	3.7	33.0	40.3	...	11.0	7.4	33.0	219.8	18.3	43.9	47.6	131.8	1,450.6
1873	1,028.1	14.0	7.0	17.5	17.5	17.5	7.0	7.0	...	17.5	259.7	24.6	56.2	38.6	112.3	1,624.5
1874	1,103.7	28.2	21.1	49.3	10.6	91.5	7.0	14.1	401.4	7.0	66.9	59.9	102.1	2,052.6
1875	22.9	3.3	1,375.8	9.8	...	42.5	81.7	49.0	36.0	114.4	6.5	104.6	169.9	29.4	75.2	111.1	140.5	2,372.6
1876	...	3.1	1,927.9	6.3	3.1	47.0	37.6	31.4	18.8	169.3	...	47.0	153.6	9.4	84.7	128.5	206.9	2,874.6
1877	...	3.5	701.8	7.0	...	21.0	10.5	45.6	...	143.9	3.5	63.2	136.8	7.0	98.3	203.5	157.9	1,603.5
1878	1,988.7	7.5	...	37.7	45.3	49.1	7.5	139.6	3.8	45.3	222.6	26.4	75.5	160.8	218.9	3,037.7
1879	2,964.5	13.3	4.4	31.1	133.3	35.6	22.2	124.4	...	44.4	200.0	26.7	142.2	191.1	151.2	4,084.4
Ten Years, 1870-79	...	2.8	1,414.7	7.5	2.4	29.6	46.6	41.1	12.2	94.0	4.7	47.4	245.6	17.0	78.2	116.5	166.3	2,329.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	39.06	39.06	5	1	2	
1871	24.84	24.84	4	1	1	
1872	18.32	18.32	5	2	
1873	14.04	14.04	4	1	
1874	3.52	3.52	1	
1875	6.54	6.54	26.14	39.22	12	2	...	1	2	1	
1876	6.27	6.27	2	1	1	
1877	10.53	10.53	3	1	1	
1878	...	3.77	7.55	11.32	3	1	1	
1879	13.33	13.33	3	1	
Ten Years, 1870-79	7.9	1.18	14.62	16.59	42	2	...	4	11	8	1	1	4	...	1	2	...	5	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874
1875
1876	6
1877	1
1878
1879
Ten Years, 1870-79	6	...	1	...	7

III.—STATISTICS OF INDIVIDUAL STATIONS—SIALKOT, 1870-79.

CVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SIALKOT during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
January ...	10,070	600	59.6	13	1	...	1	...	2	...	2	...	3	2	2	
February ...	10,690	598	55.9	6
March ...	11,637	599	51.5	8	1
April ...	10,177	521	51.2	10	1
May ...	9,952	558	56.4	14	4
June ...	9,952	622	62.5	18
July ...	10,231	662	64.7	36	1
August ...	10,194	717	70.3	13
September ...	10,039	796	79.3	24	3
October ...	9,993	738	73.9	12	1
November ...	8,956	675	75.4	15
December ...	10,102	661	65.4	13
						10	1	30	1	32	18	4	12	...	17	1	9	7	13	16	2	9		
						Died per 1,000 of the Average Strength.																					
For the Ten Years ...	10,161	646	63.6	182	17.91	.98	.10	2.95	3.25	1.77	.39	1.18	...	1.67	.10	.89	.60	1.28	1.57	.20	.89			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever
Fever, Intermittent ...	249	208	208	200	266	308	318	297	410	413	347	305	3,529	347.3	.03												
Fever, Remittent and Continued ...	38	27	83	193	290	281	328	317	347	312	80	71	2,367	232.9	1.35												
Apoplexy												
Delirium Tremens												
Dysentery ...	13	9	12	28	23	18	19	34	55	37	25	26	299	29.4	4.01												
Diarrhea ...	19	24	32	90	64	43	36	79	81	42	26	30	566	55.7	...												
Hepatitis ...	27	30	39	32	39	52	72	65	63	50	43	33	545	53.6	3.12												
Spleen disease ...	7	9	5	6	6	6	8	8	7	4	5	5	76	7.5	1.32												
Respiratory diseases ...	146	110	89	49	42	55	42	50	52	39	53	97	833	82.0	1.08												
Phthisis Pulmonalis ...	2	2	3	7	6	13	7	7	8	2	14	8	79	7.8	16.46												
Scurvy ...	1												
Rheumatism ...	118	84	60	71	58	53	66	68	50	79	74	50	840	82.7	...												
Veneral diseases ...	204	202	193	169	126	151	150	157	121	150	116	143	1,882	185.2	...												
Eye diseases ...	19	15	21	30	17	15	15	26	27	17	8	5	215	21.1	...												
Abscess and Ulcer ...	74	67	87	83	63	84	142	124	71	51	60	65	971	95.6	...												
Wounds and Accidents ...	112	80	152	145	118	78	82	97	81	102	82	112	1,241	122.1	...												
All other Causes ...	123	130	137	158	164	206	243	200	181	165	179	133	2,019	198.7	...												
	1,156	1,000	1,127	1,270	1,297	1,391	1,563	1,544	1,580	1,472	1,119	1,006	15,624														
	Admitted per 1,000 of the Average Strength in each Month.																										
	114.8	94.4	90.8	124.8	131.1	139.8	152.8	151.5	157.4	147.3	124.9	108.5	1,537.6														

III.—STATISTICS OF INDIVIDUAL STATIONS—SIALKOT, 1870-79.

CIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SIALKOT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	967	43.3	73.9	47.6	44.5	60.6	56.7	46.9	49.1	59.2	54.2	44.5	46.0	51.7
1871	"	1,089	32.2	34.9	47.1	36.2	41.1	44.2	49.3	65.7	64.9	64.9	55.5	51.5	48.7
1872	"	1,119	54.8	52.7	48.3	54.4	49.0	61.7	52.8	55.7	65.9	65.3	64.6	80.6	57.2
1873	"	1,045	41.3	33.1	36.1	60.6	61.5	63.3	58.7	62.4	61.5	48.9	46.2	41.8	51.7
1874	"	993	50.4	42.5	41.2	35.7	47.4	53.9	47.7	43.4	41.4	43.3	40.4	53.9	45.3
1875	"	1,096	78.1	83.3	51.7	64.5	68.2	71.2	89.2	89.4	95.8	91.6	84.9	53.2	75.7
1876	"	1,076	59.8	52.3	42.5	38.2	49.1	59.8	61.8	69.7	95.7	102.4	106.9	63.6	66.0
1877	"	1,082	61.1	63.0	60.6	37.7	49.3	57.0	79.9	87.6	87.0	83.2	98.9	98.3	72.1
1878	"	981	83.2	68.4	67.2	56.4	64.3	68.8	72.8	88.3	102.9	71.5	162.0	22.9	78.5
1879	"	713	103.5	67.4	90.0	86.9	82.8	99.6	87.5	91.9	124.8	132.3	122.6	94.1	98.2
Ten Years, 1870-79		10,161	59.6	55.9	51.5	51.2	56.4	62.5	64.7	70.3	79.3	73.9	75.4	65.4	63.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- cases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	800.4	6.2	3.1	25.8	71.4	63.1	8.3	43.4	7.2	61.0	170.6	42.4	84.8	87.9	192.4	1,668.0
1871	...	2.7	420.6	.9	1.8	19.3	36.7	69.8	7.4	42.2	1.8	68.0	163.5	22.0	67.0	101.0	129.5	1,154.2
1872	3.6	1.8	404.8	.9	1.8	42.0	43.8	87.6	6.2	83.1	15.2	91.2	166.2	19.7	69.7	143.0	291.3	1,471.9
1873	...	1.9	582.8	1.0	1.0	25.8	48.8	61.2	7.6	80.4	5.7	68.9	109.5	24.9	89.0	88.0	132.1	1,319.6
1874	429.0	...	2.0	22.2	41.3	44.3	1.0	103.7	2.0	76.5	64.5	9.1	84.6	90.6	139.0	1,109.8
1875	...	5.5	633.2	10.9	1.8	45.6	102.2	27.4	1.8	144.2	14.6	87.6	125.9	21.0	108.6	180.7	164.2	1,676.1
1876	5.6	3.7	682.2	4.6	1.9	17.7	62.3	48.3	12.1	71.6	7.4	85.5	203.5	27.9	95.7	139.4	250.9	1,720.3
1877	...	2.8	578.5	7.4	5.6	15.7	25.9	45.3	19.4	81.3	8.3	123.8	174.7	9.2	92.4	133.1	244.0	1,587.4
1878	...	10.2	474.0	9.2	...	27.5	47.9	39.8	3.0	79.5	4.1	90.7	380.2	13.3	118.2	147.8	203.9	1,649.3
1879	5.6	25.2	921.5	15.4	7.0	61.7	87.0	44.9	7.0	89.8	11.2	64.5	371.7	23.8	172.5	94.0	274.9	2,277.7
Ten Years, 1870-79	1.5	4.7	580.2	5.3	2.5	29.4	55.7	53.6	7.5	82.0	7.8	82.7	185.2	21.1	95.6	122.1	200.7	1,537.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.															
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Heart dis- cases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.		
		a Violent Deaths.	b Diseases.																		
1870	...	1.03	17.58	18.61	18		
1871	...	1.83	14.70	16.53	18		
1872	3.57	2.68	11.62	17.87	20	4		
1873	7.66	7.66	8		
1874	7.05	7.05	7		
187591	21.90	22.81	25		
1876	2.70	1.86	13.94	18.59	20	3		
187792	15.72	16.64	18		
1878	15.29	15.29	15	...	1	5	3	2		
1879	4.21	1.40	40.67	46.28	33	3	...	15	1	4	...	2		
Ten Years, 1870-79	.98	1.09	15.84	17.91	182	10	1	30	33	18	4	12	17	1	9	7	13	16	11		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872	1	3
1873
1874
1875
1876	1
1877	6
1878
1879	1	...	1
Ten Years, 1870-79	1	4	...	2	...	1	6	...	1

III.—STATISTICS OF INDIVIDUAL STATIONS—RAWAL PINDI, 1870-79.

CXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying RAWAL PINDI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,454	79.3	84.9	75.3	62.5	57.1	61.8	57.7	62.7	96.9	115.7	76.5	49.5	72.2
1871	"	1,413	41.5	50.4	50.1	57.5	55.2	61.1	68.0	75.3	71.1	55.0	72.9	53.4	57.3
1872	"	1,783	56.2	53.5	58.3	40.1	47.1	58.2	53.4	45.3	45.9	36.9	40.3	44.6	48.2
1873	"	1,688	38.3	40.0	46.1	53.6	45.4	50.3	45.9	49.9	62.8	66.0	65.9	60.1	51.5
1874	"	1,674	47.5	48.0	37.3	32.6	35.4	49.6	45.8	40.2	46.5	47.7	49.2	52.9	44.8
1875	"	1,645	49.9	44.5	32.0	39.2	45.1	39.7	46.5	48.3	53.6	51.4	47.8	47.1	45.0
1876	"	1,522	40.4	34.6	34.3	33.2	37.2	37.9	44.5	56.0	70.7	74.0	61.0	57.0	49.3
1877	"	1,719	54.5	55.5	42.8	36.7	43.0	55.2	46.3	42.4	39.8	64.9	93.2	60.5	53.3
1878	"	1,683	49.0	51.3	48.1	42.3	57.2	62.8	59.7	65.4	81.1	125.1	150.0	127.9	67.7
1879	"	1,564	120.7	123.5	152.0	120.0	109.5	85.5	89.4	92.6	141.3	181.7	171.9	110.7	126.0
Ten Years, 1870-79	...	16,145	55.0	57.1	53.5	49.9	53.3	56.4	56.4	58.4	73.2	79.1	79.4	64.8	61.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	5.5	1,401.6	2.1	4.1	18.6	65.3	39.2	12.4	105.2	9.6	50.9	125.2	21.3	55.7	87.4	134.1	2,138.2
1871	...	1.4	949.1	.7	2.8	16.3	48.1	75.0	15.6	89.9	1.4	76.4	207.4	13.4	76.4	105.5	122.4	1,801.8
1872	...	1.7	5.6	352.2	1.7	2.8	9.5	49.4	41.5	5.6	51.6	7.3	52.7	184.5	11.2	82.5	115.5	1,157.6
1873	3.6	401.6	.6	2.4	23.7	32.0	40.9	23.7	129.1	5.9	68.1	94.2	12.4	77.6	126.2	1,185.4
1874	2.4	329.7	3.6	1.2	7.8	16.1	60.9	22.7	101.0	6.0	73.5	102.7	15.5	75.9	127.8	1,100.3
1875	1.2	131.9	11.6	6.7	9.7	49.2	26.1	23.1	225.5	2.4	82.1	114.9	27.4	90.0	151.4	1,133.7
1876	...	3.9	2.0	501.9	3.9	5.3	15.8	30.2	34.8	9.9	136.0	10.5	86.1	92.0	22.4	67.0	159.6	1,364.6
1877	...	6	2.9	452.0	.6	.6	8.7	28.5	31.4	3.5	165.8	5.8	108.8	139.6	17.4	57.0	133.2	1,320.5
1878	10.1	705.3	2.4	.6	35.1	32.7	32.1	5.3	90.3	1.2	58.8	254.9	20.2	66.5	119.4	1,590.0
1879	...	14.7	11.5	1,831.2	2.6	6.4	62.7	118.3	30.7	10.9	181.6	1.9	63.9	250.6	16.0	78.7	127.8	2,993.0
Ten Years, 1870-79	...	2.0	4.6	684.2	3.0	3.2	20.6	46.3	40.9	13.2	127.5	5.2	72.2	156.4	17.7	72.9	125.8	1,556.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	20.63	20.63	30	7	7	1	...	1	4	...	1	1	...	6	
1871	71	11.32	17	2	2	2	...	1	3	3	...	1	
1872	...	1.68	3.37	16.23	38	3	...	2	...	3	...	3	...	3	3	1	...	3	
1873	1.78	10.07	20	3	3	6	
1874	1.19	7.77	15	3	
1875	9.12	15	2	
1876	...	3.28	1.97	6.58	18	5	...	1	...	3	...	1	...	8	1	1	
187758	9.31	17	1	4	2	3	3	
1878	2.97	9.51	21	3	1	1	4	...	2	1	...	1	
1879	...	10.87	.64	27.49	61	17	...	9	8	4	9	4	2	2	1	5	
Ten Years, 1870-79	...	1.55	1.36	12.70	15.61	252	25	2	37	25	16	...	17	25	...	24	18	22	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	1	...	2
1874
1875
1876
1877	1	...	4	2
1878	4
1879	2	...	16	1
Ten Years, 1870-79	5	...	3	4	20	1	33

III.—STATISTICS OF INDIVIDUAL STATIONS—ATTOCK, 1870-79.

CXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ATTOCK in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	151	63.4	20.1	26.5	39.2	46.4	33.1	53.0	60.0	54.1	81.1	106.0	49.7	53.0
1871	"	166	92.6	50.3	50.6	36.4	55.9	39.4	68.3	56.3	18.8	43.2	47.6	51.1	54.2
1872	"	180	47.6	41.9	57.6	54.6	84.3	62.1	40.0	73.9	101.7	106.1	93.9	124.2	72.2
1873	"	177	64.0	98.0	91.9	46.8	46.8	70.2	46.8	47.1	41.2	61.7	75.9	43.2	62.1
1874	"	160	27.3	46.0	17.4	22.3	40.9	53.3	53.3	59.2	64.7	101.2	68.6	80.0	50.0
1875	"	172	47.3	45.5	39.5	52.9	64.3	81.9	58.8	41.4	59.9	65.5	55.9	60.1	58.1
1876	"	169	37.0	38.7	58.8	29.6	88.8	100.6	89.8	54.5	50.0	94.3	106.9	60.2	65.1
1877	"	172	54.5	54.5	41.4	34.1	35.3	70.6	100.0	100.0	105.9	104.7	90.4	87.9	75.6
1878	"	174	60.1	77.8	38.9	28.6	30.1	47.9	71.9	71.9	65.1	132.9	135.1	171.4	80.5
1879	"	176	100.0	60.4	38.0	61.8	55.6	44.7	33.3	55.6	101.8	148.1	112.4	52.9	73.9
Ten Years, 1870-79		1,697	59.2	53.2	45.6	40.7	55.1	66.5	61.3	62.1	66.9	94.5	90.2	77.8	64.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	...	13.2	1,907.3	39.7	6.6	53.0	6.6	106.0	...	79.5	92.7	6.6	125.8	66.3	125.8	2,629.1
1871	1,120.5	12.0	12.0	24.1	69.2	12.0	12.0	36.1	...	66.3	216.9	6.0	78.4	66.3	120.5	1,843.3
1872	16.7	5.6	1,477.7	5.6	...	16.7	127.8	61.1	22.2	72.2	...	100.0	172.2	5.6	116.7	66.6	211.1	2,477.8
1873	1,158.2	11.3	...	28.2	33.9	67.8	17.0	73.4	...	73.4	113.0	5.7	107.3	50.8	186.5	1,926.5
1874	...	18.8	1,793.7	6.3	...	43.7	37.5	37.5	43.7	56.3	6.3	31.2	37.5	...	68.8	81.2	93.7	2,356.2
1875	...	23.3	1,098.8	...	5.8	69.8	46.5	58.1	11.6	87.2	...	46.5	273.3	5.8	75.6	87.2	214.2	2,133.7
1876	1,443.8	29.6	5.9	11.8	11.8	59.2	41.4	106.5	...	82.9	142.0	5.9	91.7	171.6	236.7	2,443.8
1877	1,110.5	17.4	5.8	11.6	17.4	110.5	40.7	29.1	...	116.3	232.6	23.2	98.8	162.8	226.8	2,203.5
1878	1,959.8	5.7	17.3	5.7	86.2	46.0	5.7	160.9	...	51.7	281.6	11.5	103.5	126.4	195.4	3,057.4
1879	2,045.5	34.1	...	11.4	39.8	17.0	...	90.9	11.4	28.4	204.5	...	73.9	113.6	187.5	2,858.0
Ten Years, 1870-79	1.8	5.9	1,506.8	12.4	4.7	25.9	47.7	52.4	20.0	81.9	1.8	67.8	178.5	7.1	94.3	99.6	184.4	2,393.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	6.62	33.11	39.73	6	2	2	1	
1871	...	6.02	6.02	12.05	2	1	1	
1872	16.67	...	11.11	27.78	5	3	1	
1873	
1874	31.25	31.25	5	3	...	1	
1875	23.26	23.26	4	1	1	
1876	29.59	29.59	5	5	
1877	...	5.81	11.63	17.44	3	2	1	
1878	17.24	17.24	3	1	...	1	1	
1879	45.45	45.45	8	4	1	1	1	1	...	
Ten Years, 1870-79	1.77	1.77	20.62	24.16	41	3	1	6	1	14	1	...	2	2	1	1	6	3	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873	3
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	3	3

III.—STATISTICS OF INDIVIDUAL STATIONS—NOWSHERA, 1870-79.

CXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NOWSHERA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	485	42.0	74.1	60.0	86.3	115.0	114.0	97.8	104.9	91.5	101.8	100.5	82.0	88.7
1871	"	536	92.7	67.3	48.4	51.9	69.4	91.8	73.2	92.4	81.8	77.6	39.0	69.2	72.8
1872	"	693	57.5	61.1	35.2	35.7	54.3	61.9	65.2	54.8	60.2	82.3	107.1	73.5	62.0
1873	"	669	33.4	25.8	40.7	44.0	56.4	61.7	68.9	56.6	60.4	75.5	91.8	47.4	52.3
1874	"	458	...	18.8	37.4	44.5	47.6	74.5	55.6	53.0	52.5	73.5	60.6	39.5	50.2
1875	"	447	39.0	48.6	35.7	55.7	90.4	75.3	51.9	39.4	43.5	29.4	46.8	55.6	49.2
1876	"	359	125.0	59.4	47.6	96.4	73.8	59.3	72.3	37.6	47.1	48.6	70.2	69.4	61.3
1877	"	876	32.6	26.9	20.3	16.3	20.9	28.8	29.3	24.7	21.5	44.9	44.6	88.2	35.4
1878	"	587	62.2	45.6	47.1	25.1	30.0	47.1	80.8	69.7	76.9	143.8	166.1	247.1	73.3
1879	"	636	143.8	44.5	45.9	69.7	101.6	76.5	86.3	56.1	62.2	160.3	194.6	165.5	100.6
Ten Years, 1870-79	...	5,744	57.4	47.3	40.2	49.0	61.7	65.9	66.6	56.4	57.4	82.3	96.3	85.6	63.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	2.0	2,134.1	8.3	2.0	14.4	70.1	16.5	10.3	51.5	4.2	80.4	66.0	6.2	53.6	61.9	181.4	2,762.9
1871	...	1.9	2,589.5	9.3	1.9	9.3	48.5	26.1	24.3	166.1	7.5	69.0	166.0	7.5	44.8	46.6	177.2	3,395.5
1872	...	2.9	1,585.8	1.4	1.4	31.8	41.9	98.1	4.4	85.1	...	33.2	215.0	23.1	80.8	82.3	147.1	2,434.3
1873	1,194.3	3.0	...	26.9	55.3	37.4	7.5	119.6	4.5	52.3	151.0	35.9	70.2	110.6	159.9	2,028.4
1874	1,163.8	...	2.2	21.8	43.7	15.3	...	85.2	4.4	74.2	61.1	34.9	89.5	109.2	124.4	1,829.7
1875	680.1	13.4	...	24.6	35.8	24.6	13.4	187.9	9.0	22.4	284.1	26.9	140.9	102.9	138.7	1,704.7
1876	...	2.8	1,136.5	36.2	5.6	8.4	41.8	47.4	30.6	58.5	5.6	89.1	119.8	13.9	72.4	80.8	220.0	1,969.4
1877	656.4	3.4	...	11.4	23.9	35.4	4.6	45.7	3.4	45.7	123.3	8.0	41.1	70.8	130.1	1,203.2
1878	...	3.4	947.2	8.5	...	17.0	44.3	20.4	...	71.6	1.7	119.3	178.9	10.2	57.9	52.8	192.5	1,725.7
1879	...	11.0	1,836.5	39.3	...	39.3	117.9	29.9	14.2	84.9	14.2	47.2	157.2	22.0	59.7	44.0	209.1	2,739.0
Ten Years, 1870-79	...	1.2	1,369.3	11.1	1.0	21.1	52.1	36.9	9.7	92.8	5.2	60.9	153.6	18.6	68.1	75.2	165.4	2,144.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	22.68	22.68	11	1	2	2	1	2	1	
1871	...	1.87	27.98	29.85	16	3	2	
1872	...	2.89	7.21	10.10	7	2	1	
1873	...	2.99	7.47	10.46	7	1	
1874	...	4.37	...	4.37	2	
1875	...	2.24	6.71	8.95	4	1	
1876	25.07	25.07	9	1	6	1	...	1	
1877	...	2.28	3.43	5.71	5	
1878	17.04	17.04	10	1	2	2	1	1	...	
1879	...	7.86	37.74	45.60	29	5	...	3	4	9	2	1	1	1	...	
Ten Years, 1870-7987	1.74	14.80	17.41	100	5	...	7	13	22	1	6	9	1	11	3	4	8	10

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.				
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879	1	4	1	...	1	7
Ten Years, 1870-79	1	4	1	...	1	...	1	7

III.—STATISTICS OF INDIVIDUAL STATIONS—PESHAWAR, 1870-79.

CXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying PESHAWAR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,926	75.1	52.9	64.9	73.9	95.6	86.9	78.0	87.7	115.7	105.2	159.6	119.1	92.4
1871	"	1,550	71.8	64.4	57.2	50.7	73.8	80.3	93.6	71.2	62.2	57.4	64.0	54.1	65.8
1872	"	1,570	62.3	67.8	54.3	43.7	46.0	53.4	60.3	92.5	99.7	107.9	102.0	69.4	
1873	"	1,683	55.3	39.3	45.9	62.3	61.6	62.8	70.6	54.3	53.4	81.3	82.3	54.5	
1874	"	1,650	37.7	36.6	39.4	46.8	71.2	75.2	64.4	48.4	57.1	103.1	105.5	98.2	
1875	"	1,591	69.8	59.2	58.6	57.7	76.4	62.6	63.7	53.3	81.9	184.0	177.2	117.3	
1876	"	1,691	61.4	50.2	43.1	47.7	57.6	65.7	48.6	55.5	64.7	66.4	53.1	67.9	
1877	"	1,340	42.9	38.9	35.8	37.6	52.6	82.5	86.0	64.0	54.1	60.7	49.3	49.4	
1878	"	1,428	56.1	49.5	45.0	58.5	73.8	91.6	86.5	64.0	81.2	95.0	94.9	54.0	
1879	"	846	82.5	68.0	62.7	60.9	64.3	57.6	93.5	122.5	175.8	205.1	126.0	140.5	
Ten Years, 1870-79		15,274	60.6	51.9	50.0	52.8	68.3	72.3	71.8	67.0	83.0	106.1	103.8	82.6	70.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phtisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	...	6.2	3,060.8	6.2	6.2	42.1	86.2	43.6	6.2	213.9	10.9	74.3	120.4	19.2	68.1	86.2	210.8	4,061.3
1871	...	9.7	1,385.1	3.2	3.9	29.7	66.5	54.8	11.6	129.0	10.9	44.5	123.9	19.4	99.4	99.4	151.6	2,242.6
1872	36.3	19.1	1,822.3	2.6	10.8	29.3	105.7	50.3	5.7	123.6	7.7	42.0	228.7	21.0	79.6	110.2	182.8	2,877.7
1873	...	2.4	1,487.8	8.3	5.3	20.8	33.9	30.3	16.6	114.7	5.3	47.5	94.5	25.0	79.6	94.5	138.5	2,205.0
1874	...	7.9	2,117.6	4.8	3.0	26.6	35.2	33.9	22.4	158.2	14.0	37.6	101.2	30.3	83.0	78.8	235.2	2,989.7
1875	...	11.3	2,611.0	7.5	1.3	15.7	30.2	50.3	40.2	106.2	14.4	25.1	113.8	10.7	63.5	70.4	140.8	3,312.4
1876	33.7	1.8	1,041.4	10.6	1.2	29.0	44.3	36.3	7.1	75.7	8.9	97.6	120.6	14.8	40.8	76.3	176.2	1,814.3
1877	...	5.2	977.6	7	3.7	17.2	38.1	19.4	...	76.9	...	38.1	161.2	14.9	56.7	129.9	163.4	1,703.0
1878	...	12.6	1,410.4	3.5	2.1	12.6	72.1	18.2	...	95.2	2.1	76.3	199.6	11.9	57.4	94.5	156.9	2,226.1
1879	135.9	9.5	2,236.4	18.9	2.4	55.6	153.7	42.6	11.8	108.7	9.5	30.7	134.8	15.3	49.6	65.0	255.3	3,335.7
Ten Years, 1870-79	15.0	6.6	1,837.1	6.2	4.1	27.1	62.7	38.0	12.5	123.6	8.6	53.1	138.1	18.6	68.8	90.8	178.7	2,689.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-cases.	Phtisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.04	32.19	33.23	64	...	1	4	16	9	...	9	3	...	10	3	4	3	2
187165	19.35	20.00	31	6	10	2	4	5	1	1
1872	28.03	1.91	12.74	42.68	67	44	1	4	2	...	2	1	2	2	5	1	3
187359	15.45	16.04	27	2	1	6	7	2	2	5	1
187461	10.91	11.52	19	4	3	3	1	1	2	1
1875	14.46	14.46	23	10	1	5	1	3
1876	23.06	...	8.28	31.34	53	39	1	3	...	2	1	...	1	3	...	1	...
187775	2.98	3.73	5	2	1	3	1
1878	...	1.40	17.51	18.91	27	9	4	4	1	1	1	...	2	...	1	2	2
1879	105.20	1.18	35.46	141.84	120	89	...	5	5	8	...	2	...	3	1	...	2	4	1
Ten Years, 1870-79	11.26	.79	16.50	28.55	436	172	2	44	45	40	4	21	7	...	27	16	22	24	12

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874
1875
1876
1877	14	43
1878
1879	5	54	28	12	15	1
Ten Years, 1870-79	5	54	28	12	29	101	229

III.—STATISTICS OF INDIVIDUAL STATIONS—RANIKHET, 1870-79.

CXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying RANIKHET during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Main statistics table showing monthly aggregate strength, average strength, and mortality rates. Includes sub-sections for 'CAUSES OF DEATHS IN HOSPITAL' and 'Died per 1,000 of the Average Strength'.

Detailed table showing 'NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH' for various causes of admissions, with monthly breakdown and annual totals.

III.—STATISTICS OF INDIVIDUAL STATIONS—RANIKHET, 1870-79.

CXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying RANIKHET in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 9 Months	397	50.1	82.7	72.7	57.8	68.0	68.0	48.0	50.6	40.8	60.5
1871	For the Year	375	41.3	72.5	62.8	111.7	97.8	108.9	137.3	87.3	74.2	96.1	70.2	65.8	90.7
1872	"	479	75.2	54.8	58.3	44.8	54.3	76.6	78.8	83.7	88.7	84.7	63.5	53.3	68.9
1873	"	625	57.9	40.9	42.1	30.2	39.0	53.1	62.3	66.8	62.4	51.1	49.3	44.2	49.6
1874	"	797	45.5	36.3	34.2	43.8	39.9	45.8	51.7	49.3	49.4	43.0	31.6	29.3	41.1
1875	For 9 Months	1,285	56.2	73.6	72.0	69.1	55.6	48.0	36.8	41.5	38.6	51.5
1876	For the Year	1,298	30.9	25.6	25.4	44.1	54.3	43.9	48.0	38.6	36.6	36.9	26.3	24.5	37.0
1877	For 10 Months	1,318	39.9	46.9	44.2	46.8	38.8	50.6	41.9	38.1	32.9	42.5
1878	For the Year	1,274	28.1	42.3	36.4	76.5	82.8	72.2	58.6	51.5	43.0	42.6	32.9	35.1	51.8
1879	For 11 Months	557	43.9	51.3	51.0	59.8	71.3	63.5	50.4	48.7	51.0	50.6	59.9	...	55.7
Ten Years, 1870-79	...	7,845	38.8	40.6	39.8	53.0	62.2	61.6	60.5	53.2	51.6	47.2	41.3	39.3	50.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	267.0	...	5.1	17.6	103.3	32.8	2.5	32.8	...	62.9	153.7	7.5	57.9	62.9	128.5	934.5
1871	229.3	...	5.3	50.7	253.3	90.7	...	181.3	5.3	194.7	288.0	29.3	111.4	98.7	248.0	1,816.0
1872	8.3	135.7	2.1	41.8	158.7	29.2	...	135.7	8.3	56.4	300.6	14.6	50.1	79.4	173.3	1,194.2
1873	4.8	136.0	1.6	30.4	134.4	40.0	...	102.4	4.8	46.4	164.8	9.6	35.2	65.6	206.1	982.4
1874	5.0	140.5	...	13.8	50.2	27.6	3.8	59.0	1.3	84.1	184.4	3.8	37.6	86.5	140.5	838.1
1875	8	153.7	...	24.1	53.1	40.5	8	19.5	4.7	29.6	140.8	24.1	42.0	54.5	107.4	705.9
1876	1.5	228.1	8	19.3	47.0	41.6	14.6	64.7	5.4	43.9	58.5	7.7	41.6	55.5	107.9	738.1
1877	1.5	51.6	...	7.6	14.4	19.0	8	38.7	2.3	36.4	288.3	9.9	32.6	78.1	61.5	647.2
1878	7.1	111.4	...	16.5	34.5	13.3	2.3	55.0	7.9	37.7	362.6	6.3	55.0	76.9	99.7	886.2
1879	1.8	134.6	...	25.1	23.3	12.6	...	61.0	5.4	75.4	310.6	5.4	68.2	96.9	188.5	1,008.8
Ten Years, 1870-79	3.3	159.7	4	22.9	70.2	33.7	3.6	67.4	5.0	58.8	239.9	12.6	53.7	78.0	137.6	947.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.52	5.04	7.56	3	
1871	...	2.67	21.33	24.00	9	
1872	37.53	37.58	18	
1873	9.60	9.60	6	
1874	15.06	15.06	12	
1875	7.00	7.00	9	
1876	...	7.7	13.10	13.87	18	
1877	3.79	3.79	5	
1878	7.06	7.06	9	
1879	5.39	5.39	3	
Ten Years, 1870-79	...	3.8	11.35	11.73	92	13	5	22	8	...	9	6	5	21	3

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—CHAKRATA, 1870-79.

CXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying CHAKRATA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
January ...	5,106	198	38·8	7	1	2	2	...	2			
February ...	5,175	201	38·8	1	1			
March ...	6,608	275	41·6	2			
April ...	8,099	360	44·4	8	2	1	3	1	...			
May ...	8,352	373	44·7	11	1	1	3	5	...			
June ...	8,365	370	44·2	5	1	1	2	1	...				
July ...	8,359	367	43·9	7	1	1	...				
August ...	8,343	353	42·3	4	1	...				
September ...	8,326	336	40·4	5	2	...	1	1	...				
October ...	7,814	265	33·9	6	1	2	1	...				
November ...	6,619	194	29·3	4	1	2	...				
December ...	4,672	154	33·0	4	1	2	...				
						1	...	2	...	1	4	1	7	...	5	14	3	16	...	10		
Died per 1,000 of the Average Strength.																											
For the Ten Years	7,153	287	40·1	64	8·95	·14	...	·28	·14	·56	·14	·98	...	·70	1·96	·42	2·23	...	1·40			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)	4	·6	25·00									
Cholera	3	1	·1	...									
Smallpox	1	4	·6	50·00									
Enteric Fever ...	1	1	1									
Fever, Intermittent ...	27	18	27	64	67	68	72	37	52	29	19	21	501	70·1										
Fever, Remittent and Continued ...	15	14	20	35	39	48	32	25	38	29	8	12	315	44·0	·32										
Apoplexy									
Delirium Tremens ...	1	...	1	3	...	1	10	·4										
Dysentery ...	3	1	6	13	14	12	10	7	13	14	4	1	98	13·7	...	4·08											
Diarrhea ...	13	6	10	19	23	22	46	39	19	9	7	8	221	30·9	...	·45											
Hepatitis ...	7	4	21	29	22	34	30	26	20	18	14	12	237	33·1	...	2·95											
Spleen disease	2	...	1	1	1	6	·8										
Respiratory diseases ...	88	68	72	80	82	55	47	35	41	57	39	37	701	98·0	...	·71											
Phthisis Pulmonalis ...	2	2	3	4	5	2	2	5	7	4	3	1	40	5·6	...	7·50											
Scurvy										
Rheumatism ...	25	23	37	52	55	54	67	42	52	34	33	26	560	69·9											
Veneral diseases ...	67	90	156	154	106	90	79	78	53	54	47	44	1,018	142·3											
Eye diseases ...	2	1	6	11	10	8	6	5	4	7	4	1	65	9·1											
Abscess and Ulcer ...	18	15	22	30	23	23	27	26	16	26	21	21	268	37·5											
Wounds and Accidents ...	33	39	45	43	74	60	57	61	77	53	30	49	621	86·8											
All other Causes ...	44	36	70	76	98	95	104	88	99	65	55	36	866	121·1											
														5,476											
Admitted per 1,000 of the Average Strength in each Month.																											
67·8	61·3	75·2	75·7	74·0	68·5	69·6	57·8	59·1	51·4	43·1	57·6	765·6															

III.—STATISTICS OF INDIVIDUAL STATIONS—CHAKRATA, 1870-79.

CXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CHAKRATA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	801	44.4	34.5	32.1	43.1	60.4	60.5	51.9	61.2	50.3	35.4	41.3	29.6	45.0
1871	"	774	21.0	37.3	40.9	32.7	25.7	30.4	23.1	32.8	35.3	23.3	17.7	105.5	32.3
1872	For 10 Months	884	42.2	42.4	43.6	47.0	44.8	32.5	35.9	28.1	30.2	25.6	37.3
1873	For the Year	823	35.6	23.3	23.6	30.5	29.3	33.9	32.8	35.1	37.4	32.8	17.7	66.1	32.8
1874	"	733	53.6	51.6	75.3	48.9	45.3	48.6	48.6	48.7	47.8	46.6	43.7	30.5	46.4
1875	"	852	44.3	45.1	47.3	48.2	49.3	42.4	47.0	45.9	42.4	36.0	21.7	23.1	41.1
1876	"	854	31.2	41.6	55.3	51.2	37.6	28.5	27.4	27.5	27.6	23.1	22.8	25.2	32.8
1877	For 9 Months	858	37.5	23.2	18.4	21.8	27.6	21.9	23.2	24.5	23.6	...	24.5
1878	For 7 Months	903	69.9	64.4	62.3	69.0	62.3	46.8	49.7	59.8
1879	"	458	42.8	96.2	84.8	74.1	66.4	69.4	46.5	69.9
Ten Years, 1870-79	...	7,153	38.8	38.8	41.6	44.4	44.7	44.2	43.9	42.3	40.4	33.9	29.3	33.0	40.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phtisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1.2	...	136.1	...	6.2	11.2	28.7	20.0	...	161.0	7.5	94.9	146.1	7.5	37.5	133.6	181.0	972.5
1871	93.0	...	3.9	18.1	41.3	18.1	...	126.6	11.6	58.1	103.4	5.2	43.9	91.7	117.6	732.5
1872	3.4	...	84.8	4.5	21.5	41.9	...	41.1	...	29.4	130.1	2.3	21.5	35.1	50.9	469.5
1873	106.9	10.9	14.6	21.9	...	77.7	2.4	46.2	71.7	6.1	24.3	55.9	77.3	516.1
1874	106.4	5.5	23.2	51.8	...	143.2	17.7	125.5	128.2	23.2	38.2	129.1	154.2	937.2
1875	132.1	14.1	31.7	37.6	1.2	127.9	3.2	108.9	119.7	17.6	44.6	125.6	219.5	970.7
1876	...	1.2	80.8	9.4	14.0	37.5	3.5	38.6	186.2	4.7	23.4	51.5	77.3	551.5
1877	...	1.2	28.0	...	1.2	3.5	11.6	13.3	...	29.1	...	42.0	67.6	5.8	16.3	36.1	61.3	320.5
1878	100.8	26.6	25.5	33.2	3.3	75.3	...	47.6	196.0	4.4	44.3	53.2	52.0	662.2
1879	...	2.2	218.3	19.7	93.9	32.8	4.4	37.1	...	32.7	98.3	2.2	32.8	76.4	74.1	721.9
Ten Years, 1870-79	6	6	114.1	...	1.4	13.7	30.9	33.1	8	98.0	5.6	69.9	142.3	9.1	37.5	86.8	121.2	765.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phtisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	4.99	13.74	18.73	15	1	1	...	7	...	2	4		
1871	...	1.29	5.17	6.46	5	1	2	...	1	1		
1872	1.13	...	6.79	7.92	7	1	1	3	...		
1873	...	2.43	4.86	7.29	6	3	2		
1874	...	2.73	5.46	8.19	6	1	1	1	2		
1875	2.35	2.35	2	1	1		
1876	9.37	9.37	8	2	...	1	...	3	...		
1877	4.66	4.66	4	1	1	...	1	...	1	1	...		
1878	5.54	5.54	5	1	...	1	3	...		
1879	...	2.18	10.92	13.10	6	1	1	...	1	2	1		
Ten Years, 1870-79	14	1.40	7.41	8.95	64	1	...	2	1	5	7	...	5	14	3	16		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872	3	3
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	1	...	3	4

III.—STATISTICS OF INDIVIDUAL STATIONS—DAGSHAI, 1870-79.

CXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DAGSHAI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
January	5,675	223	39.3	6	1	1	1		
February	6,354	265	41.7	3		
March	7,947	354	44.5	6	1		
April	9,052	471	52.0	5		
May	9,374	515	54.9	2	1		
June	9,969	525	52.7	2	1		
July	10,034	538	53.6	14	4	...	1		
August	10,162	515	53.6	34	16	...	6		
September	10,157	471	46.4	8	1	...	3		
October	9,444	402	42.6	9	2	...	2		
November	6,360	289	45.4	2		
December	5,273	238	45.1	3		
						20	...	17	2	4	3	...	10	1	10	10	1	...	1	1	13	1	3
						Died per 1,000 of the Average Strength.																				
For the Ten Years	8,317	403	48.5	97	11.66	2.41	...	2.05	.7236	...	1.20	.12	1.20	1.20	.1212	.12	1.56	.12	.36		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)		
Cholera	1	25	1	3	30	3.6	66.67			
Smallpox		
Enteric Fever	...	1	1	...	3	1	6	14	9	4	40	4.8	42.50			
Fever, Intermittent	...	83	63	113	251	311	291	311	267	198	113	82	61	2,144	257.8	.09	...			
Fever, Remittent and Continued	...	10	11	22	38	25	50	62	35	54	30	3	9	349	42.0	1.15	...			
Apoplexy	1	...	1	1	3	.4	...			
Delirium Tremens	...	1	1	4	1	1	1	1	1	11	1.3	...			
Dysentery	...	7	11	10	17	11	12	11	16	8	12	10	7	132	15.9	2.27	...			
Diarrhoea	...	19	12	9	29	32	23	105	123	52	20	8	19	451	54.2			
Hepatitis	...	8	9	7	15	20	26	23	26	18	18	12	5	187	22.5	5.35	...			
Spleen disease	2	3	1	2	1	1	4	15	1.8	6.67	...		
Respiratory diseases	...	92	105	94	86	67	41	37	36	36	42	31	48	715	86.0	1.40	...			
Phthisis Pulmonalis	...	1	1	2	3	2	3	7	4	8	7	2	2	42	5.0	2.38	...			
Scurvy	1	1	...	1	3	.4	33.33	...		
Rheumatism	...	41	44	57	82	90	95	80	65	50	43	42	43	732	88.0			
Veneral diseases	...	74	112	176	177	154	118	146	156	116	106	109	88	1,532	184.2			
Eye diseases	...	4	6	9	14	13	7	9	8	10	14	6	11	111	13.3			
Abscess and Ulcer	...	46	52	34	69	38	54	46	47	37	47	35	20	525	63.1			
Wounds and Accidents	...	49	71	88	81	82	72	56	78	65	63	43	36	784	94.3			
All other Causes	...	62	38	60	91	106	96	100	86	86	77	52	46	900	108.2			
													498	539	691	956	958	892	1,001	987	749	603	437	395	8,706		
Admitted per 1,000 of the Average Strength in each Month.																											
87.8	84.8	87.0	105.6	102.2	89.5	99.8	97.1	73.7	63.9	68.7	74.9	1,046.8															

III.—STATISTICS OF INDIVIDUAL STATIONS—DAGSHAI, 1870-79.

CXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DAGSHAI in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	815	28.7	21.5	24.8	25.9	24.8	27.0	37.2	36.1	26.0	24.9	47.9	36.3	29.4
1871	...	917	57.5	60.0	57.6	72.8	65.1	63.0	56.1	52.9	47.0	45.3	39.3	38.2	54.5
1872	...	940	32.6	41.4	53.0	40.0	39.8	44.5	37.7	36.1	19.7	34.5	38.3
1873	...	1,036	61.8	98.8	108.2	102.9	98.4	99.4	77.7	57.2	54.7	44.9	81.1
1874	...	969	35.2	40.5	30.5	39.2	43.6	37.8	44.8	48.6	35.0	31.3	41.0	...	39.2
1875	...	1,036	61.9	63.2	58.0	58.8	56.1	50.6	40.6	39.0	...	53.1
1876	...	927	35.1	33.0	41.3	44.9	54.3	44.7	49.6	45.1	44.1	39.5	44.8	84.4	44.2
1877	...	924	45.8	39.1	40.0	41.7	49.8	52.5	47.1	48.8	53.2	57.7	57.5	48.6	48.7
1878	...	802	32.2	46.6	39.0	32.4	34.1	36.7	41.2	51.8	53.8	50.5	60.9	53.8	42.4
1879	...	508	61.2	81.2	47.6	69.0	68.6	56.1	65.3	60.1	53.4	41.9	31.4	32.0	53.1
Ten Years, 1870-79	...	8,317	39.3	41.7	44.5	52.0	54.9	52.7	53.6	53.6	46.4	42.6	45.4	45.1	48.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral cases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	177.9	...	2.5	7.4	23.3	29.4	...	99.4	...	70.0	82.2	15.9	38.0	54.0	41.7	641.7	
1871	356.6	...	2.2	16.4	37.1	3.3	4.3	118.9	3.3	148.3	285.7	8.7	82.9	74.1	114.5	1,256.3	
1872	...	30.9	70.2	...	4.2	12.8	64.9	8.5	5.3	63.8	...	123.4	123.4	18.1	41.5	77.7	113.8	694.7	
1873	578.2	28.0	32.8	29.9	1.0	75.3	7.7	84.9	169.9	16.4	83.0	85.0	107.1	1,299.2	
1874	176.5	...	1.0	5.2	27.8	12.4	...	87.7	4.1	71.2	85.6	13.4	70.2	82.6	73.3	711.0	
1875	442.1	8.7	54.1	4.8	...	39.6	6.8	126.4	133.2	10.6	48.3	88.8	65.6	1,030.9	
1876	216.8	...	2.1	17.3	38.8	14.0	...	78.8	10.8	79.8	279.4	5.4	57.2	105.7	162.9	1,075.5	
1877	126.6	...	2.2	17.3	59.5	40.0	3.3	61.7	5.4	56.3	210.0	9.7	46.5	101.7	108.2	857.1	
1878	276.9	...	1.2	16.2	98.5	36.2	1.2	96.0	...	48.6	116.0	13.7	66.1	98.5	98.5	990.0	
1879	...	2.0	9.8	15.7	94.5	47.3	...	68.9	9.8	43.3	222.4	11.8	37.4	84.6	130.0	1,059.0	
Ten Years, 1870-79	...	3.6	4.8	299.8	4	1.3	15.9	54.2	22.5	1.8	86.0	5.0	88.0	184.2	13.3	63.1	94.3	108.6	1,046.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	6.13	6.13	5		
1871	5.45	5.45	5		
1872	...	21.28	6.38	27.66	26	20	...	1	1	1	...		
1873	10.61	11.58	12	2		
1874	6.19	6.19	6		
1875	3.85	5.79	6		
1876	7.55	7.55	7		
1877	7.58	7.58	7		
1878	18.70	18.70	15		
1879	13.78	15.75	8		
Ten Years, 1870-79	...	2.41	4.8	8.77	11.66	97	20	...	17	6	3	10	1	10	10	1	15	4

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879	1
Ten Years, 1870-79	1	25	1	3	30

III.—STATISTICS OF INDIVIDUAL STATIONS—SUBATHU, 1870-79.

CXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SUBATHU during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anemia.	All other Causes.	
January ...	5,035	193	38.3	4	1	1	2	1
February ...	6,312	219	34.7	3
March ...	6,590	258	39.2	5	1
April ...	7,523	369	49.0	3
May ...	7,449	420	56.4	4	1
June ...	7,814	433	55.4	12	1
July ...	7,805	476	61.0	7	1
August ...	7,802	466	59.7	12
September ...	7,817	432	55.3	17	2
October ...	7,297	329	45.1	8
November ...	4,733	228	48.2	6
December ...	3,563	186	52.2	5
For the Ten Years ...	6,645	334	50.3	86	12.94	1.36	...	3.61	4.45	3.30	1.15	1.90	3.30	1.05	...	3.30	1.36	1.60	1.36	1.45	...	1.75

NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
Dengue (of 1872)	3	...	10	13	2.0	69.23
Cholera
Smallpox
Enteric Fever	2	2	...	5	4	7	11	19	22	7	3	82	12.3	29.27
Fever, Intermittent ...	26	34	38	70	119	106	127	134	129	81	32	21	917	138.0	...
Fevers, Remittent and Continued ...	14	15	9	63	64	84	142	111	92	45	6	2	647	97.4	46
Apoplexy	1	1	1	...	1	4	6	50.00
Delirium Tremens ...	1	...	2	1	3	2	2	2	...	1	14	2.1	7.14	
Dysentery ...	15	9	6	6	22	26	20	31	22	11	6	4	...	178	26.8	3.37	
Diarrhoea ...	12	16	25	27	40	66	89	47	29	25	16	8	...	400	60.2	50	
Hepatitis ...	20	13	26	38	26	37	34	36	30	24	10	4	...	298	44.8	2.35	
Spleen disease ...	1	1	2	6	1	5	2	1	1	3	23	3.5	...	
Respiratory diseases ...	30	47	56	85	70	50	46	36	27	28	21	26	...	522	78.5	38	
Phthisis Pulmonalis ...	3	7	5	3	1	7	5	5	9	6	2	2	...	55	8.3	7.27	
Scurvy	1	1	1	...	
Rheumatism ...	24	18	30	35	34	36	37	42	31	23	15	13	...	338	50.9	...	
Veneral diseases ...	72	90	80	132	85	91	94	90	61	69	63	43	...	970	146.0	...	
Eye diseases ...	7	6	9	11	5	10	4	9	3	8	3	3	...	78	11.7	...	
Abscess and Ulcer ...	23	30	27	42	36	41	29	27	33	31	17	14	...	350	52.7	65	
Wounds and Accidents ...	39	54	71	58	60	47	60	37	41	59	33	37	...	596	89.7	...	
All other Causes ...	45	48	56	93	90	88	113	98	96	73	48	39	...	887	133.5	...	
	332	391	444	675	661	704	818	726	636	494	276	216	...	6,373			
Admitted per 1,000 of the Average Strength in each Month.																	
	65.9	61.9	67.4	89.7	88.7	90.1	104.8	93.1	81.4	67.7	58.3	60.6	...	959.1			

III.—STATISTICS OF INDIVIDUAL STATIONS—SUBATHU, 1870-79.

CXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SUBATHU in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For 10 Months	818	38.7	42.4	35.8	44.1	44.2	35.9	39.5	46.5	43.0	27.4	40.3
1871	... For the Year	771	29.2	49.1	49.9	57.2	48.5	62.9	67.9	41.1	36.3	28.0	25.8	29.5	44.1
1872	... For 10 Months	900	33.7	28.7	37.5	35.3	47.5	29.9	66.4	51.0	48.7	35.4	41.1
1873	... For 11 Months	822	...	31.7	39.0	50.2	55.9	59.4	68.4	67.6	56.1	48.4	35.8	30.6	49.9
1874	... For 11 Months	827	36.3	30.3	27.0	43.5	39.1	47.2	44.9	48.3	47.1	36.3	56.2	...	41.1
1875	... For 7 Months	707	46.3	42.5	40.2	38.6	40.1	41.4	28.4	39.6
1876	... For the Year	848	37.4	33.0	58.5	66.8	75.2	66.2	63.0	69.2	56.2	53.1	52.8	52.0	56.6
1877	... For 11 Months	818	40.6	36.0	30.7	37.8	54.4	64.7	60.4	72.4	51.0	31.7	50.1
1878	... For the Year	395	20.0	23.1	25.8	50.7	87.9	86.1	85.7	104.8	89.5	110.8	229.5	210.1	81.0
1879	... "	355	127.8	66.2	43.1	92.5	233.6	84.9	87.8	98.9	85.1	79.4	84.2	87.8	90.1
Ten Years, 1870-79	...	6,645	38.3	34.7	39.2	49.0	56.4	55.4	61.0	59.7	55.3	45.1	48.2	52.2	50.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneal diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	251.8	...	6.1	18.3	35.5	48.9	1.2	61.1	15.9	25.7	56.2	11.0	36.7	46.5	75.8	690.7
1871	...	1.3	219.2	...	2.6	28.5	92.1	71.3	9.1	55.8	7.8	48.0	133.6	3.9	58.3	94.7	94.7	920.9
1872	...	3.3	86.7	...	3.3	27.8	107.8	26.7	...	53.3	8.9	62.2	72.2	7.8	58.9	82.2	124.5	727.8
1873	...	9.7	301.7	1.2	1.2	18.3	15.8	30.4	2.4	118.0	6.1	37.7	93.7	6.1	32.8	57.2	107.1	839.4
1874	135.4	6.0	20.6	24.2	2.4	87.1	7.2	60.5	78.6	7.2	41.1	70.2	88.3	628.8
1875	...	1.4	131.4	2.8	29.7	9.9	4.2	39.6	1.4	22.6	127.3	7.1	42.4	52.4	62.3	537.5
1876	...	9.4	123.9	...	1.2	42.5	36.6	33.0	3.5	60.1	7.1	28.3	287.7	16.5	44.8	86.1	123.8	904.5
1877	...	20.8	165.0	2.4	2.4	42.8	105.1	47.7	3.7	42.8	...	47.7	114.9	15.9	41.6	106.3	118.6	877.7
1878	...	50.7	293.6	2.5	...	38.0	53.2	96.2	2.5	134.2	15.2	81.0	283.5	20.3	58.2	91.2	225.3	1,445.6
1879	...	28.2	70.4	828.2	...	16.9	33.8	53.5	...	78.9	11.3	59.2	157.7	19.7	76.1	132.4	366.1	1,932.4
Ten Years, 1870-79	...	2.0	12.3	235.4	.6	2.1	26.8	60.2	3.5	78.5	8.3	50.9	146.0	11.7	52.7	89.7	133.6	959.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart diseases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	2.44	7.34	9.78	8	2	1	...	1	2	
1871	10.38	10.38	8	1	
1872	...	1.11	6.67	7.78	7	1	1	
1873	9.73	9.73	8	1	3	
1874	4.84	4.84	4	
1875	...	4.24	5.66	9.90	7	1	3	
1876	10.61	10.61	9	1	
1877	...	2.44	9.78	12.22	10	1	2	
1878	30.38	30.38	12	1	
1879	...	25.35	11.27	36.62	13	9	...	4	
Ten Years, 1870-79	...	1.36	1.20	10.38	12.94	86	9	...	24	3	2	1	8	7	...	2	9	4	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	3
1874
1875
1876
1877
1878
1879	10
Ten Years, 1870-79	3	...	10

III.—STATISTICS OF INDIVIDUAL STATIONS—JUTOGH, 1870-79.

CXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying JUTOGH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 9 Months	85	21.7	21.7	...	22.2	11.5	37.7	24.1	23.5
1871	For 10 Months	88	23.5	22.7	44.9	45.5	45.5	44.9	33.7	22.5	56.2	11.2	34.1
1872	For 9 Months	95	40.8	40.8	50.5	30.6	20.8	31.3	21.7	11.1	...	31.6
1873	For the Year	89	21.7	21.7	21.7	10.9	33.0	22.5	57.5	68.2	56.2	57.5	61.1	58.8	44.9
1874	"	94	58.8	36.1	45.5	33.7	33.3	33.3	55.6	56.2	51.3	59.8	53.6	25.0	42.6
1875	"	88	23.5	44.4	51.9	44.4	44.4	32.0	43.5	54.9	44.4	102.3	61.0	14.1	45.5
1876	For 9 Months	92	76.9	54.9	76.9	107.5	87.0	56.2	34.1	10.8	...	54.3
1877	For the Year	95	...	20.8	20.8	41.7	31.2	30.9	32.3	31.9	30.0	21.1	32.3	21.5	21.1
1878	For 5 Months	244	39.2	44.2	51.0	62.7	53.3
1879	For 8 Months	133	48.3	77.8	78.3	64.0	61.1	80.3	153.8	97.6	75.2
Ten Years, 1870-79	...	858	21.5	28.6	40.0	40.7	30.6	44.3	52.9	50.3	48.6	46.7	47.3	24.8	43.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Phtisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	129.4	23.5	35.3	...	11.8	47.1	...	11.8	70.5	11.8	341.2
1871	113.6	11.4	34.1	11.4	11.4	34.1	...	45.5	...	45.5	170.4	...	511.4
1872	31.6	63.1	21.1	...	21.1	42.1	...	94.7	...	31.6	52.6	...	389.5
1873	33.7	22.5	11.2	101.1	...	22.5	33.7	...	22.7	...	11.2	168.6	...	719.1
1874	79.5	42.6	42.6	...	13.3	...	42.6	...	117.0	...	53.2	287.2	...	937.7
1875	206.6	...	10.9	65.2	32.6	21.7	...	21.7	261.4	...	45.4	159.1	34.1	836.4
1876	94.2	105.3	52.6	32.6	10.9	43.5	65.2	54.3	630.4
1877	15.0	45.1	7.5	30.1	...	75.2	37.6	52.6	172.9	...	37.6	90.2	218.2	887.2
Ten Years, 1870-79	...	2.3	125.9	...	4.7	19.8	58.3	51.3	1.2	67.6	8.2	39.6	161.3	3.5	41.9	151.5	134.0	874.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Heart dis- eases.	Phtisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	
1871	
1872	
1873	11.24	...	11.24	1	1	
1874	10.64	10.64	21.28	2	1	2	
1875	22.73	...	22.73	2	1	
1876	21.74	21.74	2	1	
1877	
1878	12.30	...	12.30	3	3	
1879	
Ten Years, 1870-79	...	8.16	3.50	11.66	10	1	...	2	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—DHARMSALA, 1870-78.

CXXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DHARMSALA during the NINE YEARS from 1870 to 1878, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Nine Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.			
January		
February	
March	
April	50	38	38.2	
May	1,051	49	46.6	1	
June	1,050	51	48.6	
July	1,050	53	50.5	1	
August	1,000	48	47.6	4	
September	1,013	46	45.4	
October	1,000	44	44.0	
November	461	25	53.9	
December	125	9	72.0	
For the Nine Years	651	30	46.1	6	9.22	6.11	1.51	1.54	
						Died per 1,000 of the Average Strength.																						
						4	1	1

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.													Total Admitted during the Nine Years.	Admitted per 1,000 of Strength.	Died of each hundred cases treated.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.						
Dengue (of 1872)	5	7.7	80.00
Cholera	5
Smallpox
Enteric Fever	1	1	1.5	...
Fever, Intermittent	23	28	27	23	50	20	7	7	2	187	187	15.5	
Fevers, Remittent and Continued	13	21	22	14	6	11	9	1	1	98	98	15.5	
Apoplexy	1	1	1	1	1.5	...	
Delirium Tremens	1	1	1	...	3	3	4.6	
Dysentery	4	1	...	1	1	1	...	8	8	12.3	
Diarrhea	7	11	30	28	11	7	96	96	14.7.5	
Hepatitis	5	3	4	4	...	3	1	21	21	32.3	4.76	...	
Spleen disease	2	3	2	1	1	...	2	12	12	18.4	
Respiratory diseases	11	10	1	6	1	6	5	1	1	42	42	64.5	
Phthisis Pulmonalis	1	4	1	2	8	8	12.3	12.50	...	
Scurvy	
Rheumatism	4	6	8	9	4	4	6	2	...	43	43	66.0	
Veneral diseases	23	7	5	1	7	11	12	13	9	88	88	135.2	
Eye diseases	3	4	...	1	1	1	1	10	10	15.4	
Abscess and Ulcer	9	9	8	5	5	5	2	...	1	44	44	67.6	
Wounds and Accidents	3	13	5	10	9	7	12	59	59	90.6	
All other Causes	12	17	21	23	10	17	18	2	...	120	120	184.3	
...	116	134	115	130	127	98	83	28	15	846	846	
Admitted per 1,000 of the Average Strength in each Month.																		
...	116.5	127.5	109.5	123.8	125.9	96.7	83.0	60.3	120.0	1,209.5	1,209.5	

III.—STATISTICS OF INDIVIDUAL STATIONS—DHARMSALA, 1870-78.

CXXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DHARMSALA in each Year of the NINE YEARS from 1870 to 1878.

I.—DAILY SICK-RATE OF EACH MONTH OF THE NINE YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.	
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	... For 7 Months.	108	45.9	36.7	27.5	55.6	56.1	56.1	47.6	46.3	
1871	...	112	53.6	71.4	53.6	44.6	26.8	53.6	35.7	44.6	
1872	... For 8 Months.	88	18.2	18.2	18.2	27.3	25.0	50.0	37.5	34.1	
1873	...	117	25.0	41.7	58.3	41.7	25.0	25.9	53.6	34.2	
1874	... For 9 Months.	122	83.3	75.0	91.7	108.3	83.3	56.9	31.7	...	72.0	73.8	
1875	... For 7 Months.	123	16.0	40.0	32.0	32.0	32.8	8.3	16.5	24.4	
1876	...	116	25.4	42.7	59.8	34.2	45.5	43.5	52.2	43.1	
1877	...	118	16.9	42.0	50.8	50.8	67.8	50.4	25.2	42.4	
1878	... For 8 Months.	116	50.4	50.4	42.0	58.3	58.3	66.7	100.0	...	90.0	60.3	
Nine Years, 1870-78	...	651	38.2	46.6	48.6	50.5	47.6	45.4	44.0	...	53.9	72.0	46.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE NINE-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	370.4	64.8	64.8	...	27.8	9.2	64.8	92.6	...	37.0	55.6	129.7	916.7
1871	348.2	8.9	8.9	8.9	133.9	26.8	...	44.7	...	62.5	107.2	35.7	98.2	62.5	107.2	1,053.6
1872	90.9	22.7	34.1	11.4	11.4	22.7	34.1	11.4	...	56.8	45.4	11.4	352.3
1873	42.7	...	8.6	...	59.8	...	34.2	25.6	76.9	...	42.7	76.9	188.1	555.5
1874	...	8.2	385.2	8.2	49.2	16.4	24.6	147.5	...	123.0	163.9	16.4	65.6	73.8	188.5	1,270.5
1875	...	40.7	89.4	8.1	141.5	32.5	...	24.4	81.3	8.1	24.4	65.0	105.7	821.1
1876	129.3	17.2	8.6	...	8.6	25.9	34.5	51.7	8.6	25.9	43.1	51.7	439.6
1877	872.9	93.2	25.4	25.4	16.9	...	8.5	8.5	16.9	25.4	50.9	135.6	1,279.6
1878	146.6	...	8.7	43.1	34.5	17.2	...	17.2	17.2	25.9	163.8	...	17.2	43.1	112.1	616.6
Nine Years, 1870-78	7.7	1.5	437.8	1.5	4.6	12.3	147.5	32.3	18.4	64.5	12.3	66.0	135.2	15.4	67.6	90.6	184.3	1,299.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	9.26	9.26	1	
1871	
1872	
1873	
1874	
1875	...	32.52	...	32.52	4	4	
1876	8.62	8.62	1	
1877	
1878	
Nine Years, 1870-78	6.14	...	3.08	9.22	6	4	1	1	...	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE NINE YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE NINE YEARS, 1870-78.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	5
1877
1878
Nine Years, 1870-78	5	5

III.—STATISTICS OF INDIVIDUAL STATIONS—DALHOUSIE, 1873-78.

CXXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DALHOUSIE in each Year of the SIX YEARS from 1873 to 1878.

I.—DAILY SICK-RATE OF EACH MONTH OF THE SIX YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1873	... For 8 Months	13½	14.7	51.5	44.1	37.0	59.3	30.1	22.7	24.0	...	37.3
1874	... " 7 "	121	24.8	33.1	33.1	16.5	21.8	16.7	24.8
1875	... " 8 "	90	37.5	39.6	69.3	59.4	50.0	20.0	33.3
1876	... " 8 "	101	9.9	49.5	29.7	29.7	20.0	10.0	30.0	28.3	...	29.7
1877	... " 7 "	100	39.6	39.6	40.0	40.0	40.4	20.2	20.2	30.0
1878	... " 6 "	101	80.0	59.4	69.3	59.4	40.0	38.1	40.0	49.5
Six Years, 1873-78	...	400	28.9	45.4	47.0	39.5	39.7	24.3	20.0	21.9	...	35.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE SIX-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- cases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1873	328.3	7.5	134.3	...	22.4	7.5	...	22.4	104.5	22.4	...	89.5	44.8	783.6
1874	165.3	33.1	...	8.2	57.3	...	49.6	16.5	...	49.6	49.6	49.6	479.3
1875	11.1	...	166.7	11.1	133.3	11.1	11.1	33.3	11.1	44.4	77.8	...	22.3	33.3	66.7	633.3
1876	198.0	39.6	...	79.2	49.5	9.9	49.5	89.1	49.5	564.3
1877	910.0	10.0	20.0	...	60.0	30.0	...	60.0	70.0	...	50.0	80.0	150.0	1470.0
1878	227.7	19.8	99.0	39.6	...	49.5	...	29.7	138.6	9.9	19.8	49.5	39.6	722.7
Six Years, 1873-78	2.5	...	532.5	12.5	115.0	12.5	27.5	57.5	2.5	75.0	122.5	12.5	60.0	107.5	105.0	1,245.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis- case.	Respiratory diseases.	Heart dis- cases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1873	7.46	7.46	1	1		
1874		
1875		
1876		
1877		
1878	9.90	9.90	1	1		
Six Years, 1873-78	5.00	5.00	2	1	1		

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE SIX YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE SIX YEARS, 1873-78.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1873
1874
1875
1876	1
1877
1878
Six Years, 1873-78	1	...	1

III.—STATISTICS OF INDIVIDUAL STATIONS—MURREE HILLS, 1870-79.

CXXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS stationed in the MURREE HILLS in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 7 Months	544	12.0	36.7	51.5	38.4	35.3	32.1	29.2	40.4
1871	" 6 "	550	31.6	34.0	34.0	38.2	38.9	31.3	34.5
1872	" 5 "	668	51.1	43.3	41.8	43.3	42.0	44.9
1873	" 8 "	1,002	35.4	41.3	45.5	55.5	50.4	43.6	34.9	31.6	42.9
1874	" 10 "	84	38.9	48.4	50.4	33.6	29.2	42.2	51.8	49.0	41.0	45.6	42.5
1875	" 7 "	1,170	23.0	30.3	28.6	31.1	26.6	19.1	21.6	25.6
1876	" 6 "	1,250	43.7	51.6	55.1	53.6	45.1	46.5	49.6
1877	" 6 "	1,179	40.5	43.2	45.6	51.4	55.6	62.2	49.2
1878	" 5 "	1,200	41.1	44.4	48.0	48.7	48.9	46.5
1879	" 7 "	1,618	53.7	52.3	62.1	66.4	75.4	92.9	92.6	...	73.5
Ten Years, 1870-79	...	5,733	38.9	48.4	44.2	25.5	38.2	43.0	48.2	49.6	48.1	55.2	64.9	33.1	46.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	702.2	...	1.8	1.8	38.6	12.9	3.7	33.1	...	49.6	57.0	11.0	25.7	75.4	46.0	1,058.8	
1871	292.7	12.7	23.6	27.3	1.8	51.6	...	32.7	83.6	3.7	20.0	33.2	40.0	630.9	
1872	80.8	...	1.5	13.5	40.4	16.5	4.5	23.5	4.5	31.4	89.8	1.5	26.9	53.9	50.9	444.6	
1873	...	1.0	48.0	1.0	...	4.0	14.0	41.9	5.0	99.8	2.0	42.9	106.8	17.0	44.9	70.9	85.8	1,019.0	
1874	...	2.2	105.2	...	3.4	20.1	17.9	39.2	1.1	81.7	1.1	38.0	209.2	13.4	71.6	106.3	128.6	849.0	
1875	64.99	3.4	15.4	19.7	6.0	49.6	1.7	35.1	73.6	6.8	14.5	68.4	72.6	437.6	
1876	...	12.8	352.8	1.6	.8	4.8	28.8	29.6	11.2	72.0	6.4	45.6	72.0	19.2	33.6	66.4	84.0	843.2	
1877	117.9	.8	.8	4.2	10.2	13.6	3.4	61.9	5.1	41.6	138.6	9.3	24.6	89.1	143.3	662.4	
1878	...	3.1	54.3	6.2	14.7	5.4	...	40.3	.8	28.7	116.3	12.4	22.5	42.6	53.5	400.8	
1879	...	15.5	6.8	459.8	...	2.5	35.8	93.3	33.9	...	1.2	45.1	108.8	6.8	34.6	55.0	121.2	1,081.5	
Ten Years, 1870-79	...	7.2	3.5	463.7	.9	2.1	20.9	57.9	45.0	8.7	105.4	4.5	70.8	193.4	19.0	57.2	120.2	161.0	1,341.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	1.84	3.67	5.51	3	1	1	1		
1871	3.64	3.64	3	1	1		
1872	...	1.50	2.99	4.49	2	1	1	...	1		
1873	...	3.00	3.00	5.99	6	1	1	3		
1874	...	3.36	6.71	10.07	9	1	1	1	1	3		
1875	4.27	4.27	5	1	...	1	1		
1876	...	9.60	.80	12.80	16	12	1	2	1		
187785	1.70	2	1	1		
1878	4.65	4.65	6	2	1	2	1		
1879	...	11.74	...	25.96	42	19	...	5	3	...	1	5	3	...	1	3		
Ten Years, 1870-79	...	5.41	1.75	9.24	94	31	...	9	6	1	2	6	8	1	5	7	1	7	10	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879	5	7	5	8
Ten Years, 1870-79	5	7	5	24	41

III.—STATISTICS OF INDIVIDUAL STATIONS—CHERAT, 1871-79.

CXXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CHERAT in each Year of the NINE YEARS from 1871 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE NINE YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.		
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
1870	...	860	50.7	80.6	90.8	69.0	73.3
1871	For 4 Months	760	33.5	26.7	36.9	39.7	41.7	36.2	16.0	32.9
1872	" 7 "	679	42.9	44.6	56.6	56.4	47.4	35.2	47.1
1873	" 6 "	767	37.9	39.6	60.5	63.3	50.4	37.5	48.2
1874	" 7 "	713	23.9	34.2	49.2	50.4	41.1	36.3	41.3	37.9
1875	" 7 "	723	42.9	79.6	80.8	73.0	76.7	70.4	68.3	70.5
1876	" 6 "	806	25.7	27.1	36.9	42.1	43.1	28.8	34.7
1877	" 5 "	796	53.9	83.5	81.1	73.1	66.2	71.6
1878	" 4 "	827	88.3	83.0	78.0	106.0	87.1
1879
Nine Years, 1871-79	...	3,392	39.0	47.7	59.5	63.3	60.4	51.8	39.3	53.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE NINE-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1871	...	15.1	300.0	1.2	3.9	22.1	137.2	25.6	...	23.2	...	8.1	73.3	4.7	38.4	24.4	67.4	740.7
1872	1.3	6.6	175.0	1.3	...	46.1	28.9	51.3	10.5	38.2	...	21.1	36.8	9.2	32.9	22.4	80.3	565.6
1873	...	2.9	549.4	29.4	11.8	5.9	8.8	20.6	...	5.9	36.5	7.4	20.6	36.8	63.4	823.3
1874	135.6	28.7	53.5	23.5	1.3	40.4	11.8	15.6	61.1	5.2	48.2	41.7	108.5	576.3
1875	...	2.9	583.5	44.9	37.9	21.0	11.2	51.9	8.4	15.4	26.6	26.6	28.1	22.4	109.4	990.2
1876	...	18.0	450.9	30.4	42.9	84.4	19.4	58.1	19.4	55.3	67.8	6.9	33.1	38.7	150.3	1,081.6
1877	...	1.2	171.3	1.2	...	22.3	16.1	40.9	1.2	8.7	2.5	6.8	37.2	2.5	12.4	32.3	33.5	359.5
1878	...	12.6	309.0	18.8	30.2	12.6	3.6	26.4	1.2	28.9	80.4	...	28.9	32.6	63.0	678.4
1879	1.2	12.1	239.4	21.8	105.2	36.3	...	33.9	2.4	25.4	47.1	2.4	24.2	19.3	84.7	655.4
Nine Years, 1871-79	6	16.5	656.0	9	9	59.2	110.3	68.7	12.1	68.7	11.2	47.8	105.5	14.7	61.6	61.3	182.2	1,478.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1871	11.63	11.63	10	5	2	
1872	15.79	15.79	12	6	
1873	...	1.47	10.31	11.78	8	1	
1874	
1875	...	1.40	9.82	11.22	8	2	2	
1876	...	1.38	9.68	11.06	8	4	
1877	4.96	4.96	4	1	
1878	3.77	3.77	3	1	
1879	1.21	1.21	12.09	14.51	12	1	...	3	3	
Nine Years, 1871-79	2.9	1.18	17.69	19.16	65	1	...	23	7	7	8	...	3	1	1	10	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE NINE YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE NINE YEARS, 1871-79.												Total Admissions.				
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.					
1871
1872
1873
1874
1875
1876
1877
1878
1879	1
Nine Years, 1871-79	1	1

* 570 men belonging to the Peshawar garrison were stationed at Cherat in October and November 1870. Their sickness and mortality are included in the Peshawar returns.

III.—STATISTICS OF INDIVIDUAL STATIONS—NUSSEERABAD, 1870-79.

CXXXVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying NUSSEERABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.		
January ...	6,106	317	51·9	17	1	...	5	1	...	1	...	2	...	2	1	2	
February ...	6,653	361	54·3	10	1	1	5
March ...	6,884	391	56·8	4	1
April ...	6,503	416	64·0	8	2	...	1	1
May ...	6,337	419	66·1	8	1	4	1	1
June ...	6,300	421	66·8	5	3	1
July ...	6,306	379	60·1	4	1	1
August ...	6,311	430	68·1	23	...	10	...	3	...	1	1
September ...	6,255	565	89·9	31	...	2	...	10	...	3	...	1	1	...	2	1	2
October ...	6,250	603	96·5	17	...	1	...	2	...	1	...	1	...	3	1
November ...	6,145	544	88·5	14	6	...	1	2	1
December ...	6,282	385	61·3	10	2	1	2
						13	...	27	4	13	14	1	10	2	15	...	7	5	4	18	1	17	
Died per 1,000 of the Average Strength.																											
For the Ten Years	6,363	436	68·5	151	23·73	2·04	...	4·24	2·67	2·20	·16	1·57	·31	2·36	...	1·10	·79	·63	2·83	·16	2·67		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872 and 1873) ...	11	13	51	75	11·8	...	
Cholera	10	3	1	14	2·2	92·86	
Smallpox	1	1	·2	...	
Enteric Fever ...	2	...	1	2	3	3	11	8	5	5	40	6·3	67·50	
Fever, Intermittent ...	248	218	220	255	323	276	350	512	770	824	505	245	4,746	745·9	·08	
Fever, Remittent and Continued ...	7	18	31	56	43	42	38	56	95	67	37	28	518	81·4	2·51	
Apoplexy ...	1	1	1	3	8	16	5	3	6	3	46	7·2	30·43	
Delirium Tremens ...	1	1	2	6	1	2	2	8	4	6	41	6·4	2·44	
Dysentery ...	9	9	15	10	11	6	17	37	44	41	23	14	236	37·1	4·24	
Diarrhoea ...	36	12	31	43	26	20	47	84	77	41	30	34	481	75·6	·42	
Hepatitis ...	17	22	32	20	37	32	22	32	37	43	32	14	340	53·4	4·41	
Spleen disease ...	2	3	7	8	8	7	1	5	9	11	8	7	76	12·0	...	
Respiratory diseases ...	82	67	50	50	56	45	37	39	35	37	70	53	621	97·6	1·13	
Phthisis Pulmonalis ...	3	...	1	2	3	1	3	7	3	4	2	1	30	4·7	13·33	
Scurvy	1	1	1	6	·9	...	
Rheumatism ...	40	32	41	39	41	29	42	33	26	39	38	21	421	66·2	...	
Veneral diseases ...	101	114	153	161	124	112	100	99	105	115	115	80	1,379	216·7	...	
Eye diseases ...	7	10	11	20	25	17	12	16	31	21	13	6	189	29·7	...	
Abscess and Ulcer ...	46	46	44	56	65	81	81	65	64	52	51	716	112·5	·49		
Wounds and Accidents ...	57	49	55	57	54	57	48	50	43	58	37	49	614	96·5	...	
All other Causes ...	77	100	93	132	139	124	128	149	128	152	143	119	1,484	233·2	...	
	746	703	788	920	969	867	934	1,209	1,492	1,536	1,130	780	12,074			
Admitted per 1,000 of the Average Strength in each Month.																
	122·2	105·7	114·5	141·5	152·9	137·6	148·1	191·6	237·4	245·8	183·9	124·2	1,897·5			

III.—STATISTICS OF INDIVIDUAL STATIONS—NUSSEERABAD, 1870-79.

CXXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NUSSEERABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	693	49.3	69.9	80.2	86.8	85.3	78.4	74.2	98.4	144.3	176.2	160.8	100.7	101.0
1871	"	720	74.8	73.6	86.5	93.2	97.8	101.0	101.0	117.8	117.4	116.6	104.5	61.7	95.8
1872	"	646	58.3	68.5	52.3	56.6	59.7	61.4	48.0	63.0	95.0	91.7	75.6	77.8	66.6
1873	"	588	48.7	36.0	51.8	60.6	67.5	69.3	48.9	43.8	57.0	64.1	73.3	30.6	54.4
1874	"	613	24.3	20.6	23.7	39.8	38.3	34.9	26.6	21.6	31.6	33.2	21.1	23.0	27.7
1875	"	587	35.1	49.0	46.0	67.7	67.1	56.5	50.2	64.6	84.9	76.3	63.9	43.7	59.6
1876	"	648	43.3	41.8	53.8	43.8	55.7	60.5	54.3	50.8	70.2	75.5	79.8	53.1	67.1
1877	"	638	40.1	39.8	38.7	38.9	39.9	50.3	50.3	53.6	53.6	55.7	54.8	30.8	45.5
1878	"	625	32.0	42.8	44.2	55.3	45.3	45.4	55.6	64.4	103.1	124.8	96.2	77.0	65.6
1879	"	605	97.6	92.1	88.1	92.9	98.1	106.4	85.7	92.5	132.2	142.6	121.8	110.4	104.1
Ten Years, 1870-79		6,363	51.9	54.3	56.8	64.0	66.1	66.8	60.1	68.1	89.9	96.5	88.5	61.3	68.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	5.8	1,447.3	7.2	21.6	24.5	76.5	60.6	7.2	72.2	10.1	98.1	239.5	31.8	155.9	67.8	239.5	2,565.6	
1871	8.3	1,223.6	4.2	13.9	40.3	87.5	113.9	40.3	106.9	5.6	136.1	270.8	54.2	147.2	136.1	288.9	2,677.8	
1872	10.8	1,161.0	7.7	1.5	41.8	74.3	63.5	12.4	63.5	3.1	51.1	281.7	23.2	111.5	71.2	249.2	2,227.5	
1873	1.7	549.3	5.1	3.4	11.9	49.3	54.4	18.7	80.0	...	35.7	231.3	20.4	115.7	51.0	238.1	1,466.0	
1874	4.9	203.9	14.7	52.2	21.2	...	35.9	1.6	35.9	124.0	14.7	79.9	71.8	166.4	827.1	
1875	1.7	490.6	29.0	1.7	42.6	75.0	35.8	3.4	167.0	8.5	102.2	182.3	23.9	105.5	134.6	172.0	1,577.5	
1876	9.3	489.2	6.2	4.6	37.0	69.4	38.6	1.5	50.9	10.8	50.9	197.5	44.8	88.0	106.5	271.6	1,476.8	
1877	...	310.3	1.6	7.8	31.3	54.9	45.5	1.6	117.6	...	32.9	189.6	28.2	105.0	119.2	166.1	1,211.6	
1878	20.8	918.4	6.4	3.2	54.4	107.2	32.0	8.0	150.4	4.8	57.6	164.8	35.2	70.4	107.2	288.0	2,035.2	
1879	13.2	1,330.6	6.6	3.3	72.7	107.4	57.9	23.1	138.9	1.7	47.9	272.7	14.9	137.2	95.9	373.5	2,607.5	
Ten Years, 1870-79	2.2	6.3	827.3	7.2	6.4	37.1	75.6	53.4	12.0	97.6	4.7	66.2	216.7	29.7	112.5	96.5	246.1	1,897.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																	
1870	...	1.44	34.64	36.08	25	2	9	2	1	...	2	1	1	6	1	
1871	...	2.78	15.28	18.06	13	5	1	2	...	1	2	1	1	2	
1872	21.67	21.67	14	7	...	2	...	1	2	...	1	
1873	11.90	11.90	7	2	1	1	...	1	2	
1874	...	3.26	4.90	8.16	5	3	2	
1875	...	1.70	25.56	27.26	16	...	1	...	2	2	...	2	2	3	...	
1876	...	9.26	10.80	20.06	13	1	1	2	1	2	6	
1877	...	9.41	9.40	18.81	12	2	1	...	3	2	6	
1878	...	19.20	19.20	38.40	24	...	12	...	2	1	2	...	4	1	...	2	...	
1879	...	1.65	34.71	36.36	22	6	2	1	...	6	1	...	1	...	3	...	1	
Ten Years, 1870-79	...	2.04	2.83	18.86	23.73	151	13	...	27	17	14	1	12	15	...	7	5	4	18	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	
1871	
1872	
1873	
1874	
1875	
1876	1	
1877	
1878	10	...	3	
1879	
Ten Years, 1870-79	10	3	1	14

III.—STATISTICS OF INDIVIDUAL STATIONS—NEEMUCH, 1870-79.

CXLI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying NEEMUCH in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	333	50.7	44.8	27.4	39.7	57.9	44.7	31.6	52.8	111.4	112.9	156.3	133.7	75.1
1871	"	458	65.3	52.0	70.7	60.6	58.6	62.6	62.6	72.7	101.6	128.0	118.5	71.0	78.6
1872	"	468	57.8	66.7	54.7	50.4	29.4	21.1	21.3	36.6	39.6	84.1	73.3	44.7	47.0
1873	"	452	35.0	44.5	57.7	46.1	65.8	48.5	50.7	55.1	88.5	97.8	129.2	66.8	66.4
1874	"	400	59.2	47.4	47.0	49.6	39.7	52.2	79.6	94.8	100.5	240.4	136.5	94.3	85.0
1875	"	434	32.8	32.3	39.0	43.6	34.9	52.5	68.1	72.2	101.1	108.8	89.8	71.7	59.9
1876	"	401	24.7	60.9	46.4	51.5	56.2	63.4	58.7	64.0	111.1	141.1	117.0	49.5	72.3
1877	"	446	47.2	33.3	31.1	31.1	46.7	55.6	69.0	62.4	84.6	81.9	99.5	33.4	56.1
1878	"	456	24.1	40.3	46.4	33.3	33.3	53.5	49.1	78.1	134.3	253.4	193.0	145.3	87.7
1879	"	412	114.5	71.1	72.1	86.7	113.5	99.3	106.5	121.4	163.4	222.2	181.1	96.5	118.9
Ten Years, 1870-79	...	4,260	51.5	49.3	49.2	49.2	53.1	55.0	59.4	70.5	101.6	145.0	128.4	79.9	74.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phtisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	...	6.0	1,843.8	9.0	6.0	12.0	48.1	135.1	12.0	45.1	12.0	87.1	192.2	...	129.1	93.1	168.2	2,798.8
1871	...	15.3	906.1	6.6	8.7	37.1	61.1	67.7	4.4	56.8	13.1	78.6	364.6	15.3	80.8	113.5	104.8	1,934.5
1872	62.0	4.3	615.3	4.3	4.3	15.0	27.8	21.4	2.1	12.8	8.5	19.2	269.2	8.5	89.7	55.5	60.0	1,279.9
1873	...	1,123.9	6.6	4.4	28.8	35.4	50.9	2.2	137.2	...	75.2	245.6	13.3	119.5	130.5	146.0	...	2,119.5
1874	...	2.5	1,157.5	10.0	12.5	22.5	32.5	85.0	2.5	67.5	10.0	52.5	210.0	20.0	90.0	162.5	100.0	2,037.5
1875	59.9	...	940.1	4.6	13.8	41.5	101.4	62.2	9.2	62.2	...	59.9	179.7	20.7	83.0	133.7	106.0	1,877.9
1876	...	24.9	1,062.4	...	2.5	...	87.3	39.9	2.5	49.9	2.5	47.4	139.6	27.4	122.2	59.8	276.8	1,945.1
1877	762.3	...	4.5	4.5	65.0	26.9	6.7	65.0	...	35.9	87.4	20.2	85.2	145.7	215.3	1,524.6
1878	37.3	...	1,684.2	4.4	...	43.8	357.4	30.7	...	70.2	...	39.5	157.9	11.0	89.9	96.5	239.0	2,861.8
1879	...	2.4	3,233.0	2.4	...	36.4	167.5	58.3	17.0	109.2	2.4	80.1	179.6	21.9	82.5	109.2	225.7	4,327.6
Ten Years, 1870-79	16.9	5.4	1,305.7	4.7	5.6	24.6	100.0	55.4	5.6	67.8	4.7	56.6	204.5	16.0	96.2	110.1	162.7	2,242.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart diseases.	Phtisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	24.02	24.02	8	2	...	2	...	1	1	1	...	1	...
1871	...	2.18	13.10	15.28	7	3	2	...	1	1
1872	44.87	...	10.68	55.55	26	21	...	1	2	1
1873	...	2.21	17.70	19.91	9	1	...	1	1	...	4	1
1874	...	5.00	17.50	22.50	9	2	...	2	...	2	2
1875	46.08	...	11.52	57.60	25	20	1	2	1	1
1876	...	2.49	22.45	24.94	10	8	1
1877
1878	30.70	...	19.74	50.44	23	14	2	...	3	1	1
1879	...	2.43	14.56	16.99	7	1	2	1	1
Ten Years, 1870-79	12.91	1.41	14.79	29.11	124	55	...	16	9	10	3	8	8	...	1	4	...	4	6

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872	2
1873
1874
1875
1876
1877
1878	1	5	...	10	...
1879
Ten Years, 1870-79	1	2	7	31	16	5	10	72

III.—STATISTICS OF INDIVIDUAL STATIONS—INDORE, 1870-79.

CXLII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying INDORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns: MONTHS, Aggregate Strength for each Month of the Ten Years, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths, Died per 1,000 of Strength, and CAUSES OF DEATHS IN HOSPITAL (Cholera, Smallpox, Enteric Fever, etc.). Includes a row for 'For the Ten Years' and a summary row 'Died per 1,000 of the Average Strength.'

Table with columns: CAUSES OF ADMISSIONS, JAN., FEB., MAR., APRIL, MAY, JUNE, JULY, AUG., SEPT., OCT., NOV., DEC., Total Admitted during the Ten Years, Admitted per 1,000 of Strength, and Died out of each hundred cases treated. Includes a summary row 'Admitted per 1,000 of the Average Strength in each Month.'

III.—STATISTICS OF INDIVIDUAL STATIONS—INDORE, 1870-79.

CXLIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying INDORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	86	38.5	13.0	41.1	41.7	28.6	35.3	...	52.1	52.6	30.9	20.6	20.6	31.9
1871	... "	118	21.1	24.2	16.3	24.4	24.4	24.4	16.1	24.2	40.0	72.6	75.6	43.5	33.9
1872	... "	96	46.9	31.2	34.5	53.8	54.3	35.4	22.7	41.7	72.7	70.2	71.4	79.6	52.1
1873	... "	107	30.0	39.2	45.9	73.4	63.1	64.8	67.3	9.3	70.2	93.2	48.5	39.2	56.1
1874	... "	97	51.0	20.4	40.8	61.2	31.6	53.2	64.5	41.2	30.9	63.2	72.2	40.4	51.5
1875	... "	93	51.5	41.2	72.2	82.5	64.5	52.1	41.2	51.0	82.5	84.3	61.1	71.4	64.5
1876	... "	84	76.9	81.1	61.7	62.5	108.4	66.7	104.7	96.4	94.1	64.5	44.4	34.9	71.4
1877	... "	102	92.0	88.6	88.6	95.2	68.0	35.5	69.3	56.1	58.3	89.4	45.0	38.8	68.6
1878	... For 8 Months	108	66.7	58.8	70.7	57.7	44.6	52.6	60.9	99.1	64.8
1879	... For the Year	82	...	25.6	10.0	50.0	37.0	37.0	47.6	78.7	35.7	127.7	125.0	114.6	73.2
Ten Years, 1870-79	...	937	49.0	39.4	46.5	60.4	51.9	45.6	48.7	53.5	65.1	77.6	63.1	53.9	54.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1,104.7	34.9	81.4	46.5	11.6	34.9	200.3	23.2	104.6	69.8	69.8	1,790.7
1871	322.0	...	16.9	33.9	33.9	25.4	8.5	25.4	...	25.4	347.3	...	50.9	93.2	50.9	1,000.0
1872	31.3	10.4	291.7	10.4	20.8	10.4	72.9	20.8	...	10.4	52.1	31.3	177.1	10.4	62.5	72.9	104.2	989.6
1873	504.7	9.3	...	9.3	65.4	18.7	...	37.4	28.0	56.1	149.6	9.3	56.2	102.8	106.2	1,243.0
1874	711.3	...	10.3	...	61.9	41.2	...	92.8	216.3	20.6	30.9	144.4	103.1	1,433.0
1875	720.4	...	21.5	86.0	...	61.5	...	43.0	10.8	53.8	397.3	32.3	129.0	118.3	139.8	1,817.2
1876	297.6	...	11.9	11.9	154.8	110.0	...	202.4	35.7	107.1	297.6	47.6	119.0	107.2	357.2	1,869.0
1877	245.1	...	39.2	...	49.0	49.0	...	264.7	39.2	68.6	353.6	29.4	127.4	137.3	500.0	1,901.9
1878	55.5	9.2	351.9	9.2	27.8	46.3	27.8	27.8	...	27.8	...	92.6	277.3	...	64.8	83.3	213.0	1,314.8
1879	...	12.2	1,768.3	...	12.2	12.2	146.4	61.0	24.4	36.6	195.1	12.2	85.3	73.2	134.1	2,573.2
Ten Years, 1870-79	9.6	3.2	623.3	3.2	14.9	14.9	76.8	33.1	1.1	76.8	20.3	61.9	274.3	18.2	84.3	104.6	193.2	1,613.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	
1871	...	8.47	8.47	16.95	2	
1872	31.25	...	10.42	41.67	4	3	1	
1873	28.04	28.04	3	
1874	
1875	
1876	
1877	9.80	9.80	1	
1878	46.30	...	27.77	74.07	8	5	
1879	12.20	12.20	1	1	
Ten Years, 1870-79	8.54	1.07	10.67	20.28	19	8	...	1	3	1	2	2	1	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79	2	2	5	9

III.—STATISTICS OF INDIVIDUAL STATIONS—MHOW, 1870-79.

CXLIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MHOW during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent. Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.			
January ...	12,886	829	64.3	9	1	...	1	...	1	1	1	1	1		
February ...	13,216	796	60.2	7	1	...	1	...	1	1	
March ...	13,080	693	53.0	10	5	1
April ...	13,476	750	55.7	12	...	2	...	2	...	1	...	1	1
May ...	13,559	802	59.1	9	...	1	...	1	1
June ...	13,518	763	56.4	16	...	1	...	2	...	5	...	1	...	1	...	1	1
July ...	13,564	864	63.7	7	1	1
August ...	13,537	1,017	75.1	16	...	6	...	1	1	1
September ...	13,453	1,196	88.9	29	7	...	5	2	1
October ...	13,289	1,157	87.1	17	8	...	1	...	1	1
November ...	13,030	953	73.1	12	1	...	1	...	1	1
December ...	12,629	809	64.1	11	2	1	1
						10	...	26	2	13	9	1	7	1	21	...	4	6	8	1	27	5	14	
						Died per 1,000 of the Average Strength.																					
For the Ten Years	13,270	886	66.8	153	11.68	.75	...	1.96	1.13	.68	.08	.53	.08	1.5330	.45	.60	.08	2.03	.38	1.05		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1873)	6	5	11	.8	...
Cholera	3	1	1	...	10	15	1.1	66.67
Smallpox	1	1	2	.2	...
Enteric Fever	2	3	3	4	3	1	4	10	9	4	2	47	3.5	55.32
Fever, Intermittent ...	357	302	296	346	412	372	504	1,255	2,047	1,946	960	517	9,314	701.9	.02
Fevers, Remittent and Continued ...	23	51	99	138	127	72	70	115	160	119	62	49	1,085	81.8	1.20
Apoplexy	4	1	7	5	11	2	4	...	2	2	1	40	3.0	22.50
Delirium Tremens ...	5	3	1	5	5	2	6	3	10	3	2	4	49	3.7	2.04
Dysentery ...	15	11	28	20	17	20	26	54	30	24	27	14	286	21.6	2.45
Diarrhoea ...	34	39	34	54	37	30	77	111	52	50	43	35	596	44.9	.17
Hepatitis ...	38	50	59	63	89	88	81	73	74	66	53	39	773	58.2	2.72
Spleen disease ...	8	9	11	15	17	13	21	6	10	14	5	15	144	10.8	...
Respiratory diseases ...	130	130	137	129	84	59	57	39	34	59	84	110	1,052	79.3	.38
Phthisis Pulmonalis ...	9	3	9	3	6	5	9	10	8	8	6	7	83	6.3	9.64
Scurvy	2	...	2	1	...	6	.5	...
Rheumatism ...	67	66	60	57	72	69	102	89	55	50	49	55	791	59.6	...
Veneral diseases ...	253	255	211	281	262	236	243	199	191	205	133	202	2,721	205.0	...
Eye diseases ...	23	29	32	45	26	18	23	25	23	26	24	35	334	25.2	...
Abscess and Ulcer ...	105	116	127	132	126	100	114	86	95	105	116	97	1,319	99.4	.43
Wounds and Accidents ...	127	125	120	147	146	100	136	83	89	106	101	168	1,448	109.1	...
All other Causes ...	212	166	162	198	217	156	254	218	207	208	199	186	2,383	179.6	...
													22,499		
Admitted per 1,000 of the Average Strength in each Month.															
109.3	103.1	106.4	122.1	121.9	100.2	127.6	176.0	230.4	226.2	147.9	121.7		1,695.5		

III.—STATISTICS OF INDIVIDUAL STATIONS—MHOW, 1870-79.

CXLV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MHOW in each Year of the TEN YEARS from 1870-79.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,320	45.5	61.1	64.3	56.5	63.1	58.6	70.8	99.1	103.8	95.8	68.1	49.7	69.7
1871	"	1,413	53.8	52.3	42.5	41.5	50.6	56.5	65.0	59.5	62.3	54.8	53.7	46.2	53.1
1872	"	1,432	64.1	62.9	57.2	52.4	49.9	41.2	48.7	59.4	90.8	79.3	48.0	39.7	58.7
1873	"	1,346	47.0	46.1	38.2	50.9	48.1	40.1	46.7	57.4	67.5	107.2	104.3	82.6	61.7
1874	"	1,401	86.6	72.8	71.1	66.6	70.8	64.0	80.7	89.6	84.0	80.1	59.4	57.8	74.2
1875	"	1,250	59.2	57.1	53.1	67.8	63.9	49.0	53.8	69.8	79.9	81.0	55.5	41.6	60.8
1876	"	1,206	50.6	53.6	45.7	56.6	72.4	67.0	64.3	65.5	64.0	53.3	44.3	64.6	58.9
1877	"	1,322	71.1	62.4	48.0	42.1	55.6	67.1	69.0	79.9	88.6	83.5	80.8	82.3	69.6
1878	"	1,374	83.1	73.9	67.0	62.7	67.8	69.9	80.8	87.0	112.3	104.8	107.2	77.5	83.0
1879	"	1,204	78.1	53.5	39.4	52.1	50.1	51.8	56.2	85.4	140.8	134.0	107.4	88.1	78.1
Ten Years, 1870-79		13,270	64.3	60.2	53.0	55.7	59.1	56.4	63.7	75.1	88.9	87.1	73.1	64.1	66.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Pituitis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcers.	Wounds and Accidents.	All other Causes.
1870	1,290.9	8	8	18.9	56.8	27.3	...	75.7	9.1	50.8	206.8	22.7	113.6	76.5	139.4	2,090.1
1871	...	7	1,051.0	7	1.4	17.7	74.3	30.4	2.1	62.3	5.0	70.1	236.4	30.4	117.5	84.9	96.2	1,883.9
1872	...	2.8	807.3	3.5	7.7	7.7	39.1	23.8	3.5	42.6	5.6	43.3	185.0	15.4	113.8	98.5	105.4	1,507.0
1873	413.8	7	7.4	27.5	42.3	71.3	6.7	75.0	8.1	40.9	155.3	29.0	83.2	110.0	185.8	1,262.2
1874	534.0	...	1.4	8.6	28.6	104.9	30.0	74.9	8.6	68.3	163.4	45.7	107.1	124.2	219.8	1,527.5
1875	...	8.0	520.0	9.6	8.0	34.4	38.4	76.8	28.8	78.4	4.8	57.6	167.2	32.8	82.4	120.2	156.8	1,426.4
1876	419.6	5.8	4.1	20.7	29.8	90.4	12.4	71.3	4.1	50.6	202.3	15.8	82.9	138.6	204.0	1,358.2
1877	424.4	3.0	2.3	16.6	25.0	68.1	9.1	118.0	6.0	75.6	214.1	21.9	88.5	108.9	262.5	1,447.0
1878	925.7	3.6	2.2	53.9	49.5	68.4	13.1	88.1	4.4	80.8	280.2	17.4	107.7	120.1	270.0	2,092.4
1879	1,461.7	3.3	1.7	10.0	64.8	20.8	3.3	112.9	6.6	56.5	240.9	19.1	91.4	113.8	176.9	2,385.4
Ten Years, 1870-79	...	1.1	783.7	3.0	3.7	21.6	44.9	58.2	10.8	79.3	6.3	50.6	205.0	25.2	99.4	109.1	181.1	1,695.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Pituitis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	76	10.60	11.36	15	5	1	...	1	...	2	4	1
1871	...	71	8.49	9.91	14	1	2	1	...	3	2	1
1872	...	2.09	10.47	13.26	19	3	1	1	1
1873	11.89	14.12	19	4	1	2
1874	6.42	7.85	11	5	2
1875	...	4.80	12.72	19.12	24	6	1	1	5
1876	5.80	7.46	9	2	2
1877	6.05	7.56	10	1	2
1878	14.55	16.01	22	9	7
1879	7.48	9.97	12	2	3
Ten Years, 1870-79	...	7.5	9.50	11.68	155	10	...	26	15	9	1	8	21	...	4	6	8	28	19

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871	1
1872	3	1
1873
1874
1875	10
1876
1877
1878
1879
Ten Years, 1870-79	3	1	1	...	10	15

III.—STATISTICS OF INDIVIDUAL STATIONS—DEESA, 1870-79.

CXLVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying DEESA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.													Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.			Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
January	7,296	335	45.9	8	1	...	2	1	...	3	1
February	7,360	296	40.2	6	2	...	1
March	7,221	315	43.6	8	1
April	6,606	281	42.5	6
May	6,478	259	40.0	10
June	6,843	311	45.4	16
July	7,618	422	55.4	15
August	7,628	425	55.7	11	2
September	7,599	450	59.2	16
October	7,538	479	63.5	9
November	6,545	391	59.7	14
December	6,052	268	44.3	5
						3	...	10	2	7	24	3	5	1	12	1	8	6	17	...	1	...	16	8
						Died per 1,000 of the Average Strength.																				
For the Ten Years	7,065	353	50.0	124	17.55	.42	...	1.42	1.27	3.40	.42	.71	.14	1.70	.14	1.13	.85	2.4114	...	2.27	1.13	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	41	479	69	3	592	83.8	...
Cholera	1	2	5	.7	60.00
Smallpox	1	1	2	.3	...
Enteric Fever	1	3	2	1	9	4	1	...	21	3.0	47.62
Fever, Intermittent	146	138	137	107	111	142	250	243	320	720	462	269	3,045	431.0	.07
Fever, Remittent and Continued	23	3	47	62	24	82	59	37	71	95	21	6	530	75.0	1.32
Apoplexy	1	3	11	32	11	...	2	3	...	6	63	8.9	38.10
Delirium Tremens	4	...	2	1	2	3	4	...	5	1	23	3.3	13.04
Dysentery	14	4	13	6	7	7	13	15	27	15	7	5	133	18.8	3.76
Diarrhœa	16	15	11	9	2	16	31	61	53	26	12	23	280	39.6	.36
Hepatitis	23	20	25	18	27	25	31	31	26	37	29	17	309	43.8	3.88
Spleen disease	3	4	1	4	...	1	3	7	6	6	1	3	39	5.5	2.56
Respiratory diseases	83	70	34	...	30	20	38	45	38	33	30	45	495	70.1	1.62
Phthisis Pulmonalis	2	1	4	1	6	6	12	5	...	7	12	11	75	10.6	22.67
Scurvy	1	3	.4	33.33
Rheumatism	24	26	21	...	14	17	13	23	30	20	21	10	247	35.0	...
Veneral diseases	84	113	124	111	85	83	106	90	99	77	75	64	1,111	157.3	...
Eye diseases	21	20	23	16	15	16	20	32	36	15	12	11	237	33.5	...
Abscess and Ulcer	46	45	43	35	43	86	90	67	67	50	31	26	657	93.0	.50
Wounds and Accidents	38	39	46	37	50	31	40	37	43	33	26	30	455	64.4	...
All other Causes	78	65	64	79	88	104	138	139	111	97	65	44	1,072	151.7	...
	607	568	597	531	517	727	1,360	920	957	1,242	820	548	9,394		
	Admitted per 1,000 of the Average Strength in each Month.														
	83.2	77.2	82.7	80.4	79.8	106.2	178.5	120.6	125.9	164.8	125.3	90.5	1,329.7		

III.—STATISTICS OF INDIVIDUAL STATIONS—DEESA, 1870-79.

CXLVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying DEESA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	584	38.0	28.8	43.7	73.8	54.0	47.4	46.8	56.3	65.8	54.5	47.9	35.8	49.7
1871	...	843	45.2	60.2	73.9	71.4	52.7	57.2	41.9	48.4	43.2	41.4	38.0	29.4	49.8
1872	...	897	38.7	27.8	37.7	39.0	26.7	44.3	91.5	63.5	66.9	124.5	139.1	91.8	66.9
1873	...	748	80.3	68.4	52.6	54.3	65.1	67.8	81.2	69.1	80.4	75.1	69.5
1874	For 10 Months	709	48.4	62.7	44.9	33.2	33.2	38.7	59.2	62.0	57.9	67.4	81.4	61.0	55.0
1875	For the Year	754	69.4	39.3	44.5	34.9	42.0	51.1	55.8	60.7	51.2	43.4	31.3	34.2	46.4
1876	...	688	41.2	34.3	27.5	26.0	30.8	40.1	48.2	49.6	55.2	52.5	50.2	37.3	42.2
1877	...	672	35.8	29.7	43.3	37.2	32.7	32.8	38.1	39.5	38.5	29.6	32.8	32.8	35.7
1878	...	651	22.1	21.0	28.5	27.8	29.4	33.0	42.7	54.5	86.2	74.4	36.8	31.6	39.9
1879	...	643	29.6	31.8	32.5	27.6	34.2	35.9	35.2	49.7	50.4	58.9	56.1	24.5	38.9
Ten Years, 1870-79	...	7,065	45.9	40.2	43.6	42.5	40.0	45.4	55.4	55.7	59.2	63.5	59.7	44.3	50.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.				
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	155.8	1.7	15.4	18.8	8.6	20.6	1.7	34.2	1.7	29.1	388.7	36.0	63.4	44.5	114.7	934.9	
1871	453.1	20.2	4.7	20.2	34.4	77.1	...	124.5	13.1	38.0	188.6	20.2	87.8	54.6	160.1	1,296.6	
1872	...	1.1	1,282.1	8.9	2.2	19.0	33.4	46.8	1.1	52.4	23.4	15.6	84.7	21.2	40.2	45.7	797.1	2,474.9	
1873	...	1.3	862.3	5.3	1.3	6.7	40.1	46.8	10.7	125.7	22.8	41.4	76.2	24.1	66.8	82.9	172.5	1,586.9	
1874	331.5	7.1	...	28.2	22.6	76.2	22.6	84.6	11.2	45.1	155.1	43.7	77.6	50.8	150.9	1,107.2	
1875	...	1.3	184.4	9.3	...	14.6	43.8	31.8	7.9	34.5	5.3	25.2	137.9	62.3	90.2	57.0	114.1	819.6	
1876	...	1.5	...	212.2	4.4	...	8.7	40.7	2.9	61.0	4.4	42.2	120.6	62.5	126.4	77.0	151.2	960.8	
1877	340.7	11.9	10.4	22.3	31.3	22.3	1.5	32.7	122.0	8.9	136.9	92.3	166.7	1,056.5	
1878	...	6.1	1.8	548.1	12.3	...	32.3	104.5	26.1	...	73.7	...	130.6	33.8	144.4	81.4	239.6	1,473.1	
1879	4.7	329.7	3.1	...	15.6	31.1	21.8	6.2	48.2	15.6	199.1	20.2	99.5	51.3	90.2	956.5	
Ten Years, 1870-79	...	7	3.0	506.0	8.9	3.3	18.8	39.6	43.8	5.5	70.1	10.6	35.0	157.3	33.5	83.0	64.4	236.2	1,329.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen case.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	1.71	10.28	11.99	7	4	1	1	1
1871	...	2.37	20.17	22.54	10	3	3	2	2
1872	...	1.12	25.64	26.76	24	1	1
1873	...	1.34	16.04	17.38	13	1	1
1874	16.92	16.92	12	1	2	2
1875	...	2.65	11.94	14.59	11	2	2
1876	...	1.45	1.45	8.73	8	1	1
1877	10.42	10.42	7	2	2
1878	...	3.07	...	12.29	10	1	1
1879	20.22	20.22	13	2	2
Ten Years, 1870-79	...	4.2	1.13	16.00	17.55	124	3	...	10	9	24	3	6	12	1	8	6	17	17

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	1
1878
1879	2	...	2
Ten Years, 1870-79	1	2	2

III.—STATISTICS OF INDIVIDUAL STATIONS—AHMEDABAD, 1870-79.

CXLVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying AHMEDABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.			
January	2,780	148	53·2	6	2	1	1	1	1	3	
February	2,788	147	52·7	9	3	...	1	1	1	1	3
March	3,096	148	47·8	4	1	1	1
April	3,062	148	48·3	6	1	...	1	1	1	1
May	2,992	143	47·8	10	...	4	...	1	5	1	1
June	2,898	165	56·9	19	...	6	...	1	10	1	1	1
July	2,657	168	63·2	4	...	2	1	1	1	1
August	2,649	162	61·2	4	1	2	1	1
September	2,606	178	68·3	5	2	1	1
October	2,578	194	75·3	6	2	1	2	1
November	2,474	180	72·8	3	1	1	1
December	2,240	151	67·4	3	1	1	1
						12	1	11	...	8	17	1	1	...	5	...	3	4	1	7	...	8	
Died per 1,000 of the Average Strength.																												
For the Ten Years	2,735	161	58·9	79	28·88	4·39	·36	4·02	2·93	6·22	·36	·36	...	1·83	...	1·10	1·46	·36	2·56	2·93

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	9	7	9	16	25	9·1	...	
Cholera	1	1	3	1	20	7·3	60·00	
Smallpox	1	1	2	·7	50·00	
Enteric Fever	2	...	1	1	1	2	1	3	2	1	14	5·1	78·57	
Fever, Intermittent	96	75	72	50	34	50	77	120	181	294	191	147	1,387	507·1	...	
Fevers, Remittent and Continued	40	36	61	60	79	151	90	97	152	149	131	69	1,115	407·7	72	
Apoplexy	3	4	4	21	1	2	2	35	12·8	48·57	
Delirium Tremens	5	...	2	2	...	1	...	3	4	...	3	1	21	7·7	4·76	
Dysentery	2	2	4	2	3	2	5	6	6	4	5	4	45	16·5	2·22	
Diarrhoea	25	22	24	23	36	26	19	29	24	27	17	22	294	107·5	...	
Hepatitis	8	4	4	7	6	6	6	5	10	8	7	10	81	29·6	6·17	
Spleen disease	1	1	...	1	2	1	1	2	2	1	11	4·0	...	
Respiratory diseases	16	...	17	11	5	13	12	10	14	13	7	15	153	55·9	1·96	
Phthisis Pulmonalis	1	30	1	...	2	6	...	2	1	2	18	6·6	5·56	
Scurvy	18	
Rheumatism	14	16	21	23	24	25	21	16	18	9	245	89·6	...	
Veneral diseases	45	50	38	55	31	26	30	38	33	32	29	33	446	163·1	...	
Eye diseases	7	5	15	7	4	6	3	7	6	1	4	7	72	26·3	...	
Abscess and Ulcer	22	26	41	43	48	40	49	43	54	44	37	16	463	169·3	46	
Wounds and Accidents	27	29	44	38	22	33	40	33	29	25	13	38	371	135·7	...	
All other Causes	65	44	59	57	61	90	87	78	57	63	53	60	774	283·0	...	
	375	332	407	385	378	511	465	509	595	678	522	435	5,592			
Admitted per 1,000 of the Average Strength in each Month.																
	134·9	119·1	131·5	125·7	126·3	176·3	175·0	192·1	228·3	263·0	211·0	194·2	2,044·6			

III.—STATISTICS OF INDIVIDUAL STATIONS—AHMEDABAD, 1870-79.

CXLIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AHMEDABAD* in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	247	67.2	63.7	63.2	44.3	44.8	69.8	73.6	58.8	54.2	90.5	100.9	132.8	68.8
1871	"	273	69.9	55.7	42.3	31.4	52.8	60.7	63.8	46.3	47.1	57.3	66.9	71.0	54.9
1872	"	166	77.3	79.2	28.1	28.2	33.7	69.0	59.2	64.7	53.3	52.3	67.5	67.5	54.2
1873	"	264	46.7	60.8	44.3	35.7	29.3	41.7	52.0	52.6	41.4	56.6	57.5	50.0	45.5
1874	"	300	50.2	48.7	41.5	35.6	35.3	32.1	47.3	47.3	47.9	57.7	65.3	71.8	46.7
1875	"	610	23.1	36.8	40.1	46.9	42.4	56.2	65.7	66.0	78.9	68.8	51.8	49.9	50.8
1876	"	274	54.2	56.5	78.3	96.6	96.2	69.9	68.3	65.0	75.5	60.7	67.0	66.7	73.0
1877	"	198	60.6	73.9	64.4	60.6	41.5	71.4	61.2	60.0	68.4	79.8	59.1	57.0	60.6
1878	"	196	55.9	23.4	30.0	61.3	60.5	58.6	64.5	86.0	130.4	150.5	76.5	60.9	71.4
1879	"	207	73.0	66.7	57.3	44.1	44.8	52.4	80.0	76.1	102.0	118.3	158.2	105.0	77.3
Ten Years, 1870-79	...	2,735	53.2	52.7	47.8	48.3	47.8	56.9	63.2	61.2	68.3	75.3	72.8	67.4	58.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1,323.9	20.3	8.1	...	214.6	28.3	...	68.8	8.1	141.7	117.4	44.5	226.7	149.8	477.7	2,829.9
1871	...	7.3	875.5	...	3.7	7.3	146.5	40.3	...	69.6	...	109.9	80.6	25.6	183.1	219.3	505.5	2,274.7
1872	1,114.4	30.1	18.1	...	126.5	42.2	...	60.2	...	120.5	144.6	48.2	126.5	277.1	494.0	2,002.4
1873	943.2	7.6	3.8	...	20.0	26.7	3.8	56.8	11.4	132.6	140.1	26.5	143.0	174.2	310.6	2,132.6
1874	703.2	6.7	16.7	...	26.7	33.3	20.0	56.7	16.7	146.7	146.7	13.3	143.3	96.6	256.7	1,623.4
1875	...	26.2	375.4	10.4	9.8	...	132.8	19.7	4.9	57.4	6.8	54.1	214.8	26.2	178.7	121.3	172.1	1,611.0
1876	...	7.3	671.6	3.6	3.6	...	29.2	36.5	...	54.8	3.6	135.0	132.3	10.9	240.5	69.4	142.3	1,576.6
1877	595.9	15.2	5.1	...	35.4	15.2	...	10.2	...	90.9	227.2	35.4	116.1	65.6	207.1	1,479.9
1878	...	10.2	1,535.7	40.3	61.3	25.5	...	10.2	15.3	56.1	148.0	40.8	163.3	137.7	250.0	2,545.9
1879	1,628.0	...	4.8	...	149.8	19.3	...	72.5	...	43.5	222.2	4.9	144.9	96.6	338.2	2,729.5
Ten Years, 1870-79	...	7.3	914.8	12.8	7.7	16.5	107.5	29.6	4.0	55.9	6.6	89.6	163.1	26.3	169.3	135.7	292.8	2,044.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	4.05	32.39	36.44	9	3	4	1	1	
1871	25.64	25.64	7	2	1	1	
1872	...	6.03	18.07	24.10	4	1	1	
1873	3.79	3.79	1	1	
1874	...	3.33	30.00	33.33	10	2	...	1	3	1	
1875	...	16.39	4.92	22.95	27	10	...	2	3	4	1	1	3	
1876	...	3.65	10.95	14.60	4	1	...	1	1	1	1	
1877	...	5.05	25.25	30.30	6	1	...	3	1	1	
1878	...	5.10	25.51	30.61	6	1	...	2	...	1	1	...	
1879	...	4.83	19.32	24.15	5	1	2	1	
Ten Years, 1870-79	...	4.39	21.56	28.88	79	12	1	11	8	17	1	1	5	...	3	4	1	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875	9	7
1876	1	1
1877	2
1878
1879
Ten Years, 1870-79	9	7	3	1	20

* A small detachment at Baroda from 1870 to 1875 is included in this Table.

III.—STATISTICS OF INDIVIDUAL STATIONS—KURRACHEE AND GHIZRI, 1870-79.

CL.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying KURRACHEE and GHIZRI during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns for MONTHS, Aggregate Strength, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths, Died per 1,000 of Strength, and various CAUSES OF DEATHS IN HOSPITAL (Cholera, Smallpox, Enteric Fever, etc.). Includes a summary row 'For the Ten Years' and a row 'Died per 1,000 of the Average Strength.'

Empty table area.

Table with columns for CAUSES OF ADMISSIONS, JAN., FEB., MAR., APRIL, MAY, JUNE, JULY, AUG., SEPT., OCT., NOV., DEC., Total Admitted during the Ten Years, Admitted per 1,000 of Strength, and Died out of each hundred cases treated. Includes a row 'Admitted per 1,000 of the Average Strength in each Month.'

III.—STATISTICS OF INDIVIDUAL STATIONS—HYDERABAD, 1870-79.

CLII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying HYDERABAD during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns for MONTHS, Aggregate Strength, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths, Died per 1,000 of Strength, and CAUSES OF DEATHS IN HOSPITAL (Cholera, Smallpox, Enteric Fever, etc.).

Table with columns for CAUSES OF ADMISSIONS, NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH (JAN. to DEC.), Total Admitted during the Ten Years, Admitted per 1,000 of Strength, and Died out of each hundred cases treated.

III.—STATISTICS OF INDIVIDUAL STATIONS—HYDERABAD, 1870-79.

CLIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying HYDERABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR,	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	354	56.0	45.5	37.6	21.4	30.9	45.3	31.1	28.3	38.2	63.3	71.4	49.1	42.4
1871	"	290	38.9	24.8	40.3	47.6	56.2	61.3	31.0	26.7	34.1	33.0	44.4	23.0	37.9
1872	"	377	34.0	29.6	35.2	36.5	34.1	34.8	37.2	56.8	56.2	63.9	115.8	102.0	55.7
1873	"	393	71.6	60.0	67.5	62.7	70.4	75.2	60.0	46.0	48.8	46.1	21.7	26.7	56.0
1874	"	428	18.8	25.8	25.4	24.9	20.5	30.1	32.4	50.9	48.7	56.2	70.7	73.9	39.7
1875	"	373	62.2	33.4	24.1	35.4	28.5	21.4	35.6	45.2	38.0	22.4	23.1	24.2	34.9
1876	"	370	22.4	29.3	37.3	39.9	40.5	35.5	57.9	46.6	54.8	73.8	82.9	106.5	51.4
1877	"	403	63.1	36.4	38.5	34.4	34.1	50.5	50.3	50.9	63.4	71.1	63.8	42.5	49.6
1878	"	386	33.4	26.3	28.6	21.7	24.8	22.8	32.6	34.7	42.1	44.2	76.9	150.2	41.5
1879	"	392	88.1	77.5	60.8	62.0	54.8	62.8	59.4	63.6	73.6	70.2	104.0	96.3	71.4
Ten Years, 1870-79	...	3,764	47.6	38.8	39.6	38.1	38.6	43.4	43.0	44.6	50.6	56.2	70.1	71.9	48.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR,	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	694.9	45.2	...	23.2	76.3	11.3	...	42.4	8.5	33.9	110.1	2.8	79.1	76.3	169.5	1,378.5
1871	434.5	6.9	...	34.5	48.3	24.1	...	51.7	...	41.4	203.4	31.0	86.2	65.5	155.2	1,132.7
1872	...	8.0	938.9	2.7	18.6	31.8	58.4	29.2	...	37.1	8.0	18.6	103.4	2.7	114.0	124.7	355.4	1,851.5
1873	498.7	12.7	2.5	28.0	28.0	7.6	...	56.0	2.5	68.7	198.5	17.8	145.1	129.8	229.0	1,424.9
1874	609.8	9.3	4.7	25.7	21.0	14.0	...	42.1	...	23.4	70.1	18.7	193.6	79.4	142.5	1,259.3
1875	622.0	5.4	...	13.4	34.9	2.7	2.7	53.6	10.7	34.9	104.6	13.4	120.6	99.1	144.7	1,262.7
1876	...	5.4	1,373.0	16.2	...	2.7	18.9	13.5	...	46.0	2.7	32.4	105.4	13.5	91.9	143.2	294.6	2,159.4
1877	...	2.5	585.6	2.5	5.0	12.4	27.3	17.4	7.4	47.1	...	72.0	171.2	19.8	109.2	176.2	327.5	1,583.1
1878	1,028.5	7.8	10.4	7.8	18.1	31.1	12.9	54.4	2.6	15.5	126.9	2.6	51.8	93.3	152.8	1,616.5
1879	...	5.1	1,214.3	...	2.6	43.4	35.7	25.5	5.1	56.1	15.3	81.6	255.1	5.1	86.7	91.8	127.6	2,051.0
Ten Years, 1870-79	...	2.1	805.6	10.6	4.5	22.6	35.9	17.5	2.9	48.6	5.0	42.5	143.7	12.5	110.3	109.2	211.0	1,584.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR,	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	11.30	11.30	4	1	2	1	...	
1871	...	3.54	10.34	13.79	4	1	1	...	
1872	...	10.61	15.92	26.53	10	3	1	...	1	4	
1873	7.64	7.64	3	1	1	
1874	...	4.67	7.01	11.68	5	1	2	
1875	...	2.63	8.04	10.72	4	1	1	1	
1876	...	2.70	10.81	13.51	5	1	2	1	1	
1877	...	4.96	...	4.96	2	2	2	
1878	...	2.59	12.95	15.54	6	1	2	1	1	
1879	7.65	7.65	3	2	1	...	
Ten Years, 1870-79	...	3.18	9.04	12.22	46	7	3	11	1	...	3	3	2	12	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR,	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—ADEN, 1870-79.

CLIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ADEN during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.									
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.					
January	7,100	236	33.2	10	3	...	3	...	2	1	1	4					
February	7,303	276	37.8	8	1	1	1				
March	7,323	282	38.5	5	1	...	1	1				
April	7,504	253	33.7	3				
May	7,408	301	40.6	7				
June	7,393	340	46.0	17	3				
July	7,375	299	40.5	16	13				
August	7,172	287	40.0	9	5				
September	7,157	281	39.3	7	1				
October	7,475	281	30.9	8	1				
November	6,909	194	27.7	4				
December	7,112	253	35.6	10	1				
												1	...	2	2	25	...	11	...	16	...	7	9	5	4	1	21
Died per 1,000 of the Average Strength.																														
For the Ten Years	7,277	269	37.0	104	14.29	.1427	.27	3.43	...	1.51	...	2.2096	1.24	.6955	.14	2.89			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1871-72 and 1873)	3	7	201	124	103	168	6	4	...	4	620	85.2	...
Cholera	1	.1	100.00
Smallpox	1	2	.3	...
Enteric Fever	1	1	...	1	...	1	3	7	1.0	28.57
Fever, Intermittent	84	72	111	119	188	191	201	122	94	96	62	155	1,495	205.4	...
Fevers, Remittent and Continued	17	32	29	59	190	180	149	44	53	25	15	25	818	112.4	...
Apoplexy	7	29	14	3	7	2	1	1	64	8.8	39.06
Delirium Tremens	...	1	...	3	11	4	2	11	5	3	3	5	52	7.1	...
Dysentery	28	24	7	20	9	18	21	25	18	24	15	31	240	33.0	4.58
Diarrhoea	32	30	19	29	27	17	16	29	29	34	12	18	292	40.1	...
Hepatitis	13	17	20	25	26	20	33	25	22	16	19	28	264	36.3	6.06
Spleen disease	...	3	2	3	6	3	3	3	3	4	1	...	31	4.3	...
Respiratory diseases	16	19	42	18	16	22	26	14	29	19	10	66	297	40.8	2.36
Phthisis Pulmonalis	6	7	5	1	4	2	12	3	3	2	2	4	51	7.0	9.80
Scurvy	...	1	1	2	.3	...
Rheumatism	23	18	26	33	20	31	35	29	28	32	18	29	322	44.2	...
Veneral diseases	71	63	68	51	51	47	43	48	43	35	26	78	624	85.8	...
Eye diseases	5	.8	...
Abscess and Ulcer	2	5	13	8	5	10	6	4	6	8	11	5	83	11.4	...
Wounds and Accidents	35	36	47	49	45	55	65	62	42	46	23	38	543	74.6	...
All other Causes	58	45	47	44	50	45	58	65	62	46	40	68	628	86.3	...
	74	68	82	89	105	142	119	113	123	89	65	107	1,176	161.6	...
Admitted per 1,000 of the Average Strength in each Month.															
	65.2	60.5	71.3	74.6	129.9	127.4	122.8	107.1	80.1	65.0	46.1	93.5	1,046.0		

III.—STATISTICS OF INDIVIDUAL STATIONS—ADEN, 1870-79.

CLV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ADEN in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	635	14.8	64.0	58.5	51.2	36.5	51.5	39.8	39.8	29.6	24.4	8.8	28.8	37.8
1871	"	716	30.1	27.7	27.7	30.3	33.3	37.6	43.1	50.1	37.6	22.3	23.7	25.7	32.1
1872	"	703	41.4	33.1	17.2	24.0	49.6	56.9	44.2	41.5	46.0	27.3	20.2	47.0	37.0
1873	"	758	32.5	41.8	41.8	40.6	47.2	60.4	51.3	44.9	38.5	29.1	19.9	30.5	39.6
1874	"	742	52.2	33.5	31.3	24.3	33.8	31.1	33.9	37.7	33.7	29.8	32.1	37.6	33.7
1875	"	707	45.2	3.6	33.5	30.9	37.6	37.6	37.7	35.3	47.5	40.9	59.0	37.9	39.6
1876	"	733	29.5	22.9	45.0	41.5	48.3	54.6	35.2	43.3	45.9	34.1	26.5	25.1	38.2
1877	"	734	26.7	25.7	60.5	33.9	46.8	48.2	40.1	29.2	29.2	22.8	33.2	27.9	34.1
1878	"	823	19.9	37.4	29.6	27.3	36.0	39.9	30.3	35.3	36.6	43.1	35.0	23.9	32.8
1879	"	725	39.2	57.5	47.9	34.3	37.2	42.9	51.2	42.9	47.2	33.5	18.1	72.2	44.1
Ten Years, 1870-79	...	7,277	33.2	37.8	38.5	33.7	40.6	46.0	40.5	40.0	39.3	30.9	27.7	35.6	37.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.
1870	554.3	4.7	3.2	28.3	40.9	...	56.7	4.7	36.2	61.5	25.2	36.2	64.6	237.8	1,154.3
1871	141.1	5.6	1.4	46.1	40.5	51.7	2.8	30.7	2.8	79.6	60.0	7.0	75.4	39.1	458.1
1872	...	1.4	210.5	17.1	4.3	56.9	93.9	52.6	...	31.3	2.8	54.0	71.1	11.4	72.6	54.1	692.7
1873	510.9	7.9	7.9	38.3	54.1	76.5	6.6	35.6	17.2	50.1	126.6	5.3	81.8	93.7	1,357.5
1874	273.6	2.7	13.5	20.2	29.6	33.7	6.7	39.1	4.1	37.7	90.3	8.1	101.1	125.3	124.0
1875	335.2	2.8	7.1	12.7	19.8	14.1	1.4	24.0	4.3	24.0	89.1	17.0	121.7	87.7	121.7
1876	...	2.7	257.9	2.7	23.2	25.9	17.7	21.8	9.5	24.6	5.5	21.8	105.1	12.3	34.1	72.3	111.9
1877	...	1.4	234.3	15.0	2.7	34.1	40.9	31.3	1.4	30.0	5.4	15.0	92.6	4.1	89.9	102.2	129.4
1878	...	1.2	342.7	12.2	3.6	30.4	30.4	49.8	12.2	31.0	12.2	52.2	60.8	10.9	52.2	93.5	192.0
1879	...	4.2	302.0	16.6	4.2	37.2	35.8	23.5	...	104.8	9.7	70.3	97.9	15.2	80.0	124.1	217.9
Ten Years, 1870-79	...	1	317.8	8.8	7.1	33.0	40.1	36.3	4.3	40.8	7.0	44.2	85.8	11.4	74.6	86.3	247.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.57	12.60	14.17	9	1	3	2	...	1	...	1	1	
1871	9.78	9.78	7	1	3	...	1	6	
1872	...	8.53	17.07	25.60	18	1	4	
1873	...	1.32	13.19	14.51	11	3	...	1	2	1	1	2	
1874	...	2.70	4.04	6.74	5	2	1	1	1	
1875	...	1.41	4.25	5.66	4	2	6	
1876	...	8.19	6.82	15.01	11	1	...	1	
1877	...	1.36	8.18	9.54	7	1	3	4	
1878	...	4.86	14.58	19.44	16	3	...	1	5	2	1	...	
1879	...	1.38	20.69	22.07	16	1	3	...	2	...	6	3	1	
Ten Years, 1870-79	...	14	3.03	11.12	14.29	104	1	...	2	2	25	...	11	16	...	7	9	5	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	1
1878
1879
Ten Years, 1870-79	1	1

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—BOMBAY, 1870-79.

CLVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BOMBAY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	366	40.5	36.8	53.2	87.6	85.0	79.6	63.1	56.6	31.2	65.2	56.8	67.8	57.4
1871	"	463	73.8	60.8	52.9	59.8	78.1	89.3	60.1	46.7	49.9	36.5	29.6	24.6	56.2
1872	"	443	37.7	34.9	37.0	51.4	77.3	70.7	62.2	51.0	41.4	55.2	60.1	72.9	54.2
1873	"	441	54.5	47.1	59.3	41.7	35.3	28.9	33.3	53.1	43.6	56.4	60.8	51.5	45.4
1874	"	443	54.0	56.2	52.9	55.8	49.3	51.7	53.8	60.8	66.5	81.6	60.5	75.8	60.9
1875	"	517	72.9	42.7	52.1	56.3	65.8	61.3	75.2	68.7	88.6	87.7	90.2	79.8	69.6
1876	"	509	53.1	55.6	60.7	73.7	65.2	76.1	66.1	78.2	89.2	122.6	81.4	72.4	72.7
1877	"	430	74.4	88.3	66.9	65.2	70.7	72.1	83.2	97.0	117.0	153.0	106.0	105.4	90.7
1878	"	501	85.3	89.9	85.2	64.6	71.7	63.6	75.6	114.3	190.8	170.7	147.3	71.9	93.8
1879	"	650	82.4	86.8	81.4	74.6	72.9	72.5	55.2	55.0	68.7	70.3	72.9	76.3	72.3
Ten Years, 1870-79		4,764	63.4	59.2	61.1	62.8	67.0	66.6	62.5	68.0	76.1	86.5	76.7	71.6	68.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	882.5	...	8.2	73.8	128.4	95.6	2.7	35.5	207.7	19.1	79.2	92.9	319.7	1,945.3
1871	321.8	...	8.6	15.1	32.4	79.9	10.8	64.8	23.8	45.4	129.6	15.1	157.7	149.0	192.2	1,246.2
1872	...	6.8	593.7	...	6.8	58.7	49.7	65.5	...	94.8	11.3	81.3	167.0	18.0	103.8	94.8	523.7	1,875.9
1873	566.9	...	6.8	56.7	47.6	104.3	...	65.8	9.1	70.3	226.7	9.1	117.9	70.3	170.0	1,521.5
1874	...	2.3	717.8	2.3	9.0	60.9	51.9	81.2	6.8	85.8	6.8	128.7	309.3	11.3	149.0	79.0	187.3	1,889.4
1875	1.9	...	1,212.8	1.9	1.9	129.6	87.0	114.1	9.7	46.4	13.6	56.1	245.6	11.6	104.5	123.8	282.4	2,442.9
1876	1,174.8	2.0	5.9	60.9	31.4	49.1	...	29.5	5.9	47.1	184.7	7.9	129.7	117.9	214.1	2,060.9
1877	1,846.5	4.6	2.3	32.6	37.2	41.9	4.6	62.8	4.6	37.2	209.3	13.9	125.6	111.7	169.8	2,704.6
1878	2,029.9	6.0	8.0	12.0	115.8	23.9	4.0	47.9	8.0	47.9	293.4	8.6	143.7	129.7	171.7	3,049.9
1879	1.5	...	740.0	4.6	7.7	29.2	95.4	32.3	...	32.3	7.7	16.9	366.1	9.3	70.8	101.5	152.3	1,667.6
Ten Years, 1870-79	4	8	1,011.8	2.3	6.5	52.3	68.2	59.4	3.6	59.8	9.5	55.0	239.9	12.0	117.1	107.9	232.8	2,039.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhœa.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	13.66	13.66	5	1	2	1	1	
1871	...	2.16	8.64	10.80	5	1	1	1	2	...	1	
1872	22.57	22.57	10	2	...	1	...	5	
1873	11.34	11.34	5	1	1	...	1	...	2	
1874	27.09	27.09	12	2	1	...	1	4	1	
1875	...	1.93	16.48	17.41	9	1	...	2	2	...	1	...	1	...	1	
1876	7.86	7.86	4	1	...	1	...	1	...	1	
1877	13.95	13.95	6	1	2	1	...	1	
1878	...	3.99	9.98	13.97	7	2	...	1	1	...	1	...	2	
1879	10.77	16.92	11	1	1	2	...	1	...	1	...	4	
Ten Years, 1870-79	...	1.68	13.85	15.53	74	3	8	5	1	8	18	...	3	8	5	7	8	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873
1874
1875
1876	1	...
1877
1878
1879	1
Ten Years, 1870-79	1	1	...	2

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—ASIRGARH, 1870-79.

CLVIII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ASIRGARH during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.
January ...	843	51	60.5	3	1	1	1		
February ...	891	47	52.7	1		
March ...	1,003	43	42.9		
April ...	898	37	41.2		
May ...	800	34	42.5		
June ...	798	26	32.6	...	1	1		
July ...	795	25	31.4		
August ...	791	34	43.0		
September ...	848	48	56.6		
October ...	758	54	71.2		
November ...	661	42	63.5	3	1	1		
December ...	659	37	56.1	1		
						1	...	2	1	2	1	1	
Died per 1,000 of the Average Strength.																								
For the Ten Years	812	40	49.3	9	11.09	1.23	2.47	1.23	2.47	1.23	1.23	...	1.23

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872-73)	...	1	1	2	2.4	...
Cholera
Smallpox
Enteric Fever	1	1.2	100.00
Fever, Intermittent	...	13	9	15	10	18	23	37	62	91	88	66	27	459	568.3
Fevers, Remittent and Continued	...	14	10	6	6	5	4	4	14	11	31	10	5	120	147.8
Apoplexy	1	2	3	3.7
Delirium Tremens	1	4	4.9
Dysentery	...	5	3	7	1	2	2	2	1	25	30.8
Diarrhœa	...	1	2	3	9	1	3	3	4	2	3	...	1	33	40.6
Hepatitis	...	1	1	2	4	3	3	1	1	4	4	3	3	32	39.4
Spleen disease	...	3	2	2	5	6.2
Respiratory diseases	...	10	5	...	8	...	2	3	5	...	6	7	...	61	75.1
Phthisis Pulmonalis	3	1	2	8	9.9
Scurvy	2
Rheumatism	...	3	2	7	6	2	1	4	...	9	3	5	4	46	56.6
Veneral diseases	...	19	22	13	12	6	6	4	5	8	8	8	17	129	158.9
Eye diseases	...	4	3	3	2	1	1	1	3	1	2	1	...	23	28.3
Abscess and Ulcer	...	13	7	9	4	8	5	10	6	6	6	5	8	86	105.9
Wounds and Accidents	...	9	12	8	6	8	7	8	7	14	11	8	8	107	131.8
All other Causes	...	13	7	13	11	10	10	5	8	22	21	7	12	139	171.2
	108	87	94	74	70	70	86	116	176	192	116	94	1,283		
Admitted per 1,000 of the Average Strength in each Month.															
128.1	97.6	93.7	82.4	87.5	87.7	108.2	146.6	207.5	253.3	175.5	142.6	1,583.0			

III.—STATISTICS OF INDIVIDUAL STATIONS—AHMEDNAGAR, 1870-79.

CLXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying AHMEDNAGAR in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	582	53.4	33.4	44.5	43.5	45.3	56.9	73.2	65.6	55.0	36.1	36.5	28.1	48.1
1871	"	642	33.3	26.9	29.1	33.8	18.4	33.8	53.6	81.3	78.2	84.6	70.5	60.3	51.4
1872	"	592	61.5	53.1	45.6	43.8	29.1	48.8	44.3	47.7	48.0	44.7	50.7	41.8	47.3
1873	"	286	96.8	31.3	25.4	25.7	26.1	26.1	36.4	33.2	40.7	19.9	29.6	23.0	31.5
1874	"	519	47.6	57.4	44.9	32.9	29.4	40.4	58.8	53.3	42.5	40.4	43.6	29.9	43.7
1875	"	410	32.1	39.6	43.1	30.4	16.7	35.1	35.1	40.9	35.2	25.0	43.8	46.2	34.1
1876	"	477	68.5	61.7	45.5	41.6	41.8	48.2	53.9	57.8	54.7	47.2	51.9	49.6	52.4
1877	"	509	46.1	55.6	56.0	43.9	53.8	48.0	62.6	61.1	63.3	55.3	50.8	30.9	53.0
1878	"	301	30.9	44.8	44.2	45.4	53.5	49.0	35.9	53.5	80.5	76.2	83.3	60.4	53.2
1879	For 9 Months	373	38.1	94.4	79.1	75.1	82.9	87.8	88.6	99.4	93.0	80.4
Ten Years, 1870-79		4,642	49.1	46.5	43.3	38.3	39.4	46.7	54.7	59.5	58.5	52.6	55.4	43.8	48.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	1.7	204.5	...	3.4	8.6	22.3	*	...	6.8	5.2	12.0	152.9	15.5	79.1	106.5	206.2	824.7
1871	813.1	3.1	1.6	...	10.9	53.0	1.6	23.4	...	17.1	124.6	14.0	60.7	87.2	91.9	1,302.2
1872	...	1.7	307.4	6.8	1.7	6.8	16.9	18.6	3.4	50.7	5.1	25.3	150.3	20.3	77.7	99.6	86.1	885.2
1873	279.7	7.0	31.5	7.0	...	41.9	...	21.0	118.9	24.5	125.9	125.9	118.8	902.1
1874	211.3	...	9.1	3.6	61.9	21.9	1.8	71.0	1.8	63.8	229.5	16.4	82.0	83.8	131.2	959.1
1875	...	2.4	175.6	2.4	9.8	7.3	109.8	17.1	7.3	46.3	...	17.1	187.8	43.9	73.1	90.3	119.5	914.6
1876	498.9	2.1	2.1	56.6	73.4	75.5	8.4	77.6	...	58.7	186.6	21.0	98.5	83.8	186.6	1,429.8
1877	...	3.9	385.1	...	3.9	31.4	70.7	25.5	3.9	60.9	...	47.2	233.8	31.4	47.2	137.5	220.1	1,306.4
1878	...	3.3	272.4	6.6	3.3	39.9	46.5	66.4	6.6	46.5	...	76.4	315.6	26.6	63.3	152.8	229.2	1,355.4
1879	...	5.4	857.9	5.4	18.8	16.1	5.4	13.4	5.4	18.8	273.5	5.3	75.0	75.0	80.4	1,455.8
Ten Years, 1870-79	...	1.1	419.6	2.2	3.7	16.8	45.2	30.8	3.9	45.2	1.9	35.1	194.8	21.5	77.8	104.1	148.4	1,154.5

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a. Violent Deaths.	b. Diseases.																
1870	...	3.44	3.43	6.87	4	1	1	2	
1871	7.79	7.79	5	1	
1872	...	1.69	15.20	16.89	10	1	...	1	...	3	1	1	
1873	...	3.50	3.50	7.00	2	1	1	
1874	1.82	1.82	1	
1875	...	2.44	2.44	4.88	2	1	1	
1876	6.29	6.29	3	1	
1877	...	1.96	3.93	11.79	6	1	...	1	2	2	
1878	...	3.32	6.64	19.93	6	1	2	
1879	2.68	2.68	1	1	2	
Ten Years, 1870-79	...	1.86	6.26	8.62	40	4	...	3	3	5	1	4	3	...	2	...	8	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871
1872
1873	1
1874
1875	1
1876
1877	1
1878	1
1879
Ten Years, 1870-79	1	1	1	1	1	5

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—POONA AND KIRKEE, 1870-79.

CLXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying POONA and KIRKEE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.								
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
January ...	16,274	912	56.0	13	2	1	...	4	...	2	...	2	1	...	1	...	1	...	
February ...	16,033	832	51.9	9	3
March ...	18,325	940	51.3	14	1	...	1
April ...	22,055	1,090	49.4	15	2	1	...	3
May ...	21,994	1,146	52.1	22	1	1	...	1
June ...	23,043	1,225	53.2	25	3	1	...	1
July ...	23,478	1,422	60.6	38	19	1	...	1
August ...	23,370	1,489	63.7	41	15	2	...	4
September ...	23,463	1,387	59.1	21	2	4
October ...	22,424	1,289	57.5	19
November ...	21,967	1,267	57.7	18
December ...	19,385	1,070	55.2	15	1	...	3
						40	1	22	2	12	11	3	20	5	30	...	8	21	24	...	2	...	26	3	20				
						Died per 1,000 of the Average Strength.																							
For the Ten Years ...	20,984	1,172	55.9	250	11.91	1.91	.05	1.05	.67	.52	.14	.95	.24	1.4338	1.00	1.1410	...	1.24	.14	.95					

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)	243	450	80	26	49	43	67	39	5	3	1,005	47.9	...												
Cholera ...	1	3	3	22	24	2	55	2.6	72.73												
Smallpox ...	4	2	2	9	3	1	...	22	1.0	4.55												
Enteric Fever ...	2	1	...	5	7	7	1	11	5	5	1	1	46	2.2	47.83												
Fever, Intermittent ...	458	362	514	546	611	874	1,281	1,116	978	860	917	752	9,269	441.7	.02												
Fever, Remittent and Continued ...	75	60	273	349	410	392	477	369	286	368	391	226	3,670	175.2	.33												
Apoplexy ...	2	...	2	7	3	1	...	2	...	1	1	2	21	1.0	52.38												
Delirium Tremens ...	5	2	6	10	5	5	2	17	4	11	8	2	77	3.7	3.90												
Dysentery ...	30	30	30	31	18	47	96	98	64	47	48	62	601	28.6	3.33												
Diarrhoea ...	31	40	51	75	99	154	333	199	95	82	61	119	1,330	63.8	.37												
Hepatitis ...	53	44	37	45	36	36	51	52	50	51	49	63	567	27.0	5.29												
Spleen disease ...	6	1	5	10	9	8	17	12	11	8	5	7	99	4.7	...												
Respiratory diseases ...	116	89	105	123	93	80	79	103	104	100	127	123	1,212	59.2	.64												
Phthisis Pulmonalis ...	7	15	5	8	10	24	19	14	19	24	10	12	167	8.0	14.37												
Scurvy	1	2	...	2	1	4	11	.5	18.18												
Rheumatism ...	55	69	71	93	117	97	99	93	103	77	61	56	991	47.2	...												
Veneral diseases ...	289	286	431	413	373	326	355	410	414	404	392	324	4,417	210.5	...												
Eye diseases ...	24	23	43	45	59	52	52	54	52	55	37	25	521	24.8	...												
Abscess and Ulcer ...	157	133	187	205	213	195	173	154	162	161	156	151	2,047	97.6	...												
Wounds and Accidents ...	102	138	174	197	178	146	153	158	171	204	191	174	1,986	94.7	...												
All other Causes ...	162	177	235	287	311	281	303	288	248	308	240	228	3,068	146.2	...												
													1,579	1,473	2,415	2,908	2,640	2,754	3,565	3,218	2,839	2,805	2,701	2,330	31,227		
													Admitted per 1,000 of the Average Strength in each Month.														
													97.0	91.9	131.8	131.9	190.0	119.5	151.8	137.7	121.0	125.1	123.0	120.2	1,488.1		

III.—STATISTICS OF INDIVIDUAL STATIONS—POONA AND KIRKEE, 1870-79.

CLXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying POONA AND KIRKEE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	2,284	34.4	35.4	44.8	40.0	55.1	52.9	44.2	46.7	43.4	41.5	39.6	45.8	44.7
1871	"	2,226	44.8	41.1	41.5	36.2	53.0	56.3	73.2	61.9	45.1	43.8	51.7	42.3	50.3
1872	"	2,308	51.5	39.5	45.1	69.9	56.1	46.7	41.1	50.0	44.2	38.5	40.9	46.5	47.7
1873	"	2,656	52.0	54.9	51.6	42.2	38.5	42.7	45.4	50.6	48.9	45.5	36.5	35.9	44.8
1874	"	2,202	52.2	45.7	61.1	56.0	37.8	44.2	50.5	60.3	57.0	54.9	63.7	54.8	54.0
1875	"	1,850	58.9	53.3	40.1	42.5	45.3	52.4	64.7	67.2	59.2	58.5	57.8	51.6	55.1
1876	"	1,940	59.2	56.5	51.8	43.9	39.9	46.2	55.6	54.1	47.3	53.1	59.6	60.8	52.1
1877	"	1,917	69.3	58.0	48.6	54.0	60.7	54.4	65.2	84.2	73.5	76.4	75.8	67.0	66.2
1878	"	1,790	77.7	71.1	58.2	50.4	63.5	59.4	65.8	102.2	89.7	91.2	82.8	76.5	71.5
1879	"	1,811	63.2	64.6	63.5	62.9	76.4	81.7	96.8	95.6	97.3	91.3	96.3	89.9	83.9
Ten Years, 1870-79		20,984	56.0	51.9	51.3	49.4	52.1	53.2	60.6	63.7	59.1	57.5	57.7	55.2	55.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	
1870	2.6	438.7	.4	6.6	19.3	56.9	47.7	8.3	25.0	155.4	18.0	62.6	56.0	200.5	1,098.0
1871	...	673.0	1.3	4.5	13.5	35.5	10.3	1.8	45.8	7.2	32.3	111.0	32.8	66.1	79.0	99.7	1,213.8
1872	3.5	356.2	...	4	58.9	75.4	17.8	4.8	51.1	11.7	81.4	121.3	26.9	97.9	86.2	571.1	1,567.2
1873	1.5	302.7	...	1.9	27.1	32.0	43.3	4.9	61.0	3.4	48.2	232.7	43.3	122.0	106.1	132.9	1,163.4
1874	1.4	508.2	.9	1.8	31.8	56.3	34.5	1.4	73.6	4.1	45.4	235.2	20.9	117.6	110.8	164.4	1,411.0
1875	11.4	4.3	790.8	1.1	7.6	24.3	111.9	29.7	2.2	87.0	8.7	45.4	198.9	23.1	121.1	114.0	1,946.6
1876	5	5.2	377.3	1.0	6.2	34.5	49.5	43.3	4.6	39.7	8.8	30.9	198.5	22.2	82.5	93.3	1,510.0
1877	6.3	1.6	496.0	1.6	5.2	37.6	98.1	38.1	6.8	57.9	7.3	53.2	249.3	19.3	100.2	106.4	1,423.1
1878	5.0	.6	833.5	.6	2.8	25.1	60.3	25.1	8.4	53.6	9.4	64.3	282.7	15.6	111.2	88.2	1,291.1
1879	6	1.1	1,476.5	3.3	.6	11.0	81.7	30.4	14.9	79.5	13.8	46.9	365.5	13.3	95.5	112.1	2,491.4
Ten Years, 1870-79	2.6	2.2	616.9	1.0	3.7	23.6	63.8	27.0	4.7	59.2	8.0	47.2	210.5	24.8	97.6	94.7	1,488.1

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory dis- eases.	Heart diseases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	...	1.31	11.39	12.70	29	5	4	2	1	6	...	3	...	3	...	3	
187190	8.53	9.43	21	
1872	3.03	.43	8.24	11.70	27	7	1	4	6	...	1	...	4	...	1	
1873	...	45	6.78	6.78	18	
1874	.91	.43	6.81	8.17	18	
1875	7.57	.54	14.05	22.16	41	2	...	1	3	...	1	...	2	...	1	
1876	...	2.06	12.89	14.95	29	14	...	3	1	2	...	3	...	4	...	1	
1877	4.69	2.61	6.78	14.98	27	9	...	4	1	1	...	2	...	2	...	4	...	1	
1878	3.91	2.79	7.27	13.97	25	7	3	...	2	...	1	...	3	
1879	.55	.55	7.18	8.28	15	1	...	1	3	2	...	1	...	2	...	5	
Ten Years, 1870-79	1.91	1.09	8.91	11.91	250	40	1	22	14	11	3	25	30	...	8	21	24	28	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	7	1
1874
1875	1
1876	2	...	18	1
1877	...	1	1
1878	1	1	8	1
1879	1	...	4	3	1
Ten Years, 1870-79	...	1	3	3	22	24	2	55

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—SATARA, 1870-79.

CLXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying SATARA during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table with columns: MONTHS., Aggregate Strength for each Month of the Ten Years, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths, Died per 1,000 of Strength, and CAUSES OF DEATHS IN HOSPITAL. (Cholera, Smallpox, Enteric Fever, etc.). Includes a summary row for 'For the Ten Years' and a 'Died per 1,000 of the Average Strength' row.

Table with columns: CAUSES OF ADMISSIONS., and NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH. (JAN., FEB., MAR., APRIL, MAY, JUNE, JULY, AUG., SEPT., OCT., NOV., DEC.). Includes summary rows for 'Total Admitted during the Ten Years', 'Admitted per 1,000 of Strength', and 'Died out of each hundred cases treated'.

III.—STATISTICS OF INDIVIDUAL STATIONS—SATARA, 1870-79.

CLXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SATARA in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	194	55.3	65.3	65.7	75.8	60.6	50.5	50.6	61.2	61.5	73.7	109.3	116.0	72.2
1871	For the Year	189	26.2	36.6	47.1	63.2	70.7	131.1	152.2	97.8	65.2	54.9	48.1	4.7	63.5
1872	For 10 Months	209	9.5	4.7	19.0	42.9	14.4	19.1	14.4	19.2	62.5	57.7	23.9
1873	For 11 Months	193	71.4	57.4	58.0	48.1	42.8	42.8	64.2	64.2	58.8	80.2	54.6	...	57.0
1874	For the Year	173	44.7	27.9	17.0	11.4	23.0	23.0	28.7	28.9	31.7	28.9	42.4	24.4	28.9
1875	"	160	43.2	37.0	55.6	37.0	37.0	43.2	67.9	55.6	37.3	31.1	39.2	27.8	43.7
1876	"	154	71.4	55.2	32.1	25.6	44.6	32.1	19.2	38.5	39.5	48.3	36.2	31.6	39.0
1877	"	158	37.5	37.5	50.0	81.2	143.8	125.0	88.1	63.3	94.9	101.3	133.8	64.1	82.3
1878	"	164	84.3	94.1	122.1	81.9	89.3	77.4	76.9	83.8	96.4	126.7	135.7	60.2	91.5
1879	"	150	72.3	90.4	135.5	132.5	112.6	80.0	94.0	120.8	88.4	93.5	124.1	104.2	106.7
Ten Years, 1870-79	...	1,708	50.6	49.7	58.7	59.1	61.7	61.2	65.3	62.1	63.5	68.5	78.8	50.2	60.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	634.0	5.1	...	5.1	15.5	15.5	10.3	15.5	67.0	10.3	10.3	10.3	190.8	989.7
1871	5.3	5.3	1,740.7	...	26.4	5.3	21.1	10.6	26.4	111.1	...	74.1	58.2	15.9	63.5	95.3	137.6	2,396.8
1872	119.6	9.6	23.9	...	19.1	19.1	4.8	229.7	4.8	23.9	9.6	62.2	526.3
1873	...	5.2	383.4	51.8	25.9	88.1	10.3	57.0	15.6	31.1	243.5	5.2	15.6	25.9	72.5	1,031.1
1874	265.9	11.6	...	5.8	...	63.6	5.8	23.1	109.8	...	57.8	34.7	75.1	653.2
1875	262.5	...	12.5	...	25.0	6.2	...	50.0	...	18.8	337.5	6.2	43.8	50.0	112.5	925.0
1876	162.3	...	6.5	13.0	39.0	19.5	...	97.4	6.5	32.5	266.2	6.5	45.4	32.5	51.9	779.2
1877	6.3	...	481.0	19.0	25.3	50.6	...	44.3	6.3	6.3	651.9	31.7	139.2	107.6	76.0	1,645.5
1878	676.8	...	12.2	61.0	61.0	24.4	18.3	42.7	6.1	30.5	597.5	24.4	103.6	103.6	140.3	1,902.4
1879	...	6.7	1,526.6	...	6.7	6.7	53.3	13.3	...	66.7	...	33.3	733.3	6.7	86.7	73.3	86.7	2,700.0
Ten Years, 1870-79	1.2	3.5	636.4	.6	6.4	18.1	27.5	27.5	5.9	56.8	7.6	27.5	319.7	11.1	58.0	53.3	104.8	1,365.9

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	10.31	10.31	2	1	
1871	...	10.58	21.17	31.75	6	1	2	
1872	...	4.78	4.78	9.57	2	...	1	1	1	
1873	20.72	20.72	4	2	1	
1874	5.78	5.78	1	
1875	6.25	6.25	1	
1876	
1877	6.33	6.33	1	
1878	12.20	12.20	2	1	
1879	6.67	6.67	1	1	
Ten Years, 1870-79	...	1.76	9.95	11.71	20	...	1	3	1	1	1	1	1	...	2	4	1	1	3

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870
1871	1
1872
1873
1874
1875
1876
1877	1
1878
1879
Ten Years, 1870-79	1	1	2

III.—STATISTICS OF INDIVIDUAL STATIONS—BELGAUM, 1870-79.

CLXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BELGAUM during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.		
January ...	9,238	409	44.3	2	1
February ...	9,173	423	46.1	3	1
March ...	9,458	417	44.1	7	1	...
April ...	10,284	466	45.3	9
May ...	10,267	499	48.6	6
June ...	10,241	528	51.6	9
July ...	10,232	547	53.5	8
August ...	10,226	581	56.8	7
September ...	10,185	548	53.8	4
October ...	10,068	583	57.9	6
November ...	8,688	566	65.1	8
December ...	7,864	421	53.5	6
						1	1	8	...	3	2	1	3	1	14	...	6	5	3	13	1	13	...
Died per 1,000 of the Average Strength.																											
For the Ten Years	9,660	499	51.7	75	7.76	·10	·10	·83	·31	·21	·10	·31	·10	1.45	...	·62	·52	·31	1.35	·10	1.35	...	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.													
Dengue (of 1872)	1	1	...	100.00									
Cholera	1	...	100.00									
Smallpox	1	...	80.00									
Enteric Fever	10	1.0	...									
Fever, Intermittent	162	155	145	152	140	168	234	240	241	292	366	194	2,489	257.7	...										
Fevers, Remittent and Continued	45	38	30	60	56	60	53	49	35	48	54	17	545	56.4	...										
Apoplexy	1	...	1	1	5	...	40.00										
Delirium Tremens	4	2	5	5	4	3	7	8	3	3	3	...	47	4.9	2.13										
Dysentery	8	6	15	10	16	13	30	21	15	10	7	8	159	16.5	1.89										
Diarrhoea	18	11	27	32	41	53	45	33	24	33	22	12	351	36.3	...										
Hepatitis	16	13	15	23	16	19	21	11	20	16	13	11	194	20.1	7.22										
Spleen disease	1	3	3	3	2	3	4	5	1	2	27	2.8	...										
Respiratory diseases	39	45	38	27	40	35	40	31	34	33	32	43	437	45.2	1.37										
Phthisis Pulmonalis	4	3	...	2	2	4	5	8	4	4	5	6	47	4.9	6.38										
Scurvy	...	1	1	2										
Rheumatism	20	44	34	30	33	37	35	38	24	23	17	17	352	36.4	...										
Veneral diseases	154	190	155	213	177	209	211	197	191	215	185	158	2,255	233.4	...										
Eye diseases	6	8	10	11	14	6	7	12	8	12	5	5	104	10.8	...										
Abscess and Ulcer	49	39	73	73	68	56	63	57	45	63	67	69	722	74.7	...										
Wounds and Accidents	52	62	74	78	80	74	60	61	74	75	70	56	816	84.5	...										
All other Causes	96	67	117	111	133	101	118	134	135	148	116	74	1,350	139.8	...										
Admitted per 1,000 of the Average Strength in each Month.																									
675	687	743	833	822	842	937	906	855	979	965	670	9,914	73.1	74.9	78.6	81.0	80.1	82.2	91.6	88.6	83.9	97.2	111.1	85.2	1,026.3

III.—STATISTICS OF INDIVIDUAL STATIONS—BELGAUM, 1870-79.

CLXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BELGAUM in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	954	48.4	44.4	60.3	45.2	48.4	53.3	30.1	35.9	36.9	46.6	42.1	52.3	45.1
1871	"	998	39.4	47.4	48.0	51.6	46.5	42.6	47.5	45.6	43.7	44.7	35.0	34.3	44.1
1872	"	1,037	35.5	32.2	36.0	29.1	35.7	36.7	33.0	29.2	34.0	36.8	43.6	34.5	34.7
1873	For 10 Months	1,064	40.1	37.2	30.2	32.1	32.1	27.4	38.8	41.6	36.0	26.6	33.8
1874	For the Year	1,037	29.1	44.5	33.4	32.0	34.9	47.0	58.5	54.7	59.3	59.5	64.2	58.6	48.2
1875	"	994	61.4	48.6	44.3	47.8	47.8	60.0	62.1	67.0	35.9	58.0	66.9	47.6	54.3
1876	"	972	38.7	39.6	38.4	37.2	46.3	57.2	66.5	60.4	50.4	56.7	58.4	47.8	49.4
1877	"	1,011	46.7	46.9	39.6	40.7	50.3	46.1	65.1	73.9	74.5	79.1	88.7	66.0	59.3
1878	"	874	57.2	68.5	56.9	64.3	66.0	75.8	57.7	78.6	87.7	82.5	114.7	108.6	74.4
1879	"	844	56.9	68.3	89.8	75.5	80.4	73.0	76.9	84.6	84.5	94.3	85.1	70.6	79.4
Ten Years, 1870-79	...	9,660	44.3	46.1	44.1	45.3	48.6	51.6	53.5	56.8	53.8	57.9	65.1	53.5	51.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	169.8	...	6.3	12.6	27.3	61.8	6.3	40.9	156.2	11.5	56.6	87.0	257.8	894.1
1871	169.3	1.0	5.0	8.0	36.1	25.0	3.0	32.1	7.0	46.1	236.5	19.0	82.2	39.1	57.1	766.5
1872	121.5	...	1.0	11.6	32.8	29.9	3.8	31.8	5.8	43.4	195.7	7.7	79.1	46.3	67.5	677.9
1873	87.4	...	9	7.5	16.0	21.6	1.9	22.6	3.8	31.0	174.8	12.3	63.9	32.0	40.4	516.0
1874	223.7	...	10.6	8.7	39.5	28.9	1.0	64.6	10.6	52.1	173.6	8.7	91.6	107.0	270.0	1,090.6
1875	...	2.0	223.4	2.0	12.1	20.1	48.3	37.2	7.0	79.5	6.0	38.2	217.3	16.1	97.5	112.7	188.2	1,107.6
1876	231.5	22.6	34.0	15.4	...	48.4	1.0	31.9	239.7	7.2	70.0	111.1	148.1	960.9
1877	1.0	4.0	324.4	...	7.9	36.6	75.2	10.9	...	32.6	3.0	23.7	248.3	4.9	72.2	121.6	115.8	1,082.1
1878	...	4.6	1,062.9	1.1	2.3	20.6	30.9	13.7	1.1	33.2	1.1	19.5	373.0	5.7	37.8	108.7	128.2	1,844.4
1879	639.8	1.2	1.2	13.0	15.4	8.3	10.7	37.9	2.4	29.6	314.0	13.0	79.4	69.9	107.8	1,343.6
Ten Years, 1870-79	...	1	314.1	5	4.9	16.5	36.3	20.1	2.8	45.2	4.9	36.4	233.4	10.8	74.7	84.5	140.1	1,026.3

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	9.43	9.43	9	1	...	1	1	...	2	1	1	2	
1871	7.01	7.01	7	
1872	5.78	5.78	6	
1873	1.94	1.88	3	
1874	1.93	1.96	3	
1875	2.01	13.08	15	...	1	1	
1876	2.06	5.14	7	3	
1877	...	99	3.96	5.93	11	3	1	
1878	2.29	10.30	11	3	1	
1879	1.18	2.37	3	
Ten Years, 1870-79	...	10	1.45	6.21	7.76	75	1	1	8	3	2	1	4	14	...	6	5	3	13

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	1
1878
1879
Ten Years, 1870-79	1

* Included under "All other Causes."

III.—STATISTICS OF INDIVIDUAL STATIONS—SECUNDERABAD, 1870-79.

CLXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying SECUNDERABAD in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUN.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	2,086	54.5	44.1	46.2	55.5	58.5	51.8	51.2	56.8	67.6	68.2	54.1	36.2	53.7
1871	"	2,121	30.5	36.5	44.6	48.9	51.7	59.0	56.7	56.1	61.8	68.6	70.9	67.6	
1872	"	2,586	60.3	56.7	49.5	49.3	55.3	58.0	61.0	78.6	89.5	80.9	71.8	78.5	
1873	"	2,421	70.3	47.3	53.1	47.3	42.3	39.1	45.3	50.7	56.7	57.1	56.1	55.9	
1874	"	2,468	54.0	46.3	35.5	36.1	32.5	35.3	40.0	38.4	42.1	48.4	51.2	48.7	
1875	"	2,261	54.6	58.4	48.1	49.7	49.5	47.1	53.7	46.6	51.2	51.4	46.7	57.6	
1876	"	2,317	65.7	63.2	48.5	47.3	44.1	42.9	43.5	42.9	48.9	53.6	57.6	56.1	
1877	"	2,423	57.3	57.3	45.1	47.6	55.8	59.6	55.9	63.2	62.4	68.9	62.9	71.3	
1878	"	2,535	76.6	80.7	66.3	60.9	59.6	66.7	65.4	70.5	80.2	80.7	75.2	76.9	
1879	"	2,192	71.2	81.5	62.7	56.1	59.4	61.3	65.5	68.4	66.5	78.5	76.2	71.4	
Ten Years, 1870-79		23,411	61.0	58.4	50.1	49.7	51.0	52.0	53.8	57.4	63.3	64.8	62.6	61.8	57.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	5	8.6	152.0	2.9	3.4	131.8	90.1	71.4	3.8	54.7	3.8	43.6	147.6	22.5	104.5	82.9	162.1	1,086.2
1871	34.9	4.7	157.5	1.9	6.2	95.7	104.7	67.4	4.7	51.8	5.2	60.3	220.2	15.6	103.7	120.2	209.8	1,261.5
1872	1.2	13.5	230.1	7.3	5.4	187.1	117.6	56.5	8	52.2	5.8	39.8	198.4	18.9	129.9	96.3	208.4	1,349.2
1873	4	185.5	1.7	4.1	116.1	105.2	91.3	3.3	76.0	11.2	61.5	114.8	16.1	101.2	126.8	266.4	1,284.6	
1874	1.2	146.7	1.2	4.1	69.7	59.6	82.7	2.0	64.4	10.5	60.8	117.1	12.1	80.6	115.5	199.8	1,025.0	
1875	4	4.4	131.4	1.8	2.7	87.1	89.3	77.4	9	46.0	5.6	32.7	226.4	8.8	92.9	121.2	180.9	1,110.1
1876	3.0	16.4	211.0	3.0	3.9	51.8	58.7	53.1	1.7	62.2	5.6	37.1	214.9	15.1	79.4	100.2	203.7	1,120.8
1877	2.9	13.6	203.9	2.1	3.3	59.8	107.7	51.2	2.1	44.6	4.5	32.6	214.6	30.1	118.0	97.8	202.7	1,191.5
1878	7.1	3.6	372.3	3.6	4.7	69.2	136.1	71.4	3.6	67.1	3.9	43.0	271.4	14.6	87.2	100.6	246.2	1,602.0
1879	1.4	364.0	1.8	2.3	87.1	63.9	62.5	3.6	50.7	9	51.1	244.5	15.1	100.4	103.1	182.9	1,335.3	
Ten Years, 1870-79	4.7	6.8	217.0	2.8	4.0	104.4	94.3	68.5	2.2	57.2	5.8	46.2	196.9	16.9	99.9	106.5	207.5	1,241.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart disease.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	48	48	17.74	18.70	39	1	...	8	1	2	1	9	8	...	1	2	3	2	1	
1871	16.97	3.30	19.81	40.08	85	36	9	17	...	2	3	3	3	7	
1872	39	7.7	25.91	27.07	70	1	...	14	1	2	...	17	12	...	1	3	3	5	2	
1873	...	2.07	20.23	22.30	54	1	22	19	...	1	3	1	...	5	
1874	...	41	8.50	8.91	22	2	2	2	9	1	1	
1875	...	2.65	15.04	17.69	40	3	1	1	...	7	13	6	
1876	1.30	8.6	12.08	14.24	33	3	...	14	1	3	...	3	3	2	
1877	1.24	2.48	11.55	15.27	37	3	...	9	...	3	...	3	6	6	
1878	4.73	7.9	18.94	24.46	62	12	...	7	...	2	...	1	12	10	...	2	2	3	2	
1879	...	1.82	9.59	11.41	25	3	...	3	4	3	5	4	
Ten Years, 1870-79	2.39	1.54	16.02	19.95	467	56	...	64	10	32	4	88	100	...	7	23	19	28	36	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	1	1
1871	71	74
1872	2	3
1873	1	3
1874
1875
1876
1877	...	1	3	...	1	1
1878	5	1	7
1879	1	18
Ten Years, 1870-79	1	9	1	2	72	3	9	10	1	...	2	1	111	

III.—STATISTICS OF INDIVIDUAL STATIONS—KAMPTEE, 1870-79.

CLXX.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying KAMPTEE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
January ...	11,001	640	58.2	12	2	2	...	2	1	1	3		
February ...	11,172	706	63.2	7	1	1	1	
March ...	10,118	575	56.8	7	1	1	1
April ...	9,843	566	57.5	10
May ...	9,843	578	58.7	21	3
June ...	9,803	590	60.2	25
July ...	9,790	590	60.3	11	1
August ...	9,751	675	69.2	13	1
September ...	9,727	697	71.7	12
October ...	8,965	643	71.7	13
November ...	9,751	572	58.7	6
December ...	10,643	527	49.5	4
						5	8	7	...	14	25	1	8	...	18	...	3	15	8	19	1	9	
						Died per 1,000 of the Average Strength.																						
For the Ten Years ...	10,034	613	61.1	141	14.05	'50	'80	'70	1.39	2.49	'10	'80	...	1.79	...	'30	1.49	'80	1.89	'10	'90		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	17	27	13	21	2	...	80	8.0	...
Cholera	9	9.9	55.56
Smallpox	3	9	5	5	24	2.4	33.33
Enteric Fever	1	2	...	1	19	1.9	36.84
Fever, Intermittent ...	309	241	184	173	221	377	458	601	826	797	395	300	4,882	48.82	...
Fever, Remittent and Continued ...	52	83	76	100	151	237	119	162	172	135	68	53	1,408	14.08	...
Apoplexy ...	1	2	2	5	16	34	2	65	6.5	38.46
Delirium Tremens ...	11	...	6	4	3	3	2	4	1	8	3	...	48	4.8	2.08
Dysentery ...	18	12	13	14	18	19	48	60	46	24	26	15	313	31.2	2.56
Diarrhoea ...	24	25	36	53	32	35	107	83	32	37	29	22	515	51.3	...
Hepatitis ...	16	29	19	22	32	30	27	19	25	27	18	12	276	27.5	6.52
Spleen disease ...	3	2	2	1	1	2	3	...	1	4	2	1	22	2.2	...
Respiratory diseases ...	113	106	94	66	59	45	41	64	48	53	63	63	815	81.2	37
Phtisis Pulmonalis ...	5	8	6	2	6	7	4	11	12	5	4	6	76	7.6	10.53
Scurvy	2	2	...
Rheumatism ...	44	46	33	30	22	30	56	39	34	33	30	25	422	42.1	...
Veneral diseases ...	355	311	293	251	217	189	196	178	151	160	189	223	2,703	269.4	...
Eye diseases ...	17	12	20	13	12	18	28	36	35	18	11	13	233	23.2	...
Abscess and Ulcer ...	115	107	90	95	119	138	112	86	94	90	74	84	1,204	120.0	46
Wounds and Accidents ...	106	119	116	92	91	66	63	86	56	80	63	99	1,037	103.3	...
All other Causes ...	142	153	145	154	192	182	157	186	157	156	145	146	1,915	190.9	...
													16,068		
Admitted per 1,000 of the Average Strength in each Month.															
	121.1	112.9	112.1	109.8	121.7	144.3	147.7	169.0	175.8	184.3	115.3	100.3	1,601.4		

III.—STATISTICS OF INDIVIDUAL STATIONS—KAMPTEE, 1870-79.

CLXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying KAMPTEE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,077	63.3	72.9	69.7	51.4	56.2	73.5	80.2	88.8	70.1	56.1	59.4	53.7	65.9
1871	"	1,020	53.2	66.3	69.2	66.1	68.2	66.3	60.0	61.0	57.1	78.1	47.7	54.7	60.8
1872	"	1,040	58.5	64.4	55.8	66.6	82.1	83.7	53.9	67.8	99.4	103.0	71.6	51.3	71.2
1873	"	1,061	55.7	48.1	50.4	64.6	65.7	62.6	69.8	73.8	67.0	68.9	45.0	53.9	60.3
1874	"	1,019	89.8	101.1	67.1	61.6	65.6	56.2	69.3	67.3	75.2	69.7	67.5	62.6	71.5
1875	"	1,069	59.8	52.5	48.0	54.6	54.7	65.0	54.7	62.1	69.7	78.5	60.3	25.3	57.1
1876	"	972	50.8	53.7	53.4	65.3	55.8	56.2	65.3	73.8	80.9	60.2	51.4	45.8	59.7
1877	"	889	44.5	55.7	47.0	40.9	37.0	33.7	35.0	41.1	37.3	51.9	51.3	45.4	43.9
1878	"	906	56.7	59.6	53.6	53.7	54.2	57.8	54.9	64.2	61.6	63.9	57.1	34.6	57.4
1879	"	951	39.4	45.4	46.8	37.2	42.4	40.4	54.1	84.1	92.4	79.9	81.8	64.9	68.9
Ten Years, 1870-79	...	10,034	58.2	63.2	56.8	57.5	58.7	60.2	60.3	69.2	71.7	71.7	58.7	49.5	61.1

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	1.0	663.9	2.8	4.6	28.8	38.1	24.1	2.8	60.4	11.1	45.4	282.3	29.7	153.2	126.3	188.5	1,662.0
1871	...	1.0	373.5	1.0	9.8	24.5	32.4	21.6	2.0	74.5	6.9	56.9	273.5	42.1	150.0	103.9	157.8	1,331.4
1872	...	1.0	1,137.5	12.5	2.9	19.2	104.8	25.0	1.0	123.1	8.6	40.4	155.8	25.9	149.0	76.0	182.7	2,065.4
1873	942.5	2.8	1.9	32.0	63.1	24.5	1.9	73.5	2.8	41.5	194.2	27.3	108.4	111.2	289.4	1,917.0
1874	458.5	1.0	1.9	28.6	43.9	42.9	...	100.1	2.9	41.0	430.9	13.3	101.0	74.4	240.2	1,537.0
1875	530.4	2.8	3.7	15.0	58.9	29.0	2.8	88.9	15.0	29.9	261.0	15.9	108.5	107.6	265.7	1,583.4
1876	484.6	25.7	7.2	56.6	61.7	34.0	4.1	107.0	10.3	47.3	294.2	23.7	111.1	115.2	174.9	1,557.6
1877	410.6	5.6	11.2	28.1	41.6	23.6	3.4	41.6	3.4	34.9	243.6	7.9	121.5	121.5	117.0	1,221.6
1878	...	6.6	554.1	8.8	3.3	40.8	41.9	22.1	3.3	66.2	4.4	48.6	257.2	16.6	99.4	104.9	214.1	1,498.9
1879	...	2.1	657.1	3.2	2.1	42.1	22.1	27.3	1.1	70.5	9.5	35.8	295.5	27.3	92.5	94.6	164.0	1,552.1
Ten Years, 1870-79	...	9	626.8	6.5	4.8	31.2	51.3	27.5	2.2	81.2	7.6	42.1	269.4	23.2	120.0	103.3	201.5	1,601.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	11.14	11.14	12	3	2	...	1	1	...	1	2	...	2	
1871	...	96	6.86	7.84	8	1	1	1	
1872	20.19	21.15	22	1	2	...	6	4	...	2	1	3	1	1	
1873	6.60	11.31	12	...	1	...	2	
1874	12.39	12.39	13	1	1	6	1	1	
1875	12.16	12.16	13	2	...	1	1	1	
1876	21.60	22.63	22	1	11	...	1	2	...	1	1	
1877	6.75	6.75	6	
1878	...	3.31	14.35	17.66	16	3	5	1	...	2	...	1	1	2	...	2	
1879	...	1.05	15.78	17.88	17	1	...	3	...	1	...	2	4	1	1	1	
Ten Years, 1870-79	...	50	12.55	14.05	141	5	8	7	14	25	1	8	18	...	3	15	8	19	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUN.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872	1
1873
1874
1875
1876
1877
1878	3	...	3
1879	1	1
Ten Years, 1870-79	1	2	3	...	3

III.—STATISTICS OF INDIVIDUAL STATIONS—BELLARY, 1870-79.

CLXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BELLARY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Main statistical table showing monthly and ten-year aggregates of sickness and mortality. Includes columns for months, aggregate strength, average number daily sick, number of deaths, and detailed causes of death in hospital. A summary row for 'For the Ten Years' is also present.

Detailed table showing the NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH for various causes of admission. Includes columns for months from January to December, total admissions for the ten years, and admissions per 1,000 of strength. A summary row for 'Admitted per 1,000 of the Average Strength in each Month' is included at the bottom.

III.—STATISTICS OF INDIVIDUAL STATIONS—BELLARY, 1870-79.

CLXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BELLARY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEO.	
1870	For the Year	921	63.0	65.1	70.5	63.0	62.6	57.4	63.8	65.9	68.8	76.1	61.3	41.3	63.0
1871	"	902	61.6	63.5	42.6	46.8	42.8	51.4	62.1	61.6	55.4	51.2	52.8	97.9	54.3
1872	For 10 Months	942	42.6	46.8	42.8	51.4	62.1	61.6	55.4	51.2	52.8	97.9	54.3
1873	For the Year	940	77.6	71.6	56.6	45.2	42.9	51.4	67.5	70.2	75.1	76.3	63.7	55.9	62.8
1874	"	916	52.0	50.3	47.9	45.4	55.7	55.6	63.8	71.4	64.9	59.0	76.8	70.5	60.0
1875	"	891	67.1	63.7	49.1	41.2	46.2	47.6	55.5	52.4	61.6	55.2	62.6	50.6	54.8
1876	"	897	75.5	71.9	42.3	39.1	49.1	53.5	60.6	63.5	59.2	58.4	69.2	54.7	58.0
1877	"	847	73.2	88.1	81.0	64.6	53.6	68.3	86.6	67.3	81.2	81.1	97.6	86.9	76.7
1878	"	873	87.6	91.2	32.3	48.5	76.1	70.4	83.7	101.1	106.1	96.6	128.2	136.1	88.2
1879	"	608	133.2	141.5	127.1	116.6	95.3	90.1	107.1	96.3	105.1	110.7	97.0	82.7	108.6
Ten Years, 1870-79	...	8,609	75.4	74.9	56.2	54.4	56.3	57.9	68.7	70.1	72.5	71.7	77.7	71.4	67.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	169.4	2.2	1.1	13.0	101.0	89.0	10.9	47.8	2.2	73.8	166.1	26.1	127.0	83.6	219.3	1,132.5
1871	...	1.1	78.7	...	1.1	16.6	49.9	44.3	4.4	52.1	5.5	76.5	126.4	18.9	159.7	75.4	164.1	874.7
1872	155.0	2.1	...	30.8	80.7	20.2	1.1	43.5	6.4	46.7	255.8	35.0	129.5	96.6	128.4	1,031.8
1873	148.9	17.0	29.8	22.3	...	24.5	2.1	23.4	367.0	44.7	147.9	57.5	105.3	990.4
1874	229.2	...	1.1	15.3	19.6	38.2	...	28.4	4.4	17.5	446.5	27.3	160.5	72.0	93.9	1,153.9
1875	360.2	...	2.2	14.5	25.7	31.3	...	23.5	4.5	13.4	319.9	11.2	105.2	74.9	111.9	1,098.4
1876	3.3	2.2	90.3	...	2.2	11.2	41.2	60.2	...	39.0	3.3	25.6	289.9	6.7	132.7	87.0	201.8	996.6
1877	2.4	3.5	270.4	...	3.5	33.1	47.2	53.1	...	42.5	8.3	34.2	493.5	53.1	170.0	85.0	168.9	1,468.7
1878	2.3	1.1	1040.1	3.4	4.6	20.6	40.1	11.5	2.3	22.9	5.7	22.9	318.4	18.3	123.7	72.2	120.3	1,830.4
1879	1419.4	4.9	...	39.5	16.5	8.2	...	26.3	4.9	16.5	440.8	23.0	136.5	69.1	92.1	2,297.7
Ten Years, 1870-79	8	8	363.3	1.2	1.6	20.8	47.2	39.5	2.0	36.1	4.9	36.4	323.6	27.1	141.9	78.9	145.1	1,271.2

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.			Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.			C. All Causes.	Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	6.51	6.51	6
1871	...	1.11	6.65	7.76	7	1
1872	5.31	5.31	5
1873	...	2.13	12.76	14.89	14
1874	...	1.09	8.74	9.83	9
1875	...	4.47	4.47	8.95	8
1876	1.11	3.34	2.24	6.69	6	1
1877	...	1.18	8.27	9.45	8	1
1878	2.29	...	10.31	12.60	11	2	...	1	4	...	1	...	1
1879	...	1.64	16.45	18.09	11	5	...	1
Ten Years, 1870-79	35	1.61	8.01	9.87	85	3	...	3	13	4	1	4	11	...	2	11	8	12	13

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	2	1
1878	...	1
1879	2
Ten Years, 1870-79	...	1	...	2	...	2	1	1	7

III.—STATISTICS OF INDIVIDUAL STATIONS—BANGALORE, 1870-79.

CLXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying BANGALORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.			
January ...	15,413	846	54.9	18	2	...	1	5	4	...	1	
February ...	16,147	1,056	65.4	18	...	2	...	4	1	1	6
March ...	17,183	1,011	58.8	18	2	...	1	4
April ...	17,298	1,006	58.2	14	4	...	1	3
May ...	17,048	1,028	60.3	15	1	...	1	3
June ...	16,954	1,044	61.6	16	5	2
July ...	17,097	1,023	59.8	24	...	5	1	6	1	1
August ...	17,105	1,050	61.4	15	3	1	...	3	...	1	2
September ...	17,139	1,042	60.8	10	3	2	1
October ...	16,994	1,022	60.1	14	1	4
November ...	16,281	988	60.7	13	2	...	1	1	1
December ...	15,476	834	57.1	22	1	1	5	1	3	7
						8	1	32	...	6	6	4	12	...	36	...	3	25	15	23	3	23	
Died per 1,000 of the Average Strength.						.48	.06	1.92	.36	.36	.24	.72	...	2.1518	1.50	.90	1.38	.18	1.38			
For the Ten Years	16,678	1,000	60.0	197	11.81																							

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	19	3	8	30	1.8	...
Cholera	1	3	6	1	13	.8	61.54
Smallpox ...	3	10	4	1	11	10	16	12	11	3	2	4	101	.61	7.69
Enteric Fever
Fever, Intermittent ...	109	584	467	359	392	407	304	268	174	126	100	128	3,418	20.49	31.68
Fever, Remittent and Continued ...	71	92	151	170	129	131	146	111	111	92	77	139	1,419	85.1	...
Apoplexy	2	2	2	3	...	1	1	2	14	.8	42.86
Delirium Tremens ...	9	5	6	4	7	13	8	15	8	...	3	2	81	5.5	4.40
Dysentery ...	48	57	61	80	103	103	112	85	70	55	43	64	881	52.8	1.36
Diarrhoea ...	44	59	79	89	67	100	78	71	31	32	25	41	716	42.9	...
Hepatitis ...	60	59	75	73	67	64	59	78	60	65	65	60	785	47.1	4.59
Spleen disease ...	1	8	15	13	7	12	6	6	7	5	4	6	90	5.4	...
Respiratory diseases ...	66	93	108	105	99	79	74	58	65	79	66	69	961	57.6	...
Phthisis Pulmonalis ...	4	9	9	11	12	17	12	12	11	19	17	17	150	9.0	10.00
Scurvy
Rheumatism ...	62	44	74	79	82	91	68	88	52	80	64	55	839	50.3	...
Veneral diseases ...	218	222	266	328	290	256	296	311	316	320	343	243	3,409	204.4	...
Eye diseases ...	13	18	20	25	27	59	74	43	316	320	30	17	392	23.5	...
Abscess and Ulcer ...	144	154	154	182	153	161	157	140	141	157	144	119	1,820	109.1	...
Wounds and Accidents ...	142	152	194	185	144	179	182	166	156	167	165	179	2,011	120.6	...
All other Causes ...	276	272	295	333	304	323	320	343	277	295	258	252	3,557	213.3	...
	1,274	1,842	2,010	2,050	1,903	2,008	1,929	1,818	1,535	1,527	1,408	1,406	20,710		
Admitted per 1,000 of the Average Strength in each Month.															
	82.7	114.1	117.0	118.5	111.6	118.4	112.8	106.3	89.6	89.9	86.5	90.9	1,241.8		

III.—STATISTICS OF INDIVIDUAL STATIONS—BANGALORE, 1870-79.

CLXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying BANGALORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	1,794	56.8	113.8	95.2	86.3	94.0	100.5	96.0	83.6	57.1	58.5	52.7	47.8	79.7
1871	..	1,562	49.6	52.5	49.9	54.2	49.1	55.4	54.8	51.4	52.5	53.4	56.1	63.0	53.1
1872	..	1,754	60.1	64.2	58.4	54.0	49.6	58.5	57.8	54.0	53.3	53.0	53.7	54.2	55.9
1873	..	1,807	59.6	58.1	60.4	55.0	47.8	50.0	50.6	58.9	61.8	57.9	53.8	47.8	55.3
1874	..	1,778	38.1	57.9	45.8	55.0	54.9	50.1	50.7	63.5	73.6	86.1	82.8	68.8	60.2
1875	..	1,646	63.9	80.9	53.0	50.8	68.0	68.3	55.3	52.2	51.5	47.9	43.4	39.7	55.9
1876	..	1,652	42.6	41.1	48.9	48.1	39.7	43.7	40.0	43.0	41.1	36.7	37.0	36.6	41.2
1877	..	1,730	40.3	37.3	41.6	33.0	42.9	48.2	48.2	56.0	65.9	60.1	55.1	50.6	48.0
1878	..	1,662	51.9	61.7	57.3	60.8	65.0	61.1	61.0	65.8	67.8	65.8	74.3	77.6	63.8
1879	..	1,294	96.8	89.1	81.8	88.0	96.2	81.3	88.2	90.2	91.1	89.3	111.8	97.8	92.0
Ten Years, 1870-79	..	16,678	54.9	65.4	58.8	53.2	60.3	61.6	59.8	61.4	60.8	60.1	60.7	57.1	60.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis-case.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-cases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	3.9	11.7	1,415.8	.6	12.8	37.9	67.4	41.2	24.0	78.6	2.8	39.6	126.0	19.5	128.2	161.1	219.0	2,390.1
1871	.6	3.2	98.0	1.3	14.1	27.5	33.3	44.8	6.4	92.8	9.0	62.7	168.4	28.2	144.7	156.2	339.3	1,230.5
1872	..	13.1	160.2	2.8	2.8	35.9	64.4	49.0	7.5	69.6	10.3	65.0	159.6	21.7	136.2	149.4	291.9	1,239.4
1873	..	5.9	177.8	.6	3.3	75.8	48.1	52.0	3.9	53.7	17.1	44.3	164.4	37.1	99.6	115.1	210.3	1,109.0
1874	..	9.6	106.8	.6	2.8	55.7	20.8	56.3	5.1	42.7	9.0	62.4	191.2	17.4	111.9	142.3	180.0	1,014.6
1875	..	1.2	141.6	.6	4.2	58.9	31.0	60.1	1.2	37.1	6.7	39.5	197.4	36.5	86.3	111.2	197.4	1,010.9
1876	89.6	1.2	6.7	64.2	44.2	33.9	.6	43.6	10.3	54.5	104.1	16.3	71.4	89.0	184.6	814.2
1877	..	2.9	106.3	..	4.6	49.7	28.3	43.4	.6	35.3	6.4	30.0	250.3	12.1	84.4	57.2	122.0	842.2
1878	194.3	.6	1.8	42.1	34.3	48.1	1.2	65.0	9.0	44.5	296.0	18.1	109.5	97.5	195.6	1,159.4
1879	357.1	..	.8	86.6	58.7	39.4	1.5	60.3	9.3	64.9	449.0	30.1	122.1	126.7	231.1	1,642.2
Ten Years, 1870-79	..	.8	6.1	290.0	.8	5.5	52.8	42.9	5.4	57.6	9.0	50.3	204.4	23.5	109.1	120.6	215.9	1,241.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis-case.	Respiratory diseases.	Heart dis-cases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	2.79	1.11	8.36	12.26	22	5	..	4	..	1	..	2	3
1871	..	2.56	7.68	10.24	16	2	..	2
1872	..	1.71	13.68	15.39	27	7	..	3	1
1873	..	2.21	6.09	8.30	15	1
1874	..	1.69	10.12	11.81	21	3
1875	..	3.04	7.90	10.94	18	1
187662	11.49	20	3
1877	..	1.73	.58	13.87	24	3	..	7
1878	1.20	9.63	18	3	1
187977	12.36	16	6	1	3
Ten Years, 1870-79	..	.48	1.56	9.77	197	8	1	32	6	6	4	12	36	..	3	25	15	23	26

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	6	1	7
1871	1	1
1872
1873
1874
1875
1876
1877	..	1
1878	1	3
1879
Ten Years, 1870-79	..	1	1	3	6	1	1	13

III.—STATISTICS OF INDIVIDUAL STATIONS—CANNANORE, 1870-79.

CLXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying CANNANORE during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

Table showing aggregate sickness and mortality statistics from 1870 to 1879, including monthly data for strength, deaths, and causes of deaths in hospital.

Table showing the number of admissions into hospital in each month from 1870 to 1879, categorized by disease type and including a 'Total Admitted' column.

III.—STATISTICS OF INDIVIDUAL STATIONS—CANNANORE, 1870-79.

CLXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CANNANORE in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	738	46.5	39.1	38.1	27.9	28.8	38.5	44.1	41.6	49.5	23.8	30.8	53.1	39.3
1871	"	828	49.6	40.6	32.5	32.5	43.4	67.6	73.9	66.0	55.8	51.1	55.6	60.8	51.9
1872	"	747	86.9	81.3	50.8	41.5	35.5	45.3	56.9	55.2	53.5	64.9	45.9	53.3	56.2
1873	"	631	64.8	51.1	48.2	67.1	68.0	64.2	67.5	79.4	89.1	73.3	66.7	118.1	68.1
1874	"	600	97.6	52.2	58.8	46.4	44.3	50.6	71.2	82.9	73.7	83.5	76.7	68.7	66.7
1875	"	618	80.5	74.1	39.9	53.8	46.8	52.5	49.5	58.3	50.0	48.2	46.3	39.2	55.0
1876	"	700	35.2	30.0	37.7	36.6	34.8	38.3	33.9	39.5	45.4	49.6	49.9	53.7	41.4
1877	"	638	49.9	43.9	46.5	36.1	36.4	31.7	49.1	60.1	57.0	58.8	72.1	72.7	51.7
1878	"	646	63.3	50.0	35.6	53.6	35.9	35.0	52.5	55.4	66.3	59.7	71.9	63.3	52.6
1879	"	433	58.1	77.3	90.0	102.0	107.9	113.4	101.7	84.0	93.4	92.5	80.4	104.0	90.1
Ten Years, 1870-79	...	6,579	61.6	53.8	46.1	47.3	45.5	51.4	58.4	60.6	61.2	61.7	56.3	64.2	55.6

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	...	1.4	112.4	1.4	1.4	44.7	122.0	55.5	...	35.2	12.2	44.7	124.7	12.2	127.4	67.7	154.4	917.3	
1871	1.2	19.3	202.9	1.2	13.3	198.1	68.8	37.5	...	30.2	16.9	20.5	109.9	3.6	109.9	77.3	208.9	1,119.5	
1872	...	18.7	133.9	1.3	10.7	154.0	83.0	61.6	...	62.9	22.8	38.8	108.4	2.7	129.9	84.3	342.7	1,255.7	
1873	...	44.4	202.8	...	1.6	271.0	169.6	223.4	...	76.1	12.7	55.5	96.7	4.7	156.9	60.2	405.7	1,781.3	
1874	...	5.0	215.0	1.7	5.0	168.3	95.0	183.3	...	86.7	10.0	70.0	96.7	8.3	130.0	48.3	281.7	1,405.0	
1875	...	6.5	139.1	77.7	50.2	113.3	...	29.1	6.4	27.5	121.4	4.9	89.0	58.2	279.9	1,003.2	
1876	257.2	1.4	...	22.9	48.6	40.0	...	17.1	4.3	15.7	101.4	15.7	82.9	85.7	128.5	821.4	
1877	322.9	100.3	62.7	86.2	1.6	7.8	15.7	29.8	87.8	11.0	70.5	75.2	148.9	1,020.4	
1878	3.1	...	275.5	3.1	...	133.1	34.1	80.5	1.6	40.2	10.8	35.6	168.7	9.3	133.1	102.2	246.1	1,277.0	
1879	80.8	...	4.6	80.8	90.1	194.0	...	90.1	16.1	90.1	263.3	16.1	92.4	164.0	970.0	2,152.4	
Ten Years, 1870-79	...	5	10.0	196.5	1.1	4.0	126.6	81.9	100.0	3	45.3	12.9	40.3	122.8	8.5	112.9	79.8	289.6	1,233.0

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	10.84	10.84	8	
1871	16.91	16.91	14	3	1	
1872	13.39	13.39	10	4	...	1	
1873	25.36	25.36	16	6	
1874	...	5.00	21.67	26.67	16	2	5	3	
1875	4.85	4.85	3	
1876	...	2.86	4.28	7.14	5	1	2	
1877	...	6.27	6.27	12.54	8	4	
1878	3.10	...	17.02	20.12	13	2	1	2	3	...	1	1	1	1	...	
1879	11.55	11.55	5	1	3	
Ten Years, 1870-79	...	30	1.37	13.23	14.90	98	2	...	15	2	3	2	17	27	...	4	5	6	6	9

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870		
1871		
1872		
1873	1		
1874		
1875		
1876		
1877		
1878		
1879	2		
Ten Years, 1870-79	1	2	3

III.—STATISTICS OF INDIVIDUAL STATIONS—MALLIAPOORUM, 1870-79.

CLXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MALLIAPOORUM in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	79	62.5	37.5	37.5	75.0	87.5	87.5	75.0	78.9	55.6	59.7	29.9	40.0	63.3
1871	...	96	102.0	81.6	61.9	41.2	42.1	63.2	84.2	63.8	63.8	53.2	63.8	38.5	62.5
1872	...	96	10.0	20.2	10.1	20.2	50.5	30.3	70.7	70.0	50.5	30.3	12.7	50.6	31.3
1873	...	81	64.1	78.9	42.9	66.7	54.1	81.1	94.6	108.1	98.8	53.8	19.0	20.0	61.7
1874	...	98	20.0	20.0	32.3	30.6	60.0	50.0	60.0	51.0	63.2	70.7	72.9	81.6	51.0
1875	...	96	54.9	32.6	31.3	20.2	30.0	30.0	30.9	21.3	42.1	52.6	40.8	20.4	31.3
1876	...	93	20.0	51.0	42.6	10.6	21.3	42.1	42.6	43.0	21.1	...	24.1	11.1	32.3
1877	...	93	20.0	10.0	10.1	20.8	43.0	43.5	56.2	46.0	11.2	34.1	23.5	20.0	32.3
1878	...	95	40.0	30.3	20.4	10.2	10.2	20.6	30.9	10.4	10.6	...	11.5	23.3	21.1
1879	...	93	30.3	10.6	20.2	46.0	102.0	81.6	42.6	22.5	35.3	45.5	77.8	66.7	43.3
Ten Years, 1870-79	...	921	41.2	36.3	30.3	32.5	49.4	51.6	57.7	49.9	44.5	39.6	38.5	37.0	42.3

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.	
1870	63.3	...	25.3	139.2	63.3	88.6	...	38.0	12.7	12.7	139.2	12.7	113.9	63.3	265.8	1,038.0	
1871	...	20.8	229.2	...	20.8	218.7	62.5	104.2	...	52.1	20.8	41.7	52.1	...	135.4	62.5	218.8	1,239.6	
1872	20.8	166.7	62.5	31.2	...	104.2	10.4	41.7	52.1	10.4	20.8	31.2	218.8	770.8	
1873	37.0	395.1	222.2	148.2	...	37.0	12.4	37.0	86.4	...	209.9	37.0	185.2	1,407.4	
1874	20.4	163.3	71.4	163.3	...	10.2	...	40.8	91.8	30.0	163.3	755.1	
1875	41.7	10.4	...	62.5	...	20.8	93.8	10.4	93.8	41.7	187.4	502.5	
1876	182.8	32.3	32.3	64.5	...	32.3	10.7	64.5	32.3	...	86.0	86.0	118.3	742.0	
1877	...	10.7	193.6	118.3	32.3	43.0	...	75.2	21.5	21.5	118.3	...	32.3	32.3	204.3	903.3	
1878	...	21.1	10.5	126.3	10.5	63.2	10.5	10.5	10.5	52.7	315.8	
1879	96.8	139.7	...	129.0	64.5	96.8	...	21.5	43.0	21.5	129.0	...	139.8	193.6	225.8	1,301.0	
Ten Years, 1870-79	...	2.2	3.3	89.0	14.1	5.4	146.6	59.7	85.8	...	39.1	13.0	29.3	68.4	3.3	91.2	58.6	182.4	891.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.					Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.	Total Deaths.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																	
1870	12.66	...	1	
1871	41.67	...	4	
1872	...	10.41	10.41	20.83	2	
1873	12.35	12.35	1	
1874	
1875	
1876	10.75	10.75	1	
1877	10.75	10.75	1	
1878	...	21.05	...	21.05	2	
1879	32.26	32.26	3	
Ten Years, 1870-79	...	2.17	1.09	13.03	16.29	15	2	...	2	1	2	...	3	2	2	...	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.		
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
1870		
1871		
1872		
1873		
1874		
1875		
1876		
1877		
1878		
1879		
Ten Years, 1870-79	2	...	2

III.—STATISTICS OF INDIVIDUAL STATIONS—CALICUT, 1870-79.

CLXXXI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying CALICUT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For 10 Months.	77	35.3	23.5	23.3	23.5	23.5	11.8	23.5	38.5	38.5	13.3	26.0
1871	For the Year	78	27.0	29.0	14.5	25.3	50.0	75.0	62.5	50.0	38.5	64.1	51.3	44.0	51.3
1872	"	86	32.6	34.5	22.2	45.5	56.8	46.0	34.5	37.0	35.7	38.0	25.6	34.9	
1873	"	81	65.8	81.1	55.6	70.4	94.6	60.2	100.0	88.6	87.5	72.3	59.4	74.1	
1874	"	99	49.0	38.8	30.3	20.4	21.1	30.6	84.2	80.0	93.7	110.0	100.0	122.4	
1875	"	116	84.2	65.4	42.1	60.0	80.0	70.7	72.9	70.7	113.4	92.8	20.0	39.2	
1876	"	95	20.0	29.7	40.4	10.2	31.2	19.8	41.2	43.0	21.5	23.3	12.2	10.1	
1877	"	97	30.3	52.1	30.6	30.9	20.6	21.1	42.6	21.2	74.5	92.8	70.0	20.0	
1878	"	98	60.0	80.0	60.6	70.7	30.9	49.0	31.3	72.9	83.3	62.5	97.8	50.0	
1879	"	96	70.0	60.0	40.8	46.5	49.0	29.1	30.0	20.0	30.3	54.3	35.7	11.9	
Ten Years, 1870-79	...	909	47.7	49.9	36.4	40.0	43.8	41.8	52.7	52.3	63.5	68.9	48.2	42.2	48.4

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	26.0	...	13.0	26.0	13.0	26.0	...	26.0	116.8	...	51.9	90.9	181.8	571.4
1871	...	12.8	77.0	25.6	...	51.3	12.8	76.9	25.6	166.7	217.9	153.9	871.8
1872	46.5	...	23.3	93.0	127.9	81.4	...	46.5	23.2	...	104.7	11.6	58.1	127.9	104.7	848.8
1873	197.5	24.7	...	123.5	172.8	111.1	...	74.1	12.3	12.3	148.2	...	98.8	49.3	518.6	1,543.2
1874	60.6	111.1	50.5	202.0	10.1	151.5	50.5	80.8	70.7	10.1	101.0	101.0	333.4	1,333.3
1875	77.6	60.3	51.7	43.1	...	34.5	17.2	25.9	293.1	...	112.1	60.3	319.0	1,094.8
1876	210.5	31.6	10.5	42.1	...	21.1	...	10.5	136.8	...	31.6	21.1	126.3	642.1
1877	92.8	92.8	92.8	103.1	...	30.9	10.3	...	226.8	20.6	82.5	51.5	165.0	969.1
1878	61.2	...	20.4	265.3	20.4	51.0	...	30.6	112.3	...	357.1	...	91.8	132.6	153.2	1,306.1
1879	72.9	10.4	...	41.7	41.7	41.7	...	41.7	...	20.8	354.1	...	83.3	104.2	83.3	895.8
Ten Years, 1870-79	...	1.1	93.5	5.5	5.5	92.4	58.3	74.8	2.2	47.3	13.2	30.8	199.1	6.6	89.1	94.6	217.9	1,031.9

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	12.99	12.99	1	
1871	51.28	51.28	4	1	1	
1872	11.63	11.63	1	
1873	
1874	10.10	10.10	1	
1875	
1876	31.58	31.58	3	
1877	20.62	20.62	2	
1878	10.20	20.41	3	
1879	10.42	10.42	1	
Ten Years, 1870-79	...	1.10	16.50	17.60	16	1	1	...	5	4	3	1	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—TRICHINOPOLY, 1870-79.

CLXXXII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying TRICHINOPOLY during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Suicidal Deaths, and other Deaths out of Hospital.					
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.		Atrophy and Anemia.	All other Causes.	Wounds and Accidents.		
January ...	2,518	192	76·3	3	...	1	1	1
February ...	2,537	189	73·1	6
March ...	2,765	188	68·0	4
April ...	2,769	189	68·3	5
May ...	2,767	183	66·1	11
June ...	2,756	211	76·6	7
July ...	2,764	208	75·3	6
August ...	2,762	185	67·0	4
September ...	2,725	188	69·0	7
October ...	2,719	217	79·8	8
November ...	2,661	208	78·2	2
December ...	2,468	174	70·5	1
						4	3	14	2	2	1	13	1	2	3	4	9	6	
						Died per 1,000 of the Average Strength.																					
For the Ten Years	2,688	194	72·2	64	23·81	1·49	1·12	5·21	·74	·74	·37	4·84	·37	·74	1·12	1·49	3·35	2·23		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	...	70	4	7	18	20	2	1	122	45·4	...
Cholera	...	1	2	...	2	...	1	6	2·2	66·67
Smallpox	1
Enteric Fever	1	1	1
Fever, Intermittent	...	31	22	29	16	12	8	17	14	13	13	38	240	89·3	...
Fevers, Remittent and Continued	...	12	17	44	68	46	50	33	23	30	21	19	386	143·6	78
Apoplexy	1	...	5	6	5	2	...	1	2	...	23	8·6	60·87
Delirium Tremens	2	2	2	3	3	12	4·4	16·67
Dysentery	...	8	12	5	15	9	24	14	28	14	14	12	167	62·1	1·20
Diarrhea	...	14	5	10	7	11	18	15	10	12	10	15	135	50·2	·74
Hepatitis	...	12	19	10	11	20	20	21	12	18	19	10	193	71·8	6·74
Spleen disease	...	1	3	1	5	1·8	20·00
Respiratory diseases	...	10	5	...	9	...	12	9	10	4	7	10	100	37·2	2·00
Phthisis Pulmonalis	...	2	3	2	...	2	2	3	3	1	3	1	23	8·6	17·39
Scurvy
Rheumatism	...	8	7	...	11	8	11	10	97	36·1	...
Veneral diseases	...	48	43	59	46	39	34	46	33	48	46	28	524	194·9	...
Eye diseases	...	2	3	2	2	1	5	3	8	6	3	5	40	14·9	...
Abscess and Ulcer	...	19	31	26	48	51	54	35	30	33	47	20	416	154·8	55
Wounds and Accidents	...	14	23	23	33	29	36	29	25	27	19	27	312	116·1	...
All other Causes	...	58	51	48	57	56	61	63	52	50	83	49	680	253·0	...
													3,483		
Admitted per 1,000 of the Average Strength in each Month.															
123·1	95·1	100·5	120·3	110·2	124·5	110·3	93·8	105·7	115·5	90·6	105·8		1,295·8		

III.—STATISTICS OF INDIVIDUAL STATIONS—TRICHINOPOLY, 1870-79.

CLXXXIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying TRICHINOPOLY in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	277	59.4	63.9	56.6	61.9	58.8	63.8	60.4	65.1	38.5	68.1	69.1	82.1	61.4
1871	"	280	101.1	95.7	88.7	60.1	47.1	51.1	47.6	44.0	62.5	62.0	72.5	44.9	61.3
1872	"	311	66.0	66.5	55.9	62.9	63.3	72.8	76.7	79.9	87.1	74.2	68.4	64.1	70.7
1873	"	288	86.5	83.9	102.0	73.3	74.1	84.2	98.6	78.0	56.5	93.4	84.7	96.6	83.3
1874	"	257	96.0	61.7	46.4	108.1	91.8	105.4	80.4	67.6	91.9	93.5	98.1	113.2	85.6
1875	"	281	157.9	79.7	72.7	72.8	88.9	88.3	89.2	73.7	71.0	80.6	89.7	77.2	85.4
1876	"	268	49.2	67.4	61.1	76.6	61.5	80.3	74.5	64.7	86.6	85.7	79.1	79.1	74.6
1877	"	288	69.3	92.8	84.5	37.5	47.5	74.6	68.5	65.5	79.0	96.9	94.1	69.0	72.9
1878	"	272	78.5	77.2	59.7	54.0	54.5	73.8	89.6	59.9	48.7	67.7	55.4	47.6	62.5
1879	"	166	39.8	39.9	44.1	82.2	69.0	62.1	55.6	68.5	61.6	69.4	68.5	39.0	54.2
Ten Years, 1870-79		2,688	76.3	73.1	68.0	68.3	66.1	76.6	75.3	67.0	69.0	79.8	78.2	70.5	72.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Phtthisis Pulmonalis.	Rheumatism.	Veneral dis. cases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
1870	433.3	3.6	3.6	75.8	83.0	86.6	3.6	32.5	14.5	21.7	122.7	32.5	216.6	173.3	290.2	1,523.5
1871	253.6	3.6	7.1	50.0	32.1	57.1	...	50.0	17.9	39.3	107.1	3.6	135.7	132.2	225.0	1,114.3
1872	169.8	6.4	9.6	48.2	28.9	135.1	3.2	22.3	12.9	12.9	147.9	22.5	141.5	122.2	424.4	1,299.0
1873	152.8	6.9	3.5	90.3	17.4	76.4	3.5	34.7	...	31.2	163.2	3.5	100.7	166.7	694.1	1,454.9
1874	...	3.9	381.3	19.5	...	93.4	31.1	35.0	...	73.9	...	19.5	186.8	...	210.1	120.6	245.2	1,420.3
1875	10.7	...	128.1	14.2	...	28.5	64.1	64.1	...	35.6	3.5	60.5	181.5	32.0	217.1	85.4	174.3	1,099.6
1876	138.1	18.7	3.7	97.0	52.2	89.5	...	33.6	7.5	33.6	74.6	14.9	130.6	56.0	287.3	1,037.3
1877	260.4	34.7	104.2	76.4	...	62.5	13.9	45.1	340.3	6.9	118.1	90.3	395.8	1,548.6
1878	11.0	...	213.2	11.0	11.0	69.9	47.8	47.8	7.4	11.0	7.4	73.5	338.3	14.7	150.7	117.7	213.2	1,345.6
1879	222.9	...	6.0	24.1	36.1	18.1	...	6.0	6.0	18.1	349.4	18.1	120.5	78.3	72.3	975.9
Ten Years, 1870-79	2.2	4	232.9	8.6	4.4	62.1	50.2	71.8	1.8	37.2	8.6	36.1	194.9	14.9	154.8	116.1	298.8	1,295.8

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Heart dis. cases.	Phtthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	21.66	21.66	6	1	
1871	...	3.57	17.86	21.43	6	
1872	...	3.22	12.86	16.08	5	
1873	...	3.47	20.84	24.31	7	
1874	15.56	15.56	4	
1875	7.12	...	21.35	28.47	8	2	
1876	...	3.73	29.85	33.58	9	
1877	...	3.47	10.42	13.89	4	
1878	7.35	3.68	40.44	51.47	14	2	
1879	6.02	6.02	1	
Ten Years, 1870-79	1.49	2.23	20.09	23.81	64	4	3	14	2	3	13	1	2	3	4	9	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876	2	1
1877
1878	...	1
1879
Ten Years, 1870-79	...	1	2	2	1

III.—STATISTICS OF INDIVIDUAL STATIONS—ST. THOMAS' MOUNT, 1870-79.

CLXXXIV.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying ST. THOMAS' MOUNT during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.
January ...	3,590	233	64.9	14	2	...	7	3	1	...	1
February ...	3,747	256	68.3	5	1	...	1	1
March ...	3,806	217	57.0	4	1	...	1
April ...	3,765	230	61.1	9	2
May ...	3,609	252	69.8	11	1
June ...	3,574	223	62.4	7	1	1	...	2
July ...	3,683	219	59.5	6	1	...	1
August ...	3,540	215	60.7	4	1
September ...	3,565	234	65.7	6	1
October ...	3,553	242	68.1	5	1
November ...	3,567	239	67.0	3	1
December ...	3,667	241	65.7	6	1
						1	...	5	...	1	11	1	14	...	17	...	9	5	9	...	7
						Died per 1,000 of the Average Strength.																			
For the Ten Years	3,639	233	64.0	80	21.98	.28	...	1.37	.28	3.02	.28	3.85	...	4.67	2.47	1.37	2.47	1.92

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872) ...	2	2	10	25	72	9	4	...	2	126	34.6	...
Cholera	1	2	5	50.00
Smallpox	1	1	2
Enteric Fever	2	8	2.2	62.50
Fever, Intermittent ...	14	4	6	14	6	8	21	12	11	5	6	9	116	31.9	...
Fever, Remittent and Continued ...	29	29	44	67	73	40	25	30	30	39	17	14	437	120.1	...
Apoplexy	1	4	31	4	1	41	11.3	26.33
Delirium Tremens ...	3	1	4	1	3	...	1	22	6.1	4.55
Dysentery ...	38	30	19	22	18	13	24	22	14	28	22	24	281	77.2	4.98
Diarrhoea ...	10	18	25	14	12	10	23	7	21	27	19	23	202	55.5	...
Hepatitis ...	32	17	34	26	21	19	25	36	23	23	38	23	317	87.1	5.36
Spleen disease	1	...	1	3
Respiratory diseases ...	12	14	21	18	7	10	18	18	12	22	12	17	181	49.7	...
Phthisis Pulmonalis ...	3	4	1	4	3	5	3	1	4	5	...	9	45	12.4	11.11
Scurvy	1	1
Rheumatism ...	8	15	13	14	9	14	16	12	15	14	15	3	148	40.7	...
Veneral diseases ...	67	48	72	90	83	43	71	50	70	55	75	63	787	216.3	...
Eye diseases ...	4	4	2	2	4	3	5	8	10	9	3	6	60	16.5	...
Abscess and Ulcer ...	32	38	35	50	52	65	59	36	37	39	36	29	508	139.6	...
Wounds and Accidents ...	32	58	54	40	44	34	40	29	35	46	42	38	492	135.2	61
All other Causes ...	61	45	66	69	71	75	97	80	59	81	48	70	822	225.9	...
	347	326	404	463	512	353	436	344	347	397	340	332	4,601		
	Admitted per 1,000 of the Average Strength in each Month.														
	96.7	87.0	106.2	123.0	141.9	98.8	118.4	97.2	97.3	111.7	95.3	90.5	1,264.4		

III.—STATISTICS OF INDIVIDUAL STATIONS—ST. THOMAS' MOUNT, 1870-79.

CLXXXV.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying ST. THOMAS' MOUNT in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year.	464	78.7	77.4	54.9	57.4	93.0	80.3	77.1	73.0	61.0	51.8	65.0	70.1	69.0
1871	"	397	96.6	102.1	52.8	52.5	38.3	35.7	43.0	52.9	56.9	51.6	46.6	57.8	55.4
1872	"	401	58.5	66.4	59.7	62.1	86.8	72.8	45.9	48.8	75.1	108.2	87.2	55.2	69.8
1873	"	351	59.5	62.2	46.5	56.1	59.1	54.5	44.4	55.7	56.3	56.7	71.4	93.5	59.8
1874	"	354	46.7	47.6	48.6	66.1	52.9	44.9	56.0	41.9	56.0	64.6	73.2	70.9	56.5
1875	"	372	75.3	74.3	64.0	58.0	54.6	46.6	65.8	74.6	72.0	74.4	80.1	80.3	67.2
1876	"	350	55.2	67.3	56.7	56.3	65.9	60.8	51.1	62.7	66.0	74.1	46.3	52.0	60.0
1877	"	325	38.3	31.4	54.6	62.3	79.8	73.0	68.2	55.4	58.6	53.2	57.6	49.2	55.4
1878	"	318	68.1	78.5	81.5	85.0	101.6	82.2	62.5	63.3	71.2	68.6	57.7	71.9	75.5
1879	"	308	61.5	66.0	54.1	60.8	66.2	76.2	86.2	80.8	87.0	82.2	87.4	62.5	71.4
Ten Years, 1870-79	...	3,639	64.9	68.3	57.0	61.1	69.8	62.4	59.5	60.7	65.7	68.1	67.0	65.7	64.0

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Phthisis Pul- monalis.	Rheumatism.	Veneral dis- eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	...	4.3	131.5	60.3	...	116.4	38.8	109.9	...	60.3	6.5	17.3	247.8	34.5	129.3	109.9	211.2	1,278.0	
1871	35.3	5.0	12.6	27.7	37.8	138.5	...	80.6	45.3	57.9	123.4	20.2	88.2	133.5	188.9	994.9	
1872	...	7.5	124.7	10.0	10.0	62.3	32.4	104.7	...	47.4	29.9	59.9	192.0	15.0	134.7	104.7	493.7	1,431.4	
1873	148.1	8.6	8.6	83.3	99.7	76.9	...	37.0	2.8	42.7	145.3	8.6	179.5	133.9	242.2	1,222.2	
1874	...	2.7	282.5	2.8	5.6	101.7	65.0	50.8	...	36.7	5.6	14.1	166.7	5.7	161.1	146.9	228.8	1,276.8	
1875	129.0	2.7	5.4	53.8	80.8	88.7	...	40.3	2.7	56.5	172.0	18.8	187.1	115.6	371.0	1,276.9	
1876	...	3.1	231.4	91.4	68.6	108.6	...	60.0	2.9	34.3	125.7	11.4	125.7	205.7	297.1	1,371.4	
1877	...	3.1	258.4	3.1	3.1	83.1	76.9	80.0	...	64.6	6.2	67.7	304.6	9.2	141.5	163.1	212.3	1,480.0	
1878	116.4	3.1	15.7	56.6	34.6	53.4	...	28.3	6.2	25.2	349.1	15.7	157.2	119.7	179.2	1,160.4	
1879	84.4	87.6	26.0	32.5	...	32.5	9.7	32.5	383.1	19.5	155.8	133.1	149.4	1,146.1	
Ten Years, 1870-79	...	5	2.2	152.0	11.3	6.1	77.2	55.5	87.1	8	49.7	12.4	40.7	216.3	16.5	139.6	135.2	261.3	1,264.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tre- mens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis- ease.	Respiratory diseases.	Heart dis- eases.	Phthisis Pul- monalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	53.88	53.88	25	2	1	7	...	5	6	...	1	2	1	...	
1871	...	5.04	15.11	20.15	8	2	
1872	19.95	19.95	8	1	...	1	...	1	3	
1873	5.70	11.40	4	2	
1874	...	2.82	5.65	8.47	3	1	1	
1875	...	2.69	18.81	24.19	9	1	1	2	1	
1876	20.00	29.00	7	1	3	1	1	1	...	
1877	21.54	21.54	7	1	...	1	2	
1878	18.87	18.87	6	1	1	
1879	...	3.25	6.49	9.74	3	1	1	
Ten Years, 1870-79	...	28	1.92	21.98	80	1	...	5	1	11	1	14	17	...	9	5	9	7	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875	1
1876
1877	1
1878
1879
Ten Years, 1870-79	1	1	2

III.—STATISTICS OF INDIVIDUAL STATIONS—MADRAS, 1870-79.

CLXXXVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MADRAS during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.			
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anæmia.	All other Causes.
January	6,887	430	62.4	11	...	2	1	1	3	1	...	3		
February	6,869	405	59.0	9	...	1	2	...	1	1	1	...	3		
March	7,184	392	54.6	10	...	5	2	1	...	3		
April	7,122	413	58.0	6	...	2	1	2		
May	6,829	434	63.6	7	...	1	1	1	2		
June	6,726	430	63.9	11	...	3	1	1	1	...	1		
July	6,512	446	68.5	6	4	1	1		
August	6,697	457	68.2	7	...	1	3	1	1	1		
September	6,481	424	65.4	8	1	...	1	1	4	...	1		
October	6,638	404	60.9	2	1	1	4		
November	6,791	448	66.0	2	1		
December	7,160	449	62.7	8	...	1	...	1	1	4	1		
						16	...	1	...	2	11	1	4	...	6	...	2	8	6	10	2	18
						Died per 1,000 of the Average Strength.																			
For the Ten Years	6,825	428	62.7	87	12.75	2.3415	.20	1.61	.15	.598829	1.17	.88	1.47	.29	2.64	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)	3	5	43	118	58	51	16	1	...	295	43.2	...												
Cholera	3	1	7	5	2	2	...	1	1	22	3.2	72.72												
Smallpox												
Enteric Fever	1	1	...	2	3	50.00												
Fever, Intermittent	26	31	19	21	34	25	19	21	13	18	20	24	271	39.7	...												
Fever, Remittent and Continued	34	25	30	53	89	134	172	75	60	50	52	22	796	116.6	25												
Apoplexy	3	...	1	1	3	4	4	16	2.3	68.75												
Delirium Tremens	5	5	2	3	2	...	2	3	3	6	6	3	40	5.9	2.50												
Dysentery	16	19	26	20	11	12	21	24	18	17	26	28	238	34.9	1.68												
Diarrhea	22	23	24	24	17	21	31	23	14	20	22	26	272	39.9	...												
Hepatitis	37	27	27	29	30	28	31	31	32	36	37	30	375	55.0	1.60												
Spleen disease	2	1	2	3	3	2	1	3	1	18	2.6	...												
Respiratory diseases	24	42	47	38	54	43	54	59	36	43	47	34	521	76.3	.38												
Phthisis Pulmonalis	11	3	6	4	1	6	7	12	4	11	15	9	89	13.0	6.74												
Scurvy	1	1	1	...												
Rheumatism	24	19	31	30	32	22	34	44	35	25	32	30	358	52.5	...												
Veneral diseases	137	142	158	143	133	103	112	121	122	115	128	127	1,541	225.8	...												
Eye diseases	6	4	9	11	8	3	14	6	8	14	4	11	98	14.4	...												
Abscess and Ulcer	37	49	46	82	103	93	66	71	44	59	42	42	734	107.6	.36												
Wounds and Accidents	50	64	61	73	59	52	36	59	39	47	45	84	669	98.0	...												
All other Causes	131	118	147	179	169	147	193	186	167	170	161	137	1,905	279.1	...												
													567	572	641	721	753	740	917	802	619	648	642	609	8,261		
Admitted per 1,000 of the Average Strength in each Month.																											
													82.3	83.3	89.2	101.2	110.3	110.0	140.8	119.8	100.1	97.6	94.5	85.1	1,210.4		

III.—STATISTICS OF INDIVIDUAL STATIONS—MADRAS, 1870-79.

CLXXXVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MADRAS in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	841	46.8	49.1	43.0	51.8	60.6	51.0	59.1	66.9	75.4	66.9	50.5	51.2	55.9
1871	...	751	59.5	63.5	53.1	51.1	70.8	65.2	67.5	67.9	52.8	51.9	63.1	66.7	61.3
1872	...	742	54.9	61.9	76.2	89.6	96.9	95.4	81.5	103.6	96.0	49.0	55.9	45.9	74.1
1873	...	801	58.8	45.2	46.2	37.7	45.7	59.6	63.1	62.3	66.9	69.8	86.1	77.8	59.9
1874	...	646	107.3	50.2	48.3	59.1	49.3	50.5	65.1	72.8	58.8	64.7	80.7	92.1	65.0
1875	...	562	84.2	58.5	67.0	67.1	69.2	61.6	69.1	60.4	59.2	50.4	59.0	45.7	62.3
1876	...	649	68.3	76.5	38.9	43.4	40.8	27.6	49.3	50.1	49.2	46.7	47.7	45.6	46.2
1877	...	708	41.8	51.5	50.2	45.3	47.4	46.7	52.4	47.1	43.7	50.4	56.8	53.9	49.4
1878	...	634	60.2	84.4	81.2	83.3	91.7	100.8	94.4	93.0	98.0	97.7	93.9	84.9	88.3
1879	...	492	80.0	76.1	45.0	56.8	73.1	101.1	91.9	57.1	53.1	60.9	69.2	70.2	69.1
Ten Years, 1870-79	...	6,825	62.4	59.0	51.6	58.0	63.6	63.9	68.5	68.2	65.4	60.9	66.0	62.7	62.7

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.														Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral dis. cases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
1870	9.5	...	86.8	2.4	10.7	9.5	35.7	25.0	1.2	66.6	11.9	28.5	181.9	14.3	71.3	110.6	258.0	923.9
1871	82.6	1.3	14.6	13.3	36.0	39.9	...	62.6	5.3	29.3	159.8	8.0	133.2	117.2	296.9	1,000.0
1872	250.7	8.1	8.1	32.3	70.1	70.1	...	145.6	12.1	106.4	140.2	26.9	153.7	184.6	777.6	1,986.5
1873	78.7	1.2	3.7	36.2	20.0	66.2	...	45.0	26.2	91.1	118.6	6.2	148.6	98.6	305.9	1,053.7
1874	...	1.5	171.9	3.1	1.5	72.8	4.6	97.5	12.4	63.5	26.3	61.9	161.0	15.5	72.8	96.0	368.4	1,230.7
1875	1.9	1.8	258.0	1.8	1.8	33.8	28.5	60.5	...	51.6	19.6	33.8	258.0	10.7	89.0	64.0	209.9	1,124.6
1876	13.9	...	121.7	1.5	...	47.8	41.6	66.3	4.6	72.4	3.1	43.1	269.7	4.6	127.9	58.5	225.0	1,101.7
1877	5.7	...	84.7	1.4	1.4	43.8	49.4	35.3	...	62.1	4.2	39.6	261.3	22.6	69.2	42.4	175.2	898.3
1878	149.8	1.6	7.9	36.3	69.4	50.5	...	116.7	14.2	25.2	422.7	15.8	91.5	86.7	228.7	1,317.0
1879	392.3	...	6.1	32.5	44.7	44.7	...	79.3	6.1	58.9	390.2	20.3	109.8	103.7	341.4	1,630.0
Ten Years, 1870-79	3.2	*3	156.3	2.3	5.9	34.9	39.9	55.0	2.6	76.3	13.0	62.5	225.8	14.4	107.6	98.0	322.4	1,210.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Heart dis. cases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	7.13	8.32	9.52	24.97	21	6	1	2	1	1	...	3	7	
1871	...	4.00	5.32	9.32	7	1	3	
1872	...	1.35	10.78	12.13	9	1	1	
1873	...	1.25	6.24	7.49	6	1	1	
1874	...	3.10	13.93	17.03	11	1	1	
1875	...	3.56	7.12	12.46	7	1	1	1	2	
1876	...	9.25	1.54	12.33	8	6	1	1	1	
1877	...	4.24	...	11.39	8	3	1	1	
1878	3.15	12.62	8	1	1	2	
1879	2.04	4.07	2	1	
Ten Years, 1870-79	2.34	2.93	7.48	12.75	87	16	...	1	2	11	1	4	6	...	2	8	6	20	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
1870	1	7	8
1871
1872
1873
1874
1875
1876	5	2	2	1
1877	...	3	9
1878	1	4
1879
Ten Years, 1870-79	...	3	1	7	5	2	2	...	1	1	22

III.—STATISTICS OF INDIVIDUAL STATIONS—RANGOON, 1870-79.

CLXXXVIII.

TABLE showing the *AGGREGATE* of *SICKNESS* and *MORTALITY* among the *EUROPEAN TROOPS* occupying *RANGOON* during the *TEN YEARS* from 1870 to 1879, and the *Prevalence of the Principal Diseases* in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.															Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.				
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.			Scurvy.	Atrophy and Anemia.	All other Causes.	
January ...	7,931	389	49.0	11	2	...	5	...	1	1	...	2			
February ...	7,999	399	49.9	13	1	2	1	3	...	2			
March ...	8,662	367	42.4	5	1	1	...	2			
April ...	8,222	365	44.4	5	1	...	2	3			
May ...	8,350	410	49.1	6	1	1	1	...	3			
June ...	8,175	413	50.5	7	1			
July ...	8,180	462	56.5	11	2	4	2			
August ...	8,059	442	54.8	11	1	...	3	1	1			
September ...	7,919	419	52.9	15	1	3	4	1	...	2			
October ...	7,821	419	53.6	12	1	3	1	3	...	2			
November ...	7,871	413	52.5	10	1	3	1	...	3			
December ...	8,547	429	50.2	13	5	1	...	5			
						3	1	3	...	1	5	2	33	...	17	...	1	11	3	12	3	24	
Died per 1,000 of the Average Strength.																										
For the Ten Years ...	8,145	411	50.5	119	14.61	.37	.12	.37	.12	.61	.25	4.05	...	2.0912	1.35	.37	1.47	.37	2.95		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue (of 1872)	1	...	19	60	73	50	58	34	295	36.2	...	
Cholera	5	1	7	...	42.86	
Smallpox	1	18	...	33.33	
Enteric Fever	1	3	...	1	3	...	2.2	
Fever, Intermittent	32	45	22	15	29	46	35	48	54	43	46	229	64.4	79.1	
Fever, Remittent and Continued	62	62	67	45	64	66	89	45	51	71	69	47	738	90.6	14
Apoplexy	2	...	1	3	4	1	...	2	1	1	15	1.8	33.33
Delirium Tremens	4	5	5	6	7	...	6	6	1	6	3	1	55	6.7	3.64
Dysentery	91	57	39	37	67	81	128	84	83	66	65	76	874	107.3	3.78
Diarrhea	40	38	39	27	44	45	52	38	33	37	39	42	474	58.2	...
Hepatitis	48	41	41	37	42	36	47	49	46	54	42	34	517	63.5	3.29
Spleen disease	1	1	1	1	...	1	3	1	2	11	1.4	...
Respiratory diseases	54	30	25	27	29	27	32	30	39	58	33	38	422	51.8	24
Phthisis Pulmonalis	2	3	4	3	2	2	4	4	4	5	6	3	42	5.2	7.14
Scurvy	1	...	1	.1	...
Rheumatism	30	27	28	28	31	49	39	32	33	40	39	23	399	49.0	...
Veneral diseases	131	107	131	161	115	113	120	106	77	99	104	91	1,355	166.4	...
Eye diseases	8	7	8	4	5	5	8	3	5	10	8	6	77	9.4	...
Abscess and Ulcer	57	61	62	67	79	71	87	51	64	53	52	60	764	93.8	49
Wounds and Accidents	71	70	80	63	55	61	62	61	66	63	55	85	792	97.2	...
All other Causes	130	114	106	107	145	140	177	137	164	146	129	132	1,647	202.2	...
763	673	662	652	779	821	948	775	757	757	693	870	9,150				
Admitted per 1,000 of the Average Strength in each Month.																
96.2	84.1	76.4	79.3	93.3	100.4	115.9	96.2	95.6	96.8	88.0	101.8	1,123.4				

III.—STATISTICS OF INDIVIDUAL STATIONS—RANGOON, 1870-79.

CLXXXIX.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying RANGOON in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the Year	770	76.5	77.8	69.3	64.9	74.9	82.0	92.4	82.8	68.1	75.9	63.6	30.9	71.4
1871	"	792	26.4	34.9	46.9	49.2	45.9	46.1	51.2	45.6	47.1	37.3	39.9	33.4	41.7
1872	"	854	36.8	43.6	40.8	33.5	40.9	47.2	41.9	45.5	33.7	36.2	43.0	29.0	38.6
1873	"	916	39.4	36.0	38.4	31.2	40.2	34.5	39.7	55.6	59.9	52.7	45.7	45.9	43.7
1874	"	885	42.7	38.8	37.5	36.8	43.3	41.3	45.8	50.4	50.6	47.5	47.2	56.9	46.2
1875	"	802	47.8	33.5	22.0	37.1	42.4	52.6	52.3	45.8	49.4	62.4	53.2	64.7	47.4
1876	"	764	54.4	53.5	44.8	27.4	44.0	42.4	66.9	64.1	60.7	48.6	54.7	67.0	52.4
1877	"	781	48.2	54.1	52.0	65.6	49.7	50.1	69.9	61.1	63.5	59.8	58.2	42.2	56.3
1878	"	763	49.2	66.0	48.2	41.7	50.5	60.3	60.7	45.5	45.1	55.4	53.6	42.5	51.1
1879	"	819	67.5	63.8	32.3	59.8	62.0	53.3	50.0	55.1	52.1	62.2	67.1	100.8	59.8
Ten Years, 1870-79	...	8,145	49.0	49.9	42.4	44.4	49.1	50.5	56.5	51.8	52.9	53.6	52.5	50.2	50.5

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.		
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
1870	1.3	...	270.1	...	23.4	79.2	57.1	74.0	1.3	68.8	3.9	85.7	222.1	29.9	139.0	167.5	281.8	1,505.1
1871	...	12.6	176.8	2.5	2.5	127.5	55.6	40.4	1.3	42.9	8.8	29.0	203.3	2.5	68.2	80.8	137.7	992.4
1872	...	2.3	57.4	1.2	...	76.1	36.3	60.9	...	35.1	4.7	32.8	141.7	8.2	94.8	93.7	370.0	1,015.2
1873	...	5.5	92.8	5.5	...	66.6	113.5	52.4	...	81.9	4.4	41.5	133.2	8.7	105.9	82.9	327.5	1,122.3
1874	50.9	2.3	7.9	109.6	35.0	80.2	2.3	40.7	4.5	62.1	113.0	4.5	55.4	54.2	185.3	807.9
1875	98.5	...	21.2	93.5	27.4	56.1	3.7	38.7	2.5	28.7	173.3	7.5	102.2	94.8	213.2	961.3
1876	74.6	...	9.2	162.3	39.3	79.9	2.6	47.1	13.1	60.2	179.3	13.1	64.1	102.1	209.4	1,056.3
1877	...	1.3	96.0	2.6	5.1	207.4	39.7	62.7	...	59.8	2.6	46.1	185.7	9.0	76.8	84.5	233.0	1,106.3
1878	7.9	...	180.9	2.6	...	128.4	98.3	82.6	1.3	64.2	1.3	79.9	146.8	10.5	132.4	112.7	246.4	1,296.2
1879	617.8	1.2	...	36.6	75.7	47.6	1.2	44.0	6.1	28.1	179.5	2.4	102.6	108.7	169.7	1,421.2
Ten Years, 1870-79	9	2.2	169.7	1.8	6.7	107.3	58.2	63.5	1.4	51.8	5.2	49.0	166.4	9.4	93.8	97.2	238.9	1,123.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	...	3.90	1.29	5.19	4	1	3		
1871	10.10	10.10	8	2		
1872	...	4.68	8.20	12.88	11	1	4		
1873	...	3.27	14.20	17.47	16	1	3		
1874	...	2.26	9.04	11.30	10	2		
1875	...	3.74	8.73	12.47	10	1	3		
1876	...	2.62	11.78	14.40	11	6	2		
1877	...	5.12	19.21	24.33	19	10	4		
1878	3.93	2.62	19.66	26.21	20	3	1	5	4	...	1	1	2		
1879	...	4.88	7.33	12.21	10	1	...	1	2	1	4		
Ten Years, 1870-79	3.7	3.32	10.92	14.61	119	3	1	3	1	5	2	33	17	...	1	11	3	12	27	

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	1	1
1871
1872
1873
1874
1875
1876
1877
1878	5	...	1
1879
Ten Years, 1870-79	5	1	1	7

III.—STATISTICS OF INDIVIDUAL STATIONS—TOUNGOO, 1870-79.

CXC.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying TOUNGOO during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.																Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.																
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.			Atrophy and Anæmia.	All other Causes.														
						1	...	2	...	4	12	2	17	...	13	...	5	1	1			5	...	9													
January ...	4,198	164	39.1	4	1	1	1	1	1	
February ...	3,833	160	41.7	2	1
March ...	4,266	186	43.6	3	1	
April ...	4,519	200	44.3	10	
May ...	4,610	193	41.9	11	
June ...	4,567	257	56.3	5	
July ...	4,470	250	55.9	11	
August ...	4,470	251	56.9	4	
September ...	4,412	216	49.2	7	
October ...	4,387	190	43.7	6	
November ...	4,351	163	40.3	5	
December ...	3,931	137	34.9	4	
For the Ten Years						4,299	197	45.8	72	16.75	23	...	47	93	2.79	47	3.96	...	3.03	1.16	23	23	1.16	...	2.00		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.														
Dengue (of 1872)	20	30	11	4	1	66	15.3	...												
Cholera	2	1	...	2	5	1.2	20.00												
Smallpox	1	1	2	...												
Enteric Fever	1	1	3	66.67												
Fever, Intermittent ...	12	12	6	15	14	27	37	20	10	19	11	17	200	46.5												
Fever, Remittent and Continued ...	25	15	18	23	38	61	58	33	27	37	30	9	379	88.2												
Apoplexy	2	...	5	6	3	2	1	19	4.4												
Delirium Tremens	1	5	5	3	...	3	2	2	...	2	3	28	6.5												
Dysentery ...	50	37	34	27	41	78	91	80	73	39	26	37	613	142.6												
Diarrhoea ...	12	14	18	16	49	67	64	49	40	25	15	19	388	90.3												
Hepatitis ...	28	25	28	25	31	47	49	43	43	37	25	26	407	94.7												
Spleen disease	1	1	2												
Respiratory diseases ...	19	8	21	17	10	17	16	12	12	13	11	16	172	40.0												
Phthisis Pulmonalis ...	4	1	5	2	3	6	4	4	1	2	4	3	39	9.1												
Scurvy	1	3	1	1	1	1	9	2.1												
Rheumatism	18	10	6	14	14	18	11	13	12	9	11	144	33.5												
Veneral diseases ...	54	43	52	53	39	49	51	33	27	28	43	28	500	116.3												
Eye diseases ...	4	3	...	4	1	8	4	6	1	3	5	1	40	9.3												
Abscess and Ulcer ...	28	26	43	41	47	24	36	34	21	28	20	17	365	84.9												
Wounds and Accidents ...	25	39	48	49	44	37	28	26	18	20	34	36	404	94.0												
All other Causes ...	35	41	57	91	90	93	95	105	76	68	56	31	841	195.6												
Admitted per 1,000 of the Average Strength in each Month.													4,624											
73.1													74.6	81.6	85.4	93.9	116.5	124.8	108.8	90.5	79.3	72.9	65.4	1,075.6

III.—STATISTICS OF INDIVIDUAL STATIONS—TOUNGOO, 1870-79.

CXCI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying TOUNGOO in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	354	40.8	49.0	44.6	55.4	26.7	38.4	44.4	48.4	43.6	35.3	29.8	41.9	42.4
1871	...	375	52.6	45.7	44.0	43.1	44.4	52.6	56.0	37.6	32.3	40.2	41.5	38.9	42.7
1872	...	465	17.9	51.1	43.3	39.8	41.8	45.7	44.2	41.2	37.8	33.9	34.2	28.5	38.7
1873	...	475	33.8	31.3	38.9	33.4	35.6	47.4	60.2	76.5	57.7	42.9	30.7	34.9	44.2
1874	...	430	43.7	36.4	35.9	39.9	34.2	32.3	53.1	58.0	60.3	56.1	44.8	22.7	44.2
1875	...	476	45.5	52.2	58.1	76.9	65.9	108.3	78.2	71.3	65.0	54.9	43.8	28.9	63.0
1876	...	453	29.9	24.9	39.2	45.3	45.8	86.0	78.6	80.9	69.5	41.4	47.7	46.4	55.2
1877	...	418	46.2	33.3	35.8	26.3	48.1	49.1	53.9	71.3	50.6	53.1	51.4	38.9	45.5
1878	...	408	54.7	59.7	55.2	43.4	35.8	51.1	51.3	43.0	43.4	41.8	49.9	24.9	46.6
1879	...	444	23.9	35.4	40.9	35.8	34.9	40.8	35.9	33.8	27.5	36.2	30.8	43.7	36.0
Ten Years, 1870-79	...	4,290	39.1	41.7	43.6	44.3	41.9	56.3	55.9	56.9	49.2	43.7	40.3	34.9	45.8

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.															Admission-rate of each Year and of the Period.			
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.	
1870	127.1	14.1	8.5	81.9	28.2	50.9	...	53.7	8.5	22.6	53.7	22.6	101.7	129.9	254.2	957.6	
1871	242.7	8.0	21.3	34.7	93.3	48.0	...	48.0	2.7	50.7	82.7	29.3	80.0	173.3	280.0	1,194.7	
1872	101.1	2.2	6.5	116.1	43.0	105.4	...	36.6	4.3	34.4	133.3	6.4	101.1	45.1	268.8	1,004.3	
1873	...	6.3	52.6	4.2	4.2	259.0	56.8	164.2	2.1	19.0	8.4	25.3	124.2	4.2	29.5	40.0	69.5	871.6	
1874	48.8	...	4.7	246.5	62.8	118.6	...	32.6	9.3	32.6	151.2	...	95.3	37.2	130.2	969.8	
1875	...	2.1	126.1	...	2.1	205.9	159.7	105.0	...	65.1	23.1	12.6	73.5	12.6	105.0	107.2	319.3	1,319.3	
1876	196.5	...	4.4	147.9	209.7	86.1	...	39.7	19.9	59.6	152.3	13.3	108.1	79.5	236.2	1,353.2	
1877	165.1	14.3	7.2	110.0	100.5	78.9	...	40.7	7.2	38.3	129.2	...	67.0	107.6	215.3	1,081.3	
1878	...	2.5	198.5	4.9	2.5	129.9	98.0	90.7	...	22.0	4.9	27.0	149.5	9.8	80.9	105.4	147.0	1,073.5	
1879	...	4.5	114.9	...	6.8	54.1	36.0	76.5	...	45.0	...	33.8	101.4	...	83.3	139.6	223.0	918.9	
Ten Years, 1870-79	...	1.2	7	134.7	4.4	6.5	142.6	90.3	94.7	2	40.0	9.1	33.5	116.3	9.3	84.9	94.0	213.2	1,075.6

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	22.60	22.60	8	4	1	1	1	1		
1871	8.00	8.00	3		
1872	2.15	12.90	15.05	7	1	1	1	1		
1873	18.95	18.95	9		
1874	9.30	9.30	4		
1875	4.20	8.41	12.61	6		
1876	6.62	13.25	19.87	9		
1877	4.78	14.36	19.14	8		
1878	...	2.45	2.45	29.41	34.31	14	1	1		
1879	9.01	9.01	4		
Ten Years, 1870-79	...	2.3	2.09	14.43	16.75	72	1	...	2	4	12	2	17	13	5	1	6	9

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873	2
1874
1875	1
1876
1877
1878	1
1879
Ten Years, 1870-79	2	1	...	2

III.—STATISTICS OF INDIVIDUAL STATIONS—THAYETMYO, 1870-79.

CXCII.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying THAYETMYO during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.																
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.												
January ...	5,986	181	30.2	3	1	1	1	...							
February ...	5,869	198	33.7	1	1	...						
March ...	6,238	220	35.3	2						
April ...	7,144	275	38.5	36	...	29	3	...					
May ...	7,444	335	45.0	13	...	2	1	...				
June ...	7,371	386	52.4	15	...	9	1	...				
July ...	7,285	412	56.6	33	...	21	2	...			
August ...	7,193	392	54.5	12	...	2	1	...			
September ...	7,068	374	52.9	17	...	7	1	...			
October ...	7,050	348	49.4	8	...	1	1	...		
November ...	6,919	316	45.7	6	1	...	
December ...	6,674	261	39.1	6	2	...
						71	...	6	...	2	15	3	4	...	14	...	1	9	5	5	1	16		
Died per 1,000 of the Average Strength.																																					
For the Ten Years	6,853	308	44.9	152	22.18	10.3688	.29	2.19	.44	.58	...	2.0415	1.31	.7373	.15	2.33		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue (of 1872)	65	44	30	3	4	2	148	21.6	...
Cholera	41	2	14	34	3	10	2	106	15.5	66.98
Smallpox	1	1	1	...
Enteric Fever ...	2	3	4	1	1	12	1.8	50.00
Fever, Intermittent ...	21	27	21	25	35	79	67	42	35	27	21	33	433	63.2	...
Fever, Remittent and Continued ...	26	23	32	79	99	84	73	103	84	80	76	74	833	121.6	24
Apoplexy	2	3	15	1	3	5	4	1	2	...	36	5.3	41.67
Delirium Tremens	5	4	1	2	2	3	3	2	2	3	28	4.1	10.71
Dysentery ...	20	21	13	20	37	55	59	42	19	17	21	14	338	49.3	1.18
Diarrhoea ...	12	19	23	46	61	90	155	57	24	21	13	23	544	79.4	...
Hepatitis ...	37	26	24	31	53	52	70	57	72	36	36	24	518	75.6	2.70
Spleen disease	2	1	3	4	...
Respiratory diseases ...	29	27	32	30	24	26	29	26	42	46	35	47	393	67.3	25
Phthisis Pulmonalis ...	1	1	2	5	2	2	2	3	2	4	2	2	28	4.1	17.86
Scurvy
Rheumatism ...	13	17	28	25	32	21	36	15	26	38	24	11	286	41.7	...
Veneral diseases ...	71	62	68	100	49	62	46	30	57	39	48	34	666	97.2	...
Eye diseases ...	5	5	8	5	7	10	7	9	8	10	7	10	91	13.3	...
Abscess and Ulcer ...	42	34	45	62	56	67	74	84	54	56	27	33	639	93.2	34
Wounds and Accidents ...	33	47	57	70	65	58	65	64	76	48	56	86	725	105.8	...
All other Causes ...	72	75	109	170	212	211	182	187	181	175	165	100	1,839	268.3	...
	384	388	470	716	815	878	938	737	697	602	540	502	7,667		
Admitted per 1,000 of the Average Strength in each Month.															
	64.1	66.1	75.3	100.2	109.5	119.1	128.8	102.5	98.6	85.4	78.0	75.2	1,118.8		

III.—STATISTICS OF INDIVIDUAL STATIONS—THAYETMYO, 1870-79.

CXCIII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying THAYETMYO in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	For the year.	438	42.7	42.3	61.3	67.9	77.6	109.3	66.8	50.5	40.9	38.0	38.2	71.4	59.4
1871	"	542	34.1	46.8	42.9	47.0	53.1	61.9	72.1	61.3	69.0	61.7	44.7	48.2	53.5
1872	"	569	22.1	24.6	25.0	30.9	43.7	48.8	47.2	18.9	29.3	34.3	26.0	24.3	31.6
1873	"	583	28.7	38.5	38.3	33.3	35.2	38.7	44.2	42.9	47.0	42.5	40.9	25.6	37.7
1874	"	692	16.7	39.5	35.2	41.6	38.7	36.0	39.0	40.3	39.1	36.8	31.9	30.7	36.1
1875	"	679	21.9	22.7	26.6	29.3	28.7	31.6	46.1	39.2	31.8	30.6	20.5	17.6	29.5
1876	"	673	24.6	27.9	37.6	53.0	57.9	59.5	50.8	53.0	81.9	70.6	72.6	49.4	52.0
1877	"	578	41.1	31.7	29.1	38.3	44.5	47.9	44.6	46.1	46.2	41.8	25.3	33.3	39.8
1878	"	622	45.8	41.9	45.4	29.5	43.7	64.4	59.8	58.4	58.3	61.3	37.3	49.8	49.8
1879	"	1,479	33.3	25.6	19.6	30.3	43.1	50.4	72.2	81.7	64.6	59.4	63.9	49.7	53.4
Ten Years, 1870-79	...	6,853	30.2	33.7	35.3	38.5	45.0	52.4	56.6	54.5	52.9	49.4	45.7	39.1	44.9

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																		Admission-rate of each Year and of the Period.
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral dis. cases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	86.8	2.3	283.1	...	9.1	95.9	89.0	82.2	4.6	52.5	6.9	111.9	79.9	22.3	175.8	159.8	456.6	1,719.2	
1871	232.5	1.8	9.2	72.0	88.6	134.7	...	86.7	11.1	77.5	153.1	7.4	145.7	156.8	265.7	1,442.8	
1872	43.9	...	3.5	14.1	22.8	47.4	...	38.7	...	17.6	77.3	17.6	63.3	86.1	448.2	880.5	
1873	31.3	1.7	97.8	1.7	5.1	30.9	61.8	60.0	...	56.6	10.3	53.2	44.6	15.4	60.0	85.8	289.9	909.1	
1874	1.4	5.8	257.2	...	1.4	63.6	72.3	99.7	...	67.9	1.4	31.8	88.2	4.3	105.5	99.7	157.6	1,057.8	
1875	...	2.9	150.3	4.4	5.9	35.3	35.3	76.6	...	33.9	4.4	25.0	100.1	2.9	85.5	78.1	145.8	786.4	
1876	...	1.5	124.8	3.0	4.5	32.7	26.7	41.6	...	47.6	1.5	26.7	129.3	16.3	78.8	90.6	419.0	1,044.6	
1877	17.3	1.7	121.1	3.5	5.2	32.9	83.0	60.6	...	83.0	1.7	41.5	115.9	15.6	95.2	114.2	316.6	1,109.0	
1878	3.2	1.6	319.9	17.7	3.2	48.2	82.0	57.9	1.6	53.0	...	43.4	96.5	17.7	82.0	104.5	286.2	1,218.6	
1879	23.6	.7	203.5	10.8	.7	62.2	146.7	85.9	...	57.5	4.7	31.1	91.3	14.9	82.5	106.1	249.5	1,171.7	
Ten Years, 1870-79	15.5	1.8	184.8	5.3	4.1	49.3	79.4	75.6	.4	57.3	4.1	41.7	97.2	13.3	93.2	105.8	290.0	1,118.8	

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.													
	A Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis. case.	Respiratory diseases.	Heart dis. cases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.
		a Violent Deaths.	b Diseases.																
1870	61.64	4.57	4.57	70.78	31	27	1	...	1	2
1871	...	3.69	11.07	14.76	1	...	1
1872	5.27	5.27	1
1873	20.58	1.71	17.16	39.45	23	12	...	1
1874	1.45	...	5.78	7.23	23	1	1	1
1875	...	2.95	4.41	7.36	5	2
1876	...	2.97	2.97	5.94	5	2
1877	10.38	1.73	8.65	20.76	15	6	...	1	2
1878	3.22	4.83	9.63	17.68	11	2	1	3
1879	15.55	2.70	15.56	33.81	50	23	...	1	4
Ten Years, 1870-79	10.36	2.48	9.34	22.18	152	71	...	6	2	15	3	4	14	...	1	9	5	5	17

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.			
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
1870	28	1	6	3	38
1871
1872
1873	10	1	4	5	20
1874	1	1
1875
1876
1877
1878	2	8	...	2	10
1879	4	26	3	2	2
Ten Years, 1870-79	41	2	14	34	3	10	2	106

III.—STATISTICS OF INDIVIDUAL STATIONS—MOUNT ABOO, 1870-79.

CXCVI.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying MOUNT ABOO during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.						
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
January ...	697	32	45.9
February ...	727	35	48.1
March ...	1,287	50	38.9
April ...	1,958	103	52.6
May ...	2,059	126	61.2
June ...	1,663	87	52.3
July ...	846	57	67.4
August ...	824	49	59.5
September ...	798	49	61.4
October ...	729	45	61.7
November ...	674	46	68.2
December ...	563	28	49.7
For the Ten Years	1,069	59	55.2	21	19.64	1.87	.94	1.87	.94	3.749494	2.81	.94	1.87	.94	...	1.87	.94	...	1.87

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue (of 1872)
Cholera
Smallpox
Enteric Fever	1
Fever, Intermittent	67	30	60	75	121	133	162	72	57	171	162	117	1,227	1,147.8
Fevers, Remittent and Continued	1	1	2	3	4	1	2	1	...	1	...	1	17	15.9
Apoplexy	1	1	3	2.8
Delirium Tremens	1	1	6	5.6
Dysentery	1	2	...	9	5	3	7	6	3	38	35.6
Diarrhoea	...	2	...	12	7	7	16	14	2	2	2	71	66.4
Hepatitis	...	1	6	10	8	12	4	52	48.6
Spleen disease	3	1	...	1	7	6.6
Respiratory diseases	...	5	...	17	13	3	3	70	65.5
Phthisis Pulmonalis	1	1	1	1	5	4.7
Scurvy
Rheumatism	2	3	54	50.5
Veneral diseases	9	5	24	44	36	26	17	18	16	9	7	217	203.0
Eye diseases	...	1	4	15	5	3	1	29	27.1
Abscess and Ulcer	...	4	9	12	8	12	4	...	3	62	58.0
Wounds and Accidents	5	3	5	23	19	14	3	10	5	10	4	100	93.5
All other Causes	11	16	25	50	37	16	14	17	10	4	5	209	195.5
	103	74	161	290	280	238	236	147	113	209	183	130	2,173
Admitted per 1,000 of the Average Strength in each Month.																											
	147.8	101.8	125.1	148.1	136.0	143.1	279.0	178.4	141.6	286.7	271.5	246.9	2,032.7														

III.—STATISTICS OF INDIVIDUAL STATIONS—MOUNT ABOO, 1870-79.

CXCVII.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying MOUNT ABOO in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	... For the Year	98	153.8	125.0	89.2	81.8	85.2	90.4	95.9	68.5	54.8	71.4	91.8
1871	... " "	135	...	70.2	43.5	84.3	112.9	83.3	112.0	114.3	147.1	100.0	148.1	97.6	88.9
1872	... " "	148	37.0	74.1	25.2	42.3	55.2	64.7	68.4	59.8	71.4	110.0	153.8	81.1	60.8
1873	... For 11 Months	152	104.3	79.8	59.5	56.0	67.6	59.1	64.2	46.3	56.1	56.8	38.0	...	59.2
1874	... For the Year	107	20.8	35.3	23.5	46.8	55.1	57.0	71.4	73.2	75.9	55.6	35.1	17.5	46.7
1875	... " "	106	16.7	51.7	28.2	49.0	52.4	25.8	61.7	61.7	37.0	24.7	13.2	39.5	37.7
1876	... " "	73	26.3	13.2	13.2	26.3	17.1	34.2	34.5	17.2	...	17.2	71.4	100.0	27.4
1877	... " "	76	17.2	...	12.2	37.7	28.3	24.2	34.5	34.5	34.5	17.2	13.7	27.4	26.3
1878	... " "	90	14.1	13.7	27.4	9.0	18.6	18.8	27.4	13.7	54.8	13.9	13.9	14.1	22.2
1879	... " "	96	14.9	16.1	17.7	47.6	65.1	47.3	58.8	72.5	28.9	117.6	88.2	44.1	52.1
Ten Years, 1870-79	...	1,069	45.9	48.1	38.0	52.6	61.2	52.3	67.4	59.5	61.4	61.7	68.2	49.7	55.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
1870	...	20.4	1,010.2	...	30.6	30.6	30.6	...	30.6	...	91.8	275.5	10.2	40.8	122.5	459.2	2,153.0	
1871	1,792.6	...	7.4	51.9	81.5	133.3	...	111.1	14.8	51.9	266.7	44.4	51.9	133.3	3,074.1	
1872	1,891.9	13.5	...	20.3	168.9	87.8	...	60.8	...	47.3	216.2	13.5	54.0	81.1	2,831.0	
1873	1,559.2	...	6.6	6.6	48.0	39.5	...	39.5	...	78.9	98.7	32.9	111.8	125.0	3,302.6	
1874	850.5	84.1	46.7	28.0	28.0	140.2	18.7	112.1	56.1	18.7	74.8	74.8	1,755.0	
1875	405.7	66.0	37.7	47.2	28.3	37.7	...	37.7	283.0	28.3	18.9	66.0	1,207.5	
1876	712.3	13.7	13.7	54.8	13.7	41.1	68.5	41.1	51.8	68.5	1,123.3	
1877	302.6	...	13.1	13.1	39.5	13.1	...	39.5	...	223.7	...	39.5	131.6	52.7	868.4	
1878	...	22.2	411.1	33.3	55.6	77.8	...	11.1	155.6	11.1	33.3	44.4	944.4	
1879	...	10.4	1,458.4	41.7	72.9	20.8	...	52.1	10.4	20.8	364.6	62.5	62.5	52.1	2,354.2	
Ten Years, 1870-79	...	4.7	1163.7	2.8	5.6	35.6	66.4	48.6	6.6	65.5	4.7	50.5	203.0	27.1	58.0	93.5	196.4	2032.7

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	All other Causes.	Violent Deaths.	
		a. Violent Deaths.	b. Diseases.																	
1870	30.61	30.61	3	2	1		
1871	22.22	22.22	3	1		
1872	20.27	20.27	3		
1873	6.58	26.31	5	1	1	2		
1874	9.35	9.35	1		
1875	9.43	9.43	1		
1876	13.70	13.70	1	1		
1877	13.16	13.16	1	1		
1878	11.11	11.11	1	1		
1879	20.83	20.83	2	1	1		
Ten Years, 1870-79	1.87	17.77	19.64	21	2	1	2	1	4	1	...	1	3	1	3	2

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH OF THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
Ten Years, 1870-79

III.—STATISTICS OF INDIVIDUAL STATIONS—WELLINGTON, 1870-79.

CC.

TABLE showing the AGGREGATE of SICKNESS and MORTALITY among the EUROPEAN TROOPS occupying WELLINGTON during the TEN YEARS from 1870 to 1879, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths.	Died per 1,000 of Strength.	CAUSES OF DEATHS IN HOSPITAL.														Wounds and Accidents.	Suicidal Deaths, and other Deaths out of Hospital.							
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.			Dropsy.	Scurvy.	Atrophy and Anaemia.	All other Causes.			
January ...	2,656	184	69.3	5	1	2	1	1	
February ...	2,158	139	64.1	4	2	1	1	
March ...	2,504	147	58.7	3	
April ...	4,329	322	66.7	4	
May ...	5,303	382	72.0	5	
June ...	5,457	418	76.6	10	
July ...	5,496	434	79.0	8	
August ...	5,561	419	75.4	12	
September ...	5,612	399	71.1	3	
October ...	5,321	363	68.2	5	
November ...	4,446	272	61.2	7	
December ...	3,334	222	66.6	5	
						1	...	10	...	2	3	...	4	...	9	...	5	12	3	1	15	2	4		
Died per 1,000 of the Average Strength.																												
For the Ten Years	4,390	308	70.2	71	16.17	.23	...	2.28	.46	.6891	...	2.05	...	1.14	2.73	.68	.23	3.41	.46	.91			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																
Dengue (of 1872)	
Cholera	
Smallpox	
Enteric Fever	1	
Fever, Intermittent ...	15	29	40	68	91	89	96	73	61	46	31	21	660	150.3	
Fever, Remittent and Continued ...	11	16	27	34	72	108	113	57	52	49	31	13	533	132.8	
Apoplexy ...	1	
Delirium Tremens	
Dysentery ...	5	4	18	33	36	29	18	37	23	16	9	10	238	54.2	
Diarrhoea ...	2	4	11	42	58	31	29	13	9	11	7	2	219	49.9	
Hepatitis ...	13	13	10	27	29	30	39	20	27	20	15	9	252	57.4	
Spleen disease	
Respiratory diseases ...	31	15	14	43	41	43	54	57	34	44	32	23	431	98.2	
Phthisis Pulmonalis ...	8	3	4	7	7	5	9	7	5	5	6	2	68	15.5	
Scurvy	
Rheumatism ...	15	15	20	40	
Veneral diseases ...	35	11	42	68	88	9	16	7	5	4	8	8	639	145.6	
Eye diseases ...	6	2	5	8	9	16	7	11	5	4	8	8	86	19.6	
Abscess and Ulcer ...	18	12	51	69	41	47	26	38	41	31	17	20	411	93.6	
Wounds and Accidents ...	12	13	15	28	33	36	50	35	52	40	20	26	360	82.0	
All other Causes ...	91	46	88	130	137	123	155	161	113	150	109	86	1,389	316.4	
	264	184	349	621	691	656	719	595	543	520	347	277	5,766															
Admitted per 1,000 of the Average Strength in each Month.																												
	99.4	85.3	139.4	128.6	130.3	120.2	130.8	107.0	96.8	97.7	78.0	83.1	1,313.4															

III.—STATISTICS OF INDIVIDUAL STATIONS—WELLINGTON, 1870-79.

CCI.

GENERAL STATISTICS of SICKNESS and MORTALITY of the EUROPEAN TROOPS occupying WELLINGTON in each Year of the TEN YEARS from 1870 to 1879.

I.—DAILY SICK-RATE OF EACH MONTH OF THE TEN YEARS.

YEAR.	Period of Occupation.	Average Strength of each Year and for the Period.	NUMBER DAILY SICK PER 1,000 OF STRENGTH.												Average Daily Sick-rate for each Year and the Period.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870	...	421	95.2	93.5	89.7	87.0	82.6	83.0	77.7	65.7	66.5	79.4	104.2	72.3	80.8
1871	...	353	68.7	58.2	36.4	65.1	62.8	79.2	62.9	56.9	55.4	55.6	41.5	60.0	62.3
1872	...	293	62.1	41.0	35.5	25.3	51.6	46.7	44.4	45.9	38.0	31.0	57.4	109.9	47.8
1873	...	456	121.2	74.8	97.6	109.0	110.7	93.3	101.9	80.8	76.4	74.7	81.3	60.7	89.9
1874	...	492	56.4	51.5	43.2	65.5	55.3	82.9	84.4	82.1	81.7	71.8	65.4	90.0	71.1
1875	...	509	76.9	61.5	33.1	43.2	55.6	60.0	52.2	45.5	55.6	52.1	34.2	37.4	51.1
1876	...	449	25.2	41.3	67.9	96.3	90.5	110.7	102.7	95.7	96.9	96.9	85.2	74.5	89.1
1877	...	520	69.2	68.8	51.0	68.4	97.5	103.6	146.8	174.3	132.9	100.8	63.3	82.9	101.9
1878	...	408	78.0	49.5	46.1	50.6	60.7	60.3	65.9	47.2	45.3	48.1	36.2	48.4	51.5
1879	...	490	66.2	77.4	67.0	43.2	48.4	44.2	38.6	43.3	46.3	53.5	43.5	55.1	46.9
Ten Years, 1870-79	...	4,390	69.3	64.4	58.7	66.7	72.0	76.6	79.0	75.4	71.1	68.2	61.2	66.6	70.2

II.—COMPOSITION OF THE ADMISSION-RATE OF EACH YEAR AND OF THE TEN-YEAR PERIOD.

YEAR.	ADMITTED INTO HOSPITAL PER 1,000 OF THE AVERAGE STRENGTH IN EACH YEAR.																	Admission-rate of each Year and of the Period.	
	Cholera.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Phthisis Pul-monalis.	Rheumatism.	Veneral dis-eases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.		
1870	451.3	2.4	14.3	57.0	61.8	45.1	7.1	140.1	4.7	149.6	114.0	23.8	85.5	121.1	446.6	1,724.4	
1871	...	2.8	158.6	48.2	17.0	68.0	...	96.4	...	87.8	158.6	17.0	124.7	68.0	348.4	1,195.5	
1872	...	3.4	157.0	...	6.8	30.7	34.1	30.7	3.4	54.6	10.3	129.7	41.0	34.1	116.1	64.8	477.8	1,194.5	
1873	...	8.8	225.8	46.1	59.2	105.3	11.0	103.1	17.5	131.6	157.9	24.1	85.5	50.4	449.6	1,475.9	
1874	...	2.0	142.3	...	2.0	30.5	30.5	16.2	2.0	97.6	24.4	95.5	117.9	44.7	85.4	87.4	335.4	1,113.8	
1875	...	2.0	147.3	5.9	...	45.2	15.7	43.2	...	33.4	7.8	15.7	180.7	7.9	62.9	35.4	141.5	744.6	
1876	2.2	11.1	519.0	11.1	15.6	42.3	113.6	84.6	...	211.6	20.0	95.8	129.2	22.3	109.1	122.5	407.6	1,917.6	
1877	3.8	21.2	413.4	5.8	...	103.8	113.5	107.7	5.7	163.5	50.0	76.9	138.5	15.4	82.7	100.0	375.0	1,776.9	
1878	294.1	80.9	36.7	36.7	4.9	22.1	7.3	34.3	166.7	...	95.6	80.9	186.3	1,046.5	
1879	275.5	...	4.1	46.9	4.1	26.5	6.1	42.9	2.0	18.4	210.2	10.2	108.2	85.7	89.8	930.6	
Ten Years, 1870-79	...	7	5.4	283.1	2.7	4.1	54.2	49.9	57.4	4.1	98.2	15.5	80.4	145.6	19.6	93.6	82.0	316.9	1,313.4

III.—DEATH-RATE OF EACH YEAR AND OF THE PERIOD, AND THE CHIEF CAUSES OF MORTALITY.

YEAR.	DIED PER 1,000 OF STRENGTH.				Total Deaths.	CAUSES OF DEATHS.														
	A. Cholera.	B. All other Causes.		C. All Causes.		Cholera.	Smallpox.	Enteric Fever.	Other Fevers.	Apoplexy.	Delirium Tremens.	Dysentery and Diarrhoea.	Hepatitis.	Spleen dis-ease.	Respiratory diseases.	Heart dis-eases.	Phthisis Pul-monalis.	All other Causes.	Violent Deaths.	
		a Violent Deaths.	b Diseases.																	
1870	11.88	11.88	5	1	...	1	...	1	...	
1871	...	2.83	8.50	11.33	4	1	1	...	1	1	
1872	10.24	10.24	3	1	...	1	
1873	19.74	19.74	9	1	1	
1874	14.23	14.23	7	1	2	
1875	11.79	11.79	6	3	
1876	...	2.23	22.27	24.50	11	3	...	1	...	1	2	
1877	1.92	1.92	25.01	28.85	15	1	...	3	...	1	1	2	
1878	...	2.45	9.80	12.25	5	1	1	
1879	...	2.04	10.20	12.24	6	1	2	1	
Ten Years, 1870-79	...	2.3	1.37	14.57	16.17	71	1	...	10	2	3	...	4	9	...	5	12	3	16	6

IV.—PREVALENCE OF CHOLERA IN EACH MONTH DURING THE TEN YEARS.

YEAR.	ADMISSIONS FROM CHOLERA IN EACH MONTH DURING THE TEN YEARS, 1870-79.												Total Admissions.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
1870
1871
1872
1873
1874
1875
1876
1877	1	...	1
1878	1
1879
Ten Years, 1870-79	1	1	...	1	3



IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each JANUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	53,146	3,015	56.7	81	1.52	1.52	2	14	1	3	10	...	15	...	10	7	7	13
1871	55,175	2,847	51.6	82	1.49	1.49	6	4	1	2	...	13	...	13	11	9	11
1872	57,894	2,903	51.7	65	1.12	1.12	6	1	2	1	...	5	...	11	1	10	4	14	6
1873	58,135	3,025	52.0	63	1.08	1.08	3	1	3	2	...	8	...	13	...	11	9	9	4
1874	58,444	2,951	50.5	50	.86	.86	2	...	5	8	...	1	12	1	6	6	5
1875	58,252	3,261	56.0	48	.82	.82	6	...	3	1	...	1	...	6	...	11	6	6	7
1876	57,508	2,894	50.3	50	.87	.85	1	...	1	2	...	2	...	6	...	10	4	7	6
1877	57,613	2,980	51.7	52	.90	.83	5	...	1	1	...	6	...	12	...	8	3	3	6
1878	56,738	3,276	57.7	50	.88	.85	2	...	5	...	4	...	1	...	11	1	5	1	3
1879	56,602	4,057	71.7	110	1.94	1.94	1	9	2	2	...	4	...	1	12	...	11	12
							7	5	55	6	41	14	7	65	1	110	3	121	60	78	2	1	2	73	
Died per 1,000 of the Average Strength.																									
For the Month	569,507	31,299	55.0	651	1.14	1.13	.01	.01	.10	.01	.07	.02	.01	.12	.00	.19	.01	.21	.11	.14	.00	.00	.00	.00	.13

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	30	102	132	.2	...
Cholera	11	.0	63.63
Smallpox	47	.1	10.64
Enteric Fever	1	2	9	2	2	2	...	13	11	5	47	.1	34.59
Fever, Intermittent	1	35	15	19	10	12	25	9	15	18	159	.3	...
Fevers, Remittent and Continued	1,734	1,739	860	1,241	940	825	1,028	971	1,024	2,017	12,379	21.7	.05
Apoplexy	220	305	279	313	243	304	224	253	232	341	2,714	4.8	1.51
Delirium Tremens	3	9	2	1	1	6	2	2	2	6	34	.1	41.18
Dysentery	18	24	26	9	12	16	17	19	16	6	163	.3	4.29
Diarrhoea	151	182	195	207	160	130	140	130	178	258	1,731	3.0	3.76
Hepatitis	156	219	260	209	137	160	149	136	216	157	1,944	3.4	.05
Spleen disease	209	255	216	224	210	189	161	229	166	157	2,016	3.5	5.46
Respiratory diseases	15	30	16	17	18	31	18	27	19	26	217	.4	1.38
Phthisis Pulmonalis	366	533	448	448	496	495	481	532	437	841	5,077	8.9	2.38
Scurvy	32	50	48	41	35	51	26	33	24	32	372	.7	20.97
Rheumatism	4	3	3	...	2	12	.0	8.33
Veneral diseases	240	347	352	268	276	241	240	324	250	243	2,781	4.9	...
Eye diseases	1,031	1,178	1,347	830	1,107	1,204	1,038	1,089	1,401	1,376	11,601	20.4	...
Abscess and Ulcer	73	85	119	75	76	68	62	65	69	45	737	1.3	...
Wounds and Accidents	365	455	475	395	383	351	344	395	390	339	3,922	6.9	...
All other Causes	336	483	511	442	454	451	413	511	518	413	4,532	8.0	...
	540	747	786	712	614	716	577	776	758	805	7,031	12.3	...
Admitted per 1,000 of the Average Strength in each January.													
	103.4	121.1	103.6	95.5	88.6	90.7	86.0	95.8	101.0	127.7	101.2		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	51,975	3,036	58.4	59	1.14	1.10	2	...	9	2	5	1	...	6	1	11	...	8	4	6	1	3	
1871	56,189	2,977	53.0	52	.93	.93	3	...	14	...	4	4	10	3	
1872	58,028	2,880	49.8	53	.91	.81	...	1	9	...	7	3	7	7	
1873	58,702	2,804	47.8	49	.83	.83	...	1	6	...	10	...	2	6	6	...	1	1	7	
1874	59,121	3,005	50.8	49	.83	.83	4	...	16	...	4	6	6	7	
1875	58,733	3,214	54.7	54	.92	.92	...	1	5	...	12	...	5	6	6	10	
1876	58,107	2,978	51.3	35	.60	.60	4
1877	58,370	2,969	50.9	41	.70	.63	1	11
1878	55,776	3,320	59.5	27	.48	.47	...	1	1	...	1	3	3	7	2
1879	57,572	3,943	68.5	60	1.04	1.04	1	4	1	10	
							7	5	55	4	21	9	3	38	1	91	...	57	52	61	...	1	4	70	
Died per 1,000 of the Average Strength.																									
For the Month	572,582	31,135	54.4	479	.84	.83	.01	.01	.10	.01	.04	.01	.01	.06	.00	.1610	.10	.1000	.01	.12	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	2	8	10	.0	...
Cholera	3	16	.0	43.75
Smallpox	3	...	6	11	1	2	3	2	10	8	46	.1	10.87
Enteric Fever	12	16	13	14	9	7	12	14	10	15	122	.2	45.08
Fever, Intermittent	1,757	1,168	592	767	693	685	1,065	581	718	1,401	9,417	16.6	.04
Fever, Remittent and Continued	273	293	209	303	252	266	315	222	259	370	2,842	5.0	.74
Apoplexy	5	4	6	2	3	3	6	2	3	3	37	.1	24.32
Delirium Tremens	14	16	20	14	9	5	13	13	4	9	117	.2	2.56
Dysentery	131	137	116	149	147	108	116	89	133	222	1,348	2.4	2.82
Diarrhoea	204	182	159	157	119	149	171	150	198	238	1,727	3.0	.06
Hepatitis	170	246	192	228	230	184	211	162	146	136	1,905	3.3	4.78
Spleen disease	13	23	34	23	35	29	23	30	12	25	247	.4	...
Respiratory diseases	353	409	386	431	458	497	509	406	383	618	4,450	7.6	1.28
Phtisis Pulmonalis	31	36	34	35	29	31	33	23	18	22	292	.5	20.89
Scurvy	5	1	2	1	...	1	2	4	16	.0	6.25
Rheumatism	244	275	262	260	310	239	314	313	242	242	2,701	4.7	...
Veneral diseases	961	1,005	1,023	852	1,027	1,101	1,359	994	1,417	1,152	10,891	19.0	...
Eye diseases	82	82	94	66	82	57	69	50	68	56	706	1.2	.42
Abscess and Ulcer	333	380	426	374	428	362	441	340	370	372	3,835	6.7	...
Wounds and Accidents	382	478	445	452	432	446	587	507	454	405	4,538	8.1	...
All other Causes	621	704	645	728	662	711	824	670	726	744	7,035	12.4	...
Admitted per 1,000 of the Average Strength in each February.													
107.7	97.2	82.0	83.0	83.3	83.0	104.9	78.4	92.7	104.9	91.5			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each MARCH of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																						
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.					
1870	53,287	3,086	57.9	86	1.61	1.50	6	...	8	1	8	12	...	19	...	7	5	7	13					
1871	55,969	2,995	53.5	52	.93	.89	2	...	5	...	4	5	...	13	...	3	9	6	6					
1872	59,916	2,848	47.5	46	.77	.75	1	1	2	...	4	5	...	6	...	4	6	6	8					
1873	59,409	2,908	48.9	48	.81	.81	...	1	1	...	4	5	...	12	...	7	7	1	7					
1874	60,163	2,848	47.3	44	.73	.71	1	1	3	...	4	4	...	6	...	4	9	7	9					
1875	59,382	2,939	49.5	55	.93	.89	2	2	4	...	5	4	...	3	...	6	4	4	10					
1876	57,805	2,832	49.0	54	.93	.88	3	...	1	...	1	2	...	11	...	4	11	7	7					
1877	58,162	2,813	48.4	36	.62	.57	3	...	5	...	1	1	...	1	...	2	6	6	9					
1878	57,145	3,123	54.6	53	.93	.91	1	4	5	...	2	1	...	13	...	1	1	5	7					
1879	58,465	3,663	62.7	69	1.18	1.18	...	1	9	...	1	2	...	1	...	6	2	4	10					
							19	10	43	2	36	19	3	54	1	95	1	49	64	53	...	1	7	86					
Died per 1,000 of the Average Strength.																													
For the Month	579,703	30,055	51.8	543	.93	.90	.03	.02	.07	.01	.06	.03	.01	.09	.00	.17	.00	.08	.11	.0900	.01	.15					

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
Dengue (of 1872 and 1873)	302	37	339	.6	...								
Cholera	9	3	1	...	2	3	4	2	1	...	25	.0	76.00								
Smallpox	4	...	10	10	3	65	.1	15.38								
Enteric Fever	15	8	12	17	15	7	11	7	20	25	137	.2	31.39								
Fever, Intermittent	1,852	1,143	629	740	891	756	704	558	617	1,280	9,150	15.8	.02								
Fevers, Remittent and Continued	472	451	436	501	623	465	300	316	436	470	4,470	7.7	.81								
Apoplexy	5	6	6	6	13	12	11	1	4	4	67	.1	28.36								
Delirium Tremens	38	23	13	14	14	16	17	12	12	6	159	.3	1.89								
Dysentery	203	116	95	160	146	189	93	89	126	155	1,372	2.4	3.94								
Diarrhea	260	229	192	225	225	244	155	218	250	271	2,269	3.9	.04								
Hepatitis	258	232	174	246	235	233	182	147	151	136	1,994	3.5	4.76								
Spleen disease	40	21	19	37	22	35	22	19	10	22	247	.4	.40								
Respiratory diseases	415	444	355	431	558	385	352	356	314	399	4,009	6.9	1.22								
Phthisis Pulmonalis	40	36	33	42	36	55	22	27	7	21	319	.6	16.61								
Scurvy	4	2	3	2	...	1	1	1	2	2	18	.0	5.56								
Rheumatism	342	277	275	262	358	310	251	223	245	276	2,822	4.9	...								
Veneral diseases	1,188	1,042	1,132	904	1,257	1,470	1,096	964	1,296	1,231	11,550	20.0	...								
Eye diseases	126	110	106	108	130	107	69	86	83	74	998	1.7	...								
Abscess and Ulcer	489	421	403	444	542	490	370	349	394	358	4,200	7.3	.47								
Wounds and Accidents	542	463	457	509	680	631	481	530	516	435	5,214	9.0	...								
All other Causes	890	734	757	869	869	928	771	710	736	743	8,007	13.8	...								
Admitted per 1,000 of the Average Strength in each March.																					
											135.0	102.9	90.3	93.7	108.4	106.7	84.9	79.8	91.7	101.7	99.2

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each MAY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MAY OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	...	56,214	3,629	64.6	107	1.90	1.80	6	2	15	...	22	23	...	8	...	5	...	6	6	3	11	
1871	...	57,453	3,333	58.0	101	1.76	1.20	33	4	13	...	9	6	...	2	...	10	...	6	6	5	9	
1872	...	59,282	3,227	54.4	106	1.79	1.40	23	4	13	...	9	18	...	7	...	10	...	6	5	3	7	
1873	...	59,157	3,153	53.3	72	1.22	1.20	1	3	17	...	1	20	...	1	...	9	...	2	6	6	4	
1874	...	59,652	3,208	53.8	52	.87	.85	1	...	10	...	3	10	...	3	...	10	3	5	5	
1875	...	58,808	3,275	55.7	69	1.17	1.02	9	...	9	...	6	6	...	1	...	9	6	3	7	
1876	...	58,106	3,147	54.1	64	1.10	.96	8	...	13	...	2	12	...	3	...	7	7	3	12	
1877	...	57,166	3,028	53.0	58	1.01	.96	3	...	15	...	1	15	...	2	...	7	7	1	7	
1878	...	56,505	3,489	61.7	99	1.75	1.26	28	2	25	17	...	1	...	4	4	4	11	
1879	...	60,329	4,164	69.0	224	3.71	2.01	103	...	29	...	18	24	...	2	...	11	6	3	11	
								215	11	150	4	72	151	9	55	3	77	1	32	52	36	2	82	
Died per 1,000 of the Average Strength.																										
For the Month	582,672	33,653	57.8	952	1.63	1.26	.37	.02	.26	.01	.12	.26	.02	.09	.01	.13	.00	.05	.09	.0600	.14		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MAY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue (of 1872, 1873 and 1876)	867	4	5	41	...	876	1.5	...
Cholera	5	72	34	2	...	20	9	...	6	...	120	311	.5	69.13
Smallpox	10	4	9	18	8	...	5	...	2	3	...	65	.1	16.92
Enteric Fever	32	16	25	29	21	25	41	44	73	80	386	.7	38.86	
Fever, Intermittent	2,179	1,975	942	1,422	966	1,050	1,279	1,386	912	2,187	14,298	24.5	.03	
Fever, Remittent and Continued	1,631	1,354	743	765	1,047	894	1,086	1,018	920	1,287	10,745	18.4	.67	
Apoplexy	56	12	34	34	23	24	27	27	30	72	339	.6	44.54	
Delirium Tremens	26	19	19	16	12	22	18	16	19	7	174	.3	5.17	
Dysentery	168	204	174	137	151	153	163	183	180	223	1,736	3.0	3.17	
Diarrhoea	362	304	304	213	224	247	260	341	319	467	3,041	5.2	.10	
Hepatitis	293	299	219	277	240	220	280	248	218	160	2,454	4.2	3.14	
Spleen disease	32	30	24	31	30	37	38	30	14	21	287	.5	.35	
Respiratory diseases	439	412	306	310	355	322	419	389	276	358	3,586	6.2	.89	
Phthisis Pulmonalis	37	45	34	30	27	26	40	33	26	24	322	.6	11.18	
Scurvy	5	2	1	3	1	2	4	1	1	1	21	.0	...	
Rheumatism	323	368	274	283	246	253	307	317	235	215	2,821	4.8	...	
Veneral diseases	989	1,071	794	739	835	889	1,111	1,091	1,150	1,063	9,732	16.7	...	
Eye diseases	122	132	130	99	82	124	102	104	104	103	1,102	1.9	.41	
Abscess and Ulcer	486	614	479	395	461	439	439	490	385	396	4,584	7.9	...	
Wounds and Accidents	493	567	420	396	467	418	497	598	434	421	4,711	8.1	...	
All other Causes	1,036	1,018	838	890	950	854	1,102	1,084	841	1,005	9,618	16.5	...	
	8,724	8,518	6,670	6,093	6,148	6,019	7,232	7,408	6,181	8,216	71,209			
Admitted per 1,000 of the Average Strength in each May.														
	155.2	148.3	112.5	103.0	108.1	102.4	124.4	129.6	109.4	136.2	122.2			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
1870	56,042	3,733	66.6	99	1.77	1.69	4	1	8	...	10	25	3	13	...	11	1	7	5	5	6
1871	57,259	3,570	62.3	81	1.41	1.31	6	...	7	...	11	13	4	6	...	8	...	4	7	5	4	
1872	59,156	3,334	56.4	126	2.13	1.76	22	...	10	...	4	48	1	4	...	2	...	3	5	6	10	
1873	59,125	3,293	55.7	77	1.30	1.23	4	...	8	...	3	25	...	3	...	15	...	1	5	6	4	
1874	59,584	3,366	56.5	69	1.16	1.12	2	...	12	...	3	16	...	4	3	5	6	10	
1875	58,696	3,386	57.7	119	2.03	1.86	10	...	20	...	9	40	...	1	...	9	...	3	5	6	18	
1876	58,038	3,308	57.0	68	1.17	1.03	9	...	8	...	1	27	...	5	...	6	...	1	5	6	4	
1877	57,232	3,262	57.0	57	1.00	.93	4	...	10	...	3	22	...	4	...	2	...	1	4	5	4	
1878	56,397	3,710	65.8	105	1.86	1.81	3	...	35	...	4	29	...	2	...	6	...	3	10	11	8	
1879	60,204	4,290	71.3	409	6.79	2.39	265	...	23	...	2	46	...	2	...	14	...	6	3	12	7	
							328	5	141	3	77	291	19	56	6	90	1	26	38	51	3	75			
							Died per 1,000 of the Average Strength.																				
For the Month	581,733	35,252	60.6	1,210	2.08	1.52	.56	.01	.24	.01	.13	.50	.03	.10	.01	.15	.00	.04	.07	.0901	.13			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.						
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.									
Dengue (of 1872, 1873 and 1876)	...	10	...	497	16	...	2	...	12	37	...	8	...	3	...	370	550	.9	...
Cholera	...	1	...	28	8	...	8	...	10	10	...	1	370	457	.8	71.77	
Smallpox	...	8	...	5	3	...	8	...	2	2	...	1	1	21	.0	23.81	
Enteric Fever	...	8	...	15	11	...	20	...	24	20	...	18	...	64	47	245	.4	57.55	
Fever, Intermittent	...	2,414	1,795	875	1,531	1,192	1,501	1,227	1,334	1,119	2,503	1,590	15,291	26.3	.02				
Fever, Remittent and Continued	...	1,122	1,030	970	805	1,100	1,069	873	955	1,170	1,390	10,484	18.0	.73					
Apoplexy	...	60	33	112	67	28	81	84	63	72	102	692	1.2	42.05					
Delirium Tremens	...	41	25	14	9	13	11	15	15	9	12	164	.3	11.59					
Dysentery	...	181	202	167	137	143	181	137	144	185	211	1,688	2.9	3.32					
Diarrhoea	...	310	311	275	252	226	325	219	253	202	500	2,873	4.9	.21					
Hepatitis	...	281	311	280	268	242	287	258	228	218	238	2,611	4.5	3.45					
Spleen disease	...	31	41	29	37	26	36	25	23	12	37	297	.5	.34					
Respiratory diseases	...	289	289	276	288	321	305	264	298	254	230	2,814	4.8	.92					
Phtisis Pulmonalis	...	50	39	47	53	28	51	32	23	30	32	385	.7	13.25					
Scurvy	...	5	3	3	5	4	...	1	1	22	.0	...					
Rheumatism	...	341	313	260	293	316	333	265	240	208	226	2,795	4.8	...					
Veneral diseases	...	794	778	709	748	823	1,059	789	848	1,086	1,005	8,639	14.9	...					
Eye diseases	...	96	117	99	89	99	113	74	68	85	75	925	1.6	...					
Abscess and Ulcer	...	554	482	491	495	520	588	476	416	420	434	4,876	8.4	...					
Wounds and Accidents	...	362	370	432	379	417	529	429	473	387	344	4,112	7.1	...					
All other Causes	...	946	940	891	908	915	1,203	941	882	915	892	9,533	16.4	...					
											69,474		...						
Admitted per 1,000 of the Average Strength in each June.																			
140.9	124.1	110.9	108.3	108.1	131.3	106.4	109.9	114.2	140.4	119.4									

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each AUGUST of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																						
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.					
1870	...	55,675	3,857	69.3	86	1.54	1.54	10	1	15	6	10	11	1	9
1871	...	57,087	3,786	66.3	93	1.63	1.59	11	...	10	7	9	6	1	13
1872	...	58,817	3,622	61.6	256	4.35	1.45	171	4	14	...	10	9	5	5	1	10
1873	...	58,762	3,636	61.9	57	.97	.90	4	...	6	1	6	2	5	5	7
1874	...	59,347	3,995	67.3	63	1.06	1.06	13	...	7	5	5	5	9
1875	...	58,315	3,474	59.6	137	2.35	.93	83	...	4	...	3	5	4	4	10
1876	...	57,763	3,445	59.6	104	1.80	1.28	30	...	18	...	4	7	4	4	8
1877	...	57,025	3,505	63.0	60	1.05	1.02	2	...	13	...	4	9	5	5	5
1878	...	56,116	3,995	71.2	134	2.39	1.14	70	...	17	...	7	2	2	2	1	7
1879	...	59,644	4,793	80.4	187	3.14	1.91	73	...	25	...	2	9	18	4	13	13
For the Month	578,551	38,198	66.0	1,177	2.03	1.28		.7523	.01	.15	.11	.01	.15	.01	.22	.01	.02	.10	.10	.00	.00	.01	.15				

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
	Dengue (of:1872 and 1873)	721	86			
Cholera	282	10	121	45	...	650	1.1	66.92	
Smallpox	5	2	1	.4	...	
Enteric Fever	
Fever, Intermittent	23	16	24	15	34	11	28	24	40	49	264	49.62	
Fever, Remittent and Continued	3,150	2,694	1,413	1,637	1,839	1,621	2,072	1,483	1,792	3,518	21,219	36.7	
Apoplexy	1,272	1,193	914	776	1,013	929	969	1,225	1,030	1,170	10,491	18.1	
Delirium Tremens	6	13	26	7	6	23	13	56	9	21	180	3	
Dysentery	40	43	25	17	15	30	26	14	18	10	238	6	
Diarrhoea	297	293	342	232	228	262	260	227	280	287	2,708	4.7	
Hepatitis	601	476	814	423	366	654	517	278	515	519	5,193	8.9	
Spleen disease	341	359	285	287	305	305	293	255	213	232	2,875	5.0	
Respiratory diseases	34	31	24	27	33	41	29	29	22	32	302	.5	
Phtthisis Pulmonalis	266	357	265	323	303	296	308	273	225	214	2,830	4.8	
Scurvy	45	58	48	44	46	53	48	47	29	31	449	.8	
Rheumatism	5	3	2	2	2	1	2	3	...	7	27	.0	
Veneral diseases	361	299	304	291	329	308	326	255	239	208	2,920	5.0	
Eye diseases	8.2	918	651	765	765	956	883	971	1,139	866	8,716	15.1	
Abscess and Ulcer	178	161	126	103	149	106	128	82	76	97	1,211	2.1	
Wounds and Accidents	477	547	386	421	490	517	510	561	428	521	4,858	8.4	
All other Causes	407	408	350	345	347	518	494	460	340	321	3,990	6.9	
	1,032	1,245	965	954	1,088	1,143	1,229	1,096	976	934	10,662	18.4	
	9,342	9,116	7,967	6,770	7,358	7,895	8,181	7,343	7,456	9,163	80,591		
Admitted per 1,000 of the Average Strength in each August.													
	167.8	159.7	135.5	115.2	124.0	135.4	141.6	128.8	132.9	153.6	139.3		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	55,448	3,961	71.4	86	1.55	1.53	1	...	7	1	12	8	3	11	...	19	...	1	7	10	6	
1871	56,951	3,703	65.0	75	1.32	1.28	2	...	13	...	14	2	2	6	...	19	...	1	7	12	6	
1872	58,382	3,950	67.7	232	3.97	2.07	111	...	24	...	11	10	2	21	...	3	...	1	17	7	11	
1873	58,596	3,772	64.4	98	1.59	1.38	12	...	10	...	13	4	2	9	...	1	...	1	12	4	12	
1874	59,237	3,937	66.4	88	1.49	1.47	1	...	23	...	3	3	1	10	1	7	7	14	
1875	58,108	3,575	61.5	121	2.08	1.14	55	...	7	...	1	6	1	7	...	10	10	6	13	
1876	57,584	3,774	65.5	85	1.48	1.13	20	...	20	...	9	4	4	12	...	1	5	1	7	
1877	56,901	3,574	62.8	53	.93	.83	6	...	9	...	4	4	4	10	...	7	7	3	3	
1878	55,990	4,571	81.6	151	2.70	1.50	67	...	29	...	6	5	5	12	...	1	...	14	...	4	6	
1879	59,467	5,120	86.1	152	2.56	1.63	55	...	29	...	3	7	1	12	...	1	3	3	18	
							330	1	171	14	93	53	12	105	8	130	2	17	57	47	96
							Died per 1,000 of the Average Strength.																		
For the Month	576,654	39,937	69.3	1,136	1.97	1.40	.57	.00	.30	.03	.16	.09	.02	.18	.01	.23	.00	.03	.10	.0817	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue (of 1872, 1873 and 1876)	1,309	47	186	1,542	2.7	...										
Cholera	2	155	14	1	76	29	9	95	69	454	.8	72.69										
Smallpox	4	1	1	1	4	.0	25.00										
Enteric Fever	15	32	35	30	39	15	40	30	68	371	.6	46.09										
Fever, Intermittent ...	3,246	1,962	2,171	2,431	2,763	1,745	2,584	1,168	3,806	6,976	28,852	50.0	.05										
Fever, Remittent and Continued... ..	1,175	915	1,396	1,179	1,236	1,028	1,120	722	1,562	1,646	11,979	20.8	.78										
Apoplexy	16	8	15	8	11	14	8	9	15	126	.2	42.06										
Delirium Tremens	21	24	31	12	25	23	17	21	12	207	.4	5.80										
Dysentery ...	223	199	336	332	281	210	217	172	314	339	2,623	4.5	4.00										
Diarrhoea ...	369	317	464	350	318	408	310	206	382	444	3,568	6.2	.22										
Hepatitis ...	276	305	312	373	367	210	275	213	240	290	2,900	5.0	4.48										
Spleen disease	22	41	16	36	22	31	24	36	15	286	.5	.70										
Respiratory diseases ...	207	258	232	308	357	252	207	216	281	309	2,627	4.6	.65										
Phthisis Pulmonalis ...	42	47	44	58	66	46	40	35	37	38	453	.8	10.38										
Scurvy ...	3	...	1	3	1	1	6	2	17	.0	...										
Rheumatism ...	263	256	276	342	347	235	248	221	222	286	2,696	4.7	...										
Veneral diseases ...	637	696	587	866	952	722	625	933	1,064	1,156	8,238	14.3	...										
Eye diseases ...	137	109	132	149	133	107	89	76	72	87	1,091	1.9	...										
Abscess and Ulcer ...	391	345	352	526	511	396	375	426	437	460	4,219	7.3	.48										
Wounds and Accidents ...	371	367	318	445	467	376	419	389	372	435	3,959	6.9	...										
All other Causes ...	835	760	861	1,206	1,223	877	1,002	990	1,026	1,124	9,904	17.2	...										
											8,251	6,646	9,043	8,716	9,120	6,801	7,815	5,873	10,036	13,815	86,116		
													Admitted per 1,000 of the Average Strength in each September.										
											148.8	116.7	154.9	148.8	153.0	117.0	135.7	103.2	179.2	232.4	149.4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each OCTOBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN OCTOBER OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	...	53,511	3,720	69.5	103	1.92	1.87	3	...	9	1	12	3	2	14	1	24	...	3	9	4	6	2	...	1	15
1871	...	56,077	3,458	61.7	78	1.39	1.39	9	...	9	2	4	6	1	16	...	3	11	10
1872	...	58,112	3,894	67.0	153	2.63	1.76	51	...	9	1	16	3	1	15	1	26	...	6	7	10
1873	...	58,405	3,603	61.7	66	1.13	1.08	3	...	2	1	9	1	...	11	1	11	5
1874	...	58,792	3,869	65.8	52	.88	.88	8	1	2	1	1	11	...	9	6
1875	...	57,693	3,586	62.2	62	1.07	.85	13	...	6	...	2	...	2	...	13	1	1	1	1	11	9
1876	...	57,688	3,809	66.0	93	1.61	1.11	29	...	11	...	5	3	...	9	1	8	...	1	6	18
1877	...	56,735	3,408	60.1	49	.86	.72	8	...	4	1	3	2	...	7	1	6	...	1	5	8
1878	...	55,480	4,653	83.9	118	2.13	1.96	9	...	1	31	4	14	5	2	15	...	10	...	3	2	10	11	
1879	...	57,746	5,325	92.2	117	2.03	1.65	22	...	14	2	20	4	1	15	3	9	...	13	5	3	5
								138	1	103	11	92	24	13	106	9	132	1	35	64	58	2	2	3	97	
								Died per 1,000 of the Average Strength.																		
For the Month	570,239	39,325	69.0	891	1.56	1.31	.25	.00	.18	.02	.16	.04	.02	.19	.02	.23	.00	.06	.11	.10	.00	.00	.01	.17		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH OCTOBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.														
Dengue (of 1872 and 1873)	1,150	30	345	1,525	2.7	...											
Cholera	...	4	67	3	45	...	11	...	180	.3	76.67											
Smallpox	1	17	2	.0	50.00											
Enteric Fever	...	13	15	11	7	...	25	...	199	.4	51.76											
Fever, Intermittent	...	3,673	2,554	3,959	2,340	2,487	2,265	3,586	1,675	5,470	6,602	60.7	.03											
Fevers, Remittent and Continued	...	929	827	1,416	641	844	961	1,128	723	2,061	943	10.473	.88											
Apoplexy	...	6	3	9	4	7	7	10	21	19	6	.1	29.63											
Delirium Tremens	...	34	28	22	11	21	17	20	14	19	8	.4	6.37											
Dysentery	...	181	221	345	218	185	189	218	185	300	259	2.304	4.0											
Diarrhoea	...	237	283	378	190	179	215	238	246	300	275	2.601	.35											
Hepatitis	...	238	316	371	272	266	222	301	236	267	209	2.698	4.7											
Spleen disease	...	24	48	32	33	30	44	44	21	30	62	.6	.27											
Respiratory diseases	...	231	295	345	294	307	277	339	318	281	298	2.985	5.2											
Phthisis Pulmonalis	...	44	54	75	46	41	49	63	48	46	40	.9	11.46											
Scurvy	1	5	...	2	1	1	1	1	11	.0	8.70											
Rheumatism	...	225	337	330	243	284	211	273	247	234	201	2.585	4.5											
Veneral diseases	...	688	942	726	651	769	743	800	1,130	1,353	920	8.762	15.4											
Eye diseases	...	119	109	125	112	64	117	110	95	80	67	.998	1.8											
Abscess and Ulcer	...	348	457	425	330	342	339	398	413	463	346	3.861	6.8											
Wounds and Accidents	...	347	471	406	384	423	443	498	459	452	362	4.245	7.4											
All other Causes	...	715	977	1,003	807	913	865	1,073	951	1,037	941	9.282	16.3											
														88,498										
														Admitted per 1,000 of the Average Strength in each October.										
														150.7	141.6	192.8	113.0	122.0	121.1	164.9	121.2	226.0	200.8	155.2

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each NOVEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	54,282	3,288	60.6	85	1.57	1.57	1	...	8	5	7	2	25	...	8	4	9	1	...	2	13
1871	57,598	3,162	55.0	78	1.35	1.16	11	...	3	...	7	6	3	15	...	1	9	12	8
1872	59,126	3,481	58.9	61	1.03	.95	5	...	5	...	2	1	9	1	10	...	2	4	6	10
1873	58,528	3,250	55.5	73	1.25	1.04	12	...	3	...	6	1	6	13	...	8	10	2	9
1874	59,558	3,644	61.2	59	.99	.99	4	...	2	2	7	...	18	...	4	3	7	...	1	...	11
1875	58,160	3,339	57.4	73	1.26	1.22	6	3	14	1	7	...	2	11	8	13
1876	57,603	3,553	61.7	46	.80	.80	6	...	1	3	1	8	...	9	...	3	5	3
1877	56,805	3,403	59.9	43	.76	.74	5	1	13	...	3	1	3	12
1878	57,859	4,662	80.6	117	2.02	1.85	10	...	13	...	5	16	2	16	...	20	...	9	7	9
1879	59,553	5,173	86.9	89	1.49	1.49	7	...	2	17	2	15	1	3	7
							41	...	53	14	71	20	6	89	12	142	1	55	55	64	1	1	4	95	
							Died per 1,000 of the Average Strength.																		
For the Month	579,072	36,955	63.8	724	1.25	1.18	.0709	.02	.12	.03	.01	.16	.02	.25	.00	.10	.10	.11	.00	.00	.01	.16	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue (of 1872 and 1873)	557	8	79	644	1.1	...										
Cholera	...	1	24	5	16	...	6	13	67	.1	61.19										
Smallpox	...	3	1	12	.0	...										
Enteric Fever	...	6	8	...	6	10	14	12	4	18	23	.2	45.69										
Fever, Intermittent	4,304	1,677	2,860	2,054	2,015	2,842	2,232	1,576	4,399	5,669	29,628	51.2	.05										
Fever, Remittent and Continued	594	474	731	402	782	649	636	492	1,284	502	6,546	11.3	1.08										
Apoplexy	...	3	5	2	2	5	3	6	4	9	48	.1	41.67										
Delirium Tremens	...	21	20	16	16	9	20	9	10	9	142	.2	4.23										
Dysentery	...	199	181	211	207	150	208	161	143	287	233	3.4	4.49										
Diarrhoea	...	282	245	216	247	205	231	203	182	269	272	4.1	.51										
Hepatitis	...	266	254	236	224	266	234	248	176	191	182	3.9	6.24										
Spleen disease	...	26	24	25	31	36	36	29	11	25	41	.5	.35										
Respiratory diseases	...	365	274	326	343	396	395	267	300	432	558	6.3	1.50										
Phthisis Pulmonalis	...	62	51	51	66	51	62	48	36	40	46	.9	12.48										
Scurvy	...	4	4	1	3	1	2	2	11	.28	3.57										
Rheumatism	...	270	285	223	200	243	238	249	196	207	248	4.1	...										
Veneral diseases	...	798	807	600	629	822	1,046	741	924	1,334	8,779	15.2	...										
Eye diseases	...	110	85	64	84	69	117	76	69	56	53	.783	1.4										
Abscess and Ulcer	...	407	461	416	375	366	389	302	293	379	326	6.2	...										
Wounds and Accidents	...	404	408	351	359	446	510	426	374	324	302	3.994	6.9										
All other Causes	...	810	720	721	705	849	940	834	793	825	902	14.0	...										
											8,938	5,908	7,623	5,977	6,719	7,945	6,555	5,602	10,101	10,558	75,926		
														Admitted per 1,000 of the Average Strength in each November.									
											164.7	102.6	128.9	102.1	112.8	136.6	113.8	98.6	174.6	177.3	131.1		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of INDIA in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anaemia.	All other Causes.
1870	53,281	2,770	52.0	83	1.56	1.54	1	1	6	...	5	...	1	8	13	12	12	4	3	17		
1871	56,818	2,872	50.5	69	1.21	1.20	1	...	4	9	8	12	12	4	9		
1872	59,121	3,161	53.5	72	1.22	1.20	1	...	6	1	1	9	13	11	7	9		
1873	58,395	3,009	51.5	61	1.04	1.03	1	...	2	...	1	11	...	7	1	...	6		
1874	58,936	3,339	56.6	50	.85	.85	...	1	3	1	2	6	6	6		
1875	57,139	3,036	53.1	51	.89	.89	5	...	5	1	1	11	4		
1876	57,591	3,213	55.8	48	.83	.83	5	...	3	1	1	9	4		
1877	56,651	3,171	56.0	53	1.02	.94	5	1	6	...	3	2	2	12	2	6		
1878	56,603	4,095	72.3	85	1.50	1.43	4	...	6	6	4	15	2	9	...	13	1	8		
1879	59,742	4,459	74.6	95	1.59	1.59	...	1	11	3	5	1	34	1	9		
							13	4	54	11	35	15	3	88	7	101	...	108	77	67	1	1	8	79
Died per 1,000 of the Average Strength.																								
For the Month	574,277	33,125	57.7	672	1.17	1.15	.02	.01	.10	.02	.06	.03	.01	.15	.01	.1819	.13	.12	.00	.00	.01	.13

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.									
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.												
Dengue (of 1872, 1873 and 1876)	283	8	18	309	.5	...									
Cholera	...	1	1	2	6	...	4	18	.0	72.22									
Smallpox	...	1	2	1	...	1	...	4	...	3	28	.1	11.29									
Enteric Fever	...	11	15	22	...	7	...	10	...	16	153	.3	35.29									
Fever, Intermittent	2,137	1,198	2,179	1,507	1,479	1,726	1,458	1,470	3,257	4,070	20,481	35.7	.05									
Fevers, Remittent and Continued	358	285	521	295	533	379	395	396	653	289	4,104	7.2	.85									
Apoplexy	...	1	4	3	...	3	...	2	...	3	26	.0	57.69									
Delirium Tremens	...	20	13	9	...	18	...	9	...	14	128	.2	2.34									
Dysentery	146	197	247	206	165	167	157	150	311	210	1,956	3.4	4.50									
Diarrhoea	196	256	341	217	163	233	201	227	447	288	2,574	4.5	.27									
Hepatitis	179	182	264	258	256	156	193	180	150	200	2,018	3.5	5.00									
Spleen disease	...	17	22	25	36	50	30	25	21	27	68	.6	...									
Respiratory diseases	404	386	388	442	574	336	391	308	673	906	4,808	8.4	2.25									
Phthisis Pulmonalis	...	35	47	71	33	58	36	46	45	35	446	.8	15.02									
Scurvy	...	1	1	2	...	3	...	1	...	1	18	.0	5.56									
Rheumatism	193	228	258	237	344	169	226	212	215	275	2,357	4.1	...									
Veneral diseases	696	947	769	955	1,077	855	754	1,092	1,128	1,177	9,450	16.5	...									
Eye diseases	...	81	80	69	112	64	63	66	56	49	698	1.2	...									
Abscess and Ulcer	...	311	373	359	385	415	300	304	318	310	396	3.471	6.0	.57								
Wounds and Accidents	...	437	580	471	518	650	444	569	539	490	5,903	9.2	...									
All other Causes	...	529	616	791	755	889	588	735	732	864	7,406	12.9	...									
Admitted per 1,000 of the Average Strength in each December.																						
											108.0	95.6	119.6	102.6	114.6	96.4	96.8	102.4	152.9	159.4	115.1	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each JANUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	33,149	1,863	56.2	52	1.57	1.57	1	6	1	6	...	12	...	9	4	2	10	
1871	34,170	1,751	51.2	48	1.40	1.40	...	1	3	2	5	
1872	35,743	1,511	50.7	44	1.23	1.23	...	3	4	1	5	
1873	36,431	1,784	49.0	35	.96	.96	1	1	2	
1874	35,743	1,755	49.1	29	.81	.81	4	
1875	38,054	2,052	53.9	28	.74	.74	4	
1876	36,597	1,874	51.2	35	.96	.96	6	6	
1877	36,690	1,881	51.3	26	.71	.68	3	4	
1878	35,440	1,971	55.6	24	.68	.65	4	1	
1879	38,119	2,790	73.2	82	2.15	2.15	...	1	7	2	8	
							2	5	34	5	20	6	4	33	1	54	2	103	40	38	1	1	2	52
							Died per 1,000 of the Average Strength.																	
For the Month	360,136	19,532	54.2	403	1.12	1.11	.01	.01	.09	.01	.06	.02	.01	.09	.00	.15	.01	.29	.11	.11	.00	.00	.01	.14

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue (of 1873)	10	10	.0	...	
Cholera	2	.0	100.00	
Smallpox	...	1	2	28	.1	17.86	
Enteric Fever	...	17	7	95	.3	35.79	
Fever, Intermittent	...	1,208	1,251	537	775	656	592	763	708	536	1,372	3.98	.06	
Fever, Remittent and Continued	...	110	158	172	152	117	185	151	149	115	215	1,524	.42	1.81
Apoplexy	...	1	3	3	.0	46.15	
Delirium Tremens	...	13	9	6	.2	5.41	
Dysentery	...	89	89	91	69	62	41	75	67	61	158	802	2.2	4.11
Diarrhoea	...	82	135	153	117	62	98	78	102	84	111	1,109	3.1	.09
Hepatitis	...	119	121	122	121	98	86	71	118	76	81	1,013	2.8	5.33
Spleen disease	...	11	24	15	15	13	23	15	22	12	19	169	.5	1.18
Respiratory diseases	...	284	393	282	296	302	399	355	391	317	683	3,702	10.3	2.78
Phthisis Pulmonalis	...	19	30	22	19	24	26	16	22	15	18	211	.6	18.01
Scurvy	...	4	1	8	.0	12.50	
Rheumatism	...	173	235	249	192	195	187	181	253	179	163	2,007	5.6	...
Veneral diseases	...	701	817	911	568	745	798	666	758	905	921	7,790	21.6	...
Eye diseases	...	43	54	82	52	46	54	44	41	36	30	482	1.3	...
Abscess and Ulcer	...	205	248	280	240	209	235	200	237	222	212	2,288	6.4	.49
Wounds and Accidents	...	209	305	321	305	256	312	233	334	336	257	2,868	8.0	...
All other Causes	...	253	409	432	415	309	430	332	460	414	513	3,967	11.0	...
											36,560			
Admitted per 1,000 of the Average Strength in each January.														
106.3	125.9	108.4	92.3	87.0	91.0	88.3	99.7	94.8	127.4	101.5				

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATHS.																					
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
1870	...	32,354	1,832	56·6	34	1·05	1·02	1	...	6	2	2	3	...	8	...	6	...	4	...	4	1	1
1871	...	34,413	1,851	53·8	27	·78	·78	5	1	...	6	...	6	...	1	...	6
1872	...	36,732	1,760	47·9	33	·90	·90	...	1	1	...	5	1	1	...	6	...	6	...	6	...	4
1873	...	36,908	1,680	45·5	24	·65	·65	...	1	1	...	2	1	1	...	4	...	2	...	2	...	4
1874	...	35,878	1,816	50·6	28	·78	·78	...	1	2	1	10	...	3	...	3	...	5
1875	...	38,113	2,094	54·9	30	·79	·79	1	...	1	2	...	1	...	6	...	4	...	2	...	7
1876	...	36,783	1,915	52·1	25	·68	·68	4	...	1	4	...	6	...	3	...	3
1877	...	36,996	1,870	50·5	24	·65	·65	2	1	4	...	3	...	6	...	2	10	1
1878	...	31,962	2,019	57·7	16	·46	·46	...	1	4	3	...	4	...	4
1879	...	39,007	2,682	68·8	46	1·18	1·18	...	1	5	2	1	2	...	6	...	15	...	2	...	4	1	7
								1	5	31	4	12	5	2	10	...	50	...	52	26	38	2	49			
Died per 1,000 of the Average Strength.																												
For the Month	302,146	19,519	53·9	287	·79	·79	·00	·01	·09	·01	·03	·01	·01	·03	...	·14	...	·14	·07	·10	·00	·00	·01	·14				

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1873)	2	2	·0	...
Cholera	...	2	1	...	3	·0	33·33
Smallpox	...	3	8	·1	14·71
Enteric Fever	...	9	13	5	3	6	7	9	2	...	12	·2	42·47
Fever, Intermittent	935	809	395	446	485	470	763	407	345	944	5,999	16·6	·07
Fever, Remittent and Continued...	134	189	150	170	139	136	197	100	141	239	1,595	4·4	·75
Apoplexy	1	...	1	...	1	2	2	1	1	1	10	·0	50·00
Delirium Tremens	10	6	7	9	4	2	7	8	2	5	60	1·6	3·33
Dysentery	70	67	35	54	50	39	45	34	43	139	576	1·6	1·74
Diarrhoea	111	117	86	68	65	85	89	72	102	171	966	2·7	...
Hepatitis	100	163	112	120	101	89	122	90	73	79	1,049	2·9	4·77
Spleen disease	10	19	25	20	22	21	19	23	5	20	184	·5	...
Respiratory diseases	257	286	249	300	311	368	355	304	268	495	3,193	8·8	1·63
Phthisis Pulmonalis	16	21	15	19	11	12	18	15	8	14	149	·4	25·50
Scurvy	4	1	3	9	·0	...
Rheumatism	157	200	203	173	187	165	236	232	164	175	1,892	5·2	...
Veneral diseases	643	677	689	572	637	768	911	671	1,007	764	7,339	20·3	...
Eye diseases	61	48	61	41	54	39	45	31	42	43	465	1·3	...
Abscess and Ulcer	172	228	251	211	239	197	250	199	213	210	2,170	6·0	·41
Wounds and Accidents	232	296	246	282	260	283	372	327	267	251	2,816	7·8	...
All other Causes	345	423	385	416	356	436	467	407	406	497	4,138	11·4	...
											32,732		
Admitted per 1,000 of the Average Strength in each February.													
101·1	103·5	79·5	79·0	81·6	81·9	106·3	79·0	88·7	104·3	90·4			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each MARCH of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																					
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
1870	...	33,441	1,907	57.0	50	1.50	1.47	1	...	7	1	7	...	7	...	7	...	10	...	3	2	3	9
1871	...	34,690	1,879	54.2	33	.95	.80	2	...	4	...	3	...	3	...	3	...	4	...	1	1	4
1872	...	37,045	1,741	47.0	29	.78	.76	1	4	3
1873	...	37,216	1,758	47.2	27	.73	.73	1	4	3
1874	...	37,837	1,800	47.6	28	.74	.71	1	4	5
1875	...	38,183	1,932	50.6	35	.92	.86	2	4	6
1876	...	36,672	1,831	49.9	30	.82	.74	2	4	4
1877	...	36,811	1,782	48.5	23	.62	.57	2	4	4
1878	...	35,948	1,950	54.2	23	.64	.61	1	4	7
1879	...	39,107	2,513	64.3	48	1.23	1.23	3	3
								13	6	33	2	23	8	1	26	...	49	1	33	35	32	...	1	5	53			
															Died per 1,000 of the Average Strength.													
For the Month	366,950	19,093	52.0	326	.89	.85	.84	.02	.09	.01	.08	.02	.00	.0713	.00	.09	.1000	.01	.14					

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue (of 1872 and 1873)	7	1	8	.0	...	
Cholera	...	2	2	17	.0	76.47	
Smallpox	...	4	3	41	.1	14.63	
Enteric Fever	...	10	6	...	6	5	16	.3	36.67	
Fever, Intermittent	...	1,091	752	430	476	537	534	483	385	333	781	5,802	15.8	.03
Fever, Remittent and Continued	...	289	263	179	316	347	278	169	198	232	290	2,561	7.0	1.09
Apoplexy	...	1	3	...	2	2	34	.1	23.53
Delirium Tremens	...	23	9	7	8	7	7	5	3	83	.2	1.20
Dysentery	...	116	61	48	68	67	97	48	35	46	112	698	1.9	3.72
Diarrhoea	...	169	142	108	110	144	145	100	114	149	202	1,383	3.8	...
Hepatitis	...	165	136	113	129	113	137	110	85	73	85	1,146	3.1	4.28
Spleen disease	...	21	19	12	28	17	27	17	15	8	19	183	.5	.55
Respiratory diseases	...	278	284	222	318	404	262	259	256	214	312	2,809	7.7	1.17
Phtthisis Pulmonalis	...	26	18	14	22	20	42	13	17	2	11	185	.5	17.30
Scurvy	...	3	1	...	2	2	12	.0	8.33
Rheumatism	...	234	198	193	171	228	229	187	158	174	202	1,974	5.4	...
Veneral diseases	...	819	720	789	589	823	996	735	616	890	768	7,745	1.1	...
Eye diseases	...	90	74	68	70	83	71	39	59	63	51	608	1.8	...
Abscess and Ulcer	...	253	244	217	249	312	268	222	211	244	207	2,427	6.6	...
Wounds and Accidents	...	332	286	292	302	358	403	322	375	319	284	3,273	8.9	...
All other Causes	...	517	443	407	485	544	601	469	452	443	515	4,876	13.3	...
											36,015			
Admitted per 1,000 of the Average Strength in each March.														
132.9	105.6	84.1	90.3	106.3	107.8	87.2	81.3	89.9	99.1	98.1				

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each APRIL of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN APRIL OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anaemia.	All other Causes.
1870	34,169	2,051	60.0	50	1.46	1.35	4	2	5	...	7	1	...	6	7	...	3	7	4	4	
1871	35,787	1,932	54.0	37	1.03	.95	3	...	3	...	11	2	...	1	3	3	4	
1872	37,057	1,819	49.1	29	.78	.65	5	1	4	5	
1873	36,929	1,947	52.7	37	1.00	1.00	...	3	9	...	3	...	1	6	4	1	
1874	37,322	1,997	53.5	33	.88	.88	...	2	2	1	2	
1875	37,397	2,003	53.6	32	.86	.64	8	...	6	...	3	3	1	3	1	1	2	
1876	37,110	1,886	50.8	31	.84	.67	6	...	4	4	...	1	1	1	1	1	...	1	3	
1877	36,101	1,734	48.0	22	.61	.58	1	...	5	1	3	3	
1878	35,516	2,057	57.9	33	.93	.93	...	3	12	1	7	5	
1879	39,164	2,356	60.2	55	2.17	1.71	18	1	21	1	11	4	...	10	...	3	1	4	2	4	
							45	11	75	1	39	17	3	26	1	41	2	23	29	33	4	39
							Died per 1,000 of the Average Strength.																	
For the Month	366,552	19,782	54.0	389	1.06	.94	.12	.03	.20	.00	.11	.05	.01	.07	.00	.11	.01	.06	.08	.0901	.11

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH APRIL.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872)	196	196	.5	...
Cholera	9	3	6	1	...	10	10	1	...	34	74	.2	60.81
Smallpox	1	3	2	30	13	1	16	7	73	.2	15.07
Enteric Fever	9	8	7	23	20	15	11	8	45	58	204	.6	36.76
Fever, Intermittent	1,081	878	649	952	639	785	504	524	510	1,274	7,796	21.3	.01
Fever, Remittent and Continued	516	530	416	772	543	695	352	297	633	754	5,508	15.0	.71
Apoplexy	8	7	7	7	8	6	9	5	2	13	72	.2	23.61
Delirium Tremens	17	11	8	9	9	3	5	2	3	4	71	.2	4.23
Dysentery	100	84	84	97	92	64	83	59	141	223	1,027	2.8	2.53
Diarrhoea	223	210	207	188	168	228	131	174	297	398	2,224	6.1	.04
Hepatitis	156	146	176	162	105	114	109	105	112	100	1,285	3.5	3.19
Spleen disease	10	24	18	17	10	22	14	20	9	24	168	.4	1.19
Respiratory diseases	217	255	249	427	316	187	261	184	257	318	2,671	7.3	.86
Phthisis Pulmonalis	32	24	25	23	14	9	21	19	11	19	197	.5	16.75
Scurvy	1	2	3	2	8	.0	...
Rheumatism	215	187	204	201	203	187	205	169	177	199	1,947	5.3	...
Veneral diseases	676	673	935	649	673	715	671	544	1,126	1,056	7,718	21.1	...
Eye diseases	77	87	82	99	88	91	65	50	92	71	802	2.2	...
Abscess and Ulcer	253	268	299	307	275	240	202	207	278	266	2,595	7.1	...
Wounds and Accidents	292	269	336	365	290	304	299	325	368	350	3,198	8.7	...
All other Causes	492	477	558	641	509	526	451	467	581	656	5,361	14.6	...
											43,195		
Admitted per 1,000 of the Average Strength in each April.													
128.3	115.8	120.5	134.6	106.6	112.3	91.8	87.6	131.2	148.8	117.8			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each MAY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MAY OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	33,843	2,232	66.0	78	2.30	2.19	4	2	10	...	20	7	...	8	...	4	...	5	5	2	11
1871	35,461	2,135	60.2	48	1.35	1.33	1	...	3	...	8	3	...	4	...	8	...	4	5	6	1	5
1872	36,739	2,053	55.9	72	1.96	1.42	20	2	10	...	7	4	1	5	1	6	...	6	5	2	3
1873	37,037	2,030	54.8	49	1.32	1.32	...	2	15	...	1	14	...	3	...	6	...	1	2	2	3
1874	37,552	2,183	58.1	38	1.01	.99	1	...	8	...	3	7	...	2	...	6	2	4	5
1875	37,171	2,122	57.1	43	1.16	1.02	5	...	9	...	6	4	...	4	1	1	1	2	7
1876	36,633	2,060	56.2	41	1.12	.96	6	...	9	...	1	6	...	2	...	3	...	1	5	3	1	4
1877	35,990	1,899	52.8	30	.83	.78	2	...	10	2	1	1	1	5	...	3	3	3	6
1878	35,641	2,286	64.1	68	1.91	1.15	27	1	23	4	2	...	2	2	1	1
1879	39,343	2,729	69.4	198	5.03	2.47	101	...	26	2	17	14	2	9	1	4	...	5	4	2	11
							167	7	123	2	63	61	4	38	3	48	1	28	35	27	2	56
							Died per 1,000 of the Average Strength.																	
For the Month	365,415	21,729	59.5	665	1.82	1.36	.46	.02	.34	.01	.17	.17	.01	.10	.01	.13	.00	.07	.10	.0701	.15

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MAY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue (of 1872, 1873 and 1876)	316	1	322	.9	...										
Cholera ...	3	1	31	1	1	8	5	4	39	117	210	.6	79.52										
Smallpox ...	10	4	3	16	7	...	3	...	2	6	51	.1	13.73										
Enteric Fever ...	25	12	16	23	18	21	30	31	73	76	325	.9	37.85										
Fever, Intermittent ...	1,438	1,401	656	942	814	797	980	1,023	607	1,308	9,966	27.3	.02										
Fever, Remittent and Continued ...	1,367	938	479	588	894	688	753	719	621	1,053	8,100	22.2	.78										
Apoplexy ...	18	2	10	20	18	7	8	7	7	42	139	.4	43.89										
Delirium Tremens ...	13	11	13	6	5	10	11	9	13	6	97	.3	4.12										
Dysentery ...	104	130	97	65	83	89	87	93	95	171	1,014	2.8	3.75										
Diarrhea ...	210	192	190	123	162	150	152	232	233	390	2,024	5.5	.15										
Hepatitis ...	204	201	153	160	137	130	155	152	125	96	1,513	4.1	3.17										
Spleen disease ...	23	25	17	27	19	25	28	21	7	15	207	.6	.48										
Respiratory diseases ...	297	305	226	208	284	242	308	249	188	264	2,571	7.0	1.09										
Phthisis Pulmonalis ...	26	21	21	13	14	18	25	24	17	12	191	.5	14.14										
Scurvy ...	4	1	1	1	1	2	3	1	14	.0	...										
Rheumatism ...	230	255	152	189	171	186	210	225	167	140	1,925	5.3	...										
Veneral diseases ...	673	700	545	494	557	556	720	658	786	641	6,330	17.3	...										
Eye diseases ...	88	78	104	62	51	87	68	73	90	61	762	2.1	.45										
Abscess and Ulcer ...	286	301	259	190	248	260	215	257	222	218	2,456	6.7	...										
Wounds and Accidents ...	339	324	245	232	304	265	310	400	263	241	2,923	8.0	...										
All other Causes ...	612	624	497	539	554	519	667	656	473	632	5,773	15.8	...										
											5,970	5,526	4,031	3,900	4,342	4,060	4,743	4,833	4,028	5,480	46,913		
											Admitted per 1,000 of the Average Strength in each May.												
											176.4	155.8	109.7	105.3	115.6	109.2	129.5	134.3	113.0	139.3	128.4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	33,787	2,263	67.0	67	1.98	1.95	1	1	5	...	6	17	2	7	...	9	1	6	4	3	5
1871	35,369	2,248	63.6	60	1.70	1.64	2
1872	36,642	2,134	58.2	79	2.16	1.66	18
1873	36,986	2,160	58.4	49	1.32	1.27	2
1874	37,514	2,272	60.6	48	1.28	1.23	2
1875	37,088	2,175	58.6	84	2.26	2.24	1
1876	36,615	2,166	59.2	43	1.17	1.04	5
1877	36,010	2,048	56.9	33	.92	.92
1878	35,630	2,436	68.4	64	1.80	1.77	1
1879	39,290	2,878	73.3	391	9.95	3.33	260
							292	5	115	3	64	204	13	38	6	47	1	18	29	32	3	48
							Died per 1,000 of the Average Strength.																			
For the Month	364,931	22,780	62.4	918	2.52	1.72	.80	.01	.31	.01	.17	.57	.04	.10	.02	.13	.00	.05	.0801	.13	

CAUSES OF ADMISSION.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1876)	76	37	113	.3	...
Cholera	...	4	3	24	4	2	1	364	1.1	70.87
Smallpox	...	1	...	11	412	.0	26.32
Enteric Fever	...	3	14	5	3	18	17	7	63	1	205	.5	56.10
Fever, Intermittent	...	1,371	1,151	631	907	926	937	1,028	752	1,421	10,188	27.9	.03
Fever, Remittent and Continued	...	792	727	636	663	938	764	576	690	773	1,151	21.1	.83
Apoplexy	...	28	20	72	44	17	56	41	36	39	460	1.3	44.35
Delirium Tremens	...	22	13	8	6	5	7	8	5	9	89	.2	14.61
Dysentery	...	78	109	87	59	70	63	57	87	159	829	2.3	4.58
Diarrhoea	...	124	187	181	136	137	172	130	137	365	1,086	4.6	.36
Hepatitis	...	180	218	206	158	140	165	158	129	168	1,675	4.6	2.81
Spleen disease	...	15	30	25	29	15	30	16	21	7	213	.6	.47
Respiratory diseases	...	171	184	186	185	245	223	176	195	160	1,894	5.2	.95
Phthisis Pulmonalis	...	33	23	26	37	16	30	19	18	18	236	.9	13.56
Scurvy	...	5	3	3	4	2	1	18	.0	...
Rheumatism	...	219	207	163	200	220	251	192	137	149	1,889	5.2	...
Veneral diseases	...	497	495	499	496	548	663	482	730	566	5,439	14.9	...
Eye diseases	...	48	83	66	59	63	64	47	60	39	573	1.6	...
Abscess and Ulcer	...	262	263	258	267	293	328	294	216	253	2,636	7.2	.42
Wounds and Accidents	...	187	202	262	222	246	312	202	328	249	2,466	6.7	...
All other Causes	...	467	553	611	545	610	760	615	561	557	5,845	16.0	...
											44,595		
Admitted per 1,000 of the Average Strength in each June.													
133.3	126.8	110.1	109.0	120.0	134.4	111.5	114.0	115.8	146.0	122.2			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each JULY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JULY OF EACH YEAR.		CAUSES OF DEATHS.																									
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropey.	Scurvy.	Atrophy and Anæmia.	All other Causes.								
1870	...	33,666	2,329	69.2	61	1.81	6	...	1	...	5	14	1	4	...	10	1	1	4	8	6								
1871	...	35,300	2,296	65.0	45	1.27	1	...	10	...	7	1	1	5	...	9	...	2	...	6	2								
1872	...	36,523	2,125	58.2	69	1.89	24	...	9	...	2	5	...	4	...	11	...	4	...	5	4								
1873	...	36,862	2,238	60.7	47	1.28	1	1	8	...	2	7	...	2	...	6	...	2	...	5	...	1	...	7								
1874	...	37,437	2,411	64.4	58	1.55	3	...	8	...	6	12	...	4	...	6	3	4								
1875	...	36,984	2,291	61.9	53	1.43	8	...	3	...	5	20	...	1	...	7	3	3								
1876	...	36,516	2,167	59.3	68	1.86	19	...	3	...	2	25	...	1	...	7	1	4								
1877	...	35,954	2,077	57.8	47	1.31	5	...	5	10	...	1	...	4	4	5								
1878	...	35,507	2,449	69.0	73	2.06	10	...	17	...	1	21	...	1	...	6	3	5								
1879	...	38,867	3,030	78.0	188	4.84	102	...	21	...	14	18	...	2	...	9	3	8								
							174	1	85	1	49	133	9	40	4	67	1	17	35	43	1	...	1	48								
Died per 1,000 of the Average Strength.																																
For the Month	363,616	23,413	64.4	709	1.95	1.47	.48	.00	.23	.00	.13	.37	.03	.11	.01	.19	.00	.05	.10	.12	.0000	.13								

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JULY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	241	22	5	268	.7	...
Cholera	38	2	23	261	.7	66.67
Smallpox	11	3	2	13	.0	7.69
Enteric Fever	4	16	15	41	.5	48.02
Fever, Intermittent	741	1,042	841	2,344	11.802	.01
Fever, Remittent and Continued... 1,513	1,304	652	668	817	972	674	639	711	950	1,266	8,189	22.5	.60
Apoplexy	7	32	59	64	1.1	34.46
Delirium Tremens	17	8	10	9	.3	7.32
Dysentery	19	14	7	11	.7	4.29
Diarrhoea	108	74	79	96	2.6	14.29
Hepatitis	447	218	346	191	932	.7
Spleen disease	220	220	139	166	5.0	3.70
Respiratory diseases	27	38	32	20	.7	.38
Phthisis Pulmonalis	225	233	205	168	5.3	.89
Scurvy	38	44	30	24	.8	14.38
Rheumatism	3	2	2	2	.0	...
Veneral diseases	188	211	162	209	2,083	5.7
Eye diseases	465	565	476	889	5,924	16.3
Abscess and Ulcer	63	48	32	47	616	1.7
Wounds and Accidents	287	333	290	360	3,417	9.4
All other Causes	199	272	240	297	2,489	6.9
	561	538	716	782	822	603	625	621	824	790	6,882	18.9	...
Admitted per 1,000 of the Average Strength in each July.													
145.8	130.4	135.8	135.2	152.9	116.1	113.5	117.9	152.4	190.1	139.3			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each AUGUST of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	33,577	2,390	71·2	55	1·64	1·64	8	...	11	5	...	5	...	8	6	9	...	1	1	2
1871	35,212	2,445	69·4	68	1·93	1·87	2	...	9	...	10	6	...	1	...	8	7	4	3
1872	36,372	2,319	63·8	215	5·91	1·46	162	...	8	...	10	6	...	1	...	8	...	1	2	3	1	5
1873	36,792	2,357	64·1	39	1·06	·95	4	...	5	...	4	2	...	1	...	8	4	4	5
1874	37,344	2,667	71·4	44	1·18	1·18	9	...	6	3	...	1	...	6	3	3	...	1	...	6
1875	36,959	2,202	59·6	81	2·19	·95	46	...	3	...	2	4	...	1	...	8	4	5	6
1876	36,413	2,193	60·2	79	2·17	1·37	29	...	12	...	1	7	...	3	...	9	...	1	5	5	7
1877	35,881	2,170	60·5	38	1·06	1·03	1	...	8	...	3	9	7	...	1	2	1	3
1878	35,496	2,543	71·6	82	2·31	1·13	42	...	17	...	2	2	...	2	...	8	1	1	2
1879	38,802	3,189	82·2	152	3·92	2·09	71	...	21	...	2	6	7	...	1	3	3	7
							357	...	100	3	63	50	5	50	5	78	4	7	37	38	1	1	3	51
Died per 1,000 of the Average Strength.																								
For the Month	362,848	24,475	67·5	853	2·35	1·37	·98	...	·28	·01	·17	·14	·02	·14	·02	·21	·01	·02	·10	·10	·00	·00	·01	·14

CAUSES OF ADMISSION.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	466	2	468	1·3	...
Cholera	...	4	271	10	...	70	42	...	54	93	548	1·5	65·15
Smallpox	1	1	·0	...
Enteric Fever	...	12
Fever, Intermittent	...	14	11	11	20	3	15	13	39	43	181	·5	55·25
Fever, Remittent and Continued	2,057	1,867	969	1,147	1,459	1,046	1,585	974	983	2,169	14,256	39·3	·02
Apoplexy	851	928	723	666	834	609	710	979	714	869	7,883	21·7	·80
Delirium Tremens	5	11	21	6	4	13	12	56	7	16	151	·4	33·11
Dysentery	16	17	18	12	8	16	10	7	10	7	121	·3	4·13
Diarrhoea	172	146	153	105	117	133	139	78	105	190	1,343	3·7	3·72
Hepatitis	381	276	555	295	281	414	337	162	311	410	3,422	9·4	·15
Spleen disease	216	245	183	175	177	185	193	174	128	147	1,828	5·0	4·27
Respiratory diseases	28	15	24	19	25	35	25	26	11	23	231	·6	1·73
Phthisis Pulmonalis	160	241	196	218	211	190	216	191	149	134	1,906	5·3	·37
Scurvy	29	35	30	29	26	34	30	29	15	19	276	·8	13·77
Rheumatism	5	2	1	1	1	...	1	3	...	4	18	·1	5·56
Veneral diseases	252	178	186	187	222	229	227	189	165	152	1,987	5·5	...
Eye diseases	492	570	405	459	461	628	540	624	765	509	5,453	15·0	...
Abscess and Ulcer	116	110	76	60	107	57	79	57	42	71	775	2·1	...
Wounds and Accidents	270	325	183	259	301	320	325	393	291	363	3,035	8·4	·45
All other Causes	198	232	191	191	208	303	306	300	203	190	2,322	6·4	...
	606	659	618	605	709	698	747	701	597	628	6,568	18·1	...
Admitted per 1,000 of the Average Strength in each August.													
	174·8	166·8	145·6	121·1	138·5	134·8	152·1	138·2	129·3	155·6	145·4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	33,510	2,532	75.6	53	1.53	1.55	1	...	4	...	7	5	2	...	14	...	1	...	2	4	4	
1871	35,127	2,428	69.1	48	1.37	1.31	2	...	8	...	13	2	1	...	11	...	1	...	2	4	2	
1872	36,068	2,530	70.2	184	5.10	2.22	104	...	9	1	10	10	2	...	12	3	14	...	1	4	7	3	7
1873	36,742	2,444	66.5	62	1.69	1.36	12	...	5	2	10	2	2	...	3	1	11	1	1	4	2	9
1874	37,315	2,581	69.2	70	1.88	1.85	1	...	18	2	8	2	...	9	...	6	6	6	6	12
1875	36,822	2,276	61.8	83	2.25	*81	53	...	1	...	3	5	...	2	...	4	5	6
1876	36,274	2,458	67.8	58	1.60	1.10	18	...	8	...	3	3	...	6	...	1	3	...	3	3	5
1877	35,814	2,131	59.5	26	*73	*73	6	...	4	4	...	2	...	5	3	3
1878	35,431	2,892	81.6	113	3.19	1.50	60	1	17	3	3	3	2	5	...	8	2	1	3	4
1879	38,753	3,400	87.7	119	3.07	1.70	53	...	23	2	10	5	1	7	...	1	2	3	1	10
							304	1	99	10	77	40	8	57	6	77	2	14	33	30	58	
							Died per 1,000 of the Average Strength.																		
For the Month	361,856	25,672	70.9	816	2.25	1.41	*84	*00	*27	*03	*21	*11	*02	*16	*02	*21	*01	*04	*09	*08	16

CAUSES OF ADMISSION.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.									
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.												
Dengue (of 1872)	1,126	1,312	3.6	...									
Cholera	...	1	2	143	...	14	...	1	...	71	186	27	...									
Smallpox									
Enteric Fever	...	9	17									
Fever, Intermittent	...	2,418	1,340	1,272	1,723	2,088	1,125	2,122	2,472	4,832	19,994	55.3	'05									
Fevers, Remittent and Continued...	...	834	726	1,156	998	980	722	816	457	1,126	1,312	9,127	25.2	'84								
Apoplexy	...	8	5	13	6	6	8	6	8	11	86	2	46.51									
Delirium Tremens	...	12	11	22	8	16	13	7	8	8	17	3	6.56									
Dysentery	...	132	108	181	181	133	127	120	59	138	232	1,411	3.9	4.04								
Diarrhea	...	222	199	337	235	238	302	203	121	215	353	2,425	6.7	'25								
Hepatitis	...	175	198	210	224	212	138	174	129	158	186	1,804	5.0	4.27								
Spleen disease	...	21	28	13	26	11	27	20	30	11	30	217	0.6	'92								
Respiratory diseases	...	139	172	161	204	246	11	27	20	30	198	1,773	4.9	'79								
Phthisis Pulmonalis	...	27	30	34	39	41	32	27	141	193	193	303	0.9	9.90								
Scurvy	...	2	...	1	3	1	10	0	...								
Rheumatism	...	181	156	195	227	232	...	157	...	160	140	201	1,818	5.0	...							
Veneral diseases	...	373	453	359	465	597	499	64	374	504	701	634	4,959	13.7	...							
Eye diseases	...	81	57	90	85	96	64	65	504	46	39	66	689	1.9	...							
Abscess and Ulcer	...	215	202	187	308	296	233	240	271	277	294	2,623	7.0	'46								
Wounds and Accidents	...	201	204	190	252	283	230	259	249	240	285	2,393	6.6	...								
All other Causes	...	492	470	566	776	761	554	616	638	634	751	6,258	17.3	...								
											5,543	4,378	6,268	5,793	6,265	4,485	5,590	3,475	6,522	9,561	57,880	
													Admitted per 1,000 of the Average Strength in each September.									
											165.4	124.6	173.8	157.7	167.9	121.8	154.1	97.0	184.1	246.7	159.9	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each OCTOBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Aggregate Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN OCTOBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	33,406	2,382	71.3	73	2.19	2.10	3	...	4	...	11	2	2	10	...	19	...	2	5	3	1	11
1871	35,017	2,238	63.9	48	1.37	1.37	4	...	7	1	2	3	1	12	...	2	5	4	6
1872	35,869	2,478	69.1	114	3.18	1.78	50	...	6	...	12	10	1	15	...	6	3	7	7
1873	36,537	2,225	60.9	49	1.34	1.26	3	...	2	...	1	1	...	5	1	9	6	5	5
1874	36,898	2,421	65.6	29	.79	.79	3	1	...	1	6	5	5
1875	36,520	2,329	63.8	43	1.18	.88	11	...	5	...	2	2	...	2	...	1	1	7	7
1876	36,488	2,533	69.4	68	1.86	1.07	29	...	6	...	5	2	...	5	1	5	4	10	10
1877	35,697	1,985	55.6	28	.78	.62	6	...	2	...	2	1	...	1	...	4	...	1	1	6	6
1878	34,877	2,912	83.5	79	2.27	2.15	4	...	23	...	4	12	2	1	11	...	5	...	2	1	1	6
1879	37,290	3,575	95.9	97	2.60	2.01	22	...	12	...	2	16	4	1	12	...	6	...	10	4	1	4
							128	...	67	7	76	14	7	65	5	86	1	25	39	38	3	67
							Died per 1,000 of the Average Strength.																	
For the Month	358,599	25,078	69.9	628	1.75	1.39	36	...	19	.02	.21	.04	.02	.18	.01	.24	.00	.07	.11	.1001	.19

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH OCTOBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.														
Dengue (of 1872, 1873 and 1876)	1,006	2	345	1,353	3.8	...											
Cholera	...	4	66	3	...	15	44	...	6	...	166	.5	77.11											
Smallpox											
Enteric Fever	...	8	11	11	11	7	12	...	8	...	17	...	50.00											
Fever, Intermittent	2,701	1,853	2,159	1,797	1,886	1,662	2,829	981	3,675	4,908	24,451	68.2	.03											
Fever, Remittent and Continued	679	558	1,169	463	557	689	803	436	1,425	642	7,421	20.7	1.02											
Apoplexy	4	2	4	1	1	3	6	10	12	3	46	.1	30.43											
Delirium Tremens	21	11	12	9	13	7	8	12	9	4	106	.3	6.60											
Dysentery	110	115	188	112	89	111	112	69	188	183	1,277	3.5	5.09											
Diarrhoea	149	165	264	114	121	148	164	112	199	190	1,626	4.5	.31											
Hepatitis	164	199	245	148	147	126	194	128	145	117	1,613	4.5	5.33											
Spleen disease	18	39	27	26	12	38	36	16	18	43	273	.8	.37											
Respiratory diseases	131	207	237	167	217	186	229	227	178	218	1,997	5.5	1.25											
Phthisis Pulmonalis	28	32	46	24	25	37	46	31	31	22	322	.9	11.80											
Scurvy	...	1	4	1	1	1	10	18	.1	...											
Rheumatism	138	218	234	147	196	151	194	162	138	147	1,725	4.8	...											
Veneral diseases	437	611	459	338	464	474	536	707	886	529	5,441	15.2	...											
Eye diseases	82	74	83	57	46	69	66	35	50	35	597	1.7	...											
Abscess and Ulcer	196	239	228	190	181	195	220	217	275	196	2,137	6.0	...											
Wounds and Accidents	199	275	236	205	252	288	316	297	259	229	2,556	7.1	...											
All other Causes	389	568	659	464	531	518	661	543	600	604	5,537	15.4	...											
													58,796											
													Admitted per 1,000 of the Average Strength in each October.											
													163.4	147.8	204.5	117.0	128.7	129.4	186.9	112.0	233.3	217.7	164.0	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each NOVEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR.		CAUSES OF DEATHS.																								
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.							
1870	...	33,037	2,064	62.5	60	1.82	1.82	5	2	...	4	...	19	7	2	10				
1871	...	35,538	1,937	54.5	55	1.55	1.24	11	...	3	11	5				
1872	...	36,479	2,164	59.3	37	1.01	1.01	4	...	2			
1873	...	36,003	1,975	54.8	51	1.42	1.11	11	...	3			
1874	...	37,961	2,283	60.1	39	1.03	1.03	4			
1875	...	36,702	2,195	59.8	41	1.12	1.06	2	...	6			
1876	...	36,278	2,295	63.3	31	.85	.85	3			
1877	...	36,147	2,016	55.8	27	.75	.75	3			
1878	...	37,993	3,070	80.8	75	1.97	1.95	1	...	6			
1879	...	38,481	3,412	88.7	61	1.59	1.59	5			
								20	...	35	12	53	8	3	60	7	86	1	43	33	36	...	1	4	66						
Died per 1,000 of the Average Strength.																															
For the Month	364,619	23,411	64.2	477	1.31	1.23	.0810	.03	.15	.02	.01	.16	.02	.24	.00	.12	.09	.1000	.01	.18							

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	455	1	75	531	1.5	...
Cholera	...	1	23	3	15	...	5	1	49	.1	59.18
Smallpox	9	.0	...
Enteric Fever	...	2	8	5	6	6	13	7	4	3	86	.2	40.70
Fever, Intermittent	3,335	1,213	1,777	1,603	1,570	2,178	1,627	1,011	3,141	4,071	21,526	59.0	.06
Fever, Remittent and Continued	347	253	532	247	560	405	450	250	876	263	4,183	11.5	1.27
Apoplexy	...	3	3	1	2	2	3	3	3	3	28	.1	28.57
Delirium Tremens	...	6	12	6	5	7	7	7	2	6	66	.2	4.55
Dysentery	117	102	96	90	61	102	88	68	200	169	1,099	3.0	5.46
Diarrhoea	166	166	119	116	102	167	136	113	166	187	1,438	3.9	.49
Hepatitis	145	143	139	110	129	133	138	94	118	104	1,273	3.5	6.76
Spleen disease	...	17	21	21	32	34	25	10	14	33	229	.6	.44
Respiratory diseases	234	184	254	227	268	285	184	198	324	390	2,548	7.0	1.69
Phtisis Pulmonalis	40	40	35	34	34	39	35	24	31	33	345	.9	10.43
Scurvy	4	2	1	2	1	1	11	22	.4	4.55
Rheumatism	187	184	158	135	157	180	185	126	126	178	1,616	4.4	...
Veneral diseases	5,459	15.0	...
Eye diseases	502	504	375	331	545	689	473	550	897	590	4,446	12.2	...
Abscess and Ulcer	60	48	48	34	45	77	45	25	29	38	446	1.2	...
Wounds and Accidents	242	218	214	211	211	213	177	182	249	186	2,103	5.8	...
All other Causes	214	227	221	202	275	296	300	226	187	241	2,389	6.6	60
...	431	414	472	390	514	582	491	437	461	573	4,765	13.1	...
Admitted per 1,000 of the Average Strength in each November.													
183.5	105.7	135.9	105.1	119.0	147.3	122.6	92.3	180.2	184.4	137.7			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	32,516	1,703	52.4	62	1.91	1.91	...	1	5	...	2	...	1	5	...	10	...	9	10	4	3	12
1871	35,383	1,770	50.0	48	1.36	1.33	1	...	3	...	1	16	...	16	7	4
1872	36,818	1,927	52.3	33	.90	.87	1
1873	34,959	1,816	51.9	34	.97	.97	1	1
1874	38,531	2,065	54.4	37	.96	.96	...	1	1	1
1875	36,215	2,024	55.9	34	.94	.94	4
1876	36,600	2,043	55.8	28	.77	.77	3
1877	36,060	1,973	54.7	38	1.05	.97	3	1	4	1	4
1878	37,590	2,802	74.5	70	1.86	1.81	2	...	6	6	13	7	...	10	1	7
1879	38,837	2,843	73.2	74	1.91	1.91	...	1	6	2	7	1	...	29	3	1	7
							7	4	33	10	27	10	1	53	6	58	...	92	43	51	...	1	6	56
Died per 1,000 of the Average Strength.																								
For the Month	363,509	20,996	57.8	458	1.26	1.24	.02	.01	.09	.03	.07	.03	.00	.15	.02	.1625	.12	.1400	.02	.15

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue (of 1872 and 1876)	156	16	172	.5	...										
Cholera	...	2	1	1	4	...	10	.0	70.00										
Smallpox	1	2	1	...	1	13	3	23	.1	17.39										
Enteric Fever	7	7	4	7	14	7	12	14	14	14	99	.3	33.33										
Fever, Intermittent	1,689	839	1,298	1,104	1,100	1,430	1,034	983	2,338	2,612	14,427	39.7	.07										
Fever, Remittent and Continued	156	162	309	129	356	211	215	205	406	162	2,311	6.4	1.17										
Apoplexy	...	1	1	...	2	1	...	2	4	2	13	.0	76.92										
Delirium Tremens	11	6	9	7	5	5	7	4	8	2	64	.2	1.56										
Dysentery	83	108	103	89	61	78	60	61	215	143	1,001	2.8	5.29										
Diarrhoea	124	164	184	105	89	159	112	129	340	182	1,588	4.4	.38										
Hepatitis	106	107	148	121	138	76	119	100	96	109	1,120	3.1	5.18										
Spleen disease	13	14	18	29	45	22	21	12	21	49	244	.6	...										
Respiratory diseases	283	277	274	308	465	243	297	209	547	691	3,594	9.9	2.56										
Phthisis Pulmonalis	24	22	41	20	37	23	28	24	25	21	265	.7	19.25										
Scurvy	...	1	1	3	3	1	2	4	15	.0	6.67										
Rheumatism	131	171	177	144	237	113	177	162	151	223	1,686	4.6	...										
Veneral diseases	480	648	455	587	736	566	539	702	779	722	6,214	17.1	...										
Eye diseases	43	61	48	62	48	42	36	26	30	42	438	1.2	...										
Abscess and Ulcer	175	207	206	198	227	167	189	185	192	215	1,961	5.4	...										
Wounds and Accidents	254	362	303	273	415	266	396	348	306	384	3,312	9.1	...										
All other Causes	277	327	452	399	534	341	432	409	557	531	4,259	11.7	...										
											3,857	3,488	4,194	3,586	4,513	3,751	3,602	3,592	6,034	6,109	42,816
Admitted per 1,000 of the Average Strength in each December.																							
											118.6	98.6	113.9	102.6	117.1	103.6	100.9	99.6	160.5	157.3	117.8

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each JANUARY of the TEN-YEAR PERIOD 1870-79.

Table with columns for Year, Average Strength, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital), DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR (All Causes, Excluding Cholera), and CAUSES OF DEATHS (Cholera, Smallpox, Enteric Fever, etc.). Includes a summary row 'For the Month' and a sub-section 'Died per 1,000 of the Average Strength.'

Table titled 'NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.' with columns for CAUSES OF ADMISSIONS (Dengue, Cholera, Smallpox, etc.), years 1870-1879, Total Admitted during the Month, Admitted per 1,000 of Strength, and Died out of each hundred cases treated.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
1870	10,664	740	69.4	14	1.31	1.22	1	...	2	3	...	3	...	1	3	1
1871	10,902	615	56.4	10	.92	.92	2	...	1	3	...	4	2
1872	11,014	673	61.1	12	1.09	1.09	3	...	2
1873	11,316	611	54.0	16	1.41	1.41	4	...	4
1874	11,734	610	51.5	15	1.28	1.28	1	3	...	5
1875	11,014	665	60.4	17	1.54	1.54	4	...	5	...	1	5
1876	10,736	568	52.9	7	.65	.65	3	3
1877	11,314	614	54.3	12	1.06	.71	4	...	1	1	...	3	1
1878	10,349	700	67.6	9	.87	.77	1	...	1	...	1	3	...	1
1879	9,822	687	69.9	10	1.02	1.02	1	...	2	...	1	1	...	2
							6	...	15	...	4	2	1	22	...	29	...	2	19	12	10
														Died per 1,000 of the Average Strength.													
For the Month	108,865	6,513	59.8	122	1.12	1.07	.051404	.02	.01	.202702	.17	.1109

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	2	6	81	...
Cholera	1	3	7	1	121	50.00
Smallpox	1	1	1	3	60	...
Enteric Fever	2	2	6	8	3	1	7	2	2	333	45.45
Fever, Intermittent	583	109	51	93	63	47	55	38	57	143	1,239	11.4	...
Fever, Remittent and Continued	49	58	100	96	71	81	88	69	78	780	780	7.2	.51
Apoplexy	1	3	1	1	1	1	2	1	2	90	90	.1	15.38
Delirium Tremens	1	7	10	3	3	3	2	2	1	133	3.12
Dysentery	50	55	71	61	82	56	48	44	77	51	595	5.5	3.70
Diarrhoea	61	23	45	64	32	41	39	62	54	32	453	4.2	...
Hepatitis	49	55	63	58	93	67	53	45	50	41	574	5.3	5.05
Spleen disease	2	2	7	...	5	1	1	2	3	2	25	.2	...
Respiratory diseases	30	57	94	56	50	54	80	54	47	47	569	5.2	.35
Phtisis Pulmonalis	5	3	16	7	10	13	9	5	4	2	74	.7	16.22
Scurvy	1	1	1	.0	...
Rheumatism	47	39	31	40	56	36	38	44	30	31	392	3.6	...
Veneral diseases	164	171	177	118	208	186	204	167	242	181	1,818	16.6	...
Eye diseases	8	16	16	8	8	8	7	11	8	5	95	.9	...
Abscess and Ulcer	100	90	117	85	95	93	95	83	96	91	945	8.7	.49
Wounds and Accidents	79	119	125	92	85	91	100	91	94	91	967	8.9	...
All other Causes	172	162	179	195	187	160	191	146	168	150	1,710	15.7	...
											10,341		
Admitted per 1,000 of the Average Strength in each February.													
131.7	89.1	101.1	87.6	89.7	85.2	94.7	77.7	98.3	97.6	95.0			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each MARCH of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Aurropy and Anæmia.	All other Causes.	
1870	10,806	676	62.6	25	2.31	1.85	5	3	...	7	...	3	2	1	4	
1871	11,056	590	53.4	7	.63	.63	1
1872	12,017	640	53.3	11	.92	.92	2
1873	11,563	645	55.8	12	1.04	1.04	1
1874	11,559	517	44.7	9	.78	.78
1875	11,144	543	48.7	4	.36	.36
1876	10,839	518	47.8	11	1.01	1.01
1877	11,271	554	49.2	9	.80	.71	1	...	1	1
1878	10,896	618	56.7	26	2.39	2.39	3
1879	10,103	593	58.7	7	.69	.69
For the Month	111,254	5,894	53.0	121	1.09	1.04	.05	.03	.0503	.07	.02	.15	.01	.2306	.15	.0801	.15
Died per 1,000 of the Average Strength.																									

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	31	36	67	.6	...
Cholera	8	.1	...
Smallpox	6	3	1	16	.1	75.00
Enteric Fever	9	8	4	27	.2	18.75
Fever, Intermittent	467	61	42	84	54	59	19	30	51	124	991	8.9	...
Fever, Remittent and Continued...	57	60	151	148	124	98	86	70	150	108	1,052	9.5	...
Apoplexy	3	4	4	1	1	1	1	...	21	.2	38.10
Delirium Tremens	4	4	4	6	4	1	2	2	45	.4	4.44
Dysentery	68	31	40	54	64	71	34	35	65	27	489	4.4	3.48
Diarrhoea	62	54	49	76	48	42	35	68	64	27	525	4.7	...
Hepatitis	62	52	44	71	65	60	38	37	53	31	513	4.6	4.87
Spleen disease	1	.0	...
Respiratory diseases	70	76	92	53	74	41	46	45	46	33	576	5.2	...
Phthisis Pulmonalis	9	10	9	9	11	10	4	5	4	5	76	.7	11.84
Scurvy	3	3	.0	...
Rheumatism	47	39	53	41	61	33	30	36	20	42	402	3.6	...
Veneral diseases	184	162	181	146	221	295	205	187	228	231	2,040	18.3	...
Eye diseases	16	14	21	20	17	8	6	10	8	11	131	1.2	...
Abscess and Ulcer	142	113	106	102	117	104	76	74	85	74	993	8.9	...
Wounds and Accidents	138	102	111	125	117	112	75	79	102	106	1,067	9.6	...
All other Causes	239	187	215	229	156	190	181	136	167	143	1,843	16.6	...
	1,595	970	1,174	1,215	1,142	1,132	842	820	1,052	967	10,909		
Admitted per 1,000 of the Average Strength in each March.													
	147.6	87.6	97.7	105.1	98.8	101.6	77.7	72.8	96.5	95.7	98.0		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each APRIL of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN APRIL OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	...	11,139	695	62.4	39	3.50	1.62	21	...	5	1	2	1	2	1	...	2	1	1	2	
1871	...	11,061	600	54.2	15	1.36	1.36	1	...	1	...	1	2	...	3	1	1	1	
1872	...	11,605	618	53.3	16	1.38	1.38	3	1	3	1	
1873	...	11,596	622	53.7	15	1.29	.86	5	...	1	3	1	1	
1874	...	11,542	590	50.2	11	.95	.87	1	...	1	1	
1875	...	11,748	582	49.7	6	.54	.54	1	1	1	1	
1876	...	11,333	563	49.7	18	1.59	.79	9	1	5	1	1	2	
1877	...	11,050	537	48.6	9	.81	.81	1	...	1	1	1	3	1	
1878	...	11,194	635	56.7	21	1.88	1.70	2	2	2	...	2	...	1	1	1	2	
1879	...	10,508	637	60.6	5	.48	.48	2	1	2	
								38	2	14	1	6	27	5	12	1	15	14	5	15
								Died per 1,000 of the Average Strength.																		
For the Month	112,176	6,069	54.1	155	1.38	1.04	.34	.02	.12	.01	.05	.23	.05	.11	.01	.1313	.0513	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH APRIL.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.											
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.														
Dengue (of 1872 and 1873)	55	2	57	.5	...											
Cholera	...	28	...	12	20	...	2	...	65	.6	58.46											
Smallpox	1	2	1	3	...	3	11	.1	18.18											
Enteric Fever	5	6	4	4	37	.3	37.84											
Fever, Intermittent	...	12	2	6	4	4	...	3	...	1	37	.3	10											
Fever, Remittent and Continued...	...	369	79	62	113	41	40	18	70	135	968	8.6	37.84											
Apoplexy	...	58	72	181	159	114	108	99	189	170	1,309	11.7	.46											
Delirium Tremens	...	1	9	9	7	2	1	5	2	3	44	.4	61.36											
Dysentery	...	9	7	9	2	2	1	4	3	3	41	.4	12.20											
Diarrhoea	...	55	34	61	76	56	41	34	83	66	523	4.7	2.29											
Hepatitis	...	60	40	45	91	33	38	87	51	71	45	561	5.0	.18										
Spleen disease	...	55	38	50	77	54	58	39	33	65	513	4.6	2.92											
Respiratory diseases	...	13	4	5	4	1	2	...	4	1	34	.3	...											
Phtthisis Pulmonalis	...	63	61	78	72	41	34	66	43	55	562	5.0	...											
Scurvy	...	3	9	8	4	5	5	9	7	3	55	.5	9.09											
Rheumatism	1	1	.0	...											
Veneral diseases	...	39	51	54	48	39	27	40	37	36	400	3.6	...											
Eye diseases	...	173	205	228	158	165	220	182	181	260	2,088	18.6	...											
Abscess and Ulcer	...	9	20	16	17	17	3	7	9	11	125	1.1	...											
Wounds and Accidents	...	118	119	152	157	103	110	85	107	129	1,205	10.7	.41											
All other Causes	...	109	97	124	104	67	88	76	82	114	983	8.8	...											
	...	169	204	268	300	177	184	219	132	214	2,135	19.0	...											
														11,717										
														120.6	95.0	120.8	121.8	84.0	87.3	88.1	78.6	117.3	132.0	104.5
														Admitted per 1,000 of the Average Strength in each April.										

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each MAY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MAY OF EACH YEAR.		CAUSES OF DEATHS.																						
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.					
1870	11,121	747	67·2	19	1·71	1·53	2	...	3	...	1	11	...	1	...	1	...	1	1	
1871	10,969	603	55·0	43	3·92	1·00	32	1	1	1	3
1872	11,540	675	58·5	22	1·91	1·91	...	2	1	...	2	11	...	3
1873	11,562	624	54·0	14	1·21	1·12	1	1	1	2	...	3
1874	11,457	563	49·0	7	·61	·61	1	...	1	1	1	1
1875	11,099	624	56·2	12	1·08	1·08	4	1	1
1876	11,245	563	50·1	16	1·42	1·33	1	...	4	...	1	6	...	1	...	3
1877	11,068	585	52·9	18	1·63	1·63	7	...	1	...	1	1
1878	11,137	672	60·3	21	1·89	1·89	9	...	1	3	...	2
1879	10,701	687	64·2	15	1·40	1·40	1	7	2	...	2	1
							36	3	11	1	7	58	3	16	...	20	...	1	9	5	17
Died per 1,000 of the Average Strength.																													
For the Month	111,929	6,343	56·7	187	1·67	1·35	·32	·03	·10	·01	·06	·52	·03	·14	...	·18	...	·01	·08	·04	·15

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MAY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue (of 1872 and 1873)	201	1	202	1·8	...	
Cholera	...	2	71	3	80	·7	45·00	
Smallpox	1	1	7	·1	42·86	
Enteric Fever	...	4	3	4	7	·3	30·56	
Fever, Intermittent	7	2	2	...	4	1	36	·9	·09	
Fevers, Remittent and Continued...	415	100	64	151	27	54	28	64	61	134	1,098	9·8	·51	
Apoplexy	76	94	204	109	84	111	190	190	191	127	1,376	12·3	42·65	
Delirium Tremens	34	7	18	6	4	5	16	11	16	22	136	1·2	7·69	
Dysentery	7	4	4	4	2	6	3	3	3	...	39	·4	2·80	
Diarrhea	56	61	55	63	51	44	57	66	69	43	571	5·1	...	
Hepatitis	45	66	56	72	32	59	74	73	55	48	580	5·2	...	
Spleen disease	58	57	38	68	54	67	65	58	70	40	575	5·1	3·48	
Respiratory diseases	6	3	1	1	2	...	1	2	2	1	19	·2	...	
Phthisis Pulmonalis	78	56	40	72	42	36	57	55	54	44	534	4·8	·19	
Scurvy	3	15	7	10	7	3	4	6	8	7	70	·6	7·14	
Rheumatism	1	2	
Veneral diseases	46	59	42	53	37	20	49	32	31	32	404	3·6	...	
Eye diseases	155	195	144	111	139	189	183	257	175	176	1,724	15·4	...	
Abscess and Ulcer	8	17	9	15	12	10	9	16	7	25	128	1·1	...	
Wounds and Accidents	112	162	133	126	118	100	126	117	112	101	1,207	10·8	...	
All other Causes	102	118	106	79	80	67	98	81	83	104	918	8·2	38	
...	237	246	236	218	203	192	242	233	216	219	2,242	20·0	...	
Admitted per 1,000 of the Average Strength in each May.												11,948		
130·0	121·6	119·0	100·9	78·3	86·9	107·5	115·4	103·8	105·1		106·7			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870 ...	11,036	774	70·1	14	1·27	1·00	3	1	1	4	...	2	1	2	
1871 ...	10,938	665	60·8	11	1·01	·73	3	1	3	1	1	1
1872 ...	11,500	700	60·9	22	1·91	1·83	1	...	3	...	2	3	1	1	...	6	...	1	1	2	1	
1873 ...	11,565	634	54·8	16	1·38	1·21	2	...	1	1	...	6	...	1	1	
1874 ...	11,493	591	51·4	10	·87	·87	1	...	1	...	4	1	1	1	1	
1875 ...	11,126	672	60·4	7	·63	·63	2	2	
1876 ...	11,214	589	52·5	19	1·69	1·43	3	...	1	3	...	2	1	1	2	2	
1877 ...	11,047	638	57·8	12	1·09	·91	2	...	4	3	1	1	1	1	1		
1878 ...	11,027	718	65·1	25	2·27	2·09	2	...	1	...	2	6	1	3	...	4	1	1	4	
1879 ...	10,652	674	63·2	12	1·13	·66	5	1	...	3	1	2	
							21	...	13	...	5	23	4	15	...	30	...	3	6	13	15
							Died per 1,000 of the Average Strength.																	
For the Month	111,598	6,655	59·6	148	1·33	1·14	·19	...	·12	...	·04	·21	·04	·13	...	·27	...	·03	·05	·12	·13	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	163	6	169	1·5	...
Cholera	...	6	1	4	2	6	...	5	28	·3	75·00
Smallpox	1	1	·0	...
Enteric Fever	...	3	4	1	1	4	25	·2	52·00
Fever, Intermittent	475	94	55	184	69	130	69	62	82	125	1,345	12·1	...
Fever, Remittent and Continued	83	62	192	64	92	150	200	147	219	138	1,377	12·3	...
Apoplexy	6	...	13	4	1	3	20	4	12	1	64	·6	35·91
Delirium Tremens	13	11	3	2	3	2	2	1	3	1	41	·4	9·76
Dysentery	70	77	60	70	71	85	63	69	80	45	690	6·2	2·17
Diarrhoea	101	72	51	77	51	72	60	72	42	89	687	6·2	...
Hepatitis	56	60	46	67	58	78	56	49	55	49	574	5·1	5·23
Spleen disease	14	2	1	6	2	...	1	...	1	1	23	·3	...
Respiratory diseases	55	48	58	47	39	35	39	45	41	39	446	4·0	...
Phthisis Pulmonalis	5	11	8	12	6	10	10	4	5	8	79	·7	16·46
Scurvy	1	1	·0	...
Rheumatism	74	44	49	45	45	40	37	38	44	42	453	4·1	...
Veneral diseases	137	144	118	123	129	231	151	201	192	214	1,643	14·7	...
Eye diseases	28	10	19	23	16	26	7	11	15	21	176	1·6	...
Abscess and Ulcer	166	132	134	130	113	128	97	125	103	97	1,230	11·0	·31
Wounds and Accidents	108	94	93	94	83	101	90	77	77	80	897	8·0	...
All other Causes	278	230	245	224	173	230	187	178	195	205	2,145	19·2	...
	1,676	1,096	1,313	1,183	953	1,325	1,094	1,099	1,204	1,161	12,104		
Admitted per 1,000 of the Average Strength in each June.													
	151·9	100·2	114·2	102·3	82·9	119·1	97·5	99·5	109·2	109·0		108·5	

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each AUGUST of the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																										
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhœa.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.									
1870	11,075	791	71.4	15	1.35	1.35	1	1	...	1	...	5	2	5				
1871	10,895	658	60.4	17	1.56	1.56	1	1	3	5	2	2				
1872	11,447	757	66.1	17	1.49	1.49	3	3	3	3	3	2				
1873	11,473	750	65.4	13	1.13	1.13	1	...	2	...	4	...	3	1	1				
1874	11,434	694	60.7	9	.79	.79	1	1	...	3	1	1				
1875	11,059	640	57.9	9	.81	.72	1	1	...	2	...	3	1	1				
1876	11,170	679	60.8	17	1.52	1.43	1	...	5	...	1	3	...	5	1	1				
1877	11,027	754	68.4	13	1.18	1.18	4	3	...	4	1	1				
1878	10,940	750	68.6	24	2.19	1.19	11	2	1	...	4	3	1	...	1				
1879	10,609	769	72.5	20	1.89	1.70	2	...	2	2	...	2	...	4	2	4				
							15	...	17	...	6	6	1	23	1	36	...	1	17	12	1	18						
Died per 1,000 of the Average Strength.																																	
For the Month	111,129	7,242	65.2	154	1.39	1.25	14	...	15	...	05	05	01	21	01	33	...	01	15	11	01	16						

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	104	84	11	...	188	1.7	...
Cholera	...	1	1	...	1	...	17	.2	88.24
Smallpox	49	.4	31.69
Enteric Fever	...	7	1	8	3	4	4	11	7	...	4
Fever, Intermittent	...	395	146	72	156	71	99	87	79	...	1,497	13.5	...
Fever, Remittent and Continued	...	79	82	104	50	91	145	167	141	...	1,222	11.0	...
Apoplexy	...	1	1	2	1	...	5	1	1	...	15	.1	40.00
Delirium Tremens	...	14	10	3	1	2	2	7	2	...	49	.4	2.04
Dysentery	...	91	105	112	113	86	80	82	106	...	976	8.8	2.36
Diarrhœa	...	97	102	136	89	40	78	87	63	...	864	7.8	.12
Hepatitis	...	81	70	68	80	84	83	61	56	...	677	6.1	5.32
Spleen disease	...	5	5	...	2	3	1	2	1	...	19	.2	...
Respiratory diseases	...	60	65	52	41	51	41	64	40	...	501	4.5	...
Phthisis Pulmonalis	...	3	14	8	11	15	13	14	14	...	104	.9	11.54
Scurvy	1	1	...	1	5	.0	...
Rheumatism	...	65	58	59	58	47	25	59	38	...	465	4.2	...
Veneral diseases	...	137	174	150	137	176	169	186	193	...	1,685	15.2	...
Eye diseases	...	44	22	25	23	22	22	23	13	...	234	2.1	...
Abscess and Ulcer	...	105	124	118	85	91	87	96	102	...	953	8.6	...
Wounds and Accidents	...	141	103	97	76	73	109	93	71	...	923	8.3	...
All other Causes	...	269	265	211	211	182	251	295	199	...	2,321	20.9	53
Admitted per 1,000 of the Average Strength in each August.													
144.0	123.7	116.2	106.4	90.9	109.9	119.7	105.6	114.4	119.1	114.9			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXIV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																							
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.						
1870	10,941	717	65.5	16	1.46	1.46	2	...	2	1	...	2	...	2	...	3	3	3	3	1	3	
1871	10,854	641	59.1	14	1.29	1.29	1	3	...	4	...	3	3	4	
1872	11,394	800	70.2	23	2.02	2.02	6	7	...	3	...	3	3	4	
1873	11,381	771	67.7	17	1.49	1.49	1	...	2	5	...	3	...	3	3	1	
1874	11,402	733	64.3	9	.79	.79	1	1	...	4	...	4	1	3	
1875	11,038	656	59.4	17	1.54	1.54	1	1	...	3	1	5	...	3	3	3	
1876	11,166	708	63.4	16	1.43	1.25	2	...	7	1	...	3	...	3	...	3	1	1	
1877	10,972	746	68.0	17	1.55	1.09	5	7	...	3	...	3	1	1	1	
1878	10,887	773	71.0	14	1.29	1.01	3	...	4	...	1	1	...	1	...	2	...	2	1	1	1	
1879	10,467	739	70.6	22	2.10	1.91	2	...	3	1	...	2	...	4	...	4	3	7	
							12	...	26	...	5	5	1	33	1	32	17	10	23
							Died per 1,000 of the Average Strength.																							
For the Month	110,502	7,284	65.9	165	1.49	1.38	11	...	23	...	04	04	01	30	01	30	15	00	21		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	101	47	148	1.3	...
Cholera	...	1	1	2	8	5	2	19	.2	63.16
Smallpox	...	1	2	.0	...
Enteric Fever	...	3	9	10	9	5	2	14	2	6	62	.6	41.94
Fever, Intermittent	229	92	258	151	111	115	50	91	206	370	1,673	15.1	...
Fevers, Remittent and Continued	68	68	111	89	117	113	175	126	223	181	1,271	11.5	...
Apoplexy	2	1	...	2	2	1	2	...	1	3	12	.1	41.67
Delirium Tremens	3	7	3	3	8	...	6	4	38	.4	2.63
Dysentery	75	68	111	128	114	64	62	90	112	72	896	8.1	3.68
Diarrhoea	75	56	75	66	41	37	62	46	67	40	565	5.1	1.18
Hepatitis	59	57	66	102	104	68	69	55	56	67	703	6.4	4.55
Spleen disease	1	3	2	2	3	...	1	1	13	.1	...
Respiratory diseases	39	55	3	2	3	31	33	33	41	59	463	4.2	...
Phthisis Pulmonalis	5	8	6	67	71	9	4	4	8	4	79	.7	12.66
Scurvy	1	12	19	1	2	.0	...
Rheumatism	52	50	41	.4	...
Veneral diseases	127	110	34	64	70	26	49	26	38	41	450	4.1	...
Eye diseases	29	18	126	218	192	141	120	242	206	252	1,743	15.8	...
Abscess and Ulcer	104	85	26	24	15	17	13	16	12	11	181	1.6	...
Wounds and Accidents	103	85	87	116	110	79	69	66	90	91	897	8.1	6.4
All other Causes	191	171	163	287	246	183	236	179	195	207	2,063	18.7	...
	1,167	945	1,279	1,479	1,324	961	1,062	1,052	1,331	1,484	12,084		
Admitted per 1,000 of the Average Strength in each September.													
	106.7	87.1	112.3	129.9	116.1	87.1	95.1	95.9	122.3	141.8	109.4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each NOVEMBER of the TEN-YEAR PERIOD 1870-79.

Table with columns: YEAR, Average Strength, Average Number Daily Sick, Number Daily Sick per 1,000 of Strength, Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital), DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR (All Causes, Excluding Cholera), CAUSES OF DEATHS (Cholera, Smallpox, Enteric Fever, etc.), and a summary row 'For the Month'.

Table with columns: CAUSES OF ADMISSIONS, NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER (1870-1879), Total Admitted during the Month, Admitted per 1,000 of Strength, and Died out of each hundred cases treated.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																						
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anamia.	All other Causes.					
1870	10,515	528	50.2	6	.57	.57	2	...	2	...	1	1	4	4	1
1871	10,583	616	58.2	14	1.32	1.32	3	...	4	...	1	1	4	4	1
1872	11,948	623	52.1	25	2.09	2.09	4	6	...	4	3	3
1873	11,798	663	56.2	24	2.03	1.95	1	1	1	...	9	...	5	...	1	2	1	2	...	3	2	
1874	11,427	758	66.3	9	.79	.79	2	1	3	1	
1875	10,570	535	50.6	7	.66	.66	1	...	4	...	1	1	1	1	...	1	1	
1876	10,714	628	58.6	10	.93	.93	1	1	2	...	2	1	1	1	
1877	10,554	620	58.7	14	1.33	1.23	1	...	2	1	2	2	2	2	1	1	...	4	1	1	1	1	1	2	
1878	10,185	687	67.4	10	.98	.79	2	2	...	1	2	1	1	
1879	10,954	767	70.0	7	.64	.64	1	1	...	2	2	1	
							4	...	10	...	2	3	1	28	1	26	...	5	22	12	2	10					
							Died per 1,000 of the Average Strength.																						
For the Month	109,248	6,425	58.8	126	1.15	1.11	.040902	.03	.01	.25	.01	.2404	.20	.1102	.09					

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872, 1873 and 1876)	2	8	2	121	...
Cholera	1	...	2	...	1	...	61	66.67
Smallpox	1	1	...	20	...
Enteric Fever	1	5	13	...	2	1	2	4	...	293	34.48
Fever, Intermittent	95	52	158	77	93	32	31	109	255	406	1,308	12.0	...
Fevers, Remittent and Continued	77	60	154	77	133	78	76	122	107	63	947	8.7	.21
Apoplexy	1	1	2	2	...	61	50.00
Delirium Tremens	6	6	...	4	1	2	3	5	3	5	35	.3	2.86
Dysentery	45	69	94	91	76	57	71	73	65	47	688	6.3	4.07
Diarrhoea	41	52	84	56	43	41	49	65	48	29	508	4.7	.20
Hepatitis	46	50	62	92	86	36	54	61	42	55	584	5.3	4.45
Spleen disease	3	5	2	3	1	2	3	2	...	3	24	.2	...
Respiratory diseases	54	68	54	38	58	55	42	40	49	49	507	4.6	.99
Phthisis Pulmonalis	4	13	20	9	15	10	16	16	5	5	113	1.0	10.62
Scurvy	1	10	...
Rheumatism	29	27	46	53	59	25	23	23	39	26	350	3.2	...
Veneral diseases	110	152	137	170	226	138	118	224	200	258	1,733	15.9	...
Eye diseases	22	9	12	26	10	7	19	17	8	7	137	1.2	...
Abscess and Ulcer	80	91	85	80	89	64	58	75	70	97	789	7.2	.58
Wounds and Accidents	102	131	94	122	137	80	93	91	106	127	1,086	9.9	...
All other Causes	144	178	226	213	214	146	178	156	161	180	1,796	16.4	...
	860	972	1,246	1,120	1,243	776	839	1,085	1,162	1,358	10,661		
Admitted per 1,000 of the Average Strength in each December.													
	81.8	91.8	104.3	94.9	108.8	73.4	78.3	102.8	114.4	124.0	97.6		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXXXVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each JANUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JANUARY OF EACH YEAR.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
1870	10,376	577	55.6	16	1.54	1.54	1	5	...	1	1	...	1	...	1	1	1	4	1		
1871	10,223	517	50.6	12	1.17	1.17	1	
1872	11,002	542	49.3	11	1.00	1.00	1	...	1	1
1873	10,329	538	52.1	15	1.45	1.45	1	1	...	1	2
1874	10,892	557	51.1	7	.64	.64	1	...	1	1	1
1875	8,821	460	52.1	5	.57	.57	1
1876	10,295	459	44.6	7	.68	.68	1	1	2
1877	10,078	520	51.6	13	1.29	1.29	1	...	1	2
1878	10,535	588	55.8	4	.38	.38	1	1	1
1879	8,727	593	68.0	17	1.95	1.95	2	2
							Died per 1,000 of the Average Strength.																				
For the Month	101,278	5,351	52.8	107	1.06	1.0609	.01	.09	.04	.01	.101913	.09	.2110

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JANUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1873)	19	19	.2	...
Cholera	1	1	.0	...
Smallpox	11	14	.1	...
Enteric Fever	1
Fever, Intermittent	399	401	264	315	213	190	236	221	405	454	3,098	30.6	.03
Fevers, Remittent and Continued...	65	68	46	34	51	40	10	42	24	36	416	4.1	2.16
Apoplexy	...	3	1	2	1	1	...	1	9	.1	44.44
Delirium Tremens	...	8	5	...	5	6	2	3	...	5	37	.3	2.70
Dysentery	12	24	23	38	19	11	18	19	17	26	207	2.0	4.83
Diarrhoea	43	46	47	23	25	29	28	20	39	72	377	3.7	...
Hepatitis	27	55	31	43	23	29	38	27	29	20	322	3.2	5.90
Spleen disease	...	4	1	...	4	3	...	4	3	7	35	.3	...
Respiratory diseases	46	84	72	82	134	48	58	81	67	105	777	7.7	1.67
Phthisis Pulmonalis	...	12	6	14	5	8	...	2	3	7	67	.7	32.84
Scurvy	...	2	2	4	.0	...
Rheumatism	31	58	48	...	40	24	29	36	45	39	382	3.8	...
Veneral diseases	161	172	250	125	160	162	156	132	214	210	1,742	17.2	...
Eye diseases	14	22	20	13	25	9	9	12	16	7	147	1.5	...
Abscess and Ulcer	60	98	78	67	101	56	70	72	76	48	726	7.2	...
Wounds and Accidents	46	78	86	66	100	62	90	83	91	73	775	7.7	...
All other Causes	116	134	142	96	125	76	107	132	168	134	1,230	12.1	...
											10,402		
Admitted per 1,000 of the Average Strength in each January.													
99.3	124.3	102.3	94.5	94.8	86.3	83.4	89.5	114.3	142.2	102.7			

IV.—MONTHLY DISTRIBUTIONS OF DISEASE, 1870-79.

CCXXXIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each FEBRUARY of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN FEBRUARY OF EACH YEAR.		CAUSES OF DEATH.																							
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anaemia.	All other Causes.						
1870	...	8,957	464	51·8	11	1·23	1·23	1	...	3	1	1	1	1	2	1					
1871	...	10,874	511	47·0	15	1·38	1·38	1	...	1	1	4	1	1	1	1					
1872	...	10,282	455	44·2	8	·78	·78	1	1	1	1	2	1	1					
1873	...	10,478	513	48·9	9	·86	·86	3	1	2	1	1	1	1	...					
1874	...	11,500	549	47·7	6	·52	·52	1	1	1	1	1	...					
1875	...	9,606	455	47·4	7	·73	·73	1	1	1	1	1	...					
1876	...	10,538	495	46·8	3	·28	·28	1	1					
1877	...	10,069	485	48·1	5	·50	·50	1	1	3					
1878	...	10,465	601	57·4	2	·19	·19	1	1					
1879	...	8,743	574	65·7	4	·46	·46	1	1	2					
								9	...	5	2	...	6	1	12	...	3	7	11	...	1	2	11					
Died per 1,000 of the Average Strength.													·09	...	·05	·02	...	·06	·01	·11	...	·03	·07	·11	...	·01	·02	·11
For the Month	101,571	5,102	50·2	70	·69	·69	·09	...	·05	·02	...	·06	·01	·11	...	·03	·07	·11	...	·01	·02	·11						

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH FEBRUARY.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.															
Dengue (of 1872 and 1873)
Cholera
Smallpox
Enteric Fever	1	1	2	3	2	5	1
Fever, Intermittent	239	250	146	228	145	168	267	136	316	314	2,209	21·7
Fever, Remittent and Continued...	90	46	49	37	42	39	30	53	40	41	467	4·6	1·07	
Apoplexy	3	1	4	1	1	...	2	2	14	·1	14·29	
Delirium Tremens	3	3	3	2	2	...	4	...	3	...	25	·3	
Dysentery	11	15	10	34	15	13	23	11	13	32	177	1·7	3·39	
Diarrhoea	32	42	28	25	22	23	43	16	42	35	308	3·0	·32	
Hepatitis	21	28	17	50	36	28	36	27	23	16	282	2·8	4·26	
Spleen disease	1	2	2	3	8	7	3	5	4	3	38	·4	
Respiratory diseases	66	66	43	75	9	75	74	48	68	76	688	6·8	·44	
Phthisis Pulmonalis	10	12	3	9	...	6	6	3	6	6	69	·7	15·94	
Scurvy	1	1	1	1	1	1	6	·1	16·67	
Rheumatism	40	36	28	47	67	38	40	37	48	36	417	4·1	
Veneral diseases	154	157	157	162	182	147	244	156	168	207	1,734	17·1	
Eye diseases	13	18	17	17	20	10	17	8	18	8	146	1·4	
Abscess and Ulcer	61	71	58	78	94	72	96	58	61	71	720	7·1	·40	
Wounds and Accidents	71	63	74	78	87	72	115	89	93	63	805	7·9	
All other Causes	104	119	81	117	119	115	166	117	152	97	1,187	11·7	
Admitted per 1,000 of the Average Strength in each February.													921	931	721	968	945	813	1,172	773	1,055	1,013	9,315		
Admitted per 1,000 of the Average Strength in each February.													102·8	85·6	70·4	92·4	82·1	84·6	110·7	76·8	100·8	115·9	91·7		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXL.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each MARCH of the TEN-YEAR PERIOD 1870-79.

YEARS.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN MARCH OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	9,040	503	55.6	11	1.22	1.22	1	...	1	2	...	2	...	1	1	3
1871	10,223	526	51.4	12	1.17	1.17	1	2	1	2	1
1872	10,854	467	43.0	6	.55	.55	1	...	1	1	1	1
1873	10,630	505	47.5	9	.85	.85	1	...	4
1874	10,767	531	49.3	7	.65	.65	1	...	1	2	2	1
1875	10,055	464	46.1	16	1.59	1.59	1	...	2	1	2	1	1
1876	10,294	483	46.9	13	1.26	1.26	1	...	2	1	3	2	2	3
1877	10,080	477	47.3	4	.40	.40	1	1	1	1
1878	10,301	555	53.9	4	.39	.39	1
1879	9,255	557	60.2	14	1.51	1.51	2	1	...	5	...	2	1	...	2
							...	1	5	...	5	3	...	11	...	21	...	9	12	12	1	16
							Died per 1,000 of the Average Strength.																		
For the Month	101,499	5,068	50.0	96	.95	.9501	.0505	.03112009	.12	.1201	.16

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MARCH.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue (of 1872)	264	264	2.6	...										
Cholera	8	...	12.50										
Smallpox	2	1	3	20	...	25.00										
Enteric Fever	4	2	...	1	5	2	1	...	2	...	20										
Fever, Intermittent	294	330	157	180	300	163	202	143	233	355	2,357	23.2	...										
Fever, Remittent and Continued	126	128	106	37	152	89	45	48	54	72	857	8.4	58										
Apoplexy	1	1	2	...	2	4	1	1	12	...	25.00										
Delirium Tremens	4	7	2	2	5	2	2	3	4	...	31										
Dysentery	19	24	7	38	15	21	11	19	15	16	185	1.8	5.95										
Diarrhoea	29	33	35	39	33	57	20	36	37	42	361	3.6	...										
Hepatitis	31	44	17	46	57	36	34	25	25	20	335	3.3	6.27										
Spleen disease	7	2	3	7	5	6	4	2	2	2	40										
Respiratory diseases	67	84	41	60	80	82	47	55	54	54	624	6.1	1.44										
Phthisis Pulmonalis	5	8	10	11	5	3	5	5	1	5	58	...	20.69										
Scurvy	1	1	1	...	3										
Rheumatism	61	40	29	50	69	48	37	29	51	32	446	4.4	...										
Veneral diseases	185	160	162	169	213	179	156	161	178	232	1,795	17.7	...										
Eye diseases	20	22	17	18	30	28	24	17	12	12	200	2.0	...										
Abscess and Ulcer	94	64	80	93	113	118	72	64	65	77	840	8.3	...										
Wounds and Accidents	72	75	54	82	105	116	84	96	95	95	874	8.6	...										
All other Causes	134	104	135	155	169	137	121	122	126	85	1,288	12.7	...										
											1,154	1,129	1,123	989	1,353	1,091	869	828	955	1,102	10,598		
Admitted per 1,000 of the Average Strength in each March.																							
											127.7	110.4	103.5	93.0	126.1	108.5	84.4	82.1	92.7	119.1	104.4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each APRIL of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN APRIL OF EACH YEAR.		CAUSES OF DEATHS.																						
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.					
1870	...	10,879	572	52·6	9	·83	·83	2	1	1	...	2	...	1	...	1	...	1	...	1	1	2
1871	...	11,072	569	51·4	11	·99	·99
1872	...	11,019	522	47·4	9	·82	·64	2	2	1
1873	...	10,597	491	46·3	10	·94	·94	2
1874	...	10,558	491	46·5	6	·57	·57	1
1875	...	10,554	536	50·8	10	·95	·95	4
1876	...	10,224	496	48·5	12	1·17	1·17	1
1877	...	10,134	474	46·8	5	·49	·49	3
1878	...	10,177	511	50·2	11	1·08	·39	7	1
1879	...	10,214	645	63·1	8	·78	·78	1
								Died per 1,000 of the Average Strength.																					
For the Month	105,428	5,307	50·3	91	·86	·78	·08	·03	·14	·02	·11	·08	·01	·05	...	·14	...	·02	·04	·06	·08

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH APRIL.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872)	475	8	...	475	4·5	...
Cholera	3	1	...	11	·1	...
Smallpox	1	...	6	...	2	1	...	17	·2	81·82
Enteric Fever	3	...	3	1	2	...	34	·3	17·65
Fever, Intermittent	...	2	3	3	6	...	3	...	44·12
Fever, Remittent and Continued	252	291	226	311	136	188	224	160	283	592	2,663	25·2	·08
Apoplexy	143	148	121	73	123	105	87	100	62	194	1,156	10·9	·95
Delirium Tremens	1	3	...	3	2	7	5	2	7	3	34	·3	26·47
Dysentery	9	3	4	3	5	4	5	6	6	2	47	·4	2·13
Diarrhoea	10	12	19	37	11	27	20	24	9	21	190	1·8	2·63
Hepatitis	93	44	58	37	21	59	20	44	42	76	494	4·7	...
Spleen disease	36	31	29	70	36	28	41	17	35	24	347	3·3	4·32
Respiratory diseases	2	4	8	8	9	9	5	3	3	5	56	·5	...
Phthisis Pulmonalis	68	67	56	66	32	70	36	61	43	61	560	5·3	·36
Scurvy	4	5	3	1	3	3	3	3	2	3	30	·3	20·00
Rheumatism	1	1	·0	...
Veneral diseases	55	47	57	53	40	40	56	29	45	55	482	4·6	...
Eye diseases	229	173	183	170	130	154	169	160	265	273	1,906	18·1	...
Abscess and Ulcer	16	35	22	16	20	22	27	17	16	27	218	2·2	...
Wounds and Accidents	83	93	113	125	73	92	107	77	93	94	950	9·1	·20
All other Causes	66	79	108	80	66	100	80	119	126	137	961	9·1	...
	153	146	144	156	114	153	152	158	194	179	1,549	14·7	...
	1,225	1,183	1,638	1,218	825	1,068	1,044	988	1,242	1,750	12,181		
Admitted per 1,000 of the Average Strength in each April.													
	112·6	106·8	148·6	114·9	78·1	101·2	102·1	97·5	122·0	171·3	116·6		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each JUNE of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN JUNE OF EACH YEAR.		CAUSES OF DEATHS.																					
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.				
1870	...	11,219	696	62.0	18	1.60	1.60	3	...	4	7	...	2	1	1	
1871	...	10,952	657	60.0	10	.91	.82	1	...	1	4	...	1	1
1872	...	11,014	501	45.5	25	2.27	2.00	1	1
1873	...	10,574	499	47.2	12	1.13	1.13	1
1874	...	10,577	502	47.5	11	1.04	1.04	6	3
1875	...	10,482	539	51.4	28	2.67	1.81	5	7
1876	...	10,209	553	54.2	6	.59	.59	1	2
1877	...	10,175	576	56.6	12	1.18	.98	1	6	...	1	1
1878	...	9,740	556	57.1	16	1.64	1.64	8	...	1	3
1879	...	10,262	738	71.9	6	.58	.58	1	3	1	1
								Died per 1,000 of the Average Strength.																				
For the Month	105,204	5,817	55.3	144	1.37	1.23	1.4	13	...	8	64	2	3	...	13	...	5	3	6	11

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH JUNE.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	258	10	208	2.5	...
Cholera	1	3	10	...	2	...	17	.2	88.24
Smallpox	1	...	1	.0	...
Enteric Fever	4	1	...	2	1	2	3	1	15	.1	86.67
Fever, Intermittent	568	550	189	440	197	305	221	246	285	757	3,758	35.7	...
Fever, Remittent and Continued...	247	241	142	78	70	155	97	118	148	101	1,397	13.3	57
Apoplexy	26	13	27	9	10	22	4	18	24	12	168	1.6	38.10
Delirium Tremens	6	1	3	1	5	2	4	6	7	2	34	.3	5.88
Dysentery	33	16	20	8	18	20	11	18	18	7	169	1.6	1.78
Diarrhea	85	52	43	39	38	81	42	51	23	46	500	4.8	...
Hepatitis	45	33	28	43	44	44	44	26	34	21	362	3.4	3.59
Spleen disease	2	9	3	2	9	6	8	2	4	11	56	.5	...
Respiratory diseases	63	57	32	56	37	47	49	58	44	31	474	4.5	1.05
Phthisis Pulmonalis	12	5	13	4	6	11	3	3	7	6	70	.7	8.57
Scurvy	1	2	3	.0	...
Rheumatism	48	62	48	48	51	42	36	51	27	35	448	4.3	...
Veneral diseases	162	139	92	129	146	165	153	172	174	225	1,557	14.8	...
Eye diseases	20	24	14	17	20	23	20	13	10	15	176	1.7	...
Abscess and Ulcer	126	87	90	98	114	132	85	89	96	84	1,010	9.6	26
Wounds and Accidents	67	74	67	63	88	116	77	68	61	68	749	7.1	...
All other Causes	201	157	135	139	132	213	139	143	154	130	1,543	14.7	...
											12,775		
Died per 1,000 of the Average Strength in each June.													
152.9	139.0	110.4	112.3	93.4	133.4	98.0	106.7	114.0	151.3	121.4			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLV.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each AUGUST of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN AUGUST OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	11,023	676	61·3	16	1·45	1·45	2	1	3	2	...	2	...	2	...	2	2
1871	10,980	683	62·2	8	·73	·73	1	1	1
1872	10,998	547	49·8	24	2·18	1·36	9	...	3	1	4	...	2	...	1	3
1873	10,497	529	50·4	5	·48	·48	1	1
1874	10,569	633	59·9	10	·95	·95	3	...	1	2	2	2
1875	10,297	632	61·4	47	4·56	1·07	36	...	1	...	1	3	...	1	3
1876	10,180	573	56·3	8	·79	·79	1	1	2	...	1	...	1	2
1877	10,117	671	66·3	9	·89	·79	1	...	1	1	2
1878	9,680	702	72·5	28	2·89	1·14	17	3	3	2	...	1	...	1	1	4
1879	10,233	635	61·6	15	1·47	1·47	2	1	...	1	...	1	...	1	...	1	2
							63	...	14	1	15	6	1	12	2	13	1	4	6	10	22	
Died per 1,000 of the Average Strength.																									
For the Month	104,574	6,481	62·0	170	1·63	1·03	·60	...	·13	·01	·14	·06	·01	·12	·02	·12	·01	·04	·06	·10	·21

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH AUGUST.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	151	151	1·4	...
Cholera	11	50	...	2	...	20	·8	74·12
Smallpox
Enteric Fever	4	1	5	...	10	4	2	3	41·18
Fever, Intermittent	698	681	372	334	309	476	400	430	677	1,089	5,466	52·3	·02
Fevers, Remittent and Continued	342	183	87	60	88	175	92	105	125	129	1,386	13·3	1·08
Apoplexy	...	1	3	...	2	5	1	...	14	·1	42·86
Delirium Tremens	10	16	4	...	5	12	...	9	6	2	1·47
Dysentery	34	42	72	14	25	49	...	43	54	17	389	3·7	3·09
Diarrhoea	123	98	123	39	45	162	93	53	99	72	907	8·7	·22
Hepatitis	44	44	29	32	44	37	39	25	45	31	370	3·5	3·51
Spleen disease	1	11	...	6	5	5	2	3	10	9	52	·5	1·92
Respiratory diseases	46	51	17	61	41	65	28	42	29	40	423	4·1	·95
Phthisis Pulmonalis	13	9	10	4	5	6	...	4	6	·7	14·49
Scurvy	1	...	1	2	·0	...
Rheumatism	44	63	59	46	60	54	40	32	36	34	468	4·5	...
Veneral diseases	173	174	96	169	128	159	157	151	173	195	1,578	15·1	...
Eye diseases	18	29	25	25	20	27	26	12	15	5	202	1·9	·48
Abscess and Ulcer	102	98	80	77	98	110	89	66	77	73	870	8·3	...
Wounds and Accidents	68	73	62	78	66	106	95	89	60	48	745	7·1	...
All other Causes	157	321	136	138	197	194	187	157	180	106	1,773	17·0	...
Admitted per 1,000 of the Average Strength in each August.													
	170·3	172·6	122·0	104·0	108·6	164·8	128·1	120·7	166·9	182·0	144·0		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLVI.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each SEPTEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN SEPTEMBER OF EACH YEAR.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.
1870	10,997	712	64.7	17	1.55	1.55	1	1	3	2	1	3	2	3	1
1871	10,970	634	57.8	13	1.19	1.19	4	...	1	...	1	...	1	4	1
1872	10,920	620	56.8	25	2.29	1.65	7	...	9	...	1	...	2	...	3	2	1	1
1873	10,473	557	53.2	14	1.34	1.34	4	...	1	2	...	1	...	3	3
1874	10,520	623	59.2	9	.86	.86	4	...	1	1	...	1	...	2	...	1
1875	10,248	643	62.7	21	2.05	1.85	2	...	5	1	2	...	1	...	1	...	1	...	1	...	2	4
1876	10,144	608	59.9	11	1.08	1.08	5	...	1	3	1	1
1877	10,115	697	68.9	10	.99	.89	1	...	3	1	...	1	1	...	1	3
1878	9,672	906	93.7	24	2.48	2.07	4	...	8	1	1	1	...	1	...	4	...	2	1	1
1879	10,237	981	95.8	11	1.07	1.07	3	1	1	1	...	3	...	1	1
							14	...	46	4	11	8	3	15	1	21	...	3	7	7	15
Died per 1,000 of the Average Strength.																								
For the Month	104,296	6,981	66.9	155	1.49	1.36	13	...	44	04	11	08	03	14	01	20	...	03	07	07	14

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH SEPTEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
Dengue (of 1872)	82	82	.8	...								
Cholera	12	5	25	.2	56.00								
Smallpox								
Enteric Fever	3	6	13	2	7	4	12	2	13	3	65	.6	70.77								
Fever, Intermittent	599	530	641	557	564	505	412	475	1,123	1,774	7,185	69.0	.06								
Fever, Remittent and Continued	273	121	129	92	139	193	129	139	213	153	1,581	15.2	.70								
Apoplexy	6	2	2	2	3	5	...	1	3	4	28	.3	28.57								
Delirium Tremens	6	6	6	3	6	7	7	7	...	4	47	.5	6.38								
Dysentery	16	23	44	23	34	19	35	23	64	35	316	3.0	4.75								
Diarrhoea	72	62	52	49	39	69	45	39	100	51	578	5.5	.17								
Hepatitis	42	50	36	47	51	34	32	29	35	37	393	3.8	5.34								
Spleen disease	...	10	1	8	8	4	3	6	4	12	56	.5	...								
Respiratory diseases	29	31	37	37	40	47	29	42	47	52	391	3.7	.77								
Phthisis Pulmonalis	10	9	4	7	6	5	9	5	6	10	71	.7	9.86								
Scurvy	1	4	...	5	.0	...								
Rheumatism	30	50	47	51	45	52	30	35	44	44	428	4.1	...								
Veneral diseases	137	133	102	183	163	82	122	187	157	270	1,536	14.7	...								
Eye diseases	27	34	16	40	22	26	11	14	21	10	221	2.1	...								
Abscess and Ulcer	72	58	78	102	105	84	66	89	70	75	799	7.3	...								
Wounds and Accidents	67	78	62	98	83	79	76	78	71	70	762	7.3	...								
All other Causes	152	119	132	143	216	135	150	173	197	166	1,583	15.2	...								
Admitted per 1,000 of the Average Strength in each September.											16,152								
											140.1	120.6	137.0	137.9	145.5	132.2	114.7	133.1	225.7	270.6	154.9

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLVII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each OCTOBER of the 1EN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN OCTOBER OF EACH YEAR.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		
1870	...	10,300	709	68.8	14	1.36	1.36	3	1	1	1	1	...	1	1	1	4	
1871	...	10,921	613	56.1	15	1.37	1.37	3	1	2	1	4	1	...	3	
1872	...	10,896	662	60.7	15	1.38	1.28	1	...	2	1	2	2	1	2	
1873	...	10,464	615	58.8	5	.48	.48	1	
1874	...	10,513	686	65.2	12	1.14	1.14	3	1	2	1	1	1	
1875	...	10,159	618	60.8	5	.49	.39	1	1	1	1	1	...	2	
1876	...	10,050	619	61.6	10	1.00	1.00	4	1	1	1	1	1	1	2	
1877	...	10,098	692	68.7	4	.40	.30	1	...	1	1	1	
1878	...	9,748	963	98.8	27	2.77	2.26	5	...	6	...	2	2	1	4	...	2	1	4	
1879	...	10,017	983	98.1	12	1.20	1.20	1	...	3	2	2	1	
								8	...	23	4	12	5	2	9	4	8	...	5	10	9	...	2	...	18	
Died per 1,000 of the Average Strength.																										
For the Month	103,166	7,160	69.4	119	1.15	1.07	.0822	.04	.11	.05	.02	.09	.04	.0805	.09	.090217		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH OCTOBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)	97	7	104	1.0	...	
Cholera	1	1	...	2	5	9	.1	88.89	
Smallpox	
Enteric Fever	...	2	5	4	...	2	7	4	12	39	.4	58.97	
Fever, Intermittent	795	652	1,385	456	542	497	698	565	1,500	1,364	8,154	82.0	.05
Fevers, Remittent and Continued...	202	193	156	84	161	160	114	130	349	172	1,724	16.7	.70
Apoplexy	...	1	1	3	2	3	3	2	5	2	24	.2	20.83
Delirium Tremens	...	9	10	6	2	3	5	6	8	3	54	.5	3.70
Dysentery	...	17	17	32	18	27	18	31	29	50	269	2.6	3.35
Diarrhea	...	44	65	56	28	26	39	37	59	103	519	5.0	.77
Hepatitis	...	34	43	44	43	29	34	41	43	50	388	3.8	2.06
Spleen disease	...	3	5	4	6	13	5	4	1	10	66	.7	...
Respiratory diseases	...	44	42	56	52	31	44	48	41	38	437	4.2	1.14
Phthisis Pulmonalis	...	13	7	19	12	6	3	7	5	6	86	.8	10.47
Scurvy	2	1	3	.0	66.67
Rheumatism	...	40	59	45	38	32	30	32	41	51	385	3.7	...
Veneral diseases	...	118	169	123	160	127	114	111	227	217	1,571	15.2	...
Eye diseases	...	15	22	20	29	9	29	21	21	16	198	1.9	...
Abscess and Ulcer	...	70	95	73	76	77	86	81	89	101	815	7.9	...
Wounds and Accidents	...	54	93	78	88	83	88	105	93	88	841	8.2	...
All other Causes	...	142	151	125	115	156	168	175	191	220	1,595	15.5	...
Admitted per 1,000 of the Average Strength in each October.													
155.9	149.2	213.6	116.2	126.4	130.4	151.6	153.9	289.7	221.3	170.4			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLVIII.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each NOVEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN NOVEMBER OF EACH YEAR.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.			
1870	10,630	635	59.7	12	1.13	1.13			1		2	2			2	1					1		1				2
1871	11,011	604	54.9	11	1.00	1.00				1			2			1											2
1872	10,541	634	60.1	14	1.33	1.33			3		1				1						1						2
1873	11,203	574	51.2	9	.80	.80									1						1						2
1874	10,276	586	57.0	5	.49	.49									1												2
1875	10,630	594	55.9	19	1.79	1.79						2			2						1		4	4			1
1876	10,217	597	58.4	7	.69	.69				2																	5
1877	9,938	690	69.4	6	.60	.60									1												3
1878	9,351	824	88.1	29	3.10	2.35			7		5			3									1				5
1879	10,403	972	93.4	21	2.02	2.02					2				2												2
							7	...	13	2	11	8	2	11	5	22	...	11	9	14	1	17	
Died per 1,000 of the Average Strength.																											
For the Month	104,200	6,710	64.4	133	1.28	1.21	.0712	.02	.11	.08	.02	.11	.05	.2111	.08	.13	.0116	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH NOVEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872 and 1873)			95	5							100	1.0	
Cholera										10	11	.1	63.64
Smallpox											1	.0	
Enteric Fever		2		3	2		4		4		20	.2	65.00
Fever, Intermittent	788	422	878	393	387	617	544	455	1,005	1,335	6,824	65.5	.03
Fever, Remittent and Continued...	178	158	113	57	71	129	79	119	201	149	1,254	12.1	.88
Apoplexy	3		1	1		2				4	12	.1	66.67
Delirium Tremens	8	6	1	2	2	7	2	2	4		34	.3	5.88
Dysentery	19	19	31	23	20	43	20	19	24	18	236	2.3	4.66
Diarrhoea	68	45	26	54	71	37	26	30	77	52	486	4.7	1.03
Hepatitis	60	45	26	38	50	36	36	27	24	20	362	3.5	6.08
Spleen disease	2	6	4	6	2	1	2	1	11	7	42	.4	
Respiratory diseases	64	41	29	65	45	83	38	58	54	111	588	5.6	1.87
Phthisis Pulmonalis	12	2	6	7	6	11	7	4	2	8	65	.6	21.54
Scurvy				1		1					4	.0	
Rheumatism	34	46	25	32	33	31	35	42	36	34	348	3.3	
Veneral diseases	155	148	109	162	121	191	119	181	202	177	1,565	15.0	
Eye diseases	22	18	5	25	14	26	14	14	16	10	164	1.6	
Abscess and Ulcer	61	61	84	87	73	112	62	56	67	76	739	7.1	.53
Wounds and Accidents	88	89	57	88	100	108	59	69	57	56	771	7.4	
All other Causes	167	126	74	128	130	183	142	174	164	133	1,421	13.6	
	1,731	1,232	1,567	1,174	1,127	1,620	1,189	1,252	1,960	2,195	15,047		
Admitted per 1,000 of the Average Strength in each November.													
	162.8	111.9	148.6	104.8	109.7	152.4	116.4	126.0	209.6	211.0	144.4		

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCXLIX.

TABLE showing the SICKNESS and MORTALITY of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each DECEMBER of the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths (excluding Deaths from Injuries and Sudden Deaths out of Hospital).	DIED PER 1,000 OF STRENGTH IN DECEMBER OF EACH YEAR.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	
1870	10,250	539	52.6	15	1.46	1.37	1	...	1	...	3	1	...	1	...	2	1	2	5	
1871	10,852	486	44.8	7	.65	.65	1	...	1	1	1	1	2	1	1	
1872	10,355	559	54.0	14	1.35	1.35	2	...	2	1	...	4	1	1	2	
1873	11,638	530	45.5	3	.26	.26	1	1	...	1	1	1	
1874	8,978	486	54.1	4	.45	.45	1	
1875	10,354	477	46.1	10	.97	.97	1	...	1	1	1	1	1	3	2	2	1	2	1	...	1	1	
1876	10,277	542	52.7	10	.97	.97	1	3	...	3	3	1	1	2	1	1	
1877	10,037	578	57.6	6	.60	.60	1	2	2	1	1	1	2	1	
1878	8,828	606	68.6	5	.57	.57	1	1	1	1	1	1	1	
1879	9,951	849	85.3	14	1.41	1.41	4	1	1	...	5	1	2	
							2	...	11	1	6	2	1	7	...	17	...	11	12	4	1	13
Died per 1,000 of the Average Strength.																									
For the Month	101,520	5,652	55.7	88	.87	.85	.0211	.01	.06	.02	.01	.071611	.12	.04	.0113	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH DECEMBER.										Total Admitted during the Month.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue (of 1872)	125	125	1.2	...
Cholera	...	1	2	.0	100.00
Smallpox	3	3	.0	...
Enteric Fever	...	3	5	...	1	2	5	4	25	.3	44.00
Fever, Intermittent	353	307	723	326	286	264	393	378	664	1,052	4,746	46.8	.02
Fevers, Remittent and Continued...	125	63	58	89	44	90	104	69	140	64	846	8.3	.71
Apoplexy	...	2	1	1	1	1	7	.1	28.57
Delirium Tremens	...	3	...	7	5	2	4	5	1	1	29	.3	3.45
Dysentery	18	20	50	26	28	32	26	16	31	20	267	2.6	2.62
Diarrhoea	31	40	73	56	31	38	40	33	59	77	478	4.7	...
Hepatitis	27	25	54	45	32	44	20	19	12	36	314	3.1	5.41
Spleen disease	...	3	5	4	4	6	1	7	6	16	53	.5	...
Respiratory diseases	67	41	60	96	51	38	52	59	77	166	707	7.0	1.56
Phthisis Pulmonalis	7	12	10	4	6	3	2	5	5	14	68	.7	5.88
Scurvy	1	...	2	.0	...
Rheumatism	33	30	35	40	48	31	26	27	25	26	321	3.2	...
Veneral diseases	106	147	177	198	115	151	97	166	149	197	1,503	14.8	...
Eye diseases	16	10	9	24	6	14	11	13	11	9	123	1.2	...
Abscess and Ulcer	56	75	68	107	99	69	57	58	48	84	721	7.1	5.1
Wounds and Accidents	81	84	69	123	98	98	80	100	78	94	905	8.9	...
All other Causes	108	111	113	143	141	101	125	167	146	196	1,351	13.3	...
Admitted per 1,000 of the Average Strength in each December.													
101.2	89.7	157.8	110.7	110.9	95.0	101.6	112.0	165.3	206.6	124.1			

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCL.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of *INDIA* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the Year.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	569,507	55.0	1.30	1.29	.01	.01	.10	.01	.07	.02	.01	.12	.00	.19	.01	.21	.11	.14	.00	.00	.00	.13	.02	.14
February ...	572,582	54.4	1.00	.99	.01	.01	.10	.01	.04	.02	.00	.07	.00	.16	.00	.10	.09	.10	.00	.00	.01	.12	.01	.15
March ...	579,703	51.8	1.07	1.04	.03	.02	.08	.00	.06	.03	.01	.09	.00	.16	.00	.09	.11	.09	.00	.00	.01	.15	.02	.12
April ...	584,156	53.3	1.28	1.12	.16	.02	.18	.01	.10	.09	.02	.07	.00	.12	.00	.04	.08	.07	.00	.00	.01	.11	.01	.19
May ...	582,672	57.8	1.74	1.37	.37	.02	.26	.01	.12	.26	.02	.09	.01	.13	.00	.05	.09	.06	.00	.00	.00	.14	.01	.10
June ...	581,733	60.6	2.23	1.67	.56	.01	.24	.01	.13	.50	.03	.10	.01	.15	.00	.04	.07	.09	.00	.00	.01	.13	.02	.13
July ...	579,850	63.0	1.86	1.45	.41	.00	.19	.00	.11	.23	.03	.12	.02	.17	.00	.05	.10	.10	.00	.00	.00	.14	.01	.13
August ...	578,551	66.0	2.18	1.43	.75	.00	.23	.01	.14	.11	.01	.15	.01	.22	.01	.02	.10	.10	.00	.00	.01	.16	.01	.14
September...	576,654	69.3	2.10	1.53	.57	.00	.30	.02	.16	.09	.02	.18	.02	.23	.00	.03	.10	.08	.00	.00	.00	.17	.01	.12
October ...	570,239	69.0	1.75	1.51	.24	.00	.18	.02	.16	.04	.02	.19	.02	.23	.00	.06	.11	.10	.01	.01	.01	.17	.01	.17
November...	579,072	63.8	1.40	1.33	.07	.00	.09	.02	.12	.03	.01	.15	.02	.25	.00	.10	.10	.11	.00	.00	.01	.16	.01	.15
December ...	574,277	57.7	1.42	1.40	.02	.01	.09	.02	.06	.03	.01	.15	.01	.18	.00	.19	.13	.12	.00	.00	.01	.14	.03	.22
TOTAL ...	577,416	60.1	1.934	1.612	3.22	.10	2.03	1.42	1.52	.18	1.48	.12	2.19	.03	.97	1.19	1.18	.01	.02	.07	1.71	.14	1.76	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Admission-rate of each Month from all Causes per 1,000 of Strength.			
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
					Intermittent.	Remittent and Continued.																
January2	.0	.1	.3	21.7	4.8	.1	.3	3.0	3.4	3.5	.4	8.9	.7	.0	4.9	20.4	1.3	6.9	8.0	12.3	101.2
February0	.0	.1	.2	16.5	5.0	.1	.2	2.4	3.0	3.3	.4	7.8	.5	.0	4.7	19.0	1.3	6.7	8.0	12.3	91.5
March6	.0	.1	.2	15.8	7.7	.1	.3	2.4	3.9	3.4	.4	6.9	.6	.0	4.9	20.0	1.7	7.4	9.0	13.8	99.2
April ...	1.2	.3	.2	.5	19.6	13.6	.3	.3	3.0	5.6	3.7	.4	6.5	.5	.0	4.8	20.0	2.0	8.1	8.8	15.5	114.9
May ...	1.5	.5	.1	.7	24.5	18.4	.6	.3	3.0	5.2	4.2	.5	6.2	.6	.0	4.8	16.7	1.9	7.9	8.1	16.5	122.2
June9	.8	.0	.4	26.3	18.0	1.2	.3	2.9	4.9	4.5	.5	4.8	.7	.0	4.8	14.9	1.6	8.4	7.1	16.4	119.4
July ...	1.9	.6	.0	.4	31.1	18.7	.8	.4	3.8	8.1	5.0	.6	5.0	.8	.0	5.4	16.2	1.8	9.4	7.3	19.1	136.4
August ...	1.4	1.1	.0	.5	36.7	18.1	.3	.4	4.7	9.0	5.0	.5	4.9	.8	.0	5.0	15.1	2.1	8.4	6.9	18.4	139.3
September ...	2.7	.8	.0	.6	50.1	20.7	.2	.4	4.5	6.2	5.0	.5	4.6	.8	.0	4.7	14.3	1.9	7.3	6.9	17.2	149.4
October ...	2.7	.3	.0	.3	60.7	18.4	.1	.4	4.0	4.6	4.7	.6	5.2	.9	.1	4.5	15.4	1.8	6.8	7.4	16.3	155.2
November ...	1.1	.1	.0	.2	51.2	11.3	.1	.2	3.4	4.1	3.9	.5	6.3	.9	.0	4.1	15.2	1.4	6.2	6.9	14.0	131.1
December5	.0	.1	.3	35.7	7.2	.0	.2	3.4	4.5	3.5	.6	8.4	.8	.0	4.1	16.5	1.2	6.0	9.2	12.9	115.1
TOTAL ...	14.8	4.7	.7	4.6	389.4	162.2	3.9	3.6	40.4	62.6	49.8	6.0	75.4	8.3	.4	56.8	203.5	19.8	89.6	93.6	184.7	1,474.8

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLI.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of INDIA to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	569,507	7.6	6.73	8.00	.31	10.00	4.90	7.14	5.51	1.33	5.26	8.11	0.00	8.68	50.00	21.43	9.25	12.07	0.00	0.00	0.00	7.56	11.77	7.95
February ...	572,532	7.5	5.17	6.14	.31	10.00	4.90	7.14	3.15	1.33	0.00	4.73	0.00	7.31	0.00	10.21	7.56	8.62	0.00	0.00	12.50	6.98	5.88	8.52
March ...	579,703	7.2	5.54	6.45	.94	20.00	3.92	0.00	4.72	2.00	5.26	6.08	0.00	7.31	0.00	9.18	9.25	7.76	0.00	0.00	12.50	8.72	11.77	6.82
April ...	584,156	7.4	6.62	6.94	5.00	20.00	8.83	7.14	7.87	6.00	10.53	4.73	0.00	5.48	0.00	4.08	6.72	6.03	0.00	0.00	12.50	6.40	5.88	10.80
May ...	582,672	8.0	9.00	8.49	11.56	20.00	12.75	7.14	9.45	17.33	10.53	6.08	8.33	5.93	0.00	5.10	7.56	5.17	0.00	0.00	0.00	8.14	5.88	5.68
June ...	581,733	8.4	11.54	10.35	17.50	10.00	11.76	7.14	10.24	33.33	15.79	6.76	8.33	6.85	0.00	4.08	5.88	7.76	0.00	0.00	12.50	7.56	11.77	7.39
July ...	579,850	8.7	9.62	8.99	12.81	0.00	9.31	0.00	8.66	18.67	15.79	8.11	16.67	7.76	0.00	5.10	8.40	8.62	0.00	0.00	0.00	8.14	5.88	7.39
August ...	578,551	9.2	11.28	8.87	23.44	0.00	11.27	7.14	11.03	7.34	5.26	10.14	8.33	10.05	50.00	2.04	8.40	8.62	0.00	0.00	12.50	9.30	5.88	7.95
September...	576,654	9.6	10.86	9.49	17.81	0.00	14.71	14.29	12.60	6.00	10.53	12.16	16.67	10.50	0.00	3.06	8.40	6.90	0.00	0.00	0.00	9.88	5.88	6.82
October ...	570,239	9.6	9.05	9.36	7.50	0.00	8.83	14.29	12.60	2.67	10.53	12.84	16.67	10.50	0.00	6.12	9.25	8.62	100.00	100.00	12.50	9.88	5.88	9.66
November...	579,072	8.8	7.24	8.24	2.19	0.00	4.41	14.29	9.45	2.00	5.26	10.14	16.67	11.14	0.00	10.21	8.40	9.48	0.00	0.00	12.50	9.30	5.88	8.52
December ...	574,277	8.0	7.35	8.68	.63	10.00	4.41	14.29	4.72	2.00	5.26	10.14	8.33	8.24	0.00	19.39	10.93	10.35	0.00	0.00	12.50	8.14	17.65	12.50
TOTAL ...	577,416	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
					Intermittent.	Remittent and Continued.																
January ...	1.4	0.0	14.3	6.5	5.6	3.0	2.6	8.1	7.4	5.4	7.0	6.8	11.8	8.1	...	8.6	10.0	6.5	7.7	8.5	6.7	6.9
February ...	0.0	0.0	14.3	4.3	4.2	3.1	2.6	5.4	5.9	4.8	6.6	6.8	10.3	5.8	...	8.3	9.3	6.5	7.5	8.5	6.7	6.2
March ...	4.1	0.0	14.3	4.3	4.1	4.8	2.6	8.1	5.9	6.2	6.8	6.8	9.2	7.0	...	8.6	9.8	8.5	8.3	9.6	7.5	6.7
April ...	8.1	6.7	28.5	10.9	5.0	8.4	7.7	8.1	7.4	9.0	7.4	6.8	8.6	5.8	...	8.5	9.8	10.0	9.0	9.4	8.4	7.8
May ...	10.2	11.1	14.3	15.3	6.3	11.3	15.4	8.1	7.4	8.3	8.5	8.5	8.2	7.0	...	8.5	8.2	9.5	8.8	8.7	8.9	8.3
June ...	6.1	17.8	0.0	8.7	6.7	11.1	30.7	8.1	7.2	7.8	9.1	8.5	6.4	8.1	...	8.5	7.3	8.0	9.4	7.6	8.8	8.1
July ...	12.9	13.3	0.0	8.7	8.0	11.6	20.4	10.8	9.4	13.0	10.1	10.1	6.6	9.3	...	9.5	8.0	9.0	10.5	7.8	10.3	9.3
August ...	9.5	24.4	0.0	10.9	9.4	11.2	7.7	10.8	11.6	14.4	10.1	8.5	6.5	9.3	...	8.8	7.4	10.5	9.4	7.4	10.0	9.4
September ...	18.4	17.8	0.0	13.1	12.8	12.8	5.1	10.8	11.1	9.9	10.1	8.5	6.1	9.3	...	8.3	7.0	9.5	8.2	7.4	9.3	10.1
October ...	18.4	6.7	0.0	6.5	15.6	11.3	2.6	10.8	9.9	7.4	9.5	10.1	6.9	10.5	...	8.0	7.6	9.0	7.6	7.9	8.8	10.5
November ...	7.5	2.2	0.0	4.3	13.1	7.0	2.6	5.4	8.4	6.6	7.8	8.5	8.3	10.5	...	7.2	7.5	7.0	6.9	7.4	7.6	8.9
December ...	3.4	0.0	14.3	6.5	9.2	4.4	0.0	5.4	8.4	7.2	7.0	10.1	11.1	9.3	...	7.2	8.1	6.0	6.7	9.8	7.0	7.8
TOTAL ...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	...	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLII.

TABLE showing the RATIO in which the EUROPEAN ARMY of the BENGAL PRESIDENCY has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
								Intermittent.	Remittent and Continued.															
January ...	360,136	54.2	1.27	1.26	.01	.01	.09	.01	.06	.02	.01	.09	.00	.14	.01	.29	.11	.11	.00	.00	.01	.14	.02	.14
February ...	362,146	53.9	.93	.93	.00	.01	.09	.01	.03	.01	.01	.03	.00	.14	.00	.14	.07	.11	.00	.00	.01	.14	.01	.12
March ...	366,950	52.0	1.04	1.00	.04	.02	.09	.01	.08	.02	.00	.07	.00	.13	.00	.09	.10	.09	.00	.00	.01	.14	.02	.13
April ...	366,552	54.0	1.31	1.19	.12	.03	.20	.00	.11	.05	.01	.07	.00	.11	.01	.06	.08	.09	.00	.00	.01	.11	.02	.23
May ...	365,415	59.5	1.92	1.46	.46	.02	.34	.01	.17	.17	.01	.11	.01	.13	.00	.08	.10	.07	.00	.00	.01	.13	.01	.09
June ...	364,931	62.4	2.66	1.86	.80	.01	.31	.01	.18	.56	.04	.11	.01	.13	.00	.05	.08	.09	.00	.00	.01	.13	.02	.12
July ...	363,616	64.4	2.07	1.59	.48	.00	.23	.00	.14	.37	.02	.11	.01	.18	.00	.05	.10	.12	.00	.00	.00	.14	.00	.12
August ...	362,848	67.5	2.48	1.50	.98	.00	.23	.01	.17	.13	.02	.13	.01	.22	.01	.02	.10	.11	.00	.00	.02	.14	.00	.13
September...	361,856	70.9	2.36	1.52	.84	.00	.27	.03	.21	.11	.02	.15	.02	.21	.01	.04	.09	.08	.00	.00	.00	.16	.00	.12
October ...	353,539	69.9	1.93	1.57	.36	.00	.19	.02	.21	.04	.02	.18	.01	.24	.00	.07	.11	.10	.00	.00	.01	.19	.01	.17
November...	364,619	64.2	1.47	1.39	.08	.00	.10	.03	.15	.02	.01	.17	.02	.24	.00	.11	.09	.10	.00	.00	.01	.18	.01	.15
December...	363,509	57.8	1.55	1.53	.02	.01	.09	.03	.07	.03	.00	.14	.01	.16	.00	.25	.15	.14	.00	.00	.01	.15	.03	.26
TOTAL ...	363,431	60.9	21.00	16.82	4.18	.12	2.28	1.74	1.53	.17	1.37	.12	2.04	.04	1.25	1.14	1.20	.01	.01	.10	1.77	.15	1.78	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
					Intermittent.	Remittent and Continued.																
January0	.0	.1	.3	23.3	4.2	.0	.2	2.2	3.1	2.8	.5	10.3	.6	.0	5.6	21.6	1.3	6.4	8.0	11.0	101.5
February0	.0	.1	.2	16.6	4.4	.0	.2	1.6	2.7	2.9	.5	8.8	.4	.0	5.2	20.3	1.3	6.0	7.8	11.4	90.4
March0	.0	.1	.3	15.8	7.0	.1	.2	1.9	3.8	3.1	.5	7.7	.5	.0	5.4	21.1	1.8	6.6	8.9	13.3	98.1
April5	.2	.2	.6	21.3	15.0	.2	.2	2.8	6.1	3.5	.5	7.1	.5	.0	5.3	21.0	2.2	7.1	8.7	14.6	117.8
May9	.6	.1	.9	27.3	22.2	.4	.3	2.8	5.5	4.1	.6	7.0	.5	.0	5.3	17.3	2.1	6.7	8.0	15.8	128.4
June3	1.1	.1	.6	27.9	21.1	1.3	.2	2.3	4.6	4.6	.6	5.2	.6	.0	5.2	14.9	1.6	7.2	6.8	16.0	122.2
July7	.7	.0	.5	32.6	22.5	1.1	.3	2.6	7.7	5.0	.7	5.3	.8	.0	5.7	16.3	1.7	9.4	6.8	18.9	139.3
August ...	1.3	1.5	.0	.5	39.3	21.7	.4	.3	3.7	9.4	5.0	.6	5.3	.8	.1	5.5	15.0	2.1	8.4	6.4	18.1	145.4
September ...	3.6	1.1	.0	.7	55.3	25.2	.3	.4	3.9	6.7	5.0	.6	4.9	.8	.0	5.0	13.7	1.9	7.0	6.6	17.3	160.0
October ...	3.8	.5	.0	.4	68.2	20.7	.1	.3	3.6	4.5	4.5	.8	5.6	.9	.0	4.8	15.2	1.7	5.9	7.1	15.4	164.0
November ...	1.5	.1	.0	.2	59.0	11.5	.1	.2	3.0	3.9	3.5	.6	7.0	1.0	.1	4.4	15.0	1.1	5.8	6.6	13.1	137.7
December5	.0	.1	.3	39.7	6.4	.0	.2	2.8	4.3	3.1	.7	9.9	.7	.0	4.6	17.1	1.2	5.4	9.1	11.7	117.8
TOTAL ...	13.1	5.9	.8	5.3	425.4	181.9	4.0	3.0	33.1	62.4	47.1	7.1	84.1	8.2	.5	62.0	208.6	20.1	81.9	90.8	176.7	1,522.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLIV.

TABLE showing the RATIO in which the EUROPEAN ARMY of the MADRAS PRESIDENCY has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
								Intermittent.	Remittent and Continued.															
January ...	108,075	59.4	1.47	1.42	.05	.00	.11	.00	.11	.04	.02	.20	.00	.34	.01	.05	.10	.16	.01	.00	.00	.10	.01	.16
February ...	108,865	59.8	1.36	1.30	.06	.00	.14	.00	.04	.02	.01	.20	.00	.27	.00	.02	.17	.10	.00	.00	.00	.09	.01	.23
March ...	111,254	53.0	1.19	1.14	.05	.03	.04	.00	.03	.07	.02	.15	.01	.23	.00	.06	.15	.08	.00	.00	.01	.15	.01	.10
April ...	112,176	54.1	1.49	1.15	.34	.02	.13	.01	.05	.24	.04	.11	.01	.13	.00	.00	.13	.04	.00	.00	.00	.13	.00	.11
May ...	111,929	56.7	1.80	1.48	.32	.03	.10	.01	.06	.52	.03	.14	.00	.18	.00	.01	.08	.04	.00	.00	.00	.15	.00	.13
June ...	111,598	56.9	1.47	1.28	.19	.00	.12	.00	.04	.21	.04	.13	.00	.27	.00	.03	.05	.12	.00	.00	.00	.13	.01	.13
July ...	111,252	62.7	1.59	1.26	.33	.01	.14	.00	.05	.11	.01	.16	.00	.24	.00	.05	.10	.08	.00	.00	.00	.14	.00	.17
August ...	111,129	65.2	1.60	1.46	.14	.00	.15	.00	.05	.05	.01	.21	.01	.32	.00	.01	.15	.11	.00	.00	.01	.16	.05	.17
September..	110,502	65.9	1.64	1.53	.11	.00	.24	.00	.04	.04	.01	.30	.01	.29	.00	.00	.15	.09	.00	.00	.00	.21	.01	.14
October ...	108,474	65.3	1.48	1.46	.02	.01	.12	.00	.04	.04	.04	.29	.00	.35	.00	.04	.14	.10	.02	.00	.00	.11	.01	.15
November..	110,253	62.0	1.20	1.15	.05	.00	.05	.00	.06	.04	.01	.16	.00	.31	.00	.01	.12	.12	.00	.00	.00	.11	.01	.15
December...	109,248	58.8	1.39	1.35	.04	.00	.09	.00	.02	.03	.01	.25	.01	.24	.00	.05	.20	.10	.00	.00	.02	.09	.01	.23
TOTAL ...	110,396	60.2	1.769	1.601	1.68	.09	1.42	.62	1.42	.24	2.32	.04	3.16	.01	.32	1.55	1.18	.03	.00	.04	1.59	.12	1.86	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																					Admission-rate of each Month from all Causes per 1,000 of Strength.
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
					Intermittent.	Remittent and Continued.																
January ...	1.0	1	1	.4	7.8	7.2	1	5	6.7	4.3	6.3	1	5.6	.9	0	3.6	19.2	1.0	8.4	8.2	17.0	98.5
February ...	1	1	.0	.3	11.4	7.1	1	3	5.5	4.2	5.3	2	5.2	.7	0	3.6	16.7	.9	8.7	8.9	15.7	95.0
March6	1	1	.2	8.9	9.5	2	.4	4.4	4.7	4.6	2	5.3	.7	0	3.6	18.3	1.2	8.9	9.6	16.6	98.1
April5	.6	1	.3	8.6	11.7	.4	.4	4.7	5.0	4.6	3	5.0	.5	0	3.6	18.6	1.1	10.7	8.8	19.0	104.5
May ...	1.8	.7	1	.3	9.8	12.3	1.2	.3	5.1	5.2	5.1	2	4.8	.6	0	3.6	15.4	1.2	10.8	8.2	20.0	106.7
June ...	1.5	.3	.0	.2	12.1	12.3	.6	.4	6.2	6.2	5.1	3	4.0	.7	0	4.1	14.7	1.6	11.0	8.0	19.2	108.5
July ...	2.1	.6	.0	.4	13.3	12.6	1	.5	8.4	9.6	6.2	2	4.6	.8	0	4.9	16.4	2.1	9.7	8.4	21.5	122.4
August ...	1.7	.2	.0	.4	13.5	11.0	1	.4	8.8	7.8	6.1	2	4.5	.9	0	4.2	15.2	2.1	8.6	8.3	20.9	114.9
September ...	1.2	.2	.0	.6	15.2	11.5	1	.4	8.1	5.1	6.4	1	4.2	.7	0	4.1	15.8	1.6	8.1	7.3	18.7	109.4
October6	1	.0	2	15.8	12.2	1	.4	7.0	4.2	6.4	3	5.1	.9	0	4.4	16.1	1.9	8.4	7.8	19.8	111.7
November ...	1	1	.0	1	11.6	10.1	1	.4	5.8	3.9	5.8	1	4.6	.9	0	3.6	15.9	1.6	7.1	7.6	17.4	96.8
December ...	1	1	.0	.3	12.0	8.7	1	.3	6.3	4.6	5.4	2	4.6	1.0	0	3.2	15.9	1.3	7.2	9.9	16.4	97.6
TOTAL ...	11.5	2.9	.5	3.9	140.2	126.3	3.3	4.6	76.9	64.8	67.2	2.4	57.4	9.3	.2	46.4	198.1	17.4	107.7	101.1	222.3	1264.4

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLV.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the MADRAS PRESIDENCY to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sicker-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.		
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anamia.	All other Causes.		Wounds and Accidents.	
								Intermittent.	Remittent and Continued.																
January ...	108,075	8.3	8.31	8.89	2.94	0.00	7.69	0.00	18.65	2.84	8.00	8.70	0.00	10.73	100.00	15.15	6.40	14.03	33.33	0.00	0.00	0.00	6.37	7.69	8.56
February ...	108,865	8.3	7.69	8.13	3.53	0.00	9.70	0.00	6.78	1.42	4.00	8.70	0.00	8.52	0.00	6.06	11.04	8.77	0.00	0.00	0.00	0.00	5.73	7.69	12.30
March ...	111,254	7.4	6.73	7.13	2.94	30.00	2.80	0.00	5.00	4.96	8.00	6.52	20.00	7.25	0.00	18.19	9.74	7.02	0.00	0.00	25.00	9.55	7.69	5.35	
April ...	112,176	7.5	8.43	7.20	20.00	20.00	9.09	50.00	8.47	17.02	16.00	4.78	20.00	4.10	0.00	0.00	8.44	3.51	0.00	0.00	0.00	8.28	0.00	5.88	
May ...	111,929	7.9	10.18	9.26	18.82	30.00	6.99	50.00	10.17	36.88	12.00	6.09	0.00	5.68	0.00	3.03	5.20	3.51	0.00	0.00	0.00	9.55	0.00	6.95	
June ...	111,598	7.9	8.31	8.01	11.18	0.00	8.39	0.00	6.78	14.89	16.00	5.65	0.00	8.52	0.00	9.09	3.25	10.53	0.00	0.00	0.00	8.28	7.69	6.95	
July ...	111,252	8.7	9.00	7.88	19.41	10.00	9.79	0.00	8.47	7.80	4.00	6.95	0.00	7.57	0.00	15.15	6.40	7.02	0.00	0.00	0.00	8.92	0.00	9.09	
August ...	111,129	9.0	9.05	9.14	8.24	0.00	10.49	0.00	8.47	3.54	4.00	9.13	20.00	10.00	0.00	3.03	9.74	9.65	0.00	0.00	25.00	10.19	38.46	9.09	
September...	110,502	9.2	9.28	9.57	6.47	0.00	16.79	0.00	6.78	2.84	4.00	13.04	20.00	9.15	0.00	0.00	9.74	7.89	0.00	0.00	0.00	13.38	7.69	7.49	
October ...	108,474	9.0	8.37	9.14	1.18	10.00	8.39	0.00	6.78	2.84	16.00	12.61	0.00	11.04	0.00	12.12	9.09	8.77	66.67	0.00	0.00	7.01	7.69	8.02	
November...	110,253	8.6	6.79	7.20	2.94	0.00	3.50	0.00	10.17	2.84	4.00	6.96	0.00	9.78	0.00	3.03	7.79	10.53	0.00	0.00	0.00	7.01	7.69	8.02	
December ...	109,248	8.2	7.86	8.45	2.35	0.00	6.20	0.00	3.39	2.13	4.00	10.87	20.00	7.57	0.00	15.15	12.99	8.77	0.00	0.00	50.00	5.73	7.69	12.30	
TOTAL ...	110,396	100.0	100.00	100.00	100.60	100.00	100.60	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	0.00	100.00	100.00	100.00	100.00	

MONTH	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	Intermittent.	OTHER FEVERS.	Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
January ...	8.9	3.1	25.0	10.8	5.6	5.7	3.1	10.6	8.7	6.6	9.4	4.2	9.7	9.7	0.0	7.7	9.7	5.7	7.8	8.1	7.7	7.8
February ...	9	3.1	0.0	8.1	8.1	5.6	3.1	6.4	7.2	6.5	7.9	8.3	9.1	7.5	0.0	7.7	8.4	5.1	8.1	8.8	7.1	7.5
March ...	5.3	3.1	25.0	5.4	6.4	7.5	6.3	8.5	5.7	7.3	6.8	8.3	9.2	7.5	0.0	7.7	9.2	6.8	8.3	9.5	7.5	7.8
April ...	4.4	18.8	25.0	8.1	6.1	9.3	12.5	8.5	6.1	7.7	6.8	12.5	8.7	5.4	0.0	7.7	9.4	6.3	10.0	8.7	8.5	8.2
May ...	15.9	22.0	25.0	8.1	7.0	9.7	37.6	6.4	6.6	8.0	7.6	8.3	8.3	6.4	0.0	7.7	7.8	6.8	10.0	8.1	9.0	8.4
June ...	13.3	9.4	0.0	5.4	8.6	9.7	18.8	8.5	8.1	9.6	7.6	12.5	7.0	7.5	0.0	8.8	7.4	9.1	10.2	7.9	8.6	8.6
July ...	18.6	18.8	0.0	10.8	9.5	10.0	3.1	10.6	10.9	14.8	9.2	8.3	8.0	8.6	0.0	10.6	8.3	11.9	9.0	8.3	9.7	9.7
August ...	15.0	6.2	0.0	10.8	9.6	8.7	3.1	8.5	11.4	12.0	9.1	8.3	7.8	9.7	0.0	9.1	7.7	11.9	8.0	8.2	9.4	9.1
September ...	10.6	6.2	0.0	16.3	10.9	9.2	3.1	8.5	10.5	7.9	9.5	4.2	7.3	7.5	0.0	8.8	8.0	9.1	7.5	7.3	8.4	8.7
October ...	5.3	3.1	0.0	5.4	11.3	9.7	3.1	8.5	9.1	6.5	9.5	12.5	8.9	9.7	0.0	9.5	8.1	10.8	7.8	7.8	8.9	8.8
November ...	9	3.1	0.0	2.7	8.3	8.0	3.1	8.5	7.5	6.0	8.6	4.2	8.0	9.7	0.0	7.7	8.0	9.1	6.6	7.5	7.8	7.7
December ...	9	3.1	0.0	8.1	8.6	6.9	3.1	6.4	8.2	7.1	8.0	8.3	8.0	10.8	0.0	7.0	8.0	7.4	6.7	9.8	7.4	7.7
TOTAL ...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	99.9	100.0	100.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLVI.

TABLE showing the *RATIO* in which the *EUROPEAN ARMY* of the *BOMBAY PRESIDENCY* has been affected by the *CHIEF CAUSES* of *SICKNESS* and *MORTALITY* in each *MONTH* of the *YEAR*.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
								Intermittent.	Remittent and Continued.															
January ...	101,278	52.8	1.18	1.18	.00	.00	.09	.01	.09	.04	.01	.10	.00	.18	.00	.13	.09	.21	.00	.00	.00	.10	.01	.12
February ...	101,571	50.2	.88	.88	.00	.00	.09	.00	.05	.02	.00	.06	.01	.12	.00	.03	.07	.11	.00	.01	.02	.11	.00	.18
March ...	101,499	49.9	1.06	1.06	.00	.01	.05	.00	.05	.03	.00	.11	.00	.20	.00	.09	.12	.12	.00	.00	.01	.15	.03	.09
April ...	105,428	50.3	.98	.89	.09	.03	.14	.02	.10	.09	.01	.05	.00	.14	.00	.02	.04	.06	.00	.00	.00	.09	.00	.11
May ...	105,328	53.0	1.04	.93	.11	.01	.15	.01	.02	.30	.02	.01	.00	.08	.00	.03	.08	.04	.00	.00	.00	.08	.00	.10
June ...	105,204	55.3	1.52	1.38	.14	.00	.12	.00	.08	.61	.02	.03	.00	.12	.00	.05	.03	.06	.00	.00	.00	.11	.03	.12
July ...	104,982	58.5	1.40	1.13	.27	.00	.07	.01	.06	.18	.05	.10	.05	.07	.00	.03	.12	.08	.00	.02	.00	.14	.03	.12
August ...	104,574	62.0	1.78	1.18	.60	.00	.13	.01	.14	.06	.01	.12	.02	.12	.01	.04	.06	.10	.00	.00	.00	.21	.01	.14
September...	104,296	66.9	1.66	1.53	.13	.00	.44	.04	.11	.08	.03	.14	.01	.20	.00	.03	.07	.07	.00	.00	.00	.14	.02	.15
October ...	103,166	69.4	1.39	1.31	.08	.00	.22	.04	.11	.05	.02	.09	.04	.08	.00	.05	.10	.09	.00	.02	.00	.17	.01	.22
November...	104,200	64.4	1.39	1.32	.07	.00	.12	.02	.11	.08	.02	.11	.05	.21	.00	.11	.08	.13	.01	.00	.00	.16	.00	.11
December...	101,520	55.7	.97	.95	.02	.00	.11	.01	.06	.02	.01	.07	.00	.16	.00	.11	.12	.04	.01	.00	.00	.13	.01	.09
TOTAL ...	103,587	57.4	15.27	13.74	1.53	.05	1.75	1.14	1.56	.19	.98	.17	1.71	.01	.70	.97	1.09	.02	.05	.03	1.61	.14	1.57	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Admission-rate of each Month from all Causes per 1,000 of Strength.		
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
					Intermittent.	Remittent and Continued.																
January ...	2	.0	.1	.2	30.6	4.1	.1	.4	2.0	3.7	3.2	.3	7.7	.7	.0	3.8	17.2	1.4	7.2	7.7	12.1	102.7
February0	.0	.1	.2	21.7	4.6	.1	.2	1.7	3.0	2.8	.4	6.8	.7	.1	4.1	17.1	1.4	7.1	7.9	11.7	91.7
March ...	2.6	.0	.1	.2	23.2	8.4	.1	.3	1.8	3.6	3.3	.4	6.1	.6	.0	4.4	17.7	2.0	8.3	8.6	12.7	104.4
April ...	4.5	.1	.2	.3	25.3	11.0	.3	.4	1.8	4.7	3.3	.5	5.3	.3	.0	4.6	18.0	2.1	9.0	9.1	14.7	115.5
May ...	3.3	.2	.1	.2	30.7	12.0	.6	.4	1.4	4.2	3.5	.6	4.6	.6	.0	4.7	15.9	2.0	8.7	8.3	15.2	117.2
June ...	2.5	.2	.0	.1	35.7	13.3	1.6	.3	1.6	4.8	3.4	.5	4.5	.7	.0	4.3	14.8	1.7	9.6	7.1	14.7	121.4
July ...	5.7	.3	.0	.1	45.3	12.0	.4	.5	2.9	8.1	3.8	.7	4.4	.8	.0	4.9	15.6	1.6	9.3	7.8	16.8	141.0
August ...	1.4	.8	.0	.3	52.3	13.3	.1	.7	3.7	8.7	3.5	.5	4.1	.7	.0	4.5	15.1	1.9	8.3	7.1	17.0	144.0
September8	.2	.0	.6	68.9	15.2	.3	.5	3.0	5.5	3.8	.5	3.7	.7	.1	4.1	14.7	2.1	7.7	7.3	15.2	154.9
October ...	1.0	.1	.0	.4	82.0	16.7	.2	.5	2.6	5.0	3.7	.6	4.3	.8	.0	3.8	15.2	1.9	7.9	8.2	15.5	170.4
November ...	1.0	.1	.0	.2	65.5	12.0	.1	.3	2.3	4.7	3.5	.4	5.7	.6	.0	3.3	15.0	1.6	7.1	7.4	13.6	144.4
December ...	1.2	.0	.0	.2	46.8	8.3	.1	.3	2.6	4.7	3.1	.5	7.0	.7	.0	3.2	14.9	1.2	7.1	8.9	13.3	124.1
TOTAL ...	24.5	2.1	.6	3.1	528.5	131.4	4.2	4.7	27.6	60.8	40.9	6.0	63.9	7.7	.4	49.5	191.1	21.0	97.4	95.4	172.7	1533.5

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLVIII.

TABLE showing the RATIO in which the EUROPEAN ARMY of BENGAL PROPER has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79. Daily Sicker-rate per 1,000 of Strength.		DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Suicidal Deaths and other Deaths out of Hospital.	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
										Intermittent.	Remittent and Continued.															
January ...	18,722	49.3	1.28	1.17	.11	.00	.00	.05	.05	.05	.00	.11	.00	.27	.00	.00	.11	.11	.00	.00	.05	.05	.11	.21		
February ...	19,670	47.8	.81	.81	.00	.00	.05	.00	.05	.05	.00	.00	.00	.21	.00	.00	.10	.25	.00	.00	.05	.05	.00	.00		
March ...	19,049	46.1	.84	.58	.26	.00	.10	.00	.00	.00	.00	.00	.00	.10	.00	.00	.05	.10	.00	.00	.00	.10	.00	.10		
April ...	19,192	47.3	.78	.73	.05	.05	.05	.00	.05	.10	.00	.10	.00	.05	.00	.00	.10	.10	.00	.00	.00	.00	.00	.10		
May ...	19,061	51.3	1.31	1.16	.15	.00	.00	.00	.00	.21	.00	.00	.05	.11	.05	.00	.11	.11	.00	.00	.05	.26	.00	.21		
June ...	19,023	54.5	.95	.95	.00	.00	.00	.00	.05	.16	.05	.11	.00	.20	.00	.00	.11	.05	.00	.00	.00	.11	.00	.11		
July ...	18,994	59.9	1.21	1.16	.05	.00	.05	.00	.11	.05	.00	.11	.00	.11	.00	.16	.05	.25	.00	.00	.00	.16	.00	.11		
August ...	18,944	63.7	1.69	1.69	.00	.00	.16	.00	.11	.00	.00	.21	.05	.31	.00	.00	.16	.11	.00	.00	.00	.21	.00	.37		
September..	18,936	63.3	1.27	1.22	.05	.00	.27	.00	.05	.00	.00	.05	.00	.21	.05	.00	.05	.11	.00	.00	.00	.11	.00	.32		
October ...	18,816	60.6	1.81	1.76	.05	.00	.11	.00	.16	.05	.05	.27	.00	.48	.05	.11	.21	.00	.00	.00	.00	.16	.00	.11		
November...	18,107	55.8	1.38	1.32	.06	.00	.00	.00	.32	.00	.06	.11	.00	.27	.06	.00	.11	.06	.00	.00	.00	.27	.00	.06		
December...	18,449	52.1	1.14	1.08	.06	.00	.00	.00	.06	.00	.00	.20	.06	.32	.00	.06	.06	.06	.00	.00	.00	.06	.00	.20		
TOTAL ...	18,914	54.3	1.43	1.35	.85	.05	.79	1.06	.69	.16	1.27	.16	2.46	.21	.32	1.22	1.32	.00	.00	.16	1.53	.10	1.90			

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
					Intermittent.	Remittent and Continued.																
January ...	1	1	.0	1	19.6	7.9	1	.4	4.0	3.7	4.4	.3	3.7	.9	.0	3.2	18.2	.6	7.5	8.5	11.9	95.2
February0	.0	.0	.3	9.7	7.7	.0	.2	2.9	2.2	3.6	.4	4.8	.4	.0	2.6	17.0	1.3	6.1	8.7	13.2	81.1
March4	.3	.1	.3	7.7	10.6	.3	.2	2.7	2.3	3.9	.2	4.4	.6	.0	3.1	20.5	1.5	7.5	9.5	15.9	92.0
April ...	10.2	1	.0	1	9.6	15.3	.5	.2	3.3	2.8	3.2	.3	3.0	.5	.0	3.3	16.0	1.2	6.2	7.9	16.1	99.8
May ...	16.2	.2	.0	.2	9.4	18.8	.3	.2	3.7	3.2	4.8	.4	3.9	.8	.0	4.7	15.8	1.3	6.7	8.2	17.4	116.2
June ...	3.7	1	.0	1	9.8	27.4	.5	.4	3.1	2.9	6.0	.4	3.5	.8	.0	4.2	12.8	.8	7.5	7.4	17.2	108.6
July ...	3.2	1	.0	.2	12.2	31.4	.1	.1	4.9	6.4	5.6	.2	4.5	1.4	.0	5.1	14.6	.7	8.5	7.4	22.8	129.4
August ...	1.9	.0	.0	.2	14.5	33.2	.0	.5	6.0	6.8	6.2	.3	5.0	1.1	.0	4.2	16.0	.9	9.2	7.8	23.6	137.4
September ...	1	1	.0	.4	12.6	22.8	.2	.4	5.0	5.1	5.4	.6	3.2	1.3	.0	3.6	13.0	.7	7.7	6.5	24.6	113.3
October0	.0	.0	.1	13.7	22.5	.2	.3	4.8	4.7	5.8	.4	3.5	.9	.0	3.8	16.4	.9	6.0	7.3	23.0	114.3
November0	1	.0	1	26.3	23.6	.1	.3	3.6	3.8	4.4	.2	4.7	1.3	.0	3.4	15.2	1.1	5.9	6.3	17.1	117.5
December0	.2	.0	1	30.6	12.1	.0	.0	4.1	3.7	4.2	.2	4.8	.9	.0	3.2	15.5	1.3	4.8	7.9	13.8	107.4
TOTAL ...	36.0	1.2	.1	2.1	173.9	232.9	2.5	3.1	48.0	47.5	57.6	3.9	48.8	10.8	1	44.4	191.3	12.5	83.8	93.6	216.6	1310.7

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLIX.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of BENGAL PROPER to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	18,722	7.6	8.85	8.59	13.09	.00	.00	100.00	4.95	7.46	.00	8.66	.00	10.23	.00	.00	9.02	8.40	.00	.00	33.33	3.25	100.00	11.05
February ...	19,870	7.3	5.60	5.94	.00	.00	6.33	.00	4.95	7.46	.00	.00	.00	7.95	.00	.00	8.19	19.08	.00	.00	33.33	3.25	.00	.00
March ...	19,049	7.1	5.80	4.26	30.95	.00	12.66	.00	.00	.00	.00	.00	.00	3.79	.00	.00	4.10	7.63	.00	.00	.00	6.49	.00	5.26
April ...	19,192	7.3	5.39	5.36	5.95	100.00	6.33	.00	4.95	14.93	.00	7.87	.00	1.89	.00	.00	8.19	7.63	.00	.00	.00	.00	.10	5.26
May ...	19,061	7.9	9.05	8.51	17.86	.00	.00	.00	.00	31.34	.00	.00	31.25	4.17	23.81	.00	9.02	8.40	.00	.00	33.33	16.88	.00	11.05
June ...	19,023	8.3	6.57	6.97	.00	.00	.00	.00	4.95	23.89	31.25	8.66	.00	7.58	.00	.00	9.02	3.82	.00	.00	.00	7.14	.00	5.79
July ...	18,994	9.2	8.36	8.51	5.95	.00	6.33	.00	10.89	7.46	.00	8.66	.00	4.17	.00	48.49	4.10	19.08	.00	.00	.00	10.39	.00	5.79
August ...	18,944	9.8	11.68	12.40	.00	.00	20.25	.00	10.89	.00	.00	16.54	31.25	11.74	.00	.00	13.11	8.40	.00	.00	.00	13.64	.00	19.48
September...	18,936	9.7	8.78	8.95	5.95	.00	34.18	.00	4.95	.00	.00	3.94	.00	7.95	23.81	.00	4.10	8.40	.00	.00	.00	7.14	.00	16.84
October ...	18,816	9.3	12.51	12.91	5.95	.00	13.92	.00	15.84	7.46	31.25	21.26	.00	18.18	23.81	33.33	17.21	.00	.00	.00	.00	10.39	.00	5.79
November...	18,107	8.5	9.53	9.68	7.15	.00	.00	.00	31.69	.00	37.50	8.66	.00	10.23	28.57	.00	9.02	4.58	.00	.00	.00	17.53	.00	3.16
December ...	18,449	8.0	7.88	7.92	7.15	.00	.00	.00	5.94	.00	.00	15.75	37.50	12.12	.00	18.18	4.92	4.58	.00	.00	.00	3.90	.00	10.53
TOTAL ...	18,914	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	.00	99.99	100.00	100.00	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
					Intermittent.	Remittent and Continued.																
January3	7.7	.0	4.5	11.2	3.4	4.4	12.5	8.3	7.8	7.7	7.7	7.6	8.3	.0	7.2	9.5	4.9	9.0	9.1	5.5	7.3
February0	.0	.0	13.7	5.5	3.3	.0	6.2	6.0	4.6	6.2	10.3	9.8	3.7	.0	5.9	8.9	10.6	7.3	9.3	6.1	6.2
March ...	1.1	23.0	100.0	13.7	4.4	4.6	13.0	6.2	5.6	4.8	6.8	5.1	9.0	5.5	.0	7.0	10.7	12.2	9.0	10.2	7.3	7.0
April ...	28.5	7.7	.0	4.5	5.5	6.5	21.7	6.2	6.9	5.9	5.6	7.7	6.1	4.6	.0	7.4	8.4	9.7	7.4	8.5	7.4	7.6
May ...	45.3	15.4	.0	9.1	5.3	8.1	13.0	6.2	7.7	6.7	8.3	10.3	8.0	7.3	.0	10.6	8.3	10.6	8.0	8.8	8.1	8.8
June ...	10.3	7.7	.0	4.5	5.6	11.7	21.7	12.5	6.4	6.1	10.4	10.3	7.1	7.3	.0	9.4	6.7	6.5	9.0	7.9	7.9	8.3
July ...	8.9	7.7	.0	9.1	6.9	13.5	4.4	3.1	10.2	13.4	9.7	5.1	9.2	12.8	.0	11.5	7.7	5.7	10.2	7.9	10.5	9.9
August ...	5.3	.0	.0	9.1	8.2	14.2	.0	15.6	12.5	14.3	10.8	7.7	10.2	10.1	.0	9.4	8.4	7.3	11.0	8.3	10.9	10.4
September3	7.7	.0	18.3	7.2	9.8	8.7	12.5	10.4	10.7	9.4	15.3	6.5	11.9	.0	8.1	6.8	5.7	9.2	7.0	11.4	8.6
October0	.0	.0	4.5	7.8	9.6	8.7	9.5	10.0	9.9	10.1	10.3	7.1	8.3	.0	8.6	8.6	7.3	7.2	7.8	10.6	8.7
November0	7.7	.0	4.5	15.0	10.1	4.4	9.5	7.5	8.0	7.7	5.1	9.6	11.9	.0	7.7	7.9	8.9	7.0	6.7	7.9	9.0
December0	15.4	.0	4.5	17.4	5.2	.0	.0	8.5	7.8	7.3	5.1	9.8	8.3	.0	7.2	8.1	10.6	5.7	8.5	6.4	8.2
TOTAL ...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLX.

TABLE showing the RATIO in which the EUROPEAN ARMY of the GANGETIC PROVINCES and OUDH has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	73,046	60.4	.99	.99	.00	.00	.15	.01	.03	.01	.00	.07	.00	.17	.00	.08	.07	.14	.00	.00	.00	.14	.00	.12
February ...	76,447	63.3	.68	.68	.00	.00	.10	.00	.00	.00	.01	.03	.00	.14	.00	.08	.08	.07	.00	.00	.00	.09	.03	.05
March ...	80,480	61.6	.97	.92	.05	.04	.12	.00	.09	.02	.00	.04	.00	.12	.00	.04	.10	.05	.00	.00	.00	.09	.04	.17
April ...	78,624	63.5	1.41	1.11	.30	.08	.28	.00	.09	.03	.01	.11	.01	.19	.00	.00	.05	.08	.00	.00	.00	.09	.01	.08
May ...	78,255	65.3	2.22	1.86	.36	.05	.43	.01	.24	.40	.00	.12	.03	.18	.00	.01	.06	.09	.00	.00	.00	.10	.01	.13
June ...	77,983	67.3	1.99	1.76	.23	.04	.24	.00	.13	.72	.01	.05	.01	.11	.00	.03	.08	.05	.00	.00	.00	.08	.03	.18
July ...	77,770	68.7	1.61	1.35	.26	.01	.26	.00	.04	.29	.01	.09	.00	.22	.00	.01	.05	.09	.00	.00	.00	.10	.00	.18
August ...	77,552	72.0	2.69	1.66	1.03	.00	.34	.00	.20	.08	.00	.18	.00	.26	.01	.03	.10	.13	.00	.00	.03	.15	.00	.15
September...	77,113	74.6	3.11	1.65	1.46	.00	.31	.01	.20	.12	.01	.18	.01	.30	.00	.01	.10	.14	.00	.00	.00	.17	.00	.09
October ...	75,894	72.7	1.44	1.23	.16	.00	.12	.03	.04	.08	.01	.11	.01	.29	.00	.03	.09	.11	.00	.00	.01	.14	.03	.18
November...	69,033	67.2	1.48	1.15	.33	.00	.09	.02	.04	.02	.00	.16	.02	.20	.00	.04	.10	.13	.00	.00	.00	.14	.00	.19
December...	71,705	58.7	1.41	1.38	.03	.03	.15	.00	.06	.03	.00	.13	.00	.17	.00	.08	.09	.17	.00	.00	.00	.21	.04	.22
TOTAL ...	76,159	66.3	20.06	15.82	4.24	.25	2.63	1.25	1.81	.08	1.25	.09	2.35	.01	.43	.98	1.22	.00	.00	.04	1.50	.18	1.75	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Admission-rate of each Month from all Causes per 1,000 of Strength.			
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
					Intermittent.	Remittent and Continued.																
January ...	1	.0	.0	.5	8.2	4.9	.0	.3	2.6	3.3	3.3	.3	6.9	.6	.0	4.9	30.6	1.9	7.6	7.3	12.4	95.7
February0	.0	.2	.3	7.7	5.4	.0	.2	1.7	3.0	3.5	.3	6.3	.4	.0	4.6	31.2	1.7	7.2	7.4	13.4	94.5
March0	1	.2	.3	9.0	9.9	.1	.2	2.4	5.9	3.4	.3	6.4	.4	.0	4.9	30.6	2.7	7.9	9.1	15.2	109.0
April0	.5	.4	.9	12.4	17.6	.2	.2	3.4	6.5	3.7	.3	6.1	.6	.0	4.1	26.8	2.8	8.3	8.4	14.6	117.8
May2	.5	.2	.9	12.9	17.1	.8	.3	2.7	5.4	4.5	.4	4.8	.5	1	4.5	24.6	2.8	8.6	7.6	17.0	116.4
June5	.3	.1	.6	13.1	16.5	2.1	.2	2.1	3.5	4.9	.3	3.8	.7	.0	4.5	21.7	2.7	10.0	6.8	17.2	111.6
July ...	2.7	.5	.1	.4	16.5	16.6	.8	.3	3.2	7.0	5.3	.3	4.6	.8	.0	4.9	24.3	3.0	12.8	6.9	20.5	131.5
August ...	5.5	1.7	.0	.6	16.7	17.0	.3	.2	4.8	9.8	5.2	.4	4.5	.8	1	5.8	20.6	3.5	10.4	6.1	19.6	133.6
September ...	12.0	2.1	.0	.7	20.2	20.3	.2	.3	4.2	7.0	5.7	.3	4.6	.9	.0	4.9	21.4	2.7	9.3	5.8	19.6	142.2
October ...	13.1	.2	.0	.3	28.3	16.9	.2	.2	3.6	4.0	5.0	.4	4.7	1.1	.0	4.8	23.3	2.2	8.0	6.8	17.8	141.4
November ...	4.9	.6	.0	.3	22.6	10.3	.1	.3	3.0	4.6	3.9	.3	5.7	1.2	.0	4.1	21.6	1.8	7.4	6.5	15.3	114.5
December ...	1.5	.0	.1	.5	14.2	6.5	.0	.2	3.1	5.6	3.6	.3	7.2	1.0	.1	3.6	22.5	1.4	6.2	9.1	13.0	99.7
TOTAL ...	40.7	6.6	1.3	6.4	180.8	160.2	4.9	3.1	36.8	65.7	52.2	4.0	65.6	8.9	.4	55.7	299.7	29.4	104.0	87.7	196.2	1410.3

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXII.

TABLE showing the RATIO in which the EUROPEAN ARMY of MEERUT and ROHILCUND has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	40,438	49.7	.89	.89	.00	.02	.13	.00	.02	.02	.02	.10	.02	.13	.00	.08	.13	.02	.00	.02	.00	.10	.00	.08
February ...	41,989	50.1	.86	.86	.00	.05	.05	.00	.00	.02	.02	.00	.00	.24	.00	.07	.00	.10	.00	.00	.00	.14	.00	.17
March ...	43,385	48.8	.99	.97	.02	.02	.12	.00	.00	.02	.00	.05	.00	.21	.02	.02	.14	.17	.00	.00	.00	.09	.02	.09
April ...	40,563	51.0	1.21	1.13	.08	.02	.30	.00	.05	.08	.02	.02	.00	.12	.00	.10	.10	.05	.00	.00	.00	.17	.02	.08
May ...	40,269	56.5	1.91	1.78	.13	.05	.62	.00	.10	.30	.02	.07	.00	.13	.00	.05	.15	.02	.00	.00	.00	.20	.02	.05
June ...	39,989	59.4	2.03	2.01	.02	.02	.35	.00	.13	.45	.02	.05	.00	.28	.00	.10	.10	.13	.00	.00	.00	.25	.00	.13
July ...	39,903	58.8	1.23	1.20	.03	.00	.15	.00	.05	.35	.00	.12	.00	.22	.03	.03	.05	.15	.00	.00	.00	.03	.00	.03
August ...	39,784	66.4	1.68	1.28	.40	.00	.15	.00	.10	.13	.03	.07	.07	.30	.00	.00	.00	.10	.00	.00	.00	.18	.00	.15
September...	39,631	73.4	2.98	1.64	1.34	.00	.33	.00	.18	.18	.10	.22	.02	.18	.00	.02	.08	.05	.00	.00	.00	.18	.00	.10
October ...	39,170	72.3	1.99	1.94	.05	.00	.28	.03	.25	.03	.00	.25	.03	.31	.00	.07	.10	.08	.00	.00	.03	.33	.03	.12
November...	35,687	65.0	1.46	1.46	.00	.00	.11	.03	.08	.03	.00	.22	.03	.48	.00	.06	.06	.11	.00	.00	.00	.14	.00	.11
December...	36,433	53.1	1.15	1.15	.00	.00	.11	.00	.03	.00	.00	.19	.05	.19	.00	.03	.11	.19	.00	.00	.00	.08	.00	.17
TOTAL ...	39,770	58.5	1.831	1.625	2.06	.20	2.69	1.03	1.61	.25	1.36	.23	2.74	.05	.63	1.01	1.16	.00	.02	.02	1.89	.10	1.26	

ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.

MONTH.	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	Admission-rate of each Month from all Causes per 1,000 of Strength.
					Intermittent.	Remittent and Continued.																
January1	.0	.2	.3	15.8	2.9	.1	.3	2.3	2.7	2.7	.5	7.4	.4	.0	5.3	24.1	1.7	6.0	7.9	10.8	91.5
February0	.0	.1	.2	13.7	3.1	.1	.2	1.1	2.6	3.1	.5	7.2	.3	.0	5.3	19.8	1.5	6.3	8.4	11.4	84.9
March0	.0	.1	.2	14.4	5.3	.1	.1	1.5	3.8	3.1	.4	7.7	.4	.0	5.0	20.3	1.5	7.2	8.5	13.4	93.0
April0	.1	.2	.7	20.0	12.1	.2	.2	2.4	7.2	3.6	.4	6.7	.4	.0	4.0	19.4	2.4	7.1	8.8	14.0	100.9
May0	.2	.3	1.8	26.7	13.9	.5	.4	2.7	5.2	4.7	.5	6.3	.3	.0	4.7	16.7	2.6	7.4	8.4	15.3	118.6
June0	.1	.1	.6	23.2	13.0	1.3	.3	2.0	4.0	4.8	.5	5.1	.5	.1	4.9	14.4	1.3	7.5	7.0	15.0	110.7
July0	.0	.0	.3	33.3	12.2	.8	.5	2.2	4.9	4.6	.8	6.0	.7	.0	5.9	14.7	1.6	9.9	7.0	17.9	128.3
August0	.7	.0	.3	61.8	15.2	.5	.5	4.0	9.7	5.6	.7	6.6	1.0	.1	5.3	14.4	2.1	8.7	6.5	18.6	162.3
September ...	5.2	1.8	.0	.9	72.7	17.8	.3	.6	5.4	9.5	5.5	.8	6.1	.8	.0	4.0	13.0	2.2	8.5	6.7	16.4	178.2
October ...	4.2	.1	.0	.4	73.8	14.4	.1	.3	4.6	6.0	5.2	1.1	5.2	.9	.1	5.3	12.9	1.5	6.8	7.2	15.7	165.8
November ...	1.2	.0	.1	.3	45.8	5.8	.2	.2	4.2	4.3	4.5	.7	6.9	1.0	.0	4.3	12.6	1.3	6.4	8.1	14.2	122.1
December ...	1.0	.0	.2	.4	26.7	2.4	.1	.3	3.9	3.3	3.3	.8	7.6	.9	.0	4.1	17.1	1.2	5.9	8.8	12.5	100.5
TOTAL ...	11.5	3.0	1.3	6.3	433.0	118.4	4.2	3.9	36.0	63.3	50.7	7.4	78.8	7.5	.4	58.1	200.6	20.8	87.7	93.2	175.1	1,461.2

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXIII.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of MEERUT and ROHILCUND to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.		
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.	
								Intermittent.	Remittent and Continued.																
January ...	40,438	7.1	4.84	5.46	.00	11.11	4.81	.00	2.02	1.24	8.70	7.35	9.09	4.66	.00	12.70	12.75	1.71	.00	100.00	.00	.00	5.29	.00	6.25
February ...	41,989	7.1	4.68	5.27	.00	27.78	1.85	.00	.00	1.24	8.70	.00	.00	8.60	.00	11.11	0.00	8.55	.00	.00	.00	7.41	.00	13.28	
March ...	43,385	6.9	5.39	5.95	.97	11.11	4.44	.00	.00	1.24	0.00	3.68	.00	7.53	40.00	3.18	13.73	14.53	.00	.00	.00	4.76	22.22	7.03	
April ...	40,563	7.3	6.58	6.93	3.86	11.11	11.11	.00	5.05	4.97	8.70	1.47	.00	4.30	0.00	15.87	9.80	4.27	.00	.00	.00	9.00	22.22	6.25	
May ...	40,269	8.0	10.39	10.91	6.28	27.78	22.96	.00	10.10	18.63	8.70	5.15	.00	4.66	0.00	7.94	14.71	1.71	.00	.00	.00	10.58	22.22	3.91	
June ...	39,989	8.4	11.05	12.32	.97	11.11	12.96	.00	13.13	27.96	8.70	3.68	.00	10.04	0.00	15.87	9.80	11.11	.00	.00	.00	13.23	.00	10.16	
July ...	39,903	8.4	6.69	7.36	1.45	.00	5.56	.00	5.05	21.74	0.00	8.82	.00	7.89	60.00	4.76	4.90	12.82	.00	.00	.00	1.59	.00	2.34	
August ...	39,734	9.4	9.14	7.85	19.32	.00	5.56	.00	10.10	8.08	13.04	5.15	31.81	10.75	.00	0.00	0.00	8.55	.00	.00	.00	9.52	.00	11.72	
September...	39,631	10.4	16.21	10.06	64.73	.00	12.22	.00	18.18	11.18	43.46	16.18	9.09	6.45	.00	3.18	7.84	4.27	.00	.00	.00	9.52	.00	7.81	
October ...	39,170	10.3	10.83	11.89	2.42	.00	10.37	50.00	25.26	1.86	0.00	18.38	13.64	11.11	.00	11.11	9.80	6.84	.00	.00	100.00	17.46	33.34	9.38	
November...	35,687	9.2	7.94	8.95	.00	.00	4.08	50.00	8.08	1.86	0.00	16.18	13.64	17.20	.00	9.52	5.88	9.40	.00	.00	.00	7.41	.00	8.59	
December...	36,433	7.5	6.26	7.05	.00	.00	4.08	.00	3.03	.00	0.00	13.96	22.73	6.81	.00	4.76	10.79	16.24	.00	.00	.00	4.23	.00	13.28	
TOTAL ...	39,770	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	0.00	100.00	100.00	100.00	100.00	100.00	

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
					Intermittent.	Remittent and Continued.																
January9	.0	15.4	4.7	3.6	2.5	2.3	7.7	6.3	4.3	5.3	6.5	9.4	5.3	.0	9.1	12.1	8.1	6.8	8.5	6.2	6.2
February0	.0	7.7	3.1	3.1	2.6	2.3	5.1	3.1	4.1	6.1	6.5	9.1	3.9	.0	9.1	9.9	7.2	7.2	9.0	6.5	5.8
March0	.0	7.7	3.1	3.3	4.5	2.3	2.6	4.1	6.0	6.1	5.2	9.8	5.3	.0	8.6	10.2	7.2	8.2	9.1	7.6	6.3
April0	3.3	15.4	10.9	4.6	10.3	4.7	5.1	6.6	11.4	7.1	5.2	8.5	5.3	.0	6.9	9.7	11.5	8.1	9.4	8.0	7.5
May0	6.7	23.0	28.1	6.1	11.8	11.6	10.3	7.4	8.2	9.3	6.5	8.0	3.9	.0	8.1	8.4	12.4	8.4	9.0	8.8	8.1
June0	3.3	7.7	9.4	6.4	11.0	30.3	7.7	5.5	6.3	9.5	6.5	6.5	6.6	33.3	8.4	7.2	6.2	8.6	7.5	8.6	7.6
July0	.0	.0	4.7	8.7	10.3	18.6	12.8	6.1	7.8	9.1	10.4	7.6	9.2	.0	10.2	7.4	7.7	11.3	7.5	10.2	8.8
August0	23.4	.0	4.7	14.1	12.8	11.6	12.8	11.0	15.4	11.0	9.1	8.4	13.2	33.3	9.1	7.2	10.1	9.9	7.0	10.6	11.1
September ...	44.4	60.0	.0	14.0	16.6	15.1	7.0	15.4	14.9	15.0	10.8	10.4	7.7	10.5	.0	6.9	6.5	10.5	9.7	7.2	9.3	12.1
October ...	35.9	3.3	.0	6.3	16.9	12.2	2.3	7.7	12.7	9.5	10.3	14.2	6.6	11.8	33.3	9.1	6.5	7.2	7.8	7.7	9.0	11.3
November ...	10.3	.0	7.7	4.7	10.5	4.9	4.7	5.1	11.6	6.8	8.9	9.1	8.8	13.2	.0	7.4	6.3	6.2	7.3	8.7	8.1	8.3
December ...	8.5	.0	15.4	6.3	6.1	2.0	2.3	7.7	10.7	5.2	6.5	10.4	9.6	11.8	.0	7.1	8.6	5.7	6.7	9.4	7.1	6.9
TOTAL ...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXIV.

TABLE showing the RATIO in which the EUROPEAN ARMY of AGRA and CENTRAL INDIA has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	40,379	547	1.16	1.16	.00	.00	.15	.00	.10	.00	.00	.05	.00	.17	.00	.25	.10	.10	.00	.00	.00	.05	.02	.17
February ...	41,535	558	1.16	1.14	.02	.02	.10	.02	.12	.00	.00	.00	.00	.15	.00	.10	.10	.00	.00	.00	.00	.17	.02	.24
March ...	42,364	541	.76	.76	.00	.02	.05	.00	.10	.02	.00	.02	.00	.12	.00	.07	.05	.02	.00	.00	.00	.12	.02	.15
April ...	41,457	525	.92	.92	.00	.05	.22	.00	.15	.05	.00	.00	.00	.05	.00	.02	.17	.02	.00	.00	.00	.12	.02	.05
May ...	41,175	570	1.65	.95	.70	.02	.12	.00	.15	.22	.00	.02	.00	.15	.00	.10	.05	.00	.00	.00	.00	.07	.00	.05
June ...	41,066	572	1.78	1.47	.31	.02	.05	.02	.07	.58	.00	.05	.00	.10	.00	.00	.12	.12	.00	.00	.00	.15	.02	.17
July ...	41,061	593	1.34	1.05	.29	.00	.05	.00	.07	.17	.05	.02	.02	.17	.00	.02	.05	.23	.00	.00	.00	.10	.00	.10
August ...	40,938	662	2.20	1.32	.88	.00	.17	.05	.15	.15	.00	.19	.00	.23	.00	.00	.17	.05	.00	.00	.00	.10	.00	.07
September...	40,862	747	2.35	1.62	.73	.00	.46	.07	.24	.07	.03	.20	.03	.20	.00	.03	.05	.05	.00	.00	.00	.07	.00	.12
October ...	40,423	761	2.08	1.86	.22	.00	.40	.00	.22	.05	.05	.33	.00	.27	.00	.00	.10	.05	.00	.00	.02	.17	.00	.20
November...	37,990	715	1.92	1.92	.00	.00	.23	.05	.18	.03	.03	.31	.03	.29	.00	.11	.21	.13	.00	.03	.03	.18	.00	.08
December...	38,323	596	1.15	1.12	.03	.00	.05	.05	.03	.00	.00	.10	.00	.21	.00	.05	.23	.08	.00	.00	.03	.21	.00	.08
TOTAL ...	40,631	615	18.41	15.19	3.22	.15	2.04	1.85	1.35	.15	1.26	.07	2.07	.00	.74	1.38	.94	.00	.02	.07	1.50	.12	1.48	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
					Intermittent.	Remittent and Continued.																
January0	.0	.1	.2	295	44	.0	.1	1.3	.25	.24	.2	7.0	.5	.0	5.2	21.1	1.5	5.4	7.7	9.5	98.6
February0	.0	.0	.2	225	48	.0	.2	1.3	.22	.29	.4	7.2	.4	.0	5.2	21.3	1.2	6.0	7.7	11.8	95.3
March0	.0	.1	.2	210	88	.1	.2	1.7	.35	.28	.6	6.7	.4	.0	5.0	21.3	.21	6.8	8.3	12.3	101.9
April0	.0	.4	.5	212	139	.2	.1	1.4	.34	.34	.3	6.5	.4	.1	4.3	20.0	2.0	6.9	7.9	12.7	108.6
May0	1.1	.2	.3	285	141	.5	.2	1.5	.28	.41	.5	7.8	.6	.0	4.4	18.0	1.4	7.6	7.3	14.4	115.3
June0	.5	.0	.1	266	121	1.4	.1	1.5	.26	.41	.7	4.4	.4	.1	4.3	15.6	1.3	8.5	5.8	14.6	104.7
July0	.5	.0	.1	392	132	.6	.5	1.5	.56	.42	.7	4.9	.6	.0	4.7	17.9	1.4	9.5	6.6	15.2	126.9
August1	1.2	.0	.3	578	166	.3	.3	4.5	.99	.44	.6	4.8	.5	.0	5.1	16.8	2.4	7.7	5.4	15.1	153.8
September ...	4.3	.9	.0	1.1	847	181	.2	.4	4.5	.61	.50	.7	4.2	.7	.0	4.8	13.1	2.0	6.2	5.9	14.5	177.4
October ...	3.7	.2	.0	.8	969	191	.1	.4	3.5	.37	.50	1.0	5.1	.7	.1	3.7	13.7	2.5	5.8	6.0	15.1	187.1
November ...	1.0	.0	.0	.4	752	122	.1	.2	2.7	.30	.39	.7	5.4	.6	.1	3.9	13.3	1.2	6.5	5.6	12.4	148.4
December2	.0	.0	.2	447	60	.0	.2	1.4	.30	.35	.8	7.4	.5	.0	3.9	17.2	1.4	5.2	9.5	10.0	115.1
TOTAL ...	9.3	4.4	1.0	4.4	547.2	143.4	3.6	2.8	26.6	48.4	45.5	7.2	71.5	6.1	.4	54.6	209.8	20.0	82.2	83.7	158.0	1530.1

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXVI.

TABLE showing the RATIO in which the EUROPEAN ARMY of the PUNJAB has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Suicidal Deaths and other Deaths out of Hospital.
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	
								Intermittent.	Remittent and Continued.															
January ...	131,914	57.0	1.21	1.21	.00	.02	.06	.01	.04	.01	.02	.08	.00	.11	.01	.35	.11	.11	.00	.00	.01	.16	.02	.09
February ...	128,128	54.6	.69	.69	.00	.02	.09	.02	.04	.02	.00	.02	.00	.08	.00	.11	.04	.08	.00	.00	.00	.08	.02	.08
March ...	125,315	51.0	.84	.84	.00	.01	.08	.00	.10	.02	.01	.05	.00	.09	.00	.09	.09	.05	.00	.00	.01	.12	.01	.11
April ...	113,375	50.0	.99	.88	.11	.00	.19	.01	.11	.04	.00	.04	.00	.05	.00	.06	.05	.07	.00	.00	.01	.10	.00	.15
May ...	101,320	56.5	1.84	1.28	.56	.00	.37	.01	.12	.04	.03	.10	.00	.09	.00	.06	.13	.09	.00	.00	.00	.13	.00	.11
June ...	99,800	61.7	2.80	2.24	.56	.00	.59	.00	.19	.81	.08	.12	.00	.07	.01	.02	.07	.07	.00	.00	.01	.10	.00	.10
July ...	99,754	64.4	2.48	2.18	.30	.00	.29	.01	.23	.87	.05	.11	.00	.11	.00	.06	.10	.07	.00	.00	.01	.14	.01	.12
August ...	99,291	67.6	2.82	1.56	1.26	.00	.26	.01	.23	.33	.04	.06	.00	.11	.01	.02	.13	.12	.00	.00	.00	.12	.00	.12
September...	99,272	77.3	2.53	1.76	.77	.01	.22	.04	.39	.19	.01	.13	.00	.16	.01	.08	.10	.08	.00	.00	.00	.21	.01	.10
October ...	100,424	81.0	2.52	1.68	.84	.00	.17	.04	.36	.04	.02	.17	.02	.18	.00	.08	.10	.14	.00	.00	.00	.21	.01	.14
November...	119,280	75.5	1.47	1.44	.03	.00	.07	.05	.21	.03	.01	.15	.01	.21	.00	.17	.08	.11	.00	.00	.00	.16	.01	.17
December...	129,583	64.9	1.47	1.47	.00	.01	.08	.06	.10	.03	.01	.15	.02	.11	.00	.36	.11	.14	.00	.01	.02	.15	.01	.10
TOTAL ...	112,288	62.9	2.071	1.676	3.95	.07	2.32	2.24	2.17	.25	1.17	.05	1.39	.04	1.59	1.11	1.13	.00	.01	.07	1.67	.10	1.33	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			Admission-rate of each Month from all Causes per 1,000 of Strength.		
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.		Wounds and Accidents.	All other Causes.
					Intermittent.	Remittent and Continued.																
January0	.0	.1	.2	36.5	4.0	.0	.2	1.7	2.8	2.7	.7	13.5	.6	.0	6.5	18.2	1.2	6.5	8.9	11.1	115.4
February0	.0	.1	.2	25.3	4.3	.0	.1	1.2	2.4	2.7	.8	11.3	.4	.1	6.0	16.3	1.2	5.8	8.4	11.2	97.8
March0	.0	.1	.2	23.1	6.1	.1	.3	1.2	2.7	3.0	.8	8.9	.4	.0	6.0	16.8	1.7	6.3	9.9	13.0	100.6
April0	.2	.1	.4	27.0	18.3	.1	.3	2.0	6.6	2.9	.5	7.0	.4	.0	5.5	17.5	2.1	6.5	10.6	14.5	122.5
May0	.7	.1	.8	36.1	41.7	.3	.4	2.4	6.7	3.2	.5	7.1	.5	.0	5.3	13.9	2.2	6.2	9.1	15.2	152.4
June0	.7	.0	.9	40.3	37.1	1.5	.4	1.8	4.6	4.0	.6	5.8	.5	.0	4.9	12.2	1.5	7.0	7.4	17.0	148.2
July0	.4	.1	.6	45.0	40.5	2.6	.5	2.0	5.8	4.6	.8	5.6	.8	.1	5.4	12.1	1.6	10.8	7.3	20.6	167.2
August0	2.0	.0	.4	56.4	39.4	.9	.5	2.7	8.9	4.4	.8	5.8	.7	.1	5.3	10.7	2.3	10.5	6.8	19.7	178.3
September0	1.0	.0	.5	101.2	49.4	.4	.4	4.0	7.0	4.2	.7	4.8	.7	.1	5.0	9.8	2.2	7.2	7.1	17.1	222.8
October1	1.1	.0	.4	134.4	38.1	.2	.4	4.0	5.3	4.1	1.1	6.1	.8	.0	5.3	11.1	1.7	5.6	7.4	15.2	242.4
November9	.0	.0	.2	110.4	15.8	.1	.2	3.0	4.2	3.5	1.1	8.6	1.1	.0	5.2	12.3	1.2	5.6	7.2	14.2	194.8
December1	.0	.0	.2	65.6	7.4	.0	.2	2.1	4.0	3.0	1.1	12.5	.7	.1	5.6	14.9	1.0	5.5	9.9	11.9	145.8
TOTAL ...	1.2	5.5	.8	4.8	685.6	279.3	5.4	3.6	27.5	58.7	41.4	9.4	100.7	7.5	.5	66.5	169.0	19.6	82.3	100.9	177.0	1,847.2

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXVII.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the PUNJAB to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.
								Intermittent.	Remittent and Continued.															
January ...	131,914	7.5	5.59	7.02	.00	28.57	2.43	3.85	1.88	.41	7.14	6.78	.00	7.91	25.00	23.97	9.91	9.73	.00	.00	14.29	9.53	20.00	6.47
February ...	128,128	7.2	3.19	4.00	.00	28.57	3.64	7.69	1.88	.82	.00	1.70	.00	5.76	.00	7.53	3.60	7.08	.00	.00	.00	4.76	20.00	5.76
March ...	125,315	6.7	3.88	4.88	.00	14.29	3.24	.00	4.72	.82	3.57	4.24	.00	6.47	.00	6.16	8.11	4.42	.00	.00	14.29	7.14	10.00	7.91
April ...	113,375	6.6	4.57	5.11	2.48	.00	7.69	3.85	5.19	1.65	.00	3.39	.00	3.60	.00	4.11	4.50	6.20	.00	.00	14.29	5.95	.00	10.79
May ...	101,320	7.4	8.50	7.43	12.64	.00	14.08	3.85	5.66	1.65	10.72	8.47	.00	6.47	.00	4.11	11.71	7.96	.00	.00	.00	7.74	.00	7.91
June ...	99,800	8.1	12.93	13.00	12.64	.00	23.89	.00	8.96	33.33	28.57	10.17	.00	5.04	25.00	1.37	6.31	6.20	.00	.00	14.29	5.95	.00	7.20
July ...	99,754	8.5	11.45	12.65	6.77	.00	11.74	3.85	10.85	35.81	17.86	9.32	.00	7.91	.00	4.11	9.01	6.20	.00	.00	14.29	8.33	10.00	8.63
August ...	99,291	8.9	13.02	9.05	28.45	.00	10.53	3.85	10.85	13.58	14.29	5.08	.00	7.91	25.00	1.37	11.71	10.62	.00	.00	.00	7.14	.00	8.63
September...	99,272	10.1	11.68	10.22	17.38	14.29	8.91	15.38	18.40	7.82	3.57	11.02	.00	12.95	25.00	5.48	9.01	7.08	.00	.00	.00	12.50	10.00	7.20
October ...	100,424	10.6	11.63	9.75	18.96	.00	6.88	15.38	16.98	1.65	7.14	14.41	40.00	12.95	.00	5.48	9.01	12.39	.00	.00	.00	12.50	10.00	10.07
November...	119,280	9.9	6.78	8.36	.68	.00	2.83	19.23	9.91	1.23	3.57	12.71	20.00	15.12	.00	11.65	7.21	9.73	.00	.00	.00	9.53	10.00	12.23
December...	129,585	8.5	6.78	8.53	.00	14.29	3.24	23.07	4.72	1.23	3.57	12.71	40.00	7.91	.00	24.66	9.91	12.39	.00	100.00	28.57	8.93	10.00	7.20
TOTAL ...	112,288	100.0	100.00	100.00	100.00	100.01	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.02	100.00	100.00	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	Intermittent.	Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
January0	.0	16.7	4.0	5.2	1.3	.0	5.1	6.1	4.6	6.4	7.4	13.9	7.9	.0	9.9	11.0	6.0	7.5	8.9	6.2	6.1
February0	.0	16.7	4.0	3.6	1.4	.0	2.5	4.3	3.9	6.4	8.4	11.6	5.3	20.0	9.1	9.8	6.0	7.0	8.4	6.2	5.1
March0	.0	16.7	4.0	3.3	2.0	1.6	7.7	4.3	4.4	7.1	8.4	9.2	5.3	.0	9.1	10.1	8.5	7.5	9.9	7.1	5.3
April0	3.3	16.7	8.0	3.9	6.1	1.6	7.7	7.1	10.8	6.9	5.3	7.2	5.3	.0	8.3	10.5	10.6	7.8	10.6	8.0	6.5
May0	11.5	16.7	16.0	5.1	13.8	4.8	10.3	8.5	11.0	7.6	5.3	7.3	6.6	.0	8.0	8.4	11.1	7.4	9.1	8.4	8.1
June0	11.5	.0	18.0	5.7	12.3	24.2	10.3	6.4	7.5	9.5	6.2	6.0	6.6	.0	7.4	7.4	7.5	8.4	7.4	9.4	7.9
July0	6.5	16.7	12.0	6.4	13.4	42.0	12.8	7.1	9.5	10.8	8.4	5.8	10.5	20.0	8.2	7.3	8.1	12.9	7.3	11.4	8.9
August0	32.8	.0	8.0	8.1	13.1	14.5	12.8	9.6	14.6	10.4	8.4	6.0	9.2	20.0	8.0	6.5	11.6	12.6	6.8	10.9	9.5
September0	16.4	.0	10.0	14.4	16.3	6.5	10.3	14.2	11.5	9.9	7.4	4.9	9.2	20.0	7.6	5.9	11.1	8.6	7.1	9.5	11.8
October ...	9.1	18.0	.0	8.0	19.2	12.6	3.2	10.3	14.2	8.7	9.7	11.6	6.3	10.5	.0	8.0	6.7	8.5	6.7	7.4	8.4	12.8
November ...	81.8	.0	.0	4.0	15.7	5.2	1.6	5.1	10.7	6.9	8.2	11.6	8.9	14.4	.0	7.9	7.4	6.0	6.7	7.2	7.9	10.3
December ...	9.1	.0	.0	4.0	9.4	2.5	.0	5.1	7.5	6.6	7.1	11.6	12.9	9.2	20.0	8.5	9.0	5.0	6.6	9.9	6.6	7.7
TOTAL ...	100.0	100.0	100.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXVIII.

TABLE showing the RATIO in which the EUROPEAN ARMY of RAJPOOTANA, MALWA, SIND, and ADEN has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.
								Intermittent.	Remittent and Continued.															
January ...	52,506	51.0	1.33	1.33	.00	.00	.08	.00	.09	.06	.02	.15	.00	.15	.00	.19	.08	.28	.00	.00	.00	.10	.04	.09
February ...	53,667	49.6	.93	.93	.00	.00	.15	.00	.07	.02	.00	.06	.00	.06	.00	.04	.04	.07	.00	.00	.00	.13	.00	.29
March ...	54,333	48.3	.92	.92	.00	.00	.06	.00	.09	.02	.00	.13	.00	.20	.00	.09	.09	.02	.00	.00	.00	.11	.02	.09
April ...	55,032	48.7	.98	.91	.07	.02	.16	.00	.07	.09	.00	.05	.00	.11	.00	.02	.04	.07	.00	.00	.00	.13	.00	.15
May ...	54,871	50.9	1.17	.97	.20	.02	.17	.00	.02	.38	.00	.00	.00	.07	.00	.02	.05	.04	.00	.00	.00	.07	.00	.13
June ...	55,084	53.7	1.94	1.78	.16	.00	.11	.00	.09	1.09	.02	.02	.00	.09	.00	.07	.04	.07	.00	.00	.00	.05	.02	.11
July ...	55,653	55.6	1.29	1.15	.14	.00	.05	.02	.05	.31	.07	.07	.02	.09	.00	.04	.07	.07	.00	.00	.00	.09	.02	.18
August ...	55,373	60.2	2.04	1.19	.85	.00	.18	.02	.18	.03	.02	.05	.02	.09	.02	.02	.09	.11	.00	.00	.00	.23	.02	.11
September...	54,950	71.3	2.35	2.15	.20	.00	.73	.05	.20	.13	.05	.15	.02	.31	.00	.02	.05	.07	.00	.00	.00	.18	.02	.17
October ...	54,955	74.9	1.86	1.67	.13	.00	.35	.04	.13	.09	.02	.16	.05	.11	.00	.04	.09	.07	.00	.04	.00	.23	.02	.23
November...	52,487	70.1	1.43	1.30	.13	.00	.21	.04	.17	.08	.02	.06	.00	.15	.00	.04	.06	.13	.00	.00	.00	.21	.00	.13
December ...	51,085	58.7	1.17	1.15	.02	.00	.17	.00	.06	.02	.00	.08	.00	.17	.00	.12	.12	.04	.02	.00	.00	.19	.02	.14
TOTAL ...	54,166	57.7	1.74	1.54	1.94	.04	2.42	1.40	2.34	.22	.08	.11	1.61	.02	.68	.31	1.05	.02	.04	.00	1.74	.16	1.83	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
					Intermittent.	Remittent and Continued.																
January3	.0	.1	.2	30.5	3.2	.0	.5	2.1	4.3	2.5	.3	8.7	.6	.0	4.1	15.9	1.7	7.1	8.8	13.4	104.3
February0	.0	.0	.3	22.6	4.2	.2	.3	1.6	3.7	2.7	.4	7.4	.4	.0	4.1	15.6	1.7	7.0	8.1	12.5	92.9
March1	.0	.0	.3	22.4	7.6	.1	.2	1.9	4.0	3.3	.5	6.6	.5	.0	4.5	15.6	2.2	7.9	8.9	12.7	99.3
April1	.1	.1	.3	25.0	10.3	.4	.4	1.7	5.3	3.1	.5	5.5	.2	.0	4.5	16.2	2.2	8.9	9.3	15.6	109.7
May ...	3.7	.3	.1	.3	31.0	12.0	.9	.4	1.2	4.2	4.2	.8	4.6	.6	.0	4.9	14.4	1.9	9.4	8.4	16.3	119.6
June ...	3.0	.2	.0	.1	32.2	13.9	2.9	.3	1.3	4.0	3.8	.6	4.7	.4	.0	4.2	13.1	1.6	10.5	7.4	17.2	121.4
July ...	9.4	.2	.0	.1	38.8	11.6	.7	.5	2.3	6.0	4.2	.7	4.7	.8	.0	5.6	13.3	1.7	11.1	9.0	20.6	141.3
August ...	1.9	1.1	.0	.3	56.7	12.1	.1	.7	3.9	9.6	4.1	.5	3.8	.6	.0	4.7	12.4	1.9	9.6	7.5	20.6	152.1
September1	.4	.0	1.0	90.0	18.9	.5	.7	3.5	6.7	4.3	.7	3.6	.6	.0	4.0	12.3	2.4	8.2	7.6	17.7	133.2
October ...	1.1	.1	.0	.5	104.9	18.6	.3	.5	3.1	5.7	4.4	.8	4.3	.6	.0	4.0	11.9	1.9	8.2	8.1	16.7	195.7
November ...	1.8	.2	.0	.3	78.8	12.1	.1	.4	2.2	4.3	3.7	.5	5.9	.6	.0	3.8	11.6	1.7	7.1	6.5	14.8	156.4
December ...	2.4	.0	.1	.3	56.6	8.4	.1	.3	2.0	4.4	2.7	.7	7.8	.7	.0	3.5	13.1	1.5	6.6	9.7	15.5	136.4
TOTAL ...	24.0	2.6	.3	4.0	589.2	133.7	6.3	5.1	26.9	62.4	43.0	7.0	67.2	6.7	.4	52.0	165.3	22.4	102.0	99.4	194.1	1,614.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXIX.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of RAJPOOTANA, MALWA, SIND, and ADEN to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	52,506	7.4	7.67	8.61	.00	.00	3.31	.00	7.38	2.59	9.09	15.30	.00	9.37	.00	26.76	9.76	26.92	.00	.00	.00	5.81	22.23	4.95
February ...	53,667	7.2	5.36	6.02	.00	.00	6.20	.00	5.74	.86	.00	6.12	.00	3.75	.00	5.63	4.88	6.73	.00	.00	.00	7.56	.00	15.94
March ...	54,333	7.0	5.30	5.95	.00	.00	2.48	.00	7.38	.86	.00	13.26	.00	12.50	.00	12.68	10.97	1.92	.00	.00	.00	6.40	11.11	4.95
April ...	55,032	7.0	5.65	5.89	3.68	50.00	6.61	.00	5.74	3.88	.00	5.12	.00	6.88	.00	2.82	4.88	6.73	.00	.00	.00	7.56	.00	8.24
May ...	54,871	7.3	6.74	6.28	10.53	50.00	7.02	.00	1.64	16.38	.00	.00	.00	4.37	.00	2.82	6.10	3.85	.00	.00	.00	4.07	.00	7.14
June ...	55,084	7.7	11.18	11.52	8.42	.00	4.55	.00	7.38	46.98	9.09	2.04	.00	5.63	.00	9.86	4.88	6.73	.00	.00	.00	2.91	11.11	6.04
July ...	55,653	8.0	7.44	7.44	7.37	.00	2.07	11.76	4.10	13.36	31.82	7.14	18.18	5.63	.00	5.63	8.54	6.73	.00	.00	.00	5.23	11.11	9.89
August ...	55,373	8.7	11.76	7.70	44.74	.00	7.44	11.76	14.75	1.29	9.09	5.12	18.18	5.63	100.00	2.82	10.97	10.58	.00	.00	.00	13.37	11.11	6.04
September...	54,950	10.3	13.54	13.92	10.53	.00	30.16	29.42	16.39	5.61	22.73	15.30	18.18	19.37	.00	2.82	6.10	6.73	.00	.00	.00	10.47	11.11	9.34
October ...	54,955	10.8	10.38	10.81	6.84	.00	14.46	23.53	10.65	3.88	9.09	16.32	45.46	6.88	.00	5.63	10.97	6.73	.00	100.00	.00	13.37	11.11	12.64
November...	52,487	10.1	8.24	8.42	6.81	.00	8.68	23.53	13.93	3.45	9.09	6.12	.00	9.37	.00	5.63	7.32	12.50	.00	.00	.00	12.21	.00	7.14
December...	51,085	8.5	6.74	7.44	1.05	.00	7.02	.00	4.92	.86	.00	8.10	.00	10.62	.00	16.90	14.63	3.85	100.00	.00	.00	11.04	11.11	7.69
TOTAL ...	54,166	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	Intermittent.	Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Veneral diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
January ...	1.3	.0	25.0	5.0	5.2	2.4	.0	9.6	7.8	6.9	5.8	4.3	12.9	9.1	.0	7.9	9.6	7.6	7.0	8.9	6.9	6.5
February0	.0	.0	7.5	3.8	3.2	3.2	5.8	6.0	5.9	6.3	5.7	10.9	6.1	.0	7.9	9.5	7.6	6.9	8.2	6.5	5.8
March4	.0	.0	7.5	3.8	5.7	1.6	3.7	7.1	6.4	7.7	7.1	9.8	7.6	.0	8.7	9.5	9.8	7.8	9.0	6.6	6.2
April4	3.8	25.0	7.5	4.2	7.8	6.3	7.7	6.3	8.5	7.2	7.1	8.1	3.0	.0	8.7	9.8	9.8	8.8	9.4	8.1	6.8
May ...	15.5	11.6	25.0	7.5	5.3	9.0	14.3	7.7	4.5	6.8	9.8	11.4	6.8	9.1	.0	9.4	8.7	8.5	9.2	8.4	8.4	7.4
June ...	12.6	7.7	.0	2.5	5.5	10.5	46.0	5.8	4.9	6.4	8.8	8.6	7.0	6.1	.0	8.1	7.9	7.1	10.3	7.4	8.9	7.5
July ...	39.3	7.7	.0	2.5	6.6	8.7	11.1	9.6	8.6	9.7	9.8	10.0	7.0	12.1	.0	10.8	8.0	7.6	10.9	9.1	10.6	8.8
August ...	8.0	42.3	.0	7.5	9.6	9.1	1.6	13.5	14.6	15.4	9.5	7.1	5.6	9.1	.0	9.1	7.5	8.5	9.4	7.5	10.6	9.4
September4	15.4	.0	25.0	15.2	14.2	7.9	13.5	13.0	10.8	10.0	10.0	5.3	9.1	.0	7.7	7.4	10.7	8.1	7.6	9.2	11.4
October ...	4.6	3.8	.0	12.5	17.8	14.0	4.8	9.6	11.6	9.2	10.2	11.4	6.4	9.1	.0	7.7	7.2	8.5	8.1	8.2	8.6	12.1
November ...	7.5	7.7	.0	7.5	13.4	9.1	1.6	7.7	8.2	6.9	8.6	7.1	8.7	9.1	.0	7.3	7.0	7.6	7.0	6.5	7.6	9.7
December ...	10.0	.0	25.0	7.5	9.6	6.3	1.6	5.8	7.4	7.1	6.3	10.0	11.5	10.5	.0	6.7	7.9	6.7	6.5	9.8	8.0	8.4
TOTAL ...	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.8	100.0	100.0	.0	100.0	100.0	1000	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXX.

TABLE showing the RATIO in which the EUROPEAN ARMY of the DECCAN and NAGPORE has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	71,351	56.5	.98	.88	.00	.00	.10	.00	.10	.01	.00	.13	.00	.28	.00	.06	.03	.10	.00	.00	.00	.08	.01	.08
February ...	72,489	55.2	.79	.75	.04	.00	.06	.00	.00	.04	.00	.15	.01	.20	.00	.00	.07	.03	.00	.01	.00	.08	.00	.10
March ...	74,397	50.9	.95	.94	.01	.05	.04	.00	.01	.07	.01	.12	.00	.20	.00	.04	.11	.05	.00	.00	.00	.11	.03	.10
April ...	78,438	50.3	.89	.88	.01	.05	.13	.01	.08	.15	.03	.08	.00	.11	.00	.01	.05	.04	.00	.00	.00	.09	.00	.05
May ...	78,176	52.4	1.60	1.17	.43	.04	.17	.01	.06	.37	.03	.03	.00	.13	.00	.01	.10	.05	.00	.00	.00	.12	.00	.05
June ...	78,984	53.9	1.20	1.07	.13	.00	.11	.00	.04	.20	.01	.05	.00	.20	.00	.03	.01	.07	.00	.00	.00	.16	.03	.16
July ...	79,248	57.3	1.21	.89	.32	.00	.10	.00	.05	.05	.01	.09	.03	.11	.00	.03	.13	.05	.00	.01	.00	.13	.01	.09
August ...	78,925	61.4	1.62	1.32	.30	.00	.15	.00	.10	.05	.00	.16	.01	.27	.00	.04	.09	.12	.00	.00	.00	.19	.00	.14
September...	78,758	62.3	1.40	1.32	.08	.00	.33	.01	.05	.01	.00	.27	.00	.15	.00	.03	.10	.05	.00	.00	.00	.15	.03	.14
October ...	76,389	63.2	1.34	1.34	.00	.00	.16	.03	.08	.01	.03	.21	.00	.25	.00	.05	.16	.09	.00	.00	.00	.09	.00	.18
November...	74,613	61.7	1.17	1.16	.01	.00	.05	.00	.03	.05	.03	.22	.05	.29	.00	.03	.08	.12	.00	.00	.00	.11	.00	.10
December...	71,134	56.8	.91	.91	.00	.00	.04	.01	.04	.03	.01	.23	.00	.27	.00	.08	.10	.04	.00	.00	.01	.01	.00	.04
TOTAL ...	76,075	56.8	1.414	1.277	1.39	.14	1.46	.72	1.08	.16	1.71	.11	2.44	.00	.38	1.02	.80	.00	.03	.01	1.34	.11	1.24	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																				Admission-rate of each Month from all Causes per 1,000 of Strength.	
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.		All other Causes.
					Intermittent.	Remittent and Continued.																
January0	.0	.1	.2	20.6	6.1	.1	.5	4.5	3.9	4.4	.2	6.9	.5	.0	3.9	20.6	1.2	8.4	8.3	13.7	104.1
February0	.1	.1	.1	16.3	6.0	.1	.2	3.5	3.4	3.3	.3	6.2	.6	.0	4.1	19.9	.9	7.9	9.0	13.5	95.5
March ...	3.3	.0	.2	.1	16.1	9.5	.2	.5	2.9	3.7	2.9	.2	5.9	.4	.0	3.6	20.5	1.7	9.0	9.8	14.1	104.6
April ...	5.8	.0	.2	.3	16.9	11.9	.4	.3	2.5	4.2	3.1	.3	4.7	.2	.0	3.4	20.1	1.5	9.4	8.9	14.2	108.3
May ...	1.9	1.0	.1	.4	19.5	13.5	.6	.3	2.5	4.2	2.9	.2	4.4	.4	.0	3.3	17.3	1.5	9.4	8.7	15.5	107.8
June ...	1.3	.1	.0	.2	25.1	13.0	.6	.3	2.6	5.2	2.8	.3	3.6	.6	.0	3.6	15.8	1.5	9.1	7.1	14.0	106.8
July ...	1.2	.4	.0	.3	35.4	12.0	.1	.3	5.0	11.5	3.0	.4	3.9	.5	.0	4.3	17.8	1.7	8.1	7.7	14.8	128.6
August9	.5	.0	.5	37.2	11.6	.1	.5	6.4	9.6	3.1	.3	4.3	.6	.0	3.7	17.4	2.3	6.9	7.3	14.6	127.8
September ...	1.0	.1	.0	.6	41.2	10.9	.0	.3	6.2	5.7	4.0	.2	4.1	.6	1	4.0	16.7	1.9	7.3	6.8	14.0	125.7
October8	.0	.0	.4	46.7	14.0	.1	.5	5.6	5.0	4.5	.4	4.5	.8	.0	3.6	19.0	2.1	7.3	8.1	15.7	139.1
November1	.0	.0	.1	38.3	11.3	.1	.4	4.5	3.8	4.0	.2	5.1	.6	.0	3.1	17.7	1.4	7.1	8.0	14.0	119.8
December1	.0	.0	.2	28.6	8.1	.1	.3	5.1	5.2	3.8	.3	5.6	.7	.0	3.1	17.8	1.1	7.6	9.5	14.2	111.4
TOTAL ...	16.8	2.4	.8	3.4	313.4	129.0	2.4	4.3	51.3	66.1	41.5	3.3	59.0	6.6	2	44.3	220.0	19.1	97.5	99.0	172.3	1,382.7

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXI.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of the DECCAN and NAGPORE to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.
								Intermittent.	Remittent and Continued.															
January ...	71,351	8.3	6.97	7.70	.00	.00	6.94	.00	15.63	.96	.00	7.47	.00	11.38	.00	14.63	2.91	12.35	.00	.00	.00	6.06	9.09	6.50
February ...	72,489	8.1	5.62	5.89	3.01	.00	4.17	.00	.00	3.85	.00	8.62	10.00	8.13	.00	.00	6.80	3.70	.00	50.00	.00	6.06	.00	8.13
March ...	74,397	7.5	6.76	7.38	.75	35.72	2.78	.00	1.56	6.73	6.25	6.90	.00	8.13	.00	9.76	10.68	6.17	.00	.00	.00	8.33	27.27	8.13
April ...	78,438	7.4	6.33	6.91	.75	35.72	9.03	14.29	12.50	14.42	18.75	4.60	.00	4.47	.00	2.44	4.85	4.94	.00	.00	.00	6.82	.00	4.07
May ...	78,176	7.7	11.38	9.19	32.33	28.56	11.80	14.29	9.37	35.58	18.75	1.72	.00	5.28	.00	2.44	9.71	6.17	.90	.00	.00	9.09	.00	4.07
June ...	78,984	7.9	8.53	8.41	9.77	.00	7.64	.00	6.25	19.23	6.25	2.87	.00	8.13	.00	7.32	.97	8.64	.00	.00	.00	12.12	27.27	13.01
July ...	79,248	8.4	8.61	6.99	24.06	.00	6.94	.00	7.81	4.81	6.25	5.17	30.00	4.47	.00	7.32	12.62	6.17	.00	50.00	.00	9.85	9.09	7.32
August ...	78,925	9.0	11.52	10.37	22.56	.00	10.42	.00	15.63	4.81	.00	9.20	10.00	10.98	.00	9.76	8.74	14.82	.00	.00	.00	14.39	.00	11.38
September...	78,758	9.1	9.96	10.37	6.02	.00	22.92	14.29	7.81	.96	.00	15.52	.00	6.10	.00	7.32	9.71	6.17	.00	.00	.00	11.37	27.27	11.38
October ...	76,389	9.3	9.53	10.53	.00	.00	11.11	42.86	12.50	.96	18.75	12.07	.00	10.16	.00	12.19	15.53	11.11	.00	.00	.00	6.82	.00	14.63
November...	74,613	9.0	8.32	9.11	.75	.00	3.47	.00	4.69	4.81	18.75	12.64	50.00	11.79	.00	7.32	7.77	14.82	.00	.00	.00	8.33	.00	8.13
December...	71,134	8.3	6.47	7.15	.00	.00	2.78	14.29	6.25	2.88	6.25	13.22	.00	10.98	.00	19.50	9.71	4.94	.00	.00	100.00	.76	.00	3.25
TOTAL ...	76,075	100.0	100.00	100.00	100.00	100.00	100.00	100.02	100.00	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	99.99	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
					Intermittent.	Remittent and Continued.																
January0	.0	14.3	5.9	6.0	4.8	4.0	11.4	8.8	6.0	10.5	6.1	11.7	7.7	.0	8.8	9.3	6.4	8.6	8.3	8.0	7.5
February0	4.5	14.3	2.9	4.8	4.7	4.0	4.5	6.8	5.2	7.9	9.1	10.5	9.2	.0	9.3	9.0	4.8	8.1	9.1	7.8	6.9
March ...	20.1	.0	28.6	2.9	4.7	7.4	8.0	11.4	5.7	5.6	6.9	6.1	9.9	6.2	.0	8.2	9.3	9.0	9.2	9.9	8.2	7.6
April ...	35.4	.0	28.6	8.8	4.9	9.3	16.0	6.8	4.9	6.4	7.4	9.1	7.9	3.1	.0	7.7	9.1	8.0	9.7	9.0	8.2	7.9
May ...	11.6	45.5	14.3	11.8	5.7	10.6	24.0	6.8	4.9	6.4	6.9	6.1	7.4	6.2	.0	7.9	7.8	8.0	9.7	8.8	9.1	7.8
June ...	7.9	4.5	.0	5.9	7.3	10.2	24.0	6.8	5.0	8.0	6.7	9.1	6.1	9.2	.0	8.2	7.2	8.0	9.3	7.1	8.1	7.7
July ...	7.3	18.2	.0	8.8	10.4	9.4	4.0	6.8	9.7	17.6	7.2	12.1	6.6	7.7	.0	10.2	8.1	9.0	8.3	7.8	8.6	9.3
August ...	5.5	22.8	.0	14.7	10.9	9.1	4.0	11.4	12.5	14.7	7.4	9.1	7.3	9.2	.0	8.4	7.9	12.2	7.0	7.4	8.5	9.3
September ...	6.1	4.5	.0	17.7	12.0	8.5	.0	6.8	12.1	8.7	9.6	6.1	6.9	9.2	100.0	9.1	7.6	10.1	7.5	6.8	8.1	9.1
October ...	4.9	.0	.0	11.8	13.7	10.9	4.0	11.4	10.9	7.6	10.8	12.1	7.6	12.3	.0	8.2	8.6	11.2	7.5	8.1	9.1	10.1
November6	.0	.0	2.9	11.2	8.8	4.0	9.1	8.8	5.8	9.6	6.1	8.6	9.2	.0	7.0	8.0	7.4	7.3	8.1	8.1	8.7
December6	.0	.0	5.9	8.4	6.3	4.0	6.8	9.9	8.0	9.1	9.1	9.5	10.8	.0	7.0	8.1	5.9	7.8	9.6	8.2	8.1
TOTAL ...	100.0	100.0	100.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXII.

TABLE showing the RATIO in which the EUROPEAN ARMY of SOUTHERN INDIA has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scoury.	Atrophy and Anæmia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	45,061	62.3	1.38	1.31	.07	.00	.17	.00	.11	.00	.00	.07	.00	.40	.02	.00	.13	.17	.00	.00	.00	.13	.00	.11
February ...	45,534	64.1	1.27	1.20	.07	.00	.15	.00	.07	.00	.02	.18	.00	.18	.00	.04	.15	.10	.00	.00	.00	.07	.00	.24
March ...	48,475	55.4	.93	.83	.10	.00	.06	.00	.02	.06	.00	.06	.00	.15	.00	.06	.15	.06	.00	.00	.00	.17	.00	.04
April ...	48,461	55.9	.99	.93	.06	.00	.17	.00	.04	.21	.02	.06	.02	.10	.00	.00	.13	.02	.0	.00	.00	.10	.00	.06
May ...	47,514	58.5	1.30	1.28	.02	.00	.02	.02	.04	.44	.06	.15	.00	.13	.00	.00	.08	.04	.0	.00	.00	.15	.00	.15
June ...	47,390	60.1	1.24	1.11	.13	.00	.13	.00	.06	.15	.02	.13	.00	.21	.00	.02	.06	.10	.00	.00	.00	.10	.02	.10
July ...	47,430	63.2	1.29	1.14	.15	.02	.17	.00	.04	.11	.02	.04	.00	.30	.00	.06	.08	.02	.00	.00	.00	.15	.00	.13
August ...	47,560	63.8	1.07	1.05	.02	.00	.06	.00	.04	.04	.02	.15	.00	.21	.00	.00	.13	.04	.00	.00	.00	.09	.06	.21
September	47,297	64.2	.93	.91	.02	.00	.11	.00	.02	.00	.02	.06	.02	.19	.00	.00	.09	.06	.00	.00	.00	.21	.00	.13
October ...	46,528	64.1	1.10	1.08	.02	.00	.09	.00	.02	.04	.02	.20	.00	.22	.00	.04	.09	.11	.04	.00	.00	.04	.02	.15
November	46,283	64.6	.80	.76	.04	.00	.00	.00	.00	.02	.00	.11	.00	.22	.00	.00	.09	.11	.00	.00	.00	.06	.00	.06
December	44,635	62.1	1.41	1.34	.07	.00	.14	.00	.04	.02	.02	.09	.00	.20	.00	.04	.25	.09	.00	.00	.00	.16	.00	.29
TOTAL ...	46,847	61.5	1.370	1.293	.77	.02	1.26	.62	1.11	.23	1.28	.04	2.48	.02	.28	1.41	.94	.04	.00	.00	1.43	.11	1.66	

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Admission-rate of each Month from all Causes per 1,000 of Strength.			
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scoury.	Rheumatism.	Venereal diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
					Intermittent.	Remittent and Continued.																
January ...	2.3	.1	.1	.7	6.2	7.7	.1	.5	4.8	3.8	5.6	.1	3.4	.9	.0	3.2	18.7	.8	8.8	7.9	17.6	93.3
February	2	.1	.0	.4	15.6	7.2	.1	.3	4.2	3.7	4.8	.2	4.4	.7	.0	2.9	16.4	.9	9.7	8.8	15.3	95.9
March ...	7	.2	.1	.3	12.1	10.7	.2	.3	3.3	4.9	4.5	.3	4.8	.6	.0	3.6	17.9	1.0	8.6	9.4	17.1	100.6
April ...	6	.1	.1	.4	9.8	13.3	.3	.3	4.3	4.6	4.3	.4	5.3	.5	.0	3.9	18.3	1.1	11.9	9.2	19.7	108.4
May ...	16	.1	.0	.3	10.5	11.7	1.3	.4	4.5	3.8	4.3	.3	4.9	.6	.0	3.7	16.4	1.3	12.3	8.0	20.1	106.1
June ...	11	.1	.0	.3	10.5	11.9	.3	.4	5.3	5.1	4.6	.3	4.2	.9	.0	4.3	15.9	1.8	12.5	8.7	19.1	107.3
July ...	2.6	.2	.0	.4	10.2	13.5	.2	.5	7.1	6.0	5.1	.3	4.7	.9	.0	3.9	18.5	2.8	10.9	8.4	21.4	117.6
August ...	1.2	.0	.0	.3	8.8	11.2	.1	.5	6.4	4.4	5.4	.2	4.2	.9	.0	4.7	17.6	2.2	9.3	8.5	20.3	106.2
September	1.5	.1	.0	.4	7.3	11.3	.1	.3	4.9	3.3	5.2	.2	3.7	.7	.0	3.7	19.7	1.9	8.8	7.4	17.6	98.1
October	8	.0	.0	.1	7.2	12.0	.1	.4	4.9	3.0	5.3	.2	4.4	1.1	.0	4.0	18.0	2.0	9.8	8.5	19.7	101.6
November	1	.1	.0	.1	8.4	11.4	.0	.4	4.4	3.8	5.4	.2	4.3	1.0	.0	3.3	19.4	1.9	8.6	8.1	17.3	98.2
December	2	.1	.0	.4	9.1	11.1	.1	.3	5.5	4.4	5.6	.2	3.9	1.2	.0	2.9	18.7	1.3	8.0	10.4	17.5	100.9
TOTAL ...	12.9	1.2	.4	4.0	115.8	133.3	2.7	4.6	59.7	50.8	60.1	2.9	52.3	9.8	.1	44.3	215.6	18.9	119.7	103.1	223.1	1235.3

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXIII.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of SOUTHERN INDIA to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																				
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anæmia.	All other Causes.	Wounds and Accidents.	Suicidal Deaths and other Deaths out of Hospital.	
								Intermittent.	Remittent and Continued.																
January ...	45,061	8.4	10.07	10.12	9.09	.00	13.39	.00	18.65	.00	.00	5.38	.00	15.94	100.00	.00	9.09	18.48	.00	.00	.00	9.09	.00	6.59	
February ...	45,534	8.7	9.26	9.27	9.09	.00	11.81	.00	11.86	.00	9.09	13.84	.00	7.17	.00	15.38	10.49	10.87	.00	.00	.00	4.90	.00	14.37	
March ...	48,475	7.5	6.78	6.41	12.99	.00	4.72	.00	3.39	5.51	.00	4.62	.00	5.98	.00	23.08	10.49	6.52	.00	.00	.00	11.89	.00	2.40	
April ...	48,461	7.6	7.22	7.19	7.79	.00	13.39	.00	6.78	19.27	9.09	4.62	50.00	3.98	.00	.00	9.09	2.17	.00	.00	.00	6.99	.00	3.59	
May ...	47,514	7.9	9.48	9.89	2.60	.00	1.57	100.00	6.78	40.37	27.28	11.54	.00	5.18	.00	.00	5.60	4.35	.00	.00	.00	10.49	.00	8.98	
June ...	47,390	8.1	9.05	8.58	16.88	.00	10.24	.00	10.17	13.76	9.09	10.00	.00	8.37	.00	7.70	4.20	10.87	.00	.00	.00	6.99	20.00	5.99	
July ...	47,430	8.6	9.41	8.81	19.48	100.00	13.39	.00	6.78	10.09	9.09	3.08	.00	11.95	.00	23.08	5.60	2.17	.00	.00	.00	10.49	.00	7.78	
August ...	47,560	8.6	7.81	8.12	2.60	.00	4.72	.00	6.78	3.67	9.09	11.54	.00	8.37	.00	.00	9.09	4.35	.00	.00	.00	6.29	60.00	12.58	
September...	47,297	8.7	6.78	7.03	2.60	.00	8.66	.00	3.39	.00	9.09	4.62	50.00	7.57	.00	.00	6.29	6.52	.00	.00	.00	14.69	.00	7.78	
October ...	46,528	8.7	8.02	8.35	2.60	.00	7.09	.00	3.39	3.67	9.09	15.38	.00	8.76	.00	15.38	6.29	11.96	100.00	.00	.00	2.80	20.00	8.98	
November...	46,283	8.8	5.84	5.87	5.19	.00	.00	.00	15.25	1.83	.00	8.46	.00	8.76	.00	.00	6.29	11.96	.00	.00	.00	4.19	.00	3.59	
December...	44,635	8.4	10.28	10.36	9.09	.00	11.02	.00	6.78	1.83	9.09	6.92	.00	7.97	.00	15.38	17.48	9.78	.00	.00	.00	11.19	.00	17.37	
TOTAL ...	46,847	100.0	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	00.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	.00	.00	100.00	100.00	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																					
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.	Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	All Causes.
					Intermittent.	Remittent and Continued.																
January ...	17.8	8.3	33.3	17.0	5.4	5.8	3.4	10.9	8.1	7.5	9.3	3.5	6.5	9.0	.0	7.3	8.7	4.2	7.4	7.6	7.9	7.6
February ...	1.6	8.3	.0	9.8	13.5	5.4	3.4	6.5	7.1	7.3	8.0	6.9	8.4	7.0	.0	6.6	7.6	4.8	8.1	8.5	6.9	7.8
March ...	5.4	16.8	33.3	7.3	10.5	8.0	7.0	6.5	5.5	9.6	7.5	10.3	9.2	6.0	.0	8.1	8.3	5.3	7.2	9.1	7.7	8.1
April ...	4.7	8.3	33.3	9.8	8.5	10.0	10.4	6.5	7.2	9.0	7.1	13.9	10.2	5.0	.0	8.8	8.5	5.8	10.0	8.8	8.8	8.8
May ...	12.4	8.3	.0	7.3	9.1	8.8	44.8	8.7	7.6	7.5	7.1	10.3	9.4	6.0	.0	8.4	7.6	6.8	10.3	7.8	9.0	8.6
June ...	8.5	8.3	.0	7.3	9.1	9.0	10.4	8.7	8.9	10.0	7.7	10.3	8.0	9.0	.0	9.8	7.4	9.5	10.5	8.5	8.6	8.7
July ...	20.1	16.8	.0	9.8	8.8	10.2	7.0	10.9	11.9	11.8	8.5	10.3	9.0	9.0	.0	8.8	8.6	14.7	9.1	8.2	9.6	9.5
August ...	9.3	.0	.0	7.3	7.6	8.4	3.4	10.9	10.7	8.7	9.0	6.9	8.0	9.0	.0	10.6	8.1	11.6	7.8	8.2	9.1	8.6
September ...	11.6	8.3	.0	9.8	6.3	8.5	3.4	6.5	8.2	6.5	8.7	6.9	7.1	7.0	.0	8.4	9.1	10.0	7.4	7.1	7.9	7.9
October ...	6.2	.0	.0	2.4	6.2	9.0	3.4	8.7	8.2	5.9	8.8	6.9	8.4	11.0	.0	9.1	8.4	10.5	8.3	8.3	8.8	8.2
November8	8.3	.0	2.4	7.2	8.6	.0	8.7	7.4	7.5	9.0	6.9	8.3	10.0	.0	7.5	9.0	10.0	7.2	7.9	7.8	8.0
December ...	1.6	8.3	.0	9.8	7.8	8.3	3.4	6.5	9.2	8.7	9.3	6.9	7.5	12.0	.0	6.6	8.7	6.8	6.7	10.0	7.9	8.2
TOTAL ...	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	.0	100.0	100.00	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXIV.

TABLE showing the RATIO in which the EUROPEAN ARMY of BURMAH and PEGU has been affected by the CHIEF CAUSES of SICKNESS and MORTALITY in each MONTH of the YEAR.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate per 1,000 of Strength.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH		DEATH-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Suicidal Deaths and other Deaths out of Hospital.	
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anemia.	All other Causes.		Wounds and Accidents.
								Intermittent.	Remittent and Continued.															
January ...	19,347	39.6	.93	.93	.00	.00	.05	.00	.05	.10	.00	.31	.00	.16	.00	.00	.00	.00	.00	.00	.00	.10	.00	.16
February ...	18,873	41.7	.95	.95	.00	.00	.11	.00	.05	.00	.00	.11	.00	.16	.00	.00	.05	.00	.00	.00	.00	.00	.16	.05
March ...	20,353	39.7	.64	.64	.00	.00	.00	.00	.05	.05	.05	.05	.00	.05	.00	.05	.05	.05	.00	.00	.00	.00	.00	.05
April ...	21,114	41.3	2.46	1.09	1.37	.00	.00	.00	.00	.24	.14	.19	.00	.19	.00	.00	.14	.00	.00	.00	.00	.00	.00	.00
May ...	21,614	45.0	1.39	1.30	.09	.00	.05	.00	.05	.55	.00	.09	.00	.14	.00	.00	.05	.00	.00	.00	.00	.00	.14	.00
June ...	21,321	51.8	1.31	.89	.42	.00	.00	.00	.05	.05	.05	.18	.00	.28	.00	.00	.00	.05	.00	.00	.00	.00	.14	.00
July ...	21,139	54.9	2.70	1.66	1.04	.00	.19	.00	.09	.19	.00	.38	.00	.09	.00	.00	.24	.15	.00	.00	.00	.00	.09	.00
August ...	20,851	54.0	1.34	1.10	.24	.00	.10	.00	.00	.14	.00	.28	.00	.14	.00	.00	.10	.05	.00	.00	.00	.00	.10	.00
September...	20,553	50.8	1.90	1.56	.34	.00	.00	.00	.00	.19	.00	.44	.00	.34	.00	.00	.25	.10	.00	.00	.00	.00	.05	.00
October ...	20,415	43.4	1.32	1.27	.05	.05	.00	.00	.05	.00	.09	.20	.00	.34	.00	.00	.20	.05	.00	.00	.00	.00	.20	.00
November...	20,014	46.5	1.05	1.05	.00	.00	.00	.00	.00	.05	.00	.10	.00	.30	.00	.00	.10	.05	.00	.00	.00	.00	.10	.05
December...	20,359	42.1	1.18	1.18	.00	.00	.10	.00	.00	.00	.00	.29	.00	.00	.00	.05	.10	.05	.00	.00	.00	.05	.05	.05
TOTAL ...	20,406	46.4	17.32	13.66	3.66	.05	.58	.39	1.61	.34	2.63	.00	2.20	.00	.10	1.27	.54	.00	.00	.00	.05	1.12	.19	2.59

MONTH.	ADMISSION-RATE PER 1,000 OF STRENGTH IN EACH MONTH.																		Admission-rate of each Month from all Causes per 1,000 of Strength.			
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhoea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phthisis Pulmonalis.	Scurvy.	Rheumatism.	Venereal diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.
					Intermittent.	Remittent and Continued.																
January0	.0	.0	.2	3.6	5.8	.1	.2	8.5	3.4	6.5	.0	5.5	.4	.0	2.7	13.9	1.0	6.7	7.2	13.2	78.9
February0	.0	.0	.2	4.8	5.5	.1	.4	6.1	3.9	5.2	.2	3.7	.3	.0	3.5	11.6	.8	6.8	8.6	12.9	74.6
March0	.0	.1	.1	2.6	5.7	.1	.7	4.3	4.0	4.8	.1	4.0	.6	.1	3.4	12.8	.9	7.7	10.0	13.9	75.9
April9	2.0	.1	.0	2.8	7.3	.6	.7	4.0	4.2	4.6	.0	3.7	.5	.0	2.8	15.2	.6	8.7	9.0	18.5	86.2
May ...	5.8	.1	.0	.1	3.7	9.3	1.2	.6	6.8	7.2	6.3	.0	3.1	.3	.0	3.8	9.7	.6	9.0	8.2	21.4	97.2
June ...	5.5	.7	.0	.0	7.9	10.1	.2	.3	10.2	9.6	6.6	.0	3.6	.5	.0	4.0	10.7	1.1	8.8	8.3	22.1	110.2
July ...	3.8	1.9	.0	.5	7.1	10.5	.1	.5	13.3	13.0	8.2	.1	3.9	.6	.0	4.4	10.4	.9	9.6	7.9	22.6	119.3
August ...	3.9	.2	.0	.2	5.9	8.7	.3	.6	10.1	7.2	7.5	.0	3.6	.5	.0	2.8	8.2	.9	8.7	8.0	22.3	99.6
September ...	3.1	.5	.0	.1	5.1	8.1	.3	.3	8.7	4.9	8.2	.0	4.6	.4	.0	3.7	8.1	.7	7.0	8.3	21.4	93.5
October5	.1	.1	.0	5.0	9.4	.2	.4	6.0	4.1	6.5	.2	6.0	.6	.1	4.5	8.4	1.1	7.0	7.1	19.8	87.1
November4	.0	.0	.1	4.2	9.0	.1	.5	5.6	3.3	5.4	.1	4.4	.6	.1	3.7	10.0	1.0	5.4	8.2	18.5	80.6
December1	.0	.0	.1	13.9	6.5	.1	.4	6.3	4.3	4.3	.1	5.1	.4	.1	2.3	7.9	.8	6.2	11.1	14.0	84.0
TOTAL ...	24.8	5.8	.3	1.7	66.4	96.5	3.5	5.7	90.2	70.0	74.2	.8	51.0	5.6	.5	41.7	126.9	10.5	91.9	101.8	221.8	1,091.6

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXV.

TABLE showing in PERCENTAGES the relative LIABILITY in each MONTH of the YEAR of the EUROPEAN ARMY of BURMAH and PEGU to the CHIEF CAUSES of SICKNESS and MORTALITY.

MONTH.	Aggregate Strength of the Ten Years, 1870-79.	Daily Sick-rate of each Month per cent. of the Total for the Year.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.		DIED IN EACH MONTH PER CENT. OF TOTAL DEATH-RATE.																		Suicidal Deaths and other Deaths out of Hospital.			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	OTHER FEVERS.		Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Heart diseases.	Phtthisis Pulmonalis.	Dropsy.	Scurvy.	Atrophy and Anamia.	All other Causes.		Wounds and Accidents.		
								Intermittent.	Remittent and Continued.																	
January ...	19,347	7.1	5.42	6.83	.00	.00	8.33	.00	12.82	6.41	.00	11.83	.00	7.31	.00	.00	.00	.00	.00	.00	.00	.00	.00	8.85	.00	6.23
February ...	18,873	7.5	5.53	6.97	.00	.00	18.33	.00	12.82	.00	.00	4.20	.00	7.31	.00	.00	3.91	.00	.00	.00	.00	.00	.00	14.16	25.00	10.12
March ...	20,353	7.1	3.73	4.70	.00	.00	.00	.00	12.82	3.21	15.15	1.91	.00	2.28	.00	50.00	3.91	9.09	.00	.00	.00	.00	.00	.00	25.00	7.39
April ...	21,114	7.4	14.32	8.00	38.59	.00	.00	.00	.00	15.38	42.43	7.25	.00	8.68	.00	.00	10.94	.00	.00	.00	.00	.00	.00	.00	.00	7.39
May ...	21,614	8.1	8.10	9.55	2.54	.00	8.33	.00	12.82	35.25	.00	3.44	.00	6.39	.00	.00	3.91	.00	.00	.00	.00	.00	.00	12.39	.00	8.95
June ...	21,321	9.3	7.63	6.53	11.83	.00	.00	.00	12.82	3.21	15.15	6.87	.00	12.79	.00	.00	.00	9.09	.00	.00	.00	.00	.00	12.39	.00	3.50
July ...	21,139	9.9	15.72	12.19	29.29	.00	31.67	.00	23.08	12.18	.00	14.50	.00	4.11	.00	.00	18.75	27.28	.00	.00	.00	.00	.00	7.97	.00	9.34
August ...	20,851	9.7	7.80	8.08	6.76	.00	16.67	.00	.00	8.97	.00	10.69	.00	6.39	.00	.00	7.81	9.09	.00	.00	.00	.00	.00	8.85	.00	7.39
September...	20,553	9.2	11.07	11.45	9.58	.00	.00	.00	.00	12.18	.00	16.79	.00	15.52	.00	.00	19.53	18.18	.00	.00	.00	.00	.00	4.42	.00	7.39
October ...	20,415	8.7	7.69	9.33	1.41	100.00	.00	.00	12.82	.00	27.27	7.63	.00	15.52	.00	.00	15.62	9.09	.00	.00	.00	.00	.00	17.70	.00	3.50
November...	20,014	8.4	6.12	7.71	.00	.00	.00	.00	.00	3.21	.00	3.82	.00	13.70	.00	.00	7.81	9.09	.00	.00	.00	.00	.00	8.85	25.00	11.67
December...	20,359	7.6	6.87	8.66	.00	.00	16.67	.00	.00	.00	.00	11.07	.00	.00	.00	50.00	7.81	9.09	.00	.00	.00	100.00	4.42	25.00	17.13	
TOTAL ...	20,496	100.0	100.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	100.00	.00	100.00	100.00	100.00	100.00	100.00	.00	.00	100.00	100.00	100.00	100.00	100.00	100.00

MONTH.	ADMITTED IN EACH MONTH PER CENT. OF TOTAL ADMISSION-RATE.																		All Causes.				
	Dengue.	Cholera.	Smallpox.	Enteric Fever.	Intermittent.	Remittent and Continued.	Apoplexy.	Delirium Tremens.	Dysentery.	Diarrhea.	Hepatitis.	Spleen disease.	Respiratory diseases.	Phtthisis Pulmonalis.	Scurvy.	Rheumatism.	Veneral diseases.	Eye diseases.		Abscess and Ulcer.	Wounds and Accidents.	All other Causes.	
January	.0	.0	.0	12.5	5.4	6.1	2.9	3.7	[9.5	4.9	8.8	.0	10.8	7.0	.0	6.5	11.0	9.6	7.3	7.1	6.0	7.3	
February	.0	.0	.0	12.5	7.2	5.7	2.9	7.1	6.8	5.6	7.0	25.0	7.2	5.3	.0	8.4	9.1	7.7	7.4	8.4	5.9	6.9	
March	.0	.0	33.3	6.3	3.9	5.9	2.9	12.5	4.8	5.8	6.5	12.5	7.8	10.5	25.0	8.2	10.1	8.7	8.4	9.8	6.3	7.0	
April	.0	3.7	36.4	33.3	.0	4.2	7.6	17.7	12.5	4.4	6.1	6.2	.0	7.2	8.8	.0	6.7	12.0	5.8	9.5	8.9	8.4	7.9
May	.0	24.2	1.8	.0	6.3	5.6	9.7	35.3	10.7	7.6	10.4	8.5	.0	6.1	5.3	.0	9.2	7.6	5.8	9.8	8.0	9.7	8.9
June	.0	22.9	12.7	.0	.0	11.9	10.5	6.0	5.4	11.3	13.9	8.8	.0	7.0	8.8	.0	9.6	8.4	10.5	9.6	8.1	10.0	10.1
July	.0	15.8	34.6	.0	31.2	10.7	11.0	2.9	8.9	14.8	18.8	11.1	12.5	7.6	10.5	.0	10.6	8.2	8.7	10.6	7.8	10.2	11.0
August	.0	16.3	3.6	.0	12.5	8.8	9.1	8.8	10.7	11.2	10.4	10.1	.0	7.0	8.8	.0	6.7	6.5	8.7	9.5	7.9	10.1	9.2
September	.0	12.9	9.1	.0	6.3	7.6	8.4	8.8	5.4	9.7	7.1	11.1	.0	9.0	7.0	.0	8.9	6.4	6.7	7.6	8.1	9.7	8.6
October	.0	2.1	1.8	33.3	.0	7.5	9.8	6.0	7.1	6.7	6.0	8.8	25.0	11.7	10.5	25.0	10.8	6.6	10.5	7.6	7.0	9.0	8.0
November	.0	1.7	.0	.0	6.3	6.3	9.4	2.9	8.9	6.2	4.8	7.3	12.5	8.6	10.5	25.0	8.9	7.9	9.6	5.9	8.0	8.4	7.4
December	.0	.4	.0	.0	6.3	20.9	6.8	2.9	7.1	7.0	6.2	5.8	12.5	10.0	7.0	25.0	5.5	6.2	7.7	6.8	10.9	6.3	7.7
TOTAL	100.0	100.0	99.9	100.2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PRESIDENCIES the LIABILITY in each MONTH

A.—DAILY SICK RATE AND ADMISSION-RATES FOR THE CHIEF DISEASES.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.	PRESIDENCIES.	RATIO PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DAILY SICK-RATE (All Causes).	Army of Bengal	54.2	53.9	52.0	54.0	59.5	62.4	64.4	67.5	70.9	69.9	64.2	57.8	60.9
	Army of Madras	59.4	59.8	53.0	54.1	56.7	56.9	62.7	65.2	65.9	65.3	62.0	58.8	60.2
	Army of Bombay	52.8	50.2	49.9	50.3	53.0	55.3	58.5	62.0	66.9	69.4	64.4	55.7	57.4
	Army of India	55.0	54.4	51.8	53.3	57.8	60.6	63.0	66.0	69.3	69.0	63.8	57.7	60.1
ADMISSION-RATE (All Causes).	Army of Bengal	101.5	90.4	98.1	117.8	128.4	122.2	139.3	145.4	169.0	164.0	137.7	117.8	1,522.0
	Army of Madras	98.5	95.0	98.1	104.5	106.7	108.5	122.4	114.9	109.4	111.7	96.8	97.6	1,261.4
	Army of Bombay	102.7	91.7	104.4	115.5	117.2	121.4	141.4	144.0	151.9	170.4	144.4	124.1	1,533.5
	Army of India	101.2	91.5	99.2	114.9	122.2	119.4	136.4	139.3	149.3	155.2	131.1	115.1	1,474.8
CHOLEBA	Army of Bengal	0	0	0	2	6	1.1	7	1.5	1.1	5	1	0	5.9
	Army of Madras	1	1	1	6	7	3	6	2	2	1	1	1	2.9
	Army of Bombay	0	0	0	1	2	2	3	8	2	1	1	0	2.1
	Army of India	0	0	0	3	5	8	6	1.1	8	3	1	0	4.7
SMALLPOX	Army of Bengal	1	1	1	2	1	1	0	0	0	0	0	1	8
	Army of Madras	1	0	1	1	1	0	0	0	0	0	0	0	5
	Army of Bombay	1	1	1	2	1	0	0	0	0	0	0	0	6
	Army of India	1	1	1	2	1	0	0	0	0	0	0	1	7
ENTERIC FEVER	Army of Bengal	3	2	3	6	9	6	5	5	7	4	2	3	5.3
	Army of Madras	4	3	2	3	3	2	4	4	6	2	1	3	3.9
	Army of Bombay	2	2	2	3	2	1	1	3	6	4	2	2	3.1
	Army of India	3	2	2	5	7	4	4	5	6	3	2	3	4.6
INTERMITTENT FEVER	Army of Bengal	23.3	16.6	15.8	21.3	27.3	27.9	32.6	39.3	55.3	66.2	59.0	39.7	425.4
	Army of Madras	7.8	11.4	8.9	8.6	9.8	12.1	13.3	13.5	15.2	15.8	11.6	12.0	140.2
	Army of Bombay	30.6	21.7	23.2	25.3	30.7	35.7	45.3	52.3	68.9	82.0	65.5	46.8	528.5
	Army of India	21.7	16.5	15.8	19.6	24.5	26.3	31.1	36.7	50.0	60.7	51.2	35.7	339.4
REMITTENT AND CONTINUED FEVERS.	Army of Bengal	4.2	4.4	7.0	15.0	22.2	21.1	22.5	21.7	25.2	20.7	11.5	6.4	181.9
	Army of Madras	7.2	7.1	9.5	11.7	12.3	12.3	12.6	11.0	11.5	12.2	10.1	8.7	126.3
	Army of Bombay	4.1	4.6	8.4	11.0	12.0	13.3	12.0	13.3	15.2	16.7	12.0	8.3	131.4
	Army of India	4.8	5.0	7.7	13.6	18.4	18.0	18.7	18.1	20.7	18.4	11.3	7.2	162.2
APOPLEXY	Army of Bengal	0	0	1	2	4	1.3	1.1	4	3	1	1	0	4.0
	Army of Madras	1	1	2	4	1.1	6	1	1	1	1	1	1	3.3
	Army of Bombay	1	1	1	3	6	1.6	4	1	3	2	1	1	4.2
	Army of India	1	1	1	3	6	1.2	8	3	2	1	1	0	3.9
DELIRIUM TREMENS	Army of Bengal	2	2	2	2	3	2	3	3	4	3	2	2	3.0
	Army of Madras	5	3	4	4	3	4	5	4	4	4	4	3	4.6
	Army of Bombay	4	2	3	4	4	3	5	7	5	5	3	3	4.7
	Army of India	3	2	3	3	3	3	4	4	4	4	2	2	3.6
DYSENTERY	Army of Bengal	2.2	1.6	1.9	2.8	2.8	2.3	2.6	3.7	3.9	3.6	3.0	2.8	33.1
	Army of Madras	6.7	5.5	4.4	4.7	5.1	6.2	8.4	8.8	8.1	7.0	5.8	6.3	76.9
	Army of Bombay	2.0	1.7	1.8	1.8	1.4	1.6	2.9	3.7	3.0	2.6	2.3	2.6	27.6
	Army of India	3.0	2.4	2.4	3.0	3.0	2.9	3.8	4.7	4.5	4.0	3.4	3.4	40.4
DIARRHŒA	Army of Bengal	3.1	2.7	3.8	6.1	5.5	4.6	7.7	9.4	6.7	4.5	3.9	4.3	62.4
	Army of Madras	4.3	4.2	4.7	5.0	5.2	6.2	9.6	7.8	5.1	4.2	3.9	4.6	64.8
	Army of Bombay	3.7	3.0	3.6	4.7	4.2	4.8	8.1	8.7	5.5	5.0	4.7	4.7	60.8
	Army of India	3.4	3.0	3.9	5.6	5.2	4.9	8.1	9.0	6.2	4.6	4.1	4.5	62.6
HEPATITIS	Army of Bengal	2.8	2.9	3.1	3.5	4.1	4.6	5.0	5.0	5.0	4.5	3.5	3.1	47.1
	Army of Madras	6.3	5.3	4.6	4.6	5.1	5.1	6.2	6.1	6.4	6.4	5.8	5.4	67.2
	Army of Bombay	3.2	2.8	3.3	3.3	3.5	3.4	3.8	3.5	3.8	3.7	3.5	3.1	49.9
	Army of India	3.5	3.3	3.4	3.7	4.2	4.5	5.0	5.0	5.0	4.7	3.9	3.5	49.8
RESPIRATORY DISEASES.	Army of Bengal	10.3	8.8	7.7	7.3	7.0	5.2	5.3	5.3	4.9	5.6	7.0	9.9	81.1
	Army of Madras	5.6	5.2	5.3	5.0	4.8	4.0	4.6	4.5	4.2	5.1	4.6	4.6	57.4
	Army of Bombay	7.7	6.8	6.1	5.3	4.6	4.5	4.4	4.1	3.7	4.3	5.7	7.0	63.9
	Army of India	8.9	7.8	6.9	6.5	6.2	4.8	5.0	4.9	4.6	5.2	6.3	8.4	75.4
PHTHISIS PULMONALIS.	Army of Bengal	6	4	5	5	5	6	8	8	8	9	1.0	7	8.2
	Army of Madras	9	7	7	5	6	7	8	9	7	9	9	1.0	9.3
	Army of Bombay	7	7	6	3	6	7	8	7	7	8	6	7	7.7
	Army of India	7	5	6	5	6	7	8	8	8	9	9	8	8.3
RHEUMATISM	Army of Bengal	5.6	5.2	5.4	5.3	5.3	5.2	5.7	5.5	5.0	4.8	4.4	4.6	62.0
	Army of Madras	3.6	3.6	3.6	3.6	3.6	4.1	4.9	4.2	4.1	4.4	3.6	3.2	46.4
	Army of Bombay	3.8	4.1	4.4	4.6	4.7	4.3	4.9	4.5	4.1	3.8	3.3	3.2	49.5
	Army of India	4.9	4.7	4.9	4.8	4.8	4.8	5.4	5.0	4.7	4.5	4.1	4.1	56.8
EYE DISEASES	Army of Bengal	1.3	1.3	1.8	2.2	2.1	1.6	1.7	2.1	1.9	1.7	1.1	1.2	20.1
	Army of Madras	1.0	9	1.2	1.1	1.2	1.6	2.1	2.1	1.6	1.9	1.6	1.3	17.4
	Army of Bombay	1.4	1.4	2.0	2.1	2.0	1.7	1.6	1.9	2.1	1.9	1.6	1.2	21.0
	Army of India	1.3	1.3	1.7	2.0	1.9	1.6	1.8	2.1	1.9	1.8	1.4	1.2	19.8
ALL OTHER CAUSES.	Army of Bengal	47.5	46.0	50.4	52.4	49.3	45.8	52.8	49.9	48.8	48.2	42.7	44.5	578.7
	Army of Madras	53.9	50.3	54.2	57.9	56.4	54.7	53.3	51.9	51.2	53.0	48.2	49.7	613.3
	Army of Bombay	44.7	44.3	50.3	55.8	52.0	49.2	55.9	49.1	46.3	48.4	44.5	45.9	587.5
	Army of India	48.2	46.4	51.2	54.0	51.2	48.2	51.5	50.7	48.9	49.3	43.9	45.7	592.6

OF DISEASE, 1870-79.

XVI.

of the EUROPEAN ARMY to the CHIEF CAUSES of SICKNESS.

B.—MONTHLY PERCENTAGE OF THE ANNUAL SICK-RATE AND ADMISSION-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.	PRESIDENCIES.	MONTHLY PERCENTAGE OF TOTAL TREATED DURING THE YEAR.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DAILY SICK-RATE (All Causes).	Army of Bengal	7.4	7.4	7.1	7.4	8.2	8.5	8.8	9.2	9.7	9.6	8.8	7.9	100.0
	Army of Madras	8.3	8.3	7.4	7.5	7.9	7.9	8.7	9.0	9.2	9.0	8.6	8.2	100.0
	Army of Bombay	7.7	7.3	7.2	7.3	7.7	8.0	8.5	9.0	9.7	10.1	9.4	8.1	100.0
	Army of India	7.6	7.5	7.2	7.4	8.0	8.4	8.7	9.2	9.6	9.6	8.8	8.0	100.0
ADMISSION-RATE (All Causes).	Army of Bengal	6.7	5.9	6.4	7.7	8.4	8.0	9.2	9.6	10.5	10.8	9.1	7.7	100.0
	Army of Madras	7.8	7.5	7.8	8.2	8.4	8.6	9.7	9.1	8.7	8.8	7.7	7.7	100.0
	Army of Bombay	6.7	6.0	6.8	7.6	7.7	7.9	9.2	9.4	10.1	11.1	9.4	8.1	100.0
	Army of India	6.9	6.2	6.7	7.8	8.3	8.1	9.3	9.4	10.1	10.5	8.9	7.8	100.0
CHOLERA	Army of Bengal	0	0	0	3.4	10.3	19.0	12.1	25.9	19.0	8.6	1.7	0	100.0
	Army of Madras	3.1	3.1	3.1	18.8	22.0	9.4	18.8	6.2	6.2	3.1	3.1	3.1	100.0
	Army of Bombay	0	0	0	5.0	10.0	10.0	15.0	40.0	10.0	5.0	5.0	0	100.0
	Army of India	0	0	0	6.7	11.1	17.8	13.3	21.4	17.8	6.7	2.2	0	100.0
SMALLPOX	Army of Bengal	12.5	12.5	12.5	25.0	12.5	12.5	0	0	0	0	0	12.5	100.0
	Army of Madras	25.0	0	25.0	25.0	25.0	0	0	0	0	0	0	0	100.0
	Army of Bombay	16.7	16.7	16.7	33.2	16.7	0	0	0	0	0	0	0	100.0
	Army of India	14.3	14.3	14.3	28.5	14.3	0	0	0	0	0	0	14.3	100.0
ENTERIC FEVER	Army of Bengal	5.5	3.6	5.5	10.9	16.3	10.9	9.1	9.1	12.7	7.3	3.6	5.5	100.0
	Army of Madras	10.8	8.1	5.4	8.1	8.1	5.4	10.8	10.8	10.3	5.4	2.7	8.1	100.0
	Army of Bombay	6.7	6.7	6.7	10.0	6.7	3.3	3.3	10.0	19.9	13.3	6.7	6.7	100.0
	Army of India	6.5	4.3	4.3	10.9	15.3	8.7	8.7	10.9	13.1	6.5	4.3	6.5	100.0
INTERMITTENT FEVER	Army of Bengal	5.5	3.9	3.7	5.0	6.4	6.5	7.6	9.2	13.0	16.0	13.9	9.3	100.0
	Army of Madras	5.6	8.1	6.4	6.1	7.0	8.6	9.5	9.6	10.9	11.3	8.3	8.6	100.0
	Army of Bombay	5.8	4.1	4.4	4.8	5.8	6.8	8.6	9.9	13.0	15.5	12.4	8.9	100.0
	Army of India	5.6	4.2	4.1	5.0	6.3	6.7	8.0	9.4	12.8	15.6	13.1	9.2	100.0
REMITTENT AND CONTINUED FEVERS.	Army of Bengal	2.3	2.4	3.8	8.3	12.2	11.6	12.4	11.9	13.9	11.4	6.3	3.5	100.0
	Army of Madras	5.7	5.6	7.5	9.3	9.7	9.7	10.0	8.7	9.2	9.7	8.0	6.9	100.0
	Army of Bombay	3.1	3.5	6.4	8.4	9.2	10.2	9.2	10.2	11.6	12.7	9.2	6.3	100.0
	Army of India	3.0	3.1	4.8	8.4	11.3	11.1	11.6	11.2	12.8	11.3	7.0	4.4	100.0
APOPLEXY	Army of Bengal	0	0	2.5	5.0	10.0	32.5	27.5	10.0	7.5	2.5	2.5	0	100.0
	Army of Madras	3.1	3.1	6.3	12.5	37.6	18.8	3.1	3.1	3.1	3.1	3.1	3.1	100.0
	Army of Bombay	2.5	2.5	2.5	7.5	15.0	40.0	10.0	2.5	7.5	5.0	2.5	2.5	100.0
	Army of India	2.6	2.6	2.6	7.7	15.4	30.7	20.4	7.7	5.1	2.6	2.6	0	100.0
DELIRIUM TREMENS	Army of Bengal	6.7	6.7	6.7	6.7	10.0	6.7	10.0	10.0	13.3	10.0	6.7	6.7	100.2
	Army of Madras	10.6	6.4	8.5	8.5	6.4	8.5	10.6	8.5	8.5	8.5	8.5	6.4	99.9
	Army of Bombay	8.4	4.2	6.2	8.4	8.4	6.2	10.4	14.6	10.4	10.4	6.2	6.2	100.0
	Army of India	8.1	5.4	8.1	8.1	8.1	8.1	10.8	10.8	10.8	10.8	5.4	5.4	99.9
DYSENTERY	Army of Bengal	6.6	4.8	5.7	8.4	8.4	6.9	7.9	11.2	11.8	10.9	9.0	8.4	100.0
	Army of Madras	8.7	7.2	5.7	6.1	6.6	8.1	10.9	11.4	10.5	9.1	7.5	8.2	100.0
	Army of Bombay	7.3	6.2	6.6	6.6	5.1	5.8	10.6	13.5	10.9	9.5	8.4	9.5	100.0
	Army of India	7.4	5.9	5.9	7.4	7.4	7.2	9.4	11.6	11.1	9.9	8.4	8.4	100.0
DIARRHOEA	Army of Bengal	5.0	4.3	6.1	9.8	8.8	7.4	12.4	15.1	10.7	7.2	6.3	6.9	100.0
	Army of Madras	6.6	6.5	7.3	7.7	8.0	9.6	1.8	12.0	7.9	6.5	6.0	7.1	100.0
	Army of Bombay	6.1	4.9	5.9	7.8	6.9	7.9	13.3	14.3	9.1	8.2	7.8	7.8	100.0
	Army of India	5.4	4.8	6.2	9.0	8.3	7.8	13.0	14.4	9.9	7.4	6.6	7.2	100.0
HEPATITIS	Army of Bengal	5.9	6.2	6.6	7.4	8.7	9.8	10.6	10.6	10.6	9.6	7.4	6.6	100.0
	Army of Madras	9.4	7.9	6.8	6.8	7.6	7.6	9.2	9.1	9.5	9.5	8.6	8.0	100.0
	Army of Bombay	7.8	6.9	8.1	8.1	8.5	8.3	9.3	8.5	9.3	9.1	8.5	7.6	100.0
	Army of India	7.0	6.6	6.8	7.4	8.5	9.1	10.1	10.1	10.1	9.5	7.8	7.0	100.0
RESPIRATORY DISEASES.	Army of Bengal	12.2	10.4	9.1	8.7	8.3	6.2	6.3	6.3	5.8	6.7	8.3	11.7	100.0
	Army of Madras	9.7	9.1	9.2	8.7	8.3	7.0	8.0	7.8	7.3	8.9	8.0	8.0	100.0
	Army of Bombay	12.0	10.6	9.5	8.2	7.1	7.0	6.9	6.4	5.8	6.7	8.9	10.9	100.0
	Army of India	11.8	10.3	9.2	8.6	8.2	6.4	6.6	6.5	6.1	6.9	8.3	11.1	100.0
PHthisis PULMONALIS.	Army of Bengal	7.4	4.9	6.2	6.2	6.2	7.4	9.9	9.9	9.9	11.1	12.3	8.6	100.0
	Army of Madras	9.7	7.5	7.5	5.4	6.4	7.5	8.6	9.7	7.5	9.7	9.7	10.8	100.0
	Army of Bombay	8.9	8.9	7.6	3.8	7.6	8.9	10.0	8.9	8.9	10.0	7.6	8.9	100.0
	Army of India	8.1	5.8	7.0	5.8	7.0	8.1	9.3	9.3	9.3	10.5	10.5	9.3	100.0
RHEUMATISM	Army of Bengal	9.0	8.4	8.7	8.5	8.5	8.4	9.2	8.9	8.1	7.8	7.1	7.4	100.0
	Army of Madras	7.7	7.7	7.7	7.7	7.7	8.8	10.6	9.1	8.8	9.5	7.7	7.0	100.0
	Army of Bombay	7.6	8.2	8.9	9.3	9.5	8.7	9.9	9.1	8.2	7.6	6.6	6.4	100.0
	Army of India	8.6	8.3	8.6	8.5	8.5	8.5	9.5	8.8	8.3	8.0	7.2	7.2	100.0
EYE DISEASES	Army of Bengal	6.5	6.5	9.0	11.0	10.5	8.0	8.5	10.5	9.5	8.5	5.5	6.0	100.0
	Army of Madras	5.7	5.1	6.8	6.3	6.3	9.1	11.9	11.9	9.1	10.8	9.1	7.4	100.0
	Army of Bombay	6.7	6.7	9.6	10.0	9.6	8.1	7.7	9.1	10.0	9.1	7.7	5.7	100.0
	Army of India	6.5	6.5	8.5	10.0	9.5	8.0	9.0	10.5	9.5	9.0	7.0	6.0	100.0
ALL OTHER CAUSES..	Army of Bengal	8.2	8.0	8.7	9.1	8.5	7.9	9.1	8.6	8.5	8.3	7.4	7.7	100.0
	Army of Madras	8.4	7.8	8.4	9.0	8.8	8.5	9.1	8.6	8.0	8.2	7.5	7.7	100.0
	Army of Bombay	7.6	7.6	8.6	9.5	8.9	8.4	9.5	8.4	7.9	8.2	7.6	7.8	100.0
	Army of India	8.2	7.8	8.6	9.1	8.6	8.2	9.2	8.6	8.3	8.3	7.4	7.7	100.0

IV.—MONTHLY DISTRIBUTION

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—DAILY SICK-RATE AND ADMISSION-RATES FOR THE CHIEF DISEASES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	RATIO PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DAILY SICK-RATE (All Causes).	Bengal Proper ...	49.3	47.8	46.1	47.3	51.3	51.5	59.9	63.7	63.3	60.6	55.8	52.1	54.3
	Gangetic Provinces and Oudh ...	60.4	63.3	61.6	63.5	65.3	67.3	68.7	72.0	74.6	72.7	67.2	58.7	66.3
	Rohilkund and Meerut ...	49.7	50.1	48.8	51.0	56.5	59.4	58.8	66.4	73.4	72.3	65.0	53.1	58.5
	Agra and Central India ...	54.7	55.8	51.1	52.5	57.0	57.2	59.3	69.2	74.7	76.1	71.5	56.9	61.5
	Punjab ...	57.0	51.6	51.0	50.0	56.5	61.7	61.4	67.6	77.3	81.0	75.5	64.9	62.9
	Rajpootana, Malwa, Sind, and Aden ...	51.0	49.6	48.3	48.7	50.9	53.7	55.6	60.2	71.3	74.9	70.1	58.7	57.7
	Deccan and Nagpore ...	56.5	55.2	50.9	50.3	52.4	53.9	57.3	61.4	62.3	63.2	61.7	56.8	56.8
	Southern India ...	62.3	64.1	55.4	55.9	58.5	60.1	63.2	63.8	61.2	61.1	64.6	62.1	61.5
British Burmah and Pegu ...	39.6	41.7	39.7	41.3	45.0	51.8	54.9	54.0	50.8	48.4	46.5	42.1	46.4	
ADMISSION-RATE (All Causes).	Bengal Proper ...	95.2	81.1	92.0	99.8	116.2	108.6	129.4	137.4	113.3	114.3	117.5	107.4	1,310.7
	Gangetic Provinces and Oudh ...	95.7	94.5	103.0	117.8	116.4	111.6	131.5	133.6	142.2	141.4	144.5	99.7	1,410.3
	Rohilkund and Meerut ...	91.5	84.9	93.0	100.9	118.6	110.7	128.3	162.3	178.2	165.8	122.1	100.5	1,461.2
	Agra and Central India ...	98.6	95.3	101.9	108.6	115.3	104.7	126.9	153.8	177.4	187.1	148.4	115.1	1,530.1
	Punjab ...	115.4	97.8	100.6	122.5	152.4	148.2	167.2	178.3	222.8	242.4	194.8	145.8	1,847.2
	Rajpootana, Malwa, Sind, and Aden ...	104.3	92.8	99.3	109.7	119.6	121.4	141.3	152.1	183.2	195.7	156.4	136.4	1,614.0
	Deccan and Nagpore ...	104.1	95.5	104.6	108.3	107.8	106.8	128.6	127.8	125.7	139.1	119.8	111.4	1,382.7
	Southern India ...	93.3	95.9	10.16	108.4	106.1	107.3	117.6	106.2	98.1	101.6	98.2	100.9	1,235.3
British Burmah and Pegu ...	78.9	74.6	75.9	86.2	97.2	110.2	119.3	99.6	93.5	87.1	80.6	84.0	1,091.6	
CHOLERA ...	Bengal Proper1	.0	.3	.1	.2	.1	.1	.0	.1	.0	.1	.2	1.2
	Gangetic Provinces and Oudh0	.0	.1	.5	.5	.3	.5	.7	2.1	.2	.6	.0	6.6
	Rohilkund and Meerut0	.0	.0	.1	.2	.1	.0	.7	1.8	.1	.0	.0	3.0
	Agra and Central India0	.0	.0	.0	1.1	.5	.5	1.2	.9	.2	.0	.0	4.4
	Punjab0	.0	.0	.2	.7	.7	.4	2.0	1.0	1.1	.0	.0	5.5
	Rajpootana, Malwa, Sind, and Aden0	.0	.0	.1	.3	.2	.2	1.1	.4	.1	.2	.0	2.6
	Deccan and Nagpore0	.1	.0	.0	1.0	.1	.4	.5	.1	.0	.0	.0	2.4
	Southern India1	.1	.2	.1	.1	.1	.2	.0	.1	.0	.1	.1	1.2
British Burmah and Pegu0	.0	.0	2.0	.1	.7	1.9	.2	.5	.1	.0	.0	5.8	
SMALLPOX ...	Bengal Proper0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1
	Gangetic Provinces and Oudh0	.2	.2	.4	.2	.1	.1	.0	.0	.0	.0	.1	1.3
	Rohilkund and Meerut2	.1	.1	.2	.3	.1	.0	.0	.0	.0	.1	.2	1.3
	Agra and Central India1	.0	.1	.4	.2	.0	.0	.0	.0	.0	.0	.0	1.0
	Punjab1	.1	.1	.1	.1	.0	.1	.0	.0	.0	.0	.0	.8
	Rajpootana, Malwa, Sind, and Aden1	.0	.0	.1	.1	.0	.0	.0	.0	.0	.0	.1	.3
	Deccan and Nagpore1	.1	.2	.2	.1	.0	.0	.0	.0	.9	.0	.0	.8
	Southern India1	.0	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.4
British Burmah and Pegu0	.0	.1	.1	.0	.0	.0	.0	.0	.1	.0	.0	.3	
ENTERIC FEVER ...	Bengal Proper1	.3	.3	.1	.2	.1	.2	.2	.4	.1	.1	.1	2.1
	Gangetic Provinces and Oudh5	.3	.3	.9	.9	.6	.4	.6	.7	.3	.3	.5	6.4
	Rohilkund and Meerut3	.2	.2	.7	1.8	.6	.3	.3	.9	.4	.3	.4	6.3
	Agra and Central India2	.2	.2	.5	.3	.1	.1	.3	1.1	.8	.4	.2	4.4
	Punjab2	.2	.2	.4	.8	.9	.6	.4	.5	.4	.2	.2	4.8
	Rajpootana, Malwa, Sind, and Aden2	.3	.3	.3	.3	.1	.1	.3	1.0	.5	.3	.3	4.0
	Deccan and Nagpore2	.1	.1	.3	.4	.2	.3	.5	.6	.4	.1	.2	3.4
	Southern India7	.4	.3	.4	.3	.3	.4	.3	.4	.1	.1	.4	4.0
British Burmah and Pegu2	.2	.1	.0	.1	.0	.5	.2	.1	.0	.1	.1	1.7	
INTERMITTENT FEVER	Bengal Proper ...	19.6	9.7	7.7	9.6	9.4	9.8	12.2	14.5	12.6	13.7	26.3	30.6	173.9
	Gangetic Provinces and Oudh ...	8.2	7.7	9.0	12.4	12.9	13.1	16.5	16.7	20.2	28.3	22.6	14.2	180.8
	Rohilkund and Meerut ...	15.8	13.7	14.4	20.0	26.7	28.2	38.3	61.8	72.7	73.8	45.8	26.7	433.0
	Agra and Central India ...	29.5	22.5	21.0	24.2	28.5	26.6	39.2	57.8	84.7	96.9	75.2	44.7	547.2
	Punjab ...	36.5	25.3	23.1	27.0	36.1	40.3	45.0	56.4	101.2	134.4	110.4	65.6	685.6
	Rajpootana, Malwa, Sind, and Aden ...	30.5	22.6	22.4	25.0	31.0	32.2	38.8	55.7	90.0	104.9	78.8	56.6	589.2
	Deccan and Nagpore ...	20.6	16.3	16.1	16.9	19.5	25.1	35.4	37.2	41.2	46.7	38.3	28.6	343.4
	Southern India ...	6.2	15.6	12.1	9.8	10.5	10.5	10.2	8.8	7.3	7.2	8.4	9.1	115.8
British Burmah and Pegu ...	3.6	4.8	2.6	2.8	3.7	7.9	7.1	5.9	5.1	5.0	4.2	13.9	66.4	
REMITTENT AND CONTINUED FEVERS.	Bengal Proper ...	7.9	7.7	10.6	15.3	18.8	27.4	31.4	33.2	22.8	22.5	23.6	12.1	232.9
	Gangetic Provinces and Oudh ...	4.9	5.4	9.9	17.6	17.1	16.5	16.6	17.0	20.3	16.9	10.3	6.5	160.2
	Rohilkund and Meerut ...	2.9	3.1	5.3	12.1	13.9	13.0	12.2	15.2	17.8	14.4	5.8	2.4	118.4
	Agra and Central India ...	4.4	4.8	8.8	13.9	14.1	12.1	13.2	16.6	18.1	19.1	12.2	6.0	143.4
	Punjab ...	4.0	4.3	6.1	18.3	41.7	37.1	40.5	39.4	49.4	38.1	15.8	7.4	279.3
	Rajpootana, Malwa, Sind, and Aden ...	3.2	4.2	7.6	10.3	12.0	13.9	11.6	12.1	18.9	18.6	12.1	8.4	133.7
	Deccan and Nagpore ...	6.1	6.0	9.5	11.9	13.5	13.0	12.0	11.6	10.9	14.0	11.3	8.1	129.0
	Southern India ...	7.7	7.2	10.7	13.3	11.7	11.9	13.5	11.2	11.3	12.0	11.4	11.1	133.3
British Burmah and Pegu ...	5.8	5.5	5.7	7.3	9.3	10.1	10.5	8.7	8.1	9.4	9.0	6.5	96.5	
APOPLEXY ...	Bengal Proper1	.0	.3	.5	.3	.5	.1	.0	.2	.2	.1	.0	2.5
	Gangetic Provinces and Oudh0	.0	.1	.2	.8	2.1	.8	.3	.2	.2	.1	.0	4.9
	Rohilkund and Meerut1	.1	.1	.2	.5	1.3	.8	.5	.3	.1	.2	.1	4.2
	Agra and Central India0	.0	.1	.2	.5	1.4	.6	.3	.2	.1	.1	.0	3.6
	Punjab0	.0	.1	.1	.3	1.5	2.6	.9	.4	.2	.1	.0	5.4
	Rajpootana, Malwa, Sind, and Aden0	.2	.1	.4	.9	2.9	.7	.1	.5	.3	.1	.1	6.3
	Deccan and Nagpore1	.1	.2	.4	.6	.6	.1	.1	.0	.1	.1	.1	2.4
	Southern India1	.1	.2	.3	1.3	.3	.2	.1	.1	.1	.0	.1	2.7
British Burmah and Pegu1	.1	.1	.6	1.2	.2	.1	.3	.3	.2	.1	.1	3.5	
DELIRIUM TREMENS	Bengal Proper4	.2	.2	.2	.2	.4	.1	.5	.4	.3	.3	.0	3.1
	Gangetic Provinces and Oudh3	.2	.2	.2	.3	.2	.3	.2	.3	.3	.2	.2	3.1
	Rohilkund and Meerut3	.2	.1	.2	.4	.3	.5	.5	.6	.3	.2	.3	3.9
	Agra and Central India1	.2	.2	.1	.2	.1	.5	.3	.4	.4	.2	.2	2.8
	Punjab2	.1	.3	.3	.4	.4	.5	.5	.4	.4	.2	.2	3.6
	Rajpootana, Malwa, Sind, and Aden5	.3	.2	.4	.4	.3	.5	.7	.7	.5	.4	.3	5.1
	Deccan and Nagpore5	.2	.5	.3	.3	.3	.3	.5	.3	.5	.4	.3	4.3
	Southern India5	.3	.3	.3	.4	.4	.5	.5	.3	.4	.4	.3	4.6
British Burmah and Pegu2	.4	.7	.7	.6	.3	.5	.6	.3	.4	.5	.4	5.7	

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—DAILY SICK-RATE AND ADMISSION-RATES FOR THE CHIEF DISEASES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	RATIO PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DYSENTERY ...	Bengal Proper ...	4.0	2.9	2.7	3.3	3.7	3.1	4.9	6.0	5.0	4.8	3.6	4.1	48.0
	Gangetic Provinces and Oudh ...	2.6	1.7	2.4	3.4	2.7	2.1	3.2	4.8	4.2	3.6	3.0	3.1	36.8
	Rohilcund and Meerut ...	2.3	1.1	1.5	2.4	2.7	2.0	2.2	4.0	5.4	4.6	4.2	3.9	36.0
	Agra and Central India ...	3.3	1.3	1.7	1.4	1.5	1.5	1.5	4.5	4.5	3.5	2.7	1.4	26.6
	Punjab ...	1.7	1.2	1.2	2.0	2.4	1.8	2.0	2.7	4.0	4.0	3.0	2.1	27.5
	Rajpootana, Malwa, Sind, and Aden ...	2.1	1.6	1.9	1.7	1.2	1.3	2.3	3.9	3.5	3.1	2.2	2.0	26.9
	Deccan and Nagpore ...	4.5	3.5	2.9	2.5	2.5	2.6	5.0	6.4	6.2	5.6	4.5	5.1	51.3
	Southern India ...	4.8	4.2	3.3	4.3	4.5	5.3	7.1	6.4	4.9	4.9	4.4	5.5	59.7
	British Burmah and Pegu ...	8.5	6.1	4.3	4.0	6.8	10.2	13.3	10.1	8.7	6.0	5.6	6.3	90.2
	DIARRHOEA ...	Bengal Proper ...	3.7	2.2	2.3	2.8	3.2	2.9	6.4	6.8	5.1	4.7	3.8	3.7
Gangetic Provinces and Oudh ...		3.3	3.0	5.9	6.5	5.4	3.5	7.0	9.8	7.0	4.0	4.6	5.6	65.7
Rohilcund and Meerut ...		2.7	2.6	3.8	7.2	5.2	4.0	4.9	9.7	9.5	6.0	4.3	3.3	63.3
Agra and Central India ...		2.5	2.2	3.5	3.4	2.8	2.6	5.6	9.9	6.1	3.7	3.0	3.0	48.4
Punjab ...		2.8	2.4	2.7	6.6	6.7	4.6	5.8	8.9	7.0	5.3	4.2	4.0	58.7
Rajpootana, Malwa, Sind, and Aden ...		4.3	3.7	4.0	5.3	4.2	4.0	6.0	9.6	6.7	5.7	4.3	4.4	62.4
Deccan and Nagpore ...		3.9	3.4	3.7	4.2	4.2	5.2	11.5	9.6	5.7	5.0	3.8	5.2	66.1
Southern India ...		3.8	3.7	4.9	4.6	3.8	5.1	6.0	4.4	3.3	3.0	3.8	4.4	50.8
British Burmah and Pegu ...		3.4	3.9	4.0	4.2	7.2	9.6	13.0	7.2	4.9	4.1	3.3	4.3	70.0
HEPATITIS ...		Bengal Proper ...	4.4	3.6	3.9	3.2	4.8	6.0	5.6	6.2	5.4	5.8	4.4	4.2
	Gangetic Provinces and Oudh ...	3.3	3.5	3.4	3.7	4.5	4.9	5.3	5.2	5.7	5.0	3.9	3.6	52.2
	Rohilcund and Meerut ...	2.7	3.1	3.1	3.6	4.7	4.8	4.6	5.6	5.5	5.2	4.5	3.3	50.7
	Agra and Central India ...	2.4	2.9	2.8	3.4	4.1	4.1	4.2	4.4	5.0	5.0	3.9	3.5	45.5
	Punjab ...	2.7	2.7	3.0	2.9	3.2	4.0	4.6	4.4	4.2	4.1	3.5	3.0	41.4
	Rajpootana, Malwa, Sind, and Aden ...	2.5	2.7	3.3	3.1	4.2	3.8	4.2	4.1	4.3	4.4	3.7	2.7	43.0
	Deccan and Nagpore ...	4.4	3.3	2.9	3.1	2.9	2.8	3.0	3.1	4.0	4.5	4.0	3.8	41.5
	Southern India ...	5.6	4.8	4.5	4.3	4.3	4.6	5.1	5.4	5.2	5.3	5.4	5.6	60.1
	British Burmah and Pegu ...	6.5	5.2	4.8	4.6	6.3	6.6	8.2	7.5	8.2	6.5	5.4	4.3	74.2
	RESPIRATORY DISEASES.	Bengal Proper ...	3.7	4.8	4.4	3.0	3.9	3.5	4.5	5.0	3.2	3.5	4.7	4.8
Gangetic Provinces and Oudh ...		6.9	6.3	6.4	6.1	4.8	3.8	4.6	4.5	4.6	4.7	5.7	7.2	65.6
Rohilcund and Meerut ...		7.4	7.2	7.7	6.7	6.3	5.1	6.0	6.6	6.1	5.2	6.9	7.6	78.8
Agra and Central India ...		7.0	7.2	6.7	6.5	7.8	4.4	4.9	4.8	4.2	5.1	5.4	7.4	71.5
Punjab ...		13.5	11.3	8.9	7.0	7.1	5.8	5.6	5.8	4.8	6.1	8.6	12.5	100.7
Rajpootana, Malwa, Sind, and Aden ...		8.7	7.4	6.6	5.5	4.6	4.7	4.7	3.8	3.6	4.3	5.9	7.8	67.2
Deccan and Nagpore ...		6.9	6.2	5.9	4.7	4.4	3.6	3.9	4.3	4.1	4.5	5.1	5.6	59.0
Southern India ...		3.4	4.4	4.8	5.3	4.9	4.2	4.7	4.2	3.7	4.4	4.3	3.9	52.3
British Burmah and Pegu ...		5.5	3.7	4.0	3.7	3.1	3.6	3.9	3.6	4.6	6.0	4.4	5.1	51.0
PHTHISIS PULMONALIS.		Bengal Proper9	.4	.6	.5	.8	.8	1.4	1.1	1.3	.9	1.3	.9
	Gangetic Provinces and Oudh6	.4	.4	.6	.5	.7	.8	.8	.9	1.1	1.2	1.0	8.9
	Rohilcund and Meerut4	.3	.4	.4	.3	.5	.7	1.0	.8	.9	1.0	.9	7.5
	Agra and Central India5	.4	.4	.4	.6	.4	.6	.5	.7	.7	.6	.5	6.1
	Punjab6	.4	.4	.4	.5	.5	.8	.7	.7	.8	1.1	.7	7.5
	Rajpootana, Malwa, Sind, and Aden6	.4	.5	.2	.6	.4	.8	.6	.6	.6	.6	.7	6.7
	Deccan and Nagpore5	.6	.4	.2	.4	.6	.5	.6	.6	.8	.6	.7	6.6
	Southern India9	.7	.6	.5	.6	.9	.9	.9	.7	1.1	1.0	1.2	9.8
	British Burmah and Pegu4	.3	.6	.5	.3	.5	.6	.5	.4	.6	.6	.4	5.6
	RHEUMATISM ...	Bengal Proper ...	3.2	2.6	3.1	3.3	4.7	4.2	5.1	4.2	3.6	3.8	3.4	3.2
Gangetic Provinces and Oudh ...		4.9	4.6	4.9	4.1	4.5	4.5	4.9	5.8	4.9	4.8	4.1	3.6	55.7
Rohilcund and Meerut ...		5.3	5.3	5.0	4.0	4.7	4.9	5.9	5.3	4.0	5.3	4.3	4.1	58.1
Agra and Central India ...		5.2	5.2	5.0	4.3	4.4	4.3	4.7	5.1	4.8	3.7	3.9	3.9	54.6
Punjab ...		6.5	6.0	6.0	5.5	5.3	4.9	5.4	5.3	5.0	5.3	5.2	5.6	66.5
Rajpootana, Malwa, Sind, and Aden ...		4.1	4.1	4.5	4.5	4.9	4.2	5.6	4.7	4.0	4.0	3.8	3.5	52.0
Deccan and Nagpore ...		3.9	4.1	3.6	3.4	3.5	3.6	4.5	3.7	4.0	3.6	3.1	3.1	44.3
Southern India ...		3.2	2.9	3.6	3.9	3.7	4.3	3.9	4.7	3.7	4.0	3.3	2.9	44.3
British Burmah and Pegu ...		2.7	3.5	3.4	2.8	3.8	4.0	4.4	2.8	3.7	4.5	3.7	2.3	41.7
EYE DISEASES ...		Bengal Proper6	1.3	1.5	1.2	1.3	.8	.7	.9	.7	.9	1.1	1.3
	Gangetic Provinces and Oudh ...	1.9	1.7	2.7	2.8	2.8	2.7	3.0	3.5	2.7	2.2	1.8	1.4	29.4
	Rohilcund and Meerut ...	1.7	1.5	1.5	2.4	2.6	1.3	1.6	2.1	2.2	1.5	1.3	1.2	20.8
	Agra and Central India ...	1.5	1.2	2.1	2.0	1.4	1.3	1.4	2.4	2.0	2.5	1.2	1.4	20.0
	Punjab ...	1.2	1.2	1.7	2.1	2.2	1.5	1.6	2.3	2.2	1.7	1.2	1.0	19.6
	Rajpootana, Malwa, Sind, and Aden ...	1.7	1.7	2.2	2.2	1.9	1.6	1.7	1.9	2.4	1.9	1.7	1.5	22.4
	Deccan and Nagpore ...	1.2	.9	1.7	1.5	1.5	1.5	1.7	2.3	1.9	2.1	1.4	1.1	19.1
	Southern India8	.9	1.0	1.1	1.3	1.8	2.8	2.2	1.9	2.0	1.9	1.3	18.9
	British Burmah and Pegu ...	1.0	.8	.9	.6	.6	1.1	.9	.9	.7	1.1	1.0	.8	10.5
	ALL OTHER CAUSES...	Bengal Proper ...	46.5	45.4	54.0	56.7	64.7	49.0	56.7	58.8	52.5	53.1	44.7	42.2
Gangetic Provinces and Oudh ...		58.3	59.5	63.1	58.4	58.5	56.5	67.5	62.7	68.4	69.7	56.0	52.7	732.7
Rohilcund and Meerut ...		49.4	46.4	49.8	49.7	48.3	44.5	50.3	49.0	50.6	48.0	43.2	46.1	575.9
Agra and Central India ...		43.9	47.2	49.3	47.9	47.8	45.3	49.9	45.7	44.7	45.4	39.6	42.9	550.6
Punjab ...		45.4	42.6	46.8	49.6	44.9	44.2	51.7	48.6	42.0	40.5	41.3	43.5	540.3
Rajpootana, Malwa, Sind, and Aden ...		45.8	43.6	45.7	50.6	53.0	51.8	61.1	52.5	46.6	46.8	42.3	48.0	592.2
Deccan and Nagpore ...		51.2	50.6	56.9	58.7	53.0	47.6	50.0	47.4	46.1	51.3	47.1	49.5	609.1
Southern India ...		55.4	50.6	54.0	60.1	58.7	57.6	62.1	57.1	55.2	57.1	53.7	55.0	677.4
British Burmah and Pegu ...		41.0	40.1	44.6	52.3	54.1	55.4	54.4	51.1	47.9	43.1	42.7	39.5	568.5

OF DISEASE, 1870-79.

XXVII—continued.

of the EUROPEAN ARMY to the CHIEF CAUSES of SICKNESS.

B.—MONTHLY PERCENTAGE OF THE ANNUAL SICK-RATE AND ADMISSION-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	MONTHLY PERCENTAGE OF TOTAL TREATED DURING THE YEAR.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DYSENTERY ...	Bengal Proper ...	8.3	6.0	5.6	6.9	7.7	6.4	10.2	12.5	10.4	10.0	7.5	8.5	100.0
	Gangetic Provinces and Oudh ...	7.1	4.6	6.5	9.3	7.3	5.7	8.7	13.0	11.4	9.8	8.2	8.4	100.0
	Rohilcund and Meerut ...	6.3	3.1	4.1	6.6	7.4	5.5	6.1	11.0	14.9	12.7	11.6	10.7	100.0
	Agra and Central India ...	4.9	4.9	6.3	5.2	5.6	5.6	5.6	16.8	16.8	13.0	10.1	5.2	100.0
	Punjab ...	6.1	4.3	4.3	7.1	8.5	6.4	7.1	9.6	14.2	14.2	10.7	7.5	100.0
	Rajpootana, Malwa, Sind, and Aden ...	7.8	6.0	7.1	6.3	4.5	4.9	8.6	14.6	13.0	11.6	8.2	7.4	100.0
	Deccan and Nagpore ...	8.8	6.8	5.7	4.9	4.9	5.0	9.7	12.5	12.1	10.9	8.8	9.9	100.0
	Southern India ...	8.1	7.1	5.5	7.2	7.6	8.9	11.9	10.7	8.2	8.2	7.4	9.2	100.0
	British Burmah and Pegu ...	9.5	6.8	4.8	4.4	7.6	11.3	14.8	11.2	9.7	6.7	6.2	7.0	100.0
DIARRHŒA ...	Bengal Proper ...	7.8	4.6	4.8	5.9	6.7	6.1	13.4	14.3	10.7	9.9	8.0	7.8	100.0
	Gangetic Provinces and Oudh ...	5.0	4.6	9.0	9.9	8.2	5.4	10.7	14.9	10.7	6.1	7.0	8.5	100.0
	Rohilcund and Meerut ...	4.3	4.1	6.0	11.4	8.2	6.3	7.8	15.4	15.0	9.5	6.8	5.2	100.0
	Agra and Central India ...	5.2	4.6	7.2	7.0	5.8	5.4	11.6	20.5	12.6	7.7	6.2	6.2	100.0
	Punjab ...	4.6	3.9	4.4	10.8	11.0	7.5	9.5	14.6	11.5	8.7	6.9	6.6	100.0
	Rajpootana, Malwa, Sind, and Aden ...	6.9	5.9	6.4	8.5	6.8	6.4	9.7	15.4	10.8	9.2	6.9	7.1	100.0
	Deccan and Nagpore ...	6.0	5.2	5.6	6.4	6.4	8.0	17.6	14.7	8.7	7.6	5.8	8.0	100.0
	Southern India ...	7.5	7.3	9.6	9.0	7.5	10.0	11.8	8.7	6.5	5.9	7.5	8.7	100.0
	British Burmah and Pegu ...	4.9	5.6	5.8	6.1	10.4	13.9	18.8	10.4	7.1	6.0	4.8	6.2	100.0
HEPATITIS ...	Bengal Proper ...	7.7	6.2	6.8	5.6	8.3	10.4	9.7	10.8	9.4	10.1	7.7	7.3	100.0
	Gangetic Provinces and Oudh ...	6.4	6.7	6.5	7.1	8.7	9.4	10.2	10.0	11.0	9.6	7.5	6.9	100.0
	Rohilcund and Meerut ...	5.3	6.1	6.1	7.1	9.3	9.5	9.1	11.0	10.8	10.3	8.9	6.5	100.0
	Agra and Central India ...	5.3	6.3	6.1	7.5	9.0	9.0	9.2	9.6	10.9	10.9	8.5	7.7	100.0
	Punjab ...	6.4	6.4	7.1	6.9	7.6	9.5	10.8	10.4	9.9	9.7	8.2	7.1	100.0
	Rajpootana, Malwa, Sind, and Aden ...	5.8	6.3	7.7	7.2	9.8	8.8	9.8	9.5	10.0	10.2	8.6	6.3	100.0
	Deccan and Nagpore ...	10.5	7.9	6.9	7.4	6.9	6.7	7.2	7.4	9.6	10.8	9.6	9.1	100.0
	Southern India ...	9.3	8.0	7.5	7.1	7.1	7.7	8.5	9.0	8.7	8.8	9.0	9.3	100.0
	British Burmah and Pegu ...	8.8	7.0	6.5	6.2	8.5	8.8	11.1	10.1	11.1	8.8	7.3	5.8	100.0
RESPIRATORY DISEASES.	Bengal Proper ...	7.6	9.8	9.0	6.1	8.0	7.1	9.2	10.2	6.5	7.1	9.6	9.8	100.0
	Gangetic Provinces and Oudh ...	10.5	9.6	9.8	9.3	7.3	5.8	7.0	6.9	7.0	7.2	8.7	10.9	100.0
	Rohilcund and Meerut ...	9.4	9.1	9.8	8.5	8.0	6.5	7.6	8.4	7.7	6.6	8.8	9.6	100.0
	Agra and Central India ...	9.8	10.1	9.4	9.1	10.9	6.2	6.9	6.7	5.9	7.1	7.6	10.3	100.0
	Punjab ...	13.9	11.6	9.2	7.2	7.3	6.0	5.8	6.0	4.9	6.3	8.9	12.9	100.0
	Rajpootana, Malwa, Sind, and Aden ...	12.9	10.9	9.8	8.1	6.8	7.0	7.0	5.6	5.3	6.4	8.7	11.5	100.0
	Deccan and Nagpore ...	11.7	10.5	9.9	7.9	7.4	6.1	6.6	7.3	6.9	7.6	8.6	9.5	100.0
	Southern India ...	6.5	8.4	9.2	10.2	9.4	8.0	9.0	8.0	7.1	8.4	8.3	7.5	100.0
	British Burmah and Pegu ...	10.8	7.2	7.8	7.2	6.1	7.0	7.6	7.0	9.0	11.7	8.6	10.0	100.0
PHTHISIS PULMONALIS.	Bengal Proper ...	8.3	3.7	5.5	4.6	7.3	7.3	12.8	10.1	11.9	8.3	11.9	8.3	100.0
	Gangetic Provinces and Oudh ...	6.7	4.4	4.4	6.7	5.6	7.8	8.9	8.9	10.0	12.2	13.3	11.1	100.0
	Rohilcund and Meerut ...	5.3	3.9	5.3	5.3	3.9	6.6	9.2	13.2	10.5	11.8	13.2	11.8	100.0
	Agra and Central India ...	7.9	6.4	6.4	6.4	9.5	6.4	9.5	7.9	11.1	11.1	9.5	7.9	100.0
	Punjab ...	7.9	5.3	5.3	5.3	6.6	6.6	10.5	9.2	9.2	10.5	14.4	9.2	100.0
	Rajpootana, Malwa, Sind, and Aden ...	9.1	6.1	7.6	3.0	9.1	6.1	12.1	9.1	9.1	9.1	9.1	10.5	100.0
	Deccan and Nagpore ...	7.7	9.2	6.2	3.1	6.2	9.2	7.7	9.2	9.2	12.3	9.2	10.8	100.0
	Southern India ...	9.0	7.0	6.0	5.0	6.0	9.0	9.0	9.0	7.0	11.0	10.0	12.0	100.0
	British Burmah and Pegu ...	7.0	5.3	10.5	8.8	5.3	8.8	10.5	8.8	7.0	10.5	10.5	7.0	100.0
RHEUMATISM ...	Bengal Proper ...	7.2	5.9	7.0	7.4	10.6	9.4	11.5	9.4	8.1	8.6	7.7	7.2	100.0
	Gangetic Provinces and Oudh ...	8.8	8.3	8.8	7.4	8.1	8.1	8.8	10.4	8.8	8.6	7.4	6.5	100.0
	Rohilcund and Meerut ...	9.1	9.1	8.6	6.9	8.1	8.4	10.2	9.1	6.9	9.1	7.4	7.1	100.0
	Agra and Central India ...	9.5	9.5	9.1	7.9	8.1	7.9	8.6	9.4	8.8	6.8	7.2	7.2	100.0
	Punjab ...	9.9	9.1	9.1	8.3	8.0	7.4	8.2	8.0	7.6	8.0	7.9	8.5	100.0
	Rajpootana, Malwa, Sind, and Aden ...	7.9	7.9	8.7	8.7	9.4	8.1	10.8	9.1	7.7	7.7	7.3	6.7	100.0
	Deccan and Nagpore ...	8.8	9.3	8.2	7.7	7.9	8.2	10.2	8.4	9.1	8.2	7.0	7.0	100.0
	Southern India ...	7.3	6.6	8.1	8.8	8.4	9.8	8.8	10.6	8.4	9.1	7.5	6.6	100.0
	British Burmah and Pegu ...	6.5	8.4	8.2	6.7	9.2	9.6	10.6	6.7	8.9	10.8	8.9	5.5	100.0
EYE DISEASES ...	Bengal Proper ...	4.9	10.6	12.2	9.7	10.6	6.5	5.7	7.3	5.7	7.3	8.9	10.6	100.0
	Gangetic Provinces and Oudh ...	6.5	5.8	9.2	9.6	9.6	9.2	10.3	12.0	9.2	7.6	6.2	4.8	100.0
	Rohilcund and Meerut ...	8.1	7.2	7.2	11.5	12.4	6.2	7.7	10.1	10.5	7.2	6.2	5.7	100.0
	Agra and Central India ...	7.4	5.9	10.3	9.8	6.8	6.4	6.8	11.8	9.8	12.3	5.9	6.8	100.0
	Punjab ...	6.0	6.0	8.5	10.6	11.1	7.5	8.1	11.6	11.1	8.5	6.0	5.0	100.0
	Rajpootana, Malwa, Sind, and Aden ...	7.6	7.6	9.8	9.8	8.5	7.1	7.6	8.5	10.7	8.5	7.6	6.7	100.0
	Deccan and Nagpore ...	6.4	4.8	9.0	8.0	8.0	8.0	9.0	12.2	10.1	11.2	7.4	5.9	100.0
	Southern India ...	4.2	4.8	5.3	5.8	6.8	9.5	14.7	11.6	10.0	10.5	10.0	6.8	100.0
	British Burmah and Pegu ...	9.6	7.7	8.7	5.8	5.8	10.5	8.7	8.7	6.7	10.5	9.6	7.7	100.0
ALL OTHER CAUSES...	Bengal Proper ...	7.4	7.3	8.7	9.1	10.4	7.8	9.1	9.4	8.4	8.5	7.1	6.8	100.0
	Gangetic Provinces and Oudh ...	8.0	8.1	8.6	8.0	8.0	7.7	9.2	8.6	9.4	9.5	7.7	7.2	100.0
	Rohilcund and Meerut ...	8.6	8.1	8.7	8.6	8.4	7.7	8.8	8.5	8.8	8.3	7.5	8.0	100.0
	Agra and Central India ...	8.0	8.6	9.0	8.7	8.7	8.2	9.1	8.3	8.1	8.3	7.2	7.8	100.0
	Punjab ...	8.4	7.8	8.6	9.2	8.3	8.2	9.6	9.0	7.8	7.5	7.6	8.0	100.0
	Rajpootana, Malwa, Sind, and Aden ...	7.7	7.4	7.7	8.6	9.0	8.8	10.9	8.9	7.9	7.9	7.1	8.1	100.0
	Deccan and Nagpore ...	8.4	8.3	9.3	9.7	8.7	7.8	8.2	7.8	7.6	8.4	7.7	8.1	100.0
	Southern India ...	8.2	7.5	8.0	8.9	8.7	8.4	9.2	8.4	8.2	8.4	8.0	8.1	100.0
	British Burmah and Pegu ...	7.2	7.1	7.9	9.2	9.6	9.8	9.6	9.0	8.5	7.6	7.5	7.0	100.0

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PRESIDENCIES the LIABILITY in each MONTH

A.—GENERAL DEATH-RATE AND DEATH-RATES FOR THE CHIEF CAUSES OF MORTALITY.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.	PRESIDENCIES.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DEATH-RATE (All Causes).	Army of Bengal	1.27	.93	1.04	1.31	1.92	2.66	2.07	2.48	2.36	1.93	1.47	1.55	21.00
	Army of Madras	1.47	1.36	1.19	1.49	1.80	1.47	1.59	1.60	1.64	1.48	1.20	1.39	17.69
	Army of Bombay	1.18	.88	1.06	.98	1.04	1.52	1.40	1.78	1.66	1.39	1.39	.97	15.27
	Army of India	1.30	1.00	1.07	1.28	1.74	2.23	1.86	2.18	2.10	1.75	1.40	1.42	19.34
DEATH-RATE FOR ALL CAUSES, EXCLUDING CHOLEERA.	Army of Bengal	1.26	.93	1.00	1.19	1.46	1.86	1.59	1.50	1.52	1.57	1.39	1.53	16.82
	Army of Madras	1.42	1.30	1.14	1.15	1.48	1.28	1.26	1.46	1.53	1.46	1.15	1.35	16.01
	Army of Bombay	1.18	.88	1.06	.89	.93	1.38	1.13	1.18	1.53	1.31	1.32	.95	13.74
	Army of India	1.29	.99	1.04	1.12	1.37	1.67	1.45	1.43	1.53	1.51	1.33	1.40	16.12
CHOLEERA	Army of Bengal	.01	.00	.04	.12	.46	.80	.48	.98	.84	.36	.08	.02	4.18
	Army of Madras	.05	.06	.05	.34	.32	.19	.33	.14	.11	.02	.05	.04	1.68
	Army of Bombay	0.0	.00	.00	.09	.11	.14	.27	.60	.13	.08	.07	.02	1.53
	Army of India	.01	.01	.03	.16	.37	.56	.41	.75	.57	.24	.07	.02	3.22
SMALLPOX	Army of Bengal	.01	.01	.02	.03	.02	.01	.00	.00	.00	.00	.00	.01	.12
	Army of Madras	.00	.00	.03	.02	.03	.00	.01	.00	.00	.00	.01	.00	.09
	Army of Bombay	.00	.00	.01	.03	.01	.00	.00	.00	.00	.00	.00	.00	.05
	Army of India	.01	.01	.02	.02	.02	.01	.00	.00	.00	.00	.00	.01	.10
ENTERIC FEVER	Army of Bengal	.09	.09	.09	.20	.34	.31	.23	.28	.27	.19	.10	.09	2.28
	Army of Madras	.11	.14	.04	.13	.10	.12	.14	.15	.24	.12	.05	.09	1.42
	Army of Bombay	.09	.09	.05	.14	.15	.12	.07	.13	.44	.22	.12	.11	1.75
	Army of India	.10	.10	.08	.18	.26	.24	.19	.23	.30	.18	.09	.09	2.03
INTERMITTENT FEVER	Army of Bengal	.01	.01	.01	.00	.01	.01	.00	.01	.03	.02	.03	.03	.17
	Army of Madras	.00	.00	.00	.01	.01	.00	.00	.00	.00	.00	.00	.00	.02
	Army of Bombay	.01	.00	.00	.02	.01	.00	.01	.01	.04	.04	.02	.01	.17
	Army of India	.01	.01	.00	.01	.01	.01	.00	.01	.02	.02	.02	.02	.14
FEVERS, REMITTENT AND CONTINUED.	Army of Bengal	.06	.03	.08	.11	.17	.18	.14	.17	.21	.21	.15	.07	1.57
	Army of Madras	.11	.04	.03	.05	.06	.04	.05	.05	.04	.04	.06	.02	.60
	Army of Bombay	.09	.05	.05	.10	.02	.08	.06	.14	.11	.11	.11	.06	.97
	Army of India	.07	.04	.06	.10	.12	.13	.11	.14	.16	.16	.12	.06	1.28
APOPLEXY	Army of Bengal	.02	.01	.02	.05	.17	.56	.37	.13	.11	.04	.02	.03	1.53
	Army of Madras	.04	.02	.07	.24	.52	.21	.11	.05	.04	.04	.04	.03	1.42
	Army of Bombay	.04	.02	.03	.09	.30	.61	.18	.06	.08	.05	.08	.02	1.56
	Army of India	.02	.02	.03	.09	.26	.50	.28	.11	.09	.04	.03	.03	1.52
DELIRIUM TREMENS	Army of Bengal	.01	.01	.00	.01	.01	.04	.02	.02	.02	.02	.01	.00	.17
	Army of Madras	.02	.01	.02	.04	.03	.04	.01	.01	.01	.04	.01	.01	.24
	Army of Bombay	.01	.00	.00	.01	.02	.02	.05	.01	.03	.02	.02	.01	.19
	Army of India	.01	.00	.01	.02	.02	.03	.03	.01	.02	.02	.01	.01	.18
DYSENTERY	Army of Bengal	.09	.03	.07	.07	.11	.11	.11	.13	.15	.18	.17	.14	1.37
	Army of Madras	.20	.20	.15	.11	.14	.13	.16	.21	.30	.29	.16	.25	2.32
	Army of Bombay	.10	.06	.11	.05	.01	.03	.10	.12	.14	.09	.11	.07	.98
	Army of India	.12	.07	.09	.07	.09	.10	.12	.15	.18	.19	.15	.15	1.48
DIABETES	Army of Bengal	.00	.00	.00	.00	.01	.01	.01	.01	.02	.01	.02	.01	.12
	Army of Madras	.00	.00	.01	.01	.00	.00	.00	.01	.01	.00	.00	.01	.04
	Army of Bombay	.00	.01	.00	.00	.00	.00	.05	.02	.01	.04	.05	.00	.17
	Army of India	.00	.00	.00	.00	.01	.01	.02	.01	.02	.02	.02	.01	.12
HEPATITIS	Army of Bengal	.14	.14	.13	.11	.13	.13	.18	.22	.21	.24	.24	.16	2.04
	Army of Madras	.34	.27	.23	.13	.18	.27	.24	.32	.29	.35	.31	.24	3.16
	Army of Bombay	.18	.12	.20	.14	.08	.12	.07	.12	.20	.08	.21	.16	1.71
	Army of India	.19	.16	.16	.12	.13	.15	.17	.22	.23	.23	.25	.18	2.19
RESPIRATORY DISEASES.	Army of Bengal	.29	.14	.09	.06	.08	.05	.05	.02	.04	.07	.11	.25	1.25
	Army of Madras	.05	.02	.06	.00	.01	.03	.05	.01	.00	.04	.01	.05	.32
	Army of Bombay	.13	.03	.09	.02	.03	.05	.03	.04	.03	.05	.11	.11	.70
	Army of India	.21	.10	.09	.04	.05	.04	.05	.02	.03	.06	.10	.19	.97
PHTHISIS PULMONALIS.	Army of Bengal	.11	.11	.09	.09	.07	.09	.12	.11	.08	.10	.10	.14	1.20
	Army of Madras	.16	.10	.08	.04	.04	.12	.03	.11	.09	.10	.12	.10	1.18
	Army of Bombay	.21	.11	.12	.06	.04	.06	.03	.10	.07	.09	.13	.04	1.09
	Army of India	.14	.10	.09	.07	.06	.09	.10	.10	.08	.10	.11	.12	1.28
HEART DISEASES	Army of Bengal	.11	.07	.10	.08	.10	.08	.10	.10	.09	.11	.09	.15	1.14
	Army of Madras	.10	.17	.15	.13	.08	.05	.10	.15	.15	.14	.12	.20	1.55
	Army of Bombay	.09	.07	.12	.04	.08	.03	.12	.06	.07	.10	.08	.12	.97
	Army of India	.11	.09	.11	.08	.09	.07	.10	.10	.10	.11	.10	.13	1.19
ALL OTHER CAUSES...	Army of Bengal	.32	.28	.30	.38	.24	.28	.26	.30	.29	.38	.35	.45	3.86
	Army of Madras	.29	.33	.27	.24	.28	.27	.31	.39	.36	.29	.27	.35	3.65
	Army of Bombay	.23	.32	.28	.20	.18	.26	.31	.37	.31	.42	.28	.24	3.43
	Army of India	.30	.29	.30	.32	.25	.29	.28	.33	.30	.38	.33	.40	3.74

F DISEASE, 1870-79.

XVIII.

the EUROPEAN ARMY to the CHIEF CAUSES of MORTALITY.

B.—MONTHLY PERCENTAGE OF THE ANNUAL DEATH-RATES.

DISEASES CONTRASTED IN THE DIFFERENT PRESIDENCIES.	PRESIDENCIES.	DEATH-RATE OF EACH MONTH PER CENT. OF THE ANNUAL DEATH-RATE.												TOTAL.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DEATH-RATE (All Causes).	Army of Bengal	6.05	4.43	4.96	6.24	9.15	12.67	9.86	11.82	11.24	9.19	7.00	7.39	100.00
	Army of Madras	8.31	7.69	6.73	8.43	10.18	8.31	9.00	9.05	9.28	8.37	6.79	7.86	100.00
	Army of Bombay	7.74	5.77	6.95	6.43	6.82	9.97	9.18	11.67	10.89	9.11	9.11	6.36	100.00
	Army of India	6.73	5.17	5.54	6.62	9.00	11.54	9.62	11.28	10.86	9.05	7.24	7.35	100.00
DEATH-RATE FOR ALL CAUSES, EXCLUDING CHOLERA.	Army of Bengal	7.50	5.54	5.95	7.08	8.69	11.07	9.47	8.93	9.05	9.34	8.27	9.11	100.00
	Army of Madras	8.89	8.13	7.13	7.20	9.26	8.01	7.88	9.14	0.57	9.14	7.20	8.45	100.00
	Army of Bombay	8.59	6.40	7.71	6.48	6.77	10.04	8.22	8.59	11.14	9.53	9.61	6.92	100.00
	Army of India	8.00	6.14	6.45	6.94	8.49	10.35	8.99	8.87	9.19	9.36	8.24	8.68	100.00
CHOLERA	Army of Bengal	.24	.00	.95	2.86	10.98	19.09	11.46	23.39	20.05	8.59	1.91	.48	100.00
	Army of Madras	2.94	3.53	2.94	20.00	18.82	11.18	19.41	8.24	6.47	1.18	2.94	2.35	100.00
	Army of Bombay	.00	.00	.00	5.96	7.28	9.27	17.88	39.74	8.61	5.30	4.64	1.32	100.00
	Army of India	.31	.31	.94	5.00	11.56	17.50	12.81	23.14	17.81	7.50	2.19	.63	100.00
SMALLPOX	Army of Bengal	9.09	9.09	18.18	27.28	18.18	9.09	.00	.00	.00	.00	.00	9.09	100.00
	Army of Madras	.00	.00	30.00	20.00	30.00	.00	10.00	.00	.00	10.00	.00	.00	100.00
	Army of Bombay	.00	.00	20.00	60.00	20.00	.00	.00	.00	.00	.00	.00	.00	100.00
	Army of India	10.00	10.00	20.00	20.00	20.00	10.00	.00	.00	.00	.00	.00	10.00	100.00
ENTERIC FEVER	Army of Bengal	3.95	3.95	3.95	8.77	14.91	13.59	10.09	12.28	11.84	8.33	4.39	3.95	100.00
	Army of Madras	7.69	9.79	2.80	9.09	6.99	8.39	9.79	10.49	16.79	8.39	3.50	6.29	100.00
	Army of Bombay	5.20	5.20	2.89	8.09	8.67	6.94	4.05	7.51	25.13	12.72	6.94	6.36	100.00
	Army of India	4.90	4.90	3.92	8.83	12.75	11.76	9.31	11.27	14.71	8.83	4.41	4.41	100.00
INTERMITTENT FEVER	Army of Bengal	5.88	5.88	5.88	.00	5.88	5.88	.00	5.88	17.65	11.77	17.65	17.65	100.00
	Army of Madras	.00	.00	.00	50.00	50.00	.00	.00	.00	.00	.00	.00	.00	100.00
	Army of Bombay	5.88	.00	.00	11.77	5.88	.00	5.88	5.88	23.53	23.53	11.77	5.88	100.00
	Army of India	7.14	7.14	.00	7.14	7.14	7.14	.00	7.14	14.29	14.29	14.29	14.29	100.00
FEVERS, REMITTENT AND CONTINUED.	Army of Bengal	3.80	1.99	5.06	6.96	10.76	11.39	8.86	10.76	13.29	13.29	9.50	4.43	100.00
	Army of Madras	18.65	6.78	5.09	8.47	10.17	6.78	8.47	8.47	6.78	6.78	10.17	3.39	100.00
	Army of Bombay	9.19	5.10	5.10	10.21	2.04	8.17	6.12	14.29	11.22	11.22	11.22	6.12	100.00
	Army of India	5.51	3.15	4.72	7.87	9.45	10.24	8.66	11.03	12.60	12.60	9.45	4.72	100.00
APOPLEXY	Army of Bengal	1.31	.65	1.31	3.27	11.11	36.60	24.18	8.50	7.19	2.61	1.31	1.96	100.00
	Army of Madras	2.84	1.42	4.96	17.02	36.88	14.89	7.80	3.54	2.84	2.84	2.84	2.13	100.00
	Army of Bombay	2.56	1.28	1.92	5.77	19.23	39.10	11.54	3.85	5.13	3.21	5.13	1.28	100.00
	Army of India	1.33	1.33	2.00	6.00	17.33	33.33	18.67	7.34	6.00	2.67	2.00	2.00	100.00
DELIRIUM TREMENS	Army of Bengal	5.88	5.88	.00	5.88	5.88	23.53	11.76	11.76	11.76	5.88	.00	99.97	
	Army of Madras	8.00	4.00	8.00	16.00	12.00	16.00	4.00	4.00	16.00	4.00	4.00	4.00	100.00
	Army of Bombay	5.00	.00	.00	5.00	10.00	10.00	25.00	5.00	15.00	10.00	10.00	5.00	100.00
	Army of India	5.26	.00	5.26	10.53	10.53	15.79	15.79	5.26	10.53	10.53	5.26	5.26	100.00
DYSENTERY	Army of Bengal	6.62	2.21	5.14	5.14	8.09	8.09	8.09	9.56	11.03	13.24	12.50	10.29	100.00
	Army of Madras	8.70	8.70	6.52	4.78	6.09	5.05	6.95	9.13	13.04	12.61	6.96	10.87	100.00
	Army of Bombay	10.10	6.06	11.11	5.05	1.01	3.03	10.10	12.12	14.15	9.09	11.11	7.07	100.00
	Army of India	8.11	4.73	6.08	4.73	6.08	6.76	8.11	10.14	12.16	12.84	10.13	10.13	100.00
DIARRHŒA	Army of Bengal	.00	.00	.00	.00	10.00	10.00	10.00	10.00	20.00	10.00	20.00	10.00	100.00
	Army of Madras	.00	.00	20.00	20.00	.00	.00	.00	20.00	20.00	.00	.00	20.00	100.00
	Army of Bombay	.00	5.56	.00	.00	.00	.00	27.78	11.10	5.56	22.22	27.78	.00	100.00
	Army of India	.00	.00	.00	.00	8.33	8.33	16.67	8.33	16.67	16.67	16.67	8.33	100.00
HEPATITIS	Army of Bengal	6.90	6.90	6.40	5.42	6.40	6.40	8.87	10.84	10.35	11.82	11.82	7.88	100.00
	Army of Madras	10.73	8.52	7.25	4.10	5.68	8.52	7.57	10.09	9.15	11.04	9.78	7.57	100.00
	Army of Bombay	10.72	7.14	11.91	8.33	4.76	7.14	4.17	7.14	11.91	4.76	12.50	9.52	100.00
	Army of India	8.68	7.31	7.31	5.48	5.93	6.85	7.76	10.05	10.50	10.50	11.41	8.82	100.00
RESPIRATORY DISEASES.	Army of Bengal	23.20	11.20	7.20	4.80	6.40	4.00	4.00	1.60	3.20	5.60	8.80	20.00	100.00
	Army of Madras	15.15	6.06	18.19	.00	3.03	9.09	15.15	3.03	.00	12.12	3.03	15.15	100.00
	Army of Bombay	18.05	4.17	12.50	2.78	4.17	6.94	4.17	5.55	4.17	6.94	15.28	15.28	100.00
	Army of India	21.43	10.21	9.18	4.08	5.10	4.08	5.10	2.04	3.06	6.12	10.21	19.39	100.00
PHTHISIS PULMONALIS.	Army of Bengal	9.09	9.09	7.44	7.44	5.79	7.44	9.92	9.09	6.61	8.26	8.26	11.57	100.00
	Army of Madras	14.03	8.77	7.02	3.51	3.51	10.53	7.02	9.65	7.89	8.77	10.53	8.77	100.00
	Army of Bombay	18.92	9.91	10.81	5.41	3.60	5.41	7.21	9.01	6.30	8.11	11.71	3.60	100.00
	Army of India	12.07	8.62	7.76	6.03	5.17	7.76	8.62	8.62	6.90	8.62	9.48	10.35	100.00
HEART DISEASES	Army of Bengal	9.32	5.93	8.47	6.79	8.47	6.79	8.47	8.47	7.63	9.32	7.63	12.71	100.00
	Army of Madras	6.49	11.04	9.74	8.44	5.20	3.25	6.49	9.74	9.74	9.09	7.79	12.99	100.00
	Army of Bombay	9.19	7.14	12.25	4.08	8.16	3.06	12.25	6.12	7.14	10.20	8.16	12.25	100.00
	Army of India	9.25	7.56	9.25	6.72	7.56	5.88	8.40	8.40	8.40	9.25	8.40	10.93	100.00
ALL OTHER CAUSES...	Army of Bengal	8.36	7.31	7.83	9.92	6.27	7.31	6.79	7.83	7.57	9.92	9.14	11.75	100.00
	Army of Madras	7.95	9.04	7.40	6.57	7.67	7.40	8.49	10.68	9.86	7.95	7.40	9.59	100.00
	Army of Bombay	6.76	9.41	8.24	5.88	5.29	7.65	9.12	10.88	9.12	12.35	8.24	7.06	100.00
	Army of India	7.96	7.69	7.96	8.49	6.63	7.69	7.43	8.75	7.96	10.08	8.75	10.61	100.00

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—GENERAL DEATH-RATE AND DEATH-RATES FOR THE CHIEF CAUSES OF MORTALITY.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DEATH-RATE (All Causes).	Bengal Proper ...	1.28	.81	.84	.78	1.31	.95	1.21	1.69	1.27	1.81	1.38	1.14	14.43
	Gangetic Provinces and Oudh99	.68	.97	1.41	2.22	1.99	1.61	2.89	3.11	1.44	1.48	1.41	20.06
	Rohilcund and Meerut89	.86	.99	1.21	1.91	2.03	1.23	1.68	2.93	1.99	1.46	1.15	18.31
	Agra and Central India ...	1.16	1.16	.76	.92	1.65	1.78	1.34	2.20	2.35	2.08	1.92	1.15	18.41
	Punjab ...	1.21	.69	.84	.99	1.84	2.50	2.48	2.82	2.53	2.52	1.47	1.17	20.71
	Rajpootana, Malwa, Sind, and Aden ...	1.33	.93	.92	.98	1.17	1.94	1.29	2.04	2.35	1.80	1.43	1.17	17.41
	Deccan and Nagpore98	.79	.95	.89	1.60	1.20	1.21	1.62	1.40	1.34	1.17	.91	14.14
	Southern India ...	1.33	1.27	.93	.99	1.30	1.24	1.29	1.07	.93	1.10	.80	1.41	13.70
	British Burmah and Pegu93	.95	.64	2.46	1.39	1.31	2.70	1.34	1.90	1.32	1.05	1.18	17.32
	DEATH-RATE FOR ALL CAUSES, EXCLUDING CHOLEERA.	Bengal Proper ...	1.17	.81	.58	.73	1.16	.95	1.16	1.69	1.22	1.76	1.32	1.08
Gangetic Provinces and Oudh99	.68	.92	1.11	1.86	1.76	1.35	1.66	1.65	1.28	1.15	1.38	15.82
Rohilcund and Meerut89	.86	.97	1.13	1.78	2.01	1.20	1.28	1.64	1.94	1.46	1.15	16.25
Agra and Central India ...		1.16	1.14	.76	.92	.95	1.47	1.05	1.32	1.62	1.86	1.92	1.12	15.19
Punjab ...		1.21	.69	.84	.88	1.28	2.24	2.18	1.56	1.76	1.68	1.44	1.47	16.76
Rajpootana, Malwa, Sind, and Aden ...		1.33	.93	.92	.91	.97	1.78	1.15	1.19	2.15	1.67	1.30	1.15	15.47
Deccan and Aden98	.75	.94	.88	1.17	1.07	.89	1.32	1.32	1.34	1.16	.91	12.75
Southern India ...		1.31	1.20	.83	.93	1.28	1.11	1.14	1.05	.91	1.08	.76	1.34	12.93
British Burmah and Pegu93	.95	.64	1.09	1.30	.89	1.66	1.10	1.56	1.27	1.05	1.18	13.66
CHOLEERA		Bengal Proper11	.00	.26	.05	.15	.00	.05	.00	.05	.05	.06	.06
	Gangetic Provinces and Oudh00	.00	.05	.30	.36	.23	.26	1.03	1.46	.16	.33	.03	4.24
	Rohilcund and Meerut00	.00	.02	.03	.13	.02	.03	.40	1.34	.05	.00	.00	2.06
	Agra and Central India00	.02	.00	.00	.70	.31	.29	.83	.73	.22	.00	.03	3.22
	Punjab00	.00	.00	.11	.56	.56	.30	1.26	.77	.84	.03	.00	3.95
	Rajpootana, Malwa, Sind, and Aden00	.00	.00	.07	.20	.16	.14	.85	.20	.13	.13	.02	1.94
	Deccan and Nagpore00	.04	.01	.01	.43	.13	.32	.30	.03	.00	.01	.00	1.39
	Southern India07	.07	.10	.06	.02	.13	.15	.02	.02	.02	.04	.07	.77
	British Burmah and Pegu00	.00	.00	1.37	.09	.42	1.04	.24	.34	.05	.00	.00	3.66
	SMALLPOX	Bengal Proper00	.00	.00	.05	.00	.00	.00	.00	.00	.00	.00	.00
Gangetic Provinces and Oudh00	.00	.04	.08	.05	.04	.01	.00	.00	.00	.00	.03	.25
Rohilcund and Meerut02	.05	.02	.02	.05	.02	.00	.00	.00	.00	.00	.00	.20
Agra and Central India00	.02	.02	.05	.02	.02	.00	.00	.00	.00	.00	.00	.15
Punjab02	.02	.01	.00	.00	.00	.00	.00	.01	.00	.00	.01	.07
Rajpootana, Malwa, Sind, and Aden00	.00	.00	.02	.02	.00	.00	.00	.00	.00	.00	.00	.04
Deccan and Nagpore00	.00	.05	.05	.04	.00	.00	.00	.00	.00	.00	.00	.14
Southern India00	.00	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.02
British Burmah and Pegu00	.00	.00	.00	.00	.00	.00	.00	.00	.05	.00	.00	.05
ENTERIC FEVER		Bengal Proper00	.05	.10	.05	.00	.00	.05	.16	.27	.11	.00	.00
	Gangetic Provinces and Oudh15	.10	.12	.28	.43	.24	.26	.34	.31	.12	.09	.15	2.63
	Rohilcund and Meerut13	.05	.12	.30	.62	.35	.15	.15	.33	.28	.11	.11	2.69
	Agra and Central India15	.10	.05	.22	.12	.05	.05	.17	.46	.40	.23	.05	2.04
	Punjab06	.09	.08	.19	.37	.59	.29	.26	.22	.17	.07	.08	2.32
	Rajpootana, Malwa, Sind, and Aden08	.15	.06	.16	.17	.11	.05	.18	.73	.35	.21	.17	2.42
	Deccan and Nagpore10	.06	.04	.13	.17	.11	.10	.15	.33	.16	.05	.04	1.46
	Southern India17	.15	.06	.17	.02	.13	.17	.06	.11	.09	.00	.14	1.26
	British Burmah and Pegu05	.11	.00	.00	.05	.00	.19	.10	.00	.00	.00	.10	.58
	INTERMITTENT FEVER	Bengal Proper05	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Gangetic Provinces and Oudh01	.00	.00	.00	.01	.00	.00	.00	.01	.03	.02	.00	.08
Rohilcund and Meerut00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.03	.00	.06
Agra and Central India00	.02	.00	.00	.00	.02	.00	.05	.07	.00	.05	.05	.26
Punjab01	.02	.00	.01	.01	.00	.01	.01	.04	.04	.05	.06	.26
Rajpootana, Malwa, Sind, and Aden00	.00	.00	.00	.00	.00	.02	.02	.05	.04	.04	.00	.17
Deccan and Nagpore00	.00	.00	.01	.01	.00	.00	.00	.01	.03	.00	.01	.07
Southern India00	.00	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.02
British Burmah and Pegu00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
REMITTENT AND CONTINUED FEVERS.		Bengal Proper05	.05	.00	.05	.00	.05	.11	.11	.05	.16	.32	.06
	Gangetic Provinces and Oudh03	.00	.09	.09	.24	.13	.04	.20	.20	.04	.04	.06	1.17
	Rohilcund and Meerut02	.00	.00	.05	.10	.13	.05	.10	.18	.25	.08	.03	.97
	Agra and Central India10	.12	.10	.15	.15	.07	.07	.15	.24	.22	.18	.03	1.59
	Punjab04	.04	.10	.11	.12	.19	.23	.23	.39	.36	.21	.10	1.98
	Rajpootana, Malwa, Sind, and Aden09	.07	.09	.07	.02	.09	.05	.18	.20	.13	.17	.06	1.23
	Deccan and Nagpore10	.00	.01	.08	.06	.04	.05	.10	.05	.08	.03	.04	.65
	Southern India11	.07	.02	.04	.04	.06	.04	.04	.02	.02	.09	.04	.60
	British Burmah and Pegu05	.05	.05	.00	.05	.05	.09	.00	.00	.05	.00	.00	.39
	APOPLEXY	Bengal Proper05	.05	.00	.10	.21	.16	.05	.00	.00	.05	.00	.00
Gangetic Provinces and Oudh01	.00	.02	.03	.40	.72	.29	.08	.12	.08	.02	.03	1.81
Rohilcund and Meerut02	.02	.02	.08	.30	.45	.35	.13	.18	.03	.03	.00	1.61
Agra and Central India00	.00	.02	.05	.22	.58	.17	.15	.07	.05	.03	.00	1.35
Punjab01	.02	.02	.04	.04	.81	.87	.33	.19	.04	.03	.03	2.17
Rajpootana, Malwa, Sind, and Aden06	.02	.02	.09	.38	1.09	.31	.03	.13	.09	.08	.02	2.34
Deccan and Nagpore01	.04	.07	.15	.37	.20	.05	.05	.01	.01	.05	.03	1.08
Southern India00	.00	.06	.21	.44	.15	.11	.04	.00	.04	.02	.02	1.11
British Burmah and Pegu10	.00	.05	.24	.55	.05	.19	.14	.19	.00	.05	.00	1.61

IV.—MONTHLY DISTRIBUTION

CCL

STATEMENT contrasting in the different PROVINCES the LIABILITY in each MONTH

A.—GENERAL DEATH-RATE AND DEATH-RATES FOR THE CHIEF CAUSES OF MORTALITY.

DISEASES CONTRASTED IN THE DIFFERENT PROVINCES.	PROVINCES.	DEATH-RATE OF EACH MONTH PER 1,000 OF STRENGTH.												Ratio per 1,000 of Strength for the Year.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
DELIRIUM TREMENS...	Bengal Proper ...	'00	'00	'00	'00	'00	'05	'00	'00	'00	'05	'06	'00	'16
	Gangetic Provinces and Oudh ...	'00	'01	'00	'01	'00	'01	'01	'00	'01	'01	'00	'00	'08
	Rohilcund and Meerut ...	'02	'02	'00	'02	'02	'02	'00	'03	'10	'00	'00	'00	'25
	Agra and Central India ...	'00	'00	'00	'00	'00	'00	'05	'00	'03	'05	'03	'00	'15
	Punjab ...	'02	'00	'01	'00	'03	'08	'05	'04	'01	'02	'01	'01	'25
	Rajpootana, Malwa, Sind, and Aden ...	'02	'00	'00	'00	'00	'02	'07	'02	'05	'02	'02	'00	'22
	Deccan and Nagpore ...	'00	'00	'01	'03	'03	'01	'01	'00	'00	'03	'03	'01	'16
	Southern India ...	'00	'02	'00	'02	'06	'02	'02	'02	'02	'02	'00	'02	'23
	British Burmah and Pegu ...	'00	'00	'05	'14	'00	'05	'00	'00	'00	'09	'00	'00	'34
DYSENTERY ...	Bengal Proper ...	'11	'00	'00	'10	'00	'11	'11	'21	'05	'27	'11	'20	1'27
	Gangetic Provinces and Oudh ...	'07	'03	'04	'11	'12	'05	'09	'18	'18	'11	'16	'13	1'25
	Rohilcund and Meerut ...	'10	'00	'05	'02	'07	'05	'12	'07	'22	'25	'22	'19	1'36
	Agra and Central India ...	'05	'00	'02	'00	'02	'05	'02	'19	'20	'33	'31	'10	1'26
	Punjab ...	'08	'02	'05	'04	'10	'12	'11	'06	'13	'17	'15	'15	1'17
	Rajpootana, Malwa, Sind, and Aden ...	'15	'06	'13	'05	'00	'02	'07	'05	'15	'16	'06	'08	'98
	Deccan and Nagpore ...	'13	'15	'12	'08	'03	'05	'09	'16	'27	'21	'22	'23	1'71
	Southern India ...	'07	'18	'06	'06	'15	'13	'04	'15	'06	'20	'11	'09	1'28
	British Burmah and Pegu ...	'31	'11	'05	'19	'09	'18	'38	'28	'44	'20	'10	'29	2'63
DIARRHŒA ...	Bengal Proper ...	'00	'00	'00	'00	'05	'00	'00	'05	'00	'00	'06	'16	
	Gangetic Provinces and Oudh ...	'00	'00	'00	'01	'03	'01	'00	'00	'01	'01	'02	'00	'09
	Rohilcund and Meerut ...	'02	'00	'00	'00	'00	'00	'00	'07	'02	'03	'03	'05	'23
	Agra and Central India ...	'00	'00	'00	'00	'00	'00	'02	'00	'03	'00	'03	'00	'07
	Punjab ...	'00	'00	'00	'00	'00	'00	'00	'00	'00	'02	'01	'02	'05
	Rajpootana, Malwa, Sind, and Aden ...	'00	'00	'00	'00	'00	'00	'02	'02	'02	'05	'00	'00	'11
	Deccan and Nagpore ...	'00	'01	'00	'00	'00	'00	'03	'01	'00	'00	'05	'00	'11
	Southern India ...	'00	'00	'00	'02	'00	'00	'00	'00	'02	'00	'00	'00	'04
	British Burmah and Pegu ...	'00	'00	'00	'00	'00	'00	'00	'00	'00	'00	'00	'00	'00
HEPATITIS ...	Bengal Proper ...	'27	'21	'10	'05	'11	'20	'11	'31	'21	'48	'27	'32	2'46
	Gangetic Provinces and Oudh ...	'17	'14	'12	'19	'18	'11	'22	'26	'30	'29	'20	'17	2'35
	Rohilcund and Meerut ...	'13	'24	'21	'12	'13	'28	'22	'30	'18	'31	'48	'19	2'74
	Agra and Central India ...	'17	'15	'12	'05	'15	'10	'17	'22	'20	'27	'29	'21	2'07
	Punjab ...	'11	'08	'09	'05	'09	'07	'11	'11	'18	'18	'21	'11	1'39
	Rajpootana, Malwa, Sind, and Aden ...	'15	'06	'20	'11	'07	'09	'09	'00	'31	'11	'15	'17	1'61
	Deccan and Nagpore ...	'28	'20	'20	'11	'13	'20	'11	'27	'15	'25	'29	'27	2'44
	Southern India ...	'40	'18	'15	'10	'13	'21	'30	'21	'19	'22	'22	'20	2'48
	British Burmah and Pegu ...	'16	'16	'05	'19	'14	'28	'09	'14	'34	'34	'30	'00	2'20
RESPIRATORY DISEASES.	Bengal Proper ...	'00	'00	'00	'00	'00	'00	'16	'00	'00	'11	'00	'06	'32
	Gangetic Provinces and Oudh ...	'08	'08	'04	'00	'01	'03	'01	'03	'01	'03	'04	'08	'43
	Rohilcund and Meerut ...	'08	'07	'02	'10	'05	'10	'03	'00	'02	'07	'06	'03	'63
	Agra and Central India ...	'25	'10	'07	'02	'10	'00	'02	'00	'03	'00	'11	'05	'74
	Punjab ...	'35	'11	'09	'06	'06	'06	'02	'02	'08	'08	'17	'36	1'50
	Rajpootana, Malwa, Sind, and Aden ...	'19	'04	'09	'02	'02	'07	'04	'02	'02	'04	'04	'12	'68
	Deccan and Nagpore ...	'06	'00	'04	'01	'01	'03	'03	'04	'03	'05	'03	'08	'38
	Southern India ...	'00	'04	'06	'00	'00	'02	'06	'00	'00	'04	'00	'04	'28
	British Burmah and Pegu ...	'00	'00	'05	'00	'00	'00	'00	'00	'00	'00	'00	'05	'10
PHTHISIS PULMONALIS.	Bengal Proper ...	'11	'25	'10	'10	'11	'05	'25	'11	'11	'00	'06	'06	1'32
	Gangetic Provinces and Oudh ...	'14	'07	'05	'08	'09	'05	'09	'13	'14	'11	'13	'17	1'22
	Rohilcund and Meerut ...	'02	'10	'17	'05	'02	'13	'15	'10	'05	'08	'11	'19	1'16
	Agra and Central India ...	'10	'10	'02	'02	'00	'12	'23	'05	'05	'05	'13	'08	'94
	Punjab ...	'11	'08	'05	'07	'09	'07	'07	'12	'08	'14	'11	'14	1'13
	Rajpootana, Malwa, Sind, and Aden ...	'28	'07	'02	'07	'04	'07	'07	'11	'07	'07	'13	'04	1'05
	Deccan and Nagpore ...	'10	'03	'05	'04	'05	'07	'05	'12	'05	'09	'12	'04	'80
	Southern India ...	'17	'10	'06	'02	'04	'10	'02	'04	'06	'11	'11	'09	'94
	British Burmah and Pegu ...	'00	'00	'05	'00	'00	'05	'15	'05	'10	'05	'05	'05	'64
HEART DISEASES ...	Bengal Proper ...	'11	'10	'05	'10	'11	'11	'05	'16	'05	'21	'11	'06	1'22
	Gangetic Provinces and Oudh ...	'07	'08	'10	'05	'06	'08	'05	'10	'10	'09	'10	'09	'98
	Rohilcund and Meerut ...	'13	'00	'14	'10	'15	'10	'05	'00	'08	'10	'06	'11	1'01
	Agra and Central India ...	'10	'10	'05	'17	'05	'12	'05	'17	'05	'10	'21	'23	1'38
	Punjab ...	'11	'04	'09	'05	'13	'07	'10	'13	'10	'10	'08	'11	'11
	Rajpootana, Malwa, Sind, and Aden ...	'08	'04	'09	'04	'05	'04	'07	'09	'05	'09	'06	'12	'81
	Deccan and Nagpore ...	'03	'07	'11	'05	'10	'01	'13	'09	'10	'16	'08	'10	1'02
	Southern India ...	'13	'15	'15	'13	'08	'06	'08	'13	'09	'09	'09	'25	1'41
	British Burmah and Pegu ...	'00	'05	'05	'14	'05	'00	'24	'10	'25	'20	'10	'10	1'27
ALL OTHER CAUSES...	Bengal Proper ...	'42	'10	'20	'10	'57	'22	'27	'58	'48	'32	'39	'26	3'90
	Gangetic Provinces and Oudh ...	'26	'17	'30	'18	'24	'29	'28	'34	'26	'36	'33	'47	3'48
	Rohilcund and Meerut ...	'20	'31	'22	'27	'38	'09	'33	'28	'51	'25	'25	'25	3'34
	Agra and Central India ...	'24	'43	'29	'19	'12	'34	'20	'17	'19	'39	'32	'32	3'19
	Punjab ...	'29	'18	'25	'26	'24	'22	'28	'25	'33	'36	'34	'29	3'27
	Rajpootana, Malwa, Sind, and Aden ...	'23	'42	'22	'28	'20	'18	'29	'38	'37	'52	'34	'37	3'81
	Deccan and Nagpore ...	'17	'19	'24	'14	'17	'35	'24	'33	'32	'27	'21	'06	2'73
	Southern India ...	'26	'31	'21	'16	'30	'22	'28	'36	'34	'25	'12	'45	3'26
	British Burmah and Pegu ...	'26	'47	'24	'19	'37	'23	'33	'29	'24	'29	'45	'59	3'95

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXX.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of INDIA on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ...	63.64	43.75	76.00	61.33	69.13	71.77	66.76	66.92	72.69	76.67	61.19	72.22	69.11
Smallpox ...	10.64	10.87	15.38	15.84	16.92	23.81	12.50	...	25.00	50.00	...	14.29	14.71
Enteric Fever ...	34.59	45.08	31.39	37.82	38.86	57.55	45.38	49.62	46.09	51.76	45.69	35.29	43.83
Fever, Intermittent05	.04	.02	.04	.03	.02	.01	.02	.05	.03	.05	.05	.04
Fevers, Remittent and Continued...	1.51	.74	.81	.70	.67	.73	.56	.80	.78	.88	1.08	.85	.79
Apoplexy ...	41.18	24.32	28.36	35.33	44.54	42.05	36.69	34.44	42.06	29.63	41.67	57.69	39.29
Delirium Tremens ...	4.29	2.56	1.89	5.66	5.17	11.59	6.70	2.94	5.80	6.37	4.23	2.34	5.10
Dysentery ...	3.76	2.82	3.94	2.47	3.17	3.32	3.18	3.14	4.00	4.60	4.49	4.50	3.65
Diarrhœa05	.06	.04	.06	.10	.21	.19	.15	.22	.35	.51	.27	.19
Hepatitis ...	5.46	4.73	4.76	3.31	3.14	3.45	3.50	4.42	4.48	4.89	6.24	5.00	4.40
Respiratory diseases ...	20.97	20.89	16.61	15.60	11.18	13.25	12.79	13.36	10.38	11.46	12.48	15.02	14.12
Phthisis Pulmonalis ...	2.38	1.23	1.22	.66	.89	.92	.86	.42	.65	1.17	1.50	2.25	1.29
All other Causes48	.44	.50	.31	.42	.41	.41	.50	.50	.56	.56	.61	.47

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

	NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ...	11	16	25	150	311	457	358	650	454	180	67	18	2,697
Deaths ...	7	7	19	92	215	328	239	435	330	138	41	13	1,864
Smallpox ...	47	46	65	101	65	21	16	1	4	2	12	28	408
Deaths ...	5	5	10	16	11	5	2	...	1	1	...	4	60
Enteric Fever ...	159	122	137	275	386	245	238	264	371	199	116	153	2,665
Deaths ...	55	55	43	104	150	141	108	131	171	103	53	54	1,168
Fever, Intermittent ...	12,379	9,447	9,150	11,427	14,298	15,291	18,035	21,219	28,852	34,616	29,628	20,481	224,823
Deaths ...	6	4	2	4	4	3	2	4	14	11	14	11	79
Fevers, Remittent and Continued.	2,714	2,842	4,470	7,973	10,745	10,484	10,849	10,491	11,979	10,473	6,546	4,104	93,670
Deaths ...	41	21	36	56	72	77	61	84	93	92	71	35	739
Apoplexy ...	34	37	67	150	339	692	447	180	126	81	48	26	2,227
Deaths ...	14	9	19	53	151	291	164	62	53	24	20	15	875
Delirium Tremens ...	163	117	159	159	174	164	224	238	207	204	142	128	2,079
Deaths ...	7	3	3	9	9	19	15	7	12	13	6	3	106
Dysentery ...	1,731	1,348	1,372	1,740	1,736	1,688	2,170	2,708	2,623	2,304	1,980	1,956	23,356
Deaths ...	65	38	54	43	55	56	69	85	105	106	89	88	853
Diarrhœa ...	1,944	1,727	2,269	3,279	3,041	2,873	4,714	5,193	3,568	2,601	2,352	2,574	36,135
Deaths ...	1	1	1	2	3	6	9	8	8	9	12	7	67
Hepatitis ...	2,016	1,905	1,994	2,145	2,454	2,611	2,887	2,875	2,900	2,698	2,277	2,018	28,780
Deaths ...	110	91	95	71	77	90	101	127	130	132	142	101	1,267
Respiratory diseases ...	5,077	4,450	4,009	3,793	3,586	2,814	2,895	2,830	2,627	2,935	3,656	4,808	43,530
Deaths ...	121	57	49	25	32	26	25	12	17	35	55	108	562
Phthisis Pulmonalis ...	372	292	319	282	322	385	469	449	453	506	513	446	4,808
Deaths ...	78	61	53	44	36	51	60	60	47	58	64	67	679
All other Causes*	30,965	30,029	33,486	35,619	33,752	31,749	35,770	33,493	31,952	31,649	28,589	29,333	386,386
Deaths ...	149	133	169	121	141	129	147	169	159	176	160	180	1,833

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXI.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of the BENGAL PRESIDENCY on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ...	100·00	33·33	76·47	60·81	79·52	70·87	66·67	65·15	74·15	77·11	59·18	70·00	70·26
Smallpox ...	17·86	14·71	14·63	15·07	13·73	26·32	7·69	...	50·00	17·39	15·31
Enteric Fever ...	35·79	42·47	36·67	36·76	37·85	56·10	48·02	55·25	40·57	50·00	40·70	33·33	43·39
Fever, Intermittent ...	·06	·07	·03	·01	·02	·03	·01	·02	·05	·03	·06	·07	·04
Fevers, Remittent and Continued...	1·31	·75	1·09	·71	·78	·83	·60	·80	·84	1·02	1·27	1·17	·86
Apoplexy ...	46·15	50·00	23·53	23·61	43·88	44·35	34·46	33·11	46·51	30·43	28·57	76·92	38·66
Delirium Tremens ...	5·41	3·33	1·20	4·23	4·12	14·61	7·32	4·13	6·56	6·60	4·55	1·56	5·58
Dysentery ...	4·11	1·74	3·72	2·53	3·75	4·58	4·29	3·72	4·04	5·09	5·46	5·29	4·13
Diarrhœa ...	·09	·05	·15	·36	·14	·15	·25	·31	·49	·33	·19
Hepatitis ...	5·33	4·77	4·28	3·19	3·17	2·81	3·70	4·27	4·27	5·33	6·76	5·18	4·33
Respiratory diseases ...	2·78	1·63	1·17	·86	1·09	·95	·89	·37	·79	1·25	1·69	2·56	1·49
Phthisis Pulmonalis ...	18·01	25·50	17·30	16·75	14·14	13·56	14·38	13·77	9·90	11·80	10·43	19·25	14·64
All other Causes*	·53	·43	·48	·36	·47	·46	·40	·47	·47	·59	·61	·64	·49

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

	NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ... { Cases ...	2	3	17	74	210	412	261	548	410	166	49	10	2,162
... { Deaths ...	2	1	13	45	167	292	174	357	304	128	29	7	1,519
Smallpox ... { Cases ...	23	34	41	73	51	19	13	1	2	...	9	23	294
... { Deaths ...	5	5	6	11	7	5	1	...	1	4	45
Enteric Fever ... { Cases ...	95	73	90	204	325	205	177	181	244	134	86	99	1,913
... { Deaths ...	34	31	33	75	123	115	85	100	99	67	35	33	830
Fever, Intermittent ... { Cases ...	8,398	5,999	5,802	7,796	9,966	10,188	11,802	14,256	19,994	24,451	21,526	14,427	154,605
... { Deaths ...	5	4	2	1	2	3	1	3	10	7	12	10	60
Fevers, Remittent and Continued. { Cases ...	1,524	1,695	2,561	5,598	8,100	7,710	8,189	7,883	9,127	7,421	4,183	2,311	66,112
... { Deaths ...	20	12	28	39	63	64	49	63	77	76	53	27	571
Apoplexy ... { Cases ...	13	10	34	72	139	460	386	151	86	46	28	13	1,438
... { Deaths ...	6	5	8	17	61	204	133	50	40	14	8	10	556
Delirium Tremens ... { Cases ...	74	60	83	71	97	89	123	121	122	106	66	64	1,076
... { Deaths ...	4	2	1	3	4	13	9	5	8	7	3	1	60
Dysentery ... { Cases ...	802	576	698	1,027	1,014	829	932	1,343	1,411	1,277	1,099	1,001	12,009
... { Deaths ...	33	10	26	26	38	38	40	50	57	65	60	53	496
Diarrhœa ... { Cases ...	1,109	966	1,383	2,224	2,024	1,686	2,792	3,422	2,425	1,626	1,438	1,588	22,683
... { Deaths ...	1	1	3	6	4	5	6	5	7	6	44
Hepatitis ... { Cases ...	1,013	1,049	1,146	1,285	1,513	1,675	1,810	1,828	1,804	1,613	1,273	1,120	17,129
... { Deaths ...	54	50	49	41	48	47	67	78	77	86	86	58	741
Respiratory diseases ... { Cases ...	3,702	3,193	2,809	2,671	2,571	1,894	1,920	1,906	1,773	1,997	2,548	3,594	30,578
... { Deaths ...	103	52	33	23	28	18	17	7	14	25	43	92	455
Phthisis Pulmonalis ... { Cases ...	211	149	185	197	191	236	299	276	303	322	345	265	2,979
... { Deaths ...	38	38	32	33	27	32	43	38	30	38	36	51	436
All other Causes* ... { Cases ...	19,589	19,015	21,166	21,993	20,712	19,192	21,956	20,857	20,179	19,637	17,560	18,301	240,157
... { Deaths ...	104	82	101	79	98	89	87	98	94	115	107	118	1,172

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXII.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of the MADRAS PRESIDENCY on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera ...	62.50	50.00	75.00	58.46	45.00	75.00	57.14	88.24	63.16	40.00	71.43	66.67	58.49
Smallpox	18.75	18.18	42.86	...	100.00	50.00	18.18
Enteric Fever ...	25.53	45.45	18.52	37.84	30.56	52.00	32.00	34.69	41.94	50.00	50.00	34.48	36.43
Fever, Intermittent10	.0901
Fevers, Remittent and Continued...	1.55	.51	.29	.46	.51	.36	.43	.40	.39	.30	.63	.21	.48
Apoplexy ...	33.33	15.38	38.10	61.36	42.65	35.94	75.00	40.00	41.67	45.45	50.00	50.00	43.85
Delirium Tremens ...	3.85	3.12	4.44	12.20	7.69	9.76	1.89	2.04	2.63	9.09	2.38	2.86	5.09
Dysentery ...	3.05	3.70	3.48	2.29	2.80	2.17	1.93	2.36	3.68	4.22	2.79	4.07	3.02
Diarrhœa19	.1812	.1820	.07
Hepatitis ...	5.43	5.05	4.87	2.92	3.48	5.23	3.95	5.32	4.55	5.45	5.30	4.45	4.71
Respiratory diseases84	.35	1.2219	.67	.98	.2091	.19	.99	.55
Phthisis Pulmonalis ...	19.15	16.22	11.84	9.00	7.14	16.46	10.59	11.44	12.66	11.22	13.59	10.62	12.62
All other Causes*	.40	.50	.55	.41	.38	.33	.37	.60	.65	.47	.44	.59	.47

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

	NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Cholera	Cases ...	8	12	8	65	80	28	63	17	19	5	7	6	318
	Deaths ...	5	6	6	38	36	21	36	15	12	2	5	4	186
Smallpox	Cases ...	5	6	16	11	7	1	1	...	2	2	2	2	55
	Deaths	3	2	3	...	1	1	10
Enteric Fever	Cases ...	47	33	27	37	36	25	50	49	62	26	10	29	431
	Deaths ...	12	15	5	14	11	13	16	17	26	13	5	10	157
Fever, Intermittent ...	Cases ...	883	1,239	991	968	1,098	1,315	1,480	1,497	1,673	1,711	1,278	1,308	15,471
	Deaths	1	1	2
Fevers, Remittent and Continued.	Cases ...	774	780	1,052	1,309	1,376	1,377	1,397	1,222	1,271	1,328	1,109	947	13,942
	Deaths ...	12	4	3	6	7	5	6	6	5	4	7	2	67
Apoplexy	Cases ...	12	13	21	44	136	64	16	15	12	11	8	6	358
	Deaths ...	4	2	8	27	58	23	12	6	5	5	4	3	157
Delirium Tremens	Cases ...	52	32	45	41	39	41	53	49	38	44	42	35	511
	Deaths ...	2	1	2	5	3	4	1	1	1	4	1	1	26
Dysentery	Cases ...	722	595	489	523	571	690	933	976	896	758	645	688	8,486
	Deaths ...	22	22	17	12	16	15	18	23	33	32	18	28	256
Diarrhœa	Cases ...	453	453	525	561	589	687	1,073	864	565	456	428	508	7,153
	Deaths	1	1	1	1	1	5
Hepatitis	Cases ...	681	574	513	513	575	574	684	677	703	697	642	594	7,417
	Deaths ...	37	29	25	15	20	30	27	36	32	38	34	26	349
Respiratory diseases	Cases ...	598	569	576	562	534	446	511	501	463	551	520	507	6,338
	Deaths ...	5	2	7	...	1	3	5	1	...	5	1	5	35
Phthisis Pulmonalis	Cases ...	94	74	76	55	70	79	85	104	79	98	103	113	1,030
	Deaths ...	18	12	9	5	5	13	9	12	10	11	14	12	130
All other Causes*	Cases ...	6,316	5,961	6,570	7,028	6,846	6,747	7,267	6,793	6,301	6,434	5,875	5,928	78,066
	Deaths ..	25	30	36	29	26	22	27	41	41	30	26	35	368

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXIII.

TABLE showing the NUMBER of DEATHS out of each HUNDRED CASES treated in each MONTH in the EUROPEAN ARMY of the BOMBAY PRESIDENCY on the TOTALS for the PERIOD 1870-79.

DISEASES.	DIED OUT OF EACH HUNDRED CASES TREATED IN EACH MONTH.												Annual Average.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Cholera	81·82	57·14	88·24	85·29	74·12	56·00	88·89	63·64	100·00	73·27
Smallpox	12·50	17·65	14·29	8·47
Enteric Fever ...	52·94	56·25	25·00	44·12	64·00	86·67	63·64	41·18	70·77	58·97	65·00	44·00	56·39
Fever, Intermittent ...	·03	·08	·03	...	·02	·02	·06	·05	·03	·02	·03
Fevers, Remittent and Continued...	2·16	1·07	·58	·95	·16	·57	·48	1·08	·70	·70	·88	·71	·74
Apoplexy ...	44·44	14·29	25·00	26·47	50·00	38·10	42·22	42·86	28·57	20·83	66·67	28·57	37·59
Delirium Tremens ...	2·70	2·13	5·26	5·88	10·42	1·47	6·38	3·70	5·88	3·45	4·07
Dysentery ...	4·83	3·39	5·95	2·63	·66	1·78	3·61	3·08	4·75	3·35	4·66	2·62	3·53
Diarrhœa	·32	·59	·22	·17	·77	1·03	...	·29
Hepatitis ...	5·90	4·26	6·27	4·32	2·46	3·59	1·78	3·51	5·34	2·06	6·08	5·41	4·18
Respiratory diseases ...	1·67	·44	1·44	·36	·62	1·05	·65	·95	·77	1·14	1·87	1·56	1·09
Phthisis Pulmonalis ...	32·84	15·94	20·69	20·00	6·56	8·57	9·41	14·49	9·86	10·47	21·54	5·88	14·14
All other Causes ...	·40	·42	·56	·20	·27	·31	·50	·51	·44	·56	·52	·53	·43

ACTUALS UPON WHICH THE RATIOS ABOVE SHOWN ARE CALCULATED.

	NUMBER OF ADMISSIONS AND DEATHS FROM THE CHIEF DISEASES IN EACH MONTH.												TOTAL.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Cholera ...	Cases ...	1	1	...	11	21	17	34	85	25	9	11	2	217
	Deaths	9	12	15	29	63	14	8	7	2	159
Smallpox ...	Cases ...	14	6	8	17	7	1	2	1	3	59
	Deaths	1	3	1	5
Enteric Fever ...	Cases ...	17	16	20	34	25	15	11	34	65	39	20	25	321
	Deaths ...	9	9	5	15	16	13	7	14	46	23	13	11	181
Fever, Intermittent ...	Cases ...	3,098	2,209	2,357	2,663	3,234	3,758	4,753	5,466	7,185	8,454	6,824	4,746	54,747
	Deaths ...	1	2	1	...	1	1	4	4	2	1	17
Fevers, Remittent and Continued.	Cases ...	416	467	857	1,156	1,269	1,397	1,265	1,386	1,531	1,724	1,254	846	13,616
	Deaths ...	9	5	5	11	2	8	6	15	11	12	11	6	101
Apoplexy ...	Cases ...	9	14	12	34	64	168	45	14	28	24	12	7	431
	Deaths ...	4	2	3	9	32	64	19	6	8	5	8	2	162
Delirium Tremens ...	Cases ...	37	25	31	47	38	34	48	68	47	54	34	29	492
	Deaths ...	1	1	2	2	5	1	3	2	2	1	20
Dysentery ...	Cases ...	207	177	185	190	151	169	305	389	316	269	236	267	2,861
	Deaths ...	10	6	11	5	1	3	11	12	15	9	11	7	101
Diarrhœa ...	Cases ...	377	308	361	494	437	500	849	907	578	519	486	478	6,294
	Deaths	1	5	2	1	4	5	...	18
Hepatitis ...	Cases ...	322	282	335	347	366	362	393	370	393	338	362	314	4,234
	Deaths ...	19	12	21	15	9	13	7	13	21	8	22	17	177
Respiratory diseases ...	Cases ...	777	688	624	560	481	474	464	423	391	437	588	707	6,614
	Deaths ...	13	3	9	2	3	5	3	4	3	5	11	11	72
Phthisis Pulmonalis ...	Cases ...	67	69	58	30	61	70	85	69	71	86	65	68	799
	Deaths ...	22	11	12	6	4	6	8	10	7	9	14	4	113
All other Causes* ...	Cases ...	5,060	5,053	5,750	6,598	6,194	5,810	6,547	5,843	5,472	5,578	5,154	5,104	68,163
	Deaths ...	20	21	32	13	17	18	33	30	24	31	27	27	293

* Excluding Suicidal Deaths and other Deaths by Violence out of Hospital.

IV.—MONTHLY DISTRIBUTION OF DISEASE, 1870-79.

CCLXXXIV.

STATEMENT showing the *RATIO* in which the *SUICIDAL DEATHS* of the *EUROPEAN ARMY* of *INDIA* have occurred in each *MONTH* and the *NUMBER* of *SUICIDES* in each *MONTH* of the *TEN-YEAR PERIOD* 1870-79.

MONTH.	NUMBER OF SUICIDES IN EACH MONTH OF EACH YEAR, TEN YEARS, 1870-79.										Total Suicidal Deaths of the Ten-Years.	Suicidal Deaths in each Month per cent. of the Total.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
January	1	1	...	2	1	2	2	2	2	1	14	4.67
February	1	2	2	3	1	1	3	2	2	4	21	7.00
March	...	4	1	1	4	2	2	...	2	1	17	5.67
April	3	4	3	4	2	2	2	3	1	3	27	9.00
May	...	1	4	4	2	4	2	1	4	1	23	7.67
June	4	...	3	2	1	1	2	3	3	1	20	6.66
July	2	4	7	3	3	5	4	2	5	1	36	12.00
August	5	5	4	2	1	4	6	5	5	2	39	13.00
September	1	3	3	2	3	3	3	5	23	7.67
October	2	2	5	3	1	1	1	3	7	5	30	10.00
November	2	6	3	3	3	3	1	4	4	1	30	10.00
December	1	3	1	2	1	1	2	6	3	...	20	6.66
TOTAL	22	35	33	29	23	28	30	34	41	25	300	100.00

Suicidal Deaths in the Cold Months, October to March, 132 = 44.00 per cent. of the Total.
 Suicidal Deaths in the Hot Months, April to September, 168 = 56.00 per cent. of the Total.

V.—DISTRIBUTION BY PROVINCES OF SPECIAL DISEASES, 1870-79.

SPECIAL DISEASES, 1870-79.

XXVII.

MONTH of the TEN YEARS 1870-79 in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM ENTERIC FEVER IN EACH MONTH.												Total Admissions each of Year.	Total Deaths of each Year.	RATIO PER 1,000.		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	...	1	1	3	3	1	7	5	1	...	1	24	6	46	1.16	2500	
	1871	4,892	15	...	1	1	2	1	4	25	9	5.1	1.84	3600	
	1872	4,949	2	3	6	3	2	5	5	13	40	12	8.1	2.43	3000	
	1873	4,979	8	3	3	6	12	9	37	6	7.4	1.21	1622	
	1874	4,748	...	3	4	4	2	3	1	22	6	4.6	1.27	2727	
	1875	4,586	2	4	...	1	7	...	1.5	
	1876	4,703	1	2	4	1	2500	
	1877	4,726	1	3	...	1	1	5	2	3	2	20	9	4.2	1.91	4500	
	1878	4,598	2	1	1	4	4	10000	
	1879	3,490	...	2	1	2	1	6	6	1.7	1.72	10000	
Ten Years	46,847	30	20	14	20	13	12	20	14	17	6	3	20	180	59	4.0	1.26	3122	
BRITISH BURMAH AND PEGU.	1870	1,669	1	...	1	5	1	1	...	6	
	1871	1,819	...	2	2	11	2	6.0	1.10	1888	
	1872	1,998	1	1	1	1	2	...	1.0	
	1873	2,076	3	2	1	7	2	3.4	.96	2857	
	1874	2,113	2	1	4	2	1.9	.95	5000	
	1875	2,095	2	1	3	2	1.4	.95	6667	
	1876	2,024	1	2	1	10000	
	1877	1,910	...	1	1	1	...	1.0	
	1878	1,923	1	1	
	1879	2,871	1	1	3	3	1.0	1.04	10000	
Ten Years	20,496	4	4	3	1	2	1	10	5	2	...	1	2	35	12	1.7	.58	3429	
ARMY OF BENGAL.	1870	33,373	...	9	10	9	25	3	3	12	9	8	2	7	97	55	2.9	1.65	5670
	1871	35,122	17	13	6	8	12	14	10	14	17	8	8	7	134	60	3.8	1.71	4478
	1872	36,507	7	5	3	7	16	11	11	11	12	11	5	4	103	59	2.9	1.62	5728
	1873	36,617	9	3	8	23	23	8	16	11	19	11	6	7	144	56	3.9	1.53	3889
	1874	37,278	9	6	6	20	18	18	22	20	27	11	6	14	177	75	4.7	2.01	4237
	1875	37,184	6	7	5	15	21	18	4	3	9	7	13	7	115	59	3.1	1.59	5130
	1876	36,582	20	9	9	11	30	17	15	15	14	12	7	12	171	64	4.7	1.75	3743
	1877	36,179	4	2	4	8	31	7	11	13	26	8	7	14	135	56	3.7	1.55	4148
	1878	35,836	8	7	16	45	73	63	44	39	49	41	14	14	413	168	11.5	4.69	4068
	1879	38,755	15	12	23	58	76	46	41	43	62	17	18	13	424	178	10.9	4.59	4198
Ten Years	363,431	95	73	90	204	325	205	177	181	244	134	86	99	1,913	830	5.3	2.28	4339	
ARMY OF MADRAS.	1870	10,697	...	2	1	12	4	1	7	7	3	3	2	1	43	14	4.0	1.31	3256
	1871	10,844	16	2	...	2	3	3	5	1	9	2	...	5	48	16	4.4	1.47	3125
	1872	11,544	5	6	9	5	7	4	8	8	10	3	...	13	78	27	6.8	2.34	3462
	1873	11,487	8	3	8	6	4	1	2	3	9	49	9	4.2	.78	1837	
	1874	11,501	...	3	4	4	2	1	6	4	5	1	2	2	34	12	3.0	1.04	3530
	1875	11,041	4	4	...	4	3	4	2	1	23	7	2.1	.63	3043
	1876	11,034	5	1	1	...	4	...	4	11	14	...	6	1	49	22	4.4	1.99	4490
	1877	10,989	2	7	2	...	3	11	10	9	7	2	7	4	68	22	6.2	2.00	3235
	1878	10,815	6	2	2	1	1	...	6	3	21	13	1.9	1.20	6190
	1879	10,444	1	2	...	1	5	...	4	2	1	...	18	15	1.7	1.44	8333
Ten Years	110,396	47	33	27	37	36	25	50	49	62	26	10	29	431	157	3.9	1.42	3643	
ARMY OF BOMBAY.	1870	10,509	1	1	4	3	3	4	1	4	3	2	2	3	31	18	3.0	1.71	5806
	1871	10,840	2	1	2	1	1	1	1	1	6	5	...	3	25	16	2.3	1.48	6400
	1872	10,419	3	3	...	3	2	5	13	4	...	5	40	24	3.7	2.22	6000
	1873	10,665	2	3	1	2	2	2	1	1	2	17	14	1.6	1.31	8235
	1874	10,529	1	...	5	1	1	1	1	10	7	...	2	...	32	14	3.0	1.33	4375
	1875	10,184	2	...	2	7	4	2	1	4	4	28	18	2.7	1.77	6429
	1876	10,242	...	2	1	4	7	3	...	2	12	...	7	...	44	19	4.3	1.86	4318
	1877	10,092	3	5	1	6	2	2	...	2	4	2	4	...	30	14	3.0	1.39	4667
	1878	9,825	1	1	2	2	...	3	...	1	13	12	45	25	4.6	2.55	5556
	1879	9,883	2	1	2	3	...	3	...	1	...	3	5	...	29	19	2.9	1.93	6552
Ten Years	103,587	17	16	20	34	25	15	11	34	65	30	20	25	321	181	3.1	1.75	5639	
ARMY OF INDIA.	1870	54,578	1	12	15	24	32	8	11	23	15	13	6	11	171	87	3.1	1.59	5088
	1871	56,806	35	16	8	12	16	18	16	16	32	15	8	15	207	92	3.6	1.62	4396
	1872	58,870	15	13	12	15	25	15	19	24	35	18	8	22	221	110	3.8	1.87	4977
	1873	58,769	19	14	17	32	29	11	19	15	30	11	6	7	210	79	3.6	1.34	3762
	1874	59,308	10	9	15	25	21	20	29	34	39	14	10	17	243	101	4.1	1.70	4156
	1875	58,409	12	7	7	26	25	24	8	11	15	7	14	10	166	84	2.8	1.44	5060
	1876	57,858	25	12	11	15	41	20	19	28	40	25	12	16	264	105	4.6	1.82	3977
	1877	57,260	9	14	7	17	44	18	22	24	30	19	11	18	233	92	4.1	1.60	3949
	1878	56,475	15	10	29	47	73	61	49	40	68	56	18	19	479	206	8.5	3.64	4301
	1879	59,082	18	15	25	62	80	47	46	49	67	21	23	18	471	212	8.0	3.59	4501
Ten Years	577,416	159	122	137	275	336	245	238	264	371	199	116	153	2,665	1,168	4.6	2.03	4383	

V-DISTRIBUTION BY PROVINCES OF SP

CCLX

TABLE showing the ADMISSIONS from REMITTENT and CONTINUED FEVERS in each

Table with columns: PROVINCES, YEAR, STRENGTH, and NUMBER OF ADMISSIONS FROM REMITTENT AND CONTINUED FEVERS IN EACH MONTH (JAN. to DEC.), Total Admissions of each Year, Total Deaths of each Year, RATIO PER 1,000 (Admissions, Deaths), and Died out of each hundred cases treated.

SPECIAL DISEASES, 1870-79.

XC.

in each MONTH of the TEN YEARS 1870-79 in the different PROVINCES of INDIA.

Table with 17 columns: PROVINCES, YEAR, STRENGTH, MONTHS (JAN.-DEC.), Total Admissions of each Year, Total Deaths of each Year, RATIO PER 1,000 (Admissions, Deaths), and Died out of each hundred cases treated. Rows include Southern India, British Burma and Pegu, Army of Bengal, Army of Madras, and Army of Bombay.

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from APOPLEXY in each MONTH

Table with columns for PROVINCES, YEAR, STRENGTH, NUMBER OF ADMISSIONS FROM APOPLEXY IN EACH MONTH (JAN-DEC), Total Admissions, Total Deaths, RATIO PER 1,000, and Died out of each hundred cases treated. Rows are grouped by province: BENGAL PROPER, GANGETIC PROVINCES AND OUDH, ROHILDUND AND MEERUT, AGRA AND CENTRAL INDIA, PURJAB, RAJPOORANA, MALWA, SINDH, AND ADEEN, and DECAN AND MABARR.

SPECIAL DISEASES, 1870-79.

CXCI.


of the TEN YEARS, 1870-79, in the different PROVINCES of INDIA.

PROVINCES.	YEAR.	STRENGTH.	NUMBER OF ADMISSIONS FROM APOPLEXY IN EACH MONTH.												Total Admissions of each Year.	Total Deaths of each Year.	RATIO PER 1,000.		Died out of each hundred cases treated.
			JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			Admissions.	Deaths.	
SOUTHERN INDIA.	1870	5,178	1	...	2	1	27	1	1	1	34	10	6.6	1.93	29.41
	1871	4,892	2	...	1	1	3	1	9	1	1.8	2.20	11.11
	1872	4,949	...	1	2	6	1	...	1	20	11	4.0	2.22	55.00
	1873	4,979	1	1	3	1	9	3	1.8	.60	33.33
	1874	4,748	1	2	2	1	...	2	10	4	2.1	.84	40.00
	1875	4,586	1	3	1	...	2	7	5	1.5	1.09	71.43
	1876	4,703	1	2	...	3	1	1	...	1	9	5	1.9	1.06	55.56
	1877	4,726	1	2	2	.4	.42	100.00
	1878	4,598	...	1	...	2	1	...	3	2	11	7	2.4	1.52	63.64
	1879	3,490	17	17	4	4.9	1.14	23.53
Ten Years	46,847	4	4	8	14	63	13	9	3	4	3	...	3	128	52	2.7	1.11	40.63	
BRITISH BURMAH AND PEGU.	1870	1,669	...	1	4	1	6	5	3.6	3.00	83.33	
	1871	1,819	...	1	...	5	6	1	3.3	.80	6.16	
	1872	1,998	1	1	2	2	1.0	1.55	100.00	
	1873	2,076	1	3	4	8	5	3.9	2.41	62.50	
	1874	2,113	1	1	...	29	
	1875	2,095	1	1	1	3	1	1.4	.48	33.33	
	1876	2,024	1	1	2	1	1.0	.49	50.00	
	1877	1,910	8	1	...	10	5	5.2	2.62	50.00	
	1878	1,923	10	...	1	1	...	1	...	15	6	7.8	3.12	40.00	
	1879	2,871	1	...	1	3	2	...	2	3	3	1	...	18	7	6.3	2.44	38.89	
Ten Years	20,496	2	2	3	12	25	5	3	6	6	4	3	1	72	33	3.5	1.61	45.83	
ARMY OF BENGAL.	1870	33,373	1	1	1	8	18	28	21	5	8	4	5	...	100	54	3.0	1.62	54.00
	1871	35,122	3	...	3	7	2	20	7	11	5	2	3	...	64	28	1.8	.80	43.75
	1872	36,507	...	1	4	7	10	72	21	21	13	4	3	1	157	58	4.3	1.59	36.94
	1873	36,617	2	7	20	44	32	6	6	1	1	...	119	50	3.2	1.37	42.02
	1874	37,278	1	...	7	8	18	17	31	4	6	1	2	2	98	36	2.6	.97	36.73
	1875	37,184	3	...	7	6	7	56	45	13	8	3	2	1	153	71	4.1	1.91	46.41
	1876	36,582	...	2	5	9	8	57	59	12	6	6	3	...	167	65	4.6	1.77	38.92
	1877	36,179	...	1	...	5	7	41	39	56	8	10	3	2	172	41	4.8	1.13	23.84
	1878	35,836	2	...	3	2	7	36	67	7	11	12	3	4	155	52	4.3	1.45	33.55
	1879	33,755	3	1	2	13	42	89	64	16	15	3	3	2	253	101	6.5	2.61	39.92
Ten Years	363,431	13	10	34	72	139	460	386	151	86	46	28	13	1,438	556	4.0	1.53	38.66	
ARMY OF MADRAS.	1870	10,697	2	1	3	1	34	6	...	1	2	...	1	53	19	5.0	1.78	35.85	
	1871	10,844	3	3	2	9	4	1	1	24	6	2.2	.55	25.00	
	1872	11,544	1	1	3	9	18	13	4	2	2	56	28	4.8	2.43	50.00	
	1873	11,487	1	1	4	7	6	...	4	1	25	11	2.8	.96	44.00	
	1874	11,501	...	1	4	2	4	4	1	2	17	8	1.5	.70	47.06	
	1875	11,041	1	1	1	1	5	3	3	...	5	1	1	...	23	8	2.1	.72	34.78
	1876	11,034	1	2	1	5	16	20	...	1	2	1	...	49	21	4.4	1.90	42.86	
	1877	10,989	1	1	1	2	11	4	...	1	...	2	...	25	14	2.3	1.27	56.00	
	1878	10,815	...	2	1	3	16	12	3	...	1	...	2	44	27	4.1	2.50	61.36	
	1879	10,444	2	...	1	5	22	1	2	3	3	1	2	...	42	15	4.0	1.44	35.71
Ten Years	110,396	12	13	21	44	136	64	16	15	12	11	8	6	358	157	3.3	1.42	43.85	
ARMY OF BOMBAY.	1870	10,509	...	3	1	1	4	26	1	...	6	1	3	...	46	18	4.4	1.71	39.13
	1871	10,840	3	1	1	3	6	13	4	...	1	2	...	37	13	3.4	1.20	35.13	
	1872	10,819	1	4	2	...	6	27	6	3	2	3	...	55	28	5.1	2.59	50.91	
	1873	10,665	...	1	...	3	8	9	4	...	2	2	1	...	30	15	2.8	1.41	50.00
	1874	10,529	...	1	2	3	1	10	3	...	3	2	...	28	12	2.7	1.14	42.86	
	1875	10,184	2	...	4	7	12	22	1	5	5	3	2	1	64	22	6.3	2.16	34.37
	1876	10,242	1	2	1	5	3	7	10	3	...	1	33	8	3.2	.78	24.24
	1877	10,092	1	2	9	18	3	...	1	2	...	1	38	15	3.8	1.48	39.47
	1878	9,825	7	7	24	8	...	1	3	5	...	56	19	5.7	1.94	33.93
	1879	9,883	1	2	1	3	8	12	5	2	4	2	...	44	12	4.5	1.21	27.27	
Ten Years	103,587	9	14	12	34	64	168	45	14	28	24	12	7	431	162	4.2	1.56	37.59	
ARMY OF INDIA.	1870	54,578	3	5	5	10	56	60	22	6	16	6	9	1	199	91	3.6	1.67	45.73
	1871	56,806	9	4	6	19	12	33	11	13	8	3	3	4	125	47	2.2	.89	37.60
	1872	58,870	2	6	9	16	34	112	31	26	15	9	5	3	268	114	4.5	1.93	42.54
	1873	58,769	1	2	6	17	34	57	37	7	8	3	2	...	174	76	2.9	1.29	43.68
	1874	59,308	1	3	13	13	23	28	36	6	11	4	2	3	143	56	2.4	.95	39.16
	1875	58,409	6	3	12	14	24	81	40	23	14	7	5	2	240	101	4.1	1.73	42.08
	1876	57,858	2	6	7	19	27	84	69	13	8	10	3	1	249	94	4.3	1.63	37.75
	1877	57,260	2	2	1	9	27	63	43	56	9	14	6	3	235	70	4.1	1.22	29.79
	1878	56,475	2	3	4	12	30	72	78	9	15	19	4	7	255	98	4.5	1.73	38.43
	1879	59,082	6	3	4	21	72	102	71	21	22	6	9	2	339	128	5.7	2.17	37.76
Ten Years	577,416	34	37	67	150	339	692	447	180	126	81	48	26	2,227	875	3.9	1.52	39.29	

V.—DISTRIBUTION BY PROVINCES OF

TABLE showing the ADMISSIONS from PHTHISIS PULMONALIS in each MONTH

Table with columns: PROVINCES, YEAR, STRENGTH, NUMBER OF ADMISSIONS FROM PHTHISIS PULMONALIS IN EACH MONTH (JAN-DEC), Total Admissions of each Year, Total Deaths of each Year, RATIO PER 1,000 (Admissions, Deaths), and Died out of each hundred cases treated. Rows are categorized by province: BENGAL PROPER, GANGETIC PROVINCES AND OUDH, ROHILKHAND AND MEERUT, AGRA AND CENTRAL INDIA, PUNJAB, and RAJPOOTANA, MALWA, SINDH, AND ADELPHI.



VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVII.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS of the principal MILITARY STATIONS from 1870 to 1879, CHOLERA DEATHS being EXCLUDED.

STATIONS.	Aggregate Strength of the Ten Years.	TOTAL DEATHS OF EACH MONTH, EXCLUDING CHOLERA DEATHS.												Total Deaths of the Ten Years, excluding Cholera.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Fort William	8,719	4	4	4	6	8	8	7	13	7	11	5	6	83
Dum-Dum	6,068	10	7	6	1	8	4	8	10	8	12	9	7	90
Barrackpore	4,056	7	5	1	7	6	6	7	9	8	10	10	7	83
BENGAL PROPER	18,914	22	16	11	14	22	18	22	32	23	33	24	20	257
Hazaribagh	4,697	5	2	3	5	7	3	9	13	7	4	4	7	69
Dinapore	8,503	11	8	16	8	17	12	16	17	16	12	11	9	153
Benares	4,988	4	1	5	8	8	9	12	10	9	7	5	10	88
Fyzabad	8,810	7	8	6	12	16	17	7	9	12	9	11	10	127
Lucknow	23,062	23	19	22	28	57	33	32	39	44	29	18	30	365
Sitapur	5,530	6	3	4	2	5	14	10	12	7	10	3	...	73
Fatehgarh	2,258	26
Cawnpore	8,423	6	8	10	9	13	21	9	20	13	14	10	14	147
Allahabad	9,163	10	3	6	15	14	23	7	11	15	8	12	16	140
GANGETIC PROVINCES AND OUDH	76,159	72	52	74	87	146	137	105	129	128	97	79	99	1,205
Shahjahanpur	3,351	4	3	4	2	6	3	3	6	2	6	4	5	48
Bareilly	7,788	2	3	9	9	15	18	11	6	6	6	6	1	92
Moradahad	2,079	2	2	...	1	1	4	1	4	5	5	1	1	27
Roorkee	3,989	4	6	7	2	7	11	3	4	2	6	2	5	59
Meerut	14,222	15	18	11	16	23	23	20	20	33	38	27	18	262
Delhi	4,495	7	2	9	2	6	14	6	9	9	8	9	9	90
Muttra	3,846	2	2	2	14	14	7	4	2	8	7	3	3	68
ROHILCUND AND MEERUT	39,770	36	36	42	46	72	80	48	51	65	76	52	42	646
Agra	9,896	7	9	11	8	15	15	17	10	13	18	5	9	137
Morar	10,708	10	15	4	17	11	17	13	16	28	21	34	13	199
Gwalior Fortress	3,416	3	8	3	5	2	8	4	4	6	6	4	4	57
Jhansi	4,136	5	2	3	3	1	3	...	5	5	6	5	4	42
Nowgong	2,825	5	4	3	3	4	8	1	6	4	4	5	4	51
Saugor	4,590	7	3	4	1	4	4	2	6	4	11	14	2	64
Jubbulpore	4,974	10	6	4	...	2	7	2	7	6	9	6	7	66
AGRA AND CENTRAL INDIA	40,631	47	47	32	38	39	60	43	54	66	75	73	43	617
Umhalla	13,298	10	4	9	10	10	32	10	18	21	21	14	12	171
Jullundur	7,075	9	4	9	3	6	14	11	9	18	19	13	12	127
Ferozepore	10,400	17	9	3	5	9	19	30	14	21	20	9	14	170
Mooltan	8,109	13	6	8	5	6	11	12	16	9	10	18	5	119
Dera Ismail Khan	993	1	...	1	...	1	1	4	3	...	2	1	2	16
Meean Meer	9,291	13	8	13	12	14	25	18	25	14	23	20	21	206
Fort Lahore	1,130	1	...	1	1	4	3	6	2	4	4	3	4	33
Amritsar and Govindgarh	2,532	3	2	1	1	5	5	3	6	5	1	3	5	40
Sialkot	10,161	13	6	8	9	10	18	35	13	21	11	15	13	172
Rawalpindi	16,145	31	16	17	24	16	20	10	11	19	16	22	25	227
Attock	1,697	3	1	...	2	2	5	8	4	5	4	1	3	98
Nowshera	5,744	7	6	3	11	6	15	14	5	4	5	11	8	35
Peshawar	15,274	16	5	12	11	27	44	45	20	17	21	25	21	264
PUNJAB	112,288	160	88	105	100	129	223	217	155	175	168	172	190	1,882
Darjeeling	630	...	1	2	...	12	9	13	...	8	1	...	7	5
Rauikhet	7,845	6	5	...	3	10	11	...	6	92
Chakrata	7,153	7	1	2	8	11	5	7	3	5	6	4	4	63
Dagshai	8,317	6	3	6	5	5	2	13	18	7	7	2	3	77
Subathu	6,645	4	3	5	3	4	12	7	12	8	8	6	5	77
Jutogh	858	1	1	1	1	1	1	...	4	10
Dharmasala (9 Years)	651	1	...	1	2
Dalhousie (6 Years)	400	2
Murree Hills	5,733	...	1	...	2	9	13	8	9	13	5	2	1	63
Cherat (9 Years)	3,392	5	6	15	19	10	8	1	...	64
HILL STATIONS	41,787	24	15	18	22	45	49	65	69	48	43	21	25	444
Darjeeling Depôt	1,807	1	...	3	4	3	3	6	3	3	5	4	2	37
Naini Tal	3,213	2	5	5	3	8	...	4	2	2	...	33
Landour	2,177	1	1	...	2	5	2	3	3	3	3	2	1	26
Kasauli	5,678	3	4	...	9	13	6	15	9	8	15	4	4	91
Dalhousie	3,975	1	6	8	6	2	2	2	2	4	...	33
Murree	4,678	1	2	7	14	11	8	6	2	6	...	57
CONVALESCENT DEPÔTS	21,528	9	7	4	28	41	34	45	25	26	29	22	7	277
BENGAL PRESIDENCY	363,431	457	335	368	434	536	679	580	543	551	565	506	558	6,112

The Tables in this Section are designed to show Deaths in relation to particular Stations only: hence the Provincial General Totals are not the aggregate of the figures of the Tables.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS of the principal MILITARY STATIONS from 1870 to 1879, CHOLERA DEATHS being EXCLUDED.

STATIONS.	Aggregate Strength of the Ten Years.	TOTAL DEATHS OF EACH MONTH, EXCLUDING CHOLERA DEATHS.												Total Deaths of the Ten Years, excluding Cholera.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	
Nusseerabad	6,363	17	10	4	8	8	5	4	13	20	16	14	10	138
Neemuch	4,230	6	1	5	4	1	3	...	4	17	12	8	8	69
Indore	937	1	...	2	...	2	2	2	1	11
Mhow	13,270	9	7	10	...	10	8	...	7	10	17	145
Deesa	7,065	8	6	8	6	9	16	15	9	16	9	14	5	121
Ahmedabad	2,735	6	9	4	6	6	13	2	4	5	6	3	3	67
Kurrachee and Ghizree	7,698	11	6	9	8	9	15	13	10	9	19	8	7	12½
Hyderabad	3,764	2	2	2	3	2	9	7	2	3	5	4	5	46
Aden	7,277	10	8	5	3	7	17	16	9	7	7	4	10	103
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	70	50	50	50	53	98	64	66	118	92	68	59	838
Bombay	4,764	7	6	8	3	5	6	9	9	2	7	6	6	74
Asirgarh	812	3	1	1	3	1	9
Ahmednagar	4,642	1	...	2	...	6	2	3	5	5	3	7	1	36
Poona and Kirkee	20,984	13	9	14	15	21	22	19	26	19	19	18	15	210
Satara	1,708	2	2	2	1	1	...	2	3	2	2	2	1	20
Belgaum	9,660	2	3	7	9	6	8	8	7	4	6	8	6	74
Secunderabad	23,411	30	26	30	30	31	23	19	41	63	52	36	31	411
Kamptee	10,034	12	7	7	10	21	23	10	13	10	13	6	4	136
DECCAN AND NAGPORE	76,075	70	54	70	69	91	85	70	104	104	102	86	65	970
Bellary	8,600	5	12	2	5	10	4	8	9	6	8	6	7	82
Bangalore	16,678	18	16	18	14	15	15	19	15	10	14	13	22	189
Cannanore	6,579	8	5	4	6	5	9	9	9	6	12	7	16	96
Malliapoorum	921	2	1	1	1	2	...	2	2	2	...	13
Calicut	909	2	2	2	1	1	3	...	1	1	2	...	1	16
Trichinopoly	2,688	2	6	4	5	11	7	4	4	6	8	2	1	60
St. Thomas' Mount	3,639	14	5	4	9	11	7	6	4	6	4	3	6	79
Madras	6,825	9	8	5	4	6	8	6	6	8	2	2	7	71
SOUTHERN INDIA	46,847	60	53	40	45	61	53	54	50	43	50	35	60	606
Rangoon	8,145	11	13	5	5	6	7	11	8	15	12	10	13	116
Toungoo	4,299	4	2	3	10	11	5	10	4	7	6	5	4	71
Thayetmyo	6,853	3	1	2	7	11	6	12	10	10	7	6	6	81
Port Blair	1,199	...	2	3	1	...	1	2	1	1	1	12
BURMAH AND PEGU	20,496	18	18	13	23	28	19	35	23	32	26	21	24	280
Mount Aboo	1,069	...	3	2	6	1	2	2	3	1	1	21
Purandhar	825	2	1	1	1	7
Wellington	4,390	5	4	3	4	5	10	7	12	3	5	7	5	70
HILL STATIONS AND DEPÔTS	8,178	5	7	5	10	13	17	13	17	8	9	12	6	122
ARMY OF BENGAL	363,431	457	335	368	434	536	679	580	543	551	565	506	558	6,112
ARMY OF MADRAS	110,306	154	142	127	129	165	143	141	163	169	159	127	148	1,767
ARMY OF BOMBAY	103,587	120	89	108	94	98	145	118	123	159	135	138	96	1,423
ARMY OF INDIA	577,416	731	566	603	657	799	967	839	829	879	859	771	802	9,302

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVIII.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from CHOLERA which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM CHOLERA IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Cholera per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	2	...	5	1	1	...	1	...	1	11	1.26
Dum-Dum	6,968	1	1	3	.50
Barrackpore	4,056	1	1	...	2	.49
BENGAL PROPER	18,914	2	...	5	1	3	...	1	...	1	1	1	1	16	.85
Hazaribagh	4,697	3	...	3	6	3	5	1	6	1.28
Dinapore	8,503	2	3	...	3	...	2	18	2.12
Benares	4,988	1	2	3	...	1	4	2	13	2.61
Fyzabad	8,810	3	6	12	70	2	93	10.56
Lucknow	23,062	1	2	6	7	24	31	7	18	1	97	4.21
Sitapur	5,530	1	1	.18
Fatehgarh	2,258
Cawnpore	8,423	9	13	6	...	5	3	36	4.27
Allahabad	9,163	2	5	3	2	1	33	6	52	5.67
GANGETIC PROVINCES AND OUDH	76,150	4	24	28	18	20	80	112	12	23	2	323	4.24
Shahjahanpur	3,351	1	1	.30
Bareilly	7,788	1	3	4	.51
Moradabad	2,079	2	1	.48
Roorkee	3,989	4	1	1	7	1.76
Meerut	14,222	8	49	2	59	4.15
Delhi	4,495	1	1	3	1	6	1.34
Muttra	3,846	2	1	1	4	1.04
ROHILCUND AND MEERUT	39,770	1	3	5	1	1	16	53	2	82	2.06
Agra	9,896	2	13	3	5	2	2	27	2.73
Morar	10,708	27	...	2	16	16	6	67	6.26
Gwalior Fortress	3,416	6	5	1	12	3.51
Jhansi	4,136	2	2	.48
Nowgong	2,825	7	6	7	2.48
Saugor	4,590	1	3	1	11	2.40
Jubbulpore	4,974	...	1	3	1	5	1.01
AGRA AND CENTRAL INDIA	40,631	...	1	29	13	12	36	30	9	...	1	131	3.22
Umballa	13,298	1	5	16	1	23	1.73
Jullundur	7,075	3	3	3	9	1.27
Ferozepore	10,400	3	2	1	3	1	...	10	.96
Mooltan	8,109	2	2	.25
Dera Ismail Khan	993	1	1	1.01
Meeran Meer	9,291	1	24	3	1	81	6	2	118	12.70
Fort Lahore	1,130	7	3	10	8.85
Amritsar and Govindgarh	2,532	2	2	.79
Sialkot	10,161	1	4	...	1	...	3	1	10	.98
Rawalpindi	16,145	3	...	2	3	15	2	25	1.55
Attock	1,697	3	3	1.77
Nowshera	5,744	1	3	1	5	.87
Peshawar	15,274	4	44	19	10	23	70	2	...	172	11.26
PUNJAB	112,288	12	57	50	30	125	76	85	3	...	444	3.95
Darjeeling	630
Ranikhet	7,845
Chakrata	7,153	1	1	.14
Dagshai	8,317	1	16	...	2	20	2.41
Subathu	6,645	9	9	1.36
Jutogh	858
Dhamsala (9 Years)	651	4	4	6.14
Dalhousie (6 Years)	400
Murree Hills	5,733	3	4	5	19	31	5.41
Cherat (9 Years)	3,302	1	1	.29
HILL STATIONS	41,787	3	4	6	41	11	2	67	1.60
Darjeeling Depôt	1,807
Naini Tal	3,213
Landour	2,177
Kasauli	5,678	14	8	1	23	4.05
Dalhousie	3,975
Murree	4,678	1	1	1	20	8	15	46	9.83
CONVALESCENT DEPÔTS	21,528	1	1	1	34	16	16	69	3.20
BENGAL PRESIDENCY	363,431	2	1	13	45	167	292	174	357	304	128	29	7	1,519	4.18

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCVIII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from CHOLERA which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM CHOLERA IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Cholera per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad ...	6,363	2	6	10	2	1	13	2.04
Neemuch ...	4,260	1	...	6	25	9	5	7	...	55	12.91
Indore ...	937	2	2	4	8	8.54
Mhow ...	13,270	2	1	1	...	6	10	7.5
Deesa ...	7,065	1	2	3	4.2
Ahmedabad ...	2,735	4	6	2	12	4.39
Kurrachee and Ghizree ...	7,698	2	2	2.6
Hyderabad ...	3,764	1
Aden ...	7,277	1	1.4
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	4	11	9	8	47	11	7	7	1*	105	1.94
Bombay ...	4,764
Asirgarh ...	812	1	1	...	1	4	8.6
Ahmednagar ...	4,642	3	19	15	2	40	1.91
Poona and Kirkee ...	20,984	1
Satara ...	1,798	1	1	1.0
Belgaum ...	9,660
Secunderabad ...	23,411	...	3	1	1	33	3	5	8	1	...	1	...	56	2.39
Kamptee ...	10,031	2	1	...	2	5	5.0
DECCAN AND NAGPORE ...	76,075	...	3	1	1	34	10	26	24	6	...	1	...	106	1.39
Bellary ...	8,609	1	...	2	3	3.5
Bangalore ...	16,678	...	2	1	5	8	4.8
Cannanore ...	6,579	2	2	3.0
Mallappoorum ...	921	2	...	2	2.17
Calicut ...	909
Trichinopoly ...	2,688	1	2	...	1	4	1.49
St. Thomas' Mount ...	3,639	1	1	2.8
Madras ...	6,825	2	1	5	2	1	3	...	1	1	16	2.34
SOUTHERN INDIA ...	46,847	3	3	5	3	1	6	7	1	1	1	2	3	36	7.7
Rangoon ...	8,115	1	3	3	3.7
Toungoo ...	4,299	1	2.3
Thayetnyo ...	6,853	29	2	9	21	2	7	1	71	10.36
Port Blair ...	1,199
BURMAH AND PEGU ...	20,496	29	2	9	22	5	7	1	75	3.66
Mount Aboo ...	1,069
Purandhar ...	825
Wellington ...	4,390	1	1	2.3
HILL STATIONS AND DEPÔTS ...	8,178	1	1†	2	2.5
ARMY OF BENGAL ...	363,431	2	1	13	45	167	292	174	357	304	128	29	7	1,519	4.18
ARMY OF MADRAS ...	110,396	5	6	6	38	36	21	36	15	12	2	5	4	186	1.68
ARMY OF BOMBAY ...	103,587	9	12	15	29	63	14	8	7	2	159	1.53
ARMY OF INDIA ...	577,416	7	7	19	92	215	328	239	435	330	138	41	13	1,864	3.22

* Occurred at Baroda in 1877.

† At Taragarh, in Ajmere, in 1872.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCIX.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from ENTERIC FEVER which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM ENTERIC FEVER IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Enteric Fever per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William Dum-Dum Barrackpore	8,719 6,068 4,056 1 2 1 1 3	... 2 3 2 5 10	... 82 246
BENGAL PROPEB	18,914	...	1	2	1	1	3	5	2	15	79
Hazaribagh Dinapore Beaures Fyzabad Lucknow Sitapur Fatehgarh Cawnpore Allahabad	4,697 8,503 4,988 8,810 23,062 5,530 2,258 8,423 9,163	1 4 4 2	1 1 4 1 1	2 1 6 1	3 2 ... 3 10 2 2	1 5 ... 8 15 2 3	2 3 ... 7 6 1 1 3 3 1 2 2 8 3 7 4 4 2 2 7 2 ... 3 2 1 ... 3 2 1 3 2 1 1 ... 3 2	... 28 16 7 36 71 9 15	... 596 188 140 408 308 163 164
GANGETIC PROVINCES AND OUDH...	76,159	11	8	10	22	34	19	20	26	24	9	6	11	200	263
Shahjahanpur Bareilly Moradabad Roorkee Meerut Delhi Muttra	3,351 7,788 2,079 3,989 14,222 4,495 3,846	2 3	1 1 1 2 3 4 ... 5	1 9 ... 5 8 1 1	... 8 ... 1 3 2 4	1 1 2 1 ... 1 2 ... 6 ... 5 1 3 ... 1 ...	1 2 2 ... 1 1	7 27 3 6 38 8 18	209 347 144 151 267 178 468
ROHILCUND AND MEERUT	39,770	5	2	5	12	25	14	6	6	13	11	4	4	107	269
Agra Morar Gwalior Fortress Jhansi Nowgong Saugor Jubbulpore	9,896 10,708 3,416 4,136 2,825 4,590 4,974	1 1 1 1 2	... 2 1 ... 1	1 1	2 4 1 ... 1	3 1 1 1	1 1	2 3 1 1	7 10 1 1	7 2 ... 1 ... 5 1	3 2 4 2	27 29 3 2 5 13 4	273 271 88 48 177 283 80
AGRA AND CENTRAL INDIA	40,631	6	4	2	9	5	2	2	7	19	16	9	2	83	204
Umballa Jallundur Ferozepore Mooltan Dera Ismail Khan Meean Meer Fort Lahore Amritsar and Govindgarh Sialkot Rawalpindi Attock Nowshera Peshawar	13,298 7,075 10,490 8,109 993 9,291 1,130 2,532 10,161 16,145 1,697 5,744 15,274 4 1 1 1	1 ... 3 3 ... 1 ... 1	2 2 1 ... 2 4	3 5 1 ... 4 ... 4	1 2 ... 1 ... 4 ... 2 ... 5 1 ... 3 12	6 4 1 7 ... 6 ... 9 2 ... 17	2 1 2 7 ... 2 6	5 3 ... 3 1 ... 4 ... 2 ... 2	5 3 1 1	4 1 ... 1 ... 1 3 ... 2 1	... 2 1 1 4 2 ... 1 2 1	29 16 19 6 1 26 4 4 30 37 6 7 44	218 226 183 74 101 280 354 158 295 229 353 122 288
PUNJAB	112,288	8	12	10	21	38	58	29	26	22	17	8	11	260	232
Darjeeling Ranikhet Chakrata Dagshai Subathu Jutogh Dhamsala (9 Years) Dalhousie (6 Years) Murree Hills Cherat (9 Years)	630 7,845 7,153 8,317 6,645 853 651 400 5,733 3,392 1 1	1 ... 1 ... 1 1 ... 1 4 1 3 5 1 1 9	... 3 4 1 6 3 ... 3 1 2 ... 4 1 1 1	... 13 2 17 24 9 23	... 166 28 205 361 157 678	
HILL STATIONS	41,787	1	...	1	3	7	8	17	18	7	9	2	1	74	177
Darjeeling Depôt Naini Tal Lanhour Kasauli Dalhousie Murree	1,807 3,213 2,177 5,678 3,975 4,678 2 1 1 1 3 1 2 1 1 2 5	... 1 1 7 5	... 31 46 123 ... 107	
CONVALESCENT DEPÔTS	21,528	2	2	1	3	3	3	...	14	65
BENGAL PRESIDENCY	363,431	34	31	33	75	123	115	85	100	99	67	35	33	830	223

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCXCIX—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from ENTERIC FEVER which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM ENTERIC FEVER IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Enteric Fever per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad	6,363	1	2	1	3	10	2	6	2	27	4.24
Neemuch	4,260	...	1	...	1	1	6	3	2	2	16	3.75	
Indore	937	1	1	1.07	
Mhow	13,270	1	1	...	2	1	2	...	1	7	8	1	26	1.96	
Deesa	7,065	...	1	2	5	1	10	1.42	
Ahmedabad	2,735	2	1	1	1	...	2	2	1	1	11	4.02	
Kurrachee and Ghizree	7,698	...	3	...	2	4	3	3	6	4	28	3.63	
Hyderabad	3,764	...	1	1	...	1	3	7	1.86	
Aden	7,277	...	1	1	2	.27	
RAJPOOTANA, MALWA, SIND, AND ADEN	54,166	4	8	3	9	9	6	3	10	40	19	11	9	131	2.42
Bombay	4,764	1	1	1	3	.63
Asirgarh	812	1	1	1.23
Ahmednagar	4,642	2	3	1	3	.65	
Poona and Kirkee	20,984	2	2	3	6	1	2	4	2	...	22	1.05	
Satara	1,708	1	1	1	3	1.76	
Belgaum	9,660	2	3	...	2	1	...	8	.83	
Secunderabad	23,411	3	3	2	6	7	2	2	8	20	7	3	64	2.74	
Kamptee	10,034	1	2	2	...	2	...	7	.70	
DECCAN AND NAGPORE	76,075	7	4	3	10	13	9	8	12	26	12	4	3	111	1.46
Bellary	8,609	...	1	1	1	...	3	.35	
Bangalore	16,678	2	4	2	4	1	5	6	3	3	1	...	32	1.92	
Cannanore	6,579	3	2	1	2	2	...	1	1	...	15	2.28	
Mallapooram	921	2	2	2.17	
Calicut	909	1	1	1.10	
Trichinopoly	2,688	
St. Thomas' Mount	3,639	2	1	1	...	5	1.37	
Madras	6,825	1	.15	
SOUTHERN INDIA	46,847	8	7	3	8	1	6	8	3	5	4	...	6	59	1.26
Rangoon	8,145	...	1	2	3	.37
Toungoo	4,209	1	1	2	.47
Thayetmyo	6,853	1	2	2	1	6	.88
Port Blair	1,199	...	1	1	.83
BURMAH AND PEGU	20,496	1	2	1	...	4	2	2	12	.58
Mount Aboo	1,069	2	2	1.87
Purandhar	825	1	1	...	2	2.42
Wellington	4,390	...	1	2	4	...	2	1	...	10	2.28
HILL STATIONS AND DEPÔTS	8,178	...	1	...	2	3	5	...	3	...	*1	3	...	18	2.20
ARMY OF BENGAL	363,431	34	31	33	75	123	115	85	100	99	67	35	33	830	2.28
ARMY OF MADRAS	110,396	12	15	5	14	11	13	16	17	26	13	5	10	157	1.42
ARMY OF BOMBAY	103,587	9	9	5	15	16	13	7	14	46	23	13	11	181	1.75
ARMY OF INDIA	577,416	55	55	43	104	150	141	108	131	171	103	53	54	1,168	2.03

* Occurred at Pachmarhi in 1878.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCC.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from FEVERS, excluding ENTERIC FEVER, which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM FEVERS IN EACH MONTH 1870-79, EXCLUDING ENTERIC FEVER.												Total Deaths of the Ten Years.	Death-rate from Fevers, excluding Enteric Fever, per 1,000 of Strength.		
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Fort William	8,719	9	1.48
Dum-Dum	6,068	11	2.71
Barrackpore	4,056	2	1	...	1	...	1	...	1	1	...	2	3	3	1
BENGAL PROPER	18,914	2	1	...	1	...	1	2	2	1	3	6	1	...	20	1.06	
Hazaribagh	4,697	2	1	1	1	...	2	...	2	7	1.49	
Dinapore	8,503	2	...	1	1	1	...	1	...	1	...	5	.59	
Benares	4,988	2	...	1	1	3	4	1	12	2.41		
Fyzabad	8,810	1	...	2	2	1	1	5	.57		
Lucknow	23,062	2	2	10	2	2	3	4	6	...	1	30	1.30		
Sitapur	5,530	2	...	1	...	1	2	...	1	6	2	9	1.63		
Fatehgarh	2,258	1	1	.44		
Cawnpore	8,423	1	...	1	1	...	3	2	2	...	1	10	1.19		
Allahabad	9,163	1	2	3	2	...	2	3	2	15	1.64		
GANGETIC PROVINCES AND OUDH	76,159	3	...	7	7	20	10	3	16	16	5	4	4	95	1.25		
Shahjahanpur	3,351	1	2	...	1	4	1.19		
Bareilly	7,788	1	...	1	1	1	2	.26		
Moradabad	2,079	1	...	1	1	4	1.93		
Roorkee	3,989	2	2	.50		
Meerut	14,222	2	2	3	5	1	1	14	.98		
Delhi	4,495	2	2	...	1	2	1	3	...	11	2.45		
Muttra	3,846	1	1	...	1	1	4	1.04		
ROHILCUND AND MEERUT	39,770	1	2	4	5	2	4	7	11	4	1	41	1.03		
Agra	9,896	...	1	1	3	4	2	1	1	2	2	...	1	18	1.62		
Morar	10,708	...	2	...	2	2	2	1	3	2	1	5	1	21	1.96		
Gwalior Fortress	3,416	4	4	1.17		
Jhansi	4,136	1	1	...	1	2	3	8	1.94		
Nowgong	2,825	1	1	...	1	4	1.42		
Saugor	4,590	...	1	2	1	1	1	3	...	9	1.96		
Jubbulpore	4,974	3	1	3	1	2	...	1	11	2.21		
AGRA AND CENTRAL INDIA	40,631	4	6	4	6	6	4	3	8	13	9	9	3	75	1.85		
Umballa	13,298	...	1	2	...	2	1	1	...	1	8	.60		
Jullundur	7,075	1	...	2	3	...	2	4	8	4	1	25	3.54		
Ferozepore	10,400	1	...	2	1	...	1	6	3	4	4	1	1	22	2.11		
Mooltan	8,109	1	...	2	1	1	1	7	4	7	...	24	2.96		
Dera Ismail Khan	993	1	1	1.01		
Meean Meer	9,291	1	1	1	1	...	4	5	4	4	3	24	2.58		
Fort Lahore	1,130	1	1	1	2	1.77		
Amritsar and Govindgarh	2,532	...	1	...	1	2	2	1	1	1	...	1	1	11	4.35		
Sialkot	10,161	...	2	2	...	5	...	2	10	3	5	2	5	33	3.25		
Rawal Pindi	16,145	2	2	3	2	2	2	4	...	25	1.55		
Attock	1,697	1	1	.59		
Nowshera	5,744	2	1	1	1	...	1	3	...	2	13	2.26		
Peshawar	15,274	...	1	1	1	6	5	5	6	7	6	5	2	45	2.94		
PUNJAB	112,288	6	7	12	13	13	19	24	24	42	40	31	21	252	2.24		
Darjeeling	630	2	...	1	...	1	4	.51		
Ranikhet	7,845	1	1	.14		
Chakrata	7,153	1	...	6	.72		
Dagshai	8,317	1	...	1	1	...	1	...	2		
Subathu	6,645	1	1	1	3	.45		
Jutogh	858		
Dhamsala (9 Years)	651		
Dalhousie (6 Years)	400	1	1	2.50		
Murree Hills	5,733	2	1	1	1	1	6	1.05		
Cherat (9 Years)	3,392	1	...	2	2	...	2	7	2.07		
HILL STATIONS	41,787	2	...	1	...	4	5	5	4	4	6	31	.74		
Darjeeling Depot	1,807	1	1	2	1.11		
Naini Tal	3,213		
Landour	2,177		
Kasauli	5,678	1	...	1	1	2	...	5	.88		
Dalhousie	3,975	1	1	2	4	1.01		
Murree	4,678	1	...	1	1	3	.64		
CONVALESCENT DEPOTS	21,523	3	3	3	2	1	...	2	14	.65		
BENGAL PRESIDENCY	363,431	25	16	30	40	65	67	50	66	87	83	65	37	631	1.74		

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCC—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from FEVERS, excluding ENTERIC FEVER, which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM FEVERS IN EACH MONTH 1870-79, EXCLUDING ENTERIC FEVER.												Total Deaths of the Ten Years.	Death-rate from Fevers, excluding Enteric Fever, per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad	6,363	5	...	1	1	...	1	1	1	4	2	1	...	17	2.67
Neemuch	4,260	1	1	2	1	3	1	9	2.11
Indore	937	2	1	3	3.20
Mhow	13,270	...	1	...	2	...	1	...	3	6	1	1	...	15	1.13
Deesa	7,065	1	...	1	...	1	3	2	...	9	1.27
Ahmedabad	2,735	...	3	1	1	1	2	...	8	2.93
Kurrachee and Ghizree	7,698	2	2	1	...	2	1	1	9	1.17
Hyderabad	3,764	1	1	1	3	.89
Aden	7,277	1	1	2	.27
RAJFOOTANA, MALWA, SIND, AND AGEN.	54,166	5	4	5	4	1	5	4	11	14	9	11	3	76	1.40
Bombay	4,764	2	1	3	...	2	8	1.68
Asirgarh	812	1	1	...	2	2.47
Ahmednagar	4,642	1	1	...	1	3	.65
Poona and Kirkee	20,984	2	2	2	1	4	...	1	...	2	14	.67
Satara	1,708	1	1	.59
Belgaum	9,660	1	1	1	3	.31
Secunderabad	23,411	2	...	1	2	1	...	1	1	2	10	.43
Kamptee	10,034	2	3	1	1	2	2	2	1	...	14	1.39
DECCAN AND NAGPORE	76,075	7	...	1	7	6	3	4	8	5	8	2	4	55	.72
Bellary	8,609	1	1	...	1	2	1	1	2	2	2	13	1.51
Bangalore	16,678	1	...	1	1	1	2	...	6	.36
Cannanore	6,579	1	1	2	.30
Malliampoorum	921	1	1	1.09
Calicut	900	1	1	1.10
Trichinopoly	2,688	...	2	1	3	1.12
St. Thomas' Mount	3,639	1	1	.28
Madras	6,825	1	1	2	.29
SOUTHERN INDIA	46,847	5	3	1	2	3	3	2	2	1	1	4	2	29	.62
Rangoon	8,145	1	1	.12
Toungoo	4,299	1	...	1	1	1	4	.93
Thayetmyo	6,853	1	...	1	2	.29
Port Blair	1,199	...	1	1	.83
BURMAH AND PEGU	20,496	1	1	1	...	1	1	2	1	8	.39
Mount Abo	1,069	1	1	.94
Purandhar	825	1	...	1	...	1	1.21
Wellington	4,390	1	1	...	2	.46
HILL STATIONS AND DEPOTS	8,178	1	1	...	1	1	...	4	.49
ARMY OF BENGAL	363,431	25	16	30	40	65	67	50	66	87	83	65	37	631	1.74
ARMY OF MADRAS	110,396	12	4	3	7	8	5	6	6	5	4	7	2	69	.62
ARMY OF BOMBAY	103,587	10	5	5	13	3	8	7	16	15	16	13	7	118	1.14
ARMY OF INDIA	577,416	47	25	38	60	76	80	63	88	107	103	85	46	818	1.42

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCL.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from APOPLEXY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM APOPLEXY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Apoplexy per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	1	...	1	1	1	4	.46
Dum-Dum	6,068	1	1	2	.33
Barrackpore	4,056	...	1	...	1	3	2	7	1.72
BENGAL PROPER	18,914	1	1	...	2	4	3	1	1	13	.69
Hazaribagh	4,697	1	1	2	.43
Dinapore	8,503	1	...	3	4	2	1	2	1	14	1.65
Benares	4,988	1	2	7	3	1	3.01	
Fyzabad	8,810	2	3	1	...	1	...	1	...	15	.8
Lucknow	23,062	1	10	11	10	1	5	...	1	...	40	1.73
Sitapur	5,530	3	1	1	...	1	6	1.08
Fatehgarh	2,258	2	1	3	1.33
Cawnpore	8,423	7	15	1	23	2.73
Allahabad	9,163	1	...	2	13	4	...	1	2	23	2.51
GANGETIC PROVINCES AND OUDH...	76,159	1	...	2	2	31	56	22	6	9	6	1	2	138	1.81
Shahjahanpur	3,351	1	...	1	2	.60
Bareilly	7,788	1	1	1	3	.38
Moradabad	2,079	1	1	2	.96
Roorkee	3,989	1	3	1	5	1.25
Meerut	14,222	...	1	...	1	2	4	7	2	4	...	1	...	22	1.55
Delhi	4,495	1	2	5	3	1	3	15	3.34
Muttra	3,846	2	8	3	2	15	3.90
ROHILCUND AND MEERUT	39,770	1	1	1	3	12	18	14	5	7	1	1	...	64	1.61
Agra	9,896	3	8	3	1	15	1.52
Morar	10,708	1	2	8	4	2	2	1	1	...	21	1.96
Gwalior Fortress	3,416	1	1	1	...	1	4	1.17
Jhansi	4,136	1	1	...	1	3	.73
Nowgong	2,825	2	3	...	1	6	2.12
Saugor	4,590	1	1	.21
Jubbulpore	4,974	3	1	1	5	1.01
AGRA AND CENTRAL INDIA	40,631	1	2	9	24	7	6	3	2	1	...	55	1.35
Umballa	13,298	1	1	14	1	3	1	...	1	...	32	1.66
Jullundur	7,075	5	3	...	2	2	11	1.56
Ferozepore	10,400	1	11	10	1	2	...	1	...	26	2.50
Mooltan	8,109	5	5	4	14	1.73
Dera Ismail Khan	993	1	2	3	3.02
Meean Meer	9,291	...	1	1	1	...	9	11	11	34	3.66
Fort Lahore	1,139	2	5	1	8	7.08
Amritsar and Govindgarh	2,532	1	1	2	2	...	2	8	3.16
Sialkot	10,161	2	1	4	7	1	3	18	1.77
Rawalpindi	16,145	1	1	...	3	5	...	2	1	1	2	16	.99
Attock	1,697	3	5	3	2	1	14	8.25
Nowshera	5,744	11	7	3	1	22	3.83
Peshawar	15,274	10	23	3	3	1	40	2.62
PUNJAB	112,288	1	2	3	5	4	81	86	32	19	4	3	4	244	2.17
Darjeeling	630
Ranikhet	7,845
Chakrata	7,153
Dagshai	8,317
Subathu	6,645	1	1	2	.30
Jutogh	858
Dharnasala (9 Years)	651
Dalhousie (6 Years)	400
Murree Hills	5,733	1	1	.17
Cherat (9 Years)	3,392
HILL STATIONS	41,787	1	1	...	1	3	.07
Darjeeling Depôt	1,807
Naini Tal	3,213	1	1	.31
Landour	2,177	1	1	.46
Kasauli	5,678	1	1	...	1	3	.53
Dalhousie	3,975
Murree	4,678
CONVALESCENT DEPÔTS	21,528	1	1	2	...	1	5	.23
BENGAL PRESIDENCY	363,431	6	5	8	17	61	204	133	50	40	14	8	10	556	1.53

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCI—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from APOPLEXY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM APOPLEXY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Apoplexy per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad ...	6,363	1	1	...	1	4	3	2	...	1	1	14	2.20
Neemuch ...	4,260	1	1	3	2	2	1	...	10	2.35
Indore ...	937	1	1	1.07
Mhow ...	12,270	1	1	...	5	1	1	...	9	.68
Deesa ...	7,065	1	4	11	5	...	2	1	24	3.40
Ahmedabad ...	2,735	1	...	5	10	1	17	6.22
Kurrachee and Ghizreo ...	7,698	1	3	5	1	1	1	1	13	1.69
Hyderabad ...	3,764	1	7	3	11	2.92
Aden ...	7,277	3	13	5	1	2	...	1	...	25	3.43
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	3	1	1	5	21	60	17	2	7	5	4	1	127	2.34
Bombay ...	4,764	2	1	...	2	5	1.07
Asirgarh ...	812	1	1	1.23
Ahmednagar ...	4,642	2	1	1	1	...	6	1.08
Poona and Kirkee ...	20,984	2	3	4	1	11	.52
Satara ...	1,708	...	1	1	.59
Belgaum ...	9,660	1	1	...	2	.21
Secunderabad ...	23,411	1	1	3	5	12	3	1	1	1	...	2	2	32	1.37
Kamptee ...	10,034	...	1	...	4	8	10	1	1	25	2.40
DECCAN AND NAGPORE ...	76,075	1	3	5	12	29	16	4	4	1	1	4	2	82	1.08
Bellary ...	8,609	4	4	.47
Bagalore ...	16,678	2	1	1	1	1	6	.36
Cannanore ...	6,579	1	1	3	.46
Malliapoorum ...	921	2	2	2.17
Calicut ...	909	1	1	1.10
Triehinopoly ...	2,688	1	5	4	2	1	1	14	5.21
St. Thomas' Mount ...	3,639	2	7	1	1	11	3.02
Madras ...	6,825	1	2	4	3	1	11	1.61
SOUTHERN INDIA ...	46,847	3	10	21	7	5	2	...	2	1	1	52	1.11
Rangoon ...	8,145	2	1	1	1	5	.61
Toungoo ...	4,299	1	2	4	...	2	...	2	...	1	...	12	2.79
Thayetnyo ...	6,853	2	7	...	2	...	2	15	2.19
Port Blair ...	1,199	1	1	.83
BURMAH AND PEGU ...	20,496	2	...	1	5	12	1	4	3	4	...	1	...	33	1.61
Mount Aboo ...	1,069	1	1	2	1.87
Purandhar ...	825
Wellington ...	4,390	1	1	1	3	.68
HILL STATIONS AND DEPÔTS ...	8,178	1	3	1	1	1	7	.85
ARMY OF BENGAL ...	363,431	6	5	8	17	61	204	133	50	40	14	8	10	556	1.53
ARMY OF MADRAS ...	110,396	4	2	8	27	58	23	12	6	5	5	4	3	157	1.42
ARMY OF BOMBAY ...	103,587	4	2	3	9	32	64	19	6	8	5	8	2	162	1.56
ARMY OF INDIA ...	577,416	14	9	19	53	151	291	164	62	53	24	20	15	975	1.52

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCL.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from DYSENTERY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM DYSENTERY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Dysentery per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	1	1	1	1	1	2	7	.80
Dum-Dum	6,068	1	1	...	4	8	1.32
Barrackpore	4,056	2	4	1	2	9	2.22
BENGAL PROPER	18,914	2	2	...	2	2	4	1	5	2	4	24	1.27
Hazaribagh	4,697	1	2	3	.64
Dinapore	8,503	1	...	2	2	1	...	2	...	3	21	2.47
Benares	4,988	1	1	...	2	1	1	...	6	1.20
Fyzabad	8,810	1	1	1	...	1	1	2	1	4	1	13	1.47
Lucknow	23,062	1	1	1	2	3	2	1	1	3	2	1	6	24	1.04
Sitapur	5,530	2	1	1	4	.72
Fatehgarh	2,258
Cawnpore	8,423	1	1	1	3	2	1	1	2	12	1.42
Allahabad	9,163	1	1	4	2	1	11	1.20
GANGETIC PROVINCES AND OUDH...	76,159	5	2	3	9	9	4	7	14	14	8	11	9	95	1.25
Shahjahanpur	3,351	1	...	1	1	3	.89
Bareilly	7,788	1	...	4	...	2	7	.90
Moradabad	2,079	2	1	3	1.44
Roorkee	3,989	1	1	1	1	1	1	5	1.25
Meerut	14,222	1	...	1	1	1	2	1	1	4	6	6	5	29	2.04
Delhi	4,495	2	1	...	2	1	1	7	1.56
Muttra	3,846
ROHILCUND AND MEEHUT	39,770	4	...	2	1	3	2	5	3	9	10	8	7	54	1.36
Agra	9,896	1	1	...	2	1	2	...	2	9	.91
Morar	10,708	1	1	3	3	6	9	...	23	2.15
Gwalior Fortress	3,416	1	1	1	...	2	.59
Jhansi	4,136	1	2	1	1	...	5	1.21
Nowgong	2,825	1	1	1	2	.71
Saugor	4,590	2	1	1	4	.87
Jubbulpore	4,974	1	1	1	1	2	6	1.21
AGRA AND CENTRAL INDIA	40,631	2	...	1	...	1	1	1	8	8	13	12	4	51	1.26
Umballa	13,298	1	1	1	4	2	9	.68
Jullundur	7,075	1	...	3	6	2	4	16	2.26
Ferozepore	10,400	1	1	1	1	4	1	1	10	.96
Mooltan	8,109	1	1	1	...	1	...	1	1	2	8	.90
Dera Ismail Khan	993	1	1	1.01
Me an Meer	9,291	3	...	2	...	2	1	1	1	2	3	3	2	20	2.15
Fort Lahore	1,130	1	1	1	1	...	2	1.77
Amritsar and Govindgarh	2,532	1	...	1	...	1	.39
Sialkot	10,161	2	1	1	1	2	...	2	...	2	1	12	1.18
Rawalpindi	16,145	2	...	2	2	1	1	1	1	2	4	16	.99
Attock	1,697
Nowshera	5,744	1	...	1	1	...	3	...	6	1.05
Peshawar	15,274	1	...	1	...	2	5	3	2	1	...	2	4	20	1.31
PUNJAB	112,288	11	*2	7	5	10	12	11	6	13	17	18	19	131	1.17
Darjeeling	630	4	1	5	2	2	1	1	2	19	2.42
Ranikhet	7,845	1	1	2	...	1	...	4	.56
Chakrata	7,153	...	1	1	2	3	.36
Dagshai	8,317	1	1	1	...	1	...	6	.90
Subathu	6,645	1	1	...	2	1
Jutogh	858
Dharmasala (9 Years)	651
Dalhousie (6 Years)	490	1	1	2.50
Murree Hills	5,733	2	1	1	1	1	...	6	1.05
Cherat (9 Years)	3,392	1	1	3	2	1	7	2.07
HILL STATIONS	41,787	2	1	1	...	7	5	8	9	8	2	3	2	48	1.15
Darjeeling Depôt	1,807	1	2	3	1.66
Naini Tal	3,213	1	1	1	1	4	1.24
Landour	2,177	1	1	.46
Kasauli	5,678	1	2	3	...	1	7	1.23
Dalhousie	3,975	1	1	1	.25
Murree	4,678	1	...	1	...	3	...	1	6	1.28
CONVALESCENT DEPÔTS	21,528	1	2	2	5	...	4	1	6	...	1	22	1.02
BENGAL PRESIDENCY	363,431	33	10	26	26	38	38	40	50	57	65	60	53	496	1.37

* One death occurred among the Troops stationed at Campbellpore in 1877 and the other among the Troops marching in the Punjab in 1879.

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from DYSENTERY which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM DYSENTERY IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Dysentery per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad ...	6,363	1	1	1	2	3	2	...	10	1.56
Neemuch ...	4,260	2	...	1	2	3	8	1.88
Indore ...	937
Mhow ...	13,270	1	1	...	1	...	1	2	1	7	.53
Deesa ...	7,065	1	1	...	2	...	1	...	5	.71
Ahmedabad ...	2,735	1	1	.36
Kurrachee and Ghizree ...	7,698	...	1	4	1	2	...	2	10	1.30
Hyderabad ...	3,764
Aden ...	7,277	3	1	1	3	1	...	1	...	1	11	1.51
RAJPOOTANA, MALWA, SIND, AND ADEN ...	54,166	8	3	7	3	...	1	4	3	8	9	3	4	53	.98
Bombay ...	4,764	1	2	1	1	...	2	...	7	1.47
Asirgarh ...	812
Ahmednagar ...	4,642	1	2	...	3	.65
Poona and Kirkee ...	20,984	1	...	1	1	1	1	3	4	4	...	1	3	20	.95
Satara ...	1,708	1	1	.59
Belgaum ...	9,660	2	1	...	3	.31
Secunderabad ...	23,411	7	9	8	5	1	2	3	5	14	14	8	12	88	3.76
Kamptee ...	10,034	1	2	2	2	1	8	.80
DECCAN AND NAGPORE ...	76,075	9	11	9	6	2	4	7	13	21	16	16	16	130	1.71
Bellary ...	8,609	...	1	2	3	.35
Bangalore ...	16,678	...	1	3	2	...	3	2	...	1	...	12	.72
Cannanore ...	6,579	...	1	...	1	1	2	2	1	1	4	2	2	17	2.59
Malliaporum ...	921	1	1	1	...	3	3.26
Calicut ...	909	...	1	1	1	2	5	5.50
Trichinopoly ...	2,688	1	1	2	.74
St. Thomas' Mount ...	3,639	2	2	1	2	1	1	...	2	1	2	14	3.85
Madras ...	6,825	...	2	1	...	1	4	.59
SOUTHERN INDIA ...	46,847	3	8	3	3	7	6	2	7	3	9	5	4	60	1.28
Rangoon ...	8,145	5	2	1	2	...	1	4	3	6	3	1	5	33	4.05
Toungoo ...	4,299	1	2	2	1	4	3	1	1	1	1	17	3.96
Thayetinyo ...	6,853	2	2	4	.58
Port Blair ...	1,199
BURMAH AND PEGU ...	20,496	6	2	1	4	2	4	8	6	9	4	2	6	54	2.63
Mount Aboo ...	1,069	2	1	1	4	3.74
Purandhar ...	825	1	1	1.21
Wellington ...	4,390	1	...	1	1	1	4	.91
HILL STATIONS AND DEPÔTS ...	8,178	2	1	3	3	2	...	1	...	12	1.46
ARMY OF BENGAL ...	363,431	33	10	26	26	33	38	40	50	57	65	60	53	496	1.37
ARMY OF MADEAS ...	110,396	22	22	17	12	16	15	18	23	33	32	18	23	256	2.32
ARMY OF BOMBAY ...	103,537	10	6	11	5	1	3	11	12	15	9	11	7	101	.98
ARMY OF INDIA ...	577,416	65	38	54	43	55	56	69	85	105	106	89	88	853	1.43

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCLIII.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from HEPATITIS which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM HEPATITIS IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Hepatitis per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Fort William	8,719	1	1	2	1	2	1	...	3	1	4	...	1	17	1'95
Dum-Dum	6,068	2	1	1	1	1	2	1	4	13	2'14
Barrackpore	4,056	2	3	2	1	2	2	3	4	1	20	4'93
BENGAL PROTEE	18,914	5	4	2	1	2	4	2	6	4	9	5	6	50	2'64
Hazaribagh	4,697	1	1	1	...	1	...	2	6	1'28
Dinapore	8,503	6	2	3	1	2	1	4	3	5	4	3	3	37	4'35
Benares	4,988	1	2	4	1	2	4	1	1	...	3	19	3'81
Fyzabad	8,810	...	3	2	1	1	1	1	2	4	6	1	...	16	1'82
Lucknow	23,062	2	3	2	6	3	...	5	4	4	3	1	3	41	1'78
Sitapur	5,530	1	2	...	3	2	1	1	...	10	1'81
Fatehgarh	2,258	...	1	1	1	1	...	1	1	...	1	7	3'10
Cawnpore	8,423	2	2	1	2	1	1	4	2	2	...	17	2'02
Allahabad	9,163	1	...	1	5	2	...	2	2	4	1	2	...	20	2'18
GANGETIC PROVINCES AND OUDH	76,159	12	11	10	15	14	9	17	20	23	22	14	12	179	2'35
Shahjahanpur	3,351	1	1	1	...	1	...	2	1	1	8	2'39
Bareilly	7,788	2	...	1	2	...	3	8	1'03
Moradabad	2,079	...	1	...	1	...	1	...	1	...	2	1	...	7	3'37
Roorkee	3,939	...	2	1	...	2	1	1	2	...	1	10	2'51
Meerut	14,222	3	5	5	2	...	5	6	5	5	7	10	6	59	4'15
Delhi	4,495	...	1	...	2	1	2	1	1	1	1	1	...	8	1'78
Muttra	3,846	1	1	...	2	1	1	1	...	1	...	1	...	9	2'34
ROHILCUND AND MEERUT	39,770	5	10	9	5	5	11	9	12	7	12	17	7	109	2'74
Agra	9,896	1	1	1	...	1	...	4	4	1	2	1	1	17	1'72
Morar	10,708	2	4	1	2	2	2	1	1	3	5	6	1	30	2'80
Gwalior Fortress	3,416	1	1	...	1	1	1	5	1'46
Jhansi	4,136	...	1	1	...	2	4	'97
Nowgong	2,825	1	1	1	1	1	1	1	7	2'48
Saugor	4,590	2	1	...	1	1	1	1	7	1'53
Jubbulpore	4,974	1	...	2	...	1	1	1	1	2	1	2	2	14	2'81
AGRA AND CENTRAL INDIA	40,631	7	6	5	2	6	4	7	9	8	11	11	8	84	2'07
Umballa	13,298	3	1	3	1	1	...	1	3	4	1	18	1'35
Jullundur	7,075	1	2	3	...	3	2	1	...	9	1'27
Ferozepore	10,100	...	3	1	1	1	2	2	...	14	1'35
Mooltan	8,109	1	1	...	1	1	1	1	2	...	9	1'11
Dera Ismail Khan	938	1	1	1	...	2	2'01
Meean Meer	9,291	2	...	1	1	2	2	1	2	2	3	3	2	21	2'26
Fort Lahore	1,130	1	1	...	2	1'77
Amritsar and Govindgarh	2,532	1	1	...	1	1	1	1	4	1'58
Sialkot	10,161	2	1	1	3	2	2	4	2	3	...	17	1'67
Rawalpindi	16,145	5	1	2	2	4	4	5	2	25	1'55
Attock	1,697	1	1	2	1'18
Nowshera	5,744	1	2	1	1	...	2	2	9	1'57
Peshawar	15,274	1	1	1	1	1	1	1	7	'46
PUNJAB	112,288	15	10	11	6	9	7	11	11	18	18	26	14	156	1'39
Darjeeling	630	1	2	2	2	1	2	3'17
Ranikhet	7,845	1	1	1	...	8	1'02
Chakrata	7,153	2	...	1	1	...	1	1	...	1	7	'98
Dagshai	8,317	1	...	1	5	...	1	...	2	10	1'20
Subathu	6,645	1	2	1	1	1	7	1'05
Jutogh	858	1	1	1'17
Dharnasala (9 Years)	651	1	1	1'54
Dalhousie (6 Years)	400
Murree Hills	5,733	1	1	1	2	3	8	1'40
Cherat (9 Years)	3,302	1	...	4	2	8	2'36
HILL STATIONS	41,787	2	2	3	5	9	13	6	4	3	5	52	1'25
Darjeeling Depôt	1,807	1	...	2	1	1	1	2	2	1	1	9	4'98
Naini Tal	3,213	1	1	...	2	2	1	3	...	2	1	13	4'05
Landour	2,177	...	1	...	1	1	1	1	2	1	...	8	3'67
Kasauli	5,678	1	3	2	2	5	1	4	4	1	2	25	4'40
Dalhousie	3,975	1	2	...	2	1	2	...	2	...	8	2'01
Murree	4,678	2	1	1	2	1	1	1	...	9	1'92
CONVALESCENT DEPÔTS	21,528	2	2	1	7	8	5	11	6	11	10	6	3	72	3'34
BENGAL PRESIDENCY	363,431	54	50	49	41	48	47	67	78	77	86	86	58	741	2'04

VI.—MONTHLY MORTALITY IN RELATION TO STATIONS, 1870-79.

CCCCIII—continued.

TABLE showing the DISTRIBUTION in each MONTH of the TOTAL DEATHS from HEPATITIS which have occurred in the principal MILITARY STATIONS from 1870 to 1879.

STATIONS.	Aggregate Strength of the Ten Years.	DEATHS FROM HEPATITIS IN EACH MONTH, 1870-79.												Total Deaths of the Ten Years.	Death-rate from Hepatitis per 1,000 of Strength.
		JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.		
Nusseerabad ...	6,363	2	1	1	1	1	1	...	1	4	2	...	1	15	2.36
Neemuch ...	4,260	2	...	1	1	1	...	1	8	1.88
Indore ...	937
Mhow ...	13,270	5	1	2	1	1	1	6	...	3	1	21	1.58
Deesa ...	7,065	1	2	1	...	1	3	...	3	1	12	1.70
Ahmedabad ...	2,735	2	...	1	1	...	2	1	5	1.83
Kurrachee and Ghizree ...	7,698	2	2	...	1	...	1	...	3	9	1.17
Hyderabad ...	3,764	1	...	1	.27
Aden ...	7,277	3	...	1	2	...	1	3	2	1	3	16	2.20
RAJFOOTANA, MALWA, SIND, AND ADEN ...	54,166	8	3	11	6	4	5	5	5	17	6	8	9	87	1.61
Bombay ...	4,764	2	3	2	1	1	1	1	4	1	2	18	3.77
Asirgarh ...	812	1	1	...	2	2.47
Ahmednagar ...	4,642	1	1	1	3	.65
Poona and Kirkee ...	20,984	4	3	...	3	1	3	1	3	...	2	...	5	30	1.43
Satara ...	1,708	1	1	.59
Belgaum ...	9,660	1	...	2	4	2	1	...	1	2	1	14	1.45
Secunderabad ...	23,411	10	5	9	1	5	7	5	10	10	16	11	11	100	4.27
Kamptee ...	10,034	2	3	4	2	3	1	1	2	...	18	1.79
DECCAN AND NAGPORE ...	76,075	20	14	15	9	10	16	9	21	12	19	22	19	186	2.44
Bellary ...	8,609	3	4	2	1	1	...	1	1	...	11	1.28
Bangalore ...	16,678	5	...	4	2	3	...	5	1	2	5	2	5	36	2.15
Cannanore ...	6,579	2	1	1	1	...	3	3	5	3	2	4	2	27	4.11
Malliampoorum ...	921	1	1	2	2.17
Calicut ...	909	1	...	1	...	1	1	4	4.40
Trichinopoly ...	2,688	...	1	1	...	2	2	...	2	2	2	...	1	13	4.84
St. Thomas' Mount ...	3,639	7	1	1	2	3	1	1	...	1	...	17	4.67
Madras ...	6,825	1	1	1	...	1	1	1	6	.88
SOUTHERN INDIA ...	46,847	18	8	7	5	6	10	14	10	9	10	10	9	116	2.48
Rangoon ...	8,145	1	2	1	1	...	3	...	1	3	2	3	...	17	2.09
Toungoo ...	4,299	1	1	...	3	2	2	2	...	2	2	13	3.03
Thayetmyo ...	6,853	1	1	1	...	2	4	3	2	...	14	2.04
Port Blair ...	1,199	1	...	1	.83
BURMAH AND PEGU ...	20,496	3	3	1	4	3	6	2	3	7	7	6	...	45	2.20
Mount Ahoos ...	1,069	1	1	.94
Purandhar ...	825	1	2	2.42
Wellington ...	4,390	1	2	1	...	1	...	1	2	1	9	2.05
HILL STATIONS AND DEPÔTS ...	8,178	1	2	1	...	1	2	...	1	2	1	3	1	15	1.83
ARMY OF BENGAL ...	363,431	54	50	49	41	48	47	67	78	77	86	86	58	741	2.04
ARMY OF MADRAS ...	11,396	37	29	25	15	20	30	27	36	32	38	34	26	349	3.16
ARMY OF BOMBAY ...	103,587	19	12	21	15	9	13	7	13	21	8	22	17	177	1.71
ARMY OF INDIA ...	577,416	110	91	95	71	77	90	101	127	130	132	142	101	1,267	2.19



VII.—INVALIDING OF THE EUROPEAN ARMY OF INDIA, 1870-79.

VII.—INVALIDING OF THE EUROPEAN ARMY OF INDIA.

CCCLIV.

INVALIDING RATIOS of the EUROPEAN ARMY of INDIA for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.	INVALIDED PER 1,000 OF STRENGTH.										Average of the Ten Years, 1870-79.	Invalided from the different causes per cent. of the Total Invaliding.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
	Fevers	2.81	2.27	1.23	1.07	1.11	1.78	1.98	1.09	2.03		
Dysentery and Diarrhoea	3.61	2.51	3.03	2.89	2.68	2.46	2.41	2.57	2.74	2.87	2.77	6.43
Hepatitis	8.54	6.96	5.74	6.78	6.48	5.91	6.10	5.25	5.63	5.46	6.30	14.64
Phthisis	4.03	3.33	4.26	3.96	3.82	2.78	3.20	3.34	3.43	3.33	3.43	7.07
Pulmonals	3.10	3.10	2.20	2.58	2.75	4.81	1.85	1.65	1.84	1.38	2.65	5.88
Heart diseases	1.65	1.19	1.88	1.41	1.38	1.38	1.32	1.22	1.32	1.09	1.33	3.09
Respiratory diseases	.85	1.36	1.11	1.17	1.47	.78	1.15	1.10	.99	.89	1.14	2.05
Mental Affections	1.24	1.13	1.19	.87	.74	1.71	.90	.98	1.29	1.25	1.10	2.56
Epilepsy	3.25	2.50	2.37	2.69	2.80	2.51	2.06	2.43	2.69	2.38	2.59	6.02
Rheumatism and Neuralgia	3.51	2.92	1.82	1.33	1.69	2.11	1.78	1.83	1.46	1.44	1.99	4.02
Syphilis	1.13	1.47	1.67	2.45	2.40	2.31	2.02	1.98	1.55	1.35	1.90	4.41
Palpitation	10.63	7.81	9.05	8.57	7.73	9.76	8.99	12.63	13.40	16.23	10.46	24.30
Anæmia and General Debility	6.67	5.37	6.10	5.56	5.56	1.04	5.14	5.91	7.03	7.56	5.68	13.20
All other Causes	51.02	42.12	41.15	41.33	40.61	40.24	38.90	42.25	44.83	48.70	43.04	100.0
ALL CAUSES

CAUSES OF INVALIDING.	NUMBER INVALIDED IN EACH YEAR, 1870-79.										Total of the Ten Years, 1870-79.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
	Fevers	152	105	128	72	68	66	105	116	63		115
Dysentery and Diarrhoea	142	337	303	178	170	150	145	141	149	141	166	1,600
Hepatitis	462	218	357	357	369	384	348	357	322	319	316	3,637
Phthisis	218	189	189	230	233	226	164	187	182	177	153	1,978
Heart diseases	168	175	175	129	162	163	283	108	96	104	80	1,458
Respiratory diseases	89	67	67	81	83	82	81	77	71	75	63	769
Mental Affections	46	46	46	46	46	46	46	46	46	46	46	465
Epilepsy	67	67	67	67	67	67	67	67	67	67	67	655
Rheumatism and Neuralgia	176	107	107	139	138	166	148	141	141	153	149	1,492
Syphilis	100	83	165	107	144	100	124	104	112	88	83	1,146
Palpitation	61	43	43	78	144	142	136	141	115	113	113	1,098
Anæmia and Debility	575	431	431	431	431	431	431	431	431	431	431	6,040
All other Causes	361	361	315	358	327	329	114	301	313	398	437	3,293
ALL CAUSES	2,760	2,379	2,415	2,406	2,431	2,370	2,276	2,452	2,540	2,815	24,844	

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

VII.—INVALIDING OF THE EUROPEAN ARMY OF BENGAL.

CCCV.

INVALIDING RATIOS of the EUROPEAN ARMY of BENGAL for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.	INVALIDED PER 1,000 OF STRENGTH.										Average of the Ten Years, 1870-79.	Invalided from the different causes per cent. of the Total Invaliding.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Fevers	3.61	2.85	1.75	.65	.94	1.95	1.84	.52	1.57	2.17	1.63	3.94
Dysentery and Diarrhea	2.48	1.97	2.30	1.95	1.72	1.41	1.51	1.23	1.65	2.22	1.84	4.44
Hepatitis	7.37	7.18	6.45	5.73	5.62	5.92	6.00	5.53	5.28	4.76	5.97	14.32
Phthisis Pulmonalis	3.58	3.51	4.13	4.13	3.85	2.91	3.21	3.27	3.04	2.53	3.42	8.26
Heart diseases	3.23	3.42	2.54	2.63	3.12	3.12	3.12	1.47	1.57	1.10	2.67	6.45
Respiratory diseases	1.43	1.20	1.53	1.85	1.53	1.31	1.51	1.06	1.38	1.07	1.38	3.33
Mental Affections	.66	1.74	1.15	1.30	1.16	.99	1.11	1.20	1.12	1.36	1.18	2.85
Epilepsy	1.34	1.17	1.12	.90	.59	1.98	.73	.82	.75	1.18	1.06	2.56
Rheumatism and Neuralgia	3.73	2.82	2.92	2.25	3.09	2.56	2.35	2.61	2.65	2.52	2.74	6.62
Syphilis	3.19	3.17	1.83	.95	1.40	1.41	1.00	1.52	1.16	1.18	1.66	4.01
Palpitation	1.31	1.71	2.10	2.99	2.69	2.51	2.82	2.18	1.40	1.93	2.12	5.12
Anemia and Debility	12.00	8.41	9.24	7.50	6.94	10.06	7.37	11.65	12.43	16.79	10.23	24.71
All other Causes	6.48	5.39	6.34	4.92	5.59	.88	4.78	6.02	6.64	8.09	5.50	13.29
ALL CAUSES	50.41	44.54	49.13	37.75	38.24	38.71	35.89	39.08	40.54	46.70	41.40	100.00

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

CAUSES OF INVALIDING.	NUMBER INVALIDED IN EACH YEAR, 1870-79.										Total of the Ten Years, 1870-79.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Fevers	121	42	100	24	35	47	68	19	56	81	583
Dysentery and Diarrhea	83	64	69	72	64	53	56	45	69	83	668
Hepatitis	247	236	252	236	211	292	222	203	189	178	2,169
Phthisis Pulmonalis	120	161	123	152	116	109	119	120	109	87	1,213
Heart diseases	108	93	120	97	116	207	80	54	56	41	972
Respiratory diseases	48	68	42	68	57	49	56	39	46	39	503
Mental Affections	22	42	41	48	43	49	41	44	40	51	429
Epilepsy	45	45	41	83	22	74	27	44	30	27	384
Rheumatism and Neuralgia	125	99	99	115	96	96	87	96	95	44	997
Syphilis	107	60	111	100	52	53	37	56	42	44	604
Palpitation	44	77	60	110	52	94	86	80	50	72	773
Anemia and Debility	402	338	295	276	258	377	273	428	415	627	3,719
All other Causes	217	189	189	181	208	33	177	221	238	302	1,998
ALL CAUSES	1,089	1,562	1,578	1,390	1,422	1,451	1,329	1,435	1,452	1,744	15,052

VII.—INVALIDING OF THE EUROPEAN ARMY OF MADRAS.

CCCVI.

INVALIDING RATIOS OF THE EUROPEAN ARMY OF MADRAS for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.	INVALIDED PER 1,000 OF STRENGTH.										Average of the Ten Years 1870-79.	Invalided from the different per cent. of the Total Invaliding.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Fevers	1.69	.66	.53	.79	.26	.99	.81	.90	.09	.76	.73	1.50
Dysentery and Diarrhoea	10.58	6.18	6.24	7.27	7.27	6.90	5.20	6.27	5.94	4.82	6.62	13.59
Hepatitis	8.15	8.15	3.87	10.34	10.82	7.97	6.72	6.37	5.94	8.86	8.67	17.39
Phthisis Pulmonalis	5.40	4.12	3.52	4.82	4.59	3.22	3.77	3.85	3.88	2.27	3.07	7.90
Heart diseases	4.44	2.81	2.11	3.42	3.03	3.94	1.34	2.15	2.47	1.80	2.74	5.63
Respiratory diseases	2.65	.47	.97	.53	1.38	1.52	.90	1.79	1.46	1.33	1.59	2.63
Mental Affections	1.90	.75	1.05	.70	1.99	.36	1.44	1.25	1.37	1.51	1.15	2.86
Epilepsy	3.07	1.38	1.23	.96	1.21	.99	1.44	1.16	1.37	1.89	1.82	2.71
Rheumatism and Neuralgia	7.09	3.66	1.41	4.03	2.42	2.77	.99	3.14	2.37	2.33	3.10	4.78
Syphilis	1.16	.94	1.94	2.45	3.03	4.12	2.78	3.14	1.74	1.61	3.10	6.36
Palpitation	13.12	8.15	.88	2.37	2.68	1.88	1.34	1.52	1.92	2.55	3.55	8.55
Anaemia and Debility	8.57	6.09	5.01	9.11	7.53	8.24	9.77	11.73	13.16	11.16	9.78	20.08
All other Causes				5.78	6.32	2.15	5.02	5.29	5.48	4.45	5.37	11.02
ALL CAUSES	78.93	45.82	35.27	52.57	52.53	45.05	41.51	47.47	47.24	45.02	48.71	100.00

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

CAUSES OF INVALIDING.	NUMBER INVALIDED IN EACH YEAR, 1870-79.										Total of the Ten Years, 1870-79.
	1870. Strength 9,451.*	1871. Strength 10,673.	1872. Strength 11,369.	1873. Strength 11,413.	1874. Strength 11,556.	1875. Strength 11,165.	1876. Strength 11,155.	1877. Strength 11,163.	1878. Strength 10,943.	1879. Strength 10,574.	
Fevers	16	7	6	3	9	11	9	10	1	8	80
Dysentery and Diarrhoea	100	66	71	84	83	77	58	70	65	51	725
Hepatitis	169	87	44	118	125	80	75	70	77	94	949
Phthisis Pulmonalis	51	44	40	55	43	36	42	43	27	24	425
Heart Diseases	25	30	24	39	35	44	15	27	27	24	300
Respiratory Diseases	8	5	11	16	6	17	11	20	16	14	141
Mental Affections	13	8	12	23	14	11	15	14	16	16	136
Epilepsy	14	17	14	14	14	11	16	13	15	20	144
Rheumatism and Neuralgia	29	24	16	46	28	31	24	26	20	20	339
Syphilis	67	30	22	28	35	46	31	35	19	17	339
Palpitation	11	10	10	27	27	21	15	21	21	27	170
Anaemia and Debility	12.4	87	7.4	104	87	92	109	131	144	118	1,070
All other Causes	81	65	57	73	66	24	56	69	60	47	588
ALL CAUSES	746*	480	401	607	600	503	463	530	517	476	5,332

* Excluding the 1-21st Regiment, which Invalided 171 men during 1870. This Regiment was sent for change from Kurrachee to Bangalore, and the extent of the Invaliding was due to Sickness contracted at Kurrachee in the unhealthy year 1869.

VII.—INVALIDING OF THE EUROPEAN ARMY OF BOMBAY.

CCCVII.

INVALIDING RATIOS OF THE EUROPEAN ARMY OF BOMBAY for the TEN YEARS, 1870-79.

CAUSES OF INVALIDING.	INVALIDED PER 1,000 OF STRENGTH.										Averages of the Ten Years, 1870-79.	Invalided from the different causes per cent. of the Total Invaliding.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
	FEVERS	135	106	224	283	268	458	378	335	596		
Dysentery and Diarrhoea	108	65	214	142	105	146	262	335	313	323	199	4.65
Hepatitis	413	503	531	661	476	361	581	483	525	445	498	11.64
Phthisis Pulmonalis	422	106	456	246	285	185	252	188	313	424	297	6.94
Heart diseases	102	233	112	151	114	312	126	178	212	192	178	4.16
Respiratory diseases	143	196	112	85	86	146	97	118	131	91	120	2.80
Mental affections	64	74	102	123	200	49	106	109	80	61	96	2.24
Epilepsy	81	66	140	66	76	156	97	123	162	81	104	2.43
Rheumatism and Neuralgia	197	167	149	274	219	205	223	207	323	354	230	5.38
Syphilis	143	140	168	142	124	244	349	207	222	222	195	4.56
Palpitation	54	121	102	66	105	205	165	178	172	141	130	3.04
Anæmia and Debility	440	549	1109	1171	1075	1033	1395	1716	1716	1950	1200	28.04
All other Causes	565	503	643	756	457	556	658	622	1010	889	668	15.61
ALL CAUSES	2917	3054	4062	4166	3588	4056	4689	4804	5765	6011	4279	100.00

NUMBERS UPON WHICH THE ABOVE RATIOS ARE CALCULATED.

CAUSES OF INVALIDING.	NUMBER INVALIDED IN EACH YEAR, 1870-79.										Total of the Ten Years, 1870-79.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
	FEVERS	15	12	21	24	28	47	39	34	58	
Dysentery and Diarrhoea	12	7	23	23	11	15	27	15	31	32	207
Hepatitis	46	54	57	57	50	37	60	46	62	44	519
Phthisis Pulmonalis	47	21	49	40	30	39	19	31	31	42	310
Heart diseases	16	25	12	16	12	32	13	18	21	19	186
Respiratory diseases	16	20	12	12	12	15	10	12	13	9	125
Mental affections	9	6	8	7	2	11	11	11	8	6	100
Epilepsy	9	6	15	15	8	16	10	13	16	8	108
Rheumatism and Neuralgia	22	18	16	26	23	21	21	21	32	35	240
Syphilis	16	15	18	18	13	25	36	22	22	22	203
Palpitation	6	6	7	7	11	21	17	18	17	14	135
Anæmia and Debility	49	59	119	119	113	100	144	174	170	183	1,251
All other Causes	63	61	69	69	48	57	63	63	100	88	697
ALL CAUSES	325	328	436	441	377	416	454	487	571	595	4,460



VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF INDIA.

VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF INDIA.

CCCVIII.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of INDIA during the NINE YEARS from 1871 to 1879.

	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Nine Years.	Proportion of Gain and Loss from different causes in percentages.
<i>Strength at the beginning of the Year.</i>	53,582	55,913	56,789	56,590	56,442	54,788	53,328	54,078	50,756	492,296	
At Head-Quarters and on Detachment at the beginning of each Year	833	143	27	41	362	471	310	862	91	3,080	
Recruits from England in India on march to join	89	82	91	64	84	122	129	95	87	843	
On Staff employment	312	328	342	321	361	412	394	433	508	3,411	
In Military and other Prisons	1,196	1,541	1,475	1,653	2,388	2,219	2,414	1,715	2,340	16,911	
Elsewhere, sick in other Hospitals, and men remaining at Convalescent Depôts											
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR	56,012	58,087	58,724	58,669	59,547	58,012	56,575	57,183	53,782	516,541	
<i>Additions during the Year.</i>											
Transfers received from other Regiments	1,146	1,069	901	944	2,077	2,240	1,880	1,839	1,768	17,819	31.86
Transferred from Regiments leaving India by Volunteering	1,107	592	1,207	1,090	1,276	1,177	1,45	148	136	1,233	2.17
{ New Soldiers	149	102	112	109	155	68	96	148	51	472	.83
{ Time-expired men	12	12	18	2	65	2	66	148	61	472	
Recruited in India	3,506	3,940	3,317	3,340	2,487	3,466	4,882	3,629	7,757	37,113	65.81
Received from England, landed after 1st January	181	310	134	194	22	11	.15	23	14	180	.33
{ Recruits	33	21	23	27	22	11	.15	23	14	180	
{ Invalids returned											
Deserters rejoined											
TOTAL ADDITIONS OF THE YEAR	6,134	6,046	5,712	5,706	4,776	5,971	6,968	5,787	9,726	56,826	100.00
<i>Loss during the Year.</i>											
Transfers given to other Regiments, &c.	2,288	1,803	2,143	2,119	2,189	2,806	2,137	2,614	3,055	21,154	31.06
Time-expired men who have left the service	680	569	913	1,277	1,276	1,974	2,179	2,795	1,387	12,950	19.02
Men who have purchased their discharge	70	64	112	149	117	128	75	77	91	883	1.30
Men discharged otherwise	1	10	5	32	37	85	.12
Invalidd	688	701	596	615	534	535	603	680	660	5,601	8.23
{ For Discharge	1,691	1,719	1,841	1,795	1,837	1,738	1,847	1,878	1,983	16,329	23.98
{ For change of climate	64	61	108	88	84	74	95	103	96	815	1.20
Dismissed by sentence of Court-Martial	876	92	81	64	162	55	82	54	78	732	1.07
Deserted	72	1,272	833	718	1,015	881	721	1,105	1,680	9,546	14.02
Died at Head-Quarters and on Detachment	50	72	30	32	32	32	32	32	32	32	
Died absent from the Regiment	48	52	26	45	45	45	45	45	45	45	
{ At Convalescent Depôts											
{ In other Hospitals											
TOTAL LOSS OF THE YEAR	6,562	6,415	6,088	6,934	7,251	8,191	7,739	9,376	8,939	68,095	100.00
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR	55,584	57,668	57,748	57,441	57,072	55,792	55,804	53,594	54,569	505,272	...

Note.—This Statement is an aggregate of Regimental Returns, and is for Regiments present throughout the Year; hence the Strength remaining does not correspond with that carried forward to the next Year.

VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF BENGAL.

CCCLIX.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of BENGAL during the TEN YEARS from 1870 to 1879.

	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Ten Years.	Proportion of Gain and Loss from different causes in percentages.
<i>Strength at the beginning of the Year.</i>												
At Head Quarters and on Detachment at the beginning of each Year	31,761	33,201	34,643	35,813	35,462	35,658	34,459	33,781	34,571	32,377	341,656	
Recruits from England in India on march to join	161	648	66	13	41	262	437	214	690	31	2,566	
On Staff employment	97	45	63	59	38	61	89	117	78	82	729	
In Military and other Prisons	193	179	175	179	155	197	193	167	183	188	1,809	
Eisewhery, sick in other Hospitals, and men remaining at Convalescent Depots	688	684	881	954	1,059	1,299	1,275	1,302	801	1,398	10,341	
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR	32,900	34,757	35,828	37,018	36,755	37,477	36,453	35,581	36,253	34,079	357,101	
<i>Additions during the Year.</i>												
Transfers received from other Regiments	640	742	623	579	612	1,108	1,191	1,053	1,171	1,111	12,159	29.85
Transferred from Regiments leaving India	536	691	304	714	521	82	74	68	72	69	680	1.69
{ From Bengal Presidency	470	99	48	9	66	41	35	26	22	15	160	.39
{ From other Presidencies	56	5	5	9	...	2,289	2,288	3,409	2,270	6,109	27,615	67.79
{ New Soldiers	2	5	2,801	1,767	...	1,778	8	4	12	8	113	.28
{ Time-expired men	3,100	1,945	172	98	187	10	8	4	12	8	113	.28
Received from England, landed after 1st January.	219	99	172	9	18	10	8	4	12	8	113	.28
Invalids returned	15	17	12	9	18	10	8	4	12	8	113	.28
Deserters rejoined
TOTAL ADDITIONS OF THE YEAR	5,038	3,589	4,058	3,232	3,693	3,109	3,599	4,560	3,547	6,312	40,737	100.00
<i>Loss during the Year.</i>												
Transfers given to other Regiments, &c.	1,074	1,444	642	1,616	1,242	1,195	1,413	1,413	1,682	1,678	13,379	29.07
Time-expired men, who have left the service	825	421	374	567	889	759	1,297	1,341	1,707	682	8,812	19.14
Men who have purchased their discharge	36	39	38	74	88	86	86	46	46	62	601	1.31
Men discharged otherwise	8	...	10	...	32	35	85	.18
Invalids	270	449	492	414	389	377	306	360	508	562	4,137	8.99
{ For discharge	1,423	1,115	1,027	976	1,027	1,074	1,020	1,073	943	1,019	10,759	23.37
{ For change of climate	57	66	39	53	57	47	31	55	25	48	544	1.18
Dismissed by sentence of Court-Martial	40	40	59	31	27	144	31	34	25	58	606	1.31
Deserted	657	554	899	624	497	638	583	415	760	1,370	7,209	15.66
Died at Head Quarters and on Detachment	41	31	63	18	23
{ At Convalescent Depots	59	24	23	14	16
{ In other Hospitals
TOTAL LOSS OF THE YEAR	4,520	4,183	3,728	4,317	4,247	4,355	4,787	4,740	5,676	6,479	46,032	100.00
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR	33,418	34,163	36,153	35,933	36,201	36,231	35,265	35,401	34,124	34,912	351,806	...

See Note to Table CCCVIII.

VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF MADRAS.

CCCX.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of MADRAS during the NINE YEARS from 1871 to 1879.

	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Nine Years.	Proportion of Gain and Loss from different causes in percentages.
<i>Strength at the beginning of the Year.</i>											
At Head Quarters and on Detachment at the beginning of each Year	9,998	10,776	10,783	10,782	10,372	10,361	10,061	10,055	9,044	92,232	
Recruits from England in India on march to join	59	...	14	17	18	61	35	204	
On Staff Employment	15	9	22	20	14	27	4	7	5	123	
In Military Prisons	71	83	87	94	93	113	165	133	202	1,041	
Elsewhere, sick in other Hospitals, and men remaining at Convalescent Depôts	346	468	440	424	785	659	847	638	703	5,315	
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR	10,489	11,336	11,346	11,320	11,264	11,177	11,095	10,894	9,994	98,915	
<i>Additions during the Year.</i>											
Transfers received from other Regiments	244	188	165	152	418	587	423	339	339	3,708	32.54
Transfers from Regiments leaving India by Volunteering	176	124	203	315	42	415	3.61
From Bengal Presidency	37	30	38	32	55	74	65	52	24	242	2.13
From other Presidencies
New Soldiers	1,150	484	798	549	229	546	639	782	1,541	6,972	61.18
Time-expired men
Recruits	90	129	30	6	10	1	10	6	2	58	.61
Invalids returned	7	6	9	7
Deserters rejoined
TOTAL ADDITIONS OF THE YEAR	1,711	968	1,244	1,092	736	1,238	1,176	1,282	1,948	11,365	100.00
<i>Loss during the Year.</i>											
Transfers given to other Regiments, &c.	615	820	159	234	604	441	445	376	653	4,317	31.42
Time-expired men, who have left the service	130	116	132	217	278	296	501	674	327	2,701	19.53
Men who have purchased their discharge
Men discharged otherwise	1	7	1	41	20	25	16	16	12	165	1.19
Invalided	125	112	103	135	103	122	123	6	.04
Dismissed by sentence of Court-Martial	361	290	498	472	411	341	407	416	379	1,021	7.38
Deserted	6	3	20	17	23	15	17	11	11	3,565	25.77
Died at Head-Quarters and on Detachment	14	14	32	26	18	20	40	20	11	123	.89
Died absent from the Regiment	186	179	189	118	164	173	185	234	170	1,935	14.1
In other Hospitals	12	3	11	8
At Convalescent Depôts	18	29	10	22
TOTAL LOSS OF THE YEAR	1,486	1,573	1,170	1,320	1,611	1,433	1,734	1,847	1,060	13,834	100.00
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR	10,714	10,731	11,420	11,092	10,389	10,982	10,537	10,329	10,282	96,476	...

See Note to Table CCCVIII.

VIII.—FLUCTUATION IN STRENGTH OF THE ARMY OF BOMBAY.

CCCXI.

STATEMENT showing the CAUSES of the FLUCTUATION in STRENGTH of the REGIMENTS composing the ARMY of BOMBAY during the TEN YEARS from 1870 to 1879.

	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Aggregate of Ten Years.	Proportion of Gain and Loss from different causes in percentages.
<i>Strength at the beginning of the Year.</i>												
At Head Quarters and on Detachment at the beginning of each Year...	10,521	10,833	10,524	10,133	10,346	10,412	9,968	9,486	9,522	9,335	100,690	
Recruits from England in India on march to join	126	77	40	17	78	111	22	471	
On Staff employment	29	10	10	6	9	...	8	10	...	88	
In Military and other Prisons	62	70	76	72	71	106	62	117	118	754	
Elsewhere, sick in other Hospitals, and men remaining at Convalescent Depôts	166	192	81	170	274	285	265	276	234	1,943	
TOTAL STRENGTH IN INDIA AT THE BEGINNING OF EACH YEAR ...	10,521	10,766	10,873	10,360	10,594	10,806	10,352	9,899	10,036	9,799	103,946	
<i>Additions during the Year.</i>												
Transfers received from other Regiments ...	236	160	258	157	180	461	468	349	329	318	3,834	3174
Transferred from Regiments leaving India by Volunteering ...	5	240	164	200	224	18	29	22	24	25	189	171
Recruited in India	13	24	18	11	...	3	26	23	12	72	65
Received from England, landed after 1st January ...	1,080	411	562	762	502	450	632	834	577	1,107	6,905	6256
Deserters rejoined ...	4	9	3	6	2	2	2	1	5	4	37	34
TOTAL ADDITIONS OF THE YEAR ...	1,305	834	1,020	1,236	921	931	1,134	1,232	958	1,466	11,037	10000
<i>Loss during the Year.</i>												
Transfers given to other Regiments, &c. ...	753	229	341	338	643	390	952	279	606	724	7,517	5362
Time-expired men, who have left the service ...	16	129	79	214	191	239	381	337	414	278	169	121
Men who have purchased their discharge	14	19	27	20	11	17	13	15	17	2	41
Men discharged otherwise ...	119	113	97	2	832	594
Invalids ...	203	215	340	367	296	362	377	367	519	585	3,631	2509
Dismissed by sentence of Court-Martial ...	11	34	19	35	14	14	8	20	37	37	219	156
Died at Head-Quarters and on Detachment ...	166	136	194	120	103	...	4	8	9	9	98	71
Died absent from the Regiment	7	6	1	1	213	125	121	201	140	1,549	1105
At Convalescent Depôts
In other Hospitals
TOTAL LOSS OF THE YEAR ...	1,269	893	1,114	1,201	1,367	1,285	1,971	1,265	1,853	1,800	14,018	10000
STRENGTH OF THE ARMY AT THE CLOSE OF EACH YEAR ...	10,557	10,707	10,779	10,395	10,148	10,452	9,545	9,866	9,141	9,375	100,965	...

See Note to Table CCXVIII.



IX.—DETAIL OF ADMISSIONS, DEATHS, AND INVALIDING IN THE
EUROPEAN ARMY OF INDIA, 1870-79.

IX.—DETAIL OF ADMISSIONS, DEATHS, AND INVALIDING IN THE EUROPEAN ARMY OF INDIA, 1870-79.

CCCXII.

STATEMENT showing the CAUSES of DEATHS returned in the GENERAL TABLES under the HEAD "ALL OTHER CAUSES," from 1870-79.

CAUSES OF DEATHS.	DEATHS RETURNED IN EACH YEAR UNDER THE HEAD "ALL OTHER CAUSES."										Total for the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Scarlet Fever	1	2	1	4
Measles	1
Hydrophobia	20
Pyæmia	2	1	1	...	2	3	6	...	1	...	17
Diphtheria	1	1	1	2	1	6
Erysipelas	2	4	7	3	5	7	1	...	2	...	37
Gangrene and Phagedæna	1	...	1	4
Rheumatism	...	2	1	3	2	5	1	4	16
Secondary Syphilis	9	3	6	3	5	8	6	4	1	3	48
Cancer	6	7	6	4	8	4	7	5	3	3	53
Scrofula and Tuberculosis	2	1	2	5	2	1	13
Psoas and Lumbar Abscess	2	1	...	2	1	3	2	2	13
Morbux Coxæ	...	1	1	1	1	...	4
Tabes Mesenterica	1	1
Cancrum Oris	1	1
Diabetes and Diuresis	1	...	3	1	...	1	1	...	7
Purpura	4	3	4
Tumour of Brain	1	1	2	...	3	7
Atrophy of Brain	1	1
Encephalitis	3	10	8	8	10	9	8	6	4	5	71
Hydatid of Brain	1	1
Meningitis	4	11	9	3	2	12	5	9	11	11	77
Myelitis	2	1	2	1	1	7
Spinal Hæmorrhage	1	2
Paralysis, Hemiplegia	2	...	3	5
Do. Paraplegia	2	...	1	3
Do. General	1	1
Do. Character not stated	2	1	1	2	1	4
Tetanus	2	2	4	4	...	4	...	2	2	...	21
Epilepsy	1	...	1	...	2	3	2	2	1	3	15
Maia	1	1
Caries of Mastoid Cells	...	2	1	2	1	3	...	9
Ozæna	...	1	1
Epistaxis	...	1	2
Syncope	1	1	1
Angina pectoris	1	3	8
Embolism	2	...	1	...	1	...	1	...	1
Thrombosis	1
Pericarditis	5	3	1	...	1	1	1	2	4	1	19
Tumour of Pericardium	1	1
Fibrinous Concretions in the Veins	1	1
Rupture of Vena Cava	1	1
Rupture of Jugular Vein	1	2	...	1	1
Addison's Disease	1	...	1	...	1	5
Abscess of Mediastinum	1	1	2
Stomatitis	1	2
Abscess of Tongue	2	14
Gastritis	3	2	...	2	1	2	...	1	1
Abscess of Omentum	3	...	1
Enteritis	7	5	...	2	1	...	1	5	6	...	41
Peritonitis	5	1	6	4	12	3	6	4	8	3	51
Iliac and Pericæcal Abscess	...	1	3	...	1	5
Ulcer of Stomach	1	1
Rupture of Stomach	1	1	1
Hæmatemesis	1	...	1
Melæna	3	3	9
Typhlitis	1	2	1	1
Ileus and Obstruction of Bowels	3	4	1	1	...	1	2	...	12
Perforation of Intestines	1	3	5	9
Hernia	1	2	1	...	1	...	5
Atrophy of Liver	1	...	2	3
Cirrhosis of Liver	6	7	17	14	12	10	9	5	5	8	93
Amyloid Liver	2	2	3	2	...	9
Jaundice	...	1	1	4	...	2	3	11
Rupture of Gall Bladder	1	1
Nephritis	13	12	8	9	9	11	8	3	8	19	100
Disease of Supra-renal Capsules	1	1
Abscess of Kidney	1	2
Calculus and Lithiasis	1	1	5
Extravasation of Urine	1	...	3	8
Stricture of Urethra	1	...	1	1	3	1	1	1
Sloughing of Scrotum	1	1
Urinary Fistula	1	2	...	2
Perineal Fistula	1	5
Caries	...	1	1	1	1	1
Neerosis	1	3
Synovitis and Enlargement of Bursæ	1	1	1	1
Abscess	4	...	1	2	1	...	3	4	14
Carbuncle	1	1	3
Tumour and Cysts	...	1	1
Foreign body in Oesophagus	...	1	1
Cause not ascertained	1	1	...	2	3	1	2	...	10
Not classified	*105	105
TOTAL	192	90	104	81	97	114	87	82	92	114	1,053

* No details received from the Madras and Bombay Commands.

IX.—DETAIL OF ADMISSIONS, DEATHS, AND INVALID-

CCCX

TABLE showing in DETAIL the CAUSES of ADMISSIONS into HOSPITAL in each YEAR, and the TOTAL

Table with columns for Diseases, Admissions from different causes in each year (1870-1879), and Total Admissions and Deaths and Invaliding of the ten years (1870-79). The table lists numerous medical conditions such as Asthma, Pleurisy, Pneumonia, etc., with corresponding numerical data for each year and total.

ING, IN THE EUROPEAN ARMY OF INDIA, 1870-79.

III—continued.

NUMBER of ADMISSIONS and DEATHS and CASES INVALIDED during the TEN YEARS 1870-79.

DISEASES.	ADMISSIONS FROM DIFFERENT CAUSES IN EACH YEAR.										TOTAL ADMISSIONS AND DEATHS AND INVALIDING OF THE TEN YEARS, 1870-79.		
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	Admis- sions.	Deaths.	Invalid- ing.
Snake-bite	...	2	...	2	3	2	2	1	2	...	14	1	...
Burns and Scalds	28	63	67	57	49	66	79	62	60	75	696
Wounds and Contusions	1,886	3,421	3,191	3,173	3,389	3,417	3,504	3,587	3,352	3,056	31,976	244	159
Gunshot Wounds in battle	35	144	179	10	...
Killed in action	69	...
Fracture	114	264	237	256	282	258	240	253	240	231	2,375	2	152
Dislocation	35	50	55	62	58	53	66	70	55	51	560	...	32
Sprain	734	1,255	1,312	1,392	1,520	1,596	1,505	1,615	1,312	1,339	13,582	...	32
Compression and Concussion of Brain	...	11	...	22	18	9	...	19	10	15	104	...	17
Suicide and Suicidal Wounds	6	12	...	6	3	8	...	12	18	17	162	300	...
Foreign Body in Esophagus	...	1	1	2	1	...
Drowning	1	6	2	269	...
Died while Drunk	2	2	75	...
Murder and Homicide	2	...	3	...	2	5	...	1	13	25	...
Execution	15	...
Struck by Lightning	1	1	1	...	2	...	5	...
Punished	4	...	4	3	...	3	2	...	9	32	...
Surgical Operations	8	17	12	8	9	...	12	21	9	16	112	1	36
Blisters of the Feet	30	165	142	160	167	229	182	153	246	160	1,648
Rupture of Spleen	...	1	...	1	1	...	1	2	6	6	...
" Kidney	1
" Muscle	...	2	2	1	2	7	...	4
" Tendon	1	1
Asphyxia	1	1	...	1	3	1	...
Cause not ascertained	23	45	62	81	94	167	61	63	104	128	832	10	6
Not classified	13,569 ⁺	13,569	105	1,071
TOTAL	89,315	80,853	86,419	77,253	79,239	78,208	77,963	71,585	93,052	107,631	841,550	11,138	23,189

* No details received from the Madras and Bombay Commands.



X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXIV.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of INDIA during the TEN-YEAR PERIOD, 1870-79, and the Prevalence of the Principal Diseases in each Month.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Ten Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.														
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Childbirth and Abortion.	All other Causes.
January	59,195	1,539	26.0	96	1.62	3	1	5	...	7	3	8	8	6	11	9	4	5	14	12
February	59,915	1,484	24.8	63	1.05	1	1	1	...	9	1	1	5	2	7	10	3	4	12	6
March	60,194	1,634	27.1	74	1.23	2	1	4	...	5	6	2	5	1	10	5	2	6	19	6
April	59,902	2,032	33.9	110	1.84	17	2	2	...	9	4	9	8	9	13	2	5	4	14	12
May	59,439	2,465	41.5	155	2.61	24	5	7	...	17	11	12	6	10	18	4	5	7	13	15
June	59,248	2,604	44.0	136	2.30	11	1	6	...	23	26	10	6	11	12	1	3	2	13	11
July	59,182	2,793	47.2	142	2.40	27	...	6	...	23	12	13	7	2	17	4	5	2	15	9
August	58,967	3,099	52.6	175	2.97	46	...	4	3	12	4	17	13	13	24	4	2	5	14	14
September	58,764	3,096	52.7	195	3.32	59	...	6	1	29	2	22	9	9	20	3	6	6	12	11
October	58,308	2,664	45.7	119	2.04	13	...	4	1	21	...	14	9	8	13	4	6	5	11	10
November	58,282	2,134	36.6	111	1.90	9	...	1	...	18	...	14	10	7	10	5	1	4	21	11
December	57,545	1,625	28.2	106	1.84	3	3	3	...	22	1	11	6	8	9	3	5	9	15	8
						215	14	49	6	195	70	133	92	86	164	54	47	59	173	125
						Died per 1,000 of Strength.														
TEN YEARS	59,078*	2,264	38.3	1,482	25.09	3.64	.24	.83	3.40	1.18	2.25	1.56	1.45	2.78	.91	.80	1.00	2.93	2.12	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue	12	6	14	72	66	65	103	55	153	112	41	22	721	12.2	...
Cholera	4	1	5	23	34	15	44	69	74	19	13	2	303	5.1	70.96
Smallpox	11	10	15	26	18	7	4	4	19	114	1.9	12.28
Enteric Fever	7	5	3	9	17	7	9	6	4	97	1.6	50.52
Intermittent Fever	506	443	540	677	926	1,026	1,143	1,173	1,526	1,733	1,394	884	11,971	202.6	.05
Remittent and Continued Fevers	235	227	311	600	791	836	788	694	795	757	547	358	6,939	117.4	2.81
Apoplexy	5	3	6	5	20	32	20	6	2	5	1	1	103	1.8	66.04
Dysentery	102	82	106	153	149	173	220	274	225	187	148	124	1,943	32.9	6.84
Diarrhoea	137	154	203	310	279	248	492	572	404	281	226	172	3,478	58.9	2.65
Hepatitis	61	86	75	122	124	129	104	115	128	123	76	86	1,229	20.8	7.00
Splice disease	13	7	19	14	17	21	22	20	16	18	13	12	192	3.3	...
Respiratory diseases	227	203	199	220	204	159	181	181	159	178	166	189	2,266	38.4	2.38
Phthisis Pulmonalis	44	30	61	40	56	53	52	49	32	46	44	47	563	9.5	29.13
Atrophy and Anæmia	733	763	974	1,421	1,526	1,361	1,532	1,676	1,486	1,225	917	738	14,355	243.0	.41
Rheumatism	77	91	88	108	123	98	129	117	102	97	80	68	1,178	19.9	...
Eye diseases	63	40	66	276	316	228	530	776	573	339	154	71	3,462	58.6	...
Abortion	70	78	95	109	131	118	108	99	97	90	67	74	1,136	19.2	2.02
Diseases peculiar to Women	166	167	187	214	222	200	227	206	200	178	122	113	2,202	37.3	...
Abscess and Ulcer	111	83	107	134	139	154	186	162	130	134	80	89	1,509	25.6	...
Injuries	45	38	67	51	64	61	58	61	43	48	46	35	620	10.5	1.83
All other Causes	331	294	417	499	475	473	557	606	465	382	318	271	5,088	86.1	...
	2,960	2,823	3,558	5,086	5,727	5,464	6,509	6,924	6,622	5,958	4,462	3,379	59,472		
	Died per 1,000 of the Average Strength in each Month.														
	50.0	47.1	59.1	84.9	96.4	92.2	110.0	117.4	112.7	102.2	76.6	58.7	1,006.6		

* The Returns for the Women and Children of the Bombay Presidency incorporated in this Table and in the Table which follows are for the Nine Years 1871-79. The Returns of 1870, which were not available by Months, are wanting in this Aggregate. In this Table Dyspepsia is included under "All other Causes," but in Table CCCXXII it appears under the heading "Anæmia and Atrophy."

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXV.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of INDIA during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength in each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month.	Died per 1,000 of Strength.	CAUSES OF DEATHS.																			
						Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
January	108,990	2,260	20.7	333	3.51	...	3	13	4	1	1	4	13	1	26	64	11	21	2	12	42	61	46	26	32
February	110,314	2,260	20.5	307	2.78	6	2	17	4	1	1	5	10	1	21	60	10	16	6	30	32	40	16	27	
March	110,934	2,528	22.8	486	4.38	...	2	52	2	4	...	3	25	1	41	86	19	13	17	67	61	45	11	24	
April	109,989	3,377	30.7	712	6.47	13	5	39	4	2	4	7	31	4	90	130	26	27	1	31	144	71	34	10	36
May	109,458	4,090	37.4	763	6.97	30	3	49	5	4	2	6	47	7	86	137	31	30	1	35	138	77	27	16	29
June	109,822	4,129	37.6	643	5.85	14	2	38	6	2	2	12	61	7	72	111	31	23	2	25	104	73	31	12	20
July	109,960	4,514	41.1	781	7.10	43	...	32	10	3	2	10	40	3	90	116	22	29	2	32	179	92	24	15	25
August	110,177	5,312	48.2	985	8.94	84	...	20	2	9	2	10	50	2	140	116	17	39	...	52	253	96	32	16	33
September	110,354	5,066	45.9	860	7.79	74	...	10	2	...	6	11	53	2	116	122	23	36	1	40	200	77	35	20	32
October	109,879	4,215	38.4	591	5.38	22	...	2	3	...	4	21	46	7	47	110	13	25	3	29	100	69	28	24	38
November	108,698	3,339	30.7	550	5.06	7	...	4	1	1	1	29	52	5	41	85	20	27	...	25	87	85	35	20	25
December	107,117	2,474	23.1	500	4.67	...	5	11	6	1	1	16	29	1	38	87	12	22	1	21	64	67	30	37	
						295	22	287	61	28	25	121	469	41	806	1,224	238	313	13	333	1,408	867	428	216	364
						Died per 1,000 of Strength.																			
TEN YEARS	109,641	3,630	33.1	7,561	68.96	2.69	.20	2.62	.56	.26	.23	1.10	4.28	.37	7.37	11.16	2.17	2.85	.12	3.04	12.84	7.91	3.90	1.97	3.32

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.	
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.				
Dengue	...	13	2	28	115	105	80	164	80	183	95	36	18	919	8.4	...
Cholera	7	2	17	41	18	62	114	90	29	11	2	393	3.6	75.06
Smallpox	...	24	19	30	32	20	13	3	1	1	11	165	1.5	13.33
Measles	...	327	461	662	620	724	541	334	232	110	126	138	284	4,559	41.6	6.30
Whooping Cough	...	69	76	100	98	90	151	160	71	52	54	41	85	1,047	9.5	5.83
Scarlet Fever	...	15	16	25	29	13	10	42	22	1	2	2	6	183	1.7	15.30
Enteric Fever	...	3	3	2	15	9	8	8	14	21	9	2	6	100	.9	25.90
Intermittent Fever	...	562	377	473	651	808	799	962	1,140	1,518	2,035	1,811	945	12,090	110.3	1.00
Remittent and Continued Fevers	...	328	292	514	774	939	926	877	898	1,095	1,142	929	501	9,215	84.0	5.10
Apoplexy	...	1	2	6	11	11	10	10	7	14	13	6	2	93	.8	44.09
Dysentery	...	113	89	132	241	198	186	287	382	315	248	170	147	2,508	22.9	13.28
Diarrhoea	...	358	369	675	1,134	1,034	890	1,386	1,731	1,103	700	588	431	10,399	94.8	13.54
Hepatitis	...	7	11	8	14	26	11	17	12	15	16	10	6	153	1.4	...
Spleen Disease	...	14	11	11	16	18	26	19	27	26	19	23	12	222	2.0	...
Respiratory Diseases	...	554	508	510	464	448	382	373	438	544	575	471	500	5,767	52.6	11.17
Eye Diseases	...	189	164	343	1,301	1,415	944	2,416	3,498	2,341	1,118	526	232	14,877	135.7	...
Anæmia and Atrophy	...	617	569	645	848	936	908	979	904	828	907	778	719	9,638	87.9	9.00
Tubercular Diseases	...	64	58	55	92	120	67	89	78	89	74	75	56	917	8.4	35.55
Meningitis and Hydrocephalus	...	15	18	26	47	44	42	37	29	25	24	28	15	350	3.2	68.00
Convulsions	...	86	79	112	176	178	144	161	158	162	166	126	103	1,651	15.1	74.14
Dentition	...	229	187	293	497	510	493	478	575	450	333	235	235	4,569	41.7	17.69
Abscess and Ulcer	...	82	75	108	123	205	204	198	165	176	150	105	94	1,685	15.4	...
Injuries	...	143	128	145	152	124	130	126	161	155	144	109	111	1,628	14.8	...
All other Causes	...	302	408	483	457	437	387	385	407	359	383	279	273	4,560	41.6	4.41
		4,115	3,929	5,397	8,014	8,453	7,370	9,573	11,154	9,672	8,663	6,554	4,794	87,688		
Admitted per 1,000 of the Average Strength in each Month.																
	37.8	35.6	48.6	72.9	77.2	67.1	87.1	101.2	87.6	78.8	60.3	44.8		799.8		

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXVI.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BENGAL PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Ten Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.														
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Child-birth and Abortion.	All other Causes.
January	34,915	966	27.7	60	1.72	1	1	3	...	5	2	5	5	4	8	7	...	4	8	7
February	35,339	911	25.8	40	1.13	...	1	7	4	2	7	6	1	4	4	4
March	35,575	1,019	28.6	41	1.15	1	...	3	...	3	3	1	3	1	6	4	2	2	9	3
April	35,320	1,305	36.9	70	1.98	10	1	2	...	6	...	7	7	7	9	1	4	2	7	7
May	34,990	1,664	47.6	92	2.63	13	5	7	...	10	8	8	3	8	7	4	4	3	7	5
June	34,880	1,774	50.9	93	2.67	6	...	4	...	18	17	5	6	7	7	1	11	9
July	34,798	1,840	52.9	95	2.76	17	...	4	...	17	11	7	3	1	13	2	5	2	9	5
August	34,601	2,079	60.1	122	3.53	36	...	3	3	7	3	9	7	10	18	4	2	2	8	10
September	34,508	2,124	61.5	143	4.14	45	...	4	1	21	2	16	7	6	14	3	4	6	9	5
October	34,324	1,777	51.8	81	2.36	10	...	2	1	17	...	9	5	5	9	3	5	3	8	4
November	33,994	1,402	41.2	73	2.15	7	...	1	...	14	...	7	6	6	7	3	1	2	11	8
December	33,707	1,062	31.5	76	2.25	2	2	3	...	19	1	9	4	7	7	...	3	5	9	5
						148	10	36	5	144	47	83	60	64	112	37	33	36	100	72
						Died per 1,000 of Strength.														
TEN YEARS	34,746	1,495	43.0	987	28.41	4.26	.29	1.04	4.29	1.35	2.39	1.73	1.84	3.22	1.06	.95	1.04	2.88	2.07	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue	1	...	2	32	14	8	40	27	134	96	24	15	393	11.3	...
Cholera	1	...	3	14	18	7	31	56	61	16	10	2	219	6.3	67.58
Smallpox	5	4	3	18	18	4	3	3	3	17	75	2.2	13.33
Enteric Fever	3	3	1	6	16	6	6	...	6	3	3	4	64	1.8	56.25
Intermittent Fever	308	259	315	442	646	705	767	792	1,029	1,187	1,041	593	8,034	232.7	.06
Remittent and Continued Fevers	123	125	179	406	615	643	578	504	568	553	345	223	4,862	139.9	2.96
Apoplexy	2	...	3	1	16	21	19	5	2	4	1	...	74	2.1	63.51
Dysentery	55	42	64	103	97	103	113	147	140	120	89	72	1,145	33.0	7.25
Diarrhoea	71	91	127	204	189	157	297	394	285	193	149	89	2,246	64.6	2.67
Hepatitis	32	49	42	92	83	91	66	76	84	69	44	56	784	22.6	8.16
Spleen disease	10	7	13	7	17	15	15	16	12	16	12	8	148	4.2	...
Respiratory diseases	136	133	106	150	131	91	95	94	76	94	96	105	1,307	37.6	2.83
Phthisis Pulmonalis	32	25	38	31	32	34	37	34	22	25	28	32	370	10.6	30.27
Atrophy and Anæmia	400	422	534	874	923	832	835	1,066	902	723	533	423	8,421	242.4	.43
Rheumatism	49	56	53	65	78	63	78	70	56	52	44	43	707	20.4	...
Eye Diseases	34	19	45	232	303	167	351	541	376	158	83	34	2,343	67.4	...
Abortion	48	56	60	64	84	75	70	64	58	58	43	38	718	20.7	1.95
Diseases peculiar to Women	82	89	100	128	121	124	136	115	124	97	52	59	1,227	35.3	...
Abscess and Ulcer	61	48	63	77	71	84	116	100	89	77	43	60	880	25.3	1.97
Injuries	26	18	37	27	41	31	28	37	32	24	25	16	342	9.9	...
All other Causes*	162	156	237	280	276	282	297	355	269	215	183	140	2,881	82.9	...
	1,650	1,602	2,045	3,262	3,789	3,543	3,978	4,440	4,316	3,780	2,856	2,029	37,290		
	Admitted per 1,000 of the Average Strength in each Month.														
	47.3	45.3	57.5	92.4	108.3	101.6	114.3	128.3	125.1	110.1	84.0	60.2	1,073.2		

* See second Footnote at Table CCCXIV.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXVII.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the BENGAL PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength in each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month.	Died per 1,000 of Strength.	CAUSES OF DEATHS.																			
						Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tubercular Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
January	62,710	1,433	22.9	234	3.73	...	3	7	3	1	...	3	10	...	10	34	7	11	1	4	27	37	35	20	21
February	63,399	1,364	21.5	173	2.73	2	1	10	3	4	5	1	9	30	8	6	...	4	13	15	32	11	19
March	63,665	1,555	24.9	269	4.23	1	1	34	7	2	...	1	14	...	18	45	6	12	...	7	43	33	31	4	10
April	63,036	2,257	35.8	465	7.33	5	2	23	2	1	2	5	25	3	55	70	15	20	1	15	106	57	26	5	23
May	62,601	2,542	45.4	439	7.11	18	3	33	5	3	2	4	36	5	52	67	17	21	...	21	110	47	14	13	18
June	62,680	2,333	45.3	414	6.60	7	1	30	5	2	52	6	39	66	20	11	2	11	75	44	16	9	16
July	62,701	2,990	47.7	440	7.02	36	...	27	10	2	2	5	35	3	44	59	10	12	2	12	101	47	13	8	12
August	62,837	3,582	57.0	611	9.72	72	...	17	5	9	...	3	36	2	85	76	12	19	...	27	141	62	17	9	19
September	62,972	3,482	55.3	541	8.59	60	...	10	2	...	1	8	40	1	70	63	12	22	1	21	131	47	19	12	21
October	62,856	2,800	44.5	380	6.19	23	...	1	2	...	2	14	34	5	27	64	8	14	2	20	70	41	19	17	27
November	61,822	2,220	35.9	375	6.07	6	...	4	1	23	39	4	25	46	10	17	...	19	63	64	21	15	18
December	61,342	1,605	26.2	340	5.54	...	4	8	6	1	...	14	20	1	26	57	9	14	14	48	46	36	16	19	
						220	15	204	50	21	10	86	346	31	460	677	134	179	10	179	928	540	279	139	223
						Died per 1,000 of Strength.																			
TEN YEARS	62,720	2,417	38.5	4,740	75.57	3.65	2.4	3.25	8.0	3.3	1.6	1.37	5.52	4.0	7.33	10.79	2.14	2.85	1.6	2.85	14.80	8.61	4.45	2.22	3.56

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.													
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.																
Dengue	...	1	...	5	40	25	5	59	46	147	82	31	10	451	7.2	...												
Cholera	2	1	7	21	9	51	97	72	29	10	...	239	4.8	76.59												
Smallpox	...	18	7	19	18	13	4	1	2	1	10	93	1.5	16.13												
Measles	...	100	297	421	328	421	389	250	177	75	72	115	209	2,914	46.5	7.06												
Whooping Cough	...	45	41	62	69	69	103	125	51	33	15	21	57	691	11.0	7.24												
Scarlet Fever	...	7	8	17	21	8	8	30	13	1	2	1	...	116	1.9	18.10												
Enteric Fever	...	2	1	2	9	5	4	6	6	8	5	2	3	53	0.8	18.87												
Intermittent Fever	...	281	203	259	420	601	516	566	650	907	1,324	1,274	601	7,593	121.0	1.13												
Remittent and Continued Fevers	...	163	151	270	491	628	673	589	620	769	776	613	303	6,051	96.5	5.72												
Apoplexy	1	1	7	8	9	10	5	12	9	5	1	68	1.1	45.59												
Dysentery	...	49	34	69	133	120	77	130	181	163	135	93	61	1,250	19.9	14.32												
Diarrhoea	...	179	148	400	839	686	518	782	1,129	751	441	357	258	6,498	103.6	14.26												
Hepatitis	...	2	6	5	11	12	5	12	5	8	5	7	3	81	1.3	...												
Spleen disease	...	11	11	9	14	16	26	14	24	19	16	18	11	189	3.0	...												
Respiratory diseases	...	377	396	332	292	269	207	178	214	286	284	233	276	3,284	52.4	12.73												
Eye diseases	...	76	69	227	1,155	1,223	633	1,501	2,275	1,500	656	278	113	9,706	154.8	...												
Anæmia and Atrophy	...	379	353	362	539	553	574	567	579	521	584	514	444	5,979	95.3	9.03												
Tubercular Diseases	...	32	19	38	64	70	38	46	47	52	42	48	31	527	8.4	35.86												
Meningitis and Hydrocephalus	...	10	13	10	29	26	25	17	18	12	17	14	10	201	3.2	66.67												
Convulsions	...	41	40	59	101	89	85	76	101	89	102	72	68	926	14.8	73.11												
Dentition	...	118	100	144	293	306	303	267	353	280	200	169	135	2,673	42.6	17.21												
Abscess and Ulcer	...	47	31	50	47	93	105	109	97	104	86	57	48	874	13.9	...												
Injuries	...	77	59	80	93	79	79	68	86	92	79	51	56	899	14.3	5.01												
All other Causes	...	133	209	247	240	237	224	203	232	203	200	150	130	2,408	38.4	...												
																53,824												
																Admitted per 1,000 of the Average Strength in each Month.												
																35.3	33.8	48.4	83.5	89.3	73.7	90.2	111.6	96.9	82.1	6.69	46.3	858.2

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXVIII.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the MADRAS PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength for each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Ten Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.															
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Child-birth and Abortion.	All other Causes.	
January	14,282	313	21·9	22	1·54	2	1	2	2	2	1	3	1	3	2	4	1	1	2	3	
February	14,349	318	22·2	17	1·19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	
March	14,301	338	23·6	22	1·54	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	
April	14,200	404	28·5	28	1·97	6	1	1	1	3	3	2	1	2	1	1	1	1	1	5	
May	14,112	434	30·8	30	2·13	3	1	1	1	3	1	4	1	3	3	1	1	1	1	4	
June	14,084	453	32·2	18	1·24	2	1	2	1	1	1	4	2	4	1	1	1	1	1	2	
July	14,166	527	37·2	31	2·19	4	1	1	1	3	1	4	4	3	3	1	1	1	1	4	
August	14,161	541	38·2	25	1·77	6	1	1	1	4	1	5	3	2	1	1	1	1	1	2	
September	14,071	482	34·3	26	1·85	8	1	1	1	5	1	1	1	2	3	1	1	1	1	4	
October	13,878	455	32·8	16	1·15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	
November	14,083	379	26·9	22	1·56	1	1	1	1	2	1	4	3	1	2	1	1	1	1	6	
December	14,031	303	21·6	14	1·00	1	1	1	1	2	1	1	1	1	2	1	1	1	1	5	
						36	2	9	1	28	10	30	16	11	29	12	3	13	38	33	
Died per 1,000 of the Average Strength.																					
TEN YEARS	14,144	413	29·2	271	19·16	2·55	·14	·63	2·05	·71	2·12	1·13	·78	2·05	·85	·21	·92	2·69	2·33		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue	6	6	3	8	27	19	14	10	12	8	1	1	115	8·1	...
Cholera	3	3	2	8	7	3	6	8	7	1	2	...	48	3·4	75·00
Smallpox	2	1	11	6	...	3	1	1	28	2·0	7·14
Enteric Fever	4	...	2	2	...	1	1	...	3	...	1	2	20	1·4	45·00
Intermittent Fever	61	68	100	69	102	108	114	95	112	100	99	96	1,124	79·4	·09
Remittent and Continued Fevers	63	59	86	122	98	103	124	116	120	115	93	75	1,174	83·0	2·39
Apoplexy	1	3	3	3	2	1	1	1	15	1·1	66·67
Dysentery	27	33	27	25	35	55	70	67	59	47	41	32	518	36·7	5·79
Diarrhoea	34	39	43	57	56	52	112	100	67	42	31	46	679	48·0	2·36
Hepatitis	20	23	19	22	27	21	22	29	27	41	22	17	290	20·5	3·79
Spleen disease	1	...	2	2	1	2	8	·6	...
Respiratory diseases	51	41	52	43	51	46	55	61	47	55	39	53	594	42·0	2·02
Phthisis Pulmonalis	7	9	13	3	13	10	8	9	5	15	9	10	111	7·8	26·12
Atrophy and Anæmia	193	200	277	368	389	372	464	427	367	311	251	207	3,826	270·5	·34
Rheumatism	18	27	24	21	23	20	33	31	23	30	22	16	288	20·4	...
Eye diseases	12	8	6	18	20	45	123	139	94	132	52	16	665	47·0	...
Abortion	12	14	17	24	25	26	20	19	21	22	10	24	234	16·5	2·14
Diseases peculiar to Women	59	55	47	48	52	43	47	52	50	46	51	32	582	41·1	...
Abscess and Ulcer	30	18	25	32	40	28	36	37	30	37	22	16	352	24·9	...
Injuries	10	10	17	17	16	15	16	16	8	18	11	18	172	12·2	1·47
All other Causes	114	81	96	121	129	112	161	136	119	106	83	81	1,339	94·7	...
	728	698	872	1,018	1,112	1,083	1,430	1,356	1,171	1,128	842	744	12,182		
Admitted per 1,000 of the Average Strength in each Month.															
	51·0	48·6	61·0	71·7	78·8	76·9	100·9	95·8	83·2	81·3	59·8	53·0	861·3		

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXIX.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the MADRAS PRESIDENCY during the TEN-YEAR PERIOD 1870-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength in each Month of the Ten Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month.	Died per 1,000 of Strength.	CAUSES OF DEATHS.																			
						Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anaemia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
January ...	27,351	385	14.1	68	2.49	3	1	1	2	1	10	14	1	5	...	5	6	8	5	3	4
February ...	27,495	431	15.7	79	2.87	...	1	1	1	11	8	5	4	5
March ...	27,725	448	16.2	110	3.96	4	...	8	...	1	6	1	15	16	7	5	11	16	9	4	6
April ...	27,458	577	21.0	129	4.70	1	1	4	1	...	2	...	9	1	16	30	6	5	...	6	17	9	5	4	6
May ...	27,352	655	23.9	179	6.54	5	...	11	...	1	7	2	27	55	11	4	1	6	14	19	3	1	6
June ...	27,464	709	25.8	153	5.57	7	1	7	...	1	19	30	6	10	...	9	20	19	9	3	5
July ...	27,633	847	30.6	193	6.98	4	...	4	28	32	5	10	...	16	41	29	5	7	9
August ...	27,711	854	30.8	185	6.68	5	...	3	3	7	...	27	18	3	13	...	18	46	17	10	5	7
September ...	27,784	721	26.0	148	5.33	10	2	3	20	23	6	13	27	13	10	5	9
October ...	27,499	653	23.7	99	3.60	1	...	1	4	9	24	2	7	...	6	12	12	6	4	6
November ...	27,366	499	18.2	85	3.11	1	1	6	8	6	4	13	4	6	4	9
December ...	27,062	423	15.6	93	3.44	3	...	1	9	18	...	2	...	4	8	13	8	10	13
						41	3	45	6	3	7	7	63	6	196	298	54	83	2	95	226	167	86	52	81
						Died per 1,000 of Strength.																			
TEN YEARS ...	27,493	599	21.8	1,521	55.32	1.49	.11	1.64	.22	.11	.25	.25	2.29	.22	7.13	10.84	1.96	3.02	.07	3.46	8.22	6.07	3.13	1.89	2.95

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.												
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.															
Dengue ...	11	2	4	20	37	13	28	13	21	7	...	2	158	5.8	...												
Cholera	5	1	6	10	9	7	8	13	...	1	2	62	2.3	66.13												
Smallpox ...	1	5	10	8	1	1	1	28	1.0	10.71												
Measles ...	47	43	141	237	244	123	67	43	30	47	17	44	1,083	39.4	4.16												
Hooping Cough ...	16	11	17	21	9	22	18	8	9	18	13	23	185	6.7	3.21												
Scarlet Fever ...	3	4	3	2	4	2	3	21	.8	14.29												
Enteric Fever ...	1	4	2	4	1	22	.8	31.82												
Intermittent Fever ...	83	53	80	62	51	86	111	120	121	121	129	78	1,095	39.8	.64												
Remittent and Continued Fevers ...	102	103	147	175	204	177	187	153	162	201	145	109	1,865	67.8	3.38												
Apoplexy ...	1	...	3	2	2	1	...	1	1	1	12	.4	50.00												
Dysentery ...	50	43	38	74	60	86	116	123	96	84	53	67	895	32.6	10.61												
Diarrhoea ...	99	145	128	158	182	248	346	292	182	139	129	95	2,143	78.0	10.55												
Hepatitis ...	2	2	3	1	5	3	1	3	5	7	1	2	35	1.3	...												
Spleen diseases	1	3	...	8	.3	...												
Respiratory diseases ...	107	108	113	129	121	127	138	142	168	193	154	148	1,648	59.9	8.37												
Eye diseases ...	39	47	44	80	95	258	628	714	448	505	164	47	3,069	111.6	...												
Anaemia and Atrophy ...	151	120	159	186	233	209	255	205	176	175	162	153	2,184	79.4	7.65												
Tubercular Diseases ...	17	27	10	19	34	16	31	18	25	20	12	15	244	8.9	34.84												
Meningitis and Hydrocephalus ...	1	2	10	10	13	9	13	6	8	2	8	...	82	3.0	65.85												
Convulsions ...	22	24	26	39	70	37	51	31	29	34	29	21	413	15.0	72.15												
Dentition ...	64	50	95	109	136	116	105	96	83	66	60	50	1,030	37.5	19.03												
Abscess and Ulcer ...	22	23	44	50	77	53	51	40	42	43	32	29	511	18.6	...												
Injuries ...	35	45	31	37	22	22	34	39	40	38	37	36	416	15.1	...												
All other Causes ...	111	141	145	149	130	91	112	111	105	133	86	89	1,403	51.0	3.41												
													985	1,008	1,253	1,578	1,742	1,712	2,303	2,176	1,768	1,836	1,236	1,015	18,612
Admitted per 1,000 of the Average Strength in each Month.																											
													36.0	36.7	45.2	57.5	63.7	62.3	83.3	78.5	63.6	66.8	45.2	37.5	677.0		

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXX.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY during the NINE-YEAR PERIOD 1871-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength for each Month of the Nine Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Nine Years.	Died per 1,000 of Strength.	CAUSES OF DEATHS.														
						Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Atrophy and Anæmia.	Child-birth and Abortion.	All other Causes.
January	9,998	260	260	14	1.40	1	4	1	4	2
February	10,217	255	250	6	.59
March	10,318	277	268	11	1.07
April	10,382	323	311	12	1.16	1	1
May	10,337	367	355	33	3.19	8
June	10,284	377	367	25	2.43	3
July	10,218	426	417	15	1.47	6
August	10,205	479	469	28	2.74	4
September	10,185	490	481	26	2.55	6
October	10,106	432	427	22	2.18	2
November	10,205	353	346	16	1.57	1
December	9,807	260	265	16	1.63	...	1
						31	2	4	...	23	13	20	16	11	23	5	11	10	35	20
						Died per 1,000 of Strength.														
NINE YEARS	10,189	358	351	224	21.98	3.04	20	39	...	2.26	1.28	1.96	1.57	1.08	2.26	.49	1.08	.98	3.43	1.96

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Nine Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.			
Dengue	5	...	9	32	25	38	56	32	7	8	16	6	234	230	...
Cholera	1	9	5	8	4	6	2	1	...	36	35	86.11
Smallpox	4	3	...	2	11	11	18.18
Enteric Fever	1	...	1	2	13	13	30.77
Intermittent Fever	137	116	125	166	179	213	262	286	335	446	254	195	2,763	271.2	...
Remittent and Continued Fevers	49	43	46	72	78	90	86	74	107	89	109	60	903	88.6	2.55
Apoplexy	2	2	1	10	1	17	17	76.47
Dysentery	20	7	15	25	17	37	60	26	20	18	...	20	290	27.5	7.14
Diarrhoea	32	24	33	49	34	39	83	78	52	46	46	37	553	54.3	2.90
Hepatitis	9	14	14	8	14	17	16	10	17	13	10	13	155	15.2	7.10
Spleen disease	2	7	1	1	2	36	3.5	...
Respiratory diseases	40	29	41	27	22	31	26	36	29	31	31	31	365	35.8	1.37
Phthisis Pulmonalis	5	5	10	6	11	9	7	6	5	7	5	5	82	8.0	28.05
Atrophy and Anæmia	131	144	163	179	214	157	233	243	217	191	128	108	2,108	206.9	4.7
Rheumatism	10	11	22	22	15	18	16	23	15	14	9	9	183	17.9	...
Eye diseases	17	13	15	26	23	16	56	96	103	49	19	21	454	44.6	...
Abortion	10	8	18	21	22	17	18	16	18	10	14	12	184	18.0	2.17
Diseases peculiar to Women	25	23	40	33	49	33	44	39	26	35	19	22	393	38.6	...
Abscess and Ulcer	20	17	19	24	28	42	34	25	20	20	15	13	277	27.2	...
Injuries	9	10	13	10	7	15	14	8	3	6	1	1	106	10.4	1.91
All other Causes	55	57	64	89	70	79	92	101	77	61	50	50	847	83.1	...
													10,000		
Admitted per 1,000 of the Average Strength in each Month.															
58.2	51.2	62.1	77.6	79.9	81.5	107.9	110.4	111.4	103.9	74.9	61.8	981.4			

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXI.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY during the NINE-YEAR PERIOD 1871-79, and the prevalence of the PRINCIPAL DISEASES in each MONTH.

MONTHS.	Aggregate Strength in each Month of the Nine Years.	Average Number Daily Sick.	Number Daily Sick per 1,000 of Strength.	Number of Deaths in each Month of the Nine-Year Period.	Died per 1,000 of Strength.	CAUSES OF DEATHS.																				
						Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	
January	18,929	442	23.3	81	4.28	3	1	1	...	2	...	6	16	3	5	1	3	9	16	6	3	7
February	19,420	465	23.9	55	2.83	5	1	1	4	13	1	5	12	5	3	3
March	19,544	468	23.9	107	5.47	...	1	10	1	1	2	5	8	25	15	12	5	3	3
April	19,465	543	27.9	118	6.05	4	2	12	1	1	19	30	6	21	5
May	19,505	533	27.3	95	4.87	7	...	5	7	15	6	14	5
June	19,678	582	29.6	76	3.86	1	1	1	14	15	6	11	10
July	19,626	677	34.5	148	7.54	3	...	1	18	25	4	37	22
August	19,617	876	44.7	189	9.63	7	3	28	22	13	66	17
September	19,598	863	44.0	171	8.73	4	1	26	26	6	42	17
October	19,524	762	39.0	103	5.28	1	1	2	11	22	3	18	16
November	19,510	620	31.8	90	4.61	1	3	18	3	11	17
December	18,713	446	23.8	67	3.58	...	1	1	3	12	3	8	8
						25	4	38	5	4	8	28	60	4	152	249	50	51	1	59	254	160	63	25	60	
						Died per 1,000 of Strength.																				
NINE YEARS	19,430	614	31.6	1,300	66.91	1.29	.21	1.96	.26	.21	.41	1.44	3.09	.21	7.82	12.81	2.57	2.62	.05	3.04	13.07	8.23	3.24	1.29	3.09	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH MONTH.												Total Admitted during the Nine Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	JAN.	FEB.	MAR.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.													
Dengue	...	1	...	19	55	43	62	84	30	15	6	5	6	326	16.8	...									
Cholera	4	10	4	9	32	1.6	78.12									
Smallpox	...	5	7	10	6	6	8	1	...	5	1	44	2.3	9.00									
Measles	...	120	121	100	55	59	29	17	12	...	5	6	31	562	28.9	6.76									
Hooping Cough	...	8	24	21	8	12	26	17	12	10	21	7	5	171	8.8	2.92									
Scarlet Fever	...	5	4	5	6	1	...	5	3	30	1.5	13.33									
Enteric Fever	2	...	2	2	3	11	3	...	2	25	1.3	32.00									
Intermittent Fever	...	198	121	143	169	156	197	285	379	490	590	408	266	3,402	175.1	4.82									
Remittent and Continued Fevers	...	58	38	97	108	107	76	101	125	164	165	171	89	1,299	66.9	4.62									
Apoplexy	1	2	2	1	1	...	1	2	3	13	7	30.77									
Dysentery	...	14	12	25	29	18	23	41	73	56	29	24	19	363	18.7	16.25									
Diarrhoea	...	80	76	147	137	156	124	258	310	170	120	102	78	1,758	90.5	14.45									
Hepatitis	...	3	3	...	2	9	3	4	4	2	4	2	1	37	1.9	...									
Spleen disease	...	3	...	1	2	2	...	4	3	4	3	2	1	25	1.3	...									
Respiratory diseases	...	70	64	65	43	58	48	57	82	90	98	84	76	835	43.0	10.54									
Eye diseases	...	74	48	72	156	97	53	287	509	393	257	84	72	2,102	108.2	...									
Anæmia and Atrophy	...	87	91	124	123	145	125	157	120	131	148	102	122	1,475	75.9	10.85									
Tubercular diseases	...	15	12	7	9	16	13	12	13	12	12	15	10	146	7.5	35.62									
Meningitis and Hydrocephalus	...	4	3	6	8	5	8	7	5	5	6	5	5	67	3.4	74.63									
Convulsions	...	20	15	27	36	19	22	34	26	44	30	25	14	312	16.1	79.81									
Dentition	...	47	37	54	95	68	74	106	121	87	67	60	50	866	44.6	17.55									
Abscess and Ulcer	...	13	16	14	26	35	46	38	28	30	21	16	17	300	15.4	...									
Injuries	...	31	24	34	22	23	29	24	36	23	27	21	19	313	16.1	4.21									
All other Causes	...	58	58	91	68	70	72	70	64	51	50	43	54	749	38.5	...									
												914	777	1,064	1,171	1,118	1,039	1,613	1,965	1,800	1,666	1,184	941	15,252	
Admitted per 1,000 of the Average Strength in each Month.																									
												48.3	40.0	54.4	60.1	57.3	52.8	82.2	100.2	91.8	85.3	60.7	50.3	785.0	

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXII.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Average Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.		
1870	6,168	*	*	166	26·91	23·67	20	...	1	4	...	1	30	12	16	11	8	20	5	5	7	18	12
1871	6,384	264	41·4	154	24·12	22·24	12	...	1	4	...	1	27	3	18	11	10	21	10	4	3	16	14
1872	6,650	280	42·1	243	36·54	26·01	70	2	7	7	...	1	23	11	22	20	9	28	2	10	9	18	11
1873	6,626	213	36·7	132	19·92	19·01	6	2	2	5	...	1	19	4	11	12	9	18	2	4	3	16	20
1874	6,627	235	35·5	129	19·47	19·32	1	2	4	4	...	1	17	2	14	5	12	19	8	3	11	20	11
1875	6,335	259	40·9	164	25·80	20·52	34	...	1	7	...	2	20	5	14	10	7	14	7	3	6	21	14
1876	6,050	200	33·1	126	20·83	17·85	18	...	1	5	12	9	13	7	5	11	7	5	5	16	13
1877	5,614	177	31·4	127	22·50	19·13	19	...	3	6	10	7	10	4	14	14	4	2	6	19	12
1878	5,170	206	39·8	151	29·20	23·98	27	...	3	7	25	7	7	8	8	15	5	6	4	15	14
1879	4,640	182	39·2	116	25·00	23·28	8	...	3	5	13	10	13	5	5	9	5	5	7	18	9
							215	14	50	6	196	70	138	93	87	169	55	47	61	177	130		
							Died per 1,000 of Strength.																
TEN YEARS	60,294	2,046	† 37·8	1,508	25·01	21·44	3·57	·23	·83	3·35	1·16	2·29	1·54	1·44	2·80	·91	·78	1·01	2·94	2·16			

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.							
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.										
Dengue	651	29	3	2	36	721	12·0	...							
Cholera	...	28	19	100	7	1	51	27	24	35	303	5·0	70·96							
Smallpox	...	3	7	13	15	5	2	8	17	28	114	1·9	12·28							
Enteric Fever	...	3	9	9	11	6	13	9	17	11	99	1·6	50·51							
Intermittent Fever	1,840	1,397	1,282	1,113	1,153	1,201	969	767	1,055	1,555	12,332	204·5	·05							
Remittent and Continued Fevers	...	802	759	893	781	832	606	649	512	813	460	7,107	117·9	2·76						
Apoplexy	...	15	6	19	9	2	13	13	9	9	12	107	1·8	65·42						
Dysentery	...	222	253	279	227	189	191	167	163	164	126	1,981	32·8	6·97						
Diarrhoea	...	413	368	521	365	340	432	299	277	290	225	3,539	58·7	2·63						
Hepatitis	...	119	135	142	144	117	120	136	116	111	111	1,251	20·7	6·95						
Spleen disease	...	22	7	14	20	20	25	22	23	18	23	194	3·2	...						
Respiratory diseases	...	213	270	222	230	275	175	220	255	222	196	2,308	38·3	2·38						
Phthisis Pulmonalis	...	63	69	78	60	57	67	41	54	52	32	573	9·5	29·49						
Anæmia and Atrophy †	1,129	1,361	1,541	1,280	1,236	1,429	1,625	1,580	1,853	1,481	14,515	240·7	·42							
Rheumatism	...	116	107	168	129	126	108	119	115	114	100	1,202	20·0	...						
Eye diseases	...	319	522	437	395	430	347	272	235	313	221	3,491	57·9	...						
Abortion	...	115	156	139	126	126	98	88	107	74	1,155	19·2	1·90							
Diseases peculiar to Women	...	202	244	218	244	231	270	247	204	195	182	2,237	37·1	...						
Abscess and Ulcer	...	169	166	173	167	197	155	138	142	113	116	1,536	25·5	1·85						
Injuries	...	68	70	75	69	76	59	58	52	57	52	636	10·5	...						
All other Causes	...	490	783	767	710	719	723	298	239	222	190	5,141	85·3	...						
													60,542							
													Admitted per 1,000 of the Average Strength in each Year.							
										1,034·5	1,050·8	1,164·1	925·3	926·7	965·3	901·0	866·2	1,120·1	1,119·4	1,004·1

* Not obtainable.
 † Daily Sick-rate calculated on the Aggregate Strength of 9 Years.
 ‡ (a) Dyspepsia included under Anæmia and Atrophy.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXIII.

TABLE showing the RATIOS of SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Average Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.													
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.
1870	6,168	*	26.91	23.67	3.2416	5.03	1.94	2.60	1.78	1.30	3.24	.81	.81	1.14	2.92	1.94
1871	6,384	41.4	24.12	22.24	1.88	.16	.63	4.23	.47	2.82	1.72	1.56	3.29	1.56	.63	.47	2.51	2.19
1872	6,650	42.1	36.54	26.01	10.53	.30	1.05	3.61	1.65	3.31	3.01	1.35	4.21	.30	1.51	1.35	2.71	1.65
1873	6,626	36.7	19.92	19.01	.91	.30	.75	3.02	.60	1.66	1.81	1.36	2.72	.30	.60	.45	2.42	3.02
1874	6,627	35.5	19.47	19.32	.15	.30	.60	2.57	.30	2.11	.76	1.81	2.87	1.21	.45	1.66	3.02	1.66
1875	6,335	40.9	25.89	20.52	5.37	...	1.10	3.48	.79	2.21	1.58	1.10	2.21	1.10	.47	.95	3.31	2.21
1876	6,050	33.1	20.83	17.85	2.98	.17	.66	1.98	1.40	2.15	1.15	.83	1.82	1.15	.83	.83	2.64	2.15
1877	5,644	31.4	22.50	19.13	3.37	...	1.06	1.77	1.24	1.77	.71	2.48	2.48	.71	.35	1.06	3.37	2.13
1878	5,170	39.8	29.20	23.98	5.22	.58	1.35	4.84	1.35	1.35	1.55	1.55	2.90	.97	1.16	.77	2.90	2.71
1879	4,640	39.2	25.00	23.28	1.72	.64	1.08	3.02	2.16	2.80	1.08	1.08	1.94	1.08	1.08	1.50	3.88	1.94
TEN YEARS	60,294	*37.8	25.01	21.44	3.57	.23	.83	3.35	1.16	2.29	1.54	1.44	2.80	.91	.78	1.01	2.94	2.16

CAUSES OF ADMISSIONS	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.											Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Dengue	97.9	4.4	.5	.3	6.0	12.0	
Cholera	4.6	3.0	15.0	1.1	.1	8.1	4.5	4.2	6.8	2.4	5.0	
Smallpox	.5	1.1	2.0	2.3	.8	.3	1.3	3.0	5.4	3.4	1.9	
Enteric Fever	.5	1.4	1.4	1.7	.9	2.1	1.5	3.0	2.1	2.4	1.6	
Intermittent Fever	298.3	218.8	192.8	167.9	174.0	189.6	160.0	135.9	204.1	335.1	204.5	
Remittent and Continued Fevers	130.0	118.9	134.3	117.9	125.5	95.7	107.3	90.7	157.3	99.1	117.9	
Apoplexy	2.4	.9	2.9	1.3	.3	2.1	2.2	1.6	1.7	2.6	1.8	
Dysentery	36.0	39.6	41.9	34.2	28.5	30.1	27.6	28.9	31.7	27.2	32.8	
Diarrhoea	67.0	57.6	78.3	55.1	51.3	68.2	49.4	49.1	57.8	48.5	58.7	
Hepatitis	19.3	21.2	21.4	21.7	17.7	18.9	22.5	20.5	21.5	23.9	20.7	
Spleen disease	3.6	1.1	2.1	3.0	3.0	3.9	3.6	4.1	3.5	5.0	3.2	
Respiratory diseases	39.4	42.3	33.4	34.7	41.5	27.6	36.4	45.2	42.9	42.2	38.3	
Phthisis Pulmonalis	10.2	10.8	11.7	9.1	8.6	10.6	6.8	9.6	10.1	6.9	9.5	
Anæmia and Atrophy	183.0	213.2	231.7	193.3	186.5	225.6	268.6	280.0	358.4	319.2	240.7	
Rheumatism	18.8	16.8	25.3	19.5	19.0	17.0	19.7	20.4	22.1	21.6	20.0	
Eye diseases	51.7	81.8	65.7	59.6	64.9	54.8	45.0	41.6	60.5	47.6	57.9	
Abortion	18.6	24.4	20.9	90.0	19.0	19.9	16.2	15.6	20.7	16.0	19.2	
Diseases peculiar to Women	32.7	38.2	32.8	36.8	34.9	42.6	40.8	36.1	37.7	39.2	37.1	
Abscess and Ulcer	27.4	26.0	26.0	25.2	29.7	24.5	22.8	25.2	21.9	25.0	25.5	
Injuries	11.0	11.0	11.3	10.4	11.5	9.3	9.6	9.2	11.0	11.2	10.5	
All other Causes	79.5	122.7	115.3	107.1	108.5	114.1	49.2	42.3	42.9	40.9	85.3	
	1,034.5	1,050.8	1,164.1	925.3	926.7	965.3	901.0	866.2	1,120.1	1,119.4	1,004.1	

* See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXIV.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis, and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	10,086	*	*	757	75.05	73.76	13	...	3	6	3	3	39	66	1	84	101	23	39	32	151	111	32	17	31	
1871	10,700	425	39.7	794	74.21	73.28	10	...	34	19	17	11	55	5	64	136	34	30	27	149	88	44	18	51		
1872	11,657	459	39.4	1,155	99.08	88.96	118	6	27	3	6	5	10	3	92	171	38	46	44	232	141	60	27	57		
1873	11,860	398	33.6	715	60.29	59.36	11	7	20	7	1	...	8	56	64	115	23	32	1	40	133	89	43	30	32	
1874	12,393	397	32.0	686	55.55	55.19	2	1	31	4	...	5	10	34	5	93	111	21	26	3	35	116	78	47	25	39
1875	12,359	379	30.7	862	69.75	64.65	63	...	49	7	4	42	12	86	137	25	29	...	37	179	87	41	25	38
1876	11,852	340	28.6	664	55.88	54.28	19	...	27	5	...	1	4	33	1	87	118	19	36	3	31	121	69	42	14	33
1877	11,266	280	24.9	567	50.33	48.73	18	...	2	4	...	2	5	33	3	68	109	12	29	...	20	119	65	37	8	31
1878	10,423	351	33.7	831	79.73	77.33	25	6	32	4	...	4	11	46	4	99	154	27	43	...	40	149	85	50	26	26
1879	8,933	304	33.8	675	75.06	73.28	16	...	63	5	4	3	24	39	4	79	95	22	15	...	33	94	77	39	29	34
					295	22	288	64	31	26	126	480	41	816	1,247	244	325	13	339	1,133	890	435	219	372		
					Died per 1,000 of Strength.																					
TEN YEARS	111,619	3,333	32.8†	7,706	69.04	66.40	2.64	.20	2.58	.57	.28	.23	1.13	4.30	.37	7.31	11.17	2.19	2.91	.12	3.04	12.84	7.97	3.90	1.96	3.33

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue	878	21	...	3	...	83	19	1	...	38	...	18	919	8.2	...	75.06				
Cholera	...	14	19	154	16	...	33	...	26	22	22	38	14	...	393	3.5	...	13.33					
Smallpox	...	2	3	21	33	...	28	...	2	36	23	14	...	165	1.5	...	6.31						
Measles	...	102	563	372	250	659	684	589	205	504	636	4,594	40.9	...	1,077	9.7	...	59.4					
Hooping Cough	...	70	216	61	99	134	139	87	122	83	76	1,998	1.8	...	101	.9	...	25.74					
Scarlet Fever	...	15	110	23	8	4	14	5	17	198	1.8	...	101	.9	...	1.01					
Enteric Fever	...	6	9	16	5	11	5	12	8	20	9	101	.9	...	101	.9	...	5.10					
Intermittent Fever	...	1,502	1,173	1,378	1,245	1,247	1,232	1,010	710	1,336	1,603	12,436	111.4	...	101	.9	...	5.10					
Remittent and Continued Fevers	...	903	776	1,215	912	1,175	915	921	756	1,113	718	9,404	84.3	...	101	.9	...	44.09					
Apoplexy	...	5	9	11	8	10	21	6	5	11	7	93	.8	...	101	.9	...	13.36					
Dysentery	...	276	255	322	264	214	296	223	222	289	176	2,537	22.7	...	101	.9	...	13.50					
Diarrhoea	...	1,093	1,167	1,481	1,065	924	1,287	972	878	1,033	709	10,612	95.1	...	101	.9	...	1.4					
Hepatitis	...	12	25	15	16	16	17	18	13	9	14	155	1.4	...	101	.9					
Spleen disease	...	9	27	14	28	21	29	18	8	19	49	222	2.0	...	101	.9	...	11.17					
Respiratory diseases	...	430	548	573	556	666	655	577	578	663	607	5,853	52.4	...	101	.9					
Eye diseases	...	1,282	1,791	1,562	1,716	1,758	1,686	1,375	1,351	1,468	1,002	14,991	131.3	...	101	.9	...	9.14					
Anæmia and Atrophy	...	672	833	1,279	1,043	1,201	1,061	926	780	988	955	9,738	87.2	...	101	.9	...	36.19					
Tubercular diseases	...	103	115	115	85	78	93	99	71	102	73	934	8.4	...	101	.9	...	65.16					
Meningitis and Hydrocephalus	...	35	46	57	31	34	39	27	26	31	32	358	3.2	...	101	.9	...	74.40					
Convulsions	...	113	156	225	165	155	186	171	152	204	149	1,676	15.0	...	101	.9	...	17.60					
Dentition	...	456	414	401	478	543	493	504	456	519	373	4,637	41.5	...	101	.9					
Abscess and Ulcer	...	149	149	168	167	195	191	195	183	183	129	1,709	15.3	...	101	.9					
Injuries	...	150	169	164	174	201	175	191	146	162	137	1,659	14.9	...	101	.9					
All other Causes	...	344	482	534	405	578	533	490	474	395	407	4,642	41.6	...	101	.9	...	4.43					
											7,743	9,055	11,032	8,790	9,853	9,822	8,463	7,217	9,188	7,910	89,073		
													Admitted per 1,000 of the Average Strength in each Year.										
											767.7	846.3	946.4	741.1	795.0	794.7	712.3	640.6	881.5	879.6	798.0		

* See Note at foot of Table CCCXXII.
† See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXV.

TABLE showing the RATIO of SICKNESS and MORTALITY for the CHILDREN of the EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phtisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	10,086	*	75.05	73.76	1.2930	.59	.30	.30	3.87	6.5 ¹	.10	8.33	10.01	2.28	3.87	.20	3.17	14.97	11.01	3.17	1.68	3.07
1871	10,700	39.7	74.21	73.28	.93	...	3.18	1.78	1.59	.19	1.03	5.14	.47	5.98	12.71	3.18	2.80	...	2.52	13.93	8.22	4.11	1.68	4.77
1872	11,657	39.4	99.08	88.96	10.12	.51	2.32	.26	.51	.43	.66	6.52	.26	7.89	14.67	3.26	3.94	.26	3.77	19.04	12.10	5.15	2.32	4.89
1873	11,860	33.6	60.29	59.36	.93	.59	1.06	.59	.0968	4.71	.25	5.39	9.70	1.94	2.70	.09	3.37	11.21	7.50	3.63	2.53	2.70
1874	12,393	32.0	55.35	55.19	.16	.08	2.50	.3240	.80	2.75	.40	7.50	8.96	1.70	2.10	.24	2.82	9.36	6.30	3.79	2.02	3.15
1875	12,359	30.7	69.75	64.65	5.10	...	3.96	.5705	.32	3.40	.97	6.96	11.09	2.02	2.35	...	2.99	14.48	7.04	3.32	2.02	3.07
1876	11,882	28.6	55.88	54.28	1.60	...	2.27	.4209	.34	2.77	.09	7.32	9.93	1.60	3.03	.34	2.61	10.18	5.81	3.53	1.18	2.77
1877	11,266	24.9	50.33	48.73	1.60	.18	.18	.3618	.44	2.93	.26	6.04	9.68	1.07	2.57	...	1.77	10.56	5.77	3.28	.71	2.75
1878	10,423	33.7	79.73	77.33	2.40	.58	3.07	.3838	1.05	4.42	.38	9.50	14.78	2.59	4.13	...	3.84	14.30	8.15	4.80	2.49	2.49
1879	8,993	33.8	75.06	73.28	1.78	...	7.01	.56	.44	.33	2.67	4.34	.44	8.78	10.56	2.45	1.67	...	3.67	10.45	8.56	4.34	3.23	3.78
TEN YEARS	111,619	†32.8	69.04	66.40	2.64	.20	2.58	.57	.28	.23	1.13	4.30	.37	7.31	11.17	2.19	2.91	.12	3.04	12.84	7.97	3.90	1.96	3.33

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	75.3	1.8	1.6	.1	8.2
Cholera	1.4	1.8	13.2	1.3	.2	6.7	2.2	2.0	3.6	2.0	3.5
Smallpox	.2	.3	1.8	2.8	2.3	.2	.3	3.2	2.2	1.6	1.5
Measles	10.1	52.6	31.9	21.1	53.2	55.3	49.6	18.2	48.3	70.7	40.9
Hooping Cough	6.9	20.2	4.4	8.3	10.8	11.2	7.3	10.8	8.0	8.4	9.7
Scarlet Fever	1.5	10.3	2.0	.7	.23	1.2	.5	1.9	1.8
Enteric Fever	.6	.8	1.3	.4	.9	.4	1.0	.7	1.9	1.0	.9
Intermittent Fever	148.9	109.6	118.2	105.0	100.6	99.7	85.0	63.0	128.2	178.2	111.4
Remittent and Continued Fevers	89.5	72.5	104.2	76.9	94.8	74.0	77.5	67.1	106.8	79.8	84.3
Apoplexy	.5	.8	.9	.7	.8	1.7	.5	.4	1.1	.8	.8
Dysentery	27.4	23.8	27.6	22.3	17.3	24.0	18.8	19.7	27.7	19.6	22.7
Diarrhoea	108.4	109.1	127.3	89.8	74.6	104.1	81.8	77.9	99.1	78.8	95.1
Hepatitis	1.2	2.3	1.3	1.3	1.3	1.4	1.5	1.2	.9	1.6	1.4
Spleen disease	.9	2.5	1.2	2.3	1.7	2.3	1.5	.7	1.8	5.5	2.0
Respiratory diseases	42.6	51.2	49.2	46.9	53.7	53.0	48.6	51.3	63.6	67.5	52.4
Eye diseases	127.1	167.4	134.0	144.7	141.9	136.4	115.7	119.9	140.8	111.4	134.3
Anæmia and Atrophy	66.6	77.9	109.7	87.9	96.9	85.8	77.9	69.2	94.8	106.2	87.2
Tubercular diseases	10.2	10.8	9.9	7.2	6.3	7.5	8.3	6.3	9.8	8.1	8.4
Meningitis and Hydrocephalus	3.5	4.3	4.9	2.6	2.7	3.2	2.3	2.3	3.0	3.6	3.2
Convulsions	11.2	14.6	19.3	13.9	12.5	15.0	14.4	13.5	19.6	16.6	15.0
Dentition	45.2	38.7	34.4	40.3	43.8	39.9	42.4	40.5	49.8	41.5	41.5
Abscess and Ulcer	14.8	14.0	14.4	14.1	15.7	15.5	16.4	16.3	17.5	14.3	15.3
Injuries	14.9	15.8	14.1	14.7	16.2	14.2	16.2	13.0	14.6	15.2	14.9
All other Causes	34.1	45.0	45.9	34.1	46.6	43.1	41.2	42.1	37.9	45.3	41.6
	767.7	846.3	946.4	741.1	795.0	794.7	712.3	640.6	881.5	879.6	798.0

* See Note at foot of Table CCCXXII.
 † See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXVI.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																		
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory Diseases.	Heart Diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.				
1870	3,519	174	49.5	115	32.68	28.99	13	...	†	1	26	11	9	7	6	14	4	5	4	11	4	7	7		
1871	3,680	184	50.0	105	28.53	26.08	9	1	3	...	19	2	11	9	7	15	7	3	2	10	7	7	7	7	
1872	3,838	186	48.5	177	46.12	30.23	61	1	5	1	18	4	17	12	6	16	2	7	7	13	9	13	13	13	
1873	3,858	166	43.0	88	22.81	21.77	4	2	4	1	13	2	7	7	7	13	2	3	1	9	9	13	13	13	
1874	3,866	153	39.6	80	20.69	20.43	1	...	3	...	14	2	8	4	8	11	4	3	8	10	4	4	4	4	
1875	3,722	170	45.7	114	30.63	23.38	27	...	4	1	15	4	7	8	4	8	5	2	5	16	8	8	8	8	
1876	3,498	129	36.9	80	22.87	20.58	8	...	2	...	8	6	9	3	5	9	5	3	3	10	9	9	9	9	
1877	3,194	101	31.6	58	18.16	17.53	2	...	5	...	8	5	5	3	9	8	2	1	1	5	4	4	4	4	
1878	2,896	120	41.4	94	32.46	27.28	15	3	6	...	16	4	3	3	7	11	3	3	3	7	10	10	10	10	
1879	2,675	112	41.9	76	28.41	25.42	8	3	4	1	7	7	7	4	5	7	3	3	2	9	6	6	6	6	
					148	10	36	5	144	47	83	60	64	112	37	33	36	100	72						
					Died per 1,000 of Strength.																				
TEN YEARS	34,746	1,495	43.0	987	28.41	24.15	4.26	2.29	1.04	4.29	1.35	2.39	1.73	1.84	3.22	1.06	.95	1.04	2.88	2.07					

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.				
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.							
Dengue	353	3	2	2	33	393	11.3	...				
Cholera	19	13	90	5	1	41	14	3	22	11	219	6.3	67.58				
Smallpox	3	4	4	12	2	2	2	8	23	15	75	2.2	13.33				
Enteric Fever	...	6	6	9	5	5	4	11	8	10	64	1.8	56.25				
Intermittent Fever	1,219	934	745	761	841	836	690	516	610	932	8,084	232.7	.06				
Remittent and Continued Fevers.	556	535	647	624	632	441	416	299	444	265	4,862	139.9	2.96				
Apoplexy	11	4	11	5	2	11	8	7	6	9	74	2.1	63.51				
Dysentery	148	147	184	143	97	113	96	76	79	62	1,145	33.0	7.25				
Diarrhea	266	243	343	241	225	307	185	129	161	146	2,246	64.6	2.67				
Hepatitis	74	91	93	83	66	73	76	72	74	82	784	22.6	8.16				
Spleen disease	19	4	12	17	16	17	14	19	13	17	148	4.2	...				
Respiratory diseases	134	151	137	145	161	94	153	116	109	107	1,307	37.6	2.83				
Phthisis Pulmonalis	42	45	45	37	36	50	23	37	33	22	370	10.6	...				
Anæmia and Atrophy *	730	1,129	1,149	942	901	1,117	959	773	988	850	9,538	274.5	30.27				
Rheumatism	62	73	105	72	71	83	72	62	52	55	707	20.4	.38				
Eye diseases	225	348	296	243	302	236	183	108	248	154	2,343	67.4	...				
Abortion	67	92	94	82	84	74	63	49	68	45	718	20.7	1.95				
Diseases peculiar to Women	109	134	133	138	138	145	128	104	104	94	1,227	35.3	...				
Abscess and Ulcer	94	92	102	114	123	89	70	73	58	65	880	25.3	...				
Injuries	34	35	43	39	39	39	27	32	30	24	312	9.0	...				
All other Causes	212	234	188	193	194	207	177	127	115	117	1,764	50.8	2.49				
					4,024	4,314	4,780	3,908	3,938	3,982	3,393	2,621	3,245	3,085	37,290		
					Admitted per 1,000 of the Average Strength in each Year.												
					1,143.5	1,172.3	1,245.4	1,013.0	1,018.6	1,069.9	970.0	820.6	1,120.5	1,153.3	1,073.2		

* See Note (a) at foot of Table CCCXXII.
 † Enteric Fever included under Remittent and Continued.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXVII.

TABLE showing the *RATIO* of *SICKNESS* and *MORTALITY* for the *WOMEN* of the *EUROPEAN ARMY* of the *BENGAL PRESIDENCY* in each *YEAR* and for the *TEN-YEAR PERIOD*, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.														
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anemia and Atrophy.	Child-birth and Abortion.	All other Causes.	
1870	3,519	49.5	32.68	28.90	3.69	...	†	7.67	3.13	2.56	1.99	1.70	3.97	1.14	1.42	1.14	3.13	1.14	
1871	3,680	50.0	28.53	26.08	2.45	.27	.81	5.17	.54	2.99	2.45	1.90	4.08	1.90	.81	.54	2.72	1.90	
1872	3,838	48.5	46.12	30.23	15.89	.26	1.30	4.95	1.04	4.43	3.13	1.56	4.17	.52	1.83	1.83	3.38	1.83	
1873	3,858	43.0	22.81	21.77	1.04	.52	1.04	3.63	.52	1.81	1.81	1.81	3.37	.52	.78	.26	2.33	3.37	
1874	3,866	39.6	20.69	20.43	.2677	3.62	.52	2.07	1.04	2.07	2.84	1.04	.77	2.07	2.58	1.04	
1875	3,722	45.7	30.63	23.38	7.25	...	1.07	4.30	1.07	1.88	2.15	1.07	2.15	1.34	.54	1.34	4.30	2.15	
1876	3,498	36.9	22.87	20.58	2.2057	2.29	1.72	2.57	.86	1.43	2.57	1.43	.86	.86	2.85	2.57	
1877	3,194	31.6	18.16	17.53	.63	...	1.57	2.50	1.57	1.57	.94	2.81	2.50	.63	.31	.31	1.57	1.25	
1878	2,896	41.4	32.46	27.28	5.18	1.04	2.07	5.52	1.38	1.04	1.04	2.41	3.80	1.04	1.04	1.04	2.41	3.45	
1879	2,675	41.9	28.41	25.42	2.99	1.12	1.50	2.99	2.62	2.62	1.50	1.87	2.62	1.12	1.12	.74	3.36	2.24	
TEN YEARS	34,746	43.0	28.41	24.15	4.26	.29	1.04	4.29	1.35	2.39	1.73	1.84	3.22	1.06	.95	1.04	2.88	2.07	

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	92.0	.8	.5	.5	9.5	11.3
Cholera	5.4	3.5	23.4	1.3	.3	11.0	4.0	.9	7.6	4.1	6.3
Smallpox	.9	1.1	1.0	3.1	.5	.5	.6	2.5	7.9	5.6	2.2
Enteric Fever	...	1.6	1.6	2.3	1.3	1.3	1.1	3.4	2.8	3.7	1.8
Intermittent Fevers	346.4	253.8	194.1	197.3	217.5	224.6	197.3	161.6	210.6	348.4	232.7
Remittent and Continued Fevers	158.0	145.4	168.6	161.7	163.5	118.5	118.9	93.6	153.3	100.2	139.9
Apoplexy	3.1	1.1	2.9	1.3	.5	3.0	2.3	2.2	2.1	3.4	2.1
Dysentery	42.1	40.0	47.9	37.0	25.1	30.4	27.4	23.8	27.3	23.2	33.0
Diarrhea	75.6	66.0	89.4	62.5	58.2	82.5	52.9	40.4	55.6	54.6	64.6
Hepatitis	21.0	24.7	24.2	21.5	17.1	19.6	21.7	22.5	25.5	30.6	22.6
Spleen disease	5.4	1.1	3.1	4.4	4.1	4.6	4.0	6.0	4.5	6.4	4.2
Respiratory diseases	38.1	41.1	35.7	37.6	41.6	25.2	43.7	36.3	37.6	40.0	37.6
Phthisis Pulmonalis	11.9	12.2	11.7	9.6	9.3	13.4	6.6	11.6	11.4	8.2	10.6
Anemia and Atrophy *	207.5	306.8	290.3	244.2	233.1	300.1	274.2	242.0	341.2	317.8	274.5
Rheumatism	17.6	19.8	27.3	18.7	18.4	22.3	20.6	19.4	18.0	20.6	20.4
Eye diseases	63.9	94.6	77.1	63.0	78.1	63.4	52.3	33.8	85.6	57.6	67.4
Abortion	19.0	25.0	24.5	21.2	21.7	19.9	18.0	15.3	23.5	16.8	20.7
Diseases peculiar to Women	31.0	36.4	34.7	35.8	35.7	38.9	36.6	32.6	35.9	35.1	35.3
Abscess and Ulcer	26.7	25.0	26.6	29.6	31.8	23.9	20.0	22.9	20.0	24.3	25.3
Injuries	9.7	9.5	11.2	10.1	10.1	10.5	7.7	10.0	10.4	9.0	9.9
All other Causes	60.2	63.6	40.1	50.0	50.2	55.6	50.6	39.8	39.7	43.7	50.8
	1,143.5	1,172.3	1,245.4	1,013.0	1,018.6	1,069.9	970.0	820.6	1,120.5	1,073.3	1,073.2

* See Note (a) at foot of Table CCCXXII.
 † See Note at foot of preceding page.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXVIII.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																					
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.		
1870	5,644	237	42.0	461	81.68	80.09	9	3	32	50	1	50	53	12	15	2	19	101	69	17	10	18
1871	6,039	302	50.0	520	86.11	85.11	6	13	16	12	...	1	9	46	4	39	61	22	18	...	13	108	58	28	15	35
1872	6,560	311	47.4	741	112.95	96.34	109	5	3	10	6	4	...	1	2	52	2	66	95	19	30	26	143	86	39	17	30	
1873	6,753	278	41.2	459	67.97	67.23	2	5	5	10	6	1	6	44	3	38	71	14	21	1	21	94	53	27	18	21
1874	6,953	265	38.1	428	61.56	61.27	2	23	3	2	9	26	3	49	67	11	15	2	17	84	44	32	15	24
1875	7,017	251	35.8	538	76.67	69.40	51	33	6	3	33	12	45	75	11	15	...	20	117	54	30	14	19	
1876	6,602	224	33.9	395	59.83	58.01	12	21	4	3	22	1	40	69	10	18	3	16	81	47	24	7	17	
1877	6,183	157	25.4	276	44.64	44.64	...	1	2	4	1	19	2	31	60	6	12	...	10	57	23	27	3	18	
1878	5,773	201	34.8	468	81.07	77.26	22	6	13	3	3	6	28	2	59	67	16	25	...	17	76	57	30	19	19	
1879	5,196	191	36.8	454	87.37	84.87	13	...	60	3	4	...	3	15	26	1	43	59	13	10	...	20	67	49	25	21	22	
					229	15	204	50	21	10	86	346	31	460	677	134	179	10	179	928	540	279	139	223				
					Died per 1,000 of Strength.																							
TEN YEARS ...	62,720	2,417	38.5	4,740	75.57	71.92	3.65	.24	3.25	.80	.33	.16	1.37	5.52	.40	7.33	10.79	2.14	2.85	.16	2.85	14.80	8.61	4.45	2.22	3.50		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
Dengue	430	3	17	1	451	7.2	...								
Cholera	...	9	143	6	3	66	15	...	33	15	299	4.8	76.59								
Smallpox	...	2	8	21	17	2	...	11	20	9	93	1.5	16.13								
Measles	...	36	368	205	78	457	450	457	160	145	5,558	2,914	46.5	7.90							
Whooping Cough	...	34	163	33	70	83	113	46	106	30	13	691	11.0	7.24							
Scarlet Fever	71	13	4	2	...	2	5	2	17	116	1.9	18.10							
Enteric Fever	5	8	2	6	1	4	2	16	9	53	.8	18.87							
Intermittent Fever	...	956	703	764	886	866	796	689	370	697	896	7,593	121.0	1.13							
Remittent and Continued Fevers	...	598	506	833	662	831	551	590	424	621	435	6,051	96.5	5.72							
Apoplexy	...	5	7	8	6	8	18	5	3	4	4	68	1.1	45.59							
Dysentery	...	153	110	182	131	106	163	111	79	121	94	1,250	19.9	14.32							
Diarrhea	...	679	749	906	700	553	841	630	436	551	453	6,498	103.6	14.28							
Hepatitis	...	9	14	10	9	3	8	6	7	5	10	81	3.0	...							
Spleen disease	...	6	25	12	27	18	27	12	8	18	36	189	3.0	12.73							
Respiratory diseases	...	200	267	300	320	392	425	339	337	380	324	3,284	52.4	...							
Eye diseases	...	792	1,204	904	1,098	1,305	1,096	942	581	1,150	634	9,706	154.8	...							
Anæmia and Atrophy	...	402	538	852	616	735	601	556	383	630	606	5,979	95.3	9.03							
Tubercular diseases	...	59	60	66	52	44	50	53	43	55	45	527	8.4	35.86							
Meningitis and Hydrocephalus	...	22	27	33	20	18	19	16	14	17	15	201	3.2	66.67							
Convulsions	...	61	70	120	101	96	107	102	84	98	87	926	14.8	73.11							
Dentition	...	273	229	256	330	293	247	272	234	318	221	2,673	42.6	17.21							
Abscess and Ulcer	...	69	82	78	93	121	108	88	75	89	71	874	13.9	...							
Injuries	...	69	92	88	94	112	99	96	90	81	78	899	14.3	5.01							
All other Causes	...	158	295	244	226	315	272	252	219	188	239	2,408	38.4	...							
											4,592	5,507	6,496	5,555	6,384	6,090	5,300	3,672	5,269	4,869	53,824
													Admitted per 1,000 of the Average Strength in each Year.								
											813.6	926.8	990.1	822.6	918.2	867.9	802.8	593.9	912.6	937.0	858.2

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXIX.

TABLE showing the RATIO of SICKNESS and MORTALITY for the CHILDREN of the EUROPEAN ARMY of the BENGAL PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tubercular Mesenterica.	Pneumonia Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	5,644	42.0	81.63	80.09	1.5953	5.67	8.86	.18	8.86	9.39	2.13	2.66	.35	3.37	17.89	12.23	3.01	1.77	3.19
1871	6,039	50.0	86.11	85.11	1.00	...	4.80	2.65	2.00	.62	1.49	7.16	.66	6.46	10.10	3.64	2.98	...	2.15	17.85	9.61	4.64	2.48	5.79
1872	6,560	47.4	112.95	96.34	16.61	.46	1.93	.30	.61	.15	.30	7.94	.30	10.06	14.45	2.90	4.58	.30	3.96	21.80	13.11	5.94	2.59	4.58
1873	6,753	41.2	67.97	67.23	.74	.74	1.45	.89	.1589	6.51	.45	5.63	10.51	2.08	3.11	.15	3.11	13.92	7.85	3.99	2.66	3.11
1874	6,953	38.1	61.56	61.27	.29	...	3.31	.4329	1.29	3.74	.43	7.05	9.64	1.58	2.16	.29	2.44	12.08	6.33	4.60	2.16	3.45
1875	7,017	35.8	76.67	69.40	7.27	...	4.70	.8643	4.70	1.71	6.41	10.69	1.57	2.14	...	2.85	16.67	7.70	4.28	2.00	2.71
1876	6,602	33.9	59.83	58.01	1.82	...	3.18	.6145	3.35	.15	6.06	10.45	1.51	2.73	.45	2.42	12.27	7.12	3.63	1.06	2.57
1877	6,183	25.4	44.64	44.6416	.32	.6516	3.07	.32	5.01	9.71	.97	1.94	...	1.62	9.22	3.72	4.37	.49	2.91
1878	5,773	34.8	81.07	77.26	3.81	1.04	2.25	.5252	1.04	4.85	.35	10.22	11.61	2.77	4.33	...	2.94	13.16	9.88	5.20	3.29	3.29
1879	5,196	36.8	67.37	84.87	2.50	...	11.55	.58	.77	.58	2.89	5.00	.19	8.28	11.36	2.50	1.92	...	3.85	12.89	9.43	4.81	4.04	4.23
TEN YEARS	62,720	33.3	75.37	71.92	3.65	.24	3.25	.80	.33	.16	1.37	5.52	.49	7.33	10.79	2.14	2.85	.16	2.85	14.80	8.61	4.45	2.22	3.56

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Dengue	65.6	.5	2.6	.2	7.2
Cholera	...	1.6	1.5	21.6	.9	.4	9.4	2.3	...	5.7	2.9	4.8
Smallpox4	.5	1.2	3.1	2.4	.3	...	1.8	3.5	1.7	1.5
Measles	...	6.4	60.9	31.3	11.6	65.7	64.1	69.2	25.9	25.1	107.4	46.5
Whooping Cough	...	6.0	27.0	5.0	10.4	12.0	16.1	7.0	17.1	5.2	2.5	11.0
Scarlet Fever	11.8	2.0	.6	.33	.8	.3	3.3	1.9
Enteric Fever8	1.2	.3	.9	.1	.6	.3	2.8	1.7	.8
Intermittent Fever	...	169.4	116.4	116.5	131.2	124.6	109.2	104.4	59.8	120.7	172.4	121.0
Remittent and Continued Fevers	...	105.9	63.8	127.0	98.0	119.5	78.5	69.4	68.6	107.6	83.7	96.5
Apoplexy9	1.2	1.2	.9	1.1	2.6	.8	.5	.7	.8	1.1
Dysentery	...	27.1	18.2	27.8	19.4	15.3	23.2	16.8	12.8	21.0	16.1	19.9
Diarrhoea	...	120.3	124.0	138.1	108.6	79.6	119.9	95.4	70.5	95.4	87.2	103.6
Hepatitis	...	1.6	2.3	1.5	1.3	.4	1.1	.9	1.1	.9	1.9	1.3
Spleen disease	...	1.1	4.1	1.8	4.0	2.6	3.8	1.8	1.3	3.1	6.9	3.0
Respiratory diseases	...	35.4	44.2	45.7	47.4	56.4	60.6	51.3	54.5	65.8	62.4	52.4
Eye diseases	...	140.3	199.4	137.8	162.6	167.7	156.2	142.7	94.0	199.2	122.0	154.8
Anæmia and Atrophy	...	71.2	69.1	129.9	91.2	105.7	94.2	84.2	62.0	169.1	116.6	95.3
Tubercular diseases	...	10.5	9.9	10.1	7.7	6.3	7.1	8.0	7.0	9.5	8.7	8.4
Meningitis and Hydrocephalus	...	3.9	4.5	5.0	3.0	2.6	2.7	2.4	2.3	2.9	2.9	3.2
Convulsions	...	10.8	11.6	15.3	14.9	13.8	15.2	15.5	13.6	17.0	16.7	14.8
Dentition	...	48.4	37.9	39.0	48.9	42.1	35.2	41.2	37.8	55.1	42.5	42.6
Abscess and Ulcer	...	12.2	13.6	11.9	13.8	17.4	15.4	13.3	12.1	15.4	13.7	13.9
Injuries	...	12.2	15.2	13.4	13.9	16.1	14.1	14.5	14.5	14.0	15.0	14.3
All other Causes	...	28.0	48.9	37.2	33.4	45.3	38.8	38.2	35.4	32.6	46.0	38.4
		813.6	926.8	900.1	822.6	918.2	867.9	802.8	593.9	912.6	937.0	858.2

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXX.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Average Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																	
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phtthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.			
1870	1,435	45	31.4	25	17.42	12.55	7	3	1	2	2	1	1	1	3	3	
1871	1,421	42	29.5	26	18.30	16.19	3	4	4	3	3	3	...	1	3	3	
1872	1,495	49	32.8	22	14.72	14.72	1	...	2	...	2	2	2	3	3	
1873	1,541	43	27.9	23	14.92	13.63	2	1	4	4	3	1	3	3	
1874	1,530	39	25.5	31	20.26	20.26	...	2	1	...	1	...	5	5	1	4	4	...	1	5	4	
1875	1,441	40	27.8	27	18.74	17.35	2	...	2	1	3	...	5	5	2	4	1	...	1	5	4	
1876	1,417	36	25.4	27	19.05	12.70	9	...	2	...	3	...	5	5	2	3	5	
1877	1,400	42	30.0	37	26.43	20.72	8	...	1	...	3	1	5	5	2	3	3	4	
1878	1,299	42	32.3	35	26.95	23.10	5	...	1	...	5	2	5	5	3	3	1	1	...	2	...	6	3	
1879	1,165	35	30.0	18	15.45	15.45	4	3	2	2	1	1	...	1	...	3	3	
							36	2	9	1	28	10	30	16	11	29	12	3	13	38	33			
							Died per 1,000 of Strength.																	
TEN YEARS	14,144	413	29.2	271	19.16	16.61	2.55	1.4	1.63	2.05	1.71	2.12	1.13	1.78	2.05	1.85	1.21	1.92	2.69	2.33				

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.											Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.				
Dengue	94	18	1	...	2	115	8.1	...	
Cholera	9	6	1	2	...	2	12	11	5	...	48	3.4	75.00	
Smallpox	...	3	6	1	3	...	3	8	3	1	28	2.0	7.14	
Enteric Fever	1	1	2	2	1	5	4	4	20	1.4	45.00	
Intermittent Fever	269	96	126	77	41	75	61	77	123	188	1,124	79.4	1.09	
Remittent and Continued Fevers	78	77	124	111	120	98	135	121	205	105	1,174	83.0	2.39	
Apoplexy	3	...	2	3	2	1	3	3	15	1.1	66.67	
Dysentery	36	61	59	58	65	43	42	64	57	33	518	36.7	5.79	
Diarrhea	86	71	96	83	40	56	64	75	69	39	679	48.0	2.36	
Hepatitis	23	20	33	40	19	37	40	32	29	17	290	20.5	3.79	
Spleen disease	1	1	1	...	1	...	1	1	8	0.6	...	
Respiratory diseases	67	72	45	50	53	43	30	110	67	57	594	42.0	2.02	
Phtthisis Pulmonalis	11	14	16	12	10	8	11	11	13	5	111	7.8	26.12	
Anæmia and Atrophy *	380	291	412	405	360	295	392	441	406	381	3,826	270.5	1.34	
Rheumatism	30	17	30	28	27	24	31	27	40	34	288	20.4	...	
Eye diseases	65	89	104	83	51	43	61	90	33	46	665	47.0	...	
Abortion	29	33	24	22	15	30	23	20	20	18	234	16.5	2.14	
Diseases peculiar to Women	58	67	40	68	48	63	71	64	53	50	582	41.1	...	
Abscess and Ulcer	48	49	41	27	36	32	33	39	24	23	352	24.9	1.47	
Injuries	18	25	12	16	21	14	17	12	15	22	172	12.2	...	
All other Causes	84	249	245	206	155	182	75	73	67	63	1,339	94.7	...	
												12,182		
Admitted per 1,000 of the Average Strength in each Year.														
896.9	874.0	1,011.4	851.4	697.4	697.4	783.3	915.0	993.1	923.6			861.3		

* See Note (a) at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXI.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the WOMEN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.														
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.	
1870	1,435	31.4	17.42	12.55	4.87	2.09	.70	1.39	2.09	.70	.7070	2.09	2.09	
1871	1,421	29.5	18.30	16.19	2.11	2.11	...	2.81	1.41	.71	2.11	2.1171	2.11	2.11	
1872	1,495	32.8	24.72	14.7266	1.34	1.34	1.34	1.34	...	4.68	1.34	1.34	1.34	
1873	1,541	27.9	14.92	13.63	1.2965	1.29	.65	2.60	1.29	.65	1.9565	2.60	1.29	
1874	1,530	25.5	10.26	20.26	...	1.31	.66	.66	...	1.96	.66	2.61	3.26	2.6166	3.26	2.61	
1875	1,441	27.8	18.74	17.35	1.39	...	1.39	2.78	...	3.47	.69	1.39	2.78	.6969	.69	2.78	
1876	1,417	25.4	19.05	12.70	6.35	...	1.41	2.12	...	1.41	1.41	1.41	2.12	2.82	
1877	1,400	30.0	26.43	20.72	5.7172	1.43	.72	2.1472	2.14	1.43	...	2.14	5.71	3.57	
1878	1,299	32.3	26.95	23.10	3.8577	3.85	1.54	2.31	2.31	.77	2.31	.77	1.54	...	4.62	2.31	
1879	1,765	30.0	15.45	15.45	3.44	2.57	1.7286	.86	.86	2.57	2.57	
TEN YEARS	14,144	29.2	19.16	16.61	2.55	.14	.63	2.05	.71	2.12	1.13	.78	2.05	.85	.21	.92	2.60	2.33	

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	62.9	11.6	.7	...	1.4	8.1
Cholera	...	6.3	4.2	.7	1.3	...	1.4	8.5	7.9	3.9	3.4
Smallpox	2.1	4.0	.6	1.9	...	2.1	5.7	2.3	2.0
Enteric Fever7	.7	1.3	1.3	.7	3.5	2.8	2.9	...	1.4
Intermittent Fever	...	181.2	67.6	84.3	50.0	26.8	52.0	43.0	55.0	94.7	79.4
Remittent and Continued Fevers	...	54.4	54.2	83.0	72.0	78.4	68.0	95.3	86.4	157.8	83.0
Apoplexy	...	2.1	...	1.3	1.9	1.4	.7	.8	1.1
Dysentery	...	25.1	42.9	39.5	37.7	42.5	29.8	29.6	45.7	43.9	36.7
Diarrhoea	...	59.9	50.0	64.2	53.9	26.2	38.9	45.2	53.6	53.1	48.0
Hepatitis	...	16.0	14.1	22.1	25.9	12.4	25.7	23.2	22.8	22.3	20.5
Spleen disease7	.77	1.4	.7	.76
Respiratory diseases	...	46.7	50.7	30.1	32.5	34.6	29.8	21.2	78.6	51.6	42.0
Phthisis Pulmonalis	...	7.7	9.8	10.7	7.8	6.5	5.6	7.8	7.9	10.0	7.8
Anæmia and Atrophy *	...	264.8	204.8	275.6	262.8	235.3	206.8	276.6	315.0	358.7	279.5
Rheumatism	...	20.9	12.0	20.1	18.2	17.7	16.7	21.9	19.3	30.8	20.4
Eye diseases	...	45.3	62.6	69.6	53.9	33.3	29.8	43.1	64.3	25.4	47.0
Abortion	...	20.2	23.2	16.0	14.3	9.8	20.8	16.2	14.3	15.4	16.5
Diseases peculiar to Women	...	40.4	47.1	26.7	44.1	31.4	43.7	50.1	45.7	40.8	41.1
Abscess and Ulcer	...	33.4	34.5	27.4	17.5	23.5	22.2	23.3	27.8	18.5	24.9
Injuries	...	12.5	17.6	8.0	10.4	13.7	9.7	12.0	8.6	11.5	12.2
All other Causes	...	53.6	175.2	163.9	133.7	101.3	91.6	52.9	52.1	51.6	94.7
		896.9	874.0	1,011.4	851.4	697.4	697.4	783.3	915.0	993.1	861.3

* See Note (a) at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXII.

TABLE showing the SICKNESS and MORTALITY among the CHILDREN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																			
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tubercles Mesenterica.	Purthsis Pulmonalis.	Dysentery.	Diarrhoea.	Anaemia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	2,467	60	24.3	151	61.21	59.59	4	...	2	2	2	5	...	26	25	5	12	...	7	25	19	8	4	5
1871	2,534	61	24.1	127	50.12	48.54	4	...	2	3	2	5	1	15	26	8	9	...	6	16	14	8	1	7
1872	2,794	70	25.1	191	68.36	68.36	...	2	8	3	1	14	37	8	5	...	9	34	21	13	9	12
1873	2,880	61	22.2	138	51.39	49.30	6	...	9	...	1	16	19	4	15	18	24	5	9	5
1874	3,048	57	18.7	131	43.96	43.96	6	1	23	22	5	11	19	16	9	5	9
1875	3,039	54	17.8	148	48.70	47.05	5	...	4	23	28	6	8	26	14	8	5	14
1876	2,920	51	17.5	164	56.16	53.76	7	...	6	1	24	34	7	14	...	8	21	14	8	5	8
1877	2,880	65	22.6	174	60.42	56.25	12	1	29	32	3	12	...	9	30	27	5	2	9
1878	2,658	64	24.1	182	68.47	68.47	6	15	62	5	13	...	14	26	10	14	4	6
1879	2,273	53	23.3	102	44.88	43.56	3	...	2	1	20	13	3	3	...	8	11	8	8	7	6
							41	3	45	6	3	7	7	63	6	196	298	54	83	2	95	226	167	86	52	81
							Died per 1,000 of Strength.																			
TEN YEARS	27,493	599	21.8	1,521	55.32	53.83	1.49	.11	1.64	.22	.11	.25	.25	2.29	.22	7.13	10.81	1.96	3.02	.07	3.46	8.22	6.07	3.13	1.89	2.95

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.										
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.													
Dengue	140	16	2	158	5.8	...										
Cholera	...	10	...	10	...	6	10	16	2	3	62	2.3	66.13										
Smallpox	9	4	4	...	1	7	1	2	28	1.0	10.71										
Measles	61	143	103	148	133	90	127	20	206	52	1,083	39.4	4.16										
Whooping Cough	6	38	10	10	32	4	35	5	25	20	185	6.7	3.24										
Scarlet Fever	...	11	8	1	1	21	.8	14.29										
Enteric Fever	5	...	6	1	...	1	3	6	22	.8	31.82										
Intermittent Fever	200	109	102	68	47	84	42	93	155	195	1,095	39.8	.64										
Remittent and Continued Fevers	116	135	212	171	169	183	179	219	309	172	1,865	67.8	3.38										
Apoplexy	...	1	1	1	1	...	5	3	12	.4	50.00										
Dysentery	94	106	80	112	70	78	73	113	117	52	895	32.6	10.61										
Diarrhoea	201	209	267	203	187	218	187	260	270	141	2,143	78.0	10.55										
Hepatitis	1	7	2	3	5	3	6	4	3	1	35	1.3	...										
Spleen disease	3	2	2	1	1	2	8	.3	...										
Respiratory diseases	144	193	204	154	161	125	144	160	187	176	1,648	59.9	8.37										
Eye disease	376	292	458	377	172	295	241	486	115	257	3,069	111.6	...										
Anaemia and Atrophy	170	207	222	323	316	230	198	192	130	196	2,184	79.4	7.65										
Tubercular Diseases	27	40	24	16	15	21	31	20	30	20	244	8.9	34.84										
Meningitis and Hydrocephalus	5	13	10	5	8	9	9	6	7	10	82	3.0	65.85										
Convulsions	27	35	58	30	31	38	50	42	74	28	413	15.0	72.15										
Dentition	115	94	69	77	132	129	131	124	92	67	1,030	37.5	19.03										
Abscess and Ulcer	56	41	55	48	33	44	61	66	64	43	511	18.6	...										
Injuries	50	43	34	49	54	35	43	29	38	41	416	15.1	3.41										
All other Causes	104	112	199	110	128	136	154	179	161	120	1,403	51.0	...										
											1,766	1,839	2,273	1,935	1,697	1,730	1,731	2,048	1,992	1,601	18,612		
													Admitted per 1,000 of the Average Strength in each Year.										
											715.9	725.7	813.5	671.9	556.7	569.3	592.8	711.1	749.4	704.3	677.0		

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXIII.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the CHILDREN of the EUROPEAN ARMY of the MADRAS PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick-rate per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	2,467	24.3	61.21	59.59	1.628181	.81	2.03	...	10.54	10.13	2.03	4.87	...	2.84	10.13	7.70	3.24	1.62	2.03
1871	2,534	24.1	50.12	48.54	1.5879	1.19	.79	1.97	.39	5.92	10.26	3.16	3.55	...	2.37	6.31	5.53	3.16	.39	2.76
1872	2,794	25.1	68.36	68.3672	2.3636	1.08	...	4.65	.36	5.01	13.24	2.86	1.19	.36	3.22	12.17	7.52	4.65	3.22	4.29
1873	2,830	22.2	51.39	49.30	2.00	...	3.12	3.47	...	5.55	6.60	1.39	2.78	...	5.21	6.25	8.33	1.74	3.12	1.74
1874	3,048	18.7	43.96	43.96	1.97	.3398	...	7.55	7.22	1.64	1.64	...	3.61	6.23	5.25	2.95	1.64	2.95
1875	3,039	17.8	48.70	47.05	1.65	...	1.32	1.65	...	7.57	9.21	1.97	.66	...	2.63	8.56	4.61	2.63	1.65	4.61
1876	2,920	17.5	56.16	53.76	2.40	...	2.06	.34	1.71	...	8.22	11.64	2.40	4.79	.34	2.74	7.19	4.70	2.74	2.06	2.74
1877	2,880	22.6	60.42	56.25	4.17	.3569	.69	2.78	...	6.95	11.11	1.04	4.17	...	3.12	10.42	9.38	1.74	.69	3.12
1878	2,658	24.1	68.47	68.47	2.26	2.26	.38	5.64	23.32	1.88	4.89	...	5.27	9.78	3.76	5.27	1.50	2.26
1879	2,273	23.3	44.88	43.56	1.3268	.44	1.32	1.32	1.32	8.80	5.72	1.32	1.32	...	3.52	4.84	3.52	3.52	3.08	2.64
TEN YEARS	27,493	21.8	55.32	53.83	1.49	.11	1.64	.22	.11	.25	.25	2.29	.22	7.13	10.84	1.96	3.02	.07	3.46	8.22	6.07	3.13	1.89	2.95

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	50.1	5.6	7	5.8
Cholera	20	39	...	3.5	...	20	3.4	5.6	8	1.3	2.3
Smallpox	3.2	1.4	1.3	...	3	2.4	4	.9	1.0
Measles	24.7	56.4	36.9	51.4	43.6	29.6	43.5	6.9	77.5	22.9	39.4
Hooping Cough	2.4	15.0	3.6	3.5	10.5	1.3	12.0	1.7	9.4	8.8	6.7
Scarlet Fever	...	4.3	2.9	3	48
Enteric Fever	20	...	2.1	.3	...	3	1.0	2.18
Intermittent Fever	81.1	43.0	36.5	23.6	15.4	27.6	14.4	32.3	58.3	85.8	39.8
Remittent and Continued Fevers	47.0	53.3	75.9	59.3	55.5	60.2	61.3	76.0	116.2	75.7	67.8
Apoplexy	...	4	3	3	3	...	1.9	1.3	.4
Dysentery	38.1	41.8	28.6	38.9	23.0	25.7	25.0	39.2	44.0	22.9	32.6
Diarrhoea	81.5	82.5	95.6	70.5	61.4	71.7	64.1	90.3	101.6	62.0	78.0
Hepatitis	4	28	7	1.0	1.6	1.0	2.1	1.4	1.1	4	1.3
Spleen disease	1.2	7	...	4	9	.3
Respiratory diseases	58.4	76.2	73.0	53.5	52.8	41.1	49.3	55.6	70.3	77.4	59.9
Eye diseases	152.4	115.2	163.9	130.9	56.4	97.1	82.5	168.7	43.3	113.1	111.6
Anæmia and Atrophy	68.9	81.7	79.4	112.1	103.7	75.7	67.8	66.7	48.9	86.2	79.4
Tubercular diseases	11.0	15.8	8.6	5.6	4.9	6.9	10.6	6.9	11.3	8.8	8.9
Meningitis and Hydrocephalus	20	5.1	3.6	1.7	2.6	3.0	3.1	2.1	2.6	4.4	3.0
Convulsions	11.0	13.8	20.8	10.4	10.2	12.5	17.1	14.6	27.8	12.3	15.0
Dentition	46.6	37.1	24.7	26.8	43.3	42.4	44.9	43.1	34.6	29.5	37.5
Abscess and Ulcer	22.7	16.2	19.7	16.7	10.8	14.5	20.9	22.9	24.1	18.9	18.6
Injuries	20.3	17.0	12.2	17.0	17.7	11.5	14.7	10.1	14.3	18.0	15.1
All other Causes	42.2	44.2	71.2	38.2	42.0	44.8	52.8	62.1	60.6	52.8	51.0
	715.9	725.7	813.5	671.9	556.7	569.3	592.8	711.1	749.4	704.3	677.0

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXIV.

TABLE showing the SICKNESS and MORTALITY among the WOMEN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily sick per 1,000 of Average Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.															
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhoea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory Diseases.	Heart Diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.	
1870	1,214	*	*	26	21.41	21.41	1	...	1	5	5	1	...	5	...	1	...	2	4	5
1871	1,283	38	29.6	23	17.93	17.93	1	5	3	...	3	...	3	3	4
1872	1,317	46	34.9	44	33.41	26.58	9	1	1	...	3	3	5	3	...	6	3	3	2
1873	1,227	34	27.7	21	17.11	17.11	4	4	1	...	3	...	3	3	2
1874	1,231	43	34.9	18	14.62	14.62	2	2	...	3	...	3	2	5
1875	1,171	49	41.8	23	19.64	15.37	5	...	1	1	3	...	1	...	2	4	2
1876	1,135	35	30.8	19	16.75	15.86	1	1	1	3	2	2	2	...	2	3	3
1877	1,050	34	32.4	32	30.48	21.91	9	1	2	1	1	4	3	3	1
1878	975	43	44.1	22	22.56	15.38	7	4	1	1	2	2	...	1	1	1	1	2	1
1879	800	35	43.7	22	27.50	27.50	1	...	2	...	4	1	1	...	2	1	1	4	6	...
							31	2	5	...	24	13	25	17	12	28	6	11	12	39	25	
Died per 1,000 of Strength.																						
TEN YEARS	11,403	357	31.0	250	21.92	19.20	2.72	.18	.44	2.10	1.14	2.19	1.49	1.05	2.46	.53	.96	1.05	3.42	2.19		

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.								
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.											
Dengue	204	8	1	213	18.7	...								
Cholera	9	8	1	10	8	...	36	3.2	86.11								
Smallpox	3	2	3	1	2	...	11	1.0	18.18								
Enteric Fever	2	2	1	3	1	2	3	1	15	1.3	33.33								
Intermittent Fever	361	367	411	275	271	290	218	174	322	435	3,124	274.0	...								
Remittent and Continued Fevers	168	147	122	46	80	67	98	92	164	87	1,071	93.9	2.24								
Apoplexy	1	2	6	1	...	2	3	1	2	...	18	1.6	72.22								
Dysentery	38	45	36	26	27	35	29	23	28	31	318	27.9	7.86								
Diarrhoea	61	54	82	41	75	69	50	73	69	40	614	53.8	2.77								
Hepatitis	22	24	16	21	32	10	20	12	8	12	177	15.5	6.78								
Spleen disease	2	2	2	3	3	6	7	3	5	5	38	3.3	...								
Respiratory diseases	42	47	40	35	61	38	37	29	46	32	407	35.7	1.47								
Phthisis Pulmonalis	10	10	17	11	11	9	7	6	6	5	92	8.0	30.43								
Anæmia and Atrophy †	160	81	173	144	207	214	274	366	399	250	2,268	198.9	.53								
Rheumatism	24	17	33	29	28	1	16	26	22	11	207	18.1	...								
Eye diseases	29	85	37	69	77	68	28	37	32	21	483	42.4	...								
Abortion	19	31	21	22	27	22	12	19	19	11	203	17.8	1.97								
Diseases peculiar to Women	35	43	45	38	45	62	48	36	38	38	428	37.5	...								
Abscess and Ulcer	27	25	30	26	38	34	35	30	31	28	364	26.7	...								
Injuries	16	10	20	14	16	6	14	8	12	6	122	10.7	...								
All other Causes	53	160	141	100	138	184	46	39	40	20	921	80.8	2.03								
Admitted per 1,000 of the Average Strength in each Year.											11,070										
Admitted per 1,000 of the Average Strength in each Year.											881.4	897.9	11,00.2	742.4	922.8	963.3	835.2	940.0	1,288.2	1,291.2	970.8

* See Note at foot of Table CCCXXII.
 † See Note at foot of Table CCCXXII.
 ‡ See Note (a) at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXV.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the WOMEN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Average Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.														
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Enteric Fever.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory diseases.	Heart diseases.	Anæmia and Atrophy.	Child-birth and Abortion.	All other Causes.	
1870	1,214	*	21.41	21.4182	.82	...	4.12	.82	.82	4.12	.82	...	1.65	3.30	4.12	
1871	1,283	29.6	17.93	17.9378	3.90	.78	2.34	...	1.56	2.3478	...	2.34	3.11	
1872	1,317	34.9	33.41	26.53	6.83	.76	.76	2.28	3.79	2.23	4.56	2.28	3.79	...	2.28	...	2.23	1.52	
1873	1,227	27.7	17.11	17.11	3.26	.81	...	2.45	.81	1.6381	.81	2.45	4.08	
1874	1,231	34.9	14.62	14.62	1.62	...	2.44	2.44	1.62	4.06	2.44	
1875	1,171	41.8	19.64	15.37	4.2785	1.71	.85	1.71	.85	.85	1.71	.85	.85	...	3.42	1.71	
1876	1,135	30.8	16.75	15.86	.89	.8989	2.64	1.76	1.76	...	1.76	1.76	1.76	...	2.64	...	
1877	1,050	32.4	30.48	21.91	8.5795	1.91	.95	3.81	2.8695	1.91	5.71	2.86	
1878	975	44.1	22.56	15.38	7.18	4.10	1.03	1.03	2.05	...	1.03	1.03	1.03	1.03	2.05	1.03	
1879	800	43.7	27.50	27.50	1.25	2.50	...	5.00	1.25	...	2.50	1.25	1.25	5.00	7.50	...	
TEN YEARS	11,403	35.0†	21.92	19.20	2.72	.18	.44	2.10	1.14	2.19	1.49	1.05	2.46	.53	.96	1.05	3.42	2.19	

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.	
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.		
Dengue	154.9	6.59	18.7	
Cholera	6.8	6.8	.9	9.5	8.2	...	3.2	
Smallpox	2.3	1.6	2.6	1.0	2.0	...	1.0	
Enteric Fever	...	1.7	1.6	.8	2.6	.9	1.9	3.1	1.3	
Intermittent Fever	...	297.4	286.0	312.1	224.1	220.1	247.7	192.1	165.7	330.2	274.0	
Remittent and Continued Fevers	...	138.4	114.6	92.6	37.5	65.0	57.2	86.3	87.6	168.2	93.9	
Apoplexy8	1.6	4.6	.8	...	1.7	2.6	1.0	2.0	1.6	
Dysentery	...	31.3	35.0	27.3	21.2	21.9	29.9	25.6	21.9	23.7	27.9	
Diarrhea	...	50.2	42.1	62.2	33.4	60.9	58.9	44.1	69.5	70.8	53.8	
Hepatitis	...	18.1	18.7	12.1	17.1	26.0	8.5	17.6	11.4	8.2	15.5	
Spleen disease	...	1.7	1.6	1.5	2.4	2.4	5.1	6.2	2.9	5.1	3.3	
Respiratory diseases	...	34.6	36.6	30.4	28.5	49.6	32.5	32.5	27.6	47.2	35.7	
Phthisis Pulmonalis	...	8.1	7.8	12.9	9.0	8.9	7.7	6.2	5.7	6.2	8.0	
Anæmia and Atrophy †	...	131.8	63.1	131.4	117.4	168.2	182.7	241.4	348.6	409.2	198.9	
Rheumatism	...	19.8	13.3	25.1	23.7	22.7	.9	14.1	24.8	22.7	18.1	
Eye diseases	...	23.9	66.2	28.1	56.2	62.6	58.1	24.7	35.2	32.8	42.4	
Abortion	...	15.7	24.2	15.9	17.9	21.9	18.8	10.6	18.1	19.5	17.8	
Diseases peculiar to Women	...	28.8	33.5	34.2	31.0	36.6	52.9	42.3	34.3	39.0	37.5	
Abscess and Ulcer	...	22.2	19.5	22.8	21.2	30.9	29.0	30.8	28.6	31.8	26.7	
Injuries	...	13.2	7.8	15.2	11.4	13.0	5.1	12.3	7.6	12.3	10.7	
All other Causes	...	43.7	124.7	107.0	81.5	112.1	157.1	40.5	37.1	41.0	80.8	
		881.4	897.9	1,100.2	742.4	922.8	963.3	835.2	940.0	1,288.2	1,291.2	970.8

* See Note at foot of Table CCCXXII.
 † See Note at foot of Table CCCXXII.
 ‡ See Note (a) at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXVI.

TABLE showing the SICKNESS AND MORTALITY among the CHILDREN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Average Number Daily Sick.	Daily Sick per 1,000 of Strength.	Number of Deaths.	DIED PER 1,000.		CAUSES OF DEATHS.																				
					All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Pathosis Pulmonalis.	Dysentery.	Diarrhoea.	Anaemia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	
1870	1,975	*	*	145	73.42	73.42	1	3	3	1	5	11	...	8	23	6	12	...	6	25	23	7	3	8	
1871	2,127	62	29.1	147	69.11	69.11	3	...	3	1	...	4	...	10	49	4	3	...	8	25	16	2	2	9	
1872	2,303	78	33.9	223	96.83	92.92	9	1	6	1	1	1	...	11	...	12	39	11	11	...	9	45	34	8	1	15	
1873	2,227	56	25.1	108	48.50	48.50	...	2	1	1	2	...	10	25	5	3	...	4	4	12	11	3	6	
1874	2,392	75	31.4	124	51.84	51.84	...	1	3	1	2	2	21	22	5	6	1	7	13	18	6	5	6	
1875	2,303	75	32.6	176	76.42	73.38	7	...	12	1	...	1	1	4	...	18	34	8	12	...	9	36	19	3	6	5	
1876	2,360	65	27.5	105	44.49	44.49	1	1	6	...	23	15	2	4	...	7	19	8	10	1	8	
1877	2,203	58	26.3	117	53.11	50.39	6	6	...	17	17	3	5	...	1	32	15	5	3	4	
1878	1,991	86	43.2	181	90.91	89.40	3	...	13	1	...	1	5	12	1	25	25	6	5	...	9	47	18	6	3	1	
1879	1,524	60	39.4	119	78.08	78.08	1	1	6	10	...	16	23	6	2	...	5	16	20	6	1	6	
					Died per 1,000 of Strength.																						
					25	4	39	8	7	9	33	71	4	160	272	56	63	1	65	279	183	70	28	68			
					Died per 1,000 of Strength.																						
TEN YEARS	21,405	615	†31.7	1,445	67.51	66.34	1.17	.19	1.82	.37	.33	.42	1.54	3.31	.19	7.48	12.71	2.62	2.94	.05	3.03	13.03	8.55	3.27	1.31	3.18	

CAUSES OF ADMISSIONS.	NUMBER OF ADMISSIONS INTO HOSPITAL IN EACH YEAR.										Total Admitted during the Ten Years.	Admitted per 1,000 of Strength.	Died out of each hundred cases treated.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.			
Dengue	308	2	310	145	...
Cholera	11	11	1	6	3	...	32	1.5	78.12
Smallpox	4	8	7	...	2	18	2	3	44	2.1	9.09
Measles	5	52	64	24	60	144	5	25	153	26	567	26.5	6.88
Whooping Cough	30	15	8	19	19	22	6	11	28	43	201	9.4	3.98
Scarlet Fever	15	28	2	4	1	8	3	...	61	2.9	11.48
Enteric Fever	1	4	2	2	5	3	5	...	4	...	26	1.2	34.62
Intermittent Fever	346	361	512	291	334	382	279	247	484	512	3,748	175.1	.88
Remittent and Continued Fevers	189	135	170	79	175	181	152	113	183	111	1,488	69.5	4.77
Apoplexy	...	1	2	2	2	2	...	2	2	...	13	.6	30.77
Dysentery	29	39	60	21	38	55	39	30	51	30	392	18.3	16.58
Diarrhoea	213	209	311	162	184	228	155	182	212	115	1,971	92.1	14.16
Hepatitis	2	4	3	4	8	6	6	2	1	3	39	1.8	...
Spleen disease	...	2	2	1	3	2	4	11	25	1.2	10.64
Respiratory diseases	86	88	69	82	113	105	94	81	96	107	921	43.0	...
Eye diseases	114	295	200	241	281	295	192	284	203	111	2,216	103.5	...
Anaemia and Atrophy	100	88	205	104	150	170	172	205	228	153	1,575	73.6	11.62
Tubercular diseases	17	15	25	17	19	22	15	8	17	8	163	7.6	39.26
Meningitis and Hydrocephalus	8	6	14	6	8	11	2	6	7	7	75	3.5	74.67
Convulsions	25	51	47	34	28	41	19	26	32	34	337	15.7	80.71
Dentition	68	91	76	71	118	117	101	98	109	85	934	43.6	17.13
Abscess and Ulcer	24	26	35	26	41	39	46	42	30	15	324	15.1	...
Injuries	31	34	42	31	35	41	52	27	33	18	344	16.1	...
All other Causes	82	75	91	69	135	125	84	76	46	48	831	38.8	4.35
											16,637		
Admitted per 1,000 of the Average Strength in each Year.													
701.3	761.2	982.6	583.7	740.8	860.3	606.8	679.5	967.8	944.9	777.2			

* See Note at foot of Table CCCXXII.
 † See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXVII.

TABLE showing the RATIOS of SICKNESS and MORTALITY for the CHILDREN of the EUROPEAN ARMY of the BOMBAY PRESIDENCY in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

YEAR.	Average Strength in each Year.	Daily Sick per 1,000 of Strength.	DIED PER 1,000.		DIED PER 1,000 OF STRENGTH.																			
			All Causes.	Excluding Cholera.	Cholera.	Smallpox.	Measles.	Whooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fevers, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tabes Mesenterica.	Phthisis Pulmonalis.	Dysentery.	Diarrhea.	Anæmia and Atrophy.	Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.
1870	1,975	*	73.42	73.4251	1.52	1.52	.51	2.53	5.57	...	4.05	11.65	3.04	6.07	...	3.04	12.65	11.65	3.54	1.52	4.05
1871	2,127	29.1	69.11	69.11	1.41	...	1.41	.47	.94	1.88	...	4.70	23.04	1.88	1.41	...	3.76	11.76	7.52	3.76	.94	4.23
1872	2,303	33.9	96.83	92.92	3.91	.43	2.61	.43	.43	.43	3.48	4.78	...	5.21	16.94	4.78	4.78	...	3.91	19.54	14.76	3.48	.43	6.51
1873	2,227	25.1	48.50	48.5090	.45	.4590	.90	...	4.49	11.23	2.25	1.34	...	1.80	9.43	5.39	4.94	1.34	2.69
1874	2,392	31.4	51.84	51.8442	.84	1.25	.42	2.09	.84	8.78	9.20	2.09	2.51	.42	2.92	5.43	7.52	2.51	2.09	2.51
1875	2,303	32.6	76.42	73.38	3.04	...	5.21	.4343	.43	1.74	...	7.82	14.76	3.47	5.21	...	3.91	15.63	8.25	1.30	2.61	2.17
1876	2,360	27.5	44.49	44.4942	.42	2.55	...	9.74	6.36	.85	1.69	...	2.97	8.05	3.39	4.24	.42	3.39
1877	2,203	26.3	53.11	50.39	2.7291	2.72	.45	7.72	7.72	1.36	2.2745	14.53	6.81	2.27	1.36	1.82
1878	1,991	43.2	90.91	89.40	1.51	...	6.53	.5050	2.51	6.03	.50	12.56	12.56	3.01	2.51	...	4.52	23.61	9.04	3.01	1.51	.50
1879	1,524	39.4	78.08	78.0865	.65	3.94	6.56	...	10.50	15.10	3.94	1.31	...	3.28	10.50	13.12	3.94	.65	3.94
TEN YEARS	21,405	† 31.7	67.51	66.34	1.17	.19	1.82	.37	.33	.42	1.54	3.31	.19	7.48	12.71	2.62	2.94	.05	3.03	13.03	8.55	3.27	1.31	3.18

CAUSES OF ADMISSIONS.	ADMITTED PER 1,000 OF STRENGTH IN EACH YEAR.										Admitted per 1,000 on the Average of the Ten Years.
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	
Dengue	133.7	.9	14.5
Cholera	4.8	4.8	.4	2.7	1.5	...	1.5
Smallpox	1.7	3.6	2.98	8.2	1.0	2.0	2.1
Measles	...	2.5	24.5	27.8	10.8	28.8	62.5	2.1	11.3	76.8	26.5
Whooping Cough	...	15.2	7.1	3.4	8.5	7.9	9.6	2.6	5.0	14.1	9.4
Scarlet Fever	...	7.6	13.2	.9	1.84	3.6	1.5	2.9
Enteric Fever5	1.8	.8	.9	2.5	1.3	2.1	...	2.0	1.2
Intermittent Fever	...	175.2	169.7	222.3	130.7	139.6	165.9	118.2	112.1	243.1	175.1
Remittent and Continued Fevers	...	95.7	63.5	73.8	35.5	73.2	78.6	64.4	51.3	91.9	69.5
Apoplexy5	.9	.9	.8	.99	1.0	.6
Dysentery	...	14.7	18.3	26.1	9.4	15.9	23.9	16.5	13.6	25.6	18.3
Diarrhœa	...	107.9	98.2	135.0	72.7	76.9	99.0	65.7	82.6	106.5	92.1
Hepatitis	...	1.0	1.8	1.3	1.8	3.3	2.6	2.6	.9	.5	1.8
Spleen disease9	.9	.4	1.2	.9	1.7	1.2
Respiratory diseases	...	43.5	41.4	30.0	36.8	47.3	45.6	39.8	36.8	48.2	43.0
Eye diseases	...	57.7	138.7	86.9	108.2	117.5	128.1	81.4	128.9	102.0	103.5
Anæmia and Atrophy	...	50.6	41.4	89.0	46.7	62.7	73.8	72.9	93.1	114.5	73.6
Tubercular diseases	...	8.6	7.1	10.9	7.6	7.9	9.6	6.4	3.6	8.5	7.6
Meningitis and Hydrocephalus	...	4.1	2.8	6.1	2.7	3.3	4.8	.8	2.7	3.5	3.5
Convulsions	...	12.7	24.0	20.4	15.3	11.7	17.8	8.1	11.8	16.1	15.7
Dentition	...	34.4	42.8	33.0	31.9	49.3	50.8	42.8	44.5	54.7	43.6
Abscess and Ulcer	...	12.2	12.2	15.2	11.7	17.1	16.9	19.5	19.1	15.1	15.1
Injuries	...	15.7	16.0	18.2	13.9	14.6	17.8	22.0	12.3	16.6	16.1
All other Causes	...	41.5	35.3	39.5	31.0	56.4	54.3	35.6	34.5	23.1	38.8
		701.3	761.2	982.6	583.7	740.8	869.3	606.8	679.5	967.8	777.2

* See Note at foot of Table CCCXXII.
 † See Note at foot of Table CCCXXII.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXVIII—continued.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY among the WOMEN in the principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate Strength of Stations and Provinces for the Ten Years.	CAUSES OF DEATHS.														Total Deaths of the Year.	DIED PER 1,000 OF STRENGTH.			
		Cholera.	Smallpox.	Enteric Fever.	Fever, Intermitent.	Fevers, Remittent and Continued.	Apoplexy.	Dysentery.	Diarrhea.	Hepatitis.	Phthisis Pulmonalis.	Respiratory Diseases.	Heart Diseases.	Atrophy and Anæmia.	Child-birth and Abortion.		All other Causes.	A. Cholera.	B. All other Causes.	C. All Causes.
Women on the March (Bombay Presidency)	1	1	3	
Deolali Depôt, Bombay Troops	1	2	5	
Colaba Depôt, Bombay Troops	2	
Women on the March (Madras Presidency)	1	1	
Poonamallee Depôt	1	2	1	...	3	3	...	1	...	13	
Deolali Depôt, Madras Troops	2	1	3	
Colaba Depôt, Madras Troops	1	1	
Nusserabad ...	634	3	5	2	5	2	...	3	...	1	6	2	20	4.73	41.01	45.74
Neemuch ...	246	1	2	1	1	1	8	8.13	24.39	32.52
Indore (from 1872 to 1879) ...	38
Mhow ...	1,396	7	...	2	5	2	4	3	2	2	...	3	2	4	3	30	5.01	22.93	27.94	
Deesa ...	800	5	1	...	1	...	2	1	1	1	...	1	2	4	20	6.25	18.75	25.00		
Ahmedabad ...	285	1	1	1	1	2	8	3.51	24.56	28.07		
Baroda ...	910	...	1	...	2	2	...	3	2	1	2	1	2	4	22	...	24.18	24.18		
Kurrachee and Ghizree ...	281	1	1	1	3	...	10.68	10.68		
Hyderabad ...	514	2	1	1	2	2	10	...	19.46	19.46		
Aden	
	5,104	18	2	3	...	17	10	13	9	5	12	2	6	6	23	13	139	3.53	23.70	27.23
Bombay ...	457	1	2	2	...	5	2.19	8.75	10.94	
Asirgarh ...	56	1	1	1	...	17.86	17.86	
Ahmednagar ...	571	3	1	...	2	1	2	1	4	1	16	5.25	22.77	28.02		
Poona and Kirkee ...	2,300	5	...	1	4	2	3	1	2	4	1	1	2	6	36	2.17	13.48	15.65		
Satara ...	135	
Belgaum ...	942	4	1	1	1	2	1	1	11	4.25	7.43	11.68		
Secunderabad ...	2,716	12	...	1	5	2	9	3	5	4	1	...	3	6	7	58	4.42	16.03	21.35	
Kamptee ...	1,417	1	1	2	8	1	4	5	...	6	3	6	4	41	.71	28.22	28.93	
	8,594	26	1	4	...	19	6	17	14	10	17	4	5	8	21	16	168	3.03	16.52	19.55
Bellary ...	1,031	5	...	1	3	3	1	1	2	1	1	3	3	24	4.85	18.43	23.28	
Bangalore ...	2,617	7	...	4	1	...	7	2	6	3	3	...	1	7	7	48	2.67	15.67	18.34	
Cannanore ...	906	1	1	...	1	2	...	1	1	3	1	11	1.10	11.04	12.14	
Mallapooram ...	64	1	1	...	15.62	15.62	
Calicut ...	55	
Trichinopoly ...	315	1	...	1	...	3	...	5	...	15.87	15.87	
St. Thomas' Mount ...	680	2	1	1	1	...	1	1	1	...	1	...	8	2.94	8.82	11.76		
Madras ...	943	2	1	1	...	1	2	2	9	2.12	7.42	9.54	
	6,611	17	...	5	...	8	5	10	3	6	8	6	3	4	18	13	106	2.57	13.46	16.03
Rangoon ...	1,001	1	1	4	1	...	1	1	3	...	12	...	11.99	11.99	
Toungoo ...	438	2	...	1	2	...	7	...	15.98	15.98	
Thayetnyo ...	617	5	...	1	2	1	1	11	8.10	9.73	17.83	
Port Blair ...	15	
	2,071	5	...	1	...	2	1	4	3	...	4	1	...	1	5	3	30	2.41	12.08	14.49
Taragarh ...	144	2	...	1	2	
Mount Aboo ...	67	1	3	...	20.83	20.83	
Purandhar ...	788	...	1	...	1	3	...	1	1	3	4	18	...	14.92	14.92	
Wellington ...	64	22.84	22.84	
Ramandroog	
	1,063	...	1	...	1	1	...	5	2	1	3	1	...	1	4	4	24	...	22.58	22.58
ARMY OF BENGAL ...	34,746	148	10	36	5	144	47	83	60	64	112	37	33	36	100	72	987	4.26	24.15	28.41
ARMY OF MADRAS ...	14,144	36	2	9	1	28	10	30	16	11	29	12	3	13	33	271	2.55	16.61	19.16	
ARMY OF BOMBAY ...	10,189	31	2	4	...	23	13	20	16	11	23	5	11	10	35	20	224	3.04	18.94	21.98
ARMY OF INDIA ...	59,078*	215	14	49	6	195	70	133	92	86	164	54	47	59	173	125	1,482	3.64	21.45	25.09

* See Note to Table CCCXIV.

X.—WOMEN AND CHILDREN OF THE EUROPEAN ARMY, 1870-79.

CCCXXXIX—continued.

TABLE showing the NUMBER of DEATHS and the CHIEF CAUSES of MORTALITY among the CHILDREN in the principal MILITARY STATIONS occupied from 1870 to 1879.

STATIONS.	Aggregate Strength of Stations and Provinces for the Ten Years.	CAUSES OF DEATHS.																	Total Deaths of the Year.	DIED PER 1,000 OF STRENGTH.						
		Cholera.	Smallpox.	Measles.	Hooping Cough.	Scarlet Fever.	Enteric Fever.	Fever, Intermittent.	Fever, Remittent and Continued.	Apoplexy.	Dentition.	Convulsions.	Meningitis and Hydrocephalus.	Tuberc Mesenterica.	Phtisis Pulmonalis.	Dysentery.	Diarrhoea.	Anæmia and Atrophy.		Bronchitis and Pneumonia.	Croup and Diphtheria.	All other Causes.	A. Cholera.	B. All other Causes.	C. All Causes.	
Children on the March (Bombay Presidency.)	1	1	1	1	2	1	...	1	8	
Deolali Depôt (Bombay Troops)	3	1	1	1	...	2	...	1	3	1	1	4	...	2	1	22	
Colaba Depôt (" ")	2	...	5	...	3	...	1	1	4	1	17	
Children on the March (Madras Presidency.)	1	...	3	2	4	...	1	2	2	16	
Poonamallee Depôt	1	1	...	3	3	1	1	...	2	9	2	2	4	29	
Deolali Depôt (Madras Troops)	1	4	...	1	1	1	9	
Colaba Depôt (" ")	6	3	10	
Nnsseerabad	1,222	2	3	4	9	2	8	24	7	2	...	7	36	13	4	1	3	125	...	102.29	102.29	
Neemuch	414	5	3	7	7	...	8	5	...	1	...	1	7	4	43	12.05	91.56	103.61	
Indore	57	1	4	...	70.18	70.18	
Mhow	2,534	10	...	7	7	7	18	42	2	2	5	1	8	26	20	5	3	5	106	3.95	61.56	65.51		
Deesa	1,779	1	1	...	1	1	22	29	2	6	8	...	6	58	11	6	2	4	157	...	56	87.09	88.25	
Ahmedabad
Baroda	577	1	1	...	1	1	...	1	8	2	2	8	8	4	...	2	39	1.73	65.86	67.59		
Kurrachee and Ghizree	1,708	7	12	1	15	6	4	5	...	8	19	20	8	1	4	120	...	70.26	70.26		
Hyderabad	493	8	16	5	1	3	1	19	...	38.54	38.54		
Aden	906	6	2	...	12	14	3	4	...	7	6	6	2	3	4	69	...	76.16	76.16		
	9,690	17	1	23	2	...	4	15	39	3	93	146	24	28	1	37	163	83	31	11	22	742	1.75	74.82	76.57	
Bombay	723	1	1	...	3	14	...	2	...	1	4	10	3	...	2	41	...	56.71	56.71		
Asirgarh	95	1	...	1	3	2	2	9	...	94.74	94.74		
Ahmednagar	1,178	3	...	4	1	...	2	4	...	6	8	5	3	...	6	8	7	1	64	2.55	51.78	54.33		
Poona and Kirkee	4,100	2	2	6	...	3	4	6	9	...	21	60	10	12	...	53	38	7	9	15	263	7.49	63.66	64.15		
Satara	273	1	2	1	3	12	...	43.96	43.96		
Belgaum	1,990	6	2	1	2	...	21	10	7	...	4	18	7	10	2	7	105	...	52.76	52.76		
Secunderabad	5,264	8	...	2	1	...	4	...	11	1	37	86	4	28	2	26	55	31	14	10	337	1.52	62.50	64.02		
Kamptee	2,257	3	2	...	1	2	...	1	20	1	14	41	7	...	12	22	23	12	2	7	177	1.33	77.09	78.42		
	15,880	16	4	18	5	5	8	11	48	3	102	222	33	56	2	59	159	119	54	24	60	1,008	1.01	62.47	63.48	
Bellary	2,040	1	...	1	5	3	1	23	22	5	7	...	5	22	14	8	4	9	130	...	63.73	63.73		
Bangalore	5,167	3	1	5	...	1	2	...	4	...	35	32	4	9	...	12	19	24	14	7	185	...	35.22	35.80		
Cannanore	1,755	1	2	...	11	12	6	4	...	5	8	7	7	2	67	...	38.12	38.12		
Mallapoorum	92	1	...	1	2	...	21.74	21.74		
Calicut	94	1	1	3	...	1	7	...	74.47	74.47		
Trichinopoly	602	4	1	4	6	1	3	1	1	24	...	39.57	39.57		
St. Thomas' Mount	1,323	3	...	1	1	3	1	9	10	1	1	...	3	7	10	...	2	1	53	6.02	37.62	43.64		
Madras	1,897	2	...	5	1	3	...	11	21	4	4	...	2	15	12	1	2	4	87	1.06	44.80	45.86		
	12,976	13	1	13	2	1	3	5	20	3	94	104	20	26	...	29	77	68	32	19	30	560	1.02	42.14	43.16	
Rangoon	1,984	9	1	2	1	20	25	8	10	...	13	26	13	6	10	4	148	...	74.60	74.60		
Toungoo	826	1	3	...	3	1	4	3	...	5	8	5	4	1	5	43	...	52.44	52.44		
Thayetmyo	1,210	16	...	3	1	1	...	14	16	3	1	...	17	5	1	4	3	...	85	13.22	57.03	70.25		
Port Blair	31	
	4,045	16	...	13	1	1	6	1	37	42	15	14	...	18	51	23	11	15	12	276	3.96	61.27	68.23	
Taragarh	3	...	1	4	
Mount Aboo	300	1	1	1	3	1	1	8	...	26.67	26.67		
Purandhar	159	1	...	1	1	1	1	...	5	31.45	31.45	
Wellington	1,808	7	1	4	...	8	13	7	5	...	8	11	18	9	3	11	105	...	58.08	58.08		
Ramandroog	144	2	...	2	13.89	13.89	
	2,411	7	1	...	1	5	...	9	16	8	5	...	8	17	20	11	5	11	124	...	51.43	51.43		
ARMY OF BENGAL	62,720	229	15	204	50	21	10	86	346	31	460	677	134	179	10	179	928	540	279	139	223	4,740	3.65	71.92	75.57	
ARMY OF MADRAS	27,493	41	3	43	6	3	7	7	63	6	196	298	54	83	2	95	226	167	86	52	81	1,521	1.49	53.83	55.32	
ARMY OF BOMBAY	19,430	25	4	38	5	4	8	28	60	4	152	249	50	51	1	59	254	160	63	25	60	1,300	1.29	65.62	66.91	
ARMY OF INDIA	109,641*	295	22	287	61	28	25	121	469	41	808	1,224	238	313	13	333	1,408	867	428	216	364	7,561	2.60	66.27	68.96	

* See Note to Table CCCXIV.

X.—WOMEN AND CHILDREN OF

CCC

TABLE showing in DETAIL the CAUSES of ADMISSIONS among the WOMEN of the EUROPEAN ARMY

Table with columns for CAUSES OF ADMISSIONS, BENGAL (1870-1879), and BOMBAY (1870-1876). Rows list various medical conditions such as Dengue, Cholera, Smallpox, etc.

X.—WOMEN AND CHILDREN

CCC

TABLE showing in DETAIL the CAUSES of ADMISSIONS among the WOMEN of the EUROPEAN ARMY

CAUSES OF ADMISSIONS.	BENGAL.											BOM							
	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	
Retained placenta	...	1	...	1	2	
Phlegmasia Dolens	2	3	3	1	2	...	2	...	13	1	1	...	1	
Pelvic Cellulitis	...	1	...	1	2	3	1	2	12	1	
Metritis	...	4	3	2	4	6	...	4	3	8	36	3	1	
Puerperal Peritonitis	3	4	1	9	2	19	3	...	1	...	2	7	...	
Puerperal Fever	1	4	1	4	3	1	1	2	18	1	
Puerperal Mania	2	1	...	4	1	...	4	12	1	...	1	
Puerperal Convulsions	...	1	2	2	...	2	2	...	2	1	12	
Abortion	...	67	92	94	82	84	74	63	49	63	45	718	19	31	21	22	27	22	12
Hypertrophy of Breast	1	1	
Caries	1	...	3	1	5	
Necrosis	...	3	4	...	3	1	11	1	
Synovitis	...	2	9	5	5	5	12	4	1	2	45	1	2	5	1	1	
Crap	
Bursal inflammation	1	
Periostitis	2	1	...	2	1	...	1	...	7	...	1	1	
Abscess, Ulcer and Boils	...	93	92	102	113	122	93	69	73	58	65	880	27	25	30	26	38	36	34
Carbuncle	...	1	1	1	...	1	4	
Guinea worm	1	1	
Itch and Skin diseases	...	13	17	7	10	12	5	9	8	6	10	97	1	3	5	5	3	2	5
Tumour	...	1	...	2	...	2	5	...	1	...	13	1	
General Debility	...	330	679	755	650	546	816	655	567	830	722	6,550	18	57	160	132	179	188	204
Injuries	...	34	35	43	40	39	40	27	32	30	24	344	16	10	20	14	16	6	14
Drunkenness and Delirium Tremens	...	1	1	1	3	1	1	...	1	1	10	2	
Cause not ascertained	...	3	1	1	7	2	14	
ALL CAUSES	...	4,024	4,314	4,760	3,908	3,933	3,980	3,393	2,621	3,245	3,085	37,288	1,070	1,152	1,449	911	1,136	1,128	948

OF THE EUROPEAN ARMY, 1870-79.

XL—continued.

of INDIA in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

BAY.				MADRAS.										ARMY OF INDIA.											
1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.
...	3	...	1	1	2	1	1	1	...	1	4
1	2	1	5	1	1	6	...	2	3	...	2	3	2	22
...	1	...	5	1	2	1	...	2	...	7	...	4	19
2	1	1	16	1	3	...	1	11	5	3	6	7	6	...	4	52
...	3	1	...	1	11	4	...	4	4	6	17	5	2	2	2	46
...	2	7	...	2	4	1	6	4	2	2	4	3	28
...	2	2	2	...	5	1	14
...	...	1	2	...	2	6	2	4	2	1	...	2	3	1	3	4	20
19	19	11	203	29	33	24	22	15	30	23	20	20	18	234	115	156	139	126	126	126	98	88	107	74	1,155
...	1	5	...	1	3	1	...	1	1
...	1	2	1	...	3	...	1	10
...	2	1	3	4	1	3	1	...	1	1	14
...	10	1	1	2	...	3	...	8	3	11	11	7	6	12	6	4	2	1	63
...	1	1
...	2	...	1	2	1	...	3	1	...	3	1	11
...	1	2	1
30	31	28	305	48	49	41	26	35	34	33	39	24	23	352	168	166	173	165	195	163	136	142	113	116	1,537
...	1	1	1	2	1	2	2	...	2	7
...	2	1	3
...	2	2	3	31	9	7	7	5	5	2	6	4	7	53	23	27	19	20	20	9	20	14	15	13	180
...	1	8	3	...	3	...	2	9	1	22
309	355	218	1,820	210	267	389	398	336	292	293	313	311	271	3,080	558	1,003	1,304	1,180	1,061	1,296	1,152	1,189	1,406	1,211	11,450
8	12	7	123	18	25	12	16	21	14	17	12	15	22	172	68	70	75	70	76	60	58	52	57	53	639
...	1	...	3	1	...	2	...	3	1	1	1	3	3	2	...	1	4	...	16
...	6	7	1	14	9	8	2	7	2	...	28
987	1,256	1,033	11,070	1,287	1,242	1,512	1,312	1,067	1,004	1,110	1,281	1,290	1,076	12,181	6,381	6,708	7,741	6,131	6,141	6,112	5,451	4,889	5,791	5,194	60,539

X.—WOMEN AND CHILDREN OF

CCC

TABLE showing in DETAIL the CAUSES of ADMISSIONS among the CHILDREN of the

Table with columns for CAUSES OF ADMISSIONS, BENGAL (1870-1879), and BOM (1870-1876). Rows list various medical conditions such as Dengue, Cholera, Smallpox, Measles, etc.

THE EUROPEAN ARMY, 1870-79.

XLI.

EUROPEAN ARMY of INDIA in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

Table with columns for BAY, MADRAS, and ARMY OF INDIA, and rows for years 1870-79. The table contains numerical data for each year and ten-year period across these three categories.

THE EUROPEAN ARMY, 1870-79.

XLI—continued.

EUROPEAN ARMY OF INDIA in each YEAR and for the TEN-YEAR PERIOD, 1870-79.

BAY.				MADRAS.										ARMY OF INDIA.													
1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.	1870-79.		
...	...	2	1	1	1	1	3	2	...	2	6	
...	1	12	1	4	5	2	4	...	4	...	7	43	
...	1	...	1	1	...	1	1	2	
...	...	3	...	15	1	1	3	6	
...	2	1	...	4	1	1	1	2	...	2	2	13	7	8	6	4	5	9	3	4	8	8	...	62	
...	3	...	2	3	1	2	1	2	...	11	
...	4	2	...	1	3	4	6	2	19	
...	98	109	85	934	115	94	69	77	132	129	131	124	92	67	1,030	456	414	401	478	543	493	504	456	519	373	4,637	
...	1	1	...	1	1	1	4
...	1	1	1	...	1	2
...	1	1	2	2	1	6	
...	1	2	1	1	1	3	4	
...	1	1	1	3	
...	1	1	1	1	1	2	4	
...	1	1	
...	18	8	9	168	19	25	35	24	24	15	28	41	38	19	268	78	72	85	81	95	70	93	101	96	62	833	
...	2	1	1	...	1	1	1	3	
...	42	30	15	329	56	41	55	48	33	49	61	66	64	43	516	149	150	168	167	196	204	195	183	183	129	1,724	
...	1	5	...	2	1	1	1	8	
...	192	222	150	1,350	149	197	218	316	311	230	193	186	124	177	2,101	411	583	1,050	872	1,044	922	819	678	921	899	8,205	
...	27	33	18	346	50	43	34	49	54	35	43	29	38	41	416	150	169	164	176	203	181	191	146	152	137	1,669	
...	2	2	3	6	2	1	3	11	1	18	
1,497	1,927	1,440	16,637	1,766	1,839	2,273	1,935	1,697	1,730	1,731	2,048	1,992	1,601	18,612	7,743	9,055	11,032	8,790	9,853	9,822	8,463	7,217	9,188	7,910	89,073		

GOVT. CENTRAL BRANCH PRESS, SIMLA.—NO. 71s.c.—14-4-82.—370.

