

## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



*S. R. Smith*

A

# CATALOGUE

OF

GREENHOUSE PLANTS,  
HARDY TREES,  
EVERGREEN SHRUBS,

FLOWERING SHRUBS,  
BULBOUS ROOTED, AND  
HERBACEOUS PLANTS,

ARRANGED BY THEIR

BOTANIC AND ENGLISH NAMES.

With a collection of the most esteemed varieties of

## FRUIT TREES

SOLD BY

DAVID AND CUTHBERT LANDRETH,  
NURSERY AND SEEDSMEN,

Federal street, near the Arsenal, Philadelphia.

ENGRAVED

PHILADELPHIA:

PRINTED FOR THE PROPRIETORS.

Fry and Kammerer, Printers

1811.

25

25

## GREENHOUSE PLANTS.

### ADELIA

*porulosa*  
sp—?

### Agapenthus *umbellatus*

### Agave *americana* *v. variegata* *virginica*

### Aloe *linguiformis* *verrucosa* *variegata* *ferox*

### Amaryllis

*Atamasco*  
*equestris? flore pleno*  
*formosissima*  
*longifolia*  
*undulata*  
*vittata*  
*latifolia*  
*sp. nova*

### Andromeda

*axillaris*  
*formosissima*  
*coriacea*  
*ferruginea*

### Adelia.

porouloous.  
May-berries.

### Agapenthus. umbel flowering.

### American Aloe. great American. striped leaved. Virginian.

### Aloe.

tongue-shaped aloe.  
warted tongue aloe.  
partridge-breast aloe.  
prickly aloe.

### Amaryllis.

Atamasco lily.  
Double flowering Cuba lily.  
Jacobæa lily.  
long-leaved Cape lily.  
waved lily.  
ribbon lily.  
broad leaved Indian lily.  
a new species from Sumatra.

### Andromeda

axillary  
pipe-stem wood.  
leathery leaved.  
ferruginous.

<b>Anthyllis</b>		<b>Silver-bush.</b>
barba Jovis		Jupiter's beard.
hermanniæ		lavender leaved.
<b>Annona</b>		<b>Annona.</b>
parviflora		small flowering.
<b>Arctotis</b>		<b>Arctotis.</b>
superba		superb.
<b>Arbutus</b>		<b>Strawberry-tree.</b>
Andrachne <i>serratifolia</i>		<i>sawed leaved Andrachne.</i>
unedo		strawberry tree.
<b>Artemisia</b>		<b>Artemisia.</b>
argentea		silvery.
<b>Asclepias</b>		<b>Swallow-wort.</b>
parviflora		small flowering shrubby.
gigantea		Auricula tree.
<b>Ascyrum</b>		<b>St. Peter's wort.</b>
multicaule		branchy.
stans		upright.
<b>Aster</b>		<b>Aster or Starwort.</b>
frutescens		shrubby.
<b>Aucuba</b>		<b>Gold tree.</b>
Japonica		Japan gold tree.
<b>Arum</b>		<b>Arum.</b>
esquelentum		eatable.
<b>Babiana</b>		<b>Babiana.</b>
villosa		downy.
<b>Baccharis</b>		<b>Baccharis.</b>
angustifolia		narrow leaved.
<b>Bignonia</b>		<b>Trumpet flower.</b>
pandorana		New Holland.

capreolata	two leaved.
sempervirens	yellow jessamine of Carolina.
Bumelia	Bumelia.
reclinata	
lanuginosa	
lycioides	Lycium-like
Bupthalmum	Ox-eye.
frutescens	shrubby.
Buxus	Box tree.
balearica	Minorca.
Cactus	Cactus.
opuntia	common Indian fig.
sp. nova	a new species from Cumberland island.
flagelliformis	creeping Cereus.
heptagonus	upright seven-angled.
Callicarpa	Callicarpa.
americana	American.
Calla	Calla.
æthiopica	Ethiopian.
Calycanthus	Allspice or sweet scented Shrub.
præcox	Chinese.
Camellia	Japan Rose.
Japonica	single red.
<i>v. flore plena rubra</i>	double flowered red.
<i>v. flore plena alba</i>	double flowered white.
<i>v. flore pleno variegata</i>	variegated double flowered.
Cantua	Cantua.
coccinia	scarlet.

Ceanothus	Jersey Tea.
erythrorhiza	red root of Georgia.
microphyllus	small leaved.
Cessalpinia	
sp.	
Chamærops	Palmetta.
hystrix	porcupine palmetto or palm.
Cineraria	Ashwort.
lanata	woolly.
Cissampelos	Cissampelos.
smilacine	smilax like.
Cistus	Rock Rose.
creticus	Cretan.
incanus	hoary leaved.
salvifolius	sage leaved.
Citrus	Citron Tree, Orange Tree.
medica	citron tree.
acre	Seville orange tree.
<i>v. variegata</i>	variegated Seville orange tree.
bergamense	bergamot orange tree.
chinense	Chinese dwarf orange tree.
decumanum	shaddock tree.
myrtifolium	myrtle leaved orange tree.
limon	lemon tree.
lima	lime tree.
Coffea	Coffee Tree.
Bengalensis	Bengal coffee tree.
Collonsonia	Collonsonia.
anisatum	aromatic or Florida tea.

Cookea	Cookea.
punctata	dotted.
Coronilla	Coronilla.
coronata	nine leaved.
Correa	Correa.
alba	white flowering.
Crinum	Crinum.
nervosum	large leaved.
Croton	Croton.
sp.	striped leaved.
Curcuma	Turmeric.
zerumbet	
zedoaria	
viridiflora	
Cyclamen	Cyclamen or Sow bread
persicum album	white Persian.
<i>v. basi purpureo.</i>	purple bottomed white flower-
	ing.
<i>v. basi rubro</i>	red bottomed white flower-
	ing.
carneum	blush coloured.
Cytisus	Cytisus.
linifolius	flax leaved.
purpureus	purple flowering.
argenteus	silvery leaved.
hirsutus	hairy.
supinus	trailing.
Daphne	Daphne.
odora	sweet scented.
pontica	Pontic.
collina	
cneorum	narrow leaved.
alpina	Alpine.
laureola	spurge laurel.

<b>Decumara</b>	<b>Decumara.</b>
<i>sarmentosa</i>	creeping.
<b>Diosma</b>	<b>Diosma.</b>
<i>ericoides</i>	heath leaved.
<b>Dracocephalum</b>	<b>Dragon's Head.</b>
<i>canariense</i>	Canary.
<b>Echites</b>	<b>Echites.</b>
<i>diformis</i>	various leaved.
<b>Embothrium</b>	<b>Embothrium.</b>
<i>salignum</i>	willow leaved.
<i>sericeum</i>	silky leaved.
<i>v. carneum</i>	flesh coloured silky leaved.
<b>Erica</b>	<b>Heath.</b>
<i>vulgaris</i>	common.
<i>ciliaris</i>	ciliated.
<i>vagans</i>	Cornish.
<i>stricta</i>	upright.
<i>tetragona</i>	four sided.
<i>eriocephala</i>	woolly headed.
<i>nigrita</i>	
<i>margratacea</i>	reflected.
<i>reflexa</i>	
<i>baccans</i>	berry bearing.
<i>ramentacea</i>	
<i>mediterranea</i>	Mediterranean.
<i>arborea</i>	tree.
<i>cerinthoides minor?</i>	
<b>Eucomis</b>	<b>Crown Asphodel.</b>
<i>punctata</i>	spotted.
<b>Euonymus</b>	<b>Spindle Tree.</b>
<i>angustifolia</i>	narrow leaved.
<b>Eupatorium</b>	<b>Eupatorium.</b>
<i>aga para</i>	Aga Para of India.

Ferraria	Ferraria.
pavonia	spotted.
Fuchsia	Fuchsia or Ear Drop.
coccinea	scarlet.
lycioides	cape.
Gardenia	Cape Jasmine.
<i>florida flore plena</i>	<i>double flowering.</i>
Genista	Genista.
tinctoria	dyer's broom.
Geranium	Geranium or Cranes'- Bill.
alchemilloides	<i>ladies' mantle leaved.</i>
<i>v. zonale</i>	
cordifolium, several vari- eties	heart-shaped leaved.
coriandrifolium	coriander leaved.
citri odora	lemon scented.
cucullatum	hollow leaved.
cucurbitacea	cucurbitaceous.
cuspidatum	pointed.
deltoidicum	delta leaved.
Formanii	Forman's.
gibbosum	gouty-stalked.
glutinosum	glutinous vine-leaved
hepaticifolium	hepatic leaved.
inquinans	mallow leaved scarlet.
lacerum	cut leaved.
multicuspis	many pointed.
matricarioides	feverfew leaved.
odoratissimum	sweet scented.
<i>v. erecta</i>	<i>upright sweet scented.</i>
odora rosea	odor of rose scented.
palmata	ivy leaved.
peltatum	oak leaved.
quercifolium	
purpureum	purple flowering.

v.

<i>radula major</i>	greater rasp leaved.
<i>v. minor</i>	<i>lesser rasp leaved.</i>
<i>speciosissima</i>	most beautiful.
<i>superba</i>	superb.
<i>vitifolium</i>	balm scented.
<i>viscosa</i>	multifid leaved viscous.
<i>undulatum</i>	waved leaved.
<i>zonale</i>	horse shoe.
<i>v. variegata</i>	<i>silver striped horse shoe.</i>
<i>v. tricolor</i>	<i>tricolor leaved horse shoe.</i>
<i>v. flore alba</i>	<i>white flowering horse shoe.</i>

**Glycine**

<i>bimaculata</i>	simple leaved.
<i>coccinea</i>	scarlet.
<i>rubicunda</i>	red flowered.

**Gnidia**

<i>simplex</i>	simple leaved.
----------------	----------------

**Gordonia**

<i>lasianthus</i>	loblolly bay of Carolina.
-------------------	---------------------------

**Halleria**

<i>lucida</i>	shining leaved.
---------------	-----------------

**Heliotropium**

<i>peruvianum</i>	sweet scented.
-------------------	----------------

**Hibbertia**

<i>volubilis</i>	twining.
------------------	----------

**Hibiscus**

<i>mutabilis</i>	changeable.
<i>speciosus</i>	scarlet.
<i>grandiflora</i>	great flowered or wild cotton.

**Hopea**

<i>tinctoria</i>	dyer's.
------------------	---------

**Glycine.**

<i>simplex</i>	simple leaved.
<i>coccinea</i>	scarlet.
<i>rubicunda</i>	red flowered.

**Gnidia.**

<i>simplex</i>	simple leaved.
----------------	----------------

**Loblolly Bay.**

<i>loblolly bay of Carolina.</i>
----------------------------------

**African Fly Honeysuckle.**

<i>shining leaved.</i>
------------------------

**Turnsole.**

<i>sweet scented.</i>
-----------------------

**Hibbertia.**

<i>twining.</i>
-----------------

**Hibiscus.**

<i>changeable.</i>
<i>scarlet.</i>
<i>great flowered or wild cotton.</i>

**Hopea.**

<i>dyer's.</i>
----------------

<b>Houstonia</b>	<b>Houstonia.</b>
<i>coccinea</i>	scarlet.
<b>Hydrangea</b>	<b>Hydrangea.</b>
<i>hortensia</i>	changeable Chinese.
<b>Hypericum</b>	<b>St. John's Wort.</b>
<i>canariensis</i>	canary.
<i>glaucum</i>	<i>glaucus.</i>
<i>monogynum</i>	<i>monogynus.</i>
<b>Jasminum</b>	<b>Jasmine.</b>
<i>azoricum</i>	<i>azorian.</i>
<i>grandiflorum</i>	Catalonian.
<i>odoratissimum</i>	yellow sweet scented.
<i>sambac</i>	Arabian.
<b>Ilex</b>	<b>Holly.</b>
<i>cassine</i>	dahoon holly.
<i>myrtifolia</i>	myrtle leaved.
<i>prinoides</i>	Prinos like.
<i>vomitoria</i>	Paraguay tea.
<b>Illicium</b>	<b>Aniseed Tree.</b>
<i>anisatum</i>	Japan aniseed tree.
<i>floridanum</i>	starry.
<b>Iris</b>	<b>Flower de Luce.</b>
<i>Chinensis</i>	Chinese.
<b>Justicia</b>	<b>Justicia.</b>
<i>betonica</i>	blue flowered.
<b>Ixia</b>	<b>Ixia.</b>
<i>crocata</i> <i>fenestratis</i> sp.	crocus flowered.
<b>Kalmia</b>	<b>Kalmia.</b>
<i>hirsuta</i>	hairy.
<b>Lagerstrœmia</b>	<b>Lagerstrœmia.</b>
<i>indica</i>	Indian.

Lantana	Lantana.
aculeata	prickly.
Laurus	Bay Tree or Laurel.
carolinianus	red bay tree.
<i>v. pubescens</i>	downy.
melissæfolia	melissa leaved.
nobilis	sweet bay.
Leptospermum	South Sea Myrtle.
ambiguum	New Holland.
Limodorum	Limodorum.
Tankervillæi	Tankerville's or Chinese.
Linum	Flax.
maritimum	sea-coast.
quadrifolia	flour leaved.
Lythrum	Loose Strife.
vulneraria	Mexican.
Lycium	Box Thorn.
carolinianum	Carolina.
Japonicum <i>flore plena</i>	Japan double flowering.
Lyonia	Lyonia.
coriacea	leathery shining leaved.
Magnolia	Magnolia.
grandiflora	large flowering.
fuscata	small flowering Chinese.
pumila	dwarf sweet scented Chi- nese.
purpurea	purple flowering Chinese.
Melaleuca	Melaleuca.
coronata	glaucus.
glauca	heath leaved.
ericifolia	hypericum leaved.
hypericifolia	
squarrosa	

Melia		Bead Tree.
azedarach		common or pride of China.
Mesembryanthemum		Fig Marigold.
barbatum		bearded.
crystallinum		ice plant, and 2 or 3 others.
Metrocideros		Metrosideros.
citrina		spear leaved.
linearis		linear leaved.
myrtifolia		myrtle leaved.
Melianthus		Honey Flower.
major		larger.
Mimosa		Mimosa.
farnesiana		yellow sweet scented.
glaucha		glaucus.
horridula		trailing.
stricta		upright.
verticellata		verticillate leaved.
Myrica		Candleberry Myrtle.
caroliniana		aromatic Carolina.
Myrsine		Myrsine.
africana		African.
Myrtus		Myrtle.
aurantiifolia		orange leaved.
v. flore plena		double flowered orange leaved.
latifolia		common broad leaved.
erecta		upright Italian.
v. variegata		striped leaved do.
Musa		Banana.
coccinea		scarlet flowering.
Nerium		Oleander or Rose-Bay.
oleander rubrum		red oleander.
v. album		white do.

<i>divaricatum carneum</i>	flesh coloured sweet scented.
<i>latifolium plenum</i>	<i>double flowering broad</i> <i>leaved.</i>
<i>v. variegatum</i>	<i>striped broad leaved.</i>
<i>v. flore flava</i>	<i>yellow flowering do.</i>
<b>Nyssa</b>	<b>Tupelo Tree.</b>
<i>capitata</i>	<b>Ogeechee Lime Tree.</b>
<b>Olea</b>	<b>Olive.</b>
<i>americana</i>	<i>purple berried bay</i>
<i>europaea buxifolia</i>	<i>box leaved European olive.</i>
<i>fragrans</i>	<i>Chinese sweet scented do.</i>
<b>Pancratium</b>	<b>Pancratium or Sea-Daf-</b> <b>fodil.</b>
<i>carolinianum</i>	<i>Carolina.</i>
<b>Passiflora</b>	<b>Passion-Flower.</b>
<i>cœrulea</i>	<i>blue-flowering.</i>
<i>maculata</i>	<i>spotted leaved.</i>
<i>incarnata</i>	<i>flesh coloured.</i>
<b>Pæonia</b>	<b>Pæony.</b>
<i>arborescens</i>	<i>tree pæony from China.</i>
<b>Pavonia</b>	<b>Pavonia.</b>
<i>præmorsa</i>	<i>wedge leaved.</i>
<b>Phillyrea</b>	<b>Phillyrea.</b>
<i>ilicifolia</i>	<i>ilex leaved.</i>
<i>v. lucida</i>	<i>shining leaved.</i>
<i>oleæfolia</i>	<i>olive leaved.</i>
<i>pendula</i>	<i>drooping.</i>
<i>rosmarinifolia</i>	<i>rosemary leaved.</i>
<b>Phlomis</b>	<b>Phlomis or Sage Tree.</b>
<i>fruticosa</i>	<i>Jerusalem sage tree.</i>
<i>leonurus</i>	<i>lion's tail.</i>

Pittosporum	Pittosporum.
tobira	
Pinckneya	Georgia Bark Tree.
pubens	pubescent.
Polygala	Milk-wort.
bracteosa	great flowering cape do.
Prinos	Winter Berry.
sp. nova	evergreen from Georgia.
Protea	Protea.
argentea	silver tree.
Psoralea	Psoralea.
bracteata	bracteated.
Prunus	Cherry Tree.
caroliniana	evergreen cherry.
lauro-cerasus	European laurel.
Iusitanica	Portugal laurel.
Punica	Pomegranate.
granatum	pomegranate tree.
v. flore plena	double flowering do.
nana	dwarf pomegranate.
Pyrus	Apple, Pear.
japonica	scarletflowering Japanese.
Rhamnus	Buck Thorn.
alaternus	alaternus.
v. foliis variegatis	silver striped leaved.
v. foliis maculatus	blotched leaved.
laciniatus fol. variegatis	striped jagged leaved.
Rhexia	Rhexia.
lanceolata	white flowering.
sp. nova	a new species from Georgia.

Rhododendron	Rose Bay.
<i>ponticum variegata</i>	<i>striped leaved purple.</i>
<i>algarvens</i>	
<i>ferrugineum</i>	<i>alpine.</i>
Rosa	Rose.
<i>lucida</i>	shining three-leaved rose.
<i>multiflora</i>	many flowered Japan rose.
<i>chinensis</i>	pale Chinese monthly rose.
<i>semperflorens</i>	red Chinese everflowering
<i>v. pallida</i>	<i>pale Chinese</i> do.
Rosmarinus	Rosemary.
<i>officinalis</i>	common.
Salvia	Sage.
<i>angustifolia</i>	narrow leaved.
<i>coccinea</i>	scarlet.
<i>formosa</i>	shining leaved.
Saxifraga	Saxifrage.
<i>sarmentosa</i>	creeping or strawberry do.
Sempervivum	Houseleek or Sedum.
<i>arboreum</i>	tree houseleek.
Senecio	Groundsel.
<i>maritima</i>	silvery leaved.
Sida	Sida.
<i>sp. nova</i>	a new species from Georgia.
Smilax	Smilax.
<i>lanceolata</i>	lance or spear leaved.
<i>laurifolia</i>	laurel leaved.
<i>pubera</i>	downy.
Solanum	Nightshade.
<i>pseudo capsicum</i>	Jerusalem cherry.
Spermannia	Spermannia.
<i>africana</i>	maple leaved

Spartium	Broom.
<i>juncinum</i>	Spanish.
<i>multiflorum</i>	white Portugal.
Sophora	Sophora.
<i>capensis</i>	cape.
<i>tetraptera</i>	winged seeded.
Stapelia	Stapelia.
<i>variegata</i>	variegated.
Teucrium	Tree Germander.
<i>fruticans</i>	shrubby.
Thea	Tea Tree.
<i>bohea</i>	bohea tea.
<i>viridis</i>	green.
Vaccinium	Whortle Berry.
<i>arboreum</i>	tree.
<i>myrsinites</i>	myrtle leaved.
Verbena	Vervain.
<i>triphylla</i>	lemon scented.
Viburnum	Viburnum.
<i>tinus</i>	<i>laurestinus</i> .
<i>v. lucida</i>	<i>shining leaved laurestinus</i> .
Westringia	Westringia.
<i>rosmarinacea</i>	rosemary leaved.
Xeranthemum	Xeranthemum.
<i>fulgidum</i>	shining.
Yucca	Adam's Needle.
<i>aloefolia</i>	aloe leaved.
Zanthoxylum	Tooth-ach Tree.
<i>tricarpum</i>	Carolina tooth-ach tree.

## HARDY TREES AND SHRUBS.

<b>Acer</b>		<b>Maple Tree.</b>
dasycarpum		silver leaved or soft.
montanum		shrubby or mountain.
pennsylvanicum		striped barked.
negundo		ash leaved.
rubrum		red or scarlet.
saccharinum		sugar.
<b>Æsculus</b>		<b>Horse Chesnut.</b>
hippocastanum		common horse chesnut.
flava		yellow flowered.
macrostachya		long spiked white flower- ing.
pavia		scarlet flowering, and two or three other spe- cies.
<b>Amorpha</b>		<b>Bastard Indigo.</b>
fruticosa		shrubby.
<b>Ampelopsis</b>		<b>False Grape.</b>
bipinnata		pinnated leaved pepper vine.
cordata		heart leaved.
hirsuta		hairy five leaved from Florida.
quinquefolia		five leaved ivy.
<b>Amygdalus</b>		<b>Almond.</b>
nana		dwarf almond.
<i>v. flore plena</i>		double flowering do.
<b>Andromeda</b>		<b>Andromeda.</b>
acuminata		evergreen acuminate.
arborea		sorrel tree or sour wood.

calyculata	box leaved.
floribunda	profuse flowering.
cauescens	canescent.
frondosa	leafy spiked.
mariana	oval leaved.
v. <i>coriacea</i>	leathery oval leaved.
paniculata	panicled.
polifolia	polium leaved.
rosmarinifolia	rosemary leaved.
pulverulenta <i>cassinifolia</i>	<i>cassine</i> leaved powdered.
racemosa	sweet scented.
Annona	Papaw Tree.
triloba	common papaw.
glabra	smooth do.
Aralia	Aralia.
hispida	bristly.
spinosa	prickly angelica tree.
Aristolochia	Birth wort.
sipho	large leaved.
sp. nova	downy leaved.
Artemisia	Wormwood.
absynthium	common.
Azalea	American Honeysuckle
nudiflora	common, many varieties.
<i>calendulacea flammea</i>	<i>flame</i> coloured.
v. <i>crocea</i>	<i>yellowflowered</i> American.
pontica	<i>yellow</i> sweet scented Pon- tic.
viscosa	viscous sweet scented, many varieties.
Baccharis	Groundsel Tree.
halimifolia	groundsel tree.
Berberis	Barberry.
canadensis	American.

<b>Betula</b>		<b>Birch Tree.</b>
papyrifera		paper birch.
populifolia		poplar leaved.
serrulata		American alder.
nana?		dwarf birch.
<b>Bignonia</b>		<b>Trumpet Flower.</b>
catalpa		catalpa tree.
radicans		ash-leaved.
<b>Brunnichia</b>		<b>Brunnichia.</b>
cirrhosa		tendril bearing.
<b>Buxus</b>		<b>Box Tree.</b>
arborescens		tree box.
<i>v. aureo-variegata</i>		gold striped.
suffruticosa		dwarf box.
<b>Calycanthus</b>		<b>Sweet scented Shrub.</b>
acuminatus		long leaved.
floridus		glaucus leaved.
pennsylvanicus		Pennsylvanian.
pubescens		downy heart leaved.
<b>Carpinus</b>		<b>Hornbeam.</b>
americana		American or iron wood.
ostrya		hop hornbeam.
<b>Castanea</b>		<b>Chesnut Tree.</b>
americana		American common chesnut.
europaea		European chesnut.
pumila		chinquapin.
<b>Ceanothus</b>		<b>New Jersey Tea.</b>
americanus		New Jersey Tea.
erythrorhiza		red root of Georgia.
<b>Celastrus</b>		<b>Staff Tree.</b>
scandens		climbing.

<i>Celtis</i>		<b>Nettle Tree.</b>
<i>occidentalis</i>		common, and some other species.
<i>Cephalanthus</i>		<b>Buttonwood Shrub.</b>
<i>occidentalis</i>		American.
<i>Cercis</i>		<b>Judas Tree or Red-bud.</b>
<i>canadensis</i>		American.
<i>siliquastrum</i>		European.
<i>Chionanthus</i>		<b>Fringe Tree.</b>
<i>virginica</i>		common.
<i>Clematis</i>		<b>Virgin's Bower.</b>
<i>crispa</i>		curled.
<i>virginiana</i>		Virginian.
<i>Clethra</i>		<b>Clethra.</b>
<i>acuminata</i>		large.
<i>alnifolia</i>		smooth.
<i>scabra</i>		rough leaved.
<i>Colutea</i>		<b>Bladder Senna.</b>
<i>arborescens</i>		common.
<i>Cornus</i>		<b>Dogwood.</b>
<i>alba</i>		white berried.
<i>alternifolia</i>		alternate leaved.
<i>circinata</i>		spotted hairy.
<i>florida</i>		common dogwood.
<i>paniculata</i>		paniculated.
<i>sanguinea</i>		bloody or red twigged.
<i>sericea</i>		blue berried.
<i>stricta</i>		upright.
<i>asperifolia</i>		rough leaved.
<i>Coronilla</i>		<b>Coronilla.</b>
<i>emerus</i>		scorpion senna.
<i>Corylus</i>		<b>Hazelnut or Filbert.</b>
<i>americana</i>		American.

<i>avellana</i>	European hazelnut.
<i>v. avellana sativa</i>	<i>filbert.</i>
<i>rostrata</i>	cuckold or beaked.
<b>Comptonia</b>	<b>Comptonia.</b>
<i>asplenifolia</i>	sweet fern.
<b>Cratægus</b>	<b>Hawthorn.</b>
<i>coccinea</i>	scarlet fruited.
<i>cordata</i>	maple leaved.
<i>crus galli</i>	cockspur.
<i>oxycantha</i>	European hawthorn.
<i>v. flore plena</i>	<i>double flowering do.</i>
<i>spathulatus</i>	spatula leaved, and several others.
<b>Cupressus</b>	<b>Cypress Tree.</b>
<i>disticha</i>	deciduous or ball cypress.
<i>thuyoides</i>	white cedar.
<b>Cytisus</b>	<b>Cytisus.</b>
<i>laburnum</i>	laburnum tree.
<b>Daphne</b>	<b>Daphne.</b>
<i>mezerium</i>	red flowering mezereum.
<b>Dirca</b>	<b>Leatherwood.</b>
<i>palustris</i>	leatherwood, moose wood.
<b>Epigæa</b>	<b>Epigæa.</b>
<i>repens</i>	trailing arbutus, or pigeon berry.
<b>Euonymus</b>	<b>Spindle Tree.</b>
<i>americanus</i>	American.
<i>europæus</i>	European.
<i>atropurpureus</i>	dark purple.
<i>angustifolius</i>	narrow leaved.
<b>Fagus</b>	<b>Beech Tree.</b>
<i>ferruginea</i>	American Beech.

Fothergilla	Fothergilla.
alnifolia	alder leaved.
sp.	
Genista	Broom.
germanica.	prickly.
Gleditsia	Gleditsia.
triacanthos	three thorned Acacia.
Gordonia	Gordonia.
pubescens	commonly called Franklinia.
Gymnocladus	Gymnocladus.
canadensis	Kentucky coffee.
Halesia	Halesia.
diptera	two-winged snowdrop tree.
tetraptera	four-winged snowdrop tree.
Hamamelis	Witch Hazel.
virginica	common.
Hedera	Ivy.
helix	common.
Hibiscus	Hibiscus.
syriacus	althaea frutex.
v. flore plena	double purple.
v. flore plena albo	double white.
v. albus et rubro	red and white.
v. albus et rubro plena	double red and white.
v. albus et rub. variegata	variegated red and white
v. alb. et rub. var. plena	double variegated red and white.
v. foliis argenteo variegata	silver striped leaved.
Hydrangea	Hydrangea.
arborescens	common.
radiata	radiated.

<i>rugosa</i>	<i>rugosus.</i>
<i>quercifolia</i>	<i>oak leaved.</i>
<b>Hudsonia</b>	<b>Hudsonia.</b>
<i>ericoides</i>	<i>heath leaved.</i>
<b>Hypericum</b>	<b>St. John's wort.</b>
<i>frondosum</i>	<i>large flowering.</i>
<i>nudiflorum</i>	<i>naked flowered.</i>
<i>proliferum</i>	<i>proliferous.</i>
<b>Jasminum</b>	<b>Jasmine.</b>
<i>fruticans</i>	<i>yellow.</i>
<i>officinale</i>	<i>white.</i>
<i>v. fol. aureo variegatus</i>	<i>gold striped.</i>
<b>Juglans</b>	<b>Walnut Tree.</b>
<i>cinerea</i>	<i>butternut.</i>
<i>nigra</i>	<i>black walnut.</i>
<i>olivæformis</i>	<i>Peccan or Illinois nut.</i>
<i>obcordata</i>	<i>obcordated.</i>
<i>regia</i>	<i>European walnut.</i>
<b>Juniperus</b>	<b>Juniper.</b>
<i>suecica</i>	<i>Swedish.</i>
<i>virginiana</i>	<i>Virginian red cedar.</i>
<b>Ilex</b>	<b>Holly.</b>
<i>aquifolium</i>	<i>European holly.</i>
<i>echinatum</i>	<i>hedgehog holly.</i>
<i>opaca</i>	<i>American holly.</i>
<i>canadensis</i>	<i>black alder.</i>
<b>Itea</b>	<b>Itea.</b>
<i>cyrilla</i>	
<i>virginica</i>	<i>common.</i>
<b>Kalmia</b>	<b>Kalmia or Laurel.</b>
<i>angustifolia</i>	<i>narrow leaved.</i>
<i>glaucia</i>	<i>glaucous.</i>
<i>latifolia</i>	<i>broad leaved.</i>

Lavandula	Lavender.
spica	common.
Laurus	Bay Tree.
benzoin	wild spice or spice wood.
sassafras	sassafras.
Ledum	Ledum.
buxifolium	box leaved.
Ligustrum	Privet.
vulgare	common.
Liquidamber	Sweet Gum.
styraciflua	maple leaved.
Lireodendron	Tulip Tree or Poplar.
tulipifera	white wood, white poplar.
Lonicera	Honeysuckle.
diervilla	yellow.
dioica	glaucus.
grata	evergreen scarlet.
tatarica	Tartarian upright.
symphoricarpos	St. Peter's wort.
sp.	
xylosteum	fly honeysuckle.
Lycium	Box Thorn.
barbarum	willow leaved.
Magnolia	Magnolia.
acuminata	cucumber tree.
auriculata	ear leaved.
glauca	swamp or sweet scented.
glaucoides	large upright growing.
cordata	yellow flowering.
grandiflora	great flowering—
macrophylla	large leaved.
tripetala	umbrella tree.

<i>Menispermum</i>		Moon seed.
<i>canadense</i>		Canadian.
<i>Mespilus</i>		Medlar.
<i>arbutifolia</i>		arbutus leaved.
<i>canadensis</i>		snowy.
<i>pyracantha</i>		evergreen thorn.
<i>sp. nova</i>		
<i>Menziesia</i>		Menziesia.
<i>globosa</i>		globular flowered.
<i>Mitchella</i>		Mitchella.
<i>repens</i>		creeping.
<i>Morus</i>		Mulberry.
<i>alba</i>		white.
<i>rubra</i>		red or American.
<i>papyrifera</i>		Chinese paper mulberry.
<i>Myrica</i>		Candleberry Myrtle.
<i>cerifera</i>		common.
<i>Nyssa</i>		Tupelo Tree.
<i>villosa</i>		sour gum.
<i>sp.</i>		
<i>Periploca</i>		Periploca.
<i>græca</i>		common or silk vine.
<i>Philadelphus</i>		Syringa or Mockorange.
<i>coronarius</i>		common mock-orange.
<i>inodorus</i>		Carolina mock-orange.
<i>Pinus</i>		Pine or Fir Tree.
<i>alba</i>		yew leaved silver fir.
<i>balsamea</i>		balm of Gilead do.
<i>canadensis</i>		hemlock spruce.
<i>nigra</i>		black spruce.
<i>v.</i>		white spruce.
<i>cedrus</i>		cedar of Lebanon.

<i>inops</i>	Jersey pine.
<i>strobos</i>	white or Weymouth pine.
<i>larix</i>	European larch.
<i>pendula</i>	American larch.
<i>Platanus</i>	Plane Tree or Button-wood.
<i>occidentalis</i>	American.
<i>orientalis</i>	European.
<i>Populus</i>	Poplar Tree.
<i>angulata</i>	angular or cotton tree.
<i>balsamifera</i>	Tacamahac.
<i>candicans</i>	heart leaved (called Athenean.)
<i>dilitata</i>	Lombardy.
<i>heterophylla</i>	various leaved.
<i>nigra</i>	black.
<i>Potentilla</i>	Cinquefoil.
<i>fruticosa</i>	shrubby.
<i>Pyrularia</i>	Pyrularia.
<i>pubera</i>	the oil nut.
<i>Prinos</i>	Winter Berry.
<i>glaber</i>	evergreen.
<i>verticellatus</i>	verticillate, and many other nondescript species.
<i>Prunus</i>	Cherry Tree.
<i>nigra</i>	black cherry tree.
<i>pennsylvanica</i>	upright cherry tree.
<i>canadensis</i>	common bird cherry.
<i>Ptelea</i>	Shrubby Trefoil.
<i>trifoliata</i>	three leaved.
<i>Pyrus</i>	Pear or Apple.
<i>baccata</i>	Siberian crab.

*coronaria*  
*cydonia*

sweet scented crab.  
common quince.

**Quercus**  
*robur*

**Oak Tree.**

English oak, and many  
other species.

**Rhamnus**  
*sp. nova*  
*sp. uncertain*

**Buck Thorn.**

dye do. from Tennessee.

**Rhododendron**  
*maximum*  
*punctatum*

**Rose Bay.**

mountain laurel.  
dotted red flowering.

**Rhodora**  
*canadensis*

**Rhodora.**

Canadian.

**Rhus**  
*cotinus*  
*glabrum*  
*elegans*  
*radicans*  
*typhinum*  
*vernix*  
*pumila*

**Sumach.**

Venice.  
common.  
Carolina.  
poison vine.  
stag's horn or wooly.  
poison ash or varnish tree.  
dwarf Carolina.

**Ribes**  
*cynosbati*  
*gracilis*  
*floridum*  
*sp. nova*  
*sp. nova*

**Currant.**

prickly fruited,  
slender.  
American black.  
Missouri currant.  
Missouri gooseberry.

**Robinea**  
*hispida*  
*pseudo-acacia*  
*viscosa*

**Locust Tree.**

rose acacia.  
common black locust tree.  
clammy.

**Rosa**  
*alba*

**Rose.**

single white rose.

<i>v. flore plena</i>	double white rose.
<i>belgica incarnata</i>	blush flowered Belgic rose
<i>burgundiaca</i>	Burgundy rose.
<i>centifolia incarnata</i>	blush hundred leaved rose. <i>Singleton's</i> hundred leaved rose.
<i>cinnamomea</i>	<i>Sultana</i> do. do.
<i>v. flore plena</i>	<i>Bishop's</i> do. do.
<i>damascena</i>	<i>Stepney</i> do. do.
<i>eglantaria</i>	<i>garnet</i> do. do.
<i>gallica rosa mundi</i>	cinnamon.
<i>holosericia plena</i>	double cinnamon rose.
<i>incarnata</i>	damask rose.
<i>lutea</i>	sweet-briar rose.
<i>v. flore plena</i>	<i>rosa mundi</i> rose.
<i>v. bicolor</i>	double velvet rose.
<i>marmorea</i>	black velvet rose.
<i>menstrua</i>	maiden's blush rose.
<i>v. flore alba</i>	blush rose from Holland.
<i>moschata plena</i>	superb blush from do.
<i>pennsylvanica plena</i>	single yellow rose.
<i>pimpinellifolia</i>	double yellow rose.
<i>v. flore plena</i>	red and yellow Austrian rose.
<i>provincialis</i>	marbled rose.
<i>v. capitata</i>	red monthly rose.
<i>v. proliifera</i>	white monthly rose.
<i>v. muscosa</i>	double white musk rose.
<i>v. unique</i>	double Pennsylvanian rose.
<i>regia</i>	burnet-leaved rose.
<i>semperfirens</i>	double burnet-leaved rose.
<i>spinosisima</i>	Province rose.
<i>villosa alba plena</i>	<i>cabbage</i> Province rose.
	<i>Childing's</i> Province rose.
	<i>moss</i> Province rose.
	<i>unique</i> Province rose.
	great royal rose.
	evergreen rose.
	white Scotch rose.
	double white apple bearing rose.

<i>rubra plena</i>	double red apple bearing rose.
<i>virginalis</i>	royal virgin rose.
sp.?	red rose.
sp.?	St. Francis's rose.
sp.?	Kingston's Portugal rose.
sp.?	Portland rose.
sp.?	Pompadore rose.
sp.?	rose of Sharon rose.
<b>Rubus</b>	<b>Bramble—Raspberry.</b>
<i>hispidus</i>	hispid.
<i>fruticosa</i>	blackberries.
<i>occidentalis</i>	American raspberry.
<b>Ruta</b>	<b>Rue.</b>
<i>graveolens</i>	common rue.
<b>Salisburia</b>	<b>Maidenhair Tree.</b>
<i>adiantifolia</i>	Japanese maidenhair tree.
<b>Salix</b>	<b>Willow.</b>
<i>babylonica</i>	weeping willow.
<i>caprea variegata</i>	variegated sallow.
<i>vitallina</i>	yellow willow.
<b>Sambucus</b>	<b>Elder Tree.</b>
<i>nigra</i>	common elder.
<i>pubescens</i>	mountain elder.
<b>Schisandra</b>	<b>Schisandra.</b>
<i>coccinea</i>	scarlet flowering.
<b>Smilax</b>	<b>Smilax.</b>
<i>quadrangularis</i>	square stalked, and several other species.
<b>Solanum</b>	<b>Nightshade.</b>
<i>dulcamara</i>	bitter sweet.
<b>Sorbus</b>	<b>Service Tree.</b>
<i>canadensis</i>	American mountain ash.

Spartium scoparium	Broom. English broom.
Spiræa montana opulifolia tomentosa	Spiræa. mountain. nine-bark spiræa. downy leaved red flower- ing.
Staphylea pinnata trifolia	Bladder Nut. pinnated. three-leaved.
Stewartia malacodendron	Stewartia. Virginian.
Styrax grandifolium lævigatum sp. nova	Styrax. large leaved. smooth leaved.
Syringa vulgaris alba <i>v. flore cœrulea</i> persica <i>v. laciniata</i>	Lilac. <i>white flowering</i> lilac. <i>blue flowering</i> lilac. Persian lilac. <i>cut leaved</i> Persian lilac.
Taxus baccata procumbens	Yew Tree. European. American.
Thuya occidentalis orientalis	Arbor Vitæ. American—white cedar. Chinese.
Tilia europæa americana	Lime or Linden Tree. European. American do. or Linn, and several other species.
Ulmus americana alata	Elm. American. dwarf.

<b>Vaccinium</b>	<b>Whortleberry.</b>
buxifolium	box-leaved.
diffusum?	
corembosum	
fuscatum?	
frondosum	obtuse leaved.
glaucum	glaucous.
hispidulum	hispid stalked trailing.
macrocarpon	American cranberry.
erythrocarpum	red fruited.
pennsylvanicum	green twigged.
resinosa	clammy.
stameneum	
tenellum	gale leaved.
<b>Viburnum</b>	<b>Viburnum.</b>
acerifolium	maple leaved.
cassinoides	South Sea tea.
dentatum	dentated leaved.
lentago	black haw.
nudum	common swamp viburnum
opulus	Guelder rose.
<i>v. roseum</i>	snow-ball, and several other species.
<b>Vitis</b>	<b>Vine or Grape.</b>
labrusca	fox-grape.
riparia	river grape—Ohio grape.
rotundifolia	Muscadine—bullet—bull, grape.
vinifera	common wine grape.
<b>Zanthorrhiza</b>	<b>Yellow Root.</b>
apiifolia	parsley leaved.
<b>Zanthoxylum</b>	<b>Toothach Tree.</b>
ramiflorum	common.

## HERBACEOUS PLANTS.

Achillea	Yarrow or Milfoil.
<i>millifolium</i>	common.
Aconitum	Wolf's Bane.
<i>sp. nova</i>	twining many flowered.
Actaea	Herb Christopher.
<i>racemosa</i>	black snake root.
<i>spicata</i>	coral and pearl.
Agrostemma	Rose Campion.
<i>coronaria</i>	common.
Alisma	Water Plantain.
<i>plantago</i>	common.
Allium	Onion Garlic.
<i>obliquum?</i>	oblique leaved, and several other species.
Alcea	Hollyhock.
<i>rosea</i>	hollyhock, many varieties.
Anemone	Anemone or Wind- flower.
<i>hortensis</i>	garden anemone, many cu- rious varieties.
<i>hepatica</i>	hepaticas several varieties.
<i>thalictroides fl. plena</i>	<i>double flowering.</i>
Angelica	Angelica.
<i>archangelica</i>	garden angelica.
Aquilegia	Columbine.
<i>canadensis</i>	scarlet or wild.

<b>Asarum</b>	<b>Wild Ginger.</b>
canadense	white snake root.
sp. nova	
<b>Asclepias</b>	<b>Swallow-wort.</b>
amoena	oval leaved.
decumbens	orange flowering.
incarnata	flesh coloured.
pulchra	river.
syriaca	common.
<b>Aster</b>	<b>Star-wort.</b>
	many species.
<b>Astragalus</b>	<b>Milk Vetch.</b>
carolinianus	Carolina.
<b>Bupleurum</b>	<b>Ox Eye.</b>
hilianthoides	smooth.
<b>Cassia</b>	<b>Cassia.</b>
marilandica	false acacia.
sp.?	Muskingum cassia.
<b>Chelone</b>	<b>Chelone.</b>
glabra	white flowering.
barbata	bearded Peruvian.
<b>Cimicifuga</b>	<b>Cimicifuga.</b>
americana	common.
palmata	palmated.
<b>Convolvulus</b>	<b>Bind Weed.</b>
panduratus	fiddle leaved, and several other species.
<b>Convallaria</b>	<b>Solomon's Seal.</b>
majalis	common lily of the valley.
<b>Coreopsis</b>	<b>Tickseed Sunflower.</b>
auriculata	ear leaved.

latifolia	broad leaved.
senifolia	senna leaved, and several other species.
<b>Cornus</b>	<b>Dogwood, Dogberry.</b>
canadensis	Canadian.
<b>Cynanchum</b>	<b>Cynanchum.</b>
obliquum	oblique flowered.
<b>Dalibarda</b>	<b>Dalibarda.</b>
fragaroides	strawberry leaved.
violæoides	violet leaved.
<b>Dianthus</b>	<b>Pink or Carnation.</b>
barbatus	sweet William.
caryophyllus	carnation.
deltoides	pink.
<b>Digitalis</b>	<b>Foxglove.</b>
ferruginea	iron coloured.
purpurea	purple.
<b>Dioscorea</b>	<b>Yam.</b>
verticellata	verticellated.
<b>Diphylleia</b>	<b>Diphylleia.</b>
cymosa	two leaved.
<b>Dodecatheon</b>	<b>American Cowslip.</b>
Meadia	Mead's.
<b>Dracocephalum</b>	<b>Dragon's Head.</b>
denticulatum	denticulated leaved.
<b>Echinops</b>	<b>Globe Thistle.</b>
spærocephalus	greater.
<b>Epilobium</b>	<b>Willow Herb.</b>
angustifolium	
<b>Eryngium</b>	<b>Sea Holly.</b>
yuccifolia	yucca leaved.

<b>Erythrorhiza</b> <i>rotundifolia</i>	<b>Erythrorhiza.</b> round leaved.
<b>Eupatorium</b> <i>perfoliatum</i>	<b>Eupatorium.</b> bone set—thorough wax, and several other species.
<b>Fumaria</b> <i>cucullaria</i> <i>lutea</i> <i>speciosa</i>	<b>Fumitory.</b>  small yellow flowering. showy.
<b>Gentiana</b> <i>saponaria</i>	<b>Gentian.</b> soapwort gentian.
<b>Geranium</b> <i>maculatum</i> <i>moschatum</i>	<b>Crane's Bill.</b> spotted leaved. musk.
<b>Geum</b> sp. nova	<b>Avens.</b>
<b>Glechoma</b> <i>hederacea</i>	<b>Ground Ivy.</b> common.
<b>Glycine</b> <i>apios</i> <i>comosa</i>	<b>Glycine.</b> tuberous. hairy.
<b>Hedysarum</b> <i>canadense</i>	<b>Hedysarum.</b> Canadian.
<b>Helianthus</b> <i>angustifolius</i>	<b>Sunflower.</b> narrow leaved, and several other species.
<b>Helonias</b> <i>asphodeloides</i> <i>bullata</i>	<b>Helonias.</b> asphodel leaved. broad leaved.
<b>Helleborus</b> <i>trifolius</i>	<b>Hellebore.</b> gold thread.

<b>Hemerocallis</b>		<b>Day Lily.</b>
cœrulea		Japanese blue flowering.
flava		yellow.
fulva		orange.
<b>Hesperis</b>		<b>Dame's Violet.</b>
matronalis		rocket.
<b>Heuchera</b>		<b>Heuchera.</b>
villosa		hairy.
sp. nova		
<b>Hibiscus</b>		<b>Hibiscus.</b>
grandiflorus		great flowering.
militaris		hastated.
moscheutos		
palustris		marsh.
speciosus		scarlet.
<b>Humulus</b>		<b>Hop.</b>
lupulus		common hop.
<b>Hyacinthus</b>		<b>Hyacinth.</b>
orientalis		garden do. many curious sorts.
<b>Hydrophyllum</b>		<b>Water Leaf.</b>
apendiculatum		
virginicum		Virginian.
<b>Hypericum</b>		<b>St. John's Wort.</b>
macrocarpon		large capsuled.
<b>Inula</b>		<b>Elecampane.</b>
helenium		common broad leaved.
ris		
cristata		<b>Iris or Flower de Luce.</b>
cuprea		crested.
versicolor		copper coloured.
virginica		various coloured.
		Virginian.

<b>Ixia</b>		<b>Ixia.</b>
chinensis		Chinese..
<b>Liatris</b>		<b>Liatris.</b>
elegans		rose spiked.
spicata		long spiked.
squarrulosa?		
sp. nova		
<b>Lilium</b>		<b>Lily.</b>
canadense		Canadian.
candidum		white garden lily.
philadelphicum		Philadelphian.
superbum		superb.
<b>Lobelia</b>		<b>Lobelia.</b>
cardinalis		scarlet or cardinal flower.
syphilitica		large blue.
<b>Lupinus</b>		<b>Lupin.</b>
perennis		perennial rooted.
<b>Lychnis</b>		<b>Lychnis.</b>
chalcedonica		scarlet.
v. flore plena		double flowering scarlet.
<b>Marrubium</b>		<b>Horehound.</b>
vulgare		common.
<b>Melissa</b>		<b>Balm.</b>
nepeta		wild balm.
officinalis		garden balm.
<b>Mentha</b>		<b>Mint.</b>
piperita		peppermint.
spicata		spearmint.
<b>Mimulus</b>		<b>Monkey Flower.</b>
alatus		winged stalked.
<b>Monarda</b>		<b>Lion's Tail.</b>
didyma		scarlet.
sp. nova		

<i>Mitella</i>	<i>Mitella.</i>
<i>diphylla</i>	two leaved.
<i>Mimosa</i>	<i>Mimosa.</i>
<i>glandulosa</i>	glandular.
<i>illinoensis</i>	Illinois.
<i>Napaea</i>	<i>Napaea.</i>
<i>lævis</i>	smooth.
<i>scabra</i>	rough.
<i>Oenothera</i>	<i>Tree Primrose.</i>
<i>glaucia</i>	glaucous.
<i>grandiflora</i>	great flowering.
<i>fruticosa</i>	perennial.
<i>Paeonia</i>	<i>Pæony.</i>
<i>officinalis</i>	common garden do. several colours.
<i>Parthenium</i>	<i>Bastard Feverfew.</i>
<i>integrifolium</i>	entire leaved.
<i>Passiflora</i>	<i>Passion Flower.</i>
<i>incarnata</i>	flesh coloured.
<i>lutea</i>	yellow.
<i>Penstemon</i>	<i>Penstemon.</i>
<i>pubescens</i>	purple flowering.
sp.?	
<i>Phlox</i>	<i>Phlox.</i>
<i>divaricata</i>	pale blue.
<i>maculata</i>	spotted stalked.
<i>ovata</i>	ovate leaved.
<i>paniculata</i>	panicked.
<i>subulata</i>	awl shaped.
<i>undulata</i>	waved leaved, and several other species.

<i>Podophyllum</i>		Duck's Foot, or May Apple.
diphyllum		two leaved.
peltatum		peltated.
<i>Polemonium</i>		Greek Valerian.
reptans		creeping rooted.
<i>Polianthes</i>		Tuberose.
tuberosa		double flowering.
<i>Polymnia</i>		Polymnia.
canadensis		Canadian.
<i>Polygala</i>		Milk Wort.
seneka		seneka snake root.
<i>Poterium</i>		Burnet.
sanguisorba		garden burnet.
<i>Primula</i>		Primrose, Auricula.
auricula		auricula, many varieties.
polyanthus		polyanthus, many varieties.
veris		primrose, some varieties.
<i>Prunella</i>		Self-Heal.
pennsylvanica		American.
<i>Pulmonaria</i>		Lung Wort.
virginica		Virginian.
<i>Ranunculus</i>		Ranunculus.
asiaticus		garden do. many curious varieties.
<i>Rhexia</i>		Rhexia.
virginica		common.
<i>Rubia</i>		Madder.
tinctorum		dyer's.

Rudbeckia digitata	Rudbeckia. digitated, and several others.
Salvia officinalis sclarea	Sage. garden sage. clary.
Sanguinaria canadensis	Poccoon, Blood Root. poccoon, or Indian paint.
Sanguisorba canadensis	Burnet Saxifrage. Canadian.
Saponaria officinalis <i>fl. plena</i>	Soap Wort. <i>double flowering.</i>
Scrophularia marilandica	Fig Wort. American.
Scutellaria hyssopifolia	Skull Cap. hyssop leaved, and several other species.
Sedum telephium ternatum	Stone Crop. common orpine. three leaved.
Silphium persfoliatum terebinthinaceum	Silphium. perfoliate. broad leaved, and several other species.
Sida abutilon sp.	Sida. large leaved.
Sisyrinchium bermudiana	Sisyrinchium. common.
Solidago maritima	Golden Rod. maritime, and several other species.

Spigelia		Worm Grass.
<i>marilandica</i>		pink root.
Spiræa.		Spiræa.
<i>stipulacea</i>		Indian physic.
<i>trifoliata</i>		
Stachys		Base Horehound.
<i>lanata</i>		woolly.
Stellaria		Stellaria.
<i>pubera</i>		pubescent.
Symphytum		Comfrey.
<i>officinale fl. albo</i>		white flowering.
Tabernæmontana		Tabernæmontana.
<i>amsonia</i>		broad leaved.
<i>salicifolia</i>		willow leaved.
Tiarella		Tiarella.
<i>cordifolia</i>		heart leaved.
Trillium		Trillium.
<i>erectum</i>		upright.
<i>pictum</i>		painted.
<i>sessile</i>		sessil.
Trollius		Trollius.
<i>americanus</i>		American.
Valeriana		Valerian.
Phu		garden valerian.
Verbena		Vervain.
<i>hastata</i>		spear leaved.
<i>nodiflora</i>		headed.
sp. nova		
Viola		Violet.
<i>odorata plena</i>		double sweet European violet.
<i>striata</i>		Pittsburg violet.
<i>stricta</i>		upright violet.

## FRUIT TREES.

### Apples.

Those marked thus \* are cider fruit.

Those marked thus \*\* are celebrated for the table and cider.

- |                            |  |
|----------------------------|--|
| 1 Juneating.               | 35 Late bough.   |
| 2 Early queen.             | 36 Early harvest.  |
| 3 Newtown pippin.          | 37 Collot.   |
| 4 ** Pennock's red.        | 38 Jacob apple.  |
| 5 Large doctor.            | 39 * House apple.  |
| 6 Long pippin.             | 40 Vandever.   |
| 7 ** American pippin.      | 41 * Virginia or Hughes's<br>crab.   |
| 8 ** Rambour.              | 42 Nonesuch.   |
| 9 French rennet.           | 43 Red summer Colville.  |
| 10 Paradise apple.         | 44 Monstrous bellflower.   |
| 11 Golden rennet.          | 45 Nonpareil.  |
| 12 Autumn Calville.        | 46 Shippin's russetting (ad-<br>mired for stewing and<br>cider, great bearer.) |
| 13 ** Golden pippin.       | 47 Royal russet.   |
| 14 Royal pippin.           | 48 Priestley.  |
| 15 Golden pearmain.        | 49 Newark pippin.  |
| 16 Early bough.            | 50 Royal curpender.  |
| 17 ** Orange pippin.       | 51 Kirton pippin.  |
| 18 Maiden's blush.         | 52 Scarlet pearmain.   |
| 19 Bellflower of Brent.    | 53 Fearn's pippin.   |
| 20 Kentish codling.        | 54 Monstrous rennet.   |
| 21 Spice spitzenberg.      | 55 Loan's pearmain.  |
| 22 Flanders pippin.        | 56 Margill.  |
| 23 Cathead.                | 57 Quince apple.   |
| 24 English codling.        | 58 Red coster.   |
| 25 Brunette.               | 59 Lemon pippin.   |
| 26 ** Newtown Spitzenberg  | 60 Kentish pippin.   |
| 27 White sweeting.         | 61 Kentish fillbasket.   |
| 28 Red and green sweeting. | 62 Holland pippin.   |
| 29 ** Esopus Spitzenberg.  | 63 Margaret.   |
| 30 Rhode Island greening.  | 64 Golden mundi.   |
| 31 Seek no farther.        | 65 Scarlet quince apple.   |
| 32 Fall pippin.            | 66 Ribston pippin.   |

- |                       |                                     |
|-----------------------|-------------------------------------|
| 67 King apple.        | 72 Porringer.                       |
| 68 English Priestley. | 73 Sweet Vandever.                  |
| 69 ** Wine sop.       | 74 Double blossom.                  |
| 70 Sweet pippin.      | 75 Siberian crab, (for preserving.) |
| 71 Sweet Spitzenberg. |                                     |

**Pears.**

- |  |                            |
|--|----------------------------|
| 1 White lady.                                    | 34 Early muscat.           |
| 2 Gray beurree.                                  | 35 Jargonelle.             |
| 3 Red beurree.                                   | 36 Orange bergamot.        |
| 4 White beurree.                                 | 37 Large summer muscat.    |
| 5 Lemon bergamot.                                | 38 Autumn bergamot.        |
| 6 July pear.                                     | 39 Golden bergamot.        |
| 7 British bergamot.                              | 40 St. Germain's.          |
| 8 Windsor pear.                                  | 41 Holland pear, (fine.)   |
| 9 Paddington pear.                               | 42 Vert longue panacheed.  |
| 10 Virgoleuse.                                   | 43 Crassan.                |
| 11 Gray sugar.                                   | 44 Hampton Court bergamot. |
| 12 Early sugar.                                  | 45 Green chissel.          |
| 13 Large sugar.                                  | 46 Bensel's winter pear.   |
| 14 Kindrick's early beurree de roi, (very fine.) | 47 Wyatt's.                |
| 15 La lishäre.                                   | 48 Golden beurree.         |
| 16 Clifton's beurree de roi.                     | 49 Wilding of Lassoy.      |
| 17 Early chaumentelle.                           | 50 Frank real.             |
| 18 Skinless.                                     | 51 Red muscadel.           |
| 19 Autumn bonchretien.                           | 52 Winter Thorn.           |
| 20 Winter bonchretien.                           | 53 Tarling.                |
| 21 Seckel's pear.                                | 54 Citron des carmes.      |
| 22 Vine pear.                                    | 55 Winter bergamot.        |
| 23 Verte longue.                                 | 56 Winter beurree.         |
| 24 Rousselet.                                    | 57 Moorfowl's egg.         |
| 25 Cinnamon.                                     | 58 Auchan.                 |
| 26 Summer bergamot.                              | 59 L'Echasserie.           |
| 27 Summer bonchretien.                           | 60 St. Martial.            |
| 28 Doyenne.                                      | 61 Colmar.                 |
| 29 Mouille Bouche.                               | 62 Gansel's bergamot.      |
| 30 Good texmin.                                  | 63 Poir d'Auch.            |
| 31 Sotte bell.                                   | 64 Great russet.           |
| 32 Supreme.                                      | 65 August muscat.          |
| 33 Peach pear.                                   | 66 Red jennet.             |

## Peaches.

Those marked \* are clingstones, or such whose flesh adheres to the stones.

- |                                      |                              |
|--------------------------------------|------------------------------|
| 1 * Kennedy's Carolina.              | 23 Monstrous.                |
| 2 Morris's large luscious red.       | 24 * Large blood.            |
| 3 Morris's large luscious white.     | 25 * Eton de Venus.          |
| 4 * Late heath.                      | 26 * Stocker's seedling.     |
| 5 * Large yellow.                    | 27 Yellow nutmeg.            |
| 6 * Pine apple.                      | 28 Congress.                 |
| 7 * Oldmixon.                        | 29 Large early.              |
| 8 * Old Newington.                   | 30 Early Ann.                |
| 9 * Early Newington.                 | 31 English swalsh.           |
| 10 White nutmeg.                     | 32 Green Catharine.          |
| 11 White blossom.                    | 33 Chancellor.               |
| 12 * White winter.                   | 34 Monstrous pavie.          |
| 13 * Lemon.                          | 35 Large early rare ripe.    |
| 14 Red nutmeg.                       | 36 * Carolina incomparable.  |
| 15 Double Montauban.                 | 37 President.                |
| 16 * Noblesse.                       | 38 Red cheek malacoton.      |
| 17 * Grosse Galante.                 | 39 Prince's lemon.           |
| 18 * Royal George.                   | 40 * Barcelona yellow.       |
| 19 Purple hative.                    | 41 Coperthwait's preserving  |
| 20 Orange.                           | 42 * Very superior.          |
| 21 * Admirable (large and luscious.) | 43 Double blossomed.         |
| 22 Grosse Mignonne.                  | 44 Oldmixon's large clear.   |
|                                      | 45 Feestone heath.           |
|                                      | 46 Elizabethtown fine large. |
|                                      | 47 New York rare ripe.       |

## Nectarines.

- |                |                    |
|----------------|--------------------|
| 1 Red Roman.   | 3 Elrige.          |
| 2 White Roman. | 4 Queen Charlotte. |

## Apricots.

- |                |                         |
|----------------|-------------------------|
| 1 Roman.       | 5 Moore Park or Peach.. |
| 2 Large early. | 6 Blanch.               |
| 3 Breda.       | 7 Transparent.          |
| 4 Brussels.    | 8 Algiers.              |

## Plumbs.

- |                        |                     |
|------------------------|---------------------|
| 1 Blue gage.           | 8 Green gage.       |
| 2 Red oblong.          | 9 Orleans.          |
| 3 Imperial violet.     | 10 Copper coloured. |
| 4 White gage.          | 11 Yellow egg.      |
| 5 Cooper's large.      | 12 Bryan's gage.    |
| 6 Red imperial.        | 13 Prune.           |
| 7 Cooperthwait's gage. | 14 Magnum Bonum.    |

## Cherries.

- |                     |                      |
|---------------------|----------------------|
| 1 Early May.        | 11 Cooper's morello. |
| 2 May duke.         | 12 Black heart.      |
| 3 Elkhorn.          | 13 White heart.      |
| 4 Ox heart.         | 14 Coronne.          |
| 5 Amber heart.      | 15 Montmorency.      |
| 6 Bleeding heart.   | 16 Imperial.         |
| 7 Carnation.        | 17 Portugal.         |
| 8 Archduke.         | 18 Hertfordshire.    |
| 9 Kentish.          | 19 Tradescant.       |
| 10 English morello. | 20 Double blossomed. |

## Gooseberries.

About thirty of the best European kinds, and some others.

## Currants.

- |          |          |
|----------|----------|
| 1 Red.   | 3 Black. |
| 2 White. |          |

## Raspberries.

- |                  |                  |
|------------------|------------------|
| 1 Common red.    | 3 White Antwerp. |
| 2 Twice bearing. | 4 Red Antwerp.   |

## Dutch Medlar.

## Figs.

## Grape Vines.

## Strawberries, &amp;c. &amp;c.

D. & C. LANDRETH have constantly on hand, for sale, a collection of the most useful and esteemed kinds of garden seeds of their own raising, which they will warrant to be fresh and genuine of their kinds.

Orders addressed to them at the Nursery, or (during market hours) on Wednesdays and Saturdays at their stall, southwest corner of the old courthouse in Market street will be thankfully received and punctually attended to.

