GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 3103

(2) Folder title/number: (17)
Reparations General - 21st Naval Air Depot, Omura

(3) Date: Mar. 1946 - Dec. 1950

(4) Subject:

| Classification | Type of record |
|---|---|
| 9212, 9230 | z |

(5) Item description and comment:
Nagasaki

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

KYUSHU INFORMATION
DEC 19 1950
O.D. 1 1

27-04

2070

GENERAL HEADQUARTERS
SUPREME COMMANDER FOR THE ALLIED POWERS
Economic and Scientific Section
APO 500

387.6(6 Dec 50)ESS/IND

WT/MWH/RAS/YY
6 December 1950

MEMORANDUM FOR: Reparations Agency, Tokyo

SUBJECT: Application for Movement and Authorized Use of Items Listed for Reparations

1. Reference is attached R.A.R. No. 1228 (MS), 28 September 1950, subject: Application for Movement and Authorized Use of Reparations Equipment of 21st Naval Air Depot (Code No. 27-04) Filed by Nagasaki Nosan Kagaku Kogyo Co., Ltd. (Nagasaki Agricultural Chemical Industry Co., Ltd.) (Non-Reparations Plant).

2. The application requesting permission for the transfer and authorized use of the two (2) items of reparations machinery and equipment listed in reference 1, above, is approved as indicated below:

| Present Location | No. of Items | To Be Transferred To |
|---|---|---|
| 21st Naval Air Depot (27-04) | 2 | Nagasaki Nosan Kagaku Kogyo Co., Ltd. 410, Namimatsugo, Omura City, Nagasaki Pref. |

3. A rental fee shall be established for the authorized use of the equipment listed in reference 1, above, based upon current valuation and comparable to rental charges assessed by private interests for the use of similar equipment.

4. This permit is issued subject to any and all directives affecting reparations plants which have been issued or may hereafter be issued by the Supreme Commander for the Allied Powers. Reports will be rendered as required by current directives and instructions.

FOR THE CHIEF, ECONOMIC AND SCIENTIFIC SECTION:

MAURICE M. CLASS
Chief, Industry Division

1 Incl
as indicated
(dup)

Cys furnished:
CA Sec (dup)
CPC

MEMO FOR RECORD:
The above ltr is self-explanatory.
M. M. C.

Mr. R.A. Steele:
26-7842

CA Sec Copy

To : General Headquarters, Supreme Commander for the Allied Powers.

From : Reparations Agency, Tokyo.

Subject: Application for Movement and Authorized Use of Reparations Equipment of 21st Naval Air Depot (Code No. 27-04) Filed by Nagasaki Nosan Kagaku Kogyo Co., Ltd. (Nagasaki Agricultural Chemical Industry Co., Ltd.) (Non-Reparations Plant).

R.A.R. No. 1228 (NS) 26 September 1950.

1. The Reparations Agency hereby submits to your Headquarters an application for movement and authorized use of 2 (two) items of reparations equipment now lying idle in the 21st Naval Air Depot (Code No. 27-04) filed by the Nagasaki Nosan Kagaku Kogyo Co., Ltd. (Nagasaki Agricultural Chemical Industry Co., Ltd.) (non-reparations plant), together with an application of the Ministry of Finance and a recommendation of the Ministry of Agriculture and Forestry as enclosed herewith.

2. This application has been investigated and has been coordinated with other interested government agencies.

3. It is requested that your most favorable consideration be given to this application at the earliest practicable date.

( Y. Katsuno )
Director, Reparations Division,
Reparations Agency.

Incls:
1. Application of the Ministry of Finance.
2. Recommendation of the Ministry of Agriculture and Forestry.
3. Application of the subject company.

Incl 1

LIST OF FACILITIES FOR APPLICATION.

Code No. : 27 - 4.

Name of Plant : Omura No.2Est Air Depot

Address of Plant: Matsunami-cho, Omura City, Nagasaki Prefecture

Name of Applicant: Matsuji Koga, Nagasaki Nosan Kagaku Kogyo Co.,Ltd.
410 Naminatsuto, Omura City, Nagasaki Prefecture.

I Machinery

| Inv.No. | Name of machine. | Brief Specification. | Quantity. |
|---|---|---|---|
| 27-4-7597 | Tank | Diameter x height 2.86 x 3 m | I |
| 27-4-7598 | " | " | I |
| Total | | | 2 |

CJM/mw/rh

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, Japan

APO 24-5
20 April 1949

387.6

File
387.4

SUBJECT: Application for Authorized Use of Reparations Equipment

THRU : Commanding Officer, Kyushu Mil Govt Region, APO 24-5
(Attn: Reparations Section)

TO : Commanding General, Hqs Eighth Army, APO 343
(Attn: Reparations Section)

1. Reference is made to paragraph 4 (2) of Operational Directive 21/1, Headquarters Eighth Army, dated 1 March 1949, subject: "Japanese Industrial Reparations Facilities".

2. In compliance with the above reference this headquarters highly recommends that the following reparations equipment be placed in "Authorized Use".

a. A complete water pumping intergrated facility, which is composed of the following items of equipment.

(1) Pumping Station # 1

| | | |
|---|---|---|
| Transformer | 27-4-2844 | 20 KVA |
| " | 27-4-2845 | 20 KVA |
| Motor & Pump | 27-4-2293 | 50 HP |
| Motor & Pump | 27-4-2294 | 50 HP |

Filter tanks (2)(Non-inventoried) 2,800 gal. ea.

(2) Pumping Station # 2

| | | |
|---|---|---|
| Transformer | 27-4-2766 | 50 KVA |
| " | 27-4-2767 | 50 KVA |
| " | 27-4-2768 | 50 KVA |
| " | 27-4-2794 | 15 KVA |
| Motor & Pump | 27-4-2523 | 30 HP |
| " " | 27-4-2524 | 30 HP |

SUBJECT: Ltr Nag Mil Govt Team, APO 24-5, dtd 20 April 1949, subj: Application for Authorized Use of Reparations Equipment.

Oil Switch (3) (Non-inventoried)
3 P - 3,300 V 150 A

(3) Pumping Station # 3

| | | |
|---|---|---|
| Transformer | 27-4-9053 | 20 KVA |
| " | 27-4-9054 | 20 KVA |
| Motor & Pump | 27-4-2525 | 15 HP |

(4) Pumping Station # 5

| | | |
|---|---|---|
| Transformer | 27-4-2787 | 30 KVA |
| " | 27-4-2788 | 30 KVA |
| Motor & Pump | 27-4-2526 | 50 HP |
| " " | 27-4-2527 | 20 HP |
| " " | 27-4-2528 | 20 HP |

(5) Booster Station

| | | |
|---|---|---|
| Transformer | 27-4-2783 | 30 KVA |
| " | 27-4-2784 | 30 KVA |
| " | 27-4-2785 | 30 KVA |

b. The following two transformers which are the only means that power can be supplied to Seibo No Kishi Orphanage.

| | | |
|---|---|---|
| Transformer | 27-4-2795 | 10 KVA |
| " | 27-4-2796 | 10 KVA |

3. The following reasons are given for the above action.

a. This equipment was released erroneously by this headquarters on 9 March 1948 and was recently recalled back into custody of reparations control at the 21st Naval Air Depot, Omura.

b. The water pumping stations referred to in par 2a above are located inside the Compound of the 21st Naval Air Depot. (See Incl 2). Temporary use has been granted by this headquarters, since it has been recalled into custody. These stations supply the Omura City with 80% of its water consumsation (See Incl 3).

BASIC: Ltr Nag Mil Govt Team, APO 24-5, dtd 20 April 1949, subj: Application for Authorized Use of Reparations Equipment.

c. The Orphanage referred to in par 2b above is located inside the Compound of the 21st Naval Air Depot, Omura. The Orphanage received one of the buildings released from custody. These transformers were donated from equipment that was released and subsequently recalled into custody. This headquarters has given the Orphanage temporary use of these transformers. These transformers are their only source of electricity.

4. If the pumping stations referred to in par 2a above are allocated it will disrupt the local economy of the area. In as much as this equipment cannot be replaced immediately this headquarters considers the situation as an emergency and therefore highly recommends that "Authorized Use" of this equipment be granted.

FOR THE COMMANDING OFFICER:

VERNON C HILL
Captain CAC
Adjutant

4 Incls:
1. Application for Authorized Use of Water Pumping Intergrated Facility. (quad)
2. Diagram showing located of Pumping Station inside the 21st Naval Air Depot. (quad)
3. Diagram showing Area of Omura City Supplied with Water from the 21st Naval Air Depot. (quad)
4. Inspection Sheet of Welfare Institutions (Rpt Ctl Sbl MG-17) (quad)

CJM/mw/rh

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, Japan

APO 24-5
19 April 1949

387.6

SUBJECT: Recall of Reparations Equipment that was Released Erroneously

TO : Governor, Nagasaki Prefecture
(Attn: Reparations Section)

1. On 9 March 1948 the following equipment was released to the Japanese Government and the Reparations Code Numbers were removed.

a.

| | |
|---|---|
| 27-4-2844 | 27-4-2525 |
| 27-4-2845 | 27-4-2526 |
| 27-4-2293 | 27-4-2527 |
| 27-4-2294 | 27-4-2528 |
| 27-4-2766 | 27-4-2783 |
| 27-4-2767 | 27-4-2784 |
| 27-4-2768 | 27-4-2785 |
| 27-4-2794 | 27-4-2773 |
| 27-4-2523 | 27-4-2774 |
| 27-4-2524 | 27-4-2775 |
| 27-4-2757 | 27-4-2756 |
| 27-4-2758 | 27-4-2789 |
| 27-4-2795 | 27-4-2790 |
| | 27-4-2791 |
| | 27-4-2796 |

b. The following non-inventoried items:

Two (2) filter tanks 2,800 gallon ea

Seven (7) oil switch gears

One (1) control panel 110 volt }
One (1) control panel 220 volt } 7 meters

2. The above equipment in par. a will be placed back into custody and the reparations code numbers will be repainted on the equipment that was inventoried. The equipment in par. b

BASIC: Ltr Nag Mil Govt Team, APO 24-5, dtd 19 April 1949, subj: Recall of Reparations Equipment that was Released Erroneously.

above will also be placed into custody, items will be listed and an addition to the Evaluation Report will be submitted through Japanese channels to SCAP.

3. Temporary use is granted by this headquarters on the following items, and a request has been submitted to Hqs Eighth Army for "Authorized Use".

a. Equipment necessary to supply City of Omura with fresh water.

(1) Pumping Station # 1

| | | |
|---|---|---|
| Transformers | 27-4-2844 | 20 KVA |
| " | 27-4-2845 | 20 KVA |
| Motor & Pump | 27-4-2293 | 50 HP |
| | 27-4-2294 | 50 HP |

Filtering Tanks (2) (Non-inventoried) 2,300 gal.

(2) Pumping Station # 2

| | | |
|---|---|---|
| Transformer | 27-4-2766 | 50 KVA |
| " | 27-4-2767 | 50 KVA |
| " | 27-4-2768 | 50 KVA |
| " | 27-4-2794 | 15 KVA |
| Motor & Pump | 27-4-2523 | 30 HP |
| " " | 27-4-2524 | 30 HP |

Oil Switch gear (3) (Non-inventoried)

(3) Pumping Station # 3

| | | |
|---|---|---|
| Transformer | 27-4-9053 | 20 KVA |
| " | 27-4-9054 | 20 KVA |
| Motor & Pump | 27-4-2525 | 15 HP |

(4) Pumping Station # 5

| | | |
|---|---|---|
| Transformer | 27-4-2787 | 30 KVA |
| " | 27-4-2788 | 30 KVA |
| Motor & Pump | 27-4-2526 | 50 HP |
| | 27-4-2527 | 20 HP |
| | 27-4-2528 | 20 HP |

BASIC: Ltr Nag Mil Govt Team, APO 24-5, dtd 19 April 1949
subj: Recall of Reparations Equipment that was Released Erroneously.

(5) Booster Station

| | | |
|---|---|---|
| Transformer | 27-4-2783 | 30 KVA |
| " | 27-4-2784 | 30 KVA |
| " . | 27-4-2785 | 30 KVA |

b. Equipment necessary to operate orphanage:

| | | |
|---|---|---|
| Transformer | 27-4-2795 | 10 KVA |
| | 27-4-2796 | 10 KVA |

FOR THE COMMANDING OFFICER:

VERNON C HILL
Captain CAC
Adjutant

Box File
387.6

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, Japan

CJM/jmc/tk

APO 24-5
16 April 1949

File : 387.6

SUBJECT: Authorized Use Equipment in 21st Naval Air Depot, Code No. 27-04

THRU : Commanding Officer, Kyushu Mil Govt Region, APO 24-5

TO : Civil Property Custodian, Reparations Property Division, GHQ, SCAP, APO 500

No items in 21st Naval Air Depot plant are now in authorized use.

FOR THE COMMANDING OFFICER:

THOMAS J COCKRELL
Major Cav
Executive Officer

File

Interviewed Mr Sato

Mr Papasava Scap
Inspector(s)

REPARATIONS INSPECTION CHECK SHEET

DATE 2 February 19

1. Plant Code # 27-4 Prefecture Nagasaki

2. Name 21st Naval Air Depot Omura Town Omura, Nagasaki

3. Category of Plant Arsenal Established Oct 1941

4. Made: ~~Complete~~ same → (some subcontracting complete aircraft planes (also repair)
Pre-war ~~Unknown~~ During War Now —

5. Employed:
Pre-war 5-6,000 During War 35,000 Now —

6. Equipment (machine tool) classification:
Total 3953 (2289) #1 #2 #3 Avg. Age

% Foreign Made . % Est. Desirable to Claimant,

7. Equipment now in operation. Total 586 machines slugged. Its Maintenance? none

Equipment now in "Authorizcd Use." Total None . % in operation —.

Equipment reported in "Authorized Use," now not in "Authorized Use."
Total — (List inventory numbers on back.)

8. Classification deemed satisfactory/unsatisfactory?

9. Reclassification deemed essential/not essential?

10. Inventory Complete? Yes . Items not inventoried —

11. Overall maintenance: Excellent/Good/Fair/Poor

12. Reconditioning in progress? ~~Yes~~ No . To be completed by — 1948

56 employees, 18 of them skilled mechanics, engaged in maintenance and reconditioning of equipment.

13. General appearance of plant/storage and equipment: Good

14. General impression of management/custodian: Poor - Doesn't know info concerning his plant.

15. Estimated removability of equipment (by value) %, of buildings %.

16. Engineers available who installed equipment originally? No

17. Plant's experience in dismantling No , in preparation (packaging) for shipment 20 in re-assembly at destination

(Over)

File

Interviewed Mr Sato

Mr Pagaoka Scap
Inspector(s)

REPARATIONS INSPECTION CHECK SHEET
DATE 2 February 1949

1. Plant Code # 27-4 Prefecture Nagasaki

2. Name 21st Naval Air Depot Omuta Town Omura, Nagasaki

3. Category of Plant Arsenal Established Oct 1941

4. Made: Pre-war ~~Complete~~ same → During War (some sub contracting Complete Airplanes (also repair) Now —

5. Employed: Pre-war 5-6,000 During War 35,000 Now —

6. Equipment (machine tool) classification:

Total 3953 (2289) #1 #2 #3 Avg. Age

% Foreign Made . % Est. Desirable to Claimant

7. Equipment now in operation. Total none (586 machines shipped.) Its Maintenance? —

Equipment now in "Authorized Use." Total None . % in operation .

Equipment reported in "Authorized Use," now not in "Authorized Use."

Total (List inventory numbers on back.)

8. Classification deemed satisfactory/unsatisfactory?

9. Reclassification deemed essential/not essential?

10. Inventory Complete? Yes . Items not inventoried —

11. Overall maintenance: Excellent/Good/Fair/Poor

12. Reconditioning in progress? ~~Yes~~ No . To be completed by — 1948

56 employees, 18 of them skilled mechanics, engaged in maintenance and reconditioning of equipment.

13. General appearance of plant/storage and equipment: Good

14. General impression of management/custodian: Poor - Doesn't know info concerning his plant.

15. Estimated removability of equipment (by value) %, of buildings %.

16. Engineers available who installed equipment originally? No

17. Plant's experience in dismantling No , in preparation (packaging) for shipment 20 in re-assembly at destination

(Over)

18. Time required for dismantling & packing _____ for re-assembly _____.

19. Recommended port for shipment Sasebo Mode of transp. to port rail on Ry. spur Yes Ry to port pier yes 25 miles

20. Is plant well guarded? ?? Has plant been evaluated by JG? yes

21. Petition on file for removal from reparations lists? no

22. Is plant typical? yes Remarks: —

23. Estimated weight and dimensions of largest package after dismantling and crating 15 tons 7.5m x 2.5 m

24. How many buildings comprise this plant? _____ How many include reparations equipment? 11 How many contain immediately available reparations equipment? all

25. What functional subdivisions are included in the plant and in which buildings are they located? _____

26. Is a clear plant layout with adequate identification and description of all functional subdivisions available in Reparations (if more than one functional subdivision)? _____ (If not, obtain one). If a plant evaluation report is available in Reparations, does its building identifications agree with plant layout? _____

27. Is plant large, medium, or small in comparison to other plants of similar type? _____ If large or medium, what possible breakdown or grouping of subordinate units into 2 or 3 allocation units appears most logical? none

28. If major portions of the plant are less useful or less desirable than than other portions, specify the poorer sections (and building locations.) _____

29. If this plant is a dispersal area or is very small, could it be allocated with another nearby plant or dispersal area? — If so, what one(s)? _____

30. Does the equipment in authorized use destroy the balance or impair the usefulness of available equipment? no If so, how: _____

AB/hm

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, Japan

File: 387.6

APO 929
27 January 1949

SUBJECT: Passage through Reparation Plant

THRU : Governor, Nagasaki Prefecture

TO : Custodian, 21st Naval Air Depot, Omura

1. Free passage will be granted to personnel connected with the Orphan's Home recently established within the limits of the 21st Naval Air Depot, Omura, however, personnel will be restricted to the concrete roadway between the entrance and building occupied.

2. Guards will be instructed to warn each person concerned that any violation connected with the above will not only preclude free passage but persons involved will be subject to prosecution.

FOR THE COMMANDING OFFICER:

VERNON C HILL
Capt CAC
Adjutant

00 00

APP. 1045

BASIC: Ltr, Hq Nagasaki Mil Govt Team, 387.6, dtd 20 April 1949, subj: "Application for Authorized Use of Reparations Equipment."

AG 004 - BA 6th Ind CET/mo

Hq I Corps, APO 301, JUN 14 1949

TO: CO, Kyushu Mil Govt Region, APO 24-5

Attention invited to 4th indorsement.

BY COMMAND OF MAJOR GENERAL COULTER:

Charlie Ramsey

Charlie Ramsey
U.S.A
C. W. S.
Asst. Adj Gen

RECORDED HQ I CORPS

4 Incls:
n/c

7th Ind ERM/msw

KYUSHU MIL GOVT REGION, HQ & HQ DET, APO 24-5, 17 June 49

TO: Commanding Officer, Nagasaki Mil Govt Team, APO 24-5
Attn: Economic Section

Your attention is invited to 4th Indorsement.

BY ORDER OF COLONEL HILTON:

Henry E. Rainbolt, Jr.

HENRY E. RAINBOLT
1st Lt FA
Ass't Adjutant

RECEIVED JUN 17 1949 NAGASAKI M.G. TEAM

4 Incls:
n/c

1+499

Ltr, Hq Nagasaki Military Government Team, 387.6, subj, "Application for Authorized Use of Reparations Equipment," 20 April 1949

2401

AG 387.6 (20 Apr 49)CPC/RP 4th Ind

GENERAL HEADQUARTERS, SUPREME COMMANDER FOR THE ALLIED POWERS, APO 500, 7 June 1949

TO: Commanding General, Eighth Army, APO 343

Approval is granted for the temporary authorized use of the items listed in paragraph 2a of basic letter.

BY COMMAND OF GENERAL MacARTHUR:

4 Incls
1 cy ea w/d

DONALD McLEOD
Captain, CAC
Actg Asst Adj Gen

1422

AGMGEM 386.3 5th Ind

Headquarters Eighth Army, APO 343 JUN 9 1949

8

TO: Commanding General, I Corps, APO 301

4 Incls:
n/c

J. A. IO B.

RECORDED

6

BH 144499

BASIC: Ltr, Hq Nagasaki Mil Govt Team, 387.6, subj: "Application for Authorized Use of Reparations Equipment", dtd 20 Apr 49

GHQ SCAP
MAY 3
AGO RECORDS

AG 004 - BA 2nd Ind

8549 Hq I Corps, APO 301, MAY 4 1949

TO: CG, Eighth Army, APO 343

Recommend authorized use be granted for all items listed in paragraph 2, basic communication.

FOR THE COMMANDING GENERAL:

RECORDED
HQ I CORPS

WILLIAM A. FRANKS
Major, AGD
Asst Adj General

4 Incls:
n/c

AGMGEM 386.3 3rd Ind

Headquarters Eighth Army, APO 343 MAY 11 1949

TO: Supreme Commander for the Allied Powers, APO 500
(Attn: Civil Property Custodian Section,
Reparations Property Division)

The recommendation contained in paragraph 4 of the basic communication is approved.

8

FOR THE COMMANDING GENERAL:

JOHN A. O'BRIEN
CWO USA
Asst. Adj. Gen.

ok m 4 Incls:
n/c

RECEIVED
MAY 13 1949
5

BM 1975

38312

1045

BASIC: Ltr, Hq Nagasaki Mil Govt Team, dtd 20 Apr 49, subj; "Application for Authorized Use of Reparations Equipment".

1st Ind MW/igr

KYUSHU MIL GOVT REGION, HQ & HQ DET, APO 24-5, 25 April 1949

TO: Commanding General, I Corps, APO 301
(Attn: Military Government Section)

1. Reference is made to 5th indorsement of Headquarters Nagasaki Military Government Team letter 387.6, dated 3 December 1946, subject: "Temporary Use of Reparations Machines".

4143

2. This headquarters recommends approval for "Authorized Use" of the subject equipment in basic letter for the following reasons:

a. Authorized use was given by Headquarters Eighth Army in the 5th indorsement of the above reference on all the pumps and motors.

b. Authorized use was not requested on equipment that was not inventoried at the time, although it was necessary to operate the pumping stations.

c. All the equipment that composed the integrated facility was released 9 March 1948 erroneously and subsequently recalled into custody.

d. The subject equipment in the basic letter is listed on Pre-allocation Notice, therefore, if authorized use is not approved, and the equipment removed, it will leave the Omura area in a critical condition.

3. This headquarters concurs in recommendation made in paragraph 4 of basic letter.

FOR THE COMMANDING OFFICER:

Charles L. Bachtel

CHARLES L. BACHTEL
1st Lt SIG C
Adjutant

4 Incls:
n/c 1 cc ea w/d

RECEIVED 30 DEC 1946

bk/2 715

1045

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, Japan

CJM/mw/rh

387.6

APO 24-5
20 April 1949

SUBJECT: Application for Authorized Use of Reparations Equipment

THRU : Commanding Officer, Kyushu Mil Govt Region, APO 24-5
(Attn: Reparations Section)

TO : Commanding General, Hqs Eighth Army, APO 343
(Attn: Reparations Section)

1. Reference is made to paragraph 4 (2) of Operational Directive 21/1, Headquarters Eighth Army, dated 1 March 1949, subject: "Japanese Industrial Reparations Facilities".

2. In compliance with the above reference this headquarters highly recommends that the following reparations equipment be placed in "Authorized Use".

a. A complete water pumping intergrated facility, which is composed of the following items of equipment.

(1) Pumping Station # 1

| | | |
|---|---|---|
| Transformer | 27-4-2844 | 20 KVA |
| " | 27-4-2845 | 20 KVA |
| Motor & Pump | 27-4-2293 | 50 HP |
| " " | 27-4-2294 | 50 HP |

Filter Tanks (2) (Non-inventoried) 2,800 gal. ea.

(2) Pumping Station # 2

| | | |
|---|---|---|
| Transformer | 27-4-2766 | 50 KVA |
| " | 27-4-2767 | 50 KVA |
| " | 27-4-2768 | 50 KVA |
| " | 27-4-2794 | 15 KVA |
| Motor & Pump | 27-4-2523 | 30 HP |
| " " | 27-4-2524 | 30 HP |

0474

BASIC: Ltr Nag Mil Govt Team, APO 24-5, dtd 20 April 1949, subj: Application for Authorized Use of Reparations Equipment.

Oil Switch (3) (Non-inventoried)
3 P - 3,300 V 150 A

(3) Pumping Station # 3

| | | |
|---|---|---|
| Transformer | 27-4-9053 | 20 KVA |
| " | 27-4-9054 | 20 KVA |
| Motor & Pump | 27-4-2525 | 15 HP |

(4) Pumping Station # 5

| | | |
|---|---|---|
| Transformer | 27-4-2787 | 30 KVA |
| " | 27-4-2788 | 30 KVA |
| Motor & Pump | 27-4-2526 | 50 HP |
| " " | 27-4-2527 | 20 HP |
| " " | 27-4-2528 | 20 HP |

(5) Booster Station

| | | |
|---|---|---|
| Transformer | 27-4-2783 | 30 KVA |
| " | 27-4-2784 | 30 KVA |
| " | 27-4-2785 | 30 KVA |

b. The following two transformers which are the only means that power can be supplied to Seibo No Kishi Orphanage.

| | | |
|---|---|---|
| Transformer | 27-4-2795 | 10 KVA |
| " | 27-4-2796 | 10 KVA |

3. The following reasons are given for the above action.

a. This equipment was released erroneously by this headquarters on 9 March 1948 and was recently recalled back into custody of reparations control at the 21st Naval Air Depot, Omura.

b. The water pumping stations referred to in par 2a above are located inside the Compound of the 21st Naval Air Depot. (See Incl 2). Temporary use has been granted by this headquarters, since it has been recalled into custody. These stations supply the Omura City with 80% of its water consumsation (See Incl 3).

BASIC: Ltr Nag Mil Govt Team, APO 24-5, dtd 20 April 1949, subj: Application for Authorized Use of Reparations Equipment.

c. The Orphanage referred to in par 2b above is located inside the Compound of the 21st Naval Air Depot, Omura. The Orphanage received one of the buildings released from custody. These transformers were donated from equipment that was released and subsequently recalled into custody. This headquarters has given the Orphanage temporary use of these transformers. These transformers are their only source of electricity.

4. If the pumping stations referred to in par 2a above are allocated it will disrupt the local economy of the area. In as much as this equipment cannot be replaced immediately this headquarters considers the situation as an emergency and therefore highly recommends that "Authorized Use" of this equipment be granted.

FOR THE COMMANDING OFFICER:

Vernon C. Hill.

VERNON C HILL
Captain CAC
Adjutant

4 Incls:
1. Application for Authorized Use of Water Pumping Intergrated Facility.(quad)
2. Diagram showing located of Pumping Station inside the 21st Naval Air Depot.(quad)
3. Diagram showing Area of Omura City Supplied with Water from the 21st Naval Air Depot. (quad)
4. Inspection Sheet of Welfare Institutions (Rpt Ctl Sbl MG-17) (quad)

NAGASAKI PREFECTURAL GOVERNMENT
Nagasaki, Kyushu

19 April 1949

SUBJECT: Application for Permission for Authorized Use of Reparations Equipment

TO : Commanding General, Eighth Army
Commanding Officer, Nagasaki MG Team

FROM : Governor, Nagasaki Prefecture

This is to submit application for Authorized Use of water pumping stations which are supplying water to Omura city and two transformers supplying electricity to the Seibonokishi Orphanage, as listed on inclosure, located in the Compound of the former Omura Air Depot.

The above water pumping stations are controlled by Omura City Hall and almost 80% of fresh water is being supplied from these stations, and the number of houses to which this water is supplied counts 3,349 and the number of people involved is 23,500, including 500 patients of the Omura State Hospital and six schools holding 6,000 students. And the above transformers are the only equipment to supply electricity to the Seibonokishi Orphanage.

Every one of the above is vitally necessary to meet the present situation, as we have no other substitute for those equipment.

The above being the case, it is sincerely requested that you will please pay your kind consideration to the above circumstances and grant us your permission for Authorized Use of these equipment.

FOR THE GOVERNOR:

T. Honda

T. HONDA, Director,
Economic Division &
concurrently Chief of
Commodities Section,
Nagasaki Prefecture

Incl 1

| Name of Station | Equipment | No. | Inventory No. | Remarks |
|---|---|---|---|---|
| No. 1 Pumping Station | 20 KVA Transformers | 2 | 27-4-2844<br>27-4-2845 | Water supply from Onura City |
| | 50 H.P. Motor & Pump | 2 | 27-4-2293<br>27-4-2294 | |
| | Filtering Tanks | 2 | (Non-inventoried) (2,300 gallongs) | " |
| No. 2 Pumping Station | 50 KVA Transformers | 3 | 27-4-2766<br>27-4-2767<br>27-4-2768 | " |
| | 15 KVA Transformer | 1 | 27-4-2794 | " |
| | 30 H.P. Motor & Pump | 2 | 27-4-2523<br>27-4-2524 | " |
| | Oil Switch Gear | (3) | (Non-inventoried) | " |
| No. 3 Pumping Station | 20 KVA Transformers | 2 | 27-4-9053<br>27-4-9054 | " |
| | 15 H.P. Motor & Pump | 1 | 27-4-2525 | " |
| No. 5 Pumping Station | 30 KVA Transformers | 2 | 27-4-2787<br>27-4-2788 | " |
| | 20 KVA Motor & Pump | 2 | 27-4-2527<br>27-4-2528 | " |
| | 50 KVA Motor & Pump | 1 | 27-4-2526 | " |
| Voltage Boosting Station | 30 KVA Transformers | 3 | 27-4-2783<br>27-4-2784<br>27-4-2785 | " |
| For Seibo No Kishi En Orphanage | 10 KVA Transformers | 2 | 27-4-2795<br>27-4-2796 | For lighting |

1050

CJM/jmc/tk

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, Japan

APO 24-5
16 April 1949

File : 387.6

SUBJECT: Authorized Use Equipment in 21st Naval Air Depot, Code No. 27-04

THRU : Commanding Officer, Kyushu Mil Govt Region, APO 24-5

TO : Civil Property Custodian, Reparations Property Division, GHQ, SCAP, APO 500

No items in 21st Naval Air Depot plant are now in authorized use.

FOR THE COMMANDING OFFICER:

THOMAS J COCKRELL
Major Cav
Executive Officer

183

1050

CJM/jmc/tk

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, Japan

APO 24-5
16 April 1949

File : 387.6

SUBJECT: Authorized Use Equipment in 21st Naval Air Depot, Code No. 27-04

THRU : Commanding Officer, Kyushu Mil Govt Region, APO 24-5

TO : Civil Property Custodian, Reparations Property Division, GHQ, SCAP, APO 500

No items in 21st Naval Air Depot plant are now in authorized use.

FOR THE COMMANDING OFFICER:

Thomas J Cockrell

THOMAS J COCKRELL
Major Cav
Executive Officer

0483

CO.

ODC/jk

HEADQUARTERS
KUMAMOTO MILITARY GOVERNMENT TEAM
KUMAMOTO, KYUSHU, JAPAN

APO 24 Unit 1
15 January 1949

387.7

SUBJECT: Request for the Deletion of Reparation Machinery from Reparation's Inventory

THRU : Commanding Officer, Kyushu Military Government Region, Headquarters and Headquarters Detachment, APO 929

TO : Commanding General, Headquarters Eighth Army, APO 343
ATTN: Military Government Section

1. Reference: Ltr, Hq Kumamoto Military Government Team, APO 929, Subject: "Report of Fire in Reparation Plant" dated 24 December 1946, which is attached as Inclosure #1.

2. Request deletion of the four (4) machines listed in the inclosed inventory sheets from reparations for reasons stated in reference cited above.

3. These machines were originally located in the 21st Naval Aircraft Arsenal, Omura Plant (27-4). However, they were dispersed to reparation plant #21-6 during the war to support wartime manufacturing operations. At present these machines are under custody in plant #21-6.

4. Machines mentioned were heavily damaged at the time plant #21-6 was destroyed by fire on 20 December 1946.

FOR THE COMMANDING OFFICER:

HAROLD M. KANE
1st Lt Inf
Adjutant

2 Incls:
1. Report of Fire in Reparation Plant (5)
2. Inventory sheet #27-4-2074 thru 2076
27-4-2088 (1 copy each)

MG

BASIC: Ltr, Hq Kumamoto Mil Govt Team, dtd 15 Jan 49, subj: "Request for the Deletion of Reparation Machinery from Reparation's Inventory".

ERM/JHM/lgr

1st Ind

KYUSHU MIL GOVT REGION, HQ & HQ DET, APO 929, 24 January 1949

TO: Commanding General, I Corps, APO 301
(Attn: Military Government Section)

C.L.B.

2 Incls:
n/c 1 cc #1 w/d

EHN/mo

2nd Ind

AG 413 - BA

Hq I Corps, APO 301,

TO: CG, Eighth Army, APO 343 JAN 29 1949

This headquarters concurs in request contained in paragraph 2, basic letter.

FOR THE COMMANDING GENERAL:

WILDER A. JOHNSON
Capt., A.G.D.
Asst. Adj. Gen.

2 Incls:
n/c

CO
EXEC
ADM. O 2
ADM. ASST.
ASST ADM.O
SUPPLY
G. AFF
G. & I.
RES & IND 1 Cy
PROC
CI&E
FILE

SECONDARY SCIENTIFIC MACHINES LIST
ISAHAYA BRANCH

| Case No | Code No. | Name of Machine | No of Pieces | Class | Type | Capacity | Serial No. | Country Origin | Manufactuer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 27-4 Ys-19 | Tester | 1 | 3 | Un - known | Un- known | 1535 | Japan | Scientific Measuring Machine Laboratory | 9,130 |
| " | -20 | " | 1 | " | " | " | 173 | " | Riken Heavy Ind, Co Ltd | 2,140 |
| " | -21 | " | 1 | " | " | " | 2708 | " | " | " |
| " | -22 | " | 1 | " | " | " | - | " | " | " |
| " | -23 | " | 1 | " | " | " | - | " | - | 6,740 |
| " | -24 | " | 1 | " | " | " | - | " | - | 7,000 |
| 2 | YS-25 | " | 1 | " | " | " | - | " | Shimatzu Mfc Co. | 1,000 |
| " | -26 | " | 1 | " | " | " | - | " | " | " |
| " | -27 | " | 1 | " | " | " | - | " | " | " |
| " | -28 | " | 1 | " | " | " | - | " | " | " |
| " | -29 | " | 1 | " | " | " | - | " | " | " |
| " | -30 | " | 1 | " | " | " | - | " | " | " |
| " | -31 | " | 1 | " | " | " | - | " | " | " |
| 3 | -32 | " | 1 | " | " | " | - | " | " | " |
| " | -33 | " | 1 | " | " | " | - | " | " | " |
| 4 | -34 | " | 1 | " | " | " | - | " | " | " |

Secondary Scientific Machines List, Isahaya Br of Omura Custody Office, cont'd

| Case No | Code No. | Name of Machine | No of Pieces | Class | Type | Capacity | Serial No. | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 3 | YS-35 | Tester | 1 | 3 | Un-known | Un-known | - | Japan | Shimatzu Mfe Co | 1,000 |
| " | -36 | " | 1 | " | " | " | - | " | " | " |
| " | -37 | " | 1 | " | " | " | - | " | " | " |
| 4 | YA-213 | Time Recorder | 1 | " | " | " | 10129 | " | Amano Mfg Co | 5,150 |
| " | YA-214 | " | 1 | " | " | " | 10127 | " | " | " |
| " | YA-233 | Ther-Mometer | 1 | " | " | " | - | " | Hitachi Mfg Co | 22,200 |
| " | -256 | Barometer | 1 | " | " | " | - | " | - | 3,400 |
| " | -270 | " | 1 | " | " | " | - | " | - | " |
| " | -339 | " | 1 | " | " | " | - | " | - | " |
| " | -284 | Series Resistance | 1 | " | " | | 7157 | China | China Scientific Instru. Co | 0.600 |
| " | -285 | " | 1 | " | " | | 71500 | " | " | " |
| " | -286 | Resister | 1 | " | " | 50/500 V | 71502 | " | " | " |
| " | -287 | " | 1 | " | " | " | 71493 | " | " | " |
| " | -288 | " | 1 | " | " | " | 71491 | " | " | " |
| " | -289 | " | 1 | " | " | " | 71490 | " | " | " |
| " | -290 | " | 1 | " | " | " | 71492 | " | " | " |

Secondary Scientific Machines, Isahaya Br of Omura Custody Office, cont'd

| Case No | Code No. | Name of Machine | No of Pieces | Class | Type | Capacity | Serial No. | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 4 | YA-291 | Resister | 1 | 3 | Unknown | 50/500 V | 20658 | Japan | Inoue Electric Mfg Co | 0.600 |
| " | -272 | Pyrometer | 1 | " | " | Unknown | Unknown | " | Hitachi Mfg Co | 3420 |
| " | -273 | " | 1 | " | " | " | " | " | " | " |
| " | -274 | " | 1 | " | " | " | " | " | " | " |
| " | -275 | " | 1 | " | " | " | " | " | " | " |
| 5 | -223 | Electric Indicator | 1 | " | DKK Farnbo do | " | DE 1111 | " | Denji Kogyo Kenkusho | 22,380 |
| " | -231 | Electric Printing Machine | 1 | " | Unknown | 500 60 | 2801 | " | Kuwata Electric Mfg Co. | 0.700 |
| 5 | -238 | Ther-momoter | 1 | " | " | Unknown | Unknown | " | Hidachi Mfg Co. | 22,200 |
| " | -242 | " | 1 | " | " | " | " | " | Matsushita Electric Co | 11.410 |
| " | -243 | " | 1 | " | " | " | " | " | " | " |
| " | -244 | " | 1 | " | " | " | " | " | " | " |
| 6 | -234 | " | 1 | " | " | " | " | " | Hidachi Mfg Co | 22,200 |
| " | -235 | " | 1 | " | " | " | " | " | Hidachi Mfg Co | 22,200 |
| " | -236 | " | 1 | " | " | " | " | " | " | " |
| " | -237 | " | 1 | " | " | " | " | " | " | " |

Secondary Scientific Machines List, Isahaya Br of Omura Custody Office

| Case No | Code No. | Name of Machine | No of Pieces | Class | Type | Capacity | Serial No | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 7 | YA-239 | Ther-mometer | 1 | 3 | Un-known | Un-known | Un-known | Japan | Hitachi Mfg Co | 22,200 |
| " | -240 | " | 1 | " | " | " | " | " | " | " |
| " | -241 | " | 1 | " | " | " | " | " | " | " |
| " | -245 | " | 1 | " | " | " | " | " | " | " |
| 8 | - | Block Gauge | 1 | 3 | " | 1.00-100 mm | 382 | " | Toyo Industrial Co | 3.800 |
| " | - | Inner Measuring Machine | 1 | 2 | " | 160-250 | 2678 | " | Koshin Measuring Mfg Co. | 5,400 |
| " | - | " | 4 | 3 | " | 100-160 | 2778. 566 2887 Unknown | " | " | 9,200 |
| " | No.4 | Inner Measure | 3 | 2 | " | 60-100 | 2694 2715 unknown | " | " | 5,400 |
| " | No.5 | " | 1 | 3 | " | 20-35 | 2691 | " | " | 1,400 |
| " | No.6 | " | 2 | 3 | " | 50-100 | Un-known | " | Unknown | 18,000 |
| " | No.7 | " | 1 | 3 | " | 10-18 | " | " | | 0.700 |
| " | No.8 | Indicator supporter with meter | 6 | 2 | | Un-known | " | " | Unknown | 6.000 |
| " | No.10 | Dial | 1 | 2 | " | 50-75 mm | 201 | " | Koshin Measure Mfg Co | 1.000 |
| " | No.11 | Pea-cock Hole gauge | 3 | " | " | 10-18 | Un-known | " | Ozaki Works | 0.900 |

Secondary Scientific Machines List, Isahaya Br of Omura Custody Office, cont'd

| Case No | Code No. | Name of Machine | No of Pieces | Class | Type | Capacity | Serial No | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 9 | - | Indicator Accessories | 3 | 2 | Unknown | Unknown | Unknown | Japan | Unknown | 5.800 |
| " | - | Optical Plate | 20 | 1 | " | " | " | " | Taiyo Measure Mfg Co | 2.000 |
| " | - | Rotator | 2 | 3 | " | " | 1203 1712 | " | Mankd Precision Machine Co. | 0.600 |
| " | - | Precision Screw Measuring Machine | 1 | 2 | " | " | 22 | " | Ehime Precision Machine Co | 0.500 |
| " | - | Thread wire gauge | 6 | 2 | " | " | Unknown | " | Tomee Precision Machine Co. | 0.300 |
| " | - | " | 10 | 2 | " | " | " | " | Unknown | 0.200 |
| " | - | Auto Rotater | 1 | 2 | " | " | " | " | Tanaka Works | 0.500 |
| " | - | Rotater | 7 | 3 | " | " | " | " | Unknown | 0.240 |
| " | - | Block Gauge Stand | 1 | 2 | " | " | " | " | Tsugami Works | 3.600 |
| " | - | Pitch Measuring Machine Acces. | 6 | 2 | " | " | " | " | Unknown | 7.200 |
| " | - | " Stand | 30 | 2 | " | " | " | " | Unknown | 6.000 |

Secondary Scientific Machines List, Isahaya Br of Omura Custody Office, cont'd

| Case No. | Code No. | Name of Machine | No of Pieces | Class | Type | Capacity | Serial No | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 10 | - | Indicator Stand | 4 | 3 | Un-known | Un-known | Un-known | Japan | Unknown | 22,500 |
| " | - | Block gauge | 4 | 3 | " | " | " | " | " | 9.200 |
| " | - | Block gauge Accos. | 3 | 3 | " | " | " | " | " | 4.000 |
| " | - | Thread Micrometer | 2 | Scrap | " | " | " | " | " | 2.700 |
| " | - | Inner Measuring Machine | 1 | 2 | " | 160-250 | " | " | " | ~~3.600~~ 5.400 |
| " | - | " | 1 | 3 | " | 35-60 | " | " | " | 1.600 |
| " | - | " | 1 | 2 | " | 250-300 | " | " | " | 4.800 |
| " | - | Screw Head Gauge | 3 | " 1 | " | 0-25 | " | " | " | 0.700) |
| " | - | " | 1 | " | " | 25-50 | " | " | " | 0.320 |
| " | - | Screw head Gauge | 2 | 2 | " | 50-75 | " | Un-known | " | 1.140 |
| " | - | " | 1 | 2 | " | 75-100 | " | " | " | 0.640 |
| " | - | Depth Gauge | 1 | " | " | 50-75 | " | " | " | 0.480 |
| " | - | " | 1 | " | " | 0-150 | " | " | " | 0.540 |
| " | - | Block Gauge | 1 | " | " | 0-50 | 1520 | Japan | Tsugami Works | 1.320 |
| " | - | " | 1 | " | " | 0-50 | 613 | " | Chugoku Precision Machine Co | 1.480 |

Secondary Scientific Machines List, Isahaya Br of Omura Custody Office, cont'd

| Case No | Code No | Name of Machine | No of Pieces | Class | Type | Capacity | Serial No. | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 10 | - | Block gauge | 1 | 2 | Un-known | 0-100 | 5819 | Japan | Taugeri Works | 5.300 |
| " | - | " | 1 | " | " | 1-32 | Un-known | " | Un-known | " |
| " | - | Thread wire Gauge | 2 set | " | " | Un-known | " | " | Sanyo Precision Machine Co | 7.300 |
| " | - | Block gauge Accos. | 1 | 2 | " | " | " | " | Unknown | 3.900 |
| " | - | Dial Gauge | 15 | 2 | " | " | " | " | " | 0.510 |
| 11 | - | Inner Measuring Machine Accessories | 1 set | " | " | 160-250 | 2720 | " | Koshin Measure Mfg Co | 3.800 |
| " | - | Micrometer | 15 | " | " | 0-25 mm | Un-known | " | Fujikoshi Mfg Co | 2.380 |
| " | - | " | 50 | " | " | 25-50 | " | " | " | 12.000 |
| " | - | " | 39 | " | " | 50-75 | " | " | " | 13.300 |
| " | - | " | 17 | " | " | 75-100 | " | " | " | 7.820 |
| " | - | " | 9 | " | " | 100-125 | " | " | " | 7.200 |
| " | - | " | 4 | " | " | " | " | " | Machi Mfg Co. | 1.600 |
| " | - | " | 8 | " | " | " | " | " | Mitsutoyo Mfg. Co | 3.200 |
| " | - | " | 12 | " | " | 125-150 | " | " | " | 6.000 |

Secondary Scientific Machines List, Isahaya Br of Omura Custody Office, cont'd

| Case Code No. | Name of Machines | No of Pieces | Class | Type | Capacity | Serial No. | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|
| No | | | | | | | | | |
| 11 | - | Micrometer | 10 | 2 | Unknown | Un known | Japan | Nachi Mfg Co | 6.000 |
| " | - | " | 8 | " | " | " | " | Tokyo Precision Machine Co | 8.000 |
| " | - | " | 4 | " | " | " | " | " | 4.640 |
| 12 | - | " | 15 | " | 150-175 | " | " | Nachi mfg Co | 3.000 |
| " | - | " | 7 | " | " | " | " | " | 15.400 |
| " | - | " | 18 | " | 200-225 | " | " | " | 16.200 |
| " | - | " | 5 | " | 225-250 | " | " | " | 5.500 |
| " | - | " | 2 | 2 | 250-275 | " | " | Un - known | 2.280 |
| " | - | " | 1 | " | 275-300 | " | " | " | 2.000 |
| " | - | " | 1 | " | 300-400 | " | " | " | 6.000 |
| " | - | " | 1 | " | 400-500 | " | " | Tokyo Precision Machines Co | 1.900 |
| " | - | " | 1 | " | 500-525 | " | " | Unknown | 0.300 |
| " | - | Inside Micrometer | 3 | " | 88-100 | " | " | " | 0.540 |
| " | - | " | 1 | " | 325-350 | " | " | " | 7.000 |
| " | - | Micrometer | 1 set | " | 0-150 | " | " | " | 9.430 |
| " | - | " | 1 set | " | 0-175 | " | " | " | 9.340 |
| " | - | " | 1 set | " | 0-175 | " | " | " | |

Secondary Scientific Machines List, Isahaya Br of Omura Custody Office, cont'd

| Case No | Code No. | Name of Machines | No of Pieces | Class | Type | Capacity | Serial No | Country Origin | Manufacturer | Weight Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| 12 | - | Micrometer | 1 set | 2 | Unknown | 0-175 | Unknown | Japan | Unknown | 5.700 |
| " | - | Dial Indicater | 2 | " | " | Unknown | " | " | Mashin Precision Co | 1.000 |
| | | Accessories | | | | | | | | 0.700 |
| " | - | Test Meter | 7 | " | " | " | " | " | | |
| 13 | E-1 | Dynamo Meter | 1 | 1 | E12-9 | | 1233 | " | | 2.000 |

Report Control Symbol MG-17

## INSPECTION OF WELFARE INSTITUTIONS

Prefecture Nagasaki Date 24 February 49

1. Name of institution Seibono Kishi-En Location Omura City
   a. Type: Orphanage Yes Home for aged ____ Other(specify) ____
   b. Classification: Public ____ Private Yes
   c. Total number of institutions of this type in prefecture 11
   Of these, number in same classification 10

2. Capacity ? . Present total number of inmates 149
   a. Number of men ____ Receiving public assistance ____
   b. Number of women ____ Receiving public assistance 149
   c. No. Children(under 18) 149 Receiving public assistance ____
   d. Age range of children 5 - 17

3. Personnel
   a. Name and title of person in charge Catholic Father
   b. Number of paid staff (excluding a.) D.L.S.L. & Subsidy from
   c. Source of salaries and wages the Monastery

4. Method of referral of inmates:

5. Employment of inmates None
   a. Types of work done in institution
   b. Types of work done outside institution
   c. Hours inmates work per week
   d. Wages paid to inmate in hand
   e. Portion of inmates' earnings retained by the institution

6. Education:
   a. Educational program See reverse side
   b. Vocational program Wooden work

7. Financial: For the last complete quarter(dates Oct 48 - Dec 48 )
   show funds received from
   a. National government ¥ 523,560
   b. Prefectural government ¥ 111,257
   c. Local government ¥ 19,633
   d. Other sources(such as Dobo Engo Kai, Community Chest, individual contributions, etc., specify)
   e. Of total funds received from sources indicated, show amounts utilized to meet
      (1) Administrative costs ¥344,750
      (2) Cost of care ¥309,700
   Father Stanislao ¥21,500
   Monastery ¥20,000
   Other Donation ¥ 8,600
   Fee from Relative ¥ 3,600

8. What government agency supervises the institution?
   Omura Child Welfare Center
   Child Welfare Section of Kencho

Signature of MG Welfare Officer

Use reverse side for explanatory remarks
Inclosure 3 to Operational Directive 6, Hq Eighth Army, 24 Jan 1949

Incl #1

Report Control Symbol MG-17

INSPECTION OF WELFARE INSTITUTIONS

Prefecture Nagasaki Date 24 February 49

1. Name of institution Seibono Kishi-En Location Omura City
   a. Type: Orphanage Yes Home for aged ____ Other(specify) ____
   b. Classification: Public ____ Private Yes
   c. Total number of institutions of this type in prefecture 11
   Of these, number in same classification 10

2. Capacity ? Present total number of inmates 149
   a. Number of men ____ Receiving public assistance ____
   b. Number of women ____ Receiving public assistance 149
   c. No. Children(under 18) 149 Receiving public assistance ____
   d. Age range of children 5 - 17

3. Personnel
   a. Name and title of person in charge Catholic Father
   b. Number of paid staff (excluding a.) D.L.S.L. & Subsidy from
   c. Source of salaries and wages the Monastery

4. Method of referral of inmates:

5. Employment of inmates None
   a. Types of work done in institution
   b. Types of work done outside institution
   c. Hours inmates work per week
   d. Wages paid to inmate in hand
   e. Portion of inmates' earnings retained by the institution

6. Education:
   a. Educational program See reverse side
   b. Vocational program Wooden work

7. Financial: For the last complete quarter(dates Oct 48 - Dec 48)
   show funds received from
   a. National government ¥ 523,560
   b. Prefectural government ¥ 111,257
   c. Local government ¥ 19,633
   d. Other sources(such as Dobo Engo Kai, Community Chest, individual contributions, etc., specify)
   e. Of total funds received from sources indicated, show amounts utilized to meet
      (1) Administrative costs ¥344,750
      (2) Cost of care ¥309,700

   Father Stanislao ¥21,500
   Monastery ¥20,000
   Other Donation ¥ 3,600
   Fee from Relative ¥ 3,600

8. What government agency supervises the institution?
   Omura Child Welfare Center
   Child Welfare Section of Kencho

Signature of MG Welfare Officer

Use reverse side for explanatory remarks
Inclosure 3 to Operational Directive 6, Hq Eighth Army, 24 Jan 1949

Incl #2

Fc File (0

Rle 21st Naval Air Depot (27-4)--

GJM

General Dept

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM
Nagasaki, Kyushu, JAPAN

JCG/rh

APO 929
26 November 1948

File : 004

SUBJECT: Release of 21st Naval Air Depot, Omura

THROUGH: Prefectural Liaison Office

TO : Mayor, Omura City
Chairman, Omura City Assembly
Chairman, Omura City Commerce & Industry Bureau

1. Reference is made to your letter, addressed to General MacArthur, SCAP, dated 27 October 1948.

2. Reference letter was received by the 24th Infantry Division, and was forwarded to this Headquarters for what action deemed necessary. This Headquarters believes an explanation of the present status of the 21st Naval Air Depot will aid you in your industrial planning for the city of Omura, and is as follows:

a. All of the Depot, except the buildings and grounds necessary for maintenance, storing and guarding of reparations equipment, has been released to the Japanese Government. As the buildings and grounds become unnecessary for this purpose they, too, will be released.

b. With the exception of a above, there are no "Off limits" areas in the Depot.

3. This headquarters recommends you contact the proper prefectural officials for any additional information desired pertaining to the use of released areas in the Depot.

FOR THE COMMANDING OFFICER:

VERNON C HILL
Captain CAC
Adjutant

27-4

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM AAB/ks
Nagasaki, Kyushu, Japan

APO 929
30 October 1948

File : 387.6

SUBJECT: Revocation of Release of Reparations Machines

TO : Governor, Nagasaki Prefecture

1. Reference is made to letter 387.6 this headquarters, subject: "Release of Reparations Machines", dated 6 March 1948.

2. The release of the following transformers is hereby revoked:

27-4-2760-2765
27-4-2776-2781

FOR THE COMMANDING OFFICER:

VERNON C HILL
Capt CAC
Adjutant

Released Machinery

File Sasebo Fund Accrual (27-3) General file

Sa-kanzai No.1 - 254.

Sept. 13 th , Showa 23rd year.

TO: Chief Nagasaki Local Department of Kumamoto Finance Bureau.

FROM: Chief Sasebo National Property Branch of Kumamoto Finance Bureau.

SUBJECT: Reparation Machines Damage By Flood.

There have been a great water damage to reparation machines by flood, specially, owing to muddy water flooded.
In order to restore in normal condition, we require great number of days work, and as it will be very difficult to restore them very quickly with the usual guardmen, we intend to repair and restore them with the extra employees, who are now working so kindly arrange to demand the needed estimate as soon as possible.

Enclosed herewith, the report for damage of Sasebo Senpaku Kogyo Kabushiki Kaisha, kindly arrange to report to the military Government Team, about the reparation machines, which have been damage by flood, together with our custody machines.

Enclosure 1 sheet.

Estimate For Requirement, Number Days Work For
Restoration Of Damage By Flood.

| Classification Of Restoration Work | Number of machines which is to be require restoration | Number of days work | Remark |
|---|---|---|---|
| To be require repair on water damage by flood. | 150 | 540 | Have been great damage, specially No. 154 warehouse No. 156 " No. 30 " |
| To be require repair on damage by leakage of rain | 980 | 290 | All |
| To be require for restoration, the machines which are slope & upset, on account of flooded into floor of the house | 40 | 90 | Mainly, Oshinoura area |
| To be work on clearence for water mud | | 150 | |
| Dredging work for drain of circumference of warehouse | | 350 | Mainly Oshinoura area |
| TOTAL: | 1170 | 1420 | |

Sasenkokan, No. 19

Sept. 12th, Shown 23rd year.

TO: Chief Sasebo National property branch of Kumamoto Finance Bureau.

FROM: C. Matsumoto, Chief work office of Sasebo Senpaku Kogyo Kabushiki Kaisha.

SUBJECT: Report of reparation machines damage by water.

I beg to report you that, there have been water damage to the reparation machines, by the stormy rain, on the night of the 11th instant.

We immediately started the resteration work from this morning and expect to complete it within this week. However, overflew of near north fate, which led water flood to machinery factory, and metal factory, unless we do not dredge the bottom of river, and conversion of embankment, immediately, we consider there will be inccured same repeat damage, so we are now under intreatry to the mayor of city about it, and we think that it will be advantagecus to acceitrate if you also request it, same way from your side.

We will communicate to you later, about the inventory number of damaged machines, so kindly arrange your best way to the Military Government Team and others.

Your faithfully.

Information :

1. Machinery factory and metal factory :

water flooded about 1 feet 5 inches, all machinery and equipment flooded under muddy water, and about 90 of electric motor, it will be necessary to clear, dry and repair on them. Due to cannot use of air compressor and water pressure, they have been obstruct the work (take 2 days for restoration) but, about 50 of working machinery can be used. Expect for restoration of all machinery within this week. There were no washed away machine and equipment, in order protect recurrence it

will be quite necessary to dredge bottom of river, conversion of embankment, dredge of drain, inside and outside of warehouses.

2. Engine section - erection factory:

Water flooded about 1 feet 5 inches all machine and equipment flooded by muddy water, and about 11 electric motor, it will be necessary to clear dry and repair on them. Very much mud deposisted, but nothing washed away, expect to complete for restoration, of all machinery within this week.

3. Equipment factory:

Water flooded about 8 inches, about 5 electric motor, it will be necessary to clear, dry, and repair on them.

4. Drilling factory:

Water flooded about 1 feet 2 inches, about 3 electric furnace and air blast electric motor, it will be necessary to clear, dry and repair on them.

5. Casting shop:

6 tons of electric motor for electric furnace it will be necessary to clear, dry and repair on them.

6. Ship factory:

water flooded to air compresser room and flood 2 electric motor, it will be necessary to dry on them.

7. Others:

We anticipate, there are no special serious damage, but we are non under full investigation.

Ref: 21st N.A.D. Omura (27-4) General

| Lending to | | Released No. of reparation machine | | | Date of ~~repleniret~~ DISPERSED | remark |
|---|---|---|---|---|---|---|
| | Company name | Location | Inventory | Uninventory | | |
| Ex 21st Naval Air depot | Omura city Water works | Asahi-cho, Omura city | 15 | | 20-10-20 | |
| " | Kawanami ship building yard | Koyagijima, Nishisonogi-gun | 1 | | 20-2-28 | |
| " | Nagasaki technical school | Kuidezu-Omura city | 115 | 4 | 20-10-1 | |
| " | Omura industry joint stock Co. Ltd. | 189 Innobaba Omura city | 31 | 28 | 20-11-21 | |
| " | Shimabara railrood Co.Ltd | 605, Shimabara city | 2 | 9 | 20-9-20 | |
| " | Kyushu Haiden Co. Ltd. | 412 Omura city | 32 | | 20-10-30 | |
| " | Minsei motor car repairing factory | 262 Matsunamachi, Omura city | 24 | 1 | 20-12-20 | |
| " | Okubo Seizaisho | 745 Oroguchi-go, Omura city | 1 | | 20-11-20 | |
| " | Ariake sangyo Co.Ltd. | 1-chome, Sakura machi, Iori, Omura city | 2 | 7 | 20-11-10 | |
| " | Tsuji industrial Co.Ltd. | Tawara-men, Hayabun Saibo city | 32 43 | | 20-3-31 | |

| | | | | | |
|---|---|---|---|---|---|
| Ex 21st Naval air depot | Yamichi, Iron works | 444 Kosei-machi, Ikeiya city | 72 | | 18-7-6 |
| " | Unzen iron works | 1-149 Shigo-machi Hiranitakakigun | 6 | | 20-2-10 |
| " | Nagasaki Prof. salt works | Obama-cho, Hiranitakakigun, Nagasakiken | 3 | 5 | 20-11-30 |
| " | Shimbara iron works | 560 Hishihiki Shimbara city | 1 | | 20-8-25 |
| " | Kyuya iron works | 3725 Tatsumi, Kasuga-machi, Hiranitakakigun Nagasaki ken | 2 | | 20-5-31 |
| " | Hon Ikeiya station | Ikeiya city | 1 | | 19-12-10 |
| " | Mitsui Kozaku Industry Co. Ltd. Omura factory | 124 Kamimagumise-machi, Omura city | | 4 | 20-12-25 |
| " | Junshin girls High school | Uematsu Omura city | | 9 | 20-12-20 |
| " | Koda printing office | 580 Koda-go, Omura city | | 12 | 20-12-10 |
| " | Omura shigetaro-sho | Mizuta-cho, Omura city | | 14 | 20-11-19 |

| | | | | |
|---|---|---|---|---|
| ix 21st. Naval Air depot. | Omuta Seinenkumbo | 853 Kuifuku-machi, Omuta city | 14 | 20-11-1 |
| " | Hinuhelmeri Teller shop | Omuta city | 14 | 20-11-21 |
| " | Shimbuya news paper Co. Ltd. | 265 Hakuu-chi, Shimbuya city | 1 | 20-6-3 |

Released No. of Requisitions Machines

| Belong to | Belong to | | Released No. of Requisition M. | | Date of DISPERSED | remark |
|---|---|---|---|---|---|---|
| | Company name | Location | Inventory | Uninventory | | |
| Ike-Kawata-Arsenal | Ogushi-Gosho | 25, Ogushi-go, Kawatana-cho, Nagasaki-ken | 2 | | 20-12-21 | |
| " | Ishikyo Iron Works | No.436 Komachi, Nagasaki city | 1 | | 10-8-30 | |
| " | Takitsu Bussan Kaisha | Takitsu-mura, Higashisonogi-gun, Nagasaki-ken | 6 | 10-0-1<br>10-7<br>10-20 | 10-0-1 lathe 2 shape 1<br>10-7 Hunter 1<br>10-20 Photo-file drilling machine 2 | |
| " | Mitsubishi Nagasaki steel Co. ltd. | 91 Mori-machi, Nagasaki city | 6 | 20-2-6 | | |
| " | Fujikoshi agriculture & forestry industry co. ltd. | Benten-cho, Shimbara city | 20 | 20-1-9 or 20-4-1 | 20-1-9<br>20-4-1 Drilling no. 1 | |
| " | Kurio iron works Co. Ltd. | 243, Otsu, Nishi-Kyio-cho, Higashitakaki-gun | 2 | 19-9-10 or 20-4-20 | 10-0-10 lathe<br>19-4-20 statte | |
| " | Nagoto-mine-dation Kyushu haiten Co. Ltd. | Nagoto-mura Kawatana-cho sonogi-mura. gun Nagasaki-ken | 27 | 20-2-10 | | |

| | | | | | |
|---|---|---|---|---|---|
| Ko-kura-ta-ho-ri-gun Arsenal | Kokura wood working shop | Kahiki-go, Kokura-cho, Fukuoka ken | | 3 | 20-12-5 |
| Second air depot | Hiki-kiku-bu | Hakiomachi, Simobo city | | 1 | 20-6-30 |

Released No. of Reparations Machines

| Belong to | Lending to | | Released No. of Reparation M. | | Date of DISPERSED | Remark |
|---|---|---|---|---|---|---|
| | Company name | Location | Inventory | Unincentory | | |
| Ex-Japanese Army | Nagasaki-ken, Keijidosha Kabushi Gaisha Co. Ltd. | 450 Setogonchi-men, Sasebo city | 84 | 4 | 19-6 | |
| " | Kanazoe iron W.Co. | No.450 Setogoshi-men, Sasebo city | 43 | | 19-8 | |
| " | Miyazima rivet manufacturing co. | 450 Setogonchi-men, Sasebo city | " | 9 | 19-6 | |
| " | Saiki manufacturing Co. Ltd. | 656 Shiratako-cho, Sasebo city | 5 | | 20-10 | Home ministry administration |
| " | The farming implement Co. | 75 Tsuyuzaki Hirazuka, Sasebo city | 29 | 12 | 19-9 | |
| " | Sasebo technical school | Hontsuchi-machi, Sasebo city | 4 | 8 | 19-3 | |
| " | Shimabara railroad Co. Ltd. | Shimabara city | 2 | | 20-11 | |
| " | Sonagi iron works | 1826 Kuramoto-go, Higashisonogi-gun, Nagasaki-ken | 46 | | 19-12 | |

| | | | | | | |
|---|---|---|---|---|---|---|
| Ex-Sasebo Naval Arsenal | Kikitsu plant of Nagasaki branch office of Hiyashiame ship buil. Co. Ltd. | Kikitsu-machi, Higashisonogi-gun, Nagasaki-ken | 45 | 14 | 20-6 | |
| " | Koga Sangyo Co. Ltd. | 76 Tawara-machi Sasebo city | 2 | | 20-10 | Home ministry Administration |
| " | Suga Kikaibu | Suga-machi, Kitamatsuura-gun, Nagasaki-ken | 2 | | 20-6 | |
| " | Hamaura ship buil. yard | Seto-machi, Nagasaki-ken | 3 | | 19-12 | |
| " | Kuritbayashi mine | 315 Nagatashima-mon, Shikamachi-machi, Nagasaki-ken | 2 | | 20-10 | Home ministry administration |
| " | Yamazyo ship buil. & iron work | 502 Jinmai-mon, Sasebo city | 35 | 2 | 20-1<br>20-5 | |
| " | Niko ship buil. & iron works Co. Ltd. | 563 Jinmai-mon, Sasebo city | " | | 20-6-25 | |
| " | Hikamura Iron works | 564 Jinmai-mon, Sasebo city | 6 | | 19-12-23 | |
| " | Saiki automobile Co. Ltd. | 108 Shimaji-cho Sasebo city | 1 | | 20-10 | Home ministry administration |
| " | Yoshida-gumi, Co. ltd. | Sasebo city | 2 | | 20-10 | " |

| | | | | | |
|---|---|---|---|---|---|
| [illegible] Tohi Hotko Kyoi Arno- mi | Shisetsu Kumiai | 127 Uemon, [illegible] city | 4 | 20-7-0[illegible] | |
| " | Daba seimi Hotko kaisha | 1607 Genjyoji-mura, Hiki-machi, [illegible] city | 8 | 20-10 | Home ministry Administration |

## Machinery of Ex-Sasebo Naval Station (Non-Reparation)

### Index

| | | |
|---|---|---|
| 1. | Naval War Supply Dept. | 693 |
| 2. | Construction Dept. | 463 |
| 3. | Naval Air Battalion . | 30 |
| 4. | Naval communication [illegible] group. | 9 |
| 5. | Sasebo Naval Garrison . | 19 |
| 6. | Hario Marine Corps. | 39 |
| 7. | Sasebo Naval Defence Group. | 8 |
| 8. | Kawatana Special Attack Group. | 74 |
| 9. | Sasebo Marine Corps | 2 |
| 10. | Kawatana Workmen Training School. | 29 |
| 11. | Sasebo Naval Hospital. | 15 |
| 12. | Sasebo Naval Account Dept. | 2 |
| | TOTAL: | 1,383 |

First Section,
Nagasaki Branch of Kumamoto
Finance Bureau.

## Naval War Supply Dept.

| Name of machine | Quantity | Name of machine | Quantity | Name of machine | Quantity |
|---|---|---|---|---|---|
| Mixture | 3 | Time-recorder | 2 | Grinder | 5 |
| Platform-scale | 1 | Adding-machine | 3 | Winding-m. | 1 |
| Hydraulic jack | 2 | Tester machine | 2 | Derrick | 1 |
| Pump | 7 | Monometer | 1 | Manual shearing M. | 1 |
| Locomotive gasoline | 1 | Pump | 9 | Hardness tester | 2 |
| Vice | 1 | Shaper | 1 | Plate bending machine | 1 |
| Trade machine | 1 | Enamel stainer | 1 | Plate bending machine | 1 |
| Starter | 1 | Salt peter bath | 1 | Centrifugal separater | 1 |
| Broke | 2 | Plate bending m. | 1 | Tipwritter | 1 |
| Transformer | 152 | Baking machine | 2 | Cruster | 29 |
| Switch board | 13 | Cake baking Machine | 2 | Distilled water rectifier | 3 |
| att meter | 4 | Washing machine | 4 | Chaine block | 20 |
| Sewing machine | 19 | Drilling machine | 1 | Electric drill | 62 |

| | | | | | |
|---|---|---|---|---|---|
| Grainder | 11 | Press | 3 | Kirosen engine | 1 |
| Diesel | 1 | Shaper | 1 | Winch | 1 |
| Planner | 1 | Lathe | 2 | Mixture | 1 |
| Wood working planner | 1 | Drilling | 4 | Starter | 3 |
| Band saw, regrating machine | 1 | Vice | 1 | Electric furnace | 1 |
| Tester | 1 | Paper mill | 1 | Bench lathe | 1 |
| Shearing machine | 3 | Pedon Machine (made by charcoal) | 1 | Resister | 2 |
| Roller | 1 | Rope machine | 1 | Switch | 2 |
| Forming machine | 1 | Air pump. | 2 | Circuit breaker | 2 |
| Motor | 122 | Switch board | 1 | Grinder | 1 |
| Generator | 117 | Centrifugal accert separater | 2 | Welding machine (electric) | 1 |
| Air compressor | 10 | Press | 20 | | |
| Heater | 1 | Locomertive Electric | 2 | | |
| | | | | TOTAL: | 693 |

Naval Air Battalion

| | |
|---|---|
| Slatter | 1 |
| Lathe machine | 9 |
| Drilling | 1 |
| Grinding machine | 5 |
| Motor | 2 |
| Saw mill equipment | 1 |
| Sawing machine | 1 |
| Chain break | 2 |
| Welding | 2 |
| Box vice | 2 |
| Generater | 4 |
| TOTAL: | 30 |

Construction Dept.

| | | | | | |
|---|---|---|---|---|---|
| Transformer | 22 | Air tank | 2 | Charger | 4 |
| Winding machine | 14 | Fly-wheel | 2 | Locomentive (electric) | 7 |
| Bmbe | 1 | Drilling machine | 12 | Washing machine | 1 |
| Derrick | 5 | Motor siren | 4 | Press | 5 |
| Air hammer | 3 | Teeth seting m. | 1 | Mixture | 6 |
| Heat treating | 3 | Blower | 5 | Hoorifier | 7 |
| Switch | 1 | Welding machine (electric) | 7 | Ice box | 4 |
| Chainblock | 7 | Crusher | 24 | Grain | 11 |
| Switch board | 31 | Wood working machine | 7 | Locomentive (gasoline) | 4 |
| Pump | 40 | Motor | 70 | Compressor | 4 |
| Deisel engine | 50 | Shaling machine | 1 | Crusher | 3 |
| Generator | 50 | Tpde machine | 2 | Locomotive (steam) | 1 |
| Magnetic tool | 2 | Metal sawing M. | 4 | engine | 1 |
| Electric furnace | 2 | shearing machine | 1 | | |
| Crane | 2 | Wood working M. | 4 | Total: | 463 |
| Dryer | | | | | |

| | | | |
|---|---|---|---|
| Speed charger | 7 | Crasher | 1 |
| Deisel Drilling | 1 | Platform-scale | 1 |
| Shaper | 1 | Blower | 1 |
| Punching press | 1 | Box vice | 29 |
| Milling machine | 1 | Impact tester | 1 |
| Lathe | 6 | Kirosen engine | 1 |
| Vice | 7 | Hand circular saw | 1 |
| Rolling mill | 2 | Jack | 1 |
| Lathe wood machine | 2 | Sewing machine | 2 |

## Sangbo Naval Garrison

| | |
|---|---|
| Generator | 5 |
| switch board | 2 |
| Starter resistor | 1 |
| Automatic starter | 1 |
| Oil switch | 2 |
| Transformer | 6 |
| Generator (gasolin) | 1 |
| Chain block | 1 |
| Total: | 19 |

Naval Communication Group

| | | | |
|---|---|---|---|
| Induction Voltage Regulator | 1 | switch board | 3 |
| Generator (Diesel) | 1 | Drilling M. | 1 |
| Grinding machine | 1 | Motor | 2 |
| | | TOTAL: | 9 |

Tsuebo Marine Corps

| | |
|---|---|
| Transformer | 1 |
| Meter | 1 |
| TOTAL: | 2 |

Sigonbe Naval Defence Group

| | |
|---|---|
| Transformer | 4 |
| Switch | 2 |
| Generator | 2 |
| TOTAL: | 8 |

## Kwajalein Special Attack Group

| | | | |
|---|---|---|---|
| Transformer | 17 | Cooler | 1 |
| Lathe | 1 | Winding machine | 1 |
| Milling machine | 1 | Generator | 15 |
| Drilling machine | 2 | Oil Oil switch | 2 |
| Grinding | 1 | Switch board | 1 |
| Blower | 1 | Armature | 9 |
| Crane | 2 | | |
| Compresser air tanke | 5 | | |
| Torpedo | 5 | | |
| Pump | 5 | | |
| Tank | 4 | | |
| Welding machine (Electric) | 1 | | |

TOTAL: 74

## Hoxie Marine Corps

| | | | |
|---|---|---|---|
| Rice mill eqipment | 2 | Centrifugal seperator | 1 |
| Trangformer | 3 | Winding machine | 1 |
| Motor | 10 | Derrick | 1 |
| Winch | 1 | Welding machine | 2 |
| Telephone operating board | 2 | Lathe | 1 |
| Switch board | 2 | Drilling machine | 1 |
| Projector | 1 | Milling machine | 1 |
| Circular saw | 1 | Grinding machine | 1 |
| Sucking pump | 1 | Band saw machine | 1 |
| Printing machine | 2 | Hand plane | 1 |
| Shering machine | 1 | Lathe (wood working m.) | 1 |
| Washing machine | 1 | TOTAL: | 39 |

Kowatana Workers Training School

| | | | |
|---|---|---|---|
| Winch | 3 | Meter | 1 |
| Hardness tester | 2 | Total: | 29 |
| Switch board | 1 | | |
| Press | 1 | | |
| Pump | 4 | | |
| Measuring machine | 4 | | |
| Jack | 1 | | |
| Regulator | 1 | | |
| Sterilizer | 1 | | |
| Boiler | 4 | | |
| Transformer | 4 | | |
| Oil switch | 2 | | |

## Sangbo Naval Hospital

| | |
|---|---|
| Disinfector | 3 |
| Boiler | 2 |
| Transformer | 7 |
| Pump | 3 |
| TOTAL: | 15 |

Pasco Naval Account Dept

| | |
|---|---|
| Typewriter | 2 |

TOTAL: 2

NAGASAKI PREFECTURAL GOVERNMENT
Nagasaki, Kyushu

31 August 1948

SUBJECT: Report of Outbreak of Fire.

TO : Nagasaki Military Government Team,
Att: Mr. Goldsby, MG Officer.

FROM : Chief, Reparations Section, Nagasaki Prefecture.

A fire broke out on 26 August 1948 in the Omura 21st Air Depot warehouse (unreleased building), and we beg to report you as follows:

1. Date: 26 August 1948
2. Time: 8.55 a.m.
3. Time extinguished: 9.50 a.m.
4. Building: No. 402 Building in the compound (tile roofed) (warehouse )

5. Circumstance:
Due to the leakage of rain, medicine remnants scattered around in the warehouse caused fire to the extent the ceiling was burnt, and no damage to the building, burning only the medicine(Name of medicine unknown).

6. Measures taken:
Immediately on discovery of the fire by a guard of the Air Depot, alarm was made to the Omura Police Station, and by getting help of the police and firemen, the fire was under control.

As the above medicine is a dangerous kind, it was canned in two after cleaning the spot and storaged in the air-raid cave in front of No. 500 Building.

M. Tateishi

M. Tateishi, Chief,
Reparations Section,
Nagasaki Prefecture.

HK/HF

NAGASAKI PREFECTURAL GOVERNMENT
Nagasaki, Kyushu

File (27-4) -- General Information

28 August 1948

SUBJECT: Movement of Reparations Equipment

TO : Commanding Officer, Nagasaki MG Team.
(Att: Mr. Goldsby, Military Government Officer,
Commerce & Industry Section)

FROM : Chief, Reparations Section, Nagasaki Prefecture.

In compliance with your directive of 30 July 1948, file 387.6, that equipment located in warehouses in Omura and warehouses of Omura 21st Naval Air Depot be moved to the custody warehouse, Omura Branch, Kumamoto Finance Bureau, for the purpose to make evaluation for Plant 27-4, we beg to report you that the delivery has been finished on 9 August 1948 as detailed in the separate lists attached.

1. Equipment located in warehouse of Shisetsusha: Current Transformer and other 29 items.

2. Equipment located in warehouses of Omura Air Depot (No.517,518,519,520): Current Transformer and other 41 items.

M. Tateishi

M. Tateishi, Chief,
Reparations Section,
Nagasaki Prefecture.

HK/HF
Incl:

Enclosure to Nag[illegible]ef Govt letter,
dtd 28 Aug 48, subj: Movement of
Reparations Equipment

LIST 1.

| Name of Item | Quantity | Warehouse to which delivered. (Custody Whse, Omura, Kumamot Finance Bureau) |
|---|---|---|
| Current transformer . . . | 3 | No. 1 Warehouse |
| Saw Teeth Setting Machine | 3 | " |
| Tap . . . . . | 1 | " |
| Vice . . . . . | 3 | " |
| Metal-cutting Scissors . | 1 | " |
| Gas Welding Burner . . . | 7 | " |
| Jack . . . . . | 1 | " |
| Gas Regulator . . . . . | 1 | " |
| Storage Battery . . . . | 6 | No. 4 Warehouse |
| Resistor . . . . . | 6 | " |
| Hoist . . . . . | 4 | " |
| Stand for Roller . . . . | 1 | " |
| Electric Motor, 10 H.P. | 1 | " |
| Saw Teeth Setting Machine(Grinder) | 1 | " |
| Pneumatic Drill . . . . . | 1 | " |
| Motor for Electric Fan . | 1 | " |
| Cahin Block ..... | 3 | " |
| Blower . . . . . | 1 | " |
| Charger (TANGAR) . . . . | 1 | " |
| Electric heater for heating room | 1 | " |
| Grinder . . . . . | 1 | " |
| Small Jack . . . . . | 2 | " |
| Water Pipe Cutter . . . . | 1 | " |
| Hoist (Hippara) . . . . . | 1 | " |

| | | |
|---|---|---|
| Battery . . . . . | 1 | No. 4 Warehouse |
| Dynamo . . . . . | 1 | " |
| Strain Adjusting Machine . . | 1 | " |
| Rectifier . . . . . | 1 | " |
| Electric fan . . . . . | 1 | " |
| Air Compressor . . . . . | 1 | " |

* * * * * * * * * * * * *

Enclosure to Nag[illegible]ef Govt letter,
dtd 28 Aug 48, subj: Movement of
Reparations Equipment.

## LIST 2

EQUIPMENT DELIVERED OUT OF OMURA AIR DEPOT WAREHOUSES
(NO. 517, 518, 519, 520)

| Name of Item | Quantity | Kumamoto Finance Bureau, Omura Branch's Custody Warehouse to which delivery made |
|---|---|---|
| Current transformer | 7 | No. 1 Warehouse |
| Transformer meter | 6 | " |
| Current Meter | 16 | " |
| Volt Meter | 5 | " |
| Wattmeter | 3 | " |
| O O S Meter | 1 | " |
| Meters, condition poor | 24 | " |
| Oil switch | 2 | No. 4 Warehouse |
| Resistor | 1 | " |
| Distribution board | 3 | " |
| Chain Block, broken and broken parts | 19 | " |
| Injection Pump | 4 | " |
| Oil Breaker | 2 | " |
| Small Compressor ( 3 with motor) | 12 | " |
| Oxygen meter | 18 | No. 1 Warehouse |
| Resistor | 1 | No. 4 Warehouse |
| Oil Breaker | 3 cases | " |
| Induction Regulator | 1 | " |
| Oil Breaker Parts | 1 case | " |

| Name of Item | Quantity | Warehouse to which delivery made (Custody Warehouse, Omura, Finance Bureau) |
|---|---|---|
| Distribution board | 1 | No. 4 Warehouse |
| Transformer outside tank | 7 | " |
| Distribution board (steel plate) | 2 | " |
| Distribution board parts | 1 case | " |
| Transformer Meter | 44 | " |
| Current transformer | 41 case | " |
| Transformer for Meter | 16 | " |
| Distribution board (with automatic breaker) | 1 | " |
| Oil switch | 57 | " |
| Switch (Jiscon) | 116 | " |
| Switchboard type oil breaker | 13 | " |
| Distribution board | 29 cases | " |
| Distribution board parts | 40 " | " |
| Distribution board breaker | 1 " | " |
| Electrical parts (metallic) | 4 sets | " |
| Bonnet Roller (OS-598) | 1 | " |
| Electrical accessories | 14 cases | " |
| Metal Celaning Tank | 1 | " |
| Metal Cleaning Tank, OS-411 | 1 | " |
| Radial Drilling Machine, OS-611 | 1 | " |
| Oil Switch (OS-625,627) | 8 | " |
| Distribution board parts, OA-428 | 8 cases | " |
| Surface Plate (3634/ 3636) | 3 | " |

**********

Eq File

27-4

HEADQUARTERS
NAGASAKI MILITARY GOVERNMENT TEAM AAB/lt
Nagasaki, Kyushu, Japan

APO 929
30 July 1946

File : 307.6

SUBJECT: Movement of Reparations Equipment

TO : Reparations Section, Nagasaki Prefecture

1. Items of reparations equipment located in warehouses in Omura and the 21st Naval Air Depot under custody of the 34th Infantry Regiment, will be moved to the custody warehouses of the Omura Branch of the Kumamoto Finance Bureau.

2. These items of reparations equipment will be included in the present evaluation of Plant 27-4.

FOR THE COMMANDING OFFICER:

RALPH I LeROCK
1st Lt FA
Adjutant

| Name of item | Unit | Quantity at time of release by Japanese Navy | Present quantity |
|---|---|---|---|
| Duralmin pipe ..... | pcs | 80 | 80 |
| Duralmin Ingot ..... | kg | 460 | 460 |
| Carbide ..... | can | 10 | 10 |
| Mild Steel ..... | kg | 1,000 | 1,000 |
| Jig Material (wood) ..... | Tsubo | 2.5 | 2.5 |
| Steel Sheet (1.5 x 5 x 1).. | sheet | 3 | 3 |
| Steel sheet (1.5 x 4 x 8).. | " | 7 | 7 |

* * * * * * * * * * * *

NAGASAKI PREFECTURAL GOVERNMENT
Nagasaki, Kyushu

17 April 1948

SUBJECT: Request for Release of Former Military Articles

TO : Lieut. Rollison, 34th Infantry Regiment.

THROUGH: Nagasaki Military Government Team.

FROM : Governor, Nagasaki Prefecture.

We have found that the articles shown on the attached lists are located at the Nagasaki Prefectural Technical School of Omura City and the items of which had been released from the former Omura Naval Air Depot at the time of the war termination.

These articles are not the ones released from your military authorities to the Japanese Government, therefore, we request that the said items be released formally by your authorities as early as possible, as we are desirous to make distribution, to the said school, of the items necessary for edusational purpose and others for general civilian demands, after having received your formal release to the Japanese Government.

| | | |
|---|---|---|
| 1. | Name of Item: | As shown on the attached lists. |
| 2. | Location: | Prefectural Technical School, Omura. |
| 3. | Former owner: | Ex Japanese Navy. |
| 4. | Former object: | Had been used by Ex Naval Air Depot for training of workers. |
| 5. | Future object: | Will be used for civilian demands |
| 6. | Occupied or not: | Not occupied. |

FOR THE GOVERNOR:

M. Tateishi

M. Tateishi, Chief,
Reparations Section,
Nagasaki Prefecture.

HK/HF
Incl:

Enclosure to Letter, Nag Pref Govt,
dtd 17 Apr 48, subj: "Request for
Release of Former Military Articles"

| Name of item | Unit | Quantity at time of the release by Navy | Present Quantity |
|---|---|---|---|
| Joints | pcs | 30 | 30 |
| Canteens | " | 180 | 32 |
| Padlocks | " | 65 | 47 |
| Mirrors | " | 3 | 2 |
| Blankets | sheet | 7,975 | 3,489 |
| Pneumatic pump | pcs | 1 | 1 |
| Sucking pump | " | 1 | 1 |
| Triangular rulers | " | 535 | 400 |
| Long rulers | " | 600 | 500 |
| Key-type rulers | " | 113 | 100 |
| Crane (model) | " | 2 | 2 |
| Abacus (Soroban) | " | 20 | 10 |
| Sliding-rule | " | 705 | 655 |
| Numbering machines | " | 4 | 2 |
| Mimeograph | " | 8 | 2 |
| Printing-press | " | 3 | 3 |
| Seal-box | " | 1 | 1 |
| Book stands | " | 275 | 275 |
| Drawing instruments | " | 5 | 0 |
| Alcohol lamps | " | 20 | 20 |
| Hat rack | " | 1 | 1 |
| Steam water boiler | " | 2 | 0 |
| Bath tubs | " | 100 | 0 |
| Spirometer | " | 1 | 0 |
| Revolving chair | " | 3 | 2 |
| Rice washing apparatus | " | 1 | 0 |
| Magnetics experimental instrument | " | 40 | 40 |
| Dynamics Experimental | " | 60 | 59 |
| Statical electricity experimental instruments | " | 29 | 26 |
| Experimental instruments for: thermotics | " | 6 | 4 |
| " acoustics | " | 15 | 9 |
| " optics | " | 19 | 17 |
| " liquid body dynamics | " | 16 | 12 |
| " galvanic electricity | " | 14 | 2 |
| Cooking stands | " | 4 | 4 |
| Specimen | " | 2 | 0 |
| Convector (Convection current) | " | 1 | 1 |
| Mono-cord | " | 1 | 1 |
| Ozone producer | " | 1 | 0 |
| Magnet | " | 17 | 15 |
| Analytical experimental instr't | " | 3 | 3 |
| Chemical experimental instr't | " | 1 | 1 |
| Physical chemistry experimental instruments | " | 2 | 2 |
| Brazier stands | " | 30 | 5 |
| Raincoats | " | 5 | 5 |

| Name of item | Unit | Number at time of release by Japanese Navy | Present Number |
|---|---|---|---|
| Mosquito-nets | pcs | 220 | 159 |
| Satchel | " | 5 | 1 |
| Fire extinguishers | " | 84 | 54 |
| Fire-plug nozzles | " | 3 | 3 |
| Doctor's Consultation table | " | 1 | 1 |
| Pus plate | " | 3 | 3 |
| Eye-washing water receiver | " | 2 | 2 |
| Tongne pressing spatula | " | 1 | 1 |
| Doctor's instruments dish | " | 5 | 0 |
| Disinfector | " | 4 | 0 |
| Spitoon pot | " | 70 | 70 |
| Reflecting mirrors with forehead band | " | 1 | 0 |
| Stethoscope | " | 1 | 0 |
| Flexor | " | 1 | 1 |
| Ear mirror | " | 1 | 1 |
| Safe | " | 2 | 2 |
| Clothing box | " | 27 | 27 |
| Document shelf | " | 9 | 9 |
| Table-ware shelf | " | 2 | 2 |
| Shelf | " | 15 | 15 |
| Desks | " | 993 | 993 |
| Business desks | " | 78 | 78 |
| Tables | " | 3 | 3 |
| Dining tables | " | 140 | 140 |
| Chairs | " | 467 | 422 |
| Chair, No. Hei | " | 80 | 80 |
| " No. KO | " | 7 | 7 |
| " No. Otsu | " | 69 | 69 |
| Easy chairs | " | 3 | 3 |
| Long chairs | " | 2 | 2 |
| Student chairs | " | 847 | 847 |
| Screens | " | 2 | 2 |
| Sleeping pads(Tatami) | " | 100 | 30 |
| Table-wares | " | 4,100 | 3,185 |
| Food distributor | " | 64 | 64 |
| Wash basins | " | 11 | 0 |
| Braziers | " | 49 | 30 |
| Straw mattress | " | 986 | 285 |
| Blackboard | " | 26 | 26 |
| Radio set | " | 11 | 3 |
| Thermoelectric drill | " | 1 | 1 |
| Helio-lamp | " | 1 | 0 |
| Portable pocket lamp | " | 32 | 0 |
| Electric lamp covers | " | 75 | 0 |
| Primary battery | " | 7 | 0 |
| Hoe | " | 40 | 0 |
| Shovels | " | 30 | 0 |
| Cooking knives | " | 60 | 0 |
| Folding square(wooden made) | " | 834 | 500 |

| Name of item | Unit | Quantity at time of release by Navy | Present quantity |
|---|---|---|---|
| Platform Scale | pcs. | 8 | 8 |
| Chemistry scale | " | 2 | 1 |
| Spring scale | " | 1 | 0 |
| Suspension scale | " | 2 | 0 |
| Sound-wave projection intuitor | " | 1 | 0 |
| Tester | " | 16 | 16 |
| Expansion tester | " | 1 | 1 |
| Self-induction tester | " | 2 | 2 |
| Wall-clock | " | 3 | 3 |
| Thermometer | " | 1 | 1 |
| Hyetometer | " | 1 | 1 |
| Barometer | " | 2 | 2 |
| Blood-pressure gauge | " | 1 | 0 |
| Vacuum gauge | " | 3 | 2 |
| Sound alarm | " | 1 | 1 |
| Swinging power gauge | " | 2 | 2 |
| Protractor | " | 433 | 433 |
| Tuning fork | " | 3 | 0 |
| Quality-tester | " | 24 | 0 |
| Resistance tester | " | 1 | 1 |
| Straining power tester | " | 2 | 2 |
| Potentiometer | " | 1 | 1 |
| Galvanometer | " | 8 | 0 |
| Current meter for both AC,DC | " | 1 | 1 |
| Electrification detector | " | 14 | 8 |
| Magnetoscope | " | 1 | 1 |
| Electric bridge | " | 2 | 2 |
| Japanese ink-stone | " | 21 | 11 |
| Japanese ink-stone box | " | 70 | 70 |
| Letter weight | " | 500 | 400 |
| Japanese wrestler's belt | " | 40 | 34 |
| National flag | " | 1 | 1 |
| X-ray apparatus | set | 1 | 0 |
| Microscope | pcs | 2 | 2 |
| Spectroscope | " | 1 | 1 |
| Binocular (model) | " | 1 | 1 |
| T-square | " | 7 | 1 |
| Wireless instruments | " | 19 | 7 |
| Stop-watch | " | 3 | 0 |
| Tape-measures | " | 1 | 3 |
| Bedding | sheet | 5 | 0 |
| Document basket | pcs | 2 | 0 |
| Work-dress's hood | " | 14 | 4 |
| Firemen's dress | " | 17 | 7 |
| Hose | meter | 900 | 800 |
| Miscellany bags | pcs | 952 | 952 |
| Steel wire | meter | 150 | 150 |
| Duralmin sheet | sheet | 50 | 50 |