# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Alpines from the Land of the Sky

Hardy Herbaceous, Rock Garden, Native Plants and Rare Shrubs

# nik-nar nursery

G. LATTA CLEMENT

# 1934

in Charles and

T. A. Department of Agramment

BILTMORE STATION ASHEVILLE, NORTH CAROLINA

### PLEASE READ

All previous prices cancelled.

No single plant sold for less than 25c, 6 at one dozen rate. If interested in large quantities write for special prices.

Cash must accompany all orders unless credit has been established.

All plants are packed and delivered F. O. B. Biltmore Station, Asheville, N. C.

Our plants as a rule are field grown; however a few are shipped from pots for best results. Our native plants are also nursery grown. We reserve the right to ship collected plants should our supply be exhausted.

We guarantee all plants to be in a healthy condition but cannot be responsible for cultural results. We use the utmost care in shipping, but should an error be made, please notify us at once and we will be responsible to the extent of the item, either in replacement of plants or refunding the money. We list a greater variety of Native Plants than any dealer from this section. Inquiries for rare and unusual plants are invited.

CLIMATE—Our climate is very trying on many plants as we have very little snow. The constant freezing and thawing is worse than a steady cold, even though more severe. Our temperature varies from 97 degrees to zero. All plants listed are hardy here.

SEEDS—If interested in obtaining seeds from us please place your order early and we will endeavor to secure them for you in time for fall delivery. 25c per pk.

WE CO-OPERATE WITH THE STATE CHAIR-MAN OF THE CONSERVATION DEPARTMENT OF THE GARDEN CLUBS OF AMERICA AND HAVE HER APPROVAL OF OUR COLLECTING METHODS.

We are located one mile from Biltmore Station. Asheville, N. C. Visitors are welcome at any time.

# NIK-NAR NURSERY

NO SINGLE PLANT SOLD FOR LESS THAN 25c.

4	3	12
ACHILLEA (Milfoil or Yarrow)-Any soil,		
full sun.		
philipendula—Heads of bright yellow,	CO 0	9.00
3 ft\$ <b>R millefolium roseum</b> —Rose flowers, 12	.60 \$	2.00
in	.60	2.00
R ptarmica—Boule de Neige—Double		
white, 12 in	.60	2.00
<b>R</b> tomentosa—Bright yellow, 6 in	.60	2.00
ACONITUM (Monkshood)—Blue flowers in		
late summer. Prefer some shade.		
fischeri—Dark blue, 4 ft	.75	2.50
uncinatum-Native-Climbing, 5 ft. to		
8 ft	.75	2.50
ACORUS CALAMUS—Sweet Flag—Native. Handsome foliage plants for bogs		
and pools	60	2.50
ACTEA-Baneberry - Excellent woodland	.00	2.00
plants.	•	•
alba—Native—Showy white fruit in		
fall, 3 ft	.75	2.50
rubra—Native—Bright red berries, 3 ft.	.75	2.50
AETHIONEMA (Persian Candytuft)	,	
Handsome shrubby plants with		
glaucous blue foliage. Full sun.		
R persicum—Clusters of soft pink in		
May, 6 in <b>R pulchellum—A</b> taller variety. Pink,	.75	.250
8 in	.75	2.50
<b>R</b> schistosum—More upright in growth.	.10	2.00
Pink, 10 in	.75	2.50
AGROSTEMMA CORONARIA (Mullen		*
Pink)—Soft grey foliage. Red flow-		
ers, 2 ft	.60	2.00
AJUGA (Bugleweed) — Excellent ground		
cover in part shade.		
<b>R</b> genevensis — Bronze foliage, blue	<b>75</b>	0 50
flowers, 6 in <b>R reptans</b> —Green foliage. Bright blue	.75	2.50
flowers, 6 in	.60	2.00
ALLIUM (Onions)—Excellent for garden		
subjects. These do not become a	'	
menace.		
R allegheniense-Native Unbels of deep	·	
red flowers, 12 in	.75	2.50
cernuum—Native—Pink flowers, 12-18	60	2.00
in	.60	2.09
above	.60	2.00

3	12
7.5	2.50
. 1'0	2.00
.75	2.50
	0 50
.75	2.50
.75	2.50
.75	2.50
.75	2.50
75	2.50
.10	2.09
75	2.50
	0 50
.75	2.50
.75	2.50
.75	2.50
75	2.00
	2.00
	-
75	2.50
. (0	2.00
.75	2.50
.75	2.50
.75	2.50
75	2.50
	2.50 2.50
.75	2.50 2.50
,	
.75	2.50
.75	2.50
.75	2.50
.60	2.00
	.75 .75 .75 .75 .75 .75 .75 .75 .75 .75

trum-like foliage and tuberous roots.

	3	12
R thalictroides — Native — Clusters of	50	
white flowers, 4 in ANTHEMIS (Marguerite) — Dark green	.50	1.50
feathery foliage. Blooms all summer		
if dead flowers are kept cut.		
kelways yellow-Bright yellow daisies,		
2 ft	.60	2.00
AQUILEGIA (Columbine)—One of the best		
spring blooming plants. Does well in part shade.		
canadensis—Native—Red and yellow	.60	2.00
chrysantha-Long spurred yellow	.75	2.50
<b>R flabellata</b> —Pure white, 8 in <b>Dobbies hybrids</b> —Beautiful shades	.75 .75	$\begin{array}{c} 2.50\\ 2.50\end{array}$
long spurred, Pink shades	.75	2.50
ARABIS (Rock Cress)—Sunny situations.		
R albida—Compact form, 6 in	.75	° <b>2.5</b> 0
R alpina—White blooms, 6 in	.75	2.50
ARCTOSTAPHYLOS (Bear Berry) -		
Creeping evergreen plant. Excellent for rock work.		
R uva-ursi—Small cup shaped cream		
colored flowers followed by bright		•
red berries. Very beautiful. Each		
50c.		
ARMERIA (Sea Pink or Thrift)—Grasslike foliage. Pink, blooms all summer.		
<b>R</b> alpina—Pink blooms, 12 in	.75	2.50
R laucheana-Rosy red blooms, 6 in		2.50
ARENARIA (Sandwort)—Excellent grass-		
like plants for flagging.	<b>C</b> O	0.00
R caespitosa—Tiny white blooms, 1 in. R groenlaudica — Native — Very fine	.60	<b>2.0</b> 0
foliage and showy white flowers.		
Excellent	.75	2.50
ARISMAEMA (Jack in the Pulpit)-Deep		
shade.		
R triphyllum — Native. Interesting blooms. Bright red berries in fall.	.60	1.50
ARTEMEISIA'-Good for cutting and dry-		
ing.		
lactiflora—Cream panicles on 4 ft.		
plants	.60 .60	$\begin{array}{c} 2.00\\ 2.00\end{array}$
<b>R stelleri</b> —Feathery grey-green foliage,	.00	2.00
12 in	.60	2.00
frigida—Feathery silver foliage on		
shrubby plant. The best, 35c each.		
ASARUM (Wild Ginger or Heart Leaves)— Deep loam and shade.		
<b>R</b> arifolium—Native. Handsome mar-		
bled leaves. Evergreen	.75	2.50
R canadense — Native — Large leaves.		0.00
Herbaceous	.60	2.00

	3	12
R shuttleworthii—Native. Handsome		
evergreen foliage <b>R virginicum</b> —Native. Marbled foliage.	.75	2.50
Evergreen	.60	2.00
ASCLEPIAS (Butterfly-weed)—One of our		
handsomest and best plants for hot		
sun and summer bloom.	75	2.50
<b>tuberosa</b> —Native—Bright orange, 18 in. incarnata—Native—Rose-pink flowers, 2	.75	2.90
ft	.60	2.00
ASCYRUM (St. Peter's Wort)—Similar to		
hypericum but has four petals in-		
stead of five.		
hypericoides—Sprawling plant 12-18 in.		
Bright yellow flowers	.75	2.50
ASPERULA (Woodruff) — Finely cut		
foliage. Some shade.		
R odorata—Fragrant white flowers, 6	.75	2.50
in	.19	2.09
while for its handsome blue-green		
foliage.		
luteus—Fragrant spikes of yellow lily-		
like blooms, 2 ft	.75	2.50
ASTERS—Daisy-like flowers for fall bloom.		
Native—In mixture for naturalizing	.50	1.50
R Mauve Cushion-Sheets of blooms		
one inch across in Sept., 6 in	.75	2.50
R alpinus—Large blue flowers with	75	9 50
yellow centers, 8 in Climax—Pyramidal growth. Blue, 5 ft.	.75 75	$\begin{array}{c} 2.50 \\ 2.50 \end{array}$
Mrs. Raynor—Rosy red, 3 ft	.75	2.50
Queen Mary-Large blue flowers, 3 ft.	.75	2.50
Sam Banham – Early. Semi - double,		
white	.75	2.50
spectabilis—Native. Handsome large		-
blue flowers, 18 in	.75	2.50
St. Egwin-Rosy-pink. Early, 2 ft	.75	2.50
Wonder of Straffa — Swiss novelty. Handsomest of all. Three inches		
across, blue, 2 ft	.75	2.50
ASTILBE—Part shade. Loamy soil.		2.00
Betty Cuperus—White with pink center,		
5 ft	.75	<b>2.5</b> 9
biternata—Native—Panicles of creamy		
white flowers, 4 ft	.60	2.00
Etna—Clear pink, 2 ft	.75	2.50
Gladstone—Finest dwarf white	.75 .75	2.50 2.50
<b>Gruno</b> —Graceful salmon-pink, 4 ft Queen Alexander—Light pink, 2 ft	.75	<b>2.50</b> <b>2.5</b> 0
Rhineland—Crimson, shaded salmon, 2		2.00
ft	.75	2.50
tomentosa-Native. Rosy-pink flowers		
in summer	.60	2.00
AUBRETIA (Rock Cress) - Excellent for		
walls and sunny situations.		

	3	12
<b>R</b> Graeca—Blue, very early, 4 in	.75	2.50
<b>R</b> rosea—Rose-colored form of above.		2.50
BAPTISIA (Wild Indigo)—Beautiful sprays		
of pea-shaped flowers in summer.		
Sun or part shade.		
australis-Native. Deep blue lupine-		
like spikes, 3 ft	.75	2.50
tinctoria—Native. Lemon yellow flowers,	.60	2.00
3 ft BERGAMOT (Oswego Tea)—Showy plants	.00	2.00
of the mint family.		
didyma—Native. Cambridge scarlet, 2-		
4 ft	.60	2.00
fistulosa—Native Lavender flowers, 2		
ft	.60	2.00
BOCCONIA (Plume Poppy) — Handsome		
plants for background.		
cordata—Creamy white panicles, 6-8	~ ~	0.50
	.7:5	2.50
BUDDLEA (Butterfly Bush)—Large shrubs which bloom all summer.		
farguhari—Purple racemes, 4 ft	.75	2.50
magnifica—Large lilac blossoms, 5 ft.	.75	2.50
altinifolia—Perfectly hardy and ever-		
	.75	2.50
CALAMINTHA—Lavender blooms all sum-		
mer.		
R alpina-Dark green foliage, 6 in	.75	2.50
CALLIRHOE (Poppy Mallow)—Withstands		
drouth and blooms all summer.		
R involucrata—Trailing plants, three		
feet. Rosy purple flowers one inch	20	
across	.60	2.00
CALTHA (Marsh Marigold)—Bright yellow		
flowers. Bogs.		
palustris—Native—Glossy green leaves. Showy	75	2.50
•		2.00
CAMPANULA (Bell Flowers)—One of the most satisfactory groups of plants.		
Summer bloom.		
bononiensis—Blue bells on slender stems,		
2 ft	.75	2.50
<b>R</b> carpatica—Compact tufts, 8 in. stems		
tipped with clear blue bells. June		
to frost	.75	2.50
R carpatica alba-White form of above	.75	2.50
R dahurica Deep purple, 12 in	.75	2.50
elegans—Spikes of blue bells all sum- mer	.75	2.50
R flexuosa—Native—A mist of blue		2.00
bells, 12 in	.75	2.50
persicifolia-fl. pl. Handsome spikes		
of blue bells	.75	2.50
persicifolia Telham Beauty-Bright		
blue, 2 ft	.75	2.50

	3	12
rapunculoides-Siberia, nodding blue		
bells, 3 ft	.75	2.50
<b>R</b> rotundifolia—Small blue bells on	75	9 50
wiry stems, 8 in trachelium — Light purple drooping	.75	2.50
bells, 2 ft	.75	<b>2.5</b> 0
turbinata—Blue, 6 in	.75	2.50
CARYOPTERIS (Blue Spirea) - Hand-		
some shrub-like plants for late		
	.75	2.50
CAREX-Sedge-Native (Old Man's Beard)	•	
R fraseri—Handsome long evergreen		
green leaves 2 in. across. Spikes of		
white flowers, 2 ft. Very choice for	75	9 50
woodland planting	.75	2.50
CASSIA (Indian Senna)—Shrubby plants for border, 4 ft	.75	2.50
marilandica—Native—Panicles of yellow	.10	2.50
pea-shaped flowers	.75	2.50
CATANANCHE (Cupid's Dart)—Open sun.		2.00
Good for drying.		
R caerulea-Blue blossoms on 18 in.		
stems	.75	2.50
CENTAUREA (Knapweed)—Prefer open		
sun.		
dealbata-Pink cornflower blooms	.75	2.50
montana—Deep blue, grey foliage	.75	2.50
macrocephala—Large thistle-like heads of yellow. Interesting and beautiful	.75	2.50
CEPHALARIA (Giant Scabiosa) — Tall		2.00
plants for backgrounds.		
tartarica-Cream scabious-like flowers		
on long stems, 5 ft	.75	2.50
CERASTIUM (Snow in Summer)-Beauti-		
ful grey foliage. Sun.		
R biebersteinium-White starry blooms,		
6 in		2.00
R tomentosum-Rampant grower, white	.60	2.00
CHAMAELIRIUM (Devil's Bit) - Long		
spikes of feathery cream blooms. Ex-		
cellent for cutting. Open woods.		
luteum—Native. Mats of leaves in rosette, 2 ft	.60	2.00
	.00	2.00
<b>CHELONE</b> (Turtle's Head)—Good plants for damp or partially shaded places.		
glabra—Native. White blooms, 3 ft	.75	2.50
lyoni-Native. Lavender pink blooms,		
2 ft	.60	2.00
CHIMAPHILA (Winter Green)—Evergreen		
foliage, handsomely marbled.		
R maculata—Native. Waxy white	60	8.00
flowers in May, 4 in CHROSPERMA (Fly Poison)—Long strap-	.60	2.00
like foliage. Damp.		

like foliage. Damp.

	3	12
muscaetoxicum—Native. Handsome spikes of white flowers, 2 ft	.75	2.50
CHRYSANTHEMUMS — Indispensible in fall gardens.		
Anemone type-Yellow. Well branched		
and unexcelled for borders, 18 in Brune Poitevine — Velvety reddish-	.75	2.50
bronze with golden reverse	.75	2.50
Capt. R. H. Cook-Pompon, deep rose.	.75	2.50
Carrie—Large shaggy yellow Corean (Korean)—Sheets of blooms late	.75	2 <b>.5</b> 0
in fall. White fading pink	.75	2.50
Little Bob-Bronze buttons. Good	.75	2.50
Minnie—Large blossoms of rich cream,	.75	2.50
very good Marie AntoinetteDeep pink	.75	2.50 2.50
Micado — Maroon and bronze petals		
single	.75	2.50
Mrs. C. Bell—Large single white Mrs. F. H. Bergen—Pale pink with	.75	2.50
white center	.75	2.50
October Girl-Soft lavender pink, ex-		
cellent	.75	2.50
Ouray-Rich bronze with copper glow.	.75	2.50
Skibo-Gold with bronze center	.75	2.50
Snowdrop—Pure white, button type Shaggy bronze—Early and very hardy.	.7\5\ .75	$\begin{array}{c} 2.50 \\ 2.50 \end{array}$
Tints of Gold—Bronze, two weeks later	.10	2.00
than above	.75	2.50
White Doty—Pure white pompon	.75	2.50
Zelia—Large orange	.75	2.50
CHRYSOGONUM—Woodland gardens. R virginianum—Native. Yellow flowers		
one inch across, 6 in	.75	2.50
CIMICIFUGA (Black Snake Root)—Stately		
plants for open woods.		
racemosa-Native. White flowers on	<b>C</b> 0	9 00
4 ft. spikes CINERARIA — Silver foliage of great	.60	2.00
beauty.		
maritima-Small yellow flowers, 18 in.	75	2.50
CLAYTONIA (Spring Beauty) — Dainty		
little plants for early spring bloom . R caroliniana—Native White flowers,		
4 in	.75	2.50
<b>R</b> virginica—Native. Pink to white		
flowers, 4 in	.50	1.50
CLINTONIA—Broad foliage plants. Deep leaf mold and shade.		
R borealis-Native. Nodding bell-		
shaped flowers. Intense blue fruit.	.60	2.00
R umbellulata-Native. White flowers		
usually spotted with brown. Black fruit	.60	2.00
CONVALLARIA (Lily - of - the - Valley)-		4.00
Deep leaf mold and shade.		

		3	12
R	majalis-Native. Large pure white		
	bells, fragrant	.60	2.00
CORY	DALIS—Handsome fern-like foliage.		
R	glauca — Native. Dainty biennials		
	which seed freely. Yellow and pink		
	flowers	.60	2.00
CORE	EOPSIS (Tickseed)—Large daisy-like		2.047
oone	flowers all summer.		
gra	andiflora-Yellow flowers on long		
	stems	.60	2.00
gra	andiflora—Perry's double. Semi-double		
	form of above	.60	2.00
CRU	CINAELLA (Crosswort)—Good rock		
	garden plant. Sun.		
R	stylosa-Lavender pink ball-shaped		
	flowers on 6 in. stems	.75	2.50
CYNC	OGLOSSUM (Wild Comfrey)-Large		
	mullen-like leaves. Open woods.		
vi	rginianum—Native. Forget-me-not-		
• 11	like flowers, 18 in	75	2.50
CVD		. ( )	2.00
	RIPEDIUM—See orchids.		
	Y-Excellent for cutting.		
Ha	artje and Elder—Early, long stems,		
	handsome	.60	2.00
	asta-Large blossoms in summer	.60	2.06
AI	aska—Large white blossoms in sum-		
	mer	.60	2.00
Ki	ng Edward—Glistening white blooms	.75	2.50
	HNE—cneorum. The best rock garden		
	shrub. Fragrant pink flowers in		
	spring and fall, 75c.		
DELI	PHINIUM (Perennial Larkspur) —		
	·		
le e	The most popular blue flower.	<u> </u>	0.00
	lladonna-Improved. Light blue	.60	2.00
	llamosa—Dark blue form of above		2.00
	chinese—Gentian blue, branched	.75	2.50
Ρι	udors hybrids-Wonderful colors and		
	robust growers, 35c each		<b>4.0</b> 0
R	tricorne — Native. Tuberous, deep		
	blue. Shade	.60	2.00
DEN	TARIA (Toothwort)—Tuberous rooted		
	woodland plants.		
R	diphylla-White flowers in spring, 6		
	in	.60	1.50
DIAN	•		
DIAN	NTHUS (Pinks)—Indispensible in gar-		
	dens. Sun.		
R	caesius-Cheddar pinks, stiff 4 in.		
	stems, pinks	.75	2.50
R		.60	2.00
R	deltoides-Maiden pinks. Neat green		
	foliage. Rose, 6 in	.60	2.00
R	deltoides alba-White form of above	.60	2.00
R			
	foliage, red flowers	.60	2.00
G	ladys Cranfield—Deep pink, dark red		
u	eve. 12 in	.75	2.50
	CyC, 12 111	.10	2.00

	3	12
heddewigi — Japanese pinks, brilliant colors all summer	.60	2.00
knappi—Dark green foliage. Yellow	85	0 50
<ul> <li>blooms, 12 in</li> <li>R Old Lace—Looks like name, pale pink, 35c each.</li> </ul>	.75	2.50
plumarius-Old-fashioned clove pinks,		
Mixed	.75	2.50
35c each. semperflorens—Robust growers. Large		
blooms	.75	2.50
DIANTHUS (Sweet Williams). barbatus—Newport pink	.60	2.00
barbatus—Mixed colors	.60	1.50
Sweet Wivelsfield-Mixed colors	.60	2.00
DICENTRA (Bleeding Heart)—Among the		
best of garden plants. <b>R canadensis (Squirrel Corn)</b> —Native.		
Panicles of white heart-shaped flow-		
ers edged with pink. Fern-like		
foliage	.50	1.00
R cucullaria (Dutchman's Breeches)-		
Native. Similar to above. Blos-	FA	
soms edged with yellow <b>R eximia</b> —Native. Pink blooms all	.50	1.00
summer	.75	<b>2.</b> 50
spectabilis—Old-fashioned bleeding heart		$\frac{2.50}{2.50}$
DIGITALIS (Foxglove)-Stately plants for		
the border.		0.00
gloxinioides—Mixed colors		2.00
lutea—Interesting cream blooms, 2 ft laevigata—Yellow with brown markings,	.70	2.50
2 ft	.75	2.50
DIPHYLLEIA (Umbrella Leaf)-Hand-		
some plants for damp woodlands.		
cymosa—Native. Clusters of white flow-		
ers, 2 ft	.75	2.50
DISPORUM—See Prosartes.		
<b>DODECATHEON</b> (Shooting Star or Ameri- can Cyclamen)—Open woods. One		
of our handsomest native plants.		
Hugeri-Native. White flowers with		
-	.75	2.50
<b>DORONICUM</b> (Leopardsbane) — Excellent		
cut flowers. Sun.	~~	9 50
caucasicum—Large yellow flowers, 2 ft. R DRABA ramosissima—Native. Ever-	75	2.50
green foliage covered in sheets of		
misty white flowers for a long time		
in spring. Very fine	.75	2.50
ECHINOPS (Globe Thistle)—Coarse prickly		
foliage. Good for cutting.	75	9 50
ritro—Handsome heads of blue, 3 ft EPIGAEA (Trailing Arbutus)—Intensely	75	2.50
acid soil and part shade.		
andra Norr anda France Strando		

	3	12
R repens—Native. Pink waxy flowers in March	.75	2.50
<b>EUPATORIUM</b> (Joe - pye - weed) — Tall plants for naturalizing.		
purpureum—Purple flowers in fall, 5 ft. EUPHORBIA (Spurge)—Like hot, dry	.60	2.00
situations. corollataNative. Umbels of white		
flowers similar to "Baby's Breath,"		
12 in	.60	2.00
epithymoides—Feathery foliage, yellow	<b>7</b> 5	<b>9 7</b> 0
flowers, 12 in myrsinites—Handsome blue-green	.75	<b>2.5</b> 0
foliage. Yellow	.75	<b>2.</b> 50
polychroma-Showy yellow bracts	.75	<b>2.5</b> 0
<b>EUTHAMIA</b> (Fragrant Golden Rod)— caroliniana—Clusters of very fragrant		
yellow flowers, 18 in	.60	2.00
ERIGERON (Fleabane)—Daisy-like blooms		
in clusters.		
pulchellus—Blue blooms one inch across.	.75	2.50
12 in speciosus—Lavender blue flowers, 18 in.	.75	2.50
R ERINUS ALPINUS Lovely lavender		
flowers on 4 in. spikes	.75	2.50
R ERYSIUM PULCHELLUM—Wonderful		
mats of green foliage. Yellow flowers	.75	2.50
ERYNGIUM (Sea Holly)—Interesting		
thistle-like plants.		
planum—Steel blue heads and stems, 3 ft	.75	2.50
yuccaefolium—Native. Heads of white	.10	2.00
flowers, 3 ft	.60	2.00
ERYTHRONIUM (Trout Lily)—Beautiful		
lily-like plants for woodlands. R americanum—Native. Spotted leaves,		
yellow, 6 in	.60	2.00
FERNS-Listed according to Britton &		
Brown.	20	
Adiantum-Maiden Hair Asplenium filix-foemina-Lady fern	.60 .60	$\frac{2.00}{2.00}$
Asplenium montanum—Mountain spleen-		<b>m</b>
wort, 35c each.		
Asplenium parvulum — Small spleen-		
wort, 35c each. Asplenium platyneuron—Ebony spleen-		
wort	.60	1.50
Asplenium trichomanes— Maiden hair		
spleenwort	.75	2.50
Botrychium virginianum – Rattlesnake fern	.60	2.00
Botrychium ternatum—Ternate grape	.00	4.00
fern	.60	2.00
<b>Cheilanthes alabamensis</b> — Very hand- some and rare, 35c each.		
some and rare, soc each.		

	3	10
Cheilanthes lanosa—Hairy-lip fern	.75	12 2.50
Cheilanthes tomentosa—Woolly-lip fern,	.10	2.00
35c each.	,	
Camptosorus rhizophyllus — Walking		
fern	.75	2.50
Dicksonia punctilobula — Hay scented		
fern	.60	2.00
Dryopteris acrostichoides — Christmas	-	
fern Dryopteris marginalis-Evergreen woods	.50	1.50
fern	.75	2.50
Dryopteris noveboracensis-New York	.10	4.00
fern	.60	2.00
Dryopteris spinulosae—Spinulos shield	•••	
fern	.75	2.50
Dryopteris thelypteris — Marsh shield		
fern	.75	2.50
Lygodium palmatum—Climbing fern	.75	2.50
Onoclea sensibilis-Sensitive fern	.60	2.00
Osmunda cinnamomea—Cinnamon fern.	.60	2.00
Osmunda claytoniana-Clayton's fern	.60	2.00
Osmunda regale—The royal fern Pellaea atropurpurea—Purple stemmed	.75	2.50
cliffbrake	.75	2.50
	.10	2.00
Phegopteris hexagonoptera - Broad	.60	2.00
beech fern Polypodium polypodioidesGray poly-	.00	2.00
pody	.75	2.50
Polypodium vulgare — Common poly-		2.00
pody	.50	1.50
	.60	2.00
Woodsia obtusa-Obtuse woodsia	.75	2.50
FEVERFEW (Matricaria)—Summer bloom-		
ing plants.		
Little Gem—Double white flowers in		
	.75	2.50
Golden Feather-Yellow-green foliage,	<b></b>	0 F ()
	.75	<b>2.5</b> 0
FUNKIA (Plantain Lily)—Excellent plants for part shade and summer bloom.		
<b>R</b> lancifolia—Spikes of lilac flowers,		
2 ft	.75	2.50
subcordata—The "August Lily." White		
very fragrant	.75	2.50
R variegata-Green and white foliage,		
blue, 18 in	.75	2.50
GALAX — Wonderful evergreen ground		
cover. Shade, very acid soil.		
R aphylla—Native. Spike of misty	60	2.00
white flowers in summer, 18 in GALEGA (Goat's Rue)Large shrubby	60	2.00
plants for the border.		
officinalis-Native. Lovely foliage and		
pink pea-shaped flowers, 3 ft	.75	2.50
GAILLARDIA (Blanket Flower)-One of		
the best for cutting.		

	3	12
grandiflora-Yellow and brown single		
blooms	.60	2.00
GAULTHERIA (Aromatic Wintergreen)— Shade and very acid soil.		
<b>R</b> procumbens — Native. White bell-		
shaped flowers, followed by red ber-		
ries, 3 in	.75	2.50
GENTIANA-Nothing else gives the in-		
tense blue of the gentians.		
R andrewsi-Native. Closed gentian.		
Shade and humus, 18 in	.75	2.50
<b>R</b> porphyrio—Native. Intense blue with		
green and yellow markings in		
throat. Unsurpassed for beauty.		
Easily grown in open sandy loam if		
acid. 8 in., 50c each.		
R decora—Native. Heavenly blue blos-	ar	0 50
<b>GEUM</b> (Avens)—Excellent for cutting.	.75	2.50
Lady Strathedon—Double yellow, 18		
in	.75	2.50
Mrs. Bradshaw—Semi-double, orange-		2.00
red	.75	2.50
GERANIUM (Crane's Bill) - Good for	••••	
naturalizing, or in shady border.		
maculatum — Native. Soft lavender		
flowers one inch across. 18 in	.60	2.00
sanguineum-Rosy-pink flowers, 12 in.	.75	2.50
GILLENIA (Indian Physic)		
trifoliata — Native. White stars in		
masses on wiry red stems. Ef-		
fective	.75	2.50
GLOBULARIA (Globe Daisy)-Rosettes of		
handsome foliage. <b>R cordifolia</b> —Attractive blue flowers,		
6 in	.75	2.50
<b>R</b> bellidifolia—Violet blue balls, 6 in.		2.00
Rare	.75	2.50
R trichosantha—Heads of blue on 6 in.		
stems	.75	2.50
GRASSES (Festuca)		
<b>R</b> glauca—Glaucous blue foliage, 10		
in	.75	2.50
GYPSOPHILA (Baby's Breath) — Unsur-		
passed for mixed bouquets and for		
drying.		
R cerastioides — Wonderful for rock	75	2.50
work. White flowers. 2 in	.75	2.50
paniculata—Mists of white flowers, 3 ft.	.75	2.50
<b>R</b> repens (Chalk Plant)—Grey foliage,	.10	2.00
blooms all summer, 6 in	.75	2.50
HELENIUM (Sneezewort) — Showy fall		
blooming plants.		
autumnale superbum—Deep golden yel-		
low, 3 ft	.75	<b>2.5</b> 0

	3	12
riverton beauty—Lemon yellow, disk of		9.54
purple, 3 ft HELIANTHEMUM (Rock or Sun Rose)—	.75	2.50
Evergreen shrubby plants. <b>R Buttercup</b> —Deep green foliage, yel-		
low flowers. One of the best. 6 in.	75	2.50
<b>R Bride</b> —Silver grey foliage, white	.75	<b>2.5</b> 0
R Fireball-Green foliage, double scar-		
let <b>R Mutabile</b> —Good foliage, pink, white	.75	2.50
or red	.75	2.50
R Rhodantha carneum—Silver foliage,	75	9 50
pink flowers R Sudbury's Gem — Green foliage,	.75	2.50
bronze flowers	.75	2.50
HELIANTHUS (Sunflowers) — Handsome		
for mass planting and cutting.		
multiflorus fl. pl.—Clear yellow, 4 in.		
across, 3 ft. Not very hardy here	.75	2.50
native—Mixture for naturalizing	.60	1.50
HELONIAS—Showy and unusual plants for bogs.		
bullata—Native. Broad leaves at base,		
18 in. Scape covered with pink		
flowers. 50c each.		
HEMEROCALLIS (Day Lily)—Easily		
grown and showy plants for the hardy border.		
aurantiaca—Yellow, fragrant	.75	2.50
dumartieri—Orange	.75	2.50
flava—Lemon lily, clear yellow	.75	2.50
fulva—Brown day lily, common road-		
side lily	.60	1.50
kwanso-Large double flowers, coppery	<b>C</b> O	0.00
orange luteola—Yellow, late	.60 .75	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$
middendorfi—Orange-yellow	.75	2.50 2.50
thunbergi—Pale yellow, late	.75	2.50
HERNIARIA-		
<b>R</b> glabra—Excellent for carpeting. Sun		
or shade. Evergreen, turning red		
in winter	.75	2.50
HEPATICA (Liverwort) — No woodland garden is complete without these		
charming plants. Blues, pinks and		
whites can be supplied in separate		
colors but at advanced prices.		
<b>R</b> americana—Native. Blue flowers pre-		
dominate, 4 in., marbled leaves	.60	1.50
R acutiloba — Marbled foliage, white	<b>C</b> O	1 50
flowers as a rule	.60	1.50
HEUCHERA—Beautiful foliage and at- tractive bell-shaped flowers.		
americana — Native. Cream flowers,		
marbled leaves	.60	1.50
hybrids—Interesting colors in mixture.	.75	2.50

	3	12
sanguinea—Pink spike, good for cutting	_	2.50
villosa-Native. White spikes in fall	.60	2.00
HIBISCUS (Mallow)-Stately and showy		
plants. Red, pink or white	.75	2.50
HOLLYHOCK—No garden is complete		
without these old-fashioned flowers.	75	9.50
Double—Yellow Single—Deeper shades in mixture	.75 .75	$\begin{array}{c} 2.50 \\ 2.50 \end{array}$
HOUSTONIA (Bluets) — One of our		2.09
daintiest flowers for rock gardens or		
naturalizing.		
R caerulea-Native. Biennial forget-		
me-not-like flowers, 4 in	.60	2.00
R serpyllifolia (Repens) — Native. A		
wonderful ground cover in damp or		
shady places. 1 in	.60	2.00
R purpurea—Native. Purple flowers on 6 in. stems	.60	2.00
R montana—Native. Clear pink waxy	.00	2.00
petals, branched, 4 in. Very rare		
and choice	.75	2.50
HYMENOCALLIS (Spider Lily) - The		
aristocrat of all native plants. The		
only hardy spider lily.		
occidentalis—Strap-shaped foliage. Four		
to six pure white spidery blooms on		
scapes two feet high. Very fragrant.		
\$1.50 each.		
HYPERICUM (St. John's Wort)-Showy yellow flowers.		
graveolens-Handsome yellow blossoms		
on stems 1-3 ft. Very rare. 75c each.		
R reptans—Dark green foliage. Large		
yellow flowers in abundance. One of		
	.75	2.50
See other species under shrubs.	•	
HYPOXIS (Yellow Star Grass)-Interest-		
ing bulbous plants for the rock gar-		
den.		
R erecta — Grass-like foliage, yellow		
flowers, 6 in	.60	1.50
IBERIS (Candytuft) - Very satisfactory		
plants for edgings and rock work.		
Evergreen foliage.		
<b>R</b> gibraltarica—Sheets of lavender blooms in spring. Usually a biennial		
with us	.60	2.00
R sempervirens—n a n a compacta—.		2.00
Glossy green foliage and masses of		
pure white flowers in spring	.75	2.50
INULA (Fleabane)-Giant yellow flowers		
similar to sunflowers on stiff stalks,		
18 inches.		0.74
royleana—From the Himalayan wilds.	.76	2.50
14		

(Poor Man's Orchid)-So easily IRIS grown and showy that one cannot have too many. (Bearded Varieties) Alcazar-Violet, purple. Ambassadeur-Lavender, maroon. Brooksiana-Light lavender self-color. Candlebra-Blend of yellow and lavender. Flavescens—Soft creamy yellow. Florentina—Pale blue, almost white. Gold Crest-Sky blue, gold beard. Gracchus-Yellow, purple. Her Majesty-Rose, pink. Honorabilis-Canary yellow, brown. Iris King—Yellow, maroon. Jacquesiana-Wine and plum color. Juanita-Blue. Lohengrin-Deep violet lavender. Lord of June-Clear light blue. Loreley-Yellow, blue. Madam Chereu-White edged blue. Mother of Pearl-Name describes. Pallida Dalmatica—Soft lavender, blue. Purple King—Dark violet purple. Quaker Lady-Smoky lavender with . yellow. Queen of the May-Pink. Sherwin-Wright-Bright clear yellow. White Knight—Pure white, early. Mixture-10 of 10 varieties, \$5.00. Any of the above at \$1.00 per dozen. (Dwarf Varieties) Cristata-Native. Clear blue, 4 in..\$ .60 \$ 1.50 R R Cristata alba-Pure white form of above, \$1.00 each. Pumila-cearulea—Light blue, 4 in..... .75 2.50 R Pumila-Sambo-Deep violet, 4 in... 2.50 .75 Prismatica — Native. Light blue; . R damp, 12 in..... 2.00 .60 R Verna-Native. Amethyst blue, fragrant ..... .60 1.50 Versicolor-Native. Light blue and yeldamp; 18 in..... low: .60 1.50 (Various Species) ochroleuca-gigantea — Creamy white flowers with wonderful texture. Yellow stripe on each petal..... .75 2.50pseudacorus-Deep golden yellow; dry .60 1.50 or wet land..... sibirica—Deep rich blue..... 1.50 .60 sibirica alba-White form of above.... .60 1.50 kaempferi-Japanese. Prefer damp soil; .75 2.50 purple only .....

12

2.50

.75

	3	12
ISATUS (Golden Gypsophila)—A great ad- dition for the hardy border.		
boissieriana Masses of yellow flowers in spring and lasting a long time JASIONE (Sheep Scabious)—Blooms all	.75	2.50
summer.		
R perenne—Dainty blue flowers on 6 in. stems	.75	<b>2.5</b> 0
LARIOPE (Summer Hyacinths)—Any soil.		
Sun or shade. graminifolia—Grass-like foliage. Spikes		
of purple flowers in late summer or		
fall. Bulbous	.75	2.50
LATHYRUS (Perennial Sweet Peas)— Blooming in late summer when		
flowers are scarce.		
latifolius-Mixed colors only, 4-6 ft	.60	2.00
LAVENDULA (Lavender)—Herb used for its fragrance. Limy soil	75	2.50
vera—Grey foliage, lavender flowers.		2.00
LEPACHYS COLUMNARIS		
The Obelisk—Flower Yellow with brown		
cones. Unsurpassed for constant bloom in hot, dry places	.75	2.50
LIATRIS (Gay Feather)—Showy plants		
for the border.		
R Helleri-Native. Very dwarf form		
for rock garden. Very rare and choice. 35c each.		
pycnostachya—Spikes of rich purple,		
5 ft	.75	2.50
scariosa—Native. A favorite of the gay feathers, 4 ft	.60	2.00
spicata—Native. Smaller than above.	.60	1.50
LILIES—Popular and showy border plants.		
canadense-Native. Yellow, 2-4 ft	.75	2.50
candidum (Madonna Lily)—Pure white, fragrant	.75	2.50
carolinianum — Native. Deep orange		
flowers	.75	2.50
Grayi—Native. Slender, bright orange- red	.75	2.50
philadelphicum—Native. Orange-red, 2		2.00
ft	.75	2.50
regale—White lined pink superbum—Native. Handsomest of all.	.75 .75	2.50
<b>R tenuifolium</b> —Coral lily. Excellent for	. ( )	2.50
rock gardens		2.00
tigrinium-Orange scarlet; very hardy.	.60	2.00
Spider Lily—See Hymenocallis occi- dentalis.		
LINARIA—Plants of easy culture.		
R alpina—Choice biennial from Switzer-		
land; purple and orange. Snap- dragon-like flowers, 4 in. Seeds		
freely	.60	2.00

	3	12
R alpina rosea—Rose-colored form of above	.75	2.50
cymbalaria — Kentworthy Ivy — Dainty trailing vine for rock walls or hang-		
ing baskets. Lavender blooms dalmatica—Butter and Eggs—Yellow	.60	1.50
and orange. Escaped	.60	1.50
LINUM (Flax) —Graceful plants for sunny situations.		
<b>R</b> alpinum—Prostrate form, blue, blooms		
all summer	.75	2.50
<ul> <li>R flavum—Large golden blooms</li> <li>R narbonense—Very graceful and hand-</li> </ul>	.75	2.50
some	.75	2.50
perenne-Feathery foliage, blue	.75	2.50
perenne alba—White form of above	.75	2.50
LOBELIA—Prefer damp sunny situations. cardinalis—Native. Cardinal Flowers.		
Fiery red spikes, 2 ft	.60	2.00
syphilitica-Native. Intense blue flow-	<u>co</u>	9.00
ers, 2-4 ft	.60	2.00
LONICERA (Woodbine) – Native. Hand- some vines with spring blooms.		
some vines with spring blooms. sempervirens—Clusters of "firecracker"-		
like flowers, 15-20 ft	.75	2.50
LYCHNIS (Campion)-Choice for sunny		
situations.		
R alpina—Very dwarf, spikes of rose,	75	2.50
4 in <b>R arkwrighti</b> —Bright orange-scarlet, 8	.75	2.00
in	.75	2.50
chalcedonica—Heads of brilliant scarlet,		
18 in	.75	2.50
chalcedonica alba—White form of above	.76	2.50
R viscaria splendens—Bright rose, 12	<b>7 2</b>	0.50
	.75	2.50
LYCOPODIUM — Excellent evergreen plants for ground cover in deep		
shade.		
complanatum—Native. Trailing Christ-		
mas pine, 4 ft	.75	2.50
lucidulum-Native. Shining club moss	.75	<b>2</b> .50
obscurum—Native. Turkey brush, 6 in.	.60	2.00
selago—Native. Fir club moss, 2-4 in. tristachyum—Cedar moss, 6 in. Rare	.75 .75	$\frac{2.50}{2.50}$
LYSIMACHIA (Creeping Jennie) — Good	. (9	2.00
ground cover, part shade.		
R nummularia—Bright yellow blooms		
in spring	.60	1.50
MELESSIA officinalis-Lemon balm. Very		
fragrant, crinkled foliage	.75	2.50
MENTHA (Spearmint)—Aromatic plants. spicata—Native. Good foliage, lavender		
flowers, 2 ft	.60	1.50
piperita (Peppermint)—For tea	.60	1.50

	3	12
MERTENSIA (Virginia Blue Bells)		
Heavenly blue flowers with pink		
buds. Moisture.		
virginica—One of the prettiest of our		
native plants	.60	2.00
MIMULUS (Monkey Flower)-Interesting		
plants for damp places.		
ringens-Native. Grinning blue flowers		
one inch across	.75	<b>2.0</b> 0
MITCHELLA (Turkey Berry)-Glaucous		•
green leaves and bright red berries		
in winter. Good ground cover.		
R repens — Native. White blooms,		
creeping stems, 6-12 in	.60	1.50
MITELLA (Bishop's Cap)—Spikes of tiny		
cap-shaped flowers.		
R diphylla—Native. White flowers on		
1 ft. stems	.75	2.50
MORNARDA—See bergamont.		
MYOSOTIS (Forget-Me-Not). Part shade		
and moisture.		
R palustris—Native. Blue flowers all		
summer	.60	2.00
NEPETA (Ground Ivy)		
R mussini-Grey foliage, lavender flow-		
ers all summer	.60	2.00
R hederacea — Native. Bright green		
foliage, lavender blooms, 3 ft. vines.	.60	2.00
hederacea variegata—Beautiful green		
foliage bordered with white. Un-		
excelled for hanging baskets	.75.	2.50
NIEREMBERGIA (Cup Flower)—Sheets of		
bloom all summer.		
R fruticens — Lavender blue flowers.		
12 in. Very choice and rare	.75	2.50
R rivularis—Large white flowers. Part		
shade. 2 in	.75	2.50
NOTHOSCORDIUM—Similar to the Al-		
liums but does not have the alliaceous		
odor.		
bivalve-Native. Umbels of cream-		
colored flowers with a purple stripe		
on the reverse of the petals. Very		
beautiful	.75	2.50
ORCHIDS (Native)		
Aplectrum spicatum (Putty root)One		
large olive green leaf with white		
veins, in winter. Spike or purplish		
flowers in summer; 3 ft	.75	2.00
Cypripedium acaule (Moccasin flower)-		
Large pink lady slipper, 12 in. Acid		
soil	.75	2.50
Cypripedium hirsutum (Large Yellow		
Lady's Slipper)—Handsome bright		0.70
yellow flowers, 18 in	.75	2.50

	3	12
Cypripedium parviflorum (Small Yellow Lady's Slipper)—Small form of above,		
18 in	.75	2.50
<b>Goodyera pubescens</b> (Rattlesnake Plant)—Handsome green and white		
foliage	.60	1.50
Habenaria ciliaris (Yellow Fringed Orchid)—Gorgeous orange flowers, 12		
in	.75	2.50
green blooms, 8 in	.75	<b>2.5</b> 0
Habenaria cristata—Bright orange,		
crested, Very acid bog soil. 12 in., 35c each.		
Habenaria psycodes (Small Purple		
Fringed Orchid)—Spikes of bright		
lavender flowers, fragrant Limodorum tuberosum (Grass Pink)—	.75	<b>2.</b> 50
Handsome lavender flower on 12		
in. stems	.75	2.50
Orchis spectabalis (Showy Orchis)-		
Daintiest of all. Lavender and white, 5 in	.75	2.50
Pogonia ophioglossoides (Snake	.10	2.00
Mouth)—Charming pink flowers on		
6 in. stems. Bogs	.75	2.50
Spiranthes cernua (Ladies Tresses)	.60	2.00
Tipularia unifolia-One leaf in winter,		
maroon underside. Spike of purple		
flowers in August OXALIS <u>—</u>	.60	2.00
<b>R</b> violacea—Lavender flowers on 4 in.		
stems	.60	1.50
ORNITHOGALUM (Star of Bethlehem)-		
Escaped from Europe. <b>R</b> umbellatum—White stars which close		
at night, 6 in	.50	1.00
PACHYSTIMA canbyi—See shrubs.		
PACHYSANDRA (Japanese Spurge)		
Ground cover for shade. terminalis—Dark green foliage, ever-		
	.60	<b>2.0</b> 0
<b>PAPAVER</b> (Oriental Poppy) — $Large$		
flowers for summer.	ar	0.50
hybrids—Pinks, reds, salmons, orange PARONYCHIS (Silver Whitlow-Wort)—	• ( Ð	2.50
Ecellent for hot sun in rocky places.		
argyrocoma-Native. Mats of grey-		
white foliage with white flowers. Choice	.75	2.50
PASSIFLORA (The Crucifixion Plant)—		
Poor soil, 4 ft. vines.		
incarnata — Handsome lavender and white flowers	.60	2.00
lutea—Pale yellow	.60	

	3	12
PEDICALARIS (Wood Betony)-Fern-like		
leaves. Open woods.		
canadensis—Native. Brown and yel-	.60	2.00
low flowers, 8 in	.00	2.00
<b>PENTSTEMON</b> (Beard Tongue) — Ex- cellent for summer bloom in borders.		
barbatus torryei—Coral red spikes on		
2 ft. stems	.75	2.50
barbatus torryei hybrids-Pale pink to		
purple	.75	2.50
ovatus - Shrubby and covered with	•	
rosy-purple flowers all summer	.75	2.50
hirsutus—Native. Purplish pink, 18 in.	.60	<b>2.0</b> 0 2.00
pubescens—Lavender flowers on spikes. unilateralis—Opalescent blue flowers, 18	.60	2.00
in.	.75	2.50
PHLOX—The most satisfactory of all		
plants for show and ease of culture.		
DECUSSATA TYPE—Bloom all sum-		
mer if old blossoms are kept cut		
off. 2-4 ft.		
<b>B. Compte</b> —Amaranth red; very showy	.75	2.50
Enchantress-Soft salmon	.75	2.50
Graf Zeppelin-White, large red eye	.75	2.50
Jules Sandeau—Deep salmon pink	.75	2.50
Mrs. Chas. Dorr—Soft lavender Mrs. Jenkins—Pure white	.75 .75	$\begin{array}{c} 2.50\\ 2.50 \end{array}$
<b>Rijinstrom</b> —Bright rose pink	.75	2.50
Thor—Deep salmon pink	.75	2.50
Widar-Lavender-purple, white eye	.75	2.50
Sir Edwin Landseer-Watermelon pink		2.50
SUFFRUTICOSA TYPE-		
Alpha-Lingard foliage, rosy-pink		
blooms	.75	2.50
Miss Lingard—White, pink eye, good		9.50
bloomer SUBULATA TYPE (Moss Pinks)—Un-	.75	2.50
surpassed for rock work.		
R australis—Native. Shades of pink	.60	2.00
R Alba—Pure white, yellow stamens	.75	2.50
<b>R</b> Peach Blossom—Pink with white eyes	.75	2.50
R Bride—White, pink eye	.75	2.50
R Fairy-Small lavender blooms	.75	2.50
R Lilacina — Rank growth, lavender,		0.50
purple eyeR RoseaBright rose color	.75 .60	2.50 2.00
<b>R Rosea-red</b> —Dark form of above	.00	2.00 2.50
R G. F. Wilson—Soft lavender-blue	.75	2.50 2.50
R Vivid—Pure pink. Slow growth.		0 %
Choice	.75	2.50
R BRITTONI-Native. White with purple		
	.75	2.50
NIVALIS—Similar to the sabulata type.		
but more attractive in foliage and color. Two weeks later. Very rare		
and beautiful.		
	۴.	

20

•

12 3 R Anne Knight-Native. Soft lavender-purple, 50c each. Col. Moore-Native. Pure white, 50c Alice—Native. Fine spiny foliage, soft pink blooms with red eye, which completely smother the plant. 50c each. R Sir Guilford-Native\_ Coarse foliage, very large pink blooms with red eye; very handsome. 50c each. VARIOUS TYPESamoena-Native. True variety of this handsome plant. Rose colored flowers, 12 in.....amplifolia-Native. Pink to purple, .60 2.002-4 ft. ..... .75 2.50carolina—Native. Bright rosy purple, 2-4 ft. ..... .60 2.00 ovata-Native. Large pink blooms, .75 early, 18 in..... 2.50**R** divaricata canadensis—Native. Blue, creeping with upright stems, 8 in... .75 2.50pilosa-Native. Deep pink blossoms, .75 12 in. ..... 2.50 R stolonifera (reptans)—Native. Soft violet colors on creeping stems, 6 in. ..... PHYSALIS (Chinese Lantern Plant)— .60 2.00

R

R

R

each.

Mary

#### Handsome seed pods for drying. francheti-Orange-scarlet fruits in fall .60 2.00 PHYSOSTEGIA (False Dragon's Head)— Easily grown plants. virginiana-Native. Spikes of lavender flowers, 2 ft..... .50 1.50virginiana alba—White form of above. .50 1.50

inginana and in mice form of aborto.		1.00
<b>R</b> vivid—Bright pink. Late blooming,		
18, in	.60	2.00
PLATYCODON (Japanese Balloon		
Flower)—Splendid for summer bloom.		
grandiflora—Deep blue flowers, 2 ft	.75	2.50
<b>R</b> mariesi—Dwarf species. Blue, 12 in.	.75	2.50
PLUMBAGO (Leadwort)—Shrubby plants		
for fall bloom.		
<b>R</b> larpentae-Intense blue flowers, 6 in.	.75	2.50
<b>PODOPHYLLUM</b> (May-apple)—Part shade		
in damp places.		
<b>R</b> peltatum — Native. Large leaves,		

#### cream blossoms, fragrant..... .60 2.00 POLEMONIUM (Jacob's Ladder)-Beautiful ladder-like foliage. reptans -- Native. Showy clusters, R blue, 8 in.... .75 2.50 Richardsoni-Erect stems of blue flowers, 2 ft. .... .75 2.50

POLYGONATUM (Solomon's Seal)-For woodland planting.

	3	12
biflorum—Native. Dwarf, blue fruit, 12 in	.60	1.50
commutatum — Native. Handsome foliage, white bells, 2-4 feet POTENTILLA (Cinquefoil) — Good for	.60	1.50
<ul> <li>borders of large rock gardens.</li> <li>R Miss Wilmott—Salmon pink blooms in mid-summer, 15 in</li> <li>R nitida—Shrubby with silvery foliage, 35c each.</li> </ul>	.75	2.50
R tridentata—Native. Shrubby ever- green foliage. White PRIMULA—Prefer part shade in this sec-	.75	2.50
tion.	ar	0 50
<b>R</b> veris-Red with yellow eye, 6 in <b>R</b> vulgaris-Old-Fashioned yellow	.75 .75	<b>2.</b> 50 <b>2.50</b>
PROSARTES—Interesting plants for shade. lanuginosa—Native. Creamy bells, 1 in.	.10	2.00
long; 2 ft	.75	2.50
maculata-Native. White bells with		
brown spots	.75	2.50
<b>PYRETHRUM</b> (Painted Daisy)—Bloom all summer.		
	.75	2.50
RANUNCULUS (Buttercup) — Easily grown plants.		
repens-Double wax-like yellow flowers,		
6 in <b>R septentrionalis</b> —Native. Good ground	.60	1.50
cover in damp places	.60	<b>1.5</b> 0
RHEXIA (Meadow Beauty)—12 in., bulbous plants.		
R virginiana—Native. Pink blooms an		
inch across	.75	2.50
RUDBECKIA (Cone Flower) — Handsome border plants.		
Golden Glow-Large double flowers, yel-		
low, 6 ft	.50	1.50
hirta — Native. Brown-eyed Susan. Orange daisies with large brown		
cones	.60	2.00
purpurea—Purplish-red, 4 ft SAGITTARIA (Arrowhead)—Bog plants.	.75	2.50
<ul> <li>latifolia—Native. White flowers on 2 ft. stems</li> <li>graminea — Native. Charming white waxy blooms. Very rare. 35c each.</li> <li>SALVIA (Meadow Sage) — Indispensible</li> </ul>	.75	2.50
for borders. azurea—Sky-blue flowers, 3 ft	.75	2.50
bracteata—Large foliage, white or rose		
bracts. Very striking farinacea—Bright blue flowers all sum-	.75	2.50
mer	.75	2.50
pitcheri—Gentian blue flowers, 4 ft SANGUINARIA (Blood-root)—Plants of great beauty. Shade.	.75	2.50

	3	12
R canadensis Native. Large waxy		
white flowers before the leaves ap-		
pear	.60	1.50
SANTOLINA (Lavender Cotton) — Gray		
shrubby plants.		
<b>R</b> chamaecyparissus—Fragrant foliage,		
yellow flowers	.75	2.50
R SAPONARIA ocymoides (Soapwort)-		
Excellent for dry walls. Pink	.75	2.50
SARRACENIA (Pitcher Plants)—Interest-		
ing plants for bogs.		
flava-Native. Huge trumpets with yel-		
low flowers	.75	2.50
Jonesi-Native. Tall narrow pitchers,		
red blooms; rare. 35c each.		
minus-Native. The most interesting		
and beautiful. Transparent win- dows in trumpet. 35c each.		
purpurea (venosa)—Native. The saddle-		<b>6</b>
back plants; red	.75	2.50
SAXIFRAGA—Damp places.	••••	
R micranthidifolia—Native. Lettuce saxi	<u> </u>	
frage. Has reddish-bronze foliage;		
white, 2 3 ft	.60	1.50
R virginiensis—Native. White flowers,		
12 in.	.50	1.00
R petilolaris—Mists of white flowers in	75	2.50
late summer and fall. Rare	.75	2.90
<b>SCABIOSA</b> (Pincushion Flower)—Good for cutting.		•
caucasica—Blue flowers on stiff stems,		
2 ft	.75	2.50
japonica—Lavender blooms in profusion	.75	2.50
SEDUMS (Stone Crop)—"The backbone of	•	
the rock garden."		
R acre-Golden moss-creeping; yellow	.50	1.50
R acre Major—Large form of above		2.00
R album—White, 4 in	.50	1.50
R altissimum—Gray foliage, 6 in R brevifolium—Tiny gray leaves, purple	.60	2.00
stems: excellent	.60	2.00
R dasyphyllum—Small gray foliage;		
charming	.60	2.00
R ewersi-Coarse foliage, pink, 12 in.	.60	2.00
R glaucum-Mossy gray plants	.60	2.00
<b>R</b> kamchaticum—Bright orange, 8 in <b>R</b> linera—Bright green, spiny foliage	60. .50	$\begin{array}{c} 2.00 \\ 1.50 \end{array}$
R linera—Bright green, spiny foliage R linera verigata—2½ in. pots	.50 .60	2.00
R lydium-Mossy, bright red in winter	.60	2.00
R middendorffianum—Bright red foliage		·
in winter	.60	2.00
R nevii—Gray-green rosettes, white	.60	2.00
R pulchellum—Native. Bright green	60	2.00
and red in winter;roseRpruinatum—Softgrayspinespruinatum	.60 .60	<b>2.</b> 00 <b>2.</b> 00
n prumatum—bort gray spines	.00	4.00

Rhodiola roamensis-The rarest na-R tive sedium. The only plants in cultivation. Re-discovered recently after being lost for years. Rose, 10 50c each. i**n**. R rupestre-Blue-red leaves in winter. .60 Good ..... 2.00 R sarmentosum — Stringy stone crop, yellow ..... .50 1.50 R sexangular-Golden blossoms. Good. .60 2.00 sieboldi (Nickels and Dimes)-Gray R heart-shaped leaves bordered with red. Pink, 8 in..... .60 2.00.60 spectabilis (House Leek)-Rose, 18 in. 2.00 spectabilis brilliant-Red form of above .75 2.50 ternatum-Native. Good ground cover R in shade. White to pink..... telephoides — Native. Glaucous blue .50 1.50 foliage. White to pink flowers, 12 in. .60 2.00SEMPERVIVUM (Hen and Chicks)-Interesting rosettes for walls and well drained places. arenarium - Small rosettes, green, R cream flowers ..... 2.00 .60 R arachnoideum-Cob-web house leek. .75 2.50R brauni — Bronze cushions, yellow blooms ..... 2.00 .60 frimbriatum—Pointed leaves—pink..... 2.50 .75 R globiferum—Flat rosettes, tipped with red ..... .60 2.002.50rubicundum-Large reddish rosettes... .75 R tectorum-Large brown-tipped rosettes ..... 1.50.50 SENECIO (Ragwort)—Spring aureus-Native. Bright yellow, 18 in.. 2.00 .60 SHORTIA (Oconee Bells)—Charming woodland plant of easy culture. Acid soil and shade. R galacifolia-Glossy evergreen foliage and waxy white to pink bells, 6 in.. .75 2.50SIDALCEA (Prairie Mallow)—Excellent plants for the border. Cutting. grandiflora---Rose colored, 2-3 ft..... .75 2.50rosy gem—Summer blooms, pink..... .75 2.50SILENE (Catchfly))-Sun loving plants. R alpina-Gray foliage, white bladderlike flowers, 6 in..... .75 2.50carolinianum --- Native. Masses of R clear pink flowers. Very beautiful. 50c each. dianthifolia-Cream flowers, 2 ft. Excellent for cutting..... ovata—Native. Beautiful fringed white .75 2.50flowers, 2-3 ft..... .75 2.50 R schafta—Orange scarlet, 8 in..... 2.50.75 stellata-Native. White blossoms on 3 ft. stems..... 2.50.75

3

	3	12
R virginica (Fire-pink)-Native. Bril-		
liant scarlet. Our best red native	ne	0 50
plantvulgarius—Escaped. White on 3 ft.	.75	2.50
stems. Usually a pest but lovely.	.75	2.50
SMILACINA (False Solomon's Seal)-		
racemosa — Native. Feathery white		
flowers at tip of each stalk. Red	•	
fruit	<b>.6</b> 0	2.00
like foliage.		
<b>R</b> augustifolium—Native. Bright blue		
flowers, 8 in	.60	2.00
STACHYS (Bunny's Ears)-Gray felt		
leaves. Sun.		
<b>R lanata—Spikes</b> of lavender bloom, 18 in.	75	2.50
STATICE (Sea Lavender)—Excellent for	.10	2.00
cutting.		
latifolia-Mists of lavender flowers, 15		
in	.75	2.50
STOKESIA (Cornflower Aster) - Coarse		
foliage, summer bloom. cyanea-caerulea—Large blue flowers	.75	<b>2.5</b> 0
cyanea-alba—White form of above		2.50
<b>TEUCRIUM</b> —Evergreen shrubby plants of		2.00
great value in rock gardens or for		
low hedges.		
R chamaedrys — Lavender blooms in		
summer, 10 in THERMOPSIS — Handsome spikes of	.75	2.50
lupine-like flowers.		
caroliniana—Native. Yellow pea-shaped		
flowers in July, 3 to 5 ft. Very hand-		
some	.75	<b>2.5</b> 0
THALICTRUM (Meadow-rue) — Beautiful		
foliage plants for part shade. dioicum—Native. Greenish yellow flow-		
ers, 20 in	.60	2.00
dipterocarpum—Soft lavender flowers,		
2 ft	.75	2.50
glaucum—Yellow flowers, 3 ft	.75	2.50
polygamum — Native. White flowers,	<b>CO</b>	0.00
4 ft	.60	2.00
THYMUS— R citriodorus — Golden leaves, lemon		
scented	.75	2.50
<b>R</b> lanuginosum—Gray wooly foliage.		
Lavender	.75	2.50
R serpyllum-Green foliage and laven-		
der flowers	.60	2.00
R .serpyllum coccineus—Small foliage, bright red blooms	.75	2.50
R serpyllum alba—Light green foliage.	.10	2.00
White	.75	2.50
TIARELLA (Foam Flower)—False miter-		
wort.		

	3	12
R cordifolia—Native. Feathery heads		
of white flowers, 12 in TRADESCAN/TA (Job's Tears)	.75	2.50
R brevicaulis – Native. Rose-colored		
flowers, 6-8 in	.75	2.50
virginiana—Native. Grass-like leaves		
lavender flowers, 2 ft	.60	2.00
TRILLIUM (Wake Robin) — Beautiful		
woodland plants. All native.		
catesbaei (Stylosum)—Bright pink flow-		
ers fading rose	.60	2.00
cernuum-White nodding flowers	.60	2.00
erectum—White to maroon	.60	2.00
grandiflorum—Handsome white flowers.	.60	2.00
hugeri—Purple fragrant flowers, marbled		
foliage	.75	2.50
luteum—Rare, yellow, fragrant blooms,		
mottled foliage	.75	2.50
sessile—Deep red flowers, foliage usually		
marbled	.60	2.00
simile—Large handsome white flowers		
with brown ovary; one of the		
showiest	.75	2.50
undulatum (Painted Lady)—White with		
red markings	.60	2.00
TRITOMA (Red Hot Poker)-Showy plants		
for borders.		
hybrids-Bright colors, 3-4 ft	.75	2.50
TROLLIUS (Globe Flower)—Part shade.		
europeous-Bright yellow globe-shaped		
flowers, 18 in	.75	2.50
TUNICA (Coat Flower) — Grass-like		
foliage. Blooms all summer.		
R saxifraga—Pink flowers, 6 in	.60	2.00
TYPHA (Cat-tail)—Bog plants.		
latifolia-Native. Dark brown seed		
spikes, 3 ft	.75	2.50
UVULARIA (Merry Bells)—Beautiful bell-		
shaped flowers for part shade and		
humus.		
grandiflora—Native. Bright yellow bells,	•	
2 ft	.60	2.00
perfoliata—Native. Cream bells, 12 in.	.60	2.00
R sessifolia—Native. Cream bells, 8		
in	.60	2.00
VALERIANA (Garden Heliotrope)-Good		
border plants.		
coccinea-Rose flowers in showy heads,		
18 in	.75	2.50
coccinea alba—White form of above, 18		
in	.75	2.50
officinalis Old - fashioned heliotrop	в.	
Pink buds opening white, fragrant,		
4 ft	.75	2.50
VERONICA (Speedwell) — Very popular		
and satisfactory plants.		
R alpina—Gentian blue flowers, 6-8 in.	.75	2.50

	3	12
amethystina—Deep blue, 15 in	.75	2.50
R erica-Spikes of pink	.75	2.50
<b>R</b> incana—Gray foliage, blue spikes, 8		
in	.60	2.00
longifolia subsessilis-Handsome blue		
spikes, 2 ft	.75	2.50
<b>R</b> repens—Pale blue, creeping, part		
shade	.75	2.50
rupestris—Deep blue, prostrate, 3 in	.60	2.00
<b>R</b> rupestris—Heavenly blue, 3 in	.75	2.50
R rupestris nana rosea—Dwarf, pink	. (0	2.00
· · · · · · · · · · · · · · · · · · ·	75	9 5 4
form of above, 2 in	.75	2.50
spicata—Spikes of blue all summer, 2		0.00
ft	.60	2.00
spicata alba—White form of above	.60	2.00
spicata rosea—Pink form of above	.75	2.50
<b>R</b> teucrium—Bright blue, 8-12 in	.75	2.50
VERBASCUM (Mullen)-		
English hybrids-Spikes of bright colors,		
mostly pinks	.75	2.50
olympicum-Showy plants covered with		
bright yellow flowers for a long		
period, 5 ft	.75	2.50
VINCA—minor. Evergreen ground cover		
for shade. Blue blooms	.60	2.00
VIOLA—Old favorites. All listed are	.00	2.00
native.		0.50
R affinis—Pale blue. Rare	.75	2.50
R canadensis-White, lavender tints,		
2 in	.60	2.00
R hastata—Bright yellow, 6 in	.60	2.00
R lanceolata-White, purple veins	.75	2.50
R palmata—Early blue	.60	2.09
<b>R</b> papilionacea—Common blue	.60	2.00
<b>R</b> pedata—Bird's Foot. Blue	.60	2.00
<b>R</b> pidata bicolor—Blue and purple	.75	2.50
R primulifolia-White, purple veined	.60	2.00
R pubescens—Yellow, veined purple, 10		
in	.60	2.00
R rostrata—Long spurred, blue	.60	2.00
R rotundifolia—Bright yellow	.60	2.00
R striata—Branched, white. Excellent	.00	2.00
garden subject	.75	2.50
R villosa—Blue, marbled foliage	.60	2.00
R walteri-Mats of evergreen foliage,		
often 8 in. across. Small blue flowers.		
One of the most choice native violets.		
Rare. 35c each.		
VERBENA-Perfectly hardy here. Laven-		
der, pink or red	.60	2.00
XEROPHYLLUM-		
asphodeloides — Native. Grass-like		
foliage. Spikes of creamy white		
flowers on 2 ft. stems	.75	2.50
YUCCA (Adam's Needle)—		2.00
filamentosa—Native. Spikes of cream-		
colored flowers	.75	2.50
	.19	2.00

# DECIDUOUS SHRUBS AND TREES (NATIVE)

AESCULUS pavia (Dwarf or Red Buckeye)-	
Seldom growing more than 4 ft. Clusters	
of orange-red flowers, followed by "Buck-	
eyes." Each\$	1.00
AMELANCHER canadensis (Service Berry)-	
Covered with white flowers in spring; fol-	
lowed by red berries. Each	.75
AMORPHA montana—Locust-like foliage, clus-	.10
	.75
ters of purple racemes in Spring. Each.	.75
ARONIA arbutifolia—4-6 ft. Clusters of white	
fragrant flowers in spring. Handsome	
foliage in fall. Bright red berries. Each	.75
"niger—1-2 ft. Black fruit in fall. Each	.50
AZALEA-	
aborescens (Sweet Azalea)—Flowers white,	
tinged pink; fragrant. Each	.75
canledulacea (Flame Azalea) — From deep	
cream to orange-red. The showiest of all.	
Each	.75
canescens (Mountain Azalea)—Flowers usually	
a bright pink; very fragrant. Each	1.00
nudiflora (Wild Honeysuckle)—Bright pink	
flowers before the leaves appear. Each	1.00
vaseyi (Shell Pink Azalea) — The most beauti-	1.00
	9 00
ful of all pink azaleas. Each	2.00
viscosa (Swamp Azalea)—Very fragrant white	1 00
flowers. Damp positions. Each	1.00
BACCHARIS hallmifolia — Willow-like shrubs	
with shiny leaves. Downy white seed pods	
in fall. 4 to 8 ft. Each	.50
CALYCANTHUS carolina (Sweet Shrub)-A rare	
fragrance. Chocolate-colored flowers in	
summer. Each	.75
CERCIS canadensis (Judas Tree or Red Bud)-	
Covered in pink pea-shaped flowers before	•
leaves appear. Each	.75
CLETHRA acuminata (Sweet Pepper Bush)-	
Racemes of white fragrant flowers in sum-	
mer. Each	.75
COMPTONIA peregrina (Sweet Fern)-Shrubby	
fern-like plants. Foliage very fragrant	
when bruised. Each	.50
CORNUS florida (Flowering Dogwood)-Large	
white flowers in early spring. Each	.50
	.00
CYRILLA racemiflora (Leatherwood) — Bright	
green foliage, turning orange and scarlet	
in fall. White racemes 4-6 in. long. Each.	1.00
EUONYMUS americanus (Strawberry Bush)-	
Rough coral-colored fruit in fall. Each	.50
FOTHERGILLA monticola — 8-10 ft. Large	
•	
"balls" of fragrant white flowers before the	1.00
leaves appear. Each	1 (11)

<ul> <li>in early spring. Very rare. Each 1.50</li> <li>FRANKLINIA altamaha — Handsome wax-like blossoms in summer. Very choice and rare. These plants are three feet or more tall and bloomed last summer. Each</li></ul>
blossoms in summer. Very choice and rare. These plants are three feet or more tall and bloomed last summer. Each
These plants are three feet or more tall and bloomed last summer. Each
<ul> <li>GORDONIA—See Franklinia.</li> <li>HALESIA caroliniana (Silver Bells)—White bells one inch across in spring. Each</li></ul>
<ul> <li>HALESIA caroliniana (Silver Bells)—White bells one inch across in spring. Each</li></ul>
one inch across in spring. Each
<ul> <li>diptera—Corolla deeply lobed. Similar to above. Each</li></ul>
to above. Each
flowers in fall. Each
HYDRANGEA aborescens—Deep green foliage. Each.50(Climbing)—See Decumaria barbara vines. radiata (Wild Hydrangea)—Silvery foliage, white blooms. Each.50quercifolia (Oak-leaved Hydrangea)—Large oak-like leaves. Panicles of white flowers. Each.50HYPERICUM (St. John's Wort)—Semi-evergreen shrubs of real merit50
Each
<ul> <li>(Climbing)—See Decumaria barbara vines.</li> <li>radiata (Wild Hydrangea)—Silvery foliage, white blooms. Each</li></ul>
<ul> <li>radiata (Wild Hydrangea)—Silvery foliage, white blooms. Each</li></ul>
white blooms. Each
oak-like leaves. Panicles of white flowers. Each
Each
HYPERICUM (St. John's Wort)—Semi-evergreen shrubs of real merit.
shrubs of real merit.
bucklevi-Dense shrub about 1 ft Foliage
· · · · · · · · · · · · · · · · · · ·
turning scarlet in fall. Bright yellow
flowers in spring. Rare. Each 1.00 densiflorum—4 ft. Dense clusters of bright yel-
low flowers in spring. Not common. Each .75
glomeratum-3 ft. Cymes of bright yellow
flowers in late spring. Extremely rare Each
ILEX verticillata (Virginia Winterberry)—Bright
red berries in winter. Each
ITEA virginica (Virginia Willow)-Shrub grow-
ing 2-3 ft. Terminal racemes of fragrant
white flowers. Each 1.00
MAGNOLIA acuminata (Cucumber Tree)-Yel-
MAGNOLIA acuminata (Cucumber Tree)—Yel- low-green flowers in May. Rose-colored
MAGNOLIA acuminata (Cucumber Tree)—Yel- low-green flowers in May. Rose-colored fruit in fall. Each
MAGNOLIA acuminata (Cucumber Tree)—Yel- low-green flowers in May. Rose-colored fruit in fall. Each
MAGNOLIA acuminata (Cucumber Tree)—Yel- low-green flowers in May. Rose-colored fruit in fall. Each
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yel- low-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yel- low-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yellow-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yellow-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yellow-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yellow-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yellow-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yellow-green flowers in May. Rose-colored fruit in fall. Each</li></ul>
<ul> <li>MAGNOLIA acuminata (Cucumber Tree)—Yellow-green flowers in May. Rose-colored fruit in fall. Each</li></ul>

<b>ROBINA</b> boyntoni (Pink Locust)—Racemes of	
clear pink flowers. Stem nearly thornless.	
Rare. Each	1.00
hispida (Pink Locust)-Bright pink flowers in	
spring. Each	.75
SAMBUCUS canadensis (American Elder)-	
Flowers white, fruit purple. Each	1.00
pubens (Red-berried Elder)—Scarlet fruit	1.00
STEWARTIA pentagyna (Summer Dogwood)-	
Large white flowers in July. These were	
collected in the section which the purple	
stamened ones came from. One cannot tell	
whether they will be that type or not until	
they bloom. Each	2.00
VIBURNUM acerifolium (Maple-leaf Viburnum)	
White flowers, black fruit. Each	.75

# EVERGREEN SHRUBS AND TREES

-0-

## (NATIVE)

CLINOPODIUM carolinianum—Small evergreen
shrubs, ideal for rock gardens, 12-18 in.
tall. Clusters of pink flowers in late sum-
mer. Fragrant foliage. Rare. Each\$1.00
CHAMAEDAPHNE calyculata (Leather - leaf
Shrub)—1-3 ft. Beautiful dark green
foliage on horizontal branches, small nod-
ding white flowers. Each 1.00
DECUMARIA barbara (Climbing Hydrangea)-
A vine reaching 20 ft. Clusters of white
blooms in spring; 4 in. pots. Each 1.00
DENDRIUM (Leiophyllum)—Handsome shrubs
for rock work. Covered with flowers in
spring.
hugeri—Evergreen, pink buds opening white,
12 in. Each
prostratum-Very low growing form. Flowers
pale pink. Each
HUDSONIA montana-One of our rarest and
most beautiful shrubs. 12 in Spiny
foliage of light green. Sheets of bright yel-
low flowers in spring. Very difficult.
Each 1.00 ILEX cassine—Handsome foliage, dull red fruit.
Each 1.50
" glabra (Ink Berry)—Shiny green foliage,
black fruit. Each
" opaca (American Holly)—Our Christmas
holly 1.00
" opaca xanthocarpa—Like above but with
yellow fruit. Each 1.50
" vomitoria—Glabrous foliage, scarlet fruit.
Each 1.50
JUNIPERUS nana-Very dwarf prostrate ever-
green. Very unusual and beautiful Each 150

KALMIA angustifolia (Sheep Laurel)—Crimson flowers. Each	.50
carolinia—Similar to above but much more pubescent when young. Flowers in purple	
cormbs. Each	.75
latifolia (Mountain Laurel) — Rose - colored flowers in abundance. Each	1.00
LEUCOTHOE acuminata—Extremely handsome,	
glistening green foliage with white flowers. Each	1.00
axillaris (Downy Leucothoe)—Dense racemes of white flowers, 5 ft. Each	1.00
catesbaei-Shiny dark green foliage turning	
bronze in fall. Fragrant white flowers in	
pendant racemes. Each	1.00
MYRICA carolinensis (Byberry)-2-6 ft. Gray fruit. Each	.75
" cerifera (Wax Myrtle)—Foliage larger than	
the preceding. Gray fruit	.75
" gale—Usually evergreen in this climate.	
Fragrant, katkins on end of branches. Red fruit	75
OSMANTHUS americanus—Small tree. Fragrant	
white flowers, followed by deep purple	
fruit. Each	1.00
PACHYSTIMA canbyi-Excellent ground cover.	~ ^
Shade or sun. Very rare. Each	.50
PIERIS floribunda (Andromeda)—White flowered panicles at tips of branches. Each	1.50
nitida-2-4 ft. Flowers in axillary, racemes;	
white. Each	1.00
RHODODENDRON-	
carolinianum—Very early, white to pink blooms. Each	1.00
catawbiense (Prple Rhododendron) – Huge	1.00
clusters of bright lavender-pink flowers.	
Each	1.50
white flowers in large clusters. Each	1.00
punctatum—Bright pink flowers; late; rare.	
Each	2.00
TSUGA canadensis (Canada Hemlock)-Hand	·
some trees. Each caroliniana (Carolina Hemlock)—The hand-	.75
somest evergreen we have. Each	1.50
VACCINIUM crassifolium (Evergreen Huckle-	
berry)-Vine-like shrub with procumbent	
branches. Flowers, companulate, rose- red. Each	1.00
" nitidum—1-2 ft. Branched shrub. Flowers	1.00
rose-red, fruit black. Each	.75
ZENOBIA cassinifolia-2-4 ft. Half-evergreen	
bush. Handsome white nodding flowers in clusters. Each	.75

### VINES-NATIVE

BEGNONIA crucigera (Cross Vine)—Evergreen
climber, orange-red flowers. Each\$.35
" radicans—Shrubby stems, large orange
campanulate flowers. Each
<b>CELASTRUS scandens</b> (Bittersweet) — Bright
orange berries. Used for winter bouquets.
Each
CLEMATIS paniculatta-Sheets of white fra-
grant blooms in summer. Each
" viorna (Leather Flower)—8-10 ft. One inch
bell-shaped flowers of deep purple. Each35
COCCULUS carolinus—12 ft. Dark green foliage.
Masses of glistening red berries in fall.
Very beautiful. Said to be hardy as far
north as N. Y. Each
GELSEMIUM sompervirens (Carolina Yellow
Jessamine)—Climbing shrub with evergreen
foliage. Large wax-like yellow fragrant
flowers. Extremely beautiful. Excellent
in conservatory. Each
" sempervirons fl. pl.—Double form of above.
Each
DECUMARIA barbara (Climbing Hydrangea)-A
vine reaching 20 ft. Evergreen foliage,
clusters of fragrant white flowers in sum-
mer. Very rare. 4 in. pots. Each 1.00



