

676.1

DECLASSIFIED
Authority 795020
By NARA Date 12/14/01



1
2
3
4
5
6
7
8
9
10
JSA
G5
13
14
級
15
16
17
18
19
20
21
22
23
24
25
26
27

GENERAL HEADQUARTERS 6-2 FAR EAST COMMAND

File. 676:1

Date From Jan To Dec 19

Line No 1 To

NOTICE

This file contains information affecting the National defense of the United States within the meaning of the Espionage Act, 50 U.S.C. 31 And 32, as amended. The transmission, or the revelation of the contents in any manner, to an unauthorized person is prohibited by law; it is intended for American eyes only. It is imperative that these documents be safeguarded at all times, and that the material contained herein be treated with the utmost discretion. Under no circumstances shall possession thereof, or the information therein, be given to any personnel other than those whose duties specifically require knowledge thereof.

DECLASSIFIED

Authority 795020

By NARA Date 12/14/11

19535

4801.0101

CONFIDENTIAL

Korea

TB 1920 4293

Construction Of a Direct Telephone Line Between Pyongyang and USSR

T/I, G-2, GHQ

F-3

1

1945-1949

United States Army Forces In Korea

24 June 1949

TIS # 189

Forwarded herewith one (1) copy USAFIK KIG Report No 993-A, dated 10 June 1949.
This report states that a direct telephone line is in operation between PYONGYANG
and POSIET, USSR.

At the end of October 1945, according to the report four new lines were added
to the two existing lines between SOPOHANDONG and TORIDONG. Soviet signal Corps
personnel stationed at SOPOHANDONG are reportedly assigned there for line maintenance
between PYONGYANG and USSR.

For the Assistant Chief of Staff, G-2:

J. H. POLK
Lt. Col., CSC
Asst Exec, G-2

CONFIDENTIAL

DISTRIBUTION:

- 1- MID D/A
- 1- COL LACEY
- 3 - T/INT

DAIT 4801.0101
BID 100 (Korea)

Concur
R.L.
for L.S.F.



(15)

676.11

after

卷之三

10.10.1084

1968 OSEI #2
K2000 has 20000 ft² covered and enough lot fronting a 20' no limit driveway.

EAST COAST

卷之三

RE-5-11

我们自己和我们的朋友，以及他们的家人。

三

• 2181 and 2182 of notes A-220 on strength of ITALIAN type (1) are returned because
REVIEWING showed only one of the anti-magnetic forces a small negative value


hebbes other people won't forget add of militiamen, and Zedofree to him with his
other Lambton forces. On their return from Marquette they went to the city and add of
militiamen until well suited before leaving. The largest and most numerous of these latter forces
was the militia reported

1000 , 10000 to 100000 units in each case to

卷之三

DISTRIBUTION:
I-MID DIV

1900.1084 TIAA
(zero) 001 C18



(2) 11.053

CONFIDENTIAL

CONFIDENTIAL

COUNTRY: Ryukyu Islands

REPORT #: TB 2271; No. 4510

SUBJ: Telephone Facilities in the Ryukyu Islands

FROM: T/I, G-2 GHQ FEC REF: Control No. SC-772, Ltr CSGID ID-13, dtd 3 May 49, subj. above
1949 4 August 1949

INCL: 1 PREP. BY: Signal Officer, RYCOM SOURCE: Signal Officer, RYCOM

1. Forwarded herewith two copies of report entitled, "Telephone Facilities in the Northern Ryukyu" (Inclosure 1) as requested in reference letter above.

2. The inclosed report contains a detailed description of telephone installations and five (5) diagrams which show circuit diagrams of wire and radio facilities, and line routes of wire communications. Also included are pictures of telephone switchboards, repair shops, telegraph terminals, submarine cable installations, aerial wire and cable installations. In addition to the foregoing is a list of telephone and telegraph equipment in the Northern Ryukyu group.

3. This report forwards all information presently available on this subject.

For the Assistant Chief of Staff, G-2:

1 Incl:

Rpt of Telephone Facilities
in Northern Ryukyu (2)

J. R. POWELL
Lt Col, GSC
Asst Exec, G-2

(P)

CONFIDENTIAL

MEMO FOR RECORD:

1. ID ltr, CSGID ID-13, Control No. SC-772, dtd 3 May 49, subj: "Telephone Facilities in the Ryukyu Islands" requested all info on telephone facilities for the islands of Amami-O-shima, Tokuno-shima and Okino-erabu-shima.

2. Contacts with CCS (Capt Williamson) and GHQ Sig Ofc (Maj Flewelling) by Targets Br (Capt Walker, Capt Patterson) were negative.

3. Ltr, G-2 (Tgts Br, T/I) to AC/S G-2 RYCOM, dtd 19 May 49, same subj, requested all available info be dispatched to arrive in G-2 GHQ FEC not later than 1 Aug 49.

4. This OCS 17 forwards report received from G-2 RYCOM (prepared by Ofc of Sig Off) and informs ID GSUSA that all info presently available is forwarded as Incl 1.

DMW
26-5469

8/1949
FILE
F
LJF
26-6021

Distribution of Rycom Rpt:

2 - MID

1 - G-2 Lib (after circulation)
to CCS and GHQ Sig Ofc

LJF
26-6021

10

676.1

CONFIDENTIAL

G-2 ADMIN File CY

LJF/DMW/su

DECLASSIFIED

Authority 795020

By NARA Date 12/14/11

CONFIDENTIAL

G-2 ADMIN File Copy

LJF BBB/su

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
SEKISU JUSHI
cm

TI/TB

APO 500
19 May 1949

SUBJECT: Telephone Facilities in the Ryukyus Islands

TO : Assistant Chief of Staff, G-2, Ryukyus Command, APO 331

1. Reference letter Intelligence Division, GSUSA, Washington, D.C., CSGID-ID-13, dated 3 May 1949, subject as above (Inclosure 1).

2. The Intelligence Division has a specific requirement for the information as outlined in above reference. Request as complete an answer to this requirement as may be procurable be dispatched so as to arrive in this office not later than 1 August 1949.

For the Assistant Chief of Staff, G-2:

J. R. Folk
J. R. Folk
Col. GSO
Asst Ex. G-2
Colonel, GSC
Executive Officer

1 Incl

See para 1 above

MEMO FOR RECORD:

Ltr CSGID-ID-13, 3 May 49, subj: "Telephone Facilities in the Ryukyus Islands", requested information regarding telephone facilities in Ryukyus Islands. As information is not readily available from local sources, this ltr is written requesting AC/S G-2 Rycom to furnish necessary information upon which to base reply to MID.

BBB
BBB
26-5469

LJF
LJF
26-6021

MAY 20 1949
JB

CONFIDENTIAL

(10)

676.1

14081

CONFIDENTIAL

COPY

DEPARTMENT OF THE ARMY
 GENERAL STAFF, UNITED STATES ARMY
 Intelligence Division
 Washington 25, D.C.

GSGID ID-13

Date 3 May 1949

SPECIFIC REQUEST FOR INFORMATION, CONTROL NO. SC-772

SUBJECT: Telephone Facilities in the Ryukyu Islands

TO : Commander in Chief, Far East
 ATTN: AC of S, G-2
 APO 500, c/o Postmaster
 San Francisco, California

1. Requirements: It is requested that telephone information for the islands of Amami-O-shima, Tokuno-shima and Okino-erabu-shima be obtained as follows:

a. Outside Plant:

- (1) Actual location of lines
- (2) Length of sections between central offices
- (3) Number of central offices
- (4) Location of test stations
- (5) Any other information suitable for diagrammatic presentation

b. Line Construction

- (1) Type and size of pole generally used; pole spacing, cross-arm length, pin spacing, method of conductor suspension, type of hardware and insulators used, date of installation etc. Furnish sketches and photographs if possible.

c. Conductors:

- (1) Cable: Kind or type, date of installation, code identification of insulation, cable layup, circuit assignment (segregation of 4-wire circuits, power and control circuits etc), capacitance, inductance and resistance per unit length, inductance of loading coils, cut-off frequency, physical characteristics of loading apparatus, terminal box circuit assignment, etc.

d. Wire

- (1) Size and material of conductors, wire spacing, scheme of transportation.

e. Routes

- (1) Usual routes followed by lines: Degree of accessibility; use of route markers.
- (2) Special topographical or meteorological factors which may affect line construction or cable laying.



CONFIDENTIAL

1904-5

LAWRENCE 1900

YU

YERKA REACHES TO KARLINSKAYA
YERKA CLOTHING COMPANY, INC., KARLINSKAYA
MOTOR VEHICLE CORPORATION
P.O. BOX 30200 KARLINSKAYA

EARLY WELSH METRE

RC-III - 011990

STT-22 - ON 10/20/00, VOLTAIC BATTERY WAS REMOVED AND TESTED.

biochemical analysis and at additional stages of the process.

1995-0001, 1995-0002 and 1995-0003. The

2-3, 20 DA 1000A

Telephone 010-008 090

www.333led.com LED Light Supplier

大英圖書館藏書


return to most wool markets. (5)

1

三

NO TREATMENT FOR THE DISEASE

2017C&D-0000000



to consider, among other, conditions to facilitate the use
of hydroelectric power.

traditional techniques to control the rate of biological invasion. Encouraging traditional methods to combat

Yan do kui errotan Lao kui lekoot sia to Lao tiaoyu errot Lao kui (2).
Lao kui errot sia to moktoune too wai f doot (3).

COPY • CONFIDENTIAL

(Subject: Telephone Facilities in the Ryukyu Islands

SC-772)

f. Operating Facilities

- (1) Exact location of both military and civil exchanges and offices.
- (2) Type of service (magneto, common battery, attended or unattended dial etc).
- (3) Normal and emergency power supplies.
- (4) Equipped capacity of switchboard or switching equipment and number of subscribers served. Make and model of switchboard or switching equipment.
- (5) Type and description of main distributing frame and central office exchange protective equipment.
- (6) Kind and type of telephone substation equipment in general use.
- (7) Toll and exchange wire and cable entrance facilities.

g. Vulnerability

- (1) Special security measures taken to safeguard installations against damage by sabotage, bombing or artillery fire.
- (2) Photographs (both ground and aerial) showing facilities - indicate exact location of subject, orient, and give date of photograph in each case.

2. Reply within 90 days of receipt. Unsatisfied portions will be forwarded after suspense date.

3. All replies to the requirement will refer to the above Control Number.

FOR THE DIRECTOR OF INTELLIGENCE:

GEORGE S. SMITH
Colonel, GSC
Chief, Intelligence Group
Intelligence Division, GSUSA

CONFIDENTIAL

DECLASSIFIED

Authority 795020
By EW NARA Date 12/14/11

