Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





BRIDGEMAN'S HIGH GRADE SEEDS

37 EAST 19TH STREET NEW YORK CITY

Useful Tables for Gardener and Farmer

Seed for a Given Number of Plants

Cabbage 1 oz. 3,000 plants	Marrow Squash 1 oz. to 30 hills
Cauliflower 1 " 3,000 "	Asparagus
Celery	Beet
Eggplant I " 2,000 "	Carrot
Endive	Okra
Lettuce	Onion
Pepper	Onion Sets, Small 1 qt. to 50 "
Tomato	Parsley 1 oz to 150 ''
Pole Beans	Parsnip 1 " 200 "
Corn 1 " 200 "	Radish 1 " 100 "
Cucumber 1 oz to 50 "	Salsify
Watermelon	Spinach
Muskmelon	Turnip
Pumpkin	Peas 1 " 100 "
Early Squash	Dwarf Beans


Seed Usually Sown Upon One Acre

Artichoke, Jerusalem 4 bus.
Barley, broadcast 2 to 3 bus. Beans, Dwarf, in drills 1½ bus.
Beans, Pole, in hills 8 to 10 qts.
Beet, in drills 4 to 5 lbs.
Broom Corn, in hills 4 to 6 qts.
Buckwheat, broadcast 34 to 1 bus.
Cabbage, to transplant
Carrot, in drills 2 to 3 lbs.
Corn, in hills 8 qts.
Corn, for soiling 3 bus.
Clover, Alsike 5 lbs.
Clover, Red, alone 20 lbs.
Clover, Red, with Timothy and Redtop 10 lbs.
Clover, White, alone 8 to 10 lbs. Clover, White, with other seeds 4 lbs.
Clover, White, with other seeds 4 lbs.
$ \begin{array}{c} \textbf{Clover, Lucerne, alone} & \dots & $
timether together . Clover . 10 lbs.
Podton
Cucumber, in hills 1 to 2 lbs.
Flax, broadcast 1 to 2 bus.
Grass, Hungarian
,

Grass, Lawn 4 bus.
Grass, Orchard 2 to 3 bus.
Grass, Rye 2 bus.
Grass, Fimothy ½ bus.
Millet
Mustard, broadcast 12 to 16 qts.
Oats, broadcast 2 to 3 bus.
Onion, in drills 4 to 6 lbs.
Parsnip, in drills 4 to 5 lbs.
Peas, Early, in drills
Peas, Marrowfat, in drills 13/4 bus.
Peas, broadcast 3 bus.
Potatoes, cut tubers, in drills 10 bus.
Radish, in drills 6 to 8 lbs.
Rye, broadcast 1½ to 2 bus.
Salsify, in drills 6 to 8 lbs.
Spinach, in drills 8 to 1) lbs.
Turnip, in drills
Turnip, broadcast 2 to 3 lbs.
Vetches, broadcast 2 to 3 bus.
Wheat, broadcast 1½ to 2 bus.
Wheat, in drills
The state of the s

Plants or Trees for One Acre

Distance apart Nun	mber Distance apart Number
6 inches by 6 inches	1,240 5 ft. by 5 ft
I ft. by I ft	
1½ ft. by 1½ ft	9,360 8 ft. by 8 ft 680
2 ft by 1 ft	,780 9 ft. by 9 ft 537
2 ft by 2 ft 10	0,890 10 ft. by 10 ft
2½ ft. by 2½ ft 6	5,970 12 ft. by 12 ft 302
3 ft by 1 ft	,520 16 ft. by 16 ft 170
3 ft. by 2 ft	7,260 20 ft by 20 ft
3 ft. by 3 ft 4	,840 25 ft by 25 ft
4 ft.by 4 ft	2,722 30 ft. by 30 ft 40



ESTABLISHED 1824 1904

BRIDGEMAN'S HIGH GRADE SEEDS

EDWARD A. PETH, Proprietor

37 East 19th Street

NEW YORK CITY



HE BRIDGEMAN SEED BUSINESS, in entering upon its eightieth year, feels assured that its experience and its reputation both commend it to the discriminating buyer.

After a lifetime spent in horticultural pursuits, the founder of the business, Alfred Bridgeman, passed into rest in May, 1903. The experience acquired in connection with his great abilities during the time of his active connection with the business serves the present proprietor—who has, indeed, been the manager of the enterprise for more than twenty years—in guaranteeing the same care and discrimination in the selection of varieties and stocks that have built up the business to its enviable position.

Great care is taken to select seeds of only such species and varieties as are really worthy of cultivation, to the exclusion of all sorts too frequently recommended and sold, to the serious loss and disappointment of planters. Supplies of all the leading kinds of seeds are raised annually by the most careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under the proprietor's personal supervision. The observance of such a system may be considered a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

The proprietor can here enumerate only the leading articles in his collection; and, from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes:

First—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are

Please note that we employ no agents. All orders will be carefully and promptly executed from our stock of high-grade true-to-name seeds.

marked thus (†). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (‡). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

Second—That some species of seeds, such as Beans, Beets, Cabbage, Lettuce, Radishes, Salsify, Turnips, etc., being, from their nature, apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

Third—That some species, such as Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

Fourth—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes, for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures. To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young. In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch. For instructions on these and other subjects of gardening, the reader is referred to Bridgeman's Book on Gardening, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, nothing is warranted.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

Catalogue of Vegetable, Flower, Grass, Herb and Miscellaneous Seeds, with brief directions for their care and treatment. (This one.) Ready in January.

Market-Gardeners' Priced Catalogue of Vegetable Seeds, etc. Ready in January.

Catalogue of Dutch Bulbous Roots. Ready in September.

Address all orders plainly to

BRIDGEMAN'S SEED WAREHOUSE

37 East 19th Street, near Broadway

Borough of Manhattan

NEW YORK CITY

Specialties in Flower Seeds

CHOICE NEW ASTERS

Hohenzollern Crown Prince. The color of this magnificent novelty is a brilliant carminered of really striking beauty, quite unique, in fact, among Asters. Pkt. 35 cts.

The Midsummer Triumph Aster, which comes Midsummer Triumph. Dark scarlet. absolutely true from seed, will certainly prove

a gem for every lover of this favorite flower and be especially welcomed by florists, as making a delightful, early-blooming pot-plant. Pkt. 35 cts.

Bridesmaid. A new color of the Comet group. The flowers open white and change to a charming lilac-rose; remarkably freeflowering; excellent as a pot-plant. Pkt. 25c.

Lady Aster, Comet-Flowered Rose and White. A splendid new variety, and quite distinct by its narrow lanceolate leaves and long-petaled chrysanthemum-like flowers. Pkt. 25 cts.

Comet, Snow-White. The flowers of this splendid new class are very large and extremely double, with incurved petals, giving them the appearance of the finest Japanese chrysanthemums. Pkt. 10 cts.

Ball, or **Jewel**. (Benary.) A magnificent rose and white variety. The flowers are very double, petals incurved; blooms in great profusion. Pkt. 10 cts.

Snowball, or Princess. (Benary.) Flowers pure white; in form they are semi-spheri-



cal, and composed of quite short and very thickly set imbricated petals. Pkt. 25 cts.

Aquilegia Stuarti

A splendid Columbine, the result of a cross between A. glandulosa and A. Wilmanni. The flowers are 4 inches in diameter, and are of a fine rich blue. Pkt. 25 cts.

Chrysanthemum "Golden Wheel" (Carinatum radiatum aureum)

In this new and pretty group of annual Chrysanthemums the flowers assume a peculiar form, the quill-shaped ray florets standing out all around the disk like the spokes of a wheel. The flowers of this novelty are golden yellow with purple center. Pkt. 25 cts.

Celosia spicata (Argentea linearis)

This lovely Celosia is an annual from the East Indies. The straight and tender pyramidal plants grow to be about 21/2 feet high, with 20 to 30 side branches, every branch ending in a somewhat cylinder-shaped flower spike, which is 3 to 4 inches long and is at first light pink, changing later into a silver white color. Useful for bedding out as well as a pot-plant. Pkt. 25 cts.

Cosmos, Dwarf Early=Flowering "Dawn"

The Cosmos is now one of our most popular flowers, but frequently, on account of its coming into bloom so late, the plants are destroyed by frost without having perfected a solitary flower. This new variety comes into full flower in July, and continues a mass of bloom until cut down by severe frost. The flowers are fully as large as in the best selections of the old type; beautiful white, relieved by a delicate tint of rose at the base of the petals. Pkt. 10 cts.

Candytuft, Little Prince

New. Grows 4 to 6 inches high, with spikes of large, pure white flowers. As a potplant this novelty will be of grand service, and will also prove invaluable for borders and for cutting. Pkt. 10 cts.

Gaillardia grandiflora foliis aureo-variegatis

A welcome addition to the small group of variegated-leaved perennials. Foliage golden yellow, which characteristic is displayed as soon as the leaves unfold, and extends mostly even to the buds; produces a pleasing contrast with the magnificent flowers. Pkt. 25 cts.

Mathiola, Empress Elizabeth

A new large-flowering double winter Stock; grows about 18 inches high, with flowers of the brightest carmine-rose; excellent for pots and cutting. Pkt. 25 cts.

Petunia hybrida gigantea fl. pl.

A splendid new class of giant double Petunias of the most beautiful variety of colors. Pkt. 50 cts.

POPPIES

Dwarf Shirley. Charming dwarf varieties of the universally esteemed Shirley Poppy. The seedlings grow into bushy little plants about 18 inches high, with bright green laciniated foliage, and all ablaze with innumerable fine flowers of rose, chamois, scarlet and salmon, some having a distinct light bordering to the petals, all with yellow stamens and all thrown well up above the foliage. Pkt. 15 cts.

Miss Sherwood. Sturdy plants 2½ feet high, with noble foliage, bearing in profusion large, single flowers of a shining satiny white, the upper half of the corolla being a silky chamois-rose. This is a combination of color quite virginal in its delicacy, and we are convinced that this beautiful Poppy, which comes quite true from seed, will be found one of the finest of single-blooming varieties, more especially as a cut-flower, and quickly meet with the appreciation it deserves. Pkt. 10 cts.

Dianthus Heddewigii albus, Queen of Holland

A new Dianthus, bearing splendid, even-edged flowers of a lustrous pure white. Excellent for cutting. Pkt. 25 cts.

Heuchera alba

New. A valuable variety of the well-known *H. sanguinea*. The long, slender flower-stalks are thickly clothed with pure white, long-lasting flowers, which through their elegant appearance are highly effective in the border, and also very useful for bouquets. Pkt. 25 cts.


Hollyhock, Allegheny

A decided improvement over the old-fashioned variety. Flowers fringed, chrysanthemum-shaped, 5 to 7 inches across; flowers until frost. Finest mixed. Pkt. 10 cts.

Imperial Japanese Morning-Glory

A new class of Morning-Glory from Japan. The flowers are of exquisite beauty in form and coloring, and of enormous size, often 5 to 6 inches in diameter. They are easily cultivated, and grow rapidly to a height of 30 or 40 feet. The

vated, and grow rapidly to a height of 30 or 40 feet. The colors are striped, penciled and bordered in infinite variety and diversity. The foliage, also, is often prettily variegated. Pkt. 10 cts.



It will at once be seen that for bedding this new Salvia is fully as suitable as geraniums in respect to height and compactness, while in brilliancy of color it eclipses anything in nature. We have counted over one hundred spikes of bloom on a single plant. The foliage is of a very rich dark green color, beginning right at the ground and rising no more than 10 inches above, while the 8-inch flowers-pikes stand erect and clear above the foliage. For bedding in masses alone, or with plants of equal height, or for borders around beds of taller plants, we know nothing that will be so effective. Pkt. 25 cts.

Nasturtium, Lilliput

JAPANESE MORNING-GLORIES. An entirely new class of dwarf Nasturtiums; the plant is in every respect smaller than the Tom Thumb. The dainty little flowers, produced in the greatest profusion, and peeping up well above the small cut and bushy foliage, make it one of the prettiest of annuals. Pkt. 10 cts.

Tropaeolum Lobbianum, Golden Queen

A new variety, bearing flowers of a pure golden yellow, without any spots. Pkt. 25 cts.



Specialties in Vegetable Seeds

Wonder Bush Lima. The most productive of all Bush Limas. The plants grow dwarf, upright and compact, and are completely covered with large pods, many of which contain four beans, which are fully as large as the largest of the Pole Limas. Qt. 50 cts.

Valentine Wax. This is an improved Extra-Early Valentine Bean with round wax pods. It grows about 15 inches high, with a strong stalk and an abundance of foliage remarkably free from rust. Beans planted June 18 produced pods 4 inches long by July 21. The pods are very meaty and almost stringless. Qt. 30 cts., pk. \$1.75.

Stringless Green Pod. This valuable variety is superior to any green-podded Bean grown. It ripens fully a week earlier than the Valentine. The pods are round, long and fleshy, remaining tender longer than any other variety. Qt. 35 cts., pk. \$2.

BEETS

Columbian Turnip. A round, smooth-skinned variety, with deep blood-red flesh. Very early and of the finest quality. Oz. 10 cts., lb. 60 cts.

Extra-Early Eclipse. The tops are very small, root smooth and globe-shaped; flesh deep crimson, very finegrained and remarkably sweet. Oz. 10 cts., lb. 60 cts.

Carrot, Half=Long Red Carentan

A slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 15 cts., lb. \$1.

Cauliflower, Erfurt Extra=Early Dwarf

The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Pkt. 50 cts., oz. \$6.

CELERY, FIN DE SIÈCLE

A green winter Celery deserving special notice. After growing to a great size it lends itself to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. It has also proved to be the largest, hardiest, solidest, crispest, best keeping and shipping winter Celery known. Oz. 30c.



COLUMBIAN TURNIP BEET.

CORN, SWEET

Champion. This Corn is without doubt the earliest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 25 cts., pk. \$1.

Squantum, or Potter's Sugar. Of a rich, delicate flavor, and pronounced by connoisseurs to be the best grown. It is a very promising variety, and likely to displace older sorts that are less worthy. Qt. 25 cts., pk. \$1.

/ Upland Cress

This hardy perennial thrives on any soil, and has the identical flavor of true water cress. Grows very quickly from seed. Oz. 50 cts.

Cucumber, Tailby's Hybrid

A White-Spined crossed with an English Frame variety. It grows larger than White-Spined, and is one of the most valuable in its class for open-air cultivation. Oz. 15c., lb. \$1.

LETTUCE

Buttercup. A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts., lb. \$1.50.

Salamander, or Satisfaction. One of the best summer kinds. Of dwarf habit; makes a solid head; quality extra good. Oz. 20 cts., lb. \$1.50.

MUSKMELONS

Paul Rose. One of the best of the salmon-fleshed varieties. Of delicious flavor and a long keeper. New, but already a favorite. Oz. 15 cts., lb. \$1.

Rocky Ford. Size medium, nutmeg-shaped and finely netted. Flesh green, very sweet and delicious. Of extra quality for table use. Oz. 15 cts., lb. \$1.

Mustard, Chinese

An excellent plant for greens, producing an enormous amount of herbage. The leaves



PAUL ROSE MUSKMELON.

have an agreeable flavor when cooked like ordinary spinach. Oz. 10 cts., lb. 75 cts.

PEAS

Woradus. An extra-early wrinkled variety; grows about 2½ feet high, and produces large pods well filled with peas of superior quality. The vines are healthy, thrifty, and bear fine crops of well-filled pods. The flavor is sweet and delicious. Qt. 5cc., pk. \$2.50

Bridgeman's Extra-Early.
The earliest of the early White Peas; unsurpassed either for market or family use; of excellent quality; unusually productive for so early a variety. Vines 2½ feet high. Qt. 30c., pk. \$1.50.

Heroine. This is a medium early, and grows uniformly from 2 to 2½ feet high. It comes

in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing nine or ten large peas of the finest quality. Qt. 30 cts., pk. \$1.50.

The Queen. A new wrinkled variety; pods very large, produced mostly in pairs. The peas are large and of delicious flavor. Qt. 30 cts., pk. \$1.50.

Radish, Triumph

A white and scarlet striped forcing Radish. Globe-shaped pure white roots, prettily striped horizontally. Although it is suitable for open ground, it is best adapted for forcing, being quite short-leaved and of very rapid growth, and the hotbed cultivation renders its distinctive color more prominent. It is of the best table quality and of very ornamental appearance. Oz. 25 cts., ½1b. 75 cts.

Salsify, Mammoth Sandwich Island

In size twice as large as the ordinary variety. The roots are smooth; flesh fine-grained and of pleasant flavor. Oz. 20 cts., lb. \$1.50.

SPINACH

Victoria. This new variety is distinguished for its exceedingly dark, black-green color, and also for its very long-standing qualities. Leaves thick; good for spring sowing. Lb. 40c.

V Long Standing. Thick dark green leaves of compact growth, standing longer than any other sort before running to seed. Lb. 40 cts.

Tomato, Freedom

Fruit perfectly round, of a bright scarlet, borne in clusters, and exceedingly prolific. One of the earliest. Oz. 25 cts.

COLLECTIONS OF

Select Vegetable Garden Seeds

STANDARD SORTS For Family Use, in quantities to suit Small or	No. 1 \$5	No. 2 \$9	No. 3 \$12	No. 4 \$16	No. 5 \$20
Large Cardens, as follows:	Contains	Contains	Contains	Contains	Contain
BeansEarly Valentine Bush:	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
" Black Wax Bush	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
" Refugee Bush	½ pt.	ı pt.	ı qt.	тqt.	2 qts.
" Large White Lima Pole	I pt.	ıpt.	ı qt.	3 qts.	2 qts.
Beet Extra-Early Turnip	I OZ.	2 OZ.	4 oz.	4 OZ.	8 oz.
" Early Blood Turnip	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cabbage. Early Oxheart	pkt.	½ OZ.	½ oz.	½ oz.	I OZ.
"/.Early Winnigstadt	pkt.	½ oz.	½ oz.	I OZ.	I OZ
"Large Late Drumhead	pkt.	½ OZ.	I OZ.	I OZ.	I OZ
"Drumhead Savoy	pkt.	½ OZ.	½ OZ.	½ OZ.	I OZ
" Red, or Pickling	pkt.	pkt.	pkt.	½ oz.	I OZ
Cauliflower Extra-Early Paris	pkt.	1/4 OZ.	1/2 OZ.	½ OZ.	I OZ.
Carrot Early Orange, or Horn	I OZ.	2 OZ.	2 OZ.	4 oz.	8 oz
"Long Orange	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz
Cress Curled, or Pepper Grass	I OZ.	2 OZ.	2 OZ.	2 OZ.	4 OZ
orn Extra-Early Cory	½ pt.	ı pt.	ı qt.	ı qt.	2 qts
"Mammoth Sugar.	½ pt. ½ pt.		1	2 qts.	2 qts
"Stowell's Evergreen	½ pt. ½ pt.	I pt.	I qt.		T .
celery Early White Plume		I pt.	I qt.	2 qts.	2 qts
ucumber. Early Russian	pkt.	½ OZ.	I OZ.	I OZ.	I OZ
	pkt.	I OZ.	I OZ.	2 OZ.	4 OZ
"Long Green	I OZ.	I OZ.	2 OZ.	2 OZ.	4 OZ
ggplant Improved New York Purple	pkt.	1/4 OZ.	¼ oz.	½ OZ.	½ OZ.
Indive Green Curled	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
Cohlrabi Early White Vienna	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ
Tale Green Curled Scotch	pkt.	I OZ.	I OZ.	I OZ.	I OZ.
ettuce Early Curled Silesia	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
" Early Tennisball	pkt.	½ OZ.	I OZ.	I OZ.	I OZ.
Large Dutter-fread	pkt.	½ OZ.	I OZ.	I OZ.	2 OZ.
eekLarge Flag	pkt.	½ OZ.	I OZ.	I OZ.	2 OZ
felon Orange Christina	pkt.	½ OZ.	I OZ.	2 OZ.	4 oz
"Rocky Ford (green flesh)	pkt.	I OZ.	I OZ.	2 OZ.	4 oz
Wilduntain Sweet, Water	I OZ.	I oz.	2 OZ.	4 OZ.	4 oz
nion Extra-Early Red	½ pt.	I OZ.	2 OZ.	2 OZ.	4 OZ
" White Portugal	½ pt.	I OZ.	2 OZ.	2 OZ.	4 oz
eas Carter's "First Crop"	ı pt.	ı qt.	2 qts.	2 qts.	2 qts
"Laxton's Alpha	ı pt.	ı qt.	ı qt.	2 qts.	2 qts
"McLean's Little Gem	ı pt.	ı qt.	ı qt.	ı qt.	2 qts
"McLean's Advancer	ı pt.	ıqt.	ı qt.	ı qt.	2 qts
" Champion of England	ı pt.	ı qt.	2 qts.	2 qts.	2 qts
arsleyExtra Curled	pkt.	i oz.	I OZ.	2 OZ.	2 OZ
epperSweet Mountain	pkt.	¼ OZ.	½ OZ.	I OZ.	I OZ
arsnipCup, or Guernsey	I OZ.	I OZ.	2 OZ.	4 OZ.	8 oz
adishLong Scarlet	pkt.	2 OZ.	2 OZ.	4 Oz.	4 oz
" Red Turnip, or Cherry	pkt.	2 OZ.	4 OZ.	4 OZ.	8 oz
": Chinese Winter	pkt.	I OZ.	2 OZ.	2 OZ.	2 OZ
alsifyLong White	½ OZ.	½ OZ.	I OZ.	2 OZ.	4 oz
quash Early Bush	I OZ.	I oz.	2 OZ.	2 07.	4 OZ
" Hubbard Winter	I OZ.	I OZ.	2 OZ.	4 OZ.	4 OZ
pinachRound-Leaved	4 oz.	6 oz.	8 oz.	8 oz.	i lb
omato Early Red Smooth	pkt.	½ OZ.	1/2 OZ.	I OZ.	I OZ
"The Trophy	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ
urnip White Dutch	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz.
",Yellow Stone	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.

Vegetable Seeds

EXPLANATION OF TERMS

A * denotes leading and most desirable kinds.

A † denotes tender species, which should not be placed in the open ground until settled warm weather.


A # denotes half-hardy sorts, which are subject to risk when frost prevails.

\$0.30

The names printed in smaller Roman type are identically the same, or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 26 to 28.

For New Vegetable Seeds, etc., see pages 5 and 6.



PALMETTO ASPARAGUS.

‡Artichoke

Artichaut, Fr. Artifchock, Ger. Alcachofa, Sp. Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

French, or Green Globe....... \$0 40

Jerusalempk. \$1.50... \$

Asparagus

Asperge, Fr. Spargel, Ger. Esparrago, Sp. Seeds should be sown in the spring, or roots planted in the spring or autumn.

Palmetto \$0 10 \$0 25

Conover's Colossal. Produces
very large, thick, tender,
luscious stalks in great quantities..... lb. 50 cts... 10 20

ASPARAGUS ROOTS

A saving of one to two years is effected by planting roots. Those offered below are

strong, 2-year-old roots. For private use, the beds should be formed 5 feet wide, with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.

Per 100 1,000
Palmetto. 2 years old.....\$0 75 \$6 00
Conover's Colossal. 2 years old.. 75 6 00

Beans

Haricot, Fr. Bohnen, Ger. Frijole nano, Sp.

†DWARF GREEN PODDED

Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

One quart will plant 100 feet of drill.

	Pe	rqt.	P	k.
Extra-Early Valentine	. \$0	30	\$1	75
*Long Yellow Six Weeks		30	I	75
*Early Mohawk		30	I	75
Early China Dwarf		25	I	25
*Extra-Early Refugee		30	I	75
*Refugee, or 1,000-to-1		30	Ι	7.5



HENDERSON BUSH LIMA BEAN.



STRINGLESS GREEN POD BEANS.

Dwarf Green-Podded Beans, co	ntinued	.
Per c		
White Kidney, or Royal \$0 3		75
Stringless Green Pod	35 2	00
White Marrowfat	25 1	25
*Wonder of France	10 2	50
Canadian Wonder 3	30 1	75
V Dwarf Horticultural	30 I	75
*Burpee's Bush Lima	10 2	00
	10 2	00
6	10 2	00
WAY DODDED WARIE	TIRE	
WAX=PODDED VARIE		
*Valentine Wax \$0		
ATT 1. TE 11 TIT	30 I	75
Crystal White Wax		75
*Black Wax		
24		00
T	_	75
*Wardwell's Kidney Wax		75
Flageolet Wax		75
Refugee Wax		75
For prices per bushel, see pa	ge 26.	
DMOTTOTT: DWARD DE	A N.T.C.	
ENGLISH DWARF BE	ANS	
Féve de Marais, Fr. Garten Boh Haba Commun, Sp.	nen, G	er.
Plant as early as practicable in 4 inches apart and 2 inches deep, in eet apart.	n sprii n drills	ng, 5 4

P	er qt.	P	k.
*Sword Long Pod	0 30	\$1	50
Long Turkey. *Broad Windsor (Taylor's)	. 30	I	50
Green Mazagan			-
English Horse Bean. Green Nonpareil	25	т	25
orcen nonparen	. 23	1	25


†POLE, or RUNNING BEANS

Haricot à Rames, Fr. Stangen Vohnen, Ger. Frijole Vassago, Sp.

Pole Beans are more tender, and require rather more care in culture than the Bush Beans. They succeed best in a rich, sandy loam.

Plant from the middle of May to July, in hills about 4 feet apart each way.

One quart will plant 150 hills.	
Per qt.	Pk.
*Extra-Early Lima\$0 40	\$2 00
*Dreer's Improved Lima 40	2 00
*Large White Lima 40	2 00
*King of the Garden Lima 40	2 00
Challenger Lima 40	2 00
Early Golden Cluster Wax 40	2 00
*Horticultural, or Wren's Egg 30	I 75
White Dutch Case-Knife 30	I 75
*Mont d'Or, or Golden Butter 40	2 00
Old Homestead40	2 00
Indian Chief (vellow pods) 30	I 75
Black German Wax, or Algerian.	
White Dutch Runner 30	1 75
Scarlet-Flowering Runner 30	1 75
Asparagus, or Yard Long 1 00	



ECLIPSE CRIMSON TURNIP BEET.

‡ Beets

Betterave, Fr. Runelrüben, Ger. Remolacha, Sp.

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

Per oz.	4 ozs.
*Extra-Early Turnip \$0 10 Early Bassano, or Sugar.	\$ 0 25
*Eclipse Crimson Turnip 10	25
*Extra-Early Electric 10	25
*Egyptian Blood Turnip 10	25
*Early Blood Turnip 10	25
Dewing's Blood Turnip 10	25
*Edmand's Early Blood Turnip 10	25
Columbia Turnip 10	25
Long Dark Red 10	25
#Half-Long Dark, or Pear-Shaped 15	30
Silver Swiss Chard 10	25
Victoria Blood-Red Swiss Chard 15 See Kale Beet, for greeus.	30
For prices per lb., see page 26.	

MANGEL=WURZEL AND SUGAR BEETS

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

Six to eight pounds to the acre.

/	Per	4 ozs.	L	b.
Long Red.	\$o	15	\$ 0	40
Scarcity, or Cattle Beet. *Mammoth Long Red		15		40

26	Per 4 ozs.	
*Norbiton Giant Red	\$0 15	\$0 50
Champion Yellow Globe	15	35
*Golden Tankard	15	40
White Imperial Sugar		40
White French Sugar	15	40

‡ Broccoli

Chou Brocolis, Fr. Brocoli, Spargel-Rohl, Ger. Broculi, Sp.

Sow in May or June. This should be transplanted in July, in rows about 2 feet anart each way

apart each way.	Per	r oz.	4 (ozs.
*Extra-Early White#	50	60	\$2	00
*Early Purple Cape		40	I	00
White Cape, or Cauliflower				00
Early Walcheren (true)		50	I	50
Walcheren Cauliflower,				

‡Brussels Sprouts

Chou de Bruxelles, Fr. Grüner Sproffen, Ger. Breton de Bruselas, Sp.

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small, tender heads melt in the mouth like fine cauliflower.


1	re	OZ.	4 0	ZS.
*Improved Dwarf	. \$ 0	25	\$ 0	75
/ Tree, or Miniature Cabbage.	W -	-3	Ψ-	13
Roseberry, or French		25		75

Burnet

Pimpernelle petite, Fr. Bimpernell, Ger. Pimpinela, Sp.

Sow in rows early in spring. Useful for salads and soups.

Garden. Oz. 25 cts., 4 ozs. 50 cts.



EGYPTIAN BLOOD TURNIP BEET.



HENDERSON'S SUCCESSION CABBAGE.

‡Cabbage

Chou pommè ou Cabus, Fr. Ropffohl, Ger. Repello, Sp.

Sow the early varieties in protecting frames in September, or in hotbeds early in the spring; sow late kinds about the middle of May; transplant in July, in fresh, rich ground, in rows about 2½ feet apart, and from 1 to 2 feet apart in the row

feet apart in the row.		
Pe	r oz.	4 ozs
Early York, or May\$0 Early Royal Dwarf.	20	\$ 0 50
*Early Oxheart	20	50
**Early Winnigstadt, or Cone	20	50
Early Flat Dutch Early Summer, or Henderson's.	30	75
*Early Jersey Wakefield Early Nonpareil, Early Becalan.		I 00
*Selected All Seasons	25	75
Early Dutch Drumhead Early Dutch, or Battersea.	20	50
*Large Late Flat Dutch	25	75
Large Late Drumhead	25	7 5

	oz.	4 ozs
*Henderson's Succession \$0	30	\$1 00
*Autumn King	40	1.00
*Dwarf Early Ulm Savoy	25	75
Large Globe Savoy	25	75
Perfection Curled Savoy	25	75
Large Red Drumhead	25	75
Red Dutch, or Pickling	25	75
Marblehead Mammoth	20	50
Large Early Schweinfurt	20	50
Pomeranian, or Felderkraut	20	50
For prices per lb., see pag	ge 26	


Cardoon

Cardon, Fr. Cardon, Ger.

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

Large Solid. Oz. 30 cts., 4 ozs. 75 cts.

For Specialties in Vegetable and Flower Seeds, see pages 3, 4, 5 and 6, where the best new and choice old strains of seeds are illustrated and fully described.



EARLY DWARF SNOWBALL CAULIFLOWER.

Carrots

Carotte, Fr. Möhren, Ger. Zanahoria, Sp. Sow in April for early, middle of June for winter use, in drills about 15 inches apart.

/		
	Per oz.	4 ozs.
*Extra-Early Forcing	\$o 15	\$0 30
Extra-Early Forcing Orange Turnip-Rooted.	т О	
*Early Orange Horn (pointed)		30
*Half-Long Red (stump-rooted) 15	30
Scarlet Carentan (coreless)		30
*0xheart, or Guerande		30
Danvers Orange Intermediate	Io	25
*Long Orange	Io	25
Long Scarlet, or Surry, Altringh	am.	
Large White Belgian.	IO	25
Large White Belgian.		
For prices per lb., see p	oage 26.	



HALF-LONG RED CARROTS.

†Cauliflower

Choufleur, Fr. Blumenfohl, Ger. Coliflor, Sp.

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May and transplanted early in July is more likely to produce good heads. Sow for early and late, same as cabbage.

Per pkt.	Oz.
Erfurt Extra-Early Dwarf \$0 50	\$6 o o
Carrara Rock 50	
*Early Dwarf Snowball 25	4 00
Per oz.	4 ozs.
Extra-Early Paris (fine)\$0 75	\$2 25
Half-Early Paris Nonpareil 60	2 00
*Lenormand's Short-Stemmed 75 Carter's Extra Dwarf Mammoth.	2 25
Early London, or Dutch 40	1 00
Large Late Stadtholder 40	I 00
*Large Algiers (fine late) 75	2 25
Italian, or Autumn Giant 50	I 50

‡Chervil

Cerfeuil, Fr. Rerbel, Ger. Perifollo, Sp.

Collard, or Colewort

Chou, Fr. Blätter-Rohl, Ger.

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage.

Georgia-Grown Collards. Oz. 20 cts., 4 ozs. 50 cts.

Celery


Céleri, Fr. Cellerie, Ger. Apio, Sp.

Sow very early in spring, in moist, rich ground; when the plants are from 4 to 6 inches high transplant into trenches 4 inches deep and 9 inches wide, and 3 feet from trench to trench. Set the plants 6 inches apart in the rows

apart in the rows.	Per	oz.	4.0	ZS.
*Early White Plume	.\$0	30	\$0	85
*Early Dwarf White Incomparable Dwarf.		25		75
*Golden Heart, Half-Dwarf				75
Golden Self-Blanching			I	25
*Perfection Heartwell		25		75
*Boston Market Dwarf White		25		75
*Giant Pascal		25		75
*Fin de Siecle		30		85
/Pink Plume		30		85
*Early Dwarf Red		30		75
Dwarf Crimson, Rose-Colored.				
London Large Red				75
Turnip-Rooted Celery	• • •	25		75
Early Erfurt Celeriac. Celery Seed (for flavoring)				
Lb. 60 cts		Io		20



GIANT PASCAL CELERY.



VARIETIES OF SWEET CORN.

†Sugar Corn

Mais, Fr. Welschforn, Ger. Maiz, Sp.

Plant from the middle of May to July for successional crops, in hills about 3 feet apart.

One quart will plant about 200 hills.

EXTRA EARLY


Per	qt.	P	k.
Extra-Early Minnesota\$0		\$1	00
Extra-Early Cory		I	00
Perry's Hybrid	25	I	00
Dwarf Champion		I	00
*Metropolitan	25	I	00
SECOND EARLY			
*Crosby's Early (fine)	25		00
Triumph Early Sugar	25	Ι	00
Moore's Early Concord	25	I	00
Potter's Excelsior	25	Ι	00
*Squantum	25	I	00
*Ne Plus Ultra	25	I	00
GENERAL CROP			
*Stowell's Evergreen	25	I	00
*Country Gentleman	25		00
*Mammoth Sugar (extra fine) Excelsior, Asylum, or Burr's.	25		00
Egyptian, or Washington Market	25	Ι	00
Large Eight-Rowed Sugar	25	I	00
Roslyn Hybrid	25	I	00
Black Mexican Sugar	25	Т	25
	_	er b	_
Sweet Fodder (best for soiling)		\$2	50
For prices per bushel, see p			

Corn-Salad, or Fetticus

Mâche, Fr. Acterfalat, Ger. Canonigos, Sp.

Sow in September, in drills ¼ inch deep and 6 inches apart. Manage same as spinach.

,			4 ozs.
Small Seeded	\$o	Io	\$0 25




STOWELL'S EVERGREEN CORN. (See page 13.)

POP CORN

Pop, or Parching Qt. 25 cts., 8 qts. \$1.

†FIELD CORN

Abou	ut per	bι	ıs.
Early Yellow Canada	\$	ĎΙ	50
Long White Flint		1	50
Longfellow (Yellow Flint)		1	50
King Philip (Early, deep yellow)		1	50
Queen of the Prairie (Dent)		1	50
Golden Beauty (Dent)		I	50
We can furnish, also, other Field v	variet	tie	s.




SHORT GREEN CUCUMBER.

†Cucumbers

Concombre, Fr. Gurfen, Ger. Pepino, Sp. Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

Per oz.	4 OZS
Extra Early Russian\$0 15	\$0 30
Early White Spined 15	30
Short Green, or Boston Pickling 10	25
*Green Prolific, or Pickling 15	30
Early Green Cluster	30
Improved Long Green 15	30
*Everbearing 15	30
Japan Climbing 20	60
Long White Spined 15	30
New Jersey Hybrid.	



IMPROVED LONG GREEN CUCUMBER.

CUCUMBERS, Continue	a.	
		ozs.
✓*Tailby's Hybrid\$○	15 \$0	30
√Long Green Turkey	10	25
W. I. Gherkin, or Burr	20	60
Cool and Crisp	15	30
Nichol's Medium Green	10	25
For prices per lb., see pag	ge 27.	100
The state of the s		THE STATE OF

ENGLISH FRAME CUCUMBERS

1	Per I	okt.
/	General Grant \$0	25
	Telegraph	
1	Duke of Edinburgh	25
	Giant of Arnstadt	
	Also several other English long varieties	
	for forcing; each	25

‡Cress, or Peppergrass

Cresson, Fr. Rreffe, Ger. Mastuerzo, Sp. Sow at short intervals, spring and fall.

/ Pe	r oz.	40	zs.
*Upland Cress \$0	50	\$1	50
*Extra Curled	10		25
Australian, or Golden	10		25
True Water Cress	50	I	50


†Egg=Plant

Aubergine, Fr. Gierpflanze, Ger. Berengena, Sp.

Sow in hotbed or under glass, early in spring; about the end of May transplant to-the open ground.



IMPROVED N. Y. PURPLE EGG-PLANT.



GREEN CURLED SUMMER ENDIVE.

	Per	oz.	4 0	zs.
Early Long Purple			\$1	00
*Improved New York Purple Large Oval Purple, Round Purple.		50	I	25
Early Black Pekin	• • •	40	1	00
			Per p	
Long White Chinese			. \$о	IO
Scarlet Chinese				10,
Striped, or Guadaloupe				10
White Egg-Shaped				IO.

‡ Endive

Chicorée-Endive, Fr. Endivie, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

Per oz. 4 ozs.


Pe	er oz	z. 4 ozs.
*Green Curled Summer	0 2	0 \$5 50
White Curled		
French, or Moss Curled	. 2	0 50
*Broad-Leaved	. 2	0 50
/ Batavian or Escarolle.		
Batavian or Escarolle. Brussels Chicory (Witloof)	. I	5 25
Wild (Barbe de Capucin)		
(Chicory, or Succory, per lb., \$1		

Garlic

Ail, Fr. Rnoblauch, Ger. Ajo, Sp.

Plant early in spring, in rows 10 inches apart and 2 inches deep.

Garlic Sets Lb. 40 cts.



GREEN CURLED SCOTCH KALE.

‡Kale, or Borecole

Chou-vert, Fr. Grüner-Rohl, Ger. Breton, Sp. Sow spring sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to

June. Manage same as cabbage.

Per	oz.	4 ozs•
*Green Curled Scotch\$0	15	\$ 0 30
≯Dwarf Green Erfurt	15	30
Brown, or Purple-Curled		30
*Curled Siberian Lb. 60 cts Hardy German Greens, or Winter Sprou	IO	25
*Striped Garnishing	25	75
Sea Kale (Crambe maritima)	25	75
Spring Sprouts (for greens)		10

‡Kohl=Rabi

(Turnip=Rooted Cabbage)

Chou-rave, Fr. Rohlrabi, Ger. Col de Nabo, Sp.




DEACON LETTUCE.

‡Lettuce

Laitue, Fr. Lattich, Ger. Lechuga, Sp.


Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

winter use.	Per oz.	4 ozs.
German Early Head	.\$0 25	\$0 75
*Grand Rapids Forcing	20	50
*Buttercup (fine for forcing)	20	50
*Big Boston (fine for forcing)	20	50
*Simpson's Curled Silesia Early Cut Salad.	20	50
Black-Seeded Simpson	15	40
*Early Tennisball (fine)		50
Early Boston Market.		
*Golden Stone Head (fine) Yellow-Seeded Butter.	25	75



EARLY TENNISBALL LETTUCE.

*Deacon (solid head) 20	50
Mignonette. Russet color 25	75
Black-Seeded Large Butter 20	50
Turkish Cabbage, or Russian.	50
*Golden Queen. Forcing 25	75
Perpignan, or Summer 20	50
New York Cabbage 20	50
Ice Drumhead (fine)	40
Royal Cabbage, or Malta.	40
White Summer Cabbage 20	50
Stone Cabbage, or Winter Butter.	Ŭ
American Gathering 15	40
Victoria Cabbage	40
Red-Edged Cabbage.	·
★Salamander, or Satisfaction 20	50
*All-the-Year-Round 20	50
Hanson's Cabbage 20	50
Shotwell's Brownhead 20	50
Market-Gardeners' Private Stock 20	50
White Paris, or Ice Cos 20	50
Green Paris Cos (Romaine) 20	_
Triange Sale Closing Con	50
Trianon Self-Closing Cos 20	50
For Prices per lb., see page 27.	



PAUL ROSE MUSKMELON.

Leeks

Poireau, Fr. Lauch, Ger. Puerro, Sp.

Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 6 inches high, transplant them in rows 12 inches apart.

	4 ozs.
Large American Flag\$0 30	\$ 0 75
Large Carentan (fine) 20	60

Mustard

Sinapis, Lin. Moutarde, Fr. Senf, Ger.

A small pungent salad used with cress; the seed is also used for flavoring pickles, pepper-sauce, etc. Sow in April in rows I foot apart, and thin out to 3 inches apart when 2 inches high.

./	Per	oz.	40	zs.
White, or Yellow	\$0	05	\$0	15
Black, or Brown				
Chinese (for salad)		IO		30


†Muskmelons

Melon, Fr. Melonen, Ger. Melon, Sp.


Sow in frames for early; open ground in May and June, in hills 6 feet apart each way.

Per oz. \$0 15	4 ozs.
*Early Christina (orange flesh) 15	30
*Emerald Gem (orange flesh) 15	30

	Per		4 ozs.
*Large Nutmeg (green flesh)			\$0 30
Long Island Beauty		15	30
The Banquet (rich salmon)	• •	15	30
*Early Jenny Lind (green flesh)		15	30
Delmonico (large; orange flesh).	15	30
*Improved Hackensack		15	30
Bay View (extra large)		15	30
Surprise (orange flesh)		15	30
Excelsior Nutmeg (green flesh).		15	30
*Golden Perfection (yellow flesh)		15	30
*Paul Rose (rich orange flesh)		15	30
*Golden Netted Gem		15	30
*Montreal Market (green flesh)		15	30
Green Citron (netted)		15	30
Also, English varieties for cultu	re		
in frames per pkt. 200			



IMPROVED HACKENSACK MUSKMEL ON.



MAMMOTH IRONCLAD WATERMELON.

†Watermelons

Melon d'Eau, Fr. Wassermelonen, Ger. Sandia, Sp.

Sow in frames for early; open ground May and June, in hills 8 feet apart each way.

P	er oz.	4 ozs.
Early Mountain Sweet \$0	10	\$0 25
Kolb's Gem	10	25
lcing, or lce Rind (red flesh) White-Seeded Ice Cream Strawberry.	10	25
*Black Spanish (red flesh)	IO	25
*Cole's Early	IO	25
Phinney's Early (red flesh)	10	25
*Jordan's Gray Monarch	15	30
	.10	2 5
*Hungarian Honey	15	30
*Scaly Bark (crimson flesh)	IO	25
*Vick's Early (red flesh)	15	30
The Volga (red flesh)	10	25
Orange (scarlet flesh)	IO	25
Mammoth Ironclad	10	25
*Striped Gypsy (fine late) Jackson, or Rattlesnake.	10	25
Citron (for preserves)	IO	25
136 4		

†Martynia

Gemfenhorn, Ger.

Sow in May in open ground, 3 feet apart each way.

Craniolaria (for pickles). Oz. 30 cts., 4 ozs. 75 cts.

Mushrooms

Champignon, Fr. Champignonbrut, Ger. Seta, Sp.

English Spawn. Lb. 15 cts., 8 lbs. \$1. French, in boxes of 3 lbs. each, \$1.25.


Printed pamphlets on Mushroom culture sent with all orders for spawn.

†Nasturtiums

Capucine grande, Fr. Aressen Indianische, Ger. Maranuela, Sp.

Sow in May and June in drills 1 inch deep.

		1 01	C2.	000
Tall (Indian	Cress)	\$0	20 \$0	50
Dwarf "	"		20	50



STRIPED GYPSY WATERMELON.




YELLOW DANVERS ONION.

Onions

Oignon, Fr. Bwiebeln, Ger. Cebollo, Sp. Sow seed in rich ground early in spring, in drills I foot apart, and thin to 2 inches apart.

,		
F	er oz.	4 ozs.
Exira-Early Flat Red	\$0 25	\$0 75
Large Red Wethersfield	25	75
*Large Red Globe	25	75
*Southport White Globe	30	85
Yellow Dutch, or Strasburg	20	50
*Yellow Danvers, or Globe	20	50
*White Portugal	30	85
New England White Silver Skin		



SOUTHPORT WHITE GLOBE ONION.

LE SEEDS, GRASS SI	EEDS 19
Queen (new early white). **Prizetaker (straw-color). **White Italian Tripoli **Naples Giant Rocco (late). **For prices per lb.,	30 85 25 75 20 50
ONION SETS	, ETC.
Red Onion Sets *White Onion Sets Yellow Onion Sets White Potato Onions Yellow Potato Onions	30 I 50 25 I 50 30 I 75
Okra	
Gombo, Fr. Effbarer Quimbombo, Sow after the middle of June, in rich ground, in drideep and 3 feet apart; thin *Dwarf White Velvet	May, or early in about an inch out to 8 inches. Per oz. 4 ozs.
*Early Dwarf Green:	
Improved Dwarf Prolific.	



EXTRA LONG GREEN OKRA.

Parsnips

Panais, Fr. Pastinaten, Ger. Pastinaca, Sp, Sow from March to June, in deep, rich soil; thin out to 6 inches apart in the rows.

		OZ.		ZS.
*Long White, or Guernsey	\$ 0	10	\$0	25
Cup, Hollow-Crowned, or Sugar.				
Sutton's Student		10		25

Parsley

Persil, Fr. Beterfilie, Ger. Perejil,	Sp.
Sow from March till June, in drills a	n inch
deep and I foot apart. Per oz.	4 ozs.
*Curled, or Double \$0 10	\$ 0 25
*Champion Moss Curled	30
*Carter's Fern-Leaved 10	25
Hamburg, or Rooted 10	25

†Pumpkins


Potiron, Fr. Kürbiffe, Ger. Calabaza, Sp. Sow in May or June, in hills 6 by 8 feet Per oz. Large Cheese, or Pie\$0 10 West India Mammoth 25 75 Mammoth, or Large Tours..... 20 60 Jonathan..... 10 25 Bus. Connecticut Field (grown for stock)......\$0 25

†Peppers


Piment, Fr. Spanischer Pfeffers, Ger. Pimiento, Sp.

Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.

1	Per oz.	4 ozs.
Squash, or Tomato	\$0.25	\$0 75
*Large Bell, or Bull Nose	25	75
*Sweet Spanish (for salad)	25	75
*Sweet Mountain (for mangoes)	25	75



MAMMOTH, OR LARGE TOURS PUMPKIN.



RUBY KING PEPPERS.

		oz.		
Celestial	\$o	30	\$ 1	00
Red Cherry		30	I	00
Small Chili (red; very hot)			I	00
Long Red Cayenne		30	1	СО
Ruby King (for mangoes)		30	I	00
Golden Dawn				75
For prices per lb., see				

Peas


Pois, Fr. Erbsen, Ger. Guisante, Sp.

Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.

One quart will plant 100 feet of drill. Those marked thus (*) are the wrinkled varieties.

EXTRA=EARLY SORTS

/					
. /	Ft.	Per	qt.	P	k.
Bridgeman's Extra-Early	.21/2.	.\$0	30	\$1	50
Carter's First Crop Sutton's Ringleader, First and	.2½ . Best.	•••	30	I	50
Daniel O'Rourke				I	50
Philadelphia Extra-Early				1	50
*Laxton's Alpha (fine)	3 .		30	I	50
*Surprise	2		40	2	00
Alaska	.21/2.		30	1	50
*Nott's Excelsior	. I ½ .		40	2	00
Kentish Invicta (fine)	$2\frac{1}{2}$.		30	1	50
*Gradus (finest quality)	.3 .		50	2	50
*Carter's Premium Gem	. I ½ .		40	2	00
*Duke of York	3 .		30	I	50
*American Wonder	. I ½ .		40	2	00



A ROW OF NOTT'S EXCELSIOR PEAS.


SECOND EARLY PEAS

/	Ft.				
*Heroine	21/2.	. \$0	30	\$ τ	50
*McLean's Advancer	.21/2.		30	I	50
*Shropshire Hero	3 .		30	I	50
Laxton Fillbasket	.3 .		30	I	50
*Horsford's Market-Garden	$.2\frac{1}{2}$.		30	I	50
*Dwarf Champion	2 .		30	Ι	50
*Abundance (sow thin)	. I ½		30	I	50
*McLean's Little Gem	. I .		40	2	00
McLean's Blue Peter	.ı .		30	I	50
*Admiral	.3½.		25	I	50


MAIN	CROP	AND	LA	TE	P	\mathbf{E}^{A}	S
,			Ft.	Per	qt.	Pl	ζ,
*Champio	on of Engla	nd	٠5	\$0	30	\$1	25
*Yorkshi	re Hero	<i>.</i>	3		30	I	25
*Ne Plus	Ultra		• 5		25	I	25
Juno. L	arge, strai	ght pods	.2		30	I	50
*Everbea	ring (sow	thin)	$2\frac{1}{2}$		25	I	25
Pride of	the Marke	t	. 2		30	I	50
*Carter's	Telephone	e	· 5		30	I	50
Culverw	ell's Tele	graph	.4		30	I	50
*Carter's	Stratagem		. 2		30	I	50
*Queen (finest flav	or)	2 1/2		30	I	50
Blue Im	perial.	<i>.</i>	. 2 1/2		25	I	25
White M	larrowfat.		• 3		25	I	25
Black-E Peruvi	yed Marrov an Marrow.	W	• 3		25	I	25

SUGAR PEAS

Ft. Per qt. Pk. Melting Sugar (edible pods)..5..\$0 30 \$1 75 Wrinkled Sugar (edible pods).4 ... 40 .2 00 Dwarf Sugar (edible pods)...2... 40 2 00 For prices per bushel, see page 30.



HEROINE PEA.



BEAUTY OF HEBRON POTATO.

Potatoes

Pomme de Terre, Fr. Rartoffeln, Ger.

The soil best suited for the Potato is a rich, sandy loam; being a gross feeder, requires a liberal application of manure. Plant as early in the spring as the ground can be thoroughly worked, in rows 3 feet apart and 1 foot in the rows. Our Potatoes are all specially "northern-grown," for seed purposes.

Prices subject to variation.

About, per bus.	Bbl.
Early Beauty of Hebron \$2 00	\$4 25
Early Rose, or Vermont 2 00	4 25
Early Bovee 2 00	4 25
Early Northern 2 00	4 25
Early Ohio 2 CO	4 25
Early Puritan 2 25	4 50
Uncle Sam (very productive) 2 25	4 50
Clark's No. 1 (early) 2 00	4 25
Carman No. 1 (medium) 2 00	4 25
Carman No. 3 (best late) 2 00	4 25
White Elephant (fine late) 2 00	4 25
Late Beauty of Hebron 2 00	4 25

Radishes

Radis, Rave, Fr. Nettige, Ger. Rabanos, Rabonitas, Sp.

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.

Pe	er oz.	4 ozs.
Scarlet Globe Turnip	15	\$0 30
*Triumph (globe-shaped)	25	75
French Breakfast (fine)	IO	25
Red Olive-Shaped White-Tipped		

,		
	Per oz.	4 ozs.
★Early Scarlet Turnip (fine)	.\$o IO	\$0 25
Red Turnip, or Cherry.		
Early Round Dark Red	IO	25
White-Tipped Scarlet Turnip	15	30
*Golden Olive-Shaped	15	30
Early White Olive-Shaped	Io	25
Early Scarlet Olive-Shaped	10	25
*Long Scarlet Short-Top	IO	25
Beckert's Chartier Long Red	10	25
*Golden Globe (fine)	іо	25
Yellow Summer Turnip	10	25
₩White Summer Turnip	10	25
Long White Icicle (for forcing).	-	75
Purple Summer Turnip	IO	25
*Long Black Spanish	Io	25
*Round Black Spanish	10	25
White Spanish, or Fall	_	30
*Scarlet Chinese Winter	IO	25
Long White Naples		25
For prices per lb., see page 3	30.	

To be crisp and tender, Radishes must grow quickly and have plenty of water.



WHITE SUMMER TURNIP RADISH.



LARGE-LEAVED SORREL.

Rhubarb

Rhubarbe, Fr. Rhabarber, Ger. Ruibarbo, Sp.

Sow seed or plant roots in rich ground during April or May.

	Pero	Z. 40	zs.
Myatt's Victoria	.50 2	0 \$0	50
Pie Plant, Wine Plant.	7		·
	Eacl	n. Per d	oz.
Roots (large)	.50 I	5 \$1	50

Sage

Sauge, Fr. Galbei, Ger.

Sow during the spring.

Common (Salvia officinalis). Oz. 25 cts., 4 ozs., 75 cts.

Salsify, or Oyster Plant

Salsifis, Fr. Bocksbart, Ger. Ostra Vegetal, Sp.

Sow from April to June in drills 12 inches apart, and thin out to 6 inches apart in rows.

-	-		
//	Per	oz.	4 ozs.
Long White	.\$0	15	\$0 30
Mammoth Sandwich Island		20	50
Scolymus (Salsify Spinach)		25	60

Savory

Bohnenfraut, Ger.

/ Per	oz.	4 ozs.
*Summer\$0	25	\$º 75
Winter	40	I CO

Scorzonera

Scorsonére, Fr. Sforzonere, Ger. Escorconera, Sp.

Sow from April till June. Cultivate the same as salsify.

Black Salsify. Oz. 25 cts., 4 ozs. 75 cts.

Skirret

Chervis, Fr. Buderwurzel, Ger. Cherivia, Sp.

Sow in drills ½-inch deep, a foot apart; thin out to 8 inches in the row. Is eaten like scorzonera or salsify.

Sium Sisarum. Oz. 30 cts., 4 ozs. 75 cts.

Sorrel

Oseille, Fr. Sauerampfer, Ger. Acedera, Sp. Sow in spring in drills 18 inches apart. Cooked precisely like spinach.

	Per	OZ.	40	zs.
*Large*LeavedLb. \$1.25.	.\$0	15	\$0	40
Garden Patience Dock		30		60

Swiss Chard

Used as greens; the ribs of the leaves are cooked and served as asparagus. Oz. 10 cts., 4 ozs. 25 cts.

Sweet Marjoram

Marjolaine, Fr. Marjoran, Ger.

Sow during the spring.

Sweet. Oz. 30 cts., 4 ozs. \$1.

Spinach

Epinard, Fr. Spinat, Ger. Espinaca, Sp.

Sow early in the spring, in very rich ground. Also during September and October for winter use, in drills 12 inches apart and half ay inch deep.

Per 4 025 Lb

	-			
an inch deep.	Per	4 ozs.		Lb.
*Round-Leaved	. \$0	15	\$0	40
FLong-Standing		15		40
Victoria (dark green)		15		40
Large Viroflay		15		40
Savoy-Leaved				40
Prickly=Leaved				40
New ZealandOz. 15 cts			I	00
Holland, or OrachOz. 20 cts	S	50	I	СО



NEW ZEALAND SPINACH.



GOLDEN CUSTARD BUSH SQUASH.

†Squashes

Courge, Fr. Rürbiß, Ger. Calabozo, Tontanero, Sp.

Sow in hills from the middle of April till the last of June. Bush kinds about 4 feet apart, other kinds 8 feet apart.

Per oz. 4 ozs.

Early White Bush\$0 10	\$0 25
Scallop, or Pattypan.	
Long Island White Bush10	25
Silver Custard Bush 10	25
Early Golden Bush 10	25
*Summer Crookneck Bush 10	25
Golden Custard Bush 10	25
Early Orange Marrow 10	25
Boston Marrow 15	30
*Hubbard, or Winter 15	30
Pike's Peak 10	ŭ
Marblehead Marrow 10	_
*Essex Hybrid 10	25
*Winter Crookneck	
Canada Crookneck.	3
▶ *Delicata 15	30
Fordhook (Long Keeper) 10	25
*Perfect Gem (Late-Running) 10	25
Butman (Winter) 10	25
English Vegetable Marrow 20	50
Mammoth Chili (extra size) 20	50
Patagonia 20	50
Patagonia 20 Seven Years' Custard, or Butter.	
Bay State (winter sort) 10	
For prices per lb., see page 30.	

Thyme

Thym, Fr. Thymian, Ger.

	,		11	,				
Sow dur	ing t	he sp	ring.		Per	oz.	4.0	zs.
*English								
French (sr	nall-l	eave	d)			40	I	25

†Tomatoes

(Love=Apples)

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp.


Sow in hotbeds for early; open ground, April and May; transplant in rows 3 or 4 feet apart. *Ponderosa..... \$0 50 \$1 25 *Livingston's Perfection 25 75 *Freedom (bright scarlet) ... 25 75 The Lorillard 25 75 Crimson Cushion (extra large) ... 50 I 25 *Mikado (early, large, red) 25 75 Turner's Hybrid. *The Trophy (selected). 25 75 *Dwarf Champion 25 75 *Acme (smooth, dark red) 25 75 Livingston's Beauty..... 25 75 *Livingston's Favorite 25 75 Early Ruby (dwarf, compact).... 25 75 Red Cherry, or Gem...... 25 75 Large Golden Yellow 30 75 Red Pear-Shaped, or Fig...... 25 75 Yellow Plum 30 75 *Cardinal (brilliant red) 25 75 Stone (very large scarlet) 25 75 *Table Queen (rich crimson)..... 25 75 Sutton's Best of All..... 50 I 25 Strawberry, or Winter..... 30 75

Tobacco Seed


For prices per lb., see page 30.

(Nicotiana tabacum)

	Per	oz.	40	ZS.
Connecticut Seed-Leaf	\$⊙	30	\$ 1	00
Imported Havana		50	т	50



LIVINGSTON'S BEAUTY TOMATO.



EAKLY FLAT DUTCH AND RED TOP STRAP-LEAVED TURNIPS.

Turnips

Navet, Fr. Müben, Ger. Nabo commun, Sp. All varieties 10 cents per ounce.

șeason.		4 OZS.		
*Extra-Early Milan	\$0	25	\$0	75
White Strap-Leaved.		20		50
Early White Stone		20		60

/		
Per	ozs.	Lb.
Early Purple Top Munich\$0	20	\$0 50
Early Yellow Teltow	25	75
Small Berlin, or Marrow.		
Red Top Strap-Leaved		50
Red Top White Globe		50
White Egg-Shaped (fine late)		50
Yellow Stone, or Globe	20	50
Yellow Aberdeen	20	50
Scotch Yellow.		
Robinson's Golden Ball	20	50
Orange Jelly.		
White French, or Rock	20	50
Russian, Hanover, Sweet German.		
Purple Top Rutabaga	20	50
Improved Yellow Swede, or Russian.		
White Rutabaga	20	50
	•	
Long White, or Cow Horn	20	50

Sweet, Pot and Medicinal Herbs

Per packet, 5 to 10 cents.

Sow under glass early in spring; about the end of May transplant to open ground.

Per oz.	Per oz.
Anise (Pimpinella Anisum)\$0 15	Hoarhound (Marrubium)\$0 30
Basil, Sweet (Ocymum bascilicum) 40	Hyssop (Hyssopus officinalis) 30
Borage (Borago officinalis). For bees 20	Lavender (Lavendula spica) 30
Balm (Melissa officinalis) 40	Marjoram, Sweet (Origanum) 30
Bene. For dysenterylb. \$1.25 20	Rue (Ruta graveolens) 20
Coriander (Coriandrum sativum) 15	Rosemary (Rosemarinus officinalis) 50
Castor Oil Plant (Ricinus)lb. 50c 10	Saffron (Carthamus) 15
Caraway (Carum carui) 15	Sage, Common (Salvia officinalis) 25
Catnip (Nepeta cataria) 40	Savory, Summer (Satureja hortensis) 25
Dandelion (Leontodon taraxacum) 40	Savory, Winter (Satureja montana) 10
Dill (Anethum graveolens)lb. \$1 15	Tansy (Tanacetum vulgaris) 50
Eucalyptus, or Fever Plant	Thyme, English (Thymus vulgaris) 50
Fennel, Sweet (Anethum)	Thyme, French 40
Hop Seed (Humulus) 50	Wormwood (Artemisia absinthium) 30

GRASS AND CLOVER SEEDS AND OTHER IMPORTANT REQUISITES

Grass Seeds About,	About, per bus.
Per bus	English Rye Grass. 24 lbs. to bus\$2 00 Lolium perenne.
Phleum pratense. Creeping Bent Grass. 15 lbs. to bus 4 50	Wood Meadow Grass. 14 lbs. to bus 5 00 Poa nemoralis.
Agrostis stolonifera.	Kentucky Blue. Best excleaned; 14 lbs. 2 oo
Red Top Grass. 14 lbs. to bus 1 75	Central Park Lawn Grass. 15 lbs. to bus. 3 50
" " Exrecleaned; 32 lbs 6 oo	Extra Finest Mixed Lawn Grass. 15 lbs 4 50
Agrostis vulgaris. Rhode Island Bent Grass. 14 lbs. to bus 4 50	Golf Link Mixture. 20 lbs. to bus 3 50
Agrostis canina.	Putting Green Mixture. 24 lb. to bus 5 00
Sweet Vernal Grasslb. 75 cts. Anthoxanthum odoratum.	Permanent Pasture Grass. 14 lbs. to bus. 3 75
Meadow Fescue. 22 lbs. to bus 3 50 Festuca pratensis.	Clovers
Meadow Fox-Tail Grass. 7 lbs. to bus 2 75 Alopecurus pratensis.	Red Clover. Price variable \$0 20
Tall Meadow Oat Grass. 10 lbs. to bus. 2 50	White Clover. " 40
Avena elatior. Orchard Grass. Choice; 14 lbs. to bus 3 00	Crimson Clover. 15 lbs. per acre 15 Trifolium incarnatum.
Dactylis glomerata.	Yellow Clover, or Trefoil
Sheep's Fescue Grass. 12 lbs. to bus 3 00	Lucerne, or Alfalfa Clover 25
Festuca ovina. Hungarian Grass. 48 lbs. to bus. Market price.	Alsike Clover, or Swedish 25
Panicum Germanicum.	Bokhara Clover 30
Red or Creeping Fescue. 14 lbs. to bus 3 50 Festuca rubra.	
Italian Rye Grass. 18 lbs. to bus 2 00 Lolium Italicum.	Bird Seeds, Etc. Per at. Bus.
	Canary (best Sicily)\$0 20 \$4 00
	Mixed Bird Seed 20 4 00
	Hemp Seed 10 2 00
I WE THE THE	White Millet
	Yellow Millet 15 3 co
The Transfer of the same of th	English Rape (large-seeded) 20 4 00
The world the same to	German Rape (small-seeded) 20 4 00
	Sunflower 10 2 50
	Bird Gravel (for cages) 10 2 00
NEW WAR THE STEEL STATE OF THE	Rough Rice 15 3 50
	Maw, or Poppylb. 30 cts
THE THE THE THE THE	Bird Lettuce
	Imperial Egg Food lb. 50 cts
1 - De la companya del companya de la companya del companya de la	Mocking Bird Food. bottle 40 cts
	Song Restorerbottle 25 cts
	Prices variable.
o Partie Very	Fruit Seeds
《大学》的《大学》	Per 1b. Apple Seed
	Cherry Pits, Mahaleb 30
The state of the s	Pear Seed
Willia V	Quince Seed
Company of the Compan	Per oz.
	Currant Seed, Mixed\$0 40
The state of the s	Gooseberry Seed, Mixed

LUCERNE, OF ALFALFA CLOVER.

 Raspberry Seed, Mixed
 50

 Strawberry Seed, Mixed
 50

Various Seeds	Round Seed, or Lily Pans
Per qt. Bus. Flax Seed. \$0 25 \$3 50 Sunflower 10 2 50 Broom Corn. 25 3 00 Vetches. For pigeons, etc. 20 2 75 Per lb.	Height. Width. Per doz. 4 x 6 inches \$1 00 5 x 8 " I 50 5 x 10 " 2 25 5 x 12 " 2 50
Chinese Sugar Cane	Standard Flower Pots 2¼-inch Thumb \$0 80 \$6 50 3- "Gill 1 25 9 00 4- "Half-pint 1 75 15 00 5- "Pint 2 75 25 00 6- "Quart 4 00 40 00 7- "Three-pint 6 50 60 00 8- "Half-gallon 9 00
Bordeaux Mixture. For all fungoid diseases, such as mildew and various rots of grapes, etc. I qt. 50 cts.	9- "Gallon
Kerosene Emulsion. For plant-lice of any kind, cabbage worms, scale insects on apple, pear, orange and other trees. 1 qt. 50 cts., gal. \$1.50.	Horticultural Books American Farm (revised). Allen \$2 50
"Rose Leaf" Tobacco Extract. A concentrated extract of tobacco, most effective for destroying all insects and scale on plants. Full directions for applying. Pint can 30c., qt. 50 cts., gal. \$1.25.	American Fruit Culture. Thomas 2 00 Asparagus Culture. Barnes & Robinson. 50 Bulbs and Tuberous-rooted Plants. Allen
Ant Destroyer. A non-poisonous powder, which will destroy or drive away black ants from lawns, trees, plants, houses, or other affected localities. Can 50 cts.	Fruit Garden. Barry
Slug-Shot 5 lbs. 30c., 10 lbs.\$0 50 Fir Tree Oil pt. 75 cts., qt. \$1.25, gal. 4 00 Nicotine pt. 1 50 Lemon Oil For all insects and scales. qt. 75	ton
Sulpho-Tobacco Soap 8-oz. cake Bug Death lb. 15 cts., 3 lbs. 50 Flowers of Sulphur " Pure Paris Green " 30	How Crops Grow. Johnson 2 00 Money in the Garden. Quinn 1 50 Mushrooms: How to Grow Them. Falconer 1 50
Hellebore. For all insects	Practical Forestry. Fuller I 50 Practical Floriculture. Henderson I 50 Rose, Treatise on the. Ellwanger I 25 Success With House Plants I 00 Small Fruit Culturist. Fuller I 50 The Forcing-Book. Complete instruc-
Fertilizers Superphosphate of Lime	tions for all forcing operations. Bailey. 1 00 The Nursery Book. A Complete Guide to Multiplication of Plants. Bailey. 1 00 The Principles of Fruit Growing.
Ground Bone 35 0) Pure Ground Bone 32 00 Potato Fertilizer 35 00 Sheep Manure (pulverized) 30 00 Nitrate of Soda 100 lbs. \$3.75	Bailey. Illustrated, 508 pages 1 25 Violet Culture. Galloway 1 50 Window Gardening. Heinrich. 75 Water Garden. Tricker 2 00 New publications not listed supplied to order

New publications not listed supplied to order at publisher's prices

Vegetable Seeds, Etc.

BY POUND, BUSHEL OR BARREL

Orders for less than Half Bushels and Half Pounds are liable to somewhat higher rates

Bush Beans	Į	Cabbage
Per bi		Per lb.
Burpee's Bush Linia \$7	00	Early York, or May\$1 50
Dreer's Bush Lima 7	00	Large Early Oxheart 1 50
Extra-Early Valentine		Early Flat Dutch, or Summer 2 50
Long Yellow Six Weeks 6	00	Early Jersey Wakefield 3 00
Early Mohawk 6		All-Seasons 2 50
Early China Dwarf 5		Henderson's Succession 3 00
Refugee, or 1,000-to-1 6	00	Autumn King 3 00
Canadian Wonder 7	00	Early Winnigstadt 1 50
Wonder of France 8	00	Early Dutch, or Drumhead 1 50
White Kidney, or Royal 6	00	Large Late Drumhead 2 50
VGreen Pod Stringless 7	00	Premium Late Flat Dutch 2 50
White Marrowfat 4		Dwarf Early Ulm Savoy 2 00
Dwarf Horticultural 6		Large Late Drumhead Savoy 2 00
Valentine Wax 6		Red Dutch, or Pickling 2 50
Flageolet Wax	50	7210 2 dton, of 110mms ******* 2 30
	50	
Black Wax 7		Carrots
To a server to the transfer of	00	Per lb.
Refugee Wax		Extra-Early Forcing
	- 61	Scarlet Carentan (coreless) 1 00
		Oxheart, or Guerande 1 00
Wardwell's Kidney Wax 6	50	Early Orange Horn (pointed) 1 00
<u></u>		Half-Long Red Orange (stump-rooted). 1 00
Pole, or Running Beans		Danvers Orange (true) 80
Per bi	115	Improved Long Orange
Extra-Early Lima\$7		
	00	Colony
* T T T T T T T T T T T T T T T T T T T	00	Celery Per lb.
	00	Early Dwarf White\$2 50
Challenger Lima		Early White Plume 3 00
Early Golden Cluster Wax 7		Boston Market Dwarf White 2 50
Y 6 2 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		Perfection Heartwell 2 50
TYTE TO TO TELL		Giant Pascal 2 00
7. 110 0 11 7	50 co	
		Pink Plume 3 00
Giant Red Wax	- 63	Golden Heart Half Dwarf 2 50
Indian Chief (with yellow pods) 7		Fin de Siècle
White Dutch Runner	- 4	Golden Self-Blanching 4 00
Scarlet Flowering Runner 6	50	Early Dwarf Red
		Turnip-Rooted Celery (Erfurt) 2 00
Beets		
Per		Chervil
Extra-Early Turnip\$0		Per lb.
Eclipse Crimson Turnip		Curled, or Double\$1 00
Early Blood Turnip		Cariou, or Bousier,
Egyptian Blood Turnip	60	
Dewing's Blood Turnip		Sugar Corn
Edmand's Early Blood Turnip	60	Per bus.
Long Dark Red	75	Extra-Early Minnesota\$3 50
Half-Long Dark, or Pear-Shaped	75 4	Extra-Early Cory 3 50
Columbia Turnip	60	Perry's Hybrid 3 50
Silver Swiss Chard		Crosby's Early 3 50
Victoria Blood-Red Swiss Chard	75	Squantum 3 50
F		Ne Plus Ultra 3 50
Cauliflower		Triumph Early 3 50
Per		Country Gentleman 3 50
\ Extra-Early Paris\$9	00	Large Sweet, or Sugar 3 50
✓ Half-Early Paris Nonpareil	00	Stowell's Evergreen 3 50
Large Late Algiers 9	00	Egyptian, or Washington Market 3 50
Lenormand's Short-Stemmed 8	00	Mammoth Sugar (extra fine) 3 50
		Sweet Fodder (best for soiling) 2 50
1		


Corn Salad, or Fetticus	Muskmelons
Round-leaved Small-seeded\$0 75	Rocky Ford (green flesh) \$1 00
Round-leaved Large-seeded 75	Early Orange Christina (orange flesh) 1 00
Cress, or Pepper Grass	Large Nutmeg (green flesh) I oo Delmonico (large; orange flesh) I oo
Per lb.	Improved Hackensack I 00
Extra Curled	(Steel Charle (Metted) !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
V .	Bay View (extra large)
Cucumbers Per lb	Montreal Market
Extra-Early Russian	
Early White-Spined (pickling) 1 oc Early Green Cluster 1 oc	Watermelons
Early Short Green	Fordy Mountain Correct
Improved Long Green 1 oc Green Prolific (pickling) 1 oc	Icing, or Ice Rind (white-seeded) 75
Long White-Spined I oc	Striped Gipsy or Indeed
Everbearing	Black Spanish 75
Nichol's Medium Green 1 oc	Jordan's Gray Monarch 75
Eggplants	Scaly Bark 75 Mammoth Ironclad 75
Per Ib	
Early Long Purple \$2 50 Improved New York Purple 4 50	
Early Black Pekin	With nite, or Yellow
Endive	Black, or Brown 40
Per 1b	Nasturtiums
White Curled Summer	Per lb.
French, or Moss Curled	Dwarf (Indian Cress) 1 50
Broad Leaved I 50	
Wild, for flavoring coffee	Per lb.
Kale	Early Dwarf Green. \$0.75 Extra Long Green. 75
Green Curled Scotch	Dwarf White Velvet
Brown, or Purple Curled 1 oc	
Hardy Curled Siberian (Winter sprouts) 6c Spring Sprouts (English)	
	Prices may vary as the season advances. Per lb.
Kohlrabi	Extra-Early Flat Red\$2 50
	Lat to vivit C 1 1
Early White Vienna	Lat to vivit C 1 1
Early White Vienna	Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00
Early Purple Vienna	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00
Early Purple Vienna	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00
Early Purple Vienna	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Vellow Danvers or Clobe
Early Purple Vienna	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Vellow Danvers or Clobe
Early Vinte Vienna. \$2 50 Early Purple Vienna. 2 50 Leeks Per lb Large American Flag, or Scotch \$2 00 Large Carentan 2 00 Lettuce	Large Red Wethersfield. 2 50 Large Red Globe. 2 50 White Portugal. 3 00 Southport White Globe. 3 00 Prize Taker (straw-color). 3 00 Yellow Dutch, or Strasburg. 2 00 Yellow Danvers, or Globe. 2 00 Parsley Per lb.
Leeks Large American Flag, or Scotch \$2 00 Large Carentan 2 00 Lettuce Buttercup (fine for forcing)	Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double \$0 75 Champion Moss Curled (extra) 75
Leeks Large American Flag, or Scotch\$2 oc Large Carentan 2 oc Lettuce Buttercup (fine for forcing) \$1 55 German Early Head 2 cc	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Per lb. Curled, or Double 50 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75
Leeks Large American Flag, or Scotch\$2 oc Large Carentan 2 oc Large Buttercup (fine for forcing) \$1 50 German Early Head 2 co Golden Stone Head (fine) 1 50	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Per lb. Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75
Leeks Per ib	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double 50 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips
Leeks Per ib	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double 50 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Parsnips Per lb. So 60
Leeks Leeks Large American Flag, or Scotch \$2 oc Large Carentan 2 oc Large Carentan 1 2 oc Large Buttercup (fine for forcing) \$1 50 German Early Head 2 co Golden Stone Head (fine) 1 50 Grand Rapids Forcing 1 50 Gimpson's Curled Silesia 1 25 Ice Drumhead, or Malta 1 oc Early Tennisball, or Boston Market. 1 25	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double 50 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved. 75 Hamburg, or Rooted. 75 Parsnips Per lb. Per lb. So 60 Sutton's Student 60
Leeks Leeks Large American Flag, or Scotch \$2 oc Large Carentan 2 oc Large Carentan 2 oc Large Carentan 1 2 oc Large Carentan 5 oc Large Carentan 5 oc Large Carentan 5 oc Large Carentan 6 oc Large Carentan 7 oc Lettuce Buttercup (fine for forcing) \$1 50 oc Large Carentan 6 oc Large Carentan 6 oc Large 1 5 oc Large Carentan 6 oc Large 1 5 oc Large Carentan 7 oc Large 1 5 oc L	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double 5 75 Carter's Fern-leaved (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Parsnips Per lb. So 60 Sutton's Student 60
Leeks Leeks Large American Flag, or Scotch \$2 och Large Carentan 2 och Large Carentan 2 och Large Carentan 1 2 och Large Carentan 1 75 German Early Head 2 compared Colden Stone Head (fine) 1 5 German Kapids Forcing 1 5	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double 50 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Per lb. So 60 Sutton's Student 60
Leeks Leeks Large American Flag, or Scotch \$2 00 Large Carentan 2 00 Lettuce Buttercup (fine for forcing) \$1 50 Big Boston (fine for forcing) 1 75 German Early Head 2 00 Grand Rapids Forcing 1 50 Grand Rapids Forcing 1 50 Simpson's Curled Silesia 1 25 Ice Drumhead, or Malta 1 00 Early Tennisball, or Boston Market 1 25 Black-seeded Large Butter 1 25 Ferpignan Head, or Summer 1 25 Salamander, or Satisfaction 1 50 White Summer Cabbage 1 50 Deacon (solid head) 1 50	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe. 2 00 Parsley Per lb. Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Long White, or Guernsey \$0 60 Sutton's Student 60 Peppers Per lb. Large Squash, or Tomato \$2 50 Large Bell, or Bull Nose 2 50
Leeks Leeks Large American Flag, or Scotch \$2 or Large Carentan 2 or Lettuce Buttercup (fine for forcing) \$1 50 German Early Head 2 co Grand Rapids Forcing 1 50 Grand Rapids Forcing 1 50 Grand Rapids Forcing 1 50 Jimpson's Curled Silesia 1 25 Jic Drumhead, or Malta 1 or Early Tennisball, or Boston Market 1 25 Black-seeded Large Butter 1 25 Jimpson's Curled Silesia 1 25 Jimpson's Curled Sile	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe. 2 00 Parsley Per lb. Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Long White, or Guernsey \$0 60 Sutton's Student 60 Peppers Per lb. Large Squash, or Tomato \$2 50 Large Bell, or Bull Nose 2 50 Sweet Spanish (for salad) 2 50
Leeks Leeks Large American Flag, or Scotch \$2 00 Large Carentan 2 00 Lettuce Buttercup (fine for forcing) \$1 50 Big Boston (fine for forcing) 1 75 German Early Head 2 00 Grand Rapids Forcing 1 50 Grand Rapids Forcing 1 50 Simpson's Curled Silesia 1 25 Ice Drumhead, or Malta 1 00 Early Tennisball, or Boston Market 1 25 Black-seeded Large Butter 1 25 Ferpignan Head, or Summer 1 25 Salamander, or Satisfaction 1 50 White Summer Cabbage 1 50 Deacon (solid head) 1 50	Large Red Wethersfield. 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe. 2 00 Parsley Per lb. Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Long White, or Guernsey \$0 60 Sutton's Student 60 Peppers Per lb. Large Squash, or Tomato \$2 50 Large Bell, or Bull Nose 2 50 Sweet Spanish (for salad) 2 50 Sweet Mountain (for mangoes) 2 50

Peas.			Per l	
	Per bus.	Early Scarlet Turnip	\$o 7	75
Bridgeman's Extra Early	\$6 00	Early Round Dark Red		75
Cartor's First Crop	6	White-tipped Scarlet	• • •	
Carter's First Crop	0 001	Winte-upped Scarlet	7	5
Extra-Early Daniel O'Rourke		Golden Olive-shaped	7	75
Philadelphia Extra-Early	6 00	Early White Olive-shaped	7	75
Bliss' Everbearing		Early Scarlet Olive-shaped	. 6	50
Alogles	4 30	Larry Scarlet Chart Tan	•••	
Alaska	5 00	Long Scarlet Short Top		
Carter's Premium Gem	7 00	Beckert's Chartier Long Red	7	7.5
Laxton's Fillbasket	5 50	Golden Globe (fine)		
Horsford's Market-Garden	5 50			
		Yellow Summer Turnip		
Dwarf Champion	5 00	White Summer Turnip	7	75
Abundance (sow thin)	5 00	Purple Summer Turnip	6	óo
Pride of the Market		Long Black Spanish		
Yorkshire Hero		Round Black Spanish	7	75
Kentish Invicta	5 00	White Spanish, or Fall	. 6	50
McLean's Advancer	5 50	Scarlet Chinese Winter		
Laxton's Alpha		/		J
		Y'		
McLean's Little Gem	7 00	Salsify, or Oyster Plant		
American Wonder	7 00		D 1	1
Carter's Telephone			Per l	
Cultura 111 - T-1 - man 1	5 50	Long White	#I (90
Culverwell's Telegraph	\cdots 5 50	Mammoth Sandwich Island	I !	50
Carter's Stratagem	5 50	Long Black (Scorzonera)		
Heroine.	5 50	Long Black (Scotzonera)	• `	,~
Queen (finest flavor)		Squashes		
Nott's Excelsior			Per l	b.
Dwarf Blue Imperial	4 00	Early White Bush	\$0 '	75
Champion of England		Silver Custard Bush		
		Silver Custard Dush		75
D1-1- D d M				
Black-Eyed Marrowfat	•	Early Golden Bush		75
Black-Eyed Marrowfat	•	Early Golden Bush		-
	•	Early Golden Bush Summer Crookneck		75
White Marrowfat	•	Early Golden Bush Summer Crookneck Boston Marrow		75 75
	4 00	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter		75 75 75
White Marrowfat Pumpkins	Per 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter		75 75 75
White Marrowfat	Per lb \$0 60	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter		75 75 75 75
White Marrowfat	Per lb \$0 60	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow		75 75 75 75 75
White Marrowfat	Per lb\$0 60 I 00	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem.		75 75 75 75 75
White Marrowfat	Per lb\$0 60 I 00	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck		75 75 75 75 75 75
White Marrowfat	Per lb\$0 60 I 00	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck		75 75 75 75 75 75
White Marrowfat	Per lb\$0 60 I 00	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size).	I	75 75 75 75 75 75 75
White Marrowfat	Per lb \$0 60 I 00 \$4	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck	I	75 75 75 75 75 75
White Marrowfat	Per lb \$0 60 I 00 \$4	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size).	I	75 75 75 75 75 75 75
White Marrowfat	Per lb\$0 60 I 00 \$4	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow	I	75 75 75 75 75 75 75
White Marrowfat	Per lb\$0 60 I 00 \$4	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes	ı	75 75 75 75 75 75 75 75 75
White Marrowfat	Per lb\$0 60 I 00 \$4 vances. ut, per bbl \$4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes	I	75 75 75 75 75 75 75 75 75
White Marrowfat Pumpkins Large Cheese, or Pie	Per lb \$0 60 I 00 \$4 vances. ut, per bb1 \$4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection	I	75 75 75 75 75 75 75 75 75 75 75
White Marrowfat Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 · · · \$4 25 \$4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection	I	75 75 75 75 75 75 75 75 75 75 75
White Marrowfat	Per lb \$0 60 I 00 \$4 7ances. ut, per bbl \$4 25 4 25 4 25 4 25 4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion	Per l \$2 (4 (75 75 75 75 75 75 75 75 75 75 75
White Marrowfat	Per lb \$0 60 I 00 \$4 7ances. ut, per bbl \$4 25 4 25 4 25 4 25 4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red)	Per 1 \$2 \\ 4 \\ 2 \\ 2 \\	75 75 75 75 75 75 75 75 75 75 75 75 75 7
White Marrowfat Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 vances. ut, per bbl \$4 25 .	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa	Per l \$2 . 4 . 6 . 4 . 6 . 6 . 6 . 6 . 6 . 6 . 6	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 vances. ut, per bbl \$4 25 .	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa	Per l \$2 . 4 . 6 . 4 . 6 . 6 . 6 . 6 . 6 . 6 . 6	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 vances. ut, per bbl \$4 25 .	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa	Per l \$2 . 4 . 6 . 4 . 6 . 6 . 6 . 6 . 6 . 6 . 6	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 vances. ut, per bbl \$4 25 .	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow. Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow. Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected)	Per 1 \$2 \\ 4 \\ 2 \\ 4 \\ 2 \\ 2 \\ 2 \\ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb. \$0 60 1 00 \$4 7ances. ut, per bbl. \$4 25 4 25	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red)	Per 1 \$2 \\ 4 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb \$0 60 1 00 \$4	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado	Per 1 \$2 \(\) 4 \(\) 2 \(\)	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie Mammoth, or Large Tours Connecticut Field per bus. § Potatoes Prices may vary as the season adv Abo Beauty of Hebron Early Ohio Early Rose, or Vermont Clark's No. 1 Early Bovee Early Puritan Early Norther White Elephant (fine late) Late Beauty of Hebron Carman No. 3	Per lb\$0 60 I 00 \$4 Vances. ut, per bbl \$4 25 4 25	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado	Per 1 \$2 \(\) 4 \(\) 2 \(\)	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 Vances. ut, per bbl \$4 25 4 25	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter. Essex Hybrid, or Winter Marblehead Marrow. Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow. Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty	Per 1 \$2 \\ 4 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie Mammoth, or Large Tours. Connecticut Fieldper bus. Potatoes Prices may vary as the season adv Abo Beauty of Hebron. Early Ohio. Early Rose, or Vermont. Clark's No. 1 Early Bovee Early Puritan. Early Puritan. Early Norther White Elephant (fine late) Late Beauty of Hebron. Carman No. 3 Uncle Sam.	Per lb\$0 60 I 00 \$4 Vances. ut, per bbl \$4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion	Per 1 \$ 2 \ 4 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie Mammoth, or Large Tours Connecticut Field per bus. § Potatoes Prices may vary as the season adv Abo Beauty of Hebron Early Ohio Early Rose, or Vermont Clark's No. 1 Early Bovee Early Puritan Early Norther White Elephant (fine late) Late Beauty of Hebron Carman No. 3	Per lb\$0 60 I 00 \$4 7ances. ut, per bbl\$4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion Livingston's Favorite	Per 1 \$ 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb. Per lb. \$0 60 1 00 \$4. 7ances. ut, per bbl. \$4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion Livingston's Favorite Stone Scarlet	Per 1 \$ 2 \ 4 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb. Per lb. \$0 60 1 00 \$4. 7ances. ut, per bbl. \$4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion Livingston's Favorite Stone Scarlet	Per 1 \$ 2 \ 4 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 7ances. ut, per bbl\$4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion Livingston's Favorite Stone Scarlet Large Golden Yellow	Per 1 \$ 2 \ 4 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7
Pumpkins Large Cheese, or Pie	Per lb\$0 60 I 00 \$4 7ances. ut, per bbl\$4 25 4 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion Livingston's Favorite Stone Scarlet	Per 1 \$ 2 \ 4 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \ 2 \	75 75 75 75 75 75 75 75 75 75 75 75 75 7

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates:

Asparagus Roots, Jerusalem Artichoke Tubers, Cauliflower Plants, Cabbage and Celery Plants, Lettuce Plants, Chives and Shallots, Eggplants, Pepper Plants, Hop Vine Plants, Horse-radish Sets, Mint and Tarragon Roots, Tomato Plants, Rhubarb Roots, Strawberry Plants, Sweet Potato Plants.



Flower Seeds

CENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS.

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals..

Hardy Annuals are usually those which require no artificial heat during any period of their growth. Every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second and sometimes the third year after the seed is sown, and then perish.

Perennials are those plants which live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as *Tender*, *Half-hardy* and *Hardy*.

Tender Biennials and Perennials are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

Half-hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures.—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable manure, dug in to the depth of about 10 inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing.—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) hardy kinds may be sown in the open ground about the middle of April, half-hardy kinds during the first week of May, and tender kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing.—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a

general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting.—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening: and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The risk and trouble of transplanting may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from I to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (*) denotes climbing plants.

The (") or (—) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which see page 56.

The Third Column shows the color of the flower, abbreviated as follows, viz.:

```
sul.—sulphur.
tri.—three colored.
b.—blue.
                     cr.—crimson.
                                        1.—light.
                                                            r.—red.
blk.-black.
                     div.—diverse.
da.—dark.
                                        li.—lilac.
                                                            ro.—rose.
sal.—salmon.
bord. - bordered.
                                                                               v.—violet.
                                        mar.—marbled.
                     gn.—green.
gol.—golden.
                                                                               va.-variegated.
br.—brown.
                                                            s.—scarlet.
                                        or. -orange.
                                                            spot.—spotted.
bu. - buff.
                                        pk.—pink.
                                                                               w.-white.
                                                                               yel.—yellow.
car.—carmine.
                     gy.-gray.
                                        pur.—purple.
                                                            stri.—striped.
```

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz.:

```
tA.—tender annual.
hhA.—half-hardy annual.
hA.—hardy annual.
hhB.—half-hardy biennial.
hhB.—half-hardy biennial.
hhP.—half-hardy perennial.
hP.—hardy perennial.
```

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 54.

FLOWER SEEDS

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

For Ornamental Grasses, see page 54; Flower Seeds by Weight, page 56; Index of Common Names, etc., pages 58 and 59.

Flower Seeds forwarded by mail, free of postage, on receipt of prices annexed.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardl- ness	Price per Paper
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 o5
—grandiflora	Deep Rose	pink	1/2	hhA	10
Abutilon in varieties	Chinese Bell-flower	div.	div.	tP	25
Darwini	Crimson Bell-flower	crim.	4	tP	25
Acacia in varieties	Acacia, Fine Mixed	div.	div.	tP	10
Aconitum napellus	Monk's-hood	blue	2	hP	5
Acroclinium roseum†	Everlasting flower, Rose	rose	I	hhA	5
—album†	White	white	I	hhA	10
—flore pleno†	Double Rose	rose	I	hhA hP	10
Addumia cirrhosa*	Mountain-fringe Vine	pink	10	hA	10
Adonis æstivalis	Pheasant's Eye Ageratum, Blue	scarlet blue	I 2	hA	5
Ageratum Mexicanum	Imperial Dwarf	blue		hA	5
nanum —album	Dwarf White	white	1/2 1/2	hA	5 5
Lasseauxi	Rose-flowered	rose	/2 I	hP	5
Agrostemma coronaria	Rose Campion	rose	2	hP	5 5
—alba	White Campion	white	1 1/2	hP	5
Alonsoa grandiflora	Alonsoa, Large-flowered	scarlet	I 1/2	hhA	5
linifolia	Roezl's	1. s.	I	hhA	10
Aloysia citriodora	Lemon-scented Verbena	white	2	hhP	IO
Alstroemeria hybrida	Finest Hybrid	div.	2	tP	IO
Althaea alba fl. pl	Hollyhock, Double White	white	4	hB	10
coccinea fl. pl	Double Scarlet	scarlet	4	hB	10
rosea fl. pl	Double Rose	rose	4	hB	IO
lutea fl. pl	Double Yellow	yellow	4	hB	IO
varius fl. pl	Double Mixed	div.	4	hB	10
Allegheny	Single Fringed	mixed	6	hB	IO
Collection	See page 53.		- ,		
Alyssum maritimum	Alyssum, Sweet	white	1/2	hA	5
—compacta	Tom Thumb	white	1/2	hA	5
saxatile	Golden	golden	I	hP	5
Amarantus tricolor	Joseph's Coat	tri.	2	tA	5
caudatus†	Love-lies-bleeding	crim.	3	hhA hhA	5
hypochondriacus†	Prince's Feather	crim. div.	3	hA	5
Henderi melancholicus	Amaranthus, Variegated Blood-Red	red	3	hhA	5
bicolor ruber	Carmine and Yellow	car.&vl.	3 2	hhA	5 5
salicifolius	Fountain Plant	br. & s.	3	hhA	10
nobilis pyramidalis	Rose-spiked	rose	5	hhA	10
Collection	See page 53.	1030	3	******	10
Ammobium alatum†	Ammobium, Winged	white	I ½	hA	5
Ampelopsis Veitchii*	Japanese Ivy	green	50	hP	10
Anemone coronaria	Wind-flower	div.	I	hP	5
pulsatilla	Pasque-flower	violet	I	hP	5
Angelonia grandiflora	Angelonia, Sweet-scented	blue	I 1/2	tP	15
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5
Antirrhinum nanum album	Snapdragon, Pure White		1 1/2	hP	5
hybridum	Fine Mixed	div.	1 1/2	hP	5
Aquilegia Sibirica	Columbine, Double Violet	violet	I 1/2	hP	IO
chrysantha	Golden-spurred	yellow	2	hP	10



AMARANTHUS TRICOLOR.






AQUILEGIA.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet	Duration and Hardi- ness	Price per Paper
Aquilegia cœrulea	Columbine, Large-flowered	b. & w.	2	hP	\$0 IO
Skinneri	Scarlet and Yellow	sc. & yl.	I 1/2	hP	10
Stuarti	Rich Blue	J:	1 1/2	hP	25
varius	Vulgaris and Mixed See page 53.	div.	2	ħΡ	10
Arabis alpina	Arabis, Sweet-scented	white	3/4	hP	10
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5
speciosa	Yellow	yellow	2 1/2	hA	10
Aristolochia Sipho*	Dutchman's Pipe Vine	yl. & br.	15	hP	10
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25
Asclepias tuberosa	Swallow-wort	orange	2	hP	5
Asparagus plumosus nanus*	Ornamental Asparagus Emerald Feather	green white	8	hP tP	10
Sprengeri	Asperula, Light Blue	blue	4 1	hA	15 10
odorata (Woodruff)	Sweet-scented	white	1/2	hP	10
Astar Chinensis			12		
Comet Rose	Comet	rose	2	hΑ	10
—Snow White	White	white	2	hA	10
-Bridesmaid	White passing to Rose	• • • • • •	2	hA	25
—Lady	Rose and White	ro. & w.	2	hA	25
Queen of the Market —White	White	white	I	hA	10
Rose.	Rose	rose	I	hA	10
—Light Blue	Blue.	blue	I	hA	IO
Truffaut's White	Pure White	white	I ½	hA	10
—Blood Red	Dark Red	red	1 1/2	hΑ	10
—Deep Mauve		mauve	I ½	hA	10
—cœruleus	Black-blue	blue	$I^{1/2}$	hA	10
—Mixed	Pæony-flowered	div. white	2	hA	10
Victoria White	Dwarf White Dwarf Rose	rose	$\frac{1}{2}$ $\frac{1}{2}$	hA hA	10
-Mixed	Mixed Victoria	div.	2	hA	10
Mignon albiflora	Pure White Mignon	white	1 1/2	hA	15
—Mixed	Mignon, Mixed	div.	I 1/2	hA	10
Semple's Branching White	Late Blooming	white	2	hA	10
—Shell-Pink	Late Blooming Pink	pink	2	hA	10
—Lavender-Blue	Late Blooming Blue	blue	2	hA	10
—Crimson	Late Blooming Crimson Late Blooming Mixed	cr. mixed	2 2	hA hA	10
Ball, or Jewell.	Apple-blossom	mixed	2	hA	10
Snowball, or Princess	Pure White		1 1/2	hA	25
Cocardeau	Crown-flowered	div.	2	hA	.10
Washington	Perfection	div.	2	hA	10
Eugenie	Imbricated Pompon	div.	2	hA	10
chrysanthemiflorus	Dwarf Bouquet	div.	I	hA	10
Ried's Mixedvarius.	German Quilled Mixed China	div.	1 ½ 2	hA hA	5
tenellus	Biennial Aster	blue	1 1/2	hhB	5 10
Collections	See page 52.	Side	1/2		
Astragalus caryocarpus	Astragalus, Red-fruited	rose	2	hP	10
Athanasia annua	African Daisy	yellow	I	hA	10
Aubrietia deltoidea	Rock Plant	lilac	1/2	hP	10
Azalea indica	Azalea, Fine Mixed	div.	div.	tP +D	25
Balsamina impatiens rosea	Lady's Slipper, Double Rose. Double Scarlet	rose scarlet	I ½	tP tA	10
—kermesina—aIbiflora	Double White	white	I ½ I ½	tA	10
—violacea.	Double Violet	violet	I 1/2	tA	10
Victoria	Double Striped	striped	1 1/2	tA	IO
—Solferino	Double Spotted	spotted	1 1/2	tA	10
—camelliæflora	Mixed Double	div.	2	tA	10
—varius	Mixed Paris	div.	I 1/2	tA	5
Collections	See page 52.			. 5	
Baptisia australis	(Polvdaria australis)	blue	2	hP	5

CANDYTUFT.



CAMPANULA. CENTAUREA.


Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Begonia hybrida	Begonia, S'gle Tuberous-rooted	div.	2	tP	\$0 25
—flore pleno	Double Tuberous-rooted	div.	2	tP	50
Vernon,	For borders	red	I	tP	25
Bellis perennis	Daisy, Finest Double	div.	1/2	hhP	25
—Longiellow	Double Rose	rose	1/2	hhP	25
—alba	Double White	white	1/2	hhP	25
Bidens atrosanguinea	Dahlia Zimpani	blk. bl.	2	hA	10
Bocconia Japonica	Bocconia, Oak-leaved	white	6	hP	10
Brachycome iberidifolia	Daisy, Blue Swan River	blue	3/4	hhA	10
In varieties	Mixed	div.	3/4	hhA	10
Browallia elata	Amethyst, Blue	blue	I ½	tA	10
alba	White.	white	I 1/2	tA	10
Bryonopsis erythrocarpa*	Ornamental-fruited Vine	red	8	tA	10
Cacalia coccinea	Tassel-flower, Scarlet	scarlet	I	hA hA	5
aurantiaca	Orange	orange	I	tA	5
Calampelis scaber*	(Eccremocarpus) Vine Lindley's Calandrinia	orange red	10	hA	10
—umbellata			I .\.	hA	5
Calceolaria hybrida grandiflora	Umbel-flowered Calceolaria, Mixed	crim. div.	1 ·	tP	10
—punctata superba	Superb Spotted	div.		tP	25
rugosa	Finest Shrubby	div.	I ½ 2	tP	25
scabiosæfolia	Golden Slipperwort	vellow	I 1/2	hA	50
Calendula pluvialias	Marigold, Cape	white	I 1/2	hA	5
—officinalis	Double Pot	orange	I /2	hA	5
-Meteor	Double Pot	golden	I	hA	5
—Prince of Orange	New Double Pot	golden	I	hA	5 5
Calliopsis tinctoria	Coreopsis, Golden	y. & br.	2	hA	5
—coronata	Crowned	spotted	I 1/2	hA	5
—Golden Wave	Golden Yellow	vellow	I	hA	5
—astrosanguinea	Crimson	crim.	2	hA	10
lanceolata	Yellow	vellow	3	hP	10
Callirrhoe pedata	Poppy Mallow	red	2	hhA	10
Campanula medium	Canterbury Bell, Blue	blue	2 1/2	hhB	5
—alba	White	white	2 1/2	hhB	5
—in varieties	Single Mixed	div.	2 1/2	hhB	5
—alba fl. pl	Double White	white	2 1/2	hhB	10
—rosea fl. pl	Double Pink	pink	2	hhB	10
—varius	Double Mixed	div.	2	hhB	10
speculum	Venus' Looking-glass	div.	3/4	hA	5
carpatica	Carpathian Bell-flower	div.	1/2	hP	5
pyramidalis	Pyramidal Bell-flower	blue	4	hhP	5
Collection	See page 53.				
Candytuit	See Iberis.	,		1,,,,	
Canna indica	Indian Shot, Scarlet	scarlet	2	hhP	5
Nepalensis	Yellow	l. & y.	3	hhP	10
Madam Crozy	Scarlet, Yellow Border	d:	3	hhP	10
In varieties	Crozy's Finest	div.	3 1/2	hhA	10
Cannabis gigantea	Giant Hemp		10	tA	5
Canterbury Bells	See Campanula.			+1	_
Cardiospermum halicaca'm* Carduus benedictus	Balloon Vine	white	10	tA hA	5
	Ornamental Thistle	yellow	3	па	10
Carnation Castilleja indivisa	See Dianthus caryophyllus.	scarlet	7.1/	hhA	25
Castor Oil Plant	Scarlet Castilleja	Scariet	1 1/2		25
Cedronella cana	Sweet-scented Cedronella.	purple	2	hP	10
Celosia cristata, in varieties†	Cockscomb, Mixed	div.		tA	
—Japonica†.	Japan, Scarlet	scarlet	3 2	tA	5
—All-aglow	New Dwarf	scarlet	I	tA	15
—Glasgow Prizet	Purple	purple	3/4	tA	10
aurea pyramidalis†	Golden	golden	2	tA	10
Triomphe d'Exposition†.	Crimson-plumed	crim.	3	tP	10
kermesina†	Crimson-feathered	crim.	2	tA	10
	and the same of th				
Collection	See page 53.			1	



Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Centaurea moschata alba	Sweet Sultan, White	white	2	hA	\$0 05
—suaveolens	Yellow	yellow	I 1/2	hA	5
—in varieties	Mixed	div.	div.	hA	5
cyanus	Corn-bottle, or Mixed Blue	div.	2	hA hA	5
—flore pleno —cœruleus	Double Mixed Blue-bottle	blue	2 2	hA	10
-rosea	Rose	rose	2	hA	5 5
Americana	Centaurea, American	lilac	3	hA	5
Clementei	White Cut-leaved	white	I	hhP	10
gymnocarpa	Silver Cut-leaved	purple	1 1/2	hhP	10
candidissima	White-leaved	white	I	hlıP	10
Centranthus macrosiphon	Long-tubed Centranthus	_	I	hA	5
Chamaepeuce diacantha	Spine-leaved Chamæpeuce	var.	2	hP	10
Cerastium Biebersteinii	Silver-leaved Rock Plant	h e w	1/2	hP	10
Cheiranthus cheiri	Wallflower, Bloody German Double	b. & w. div.	div.	hhB hhB	5
—fl. pl Annual Mixed	Single Annual	uiv.	I ½	hA	10
Chelone barbata	Bearded Pentstemon	scarlet	2	hP	10
Chorizema, in varieties	Finest Mixed	div.	div.	tP	25
Chrysanthemum Dunnetti	Chrysanthemum, Golden	yellow	I	hA	5
W. E. Gladstone	Brilliant Crimson	crim.	I	hA	10
Lord Beaconsfield	Crimson-edged	crim.	I	hA	10
The Sultan	Maroon, Gold-Ring	maro'n	I	hA	10
venustum	Crimson	crim.	2	hA	5
varius	Double Mixed	div.	div.	hA	5
frutescens Japonicum	Paris Daisy (Marguerite) Finest Perennial	white div.	I	hA hP	10
indicum fl. pl	Chinese Artemisia	div.	div.	hhP	25 10
Choice Collection .	See page 53.	uiv.	arv.	11111	10
Cineraria hybrida grandiflora	Cineraria, Hybrid	div.	2	tP	25
—nana in varieties	Dwarf Hybrid	div.	τ	tP	25
flore pleno	New Double	div.	I 1/2	hhP	50
maritima	Dusty Miller	yellow	2	tP	10
Clarkia pulchella	Clarkia, Lilac	lilac	I	hA	5
pulcherrima	Crimson	crim.	I 1/2	hA	10
—alba nana	White	white div.	3/4 div	hA hA	10
Clematis flammula *	Virgin's Bower	white	div.	hP	5 10
varius*	Mixed Perennial Clematis	div.	10	hhP	25
Cleome speciosa.	Spiderwort or Spider-flower.	purple	4	hA	10
Clianthus puniceus*	Glory Vine, Crimson.	crim.	6	tP	10
Dampieri*	Ďampier's	scarlet	6	tP	IO
Clintonia pulchella	Clintonia, Blue and White	bl. & w.	1/2	tA	10
—alba	Pure White	white	$\frac{1}{2}$	tA	10
Coboea scandens*	Cobæa, Climbing	purple	20	tP	10
—alba*.	White, Climbing	white	IO	tP	15
Cockscomb	Scarlet-fruited Gourd	red	6	tA	10
Coleus, in varieties.	Fine Mixed Coleus	div.	div.	tP	2 -
Collinsia bicolor	Collinsia, Two-colored	p. & w.	I I	hA	25
—alba	White	white	I	hA	5 5
vera	Sky Blue and White	sk-b&w.	I	hΑ	5
varius	Mixed.	div.	I	hA	5
Collomia coccinea	Scarlet Collomia	scarlet	I	hA	5 5 5 5
Convolvulus majus albus*	Morning-glory, White	white	10	hA	
—kermesinus*	Scarlet	scarlet	10	hA	5
—azureus superbus *.	New Golden	yellow	8	hA	10
—varius*	Mixed	div.	10	hA hA	5
Imperial Japanese*	Japanese Convolvulus, Bright Blue	div. blue	30 tra	hhP	10
unicaulis	Upright	b. & pur.	tra.	hA	10
minor albus	White Dwarf	white	tra.	hA	5 5
	Large-flowering	tri.	tra.	hA	3
—monstrosus	Large-nowering	LII.	ua.	HILL	5


Botanical Names, etc.	Common Names, etc.	Color	Height In Feet	Duration and Hardi- ness	Price per Paper
Coreopsis	See Calliopsis.				
Cornflower	See Centaurea cyanus.				
Coronilla in varieties	Mixed Coronilla	yellow	div.	tP	\$0 25
Cosmidium Burridgeanum .	(Cosmidium bicolor)	cr. &br.	2	hA	10
Cosmos bipinnata purpurea	Cosmos, Purple	purple	4	hA	IO
—alba	White	white	4	hA	IO
—in varieties	Finest Mixed	div.	4	hA	IO
Tints of Dawn.	Early-flowering	w.&pk.	4	hA]	10
Crucianella stylosa	Perennial Rock Plant	pink	1/2	hP	10
Cucumis flexuosus*	Snake Cucumber.		10	tA	10
odoratissimus*	Melon Pomegranate	yellow	10	tA	5
perennis*	Cucumber Vine		15	tA	10
Cucurbita aurantiaca*	Gourd, Mock Orange	yellow	10	tA	5
melopepo*	Apple-shaped	yellow	10	tA	IO
massue*	Hercules' Club	white	10	tA	5
lagenaria*	Bottle.		10	tA	5
Cuphea platycentra	Cigar Plant	tri.	I 1/2	tP	10
Cyclamen Persicum	Cyclamen, Mixed	w. &ro.	1/2	tP	25
—giganteum	Large-flowering	div.	6	tP	25
Cyclanthera pedata*	Climbing Cucumber	yellow	6	hA	10
Cynoglossum linifolium	Venus' Navelwort	white	1/2	hP	5
Cytisus scoparius	Scotch Broom	yellow	3	hA	IO
Dahlia nanus in varieties	Dahlia, Single Dwarf	div.	3	hhP	10
Large Double	Double, Large-flowering.	div.	4	tP	10
Datura cornucopia	Datura, Horn of Plenty	w.&pu.	3	hhA	IO
meteloides	Wright's.	y. & li.	2	hA	IO
humilis fl. pl	Double	yellow	2	hhA	10
Delphinium ajacis in varieties .	Larkspur, Mixed Rocket	div.	I	hA	5
consolida in varieties	Mixed Branching	div.	.2	hA	5.
imperialis fl. pl	Annual Double	blue	2	hA	IO
Stock-flowered	Rose-scarlet Double	r. scar.	1/2	hA	15
Brunonianum	Musk-scented	l. blue	2	hP	25
Zulil	Sulphur Yellow	yellow	3	hP	15
Chinensis in varieties	Mixed Chinese.	div.	2 1/2	hP	5
—formosum,	Blue and White	b. & w.	3	hP	IO.
—cœlestinum	Celestial Blue	blue	2	hP	IO
—album grandiflorum	Pure White	white	2	hP	IO
nudicaule	New Scarlet	scarlet	I 1/2	hP	IO
elatum	Mixed Bee	div.	3	hP	5
Collections	See page 53.		2/		
Dianthus Chinensis alba		white	3/4 3/4	hA	10
—atrosanguinea	Double Red	red		hA	IO
-varius.	Fine Mixed	div.	div.	hA	5
—nanus in varieties	Double Dwarf	div.	1/2	hA	IO
imperialis fl. pl	Pink, Double Imperial.	div.	I	hA	IO
—Heddewigii	Mixed Single Japan	div.	I	hA	IO
—albo-marginatus fl. pl	Mourning Cloak	div.	I	hA	IO
—diadematus fl. pl.	Diadem (Splendid)	div.	I	hA	10
—laciniatus	Fringed Japan	div.	I ½	hA	10
—Queen of Holland	Pure White Japan	2001	I 1/2	hA	10
deltoides		pink	3/4	hP	5
plumarius .	Pheasant's-eye	div.	I	hP	5
caryophyllus in varieties	Carnation Pink, Mixed	div.	2	hhP	IO
—flore pleno	Marguerite.	div.	I	hhP	IO
—nanus		Giv.	I TI/	hhP	10
—Grenadin fl. pl		scarlet	1 1/2	hhP	25
—perpetual fl. pl	Tree, or Monthly	div.	2	hhP	25
—punctatus.		div.	2	hhP	25
barbatus in varieties		div.	I	hP	5
—flore pleno		uiv.	I	hP	10
COLLECTION	See page 53.	rod	7.1/	h.D	_
Dictamnus rubra		red	I 1/2	hP	5
Didiscus cœrulea	(Trachimene Hugelia)	blue	2	hhA	10

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
ligitalis purpurea	Foxglove, Purple.	purple	3	hP	\$0 0
punctata	Spotted	spotted	3	hP	*
gloxiniæflora	Gloxinia-flowered	div.	2 1/2	hP	
in varieties	Mixed	div.	div.	hP	
Oolichos lablab *	Hyacinth Bean, Purple	purple	IO	tA.	
—albus*	White		IO	t.A	
racaena in varieties	(Cordyline)		div.	tP	2
racocephalum Canariense	Balm of Gilead		2	hhP	I
cheveria in varieties	Fine Mixed Echeveria	div.	div.	tP	2
chinocystis lobata*	Wild Cucumber	green	15	hhA	I
pacris hybrida	Mixed Hybrid Epacris	div.	div.	tP	5
rica in varieties	Fine Mixed Heath	div.	div.	tP	2
ryngium Leavenworthi†	Purple Everlasting-flower	purple	2	hA	1
Crysimum Peroffskianum	Hedge Mustard	orange	I	hA	
Crythrina crista-galli	Coral Plant	scarlet	4	tP hA	2
Schscholtzia Californica	Chriseis, Californian	yellow white	I		
—alba	White		I	hA hA	
crocea		rose	I	hA	
Mandarin	Orange and Scarlet	orange or.& sc.	I I	hA	
varius	Fine mixed	div.	I	hA	
Cucalyptus globosus	Fever-and-Ague Plant			tP	I
Supatorium Fraseri	White Eupatorium.	white	10 2	hhP	I
Suphorbia marginata	Snow-on-the-Mountain	w. &gr.		hhA	
pandurata	Red-striped	lilac	3	hhA	I
Sutoca Wrangeliana	Eutoca, Wrangel's.	l. blue	3 I	tA	
viscida	Dark Blue.	blue	I	tA	
enzlia dianthiflora	Three-colored Fenzlia	l.cr.∨	1/2	hhA	2
erns in varieties	Fine Mixed Ferns	div.	div.	hhP	2
orget-me-not	See Myosotis.	ar.	arv.	11111	
uchsia in varieties	Mixed Fuchsia.	div.	div.	tP	2
aillardia picta	Gaillardia, Painted	cr. & y.	I	hhA	~
-Lorenziana	Double Mixed	div.	I 1/2	hhP	I
grandiflora	Blanket Flower	div.	2	hP	I
ientiana acaulis	Blue Gentian.	blue	1/2	hP	I
eum coccineum fl. pl	Double Geum	scarlet	1 1/2	hP	
ilia tricolor	Gilia, Three-colored	3-col.	I	hA	
nivalis alba	Snow White	white	I	hA	
capitata	Azure Blue	blue	I	hA	
in varieties	Mixed	div.	I	hA	
ilaucium corniculatum.	Horned Poppy, White-leaved	yellow	I	hhP	I
iloxinia, Emperor Frederick	Gloxinia, Scarlet	scarlet	I	tP	5
in varieties	Finest Mixed	div.	I	tP	2
iodetia, Duchess of Albany	Godetia, White	white	I 1/2	hA	1
Lady Satin Rose	Brilliant Rose	rose	I 1/2	hA	1
Lady Albemarle	Dark Crimson	crim.	$I^{\frac{1}{2}}$	h.A	1
comphrena globosa alba†	Globe Amaranth, White	white	I	t.A	
—kermesina†	Crimson	crim.	I	tA	
—aurea†	Orange	orange	I	tA	
—nana compacta†	Rich Red	red	1/2	tA	
in varieties†	Mixed	div.	I	tA +D	
revillea robusta	Silk Oak	orange	5	tP]
iypsophila elegans	Gypsophila, White	white	I	hA	
muralis	Dwarf Rose	rose	1/2	hA hP	1
paniculata	Baby's Breath	white	2	hB	
ledysarum coronarium	Sunflower, Double Dwarf	r. & w.	2	hA	
-Oscar Wilde		yellow	4	hA	
	Yellow, Dark Center Mammoth Russian	gol. y. yellow	4	hA	
—giganteum			9	hA	
	Green-centered	y. & gr.	4	hA	
-argophyllus fl. pl	Silvery foliage	striped	5	hA	
Citcumoritaline		1 - 11(1)	-	- 11 7	
cucumerifolius Ielichrysum bracteatum †	Eternal Flower, Yellow	vellow	3 2	hA	



ESCHSCHULIZIA.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Helichrysum macranthum†	Eternal Flower, Pink	pink	2	hA	\$0 05
monstrosum fl. pl†	Mixed Double	div.	2	hA	10
Heliotropium Peruvianum	Heliotrope Lemoine's Giant	div.	div.	tP	10
Helipterum Sandfordit	Everlasting-flower	gol. y.	I 1/2	hhA	IO
Hesperis matronalis	Sweet Rocket	pur.sw.	2	hB	5
Heuchera sanguinea	Scarlet Alum	crim.	2	hP	25
—alba	White.	white	2	hP	25
Hibiscus Africanus	Bladder Ketmia	bu.&br.	$I^{\frac{1}{2}}$	hA	5
Crimson Eye	Marshmallow	wh.&cr.	4	hP	10
militaris.	Rose Mallow	rose	4	hP	5
Hollyhock	See Althea.	,		11.0	
Humea elegans	Amaranth, Feathers	red	6	hhP	10
Humulus Japonicus*	Japan Hop.	green	25	hA	10
Iberis amara	Candytuft, White	white	I	hA	5
coronaria	Little Prince	white	I	hA	10
odorata	Fragrant.	white	3/4	hA	5
Dunnettii	Dark Crimson	d. crim.	I	hA	5
lilacina	Rosy Lilac	lilac	3/4	hA	5
Empress	Large White	white	I	hA	10
nana hybrida	Dwarf Mixed	div.	1/2	hA	IO
in varieties	Mixed.	div.	I	hA	_5
sempervirens	White Perennial	white	I	hhP	ľo
COLLECTION	See page 53. Touch-me-not	204		tA	т.
Impatiens glanduligera	Perennial Balsam	red	2	hhP	IO
—Sultani Ipomoea quamoclit*		scarlet	2	tA	25
	Cypress Vine, Scarlet	scarlet white	10	tA tA	5
—alba* coccinea*	White. Star Ipomœa, Scarlet.	scarlet	10 10	hA	5
grandiflora alba*	Moon-flower.	white	10	tA	5 10
bona-nox*.	Good night	white	6	tA	
varius*	Mixed.	div.	div.	tA	5
Learii*	Blue and Violet	b. & v.	S S	tP	25
Kaulfussia amelloides	Kaulfussia, Blue	blue	I	hA	5
kermesina	Crimson	crim.	3/4	lıA	IJ
Kenilworth Ivy	See Linaria.		/+		10
Kennedya in varieties*	Mixed Kennedya	div.	8	tP	25
Lantana in varieties	Mixed Lantana	div.	div.	tP	10
Larkspur.	See Delphinium.				
Lathryus odoratus albus*	Sweet Peas, White	white	5	h.A	5
—Royal Robe*	Delicate Pink	pink	5	hA	5
—Blanche Burpee*	Superb, pure white	· .	5	hA	5
—Butterfly*	White and lilac	wh.&li.	5	hA	
—pictus*	Painted Lady	ro. & w.	5	hA	5 5 5 5 5 5 5
—Apple Blossom*	Pink and blush	pk.&bl.	5	hA	5
—Gray Friar*	Grayish lavender		5	hA	5
—Miss Blanche Ferry*	Rich red, white striped		5	hA	5
—purpureus*	Purple	purple	5	hA	5
-niger*.	Black	black	5	hA	
—Salopian*	Splendid brilliant scarlet		5	hA	5 5
—Firefly*	Scarlet; wings crim. scar.		5	hA	5
—Princess Beatrice*	Beautiful rose	rose	5	hA	5
—Countess of Radnor*	Delicate lavender	lav.	5	hA	5
—Primrose*	Pale primrose yellow	yel.	5	hA	5
—Emily Henderson*	Large white	white	5 5 1/2	$\ln A$	5 5 5 5 5
—Katharine Tracy*	Bright pink	1.4	5	hA	5
—Cupid	Dwarf white	white		hA	5
—Eckford's*	Hybrid Mixed	div.	5 5 58	hA	5
—varius*	Finest Mlxed	div.	5	hA hB	5
latifolius*	Everlasting Peas	rose	5	hP	5
—albus*	White	white	8	hP	10
COLLECTION	See page 53.	wo.d	_	b \	
Lavatera trimestris	Lavatera, Red	red	2	hA	5
Lemon Verbena.	See Aloysia citriodora.				



LOBELIA.


MESEMBRYANTHEMUM.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Liatris pycnostachya	Kansas Gay-feather	pink	3	hP	\$0 10
Linaria maroccana	Rose Linaria	rose	3/4	hhA	5
c ymbalaria	Kenilworth Ivy	lilac	tra.	hP	10
Linum grandiflorum rubrum	Flax, Crimson	crim.	1	hhA	10
perenne	Perennial	blue	2	hP	IO
flavum	Yellow	yellow	3/4	hP	10
Loasa lateritia*	Orange Loasa Vine	orange	6	tA	IO
Lebelia gracilis	Lobelia, Slender	l. blue white	tra. tra.	hhA hhA	IO
Prima Donna	Maroon	maro'n	1/2	hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	10
—Emperor William	Azure-blue	blue	1/2	hhA	10
—Crystal Palace	Blue.		ı	hhP	10
—Royal Purple	Deep Blue, White Eye		I	hhP	10
speciosa compacta	Crystal Palace Dwarf	blue	1/2	hhA	25
Queen Victoria	Scarlet Cardinal Flower	scarlet	2	hP	25
Lophospermum in varieties*	Mixed Lophospermum	div.	.8	tP	IO
Lunaria biennis in varieties	Honesty, or Satin-flower	br. & w.	2	hB	5
Lupinus pilosus	Sun Dial, Large Rose	rose	2	hA	5 5
luteus.	Yellow	yellow blue	2	hA	5
hirsutus albus	Large Blue	white	2 2	hA hA	5
hybridus insignis	Dark Red	d. red	2	hA	5 10
Cruikshankii	Dark Blue.	d. red	3	hA	
varius.	Mixed	div.	div.	hA	5 5
polyphyllus	Mixed Perennial	div.	div.	hP	5
Lychnis chalcedonica	Lychnis, Scarlet	scarlet	3	hP	5
—alba	White	white	3	hP	5
Malcolmia maritima	Virginian Stock	red	1/2	hA	5
Malope grandiflora	Large-flowered Malope	red	2	hA	5 5 5 5 5 5
Malva zebrina	Striped Mallow	w.&pur	2	hA	5
Marigold	See Tagetes.	d:	_	1. \	_
Mathiola annua in varieties —fl. pl. Mixed	Stocks, Ten-Weeks, English German, Large-flowering.	div. div.	I	hA hA	5
—Snowflake	Double White	white	I	hA	10 25
—Cut-and-Come-Again	White Forcing	white	I	hA	15
glabrum albus	Wallflowered-leaved	white	I	hA	10
—coccineus	Scarlet	scarlet	I	hA	IO
—varius	Mixed	div.	1	hA	IO
biennis	Buck's Stock Gilli, Intermediate	scarlet	I 1/4	hhB	IO
—simplicicaulis	White Brompton	white	2	hhB	10
—incarna purpurea	Purplé Queen	purple	2	hhB	10
—Empress Elizabeth	Carmine-rose Brompton.		1 1/2	hhB	25
Choice Collections Matricaria eximea	See page 53. Matricaria, Quilled	white	I	hhB	_
—grandiflora	Double White	white	I 1/2	hhB	5
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	5 10
—rosea*	Rose	rose	8	tA	10
albiflora*	White	white	8	tA	10
varius*	Mixed	div.	8	tA	IO
Mesembryanthemum cordifo-					
lium	Ice Plant, Annual	white	1/2	tA_	5
—variegatum	Variegated foliage	ro. & p.	1/2 1/2	hhP	IO
glabrum	Dew PlantSee Reseda.	red	1/2	hhA	5
Mignonette	Sensitive Plant	pink		tA	_
Mimulus moschatus	Musk Plant	yellow	I 1/2	tA	5 10
Roezl's	Monkey Flower, Yellow	vellow	1/2	hP	25
cupreus in varieties	Hybrid	div.	I	hP	10
hybridus tigrinus	Mixed Spotted.	spot.	3/4	tP	10
Mina lobata*	Mexican Climbing Vine	wh.&r.	15	tA	10
Mirabilis jalapa in varieties	Marvel of Peru, Mixed	div.	2	hA	5
—longiflora in varieties	Scented.	div.	2	hA	5
—foliis variegatis	Variegated-leaved	div.	2	hA	5




DOUBLE POPPIES.

Botanical Names, etc.	Common Names, etc.	Color	Height In Feet	Duration and Hardi- ness	Price per Paper
Momordica balsamina*	Balsam Apple	yellow	10	hhA	\$0 O5
charantia*	Balsam Pear	yellow	10	hhA	5
Morning-glory	See Convolvulus.				
Musa Ensete.	Abyssinian Banana	y. & br.	10	tP	25
Myosotis alpestris	Forget-me-not, Alpine	blue	1/2	hhP	10
Victoria	Double Blue	blue	1/2	hhP	25
azorica	Dark Blue	blue	1/2 3/4	hhP	10
palustris	Blue and White	b. & w.		hhP	10
dissitiflora	Large Blue	blue	1 6	hhP tP	10
Myrsiphyllum asparagoides* Myrtus communis	Broad-leaved Myrtle	green white	2	tP	10
Nasturtium.	See Tropæolum.	WIIILE	2	t1	10
Nemophila discoidalis.	Love-grove, Bordered	blk.&w.	3/	hhA	_
insignis	Bright Blue	blue	3/4 1/2	hhA	5 5
—alba	White.	white	3/4	hhA	5
maculata	Spotted	div.	3/4	hhA	5
in varieties	Mixed	div.	div.	hhA	5
Nicotiana affinis	Flowering Tobacco	white	3	hhA	10
Nierembergia gracilis	Graceful Nierembergia	w. & li.	I	hhP	10
Nigella Damascena	Love-in-a-mist	blue	I	hA	5
Nolana prostrata	Trailing Nolana	b. & bk.	tra.	hA	5
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	3	hhP	
Oenothera biennis	Evening Primrose, Fragrant	yellow	2	hB	5 5
bistorta Veitchii	Spotted.	y. & cr.	I	hA	5
Lamarckiana	Light Yellow	yellow	3	hB	5
Oxalis rosea	Oxalis, Rose.	rose	1/2 1/2 3/4 1/2	hhP	10
delicata	Rosy Salmon	ro.&sal.	1/2	hhP	10
Valdiviensis.	New Sweet	yellow	³ / ₄	hhP	10
Tropæoloides	Yellow-brown foliage		/2	hhA	10
Pansy, or Heart's-ease Papaver glaucum.	See Viola tricolor. Poppy, Tulip	scarlet	I ½	hA	7.0
album.	Double White	white	2	hA	10
coccineum	Double Scarlet	scarlet	2	hA	5
umbrosum	Rich Vermilion, Black Spot	ver.	1 ½	hA	5 5
Fairy-blush	Double White, Rose-tipped		2	hΑ	10
The Shirley	Mixed Single	div.	2	hA	10
Mikado.	Mixed	div.	2	hA	10
ranunculiflorum	Mixed French Double	div.	2	hA	5
Somniferum fl. pl	Mixed Carnation	div.	2	hA	5
The Bride.	Pure White, Single	white	I 1/2	hA	IO
nudicaule	Iceland Poppy	div.	2	hP	10
orientale	Brilliant Scarlet		2	hP	10
bracteatum	Large Orange-scarlet		I ½	hP	10
COLLECTION	See page 53. Mixed Passion Flower	div.		tP	7.0
Passiflora in varieties*	Geranium, Mixed	div.	div.	tP	10
odoratissimum	Apple-scented	pink	1/2	tP	10
hybridum in varieties	Finest Mixed	div,	div.	tP	25
Pentstemon gentianoides	Pentstemon, Bicolor	pur.&w.	2	hhP	25 10
—cœruleus	Hartweg's	blue	2	hhP	10
—in varieties	Mixed	div.	2	hhP	10
Perilla Nankinensis	Ornamental-leaved Perilla	purple	2	hhA	5
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA	5
nyctaginiflora	White	white	tra.	hhA	5
striata	Striped	striped	tra.	hhA	10
Countess of Ellesmere	Rose	ro & w.	tra.	hhA	10
varius	Mixed.	div.	tra.	hhA	5
hybrida grandiflora	Finest Mixed	div.	tra.	hhA	25
——inimitable	Mixed Blotched	div.	tra.	hhA	25
— —nana compacta	Dwarf Striped.	striped	1/2	hhA	IO
aurea	Yellow-throated Mixed Double	yellow div.	tra.	hhA hhA	25
	WILVERT DOMINIO	1111	11'1		
— —flore pleno — —fimbriata fl. pl	Fringed Double	div.	tra.	hhA	25 50



DWARF NASTURTIUM.



DOUBLE FRENCH MARIGOLD



PHLOX DRUMMONDII.



VINICA



MIGNONETTE.



SALVI A.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Phaseolus multiflorus*	Scarlet-flowering Bean	scarlet	10	tA	\$0 05
Phlox Drummondii alba	Phlox Drummondii, White.	white	I	hA	10
—alba fl. pl	Double White	white	I	hA	10
—oculata	White, Purple-Eyed	white	I	hA	10
—Leopoldiana	Pink, White-eyed	pink	I	hA	10
—coccinea	Deep Scarlet	scarlet	I	hA	10
—Isabellina	Pale Yellow	vellow	ī	hA	10
—Chamois Rose	Light Rose	rose	ī	hA	10
—Black Warrior	Dark Red		I	hA	. 10
—Princess Royal	Lilac, White-edged		I	hA	10
-compacta	Dwarf Blood-red	red	1,2	hA	10
—cuspidata	Star of Quedlinburg	div.	I	hA	10
—Heynholdi	Brilliant Scarlet	scarlet	I	hA	IO
—varius	Fine Mixed	div.	Î	hA	5
—grandiflora	Large Mixed.	div.	ī	hA	10
decussata	Mixed Perennial	div.	div.	hP	10
Collection	See page 53.	CIIV.	CIIV.		10
Physalis Francheti	Chinese Lantern Plant	scarlet	2	hP	1.5
Pinks	See Dianthus.	Scarie	~	111	15
Platystemon Californicum.	California Poppy.	vellow	1	hA	_
Polemonium cæruleum	Jacob's Ladder, Blue	blue	1,2	hP	5
album	White.	white	1 2	hP	5
Polycalymma Stuarti†	Bicolor Everlasting.	V. & W.	1 1 2	hhA	5
Polygala, in varieties.	Fine Mixed Polygala	div.	div.	tP	
	See Papaver.	ar.	CIIV.	(1	25
Portulaca splendens aurea	Sun Plant, Yellow	vellow	1/	hA	_
		yellow	1/2	hA	5
—purpureus	Purple	purple	1/		5
—Thellusoni		white	/2	hA hA	5
—aurantiaca	Scarlet	scarlet	/2	hA	5 5 5 5 5
	Orange Rose	orange	1/2 1/2 1/2 1/2 1/2 1/2 1/2	hA	5
—rosea —varius		rose div.	72	hA	
	Mixed Single Mixed Double	div.	2	hhA	5
—flore pleno		ar.	12	IIIIA	IO
Potentilla, in varieties	See page 53. Mixed Potentilla	div.		hP	
Primula elatior	Mixed Polyanthus	div.	I L/2	hhP	10
auricula	Fine Mixed Auricula	div.	_	hhP	10
Japonica	Primrose, Purple	purple	I 2	hhP	25
obconica	Everblooming	white	1/2	tP	10
vulgaris.	English Yellow	vellow	/2 I	hP	25 10
fimbriata alba	Chinese Primrose, Fringed	white	34	ίΡ	
	Fringed Rose		74 34	tP	25
—rosea —flore pleno	Fringed Double	rose div.	div.	tP	25
-varius.	Fringed Single	div.	div.	tP	50
COLLECTION	See page 53.	arv.	all.		25
Pyrethrum parthenium	Feverfew, Double	white	1 1/2	hhP	10
	Golden-leaved	vellow		hhP	10
auratum,roseum	Rose-flowered Pyrethrum,		2 2	hP	10
Reseda odorata	Mignonette, Sweet	rose buff	I	hA	10
—grandiflora	Large Sweet	buff		hA	5
—ameliorata	Pyramidal		I	hA	. 5
—grandiflora aurea		rose	I I 2		5
—Defiance	Golden QueenAllen's	gol. y.	I	hA hA	10
-Machet	Dwarf Pot	r. & w. red	I	hA	10
-Gabrielle			I		IO
—gigantea	Robust, large spike Crimson Giant	red crim.	34	hA hA	10
		buff	2		5
—Miles' Hybrid	Spiral		I 1 2	hA hA	5
eximea	Parsons' White	white	I	hA	5
Rhodanthe Manglesi†	Everlasting-flower, Rose	rose	I	tA	10
maculata†	Three-colored	y.r.&bk	2	tA	10
alba†	White	white div.	I 1/2	h.t h.t	10
		(111)	(111)		
varius†Ricinus sanguineus	Mixed Castor Bean, Red	div.	div.	tl	10

Botanical Names, etc.	Common Names, etc.	Color	Height in, Feet	Duration and Hardi- ness	Price per Paper
Ricinus Cambodgensis	Castor Bean, Ebony Black		6	tA	\$0 10
giganteus	Giant		10	tA	10
Gibsoni	Dark Red	d. red div.	4	tA tA	10
Rosa multiflora nana	Rose, Dwarf Perpetual	div.	div. div.	hP	5 25
Salpiglossis hybrida	(Salpiglossis grandiflora)	div.	1 1/2	hhA	- 25 10
Salvia patens	Salvia, Light Blue	blue	I	tP	25
splendens	Brilliant Scarlet	scarlet	3	tP	10
—compacta erecta	Bonfire	d. scar.	3	tP	15
horminum.	Silver-leaved	white	3	hP hA	10
Sanvitalia procumbens	Purple Clary Sanvitalia, Yellow and Brown	purple	tra.	hΛ	5
—flore pleno	Double	yellow	tra	hA	5 5
Saponaria calabrica	Bouncing Bet	pink	1	hA	5
Saxifraga in varieties	Mixed Saxifraga	div.	tra.	hhP	10
Scabiosa candidissima	Mourning Bride, White	white	1 1/2	hA	5
coccinea nana	Carmine	car.	1 1/2	hA hP	5
Caucasicavarius	Lilac Dwarf Mixed.	lilac div.	2	hA	10
Collection	See page 53.	div.	1	1123	5
Schizanthus Grahami	Schizanthus, Red and Orange.	1. & 0.	2	hA	5
Priesti	Pure White	white	2	hA	5
in varieties	Fine Mixed	div.	2	hA	5
Sedum azureum	Stonecrop	yellow	1/2	hP	10
Maximowiczii	Golden	yellow	1/2	hP	10
Senecio elegans alba	Jacobæa, White Purple	white purple	I	tA tA	5
—purpurea Sensitive Plant	See Mimosa pudica.	purpie	1	LAX	5
Silene armeria	Catchfly, Lobel's	pink	1 1/2	hA	5
—compacta	Rose-Purple		1/2	hA	5
Solanum melongena	Egg-Plant, White	white	Í	tΔ	5
—coccineum	Scarlet		3	tA	5
Statice Bonduelli	Statice, Golden	yellow	I	hhP hhP	10
Suworowiincana hybrida	Rose Hybrid Mixed	rose div.	I I ½	hP	10
Stevia serrata	Vanilla-scented Stevia	white	3	tP	IO
Stocks	See Mathiola.				
Sweet Peas	See Lathyrus.				
Sweet Sultan	See Centaurea.	4.			
Tacsonia ignea*	Passion Flower-like		10	hA	25
Tagetes patula aurea fl. pl —striata fl. pl	Marigold, Double Golden Double Striped	y. & br.	I I ½	hA	5 5
striata II. pi	Cloth of Gold	striped	1 1/2	hA	5
Pumila	Golden Ring	orange	I	hA	5 5
Little Brownie	Single-flowering Yellow	y. & cr.	1/2	h.\	5
varius fl. pl	French Double Mixed	div.	Ī	hA	5
erecta citrina fl. pl	Lemon African	yellow	2	h/\	5
—aurantiaca fl. pl	Orange African	orange yellow	2	hA hA	5
—Nugget of Gold	Golden Yellow African	div.	1 ½ 2	hA	IO
signati pumila	Yellow Striped (for edg'g)	y. & br.	ī	hΛ	5
Collection	See page 53.	, , , , , , , , ,			O .
Thunbergia Bakeri*	Thunbergia, Pure White	white	4	hhA	5
aurantiaca*	Orange, Dark-eyed	orange	4	hhA	5
alata*	Buff, Dark-eyed	buff	4	hhA hhA	5
in varieties* Torenia edentata	Superb Mixed Fournier's New Torenia	div. w.&pur	4 1/2	tP	5 25
White Wings	Tourner 5 New Torenta	white	/2 I	tP	25
Trifolium odoratum	Sweet-scented Clover	white	3	hΛ	5
Tropaeolum, Tom Thumb King	Nasturtium, Dwarf Carmine	car.	I	hA	5
——sulphureum	Dwarf Yellow	yellow	1	hA	5 5
Sulphureum					
— —Bronze color — —Pearl	Dwarf Bronze Dwarf Blush	bronze	I 1	hA hA	5 5

Botanical Names, etc.	Common Names, etc.	Color	Height In Feet	Duration and Hardi- ness	Price per Paper
Tropaeolum, Tom Thumb-					
——Ruby King.	Nasturtium, Dwarf Ruby	red	1	hA	\$0 05
— —Golden King	Dwarf Golden	golden	I	hA	5
——King Theodore	Dwarf Purple	d. pur.	I	hA	5
——Empress of India	Dwarf Crimson	div.	I	hA hA	5
— —Lilliput — —varius	Mixed Tom Thumb (finest	div.	1/2 I	hA	10
majus Schillingi*	Light Yellow	li. yel.	6	hA	5 5
-The Pearl*	Cream-White	11. 3 C.	6	hA	
—Rose*	Brilliant Rose		6	hA	5 5
—Dunnetti*	Bright-Orange	orange	6	hA	5
—King Theodore*	Dark Crimson	d. cr.	6	hA	5
—atrosanguineum*	Crimson	crim.	6	hA	5
—Mad. Gunter Hybrids*.	Mirrod Domornial	div.	6	hA	10
—Lobbianum [*]	Mixed Perennial	div.	6	tP hA	01
—varius* —peregrinum*	Mixed Tall (finest) Canary-bird Flower	div. yellow	6 8	hA	5 10
Choice Collections	See page 53.	Jenon	J	1121	10
Valeriana in varieties	Mixed Garden, Valerian	div.	2	hP	5
Greek	Sweet-scented	white	2	hP	5
Venidium calendulaceum	Orange, Brown Center		I	hhA	10
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	IO
—striata	Italian, Striped	striped	tra.	hhP	10
—coccinea	Bright Scarlet	scarlet	tra.	hhP	10
—Defiance	Dark Scarlet.	d. s.	tra.	hhP	IO
—ccerulea	Bright Blue	blue div.	tra.	hhP hhP	10
—Mammoth—in varieties	Finest Mixed	div.	tra.	hhP	10
-varius	Fine Mixed	div.	tra.	hhP	5
tencroides	White, Sweet	white	tra.	hA	10
CHOICE COLLECTION	See page 53.	Willie.			10
Veronica Syrica	Dwarf Blue Veronica	blue	\mathbf{L}_{2}^{\prime}	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	w. & ro.	I	tA	10
—nova	Pure White	white	1	t.A	10
rosea	Rose, Dark-eyed	rose	1	tA	10
Varius	Mixed	div.	1	tA hhP	10
—Bugnot's	Pansy, or Heartsease, Blue Superb strains	l. b. div.	1 ₂ 1 ₂	hhP	10
—Faust	King of the Blacks	black	1 2	hhP	25 10
—alba	White	white	$\frac{1}{2}$ $\frac{1}{2}$	lılıP	10
—Prince	Yellow	yellow	1,	hhP	10
—striata	Belgian or Fancy	div.	12	hhP	25
—Emperor William	Dark Purple	b.&pur.	$\frac{\frac{1}{2}}{\frac{1}{2}}$	hhP	10
—Odier	Five-blotched, extra	div.	12	lıhP	25
—Lord Beaconsfield	Violet and Lavender		1/2	hhP	ΙO
—Mahogany-colored	Reddish Brown	4:	1/2	hhP	10
—Trimardeau —maxima, in varieties	Extra Large Mixed Finest Mixed English	div.	1.2	hhP hhP	25
—varius	Fine Mixed Linglish	div.	1/2 1/2	hliP	25 10
Choice Collection	See page 53.	arv.	/2	31111	10
Violets, in varieties.	Mixed Sweet Violet	div.	1/2	hhP	10
Viscaria, oculata	Rose of Heaven, Pink	pk. & s.	I	hA	5
elegans picta	Painted	cr. & w.	I	hA	5
varius	Mixed	div.	div.	hA	5
Wahlenbergia grandiflora	Blue Bellflower	blue	I	hhP	10
Waitzia grandiflora	Large-flowered Waitzia	yellow	2	tA bA	25
Whitlavia grandiflora	Whitlavia, Violet-blue	blue w. & b.	I	hA hA	5
—gloxinioides	Ornamental-leaved	W. CC D.	1	tP	10
Xeranthemum annuum†	Everlasting Flower	purple	4 2	hA	5
				hA	
—album†	\\\\ hite	white	2	HAX 1	1
—album† imperalis fl. pl†	White Dark	pur.sv.	2	hA	5 10
—album† imperalis fl. pl† varium†		pur.&v. div.			

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Zea Japonica	Striped-leaved Japanese Maize Zinnia, Double White		5	hhA hA	\$0 05 10
—coccinea	Double Scarlet	scarlet		hA	10
-aurea	Double Yellow Double Purple		2 2	hA hA	10
—purpurea —violacea	Double Violet	violet	2	hA	10
—grandiflora robusta	Double Large-flowering.	div.	2	hΑ	10
—zebra —in varieties	Double Carnation, Striped Double Mixed	striped div.	2 2	hA hA	10
—Tom Thumb	Dwarf Double Mixed		1	hA	10
—New Pompon	Double Cone-shaped		I	hA	10
Haageana fl. pl, Collections,	Mexican Double	golden	1 1/4	hA	10

ORNAMENTAL GRASSES

Per pkt.	Per pkt.
Agrostis pulchella (hA)\$0 10	Coix lachrymæ (Job's-Tears) (hA) #0 05
Agrostis nebulosa (fine) (hA) 10	Eragrostis elegans (Love-Grass) (hA). 5
Anthoxanthum gracilis (hhP) 10	Erianthus Ravennæ (hP) 10
Arundo Donax (hhP) 10	Eulalia Japonica (hP) 10
Avena sensitiva (Animated Oats) (hA). 5	Festuca rigida (hP) 10
Bromus brizæformis (hA) 5	Gynerium sp. (Pampas Grass) (hhP) . 10
Briza maxima (Quaking Grass) (hA). 5	Hordeum jubatum (hA) 5
Briza gracilis (hA) 5	Lagurus ovatus (Hare's-Tail) (hA) 5
Brizopyrum siculum (hA) 5	Setaria macrochæta (hA) 10
Chrysurus aureus (Lamarckia) (hA) 5	Stipa pennata (Feather-Grass) (hP)

Collections of Flower Seeds

German and French Flower Seeds

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS

110 1 110				
Truffaut's French Pæony-flowered Perfection, 12 distinct varieties. \$\sqrt{0}\$ 75 Truffaut's Imbricated Pompon French, 12 varieties	Rose-flowered German, extra fine, 8 varieties			
BALSAMS				

Miniature, or Dwarf German, 10 varie-	Carnation-striped, double, 8 fine varie-
	ties \$0.75
Camellia-flowered, extra double, spot-	Double Dwarf Camellia-flowered, 6 va-
ted, 12 varieties 1 co	rieties

STOCKS

Dwarf German Ten-Weeks, 12 varieties. \$0 75	Wallflower-leaved Ten Weeks, 10 su-
New Large-flowering Dwarf Ten-	perb varieties
	Winter Large-flowering German, 8 va-
Perpetual Emperor, 12 varieties 75	rieties

MISCELLANEOUS COLLECTIONS

Alpine, or Rock Plants, 8 varieties	\$0	75	Ornamental Grasses, 12 varieties	₿G	75
Amarantus (Ornamental Sorts), 8 va-			Pansy, or Heartsease, 12 distinct varie-		
rieties		50	ties	I	00
Antirrhinum (Snapdragon), 12 varieties.		75	Papaver (Double Poppy), 12 varieties.		75
Aquilegia (Columbine), 12 varieties .	-	50	Petunia fimbriata fl. pl., 6 varieties	I	50
Begonia, Tuberous-rooted, 6 varieties	I	00	" Double, 6 distinct varieties		75
Canna (Dwarf French), 6 varieties		50	" Single, 6 distinct varieties		75
Calliopsis (Coreopsis), 8 varieties		35	Phlox Drummondii, 12 named varieties.		75
Campanula (Canterbury-bell), 6 varieties		50	Pinks, Carnation, 12 fine varieties	I	
Celosia cristata (Cockscomb), 6 varieties		50	" Perpetual, or Tree, 6 fine varieties		50
Chrysanthemums, Annual, 12 varieties.		50	Portulaca, Double, 8 varieties		75
Climbing, or Running Plants, 12 varieties		75	" Single, 10 varieties		50
Coleus, Superb Mixed, 12 varieties .	Ι		Primrose, Fringed Chinese, 6 varieties		7.5
Delphinium (Larkspur), 10 varieties .		7.5	Salpiglossis hybrida, 12 varieties .		75
" Candelabra-formed, 6 va-		, 0	Scabiosa (Sweet Scabious), 10 varieties		75
rieties		60	Tagetes (French and African Mari-		15
Dianthus Chinensis (Annual Pinks), 12			gold), 8 varieties		40
varieties	т	00	Tropaeolum (Nasturtium), Tom Thumb,		-1-
Everlasting, or Eternal Flower, 12 varie-			12 varieties		75
ties	т	00	" (Nasturtium), Tall, or Climb-		13
Ferns, Fine Mixed, 12 varieties			ing, 12 varieties		75
Fuchsia, 12 varieties			" Lobbianum, 8 varieties		50
Herbaceous Hardy Plants			Verbena hybrida, 6 varieties		75
Hollyhocks, German Double, 12 varieties			Wallflower, German Double, 6 varieties :		50
Iberis (Candytuft), 8 varieties	1	40	Zinnia elegans, Tall Double, 8 varieties.		75
Lathyrus (Sweet Peas), 16 varieties		75	" Dwarf Double, 8 varie-		13
Lupinus (Lupins), 8 varieties					50
Jupinus (Eupins), o varieties		40	ties		50

OUR OWN SELECTION

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower, as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

100	Packets	of Annuals,	Biennials and	Perennials,	, best assorted
100	"				good assorted 4 oo
50	"				best assorted 4 oo
50	4.6	6.6	4.6	6.6	good assorted 2 00
25	"	"	best assorted		
20	4.6	6.6	good assorted	d	
12					
10	"		good assorted	1	50
12	"				

FLOWER SEEDS BY WEIGHT

For other varieties, see pages 33 to 54.

	oz.		er oz
Ageratum Mexicanum, blue \$0	50	Ipomoea (Cypress Vine), Scarlet #	0 40
Althaea (Hollyhock), Double Mixed .	75	White	30
Double White 1	00	Star,	25
Alyssum, Sweet, white	40	Lathyrus (Sweet Peas), White	15
" compacta	50	" Painted Lady	15
Amarantus tricolor	30	" Scarlet " Painted Lady " Mixed Finest per lb., \$1	15
Aquilegia (Columbine) Mixed	50	Lobelia gracilis. Blue	75
Aster Chinensis, Fine Mixed	50	Lobelia gracilis, Blue " speciosa, Crystal Palace " compacta	I 50
"German Quilled, Mixed	50	1	2 50
	CO	Lupinus (Lupins), Mixed Annual	25
Dioou-Reu 2	00	Malcolmia (Virginia Stocks), Lilac	30
cocruicus.	75 75	Mathiola (Stocks, Ten-Weeks), English	
Balsamina (Balsam) Paris, Mixed	50	Mixed	75
	90	Finest Mixed	3 00
and the second s	00	Cut-and-Come-Again, Winte.	2 50
Cacalia (Scarlet Tassel Flower)		Mimosa (Sensitive Plant)	75
Calendula officinalis, Meteor	30	Mirabilis (Marvel of Peru)	25
" Prince of Orange	25 25	Myosotis (Alpine Forget-me-not), Blue.	75
Calliopsis (Coreopsis), Golden Wave .	30	Myrsiphyllum (Smilax Vine)	75
		Nemophila insignis, Blue	30
Canna (Indian Shot), Crozy's Mixed	50	" Fine Mixed	25
Cardiospermum (Balloon Vine)	25	Papaver (Poppy), French Mixed	30
Centaurea gymnocarpa	75	" (The Shirley)	75
" candidissima	75	Perilla Nankinensis, Purple-leaved	25
Cheiranthus (Wall-flower), Double 3	50	Petunia, Purple	50
-		" White	50
Coboea scandens, Purple	75	Mixeu.	75
Coix lachryma (Job's Tears)	25	md 4 m	4 00 1 00
Cosmos in varieties	50	" Scarlet	I 00
Convolvulus major (Morning-glory)	20	" Fine Mixed	50
" minor, Fine Mixed	25	Portulaca (Sun Plant), White	50
Dahlia, Si ngle Dwarf	50	"Scarlet	50
Delphinium (Larkspur), Tall Branch-		" Mixed	50
ing " Dwarf Rocket	30	Double, extra	5 00
	30	Pyrethrum aureum (Golden Fcather)	75
Dianthus Chinensis (Indian Pink), Mixed	50	Reseda (Mignonette, Sw't), per lb., 75c.	15
" barbatus (Sweet William),	50	" Large per lb., \$1. " Giant Pyramidal per lb., \$1.	20
Mixed	50	" Machet	20 60
" Carnation Pink, Common		" Machet	15
Mixed	75	" sanguineus, Red	25
Digitalis (Foxglove), Mixed	40		1 50
Dolichos (Hyacinth Bean)	25	Scabiosa (Mourning Bride), Mixed	50
Eschscholtzia Californica, Orange	40	Tagetes (Marigold), French Mixed	50
Euphorbia, Variegated-leaved	40	"African Mixed	50
Gaillardia picta	25	Thunbergia Vine, Fine Mixed	50
Gilia, Fine Mixed	30	Trifolium (Sweet-scented Clover)	20
Gomphrena (Globe Amaranth), White.	40	Tropaeelum (Canary-Bird Vine)	50
" Crimson	40	" Nasturtium, Tall, Mixed	20
Helianthus (Sunflower), Double Dwarf	25	" Tom Thumb, Mixed	20
Hibiscus Africanus (Bladder Ketmia) .	25	Verbena, Fine Mixed	75
Iberis (Candytuft), White	25	" Extra Fine Mixed	I 50
"Crimson.	30		2 00
" Empress, Large White	60		4 00
" Mixed	25	Zinnia elegans, Double Mixed	40

SEEDS ADAPTED TO GREENHOUSE CULTURE

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.

Abutilon, in varieties. Acacia, in varieties. Alstroemeria hybrida. Angelonia grandiflora. Asparagus plumosus nanus. Sprengeri. Azalea Indica. Begonia hybrida. Calceolaria, in varieties. Campanula pyramidalis. Centaurea Clementei. chorizema, in varieties. Cineraria hybrida. Convolvulus mauritanicus. Coronilla, in varieties. Cuphea platycentra. Cyclamen persicum giganteum. Dianthus caryophyllus (Carnation). Dracaena, in varieties. Dracocephalum (Balm of Gilead). Epacris hybrida. Eupatorium, in varieties. Euphorbia pandurata.

Ferns, in varieties.

urevillea robusta.

Fuchsia, in varieties.
Glaucium corniculatum.

Gloxinia, in varieties.

Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomoea Learii. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lophospermum, in varieties. Mathiola (Stock Gilli). Maurandya, in varieties. Mimulus (Monkey Flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower). Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette). Salvia splendens. Senecio, in varieties (Jacobæa). Stevia serrata. Tacsonia ignea. Torenia edentata. Tropaeolum Lobbianum, in varieties. Vinca (Madagascar Periwinkle).

USEFUL ORNAMENTAL FOLIAGE PLANTS

(Suitable for Borders and Subtropical Cardening)

Amaranthus salicifolius. bicolor ruber. tricolor. Henderi. Aquilegia (Columbine). Bocconia Japonica. Canna (Indian Shot). Cannabis gigantea (Giant Hemp). Carduus benedictus. Celosia cristata (Cockscomb). Centaurea candidissima. Cineraria maritima. Datura meteloides. Erythrina (Coral Plant). Eryngium Leavenworthi. Euphorbia marginata. " pandurata.
Glaucium (Horned Poppy).

Helianthus (Russian Sunflower). argophyllus. centrochlorus fl. pl. Humea elegans. Liatris (Gay Feather). Martynia fragrans. Nicotiana affinis (Tobacco). Ornamental Grasses. Perilla Nankinensis. Pyrethrum aureum. Musa ensete. Ricinus (Castor Oil Plant). Salvia argentea. Solanum coccineum. Statice incana. Trifolium odoratum. Wigandia Vigieri. Zea Japonica.

Annuals, Etc., for Vases and Hanging Baskets

Ageratum, in varieties.
Alonsoa, in varieties.
Alyssum maritimum.
Asparagus Sprengeri.
Aubrietia deltoidea.
Brachycome (Swan River Daisy).
Calandrinia umbellata.
Callirhoe pedata.
Centaurea candidissima.

Iberis odorata, in varieties.

Leptosiphon, in varieties.

Linum (Flax)
Loasa lateritia.
Lobelia gracilis, in varieties.
Lophospermum, in varieties.
Malcolmia (Virginian Stock).
Maurandya, in varieties.
Mimulus (Musk Plant).

"(Monkey-flower).
Nemophila (Love-grove).
Nierembergia gracilis.
Nolana prostrata.

Pelargonium, Zonale (Geranium).

Petunia, in varieties.

Portulaca, in varieties.
Reseda odorata (Mignonette).
Sanvitalia procumbens.
Saponaria (Soapwort).
Saxifraga, in varieties.
Sedum (Stonecrop).
Thunbergia, in varieties.
Tropaeolum (Nasturtium).
Verbena, in varieties.
Vinca (Madagascar Periwinkle).
Viola tricolor (Pansy).
Viscaria (Rose of Heaven).
Zinnia Haageana.

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS

Abronia umbellata. Ageratum, in varieties. Alyssum (Sweet Alyssum). Antirrhinum (Snapdragon). Aquilegia (Columbine). Asperula azurea. Aster Chinensis, and varieties. Balsamina camelliaeflora. Cacalia (Tassel-flower). Celosia kermesina. Centaurea (Sweet Sultan). cyanus (Bluebottle). Centranthus, in varieties. Chrysanthemum, in varieties. Clintonia pulchella. Collinsia, in varieties. Cosmos. Cuphea. Cynoglossum (Venus' Navelwort). Dianthus Chinensis (Pinks). barbatus (Sweet William). caryophyllus (Carnation). Delphinium (Larkspur). Didiscus coerulea.

Erysimum (Hedge Mustard).

Gaillardia. Gilia, in varieties. Gomphrena (Globe Amaranth). Gypsophila, in varieties. Heliotropium (Heliotrope). Hesperis (Sweet Rocket). Iberis odorata, in varieties. Lathyrus (Sweet Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock). Myosotis (Forget-me-not). Nigella (Love-in-a-mist.) Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning Bride). Senecio (Jacobæa). Silene Armeria (Catch-fly). Smilax asparagoides. Tropaeolum (Nasturtium). Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

INDEX TO COMMON NAMES

Common Name	Botanical Name	Common Name	Botanical Name
African Marigold	Tagetes.	Bell-flower	Campanula.
African Daisy		Bouncing Bet	
Allegheny Vine		Blue Hibiscus	
Amethyst		Californian Poppy	Platystemon.
Animated Oats	Avena.	Calomaria	Humea.
Arabian Primrose	Arnebia.	Candytuft	Iberis.
Armeria	Statice.	Canary-bird Flower .	. Tropæolum.
Aster		Canterbury Bells	
Auricula		Cape Marigold	
Baby's Breath		Carnation Pink	
Balsams		Cardinal-flower	
Balsam Apple		Castor Bean	
Balsam Pear		Catch-fly	
	Dracocephalum.	China Pink .	
	Cardiospermum.	Chinese Bell-flower .	
Banana		Chinese Primrose	
	Globe Amaranth.	Chinese Larkspur	
Beans		Chinese Lantern Plant	
Bearded Pentstemon .		Cigar Plant	Cuphea.
Bee Larkspur	Delphinium.	Clary	Salvia horminum.
Bladder Ketmia		Climbing Cucumber .	
Bluebottle		Clove Pink	
Boston Ivy	Ampelopsis	Cockscomb	Celosia.

Common Name.	Botanical Name.	Common Name,	Potanical Name
Columbine	Aquilegia.	Marvel of Peru	
Coral Plant	. Erythrina.	Mexican Poppy	Argemone.
Cordyline	. Dracæna.	Mignonette	Reseda.
Coreopsis	. Calliopsis.	Mock Orange	Cucurbita.
Cosmos	. Cosmos.	Monkey-flower	Mimulus.
Cowslip	. Primula veris.	Monk's-hood	
Cucumber Vine	. Cucumis	Morning-glory	
Cypress Vine	Inomora	Mountain Fringe	A dlumia
Dahlia	Doblio		
Danna	. Daima.	Mourning Bride	. Scabiosa.
Daisy	. bellis.	Musk Plant	
Dame's Violet	. Hesperis. [mum.	Myrtle	Myrtus.
Dew Plant	Mesembryanthe-	Nasturtium	. Tropæolum.
Dusty Miller	. Cineraria.	Old Maid	Vinca.
Dutchman's Pipe	. Aristolochia.	Pansy.	Viola.
Eccremocarpus	. Calampelis.	Passion Flower	Passiflora.
Eggplant	. Solanum.	Pasque Flower	Anemone.
Eternal-flower	Helichrysum	Petunia	
Evening Primrose	(Fnothera	Phoneant's eve	A donis
Everlasting Peas	L otherus	Pheasant's-eye Pink	Dionthuc
Everiasing reas	Eurolemtus	DL1	Diaminus.
Fever-and-Ague Plant .	Demotismen	Phlox	Diamethers
Feverlew	. ryrethrum.	Pinks	. Diantnus.
Feather Grass	Stipa.	Polyanthus	. Primula.
Flax	Linum.	Poppy	. Papaver.
Forget-me-not	. Myosotis.	Pot Marigold	. Calendula.
Foxglove	. Digitalis.	Primrose	. Primula.
Four-O'clock	Mirabilis.	Prince's Feather	
French Marigold	Tagetes	Quaking Grass	
Gas Plant	Dictampus	Rock Plant	
Gay-feather	Lietrie	Rose, African	Papayor Phone
Caraciner	Deleganione	Ruse, Airican	Vissonis
Geranium	. Pelargomum.	Rose=of=Heaven	Viscaria.
Gilliflower	. Mathiola.	Rose Campion	. Agrostemma.
Globe Amaranth	Gomphrena.	Sage	Salvia.
Glory Vine	Clianthus.	Satin Flower	. Lunaria.
Glory Vine	. Cucurbita.	Scotch Broom	Cytisus.
Heartsease	Viola.	Sensitive Plant	. Mimosa.
Heath Hedge Mustard	Erica.	Silk Oak	. Grevillea.
Hedge Mustard	Erysimum.	Slipperwort	. Calceolaria.
Hedgehog	Hedysarum	Smilax	Myrsiphyllum
Heliotrope	Heliotronium	Snake Cucumber	Cucumis
Hollyhock	Althma	Snapdragon	Antirrhinum
Honorty	Lunaria	Shapuragon	Cloome *
Honesty	Lunaria.	Spider Flower	Madaiala
Honeysuckle	Lonicera.	Stock Gilli	. Matmoia.
Horn of Plenty	Datura.	Stonecrop	. Şedum.
Horned Poppy	Glaucium.	Sun Dial	. Lupins.
Hyacinth Bean	Dolichos. [mum.]	Sunflower	Helianthus,
Ice Plant	. Mesembryanthe-	Sun Plant	
Immortal-flower	Xeranthemum.	Snow-on-the-mountain.	. Euphorbia.
Imperial Pink	Dianthus.	Swallowwort	. Asclepias.
Indian Shot	Canna.	Swan River Daisy	. Brachycome.
Jacob's Ladder	Polemonium.	Sweet Clover	. Trifolium.
Japan Hop	Humilis.	Sweet Peas	Lathyrus
Japanese Maize		Sweet Rocket	
Japan Pink	Dianthuc	Sweet Sultan	Centaurea
Joh's Toors	Coir (grase)		
Job's Tears	A grass).	Sweet William	
Joseph's Coat	Amaranus.	Tassel-flower	. Cacana.
Lady's Slipper		Tobacco	. Nicotiana.
Larkspur	Delphinium.	Touch-me-not	. Impatiens.
Lemon Verbena	Aloysia.	Variegated Spurge	. Euphorbia.
Lobelia	Lobelia.	Venus' Looking-glass .	. Campanula.
London Pride	. Dianthus.	Venus' Navelwort	. Cynoglossum.
Love-grove	. Nemophila.	Verbena	Verbena.
Love-grass	Eragrostis.	Virginian Stock	. Malcolmia.
Love-grass Love-in-a-mist	Nigella.	Virgin's Bower	. Clematis.
Love-in-a-puff	Cardiospermum	Wallflower	
Love-lies-bleeding	Amarantus +	Wild Cucumber	
Love-lies-bleeding Maiden Pink	Dianthus	Windflower	Anemone
Marigold	Tarretes	Youth-and-old-age	7innia
rangou	. Tagetes.	Tourn-and-ord-age	. Limid.







AQUILEGIA.

PSIS. PHLO

Hardy Perennial Plants

FOR PERMANENT PLANTING IN OPEN BORDERS

Prices for any of the following, 25 cts. each, \$2.25 per doz.

Arabis albida (Rock Cress). Armeria maritima (Sea Pink). Artemisia abrotanum (Southernwood). Asclepias tuberosa (Butterfly Flower) Aspèrula odorata (Woodruff) Asphodelus luteus (Asphodel) Aster Novae-Anglae (New England Aster) Astilbe Japonica (Japan Astilbe) Baptisia Australis (Blue False Indigo) Bocconia cordata (Tree Celandine Boltonia asteroides (False Chamomile) Callirhoe involucrata (Creeping Mallow) Centranthus ruber (Red Velerien). Centranthus ruber (Red Velerien). Coreopsis lanceolata "rosea (Rosy Coreopsis) Delphinium alba (White Larkspur). Desmodium penduliflorum (Pea Shrub) Dianthus barbatus (Sweet William) Dictamnus fraxinella (Gas Plent). Digitalis (Foxglove). Asportal maritima (Sea Pink). Tit. Rose Spring Fragrant Vhite Summer Vellow May to July Fall White Summer Vellow May to July Fall White Harty Summer Caream Vhite Summer Cream Vhite All Summer Summer All Summer Summer Vellow All Season All Season June to Nov. All Season June to Nov. All Season June to Nov. All Season Summer All Summer All Summer All Summer Summer All Season June to Nov. All Season July and Aug.	Varieties	Height	Color	Time of Bloom
Dodecatheon media (Shooting Star)	Aconitum napellus (Monkshood) Achillea, "The Pearl"	3 ft. 1½ 1 " 6 in. 2 to 3 ft. 1½ 1 " 6 in. 2 to 3 ft. 2 " 1½ 3 " 6 in. 2 ft. 4 " 2 " 3 to 5 ft. 4 " 2 " 3 to 5 ft. 4 " 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½	Blue White Yellow Blue Orange Yellow White Red White Yellow White Assorted White Rose Fragrant Orange White Yellow Purple White Blue Cream White Crimson Assorted Yellow Red Blue Yellow Rose White Blue Carmine Assorted Rose Pink Red White Assorted Rose Yellow Yellow Yellow Red Rose Pink Red Rose Pink Red White Assorted Rose Yellow Yellow Yellow	June All Summer Summer May Summer All Season Early Spring Fall Fall Spring July to Nov. Summer Early Summer May Spring Foliage June Summer May to July Fall Early Summer All Summer All Summer All Summer All Summer All Summer All Summer Summer All Summer Summer All Summer July All Summer Summer Summer July All Summer Summer Summer July All Season June to Nov. All Season June to Nov. All Summer

Varieties	Height	Color	Time of Bloom
Euphorbia corollata (Flowering Spurge)	ı ft.	White	Summer
Funkia Sieboldii, var. (Variegated Lily)	2 ''	Variegated	Foliage
" subcordata (White Plantain Lily)	2 ''	White	Summer
Gaillardia grandiflora (Aurora Flower)	I 1/2 "	Orange	June to Nov.
Glechoma (Variegated Ground Ivy)	6 in.	Blue	Summer
Gypsophila paniculata (Baby's Breath)	I ft.	White	Summer
Uypsopnila paniculata (Baby's Breath)		Yellow	Fall
Helenium Autumnale Helianthus Maximiliana (Sunflower)	5 '' 6 ''	Yellow	November
(' myltiflagge ''	4 ''	Yellow	All Season
" multiflorus "	3 "	Yellow	All Season
Helleborus niger (Christmas Rose)	I ''	White	Spring
Hemerocallis Dumorieri (Day Lily)	2 "	Orange	Summer
" flava (Yellow Day Lily)	2 ''	Yellow	Summer
Heuchera sanguinea (Alum Root)	ī ''	Red	All Summer
Hibiscus (Crimson Eye), (Mallow)	4 to 6 ft.	Wh. & crim.	Aug. to Oct.
Iberis Gibraltarica (Candytuft)	ı ft.	White	Spring
Iris, Japanese. See page 61.			
Liatris pycnostachya (Gay Feather)	4 ''	Carmine	Aug. to Sept.
Lobelia Cardinalis (Cardinal Flower)	2 "	Red	Aug. to Oct.
" syphilitica (Great Blue Lobelia)	3 "	Blue	September
Lupinus polyphyllus (Lupin)	3 ''	Blue	June
Lychnis (Double Rose, Ragged Robin)	ı "	Rose	All Season
" chalcedonica (Maltese Cross)	2 to 3 ft.	Scarlet	June and July
Lysimachia (Moneywort).	2 in.	Yellow	Summer
Lysimachia (Moneywort)	5 ft.	White	Summer
Mertensia Virginica (Lungwort)	2 "	Blue	May and June
Monarda didyma (Oswego Tea)	1 1/2 ''	Red	Summer
Myosotis palustris (Forget-me-not)	I "	Blue	Summer
OEnothera Frazerii (Dwarf Day Primrose)	Ι "	Yellow	All Season
" Missouriensis (Evening Primrose)	4 ''	Yellow	Summer
Paeonias, Herbaceous. See page 61.	2 "	701 1 1	
Papaver bracteatum (Oriental Poppy)		Blood-red	Summer
"Orientale (Oriental Poppy)	3 "	Scarlet	Summer
Pardanthus (Blackberry Lily)	3	Orange Scarlet	Aug., Sept. All Summer
Phlox Amoena (Lovely Phlox)	4 "	Light rose	Spring
" subulata (Moss Pink)	6 in.	Pink	Spring Spring
" alba	6 "	White	Spring
Phloxes, assorted.	Ů	· · · · · · · · · · · · · · · · · · ·	Opring
Platycodon grandiflorum (Bell Flower)	2 to 3 ft.	Assorted	June to Aug.
Plumbago larpentae (Blue Leadwort)	ı ft.	Purple	All Summer
Polemonium ceruleum (Jacob's Ladder)	I "'	Blue	Spring
Polygonum (Mountain Fleece)	4 to 5 ft.	White	Summer
Primula elatior (Cowslip)	ı ft.	Assorted	Spring
Pyrethrum hybridum (Persian Daisy)	1½ "	Assorted	Summer
Rhexia Virginica (Meadow Beauty)	I "	Rosy purple	Late Summer
Rudbeckia (Golden Glow)	3 "	Yellow	September
Salvia pratensis (Meadow Sage)	I "	Blue	All Summer
Scabiosa Caucasica (Blue Scabiosa)	I "	Lilac	All Summer
Silene Pennsylvanica (Catchfly)	1/2 "	Pink	May and June
Spirea filipendula (Dropwort)		White	Summer
" palmata (Palmate Spirea)	3 ''	Rose White	Summer
" ulmaria (Meadow Sweet) Stachys lanata (White Foliage)	I "	Purple	Summer Summer
Thalictrum aquilegifolium (Columbine Meadow Rue)	-	Purplish	Summer
Tradescantia Virginica (Spicery ort)	2 ''	Purple	Summer
Tricyrtas hirta nigra (Todd I ilv)	I ''	Spotted	Fall
Tritoma (Red Hot Poker 11 nt)	3 to 4 ft.	Scarlet	Fall
Valeriana officinalis (Garden J'eliotrope).	3 ft.	Lavender	Summer
Verbascum nigrum (Dark Mul'ein)	3 ''	Yellow	July to Fall
Veronica subsessilis (Speedwell)	2 ''	Blue	August
	3 ''	Blue	All Summer
" alma	3 "	White	All Summer
Vinca (Creeping Myrtle)	1/2 "	Blue	Spring
" spicata. " Vinca (Creeping Myrtle) " Vucca filamentosa (Adam's Needle)	72	White	Spring
Yucca filamentosa (Adam's Needle)	5 to 8 ft.	White	July, Aug

Bulbs and Tuberous Roots

The following are kept in stock, or supplied to order



TUBEROUS-ROOTED BEGONIAS.

Tuberous=Rooted Begonias

The Tuberous-rooted Begonias are among the handsomest of our summer-flowering bulbs.

Single Finest Mixed. 10 cts. each, \$1 per doz., \$5 per 100.

Double Finest Mixed. 20 cts. each, \$2 per doz., \$10 per 100.

Gladiolus, French Hybrid

Superb fall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Groff's New Hyprids. Doz. 75 cts., 100 \$4. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per \$100.

Double Tuberoses

One of the most fragrant and beautiful of summer flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Astilbe Japonica (Spiraea Japonica)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers; excellent for forcing. 15 cts. each, \$1.50 per doz.

Amorphophallus Rivieri

A very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts. each.

Amaryllis

Splendid greenhouse bulbs, and also well suited for house culture.

Belladonna. Violet and white. 20 cts. each, \$2 per doz.

Formosissima. 30 cts. each, \$3 per doz. Johnsonii. 75 cts. each.
Vittata rubra. 50 cts. each.

Calla Aethiopica

(Lily=of=the Nile)

A well-known house plant of easy management. 25 cts. each, \$2.50 per doz.

Convallaria Majalis (Lily-of-the-Valley)

The most charming of spring-flowering plants. Large clumps, 50 cts. each.

Caladiums, Fancy

Leaves spotted with various colors in the richest manner; superb for summer decorations

Distinct Sorts. For pot-culture. 50 cts. each, \$5 per doz.

Caladium Esculentum

One of the most attractive ornamental foliage plants in cultivation. 25 cts. each, \$2.25 per doz.

Dwarf French Cannas

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

Dahlias

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon, Large-flowering and Cactus varieties. 20 cts. each, \$2 per doz.

Dielytra Spectabilis (Bleeding Heart)

A good companion to Astilbe Japonica; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

Erianthus Ravennae

A fine ornamental grass, similar in habit of growth to Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 cts. to 50 cts. each.

Funkia (Hemerocallis) (Day Lily)

Handsome perennial plants. They are quite hardy, and require a moist soil and shady situation. 30 cts. each, \$3 per doz.

Eulalia

Japonica zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white *across* the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. 'Very valuable for massing. 75 cts. each.

Japonica var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine for parlor ornaments, remaining fresh a long time. 50 cts. each.

Gloxinias

A charming class of summer-flowering bulbs; plants of dwarf habit, with very handsome flowers, which are borne in great abundance. 15 cts. each, \$1.50 per doz.

Helianthus Multiflorus Plenus (Double Golden Sunflower)

Perfectly hardy, and flowering from July until frost. The flowers are of a rich golden yellow, and last a long time after being cut. 20 cts. each, \$2 per doz.

Hyacinthus Candicans

A magnificent hardy plant, producing in July and August a flower stem about 4 feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers. 10 cts. each, \$1 per doz.

Japanese and German Iris

Iris are among the most beautiful of our summer-flowering plants, and are destined to become more popular every season. Extra choice varieties. 25 cts. each, \$2.50 per doz., \$15 per 100.

Lilium

(Lily)

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 15 cts. each, \$1.50 per doz.

Candidum. 15 cts. each, \$1.50 per doz.

Lancifolium rubrum. 20c. each, \$2 per doz.

"roseum. 20c. each, \$2 per doz.

Tigrinum fl. pl. 20 cts. each, \$2 per doz.

splendens. 15 cts. each, \$1.50 per doz.

Madeira, or Mignonette Vine

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Manettia Vine (Manettia bicolor)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts. each, \$1.50 per doz.

Montbretias

The Montbretias are one of the brightest and best of summer-flowering bulbs. The bulbs should be planted from April to June in groups of three to a dozen or more. They are perfectly hardy, and once planted can be left to care for themselves. 30 cts. per doz., \$2.50 per 100.

Myrsiphyllum Asparagoides (Smilax)

A very graceful climbing plant; can be used either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

Peony, Hardy Herbaceous

Large flowers, ranging from the purest white to the richest crimson. Large roots, 50 cts. each, \$5 per doz.

Pampas Grass (Gynerium argenteum)

A species of grass from South America, growing about 6 feet high, with plumes of yellowish white about 2 feet in length. 30c. each, \$3 per doz.

Richardia Alba Maculata (Summer Calla)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

Tigridia (Tiger=flower)

Extremely handsome, producing many magnificent flowers in the open ground.

Conchiflora. Yellow. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Pavonia. Red. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Grandiflora alba. 10c. each, 75c. per doz.

Tritoma Uvaria Grandiflora (Red-Hot Poker Plant)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.

Vallotta Purpurea

(Scarborough Lily)

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 30 cts. each, \$3 per doz.

Gladiolus Hybridus Princeps

Hybrid between the rare African *Gladiolus* cruentus and a selected Childsii seedling.

A₁₃

TRITOMA UVARIA GRANDIFLORA.

Grows 4 feet high, with broad, healthy foliage. Spike erect and often 18 inches long, bearing 16 to 22 immense broad-petaled circular flowers, opening flat and perfect, 5 to 7 inches across. Color true Salvia scarlet, with cream-white feathering on lower petals. Endures the sun and wind well, and opens perfectly to the last bud in water. Blooms normally in August, but may be had late in October by delaying planting. Forces splendidly. 25 cts. each, \$3 per doz.

Small Fruits

FOREIGN GRAPE VINES FOR VINERIES

I-year-old Vines, \$1; 2-year-old Vines, \$2.

Alicante, or Black Tokay. H. C. A large, showy black Grape; fine late variety.

Black Barbarossa. H. C. Berries round, very large; a late variety.

Buckland Sweetwater. H. C. Berries round, large; when ripe, of a pale amber: habit vigorous and vine a good bearer.

Canon Hall Museat. H. White seedling of Muscat of Alexandria, but liable to crack.

Chasselas de Fontainebleau. H. C. Berries round and large, juicy and sweet.

Charlesworth White Tokay. H. C. Berries oval and large; bunch very large, juicy and rich.

Frontignae, White. H. Berries round, medium size very rich; a good bearer.

Gros Colman. H. Handsome; berries and bunches enormous; hangs very late.

Hamburg, Black. H. C. Large, sweet and juicy; a well-known and leading variety.

Lady Downs' Seedling. H. C. Berries large, oval, firm, sweet and richly-flavored. One of the best late black Grapes.

Madrasfield Court. H. Black Bunches and berries large, very handsome; flavor vinous and true Muscat; a superb Grape of the greatest merit.

Muscat of Alexandria. H. C. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Muscat Hamburg. H. Black. An excellent Grape, with the berry and flesh of Black Hamburg, and a fine Muscat flavor; requires heat.

Trentham Black. H. C. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. H. C. A late black Grape; keeps well.

P. S.—Those marked H. are suitable for Hot Graperies. Those marked H. C. will grow well in either Hot or Cold Graperies.

HARDY AMERICAN GRAPE VINES

Agawam. One of the most reliable hybrid Grapes; bunches and berries large, dark red; ripens with or soon after Concord; is of peculiar aromatic flavor. 5) cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75c. each. Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky

flavor. Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does welleverywhere, and is always reliable. 50 cts. each.

Delaware. Early, small, light red; juicy with very soft pulp; very productive, and

requires a rich soil. 5) cents each.

Diana. Late; reddish lilac, juicy and sweet; very vigorous and very good. 35c. each. Duchess. Whitish green; berries and bunch medium size; fine flavor. 50 cents each.

Eldorado. A very beautiful Grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cents each.

Elvira. Medium early; pale green, juicy and sweet. 40 cents each.

Hartford Prolific. Extra-early, large and very productive. 50 cts. each.

Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.

Niagara. Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cents each.

Isabella. Medium early; large purplish black; with little pulp. 30 cents each.


Lady Washington. White; bunches and berries quite large and of good flavor. 75c. Lindley (Rogers' No. 9). Light bronze, berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimae (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cts. each. Prentiss. Bunch large; berries of medium size, yellowish green, sometimes tinted rose color. 75 cents each.





GREENVILLE.

STRAWBERRIES

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten barnyard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

Ţ	Per doz.	100
Brandywine (new). Perfect flower. Fruit of large size, quite firm and		
shapely. Foliage large and thrifty, entirely free from scale or blemish. Season		
medium to late		\$4 00
Bubach. Pistillate. A leading variety; berries large and handsome;		# t
plant of strong growth and exceedingly productive	50	3 50
Charles Downing. Perfect flower. A well-known and popular family	30	3 30
berry of fine flavor; the plants do well in most soils and locations	50	2 50
		3 50
Cumberland Triumph. Perfect flower. An excellent early variety;		
berries of fine color, large, and of delicious flavor		3 50
Gandy. Perfect flower. The berries are of mammoth size and shape, of a		
bright crimson color; one of the best and finest late sorts introduced; flavor of		
superior quality	75	4 00
Glen Mary. Perfect flower. Plants robust, strong growers, with clean		
foliage. Fruit nearly round, of a light red color, and of excellent flavor	75	4 00
Greenville (new). Pistillate. Plants good, strong, healthy growers,		
with a compact, dark, rich foliage. Fruit large and firm, of a dark crimson		
color; quite regular in shape, and ripens evenly. Very productive. Midseason		
to late	75	3 50
Lovett's Early. A vigorous, healthy grower; fruit large, firm, enormously		
productive; blossoms perfect	75	3 50
McKinley (new). Perfect flower. Berries large, round, inclining to		0 0
conical; flesh firm, and quality excellent; a great yielder	I 00	5 00
Michigan. Perfect flower Berries handsome and firm, equaling in size	1 00	5 00
the Gandy; of high flavor, and ripening 10 days later; color bright crimson,		
with distinct yellow seeds; plants strong and very prolific	I 00	4 00
Parker Earle. A robust grower, with perfect flowers and good-sized fruit		7 00
of fine quality; rather late	75	3 50
Sharpless. Perfect flower. Berries very large, solid and of fine flavor;	75	3 3-
plants hardy; very large and vigorous.	50	3 00
Marshall. Bi-sexual. Fruit large and perfect, of a dark, rich crimson	J-	0
color, with large green hull	I 00	4 00
Timbrell. Pistillate. The plants are large and strong; foliage of a dark,		7
rich, healthy color; the fruit stalks are usually strong, and hold the fruit quite		
free from the ground. Medium to late	75	4 00
Van Deman. Perfect flower. The fruit is large, of a dark, glossy crimson,	, 0	•
and fine quality; ripens extra early, and is valuable as a pollenizer for early		
pistillates	50	3 00
Wm. Belt. Perfect flower. Fruit conical in shape, of a brilliant glossy		
red, and as near perfection as was ever seen in a berry; ripens very evenly,		
without the green tips. Season medium	I 00	5 00



RASPBERRIES	
Golden Queen. Large; fruit of a beautiful buff or amber color. One of	100
the richest flavored berries	\$6 co
very productive	6 00
Cuthbert. Fruit red, large and sweet; very hardy	6 00
cellent quality	6 00
Loudon. Fruit very large and firm, of fine rich color and flavor; quite hardy	6 00
Miller Red. Berry as large as Cuthbert; color bright red, and ripening very early; very productive	6 00
BLACKBERRIES	
Erie. Fruit large, firm, sweet and high-flavored; a vigorous grower; per-	100
fectly hardy \$1 00 Kittatinny. A stout, erect, and vigorous-growing kind; fruit large and	\$6 00
delicious	6 00
New Rochelle, or Lawton. Fruit very sweet and delicious when well ripened	6 00
Wilson's Early. Very good; large, firm and sweet; hardy and productive, and one of the earliest in fruit	6 00
CURRANTS	
Per doz.	100 \$6 00
mense size; a popular red Currant	6 00
Red Dutch. The most prolific and best flavored of the old red varieties. 1 00 Versailles. Foreign; vigorous grower; fruit of the largest size, dark red. 1 00	6 00
White Grape. Best white variety; berry large, beautiful; best quality. 1 oo	6 00
Victoria. Late red; of good quality	6 00
GOOSEBERRIES	
Downing. Pale green; large, prolific and good. Best for both home and	100
market use	\$6 00
Houghton's Seedling. Small to medium; fruit oval, pale red; very productive, and free from rust	6 (0
Red Jacket. The most prolific and most valuable Gooseberry in America; as large as the largest; berry smooth. Very hardy. Quality best, and foliage best of any Gooseberry known	12 00

ORNAMENTAL SHRUBS AND VINES

HARDY VINES AND CREEPERS

Ampelopsis quinquefolia (Virginia or Strawberry Creeper). Leaves crimson in autumn; very strong grower. 30 cents each.

Veitchii (Japanese Ivy). Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho (Dutchman's Pipe). Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans (Trumpet Creeper). Scarlet flowers in August; handsome. 40 cents each.

" grandiflora. Very large flowers, of a splendid orange color. 50 cents each.

Clematis coccinea. Flowers scarlet; very choice. 50 cents each.

' flammula (Virgin's Bower). White; very fragrant. 50 cents each.

"Jackmanni. Large purple flowers; a great favorite. 75 cents each.

"
paniculata (Japanese Virgin's Bower.) This handsome hardy climber is one of the choicest and most satisfactory climbing flowering plant we know. The plant is of strong, rapid growth, with small, dense, cheerful green foliage, giving it a grace and elegance possessed by no other hardy climber. The flowers appear in the greatest profusion during August, and continue until late in the fall, are of a white color and most deliciously fragrant. Strong roots. 50 cents each.

roots. 50 cents each.

Doliehos Japonicus. A strong-growing large-leaved vine, which for rapidity of growth has no equal; strong plants will run 50 feet in a season. 75 cents each.

Hedera helix (Evergreen Ivy). Leaves large and luxuriant; a standard vine. 25 to 75 cents each.

helix tricolor (Tricolor-leaved Ivy.) Leaves green, white and rose; very pretty. 50 cents each.

Humulus lupulus (Hop Vine). A rapid grower; very ornamental. 30 cents each.

Lonicera Belgica (Honeysuckle). Flowers all summer; very fragrant. 50 cts. each.

" Sinensis (Chinese Honeysuckle). Dark green foliage; one of the best. 50 cts.

" reticulata aurea (Golden-leaved Japan Honeysuckle). Remarkably ornamental, with leaves of a distinct yellow effect. 50 cents each.

Menispermum Canadense (Moon Seed.) A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Graeca (Virginia Silk Vine). Foliage long, narrow and shining. 50 cts. each. Wistaria Sinensis (Chinese Blue Wistaria). Flowers pale blue, in June; a superb climber for any place. 75 cents each.

Sinensis alba. The best white variety. \$1 each.

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. alba (Double White-flowering Almond). A beautiful early-flowering shrub. 75 cents each.

fl. pl. rubro. A variety of the preceding with rose-colored flowers. 60 cts.

Andromeda Mariana. A native shrub, blooming about the last of May, bearing beautiful white flowers tinged with red. 50 cents each.

Berberis vulgaris (European Barberry). A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cts. each.

" atropurpurea. A purple-leaved variety of the above. 50 cents each.

"Thunbergii (Japan Barberry.) Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cents each.

DECIDUOUS HARDY SHRUBS, etc., continued.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each. Calycanthus floridus (Sweet-scented Shrub). Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginiea (White Fringe). Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladderlike pods. Very ornamental. 50 cents each.

Cornus florida flore-rubro (Red-flowering Dogwood). A variety of white Dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2 each.

66 var. pendula (Weeping Dogwood). Its pendulous habit, large white flowers, scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2 each.

Remarkable in winter for the red color of its branches. alba sanguinea. 50 cents each.

sanguinea variegata. Having very ornamental green foliage, striped with white during the whole season. 5) cents each.

Corylus (Hazel.) A distinct, very ornamental shrub; the leaves are of a deep, dark red color, almost black. 75 cents each.

Crataegus alba plena (White-flowering Hawthorn). Foliage and flowers very ornamental. 75 cents each. coccinea fl. pl. Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low-spreading shrub, bearing white flowers. 60 cents each. Cydonia Japonica carnea fl. pl. (Japan Quince). Flesh-colored double flowers, produced early in spring. 75 cents each.

66 rubra grandiflora (Red Japan Quince). Large red flowers; very showy. 50 cents each.

Cytisus laburnum (Golden Chain). Drooping yellow flowers; a handsome small tree. ₿1 each.

Daphne eneorum. A choice low-growing bush, bearing its sweet-scented rosy whiteflowers for several weeks of midsummer. 75 cents each.

Deutzia crenata fl. pl. alba. Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cents each.

66 gracilis. Dwarf, compact; pure white. 35 cents each.

66 scabra (Rough-leaved Deutzia). Bearing beautiful white spiral flowers. 50 centseach.

Euonymus Americanus. Shining green foliage, scarlet berries; fine in fall. 50 cts. each. latifolius (Burning Bush). Vigorous growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea (Copper Beech). Leaves purple, early in the season. \$1.50 to \$5 each. laciniata (Cut-leaved Beech). Cone-shaped and compact; leaves showy. \$1.50 to \$3 each.

Forsythia viridissima (Golden Bell). The best early-flowering shrub. 75 cents each. Genista scoparius (Scotch Broom). Yellow; flowers in May. 40 cents each.

Hibiseus Syriaeus atrorubens (Althæa, or Rose of Sharon). Showy purple flowers. 35 cents each.

foliis variegatis. Variegated foliage; highly ornamental. 60 cents each. Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in cultivation. 75 cents to \$2 each.


hortensis. Changeable rose-colored flowers; very popular. 50 cents each. Itea Virginica. A very pretty shrub, bearing large erect spikes of white flowers, making a fine appearance for a long time. 50 cents each.

Ligustrum tricolor (Privet). Stands the sun well, and forms a good bush; the leaves are golden yellow, changing to white and green as it develops. 50 cents each.

Lonicera Tatarica (Upright Honeysuckle). Pink flowers in May; handsome. 40c. each. alba. A pretty upright shrub; white flowers in spring. 50c. each. Magnolia conspicua. A Chinese tree, producing large white flowers in spring. \$2 to

\$5 each.

Soulangeana. Like above, but flowers are purple and white. \$1.50 to \$5 each.





MOCK ORANGE, OF SYRINGA.

WEIGELA.

DECIDUOUS HARDY SHRUBS, etc., continued.

Paeonia Moutan (Tree Pæony). Very large flowers, of gorgeous colors. \$2 to \$3 each. Philadelphus coronarius (Mock Orange, or Syringa). Strong-growing; pure white fragrant flowers in June. 50 cents each.

Prunus Sinensis (Double White-flowering Plum). Very pretty. 75 cents each.

myrobolana (Pissardii). A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cents each.

Ribes aureum (Missouri Currant). Shining glabrous leaves; early yellow flowers 35 cents each.

Rubus cotinus (Purple Fringe, or Smoke Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

" glabra laciniata (Cut-leaved Sumac). Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Salisburia adiantifolia (Maiden-hair Tree). A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1 each.

Spiraea Billardii. Pink-flowered; a late blooming species. 50 cents each.

prunifolia fl. pl (Plum-leaved Spiræa). Double white flowers. 40 cts. each.

"Reevesiana fl. pl. Clusters of double white flowers, early in spring. 5oc. each.

Symphoricarpus racemosus (Snowberry). White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris (Common Lilac). Purple, sweet-scented flowers. 50 cents each.

" alba. White, sweet-scented; very delicate. 50 cents each.

" Persica (Persian Lilac). Small-leaved; purple flowers of a different shade. 50 cents each.

Tamarix Africana. Beautiful feathery foliage; makes a fine small tree. 50 cents each.

Viburnum plicatum (Double Japan Snowball). Distinct and good; of upright growth, with plaited leaves, and many heads of pure white flowers. 50 to 75 cents each.

Weigela amabilis. Pink flowers; free bloomer. 50 cents each.

" alba. White; very showy. 50 cents each.

" variegata. Beautiful variegated foliage. 50 cents each.


floribunda. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cents each.

Vitex Agnus-castus. A handsome-leaved shrub, bearing panicles of lilac-blue flowers, and the foliage is nicely scented. 50 cents each.

Also supplied to order, all the leading varieties of standard and dwarf Roses, Hardy Perennials, Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.


Horticultural Implements

Each
Asparagus Knife, English
Ax, Handled
Bill Hooks, Socket Switching 2 00
" Yorkshire Strapped 2 00
" " Dunse Switching 1 25
Bellows, Powder 1 00
" Liquid 2 00
-
Flower Gatherers, English. In 4 sizes.
75 cts. to 1 75
Flower Pot Brackets40 cts. to 1 00
Fruit Pickers
Forks, Spading, Short-handled 1 25
Long-nandled 1 25
Manure, Short-handled 75
пау
Ladies Weeding, English
50 cts. to 1 00
Fumigators—
Eureka No. 1, house 10 x 12 1 50
10. 2, 12 x 40 2 00
" No. 3, " 15 x 100 2 50
The second secon
Garden Barrow.
Garden Barrows. No. 1 (boys') 3 00
" No. 2
" No. 3 4 25
" No. 4 5 00
2.5. 4
_




Garden and Lawn Roller.

Garden Reels, English. 10-in	1	00
Garden Lines. Best braided, 100 ft		75
Gooseberry Pruner, English	I	25
Blackberry Pruner, ''	Ļ	25
Garden Pencils, "		15
Gardeners' Gloves pair, \$1.50		
Grafting Waxlb., 40 cts		
Glaziers' Pointsbox of 1,000, 75 cts		
Grubber, Daisy, English	I	25
Hoes, Draw50 cts. to		75
" Dutch (English). 4- to 10-in		
40 cts. to		90
" Warren		75
W.m.		



Various Styles of Pruning Knives.

Budding Knives. Hedge Shears.



HORTICULTURAL IMP	PLEMENTS, continued.
Each	Per 100
Hoes, Potato or Prong\$0 75	Plant Labels, Wooden, Pot and Garden:
Hatchets\$1 to 1 50	4-in., painted
Hose Menders (Hudson's)	5-in., ''
Box of 6 Tubes, 20 Bands, 1 pair Pliers. 75	6-in., "
Knives, Budding, English. (See cuts.)	8-in., ''
75 cts. to 1 25	
" Pruning, English. (See cuts.)	Plant Stakes, Round Green Tapering: Per 100 Per 100
\$I to 2 co	1½ feet\$1 00 3½ feet \$4 00
" Grass Edging, English. 10-in. 2 00	2 2 00 4 " 5 00
Lawn Mowers, Imperial High Wheel:	$2\frac{1}{2}$ 2 50 5 6 00
14 in. cut net, 8 oo	3 " 3 50
	Plant Stakes, Heavy or Dahlia:
	Per 100 Per 100
18-in. " " 10 00	3 feet \$5 00 5 feet \$8 50
20-in. " " II 00	4 " 6 50 6 " 10 00
Horse Lawn Mowers, Coldwell's Improved:	Bamboo Canes1,coo, \$9 1 25 Each
30-in. cut, completenet, 60 00	Rakes, Cast Steel 50 cts. to \$1 00
35-in. "	" Wooden Lawn 50
40-in. " " " 90 00	Raffia, For Tying Plants lb., 25 cts
Horse Boots set of four, \$9	Scissors, Bow Pruning, English. 75 c. to 1 25
Lawn Weeder, Cleveland 50	" Grape or Thinning. (See cut.)
Mole Traps, Out o' Sight. (See cut.) 1 00	\$I to I 50
" " English 50	Shears, Hedge, Pruning Notch, fly nut:
Moss, Sphagnum bbl., \$2	7½-in., English 2 25
Peat	8-in 2 50
	9-in 2 75
Pumps, Spraying 1 75	"Grass Border, English. 9-in 2 75
" Acme, Hand Force 5 00	" Io-in 3 (0
Putty Bulb, Elastic 1 00	" Lawn Surface Cutting 3 25
Pic's, Mattocks and Grub Mattocks I 75	" Branch or Lopping \$2.25 to 3 50

HORTICULTURAL IMP	
Shears, Slide Pruning, Wood Handle.	Sprinklers, Lawn75 cts. to \$3 75
shears, Since 11 tuning, Wood 11 and ter. \$3.50 to \$3.75	Trowels, English Garden 50 cts. to 1 25
" Hand Pruning 2.25 to 3 50	" " Transplanting 1 00
" Ladies' Garden 1 75	" (1)
" Sheep 1 00	Tree Scrapers 50
Syringes, English. 121/2-in. barrel 4 00	Turfing Iron, or Sod Cutter 4 50
" '6¼-in. '' 6 oo	Tree Pruners. 6-ft
" " 18½-in. " 7 50	" " 8-ft
" " 18-in. " 7 00	" " 10-ft
" Reid's Patent 8 00	Thermometers, Tin Case 40
" " Knuckle Joint 10 00	" Self-registering 2 50
" Amer. No. 0, 12½-in. barrel. 2 50	" Hotbed, Brass-tipped 1 50
" " No.00, 14-in. " 3 00	Trellis, Fan-shaped10 cts. to 1 00
" No. 2, 14½-in. " 3 75	
" No. 3, 18-in. " 6 oo	, , , ,
" No. 5, 18-in. " 6 50	25 m · 4 80
Saws, English, Pruning75 cts. to 2 00	No. 2. 23 m 4 25
" Socket or Pole 1 00	No. 3. 21 III 3 50
" Double Edge 75	10. 4.
Spud, Garden 50	10. 5.
" With Weeding Hook 50	Vases, For Displaying Cut-flowers (see
" Thistle 60	cut): 13-in. deep 60
Sickles, English 50 cts. to 75	• , , , ,
Scythes, Best English\$1.50 to 2 00	
Scythe Snaths So	
" Stones, English	
" Rifles 15	4/2 111.
Spades, Ames' Short-handled 1 25	Watering Pots, Long-spouted. 4-qt 1 50
" Long-handled 1 25	o qt 2 00
Shovels, "Short-handled 1 25	Ordinary Green. 10-qt. 85
" " Long-handled pointed. I 25	12-qt. 1 00
Sets, Ladies' Garden, English. 27-in 2 25	10-qt. 1 50
30 111, 11 3 00	" " '' 20-qt. 2 00 Weeders, Excelsior Hand. (See cut.) 15
" '' 45-in 4 00 Sprinklers, Rubber 1 00	44
" Angle-neck 1 oo	" Noyes' 25 " Cleveland's Lawn 50
Tingle neek 1 00	Cieveland's Lawn 50
You at a f Round 19	in a diameter 11/
Lengtl. of Barrel, 18	In.; diameter, 172.
	TAMES PROMICES
Syrin	ege.
WATERS	
MPROVED	
TREE PRUNER.	Tallie to
Pru	ning Shears.
CLEVES' ANGLE THOWEL.	Contract

Fumigator


"Planet Jr." Farm and Garden Tools

Space will not permit our showing and describing all the "Planet Jr." tools, but we will send a fully illustrated catalogue, free for the asking, to any who desire it; and we can supply promptly anything ordered. "Planet Jr." goods are standard machines, the best on the market. In sending your orders to us you can rely on getting bottom prices.

No. 4 Combined Hill and Drill Seeder, Single Wheel Hoe, Cultivator and Plow. PRICE, COMPLETE, \$10; AS A DRILL ONLY, \$8

This admirable tool combines in a single convenient implement a capital hill-dropping seeder, a perfect drill seeder, a single wheel hoe, a cultivator, a rake and a plow. It holds three pints, sow-

in his small crops.




ing in continuous rows or dropping in hills at 4, 6, 8, 12 or 24 inches apart. It is thrown out of gear by simply raising the handles. The index is accurate, simple and easily set. The drill is detached and the tool frame substituted by removing but one bolt. It then becomes a single wheel hoe, garden plow or cultivator. It is useful almost every day of the season, at every stage of garden work. With this one implement the small farmer can do practically all the work

No. 12 Double Wheel Hoe, Cultivator and Plow

PRICE, \$6.50

This tool will do the work of six to ten men with ordinary hand-hoes, and is the best machine made for all who

raise onions or garden vegetables on an extensive scale. The wheels can be set at four different distances apart; the frame at three different heights; handle adjustable; arch of steel and extra high, and all the tools are of tempered and polished steel. The leaf guards allow cultivating large plants such as beets, carrots, parsnips, beans or peas. We can heartily recommend it.



No. 16 Single Wheel Hoe, Cultivator, Rake and Plow PRICE, \$5.50

This latest and best single wheel hoe combines lightness, great strength, variety and adjustability of tools. The rakes and cultivator teeth, in combination with the hoe and plow, enable the operator to perform almost every variety of work either

in field or garden. The wheel is 11 inches high, with broad face: frame changes in height, and the wheel may be attached to the other side of the frame, when both sides of the row may be hoed at one passage. It is the best single wheel hoe we know of.

Farmers' No. 19 Single Wheel Hoe, Cultivator and Plow PRICE, \$3.50

This new and attractive implement is especially designed for the farmer's garden work, though it offers to every one with either field or garden a cheap and effective tool for all hand-wheel hoe operations. The wheel is extra

high, the wheel arms are steel, and the frame attached so that the height of the handles may be readily changed to suit man or boy. All the attachments are tempered and polished steel. Strength, variety of tools and cheapness are its great virtues.

The "Fire=Fly" Garden Plow PRICE, \$2.25

This tool is most useful in small gardens, opening furrows for manure or seeds, and covering them quickly. Chicken-raisers will find it very useful in plowing up the scratching yards. The moldboard is of tempered and polished steel; the depth is quickly changed.



FINEST MIXED LAWN GRASS

PER QT., 25 CTS.; PER PECK, \$1.25; PER BUSHEL, \$4.50

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns, Cemeteries, etc. These Grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

Grass seed may be sown in April or May, and again in September. The ground should be very carefully prepared, and made fine to receive the seed. After the seed is well up, and again at frequent intervals, the lawn should be rolled, which will greatly improve the turf. For other Grass Seeds, see page 26.

BRIDGEMAN'S SEED WAREHOUSE

37 E. Nineteenth St., New York

Neponset Flower-Pots


Made from the well-known Neponset Waterproof Fabric, and for lightness, cleanliness and cheapness have no equal.

Size	:																				I	Per	1,000		
214																						\$0	30	\$2	50
2 1/2					•	٠																	40	3	56
3			a											٠									50	4	50
3 1/2											4												60	5	50
4										v	,												80	7	50
5																						1	20	10	35
6											3	٥	,									1	65	14	55

"Acme" Lawn-Mower Sharpener

The Only Practical Article ever Invented for the Purpose

Not necessary to take Mower to pieces.



Directions with each one tells you how to do it.

EACH, - 50 CENTS

Carnation Supports, Model Extension

The best Wire Carnation Support yet offered. It affords the greatest light and best circulation of air. Can be raised easily as the plant grows. Per doz., 50 cts.; per 100, \$3.50; per 1,000, \$32.50. With extra ring, per doz., 60 cts.; per 100, \$4.



COSMOS, DWARF EARLY-FLOWERING "DAWN"

BRIDGEMAN'S HIGH-GRADE SEEDS

37 EAST 19TH STREET NEW YORK CITY