




始



中央氣象臺月報

大正五年五月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

MAY, 1916.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY,

TŌKYŌ.

1916.

凡 例

本編ハ大正五年五月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ擧グレバ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據リ夜半ヲ日界トスル二十四時制ヲ用フ但シ日照時數ハ真太陽時ニ據ル

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サズ但シ其更正數ハ本表ノ欄外ニ掲グ

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒズ百ヨリ其度ヲ減ジ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルガ如シ

或ル觀測時ニ於ケル風速ハ其觀測時前二十分間ノ平均風速ヲ以テ之ヲ示ス

平均雲量ニ未滿ナル日ヲ快晴トシ八以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ觀測シタル日ヲ暴風日トス



INTRODUCTION.

The present volume contains the meteorological observations made at the central meteorological observatory and all the stations in Japan during the month of May, 1916.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the central meteorological observatory. Among the instructions, the following are in particular to be noted.

Hours of Observations.—The Central Standard Time (civil mean time of the meridian 135° E.) is adopted in all localities, except in Taiwan and Manchuria, where the Western S. T. i. e. civil mean time of the meridian 120° E. is followed. For Sunshine duration the apparent solar time is used.


Pressure.—The barometric readings in millimetres are reduced only to freezing point, unless otherwise stated; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

Temperature.—The degrees are given in Centigrade; those below zero are shown by adding 100 to avoid the minus sign; thus 99° for -1°, 95° for -5°, etc.

Velocity of the Wind.—As the velocity at any time is given the mean for the preceding 20 minutes.

Clear and Cloudy Days.—The mean amount of cloud for a clear day is less than 2 exclusive

and for a cloudy day is more than 8 inclusive. *Days with Gales.*—As such are counted the days on which the maximum velocity reaches or exceeds 10 metres per second.



發行所寄贈本

現象記號
ILLUSTRATION OF SYMBOLS

(1) 萬國共通記號 *International symbols*

雨	☉	Rain	霜	⌒	Hear frost	日暈	⊕	Solar halo
雪	✱	Snow	露	⌒	Dew	日光環	⊖	Solar corona
電雷	⚡	Thunder storm	霧水	∨	Silver thaw	月暈	☾	Lunar ha'o
雷聲	⚡	Thunder without lightning	雨水	~	Glazed frost	月光環	☾	Lunar corona
電光	<	Lightning without thunder	吹雪	+	Snow drift	虹	∩	Rainbow
霰	△	Graupel	細冰	←	Ice crystals	極光	☄	Aurora
雹	▲	Hail	積雪	⊠	Snow lying	煙霧	∞	Dust haze
霧	≡	Mist, fog	暴風	↘	Gales	黃道光	♌	Zodiacal light

(2) 其他ノ記號 *Other symbols*

凍雨	⊖	Frozen rain	卷雲	C	Cirrus	層積雲	SK	Strato-cumulus
霜柱	⌒	Ice column in ground	卷層雲	CS	Cirro-stratus	亂雲	N	Nimbus
海鳴	≡	Oceanic noise	卷積雲	CK	Cirro-cumulus	積雲	K	Cumulus
波狀雲	~	Undulated cloud	積卷雲	KC	Alto-cumulus	積亂雲	KN	Cumulo-nimbus
地震	⊖	Earthquake	層卷雲	SC	Alto-stratus	層雲	S	Stratus



大正五年五月

測候所 LIST OF

Table listing weather stations with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement.

*一等測候所 Stations making hourly observations.

一覽表 STATIONS.

MAY, 1916.

Table listing weather stations with columns for Locality, Page, N. Lat., E. Long., Height above Sea Level, Height above Ground, Director, and Year of Commencement.

*變更 Changed.

大正五年五月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Daily Max/Min, Range, High/Low), Humidity, Clouds, and Sunshine. Lists various locations like Kōsuyū, Taitō, Tainan, etc.

氣象一覽表 MAY, 1916.

Table with columns for Amount of Precipitation, Wind Velocity (Mean, Max, Dir), and Number of Days with various weather conditions (Clear, Cloudy, etc.) and Air Temperature (Min, Mean, Max).

大正五年五月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Daily Max/Min, Range, High/Low), Tension of Vapour, Relative Humidity, Amount of Cloud, and No. of Hours with Sunshine. Lists various cities like Maebasi, Hamada, and others.

氣象一覽表 MAY, 1916.

Table with columns for Amount of Precipitation, Wind Velocity (Mean, Max, Dir), and Number of Days with various weather conditions (Clear, Cloudy, Sun, Wind, etc.). Includes sub-tables for Air Temperature (Min, Mean, Max) and Sunshine (Total, %).

大正五年五月
SUMMARY FOR

Table with columns: 地名 (Locality), 各風向觀測回数 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回数 (Resultant Freq. %). Rows include locations like 恒春, 鹿兒島, 高知, 東京, 長野.

氣象一覽表
MAY, 1916.

Table with columns: 地名 (Locality), 各風向觀測回数 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回数 (Resultant Freq. %). Rows include locations like 前橋, 東京, 大連, 奉天, 長春, 天津, 芝罘, 杭州, 南京, 漢口, 沙市.

每 時 觀 測

HOURLY OBSERVATIONS.

臺北 TAIHOKU. MAY, 1916. 大正五年五月

Table of Air Pressure (氣壓) in mm for 31 days. Includes columns for day (日) and 24 hourly measurements, plus a mean (平均) column. Values range from approximately 60.0 to 64.0 mm.

Table of Air Temperature (氣溫) in degrees Celsius for 31 days. Includes columns for day (日) and 24 hourly measurements, plus a mean (平均) column. Values range from approximately 18.0 to 24.0 degrees Celsius.

重力ノ更正 Reduction to standard gravity - 1.26
海面へ更正 Reduction to mean sea level + 0.81

臺北 TAIHOKU.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (1-31) showing wind direction and velocity data for Taipei.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (1-31) showing cloud amount data for Taipei.

臺北 TAIHOKU.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 24 columns (15-24) and 14 rows (1-31) showing wind velocity data for Taipei.

及雲形 FORMS OF CLOUD.

Table with 13 columns (13-24) and 14 rows (1-31) showing cloud form data for Taipei.

氣溫ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 14 rows (1-31) showing extreme air temperature data for Taipei.

臺北

TAIHOKU.

MAY, 1916.

大正五年五月

Table with 25 columns (Day 1-25) and 1 column (Total). Header: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes precipitation amounts for each day and a total of 111.3 mm.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average). Header: 濕度 (百分率) RELATIVE HUMIDITY. (%). Data shows relative humidity percentages for each day, with an average of 79.6%.

那霸

NAHA.

MAY, 1916.

大正五年五月

Table with 25 columns (Day 1-25) and 1 column (Average). Header: 氣壓 (耗) AIR PRESSURE. (700 mm +). Data includes air pressure readings for each day and an average of 1013.5 mm.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average). Header: 氣溫 (攝氏) AIR TEMPERATURE. (°C). Data shows air temperature in degrees Celsius for each day, with an average of 24.5°C.

重力ノ更正 Reduction to standard gravity - 1.20
海面へ更正 Reduction to mean sea level + 0.92

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31). Columns contain wind direction and velocity data. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-12) and 31 rows (Day 1-31). Columns contain cloud amount data. Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31). Columns contain wind velocity data. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 24 columns (13-24) and 31 rows (Day 1-31). Columns contain cloud form data. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31). Contains daily temperature extremes.

那霸

NAHA.

MAY, 1916.

大正五年五月

日 Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	總計 Total	
降水量 (耗) AMOUNT OF PRECIPITATION. (mm)																										
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.6
3	0.3	0.3	0.0	0.0	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.0	0.5	0.0	0.0	1.2	
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4
7	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
合計 Sum	0.3	0.8	1.5	2.0	24.9	2.8	7.8	48.4	41.5	38.1	30.2	0.2	0.8	0.1	0.1	0.8	1.6	0.2	9.1	0.2	0.1	0.0	0.0	0.0	0.0	206.1

湿度 (百分率)

RELATIVE HUMIDITY. (%)

日 Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均 Mean
1	97	97	98	97	97	98	96	88	80	74	75	69	72	72	85	90	86	86	92	91	91	92	94	94	88.0
2	95	95	92	94	94	94	91	87	85	81	77	83	84	86	94	91	88	89	95	97	97	94	94	96	90.5
3	97	97	98	97	98	94	93	95	91	88	85	80	75	72	73	72	73	75	78	80	82	85	85	86	85.4
4	86	87	88	88	87	89	87	79	73	65	66	68	63	71	71	69	73	77	78	78	78	80	77	75	75.7
5	77	78	78	81	84	84	84	78	75	73	66	64	67	68	71	70	78	80	82	82	85	85	86	85	77.5
6	87	87	87	87	90	91	90	87	78	70	70	67	65	67	64	69	73	73	82	87	90	91	91	90	80.6
7	91	93	93	93	95	95	92	84	77	75	71	71	72	72	72	86	82	78	74	75	77	77	72	70	80.7
8	71	71	72	71	74	73	72	67	63	65	59	57	57	57	58	59	61	64	69	73	78	80	82	83	68.2
9	85	87	87	87	90	92	86	73	65	63	62	62	60	60	60	60	62	69	71	73	77	81	85	83	73.1
10	85	87	88	90	92	89	87	76	65	63	64	63	55	57	59	59	60	60	70	75	80	82	82	85	74.0
11	87	88	90	91	91	92	91	78	76	71	67	65	60	59	63	71	78	82	92	94	94	94	96	99	82.0
12	97	93	89	87	86	85	87	82	78	74	70	67	68	70	72	72	80	74	77	84	78	82	83	84	80.6
13	86	80	80	82	86	87	85	75	68	58	57	55	59	56	62	60	63	65	74	83	84	83	81	84	73.0
14	82	81	81	85	88	85	89	73	70	62	62	58	56	57	60	59	61	68	74	78	82	84	84	86	73.5
15	88	91	92	92	95	94	93	77	64	60	54	52	57	60	58	59	61	68	78	88	82	84	86	89	75.9
16	94	96	95	95	97	97	96	84	70	58	59	60	55	53	51	57	60	62	74	80	84	86	89	93	76.9
17	94	95	95	97	98	98	96	87	72	67	65	63	62	63	63	61	63	66	73	83	88	89	91	93	80.1
18	94	95	96	96	94	98	94	79	73	68	66	65	61	62	60	61	68	74	81	86	86	89	91	91	79.1
19	91	93	93	94	94	96	94	87	84	80	80	72	70	70	72	75	83	85	84	89	91	93	97	95	85.9
20	93	95	98	99	99	99	100	100	100	100	100	100	100	100	100	95	98	98	99	97	100	100	99	100	98.7
21	100	100	100	99	98	99	98	97	97	98	91	97	92	91	85	86	86	89	90	96	96	96	97	98	94.8
22	98	97	98	98	98	96	95	92	87	84	83	80	81	77	78	76	73	76	84	89	90	91	93	96	87.9
23	97	96	98	98	99	99	99	97	86	73	71	71	71	72	70	71	73	77	83	89	92	93	95	94	86.0
24	98	97	96	96	98	97	95	88	80	75	73	74	74	74	79	85	88	90	93	94	96	97	96	98	89.0
25	99	99	99	99	99	99	98	91	90	85	84	83	87	87	88	85	88	91	95	98	99	100	99	100	93.4
26	100	100	99	100	100	99	98	97	89	85	83	80	79	80	77	82	82	83	91	93	97	99	99	99	90.9
27	99	99	99	99	100	100	98	97	81	83	84	81	80	79	80	78	78	83	92	91	93	95	97	99	89.9
28	100	100	100	100	100	97	91	82	80	77	76	76	73	75	76	76	79	80	93	94	96	98	98	98	88.6
29	98	99	99	99	98	99	95	86	83	75	73	70	81	76	74	82	92	90	88	94	95	96	96	98	89.0
30	99	99	99	100	100	100	99	90	88	87	88	91	94	89	87	89	87	88	89	94	94	93	90	94	92.8
31	96	97	96	99	96	94	88	87	82	81	79	79	75	74	73	80	73	80	85	88	90	90	95	97	86.4
平均 Mean	92.3	92.5	92.7	93.2	94.1	94.0	92.5	85.4	79.4	75.1	72.9	71.4	71.3	70.9	71.7	73.8	75.4	77.5	82.6	86.5	88.2	89.1	90.2	91.5	88.5

鹿兒島

KAGOSIMA.

MAY, 1916.

大正五年五月

日 Day	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	平均 Mean	
氣壓 AIR PRESSURE. (耗) (mm)																										
1	57.8	57.9	57.8	57.8	57.8	58.4	59.1	59.1	59.6	60.2	60.2	60.0														

鹿兒島 KAGOSIMA.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kagosima, May 1916. Columns include Day, 14 directions (1-14), and Mean.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kagosima, May 1916. Columns include Day, 14 directions (1-14), and Mean.

鹿兒島 KAGOSIMA.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kagosima, May 1916. Columns include 15-24 directions, Mean, and 24-hour Mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kagosima, May 1916. Columns include 13-24 directions, Mean, and 24-hour Mean.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Kagosima, May 1916. Columns include Max., Min., Range, and Day.

鹿兒島

KAGOSIMA.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes daily precipitation values and a total of 199.9 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes daily humidity percentages and an average of 78.7%.

熊本

KUMAMOTO.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Data includes daily air pressure values and an average of 1006.5 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data includes daily temperature values and an average of 18.8°C.

電力ノ更正 Reduction to standard gravity - 0.81
海面ノ更正 Reduction to mean sea level + 3.47

熊本 KUMAMOTO.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31) showing wind direction and velocity data for Kumamoto.

雲量(0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data for Kumamoto.

熊本 KUMAMOTO.

大正五年五月

MAY, 1916.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (15-28) and 31 rows (Day 1-31) showing wind velocity data for Kumamoto.

及雲形 FORMS OF CLOUD.

Table with 12 columns (13-24) and 31 rows (Day 1-31) showing cloud form data for Kumamoto.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31) showing extreme air temperature data for Kumamoto.

熊本 KUMAMOTO.

MAY, 1916.

大正五年五月

Table with 25 columns (Day 1-25) and 1 column (Total). Rows show precipitation amounts in mm for each day, with a total of 175.5 mm.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 1 column (Average). Rows show relative humidity percentages for each day, with an average of 78.2%.

長崎 NAGASAKI.

MAY, 1916.

大正五年五月

Table with 25 columns (Day 1-25) and 1 column (Average). Rows show air pressure in mm for each day, with an average of 1013.5 mm.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 1 column (Average). Rows show air temperature in degrees Celsius for each day, with an average of 18.5°C.

重力ノ更正 Reduction to standard gravity..... - 0.82 海面へ更正 Reduction to mean sea level..... + 11.75

大正五年五月

長崎 NAGASAKI.

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing wind direction and velocity data for Nagasaki in May 1916.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing cloud amount data for Nagasaki in May 1916.

大正五年五月

長崎 NAGASAKI.

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 15 columns (15°-24°) and 14 rows (Day 1-14) showing wind velocity data for Nagasaki in May 1916.

及雲形 FORMS OF CLOUD.

Table with 15 columns (15°-24°) and 14 rows (Day 1-14) showing cloud form data for Nagasaki in May 1916.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 範圍 Range, 日 Day) and 14 rows (Day 1-14) showing temperature extremes for Nagasaki in May 1916.

長崎 NAGASAKI.

MAY, 1916.

大正五年五月

Table of precipitation data for Nagasaki, May 1916. Columns include days (1-31) and total precipitation (合計). Values are in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of relative humidity data for Nagasaki, May 1916. Columns include days (1-31) and average relative humidity (平均). Values are in percent.

湿度 (百分率) RELATIVE HUMIDITY. (%)

福岡 HUKUOKA.

MAY, 1916.

大正五年五月

Table of air pressure data for Fukuoka, May 1916. Columns include days (1-31) and average air pressure (平均). Values are in mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table of air temperature data for Fukuoka, May 1916. Columns include days (1-31) and average air temperature (平均). Values are in degrees Celsius.

氣温 (攝氏) AIR TEMPERATURE. (°C)

重力ノ更正 Reduction to standard gravity - 0.76 海面へ更正 Reduction to mean sea level + 0.50

大正五年五月

福岡 HUKUOKA.

MAY, 1916.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for each day from May 1 to May 31, 1916. Columns include Day, 1st-14th hour directions, and a Mean column.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for each day from May 1 to May 31, 1916. Columns include Day, 1st-12th hour cloud amounts, and a Mean column.

福岡 HUKUOKA.

MAY, 1916.

及速度 (* / 秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for each day from May 1 to May 31, 1916. Columns include Day, 15th-24th hour velocities, and Mean columns.

及雲形 FORMS OF CLOUD.

Table of cloud forms for each day from May 1 to May 31, 1916. Columns include Day, 13th-24th hour cloud forms, and a Mean column.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for each day from May 1 to May 31, 1916. Columns include Day, Max, Min, Range, and Mean.

福岡

HUKUOKA.

大正五年五月

MAY, 1916.

Table of precipitation data for Fukuoka, May 1916. Columns: Day (1-31), 24-hour precipitation (mm), Total (mm). Total: 85.8 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Fukuoka, May 1916. Columns: Day (1-31), Hourly RH (%), Average (Mean %). Average: 79.1%.

下關

SIMONOSEKI.

大正五年五月

MAY, 1916.

Table of air pressure data for Simonoseki, May 1916. Columns: Day (1-31), Hourly Air Pressure (mm), Average (Mean mm). Average: 76.5 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Simonoseki, May 1916. Columns: Day (1-31), Hourly Air Temperature (°C), Average (Mean °C). Average: 16.5°C.

重力ノ更正 Reduction to standard gravity..... - 0.75
海面ノ更正 Reduction to mean sea level..... + 4.35

大正五年五月

下關 SIMONOSEKI.

MAY, 1916.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1°-14°) with corresponding velocity values.

雲量(0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1°-12°) with corresponding cloud type codes.

大正五年五月

下關 SIMONOSEKI.

MAY, 1916.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind directions (15°-24°) and velocity values, including a '平均' (Average) column.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13°-24°) and corresponding cloud type codes, including a '平均' (Average) column.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-31) and temperature extremes (最高 Max., 最低 Min., 較差 Range).

下關 SIMONOSEKI.

大正五年五月

MAY, 1916.

Table of precipitation data for Simonoseki, May 1916. Columns include days (1-31) and total precipitation (Total). Values range from 0.0 to 3.1 mm per day, with a total of 78.0 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Simonoseki, May 1916. Columns include days (1-31) and average humidity (平均 Mean). Values range from 76.2% to 99.9%.

廣島 HIROSIMA.

大正五年五月

MAY, 1916.

Table of air pressure data for Hiroshima, May 1916. Columns include days (1-31) and average air pressure (平均 Mean). Values range from 99.3 to 101.6 mm, with a total of 3142.2 mm.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Hiroshima, May 1916. Columns include days (1-31) and average temperature (平均 Mean). Values range from 13.2°C to 20.5°C.

重力ノ更正 Reduction to standard gravity - 0.71

海面ノ更正 Reduction to mean sea level + 0.28

廣島 HIROSIMA.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31) showing wind direction and velocity data for Hiroshima.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data for Hiroshima.

廣島 HIROSIMA.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data for Hiroshima.

及雲形 FORMS OF CLOUD.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing cloud forms data for Hiroshima.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31) showing temperature extremes.

廣島 HIROSIMA.

大正五年五月

MAY, 1916.

Table of precipitation data for Hiroshima, May 1916. Columns include days (1-31) and total precipitation (Total). Values range from 0.0 to 10.1 mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of relative humidity data for Hiroshima, May 1916. Columns include days (1-31) and average relative humidity (平均 Mean). Values range from 82.1% to 94.0%.

湿度 (百分率) RELATIVE HUMIDITY. (%)

松山 MATUYAMA.

大正五年五月

MATUYAMA.

MAY, 1916.

Table of air pressure data for Matuyama, May 1916. Columns include days (1-31) and average air pressure (平均 Mean). Values range from 97.45 to 101.85 mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table of air temperature data for Matuyama, May 1916. Columns include days (1-31) and average air temperature (平均 Mean). Values range from 13.75°C to 18.25°C.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

重力ノ更正 Reduction to standard gravity - 0.75 海面ノ更正 Reduction to mean sea level + 2.88

松山 MATUYAMA.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31) showing wind direction and velocity data for Matuyama.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data for Matuyama.

松山 MATUYAMA.

大正五年五月

MAY, 1916.

及速度 (* / 秒) VELOCITY (m/sec) OF WIND

Table with 15 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data for Matuyama.

及雲形 FORMS OF CLOUD.

Table with 12 columns (13-24) and 31 rows (Day 1-31) showing cloud forms data for Matuyama.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31) showing temperature extremes.

松山

MATUYAMA.

MAY, 1916.

大正五年五月

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量). Includes a 'Total' column on the right. Values range from 0.0 to 4.7 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Includes a 'Mean' column on the right. Values range from 81.0 to 99.0%.

多度津

TADOTU.

MAY, 1916.

大正五年五月

Table with 25 columns (Day 1-25) and 1 row for air pressure (氣壓). Includes a 'Mean' column on the right. Values range from 99.50 to 100.58 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Includes a 'Mean' column on the right. Values range from 14.9 to 20.1°C.

* 重力ノ更正 Reduction to standard gravity -0.72
* 海面ニ更正 Reduction to mean sea level +0.47

多度津 TADOTU.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with corresponding velocity values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with corresponding cloud type codes.

多度津 TADOTU.

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and average mean values, including a sub-table for air temperature extremes.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average mean values.

多度津

TADOTU.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量). Includes sub-headers 'AMOUNT OF PRECIPITATION. (mm)' and '日 Day'. Data values range from 0.0 to 4.1 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Includes sub-headers 'RELATIVE HUMIDITY. (%)' and '平均 Mean'. Data values range from 70.7 to 84.1%.

徳島

TOKUSIMA.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row for air pressure (氣壓). Includes sub-headers 'AIR PRESSURE. (mm)' and '日 Day'. Data values range from 99.9 to 101.5 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Includes sub-headers 'AIR TEMPERATURE. (°C)' and '平均 Mean'. Data values range from 14.7 to 22.2°C.

重力ノ更正 Reduction to standard gravity - 0.73
海面ノ更正 Reduction to mean sea level + 0.39

徳島

大正五年五月

TOKUSIMA.

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1°-14°) and 31 rows (Day 1-31) showing wind direction and velocity data for Tokushima.

雲量 (0-10)

AMOUNT (0-10) AND

Table with 12 columns (1°-12°) and 31 rows (Day 1-31) showing cloud amount data for Tokushima.

徳島

大正五年五月

TOKUSIMA.

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 15°-24° and Mean columns, and 31 rows (Day 1-31) showing wind velocity data for Tokushima.

及雲形 FORMS OF CLOUD.

Table with 13°-24° and Mean columns, and 31 rows (Day 1-31) showing cloud form data for Tokushima.

氣温ノ極 Extremes of Air Temp.

Table with 3 columns (最高 Max., 最低 Min., 較差 Range) and 31 rows (Day 1-31) showing extreme air temperature data for Tokushima.

德島 TOKUSIMA.

MAY, 1916.

大正五年五月

Table of precipitation data for Tokushima, May 1916. Columns: Day (1-31), 24-hour precipitation (mm), and Total (mm). Includes a 'Total' column at the end.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Tokushima, May 1916. Columns: Day (1-31), 24-hour relative humidity (%), and Mean.

神戸 KÔBE.

MAY, 1916.

大正五年五月

Table of air pressure data for Kobe, May 1916. Columns: Day (1-31), 24-hour air pressure (mm), and Mean.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Kobe, May 1916. Columns: Day (1-31), 24-hour air temperature (°C), and Mean.

重力ノ更正 Reduction to standard gravity - 0.70
海面ノ更正 Reduction to mean sea level + 5.17

神戸 KÔBE.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values.

神戸 KÔBE.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-31) and wind velocities (15-24) with numerical values.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-31) and cloud forms (13-24) with numerical values.

氣温ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day (1-31) with numerical values.

大正五年五月

神戸 KŌBE.

MAY, 1916.

Table with 25 columns (Day 1-24) and 1 row for precipitation (降水量). Includes a 'Total' column and a 'Mean' column. Values range from 0.0 to 10.1 mm.

Table with 25 columns (Day 1-24) and 1 row for relative humidity (湿度). Includes a 'Mean' column. Values range from 60.6 to 96.0%.

大正五年五月

大阪 OOSAKA.

MAY, 1916.

Table with 25 columns (Day 1-24) and 1 row for air pressure (氣壓). Includes a 'Mean' column. Values range from 99.5 to 101.5 mm.

Table with 25 columns (Day 1-24) and 1 row for air temperature (氣温). Includes a 'Mean' column. Values range from 14.2 to 22.4 degrees Celsius.

重力ノ更正 Reduction to standard gravity - 0.70
海面ノ更正 Reduction to mean sea level + 0.28

大正五年五月

大阪 OOSAKA.

MAY, 1916.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Osaka in May 1916. Columns include Day, 15°-14° directions, and Average Mean.

雲量 (0-10) AMOUNT (0-10) ANI

Table of cloud amounts for Osaka in May 1916. Columns include Day, 15°-12° cloud amounts, and Average Mean.

大正五年五月

大阪 OOSAKA.

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Osaka in May 1916. Columns include 15°-24° directions, Average Mean, and Hourly Mean.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Osaka in May 1916. Columns include 13°-24° cloud forms, Average Mean, and Hourly Mean.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Osaka in May 1916. Columns include Day, Max, Min, Range, and Average Mean.

大阪 OOSAKA.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 column (Total). Rows include precipitation amounts in mm and relative humidity in %.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows include relative humidity percentages.

京都 KYOTO.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows include air pressure in mm and air temperature in degrees Celsius.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Rows include air temperature in degrees Celsius.

力ノ更正 Reduction to standard gravity - 0.67 海面へ更正 Reduction to mean sea level + 3.81

風ノ方向 DIRECTION AND

Table with 15 columns (1-14) and 31 rows (Day 1-31) showing wind direction and velocity data for Kyoto in May 1916. Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data for Kyoto in May 1916. Includes a summary row for '平均' (Average).

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data for Kyoto in May 1916. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with 24 columns (13-24) and 31 rows (Day 1-31) showing cloud form data for Kyoto in May 1916. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows showing temperature extremes for Kyoto in May 1916. Includes a summary row for '平均' (Average).

京都 KYŌTO.

大正五年五月

MAY 1916.

Table with 25 columns (Day 1-24) and 1 row for precipitation (降水量). Includes a 'Total' column and a 'Mean' column. Values range from 0.0 to 6.3 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-24) and 1 row for relative humidity. Includes a 'Mean' column. Values range from 85.5 to 95.0%.

名古屋 NAGOYA.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-24) and 1 row for air pressure (氣壓). Includes a 'Mean' column. Values range from 99.8 to 101.5 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-24) and 1 row for air temperature. Includes a 'Mean' column. Values range from 13.0 to 20.3 °C.

重力ノ更正 Reduction to standard gravity -0.66
海面ノ更正 Reduction to mean sea level +1.36

名古屋 NAGOYA

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns for wind directions (1°-14°) and 14 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns for cloud amounts (1°-12°) and 31 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

名古屋 NAGOYA

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns for wind velocities (15°-24°) and 14 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 12 columns for cloud forms (13°-24°) and 31 rows for days (1-31). Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns: 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day). Rows correspond to days 1-31.

名古屋

NAGOYA.

MAY, 1916.

大正五年五月

Table of precipitation data for Nagoya, May 1916. Columns: Day (1-31), Precipitation (mm), Total (148.7).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Nagoya, May 1916. Columns: Day (1-31), Humidity (%), Average (74.9).

平均 Mean

東京

TOKYO.

MAY, 1916.

大正五年五月

Table of air pressure data for Tokyo, May 1916. Columns: Day (1-31), Air Pressure (mm), Average (760.5).

氣壓 (耗) AIR PRESSURE. (mm) (760 mm +)

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Tokyo, May 1916. Columns: Day (1-31), Temperature (°C), Average (16.8).

重力ノ更正 Reduction to standard gravity - 0.63 海面ニ更正 Reduction to mean sea level + 1.90

東京 TÔKYÔ.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values.

東京 TÔKYÔ.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and average values, including a sub-table for temperature extremes.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average values.

大正五年五月

東京 TOKYO.

MAY 1916.

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes title '降水量 (mm)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 15.7.

Table with 25 columns (Day 1-25) and 1 row for relative humidity data. Includes title '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 80.6 to 99.6.

大正五年五月

銚子 TYOSI.

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes title '氣壓 (mm)' and 'AIR PRESSURE. (mm)'. Data values range from 99.2 to 104.8.

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes title '氣温 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 13.9 to 24.2.

重力ノ更正 Reduction to standard gravity.....- 0.63
海面ノ更正 Reduction to mean sea level+ 1.74

銚子 TYÖSI.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31). Columns represent wind direction and velocity. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31). Columns represent cloud amount. Includes a '平均' (Average) row at the bottom.

銚子 TYÖSI.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31). Columns represent wind velocity. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 24 columns (13-24) and 31 rows (Day 1-31). Columns represent cloud forms. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31). Shows temperature extremes.

銚子 TYOSI

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量). Includes sub-header 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 14.1.

Table with 25 columns (Day 1-25) and 1 row for relative humidity (湿度). Includes sub-header 'RELATIVE HUMIDITY. (%)'. Data values range from 80 to 100.

水戸 MITO

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row for air pressure (氣壓). Includes sub-header 'AIR PRESSURE. (mm)'. Data values range from 99.5 to 106.7.

Table with 25 columns (Day 1-25) and 1 row for air temperature (氣温). Includes sub-header 'AIR TEMPERATURE. (°C)'. Data values range from 12.9 to 20.5.

重力ノ更正 Reduction to standard gravity - 0.50
海面ノ更正 Reduction to mean sea level + 2.80

水戸 MITO.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values.

水戸 MITO.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with columns for wind velocity (15-24) and average mean (平均) with numerical values.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average mean (平均) with numerical values.

氣温ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day (1-31) with numerical values.

水戸 MITO.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing precipitation amounts in mm. Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing relative humidity percentages. Includes a 'Average' column on the right.

前橋 MAEBASI.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing air pressure in mm at 700 mm altitude. Includes a 'Average' column on the right.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25) showing air temperature in degrees Celsius. Includes a 'Average' column on the right.

重力ノ更正 Reduction to standard gravity - 0.59
海面ノ更正 Reduction to mean sea level +10.02

前橋 MAEBASI.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 15 columns (Day 1-15) and 14 rows (1-31). Columns represent wind direction and velocity for each day. Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-12) and 14 rows (1-31). Columns represent cloud amount for each day. Includes a summary row for '平均' (Average).

前橋 MAEBASI.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY OF WIND

Table with 15 columns (Day 15-31) and 14 rows (1-31). Columns represent wind velocity for each day. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD

Table with 12 columns (Day 13-24) and 14 rows (1-31). Columns represent cloud forms for each day. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 31 rows (1-31). Shows daily temperature extremes.

大正五年五月

前橋 MAEBASI.

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 column (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes daily precipitation values and a total of 82.6 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes daily humidity percentages and an average mean of 73.4%.

大正五年五月

筑波山 TUKUBASAN.

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣壓 (耗) AIR PRESSURE. (mm) (600 mm +). Data includes daily air pressure values and an average mean of 85.56 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data includes daily temperature values and an average mean of 13.8°C.

電力ノ更正 Reduction to standard gravity - 0.56 海面ノ更正 Reduction to mean sea level +74.68

筑波山 TUKUBASAN.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31) showing wind direction and velocity data for TUKUBASAN.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data for TUKUBASAN.

筑波山 TUKUBASAN.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data for TUKUBASAN.

及雲形 FORMS OF CLOUD.

Table with 12 columns (13-24) and 31 rows (Day 1-31) showing cloud form data for TUKUBASAN.

氣温ノ極 Extremes of Air Temp.

Table with 5 columns (最高 Max., 最低 Min., 较差 Range, 平均 Mean, 日 Day) and 31 rows (Day 1-31) showing temperature extremes for TUKUBASAN.

筑波山

TUKUBASAN.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 column (Total). Title: 降水量 (mm) AMOUNT OF PRECIPITATION. (mm). Data includes daily precipitation values and a total of 122.8 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data shows relative humidity percentages for each day, with an average mean of 81.6%.

新潟

NIIGATA.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣壓 (mm) AIR PRESSURE. (mm). Data includes daily air pressure readings at 700 mm, with an average mean of 1016.5 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 column (Average Mean). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Data shows daily air temperature in Celsius, with an average mean of 14.5°C.

電力ノ更正 Reduction to standard gravity - 0.48
海面へ更正 Reduction to mean sea level..... + 2.29

大正五年五月

新潟 NIIGATA.

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31) showing wind direction data for Niigata in May 1916. Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data for Niigata in May 1916. Includes a summary row for '平均' (Average).

大正五年五月

新潟 NIIGATA.

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data for Niigata in May 1916. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with 24 columns (13-24) and 31 rows (Day 1-31) showing cloud form data for Niigata in May 1916. Includes a summary row for '平均' (Average).

Table with 4 columns (最高 Max., 最低 Min., 差差 Range, 日 Day) and 31 rows showing temperature extremes for Niigata in May 1916. Includes a summary row for '平均' (Average).

新潟 NIIGATA.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量) in mm. Includes a 'Total' (合計) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Includes a 'Mean' (平均) row at the bottom.

函館 HAKODATE.

大正五年五月

MAY, 1916.

Table with 25 columns (Day 1-25) and 1 row for air pressure (氣壓) in mm. Includes a 'Mean' (平均) row at the bottom.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Includes a 'Mean' (平均) row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.22
海面ニ更正 Reduction to mean sea level + 0.34

函館

HAKODATE.

MAY, 1916.

大正五年五月

風ノ方向
DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10)
AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a summary row for '平均' (Average) at the bottom.

函館

HAKODATE.

MAY, 1916.

大正五年五月

及速度 (米/秒)
VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-31) and wind velocities (15-24). Includes a summary row for '平均' (Average) at the bottom.

及雲形
FORMS OF CLOUD.

Table with columns for Day (1-31) and cloud forms (13-24). Includes a summary row for '平均' (Average) at the bottom.

氣温ノ極
Extremes of Air
Temp.

Table with columns for Day (1-31) and temperature extremes (Max, Min, Range). Includes a summary row for '平均' (Average) at the bottom.

函館 HAKODATE.

大正五年五月

MAY, 1916.

Table of precipitation data for Hakodate, May 1916. Columns: Day, 1-24, Total. Rows: 1-31. Values in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of relative humidity data for Hakodate, May 1916. Columns: Day, 1-24, Average. Rows: 1-31. Values in %.

湿度 (百分率) RELATIVE HUMIDITY. (%)

札幌 SAPPORO.

大正五年五月

MAY, 1916.

Table of air pressure data for Sapporo, May 1916. Columns: Day, 1-24, Average. Rows: 1-31. Values in mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table of air temperature data for Sapporo, May 1916. Columns: Day, 1-24, Average. Rows: 1-31. Values in °C.

氣温 (攝氏) AIR TEMPERATURE. (°C)

重カノ更正 Reduction to standard gravity - 0.14 海面へ更正 Reduction to mean sea level + 1.56

札幌 SAPPORO.

大正五年五月

MAY, 1916.

風ノ方向 DIRECTION AND

Table with 15 columns (Day 1-15) and 14 rows (1-14) showing wind direction and velocity data for Sapporo in May 1916.

雲量 (0-10) AMOUNT (0-10) AND

Table with 15 columns (Day 1-15) and 14 rows (1-14) showing cloud amount and form data for Sapporo in May 1916.

札幌 SAPPORO.

大正五年五月

MAY, 1916.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 15 columns (Day 15-29) and 14 rows (15-29) showing wind velocity data for Sapporo in May 1916.

及雲形 FORMS OF CLOUD.

Table with 15 columns (Day 15-29) and 14 rows (15-29) showing cloud form data for Sapporo in May 1916.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 31 rows showing daily temperature extremes for Sapporo in May 1916.

札幌 SAPPORO.

大正五年五月

MAY, 1916.

Table of precipitation data for Sapporo, May 1916. Columns include days (1-31) and total precipitation (合計). Rows show daily precipitation in mm and a monthly total of 76.8 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Sapporo, May 1916. Columns include days (1-31) and average (平均). Rows show daily relative humidity percentages and a monthly average of 74.8%.

根室 NEMURO.

大正五年五月

MAY, 1916.

Table of air pressure and temperature data for Nemuro, May 1916. Columns include days (1-31) and average (平均). Rows show daily air pressure (mm) and air temperature (°C), with monthly averages of 57.80 mm and 9.25°C.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Nemuro, May 1916. Columns include days (1-31) and average (平均). Rows show daily air temperature in °C and a monthly average of 9.25°C.

重力ノ更正 Reduction to standard gravity - 0.12
海面ノ更正 Reduction to mean sea level + 2.49

大正五年五月

根室

NEMURO.

MAY, 1916.

日 Day	1 ^h	2 ^h	3 ^h	4 ^h	5 ^h	6 ^h	7 ^h	8 ^h	9 ^h	10 ^h	11 ^h	12 ^h	13 ^h	14 ^h	15 ^h	16 ^h	17 ^h	18 ^h	19 ^h	20 ^h	21 ^h	22 ^h	23 ^h	24 ^h	總計 Total		
降水量 (耗) AMOUNT OF PRECIPITATION. (mm)																											
1	0.4	0.5	0.1	0.1	0.0	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.1	0.2	0.4	0.2	0.1	0.1	-	-	2.2	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	0.3	0.1	0.1	0.1	0.1	0.1	0.0	-	-	-	-	-	0.1	0.1	0.1	0.5	0.6	0.7	0.3	0.4	0.4	0.3	0.2	0.1	-	3.8	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.5	0.5	
8	1.5	3.5	3.4	0.8	2.2	1.7	0.8	1.0	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.0	
9	-	-	-	-	-	-	-	-	-	-	0.0	0.0	-	0.0	0.0	-	-	-	-	-	0.0	0.0	0.0	0.0	-	0.0	
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	-	-	-	0.0	0.0	0.0	0.2	0.3	0.0	0.5	0.3	0.2	0.0	-	-	-	-	-	-	-	-	-	-	-	-	2.0	
13	-	0.0	-	-	-	-	-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.3	0.7	0.7	0.5	0.7	1.1	0.6	0.3	0.2	5.2	
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	-	-	-	-	0.0	
17	-	-	-	-	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	0.1	0.2	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.5	
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	-	-	-	-	-	-	0.0	0.7	0.0	-	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	-	-	-	-	-	1.0	
24	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
25	-	-	-	-	-	-	-	0.0	0.1	0.4	7.2	0.4	1.1	3.4	8.6	5.6	0.3	0.6	0.1	-	-	-	-	-	-	27.8	
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
28	-	-	-	-	-	-	-	0.0	0.1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.0	-	-	-	0.1	
30	0.1	0.2	0.1	0.0	-	-	-	-	-	-	-	-	-	-	-	0.1	0.5	0.6	0.2	-	0.0	4.7	6.3	3.2	0.4	16.4	
31	0.2	2.4	0.2	0.1	0.4	3.5	0.1	0.2	1.8	0.1	5.7	-	-	0.0	0.0	-	-	-	-	-	-	-	0.0	0.0	14.7		
合計 Sum	2.6	6.9	4.0	1.1	2.8	5.3	1.2	2.2	2.0	1.0	13.7	0.6	1.2	3.5	8.9	6.9	2.2	2.3	1.2	1.8	0.5	7.3	3.8	1.2	-	90.2	

六回観測

FOUR-HOURLY OBSERVATIONS.

日 Day	1 ^h	2 ^h	3 ^h	4 ^h	5 ^h	6 ^h	7 ^h	8 ^h	9 ^h	10 ^h	11 ^h	12 ^h	13 ^h	14 ^h	15 ^h	16 ^h	17 ^h	18 ^h	19 ^h	20 ^h	21 ^h	22 ^h	23 ^h	24 ^h	平均 Mean	
湿度 (百分率) RELATIVE HUMIDITY. (%)																										
1	98	96	93	93	91	93	89	89	88	84	82	88	78	75	72	79	84	87	94	96	98	100	96	100	100	89.3
2	100	100	96	100	100	100	100	98	93	94	94	96	86	86	80	80	82	94	96	96	100	100	100	100	100	94.6
3	96	96	96	96	92	92	86	84	81	82	86	89	92	92	98	100	100	100	100	100	100	100	100	100	100	94.1
4	100	100	100	100	100	100	93	89	85	85	82	79	76	78	82	85	92	96	98	98	96	100	100	100	100	91.9
5	100	100	100	100	100	100	100	89	82	94	94	90	91	77	78	83	91	96	100	100	100	100	100	100	100	94.4
6	100	100	98	98	100	100	95	87	62	56	45	48	60	38	37	44	52	61	61	61	53	76	78	87	70.8	
7	96	85	88	100	100	100	97	98	94	86	87	91	91	94	94	93	93	97	98	95	98	98	97	100	100	94.6
8	100	100	100	100	100	100	100	100	100	94	80	84	85	87	89	66	78	75	83	83	85	85	88	86	88	88.7
9	89	93	87	89	80	76	71	66	62	56	52	52	58	60	68	71	71	69	71	77	66	70	70	70	70	70.2
10	82	85	82	89	66	81	73	68	75	71	64	72	67	71	75	75	75	82	86	89	91	93	93	91	79.8	
11	93	84	82	82	80	81	70	85	75	70	73	75	73	74	74	73	69	69	79	79	82	87	86	87	78.4	
12	80	82	81	84	76	94	96	96	93	92	89	89	89	89	85	85	82	78	85	80	81	84	74	82	85.3	
13	88	81	82	82	85	85	81	80	71	70	72	73	66	74	71	73	84	90	89	92	90	89	89	89	80.8	
14	67	90	92	96	96	93	83	82	81	79	82	89	82	86	94	96	96	100	98	98	100	100	100	100	100	91.7
15	100	100	100	100	96	100	98	97	93	83	80	71	70	75	77	78	98	96	100	98	98	100	100	100	100	92.0
16	100	100	100	96	93	89	83	82	73	75	77	73	70	76	79	75	73	82	82	81	81	86	85	84	83.2	
17	84	83	77	81	73	86	69	82	80	79	76	66	65	65	66	66	72	82	77	84	84	88	86	84	77.3	
18	84	90	92	94	94	84	75	70	66	67	61	65	64	67	67	71	67	75	87	93	96	96	96	96	79.9	
19	94	94	96	98	98	95	84	74	75	75	78	76	81	81	86	81	87	87	95	100	100	100	100	100	89.0	
20	100	100	100	100	100	100	100	100	100	100	100	98	88	85	85	87	90	97	100	100	100	100	100	100	100	97.1
21	100	100	100	100	100	100	100	85	77	73	71	61	68	69	47	50	58	61	77	84	88	87	91	91	83.8	
22	91	96	96	96	100	90	79	82	76	76	73	73	75	72	76	75	81	87	87	93	91	89	93	96	85.1	
23	96	96	93	93	91	90	90	95	93	91	95	92	93	98	98	98	100	98	98	100	100	100	100	100	95.8	
24	100	100	100	100	100	100	100	100	100	98	85	82	92	88	85	89	85	86	89	90	89	92	92	92	92	92.3
25	93	93	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	98.7
26	87	82	79	79	78	74	69	69	70	61	62	55	57	51	53	47	61	61	63	61	52	52	51	56	63.3	
27	53	62	72	79	76	75	76	78	79	72	74	70	62	63	65	71	73	78	81	86	93	95	96	92	75.9	
28	93	93	87	89	96	95	93	87	87	87	84	85	87	85	87	89	95	96	98	100	100	100	96	96	91.9	
29	98	100	100	100	100	100	94	56	89	95	95	98	97	93	98	97	98	100	100	100	100	100	100	100	97.8	
30	100	100	100	100	100	100	100	100	100	100	100	98	95	97	97	100	100	100	100	100	100	100	100	100	100	99.5
31	100	100	100	100	100	100	100	100	100	100	100	99	97	97	100	97	97	100</								

恒春 KOSYUN.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and Mean values.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Form of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and Mean values.

重力ノ更正 Reduction to standard gravity - 1.4
海面ノ更正 Reduction to mean sea level + 2.0

臺東 TAITŌ.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for temperature and humidity.

電力ノ更正 Reduction to standard gravity ... 1.4
海面ノ更正 Reduction to mean sea level ... + 0.9

臺南 TAINAN.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for temperature and humidity.

電力ノ更正 Reduction to standard gravity ... 1.4
海面ノ更正 Reduction to mean sea level ... + 1.2

澎湖島 HOKOTŌ.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level..... + 0.9

臺中 TAIYŪ.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level..... + 6.8

基隆 KIRUN.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

電力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 0.3

石垣島 ISIGAKIZIMA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

電力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 0.6

名瀬 NAZE.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity - 1.1
海面ノ更正 Reduction to mean sea level + 0.4

宮崎 MIYAZAKI.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity - 0.9
海面ノ更正 Reduction to mean sea level + 0.7

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level..... + 1.1

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level..... + 1.2

嚴原 ITUHARA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.8

大分 OOTA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 0.5

大正五年五月

吳 KURE.

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

電力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.7

大正五年五月

四阪島 SAKAZIMA.

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

電力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 10.0

新居濱 NIIHAMA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.5

東平 TONARU.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 67.0

岡山 OKAYAMA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面へ更正 Reduction to mean sea level..... + 0.5

味野 ADINO.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面へ更正 Reduction to mean sea level..... + 0.4

和歌山 WAKAYAMA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.3

高知 KŌTI.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 3.7

潮岬 SIOMISAKI.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

重力ノ更正 Reduction to standard gravity - 0.8 海面ノ更正 Reduction to mean sea level + 6.6

津 TU.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

重力ノ更正 Reduction to standard gravity - 0.7 海面ノ更正 Reduction to mean sea level + 0.4

濱松 HAMAMATU.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 2.5

沼津 NUMADU.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.7

横須賀 YOKOSUKA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 3.9

横浜 YOKOHAMA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.4

八丈島 HATIDYŌZIMA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 7.2

父島 TITIZIMA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity - 1.2
海面ノ更正 Reduction to mean sea level + 6.4

小名濱 ONAHAMA

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 0.4

金山 KANAYAMA

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 2.2

石巻

大正五年五月

ISINOWAKI.

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.1

宮古

大正五年五月

MIYAKO.

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 2.8

大正五年五月

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Average. Includes daily data from 1 to 31 and a monthly average row.

電力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 5.8

大正五年五月

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Average. Includes daily data from 1 to 31 and a monthly average row.

電力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 7.9

岐阜

GIHU.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduciton to mean sea level..... + 1.5

高山

TAKAYAMA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

傾斜ノ上ニアル数字ニハ+60mm. 重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduciton to mean sea level..... + 48.7

飯田

IIDA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level +45.1

甲府

KÔFU.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level +23.5

松本

MATUMOTO.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

横線ノ上ニアル数字ニハ +600mm. 重力ノ更正 Reduction to standard gravity - 0.6

長野

NAGANO.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature and humidity.

横線ノ上ニアル数字ニハ +600mm. 重力ノ更正 Reduction to standard gravity - 0.6

熊谷 KUMAGAYA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 2.9

宇都宮 UTUNOMIYA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a summary row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a summary row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 11.1

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for 24-hour and monthly averages.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for 24-hour and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 58.5

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for 24-hour and monthly averages.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for 24-hour and monthly averages.

重力ノ更正 Reduction to standard gravity 0.5
海面ノ更正 Reduction to mean sea level + 5.5

山形 YAMAGATA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 13.9

水澤 MIDUSAWA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 5.7

濱田 HAMADA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.8

境 SAKAI.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.3

宮津 MIYADU.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for wind direction and precipitation amount.

Table with columns for Day, Air Temperature (C), Humidity (%), and Amount of Cloud (0-10) and Form. Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity... 0.6
海面ノ更正 Reduction to mean sea level... + 0.3

舞鶴 MAIDURU.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for wind direction and precipitation amount.

Table with columns for Day, Air Temperature (C), Humidity (%), and Amount of Cloud (0-10) and Form. Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity... 0.6
海面ノ更正 Reduction to mean sea level... + 2.8

敦賀

TURUGA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from Day 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.8

福井

HUKUI.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from Day 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 1.0

金澤 KANAZAWA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for wind direction and precipitation amount.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for temperature, humidity, and cloud forms.

重力ノ更正 Reduction to standard gravity ... 0.6
海面ノ更正 Reduction to mean sea level ... + 2.6

伏木 HUSIKI.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for wind direction and precipitation amount.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for temperature, humidity, and cloud forms.

重力ノ更正 Reduction to standard gravity ... 0.6
海面ノ更正 Reduction to mean sea level ... + 1.2

大正五年五月

相川 AIKAWA.

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.1

大正五年五月

加茂 KAMO.

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 1.1

秋田 AKITA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly average row.

電力ノ更正 Reduction to standard gravity..... - 0.4
海面ノ更正 Reduction to mean sea level..... + 0.5

青森 AOMORI.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly average row.

電力ノ更正 Reduction to standard gravity..... - 0.3
海面ノ更正 Reduction to mean sea level..... + 0.4

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 1.5

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 10.4

帶廣 OBIHIRO.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row for the month.

電力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 3.7

釧路 KUSIRO.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row for the month.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row for the month.

電力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 3.2

網走

ABASIRI.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level..... + 3.6

紗那

SYANA.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.0
海面ノ更正 Reduction to mean sea level..... + 3.7

大泊 OOTOMARI.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes a summary row at the bottom.

電力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 3.5

眞岡 MAOKA.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes a summary row at the bottom.

電力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 2.7

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean values.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean values.

重力ノ更正 Reduction to standard gravity + 0.2
海面ノ更正 Reduction to mean sea level + 0.6

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean values.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22, and Mean values.

重力ノ更正 Reduction to standard gravity + 0.3
海面ノ更正 Reduction to mean sea level + 0.3

釜山 HUSAN.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.3

大邱 TAIKU.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 4.7

木浦 MOPPO.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity ... 海面ノ更正 Reduction to mean sea level ...

仁川 ZINSEN.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity ... 海面ノ更正 Reduction to mean sea level ...

京城 KEIZYŌ.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 2.9

平壤 HEIZYŌ.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 4.3

江陵 KORYŌ.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 1.0

元山 GENSAN.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

電力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 3.3

城津 ZYOSIN.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4

雄基 YUKI.

MAY, 1916.

大正五年五月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.2
海面ノ更正 Reduction to mean sea level + 6.0

中江鎮 TYUKŌTIN.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for 2, 6, 10, 14, 18, 22 hours and a Mean column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for 2, 6, 10, 14, 18, 22 hours and a Mean column.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 27.8

龍巖浦 RYŪGANPO.

大正五年五月

MAY, 1916

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for 2, 6, 10, 14, 18, 22 hours and a Mean column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for 2, 6, 10, 14, 18, 22 hours and a Mean column.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.6

大連 DAIREN.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity..... - 0.4
海面ノ更正 Reduction to mean sea level..... + 1.2

旅順 RYOZYUN.

大正五年五月

MAY, 1916.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from Day 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data from Day 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity..... - 0.4
海面ノ更正 Reduction to mean sea level..... + 7.1