Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



ESTABLISHED RN&CO3 ESCRIPTIVE U Hor the Vegetable Garden, Hor the Hlower Garde For the Isaver, , white For the Farm, For the of GEST COLLECTION IN 15 JOHN STREET, NEWYORK

SCALE OF EXPRESS CHARGES ON PACKAGES OF SEEDS, &c., FROM NEW YORK

For the guidance and convenience of our Customers, we have prepared the following Table of Rates as charged by the Express Companies from New York to most of the Express Stations in the various States and Territories. These rates are only approximative. It is impossible to give them exact, as different rates are charged to different parts of the same State. We will undertake however, to deliver them to any of the Express Stations at these figures.

Baimoy	50 50 73	150 250 300	335 375 425 475 525
Wisconsin	25 30 30 55 55 60		
West Virginia	25 30 30 50 50 50	55 75 65 75 90 100 100 125	90 110 150 100 130 160 110 150 175 125 160 200 135 175 225
Virginia	35 35 35 50	50 50 10 10 10 10 10 10 10 10 10 10 10 10 10	9011 00018 10118 3517
Vermont	25 25 35 35 40	650 650 650 650 650 650 650 650 650 650	80 90 110 150 90 100 130 150 100 110 150 175 115 125 166 206 125 135 175 225
Texas	50 50 60 475 75 4		5 80 5 100 5 115 5 125
	35 30 45 55 60 7	— — ex ex ex	375 375 425 475 525
Tennessee			50 160 150 50 175 160 50 200 175 60 225 200 70 250 225
S. Carolina	5 50 50 70 70	30 75 30 90 35 100 40 125 45 140	160 175 200 225 250
Phode Island	25 25 30 25 33 25 45 25 50 25	55 30 60 30 65 35 75 40 90 45	3 20 20 20 20 20 20 20 20 20 20 20 20 20
Pennsylvania			5 110 1125 1140 1150
подоло	100 165 220 265	350 460 610 800 950	1125 100 1925 115 1500 125 1675 140 1850 150
oidO	83 83 40 70 70	55 50 50 50 50 50 50 50 50 50 50 50 50 5	90 1125 100 50 160 150 100 1325 115 50 175 150 110 1500 125 50 300 175 125 1675 140 60 225 200 135 1850 150 70 250 225
N. Carolina	3 6 20	85 95 100 125 150	150 160 175 175 200 225
New York	9 9 9 7 7 9 7 1 1 1 1 1 1 1 1 1 1 1 1 1	40 45 50 1 50 1 65 1	75 150 90 1125 100 50 160 150 525 80 160 100 1325 115 50 175 160 375 90 175 110 1500 125 50 200 175 425 95 200 125 1675 140 60 225 200 475 105 225 135 1850 150 70 250 225 525
New Jersey	55 55 55 55 50 56 56 56	30 30 30 40 40 40 40	50 50 01
N. Hampshire	25 30 35 45 50	55 65 73 90	00 15 23 50 50 50
Nevada	75 145 195 230	300 380 495 640 750	885 100 1050 115 1180 125 1315 140 1450 150
	20 20 70 30		175 200 885 1 200 250 1050 1 225 275 1180 1 250 300 1315 1 275 325 1450 1
Nebraska	25 30 30 50 60 60 70 70		5 200 0 250 5 275 0 300 5 325
inossiM	50 3 50 4 9 70 77		0 175 2 200 2 225 2 250 2 250
iqqiasiasiM	1	95 100 100 120 120 150 150 175 175 200	250 275 325 350 375
Minnesota	30 30 70 70 80	65 95 70 100 80 120 1 100 150 1 110 175	200 225 250 250 275 300
Michigan	25 30 45 55 60	65 70 80 100 110	135 145 165 165 185 200
Massachusetts	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	5 35 50 50 50 50 50 50 50 50 50 50 50 50 50	80 80
Maryland	25 25 30 25 35 25 40 30 50 35	50 35 55 45 60 50 70 50 80 55	90 60 100 65 110 75 125 80 135 90
Maine	50 20 20 20 20 20 20 20 20 20 20 20 20 20		
Louisiana	35 35 55 50 50 50 50 50 50 50 50 50 50 50 50		110 275 130 325 150 350 160 400 175 425
Кептиску	70 60 6 60 60 60 60 60 60 60 60 60 60 60		200 110 275 250 130 325 275 150 350 300 160 400 325 175 425
Kansas			200 1 275 1 275 1 5 300 1 0 325 1
Iowa	25 30 30 00 00 00 00 00 00 00 00 00 00 00	55 75 65 90 75 100 90 125 00 140	110 160 130 175 150 200 160 225 175 250
gagibal	35 30 35 35 35 35 35		110 130 150 160 175
sionillI	25 30 30 45 55 60	75 75 85 100 125	150 160 175 200 225
. sigros9	50 00 02 02 02 02 02 02 02 02 02 02 02 02	35 100 95 40 125 115 45 160 125 45 200 175 50 225 175	200 250 275 300 325
Florida	50 50 57 47 50 50 51 51 51 51 51 51 51 51 51 51 51 51 51	35 100 40 125 45 160 45 200 50 225	275 325 350 400 425
Delaware	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		3 2 6 5 5
Dakota	7 6 50	30 100 30 150 35 200 40 250 45 300	325 375 425 475 525
Connecticut	25 0 25 0 25 0 25 0 25 0 25	0 30 0 30 0 30 0 35 0 35 0 35 0 35 0 35	5 50
Colorado	5 75	30 20 21 20 2	2 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
California	50 60 60 75	112 177 26(34(425	51(55) 55) 568(68(76) 85(
Arkansas	50 50 60 75	95 100 125 100 30 100 115 120 175 150 30 150 125 150 260 200 35 200 175 175 340 250 40 250 175 200 425 300 45 300	200 250 510 325 50 325 250 275 595 375 50 375 275 325 680 425 50 425 800 350 765 475 60 475 325 375 850 525 70 525
Alabama	50 50 60 75	95 115 125 175 175	200 250 275 275 800 325
	lb.	3 3 3 3 3	88448
	Egs. of 11b. or less. Over 11b. to 21b. '' '' 2 '' 3 '' '' '' 4 '' 5 '' '' '' 4 '' 5 ''	20000	
Quantily.			
nan	111204	8 5 5 4 5	50 50 50 50 50 50 50 50 50 50 50 50 50 5
0	g. g.	2 2 2 2 2	* * * * *
	50°		2 2 2 2 2

CONTENTS OF THE CATALOGUE.

PAGE.	PAGE.	PAGE.
Alfalfa (Lucerne)	Everlasting Flower Seeds 91	Palm Seeds
Anise	Explanation of Flower Seed	Parsley 29
Artichoke 9	Catalogue 64	Parsnip
Asparagus 10	Express Table of Rates 2	Pearl Millet 47
"Roots	Fenugreek	Peas
10005		
Assortments of Flower Seeds.96-97	Fir Tree Oil	" Canada Field 47
" of Vegetable Seeds. 50	Flax Seed	Pepper 31
Barley 45	Flower Seeds, General List65-87	Poppy, (Opium) 47
Basil, Sweet	" by ounce or pound 98	Potato 32
Beans, Dwarf or Snap 10-11	Flowers suitable for Bouquets 99	" Onion 28
" English Dwarf 10	" " Hanging	Pruning Shears 93
" Horse 45	Baskets 99	Pumpkin
" Pole or Running11-12	Flower Sticks 49	Radish
' Soja 46	Fruit Seeds 40	Raffea 49
Beet	Furze	Ramie Seed 47
' Mangel Wurzel and	General Information 5-6	Rare Flower Seeds
White Sugar 13	Grape Seeds	Rhubarb 34
Bird Seeds44	Grass Seeds	" Roots 34
Bone Dust 49	Hedge Seeds 40	Roquette 34
Boneset	" Shears 50	Ruta Baga 35
Books 51	Herb Seeds	Rye 45
Borage 14	Hop Seed	Saffron
Broccoli 14	Horticultural Implements 50	Sage 39
Broom Corn 46	Hyacinth Glasses	Salsify or Vegetable Oyster 35
" Seotch 46	Ice Plant	Savory
Brussels Sprouts 14	Indigo Seed	Savoy
Buckwheat	_	Scolymus
	Jute Seed	A Company of the Comp
Burnet	Kale or Borecole	
Cabbage	Kohlrabi	Scurvy Grass 47
Caper Tree Seed	Lawn Grass Seed 43	Scythe Stones 49
Cardoon	Lawn Mowers 50	Sea Kale
Carrot	" Sprinklers 50	Seeds by Mail or Express 5
Caterpillars 46	Leek 23	Seradella 47
Catnip	Lentils	Skirret 35
Cauliflower 16-17	Liquorice	Slug Shot 49
Celeriac 17	Lettuce	Snails 47
Celery17-18	Lucerne, See Alfalfa 44	Sorghum 48
Cereals	Lupins	Sorrel
Chard, Swiss 35		Spinach 36
	Madder 47	E) TO ZIZZO GAZ TO
Chervil	Marigold, Pot 39	- L
Chicory 18	Marjorum 39	Spurry
Chives	Martynia25	Squash
Clovers 44	Mats 49	Sunflower 48
Collards	Melon, Musk	Swiss Chard
Collection of Flower Seeds91-95	" Water 26	Tansy 39
Corn, for Field Culture 45	Millet 47	Tarragon Plants 44
" for Garden Culture 19	Miscellaneous Articles 49	Teasels, Fuller's
Corn, Sweet or Sugar 19	" Seeds 46	Thyme
Corn Salad or Fetticus 19	Mole Trap 97	Tomato
Cotton Seed	Mushroom Spawn 26	Tree and Shrub Seeds53-58
Cow Peas	-	Turnip
Cress or Peppergrass 20		Tobacco Seed
	Nasturtium 27	
Cuba Bast 49	Novelties in Flower Seeds 62–63	
Cucumber	" in Vegetable Seeds 7-8	Vegetable Roots and Plants 44
Dandelion	Oats 45	Vegetables used for Pickling. 40
Dhoura Seed 46	Okra 27	" Salads 40
Directions for Flower Seed	Onion	Vines and Climbers87-89
Culture59-62	" Sets, Tops, &c 28	Weeders 97
" for making Hot-bed . 4	Opium (Poppy) 47	Wheat 45
" " Lawns 43	Ornamental Gourds 90	Whale Oil Soap 49
" for Vegetable Culture 4	" Grass Seeds 92-93	Wild Rice 48
Egg Plant 21	Orach, or French Spinach 29	Whitloof
Endive. 22		Worms
Emairo 22	Osage Orange 47	1

DIRECTIONS FOR THE CULTIVATION OF VEGETABLES.

To secure a good crop of vegetables, three things at least are necessary, viz., a suitable soil, pure seed, and clean culture, to which may be added as equally necessary, an abundant supply of good barn-yard manure, supplemented, when this runs short, by artificial fertilizers. The exposure for a vegetable garden should be preferably south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being among the best. If the soil be stiff, it should be gradually mellowed by the free use of barn-yard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be underdrained, preferably by tile; but, if possible, a location should be selected that is naturally dry and free from surface water.

A dark colored soil, or one supplied with a goodly proportion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or subsofling, unless manure and money be both abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best and uniform results, the vegetable garden should have at least one foot of good rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes and a few other things may form an exception to this rule, but it is nevertheless better to keep up the rotation. Every year these beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow every thing in drills or straight lines, not even excepting Corn and Potatoes. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills and other special information are given in the body of the Catalogue. The least distance is named in special inflation are given in the body of the Catalogue. The distribution order to economize space. It might be increased in some cases with advantage. The ground should be frequently hoed to kill the weeds and keep the soil mellow; and the proper time to hoe is just when the weeds appear above ground. Briefly, the proper way to kill weeds is never to let them grow. If the weeding be done at the time suggested, it can be mostly and quickly done by the use of a sharp-toothed steel rake.

Where the material and conveniences are at hand, much time may be gained by starting certain kinds of plants in a hot-bed, or even in a cold frame, the latter being a very convenient thing, even on a small place. The hot-bed is chiefly intended for raising early Tomatoes, Egg Plants, Peppers, Cabbage, Cauhflower, Lettuce, &c.; but as all these plants can now be bought cheaply of the seedsmen at the proper time, the expense and labor of a hot-bed can in many

cases be dispensed with, especially on small places.

The above brief suggestions, and the special directions dispersed through the Catalogue, if strictly observed, will go far toward securing early and abundant crops.

To Prepare a Cold-frame.—The cold-frame is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the Winter with salt hay, of ten or twelve inches a liberal quantity of old, well-rotted manure. The manure of an old hot-bed is good for the purpose. The frame is prepared in the Fall, and young Cabbage, Cauliflower, and Lettuce plants set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some eight or ten days later. The young plants will be ready to transplant in about twenty-five or thirty days. During cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when Spring comes the plants are in a forward state for setting out for early crops. Seeds of Cabbage, Cauliflower, Lettuce, and Radish may be sown in a cold frame in the Spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

DIRECTIONS FOR MAKING A HOT-BED.

In the vicinity of New York from the first to the middle of March is quite early enough to make a hot bed, and even a little later will do well enough. The time must vary according to the latitude. Provide a quantity of fresh horse manure from the stable, and add to this, if they can be had, one-third to one-half its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed even in severe cold weather. In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain two or three days louger, or until the second fermentation commences. Make an excavation or pit two and a half feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the South or East, if possible. Hot-bed sashes are usually 6x3 feet, and one sash will generally give early plants enough for a large family. The frame for the sash should be eighteen inches high at the back, and twelve inches in front, which will give the proper slope to catch the most sunlight. Crosspieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, two to two and a half feet. Then put on the sashes, and keep the pit close until the heat rises. At first it will probably be 100° or more, which is too hot to sow the seeds in; but in two or three days it will subside to 90° or a little less, when the soil may be put on to the depth of six to eight inches. The heat may be readily ascertained by plunging a thermometer in the manure. The soil should be of well-rotted sod, (or common garden soil will do,) mixed with about a third of fine, old manure, and in this the seeds may be sown thinly in drills two or three inches apart, and afterwards (as soon as out of the seed leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snow storms keep covered with straw mats or board shutters. Tomatoes, Peppers, and Egg Plants should be sown in a separate frame from the Cabbage, Cauliflower, and Lettuce, as they require more heat than the latter. The same directions apply to hot-beds made on the surface of the ground, except that the manure should be at least a foot wider on all sides



PRICES.

The prices quoted are those ruling at this date, and do not include free transit. Please add sixteen cents per pound for prepayment of postage, if desired by mail.

(See also table of Express tariff, page 2.)

SEEDS BY WAIL OR EXPRESS.

16 CENTS PER POUND should be added for prepayment of Seeds, if wanted by mail. Charges by Express are not uniform; rates depending on distance and locality. (See table of Express tariff, page 2.) Except for small parcels, and to remote parts, the Express Companies will be found the most economical mode of conveyance. Of course we shall always adopt that mode which costs the least. Neither have we charged for a guarantee of safe arrival by Mail. It is rare, however, that Seeds fail to reach their destination in that way.

IT IS VERY IMPORTANT

That our customers send in their orders immediately on receipt of this Catalogue, instead of waiting till the time when they wish to sow the Seed; and to save time, Seeds may be ordered by the numbers in the first column, if desired.

We beg our correspondents to give us very exactly, on each of their orders, their name and address; also to indicate very precisely the means of carriage which they prefer, whether by Express, Freight, or Mail, and the Office or Railroad Station which serves their locality.

In case these directions are not followed out, or if they are not sufficient, we shall choose ourselves the most advantageous and convenient means; but entirely at the risk of the customer, avoiding ourselves all responsibility.

SHIPMENTS BY EXPRESS "C. O. D."

Unless otherwise instructed, we shall send all such goods as go per Express C. O. D. Orders from unknown customers, not desiring this mode of carriage, should be accompanied by the cash.

In February we publish a list of Gladiolus and Spring Bulbs, and in September a Catalogue of Dutch Bulbous Roots.

NOTICE.

Write orders upon a blank slave, separate from letter. Orders from new customers should accompanied by a Post-Office Money Order, if convenient, or bank-bills, if the amount enclosed not large. Address,

J. M. THORBURN & CO., 15 John Street, New York.

Whenever our customers desire it, we will select an assortment of seasonable Seals, swited to their want. All such orders will receive especial care and attention. The only information we require in the size of the garden and the sum proposed to be expended for Seals. We would advise making an early test of Seals, by sociug some of each variety in a flower pot, and keeping them warm and well catered.

We would call attention to the descriptions and directions given in the Catalogue, concerning back variety of Seeds and their culture. They are as full and explicit as the limited space of a Catalogue will admit, and worthy of constant reference and study. The directions are derived from years of experience, and aim to meet the requirements of soil, climate and culture, in and around New York. For more Northern and Southern localities, changes in the time of sowing, &c., are, of course, necessary, and will readily suggest themselves.

WARRANTIES.

Seeds of the best possible quality will fail through improper treatment. Thus, if a small seed be sown so deep that the young plant cannot reach the surface, the seeds, however good, will fail. More failures result from a want of proper knowledge of the conditions necessary to germination than from the bad quality of the seeds themselves. These conditions are: A proper temperature, sufficient moisture, and free access of air; besides these, the soil must be in a proper condition, and present no mechanical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to form a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it; and many perish from this cause alone. Seeds differ greatly as to the temperature required for germination; Beets, Cress, Peas, etc., germinate readily at a temperature of 45°; but if Melens and other seeds of that family, bush or pole Beans, and other plants of sub-tropical origin ore sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60°. For this reason many seeds fail yearly from too early sowing. The second condition, proper moisture, is likely to be violated by an excess rather than by too little moisture. The proper amount is that which a well drained soil will naturally hold. Free access of air is all important, and this is interfered with by an excess of water in the soil. In germination complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed. curbonic policies being given off, in changing the starch and other constituents of the seed Into unvision to forward the growth of the germ or embryo plant, which depends upon the content of the seed until it has formed roots below ground and leaves above, and is able to sustain itself. Besides these conditions affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continued drying wind, may check their growth, or destroy the young plants altogether; besides these, there are numerous insects, both below and above ground, that may attack the plants, some of these being so small that they often destroy a crop before they are discovered.

For the above reasons, we wish to state in this explicit form, that while we exercise the greatest care to have all Seeds pure and reliable, we sell no Seeds with warranty, express or implied, in any respect, and will not be in any way responsible for the crop. If the purchaser does not accept the Seeds on these terms, they must be returned at once.

JAMES M. THORBURN,) F. W. BRUGGERHOF. J. M. THORBURN & CO.,

15 John St., N. Y.

40

NEW AND SELECTED STRAINS IN VEGETABLES.

EANS, Low's Champion. A new Bush Bean, very productive, of fine flavor, and entirely stringless; being of vigorous growth, the pods are kept from the ground, which keeps them from being mildewed, they are large and long, and contain from five to eight beans each. Per quart\$0	75
BEANS, New Early Lima. This Lima Bean is said to be ten days earlier than the other varieties, with plump but short pods and quite prolific, making it a valuable sort in localities north of New York. Per quart	75
BEANN, "King of the Garden," i ima Bean. (Pedigree stock). Very vigorous growth, very productive and one of the largest beans and pod in cultivation. Per quart 1 (00
CABBAGE, "Chou de Burghley." Quite a distinct novelty of last year from Germany, in appearance like a pointed Wakefield, but by cutting in two parts, the interior will be found filled with miniature cauliflowers, and resembles it in flavor. Per packet	25
CORN, Sweet "Northern Pedigree." This by a careful selection for a number of years has become one of the earliest, sweetest and most productive of any we have ever had, is quite dwarf, the ears are small, but generally grow not less than two on a stalk. Per quart	40
LETTUCE, American Oak-Leaved. Is described as having leaves light green, slightly crimped or curled, set very close and forming a compact head, fine mild flavor and very tender. Per lb. \$4 00; Per oz	40
MELON. Bird's New Cantelope. The flesh is thick, light green, fine flavor, said to be a cross between Montreal and Bayview, quite early, large size and keeps well. Per oz.	40
MELON, "Golden Perfection." A new highly perfumed melon of exquisite flavor from Italy, introduced by us last season; very sugary, moderate size, slightly oblong, fine netted skin and golden yellow flesh. Per oz	40
MUSTARD, "Tuberous Rooted." With a root similar and in taste to a Turnip; quite hardy; the leaves for salad can be cut down through the season, and can be eaten with a good relish. Per oz.	25
PEAS, "Small French." The "Petit Pois" used by the French in canning; last season we imported the stock of which this is the product raised by us here. Per quart	50
PEPPER, "Procopp's New Giant." With very large, glossy scarlet fruit, very fleshy, being from seven to eight inches in length by four to five in breadth, flesh is mild and half an inch thick. Per packet.	25
POTATO, "The Thorburn." See page 32.	
RADISH, "Beckert's Chartier." This new long Radish is described by the originator, as deep crimson at the top, varying into a delicate pink to the middle, and thence down	

it shades to a pure waxy white, the quality is unsurpassed. Per lb., \$4 00; Per oz..

NEW STRAINS IN VEGETABLES .- Continued.

- SALSIFY, "Mammoth Sandwich Island." This variety originated in the Sandwich Islands, and grown here, it is of enormous size, being at least twice as large as the ordinary French sort, it is very tender and delicious, and resembles a good sized parsnip. Per lb., \$4.00; Per oz.

 SQUASH, "French Olive." The shape and color is exactly that of an Olive, attaining
- SQUASH, "French Olive." The shape and color is exactly that of an Olive, attaining a weight of from six to ten lbs., the skin is smooth and very thin, the flesh thick, firm and of a golden yellow; the quality not surpassed. Per lb., \$2.50; per oz.......
- TURNIP, "Southern Prize." Was raised from the original stock; and for the table or cattle it has no equal, flesh white, form oblong, growing two-thirds in the ground, keeps till late in Spring without becoming spongy. It is perfectly hardy. Per lb., \$1.00; per oz.
- TOMATO, "Improved Queen." The largest solid bright red Tomato, yet introduced, we confidently recommend it for the Family, Trucker or Canner. Per packet.....

15

25

25

25

- TOMATO "Livingston's Beauty." Described by the raiser as Large fruited, glossy crimson, with a tinge of purple lighter than "Acme" which it resembles, ripening about the same time; very productive. Per packet....
- TOMATO, "Bronze Foliage" Trophy. A most careful selection of Trophy with dark metallic bronze leaves, quite distinct. Per packet....



Thorburn's Fine French Lawn Grass.

A special on ture for Grass plots, Tennis Courts, &c. 25c per quart; 75c 1/2 peck: \$1.25 per peck; \$4.50 per bush.

Central Park Lawn Grass.

Per bushel, . . . \$3.50.

CEREALS.

Sarley Scotch Chevalier Si 50 So 15		*	원 Bushel. 원	Quart.
Common			\$1 50	\$0 15
Common	Barley	Scotch Chevalier	1 25	15
Common.		Common	1 50	15
Common.	Buckw	vheat. Silver Hull	1 25	15
Early White Canada (Flint). 3 50 5 15		Common		
Early White Canada (Flint). 3 50 5 15	70.22	Bushel Shelled.	₽ Ear. ₽	
R. I. Pedigree (Long White Flint)	orn.	(All Northern Paiscu softs)	\$0 05	-
White Pearl (Dent)		B I Redigree (Long White Flint)		
Pride of New England (Medium size White Flint)		White Board (Dent)		-
Long White Flint top over		Pride of New England (Medium size White Flint) 200	_	
R. I. Cap or White Fliat top over		Tana White Flint		
Blunt's Prolific, valuable sort for fodder		P. J. Can or White Flint top over		
Thoroughbred White Flint, distinct from all others, producing ears of remarkable length, cob very small, and kernels large and broad. It is of such spreading habit that not more than one kernel should be allowed to grow in a hill. Its great suckering habit, breath of blade, and smallness of stalk recommended it as a fodderplant, while for ensilage purposes it is the most valuable variety now grown. Longfellow (Yellow Flint). 2 50 5 15 Yellow Dutton (Flint). 2 00 5 15 Long Yellow (Flint). 2 00 5 15 Learly Yellow Canada (Flint). 2 00 5 15 Leaming Yellow (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Top over Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 Angel of Midnight, (very early yellow Flint) 3 00 10 20 Virginia Horse tooth for fodder. 2 20 Oats. Triumph 3 00 10 20 White Probsteier 1 00 10 Mold's Enobled Black 1 1 25 15 Ciydesdale		Plynt's Prolific valuable sort for fodder	5	15
ears of remarkable length, coo's very sinal, and to more than one kernel should be allowed to grow in a hill. Its great suckering habit, breath of blade, and smallness of stalk recommended it as a fodderplant, while for ensilage purposes it is the most valuable variety now grown. Longfellow (Yellow Flint). 2 50 5 15 Yellow Dutton (Flint). 2 50 5 15 Long Yellow (Flint). 2 00 5 15 Learly Yellow Canada (Flint). 2 00 5 15 Leaming Yellow (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Fride of the North (Dent). 2 00 5 15 Top over Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 Angel of Midnight, (very early yellow Flint) 3 00 10 20 Virginia Horse tooth for fodder. 1 25 Welcome. 1 25 15 While Probsteier 1 00 10 Mold's Enobled Black 1 25 15 Clydesdale. per bushel of 40 lbs. 2 00 20 Wheal. Martin's Amber (Winter) 1 75 Hybrid Mediterranean Winter) 1 75		White Flint distinct from all others, producing		
and broad. It is of such spreading hant that not hold be allowed to grow in a hill. Its great suckering habit, breath of blade, and smallness of stalk recommended it as a fodderplant, while for ensilage purposes it is the most valuable variety now grown. 2 00 5 15 Longfellow (Yellow Flint). 2 50 5 15 Yellow Dutton (Flint). 2 00 5 15 Long Yellow (Flint). 2 00 5 15 Early Yellow Canada (Flint). 2 00 5 15 Leaming Yellow (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Pride of the North (Dent. 2 00 5 15 Top over Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 5 20 Angel of Midnight, (very early yellow Flint) 3 00 10 20 Virginia Horse tooth for fodder. 1 25 Welcome. 1 25 15 Welcome. 1 25 15 Welcome. 1 25 15 Ciydesdale		c mamorizable length con very sinan, and kerders and		
suckering habit, breath of blade, and sminness of started ommended it as a fodderplant, while for ensilage purposes it is the most valuable variety now grown. 2 00 5 15 15 Longfellow (Yellow Flint). 2 00 5 15 15 Yellow Dutton (Flint). 2 00 5 15 15 Long Yellow (Flint). 2 00 5 15 15 Long Yellow (Flint). 2 00 5 15 15 Long Yellow (Contact of the property of the property of the property of the North (Dent). 2 00 5 15 15 Long Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 15 15 Long Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 10 20 20 10 20 20 10 20 20 20 20 20 20 20 20 20 20 20 20 20		This of such spreading habit that not more than		
ommended it as a fodderplant, while for ensingle purposes it is the most valuable variety now grown. Longfellow (Yellow Flint). 2 50 5 15 Yellow Dutton (Flint). 2 00 5 15 Long Yellow (Flint). 2 00 5 15 Long Yellow (Flint). 2 00 5 15 Early Yellow Canada (Flint). 2 00 5 15 Leaming Yellow (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Pride of the North (Dent. 2 00 5 15 Top over Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 Angel of Midnight, (very early yellow Flint). 3 00 10 20 Virginia Horse tooth for fodder. 1 25 P bushel of 32 lbs. P bushel of 32 lbs. Welcome. 1 25 15 White Probsteier. 1 00 10 Mold's Enobled Black: Ciydesdale. 1 25 15 Ciydesdale. 1 25 15 Ciydesdale. 1 25 15 Common. 1 25 15 Common. 1 25 15 Hybrid Mediterranean Winter). 1 75 15 Hybrid Mediterranean Winter). 1 75 15 Hybrid Mediterranean Winter). 1 75 15		to the bit brooth of blade, and smallness of state 100		
it is the most valuable variety now grown. Longfellow (Yellow Flint). 2 50 5 15 Yellow Dutton (Flint). 2 00 5 15 Long Yellow (Flint). 2 00 5 15 Long Yellow (Flint). 2 00 5 15 Leaming Yellow (Dent). 2 00 5 15 Leaming Yellow (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Pride of the North (Dent). 2 00 5 15 Pride of the North (Dent. 2 00 5 15 Pride of the North (Neut. 2 00 5 15 Angel of Midnight, (very early sort, with remarkably small stalks). 2 50 5 20 Angel of Midnight, (very early yellow Flint). 3 00 10 20 Virginia Horse tooth for fodder. 1 25 **P bushel of 32 lbs. **P Quart.		ommended it as a fodderplant, while for ensuage purposes	2	15
Longfellow (Yellow Flint)		it is the most valuable variety now grown.		
Yellow Dutton (Flint).		Longfollow (Vellow Flint)		
Long Yellow (Flint) 200 5 15 Early Yellow Canada (Flint) 200 5 15 Leaming Yellow (Dent) 200 5 15 Golden Beauty (Dent) 200 5 15 Pride of the North (Dent 200 5 15 Pride of the North (Dent 200 5 15 Top over Yellow Flint, (very early sort, with remarkably small stalks) 250 5 20 Angel of Midnight, (very early yellow Flint) 300 10 20 Virginia Horse tooth for fodder 125 Published of 32 lbs. Quart 200 White Probsteier 100 10 Mold's Enobled Black 10 100 10 Mold's Enobled Black 10 100 10 Mold's Enobled Black 10 100 100 Egye. Eas'ern White 175 15 Common 125 10 Wheat. Martin's Amber (Winter) 175 15 Hybrid Mediterranean Winter) 175 15 Hybrid Mediterranean Winter 175 15 Hybrid Mediterranean Winter 175 15		Vollow Dutton (Flint)		
Early Yellow Canada (Flint). 2 00 5 15 Leaming Yellow (Dent). 2 00 5 15 Golden Beauty (Dent). 2 00 5 15 Pride of the North (Dent 2 00 5 15 Top over Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 Angel of Midnight, (very early yellow Flint) 3 00 10 20 Virginia Horse tooth for fodder. 1 25 Published of 32 lbs. Quart 2 25 Welcome. 1 25 15 Welcome. 1 25 15 White Probsteier 1 00 10 Mold's Enobled Black) 1 25 15 Ciydesdale. 1 25 15 Ciydesdale. 1 25 15 Ciydesdale. 1 25 16 White Probate Black 1 1 75 15 Common. 1 25 10 Wheat. Martin's Amber (Winter). 1 75 15 Hybrid Mediterranean Winter). 1 75 15 Hybrid Mediterranean Winter). 1 75 15		Long Vallow (Flint)		
Leaming Yellow (Dent)		Flority Vollow Canada (Flint)		
Golden Beauty (Dent). 2 00 5 15 Pride of the North (Dent). 2 00 5 15 Top over Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 Augel of Midnight, (very early yellow Flint). 3 00 10 20 Virginia Horse tooth for fodder. 1 25 Pushel of 32 lbs. Quart \$\frac{1}{2}\$ \$0 15 Welcome. \$1 25 \$0 15 Welcome. \$1 25 \$15 White Probsteier. \$1 00 10 Mold's Enobled Black). \$1 25 \$15 Ciydesdale. \$\frac{1}{2}\$ bushel of 40 lbs. \$2 00 20 Pushel. \$\frac{1}{2}\$ \$15 Common. \$1 25 \$15 Wheat. Martin's Amber (Winter). \$1 75 \$15 Hybrid Mediterranean Winter). \$1 75 \$15		Teaming Vellow (Dent)		
Pride of the North (Dent Top over Yellow Flint, (very early sort, with remarkably small stalks). 2 50 5 20 Augel of Midnight, (very early yellow Flint) 3 00 10 20 Virginia Horse tooth for fodder. 1 25 P bushel of 32 lbs. Quart S1 25 S0 15 Welcome 1 25 15 Welcome 1 100 10 Mold's Enobled Black 1 125 15 Ciydesdale per bushel of 40 lbs. 2 00 20 Ciydesdale per bushel of 40 lbs. 2 10 20 White Probability 1 75 15 Common 1 25 10 Wheat Martin's Amber (Winter 1 75 15 Hybrid Mediterranean Winter 1 75 15 Hybrid Mediterranean Winter 1 75 15		Coldon Posuty (Dent)	•	
Top over Yellow Flint, (very early sort, with remarkably Sinth stalks). 2 50 5 20 Augel of Midnight, (very early yellow Flint) 3 00 10 20 Virginia Horse tooth for fodder. 1 25 P bushel of 32 lbs P Quart \$\frac{1}{2}\$ 30 15 Welcome 1 25 15 White Probsteier 1 00 10 Mold's Enobled Black 1 1 25 15 Ciydesdale 20 20 Ciydesdale 1 75 15 Common 1 25 10 Wheat Martin's Amber (Winter) 1 75 15 Hybrid Mediterranean Winter) 1 75 15 Hybrid Mediterranean Winter 1 75 15	100	Duide of the North (Dent	9	10
Stalks Augel of Midnight, (very early yellow Flint) 3 00 10 20		The Fried (work early sort, with remarkably small	5	20
Virginia Horse tooth for fodder. Poushel of 32 lbs. Quart		etalize)	10	20
Position Position <th< td=""><td></td><td>Angel of Midnight, (very early yellow Filmt)</td><td></td><td></td></th<>		Angel of Midnight, (very early yellow Filmt)		
Oats. Triumph .\$1 25 \$0 15 Welcome .1 25 15 While Probsteier .1 25 15 Mold's Enobled Black .1 25 15 Clydesdale .2 00 20 Ey bushel .1 75 15 Common .1 25 10 Wheat .4 75 15 Hybrid Mediterranean Winter .1 75 15 Hybrid Mediterranean Winter .1 75 15 15 .1 75 .15				
Welcome 1 00 10 While Probsteier 1 25 15 Mold's Enobled Black per bushel of 40 lbs 2 00 20 Clydesdale \$\frac{1}{75}\$ l5 Egye. Eas'ern White 1 75 15 Common 1 25 10 Wheat. Martin's Amber (Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15				
Welcome 1 00 10 While Probsteier 1 25 15 Mold's Enobled Black per bushel of 40 lbs 2 00 20 Clydesdale \$\frac{1}{75}\$ l5 Egye. Eas'ern White 1 75 15 Common 1 25 10 Wheat. Martin's Amber (Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15	Onto.	Tuiumph	\$1 25	
While Probsteier 1 25 15 Mold's Enobled Black) per bushel of 40 lbs 2 00 20 Clydesdale \$\text{P}\$ bushel. Eas'ern White 1 75 15 Common 1 25 10 Wheat. Martin's Amber (Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15	Oats.	Walcomo		
Mold's Enobled Black		TILL Deskatoion	1 00	
Ciydesdale		we the Buckled Playler	1 25	
## 1 75 15 Common		Cirdesdale	0 lbs 2 00	20
Common 1 75 15 Wheat. Martin's Amber (Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15 15 15 15			g ousner	
Common 1 75 15 Wheat. Martin's Amber (Winter) 1 75 15 Hybrid Mediterranean 'Winter) 1 75 15 15 15 15	WTP.	Fastern White	1 75	
Wheat. Martin's Amber (Winter). 1 75 15 Hybrid Mediterranean 'Winter). 1 75 15 Hybrid Mediterranean 'Winter). 1 75 15	Hel c.	Common	1 25	10
Hybrid Mediterranean 'Winter). 175 15				
Tandroth Winter	Whe	At. Martin's Amber (Winter)	1 75	15
Ar natrong or Landreth (Winter)		Hybrid Mediterranean Winter)	1 75	15
N. Y. Spring Wheat		Armstrong or Landreth (Winter)	1 75	15
		N. Y. Spring Wheat	/	

Miscellaneous Seeds and Seeds of Economical Plants.

A Control of the Cont
Asporulo odonos
Asperula odorata (Waldmeister).—This perennial plant, growing about six inches high, bears a small white and very fragrant flower; succeeds in almost any soil. In Germany it is thought much of as imparting a certain bouquet to Rhine Wine when compounded with it, making a beverage commonly know as Maitrank? pkt. 10 cents.
Beans (common Horse Beans)
Broom Corn (Long Brush Erorgram) P
Broom Corn (Long Brush Evergreen). Broom Corn succeeds in a good deep soil, fresh but not damp. Very sensitive to cold
" (Improved Dwarf) "4.00; "25 "
" (California Golden Long Bush).—Grows from 12 to 11 ft. high " 4.00; " 25 "
Broom Scotch (Genista scoparia) —The young growth of this shrub is chiefly valuable as food for sheep and other animals in Winter, it is also employed for the making of coarse brooms. [Proceed The coarse of the coarse brooms of the coarse brooms of the coarse of the
Capper aree (Capparis spinosa) per paner % cents
Caterpillars. A curious plant. Of interest only on account of its curious truit, from which its name is derived. Much fun is caused by mixing them in salads
Unicory Seeds. Large rooted, a perennial plant remaining for
provided it is cut before flowering. It may be cut four or five times during the same soil, furnishes an excellent green fodder. Sow broadcast in tutumm or Spring, either alone or with any kind of Clover. Sown in drills, the roots become well developed. When they are dried, roasted, and ground, they become the Chicory of commerce, and are used in adulterating Coffee, per oz., 10 cents; per lb., \$1.00.
Cotton, Sea Island
" Tennessee Upland " " 10; " 15 " " 10; " 15
Cow Peas adapted to Southern levels.
Cow Peas adapted to Southern localities and valuable as a fodder plant per bush, \$2.50; per qt. 15 cents.
Dhoura (Guinea Corn) See Sorghum
Esparto Grass (Stipa tenacissima).—The Stipa tenacissima is the true Esparto Grass extensively, grown in Spain and other parts of the Mediterranean countries for making ropes, etc. Perpugnature.
orary fire and vigor to their horses. It is frequently given to oxen and pigs when fattening, causing them to drink and digest their food. Considered to be good for soiling when green,
Flax Seed per bushel, \$3.50; per qt. 25 cents.
in Winter, grows well in sandy soilsper lb. 50 cents per oz. 10 cents
outzoita ofesiera an annual from Abyssinia, the seed from which oil is extracted. per lb. 50 cents:
Per oz., 10 cents. Per oz., 10 cents. per oz., \$1.00.
Seed. Indigofera tinctoria

THORBURN'S CATALOGUE OF SEEDS.

MISCELLANEOUS SEEDS.—Continued.

Jule Secd.—An annual plant. In Benga! the fibers of this plant are used for making the coarse sacks in which coffee, and sugar are packed. A coarse kind of wearing apparel is also made of it. It is cultivated quite extensively in the East Indies, China and Japan, and is now extensively sown in our southern States. It thrives in any good corn ground. Sow in drills about eight inches apart, four pounds to the acre. Requires no curtivation, as it will outstrip in growth any and all weeds. May also be sown broadcast, from six or seven pounds to the acre.

per lb., \$1.00; per oz., 15 cents.

- Jupins, Elue-Used for about the same purpose as the yellow variety...per 100 lbs. \$10; per lb., 20c.

- Madia sativa—An annual plant producing good sheep pasturage, valuable in dry and warm soil, per lb., 50 cents; per oz., 10 cents.
- Osage Orange (Maclura aurantiaca) for Hedges....... 2 qt., 50 cents; ? bus., \$7.00.
- Peas, Canada Field. Valuable for Northern climates, for cattle feeding #9 qt. 15 cts. +9 bus., \$1.50
- Poppy, Opium—Its seed furnishes about 35% of an agreeable sweet oil, good for eating, painting, and illuminating. May be sown in Spring either broadcast or in drills, covering with but little earth. It is also cultivated for Opium......per oz., 20 cents: per lb., \$1.50.

- Reana luxurians (Teosinte)—A valuable fodder plant from Central America, resembling in growth, Indian Cora. Well adapted for all of our Southern States......per lb., \$2 00; per oz, 25 cents.
- Scurvy Grass—(Cochlearia officinalis) used as Pepper Grass ... ? oz., 25 cents.
- Seradella—A fine fodder, of good quality, admitting of one, and sometimes two cuttings in one season. It succeeds well in a dry, sandy soil, and furnishes a good pasture for sheep..... per lo., 30 cents.
- Snails—Used the same as Caterpillars..... ₽ paper, 10 cents.

orgh	HIII—Rural branching, (also called "millo maize" in some section Sorghums. Its great merit and distinction is, that when cut for foremaining stumps with renewed strength and vigor, thrives in the	eeding	g it start	s agair	n f <mark>ro</mark> n	a th
	remaining stumps with renewed strength and vigor, drives in the	100 lk	os., \$15;	per lb	., 25 c	$_{ m ent}$
44	White seeded, Dhoura or Guinea Corn	66	15		25	66
	Amber Sugar Cane	"	8	65	15	
	Honduras " "	"	12	"	15	
6.6	Stewart's Hybrid "	66	12	44	15	66
6.	Chinese " "	6.6	15	66	25	
66	Red Imphee	44	12	16	15	
	Halepense (Johnson Grass) one of our most valuable south	ern	fodder 1	alants	and	0
	recently discovered to be perfectly hardy in New Jersey. It is On rich soils it may be cut from three to four times in a season, by sowing the seed in August and September at the rate of 25 lbs. to	s a ra The b	apid gro pest resu acreper	owing ilts ar	pere e obta os., \$1	nr air 8.
ourrj	(Spergula arvensis)—Small annual plant, succeeding best in san green state, or for hay. Butter made from the milk of cows fed on t quality in Belgium and Holland. It serves a useful purpose, growland. Should be sown early in spring, 15 lbs. to the acre	his is ving l	consider uxuriant	red of tly on	a sur indiff	er er
	tura. Dicare so so a sarry 1					
TC	LOTHION Town Description ner of	- 95				9
	lower, Large Russianper q					
	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u	sed fo	or comb	ing clo	oth.	T.
		sed fo	or comb	ing clo	oth.	T!
	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I	sed fo	or comb	ing clo	oth. ay be	T.
'easel	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I	sed fo	or comb	ing clo ney ma	oth. ay be	T.
'easel 'eosii	s, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords.	sed for the	or comb	ing clo ney ma per 10 per 1b	oth. ay be 10 lbs., 20 c	T.
easel 'eosii	s, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwoulder, see Reana luxurians.	sed for the	or comb	ing clo ney ma per 10 per 1b	oth. ay be 10 lbs., 20 c	T.
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords, see Reana luxurians.	sed for the rms	or comb South th	ing clo ney ma per 10 per 1b	oth. ay be 10 lbs., 20 c	T. see
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwon lite, see Reana luxurians. CCO SCCI—Connecticut Seed Leaf	sed for the rms	south the	ing clo ney ma per 10 per 1b	oth. ay be 10 lbs., 20 c	T see
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwon. 11C, see Reana luxurians. 2CO SCCI—Connecticut Seed Leaf. pe "Florida. "Imported Havana. "James River Virginia.	sed for the rms	\$3.00; p	ing cloney maper 10 per 1b	oth. ay be 10 lbs., 0., 20 d	T see
easel 'eosii	s, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords, see Reana luxurians. CCO SCCI—Connecticut Seed Leaf. per Florida. " Imported Havana. " James River Virginia. " Hester Virginia.	sed for the rms	\$3.00; 1 3.00 4.00 3.00 3.00	ing cloney mapper 10 per 1b	oth. ay be 10 lbs., 0., 20 c 30 40 30 30	T see
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwoille, see Reana luxurians. CO SCCI—Connecticut Seed Leaf. Florida. Imported Havana. James River Virginia. Hester Virginia. Kentucky.	sed for the rms	\$3.00; 1 3.00 4.00 3.00 3.00 3.00	per 10 per 10 per oz	oth. ay be 10 lbs., 20 c 30 40 30 30 30	T see
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords. 11C, see Reana luxurians. 2CO SCCI—Connecticut Seed Leaf. per provided in the Florida. 4 Imported Havana. 4 James River Virginia. 4 Kentucky. 5 Maryland.	sed for the rms	\$3.00; 1 3.00 4.00 3.00 3.00 3.00 3.00	per 10 per 1b per cz	oth. ay be 10 lbs., 20 c 30 40 30 30 30 30	T see
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords. 11C, see Reana luxurians. 2CO SCCI—Connecticut Seed Leaf. per provide the provide seed of the provide seed of the provide seed seed. per provide seed seed seed of the provide seed of the provide seed of the provide seed of the provide seed seed of the provide seed of the provide seed seed of the provide seed of	sed for the crms	\$3.00; p \$3.00 4.00 3.00 3.00 3.00 3.00 3.00 3.00	ing cloney maper 10 per 10 per 10 per 10	oth. ay be 10 lbs., 20 c 30 40 30 30 30 30 30	T see
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwon lite, see Reana luxurians. 200 Seed—Connecticut Seed Leaf	sed for the ems	\$3.00; 1 3.00 4.00 3.00 3.00 3.00 3.00 3.00 3.00	per 10 per 10 per 10 per 10 ing cld i	oth. ay be 0 lbs., 0., 20 d 30 40 30 30 30 30 30	T see
easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwon letters are Reana luxurians. See Reana luxurians. See Seed—Connecticut Seed Leaf. Florida. Imported Havana. James River Virginia. Hester Virginia. Kentucky. Muryland. Ohio. Ruffled Leat Virginia. "Turkish.	sed for the erms	\$3.00; 1 3.00 4.00 3.00 3.00 3.00 3.00 3.00 3.00	ing clock one year 10 per 10 per 10 per 10 oer oz.	oth. ay be 00 lbs., ., 20 c 30 40 30 30 30 30 30 30	T see
'easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwon. IIC, see Reana luxurians. CO SCCI—Connecticut Seed Leaf. per	sed for n the erms	\$3.00; 1 3.00 4.00 3.00 3.00 3.00 3.00 3.00 3.00	ing cld	oth. ay be 00 lbs., ., 20 c 30 40 30 30 30 30 30 30 30 30	T see
'easel 'eosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Fall. The young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leaves are often used for feeding silkwon the Young leav	sed for n the erms	\$3.00; 1 3.00 4.00 3.00 3.00 3.00 3.00 3.00 3.00	ing cld	oth. ay be 00 lbs., ., 20 c 30 40 30 30 30 30 30 30 30 30 30 30 30	T see
'easel Teosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords. 11C, see Reana luxurians. 2CO SCCI—Connecticut Seed Leaf. per	sed for n the erms	\$3.00; p \$3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.0	ing cld	oth. ay be 0 1bs., 0., 20 6 30 40 30 30 30 30 30 30 30 30 30 30 30	T
'easel Teosii	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords and the fall. The young leaves are often used for feeding silkwords are good sold as a silkword feeding silkwords are good for feeding silkwords are good feeding silkwords	sed for n the rms	\$3.00; p \$3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.0	ing cldeney mapper 10 per 10 per 10 per 10 ing cldeney mapper 10 per 10 ing cldeney mapper 10 ing cldeney mapp	oth. ay be 0 1bs., 0., 20 6 30 40 30 30 30 30 30 30 30 30 30 30 30 30 30	T see
Ceasel Ceosii Cobac	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwon leaves are not seed to be seed to be seed. 110. See Reana luxurians. 110. See Reana luxurians. 1111. Seed Leaf. 1111. Florida. 1111. Imported Havana. 1111. James River Virginia. 1111. Hester Virginia. 1111. Kentucky. 1111. Miryland. 1111. Ohio. 1111. Ruffled Leaf Virginia. 1111. Missouri. 1111. Pennsylvania. 1111. Yellow Prior. 1111. One Sucker Virginia. 1111. Virginia Seed Leaf.	sed for n the erms	\$3.00; 1 3.00 4.00 3.00 3.00 3.00 3.00 3.00 3.00	ing cldeney mapper 10 per 10 per 10 cer oz.	oth. ay be 0 lbs., 20 c 30 40 30 30 30 30 30 30 30 30 30 30 30 30 30	Tsoce
Ceasel Ceosii Cobac	S, Fuller's—The heads, furnished with sharp, barbed spikes, are u require a good deep soil, and should be sown about April or May. I in the Fall. The young leaves are often used for feeding silkwords and the fall. The young leaves are often used for feeding silkwords are good sold as a silkword feeding silkwords are good for feeding silkwords are good feeding silkwords	sed for n the rms	\$3.00; 1 3.00 4.00 3.00 3.00 3.00 3.00 3.00 3.00	ing cldeney mapper 10 per 10 per 10 per 10 ing cldeney mapper 10 per 10 ing cldeney mapper 10 ing cldeney mapp	oth. ay be 0 lbs., 20 c 30 40 30 30 30 30 30 30 30 30 30 30 30 30 30	Tseee

plant for swamps and inundated land. Stock of all description are fond of it when green, an also when cured for fodder......per lb., 35 cents

Worms—Used the same as Snails and Caterpillarsper paper 10 cents

-X ANNUAL CATALOGUE X

-OF-

JAMES M. THORBURN & CO.'S

SEEDS

ETC., ETC.=

You will notice that our prices are quoted at the New York lowest figures, and do not include the prepayment of express charges or postage, for which add 16 cents per pound.

See page 52 of this Catalogue for complete assortments of VEGETABLE SEEDS of approved and choice Sorts, for from \$5 to \$25.



VEGETABLES.

ARTICHOKE-Artichaut-Alcachofa-Artichode.




FRENCH ARTICHOKE.

CULTURE.—Deep, rich, sandy loam, with plenty of well-rotted manure. Sow seeds in April and May, and, when large enough, transplant into rows three to four feet apart and two feet in the rows. They reach maturity the second year. Cover with litter when cold weather commences, first tying up the leaves so that they will occupy less space, and in Spring fork in a dressing of manure. It is an excellent vegetable and easily grown, thriving in any situation, provided the heads are cut off and used as fast as they get ready; if left to ripen on the plant they exhaust it, and no more are produced

at season. When cut regularly they are produced in succession for a long time. Heads are ufit for culinary purposes after the flowers expand; hence the indifferent opinion entertained this vegetable through these being cooked after they have passed the proper stage, when ey are tender and delicious.

ASPARAGUS-ASPERGE-Esparrago-Sparrel. ₩ lb. \$1.50 .50 2 year old roots, \$\P\$ 1000 \$8; \$\P\$ 100 \$1.00



ASPARAGUS.

Culture.—Sow the seeds thinly in rows one foot apart in April or May, and keep down all weeds. Radish or Lettuce seed may be mixed with it, so as to mark the rows readily, and allow the weeds to be destroyed as soon as they appear. To secure strong, healthy plants, thin out the seedlings to three or four inches in the rows, saving only the strongest. The one year old plants should be set out in the Spring, in a rich, sandy loam, dug eighteen inches or more deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand, or sifted eaal ashes to loosen it up, and also see that it is well under-drained. In planting for private use, set out in beds five feet wide, three rows in a bed, the outer being each one foot from the edge, and allow twelve inches in the row. Set the plants at least six inches below the surface. If set out in the Autumn, we recommend a top dressing of at least six inches of manure. For market on a large scale, set four feet apart one way and one and a half the other, which will allow the use of a horse and cultivator to keep the weeds under. Every Fall a good dressing of coarse manure should be applied after the tops have been cut, and in the Spring forked in. In localities away from the seacoast, a dressing of coarse salt given in Spring, at the rate of two pounds to the square yard, will be found very beneficial.

ENGLISH DWARF BEANS-Feve de Marais-Haba-Große Bobnen.

	報 bus. 報 qt.	1			\$	bus. P qt.
27 Early Mazagan	.\$5 00 25	31	Sword	Long Pod .	\$5	00 25
29 Broad Windsor	. 5 00 25	33	Green	Nonpareil.	ō	00 25

Kinds.—No. 27 is the earliest; Nos. 29 and 31 are best for main crop.

CULTURE. - Sow in drills two feet apart, as early in the Spring as the ground can be worked, in order to get them into pod before the heat of Summer. When in pod, break off the top of the plant to check growth. Plant and hoe same as for Dwarf Beans. A strong soil suits them best.

DWARF or SNAP BEANS-Haricots nains-Frijoles-Rrup-Bohnen.

	₩ bi	us.	₩ at. ,		₩ bus. ₩	qt.
34	French Emile\$5	00	30	42	Early Improved Valentine \$5 00	$\overline{40}$
36	Ne Plus Ultra 5	00	30	43	Negro Long Pod 4 00	25
					Early Mohawk 4 00	
38	Best of All 6	00	40	48	Early China 3 50	25
39	Fulmer's Early 5	00	30	50	Early Dun Colored 4 00	25
41	Early Valentine 4	00	25	53	Early Rachel 4 50	25

Dwarf or Snap Beans.—Continued.	20.1		₩ qt.	٠, ١
	£, c			W,-
55 Early Yellow 6 Weeks	. \$\psi	00	25	
59 Long do do	. 4	50		
64 Black Wax(yellow pod)	. <u>ə</u>	90	30	1 125
66 White Wax " "	. 5	50	30	
67 New Date Wax " "	. 6	00	40	
68 Ivory Pod Wax " "	. 7	00	40	
69 Golden Wax " "	. 8	00	40	-1/2010
71 Crystal Wax " "	. 6	00	40	
66 White Wax	. 6	00	40	
73 Golden Butter Wax. " "	. 6	5 0	40	
75 Flageolet Wax Red	. 7	00	40	
77 " White	. 5	50	30	
81 " Improved Green	. 6	00	30	
82 Wonder of France, green pod an	nd.	-		
bean	6	50	40	THE PARTY OF THE P
90 Refugee or 1.000 to 1	. 4	00		
90 Religee of 1.000 to 1	. 1	00		
90a Golden Refugee	. 4	50		AT AND MAINTENANCE OF THE PARTY
91 Galega	· =	00		
92 Mexican Tree Bean	. ±	00		
93 White Valentine	. 0	50	30	ANI SINI IN
94 White Prussian Sugar	. 4	50	25	
95 White Scimeter	. 4	90	25	
96 Jeffries Round Pod White, fine	6. 6	00	40	
97 White Kidney	. 4	00	25	
99 White Marrow		00	25	

Wonder of France Beans.

Kinds.—Nos. 36, 41, 42, 59, 64 and 67 are the earliest. No. 45 the most hardy. Nos. 36 for green and 64 for yellow pod are best. No. 90, 91 and 96 also for late, and best for



White Scimeter Beans.

the earliest. No. 45 the most hardy. Nos. No. 90, 91 and 96 also for late, and best for pickling. Nos. 64 to 75 are the Dwarf Wax varieties, with yellow, transparent pods. Nos. 75, 77 and 81 are the celebrated Flageolet Beans of the French; and although used as a string bean they are superior only as a shell variety, cooked precisely as the Lima they are delicious.

CULTURE.—About the first of May select a warm, dry, sheltered spot; dig and manure slightly; make drills two inches deep and two feet apart; drop the Beans three inches apart in the drill, and cover not more than two inches deep. Keep hoed, when not wet, and the weeds killed. Sow every two weeks for a succession.

POLE or RUNNING BEANS-HARICOTS A RAMES-Frijole de bejuco-

₩ bus.	₩ at.	₿ bus.	₩qt.
115 Horticultural or Speck-	· ·	127 Southern Prolific\$6 00 \$	\$0 40
led Cranberry\$6 00	\$0 40	129 Scarlet Runner 6 50	40
118 Dutch Case Knife 6 50		131 Early White Lima16 00	75
125 White Cranberry 7 00	40	133 Large White Lima 8 00	40

Pole or Running Beans.—Continued.

P bush. P qt.	A hush A at.
134 Challenger Lima \$12 00 \$0 60	162 Black Wax (yellow pod)\$7 00 \$0 40
135 King of the Garden	167 Giant Red Wax 9 00 50
Limas	169 White Algerian 8 00 40
137 Small White Lima 9 00 50	171 Transylvania Butter 9 00 -50
139 Speckled Large Lima. 16 00 75	173 Mont d'or 8 00 40
141 Large Red Lima16 00 75	179 French Yard Long (cu-
153 White Dutch Runner 7 00 40	rious and fine) 1 25

Kinds.—Nos. 115, 118, 162, and 169 are best for Snaps, and Nos. 129, 133, 134 and 135 the best for Shell Beans, and most valuable for main crop.

CULTURE.—Sow as soon as the soil becomes warm and dry, from the first part of May for all except Limas, to the latter part of May, in hills four feet apart each way. Limas should not be planted until warm weather has fairly set in. One quart of Limas will make about 100 hills, allowing four to five beans to a hill, and of the smaller sorts about 200 hills. Poles, eight to ten feet long, should be firmly set in the center of the hills before putting in the seed.

BEET_Betterave_Remolacha_Runfelrüben.

	₩ 11c	o. ₩ oz.	1	#	lb.	₩ oz.
195	Extra Early Dark Egyptian \$0 7	5 1.0	214	Early Blood Turnip\$0	60	10
197	Extra Early Eclipse 1 0	0 10	215	Bastian's Blood Turnip	60	10
206	Dewing's Extra Early 7	5 10	220	Early Yellow Turnip	75	15
				Long Smooth Blood	60	10

KINDS OF WHICH THE LEAVES ONLY ARE USED AS SPINACH.

₩ lb. ₩ oz.	₩ lb. ₩ oz.
240 Ne Plus Ultra(dark foliage)\$1 00 15	248 Yellow Ribbed Chilian\$1 50 20
241 Crown Prince (deep red) 1 50 20	249 Crimson Veined Brazilian. 1 00 15
242 Victoria (metallic-red) 2 00 20	250 Golden " " . 1 00 15
	251 Scarlet " " . 1 00 15
247 Scarlet Ribbed Chilian 1 50 20	


Kinds.—Nos. 195, 197, 206 and 215 are the earliest and best, if used when young. We recommend for early Summer use Nos. 195 and 215, for General and Winter use; Nos. 214 and 229 also, for Late and Winter crops. Nos. 240 to 251, for ornament, are fine for borders or edgings on account of their brilliant foliage, which are also fine for cooking as Spinach.

CULTURE.—Sow as early in the Spring as the ground can be worked, and every two weeks after for a succession, up to the first week of July. For general crop sow about the middle of May. The soil should be a light sandy loam, well enriched with stable manure, and plowed and harrowed until very fine. Sow in drills one foot to fifteen inches apart, and when well up thin from four to six inches. The young Beets pulled out of the rows are excellent used as Spinach.

BEET-MANGEL WURZEL, SUGAR, Etc.

lb. # oz.

260	Long Yellow Mangel	Wurzel		40	10
	Long Red "	66		40	10
271	Yellow Globe "	"		40	10
	Kinver's Yellow Globe			40	10
274	Red Globe	66		40	10
	Yellow Ovoid "	166		40	10
	Golden Tankard "	"		50	10
	Mammoth Long Red.	. "		50	10
	Mammoth Golden		1	25	15
	White Sugar			40	10
293	Vilmorin's Imp. Sugar	r		75	10
	Lane's Imp. Sugar			50	10



Yellow Tankard Mangel.

Kinds.—Nos. 260 to 284 inclusive are for feeding cattle. Nos. 290, 293 and 298, for making sugar from, as well as for cattle feeding.

CULTURE.—As all Mangels require a deep soil in order to grow

Mammoth Red Mangel.

well, plow and subsoil at least a foot to eighteen inches, and apply plenty of rich manure. Sow in May and June, in rows eighteen inches to two feet apart, and thin to eight inches in the rows. Young plants may be transplanted to fill up vacancies. A celebrated cultivator advises to sow

in addition, when the plants are three to four inches high, at the rate of 100 lbs. Blood Guano, 200 lbs., Bone Flour and 400 lbs. Salt per acre. As soon as frost occurs dig the crop. But, in order to be well preserved for gradual consumption during the winter, Mangel Wurzels should be heaped to a height of perhaps six feet, on a dry, sloping situation. Cover at first with a piece of canvas, and, as the cold increases, this should be replaced by about six inches of either salt-hay, straw, sea weed, or even corn stalks. Lest this covering be displaced by the wind a light layer of earth is necessary. So soon as this surface soil becomes frozen, about six or eight inches more of earth should be placed over the entire heap. By following up this gradual process of covering, all danger of heating will be obviated. Sow from four to five pounds to the acre.

BORAGE-BOURRACHE-Borraja-Borretch.

Pounce, 15 cents; Plb., \$1.00.

The young leaves of this Annual, which smell somewhat like a Cucumber, are used as salad or boiled as Spinach. Should be sown at intervals, as the leaves are palatable only when young.


CULTURE.—Sow in the Spring, in light soil, and transplant to shallow drills, a foot apart, when of about six weeks' growth.

BROCCOLI-Brocoli-Broculi-Spargelfohl.

	₩ lb.	₩ oz.		₩ lb.	₩ oz.
300 Early White	. \$3 00	\$0 30 308	3 White Cape	.\$6 00	\$0 60
302 Early Purple		30 310	White Sprouting	. 3 00	30
304 Early Walcheren	. 7 00	60 312	2 Sulphur-Colored	3 00	30
306 Early Purple Cape (fine	4 00	40 314	L Chappel's Cream	. 3 00	30

Kinds.—The above are the srots best adapted to this climate, and the only ones which succeed generally. We recommend No. 306 as the most certain.

CULTURE.—Sow early sorts as soon as the ground can be worked in the Spring, in shallow drills, drawn three or four inches apart. Plant out two feet apart each way, when plants are four inches high. Cultivate the same as Cabbage, in rich soil.



Brussels Sprouts.

BRUSSELS SPROUTS—CHOUX DE BRUXELLES — Berza de Brusels—Rojenfohi

			₩ lb.	₩ oz.
316	Best French, or	Roseberry	.\$2 00	\$0 20
	Improved Dwarl			

CULTURE.—Sow in May, in the same manner as Cauliflower and transplant in July, one foot apart in the rows. In gardens both large and small, Brussels Sprouts are without exception the very best winter vegetables that can be grown. Not the least valuable point connected with the Brussels Sprout is that it is as hardy as the common curled Greens. The common Cabbage is hardy enough in a young state, but when full grown and hearted frost soon destroys the large heads, which rot and fall to pieces. Not so the Brussels Sprouts; being small and hard, it is not in the least affected by frost. The real Sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. These are the sort which cooks prefer; they strip off their outer covering, cook them whole, and serve them up artistically in that fashion. When cooked through and no more, such Sprouts melt in the mouth, like the tenderest Cauliflower, and are equally good.

BURNET-PIMPERNELE DE JARDIN-Pimpernella-Bimpernell.

324 Garden, 10 cents per ounce.....\$1.00 per pound.


CULTURE.—Sow early in Spring, half an inch deep, thinly in rows. The leaves have a warm, piquant taste for salads and soups.

CABBAGE-CHOU-Berza de repollo-Rohl.

				_ ,	
	₩ lb.	₩ oz.		₩ Ib	. \$\mathfrak{H}\text{ oz.}
329 Etampes, (very fine)	\$2 00	\$0 20	412	Large Late Drumhead.\$3 0	0 \$0 30
335 Thorburn's Cocoanut	2 50	25	415	Large Fine Flat Dutch. 3 0	0 30
356 Early York	1 50	20	418	Silver Leaf Drumhead . 3 0	0 30
365 Early Jersey Wakefield.	4 00	40	419	Late Mountain 3 0	0 30
369 Early Winningstadt	1 50	20	421	Fotler's Brunswick 2 5	0 25
380 Early Dwarf Savoy	1 50	20	427	Filder Kraut 2 0	0 20
384 Small Early Ulm Savoy	1 50	20	448	Drumhead Savoy 3 0	0 30
399 Large Early York	1 50	20	450	Southern Green Glazed 2 0	0 25
401 Improved Early Summer	4 00	40	460	Red Solid (for pickling). 2 0	0 20
403 Early Flat Dutch	3 50	35			

Kinds.—Nos. 329, 356 and 365 are the earliest. Nos. 369, 401 and 403 are the best for second early. We particularly recommend No. 401. Nos. 412 and 415 are the well-known Winter varieties. Nos. 412, 415 and 418 are the best for main crop. No. 448 is the best for family use.

CULTURE—Soil for Cabbages should be a rich heavy loam, with good drainage. On such a soil, with an abundance of stable manure, excellent crops are sure to be grown. For early Spring sow in Fall, not too early, or the plants are liable to bolt in the Spring instead of heading, and in a month the plants will be fit to transplant to cold frames, where they are wintered, taking care, in planting, to set the young plants down to the first leaves. Transplant in Spring as soon as the ground can be worked, setting the plants two feet apart



Improved Early summer Cabbage.


one way, and from twelve to eighteen inches the other, according to the variety. If it is desirable to economize space, Lettuce or Radish may be sown between the rows. as they will be out of the way before the Cabbages need the room. For late or Winter crops the seed is sown in May, and the plants set out in July. In this case they are set in rows two by three feet, so as to work them with horse and cultivator. To prevent the Turnip Flea attacking the young plants, sift fine airslacked lime over them as soon as they appear above ground. Lime or bone-dust make excellent fertilizers for this crop if sown and harrowed in lightly before the plants are set out.

CARDOON-CARDON-Cardo-Cardon.

465 Large Solid, 40 cents per ounce.

CULTURE.—Sow early in Spring, in rows, where they are to stand, and thin them to one foot apart. When full size, bind the plants together with straw or matting, and earth up like Celery to blanch. The stems of the leaves are used for salads, soups, and stews.

CARROT—CAROTTE—Zanahoria—Wibhren.		
•	₩ lb.	₩ oz.
469 Extra Early Forcing	\$1 25	\$0 15
473 Early Scarlet Horn	1 00	1 0
476 Half Long, pointed		10
479 " "stump rooted		10
480 " " Nantes strain		10
482 " " Guerande strain, very thick		15
483 " " Carentan (coreless)		15
484 " " Luc		10
484a " Danvers		10
485 Best Long Orange		10
489 Altringham	75	10
493 Long White		10



Guerande Carrot.

Kinds.—For the earliest and latest crops No. 469. It is very tender and fine for the table, and may be sown from April to August. Nos. 476, 482, 483, 484, and 485 are the best for the main crop. No. 485 is particularly recommended for stock; sow two pounds to the acre.

CULTURE.—Sow No. 469 as early as the ground can be worked; or for late crop, until latter part of July; for main crop, sow from the middle of May to 1st of July. Thin out early crop to five inches in row; main crop six


to seven inches; the rows ten inches apart for early crop; fourteen for main crop. Hoe often and deeply between rows. Soil, light sandy loam, richly manured and deeply dug.

CAULIFLOWER_CHOU-FLEUR-Coliflor-Blumentohl.

499 Extra Early Dwarf Erfurt # pkt., 50c	₩ lb.	
503 Early Dwarf Erfurt	\$30 00	2 00
504 Early Snowball, # pkt., 25c		5 00
504a Gilt Edge Snowball, for general crop, # pkt., 25c		6 00
505 Early Paris	10 00	75
506 French Imperial	10 00	75
507 Large Algiers	12 00	0 1 00
509 Early London	5 0	50
512 Thorburn's Nonpareil	60	50
513 Half Early Dwarf French	6 0	0 50
514 Stadtholder	6 0	50
517 Walcheren	6 0	50
522 Late London		0 50
524 Lenormand's short stem		60

Kinds.—Nos. 499, 503 and 504 will be found the finest varieties for early, and Nos. 499 and 504 for forcing. Nos. 504a, 507 and 512 for late. No. 524 is also highly recommended.

CULTURE.—This is the same as for Cabbage, except that extra manure and plenty of water will pay upon this. If the soil be dry, water frequently, and if the plants could have a heavy mulch of hay or straw, it would keep the soil moist, and the plants would not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April, the late kinds may be planted out same time as for Cabbage.



Thorburn's Gilt Edge Snowball Cauliflower, For General Crop.

CELERY-CELERI-Apio-Sellerie.

	報 lb. 報	OZ.		智 lb.	₩ oz.
528 Improved White Plumes	\$10 00 \$1	00 544	Dwarf Crimson \$	2 50	\$0.25
529 Perfection Heartwell					
530 Golden Heart	3 00	30 549	Giant White Solid	2 50	25
531 Boston Dwarf	3 00	30 553	Celeriac, or Turnip rooted	1 25	20
533 Crawford's Half Dwarf.	3 00	30 554	" Thorburn's Giant	4 00	40
534 Walnut Ivory	4 00	40 555	" New Apple	1 25	20

Kinds.—Nos. 529, 530, 533, and 549 are the best sorts for family use. We recommend No. 528 for early and No. 529 for main crop. These two sorts are also best for market gardeners. Nos. 553 and 554 we particularly recommend the latter.

CULTURE.—Sow the seeds in a light, rich, dry border as early as the ground can be worked. In drills eight or ten inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be dry. When fairly out of the seed leaf they may be transplanted to another bed, or they may be thinned out to six or eight inches apart, and left to grow till wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July at the North, and a month or six weeks later in the Southern States, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow, for it is obviously a bad plan to remove all the good soil, (as must be done in a deep trench,) and put the plants in that which is poor. The plants may be set in a single row in a narrow trench, or the trench may be made into a bed wide enough to hold two, three, or four rows, and in this case the plants are in a compact form to be covered for the Winter where they grow. This will save much labor where there is no root cellar for storage, as often happens to be the case. When grown in beds in this way, the rows should be one foot apart, and the plants about eight inches apart in the rows. A bed four feet wide will take four rows of plants, leaving six inches of space on the outside of the first and last row. The bed should be made very rich with thoroughly decomposed manure.

The plants will need to be earthed up two or three times; and in doing this, care should be taken not to let the earth get into the heart or center of the plant. In field culture the plants are set on the surface in rows four feet apart when the Celery is to be earthed up in the field for early use, and two feet apart when the plants are to be taken up and blanched in the cellar for Winter use. The plants are set six inches apart in the rows. The weeding is done by horse power, and the earthing or banking up is mostly done by the plow and the spade. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground one foot wide, and of a depth a few inches less than the height of the Celery. The plants are then lifted and set closely together until the whole quantity is stored. The edges of the trench should be made sloping from the tops of the plants to carry off all surface water. When severe cold weather comes on, cover with leaves, hay, or straw, and place boards on the top to keep out the moisture. The covering must be put on gradually, else there will be danger of heating, and consequent decay. In such a trench the stalks will blanch perfectly, and may be taken out any time during the Winter. If left in the beds where grown, they should be protected by a heavy coat of leaves, straw, &c. The Turnip rooted, or "Knob" Celery, needs no earthing up, and may be planted in rows one foot apart.



CHERVIL—Cerfeuil—Perifollo— Bensenlauch.

559 Curled......15c. ₱ oz., \$1.00 ₱ lb.

563 Tuberous20c. ₩ oz., 2.50 ₩ lb.

CULTURE.—Cultivate and use like Parsley. Sow at any time in the Spring, in shallow drills, one foot apart. The seed of the Tuberous Chervil should be sown in August or September, and treated like the Carrot.

Curled Chervil.

CHICORY.

Common or Wild.—"Barbe de Capucin," a salad much used in France. Sown in June, the roots are transplanted in Autumn into sand in a cellar, the shoots, which will come up soon, form the Barbe de Capucin. Per lb. \$1.00; per oz. 10c.

Whitloof.—Sow in June; plant the roots one inch apart, from October to the closing of the ground, in rows eight inches apart, in a trench one foot deep, cut off the leaves. Cover the roots with well-sifted soil eight inches thick, and the whole with a good layer of dung two to three feet thick, more or less, according to the temperature and the quickness of growth required: the Whitloof will be produced three weeks afterwards in the intermediate cover of soil. Excellent as a salad as well as a cooked vegetable. Per lb. \$1.00; per oz. 10c.

Large rooted Magdeburg.—roots of this variety are used for the Chicory of commerce. Per lb. \$0.75c.; per oz. \$0.10c.

COLLARDS-CHOU-CABU-Cabu-Blätterfohl.

568 Georgia Grown, 15 cents # oz.; \$1 25 # lb.

CULTURE.—Sow seeds as for Cabbage, in June, July, and August, for succession. Transplant when one month old, in rows a foot apart each way, and hoe frequently.

CORN SALAD, or FETTICUS- Mache-Macha o Valerianilla-Stechfalat.

	₩ lb.	報 oz.
572 Large Seeded	1.00	\$0.10
575 Small Seeded	1.00	10
576 Green Cabbaging	1.50	20
577 Lettuce Leaved		

CULTURE.—Sow during August, or early in September, in drills a quarter of an inch deep and six inches apart. If dry weather, tread in the seed lightly. Keep down weeds with hoe. Just before the first of Winter cover thinly with clean straw or leaves. A delicious hardy salad.



Corn Salad.

CORN_MAIS_Maiz_Mais.

Extra Farly Sweet or Sugar

Extra Early, Sweet or Sugar.		*0.0	en Deceleral
	Ear.	% Quart. \$0.30	₩ Bushel. \$5 00
580 Northern Pedigree\$0 581 Marblehead	5	φ0 3 0 20	4 00
	5 5	20	4 00
	5 5	30	5 00
583 Perry's Hybrid		20	4 00
585 Narragansett	5		
587 Dolly Dutton	5	20	4 00
590 Extra Early Adams (Not Sugar)	5	20	4 00
Early, Sweet or Sugar.			
593 Tom Thumb	5	20	4 00
599 Crosby's	5	20	4 00
604 Early Dwarf	5	20	4 00
608 Pee & Kay	5	20	4.00
Second Early or Intermediate, Sweet	or	Sugar.	
611 Moore's Concord	5	20	4 00
612 Amber Cream	5	20	4 00
614 Large Excelsion	5	20	4 00
616 Squantum	5	20	4 00
617 Early Adams (Not a Sugar Corn)	5	20	4 00
General Crop, Sweet or Sugar.			
• • • • • • • • • • • • • • • • • • • •	_	0.0	4 00
618 Asylum	5	20	4 00
620 Triumph	5	20	4 00
622 Hickox Improved	5	20	4 00
626 Stowell's Evergreen	5	20	4 00
Late, Sweet or Sugar.			
630 Black Mexican	5	20	4 00
634 Ne Plus Ultra	5	30	5 00
640 Late Mammoth	5	20	4 00
644 Egyptian	5	20	4 00
off Egyptian	J	~0	Ŧ 00

Kinds.—Nos. 580, 581, 582, and 585, are the very earliest. Nos. 593, and 608 for early. No. 612 and 614 for a second early. Nos. 622, 626, 634 and 640 for general and late crop.

CULTURE.—Plant in hills three feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stems; break off side shoots. Make the ground rich with wellrotted manure. Sown in drills, a greater yield from a given surface will be obtained.

CRESS-CRESSON-Berro o Mastuerzo-Rreffe.

	1	Wilb. Woz.	₩ lb.	₩ oz.
698	Curled, or Pepper Grass\$0	50 \$0 10	706 True Water Cress\$4 00	\$0 40
700	Broad-Leaved	50 10	708 Erfurt Sweet Water Cress	75
703	Broad-Leaved Winter	75 10		

CULTURE. -- Sow Nos. 698 and 700 thickly, in shallow drills, every two or three weeks. No. 698 should be cut often, and it will continue to grow. It is useful not only for salad, but for the breakfast table and for garnishing. Nos. 706 and 708 should be sown in damp soil; or if a stream of water can be utilized, they would be very fine. It also thrives well in hot-beds.

CUCUMBER—CONCOMBRE—Pepino— Burfen.

		MC	71.	MO
		Ŧ	10.	₩ oz.
710	Early Russian	\$1	00	\$0 10
	Early Short Green			10
718	Early Green Cluster	1	00	10
	Early White Spined			10
	Extra Long White Spined			10
	Improved White Spined			10
	Peerless			10
	Long Green			10
	Long Green Turkey			15
	Extra Long Grecian			40
	Green Prolific, pickling			10
	• • •			



Water Cress.			
			1
	₽3	lb.	₩ oz.
749 Boston Pickling	\$1	00	\$0 10
754 Tailby's Hybrid	. 1	25	15
757 White Japan	. 1	00	10
760 Small Gherkin (Burr)			25

Kinds.—Nos. 710, 714, 718 and 720 are the earliest. No. 725 is the favorite kind for table use. Nos. 718, 725 and 743 for pickling, and No. 725 also for general use; No. 743 is best for market gardeners or pickle planters, No. 757 is a pure white variety.

CULTURE—For very early, sow a few seeds in hot-beds upon pieces of sod, or in small pots, and they can be readily transplanted with a gain of about six weeks before they can be sown in the open ground. Plant out in rich soil when danger of frost is over, or they may be protected by hand glasses, or even by a paper held down at the corners with a handful of earth. For general crops, sow in the open ground as soon as the weather is settled and warm, and again every two weeks for a succession. For pickles, sow from the middle of June to the first week in July. Sod land, turned over in the Fall, is the best for them. Plant in hills four feet apart, putting a shovelful of well-rotted manure in each hill.

CUCUMBER-ENGLISH VARIETIES FOR FRAMES.

Concombre (especes Anglaises) pour couches.

Packets contain from 5 to 15 seeds each, according to sort,

	45.	pkt.		, <u>4</u>	? pkt.
	Carter's Tender and True\$0	25	788	Lord Kenyon's Favorite\$	0 25
770	Duke of Edinburgh	25	790	Prize Fighter	25
772 (General Grant			Goliath	25
774 (Giant of Arnstadt	25	797	Telegraph	25
776 I	Long Gun	25	799	Lynch's Star of the West	25
778 1	Blue Gown	25	802	Lancashire Witch	25
779	Swan's Neck	25	804	Cuthill's Black Spine	25
785 l	Noa's Forcing			Improved Sion House	25


CULTURE.—The above are for growing in hot beds, or in houses particularly constructed for forcing, so that a supply can be furnished during the Winter months, at which time the prices are very renumerative. Sow seeds in November, December, or January, according to the time they are wanted for market, taking care to give plenty of air and water. It will be necessary to fertilize the pistillate flowers with the staminate, in order to render the vines productive, as, owing to the absence of insects, they will not produce a crop under glass the same as in the open ground, where bees and other insects have free access to the flowers.

DANDELION-PISSENLIT.

809 French Garden, 20 cents # ounce; \$2.00 # pound.

811 Improved Thick-leaved, # oz. 75 cents.

CULTURE.—The Dandelion is a hardy perennial plant, and one of the most desirable early Spring salads. Sow in early Spring, in drills half an inch deep and eighteen inches apart; thin out the plants to 12 inches. Keep clear of weeds during the Summer, and the ensuing Spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender and destroys to some extent their bitter taste. The blanching may be done by placing a couple of boards over the rows, thus:



Dandelion.

EGG PLANT-Aubergine-Berengena-Gierpflange.

010 Faulu Durarf Purrala	₩ lb.	₩ oz.
812 Early Dwan Furple	\$4 UU) \$U 4U
815 Long Purple	2 50	25
816 Round Purple	4 00	40
818 Large New York Purple	5 00	50
822 Black Pekin	5 00	50
826 Scarlet Chinese	0 00	40
834 Round White		40
835 Long White		40
835a Striped		40
Cook Chipod		10

KINDS.—Nos. 812 and 815 are the earliest. No. 818 is the largest and most productive, and best for main crop; No. 822 is of excellent flavor, with ornamental dark colored leaves.

CULTURE.—Sow in hot beds, very early in Spring; and transplant when two inches high into a second bed, or into small pots. If that is not done, thin to four inches apart. Do not plant out till the weather becomes perfectly settled and warm. Cool nights or wet weather will check them. Keep some back in frames for a second planting, in case of weather changing unexpectedly. Keep plants watered for a few days, if the sun is hot when put out. Set out plants three feet by two.

ENDIVE-CHICOREE-Escarola o Endivia-Endivien.

	₩ lb.	₩ oz.
836 Green Curled Winter	\$2 00	\$0 20
840 White Curled	2 50	25
846 Broad-leaved Escarolle		

KINDS.—All equally good. No. 836 is the most hardy.

CULTURE.—Sow in June, July and August; cover lightly. When up, thin out to eight inches apart, and give a good watering afterward, if dry. When the leaves are six or eight inches long, blanch by gathering in the hand and tying together near the top with yarn or bast. This must be done when quite dry, or they will rot. At the approach of Winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar for use. They must be kept dry, and have plenty of air, or they will rot.



Winter Curled Endive.

Ice Plant-Ficoide GLACIALE.

847 Clean Seed, 50 cents # oz.; per packet, 5 cents.


CULTURE.—Sow in good garden soil as soon as the ground becomes warm in Spring, in shallow drills one foot apart. A desirable vegetable for boiling like Spinach, or for garnishing.

KALE-Chou vert frise-Col-Blätterfohl.

848 (Curled	Dwarf Green Scotch		\$9 oz. \$0 10
8 4 8 <i>a</i>	4.4	Tall " "	1 00	10
849	"	Dwarf Green Erfurt	1 50	20
851		Dwarf Brown Curled	1 00	10
853		Mosbach Winter		10
859	44	Striped and Variegated, for Garnishing	250	25
861	"	Siberian or German Greens	1 00	10
864	Sea Ka	ale	3 00	30

KINDS.—From Nos. 848 to 859 are Borecole. No. 864 is a fine vegetable, having the appearance of White Celery, and is cooked the same as Asparagus. No. 861 is used for early Spring Greens.

CULTURE.—Nos. 848 to 859 are cultivated and grow exactly like Cabbage. No. 861 sow in September for early Spring Greens. Sow No. 864 early in the Spring in a hot-bed, and when from one to two inches high transplant into a bed or border that has been highly



Dwarf Scotch Kale.

manured and deeply dug. The plants should stand two feet apart in the rows. The rows (if more than one) should be three feet apart. The soil should be kept mellow and free from weeds. Cover with litter or leaves during the Winter. Plants started and grown in this way should be fit to blanch the following Spring. The seed may also be sown early in the open border, and transplanted in rows, (as directed above,) as soon as out of the seed leaf; but they will need to be a year older than the hot-bed plants before being fit to blanch. Sea Kale is not fit to eat till it has been blanched. The plants are blanched either under large pots or by banking up with sand. The midribs are the parts eaten. They are cooked like Asparagus, and usually served with drawn butter. An occasional top dressing of salt is beneficial to the plants.

KOHLRABI, or Turnip-Rooted Cabbage-Chou-RAVE-Colinabo.



869	Farly	Whita	Vienna	\$9 \$9	lb.	₽ oz. 80 25
0.40	Larry	AAIIIIFG	7161111a	♥≈	0.0	
			" extra selected			40
873	Early	Purple	Vienna	2	50	25
			or Green			15

Kinds.—No. 869 for early forcing, and also for general crop. This is an excellent vegetable, and should be grown in every garden.

CULTURE.—Sow in Spring, in rows eighteen inches apart, afterward thinning the plants to eight or ten inches. If the weather is suitable, the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down, and when the thickened stem above ground is two or three inches through, they are fit to eat; being tough when old. They are cooked same as Turnips.

White Vienna Kohlvabi.

LEEK-Poireau-Puerro-Porro.

879 Best Large Flag Winter	lb.	\$2.50	₩ oz. 25 cents.
883 Large Rouen Winter	٠.	2 00	25
885 Large Carenton	6.6	2 00	" 25 "
886 Large Musselburg		2 00	" 25 "



CULTURE.—Sow very early in Spring, in drills six inches apart, and one inch deep. Thin out to one inch. When about seven inches high, transplant them in rows twelve inches apart, and as deep as possible, but do not cover the young center leaves. Water thoroughly, if dry when planted out. Draw earth up to them as they grow. Require very rich soil. Take up and store in earth in a cool cellar before Winter weather. The seed may also be sown in September, and the young plants transplanted in the Spring. No. 885 is very fine; we think all should try it.

Rouen Leek.

LETTUCE—Laitue—Lechuga—
Salat.

word neck.				
	铅	lb.	習 oz.	I
888 White Forcing Head	\$2	50	25	l
895 Early Curled Simpson	1	50	20	١
897 Black Seeded Simpsons	1	50	20	l
898 American Gathering (fine)	1	25	20	l
900 Laciniated Beauregard	1	50	20	
905 Tennisball or Boston	1	25	20	l
907 Stone Tennisball	1	50	20	
909 Improved Hanson	1	50	20	İ
912 Silver Ball	1	5 0	20	l
915 Shotwell's Brown Head	2	00	20	
919 White Cabbage	1	25	20	ľ
927 Golden Stone Head (fine)	2	00	25	1
9 29 Prize Head	1	00	15	l
938 Ice Drumhead	1	00	15	
940 Salamander Head	1	50	20	
942 Green Fringed	1	50	20	ı
945 Large Yellow Butter(Black				ı
Seed)	1	50	20	-
949 Large Yellow Butter (Grey			.,,	
Seed)	2	00	20	
, , , , , , , , , , , , , , , , , , , ,				

		铅	lb.	₩oz.
953	White Cos (Romaine)	\$1	50	20
956	Green Cos	1	50	20
958	Red Bossin	1	50	20
966	American Oak leaved	4	00	40
067	New Perpetual	1	50	20
301	Mew Leibergai	_	- 0	



Golden Stone Head Lettuce.

Kinds.—Nos. 888, 895, 897, 900, 905, and 927 are best for forcing or earliest Spring crop. Nos. 895 and 898 also for succession kinds. Nos. 898, 909, 915, 919, 945, and 966, are fine for main Spring and Summer crops, Nos. 898 and 915 for Fall. Nos. 953 and 956 are also highly recommended, but a little more trouble to raise.

CULTURE.—Sow Nos. 888, 895, 897 and 905 in hot-beds in March, and in the open ground as soon as it can be worked, and transplant to rows eight inches apart. Sow in two weeks' time same varieties again, as also Cos for a succession. In August, sow any of the varieties, except No. 966, which should be sown in September. In October, some of these may be planted in frames to head in Winter and early Spring. Always sow thin, and thin out well, or the plants will not be strong. The last Spring sowing had better be grown where sown,

being thinned out to six or eight inches apart. To have Cos in good order, they must be sown in a hot-bed early in the year and transplanted to a cold frame, so as to have them good plants to set out at the opening of the ground. They require tying when grown, for a few days, to blanch. Lettuce requires good ground and moisture in abundance.

MARTYNIA-FOR PICKLES.

975 craniolaria # lb., \$3.00; # oz., \$0 30 | 976 proboscidea # lb., \$3.00; # oz., \$0 30

KINDS.—Both are productive and fine for Pickles. Pick when small and tender, and preserve the same as Cucumbers.

CULTURE.—Sow in May, in the open ground, three feet apart in each direction, where the plants are to remain; or the seed may be sown in a hot-bed, and the seedlings afterward transplanted.

MELON, MUSK-MELON Muscade-Melon Muscatel-Rantalupen.

¥ 11	b. ₩	oz.	
perfumed golden Nutmeg. 3	00	30	
		15	
The Surprise 1	00	15	
		15	
		15	
		15	
Long Valparaiso 1	00	15	
Hybrid Bay View 1	00	15	
Orange Christina 1	00	15	
Jenny Lind 1	00	15	
Long Green Persian 1	00	15	
Sill's Hybrid 1	00	15	
		15	Golden Perfection Nutmeg Melon.
Long Yellow Cantaloup. 1	00	15	Worker Tollootion Training Training
		nd	highly perfumed \$1 50 \$0 20
	Golden Perfection, highly perfumed golden Nutmeg. 3 Golden Netted Gem. 1 The Surprise. 1 Fine White Japan. 1 Fine Nutmeg 1 Hackensack. 1 Long Valparaiso. 1 Hybrid Bay View. 1 Green Citron 1 Jenny Lind 1 Long Green Persian 1 Sill's Hybrid 1 Green Montreal 1 Long Yellow Cantaloup. 1 Banana Citron, Cucumber sha	Golden Perfection, highly perfumed golden Nutmeg. 3 00 Golden Netted Gem. 1 00 The Surprise. 1 00 Fine White Japan. 1 00 Hackensack. 1 00 Hackensack. 1 00 Hybrid Bay View. 1 00 Orange Christina. 1 00 Green Citron. 1 00 Jenny Lind. 1 00 Long Green Persian. 1 00 Sill's Hybrid. 1 00 Green Montreal. 1 00 Long Yellow Cantaloup. 1 00 Banana Citron, Cucumber shaped of	perfumed golden Nutmeg 3 00 30 Golden Netted Gem 1 00 15 The Surprise 1 00 15 Fine White Japan 1 00 15 Fine Nutmeg 1 00 15 Hackensack 1 00 15 Long Valparaiso 1 00 15 Hybrid Bay View 1 00 15 Orange Christina 1 00 15 Green Citron 1 00 15 Jenny Lind 1 00 15 Long Green Persian 1 00 15 Sill's Hybrid 1 00 15 Green Montreal 1 00 15 Long Yellow Cantaloup 1 00 15

Kinds.—Nos. 981, 983 and 998 are the earliest varieties. For general and early we recommend Nos. 980 and 981 particularly for northern localities. In addition to these for general crop, we recommend Nos. 986, 989 and 992. No. 978 is a new sort and perhaps the finest ever introduced.

CULTURE.—Select a light, sandy, rich soil, and after all danger of frost is over and the ground has become warm and dry, plant in hills four to six feet apart each way, six to twelve seeds to the hill. When up, and all danger of insects has passed, pull out all but three plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road dust is excellent to sift over the young plants when the dew is on, to prevent the attacks of insects. A few hills for early may be had by sowing in hot-bed on pieces of sod or in pots. The seeds may also be started out of doors under hand frames or glasses.

English Varieties—For Frames,—Varietes Anglaises pour couches.

1028 Invincible Scarlet	₩ pkt\$0	25 1035	Dell's Hybrid ₩	pkt. \$0	25
1033 Tottan Park	· ii	25 1039	Munroe's Little Heath,	• • •	25
1034 The Squire	"	25			

MELON, WATER-MELON D'EAU-Zandia-Baffermelonen.

₩ lb. ₩ oz.	₩ lb. ₩ oz.
1040 Kolb Gem\$1 00 15	1060 Black Spanish\$1 00 15
1040a Pride of Georgia 1 00 15	1069 Ice Cream or Mountain
1041 The Boss 1 00 15	Sweet 1 00 15
1042 Vick's Early 1 00 15	1073 Goodwin's Imperial 1 25 15
1043 lcing 1 00 15	1077 White Seeded Ice Cream 1 00 15
1044 Scaly Bark 1 00 15	1080 Apple Seeded 2 50 25
1045 Excelsior 1 00 15	1092 Phinney 1 00 15
1047 Mammoth Iron Clad 1 00 15	1095 Southern Rattlesnake 1 00 15
1050 Sculpt'd Seeded Japan 1 00 15	1099 Apple Pie Melon, for
	preserves
	1100 Citron, for preserves 1 00 10

Kinds.—Nos. 1042, 1053, 1073 and 1077 are the earliest sorts, and Nos. 1040, 1041, 1043 and 1047 are the finest for general crop. Nos. 1040a, 1057 and 1095 are popular Southern sorts of excellent quality.



Mushroom.

CULTURE.—Treat the same as Musk-melon, except that they should be planted eight to ten feet apart, according to variety.

MUSHROOM SPAWN-BLANC DE

CHAMPIGNON_Seta_Champignonbrut.

English Spawn, 12 cents per lb.; 10 lbs. for \$1.00.

French Spawn, per 3 lb. box, \$1.25.
"" in bulk # lb. 35c.

Culture.—Mushrooms may be grown in cellars, under benehes of green-houses, or in sheds, wherever the temperature of 50° to 60° ean be kept up through Winter. The bed should be made from November to February, according to the time the Mushrooms are wanted, and it

requires about two menths for them to begin bearing. Secure fresh horse dung, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed of the required size. A bed three to four feet wide and eight inches deep, of any length desired, are the proper proportions, or these may be varied to suit circumstances. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a few days, and as soon as the heat subsides to 90°, make holes in the bed about a foot apart each way, into which put pieces of the spawn two to three inches in diameter; fill up the holes with the compost, and at the expiration of a week or ten days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of two inches, and cover with three or four inches of hay, straw, or litter. Examine the bed often to see that it does not get dry. When water is given, it should be at a temperature of about 100°.

MUSTARD-Moutarde_Mostaza-Senf.	
휟qt. 즉	g oz.
1105 Black\$0 30	
1108 White London 40	
	15
	25

CULTURE.—Sow thickly during early Spring, in shallow drills, and press the earth well down. For Fall salad, sow in September; or in frames or boxes during Winter, when frost can be partially excluded; No. 1109a is highly recommended as a salad.

1109aTuberous rooted Chinese. new......

NASTURTIUM-CAPUCINE-Maranuela-Rasturtium.

	₩ lb. ₩ oz.		₩ lb. ₩ oz.
1110 Dwarf Yellow	.\$2 50 25	1112 Tall Yellow	.\$1 25 15
1111 Dwarf Crimson	. 2 50 25	1113 Tall Blood-colored	. 1 25 15

CULTURE.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles, on which to climb for support. If left to trail upon the ground the fruit is apt to be injured. The seeds are used in flavoring pickles, or as a substitute for Capers.

OKRA-Gombo-Quimbombo-Safran.

	₩1	b. 😜 oz.
1113a New Early Improved Dwarf	\$1 0	00 \$0 15
1114 Dwarf Green	1	5 10
1116 Long Green		
1117 Creole Extra Long Pod White	1 5	0 20

CULTURE.—Sow late in Spring, after the ground has become warm, in drills three feet apart, where the plants are to remain. Thin out from nine to twelve inches. They should be well manured. They may also be raised in pots, or a hot-bed, and transplanted. The pods, when young, are used for soups, stews; and when cold, made into a salad.


ONION-OIGNON-Cebolla-Zwiebeln.

	₩ lb.	₩ oz.		報 lb.	₩ oz.
1119 Pearl, very early white					
1120 Queen, very early white	3 00	30 1153	Large Yellow Globe	1 25	5 15
1123 Large White Tripoli				1 50) 15
1129 White Portugal	3 00	30 1158	Pale Red Bermuda	1 50	20
1130 Large White Globe		30 1159	Globe Madeira	2 50	25
1132 Early Red Flat	1 00	10 1162	Flat Madeira	2 50	25
1135 Large Red Globe	1 00	10 1165	Welsh (for Salad)	2 50	25
1138 Large Red Wethersfield	1 00	10 1166	Shallot Seed, per packet,		20
1149 Yellow Danvers	1 00	10	• • •		

KINDS.-Nos. 1119 and 1120 are small, but the earliest. Nos. 1130, 1135, and 1149 are the best for main crop. Nos. 1120 and 1129 are also best for pickling, but should be sown very thick for this purpose. Nos. 1123 and 1157 are the large Italian Onions, well adapted for all of our Southern latitudes. Nos. 1130, 1135, 1138 and 1153 are the celebrated sorts for market. No. 1165, for early Spring Salad.

CULTURE. - Sow in rich, sandy soil, in drills one foot apart, as soon as the ground can be worked in Spring. Thin to three or four inches, using the rake and hoe frequently to keep down the weeds. No. 1165 should be sown early in the Fall, and will produce leaves for Salad

early in Spring. Onion Sets and Tops are planted near the surface in drills twelve inches apart and four inches in the rows. These last are valuable for early use, and where Onions from seed cannot be raised the first year.



Giant Rocca Onion.

ONION SETS, TOPS, Etc.

Yellow Onion Sets	₩ bus.,	\$4	00	 ₩ peck,	\$1 25	 # qt., \$0	25
White Onion Sets	11	5	00	 "	1 50	 "	25
Red Onion Sets	"	4	00	 **	1 25	 **	25
Red Top Onions	"			"			25
Potato Onions	**	4	00	 "	1-25	 **	25
Shallots				 		 	25
Garlic Sets				 		 .₩ lb.,	50

ORACH, or French Spinach-Arroche.

1169 Red 🏗	lb., \$1	. 00	₩ oz., 15
1173 White	" 1	00	" 15

CULTURE.—Sow early in Spring, cultivate and use like Spinach.

PARSLEY-Persil-Perijil-Beterfilie.	
\$1.5 Extra Curled\$1 00 10	San San San
1175 Extra Curled\$1 00 10	Mary Comment of the C
1178 Moss Curled 1 00 10	
1181 Fern Leaved 1 25 15	
1183 Plain 60 10	
1185 Hamburg or Rooted 1 00 10	Extra Curled Parsley.

Kinds.—Nos. 1175 and 1181 are the best for general use. No. 1185 isgrown for the roots. Culture.—Soak the seeds a few hours in luke warm water, and sow early in Spring

and until middle of July, in drills one foot apart. Thin out the plants to four inches. To preserve in Winter, transplant and set them in a light cellar or cold frame. No. 1185 should be thinned out while young, and managed the same as Carrots or Parsnips.

PARSNIP-PANAIS-Chirivia-Boftingte.

D. Doz.	₽ lb. ₽ oz.
1188 Sutton's Student\$0 60 10	1194 Maltese
1190 Guernsey, or Cup 60 10	1195 Abbott's Improved 1 00 10
	1196 Early Round 75 10

Kinds.—Nos. 1188 and 1190 are the standard kinds. No. 1196 is early, but of small size.

CULTURE.—Sow as early in the Spring as the ground can be worked, in rich soil, in drills eighteen inches apart. Thin to six or eight inches in the rows. Hoe and cultivate often to keep down the weeds.

PEAS-Pois-Chicaros o Guisantes-Erbien.

	EXTRA EARLY.	Hei	ght.	報	ous.	£9	pk.	₩ qt.	
1200	Thorburn's Extra Early Market	21/2	feet	\$5	00	\$1	50	\$0 25	5
	Rural New Yorker			6	00	1	75	30	0
*1202	Laxton's Earliest of All	21/2	"	6	00	1	75	30	0
1203	First and Best	21/2	6.6	4	50	1	25	28	5
1205	William the First	8	4.6	5	00	1	50	28	5
*1210	Alpha, (Extra Early Wrinkled) sow thick	3	ci	6	00	1	75	30	0
1220	Daniel O'Rourke (improved	21/2	"	4	50	1	25	28	5
1235	Philadelphia, (extra early)	3	66	4	50	1	25	25	5
1236	Small French (Petit Pois)	2	"	8	00	2	25	50	0
	EARLY.								
1239	Kentish Invicta	4	"	4	00	1	25	28	5
1241	Day's Early Sunrise	2	"	5	00	1	50	25	5
	McLean's Advancer		66	5	50	1	50	25	5
1250	Laxton's Prolific Long Pod	4	66	4	00	1	25	28	5

Peas.—Continued.				
MAIN CROP,	Height.	🤁 bus.	₽ pk.	₽ qt.
*1259 Everbearing, sow thin	21/2 "	\$6 00	\$1 75	\$0 30
1260 Pride of the Market, sow thin	2 "	8 00	2 25	40
*1262 Prince of Wales	3 "	6 00	1 75	30
*1265 Champion of England, sow theck	. 5 ''	4 00	1 25	25
1270 Blue Imperial (fine)	21/2 "	4 00	1 25	25
1285 Tall Sugar (edible pods)	5 "	7 00	2 00	35
1286 Dwarf " "	3 "	7 00	2 00	35
*1288 Yorkshire Hero, sow thin	21/2 "	5 00	1 50	25
*1295 Hair's Dwarf Green Marrow	21/ 11	6.00	1 75	30




American Wonder Peas.

Peas.—Continued.				
LATE CROP. Heigh	nt. 智	bus.	₽ pk.	₩ qt.
1306 Culverwell's Telegraph	eet \$6	00	\$1 75	\$ 0 3 0
*1307 Carter's Telephone 4 "	' 8	00	2 25	40
1310 White Marrowfat 5 '	' 3	00	75	20
1315 Black Eyed Marrowfat 3 '	' 2	50	75	20
DWARF VARIETIES-WITHOUT BRUSH.				
*1338 American Wonder (extra early)	nes 6	00	1 75	30
*1339 Carter's Stratagem, sow thin18 '	· 10	00	3 00	50
*1340 Abundance, (second early) sow thin	5	00	1 50	25
1345 McLean's Blue Peter (early) 8	' 5	00	1 50	25
*1346 Minimum (extra early) 6 '	' 7	00	2 00	35
*1347 Premium Gem (extra early)	' 5	00	1 50	25
*1350 McLean's Little Gem (extra early)	٠ 5	00	1 50	25
1355 Tom Thumb (extra early)	' 5	00	1 50	25
1360 Bishop's Dwarf (early)	4	00	1 25	25
1362 Bishop's Long Pod (second early)	' 4	00	1 25	25

Those marked * are Wrinkled Marrows, and should be sown thicker than the round Peas, and not till the ground has become warm, as they are more liable to rot. They are the finest flavored of all the Peas.

KINDS.—We recommend for the first crop, Nos. 1200, 1201, 1203, 1210, 1220, 1235 and 1236; for second crop Nos. 1239, 1241 and 1245; for general crop, Nos. 1260, 1265, and 1295; for late crops, Nos. 1306 and 1307; for small gardens, Nos. 1338, 1346, 1347 and 1350, No. 1339 is one of the finest intermediate sort, and the Peas should be dropped about six inches apart.

CULTURE—A week may be gained in earliness, by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early as the ground can be worked, and again every two weeks, for succession, up to the first of June, after which there is danger from mildew. Sow in single or double rows, from four to six feet apart, according to the different heights, about an inch apart in the row, and four inches deep. In Summer, sow six or eight inches deep. Latter part of August sow again Nos. 1200 or 1220 for Fall crop. Hoe often. The tall sorts can be made to bear more freely by pinching in. The dwarf varieties may be grown in beds like Bush Beans, with the rows about the same distance apart.



Sweet Mountain Pepper.

	PEPPER—PIMENT—Pimiento—Pfeffer.	
	₩ lb.	
	Sweet Golden Dawn\$3 00	30
1373	Large Squash 4 00	40
1376	Long Cayenne (Red) 4 00	40
1379	Long Cayenne (Yellow) 4 00	40
1381	Large Bell 3 00	30
1383	New Oxheart, for pickling 4 00	40
1385	New Cranberry 4 00	40
1392	Red Cherry 3 00	30
1395	Red Chili 3 00	30
1396	Yellow Chili 4 00	40
1397	Sweet Spanish (for Salad) 3 50	35
1399	Sweet Mountain (for Mangoes) 3 00	30

KINDS.—Nos, 1395 and 1396 are the very small sort used for Pepper Sauce. The others are best for main crop.

CULTURE.—Sow in hot-bed in March, and when the soil has become warm set out in rows two feet apart and eighteen inches in the rows; hoe frequently, and keep down all weeds. The plants may also be forwarded in small pots.

POTATO-POMME DE TERRE-Patata-Rartoffel.

The prices may vary as the season advances.

EARLY VARIETIES.	Bushel.	Barrel.
1399a "The Thorburn." Earliest and best of all	\$5 00	\$10 00
1400 Beauty of Hebron. Slightly flesh colored skin, with pure white flesh. Th		
best and most popular early variety in cultivation		4 00
1401 Clark's No. 1. Resembles Early Rose, but is more productive and earlier. 1402 Rose Magnum Bonum. Grows to a large size, deep eyes, of fine table quality		4 00 4 00
1403 Early Okio. Very early, seedling of Early Rose		5 00
1405 Early Maine. Another seedling of Early Rose.		4 00
1406 Early Vermont. An old edition of Early Rose, not distinct		5 00
1407 Mayflower. Snowflake in form and quality, but much earlier. Skin rus		
seted and netted. Very desirable		4 50
1408 Watson's Seedling. Belongs to the Rose family, but more productive		4 00
1409 Vanguard. Very early, similar to Early Rose		4 00
1411 Early Sunrise. The true type of Early Rose'		4 00
1412 Hall's Early Peach Blow. Very early and grows to a large size	2 50	5 00
INTERMEDIATE VARIETIES.		
1416 Orange Co. White. Very white flesh and skin. Excellent quality		4 00
1418 Dunmore. A heavy cropper, and a desirable variety in many respects		4 00
1419 Queen of the Roses. A new sort, has but few eyes. quality first-class		
ripening a little later than Early Rose, which it resembles, except that is lighter in color—very heavy cropper		4.00
1421 Rural Blush. Beautiful blush skin, flesh slightly tinged with pink. Cook		4 00
dry. A very heavy yielder		4 00-
1424 Garfield. A very valuable white variety. Skin very finely netted; giving a		1 00
a beautiful appearance	2 00	4 00
1425 Improved White Rose. A very white variety of the Burbank family		4 00
1426 White Star. White flesh, fine floury texture		4 00
1429 St. Patrick. White flesh and skin		4 00
1430 Vermont Champion. White flesh and skin, great cropper, best quality	. 2 00	4 00
LATE VARIETIES.		
1434a Great Eastern. Introduced by us last season, and proved to be one of the		
most productive varieties, of first-rate quality; skin and flesh pure white		
eyes few, and nearly even with the surface		4 50
1435 Dictator. This is also an introduction of ours of last season, and prove all that we claimed; first quality, nearly round sort, and about two week		
later than Great Eastern		4 50
1435a Empire State. A new variety introduced last season, wonderfull;		
productive, flesh is very white and floury, skin white and smooth, and		
most delicate flavor		4 50
1436 Burbank Sport. A California production. Is more productive than Bur		
bank and of better quality		4 00
1441 Dakota Red. Very fine reddish flesh colored skin and pure white flesh 1442 Thorburn's Late Rose. Still retains a fair proportion of its old tim		4 00
popularity. Has lately been improved and given a new lease of life		4 00
1443 Late Beauty of Hebron. Resembling White Elephant		4 00
1446 O. K. Mammoth Prolific. As its name indicates is of large size, and pro		
ductive	. 2 00	4 00
1450 White Elephant. One of our best, productive and first quality	. 2 00	4 00
1451 Red Elephant. Very productive.	. 2 00	4 00

CULTURE.—In order to have the best success in growing Potatoes, and to secure a healthy vigorous growth and a crop free from rot, it is necessary to plant as early as the ground can be got ready. Select a rich soil, and plant in rows three feet apart, and the sets one foot in the rows. To kill the young weeds, run a light steel-tooth harrow over the field lengthwise of the rows. This will allow the crop to get the start of the weeds, besides breaking up all lumps and leveling the ground ready for the cultivator. If wood ashes and plaster can be procured, sow a good dressing over the field after the potatoes are up. If a very early crop is desired, it will be necessary to sprout the potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room from four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that as soon as planted they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hot-bed two weeks before they are wanted, and then lift carefully and set out on fresh horse dung, so that the heat will cause them to start at once. If the Colorado Potato Beetle makes its appearance, the vines must be dusted with Paris Green mixed with about eighty parts of plaster. or, what is better, mix the Paris Green in water, two tablespoonfuls to a pail, and apply with a small brush or broom. Taking care to stirthe mixture often, or else the Paris Green will settle at the bottom. Two or three applications during the season will usually suffice to clear off all the beetles.

PUMPKIN-Potiron-Calabaza-Große Rürbie.

₩ lb.	. ₩ oz.	₩ lb. ₩ oz.
1475 Large Cheese\$0 7	75 10	1479 Bright Red Etampes\$2 00 20
1476 Early Sugar	75 10	1480 Improved Mammoth 3 00 30
1477 Black Negro 1 0	00 10	1483 Connecticut Field, # qt. 25 cts.
-1478 Cushaw		

Kinds.—No. 1475 and 1479 are the best for family use. No. 1480 is very large, some specimens weighing over two hundred pounds. No. 1483 is for stock.

CULTURE.—May be planted middle of Spring, among the Indian Corn, or in the field or garden, in hills eight or ten feet apart each way, four seeds in a hill. In other respects, are cultivated in the same manner as Melons and Cucumbers. Avoid planting them near other vines.


RADISH-RADIS ET RAVE-Rabanos and Rabanitos-Radies und Rettig.

₩ lb. ₩ oz.	₩ lb. ₩ oz.
1485*French Breakfast\$0 60 10	1515 White Summer Turnip. \$0 75 10
1486*Earliest Roman Carmine	1518*White Strasburg Summer 75 10
Turnip, beautiful 1 50 20	1520*Yellow Summer Turnip 75 10
1487 Prussian Globe-Shaped	1521 Golden
Carmine Turnip 1 50 20	1523 Purple " " 75 10
1488*Wood's Early Frame 60 10	1525 Gray " " 75 10
1490 Deep Scarlet Turnip 60 10	1528*Giant Stuttgart Summer 75 10
1492*Early " " 60 10 1494* " "white tail 60 10	1530 Black Spanish (Round). 75 10
1494* " "white tail 60 10	1533 Black Spanish (Long) 75 10
1495 " White Turnip 1 00 10	1535 White Spanish 75 10
1499 Half Long Deep Scarlet 75 10	1536*Long Grey Laon Winter 75 10
1502 White Olive-shaped 75 10	1537*Scarlet Chinese Winter. 1 00 10
1505*Long Scarlet 60 10	1539 California Mammoth
1507 Long Salmon 60 10	(Large White Winter) 1 00 10
1508*Beckert's Chartier, Long 4 00 40	1540 Raphanus Caudatus, or
1509 Long Purple 75 10	Édible Pod Radish 40
1512 Long White Naples 75 10	

Those marked thus * are best suited for market Gardeners.

Kinds.—Nos. 1485, 1486, 1488, 1492 and 1494 are best for early sowing; Nos. 1492, 1499 and 1505 are best for succession. Nos. 1512, 1515, 1518, 1520 and 1528 for Summer sowing. Nos. 1533, 1535 and 1537 for Winter use. No. 1537 is the best sort—keeps like a Turnip; 1508 is very tender, beautifully colored, and can be highly recommended as one of the best.

CULTURE.—Sow as soon as the ground is dry in the Spring, in light, rich soil, in rows eight to twelve inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had, where the ground is shaded during part of the day. Sow also in early Fall for late crops and Winter use.



RHUBARB-RHUBARBE—Ruibarbo-Rhabarber.


Culture.—Sow seed in a cold frame, in a fine, rich, sandy loam, about the first of March, in drills four inches apart. Keep the frame covered during nights and cold days, so that the soil will not freeze, and in six to eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows twelve inches apart and twelve inches in the rows. The following Spring transplant again to four or five feet apart each way, and the next Spring the stalks will be large enough to pull. When roots are set out, plant them four or five feet apart each way, and keep the weeds down. If roots are used, a crop may be secured after one season, and this is much better than sowing seeds where only a few plants for family use are needed; in the Fall the bed should have a thick dressing of coarse manure, which is to be spaded under in the Spring.

ROQUETTE.

1546 15 cents ₱ ounce; \$1 25 ₱ lb.

CULTURE.—Sow early in Spring, in rows, and thin out to eight or ten inches. If kept well scuffled and watered, the tart flavor of the leaves is greatly diminished. This flavor is not so pronounced in the small leaves, which are used for Salad. The flowers appearing from May to June, have very much the odor of the orange blossom.

SALSIFY, or Vegetable Oyster-Salsifis-Ostion Vegetal-Haferwurzel.



CULTURE.—Sow as early as the ground can be worked in Spring, in drills twelve inches apart, one inch deep, and thin out to six inches in the row. Keep them clear from weeds. Cultivate the same as for Carrots and Parsnips. A part of the crop may be left in the ground till Spring, when it will be found fresh and plump. The roots are cut into pieces half an inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like Parsnips, and have a sweet and agreeable flavor. Mashed and fried, the flavor is much like that of the Oyster, and hence the common name of the plant.

SAVOY-CHOU FRISE DE MILAN.

1556 New Tom Thumb Savoy, very fine " 40 CULTURE.—Same as for Brussels Sprouts.

SCOLYMUS.

1560 25 cents ₩ oz., \$2 50 ₩ lb.

A vegetable from Spain. The root resembles a small Parsnip, and will keep through the Winter like a Turnip. It is cultivated precisely like the Carrot, except that it should be grown in rows three feet apart and eighteen inches in the rows, and boiled like Salsify.

SCORZONERA—Scorzonere—Escorconera—Scorzionwurzel.

1561 20 cents ⅌ oz.; \$2 00 ⅌ lb.

CULTURE.—Cultivate the same as Salsify. It is cooked in the same manner, but on account of being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to Salsify. It is also called Black Salsify.

SKIRRET-CHERVIS-Budermurgel.

1562 30 cents # ounce.

CULTURE.—Sow in drills half an inch deep, a foot apart, thin out to eight inches in the row. Keep down the weeds. Take up the roots before Winter, and store in sand or earth. A plump, fleshy root, containing a quantity of sugar, and eaten like Scorzonera or Salsify.

SORREL-OSEILLE-Acedera-Sauerampfer.

1564 Garden.......10 cents ₱ ounce; \$1.00 ₱ lb.

CULTURE.—Sow in Spring, in drills eighteen inches apart, in a rich soil, and keep the flower stems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. To be cut and cooked precisely like Spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds Spinach. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

SPINACH-EPINARDS-Espinaca-Spinat.




Long Standing Spinach.

Dopun	ou opinut.				
		铅	lb.	铅	oz
1566	Large Round Viroflay				
	or Thick-leaved	50	40		10
	Round-Leaved		40		10
1573	Curled Leaved Savoy				
	or Bloomsdale		40		10
1575	Round Flander		40		10
1577	Long Standing Round				
	Thick-leaved		40		10
15770	Prickly		40		10
	New Zealand (Sum-				
	mer)	1	25		15

Kinds.—Nos. 1566, 1570, 1573 and 1577 are the best for early Spring sowing; and

also for Fall and Winter in this latitude. No. 1577a is the most hardy. No. 1578 is excellent for Summer use.

CULTURE.—Sow in early Spring, in drills a foot apart, every two weeks for a succession; and as it grows, thin out for use. Keep clear of weeds. Sow the New Zealand in hills three feet apart each way, three or four seeds in a hill. This is fit for cutting all Summer. For Fall use, sow in August all the other varieties, and for Winter crop in September. Cover that which is left out over Winter with straw or leaves, after the weather becomes quite cold.



Swiss Chard.

SWISS CHARD, or SILVER BEET.

This is a Beet producing only leaves, excellent as greens. Cultivate like Spinach.


lb., 75 cents; # oz., 10 cents.

SPROUTS-CHOUX VERTS NON POMMES.

1582 Spring, or Rape, # quart, 25 cents. 1584 Winter, or Siberian Kale, # oz., 10 cents; # lb., \$1 00

CULTURE. - Sow No. 1582 very early in Spring, and No. 1584 in September.

₩ lb. ₩ oz.



Kinds.—Nos. 1590, 1594, and 1596 are the best sorts for early Summer use. Nos. 1599, 1602 and 1603 are the best for late Winter use. Nos. 1588 and 1599 are fine for Summer or Winter, but finest as a Winter Squash. Nos. 1606 and 1607 are very fine and choice.

CULTURE.—Sow in hills, in the same manner and at the same time as Cucumbers and Melons; the bush three to four feet apart, and the running kind from six to nine.

TOM A TO-TOMATE-Tomates-Siebesapfel.

₩ lb. ₩ oz.

1619 King Humbert\$3 00 30	1646 Fejee Island\$3 00 3	0
	1664 Hundred Days 3 00 3	0
	1674 Yellow Plum 3 00 30	0
	1677 Large Yellow 3 00 30	0
	1678 Improved Large Yellow,	
	quite solid 5 00 5	0
	1683 Green Gage 3 00 3	0
1626 Little Gem 3 00 30	1687 Red Cherry 3 00 3	0
	1690 Yellow Cherry 3 00 3	0
	1693 Pear Shaped 3 00 30	0
	1695 White Apple 3 00 3	0
1631 Trophy, selected 4 00 40	1697 Red Currant, (very small). 4 00 4	0
	1699 Tomate de Laye 6 00 6	0
	1700 Strawberry 3 00 3	0

Kinds.—Nos. 1619,1626, 1630 and 1643, are the earliest. Nos. 1619a, 1620, 1621, 1627 and 1631 best for main crop. Nos. 1687, 1690, 1693, 1697 and 1700 for Pickles and Preserves. Nos. 1631 and 1646 are very solid. No. 1700 is the Winter Cherry, sometimes called Strawberry Tomato; it is excellent for Preserves.

30

1643 Conqueror 3 00

CULTURE. - Sow in hot-bed in early Spring, or the seed may be sown in shallow boxes, and placed in a window, where one does not wish to have the trouble of making a hot-bed. Transplant to the open ground when all danger of frost is past, setting the plants three or four feet apart each way. Some support should be provided for the vines to keep the fruit from touching the ground; brush, hay, or anything of the sort will answer the purpose, or they may be tied to stakes.

TURNIP-NAVET-Nabo-Rüben.

₩ lb. ₩	1/ lb	39.07	
1701 Purple Top Munich50	15	10	
1702 White Egg50	15	10	
1703 Early Snowball50	15	10	
1704 Black Stone75	25	10	
1706 Gray Stone	25	10	
1710 Early Dutch50	15	10	
1713 German Teltow 75	25	10_	
1715 Cow Horn50	15	10	
1716 Cow Horn, Strap-leaf 50	15	10	// Jais
1717 Red Top, Strap-leaf50	15	10	3
			77 1 77 1 7717 (71 7 7 7 7

Extra Early Milan Strap Leaf Turnip.


♥ lb. ♥ ¼ lb. ♥ oz.

 $\hat{2}5$

25

10

10



1776 Curly Top "

1721 White Noholk	TO	TO
1723 White Strap-leaf Flat50	15	10
1724 White Strap-Leaf Long 75	25	10
1725 White Flat or Globe50	15	10
1728 White French or Rock50	15	10
1733 Pomeranian White Globe50	15	10
1737 Green Globe	25	10
	25	10

1719 Red Top, Globe-Shaped .. 75

TIME THICK	10	10
1723 White Strap-leaf Flat50	15	10
1723 White Strap-leaf Flat50 1724 White Strap-Leaf Long75 1725 White Flat or Globe50 1728 White French or Rock50	25	10
1725 White Flat or Globe50	15	10
1728 White French or Rock50	15	10
Provide Manual Manual 1733 Pomeranian White Globe50	15	10
Purple Top Munich Turnip. 1737 Green Globe	25	10
1739 Green Barrel	25	10
1741 Jersey Navet (true)	25	10
1743 Long White Tankard	25	10
1745 Yellow Malta75	25	10
1746 Yellow Globe	15	10
1748 Yellow Stone	15	10
1750 Yellow Aberdeen	15	10
1753 Robson's Golden Ball	15	10
1758 Yellow Finland	25	10
1764 Montmagny	25	10
1765 Southern Prize, very large Globe shaped, white	25	10
1766 Improved Ruta Baga	15	10
1769 White Ruta Baga	15	10
1771 Laing's Ruta Baga50	15	10
1774 Skirving's Ruta Baga50	15	10

KINDS.—Nos. 1701, 1703, 1710, 1718, and 1723 are the best for Spring sowing. Nos. 1715, 1717, 1719, 1728, 1746, and 1764 for Fall and Winter.

CULTURE.—For early Turnips, sow as soon as ground opens in Spring. Nos. 1766, to 1776 should be sown from any time in July to 1st of August; but the other kinds, for Winter use, may be sown from middle of July to end of August. Turnips are generally sown broadcast, but much larger crops are obtained (particularly of the Ruta Bagas) by cultivating in drills eighteen inches apart, and thinning to six inches in the drill. One pound to the acre.

POT, SWEET AND MEDICINAL HERB SEEDS.

Graines d'Herbes potagères et medicinales.

	₩ oz.	幣 lb.
Agrimony.—Used in medicine		#s 10.
Angelica, Garden.—Supposed to have medicinal virtues. Archangelica officinalis.	25	\$2 00
Anise.—Seeds aromatic and carminativePimpinella Anisum	10	75
Arnica.—Has medicinal qualities		
Balm.— " "	40	
Basil, Dwarf or Bush.—Culinary herbOcymum minimum	25	2 50
Basil, Sweet.—Culinary herb, used for flavoring soups, &c. "basilicum	25	2 50
Belladonna.—Used in medicine	50	5 00
Bene.—The seeds yield a good oil. The leaves are used	00	0 00
for dysentery and diarrhea Sesamum orientale	20	1 50
Boneset.—Has medicinal qualities Eupatorium perfoliatum	20 75	
Borage.—Leaves used as a salad. Borago officinalis	15	1 00
	10	
Caraway.—Seed aromatic		75
Catrip.—Has medicinal qualities	50	5 00
Coriander. — Seed aromatic	20	1 00
Dill.—Seeds aromatic, pungent, and medicinal Anethum graveolens	15	1 00
Elecampane.—Has tonic and expectorant qualitiesInula Helenium	50	5 00
Fennell, Sweet.—Seeds aromatic	15	1 00
Foxglove, Purple.—Has medicinal qualitiesDigitalis purpurea	25	2 00
Fumitory.— " " Fumaria officinalis Hellebore, White " " Veratrum album	40	4 00
Hemlock.—Has medicinal qualitiesConium maculatum	30	3 00
Henbane.— " " Hyoscyamus niger Horehound" " Marrubium vulgare Hyssop.— " " Hyssopus officinalis	20	2 00
Horehound" "Marrubium vulgare	40	4 00
Hyssop.— " "	30	3 00
LavenderThe oil and distilled water are very fragrant. Lavandula vera	30	3 00
Lithospermum officinale	20	2 0 0
Lovage.—Has medicinal qualitiesLevisticum officinale	40	4 00
Marshmallow.— "Althea officinalis	30	3 00
Marigold, Pot.—Used in soups	20	2 00
Marjorum, Pot.—Used as seasoning. Origanum Onites	40	4 00
" Sweet.—" " " Marjorana	20	2 00
Paonia officinalis.—Said to have medicinal qualities	25	2 00
Pennyroyal.—Has medicinal qualities	60	9 00
Rosemary.—Yields an aromatic oil and water Rosmarinus officinalis	60	6 00
Rue.—Said to have medicinal qualitiesRuta graveolens	20	2 00
Saffron.—Used in medicine and also in dyeing Carthamus tinctorius	15	1 50
Sage, Common.—Used as a culinary herb, and also in		
medicineSalvia officinalis	25	2 50
" Red.—Used as a culinary herb, and also in medicine " Horminum	30	3 00
Savory, Summer.—Used as a culinary herbSatureja hortensis	20	1 50
"Winter.— " " " montana	40	4 00
Tansy.—Generally used as a bitters	40	4 00
Thyme, Broad-Leared English.—Used as a seasoning	50	5 00
" French Thymus vulgaris	40	4 00
Wormwood.—Has medicinal qualitiesArtemisia Absinthium	30	3 00

FRUIT SEEDS.—Graines d'Arbres Fruitiers.

Apple Seed # bushel \$5.00 # qt.	\$0 25	Peach Pits # bushel \$1.25 # qt.	\$0 10
Apricot Pits 🏗 lb.	40	Pear Seed # lb., \$1.50 # oz.	20
Cherry Pits, Mahaleb "	35	Plum Pits, Green Gage # lb.	20
" Black Mazzard "	30	" Damson, for grafting. "	20
Nectarine Pits ₩ 100, \$2 00		" " Myrobolan " . "	30
Currant, Red Dutch. ₩ lb. 2 00 ₩ oz.	25	Quince Seed # lb., \$2.00 # oz.	20
" White Dutch. " 3 00 "	25	Raspberry Seed "	30
" Black " 3 00 "	30	Strawberry, Mixed "	50
" Cherry " 3 00 "	30	" Red Alpine "	50
Gooseberry Seed, Red & Yellow "	75	" in 12 distinct sorts. "	1 00
		_	

FOR HEDGES.—Graines d'Arbustes pour les Haise.

TOR HEDGES.	williamore power too mattoo.		
Arbor Vita, AmericanTh	uja occidentalis 🙀 lb.	\$3	00
BarberryBen	rberis vulgaris "	1	50
" purple-leaved	" folio purpureo "	3	00
Broom ScotchGer			75
Buckthorn Rhs	amnus catharticus "	1	50
Furze or Gorse	ex Europæus "	1	00
HawthornCra	itægus Oxycantha "	1	00
Locust, Honey, or Three-Thorned AcaciaGle	ditschia triacanthos "		50
Locust, YellowRol	binia Pseudacacia "		50
Osage OrangeMa	clura aurantiaca, 🛱 bus. \$7 "		50
Privet, JapanLig	gustrum Japonicum "	1	25
" common Evergreen		1	25
Sheep BerryVil		1	50

VARIOUS KINDS OF VEGETABLES USED FOR PICKLES.

Differentes espèces de Vegetal pour Conserves.

Directions for Culture of each will be found under the proper head.

Beans, Refugee.
"Galega.
Beet, Blood Turnip.

Sprouts, Brussels, Best French.

Cabbage, Red Dutch.

Cauliflower, Early Paris. Cucumber, Green Prolific.

Gherkin.

Martynia.

Nasturtium, Tall.

Onion, White Portugal and Queen.

Pepper, Chili.

" Sweet Mountain.

' Giant Emperor.

Tomato, Green Gage.

Tomato, Orten Gage

" Red Cherry.

' Strawberry.

Buaw berry.

Yellow Cherry.

Melon, Scarlet Gem.

For prices see body of Catalogue.

VARIOUS KINDS OF VEGETABLES USED FOR SALADS.

Differentes espèces de Vegetal pour Salade.

Borage.
Burnet.
Celery.

Corn Salad.
Curled Cress.
Dandelion.

Endive.
Lettuce.
Mustard.

Pepper, Sweet Spanish.
Roquette.
Sorrel.

Water Cress.

For prices see body of Catalogue.

GRASS SEEDS.

- The best means of improving Meadows, Pastures and Lawns, is to sow a sufficient variety of Grass Seeds, and we trust our numerous customers will give some of the kinds a trial in connection with Timothy, which, by many, is believed to be about the only Grass to be sown.
- Agrostis stolonifera, (Fiorin,) or Creeping Bent Grass.—Valuable as a mixture with other pasture grasses, as it will thrive in moderately moist land on which water does not stagnate. We find it also the best sort for croquet grounds, and small door yards or grass plats. Same quantity as the preceding. (15 lbs. to bus.) # qt. 25 cents, # bus. \$3.00

- Alopecurus pratensis, or Meadow Foxtail.—One of the very best grasses for permanent pasture, and thrives to perfection on lands of an intermediate quality as to moisture and dryness. It also stands the high Summer heats without burning. 25 lbs. to the acre. # lb. 30 cents.
- Alopecurus agrestis, Slender Foxtail.—An annual late flowering grass. 20 lbs. to the acre.
- Anthoxanthum odoratum, or Sweet Vernal Grass.—For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also continuing to throw up root foliage until late in the Autumn. For meadows its chief merits are its fragrant odor, which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment rather than as a grass of much nutritive value. 25 lbs. to the acre..... # lb. 40 cents.

- Dactylis glomerata, or Orchard Grass.—Less exhausting to the soil than Timothy, and will endure considerable shade. It blossoms about the same time as Red Clover, making it on that account a desirable mixture with that plant; it is exceedingly palatable to stock of all kinds, and its powers of enduring the cropping of cattle commend it as one of the very best pasture grasses, 3 bushels to the acre. (14 lbs. to bus.) # bus. \$2.50

- Festuca heterophylla, or Various-leaved Fescue.—A very early grass, native of Germany. A valuable sort for permanent meadows and pastures on high ground. Forty lbs. to the acre............₩ lb. 25 cents.

- Festuca pratensis, or Meadow Fescue.—A highly valuable species for permanent grass land. It does not, however, attain to its full productive power till the second or third year, when it far exceeds most other sorts in the quantity of its produce and nutritive matter. It is relished by live stock, both in hay and pasture. Forty lbs. to the acre.

- Lolium Italicum, or Italian Rye Grass.—One of the most valuable grasses in Europe, being equally suited to all climates. In England it is considered the best known grass to cut green for soiling, affording repeated large and nutritive crops. We recommend it here for use in pasture mixtures. Three bushels to the acre (18 lbs. to bus.) ₩ bus. \$1 75
- Onobrychis sativa, or Sainfoin.—A perennial leguminous plant, belonging to the same family as Clover and Lucerne, used extensively in France as a Forage plant. Requires a calcareous soil. Four bushels to the acre. A bushel weighs about 26 lbs.

Phleum pratense, or Timothy.—A grass so well known needs no description, except that, for a hay crop on moist, peaty, or clay soil, it will produce a larger crop than any other sort. It is not so well suited for light, sandy soils. One-half bushel to the acre.

Poa aquatica, or Water Meadow Grass. - This is an excellent pasture grass for very wet situations. Twenty lbs. to the acre. # lb. 30 cents.

- Poa nemoralis or Wood Meadow Grass—the early growth of this grass in the Spring, and its remarkably fine succulent and nutritive herbage, recommend it strongly for pastures.
- Poa pratensis, or Blue Grass (Fancy triple—Clean).—It is also known as Green Grass, June Grass, &c., and thrives on a variety of soils (but does best in dry and somewhat shady locations). It requires several years to become well established in the ground as a pasture grass. Very valuable for our Southern States, as it will stand the notices bounded. One and a half bushels to the acre. It is also a most valuable grass for the Lawn; for Very valuable for our Southern States, as it will stand the hottest Summers. which purpose, from three to four bushels of clean seed to the acre should be sown. (14 lbs. to bus.). # bus. \$2 00
- Poa trivialis, or Rough Stalked Meadow Grass.—The superior product of this grass over many other species, its highly nutritive qualities, and the marked partiality which oxen, horses, and sheep have for it, are merits which distinguish it as one of the most valuable of those grasses which affect moist, rich soils, and sheltered situations. Twenty lbs. to the acre. # lb. 30 cents.
- Reana luxurians, (Teosinte), -A valuable fodder plant from Central America, resembling in
- Fine Mixed Lawn Grass (Central Park Mixture), for lawns of any extent. We recommend this mixture sown from three to four bushels to the acre (15 lbs. to bus.).. bus. \$3.50
- French Mixed Lawn Grass.—For Croquet grounds, grass plats, &c., this mixture is recommended to be sown from three to four bushels to the acre (15 lbs. to bus.)

 P quart, 25 cents; P bus. \$4.50

FORMATION OF LAWNS FROM SEEDS.

In the first place see that your ground is thoroughly drained and well prepared, sowing

at least three bushels of seed to the acre.

Perhaps the best description of soil for a lawn is the stiff loam or clayey soils which predominate in so many districts. This ought not to be by any means too rich, as a rapid growth is not wanted in the grasses of a lawn; but in preparing it for laying down, let the surface be as much alike in quality as possible, and do not stint the quantity of seed. A little white Clover is an useful addition to the seed. A very stiff clay is no better than a very dry sand for resisting drought, as it is in a measure sealed up against the insertion of roots, and the surface contracting by the withdrawal of moisture, it is liable to crack, etc., to a great depth. Nevertheless, a stiff soil usually makes the best lawn.

If your ground is in condition to raise a good crop of potatoes, it will make a good lawn, adding about half a ton of Bone Dust to the acre, harrowed in before sowing the seed. The success of establishing a good lawn depends much on the season and the condition of the ground at the time of sowing. A very slight raking in will protect the seed much, or a sowing of wood ashes will render them distasteful to birds. Rolling, however, is at all times indispensable.

The best time to sow Lawn Grass Seed is early in the Spring, or about the latter part of

One important thing ought not to be forgotten in the preparation of the ground. Let it all have a surface of about six inches alike, for nothing looks worse than to see a lawn grow all in patches. One exception, however, may be mentioned, and that is, if there be any steep slopes facing the south, or other exposed places, let the earth on them be better and deeper than on the ground level, for the aspect, and other causes, render such places liable to burn with less sun than level places. They ought, therefore, to be of a better material, and sod ought to be provided to lay there if accuracy be expected. When the grass becomes well established, it should be frequently cut. The oftener you mow, the finer your grass will be.

It is proper here to observe that no lawn can be maintained long in good order without successive rollings. Moving alone will not secure a good bettorn without that compression

successive rollings. Mowing alone will not secure a good bottom without that compression which the roller tends to give. The rolling should be done in the spring before the ground

becomes dry.

CLOVERS.

Alfalfa (Lucerne) This is the same as Lucerne. It requires a deep, rich soil, and in such
will produce several crops every season, one of the best green fodder plants. Ten to
fifteen lbs., to the acre
Alsike Clover, Trifolium hybridum. Resembles in growth, duration, &c., the Red Clover,
thrives well in cold, wet and stiff soils. Ten lbs. to the acre
Bokhara Clover, Melilotus alba A most valuable sort for soiling. It grows from three to five
feet high and if sown in rich soil, may be cut three times during the Summer and
Fall; lasts two years, or more if cut before flowering although an annual. Ten lbs.
to the acre
Crimson Clover, Trifolium incarnatum An annual with rich crimson flowers. Sown at
the last of Summer or early Autumn, it furnishes a very early green fodder; excellent
for soiling. 20 lbs. to the acre
Large Red, or Pea-Vine Clover, Trifolium pratense variety for plowing under. Price variable.
Medium Red Clover, Trifolium pratense. Is a perennial, but of very few years duration,
is considered the most nutritious of all species and most valuable in moist locations. Price variable.
Perennial Clover, or English Cow Grass Extensively used in England, ten to fifteen lbs. to
the acre
White Clover, Trifolium repens. Valuable for lawns and pastures

BIRD SEEDS, &c.

CRAINES POUR LES CISEAUX.

Prices variable - By the Quart or Bushel.

Canary, Phalaris Canariensis	15	cents.
Hemp, Cannabis sativa " 2 50, "		66
Lettuce Seed	40	66
Maw (Blue Poppy), Papaver Rheas	15	"
Millet (American), Panicum miliacenm	10	66
" (White French)	30	"
" (Red French)		
" (Yellow German)	20	"
Dan - (12, 11,1) D	20	66
(((/)	15	66
Rough Rice, Oryza sativa	20	"
Vetches for Figeons # bushel \$3 00. "	15	"
Prepared Food for Mocking Birds, P bottle, 35 cents.		
Gravel for Cages, P quart, 6 cents.		

Esculent Roots and Plants.

rantes of Racines Potageres,		
Asparagus Roots, Conover's Colo sal (two years old) 100, \$1 00; \$1,000,	\$8 0	00
Chive Plants	2	25
Horse-radish Roots	2	25
Jerusalem Artichoke	-	25
Tarragon Plants (Estrages)	1 0	, ,
50 cents;	3 0	10

MISCELLANEOUS ARTICLES.

Woodason Bellows, Large Atomizers for Liquidseach,	\$2 0	0
" For insect Powder, Hellebore, Tobacco Dust, &c., each \$1 00 to	3 5	0
Automatic Valve Sprinklers each,	1 0	
Archangel Matseach, 75 cents; # doz.	7 0	0
Petersburg " " 60 " "	5 0	0
Cuba Bast (for tying) # lb.	4	0
Raffea (for tying)	4	0
Garden Pencilseach,	1	5
Painted Flower Sticks, assorted sizes, 2, 21, 3, 4 & 5 feet	0	2
Southern canes, from 8 to 12 feet long, very useful as Flower Sticks \$\tilde{100}\$ 100 \$1.50		
Gishurst Compound, the old reliable insecticide		5
Grafting Wax	4	0
" Liquid, Swiss Alpine # jar,	1 0	0
Labels, Wood, for pots 4 in. 15 cts.; 4½ in. 15 cts.; 5 in, 20 cts., and 6 in. 20 cts. # 100		
" Notched for trees 3½ inches, 15 cents # 100; 75 cents # 1000.		
Phytosmegma—compound for destroying "Scale," Mealy Bug, etc. (in bottles)each	5	0
Round Scotch Scythe Stones	20	0
Whale Oil Soap, in boxes of 2 lbs. 30c; 5 lbs. 70c.; 10 lbs. \$1.00; 20 lbs. \$1.75.		
Hyacinth Glasses—various styles, from \$1.50 to \$4.00 per dozen.		
Strictly Pure Paris Green, in tin cans of 1 lb. 35c.; 2 lbs. 65c.; 5 lbs. \$1.50.		
Slug Shot-An insecticide for the destruction of the Potato bugs,, slugs, currant worm,	&c.	
should be used with the large size Woodason Bellows, 5 lbs. packages 30 c		
10 lbs. packages 50 cents.	22100	,
Tobacco Dust—8c. per lb.; \$4 per 100 lbs.		
The Theorem 1 William 1 will 2 control to the control of the contr		

Fir Tree Oil—The new insecticide for destroying parasites on plants and animals, per quart tin, \$1.25; per 2 quart tin, \$2.25; per 1 gal. tin, \$4.25.

Thorburn's Floralis or Concentrated Plant Food, 2 lb. boxes, 25 cents each.

Peruvian Guano, 2 lb. boxes, 25 cents each.

Bone Dust, 5 cents per lb.; \$2.50 per 100 lbs.



Hedge Shears.



Grass Edging Knife.



Daisy Rake.



Asparagus Enife.




Grass Border Shears.

HORTICULTURAL IMPLEMENTS.

AMES BEST C. S. BRIGHT SHOVELS.—Long and short handled				\$1	50
AMES' C. S. BRIGHT SPADES.—Long and short handled					50
AMES' POST HOLE SPADES.					50
ASPARAGUS KNIVES.	\$1	00	(O).	2	00
AVARANCATORS, or POLE PRUNING SHEARS				2	75
BEST SPADING FORKS.	1	00	(O).	1	50
BRUSH HOOKS and BRUSH SCYTHES. each				2	00
CAST STEEL GARDEN RAKES WITH HANDLES.		75	@		50
CAST STEEL PRUNING CHISEL	1	50	_	2	00
CHILDREN'S AND LADIES' SETS OF GARDEN TOOLS	2	50	@	4	00
CORN HOES.			@		75
CORN KNIVES.					50
DUTCH, or PUSH HOES.—(Cast steel) from 2 to 10 inches		40	@	2	00
" (German steel) from 3 to 10 inches			@	1	50
AMERICAN CRESCENT SCUFFLE HOE, handled					50
ENGLISH BILL HOOKS.—For pruning with one hand	1	75	@	3	00
ENGLISH PATENT C. S. LAWN SCYTHES.	2	00	@	2	75
EXCELSIOR WEEDING HOOK.					25
FLOWER GATHERERS.—For cutting and holding the flower	1	25	Ø,	2	00
GARDEN REELS.—Various sizes and patterns		00		2	00
GRASS BORDER SHEARS.—For cutting Grass Borders		50		4	50
GRASS EDGING KNIVES	2	00	@	2	50
GRASS HOOKS, or SICKLES.—Three sizes.		60	_	1	00
GREEN-HOUSE SYRINGES	3	00	_	12	00
HAND LAWN MOWERS		00	_	25	00
HEDGE SHEARS.—Six sizes and styles.		00	_	5	00
LADIES' FLORAL SETS.				o	75
LADIES' SHORT-HANDLED GARDEN FORKS.		50	(Q)	1	00
LANG'S HAND WEEDER.					30
LAWN RAKES.—To cut off the flower heads or buds of Daisies, etc., on lawns	3	00	(Q)	4	00
MOLE TRAPS.—Olmsteds Improved.				1	50
PERFECTION REVOLVING LAWN SPRINKLERS				1	25
POTATO HOOKS.—(Cast-steel teeth).				1	00
PRUNING SAWS	1	50	@	2	50
ROUND SCOTCH SCYTHE STONES.					20
SAYNOR & COOKE'S CELEBRATED BUDDING KNIVES	1	00	@	1	50
" PRUNING KNIVES	1	50	@	3	00
TRANSPLANTING TROWELS.—(American C.S.)30@40c.(English C.S.)		00		2	00
TRIANGULAR HOES.—Are also used as Tree Scrapers		50	_		75
VINE SCISSORS.—For thinning out Grapes.		00	~	2	
WISS' SPRING PRUNING SHEARS		00 50	_	3	
PERFECTION SPRING PRUNING SHEARS, best of all.		00		3	
,			9		,

==BOOKS

Bee Keeping(Quinby) §	1 !	50
Broom Corn Culture and Making Brooms	- 1	75
Downing's Cottage Residences	6	00
Downing's Selected Fruits(Charles Downing)	5	00
Forest Trees for Shelter(Arthur Bryant)	1	50
Fuller's Grape Culture	1	50
Hand Book of Grasses(Jno. Henderson)	1	50
Hedges and Evergreens(Dr. Warder)	1	50
How to Grow Mushrooms(Wm. Early)		40
Miniature Fruit Garden(Thomas Rivers)	1	00
My Vineyard at Lakeriew	1	25
Popular Flowers and How to Cultivate them(E. S. Rand, Jr.)	2	00
Reed's House Plans for Everybody	1	50
Small Fruit Culturist(Fuller)	1	50
The Young Gardener's Assistant(Thomas Bridgeman)	2	00
Turner's Cotton Planter's Manual	1	50
Window Flower Gardening(Henry T. Williams)		75
The Beet Sugar—An American Book on this Industry (Lewis S. Ware)	4	00
Truck Farming at the South	1	50
Silos and Ensilage(Dr. Thurber)		50



Double Hyacinth.


Hyacinths and other Dutch Bulbs

in large variety, always on hand from September to December.

Complete Assortments of Kitchen Garden Seeds, for Private Families.

	Approved and Choice Sorts, in Small and Large Gardens.	No. 1. \$5.	No. 2. \$10.	No. 3. \$18.	No. \$25
Beans	Early Ne Plus Ultra	1 pt.	1 qt.	1 qt.	2 q
Journ 3	Refugee			1 qt.	1 q
• • • • • • • • • • • • • • • • • • • •	Round Pod Valentinc	1 pt.	1 qt.	1 qt.	2 q
	White Dutch Case Knife		1 pt.	1 qt.	1 q
	Large Lima	1 pt.	1 pt.	1 qt.	2 q
3eet	Extra Early Egyptian	1 oz.	2 oz. 2 oz.	4 oz. 4 oz.	8 0
••••••	Long Plood Turnip	1 oz.	2 oz.	4 oz.	8 0
Broccoll	Extra Early Egyptian Bastian Blood Turnip Long Blood Purple Cape	**********	1/4 oz.	1/2 oz.	1/6 0
russels Sprouts	Roseherry	16 oz.	I oz.	2 oz.	4 0
iannage	Farly Etampes	1/2 oz. 1/4 oz.	1/4 oz.	1/6 OZ.	1 0
	Roseberry. Early Etampes Early Summer. Drumhead Savoy.	1/4 oz.	1/4 oz.	½ oz.	1/2 02
*****************	Drumhead Savoy	¼ oz.	1/4 oz.	1/2 OZ.	1 02
••••••	Large Flat Dutch	12 oz.	16 oz.		2 0
	Red Dutch, for pickling		16 oz.	½ oz.	1 0
arrot	Early Forcing. Danvers Orange.	½ oz. 1 oz.	½ oz. 2 oz.	2 oz. 4 oz.	4 or 8 or
auliflower	Algiera	1/1 OZ.	1/4 oz.		1/2 0:
auiiiower	Algiers Snowball Heartwell White Plume Salve Missensta Street Surger	1 pa.	1 pa.	1 pa.	1 p
elery	Heartwell	½ oz.	⅓ oz.		1 0
	White Plume	I pa.	1 pa.	16 oz. 14 oz.	1/4 O
orn	Early mimiesota sweet sugai	1 pt.	1 qt.	1 qt.	
	Excelsion Sugar	1 pt.	1 pt.	2 qt.	2 q
	Evergreen	1 pt.	1 qt.	z qt.	4 q
orn Salad	Peppergrass.	1	1 oz. 2 oz.	- 02.	2 0
ress, OR	Improved White Spined	1 oz.	2 oz. 1 oz.	4 oz. 1 oz.	2 0
	Green Prolific	72 02.	1/2 oz.	1 oz.	1 0
or Diant	Improved New York Purple	⅓ oz.	½ oz. ¼ oz.	½ oz.	1 0
	Black Pekin	78 020			1/4 0
ndive	Green Curled	1/4 oz.	1/2 oz.	1 oz.	2 0
ale	Green Curled Scotch		½ OZ.	1 oz.	1 o
ndive ale ohļrabi	Early White Vienna	14 oz. 14 oz.	½ oz.	1 oz.	1 0
ettuce	Best Flag	14 OZ.	14 oz.	1 oz.	1 0
ettuce	Black Seeded Simpson	14 oz.	14 oz.	½ oz.	1 0
••••••	Grey Seeded Butter	14 oz.	1/4 oz. 1/6 oz.	16 oz.	1 0
	Shotwell's Brown Head	14 oz.	1/2 oz.	1 oz.	1 0
Melon	Golden Netted Gem	14 oz.	16 oz.	2 oz.	2 0
	Nutmeg	1/4 oz.	1/4 oz.	2 oz.	4 0
kra ·····	The Boss	1 oz.	1 oz.	4 oz.	4 0
kra ·····	New Dwarf. Yellow Globe	1 oz.	2 oz.	4 oz.	8 0
nion	Yellow Globe	*********	2 oz.	2 oz.	4 0
*******************	White Globe	1 oz.	2 oz.	4 oz.	4 0
	Large Red Globe	1 oz.	½ oz. 2 oz.	2 oz. 4 oz.	4 0
arsley	Extra Curled	1 02.	½ oz.	1 oz.	1 0
arsnip	Extra Curled	1 oz.	2 oz.	4 oz.	8 0
eas	Thorburn's Extra Early	1 pt.	1 qt.	2 qt.	2 a
******************	McLean's Advancer	1 pt.	1 pt.	2 qt.	2 n1
***************************************	American Wonder		1 pt.	2 qt.	2 m
••••••	Champion of England	1 pt.	1 qt.	2 qt.	4 q
••••••	Minimum	1 pt.	1 qt.	2 qt.	4 a
өррөг	TelephoneSweet Mountain	*******	1/1 07	1 qt.	1 q
epper	Cherry		¾ oz.	1/4 oz.	1/2 0: 1/4 0:
adish	Cherry French Breakfast	1 oz.	2 oz.	14 oz. 4 oz.	4 0
duisii	Scarlet Turnip	1 oz.	2 oz.	4 oz.	8 02
	Yellow Turnip		l oz.	2 oz.	4 02
***************************************	Long Scarlet	1 oz.	2 oz.	2 oz.	4 0
_1_16.	Chinese Winter	16 oz.	1 oz.	2 oz.	4 02
alsify pinachquash	Windless	16 oz. 16 oz. 14 lb.	2 oz.	4 oz.	8 02
pinach	Virollay Early Bush Crook-Neck	12 OF	16 lb.	16 lb.	1 lb
quasn	Parfect Gem	16 oz.	16 oz.	1 oz.	2 07
***************************************	Perfect Gem Boston Marrow	14 oz.	14 OZ.	16 oz.	1/2 02
omato	The Trophy	½ oz.	14 07	16 07	~ 02
******************	Favorite	74 02.	14 OZ.	1/6 oz. 1/2 oz. 1/6 oz.	1/2 02 1/2 02
	Acme	14 oz.	14 oz. 14 oz. 14 oz.	16 oz.	1 02
	Red Cherry		14 oz.	16 oz.	1/2 02
urnip	Red Cherry Red Top Strap Leaf. Montmagny.	1 oz.	1 oz.	2 oz.	4 02
	Montmagny		1 oz.	2 oz.	4 02
************************	(Five Varieties)	1 02.	1 oz. 1 pa, ea.	2 oz.	1 pa. 6
orbs				l pa, ea,	

Tree & Shrub Seeds.



The Big Tree of California.

In order to preserve seeds of Coni-FERS and other Evergreen Trees, it is best to keep them in perfectly dry sand until the time of sowing; if this cannot he done readily, place them in a cool, dry spot, where mice will not reach them. For this latitude, the Seeds should be sown thinly, as early in the Spring as the ground can be worked, in beds of fine sandy loam. Cover to the depth of about the thickness of the Seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot drying sun and winds, and also to keep the birds from destroying them. Seeds of the rarer sorts may be sown in cold frames or in boxes; if in cold frames, the sashes should be shaded and the frame raised at the corners three or four inches, to allow the air to circulate freely. Keep the young plants well weeded, and allow them to remain from one to two years before transplanting.

The propagation of **Deciduous** Trees from Seeds is less difficult than that of the *Evergreen Species*, a little attention only being required to sow at the proper season to insure success. **Acorns**, **Chestnuts and Walnuts** should be planted in Autumn, or kept during the

Winter in sand or moss. They shrivel up by too long exposure to the air, and many of them lose their power of vegetating entirely, those with hard shells like the Locust. Gymnocladus, &c., should also be planted in Autumn, or placed in boxes with sand and exposed to frost before planting, otherwise they may not vegetate till the second year after planting, but if these seeds are received too late in the Spring to expose them to the action of frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver Maple, and a few other sorts, ripen their seeds early in the Summer, and, if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other Deciduous Trees and Shrubs should be planted from the middle of April to the middle of May, in drills about two feet apart, and covered about half an inch in depth, according to size.

TREE AND SHRUB SEEDS.

EVERCREEN SEEDS.

		18 lb.	₩ oz.	% pkt.
Abies balsamea		1 50	25	
" Canadensis		4 00	10.7	
"Douglasi		3 00		
" excelsa	• • • • •	75		
" Freque Double Paleam	• • • • •			• • • • • •
Flasen		2 50		• • • • • •
Biertensiana Diertens Ataska Sprace		7 00	-	
nigra		7 00		
Norumaniana		4 00		
" pectinata		1 50	25	
" pinsapo		4 00	40	
Arbutus Unedo		3 00	30	
Arctostaphylos glauca Great-herried Manzanita		2 50		
pungensErect		2 50	25	
" uva-ursiBearberry		2 50		
Azalea Californica	• • • •		3 00	25
Berberis aquifolium (Cala. seed)American Holly		7 00		
" nervosa		7 00	75	
		2 50		• • • • •
Buxus sempervirens	• • • •			
Cedrus Atlantica argentea Mount Atlas Cedar	cone			25
" Deodara			1 50	
" Libani				25
Cryptomeria Japonica Japanese Cedar		3 00	30	
Cupressus horizontalis		2 00	20	
"GuadalupensisGuadalupe Is'l "		6 00	60	
"Goveniana Goven's " "		4 00	40	
" LawsonianaLawson's "		5 00		
" macrocarpa Monterey "		3 00		
" MacNabiana MacNab's "		4 00		
" sempervirens Evergreen "		2 00		
"Tournefortii		2 50		
Tourneroral		1 00		
Ilex Opaca	• • • • •			
Juniperus communis European Juniper	• • • •	1 00		• • • • •
excessa		3 00		• • • • •
Oxyceurus		1 00		
" Occidentalis Western Cedar		1 00		
" prostrata		50		
" Sabina		1 50	15	
" Virginianus Red Cedar		75	25	
Libocedrus decurrens		4 00	40	
Picea grandis Great Silver Fir		5 00		
Pinus Brutia (Calabrica)				
"Aleppica		2 50		
"Canariensis		4 00		
"Cembra		75		
Cempia				• • • • • •
Cephatonica vera		4 00		• • • • •
Counters Counter's Cautiornia I the		5 00		
111SIZHIS		3 00		
" JeffreyiJeffrey's Pine		5 00		
" LambertianaSugar Pine		3 00		
" Laricio Corsican Pine		2 50	25	
	- 1		4.	

EVERGREEN SEEDS.—Continued.	1	
EVERGREEN SEEDS.—Continuen.	₩ lb.	₩ oz. ₩ pkt.
Pinus Llaveana	\$5 00	50
" maritima Seaside Pine	1 00	20
" monophylla	4 00	40
" nigra Austriaca	1 25	25
" Pinea Stone Pine	1 00	15
" Sabiniana Sabine's	3 00	30
" sylvestris Scotch Pine	2 00	25
"Torrevana	4 00	40
Retinispora obtusa. Javanese Cypress. pisifera. ""		2 00 25
pisifera " "		1 50 25
Sequoja gigantea	7 00	75
" sempervirens	4 00	40
Taxus baccata	2 00	25
Thuya aurea	4 00	40
" articulataJointed " "		75
" occidentalis	4 00	40
	2 00	20
compacta		30
"Siberica	5 00	50
giganiea	6 00	60
Tartarica		50
Torreya Californica	4 00	$\begin{array}{c cccc} 40 & \dots & \\ 75 & & 25 \end{array}$
Yucca baccata		
" alata alba marginata White Margined		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
mamentosa		75 25
W hippiei w hippie 8		75 25
brevirona Short teatea		2 50 25
" macrocarpa		2 00 20

Deciduous Tree and Shrub Seeds.

	월 lb.	₩ oz.	帮 pkt.
Acer campestre Field Maple	1 50	25	
" glabrumOregon Maple		30	
" macrophyllum			
" nigrum	1 50	25	
" platanoides	1 50	25	
" Pensylvanicum	1 50	25	
" pseudo-platanusSycamore "	1 00	20	
"rubrum	2 00	25	
" saccharinumSugar "	75	25	
" spicatum	1 50	25	
Ailantus glandulosus	3 00	30	
Alnus communis	1 50	25	
" incanaSmooth White	2 00	25	
Amorpha fruticosa	2 00	25	
Ampelopsis quinquefolia Virginia Creeper	2 50	25	
" Veitchii Variegated-leaved Creeper		50	
Amygdalus vulgaris	30		
Aristolochia Californica		1 50	25.
" sipho	20 00	1 50	25
Berberis vulgaris	1 50	25	
" purpureaPurple-leaved Barberry	3 00	30	
Betula alba White American Birch	2 00	25	
" lutea Yellow Birch	2 00	25	
" occidentalis Western Birch	2 50	25	
" pendula Weeping Birch	3 00	30	
" populifolia	2 00	25	

DECID	UOUS SEEDS.—Continued.	₩ 1b.	₩ oz. ₩ pkt•
	.Paper Mulberry	45 1D.	30
Bupleurum fruticosum	. Thorow Wax		40
Callicarpa Americana	French Mulberry	\$4 00	40
Calycanthus floridus	.Sweet-scented Shrub	1 50	25
Carpinus Americanus.	Water Beech	2 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Catalna speciosa	.Sheu Bark, # bus. \$3 50 # qt .Hardy Catalpa	1 50	25
" bignonioides	Flowering Catalpa	2 00	25
Celastrus scandens	Flowering Catalpa	3 00	30
Cercis Canadensis	. American Judas Tree	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25
occidentalis	Californian Judas Tree	2 00	25
Centrosema Virginianum	.European Judas Tree	6 00	60
Ceratonia Siligua	.St. John's Bread	2 50	25
Cladrastis tinctoria	Yellow Wood	12 00	1 00
	. Sweet scented Virgin's Bower	3 00	1 00
Colutes arboragons	.Sweet Pepper Bush	1 50	25
Cornus Florida	Flowering Dogwood	1 25	25
" paniculata	Panicled Cornel	2 00	25
" alternifolia	. Alternate-leaved $Dogwood$	2 50	25
	. Nuttall's Dogwood	3 00	30
Cratmans cogings	. Handsome Shrub		30 25
" parvifolia	Searlet fruited	1 50	25
" Oxvacantha	. Hawthorn	1 00	25
· var	. Seed from N. Car	1 00	25
rivularis	. From Washington Territory	3 00	30
" crus-galli	. Cockspur Thorn	2 00	$\begin{array}{c} 25 \\ 25 \\ \end{array}$
tomentosa	Rlack Thorn	1 50	25
Cytisus alpinus	Alpine Laburnum	2 00	25
" Laburnum	Cockspur Thorn Long Island Thorn. Black Thorn. Alpine Laburnum. Laburnum Mezereum.	1 00	20
Daphne Mezereum	Mezereum		25
Deutzia scapra	Beautiful Flowering European Persimmon	1	50 25
" Mexicana	Merican "	2 50	25
Elæagnus angustifolia	Mexican ". Oleaster.	2 00	$25 \dots$
"Eucarypius grobulus	.Blue Gum	1 000	50 25
	I tree is not hardy here, but in the		
" Other distinct variet	d be a quick growing and valuable tree. ies from Australia		1 50 25
Euonymus latifolia	Broad leaved Burning Bush	2 00	25
Frangula Californica	. Oregon Thorn	4 00	40
Fraxinus alba	. White American Ash	75	20
" acuminata	Yellow American Ash European Ash	1 00	25
" sambucifolia	.Black American Ash		25
" viridis	Green American Ash	1 00	25
Garrya elliptica	Spring Fowers	:1	75
Gaultheria Shallon	Śalal.	5 00	
Ganista scoparia	.Black Huckleberry	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	25
"tinctoria	Green Brown	1	30
" juncea	Rush leaved	1 50	25
Ginkgo biloba	. See Salisburia		
Gleditschia Sinensis	. Chinese	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	25 10
" horrida	. Honey Locust	2 50	
Gymnocladus Canadensis	.Kentucky Coffee Tree		20
Halesia tetraptera	. Winged	$\frac{1}{2}$ 50	30
Hedera Helix	Iry	1 25	20
Hibiscus Syriacus	.Double Rose of Sharon	$\begin{array}{c c} 2 & 00 \\ 2 & 00 \end{array}$	
Indigofera tinctoria	. Winter Berry	3 00	
zmargorora triiotoria	. I M. 100	. 00	

	DECIDUOUS SEEDS.—Continued.	₩ lb.		₩ pkt
Juglans cinerea	Butter Nut. # qt. \$0.15, # bush. \$2			
Valmia angustifolia	Black Walnut ** 15, '' 2 Sheep Laurel		\$2.00	\$0.2
" latifolia	Mountain Laurel			2
Kolrautaria naniculata	Chinese Bladder-nut	\$2 00		
Larix Europea	European Larch	1 25		
Laurus nobilis	Laurel	1 00		
Ligustrum Janonicum	Japan Privet	1 25		
" vulgare	Common Privet	1 25		
Liquidambar styraciflua	Sweet Gum Tree	5 00		
Maclura aurantiaca	Osage Orange \$\mathbb{B}\$ bus. \$7	50		
Magnolia acuminata	Beautiful Spring flowering	1 50	25	
Morus alba	White Mulberry	1 50	25	
" Moretti	Russian "	3 00		
" alba rosea		2 00	25	
" alba fructo nigra	(((()	3 00	25	
" cedrona	French "	5 00	50	
" nigra (vera)	Black ''	5 00		
Myrica cerifera	Wax Myrtle	2 00		
Nyssa multiflora	Black Gum	1 25	25	
Ostrya Virginica	American Hop Horn Beam Christ's Thorn	3 00		
Paliurus aculeatus	Christ's Thorn	1 00	20	
Pardanthus Chinensis	Blackberry Lily	4 00		
Paulownia imperialis	Paulownia	2 50		
Philadelphus coronarius	Beautiful flowering			
Photinia arbutifolia	Arbutus Leaved	4 00		
Phytolacca decandra	Garget	1 50		
Pistacia vera	Pistachio Nut			
Platanus occidentalis	Button Ball, or Plane Tree	1 25		
" racemosus	Racemed Leaved	5 00	50	
Poinciana Gilliesii	Gillies'		•••••	25
Populus lævigata	Cotton Wood Tree	5 00		• • • • •
Frunus maritima	Beach Plum	2 00		
monis	Oregon Wild Cherry	5 00		
SCIUIIIa	Wild Black Cherry	1 25		
padus	Wild Cherry	2 00		• • • • •
	Hop Tree	$\begin{array}{cccc} 2 & 00 \\ 3 & 00 \end{array}$		
Ormus arbutifalia	PomegranateChoke-Berry	2 50		
narous rubro	Red Oak bus. \$4 00 pqt.	2 30	20	25
guerous rubra	Scarlet do " 5 00 "			25
" " tinetorie	Scarlet do " 5 00 " Quercitron do " 4 00 "			25
Chamnus cathartique	Buckthorn	1 50	20	
Shue Cotinue	Smoke Tree	3 00		
	Dwarf Sumach	2 00	0.51	
" olahra	Smooth Sumach	1 50		· · · · · ·
"Toxicodendron	Poison Ivy	3 00		
" typhina	Staghorn Sumach	2 00		
	Poison Sumach	2 00		
	Red flowering Currant			
Robinia Pseudacacia	Yellow Locust	50		
Rosa hybrida	Hybrid Rose, mixed		- 0	
" canina	Dog Rose for Stocks	50		
" rubicinosa	Sweet Brier		1 00	25
salisburia adiantifolia	Maiden Hair Tree	1 00		
alix capræa	Willow	2 00	25	
" alba	White Willow	2 00	25	
ambucus pubens	Red fruited Elder	2 00		
	Common Elder	2 00		
assafras officinalis	Sassafras.	2 00		
	Shining leaved	1 50		
	Japanese Sophora	2 00		
" pendula	" Drooping Sophora	2 50		
" speciosa	From Arizona	2 00		
nartium Junceum	Spanish Broom	1 00		
	From Oregon			

	DECIDUOUS SEEDS—Continued.	1 % lb. 1	₩ oz. ₩ pkt.
Syringa vulgaris	Lilac	1 0	
Taxodium distichum	North Carolina Cypress	60	10
	Tea		25
	European Linden		20
" Americana	American "	1 50	25
" argentea	Silvery "	1 00	20
Typha latifolia	Cat Tail Reed	1 50	20
Ulmus Americana	$\dots \dots American Elm \dots \dots \dots$	3 00	30
Ulex Europæus	Furze,	1 00	20
	Woyfaring Tree		20
Opulus			20
prunifolium	Black Haw		20
pubescens	Downy Arrow-wood		25
nuaum	Withe-Rod		25
	Arrow-wood	10 00	$\frac{25}{90}$
	Laurustinus		20
Vitex agnis-costus	See Cladrastis Chaste Tree.	1 50	
			40
			50
	Prickly Ash		30
			25
J. I.			

NATIVE GRAPE SEED.

		& 1p'	As oz.	48 brr
VITIS	Californica	2 50	25	
"	cinereaWhitish leaved	3 00	30	
"	indivisa	3 00	30	

PALM SEEDS.

Per Packet.

Areca Baueri, 25c. " lutescens, 25c.

Brahea edulis, 25c.

" filifera, 25c.

" glauca, 25c.

Caryota urens, 10c. Chamædopsis excelsa, 25c. Cocos Weddelliana, 25c.

" Gaertneri, 25c.

" campestris, 25c.

Corypha Australis, 10c. Kentia Balmoreana, 25c.

" Forsteriana, 25c. Latania Borbonica, 10c. Oreodoxa regia, 10c.

Pandanus utilis, 10c. Phœnix Canariensis, 25c.

" dactylifera, 25c.

" tenuis, 25c.

Seaforthia elegans, 25c.

FLOWER * SEEDS,

-WITH-

Practical Directions for their Culture, Treatment, &c.

HARDY ANNUALS (hA). - Sow in April or May, according to the latitude, in shallow boxes or pots placed in a warm window, a hot-bed, or, if possible, in a green-house. A second sowing ought to be made from two to four weeks after for a succession, as well as to provide against failure the first time. For sowing seeds in, there is nothing better than shallow boxes from two to three inches deep, and of any convenient size. The proper soil in which to sow seeds of all the smaller kinds should be a very fine, rich, sandy loam; if some fine charcoal can be mixed with it, it will be beneficial. The soil from old hot-beds is excellent, or sods from an old pasture piled up and allowed to rot for two or three years, and then mixed with a little old stable manure and sand. The selection of a proper soil in which to show fine seeds is very important, as upon this depends the success or failure of them. After the seeds are up, care must be taken to give them plenty of air and moisture, and yet not too much water, or they will damp off. When the young plants are well out of the seed leaf, they must be transplanted to new boxes. If pots two inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings around the edges of the pots, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. Where the pots cannot be had, boxes, tin cans, etc., may be substituted, or a cheap and effective plan is to take out the inside of a potato or turnip, leaving a shell half an inch thick. After filling these with the compost above referred to, set out the seedlings in them, and place the whole in boxes, filling in the spaces between the potatoes or turnips with soil. When the plants are ready to set in the open ground it is an easy matter to transplant them, and as the decay of the turnips or potatoes affords nourishment to the young plants, a double purpose is served in using them. A common mistake in sowing Flower, as well as other seeds, is in covering too deep. As a general rule, cover only to the depth of the thickness of the seeds, or with medium-sized seeds like Balsams, Zinnias, etc., a half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all Flower seeds, else there is danger of their drying up before the roots can get firmly hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow, but, as a rule, it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it, else the plants become weak and straggling, and do not make the show they otherwise would.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of *Biennials* and some *Hardy Annuals* may be sown in September in boxes and placed in cold frames. They will make fine strong plants by Spring, and come into flower early. Do not put on the sashes until heavy rains and frosts render this necessary, and then always remove during the day, and whenever the temperature is above freezing in Winter.

HARDY BIENNIALS AND PERENNIALS (hB and hP.)—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border in September; for if not sown until Spring, the seeds of many Perennials require two years before they germinate. In this case it is a good plan, at the commencement of frost, to cover them lightly with straw, leaves, or any dry litter, in order to afford some protection from the extreme severity of the Winter. As soon as the frost is out in Spring, the covering must be carefully removed and the surface around them loosened, and, when large enough, transplanted to the flower garden where they are to remain.

HALF HARDY ANNUALS (hhA.)—These may be sown in shallow boxes, pots, or a hot-bed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hot-bed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible by partly or wholly removing the lights. After the end of May sow in the border, like Hardy Annuals.

Half Hardy Biennials and Perennials require the same treatment. Though plants and their bloom are greatly forwarded by sowing the seed early in boxes under cover, it may be stated that nearly all kinds of hardy and half hardy flower seeds may be sown in the open border, in a warm and sunny spot, as soon as the soil has become dry and warm; so that those who have no glass frames or green-houses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS, AND PERENNIALS.—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm green house, or plunging in a moderate hot-bed, carefully protecting them from the cold, shading from the mid-day sun, and watering with a fine rose. The seed should be sown in very light, sandy compost, and the pots well drained by placing broken pots and bits of sods in the bottom. The finer seeds must not be covered more than an eighth of an inch deep, and the soil pressed down closely over them. Water frequently, particularly if the house or hot-bed be very warm. As soon as the plants are out of the seed leaf, transplant into shallow boxes or small pots, and when they have acquired sufficient strength transplant into the flower beds; not, however, before the middle of May.

GREEN-HOUSE SEEDS (g.)—Should be sown as directed for Tender Annuals, in pans, pots, or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Green-house Plants are sometimes difficult to germinate, unless great care be taken in the mode of sowing. Hence the supposition is produced that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mould or peat, with some fine sand added to it; press firmly down in the seed pan or pot, and make perfectly level at the top, so that the mould may not afterward sink materially with watering. Sow the seed very thin, and cover very lightly with a little of the compost, or with some of the silver sand. Success is more certain if a pane of glass be placed over the pan or box till the plants have appeared, when it should be removed. By this method the difficulty of success with fine seeds will be removed. As soon as the young plants have two leaves, they should be transplanted into similar compost in another pan or box. To do this, do not pull them out of the seed-pan, but break up the soil by running a stick or the trowel under it, when the plants can be taken out with good roots. After transplanting, they should be kept in a shady part of the green-house for a few days, until they are established in the new soil.

There are many minute plants, from the finer seeds, killed by drenching with water while very young. One way to avoid this is to give the water by dipping a clothes-brush in water,

shaking off the greater part of the water from the brush, and then (holding the brush over the seed-pan) drawing the hand over the bristles several times, which will cause the water to be thrown on the young plants almost like dew. Some of the vaporizers now in use are admirably adapted for watering tender young plants. In the first stage of their existence, plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are growing.

PRIMULAS, CHINESE.—The Chinese Primrose is deservedly one of our most popular winter-blooming plants. For winter use, it is easily raised from good seed, if these be sown at the right time and properly treated. Sow the seed in drills in a light, rich soil in shallow boxes at any time from the middle of March till the middle of May. The earliest sown seed will naturally produce the earliest bloom. Cover the seed about an eighth of an inch, and press the soil on them with a board or the bottom of a pot. Water moderately, avoid forcing the seed, and keep the young plants away from drip. The boxes may be placed in the green-house, or out of doors in a frame. As soon as the plants are well out of the seed leaf, transplant them singly into two or two and a half inch pots, using a light, rich soil. The object now is to make good stocky plants, and they must therefore be re-potted as often as the pots become tolerably filled with roots, until they are in five or six inch pots, when they may be allowed to flower. Previous to this, any flower stalks that appear must be pinched out. In a suitable place the plants will do better out of doors than in the green-house during the summer. They need a liberal supply of water. The plants will bloom continuously during the winter in either the green-house or a well-lighted sitting room.

CINERARIAS.—Years ago the Cineraria was a popular plant among florists. Bedding plants crowded it aside; but it is now fast taking its proper place again among choice winter-blooming plants. It is, to be sure, a rather difficult plant to grow and bloom well, if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the green-house. For winter blooming, sow the seed in April and May in shallow boxes in fine soil. Sow the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, but be free from drip. Water moderately and carefully. The treatment of the seedlings is similar to that given to the Chinese Primrose. As soon as the plants are out of the seed leaf, transplant singly into small pots in a rich soil with some vegetable mould in it. Re-pot as often as the pots become moderately filled with roots, or sufficiently often to prevent the roots from becoming pot bound, and so avoid checking the growth. If specimen plants be wanted, the re-potting should be continued till the plants are in pots from eight to ten inches in diameter. The last two pottings should be liberal ones, and drainage well provided for, as the plants will need copious waterings. When the flower stalks appear, manure water may be used once or twice a week. Aphis and red spider are the chief enemies to be guarded against; and this is best done by frequent syringings overhead. The plants will do best during the summer out of doors in some place where they will not get too much sun, and be free from the drip of trees. In the fall the plants should be placed in a cool green-house, where the temperature can be kept low and the air moist. The plants should be placed on a table by themselves, and the pots always kept far enough apart to prevent the leaves in one pot from touching those in the next. In the winter, when the plants are coming into bloom, it may be necessary to smoke the plants occasionally to keep down the green fly.

CALCEOLARIAS—The herbaceous varieties of the Calceolaria are very beautiful and popular plants. They should be flowered in a cool green-house. The seeds are very small, and should be sown on the surface. Sow in shallow boxes filled with a light, sandy soil that has been sifted. Sow moderately thick in rows on the surface, and cover very lightly with sifted sphagnum moss, cocoanut waste, or very light soil. Press the soil firmly on the seed. The watering should be done carefully. An atomizer or brush may be used to ad-

vantage. To retain the moisture, the box may be covered with panes of glass, which must be removed, however, as soon as the plants make their appearance. The box should have plenty of light, but not much sun. As soon as the plants can be handled, transplant singly into pots two to two and a half inches in diameter. The soil should be light and rich, and vegetable mould is an excellent addition. Re-pot as often as the pots are fairly filled with roots, and continue the re-potting, if fine flowers are wanted, till the plants are in pots eight inches in diameter. If the pots become root bound, the plants are apt to run prematurely into flower. Water regularly and abundantly, to prevent drooping. As the pots increase in size, drainage must be supplied to carry off the surplus water. Place in a cool green-house in the winter, as directed for Cinerarias, and keep the pots sufficiently apart at all times to prevent the leaves from touching. An occasional smoking may be necessary to keep down the green fly.

GERANIUMS.—The Scarlet or Horseshoe Geranium, (or, more properly, Pelargonium,) now so extensively used for bedding, may be casily grown from seed at any season of the year. If during the summer, better out of doors than any where else; but in a green-house or sitting room during the winter. Sow the seed in pots or shallow boxes, in any common soil. Cover about an eighth of an inch, and press the soil on the seed. Transplant as soon as out of the seed leaf in small pots, in a soil only moderately rich, or, if the seed were started out of doors, the plants may be put in the border. Seed sown indoors in the fall or early winter, and the plants grown in the green-house, will show flowers in June and July, while plants from those sown in March or later will not come into flower till August or September, and some even later. Much, however, depends upon the treatment, those receiving special care in pots blooming much sooner than those turned into a border or bed. The character of the flower will depend upon the goodness of the seed. While many will produce bright and pretty flowers, it is only occasionally that one will be found sufficiently good to save for a name, except the seed has been saved from choice kinds.



NEW AND OTHERWISE RARE AND REMARKABLE FLOWER SEEDS.

Asparagus Verticillatus. This is one of the finest decorative climbers, with beautiful foliage, very graceful feather like plumes, bright red berries. Hardy Perennial, growing about ten feet high. Per packet	25
Chrysanthemum. Splendid American mixture, saved from show plants of the Chinese, Japan and other new sorts, that attracted such general attention at the Exhibitions the past Autumn. The plants are perennial and perfectly hardy, the colors are perfect, varying from the purest white to the deepest crimson, also variegated, striped, etc. Per packet.	50
Dianthus Heddewigii atropurpurea. (Mourning Tink). This is a striking novelty, the beautiful large double flowers are edged with white and will become one of the best cut flowers for mourning wreaths and bouquets. Per pucket	25
Haplocarpha Leichtlini. A new composite from Africa, with a splendid crown of many lyrate cut leaves three to six inches in length, the flowers are borne on scapes a foot high, are fully 2½ inches across, bright yellow ray florets with the disk deep yellow. The	

25

REMARKABLE FLOWER SEEDS.—Continued.	
Iberis "Charmer." (Giant White Candytuft) Plant Dwarf, recommended last year, of bushy habit, with very large white flowers; invaluable for Florists	cket.
Lavatera Arborea Variegata. A beautiful bold and massive plant, attracting much attention last year; it has variegated leaves with shades of green and pure white and is very valuable for beds and singly on lawns, as they advance in age it is more striking, hardy perennial with slight protection.	10
Mignonette "Machet." This is well adapted for pot culture as well as for beds. It is of pyramid il growth, furnished with thick and dark green leaves; numerous stout flower-stilks terminated by massive spikes of deliciously scented red flowers. It is quite distinct, and the most valuable Mignonette grown.	10
Phlox Drummondii "Cleveland." We now call attention to three rare and splendid varieties of this favorite belling flower, this bears very large flowers, white with crimson centre, the contrast being very effective and showy, flowering all summer	10
Phlox Drummondii, "Garibaldi." Bright searlet with white eye, large flowers, very profuse flowering; a bed of these cannot be surpassed for bedding	10
Phlox Drummondii "Dwarf Crimson Bouquet." This from its color forms the most effective of beds, being dwarf and color so bright that it can be seen for a long distance it is very attractive and brilliant, delightfully scented	10
Rhodanthe Manglesii alba nana. A beautiful dwarf, silvery white variety of the R'rod inthe, for cutting nothing can be finer, the abundance of Flowers and pleasing color, make it one of the best for cut flowers, for Vases or Buskets for Florists	40
Tagetes "El Dorado." An improved variety of the African Murigold. It is without exception the finest of the Autumn flowers, which are from three to four inches in diameter, and very double, are of all shades of yellow, from lemon color to deep orange; robust habit of growth. For church decorations, etc. it is very chaste and beautiful.	25
Tropwolum (Tom Thumb Nasturtium) coccineum foliis aureum. A golden foliaged dwarf variety of this beautiful species, which is beautifully contrasted with scarlet flowers and yellow leaves, called "golden cloth".	40
Tropwolum (Tom Thumb Nasturtium) "Empress of India." The flowers of this distinct very dwarf variety, are of a vivid crimson, very abundant, no other annual can approach it in effectivensss, the leaves are of a bluish green or metallic bronze	10
Viola tricolor maxima "Trimardeau." An entirely new race. The plants are of vigorous and compact habit; the flowers are carried well, and each is marked with three well defined large spots; they are of refined form and present a notable difference from all of the known forms in size.	50
Viola tricolor maxima "Plum Velvet." This is an entirely new shade and distinct color, very free flowering, large flowers.	25

EXPLANATION

OF THE

FLOWER SEED CATALOGUE.

The first column gives the number by which the different varieties may be ordered without writing out the whole name.

The second column gives the Botanical name, in Roman characters.

* designates ornamental leaved plants.

.. .. in all cases, repetition.

in vars.. in varieties, or mixed colors.
fl. pl. .. flore pleno, or double flowered.

The figures in the third column give the comparative time of *Flowering*. As it is impossible, in our varied extent of climate, to state the exact month any plant may flower in, we have adopted the simple plan of classing the different varieties into EARLY, INTERMEDIATE, and LATE flowering sorts. Thus:

No. 1 designates early.

No. 2 .. intermediate.

No. 3 .. late-flowering plants.

The fourth column gives the Hardiness and Duration:

A represents Annual, lasting but one year.

B .. Biennial, .. two years.

P .. Perennial, .. three or more years.

E .. Evergreen.

But as a large number of the Biennials and Perennials, if sown early, flower the first season, this distinguishing mark \dagger is affixed to such.

h. represents hardy—plants for open borders.

hh. .. half hardy—plants that require to be forwarded in pots or frames.

t. .. tender—requiring protection.

g. .. green-house plants.

bu. .. bulbous plants.

S. .. shrubs.

The fifth column gives the color in full, except as abbreviated below. Thus:

ap..apetalous, lav..lavender, scar..scarlet, bff..buff. ptd..painted, spot..spotted, car..carmine, blk..black, cr..crimson, stri..striped, pur..purple, br..brown, ver..vermilion. tri..tricolor, sul..sulphur, var..variegated

The sixth column gives the comparative height of the plants in feet. Trai. signifies trailing; Cr. creeping.

The seventh column, the price # packet.



FLOWER SEEDS MAILED PROMPTLY, WITH POSTAGE PAID,

ON RECEIPT OF AMOUNT ANNEXED.

All Flower Seeds delivered free by mail. And reined partial of the land of the									
2065 Abronia umbellata	2	hA	rose	trai.	ets. 5	Beautiful annual trailer.			
2075 Abutilon Thompsonii fol. var. 2078 atrosanguineum 2080 Darwini grandiflorum 2082 mixed	2 2 3 3 3 3	gS 	y. st. d. red crim, y. st.	4	25 25 25 25	Fine for conservatories. Flowers striped, veined, and self colors. Very handsome, free bloomers.			
2085 Acacia dealbata 2087 Decaisneana 2090 melanoxylon 2098 ornithophora 2100 speciosa 2104 fine mixed	1 1 1 1 1		yel pur. mixed	10	10 10 10 10 10 10	Fine green-house and conser- vatory shrubs, with grace- fully drooping branches and fine racemes of yellow flowers, gratefully scented.			
2107 Acanthus mollis 2108 spinosus	3 2	hP 	white pur.	3	5 10	Fine large ornamental leaved plant with showy flowers.			
2118 Aconitum Napellus 2119 Fisheri	2 2		blue	4	5 10	\ Monk's Hood. Pretty flowers. \ Very fine.			
2120 Adonis autumnalis 2122 vernalis	2 1	hA hP	scar. yel.	1 1/2	5 5	Pretty and hurdy. Showy Spring flower. A graceful tuberous-rooted			
2128 Agapanthus umbellatus	1	tP	blue	1	10	plant, fine for the conservatory or the lawn.			
2129 Ageratum conspicuum var. 2130 Lasseauxi 2132 Mexicanum 2135 —album 2138 —"Little Gem"	2 2 2 2 2	hhA	white rose blue white blue	1½	5 5 5 5 5 5	Free flowering Annuals, Fine for bedding, and con- trasting well with Gerani- um, Perilla, and Dwarf Amaranths.			
Agrostemma						See Rose Campion.			
2148 Alonsoa grandiflora 2149 — alba 2150 linifolia 2153 myrtifolia 2155 Warscewiczii	1 3 1 3 1 3 1 3 1 3	†hhB	scar. white scar.	2 1½ 2½ 2½ 2	5 5 5 5 5	Very showy in flower, and of fine habit. Should be kept in the house in cold weather, as the plants are rather tender. Sow in a hot-bed.			
2157 Alstræmeria pulchella	1 2	gP		3	10	Pretty for conservatory.			
2159 Alyssum (Sweet) maritimum 2160 —compactum 2163 saxatile compactum 2165 Wierzbecki 2166 argenteum	1 3 1 3 2 1 3 1 3	hA hP 	white yel.	trai. 1 11/2 1/2	5 10 5 5 5	Fine bedding plants. The first is the Sweet Alyssum; saxatile compactum is one of the finest, golden yellow.			

THORDOLLAS CATABOOCH OF SEEDS.							
l. of	original district	Direction of Color site	Flower Living	Privo Privo	General Observations.		
22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	hA tA	yel. red d. red pur. cr. & y. red pur red pur	3 2 3 6 4 2½ dif. 2	cts. 5 5 5 5 10 10 5 5 5 5 5 5 5 5 5	Ornamental l-aved plants, Invaluable for bedding; foliage. crimson, variega- ted, yellow, &c., &c. The tricolor varieties are among the most valuable bedding plants; are also fine grown in pots.		
2 2 1 3 1 3	hhP	blue white ver.	21/2	10 10 5 5	Browallia. Green-house an- nuals. Very pretty. Bedding plants covered with flowers throughout the Summer. Warm, sunny		
1 3	hP	pur.		5	j spots are best. Evergreen and pretty.		
1 1 1 3	 gP	mixed white pur.	2 ½ 1	5 5 10 25	Anemones are very beautiful Spring flowers, and should be in every garden. A tender herbaceous plant, bearing handsome flowers. Thrives in a light, rich soil. See Snapdragon.		
1 3 1 3 1 3 1 3 1 2	hP	striped yel. blue sul. r. & y.	1½ 3 2	5 10 25 25 25 10	The Columbines are fine early, free flowering, hardy border plants; every garden should have them. Nothing can be finer than beds of these.		
2 3 2 3		white yel.		5 5	Flowers large and poppy shaped		
1 3 2	gP hP	p. orange rose p.	4 3	5 5 5	Silkweed. Swallow-Wort; free bloomer. Swamp Milkweed.		
2 3 2 3	hhA hP	l. bl. white	1 1/2	5 10	Sweet scented and profuse bloomers.		
2 3 3 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	hhA	white mixed rose mixed white rose	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 10 10 10 10 10 10 10 10 5 5 10 10 10	These varieties are from Germany, and saved from the finest double sorts. Nothing can be finer than a bed of these in the Autumn. They can also be grown very nicely in pots for early blooming, and also for early Winter ornaments. They should be transplanted at least twice. The soil should be rich, and they should be well attended to, and they		
	2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 3 hA 2 3 3 pP 1 3 hP 1 3 1 3 1 2 2 3 3	2 3 hA yel. red d. red pur. 2 3 red pur. 2 3 scar. mixed tri. dk. pur. 2 3 thin hhP ver. 2 3 mixed mixed 1 3 hhP ver. 1 3 mixed 1 3 white 3 gP pur. 1 3 white 3 gP pur. 2 3 white 3 white 3 white 3 white 2 3 white 3 wh	2 3 hA yel. 3 2 3 red 2 2 3 yer. 6 2 3 red 3 2 3 yer. 6 2 3 red 21/2 2 3 red 21/2 2 3 red 21/2 2 3 mixed diff. 2 3 tri. 2 4 mixed diff. 1 3 hhP ver. 21/2 1 3 mixed 2 1 1 mixed 2 1 1 mixed 2 1 1 white 3 gP pur. 1 1 3 hP striped 11/2 1 1 white 3 gP pur. 1 1 3 hP striped 11/2 1 3 blue 1 3 hP striped 11/2 2 yel. 3 1 3 blue 2 3 vel. 3 1 3 blue 3 yel. 3 1 4 vel. 3 1 5	2 3 hA yel. 3 5 2 3 red 2 5 2 3 pur. 6 5 2 3 pur. 6 5 2 3 pur. 6 5 2 3 red 2 1/2 5 2 3 mixed diff. 5 2 3 tri. 2 5 2 1		

/ 3/ 3/ 3/ 3/ 3/ 3/

All Flower Seeds delivered free by mail. of general Observations.								
Att Flower Seeds deticered 1100 og mad	Rinko S	ateria en	Color in	o' leid	Price			
2311c Aster, Washington 2312 New Schiller 2314 Dwarf white Bouquet 2316 Goliath 2318 Imbricated 2320 Pæony-flowered 2324 Dwarf Pompon 2325 Half Dwarf Multiflora 2326 Truffaut's 2328 —White 2329 —Crimson 2330 Dark blood red 2335 Mixed China 2337 Perennial, mixed	00 00 00 00 00 00 00 00 00 00 00 00 00	hhA hP	mixed rose white mixed white cr. red mixed	2 1½ 1 2 1½ 1½ 1to5	ets. 10 10 10 10 10 10 10 10 10 10 25 25 10	Obs. continued. will produce fine large flowers. Most are very distinct in their varieties and colors.		
2340 Aubrietia deltoidea 2341 Græca	1 3 5	••	pur,	trai.	10 10	Beautiful for rock work and bedding.		
2342 Auricula, finest	1	٠.	mixed	1/2	25	Primula auricula, very fine.		
2345 Azalea hybrida	2	hS		2	25	From finest Chinese & Ghent varieties, Ghent are hardy.		
2352 Balsams, white Paris 2355 Crimson " 2360 Rose " 2364 Scarlet " 2367 Mixed " 2373 White Camellia-flowered 2375 Crimson " 2380 Violet spot'd " " 2383 Crim. " " 2385 Scarlet " " 2387 Rose " " 2393 Scarlet " " 2394 Purple " " 2396 Lavender " " 2400 Light citron " " 2402 Mixed 2414 Double Solferino	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	hhA	white crim. rose scar. mixed white crim. spot		5 5 5 5 5 10 10 10 10 10 10 10 10 10 10 10 10 10	The Balsams are one of the finest Summer flowering Annuals, being free bloomers and highly colored. Transplanting two or three times has a tendency to dwarf them and make the flowers very double. They can be grown in pots, and also from cuttings. They require a good soil and to be kept well watered. The colors are unsurpassed.		
2418 Baptisia australis	2	hP	blue		5	Beautiful perennial herb.		
2420 Bartonia aurea 2421 aurea naua	2 2	hA	yel.	3 1½	5 5	Beautiful and hardy.		
2422 Beet, Brazilian* 2424 Chilian* 2426 Dell's Flower Garden* 2427 Ne Plus Ultra* 2430 Large Ribbed Scarlet* 2433 ' Yellow* 2435 Crown Prince 2437 Victoria	2 2 2 2 2 2 2 2	hhA	mixed dark scar. yel. red d. red	•••	20 20 20 10 10 10 10 10 10 10 10 10 10 10 10 10	Beta. Beautiful ornamental foliage plants, fine for center of beds.		
2450 Regonia, fine mixed Seedling 2451 Rex 2452 Semperflorens rosea 2452a " " alba	1 3 1 3 1 3 1 3	gP 	rose white	$\begin{array}{c} 2 \\ \frac{1}{2} \\ 1\frac{1}{2} \\ \cdots \end{array}$	25 25 25 25	Beautiful free flowering plants.		
2453 Bidens atrosanguinea	2 3	hA	d. red	2	10	Showy, like the Coreopsis.		
2457 Blue Bottle, small	23	••	mixed		5	Centauréa. Hardy and showy.		

			100 Individual of Individual of Emple								
/ ;zeb/zo ;zeb / zeb / z											
All Flower Seeds delivered free by mail. of general Observations. continued free by mail. of general Observations.											
	(time	il desires	Calor ?	in Ti	s Zin						
		<u>/</u>	<u>/</u>	1 '	cts.	/					
2460 Bocconia cordata* 2461 Japonica*	2 3 2 3	hP gP	white	3 4	10 10	Ornamental for single speci- mens or groups.					
2463 Brachycome iberidifolia 2465 —alba 2468 —in vars,	3 3 3	hhA	pur. white mixed	1	5 5 5	One of the finest for edgings. Should be sown in hot-bed.					
Browallia elata						See Amethyst.					
Cacalia 🕔						See Tassel Flower.					
2473 Calandrinia discolor 2475 speciosa 2480 umbellata	2 3 2 3 2 3	hhP	rose pur.	1/2 1/2	5 5 10	Handsome, brilliant colors; should be planted in sunny situations. Fine for edgings					
2482 Calceolaria hybrida, finest 2485 grandiflora, self-colored 2486 grandiflora tigrina pumila	2 3 2 3	gP ··	mixed	2	25 25	Seeds are saved from the fi-					
compacta, dwarf 2490 rugosa 2492 scabiosæfolia 2492a pinnata, for bedding	2 3 2 3 2 3 2 3	••	yel.	1 2 	50 25 10 10	nest varieties; are very fine, beautifully striped, blotched, and variegated.					
2493 Calendula officinalis plena 2497 —nova, Nankeen 2499 officinalis "Meteor" 2505 pluvialis 2506 Pongei fl. pl. 2507 sicula, single yellow	2 3 3 2 3 2 3 2 3 2 3	hA.	or'nge yel. w. & p. white yel.	1	5 5 5 5 5 5 5	The Pot Marigolds are fine for back grounds, being quite showy, especially Meteor.					
2508 Calliopsis bicolor marmorata 2516 Drummondii 2518 elegans picta 2519 mixed	2 3 2 3 2 3 2 3		r. & y. y. & br. mixed	1 1 2	5 5 5 5	Fine, showy Annuals, (Coreopsis) abundant bloomers and bright colors.					
2520 Callirrhoe involucrata 2525 pedata	1 3 1 3		c. & w, v. & w.	trai. 2	5 5	Free flowering, pretty colors, and blooming for a long time. Start in frame early.					
2529 Camellia Japonica	1 3	gP		3	25	One of the finest flowering greenhouse plants.					
2530 Campanula Carpatica 2533 —alba 2535 grandiflora 2536 —alba 2538 medium calycanthema 2540 ——alba 2541 ——mixed 2543 nobilis alba 2545 pyramidalis 2546 —albus	1 1 2 2 2 3 3 2 3 3 3 3 3 3 3	hP hB thhP	blue white blue white mixed blue white	12 2 3 4	5 5 5 10 10 10 10 10	One of the best known plants grown in the garden. The perennial species, if sown early in good soil, will bloom early the next season. The first two on list are very fine for edgings and beds. Nos. 2535 and 2545 may be grown in pots.					
2548 Candytuft, Iberis amara 2552 coronaria (Rocket) 2555 odorata 2557 rosea carnea 2560 Dunnettii 2567 — Lilacina 2576a afflinis (very dwarf) 2576b (Ciant White "Charmer" 2576b carmine 2577 Mixed 2577b Dwarf Mixed Hybrid 2578 sempervirens	1 2 1 2 1 2 1 2 1 3 1 2 1 3 1 3 1 3 1	hA hP	rose d. c. lilac white car. mixed	1	5 5 5 5 10 10 10 10 10	Iberis. Showy Annuals for beds or edgings, sweet scented. They can be sown at any time in the house or open ground. The dwarf varieties are good bedders.					

	All Flower Seeds delivered free by mail. State of the s								
All Flower Seeds delivered free by mo	iil.	of orce. dir	and Durice you	of Flo	eight is	General Observations.			
	15	/\$	\ \(\chi_0 \)	/\$	7 /3	<u>' / </u>			
2580 Canna, Dark leaved 2581 Warscewiczii 2583 fine mixed	1 3 1 3 1 3	gP 	mixed blood r mixed	4	cts.	Cannas are very ornamental and tropical looking. Fine for lawns; very handsome.			
2587 Canterbury Bells—Blue 2590 White 2593 Rose 2596 Mixed 2598 Double Blue 2600 "Rose 2603 "White 2605 "Mixed	1 3 1 3 1 3 1 3 2 3 2 3 2 3 2 3	†hB	blue white rose mixed blue rose white mixed	••	5 5 5 10 10 10 10	Campanula or Canterbury Bells. Very ornamental for back borders. All the vari- eties are fine old plants and should be grown extensively.			
2608 Carduus benedictus	2	hA	yel.	2	5	Blessed Thistle—pretty.			
2610 Carnation Pink 2613 "Double extra 2618 Tree or Perpetual, fl. pl. 2620 Rose-leaved 2622 Grenadine, single 2626 Red Grenadine, Double	2 3 2 3 1 3 2 3 1 3 1 3	hhP	mixed red	1 2	10 25 25 50 10 25	Saved from the finest collections of Germany. Grown in pots and in good soil, no flowers can be finer. Are highly scented.			
2638 Castilleia indivisa	2 3		b. red	11/2	25	Yery rich and free flowering. Good for backgrounds.			
Castor Oil Beans						See Ricinus.			
2640 Catananche alba 2644 cœrulea	2 3 2 3	hA †hP	white blue	2	5 5	Everlasting flowers. Bright colors, free flowering.			
Catch-Fly.						See Silene.			
2646 Cedronella cana	2 3		pur.		5	Beautiful purplish crimson flowers.			
2647 Celosia Huttoni (dark foliage) $2647a$ plumosus, $2647b$ "beautiful Golden Feathered	3 3	hA 	claret red yel.		5 5 10	Fine plants for vases. See Cockscomb.			
Celosia cristata 2648 Centaurea Americana 2650 candidissima, 1000 seeds \$1. 2651 Clementei "50c. 2655 gymnocarpa "50c.	3 3 3 3 2 3	hA hhP	pur. white	3 1	5 25 10	Nos. 2650, 2651, and 2655 are ornumental leaved plants, fine for ribbon borders and edgings of beds. The others			
2655 gymnocarpa " " 50c. 2658 Cyanus, Emperor William	2	hA	pur.	$i_{\frac{1}{2}}$	10 5	are showy plants when in bloom.			
2660 Centauridium Drummondii	2		yel.		5	Pretty little Composite.			
2663 Centranthus macrosiphon 2665 —albus 2668 —nanus	1 3 1 3 1 3	• •	red white red	1 ½	5 5 5	Very pretty, free flowering Annuals, Suitable for rock- eries and vases.			
2671 Cerastium tomentosum	2 3	†hP	white		25	Fine edging plants. Pretty.			
2675 Chelone barbata coccinea	3	†hhP	pur.	2	25	Very pretty; bright color.			
2687 Chorozema varia	1 3	gS	scar.	3	10	A desirable plant, for the green-house or conservatory.			

				,		, , , , , , , , , , , , , , , , , , , ,			
All Flower Seeds delivered free by mail. dieta in the state of the s									
Christmas Rose					ets.	See Helleborus niger.			
2690 Chrysanthemum coronarium album 2693 —Double Yellow 2695 —Double Mixed 2711 carinatum album 2713 —''Eclipse" 2714 —mixed ''carinatum'' 2718 inodorum 2721 frutescens 2724 Burridgeanum 2728 —hybridum	00 00 00 00 00 00 00 00 00 00 00 00 00	hA	white yel. mixed white yel. br. &yel mixed white	1111	5 5 5 5 10 5 10 10 5 5	Showy, free bloomers. The Annual species should be grown in gardens in large beds, where they will show their bright colors finely. Perfectly hardy. For bouquets or edging. C. frutescens is the Paris Daisy			
2730 Indicum grandiflorum 2731 Japonicum 2733 —pompon 2734 —American	3 3 3	hP	mixed	3 1½ 3	10 10 10 50	These are the celebrated sorts of the Autumn Shows that attract so much attention and bloom late. From the finest show flowers.			
2735 Cineraria hybrida 2736 —rubra 2737 —grandiflora 2738 —kermesina 2743 —nana 2745 —grandiflora alba 2746 —Azure Blue 2750 —New Double 2753 maritima 2755 —candidissima 2758 Clarkia elegans, Double 2761 —purpurea plena	1 1 1 1 1 1 1 2 2 2 2 2 3	†gP hhP	lustrous mixed crim. mixed white blue mixed yel	1 2 3 · · · · · · · · · · · · · · · · · ·	25 25 25 25 25 25 25 25 25 75 5	From the finest named flowers; very beautiful and showy, the colors being distinct and bright. Very handsome cool green-house plants. For ribbon gardening; have a silvery foliage. Very pretty, free flowering, and of easy cultivation. A bed of these is very beau-			
2763 pulchella 2765 —alba 2766 —marginata 2768 White Tom Thumb 2778 mixed Clary, Purple top Red top	2 2 3 3 3 3 3 3 3		rose white bord. rose	113 84	5 5 5 5 5 5	tiful, especially the double varieties. They are beautiful as edging plants or for vases, hanging baskets, etc. The double varieties are especially fine. See Salvia hominum.			
2782 Cleome arborea 2783 sesquiorgyalis	2 2	gP 	white pur.	8	10 10	Curious; very ornamental, in the Castor Oil Bean style.			
2785 Clianthus Dampieri 2790 puniceus	1 2 1 2	gS 	scar. crim.	3 6	10 10	Beautiful green-house plants, bearing large, showy, pea- shaped flowers.			
2792 Clintonia (Downingia) pul- chella	2	$^{ m hA}$	tri.	1/2	10	Very pretty for edgings.			
Coekscomb. 2795 Dwarf Crimson 2801 " Sulphur 2803 " Orange 2804 " White 2806 " Tom Thumb 2808 " Prest. Thiers 2812 Japan Scarlet 2816 " Yellow	2 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		crim. sul. orang. white crim scar. yel.	1½ ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·	5 5 5 5 10 5 5	Celosia. If grown in good rich soil, the heads will be large, full and bright colored. Very pretty. Can be preserved for Winter Bouquets by cutting off the heads before they are ripe, and drying in the house.			

All Flower Seeds delivered free by mail.								
All Flower Seeds delivered free by ma	iil.	of tradition	calor s	Plote	ight in	General Observations.		
	gini	The Hares	cida,	and It	id, li	es /		
2°20 Cockscomb, New Moss Head 2823 Mixed	3 2 3	hA	var. mixed	1 3	10 5	See Obs. on preceding page.		
2833 Coleus*	2 3	gP		2	25	Splendid bedding plants.		
2835 Collinsia Bartsiæfolia 2838 bico'or 2839 "alba 2840 candidissima 2843 grandiflora 2847 multicolor marmorata 2850 verna 2852 mixed	2 1 2 1 2 2 2 3 1 3	hA	pur. p. & w. white p. & w. w. & ro. bl. & o. mixed	$\begin{bmatrix} 1 \\ 1\frac{1}{2} \\ \vdots \\ 1 \\ \vdots \\ 2 \end{bmatrix}$	5 5 5 5 5 5	Free flowering Annuals. If sown in Autumn, will stand the Winter, and flower early in Spring. All the species are good and of fine colors.		
2854 Collomia coccinea 2856 grandiflora 2857 aggregata	2 3 2 3 2 3		s. & y. yel.		5 5 25	Fine for bees; also good for pot culture. They are very pretty.		
2858 Columbine, Common Double 2860 White	1 3 1 3	hP 	mixed white	2	5 5	These are very free flower- ing. See Aquilegia.		
2862 Commelyna cœlestis 2865 —alba 2868 variegata*	1 1 1	hhP 	blue white var.	1 2	5 5 5	Showy, favorite plants, for pots and gardens, where they grow finely.		
2870 Convolvulus minor 2872 —albus 2875 —unicaulis 2876 —New Crimson Violet 2877 —roseus 2877a —tricolor, mixed	1 3 1 3 1 3 1 3 1 3 1 3	hA	tri. white pur. crim. rose mixed	1	5 5 5 5 5 5	These are fine for growing in clumps or beds; and well adapted for rockeries and hanging-baskets, blooming for a long time.		
2878 Coral Plant	2 3	gS	scar.	4	10	Very handsome green-house shrub. Does well if planted out in Summer.		
2880 Cordyline australis* 2882 indivisa lineata*	3		white	3 12	25 25	Beautiful flowering green- house shrubs.		
2887 Cosmidium Burridgeanum	2	hA	orange	2	5	Very showy.		
2890 Cosmos bipinnata purpurea	2 3		pur.		5	Beautiful annual composite.		
2892 Cotton	2 3	tA	yel.	3	5	Curious for pots, or garden.		
2894 Cowslip	1	hP	mixed	$\frac{1}{2}$	10	Primula. Spring flower.		
2900 Crucianella stylosa	2	••	pur.		10	A handsome Rubiacez.		
2906 Cuphea miniata 2908 platycentra 2910 purpurea 2913 eminens 2914 Roezlii 2915 strigulosa 2915a lanceolata	1 3 3 1 3 1 3 1 3 1 3	†hhP	crim. s. & w. pur. s. & y. y. & r. violet pur.	1 :: 1½ 1 ::	10 10 10 10 25 25 10	These are very pretty green- house plants, and are also good for the border, being constantly in bloom. No. 2915a is a hardy Annual, and very desirable.		
2916 Cyclamen Persicum	1	gbu	w. ro.	1/4	25	Beautiful green-house bulb.		
2918 Dahlia, Fine Double, from named flowers 2919 Double Dwarf 2920 Single, fine strain	3 3 5	†hhP	mixed	6 3	10 10 10	These are too well known as favorites with all to need a detailed description. All the varieties are beautiful.		

in the state of th										
All Flower Seeds delivered free by mail. A grant of the control of										
	/ Sint	A Story of	/ cole /	10	133					
2922 Daisy, Double White 2923 Double Longfellow 2925 from finest collection Paris	1 1 1	†hP ::	white rose mixed	1	10 25 25	The poet's favorite. See Chrysanthemum frutescens.				
2933 Daphne Mezereum	1	hS	pink	3	25	Early flowering and finely scented shrub.				
2935 Datura metelloides 2940 fastuosa double mixed	1 2 1 2	hhA	w. & b. pur.		5 5	\ Very showy, large, trumpet- \ shaped flowers.				
2944 Delphinium cardiopetalum 2945 Cashmerianum 2946 formosum	2 3 2 3 2 3	hA †hP	blue	1 3 	5 10 10	They are one of the hand- somest plants for large gar- dens; varying in color from pale blue to the deepest tint.				
Dianthus					25	See Pink, Carnation, and Picotee				
2954 Dicentra chrysantha	2	••	yel.	2	25	Curious and pretty dwarf				
2956 Dictamnus Fraxinella 2958 —alba 2960 —mixed	1 2 1 2 1 2	hP 	red white mixed		10 10 10	herbaceous plants. The leaves, when rubbed, have a fine odour.				
Digitalis						See Foxglove.				
2964 Dracæna Draco* 2966 indivisa lineata* 2968 rubra* 2970 Veitchii*	2 2 2 2 2	gP 	white red white	10 5 3	25 25 25 25 25	See Cordyline. Ornamental green-house plants with elegant leaves.				
2972 Dracocephalum Moldavicum	3	†hP	blue	2	5	Ornamental.				
Echeveria 2972a farinosa, pr. 1000 seeds \$3.00 2972b retusa nana '' '' 1.00 2972c secunda glauca '' 2.00	2 2 2 2	gP 	yel.	1/2	25 25 25 25	Interesting green-house suc- culents, which are also largely used for curpet bed- ding.				
2978 Epacris hybrida superba	1 2	gS	mixed	div.	50	Free blooming, like a Heath.				
2980 Erica, finest mixed	2 3	••		2	25	Charming evergreen shrubs.				
2983 Erinus alpinus	3	hP	blue	1	25	Beautiful for hanging-baskets				
2986 Erysimum Arkansanum 2988 Peroffskianum	1 2 1 2	hA 	yel, orange	11	5 5	Showy and free flowering, and bright colors.				
2990 Eschscholtzia Californica 2990a —alba 2990aa —alba rosea 2990b —aurantiaca 2992 crocea 2995 —plena 2998 tenuifolia 3000 Mandarin 3001 Mixed	1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3		yel. white wh. r. orange yel. o.r.crm mixed		5 5 5 5 5 5 5 5 5 5 5 5	Very free bloomers for bor ders or rockeries. The last good for edging. Double are very showy. The bright yellow flowers are desirable in every garden, and are also fine grown in pots.				
3003 Eucharidium grandiflorum	1 2		rose		5	Free flowering, very pretty.				
3005 Eucnide Bartonioides	2	tA	yel.	2	10	Fine plant for rockeries, or for pots.				

	/	Loweritation of the state of th	Duration of Color al	auei	pi in price	ÇÇ ÇÇÇ General Observations.
All Flower Seeds delivered free by mail	1. / 8	Louis dine	Dure of	e 6,00 /36	hit in	General Observations.
	/din	The c	Car	Mer		/
2010 Eupatorium Fraseri	3	hP	white	2	ets.	Fine for Winter bouquets; showy for back grounds.
3014 Euphorbia marginata*	3	hA	w. & gr.	. 2	5	Very pretty leaves, showy.
3020 Eutoca multifiora 3022 viscida 3026 Wrangeliana	3 1 3 1 3	hB hA	pink blue	1	5 5 5	Are good serviceable flower- ing plants for bedding. Free blooming.
3030 Fenzlia dianthiflora	1 2		rose	1	25	Pretty for ribbon gardening.
3033 Feverfew, Blood-colored	1 3	†hP	d. r.	2	10	Pretty, fine for ribbon gardening.
3036 Flax, yellow (Linum) 3038 Large Crimson 3040 Variegated	2 3 2 3 1 2	†hhP hhA †hP	yel. crim. li. & w.	3	10 5 5	Pretty, good for rock work. Fine, free flowering bedding plants; beautiful colors.
Forget-me-not. 3046 Myosotis alpestris 3048 —alba 3049 —elegantissima 3050 Azorica 3054 —cœlestina 3056 dissitiflora 3058 palu tris 3062 sylvatica	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	†hhP :: :: :: ; †hP	blue white mixed d. b. l. b. blue b. & w. blue	trai.	10 10 10 10 25 10 10	All are beautiful. The Myosotis palustris is the true "Forget-me-not" of Europe. All the species are favorites, being early flowering.
3065 Foxglove, (Digitalis) White 3068 Yellow 3070 Large-flowered 3072 Rose 3075 Purple 3078 Gloxinia-like, White 3080 Gloxinia-like, Rose, 3082 gloxinoides, mixed 3087 Mixed	2 2 1 2 1 2 1 2 2 3 2 3 2 3 1 2	•••	white yel. I. y. rose pur. white rose mixed	3 1½ 3 4 div.	55555555555	The Forglores are showy for back grounds and borders, and are beautiful when planted among shrubs.
3089 Four O'Clocks, Hybrid 3090 "longiflora alba 3091 "Variegated-leaved 3091a" new Dwarf White	2 3 2 2 2 3 2 3	tA 	white mixed white	2	5 5 5 10	Mirabilis. Handsome, free flowering, sweet scented; blossoms variegated, striped, and various colors.
3092 Fragaria Indica	1 2	hP	yel.	trail	25	Beautiful scarlet fruit.
3094 Frasera Parryi	2		white	2	10	Bears numerous flowers.
3095 Fuchsia, single, in vars.	1 3	gS	mixed	div.	50	\ "Ladies' Ear Drop." Well known green-house plants.
3096 Gaillardia amblyodon 3097 picta 3098 —Lorenziana 3099 —Aurora Borealis 3102 —salmon red	2 3 2 3 2 3 2 3 2 3	†hhP	fine r. yel. mixed sc. &y. sal.	2	10 5 5 5 5	Showy and free bloomers. They are good bedders, very beautiful, fine for bouquets, and should be more generally cultivated.
3108 Galega officinalis 3110 —alba	1 2 1 2	hP 	blue white	3	5 5	Ornamental tall plants for borders.
3112 Gamolepis Tagetes	1	hhA	yel.	1	5	} Fine for beds.
3114 Gardenia Thunbergii 3116 Gardoquia Betonicoides	1 3	gS †hhP	white pur.	2 1½	25 10)
war and are possible in the	o I	11111	pui.	12	10	Worthy of cultivation.

All Flower Seeds delivered free by mail. State Sta								
		erinal e	2 Duration of Color of	3 ate	/ ^	General Observations.		
All Flower Seeds delivered free by mai	i. / 6	State Adias	d Dur Jorg	NO EL	die in	General Observations.		
	/ Kin.	1/200 6	/ col ?	120	/st.			
3118 Gaura Lindheimeriana	1 2	hhA	w. & r.	3	cts. 5	I hese are easily cultivated.		
3120 Gentiana acaulis 3121 campestris 3124 cruciata	1 2 2	hP hA hP	d. b. pur. blue	1	10 10 10	Fine showy hardy plants. Should be in every collection of Perennials for the beauty of the flowers. Saved from fine named vari-		
3129 Geranium, (Zonale) Scarlet 3132 — Tom Thumb var. 3138 (Zonale) sanguineum	1 3 1 3 2 3	gP hP	scar. mixed d. pur.	1½ ··· 1	10 10 50	eties. Are especially fine colors. The so called Scar- let Geranium is a Pelar- gonium.		
3141 Gesnera macrantha 3143 extra mixed	2 2	gP ··	scar. mixed	1/2	50 50	Beautiful green-house plants, with long-tubed flowers.		
3145 Geum Chilense coccineum pl.	2	hP	scar.	11/2	5	Blooms freely for a long time.		
3152 Gilia capitata 3153 —alba 3154 laciniata 3156 linifolia (for borders) 3158 nivalis 3160 tricolor 3161 —splendens 3167 mixed 3170 rosea splendens	1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	hA	blue white tri. pur. sc. mixed rose	1	5 5 5 5 5 5 5 5 5	Free-flowering Annuals— fine for beds. Will bloom in any situation, look well on lawn in beds, are good for rockeries, and can be planted at any season.		
3173 Globularia trichosantha	2	gP	blue	1/2	10	A very handsome plant.		
3174 Gloxinia, mixed 3175 hybrida grandiflora 3176 crassifolia 3177 —grandiflora horizontalis	1 3 1 3 1 3 1 3		mixed crim. mixed	••	50 50 50 50	Green-house plants. They grow well in a light rich soil.		
3182 Godetia splendens 3183 Princess of Wales 3184 rubicunda 3188 —The Bride 3189 —Duchess of Albany 3190 —Lady Albemarle 3190a Lindleyana 3190d Whitneyi 3191 —Brilliant 3194 Schamini 3195 mixed	1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3	hA	p. r. d. cr. red w. & c. white crim blush. d. rose car. w. spo. mixed	1 2 1 ¹ / ₂	5 10 5 5 10 5 5 5 10 5 5 5 5 5	All are fine, profuse flowering, hardy Annuals, the colors being beautiful. Can be grown in pots. G. While neyi, the largest flowered, of a crimson blush, makes a fine pot plant, and is good for the rockery.		
Golden Feather						See Pyrethrum.		
3196 Grammanthes gentianoides	2	hhA	· yel.	1/2	10	For edgings, pots, or baskets.		
3200 Gutierrezia gymnospermoides	2	hP		1	5	For baskets. Yellow flowers.		
3206 Gypsophila elegans 3207 —rosea 3211 muralis 3213 paniculata	1 2 1 2 1 2 1 2	hA hP	white rose pink white	$\begin{vmatrix} \dots \\ \frac{1}{2} \\ 2 \end{vmatrix}$	5 5 5 5	Fine for bouquets. Free bloomers for rockwork or shrubbery, and will grow in any soil.		

All Flower Seeds delivered free by ma	ii. /	States tra	Durding of Color of	Plotes	Ant see	General Observations.
	Zinio,	git / Haidar	color a	ne Ital	d Pric	
3815 Haplocarpha Leichtlini	1 3	hhA	yel.	1	ets. 25	Flowers bright yellow, 2 inche broad, tinged with reddist
3218 Hawkweed, Bearded 3220 Red 3222 White 3223 Mixed	30 30 ac 30	hA 	yel. rose white mixed	2	5 5 5 5	Hieraceum. Showy plants of free growth.
3225 Helenium Douglasii	2 3	hP	yel.	٧	5	Free flowering Composite, with yellow flowers.
3230 Heliotropium Peruvianum 3235 — Chieftain, dark 3242 — Voltairianum 3244 — in vars.	1 3 1 3 1 3 1 3	gP 	pur. d. pur. mixed		10 10 10 10	Heliotrope. These well-known favorites are highly valued for their scented flowers. Light rich soil.
3248 Helleborus niger	1 2	hP	pink	1	10	Christmas Rose. Very desi- rable; spring flowering.
Hesperis						See Rocket
3252 Hibiscus Africanus 3260 Syriacus, double	2 3 2 3	hA hS	yel.&br. w. & p.	2 6	5 10	Striking ornaments of the garden.
3265 Hollyhock, Double White 3267 Double mixed	3 3	†hP	white mixed	4	10 10	From named varieties, of all shades of color.
3272 Honesty, Lunaria annua	2 3	†hB	white	2	5	Curious and pretty.
3274 Humea elegans 3275 —albida	1 3 1 3	†hhP	rose white	5	10 10	Sweet scented. They are beau- tiful plants, but require to be kept in pots first season.
3276 Hunnemannia fumariæfolia	2 3		yel.	1	5	Large showy flowers.
3281 Hypericum elegans	2	hР		11/2	10	Showy bright green leaves.
3282 Iberis sempervirens	1		white	84	10	Very pretty. See Candytuft.
3284 Ice Plant	2 3	tA		$\frac{1}{2}$	5	Curious and pretty.
3286 Impatiens glanduligera	2		pur.	$1\frac{1}{2}$	10) Beautiful and singular. See Salsams.
3292 Ionopsidium acaule	1 3	†hhP	blue	1	10	Curious and pretty.
3294 Ipomopsis aurantiaca * 3298 elegans 3299 sanguinea	3 2 3 1 3	†tB iB	oran.	1½ 3 1½	5 5 5	Showy and beautiful; colors very bright. The seed should be started in the house.
3302 Iris Kæmpferii	1 2	ḥΡ	mixed	2	5	Beautiful Iris.
3305 Isotoma petræa	1	hhA	cream	1	10) Showy and beautiful; resembles the Lobelia.
3308 Jacob's Ladder 3310 White	2 2	hP 	blue white		5 5	Beautiful and hardy old- fashioned flowers.
3312 Jacobæa, White Senecio 3316 Purple " 3320 Mixed	2 2 2	h A ::	pur. mixed		5 5 5	The Senecios are all free- flowering plants, good for the border and for pots. Variegated foliage. See also
3322 Joseph's Coat*	3	tA	tri.	2	5	Amarantus.

	6	/ :23	/ .on/	وقع	-	cot och
All Flower Seeds delivered free by mai	ii. /	of nuoritain	as aridit	Flore	لان الله	Signal Observations.
	Ain C	Single in the contract of	38 Dundician	ni pi	edle in	General Observations.
	<u> </u>	1	1	ĺ	ets.	
3324 Kaulfussia amelloides 3327 —atroviolacea 3332 —kermesina 3333 —in vars.	2 2 2 2	hA	blue d. v. v.& red mixed	1	5 5 5 5	Fine for edgings; good habit and color. The high colors for pots.
3334 Lantana in vars.	1 3	gS		2	5	Fine bedding, and one of the best green-house plants.
3336 Larkspur, Dwarf Rocket 3338 Chinese 3340 Mixed Hybrid 3342 Branching 3343 Ranunculus-flowered 3346 Bee	2 3 3 3 3 2 2 2 2 2 2	†hB †hP hA †hP	b. & w.	1 2 1 2 1 3	5 5 10 5 5 5	Fine free blooming plants. Should be in every garden, being very rich in color. Nothing can be finer when in flower. See also Del- phinium.
3348 Lasthenia Californica	1	hA	yel.	1	5	One of the yellow Composites.
3350 Lavatera trimestris 3352 —alba 3353 arborea variegata	2 2 2	hA hhP	red white red	2 3	5 5 10	Showy and free flowering. L. arborea has beautifully mottled foliage.
3354 Lemon Verbena	2 3	gP	white		10	Aloysia citriodora. Fine lem on scent.
3356 Leontopodium alpinum	3	hР	yel.	1/2	25	Curious. The Edelweiss of the Swiss Mountains.
3358 Leptosiphon aureus 3860 androsaceus 3361 —alba 3365 densiflorus 3374 hybridus	2 2 2 2 1 3	hA 	orange blue white blue mixed	1	5 5 5 5 5 5 5	$\left\{ egin{array}{l} Fine \ for \ edgings \ or \ rockeries, \ Blooms \ in \ masses, \end{array} ight.$
3388 Limnanthes Douglasii	2 3	hA	w. & y.	1	5	Free flowering and fragrant.
3390 Linaria bipartita alba 3390a —rosea 3390b —splendida 3391 maroccana 3393 Cymbalaria (Kenilworth Ivy)	2 2 2 3 2 3 2 3	hP hhA 	white rose. pur. rose violet	trai.	5 5 5 5 5 5	Snapdragon-shaped flowers. Desirable for edgings, and very charming for rockwork.
Linum						See Flax.
3395 Lisianthus Russellianus	2 3	gA	blue	$1\frac{1}{2}$	25	Splendid, like the Gentians.
3396 Loasa aurantiaca 3398 tricolor	2 3 2 3	hhA hA	orange tri.	6 2	5 5	Beautiful and curiously formed flowers.
3400 Lobelia cardinalis 3406 Erinus grandiflora superba 3412 —speciosa 3414 —Paxtoniana 3415 — Crystal Palace com-	2 1 3 1 3 1 3	hP hhP	scarlet d. b.		10 10 10 10	All the Lobelias are suitable for beds, edgings, and rib- bon borders. L. gracilis is fine for hanging baskets
pacta 3415a —mixed 3415b —kermesina 3416 gracilis 3416a —alba 3420 Lindleyana rosea	1 3 1 3 1 3 1 3 1 3	tA	blue mixed crim. blue white rose	trai.	10 10	or vases. I. E. speciosa and vars. are the finest edging plants, and contrast beautifully with Scarlet Geraniums.
3422 ramosa	1 3	†hhP	blue	1	10	U -

3428 Lotus Jacobæus 1 3430 tetragonolobus 2	gA hA	d. & br.		the started of the cts.	Signature General Observations.
3428 Lotus Jacobæus 1	gA			ets.	
3428 Lotus Jacobæus 1	gA			cts.	
		yellow	2 3	5 5	Pretty and interesting. Winged Pea.
3432 Love-Lies-Bleeding 2		erim.	3	5	Graceful, showy flowers, good for back grounds.
3434 Love-in-a-Mist 1 2 3435 White Double 1 2 3436 Blue Spanish 1 2 3438 White Spanish 1 2 3439 Mixed Spanish 1 2		blue white blue white mixed	1	55555	Nigella. Curious and or- namental; fennel-leaved; easily grown and hardy. Dwarf variety pretty.
3444 Lupinus albus 2 3 3446 atroviolaceus 2 3 3449 arboreus 2 3 3450 Cruikshankii 2 3 3452 Dunnetti superbus 2 3 3454 Hartwegii 2 3 3456 —albus 2 3 3458 cœlestinus 2 3 3460 hirsutus 1 3 3460 —ruber 2 3 3463 hybridus insignis 2 3 3464 —atrococcineus 2 3470 mutabilis 2 3 3472 nanus 1 3 3475 pilosus 2 3 3479 polyphyllus 2 3 3487 subcarnosus 2 3 3489 sulphureus 2 3 3493 tricolor elegans 2 3 3498 mixed 2 3	hP hA S hA S hA hP †hB	white v. & w. yellow var. b. & pk. white l. b. blue rose d. r. d. scar, yellow var. b. & v. rose blue violet li. & ro. sul. o. & ro. mixed	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	550555555555555555555555555555555555555	The Lupin family, annual or perennial, are among the most beautiful ornaments of the garden. Some are specially charming, having spikes of highly-colored flowers, silvery foliage, and good habit, especially Nos. 3454 and its variety, 3463, 3472, 3479, and 3487, though all the perennials are fine in habit and color. They will flourish in any soil, but a rich loam will produce the finest plants and flowers. The dwarf species make the best bedding plants. The flowers are pea-shaped and the plants free flowering, meriting extensive cultivation.
3500 Lychnis Chalcedonica 1 2 3505 —alba 1 2 3506 —mixed 1 2 3507 fulgens 1 2 3509 Haageana hybrida 1 1	tP hP	scarlet white mixed scarlet mixed	2 1 	5 5 10 10	Showy plants for borders, being free bloomers. They are finely colored, and should be in every garden.
3513 Madia elegans 2	hA	yellow	2	5	Handsome flowers, but should be in a shady position.
3517 Malope grandiflora 2 3 2 3 2 3		red white	• •	5 5	Mallow-like flowers, and very pretty. Sow early.
3524 Malva miniata 2 3	gP	scarlet	4	5	Beautiful.
3530 Marigold, African 2 3 3531 —mixed 2 3 3532 —"El Dorado" 2 3 3534 Dwarf striped 2 3 3535 Dwarf Gold Striped 2 3 3537 French 2 3 3538 French, mixed 2 3 3540 Ranunculus 2 3	hA	lemon mixed yellow striped orange mixed striped	2 ½ 1	25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Tagetes. Saved from finest double flowers. They are highly ornamental in the fall. The dwarf varieties are useful for bedding.
3547 Martynia Craniolaria 2 3 3549 proboscidea 2 3 3550 lutea 2 3 3552 formosa 2 3	hhA 	w.&sp. vio. sp. yellow	• • • • • • • • • • • • • • • • • • • •	5 5 5 5 5	Curious, but very handsome plants, for the border.
Marvel of Peru					See Four O'Clo:ks.

	/	/ sind/	s itor	aver	/4	
All Flower Seeds delivered free by mai	i. / 8	Vores dire	Durch of	E ENO	Jul size	General Observations.
	Tine ?	de d	Durkian of	1 de	The San Spice	General Observations.
3556 Matricaria parthenioides plena $3556a$ eximia plena 3556δ capensis plena	2 3 2 3 2 3	hA hhP	white	2	5 5 5 5	Feverfew. Pretty. Double flowering.
3557 Mathiola bicornis	2 3	hhA		$\frac{1}{2}$	5	See, also, "Stocks."
3558 Megarrhiza Californica	1	hP	yellow	20	10	Vine 20 to 30 feet; fine for trellis and arbors.
3560 Melilotus cœrulea	3		blue	$1\frac{1}{2}$	5	Ornamental. Like the Lotus.
3570 Mesembryanthemum tricolor 3573 —album 3575 cordifolium variegatum 3576 glabrum	1 2 1 2 1 2 1 2 1 2	tA. 	tri. white yellow	1 1 2	5 5 25 10	Beautiful dwarf edging plants, flowering profusely in dry sunny situations. Curious and beautiful,
3578 Mignonette, Sweet-scented 3579 odorata grandiflora 3581 aurea, Golden Queen 3582 pumila compacta, dwarf 3583 Machet, new and beautiful 3585 Crimson Queen 3587 Parsons's White 3590 Giant Pyramidal 3594 Upright 3595 Miles's Spiral	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	hA	w. & bf. b. yel. w. & bf. crim. white red white cr. & bf.	······································	5 5 5 5 5 10 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Reseda, the well-known Frenchman's darling. Highly scented and very desirable, flowering freely. If wanted in Winter seeds should be sown in July.
3598 Mimulus hybridus cupreus 3603 cardinalis 3608 roseus superbus 3610 Roezlii 3612 tigridioides	1 3 1 2 1 3 2 3 1 3	hP tgP	mixed scarlet rose&y. yellow spot.	1½ ··· ·· · · · · · · · · · · · · · · ·	10 10 10 25 10	Monkey Flower, very showy, musk scented, and free flowering. The hardy kinds are well suited for borders. Any common soil suits.
Monk's Hood						See Aconitum.
Mourning Bride						See Scabiosa.
3620 Musa Ensete	1 2	gP	y. & br.	10	50	To this genus belong the Banana and Plantain.
3625 Musk Plant	1 3	tA	yellow	1/2	10	Musk scented Mimulus.
3630 Myrtle, Broad-leaved	1 2	gS	white	3	10	Myrtus. Green-house shrub.
3631 Nægelia hybrida	2	gP	scar.	$\frac{1}{2}$	25	One of the Gesneracea, with the leaves richly veined.
3633 Nasturtium, (Tom Thumb) 3639	1 2 3 3 2 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 3 2 2 3	hA	yellows. spot. black blue red cream scarlet rose crim. scarlet gold y. & cr. mixed	i ::	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Tropwolum. Beautiful bedding plants. Planted in poor soil they flower profusely, and for a long time. The colors of these plants cannot be exceeded. The dwarf varieties should be planted so that they will contrast either with white or blue flowers. The foliage is also beautiful, being dark green.

		ind/	à tion	wer	1	of his
All Flower Seeds delivered free by mail	. / 8	ores dires	"Quid" of	Elo /	מיני שנת	Six General Observations.
-	/ Right &	Larginal day	A Duration of Color of	e filosof	Prince	gique General Observations.
DOWN N.				1 . 1	Cts.	
3677 Nemesia compacta alba 3678 — cœrulea	2 3 2 3	tA.	white rose&bl	$\frac{1\frac{1}{2}}{\cdots}$	10 10	Very pretty, neat flowering
3680 Nemophila atomaria	1 3	hA	w & pur	0	5	
3682 —oculata 3684 discoidalis	1 3 1 3		b. & w. pur.	::	5 5	This genus consists of very
3686 insignis 3690 —alba	1 3 1 3		blue		5	pretty annuals of easy cul- ture and deserve extensive
3694 —marginata	1 3		white bord.		5 5	cultivation; are good in
3696 —striata 3698 maculata	1 3 1 3		stri.		5 5	pots, as edgings, in rock- eries, or the garden.
3700 mixed	1 3		spot. mixed	div .	5	
3701 Nertera depressa	2 3	hP	white	cr.	25	A low, compact, handsome plant. Coral berries.
3702 Nicotiana affinis	2 3	hhA		3	10	New species of Tobacco. De- liciously fragrant flowers.
3703 Nierembergia gracilis 3706 frutescens	2 3	gP hP	w. & li.	1 2	10 10	Handsome flowers; fine for hanging baskets or edgings.
3706a Nigella						See Love-in-a-Mist.
3707 Nolana atriplicifolia	2	hA	b.w.&y	$\frac{1}{2}$	5	Are very showy when in flow-
3710	2 2		white b. & w.		5 5	er, and should be planted
3716 paradoxa violacea	2		b. & v.		5	in the border. Fine trailing plants,
3718 prostrata	2		blue	trai.	5	pounts.
3720 Nycterinia selaginoides 3721 capensis	2 3 2 3	hhP 	pink w. b.	84	5 5	Pretty dwarf plants.
3722 Obeliscaria pulcherrima	2	†hP	r. & y.	3	5	Showy bedding plant.
Enothera.						See Evening Primrose.
3727 Orobus lathyroides 3730 niger	2 3 2 3	hP 	blue purple	$\frac{1\frac{1}{2}}{3}$	5 5	These deserve a place in gardens. Elegant pea-blossoms.
3733 Oxalis Valdiviana	2	tP	yel.	1/2	10	Charming little plants.
3737 Oxyura chrysanthemoides	2 3	hA		trai.	5	Showy Composite.
3740 Pæonia officinalis 3744 Sinensis	2 2	hP 	red blush	$1\frac{1}{2}$	5 10	Beautiful hardy plants with large handsome flowers.
3746 Palafoxia Hookeriana	3	hA			5	Very good Everlasting.
3750 Palava flexuosa	2 3	hhA	pk.&d.		5	Pretty.
3752 Pansy, Black	1 3	∤gP	blk.	1/2	10	
3753 Lord Beaconsfield 3754 Quadricolor	1 3 1 3		violet 4-color.		10	Viola tricolor. All the var-
3755 Striped	1 3		striped		10	ieties are saved from fine,
3758 Emperor WILLIAM 3759 Fawn Color	1 3 1 3		blue		10	choice flowering plants. They cannot be surpassed
3760 Light-blue	1 3		l. bl.		10	in color or blooming quali-
3762 Violet margined 3763 Gold margined	1 3		mar.		10	ties. They should be carefully cultivated, and they
3765 Five Blotched (Odier)	1 3		spot.		10 25	Jany Cantonica, and they
3766 Plum Velvet 3767 T rimardeau	1 3		plum col	l	25	For continuation are next
5101 IIIIIatusau	1 3	1	blotch	1	50] For continuation see next p.

### All Flower Seeds delivered free by mail. 3768 Pansy, Black-blue 1 3 tgP bk.&bl. 1 10 10 10 10 10 10 10	80 Individual of Salar								
3769 Pronze colored 1 3 4gP bk.æbl. 5 10 10 10 10 10 10 10		,	/ ind/	à itan	200	/ 4	e ^è /		
3769 Pronze colored 1 3 4gP bk.æbl. 5 10 10 10 10 10 10 10	411 Flower Seeds delivered free by ma	a. /	States Size	a will of	1 tho	12 :3°	ZEZE General Observations.		
3769 Pronze colored 1 3 4gP bk.æbl. 5 10 10 10 10 10 10 10	All Protect Seems and a	/ sac	Elo digital	in Digital	⁵⁰⁰ ∕å		50		
3769 Pronze colored 1 3 4gP bk.æbl. 5 10 10 10 10 10 10 10		15	/*	/ 0	12	14	/		
1	owao na a Dialala.					cts.			
1 1 2 2 3 3 3 3 4 5 5 5 5 5 5 5 5 5				0K.&01.	_				
		1 3		white		10	will richly pay for good		
3785									
3785									
The section of the control of the	3785 Hybrid, largest	1 3		mixed					
Sample					•				
Paris Daisy.									
Sample Pelargonium, fancy 2 3 gP 2 25 Sensitive Sample Sam) See Chrysanthemum frutes-		
3796 peltatum	Paris Daisy.								
3796 Peltatum		2 3	gP		2				
Section Sect		2 3							
Second Pentstemon centranthifolius 2 3	oroo penamin	20	••	pui.	1	00			
Second Palmeri Second		2 3					our herbaceous perennials,		
Salo Palmeri 2 3		23							
Second S		2 3			1				
3822 ternatus 2 3 p. scar. 3 10 loam and leaf mould.		2 3					bedding plants nothing can		
3830 Perilla Nankinensis* 2		2 3							
3837		2 3			1 1				
3837	2020 Davilla Nankinancia*	9	bb A	nur	11	5) Ornamental leaved, for rib-		
3840 Persicaria, Red				-					
3842						_)		
3850 Petunia grandiflora alba 2 3 7					1		Showy for back grounds.		
3853		0.0				_			
3858 hybrida unicaulis 3860 German Kermesina 3861 Emperor 3863 plena, Finest Double 3864 Double Lilliput 3866 Finest Single mixed 3868 mixed single 3870 New Double Fringed 3871 "Inimitable" nana compacta multiflora 3871 venosa 3872 Phacelia congesta 3873 Phlox Drummondii alba 3875 —atropurpurea striata 3880 —Black Warrior 3887 —Gen. Grant 3888 —Variabilis atropurpurea 3893 —Leopoldi 3894 —fimbriata rosea alba striata 3898 —marmorata rosea 3800 German Kermesina 2 3 crim. 2 5 mixed 2 5 mi		23	,		1				
3858 hybrida unicaulis 3860 German Kermesina 3861 Emperor 3863 plena, Finest Double 3864 Double Lilliput 3866 Finest Single mixed 3868 mixed single 3870 New Double Fringed 3871 "Inimitable" nana compacta multiflora 3871 venosa 3872 Phacelia congesta 3873 Phlox Drummondii alba 3875 —atropurpurea striata 3880 —Black Warrior 3887 —Gen. Grant 3888 —Variabilis atropurpurea 3893 —Leopoldi 3894 —fimbriata rosea alba striata 3898 —marmorata rosea 3800 German Kermesina 2 3 crim 25 mixed 2 5 50 75 50 viewel in the garden, house, or conservatory, and will thrive in almost any kind of soil. 75		2 3					These are now or amental		
3860 German Kermesina 3861 Emperor 3863 plena, Finest Double 3864 Double Lilliput 3866 Finest Single mixed 3868 mixed single 3870 New Double Fringed 3871 "Inimitable" nana compacta multiflora pacta multiflora 3871 venosa 2 3 1 75 3871a venosa 2 3 1 1 75 3872 Phacelia congesta 3873 Phlox Drummondii alba 3875 —atropurpurea striata 3880 —Black Warrior 3887 —Gen. Grant 3888 —variabilis atropurpurea 3889 —Leopoldi 3893 —Leopoldi 3894 —fimbriata rosea alba striata 3898 —marmorata rosea 3890 Radowitzii 2 3 crim 25 mixed		2 3		1-					
3861		2 3					grant and beautiful flow-		
3864 Double Lilliput 2 3 1 75 75 3866 Finest Single mixed 2 3 1½ 25 5 5 5 5 5 5 5 5 5		2 3							
3866 Finest Single mixed 2 3		2 3	• •	• •					
3868 mixed single 2 3 5 5 75 of soil.		2 3					or conservatory, and will		
3871	3868 mixed single	23				5			
pacta multiflora 2 3 3 10 1 10 Charming.		2 3				75			
3871a venosa 3872 Phacelia congesta 2 hP pur. bl 5 Fine for Bees. 3873 Phlox Drummondii alba 3875 —atropurpurea striata 3880 —Black Warrior 3887 —Gen. Grant 3888 —variabilis atropurpurea 3893 —Leopoldi 3894 —fimbriata rosea alba striata 3898 —marmorata rosea 3898 —marmorata rosea 3890 Radowitzii 2 3		2 3			8	10			
3873 Phlox Drummondii alba 3875 —atropurpurea striata 2 3 stri 10 3880 —Black Warrior 3887 —Gen. Grant 2 3 flesh 3888 —variabilis atropurpurea 2 3 pur. 10 3893 —Leopoldi 3894 —fimbriata rosea alba striata 3894 —fimbriata rosea 3898 —marmorata rosea 3898 —marmorata rosea 3890 Radowitzii 2 3 rose 3900 Radowitzii 2 3 white 1 10 10 10 10 110 110 110 110 110 110 1	3871a venosa	2 3			11/2	10	Charming.		
3875 —atropurpurea striata 2 3 stri 10 fighly colored, especially 3887 —Gen. Grant 2 3 flesh 10 flesh fles	3872 Phacelia congesta	2	hP	pur. bl.		5	Fine for Bees.		
3875 —atropurpurea striata 2 3 stri 10 highly colored, especially 3880 —Black Warrior 2 3 flesh 10 highly colored, especially 3887 —Gen. Grant 2 3 flesh 10 pur. 10 y lowering plants, being highly colored, especially P. Drummondii, an annual, the varieties of which 3893 —Leopoldi 2 3 w. cr. 10 colors. A bed of these will 5894 —fimbriata rosea alba striata 2 3 rose 10 colors. A bed of these will be highly prized for good habits, richness of color, 3900 Radowitzii 2 3 white 10	3873 Phlox Drummondii alba	2.3	h A	white	1	10			
3898 —marmorata rosea 2 3 rose 10 habits, richness of color, white 10	3875 —atropurpurea striata	2 3	1	stri.		10	of flowering plants, being		
3898 —marmorata rosea 2 3 rose 10 habits, richness of color, white 10		2 3					P. Drummondii, an an-		
3898 —marmorata rosea 2 3 rose 10 habits, richness of color, white 10		2 3					nual, the varieties of which		
3898 —marmorata rosea 2 3 rose 10 habits, richness of color, white 10	3893 —Leopoldi	2 3		w. cr.		10			
3900 Radowitzii 2 3 rose 10 habits, richness of color,		2 3							
For continuation as ment m		2 3							
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1]			For continuation see next p.		

All Flower Seeds delivered free by mail. of good to the last of									
All Flower Seeds action on proving	King &	Adid and	Di color ite	Heid	Prince	,,,,,			
Phlo x Drummondii					cts.				
3903 —oculata alba 3906 —Hortensiæflora	2 3 2 3	hA.	w. & l.	1	10	Obs. continued.			
3908 —Garibaldi	23		scar& w		10				
3908a —Cleveland	2 3		wh&sc.		10				
3913 —rosea	2 3 2 3		rose	• •	10	and duration and profu-			
3916 —coccinea 3919 —Dwarf blood red	2 3		d. red		10 10	sion of bloom. All grow well in pots or as trailers			
3921 —Dwarf Crimson Bouquet	2 3		crim.	8	10	By making two or more			
3927 —mixed	2 3		mixed	·. 1	5	sowings they will flower till			
3930 —grandiflora lilacina	2 3 2 3	• •	lilac		10	frost. Should be grown in			
3935	2 3		scar.		10	rich loamy soil.			
3938 ——half dwarf	2 3		mixed		10				
3940 — —mixed, large	2 3				10				
3944 hybrida superba	2 3	hP	• •	3	10	J			
3947 Picotee, White Ground	2 3	hhP	w.&sp.	2	50)			
3949 Yellow "	2 3		y. & sp.		50	From show varieties. Very			
3951 Slate ''	2 3 2 3		slate	• •	50	rich and beautiful, and			
3960 —Extra Fine	23		mixeu		50	finely scented.			
						7			
3963 Pinks, Chinese Double 3970 —Heddewig's	2 3 2 3	†hB		1	5	Dianthus. A beautiful and			
3972 — Diadem flowered	2 3				10	ornamental genus, and for beauty and sweetness con-			
3975 —Imperial	2 3				5	tain some of the most prized			
3975a —alba plena	2 3		white		5	flowers we possess. The			
3975b —atrosanguinea pl. 3980 —Cut-leaved (laciniata)	2 3		d. scar.		5	leaves of the hardy peren-			
3980 —Cut-leaved (laciniata) 3987 —Dwarf	2 3 2 3	• •	••	1 1	10 5	nials are green all winter. Many can be grown in pots			
3995 Dianthus dentosus	2 3	†hP	var.	_	10	and kept in the house. No			
3997 — Gardnierianus	2 3		mixed	i	5	garden can be without some			
4003 —plumarius 4004 —fringed	1 2 2 3		r. & w.	1/2	5	of the varieties of the Dian-			
4004 —fringed 4010 —superbus nanus	2 3		white		5 5	thus family. Color, neat- ness, and fragrance can-			
4011 latifolius pl.	2 3		mixed		5	not be surpassed.			
4014 Pittosporum undulatum	1 2	gS	w. &y.	3	25	Well known green-house shrub.			
4016 Platystemon Californicus	2 3	hA.	yel.	1	5	\ Flowers pretty, and scented. California Poppy.			
4022 Podolepis chrysantha	2 3	hhA	y 01.	1 1	5	,			
4025 gracilis	2 3		red		5	Curious and pretty.			
Polemonium						See Jacob's Ladder.			
4030 Polyanthus	1 3	†hΡ	mixed	1/2	10	Primula. Fine varieties.			
4033 Finest	1	• •			25	From named varieties.			
4035 Poppy, perennial (bracteatum)	1		red	2	5)			
4037 Prettiest (pulcherrimum)	1	hA	scar.	1	5				
4040 Eastern (orientalis) 4042 Scarlet	1 1	†hP	r. & w.		5				
4045 Pany-flowered	1	hA.	scar. mixed	• •	5 5	Papaver. Very showy, free			
4047 Carnation	1		red	2	5	flowering. For beds or bor-			
4050 Double White	1		white	11	5	ders, with a background of			
4057 Ranunculus-flowered 4064 umbrosum	1	• •	:-		5	green, they are beautiful.			
4064a Danebrog	1 1	7	sc&wh.	i	5 10				
4064b Mephisto	1		sc & spot		10				
4065 mixed	1		mixed		5				

		أتبتنا	es dion	, and	š / ,	çoli. Siri
All Flower Seeds delivered free by mo	iil.	of george division	is a religion of the colors,	i Pla	ight in	got i icit General Observations.
	Kinn	A day	ogo,	14 /14	illo Pri	
4007 70 4 3	4			1	cts.	1.
4067 Portulaca splendens 4068 —New Bronze	2 3 2 3	tA	pur.	1/2	5 5	
4069 —Red Carnation Striped	2 3		strip.		5	
4070 —Thellusonii 4071 —New Pheasant's Eve	2 3 1 2		scar.		5	These cannot be rivaled for
4071 —New Pheasant's Eye 4072 —albiflora	$\begin{array}{ c c c }\hline 1 & 2 \\ 2 & 3 \\ \hline \end{array}$		r. & w. white		5 5	the brilliancy of their colors, and are one of the
4074 —aurantiaca	2 3	0	or'nge		5	best Annuals for bedding.
4078 —caryophylloides 4082 —Light Straw	2 3 2 3	••	stri.		5 5	Oculata, with red stalks, is
4085 —Light Rose	2 3	.,	l. rose		5	very fine. The last 7 are double flowers, and
4087 —alba oculata (red stalk) 4088 —sulphurea	2 3 2 3 2 3 2 3		w. & p.		5	are especially beautiful,
4088 —sulphurea 4089 —Thorburni	2 3		yel.		5 5	many of them resembling miniature roses, the seed
4090 —rosea	2 3		rose		5	of which always contains
4091 —white and red stripe 4092 —mixed	2 3 2 3	• • •	stri.	• •	5 5	flower earlier than the
4095 —Large-flowered flesh	2 3	• •	flesh		5	double ones, and may in
4097 — —rose 4100 — —salmon	2 3		rose		5	this way all be pulled out
4105 — —samon 4105 — —buff	2 3 2 3		sal, buff		5 5	into bloom. Bloom best in
4107 ——striped	2 3		stri.		5	a light sandy soil. The
4111 Double Scarlet 4114 —Orange	2 3 2 3 2 3 2 3 2 3	••	scar. orange	• •	25 25	seed will not vegetate till hot weather sets in, and
4117 —Carnation Striped	2 3		car. st.		25	should therefore be sown
4118 —Salmon 4120 —White	2 3 2 3	••	salmon		25	late.
4127 —Purple	2 3		white pur.		25 25	
4130 —mixed	2 3		mixed		10	J
					4.0	
4133 Potentilla atrosanguinea	1 3	hP 	pur, mixed	$1\frac{1}{2}$	$\begin{vmatrix} 10 \\ 5 \end{vmatrix}$	Showy and hardy border plants.
4137 mixed		•••				, Francis
4140 Duimula contuguidas	2	hP	hor	1	10	
4140 Primula cortusoides 4143 Japonica	2		red mixed		10	
4145 English Yellow Primrose			yel.		10	
4156 Sinensis fimbriata rubra 4157 — New Bright Red	3 3	gP	fr. red b. red	8 4	$\begin{vmatrix} 25 \\ 25 \end{vmatrix}$	
4158 ——alba	3		white		25	The Chinese Primroses are
4159 — —globosa, finest mixed 4161 — —punctata atropurpurea	3 3	••	mixed pur. sp.	••	25 25	fine for Winter and Spring blooming. Free flowering,
4169 — — filicifolia alba	3	• •	white	• •	25	and especially valuable for
4170 — — — mixed	3		mixed		25	cut flowers. The seeds are
4171 — —rosea 4174 — —globosa rubra	3		rose red	• •	25 50	saved from the finest colors and largest flowers. The
4176 ————alba	3		white		50	P. Japonica is called the
4183 — —splendens 4187 — —mixed	3	• •	crim. mixed	•••	25 25	" Queen of Primroses."
4190 —plena rubra	3	, ··	red		75	
4193 — — alba	3 3		white		75	
4195 — —plena in vars.	0	• • •	mixed	• •	75	
Buim maga Francis - /(Frank)					}	The Enotheras are fine, free-
Primrose, Evening (Enothera) 4203 bistorta	23.	hP	pur.	2	5	flowering plants, best for backgrounds or shrubbery
4205 Drummond's	2 3	†tP	jel.	1	5	borders; the dwarf varie-
4207 Large-flowered 4210 Lamarck's	2 3 2 3	hP hP	• •	$\frac{3}{1\frac{1}{2}}$	5 5	ties for rock-work or beds. Œ. acaulis has large shi-
Advisor On D				- 2		For continuation see next p.

/ introl a right /										
All Flower Seeds delivered free by mail of state of the last of th										
	/ this	140	/ cor	140	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	/				
4220 Primrose , (Evening,) Rose 4222 taraxacifolia alba or acaulis 4227 tetraptera 4230 mixed Annual	1 3 2 3 2 3 2 3	hP hA 	rose white mixed	1	5 5 5 5	Obs. continued ning white flowers, quite transparent. Œ. Drum- mondii is of a rich sulphur color, and profuse flowering.				
4233 Pyrethrum atrosanguineum 4235 Tchihatchewii 4237 parthenium aureum 4237a — "Golden Gem"	2 3 1 3 2 3 2 3	hP 	dark sc. white yel.	1 ½ 	10 10 10 10	The last two numbers are known as Golden feather, fine for edgings; No. 4237 makes moss like tuft.				
4239 Reseda crystallina 4252 alba	2 3 2 3	hA.	gr. yel.	1	5 5	Varieties of Mignonette, very curious.				
4256 Rhodochiton volubile	2 3	g.cl.	d. pur.	10	25	Closely related to Lophospermum.				
4258 Rhododendron arboreum	1	hS	mixed		25	Grand evergreen shrubs.				
4270 Ricinus Borboniensis arboreus 4270a Africanus 4275 Gibsonii 4276 macrophyllus 4288 sanguineus 4289 purpureus, spec. from the	2 2 2 2 2	hhA 	violet div. vio. d. pur. red	15 8 5 6	5 5 5 5 5	The Castor Oil Beans are free growing, tender Annuals; very ornamental, and quite tropical in appearance, when planted				
Philippines	2		pur.		5	singly on lawns.				
4290 Rivina humilis	3	gP	white	2	25	Ornamental in fruit.				
4295 Rocket, Sweet 4800 White	2 3 2 3	†hP ··	w.& p. white		5 5	These well-known useful Perennials are free bloom- ing and sweet scented.				
4325 Rose Campion 4327 White	2 2	 	rose white	. 1	5 5	Lychnis. Free blooming and pretty.				
4330 Rose of Heaven (Viscaria) 4333 White 4356 elegans picta 4340 dark-eyed 4343 oculata cærulea 4345 flos Jovis, (Jove's Flower)	2 3 2 3 2 3 2 3 2 3 2 3	hA :: :: hP	rose white sc.&w. r. & p. blue red	1 15 2 2 15	5 5 5 5 5 5	Profuse flowering. Fine for beds. They are easily grown and can be made very useful.				
Rose of Sharon						See Hibiscus Syriacus.				
4350 Rudbeckia amplexicaulis	2		yel.	3	5	Showy Composite.				
4856 Salpiglossis azurea 4860 coccinea 4866 nana 4867 in vars.	2 3 2 3 2 3, 2 3	hhA 	blue scar. mixed	1	10 10 5 5	These annuals are very showy, large flowered, with flowers mottled, veined, and self-colored. Fine for beds.				
4870 Salvia argentea 4380 patens 4887 Ræmeriana 4390 splendens 4394 farin cea	1 2 2 2 2 2	†hP †tP hP †hhP	white blue crim. scar. l. blue	3 1 3 2	5 25 10 10 10	No plants can be finer than these. Sage plants are well known for their brilliant colors. Fine for bedding and easily grown.				
4397 Sanvitalia procumbens fl. pl.	2 3	hÅ	yel.	1/2	5	Pretty Composite for beds.				

All Flower Seeds delivered free by mail. State of the sta										
All Flower Seeds delivered free by ma	il.	State did	ad Durit dois	the Electric	alit in	Servations.				
}	15	/8	/ 00	/8	/&'					
4400 Saponaria Calabrica 4403 —alba 4406 —marginata 4410 ocymoides	2 3 2 3 2 3 1 2	hA hP	red white marg. red	1	5 5 5 5 5	Pretty dwarf bedding plants. Should be cultivated for their beauty and long blooming.				
4413 Saxifraga Aizoon 4415 Huettiana	2 2	hÅ	white	1 1	25 25	Fine for rock-work, on which they are beautiful.				
4417 Scabiosa candidissima 4420 mixed 4422 dwarf double	2 3 2 3 2 3	••	mixed	2½ 1½	*5 5 5	The Mourning Bride is a showy border plant.				
4425 Schizanthus Grahamii 4427 pinnatus 4430 porrigens papilionaceus 4433 retusus 4436 —alba 4440 in vars.	2 3 2 3 2 3 2 3 2 3 2 3	hhA 	s. & o. p. v. bk. eyd r. & o. white mixed	2 1½ 2 div.	5 5 5 5 5 5	Elegant and very free bloom- ing annuals. Large, beau- tiful flowers of many col- ors, blotched, dark purple, and spotted with orange. Fine for bedding.				
4443 Schizopetalon Walkeri	1 2	tA	white	84	10	Curious fringed flowers				
4446 Scyphanthus elegans	2 3		yel.	2	10	Fine green-house climber.				
4450 Sedum cæruleum 4453 Maximowiczii 4454 mixed	2 2 2	hA hP	blue yel. mixed	1	10 10 10	Curious and showy. The Stone Crop is one of the best plants for rock-work. Sandy soil.				
Senecio elegans						See Jacobæa.				
4455 Sensitive plant	2 3	tA	pink		5	Mimosa. Pretty and curious.				
4460 Silene Armeria 4461 pendula 4462 mixed 4463 ruberrima 4467 Eastern	1 2 1 2 1 2 1 2 1 2	hA hP	r. & w. red mixed rose	1	5 5 5 5 5	Catch Fly. Bright colored, free flowering annuals; showy and suitable for rock-work. Light, rich soil.				
4475 Smilax (Myrsiphyllum) asparagoides	2 3	gP	white	6	25	For table decoration. Fine for florists.				
4480 Snapdragon, car. and white 4483 Crimson and white 4485 Striped 4488 Scarlet and White 4490 Scarlet 4492 White 4493 luteum 4495 mixed 4497 Fine dwarf 4198 Tom Thumb, mixed	2 2 2 2 2 2 2 2 2	†hP	c. & w. cr. & w. stri. s. & w. scar. white yel. mixed		10 10 5 5 5 5 5 5 5 5 10	The Antirrhinum is one of the finest border perennials. The plants are free flowering, and succeed in any kind of soil. Should be in all gardens.				
4500 Sphenogyne speciosa	3	hΛ	yel.	1	5	Pretty, showy annual.				
4502 Spiræa ariæfolia	2	hS	white	3	10	Beautiful shrub, flowering profusely.				
4507 Spraguea umbellata	2 3	hhA	rose	1 1	25	Very pretty.				

All Flower Seeds delivered free by mail. of activity of the transfer of the tr									
All Flower Seeds delivered free by ma	il. ginge	gland dardin	rg Dri. Cotor &	ino The	eght is	General Observations.			
4509 Statice Bonduelli 4514 incana hybrida 4515 sinuata 4516 candidissima 4516a pseudo armeria	2 2 2 3 2 3 2 3	gP hP gP	yel. mixed blue white scar.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 10 10 10 10	Sea Lavender, beautiful for Winter bouquets. Pretty little flowers, which ought to be in all gardens.			
4518 Stenactis speciosa	2 3	hP	pur.	2	5	Showy purple Composite.			
4520 Stephanophysum longifolium	1	hhP	scar.	11/2	25	An Acanthaceous plant with bright colored flowers.			
4525 Stevia serrata	2	gP	flesh		10	Fine for bouquets. Scented.			
\$tocks (German Ten Weeks) 4530	1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 2 1 2	hhA	brown mixed crim. white mixed br. ro. mixed l. yel. d. red pur. mixed white crim. mixed white crim. mixed crim. mixed crim. mixed pur. white crim. mixed crim. mixed crim. mixed crim. mixed crim. mixed crim.	1 1 ½ 2 2	10 10 10 10 10 10 10 10 10 10 25 25 5 10 10 10 10 10 10 10 10 10 10 10 10 10	Mathiola. These seeds are saved from the finest double varieties, but seldom produce such fine flovers as the German varieties, which are put up in assortments. The flowers are very fragrant, and every garden should have some of the double varieties, as nothing can be finer.			
4574 Sultan, Sweet, Purple 4577 White 4580 Yellow 4582 Mixed	2 3 2 3 2 3 2 3	hA 	purple white yellow mixed	11/2	5 5 5 5	Centaurea. Pretty border Annuals, with fragrant flowers.			
4584 Sunflower, Californian 4586 Texan double 4588 Giant double 4590 Tall Double 4590 Dwarf double 4592 Green centered 4594 Globe flowered	2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	hP hA 	d. y. yellow y.&gn. yellow	2-5 4 5 3	5555555	Helianthus. Showy for back- grounds and shrubberies. Like the Eucalyptus, good to absorb the miasma of low grounds.			
4598 Sweet William, mixed 45986 Pure White 4598c Auricula flowered 4598d Dunnettii	2 3 2 3 2 3 2 3	hP 	mixed white mixed d. crim.	1½	5 10 5 5	A bed of these can hardly be surpassed in color and habit, and are admired by all.			
4602 Tacsonia Van Volxemi	2 3	gP	scarlet	6	25	Beautiful green-house vine.			
4605 Tagetes lucida 4607 signata pumila	2 2 3	tP hA	yellow	1	5 5	Pretty, free flowering. Fine for bedding. See also Marigold.			

All Flower Seeds delivered free by mail. distribute d										
4610 Tassel Flower, Scarlet 4612 Orange 4613 Mixed	2 2 2	h Λ 	scarlet orange mixed	2	cts. 5 5	The Cacalias are pretty Annuals, with neat flowers.				
4615 Torenia Fournieri	2 3	tA	pur.	1	25	For borders and baskets.				
4616 Trachelium cæruleum	2	†hP	blue	11/2	5	Pretty.				
4617 Tradescantia angulosa	3	gP		1	10	Interesting plants.				
4618 Trifolium suaveolens	2	hP	pur.	trai.	5	An ornamental Clover.				
4619 Tritoma Uvaria	3	hhP	or. red	3	10	Handsome flowering plants.				
4622 Tunica saxifraga	2		white	1	5	Pretty for rock-work.				
4624 Valeriana alba 4626 rubra 4627 Mixed	1 2 1 2 1 2	†hB ∷	red mixed	3	5 5 5	Fine border plants, sweet scented.				
4628 Venidium calendulaceum	2 3	hhA	orange	1	5	Pretty				
4630 Venus's Looking-glass 4633 White	1 2 1 2	hA.	blue white	84	5 5	Pretty; good edging plants.				
4635 Venus's Navelwort (Omphalodes linifolia)	2			1	5	A handsome border flower, easily grown.				
4636 Verbena in vars. 4638 hybrida, finest mixed 4640 —Scarlet Defiance 4641 —Black Blue, white eye 4643 —candidissima (pure white) 4644 —auriculæflora 4646 —Italica striata 4648 —cærulea 4649 —scarlet, mixed	2 3 3 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	hhP	mixed scarlet bl.&wh white mixed stri. d. b. scar.	trai.	5 10 10 10 10 10 10 10 10	All of this genus are extremely beautiful and ornamental plants, flowering profusely either as pot plants or in the garden. Seeds saved from fine named varieties.				
$egin{array}{ll} 4653 & ext{Veronica}, ext{ mixed} \ 4653 a & ext{ spicata} \end{array}$	2 3	hP 	mixed blue	$\frac{1}{2}$	10 10	Pretty border plants; fine colors.				
4654 Vicia Gerardi	2 3	hΛ	vio.	4	10	Pretty pea-shaped flowers.				
4657 Vinca alba (pure white) 4662 rosea 4663 rosea alba	2 3 2 3 2 3	tP 	white rose ro. & wh.	1	10 10 10	Fine for conservatory, parlor windows, and borders.				
4665 Violets, Sweet-scented 4667 The Czar 4669 White	1 2 1 2 1 2	• •	blue white	$\frac{1}{2}$	10 10 10	Viola. All of the genus de- serve cultivating for their beauty and fragrance.				
4673 Viola cornuta, Purple Queen 4675 —alba	1 2 1 2		purple white		10 10	Fine early flowering. See Violets.				
4677 Virginian Stock (Malcomia) 4680 White	1 2 1 2	hA 	red white	1	5 5	} Early flowering, fine.				
4682 Wall Flower 4684 mixed 4686 German Double	1 3 1 3 1 3	tP 	brown mixed	11/2	5 5 25	Favorite sweet-scented flow- ers, fine colors, and should be used as Spring bedders.				

All Flower Seeds delivered free by ma	ail.	Landing direct	Duration of Color th	o Platei	his in file	State General Observations.
4688 Whitlavia grandiflora 4689 —alba 4692 gloxinoides	1 3 1 3 1 3	hA 	pur. white b. & w.	11/2	cts. 5 5 5	Pretty bell-shaped flowers, free flowering.
4693 Worms	2 3		scar.	1	5	Seeds are quite curious.
4694 Wigandia Viguieri	2 3	†tP	red	4	10	Large leaves, with a fine tropical appearance.
4696 Yucca baccata 4701 brevifolia 4702 macrocarpa 4705 Whipplei	2 3 2 3 2 3 2 3	hhP 	gr. wh.	3 15 6 2	10 10 10 10	Very showy, attractive plants for the sub-tropical garden, with numerous large white flowers.
4708 Zinnia (Double) violacea 4710 elegans alba 4712 coccinea 4714 lutea plena 4716 purpurea 4718 salmon rose 4719 orange 4720 plena in vars. 4721 mixed Pompon 4723 Darwinii fl. pl.	22 22 22 22 22 22 22 22 22 22 22 22 22	hA	violet white scarlet yellow purple salmon orange mixed		5 5 5 5 5 5 5 10 10	Fine bedding and border plants, blooming long and abundantly. Beds of these are greatly admired. The colors are varied and bright, and the plants easily grown. Should be more extensively grown.



	VINES	A	ND	CI	LII	ME	BERS.
I	4727 Aristolochia Sipho	2	hP	yel. br.	30	25	Curious flowers, commonly called "Dutchman's Pipe."
	4728 Asparagus verticillatus	1	hP	white	12	25	Most beautiful climber and folinge. Useful for bouquets.
	4730 Bignonia radicans	2		scarlet	20	5	Scarlet Trumpet Flower. Beautiful hardy climber.
	4732 Calampelis scabra	3	hP	orange	6	10	Fine for trellis.
	4734 Canary Bird Flower	2 3	hhA	yellow	10	5	One of the best old favorites.
	4736 Cardiospermum Halicacabum	2 3		w.& gr.		5	Balloon Vine; pretty fruit.
	4754 Clematis Virginiana 4756 Flammula 4758 azurea grandiflora 4760 — "Sophia" 4764 Clitoria ternatea 4766 — alba	2 3 1 2 2 3 1 2	hP	white blue li. pur. blue	15	5 5 10 10	they are plunted out. All are pretty flowering. Beautiful green-house and
-		1 2		white		10	\[\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
-	4768 Cobæa scandens	2 3	tP	purple	20	1 10	Rapid growing.

/ string of the										
All Flower Seeds delivered free by mail. of right of the last seeds delivered free by mail. of right of the last seeds delivered free by mail.										
	/ &	/ 🌣	/ 0	1	cts.					
4774 Convolvulus aureus superbus 4777 major (Morning Glory) 4780 Mauritanicus	2 3 2 3 2 3	hhA hA hP	gold mixed blue	5 10 trai.	10 5 10	Very pretty, fine for baskets, except the Morning Glory, which is good for screens.				
Cypress Vine						See Ipomœa Quamoclit.				
4782 Dolichos Lablab 4784 —alba 4786 in vars.	2 3 2 3 2 3	gP 	purple white mixed	10	5 5 5	Hyacinth Beans are rapid growing and free flowering. Good for screens.				
4790 Hedysarum coronarium 4792 —album	3	†hB	red white	3	5 5	French (Bush) Honeysuckle.				
4796 Ipomœa Burridgii 4798 coccinea 4800 —lutea 4807 Horsfalliæ 4808 hederacea grandiflora 4810 —marmorata 4812 Nil 4814 limbata 4816 Mexicana alba 4820 Bona Nox 4824 Learii 4826 rubra cærulea 4828 — —alba 4834 "Madame Anne" 4835 Quamoclit 4837 —alba 4840 —rosea 4840a —hederæfolia coccinea 4842 —in vars. 4845 Kennedya Comptoniana 4854 Marryattæ 4856 rubicunda	33 33 33 33 33 33 33 33 33 33 33 33 33	hA tP tA gP hA tA gP	crim. scar. yellow rose blue mar. purple v. & w. white v. b. & r. white sc. & w. scarlet white rose scar. mixed blue scarlet d. red	10 15 5 10 8 10 	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	These are very beautiful, free-blooming plants, fine for green-house and outdoor decoration. All deserve cultivation. Hederacea grandiflora and marmorata have striped leaves. The well-known Cypress Vine, bears very beautiful bright flowers, and is deservedly popular. These are fine, profuse bloomers for the green-house or conservatory. Succeed best in sandy loam.				
4861 Lathyrus odoratus, (Sweet Peas, "Butterfly" 4861a — "Adonis" Carmine 4862 — White 4864 — Light Blue and Purple 4865 — Dark Red 4868 — Blush 4872 — Tricolor, "Capt. Clark" 4874 — Black Purple 4876 — Striped 4878 — Invincible Scarlet 4879 — Princess Beatrice 4880 — mixed 4882 Everlasting 4884 — White 4884a Lord Anson's 4884b Painted Lady	1 3 3 1 3 3 1 3 3 3 1 3 3 3 1 3 3 3 1 3 3 3 1 3	hA hP hA	red car. white blue white blue white rose	· · · · · · · · · · · · · · · · · · ·	55555555555555555555555555555555555555	Nothing can be finer than a hedge of Sweet Feas. The variety of color and the sweet-scented flowers make them desirable for every garden. To bloom early, the seed should be sown in the Autumn, The finer varieties bear much larger flowers, and are delightfully fragrant.				
4886 Lophospermum scandens	2 3	tP	d. & ro.	8	10	Showy green-house plant, with trumpet-shaped flowers				

All Flower Seeds delivered free by mai	A. Sinte	Stateding	A Printipar of	e Plan	his ide	Signal Observations.
4888 Maurandya antirrhiniflora 4890 Barclayana 4892 — alba 4894 Emeryana rosea 4895 purpurea grandiflora 4896 semperflorens rosea 4897 — violacea in vars.	1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3	†gP	pur. bl.& w. white rose pur. rose violet mixed	10	ets. 10 10 10 10 10 10 10 10 10 10 10 10	Abundant bloomers, and very desirable for the greenhouse and garden. Should be in every collection.
Nasturtium, (Tall varieties,) 4902 4904 4906 4906 Schillingi, bright yellow 4910 4910 4910 4912 4912 Roeglianum	2 3 2 3 2 3 2 2 3 2 2 3	tA	d. r. orange o. yel. spot. scar. orange pur.	5	555555	Tropwolum majuss: Very good for screens or stone walls. All are very showy in flower, and are desirable acquisitions to gardens.
4912b Passiflora cærulea 4913 —grandiflora	2 3 2 3	hP 	blue	10 6	10 10	Passion Flowers are very pretty and curious.
4915 Phaseolus Caracalla	2 3		lilac	5	10	Desirable climber, produc- ing curious snail-like and sweet-scented flowers.
4916 Thunbergia alata 4918 —alba 4920 —aurantiaca 4922 —Bakeri 4924 —Fryeri 4926 —sulphurea 4928 —intus alba 4930 —in vars.	2 3 3 2 3 2 3 2 3 3 2 3 3	†hhP	bff & d. white orange white orange sul. white mixed		55555555	Very ornamental climbers and abundant bloomers. They are also very effective as bedding plants, if a little pains be taken with them.
4932 Tropæolum canariense 4934 Lobbianum 4936 —Brilliant 4938 —Crystal Palace 4944 —Queen Victoria 4946 —Lucifer 4948a —Crown Prince of Prussia 4948b —Lilli Smith 4950 —fulgens 4954 pentaphyllum 4956 tricolorum	2 3 3 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	hhA hhP tgP	yel. mixed d. s. br. red scar. cr. sc. o. & y. o. & p.	6 4	5 5 5 5 5 5 5 10 10 10 10 25	These are very beautiful, and flower abundantly. Fine for either the conservatory or out-door decoration. Thrive in light, rich soil. See also Nasturtium. Nos. 4954 and 4956 should be grown in pots.



Double Portulacca.

ORNAMENTAL GOURDS Nº FRUIT-BEARING PLANTS.

All Flower Seeds delivered free by mail. So reign to the state of the										
4964 Abobra viridiflora	2 3	tA	green	6	cts.	Pretty scarlet fruit.				
4966 Benincasa cerifera	2 3		yel.		10	Black, wax-like gourd.				
4968 Bryonopsis laciniosa erythrocarpa	2		red	5	10	Very ornamental. Oblong fruit, marked with				
4970 Coccinia Indica	2 3			6	10	white lines, turning red when ripe.				
4972 Cucumis erinaceus 4973 acutangulus (Rag Gourd) 4974 flexuosus (Snake Cucumber) 4976 grossulariæformis 4978 odoratissimus 4980 perennis	2 3 2 2 2 3 2 2 2 3	hhA	yel.	8 10 6 15	5 5 5 5 5 5 5	Extremely rapid growth and curious fruits.				
4981 Cyclanthera explodens	2	hhA		8	10	Curious.				
4981aEpopepon vitifolius	3	hhP	white	10	25	Ornamental.				
Cucurbita						See Gourds.				
Gourds 4982 Mock Orange 4983 Egg-shaped 4984 Apple shaped 4986 vittata (green bottom) 4988 Hercules' Club 4990 lagenaria (bottle gourd) 4991 " " (Miniature) 4994 Melopepo, miniature 4996 — striped 4997 mixed 4997a Siphon 5006 Martynia proboscidea	2 2 2 2 2 2 2 2 2 3 3	tA hhP	yel.	15 10 15 10 12 10-15 10	555555555555555	Fine for screens, being very rapid growing, with cutrous fruits. No. 4090 is the Dipper Gourd. No. 4982 the Mock Orange.				
5008 Momordica balsamina 5010 charantia 5012 Elaterium 5014 Mukia scabrella	2 3 2 3 2 3		yel.	10	5 5 5 10	Curious, fine for pickles. The well-known Balsam Pear and Apple. Fruit reddish when ripe.				
5018 Phaseolus multiflorus	2 3	t A	scar.	15	5	Scarlet Runner bean.				
5020 Scotanthus tubiflorus	3	tP	white		25	Bears pretty fruit.				
5022 Solanum, white Egg Plant 5024 scarlet " 5026 striped " 5038 Pseudo-Capsicum nanum 5040 Wetherill's Hybrid robustum 5046 capsicastrum 5047 Hendersonii	3 3 3 3 3 3 3 3 3	tA gP tA gP	scar. stri. white bl. pur. yel. pur.	1 2 1 2 3 2	5 5 10 10 10 10 10	The Solanums are very or- namental fruit-bearing plants, and thrive best in light, rich soit. All are worth cultivating.				
5048 Trichosanthes colubrina 5050 coccinea 5052 palmata	3 2 3		white yel. white	4	10 10 10	Serpent Cucumber. Curious.				

SEEDS OF

EVERLASTINGS EVERLASTINGS

FOR THE FORMATION OF

WREATHS AND WINTER BOUQUETS.

All Flower Seeds delivered free by mail of general Observations.										
5054 Acroclinium roseum 5056 —album 5057 —mixed 5058 —roseum, Double 5059 —album, Double	2 2 2 2 2	hhA 	v. & ro. white mixed rose white	1	5 5 5 10 10	One of the most beautiful Everlastings, much used for winter bouquets.				
5060 Ammobium alatum	2	hhP	white	2	5	Pretty, and easily cultivated.				
5062 Gomphrena globosa 5064 —alba 5066 —carnea 5070 —striata 5071 —nana compacta 5072 —in vars. 5074 aurantiaca	2 2 3 2 2 2 3 2 2 3	hA	red white pink stri. v. red mixed or'nge	1	555555	The Globe Amaranths are known by their round heads of flowers, also called "Bachelon's Buttons." An old favorite for winter bouquets.				
5076 Helichrysum bracteatum	2 3 3 2 3 2 2 3 3 2 2 2 2 3	• •	yel. white rose mixed d. red mixed	2 1 2 1	5 5 5 10 5 5	Eternal Flowers. All are greatly admired for their beauty. The flowers are large and the colors bright. They are highly prized for winter bouquets.				
5107 Helipterum Sanfordii 5108 anthemoides	2 2	tA.	yel.	1	10 10	Resemble Helichrysum, and are used in the same way.				
5110 Rhodanthe maculata 5114 —alba 5118 Manglesii 5118a —alba nana 5119 mixed	2 3 3 2 3 2 2 3 2 2 3	••	rose white rose white mixed	··· ½	10 10 10 40 10	Very beautiful, delicate look- ing Everlastings, much prized for winter bou- quets.				
5120 Xeranthemum annuum 5122 —album 5125 multiflorum 5126 —album 5127 —superbissimum	2 2 2 2 2	hA	pur. white purple white dbl. pl.	2	5 5 5 10	One of the oldest Everlast- ings, retaining their color and form longest of all.				

SEEDS OF


ORNAMENTAL GRASSES.

Many of these Grasses, if cut before they are entirely ripe, will be found useful in the formation of Winter Bcuquets, in connection with the Everlastings.

All Flower Seeds delivered free by ma	ail.	Land of the state	Sa Trindian Colors	he Rate	die tre	general Observations.
5128 Agrostis nebulosa* 5130 pulchella 5132 minutiflora	2 2 2	hA 	ap.	1	5 5 10	Very fine for vases and bouquets. The plumes of A. nebulosa are very delicate.
5136 Andropogon argenteus*	3	hP		3	5	Dense flowers, very silky, with bright white hairs.
5138 Arundo Donax 5140 —fol. variegata* 5142 festucoides variegata*	3 3 3		••	10	5 10 10	Fine sub-tropical plants of stately growth, and very ornamental.
5144 Avena sterilis	2 3	hA	••	3	5	Animated Oats. Very curious.
5150 Briza geniculata 5152 gracilis 5154 maxima	2 2 2		••	1 i <u>i</u> <u>i</u>	5 5 5	Quaking Grass, so called on account of the quaking character of the spikelets.
5158 Brizopyrum siculum	2			8 4	5	Fine dwarf species of Spike Grass.
5160 Bromus brizæformis 5162 macrostachyus 5164 madritensis	2 2 2	hP 	••	2	5 5 5	Interesting, but hardly useful. To this genus belongs that pest of the farmer, the Chess or Cheat Grass.
5165 Ceratochloa pendula	2 3				25	Elegant for Clumps.
5165a Chloropsis Blanchardiana	2	tP	• •		25	Pretty.
5166 Chloris barbata 5168 truncata "vera"	2 2	• •	••	1 8 4	5 5	Elegant for groups, and also good for baskets.
5170 Chrysurus cynosuroides	2	hA		1	5	A pretty ornamental grass.
5172 Coix lachryma 5174 Chinensis	2 3 2 3			11/2	5 5	Job's Tears, so called from the resemblance of the seed to a tear drop.
5175 Cryptopyrum Richardsoni	2			2	10	
5175a Cynosurus elegans	2	hP			5	Handsome Dog's Tail Grass.
5175b Dactylis glaucescens	2			3	10	Glaucous Orchard Grass.
5176 Eleusine barcinonensis 5176a corocana 5176b Indica	2 3 2 3 2 3	hA 	• •	1	5 5 5	Crab or Yard Grass. E. Indica, Wire Grass, is common in door-yards.
5178 Elymus hystrix	2 3	hP		4	5	From the Crimea. Odd.

/ 3/ 3/ 3/ 3/ 3/

All Flower Seeds delivered free by mai	i. d	Larging day	a Drietion of	no Flores	ghis icre	General Observations.
5180 Eragrostis elegans 5182 amabilis 5183 Abyssinica 5184 maxima 5185 suaveolens	2 2 2 2 2 2	hA	ap.	1	cts. 5 5 10 5	Love Grass. Pretty grasses, growing about a foot high, and characterized by their beautiful dancing spike- lets.
5188 Erianthus Ravennæ 5190 —foliis variegatis*	2 3 2 3	hP	:-	10	5 10	Plume Grass. A very fine and stately looking grass. One of the most beautiful of
5192 Eulalia Japonica 5195 Festuca heterophylla 5196 glauca	2 3	• •		5 2	10 5 10	the tall-growing grasses. Fescue Grass Ornamental.
5198 Gymnothrix(Pennisetum) caudata 5200 Japonica 5202 latifolia	2 3 2 3 2 3	tP 	••	6 8	10 10 10	Grown chiefly as curious and ornamental grasses.
5205 Gynerium argenteum* 5206 —niveo-vittatum 5207 —fol. variegatum* 5208 jubatum 5210 roseum*	2 3 3 3 3 3 3 3	••	•••		5 10 10 10 10	Pampas Grass. This is the noblest of the tall-growing grasses, and bears magnificent plumes, much used in floral decoration.
5212 Hordeum jubatum	2 3	hA		2	5	Squirrel Tail Grass.
5214 Isolepis gracilis	2 3			1/2	5	Very pretty rush-like grass.
5216 Lagurus ovatus	2 3			2	5	Hare's Tail Grass.
5218 Lasiagrostis argentea	2 3	hP		3	5	Fine for Winter Bouquets.
5225 Panicum virgatum 5226 sulcatum	2 3 2 3	hP ··	••	3	5 10	Very showy and hardy per- ennial grasses.
5228 Pennisetum villosum	2 3			11/2	5	Ornamental grass.
5229 Poa amabilis	2 3			2	10	Pretty ornamental grass.
5230 Setaria macrochæta	2 3	hA	• •	11/2	5	Ornamental grass.
5234 Stipa pennata* 5235 elegantissima	2 2	hP 	••		5 10	{ Feather Grass, Grown for their very graceful plumes.
5237 Tricholæna violacea	2 3		• •		10	A very pretty grass.
5242 Tripsacum dactyloides	2 3		• •	4	5	\ Sesame Grass. A singular, \ tall-growing grass.
5248 Zea Japonica 5252 Curagua Maize 5255 New Miniature Maize	2 3 2 3 2 3	h A. .:	••	3	5 5 5	Ornamental varieties of Corn. Z. Japonica has beautifully striped leaves.



PERFECTION PRUNING SHEARS.

The Best of All.

No. 1, 7 inches. \$2 00 each. No. 3, 9 inches. \$3 00 each. 4, 10 "... 3 50 "



AMERICAN CRESCENT SCUFFLE HOE.

Handled......50c. each.

desired.

COLLECTIONS OF FLOWER SEEDS.

Long experience in selecting enables us to make up Collections which are invariably satisfactory to purchasers, and our usual full assortment the present season, embracing every desirable novelty and standard sort, either raised here or imported from the most reliable seed growers in Europe, insures assortments of the rarest sorts and finest qualities; all of the growth of the past season and TRUE TO NAME.

COLLECTIONS OF

100	Varieties of	Annuals, Biennials, and Perennials, for	.\$4 00)
50	do.	do. do. "	. 2 00)
25	do.	do. "	. 1 00)
12	do.	do. "	. 50)
25	do.	More Rare Annuals "	. 2 00)
10	do.	do. do. "	. 1 00)
50	do.	Choice Green-house Seeds, "	8 00	ı
25	do.	do. do. do. "		
12	do.	do. do. do. "		
20	do.	do. Hardy Biennials and Perennials, for	. 1 00	
50	do.	do. American Seeds for European Culture, for		
25	do.	do. do. do. do. for	. 2 00	

All Strictly Our Own Selection.

IMPROVED FRENCH NO GERMAN ASTERS.

In this latitude, Asters should be sown from the middle of March to the first part of May, on a spent hot-bed, or in pots or shallow boxes in a frame, or in the house, and when an inch high they should be transplanted into fine soil, which should be spread over a discarded hot-bed, from whence they can be bedded out when three or four inches high. This should be done before or during showery weather. Asters do finely sown in the open ground from the middle to last of May. The only objection to this mode is their late and short duration of tovering.

The ordering these Collections, please give the numbers of the particular Assortments.

BEAUTIFUL COLLECTIONS OF

No. Varieties.	No. Varieties.
1—18 Double Quilled German \$0 5 4—12 " " 4	0 40—12 Emperor\$0 75 0 41— 8 " 50
7—6 " " " 2 9—16 " Dwarf " 5	45—6 "
10—12 " " " 4 13— 6 " " " 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
16—12 New Dwarf Bouquet 5	54 - 8 " " 50 $54a - 6$ " " 35
19— 6 " " 25— 6 " Shakespeare	57—12 Imbrique Pompon
28—12 Pyramidal German	61— 8 Dwarf Pæony Perfection 50
35—12 " Dwarf Bouquet 5 36—8 " " " 4	62-6 " " " 40
39—6 " " " 2	

ASTERS—Continued.

No. Van	rieties.	No. Varieties.
63-12 Chrysanthem	um-flowered\$0 75	84— 8 Betteridge's Quilled\$0 40
64-8 "	· ·· 50	86— 6 " " … 25
66 6 "	" 40	88—12 New Victoria 75
67—18 Dwarf ''	" 1 00	89— 8 " " 60
69—12 '' ''	" 75	92— 6 " " 40
70— 8 '' ''		92b-12 Needle or Hedge-hog 75
	'' 35	93 6 " 40
75—12 Large-flower	ed Rose 75	95—12 Uhland 50
75— 8 "	" 50	98-6 " 50
76— 6 New Victoria	Needle 65	101— 8 New Schiller 300
77—6 Large-flowered	l Rose 40	102— 6 " 25
80-6 White-center	ed Crown 30	104— 6 Goliath 35
83—12 Betteridge's	Quilled 50	106— 4 New Washington 50
		Beans



GERMAN TEN WEEKS OF OTHER STOCKS.

Sow at the same time, and treat in precisely the same manner as Asters, except that they may be transplanted several times with advantage in the earlier stages of growth, the shift

In ordering, please give the numbers of the particular Assortments desired.

tending to give them a more compact and dwarf habit.

COLLECTIONS OF

No.		Varieti	es.		1	No. Varieties.	
107—24	Dwarf	German '	ren Wee	ks 8	\$1 25	140- 8 New Tree or Giant Ten Weeks \$0 50	
110-18	6 6	66	66		1 00	143-6 " Perfection. 40	
113-12	"	**	"		75	146—12 Wall Flower-leaved Dwarf 60	
115-8	"	"	"		50	147— 6 " " … 40	
116 6	"	" _	"		35	152— 8 Intermediate German 50	
119-12	66	Bouquet	"		65	152a—6 " " … 40	
120 - 6	6.6	"	"		40		
121 - 24	66	Large F	lowering		1 25	155— 4 New East Lothian Autumn 40	
125 - 18	66	66	"		1 00	161—12 Fine Winter	
128-12	"	"	"		75	162— 8 " " 50	
131-8	"	66	6.6		50	164-6 " " 40	
132 - 6	66	"	"		40	165— 4 Dwarf Bouquet Winter 40	
134 8	Pyrami	dal Dwar	f ''		60	167— 5 Corcadeau Winter 40	
137 - 6	"	"			50	170—12 Double German Wall Flower. 1 00	
138—12 ′	Tree or	Giant Te	n Weeks.		1 00	171—8 " " " . 75	
139- 6	60	66	٠.		60	173-6 " " " . 60	


203 - 6

232 - 6

245 - 6

249-12 "

250-8 "




SSORTMENTS OF FLOWER SEEDS.

COLLECTIONS OF

No. Varieties. Varieties. 176—12 Dwarf Rocket Larkspur......\$0 50 255- 6 Fine China P'k (Heddewigii, etc.) \$0 30 6.6 6.6 77- 6 " 257-12 Helichrysum, or Eter'l Fl's fl. pl. 6.6 -10 Tall 257a-106.6 66 66 50 10. B " 257b - 840 w Bismarck 40 257c - 620 259—6 "monstrosum nanum" 183— 6 . Candelabrum Larkspur.. 40 185- 6 Nev eror Larkspur..... 40 260— 8 Fine Salpiglossis..... 40 191- 6 Ranun Towered Larkspur. 261— 8 Salpiglossis, Dwarf..... 40 194- 8 Tall Brai 40 262- 6 30 194a-6 " 30 263— 6 Schizanthus..... 40 195— 8 Convolvulus minor..... 25 266- 6 Double Dwarf Jacobæa..... 40 196—12 Finest Dwarf Snapdragon..... 50 267—12 Beautiful Single Dahlia 1 00 40 268-6 " " " " 200—12 Double Prize Hollyhocks..... 00 269-12 Fine Large-flowering Petunias. 1 25 201-8 " " " 75 272-- 6 " 75 6.6 60 273—12 Double Fringed .. 1 50 212-12 Marvel of Peru..... 50 274-6 " " 212a-8 " " 40 275—12 Double 50 215- 6 Marvel of Peru variegated leaves 278— 6 " 218—12 Double Carnation Poppies..... 40 279—12 Digitalis (Fox Glove)...... 40 221—12 Pæony-flowered " 40 281-10 Beautiful Phlox Drummondii... 222— 6 D'ble Dwarf Pæony-flo'd Poppy " Portulaca 283 - 12224— 6 Ranunculus-flowered Poppy.... 286— 6 Double 00 228- 8 Double Dwarf Scabious...... 35 289—12 Amarantus (ornamental foliage) 50 230- 6 Dwarf Double Sweet Scabious... 290— 6 Xeranthemum 231— 8 Large flowered Tall 292— 6 Globe Amaranths (Everlasting 25 233—10 Beautiful Double Zinnia...... 50 294—12 Lobelia..... 295— 6 " 40 235— 8 Dwarf 296- 6 Cyclamen Persicum and grandi-236- 6 " 6.6 50 239—12 Sweet Peas..... 298—12 Tall Nasturtium..... " Large-flowered..... 242—10 Double French Marigold..... 40 301-12 Dwarf Tom Thumb Nasturtium 244-6 " 40 African 304-10 French Camellia-flow'd Balsams 75 246— 6 Centaurea Cyanus (Blue Bottle) 40 308— 5 " " " Imp'd 50 247-12 Annual Chrysanthemum..... 40 310— 8 Hardy Ipomœas..... 40 247a-6 " Large-flowered 40 00 248-18 Fine Heartsease, or Pansy..... 1 00 314—12 " 66 75 316—12 Small Ornamental Gourds..... 60 317—25 Fine Cannas..... 251-6 " 1 50 66 66 50 319 - 12254-12 Fine China P'k (Heddewigii, etc.) 50 75 2544-8 " 40 320-8

COLLECTIONS.—Continued.

No. Varieties.	No. Varieties.
321—6 Fine Cannas (dark leaved)\$0 50	357— 8 Fringed Chinese Primrose\$1 00
322-50 German Carnation and Picotee 4 00	357a-6 " " … 75
325—25 " " 2 00	357 <i>b</i> —6 Double " … 1 50
328—18 " " 1 50	358—12 Fuchsia
329—12 " " 1 00	360—12 Heliotrope 1 00
330-6 " " 60	361— 6 " 60
330a-12 Dianthus plumarius Scoticus fl. pl 1 25	364—12 Tropæolum Lobbianum 50
331— 8 Nemophila 35	365— 6 " 30
334— 6 Alpine Plants 40	366— 8 Solanum 60
340—12 Aquilegia	367— 6 Tuberous-rooted Begonias 1 00
343—12 Campanula	368—10 Mignonette
346— 6 Fine Sweet William 40	370—12 Ricinus (Castor Oil Beans) 40
351— 6 Coleus 75	371— 6 " " " … 25
353—12 " 1 50	372— 6 Verbena
354—18 " 2 00	375— 6 Potentilla, Double
355—12 Fringed Chinese Primrose 1 50	380—12 Ferns
356—10 " " " … 1 25	385— 6 Lantana 60



OLMSTEDS' MOLE TRAP .- \$1.50 Each.



LANGS' WEEDER.—30 cents Each.




EXCELSIOR WEEDER.—25 cents Each.

LIST OF FLOWER SEEDS BY WEIGHT.

PER oz.	PER OZ.
Ageratum Mexicanum,	Mignonette, French Matchet, fine for
"Dwarf Blue Gem"\$0 50	pots\$0 75
Alyssum maritimum (Sweet Alyssum) 40	Nasturtium, Tom Thumb "Empress of
Asters, mixed China	India 40
" Truffauts Fine Mixed, own growth,	Nasturtium, Tom Thumb, mixed 30
very superior 1 00	Nemophila, mixed
Balsams, mixed Double Paris 40	Pansy, or Heart's Ease, mixed
" double pure white, " 1 00	from 75 cents to 5 00
" double crimson, " 1 00	Peas, Sweet, mixed \$\mathbb{\partial}\$ lb. \$0 50 15
B alloon V ine	Petunia, fine mixed, spotted and striped 1 00
Canary bird Flower 50	Phlox Drummondii, fine mixed 50
Candytuft, best white # lb. \$1 00 25	" large-flowering, mixed 75
Carnation Pink (Common) 75	" grandiflora splendens 1 00
" extra fine double, mixed 3 00	" " Garibaldi," Dwarf
Centaurea candidissima 4 00	$crimson\ white\ eye.\dots.\ 1\ 00$
" gymnocarpa 1 00	Pink, mixed Double China 40
Oineraria maritima (Dusty Miller) 40	Poppy, mixed Carnation # lb. \$0 75 25
Cobæa scandens 1 50	Portulaca, splendid mixture 40
Cockscomb, mixed 50	best mixed double 5 00
Convolvulus major (mix. Morn'y Glory)	Pyrethrum, "Golden Feather" 1 00
# lb. \$0 50 15	Ricinus sanguineus, red stalked Castor
minor (awary) 10 20	beans₩ lb. \$0 50 15
Cypress Vine (red or white)	Salvia splendens, rich scarlet 3 00
Four O'Clocks, finest mixed, \$\pi\$ 1b. \$0 75 20 "New Dwarf White 35	Smilax, fine for florists
Gaillardia picta Lorenziana 60	Snapdragon, mixed tall
Globe Amaranths, (Bachelor's Buttons),	" mixed dwarf 35
mixed 30	Stock, English Ten Weeks, mixed 75
Hollyhock, splendid double, mixed 60	" Finest German Ten Weeks 3 00
Larkspur, Dwarf Rocket	" Finest Winter, or Brompton 4 00
Lobelia Erinus speciosa	Sunflower, double Californian 25
L upins, mixed	Sweet William, fine Auricula flowered. 30
Marigold, "New Meteor" 35	Thunbergia, fine mixed 40
M ignonette, sweet₩ lb. \$0 75 15	Verbena, hybrid mixed\$1 00 to 3 00
"Crimson Queen" 40	Wallflower 35
" "Golden Queen" 40	Zinnia, finest double, mixed, # lb. \$4 00 40

"The Thorburn" Potato!

TO A NEW SEEDLING "WITH BEAUTY THAT IS ALL ITS OWN!"



NEW BLOOD OF EXTRAORDINARY MERIT.

EARLIER AND MORE PRODUCTIVE THAN THE BEAUTY OF HEBRON OF WHICH IT IS A

\equiv SELF SEEDLING \equiv

It was not produced by crossing with any other variety. The seed bolls were found in a large field of "Beauty of Hebron." Being a SELF SEEDLING, it partakes of all the PURE, REFINED, UNADULTERATED qualities of its parent without any admixture of baser blood.

From the first year it has shown, and rapidly developed superior and marked qualities,

•which place it in the front rank of Early Market varieties.

In quality it is fully equal to its parent, which of itself is high praise, but it is a stronger grower, and as a field crop will yield at least a third more per acre. So far it has grown wonderfully smooth and handsome, and what is more extraordinary, a hollow or unsound one has not been seen. Another important claim we make for it is, that a measured bushel will weigh from three to five pounds more than the same measure of any other variety, and yet it is not HEAVY in the sense of being soggy when cooked. It is dry and floury, with a compact and fine grain. In fact the main essentials required in a new, early market variety are combined in a wonderful degree in "THE THORBURN" POTATO, such as size, beauty, table qualities, earliness and productiveness.

The originator writes to us under date of March 5, 1885:

"As you have already introduced several valuable and standard varieties, three of which "originated with me, I now take pleasure in passing the entire control of this valuable early "market variety into your hands, with the expectation that you will, for the third time, be credited "by the potato-loving public with having introduced the VERY BEST EARLY VARIETY KNOWN."

per bushel, \$5.00 " half-peck, 1.50

per half-bushel, \$3.00 by mail (1 pound, 75 cents.

GROWERS AND IMPORTERS OF SEEDS. J. M. THORBURN & CO. NO. 15 JOHN STREET, NEW YORK.

Read some of Reports of New Seedling "The Thorburn" Potato.

E. S. Carman, Editor and Proprietor of the "Rural New Yorker," says :

"The Thorburn" Potato-First Test.

Four pieces yielded 7½ lbs., 45 tubers—30 marketable. Among the best, five weighed two lbs. Yield per acre.——. Vines medium as to stem and foliage. About as early as Early Rose.

Second Test.

Matured August 13; planted April 15; bad season. Four pieces yielded 7½ lbs., 29 tubers, of which 24 were marketable. Among the best, 5 weighed 2 lbs. 9 oz. Yield per acre, 453.75 bushels. Shape cylindrical oblong, sometimes flattened. The smaller ones often nearly round. Eyes medium. Skin white. Close in hill. Eaten the same day they were dug, my judgment is that they are of the very best quality. Flesh dry, white and mealy.

Gen. W. H. Noble, Bridgeport, Ct., August 24, 1885, writes: "The Thorburn" Potato you sent me last spring was planted, but quite late, and not in a very favorable position, but it matured

It produced me nearly a peck of very handsome, all large, Pota-bes. My family pronounce them very fine-flavored and delicate. I intend next year to plant them for my table supply.

A Valuable Acquisition in the Potato Line.

Jonathan Talcott, Rome, N. Y., August 26th, 1885, writes:

In regard to "The Thorburn" Potato which you ask my opinion of, will say that the Potato sent me for trial was cut to single eyes and planted with several other Seedlings sent me for trial also, with and planted with several other Seedlings sent me for trial also, with such standard sorts as Beauty of Hebron and Early Ohio to compare them with. Upon receiving your letter asking my opinion, I dug sample hills of "The Thorburn," also Early Ohio, both of which were cooked by boiling and baking of each sort. "The Thorburn" yielded much the best, and the quality of the Potatoes when cooked were also better than the Ohio. We have used the Beauty of Hebron as our family Potato this season thus far, except the test of Ohio with "The Thorburn." Wife said "The Thor-burn" was the best Potato she had seen this season; my opinion coincides with her decision in this trial. From the test stated I think it a valuable acquisition in the Potato line; its time of ripening for this test the same as Beauty of Hebron.

A 5-oz. Potato Planted May 10, Yielded 85 Potatoes

James Hunter, Glendale, Mass., Aug. 25th, 1885, writes:

It is a pleasure to report to you my success with "The Thorburn" Potato. The one you so kindly sent to me weighed about five ounces, and was planted about the 10th of May (I am sorry to say that I was careless enough not to set down the exact date), and was dug on the 5th of August. This is not a very good year for Potatoes in this section.

"The Thorburn" Report: Seed Potato weighed 5 ounces; planted about May 10th; dug August 5th; number of Potatoes, 85-66 large,

19 small-weighed 19 lbs.

My family tried a few of them on the 7th of August, and found them of best quality, white and mealy. I am very highly pleased

E. Haentze, Fon-du-Lac, Aug. 27th, 1885, writes:

"The Thorburn" Potato will undoubtedly surpass the old best proved Beauty of Hebron in earliness, yield and table qualities; it is from ten to fourteen days earlier, of finer quality (I think) than the Beauty of Hebron, and its yield by a very unfavorable season is Deathy of Theoron, and its yield by a very unavorante season is enormous, 38 lbs., by no extra care given to it, after rainy weather lasting four weeks, rain every day; no sign of rot. So far, if I say it will surpass the Beauty of Hebron, which to me, has stood above all others, it is saving a good deal, after many years trial with Early Ohio, Clark's No. 1, Early Sunrise, Mayflower, Chicago Market and others Market, and others.

Very Prolific, Uniform in Size, Excellent Table Quality. F. M. Hexamer, office of the American Garden, New York, August 28, 1885, writes :

"The Thorburn" Potato has done splendidly with me. large, handsome Potato, very prolific, remarkably uniform in size, and of excellent table quality. Its flesh is pure white, fine grained, and while it cooks through completely and quickly, it does not fall

An Excellent Potato, Strong Grower, Yields Well.

Henry Ensch, Rose Hill, Ills., Sept. 9th, 1885, writes:

In reply to your request about "The Thorburn" Potato, I must state that it is an excellent Potato in every respect. It ripens a little earlier than the Ohio It is a strong grower, yields well—say from twelve to twenty in a hill—with hardly any small ones. If planted in rich soil the tubers will grow to an enormous size. It is a very fine Potato for table use. I am proud of it that I can state these facts to you as true.

Quality Unsurpassed, Smooth as an Apple.

J. M. Todd, Paterson, N. J., August 31, 1885, writes:

I cut "The Thorburn" Potato into about a dozen pieces of one Total "The Thorburn" Potato into about a dozen pieces or one eye; twelve of these came up. They were planted at one end of a piece of Hebrons, and were all up three or four days before the Hebron began to show. The vines were strong, but not so tall as the Hebron, and matured very rapidly, beginning to dry up, while many of the Hebron were still in blossom. Notwithstanding the unhanced weather these were between 20 and 40 good sized extenses. favorable weather there were between 30 and 40 good-sized potatoes, havorane weather there were between so and a good-state polanoes, smooth as an apple, and nearly as many smaller ones. We boiled a few, and found the quality unsurpassed. In fact, my family thought them superior to our Hebron, which I have always considered the best Potatoes I have ever raised. "The Thorburn" Potato is unquestionably a much earlier Potato than the Hebron, and the quality is certainly as good and probably better, which I have considered as almost impossible.

Handsome Potato, Great Yielder, Dry, White, Fine Flavor.

M. Winslow, Brandon, Vt., August 31, 1885, writes :

Last spring I received a Potato numbered 101, which I planted in Last spring I received a Potato numbered 101, which I planted in the garden at the same time I planted my other Potatoes, and in the same kind of soil, with no extra care. The tops have been dead some time, but as I understood I was to dig it September 1st, I left it until to day. This morning I dug 38¾ lbs. of my handsome Potatoes, nearly all of them being large and smooth. I picked out a number of the medium sized ones, and had them cooked for dinner, a part of them baked and the rest boiled, and we all pronounced them the finest we have had this year, being dry, white and fine flavored. Judging from this one test, I call it a handsome Potato, both on the organized and on the table a great yielder and an annual. both on the ground and on the table, a great yielder, and an unusually good one to either bake or boil,

Considers it the Best of the American Varieties.

J. Muir, Margam Park, Taibach, Glamorganshire, England, Sept. 4th, 1885, writes:

I have much pleasure in informing you that the new Potato I received from you in the spring of the year under the name of "The Thorburn," has done exceedingly well. The stems are robust and compact. The tubers are uncommonly numerous, large and even in size. perfectly free from disease, and first-rate quality when cooked. I consider it the best of the American varieties I have yet tried or seen, and I hope it may soon be abundantly offered in our English markets.

Excels any Early Potato Grown.

Chauncey P. Coy, Waterloo, Neb., Sept. 25, 1885, writes:

The Potato sent me marked "No. 101" was planted in hills three feet apart, and cut to one eye. In order to give it a fair test, selected a single tuber from several other varieties, which I planted selected a single tuber from several other varieties, which I pianted in parallel rows, using the same number of eyes of each variety. The yield was as follows: Early Rose, 33 lbs.; White Elephant, 72 lbs.; White Star, 70 lbs.; Beauty of Hebron, 67 lbs.; "No. 101," 92 lbs. In justice to the "No. 101," I should state that one of the twelve hills was destroyed by grubs cutting the stalk. In earliness and quality the "No. 101" and Beauty of Hebron rank alike; but in vigor of growth and of yield the "No. 101" excels not only the Beauty of Hebron, but any early Potato that I ever grew.

A Very Handsome Potato, and of Excellent Quality.

Jas. Groom, Seafield Nursery, Stoke Road, Gosport, Sept. 7th, 1885, writes:

The Potato that you kindly forwarded me for trial in March last I duly received and planted, but the intense drought has been very much against heavy crops of Potatoes in the South of England, but the yield from the one Potato, "The Thorburn," is very good for the season, and it is certainly a very handsome Potato, and of excellent quality. I hope to give a better trial next year, and will report the result

Very Early and Heavy Cropper, Nice Size, Smooth as a Bottle. A. Backus' Sons, Newtown, L. I., Sept. 11, 1885, writes:

Yours of the 20th of August duly received, and in reply would say in reference to "The Thorburn" Potato—that it is very early, and a very heavy cropper, although the season was very dry; from that one Potato planted we dug 20 lbs. of nice size, and smooth as a bottle. We expect to plant more of them next season. Hoping you may meet with the same success you had with the Beauty of Hebron and the White Elephant, two of the very best varieties yet introduced.

Best Yielder of Any Potato Grown.

H. L. Fleet, Cutchogue, L. I., Oct. 12, 1885, writes:

Harvested 20 lbs. of nice smooth Potatoes from "The Thorburn" Potato sent me last spring. Taking the drought into consideration I think it is the best yielder (have not tried its cooking qualities) of any early Potato that I have grown.

LIST OF FLOWERS SUITABLE FOR BOUQUETS.

₩ pkt.	₩ pkt-
Abronia umbellata 5 cts.	Gypsophila paniculata 5 cts.
Ageratum Mexicanum 5 "	acutifolia 5 "
-—album 5 "	Heliophila araboides 10 "
Alyssum maritimum 5 "	Heliotropium grandiflorum, 'Chieftain' 10 "
12. J OSCILIA MINISTERIA	Iberis odorata
Tambel and Case Care Care Care Care Care Care Care Car	2.00220 0.000
And in contain and and and and and and and and and an	umberraturi i i i i i i i i i i i i i i i i i i
Aquilegia chrysantha 10 "	Contract Co.
Aster chrysanthemiflora 10 "	Kaulfussia amelloides 5 "
——alba 10 "	Leptosiphon (Gilia) densiflorus 5 "
Balsams, Camellia-flowered 10 "	Lobelia gracilis 5 "
Cacalia coccinea 5 "	Erinus 5 "
Callirhoe pedata 5 "	Malope grandiflora 5 "
Centrauthus macrosiphon 5 "	Mimulus moschatus 10 "
—dwarf	Phlox Drummondii grandiflora 10 "
Chrysanthemum inodorum 10 "	(trightenes)
Collinsia bicolor 5 "	Silene Schafta 5 "
verna 5 "	Smilax asparagoides (Myrsiphyllum). 25 "
Cuphea strigulosa 10 "	Spraguea umbellata 25 "
miniata	Statice assorted 5 "
purpurea	Stevia serrata 10 "
Dianthus Chinensis 5 "	Stocks, Ten Weeks 10 "
Digitalis, assorted 5 "	Verbena, assorted 5 "
	Viola tricolor, finest
Gilia tricolor 5 "	
Globe Amaranths, assorted 5 "	Zinnia, all the double varieties 5 "
Globe Amaranths, assorted	Zinnia, all the double varieties 5 "
Carolina and Carol	Zinnia, all the double varieties 5 "
Godetia assorted	
Godetia assorted	Zinnia, all the double varieties 5 "
Godetia assorted	
Godetia assorted	
Godetia assorted	
LIST OF FLOWERS SUITAB	LE FOR HANGING BASKETS.
LIST OF FLOWERS SUITAB	LE FOR HANGING BASKETS.
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum	LE FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts.
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 tr.	LE FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 "
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 cts. Aubrietia deltoidea. 10 "	Le FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 "
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 cts. Aubrietia deltoidea. 10 " Calandrinia umbellata 10 "	Le For Hanging Baskets. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " subcarnosus. 5 "
LIST OF FLOWERS SUITAB LIST OF FLOWERS SUITAB **ppkt.** Ageratum Mexicanum nanum. 5 cts.* Allyssum maritimum 5 Aubrietia deltoidea. 10 Calandrinia umbellata 10 Cosmidium Burridgeanum. 5	LE FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " subcarnosus. 5 " Mignonette 5 "
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 t. Aubrietia deltoidea. 10 "Calandrinia umbellata 10 "Cosmidium Burridgeanum 5 t. Cerastium tomentosum 25 "Cerastium tomentosum 25 "	Le FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " subcarnosus. 5 " Miguonette 5 " Minulus moschatus. 10 "
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 cts. Alyssum maritimum 5 cts. Alysium in a	Le FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " subcarnosus. 5 " Miguonette 5 " Mimulus moschatus. 10 " Nemophila insignis. 5 "
LIST OF FLOWERS SUITAB LIST OF FLOWERS SUITAB **pkt.* Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 " Aubrietia deltoidea. 10 " Calandrinia umbellata 10 " Cosmidium Burridgeanum. 5 " Cerastium tomentosum. 25 " Clintonia (Downingia) pulchella 10 " Avolvulus Mauritanicus 10 "	Le FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " subcarnosus. 5 " Miguonette 5 " Minulus moschatus. 10 "
LIST OF FLOWERS SUITAB LIST OF FLOWERS SUITAB **pkt.* Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 " Aubrietia deltoidea. 10 " Calandrinia umbellata 10 " Cosmidium Burridgeanum. 5 " Cerastium tomentosum. 25 " Clintonia (Downingia) pulchella 10 " Avolvulus Mauritanicus 10 "	Le FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " subcarnosus. 5 " Miguonette 5 " Mimulus moschatus. 10 " Nemophila insignis. 5 "
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 " Aubrietia deltoidea. 10 " Calandrinia umbellata 10 " Cosnidium Burridgeanum. 5 " Cerastium tomentosum 25 " Clintonia (Downingia) pulchella 10 " Avolvulus Mauritanicus 10 " Dwartureus superbus. 10 "	Le FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 Lupinus nanus. 5 Miguonette. 5 Miguonette. 5 Mimulus moschatus. 10 Nemophila insignis. 5 maculata 5 Pansy vars. (finest). 25
LIST OF FLOWERS SUITAB 2 pkt. Ageratum Mexicanum nanum 5 cts. Alyssum maritimum 5 cts. Alyssum maritimum 5 cts. Alyssum maritimum 5 cts. Calandrinia umbellata 10 " Cosmidium Burridgeanum 5 " Cerastium tomentosum 25 " Cilintonia (Downingia) pulchella 10 " Avolvulus Mauritanicus 10 " Dwartureus superbus 10 " Eschse Nasturtiums 5 " 5 " Cerastimum tomentosum 5 " Cerastium tomentosum	Le FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " subcarnosus. 5 " Miguonette 5 " Mimulus moschatus. 10 " Nemophila insignis. 5 " maculata 5 " Pansy vars. (finest) 25 " Petunia plena and spotted. 25 "
LIST OF FLOWERS SUITAB LIST OF FLOWERS SUITAB *** *** *** *** ** ** ** **	Le For Hanging Baskets. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 Lupinus nanus 5 subcarnosus 5 Miguonette 5 Miguonette 5 Mimulus moschatus. 10 Nemophila insignis. 5 maculata 5 Pansy vars. (fines) 25 Petunia plena and spotted 25 Portulaca (Double). 10
LIST OF FLOWERS SUITAB LIST OF FLOWERS SUITAB **pkt.** Ageratum Mexicanum nanum.** 5 cts. Allyssum maritimum.** 5 cts. Aubrietia deltoidea.** 10 " Calandrinia umbellata 10 " Cosnidium Burridgeanum.** 5 cerastium tomentosum.** 25 " Cilintonia (Downingia) pulchella.** 10 " Dwartureus superbus.** 10 " Esches Nasturtiums.** 5 " Eeucharvoltzia tenuifolia.** 5 " Fenzila dium grandiforum.** 5 "	LE FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 tts. gracilis and vars. 5 tts. Hupinus nanus 5 " Lupinus nanus 5 " Mignonette 5 " Mimulus moschatus 10 " Nemophila insignis 5 " maculata 5 " Pansy vars. (finest) 25 " Petunia plena and spotted 25 " Portulaca (Double) 10 " Sanvitalia procumbens (Double) 5 "
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 cts. Aubrietia deltoidea. 10 "Calandrinia umbellata 10 "Cosmidium Burridgeanum 5 "Cerastium tomentosum 25 "Clintonia (Downingia) pulchella 10 "Lyolvulus Mauritanicus 10 "Dwartureus superbus. 10 "Eschsc Nasturtiums. 5 "Eucharoltzia tenuifolia. 5 "Eenzlia dium grandiflorum. 5 "Gili idianthiflora 25 "	Le For Hanging Baskets. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 " Lupinus nanus. 5 " Subcarnosus. 5 " Mignonette 5 " Mignonette 5 " Mimulus moschatus. 10 " Nemophila insignis. 5 " maculata 5 " Pansy vars. (finest) 25 " Petunia plena and spotted. 25 " Portulaca (Double). 10 " Sanvitalia procumbens (Double). 5 " Sanvitalia procumbens (Double). 5 " Sanponaria Calabrica. 5 5
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum 5 Aubrietia deltoidea. 10 Cosmidium Burridgeanum. 5 Cerastium tomentosum. 25 Crilintonia (Downingia) pulchella. 10 Volvulus Mauritanicus. 10 Dwartureus superbus. 10 Dwartureus superbus. 10 Eschse Nasturtiums. 5 Euchar-oltzia tenuifolia. 5 Fenzlia dlum grandiflorum. 5 Gili idianthiflora. 25 yalis. 5	Le FOR HANGING BASKETS. Pptt.
LIST OF FLOWERS SUITAB LIST OF FLOWERS SUITAB *** *** *** *** *** *** ***	LE FOR HANGING BASKETS. Lobelia Erinus and vars. 5 cts. gracilis and vars. 5 Lupinus nanus 5 Mignonette 5 Mignonette 5 Mimulus moschatus. 10 Nemophila insignis. 5 maculata 5 Pansy vars. (finest) 25 Petunia plena and spotted 25 Portulaca (Double) 10 Saponaria Calabrica. 5 Saponaria Calabrica. 5 Sedum cœruleum. 10 Silene pendula ruberrima. 5
LIST OF FLOWERS SUITAB 2 pkt. Ageratum Mexicanum nanum 5 cts. Alyssum maritimum 5 cts. Calaudrinia umbellata 10 cts. Considium Burridgeanum 5 cts. Cerastium tomentosum 25 cts. Cerastium tomentosum 5 cts.	Por HANGING BASKETS. Pptt. Pptt.
LIST OF FLOWERS SUITAB Ageratum Mexicanum nanum. 5 cts. Alyssum maritimum. 5 cts. Alyssum maritimum. 5 cts. Alyssum maritimum. 5 cts. Calandrinia umbellata. 10 " Cosmidium Burridgeanum. 5 " Cerastium tomentosum. 25 " Cilintonia (Downingia) pulchella. 10 " Avolvulus Mauritanicus. 10 " Dwartureus superbus. 10 " Eschec Nasturtiums. 5 " Eucharoltzia tenuifolia. 5 " Fenzila dlum grandiflorum. 5 " Gilli idianthiflora. 25 " yalis. 5 " Helio sea splendens. 5 " Helio sea splendens. 5 " ila araboides. 10 " mara. 5 "	Le FOR HANGING BASKETS. Pptt.
LIST OF FLOWERS SUITAB 2 pkt. Ageratum Mexicanum nanum 5 cts. Alyssum maritimum 5 cts. Calaudrinia umbellata 10 cts. Considium Burridgeanum 5 cts. Cerastium tomentosum 25 cts. Cerastium tomentosum 5 cts.	Por HANGING BASKETS. Pptt. Pptt.

List calling to mind the various Vegetable Sceds that may be Sown in each Month from Feb. to Sept

Cabbage, for Cold Frames. Caubillower, for Cold Frames. SEPTEMBER. Sow in Open Ground. Tuberous Chervil, Winter Radish, Cress, Siberian Kale, Extra Early! Extra Quality! Extra Yielder! Jorn Salad, Lettuce, Mustard. Spinach, Sow in Open Ground. Tuberous Chervil. AUGUST. Lettuce, Welsh Onion, Early Peas, Radish, Spinach, Turnip. Bush Beans, Corn Salad, Cucumber, Endive, White Fr. Turnip Ruta Baga. Sow in Open Ground. TOLY. Lettuce, Nasturtium, Okra, Early Peas, Pumpkin, Lima do Cranberry Pole do Carrot, Seet, Svoet Corn, Brocooli, Cress, Cucumber, Kale, Kohlrabi, Endive, Gherkin, Radish, Spinach, Sanash. Brocooli, Brussels Eprouts, Early Cabbage, Carrot, Barly Caulifloner, Socet Corn, Sow in Open Ground. JUNE. Melon, Nasturtium, 3ush Beans, Okra, Early Peas, Cress, Cucumber, Endive, Potatoes, Pumpkin, Radish, Kale, Kohlrabi, Salsify. Spinach, ettuce, Squash, Herbs. Cranberry Pole do Beet, Beet, Broccoli, Brussels Sprouts, Searlet Runners, Sow in Open Ground. Asparagus, English Beans, Late Cabbage, White Endire. MAY. Carrot, Cauliflower, Celery, Sweet Corn, Cress, Artichoke, Kale, Kohlrabi, Leek, Lettuce, Radish, Rhubarb. Onion, Parsley, Parsnip, Peas, Potatoes, Melon. Broccoli, Brussels Sprouts, Early Cabbage, Sow in Open Ground. Asparagus, English Beans, Celery, Cress, White Endive, low in Hot-Bed. APRIL. Sweet Corn, Cucumber, Carrot, Cauliflower, Egg Plant, Melon, Kale, Kohlrabi, Pepper, Tomato. Leek, Lettuce, Parsley, Parsnip Onion. B'd Windsor Beans K Long Pod do L Mazagan do L Beet, Early Beans, Early Beet, Broccoli, Brussels Sprouts, Sow in Open Ground. Early Caboge, Foreing Carrot, Cautiflower, Celenr, Egg Plant, Kohlrabi, Sow in Hot-Bed. MARCH. Pepper, Potatoes, Radish, Tomato. Lettuce, Melon, Pursley, Peas, CarrotJre88, FEBRUARY. Early Beans, Broccoli, Early Cabbage, CREOLE OKRA Forcing Carrot, Early Celery, Sow in Hot-Bed. Egg Plant, Early Lettuce, Cucumber, Extraordinary Long Pod and Pur-White. Parsley, Pepper, Radish, Tomato.

Thorburn" POTATO.

Thorburn's Gilt Edge AULIFLOWER

The Finest Strain of All.

THORBURN'S GOLDEN

Perfection Melon

KOLB GEM

THE Best Water

Early Turnip, All Herbs.

Early Turnip,

arly Turnip.

Radish, Spinach, Potatoes, Leek, Onion,

Spinach.

Radish.

Peas,

ONE OF THE BEST

Salsify, Spinach, Tomato.

Peas, Potatoes,

ORBURN & CO., SEEDSMEN, 15 JOHN ST., N.Y. E ...