

REPARATIONS PLANTS MATERIALS

NAME OF PLANT, LABORATORY, OR ARSENAL

工場、研究所又は兵器廠ノ名稱

賠償工場ノ資材

頁中ノ第

頁

LOCATION

所在地

DATE

日附

SIGNATURE OF OWNER OR CUSTODIAN

所有者又は管理人ノ署名

SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER

當該地員日本通譯官ノ署名

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 施設=倉庫

ITEM DESCRIPTION	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION	REMARKS
品目名稱	單位	數量	見積總重量	積込貨車數	狀況	備註
Bulb 100 Volt, 10 Watt	piece	400				Desired to be kept in stock as reserve supply of employees residence, office and factory.
" 125 Watt	"	50				
Telegraph wire Section area 60 mm ²	meter	300				We need to install telephone in our plant.
" 22 "	"	100				
" 14 "	"	300				
Top groove insulation (large size low pressure)	piece	40				Wanted as reserve use of supplement and repair.
Condit chube size 1/8 inch x 1 inch	"	15			no good	
" 1/8 x 3/4 "	"	5				"
Cut oil 5 gallon	can	16			new	Putting to use of machine working
Boil oil 5 "	"	8				"
Boiler cleaning liquid 5 "	"	11				"
Cylinder oil (No. 5) 5 "	"	11				Putting to use of machine preservation
Machine oil 5 "	"	4				"
Gliss cup (No. 3) 150 kg	"	1				"
Cuting 100 litre	can	1			good	"
" 12 "	can	61			new	"
Gliss 76 kg	"	1				"
Sulphuric acid 250 c.c.	piece	80				"
Bleaching powder 45 kg	box	19				Wanted as reserve use of storage battery of motor cars.
Paint 5 gallon	can	8				Necessary for painting of our production machine preservation
Gliss cup (No. 250) 5 "	"	6				
Solder			kg			using
Nail 1 inch - 3 inch	can	8	45			"
Coal (powder coal)			512			using of probing
Piano wire section area 0.2 mm			15000	1 car		using
" 1.0 "			25			"
" 1.5 "			66			"
			35			"

DECLASSIFIED E.O. 12065 SECTION 3-402/NINDG NO. 775013

Supernic acid	250 c.c.	piece	80
Bleaching powder	45 lbs	bag	19
Paint	3 gal	can	2
Glass cup (No. 250)	3	"	6
Solder			48
Nail	1/2 inch - 1/2 inch	can	512
Coal (power plant)			18000
Piano wire	section area		
	0.2		10
	1.0		65
	1.5		100
	1.6		110
	1.8		115
	2.7		120
	2.7		120
	5.16		120
	5.32		120
	No 18 wire		20
Electrode wire (gun clothing)		meter	20
Fluxing slabs		bag	20
			200
			200
			120
Bolt	1/2 inch - 3/4 inch	can	1000
	any size		1000
Insulation material		can	10
Gray paint		"	1
White paint		"	3
Substitution rope	100 m.	roll	31
Brick		piece	2000
Brick			100
Wire	size 15 m.	meter	20
Angle	size 15 m.	meter	20
Special steel for	size 10 m.	meter	10
	size 12 m.		100
	size 15 m.		100
	size 15 m.		50
	size 15 m.		24
	size 15 m.		20

Wanted as reserve use of storage battery of motor cars.

Necessary for painting of our productions.

machine preservation using

of packing

using

supplement

Wanted as reserve use of

to paint our productions.

for packing.

Wanted to build

for repair.

We need to manufacture beds of pumps which are our productions.

Wanted to repair motor cars.

We need to manufacture tablet compressors which are our productions.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Substitution	size	roll	price	quantity	total price	notes
Substitution	100 m.	roll	31			
Brick		piece	2000			good
Brick			100			Wanted to build ^{for packing.} finances
Wire			30			needed for repair.
Angle	size					We need to manufacture beds of pumps which are our productions.
Special steel for	size					Wanted to repair motor cars.
	10 mm		3.00	10	30	We need to manufacture tablet compressors which are our productions.
			3.80	150	570	"
	12 mm		4.00	120	480	"
			3.50	30	105	"
	15 mm		2.70	26	70.2	"
			3.50	20	70	"
	16 mm		3.00	4	12	Wanted to manufacture jigs and tools and other our productions.
	22 mm		1.70	45	76.5	"
			2.00	9	18	"
	24 mm		5.00	4	20	"
	25 mm		1.00	25	25	"
	30 mm		3.00	21	63	"
			4.30	7	30.1	"
	35 mm		4.00	20	80	"
	34 mm		1.20	2	2.4	"
	36 mm		3.00	21	63	"
			3.30	8	26.4	"
	38 mm		1.10	8	8.8	"
	40 mm		3.00	25	75	"
	42 mm		2.00	10	20	"
			2.70	15	40.5	"
	45 mm		3.00	3	9	"
	46 mm		1.50	12	18	"
	48 mm		2.80	25	70	"
	50 mm		3.00	10	30	"
			3.00	1	3	"
	55 mm		3.00	1	3	"
	60 mm		3.00	1	3	"
			4.50	1	4.5	"
	70 mm		2.50	1	2.5	"
			3.00	1	3	"

DECLASSIFIED P.O. 12065 SECTION 3-402/NNDG 12. 775013

	500	40	1200
40 mmφ	280	25	500
50 mmφ	350	4	212
65 mmφ	250	5	195
	450	10	1030
70 mmφ	250	6	450
80 mmφ	200	19	1520
	280	10	1190
	400	6	960
	480	15	2880
	220	11	957
100 mmφ	390	11	2090
120 mmφ	250	8	780
150 mmφ	200	4	1100
	300	1	420
12" x 12"	300	290	950
20" x 20"	350	120	1320
25" x 25"	250	88	1100
26" x 26"	300	9	270
30" x 30"	300	3	60
32" x 32"	350	3	60
40" x 40"	450	26	1380
45" x 45"	500	1	60
50 mmφ	500	11	550
60 mmφ	150	10	150
	300	4	120
70 mmφ	150	3	45
80 mmφ	130	4	52
90 mmφ	130	3	39
100 mmφ	200	6	120
110 mmφ	220	7	154
	250	2	50
22 mmφ	250	30	750
30 mmφ	450	30	900
36 mmφ	200	6	120
40 mmφ	150	15	450
50 mmφ	200	11	550
100 mmφ	230	2	460

Special tool steel bar

Carbon tool steel bar

using

Wanted to manufacture bit (turning tools)

Wanted to manufacture jigs and tools

1/2 car

1/4 car

"

"

"

"

"

"

"

"

"

"

"

"

"

Material	Size	Price	Quantity	Total	Notes
Carbon tool steel bar	100 mm	200	107	21400	
	110 mm	250	158	39500	
	22 mm	250	420	105000	
	32 mm	450	150	67500	
	36 mm	200	100	20000	
	40 mm	150	200	30000	
	80 mm	200	100	20000	
Carbon steel (hard) bar	100 mm	250	100	25000	
	22 mm	300	100	30000	
	25 mm	200	100	20000	
	60 mm	150	100	15000	
Carbon steel (medium) bar	80 mm	200	100	20000	
	22 mm	300	100	30000	
	24 mm	350	100	35000	
	25 mm	200	100	20000	
	26 mm	150	100	15000	
	30 mm	200	100	20000	
	35 mm	200	100	20000	
	40 mm	200	100	20000	
	50 mm	500	100	50000	
	70 mm	300	100	30000	
Steel bar	100 mm	500	100	50000	
	9 mm	550	100	55000	
	12 mm	550	100	55000	
	15 mm	350	100	35000	
	18 mm	450	100	45000	
	18 mm	500	100	50000	
	20 mm	500	100	50000	
	25 mm	550	100	55000	

Wanted to manufacture our productions.

Wanted as use of manufacturing rice cleaning machines, pumps, laundry machines and repairing motor cars. so, these will taken off we can not manufacture them.

775013

	18 mm φ	500		100	1000		using
	20 mm φ	500		13	155		"
	25 mm φ	550		230	4900		using
	32 mm φ	300		5	95		"
	50 mm φ	350		5	165		"
		500		1	220		"
	60 mm φ	300		9	130		"
	60 mm φ	400		11	1155		"
	80 mm φ	400		6	96		"
	100 mm φ	550		15	315		"
	30 mm x 5 mm	450		10	650		using
	90 mm x 10 mm	300		2	42		"
High speed steel bar	size 10 mm φ	200	pieces	26	512	1/2 cut	new
	115 mm φ	200		3	489		Wanted to manufacture bit (turning tools) and cutters.
Aluminum bar	25 mm φ - 140 mm φ				495		"
Preck iron					2500	1/2 cut	
Brass bar	size 15 mm φ 25 mm φ 32 mm φ	1.80			1000		We need as use of casting for pumps and other productions.
Steel plate	size 230 mm x 6 mm	200	pieces	1	29	1/2 cut	
	1000 mm x 10 mm	200		15	2080		using
	1500 mm x 5 mm	300		12	1980		"
	90 mm x 12 mm	250		4	84		
	15 mm x 6 mm	500			41		using
	20 mm x 6 mm	500			50		
	35 mm x 12 mm	500			419		
	42 mm x 5 mm	500			20		
	50 mm x 11 mm	500			145		
	65 mm x 10 mm	500			105		
	80 mm x 10 mm	500			85		
Carbon steel plate	60 mm x 23 mm	150	pieces	27	850	1/2 cut	
Special steel plate	60 mm x 16 mm	100		15	320		using
	60 mm x 23 mm	100		19	380		Wanted as use of manufacturing farming implements.
	30 mm x 3.0 mm	150		15	750		"
Duralumin bar	size 25 mm φ	200			107		"
	45 mm φ	200			36		
	70 mm φ	200			26		
	80 mm φ	200			72		
	90 mm φ	200			64		
	100 mm φ	200			55		

Duralumin bar	size	25 mm g	2.00						
		45 mm g	2.00						
		70 mm g	2.00						
		80 mm g	2.00						
		90 mm g	2.00						
		100 mm g	2.00						
		140 mm g	2.00						
Board	pine	size 15" x 105"	log 0.50"						
Box				box	80				
Brongze									
Special Steel									
Steel									
Pipe cast iron (black slab)	size	75 mm g	log 3.00"	piece	17				
		100 mm g	3.00"		12				
		125 mm g	3.00"		9				
		150 mm g	3.00"		5				
Pipe steel (no join, black slab)	size	15 mm g	5.50"		9				
		18 mm g	5.50"		10				
		25 mm g	5.50"		5				
		38 mm g	5.50"		5				
		63 mm g	5.50"		5				
		75 mm g	5.50"		5				
		100 mm g	5.50"		5				
		125 mm g	5.50"		5				
		150 mm g	5.50"		5				
		200 mm g	5.50"		5				
		300 mm g	5.50"		5				
		400 mm g	5.50"		5				
		500 mm g	5.50"		5				
		600 mm g	5.50"		5				
		700 mm g	5.50"		5				
		800 mm g	5.50"		5				
		900 mm g	5.50"		5				
		1000 mm g	5.50"		5				

101
36
26
72
64
55
135
7500
905
3160
1185
1020
920
1080
745
65
60
44
110
255
180
100
80
60
40
20
10
5

1/2 car
1/2 car
1/2 car
1/2 car

using for packing.

Wanted to manufacture bearings.
Wanted to manufacture tools.

pressure 400 psi supply with water
400 psi
400 psi
400 psi
supply with water

collect articles, supply with water

to shipping manual

in cloth heat-proof

Exhaust pipe
Nickel pipe
Gun hose
size 2 1/2" x 3/4" g
1 1/2" g x 3/4" g

new

50

80

new

	125 mmφ	500	6	400		
	200 mmφ	500	2	320		
	250 mmφ	550	3	340		
	50 mmφ		30	110	good	collect article, supply with water
	40 mmφ		26	104		
	30 mmφ		25	85		
	25 mmφ		30	50		
	18 mmφ		34	57.7		
	10 mmφ		40	35		
	75 mmφ		3	25		
	150 mmφ		5	90		
E Tanit pipe	size 200 mmφ		2	10	1/2 cut	
Nickel trap	size 32 mmφ	piece	1	1		
Gun hose	size 25 mmφ, 25 mmφ long 5000	roll	5	80	no good	to cleaning mach
	19 mmφ, 25 mmφ	roll	50	50	new	in clock heat-proof
	18 mmφ, 20 mmφ		8	12		Wanted as reserve use.
	22 mmφ, 34 mmφ		12	13		
	25 mmφ, 37 mmφ		10	30		
Radiator	height 80cm 2mm 11 leaf	sheet	1	100	good	Cost iron, radiant-heat area 3.2 m ²
	height 90cm 2mm 7 leaf		2	190		1.7 m ²
	height 65cm 2mm 10 leaf		3	120		2.2 m ²
	height 60cm 2mm 5 leaf		10	80		1.0 m ²
Heater	size 100 mmφ, 50 mmφ long 3000, 3 step	piece	1	80		steel
Seppa pipe	diameter 80 mmφ, diameter 280 mmφ		1	1		diesel pipe size 10 mm
Fugal pump	size 100 mm diameter		1	100		Our productions.
	size 50 mm diameter		1	100		We sold it on all, and keeping in our plant.
Turbin pump	size 20 mm		1	100		need repair
Fugal pump	size 20 mm		1	100		need repair
Wash-train	form L1		1	100		
	form L2		1	100		
Lavatory wash-train	form L3		1	100		
Stone			1	100		

three phase, voltage 220V, Temperature 600°C, 25KV	stand	1	2000
single phase, - 220V, - 400°C			
Electric Muffle Furnace	stand	1	2500
single phase, voltage 220V, temperature 1000°C, 30KV			
Electric roof Bath Furnace	stand	1	2500
single phase, voltage 220V, temperature 1350°C, 45KV			
Insulation electric wire (No. 2) size 2mm	meter	230	
size 2.6mm		935	
size 3mm		135	
size 3.2mm		395	
section area 14 mm ²		590	
section area 50 mm ²		75	
Insulation electric wire (NO. 5) size 1.6mm		1200	
size 2.0mm		180	
size 2.5mm		440	
section area 120 mm ²		500	
section area 55 mm ²		280	
section area 8 mm ²		940	
section area 14 mm ²		120	
section area 60 mm ²		140	
section area 22 mm ²		200	
Large size low pressure insulator	piece	14	
Medium size low pressure insulator		200	
Small size low pressure insulator		10	
Medium size low pressure pin insulator		180	
Large size low pressure top groove pin insulator		100	
High pressure drum insulator		120	
High pressure insulator		50	
High pressure top groove pin insulator		40	
Steel form breaker	single phase, 10 Amps	5	
	20 Amps	35	
	30 Amps	25	
	40 Amps	25	
	75 Amps	1	
	100 Amps	2	
	200 Amps	3	
	300 Amps	2	

" Fuji Elect using
 " Nagasaki Irons manufactory using
 " manufactory Fuji Elect using
 " transmission of electricity

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG HQ. 775013

Description	Quantity	Unit	Weight (kg)	Notes
Supply with water faucet size 13 mm	1	piece	10	bronz
13 mm	1	piece	10	common form
13 mm	1	piece	10	free form
13 mm	1	piece	10	see free hydrant
13 mm	1	piece	10	bolt tie, Prange
Nozzle size 50 mm	1	piece	30	
Expansion joint size 50 mm	1	piece	52	
75 mm	1	piece	40	
63 mm	1	piece	30	
25 mm	1	piece	10	
Wrought iron expansion joint size 75 mm	1	piece	60	bronz
50 mm	1	piece	50	Prange
32 mm	1	piece	50	
Gum hose size 50 mm x 20 mm	1	roll	10	
size 50 mm	1	roll	10	in cloth
Cloth hose size 50 mm long 20 m	1	roll	80	made by hand preparation and selection of fine paper
Radiator high 50 cm, 2 diam, 16 leaf	1	unit	224	Cast iron, radiant heat area 4.2 m ²
70 cm, 2 diam, 9 leaf	1	unit	91	2 m ²
50 cm, 2 diam, 9 leaf	1	unit	360	3.2 m ²
Heater 3 step size 100 mm x 50 mm long 3 m	20	piece	800	
2 step	3	piece	60	
Boiler size 15 x 35 cm, pressure 5 kg/cm ²	1	unit	2000	1/2 cast
Wing pump	1	unit	4	need repair
Steam hot water heater size 400 mm x 1000 mm	1	unit	10	iron thickness 15 mm
Turbine pump speed pipe size 50 mm	1	unit	20 kg	
1 step 5 HP base 36 cm	1	unit	45	water quantity 0.28 m ³ /min
2 step 5 HP 6 kg base	1	unit	45	
Fire hydrant size 50 mm	3	piece	4 kg	
Fire extinguisher 60 cm ²	21	unit	30	
Light net 1.9	1	unit	4	
Wash-basion fork	4	unit	32	
fork set	1	unit	5	

Yam nose	size 20 mm φ x 32 mm g	meter	5	10		
Clack valve	size 1/2"		1	20		
Radiator	1/2" dia. 15" long		1	20		
	1/2" dia. 15" long		1	20		
	1/2" dia. 15" long		1	20		
Heater	3 step size 100 mm φ x 50 mm long 3 m	piece	20	800		
	2 step		2	60		
Boiler	size 150 mm φ x 150 mm pressure 5 kg/cm ²		1	2000	Heat	use coal
Wing pump	size 100 mm φ		1	4		
Steam hot water heater	size 400 mm φ x 150 mm		1	10		iron thickness 1.5 mm

in clock
 Cool room, radiant heat area 4.2 m²
 2 m²
 3.2 m²

Turbine pump	1 step 5HP 5.5 kg/cm ²	stand	1	20		
	2 step 5HP 5.5 kg/cm ²		1	45		water quantity 0.38 m ³ /min
Fire hydrant	size 50 mm φ	piece	3	4		
Fire extinguisher	50 cm ³		21	30		
Light set	4.9		1	4		
Wash-basin	form 1.5		4	32		
	form 1.5		1	5		
Benacit	A 111		2	5		
	metal		2	3		
Tank	iron plate pressure tank 5 kg/cm ²		1	150		
Air compression		stand	1	1000		
	cylinder dia 200 mm φ stroke 150 mm					
	cylinder no. 2 30 HP 5.5 kg/cm ²					
Pump	10HP motor direct pressure 3 kg/cm ²	piece	1	60		
Laboratory wash-basin	form 1.5		5	20		
Blower	r.p.m. 3600 wind air pressure 0.002 kg/cm ²	stand	1	40		
	wind air quantity 0.395 cm ³					
Stove	Cast iron size 500 mm φ x 700 mm	stand	15	750		use coal

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013