


HA 202
A 3 T73
1958, pt. 2

PATIENTS in MENTAL INSTITUTIONS 1958

Part II

PUBLIC HOSPITALS FOR THE MENTALLY ILL



U. S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
Public Health Service

PATIENTS IN MENTAL INSTITUTIONS

1958

Part II: Public Hospitals for the Mentally Ill

Prepared by::

**The National Institute of Mental Health
The Biometrics Branch
Hospital Studies Section**

**U.S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
Public Health Service
National Institutes of Health**



**PUBLIC HEALTH SERVICE PUBLICATION
No. 781, Part II**

Washington, D. C. - 1960

Digitized by Google

Original from
UNIVERSITY OF CALIFORNIA

TABLE OF CONTENTS

	Page
I. INTRODUCTION.....	II-5
II. COVERAGE.....	II-5
III. DEFINITIONS	II-8
Type of Hospital.....	II-8
Patient Movement Categories	II-8
Age of Patients	II-9
Diagnostic Nomenclature	II-9
IV. LIMITATIONS OF HOSPITAL DATA	II-9
V. THE MODEL REPORTING AREA	II-10

TEXT TABLES AND FIGURE

TABLE A. Number of Public Prolonged-Care Hospitals and Psychopathic Hospitals in 1958	II-6
TABLE B. Under-reporting on Detailed Schedules for Public Prolonged-Care Hospitals by State, Number of Hospitals and Number of Patients, 1958	II-7
TABLE C. Under-reporting on Detailed Schedules for Psychopathic Hospitals by State, Number of Hospitals and Number of Patients Reporting on Movement Schedules, 1958	II-8
FIGURE 1. Model Reporting Area States, 1958	II-11

LIST OF TABLES

MOVEMENT

Public Prolonged-Care Hospitals for Mental Disease

Table 1: Patients on Books at Beginning and End of Year, by Sex and State: United States, 1958	II-13
Table 2: Additions and Separations by Sex and State: United States, 1958.....	II-17

Psychopathic Hospitals

Table 3: Patients on Books at Beginning and End of Year, by Sex and State: United States, 1958	II-21
Table 4: Additions and Separations by Sex and State: United States, 1958.....,....	II-22

FIRST ADMISSIONS

Public Prolonged-Care Hospitals for Mental Disease

Table 5: First Admissions by Mental Disorder, Age and Sex: United States, 1958	II-23
Table 6: First Admissions by Mental Disorder, Sex and State: United States, 1958.....	II-26
Table 7: First Admissions by Age, Sex and State: United States, 1958.....	II-34

Psychopathic Hospitals

Table 8: First Admissions by Mental Disorder, Age and Sex: United States, 1958	II-38
Table 9: First Admissions by Mental Disorder, Sex and State: United States, 1958.....	II-42
Table 10: First Admissions by Age, Sex and State: United States, 1958.....	II-44

RESIDENT PATIENTS

	Page
<u>Public Prolonged-Care Hospitals for Mental Disease</u>	
Table 11: Patients Resident at End of Year by Mental Disorder, Age and Sex: United States, 1958.....	II-45
Table 12: Patients Resident at End of Year by Mental Disorder, Sex and State: United States, 1958	II-48
Table 13: Patients Resident at End of Year by Age, Sex and State: United States, 1958 ..	II-56

Psychopathic Hospitals

Table 14: Patients Resident at End of Year by Mental Disorder, Age and Sex: United States, 1958	II-60
Table 15: Patients Resident at End of Year by Mental Disorder, Sex and State: United States, 1958	II-64
Table 16: Patients Resident at End of Year by Age, Sex and State: United States, 1958 ..	II-66

ADMINISTRATIVE DATA

Public Prolonged-Care Hospitals for Mental Disease

Table 17: Personnel Employed Full and Part Time by Occupation: United States, 1958..	II-67
Table 18: Personnel Employed Full Time by Occupation and State: United States, 1958 .	II-68
Table 19: Expenditures by State: United States, 1958.....	II-69
Table 20: Average Daily Resident-Patient Population by State: United States, 1958.....	II-70

Psychopathic Hospitals

Table 21: Personnel Employed Full and Part Time by Occupation: United States, 1958..	II- 71
Table 22: Personnel Employed Full Time by Occupation and State: United States, 1958 .	II- 72
Table 23: Expenditures by State: United States, 1958.....	II- 72
Table 24: Average Daily Resident-Patient Population by State: United States, 1958.....	II- 72

SYMBOLS

Class or item not applicable (3 dots) ...
Data not available (3 dashes) - - -
Quantity is zero (1 dash) -

ACKNOWLEDGEMENT

The National Institute of Mental Health wishes to acknowledge the generous cooperation of the State governments and of the public hospital superintendents and staffs.

I. --INTRODUCTION

The data in this report are taken from the 33rd Annual Census of Patients in Mental Institutions. This yearly census was conducted by the U. S. Bureau of the Census, Department of Commerce for the years prior to 1947, and by the National Institute of Mental Health since then. A detailed historical account of the development of this census may be found in "Patients in Mental Institutions: 1947" pp. 1-4, U. S. Government Printing Office, Washington 25, D. C.

This report provides basic data on the numbers and characteristics of hospitalized mental patients, movement of patient population, and certain administrative data for the public mental hospitals and institutions.

The publication is divided into four parts as follows:

Part I --Public Institutions for Mental Defectives and Epileptics

Part II --Public Hospitals for the Mentally Ill

Part III--Private Hospitals for the Mentally Ill and General Hospitals with Psychiatric Facilities

Part IV--Private Institutions for Mental Defectives and Epileptics

Provisional and special survey data for the public hospitals and institutions are published more currently in Mental Health Statistics - Current Reports, Series MHB. These publications are available on request from the National Institute of Mental Health, National Institutes of Health, Bethesda, Maryland.

II. --COVERAGE

This report includes data from (a) State and county mental hospitals (public prolonged-care hospitals), and (b) State psychopathic hospitals. Veterans Administration hospitals, military hospitals, and Public Health Service hospitals are excluded. Territorial hospitals are not included since the annual census is confined to the continental United States.

This report covers the fiscal year ending in 1958. Most of the hospitals' fiscal years end on June 30th. Exceptions are as follows:

March 31 - New York
May 31 - Pennsylvania
August 31 - Texas
September 30 - Alabama
December 31 - Iowa (1 of the 5 hospitals)

The schedules distributed to the various hospitals were as follows:

a. Movement of population by sex
b. Detailed schedules:

First admissions during year by age, sex, and diagnosis

Resident patients at end of year by age, sex, and diagnosis

Personnel employed by type of position
Financial statement

The population movement schedule was completed by 261 of the 266 public prolonged-care hospitals and by all of the 12 psychopathic hospitals (see Table A). Incomplete reporting of the detailed schedules is given in Table B.

Table A. --NUMBER OF PUBLIC PROLONGED-CARE HOSPITALS AND PSYCHOPATHIC HOSPITALS IN 1958

State	Public pro-longed care	Psycho-pathic	State	Public pro-longed care	Psycho-pathic
Alabama-----	2	-	Nevada-----	1	-
Arizona-----	1	-	New Hampshire-----	1	-
Arkansas-----	1	-	New Jersey ¹ -----	12	-
California -----	10	1	New Mexico-----	1	-
Colorado-----	1	1	New York-----	21	1
Connecticut-----	3	-	North Carolina -----	4	-
Delaware-----	1	1	North Dakota-----	1	-
District of Columbia-----	1	-	Ohio-----	21	-
Florida-----	3	-	Oklahoma ² -----	4	-
Georgia-----	1	-	Oregon-----	2	-
Idaho-----	2	-	Pennsylvania-----	17	1
Illinois-----	12	-	Rhode Island-----	1	-
Indiana-----	8	1	South Carolina-----	1	-
Iowa-----	5	1	South Dakota-----	1	-
Kansas-----	3	-	Tennessee ¹ -----	5	1
Kentucky-----	4	-	Texas-----	8	-
Louisiana-----	3	-	Utah-----	1	-
Maine-----	2	-	Vermont-----	1	-
Maryland ¹ ² -----	6	-	Virginia-----	4	-
Massachusetts-----	12	1	Washington-----	3	-
Michigan-----	8	1	West Virginia-----	5	-
Minnesota-----	9	-	Wisconsin ¹ -----	41	1
Mississippi-----	2	-	Wyoming-----	1	-
Missouri-----	5	-	United States Total ² ---	266	12
Montana-----	1	-			
Nebraska-----	3	1			

¹ Public Prolonged-Care Hospitals include State and County Hospitals as follows:

	<u>State</u>	<u>County</u>
Maryland	5	1
New Jersey	6	6
Tennessee	3	2
Wisconsin	3	38

² One Maryland hospital and four in Oklahoma did not report data for 1958.

TABLE B. -- UNDER-REPORTING ON DETAILED SCHEDULES FOR PUBLIC PROLONGED-CARE HOSPITALS REPORTING ON MOVEMENT SCHEDULES, BY STATE, TYPE OF DETAILED SCHEDULE, NUMBER OF PATIENTS AND NUMBER OF HOSPITALS, 1958

State	First Admissions ¹ (Tables 6-7)		Resident Patients ¹ (Tables 11-12-13)		Personnel ²		Financial Statement ³	
	Number of hospitals	Number of patients	Number of hospitals	Number of patients	Number of hospitals	Average daily resident patient population	Number of hospitals	Average daily resident patient population
UNDER-REPORTING ON DETAILED SCHEDULES								
ALABAMA-----	2	7,398
DISTRICT OF COLUMBIA-----	1	6,994
GEORGIA-----	1	11,797
MARYLAND-----	1	705	1	2,369
MASSACHUSETTS-----	12	6,156	12	21,545
MINNESOTA-----	1	86	1	86
NORTH CAROLINA-----	1	797	1	1,632
TENNESSEE-----	1	623	1	293
Total under-reporting on detailed schedules but movement report complete	14	7,658	19	52,358	1	86	2	379
Total complete reporting on all detailed and movement schedules	247	124,416	242	484,227	260	537,793	259	537,500
Total reporting on movement schedules in 1958 census, total U.S.	261	132,074	261	536,585	261	537,879	261	537,879
Number not reporting in 1958 census ⁴	5	1,974	5	7,423	5	7,581	5	7,581
Total (partially estimated) hospitals and patients in U.S.	266	134,048	266	544,008	266	545,460	266	545,460

¹Schedules by age and mental disorder not reported.

²Personnel data not reported for one State hospital in Minnesota.

³Financial data not reported for one State hospital in Minnesota and one county hospital in Tennessee.

⁴No reports received from one State hospital in Maryland and four in Oklahoma. 1958 Special Survey data were used as estimates:

	First Admissions	Resident Patients	Average Daily Resident Patients
Maryland	426	47	57
Oklahoma	1,548	7,376	7,524
Total	1,974	7,423	7,581

Table C.--UNDER-REPORTING ON DETAILED SCHEDULES FOR PSYCHOPATHIC HOSPITALS BY STATE, NUMBER OF HOSPITALS AND NUMBER OF PATIENTS REPORTED ON MOVEMENT SCHEDULES, 1958

State	First admissions (Tables 8-9-10)		Resident patients (Tables 14-15-16)	
	Number of hospitals	Number of patients	Number of hospitals	Number of patients
Massachusetts-----	1	509	1	125
TOTAL U.S. reported-----	11	2,723	11	1,017
TOTAL number of patients in U.S.-----	12	3,232	12	1,142

III. --DEFINITIONS

Type of Hospital

1. State and county mental hospitals.--Hospitals operated by State and county governments in which length of stay is unlimited. They are classified together as public prolonged-care hospitals.
2. State psychopathic hospitals.--Intensive treatment, teaching, and research hospitals in which patients generally are held for only a short time.
3. Exceptional cases.--Three hospitals have been classified by the way they function rather than the authority under which they operate.
 - a. Saint Elizabeths Hospital, Washington, D.C.--Although operated by the Federal Government, this hospital serves the residents of the District of Columbia in the same way a State hospital serves the residents of a State. Operating funds come largely from the District of Columbia Government.
 - b. Wayne County General Hospital and Infirmary, Eloise, Michigan--The large psychiatric unit of this hospital is classified as a State mental hospital since it serves the residents of Wayne County in this capacity.
 - c. The DeJarnette State Sanitarium, Staunton, Virginia--Although under State authority, this hospital is not tax-supported and is operated as a private hospital. Therefore, it is not classified as a State mental hospital but is included in the Census as a private hospital (see Part III of this report).

Discussion

In order to reflect accurately the number of patients hospitalized in a State public mental

hospital system, the appropriate types of hospitals must be included. All states have State mental hospitals; but in addition, some States have county mental hospitals and/or psychopathic hospitals. In these States, the county or psychopathic hospitals may care for specialized groups of patients who, in States without these facilities, may receive comparable care in the State hospitals. Since some of the county hospitals serve the same function as State mental hospitals and others are similar to chronic wards in State mental hospitals, the data for these two types of hospital have been combined in this report. In making comparisons between States with regard to admission rates, resident patient rates, etc., it is important that data on all of the State, county and psychopathic hospitals be taken into account.

Patient Movement Categories

A movement of population table is a book-keeping account of the flow of patients into and out of a mental hospital during the year. Since this type of table shows the number of transactions rather than the number of patients, there may be some duplication of patients. Each movement category is defined as follows:

1. Patients on the Books at the Beginning and End of the Year.
 - a. In hospital. Patients physically present, or accounted present, in the hospital, i.e., those considered "resident patients" (See Section V).
 - b. In extramural care. Patients on the books of the hospital but not in actual residence, i.e., subject to hospital control but residing in a location other than the hospital proper. Patients in extramural care are further classified as follows:

- (i) In family care. Patients who have been placed in the community in private families other than their own, under State supervision. The expense of maintenance may be borne by the State or local government, the patient's estate, relatives, Old Age Assistance or some other agency or person.
- (ii) In other extramural care. Most of these patients are on trial visit (usually to their homes), a type of care which tests the ability of the patient to adjust to normal community life. Since the patient is retained on the books of the hospital, he may be returned to the hospital for his own protection or for that of the community or because he failed to make the necessary adjustment. The provisions under which patients are placed on trial visit vary widely from State to State. Moreover, factors such as the degree of overcrowding, the development or extension of methods of therapy and the number of social workers available for follow-up may affect the number of patients on trial visit. This category includes escaped patients and patients absent from the hospital for reasons not classified elsewhere.

2. Additions. Patients who enter a mental hospital during the course of a year.

- a. First Admissions. All patients admitted to a public mental hospital without a record of previous care, i.e., a record of an admission and a formal discharge, in a public or private mental hospital anywhere. The term is usually applied exclusively within a given type of facility; thus, a patient going from a hospital for mental disease to an institution for

mental defectives and epileptics, or vice versa, is considered a discharge from the first facility and a first admission to the second institution rather than a transfer or a readmission.

- b. Readmissions. Patients admitted with a record of previous care as indicated above.
 - c. Transfers In. Patients who are shifted within the same State system from the supervision of one public mental hospital to another without a formal discharge. Thus, transfers in do not represent additions to the total patient population of hospitals within a given State system.
- 3. Separations. Patients who are removed from the books of the hospital.
 - a. Discharges. Patients formally removed from the books of the hospital. Such patients may be discharged directly from the hospital or from extramural care.
 - b. Deaths. Patients who die while in the hospital or while on extramural care.
 - c. Transfers out. Patients shifted within the same State system from the supervision of one public mental hospital to another, without a formal discharge.

Age of Patients

Age of first admissions is reported as of the last birthday prior to admission. Age of resident patients is taken as of the last birthday prior to the end of the reporting year.

Diagnostic Nomenclature

The diagnostic nomenclature can be found in Standard Nomenclature of Diseases and Operations, "Psychobiologic Unit", American Medical Association, 1952, or in Diagnostic and Statistical Manual--Mental Disorders, American Psychiatric Association, 1952.

IV. --LIMITATIONS OF HOSPITAL DATA

It might be expected that interstate differences in resident patient and first admission rates for the public mental hospitals would provide a basis for inference as to variations among the States in the prevalence and incidence of mental disease which is sufficiently serious to require hospitalization. However, based on present knowledge, there are a number of reasons why such inferences should not be made. Not all persons with serious mental illness are admitted to public mental hospitals. The number of persons in the community who, under examination, would be diagnosed as mentally ill is unknown. Furthermore, there are many factors other than the person's mental illness which deter-

mine whether or not he will seek psychiatric care, such as (a) availability of family and willingness to keep the person at home and (b) community attitude toward the person's behavior.

For those persons seeking psychiatric care, there are several factors which determine whether or not they will be admitted to public mental hospitals. The more important of these factors are:

- a. In many communities, psychiatric clinics, various other outpatient services, psychiatric facilities in general hospitals, private hospitals for the mentally ill, and other specialized agencies may be used for the treatment of some mentally

- ill persons who would otherwise have been admitted to the public mental hospitals. There is considerable variation among States in the availability of these facilities and in the ways they are used by the communities they serve.
- b. Within a public mental hospital system, existing facilities may expand, new facilities may open, or other changes may occur that would have the effect of

increasing or decreasing the number of patients that could be accommodated.

Therefore, since the number of persons in public mental hospitals does not reflect the entire problem or even a known proportion of the problem of "serious" mental illness, rates of admission to or residence in public mental hospitals are not valid measures of incidence and prevalence of "serious" mental illness.

V.--THE MODEL REPORTING AREA

In order to undertake the task of solving, in a constructive and cooperative manner, the complex problems involved in gathering uniform, comparable, and meaningful statistics on the mentally ill, a group of State mental hospital authorities, with the aid and counsel of the National Institute of Mental Health, have joined together in the Model Reporting Area for Mental Hospital Statistics.

The expressed objectives of this organization are:

1. The development of a strong central statistical bureau in each State mental hospital system.
2. The development and use of standardized definitions of the various categories of mental hospital patients.
3. The production of standard basic tabulations.
4. The use of appropriate statistical methods in follow-up studies of mental patients.

One of the first projects undertaken by this group was to develop a set of standard defini-

tions for the patient movement categories; first admission, readmission, transfer, resident patient, and temporary visit. Of special interest with respect to this report is the Model Reporting Area definition of resident patient-- "Includes all patients physically present in the hospital, plus those patients who are permitted to leave the hospital on a temporary absence with the understanding that they are to be returned within a period not to exceed seven days. Patients absent without permission, termed--escape, elopement, AWOL, etc., are not to be included in the resident count". Resident patient data in this report for States in the Model Reporting Area are based on this definition. The membership of the Model Reporting Area is shown in Figure 1. Further information about the organization may be found in The Model Reporting Area for Mental Hospital Statistics, U. S. Department of Health, Education, and Welfare Publication No. 699, available on request from the National Institute of Mental Health.

FIGURE 1
MODEL REPORTING AREA STATES - 1958




TABLE 1

PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR,
BY SEX AND STATE, UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS									
	BEGINNING OF YEAR					END OF YEAR				
	Total	In hospital	In family care	On trial visit	In other extra-mural care	Total	In hospital	In family care	On trial visit	In other extra-mural care
ALABAMA										
MALE	3,972	3,494	458	-	20	3,975	3,566	400	-	9
FEMALE	4,462	3,830	629	-	3	4,528	3,832	695	-	1
TOTAL	8,434	7,324	1,087	-	23	8,503	7,398	1,095	-	10
ARIZONA										
MALE	1,021	829	-	-	192	1,040	851	-	-	189
FEMALE	1,051	766	-	-	285	1,098	757	-	-	341
TOTAL	2,072	1,595	-	-	477	2,138	1,608	-	-	530
ARKANSAS										
MALE	2,925	2,451	-	411	63	2,970	2,479	-	446	45
FEMALE	3,052	2,456	-	581	15	3,184	2,907	-	665	12
TOTAL	5,977	4,907	-	992	78	6,154	4,986	-	1,111	57
CALIFORNIA										
MALE	21,973	17,555	294	3,291	833	22,054	17,544	340	3,422	748
FEMALE	24,646	19,246	421	4,812	157	25,052	19,136	515	5,231	170
TOTAL	46,619	36,801	725	8,103	990	47,106	36,680	855	8,653	918
COLORADO										
MALE	3,426	2,911	-	-	515	3,573	3,022	-	-	551
FEMALE	3,134	2,738	-	-	396	3,196	2,777	-	-	419
TOTAL	6,560	5,649	-	-	911	6,769	5,799	-	-	970
CONNECTICUT										
MALE	4,745	4,014	13	662	56	4,771	4,087	20	639	25
FEMALE	5,808	4,708	27	1,010	63	5,856	4,793	32	999	32
TOTAL	10,553	8,722	40	1,672	119	10,627	8,880	52	1,638	57
DELAWARE										
MALE	924	675	-	-	249	910	688	-	-	222
FEMALE	1,049	738	-	-	311	1,032	736	-	-	296
TOTAL	1,973	1,413	-	-	560	1,942	1,424	-	-	518
DISTRICT OF COLUMBIA										
MALE	3,710	3,553	-	-	157	3,677	3,529	-	-	148
FEMALE	3,756	3,450	-	-	306	3,786	3,465	-	-	321
TOTAL	7,466	7,003	-	-	463	7,463	6,994	-	-	469
FLORIDA										
MALE	4,432	3,957	66	-	409	4,496	4,011	60	-	425
FEMALE	5,233	4,570	76	-	587	5,509	4,838	99	-	572
TOTAL	9,665	8,527	142	-	996	10,005	8,849	159	-	997
GEORGIA										
MALE	6,168	5,422	-	-	746	6,288	5,421	-	-	867
FEMALE	7,811	6,430	-	-	1,381	7,745	6,376	-	-	1,369
TOTAL	13,979	11,852	-	-	2,127	14,033	11,797	-	-	2,236
IDAHO										
MALE	758	584	152	-	22	696	571	81	-	44
FEMALE	696	516	151	-	29	605	495	73	-	37
TOTAL	1,454	1,100	303	-	51	1,301	1,066	154	-	81
ILLINOIS										
MALE	20,497	18,691	314	1,219	273	20,281	18,626	314	1,087	254
FEMALE	20,692	18,188	471	1,907	126	20,250	17,811	466	1,831	142
TOTAL	41,189	36,879	785	3,126	399	40,531	36,437	780	2,918	396
INDIANA										
MALE	5,983	5,243	2	533	205	5,938	5,237	7	543	151
FEMALE	6,545	5,610	16	710	209	6,555	5,620	24	751	160
TOTAL	12,528	10,853	18	1,243	414	12,493	10,857	31	1,294	311

TABLE 1 - Continued

PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR,
BY SEX AND STATE; UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS									
	BEGINNING OF YEAR					END OF YEAR				
	Total	In hospital	In family care	On trial visit	In other extra-mural care	Total	In hospital	In family care	On trial visit	In other extra-mural care
IOWA										
	MALE	3,011	2,451	-	-	560	2,899	2,362	-	-
	FEMALE	3,234	2,552	-	-	682	3,052	2,438	-	-
	TOTAL	6,245	5,003	-	-	1,242	5,951	4,800	-	-
KANSAS										
	MALE	2,630	2,139	186	281	24	2,575	1,990	238	310
	FEMALE	2,835	2,233	259	341	2	2,780	2,045	272	454
	TOTAL	5,465	4,372	445	622	26	5,355	4,035	510	764
KENTUCKY										
	MALE	4,070	3,577	-	391	102	4,111	3,484	-	521
	FEMALE	4,507	3,764	-	618	125	4,449	3,697	1	729
	TOTAL	8,577	7,341	-	1,009	227	8,560	7,091	1	1,250
LOUISIANA										
	MALE	5,216	4,152	-	1,054	10	5,312	4,112	-	1,184
	FEMALE	5,517	4,122	-	1,381	14	5,657	4,187	-	1,454
	TOTAL	10,733	8,274	-	2,435	24	10,969	8,299	-	2,638
MAINE										
	MALE	1,404	1,251	6	-	147	1,382	1,227	3	-
	FEMALE	2,022	1,711	20	-	291	2,106	1,716	31	-
	TOTAL	3,426	2,962	26	-	438	3,488	2,943	34	-
MARYLAND ¹										
	MALE	5,914	4,496	171	-	1,247	5,768	4,506	168	-
	FEMALE	6,242	4,755	185	-	1,302	6,130	4,756	206	-
	TOTAL	12,156	9,251	356	-	2,549	11,898	9,262	374	-
MASSACHUSETTS										
	MALE	10,648	9,763	22	-	863	10,550	9,634	22	-
	FEMALE	14,014	12,200	197	-	1,617	13,743	11,911	193	-
	TOTAL	24,662	21,963	219	-	2,480	24,293	21,545	215	-
MICHIGAN										
	MALE	14,206	11,273	529	2,280	124	14,304	11,350	464	2,386
	FEMALE	14,449	10,559	544	3,319	27	14,484	10,502	475	3,482
	TOTAL	28,655	21,832	1,073	5,599	151	28,788	21,852	939	5,868
MINNESOTA										
	MALE	6,796	5,633	-	1,078	85	7,030	5,636	-	1,292
	FEMALE	6,660	5,540	-	1,078	42	6,745	5,432	-	1,264
	TOTAL	13,456	11,173	-	2,156	127	13,775	11,068	-	2,556
MISSISSIPPI										
	MALE	3,192	2,422	-	-	770	3,198	2,331	-	-
	FEMALE	3,670	2,804	-	-	866	3,835	2,827	-	-
	TOTAL	6,862	5,226	-	-	1,636	7,033	5,158	-	-
MISSOURI										
	MALE	6,041	5,421	-	-	620	6,086	5,465	-	-
	FEMALE	7,046	6,220	-	-	826	6,958	6,153	-	-
	TOTAL	13,087	11,641	-	-	1,446	13,044	11,618	-	-
MONTANA										
	MALE	1,193	1,018	-	-	175	1,147	1,001	-	-
	FEMALE	958	744	-	-	214	942	729	-	-
	TOTAL	2,151	1,762	-	-	389	2,089	1,730	-	-
NEBRASKA										
	MALE	2,956	2,283	-	589	84	2,845	2,190	-	579
	FEMALE	2,933	2,232	-	695	6	2,873	2,150	-	710
	TOTAL	5,889	4,515	-	1,284	90	5,718	4,340	-	1,289

See footnote at end of table.

TABLE 1 - Continued

PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR,
BY SEX AND STATE: UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS									
	BEGINNING OF YEAR					END OF YEAR				
	Total	In hospital	In family care	On trial visit	In other extra-mural care	Total	In hospital	In family care	On trial visit	In other extra-mural care
NEVADA										
MALE	290	254	36	-	-	321	264	-	-	57
FEMALE	265	223	42	-	-	313	244	-	-	69
TOTAL	555	477	78	-	-	634	508	-	-	126
NEW HAMPSHIRE										
MALE	1,310	1,205	-	-	105	1,318	1,215	-	-	103
FEMALE	1,546	1,381	-	-	165	1,534	1,362	-	-	172
TOTAL	2,856	2,586	-	-	270	2,852	2,577	-	-	275
NEW JERSEY										
MALE	11,390	10,003	125	1,224	38	11,254	9,951	118	1,120	65
FEMALE	13,955	11,908	193	1,845	9	13,861	11,877	200	1,771	13
TOTAL	25,345	21,911	318	3,069	47	25,115	21,828	318	2,891	78
NEW MEXICO										
MALE	905	511	22	-	372	888	504	27	-	357
FEMALE	876	442	23	-	411	881	440	29	-	412
TOTAL	1,781	953	45	-	783	1,769	944	56	-	769
NEW YORK										
MALE	51,062	45,254	457	5,118	233	51,558	45,112	466	5,674	306
FEMALE	59,346	50,512	992	7,791	51	58,832	49,439	1,081	8,219	93
TOTAL	110,408	95,766	1,449	12,909	284	110,390	94,551	1,547	13,893	399
NORTH CAROLINA										
MALE	5,989	4,805	46	-	1,138	6,010	4,734	650	-	626
FEMALE	6,285	4,864	111	-	1,310	6,254	4,850	427	-	977
TOTAL	12,274	9,669	157	-	2,448	12,264	9,584	1,077	-	1,603
NORTH DAKOTA										
MALE	1,362	947	-	-	415	1,358	920	-	-	438
FEMALE	1,223	867	-	-	356	1,164	801	-	-	363
TOTAL	2,585	1,814	-	-	771	2,522	1,721	-	-	801
OHIO										
MALE	16,581	13,918	145	2,275	243	16,593	14,049	159	2,147	238
FEMALE	17,123	13,852	245	2,935	91	17,036	13,946	311	2,692	87
TOTAL	33,704	27,770	390	5,210	334	33,629	27,995	470	4,839	325
OREGON										
MALE	3,174	2,416	-	-	758	3,130	2,400	-	-	730
FEMALE	3,458	2,628	-	-	830	3,384	2,596	-	-	788
TOTAL	6,632	5,044	-	-	1,588	6,514	4,996	-	-	1,518
PENNSYLVANIA										
MALE	22,827	18,904	-	3,893	30	22,801	18,464	-	4,307	30
FEMALE	26,799	20,191	-	6,608	26,711	19,744	-	6,967	-	814
TOTAL	49,626	39,095	-	10,501	30	49,512	38,208	-	11,274	30
RHODE ISLAND										
MALE	2,015	1,624	113	-	278	2,073	1,660	112	-	301
FEMALE	2,239	1,772	140	-	327	2,278	1,762	151	-	365
TOTAL	4,254	3,396	253	-	605	4,351	3,422	263	-	666
SOUTH CAROLINA										
MALE	3,738	3,210	-	-	528	3,745	3,216	-	-	529
FEMALE	3,877	3,126	-	-	751	4,016	3,202	-	-	814
TOTAL	7,615	6,336	-	-	1,279	7,761	6,418	-	-	1,343
SOUTH DAKOTA										
MALE	892	872	15	-	5	889	870	10	-	9
FEMALE	804	788	16	-	-	796	792	4	-	-
TOTAL	1,696	1,660	31	-	5	1,685	1,662	14	-	9

TABLE 1- Continued

PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR,
BY SEX AND STATE: UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS									
	BEGINNING OF YEAR					END OF YEAR				
	Total	In hospital	In family care	On trial visit	In other extra-mural care	Total	In hospital	In family care	On trial visit	In other extra-mural care
TENNESSEE										
MALE	3,976	3,827	2	31	118	4,001	3,887	1	40	73
FEMALE	4,422	4,213	8	78	123	4,530	4,264	1	100	165
TOTAL	8,400	8,040	10	109	241	8,531	8,151	2	140	238
TEXAS										
MALE	9,679	7,711	-	1,671	297	9,665	7,820	-	1,526	319
FEMALE	11,056	8,136	-	2,866	54	10,780	8,342	-	2,301	137
TOTAL	20,735	15,847	-	4,537	351	20,445	16,162	-	3,827	456
UTAH										
MALE	698	604	-	-	94	716	589	-	-	127
FEMALE	845	701	-	-	144	815	646	-	-	169
TOTAL	1,543	1,305	-	-	238	1,531	1,235	-	-	296
VERMONT										
MALE	631	597	-	-	34	589	542	-	-	47
FEMALE	731	644	-	-	87	723	638	-	-	85
TOTAL	1,362	1,241	-	-	121	1,312	1,180	-	-	132
VIRGINIA										
MALE	6,520	5,442	-	995	83	6,595	5,417	-	1,078	100
FEMALE	6,838	5,578	3	1,238	19	6,990	5,650	3	1,321	16
TOTAL	13,358	11,020	3	2,233	102	13,585	11,067	3	2,399	116
WASHINGTON										
MALE	3,963	3,344	-	519	100	3,947	3,312	-	518	117
FEMALE	4,368	3,498	-	834	36	4,423	3,559	-	829	35
TOTAL	8,331	6,842	-	1,353	136	8,370	6,871	-	1,347	152
WEST VIRGINIA										
MALE	3,431	2,823	2	-	606	3,606	2,910	2	-	694
FEMALE	3,004	2,546	-	-	458	3,041	2,537	5	-	499
TOTAL	6,435	5,369	2	-	1,064	6,647	5,447	7	-	1,193
WISCONSIN										
MALE	8,229	7,572	-	657	-	8,223	7,557	-	666	-
FEMALE	8,360	7,412	-	948	-	8,276	7,357	1	918	-
TOTAL	16,589	14,984	-	1,605	-	16,499	14,914	1	1,584	-
WYOMING										
MALE	387	350	-	-	37	407	369	-	-	38
FEMALE	310	266	-	-	44	301	259	-	-	42
TOTAL	697	616	-	-	81	708	628	-	-	80
UNITED STATES TOTAL ¹										
MALE	306,862	261,451	3,176	28,172	14,063	307,563	260,682	3,662	29,485	13,734
FEMALE	339,752	278,230	4,779	41,595	15,148	339,089	275,903	5,295	42,688	15,203
TOTAL	646,614	539,681	7,955	69,767	29,211	646,652	536,585	8,957	72,173	28,937

¹ Data not available for one State hospital in Maryland and four in Oklahoma. See Table B for estimates of resident patients at end of year.

TABLE 2

ADDITIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE:
UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	ADDITIONS DURING YEAR				TOTAL SEPA- RATIONS	SEPARATIONS DURING YEAR			DEATHS				
	Total	First admis- sions	Read- missions	Trans- fers in		DISCHARGES			TRANS- FERS OUT	Total	In hospi- tal	In extra- mural care	
						Total	From hospi- tal	From extra- mural care					
ALABAMA													
	MALE	1,428	996	420	12	1,425	1,113	439	674	6	306	306	
	FEMALE	1,348	832	478	38	1,282	1,005	42	963	29	248	248	
	TOTAL	2,776	1,828	898	50	2,707	2,118	481	1,637	35	554	554	
ARIZONA													
	MALE	516	419	97	-	497	383	237	146	-	114	111	
	FEMALE	442	355	87	-	395	317	125	192	-	78	73	
	TOTAL	958	774	184	-	892	700	362	338	-	192	184	
ARKANSAS													
	MALE	1,518	985	533	-	1,473	1,250	776	474	-	223	223	
	FEMALE	1,135	653	482	-	1,003	842	246	596	-	161	161	
	TOTAL	2,653	1,638	1,015	-	2,476	2,092	1,022	1,070	-	384	384	
CALIFORNIA													
	MALE	12,401	7,820	3,872	709	12,320	10,023	6,833	3,190	709	1,588	1,480	
	FEMALE	9,323	5,535	3,141	647	8,917	6,801	3,078	3,723	647	1,469	1,400	
	TOTAL	21,724	13,355	7,013	1,356	21,237	16,824	9,911	6,913	1,356	3,057	2,880	
COLORADO													
	MALE	1,005	521	161	323	858	519	333	186	27	312	304	
	FEMALE	621	309	73	239	559	266	104	162	3	290	284	
	TOTAL	1,626	830	234	562	1,417	785	437	348	30	602	588	
CONNECTICUT													
	MALE	2,520	1,548	946	26	2,494	1,881	1,398	483	26	587	562	
	FEMALE	2,053	1,256	773	24	2,005	1,424	709	715	24	557	536	
	TOTAL	4,573	2,804	1,719	50	4,499	3,305	2,107	1,198	50	1,144	1,098	
DELAWARE													
	MALE	258	195	63	-	272	217	54	163	-	55	55	
	FEMALE	259	160	99	-	276	218	77	141	-	58	58	
	TOTAL	517	355	162	-	548	435	131	304	-	113	113	
DISTRICT OF COLUMBIA													
	MALE	790	465	325	-	823	558	328	230	-	265	262	
	FEMALE	815	520	295	-	785	518	206	312	-	267	265	
	TOTAL	1,605	985	620	-	1,608	1,076	534	542	-	532	527	
FLORIDA													
	MALE	1,301	1,005	290	6	1,237	812	445	367	21	404	393	
	FEMALE	1,321	931	379	11	1,045	706	217	489	4	335	330	
	TOTAL	2,622	1,936	669	17	2,282	1,518	662	856	25	739	723	
GEORGIA													
	MALE	1,963	1,543	420	-	1,843	1,263	318	945	-	580	580	
	FEMALE	1,777	1,312	465	-	1,843	1,278	145	1,133	-	565	565	
	TOTAL	3,740	2,855	885	-	3,686	2,541	463	2,078	-	1,145	1,145	
IDAHO													
	MALE	524	335	186	3	586	500	379	121	2	84	80	
	FEMALE	384	229	153	2	475	380	255	125	1	94	92	
	TOTAL	908	564	339	5	1,061	880	634	246	3	178	172	
ILLINOIS													
	MALE	9,976	5,150	4,174	652	10,192	7,271	5,986	1,285	638	2,283	2,215	
	FEMALE	6,062	3,244	2,306	512	6,504	4,027	2,476	1,551	536	1,941	1,898	
	TOTAL	16,038	8,394	6,480	1,164	16,696	11,298	8,462	2,836	1,174	4,224	4,113	
INDIANA													
	MALE	2,399	1,581	706	112	2,444	1,812	745	1,067	120	512	481	
	FEMALE	1,474	870	579	25	1,464	954	213	741	25	485	460	
	TOTAL	3,873	2,451	1,285	137	3,908	2,766	958	1,808	145	997	941	

TABLE 2 - Continued

ADDITIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE:
UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	ADDITIONS DURING YEAR				TOTAL SEPA- RATIONS	SEPARATIONS DURING YEAR							
	Total	First adminis- trations	Read- missions	Trans- fers in		DISCHARGES			TRANS- FERS OUT	DEATHS			
						Total	From hospital	From extra- mural care		Total	In hospi- tal	In extra- mural care	
IOWA													
	MALE	1,641	872	758	11	1,753	1,429	1,041	388	13	311	294	
	FEMALE	1,233	505	716	12	1,415	1,167	731	436	12	236	220	
	TOTAL	2,874	1,377	1,474	23	3,168	2,596	1,772	824	25	547	514	
KANSAS													
	MALE	1,128	768	344	16	1,183	987	711	276	16	180	159	
	FEMALE	922	562	346	14	977	819	560	259	14	144	133	
	TOTAL	2,050	1,330	690	30	2,160	1,806	1,271	535	30	324	292	
KENTUCKY													
	MALE	2,222	1,213	958	51	2,181	1,683	1,274	409	52	446	428	
	FEMALE	1,544	705	777	62	1,602	1,211	632	579	62	329	316	
	TOTAL	3,766	1,918	1,735	113	3,783	2,894	1,906	988	114	775	744	
LOUISIANA													
	MALE	1,795	920	857	18	1,699	1,351	570	781	37	311	304	
	FEMALE	1,578	692	875	11	1,438	1,153	159	994	24	261	248	
	TOTAL	3,373	1,612	1,732	29	3,137	2,504	729	1,775	61	572	552	
MAINE													
	MALE	457	312	143	2	479	326	223	103	2	151	151	
	FEMALE	516	324	190	2	432	318	158	160	2	112	112	
	TOTAL	973	636	333	4	911	644	381	263	4	263	263	
MARYLAND ¹													
	MALE	2,448	1,495	905	48	2,594	2,002	960	1,042	100	492	464	
	FEMALE	1,763	1,067	607	89	1,875	1,361	342	1,019	46	468	444	
	TOTAL	4,211	2,562	1,512	137	4,469	3,363	1,302	2,061	146	960	908	
MASSACHUSETTS													
	MALE	5,045	3,433	1,230	382	5,143	3,508	2,416	1,092	500	1,135	1,124	
	FEMALE	4,252	2,723	1,206	323	4,523	3,107	1,144	1,963	271	1,145	1,132	
	TOTAL	9,297	6,156	2,436	705	9,666	6,615	3,560	3,055	771	2,280	2,256	
MICHIGAN													
	MALE	3,243	1,990	936	317	3,145	1,807	885	922	456	882	850	
	FEMALE	2,648	1,492	997	159	2,613	1,662	591	1,071	217	734	703	
	TOTAL	5,891	3,482	1,933	476	5,758	3,469	1,476	1,993	673	1,616	1,553	
MINNESOTA													
	MALE	3,238	1,646	1,278	314	3,004	1,951	1,284	667	317	736	697	
	FEMALE	2,103	885	945	273	2,018	1,199	641	558	273	546	517	
	TOTAL	5,341	2,531	2,223	587	5,022	3,150	1,925	1,225	590	1,282	1,214	
MISSISSIPPI													
	MALE	1,882	1,158	661	63	1,876	1,594	480	1,114	95	187	187	
	FEMALE	1,340	857	437	46	1,175	965	209	756	38	172	172	
	TOTAL	3,222	2,015	1,098	109	3,051	2,559	689	1,870	133	359	359	
MISSOURI													
	MALE	1,311	996	293	22	1,266	882	312	570	-	384	374	
	FEMALE	1,129	728	362	39	1,217	877	122	755	-	340	333	
	TOTAL	2,440	1,724	655	61	2,483	1,759	434	1,325	-	724	707	
MONTANA													
	MALE	667	467	200	-	713	576	502	74	-	137	132	
	FEMALE	352	246	106	-	368	285	214	71	-	83	79	
	TOTAL	1,019	713	306	-	1,081	861	716	145	-	220	211	
NEBRASKA													
	MALE	1,273	577	503	193	1,384	934	602	332	179	271	256	
	FEMALE	702	325	308	69	762	501	189	312	63	198	188	
	TOTAL	1,975	902	811	262	2,146	1,435	791	644	242	469	444	

See footnote at end of table.

TABLE 2 - Continued

**ADDITIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE:
UNITED STATES, 1958**

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	ADDITIONS DURING YEAR				TOTAL SEPA- RATIONS	SEPARATIONS DURING YEAR							
	Total	First admis- sions	Read- missions	Trans- fers in		DISCHARGES			TRANS- FERS OUT	DEATHS			
						Total	From hospital	From extra- mural care		Total	In hospi- tal	In extra- mural care	
NEVADA	MALE	194	165	29	-	163	138	93	45	-	25	23	2
	FEMALE	144	123	21	-	96	82	42	40	-	14	13	1
	TOTAL	338	288	50	-	259	220	135	85	-	39	36	3
NEW HAMPSHIRE	MALE	537	382	155	-	529	379	76	303	-	150	150	-
	FEMALE	501	345	156	-	513	373	50	323	-	140	140	-
	TOTAL	1,038	727	311	-	1,042	752	126	626	-	290	290	-
NEW JERSEY	MALE	4,688	3,154	1,316	218	4,824	3,198	2,061	1,137	301	1,325	1,283	42
	FEMALE	4,177	2,651	1,380	146	4,271	2,703	1,219	1,484	120	1,448	1,424	24
	TOTAL	8,865	5,805	2,696	364	9,095	5,901	3,280	2,621	421	2,773	2,707	66
NEW MEXICO	MALE	353	250	103	-	370	304	215	89	-	66	47	19
	FEMALE	270	183	87	-	265	225	148	77	-	40	29	11
	TOTAL	623	433	190	-	635	529	363	166	-	106	76	30
NEW YORK	MALE	12,414	8,872	2,988	554	11,918	6,311	3,177	3,134	1,017	4,590	4,453	137
	FEMALE	12,397	8,374	3,489	534	12,911	7,217	2,301	4,916	512	5,182	5,070	112
	TOTAL	24,811	17,246	6,477	1,088	24,829	13,528	5,478	8,050	1,529	9,772	9,523	249
NORTH CAROLINA	MALE	2,554	1,800	737	17	2,533	2,112	1,119	993	13	408	403	5
	FEMALE	2,531	1,579	942	10	2,562	2,155	1,004	1,151	5	402	396	6
	TOTAL	5,085	3,379	1,679	27	5,095	4,267	2,123	2,144	18	810	799	11
NORTH DAKOTA	MALE	758	516	242	-	762	665	322	343	-	97	90	7
	FEMALE	477	309	168	-	536	460	222	238	-	76	71	5
	TOTAL	1,235	825	410	-	1,298	1,125	544	581	-	173	161	12
OHIO	MALE	7,350	4,533	1,838	979	7,338	5,125	3,072	2,053	873	1,340	1,287	53
	FEMALE	6,528	3,697	2,149	682	6,615	4,839	2,527	2,312	614	1,162	1,118	44
	TOTAL	13,878	8,230	3,987	1,661	13,953	9,964	5,599	4,365	1,487	2,502	2,405	97
OREGON	MALE	1,819	1,296	517	6	1,863	1,430	1,111	319	104	329	312	17
	FEMALE	1,441	962	469	10	1,915	1,243	852	391	37	235	215	20
	TOTAL	3,260	2,258	986	16	3,378	2,673	1,963	710	141	564	527	37
PENNSYLVANIA	MALE	4,275	2,884	1,171	220	4,301	2,327	893	1,434	241	1,733	1,733	-
	FEMALE	4,210	2,692	1,341	177	4,298	2,498	480	2,018	101	1,699	1,699	-
	TOTAL	8,485	5,576	2,512	397	8,599	4,825	1,373	3,452	342	3,432	3,432	-
RHODE ISLAND	MALE	973	552	421	-	915	692	549	143	-	223	210	13
	FEMALE	659	444	215	-	620	406	184	222	-	214	208	6
	TOTAL	1,632	996	636	-	1,535	1,098	733	365	-	437	418	19
SOUTH CAROLINA	MALE	1,319	1,023	296	-	1,312	1,027	578	449	-	285	285	-
	FEMALE	1,162	819	343	-	1,023	807	196	611	-	216	216	-
	TOTAL	2,481	1,842	639	-	2,335	1,834	774	1,060	-	501	501	-
SOUTH DAKOTA	MALE	567	351	216	-	570	462	425	37	-	108	108	-
	FEMALE	371	209	162	-	379	293	220	73	-	86	86	-
	TOTAL	938	560	378	-	949	755	645	110	-	194	194	-

TABLE 2 - Continued

ADDITIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE:
UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE AND SEX	ADDITIONS DURING YEAR				TOTAL SEPA- RATIONS	SEPARATIONS DURING YEAR							
						DISCHARGES			TRANS- FERS OUT	DEATHS			
	Total	First admis- sions	Re- admis- sions	Trans- fers in		Total	From hospi- tal	From extra- mural care		Total	In hospi- tal	In extra- mural care	
TENNESSEE	MALE	2,088	1,322	766	-	2,065	1,667	942	725	25	373	371	2
	FEMALE	1,856	933	921	2	1,748	1,403	497	906	13	332	330	2
	TOTAL	3,944	2,255	1,687	2	3,813	3,070	1,439	1,631	38	705	701	4
TEXAS	MALE	5,051	3,207	1,391	453	5,065	3,891	2,957	934	424	750	705	45
	FEMALE	3,870	2,244	1,354	272	4,146	3,371	2,029	1,342	206	569	516	53
	TOTAL	8,921	5,451	2,745	725	9,211	7,262	4,986	2,276	630	1,319	1,221	98
UTAH	MALE	311	245	66	-	293	244	192	52	-	49	49	-
	FEMALE	285	210	75	-	315	260	143	117	-	55	55	-
	TOTAL	596	455	141	-	608	504	335	169	-	104	104	-
VERMONT	MALE	280	199	81	-	322	221	165	56	-	101	101	-
	FEMALE	285	170	115	-	293	208	63	145	-	85	85	-
	TOTAL	565	369	196	-	615	429	228	201	-	186	186	-
VIRGINIA	MALE	2,688	1,726	953	9	2,613	1,987	1,232	755	9	617	593	24
	FEMALE	2,026	1,131	886	9	1,874	1,352	483	869	9	513	495	18
	TOTAL	4,714	2,857	1,839	18	4,487	3,339	1,715	1,624	18	1,130	1,088	42
WASHINGTON	MALE	1,290	815	452	23	1,306	927	631	296	23	356	332	24
	FEMALE	1,246	640	581	25	1,191	920	408	512	25	246	230	16
	TOTAL	2,536	1,455	1,033	48	2,497	1,847	1,039	808	48	602	562	40
WEST VIRGINIA	MALE	1,664	1,099	483	82	1,489	1,104	881	223	79	306	296	10
	FEMALE	1,155	704	392	59	1,118	797	638	159	90	231	227	4
	TOTAL	2,819	1,803	875	141	2,607	1,901	1,519	382	169	537	523	14
WISCONSIN	MALE	4,002	1,979	1,309	714	4,008	2,395	1,815	580	707	906	887	19
	FEMALE	2,955	1,346	956	653	3,039	1,595	856	739	624	820	791	29
	TOTAL	6,957	3,325	2,265	1,367	7,047	3,990	2,671	1,319	1,331	1,726	1,678	48
WYOMING	MALE	235	148	87	-	215	153	125	28	12	50	50	-
	FEMALE	124	64	60	-	133	99	64	35	3	31	31	-
	TOTAL	359	212	147	-	348	252	189	63	15	81	81	-
UNITED STATES TOTAL ¹	MALE	118,359	74,928	36,876	6,555	117,658	83,391	52,162	31,229	7,144	27,123	26,240	883
	FEMALE	95,766	57,146	33,444	5,176	96,429	66,667	28,211	38,456	4,650	25,112	24,412	700
	TOTAL	214,125	132,074	70,320	11,731	214,087	150,058	80,373	69,685	11,794	52,235	50,652	1,583

¹

Data not available for one State hospital in Maryland and four in Oklahoma. See Table B for estimates of first admissions.

TABLE 3

PATIENTS ON BOOKS OF PSYCHOPATHIC HOSPITALS AT BEGINNING AND END OF YEAR, BY SEX AND STATE:
UNITED STATES, 1958

(Statistics based on movement schedules from the 12 hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS									
	BEGINNING OF YEAR					END OF YEAR				
	Total	In hospital	In family care	On trial visit	In other extra-mural care	Total	In hospital	In family care	On trial visit	In other extra-mural care
CALIFORNIA										
MALE	38	38	-	-	-	46	45	-	1	-
FEMALE	41	41	-	-	-	52	52	-	-	-
TOTAL	79	79	-	-	-	98	97	-	1	-
COLORADO										
MALE	37	37	-	-	-	33	33	-	-	-
FEMALE	44	44	-	-	-	34	34	-	-	-
TOTAL	81	81	-	-	-	67	67	-	-	-
DELAWARE										
MALE	213	195	-	-	18	212	185	-	-	27
FEMALE	109	105	-	-	4	106	102	-	-	4
TOTAL	322	300	-	-	22	318	287	-	-	31
INDIANA										
MALE	59	45	-	-	14	87	73	-	-	14
FEMALE	71	56	-	-	15	83	61	-	-	22
TOTAL	130	101	-	-	29	170	134	-	-	36
IOWA										
MALE	20	15	5	-	-	25	23	2	-	-
FEMALE	29	20	9	-	-	22	19	3	-	-
TOTAL	49	35	14	-	-	47	42	5	-	-
MASSACHUSETTS										
MALE	92	65	-	-	27	93	65	-	-	28
FEMALE	124	63	-	-	61	91	60	-	-	31
TOTAL	216	128	-	-	88	184	125	-	-	59
MICHIGAN										
MALE	43	41	-	2	-	38	38	-	-	-
FEMALE	23	23	-	2	-	25	25	-	-	-
TOTAL	66	64	-	-	-	63	63	-	-	-
NEBRASKA										
MALE	38	28	-	10	-	43	36	-	7	-
FEMALE	47	43	-	4	-	50	43	-	7	-
TOTAL	85	71	-	14	-	93	79	-	14	-
NEW YORK										
MALE	24	24	-	-	-	23	23	-	-	-
FEMALE	24	24	-	-	-	37	37	-	-	-
TOTAL	48	48	-	-	-	60	60	-	-	-
PENNSYLVANIA										
MALE	85	67	-	18	-	101	49	-	52	-
FEMALE	106	72	-	34	-	132	52	-	80	-
TOTAL	191	139	-	52	-	233	101	-	132	-
TENNESSEE										
MALE	20	20	-	-	-	16	16	-	-	-
FEMALE	33	33	-	-	-	32	32	-	-	-
TOTAL	53	53	-	-	-	48	48	-	-	-
WISCONSIN										
MALE	22	22	-	-	-	23	22	-	1	-
FEMALE	10	10	-	-	-	17	17	-	-	-
TOTAL	32	32	-	-	-	40	39	-	1	-
UNITED STATES TOTAL										
MALE	691	597	5	30	59	740	608	2	61	69
FEMALE	661	534	9	38	80	681	534	3	87	57
TOTAL	1,352	1,131	14	68	139	1,421	1,142	5	148	126

TABLE 4

ADDITIONS AND SEPARATIONS IN PSYCHOPATHIC HOSPITALS, BY SEX AND STATE: UNITED STATES, 1958

(Statistics based on movement schedules from the 12 hospitals)

STATE AND SEX		ADDITIONS DURING YEAR				SEPARATIONS DURING YEAR							
						TOTAL SEPA- RATIONS	DISCHARGES			TRANS- FERS OUT	DEATHS		
		Total	First admis- sions	Re- admis- sions	Trans- fers in		Total	From hospi- tal	From extra- mural care		Total	In hospi- tal	In extra- mural care
CALIFORNIA	MALE	84	50	34	-	76	75	69	6	-	1	1	-
	FEMALE	95	64	31	-	84	83	78	5	-	1	-	1
	TOTAL	179	114	65	-	160	158	147	11	-	2	1	1
COLORADO	MALE	414	322	92	-	418	417	402	15	-	1	1	-
	FEMALE	370	274	96	-	380	379	363	16	-	1	1	-
	TOTAL	784	596	188	-	798	796	765	31	-	2	2	-
DELAWARE	MALE	227	147	79	1	228	175	154	21	2	51	49	2
	FEMALE	84	72	12	-	87	45	40	5	2	40	39	1
	TOTAL	311	219	91	1	315	220	194	26	4	91	88	3
INDIANA	MALE	144	105	15	24	116	98	34	64	16	2	-	2
	FEMALE	229	185	38	6	217	210	53	157	6	1	1	-
	TOTAL	373	290	53	30	333	308	87	221	22	3	1	2
IOWA	MALE	139	114	25	-	134	131	121	10	3	-	-	-
	FEMALE	152	135	17	-	159	153	130	23	6	-	-	-
	TOTAL	291	249	42	-	293	284	251	33	9	-	-	-
MASSACHUSETTS	MALE	457	292	129	36	456	384	306	78	71	1	1	-
	FEMALE	331	217	69	45	364	316	216	100	48	-	-	-
	TOTAL	788	509	198	81	820	700	522	178	119	1	1	-
MICHIGAN	MALE	184	129	42	13	189	165	159	6	22	2	2	-
	FEMALE	131	78	47	6	129	115	113	2	14	-	-	-
	TOTAL	315	207	89	19	318	280	272	8	36	2	2	-
NEBRASKA	MALE	191	124	60	7	186	164	145	19	21	1	1	-
	FEMALE	170	89	60	21	167	137	129	8	28	2	2	-
	TOTAL	361	213	120	28	353	301	274	27	49	3	3	-
NEW YORK	MALE	177	119	58	-	178	177	177	-	-	1	1	-
	FEMALE	180	116	64	-	167	167	167	-	-	-	-	-
	TOTAL	357	235	122	-	345	344	344	-	-	1	1	-
PENNSYLVANIA	MALE	87	50	35	2	71	54	43	11	17	-	-	-
	FEMALE	115	61	53	1	89	72	67	5	17	-	-	-
	TOTAL	202	111	88	3	160	126	110	16	34	-	-	-
TENNESSEE	MALE	140	101	39	-	144	144	144	-	-	-	-	-
	FEMALE	204	128	76	-	205	205	205	-	-	-	-	-
	TOTAL	344	229	115	-	349	349	349	-	-	-	-	-
WISCONSIN	MALE	185	176	5	4	184	174	172	2	10	-	-	-
	FEMALE	98	84	6	8	91	84	84	-	7	-	-	-
	TOTAL	283	260	11	12	275	258	256	2	17	-	-	-
UNITED STATES TOTAL	MALE	2,429	1,729	613	87	2,380	2,158	1,926	232	162	60	56	4
	FEMALE	2,159	1,503	569	87	2,139	1,966	1,645	321	128	45	43	2
	TOTAL	4,588	3,232	1,182	174	4,519	4,124	3,571	553	290	105	99	6

TABLE 5

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX,
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
ACUTE BRAIN SYNDROMES ASSOC. WITH:												
ALCOHOL INTOXICATION												
MALE	2,832	-	83	630	943	820	289	51	10	-	-	6
FEMALE	504	-	12	134	184	119	32	16	4	-	-	3
TOTAL	3,336	-	95	764	1,127	939	321	67	14	-	-	9
DRUG OR POISON INTOXICATION												
MALE	160	1	12	24	42	42	24	15	-	-	-	-
FEMALE	193	-	12	33	46	60	34	8	-	-	-	-
TOTAL	353	1	24	57	88	102	58	23	-	-	-	-
CONVULSIVE DISORDER												
MALE	81	2	19	20	13	12	9	4	1	-	-	1
FEMALE	47	1	13	15	11	6	1	-	-	-	-	-
TOTAL	128	3	32	35	24	18	10	4	1	-	-	1
ALL OTHER CONDITIONS												
MALE	373	3	31	37	74	73	82	44	24	3	2	2
FEMALE	261	6	17	43	57	45	52	21	14	3	3	3
TOTAL	634	9	48	80	131	118	134	65	38	6	5	5
TOTAL												
MALE	3,446	6	145	711	1,072	947	404	114	35	3	9	9
FEMALE	1,005	7	54	225	298	230	119	45	18	3	6	6
TOTAL	4,451	13	199	936	1,370	1,177	523	159	53	6	15	15
CHRONIC BRAIN SYNDROMES ASSOC. WITH:												
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE												
MALE	116	25	27	11	22	12	11	5	2	1	-	-
FEMALE	70	8	9	10	13	16	9	4	1	-	-	-
TOTAL	186	33	36	21	35	28	20	9	3	1	-	-
MENINGOENCEPHALITIC SYPHILIS												
MALE	555	-	5	26	113	183	127	71	24	2	4	4
FEMALE	205	2	3	19	27	86	37	21	4	4	2	2
TOTAL	760	2	8	45	140	269	164	92	28	6	6	6
OTHER CNS SYPHILIS												
MALE	391	4	3	13	40	145	120	45	13	1	7	7
FEMALE	170	1	6	7	22	41	52	20	9	8	4	4
TOTAL	561	5	9	20	62	186	172	65	22	9	11	11
EPIDEMIC ENCEPHALITIS												
MALE	48	4	13	3	6	10	8	2	-	1	1	1
FEMALE	56	4	7	5	10	13	6	7	2	1	1	1
TOTAL	104	8	20	8	16	23	14	9	2	2	2	2
OTHER INTRACRANIAL INFECTIONS												
MALE	98	22	16	6	15	14	16	6	1	1	1	1
FEMALE	93	6	10	8	10	15	6	18	14	5	6	6
TOTAL	191	28	26	14	25	29	22	24	15	6	2	2
ALCOHOL INTOXICATION												
MALE	2,701	-	26	236	567	835	664	333	34	1	5	5
FEMALE	663	-	5	65	188	209	136	49	10	1	-	-
TOTAL	3,364	-	31	301	755	1,044	800	382	44	2	5	5
DRUG OR POISON INTOXICATION												
MALE	99	1	1	11	32	19	22	8	1	-	-	4
FEMALE	51	1	-	3	7	16	12	8	3	-	-	1
TOTAL	150	2	1	14	39	35	34	16	4	-	-	5
BIRTH TRAUMA												
MALE	136	13	29	31	28	21	9	2	3	-	-	-
FEMALE	76	14	24	15	11	5	4	2	1	-	-	-
TOTAL	212	27	53	46	39	26	13	4	4	-	-	-
OTHER TRAUMA												
MALE	587	20	77	106	122	136	78	37	10	1	-	-
FEMALE	146	5	18	27	33	28	17	10	5	1	2	2
TOTAL	733	25	95	133	155	164	95	47	15	2	2	2
CEREBRAL ARTERIOSCLEROSIS												
MALE	10,454	3	-	4	26	247	1,533	4,078	3,635	885	43	43
FEMALE	8,872	3	1	3	21	178	1,229	3,146	3,260	993	38	38
TOTAL	19,326	6	1	7	47	425	2,762	7,224	6,895	1,878	81	81
OTHER CIRCULATORY DISTURBANCE												
MALE	779	3	3	9	28	112	220	230	149	22	3	3
FEMALE	606	1	-	8	27	77	169	198	92	28	6	6
TOTAL	1,385	4	3	17	55	189	389	428	241	50	9	9

TABLE 5 - Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX
 UNITED STATES, 1958
 (Statistics based on detailed schedules from 247 of the 266 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
CONVULSIVE DISORDER												
MALE	1,006	78	282	214	198	123	66	28	7	4	6	
FEMALE	862	51	176	209	179	134	65	33	11	—	4	
TOTAL	1,868	129	458	423	377	257	131	61	18	4	10	
SENILE BRAIN DISEASE												
MALE	5,189	—	—	—	8	23	130	1,361	2,613	1,022	32	
FEMALE	5,999	1	1	1	7	22	235	1,547	2,837	1,323	25	
TOTAL	11,188	1	1	1	15	45	365	2,908	5,450	2,345	57	
OTHER DISTURBANCE OF METABOLISM, GROWTH, AND NUTRITION												
MALE	207	2	4	7	16	37	84	32	23	1	1	
FEMALE	295	1	6	9	14	59	126	66	11	1	2	
TOTAL	502	3	10	16	30	96	210	98	34	2	3	
INTRACRANIAL NEOPLASM												
MALE	105	1	5	7	9	32	30	15	4	2	—	
FEMALE	115	2	—	5	9	22	38	20	17	2	—	
TOTAL	220	3	5	12	18	54	68	35	21	4	—	
DISEASES OF UNKNOWN CAUSE												
MALE	340	7	8	23	45	104	89	47	12	2	3	
FEMALE	323	6	8	23	69	64	87	50	12	2	2	
TOTAL	663	13	16	46	114	168	176	97	24	4	5	
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE												
MALE	327	7	27	20	39	80	89	43	15	3	4	
FEMALE	221	6	6	17	24	47	80	31	8	2	—	
TOTAL	548	13	33	37	63	127	169	74	23	5	4	
TOTAL												
MALE	23,138	190	526	727	1,314	2,133	3,296	6,343	6,546	1,949	114	
FEMALE	18,823	112	280	434	671	1,032	2,308	5,230	6,297	2,371	88	
TOTAL	41,961	302	806	1,161	1,985	3,165	5,604	11,573	12,843	4,320	202	
PSYCHOTIC DISORDERS												
INVOLUNTIONAL PSYCHOTIC REACTION												
MALE	1,466	1	4	3	37	500	689	212	15	—	5	
FEMALE	3,468	—	4	10	396	1,605	1,146	285	17	4	1	
TOTAL	4,934	1	8	13	433	2,105	1,835	497	32	4	6	
MANIC DEPRESSIVE REACTION												
MALE	1,151	2	59	144	256	319	259	85	20	1	6	
FEMALE	1,562	—	97	290	373	324	270	163	33	8	4	
TOTAL	2,713	2	156	434	629	643	529	248	53	9	10	
PSYCHOTIC DEPRESSIVE REACTION												
MALE	727	1	42	99	136	176	140	116	17	—	—	
FEMALE	1,108	1	81	184	219	185	239	171	28	—	—	
TOTAL	1,835	2	123	283	355	361	379	287	45	—	—	
SCHIZOPHRENIC REACTIONS												
MALE	13,953	436	3,220	4,232	3,075	1,948	760	181	27	2	71	
FEMALE	15,160	221	2,466	4,845	4,156	2,184	886	311	59	14	18	
TOTAL	29,113	657	5,686	9,078	7,231	4,132	1,646	492	86	16	89	
PARANOID REACTIONS												
MALE	403	6	3	58	97	94	77	55	12	—	1	
FEMALE	261	—	4	36	56	53	65	33	13	1	—	
TOTAL	664	6	7	94	153	147	142	88	25	1	1	
OTHER												
MALE	395	7	122	113	59	44	36	8	5	1	—	
FEMALE	157	5	34	35	34	22	15	7	2	1	2	
TOTAL	552	12	156	148	93	66	51	15	7	2	2	
TOTAL												
MALE	18,095	453	3,450	4,650	3,660	3,081	1,961	657	96	4	83	
FEMALE	21,716	227	2,686	5,400	5,234	4,373	2,621	970	152	28	25	
TOTAL	39,811	680	6,136	10,050	8,894	7,454	4,582	1,627	248	32	108	
PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCERAL DISORDERS												
MALE	96	1	8	12	20	27	17	8	3	—	—	
FEMALE	89	—	7	20	26	19	11	6	—	—	—	
TOTAL	185	1	15	32	46	46	28	14	3	—	—	
PSYCHONEUROTIC REACTIONS												
MALE	2,971	28	360	769	747	631	308	101	19	1	7	
FEMALE	4,225	22	569	1,183	1,043	650	509	227	17	—	5	
TOTAL	7,196	50	929	1,952	1,790	1,281	817	328	36	1	12	

TABLE 5 - Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX:

UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
PERSONALITY DISORDERS											
PERSONALITY PATTERN DISTURBANCE											
MALE	1,356	61	417	342	278	154	85	13	3	-	3
FEMALE	480	32	153	133	71	55	22	10	2	-	2
TOTAL	1,836	93	570	475	349	209	107	23	5	-	5
PERSONALITY TRAIT DISTURBANCE											
MALE	1,997	101	599	562	417	227	75	11	2	-	3
FEMALE	912	66	317	258	162	74	23	5	3	1	3
TOTAL	2,909	167	916	820	579	301	98	16	5	1	6
ANTISOCIAL REACTION											
MALE	1,008	26	495	268	138	54	14	8	-	-	5
FEMALE	236	12	118	48	26	4	9	14	5	-	-
TOTAL	1,244	38	613	316	164	58	23	22	5	-	5
DYSSOCIAL REACTION											
MALE	278	9	135	75	41	11	7	-	-	-	-
FEMALE	103	7	57	23	10	5	1	-	-	-	-
TOTAL	381	16	192	98	51	16	8	-	-	-	-
SEXUAL DEVIATION											
MALE	640	2	188	194	135	73	33	7	3	-	5
FEMALE	30	1	13	9	2	5	-	-	-	-	-
TOTAL	670	3	201	203	137	78	33	7	3	-	5
ALCOHOLISM ADDICTION											
MALE	9,590	-	223	1,643	3,291	2,924	1,188	263	34	2	22
FEMALE	1,582	-	41	347	604	425	137	22	1	1	4
TOTAL	11,172	-	264	1,990	3,895	3,349	1,325	285	35	3	26
DRUG ADDICTION											
MALE	422	-	94	141	55	61	50	11	5	1	4
FEMALE	274	2	39	73	48	71	23	14	2	1	1
TOTAL	696	2	133	214	103	132	73	25	7	2	5
SPECIAL SYMPTOM REACTION											
MALE	19	4	6	2	5	2	-	-	-	-	-
FEMALE	1	-	-	1	-	-	-	-	-	-	-
TOTAL	20	4	6	3	5	2	-	-	-	-	-
TOTAL											
MALE	15,310	203	2,157	3,227	4,360	3,506	1,452	313	47	3	42
FEMALE	3,618	120	738	892	923	639	215	65	13	3	10
TOTAL	18,928	323	2,895	4,119	5,283	4,145	1,667	378	60	6	52
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE											
MALE	1,194	442	386	101	85	68	53	34	10	15	-
FEMALE	815	154	323	100	91	57	42	30	14	3	1
TOTAL	2,009	596	709	201	176	125	95	64	24	18	1
MENTAL DEFICIENCY											
MALE	2,637	174	867	559	446	339	159	57	12	9	15
FEMALE	1,515	101	337	352	322	210	124	43	17	3	6
TOTAL	4,152	275	1,204	911	768	549	283	100	29	12	21
MENTAL DISORDER, UNDIAGNOSED											
MALE	2,183	91	355	348	341	303	257	250	158	47	33
FEMALE	1,284	43	134	245	208	182	149	132	99	45	47
TOTAL	3,467	134	489	593	549	485	406	382	257	92	80
WITHOUT MENTAL DISORDER											
MALE	1,652	41	421	445	336	210	101	75	11	3	9
FEMALE	604	38	96	137	129	107	61	22	10	2	2
TOTAL	2,256	79	517	582	465	317	162	97	21	5	11
TOTAL ALL PATIENTS ¹											
MALE	70,722	1,629	8,675	11,549	12,381	11,245	8,008	7,952	6,937	2,034	312
FEMALE	53,694	824	5,224	8,988	8,945	7,499	6,159	6,770	6,637	2,458	190
TOTAL	124,416	2,453	13,899	20,537	21,326	18,744	14,167	14,722	13,574	4,492	502

¹

These totals do not include 7,658 first admissions, 4,206 males and 3,452 females. See footnote to Table 7.

TABLE 6

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											PSYCHONEUROtic REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes	PSYCHOPHYSIOLOGIC AUTONOMIC AND VISERAL DISORDERS	
ALABAMA															
MALE	996	68	14	300	8	2	11	-	123	33	15	84	24	1	41
FEMALE	832	4	14	212	7	-	-	-	104	10	17	55	19	-	26
TOTAL	1,828	72	28	512	15	2	11	-	227	43	32	139	43	1	67
ARIZONA															
MALE	419	25	11	157	8	-	12	-	59	5	10	40	23	-	22
FEMALE	355	6	2	107	2	1	5	-	44	9	10	22	14	-	31
TOTAL	774	31	13	264	10	1	17	-	103	14	20	62	37	-	53
ARKANSAS															
MALE	985	17	10	261	10	-	4	-	161	5	22	42	17	-	32
FEMALE	653	6	17	183	4	1	-	-	80	5	25	50	18	2	71
TOTAL	1,638	23	27	444	14	1	4	-	241	10	47	92	35	2	103
CALIFORNIA															
MALE	7,820	165	59	1,615	42	10	252	3	497	30	76	502	203	4	287
FEMALE	5,535	30	36	1,370	11	1	79	5	401	33	64	654	122	8	506
TOTAL	13,355	195	95	2,985	53	11	331	8	898	63	140	1,156	325	12	793
COLORADO															
MALE	521	8	-	206	2	-	30	-	62	1	13	83	15	-	3
FEMALE	309	1	-	169	-	-	5	1	39	4	5	111	4	-	12
TOTAL	830	9	-	375	2	-	35	1	101	5	18	194	19	-	15
CONNECTICUT															
MALE	1,548	303	24	528	5	-	53	-	307	4	13	100	46	1	106
FEMALE	1,256	52	18	476	4	-	16	-	252	13	11	155	25	1	143
TOTAL	2,804	355	42	1,004	9	-	69	-	559	17	24	255	71	2	249
DELAWARE															
MALE	195	11	1	27	2	1	4	-	9	1	-	4	6	-	2
FEMALE	160	5	1	14	-	-	1	-	3	1	-	5	4	-	6
TOTAL	355	16	2	41	2	1	5	-	12	2	-	9	10	-	8
DISTRICT OF COLUMBIA															
MALE	465	11	1	203	4	2	21	-	150	1	4	3	18	-	28
FEMALE	520	2	2	251	4	-	7	-	209	6	8	14	3	-	35
TOTAL	985	13	3	454	8	2	28	-	359	7	12	17	21	-	63
FLORIDA															
MALE	1,005	22	10	400	18	-	23	6	162	24	15	105	47	-	43
FEMALE	931	7	8	312	4	-	14	1	154	18	21	80	20	1	31
TOTAL	1,936	29	18	712	22	-	37	7	316	42	36	185	67	1	74
GEORGIA															
MALE	1,543	30	8	689	21	9	72	33	412	23	53	32	34	-	2
FEMALE	1,312	11	11	513	29	5	12	4	130	12	51	258	12	-	10
TOTAL	2,855	41	19	1,202	50	14	84	37	542	35	104	290	46	-	12
IDAHO															
MALE	335	8	2	81	-	-	5	2	33	4	4	22	11	1	31
FEMALE	229	1	2	50	-	-	2	-	25	3	2	15	3	3	47
TOTAL	564	9	4	131	-	-	7	2	58	7	6	37	14	4	78
ILLINOIS															
MALE	5,150	306	42	1,973	34	8	326	2	706	86	52	591	168	5	204
FEMALE	3,244	32	23	1,313	16	1	54	2	522	39	38	553	88	6	207
TOTAL	8,394	338	65	3,286	50	9	380	4	1,228	125	90	1,144	256	11	411
INDIANA															
MALE	1,581	18	6	420	16	7	30	1	204	19	8	102	33	2	59
FEMALE	870	1	6	341	11	3	8	1	197	10	9	73	29	-	54
TOTAL	2,451	19	12	761	27	10	38	2	401	29	17	175	62	2	113

TABLE 6 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			MENTAL DEFICIENCY	MENTAL DISORDERS UNCLASSIFIED	WITHOUT MENTAL DISORDERS	
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism addiction	All other	TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE			
ALABAMA														
MALE	310	51	19	3	235	2	-	158	40	118	8	53	10	33
FEMALE	477	76	45	1	352	4	-	51	3	48	4	33	2	9
TOTAL	787	127	64	3	587	6	-	209	43	166	12	86	12	42
ARIZONA														
MALE	141	10	9	3	114	5	-	40	1	39	7	9	1	6
FEMALE	177	39	14	5	118	1	-	18	-	18	2	10	-	2
TOTAL	318	49	23	8	232	6	-	58	1	57	9	19	1	8
ARKANSAS														
MALE	185	13	14	10	140	5	3	223	193	30	17	51	43	146
FEMALE	227	38	22	10	148	5	4	61	38	23	31	18	22	15
TOTAL	412	51	36	20	288	10	7	284	231	53	48	69	65	161
CALIFORNIA														
MALE	2,140	192	70	85	1,796	31	6	3,060	1,814	1,246	109	77	220	84
FEMALE	2,508	463	83	122	1,818	13	9	836	512	324	57	40	86	58
TOTAL	4,648	655	153	207	3,574	44	15	3,896	2,326	1,570	166	117	306	142
COLORADO														
MALE	61	3	-	3	52	3	-	136	75	61	-	27	26	54
FEMALE	80	1	2	6	69	2	-	17	11	6	-	17	7	6
TOTAL	141	4	2	9	121	5	-	153	86	67	-	44	33	60
CONNECTICUT														
MALE	344	23	29	18	262	12	-	199	81	118	9	20	14	-
FEMALE	450	48	40	32	319	11	-	93	26	67	2	11	10	-
TOTAL	794	71	69	50	581	23	-	292	107	185	11	31	24	-
DELAWARE														
MALE	33	8	5	2	16	2	-	8	3	5	2	3	108	-
FEMALE	48	11	8	9	16	4	-	3	3	3	2	2	81	-
TOTAL	81	19	13	11	32	6	-	11	3	6	2	5	189	-
DISTRICT OF COLUMBIA														
MALE	156	22	9	1	116	2	6	43	5	38	-	5	4	14
FEMALE	202	25	8	3	161	1	4	13	2	11	3	3	9	-
TOTAL	358	47	17	4	277	3	10	56	7	49	3	8	13	14
FLORIDA														
MALE	264	13	29	2	203	16	1	158	78	80	11	66	29	2
FEMALE	430	74	42	9	299	4	2	53	14	39	2	26	41	20
TOTAL	694	87	71	11	502	20	3	211	92	119	13	92	70	22
GEORGIA														
MALE	418	2	171	-	243	2	-	17	-	17	-	163	1	215
FEMALE	596	55	79	-	465	3	-	4	-	4	-	62	4	101
TOTAL	1,014	57	244	-	708	5	-	21	-	21	-	225	5	316
IDAH0														
MALE	42	2	6	-	33	1	-	116	72	44	41	5	4	4
FEMALE	71	15	5	3	48	1	-	23	9	14	27	4	1	4
TOTAL	113	17	11	3	81	1	-	139	81	58	68	9	5	4
ILLINOIS														
MALE	623	59	35	21	687	20	1	1,134	688	246	40	100	503	20
FEMALE	1,018	156	40	42	759	21	1	213	111	102	37	89	292	14
TOTAL	1,641	215	75	63	1,446	41	1	1,347	999	348	77	189	795	34
INDIANA														
MALE	289	18	13	13	239	5	1	692	594	98	12	81	2	-
FEMALE	328	30	23	24	251	-	1	86	33	53	8	42	3	1
TOTAL	617	48	36	37	490	5	1	776	627	151	20	123	5	1

TABLE 6 - Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH										PSYCHONERUPTIVE REACTIONS	
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes	PSYCHOPHYSIOLOGIC AUTONOMIC AND VISUAL DISORDERS	
IOWA															
MALE	872	20	8	268	5	-	14	1	123	8	10	88	19	3	89
FEMALE	505	5	5	150	-	-	-	-	62	3	7	60	18	2	64
TOTAL	1,377	25	13	418	5	-	14	1	185	11	17	148	37	5	153
KANSAS															
MALE	768	10	7	223	7	2	18	1	63	5	17	60	50	-	69
FEMALE	562	3	3	144	4	-	3	-	44	5	11	47	30	3	83
TOTAL	1,330	10	10	367	11	2	21	1	107	10	28	107	80	3	152
KENTUCKY															
MALE	1,213	65	8	434	12	1	32	-	215	14	29	103	28	6	65
FEMALE	705	4	8	282	4	1	4	-	149	14	15	80	15	5	66
TOTAL	1,918	69	16	716	16	2	36	-	364	28	44	183	43	11	131
LOUISIANA															
MALE	920	40	12	256	18	2	42	-	111	7	10	40	26	1	37
FEMALE	692	6	20	178	4	4	4	1	92	6	21	37	9	1	69
TOTAL	1,612	46	32	434	22	6	46	1	203	13	31	77	35	2	106
MAINE															
MALE	312	34	6	105	1	-	8	-	79	-	4	13	-	1	27
FEMALE	324	4	4	132	-	-	6	-	114	-	3	3	6	-	42
TOTAL	636	38	10	237	1	-	14	-	193	-	7	16	6	1	69
MARYLAND															
MALE	1,075	134	6	351	9	1	72	-	115	9	23	99	23	1	38
FEMALE	782	17	3	312	-	2	20	-	135	5	14	113	23	-	84
TOTAL	1,857	151	9	663	9	3	92	-	250	14	37	212	46	1	122
MICHIGAN															
MALE	1,990	49	5	613	36	2	72	-	257	25	37	107	77	3	62
FEMALE	1,492	9	17	422	15	5	9	1	171	15	26	132	48	3	149
TOTAL	3,482	58	22	1,035	51	7	81	1	428	40	63	239	125	6	211
MINNESOTA															
MALE	1,646	10	7	454	2	3	18	-	188	32	11	161	39	3	35
FEMALE	885	1	5	325	-	1	6	-	152	21	7	107	31	-	95
TOTAL	2,531	11	12	779	2	4	24	-	340	53	18	268	70	3	130
MISSISSIPPI															
MALE	1,158	57	5	184	10	-	21	1	83	6	14	29	20	-	64
FEMALE	857	12	4	130	-	-	-	-	68	5	16	30	11	-	31
TOTAL	2,015	69	9	314	10	-	21	1	151	11	30	59	31	-	95
MISSOURI															
MALE	996	8	5	340	9	6	48	1	152	15	32	51	26	4	42
FEMALE	728	1	2	213	3	6	3	1	88	25	28	38	21	2	89
TOTAL	1,724	9	7	553	12	12	51	2	240	40	60	89	47	6	131
MONTANA															
MALE	467	23	4	137	1	2	10	1	48	4	12	34	25	2	13
FEMALE	246	6	-	76	2	-	-	-	40	3	7	12	12	1	31
TOTAL	713	29	4	213	3	2	10	1	88	7	19	46	37	3	44
NEBRASKA															
MALE	577	10	4	186	-	2	6	1	119	8	9	28	13	-	14
FEMALE	325	2	2	119	-	1	1	-	84	4	2	18	10	-	35
TOTAL	902	12	6	305	-	2	7	1	203	12	11	46	23	-	49
NEVADA															
MALE	165	6	-	49	-	1	7	-	19	2	10	7	3	-	7
FEMALE	123	2	-	33	-	1	6	-	15	-	-	10	1	-	6
TOTAL	288	8	-	82	-	2	13	-	34	2	10	17	4	-	13

TABLE 6 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			All other	Transient Situational Personality Disturbance	Mental Deficiency	Mental Disorder Undiagnosed	Without Mental Disorders
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcohol addition						
IOWA															
MALE	143	16	16	14	89	8	-	281	147	134	14	25	14	7	
FEMALE	199	48	27	18	104	2	-	55	12	43	9	12	3	1	
TOTAL	342	64	43	32	193	10	-	336	159	177	23	37	17	8	
KANSAS															
MALE	246	20	7	19	196	2	2	168	53	115	26	17	2	-	
FEMALE	250	41	11	31	164	3	-	57	9	48	14	7	1	-	
TOTAL	496	61	18	50	360	5	2	225	62	163	40	24	3	-	
KENTUCKY															
MALE	184	15	16	8	140	5	-	265	209	56	19	99	49	19	
FEMALE	202	39	17	18	126	2	-	41	21	20	15	50	27	5	
TOTAL	386	54	33	26	266	7	-	306	230	76	34	149	76	24	
LOUISIANA															
MALE	213	23	6	1	181	1	1	196	138	58	10	66	76	13	
FEMALE	301	31	10	6	254	-	-	48	22	26	14	30	19	6	
TOTAL	514	54	16	7	435	1	1	244	160	84	24	96	95	19	
MAINE															
MALE	63	6	1	-	55	1	-	48	17	31	1	13	-	14	
FEMALE	110	11	11	3	84	1	-	16	3	13	16	-	-	-	
TOTAL	173	17	12	3	139	2	-	64	20	44	1	29	-	14	
MARYLAND															
MALE	249	22	12	19	191	4	1	216	131	85	9	25	46	-	
FEMALE	262	38	14	25	183	5	1	55	28	27	6	13	30	-	
TOTAL	511	60	26	44	374	12	2	271	159	112	15	38	76	-	
MICHIGAN															
MALE	703	28	13	32	622	8	-	442	123	319	49	59	5	-	
FEMALE	662	72	15	25	544	4	2	132	34	98	53	41	4	-	
TOTAL	1,365	100	28	57	1,166	12	2	574	157	417	102	100	9	-	
MINNESOTA															
MALE	213	34	21	19	126	13	-	769	684	85	17	68	24	46	
FEMALE	272	59	29	49	125	9	1	88	48	40	9	41	22	27	
TOTAL	485	93	50	68	251	22	1	857	732	125	26	109	46	73	
MISSISSIPPI															
MALE	220	32	15	4	158	11	-	420	355	65	-	55	14	139	
FEMALE	426	107	25	15	270	9	-	65	42	23	-	57	56	76	
TOTAL	646	139	40	19	428	20	-	485	397	88	-	112	70	215	
MISSOURI															
MALE	273	7	30	3	228	4	1	196	70	126	21	75	29	3	
FEMALE	398	38	34	12	224	-	-	45	10	35	9	43	15	1	
TOTAL	581	45	64	15	452	4	1	241	80	161	30	118	44	4	
MONTANA															
MALE	63	10	5	-	43	4	1	193	144	49	4	10	12	6	
FEMALE	70	19	5	4	41	1	-	42	24	18	3	10	4	3	
TOTAL	133	29	10	4	84	5	1	235	168	67	7	20	16	9	
NEBRASKA															
MALE	97	7	8	5	75	2	-	236	166	70	16	8	2	4	
FEMALE	105	12	8	5	80	-	-	37	18	19	12	8	1	4	
TOTAL	202	19	16	10	155	2	-	273	184	89	28	16	3	8	
NEVADA															
MALE	46	3	5	4	32	2	-	32	23	9	9	14	-	2	
FEMALE	43	3	4	4	32	-	-	27	22	5	-	9	2	1	
TOTAL	89	6	9	8	64	2	-	59	45	14	9	23	2	3	

TABLE 6 - Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											PSYCHONEUROtic REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes	PSYCHOPHYSIOLOGIC AUTONOMIC AND VISERAL DISORDERS	
NEW HAMPSHIRE															
MALE	382	50	2	131	-	-	4	-	53	21	6	42	5	-	25
FEMALE	345	19	11	117	-	-	1	-	44	13	1	48	8	-	21
TOTAL	727	69	13	248	-	2	5	-	97	34	7	90	13	-	46
NEW JERSEY															
MALE	3,154	243	25	1,174	23	3	134	-	594	47	45	264	64	7	157
FEMALE	2,651	34	17	1,202	3	-	45	2	657	39	36	374	46	5	193
TOTAL	5,805	277	42	2,376	26	3	179	2	1,251	86	81	638	110	12	350
NEW MEXICO															
MALE	250	17	3	77	1	2	9	1	38	1	7	15	3	-	12
FEMALE	183	-	1	52	-	-	2	-	22	4	6	10	8	-	40
TOTAL	433	17	4	129	1	2	11	1	60	5	13	25	11	-	52
NEW YORK															
MALE	8,872	407	107	3,906	64	16	610	-	2,067	42	74	820	213	2	377
FEMALE	8,374	90	81	3,873	19	4	191	-	2,137	21	59	1,326	116	3	356
TOTAL	17,246	497	188	7,779	83	20	801	-	4,204	63	133	2,146	329	5	733
NORTH CAROLINA															
MALE	1,447	32	16	370	13	5	7	-	185	20	50	58	32	4	88
FEMALE	1,135	4	13	290	4	-	-	-	121	14	46	75	30	10	81
TOTAL	2,582	36	29	660	17	5	7	-	306	34	96	133	62	14	169
NORTH DAKOTA															
MALE	516	27	3	94	-	-	-	5	46	1	2	32	8	1	30
FEMALE	309	1	-	69	-	-	-	3	24	2	3	32	5	-	40
TOTAL	825	28	3	163	-	-	-	8	70	3	5	64	13	1	70
OHIO															
MALE	4,533	208	53	1,468	47	12	360	2	642	50	47	167	141	14	289
FEMALE	3,697	32	32	956	12	8	78	5	519	33	64	153	84	14	502
TOTAL	8,230	240	85	2,424	59	20	438	7	1,161	83	111	320	225	28	791
OREGON															
MALE	1,296	35	10	312	5	2	28	-	153	9	11	77	27	5	63
FEMALE	962	7	8	238	1	1	6	-	142	17	7	35	29	6	167
TOTAL	2,258	42	18	550	6	3	34	-	295	26	18	112	56	11	230
PENNSYLVANIA															
MALE	2,884	75	38	1,073	33	6	70	-	696	34	48	108	78	2	96
FEMALE	2,692	13	37	1,032	12	3	22	2	698	21	44	173	57	3	185
TOTAL	5,576	88	75	2,105	45	9	92	2	1,394	55	92	281	135	5	281
RHODE ISLAND															
MALE	552	6	8	211	-	1	17	-	63	6	5	113	6	2	22
FEMALE	444	2	4	203	2	-	4	-	40	-	1	150	6	-	40
TOTAL	996	8	12	414	2	1	21	-	103	6	6	263	12	2	62
SOUTH CAROLINA															
MALE	1,023	65	18	293	22	2	14	-	205	9	15	6	20	3	47
FEMALE	819	11	9	250	4	-	-	1	164	9	14	45	13	-	96
TOTAL	1,842	76	27	543	26	2	14	1	369	18	29	51	33	3	143
SOUTH DAKOTA															
MALE	351	7	2	103	-	-	7	-	12	5	3	69	7	3	18
FEMALE	209	3	-	69	-	-	-	-	2	2	6	53	6	3	30
TOTAL	560	10	2	172	-	-	7	-	14	7	9	122	13	6	57
TENNESSEE															
MALE	1,322	44	10	399	16	1	12	1	152	25	28	120	35	3	43
FEMALE	933	4	6	320	1	3	5	2	136	26	15	107	25	2	60
TOTAL	2,255	48	16	719	17	4	17	3	288	51	43	236	60	5	103

TABLE 6 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS								PERSONALITY DISORDERS			MENTAL DEFICIENCY	MENTAL DISORDERS UNDIAGNOSED	WITHOUT MENTAL DISORDERS
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reactions	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism addiction	All other personalities	TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE			
NEW HAMPSHIRE														
MALE	81	30	4	-	46	1	-	15	3	12	19	11	24	24
FEMALE	112	39	15	-	58	-	-	5	1	4	10	16	33	1
TOTAL	193	69	19	-	104	1	-	20	4	16	29	27	57	25
NEW JERSEY														
MALE	736	95	50	25	492	27	47	626	379	247	64	92	21	9
FEMALE	978	228	100	45	562	16	27	104	43	61	45	44	27	2
TOTAL	1,714	323	150	70	1,054	43	74	730	422	308	109	136	48	11
NEW MEXICO														
MALE	59	-	-	2	56	-	1	55	16	39	9	6	6	6
FEMALE	63	0	1	1	52	-	-	13	6	7	7	6	1	-
TOTAL	122	9	1	3	108	-	-	68	22	46	16	12	7	6
NEW YORK														
MALE	3,063	320	87	176	2,177	32	271	329	149	180	376	192	35	78
FEMALE	3,611	738	210	190	2,281	11	81	39	23	16	166	119	15	21
TOTAL	6,674	1,058	297	366	4,558	49	392	368	172	196	542	311	50	99
NORTH CAROLINA														
MALE	383	33	31	27	290	2	-	442	359	83	9	62	4	37
FEMALE	523	53	49	63	349	9	-	118	60	58	30	86	-	10
TOTAL	906	86	80	90	639	11	-	560	419	141	39	118	4	47
NORTH DAKOTA														
MALE	111	22	7	3	78	-	1	214	174	40	3	12	21	-
FEMALE	144	26	-	5	113	-	-	30	17	13	6	6	9	4
TOTAL	255	48	7	8	191	-	-	244	191	53	9	18	30	4
OHIO														
MALE	1,180	90	78	68	886	55	3	602	219	473	91	143	275	120
FEMALE	1,578	223	112	100	1,098	40	5	245	37	208	70	70	167	31
TOTAL	2,758	313	190	168	1,984	95	8	937	256	681	161	213	442	151
OREGON														
MALE	226	32	15	9	168	2	-	573	365	208	22	35	1	14
FEMALE	313	49	21	15	222	6	-	170	57	113	28	24	1	-
TOTAL	539	81	36	24	390	8	-	743	422	321	50	59	2	14
PENNSYLVANIA														
MALE	928	70	51	19	727	27	25	380	167	213	24	116	27	125
FEMALE	1,079	161	61	62	776	14	5	125	59	72	24	79	24	91
TOTAL	2,007	240	112	81	1,503	41	30	505	220	285	48	195	51	216
RHODE ISLAND														
MALE	77	3	5	4	65	-	-	181	139	42	3	23	19	-
FEMALE	129	27	9	13	75	5	-	45	24	21	2	7	9	3
TOTAL	206	30	14	17	140	5	-	226	163	63	5	30	28	3
SOUTH CAROLINA														
MALE	280	7	24	-	240	9	-	150	112	38	-	38	-	129
FEMALE	245	2	49	-	292	2	-	40	15	25	8	30	-	30
TOTAL	625	9	73	-	532	11	-	190	127	63	8	68	-	159
SOUTH DAKOTA														
MALE	55	1	2	4	45	3	-	129	97	32	5	3	16	8
FEMALE	67	5	8	19	27	7	1	17	7	10	4	1	6	-
TOTAL	122	6	10	23	72	10	1	146	104	42	9	4	24	8
TENNESSEE														
MALE	309	20	34	13	213	19	10	264	190	74	19	57	86	86
FEMALE	370	60	26	12	257	10	5	74	18	56	9	26	41	21
TOTAL	679	80	60	25	470	29	15	338	208	130	28	83	129	107

TABLE 6 - Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE:
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												PSYCHOPATHOLOGIC AUTONOMIC AND PSYCHICAL DISORDERS	PSYCHOMOTORIC REACTION
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other cerebrovascular disturbance	Convulsive disorders	Senile brain disease	All other chronic brain syndromes				
TEXAS																	
	MALE	3,207	7	5	1,130	13	259	12	36	341	52	62	191	164	4	15	
	FEMALE	2,244	12	25	795	9	108	8	19	152	63	53	140	243	1	28	
	TOTAL	5,451	19	30	1,925	22	367	20	55	493	115	115	331	407	5	43	
UTAH																	
	MALE	245	13	3	49	-	-	8	-	10	11	7	8	5	-	11	
	FEMALE	210	4	-	49	-	-	3	1	8	13	10	9	5	-	17	
	TOTAL	455	17	3	98	-	-	11	1	18	24	17	17	10	-	28	
VERMONT																	
	MALE	199	13	2	41	-	1	-	1	22	-	-	16	1	-	7	
	FEMALE	170	-	3	60	-	-	-	-	26	3	-	24	7	1	23	
	TOTAL	369	13	5	101	-	1	-	1	48	3	-	40	8	1	30	
VIRGINIA																	
	MALE	1,726	73	26	558	19	14	59	2	244	44	38	69	69	4	77	
	FEMALE	1,131	29	17	407	8	7	2	-	223	33	27	56	51	1	82	
	TOTAL	2,857	102	43	965	27	21	61	2	467	77	65	125	120	5	159	
WASHINGTON																	
	MALE	815	19	6	252	2	1	17	1	182	8	7	58	26	-	67	
	FEMALE	640	4	11	179	4	-	7	1	83	4	20	46	14	1	73	
	TOTAL	1,455	23	17	431	6	1	24	2	215	12	27	104	40	1	140	
WEST VIRGINIA																	
	MALE	1,099	15	3	301	13	5	24	2	198	14	26	48	31	3	27	
	FEMALE	704	6	5	198	2	2	-	-	103	8	16	44	23	1	80	
	TOTAL	1,803	21	8	499	15	7	24	2	241	22	42	92	34	4	107	
WISCONSIN																	
	MALE	1,979	16	8	684	4	-	91	-	176	9	17	358	27	1	72	
	FEMALE	1,346	1	8	613	-	-	10	1	182	12	16	361	22	-	72	
	TOTAL	3,325	17	16	1,297	4	-	110	1	360	21	33	719	40	1	144	
WYOMING																	
	MALE	148	2	1	52	-	-	2	-	26	-	5	11	8	-	6	
	FEMALE	64	1	-	24	-	-	-	-	15	-	-	6	1	-	7	
	TOTAL	212	3	1	76	-	-	4	-	41	-	5	17	9	-	13	
U.S. TOTAL ¹																	
	MALE	70,722	2,832	614	23,138	555	391	2,701	99	10,454	779	1,006	5,189	1,964	96	2,971	
	FEMALE	53,694	504	501	18,823	205	170	663	51	8,872	606	862	5,999	1,895	89	4,225	
	TOTAL	124,416	3,336	1,115	41,961	760	561	3,364	150	19,326	1,385	1,868	11,188	3,350	185	7,196	

¹

These totals do not include 7,658 first admissions, 4,206 males and 3,452 females. See footnote to Table 7.

TABLE 6 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			TRANSLIENT SITUATIONAL PERSONALITY DISTURBANCE	MENTAL DEFICIENCY	MENTAL DISORDER UNDIAGNOSED	WITHOUT MENTAL DISORDERS	
	TOTAL PSYCHOTIC DISORDERS	Involuntional psychotic reaction	Mild depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism addiction	All other					
TEXAS	MALE FEMALE TOTAL	1,449 1,087 2,536	17 58 75	118 198 316	36 20 56	1,255 791 2,046	17 13 30	6 7 13	124 63 187	57 11 68	67 52 119	5 11 16	361 155 516	107 67 174	- - -
UTAH	MALE FEMALE TOTAL	67 100 167	4 8 12	5 8 13	2 5 7	55 73 128	1 6 7	- - -	85 30 115	4 - 4	81 30 111	4 4 8	11 4 15	2 2 4	- - -
VERMONT	MALE FEMALE TOTAL	49 60 109	3 7 10	11 14 25	1 2 3	31 37 68	3 - 3	- - -	42 10 52	25 3 28	17 7 24	4 2 6	1 6 7	1 2 3	39 3 42
VIRGINIA	MALE FEMALE TOTAL	299 395 694	33 77 110	20 22 42	9 19 28	220 273 493	15 4 19	2 - 2	503 98 601	387 65 452	116 33 149	22 21 43	119 68 187	17 4 21	28 9 37
WASHINGTON	MALE FEMALE TOTAL	201 279 480	10 60 70	22 23 45	13 19 32	144 173 317	12 4 16	- - -	94 42 136	2 - 2	92 42 134	16 23 39	22 4 26	108 12 120	30 12 42
WEST VIRGINIA	MALE FEMALE TOTAL	230 247 477	20 55 75	10 12 22	9 8 17	189 165 354	1 5 6	1 2 3	361 64 425	262 40 302	99 24 123	20 18 38	70 51 121	32 22 54	37 12 49
WISCONSIN	MALE FEMALE TOTAL	373 391 764	7 34 41	10 8 18	15 28 43	331 312 643	6 8 14	4 1 5	556 100 656	346 48 394	210 52 262	24 10 34	66 47 113	139 100 239	40 4 44
WYOMING	MALE FEMALE TOTAL	20 23 43	1 - 1	3 1 4	3 2 5	19 20 33	- - -	- - -	49 7 56	34 2 36	15 5 20	4 - 4	3 2 5	- - -	11 - 11
U.S. TOTAL	MALE FEMALE TOTAL	18,095 21,716 39,811	1,466 3,468 4,934	1,151 1,562 2,713	727 1,108 1,835	13,953 15,160 29,113	403 261 664	395 157 552	15,310 3,618 18,928	9,590 1,582 11,172	5,720 2,036 7,756	1,194 815 2,009	2,627 1,515 4,152	2,183 1,284 3,467	1,652 604 2,256

TABLE 7

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
ALABAMA												
	MALE	996	2	120	199	176	163	106	131	76	19	4
	FEMALE	832	7	89	154	172	145	94	100	61	8	2
	TOTAL	1,828	9	209	353	348	308	200	231	137	27	6
ARIZONA												
	MALE	419	4	66	55	82	73	43	51	37	8	-
	FEMALE	355	2	35	62	87	56	34	42	28	9	-
	TOTAL	774	6	101	117	169	129	77	93	65	17	-
ARKANSAS												
	MALE	985	15	164	135	189	158	104	109	87	14	10
	FEMALE	653	15	75	121	135	110	73	68	41	11	4
	TOTAL	1,638	30	239	256	324	268	177	177	128	25	14
CALIFORNIA												
	MALE	7,820	193	1,079	1,514	1,620	1,349	816	658	464	108	19
	FEMALE	5,535	100	605	1,083	1,140	902	556	543	448	152	6
	TOTAL	13,355	293	1,684	2,597	2,760	2,251	1,372	1,201	912	260	25
COLORADO												
	MALE	521	8	83	78	79	72	47	64	71	19	-
	FEMALE	309	3	22	26	38	29	34	39	73	45	-
	TOTAL	830	11	105	104	117	101	81	103	144	64	-
CONNECTICUT												
	MALE	1,548	28	175	261	252	233	171	172	189	67	-
	FEMALE	1,256	10	95	212	219	149	117	174	192	88	-
	TOTAL	2,804	38	270	473	471	382	288	346	381	155	-
DELAWARE												
	MALE	195	1	27	31	32	31	19	35	15	4	-
	FEMALE	160	1	14	30	33	29	17	11	18	7	-
	TOTAL	355	2	41	61	65	60	36	46	33	11	-
DISTRICT OF COLUMBIA												
	MALE	465	4	70	91	57	63	41	74	51	14	-
	FEMALE	520	2	46	74	77	64	63	77	89	28	-
	TOTAL	985	6	116	165	134	127	104	151	140	42	-
FLORIDA												
	MALE	1,005	13	142	151	156	155	122	131	98	28	9
	FEMALE	931	34	72	163	164	162	122	108	70	32	4
	TOTAL	1,936	47	214	314	320	317	244	239	168	60	13
GEORGIA												
	MALE	1,543	6	124	321	390	239	157	138	138	27	3
	FEMALE	1,312	8	90	175	273	262	171	173	125	31	4
	TOTAL	2,855	14	214	496	663	501	328	311	263	58	7
IDAHO												
	MALE	335	8	50	60	57	47	37	37	30	5	4
	FEMALE	229	4	36	44	39	32	23	24	22	2	3
	TOTAL	564	12	86	104	96	79	60	61	52	7	7
ILLINOIS												
	MALE	5,150	69	456	755	963	831	678	657	554	187	-
	FEMALE	3,244	36	283	519	535	431	354	445	472	169	-
	TOTAL	8,394	105	739	1,274	1,498	1,262	1,032	1,102	1,026	356	-
INDIANA												
	MALE	1,581	56	160	250	303	289	184	143	153	37	6
	FEMALE	870	14	85	151	124	126	85	135	119	31	-
	TOTAL	2,451	70	245	401	427	415	269	278	272	68	6

TABLE 7 - Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
IOWA												
	MALE	872	10	91	132	136	150	102	87	127	37	-
	FEMALE	505	8	56	87	72	76	59	65	63	18	1
	TOTAL	1,377	18	147	219	208	226	161	152	190	55	1
KANSAS												
	MALE	768	25	126	123	120	121	104	80	50	14	5
	FEMALE	562	11	64	98	100	100	66	73	42	6	2
	TOTAL	1,330	36	190	221	220	221	170	153	92	20	7
KENTUCKY												
	MALE	1,213	31	133	184	207	199	111	148	142	45	13
	FEMALE	705	11	65	94	108	110	71	104	102	33	7
	TOTAL	1,918	42	198	278	315	309	182	252	244	78	20
LOUISIANA												
	MALE	920	22	127	171	181	156	103	79	62	14	5
	FEMALE	692	5	73	162	150	97	82	64	48	7	4
	TOTAL	1,612	27	200	333	331	253	185	143	110	21	9
MAINE												
	MALE	312	5	35	53	50	44	32	42	40	11	-
	FEMALE	324	-	33	57	46	38	35	42	58	15	-
	TOTAL	636	5	68	110	96	82	67	84	98	26	-
MARYLAND ¹												
	MALE	1,075	27	134	179	212	183	101	84	103	41	11
	FEMALE	782	8	67	142	121	86	96	114	98	40	10
	TOTAL	1,857	35	201	321	393	269	197	198	201	81	21
MICHIGAN												
	MALE	1,990	57	327	405	329	285	175	188	164	55	5
	FEMALE	1,492	11	210	287	271	214	170	141	126	58	4
	TOTAL	3,482	68	537	692	600	499	345	329	290	113	9
MINNESOTA												
	MALE	1,646	26	114	204	312	313	206	209	192	70	-
	FEMALE	885	18	61	122	112	130	102	156	140	44	-
	TOTAL	2,531	44	175	326	424	443	308	365	332	114	-
MISSISSIPPI												
	MALE	1,158	39	167	206	240	261	163	45	28	9	-
	FEMALE	857	4	101	208	172	163	127	26	23	-	33
	TOTAL	2,015	43	268	414	412	424	290	71	51	9	33
MISSOURI												
	MALE	996	34	158	153	156	162	91	125	88	29	-
	FEMALE	728	15	95	119	126	122	97	77	62	14	1
	TOTAL	1,724	49	253	272	282	284	188	202	150	43	1
MONTANA												
	MALE	467	16	55	66	84	96	62	34	44	6	4
	FEMALE	246	19	23	36	48	34	24	30	20	8	4
	TOTAL	713	35	78	102	132	130	86	64	64	14	8
NEBRASKA												
	MALE	577	10	61	74	103	92	67	73	73	24	-
	FEMALE	325	6	30	34	58	49	38	39	56	15	-
	TOTAL	902	16	91	108	161	141	105	112	129	39	-
NEVADA												
	MALE	165	8	14	33	33	27	18	16	12	3	1
	FEMALE	123	3	5	28	31	20	12	12	10	2	-
	TOTAL	288	11	19	61	64	47	30	28	22	5	1

See footnote at end of table.

TABLE 7- Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:
UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
NEW HAMPSHIRE												
MALE	382	4	52	40	55	56	48	50	55	18	4	
FEMALE	345	5	30	39	61	54	30	44	45	26	11	
TOTAL	727	9	82	79	116	110	78	94	100	44	15	
NEW JERSEY												
MALE	3,154	90	340	470	501	498	353	394	374	132	2	
FEMALE	2,651	40	209	384	383	283	302	342	482	225	1	
TOTAL	5,805	130	549	854	884	781	655	736	856	357	3	
NEW MEXICO												
MALE	250	14	46	58	38	22	20	28	17	7	-	
FEMALE	183	4	32	37	41	21	20	10	17	1	-	
TOTAL	433	18	78	95	79	43	40	38	34	8	-	
NEW YORK												
MALE	8,872	451	1,175	1,338	1,106	1,019	962	1,289	1,143	388	1	
FEMALE	8,374	176	780	1,159	1,068	959	924	1,291	1,143	604	-	
TOTAL	17,246	627	1,955	2,497	2,174	1,978	1,886	2,580	2,556	992	1	
NORTH CAROLINA ¹												
MALE	1,447	16	185	264	308	257	165	127	94	15	16	
FEMALE	1,135	25	129	255	222	175	119	97	95	18	-	
TOTAL	2,582	41	314	519	530	432	284	224	189	33	16	
NORTH DAKOTA												
MALE	516	2	59	104	107	101	56	43	35	9	-	
FEMALE	309	3	46	71	39	46	30	42	23	9	-	
TOTAL	825	5	105	175	146	147	86	85	58	18	-	
OHIO												
MALE	4,533	63	626	900	856	665	470	482	376	84	11	
FEMALE	3,697	49	473	825	706	495	393	356	304	90	6	
TOTAL	8,230	112	1,099	1,725	1,562	1,160	863	838	680	174	17	
OREGON												
MALE	1,296	29	182	193	274	237	123	133	97	28	-	
FEMALE	962	19	126	170	184	153	105	94	84	27	-	
TOTAL	2,258	48	308	363	458	390	228	227	181	55	-	
PENNSYLVANIA												
MALE	2,884	41	306	492	438	392	339	394	373	108	1	
FEMALE	2,692	27	235	416	400	336	304	378	444	151	1	
TOTAL	5,576	68	541	908	838	728	643	772	817	259	2	
RHODE ISLAND												
MALE	552	5	54	80	84	64	78	70	89	27	1	
FEMALE	444	4	30	67	60	29	46	65	100	41	2	
TOTAL	996	9	84	147	144	93	124	135	189	68	3	
SOUTH CAROLINA												
MALE	1,023	12	170	188	211	174	93	82	70	15	8	
FEMALE	819	16	102	163	175	120	75	94	63	8	3	
TOTAL	1,842	28	272	351	386	294	168	176	133	23	11	
SOUTH DAKOTA												
MALE	351	2	36	66	62	48	33	45	37	22	-	
FEMALE	209	1	28	33	17	29	27	28	26	18	2	
TOTAL	560	3	64	99	79	77	60	73	63	40	2	
TENNESSEE												
MALE	1,322	12	156	216	275	213	151	128	129	23	19	
FEMALE	933	4	63	161	172	145	132	103	112	35	6	
TOTAL	2,255	16	219	377	447	358	283	231	241	58	25	

See footnote at end of table.

TABLE 7 - Continued

FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:

UNITED STATES, 1958

(Statistics based on detailed schedules from 247 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
TEXAS	MALE	3,207	13	121	279	483	784	637	435	264	74
	FEMALE	2,244	13	55	203	282	365	489	400	266	136
	TOTAL	5,451	26	176	482	765	1,149	1,126	835	530	210
UTAH	MALE	245	3	38	51	58	37	29	14	7	6
	FEMALE	210	1	30	47	45	29	23	20	11	2
	TOTAL	455	4	68	98	103	66	52	34	18	4
VERMONT	MALE	199	—	33	38	36	30	22	17	17	6
	FEMALE	170	1	17	26	31	17	20	12	29	15
	TOTAL	369	1	50	64	67	47	42	29	46	21
VIRGINIA	MALE	1,726	64	242	269	340	265	161	154	188	43
	FEMALE	1,131	25	117	212	189	156	119	144	130	37
	TOTAL	2,857	89	359	481	529	421	280	298	318	80
WASHINGTON	MALE	815	56	184	108	94	90	79	91	96	17
	FEMALE	640	38	96	104	110	85	61	75	53	18
	TOTAL	1,455	94	280	212	204	175	140	166	149	35
WEST VIRGINIA	MALE	1,099	20	159	196	230	176	105	94	93	19
	FEMALE	704	6	70	145	139	109	79	73	54	7
	TOTAL	1,803	26	229	341	369	285	184	167	147	41
WISCONSIN	MALE	1,979	14	232	287	288	296	208	252	283	95
	FEMALE	1,346	10	121	171	159	148	134	214	267	101
	TOTAL	3,325	24	353	458	447	444	342	466	550	196
WYOMING	MALE	148	1	21	28	18	29	16	20	12	3
	FEMALE	64	2	5	12	11	9	5	6	13	1
	TOTAL	212	3	26	40	29	38	21	26	25	4
UNITED STATES TOTAL ¹	MALE	70,722	1,629	8,675	11,549	12,381	11,245	8,008	7,952	6,937	2,034
	FEMALE	53,694	824	5,224	8,988	8,945	7,499	6,159	6,770	6,637	2,458
	TOTAL	124,416	2,453	13,899	20,537	21,326	18,744	14,167	14,722	13,574	502

¹

These totals include only patients reported on the detailed schedules. The excluded numbers of patients available from movement schedules are as follows:

State	Number of hospitals not included		Number of patients		
	State	County	Total	Male	Female
Total	19	-	7,658	4,206	3,452
Maryland	1	-	705	420	285
Maryland*	1	-	---	---	---
Massachusetts	12	-	6,156	3,433	2,723
North Carolina	1	-	797	353	444
Oklahoma*	4	-	---	---	---

* See Table B for estimated numbers of patients.

TABLE 8

FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1958

(Statistics based on detailed schedules from 11 of the 12 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
ACUTE BRAIN SYNDROMES ASSOC. WITH:											
ALCOHOL INTOXICATION											
MALE	29	-	-	5	9	10	4	1	-	-	-
FEMALE	7	-	1	1	4	1	-	-	-	-	-
TOTAL	36	-	1	6	13	11	4	1	-	-	-
DRUG OR POISON INTOXICATION											
MALE	5	-	-	-	2	1	1	1	-	-	-
FEMALE	9	-	-	2	3	1	-	2	1	-	-
TOTAL	14	-	-	2	5	2	1	3	1	-	-
CONVULSIVE DISORDER											
MALE	1	-	-	-	-	1	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER CONDITIONS											
MALE	11	-	3	1	1	3	-	3	-	-	-
FEMALE	7	1	1	1	2	1	-	1	-	-	-
TOTAL	18	1	4	2	3	4	-	4	-	-	-
TOTAL											
MALE	46	-	3	6	12	15	5	5	-	-	-
FEMALE	23	1	2	4	9	3	-	3	1	-	-
TOTAL	69	1	5	10	21	18	5	8	1	-	-
CHRONIC BRAIN SYNDROMES ASSOC. WITH:											
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE											
MALE	2	2	-	-	-	-	-	-	-	-	-
FEMALE	5	4	-	-	-	-	-	-	-	-	-
TOTAL	7	6	-	-	1	-	-	-	-	-	-
MENINGOENCEPHALITIC SYPHILIS											
MALE	5	1	-	-	1	3	-	-	-	-	-
FEMALE	2	-	-	-	-	1	1	1	-	-	-
TOTAL	7	1	-	-	1	4	1	-	-	-	-
OTHER CNS SYPHILIS											
MALE	5	-	-	-	1	1	1	-	1	-	1
FEMALE	-	-	-	-	-	-	-	-	1	-	1
TOTAL	5	-	-	-	1	1	1	-	1	-	1
EPIDEMIC ENCEPHALITIS											
MALE	3	2	-	-	-	1	-	-	-	-	-
FEMALE	1	1	-	-	-	-	-	-	-	-	-
TOTAL	4	3	-	-	-	1	-	-	-	-	-
OTHER INTRACRANIAL INFECTIONS											
MALE	2	1	-	-	1	-	-	-	-	-	-
FEMALE	1	-	-	-	-	1	-	-	-	-	-
TOTAL	3	1	-	-	1	1	-	-	-	-	-
ALCOHOL INTOXICATION											
MALE	22	-	1	2	3	7	6	3	-	-	-
FEMALE	7	-	-	1	2	3	1	-	-	-	-
TOTAL	29	-	1	3	5	10	7	3	-	-	-
DRUG OR POISON INTOXICATION											
MALE	1	-	-	-	1	-	-	-	-	-	-
FEMALE	3	-	-	1	1	-	1	-	-	-	-
TOTAL	4	-	-	1	2	-	1	-	-	-	-
BIRTH TRAUMA											
MALE	2	1	1	-	-	-	-	-	-	-	-
FEMALE	3	1	1	-	1	-	-	-	-	-	-
TOTAL	5	2	2	-	1	-	-	-	-	-	-
OTHER TRAUMA											
MALE	7	2	1	-	1	1	1	1	-	-	-
FEMALE	4	-	-	2	-	1	1	-	-	-	-
TOTAL	11	2	1	2	1	2	2	1	-	-	-
CEREBRAL ARTERIOSCLEROSIS											
MALE	74	-	-	-	-	6	9	32	19	8	-
FEMALE	61	-	-	1	-	4	11	25	18	2	-
TOTAL	135	-	-	1	-	10	20	57	37	10	-
OTHER CIRCULATORY DISTURBANCE											
MALE	8	-	-	-	-	3	3	2	-	-	-
FEMALE	5	-	-	-	-	-	2	3	-	-	-
TOTAL	13	-	-	-	-	3	5	5	-	-	-

114-28

TABLE 8 - Continued

FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1958
 (Statistics based on detailed schedules from 11 of the 12 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
CONVULSIVE DISORDER												
MALE	15	7	5	2	-	1	-	-	-	-	-	-
FEMALE	9	1	2	4	-	3	-	-	-	-	-	-
TOTAL	24	8	7	6	-	3	-	-	-	-	-	-
SENIILE BRAIN DISEASE												
MALE	23	-	-	-	-	-	-	6	10	7	-	-
FEMALE	25	-	-	-	-	-	1	7	12	5	-	-
TOTAL	48	-	-	-	-	-	1	13	22	12	-	-
OTHER DISTURBANCE OF METABOLISM, GROWTH, AND NUTRITION												
MALE	3	-	-	-	1	-	2	-	-	-	-	-
FEMALE	6	1	-	-	1	3	1	-	-	-	-	-
TOTAL	9	1	-	-	2	3	3	-	-	-	-	-
INTRACRANIAL NEOPLASM												
MALE	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	1	1	-	-	-	-
TOTAL	2	-	-	-	-	-	1	1	-	-	-	-
DISEASES OF UNKNOWN CAUSE												
MALE	6	1	1	-	1	3	-	-	-	-	-	-
FEMALE	2	-	-	-	1	1	-	-	-	-	-	-
TOTAL	8	1	1	-	2	4	-	-	-	-	-	-
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE												
MALE	15	12	-	1	-	-	2	-	-	-	-	-
FEMALE	6	3	1	-	1	1	-	1	-	-	-	-
TOTAL	21	15	1	2	-	-	2	1	-	-	-	-
TOTAL												
MALE	193	29	9	5	10	26	24	44	30	15	1	
FEMALE	142	11	4	10	7	17	20	36	30	7		
TOTAL	335	40	13	15	17	43	44	60	60	22		
PSYCHOTIC DISORDERS												
INVOLUNTIONAL PSYCHOTIC REACTION												
MALE	41	-	-	-	1	12	19	9	-	-	-	-
FEMALE	77	-	-	-	5	26	35	11	-	-	-	-
TOTAL	118	-	-	-	6	38	54	20	-	-	-	-
MANIC DEPRESSIVE REACTION												
MALE	23	-	1	2	4	10	5	1	-	-	-	-
FEMALE	36	-	7	5	10	4	6	3	-	-	-	-
TOTAL	59	-	8	7	14	14	11	4	-	-	-	-
PSYCHOTIC DEPRESSIVE REACTION												
MALE	41	-	3	4	7	15	9	3	-	-	-	-
FEMALE	73	-	5	13	17	17	14	6	-	-	-	-
TOTAL	114	-	8	17	24	32	23	9	-	-	-	-
SCHIZOPHRENIC REACTIONS												
MALE	306	40	121	63	42	31	7	-	1	-	-	1
FEMALE	397	17	97	146	93	32	8	2	1	-	-	1
TOTAL	703	57	218	209	135	63	15	2	2	-	-	2
PARANOID REACTIONS												
MALE	11	-	-	2	4	1	2	-	2	-	-	-
FEMALE	6	-	-	1	1	3	4	-	2	-	-	-
TOTAL	17	-	-	2	5	4	4	-	2	-	-	-
OTHER												
MALE	3	1	1	-	-	-	1	-	-	-	-	-
FEMALE	2	-	1	-	-	-	1	-	-	-	-	-
TOTAL	5	1	2	-	-	-	2	-	-	-	-	-
TOTAL												
MALE	425	41	126	71	58	69	43	13	3	-	-	1
FEMALE	591	17	110	164	126	82	66	22	3	-	-	1
TOTAL	1,016	58	236	235	184	151	109	35	6	-	-	2
PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCELAR DISORDERS												
MALE	9	1	3	3	1	1	-	-	-	-	-	-
FEMALE	12	1	1	5	4	1	-	-	-	-	-	-
TOTAL	21	2	4	8	5	2	-	-	-	-	-	-
PSYCHONEUROTIC REACTIONS												
MALE	133	10	30	23	29	20	14	5	1	-	-	1
FEMALE	194	5	36	71	39	26	14	3	-	-	-	-
TOTAL	327	15	66	94	68	46	28	8	1	-	-	1

TABLE 8 - Continued

FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX, UNITED STATES, 1958

(Statistics based on detailed schedules from 11 of the 12 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
PERSONALITY DISORDERS											
PERSONALITY PATTERN DISTURBANCE											
MALE	86	9	28	18	13	10	6	1	1	-	-
FEMALE	43	3	23	9	6	1	1	-	-	-	-
TOTAL	129	12	51	27	19	11	7	1	1	-	-
PERSONALITY TRAIT DISTURBANCE											
MALE	150	16	54	27	30	14	7	2	-	-	-
FEMALE	120	5	50	37	18	5	1	2	-	-	2
TOTAL	270	21	104	64	48	19	8	4	-	-	2
ANTISOCIAL REACTION											
MALE	52	1	28	10	6	1	3	-	-	-	3
FEMALE	13	-	8	4	1	-	-	-	-	-	3
TOTAL	65	1	36	14	7	1	3	-	-	-	-
DYSSOCIAL REACTION											
MALE	9	-	3	2	-	3	1	-	-	-	-
FEMALE	10	-	8	1	1	-	-	-	-	-	-
TOTAL	19	-	11	3	1	3	1	-	-	-	-
SEXUAL DEVIATION											
MALE	32	1	17	7	4	3	-	-	-	-	-
FEMALE	1	-	1	-	-	-	-	-	-	-	-
TOTAL	33	1	18	7	4	3	-	-	-	-	-
ALCOHOLISM ADDICTION											
MALE	89	-	2	17	23	26	15	4	1	-	1
FEMALE	26	-	2	10	9	3	2	-	-	-	-
TOTAL	115	-	4	27	32	29	17	4	1	-	1
DRUG ADDICTION											
MALE	4	-	-	1	1	1	-	-	-	-	1
FEMALE	5	1	-	3	1	-	-	-	-	-	1
TOTAL	9	1	-	4	2	1	-	-	-	-	1
SPECIAL SYMPTOM REACTION											
MALE	2	1	1	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-
TOTAL	2	1	1	-	-	-	-	-	-	-	-
TOTAL											
MALE	424	28	133	82	77	58	32	7	2	-	5
FEMALE	218	9	92	64	36	9	4	2	-	-	2
TOTAL	642	37	225	146	113	67	36	9	2	-	7
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE											
MALE	122	87	24	-	3	2	3	3	-	-	-
FEMALE	63	31	20	4	3	2	1	2	-	-	-
TOTAL	185	118	44	4	6	4	4	5	-	-	-
MENTAL DEFICIENCY											
MALE	36	11	12	9	3	-	1	-	-	-	-
FEMALE	20	8	6	5	1	-	-	-	-	-	-
TOTAL	56	19	18	14	4	-	1	-	-	-	-
MENTAL DISORDER, UNDIAGNOSED											
MALE	17	6	3	1	2	1	4	-	-	-	-
FEMALE	10	1	4	1	-	1	2	-	-	-	1
TOTAL	27	7	7	2	2	2	6	-	-	-	1
WITHOUT MENTAL DISORDER											
MALE	32	3	10	6	3	5	2	2	-	1	-
FEMALE	13	3	-	-	2	2	3	1	2	-	-
TOTAL	45	6	10	6	5	7	5	3	2	1	-
TOTAL ALL PATIENTS ¹											
MALE	1,437	216	353	206	198	197	128	79	36	16	8
FEMALE	1,286	87	275	328	227	143	110	69	36	7	4
TOTAL	2,723	303	628	534	425	340	238	148	72	23	12

¹

These totals do not include 509 first admissions, 292 males and 217 females. See footnote to Table 10.

TABLE 9

FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 11 of the 12 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH										PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCERAL DISORDERS	PSYCHONEUROTIC REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes		
CALIFORNIA															
MALE	50	-	1	8	-	-	-	-	-	3	2	-	3	-	8
FEMALE	64	-	-	6	-	-	-	-	3	1	-	2	5	-	16
TOTAL	114	-	1	14	-	-	-	-	3	3	3	-	-	-	24
COLORADO															
MALE	322	15	6	50	1	3	14	-	19	1	1	7	4	1	22
FEMALE	274	3	7	30	-	-	4	-	12	1	1	8	4	3	53
TOTAL	596	18	13	80	1	3	18	-	31	2	2	15	8	4	75
DELAWARE															
MALE	147	4	-	52	-	1	1	-	32	-	-	12	6	-	3
FEMALE	72	-	-	40	-	-	1	-	31	-	-	7	1	-	1
TOTAL	219	4	-	92	-	1	2	-	63	-	-	19	7	-	4
INDIANA															
MALE	105	1	-	6	2	-	1	-	1	-	-	-	2	-	11
FEMALE	185	-	1	10	2	-	1	1	3	-	-	2	2	2	23
TOTAL	290	1	1	16	4	-	1	1	4	-	-	2	4	2	34
IOWA															
MALE	114	-	1	11	-	-	2	1	3	2	1	-	2	2	10
FEMALE	135	1	2	10	-	-	1	1	-	3	1	-	4	3	12
TOTAL	249	1	3	21	-	-	3	2	3	5	2	-	6	5	22
MICHIGAN															
MALE	129	-	3	16	-	-	1	-	1	1	4	-	9	4	14
FEMALE	78	-	1	8	-	-	1	-	3	3	3	-	2	2	11
TOTAL	207	-	4	24	-	-	1	-	4	1	7	-	11	6	25
NEBRASKA															
MALE	124	-	2	14	-	-	-	-	7	-	2	-	5	-	11
FEMALE	89	-	1	15	-	-	-	-	5	-	2	2	8	2	23
TOTAL	213	-	3	29	-	-	-	-	12	-	2	2	13	2	34
NEW YORK															
MALE	119	6	1	14	1	1	1	-	7	-	-	3	1	-	11
FEMALE	116	3	-	9	-	-	1	-	2	-	-	5	2	-	19
TOTAL	235	9	1	23	1	1	1	-	9	-	-	8	3	-	30
PENNSYLVANIA															
MALE	50	-	1	1	-	-	-	-	-	-	-	-	1	-	13
FEMALE	61	-	1	-	-	-	-	-	-	-	-	-	6	-	6
TOTAL	111	-	2	1	-	-	-	-	-	-	1	-	1	-	19
TENNESSEE															
MALE	101	3	2	8	-	-	2	-	3	-	1	-	2	-	12
FEMALE	128	-	3	10	-	-	1	1	2	1	2	1	4	-	22
TOTAL	229	3	5	18	-	-	3	1	5	1	3	1	4	-	34
WISCONSIN															
MALE	176	-	-	13	1	-	-	-	1	1	3	1	6	1	18
FEMALE	84	-	-	4	-	-	-	-	-	-	1	1	3	-	8
TOTAL	260	-	-	17	1	-	-	-	1	1	4	1	9	1	26
UNITED STATES ¹	TOTAL														
MALE	1,437	29	17	193	5	5	22	1	74	8	15	23	40	9	133
FEMALE	1,286	7	16	142	2	-	7	3	61	9	25	30	12	12	194
TOTAL	2,723	36	33	335	7	5	29	4	135	13	24	48	70	21	327

¹

These totals do not include 509 first admissions, 292 males and 217 females. See footnote to Table 10.

TABLE 9 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE	MENTAL DEFICIENCY	MENTAL DISORDER UNDIAGNOSED	MENTAL DISORDERS UNDIAGNOSED
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reactions	Mild depressive reaction	Probable depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism addiction	All other				
CALIFORNIA														
MALE	19	1	3	2	13	-	-	12	1	11	2	-	-	-
FEMALE	33	1	1	4	27	-	-	7	7	7	2	-	-	-
TOTAL	52	2	4	6	40	-	-	19	1	18	4	-	-	-
COLORADO														
MALE	81	3	4	6	63	5	-	118	14	104	13	3	-	13
FEMALE	120	11	10	12	86	1	-	52	3	49	3	3	-	-
TOTAL	201	14	14	18	149	6	-	170	17	153	16	6	-	13
DELAWARE														
MALE	-	-	-	-	-	-	-	46	37	9	32	1	1	8
FEMALE	-	-	-	-	-	-	-	12	10	2	7	-	-	11
TOTAL	-	-	-	-	-	-	-	58	47	11	39	2	1	19
INDIANA														
MALE	71	8	1	7	55	-	-	9	-	9	5	-	2	-
FEMALE	126	16	1	22	88	-	-	19	-	19	1	2	1	-
TOTAL	197	24	1	29	143	-	-	28	-	28	6	3	3	-
IOWA														
MALE	47	15	8	8	14	2	-	34	3	31	7	1	1	-
FEMALE	63	21	14	8	19	1	-	34	3	34	7	3	1	-
TOTAL	110	36	22	16	33	3	-	68	3	65	14	4	1	-
MICHIGAN														
MALE	37	-	4	3	29	1	-	43	8	35	10	2	-	-
FEMALE	27	3	4	2	18	-	-	20	5	15	7	2	2	-
TOTAL	64	3	8	5	47	1	-	63	13	50	17	2	2	-
NEBRASKA														
MALE	28	2	-	-	24	2	-	42	15	27	16	6	4	1
FEMALE	27	7	2	2	16	-	-	10	2	8	8	2	2	1
TOTAL	55	9	2	2	40	2	-	52	17	35	24	6	6	2
NEW YORK														
MALE	52	11	3	13	24	-	1	21	7	14	2	10	1	1
FEMALE	71	10	4	20	36	-	1	8	1	7	1	2	3	-
TOTAL	123	21	7	33	60	-	2	29	8	21	3	12	4	1
PENNSYLVANIA														
MALE	28	1	-	-	26	-	1	4	-	4	1	-	1	-
FEMALE	49	2	1	3	43	-	1	4	1	3	1	-	-	-
TOTAL	77	3	1	3	69	-	1	8	1	7	2	-	1	-
TENNESSEE														
MALE	33	-	-	2	30	1	-	33	4	29	3	4	3	-
FEMALE	71	6	-	-	61	4	-	15	4	11	4	2	1	-
TOTAL	104	6	-	2	91	5	-	48	6	40	7	6	4	-
WISCONSIN														
MALE	29	-	-	-	28	-	1	62	-	62	31	9	4	9
FEMALE	4	-	-	-	3	-	1	37	-	37	22	7	1	1
TOTAL	33	-	-	-	31	-	2	99	-	99	53	16	5	10
UNITED STATES TOTAL														
MALE	425	41	23	41	306	11	3	424	89	395	122	36	17	32
FEMALE	591	77	36	73	397	6	2	218	26	192	63	20	10	13
TOTAL	1,016	118	59	114	703	17	5	642	115	527	185	56	27	45

TABLE 10

FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY AGE, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 11 of the 12 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
CALIFORNIA											
MALE	50	2	10	8	8	13	7	2	-	-	-
FEMALE	64	3	18	23	9	7	3	1	-	-	-
TOTAL	114	5	28	31	17	20	10	3	-	-	-
COLORADO											
MALE	322	12	68	59	57	51	24	30	11	2	8
FEMALE	274	4	47	76	56	36	25	17	8	2	3
TOTAL	596	16	115	135	113	87	49	47	19	4	11
DELAWARE											
MALE	147	35	2	8	22	20	19	16	14	11	-
FEMALE	72	8	1	4	10	5	9	10	20	5	-
TOTAL	219	43	3	12	32	25	28	26	34	16	-
INDIANA											
MALE	105	7	32	21	12	18	12	3	-	-	-
FEMALE	185	4	34	60	37	21	13	14	2	-	-
TOTAL	290	11	66	81	49	39	25	17	2	-	-
IOWA											
MALE	114	8	34	13	16	23	12	7	-	1	-
FEMALE	135	2	31	37	23	13	22	6	1	-	-
TOTAL	249	10	65	50	39	36	34	13	1	1	-
MICHIGAN											
MALE	129	20	59	14	13	12	10	1	-	-	-
FEMALE	78	7	12	27	19	5	7	-	-	-	1
TOTAL	207	27	71	41	32	17	17	1	-	-	1
NEBRASKA											
MALE	124	48	20	9	9	14	8	7	9	-	-
FEMALE	89	18	10	15	11	14	10	10	1	-	-
TOTAL	213	66	30	24	20	28	18	17	10	-	-
NEW YORK											
MALE	119	1	29	29	13	20	18	6	1	2	-
FEMALE	116	3	27	30	23	14	11	4	4	-	-
TOTAL	235	4	56	59	36	34	29	10	5	2	-
PENNSYLVANIA											
MALE	50	6	13	12	9	5	3	2	-	-	-
FEMALE	61	4	18	21	10	6	2	-	-	-	-
TOTAL	111	10	31	33	19	11	5	2	-	-	-
TENNESSEE											
MALE	101	1	23	20	28	15	11	2	1	-	-
FEMALE	128	3	25	34	29	22	8	7	-	-	-
TOTAL	229	4	48	54	57	37	19	9	1	-	-
WISCONSIN											
MALE	176	76	63	13	11	6	4	3	-	-	-
FEMALE	84	31	52	1	-	-	-	-	-	-	-
TOTAL	260	107	115	14	11	6	4	3	-	-	-
UNITED STATES TOTAL ¹											
MALE	1,437	216	353	206	198	197	128	79	36	16	8
FEMALE	1,286	87	275	328	227	143	110	69	36	7	4
TOTAL	2,723	303	628	534	425	340	238	148	72	23	12

¹

These totals include only patients reported on the detailed schedules. The excluded numbers of patients available from movement schedules are as follows:

State	Number of hospitals not included	Number of patients		
		Total	Male	Female
Total	1	509	292	217
Massachusetts	1	509	292	217

TABLE 11

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER,

AGE AT END OF YEAR, AND SEX: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
ACUTE BRAIN SYNDROMES ASSOC. WITH:												
ALCOHOL INTOXICATION												
MALE	1,789	-	14	190	372	509	373	248	73	6	4	
FEMALE	349	-	7	44	82	96	62	39	14	3	2	
TOTAL	2,138	-	21	234	454	605	435	287	87	9	6	
DRUG OR POISON INTOXICATION												
MALE	79	-	1	20	8	23	12	14	1	-	-	
FEMALE	96	1	4	10	20	25	23	7	4	1	1	
TOTAL	175	1	5	30	28	48	35	21	5	1	1	
CONVULSIVE DISORDR												
MALE	473	3	36	72	122	119	72	37	11	-	1	
FEMALE	379	-	20	51	82	96	91	31	6	-	2	
TOTAL	852	3	56	123	204	215	163	68	17	-	3	
ALL OTHER CONDITIONS												
MALE	451	6	21	45	76	87	103	80	25	5	3	
FEMALE	360	2	12	34	62	76	90	53	26	5	3	
TOTAL	811	8	33	79	138	163	193	133	51	10	3	
TOTAL												
MALE	2,792	9	72	327	578	738	560	379	110	11	8	
FEMALE	1,184	3	43	139	246	293	266	130	50	9	5	
TOTAL	3,976	12	115	466	824	1,031	826	509	160	20	13	
CHRONIC BRAIN SYNDROMES ASSOC. WITH:												
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE												
MALE	661	65	74	115	129	117	100	51	10	-	-	
FEMALE	435	45	48	75	95	68	69	27	6	2	-	
TOTAL	1,096	110	122	190	224	185	169	78	16	2	-	
MENINGOENCEPHALITIC SYPHILIS												
MALE	11,769	1	42	197	838	3,611	4,311	2,179	489	51	50	
FEMALE	5,828	1	26	145	564	1,924	1,877	1,000	236	32	23	
TOTAL	17,597	2	68	342	1,402	5,535	6,188	3,179	725	83	73	
OTHER CNS SYPHILIS												
MALE	2,010	4	13	57	170	608	670	338	113	14	23	
FEMALE	1,221	-	15	27	132	356	404	202	63	11	11	
TOTAL	3,231	4	28	84	302	964	1,074	540	176	25	34	
EPIDEMIC ENCEPHALITIS												
MALE	787	12	55	54	220	267	126	39	13	-	1	
FEMALE	492	11	21	42	115	175	86	31	8	1	2	
TOTAL	1,279	23	76	96	335	442	212	70	21	1	3	
OTHER INTRACRANIAL INFECTIONS												
MALE	392	28	33	54	84	91	71	21	6	1	3	
FEMALE	364	17	33	35	66	75	62	44	24	7	1	
TOTAL	756	45	66	89	150	166	133	65	30	8	4	
ALCOHOL INTOXICATION												
MALE	8,571	-	10	149	588	1,984	3,082	2,174	530	41	13	
FEMALE	2,565	-	2	56	313	756	800	495	126	14	3	
TOTAL	11,136	-	12	205	901	2,740	3,882	2,669	656	55	16	
DRUG OR POISON INTOXICATION												
MALE	364	-	6	20	20	77	118	90	26	1	6	
FEMALE	133	1	1	1	14	27	41	33	11	1	3	
TOTAL	497	1	7	21	34	104	159	123	37	2	9	
BIRTH TRAUMA												
MALE	458	31	77	80	83	78	66	34	7	1	1	
FEMALE	239	19	42	47	60	39	16	9	7	-	-	
TOTAL	697	50	119	127	143	117	82	43	14	1	1	
OTHER TRAUMA												
MALE	2,218	22	124	221	352	552	501	348	81	11	6	
FEMALE	528	5	39	72	121	116	92	59	16	4	4	
TOTAL	2,746	27	163	293	473	668	593	407	97	15	10	
CEREBRAL ARTERIOSCLEROSIS												
MALE	19,890	4	-	12	50	407	2,608	8,251	6,899	1,575	84	
FEMALE	21,519	2	1	12	38	345	2,405	7,837	8,219	2,531	129	
TOTAL	41,409	6	1	24	88	752	5,013	16,088	15,118	4,106	213	
OTHER CIRCULATORY DISTURBANCE												
MALE	1,270	6	5	14	46	181	368	368	243	37	2	
FEMALE	1,039	1	2	16	50	137	273	321	185	48	6	
TOTAL	2,309	7	7	30	96	318	641	689	428	85	8	

TABLE 11 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER,
AGE AT END OF YEAR, AND SEX, UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 25	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
CONVULSIVE DISORDER												
MALE	6,739	135	617	1,245	1,587	1,604	960	447	109	14	21	
FEMALE	6,142	89	439	933	1,444	1,429	1,089	523	155	15	26	
TOTAL	12,881	224	1,056	2,178	3,031	3,033	2,049	970	264	29	47	
SENILE BRAIN DISEASE												
MALE	9,428	1	1	2	11	45	218	2,467	4,748	1,487	48	
FEMALE	15,550	2	-	1	13	60	394	3,406	1,731	3,867	76	
TOTAL	24,978	3	1	3	24	105	612	5,875	12,479	5,754	124	
OTHER DISTURBANCE OF METABOLISM, GROWTH, AND NUTRITION												
MALE	790	4	12	32	40	115	294	245	36	9	3	
FEMALE	1,288	2	8	28	73	219	505	332	90	20	11	
TOTAL	2,078	6	20	60	113	334	799	577	126	29	14	
INTRACRANIAL NEOPLASM												
MALE	235	2	7	19	30	62	69	38	6	-	2	
FEMALE	403	1	3	26	44	62	107	117	41	2	-	
TOTAL	638	3	10	45	74	124	176	155	47	2	2	
DISEASES OF UNKNOWN CAUSE												
MALE	1,742	16	39	127	283	482	450	268	62	8	7	
FEMALE	1,630	5	21	98	293	434	461	243	58	12	5	
TOTAL	3,372	21	60	225	576	916	911	511	120	20	12	
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE												
MALE	1,055	22	64	61	122	211	315	169	69	18	4	
FEMALE	759	10	32	51	109	187	217	122	28	3	-	
TOTAL	1,814	32	96	112	231	398	532	291	97	21	4	
TOTAL												
MALE	68,379	353	1,179	2,459	4,653	10,492	14,327	17,527	13,447	3,668	274	
FEMALE	60,135	211	733	1,665	3,544	6,409	8,898	14,801	17,004	6,570	300	
TOTAL	128,514	564	1,912	4,124	8,197	16,901	23,225	32,328	30,451	10,238	574	
<u>PSYCHOTIC DISORDERS</u>												
INVOLUNTIONAL PSYCHOTIC REACTION												
MALE	3,453	-	4	6	27	435	1,444	1,234	267	27	9	
FEMALE	11,346	-	1	10	221	2,107	4,398	3,641	814	105	49	
TOTAL	14,799	-	5	16	248	2,542	5,842	4,875	1,081	132	58	
MANIC DEPRESSIVE REACTION												
MALE	7,657	2	38	137	585	1,589	2,106	2,096	939	108	57	
FEMALE	15,710	1	70	372	1,316	2,929	4,497	4,214	1,910	314	87	
TOTAL	23,367	3	108	509	1,901	4,518	6,603	6,310	2,849	422	144	
PSYCHOTIC DEPRESSIVE REACTION												
MALE	667	1	16	42	77	144	188	149	43	3	4	
FEMALE	1,200	-	30	111	168	196	299	299	86	5	6	
TOTAL	1,867	1	46	153	245	340	487	448	129	8	10	
SCHIZOPHRENIC REACTIONS												
MALE	112,367	604	4,957	14,999	22,947	29,866	21,097	12,837	3,985	507	568	
FEMALE	127,141	271	2,991	13,209	25,898	30,558	27,230	18,801	6,530	1,077	576	
TOTAL	239,508	875	7,948	28,208	48,845	60,424	48,327	31,638	10,515	1,584	1,144	
PARANOID REACTIONS												
MALE	2,731	1	7	53	164	368	736	898	427	67	10	
FEMALE	3,435	2	2	25	103	355	872	1,173	725	165	13	
TOTAL	6,166	3	9	78	267	723	1,608	2,071	1,152	232	23	
OTHER												
MALE	2,046	8	161	327	373	390	381	266	104	9	27	
FEMALE	1,509	10	62	125	214	288	378	284	107	16	25	
TOTAL	3,555	18	223	452	587	678	759	550	211	25	52	
TOTAL												
MALE	128,921	616	5,183	15,564	24,173	32,792	25,952	17,480	5,765	721	675	
FEMALE	160,341	284	3,156	13,852	27,920	36,433	37,674	28,412	10,172	1,682	756	
TOTAL	289,262	900	8,339	29,416	52,093	69,225	63,626	45,892	15,937	2,403	1,431	
<u>PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCELAR DISORDERS</u>												
MALE	120	1	4	11	25	26	25	17	11	-	-	
FEMALE	166	-	8	11	21	36	38	35	15	2	-	
TOTAL	286	1	12	22	46	62	63	52	26	2	-	
<u>PSYCHONEUROTIC REACTIONS</u>												
MALE	1,885	30	154	274	343	432	376	199	71	2	4	
FEMALE	3,322	8	186	453	635	716	686	473	137	22	6	
TOTAL	5,207	38	340	727	978	1,148	1,062	672	208	24	10	

TABLE 11 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER,
AGE AT END OF YEAR, AND SEX, UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	
PERSONALITY DISORDERS											
PERSONALITY PATTERN DISTURBANCE											
MALE	1,044	40	246	205	195	176	122	41	12	3	4
FEMALE	430	16	94	70	74	80	48	35	9	3	1
TOTAL	1,474	56	340	275	269	256	170	76	21	6	5
PERSONALITY TRAIT DISTURBANCE											
MALE	1,027	80	347	223	192	98	64	16	5	1	1
FEMALE	508	34	172	101	82	65	33	17	4	-	-
TOTAL	1,535	114	519	324	274	163	97	33	9	1	1
ANTISOCIAL REACTION											
MALE	1,537	14	314	267	279	280	183	131	57	6	6
FEMALE	696	12	108	63	98	132	119	104	44	6	10
TOTAL	2,233	26	422	330	377	412	302	235	101	12	16
DYSSOCIAL REACTION											
MALE	262	6	60	56	55	34	30	15	5	1	-
FEMALE	104	1	37	23	19	9	10	3	1	1	-
TOTAL	366	7	97	79	74	43	40	18	6	2	-
SEXUAL DEVIATION											
MALE	912	2	157	246	200	174	75	36	15	1	6
FEMALE	37	-	9	13	7	3	4	1	-	-	-
TOTAL	949	2	166	259	207	177	79	37	15	1	6
ALCOHOLISM ADDICTION											
MALE	3,693	1	44	423	931	1,222	703	294	53	11	11
FEMALE	754	-	18	106	246	237	94	39	9	1	4
TOTAL	4,447	1	62	529	1,177	1,459	797	333	62	12	15
DRUG ADDICTION											
MALE	154	1	20	39	14	33	36	7	1	1	2
FEMALE	137	-	14	22	32	27	23	16	1	2	-
TOTAL	291	1	34	61	46	60	59	23	2	3	2
SPECIAL SYMPTOM REACTION											
MALE	18	5	4	-	3	4	2	-	-	-	-
FEMALE	6	-	-	1	2	1	1	-	1	-	-
TOTAL	24	5	4	1	5	5	3	-	1	-	-
TOTAL											
MALE	8,647	149	1,192	1,459	1,869	2,021	1,215	540	148	24	30
FEMALE	2,672	63	452	399	560	554	332	215	69	13	15
TOTAL	11,319	212	1,644	1,850	2,429	2,575	1,547	755	217	37	45
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE											
MALE	1,164	578	384	44	38	33	27	41	18	1	-
FEMALE	714	175	306	55	39	34	36	35	23	10	1
TOTAL	1,878	753	690	99	77	67	63	76	41	11	1
MENTAL DEFICIENCY											
MALE	20,969	234	1,781	3,927	4,794	4,500	3,241	1,741	514	74	163
FEMALE	17,276	133	958	2,311	3,743	4,009	3,384	1,940	585	85	128
TOTAL	38,245	367	2,739	6,238	8,537	8,509	6,625	3,681	1,099	159	291
MENTAL DISORDER, UNDIAGNOSED											
MALE	2,738	70	318	396	442	408	380	326	189	33	176
FEMALE	1,891	26	134	216	309	299	272	224	169	61	181
TOTAL	4,629	96	452	612	751	707	652	550	358	94	357
WITHOUT MENTAL DISORDER											
MALE	598	8	94	94	113	107	79	58	31	12	2
FEMALE	313	12	22	38	44	59	50	43	39	4	2
TOTAL	911	20	116	132	157	166	129	101	70	16	4
TOTAL ALL PATIENTS ¹											
MALE	236,213	2,048	10,361	24,555	37,026	51,549	46,182	38,308	20,304	4,546	1,332
FEMALE	248,014	915	5,998	19,139	37,061	48,842	51,636	46,308	28,263	8,458	1,394
TOTAL	484,227	2,963	16,359	43,694	74,089	100,391	97,818	84,616	48,567	13,004	2,726

1

These totals do not include 52,358 resident patients, 24,469 males and 27,889 females. See footnote to Table 13.

TABLE 12

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1958
(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH										PSYCHONEURO- TIC REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes	
ARIZONA														
MALE	851	8	3	324	27	35	16	1	115	12	36	35	47	- 7
FEMALE	757	2	2	246	16	10	9	-	75	15	39	48	34	- 10
TOTAL	1,608	10	5	570	43	45	25	1	190	27	75	83	81	- 17
ARKANSAS														
MALE	2,479	9	10	655	123	13	6	1	225	10	118	74	85	6 21
FEMALE	2,507	-	11	592	66	22	3	-	156	10	119	122	94	5 44
TOTAL	4,986	9	21	1,247	189	35	9	1	381	20	237	196	179	11 65
CALIFORNIA														
MALE	17,544	79	55	5,430	934	88	953	5	1,199	52	465	1,093	641	- 101
FEMALE	19,136	16	47	4,823	423	45	381	4	1,280	76	408	1,758	448	3 274
TOTAL	36,680	95	102	10,253	1,357	133	1,334	9	2,479	128	873	2,851	1,089	3 375
COLORADO														
MALE	3,022	18	10	1,066	143	11	13	130	282	6	124	267	90	- 10
FEMALE	2,777	4	10	912	71	11	40	14	240	14	86	376	60	- 19
TOTAL	5,799	22	20	1,978	214	22	53	144	522	20	210	643	150	- 29
CONNECTICUT														
MALE	4,087	94	11	1,167	119	7	214	1	462	21	106	103	134	1 45
FEMALE	4,793	18	8	1,122	53	11	75	2	476	28	101	275	101	3 104
TOTAL	8,880	112	19	2,289	172	18	289	3	938	49	207	378	235	4 149
DELAWARE														
MALE	688	5	5	212	60	3	24	-	23	6	28	26	42	- 3
FEMALE	736	1	1	169	23	3	6	-	37	5	16	58	21	- 5
TOTAL	1,424	6	6	381	83	6	30	-	60	11	44	84	63	- 8
FLORIDA														
MALE	4,011	27	11	1,423	320	68	67	14	427	31	174	156	166	- 37
FEMALE	4,838	6	4	1,366	199	17	28	6	567	34	188	238	89	2 32
TOTAL	8,849	33	15	2,789	519	85	95	20	994	65	362	394	255	2 69
IDAHO														
MALE	571	2	2	165	13	10	5	-	40	5	16	43	33	- 9
FEMALE	495	-	3	99	4	5	-	-	27	3	16	31	13	3 15
TOTAL	1,066	2	5	264	17	15	5	-	67	8	32	74	46	3 24
ILLINOIS														
MALE	18,626	184	87	6,532	981	146	1,119	15	1,850	148	389	995	889	9 153
FEMALE	17,811	19	54	4,355	463	100	239	5	1,422	92	306	1,190	538	10 264
TOTAL	36,437	203	141	10,887	1,444	246	1,358	20	3,272	240	695	2,185	1,427	19 417
INDIANA														
MALE	5,237	16	7	1,627	499	25	95	2	475	42	85	222	182	6 36
FEMALE	5,620	4	7	1,391	250	24	22	5	549	16	76	316	133	3 83
TOTAL	10,857	20	14	3,018	749	49	117	7	1,024	58	161	538	315	9 119
IOWA														
MALE	2,362	19	25	713	90	9	48	2	181	10	76	139	158	1 36
FEMALE	2,438	3	6	567	58	3	4	1	141	5	82	172	101	4 54
TOTAL	4,800	22	31	1,280	148	12	52	3	322	15	158	311	259	5 90
KANSAS														
MALE	1,990	5	2	517	111	18	22	4	101	8	55	97	101	1 42
FEMALE	2,045	-	4	418	50	11	3	1	128	9	42	103	71	1 77
TOTAL	4,035	5	6	935	161	29	25	5	229	17	97	200	172	2 119
KENTUCKY														
MALE	3,484	14	5	1,016	225	25	50	1	273	24	161	153	104	- 18
FEMALE	3,607	3	6	890	113	21	20	-	300	20	173	173	70	2 38
TOTAL	7,091	17	11	1,906	338	46	70	1	573	44	334	326	174	2 56

TABLE 12 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			MENTAL DEFICIENCY	MENTAL DISORDER UNDIAGNOSED	WITHOUT MENTAL DISORDER
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism- addiction	All other	TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE		
ARIZONA													
MALE	367	3	17	2	341	4	-	14	-	14	-	123	4
FEMALE	416	27	29	3	349	6	1	8	1	7	1	69	1
TOTAL	783	30	46	5	690	10	2	22	1	21	1	192	2
ARKANSAS													
MALE	1,050	28	87	12	876	24	23	54	38	16	15	621	-
FEMALE	1,287	114	181	29	926	23	14	26	14	12	16	506	20
TOTAL	2,337	142	268	41	1,802	47	37	80	52	28	31	1,127	58
CALIFORNIA													
MALE	9,574	323	392	63	8,674	88	34	1,406	627	779	43	526	24
FEMALE	12,906	1,270	672	132	10,738	71	23	304	167	137	17	516	21
TOTAL	22,480	1,593	1,064	195	19,412	159	57	1,710	794	916	60	1,042	45
COLORADO													
MALE	1,212	16	9	28	1,140	19	-	263	141	122	1	385	19
FEMALE	1,438	35	20	61	1,306	16	-	61	30	31	3	300	14
TOTAL	2,650	51	29	89	2,446	35	-	324	171	153	4	685	33
CONNECTICUT													
MALE	2,438	52	120	16	2,187	62	1	91	24	67	4	219	17
FEMALE	3,275	148	254	41	2,754	77	1	48	8	40	1	202	12
TOTAL	5,713	200	374	57	4,941	139	2	139	32	107	5	421	-
DELAWARE													
MALE	308	12	21	1	251	23	-	14	5	9	4	56	81
FEMALE	447	30	48	8	331	30	-	9	-	9	1	43	60
TOTAL	755	42	69	9	582	53	-	23	5	18	5	99	141
FLORIDA													
MALE	1,727	39	194	5	1,452	31	6	131	37	94	11	601	6
FEMALE	2,750	178	430	16	2,079	32	15	62	17	45	2	561	9
TOTAL	4,477	217	624	21	3,531	63	21	193	54	139	13	1,162	15
IDAHO													
MALE	283	4	18	-	258	3	-	52	26	26	14	41	2
FEMALE	321	19	23	2	273	4	-	13	1	12	13	27	1
TOTAL	604	23	41	2	531	7	-	65	27	38	27	68	3
ILLINOIS													
MALE	9,446	222	338	39	8,597	243	7	656	436	220	40	1,070	51
FEMALE	11,601	887	682	81	9,606	339	6	152	49	103	37	1,017	56
TOTAL	21,047	1,109	1,020	120	18,203	582	13	808	485	323	77	2,087	107
INDIANA													
MALE	2,865	71	174	23	2,557	37	3	308	130	178	12	355	1
FEMALE	3,749	274	348	36	3,016	73	2	115	18	97	10	257	-
TOTAL	6,614	345	522	59	5,573	110	5	423	148	275	22	612	1
IOWA													
MALE	1,245	31	118	18	1,032	45	1	163	78	85	12	129	4
FEMALE	1,587	140	263	15	1,118	50	1	47	10	37	5	155	1
TOTAL	2,832	171	381	33	2,150	95	2	210	88	122	17	284	5
KANSAS													
MALE	1,153	19	66	17	1,039	8	4	96	24	72	27	146	-
FEMALE	1,340	64	127	24	1,105	13	7	71	5	66	5	128	1
TOTAL	2,493	83	193	41	2,144	21	11	167	29	138	32	274	-
KENTUCKY													
MALE	1,564	22	138	7	1,379	18	-	68	41	27	12	766	5
FEMALE	2,053	71	272	10	1,682	17	1	28	3	25	5	574	7
TOTAL	3,617	93	410	17	3,061	35	1	96	44	52	17	1,340	6

TABLE 12 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											PSYCHOPHYSIOLOGIC AUTONOMIC AND VISERAL DISORDERS	PSYCHONEROTIC REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Cumulative disorder	Senile brain disease	All other chronic brain syndromes	PSYCHOPHYSIOLOGIC AUTONOMIC AND VISERAL DISORDERS		
LOUISIANA																
MALE	4,112	23	21	1,074	262	62	106	4	280	13	143	94	110	7	25	
FEMALE	4,187	4	21	835	140	31	19	2	326	8	130	112	67	6	35	
TOTAL	8,299	27	42	1,909	402	93	125	6	606	21	273	206	177	11	60	
MAINE																
MALE	1,227	11	6	361	54	-	53	-	138	2	52	36	26	1	28	
FEMALE	1,716	-	4	444	32	-	15	-	277	2	50	17	51	-	38	
TOTAL	2,943	11	10	805	86	-	68	-	415	4	102	53	77	1	66	
MARYLAND																
MALE	3,232	40	13	990	143	15	157	2	258	11	162	149	93	10	25	
FEMALE	3,661	11	6	967	64	6	34	1	324	15	144	304	75	19	55	
TOTAL	6,893	51	19	1,957	207	21	191	3	582	26	306	453	168	29	80	
MICHIGAN																
MALE	11,350	37	24	2,956	704	80	322	9	732	62	267	278	502	9	105	
FEMALE	10,502	5	15	2,140	326	54	52	3	698	47	197	447	316	12	131	
TOTAL	21,852	42	39	5,096	1,030	134	374	12	1,430	109	464	725	818	21	236	
MINNESOTA																
MALE	5,636	28	19	1,584	129	17	163	4	458	48	96	461	208	5	56	
FEMALE	5,432	1	23	1,356	65	15	43	2	532	63	80	404	152	1	112	
TOTAL	11,068	29	42	2,940	194	32	206	6	990	111	176	865	360	6	168	
MISSISSIPPI																
MALE	2,331	4	2	628	127	14	14	4	181	14	126	60	88	2	17	
FEMALE	2,827	4	1	673	54	18	5	4	305	16	113	80	78	-	26	
TOTAL	5,158	8	3	1,301	181	32	19	8	486	30	239	140	166	2	43	
MISSOURI																
MALE	5,465	6	3	1,433	473	18	104	6	266	24	244	136	162	4	39	
FEMALE	6,153	-	3	1,256	237	49	18	1	281	38	320	193	119	3	90	
TOTAL	11,618	6	6	2,689	710	67	122	7	547	62	564	329	281	7	129	
MONTANA																
MALE	1,001	6	1	296	28	9	25	-	67	2	42	56	67	-	4	
FEMALE	729	-	1	208	10	7	3	-	60	3	25	37	63	1	12	
TOTAL	1,730	6	2	504	38	16	28	-	127	5	67	93	130	1	16	
NEBRASKA																
MALE	2,190	3	6	579	90	12	48	2	203	10	97	66	51	4	25	
FEMALE	2,150	1	6	499	45	5	10	-	204	11	86	77	61	1	42	
TOTAL	4,340	4	12	1,078	135	17	58	2	407	21	183	143	112	5	67	
NEVADA																
MALE	264	3	1	88	11	-	16	-	22	2	8	21	8	-	1	
FEMALE	244	2	-	71	1	1	8	-	31	-	7	19	4	-	3	
TOTAL	508	5	1	159	12	1	24	-	53	2	15	40	12	-	4	
NEW HAMPSHIRE																
MALE	1,215	28	1	360	2	39	14	1	74	83	46	74	27	1	11	
FEMALE	1,362	2	4	381	18	6	4	-	155	2	35	126	35	-	20	
TOTAL	2,577	30	5	741	20	45	18	1	229	85	81	200	62	1	31	
NEW JERSEY																
MALE	9,051	71	21	3,029	405	33	426	3	1,027	67	378	398	292	9	96	
FEMALE	11,877	12	18	3,222	196	16	128	2	1,395	90	255	858	282	7	162	
TOTAL	21,828	83	39	6,251	601	49	554	5	2,422	157	633	1,256	574	16	258	
NEW MEXICO																
MALE	504	2	2	140	37	2	4	-	42	-	23	16	16	-	3	
FEMALE	440	-	1	133	18	5	1	-	45	-	23	23	18	-	9	
TOTAL	944	2	3	273	55	7	5	-	87	-	46	39	34	-	12	

TABLE 12 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			MENTAL DEFICIENCY	MENTAL DISORDERS UNDIAGNOSED	WITHOUT MENTAL DISORDERS
	TOTAL PSYCHOTIC DISORDERS	Involuntary Psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism addiction	All other	TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE		
LOUISIANA													
MALE	1,885	30	76	3	1,746	13	17	135	41	94	10	651	259
FEMALE	2,633	132	199	8	2,260	16	18	48	7	41	12	451	13
TOTAL	4,518	162	275	11	4,006	29	35	183	48	135	22	1,102	35
MAINE													
MALE	682	10	102	-	551	19	-	21	7	14	1	107	9
FEMALE	1,118	32	191	1	879	15	-	16	3	13	-	96	-
TOTAL	1,800	42	293	1	1,430	34	-	37	10	27	1	203	9
MARYLAND													
MALE	1,661	50	96	16	1,476	21	2	117	49	68	8	360	-
FEMALE	2,163	131	167	24	1,799	42	-	62	15	47	10	362	-
TOTAL	3,824	181	263	40	3,275	63	2	179	64	115	18	722	-
MICHIGAN													
MALE	6,767	157	245	36	5,989	213	127	738	147	591	79	600	18
FEMALE	7,450	343	399	51	6,382	160	115	182	39	143	33	515	13
TOTAL	14,217	500	644	87	12,371	373	242	920	186	734	112	1,115	31
MINNESOTA													
MALE	3,010	78	172	30	2,642	69	19	401	225	176	23	493	16
FEMALE	3,466	292	396	66	2,602	74	36	92	24	68	8	364	6
TOTAL	6,476	370	568	96	5,244	143	55	493	249	244	31	857	22
MISSISSIPPI													
MALE	1,192	28	120	9	1,005	3	27	52	37	15	1	382	20
FEMALE	1,681	133	259	17	1,253	12	7	22	8	14	-	345	9
TOTAL	2,873	161	379	26	2,258	15	34	74	45	29	1	727	29
MISSOURI													
MALE	2,747	19	182	7	2,508	26	5	227	43	184	14	948	13
FEMALE	3,854	120	408	19	3,268	33	6	86	29	57	14	813	6
TOTAL	6,601	139	590	26	5,776	59	11	313	72	241	28	1,761	19
MONTANA													
MALE	519	9	25	1	462	21	1	44	33	11	5	105	2
FEMALE	412	7	18	2	376	9	-	10	6	4	-	76	5
TOTAL	931	16	43	3	838	30	1	54	39	15	5	181	7
NEBRASKA													
MALE	1,128	15	75	4	1,008	22	4	203	107	96	22	214	3
FEMALE	1,400	46	170	2	1,169	13	-	29	12	17	14	156	1
TOTAL	2,528	61	245	6	2,177	35	4	232	119	113	36	370	4
NEVADA													
MALE	110	7	3	2	96	2	-	4	2	2	-	57	-
FEMALE	105	7	11	6	79	2	-	9	4	5	1	53	-
TOTAL	215	14	14	8	175	4	-	13	6	7	1	110	-
NEW HAMPSHIRE													
MALE	575	25	34	-	494	21	1	19	3	16	-	66	103
FEMALE	814	91	61	-	623	39	-	11	1	11	1	83	11
TOTAL	1,389	116	95	-	1,117	60	1	30	3	27	1	149	86
NEW JERSEY													
MALE	5,328	188	365	21	4,410	189	155	450	95	355	106	781	28
FEMALE	7,486	628	1,017	41	5,440	263	97	154	19	135	41	700	46
TOTAL	12,814	816	1,382	62	9,850	452	252	604	114	490	147	1,481	74
NEW MEXICO													
MALE	240	1	7	-	232	-	-	10	4	6	-	107	-
FEMALE	221	4	28	-	189	-	-	9	2	7	2	65	-
TOTAL	461	5	35	-	421	-	-	19	6	13	2	172	-

TABLE 12 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH										PSYCHOPATHOLOGIC AUTONOMIC AND VISERAL DISORDERS	PSYCHOMOTORIC REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes		
NEW YORK															
MALE	45,112	515	359	12,490	1,863	238	2,487	10	4,423	91	737	1,503	1,138	12	353
FEMALE	49,439	119	324	12,132	922	146	901	5	5,032	55	700	3,702	669	25	402
TOTAL	94,551	634	683	24,622	2,785	384	3,388	15	9,455	146	1,437	5,205	1,807	37	755
NORTH CAROLINA															
MALE	4,022	1	7	1,234	215	-	10	1	299	44	391	102	172	-	17
FEMALE	3,930	1	11	1,033	142	2	4	-	246	18	371	152	98	8	40
TOTAL	7,952	2	18	2,267	357	2	14	1	545	62	762	254	270	8	57
NORTH DAKOTA															
MALE	920	8	6	204	23	4	10	-	53	3	43	43	25	-	5
FEMALE	801	-	-	150	2	4	4	1	31	1	32	52	23	1	20
TOTAL	1,721	8	6	354	25	8	14	1	84	4	75	95	46	1	25
OHIO															
MALE	14,049	130	42	4,327	1,182	81	697	13	1,107	67	217	317	646	12	115
FEMALE	13,946	25	32	3,268	605	56	173	14	1,151	-	284	505	480	15	264
TOTAL	27,995	155	74	7,595	1,787	137	870	27	2,258	67	501	822	1,126	27	379
OREGON															
MALE	2,400	18	12	744	104	12	107	1	223	13	68	134	82	-	14
FEMALE	2,596	1	5	695	32	7	39	3	258	12	80	198	66	3	70
TOTAL	4,996	19	17	1,439	136	19	146	4	481	25	148	332	148	3	84
PENNSYLVANIA															
MALE	18,464	229	118	4,254	976	105	515	6	1,344	62	453	368	425	6	123
FEMALE	19,744	37	80	3,930	489	74	128	10	1,638	56	435	742	358	17	250
TOTAL	38,208	266	198	8,184	1,465	170	643	16	2,982	118	888	1,110	783	23	373
RHODE ISLAND															
MALE	1,660	15	4	439	48	3	107	1	84	3	42	106	45	1	27
FEMALE	1,762	2	4	457	22	2	27	-	67	2	39	252	46	-	38
TOTAL	3,422	17	8	896	70	5	134	1	151	5	81	358	91	1	65
SOUTH CAROLINA															
MALE	3,216	14	7	912	202	6	21	2	385	20	178	19	79	1	30
FEMALE	3,202	2	3	837	57	-	1	1	389	33	143	159	54	-	50
TOTAL	6,418	16	10	1,749	259	6	22	3	774	53	321	178	133	1	80
SOUTH DAKOTA															
MALE	870	5	6	206	23	2	10	2	44	5	30	71	19	-	9
FEMALE	792	-	3	203	7	2	2	1	36	3	37	99	18	-	25
TOTAL	1,662	5	9	409	30	4	11	2	80	8	67	170	37	-	34
TENNESSEE															
MALE	3,554	13	9	1,012	181	20	23	3	336	20	161	161	107	-	16
FEMALE	3,974	2	8	921	85	13	4	-	367	30	125	227	70	1	54
TOTAL	7,528	15	17	1,933	266	33	27	3	703	50	286	388	177	1	70
TEXAS															
MALE	7,820	14	33	2,338	38	609	27	88	561	96	139	248	532	4	44
FEMALE	8,342	12	45	2,255	17	305	12	38	504	112	153	501	613	3	74
TOTAL	16,162	26	78	4,593	55	914	39	126	1,065	208	292	749	1,145	7	118
UTAH															
MALE	589	3	3	123	17	-	14	-	36	4	25	10	17	-	3
FEMALE	646	3	1	109	10	-	6	-	40	3	16	21	13	-	15
TOTAL	1,235	6	4	232	27	-	20	-	76	7	41	31	30	-	18
VERMONT															
MALE	542	1	2	102	12	2	2	-	13	-	35	20	18	-	4
FEMALE	638	-	1	184	8	2	1	-	51	2	29	63	28	1	12
TOTAL	1,180	1	3	286	20	4	3	-	64	2	64	83	46	1	16

TABLE 12 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			MENTAL DEFICIENCY	MENTAL DISORDER UNDIAGNOSED	WITHOUT MENTAL DISORDER	
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism- addiction	All other				
NEW YORK														
MALE	28,763	1,115	842	130	25,494	281	901	74	36	38	548	1,956	11	31
FEMALE	34,235	3,281	2,058	116	28,017	376	387	14	10	4	307	1,855	11	15
TOTAL	62,998	4,396	2,900	246	53,511	657	1,288	88	46	42	855	3,811	22	46
NORTH CAROLINA														
MALE	2,142	51	181	22	1,867	21	-	96	44	52	4	498	10	13
FEMALE	2,494	106	415	52	1,893	28	-	37	14	23	8	294	2	2
TOTAL	4,636	157	596	74	3,760	49	-	133	58	75	12	792	12	15
NORTH DAKOTA														
MALE	590	13	27	1	548	1	-	45	37	8	1	57	2	2
FEMALE	576	18	30	3	524	-	1	8	3	5	1	42	2	1
TOTAL	1,166	31	57	4	1,072	1	1	53	40	13	2	99	4	3
OHIO														
MALE	7,054	198	529	27	5,844	408	48	443	126	317	45	1,324	535	22
FEMALE	8,799	727	1,042	58	6,305	609	58	155	29	126	33	1,079	271	5
TOTAL	15,853	925	1,0571	85	12,149	1,017	106	598	155	443	78	2,403	806	27
OREGON														
MALE	1,162	48	70	3	1,000	39	2	186	99	87	1	231	11	21
FEMALE	1,579	120	180	10	1,205	62	2	69	24	45	9	160	1	4
TOTAL	2,741	168	250	13	2,205	101	4	255	123	132	10	391	12	25
PENNSYLVANIA														
MALE	11,191	230	845	20	9,415	390	291	506	147	359	36	1,931	50	20
FEMALE	13,456	708	1,635	72	10,258	413	370	204	46	158	35	1,672	56	7
TOTAL	24,647	938	2,480	92	19,673	803	661	710	193	517	71	3,603	106	27
RHODE ISLAND														
MALE	862	22	66	9	734	31	-	168	123	45	2	119	23	-
FEMALE	1,102	68	123	17	845	49	-	31	14	17	-	116	12	-
TOTAL	1,964	90	189	26	1,579	80	-	199	137	62	2	235	35	-
SOUTH CAROLINA														
MALE	1,793	16	166	-	1,585	22	4	27	21	6	-	417	-	15
FEMALE	2,052	27	265	-	1,700	59	1	10	1	9	-	244	-	4
TOTAL	3,845	43	431	-	3,285	81	5	37	22	15	-	661	-	19
SOUTH DAKOTA														
MALE	545	17	55	4	446	23	-	53	31	22	5	31	7	3
FEMALE	517	38	68	14	378	18	1	17	3	14	1	25	-	1
TOTAL	1,062	55	123	18	824	41	1	70	34	36	6	56	7	4
TENNESSEE														
MALE	1,961	18	218	10	1,664	28	23	72	38	34	5	439	4	23
FEMALE	2,635	69	491	20	2,008	29	18	34	10	24	6	303	4	6
TOTAL	4,596	87	709	30	3,672	57	41	106	48	58	11	742	8	29
TEXAS														
MALE	3,922	61	464	25	3,313	47	12	258	123	135	2	851	354	-
FEMALE	4,962	175	807	36	3,870	54	20	123	25	98	13	562	293	-
TOTAL	8,884	236	1,271	61	7,183	101	32	381	148	233	15	1,413	647	-
UTAH														
MALE	346	5	30	3	302	5	1	34	5	20	3	72	1	1
FEMALE	448	16	66	10	344	11	1	14	-	14	2	54	-	-
TOTAL	794	21	96	13	646	16	2	48	5	43	5	126	1	1
VERMONT														
MALE	288	1	33	1	246	7	-	30	13	17	3	111	-	1
FEMALE	372	28	57	2	279	6	-	8	1	7	-	60	-	-
TOTAL	660	29	90	3	525	13	-	38	14	24	3	171	-	1

TABLE 12 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES			CHRONIC BRAIN SYNDROMES ASSOCIATED WITH										PSYCHOPHYSIOLOGIC AUTONOMIC AND VISERAL DISORDERS	PSYCHONEUROTIC REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes			
VIRGINIA																
MALE	5,417	35	8	1,566	260	56	67	6	502	66	248	112	249	3	44	
FEMALE	5,650	14	6	1,411	151	43	12	2	598	36	187	196	186	1	75	
TOTAL	11,067	49	14	2,977	411	99	79	8	1,100	102	435	308	435	4	119	
WASHINGTON																
MALE	3,312	19	18	906	131	14	74	11	299	13	91	145	128	-	61	
FEMALE	3,559	5	28	834	79	6	17	3	340	15	97	198	79	3	57	
TOTAL	6,871	24	46	1,740	210	20	91	14	639	28	188	343	207	3	118	
WEST VIRGINIA																
MALE	2,910	10	2	975	202	41	66	2	218	24	167	115	140	1	12	
FEMALE	2,537	4	3	708	96	38	11	2	207	16	118	132	88	2	29	
TOTAL	5,447	14	5	1,683	298	79	77	4	425	40	285	247	228	3	41	
WISCONSIN																
MALE	7,557	12	13	2,044	181	29	249	1	525	23	184	676	176	4	52	
FEMALE	7,357	4	14	1,799	109	10	52	1	511	23	173	772	148	2	87	
TOTAL	14,914	16	27	3,843	290	39	301	2	1,036	46	357	1,448	324	6	139	
WYOMING																
MALE	369	5	1	138	1	29	1	6	37	3	13	30	18	-	3	
FEMALE	259	-	1	74	-	15	2	-	22	-	6	22	7	-	6	
TOTAL	628	5	2	212	1	44	3	6	59	3	19	52	25	-	9	
UNITED STATES ¹	TOTAL															
MALE	236,213	1,789	1,003	68,379	11,769	2,010	8,571	364	19,890	1,270	6,739	9,428	8,338	120	1,885	
FEMALE	248,014	349	835	60,135	5,828	1,221	2,565	133	21,519	1,039	6,142	15,550	6,138	166	3,322	
TOTAL	484,227	2,138	1,838	128,514	17,597	3,231	11,136	497	41,409	2,309	12,881	24,978	14,476	286	5,207	

¹

These totals do not include 52,358 resident patients, 24,469 males and 27,889 females. See footnote to Table 13.

TABLE 12 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS								PERSONALITY DISORDERS			TRANSIENT, SITUATIONAL, PERSONALITY DISTURBANCE	MENTAL DEFICIENCY	MENTAL DISORDER UNDIAGNOSED	WITHOUT MENTAL DISORDER
	TOTAL PSYCHOTIC DISORDERS	Involutional psychotic reaction	Mild depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism- addiction	All other					
VIRGINIA															
MALE	2,556	67	474	13	1,952	40	10	259	156	103	7	901	19	19	
FEMALE	3,390	283	901	23	2,119	57	7	82	40	42	11	633	12	15	
TOTAL	5,946	350	1,375	36	4,071	97	17	341	196	145	18	1,534	31	34	
WASHINGTON															
MALE	1,852	37	150	9	1,593	63	-	170	3	167	11	217	52	6	
FEMALE	2,332	138	258	23	1,807	105	1	73	2	71	16	193	12	6	
TOTAL	4,184	175	408	32	3,400	168	1	243	5	238	27	410	64	12	
WEST VIRGINIA															
MALE	1,094	36	131	4	897	25	1	129	70	59	10	636	23	18	
FEMALE	1,204	133	252	8	773	27	11	35	12	23	13	517	17	5	
TOTAL	2,298	169	383	12	1,670	52	12	164	82	82	23	1,153	40	23	
WISCONSIN															
MALE	3,543	54	161	21	2,920	71	316	331	207	124	14	1,261	266	17	
FEMALE	4,050	177	367	40	3,083	103	280	79	25	54	6	1,026	283	7	
TOTAL	7,593	231	528	61	6,003	174	596	410	232	178	20	2,287	549	24	
WYOMING															
MALE	181	5	21	5	145	5	-	29	14	15	3	8	-	1	
FEMALE	165	11	22	1	131	-	-	5	4	1	1	7	-	-	
TOTAL	346	16	43	6	276	5	-	34	18	16	4	15	-	1	
UNITED STATES															
TOTAL	128,921	3,453	7,657	667	112,367	2,731	2,046	8,647	3,693	4,954	1,164	20,969	2,738	598	
MALE	160,341	11,346	15,710	1,200	127,141	3,435	1,509	2,672	754	1,918	714	17,276	1,891	313	
TOTAL	289,262	14,799	23,367	1,867	239,508	6,166	3,555	11,319	4,447	6,872	1,878	38,245	4,629	911	

TABLE 13

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY AGE, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
ARIZONA											
	MALE	851	25	80	103	134	144	124	134	87	20
	FEMALE	757	6	21	98	141	138	143	107	79	23
	TOTAL	1,608	31	101	201	275	282	267	241	166	43
ARKANSAS											
	MALE	2,479	38	200	325	466	540	410	284	172	38
	FEMALE	2,507	28	119	236	439	641	460	364	176	37
	TOTAL	4,986	66	319	561	905	1,181	870	648	348	13
CALIFORNIA											
	MALE	17,544	156	906	1,966	2,657	3,672	3,398	2,802	1,594	366
	FEMALE	19,136	69	468	1,470	2,971	3,755	3,785	3,621	2,257	698
	TOTAL	36,680	225	1,374	3,436	5,628	7,427	7,183	6,423	3,851	1,064
COLORADO											
	MALE	3,022	7	149	290	402	569	554	560	364	127
	FEMALE	2,777	7	93	174	346	467	511	505	477	197
	TOTAL	5,799	14	242	464	748	1,036	1,065	1,065	841	324
CONNECTICUT											
	MALE	4,087	21	144	370	661	900	805	746	360	80
	FEMALE	4,793	8	114	355	711	879	976	970	589	191
	TOTAL	8,880	29	258	725	1,372	1,779	1,781	1,716	949	271
DELAWARE											
	MALE	688	—	30	69	106	151	123	132	64	13
	FEMALE	736	—	18	40	109	156	148	139	95	31
	TOTAL	1,424	—	48	109	215	307	271	271	159	44
FLORIDA											
	MALE	4,011	9	250	526	696	927	712	547	231	61
	FEMALE	4,838	9	143	562	885	1,069	974	708	356	89
	TOTAL	8,849	18	393	1,088	1,581	1,996	1,686	1,255	587	150
IDAHO											
	MALE	571	2	32	51	80	128	111	95	58	11
	FEMALE	495	2	22	43	89	96	104	80	45	12
	TOTAL	1,066	4	54	94	169	224	215	175	103	23
ILLINOIS											
	MALE	18,626	65	500	1,569	2,688	3,901	4,022	3,593	1,837	451
	FEMALE	17,811	28	251	1,249	2,532	3,519	3,913	3,647	2,086	586
	TOTAL	36,437	93	751	2,818	5,220	7,420	7,935	7,240	3,923	1,037
INDIANA											
	MALE	5,237	28	295	538	806	1,127	994	823	510	116
	FEMALE	5,620	5	132	447	843	1,143	1,122	1,083	669	176
	TOTAL	10,857	33	427	985	1,649	2,270	2,116	1,906	1,179	292
IOWA											
	MALE	2,362	17	103	213	359	521	462	358	252	71
	FEMALE	2,438	6	74	197	351	462	534	430	297	86
	TOTAL	4,800	23	177	410	710	983	996	788	549	157
KANSAS											
	MALE	1,990	11	144	186	268	478	383	292	185	41
	FEMALE	2,045	7	81	164	328	398	424	366	211	65
	TOTAL	4,035	18	225	350	596	876	807	658	396	106
KENTUCKY											
	MALE	3,484	17	124	366	523	835	662	524	350	76
	FEMALE	3,607	11	68	288	541	750	750	678	409	108
	TOTAL	7,091	28	192	654	1,064	1,585	1,412	1,202	759	184

TABLE 13 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY AGE, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
LOUISIANA												
MALE	4,112	3	241	652	809	981	734	446	183	44	19	
FEMALE	4,187	5	109	424	785	1,010	910	602	276	57	9	
TOTAL	8,299	8	350	1,076	1,594	1,991	1,644	1,048	459	101	28	
MAINE												
MALE	1,227	4	37	107	168	288	243	226	124	30	-	
FEMALE	1,716	-	46	145	243	282	332	334	263	71	-	
TOTAL	2,943	4	83	252	411	570	575	560	387	101	-	
MARYLAND ¹												
MALE	3,232	19	121	286	462	786	679	497	302	75	5	
FEMALE	3,661	2	68	291	483	674	780	658	537	163	5	
TOTAL	6,893	21	189	577	945	1,460	1,459	1,155	839	238	10	
MICHIGAN												
MALE	11,350	104	559	1,276	1,844	2,423	2,210	1,904	840	156	34	
FEMALE	10,502	24	292	905	1,685	2,036	2,269	1,936	1,050	287	18	
TOTAL	21,852	128	851	2,181	3,529	4,459	4,479	3,840	1,890	443	52	
MINNESOTA												
MALE	5,636	17	153	382	746	1,215	1,100	1,121	718	181	3	
FEMALE	5,432	3	97	314	669	953	1,088	1,205	811	290	2	
TOTAL	11,068	20	250	696	1,415	2,168	2,188	2,326	1,529	471	5	
MISSISSIPPI												
MALE	2,331	2	119	333	405	550	313	192	108	17	292	
FEMALE	2,827	2	68	244	447	617	489	365	139	33	423	
TOTAL	5,158	4	187	577	852	1,167	802	557	247	50	715	
MISSOURI												
MALE	5,465	31	228	531	887	1,444	1,072	805	386	63	18	
FEMALE	6,153	10	147	394	848	1,376	1,504	1,202	530	124	18	
TOTAL	11,618	41	375	925	1,735	2,820	2,576	2,007	916	187	36	
MONTANA												
MALE	1,001	59	43	86	151	197	168	173	108	16	-	
FEMALE	729	53	32	43	101	125	137	136	75	25	2	
TOTAL	1,730	112	75	129	252	322	305	309	183	41	2	
NEBRASKA												
MALE	2,190	18	93	143	285	511	491	351	233	61	4	
FEMALE	2,150	8	51	129	258	415	486	444	283	75	1	
TOTAL	4,340	26	144	272	543	926	977	795	516	136	5	
NEVADA												
MALE	264	14	15	22	29	53	73	43	13	-	2	
FEMALE	244	13	8	26	38	38	46	38	29	8	-	
TOTAL	508	27	23	48	67	91	119	81	42	8	2	
NEW HAMPSHIRE												
MALE	1,215	1	46	100	157	271	228	212	161	37	2	
FEMALE	1,362	1	36	85	164	229	268	276	223	78	2	
TOTAL	2,577	2	82	185	321	500	496	488	384	115	4	
NEW JERSEY												
MALE	9,951	191	482	1,009	1,583	2,061	1,838	1,699	881	206	1	
FEMALE	11,877	71	259	833	1,701	2,150	2,458	2,300	1,559	546	-	
TOTAL	21,828	262	741	1,842	3,284	4,211	4,296	3,999	2,440	752	1	
NEW MEXICO												
MALE	504	7	41	54	87	98	93	77	36	11	-	
FEMALE	440	4	23	42	69	79	118	54	41	10	-	
TOTAL	944	11	64	96	156	177	211	131	77	21	-	

See footnote at end of table.

TABLE 13 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY AGE, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
NEW YORK											
MALE	45,112	771	2,033	4,876	6,894	9,312	9,226	7,598	3,590	775	37
FEMALE	49,439	303	1,198	3,677	6,688	9,414	10,522	9,741	6,017	1,850	29
TOTAL	94,551	1,074	3,231	8,553	13,502	18,726	19,748	17,339	9,607	2,625	66
NORTH CAROLINA ¹											
MALE	4,022	45	224	657	816	1,012	568	436	188	34	42
FEMALE	3,930	41	147	525	879	883	701	431	252	54	17
TOTAL	7,952	86	371	1,182	1,695	1,895	1,269	867	440	88	59
NORTH DAKOTA											
MALE	920	-	23	63	155	235	190	140	94	20	-
FEMALE	801	-	16	53	111	191	179	152	83	16	-
TOTAL	1,721	-	39	116	266	426	369	292	177	36	-
OHIO											
MALE	14,049	106	605	1,476	2,256	2,974	2,826	2,397	1,174	224	11
FEMALE	13,946	39	422	1,138	2,131	2,692	2,891	2,663	1,547	415	8
TOTAL	27,995	145	1,027	2,614	4,387	5,666	5,717	5,060	2,721	639	19
OREGON											
MALE	2,400	11	89	179	322	502	490	430	286	66	25
FEMALE	2,596	5	70	194	361	414	518	551	380	102	1
TOTAL	4,996	16	159	373	683	916	1,008	981	666	168	26
PENNSYLVANIA											
MALE	18,464	39	480	1,717	3,112	4,203	3,760	2,957	1,562	345	289
FEMALE	19,744	28	284	1,272	3,104	3,923	4,087	3,683	2,277	708	378
TOTAL	38,208	67	764	2,989	6,216	8,126	7,847	6,640	3,839	1,053	667
RHODE ISLAND											
MALE	1,660	4	58	128	233	401	345	304	143	34	10
FEMALE	1,762	6	31	114	252	339	355	343	237	79	6
TOTAL	3,422	10	89	242	485	740	700	647	380	113	16
SOUTH CAROLINA											
MALE	3,216	8	195	520	731	731	491	338	162	23	17
FEMALE	3,202	4	85	354	604	724	577	508	276	53	17
TOTAL	6,418	12	280	874	1,335	1,455	1,068	846	438	76	34
SOUTH DAKOTA											
MALE	870	2	29	67	88	180	177	187	113	24	3
FEMALE	792	1	25	41	101	115	179	166	112	49	3
TOTAL	1,662	3	54	108	189	295	356	353	225	73	6
TENNESSEE ¹											
MALE	3,554	6	153	438	658	883	657	459	246	54	-
FEMALE	3,974	2	87	337	660	927	853	681	362	65	-
TOTAL	7,528	8	240	775	1,318	1,810	1,510	1,140	608	119	-
TEXAS											
MALE	7,820	24	282	792	1,156	1,867	1,544	1,073	625	144	313
FEMALE	8,342	20	177	596	1,245	1,808	1,809	1,423	786	218	260
TOTAL	16,162	44	459	1,388	2,401	3,675	3,353	2,496	1,411	362	573
UTAH											
MALE	589	2	34	67	76	162	115	74	51	5	3
FEMALE	646	2	20	54	85	143	139	123	64	15	1
TOTAL	1,235	4	54	121	161	305	254	197	115	20	4
VERMONT											
MALE	542	3	23	71	96	121	91	87	39	8	3
FEMALE	638	3	26	39	81	108	119	100	108	49	5
TOTAL	1,180	6	49	110	177	229	210	187	147	57	8

See footnote at end of table.

TABLE 13 - Continued

PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR,
BY AGE, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 242 of the 266 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
VIRGINIA											
MALE	5,417	96	320	630	883	1,275	991	682	433	101	6
FEMALE	5,650	41	164	510	881	1,143	1,185	935	606	176	9
TOTAL	11,067	137	484	1,140	1,764	2,418	2,176	1,617	1,039	277	15
WASHINGTON											
MALE	3,312	37	217	255	435	672	660	619	353	64	-
FEMALE	3,559	21	152	258	525	623	733	706	428	113	-
TOTAL	6,871	58	369	513	960	1,295	1,393	1,325	781	177	-
WEST VIRGINIA											
MALE	2,910	10	202	386	528	660	521	350	182	52	19
FEMALE	2,537	2	81	301	491	527	489	382	188	63	13
TOTAL	5,447	12	283	687	1,019	1,187	1,010	732	370	115	32
WISCONSIN											
MALE	7,557	17	250	645	1,079	1,504	1,434	1,478	880	199	71
FEMALE	7,357	15	168	459	1,054	1,352	1,513	1,417	954	360	65
TOTAL	14,914	32	418	1,104	2,133	2,856	2,947	2,895	1,834	559	136
WYOMING											
MALE	369	1	8	35	51	85	94	63	26	6	-
FEMALE	259	-	5	19	31	59	58	55	24	7	1
TOTAL	628	1	13	54	82	144	152	118	50	13	1
UNITED STATES TOTAL ¹											
MALE	236,213	2,048	10,360	24,555	37,028	51,550	46,182	38,308	20,304	4,546	1,332
FEMALE	248,014	915	5,998	19,139	37,061	48,842	51,636	46,308	28,263	8,458	1,394
TOTAL	484,227	2,963	16,358	43,694	74,089	100,392	97,818	84,616	48,567	13,004	2,726

¹

These totals include only patients reported on the detailed schedules. The excluded numbers of patients available from movement schedules are as follows:

State	Number of hospitals not included		Number of patients		
	State	County	Total	Male	Female
			23	1	27,889
Alabama	2	-	7,398	3,566	3,832
District of Columbia	1	-	6,994	3,529	3,465
Georgia	1	-	11,797	5,421	6,376
Maryland*	1	-	2,369	1,274	1,095
Maryland**	1	-	---	---	---
Massachusetts	12	-	21,545	9,634	11,911
North Carolina	1	-	1,632	712	920
Oklahoma	4	-	---	---	---
Tennessee	-	1	623	333	290

* Number of patients for one hospital not available.

TABLE 14

PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX:
UNITED STATES, 1958
(Statistics based on detailed schedules from 11 of the 12 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
ACUTE BRAIN SYNDROMES ASSOC. WITH:											
ALCOHOL INTOXICATION											
MALE	6	-	-	-	3	2	-	1	-	-	-
FEMALE	1	-	-	-	1	-	-	-	-	-	-
TOTAL	7	-	-	-	4	2	-	1	-	-	-
ALL OTHER CONDITIONS											
MALE	3	-	1	-	-	1	-	1	-	-	-
FEMALE	1	-	-	1	-	-	-	-	-	-	-
TOTAL	4	-	1	1	-	1	-	1	-	-	-
TOTAL											
MALE	9	-	1	-	3	3	-	2	-	-	-
FEMALE	2	-	-	1	1	-	-	-	-	-	-
TOTAL	11	-	1	1	4	3	-	2	-	-	-
CHRONIC BRAIN SYNDROMES ASSOC. WITH:											
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE											
MALE	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	1	-	-	-	-	-	-
TOTAL	1	-	-	-	1	-	-	-	-	-	-
MENINGOENCEPHALITIC SYPHILIS											
MALE	1	-	-	-	-	-	-	1	-	-	-
FEMALE	2	-	-	-	-	-	1	1	-	-	-
TOTAL	3	-	-	-	-	-	1	2	-	-	-
OTHER CNS SYPHILIS											
MALE	3	-	-	1	-	1	-	1	-	-	-
FEMALE	1	-	-	1	-	-	1	1	-	-	-
TOTAL	4	-	-	1	-	1	-	2	-	-	-
EPIDEMIC ENCEPHALITIS											
MALE	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	1	-	-	-	-	-	-	-	-	-
TOTAL	1	1	-	-	-	-	-	-	-	-	-
OTHER INTRACRANIAL INFECTIONS											
MALE	2	2	-	-	-	-	-	-	-	-	-
FEMALE	1	1	-	-	-	-	-	-	-	-	-
TOTAL	3	3	-	-	-	-	-	-	-	-	-
ALCOHOL INTOXICATION											
MALE	4	-	-	-	-	-	1	2	1	-	-
FEMALE	1	-	-	-	-	-	1	2	1	-	-
TOTAL	5	-	-	-	-	-	1	2	1	-	-
DRUG OR POISON INTOXICATION											
MALE	1	-	-	-	-	-	-	1	-	-	-
FEMALE	2	-	-	-	-	1	-	1	-	-	-
TOTAL	3	-	-	-	-	1	-	2	-	-	-
BIRTH TRAUMA											
MALE	1	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1	1	-	-	-	-	-	-	-	-	-
OTHER TRAUMA											
MALE	5	1	-	2	-	-	-	2	-	-	-
FEMALE	3	-	-	1	1	1	1	2	-	-	-
TOTAL	8	1	-	3	1	1	1	2	-	-	-
CEREBRAL ARTERIOSCLEROSIS											
MALE	39	-	-	-	-	-	-	7	13	18	1
FEMALE	34	-	-	-	-	-	2	5	16	10	1
TOTAL	73	-	-	-	-	-	2	12	29	28	2
OTHER CIRCULATORY DISTURBANCE											
MALE	1	-	-	-	-	-	-	-	1	-	-
FEMALE	5	-	-	1	-	1	1	3	-	-	-
TOTAL	6	-	-	1	-	1	1	3	1	-	-
CONVULSIVE DISORDER											
MALE	6	3	2	-	-	1	-	-	-	-	-
FEMALE	3	1	2	1	-	-	1	-	1	-	-
TOTAL	9	4	2	1	-	-	1	-	1	-	-

TABLE 14- Continued

PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX:
UNITED STATES, 1958

(Statistics based on detailed schedules from 11 of the 12 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
SENILE BRAIN DISEASE											
MALE	8	-	-	-	-	-	-	-	-	2	6
FEMALE	10	-	-	-	-	-	-	-	-	4	6
TOTAL	18	-	-	-	-	-	-	-	-	6	12
OTHER DISTURBANCE OF METABOLISM, GROWTH, AND NUTRITION											
MALE	2	-	-	-	-	-	-	1	1	-	-
FEMALE	1	-	-	-	-	1	-	-	-	-	-
TOTAL	3	-	-	-	1	-	1	1	-	-	-
DISEASES OF UNKNOWN CAUSE											
MALE	5	-	-	-	1	4	-	-	-	-	-
FEMALE	3	3	-	-	-	-	-	-	-	-	-
TOTAL	8	3	-	-	1	4	-	-	-	-	-
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE											
MALE	15	13	-	1	-	-	1	-	-	-	-
FEMALE	3	2	-	-	-	1	-	-	-	-	-
TOTAL	18	15	-	1	-	1	1	-	-	-	-
TOTAL											
MALE	93	20	2	4	1	7	16	16	20	7	-
FEMALE	71	8	-	3	4	7	11	17	14	7	-
TOTAL	164	28	2	7	5	14	27	33	34	14	-
<u>PSYCHOTIC DISORDERS</u>											
INVOLUNTIONAL PSYCHOTIC REACTION											
MALE	19	-	-	-	1	3	10	5	-	-	-
FEMALE	28	-	-	1	-	11	10	5	1	-	-
TOTAL	47	-	-	1	1	14	20	10	1	-	-
MANIC DEPRESSIVE REACTION											
MALE	10	-	2	-	3	1	3	1	-	-	-
FEMALE	20	-	2	3	6	5	1	1	1	1	-
TOTAL	30	-	4	3	9	6	4	2	1	1	-
PSYCHOTIC DEPRESSIVE REACTION											
MALE	2	-	-	-	-	1	1	-	-	-	-
FEMALE	22	-	1	6	5	5	4	1	-	-	-
TOTAL	24	-	1	6	5	6	5	1	-	-	-
SCHIZOPHRENIC REACTIONS											
MALE	158	36	49	40	13	14	6	-	-	-	-
FEMALE	168	16	31	65	37	16	2	-	-	-	-
TOTAL	326	52	80	105	50	30	8	1	-	-	-
PARANOID REACTIONS											
MALE	-	-	-	-	-	-	-	-	-	-	-
FEMALE	5	-	-	1	1	-	3	-	-	-	-
TOTAL	5	-	-	1	1	-	3	-	-	-	-
OTHER											
MALE	1	1	-	-	-	-	-	-	-	-	-
FEMALE	1	-	1	-	-	-	-	-	-	-	-
TOTAL	2	1	1	-	-	-	-	-	-	-	-
TOTAL											
MALE	190	37	51	40	17	19	20	6	-	-	-
FEMALE	244	16	35	76	49	37	20	8	2	1	-
TOTAL	434	53	86	116	66	56	40	14	2	1	-
<u>PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCERAL DISORDERS</u>											
MALE	2	-	1	1	-	-	-	-	-	-	-
FEMALE	2	1	-	1	-	-	-	-	-	-	-
TOTAL	4	1	1	2	-	-	-	-	-	-	-
<u>PSYCHONEUROTIC REACTIONS</u>											
MALE	40	5	4	6	9	8	6	2	-	-	-
FEMALE	40	3	4	9	10	5	6	3	-	-	-
TOTAL	80	8	8	15	19	13	12	5	-	-	-

TABLE 14 - Continued

PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX:
UNITED STATES, 1958

(Statistics based on detailed schedules from 11 of the 12 hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
PERSONALITY DISORDERS											
PERSONALITY PATTERN DISTURBANCE											
MALE	14	1	3	4	4	-	1	1	-	-	-
FEMALE	16	2	6	5	2	-	1	-	-	-	-
TOTAL	30	3	9	9	6	-	2	1	-	-	-
PERSONALITY TRAIT DISTURBANCE											
MALE	35	6	7	8	7	5	2	-	-	-	-
FEMALE	19	3	9	3	2	1	1	-	-	-	-
TOTAL	54	9	16	11	9	6	3	-	-	-	-
ANTISOCIAL REACTION											
MALE	5	1	1	2	-	-	1	-	-	-	-
FEMALE	2	-	-	2	-	-	-	-	-	-	-
TOTAL	7	1	1	4	-	-	1	-	-	-	-
DYSOCIAL REACTION											
MALE	4	-	1	2	1	-	-	-	-	-	-
FEMALE	2	-	1	1	-	-	-	-	-	-	-
TOTAL	6	-	2	3	1	-	-	-	-	-	-
SEXUAL DEVIATION											
MALE	4	1	3	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-	-
TOTAL	4	1	3	-	-	-	-	-	-	-	-
ALCOHOLISM ADDICTION											
MALE	18	-	-	4	5	4	4	-	1	-	-
FEMALE	2	-	-	-	1	1	-	-	-	-	-
TOTAL	20	-	-	4	6	5	4	-	1	-	-
DRUG ADDICTION											
MALE	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	1	-	-	-	-	-	-
TOTAL	1	-	-	-	1	-	-	-	-	-	-
TOTAL											
MALE	80	9	15	20	17	9	8	1	1	-	-
FEMALE	42	5	16	11	6	2	-	-	-	-	-
TOTAL	122	14	31	31	11	11	10	1	1	-	-
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE											
MALE	86	70	15	-	1	-	-	-	-	-	-
FEMALE	33	17	14	1	1	-	-	-	-	-	-
TOTAL	119	87	29	1	2	-	-	-	-	-	-
MENTAL DEFICIENCY											
MALE	17	13	4	-	-	-	-	-	-	-	-
FEMALE	8	2	2	2	-	1	-	-	1	-	-
TOTAL	25	15	6	2	-	1	-	-	1	-	-
MENTAL DISORDER, UNDIAGNOSED											
MALE	5	4	1	-	-	-	-	-	-	-	-
FEMALE	2	1	1	-	-	-	-	-	-	-	-
TOTAL	7	5	2	-	-	-	-	-	-	-	-
WITHOUT MENTAL DISORDER											
MALE	21	1	2	1	2	1	7	4	2	1	-
FEMALE	30	2	-	1	-	4	6	5	10	2	-
TOTAL	51	3	2	2	2	5	13	9	12	3	-
TOTAL ALL PATIENTS ¹											
MALE	543	159	96	72	50	47	57	31	23	8	-
FEMALE	474	55	72	105	71	56	45	33	27	10	-
TOTAL	1,017	214	168	177	121	103	102	64	50	18	-

1

These totals do not include 125 resident patients, 65 males and 60 females. See footnote to Table 16.

TABLE 15

PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE:
 UNITED STATES, 1958
 (Statistics based on detailed schedules from 11 of the 12 hospitals)

STATE AND SEX	GRAND TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH										PSYCHONEUROTIC REACTIONS
		ALCOHOL INTOXICATION	ALL OTHER CONDITIONS	TOTAL CHRONIC BRAIN SYN- DROMES	Meningo- encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Cerebral arteriosclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	All other chronic brain syndromes	
CALIFORNIA														
MALE	45	-	-	3	-	-	-	-	-	-	-	-	3	10
FEMALE	52	-	-	4	-	-	-	-	-	-	-	-	1	8
TOTAL	97	-	-	7	-	-	-	-	-	-	1	1	4	18
COLORADO														
MALE	33	2	1	4	-	-	-	-	2	1	-	-	-	1
FEMALE	34	-	-	4	-	-	-	-	3	1	-	-	-	4
TOTAL	67	2	1	8	-	-	-	-	5	1	2	-	-	5
DELAWARE														
MALE	185	2	-	60	1	2	2	1	31	-	1	8	14	-
FEMALE	102	-	-	49	-	1	1	-	29	3	1	6	-	3
TOTAL	287	2	-	109	1	3	3	1	60	3	2	16	20	-
INDIANA														
MALE	73	-	-	12	-	-	1	-	5	-	-	-	6	-
FEMALE	61	-	-	5	2	-	1	1	1	-	-	-	1	3
TOTAL	134	-	-	17	2	-	1	1	6	-	-	-	7	8
IOWA														
MALE	23	-	1	-	-	-	-	-	-	-	-	-	-	5
FEMALE	19	-	-	-	-	-	-	-	-	-	-	-	-	1
TOTAL	42	-	1	-	-	-	-	-	-	-	-	-	-	6
MICHIGAN														
MALE	38	-	-	4	-	-	-	-	-	-	2	-	2	-
FEMALE	25	-	1	-	-	-	-	-	-	-	2	-	1	3
TOTAL	63	-	1	4	-	-	-	-	-	-	-	-	2	3
NEBRASKA														
MALE	36	-	-	4	-	-	-	-	1	-	-	-	3	-
FEMALE	43	-	-	2	-	-	-	-	-	-	-	-	1	4
TOTAL	79	-	-	6	-	-	-	-	1	-	-	-	4	8
NEW YORK														
MALE	23	1	-	1	-	-	-	-	-	-	-	-	1	-
FEMALE	37	1	-	-	-	-	-	-	-	-	-	-	1	2
TOTAL	60	2	-	1	-	-	-	-	-	-	-	-	1	4
PENNSYLVANIA														
MALE	49	1	-	2	-	-	1	-	-	-	1	-	-	5
FEMALE	52	-	-	1	-	-	1	-	-	-	1	-	-	6
TOTAL	101	1	-	3	-	-	1	-	-	-	1	-	-	11
TENNESSEE														
MALE	16	-	1	1	-	1	-	-	-	-	-	-	-	4
FEMALE	32	-	-	5	-	1	-	1	1	-	-	-	3	6
TOTAL	48	-	1	6	-	1	-	1	1	-	-	-	3	10
WISCONSIN														
MALE	22	-	-	2	-	-	-	-	-	-	1	-	1	-
FEMALE	17	-	-	1	-	-	-	-	-	-	1	-	1	3
TOTAL	39	-	-	3	-	-	-	-	-	-	1	-	2	4
UNITED STATES ¹	1													
MALE	543	6	3	93	1	3	4	1	39	1	6	8	30	2
FEMALE	474	1	1	71	2	1	1	2	34	5	3	10	13	40
TOTAL	1,017	7	4	164	3	4	5	3	73	6	9	18	43	40

¹

These totals do not include 125 resident patients, 65 males and 60 females. See footnote to Table 16.

TABLE 15 - Continued

STATE AND SEX	PSYCHOTIC DISORDERS							PERSONALITY DISORDERS			TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE	MENTAL DEFICIENCY	MENTAL DISORDER UNDIAGNOSED	WITHOUT MENTAL DISORDER
	TOTAL PSYCHOTIC DISORDERS	Involitional psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	TOTAL PERSON- ALITY DIS- ORDERS	Alcoholism addiction	All other				
CALIFORNIA														
MALE	25	1	2	-	22	-	-	5	-	5	-	-	1	-
FEMALE	33	1	3	4	24	1	-	4	-	4	-	-	1	-
TOTAL	58	2	5	4	46	1	-	9	-	9	2	-	2	-
COLORADO														
MALE	11	-	2	-	9	-	-	13	2	11	-	-	-	1
FEMALE	19	-	3	2	13	1	-	5	-	5	-	-	-	1
TOTAL	30	-	5	2	22	1	-	18	2	16	-	-	-	2
DELAWARE														
MALE	5	-	2	-	3	-	-	16	8	8	65	14	-	20
FEMALE	1	-	-	-	-	1	-	1	-	1	19	5	-	27
TOTAL	6	-	2	-	3	1	-	17	8	9	84	19	-	47
INDIANA														
MALE	47	5	-	-	42	-	-	3	-	3	5	-	1	-
FEMALE	45	6	-	-	33	1	-	6	-	6	1	1	-	-
TOTAL	92	11	-	5	75	1	-	9	-	9	6	1	1	-
IOWA														
MALE	10	7	-	-	3	-	-	6	-	6	1	-	-	-
FEMALE	12	10	1	-	1	-	-	5	-	5	1	1	-	-
TOTAL	22	17	1	-	4	-	-	11	-	11	1	1	-	-
MICHIGAN														
MALE	24	-	2	1	21	-	-	5	-	5	4	-	-	-
FEMALE	17	-	5	1	11	-	-	1	-	1	3	-	-	-
TOTAL	41	-	7	2	32	-	-	6	-	6	7	-	-	-
NEBRASKA														
MALE	10	2	-	-	8	-	-	9	4	5	5	2	2	-
FEMALE	28	5	3	-	19	1	-	3	-	3	3	-	2	2
TOTAL	38	7	3	-	27	1	-	12	4	8	8	2	2	2
NEW YORK														
MALE	13	4	2	-	7	-	-	6	1	5	-	-	-	-
FEMALE	31	3	3	8	17	-	-	2	-	2	1	-	-	-
TOTAL	44	7	5	8	24	-	-	8	1	7	1	1	-	-
PENNSYLVANIA														
MALE	36	-	-	-	36	-	-	4	1	3	1	-	-	-
FEMALE	41	1	2	2	36	-	-	3	1	2	2	1	-	-
TOTAL	77	1	2	2	72	-	-	7	2	5	1	1	-	-
TENNESSEE														
MALE	5	-	-	1	4	-	-	5	2	3	-	-	-	-
FEMALE	14	2	-	-	12	-	-	6	1	5	1	-	-	-
TOTAL	19	2	-	1	16	-	-	11	3	8	1	-	-	-
WISCONSIN														
MALE	4	-	-	-	3	-	1	8	-	8	5	1	1	-
FEMALE	3	-	-	-	2	-	1	6	-	6	3	-	1	-
TOTAL	7	-	-	-	5	-	2	14	-	14	8	1	2	-
UNITED STATES TOTAL														
MALE	190	19	10	2	158	-	1	80	18	62	86	17	5	21
FEMALE	244	28	20	22	168	5	1	42	2	40	33	8	2	30
TOTAL	434	47	30	24	326	5	2	122	20	102	119	25	7	51

TABLE 16

PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY AGE AT END OF YEAR, SEX AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 11 of the 12 hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										Age unknown
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over		
CALIFORNIA												
	MALE	45	7	9	14	6	3	5	1	-	-	-
	FEMALE	52	7	10	19	12	3	1	-	-	-	-
	TOTAL	97	14	19	33	18	6	6	1	-	-	-
COLORADO												
	MALE	33	1	4	7	9	5	1	4	2	-	-
	FEMALE	34	3	4	8	6	5	4	-	-	-	-
	TOTAL	67	4	8	15	15	10	5	8	2	-	-
DELAWARE												
	MALE	185	84	16	3	11	8	23	13	19	8	-
	FEMALE	102	17	9	1	2	8	13	20	24	8	-
	TOTAL	287	101	25	4	13	16	36	33	43	16	-
INDIANA												
	MALE	73	15	16	13	3	12	10	4	-	-	-
	FEMALE	61	7	9	19	10	10	6	-	-	-	-
	TOTAL	134	22	25	32	13	22	16	4	-	-	-
IOWA												
	MALE	23	3	5	3	3	2	6	1	-	-	-
	FEMALE	19	-	6	1	1	2	5	2	1	1	-
	TOTAL	42	3	11	4	4	4	11	3	1	1	-
MICHIGAN												
	MALE	38	8	17	8	3	-	2	-	-	-	-
	FEMALE	25	3	5	9	5	2	1	-	-	-	-
	TOTAL	63	11	22	17	8	2	3	-	-	-	-
NEBRASKA												
	MALE	36	11	6	6	1	2	4	4	2	-	-
	FEMALE	43	5	5	7	7	7	7	3	1	1	-
	TOTAL	79	16	11	13	8	9	11	7	3	1	-
NEW YORK												
	MALE	23	1	4	6	4	4	2	2	-	-	-
	FEMALE	37	2	5	13	9	6	1	1	-	-	-
	TOTAL	60	3	9	19	13	10	3	3	-	-	-
PENNSYLVANIA												
	MALE	49	15	12	7	6	4	3	2	-	-	-
	FEMALE	52	5	5	23	9	4	4	1	-	-	-
	TOTAL	101	20	17	30	15	8	7	3	1	-	-
TENNESSEE												
	MALE	16	-	3	3	4	5	1	-	-	-	-
	FEMALE	32	-	4	5	10	8	3	2	-	-	-
	TOTAL	48	-	7	8	14	13	4	2	-	-	-
WISCONSIN												
	MALE	22	14	4	2	-	2	-	-	-	-	-
	FEMALE	17	6	10	-	-	1	-	-	-	-	-
	TOTAL	39	20	14	2	-	3	-	-	-	-	-
UNITED STATES TOTAL ¹												
	MALE	543	159	96	72	50	47	57	31	23	8	-
	FEMALE	474	55	72	105	71	56	45	33	27	10	-
	TOTAL	1,017	214	168	177	121	103	102	64	50	18	-

¹

These totals include only patients reported on the detailed schedules. The excluded numbers of patients available from movement schedules are as follows:

State	Number of hospitals not included	Number of patients		
		Total	Male	Female
Total	1	125	65	60
Massachusetts	1	125	65	60

TABLE 17

PERSONNEL EMPLOYED FULL AND PART TIME IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE,
BY OCCUPATION: UNITED STATES, 1958
(Statistics based on detailed schedules from 260 of the 266 hospitals)

OCCUPATION	PERSONNEL EMPLOYED
FULL TIME EMPLOYEES	
SUPERINTENDENTS AND PHYSICIANS	
SUPERINTENDENTS AND ASSISTANT SUPERINTENDENTS - - - - -	395
CLINICAL DIRECTORS - - - - -	182
PSYCHIATRISTS - - - - -	1,073
OTHER STAFF PHYSICIANS - - - - -	1,571
PSYCHIATRIC RESIDENTS - - - - -	683
MEDICAL INTERNES - - - - -	34
TOTAL - - - - -	3,938
DENTISTS AND DENTAL ASSISTANTS - - - - -	654
PSYCHOLOGISTS AND PSYCHOMETRISTS - - - - -	795
CLINICAL ASSISTANTS - - - - -	219
GRADUATE NURSES - - - - -	8,075
OTHER NURSES AND ATTENDANTS - - - - -	90,215
TOTAL - - - - -	99,958
THERAPISTS AND ASSISTANTS	
OCCUPATIONAL THERAPISTS AND ASSISTANTS - - - - -	2,231
HYDROTHERAPISTS, PHYSIOTHERAPISTS AND ASSISTANTS - - - - -	327
OTHER THERAPISTS AND ASSISTANTS - - - - -	1,513
TOTAL - - - - -	4,071
SOCIAL WORKERS	
PSYCHIATRIC SOCIAL WORKERS - - - - -	1,173
OTHER SOCIAL WORKERS - - - - -	315
TOTAL - - - - -	1,488
ALL OTHER PROFESSIONALS - - - - -	2,240
BUSINESS MANAGERS, STEWARDS AND ASSISTANTS - - - - -	449
CLERICAL EMPLOYEES - - - - -	8,099
OTHER EMPLOYEES - - - - -	44,494
TOTAL FULL TIME EMPLOYEES ¹ - - - - -	164,737
PART TIME EMPLOYEES	
CONSULTING PHYSICIANS - - - - -	1,545
OTHER PART TIME PHYSICIANS - - - - -	498
OTHER PROFESSIONALS - - - - -	558
OTHER EMPLOYEES - - - - -	495
TOTAL PART TIME EMPLOYEES ¹ - - - - -	3,096

¹ Data not available from one State hospital in Maryland, one in Minnesota, and four in Oklahoma.

TABLE 18

PERSONNEL EMPLOYED FULL TIME IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE,
BY OCCUPATION AND STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 260 of the 266 hospitals)

STATE	TOTAL	Superintendents and assistants	Clinical directors	Psychiatrists and psychiatric residents	Other staff physicians and residents	Dentists and dental assistants	Psychologists and psychometrists	Graduate nurses	Other nurses and attendants	Therapists and assistants	Social workers	All other professionals	Business managers, clerks, stewards and assistants	Other employees	AVERAGE DAILY RESIDENT- PATIENT ¹ POPULATION
ALABAMA	1,539	3	-	1	13	9	5	24	969	40	8	-	50	417	7,337
ARIZONA	548	2	-	1	7	2	2	19	304	13	6	5	53	134	1,603
ARKANSAS	1,479	3	1	7	13	2	10	44	863	48	7	30	68	383	4,925
CALIFORNIA	11,546	19	10	103	233	62	59	660	7,046	171	123	126	735	2,199	36,347
COLORADO	1,933	2	-	21	21	5	4	40	1,015	52	2	19	101	651	5,744
CONNECTICUT	3,835	9	7	88	4	10	22	247	1,782	151	34	31	176	1,274	8,684
DELAWARE	501	1	1	9	2	3	1	28	258	25	5	3	40	125	1,420
DISTRICT OF COLUMBIA	2,762	3	3	46	19	10	6	273	1,236	26	14	43	182	901	6,965
FLORIDA	2,787	5	4	16	15	23	6	107	1,662	31	10	33	101	774	8,702
GEORGIA	2,157	2	4	1	37	20	4	79	1,240	30	5	31	115	589	11,748
IDAHO	418	2	2	2	4	1	5	20	230	10	5	9	36	92	1,079
ILLINOIS	9,753	24	4	60	157	46	79	350	4,502	373	68	248	693	3,149	36,892
INDIANA	3,682	8	2	3	46	15	24	139	1,956	98	45	103	271	972	10,919
IOWA	1,890	7	3	32	10	8	17	51	1,025	54	32	26	90	535	4,924
KANSAS	2,199	3	2	66	30	8	22	93	1,007	89	34	23	151	671	4,215
KENTUCKY	2,076	4	3	12	29	9	9	87	1,145	65	32	43	142	496	7,247
LOUISIANA	2,337	4	2	11	6	11	12	38	1,177	62	25	68	163	758	8,277
MAINE	944	3	1	6	6	3	3	9	519	25	7	9	55	273	2,965
MARYLAND ²	3,067	6	4	43	29	7	29	72	1,800	87	54	25	168	743	9,235
MASSACHUSETTS	7,761	23	4	94	49	24	23	617	3,978	177	65	117	300	2,290	21,703
MICHIGAN ²	6,460	13	5	72	65	23	27	220	3,764	127	85	111	394	1,554	21,491
MINNESOTA ²	2,967	12	4	2	43	15	19	154	1,729	77	21	45	163	683	11,063
MISSISSIPPI	1,461	2	1	5	15	4	3	29	890	36	7	17	59	393	5,195
MISSOURI	3,875	7	5	35	15	15	21	83	2,437	105	25	69	152	906	11,645
MONTANA	518	2	-	5	-	2	4	11	337	8	7	9	25	108	1,750
NEBRASKA	1,869	5	1	11	15	6	7	83	1,033	87	22	39	110	450	4,434
NEVADA	139	1	-	1	2	-	-	8	92	3	-	-	7	25	492
NEW HAMPSHIRE	927	2	-	6	13	5	4	10	492	18	8	24	77	268	2,593
NEW JERSEY	8,318	19	19	75	135	23	32	396	4,299	209	95	111	545	2,360	21,861
NEW MEXICO	435	1	-	-	5	2	3	6	248	12	7	5	32	114	949
NEW YORK	29,894	55	27	570	92	155	79	1,887	16,278	725	205	291	1,038	8,492	95,299
NORTH CAROLINA	2,994	8	7	7	44	13	11	140	1,344	56	16	34	119	1,195	9,616
NORTH DAKOTA	543	2	-	4	8	3	6	17	338	12	8	9	18	118	1,787
OHIO	8,168	20	17	120	82	17	87	365	4,538	218	134	236	535	1,799	27,910
OREGON	1,506	4	1	10	22	6	3	65	949	28	10	11	68	329	5,066
PENNSYLVANIA	11,430	27	17	114	60	39	47	881	6,116	343	83	217	551	2,935	38,909
RHODE ISLAND	1,043	2	2	8	20	2	3	64	645	20	7	12	64	194	3,409
SOUTH CAROLINA	1,476	1	2	5	21	3	8	48	720	4	8	40	68	548	6,351
SOUTH DAKOTA	512	1	-	4	5	2	1	26	243	12	2	9	41	166	1,668
TENNESSEE	1,536	8	1	2	35	4	10	56	944	39	7	19	64	347	8,096
TEXAS	4,306	8	6	28	23	10	19	126	2,475	94	52	54	166	1,245	15,963
UTAH	439	2	-	5	-	2	6	11	305	2	8	6	22	70	1,287
VERMONT	416	2	-	5	3	1	1	18	246	6	2	5	13	114	1,218
VIRGINIA	2,761	3	3	16	37	13	16	82	1,553	71	20	41	153	753	11,023
WASHINGTON	2,206	5	2	14	29	7	7	48	1,476	9	24	29	128	428	6,846
WEST VIRGINIA	1,130	5	2	-	20	1	5	31	644	31	11	28	74	278	5,403
WISCONSIN	3,990	44	3	9	30	3	15	190	2,265	91	31	29	161	1,119	14,915
WYOMING	204	1	-	1	2	-	3	4	101	1	2	1	11	77	623
UNITED STATES TOTAL ²	164,737	395	182	1,756	1,571	654	795	8,075	90,215	4,071	1,488	2,493	8,548	44,494	537,793

¹

Includes only population of hospitals reporting personnel data.

²

Data not available from one State hospital in Maryland, one in Minnesota, and 4 in Oklahoma.

EXPENDITURES OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1958

(Statistics based on detailed schedules from 259 of the 266 hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION ¹
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
MA	\$6,833,182	\$6,597,708	\$3,841,875	\$892,336	\$267,277	\$1,596,220	\$235,474	7,337
VA	3,025,901	2,480,182	1,605,820	246,578	111,939	515,845	545,719	1,603
SAS	6,827,037	5,845,616	3,761,466	994,281	186,291	903,578	981,421	4,925
ORNIA	73,828,903	65,161,972	50,636,157	7,254,177	1,707,507	5,564,131	8,666,931	36,347
DO	9,865,504	9,080,512	6,904,377	757,579	226,091	1,192,465	784,992	5,744
CTICUT	24,232,676	18,004,008	13,214,148	2,251,183	733,711	1,804,966	6,228,668	8,684
IRE	2,934,165	2,183,722	1,508,555	295,396	101,505	278,266	750,443	1,420
CT OF COLUMBIA	20,367,475	15,700,201	11,092,135	2,057,724	450,522	2,099,820	4,667,274	6,965
IA	15,508,273	10,688,923	6,572,945	2,286,240	527,179	1,302,559	4,819,350	8,702
IA	11,174,496	10,538,668	5,373,246	1,413,686	513,786	3,237,950	635,828	11,748
IS	1,826,784	1,760,812	1,204,874	211,798	83,463	260,677	65,972	1,079
IS	55,847,442	49,346,571	30,125,196	8,090,448	2,223,208	8,907,719	6,500,871	36,892
IA	21,259,690	16,359,364	10,955,348	2,807,056	837,433	1,759,527	4,900,326	10,919
;	8,172,305	7,107,568	4,743,607	1,277,486	341,840	744,635	1,064,737	4,924
;	11,354,034	9,454,896	6,751,548	1,142,041	288,542	1,272,765	1,899,138	4,215
KY	8,429,978	7,867,486	5,576,725	772,317	366,392	1,152,052	562,492	7,247
IANA	8,393,785	8,111,096	5,301,755	861,824	321,816	1,625,701	282,689	8,277
IND ²	5,589,320	4,072,987	2,898,827	572,978	215,391	385,791	1,516,333	2,965
HSUETTS	15,871,926	14,319,481	10,451,630	1,661,011	664,735	1,542,105	1,552,445	9,235
AN	36,996,508	36,904,687	26,682,668	4,017,990	2,170,085	4,033,944	91,821	21,703
OTA ²	42,405,316	39,735,771	31,328,619	3,726,484	1,349,262	3,331,406	2,669,545	21,491
OTA	15,711,572	15,487,587	11,377,400	1,896,408	695,629	1,518,150	223,985	11,063
SSIPPI	3,955,926	3,838,627	1,838,294	842,093	179,028	979,212	117,299	5,195
JRI	17,271,965	15,240,008	9,938,080	2,271,559	448,641	2,581,728	2,031,957	11,645
IA	3,356,530	2,337,400	1,656,486	490,944	63,238	217,732	1,019,130	1,750
SKA	6,979,442	6,767,552	4,957,905	822,221	181,148	806,278	211,890	4,434
I	1,469,263	767,918	457,693	92,993	40,935	176,297	701,345	492
MPHIRE	4,472,892	4,255,087	3,069,632	497,356	262,788	425,311	217,805	2,593
ERSEY	38,179,897	37,155,298	27,956,097	3,591,816	1,606,219	4,001,166	1,024,599	21,861
XICO	1,870,970	1,644,311	1,001,961	217,556	71,110	353,684	226,659	949
IRK	185,245,212	147,523,836	112,109,843	16,287,244	6,556,630	12,570,119	37,721,376	95,299
CAROLINA	14,636,993	13,974,010	9,302,438	1,411,687	663,693	2,596,192	662,983	9,616
DAKOTA	2,473,395	2,201,622	1,757,935	136,301	307,386	271,773	1,787	
	49,456,857	39,825,445	29,936,436	5,004,969	1,530,939	3,353,101	9,631,412	27,910
I	7,472,296	7,155,964	5,487,178	633,058	278,416	757,312	316,332	5,066
LVANIA	53,334,912	52,943,008	37,590,222	7,135,862	2,713,793	5,503,131	391,904	38,909
ISLAND	5,585,720	5,548,813	3,876,467	725,077	332,180	615,089	36,907	3,409
CAROLINA	7,633,402	5,596,645	3,693,656	718,965	262,024	922,000	2,036,757	6,351
DAKOTA	2,080,433	1,974,175	1,160,197	293,607	91,707	428,664	106,258	1,668
SEE-2	8,396,970	6,668,159	2,947,332	1,725,163	337,627	1,658,037	1,728,811	7,803
	19,895,111	18,793,612	12,475,317	3,023,893	606,253	2,688,149	1,101,499	15,963
IT	2,028,142	1,987,092	1,478,912	157,111	20,842	330,227	41,050	1,287
IA	2,065,599	2,065,099	1,421,362	144,332	111,606	387,799	500	1,218
IGTON	14,835,458	12,408,112	8,322,733	1,816,487	543,433	1,725,459	2,427,346	11,023
IRGINIA	5,163,850	4,497,521	2,594,235	971,717	211,540	720,029	666,329	5,403
ISIN	23,605,851	22,566,664	13,209,856	3,888,123	1,481,724	3,986,961	1,039,187	14,915
IG	2,004,020	1,043,295	505,174	114,544	34,566	389,011	960,725	623
STATES TOTAL ²	\$900,737,697	\$786,278,544	\$556,405,409	\$101,838,747	\$33,621,675	\$94,412,713	\$114,459,153	537,500

¹ Includes only population of hospitals reporting expenditures.² Data not available from one State hospital in Maryland, one in Minnesota, four in Oklahoma, and one county hospital in Tennessee.

TABLE 20

AVERAGE DAILY RESIDENT-PATIENT POPULATION OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE,
BY STATE, UNITED STATES, 1958

(Statistics based on movement schedules from 261 of the 266 hospitals)

STATE	Average Daily Resident-Patient Population	STATE	Average Daily Resident-Patient Population	STATE	Average Daily Resident-Patient Population
ALABAMA	7,337	MICHIGAN	21,491	TEXAS	15,963
ARIZONA	1,603	MINNESOTA	11,149	UTAH	1,287
ARKANSAS	4,925	MISSISSIPPI	5,195	VERMONT	1,218
CALIFORNIA	36,347	MISSOURI	11,645	VIRGINIA	11,023
COLORADO	5,744	MONTANA	1,750	WASHINGTON	6,846
CONNECTICUT	8,684	NEBRASKA	4,434	WEST VIRGINIA	5,403
DELAWARE	1,420	NEVADA	492	WISCONSIN	14,915
DISTRICT OF COLUMBIA	6,965	NEW HAMPSHIRE	2,593	WYOMING	623
FLORIDA	8,702	NEW JERSEY	21,861		
GEORGIA	11,748	NEW MEXICO	949	UNITED STATES TOTAL ¹	537,879
IDAHO	1,079	NEW YORK	95,299		
ILLINOIS	36,892	NORTH CAROLINA	9,616		
INDIANA	10,919	NORTH DAKOTA	1,787		
IOWA	4,924	OHIO	27,910		
KANSAS	4,215	OREGON	5,066		
KENTUCKY	7,247	PENNSYLVANIA	38,909		
LOUISIANA	8,277	RHODE ISLAND	3,409		
MAINE	2,965	SOUTH CAROLINA	6,351		
MARYLAND ¹	9,235	SOUTH DAKOTA	1,668		
MASSACHUSETTS	21,703	TENNESSEE	8,096		

¹ Data not available from one State hospital in Maryland and four in Oklahoma.

TABLE 21

PERSONNEL EMPLOYED FULL AND PART TIME IN PSYCHOPATHIC HOSPITALS, BY OCCUPATION, UNITED STATES, 1958

(Statistics based on detailed schedules from the 12 hospitals)

OCCUPATION	PERSONNEL EMPLOYED
FULL TIME EMPLOYEES	
SUPERINTENDENTS AND PHYSICIANS	
SUPERINTENDENTS AND ASSISTANT SUPERINTENDENTS -----	15
CLINICAL DIRECTORS -----	12
PSYCHIATRISTS -----	51
OTHER STAFF PHYSICIANS -----	18
PSYCHIATRIC RESIDENTS -----	113
MEDICAL INTERNES -----	5
TOTAL -----	214
DENTISTS AND DENTAL ASSISTANTS -----	6
PSYCHOLOGISTS AND PSYCHOMETRISTS -----	55
CLINICAL ASSISTANTS -----	10
GRADUATE NURSES -----	329
OTHER NURSES AND ATTENDANTS -----	619
TOTAL -----	1,019
THERAPISTS AND ASSISTANTS	
OCCUPATIONAL THERAPISTS AND ASSISTANTS -----	46
HYDROTHERAPISTS, PHYSIOTHERAPISTS AND ASSISTANTS -----	14
OTHER THERAPISTS AND ASSISTANTS -----	31
TOTAL -----	91
SOCIAL WORKERS	
PSYCHIATRIC SOCIAL WORKERS -----	91
OTHER SOCIAL WORKERS -----	2
TOTAL -----	93
ALL OTHER PROFESSIONALS -----	216
BUSINESS MANAGERS, STEWARDS AND ASSISTANTS -----	14
CLERICAL EMPLOYEES -----	297
OTHER EMPLOYEES -----	525
TOTAL FULL TIME EMPLOYEES -----	2,469
PART TIME EMPLOYEES	
CONSULTING PHYSICIANS -----	65
OTHER PART TIME PHYSICIANS -----	1
OTHER PROFESSIONALS -----	13
OTHER EMPLOYEES -----	4
TOTAL PART TIME EMPLOYEES -----	83

TABLE 22

PERSONNEL EMPLOYED FULL TIME IN PSYCHOPATHIC HOSPITALS, BY OCCUPATION AND STATE: UNITED STATES, 1958
 (Statistics based on detailed schedules from the 12 hospitals)

STATE	TOTAL	Superintendents and assistant superintendents	Clinical directors	Psychiatrists and psychiatric residents	Other staff physicians and residents	Dentists and dental assistants	Psychologists and psychometrists	Graduate nurses	Other nurses and attendants	Therapists and assistants	Social workers	All other professionals	Business managers, clerks, stewards and assistants	Other employees	AVERAGE DAILY RESIDENT-PATIENT POPULATION
CALIFORNIA	173	2	-	16	1	-	2	60	50	5	7	2	5	23	72
COLORADO	156	-	1	12	1	-	3	48	43	4	3	6	17	18	81
DELAWARE	207	1	1	-	2	1	4	9	-	5	3	20	57	308	
INDIANA	359	1	2	10	2	2	5	31	126	17	16	37	89	140	
IOWA	108	1	-	13	3	-	4	15	21	11	4	4	15	17	66
MASSACHUSETTS	262	2	2	45	4	1	4	23	50	9	16	9	38	59	117
MICHIGAN	251	2	1	17	1	-	5	44	70	7	9	14	35	46	77
NEBRASKA	218	2	3	15	1	1	7	26	60	17	10	9	36	31	83
NEW YORK	88	1	1	5	-	-	1	13	33	4	3	1	12	14	50
PENNSYLVANIA	421	-	-	18	2	1	11	33	84	6	15	55	69	127	106
TENNESSEE	139	2	1	11	-	-	7	17	45	3	4	5	16	28	49
WISCONSIN	87	1	-	2	1	-	2	10	37	3	3	1	11	16	36
UNITED STATES TOTAL	2,469	15	12	164	18	6	55	329	619	91	93	231	311	525	1,185

TABLE 23

EXPENDITURES OF PSYCHOPATHIC HOSPITALS, BY STATE: UNITED STATES, 1958
 (Statistics based on detailed schedules from the 12 hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
CALIFORNIA	\$1,037,190	\$1,023,894	\$879,240	\$39,041	\$11,725	\$93,888	\$13,296	72
COLORADO	857,322	838,481	663,399	111,693	20,984	42,405	18,841	81
DELAWARE	801,587	801,587	594,777	73,746	48,897	84,167	-	308
INDIANA	1,602,763	1,594,261	1,274,374	98,293	57,483	164,111	8,502	140
IOWA	475,117	466,849	378,327	35,363	10,138	43,021	8,268	66
MASSACHUSETTS	1,139,495	1,139,495	955,330	43,612	36,230	104,323	-	117
MICHIGAN	1,506,289	1,434,346	1,198,197	37,741	35,342	163,066	71,943	77
NEBRASKA	810,540	801,064	690,743	44,961	-	65,360	9,476	83
NEW YORK	219,679	219,679	193,613	6,700	6,262	13,104	-	50
PENNSYLVANIA	2,104,364	2,003,672	1,662,098	56,587	117,483	167,504	100,692	106
TENNESSEE	396,099	396,099	275,880	45,058	3,527	71,634	-	49
WISCONSIN	457,154	451,518	398,066	15,528	10,568	27,356	5,636	36
UNITED STATES TOTAL	\$11,407,599	\$11,170,945	\$9,164,044	\$608,323	\$358,639	\$1,039,939	\$236,654	1,185

TABLE 24

AVERAGE DAILY RESIDENT-PATIENT POPULATION OF PSYCHOPATHIC HOSPITALS, BY STATE: UNITED STATES, 1958
 (Statistics based on movement schedules from the 12 hospitals)

STATE	Average Daily Resident-Patient Population	STATE	Average Daily Resident-Patient Population	STATE	Average Daily Resident-Patient Population
CALIFORNIA	72	IOWA	66	NEW YORK	50
COLORADO	81	MASSACHUSETTS	117	PENNSYLVANIA	106
DELAWARE	308	MICHIGAN	77	TENNESSEE	49
INDIANA	140	NEBRASKA	83	WISCONSIN	36
				UNITED STATES TOTAL	1,185

JAN 18 1961

Public Health Service Publication No. 781

Part II