

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

THE PLANT DISEASE REPORTER DEC 1 1943 ☆

LIBRARY
CURRENT SERIALS SECTION
U. S. DEPARTMENT OF AGRICULTURE

Issued by

THE PLANT DISEASE SURVEY, DIVISION OF MYCOLOGY AND DISEASE SURVEY
BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 133

INDEX TO SUPPLEMENTS 130 - 132

December 31, 1941

(Issued June 15, 1942)

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.



INDEX TO

THE PLANT DISEASE REPORTER

SUPPLEMENTS 130 - 132, 1941

Prepared by Nellie W. Nance

Plant Disease Reporter
Supplement 133

December 31, 1941

Fischer, George W., and Moses N. Levine. Summary of the recorded data on the reaction of wild and cultivated grasses to stem rust (Puccinia graminis), leaf rust (P. rubigo-vera), stripe rust (P. glumarum), and crown rust (P. coronata) in the United States and Canada. Supplement 130:1-30.

Miller, Julian H. The Ascomycetes of Georgia. Supplement 131: 31-93.

Melchers, L. F. The wheat stem rust epidemic of Kansas in 1940. Supplement 132:95-103. 4 figures.

A

- Acanthorhynchus, 62.
Acanthostigma, 75.
Acer spp., *Diatrypella favacea*, 64.
 Eutypella fraxinicola, 65.
 Gnomoniella tenella, 71.
 Hypoxylon tinctor, 60.
 Massaria vomitoria, 81.
 Physalospora obtusa, 84.
 Pyrenopeziza leucodermis, 42.
 Rhytisma acerinum, 44.
 Valsaria rubricosa, 74.
leucoderme, *Daldinia concentrica*, 57.
 Diaporthe dubia, 68.
 Mycosphaerella punctiformis, 90.
negundo, *Acrospermum foliicol-um*, 75.
 Anthostoma saprophilum, 63.
 Camarops polyspermum, 57.
 Dothidea collecta, 87.
 Eutypa velutina, 65.
 Hypoxylon glomeratum, 58.
 Lophionema crenatum, 53.
 Massaria plumigera var. *tetraspora*, 81.
Acer negundo, *Meliola amphitricha*, 37.
 Rosellinia glandiformis, 61.
 rubrum, *Cenangium episphaeria*, 46.
 Cryptodiaporthe myinda, 67.
 Dasyscypha acerina, 46.
 Diatrype platystoma, 63.
 Diatrype stigma, 63.
 Diatrypella quercina, 64.
 Diatrypella subfulva, 64.
 Eutypella rugiella, 66.
 Herpetrichia pezizula, 78.
 Hypocrea lenta, 56.
 Hypoxylon atropunctatum, 57.
 Hypoxylon crocoseplum, 58.
 Hypoxylon rubiginosum, 59.
 Hypoxylon serpens, 60.
 Hypoxylon truncatum, 61.
 Hysteroglyphium flexuosum, 51.
 Massariovalsa sudans, 71.
 Melanconis appendiculata, 71.
 Mycosphaerella maculiformis, 89.
 Nectria cinnabarina, 54.
 Pezicula carnea, 42.
 Pleosphaeria echinata, 85.
 Sphaerognomonia carpineae, 92.
 Taphrina dearnessii, 52.
 Uncinula circinata, 37.
 Valsa decorticans, 73.

- Acer rubrum*, *Valsa pauperata*, 73.
Xylaria cubensis, 62.
saccharinum, *Botryosphaeria ribis*, 76.
saccharum, *Gnomonia petiolophila*, 70.
Mycosphaerella sp., 91.
Taphrina sacchari, 52.
Thyronectria pyrrochloa, 55.
Achillea millefolium, *Ophiobolus* sp., 83.
Acrospermoides subulata, 75.
Acrospermum, 75, 76.
Aesculus spp., *Diaporthe padi* var. *patria*, 68.
Eutypella fraxinicola, 65.
georgiana, *Guignardia aesculi*, 87.
Hypoxylon rubiginosum, 59.
Uncinula flexuosa, 37.
octandra, *Botryosphaeria ribis*, 76.
Gnomoniella sp., 71.
Massariovalsa sudans, 71.
Valsaria insitiva, 74.
pavia, *Mycosphaerella punctiformis*, 90.
Physalospora obtusa, 84.
Agave virginica, *Diaporthe arctii*, 67.
Aglaospora profusa, 76.
Agyrium, 48.
Ailanthus altissima, *Botryosphaeria ribis*, 76.
Eutypella microcarpa, 66.
Albizia julibrissin, *Botryosphaeria ribis*, 76.
Eutypella microcarpa, 66.
Nectria coccinea, 55.
Thyronectria austro-americana, 55.
Aleuria, 38.
Allium cepa, *Aspergillus niger*, 35.
Alnus rugosa, *Acrospermum compressum*, 75.
Cryptospora femoralis, 67.
Cucurbitaria fraxini, 77.
Diatrypella discoidea var. *alni*, 64.
Diatrypella favacea, 64.
Dothidea collecta, 87.
Eutypella cerviculata, 65.
Gnomonia setacea, 70.
Gnomoniella gnomon, 71.
Alnus rugosa, *Gnomoniella tubiformis*, 71.
Hypoxylon fuscum, 58.
Hypoxylon hypophlaeum, 58.
Hypoxylon rubiginosum, 59.
Lachnum virgineum, 46.
Mamiania alni, 71.
Melanconis thelebola, 72.
Pezicula sp., 42.
Phaeosphaerella sp., 92.
Propolis versicolor, 45.
Pyrenopeziza foliicola, 42.
Scorias spongiosa, 38.
Sphaerognomonia carpineae, 92.
Taphrina robinsoniana, 52.
Taphrina rugosa, 52.
Valsa minutella, 73.
Ambrosia spp., *Diaporthe arctii*, 67.
Ophiobolus anguillides, 83.
artemisiifolia, *Erysiphe cichoracearum*, 35.
Metasphaeria complanata, 82.
Mollisia atrata, 41.
Ophiobolus sp., 83.
Pleospora diaporthoides, 85.
Pleospora herbarum, 85.
trifida, *Leptosphaeria subconica*, 80.
Amelanchier spp., *Mycosphaerella punctiformis*, 90.
canadensis, *Eutypella fraxinicola*, 65.
Fabraea maculata, 41.
Nectria cinnabarina, 54.
Nummularia discincola, 61.
Valsa ceratophora, 72.
Valsella laschii, 74.
Anorpha fruticosa, *Diaporthe amorphae*, 67.
Physalospora obtusa, 84.
Valsaria insitiva, 74.
Amphisphaeria, 76.
Ansonia tabernaemontana, *Hypoderma commune*, 43.
Mycosphaerella sp., 91.
Ophiobolus sp., 83.
Andropogon spp., *Apiospora montagnei*, 74.
virginicus, *Dasyscypha* sp., 47.
Dothichloë atramentosa, 56.
Leptosphaeria culmorum, 79.

- Andropogon virginicus*, *Leptosphaeria muricata*, 80.
Metasphaeria infuscans, 82.
Phyllachora andropogonis, 74.
Rhopoglyphus clavisporus, 85.
Angelina rufescens, 48.
Anthostoma, 62, 63.
Anthostomella, 63.
Apicoportha, 66.
Apios tuberosa, *Metasphaeria* sp., 83.
Apiospora montagnei, 74.
Apiosporella, 76.
Arachis hypogaea, *Mycosphaerella archidicola*, 87.
Mycosphaerella berkeleyi, 88.
Neocosmospora vasinfecta, 55.
Aralia spinosa, *Botryosphaeria ribis*, 76.
Diaporthe araliae, 67.
Aristida spp., *Dothichloë aristidae*, 56.
Aronia arbutifolia, *Mycosphaerella arbutifoliae*, 88.
Physalospora obtusa, 84.
Arundinaria spp., *Meliola tenuis*, 37.
tecta, *Apiospora montagnei*, 74.
Aulographum arundinariae, 53.
Didymosphaeria arundinariae, 77.
Hypoxylon culmorum, 58.
Hypoxylon rubiginosum, 59.
Lachnum arundinariae, 45.
Leptosphaeria culmicola, 79.
Lophodermium arundinaceum, 44.
Ophiobolus stictisporus, 83.
Phyllachora sp., 74.
Scleroderris arundinariae, 48.
Sphaeropeziza arundinariae, 45.
Stigmatea sclerotidea, 53.
Asclepias variegata, *Diaporthe arctii*, 67.
Ascobolus furfuraceus, 38.
Asimina parviflora, *Mycosphaerella punctiformis*, 90.
triloba, *Dothidea collecta*, 87.
Karstenula sp., 78.
Aspergillus niger, 35.
Aster spp., *Diaporthe linearis*, 68.
Erysiphe cichoracearum, 35.
Hypoderma commune, 43.
Leptosphaeria ogilviensis, 80.
Aster spp., *Leptosphaeria subconica*, 80.
ericoides var. *platyphyllus*, *Anthostomella* sp., 63.
Didymosphaeria epidermidis, 77.
Mollisia atrata, 41.
puniceus, *Mollisia cinerea*, 41.
sagittifolius var. *dissitiflorus*, *Leptosphaeria* sp., 80.
undulatus, *Acrospermum foliicolum*, 75.
Metasphaeria complanata, 82.
Asterina, 52, 53.
Atropellis tingens, 46.
Auerswaldiella puccinioides, 76.
Aulographum arundinariae, 53.
Azalea spp., *Eutypella fraxinicola*, 65.
canescens, *Acrospermum foliicolum*, 75.
calendulacea, *Microsphaera alni*, 36.
canescens, *Colpoma azaleae*, 43.
Dothidea collecta, 87.
Monilinia azaleae, 47.
Propolis versicolor, 45.
Scleroderris crypta, 48.
- B
- Baccharis halimifolia*, *Hypoxylon hypophlaeum*, 58.
Physalospora obtusa, 84.
Balansia, 55.
Baptisia bracteata, *Acrospermum foliicolum*, 75.
Mycosphaerella maculiformis, 89.
lanceolata, *Leptosphaeria coniothyrium*, 79.
perfoliata, *Physalospora obtusa*, 84.
Basal glume blotch, wheat, 102.
Beloniopsis guestphalicum, 46.
Benzoin aestivale, *Diaporthe sociata*, 69.
Hypoxylon rubiginosum, 59.
Massaria sp., 81.
Physalospora obtusa, 84.
Berchemia scandens, *Diatrypella favacea*, 64.
Diatrypella quercina, 64.
Eutypella berchemiae, 65.

- Berchemia scandens*, *Gloniopsis verbasci*, 50.
Glonium curtisii, 50.
Physalospora obtusa, 84.
Rosellinia aquila, 61.
Bertia moriformis, 76.
Betula spp., *Massaria argus*, 81.
lutea, *Diatrypella discoidea*, 64.
Nectria cinnabarina, 54.
nigra, *Acrospermum compressum*, 75.
Botryosphaeria ribis, 76.
Cryptosphaerella annexa, 77.
Cryptospora tomentella, 67.
Daldinia concentrica, 57.
Diatrypella favacea, 64.
Didymosphaeria sp., 78.
Gnomonia setacea, 70.
Hypocrea lenta, 56.
Hypoxylon fuscum, 58, 76.
Hypoxylon howeanum, 58.
Hypoxylon papillatum, 59.
Hypoxylon rubiginosum, 59.
Hypoxylon truncatum, 61.
Hysterium pulicare, 51.
Melanconis decoraensis, 71.
Phaeangium magnisporum, 42.
Pseudovalsa lanciformis, 72.
Sphaerognomonia carpineae, 92.
Valsa decorticans, 73.
Valsa minutella, 73.
Bidens frondosa, *Hypoderma commune*, 43.
Mollisia atrata, 41.
Bignonia capreolata, *Dothidea collecta*, 87.
Hypoderma commune, 43.
Meliola bidentata, 37.
Black chaff, wheat, 102.
Boehmeria cylindrica, *Acrospermum compressum*, 75.
Calloria fusarioides, 40.
Leptosphaeria subconica, 80.
Metasphaeria sp., 83.
Boletus sp., *Hypomyces chrysospermus*, 57.
Botryosphaeria, 76.
Brassica oleracea vars., *Sclerotinia sclerotiorum*, 48.
Broussonetia papyrifera, *Diatrypella favacea*, 64.
Eutypella microcarpa, 66.
Bulgaria, 38.
Bumelia spp., *Mycosphaerella bumeliae*, 88.
lycioides, *Guignardia bumeliae*, 87.
Lachnum sp., 46.
C
Callicarpa americana, *Physalospora obtusa*, 84.
Valsa decorticans, 73.
Calloria fusarioides, 40.
Calosphaeria, 63.
Calospora, 66.
Calycanthus spp., *Physalospora obtusa*, 84.
Camarops polyspermum, 57.
Camellia japonica, *Didymosphaeria* sp., 78.
Glomerella cingulata, 69.
Capnodium citri, 37.
Carex crinita, *Acrospermum graminum*, 75.
Mollisia sp., 41.
lurida, *Beloniopsis guestphalicum*, 46.
Lasio-sphaeria sp., 79.
Leptosphaeria epicarpecta, 80.
pennsylvanica, *Venturia graminicola*, 80.
Carpinus caroliniana, *Diaporthe bakeri*, 68.
Diatrype platystoma, 63.
Diatrypella discoidea, 64.
Eutypella microcarpa, 66.
Fracchiasea callista, 78.
Glonium curtisii, 50.
Hypoxylon hypophlaeum, 58.
Hypoxylon rubiginosum, 59.
Hypoxylon tinctor, 60.
Massaria sp., 81.
Melanconis chrysostroma, 71.
Melanconis hyperopta, 71.
Melogramma vagans, 82.
Metasphaeria leiostega, 82.
Pezicula carpineae, 42.
Pleomassaria carpini, 85.
Rosellinia aquila, 61.
Sphaerognomonia carpineae, 92.
Tympanopsis euomphala, 86.
Valsa decorticans, 73.
Valsaria insitiva, 74.

- Carpinus caroliniana*, *Valsaria rubricosa*, 74.
Valsella laschii, 74.
Carya spp., *Caryospora putaminum*, 76.
Eutypella fraxinicola, 65.
Gnomonia sp., 70.
Gnomonia setacea, 70.
Hypocrea lenta, 56.
Hypoxylon illitum, 59.
Hypoxylon rubiginosum, 59.
Mycosphaerella dendroides, 88.
Mycosphaerella punctiformis, 90.
Myriangium tuberculans, 35.
Nectria coccinea, 55.
Physalospora fusca, 84.
Schizoxylon insigne, 40.
Valsa chlorodisca, 72.
alba, *Hypoxylon papillatum*, 59.
Massariovalsa sudans, 71.
Mycosphaerella maculiformis, 89.
Nummularia discincola, 61.
Xylaria oxyacanthae, 62.
glabra, *Eutypella constellata*, 65.
Melanconis juglandis var. *caryae*, 72.
pallida, *Valsa minutella*, 73.
Valsaria rubricosa, 74.
pecan, *Elsinoë randii*, 35.
Gnomonia dispersa, 70.
Microsphaera alni, 36.
Mycosphaerella caryigena, 88.
Caryospora putaminum, 76.
Cassia chamaecrista, *Diaporthe arctii*, 67.
Diaporthopsis sp., 69.
Ophiobolus sp., 83.
Urosporella americana, 86.
Castanea spp., *Endothia parasitica*, 69.
Hypoxylon rubiginosum, 60.
alnifolia, *Physalospora obtusa*, 84.
dentata, *Anthostoma dryophilum*, 62.
Chlorociboria aeruginosa, 46.
Chlorociboria versiformis, 46.
Chlorosplenium chlora, 46.
Colpoma quercinum, 43.
Hypoxylon fuscum, 58.
Hypoxylon howeianum, 58.
Hypoxylon punctulatum, 59.
Hysterographium subrugosum, 51.
Castanea dentata, *Mycosphaerella punctiformis*, 90.
Phyllactinia corylea, 36.
Rosellinia subiculata, 61.
Sphaerognomonia carpinea, 92.
Valsa decorticans, 73.
Valsaria rubricosa, 74.
Xylaria hypoxylon, 62.
mollissima, *Ciboria echinophila*, 46.
Diatrypella favacea, 64.
Discohainesia oenotherae, 41.
Mycosphaerella maculiformis, 89.
pumila, *Cryptospora cinctula*, 67.
Glonium curtisii, 50.
Gnomonia setacea, 70.
Hysterographium flexuosum, 51.
Pyrenopeziza sp., 43.
Catalpa bignonioides, *Eutypella fraxinicola*, 65.
Hypoxylon rubiginosum, 60.
Hysterographium mori, 51.
Microsphaera alni, 36.
Mycosphaerella sp., 91.
Ceanothus americanus, *Microsphaera alni*, 36.
Physalospora obtusa, 84.
Celtis spp., *Acrospermum compressum*, 75.
georgiana, *Diatrypella subfulva*, 64.
Hypoxylon rubiginosum, 60.
Lophiostoma triseptatum, 54.
Massaria foedans, 81.
Thyronectria pyrrochlora, 55.
Trichosphaeria pulchriseta, 86.
Uncinula parvula, 37.
Valsa decorticans, 73.
Valsaria celtidis, 73.
Cenangium, 46.
Cephalanthus occidentalis, *Diatrypella favacea*, 64.
Physalospora obtusa, 84.
Xylaria arbuscula, 62.
Ceratostomella, 38.
Cercis canadensis, *Acrospermum foliicolum*, 75.
Cryptodiaporthe sp., 67.
Endothia viridistroma, 69.
Eutypella fraxinicola, 65.
Fracchiacea heterogenea, 78.
Hypoxylon hypophlaeum, 58.

- Cercis canadensis*, Hypoxylon
 rubiginosum, 60.
 Hypoxylon *truncatum*, 61.
 Mycosphaerella *cercidicola*, 88.
Chaetosphaeria, 76, 77.
Chamaecyparis thyoides, Botryosphaer-
 ia *ribis*, 76.
Chelone glabra, Diaporthe *arctii*, 67.
 Hypoderma *commune*, 43.
 Leptosphaeria *subconica*, 80.
 Mollisia *atrata*, 41.
Chenopodium ambrosioides var.
 anthelminticum, Diaporthe
 arctii, 67.
Chionanthus virginica, Didymosphaer-
 ia *chionanthi*, 77.
 Mycosphaerella *punctiformis*,
 90.
Chlorociboria, 46.
Chlorosplenium chlora, 46.
Chrysanthemum leucanthemum, Dia-
 porthe *arctii*, 67.
Chrysopsis mariana, Leptosphaeria
 subconica, 80.
Ciboria echinophila, 46.
Cimicifuga racemosa, Leptosphaeria
 clavigera, 79.
 Ophiobolus sp., 83.
Cinnamomum camphora, Hypoxylon
 rubiginosum, 60.
Cirsium altissimum, Acrospermum
 foliicolum, 75.
 Diaporthe *arctii*, 67.
 Metasphaeria sp., 83.
 Ophiobolus sp., 84.
 Ophiobolus *anguillides*, 83.
 Physalospora *obtusa*, 84.
Citrus trifoliata, Physalospora
 obtusa, 84.
Claviceps, 56.
Cliftonia monophylla, Cocomyces
 sp., 43.
 Guignardia sp., 87.
 Hypoxylon *rubiginosum*, 60.
Clypeolella leemingii, 53.
Coccoidella scutula, 86.
Cocomyces, 43.
Coccophacidium pini, 45.
Cocculus carolinus, Physalospora
 obtusa, 84.
Colpoma, 43.
Cordyceps, 56.
Coreopsis spp., Ophiobolus sp., 83.
 major, Acrospermum *foliicolum*, 75.
 Leptosphaeria *comatella*, 79.
 major var. *caemleri*, Ophiobolus
 anguillides, 83.
Cornus alternifolia, Microsphaera
 alni, 36.
 anomum, Lachnum *corni*, 45.
 Physalospora *obtusa*, 84.
 florida, Acrospermum *foliicolum*,
 75.
 Diaporthe *eres*, 68.
 Eutypa *acharii*, 65.
 Hypoxylon *rubiginosum*, 60.
 Massariovalsa *sudans*, 71.
 Melanconis *corni*, 71.
 Mycosphaerella *corni*, 88.
 Phyllactinia *corylea*, 36.
 Rosellinia *aquila*, 61.
Coronophora ootheca, 77.
Corylus americana, Gnomoniella *gnomon*,
 71.
 Schizoxylon *insigne*, 40.
 maxima, Mollisia sp., 41.
 Mycosphaerella *punctiformis*, 90.
 Sphaerognomonia *carpinea*, 92.
Cotinus coggyria, Physalospora *obtusa*,
 84.
Cotoneaster francheti, Physalospora
 obtusa, 84.
Crataegus sp., Acrospermum *foliicolum*,
 75.
 Dermatea *crataegicola*, 41.
 Diatrypella *quercina*, 64.
 Hypoxylon *rumpens*, 60.
 Mycosphaerella *punctiformis*, 90.
 Myriangium *asterinosporum*, 35.
 Physalospora *obtusa*, 84.
 Valsa *decorticans*, 73.
 crus-galli, Diatrypella *subfulva*,
 64.
 michauxii, Mycosphaerella sp., 81.
 ravenelii, Mycosphaerella sp., 91.
 spathulata, Hypoxylon *rubiginosum*,
 60.
 Pleosphaeria *echinata*, 85.
 viridis, Diatrypella *favacea*, 64.
 Lecanidion *clavisporum*, 49.
Creopus gelatinosus, 56.
Crotalaria sp., Neocosmospora *vasin-*
 fecta, 55.

- Cryptodiaporthe, 66, 67.
 Cryptosphaerella annexa, 77.
 Cryptospora, 67.
 Cryptosporella, 67
 Cucumis melo, Erysiphe cichoracearum, 35.
 Cucurbita pepo, Erysiphe cichoracearum, 35.
 Cucurbitaria, 77.
 Cydonia oblonga, Fabraea maculata, 41.
 Massariella seriata, 82.
 Cynodon dactylon, Apiospora montagnei, 74.
 Cyrilla racemiflora, Diatrypella favacea, 64.
 Glonium curtisii, 50.
 Lophodermium cyrillicola, 44.
 Physalospora obtusa, 84.
 Stictis sp., 40.
- D
- Dahlia sp., Erysiphe cichoracearum, 35.
 Daldinia, 57.
 Danthonia sericea, Balansia hypoxylon, 55.
 Ophiobolus stictisporus, 83.
 Dasyscypha, 46, 47.
 Datura stramonium, Leptosphaeria doliolum, 79.
 Daucus carota, Diaporthe arctii, 67.
 Leptosphaeria sp., 80.
 Leptosphaeria comatella, 79.
 Metasphaeria sp., 83.
 Ophiobolus sp., 83.
 Pleospora vulgaris, 85.
 carota var. sativa, Sclerotinia sclerotiorum, 48.
 Decumaria barbara, Diaporthe arctii, 67.
 Delacourea, 77.
 Dermatea crataegicola, 41.
 Desmodium spp., Ophiobolus sp., 83.
 canadense, Microthyrium sp., 53.
 Parodiella perisporioides, 84.
 Diaporthe, 67-69
 Diaporthopsis, 69.
 Diatrype, 63, 64.
 Nectria epispheeria, 55.
- Diatrype stigma, Hysterium angustatum, 50.
 Diatrypella, 64.
 Dibotryon morbosum, 77.
 Dichaena strumosa, 50.
 Didymella, 77.
 Didymellina iridis, 87.
 Didymosphaeria, 77, 78.
 Diervilla florida, Mycosphaerella weigeliae, 91.
 Dimerosporium, 53.
 Diospyros virginiana, Eutypella fraxinicola, 65.
 Hypoxylon mediterraneum, 59.
 Mycosphaerella punctiformis, 90.
 Thyronectria pyrrochlora, 55.
 Diplocarpon, 41.
 Discohainesia oenotherae, 41.
 Dothichloë, 56.
 Dothidea collecta, 87.
 Dothidella, 87.
 Drepanopeziza populi-albae, 41.
- E
- Elaeagnus umbellata, Botryosphaeria ribis, 76.
 Eutypella fraxinicola, 65.
 Eutypella microcarpa, 66.
 Mycosphaerella sp., 91.
 Nectria cinnabarina, 54.
 Elaphomyces cervinus, 51.
 Cordyceps capitata, 56.
 Elephantopus tomentosus, Diaporthe arctii, 67.
 Elsinoë, 35.
 Elymus australis, Apiospora montagnei, 74.
 virginicus, Phyllachora graminis, 74.
 Endothia, 69.
 Endoxyla inusta, 64.
 Englerulaster orbicularis, 53.
 Epichloë typhina, 56.
 Eragrostis spp., Dothichloë limitata, 56.
 hirsuta, Phyllachora sp., 74.
 Erianthus brevibarbis, Acrospermum graminum, 75.
 Apiospora montagnei, 74.
 Lasiosphaeria sp., 79.

- Erianthus brevibarbis, Leptosphaeria orthogramma, 80
 Erigeron canadensis, Didymosphaeria epidermidis, 77.
 Leptosphaeria mesoedema, 80.
 Stictis radiata, 70.
 ramosus, Leptosphaeria comatella, 79.
 Ophiobolus anguillides, 83.
 Erysiphe, 35, 36.
 Euonymus americanus, Physalospora obtusa, 84.
 Eupatorium spp., Diaporthe arctii, 67.
 capillifolium, Diatrypella favacea, 64.
 Leptosphaeria sp., 80.
 Pleospora sp., 85.
 Pleospora vulgaris, 85.
 hyssopifolium, Leptosphaeria comatella, 79.
 purpureum, Acrospermum foliicolum, 75.
 Hypoderma commune, 43
 Leptosphaeria subconica, 80.
 Mollisia atrata, 41.
 Mycosphaerella sp., 91.
 Euphorbia corollata, Diaporthe arctii, 67.
 Microsphaera euphorbiae, 36.
 Eutypa, 65.
 Eutypella, 65, 66.
- F
- Fabraea maculata, 41.
 Fagus grandifolia, Diatrype virescens, 64.
 Diatrypella favacea, 64.
 Endothia gyrosa, 69.
 Eutypella fraxinicola, 65.
 Hypoxydon atropunctatum, 57.
 Hypoxydon cohaerens, 57.
 Hypoxydon deustum, 58.
 Hypoxydon fragiforme, 58.
 Hypoxydon howeianum, 58.
 Hypoxydon illitum, 59.
 Hypoxydon mediterraneum, 59.
 Hypoxydon regale var. macrospora, 59.
 Hypoxydon rubiginosum, 60.
 Fagus grandifolia, Hypoxydon serpens, 60.
 Hypoxydon truncatum, 61.
 Massaria inquinans, 31.
 Mycosphaerella punctiformis, 90.
 Phialea phyllophila f. fagicola, 47.
 Scorias spongiosa, 38.
 Fenestella phaeospora, 78.
 Ficus carica, Glomerella cingulata, 69.
 Mycosphaerella bolleana, 38.
 Tryblidiella rufula, 49.
 Firmiana platariifolia, Diaporthe arctii, 67.
 Mycosphaerella maculiformis, 39.
 Ophiobolus sp., 84.
 Foeniculum vulgare, Dothidea collecta, 87.
 Leptosphaeria comatella, 79.
 Leptosphaeria doliolum, 79.
 Physalospora obtusa, 84.
 Pleospora vulgaris, 85.
 Foot and root rots, wheat, 102.
 Fracchiata, 78.
 Fragaria virginiana, Diplocarpon earliana, 41.
 Mycosphaerella fragariae, 89.
 Fraxinus spp., Diatrypella favacea, 64.
 Eutypella fraxinicola, 65.
 Hypoxydon stygium, 60.
 Hypoxydon tinctor, 60.
 Mycosphaerella effigurata, 89.
 Mycosphaerella fraxinicola, 89.
 Rosellinia aquila, 61.
 Valsa fraxinina, 73.
 americana, Diatrypella favacea, 64.
 Diatrypella quercina, 64.
 Eutypa sp., 65.
 Hypoderma commune, 43.
 biltmoreana, Hypoxydon argillaceum, 57.
 biltmoreana, Hypoxydon fuscum, 58.
 caroliniana, Mycosphaerella sp., 91.
 pennsylvanica, Glonium sp., 50.
 Hypoxydon rubiginosum, 76.
 pennsylvanica var. lanceolata, Acrospermum foliicolum, 75.
 Botryosphaeria ribis, 76.
 Diatrypella fraxini, 64.
 Dothidea collecta, 87.

Fraxinus pennsylvanica var. lanceolata, Eutypella sp., 66.
 Hypoxylon argillaceum, 57.
 Hypoxylon glomeratum, 58.
 Hypoxylon hypophlaeum, 58.
 Hypoxylon rubiginosum, 60.
 Metasphaeria leiostega, 82.
 Nummularia broomeiana, 61.
 Pleosphaeria echinata, 85.
 Polystictus rosellus, 57.
 Schizoxylon insigne, 40.
 Scoleconectria polythalamia, 55.
 Sphaerostilbe coccophila, 55.
 Tympanopsis euomphala, 86.

G

Galax aphylla, Clypeolella leemingii, 53.
 Dimerosporium galactis, 53.
 Galium pilosum, Leptosphaeria comatella, 79.
 Pyrenopeziza sp., 43.
 Gardenia jasminoides, Capnodium citri, 37.
 Gelsemium sempervirens, Physalospora obtusa, 84.
 Geoglossum nigrum, 49.
 Gerardia flava, Diaporthe arctii, 67.
 virginica, Erysiphe gerardiae, 36.
 Leptosphaeria comatella, 79.
 Mycosphaerella sp., 91.
 Gibberella, 54.
 Gleditsia triacanthos, Botryosphaeria ribis, 76.
 Eutypella fraxinicola, 65.
 Hysteroglyphium lesquereuxii, 51.
 Linospora gleditsiae, 71.
 Microsphaera ravenelii, 36.
 Mycosphaerella sp., 91.
 Gloeoglossum difforme, 49.
 Glomerella, 69, 70.
 Gloniopsis, 50.
 Glonium, 50.
 Glyceria nervata, Epichloë typhina, 56.
 Mollisia sp., 42.
 Glycine max, Mycosphaerella cruenta, 83.

Gnaphalium obtusifolium, Diaporthe trinuclata, 69.
 Leptosphaeria mesoedema, 80.
 Gnomonia, 70.
 Gnomoniella, 70, 71.
 Godronia, 47.
 Gordonia lasianthus, Mycosphaerella gordoniae, 89.
 Gossypium hirsutum, Glomerella gossypii, 70.
 Mycosphaerella areola, 88.
 Mycosphaerella gossypina, 89.
 Nectria cinnabarina, 54.
 Valsa decorticans, 73.
 Guignardia, 37.
 Gymnopogon ambiguus, Apiospora montagnei, 74.

H

Halesia carolina, Diaporthe tetraptera, 69.
 Hypoxylon punctulatum, 59.
 Lachnum halesiae, 45.
 Mycosphaerella punctiformis, 90.
 Hamamelis virginiana, Acrospermum follicolum, 75.
 Mycosphaerella sp., 91.
 Mycosphaerella punctiformis, 90.
 Schizoxylon insigne, 40.
 Helenium curtisii, Hypoderma commune, 43.
 tenuifolium, Pleospora compositarum, 85.
 Helianthus spp., Diaporthe arctii, 67.
 Erysiphe cichoracearum, 35.
 divaricatus, Ophiobolus anguillides, 83.
 Rosenscheldia heliopsisidis, 86.
 microcephalus, Hypoderma commune, 43.
 Leptosphaeria comatella, 79.
 Lophiostoma caulium, 54.
 Mycosphaerella sp., 92.
 Ophiobolus sp., 84.
 Helotium, 47.
 Helvella, 39.
 Hercospora, 71.
 Herpotrichia, 78.
 Hibiscus esculentus, Diaporthe arctii, 67.

- Hibiscus esculentus*, *Leptosphaeria doliolum*, 79.
Leptosphaeria subconica, 80.
Ophiobolus sp., 64.
syriacus, *Botryosphaeria ribis*, 76.
Diatrypella favacea, 64.
Dothidea collecta, 87.
Nectria cinnabarina, 54.
Tryblidiella rufula, 49.
Valsaria insitiva, 74.
Higginsia, 41.
Holcus halepensis, *Gibberella zeae*, 54.
Leptosphaeria sp., 80.
Ophiobolus acuminatus, 83.
Stictis radiata, 40.
Hordeum spp., *Erysiphe graminis*, 36.
Hydrangea arborescens, *Eutypella fraxinicola*, 65.
Hypericum gentianoides, *Mollisia atrata*, 41.
mutilum, *Lachnum morthieri*, 45.
punctatum, *Didymella prominens*, 77.
Lophiostoma caulium, 54.
Hypocrea, 56, 57.
Hypoderma, 43, 44.
Hypomyces, 57.
Hypoxylon, 57-61.
Amphisphaeria hypoxylon, 76.
Hysterium, 50, 51.
Hysterographium, 51.
Hysteropatella prostii, 43.
- I
- Ilex* spp., *Englerulaster orbicularis*, 53.
Physalospora obtusa, 84.
ambigua, *Diaporthe oxyspora*, 68.
cassina, *Diatrypella favacea*, 64.
Rhytisma sp., 45.
coriacea, *Asterina pelliculosa*, 52.
decidua, *Myriangium asterinosporum*, 35.
Rhytisma prini, 44.
glabra, *Valsa decorticans*, 73.
opaca, *Asterina ilices*, 52.
- Ilex opaca*, *Botryosphaeria ribis*, 76.
Diatrypella quercina, 64.
Eutypella fraxinicola, 65.
Macroderma curtisii, 44.
Microthyriella cuticulosa, 53.
Schizoxylon insigne, 40.
Xylaria filiformis, 62.
Impatiens biflora, *Metasphaeria* sp., 83.
Metasphaeria aulica, 82.
Phialoa scutula, 48.
Ionomidotis fulvo-tingens, 47.
Ipomoea batatas, *Ceratostomella fimbriata*, 38.
Diaporthe batatatis, 68.
Iris sp., *Didymella iridis*, 87.
Isopappus divaricatus, *Leptosphaeria comatella*, 79.
Leptosphaeria ogilviensis, 80.
Itca virginica, *Physalospora obtusa*, 84.
- J
- Juglans* spp., *Botryosphaeria ribis*, 76.
Melanconis juglandis, 72.
nigra, *Hypoxylon rubiginosum*, 60.
Schizoxylon insigne, 40.
Juncus effusus, *Leptosphaeria* sp., 81.
Ophiobolus sp., 84.
tenuis, *Fleocypella* sp., 85.
Juniperus sp., *Endoxyla inusta*, 64.
Pithya cupressina, 39.
virginiana, *Chaetosphaeria parvicapsa*, 77.
Colpoma juniperinum, 43.
Diatrypella favacea, 64.
Karschia lignivora, 48.
Mytilidion tortile, 51.
- K
- Kalmia latifolia*, *Mycosphaerella colorata*, 38.
Karschia, 48.
Karstenula, 73.
Kerria japonica, *Higginsia kerriae*, 41.

L

- Lachnea, 38.
 Lachnum, 45, 46.
 Lactarius spp., Hypomyces lactifluorum, 57.
 Lactuca canadensis, Diaporthe arctii, 67.
 sativa, Sclerotinia sclerotiorum, 48.
 Lagerstroemia indica, Erysiphe lagerstroemiae, 36.
 Lamprospora crech'queraultii, 38.
 Lasiobolus pilosus, 38.
 Lasiosphaeria, 79.
 Lathyrus odoratus, Erysiphe polygoni, 36.
 Laurocerasus caroliniana, Auerswaldiella puccinioides, 76.
 Lecanidion, 49.
 Lectia, 49.
 Lepidium virginicum, Leptosphaeria virginica, 80.
 Leptomassaria simplex, 79.
 Leptosphaeria, 79-81.
 Lespedeza spp., Phyllachora lespedezae, 74.
 frutescens, Didymella sp., 77.
 Hypoderma commune, 43.
 Microthyrium sp., 53.
 hirta, Lophiostoma caulium, 54.
 striata, Microsphaera diffusa, 36.
 virginica, Diaporthe arctii, 67.
 Gloniopsis insignis, 50.
 Leptosphaeria clavigera, 79.
 Leptosphaeria comatella, 79.
 Lophiostroma sp., 54.
 Metasphaeria sp., 83.
 Physalospora obtusa, 84.
 Urosporella americana, 86.
 Leucothoë catesbaei, Dasyscypha nivea, 47.
 Ligisticum canadense, Diaporthe arctii, 67.
 Mycosphaerella sp., 92.
 Ophiobolus sp., 84.
 Ligustrum vulgare, Botryosphaeria ribis, 76.
 Hypoxylon rubiginosum, 60.
 Stictis radiata, 40.
 Linospora gleditsiae, 71.
- Liquidambar spp., Endothia gyrosa, 69.
 styraciflua, Cryptosporella aurea, 67.
 Didymella sp., 77.
 Gnomoniella amoena, 70.
 Gnomoniella georgiana, 71.
 Hypocrea lenta, 56.
 Hypoxylon illitum, 59.
 Hypoxylon sclerophaeum, 60.
 Mycosphaerella sp., 92.
 Mycosphaerella maculiformis, 89.
 Myriangium duriaei, 35.
 Pseudohelotium sacchariferum, 42.
 Valsa conspurcata, 72.
 Valsella laschii, 74.
 Velutaria rufo-olivacea, 48.
 Vibrissea truncorum, 40.
 Xylaria persicaria, 62.
 Liriodendron tulipifera, Angelina rufescens, 48.
 Anthostomella sp., 63.
 Calospora sp., 66.
 Camarops polyspermum, 57.
 Discohainesia oenotherae, 41.
 Erysiphe liriodendri, 36.
 Eutypa lata, 65.
 Hypocrea patella, 57.
 Hypoxylon croceum, 58.
 Hypoxylon hypophlaeum, 58.
 Hypoxylon serpens, 60.
 Karschia stygia, 48.
 Lasiosphaeria ovina, 79.
 Lasiosphaeria strigosa, 79.
 Lecanidion atratum, 49.
 Lecanidion clavisporum, 49.
 Lophodermium punctiforme, 44.
 Metasphaeria rubida, 83.
 Mycosphaerella maculiformis, 89.
 Mycosphaerella tulipifera, 91.
 Nectria ochroleuca, 55.
 Physalospora obtusa, 84.
 Propolis versicolor, 45.
 Quaternaria personii, 66.
 Rosellinia subiculata, 61.
 Valsa decorticans, 73.
 Valsaria rubricosa, 74.
 Valsella laschii, 74.
 Lonicera spp., Dothidea collecta, 87.

Lonicera japonica, *Eutypella fraxinicola*, 65.
Valsa decorticans, 73.
morrowii, *Diatrypella favacea*, 64.
sempervirens, *Physalospora obtusa*, 84.
Lophicnema, 53, 54.
Lophiosphaeria velata, 54.
Lophiostoma, 54.
Lophiostrema, 54.
Lophodermium, 44.
Ludwigia alternifolia, *Physalospora obtusa*, 84.
Lyonia spp., *Rhytisma decolorans*, 44.
lucida, *Physalospora obtusa*, 84.
Valsa ambiens, 72.
Valsa decorticans, 73.

M

Maclura pomifera, *Diaporthe* sp., 69.
Diatrypella favacea, 64.
Macroderma curtisii, 44.
Macropodia macropus, 38.
Magnolia spp., *Didymosphaeria magnoliae*, 78.
Ophiodothella sp., 72.
Physalospora obtusa, 84.
cordata, *Mycosphaerella* sp., 92.
Rosellinia pulveracea, 61.
fraseri, *Mycosphaerella maculiformis*, 89.
grandiflora, *Eutypella fraxinicola*, 65.
Microthyrium microscopicum, 53.
Xylaria ianthino-velutina, 62.
macrophylla, *Naevia* sp., 42.
soulangeana, *Diatrypella favacea*, 64.
tripetala, *Diaporthe arctii*, 67.
Hypoderma commune, 43.
Mycosphaerella punctiformis, 90.
virginiana, *Dasyscypha allopileata*, 47.
Diaporthe eres, 68.
Diatrype asterostoma, 63.

Magnolia virginiana, *Diatrype tremellophora*, 63.
Diatrypella favacea, 64.
Diatrypella quercina, 64.
Gnomonia magnoliae, 70.
Guignardia magnoliae, 87.
Hypoxylon epiphaeum, 58.
Hypoxylon hypophlaeum, 58.
Hypoxylon microplacum, 59.
Hypoxylon rubiginosum, 60.
Hypoxylon sassafras, 60.
Hypoxylon tinctor, 60.
Hypoxylon truncatum, 61.
Meliola amphitricha, 37.
Meliola magnoliae, 47.
Mycosphaerella sp., 92.
Phaeostigme picea, 38.
Rosellinia aquila, 61.
Trichodothis comata, 86.
Valsaria insitiva, 74.
Valsaria rubricosa, 74.
Malus spp., *Myriangium asterinosporum*, 35.
pumila, *Glomerella cingulata*, 69.
Nummularia discincola, 61.
Physalospora obtusa, 84.
Podosphaera leucotricha, 36.
Valsa americana, 72.
Venturia inaequalis, 86.
Xylaria mali, 62.
Mamiania alni, 71.
Massaria, 81.
Massariella, 81, 32.
Massariovalsa sudans, 71.
Medicago spp., *Pseudopeziza medicaginis*, 42.
sativa, *Pseudopeziza briosiana*, 92.
Melanconis, 71, 72.
Melanomma, 62.
Melia azedarach, *Botryosphaeria ribis*, 76.
Dasyscypha pulveracea, 47.
Dothidea collecta, 87.
Eutypella fraxinicola, 65.
Eutypella microcarpa, 66.
Melogramma meliae, 82.
Nectria cinnabarina, 54.
Stictis radiata, 40.
Valsaria rubricosa, 74.
Meliola, 37.

- Melogramma, 82.
 Metasphaeria, 82, 83.
 Microglossum, 49.
 Microsphaera, 36.
 Microthyriella cuticulosa, 53.
 Microthyrium, 53.
 Mitrula paludosa, 49.
 Mollisia, 41, 42.
 Monarda punctata, Diaporthe arctii, 67.
 Diaporthopsis sp., 69.
 Leptosphaeria sp., 81.
 Leptosphaeria comatella, 79.
 Lophiostoma caulium, 54.
 Ophiobolus anguillides, 83.
 Monilinia azaleae, 47.
 Morchella, 40.
 Morenoella quercinum, 53.
 Morus spp., Massaria epileuca, 81.
 Tryblidiella rufula, 49.
 alba, Gibberella moricola, 54.
 Mycosphaerella mori, 89.
 Valsa morigena, 73.
 rubra, Acrospermoides subulata, 75.
 Acrospermum sp., 76.
 Acrospermum foliicolum, 75.
 Diatrypella favacea, 64.
 Diatrypella quercina, 64.
 Eutypa velutina, 65.
 Eutypella fraxinicola, 65.
 Eutypella microcarpa, 66.
 Fracchiæa heterogenea, 78.
 Hysterographium mori, 51.
 Massaria plumigera, 81.
 Mycosphaerella arachnoidea, 88.
 Nectria episphaeria, 55.
 Sclerotinia carunculoidea, 48.
 Uncinula geniculata, 37.
 Valsaria aethiops, 73.
 Muhlenbergia schreberi, Phyllachora vulgata, 74.
 Mycosphaerella, 87-92.
 Myriocopron smilacis, 53.
 Myriangium, 35.
 Myrica sp., Fracchiæa heterogenea, 78.
 Leptosphaeria sp., 81.
 carolinensis, Gnomonia myricæ, 70.
 Karschia stygia, 48.
 Myrica carolinensis, Mycosphaerella myricæ, 89.
 cerifera, Apioporthe phomaspora, 66.
 Hypoxylon rubiginosum, 60.
 Hypoxylon truncatum, 61.
 Physalospora obtusa, 84.
 Valsa ceratophora, 72.
 Mytilidion, 51.
- N
- Naemacyclus niveus, 40.
 Naevia, 42.
 Nectria, 54, 55.
 Neocosmospora vasinfecta, 55.
 Neopeckia diffusa, 83.
 Nerium oleander, Physalospora obtusa, 84.
 Nummularia, 61.
 Nyssa spp., Diatrype asterostoma, 63.
 Gnomoniella georgiana, 71.
 Hypoxylon tinctor, 60.
 Massariovalsa sudans, 71.
 Mycosphaerella nyssaecola, 89.
 Myriangium duriaei, 35.
 Neopeckia diffusa, 83.
 sylvatica, Cryptodiaporthe paulula, 67.
 Diatrypella favacea, 64.
 Eutypella fraxinicola, 65.
 Hypoxylon deustum, 58.
 Hypoxylon rubiginosum, 60.
 Tryblidiella rufula, 49.
 Valsa decorticans, 73.
- O
- Oenothera spp., Erysiphe polygoni, 36.
 biennis, Diaporthe arctii, 67.
 Discohainesia oenotherae, 41.
 Lophionema vermisporem, 54.
 laciniata, Physalospora obtusa, 84.
 Ophiobolus, 83, 84.
 Ophiodothella, 72.
 Osmanthus americanus, Mycosphaerella oleina, 89.
 Ostreion, 51.
 Ostrya virginiana, Acrospermum foliicolum, 75.

- Ostrya virginiana*, *Botryosphaeria ribis*, 76.
Chaetosphaeria pannicola, 76.
Gnomoniella gnomon, 71.
Godronia sp., 47.
Hypoxylon hypophlaeum, 58.
Hypoxylon rubiginosum, 60.
Mycosphaerella punctiformis, 90.
Physalospora obtusa, 84.
Sphaerognomonia carpinea, 92.
Taphrina virginica, 52.
Valsa decorticans, 73.
Ctidea, 39.
Ovularia perfoliata, *Guignardia* sp., 87.
Oxydendrum arboreum, *Dasyscypha nivea*, 47.
Diaporthe sp., 69.
Godronia rugosa, 47.
Hypoxylon howeanum, 58.
Lecanidion sp., 49.
Lecanidion clavisorum, 49.
Mycosphaerella caroliniana, 88.
Pezicula sp., 42.
Physalospora obtusa, 84.
Tryblidiella rufula, 49.
Valsa decorticans, 73.
Venturia oxydendri, 86.
Cxypolis rigidior, *Ophiobolus* sp., 84.
- P
- Panicum* sp., *Acrospermum graminum*, 75.
Dothichloë nigricans, 56.
Metasphaeria punctulata, 83.
Phyllachora sp., 75.
agrostoides, *Phyllachora cornuospora*, 74.
clandestinum, *Ophiobolus acuminatus*, 83.
commutatatum, *Metasphaeria panicorum*, 82.
Parodiella perisporioides, 84.
Parthenocissus tricuspidata, *Guignardia bidwellii*, 87.
Paspalum sp., *Acrospermum graminum*, 75.
Paspalum spp., *Claviceps paspali*, 56.
ciliatifolium, *Phyllachora* sp., 75.
pubescens, *Balansia pilulaeformis*, 55.
Paulownia tomentosa, *Botryosphaeria ribis*, 76.
Hypoxylon mediterraneum, 59.
Hypoxylon tomentosa, 60.
Valsaria rubricosa, 74.
Paxina, 39.
Penzigia frustulosa, 61.
Persea pubescens, *Asterina delitescens*, 52.
Coccoidella scutula, 86.
Hypoxylon hypophlaeum, 58.
Hypoxylon microplacum, 59.
Hypoxylon sassafras, 60.
Hypoxylon stygium, 60.
Meliola amphitricha, 37.
Pezicula, 42.
Peziza, 39.
Pezizella minuta, 47.
Phaeangium magnisporum, 42.
Phaeobulgaria inquinans, 47.
Phaeosphaerella, 92.
Phaeostigma picea, 38.
Phaseolus lunatus, *Diaporthe phaseolorum*, 68.
vulgaris, *Diaporthe arctii*, 67.
Erysiphe polygoni, 36.
Glomerella lindemuthiana, 70.
Microsphaera diffusa, 36.
Mycosphaerella cruenta, 88.
Phialea, 47, 48.
Phyllachora, 74, 75.
Phyllactinia corylea, 36.
Physalospora, 84, 85.
Physocarpus opulifolius, *Physalospora obtusa*, 84.
Phytolacca decandra, *Diaporthe arctii*, 67.
Pilea pumila, *Calloria fusarioides*, 40.
Pinus spp., *Atropellis tingens*, 46.
Cenangium ferruginosum, 46.
Ceratostomella pini, 38.
Coccophacidium pini, 45.
Dasyscypha ellisiensis, 47.
Fracchiacea heterogenea, 78.
Hysterium macrosporum, 50.

- Pinus sp., *Hysteroglyphium mori*, 51.
 Lophodermium nitens, 44.
 Lophodermium pinastri, 44.
 Physalospora obtusa, 84.
 Propolis leonis, 45.
 Propolis rhodoleuca, 45.
 caribaea, *Hypocrea olivacea*, 56.
 echinata, *Hypoderma lethale*, 44.
 Hysteroglyphium novae-caesariense, 51.
 Karschia sp., 48.
 Karschia lignyota, 48.
 Mytilidion karstenii, 51.
 strobilus, *Botryosphaeria ribis*, 76.
 Hypoderma desmazierii, 43.
 Scolecocnectria scolecospora, 55.
 Valsa pini, 73.
 sylvestris, *Naemacyclus niveus*, 40.
 taeda, *Cenangium atropurpureum*, 46.
 Nectria cucurbitula, 55.
 Pezizella minuta, 47.
 Rosellinia trichota, 61.
 Stictis fimbriata, 40.
 Valsaria gemmata, 73.
 Pistacia chinensis, *Physalospora obtusa*, 84.
 Pisum spp., *Erysiphe polygoni*, 36.
 arvense, *Mycosphaerella pinodes*, 89.
 Pithya cupressina, 39.
 Plantago rugelii, *Erysiphe cichoracearum*, 35.
 Platanus occidentalis, *Chaetosphaeria pannicola*, 76.
 Diaporthe arctii, 67.
 Diatrypella prominens, 64.
 Eutypella platani, 66.
 Hypoxylon illitum, 59.
 Hypoxylon rubiginosum, 60.
 Hypoxylon tinctor, 60.
 Leptosphaeria platanicola, 80.
 Lophiostoma caulium, 54.
 Massaria platani, 81.
 Mycosphaerella platanifolia, 90.
 Nectria peziza, 55.
 Platanus occidentalis, *Ophiodothella leucospila*, 72.
 Physalospora obtusa, 84.
 Rosellinia pulveracea, 61.
 Tryblidiella rufula, 49.
 Plectania occidentalis, 39.
 Pleomassaria carpini, 85.
 Pleosphaeria echinata, 85.
 Pleospora, 85.
 Podosphaera, 36.
 Polycodium spp., *Ophiodothella vaccinii*, 72.
 candicans, *Acrospermum foliicolum*, 75.
 Lachnum virginellum, 46.
 Polygonum spp., *Diaporthe arctii*, 67.
 Erysiphe polygoni, 36.
 pennsylvanicum, *Metasphaeria complanata*, 82.
 Mollisia polygoni, 41.
 sagittatum, *Leptosphaeria comatella*, 79.
 Polymnia canadensis, *Acrospermum foliicolum*, 75.
 Diaporthe arctii, 67.
 Leptosphaeria sp., 80.
 Polystichum acrostichoides, *Taphrina polystichi*, 52.
 Polystictus versicolor, *Hypomyces aurantius*, 57.
 Hypomyces rosellus, 57.
 Populus spp., *Botryosphaeria ribis*, 76.
 Mycosphaerella maculiformis, 89.
 alba, *Drepanopeziza populi-albae*, 41.
 Valsa pauperata, 73.
 deltoides, *Diatrypella quercina*, 64.
 Mycosphaerella populorum, 90.
 Phialea gemmarum, 47.
 Physalospora obtusa, 84.
 nigra, *Hypoxylon rubiginosum*, 60.
 tomentosa, *Mycosphaerella punctiformis*, 90.
 Poria punctata, *Hypoxylon albocinctum*, 57.
 Poronia cedipus, 61.
 Propolis, 45.

- Prunella vulgaris*, *Lophiostoma caulium*, 54.
- Prunus* spp., *Acrospermum* sp., 76.
- Dibotryon morbosum*, 77.
- Higginsia hiemalis*, 41.
- Hypoxyton rubiginosum*, 60.
- Physalospora obtusa*, 84.
- Podosphaera oxyacanthae*, 36.
- Sclerotinia fructicola*, 48.
- Taphrina mirabilis*, 52.
- Valsa leucostoma*, 73.
- angustifolia*, *Diatrypella favacea*, 64.
- persica*, *Caryospora putaminum*, 76.
- Mycosphaerella persica*, 89.
- Taphrina deformans*, 52.
- Valsa decorticans*, 73.
- serotina*, *Eutypella cerviculata*, 65.
- Higginsia lutescens*, 41.
- Mollisia* sp., 42.
- Mycosphaerella* sp., 92.
- Mycosphaerella punctiformis*, 90.
- Sclerotinia seaveri*, 48.
- Taphrina farlowii*, 52.
- Valsaria exasperans*, 73.
- serrulata*, *Botryosphaeria ribis*, 76.
- umbellata*, *Hypoxyton serpens* var. *macrospora*, 60.
- Psedera quinquefolia*, *Diaporthe ampelopsidis*, 67.
- Pseudohelotium sacchariferum*, 42.
- Pseudopeziza medicaginis*, 42.
- Pseudoplea briosiana*, 92.
- Pseudoplectania nigrella*, 39.
- Pseudovalsa*, 72.
- Ptelea trifoliata*, *Karstenula* sp., 78.
- Puccinia coronata*, reaction of grasses to, 3-15.
- glumarum*, reaction of grasses to, 3-15.
- graminis*, reaction of grasses to, 3-23.
- graminis agrostidis* reaction of grasses to, 16-23.
- graminis avenae*, reaction of grasses to, 16-23.
- graminis phleipratensis*, reaction of grasses to, 16-23.
- graminis poae*, reaction of grasses to, 16-23.
- Puccinia graminis secalis*, reaction of grasses to, 16-23.
- graminis tritici*, reaction of grasses to, 16-23.
- graminis tritici*, wheat, epidemic in Kansas, 95-103.
- rubigo-vera*, reaction of grasses to, 3-15.
- rubigo-vera tritici*, wheat, 95, 102.
- Pueraria hirsuta*, *Botryosphaeria ribis*, 76.
- Microthyrium* sp., 53.
- Stictis radiata*, 40.
- Pycnanthemum pycnanthemoides*, *Diaporthe arctii*, 67.
- Pyracantha coccinea* var. *lalandi*, *Venturia inaequalis*, 86.
- Pyrenopeziza*, 42, 43.
- Pyrenophora relicina*, 85.
- Pyrularia pubera*, *Melogramma* sp., 82.
- Pyrus communis*, *Glomerella cingulata*, 69.
- Hypoxyton rubiginosum*, 60.
- Mycosphaerella sentina*, 90.
- Venturia pyrina*, 86.
- sinensis* x *P. communis*, *Mycosphaerella pyrina*, 90.
- Q
- Quaternaria persoonii*, 66.
- Quercus* sp., *Acanthostigma atrobarbum*, 75.
- Acanthostigma decastylum*, 75.
- Acrospermum viridulum*, 75.
- Angelina rufescens*, 48.
- Anthostoma gastrinum*, 63.
- Bertia moriformis*, 76.
- Botryosphaeria quercuum*, 76.
- Bulgaria rufa*, 38.
- Calosphaeria barbirostris*, 63.
- Camarops polyspermum*, 57.
- Colpoma quercinum*, 43.
- Daldinia concentrica*, 57.
- Diatrype stigma*, 63.
- Diatrypella discoidea*, 64.
- Diatrypella favacea*, 64.
- Diatrypella subfulva*, 64.
- Endothia gyrosa*, 69.

- Quercus* spp., *Eutypa spinosa*, 65.
Fenestella phaeospora, 78.
Glonium abbreviatum, 50.
Glonium lineare, 50.
Glonium simulans, 50.
Glonium stellatum, 50.
Gnomonia setacea, 70.
Gnomonia veneta, 70.
Herpotrichia pezizula, 78.
Hypocrea lenta, 56.
Hypocrea sulphurea, 57.
Hypoderma ilicinum, 43.
Hypoxylon atropunctatum, 57.
Hypoxylon croceopeplum, 58.
Hypoxylon deustum, 58.
Hypoxylon glomeratum, 58.
Hypoxylon grandineum, 58.
Hypoxylon howeianum, 58.
Hypoxylon hypophlaeum, 58.
Hypoxylon illitum, 59.
Hypoxylon mediterraneum, 59.
Hypoxylon notatum, 59.
Hypoxylon punctulatum, 59.
Hypoxylon regale, 59.
Hypoxylon regale var. *macrospora*, 59.
Hypoxylon rubiginosum, 60.
Hypoxylon serpens, 60.
Hypoxylon stygium, 60.
Hypoxylon tinctor, 60.
Hypoxylon truncatum, 61.
Hysterium magnosporum, 51.
Hysterium pulicare, 51.
Hysteroglyphium flexuosum, 51.
Hysteroglyphium subrugosum, 51.
Lachnum sp., 46.
Lachnum ciliare, 45.
Lachnum pollinarium, 45.
Lasiochaeria hispida, 79.
Lasiochaeria strigosa, 79.
Lecanidion clavisporum, 49.
Lecanidion fuscoatrum, 49.
Lophosphaeria velata, 54.
Melanomma sporadicum, 82.
Microsphaera quercina, 36.
Microthyrium microscopicum, 53.
Mollisia cirærea, 41.
Morenoella quercinum, 53.
Mycosphaerella aquatica, 87.
Mycosphaerella maculiformis, 89.
- Quercus* spp., *Mycosphaerella punctiformis*, 90.
Mycosphaerella spleniata, 91.
Nectria cinnabarina, 54.
Ostreion americanum, 51.
Phaeobulgaria inquinans, 47.
Phyllactinia corylea, 36.
Propolis versicolor, 45.
Pyrenopeziza prinicola, 43.
Rosellinia aquila, 51.
Rosellinia glandiformis, 61.
Sphaerognomonia polystigma, 93.
Rosellinia subiculata, 61.
Sphaerostilbe coccophila, 55.
Taphrina caerulea, 52.
Trichosphaeria pilosa, 86.
Tympanopsis euomphala, 86.
Urnula craterium, 39.
Valsa decorticans, 73.
Valsaria insitiva, 74.
Valsaria rubricosa, 74.
Venturia asterinoides, 86.
Xylaria bulbosa, 62.
Xylaria cornu-damae, 62.
Xylaria cubensis, 62.
Xylaria herculea, 62.
Xylaria hypoxylon, 62.
Zignoella pulviscula, 86.
alba, *Coccomyces triangularis*, 43.
Diaporthe leiphaemia var. *raveneliana*, 68.
Ionomidotis fulvo-tingens, 47.
Nummularia sp., 61.
Ostreion sp., 51.
Valsa coronata, 72.
Vibrissea truncorum, 40.
catesbaei, *Mycosphaerella catesbeyi*, 88.
cinerea, *Xylaria multiplex*, 62.
coccinea, *Rosellinia pulveracea*, 61.
georgiana, *Diaporthe* sp., 69.
lyrata, *Mycosphaerella nigrita*, 89.
margaretta, *Acrospermum foliicolum*, 75.
maxima, *Dasyscypha pulveracea*, 47.
montana, *Didymosphaeria cupula*, 77.
Hypoxylon papillatum, 59.
nigra, *Coronophora ootheca*, 77.
Cucurbitaria sp., 77.
Delacourea sp., 77.

- Quercus nigra*, *Dichaena strumosa*, 50. *Robinia pseudoacacia*, *Nectria cinnabarina*, 54.
Didymella lophospora, 77.
Glonium curtisii, 50.
Hypoxylon maculum, 59.
Hypoxylon serpens var. *macrospora*, 60.
Myriangium duriaci, 35.
Tryblidiella rufula, 49.
prinus, *Calosphaeria* sp., 63.
Calospora sp., 66.
Diatrypella quercina, 64.
velutina, *Eutypella cerviculata*, 65.
Melanomma helicophilum, 82.
Pseudovalsa sigmoidea, 72.
virginiana, *Hypoxylon malleolus*, 59.
- R
- Rhamnus caroliniana*, *Physalospora obtusa*, 84.
Rhododendron maximum, *Cocconyces dentatus*, 43.
Hypoxylon rubiginosum, 60.
Hypoxylon serpens, 60.
Rhopoglyphus, 85.
Rhus spp., *Botryosphaeria ribis*, 76.
Cryptodiaporthe aculeans, 66.
Dothidea collecta, 87.
Hypoxylon rubiginosum, 60.
Tryblidiella rufula, 49.
Valsa decorticans, 73.
copallina, *Taphrina purpurascens*, 52.
glabra, *Discohainesia oenotherae*, 41.
Eutypella fraxinicola, 65.
Thyronectria pyrrochlorea, 55.
Rhytisma, 44, 45.
Ribes curvatum, *Dothidella ribesia*, 87.
Robinia pseudo-acacia, *Aglaospora profusa*, 76.
Botryosphaeria ribis, 76.
Diaporthe encostoma, 68.
Eutypella capillata, 65.
Eutypella tumida, 66.
Eutypella venusta, 66.
Fracchiaca heterogena, 78.
Mycosphaerella sp., 92.
- Neopeckia diffusa*, 83.
Rosa sp., *Cryptosporella unbrina*, 67.
Diplocarpon rosae, 41.
Eutypella fraxinicola, 65.
Mycosphaerella rosicola, 90.
Sphaerotheca pannosa, 37.
Rosellinia, 61, 62.
Rosenscheldia heliopsisidis, 86.
Rubus spp., *Elsinoë veneta*, 35.
Leptosphaeria coniothyrium, 79.
Lophodermium rubicola, 44.
Mycosphaerella confusa, 88.
Mycosphaerella rubi, 90.
Physalospora obtusa, 84.
argutus, *Ascioporthes vepris*, 66.
Laciosphaeria spermoidea, 79.
Rudbeckia hirta, *Ophiobolus anguillides*, 83.
Plecospora vulgaris, 85.
laciniata, *Diaporthe arctii*, 68.
Hypoderma commune, 43.
Metasphaeria complanata, 82.
Rumex spp., *Physalospora obtusa*, 84.
crispus, *Diaporthe arctii*, 68.
Lophiostoma caulium, 54.
Stictis radiata, 40.
verticillatus, *Ophiobolus acuminatus*, 83.
- S
- Sabal* spp., *Acanthorhynchus* sp., 62.
Anthostomella leucobasis, 63.
Anthostomella minor, 63.
Metasphaeria palmetta, 82.
minor, *Asterina sabalicola*, 53.
Melicola palmicola, 37.
Metasphaeria sabalensis, 83.
Salix spp., *Botryosphaeria ribis*, 76.
alba, *Hypoxylon rubiginosum*, 60.
Rosellinia aquila, 61.
Schizoxylon insigne, 40.
babylonica, *Hysterographium flexuosum*, 51.
Mycosphaerella sp., 92.
Physalospora obtusa, 84.
humilis, *Uncinula salicis*, 37.
nigra, *Chaetosphaeria pannicola*, 76.
Cryptodiaporthe salicina, 67.

- Salix nigra*, *Diatrypella quercina*, 64.
Eutypella fraxinicola, 65.
Fracchiaea heterogonea, 78.
Hysterium magnosporum, 51.
Lophiostrema vagabundum, 54.
Mollisia sp., 42.
Penzigia frustulosa, 61.
Teichospora ohiensis, 86.
Valsa ambiens, 72.
Valsa decorticans, 73.
Valsa pallida, 73.
tristis, *Rhytisma salicinum*, 44.
Sambucus spp., *Botryosphaeria ribis*, 76.
canadensis, *Diaporthe megalospora*, 68.
Diaporthe sociabilis var. *sambuci*, 69.
Didymosphaeria epidermidis, 77.
Dothidea collecta, 87.
Eutypella microcarpa, 66.
Hypoxyton rubiginosum, 60.
Stictis radiata, 40.
Ophiobolus sp., 84.
Saponaria officinalis, *Didymella* sp., 77.
Leptosphaeria comatella, 79.
Leptosphaeria doliolum, 79.
Sarracenia flava, *Mollisia* sp., 42.
Mycosphaerella sarraceniae, 90.
Sassafras variifolium, *Daldinia vernicosa*, 57.
Hypoxyton microplacum, 59.
Hypoxyton sassafras, 60.
Hypoxyton sclerophaeum, 60.
Mycosphaerella sassafras, 90.
Schizoxylon insigne, 40.
Schrankia uncinata, *Diaporthe* sp., 69.
Scirpus georgianus, *Lophiostoma arundinis*, 54.
Mollisia scirpina, 41.
Ophiobolus acuminatus, 83.
Scleroderriis, 48.
Sclerotinia, 48.
Scoleconectria, 55.
Scorias spongiosa, 38.
Secale cereale, *Pyrenophora relicina*, 85.
Septoria glume blotch, wheat, 102.
nodorum, wheat, 102.
Sericocarpus asteroides, *Diaporthe linearis*, 68.
Lophiostoma caulium, 54.
Mycosphaerella sp., 92.
linifolius, *Pyrenopeziza* sp., 43.
Setaria glauca, *Ophiobolus acuminatus*, 83.
Rhopoglyphus clavispurus, 85.
Silphium spp., *Diaporthe arctii*, 68.
Hypoderma commune, 43.
dentatum, *Leptosphaeria coniothyrium*, 79.
Smallanthus uvedalia, *Diaporthe arctii*, 68.
Leptosphaeria sp., 80.
Metasphaeria sp., 83.
Smilax spp., *Anthostomella sepelibilis*, 63.
Eutypella sepulta, 66.
Cloniopsis ellisii, 50.
Mycosphaerella smilacicola, 90.
Myiocopron smilacis, 53.
glauca, *Acrospermum* sp., 76.
Stictis radiata, 40.
herbacea, *Apiospora montagnei*, 74.
laurifolia, *Anthostomella* sp., 63.
Didymosphaeria sp., 78.
Eutypa sp., 65.
Eutypella microcarpa, 66.
Clonium curtisii, 50.
Lophodermium sp., 44.
Ophiobolus sp., 84.
Solanum melongena, *Diaporthe arctii*, 68.
Metasphaeria sp., 83.
Solidago spp., *Acrospermum foliicolum*, 75.
Anthostomella sp., 63.
Diaporthe linearis, 68.
Elsinoë solidaginis, 35.
Hypoderma commune, 43.
Leptosphaeria subconica, 80.
Lophiostoma caulium, 54.
Mycosphaerella sp., 92.
Stictis radiata, 40.
altissima, *Helotium* sp., 47.
Schizoxylon insigne, 40.
caesia, *Leptosphaeria* sp., 80.
Lophiostrema vagabundum, 54.
conferta, *Diaporthe arctii*, 68.
odora, *Physalospora obtusa*, 84.
serotina, *Leptosphaeria mesoedema*, 80.

- Solidago serotina*, *Ophiobolus* sp., 84.
Sonchus oleraceus, *Diaporthe arctii*, 68.
 Mollisia atrata, 41.
 Ophiobolus fulgidus, 83.
Sorbus americana, *Fracchiacea callista*, 78.
Sphaerangium, 45.
Sphaerognomonia, 92, 93.
Sphaeropeziza arundinariae, 45.
Sphaerostilbe cocconhila, 55.
Sphaerotheca, 37.
Spiraea spp., *Physalospora obtusa*, 34.
Stachys tenuifolia, *Lophiostoma caulium*, 54.
 Metasphaeria sp., 83.
Staphylea trifolia, *Eutypella fraxinicola*, 65.
 Mycosphaerella staphylina, 91.
 Nectria atrofusca, 54.
Steironema ciliatum, *Leptosphaeria steironematis*, 80.
 Metasphaeria sp., 83.
 Phialea dearnessii, 47.
 Physalospora obtusa, 84.
Stereum lobatum, *Hypomyces aurantius*, 57.
Stictis, 40.
Stigmatea sclerotidea, 53.
Stizolobium deeringianum, *Mycosphaerella cruenta*, 88.
Styrax americana, *Metasphaeria subcutanea*, 83.
 grandifolia, *Mycosphaerella punctiformis*, 90.
Symplocos tinctoria, *Mycosphaerella* sp., 92.
Syringa vulgaris, *Microsphaera alni*, 36.
- T
- Taphrina*, 51, 52.
Taraxacum officinale, *Sphaerotheca humuli*, 37.
Taxodium distichum, *Lachnum virgineum*, 46.
 Metasphaeria cavernosa, 82.
- Tecoma radicans*, *Physalospora* sp., 85.
 Physalospora obtusa, 84.
 Valsa decorticans, 73.
Teichospora chiensis, 86.
Thalictrum macrostylum, *Didymosphaeria thalictri*, 78.
Thuja occidentalis, *Mollisia* sp., 42.
 Physalospora obtusa, 84.
 Pithya cupressina, 39.
Thyronectria, 55.
Tilia heterophylla var. *michauxii*,
 Apiospora sp., 76.
 Diatrypella favacea, 64.
 Diatrypella quercina, 64.
 Eutypella fraxinicola, 65.
 Fracchiacea heterogenea, 78.
 Hercospora tiliae, 71.
 Massariella curreyi, 81.
 Massariella curreyi var. *americana*, 32.
 Massariovalsa sudans, 71.
 Mycosphaerella punctiformis, 90.
 Nectria cinnabarina, 54.
 Pyrenopeziza minuta, 42.
 Sphaerangium sp., 45.
 Valsa ambiens, 72.
 Valsa decorticans, 73.
 truncata, *Leptomassaria simplex*, 79.
Trichodothis cernata, 86.
Trichoglossum, 49.
Trichosphaeria, 86.
Tridens flavus, *Apiospora montagnei*, 74.
 Leptosphaeria culmorum, 79.
 Phyllachora sp., 75.
Trifolium spp., *Dothidella trifolii*, 87.
 Erysiphe polygoni, 36.
 Pseudoplea briosiana, 92.
Tripsacum dactyloides, *Claviceps tripsaci*, 56.
Triticum aestivum, *Erysiphe graminis*, 36.
 Pyrenophora relicina, 85.
Tryblidiella rufula, 49.
Tsuga canadensis, *Cenangium balsameum*, 46.
 Dimerosporium tsugae, 53.
 Propolis leonis, 45.
Tympanopsis euomphala, 86.
Typha latifolia, *Guignardia* sp., 87.

Typha latifolia, *Lophodermium typhinum*, 44.
Mycosphaerella typhae, 91.

U

Ulmus spp., *Acrospermum compressum*, 75.
Diatrypella favacea, 64.
Eutypella fraxinicola, 65.
Hysteropatella prostii, 48.
Mycosphaerella sp., 92.
Mycosphaerella punctiformis, 90.
Physalospora obtusa, 84.
alata, *Phyllactinia corylea*, 36.
Sphaerostilbe coccophila, 55.
Uncinula macrospora, 37.
Valsa ambiens, 72.
americana, *Diatrypella subfulva*, 64.
Didymosphaeria sp., 78.
Eutypella tumida, 66.
Gnomonia ulmea, 70.
Mycosphaerella ulmi, 91.
fulva, *Massaria ulmi*, 81.
parvifolia, *Eutypella scoparia*, 66.
serotina, *Dasyscypha pulveracea*, 47.
Uncinula, 37.
Uniola spp., *Apiospora montagnei*, 74.
latifolia, *Leptosphaeria culmicola*, 79.
Pleospora sp., 85.
laxa, *Phyllachora* sp., 75.
Urnula craterium, 39.
Urosporella americana, 86.

V

Vaccinium spp., *Hysterium angustatum*, 50.
Meliola nidulans, 37.
Mycosphaerella punctiformis, 90.
arboreum, *Ophiodothella vaccinii*, 72.
Valsa decorticans, 73.
elliottii, *Glonium curtisii*, 50.
vacillans, *Lophodermium maculare*, 44.
Microsphaera vaccinii, 36.

Valsa, 72, 73.
Nectria episphaeria, 55.
Valsaria, 73, 74.
Valsella, 74.
Velutaria rufo-olivaceae, 48.
Venturia, 86.
Verbena sp., *Erysiphe cichoracearum*, 35.
Verbesina spp., *Diaporthe arctii*, 68.
Leptosphaeria mesoedema, 80.
Pleospora vulgaris, 85.
occidentalis, *Leptosphaeria comatella*, 79.
virginica, *Leptosphaeria subconica*, 80.
Vernonia acaulis, *Diaporthe arctii*, 68.
glauca, *Leptosphaeria* sp., 81.
Metasphaeria sp., 83.
noveboracensis, *Hypoderma commune*, 43.
Ophiobolus fulgidus, 83.
Vibrissia truncorum, 40.
Viburnum spp., *Massaria plumigera* var. *tetraspora*, 81.
Physalospora obtusa, 85.
Schizoxylon insigne, 40.
orientale, *Glonium* sp., 50.
prunifolium, *Didymosphaeria* sp., 78.
rufidulum, *Diaporthe viburni*, 69.
Didymosphaeria epidermidis, 77.
Hypoxylon rubiginosum, 60.
Leptosphaeria vagabunda, 80.
Mycosphaerella punctiformis, 90.
semitomentosum, *Eutypella fraxinicola*, 65.
Vigna sinensis, *Erysiphe polygoni*, 36.
Mycosphaerella cruenta, 88.
Vitis spp., *Guignardia bidwellii*, 87.
Physalospora obtusa, 85.
baileyana, *Leptosphaeria vagabunda*, 80.
Pleospora vulgaris, 85.
labrusca, *Hypoxylon hypophlaeum*, 58.
Mycosphaerella personata, 89.
Uncinula necator, 37.
rotundifolia, *Eutypella fraxinicola*, 65.
Glonium clavisporum, 50.
Glonium curtisii, 50.
Herpotrichia pezizula, 78.
Hypoxylon tinctor, 60.
Hysteroglyphium flexuosum, 51.

Vitis rotundifolia, *Mollisia*
cinerea, 41.
Rosellinia aquila, 61.
Schizoxylon insigne, 40.
Valsa decorticans, 73.

X

Xanthium canadense, *Diaporthe*
arctii, 68.
Erysiphe cichoracearum, 35.
Leptosphaeria comatella, 79.
Ophiobolus acuminatus, 83.
Ophiobolus anguillides, 83.
Xylaria, 62.

Y
Yucca aloëfolia, *Pleospora thümeniana*,
85.
filamentosa, *Diaporthe arctii*, 68.
Lophiostoma caulium, 54.

Z

Zea mays; *Didymosphaeria graminicola*, 78.
Gibberella zeae, 54.
Rhopoglyphus zeae, 35.
Stictis radiata, 40.
Zenobia pulverulenta, *Ophiodothella*
vaccinii, 72.
Zignoëlla pulviscula, 86.
Zinnia elegans, *Erysiphe cichoracearum*,
35.