

Catalogue of zoological specimens
prepared and collected by

Ned K. Johnson

RECORDS

Geo Johnson
Reno, Nevada

um



Digitized by the Internet Archive
in 2017 with funding from
CLIR



Standard Blank Book

No. 66

Journals	Double \$	and Cts.	no Units
Cash Books	“	“	“
Day Books	“	“	“
S. E. Ledgers	“	“	“
D. E. Ledgers	Full Page	Form	“
Long Day Books			“
Records with Margin Line			

In 100, 150, 200, 300 and 500 Pages

Made in U. S. A.

[Faint, illegible handwriting on lined paper]

X mean put in under species in sheet listed
on Dec 7, 1946. - means specimen is from outside
W. Nev. study area.

Birds

- 1. Goshawk - Aster atricapillus - Juve ♂ - Shot by
- 2. Virginia Rail - Rallus virginianus - Ad. ♂ - Found dead by
- X 3. Loggerhead Shrike - Lanius ludovicianus ^{gambeli} - Ad. (sex?) - Taken by W. V. Wood
- X 4. Short-eared Owl - Asio flammeus - Ad. ♀ - Found injured on Oct. 12, 1949 by V.
- X 5. Oregon Junco - Junco oregonus shufeldti (A.H. Miller) - Ad. ♂ - Taken by W. V.
- X 6. Green-backed Goldfinch - Spinus psaltria - Ad. ♀ - Taken near Truckee
- X 7. Green-backed Goldfinch - Spinus psaltria - Ad. ♂ - " " "
- X 8. Shoveller - Spatula dyspeata - ~~Im ♂~~ - taken by W. V. Woodbury at
- X 9. Song Sparrow - Melospiza melodia - Ad. ♂ - Taken 2 mi N. of Washoe
- X 10. Orange-crowned Warbler - Vermivora celata - ? ♂ " " " " "
- X 11. English Sparrow - Passer domesticus - Ad. ♂ - caught in mousetrap at 624 Lake St.
- X 12. English Sparrow - Passer domesticus - Ad. ♀ - " " " " "
- X 13. Cared Grebe - Colymbus nigricollis californicus - Ad. ♀ - Reno, Washoe Co.,
- X 14. California Quail - Lophortyx californica - Ad. ♂ - Found dead by V. Kay Johnson on the Ubine
- X 15. Barn Owl - Tyto alba pratincola - Ad. (sex?) - Found dead by B. H. Banta near the eastern
- X 16. Short-eared Owl - Asio flammeus - Ad. ♀ - Found dead by V. Kay Johnson near the Nevada Game
- X 17. Western Bluebird - Sialia mexicana - Ad. ♂ - Taken 1/2 mi. W. Steamboat Springs 4600', Washoe
- 18. Domestic Roller Canary - Serinus canarius - Ad. ♂ - Given to me by Janice Brown after it died at
- X 19. ~~Desert Horned Lizard - Phrynosoma platyrhinos - Captured 1 mi. E of Lovelock, Pershing~~
Bullock's Oriole - Icterus bullocki - Im ♀ - Taken along Hunter Cr. one mile up from Mayberry's
- X 20. Hepburn Rosy Finch - Leucosticte tephrocotis littoralis - Ad. ♂ - Taken 3 mi NW Reno, Washoe Co.,
- X 21. Hepburn Rosy Finch - Leucosticte tephrocotis littoralis - Ad. ♂ - " " " " "
- X 22. Gray-crowned Rosy Finch - Leucosticte tephrocotis t. - Ad. ♀ - " " " " "
- X 23. Hepburn Rosy Finch - Leucosticte tephrocotis littoralis - Ad. ♂ - " " " " "
- X 24. Hepburn Rosy Finch - Leucosticte tephrocotis littoralis - Ad. ♀ - " " " " "
- X 25. English Sparrow - Passer domesticus - Ad. ♀ - caught in mousetrap at 624 Lake St., Reno, 4500'
- X 26. Mountain Bluebird - Sialia currucoides - Ad. ♀ - Taken 1/2 mi W. Pyramid Lake Road 10 mi N. Reno.
- 27. American Raven - Corvus corax - Ad. ♀ - Found dead on highway six miles S. of Esmer
- 28. Burrowing Owl - Speotyto cunicularia - Ad. ♀ - Found dead on highway 95 thirty miles E. of
- 29. Ruby-crowned Kinglet - Coeloceryle calandula - Ad. ♂ - Taken at Ash Meadows (Northern part), ^{at the} Nye Co.
- 30. Ruby-crowned Kinglet - " " Ad. ♂ - " " " " " at the Fairbanks Spring
- 31. Say's Phoebe - Sayornis saya saya - Ad. ♂ - " " " " " near the " " "
- 32. Least Sandpiper - Pisidia minutilla - Ad. ♀ - " " " " " " " "
- 33. Hooded Oriole - Icterus cucullatus - Ad. ♂ - " " " " " at the Fairbanks Spring
- 34. Audubon's Warbler - Dendroica auduboni - Ad. ♂ - " " " " " " " "
- 35. ^{MYRTLE} Audubon's Warbler - Dendroica ^{coronata hooveri} auduboni - Ad. ♀ - " " " " " " " "

- 36. Vermilion Flycatcher - *Cyrocephalus rubinus mexicanus* - ♂ - Taken in northern Ash Meadows, Nye ^{near Fairbanks Springs}
- 37. American Pipit - *Anthus spindetta* - ad. ♀ - Taken in northern Ash Meadows, Nye Co., Nevada. ^{near Fairbanks Springs}
- 38. Vesper Sparrow - *Passercetes gramineus* - ad. ♀ ^{confinis} " " " " " " ^{2 mi south of Fairbanks}
- 39. Gambel's White-crowned Sparrow - *Zonotrichia leucophrys gambeli* - ad. ♀ - Taken in northern Ash ^{2 mi S. of Fairbanks}
- 40. Sage Thrasher - *Oreoscoptes montanus* - ad. ♂ - Taken near Fairbanks Springs ranch house
- 41. Least Sandpiper - *Pisobia minutilla* - ad. ♂ - " " " " " " "
- 42. Least Sandpiper - *Pisobia minutilla* - ad. ♀ - " " " " " " "
- 43. Desert Sparrow - *Amphispiza bilineata* - ad. ♀ - " at " " " " "
- 44. Ladder-backed Woodpecker - *Dryobates scalaris* - ad. ♀ - Taken at Big Pool, Warm Springs, Clark
- 45. Lucys Warbler - *Vermivora luciae* - ad. ♂ - Taken near Big Pool, Warm Springs, Clark County, Nevada.
- 46. Gambel's Quail - *Lophortyx gambeli* - ad. ♂ - " " " " " " " "
- 47. Sage Thrasher - *Oreoscoptes montanus* - ad. ♂ - " " " " " " " "
- 48. Vermilion Flycatcher - *Cyrocephalus rubinus mexicanus* - ad. ♀ - Taken at Big Pool, Warm Springs, Clark
- 49. Aberts Towhee - *Pipilo aberti* - ad. ♂ - Taken near Big Pool, Warm Springs, Clark Co., Nevada - April
- 50. Ash-throated Flycatcher - *Myiarchus cinerascens cinerascens* - sex undetermined - Taken 1/2 mi. E. Big
- 51. Ladder-backed Woodpecker - *Dryobates scalaris* - ad. ♂ - Taken 1/2 mi E. Big Pool, Warm Springs
- 52. Brewer's Sparrow - *Spizella breweri* - sex undetermined - " " " " " " " "
- X 53. Mountain Chickadee - ♀ - Taken 2 mi SW. Hind's Ranch ^{which is} on U.S. 395 fourteen
- X 54. Bush-tit - ♂ - " " " " " " " "
- X 55. Bush-tit - sex undetermined - Taken near south end of dry lake about
- X 56. Chipping Sparrow - ♂ - Taken 2 mi. SW. Hind's Ranch, which is on U.S.
- X 57. Robin - *Turdus migratorius* - ♂ - Found dead at 624 Lake Lt., Reno, Washoe Co., Nev.
- X 58. Lake Sparrow - Im. ♀ - taken at edge of Truckee Meadows about 8 mi
- X 59. Marsh Hawk - Im. ♂ - " " " " " " " "
- X 60. Lake Sparrow - Im. sex undet. - " " " " " " " "
- X 61. California Jay - ^{ad. moulting} Im. ♂ ^{ad. ♂} - Taken along Hunter Creek about one
- 62. Red-tailed Hawk - Im. ♀ (?) - Found dead by W. Ray Johnson along Calif.
- X 63. Semipalmated Plover - Im. ♀ (?) - Taken on the west shore of Little Washoe Lake, Washoe
- 64. Sparrow Hawk - ♂ - Found dead by W. Ray Johnson along highway
- X 65. Northern Phalarope - ad. ♀ - taken from flock of about 20 birds at Little Washoe
- X 66. Semipalmated Plover - Im. ♀ - Taken on the west shore of Little Washoe Lake,
- X 67. Dowitcher - Im. (sex undet.) - " " " " " " " "
- X 68. Northern Phalarope - ad. ♀ - " " " " " " " "
- X 69. Western Sandpiper - ad. ♀ - Taken on the ^{east} shore of Little Washoe Lake
- X 70. Western Sandpiper - ad. ♂ - " " " " " " " "

Ranch house Co., Nevada - April 4, 1950 - T.L. - 136. W. - 110 - T. - 59.	U. of T. # 185
Ranch house April 4, 1950 - T.L. - 162. W. - 117 T. 63.	U. of T. # 175
Spring's Ranch house T.L. - 143. W. - 106. T. - 61	U. of T. # 179
Spring's ranch house Meadows, Nye Co. Nevada - T.L. - 155. W. - 116. T. - 65.	U. of T. # 174
in Ash Meadows, Nye Co., Nevada - April 4, 1950 - T.L. - 210 W. - 140 T. - 88.	U. of T. # 145
" " " " " " " " " " T.L. - 134 W. - 125 T. - 38	U. of T. # 154
" " " " " " " " " " T.L. - 138. W. - 133. T. - 30	U. of T. # 153
" " " " " " " " " " April 5, 1950 - T.L. - 135. W. - 91. T. - 63.	U. of T. # 177
County, Nevada - April 6, 1950 - T.L. - 178 W. - 152 T. - 59.	U. of T. # 148
April 6, 1950 - T.L. - 102. W. - 76. T. - 40	U. of T. # 151
" " " " T.L. - 266 W. - 168 T. - 189	U. of T. # 141 # 141
" " " " T.L. 196 W. - 142 T. - 90	U. of T. # 147
Co., Nevada - April 6, 1950 - T.L. - 139 W. - 108 T. - 59.	U. of T. # 171
7, 1950 - T.L. - 217. W. - 132 T. - 113.	U. of T. # 163
Pool, Warm Springs. Clark Co., Nevada - April 7, 1950 - T.L. - 203. W. - 144. T. - 90.	U. of T. # 161
Clark Co., Nevada - April 7, 1950 - T.L. - 185. W. - 150. - T. - 71.	U. of T. # 150
" " " " " " " " " " T.L. - 128. W. - 85. T. - 59.	U. of T. # 167
^{NNW} miles north of Reno, Washoe Co., Nevada - April 30, 1950	U. of T. #
" " " " " " " " " " " " " "	U. of T. #
^{NNW} fourteen miles north of Reno, Washoe Co., Nevada - April 30, 1950	U. of T. #
395 near Dry Lake about fourteen miles north of Reno, Washoe Co., Nev. - April 30, 1950	U. of T. #
on June 14, 1950 -	U. of T. #
SE. of Reno, Washoe Co., Nevada - August 6, 1950	U. of T. #
" " " " " " " " " " August 8, 1950	U. of T. #
" " " " " " " " " " " " " "	U. of T. #
mile up from Mayberry's Ranch which is 5 mi W. of Reno, Washoe Co., Nevada - August 12, 1950 -	U. of T. #
State Highway 4 one mile SE. of Marbleville, Alpine Co., Calif. - August 26, 1950	U. of T. #
County, Nevada - September 3, 1950	U. of T. #
in Alpine Co., California one mile south of the Nevada State line - September 4, 1950	U. of T. #
lake, Washoe Co., Nevada - September 4, 1950 -	U. of T. #
Washoe Co., Nevada - September 4, 1950.	U. of T. #
" " " " " " " " " "	U. of T. #
" " " " " " " " " "	U. of T. #
" " " " " " " " " "	U. of T. #
Washoe Co., Nevada - September 7, 1950	U. of T. #
" " " " " " " " " "	U. of T. #

- X 71. Least Sandpiper - ad. ♀ - Taken from a small flock on the west shore of Little
~~Yellow~~
- X 72. ~~Red-tailed Warbler~~ - Im. ♂ - Taken in a large clump of willows near the S.W. shore
- X 73. Calliope Hummingbird - ad. ♀ - " " " " " " " " " " " "
- X 74. Baird's Sandpiper - ad. ♀ - Taken from a group of Three seen on the northern shore
- X 75. Dendrocopos villosus opius AHM Hairy Woodpecker - ad. ♀ - Taken along Hunter Creek 1/2 mile S. of Mayberry's
- X 76. California Quail - Juv. ♀ - Found dead on U.S. Highway 395, eleven miles
- 77. Cackling Goose - *Branta canadensis minima* - Juv. - Shot by ~~duck~~ hunter 4 miles
- X 78. Long-eared Owl - ad. ♀ - Taken from a group of four in a clump of willows
- X 79. American Rough-legged Hawk - ♂ - Taken from the top of a tall cottonwood
- X 80. California Quail - ad. ♀ - Found dead by V. Ray Johnson on the U. of Nev
- X 81. Horned Owl B.v. occidentalis - ad. ♀ - Taken along Hunter Creek 1/2 mile above
- 82. Hooded Merganser - Juv. ♀ - Shot by hunter 4 mi N. of Stillwater, Churchill
- 83. American Merganser - ♀ - " " " " " " " " " "
- 84. American Merganser - ad ♂ - " " " in the Public Shooting Grounds
- 85. Bufflehead - ♀ - " " " " " " " " " "
- + 86. Lesser Canada Goose - " " " near Stillwater, Churchill Co.,
- ? 87. Prairie Falcon - ad. ♂ -
- 88. American Rough-legged Hawk - ♀ - Found dead by W. Verne Woodbury on
- 89. " " " " " ♂ " " " Fred Wright near
- X 90. Bewick's Wren - ♀ - Taken along the Truckee River 16 mi. E. Reno
- X 91. Sparrow Hawk - ♀ - Taken two miles northeast of Sparks,
- X 92. Western Meadowlark - ♀ - " " " " " " " " " "
- X 93. Starling - ♂ - " " " " " " " " " "
- X 94. Prairie Falcon - ♂ - Taken one mile north of Sparks,
- X 95. Cowbird - *Melospiza ater* - ♂ - artemisiae approaching obscurus in some northeast of Reno
- X 96. Common Goldfinch - ♀ - Taken along Highway 1/2 mile
- X 97. " " ♀ - " " " " " " " " " "
- X 98. " " ♂ - " " " " " " " " " "
- X 99. Starling - ♂ - Taken 2 miles northeast of
- X 100. " " ? (organs shot) - taken 2 mi. " "
- X 101. Pinyon (Piñon) Jay - ♀ - Taken in the Ponderosa Pine stand near at
- X 102. Evening Grosbeak - ♂ - Found dead (flew into a window) in
- 103. Ruby-crowned Kinglet - ♂ - Seidy Ct. 1 mi. W. Circle P.
- 104. Mountain Chickadee - ♂ - at 7,500' in Trail Canyon ?
- 105. Clark's Nutcracker - ♀ - Taken by W. V. Woodbury at

m

- 106. Ruby-crowned Kinglet - ♀ - at 5600' along Chiatovich Cr.
- 107. Spotted Towhee - ♀ P. m. curtatus " " " " "
- 108. Long-billed Marsh Wren - ♂ - at Fish Lake, Fish Lake Valley,
- 109. " " " " sex? - " " " " " "
- 110. P. s. nevadensis Savannah Sparrow - ♀ - near " " " " "
- 111. Avocet - - at a dry lake near E. McFlett Ranch, Fish
- 112. mt. Bluebird - - near Fish Lake at 4800', Fish Lake
- 113. mt. Bluebird - - " " " " " " "
- 114. Sora Rail - - at E. McFlett Ranch, Fish Lake
- 115. Red-winged Blackbird - ♀ - " " " " " "
- 116. Common Goldfinch - " " " " " "
- 117. Lincoln's Sparrow " " " " " "
- 118. Song Sparrow P. m. fisheriella " " " " "
- 119. " " P. m. menpilli " " " " "
- 120. Fox Sparrow - P. l. sinuosa "AHM" " " " "
- X 121. Red-shafted Flicker - ♂ - Shot by George Watterspiel at the Wadsworth Slough
- X 122. Savannah Sparrow - ♂ - Taken at E. edge Truckee Meadows, 6 mi. S.E.
- X 123. Bullock's Oriole - ♂ - Taken at S. edge Truckee Meadows, 8 mi. S.W.
- X 124. Bullock's Oriole ♂ - " " " " " " " "
- 125. ~~Skipped~~
- 126. ~~Skipped~~
- 127. Mockingbird - ♂ - Ash Mdw., Nye Co., Nev.
- 128. Ash-throated Flycatcher - ♂ - Ash Mdw., Nye Co.,
- 129. Texas Nighthawk - ♂ - " " " "
- 130. Verdin - sex? - " " " "
- 131. Blue Grosbeak - ♂ - " " " "
- 132. " " " " " " " "
- 133. Verdin - sex? - " " " "
- 134. Western Wood Pewee - ♂ - " " " "
- 135. Killdeer - ♂ - " " " "
- 136. Warbling Vireo - ♂ - " " " "
- 137. Blue Grosbeak - ♂ - " " " "
- 138. Western Kingbird - ♂ - " " " "
- 139. Hail Flycatcher - ♂ - " " " "
- 140. Red-winged Blackbird - ♂ - " " " "

- 141. Bullock Oriole - ♀ - Ash Meadows, Nye Co., Nev.
- 142. Mockingbird - ♂ - " " " " "
- 143. Savannah Sparrow - ♂ - " " " " "
- 144. Western Flycatcher - ♀ - " " " " "
- 145. Bullock Oriole - ♂ - " " " " "
- 146. Ash-throated Flycatcher - ♂ - " " " " "
- 147. Mockingbird - ♀ - " " " " "
- 148. Rough-winged Swallow - ♂ - " " " " "
- 149. Black-headed Grosbeak - ♂ - " " " " "
- 150. Phainopepla - ♀ - " " " " "
- 151. Loggerhead Shrike - ♂ - " " " " "
- 152. Western Flycatcher - ♂ - " " " " "
- 153. Loggerhead Shrike - juv. ♂ - at a desert dry lake 5 mi. S.E. of
- 154. Western Kingbird - ♂ - Taken by B.A. Banta at " " " " "
- 155. Vermilion Flycatcher - ♀ - Near Pahump Ranch, Pahump Valley
- 156. Mall Flycatcher - ♂ - " " " " "
- 157. Bewick Wren - sex? - " " " " "
- 158. Sage Sparrow - juv. ♀ - " " " " "
- 159. Blue Grosbeak - ♂ - " " " " "
- 160. Cliff Swallow - juv. ♂ - " " " " "
- 161. House Finch - ♂ - " " " " "
- 162. Sage Sparrow - ♀ - " " " " "
- 163. Say Phoebe - sex? - 3 mi. N.W. " " " " "
- 164. Horned Lark - ♂ - Ash Meadows, Nye Co., Nevada
- 165. Horned Lark - ♂ - " " " " "
- 166. Horned Lark - juv. ♂ - " " " " "
- 167. Savannah Sparrow - ♂ - " " " " "
- 168. Cowbird - ♂ - " " " " "
- 169. Wilson Snipe - ♀ (?) - Dead on State Highway 37 one mi. N. of
- 170. California Quail - ♂ - " " Calif. State Hwy. 89 2 miles
- 171. Scrub Jay - ♂ - along W. Carson River on the Lietje Ranch
- 172. Greater Yellowlegs - sex? - Little Washoe Lake, 5000', Washoe Co.,
- 173. V. c. orestera Orange-crowned Warbler - sex? - Willows at sw corner Little Washoe Lake, 5000'
- 174. V. c. orestera " " " " " " " " " " "
- 175. Scrub Jay - ♀? - along Hunter Creek at 4900' 2

X 176
X 177
178
179
180
181
182
183
184
185
186
187
188
189
190
191

Scrub Jay - ♂ - Taken at 4900' along Hunter Cr., 2 mi.
Scrub Jay - ♀ - " " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "
" " " " " " " "

- 192
- 193
- 194
X 195
X 196
197
X 198
X 199
X 200
X 201
X 202
X 203
X 204
X 205
X 206
X 207
- 208
- 209
- 210

Yellow-bellied Sapsucker - ♀ - Taken at Stillwater, Churchill Co.,
White-winged Scoter - juv. ? - Shot by hunter (Ted Sherman) near
White-winged Scoter - juv. - Shot by hunter in the Stillwater Wildlife
Canada Goose - Ad. - " " " (W.V. Woodbury) 7 mi
Cooper Hawk - im. ♀ - Shot near Plumb Lane near SW Reno City
Downy Woodpecker - ♂ - Found dead by Frank Richardson on the U. of
Sparrow Hawk - ♀ - Shot by W.V. Woodbury 3 mi. SE
E. a. lamprochrysa?
Horned Lark - ♀ - taken 3 mi. NE Reno, Washoe
Eremophila alpestris lamprochrysa " by W.V. Woodbury 3 mi. NE.
Eremophila alpestris lamprochrysa " 3 mi. NE. Reno, Washoe
" " " " " " " "
Pigeon Hawk - F. c. bendirei A.H.M. taken in Reno, 4500', Washoe
Cassin Finch ♂ - 2 mi. S. Reno in Tr
P. l. lincolni near alticola ♂ - along Truckee River in est
P. m. fisherella
Song Sparrow ♂ - " " " "
Barn Swallow ♂ - Truckee Mdw., 1/2 mi NW.
P. l. lincolni
Lincoln Sparrow - ♂ - Coll. at N.W. base of Rattlesnake
Lesser Yellow-legs - ♂ - Taken at NW edge Carron Lake,
White-faced Gnatcatcher - ♀ - " " " " " "
Solitary Sandpiper - ♀ - " " " " " "

- X 211 Snowy Plover - ♀ - taken at Hot Springs Playa, Churchill
- 212 Hungarian Partridge - sex? - shot by Robert Arkell at Lovelock,
- X 213 Wright's ~~Blue~~ Flycatcher ^{A.H.M.} - ♂ - Coll. at lower Hunter Creek, Washoe
- X 214 Pileolated Warbler - ♂ " " " " " "
- X 215 Calliope Hummingbird - ♂ " " " " " "
- X 216 Townsend Warbler - ♂ - " " " " " "
- X 217 Steller Jay - ♀ - E. Slope Carson Range near Ophir
- X 218 Pygmy Nuthatch - ♂ - 1 mi. N. Ophir Creek, 5050';
- X 219 ^{V.C. gelata A.H.M.} Orange-crowned Warbler - ? - 1 mi. N. Ophir Creek, 5050', E.
- X 220 Fox Sparrow - ♂ - E. Slope Carson Range near
- X 221 Creeper - ♂ - " " " " " "
- X 222 Western Tanager - ♂ - U of Nevada campus, Reno,
- 223 Ferruginous Hawk - sex? - Faith Valley, Alpine
- X 224 Cooper Hawk - ♀ ad - lower Hunter Creek at 5000';
- X 225 Ruby-crowned Kinglet - ♂ - at 5200' near Geiger lookout,
- X 226 Common Goldfinch - ♂ - " " " " " "
- X 227 Golden-crowned Kinglet - sex? " " " " " "
- X 228 Steller Jay - ♀ - at 6000', Clear Creek Canyon, Ormsby
- X 229 Red-breasted Nuthatch - ♂ - 6000', Clear Creek Canyon,
- X 230 " " " " - ♀ - " " " " " "
- X 231 ^{P.g. abbreviatus} Mountain Chickadee - ♂ - " " " " " "
- 232 Ash-throated Flycatcher ♂ - near Snyder Ranch on Ft. Mojave dnd.
- 233 Ladder-backed Woodpecker ♀ - " " " " " "
- 234 Lucy Warbler ♂ - 1/2 mi. N. of Calif line, 1 mi. W. of Colo. River on Ft
- 235 Plumbeous Gnatcatcher ♂ " " " " " " " " " " " "
- 236 Least Vireo ♂ - " " " " " " " " " " " "
- 237 Song Sparrow ♂ - " " " " " " " " " " " "
- 238 ~~Black-chinned~~ ^(A.H.M.) Hummingbird ♀ " " " " " " " " " " " "
- 239 Gila Woodpecker ♂ " " " " " " " " " " " "
- 240 " " ♀ " " " " " " " " " " " "
- 241 Black Phoebe ♀ " " " " " " " " " " " "
- 242 " " ♀ " " " " " " " " " " " "
- 243 Phainopepla ♂ near Colo. River opposite site of
- 244 " ♂ " " " " " " " " " " " "
- 245 Vermilion Flycatcher - ♂ " " " " " " " " " " " "

- 246 Gila Woodpecker - ♂ - near Colo. River opposite site of Ft.
- 247 Albert Towhee - ♀ - " " " " " "
- 248 Domestic Pigeon - ♀ - found dead on University of Nevada
- X 249 Cedar Waxwing ♀ - " " at Westfield College,
- X 250 Empidonax ^{wrighti} ~~sp.~~ ♂ - Wright Flycatcher AHM by F. Richardson at
- 251 Western Wood Pewee - ♀ - at Green Ranch, Green Creek,
- 252 Green-tailed Towhee - ♂ - " " " " " "
- 253 Warbling Vireo - ♀ - Green Creek, at 7400', Kawich
- 254 Bush-tit ^{P. e. plumbeus} ♂ - " " " " " "
- 255 Rock Wren - ♀ - 1 mi. N. Silverlow, near Green Creek,
- 256 California Jay - ♂ - Green Creek 6900'
- 257 Scrub Jay - ♂ - " " " "
- 258 Lazuli Bunting - ♂ - " " 7000'
- 259 Black-headed Grosbeak ♀ - " " 6900'
- 260 Eastern Kingbird - ♂ - " " 7200' at Green Ranch
- 261 Black-throated Gray Warbler - ♂ - 7500', 5 mi. N. of
- 262 Gray Flycatcher ^{AHM} - ♂ - " " " " " "
- 263 Plain Titmouse - ♀ - 7500' 4 " " " "
- 264 Chipping Sparrow - ♂ - 7500' 1 mi. NW
- 265 Cooper Hawk - ♂ - 7200', Green Ranch,
- 266 Scott Oriole - ♂ - Summer Spring, 6700'
- 267 Western Tanager - ♀ - at 5700' at 5 pts. Ranch, N. end (Cedar Springs Ranch)
- 268 Black-headed Grosbeak - ♂ - at 8000' at Turrell Mine
- 269 Gray-headed Junco - ♂ - " 8300' near " "
- 270 ~~Solitary~~ Vireo - ♂ - Vireo, a plumbeus AHM. " " "
- 271 White-breasted Nuthatch - ♂ - " " " " " "
- 272 ^{E. a. utahensis} Horned Lark - ♂ - Shot 1 mi. ESE of Warm Springs
- 273 ^{E. a. utahensis} ♀ - " " " " " "
- 274 Yellow bellied Sapsucker - ♂ - Scofield Canyon, 8800'
- 275 ~~A. Wright~~ Flycatcher - ♂ - " " " "
- 276 Creeper - ♂ - Catherin f. montana AHM. " " "
- 277 Short-eared Owl - ♀ - hit by car on Hwy 4 at 1 mi.
- X 278 Sora Rail - Juv. ♂ - found dead on road in Carson
- X 279 Williamson Sapsucker - ♂ - Coll. at 8700', Tahoe Meadows, 1 mi.
- X 280 Hammond Flycatcher ^{AHM.} - Juv. ♀ (skull not mailed) - Coll. at 7800', Third Creek,

- X 281 Hammond Flycatcher ^(AHM) (*Juv. skullnotora* ♀) - Coll. at 7800', Third Creek, 3/4 mi. S.
- X 282 Golden-crowned Kinglet ♂ - " " " " " " " " " " " "
- X 283 Nighthawk - ♀ - Flew into fence in Reno, Washoe Co., Nevada. - Sept 18, 1953.
- X 284 Williamson Sapsucker ^{nataliae} ♀ - At 4800 feet in second growth Ponderosa
- X 285 Empidonax ^(AHM) hammondi ♀? - " 6000', Thomas Creek, Carson
- X 286 Hairy Woodpecker ^{D.V. orius} ♂ - At 7000', NE slope of Peavine
- X 287 white-headed Woodpecker ♀ - At 7000', 2 mi. W., 1 mi. N. of
- X 288 Gambel Wt.-crowned Sparrow ♀ - U. of Nevada campus, 4500'
- X 289 " " " " ♂ - " " " " " "
- X 290 " " " " ♂ - " " " " " "
- 291 Otus asio inycensis ♂ - found dead by Fred Alpers at
- X 292 Spotted Sandpiper - ♂ - Truckee River 4800', 6 mi. W.
- X 293 Brown Creeper - ♂ - Thomas Creek, 6000', E. slope Carson
- X 294 " " - ♀ - " " " " " "
- 295 Bonaparte Gull ♀ - shot by W.V. Woodbury near Toy, C.
- X 296 Song Sparrow ♂ - ^{P.M. meyerilli ↔ fisherella} University of Nevada campus, Reno.
- X 297 Gambel Wt.-crowned Sparrow ♀ - U. of Nevada "
- X 298 Song Sparrow ♂ - Truckee River 4 mi. N. of Wadsworth
- X 299 Downy Woodpecker ♂ - " " " " " "
- X 300 Ring-necked Pheasant ♀ - Dead on U.S. Hwy 40, 3 mi W. of
- X 301 Bewick Wren - ♀ - Truckee River 4 mi. N. of Wadsworth,
- X 302 Downy Woodpecker ♀ - " " " " " "
- X 303 Hairy Woodpecker ^{D.V. orius} ♀ - " " " " " "
- X 304 Gambel Wt.-crowned Sparrow ♀ - University of Nevada campus,
- 305 Marbled Godwit - ♀ - shot by W. Vene Woodbury at
- 306 long-billed Sawitcher - ad♀ - " " " " " "
- 307 " " " " ad♂ - " " " " " "
- X 308 Pigmy Owl ^{G.G. californicum} ♂ (testes 2 mm) - shot at 6300', 3 mi. W.,
- X 309 Pigmy Nuthatch ♀ - shot at 6000' 3 mi. W., 2 mi. N. of
- X 310 " " ♂ - " by Fred Rysler Jr. " " " " " "
- X 311 white-br. " ♂ - " " " " " " " " " "
- X 312 ~~Slate-colored Junco~~ Junco ♂ - Trapped on U. of Nevada campus, Reno,
- X 313 White-headed Woodpecker ♂ - 6500', Thomas Creek,
- 314 American Golden-eye *Juv. orclipse* ♂ - Indian Lakes,
- X 315 Leucosticte tephrocotis littoralis ♂ - S. slope Peavine Peak,

- X 316 Leucosticte t. wallowa^{AHM} ♀ - S. slope Peavine Mt., 3 mi.
- X 317 Leucosticte atrata ♂ - " " " " " "
- X 318 Leucosticte atrata ♂ - " " " " " "
- X 319 Leucosticte t. tephrocotis ♂ - " " " " " "
- X 320 Leucosticte t. littoralis ♀ - " " " " " "
- X 321 Leucosticte t. littoralis ♀ - " " " " " "
- X 322 Leucosticte t. littoralis - ♂ - " " " " " "
- X 323 Oregon Junco (montanus^{AHM}) ♀ - U. of Nevada campus, Reno, 4500'
- X 324 Red-shafted Flicker - ♂ - Winnemucca, Humboldt Co.,
- X 325 Leucosticte teph. littoralis - ♀ - S. slope Peavine Mt., 5500', 3 mi.
- X 326 Leucosticte tephrocotis tephrocotis ♀ - " " " " " "
- X 327 " " tephrocotis - ♂ - " " " " " "
- X 328 " " dawsoni - ♂ - " " " " " "
- X 329 " " dawsoni - ♂ - " " " " " "
- X 330 Passerella melodia^{merrilli?} ♀ - U. of N. campus, Reno, 4500',
- X 331 Leucosticte t. wallowa - ♀ (ovary 4MM) S. Slope Peavine Mt.,
- X 332 Leucosticte atrata - ♀ (ovary 4MM) " " " "
- X 333 Leucosticte t. wallowa - ♀ (ovary 3MM) " " " "
- X 334 Leucosticte t. dawsoni? - ♀ (ovary 4MM) " " " "
- X 335 Leucosticte t. dawsoni - ♂ (testes 1MM) " " " "
- X 336 Leucosticte t. dawsoni - ♀ (ovary 4MM) " " " "
- X 337 Leucosticte t. wallowa - ♂ (testes 1MM) " " " "
- X 338 Passerella iliaca^{unata schenckii} - ♀ - 5000', foothills of Virginia Range,
- X 339 Plain Titmouse - ♂ (Testes 1MM) - 5200', " " "
- X 340 Pinon Jay - ♀ - (ovary enlarged) - Ponderosa Pine stand,
- X 341 Dendroica auduboni - ♀ - " " "
- X 342 Red-breasted Nuthatch - ♂ (Testes .6MM) - " " "
- X 343 Golden-crowned Kinglet - ♂ - " " "
- X 344 Bush-tit - ♂ (testes 2MM) - " " "
- X 345 White-headed Woodpecker - ♀ - 6500', Carson Range, 1/2
- X 346 " " " ♀ (ovary enlarged) - 6500', Thomas
- X 347 Pigmy Nuthatch - ♀ - (follicles) (Not enlarged) 5600', 3 1/2 mi W., 2 1/2
- X 348 " " " - ♂ - (testes 1.5MM X 1.0MM) " " " "
- X 349 Leucosticte t. tephrocotis ♂ - testes 1.3MM - 5500', S. slope Peavine
- X 350 Leucosticte t. wallowa ♂ - testes 1.2MM - " " " "

N.W. Reno, Washoe Co., Nevada - Dec. 12, 1953.
 " " " " " " " - " " "
 " " " " " " " - " " "
 " " " " " " " - " " "
 " " " " " " " - " " "
 " " " " " " " - " " "

Washoe Co., Nevada - December 16, 1953.
 Nevada - December 16, 1953.

N.W. Reno, Washoe Co., Nevada - 25.8 gr. - Dec. 21, 1953.
 " " " " " " " - 24.0 gr. - " " "
 " " " " " " " - 25.4 gr. - " " "
 " " " " " " " - 25.3 gr. - " " "
 " " " " " " " - 25.1 gr. - " " "

Washoe Co., Nevada - wt. 22.5 gr. - Jan. 6, 1954
 5500', 3 mi. N.W. Reno, Washoe Co., Nev. 23.7 gr. Feb. 2, 1954
 " " " " " " " 24.2 gr. Feb. 2, 1954
 " " " " " " " 21.7 gr. " " "
 " " " " " " " 23.1 gr. " " "
 " " " " " " " 25.3 gr. " " "
 " " " " " " " 22.5 gr. " " "
 " " " " " " " 24.2 gr. " " "

2 mi. E. of Steamboat, Washoe Co., Nevada - Feb. 15, 1954.
 " " " " " " " - " " "

4800', Steamboat Spr., 9 mi. S. of Reno, Wa. Co., Nev. - Feb. 24, 1954
 " " " " " " " " " " " - " " "
 " " " " " " " " " " " - " " "
 " " " " " " " " " " " " " " " "
 " " " " " " " " " " " " " " "

mi. E. of Calif. State line & 4 mi. S. of Verdi, Wa. Co., Nev. ~~Feb~~ March 1, 1954
 Gr. E. slope Carson Range, Wa. Co., Nev. - March 3, 1954.
 W. of Peavine Peak, ^{Carson Range} Washoe Co., wt. - 10.7 gms. March 5, 1954.
 " " " " " " " " 10.4 gms. " " "
 Mt. 3 mi NW of Reno, Washoe Co., Nev. 24.7 gms. - Mar. 7, 1954
 " " " " " " " " 23.1 gms. Bill black - Mar. 7, 54.

- X 351 Leucosticte t. wallowa ♀ (ova not enlarged) - 5500', S. slope Peavine
- X 352 Leucosticte t. tephrocotis ♀ (" " ") - " " " "
- X 353 Leucosticte atrata ♀ (" " ") - " " " "
- X 354 Leucosticte t. tephrocotis ♂ (Testes 1.5MM) - " " " "
- X 355 Red-winged Blackbird - ♂ - shot by Keith Miller at Shortt
- X 356 Bewick Wren - ♂ (Testes 5MM) - Truckee River 1 mi. E.
- X 357 Winter Wren (sex?) - Bailey Canyon, 5400', W. foothills
- X 358 Evening Grosbeak (♀ ova not enlarged) - Bailey Canyon, 5400', W.
- X 359 " " (♂-testes 2MM) " " " "
- X 360 " " (♂-testes 2MM) " " " "
- X 361 ³⁰⁰ White-breasted Nuthatch - ♂ - Testes slightly enl. - 4800', Ponderosa
- X 362 Spotted Towhee - ♀ ^{P.m. curvatus AHM} Bailey Canyon, 5400', W.
- X 363 ^{P.i. olivacea} Fox Sparrow - ♂ - " " " "
- X 364 Goshawk - ♂ Testes 17MM long - " " " "
- X 365 Killdeer - ♀ (ova enlarged) - Truckee Mtns, 4500', 3 mi.
- X 366 Bush-tit - ♀ - ova not enlarged - 5000', foothills of Virginia Range
- X 367 Plain Titmouse ♂ - Testes enl. - " " " "
- X 368 ^{H.g. slevini (Orn. parvirostris) AHM} Hermit Thrush - ♂ - Hunter Creek Canyon, 5000', 4 mi. W. of
- X 369 ^{P.i. schistacea} Fox Sparrow - ♂ (Testes 6MM). " " " " " "
- X 370 ^{P.i. schistacea} " (♂, Testes, 1MM). " " " " " "
- 371 Sharp-shinned Hawk - ♂ Testes 4MM. Hiko Spring, 3880'
- 372 Lincoln Sparrow - ♂ - T.N.E. " " " "
- 373 Cactus Woodpecker ♂ (Testes 8MM) " " " "
- 374 Black Phoebe - ♀ ova enl. - 4 mi. S. of Caliente along
- 375 " " - ♂ Testes 6MM. - " " " "
- 376 Lucy Warbler ♀ ova enl. - 1 mi. S. of Caliente near Madaw
- 377 Abert Towhee - ♀ ova enl. N.W. side of Warm Springs, c. 6
- 378 " " - ♂ Testes 12MM (W) " " " " " "
- 379 Verdin - ♂ - Testes 4MM (W) " " " " " "
- 380 Lucy Warbler - ♀ ova enl. - (W) " " " " " "
- 381 Gambel Quail - ♂ (Testes 16MM) - at 3500', SE slope of Newb
- 382 Scott Oriole - ♂ (Testes 5MM) - " " " " " "
- 383 Solitary Vireo - sex? - " " " " " "
- 384 ^{wrightii} Empidonax ♀ (ova not enl.) Hiko Spr, 2000', Newberry Mtn
- 385 Phainopepla - ♀ - ova enl. - Colorado River, 500', opposite Fort Mojave

Mt., 3 mi. N.W. Reno, Wa. Co., Nev. - 20.8 gms. - Mar. 7, 1954.
 " " " " " " " " 23.1 gms. - " " "
 " " " " " " " " 22.6 gms. - " " "
 " " " " " " " " 24.3 gms. - " " "

Ranch, 3 mi. S.E. of Reno in Truckee Mtns., Washoe Co. Feb. 23, 1954.
 of Vista, Washoe Co., Nevada - March 12, 1954.

Virginia Range, 2 mi. E., 1 mi. S. of Steamboat ~~Sp.~~, Washoe Co. - Mar. 15, 1954.
 foothills Virginia Range " " " " " " " " " " " " " " " "
 "
 "

Pine Stand, near Steamboat Spr., 9 mi. S. Reno, Wa. Co., Nev. - Mar. 26, 1954.
 foothills Virginia Range, 2 mi. E. + 1 mi. S. of Steamboat, Wa. Co. - Mar. 29, 1954.
 "
 "

S.W. of Reno, Washoe Co., Nevada. - Mar. 31, 1954.
 2 mi. E. of Steamboat, Washoe Co., Nev. - Apr. 2, 1954.
 " " " " " " " " " " " " " " " (shot by Rex M. Larson).
 Reno, Washoe Co., Nevada. - Apr. 3, 1954.
 " " " " " " " " " " " " " " "
 " " " " " " " " " " " " " " "

Paranagot Valley, Lincoln Co., Nevada, April 10, 1954.
 " " " " " " " " " " " " " " "
 " " " " " " " " " " " " " " "

Meadow Valley Wash, Lincoln Co., Nevada - Apr. 11, 1954. ^{Mated pair at rest.}
 " " " " " " " " " " " " " " "

Valley Wash, Lincoln Co., Nevada, " " "
 1 mi N. of Glendale, Clark Co., Nevada. Apr. 12, 1954.
 " " " " " " " " " " " " " " "
 " " " " " " " " " " " " " " "
 " " " " " " " " " " " " " " "

2000 Mountain, southern Clark Co., Nevada Apr. 14, 1954.
 " " " " " " " " " " " " " " "
 " " " " " " " " " " " " " " "

trains, southern Clark Co., Nevada " " "
~~Arizona~~ extreme S. Clark Co., Nevada - Apr. 15, 1954.

- 386 Phainopepla - ♀ ova enl. - Colorado River, 500', opposite Ft. Mojave
- 387 Yellow Warbler - ♂ (Testes 5MM) " " " " " "
- 388 Least Vireo - ♂ (Testes 6MM) " " " " " "
- 389 Yellow Warbler - ♂ (Testes 4MM) " " " " " "
- 390 Bewick Wren - ♂ (~~Testes 4MM~~) " " " " " "
- 391 Audubon Warbler - ♀ (ova not enl.) " " " " " "
- 392 Vermilion Flycatcher ♀ (ova enl.) " " " " " "
- 393 Empidonax wrightii sex?
- 394 Gila Woodpecker - ♂ (Testes 8MM) " " " " " "
- X 395 Red-breasted Sapsucker - ♀ ova enl. - New-Calif border
- X 396 Pigmy Nuthatch ♂ (Left 5x3.5MM) (Broad Patch?) " " " "
- X 397 " " ♂ (Left 5x3MM) (RT. 3.5x3MM) " " " "
- X 398 " " ♂ (Left 5x3.5MM) (RT. 4.5x3.5MM) " " " "
- X 399 ^{R. i. fulva} Fox Sparrow - ♀ (ova enl.) - Thomas Creek, 7000', E. slope Carson Range
- X 400 ^{J. o. thurberi} Oregon Junco - ♂ (Testes 6MM) - " " " " " "
- X 401 ^{H. g. slevini AHM} Hermit Thrush ♂ - Testes 3MM. 5000', in Carson Range, 4 mi S.
- X 402 Red-breasted Sapsucker - ♂ Testes 6MM - 5800'
- X 403 " " " ♀ ova enl. - " " "
- X 404 " " " ♂ Testes 8MM - " " "
- X 405 Pigmy Nuthatch ^{wt. 10.7 gm} (RT. 6.0x4.5MM) " " " "
- X 406 " " ^{11.6 gms.} - ♀ ova not enl. " " "
- X 407 " " ^{10.4 gms.} - ♀ no ova over 1mm dia. " " "
- X 408 " " ^{11.1 gm.} ♀ no ova over 1MM dia. " " "
- X 409 " " ^{11.3 gms.} ♀ no ova over 1MM in dia. " " "
- X 410 " " ^{10.9 gms.} ♀ no ova over 1MM in dia. " " "
- X 411 " " ^{10.4 gms.} ♂ (RT. 6.0x4.5MM) (RT. 5.0x4.0MM) " " "
- X 412 Lewis Woodpecker - ♀ - ova enl. - South Verdi Road at 4600', 3 mi
- X 413 Empidonax ♂ - ^{E. griseus (NKJ)} Testes 2.5MM. - 1 mi. NW. of Reno,
- X 414 " ♂ ^{E. griseus (NKJ)} " 3MM - " " "
- X 415 Ring-necked Pheasant - ♀ - ova greatly enl. - large broad patch - Dead
- X 416 Golden-crowned Sparrow - ♂ (Testes 2MM) - Hunter Cr. Canyon, 4800'
- X 417 ^{H. g. slevini AHM} Hermit Thrush - ♀ (ova slightly enlarged) - " " " "
- X 418 ^{V. c. ovestera AHM} Orange-crowned Warbler (♂ - Testes 2.5MM) - " " " "
- X 419 Empidonax griseus - ♂ Testes 2MM - Steamboat Spr. pine stand,
- X 420 " griseus ♂ Testes 2MM " " "

- X 421 Fox Sparrow - ♂ T. 7MM - 7000', W. slope of Carson Range, $\frac{1}{2}$ mi. E.
- X 422 Nashville Warbler - ♂ T. 7MM 6500' " " $\frac{1}{4}$ "
- X 423 Oregon Junco - ♂ T. 8MM - 6500' " " $\frac{1}{4}$ "
- X 424 Warbling Vireo - ♂ T. 4MM - 6300' " " $\frac{1}{4}$ "
- X 425 Steller Jay ♀ - ova greatly enl. - Hunter Creek Canyon, 4900', E. slope
- X 426 Black-headed Grosbeak - ♀ ova enl. " " "
- X 427 " ♂ " " "
- X 428 Empidonax hammondii ^{AHM} ♂ (Testes 3MM) " "
- X 429 " wrightii ♂ (Testes 3MM) " "
- X 430 " wrightii sex? " "
- X 431 Clark Nutcracker - juv. ♀ - Grass Lake, 7200', Mt. Rose Bowl, Carson Range,
- X 432 Pileolated Warbler - ♀ - Hunter Cr. Canyon, 4900', E. slope Carson Range,
- X 433 Green-tailed Towhee - ♂ - Testes 9MM. - Thomas Peak, 6000', E. slope Carson
- X 434 Townsend Solitaire - ♂ Testes 11MM. " 6200' " "
- X 435 " ♀ ova enl. " " " "
- X 436 Vesper Sparrow - ♀ - ^{fully devel. egg} ^{with shell in oviduct} - North end of Washoe Lake at
- X 437 Horned Lark - ♀ ova enl. - brood patch " "
- X 438 " ♂ - Eremophila alpestris lamprochrysa " "
- X 439 Brewer Blackbird - ♀ - ^{still in} ^{oviduct} Brood Patch " partial albinism
- X 440 Wilson Phalarope ♀ ova enl. ^{no brood} ^{patch} " "
- X 441 " ♂ Testes 8MM - " " "
- X 442 Scrub Jay ♂ - Testes 12MM - Hunter Creek Canyon, 5000', E. slope
- X 443 Yellow Warbler - ♂ T. 6MM - " 4700' "
- X 444 Lewis Woodpecker ♂ Testes 9MM - ^{Brood} ^{Patch} - 5800', Carson Range, 4 mi. S.
- X 445 Western Tanager - ♂ Testes 9MM - 6500' " "
- X 446 Violet-green Swallow - ♂ Testes 8MM - 5800' " "
- X 447 Nashville Warbler - ♂ Testes 6MM - 6500' " "
- X 448 Empidonax ^{wrightii} ^{AHM} - ♂ Testes 4MM - 8700', Tahoe Meadows, 1 mi. N.E. of
- X 449 Williamson Sapsucker - ♂ Testes 7MM - " " "
- X 450 Cassin Finch - ♀ ova enl. - " " "
- X 451 Mourning Dove - ♂ Testes Non-functional - found dead on Hwy 40
- X 452 Sage Thrasher - ♀ - ova enl. - 5600', $2\frac{1}{2}$ mi. N. + 1 mi. W. of
- X 453 Empidonax wrightii ♀ ova enl. - 6200', 2 mi. N. and 2 mi. W. of
- X 454 Black-throated Gray Warbler - ♂ Test 8MM - 5200', foothills of Virginia
- X 455 Lark Sparrow - ♀ - ova enl. - 6200', 2 mi. N. and 2 mi. W. of

of Sand Harbor, Lake Tahoe, Washoe Co., Nevada. - May 8, 1954.
" " " " " "
" " " " " "
at " " " " " "

Carson Range, Washoe Co., Nevada. - May 10, 1954
" " " " " "
" " " " " "
" " " " " "
" " " " " "
" " " " " "

Washoe Co., Nevada. - brought in by John S. Spencer. (found alive) May 10, 1954. wt. 105.4gms

Washoe Co., Nevada - May 10, 1954. Wilsonia pusilla pileolata

Range, Washoe Co., Nevada. May 12, 1954.

" " " " " "
" " " " " "
" " " " " "
" " " " " "
" " " " " "
" " " " " "
" " " " " "
" " " " " "

of the Carson Range, Washoe Co., Nevada - May 15, 1954.

of Verdi and 1/2 mi. E. of Calif state line in Washoe Co., Nevada - May 17, 1954
" " " " " "
" " " " " "
" " " " " "

Incline Lake, Carson Range, Washoe Co., Nevada. May 19, 1954.
" " " " " "
" " " " " "

by V. Kay Johnson at 3 1/2 mi. W. of Fallon, Churchill Co., Nevada - May 21, 1954.

Peavine Peak, foothills of Carson Range, Washoe Co., Nevada. 40.0 gms. June 2, 1954

Peavine Peak, Carson Range, Washoe Co., Nevada. 10.2 gms. " " "

Range, 2 mi. E. of Steamboat, Washoe Co., Nevada - June 1, 1954.

Peavine Peak, Carson Range, Washoe Co., Nev. 26.2 gms. - June 2, 1954.

- X 456 Empidonax wrightii ♂ T. 5MM. - 6200', 2 mi. N. + 2 mi. W. of
 X 457 Yellow Warbler ^{Brewsteri} - ♀ - ova end. " " " "
- X 458 Pigmy Nuthatch - ♂ Testes 5MM x 4MM - 6000', 2 mi. N. and 3 mi. W.
 X 459 Vesper Sparrow - ♂ T. 10MM. - 5600', 2 1/2 mi. N. + 1 mi. W. of Peavine Peak,
 X 460 Pigmy Nuthatch - ♂ - RT. 5 x 3.5MM. - 6000', 2 mi. N. and 3 mi. W.
 X 461 Say Phoebe - ♂ T. 9MM. - 4700', 1 mi. N.W. of Reno,
 X 462 Olive-sided Flycatcher ♀ ova end. " " " "
 X 463 Lark Sparrow - ♂ T. 11MM " " " "
 X 464 W. Wood Pewee ♀ ova sl. end. - " " " "
 X 465 Rock Wren ♂ T. 5MM. " " " "
 X 466 Bullack Oriole ♀ ova end. " " " "
 X 467 " ♂ T. 14MM. " " " "
- X 468 Robin - ♀ ova end. - brood patch - 4450', Truckee River, eastern
 X 469 Cedar Waxwing - ♂ T. 7MM. - " " " "
 X 470 Chat - ♂ T. 10MM. - " " " "
 X 481 Olive-sided Flycatcher - ♂ T. 9MM. - " " " "
 X 472 Cedar Waxwing - ♀ - ova sl. end. - " " " "
 X 473 " ♂ T. 5MM. " " " "
 X 474 " ♂ T. 7MM. " " " "
 X 475 " ♀ - ova sl. end. - " " " "
 X 476 Western Tanager ♀ - ova end. - " " " "
- X 477 Scrub Jay - ♂ T. 5MM. - 5100', Bailey Canyon, west foothills
 X 478 Piñon Jay - ♀ - ova sl. end. " " "
 X 479 " - ♀ " " " " " "
 X 480 " juv. ♂ " " " "
- X 481 Empidonax wrightii - ♀ - ova end. " " "
 X 482 Blue-gray Gnatcatcher - ♂ T. - ~~5MM.~~ 7MM. " " "
 X 483 " ♂ T. - 6MM. - " " "
- X 484 Black-throated Gray Warbler - ♂ T. 5MM. - " " "
 X 485 Hairy Woodpecker - ♀ - ova end. " " "
 X 486 Empidonax d. difficilis ♀ - ova end. = 4900', Hunter Creek Canyon,
 X 487 Song Sparrow - ♀ - ova end. - 4900', " "
 X 488 Piñon Jay - ♂ Testes 4MM. - 4800', Steamboat Sp. Pine stand -
 X 489 " - ♂ - " 4MM. - " " "
 X 490 " ♀ ova not end. " " "

Peavine Peak, Carson Range, Washoe Co., Nevada, 10.8 gms. - June 2, 1954.

" " " " 10.1 gms. "

of Peavine Peak, Carson Range, Washoe Co., Nev. 10.2 gms. "

in foothills of Carson Range, Washoe Co., Nevada. 24.0 gms. - June 2, 1954.

of Peavine Peak, Carson Range, Washoe Co., Nev. 10.3 gms. "

Washoe Co., Nevada. - June 4, 1954.

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

edge of Truckee Meadows, Washoe Co., Nevada - June 5, 1954.

" " " " "

" " " " June 6, 1954

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

of the Virginia Range, 2 mi. E. + 1 mi. S. of Steamboat, Washoe Co., Nev. - June 8, 1954.

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

E. slope of Carson Range, Washoe Co., Nevada. June 10, 1954.

" " " " "

1 mi. S. of Reno, Wa. Co., Nev. - June 11, 1954.

" " " " "

" " " " "

- X 491 Robin-♂-Testes 14MM.- 4800', Steamboat Spr. pine stand, 9
- X 492 Bush-tit-Juv.♂- " " "
- X 493 Hermit Thrush-♀-ova enl., brood patch- 7500', 2 mi. N. and 1/4 mi. W.
- X 494 Empidonax wrightii-♂-Testes 6.5MM.- 8000, 2 mi. N. of Daggetts
- X 495 Empidonax wrightii ♀-ova enl.- 7500', Daggetts Pass,
- X 496 Audubon Warbler-♀-ova enl. brood patch- 8000', 2 mi. N. of Daggetts
- X 497 Audubon Warbler-♂-Testes 9MM.- 7800', " " "
- X 498 Williamson Sapsucker-♂-Testes 9MM.- 7500', 2 mi. N. and 1/4 mi.
- X 499 Scrub Jay-♂-Testes 8MM.- Cedar Hill Canyon, 6600', 1 mi. N. of
- X 500 Green-tailed Towhee-♂-Testes 13MM- " " "
- 501 ^{Reptiles} Desert Horned Lizard - *Phrynosoma platyrhinos* sp. - Captured one mile east of Lovelock,
- 502 Whiptail Lizard - *Cnemidophorus t. tessellatus*. - 2 mi. S. of Lovelock
- 503 " " " " " " " " " " " "
- 504 Girdiron-tailed Lizard - *Callisaurus draconoides gabbi*. " " " " " "
- 505 " " " " " " " " " " " "
- 506 " " " " " " " " " " " "
- 507 Striped Ground Sitta - *Sitta stamburiana stejnegeri* " " " " " "
- 508 " " " " " " " " " " " "
- 509 " " " " " " " " " " " "
- X 510 Green-tailed Towhee-♂-Testes 12MM- Cedar Hill Canyon, 6600',
P. i. megarhynchus
- X 511 Fox Sparrow-♂-Testes 11MM.- " "
P. i. megarhynchus
- X 512 " ♀ ova enl.- " "
- X 513 Empidonax traillii ♀ ova enl.- " "
- X 514 Black-headed Grosbeak-♂-Testes 12MM.- " "
- X 515 Macgillivray's Warbler-♂-Testes 9MM- " "
- X 516 Western Tanager-♀-ova enl. " "
- X 517 Warbling Vireo-♀ ova enl., brood patch - *V. g. leucopolius* "
- X 518 Bush-tit-♂ Testes 4MM- *P. m. plumbeus* "
- X 519 Lincoln Sparrow-♂-Testes 9MM.- 7400', 1/2 mi. N. of Daggetts Pass
- X 520 Empidonax wrightii ♂ Testes 5MM.- 7900', 3 mi. N. + 1/4 mi.
- X 521 Hermit Thrush-♂-Testes 12MM.- 7800', " "
- X 522 Oregon Junco-♀-ova enl., brood patch- 7400', 1/2 mi. N. of Daggetts
P. i. megarhynchus
- X 523 Fox Sparrow-♀-ova enl.- brood patch- " "
- X 524 Western Tanager-♀-ova enl.: " " - 7800', 3 mi. N + 1/4 mi. W.
- X 525 Olive-sided Flycatcher-♂-Testes 9MM.- 7400', 1/2 mi. N. of

- X 526 Olive-sided Flycatcher - ♂ - Testes 9MM. - 7400', $\frac{1}{2}$ mi. N. of Daggetts
- X 527 Golden-crowned Kinglet - ♂ - 7900', 3 mi. N. and $\frac{1}{4}$ mi. W.
- X 528 Pileolated Warbler - ♂ - 7400', $\frac{1}{2}$ mi. N. of Daggetts Pass,
- X 529 MacGillivray's Warbler - ♂ - Testes 8MM - 7500', 3 mi. N. + $\frac{1}{4}$ mi.
- X 530 White-breasted Nuthatch - ♀ - ova end. - 7900', " " "
- X 531 Pileolated Warbler - ♂ - Testes 8MM. - 7500' " " "
- X 532 Mountain Chickadee ♂ Testes 8MM. - 7800' " " "
- X 533 Parus gambeli ^{abbreviatus} ♂ - Testes 10MM. - 7800' " " "
- X 534 Wood Pewee - ♀ - ova end. - 7400', $\frac{1}{2}$ mi. N. of Daggetts
- X 535 Red-breasted Nuthatch ♂ Testes 3MM - 7900', 3 mi. N. + $\frac{1}{4}$ mi. W.
- X 536 Clark Nutcracker - ♂ - Testes 2MM - 6800', W. face of Bald Mt.,
- X 537 Scrub Jay - Juv. ♀ - " " " "
- X 538 Robin - ♂ - Testes 15MM - 4900', Carson River, 3 mi. E.,
- X 539 Mt. Bluebird - ♂ - Testes 13MM. - 6800', W. face of Bald Mt.,
- X 540 Empidonax griseus - ♀ - ova end., broad patch - " "
- X 541 Western Bluebird - ♀ " " " " - 4900', Carson River,
- X 542 Oregon Junco - ♀ - ova end. - broad patch - 6800', W. face of Bald Mt.,
- X 543 Western Bluebird - Juv. - sex? - 4900', Carson River,
- X 544 Parus gambeli abbreviatus Mt. Chickadee ♂ - Testes 7MM. - 6800', W. face of Bald Mt.,
- X 545 Green-tailed Towhee - ♀ ova end. - br. patch - " " " "
- X 546 Oregon Junco - Juv. ♂ - " " " "
- X 547 Spotted Sandpiper - ♂ - Testes 10MM. - 4900', Carson River, 3 mi.
- X 548 Warbling Vireo - ♂ - Testes ^{V.g. leucopolius} 7MM - " " "
- X 549 Mt. Br. Nuthatch - ♂ - Testes 5MM. - 6800', W. face of Bald Mt.,
- X 550 Cowbird - Juv. - gonads under. - 4900', Carson River, 3 mi.
- X 551 Wood Pewee - ♂ - Testes 9MM. - " "
- X 552 Chipping Sparrow - ♀ - ova end. - br. patch - 6800', W. face of Bald Mt.,
- X 553 Black-throated Gray Warbler - ♂ - Test. 7MM. - " "
- X 554 Bush-tit - ♀ ova end., br. patch - ^{P. m. plumbeus} " " "
- X 555 Empidonax wrightii ♂ Testes 8MM - in fir stand at - 6600', $\frac{1}{2}$ mi. N. of
- X 556 Williamson Sapsucker - ♂ Testes ^{br. patch -} 1.5MM. - " "
- X 557 " Juv. ♂ - Testes 1MM - " "
- X 558 Nashville Warbler - ♂ - Testes 2MM. - 6400' $\frac{1}{4}$ "
- X 559 Golden-crowned Kinglet - ♂ - Testes 6MM. - 6600' $\frac{1}{2}$ "
- X 560 Western Tanager ♂ - Testes 10MM - 6400' $\frac{1}{4}$ "

- X 561 Hermit Warbler - ♀ - ora sl. end - br. patch - Incline Public Camp, 6300';
- X 562 Fox Sparrow - Juv. sex? - 6400'; $\frac{1}{4}$ mi. N. of N. end of Crystal Bay,
- X 563 Empidonax wrightii ♂ - Testes 5MM. - 6500', $\frac{1}{2}$ " "
- X 564 White-headed Woodpecker - ♀ - ora^{sl.} end. - " " "
- X 565 " ♂ - Testes 3MM. - " " "
- X 566 " - ♀ - ora sl. end. " " "
- X 567 " - ♀ - ora sl. end. " " "
- X 568 Empidonax wrightii ♂ - Testes 6MM. - " "
- X 569 Empidonax wrightii ♂ - Testes 6MM. - " "
- X 570 Hermit Warbler ~~♂~~ ^{sex?} 6400', $\frac{1}{4}$ " "
- X 571 Carrin Finch - ♂ - Testes 10MM. - 6500', $\frac{1}{2}$ " "
- X 572 Mt. Chickadee - ♂ - Testes 7MM. - " " "
- X 573 Hermit Warbler - ~~♂~~ ^{sex?} 6400', $\frac{1}{4}$ " "
- X 574 " ~~♂~~ ^{sex?} " " " "
- X 575 Pileolated Warbler - ♂ - 6300', Incline Public Camp, Lake Tahoe,
P. m. fisherella
- X 576 Song Sparrow - ♂ - Testes 8MM. - Reno, 4500', Washoe Co., Nevada
- X 577 Pileolated Warbler - ♂ - Testes 7MM. - 6300', Incline Public Camp,
- X 578 Chat - ♂ - Testes 9MM. - 4450', Truckee River, $\frac{1}{2}$ mi.
- X 579 Empidonax traillii ♀ - ora end, br. patch - " "
- X 580 Empidonax traillii ♀ - ora greatly end. - " "
- X 581 Empidonax traillii ♂ - Testes 9MM. - " "
- X 582 Empidonax traillii ♂ - Testes 9MM. - " "
- X 583 Bush-tit. ^{P. m. plumbeus} ~~sex?~~ - 6800', w. face of Bald Mt., Pine Nut Range,
- X 584 House Wren - ♂ - Testes 6MM. - 4450', Truckee River, $\frac{1}{2}$ mi. S.W. of
- X 585 Mt. Quail - ♂ - Testes 9MM. - 7800', Third Creek, $\frac{3}{4}$ mi. S. and $\frac{3}{4}$ mi.
- X 586 Audubon Warbler - Juv. sex? - 8700', N. end of Tahoe Meadows,
- X 587 Wood Pewee - ♂ - Testes 9MM. - " " "
- X 588 Golden-cr. Kinglet - ♂ - Testes 6MM. - 7800', Third Creek, $\frac{3}{4}$ mi. S.
- X 589 Olive-sided Flycatcher - ♂ - Testes 10MM. - " "
- X 590 Williamson Sapsucker - Juv. ♂ - Testes 5MM. - " "
- X 591 Pine Siskin - ♂ - Testes 6MM. - 8700', N. end of Tahoe Meadows
- X 592 Calliope Hummer - ♀ - ora end, br. patch - " "
- X 593 Clark Nutcracker - ♂ - Testes 1MM. - 9200', $2\frac{1}{2}$ mi. S. and $\frac{1}{2}$
- X 594 " Juv. sex? " " "
- X 595 Steller Jay - ♂ - Testes 3MM. " "

Lake Tahoe, Washoe Co., Nevada - July 3, 1954.

Lake Tahoe at 1/2 mi. E. of Calif. state line in Carson Range, Wa. Co., Nev. - July 3, 1954

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

Washoe Co., Nevada.

July 3, 1954.

found dead.

July 5, 1954.

Lake Tahoe, Washoe Co., Nevada -

July 3, 1954

s.w. of Vista, Truckee Meadows, Washoe Co., Nevada. July 5, 1954

" " " " " "

" " " " " "

" " " " " "

" " " " " "

Douglas Co., Nevada.

June 26, 1954.

Vista, Truckee Meadows, Washoe Co., Nevada. - July 5, 1954.

w. of Incline Lake, Carson Range, Washoe Co., Nev. July 10, 1954.

Carson Range, Washoe Co., Nev. - " "

" " " " " "

and 3/4 mi. w. of Incline Lake, Carson Range, Wa. Co., Nev. "

" " " " " "

" " " " " "

s, Carson Range, Washoe Co., Nev. "

" " " " " "

mi. w. of Mt. Rose Peak, Carson Range, Washoe Co., Nev. "

" " " " " "

" " " " " "

" " " " " "

- X 596 Pine Siskin - ♂ - Testes 7MM. - 8700', N. end of Tahoe
- X 597 Audubon Warbler - ♀ - ova and, brood patch - " "
- X 598 Fox Sparrow - ♂ - Testes 9MM. - 7800', Third Creek, 3/4 mi. S. and
- X 599 " ♀ ova and - br. patch " "
- X 600 Zonotrichia q. oriantha - ♂ - Testes 13MM. - 8700', N. end of Tahoe
- X 601 " ♀ ova and, br. patch - " "
- X 602 " ♀ ova and. - " "
- X 603 " ♀ ova and. - " "
- X 604 Nashville Warbler - sex ? - 7800', Third Creek, 3/4 mi. S. and 3/4
- X 605 MacGillivray Warbler - ♂ - Testes 9MM. " "
- X 606 Black-throated Gray Warbler - ~~sex ?~~ ^{skull ossif.} ♀ br. patch - Bailey Canyon, 5000', W.
- X 607 Bewick Wren - ♂ - Testes 3MM. - " "
- X 608 Blue-gray Gnatcatcher - ♂ - Testes 2MM. - " "
- X 609 Bewick Wren - ♂ - Testes 2MM. - " "
- X 610 House Wren - sex ? " "
- X 611 Blue-gray Gnatcatcher - sex ? - Juv. " "
- X 612 " sex ? - Juv. " "
- X 613 " Ad. ♀ ova and ^{alcoholic} specimen " "
- X 614 Red-breasted Sapsucker - Juv. sex ? - Galena Pt. Canyon, 8500'
- X 615 Audubon Warbler - ♀ br. patch - " 8200'
- X 616 Trail Flycatcher - ♂ - Testes 9MM. - " 9000'
- X 617 Rufous Hummer - ♀ - br. patch - " 8500'
- X 618 Pigmy Owl - ♂ - ^{G. q. californicum} Testes 4MM. - Marlette Creek, 6800'
- X 619 Magpie - sex ? - Juv. - Little Washoe Lake, 5000'
- X 620 Wilson Phalarope - ♂ - Testes 3MM. - " "
- X 621 " ♀ ? - " "
- X 622 Lazuli Bunting - Juv. ♂ - Testes 1MM. - Marlette Creek, 6800'
- X 623 Empidonax wrightii ♂ - Testes 5MM. - west side of Marlette
- X 624 Hermit Thrush - ♂ - Testes 11MM. - Marlette Creek, 8000'
- X 625 Hairy Woodpecker - ^{single layered} skull. - ♀ ? Marlette Creek, 7800'
- X 626 Williamson Sapsucker - Juv. ♂ - Testes 1MM. - Marlette Creek, 7500'
- X 627 Townsend Solitaire - ♂ - Testes 7MM. - Marlette Creek, 6800'
- X 628 Creeper - sex ? - ^{single layered} skull. - W. side of Marlette Lake
- X 629 Horned Lark - Juv. ♂ - Testes 1MM. - W. side of Little Washoe
- X 630 Red-shafted Flicker - Juv. sex ? - On Highway 395, Ten

Meadows, Carson Range, Washoe Co., Nev. - July 10, 1954.

" " " " " "

3/4 mi. W. of Incline Lake, Carson Range, Washoe Co., Nev. " "

" " " " " "

Meadows, Carson Range, Washoe Co., Nev. - July 10, 1954.

" " " " " "

" " " " " "

" " " " " "

mi. W. of Incline Lake, Carson Range, Washoe Co., Nev. " "

" " " " " "

foothills of the Virginia Range, Washoe Co., Nevada. - July 13, 1954.

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

" " " " " "

E. slope Carson Range, Washoe Co., Nevada. - July 17, 1954.

" " " " " "

" " " " " "

" " " " " "

W. slope of Carson Range, Washoe Co., Nevada. - July 24, '54.

Washoe Valley, Washoe Co., Nevada - - July 20, '54.

" " " " " "

" " " " " "

W. slope of Carson Range, Washoe Co., Nevada. July 24, '54.

lake 8000', Carson Range, Washoe Co., Nevada, July 24, '54.

W. slope of Carson Range, Washoe Co., Nevada. " "

" " " " " "

" " " " " "

" " " " " "

8000', Carson Range, Washoe Co., Nevada. , July 24, 1954.

lake, 5000', Washoe Valley, Washoe Co., Nevada, July 27, 1954.

miles south of Reno, Washoe Co., Nevada. " "

- X 631 Western Sandpiper - ♂ - Testes 1MM - west side of Little Washoe
- X 632 Western Sandpiper - ♀ - " " "
- X 633 Least Sandpiper - ♀ - ova sl. enl. - " " "
- X 634 " - ♀ - ova sl. enl. - " " "
- X 635 Sage Thrasher - ♂ - Testes 1MM. - " " "
- X 636 Loggerhead Shrike - ♀ - ova not enl. " " "
- X 637 Wilson Phalarope - ♀ - " " "
- X 638 Bullock Oriole - ♀ - Steamboat Creek ^{5000'} 2 mi. N. of Little
- X 639 Rock Wren - ♂ - Testes 1MM. - " " "
- X 640 Yellow Warbler - sex ♂ ^{D. a. morcomi} W side of Little Washoe Lake, 5000'
- X 641 Ash-throated Flycatcher - ♂ - Testes 4MM. - Truckee River, 4000', 4 mi.
- X 642 Western Tanager - ♂ - Testes ^{very fat} 3MM. " " "
- X 643 Warbling Vireo - ♂ - Testes 2MM. - V. g. leucopolius " " "
- X 644 Bewick Wren - ♂ - Testes ^{S.N.O.} 1MM. " " "
- X 645 Western Bluebird - Juv. sex ♂ " " "
- X 646 Downy Woodpecker - ♂ Testes 2MM. " " "
- X 647 " - ♂ Testes 2MM. " " "
- X 648 Black-necked Stilt - ♀ - ova enl. Hot Springs Playa, 4100'
- X 649 Wilson Phalarope - ♂ - Testes 4MM. " " "
- X 650 Snowy Plover - ♂ - Testes ^{SNO.} 1MM. " " "
- X 651 " - sex ? ^{S.N.O.} " " "
- X 652 Yellow Warbler - sex ♂ ^{Race ♂ because sex ♂ S.N.O.} - Truckee River, 4000', 4 mi.
- X 653 Downy Woodpecker - ♀ " " "
- X 654 " ♂ Testes 2MM. " " "
- X 655 " ♂ Testes 2MM. " " "
- X 656 " ♀ " " "
- X 657 Creeper - ♂ Testes 1MM. SNO - 6500' ^{Carson Range at} 1 mi. S.E. of
- X 658 Semipalmated Plover - ♂ - Testes 4MM. - S end of Little Washoe
- X 659 Western Sandpiper - ♂ - Testes 1MM. - " " "
- X 660 Empidonax difficilis ^(AK. MKT) ♂ Testes 2.5MM. - 7300', 1 mi. W. of Peavine ^{E. d. difficilis W. 63.5 tail 54.1.}
- X 661 Long-billed Dowitcher - ♂ - Testes 3MM. - S. end of Little Washoe
- X 662 Oregon Junco. Juv. sex ♂ ^{SNO.} - 7300', 1 mi. W. of Peavine
- X 663 Spotted Towhee - Juv. ^{SNO.} sex ♂ " " "
- X 664 Red-breasted Sapsucker - ♂ - Testes 1MM. " " "
- X 665 Wood Pewee - ♀ - ova enl. " " "

Lake, 5000', Washoe Valley, Washoe Co., Nevada. July 27, 1954
 " " " " " "
 " " " " " "
 " " " " " "
 " " " " " "
 " " " " " "

Washoe Lake in Washoe Valley, Washoe Co., Nev. "
 " " " " " "

Washoe Valley, Washoe Co., Nev. "
 north of Wadsworth, Washoe Co., Nev. July 31, 1954
 " " " " " "

" " " " " "
 " " " " " "
 " " " " " "
 " " " " " "
 " " " " " "

Churchill Co., 5 mi. E. N. E. of Fernley, Lyon Co., Nev. "
 " " " " " "
 " " " " " "

north of Wadsworth, Washoe Co., Nev. "
 " " " " " "
 " " " " " "
 " " " " " "

Glenbrook, Douglas Co., Nevada July 30, 1954.
 Lake, 5000', Washoe Valley, Washoe Co., Nev. - Aug. 3, 1954.
 " " " " " "

Peak, Carson Range, Washoe Co., Nevada. Aug. 5, 1954.
 Lake, 5000', Washoe Valley, Washoe Co., Nev. Aug. 3, 1954.
 Peak, Carson Range, Washoe Co., Nev. Aug. 5, 1954.
 " " " " " "
 " " " " " "
 " " " " " "

- X 666 Rufous Hummer - sex? - 7300', 1 mi. W. of Peavine Peak, Carson
- X 667 Pigmy Owl - ^{G.g. californicum AHM} ♂ Testes 3MM. - 6600', 1/2 mi E. of Glenbrook, Lake
- X 668 Hermit Warbler - ♀? - 7000', 1/2 mi. E. and 1 mi. S.
- X 669 " ♂ SNO (Juv.) - " "
- X 670 ^{V.c. orestera} Orange-cr. Warbler - ♀ SNO (Juv.) - " "
- X 671 " ^{V.c. lutescens} sex? Juv. (SNO) - " "
- X 672 Empidonax wrightii ♀ Juv. (SNO) - " "
- X 673 Golden-cr. Kinglet - Juv. (SNO) ♀? - " "
- X 674 Pigmy Nuthatch - ♀? Juv. (SNO) - " "
- X 675 Hairy Woodpecker - Juv. ♂ - " "
- X 676 White-headed Woodpecker - ♀ - " "
- X 677 White-breasted Nuthatch - ♂? - " "
- X 678 Hermit Thrush - Juv. sex? - " "
- X 679 " Juv. sex? - " "
- X 680 " Ad. ♂ Testes 2MM. - " "
- X 681 Oregon Junco - Juv. sex? - " "
- X 682 Cowbird - Juv. ♂ - Testes 1MM. - S. end of Little Washoe Lake, 5000'
- X 683 Northern Phalarope - ♀ ova end. - " "
- X 684 " - ♀ - " "
- X 685 " ♂ Testes 2MM. - " "
- X 686 Spotted Sandpiper - Juv. - Sex? - " "
- X 687 Western Sandpiper - ♀? - " "
- X 688 Wilson Phalarope - sex? - " "
- X 689 Least Sandpiper - ♀ ova end. - " "
- X 690 Forster Tern - ♀? N end of Washoe Lake, 5000'
- X 691 Steller Jay ♀ Juv. (S.N.O.) - 6600', Carson Range at 4 1/2
- X 692 " ♀ ~~Juv.~~ (S.N.O.) - " "
- X 693 Scrub Jay - ♂ Testes 1MM. ~~Juv.~~ (S.N.O.) - " "
- X 694 Steller Jay ♂ Testes 2MM. - ~~Juv.~~ (S.N.O.) - 8700', W. side of
- X 695 Empidonax wrightii - ^{AHM} ♀? Juv. (SNO) - " "
- X 696 Empidonax wrightii ^{AHM} - ♂ Testes 1MM. Juv. (SNO) - " "
- X 697 Red Crossbill - ♀ - ova end. - " "
- X 698 " ♂ Testes 6MM. - " "
- X 699 " ♂ Testes 3MM. - " "
- X 700 " ♂ Testes 4MM. - " "

Range, Washoe Co., Nevada. August 5, 1954.

Tahoe, w. slope Carson Range, Douglas Co., Nevada. August 7, 1954.

of Glenbrook, Lake Tahoe, w. slope Carson Range, Dougl. Co., Nev. "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

" " " " "

Washoe Valley, Washoe County, Nevada - August 10, 1954.

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

Washoe Valley, Washoe County, Nevada.

mi. S. of Verdi and $\frac{1}{2}$ mi. E. of Calif state line, Washoe Co., Nev. - Aug. 13, 1954.

" " " "

Big Meadows at 2 mi. W. of Hunter Lake, Carson Range, Washoe Co., Nev. - Aug. 14, 1954.

" " " "

" " " "

" " " "

" " " "

" " " "

Mammals

- 701 Bobcat - - Hit by automobile at junction of U.S. Highway 395
- 702 Snowshoe Rabbit - - ♂ - Obtained by Bruce Clagston
- 703 ~~California leaf-nosed Bat~~ - long-eared Bat - ♀ - Collected by ? Scott in a mine
- 704 Western Pipistrelle - ♂ - 1 mile WSW of Snyder Ranch
- 705 leaf-nosed Bat - ♂ - at Nev.-Calif Boundary
- 706 " " " ♂ -
- 707 " " " ♂ -
- 708 Antelope Ground Squirrel - ♂ - shot by E. Cal 1 mi. W. Snyder
- 709 long-eared Bat - ♂ - 1/2 mi. East of Nelson at the
- 710 Vagrant Shrew - ♀ - N. city limits of Reno,
- 711 Microtus montanus - ♂ " " " " "
- 712 Phenacomys intermedius ♂ ~~shot at~~ ^{7800'} 1/2 mi. S of Grass Lake,
- 713 Microtus longicaudus ♂ " " "
- 714 Peromyscus maniculatus ♂ " " "
- 715 Myotis evotis - ♂ Breen Ranch, 7200'; Breen Creek,
- 716 Myotis subulatus - ♀ - " " " " "
- 717 Myotis subulatus - ♂ - " " " " "
- 718 Corynorhinus rafinesquii - ♂ ("caught" by hat) " " "
- 719 Botta Pocket Gopher - ♀ - Breen Ranch, 7200'; Breen Creek,
- 720 Deer Mouse - ♂ - " " " " "
- 721 Botta Pocket Gopher - ♀ " " " " "
- 722 Microtus longicaudus - ♂ - " " " " "
- 723 Peromyscus maniculatus - ♂ - " " " " "
- 724 " " - ♂ - " " " " "
- 725 Myotis volans - ♀ - " " " " "
- 726 " " - ♂ - Summer Spring, ^{6700'} Southern Kawich
- 727 " " - ♀ - " " " " "
- 728 " " - ♀ - " " " " "
- 729 Myotis evotis - ♂ - " " " " "
- 730 " " ♀ " " " " "
- 731 " " ♀ " " " " "
- 732 Myotis subulatus? - ♂ at 5700' (at Cedar Pipeline Ranch),
n. end Belled Range in junct
- 733 Antrozous pallidus - ♀ - " " " " " " "
- 734 Sagebrush Vole - ♂ - 8000', at Jurell Mine in Eden Creek
- 735 Eutamias (quadrimaculatus) ♀ - Scofield Canyon, 8500', E. face

and the mt. Rose Road 9 miles south of Reno, Washoe Co., Nevada - Douglas County, Nevada
on the Clear Creek Grade, 7000', 1/2 mi E. Spooner's Summit - May 30, 1950 - TL-372, T-?, HF-110, E.83
Th. - 91mm, HF - 8mm, T. - 48mm, E. - 34mm.

between Virginia City, Storey Co., and Carson City, Ormsby Co., Nevada. 1500' back in mine. Sept. 29, 1950
Ft. Mojave Indian Reserv., 1 mi. W. Colo River, extreme southern Clark Co., Nevada - March 29, 1953
1 mi W. of Colo. River, on Ft. Mojave Indian Reserv., extreme " " March 29, 1953

Ranch, northern Ft. Mojave Indian Reserv., extreme southern Clark Co., Nev. - April 3, 1953
Eldorado Mine, Clark Co., Nev. - April 4, 1953
Washoe Co., Nevada, May 3, 1953.
" " " " May 11, 1953

at point 2 1/2 mi. E + 1 mi. S. of Mt. Rose Peak, Carson Range, Wa. Co., Nev.
TL 135 T 30 HF 19 EN 14
TL 171 T 62 HF 22 EN 12
TL 151 T 68 HF 21 EN 17

Kawich Mts., Nye Co., Nev. - June 10, 1953. TL 80 T 41 HF 9 EN 21 Tr 11.
" " " " " " " TL 76 T 41 HF 8 EN 13 Tr 8
" " " " " June 11, 1953, 75, 39, 7, 15, 8
" " " " " June 12, 1953, 93, 50, 11, 36, 14
" " " " " June 13, 1953 - 192, 64, 28, 5
" " " " " " " " 139, 66, 19, 19
" " " " " June 14, 1953 - 202, 68, 27, 6
" " " " " " " " - 165, 50, 20, 14
" " " " " " " " - 149, 70, 20, 19
" " " " " " " " - 139, 57, 20, 18
" " " " " " " " - 96-47-7-13-Tr. 7

Mts., Nye Co., Nev. June 15, 1953 - 92-44-8-13-Tr. 7
" " " " " " " - 95-47-9-13 Tr. 7.
" " " " " " " - 92-45-8-13 Tr. 6.
" " " " " " " - 83-40-9-20 Tr. 12.
" " " " " " " - 85-44-10-20 Tr 11.
" " " " " " " - 82-43-9-22 Tr. 11

of Kawich - Railroad Valley Nye Co. June 15, 1953 - 78-39-6-14-Tr. 8.
" " " " " " " 16, 1953 - 114-50-8-30-Tr. 14

Canyon, E side Kawich Range, Nye Co., " 17, " 102-21-15-9.
Frog Peak, Quinn Canyon Mts., Nye Co., June 20, 1953 190-85-29-14-Tr. 11

- 736 Citellus beecheyi juv. ♂ - Marbleville, 5500', Alpine
- 737 Citellus beldingi ♂ - Hope Valley, ^{7000'} Alpine Co., Calif.
- 738 Eutamias (amoenus) ♂ - Pt. 6800', 2 mi. W., 1 mi. N. of
- 739 Sorex palustris - ♂ - Caught by Norman Wood at
- 740 Eutamias (amoenus) - ♂ - Thomas Creek, 6300', E. slope
- 741 Eutamias (amoenus) - ♂ - 7900', 1 mi. N., 1 mi. E. of Hunter
- 742 Ochotona princeps - ♂ - " " " " " " " "
- 743 " " - ♀ - " " " " " " " "
- 744 Eutamias ♀ (5 emb.) - 4700', Ponderosa Pine stand near
- 745 Peromyscus maniculatus - ♂ - 9 mi. S Reno near Steamboat
- 746 Myotis californicus (?) ♂ - ^{NW} side of Warm Springs, c. 6
- 747 Pipistrellus hesperus - ♂ - ^{NW} side " " " " " "
- 748 Antrozous pallidus - ♂ - N.W. side " " " " " "
- 749 Microtus californicus - ♂ - Colorado River, 5000', 1/2 mi. N. of Calif.
- 750 " " ♀ 1 emb. " " " "
- 751 " " ♀ 1 emb. " " " "
- 752 Myotis californicus (?) ♀ " " " "
- 753 " " sex? " " " "
- 754 Citellus lateralis - ♂ - Nev. Calif border at 4 mi. W. of
- 755 Myotis thysanodes - ♂ - Elk Point, Lake Tahoe, Doug. Co.,
- 756 Eutamias speciosus? ♀ (7 emb.) - 7500', 2 mi. N. and 1/4 W. of
- 757
- 758 ♀ (4 emb.) - Gelnhausen, elev. 150 meters, along
- 759 ♂ - " " " " " "
- 760 ♂ Niedermittlau, Kreis Gelnhausen, elev. 150
- 761 ♂ " " " " " "
- 762 ♀ " " " " " "
- 763 ♂ " " " " " "
- 764 ♀ (no emb.) " " " " " "
- 765 ♀ juv. " " " " " "
- 766 ♂ " " " " " "
- 767 ♀ (no emb.) " " " " " "
- 768 ♀ " " " " " "
- 769 ♀ " " " " " "
- 770 ♀ " " " " " "

So. Calif. - July 1, 1953 TL 219. T 87. HF 42. E 22. ^{nonball}
 July 12, 1953. TL 274 T 76 HF 46 E 16 no skull
 Peavine Peak, Carson Range, Wa. Co., Oct. 16, 1953 - 185-84-30-EN18.
 Hunter Lake, 8000', 6 mi. due N. of Mt. Rose Pk., Carson Range, Washoe Co., Nev. 135-68-20
 Carson Range, Washoe County, Nevada - Nov. 1, '53 - 196-74-28-15
 Lake, Carson Range, Washoe Co., Nevada - Nov. 6, '53 - 186-83-31-17
 " " " " " " " " - 163-0-30-21
 " " " " " " " " - 171-0-30-21

Steamboat Spr., 9 mi. S. Reno, Wa. Co., Nev. - Mar. 26, 1954 - 181-80-30-15
 Springs, Washoe Co., Nevada - October 31, 1953 (UNclass coll.)
 mi. N. of Glendale, Clark Co., Nevada - April 11, 1954. ^{79-40-7-19 Fr. 9}
 " " " " " " " " - Apr. 12, 1954. ^{69-31-6-13 Fr. 4}
 " " " " " " " " - " " " " ^{107-43-11-33 Fr. 13}

Boundary Ft. Mojave Indian Reservation, extreme southern Clark Co., Nev. ^{90-42-14-33 Fr. 14} Apr. 14, 1954. ^{Apr. 14, 1954}
 " " " " " " " " - Apr. 15, 54 - 96-39-18-33 Fr. 11
 " " " " " " " " - 96-38-13-35 Fr. 11
 " " " " " " " " - 82-39-7-13 Fr. 7
 " " " " " " " " - 83-41-7-12 Fr. 7

Peavine Peak, Washoe Co., Nevada - Apr. 21, 1953 - 250-88-41-20 ^{162.3 gms.}
 Nevada - May 23, 1954. 81-39-9-16 Fr. 8. ^{brought in by P. Brunsard.}
 Daggetts Pass, Douglas Co., Nevada - June 12, 1954. - 215-81-22-36

the Kinzig River, 19 km E. + 8 km N. of Hanau, Hesse west-central Germany	TL-169 T 73 EN 18 HF 23.	July 3, 1955
" " " " " " " "	TL 169, T 69 (broken after measurement), EN 19, HF 22.	" - July 3, 1955
meters, 12 km E. + 8 km N. of Hanau, Hesse, west-central Germany	TL 173, T 86, EN 15, HF 24.	- Sept 11, 1955.
" " " " " " " "	TL 162, T 74, HF 22, EN 16.	- Sept 11, 1955
" " " " " " " "	TL 140, T 46, HF 19, EN 13	- Sept 18, 1955
" " " " " " " "	TL 135, T 45, HF 19, EN 13	- Sept 18, 1955
" " " " " " " "	TL 215, T 107, HF 25, EN 19	- Sept 18, 1955
" " " " " " " "	TL 189, T 91, HF 25, EN 19	- Sept 18, 1955
" " " " " " " "	TL 164, T 74, HF 23, EN 18	- Sept 18, 1955
" " " " " " " "	TL 137, T 44, HF 20, EN 18	- Sept 25, 1955
" " " " " " " "	TL 131, T 40, HF 18, EN 10	- Sept 25, 1955
" " " " " " " "	TL 101, T 33, HF 14, EN 4	- Sept 25, 1955
" " " " " " " "	TL 175, T 80, HF 21, EN 17	- Sept 25, 1955

771	♀ -	Niedermittlau, Kreis Gelnhausen, elev. 150 meters,
772	♂ -	" " " "
773	♂ -	" " " "
774	♂ -	" " " "
775	♂ -	Juw. " " " "
776	♀	" " " "
777	♂	" " " "
778	♂	" " " "
779	♂	" " " "
780	♀	" " " "
781	♀	" " " "
782	♂	" " " "
783	♂	from left area Elev. 400 meters at Büdinger Wald, 7 km
784		
785		
786		
787		
788		
789		
790		
791		
792		
793		
794		
795		
796		
797		
798		
799		
800		

X 801	Red Crossbill -	Juw. ♂ Testis 1MM. -	8700', w. side of Big Meads
X 802	"	- Juw. ♂ Testis 1.5MM.	"
X 803	"	♀ ova sl. end.	"
X 804	"	♀ ova end.	"
X 805	"	♀ Juw.	"

				TL 171, T 84, HF 23, EN 17	
12 km E. + 8 km N. of Hanau, Hesse, west-central Germany				Sept. 25, 1955.	
"	"	"	"	TL 186, T 81, HF 23, EN 17,	
"	"	"	"	Sept 25, 1955	
"	"	"	"	TL 168, T 81, HF 23, EN 16	
"	"	"	"	Sept 25, 1955	
"	"	"	"	TL 179, T 90, HF 24, EN 17	
"	"	"	"	Oct. 9, 1955	
"	"	"	"	TL 134, T 41, HF 18, EN 11	
"	"	"	"	Oct. 9, 1955	
"	"	"	"	TL 186, T 93, HF 25, EN 19	
"	"	"	"	Oct 9, 1955	
"	"	"	"	TL 177, T 86, HF 24, EN 19	
"	"	"	"	Oct 23, 1955	
"	"	"	"	TL 184, T 93, HF 24, EN 17	
"	"	"	"	Oct 23, 1955	
"	"	"	"	TL 164, T 82, HF 23, EN 16	
"	"	"	"	Oct 23, 1955	
"	"	"	"	TL 146, T 43, HF 19, EN 9	
"	"	"	"	Oct 23, 1955	
"	"	"	"	TL 163, T 78, HF 22, EN 14	
"	"	"	"	Oct 23, 1955	
"	"	"	"	TL 129, T 40, HF 19, EN 13	
"	"	"	"	Oct 30, 1955	
NW of Wächtersbach, Kreis Gelnhausen, Hesse, West Germany.				TL 128, T 89, HF 20, EN 7.	
				Feb 13, 1956	

rs, at 2 mi W. of Hunter Lake, Carson Range, Washoe Co., Nev. - August 14, 1954.

" " " "

" " " "

" " " "

" " " "

- X 806 Pine Siskin - Juv. (SNO) ♂? - 8700', w. side of Big Meadows at 2
- X 807 " Juv. (SNO) ♂ Testis .5MM. - "
- X 808 Red-breasted Nuthatch - ♂ Testis 1MM. - "
- X 809 Orange-crowned Warbler - Juv. (SNO) ^{V.C. lutescens} Sex? - 6600', Carson Range at 4 1/2 mi. S.
- X 810 Nashville Warbler - ♀ - "
- X 811 Rufous Hummer - Juv. ♂ - Testis .5MM. - "
- X 812 " Juv. ♂ - Testis .5MM. - "
- 813 Screech Owl - ♂ - Testis 4MM. - dead on U.S. Hwy 101 at 6 miles
- X 814 Townsend Solitaire - ♀ - 6500', Carson Range at 1 mi. E.
- X 815 " SNO - Juv. ♀ - "
- X 816 " SNO - Juv. ♂ Testis 2MM. - "
- X 817 Empidonax wrightii SNO ♂ Testis 1MM. - "
- X 818 Empidonax ~~wrightii~~ ^{wrightii} SNO - ♀ - "
- X 819 Wood Pewee - Juv. (SNO) sex? - "
- X 820 White-headed Woodpecker - ♂ - Testis 2MM. - "
- X 821 Hairy Woodpecker - sex? - "
- X 822 Golden-crowned Kinglet - ♂ - "
- X 823 Empidonax wrightii Ad. ♀ - "
- X 824 Rufous Hummer - Juv. ♂ - Testis .5MM. - "
- X 825 Red Crossbill - Juv. ♂ - Testis 1MM. - 8700', N. end of Big Meadows at 2.
- X 826 Empidonax wrightii ♂ - Testis .5MM. Juv. - "
- X 827 Oregon Junco - Ad. - sex? - "
- X 828 White-breasted Nuthatch - Juv. (SNO) ♀ - "
- X 829 Oregon Junco - Juv. ♂ - Testis 1MM. - "
- X 830 Ruby-cr. Kinglet - sex? Juv. (SNO) - "
- X 831 Audubon Warbler ♂ Testis .5MM Juv. (SNO) - "
- X 832 " " ♀? Juv. (SNO) - "
- X 833 Mt. Chickadee - ♀ Juv. (SNO) - "
- X 834 Empidonax ^{brewsteri (WKT)} trailii ♀ Juv. - 4600', 1 mi. NW of Reno, "
- X 835 Empidonax ^{brewsteri (WKT)} trailii ♂ Testis 1MM. - "
- X 836 Empidonax ^{brewsteri (WKT)} trailii ♀ - "
- X 837 Empidonax ^{brewsteri (WKT)} trailii - sex? Juv. (SNO) - "
- X 838 Empidonax ^{brewsteri (WKT)} trailii Ad. ♀ over sh. end. - "
- X 839 Warbling Vireo - ♂ - Testis 1MM. - (V.g. swainsonii) - "
- X 840 " - ♂ - Testis 1MM. - "

mi. w. of Hunter Lake, Carson Range, Washoe Co., Nevada. - August 14, 1954.

" " " "

" " " "

of Verdi and 1/2 mi. E. of Calif line in Washoe Co., Nevada. - Aug. 13, 1954.

" " " "

" " " "

" " " "

S.S.E. of Cummings, 1500', Mendocino Co., Calif. - Aug. 21, 1954.

of Zephyr Point, Lake Tahoe, Douglas Co., Nev. - Aug. 26, 1954.

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

mi. w. of Hunter Lake, Carson Range, Washoe Co., Nevada - August 28, 1954.

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

Washoe Co., Nevada -

August 31, 1954.

" " " "

" " " "

" " " "

" " " "

" " " "

" " " "

- X 841 Scrub Jay - ♂ (SNO) - 4600', 1 mi. N.W. of Reno,
- X 842 yellow Warbler - ^{Brewsteri} sex? - "
- X 843 " ^{maxsoni?} ♀ ova of ad. - "
- X 844 " ^{maxsoni?} ♀ Juv. (SNO) - "
- X 845 Yellow Throat - sex? - "
- X 846 Chat - ♂ Testis 2MM. - "
- X 847 Chat Juv. (SNO) ♂ Testis 1MM. - "
- X 848 yellow Warbler ^{maxsoni?} ♂ Testis .5MM. Juv. (SNO). - "
- X 849 MacGillivray Warbler. ♀ - ova of ad. - "
- X 850 Orange-cr. Warbler - ^{V.C. celata} ♀ - "
- X 851 yellow Warbler - ^{maxsoni?} ♀ ova of ad. - "
- X 852 Empidonax oberholseri ♂ Juv. (SNO) Testis 1MM. - "
- X 853 Scrub Jay - ♂ - Testis 2MM. - "
- X 854 Warbling Vireo - ♀ ova of ad. ^(V.g. mainsoni) - "
- X 855 Bullock Oriole - ♂ - Testes 9MM. - "
- X 856 Song Sparrow - ♂ - Testis 7MM. - "
- X 857 Yellow-throat - ♂ - Testis 3MM. - "
- X 858 Pileolated Warbler - ♀ ^{W.P. pileolata} - ova not emb. - "
- X 859 Lazuli Bunting - ♂ - Testis 5MM. - "
- X 860 MacGillivray Warbler - ♂ - Testis 4MM. - "
- X 861 Warbling Vireo - ♀ - ova of ad. ^(V.g. leucophtus) - "
- X 862 Black-headed Grosbeak - ♂ ^(breed patch) - Testis 11MM. - 4900', Hunter Cr. Canyon, "
- X 863 House Wren - ♂ - Testis 7MM. - " "
- X 864 Bewick Wren - ♂ - Testis 7MM. - " "
- X 865 Chat - ♂ - Testis 10MM. - " "
- 866 & SKIPPED
- 867 " "
- 868 " "
- 869 " "
- 870 Parus major - Great Tit - ♂ ^{Testis 1MM.} - SNO - Niedermittlau, elev. 150
- 871 Parus caeruleus - Blue Tit - ♂ - SO - " "
- 872 Corvus frugilegus - Rook - ♂ Testis 6MM - " "
- 873 Certhia brachydactyla - Short-toed Tree Creeper - ♀ - largest ovum 1m. - " "
- 874 Scrub Jay - ♂ Testis 2MM - 1 mi. E. of Rickay Mine at 7000', N. Slope
- 875 Sphyrapicus varius - ♂ - Testis 2MM - Sweetwater Cr. Canyon, 7500',

Washoe Co., Nevada.

August 31, 1954.

" " " " " "

September 2, 1954.

" " " " " " " " " "

May 23, 1955

" " " " " " " " " "

E. slope Carson Range, Washoe Co., Nevada. - May 26, 1955

" " " " " "

meters, Kreis Gelnhausen, Hesse, West Germany - 25 October 1955

" " " " " - 4 December 1955

" " " " " - 26 February 1956

ndia. " " " " " - 13 May 1956

of E. Sister, Sweetwater Range, Lyon Co., Nevada - August 5, 1956.

Sweetwater Range, Lyon Co., Nevada at 1/2 mi. E. of Mono Co., Calif. line - August 5, 1956

Total skins is figure of catalog less 46 skipped page
 580 up to 924 (not incl. Swainson's etc.)

- 876 Lanius ludovicianus - Sex? - Dead on Highway 22 at 8 mi. S.
- X 877 Contopus virens - ♂ - ^{SNO} Testis minute - Steamboat Cr., 5000', 1/2 mi.
- X 878 Colaptes cafer - ♂ - Juv. ♂ (SNO) Testis minute - " " "
- X 879 Salpinctes obsoletus ♀ - Juv. ♂ (SNO) ^{ovary minute} - Truckee River, 4450', 1 mi. E.
- 880 Calypte anna - ♂ Testes minute - Near road to Fresno, 5 mi. E.
- 881 Hylocichla guttata - ♂ ^(SO) " " - Black Hills, 1000+', 3 mi. N. of
- 882 Vireo huttoni (SNO) ♂ " " - " " " "
- 883 Junco oreganus ♀ ^{ovary} - " " " "
- 884 Passerella melodia ♀ - " " " "
- 885 Chaemia fasciata ♂ ^{Testis (SO) minute} - " " " "
- 886 Parus inornatus ♂ ^{Testis (SO) Minute} - " " " "
- 887 Spinus psaltria ♂ ^{Testis Minute} - " " " "
- 888 Ptychoramphus aleuticus - ♂ ^{Testis 5MM.} - S.E. Farallon Island, San
- X 889 Carpodacus mexicanus - ♀ ^{double-layered skull} - Foothills of Virginia Range,
- X 890 Thryomanes bewickii - ♀? ^{single-layered skull} - " "
- X 891 Aphelocoma coerulescens - ♀ ^{double-layered skull} - Bailey Canyon, 5000', 2 mi.
- X 892 Phalaenoptilus nuttalli - ♂ ^{Testis 2MM.} - Southwest shore of Pyramid
- X 893 Evolia minatilla - ♂ - ^{Testis 1MM. slight fat} - Steamboat Creek, 5000', 1/2
- X 894 Cinclus mexicanus - ♀ - ^{ova minute - fat} - " " "
- X 895 Loxia curvirostris ^{benti} - ♂ - 3 mi. S. + 1 mi. W. of Centerville, Douglas Co.,
- X 896 Junco oreganus - ♂ - ^{Testis minute} - Bailey Canyon, 5000', 2 mi. E. of
- X 897 " " - ♂ ^{Testis 1MM.} - " " "
- X 898 " " - ♀ ^{ova minute} - " " "
- X 899 " " - ♂ ^{Double-layered skull Testis 1MM.} - " " "
- X 900 " " - ♀ ^{ova minute} - " " "
- X ~~901~~ Sterna forsteri - ♂ - ^{Testis 2MM. Single-layered skull} - Sutcliffe boat
- 902 Ptychoramphus aleuticus - ♀ ^{largest ovum 3mm. in dia.} - S.E. Farallon Island,
- 903 " " - ♂ ^{Testis 6X3MM} - " " "
- 904 " " - ♀ ^{White largest ovum 2mm. in dia.} - " " "
- 905 Hylocichla guttata - ♂ ^{skull ossified Testis 1X2.5MM.} - University of California Botanical
- 906 Zonotrichia leucophrys - ♂ ^{Testis 4MM.} - Trapped by? at Dillon's Beach,
- 907
- 908
- 909
- 910

11-24-1911
 11-24-1911
 11-24-1911

May 12, 1956 - Woods near Niedermittlau.

- 1 nest of Short-toed Tree Creeper - 6 eggs.
- 1 nest of Great-spotted Woodpecker.
- 1 nest of Starling with young.
- 1 suspected Nest of Wren on stream bank.
- 1 pair of long-tailed Tits excited in thicket
- 1 pheasant incubating on photographed nest.

May 13, 1956 - Woods near Niedermittlau

- Nest of Great-spotted Woodpecker ^{photographed} found.
- Pheasant incubating on nest photographed.
- incubating Short-toed Tree Creeper collected.
- Nest of Blackbird under construction photographed.

May 20, 1956 - Woods near Niedermittlau.

- Nest of Blackbird with 4 eggs (next to tree trunk among nettles). Nest of Creeper contains cold eggs. Nest of Winter Wren ^{at stream bank} contains at least 4 cold + 1 broken eggs.
(over)

- ? Thrush flew from nest in thicket
near field. At least 3 new-born young in
nest. - Several Starlings at nest holes
high in oaks + beeches.

May 26, 1956 - Woods near Niedermittlau.
Nest of blackbird with incubating female
photographed. 3 shots of eggs taken.
Other woodland shots taken.

767 NKJ ♀ (No ears) Trapped among nettles
TL 137 T 44 HF 20 EN 12
SEPT 20 1955
burrow in grass
in Oak woodland

768 NKJ ♀
TL 131 T 40 HF 18 EN 10
SEPT 25 1955
burrow in pine needle mat under stand of second-growth Pinus

769 NKJ ♀
TL 101 T 33 HF 14 EN 4MM
SEPT 25 1955
trapped in nettles and succulent herb on sunny ground.

770 NKJ ♀
TL 115 T 80 HF 21 EN 17
SEPT 25 1955
Overstory of Quercus and Ulmus saplings.
Habitat same as #769

771 NKJ ♀
TL 171 T 84 HF 23 EN 18
SEPT 25, 1955
Habitat same as #769

772 NKJ ♂
TL 186 T 91 HF 23 EN 17
SEPT 25, 1955
Habitat same as #769

773 NKJ ♂
TL 168 T 81 HF 23 EN 16
SEPT 25, 1955
Habitat same as #769

Handwritten scribbles and marks at the bottom of the page.

774 NKJ ♂
TL 179 T 90 HF 24 EN 17
October 9, 1955 Habitat same as # 769

775 NKJ juv. ♂
TL 134 T 41 HF 18 EN 11
Oct. 9, 1955 Habitat same as # 769

776 NKJ ♀
TL 186 T 93 HF 23 EN 19
Oct 9 1955 Habitat same as # 769

777 NKJ ♂
TL 177 T 86 HF 24 EN 19
Oct 23, 1955 Dry ground covered with broken fern and pine needles.
Mixed forest of Pinus, Picea,
Quercus, and Ulmus

778 NKJ ♂
TL 184 T 93 HF 24 EN 17
Oct 23 1955 Habitat same as 777

779 NKJ ♂
TL 164 T 82 HF 23 EN 16
Oct 23 1955 Habitat same as 777

780 NKJ ♀
TL 146 T 43 HF 19 EN 9
Oct 23, 1955 Habitat same as 777

781 NKJ ♀
TL 163 T 78 HF 22 EN 14
Oct 23, 1955 Habitat same as 777

870. PARUS major - ♂ ^{SKULL NOT OSSIFIED.} Testis 1MM. NIEDERMITTLAU, 25 OCT. 55.

871. PARUS caeruleus - ♂ Testis 1MM. Skull ossified.

Niedermittlau, Dec. 4, 1955.

782. Ned K. Johnson Sex ♂ 30 Oct 55.

Same habitat as 769


TL 129 T 40 HF 19 EN 13.

783 Vole from alert area.

872. "ROOK." ♂ Testis 6MM. "Saatkrahe"
CORVUS frugilegus
Dead in snow at Niedermittlau, 26 Feb. 1956
Slightly fat.

873. Short-toed Tree Creeper - Certhia brachydactyla.

♀ largest ovum 1 mm. in dia. Captured on nest on
spruce trunk (6 eggs) at Niedermittlau. 13 May 1956.



♀ 4 Embryos 758 Ned K Johnson

Gelnhausen, elev. 150 meters, along the Kinzig River, 19 kilometers East and 8 kilometers North of Hanau, west-central Germany.

TL 169 MM, T. 73 MM, EN 18, HF 23

July 3, 1955

Trapped among long grasses and succulent herbs forming a mesic understory in a pine-oak parkland.

♂ 759 Ned K. Johnson

same locality and habitat as 758.

TL 169 MM, T. 69 (broken after measurement)

EN 19 MM, HF 22 MM.

Greenfinch - found dead at Coleman Kaeser on April 23, 1955.

- 2 Scarabs at light at Service Club, Geln., on 20 April 1955.

♂ # 760 Ned K. Johnson

Niedermittlau, Kreis Gelnhausen, elev. 150 meters, 12 kilometers East and 8 kilometers North of Hanau, west-central Germany.

TL 173 M, T. 86 MM, EN 15 MM, HF 24 MM. 11 September 1955

Trapped at edge of swampy ground grown to Quercus glauca saplings. Overstory of mature Quercus, Ulmus, Pinus, and scattered Picea.

♂ # 761 Ned K. Johnson

same loc. + habitat as # 760.

TL: 162 MM, T. 74 MM, HF 22 MM, + EN 16 MM.

11 Sept 1955

over

♀ 762 Ned K. Johnson

TL 140MM, T 46, HF 19, EN 13. 18 SEPT 1955

Succulent ground grown to nettles and ~~moist~~ succulent herbs. Overstory of Quercus ~~oak~~ sapling

♂ 763 Ned K. Johnson

TL 135MM, T 45, HF 19, EN 13. 18 SEPT 1955

Habitat same as # 762

♀ (no embryo) 764 Ned K. Johnson

TL 215, T 107, HF 25, EN 19 18 SEPT 1955

Habitat same as # 762

♀ Juv. 765 Ned K. Johnson

TL 189, T 91, HF 25, EN 19 18 SEPT 1955

Habitat same as # 762

♂ 766 Ned K. Johnson

TL 164, T 74, HF 23, EN 18 18 SEPT 1955


Habitat same as # 762.

783 NKJ Sex ♂ # 783 NKJ

Alest Area. 13 February 1956 Vole.

TL 128 T 29 HF 20 EN 7





Geo K. Johnson
Reno, Nevada



