

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

CATALOGUE

OF

GREEN-HOUSE PLANTS,
FRUIT TREES,
AND GREEN SHRUBS,

} FLOWERING SHRUBS,
} BULBOUS ROOTED, AND
} HERBACEOUS PLANTS.

ARRANGED BY THEIR

BOTANICAL AND ENGLISH NAMES.

TO WHICH IS ATTACHED

THE PLACE OF THEIR NATIVITY;

With a collection of the most esteemed varieties of

FRUIT TREES,

AND A CATALOGUE OF GARDEN SEEDS.

CULTIVATED AND FOR SALE AT THE NURSERIES

DAVID & CUTHBERT LANDRETH,

Federal street, near the Arsenal.

PHILADELPHIA:

Printed for D. & C. Landreth, No. 85 Chesnut street.

I. Ashmead, Printer.

1826.



Handwritten notes and signatures at the bottom of the page, including 'C. Landreth' and '1826'.

INDEX.

| | |
|--|---------------|
| Green-House Plants, - - - - - | <i>Page</i> 5 |
| Hardy Trees and Shrubs, - - - - - | 21 |
| Hardy Herbaceous Plants, - - - - - | 32 |
| Ornamental Evergreens, - - - - - | 39 |
| Vines and Creepers, - - - - - | 40 |
| Bulbous Roots, &c. - - - - - | 41 |
| Fruit Trees, - - - - - | 43 |
| Grape Vines, - - - - - | 48 |
| Esculent Vegetable Seeds, - - - - - | 51 |
| Flower Seeds, - - - - - | 55 |
| Observations on transplanting Trees, - - - - - | 55 |

15
37
15

J. W. Pairo

ADVERTISEMENT.

THE present edition of our catalogue will be found to contain many rare and curious plants, also many newly introduced varieties of fruits, all of which are in a promising train of propagation, the greater part we have already succeeded with, and now offer to the public a collection consisting of Green-house Plants, Fruit and Ornamental Trees, Flowering Shrubs, Bulbous Roots, &c. &c. not exceeded by any other establishment in America.

We still continue to appropriate a considerable portion of our grounds to the culture of garden seeds, and are fully persuaded they can be saved as successfully, and the kinds perpetuated as genuinely in this country as in Europe, with but a very few exceptions. And from the reputation they have at home and abroad, we are satisfied that the system of growing them ourselves is far preferable to depending on importations or inexperienced growers for supplies.

Prices have been affixed to the seeds, plants, &c. with a view to give persons at a distance some idea of the charges; they vary in a partial degree, particularly for the seeds, in proportion to the scarcity or abundance of the season.

Considerable expense has been incurred from time to time in the introduction of foreign fruits, plants, &c. from Europe, China and other parts of the world, and it is our intention to continue every exertion to procure from abroad whatever may be desirable for use or ornament, sparing neither pains nor expense to continue the standing which the establishment has so long maintained.

The proper season for transplanting bulbous flowering roots is from the middle of July to the middle of November, at which time Hyacinths, Tulips, Ranunculus, Anemones, Crocus, &c. should be planted.

Trees may be transplanted as the weather may permit at any time during the months of October, November, December, March, April, and until the middle of May. For Evergreens, the spring months are considered the best. Green-house Plants can be transplanted at almost any season, though the Autumn is preferable.

Trees, Shrubs and Herbaceous plants indigenous to America, always on hand in the greatest variety for foreign exportation; also extensive assortments of native seeds which will be carefully put up and correctly named.

We return our acknowledgments to the public for the very liberal support hitherto received from them in the various departments of our business, and solicit their future favours; also to those of our friends who have so politely presented us with rare plants, seeds, &c. many of which, in viewing the grounds, they will find in luxuriant growth.

Orders left at our Seed Store, No. 85 Chesnut street, or per mail, enclosing cash or references in Philadelphia, will meet prompt attention.

Strangers visiting Philadelphia are respectfully invited to the gardens, situate in Federal street, near the U. S. Arsenal.



Orders for Trees, Plants, Seeds, &c. Received by

- Mr. Hugh Maxwell, Lancaster, Pennsylvania.
- Messrs. Beatty & M'Ilvaine, Harrisburg, Pennsylvania.
- Mr. John Claxton, Georgetown, D. C.
- Mr. James M'Kildoe, Richmond, Virginia.
- Messrs. M. Wolfe & Co. Cincinnati, Ohio.
- Mr. Robert Landreth, Charleston, S. C.
- Mr. W. H. Turpin, Augusta, Georgia.
- Messrs. Gill & Porter, Nashville, Tennessee.
- Mr. James Clements, St. Louis, Missouri.
- Messrs. Parker & Codman, Boston, Massachusetts.

GREEN-HOUSE PLANTS.

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|-----------------------------|--|---------------------|---------|
| ACACIA, | ACACIA, | | |
| armata, | simple-leaved, prickly. | New Holland. | \$ 1 00 |
| <i>Mimosa floribunda.</i> | | | |
| glaucescens, | blunt leaved. | ————— | 1 00 |
| glauca, | glaucous. | America. | 1 00 |
| Julibrissin, | Smooth tree. | Levant. | 50 |
| verticillata, | whorl leaved. | New Holland. | 1 00 |
| <i>Mimosa verticillata.</i> | | | |
| stricta, | double-headed | N. S. Wales. | 1 00 |
| <i>Mimosa stricta.</i> | | | |
| salicifolia, | willow leaved. | ————— | 4 00 |
| suavcolens, | sweet scented. | ————— | 2 00 |
| myrtifolia, | myrtle leaved. | ————— | 2 00 |
| decurrens, | decurrent. | ————— | 2 00 |
| pulchella, | zig-zag spiny. | ————— | 2 00 |
| speciosa, | splendid. | E. Indies. | 2 00 |
| AGAPANTHUS, | AGAPANTHUS. | | |
| umbellatus, | umbell flowering. | C. G. Hope. | 1 00 |
| præcox, | small. | ————— | 1 00 |
| ADELIA, | ADELIA. | | |
| porulosa, | porulous. | | |
| AGAVE, | AGAVE. | | |
| americana, | { great American or Century Aloe. } | } S. America. { | 50 |
| <i>v. variegata,</i> | | | 1 00 |
| virginica, | striped leaved. | ————— | 75 } |
| ALOE, | ALOE. | Virginia. | 75 } |
| Lingua, | tongue-shaped. | C. G. Hope. | 75 |
| verrucosa, | partridge-breast. | ————— | 75 |
| ferox, | prickly. | ————— | 75 |
| imbricata, | imbricate. | ————— | 50 |
| AMARYLLIS, | AMARYLLIS. | | |
| Atamasco, | Atamasco Lily. | N. America. | 25 |
| equestris? <i>flor.</i> | } double flowering Cuba Lily. } | } W. Indies. } | 1 00 |
| <i>pleno,</i> | | | 37½ |
| formosissima, | Jacobæa Lily. | S. America. | 37½ |
| | { long-leaved. <i>This is a fine flowerer and will stand the winter of the middle states.</i> } | } C. G. Hope. } | 1 00 |
| longifolia, | | | 1 00 |
| undulata, | waved Lily. | ————— | 25 |
| vittata, | { ribbon Lily. splendid flowering. } | } S. America. } | 1 00 |
| | | | 1 00 |

GREEN-HOUSE PLANTS.

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|----------------------|-------------------------------|---------------------|------|
| latifolia, | broad-leaved. | India. | § 50 |
| sarniensis, | Guernsey Lily. | Guernsey. | 50 |
| reginea, | Mexican Lily. | Mexico. | 1 00 |
| pumilio, | dwarf. | C. G. Hope. | 1 00 |
| tubispatha, | Mr. Griffins. | W. Indies. | |
| Johnsoniensis, | Johnsons. | | 2 00 |
| purpurea, | purple. | C. G. Hope. | 2 00 |
| ANDROMEDA, | ANDROMEDA. | | |
| axillaris, | axillary. | N. America. | 50 |
| formosissima, | pipe-stem-wood. | _____ | 50 |
| coriacea, | leathery-leaved. | _____ | 1 00 |
| ferruginea, | ferruginous. | N. America. | 1 00 |
| | <i>See hardy andromeda's.</i> | | |
| ALBUCA, | ALBUCA, | | |
| altissima, | tall. | C. G. Hope. | 75 |
| major, | greater. | _____ | 75 |
| ALSTROEMERIA, | ALSTROEMERIA. | | |
| pelegrina, | spot flowered. | Peru. | 1 50 |
| Ligtu, | striped flowered. | _____ | 1 00 |
| ANTHOLYZA, | ANTHOLYZA. | | |
| æthiopica, | broad leaved. | C. G. Hope, | 75 |
| cunonia, | scarlet flowered. | _____ | 75 |
| ALYSSUM, | MAD WORT, | | |
| saxatile, | rock Alyssum. | Crete. | 50 |
| ARDISIA, | ARDISIA. | | |
| crenulata, | crenulated. | E. Indies. | 1 00 |
| ANTHYLLIS, | SILVER BUSH, | | |
| barba jovis, | jupiter's beard. | Spain. | 1 00 |
| hermanniæ, | hermanniæ leaved. | Levant. | 1 00 |
| ANNONA, | CUSTARD APPLE. | | |
| parviflora, | small flowering. | N. America. | 50 |
| ARCTOTIS, | ARCTOTIS. | | |
| superba, | superb. | C. G. Hope. | 50 |
| ARBUTUS. | STRAWBERRY TREE. | | |
| andrachne, | sawed leaved. | Levant. | 1 00 |
| unedo, | common European. | Britain. | 1 00 |
| ARTEMESIA, | WORM WOOD. | | |
| argentea, | silvery. | Madeira. | 75 |
| ASCLEPIAS, | SWALLOW WORT. | | |
| parviflora, | { small flowering } | } Carolina. | 50 |
| | { shrubby } | | |
| gigantea, | auricula tree. | N. America. | 1 00 |
| curassavica, | curassavian. | S. America. | 50 |
| arborea, | tree. | _____ | 50 |
| linearis, | narrow leaved. | _____ | 50 |
| ASCYRUM, | ST. PETER'S WORT. | | |
| multicaule, | branchy. | N. America. | 1 00 |
| stans, | upright. | _____ | 1 00 |
| ASTER, | STAR WORT. | | |
| frutescens, | shrubby. | C. G. Hope. | 1 00 |
| AUCUBA, | GOLD TREE. | | |
| japonica, | Japan gold tree. | China. | 75 |
| ARUM, | ARUM. | | |
| esqueletum, | eatable. | West Indies. | 1 00 |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|----------------------------------|---|---------------------|------|
| AZALEA, | AZALEA. | | |
| indica, | { single flowering } Chinese. | East Indies. | 4 00 |
| <i>v. flore pleno pur-purea.</i> | { purple double flowering Chinese. | ————— | 4 00 |
| pontica, | { orange coloured. | Levant. | 1 00 |
| <i>v. flore alba.</i> | { white flowering } Chinese. | E. Indies. | 5 00 |
| BANKSIA, | BANKSIA. | | |
| serrata, | saw leaved. | N. America. | |
| latifolia, | broad leaved. | ————— | |
| BABIANA, | BABIANA, | | |
| villosa, | downy. | C. G. Hope. | 1 00 |
| BACCHARIS, | BACCHARIS. | | |
| angustifolia, | narrow leaved. | N. America. | 1 00 |
| BERBERIS, | BARBERRY. | | |
| aquifolium, | { Rocky mountain } Barberry. | ————— | 5 00 |
| <i>Mahonia aquif.</i> | | | |
| BIGNONIA, | TRUMPET FLOWER. | | |
| pandorana, | cluster flowered. | Norfolk Island. | 1 00 |
| capreolata, | four leaved. | N. America. | 75 |
| crusigera, | two leaved. | West Indies. | 75 |
| grandiflora, | large flowering. | China. | 1 00 |
| BLETIA, | BLETIA. | | |
| Tankervilleæ, | { Lady Tankerville's } <i>splendid.</i> | ————— | 1 00 |
| <i>Lixothorum,</i> | <i>Tankervilleæ.</i> | | |
| BUDDLEA, | BUDDLEA. | | |
| globosa, | round headed. | Chili. | 75 |
| BIRCHELIA, | BIRCHELIA. | | |
| capensis, | cape. | C. G. Hope. | 2 00 |
| BOUVARDIA, | BOUVARDIA. | | |
| triphylla, | Mexican scarlet. | Mexico. | 1 00 |
| BUMELIA, | BUMELIA. | | |
| reclinata, | reclined. | Carolina. | 1 00 |
| lanuginosa, | woolly leaved. | ————— | 1 00 |
| lycoides, | Iycium-like. | N. America. | 1 00 |
| BUPHTHALMUM, | OX EYE. | | |
| frutescens, | shrubby. | Virginia. | 1 00 |
| caroliniensis, | carolina. | Carolina. | 1 00 |
| BRUNSVIGIA. | BRUNSVIGIA. | | |
| multiflora, | many flowered. | C. G. Hope. | 2 00 |
| BUXUS, | BOX THORN, | | |
| balcaricas, | Minorca.] | Minorca. | 50 |
| CALCEOLARIA, | CALCEOLARIA. | | |
| pinnata, | pinnate, | Peru. | |
| corymbosa, | | | |
| CACTUS, | CACTUS. | | |
| opuntia, | indian fig. | S. of Europe. | 50 |
| flagelliformis, | creeping cereus. | Peru. | 1 00 |
| heptagonus, | { upright seven angled, | West Indies. | 1 00 |

GREEN-HOUSE PLANTS.

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---------------------------|---|--|-----------|
| grandiflorus, | great night blooming. | Jamaica. | 1 00 |
| mammilaris, | small melon thistle. | West Indies. | 50 |
| speciosus, | purple. | ————— | 1 00 |
| speciosissima, | splendid. | ————— | 2 00 |
| CESTRUM, | CESTRUM, | | |
| nocturnam, | night smelling jasminc. | ————— | 1 00 |
| diurnum, | day smelling jasmine, | ————— | 75 |
| CALLICARPA, | CALLICARPA, | | |
| Americana, | American, | America. | 1 00 |
| CALLA, | CALLA, | | |
| Æthiopica, | Ethiopian, | Ethiopia. | 50 |
| CALYCANTHUS, | ALLSPICE—sweet scent- ed shrub, | | |
| præcox, | Chinese, | East Indies. | 1 00 |
| CAMELLIA, | JAPAN ROSE. | | |
| japonica, | single red. | East Indies. | 2 00 |
| v. flore pleno rubra, | double flowering red. | } Plants one year enarch- ed, 3 to 4 dollars. Two years and up- wards, from 5 to 30 dollars. | |
| v. flore pleno alba, | double flowering white. | | |
| v. flore pleno variegata, | variegated double fl'g. | | |
| v. flore pleno carnea, | double flowering pink. (middlemists) | | |
| v. anemoneflora, | anemona flowered. (warrata) | | |
| v. pæoniflora, | pæona flowered. | | |
| v. flavescens, | maiden's blush. | | |
| v. myrtifolia, | myrtle leaved. | | |
| v. Humeii, | Lady Hume's blush. | | |
| v. atrorubens, | crimson, | | 4 00 |
| सान्क्वा, | Lady Banks. | } 5 00 | |
| | single white tea- leaved. | | |
| सान्क्वा रोसा, | Lady Banks. double rcd tea- leaved. | } 4 00 | |
| | | | |
| CASSIA, | CASSIA, | | |
| occidentalis, | occidental. | West Indies. | 1 00 |
| CHRYSANTHEMUM, | CHRYSANTHEMUM. | | |
| Indicum, | Indian. several splendid va- rieties. | China. | 50 to 150 |
| CINERARIA, | ASH WORT. | | |
| maritima, | hoary leaved. | S. of Europe. | 75 |
| lanata, | woolly star flower. | Canary Isles. | 75 |
| CANNA, | INDIAN SHOT. | | |
| cocciniæ, | scarlet. | West Indies. | 50 |
| esculenta, | esculent, and other sp. | West Indies. | 50 |
| CANTUA, | CANTUA. | | |
| coronopifolia, | scarlet. | Carolina. | 75 |
| CEANOTHUS, | JERSEY TEA. | | |
| erythrorhiza, | red root of Georgia. | N. America. | 50 |
| microphyllus, | small leaved. | N. America. | 50 |
| CESSALPINIA, | | | |
| sp? | | | |

GREEN-HOUSE PLANTS.

5

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---|--|--|-----------------------------|
| CHAMEROPS, hystrix, | PALMETTA, hedge hog. | Carolina. | 1 00 |
| CISSAMPELOPS, smilacine, | CISSAMPELOPS, smilax like. | S. Carolina. | 1 00 |
| CISTUS, creticus, incanus, salvifolius, | ROCK ROSE, cretan. hoary-leaved. sage-leaved. | Levant. S. of Europe. S. of Europe. | 75 75 75 |
| CITRUS, medica, acra, <i>v. variegata.</i> | CITRUS TREE, ORANGE, &c. citrus tree. Seville orange. gold and silver striped or blotched. | Madeira. E. & W. Indies. E. & W. Indies. | 2 00 2 00 2 00 |
| bergamense, nobilis, | bergamot orange. mandarin, or Chinese dwarf orange. | E. & W. Indies. East Indies. | 2 00 2 00 |
| myrtifolium, acida, decumanum, | myrtle-leaved orange. lemon tree. shaddock tree or forbid- den fruit. | E. & W. Indies. E. & W. Indies. East Indies. | 2 00 2 00 2 00 |
| Limonium, | lime tree. <i>orange, lemon, &c. not noted</i> | | 1 50 <i>and upwards.</i> |
| CLETHRA, arborea, | CLETHRA, tree. | Madeira. | |
| CONVALLARIA, Japonica, | SOLOMON'S SEAL, Japanese, | Japan. | 75 |
| CNEORUM, tricoccum, | WIDOW WAIL, lucocous. | S. of Europe. | 75 |
| COFFEA, arabica, occidentalis, | COFFEE TREE, arabian. one seeded. | Arabia, West Indies, | 2 00 2 00 |
| COLLONSONIA, anisatum, | COLLONSONIA, aromatic, or Florida tea. | Florida. | 50 |
| CORCHORUS, Japonicus, | GLOBE FLOWER, Japanese, <i>This is a beautiful plant and will stand the winter of the middle states.</i> | Japan, | 50 |
| COOKIA, punctata, | WAMPEE TREE, dotted, | China, | 1 00 |
| CORONILLA, glauca, coronata, | CORONILLA, seven leaved, crown flowered, | S. of Europe, | 50 1 00 |
| CORREA, alba, speciosa, viridiflora, | CORREA, white flowered, red flowered, green flowered, | New Holland, | 1 00 |
| CROTON, variegatum, | CROTON, striped leaved, | Amboyna, | 1 00 |
| CURCUMA, zercumbet, zedoaria, | TUMERIC, zodoary, aromatic, | East Indies. | 1 00 1 00 |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--------------------------|---|---------------------|------|
| CYCLAMEN, | CYCLAMEN, or Sow bread, | | |
| <i>persicum album,</i> | white Persian, | Cyprus Isl. | 75 |
| <i>v. basi purpureo,</i> | purple bottomed white fl ^g . | ————— | 75 |
| <i>v. basi rubro,</i> | red bottomed white flow'ng. | ————— | 75 |
| <i>carneum,</i> | blush coloured, | ————— | 75 |
| <i>hederæfolium,</i> | ivy leaved, | Britain. | 75 |
| CLEMATIS, | VIRGIN'S BOWER, | | |
| <i>florida,</i> | large flowered Japanese, | Japan, | 1 00 |
| <i>viticella,</i> | purple, | Spain, | 75 |
| <i>Flammula,</i> | sweet scented, | S. of Europe, | 1 00 |
| CERATONIA, | ST. JOHN'S BREAD. | | |
| <i>siliqua,</i> | common, | Levant, | 1 00 |
| CUPRESSUS, | CYPRESS, | | |
| <i>sempervirens,</i> | evergreen, | Isl. Crete, | 75 |
| CYTISUS, | CYTISUS, | | |
| <i>linifolius,</i> | flax leaved, | | 1 00 |
| <i>purpureus,</i> | purple flowering, | Austria, | 1 00 |
| <i>argenteus,</i> | silvery leaved, | S. of Europe, | 1 00 |
| <i>folius,</i> | leafy, | Canary Isl. | 1 00 |
| CACALIA, | CACALIA, | | |
| <i>articulata,</i> | jointed, | C. G. Hope, | 50 |
| CRASSULA, | CRASSULA. | | |
| <i>coccinea,</i> | scarlet, <i>splendid flowerer.</i> | C. G. Hope, | 1 00 |
| <i>versicolor,</i> | variegated. | ————— | 1 00 |
| CRATÆGUS, | CRATÆGUS. | | |
| <i>glabra,</i> | smooth leaved, | | 1 00 |
| <i>indica,</i> | | East Indies, | 1 00 |
| DAPHNE, | DAPHNE. | | |
| <i>odora,</i> | sweet scented, | China, | 75 |
| <i>pontica,</i> | pontic, | Pontus, | 75 |
| <i>tartonnaira,</i> | silvery, | S. of Europe, | |
| <i>cneorum,</i> | trailing, | Alps, | 1 00 |
| <i>collina,</i> | hairy, | Italy. | |
| <i>striatum</i> | silver edge leaved, | China, | 3 00 |
| DECUMARIA, | DECUMARIA. | | |
| <i>sarmentosa,</i> | creeping, | Carolina, | 75 |
| DIOSMA, | DIOSMA. | | |
| <i>ericoides,</i> | heath leaved—sweet scented, | C. G. Hope, | 1 00 |
| <i>imbricata,</i> | imbricated, | ————— | 1 00 |
| <i>serratifolia,</i> | saw leaved, | C. G. Hope, | |
| <i>lanceolata,</i> | lance leaved, | C. G. Hope, | 1 00 |
| DAHLIA, | DAHLIA. | | |
| | { <i>many varieties, various</i> } | | |
| | <i>shades.</i> | } Mexico. | 50 |
| DIANTHUS, | PINK. | | |
| <i>caryophyllus,</i> | carnation. | | |
| | { <i>Many varieties, shades,</i> } | | |
| | <i>and colours.</i> | } Britain, | 50 |
| DRACOCEPHALUM, | DRAGON'S HEAD. | | |
| <i>canariense,</i> | canary, | Canary Island, | 50 |
| DIONÆA, | DIONÆA. | | |
| <i>muscipula,</i> | Venus' fly-trap, | Carolina, | 1 00 |

GREEN-HOUSE PLANTS.

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--|--|---------------------|------|
| EDWARDSIA, grandiflora, | EDWARDSIA, large flowered, | New Holland, | 75 |
| ECHITES, difformis, | ECHITES, deformed, | Carolina, | 50 |
| EPACRIS, grandiflora, | EPACRIS, large flowered, | New Holland. | |
| ERYTHRINA, herbacea, | CORAL TREE, herbaceous, | Carolina, | 75 |
| EMBOTHRIMUM, salignum, | EMBOTHRIMUM, willow leaved, | | 50 |
| sariceum, | silky leaved, | | 50 |
| <i>v. carneum,</i> | <i>flesh coloured, silky leaved.</i> | | 50 |
| ERICA, | HEATH. | | |
| grandiflora, | great flowered, | C. G. Hope. | |
| vulgaris, | common, | Britain. | |
| ciliaris, | ciliated, | Portugal. | |
| vagans, | cornish, | Cornwall, | |
| stricta, | upright, | South of Europe. | |
| titragona, | four sided, | C. G. Hope. | |
| eriacephala, | woolly headed, | _____ | |
| nigrita, | black tipped, | _____ | |
| reflexa, | reflected, | | |
| baccans, | berry bearing, | C. G. Hope. | |
| ramentacea, | slender branched, | _____ | |
| mediterranea, | Mediterranean, | | |
| cerinthoides, | honey wort flowered. | C. G. Hope. | |
| pubescens, | downy leaved, | _____ | |
| verticillata, | whirl flowered, | _____ | |
| multiflora, | many flowered, | _____ | |
| tenuiflora, | slender flowered, | _____ | |
| lutea, | pale yellow, | _____ | |
| Plunkenitia, | Plunkenets, | _____ | |
| villosa, | villous, | _____ | |
| viscaria, | viscid, | _____ | |
| walkeria, | Walker's, | _____ | |
| elegans, | large flowered, | _____ | |
| <p><i>Ericas, each \$1.—They are a beautiful tribe of plants, and the sorts we are cultivating are some of the most admired.</i></p> | | | |
| EUCOMIS, punctata, | CROWN ASPHODEL, spotted, | C. G. Hope, | 1 00 |
| EUGENIA, Jambos, | EUGENIA, rose apple, | East Indies, | 1 00 |
| uniflora, | one flowered, | Brazil, | 1 00 |
| EUONIMUS, augustifolia, | SPINDLE TREE, narrow leaved, | N. America, | 50 |
| EUPATORIUM, aga para, | EUPATORIUM, aga para, | India, | 50 |
| FERRARIA, pavonia, | TIGER FLOWER, spotted, | C. G. Hope, | 50 |
| undulata, | waved, | _____ | 75 |
| FUCHSIA, coccinea, | FUCHSIA, or ear-drop, scarlet, beautiful, | Chili, | 50 |
| lycioides, | box thorn leaved, | _____ | |
| graciles, | slender branched, | _____ | |

| <i>Linneæan Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|-------------------------|---|---------------------|------|
| FICUS, | FIG TREE. | | |
| australis, | Indian fig, | N. S. Wales. | |
| GARDENIA, | CAPE JASAMINE. | | |
| radicans, | dwarf, | China, | 75 |
| thunbergia, | starry, | C. G. Hope, | 2 00 |
| florida, | large leaved, | China, | 50 |
| <i>flore pleno,</i> | double flowering, | | |
| <i>var,</i> | small leaved, double flowering, | ————— | 50 |
| GENISTA, | GENISTA. | | |
| tinctoria, | dyer's broom, | Britain, | 1 00 |
| GERANIUM, | GERANIUM. | | |
| tuberosum, | tuberous, | Italy, | 50 |
| striatum, | striated, | ————— | 1 00 |
| sylvaticum, | wood, | Britain, | 1 00 |
| | <i>See Pelargoniums, page 17.</i> | | |
| GLOXINIA, | GLOXINIA, | | |
| speciosa, | splendid flowering, | S. America, | 2 00 |
| GLADIOLUS, | SWORD LILY. | | |
| undulatus, | waved, | C. G. Hope, | 50 |
| carneus, | flesh coloured, <i>and other</i> <i>sorts.</i> | ————— | 50 |
| GELSEMIUM, | GELSEMIUM. | | |
| nitidum, | Carolina sweet, scented jasmine, | N. America, | 75 |
| GLYCINE, | GLYCINE. | | |
| brimaculata, | simple leaved, | | 50 |
| coccinea, | scarlet flowered, | | 50 |
| rubicunda, | red flowered, | | 50 |
| GNIDIA, | GNIDIA. | | |
| simplex, | simple leaved, | C. G. Hope, | 50 |
| GORDONIA, | LOBLOLLY BAY. | | |
| lasianthus, | smooth, | South Carolina, | 1 00 |
| GNAPHALIUM, | ETERNAL FLOWER. | | |
| Glomeratum, | cluster flowered, | C. G. Hope, | 1 00 |
| grandiflorum, | great flowered, | ————— | 1 00 |
| stoechas, | narrow leaved, | S. of Europe, | 1 00 |
| GORTERIA, | GORTERIA. | | |
| rigens, | great flowered, <i>splendid,</i> | C. G. Hope, | 50 |
| pavonia, | peacock, | ————— | 1 00 |
| HALLERIA, | AFRICAN FLY HONEY- SUCKLE. | | |
| lucida, | shining, | ————— | 1 00 |
| HÆMANTHIUS, | BLOOD FLOWER. | | |
| Josephina, | Josephines, | ————— | 5 00 |
| HEMIMERIS, | HEMIMERIS. | | |
| coccinea, | linear leaved, | Peru, | 50 |
| <i>Celsia linearis.</i> | | | |
| HEMEROCALLIS, | DAY LILY, | | |
| Japonica, | white flowered, | Japan, | 1 00 |
| HELIOTROPIUM, | TURN SOLE. | | |
| peruvianum, | sweet scented, | Peru, | 50 |
| corymbosum, | large flowered, | ————— | 1 00 |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---|--|---|--|
| HIBBERTIA, volubilis, | HIBBERTIA. twining, | N. Holland, | 1 00 |
| HIBISCUS, mutabilis, speciosus, grandiflora, manihot, sinensis, | HIBISCUS, changeable, scarlet, great flowered, palmated, double crimson, | China, S. Carolina, New Holland, East Indies, China. | 2 00 50 2 00 2 00 |
| HELIANTHEMUM, <i>two sp.</i> | HELIANTHEMUM, | | |
| HOPEA, tinctoria, | HOPEA. dyer's, | Carolina, | 1 00 |
| HOYA, carnosa, | HOYA. fleshy, | China, | 1 00 |
| HYDRANGEA. hortensis, | HYDRANGEA. changeable Chinese, | China, | 50 |
| HYPERICUM, canariensis, glaucum, monogynum, | ST. JOHN'S WORT. canary, glaucus, monogynus, | Canary Isles, America, China. | 75 75 1 00 |
| ILEX, cassine, myrtifolia, prinoidea, vomitoria, | HOLLY. dahoo holly. myrtle leaved. deciduous. South Sea tea. | Carolina, <hr/> N. America, W. Florida, | 1 00 1 00 1 00 1 00 |
| ILLICUM, anisatum, floridanum, | ANISEED TREE. Japan aniseed tree. starry. | E. Indies, Florida, | 50 2 00 |
| IRIS, Chinensis, | FLOWER DE LUCE. Chinese. | China, | 1 00 |
| IXIA, crocata, | IXIA. crocus flowered, and <i>others.</i> | generally, | 50 |
| INDIGOFERA. tinctoria, tiliafolia, | INDIGO. dyer's. tilia leaved. | E. Indies, <hr/> | |
| IXORA, coccinia | IXORA. scarlet. | China, | |
| JUSTICIA, betonica, Adhatoda, coccinia, | JUSTICIA. blue flowered. Malabar nut. scarlet flowered. | | 1 00 1 00 |
| JASMINUM, trincrua, gracile, revolutum, azoricum, grandiflorum, odoratissimum, sambac, <i>v. flore pleno,</i> | JASMIN. three nerved. slender. curled flowered. azorian, Catalonian, yellow, sweet scented. Arabian, <i>double flowered.</i> | Java, Norfolk Island, China, Madaira, East Indies, Madeira, East Indies, <hr/> | 1 00 2 00 50 1 00 75 1 00 1 00 2 00 |
| KENNEDIA. coccinia, Rubicunda, | KENNEDIA. many flowered scarlet. dingy flowered. | N. H. <hr/> | |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------------|---|---------------------|-----------|
| KALMIA, hirsuta, | KALMIA, hairy. | Carolina, | 2 00 |
| LAGERSTRÆMIA, indica, | LAGERSTRÆMIA, crimson flowered. | E. Indies, | 1 00 |
| <i>v. purpurea,</i> | <i>purple flowered.</i> | ————— | 1 00 |
| <i>v. cocinea,</i> | <i>scarlet flowered.</i> | ————— | 1 00 |
| LANTANA, aculiata, | LANTANA, prickly. | W. Indies, | 75 |
| camara, | changeable. | ————— | 75 |
| LAURUS, carolinensis, | BAY TREE or LAUREL. red bay tree. | Carolina, | 75 |
| <i>v. pubescens,</i> | <i>downy.</i> | ————— | 75 |
| nobilis, | sweet bay. | Italy, | 75 |
| LEPTOSPERMUM, ambignum, | SOUTH SEA MYRTLE. small flowered. | N. Holand, | 50 |
| LINUM, maritimum, | FLAX. sea-coast. | S. of Europe, | 50 |
| quadrifolium, | four leaved. | C. G. Hope, | 50 |
| LYTHRUM, vulneraria, | LOOSE STRIFE. Mexican. | Mexico, | 50 |
| LYCIUM, carolinianum, | BOX THORN. Carolina. | | 75 |
| japonicum <i>flore pleno</i> | Japan double flowering. | E. Indies, | 1 00 |
| LILIUM, tigrinum, | LILY. tiger spotted. | China, | 25 |
| Catesbæi, | <i>This is a splendid flower and will stand the winter.</i> Catesby's. | Carolina, | 50 |
| chalcedonicum, | scarlet martagon. | Europe, | 50 |
| LACHENALIA. tricolor. | LACHENALIA. three coloured. | C. G. Hope, | |
| viridis. | green flowered. | ————— | |
| LASIOPETALUM, solanaceum, | LASIOPETALUM. solanum like. | N. Holland, | |
| quercifolium, | oak leaved. | ————— | |
| LOBELIA, fulgens, | LOBELIA. fulgent, | China, | 50 |
| LONICERA, japonica, | HONEY SUCKLE. japanese. | Japan, | 50 |
| LUPINUS, arboreus, | LUPIN. shrubby, | | |
| MAGNOLIA, fuscata, | MAGNOLIA. small flowering, | China, | 1 00 |
| pumila, | dwarf sweet scented, | ————— | 1 00 |
| obovata, | purple flowering. | ————— | 1 to 3 00 |
| <i>purpurea.</i> | | | |
| conspicua, | chandelier, | ————— | 3 00 |
| grandiflora, | large flowered. | N. America. | 1 00 |
| <i>v. ferruginea.</i> | ferruginus or rusty leaved | ————— | 3 00 |
| <i>Exmouth.</i> | | | |
| annonæfolia, | papaw leaved. | China, | 2 00 |
| <i>v. obtusifolia,</i> | obtuse leaved, | N. America, | 3 00 |

See hardy magnolius.

Those noted are sufficiently hardy to withstand the winters of the middle states. flowers magnificent.

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|----------------------------|---|---------------------|------|
| MELALEUCA, | MELALEUCA. | | |
| <i>coronata,</i> | coronated, | N. Holland, | 1 00 |
| <i>glauca,</i> | glaucus, | ————— | 1 00 |
| <i>ericifolia,</i> | heath leaved, | ————— | 1 00 |
| <i>hypericifolia,</i> | hypericum leaved, | ————— | 1 00 |
| <i>squarrosa,</i> | myrtle leaved. | ————— | 1 00 |
| MELIA, | BREAD TREE. | | |
| <i>azedarach,</i> | pride of India, | Syria, | 50 |
| MESEMBREANTHUM, | FIG MARIGOLD. | | |
| <i>barbatum,</i> | trailing bearded, | C. G. Hope, | 50 |
| <i>crystallinum,</i> | ice plant, <i>and many other</i> <i>sp.</i> | Greece, | 50 |
| METROSIDEROS, | METROSIDEROS. | | |
| <i>lanceolata,</i> | spear leaved, | N. Holland, | 1 00 |
| <i>citrina.</i> | | | |
| <i>linearis,</i> | linear leaved, | ————— | 75 |
| <i>myrtifolia,</i> | myrtle leaved. | ————— | 1 00 |
| MELIANTHUS, | HONEY FLOWER. | | |
| <i>major,</i> | great, | C. G. Hope, | 1 00 |
| MIMOSA, | MIMOSA. | | |
| <i>farnesiana,</i> | yellow sweet scented, | St. Domingo. | 1 00 |
| <i>sensitiva,</i> | sensitive plant, <i>See Acacia, page 5.</i> | Brazil, | 50 |
| MYRICA, | CANDLE-BERRY MYR- TLE. | | |
| <i>caroliniana,</i> | aromatic, | Carolina, | 50 |
| <i>faya,</i> | azorian, | Azore Isles, | |
| MYRSINE, | MYRSINE. | | |
| <i>africana,</i> | Africa, | Africa, | 1 00 |
| MYRTUS, | MYRTLE. | | |
| <i>aurantifolia,</i> | orange leaved, | S. of Europe, | 50 |
| <i>v. flore pleno,</i> | <i>double flowered,</i> | ————— | 1 00 |
| <i>latifolia,</i> | common broad leaved, | ————— | 50 |
| <i>erecta,</i> | upright, | Italy, | 50 |
| <i>v. variegata,</i> | <i>striped or blotched leaved,</i> <i>and other varieties.</i> | ————— | 50 |
| MUSA, | BANANA. | | |
| <i>coccinea,</i> | scarlet flowered, | E. Indies, | 1 00 |
| MESPILUS, | MEDLAR. | | |
| <i>japonica,</i> | broad leaved, | Japan. | |
| MELASTOMA, | MELASTOMA. | | |
| <i>trinerva,</i> | three nerved, | Jamaica. | |
| <i>hirta,</i> | hairy, | ————— | |
| MYLOCARIUM, | BUCKWHEAT TREE. | | |
| <i>lygustrinum,</i> | privet leaved, | Carolina. | |
| NERIUM, | OLEANDER. | | |
| <i>oleander rubrum,</i> | red oleander, | S. of Europe, | 50 |
| <i>v. rubrum flore pl.</i> | <i>double flowered,</i> | ————— | 1 00 |
| <i>v. album,</i> | <i>white,</i> | ————— | 1 00 |
| <i>splendens,</i> | large flowered, | ————— | 1 00 |
| NANDINA, | NANDINA. | | |
| <i>domestica,</i> | panicked. | China, | 1 00 |

| <i>Linnaean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|-----------------------------|------------------------------------|---------------------|------|
| OLEA, | OLIVE. | | |
| americana, | purple berried bay. | Carolina. | 75 |
| fragrans, | fragrant, Chinese. | China. | 1 00 |
| europæa, | European. | S. of Europe. | 1 00 |
| v. <i>buxifolia</i> , | box leaved. | _____ | 1 00 |
| ORNITHOGALUM, | STAR OF BETHLEHEM. | | |
| pyramidale, | pyramidal, and other sp. | S. of Europe. | 37 |
| Arabicum, | Arabian. | Egypt. | 1 00 |
| OXALIS, | WOOD SORREL. | | |
| versicolor, | various coloured. | C. G. Hope. | 50 |
| purpurea, | purple flowered. | _____ | 50 |
| lutea, | yellow flowered. | _____ | 50 |
| rubella, | red trailing. | _____ | 75 |
| fiabellifolia, | fan leaved. | _____ | 1 00 |
| <i>flava.</i> | | | |
| OTHONNO, | RAG WORT. | | |
| frutescens, | shrubby. | C. G. Hope. | 75 |
| PÆONIA, | PÆONY. | | |
| moutan, | Banksii, purple tree. | China. | 5 00 |
| v. <i>rosea</i> , | rose coloured do. | _____ | 5 00 |
| v. <i>papaveracea</i> , | poppy flowered | _____ | |
| Whiteii, | { Whitley's white herbace- ous. | { _____ | 3 00 |
| Humcii, | crimson herbaceous. | _____ | 3 00 |
| fragrans, | sweet scented. | China. | |
| incarnata, | flesh coloured. | _____ | |
| albiflora, <i>simplex</i> , | white flowered. | Siberia. | 1 00 |
| tartarica, | Tartarian. | _____ | 1 00 |
| sabina, | Italian. | Italy. | 1 00 |
| humilis, | small. | Spain. | 1 00 |
| tenuifolia, | fine leaved. | Siberia. | 1 00 |
| PHORNIUM, | FLAX LILY. | | |
| tenar, | Iris leaved. | New Zealand. | 1 00 |
| PHYLICA, | PHYLICA. | | |
| plumosa, | feathered. | _____ | 1 00 |
| PANCRATIUM, | SEA DAFFODIL. | | |
| carolinianum, | Carolina. | Carolina. | 50 |
| mexicanum, | Mexican. | Mexico. | 1 00 |
| PASSIFLORA, | PASSION FLOWER. | | |
| cærulea, | blue flowered. | Brazil. | 1 00 |
| maculata, | spotted leaved. | N. America. | 75 |
| incarnata, | flesh coloured. | Virginia. | 1 00 |
| lutea, | yellow flowered. | Jamaica. | 1 00 |
| PAVONIA, | PAVONIA. | | |
| præmorsa, | wedge leaved. | C. G. Hope. | 1 00 |
| PHILLYREA, | PHILLYREA, | | |
| ilicifolia, | illex leaved. | S. of Europe. | 50 |
| v. <i>lucida</i> , | <i>shining leaved.</i> | _____ | 50 |
| olæfolia, | olive leaved. | _____ | 50 |
| pendula, | drooping. | _____ | 50 |
| rosmarinifolia, | rosemary leaved. | _____ | 50 |
| PHLOMIS, | SAGE TREE. | | |
| fruticosa, | Jerusalem sage. | Spain. | 75 |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------|-----------------------------------|---------------------|-----------------------------------|
| Iconurus, | lion's tail. | | 75 |
| PITTOSPORUM, | PITTOSPORUM. | | |
| tobira, | fragrant Chinese. | China. | 1 00 |
| undulatum, | waved leaved. | N. Holland, | |
| PIMELIA, | PIMELIA. | | |
| linifolia, | flax leaved. | _____ | |
| rosa, | rose coloured. | _____ | |
| PRIMULA, | PRIMROSE. | | |
| auricula, | auricula. | Switzerl'd. | 50 to 1 00 |
| sinensis, | new Chinese. | China. | |
| Polyanthus, | Polyanthus, many varieties. | | 25 to 50 |
| PINCKNEYA, | GEORGIA BARK TREE. | | |
| pubens, | pubescent. | Georgia. | 1 00 |
| POLYGALA, | MILK WORT. | | |
| bracteolata, | great flowering. | C. G. Hope. | 75 |
| PRINOS, | WINTER BERRY. | | |
| <i>sp?</i> | | | |
| PROTEA, | PROTEA. | | |
| argentea, | silver trec. | _____ | 2 00 |
| conifera, | cone bearing. | _____ | 1 00 |
| PSORALEA, | PSORALEA. | | |
| bracteata, | bracteated. | | 1 00 |
| PULTENEA, | PULTENEA. | | |
| stricta, | upright. | N. Holland. | |
| daphno ides, | daphne-like. | _____ | |
| PRUNUS, | CHERRY TREE. | | |
| caroliniana, | evergreen. | S. Carolina. | 75 |
| lauro-cerasus, | European laurel. | Levant. | 1 00 |
| lusitanica, | Portugal laurel. | S. of Europc. | 1 00 |
| PUNICA, | POMGRANATE. | | |
| granatum, | common. | _____ | 50 |
| <i>v. flore pleno,</i> | <i>double flowered.</i> | _____ | 1 00 |
| nana, | dwarf. | W. Indies. | 50 |
| alba, | white flowering. | S. of Europc. | 1 50 |
| <i>v. pleno,</i> | double white. | _____ | 2 00 |
| PYRUS, | APPLE PEAR. | | |
| japonica, | scarlet flowering. | E. Indies. | 1 00 |
| <i>v. alba,</i> | <i>white flowering.</i> | _____ | 1 00 |
| PELARGONIUM, | STORK'S BILL GERA- NIUM. | | |
| acerifolium, | maple leaved. | | |
| Formanii, | Formans. | C. G. Hope. | } <i>Good plants, each 50cts.</i> |
| corandifolium, | coriander leaved. | _____ | |
| citri odora, | lemon scented. | _____ | |
| curcullatum, | hollow leaved. | _____ | |
| deltoidcum, | delta leaved. | _____ | |
| inguinans, | mallow leaved, scarlet. | _____ | |
| odoratissimum, | sweet or apple scented. | _____ | |
| <i>v. erecta,</i> | <i>upright apple scented.</i> | _____ | |
| odora rosea, | rose scented. | _____ | |
| <i>v. fol. minor,</i> | <i>small leaved rose scented.</i> | _____ | |
| peltatum, | peltate leaved. | _____ | |
| quercifolium, | oak leaved. | _____ | |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|-----------------------------|-----------------------------------|---------------------|---|
| purpureum, | purple flowering. | C. G. Hope, | } 50 c s. |
| zonale, | horse shoe. | _____ | |
| <i>v. variegata,</i> | <i>silver striped horse shoe.</i> | _____ | |
| <i>v. tricolor,</i> | <i>tri-colour leaved do.</i> | _____ | |
| cordatum, | heart leaved. | _____ | |
| grandiflorum, | great flowered. | _____ | } These sorts have but lately been introduced into the country, and are very splendid. Good plants each 75 cts. |
| oblatum, | | | |
| ardens, | flame coloured. | | |
| Waterloo, | bloody. | | |
| mastinea, | | | |
| octable, | | | |
| grevillianum, | | | |
| bedfordia, | | | |
| leopold, | Leopold's. | | |
| rossonia, | Ross'. | | |
| commander in chief, | | | |
| solubile, | | | |
| seymourea, | Seymour's. | | |
| triumphans, | triumphant. | | |
| blucher, | | | |
| Daveyanum, | Davey's. | | |
| Macranthum, | | | |
| fulgidum, | fulgid. | | |
| triste, | | | |
| eclipse, | | | |
| speciosum, | | | |
| regalis, | royal George. | | |
| ardens, | bright or burnished, | | |
| ignescens, | flame coloured, | | |
| PODALYRA, | PODALYRA. | | |
| styracifolia, | styrax leaved. | | 1 00 |
| POLYANTHUS, | POLYANTHUS. | | |
| tuberosa, | tuberous. | E. Ind. per doz. | 1 00 |
| RHEXIA, | RHEXIA. | | |
| lanceolata, | white flowering. | | 1 00 |
| RHAMNUS, | BUCK THORN. | | |
| alaternus, | alaternus. | S. of Europe, | 1 00 |
| <i>v. foliis varieg.</i> | <i>silver striped leaved,</i> | _____ | 1 00 |
| <i>v. foliis maculatus,</i> | <i>blotched leaved,</i> | _____ | 1 00 |
| laciniatus fol. varieg. | <i>striped jagged leaved,</i> | _____ | 1 00 |
| RHODODENDRON, | ROSE BAY. | | |
| poncticum, fol. varieg. | <i>striped leaved purple,</i> | Gibraltar, | 2 00 |
| algarvens, | purple flowered, | | 2 00 |
| ferruginium, | rust leaved, | Switzerland, | 1 00 |
| catawbiense, | catawba, | Carolina, | |
| arborea fulgida, | fulgid, | E. Indies, | 5 00 |
| _____ alba, | white, | _____ | 5 00 |
| _____ purpurea, | purple, | _____ | 5 00 |
| | See hardy rhododendrons, | | |
| ROSA, | ROSE. | | |
| lucida, | evergreen or Cherokee, | Carolina, | 75 |
| multiflora, | many flow'd. Japan rose, | E. Indies, | 50 |

| <i>Linnæan Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---------------------------|---|---------------------|------|
| <i>indica,</i> | Chinese monthly, | East Indies. | 50 |
| <i>v. pallida,</i> | pale Chinese ever-flower- ing rose, | ————— | 75 |
| <i>v. semper florens,</i> | dark Chinese monthly, or Otaheti, | ————— | 50 |
| <i>v. sanguinea,</i> | splendid crimson monthly rose. | ————— | 75 |
| <i>v. minor,</i> | dwarf cluster flowering, scarlet with white centre | ————— | 75 |
| <i>v. ———</i> | monthly flowering— raised from seed by D. & C. L. | ————— | 75 |
| <i>odorata,</i> | sweet scented, or tea rose. | ————— | 2 00 |
| <i>bracteata,</i> | Lord Macartney's, | ————— | 1 00 |
| <i>Banksia,</i> | Lady Banks', | China, | 2 00 |
| <i>Boursaltii,</i> | Boursalt's, | | |
| <i>Champneii,</i> | Champney's double pink cluster, flowering through- out the summer (hardy.) | Carolina, | 75 |
| Noisetti | Noisett's double bluish clus- ter, flowering through- out the summer (hardy.) | ————— | 75 |
| | <i>See hardy roses,</i> | | |
| ROSMARINUS, | ROSEMARY. | | |
| <i>officinalis,</i> | common, | S. of Europe, | 50 |
| RUBUS, | BRAMBLE. | | |
| <i>rosafolia,</i> | double flowering rose- leaved, very beautiful, | E. Indies, | 75 |
| SALVIA, | SAGE. | | |
| <i>angustifolia,</i> | narrow leaved, blue flow- ering, | N. America, | 75 |
| <i>coccinea,</i> | scarlet flowering, | Florida, | 75 |
| <i>formosa,</i> | shining leaved, | Peru, | 75 |
| <i>splendens,</i> | splendid flowering sage, magnificent, | S. America, | 1 00 |
| SAPINDUS, | SOAP BERRY. | | |
| <i>saponaria,</i> | common, | W. Indies, | 50 |
| SARRACENIA, | SIDE SADDLE FLOWER. | | |
| <i>flava,</i> | yellow, | Carolina, | 50 |
| <i>vario,</i> | spotted, | ————— | 75 |
| SCHOTIA, | SCHOTIA. | | |
| <i>speciosa,</i> | narrow leaved, | C. G. Hope, | 1 00 |
| SAXIFRAGA, | SAXIFRAGE. | | |
| <i>sarmentosa,</i> | creeping or strawberry, | China, | 50 |
| <i>granulata,</i> | grain rooted, | Britain, | 50 |
| SEMPERVIRUM, | HOUSELEEK. | | |
| <i>arboresum,</i> | tree, | Levant, | 75 |
| SEDUM, | STONE CROP. | | |
| <i>coccinea,</i> | scarlet flowering, | | 50 |
| SMILAX, | SMILAX. | | |
| <i>lanceolata,</i> | lance or spear leaved, | N. America, | 50 |
| <i>laurifolia,</i> | laurel leaved, | ————— | 50 |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---------------------------------------|---|---------------------|-------|
| pubera, SOLANUM, | downy, NIGHT SHADE. | N. America. | 50 |
| pseudo eapsicum, SPARMANNIA, | Jerus'm or winter cherry, SPARMANNIA. | Madeira, | 50 |
| afrieana, SPARTIUM, | maple leaved, BROOM. | Africa, | 1 00 |
| junceum, multiflorum, | Spanish, white Portugal, | S. of Europe, | 1 00 |
| SOPHORA, | SOPHORA. | _____ | 1 00 |
| capensis, tetraptera, | cape, winged seeded, | C. G. Hope, | 2 00 |
| STAPELIA, | STAPELIA. | _____ | 1 00 |
| variegata, STRELITZEA, | variegated, &c. STRELIT'ZEA, | _____ | 75 |
| regina, ovata. | queen's. | _____ | 10 00 |
| | <i>The flowers of this are extremely splendid, and as singular as they are showy.</i> | | |
| SCILLA, | SQUILL. | | |
| peruviana, STILLINGIA, | starry, STILLINGIA. | Spain, | 50 |
| sebifera, TEUCRIUM, | tallow tree. TREE GERMANDER. | E. Indies, | 1 00 |
| fruticans, THEA, | shrubby, TEA TREE. | Spain, | 75 |
| bohea, viridis, imperialis, | bohea tea, green tea, imperial, | China, | 3 00 |
| TAXUS, | YEW. | _____ | 3 00 |
| chinensis, TUSSILAGO, | Chinese, COLT'S FOOT. | _____ | 5 00 |
| fragrans, VACCINIUM, | fragrant, WHORTLE BERRY. | Naples, | 50 |
| arboresum, myrsinites, VERBENA, | tree, myrtle leaved, VERVAIN. | N. America, | 50 |
| triphylla, | lemon scented, lemon geranium, | _____ | 50 |
| VIBURNUM, | VIBURNUM. | | 75 |
| tinus, v. lucida, | laurustinus, shining leaved laurustinus, | S. of Europe, | 50 |
| v. fol. variegata, | striped or blotched leaved laurustinus, | Spain, | 50 |
| VINCA, | PERIWINKLE. | | 1 00 |
| rosea, alba, | rose coloured, white flowered, | Madagascar, | 50 |
| VIOLA, | VIOLET. | | 50 |
| odorata, VOLKAMERIA, | sweet scented, double, VOLKAMERIA. | Britain. | 50 |
| japonica, WESTRINGIA, | double flowering, WESTRINGIA. | Japan, | 75 |
| rosmarinacea, | rosemary leaved, | N. Holland. | 1 00 |

| <i>Linnean Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---------------------------|--|---------------------|------|
| XERANTHIMUM, fulgidum, | XERANTHIMUM. shining, | S. of Europe, | 1 00 |
| YUCCA, alœfolia, | ADAM'S NEEDLE. aloe leaved, | Jamaica, | 1 00 |
| gloriosa, | broad leaved, | N. America. | 1 00 |
| filamentosa, | thready, | _____ | 1 00 |
| angustifolia, | narrow leaved, <i>true an-</i> <i>gustifolia,</i> | Missouri. | |



HARDY TREES AND SHRUBS.

| | | | |
|-----------------|---|-------------|------|
| ACER, | MAPLE TREE. | | |
| dasycarpum, | silver leaved, | N. America, | 50 |
| montanum, | shrubby or mountain, | _____ | 50 |
| pennsylvanicum, | striped bark, | _____ | 50 |
| negundo, | ash leaved, | _____ | 50 |
| rubrum, | red or scarlet, | _____ | 50 |
| saccharinum, | sugar, | _____ | 50 |
| ÆSCULUS, | HORSE CHESNUT. | | |
| hippocastanum, | common, | N. of Asia, | 50 |
| flava, | yellow flowering, | N. America. | 50 |
| macrostachya, | long spiked white flow- ering, | _____ | 50 |
| pavia, | scarlet flowering, and some new species, | _____ | 50 |
| AMORPHA, | BASTARD INDIGO. | | |
| fruticosa, | shrubby, | | 37 |
| AMPELOPSIS, | FALSE GRAPE. | | |
| bipinnata, | pennated leaved pepper vine. | _____ | 50 |
| hirsuta, | hairy five leaved, | Florida, | 25 |
| cordata, | heart leaved, | | 25 |
| quinquefolia, | Virginia five leaved ivy, | Virginia, | 25 |
| AMYGDALUS, | ALMOND. | | |
| nana, | dwarf, | Tartary, | 50 |
| pumila, | double flowering, | Barbary, | 50 |
| Persica, | peach almond, | Persia, | 50 |
| ANDROMEDA, | ANDROMEDA. | | |
| acuminata, | evergreen acuminated. | N. America, | 50 |
| arborea, | sorrel tree or sour wood, | _____ | 1 00 |
| calyculata, | box leaved, | _____ | 50 |
| floribunda, | profuse flowering, | _____ | 50 |
| frondosa, | leafy spiked, | _____ | 50 |
| mariana, | oval leaved, | _____ | 50 |
| v. coriacea, | leathery oval leaved, | _____ | 50 |
| paniculata, | panicked, | _____ | 50 |
| pulverulenta, | powdered, | _____ | 50 |
| rosmarinifolia, | rosemary leaved, | _____ | 50 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--|---|--------------------------|-----------------|
| speciosa, axillaris, ANNONA, | large flowered, axil flowered, CUSTARD APPLE PA- PAW. | N. America, | 50 50 |
| <i>Porcelia,</i> triloba, glabra, parviflora, ARALIA, | common, smooth stemmed, small flowered, PRICKLY ASH, ANGE- LICA TREE. | _____ | 50 50 50 |
| hispidia, spinosa, ARISTOLOCHIA, | bristly, prickly, BIRTH WORT DUTCH- PIPE. | _____ | 37½ 37½ |
| sipho, tomentose, ARTEMESIA, absynthium, AZALEA, | large leaved, <i>extremely</i> <i>singular,</i> downy, WORM WOOD. common, AMERICAN OR WOOD HONEYSUCKLE. | _____ | 50 50 |
| calendulacea, <i>v. crocea,</i> nudiflora, viscosa, <i>v. glauca,</i> pontica, | flame coloured. } <i>splen-</i> <i>yellow or orange.</i> } <i>did.</i> | N. America, | 1 00 50 |
| | common, <i>many varieties.</i> | _____ | 50 |
| | viscous, sweet scented. | _____ | 50 |
| | viscous, <i>glaucus leaved,</i> orange coloured, <i>splen-</i> <i>did flowering,</i> | _____ | 50 |
| AUCUBA, Japonica, | GOLD TREE. Japanese gold tree. | Levant, | 1 00 |
| BACCHARIS, halimifolio, | GROUNDSEL TREE, groundsel, | Japan, | 75 |
| BERBERIS, canadensis, nervosa, | BARBERRY. Canadian, nerved. | Virginia. | 50 |
| BETULA, papyracea, populifolia, nana, | BIRCH TREE. canoe birch, poplar leaved, dwarf birch, | N. America, | 25 50 |
| BIGNONIA, catalpa, radicans, crucigera, grandiflora, | TRUMPET FLOWER. catalpa tree, ash leaved climbing, two leaved, great flowered, | _____ | 50 50 75 |
| BRUNNICHIA, cirrhosa, | BRUNNICHIA. tendrill bearing, | Carolina. | 1 00 |
| BUXUS, sempervirens, <i>suf-</i> <i>fruticose,</i> arborescens, <i>v. aureo-variegata,</i> | BOX TREE. common, <i>for edging walks.</i> | China. | 50 |
| | tree, | Bahama Islands, | 50 |
| | gold striped, | Britain, <i>per yard</i> | 12½ 25 25 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------------|----------------------------------|---------------------|---------|
| BROUSSONETIA, papirifera, | BROUSSONETIA. paper mulberry, | Japan, | 50 |
| CALYCANTHUS, | SWEET SCENTED SHRUB. | | |
| floridus, | purple flowering, | N. America, | 37½ |
| glaucus, | glaucus leaved, | ————— | 37½ |
| oblongifolius, | oblong leaved, | ————— | 37½ |
| præcox, | early flowering, | China, | 1 00 |
| pennsylvanicus, | Pennsylvanian, | N. America, | 37½ |
| CARPINUS, | HORNBEAM. | | |
| americanus, | iron wood, | ————— | 25 |
| CASTANEA, | CHESNUT TREE. | | |
| americana, | common, | ————— | 25 |
| pumila, | chinquapin, | ————— | 50 |
| vesca, | Spanish, | Europe, . | 50 |
| CEANOTHUS, | CEANOTHUS. | | |
| americanus, | New Jersey tea, | N. America, | 25 |
| erythrorhiza, | red wood. | Georgia, | 25 |
| <i>C. sanguineus,</i> | | | |
| CELASTRUS, | STAFF TREE. | | |
| scandens, | climbing, | N. America, | 25 |
| CELTIS, | NETTLE TREE. | | |
| occidentalis, | common, | ————— | 25 |
| CEPHALANTHUS, | BUTTONWOOD SHRUB. | | |
| occidentalis, | American, | ————— | 25 |
| CERCIS, | JUDAS TREE OR RED- BUD. | | |
| canadensis, | American, | ————— | 25 |
| siliquastrum, | European, | S. of Europe. | 37½ |
| CHIONANTHUS, | FRINGE TREE. | | |
| virginica, | common, <i>beautiful,</i> | N. America, | 50 |
| CLEMATIS, | VIRGIN'S BOWER. | | |
| crispa, | curled, | ————— | 25 |
| virginiana, | Virginian, | ————— | 25 |
| CLETHRA, | CLETHRA. | | |
| acuminata, | acuminated, | ————— | 25 |
| alnifolia, | alder leaved, | ————— | 25 |
| scabra, | rough leaved, | ————— | 25 |
| paniculata, | panicled, | ————— | 25 |
| COLUTEA, | BLADDER SENNA, | | |
| arborescens, | common, | S. of Europe. | 25 |
| CORNUS, | DOGWOOD. | | |
| alba, | white berried, | N. America. | |
| alternifolia, | alternate leaved, | ————— | |
| circinata, | round leaved, spotted | | |
| | hairy, | ————— | |
| florida, | great flowered, | ————— | |
| paniculata, | panicled, | ————— | |
| sanguinea, | bloody or red twigged, | ————— | |
| sericea, | blue berried, | ————— | |
| stricta, | upright growing, | ————— | |
| asperifolia, | rough leaved, | ————— | each 25 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---|--|--|----------------------|
| CORONILLA, emerus, | CORONILLA. scorpion senna, | Europe. | 25 |
| CORYLUS, americana, avellana, | HAZELNUT or FILBERT. American, English filbert, | ————— Britain, | 25 37½ |
| COMPTONIA, asprenifolia, | COMPTONIA, sweet fern, | N. America, | 25 |
| CRATÆGUS, coccinea, cordata, | HAWTHORN. scarlet fruited, maple leaved, Washing- ton or Virginia thorn, suitable for hedging. | ————— —————per M. 5 00 | 25 |
| crus-galli, | cockspur, or New Castle thorn, for hedging, | —————per M. 5 00 | |
| oxycantha, v. <i>flore pleno</i> , spathulata, | European, for hedging, double flowering, spathula leaved, and se- veral other species, | Britain, per M. 5 00 ————— N. America, | 50 25 |
| CUPRESSUS, disticha, thuyoides, | CYPRESS TREE. deciduous or ball, white cedar, | ————— ————— | 50 25 |
| CYDONIA, communis, | QUINCE, common, for preserving, | Austria, | 37½ |
| CYTISUS, laburnum, | CYTISUS. laburnum trec, | Switzerland, | 25 |
| DAPHNE, mezerium, pontica, | DAPHNE. red flowering mezerium, two flowered night smell- ing, | Britain, Pontus, | 25 75 |
| DIRCA, palustris, | LEATHERWOOD. moose wood, | N. America. | 25 |
| DIOSPHYRUS, virginiana, | DATE PLUM. persimon, | ————— | 25 |
| EPIGÆA, repens, | EPIGÆA. trailing arbutus, or pi- geon berry, | ————— | 25 |
| EUONYMUS, americanus, europæus, atropurpureus, angustifolius, | SPINDLE TREE, BURN- ING BUSH. evergreen, European, dark purple, narrow leaved, | ————— Britain, N. America, ————— | 25 25 25 50 |
| FAGUS, ferruginea, sylvatica. | BEECH TREE, rusty leaved, European, | ————— Britain, | 25 37½ |
| FICUS, carica, | FIG TREE. common, several kinds, | S. of Europe, | 50 |
| FOTHERGILLA, alnifolia, | FOTHERGILLA. alder leaved, | N. America, | 25 |
| FRAXINUS, americana, | ASH. white, | ————— | 25 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--------------------------------------|--|---------------------|------|
| pubescens, | black. | N. America, | 25 |
| juglandifolia, | walnut leaved, | _____ | 25 |
| excelsior, | weeping, drooping. | Britain, | 50 |
| GENISTA, | BROOM. | _____ | |
| germanica, | prickly. | Germany, | 25 |
| GLEDITSCHIA, | GLEDITSCHIA. | _____ | |
| tricanthos, | three thorned acacia, or | N. America, | 25 |
| monosperma, | honey locust. | _____ | 25 |
| nonida, | single seeded. | _____ | 25 |
| GORDONIA, | long spined. | _____ | |
| pubescens, | FRANKLINIA. | _____ | 1 00 |
| | downy. | _____ | |
| | <i>This is a most beautiful flowering tree, and should have a situation in every garden.</i> | | |
| GYMNOCLADUS, | GYMNOCLADUS. | _____ | 50 |
| canadensis, | Kentucky coffee. | _____ | |
| HALESIA, | SNOW DROP TREE. | _____ | |
| diptera, | two winged, } <i>These are N. America:</i> | _____ | 1 00 |
| tetraptera, | four winged, } <i>beautiful.</i> | _____ | 50 |
| HAMAMELIS, | WITCH HAZEL. | _____ | |
| virginica, | common, <i>flow'ng in winter</i> | _____ | 25 |
| HEDERA, | IVY. | _____ | |
| helix, | common. | Britain, | 25 |
| HIBISCUS, | ALTHEA. | _____ | |
| syriacus, | althea frutex. | Syria, | 25 |
| <i>v. flore pleno,</i> | <i>double purple.</i> | _____ | 37 |
| <i>v. flore pleno alba,</i> | <i>double white.</i> | _____ | 50 |
| <i>v. albus et rubro,</i> | <i>red and white.</i> | _____ | 37 |
| <i>v. albus et rub. pleno,</i> | <i>double red and white.</i> | _____ | 37 |
| <i>v. foliis argenteo variegata,</i> | <i>silver striped leaved.</i> | _____ | 50 |
| HYDRANGEA, | HYDRANGEA. | _____ | |
| arborescens, | tree. | Virginia, | 25 |
| radiata, | raycd. | Carolina, | 25 |
| quercifolia, | oak leaved. | Florida, | 25 |
| rugosa, | rugose. | _____ | 25 |
| hortensis, | red and blue. <i>changeable</i> | China, | 50 |
| HUDSONIA, | HUDSONIA. | _____ | |
| ericoides, | heath leaved. | N. America, | 25 |
| HYPERICUM, | ST. JOHN'S WORT. | _____ | |
| nudiflorum, | naked flowering. | _____ | 25 |
| prolificum, | prolific. | _____ | 25 |
| frondosum, | large flowering. | _____ | 37 |
| macrocarpum, | large capsuled. | _____ | 25 |
| kalmianum, | kalmia leaved. | _____ | 37 |
| JASMINUM, | JASMINE. | _____ | |
| fruticans, | yellow. | S. of Europe, | 25 |
| officinale, | common white. | China, | 25 |
| JUGLANS, | WALNUT TREE. | _____ | |
| cinerea, | butternut. | N. America. | 25 |
| nigra, | black walnut. | _____ | 25 |
| oliviformis, | peccan nut. | _____ | 50 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--|---|--|--|
| obcordata, regia, | obcordated. European walnut, or Ma- deira nut. | Persia, | 25 50 to 1 00 |
| JUNIPERUS, suecica, virginiana, | JUNIPER. Swedish. Virginian red cedar. | N. of Europe. N. America. | 50 25 |
| ILEX, *echinatum, opaca, *aquifolium, *v. aur. maculata, *v. arg. variegata, *v. aur. variegata. | HOLLY. hedgohog holly. common. <i>common European.</i> <i>gold blotched.</i> <i>silver striped.</i> <i>gold striped.</i> | N. America, Britain, ————— ————— ————— | 1 00 25 50 1 00 1 00 1 00 |
| *Those marked require a slight protection in the winter season. | | | |
| ITEA, virginica, cyrilla, | ITEA. Virginian. clustered. | N. America. N. America, | 25 25 |
| KALMIA, angustifolia, glauca, latifolia, | LAUREL, narrow leaved. glaucous. broad leaved. | ————— ————— ————— | 25 25 25 |
| LAVENDULA, spica, | LAVENDER. common. | S. of Europe, | 25 |
| LAURUS, benzoin, sassafras, | BAY TREE. Benjamin tree. sassafras. | N. America. ————— | 25 25 |
| LEDUM, buxifolium, | LEDUM. box leaved. | Carolina, | 25 |
| LIGUSTRUM, vulgare, | PRIVET. common. | Britain, | 25 |
| LIQUIDAMBER, styraciflua, | SWEET GUM. maple leaved. | N. America, | 25 |
| LIREODENDRON, tulipifera, | TULIP TREE. white wood, white or yellow poplar. | ————— | 25 to 50 |
| LONICERA, diervilla, dioica, grata, caprifolium, v. fraseri, | HONEYSUCKLE. yellow. glaucus. evergreen scarlet. monthly or trumpet. splendid yellow flower- ing, trumpet shaped, monthly. | ————— ————— ————— ————— ————— Carolina, | 25 25 25 25 1 00 |
| tartarica, symphoricarpos, xylostemum, | Tartarian upright, <i>beaut'l.</i> St. Peter's wort. fly honeysuckle. | Russia, ————— Britain, | 37 25 25 |
| LYCIUM, barbarum, | BOX THORN. willow leaved. | Asia, | 25 |
| MACLURA, aurantiaca, | BOW-WOOD. Osage apple. | Arkansa, | 1 00 |

*A splendid forest tree, the leaves of a beautiful shining green,
and the fruit of a most singular appearance.*

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------|---|---------------------|------------|
| MAGNOLIA, | MAGNOLIA. | | |
| acuminata, | cucumber tree. | N. America, | 50 |
| auriculata, | ear leaved. | ————— | 1 50 |
| glauca, | swamp or sweet scented. | ————— | 50 |
| <i>v. glaucoides,</i> | large upright growing. | ————— | 50 |
| glandiflora, | large flowered. | ————— | 1 00 |
| macrophylla, | long leaved, large fl'g. | ————— | 1 00 |
| tripetala, | umbrella tree. | ————— | 50 |
| cordata, | heart shaped leaved, yellow, flowers twice in the season. | ————— | 3 00 |
| conspicua, | chandalier, magnificent. | China, | 3 00 |
| obtusifolia, | obtuse leaved. | N. America, | 3 00 |
| | <i>See other magnolias, page 14.</i> | | |
| MENISPERMUM, | MOONSEED. | | |
| canadense, | Canadian. | ————— | 25 |
| MESPILUS, | MEDLAR. | | |
| germanica, | common. | Britain, | 25 |
| | <i>and some American sp.</i> | | |
| MENZIESIA, | MENZIESIA. | | |
| globosa, | globular flowered. | N. America, | 50 |
| MITCHELLA, | MITCHELLA. | | |
| repens, | creeping. | N. America. | 25 |
| MORUS, | MULBERRY. | | |
| alba, | white. | China, | 25 |
| rubra, | red. | N. America, | 25 |
| nigra, | black. | Italy, | 25 |
| MYRICA, | CANDLEBERRY MYRTLE. | | |
| cerifera, | common. | N. America, | 25 |
| NYSSA, | TUPELO TREE. | | |
| villosa, | sour gum. | ————— | 25 |
| denticulata, | dented. | ————— | 25 |
| capitata, | round headed. | ————— | 25 |
| OSTYREA, | HOP THORN BEAM. | | |
| virginica, | Virginian. | ————— | 25 |
| PERIPLOCA, | PERIPLOCA. | | |
| græca, | common or silk vine. | Syria, | 25 |
| PHILADELPHUS, | SYRINGA OR MOCK-ORANGE. | | |
| coronarius, | common. | S. of Europe, | 25 |
| inodorus, | scentless. | Carolina, | 37½ |
| grandiflora, | large flowered. | ————— | 50 |
| nanus, | dwarf. | S. of Europe, | 25 |
| PINUS, | PINE OR FIR TREE. | | |
| strobus, | white or weymouth. | N. America, | 50 to 1 00 |
| balsamea, | balm of Gilead. | ————— | 75 to 1 00 |
| canadensis, | hemlock spruce, | ————— | 50 |
| nigra, | black spruce. | ————— | 50 |
| alba, | white spruce. | ————— | 50 |
| cedrus, | cedar of Lebanon. | M. Libanus, | 1 00 |
| inops, | Jersey pine. | N. America, | 25 |
| larix, | European larch. | Alps of Europe, | 50 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------|---|---------------------|----------|
| pendula, | black larch. | N. America, | 50 |
| sylvestris, | Scotch fir. | Britain, | 50 |
| abies, | Norway spruce. | N. of Europe, | 50 |
| PINCKNEYA, | GEORGIA BARK TREE. | | |
| pubens, | downy, very singular and beautiful. | Georgia, | 1 00 |
| PLATANUS, | PLANE TREE OR BUT-TON WOOD. | | |
| orientalis, | oriental. | Levant, | 50 |
| occidentalis, | American sycamore. | N. America, | 25 to 50 |
| POPULUS, | POPLAR TREE. | | |
| angulata, | angular or cotton tree. | ————— | 25 |
| balsamifera, | Tacamahac. | ————— | 25 |
| candicans, | heart leaved (Athenian.) | ————— | 25 |
| dilitata, | Lombardy. | Italy, | 25 |
| heterophylla, | various leaved. | N. America, | 25 |
| nigra, | black. | Britain, | 25 |
| tremula, | trembling aspen. | | 50 |
| POTENTILLA, | CINQUEFOIL. | | |
| fruticosa, | shrubby. | Britain, | 50 |
| PRINOS, | WINTER BERRY. | | |
| glaber, | evergreen. | Canada, | 25 |
| verticellatus, | verticellate, and other species. | Virginia, | 25 |
| PRUNUS, | CHERRY TREE. | | |
| nigra, | black. | N. America, | |
| pennsylvanica, | upright. | ————— | |
| serotina, | American bird cherry. | ————— | |
| spinosa. | sloe. | ————— | |
| | <i>See cherries in the catalogue of fruits.</i> | | |
| PTELEA. | SHRUBBY TREFOIL. | | |
| trifoliata, | three leaved. | Virginia, | 25 |
| PYRUS, | PEAR OR APPLE. | | |
| baccata, | Siberian crab apple. | Siberia. | 25 |
| coronaria, | common sweet scented crab. | N. America, | 25 |
| japonica, | japanese, scarlet flow'ng, very showy. | E. Indies, | 1 00 |
| | <i>See catalogue of fruits.</i> | | |
| QUERCUS, | OAK TREE. | | |
| robur, | English oak. | Britain, | 50 |
| phillos, | willow leaved. | N. America, | |
| virens, | live oak. | ————— | 50 |
| imbricaria, | tile cupped, or laurel oak. | ————— | |
| nigra, | black. | ————— | |
| falcata, | Spanish. | ————— | 25 to 50 |
| palustris, | swamp. | ————— | |
| alba, | white. | ————— | |
| tinctoria, | quercitron, or dyer's. | ————— | |
| coccinea, | scarlet, | ————— | |
| | and many other sp. | | |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------------|--|---------------------|------|
| RHAMNUS, | BUCK THORN. | | |
| <i>lanceolatus,</i> | <i>lanceolate.</i> | N. America, | 25 |
| <i>catharticus,</i> | <i>purgative buck thorn.</i> | Britain, | 50 |
| RHODODENDRON, | ROSE BAY. | | |
| <i>maximum,</i> | <i>mountain laurel, beautiful.</i> | ----- | 50 |
| <i>punctatum,</i> | <i>spotted, red flowering.</i> | ----- | 1 00 |
| | <i>See other Rhododendrons, page 18.</i> | | |
| RHUS, | SUMACH. | | |
| <i>cotinus,</i> | <i>mist tree, or Venetian</i> | | |
| | <i>sumach, singular.</i> | S. of Europe, | 50 |
| <i>glabrum,</i> | <i>common.</i> | N. America, | 25 |
| <i>elegans,</i> | <i>Carolina.</i> | ----- | 25 |
| <i>radicans,</i> | <i>poison vine.</i> | ----- | |
| <i>typhinum,</i> | <i>stag's horn.</i> | ----- | 50 |
| <i>vernix,</i> | <i>varnish tree.</i> | ----- | 25 |
| <i>pumilum,</i> | <i>dwarf.</i> | ----- | 25 |
| RIBES, | CURRANT. | | |
| <i>cynosbati,</i> | <i>prickly.</i> | Canada, | 25 |
| <i>gracilis,</i> | <i>slender.</i> | N. America, | 25 |
| <i>floridum,</i> | <i>black.</i> | ----- | 25 |
| <i>aureum,</i> | <i>Lewis's fragrant currant.</i> | ----- | 50 |
| <i>rubrum,</i> | <i>red.</i> | Britain. | 25 |
| <i>v. alba,</i> | <i>white. See fruits.</i> | ----- | 25 |
| ROBINA, | LOCUST TREE. | | |
| <i>hispidia,</i> | <i>rose acacia, very beauti-</i> | | |
| | <i>ful and showy.</i> | Carolina, | 37½ |
| <i>pseudo-acacia,</i> | <i>black locust.</i> | N. America. | 25 |
| <i>viscosa,</i> | <i>clammy.</i> | ----- | 25 |
| ROSA, | ROSE. | | |
| <i>alba,</i> | <i>single white.</i> | Germany, | 25 |
| <i>v. flore pleno,</i> | <i>double white.</i> | ----- | 37½ |
| <i>belgica incarnata,</i> | <i>blush flowered.</i> | Belgic, | 50 |
| <i>burgundiacea,</i> | <i>Burgundy.</i> | Europe, | 37½ |
| <i>centifolia incarnata,</i> | <i>blush hundred leaf.</i> | ----- | 50 |
| <i>v.</i> | <i>Singleton's hundred leaf.</i> | ----- | 37½ |
| <i>v.</i> | <i>Bishop's do. do.</i> | ----- | 37½ |
| <i>v.</i> | <i>Stepney's do. do.</i> | ----- | 37½ |
| <i>v.</i> | <i>garnet do. do.</i> | ----- | 37½ |
| <i>cinnamoma,</i> | <i>single cinnamon.</i> | ----- | 25 |
| <i>v. flore pleno,</i> | <i>double do.</i> | ----- | 37½ |
| <i>damascena,</i> | <i>damask.</i> | ----- | 50 |
| <i>eglanteria,</i> | <i>sweet briar.</i> | ----- | 25 |
| <i>gallica,</i> | <i>rosa mundi.</i> | ----- | 50 |
| | <i>double velvet.</i> | ----- | 50 |
| | <i>black velvet.</i> | ----- | 50 |
| <i>incarnata,</i> | <i>maiden's blush.</i> | ----- | 50 |
| | <i>superb blush.</i> | ----- | 50 |
| <i>lutea,</i> | <i>single yellow.</i> | ----- | 1 00 |
| <i>v. flore pleno,</i> | <i>double yellow.</i> | ----- | 1 50 |
| <i>v. bicolour,</i> | <i>red and yellow Austrian,</i> | | |
| | <i>red ab. yellow below.</i> | | 1 50 |
| <i>marmorea,</i> | <i>marbled</i> | | 50 |
| | <i>red hardy monthly.</i> | | 1 00 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---------------------------|--|---------------------|----------|
| | white hardy monthly. | | 1 00 |
| moschata, | double white musk, or cluster rose, <i>flowering till winter,</i> | | 75 |
| <i>v. champneii,</i> | <i>double pink cluster.</i> | Carolina, | 1 00 |
| <i>noisetii,</i> | <i>double blush cluster.</i> | ————— | 1 00 |
| pennsylvanica, <i>pl.</i> | <i>double Pennsylvanian.</i> | Pennsylv. | 25 |
| pimpinellifolia, | burnet leaved. | ————— | 25 |
| <i>v. flore pleno,</i> | <i>double burnet leaved.</i> | ————— | 50 |
| provincialis, | Province rose. | | 50 |
| <i>v. capitata,</i> | <i>cabbage Province.</i> | | 1 00 |
| <i>v. prolifera,</i> | <i>Childing's Province.</i> | | 50 |
| <i>v. muscosa,</i> | <i>moss Province.</i> | | 1 50 |
| <i>v. unique,</i> | <i>unique Province, beautiful.</i> | | 1 50 |
| regia, | great royal. | | 50 |
| sempervirens, | evergreen, lucida, or Cherokee rose. | Carolina, | 75 |
| | royal virgin rose. | | 50 |
| | red rose. | | 25 |
| | Portugal. | | 25 |
| | Portland. | | 25 |
| | Pompadore. | | 25 |
| | rose of Sharon. | | 25 |
| | pompon. | | 50 |
| | York & Lancaster, white. and red. | | 50 |
| multiflora, | many flowered, garland rose, | China, | 50 |
| RUBUS, | BRAMBLE, RASPBERRY. | | |
| hispidus, | hispid. | Canada, | |
| fruticosus, | blackberry. | N. America, | |
| occidentalis, | raspberry. | ————— | 12½ |
| prostratus, | dewberry. | ————— | |
| coccineus, | scarlet or purple. | ————— | |
| | <i>See fruits.</i> | | |
| RUTA, | RUE. | | |
| graveolens, | common. | S. of Europe, | 25 |
| SALISBURIA, | MAIDENHAIR TREE. | | |
| adiantifolia, | Japanese. | Japan, | 1 00 |
| SALIX, | WILLOW. | | |
| babylonica, | weeping. | Levant, | 25 |
| caprea variegata, | <i>variegated</i> willow. | Britain, | 50 |
| vitallina, | yellow, and several other species. | ————— | 25 to 50 |
| SAMBUCUS, | ELDER TREE. | | |
| nigra, | common. | N. America. | |
| pubescens, | downy. | ————— | 25 |
| <i>sp?</i> | <i>with scarlet berries.</i> | ————— | 50 |
| SCHISANDRA, | SCHISANDRA. | | |
| coccinea, | scarlet fruited. | Carolina, | 50 |
| SMILAX, | SMILAX. | | |
| quadrangularis, | square stalked, and other species. | N. America, | 25 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---|--|---|----------------------------------|
| SOLANUM, dulcamaria, | NIGHT SHADE. bitter sweet. | Britain, | 25 |
| SORBUS, canadensis, | SERVICE TREE. mountain ash. | N. America, | 25 |
| SPARTIUM, scoparium, | BROOM. Scotch, <i>very showy.</i> | Britain, | 25 |
| SPIRÆA, montana, opulifolia, tomentosa, | SPIRÆA. mountain. nine-bark. downy leaved red flow- ering. | N. America, ————— ————— | 25 25 25 |
| STAPHYLEA, pinnata, trifolia, | BLADDER NUT. pinnated. three leaved. | Britain, N. America, | 25 25 |
| STEWARTIA, malacodendron, marilandica, | STEWARTIA. Virginia. } <i>very showy.</i> Maryland. } | ————— ————— | 50 50 |
| STILLINGIA, sebifera, | STILLINGIA. tallow tree. | China, | 50 |
| STYRAX, grandifolium, lævigatum, <i>S. glabrum.</i> | STYRAX. large leaved. smooth leaved. | S. Carolina. ————— | 50 25 |
| pulverulentum, SYMPHORA, recemosa, | powdered. SYMPHORA, snowberry. | N. America, ————— | 25 50 |
| <i>Remarkable for the extreme whiteness of its berries.</i> | | | |
| SYRINGA, vulgaris, <i>v. alba,</i> persica, <i>v. lasciniata,</i> <i>v. alba,</i> sibirica, | LILAC. blue or purple. <i>white flowering.</i> Persian. <i>cut leaved Persian,</i> <i>white Persian.</i> Siberian. | Persia, ————— ————— ————— ————— Siberia. | 25 50 50 50 50 50 |
| TAXUS baccata, procumbens, | YEW TREE. European. procumbent. | Europe, America, | 25 25 |
| TIUUYA, occidentalis, orientalis, | ARBOR VITÆ. American. Chinese. | N. America, China, | 50 50 |
| <i>Beautiful plants, suitable for ornamental hedges, at \$12 50 per 100.</i> | | | |
| TILIA, europea, parviflora, americana, pubescens, alba, | LIME OR LINDEN TREE. common. red twigged. broad leaved. pubescent. white. | Britain, ————— N. America, ————— ————— | 50 50 50 50 50 |
| ULMUS, americana, pumila. | ELM. American. dwarf. | ————— Siberia, | 50 50 |
| VACCINIUM, buxifolium, corymbosum, | WHORTLEBERRY. box leaved. corymbose. | N. America, ————— | 25 25 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------|--|---------------------|----|
| fuscatum, | brown. | N. America, | 25 |
| diffusum, | diffuse. | _____ | 25 |
| frondosum, | obtuse leaved. | _____ | 25 |
| glaucum, | glaucous. | _____ | 25 |
| hispidulum, | thyme leaved. | _____ | 25 |
| tenellum, | large fruited. | _____ | 25 |
| resinosum, | red fruited, and several other species. | _____ | 25 |
| VIBURNUM, | VIBURNUM. | | |
| acerifolium, | maple leaved. | _____ | 25 |
| cassinoides, | South Sea tea. | _____ | 25 |
| dentatum. | dentated leaved. | _____ | 25 |
| lentago, | black haw. | _____ | 25 |
| nedum, | oval leaved. | _____ | 25 |
| opulus, | Guelder rose. | Britain, | 25 |
| v. roseum, | snow-ball, and several other species. | _____ | 25 |
| VITIS, | VINE OR GRAPE. | | |
| labrusca, | fox grape. | N. America, | |
| | <i>See catalogue of fruits.</i> | | |
| VIRGELIA, | VIRGELIA. | | |
| lutea, | yellow flowering. | _____ | 50 |
| ZANTHORHIZA, | YELLOW ROOT. | | |
| apiifolia, | parsley leaved. | _____ | 25 |
| ZANTHOXYLUM, | TOOTHACHE TREE. | | |
| ramiflora, | common. | _____ | 25 |

HARDY HERBACEOUS PLANTS.

25 cents each except those noted.

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> |
|------------------------|---------------------------------------|---------------------|
| ACHILLEA, | YARROW OR MILFOIL. | |
| millifolium, | common. | Britain. |
| ACONITUM, | WOLF'S BANE. | |
| sp? | twining. | |
| napellus, | monk's hood. | Europe. |
| ACTÆA, | HERB CHRISTOPHER. | |
| americana, | black snake root. | N. America. |
| spicata, | coral and pearl. | Britain. |
| AGROSTEMMA, | ROSE CAMPION. | |
| coronaria, | common. | Italy. |
| ALETRIS, | ALETRIS. | |
| faranosa, | mealy. | N. America. |
| ALISMA, | WATER PLANTAIN. | |
| plantago, | great. | Britain. |
| ALLIUM, | ONION, GARLIC. | |
| sp? | oblique leaved, and other species. | |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---|--|---|------------------------|
| ALTHEA, rosea, officinallis, | HOLLYHOCK. Chinese hollyhock. officinal. | East Indies. Britain. | |
| ANEMONE, hortensis, | ANEMONE OR WIND- FLOWER. garden, many varieties and colours. | | 12½ or \$1 per doz. |
| hepatica, thalictroides, fl. pl. | hepaticas. double flowering wood anemone. | Switzerland. N. America, | |
| ANGELICA, archangelica, | ANGELICA. garden angelica. | Britain. | |
| AQUILEGIA, canadensis, | COLUMBINE. scarlet and other sp. | N. America. | |
| ASARUM, canadense, | WILD GINGER. white snake root. | _____ | |
| ASCLEPIAS, amœna, decumbens, incarnata, pulchra, syriaca, tuberosa, | SWALLOW-WORT. oval leaved. orange flowered. flesh coloured. river. common. tuberous. and many other sp. | _____ _____ _____ _____ _____ | |
| ASTER, | STAR WORT. many species. | | |
| ASTRAGULUS, carolinianus, | MILK VETCH. Carolina. | _____ | |
| ASPHODELUS, luteus, | ASPHODEL, yellow king's spear. | Sicily. | |
| BUPHTHALMUM, sp? | OX EYE. | | |
| CASSIA, marilandica, | CASSIA. false acacia. | _____ | |
| CHELONE, glabra, barbata. | CHELONE. white flowering. bearded. | N. America. Chili. | |
| CIMICIFUGA, americana, palmata, | CIMICIFUGA. common. palmated. | N. America. | |
| CONVOLVULUS, panduratus, | BIND WEED. fiddle leaved, and several other sp. | _____ | |
| CONVALLARIA, majalis, | SOLOMON'S SEAL. lily of the valley. | Britain. | |
| COREOPSIS, auriculata, tinctorea, latifolia, senifolia, | TICKSEED, SUNFLOW- ER. ear leaved. Arkansa. broad leaved.. senna leaved. | N. America. | |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--|---|---------------------|------|
| CORNUS, canadensis, | DOGWOOD. Canadian. | N. America. | |
| CYAMUS, luteus, | SACRED BEAN. yellow flowering. | ————— | 1 00 |
| <i>Nelumbium luteum.</i> | | | |
| <i>The flowers of this plant are near a foot in diameter, the leaves perfectly round, and from 4 to 6 feet in circumference.</i> | | | |
| CYNANCHUM, obliquum, | CYNANCHUM. oblique flowered. | ————— | |
| DALIBARDA, fragaroides, | DALIBARDA. strawberry leaved. | ————— | |
| | violæoides, | ————— | |
| DIANTHUS, barbatus, | PINK. sweet William. | Germany. | |
| | caryophyllus, | Britain. | |
| | hortensis, | Germany. | |
| DIGITALIS, ferruginea, | FOX GLOVE. iron coloured. | Italy. | |
| | purpurea, | Britain. | |
| | alba, | ————— | |
| DIPHYLLEIA, cymosa, | DIPHYLLEIA. two leaved. | N. America. | |
| DODECATHEON, Meadia, | AMERICAN COWSLIP. Mead's beautiful. | ————— | |
| DRACOCEPHALUM, denticulatum, | DRAGON'S HEAD. denticulated, | ————— | |
| ECHINOPS, spærocephalus, | GLOBE THISTLE. great. | Austria. | |
| EPILOBIUM, angustifolium, | WILLOW HERB. narrow leaved. | Britain. | |
| EUPATORIUM, perfoliatum, | EUPATORIUM. bone set. | N. America. | |
| caelestinum, | blue flowered, <i>much admir- ed.</i> | ————— | |
| EUPHORBIA, Ipecacuanhæ, | SPURGE. Ipecacuanha. | N. America. | |
| FUMARIA, parviflora, | FUMITORY, small flowered. | Britain. | |
| GAULTHERIA, procumbens, | GAULTHERIA. tea berry. | N. America. | |
| GENTIANA, saponaria, | GENTIAN. soapwort. | ————— | |
| | acaulis, | Alps. | 50 |
| | fimbriata, | N. America. | |
| GERANIUM, maculatum, | CRANE'S BILL. spotted. | ————— | |
| GLECHOMA, hederacea, | GROUND IVY. common. | Britain. | |
| GLYCINE, apios, | GLYCINE. tuberous. | N. America. | |
| comosa, | tufted. | ————— | |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---|---|-------------------------------|------|
| HEDYSARUM, canadense, crista-galli, | HEDYSARUM. Canadian. cockscorb. | _____ | |
| HALIANTHUS, angustifolius, | SUNFLOWER. narrow leaved. and other species. | S. of Europe. | |
| HELONIAS, asphodeloides, bullata, | HELONIAS. asphodel leaved. spear leaved. | _____ | |
| HELLEBORUS, trifolius, | HELLEBORE. three leaved. | Canada. | |
| HEMEROCALLIS, cœrulca, flava, fulva, | DAY LILY. blue flowering. yellow. orange. | Japan. Hungary. Levant, | |
| HESPERIS, matronalis, | DAME'S VIOLET. rocket. | Italy. | 1 00 |
| HEUCHERA, villosa, | HEUCHERA. hairy. | Carolina. | |
| HIBISCUS, militaris, moscheutos, palustris, speciosus, | HIBISCUS. hastated. marsh. scarlet. | Louisiana, N. America. | 1 00 |
| HUMULUS, lupulus, | HOP. common. | Britain. | |
| HUDSONIA, ericoides, | HUDSONIA. heath leaved. | N. America. | |
| HYSSOPUS, officinalis, | HYSSOP. official. | S. of Europe. | |
| HYCINTHUS, orientalis, | HYACINTH. garden do. 30 splendid varieties, different shades and colours, | Britain, \$3 per doz. | |
| HYDROPHYLLUM, apendiculatum, virginicum, | WATER LEAF. appendaged. Virginian. | N. America. | |
| HYPERICUM, macrocarpum, | ST. JOHN'S WORT. large capsuled. | Carolina. | |
| INULA, helenium, | ELECAMPANE. broad leaved. | Britain. | |
| IRIS, cristata, cuprea, versicolor, virginica, cœrulea susiana, | FLOWER DE LUCE. crested. copper coloured. various coloured. Virginian. blue. chalcedonian | N. America. _____ | |
| | | Levant, | 50 |
| | <i>The flowers of this are beautifully mottled, and of a most singular appearance.</i> | | |
| IXIA, | IXIA. several species. | | |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|---|--|-----------------------|--------------|
| JEFFERSONIA, diphylla, | JEFFERSONIA. | N. America. | |
| LIATRIS, elegans, spicata, squarrosa, | LIATRIS. rose spiked. long spiked. squarrose. | _____ | |
| LILIUM, canadense, candidum, <i>v. flore pleno</i> , philadelphicum, superbum, | LILY. Canadian. white garden lily. <i>double flow'g. garden lily.</i> | Levant. | 50 |
| LOBELIA, cardinalis, syphilitica, fulgida, | LOBELIA. scarlet or cardinal. large blue. fulgid. | _____ | 25 |
| LUPINUS, perennis, | LUPIN. perennial. | _____ | 50 |
| LYCHNIS, chalcedonica, <i>v. flore pleno</i> , | LYCHNIS. scarlet. <i>double flowering, splendid crimson.</i> | Russia. | 50 |
| MARRUBIUM, vulgare, | HOREHOUND. common. | Britain. | |
| MELISSA, nepeta, officinalis, | BALM. wild balm. garden balm. | S. of Europe. | |
| MENTHA, piperita, spicata, | MINT. peppermint. spear mint. | N. America. | |
| MIMULUS, alatus, luteus, | MONKEY FLOWER. winged stalked. yellow flowering. | Unalashka. | |
| MONARDA, didyma, | LION'S TAIL. scarlet. | _____ | |
| MITELLA, diphylla, | MITELLA. two leaved. | _____ | |
| NYMPHEA, odorata, | WATER LILY. sweet scented. | _____ | |
| ŒNOTHERA, glauca, grandiflora, fruticosa, | TREE PRIMROSE. glaucous. great flowered. perennial. | _____ | |
| PÆONIA, officinalis, | PÆONIA. garden do. several co- lours. | Switzerland. | |
| PARTHENIUM, integrifolium, | BASTARD FEVERFEW. entire leaved. | N. America. | |
| PASSIFLORA, incarnata, lutea, | PASSION FLOWER. flesh coloured. yellow. | Virginia. Jamaica, | 1 00 1 00 |
| PHLOX, | PHLOX. | | |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> |
|------------------------|-------------------------------------|------------------------|
| divaricata, | pale blue. | N. America. |
| maculata, | spotted stalked. | _____ |
| ovata, | ovate leaved. | _____ |
| paniculata, | panicled. | _____ |
| subulata, | mountain pink. | _____ |
| undulata, | waved leaved, and several other sp. | _____ |
| POA, | PEA. | |
| perennis, | everlasting. | |
| PODOPHYLLUM, | DUCK'S FOOT, OR MAY APPLE. | |
| peltatum. | peltated. | _____ |
| POLEMONIUM, | GREEK VALERIAN. | |
| reptans, | creeping. | _____ |
| POLIANTHUS, | TUBEROSE. | |
| tuberosa, | tuberous, | E. In. 12½ or \$1 doz. |
| POLYMNIA, | POLYMNIA. | |
| canadensis, | Canadian, | Canada. |
| POTERIUM, | BURNET, | |
| sanguisorba, | garden burnet, | Britain. |
| PRIMULA, | PRIMROSE, AURICULA. | |
| auricula, | auricula, many beautiful varieties. | Switzer'd. 25 to 50 |
| polyanthus, | polyanthus, many var. | _____ |
| veris, | primrose, | Britain. |
| PRUNELLA, | SELF-HEAL. | |
| pennsylvanica, | Pennsylvanian. | N. America. |
| PULMONARIA, | LONG WORT. | |
| virginica, | Virginian, | _____ |
| RANUNCULUS, | RANUNCULUS. | |
| asiaticus, | garden do. many splendid varieties, | Levant, 12½ \$1 doz. |
| RHEUM, | RHUBARB. | |
| undulatum, | wave leaved, | Siberia. |
| rhaponticum, | common, | Asia. |
| RHEXIA, | RHEXIA. | |
| virginica, | common, | N. America. |
| RUBIA, | MADDER. | |
| tinctorum, | dyer's, | S. of Europe. |
| RUDBEKIA, | RUDBECKIA. | |
| digitata, | digitated, | N. America. |
| purpurea, | purple, | _____ |
| SALVIA, | SAGE. | |
| officinalis, | garden, | S. of Europe. |
| sclarea, | clary, | Italy. |
| SANGUINARIA, | POCCOON, BLOOD-ROOT. | |
| canadensis, | Indian plant, | N. America. |
| SANGUISORBA, | BURNET SAXIFRAGE. | |
| canadensis, | Canadian, | Canada. |
| SAPONARIA, | SOAP WORT. | |
| officinalis, fl. pl. | double flowering, | Britain. |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> |
|--|---|----------------------------------|
| SCROPHULARIA, marilandica, | FIG WORT. Maryland, | N. America. |
| SCUTELLARIA, hyssopifolia, lateriflora, integrifolia, | SCULL CAP. hyssop leaved, mediecinial, integral leaved. | ————— ————— ————— |
| SEDUM, telephium, ternatum, | STONE CROP. common orpine, three leaved, | Britain. N. America. |
| SILPHIUM, perfoliatum, terebinthinaceum, | SILPHIUM. perfoliate, broad leaved, and other species. | ————— ————— |
| SIDA, abutilon, | SIDA. large leaved, | Both Indies. |
| SISYRINCHIUM, bermudianum, | SISYRINCHIUM. common. | N. America. |
| SOLANUM, | NIGHT SHADE. many species. | |
| SOLIDAGO. | GOLDEN ROD. many species. | |
| SPIGELIA, marilandica, | WORM GRASS. pink root, | ————— |
| SPIRÆA, trifoliata, filipendula, | SPIRÆA. Indian physic, drop wort, <i>much admired,</i> | ————— Britain |
| STACHYS, lanata, | BASE HOREHOUND. woolly, | Siberia. |
| STELLARIA, pubera, | STELLARIA. pubescent, | N. America. |
| SYMPHYTUM, officinale, <i>fl. alba,</i> | COMFRY. <i>white flowering,</i> | Britain. |
| TIARELLA, cordifolia, | TIARELLA. heart-leaved. | N. America. |
| TRILLIUM, erectum, prictum, sessile, | TRILLIUM. upright, painted, sessil, | ————— ————— ————— |
| TROLLIUS, americanus, | TROLLIUS American, | ————— |
| VALERIANA, Phu, | VALERIAN. garden valerian, | Germany. |
| VERBENA, hastata, nodiflora, | VERVAIN. spear leaved, headed, | Canada. Sicily. |
| VIOLA, adorata <i>pleno,</i> striata, stricta, | VIOLET. double sweet scented, Pittsburg violet, upright and many other beautiful species, | Britain. N. America. ————— |
| YUCCA, gloriosa, | ADAM'S NEEDLE. broad leaved. | ————— |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------|----------------------|---------------------|------|
| filamentosa, | thready. | N. America, | 1 00 |
| angustifolia, | narrow leaved. | Missouri. | |
| stricta, | Mr. Lyons'. | Carolina. | |
| | and other species. | | |

ORNAMENTAL EVERGREENS.

Those noted * require a slight protection in the winter season in the middle states—many other beautiful evergreens, sufficiently hardy to withstand the winters of the south, may be found included in the Green-House Plants.

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|-----------------------------|---|---------------------|------|
| BUXUS, | BOX. | | |
| sempervirens, | common. | Britain, | |
| | <i>Suitable for edging walks, borders, &c.</i> | 12½ cts. per yard. | |
| <i>v. aur. variegata,</i> | gold striped. | ————— | 25 |
| CUPRESSUS, | CYPRESS. | | |
| thyoides, | white cedar. | N. America, | 25 |
| ILEX, | HOLLY. | | |
| opaca, | common. | ————— | 25 |
| *aquifolium, | common European, | Britain, | 50 |
| * <i>v. aur. maculata,</i> | gold blotched. | ————— | 1 00 |
| * <i>v. arg. variegata,</i> | silver striped. | ————— | 1 00 |
| * <i>v. aur. variegata,</i> | gold striped. | ————— | 1 00 |
| * <i>v. echinatum,</i> | hedge hog. | ————— | 1 00 |
| JUNIPERUS, | JUNIPER. | | |
| succia, | Swedish. | N. of Europe, | 50 |
| virginiana, | red cedar. | Virginia, | 25 |
| KALMIA, | LAUREL. | | |
| latifolia, | broad leaved, beautiful. | N. America, | 25 |
| LIGUSTRUM, | PRIVET. | | |
| vulgare, | common. | Britain, | 25 |
| MESPILUS, | MEDLAR. | | |
| pyracantha, | evergreen thorn, with splendid scarlet berries in autumn. | | 37½ |
| PINUS, | PINE OR FIR TREE. | | |
| strobis, | white or weymouth. | N. Amer. 50 to 1 00 | |
| balsamea, | balm of Gilead. | ————— 75 to 1 00 | |
| | <i>Thought by many the handsomest of all pines.</i> | | |
| canadensis, | hemlock spruce, much admired, | ————— | 50 |
| nigra, | black spruce. | ————— | 50 |
| alba, | white spruce. | ————— | 50 |
| sylvestris, | Scotch fir. | Britain, | 50 |
| abies, | Norway spruce. | N. of Europe, | 50 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|-------------------------|---|---------------------|------|
| PRUNUS, | CHERRY TREE. | | |
| <i>caroliniensis,</i> | Carolina plum, or wild orange. | N. America, | 50 |
| * <i>lauro-cerasus,</i> | European laurel. | Levant. | 1 00 |
| * <i>lusitanica,</i> | Portugal laurel. | S. of Europe, | 1 00 |
| QUERCUS, | OAK. | | |
| * <i>virens,</i> | live oak. | Carolina, | 50 |
| RHODODENDRON, | ROSE BAY. | | |
| <i>maximum,</i> | mountain laurel, <i>very</i> <i>beautiful.</i> | N. America. | 50 |
| <i>punctatum,</i> | spotted red flowering. | _____ | 1 00 |
| TAXUS, | YEW TREE. | | |
| <i>baccata,</i> | European. | Europe, | 25 |
| THUYA, | ARBORVITÆ. | | |
| <i>occidentalis,</i> | American. | N. America. | 50 |
| <i>orientalis,</i> | Chinese. | China, | 50 |

Beautiful plants, of both kinds, suitable for ornamental hedges, at \$12 50 cts. per 100.

VINES AND CREEPERS.

SUITABLE FOR WALLS, ARBOURS, &c.

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|------------------------|---|---------------------|------|
| AMPELOPSIS, | FALSE GRAPE. | | |
| <i>quinquefolia,</i> | Virginian five leaved ivy. | N. America, | 25 |
| <i>cordata,</i> | heart leaved. | _____ | 25 |
| ARISTOLOCHIA, | BIRTH WORT. | | |
| <i>sipho,</i> | large leaved, with flow- ers like the Dutch pipes, <i>extremely singu- lar.</i> | _____ | 50 |
| <i>tomentose,</i> | downy. | _____ | 50 |
| BIGNONIA, | TRUMPET FLOWER. | | |
| <i>radicans,</i> | ash leaved, scarlet flow- ering. | _____ | 50 |
| <i>crusigera,</i> | cross bearing. | W. Indies. | 75 |
| <i>grandiflora,</i> | great flowering. | China. | 1 00 |
| CELASTRUS, | STAFF TREE. | | |
| <i>scandens,</i> | climbing. | N. America. | 25 |
| CLEMATIS, | VIRGIN'S BOWER. | | |
| <i>crispa,</i> | curled flowered. | _____ | 25 |
| <i>virginica,</i> | white flowering. | _____ | 25 |
| | and other species. | | |
| CELSEMINUM, | GELSEMINUM. | | |
| <i>nitidum,</i> | Carolina sweet scented jasmine. | _____ | 75 |

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--|---|--------------------------|------------|
| GLYCINE, frutescens, | GLYCINE. purple flowering, <i>in clusters.</i> | N. America, | 37½ |
| HEDERA, helix, | IVY. common evergreen. | Britain, | 25 |
| JASMINUM, officinale, | JASMINE. common white flow'g. | China, | 25 |
| LONICERA, caprifolium, <i>v. Fraseri,</i> | HONEYSUCKLE. monthly, or trumpet. <i>monthly, with splendid yellow flowers, trumpet shaped.</i> | Carolina, N. America, | 1 00 25 |
| diervilla, | yellow. | ————— | 25 |
| dioica, | glaucus. | ————— | 25 |
| grata, | evergreen, scarlet. | ————— | 25 |
| zylostemum, | English fly. | Britain, | 25 |
| MENISPERMUM, canadense, | MOON SEED. Canadian. | N. America, | 25 |
| PERIPLOCA, græca, | PERIPLOCA. silk vine. | Syria, | 25 |
| ROSA, multiflora, lucida, | ROSE. garland or wreath rose. Cherokee rose. | China, Carolina, | 50 75 |
| <i>With beautiful evergreen shining leaves, and producing a single white rose, very beautiful.</i> | | | |

BULBOUS ROOTS, &c.

| | | | |
|----------------------------|-------------------------------|---------|----|
| HYACINTHUS, orientalis, | HYACINTH, garden hyacinth. | Levant, | 25 |
|----------------------------|-------------------------------|---------|----|

We have chosen for cultivation about thirty different varieties, which we believe are not surpassed by any in the country—they comprise nearly all the various shades and colours, and *single bells* of some of the sorts which we have measured have exceeded a dollar in circumference. Two or three hundred varieties of this beautiful plant are cultivated in Europe, and those we are now offering for sale have been selected from the very best; which (with a few tulips) cost us on importation 300 dollars.

| | | | |
|------------------------|-------------------------|---------|----------|
| TULIPA, gesneriana, | TULIP. garden tulip. | Levant, | 12½ & 25 |
|------------------------|-------------------------|---------|----------|

Of this much admired plant we have also a very pretty assortment. It is said that upwards of one thousand varieties of it are cultivated at this time in Holland; but we have thought all that was requisite was to select from the bulk of them the most esteemed. Formerly a most extraordinary traffic in this root was carried on; and to such a pitch of folly had it arrived, that it is said from 1,000 to 10,000 dollars have been paid for

a single root. Prince and peasant were alike jobbers, until it was put an end to by the enactment of a law limiting the price, and at the present the finest sorts may be purchased at moderate prices.

| <i>Botanical Name.</i> | <i>English Name.</i> | <i>Native Soil.</i> | |
|--|--|--|----------------------------|
| NARCISSUS, tazetta, | NARCISSUS. polyanthus. | Spain, | 25 |
| POLYANTHUS, tuberosá, | TUBEROSE. common. | E. In. | 12½c. \$1 doz. |
| GALANTHUS, nivalis, | SNOW DROP. common. | Britain, | 12½ |
| COLCHICUM, autumnale, <i>flore pleno,</i> | MEADOW SAFFRON. common. <i>double flowering,</i> | ————— | 25 |
| CROCUS, officinalis, vernus, | CROCUS. saffron. spring. | ————— | per doz. 50 |
| FRITILLARIA, imperiales, | FRITILLARIA. crown imperial. | Persia, | 25 |
| LILIUM, canadensis, candidum, <i>flore pleno,</i> philadelphicum, pennsylvanicum, superbum, tigrinum, | LILY. Canadian. white garden lily. <i>double flow'r. garden lily.</i> Philadelphian. Pennsylvania. superb; tiger spotted. | N. America, Levant, ————— N. America, ————— ————— | 25 25 25 25 25 |
| TIGRIDIA, pavonia, | TIGRIDIA. Mexican tiger flower, <i>very singular.</i> | China, Mexico, | 25 25 |
| AMARYLLIS, formosissima, <i>longifolia, &c.</i> | AMARYLLIS. Jacobæan lily. <i>See page 5.</i> | S. America, | 37½ |
| RANUNCULUS, asiaticus, | CROW FOOT. garden. | Levant, | 12½ |
| <i>A very beautiful assortment, comprising many various shades, colours, and mixtures, \$1 per dozen.</i> | | | |
| ANEMONE, coronaria, | WIND FLOWER. poppy anemone. | Italy, | 12½ |
| <i>A pretty collection, comprising the various shades, &c. \$1 per dozen.</i> | | | |
| IXIA, <i>sp.²</i> | IXIA. <i>several beautiful varieties.</i> | C. G. Hope, | 25 |

FRUIT TREES.

APPLES.

25 cents each or 18 dollars 75 cents per hundred.

Those marked thus * are cider fruit.

Those marked thus † are celebrated for the table.

- 1 Siberian crab.
- 2 Early queen, ripe in July and August.
- 3 †Newtown pippin, November to June, very superior.
- 4 †Pennock's red, October to July.
- 5 Large doctor, October to January.
- 6 *†Golden reinette, November to February.
- 7 Golden pippin, November to February.
- 8 *†Golden pearmain, November to March.
- 9 Kentish codlin.
- 10 English codlin, August and October.
- 11 Seek no farther, November to January.
- 12 Fall pippin, October to December.
- 13 †Yellow bellflower, October to March.
- 14 Vandervere, November to March.
- 15 American nonpareil, August.
- 16 Newark pippin, November to December.
- 17 Kentish fillbasket.
- 18 July pippin, July and August.
- 19 Gloria mundi.
- 20 †Esopus Spitzenburgh, November to January.
- 21 †Rhode Island greening, October to January.
- 22 Double blossom, (ornamental.)
- 23 Autumn calville.
- 24 *†Grey-house, October and November.
- 25 †Cart-house, December to February.
- 26 Hay's apple.
- 27 Early bough, July and August.
- 28 *†Winesap, October to January.
- 29 Early harvest, July.
- 30 †American pippin, November to July.
- 31 †Rambour, August and September.

- 32 Paradise apple, (dwarf,) July.
 33 Cathead, November to February.
 † 34 †Newtown Spitzenburgh, October to January.
 † 35 †Kaighn's Spitzenburgh, October to December.
 36 *Hughes' Virginian crab, October and November,
 37 Shippen's russeting, much admired for stewing, Octo-
 ber to December.
 38 Alfreton.
 39 Blenheim.
 40 Hall door.
 41 Hawthorn dean.
 42 Hollandbury.
 43 Cornish July flower.
 44 Kerry pippin.
 45 Ozlin apple.
 46 Wellington.
 47 Scarlet nonpareil.
 † 48 *Harrison's Newark, November to December.
 49 Ribston pippin, October to April.
 † 50 Lemon pippin, November to March.
 51 Quince apple, November.
 52 Summer pearmain, August.
 53 Priestley, November to March.
 54 Collot.
 55 Pomme d'api lady apple, November to January.
 56 Flanders pippin.
 57 Maiden's blush.
 † 58 French reinette, great keeper.
 † 59 Long pippin, November to February.
 60 Juneating, June to July.

N. B. The catalogue of apples might be swelled to a much greater size, but it is believed the sorts we have chosen for cultivation will be found among the best. In our selection we have made choice of those that are generally esteemed, and possess some celebrity either as table or cider fruit. Descriptions of most of the apples (as well as the other sorts of fruit which we are cultivating,) may be found in that excellent work on fruits of Mr. Cox, of Burlington, N. J. It is a work of considerable importance to the agricultural interest, and should be in the possession of every farmer.

PEARS—37½ cts.

- 1 Early Catharine, ripe in August.
- 2 Seckel's pear, August to October, highly esteemed.

- 3 Beurre de Roi, royal butter, August to October.
- 4 St. Germaine, November to January.
- 5 Bensel's winter, November to December.
- 6 Summer bonchretien, July.
- 7 Colmar, January to April.
- 8 Walnut or point pear, December to March.
- 9 Peach pear, August.
- 10 Green chisel, July.
- 11 Blanquet, August.
- 12 British bergamot.
- 13 English vine pear, August.
- 14 Rousselette, August.
- 15 Mouille bouche, September and October.
- 16 Verte Longue, September and October.
- 17 Golden bergamot.
- 18 July pear, July and August.
- 19 Wyatt's.
- 20 Wilding of Lassooy.
- 21 Frank-real, December to March.
- 22 Red muscadelle, July.
- 23 Moorfowl egg.
- 24 Jargonelle, July and August.
- 25 Crasanne, October.
- 26 Washington, September and October.
- 27 White d'Yenne, September to November.
- 28 White beurre, September to November.
- 29 Autumn bonchretien, September and October.
- 30 primitive, July.
- 31 August bergamot.
- 32 Julienne, August.
- 33 August muscat.
- 34 Beurre rance.
- 35 Beurre d'yelle.
- 36 Bezi vaet.
- 37 Marie Louise.
- 38 Gloux Morceaux.
- 39 Bell pear, winter.
- 40 Pound pear, winter.

The collection of pears might also be easily augmented to twice its size, but a selection of the most esteemed we have thought all that was desirable; and the sorts we have enumerated are generally celebrated, either for the size of their fruit, or fineness of flavour.

PEACHES.

Those marked thus, (*) are such whose flesh adheres to the stone, called clingstone.

25 cents each—\$18 75 cents per hundred.

- | | |
|---------------------------|---|
| 1 *Kennely's Carolina. | 23 *Mammoth, |
| 2 Morris's red luscious. | 24 *Large blood. |
| 3 Do. white do. | 25 *Teton de Venus. |
| 4 *Late heath. | 26 *Stocker's seedling. |
| 5 *Yellow preserving. | 27 Yellow nutmeg. |
| 6 *Pine apple. | 28 Congress. |
| 7 *Oldmixon. | 29 Large early or N. York rare ripe. |
| 8 *Old Newington. | 30 Breevoort's seedling. |
| 9 *Early do. | 31 English swalsh. |
| 10 Early white nutmeg. | 32 Catharine. |
| 11 Early white blossom. | 33 Chancellor. |
| 12 Washington rare ripe. | 34 Pavia. |
| 13 *Lemon clingstone. | 35 Large early rare ripe. |
| 14 Red nutmeg. | 36 Carolina Incomparable. |
| 15 Double montauban. | 37 Macoton. |
| 16 *French noblesse. | 38 Present. |
| 17 *Grosse galant. | 39 Double blossom, (ornamen- tal.) |
| 18 *Royal George. | 40 George the V. |
| 19 Purple hative (early.) | 41 Early orange. |
| 20 Orange. | 42 Early sweet wa. r. |
| 21 *Admirable. | |
| 22 Grosse Miguonne. | |

APRICOTS—37½ cts.

- | | |
|----------------|----------------------------|
| 1 Roman. | 7 Latimer's Peach Apricot. |
| 2 Large early. | 8 De Moncey. |
| 3 Breda. | 9 Transparent. |
| 4 Brussels. | 10 Large Turkey. |
| 5 Moor Park. | 11 Black fruited. |
| 6 Algiers. | |

NECTARINES—37½ cts.

- | | |
|----------------|----------------|
| 1 Red Roman. | 5 Elruge. |
| 2 White Roman. | 6 Golden. |
| 3 Large early. | 7 Early yellow |
| 4 Vermarsh. | 8 Temple. |

PLUMS—50 cts.

- | | |
|---------------|-------------------|
| 1 Blue gage, | 5 Cooper's large, |
| 2 Washington, | 6 Magnum bonum, |
| 3 Bingham's, | 7 Reine Claude, |
| 4 White gage, | 8 Orleans, |

- | | |
|-----------------------------|---------------------------|
| 9 Copper, | 15 October plum, |
| 10 Yellow egg, | 16 Loe's golden drop, |
| 11 Bryant's yellow gage, | 17 Fotheringham, |
| 12 Whetherill's blue globe, | 18 Reine Claude violette, |
| 13 Lex's prune, | 19 Willmot's green gage, |
| 14 Holland prune, | 20 Damson. |

CHERRIES—50 cts.

- | | |
|--------------------|--------------------------------------|
| 1 May duke. | 9 Halifax. |
| 2 Ox heart. | 10 Double blossom (ornamen- tal.) |
| 3 Amber heart. | 11 Grey heart. |
| 4 Early May. | 12 Large black heart. |
| 5 Bleeding heart. | 13 Elk horn. |
| 6 English morello. | 14 Tradescant. |
| 7 Carnation. | 15 Portugal. |
| 8 White heart. | |

GOOSEBERRIES—25 cts.

About 30 of the fine European sorts.

CURRANTS.—25 cts.

- | | |
|---------------------|--------------------|
| 1 Common red. | 5 Champaign. |
| 2 White crystal. | 6 Large Dutch red. |
| 3 English black. | 7 Dutch white. |
| 4 Lewis's Missouri. | |

QUINCES—25 cts.

- | | |
|-----------------|-------------------|
| 1 Large orange. | 3 Large Portugal. |
| 2 Pear shaped. | |

RASPBERRIES.

- | | | | |
|------------------|-----------------|--------------------------|-----------------|
| 1 Red American, | $6\frac{1}{4}$ | 4 Red Antwerp, | $12\frac{1}{2}$ |
| 2 Twice bearing, | $12\frac{1}{2}$ | 5 Canada rose flowering, | |
| 3 White Antwerp, | $12\frac{1}{2}$ | ornamental, | 25 |

STRAWBERRIES.

- | | | | |
|--------------------------------|--------|------------------------|------|
| 1 Hudson, per hundr'd | \$1 00 | 4 Hautboy, | 1 00 |
| 2 Large Scotch fine bearer, | 2 00 | 5 Alpine, overbearing, | 1 00 |
| 3 Pine apple, | 2 00 | 6 Chili, | 2 00 |
| | | 7 Black hautboy, | 2 00 |

ALMONDS— $37\frac{1}{2}$ cts.

- | | |
|---------------|--------------------------------------|
| 1 Half shell. | 3 Double flowering, ornamen- tal. |
| 2 Soft shell. | |

FIGS.

Several kinds, 50 cts. each.

GRAPE VINES.—Foreign Sorts, 50 cts.

| NAME. | Shape and size of the Berry. | Size of the bunch. | Flavour. | Colour. | Time of Ripening. |
|---|------------------------------|------------------------------|--------------------|------------|-------------------|
| Black Hamburg, or old Hamburg, | long and large, | large, | pleasant & vinous, | black, | Aug. & Sept. |
| Small black cluster, or black Burgundy, | long and small, | small & close, | pleasant, | black, | Aug. & Sept. |
| Miller's Burgundy, or Miller's cluster, | long, medium, | medium, | pleasant, | black, | Aug. & Sept. |
| Black muscadine, or Fraukendale, | round, medium, | medium, | rich and juicy, | black, | Aug. |
| Royal muscadine, | round, medium, | large, | rich and vinous, | white, | Aug. |
| Chasselas blanc, or amber muscadine, | round, medium, | large, | rich and vinous, | white, | Aug. |
| White frontignac, | round, large, | large, | delicious, | white, | Sept. |
| White sweet water, | round, large, | large, said to weigh a pound | rich and juicy, | white, | Aug. |
| Clapears, | large, | large, | sugary, | red, | Aug. & Sept. |
| Red muscadell, | oval, large, | medium, | pleasant juice, | brick col. | Sept. |
| Red Frontignac, or muscat rouge de Frontignac, | small, | medium, | vinous, | blue, | Sept. |
| Blue Tokay, | round and small, | large, | rich and musky, | coral, | Sept. |
| Red Smyrna, | long, large, | very large, | thick skin & hard, | white, | Sept. |
| Red chasselas, or red muscadine, | long, very large, | very large, | sweet, | white, | Sept. |
| White muscat of Alexandria, | long, large, | small, | rich and vinous, | black, | Sept. |
| White Syrian, | round, small, | round, large, | rich and vinous, | black, | Sept. |
| White Hamburg, | round, large, | round, large, | rich and vinous, | black, | Sept. |
| Black sweet water, | round, large, | round, large, | rich and vinous, | black, | Sept. |
| Black Frontignac, or muscat noir de Frontignac, | round, large, | round, large, | rich and vinous, | black, | Sept. |
| Sauvignon, | round, large, | round, large, | rich and vinous, | black, | Sept. |

| NAME. | Shape and size of the Berry. | Size of the Bunch. | Flavour. | Colour. | Time of Ripening. |
|---|------------------------------|--------------------|---|-------------|-------------------|
| Early white, Canaan, | round, | medium, | pleasant, admired, | white, | Aug. |
| Red Hamburg, Hampton court vine, Wetherill's yellow, | large, | large, | rich and vinous, very delicious, | red, amber, | Sept. Aug. |
| <i>Numerous other Foreign kinds, celebrated for their good qualities, are under cultivation and will be offered for sale in the Autumn of 1827.</i> | | | | | |
| NATIVE SORTS, OR THOSE OF AMERICAN ORIGIN, 50 cts. by hundred 20 per cent discount. | | | | | |
| Orwigsburg, | round, medium, | medium, | pleasant, suitable for the table, | white, | Aug. |
| Bland's Virginia or Powal, | round, medium, | medium, | rich, juicy and vinous, fine for table and wine, | pale red, | Aug. & Sept. |
| Elsenburgh, | round, small, | long & scat'g. | pleasant, resembling the miller grape, | blue, | Sept. |
| Catawba, | roundish, large, | very large, | a little foxy with pulp, great bearer and excellent for wine, | pale red, | Aug. & Sept. |
| Alexander's, or Schuykill muscadelle called at Spring Mill, Cape of Good Hope, | oblong, large, | large, | pulpy, makes good wine, tolerable for table, | blue, | Aug. & Sept. |
| Isabella, | oblong, large, | large, | pulpy, suitable for wine, tolerable for table use, | blue red, | Sept. |

| Name: | Shape and size of the Berry, | Size of the Bunch. | Flavour. | Colour. | Time of Ripening. |
|---|------------------------------|--------------------|---|---------|-------------------|
| Scuppermong, celebrated as a wine grape in N. Carolina, Worthlington, | medium size, | | high coloured red juice, great bearer suitable for wine, said to make tolerable wine, | black, | Aug. |
| White fox, } Purple fox, } | | | | | Aug. |

It may be well to observe that but few of the fine imported grapes ripen their fruit well in the country, excepting under some peculiar circumstances, and so general is this complaint around Philadelphia, that the planting of them has considerably ceased. This may arise from the most of them having been introduced from the more temperate part of Europe. The weather in this latitude being too severe for them; to remedy that, if possible, many kinds have been imported by different individuals during the two past years from higher latitudes, and from their success thus far, there is strong ground to hope they will prove better adapted to the country. In our cities many of the finest imported vines are found to succeed admirably well, as much so, it is said, as in France itself. There being something peculiar in the atmosphere of the cities which tends to perfect the fruit and wood, and prevent the mildew they are so subject to in almost every situation in the country. Those under the head of "Native sorts," have been discovered wild, and some of them bid fair to be of considerable importance. The cultivation of the vine is daily becoming more a matter of attention in this country. In many sections, vineyards have been established, and their success has in many instances been very flattering. Much of course must depend on the situation, and in the kinds of grapes cultivated, being suitable for the purpose. Most of the vineyards of which we have any knowledge are composed nearly exclusively of such vines as have originated in this country, and such have in almost every instance been attended with success.

ASPARAGUS ROOTS—*Suitable for transplanting.*
 Per hundred, 1 00 Per thousand, 7 50

ESCULENT VEGETABLE SEEDS.

| | oz. | lb. |
|------------------------------------|--------|--------|
| ASPARAGUS, - - - | 25cts. | \$2 00 |
| ARTICHOKE, | | |
| large globe, - - - | 37½ | 3 00 |
| BEEF. | | |
| long blood, - - - | 12½ | 1 50 |
| early turnip rooted, - - - | 12½ | 1 50 |
| mangle wurzel, - - - | 12½ | 1 50 |
| BEANS. | qt. | bush. |
| windsor, - - - | 37½ | 6 00 |
| long pod, - - - | 25 | 5 00 |
| <i>Kidney Bean, or Snap Short,</i> | | |
| six weeks, - - - | 25 | 5 00 |
| early valentine, - - - | 25 | 5 00 |
| speckled valentine, - - - | 25 | 5 00 |
| china, - - - | 25 | 5 00 |
| white kidney, - - - | 25 | 5 00 |
| cranberry, - - - | 25 | 5 00 |
| early yellow, - - - | 25 | 5 00 |
| dun or liver coloured, - - - | 25 | 5 00 |
| <i>Pole Beans.</i> | | |
| lima, - - - | 37½ | 7 00 |
| scarlet runners, - - - | 50 | 7 00 |
| white dutch, - - - | 50 | 7 00 |
| cranberry, - - - | 37½ | 6 00 |
| carolina or sewee, - - - | 25 | 7 00 |
| BROCCOLI, | oz. | lb. |
| Granges new cape, - - - | 50 | 5 00 |
| white, - - - | 37½ | 4 00 |
| purple, - - - | 37½ | 4 00 |
| sulphur, - - - | 50 | 5 00 |
| BRUSSELS SPROUTS, - - - | 25 | 2 50 |
| BORECOLE, - - - | 25 | 2 50 |
| CABBAGE, | | |
| early york, - - - | 25 | 3 00 |
| early sugarloaf, - - - | 25 | 3 00 |

| | | | | oz. | lb. |
|----------------------------------|---|---|---|------|------|
| early battersea, | - | - | - | 25 | 2 50 |
| early penton, | - | - | - | 25 | 3 00 |
| large drumhead, | - | - | - | 25 | 2 50 |
| flat dutch. | - | - | - | 25 | 2 50 |
| large bergen, | - | - | - | 25 | 2 50 |
| green glazed, | - | - | - | 25 | 2 50 |
| yellow curled savoy, | - | - | - | 25 | 2 50 |
| green curled savoy, | - | - | - | 25 | 2 50 |
| late battersea, | - | - | - | 25 | 2 50 |
| turnip rooted, | - | - | - | 25 | 2 00 |
| red dutch, <i>for pickling</i> , | - | - | - | 50 | 4 00 |
| Philadelphia, | - | - | - | 25 | 2 50 |
| CAULIFLOWER. | | | | | |
| early, | - | - | - | 1 00 | 8 00 |
| late, | - | - | - | 1 00 | 8 00 |
| CELERY. | | | | | |
| white solid, | - | - | - | 25 | 2 00 |
| red solid, | - | - | - | 50 | 3 00 |
| turnip rooted, | - | - | - | 25 | 2 00 |
| CARROT. | | | | | |
| long orange, | - | - | - | 12½ | 1 50 |
| early horn, | - | - | - | 12½ | 1 50 |
| CHERVIL, | - | - | - | 12½ | 1 50 |
| CRESS OR PEPPER GRASS. | | | | | |
| curled, | - | - | - | 12½ | 1 00 |
| water, | - | - | - | 25 | 2 00 |
| CUCUMBER. | | | | | |
| long prickly, | - | - | - | 25 | 2 00 |
| early frame, | - | - | - | 25 | 2 00 |
| 'Turkey, | - | - | - | 50 | 4 00 |
| ENDIVE OR SUCCORY. | | | | | |
| green curled, | - | - | - | 25 | 2 00 |
| white curled, | - | - | - | 25 | 2 00 |
| EGG PLANT, OR MELONGENA. | | | | | |
| large purple, | - | - | - | 1 00 | — |
| dwarf purple, | - | - | - | 1 00 | — |
| KAIL. | | | | | |
| curled Scotch, | - | - | - | 25 | 2 50 |
| sea, | - | - | - | 50 | 4 00 |
| LEEK. | | | | | |
| large London, | - | - | - | 25 | 2 00 |
| LETTUCE. | | | | | |
| early cabbage, | - | - | - | 25 | 2 00 |
| royal cabbage, | - | - | - | 50 | 3 00 |

| | oz. | lb. |
|---|------------------|------------|
| India, - - - - - | 50 | 3 00 |
| brown Dutch, - - - - - | 25 | 2 00 |
| green cos, - - - - - | 37 $\frac{1}{2}$ | 2 50 |
| white cos, - - - - - | 37 $\frac{1}{2}$ | 2 50 |
| 'Tennis' ball, - - - - - | 25 | 2 00 |
| superior early cabbage, - - - - - | 50 | 3 00 |
| early curled, - - - - - | 25 | 2 00 |
| MANGEL WURZEL. | | |
| <i>for cattle,</i> - - - - - | 12 $\frac{1}{2}$ | 1 50 |
| MELON. | | |
| water, - - - - - | 12 $\frac{1}{2}$ | 1 00 |
| cantaloupe, - - - - - | 25 | 2 00 |
| nutmeg, - - - - - | 25 | 2 00 |
| musk, - - - - - | 25 | 2 00 |
| MUSTARD. | <i>qt.</i> | |
| white, - - - - - | 50 | |
| brown, - - - - - | 50 | |
| NASTURTIUM, | <i>oz.</i> | <i>lb.</i> |
| <i>for pickling,</i> - - - - - | 25 | 3 00 |
| ONION. | | |
| silver skin, - - - - - | 25 | 2 00 |
| red, - - - - - | 25 | 2 00 |
| white Portugal, - - - - - | 25 | 2 00 |
| yellow Portugal, - - - - - | 25 | 2 00 |
| Strasburg, <i>large yellow,</i> - - - - - | 25 | 2 50 |
| OKRA, | 12 $\frac{1}{2}$ | 1 50 |
| PARSLEY, | | |
| plain, - - - - - | 12 $\frac{1}{2}$ | 1 00 |
| curled, - - - - - | 12 $\frac{1}{2}$ | 1 00 |
| PARSNIP, | | |
| large swelling, - - - - - | 12 $\frac{1}{2}$ | 1 50 |
| PUMPKIN. | <i>qt.</i> | |
| of sorts, - - - - - | 25 | |
| PEPPER, | <i>oz.</i> | |
| bell or bull nose, - - - - - | 50 | |
| cherry, - - - - - | 50 | |
| cayenne, - - - - - | 50 | |
| RADISH. | <i>oz.</i> | <i>lb.</i> |
| long salmon, - - - - - | 12 $\frac{1}{2}$ | 1 25 |
| long scarlet short top, - - - - - | 12 $\frac{1}{2}$ | 1 50 |
| white turnip, - - - - - | 12 $\frac{1}{2}$ | 1 50 |
| red turnip, - - - - - | 12 $\frac{1}{2}$ | 1 50 |
| black Spanish, - - - - - | 12 $\frac{1}{2}$ | 1 00 |
| white Spanish, - - - - - | 12 $\frac{1}{2}$ | 1 00 |
| yellow summer, <i>fine,</i> - - - - - | 12 $\frac{1}{2}$ | 1 50 |

| PEAS. | qt. | bush. |
|--|---|-------|
| extra early, - - - - - | 50 | 8 00 |
| early frame, - - - - - | 25 | 6 00 |
| early Charlton, - - - - - | 25 | 6 00 |
| golden hotspur, - - - - - | 25 | 6 00 |
| large marrowfat, - - - - - | 25 | 5 00 |
| royal dwarf marrowfat, - - - - - | 50 | 8 00 |
| grand imperial, - - - - - | 50 | 8 00 |
| blue Prussian, - - - - - | 25 | 5 00 |
| sugar, or eat pods, - - - - - | 37½ | 6 00 |
| | oz. | lb. |
| SALSAFIE, OR VEGETABLE OYSTER, | 25 | 2 00 |
| SORREL. | | |
| French, - - - - - | 12½ | 1 50 |
| SPINACH, <i>f</i> | | |
| round, - - - - - | 12½ | 1 00 |
| prickly, - - - - - | 12½ | 1 00 |
| SQUASH, | | |
| bush, - - - - - | 12½ | 1 50 |
| long green, - - - - - | 12½ | 1 50 |
| SCURVY GRASS, - - - - - | 12½ | 1 00 |
| TURNIP. | | |
| early Dutch - - - - - | 12½ | 1 00 |
| red topped, - - - - - | 12½ | 1 00 |
| large globe, - - - - - | 12½ | 1 00 |
| early stone, - - - - - | 12½ | 1 00 |
| Norfolk, - - - - - | 12½ | 1 00 |
| yellow Swedish, or Ruta Baga, - - - - - | 12½ | 1 00 |
| yellow Aberdeen, - - - - - | 12½ | 1 00 |
| TOMATOES OR LOVE APPLE, - - - - - | 50 | 4 00 |
| POT AND SWEET HERBS. | | |
| thyme, | <i>In papers of 6 cts. and upwards, or 4 dollars per hundred, assorted.</i> | |
| sweet Basil, | | |
| sweet marjorum, | | |
| anise, | | |
| rosemary, | | |
| sage, | | |
| summer savory, | | |
| winter savory, | | |
| carraway, | | |
| lavender, | | |
| coriander, | | |
| pot marigold, &c. | | |
| EARLY SEED POTATOES, 75 cts. per bushel. | | |
| white onion sets. | | |
| yellow onion sets. | | |

garlick—also cabbage, lettuce, and cauliflower plants in their season.

FLOWER SEEDS.

Put up in papers at $6\frac{1}{2}$ cents, or 4 dollars per hundred, assorted. Of annual flowers we have an extensive and handsome assortment, but they are not of sufficient moment to give a catalogue in detail.

In our selections of esculent vegetable seeds, we have chosen such as are most generally known and esteemed; of many of the kinds, for instance, cabbages, radish, &c. the names of thrice as many could be given, but we cannot conceive any advantage can arise from the cultivation of so many sorts. No garden wants more varieties of each kind than we now offer for sale, and indeed, very few ever raise half the number.

We have already observed in the advertisement attached to this catalogue, that the garden seeds sold by us, are, with an exception not worth notice, of our own raising. This fact we wish to impress on the minds of purchasers. The advantages, and very great ones too, attending a culture such as pursued by us, cannot but strike all who will give it the smallest consideration.

The seeds being reared on our own ground, from the moment they are planted, through all the various stages of their growth and ripening, are under our immediate care and superintendence, and every attention necessary to bestow on them they receive; thus few errors can arise, and we become intimately acquainted with their quality as well as age; and as the present is the only establishment of any extent in the United States, at which seeds so exclusively raised by the proprietors thereof are sold, we deem the fact worthy of notice, not with a view to decry those sold by others, but to state that which might otherwise remain unknown.

For the information of those who purchase to sell again, we have given the wholesale prices. At times, owing to a failure in the crop, some of them may exceed the prices quoted in the catalogue, but it will be but seldom, and then to a slight amount.

OBSERVATIONS ON TRANSPLANTING TREES.

As the success in transplanting trees so much depends on the care they receive, we have thought it advisable to

present a few remarks for the observance of those who have had but little experience on the subject.

On removing trees from the nursery, care should be taken to prevent the roots from drying previous to planting them, otherwise they frequently receive considerable injury; and in our orders for trees, particular care is taken to preserve them from drying winds before packing. Immediately on their receipt, the bundles in which they are packed should be opened, the roots well watered, and "laid in" until the ground in which they are to be planted is ready to receive them. By laying in is understood the making of a trench sufficiently large to admit the roots, in which they are placed; the earth having been previously made fine, is then filled in around them, and a gentle watering given, in which situation they may remain with safety until planted. The holes in which it is intended to plant them should, for an ordinary sized nursery tree, be from $2\frac{1}{2}$ to three feet in diameter, and about the same in depth. The earth from the bottom should be thrown aside, and its place filled up with good compost or black mould, (no fresh stable manure should be used in the compost.) The tree should be planted about the same depth, or perhaps an inch deeper than it has stood in the nursery; the roots and fibre should be spread out horizontally, and during the process of filling in the earth, the tree shook several times, so as to admit the earth between the roots, and fill up any cavities that might otherwise remain. The earth should be then trodden down, or during the time of filling, and when the excavation is completely closed, the tree gently watered. After the expiration of a short time the earth will have settled, and all hollows that may have formed should be filled up—finished by forming a basin around the trunk to receive the rain—watering it may be necessary to give it—which it will require should the ensuing season after planting prove dry. If convenient, a stake affixed to prevent the winds from loosening earth around the roots would have a good effect, and during the season of vegetation the ground should be kept free from grass and weeds.