



始



埼玉縣氣象五年報

自昭和六年
至同十年

埼玉縣熊谷測候所

14.6₂
209₁

昭和六年——昭和十年



1931——1936

埼玉縣氣象五年報

熊谷・秩父並に管内

	熊谷	秩父
北緯	36°09'	35°59'
東經	139°23'	139°05'
測候所海面上ノ高サ	30.2m	240.0m
晴雨計海面上ノ高サ	31.7m	240.5m
寒暖計地上ノ高サ	1.1m	1.2m
雨量計地上ノ高サ	0.2m	0.3m
風力計地上ノ高サ	10.1m	10.0m

埼玉縣熊谷測候所

熊谷の部

月	壓 (糎)										水蒸氣ノ張力 (糎)							
	2h	6h	10h	14h	18h	22h	平	最	日(年)	最	日(年)	2h	6h	10h	14h	18h	22h	平
							均	高	低	低	高							均
一月	761.0	761.1	761.6	759.5	760.8	761.4	760.9	775.8	21(1932)	740.6	10(1931)	3.5	3.3	3.6	3.8	3.8	3.6	3.6
二月	760.1	760.3	760.6	758.5	759.5	760.2	759.3	773.2	8(1935)	744.7	24(1933)	3.4	3.2	3.5	3.7	3.8	3.6	3.5
三月	758.8	759.2	759.3	757.3	758.2	759.3	758.7	771.8	16(1931)	734.5	21(1934)	4.2	4.0	4.3	4.6	4.8	4.6	4.4
四月	759.3	759.8	759.8	757.9	758.3	759.6	759.1	776.1	8(1934)	741.8	25(1932)	6.5	6.3	6.9	7.2	7.4	7.1	6.9
五月	757.9	758.5	758.3	756.7	756.9	758.4	767.4	768.9	17(1932)	743.1	8(1933)	9.5	9.5	10.2	10.1	10.7	10.3	10.0
六月	755.7	756.1	756.0	754.6	754.7	756.0	755.4	766.1	1(1932)	744.1	7(1933)	13.6	13.5	13.7	14.0	14.4	14.3	13.9
七月	755.1	755.6	755.6	754.5	754.7	755.7	755.2	764.8	8(1934)	744.0	12(1934)	18.1	17.9	18.3	18.8	19.3	18.8	18.5
八月	756.0	756.5	756.5	755.1	755.3	756.5	756.0	764.0	1(1934)	738.5	20(1935)	19.5	19.4	20.0	20.3	20.7	20.0	20.0
九月	757.7	758.0	758.2	756.8	757.2	758.1	757.7	767.6	12(1933)	735.2	5(1933)	15.5	15.2	15.8	16.1	16.6	15.9	15.8
十月	760.9	761.3	761.6	759.8	760.6	761.4	760.9	771.6	23(1934)	742.4	20(1933)	9.9	9.4	10.1	10.3	11.1	10.3	10.2
十一月	762.1	762.4	762.7	760.8	761.9	762.4	762.0	774.4	30(1935)	733.9	15(1932)	6.4	6.1	6.8	7.1	7.2	6.6	6.7
十二月	761.7	761.9	762.3	760.1	761.4	761.9	761.5	772.7	27(1935)	743.6	13(1931)	4.2	4.1	4.4	4.7	4.8	4.5	4.5
全年	758.9	759.2	759.4	757.6	758.3	759.2	758.8	775.8	21(1932)	733.9	15(1932)	9.5	9.3	9.8	10.0	10.4	10.0	9.8

月	氣 温 (攝氏)										濕 度 (百分率)										
	2h	6h	10h	14h	18h	22h	平	平	平	極	極	2h	6h	10h	14h	18h	22h	平			
							均	最高	最低	較差	最高	日(年)	最低	日(年)							均
一月	99.8	98.7	4.4	7.7	3.2	1.0	2.5	8.6	97.7	11.0	17.4	13(1932)	91.3	29(1933)	76.2	78.1	57.8	47.7	65.9	72.2	66.3
二月	0.1	99.1	4.7	7.7	4.0	1.2	2.8	8.6	98.1	10.5	17.5	28(1935)	91.2	13(1931)	73.1	74.3	54.5	47.8	62.2	71.6	63.9
三月	2.3	1.2	8.0	11.0	7.5	3.9	5.7	12.2	0.2	11.9	23.3	23(1931)	91.6	4(1934)	74.8	78.0	53.4	46.8	60.3	73.2	64.4
四月	7.8	7.1	13.4	16.2	13.3	9.6	11.2	17.2	6.0	11.1	27.2	26(1935)	97.9	7(1934)	80.6	82.0	59.8	53.7	64.5	78.0	69.8
五月	12.1	12.4	19.3	22.0	18.9	14.2	16.5	23.0	10.7	12.4	30.0	6(1931)	1.7	4(1935)	88.5	86.9	60.9	52.5	65.3	83.7	73.0
六月	17.5	17.6	22.5	25.1	22.7	19.2	20.8	26.0	16.5	9.6	35.5	27(1933)	8.8	1(1935)	90.6	89.7	68.8	60.7	70.6	86.1	77.7
七月	21.7	21.5	25.6	27.9	25.8	22.8	24.2	28.7	20.7	8.0	38.0	31(1932)	15.7	12(1931)	93.4	93.2	75.6	68.2	78.1	90.1	83.1
八月	22.8	22.6	27.3	29.5	26.7	23.7	25.4	30.4	21.9	8.4	36.0	4(1932)	16.8	20(1934)	94.2	94.6	74.6	66.8	79.7	91.6	83.6
九月	18.8	18.4	22.7	24.8	21.9	19.7	21.0	25.6	17.8	7.8	33.5	2(1933)	10.1	20(1932)	94.5	94.5	77.0	69.8	84.3	92.0	85.3
十月	12.5	11.4	17.5	19.8	15.7	13.5	15.1	20.7	10.8	9.9	30.5	8(1931)	3.0	29(1931)	89.6	90.8	67.8	60.6	82.1	87.5	79.7
十一月	6.8	5.8	12.0	15.1	10.4	7.9	9.7	15.9	4.7	11.1	25.0	2(1934)	97.8	29(1934)	84.6	86.0	64.9	56.1	75.8	81.9	74.9
十二月	2.2	1.3	6.8	10.2	5.6	3.6	4.9	11.1	0.1	11.0	18.6	8(1931)	94.2	14(1935)	78.1	80.2	60.3	50.9	70.3	75.3	69.2
全年	10.3	9.8	15.3	18.1	14.6	11.7	13.3	19.0	8.8	10.2	28.0	31(1932)	91.2	13(1931)	84.9	85.7	64.6	56.8	71.6	81.9	74.2

月	降 水 量 (糎)										雲 量 (自零至十)							日照時數 (ヨロルノ時)				
	22-	2-	6-	10-	14-	18-	總	最				大				2h	6h	10h	14h	18h	22h	平
	2h	6h	10h	14h	18h	22h	計	廿四時間	日(年)	四時間	日(年)	廿四時間	日(年)	四時間	日(年)							總計
一月	6.9	5.3	3.6	2.2	2.3	4.3	24.6	16.3	2(1931)	8.5	2(1931)	3.1	3.1	3.4	4.3	3.5	3.8	3.5	212.0	68		
二月	6.3	5.0	3.3	2.8	6.5	10.8	34.8	18.5	26(1935)	14.2	22(1935)	3.7	4.2	4.4	5.2	4.6	4.3	4.4	188.5	62		
三月	10.9	9.7	6.2	8.2	11.1	14.8	60.8	34.1	25(1935)	19.8	25(1935)	4.6	5.2	4.9	5.5	4.9	4.4	4.9	220.7	60		
四月	14.7	12.9	14.0	13.9	16.2	17.0	88.8	37.4	21(1934)	18.7	21(1934)	5.9	6.7	6.8	7.0	7.2	6.1	6.6	186.6	48		
五月	2.7	9.3	10.9	15.5	13.8	7.8	60.1	49.7	12(1931)	22.4	15(1935)	5.6	6.8	5.8	6.5	6.8	5.1	6.1	227.1	52		
六月	22.3	19.6	20.9	18.7	16.5	18.1	116.1	50.3	20(1934)	25.8	20(1934)	8.1	8.5	7.7	7.8	8.4	8.2	8.1	161.6	37		
七月	17.2	15.1	19.0	13.9	24.2	30.2	119.6	36.7	30(1932)	32.7	30(1932)	8.3	8.7	8.3	8.1	8.9	7.5	8.3	147.1	33		
八月	12.4	20.6	23.6	10.1	11.8	36.4	119.9	52.3	16(1935)	41.6	14(1935)	7.7	8.6	8.0	7.1	8.0	7.0	7.7	176.7	43		
九月	38.1	28.8	24.3	23.1	36.0	35.2	185.5	69.8	24(1935)	35.5	27(1931)	8.2	8.7	8.3	8.0	8.6	8.2	8.4	109.0	29		
十月	15.5	30.9	17.9	20.8	21.4	29.8	136.3	124.8	13(1931)	80.6	16(1931)	5.6	6.4	6.2	6.8	6.9	6.4	6.4	157.7	45		
十一月	15.6	10.0	7.1	10.7	18.2	18.8	80.3	101.2	14(1932)	38.1	15(1932)	4.6	5.5	5.2	5.2	5.3	5.0	5.1	169.6	55		
十二月	5.9	3.4	8.6	5.9	4.8	7.1	35.7	18.1	29(1934)	10.5	16(1933)	3.4	4.1	4.2	4.6	3.9	4.1	4.0	189.9	63		
全年	168.4	170.7	164.4	145.8	182.8	230.4	1062.6	124.8	13(1931)	80.6	13(1931)	5.7	6.3	6.1	6.3	6.4	5.8	6.1	2146.5	48		

(1) 重力ノ更正.....-0.6
海面へノ更正.....+2.9

熊谷の晴

(1931-1935)

熊谷

(昭和六年-昭和十年)

Table with columns for month, wind speed (2h, 6h, 10h, 14h, 18h, 22h), maximum wind speed and direction, 24-hour average, gale days (strong, severe, etc.), and upper cloud cover.

Table showing wind direction observation counts for each month, categorized by direction (North, North-East, East, etc.) and average wind direction and frequency.

Table showing daily weather counts for each month, including precipitation, snow, fog, clouds, sun, wind, and temperature statistics (minimum, maximum, average).

(1931-1935)

熊谷

(昭和六年-昭和十年)

Table showing monthly averages for various meteorological factors: half-month periods, pressure, temperature, humidity, cloud cover, wind speed, and precipitation.

月	一	二	三	四	五	六	七	八	九	十	十一	十二	全	
種目	月	月	月	月	月	月	月	月	月	月	月	月	年	
氣壓(海面ノ度)ノ平均及最高最低 (耗)														
平均	763.3	762.3	761.0	761.4	760.0	757.7	757.4	758.1	759.9	763.2	764.4	763.9	761.0	
最高	778.3	775.7	774.2	774.5	771.3	768.4	767.0	766.2	769.8	773.9	776.7	775.1	778.3	
日(年)	21(1932)	9(1935)	16(1931)	8(1934)	17(1932)	1(1932)	31(1934)	1(1934)	12(1933)	23(1934)	30(1935)	27(1935)	21 I (1932)	
最低	742.7	747.0	736.6	743.9	744.7	746.3	746.2	741.6	737.3	744.6	736.1	745.9	736.1	
日(年)	10(1931)	24(1933)	21(1934)	25(1932)	3(1933)	7(1933)	12(1934)	29(1935)	5(1933)	21(1933)	15(1932)	13(1931)	15 V (1932)	
氣温ノ月中ノ極ノ平均及年中ノ極ノ平均 (攝氏)														
高極平均	14.6	16.4	22.1	24.5	29.2	32.1	35.6	34.8	32.2	27.8	23.6	17.9	36.4	
低極平均	93.1	93.6	94.1	99.4	3.9	10.9	16.7	18.2	12.0	3.4	98.9	95.0	92.2	
氣温日較差ノ最大及其日 (攝氏)														
最大	19.0	19.4	22.1	22.9	24.3	19.5	13.9	14.2	16.8	17.5	19.2	19.8	24.3	
日(年)	13(1932)	22(1933)	23(1931)	10(1931)	5(1931)	1(1935)	31(1932)	20(1934)	7(1933)	4(1933)	10(1932)	14(1934)	5 V (1931)	
水蒸氣張力ノ最大最小及其日 (耗)														
最大	7.7	8.1	12.2	15.7	18.9	21.7	27.6	26.6	24.8	19.0	15.2	8.4	27.6	
日(年)	13(1932)	27(1935)	23(1931)	28(1931)	21(1933)	27(1934)	26(1932)	2(1932)	1(1932)	8(1931)	2(1934)	6(1932)	26 VII (1932)	
最小	1.3	1.3	1.8	2.4	3.7	5.8	12.0	12.6	7.8	4.8	3.0	2.0	1.8	
日(年)	23(1934)	20(1934)	5(1934)	2(1931)	11(1932)	1(1935)	3(1932)	29(1931)	28(1933)	29(1931)	29(1933)	13(1931)	20 I (1934)	
較差	6.4	6.8	10.4	13.3	15.2	15.9	15.6	14.0	17.0	14.2	12.2	6.4	26.3	
濕度ノ最小及其日 (百分率)														
最小	23	23	19	21	22	27	36	40	33	31	32	26	19	
日(年)	26(1934)	27(1934)	22(1934)	19(1931)	5(1931)	3(1933)	31(1932)	17(1932)	18(1933)	28(1931)	11(1935)	12(1935)	22 III (1934)	
季 節														
平均總日數	平均 初 終 日					最大 繼續 日 數								
	初 日	終 日	初終間	自	至	日	月	年	日	月	年	日	月	年
最低氣温 ≧25°	25	VII	1	VIII	8	—	—	—	—	—	—	—	—	—
平均氣温 ≧25°	4	VII	9	K	68	17	VIII	(1933)	5	K	(1933)	20		
最高氣温 ≧25°	1	V	12	X	165	24	VI	(1933)	11	K	(1933)	80		
最高氣温 ≧30°	8	VI	15	K	101	18	VIII	(1933)	5	K	(1933)	19		
最低氣温 <0°	23	XI	1	III	130	1	I	(1934)	1	II	(1934)	32		
平均氣温 <0°	22	I	18	II	28	26	I	(1933)	30	I	(1933)	5		
最高氣温 <0°	—	—	—	—	—	—	—	—	—	—	—	—	—	—
霜	5	XI	17	III	165	1	I	(1934)	19	I	(1934)	19		
雪	20	XII	20	III	91	6	I	(1931)	10	I	(1931)	5		
積雪	26	XII	9	III	74	10	II	(1931)	14	II	(1931)	5		

年	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	全年	年 號
+700 平均 氣 壓 (水點の度)														
1931	60.6	61.4	59.7	57.6	57.8	55.1	54.3	57.3	58.6	61.7	63.2	61.9	59.1	昭和6年
1932	63.9	59.9	58.3	57.5	57.9	56.6	54.6	56.2	57.5	60.0	60.6	62.6	58.8	全 7年
1933	62.1	59.8	59.5	60.5	58.1	55.5	56.8	55.5	57.1	60.2	62.1	57.6	58.7	全 8年
1934	58.6	57.0	57.2	60.1	58.2	55.2	54.9	56.3	57.7	63.1	60.4	64.5	58.6	全 9年
1935	59.2	61.3	58.7	59.8	56.8	55.2	55.4	54.6	57.4	59.6	63.9	61.2	58.6	全 10年
五年平均	60.9	59.9	58.7	59.1	57.8	55.5	55.2	56.0	57.7	60.9	62.0	61.5	58.8	五年平均
平均 氣 温 (攝氏)														
1931	2.0	1.9	6.9	11.6	15.4	20.1	21.7	25.9	21.6	15.2	10.2	5.6	13.2	昭和6年
1932	4.3	3.1	5.7	11.1	16.9	19.5	25.5	25.6	21.1	15.3	9.6	4.8	13.6	全 7年
1933	2.1	2.2	4.9	11.4	17.4	21.5	26.4	26.4	21.9	15.4	10.0	5.6	13.7	全 8年
1934	1.4	2.9	4.8	10.3	16.9	21.6	23.5	25.1	20.6	13.4	9.2	4.7	12.9	全 9年
1935	2.5	3.8	5.9	11.6	15.7	21.0	24.1	24.2	20.0	16.0	9.2	4.5	13.2	全 10年
五年平均	2.5	2.8	5.7	11.2	16.5	20.8	24.2	25.4	21.0	15.1	9.7	4.9	13.3	五年平均
平均 最 高 氣 温 (攝氏)														
1931	7.6	6.3	13.9	18.1	22.3	25.3	25.4	31.2	26.1	20.8	16.2	11.8	18.7	昭和6年
1932	11.2	9.0	12.6	17.1	23.6	23.5	30.1	30.6	25.5	21.1	15.9	10.8	19.3	全 7年
1933	7.8	8.8	10.5	16.8	23.7	27.1	31.5	31.3	28.0	21.0	16.2	11.3	19.5	全 8年
1934	7.8	9.7	11.7	15.9	23.8	27.4	27.6	30.1	24.5	18.5	16.0	10.5	18.6	全 9年
1935	8.6	9.3	12.0	17.9	21.7	26.8	29.0	28.5	23.8	22.0	15.0	10.9	18.8	全 10年
五年平均	8.6	8.6	12.2	17.2	23.0	26.0	28.7	30.4	25.6	20.7	15.9	11.1	19.0	五年平均
平均 最 低 氣 温 (攝氏)														
1931	97.5	98.5	1.1	6.0	9.3	16.3	18.9	22.2	18.5	11.0	5.7	0.9	8.8	昭和6年
1932	99.2	98.4	0.2	5.7	11.4	16.5	21.9	22.4	18.5	11.4	5.0	0.3	9.2	全 7年
1933	97.7	97.2	0.3	7.1	11.7	16.6	22.6	22.9	17.2	10.9	5.0	99.8	9.1	全 8年
1934	96.2	97.2	98.5	5.2	10.7	16.6	20.2	21.2	17.6	9.4	3.8	0.1	8.1	全 9年
1935	97.7	99.1	1.1	6.2	10.3	16.3	20.0	20.8	17.2	11.3	4.2	99.4	8.6	全 10年
五年平均	97.7	98.1	0.2	6.0	10.7	16.5	20.7	21.9	17.8	10.8	4.7	0.1	8.8	五年平均
平均 水 蒸 氣 張 力 (耗)														
1931	3.6	3.7	4.5	6.6	9.0	13.7	16.5	19.9	16.3	10.5	7.2	4.7	9.7	昭和6年
1932	4.2	3.5	4.5	6.5	10.1	13.6	19.4	20.2	16.6	10.3	6.8	4.6	10.0	全 7年
1933	3.7	3.3	4.5	7.5	11.0	14.3	20.3	21.2	15.0	10.0	6.6	4.4	10.1	全 8年
1934	2.8	3.0	3.9	6.6	10.4	14.1	18.3	19.6	15.8	9.5	6.3	4.4	9.6	全 9年
1935	3.7	4.2	4.6	7.4	9.8	13.9	18.1	19.1	15.5	10.5	6.4	4.2	9.8	全 10年
五年平均	3.6	3.5	4.4	6.9	10.0	13.9	18.5	20.0	15.8	10.2	6.7	4.5	9.8	五年平均
平 均 濕 度 (%)														
1931	68.7	70.6	59.9	64.4	71.0	79.6	86.1	81.3	85.3	80.3	78.2	69.7	74.6	昭和6年
1932	68.9	62.5	66.4	66.5	71.2	81.4	81.2	83.6	87.9	80.2	75.9	71.9	74.8	全 7年
1933	69.9	62.3	69.1	74.8	75.2	76.3	80.8	84.2	77.4	77.2	72.9	67.5	73.9	全 8年
1934	57.6	54.3	60.6	71.0	73.3	75.2	85.6	83.3	87.5	83.3	72.4	70.3	72.9	全 9年
1935	67.6	69.9	66.1	72.1	74.1	76.2	81.9	85.6	88.6	77.6	75.1	66.5	75.1	全 10年
五年平均	66.3	63.9	64.4	69.8	73.0	77.7	83.1	83.6	85.3	79.7	74.9	69.2	74.2	五年平均
平 均 雲 量 (十分率)														
1931	4.4	6.5	4.1	6.4	5.9	8.3	9.4	7.9	8.9	6.4	5.6	4.4	6.5	昭和6年
1932	3.0	4.0	4.6	5.5	5.9	9.3	7.2	7.7	8.9	6.8	5.2	4.6	6.1	全 7年
1933	4.2	3.8	6.5	7.8	6.8	7.4	7.7	7.7	6.1	6.5	4.8	2.6	6.0	全 8年
1934	2.7	2.7	4.3	7.0	5.3	8.2	8.8	7.5	9.1	6.8	4.5	4.5	5.9	全 9年
1935	3.2	5.0	5.0	6.3	6.6	7.4	8.4	7.9	8.9	5.4	5.6	4.1	6.2	全 10年
五年平均	3.5	4.4	4.9	6.6	6.1	8.1	8.3	7.7	8.4	6.4	5.1	4.6	6.1	五年平均
平 均 風 速 度 (米/秒)														
1931	2.2	1.8	3.3	2.9	2.2	1.6	1.3	1.4	1.2	1.3	1.6	2.0	1.9	昭和6年
1932	2.0	2.5	2.4	2.8	2.0	1.3	1.3	1.5	1.2	1.4	2.0	2.2	1.9	全 7年
1933	2.3	2.3	2.7	1.9	2.0	1.6	1.4	1.2	1.5	1.5	2.1	2.3	1.9	全 8年
1934	2.7	3.1	2.6	2.3	2.0	1.6	1.1	1.0	1.2	1.4	2.0	2.0	1.9	全 9年
1935	2.4	2.4	2.9	2.4	2.0	1.8	1.5	1.5	1.2	1.6	1.8	2.2	2.0	全 10年
五年平均	2.3	2.4	2.7	2.4	2.0	1.6	1.3	1.3	1.2	1.5	1.9	2.2	1.9	五年平均
降 水 總 量 (耗)														
1931	53.7	55.6	32.4	39.6	119.1	108.8	188.8	68.4	176.3	209.6	78.0	30.3	1160.6	昭和6年
1932	10.1	37.9	57.3	113.2	36.2	171.9	129.0	103.4	249.5	96.1	184.7	44.4	1233.7	全 7年
1933	18.2	8.8	67.7	59.3	35.6	70.8	132.9	91.0	28.1	134.5	52.2	39.2	738.3	全 8年
1934	1.4	19.2	41.9	126.3	57.1	121.9	96.2	75.7	157.7	152.8	50.9	44.0	945.1	全 9年
1935	39.6	52.3	104.8	105.8	52.3	107.2	51.3	260.9	316.0	88.6	35.7	20.6	1235.1	全 10年
五年平均	24.6	34.8	60.8	88.8	60.1	116.1	119.6	119.9	185.5	136.3	80.3	35.7	1062.5	五年平均

年	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	全年	年 號
日 照 時 數 (ジュールダニ式)														
1931	183.5	123.4	240.7	209.5	253.8	155.7	98.0	194.9	107.5	147.1	147.2	175.6	2086.9	昭和6年
1932	223.7	208.4	240.8	210.2	226.7	90.8	192.3	173.5	95.2	169.3	157.8	176.2	2165.0	全 7年
1933	193.4	203.3	178.5	121.8	209.3	182.2	180.7	179.4	200.3	187.8	180.6	221.7	2218.8	全 8年
1934	239.2	237.1	230.4	173.1	240.4	201.8	111.1	189.8	77.4	109.8	195.7	175.4	2181.2	全 9年
1935	220.2	170.6	213.2	218.3	205.1	177.5	153.5	145.8	64.7	194.8	166.8	200.4	2130.8	全 10年
五年平均	212.0	188.5	220.7	186.6	227.1	161.6	147.1	176.7	109.0	157.7	169.6	189.9	2146.5	五年平均
平 均 地 面 温 度 (攝氏) (0.0米)														
1931	2.9	3.8	8.3	13.5	18.9	23.8	24.9	29.0	24.8	18.0	12.1	6.4	15.5	昭和6年
1932	4.5	4.3	8.1	13.4	20.7	22.8	28.3	29.2	24.3	17.9	10.7	5.3	15.8	全 7年
1933	3.0	3.2	6.9	13.4	20.3	24.4	29.1	29.4	24.9	17.5	11.2	5.1	15.7	全 8年
1934	1.5	3.3	6.5	12.2	19.9	24.2	26.2	28.0	23.1	15.8	10.3	5.0	14.9	全 9年
1935	2.5	4.4	7.7	13.9	18.6	23.8	26.6	26.7	22.2	17.9	10.4	4.5	14.9	全 10年
五年平均	2.9	3.8	7.5	13.3	19.7	23.8	27.0	28.4	23.9	17.4	11.0	5.3	15.3	五年平均
平 均 蒸 發 量 (耗) (箱外)														
1931	1.7	2.0	3.9	4.7	5.4	4.9	4.2	4.8	2.7	2.9	1.9	1.9	3.4	昭和6年
1932	2.0	2.8	3.7	5.4	5.2	4.1	5.4	4.4	3.1	2.6	2.0	1.9	3.5	全 7年
1933	2.0	2.2	3.4	3.4	4.7	5.2	4.3	4.4	3.3	2.2	1.9	1.9	3.5	全 8年
1934	2.0	2.8	3.2	3.9	5.0	4.7	5.2	4.4	2.7	2.4	2.3	1.8	3.4	全 9年
1935	2.1	2.3	4.0	4.7	5.0	6.0	4.5	4.6	2.5	3.1	2.2	2.3	3.6	全 10年
五年平均	1.9	2.4	3.6	4.4	5.1	5.0	4.9	4.5	3.1	2.8	2.1	1.9	3.5	五年平均
平 均 最 低 地 温 (攝氏)														
1931	91.9	94.1	95.4	2.0	4.8	14.5	17.9	20.2	16.8	8.0	1.6	95.3	5.2	昭和6年
1932	93.4	92.6	95.1	1.3	7.6	14.8	20.1	20.7	17.1	7.9	1.2	95.0	5.6	全 7年
1933	92.3	90.7	95.7	3.6	8.6	14.6	20.7	21.5	14.7	7.4	0.5	94.3	5.4	全 8年
1934	89.4	90.8	92.8	1.1	7.6	14.2	19.5	19.9	16.1	6.4	98.9	94.9	4.3	全 9年
1935	91.6	94.0	96.4	2.3	6.8	14.1	18.6	19.5	16.1	8.0	0.0	94.1	5.1	全 10年
五年平均	91.7	92.4	95.1	2.1	7.1	14.5	19.3	20.4	16.1	7.5	0.5	94.7	5.1	五年平均
最 高 氣 温 の 極 (攝氏)														
1931	16.8	16.0	23.3	24.9	30.0	31.0	30.5	34.7	32.0	30.5	24.0	18.6	34.7	昭和6年
1932	17.4	16.9	19.9	24.4	29.5	26.9	38.0	36.0	32.7	27.4	22.6	18.0	38.0	全 7年
1933	14.2	16.2	23.2	22.7	29.5	35.5	37.0	33.3	33.5	26.0	23.0	17.3	37.0	全 8年
1934	10.3	15.2	20.8	23.5	27.3	33.3	35.9	34.1	30.2	26.5	25.0	17.9	35.9	全 9年
1935	14.4	17.5	23.1	27.2	29.8	33.6	36.6	35.9	32.4	28.5	23.5	17.5	36.6	全 10年
五年最高	17.4	17.5	23.3	27.2	30.0	35.5	38.0	36.0	33.5	30.5	25.0	18.6	38.0	五年最高
最 低 氣 温 の 極 (攝氏)														
1931	93.3	91.2	94.6	93.3	2.0	12.2	15.7	17.6	15.8	3.6	99.3	95.0	91.2	昭和6年
1932	94.8	94.2	96.1	99.2	7.7	12.5	17.6	19.2	10.1	3.8	0.1	94.8	94.2	全 7年
1933	91.3	91.0	93.0	1.8	5.0	9.5	17.9	20.2	10.9	3.0	98.5	95.0	91.3	全 8年
1934	93.3	93.9	91.6	97.9	3.3	11.7	16.4	16.8	10.5	3.9	97.8	95.8	91.6	全 9年
1935	92.9	94.8	95.2	99.9	1.7	8.8	16.0	17.4	12.8	3.3	99.0	94.2	92.9	全 10年
五年最低	91.3	91.2	91.6	97.9	1.7	8.8	15.7	16.8	10.1	3.0	97.8	94.2	91.2	五年最低
最 多 降 水 量 (24時間量) (耗)														
1931	16.3	14.6	16.8	9.6	49.7	26.3	31.3	29.1	69.2	124.8	23.2	15.2	124.8	昭和6年
1932	3.5	11.7	20.5	31.6	16.2	44.5	25.9	18.9	49.1	29.2	101.2	14.1	101.2	全 7年
1933	12.3	8.5	12.1	21.4	16.9	14.5	36.7	21.7	4.5	29.0	17.4	16.5	36.7	全 8年
1934	1.4	16.9	20.4	37.4	28.8	50.3	21.1	43.0	51.4	34.1	23.5	18.1	51.4	全 9年
1935	11.3	18.5	34.1	26.1	23.3	31.4	30.5	52.3	69.8	56.6	16.7	12.7	69.8	全 10年
五年最多	16.3	18.5	34.1	37.4	49.7	50.3	36.7	52.3	69.8	124.8	101.2	18.1	124.8	五年最多
最 小 濕 度 (%)														
1931	32	35	25	21	22	32	56	45	40	31	34	33	21	昭和6年
1932	31	28	23	25	26	41	36	40	50	37	35	35	23	全 7年
1933	35	26	30	27	28	27	45	55	33	32	34	33	26	全 8年
1934	23	23	19	26	27	31	43	49	43	35	33	35	19	全 9年
1935	29	33	28	29	29	29	43	49	49	36	32	26	26	全 10年
五年最小	23	23	19	21	22	27	36	40	33	31	32	26	19	五年最小
最 大 風 速 度 (米/秒)														
1931	13.8	10.8	16.6	12.3	9.0	6.3	6.6	5.2	8.8	6.5	11.3	14.8	16.6	昭和6年
1932	9.6	10.4	10.0	13.3	11.7	5.1	6.4	6.8	5.2	8.1	14.8	10.6	14.8	全 7年
1933	10.5	10.8	16.8	9.8	11.3	8.3	6.2	5.3	8.8	7.2	12.4	11.3	16.8	全 8年
1934	12.4	12.0	12.9	13.1	9.7	6.4	5.4	8.1	17.6	8.5	10.5	9.6	17.6	全 9年
1935	11.5	15.6	15.0	11.0	10.2	8.4	5.5	10.8	8.8	8.6	8.5	12.8	15.6	全 10年
五年最大	13.8	15.6	16.8	13.3	11.7	8.4	6.6	10.8	17.6	8.6	14.8	14.8	17.6	五年最大

年	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	全年	年 號	
降 水 0.1 耗 以 上 の 日 數															
1931	8	13	7	13	9	17	22	9	18	14	8	5	143	昭和6年	
1932	5	8	15	11	6	19	14	17	24	10	9	5	143	全 7年	
1933	5	3	14	12	11	16	14	16	8	15	12	7	133	全 8年	
1934	1	2	5	10	10	11	22	12	20	15	7	5	120	全 9年	
1935	7	9	12	15	11	15	9	17	22	8	9	6	140	全 10年	
五年平均	5.2	7.0	10.6	12.2	9.4	15.6	16.2	14.2	18.4	12.4	9.0	5.6	135.8	五年平均	
降 水 1.0 耗 以 上 の 日 數															
1931	7	9	6	9	7	14	19	6	11	7	6	3	104	昭和6年	
1932	3	7	5	11	4	15	10	13	19	6	7	5	105	全 7年	
1933	4	1	9	9	5	13	8	12	8	12	7	6	94	全 8年	
1934	1	2	4	10	6	7	14	7	15	10	5	5	86	全 9年	
1935	6	5	9	11	6	8	7	14	18	6	5	4	99	全 10年	
五年平均	4.2	4.8	6.6	10.0	5.6	11.4	11.6	10.4	14.2	8.2	6.0	4.6	97.6	五年平均	
雪 の 日 數															
1931	8	11	—	—	—	—	—	—	—	—	—	—	1	20	昭和6年
1932	1	5	2	—	—	—	—	—	—	—	—	—	—	8	全 7年
1933	4	3	7	—	—	—	—	—	—	—	—	—	—	14	全 8年
1934	5	1	5	1	—	—	—	—	—	—	—	—	—	2	全 9年
1935	3	3	4	1	—	—	—	—	—	—	—	—	—	2	全 10年
五年平均	4.2	4.6	3.6	0.4	—	—	—	—	—	—	—	—	1.0	13.8	五年平均
霰 の 日 數															
1931	1	1	—	—	—	—	—	—	—	—	—	—	1	3	昭和6年
1932	1	—	—	—	—	—	—	—	—	—	—	—	—	1	全 7年
1933	—	2	1	—	—	—	—	—	—	—	—	—	—	3	全 8年
1934	2	—	—	—	—	—	—	—	—	—	—	—	—	2	全 9年
1935	—	1	—	—	—	—	—	—	—	—	—	—	—	1	全 10年
五年平均	0.8	0.8	0.2	—	—	—	—	—	—	—	—	—	0.4	2.2	五年平均
雹 の 日 數															
1931	—	—	1	—	1	—	—	—	—	—	—	—	—	2	昭和6年
1932	—	—	—	—	—	—	—	—	—	—	—	—	—	—	全 7年
1933	—	—	—	—	—	—	—	—	—	—	—	—	—	—	全 8年
1934	—	—	—	—	—	—	—	—	—	—	—	—	—	1	全 9年
1935	—	—	—	—	—	—	—	—	—	—	—	—	—	1	全 10年
五年平均	—	—	0.2	—	0.4	—	—	—	—	—	—	—	—	0.8	五年平均
電 雷 日 數															
1931	—	—	1	—	4	6	3	3	1	—	—	—	—	18	昭和6年
1932	—	—	—	—	—	3	7	6	2	—	—	—	—	18	全 7年
1933	—	—	—	1	2	3	11	14	1	2	—	—	—	34	全 8年
1934	—	—	—	—	5	2	5								

秩 父 の 部

秩 父 港

月	氣 壓 (耗)							水 蒸 氣 ノ 張 力 (耗)										
	2h	6h	10h	14h	18h	22h	平均	最高	日 (年)	最低	日 (年)	2h	6h	10h	14h	18h	22h	平均
一月	742.4	742.4	742.7	740.6	742.0	742.6	742.1	755.8	21(1932)	722.6	10(1931)	3.3	3.1	3.5	3.5	3.5	3.4	3.4
二月	741.4	741.6	741.7	739.5	740.7	741.4	741.1	753.6	9(1935)	727.0	22(1934)	3.3	3.1	3.3	3.5	3.5	3.5	3.4
三月	740.4	740.6	740.5	738.5	739.5	740.6	740.0	753.1	16(1931)	717.2	21(1934)	4.0	3.8	4.1	4.4	4.4	4.2	4.1
四月	741.2	741.5	741.2	739.3	739.9	741.2	740.7	755.6	9(1934)	723.7	25(1932)	6.4	6.1	6.5	7.1	6.9	6.7	6.6
五月	740.1	740.5	740.0	738.5	733.7	740.3	739.7	750.6	5(1931)	725.7	3(1933)	9.3	9.1	9.7	10.1	10.1	9.7	9.7
六月	738.1	738.4	738.0	736.8	736.9	738.2	737.7	747.3	1(1932)	727.6	7(1933)	13.1	12.9	13.5	13.9	14.0	13.7	13.5
七月	737.9	738.2	738.0	737.0	737.2	738.2	737.8	746.4	31(1934)	727.2	4(1931)	17.3	17.0	17.9	18.6	18.8	17.9	17.9
八月	738.9	739.1	738.9	737.6	737.9	739.1	738.6	746.4	15(1934)	722.5	29(1935)	18.3	17.9	18.9	19.6	19.7	19.0	18.9
九月	740.3	740.5	740.4	739.2	739.6	740.5	740.0	749.6	12(1933)	717.8	21(1934)	14.7	14.3	15.2	15.6	15.8	15.1	15.1
十月	743.1	743.4	743.5	741.8	742.8	743.5	743.0	753.0	31(1934)	725.3	20(1933)	9.4	9.0	10.0	10.3	10.5	9.9	9.8
十一月	744.0	744.2	744.2	742.4	743.7	744.2	743.8	755.8	30(1935) 17(1934)	720.2	15(1932)	6.0	5.7	6.7	6.8	6.8	6.3	6.4
十二月	743.3	743.4	743.6	741.5	742.8	743.4	743.0	753.4	27(1935) 21(1932)	725.7	13(1931)	4.0	3.8	4.4	4.5	4.4	4.2	4.2
全年	740.9	741.1	741.1	739.4	740.2	741.1	740.6	755.8	30(1935) 21(1932)	717.2	21(1934)	9.1	8.8	9.5	9.8	9.9	9.5	9.4

月	氣 温 (攝氏)											濕 度 (百分率)									
	2h	6h	10h	14h	18h	22h	平均	最高	最低	較差	最高	日 (年)	最低	日 (年)	2h	6h	10h	14h	18h	22h	平均
一月	97.5	96.1	2.9	7.4	2.6	99.2	1.0	8.2	95.1	13.1	16.8	13(1932)	89.6	28(1933) 25(1934)	83.9	86.9	60.6	44.9	61.7	76.9	69.2
二月	97.9	96.6	3.6	7.3	3.3	99.7	1.4	8.1	95.8	12.3	16.7	13(1932) 28(1935)	89.4	13(1931)	82.8	85.7	55.4	46.7	60.1	75.0	67.6
三月	0.6	99.4	7.3	10.8	7.0	2.7	4.6	11.9	98.4	13.6	24.0	23(1931)	89.9	6(1934)	82.2	83.4	52.4	45.7	57.4	72.8	65.7
四月	6.5	5.3	13.3	16.1	12.9	8.8	10.5	17.1	4.4	12.7	27.0	28(1931)	95.8	8(1931)	86.0	87.9	57.3	53.0	62.0	77.4	70.6
五月	11.6	11.0	19.1	21.8	18.9	13.8	16.1	23.0	9.8	13.3	30.6	6(1931)	99.5	3(1931)	88.7	90.5	59.0	53.1	62.2	81.1	72.5
六月	16.9	16.5	22.5	24.5	22.1	18.5	20.2	25.6	15.6	10.0	35.5	27(1933)	5.4	1(1935)	90.5	91.2	67.4	62.1	71.1	85.2	77.9
七月	21.0	20.6	25.6	27.5	25.3	22.2	23.7	28.5	20.0	8.6	37.0	25(1933)	14.1	5(1935)	92.7	93.2	73.7	63.9	78.4	89.4	82.7
八月	22.1	21.5	27.0	29.1	26.3	23.2	24.9	30.1	21.1	9.0	36.1	1(1935)	17.1	19 20(1935)	92.4	93.6	71.4	66.2	77.8	89.3	81.8
九月	18.0	17.4	22.1	23.8	21.1	19.0	20.2	24.7	16.9	7.7	33.3	8(1935)	8.6	20(1932)	94.2	95.0	76.4	71.7	84.0	91.5	85.5
十月	11.0	9.8	16.5	18.9	14.8	12.3	13.9	19.7	9.3	10.4	29.8	8(1931)	99.1	29(1931)	93.4	94.9	70.4	63.5	82.1	91.1	82.6
十一月	4.9	3.6	10.7	14.6	9.4	6.2	8.3	15.4	2.7	12.6	24.0	2(1934)	95.9	30(1934) 14(1931)	91.2	93.5	69.2	55.1	76.1	87.6	78.8
十二月	99.8	98.7	5.3	10.1	4.6	1.5	3.3	10.8	97.7	13.1	19.2	8(1931)	92.1	24(1935)	86.8	89.7	65.6	48.5	68.1	80.9	73.3
全年	9.0	8.1	14.7	17.7	14.0	10.6	12.3	18.6	7.2	11.4	37.0	25(1933)	89.4	13(1931)	88.7	90.5	64.9	56.6	70.1	83.2	75.7

月	降 水 量 (耗)											雲 量 (自零至十)							日照時數 (ジュールン型)		
	22-2h	2-6h	6-10h	10-14h	14-18h	18-22h	總計	最	大	廿四時間	日 (年)	四時間	日 (年)	2h	6h	10h	14h	18h	22h	平均	總計
一月	6.0	4.5	2.9	2.4	2.2	5.7	23.6	16.2	2(1931)	9.6	2(1931)			3.1	3.3	4.4	3.5	3.2	3.5	204.3	66
二月	7.8	3.6	2.7	2.1	5.8	12.2	34.2	15.2	13(1931)	14.2	13(1931)			3.9	4.6	5.9	4.8	3.8	4.6	180.0	59
三月	13.2	8.0	8.8	11.2	12.4	13.6	67.1	37.6	24(1935)	19.6	25(1935)			4.6	5.1	5.9	4.8	4.1	4.9	219.4	59
四月	11.4	12.3	11.3	15.7	15.3	12.5	78.5	77.7	21(1934)	21.2	21(1934)			6.5	6.2	7.2	7.0	5.2	6.4	185.6	47
五月	2.7	11.8	9.2	15.9	9.8	6.9	56.4	61.1	12(1931)	16.2	16(1931)			6.4	6.0	6.8	6.9	4.8	6.2	216.1	50
六月	12.7	14.4	19.2	22.2	28.0	23.4	119.8	59.7	16(1934)	33.1	14(1933)			8.4	7.8	8.2	8.6	7.5	8.1	143.7	33
七月	16.5	11.0	13.5	20.8	43.8	29.6	135.2	49.3	13(1931)	29.8	15(1933)			8.2	8.0	8.3	9.0	7.2	8.2	133.4	30
八月	40.3	27.4	23.4	16.0	40.9	52.9	200.8	112.1	6(1933)	67.0	14(1934)			8.1	7.6	8.0	8.6	6.5	7.8	155.9	37
九月	36.8	46.1	26.9	37.7	45.0	44.0	236.4	157.7	25(1935)	52.1	26(1935)			8.8	8.0	8.6	8.8	7.8	8.4	89.3	24
十月	17.9	33.8	25.2	20.3	22.6	26.1	146.0	113.1	13(1931)	48.3	13(1931)			7.0	6.1	7.4	7.0	6.1	6.7	133.4	40
十一月	12.0	12.9	8.3	12.6	21.7	17.7	85.2	133.4	14(1932)	49.8	14(1932)			5.6	4.8	5.3	4.9	4.5	5.0	162.1	53
十二月	7.1	5.8	11.2	8.6	6.4	9.6	48.5	31.8	30(1932)	12.9	23(1931)			3.8	4.0	4.5	3.4	3.4	3.8	185.0	61
全年	184.2	191.7	162.4	185.4	253.9	254.0	1231.8	157.7	25(1935)	67.0	14(1934)			6.2	6.0	6.7	6.4	5.3	6.1	2013.1	47

(1931-1935)

秩父

(昭和六年-昭和十年)

Table with columns for month, wind speed (2h, 6h, 10h, 14h, 18h, 22h), maximum wind speed/direction, typhoon days (strong, violent, severe), and upper cloud cover.

Table titled '各風向観測回数' showing wind direction observation counts for various directions (North, North-East, East, etc.) by month and year.

Table titled '天氣日數' showing weather day counts for various conditions (rain, snow, fog, etc.) by month and year.

(1931-1935)

秩父

(昭和六年-昭和十年)

Table showing monthly and half-monthly averages for various meteorological data including pressure, temperature, humidity, cloud cover, and precipitation.

(1931-1935)

秩 父

(昭和六年-昭和十年)

Table with 14 columns (Month, Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, Annual) and 14 rows of meteorological data including pressure, temperature, humidity, and seasonal statistics.

(1931-1935)

秩 父

(昭和六年-昭和十年)

Table with 14 columns (Month, Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, Annual) and 14 rows of meteorological data including pressure, temperature, humidity, and seasonal statistics.

(1931-1935)

秩 父

(昭和六年-昭和十年)

Table with 14 columns (Month, Jan-Dec, Annual, Year) and 14 rows of climate data including日照時數, 平均地面温度, 平均蒸發量, 平均最低地温, 最高気温の極, 最低気温の極, 最大風速度, 最小湿度, 最多降水量.

(1931-1935)

秩 父

(昭和六年-昭和十年)

Table with 14 columns (Month, Jan-Dec, Annual, Year) and 14 rows of climate data including降水量0.1耗以上の日數, 降水量1.0耗以上の日數, 降雪日數, 霰の日數, 雹の日數, 電雷日數, 霧日數, 快晴日數, 曇天日數.

(1931-1935)

秩 父

(昭和六年-昭和十年)

年	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	全年	年 號	
不 照 日 數															
1931	4	6	1	4	4	10	3	8	8	6	1	55	昭和6年		
1932	2	3	4	6	2	12	7	3	12	5	6	67	全 7年		
1933	3	3	6	8	6	8	3	4	7	8	4	62	全 8年		
1934	1	1	5	7	4	5	15	1	15	12	2	6	74	全 9年	
1935	1	5	3	4	6	9	9	10	16	5	4	3	75	全 10年	
五年平均	2.2	3.6	3.6	5.2	4.4	7.6	8.8	4.2	11.6	7.6	4.2	3.6	66.6	五年平均	
暴 風 日 數															
1931	1	—	2	—	—	—	—	—	—	—	—	—	3	昭和6年	
1932	—	—	—	—	—	—	—	—	—	—	—	—	1	全 7年	
1933	—	—	4	—	5	—	—	—	—	—	—	—	9	全 8年	
1934	—	—	—	—	—	—	—	—	1	—	—	—	1	全 9年	
1935	—	—	—	—	—	—	—	—	—	—	—	—	—	全 10年	
五年平均	0.2	—	1.2	—	1.0	—	—	—	0.2	—	0.2	—	2.1	五年平均	
霜 日 數															
1931	25	22	20	9	1	—	—	—	—	1	8	24	110	昭和6年	
1932	27	24	19	5	—	—	—	—	—	—	13	20	108	全 7年	
1933	23	26	14	2	—	—	—	—	—	2	12	25	104	全 8年	
1934	31	27	19	4	—	—	—	—	—	3	20	27	131	全 9年	
1935	29	17	17	6	1	—	—	—	—	2	14	26	112	全 10年	
五年平均	27.0	23.2	17.8	5.2	0.4	—	—	—	—	1.6	13.4	24.4	113.0	五年平均	
平均氣温0度以下の日數															
1931	12	10	1	—	—	—	—	—	—	—	—	—	1	24	昭和6年
1932	3	5	—	—	—	—	—	—	—	—	—	—	1	9	全 7年
1933	12	12	—	—	—	—	—	—	—	—	—	—	3	27	全 8年
1934	19	1	4	—	—	—	—	—	—	—	—	—	1	25	全 9年
1935	9	3	—	—	—	—	—	—	—	—	—	—	2	14	全 10年
五年平均	11.0	6.2	1.0	—	—	—	—	—	—	—	—	—	1.6	19.8	五年平均
最高氣温0度以下の日數															
1931	—	—	—	—	—	—	—	—	—	—	—	—	—	—	昭和6年
1932	—	—	—	—	—	—	—	—	—	—	—	—	—	—	全 7年
1933	—	—	—	—	—	—	—	—	—	—	—	—	—	—	全 8年
1934	—	—	—	—	—	—	—	—	—	—	—	—	—	—	全 9年
1935	—	—	—	—	—	—	—	—	—	—	—	—	—	—	全 10年
五年平均	—	—	—	—	—	—	—	—	—	—	—	—	—	—	五年平均
最低氣温0度以下の日數															
1931	29	24	21	7	1	—	—	—	—	1	5	20	108	昭和6年	
1932	27	29	20	5	—	—	—	—	—	—	9	24	114	全 7年	
1933	28	27	21	1	—	—	—	—	—	—	4	25	106	全 8年	
1934	31	27	25	5	—	—	—	—	—	—	15	27	130	全 9年	
1935	29	22	17	4	—	—	—	—	—	—	5	25	102	全 10年	
五年平均	28.8	25.8	20.8	4.4	0.2	—	—	—	—	0.2	7.6	24.2	112.0	五年平均	
平均氣温25度以上の日數															
1931	—	—	—	—	—	21	2	—	—	—	—	—	23	昭和6年	
1932	—	—	—	—	—	14	17	3	—	—	—	—	34	全 7年	
1933	—	—	—	—	—	2	17	3	—	—	—	—	39	全 8年	
1934	—	—	—	—	—	1	11	14	—	—	—	—	26	全 9年	
1935	—	—	—	—	—	1	9	9	2	—	—	—	21	全 10年	
五年平均	—	—	—	—	—	0.8	10.2	15.6	2.0	—	—	—	28.6	五年平均	
最高氣温25度以上の日數															
1931	—	—	—	2	10	17	17	28	15	2	—	—	91	昭和6年	
1932	—	—	—	—	12	7	25	28	15	1	—	—	83	全 7年	
1933	—	—	—	—	11	20	30	30	19	—	—	—	110	全 8年	
1934	—	—	—	—	14	22	18	29	11	2	—	—	96	全 9年	
1935	—	—	—	4	8	24	24	24	13	3	—	—	100	全 10年	
五年平均	—	—	—	1.2	11.0	18.0	22.8	27.8	14.6	1.6	—	—	36.6	五年平均	
最低氣温25度以上の日數															
1931	—	—	—	—	—	—	—	—	—	—	—	—	—	昭和6年	
1932	—	—	—	—	—	—	—	—	—	—	—	—	—	全 7年	
1933	—	—	—	—	—	—	—	—	—	—	—	—	—	全 8年	
1934	—	—	—	—	—	—	—	—	—	—	—	—	—	全 9年	
1935	—	—	—	—	—	—	—	—	—	—	—	—	—	全 10年	
五年平均	—	—	—	—	—	—	—	—	—	—	—	—	—	五年平均	

(1931-1935)

秩 父

(昭和六年-昭和十年)

年	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	全年	年 號
曲管地中温度0.1米														
1931	—	—	—	—	—	—	—	—	—	—	—	—	—	昭和6年
1932	3.8	3.3	6.7	11.5	18.4	20.8	26.0	26.8	23.1	16.9	10.2	4.6	14.4	全 7年
1933	1.9	1.9	5.9	11.9	18.2	22.2	27.0	27.2	23.9	17.2	11.1	5.1	14.5	全 8年
1934	1.3	1.9	5.3	11.1	17.8	22.2	24.7	26.5	22.2	15.6	9.9	4.2	13.6	全 9年
1935	1.6	3.0	6.6	12.6	16.9	22.1	24.9	25.7	21.7	17.3	10.5	4.1	13.9	全 10年
四年平均	2.2	2.5	6.1	11.8	17.8	21.8	25.7	26.6	22.7	16.8	10.4	4.5	14.1	四年平均
曲管地中温度0.2米														
1931	—	—	—	—	—	—	—	—	—	—	—	—	—	昭和6年
1932	4.5	4.0	6.8	11.1	17.7	20.4	25.3	26.5	23.2	17.5	11.0	5.4	14.4	全 7年
1933	2.7	2.5	6.1	11.6	17.6	21.7	26.4	26.9	24.1	17.8	11.9	6.1	14.6	全 8年
1934	2.1	2.4	5.4	10.8	17.3	21.6	24.2	25.9	22.2	16.1	10.7	5.1	13.7	全 9年
1935	2.3	3.3	6.7	12.1	16.4	21.5	24.3	25.5	21.8	17.8	11.2	5.1	14.0	全 10年
四年平均	2.9	3.1	6.3	11.4	17.3	21.3	25.1	26.2	22.8	17.3	11.2	5.4	14.2	四年平均
曲管地中温度0.3米														
1931	4.5	4.4	7.5	11.4	15.7	19.8	21.9	25.5	23.2	18.2	13.0	7.8	14.4	昭和6年
1932	5.5	4.8	7.0	10.9	16.8	19.7	24.0	25.8	23.3	18.0	12.1	7.0	14.6	全 7年
1933	4.0	3.5	6.3	11.0	16.7	20.6	25.2	26.3	24.2	18.4	13.0	7.6	14.7	全 8年
1934	3.7	3.4	5.7	10.3	16.3	20.4	23.4	25.0	22.2	16.8	11.8	6.7	13.8	全 9年
1935	3.7	4.1	6.9	11.4	15.7	20.3	23.2	24.8	21.8	18.3	12.3	6.7	14.1	全 10年
五年平均	4.3	4.0	6.7	11.0	16.2	20.2	23.5	25.5	22.9	17.9	12.4	7.2	14.2	五年平均
鐵管地中温度0.5米														
1931	—	—	—	—	—	—	—	—	—	—	—	—	—	昭和6年
1932	6.6	6.2	7.9	11.1	16.2	19.0	23.0	25.1	23.3	19.0	13.6	8.9	15.0	全 7年
1933	5.6	5.0	6.9	10.7	15.8	19.5	24.1	25.7	24.3	19.2	14.4	9.4	15.1	全 8年
1934	5.5	5.1	6.5	10.3	15.4	19.3	22.2	24.0	21.9	17.4	13.2	8.5	14.1	全 9年
1935	5.4	5.4	7.6	11.2	15.1	19.2	22.2	24.2	21.8	19.0	13.7	8.7	14.4	全 10年
四年平均	5.8	5.4	7.2	10.8	15.6	19.3	22.9	24.8	22.8	18.7	13.7	8.9	14.7	四年平均
鐵管地中温度1米														
1931	—	—	—	—	—	—	—	—	—	—	—	—	—	昭和6年
1932	8.9	7.8	8.4	10.8	14.7	17.9	21.0	23.8	23.0	19.7	15.0	10.8	15.1	全 7年
1933	7.5	6.5	7.5	10.3	14.5	18.0	22.1	24.4	24.0	19.9	15.8	11.5	15.2	全 8年
1934	7.7	6.6	7.3	10.0	14.1	17.9	20.9	22.7	21.8	18.3	14.6	10.5	14.4	全 9年
1935	7.4	6.5	8.0	10.5	14.0	17.6	20.6	23.0	21.7	19.4	15.0	10.8	14.5	全 10年
四年平均	7.9	6.9	7.8	10.4	14.3	17.9	21.2	23.5	22.6	19.3	15.1	10.9	14.8	四年平均
鐵管地中温度2米														
1931	—	—	—	—	—	—	—	—	—	—	—	—	—	昭和6年
1932	11.2	9.8												

管内の部

(1931-1935)

管内

(昭和六年-昭和十年)

月 一月 二月 三月 四月 五月 六月 七月 八月 九月 十月 十一月 十二月 全年

平均気温 (攝氏)

Table with 14 columns (months/year) and 14 rows of locations. Data includes average temperatures for various sites like 浦吉岩杉宮, 和川榎戸蒲, etc.

平均最高気温 (攝氏)

Table with 14 columns (months/year) and 14 rows of locations. Data includes average maximum temperatures for various sites like 浦吉岩杉宮, 和川榎戸蒲, etc.

(1931-1935)

管内

(昭和六年-昭和十年)

観測所名 月 一月 二月 三月 四月 五月 六月 七月 八月 九月 十月 十一月 十二月 全年

最高気温の概 (攝氏)

Table of maximum temperature data for various stations including 浦吉岩杉菖, 和川椋戸蒲, 越ケ谷橋澤能越, etc.

平均最低気温 (攝氏)

Table of average minimum temperature data for various stations including 浦吉岩杉菖, 和川椋戸蒲, 越ケ谷橋澤能越, etc.

(1931-1935)

管内

(昭和六年-昭和十年)

観測所名 月 一月 二月 三月 四月 五月 六月 七月 八月 九月 十月 十一月 十二月 全年

最低気温の概 (攝氏)

Table of minimum temperature data for various stations including 浦吉岩杉菖, 和川椋戸蒲, 越ケ谷橋澤能越, etc.

降水量 (mm)

Table of precipitation data for various stations including 浦吉岩杉菖, 和川椋戸蒲, 越ケ谷橋澤能越, etc.

観測所名	月	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	全年
------	---	----	----	----	----	----	----	----	----	----	----	-----	-----	----

最多降水日数 (日)

浦吉岩杉苗	和川椴戸浦	23.0	29.0	46.5	33.8	41.0	85.2	48.0	61.5	142.2	154.5	177.7	33.1	177.7
25.0	30.0	48.0	37.6	54.0	75.0	65.0	72.7	102.0	81.5	125.0	38.0	38.0	125.0	
21.1	30.0	41.0	38.5	38.4	47.6	51.7	75.0	108.0	120.4	103.6	37.6	37.6	120.4	
23.2	28.3	59.7	33.4	35.7	37.5	49.6	62.1	111.2	141.1	83.4	32.9	32.9	141.1	
18.5	29.1	62.0	35.0	35.3	35.8	55.3	80.0	110.5	147.0	108.5	27.2	27.2	147.0	
越ヶ谷 越栗所飯川	谷橋澤能越	21.0	32.3	50.5	45.0	46.0	68.8	84.0	75.0	67.0	88.6	180.0	42.0	180.0
23.0	29.0	52.0	34.0	41.3	50.0	40.0	72.0	106.0	120.0	113.0	30.0	30.0	120.0	
25.6	29.6	56.8	48.0	41.4	59.8	74.5	90.1	132.0	135.0	143.0	36.0	36.0	143.0	
25.6	26.8	60.2	44.5	44.2	48.2	47.6	110.4	231.0	113.0	132.9	27.5	27.5	213.0	
25.1	26.4	55.6	33.1	40.8	47.0	56.0	91.5	122.0	114.2	139.5	30.0	30.0	189.5	
梅松小槻熊	園山川川谷	21.0	24.5	62.0	60.7	44.0	51.3	48.6	113.5	213.0	113.0	20.1	20.1	213.0
24.6	28.1	48.5	39.8	35.3	37.5	33.9	73.5	114.0	120.5	141.6	19.5	19.5	141.6	
21.2	26.0	63.0	44.0	37.2	37.5	59.2	97.5	217.3	117.3	130.5	17.5	17.5	217.3	
18.9	26.3	67.3	65.0	43.3	59.6	53.5	166.8	236.2	116.9	124.4	21.9	21.9	236.2	
16.4	25.6	57.7	36.6	31.5	35.7	32.4	35.0	106.1	121.0	129.2	22.6	22.6	129.2	
若玉羽本名	泉井生庄栗	16.8	23.8	51.2	39.2	33.6	55.4	65.3	112.8	140.6	78.4	114.8	22.0	140.6
13.0	25.9	55.3	40.0	27.4	49.7	57.1	52.5	126.2	125.5	130.0	20.9	20.9	130.0	
19.8	27.6	64.2	40.4	37.0	33.2	58.0	65.6	111.4	99.2	76.5	27.7	27.7	111.4	
18.7	23.0	46.0	32.3	31.2	39.0	42.3	43.8	154.5	65.1	111.2	20.0	20.0	154.5	
23.5	24.5	66.0	53.3	54.7	55.3	48.6	110.0	234.0	114.2	140.3	32.0	32.0	234.0	
浦三大中秩	山峯瀬川父	24.6	21.0	56.9	42.4	54.5	52.0	42.0	103.0	132.6	115.2	103.0	30.0	132.6
25.5	17.2	28.4	47.0	44.5	78.0	53.0	103.0	142.0	90.2	105.2	25.6	25.6	142.0	
23.2	24.0	34.5	31.9	42.7	49.4	47.3	119.6	141.0	83.7	104.5	22.5	22.5	141.0	
22.4	19.1	34.7	31.4	34.2	36.2	43.6	63.6	125.7	68.2	124.3	35.7	35.7	125.7	
25.7	21.5	52.2	44.5	44.3	57.1	38.1	84.4	189.9	116.2	125.0	43.0	43.0	189.9	
小野越	鹿野上生	24.6	18.2	44.2	28.9	39.0	48.0	34.1	130.5	178.5	88.0	101.4	35.0	178.5
16.0	26.0	52.5	50.3	40.0	52.5	58.5	64.4	154.0	105.2	102.9	33.5	33.5	154.0	
20.5	26.0	62.0	47.0	40.3	48.0	57.0	90.0	213.0	111.3	126.0	20.0	20.0	213.0	

降水日数 ((0.1mm以上))

浦吉岩杉苗	和川椴戸浦	5.6	6.8	10.6	13.2	9.6	13.2	14.4	12.2	15.2	13.8	9.6	7.0	131.2
5.2	6.2	10.4	11.8	8.4	11.8	12.2	10.8	14.0	12.8	9.2	7.0	7.0	119.8	
5.0	5.2	9.4	12.0	8.8	12.0	12.2	9.0	13.6	12.2	8.2	6.4	6.4	114.0	
6.0	7.6	11.2	13.2	9.6	13.2	14.2	11.6	15.0	11.4	9.2	7.0	7.0	129.2	
5.2	5.2	9.6	11.0	8.6	12.4	12.4	10.2	13.2	10.2	7.8	5.8	5.8	111.6	
越ヶ谷 越栗所飯川	谷橋澤能越	5.3	4.7	10.0	12.3	7.7	8.7	9.7	10.0	13.3	12.0	8.7	6.0	108.4
5.4	5.2	9.4	10.8	8.6	12.0	13.2	9.4	13.4	11.0	8.0	6.8	6.8	113.2	
5.4	6.0	11.2	11.6	10.0	14.4	14.2	12.4	13.0	9.0	6.6	6.6	6.6	130.0	
5.4	7.2	10.4	11.6	10.6	15.4	15.0	13.0	17.8	12.6	8.6	6.8	6.8	134.4	
5.2	6.0	11.0	11.4	10.4	15.2	15.0	12.2	15.8	12.4	8.6	7.0	7.0	130.2	
梅松小槻熊	園山川川谷	5.6	6.2	10.6	11.4	11.4	14.2	17.4	15.4	18.4	12.2	8.6	6.6	138.0
5.6	6.0	8.6	11.0	10.8	13.8	14.6	14.4	16.0	12.0	7.4	6.4	6.4	126.6	
5.6	6.4	9.2	11.0	10.6	14.2	15.8	13.4	16.8	11.0	9.2	6.0	6.0	129.2	
5.6	6.6	10.0	13.8	12.4	17.2	19.8	16.6	20.2	12.2	9.6	6.2	6.2	150.2	
4.8	6.0	10.2	12.0	11.2	15.8	17.2	14.6	17.2	13.0	8.6	6.2	6.2	136.8	
若玉羽本名	泉井生庄栗	4.8	5.0	9.0	11.0	10.4	14.4	17.4	15.4	17.6	11.2	8.0	6.4	130.6
5.2	5.8	9.8	11.6	11.2	16.0	17.2	14.2	17.0	11.2	8.6	6.2	6.2	134.0	
5.4	6.2	10.0	12.0	10.0	15.4	15.2	12.6	15.4	12.2	8.0	5.8	5.8	128.2	
4.6	5.2	9.6	11.2	11.8	14.4	17.4	14.2	16.8	10.8	8.2	6.0	6.0	130.2	
5.4	7.4	10.8	12.6	11.8	16.8	19.0	16.4	18.4	13.4	9.4	6.4	6.4	147.8	
浦三大中秩	山峯瀬川父	5.2	6.4	9.8	11.8	10.8	14.0	17.2	12.8	16.6	11.6	8.6	6.6	131.4
6.2	8.0	11.2	13.0	11.4	16.0	19.0	14.6	18.2	12.8	8.4	6.4	6.4	145.2	
5.8	6.8	11.6	12.8	12.6	17.8	19.8	17.4	18.4	13.2	9.8	7.2	7.2	153.2	
5.8	7.6	9.8	13.6	11.4	15.2	18.8	14.6	17.6	11.0	9.0	6.8	6.8	141.2	
5.0	6.2	10.0	12.2	10.8	14.0	18.4	15.0	17.0	12.0	9.0	6.2	6.2	135.8	
小野越	鹿野上生	5.0	5.6	9.8	11.4	10.2	13.4	17.6	15.6	16.0	11.4	8.0	5.8	129.8
5.4	6.2	9.6	11.6	11.4	16.0	19.6	16.0	19.2	12.0	9.4	6.6	6.6	143.0	
5.5	7.0	8.0	12.0	12.5	12.3	17.5	14.8	15.8	11.8	8.5	6.5	6.5	132.2	

観測所名	月	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	全年
------	---	----	----	----	----	----	----	----	----	----	----	-----	-----	----

降水日数 (1.0mm以上)

浦吉岩杉苗	和川椴戸浦	4.8	5.4	9.0	10.2	7.8	10.4	10.8	8.2	10.4	11.2	7.4	5.8	101.4
4.8	5.4	9.2	11.0	7.8	10.2	10.6	9.6	12.0	11.2	7.8	6.1	6.1	105.8	
4.6	4.8	8.2	10.2	7.8	10.8	10.0	8.4	12.2	10.4	8.0	5.4	5.4	100.8	
4.6	5.0	8.8	10.4	7.6	10.2	10.2	8.8	11.8	10.2	7.4	5.0	5.0	100.0	
5.0	5.2	8.0	10.8	8.6	11.8	12.0	10.2	12.6	10.2	7.8	5.2	5.2	107.4	
越ヶ谷 越栗所飯川	谷橋澤能越	4.7	4.0	8.7	11.3	7.0	7.3	9.7	9.3	11.7	11.3	8.0	5.0	98.0
5.0	4.8	7.8	10.0	8.4	11.2	12.6	9.4	12.4	10.8	7.4	6.2	6.2	106.0	
4.6	5.0	8.8	10.4	8.4	10.8	11.2	9.6	11.2	10.8	7.8	5.6	5.6	104.2	
4.6	5.4	8.4	9.8	9.0	12.8	12.0	10.6	15.4	10.6	7.6	5.6	5.6	111.8	
4.6	4.6	7.6	9.4	8.0	12.2	11.4	10.2	12.4	10.6	7.8	5.2	5.2	104.0	
梅松小槻熊	園山川川谷	4.6	5.0	8.4	9.4	8.2	12.6	14.2	11.0	16.4	10.4	6.8	5.6	112.6
4.6	4.6	7.4	9.2	8.6	12.0	12.2	11.0	12.8	10.8	6.6	5.2	5.2	105.0	
4.6	4.8	7.8	9.2	7.4	11.4	14.0	11.2	14.2	10.4	6.4	5.4	5.4	106.8	
4.2	4.4	7.8	8.8	7.2	11.4	13.2	11.8	15.6	10.8	6.2	5.0	5.0	105.8	
4.2	4.0	7.2	9.0	7.0	12.0	12.0	11.6	13.0	10.0	6.4	4.8	4.8	101.2	
若玉羽本名	泉井生庄栗	2.6	3.2	6.4	8.6	7.6	10.2	14.0	12.2	14.4	9.8	6.4	4.8	100.2
4.2	4.2	7.4	8.6	7.2	11.6	11.6	11.0	13.2	9.8	6.6	5.2	5.2	100.6	
4.8	4.4	7.8	8.6	8.2	11.0	12.0	10.2	11.4	10.8	6.6	4.8	4.8	100.6	
3.6	4.2	6.2	8.8	8.6	11.4	12.6	12.4	13.2	9.4	7.0	5.2	5.2	102.6	
4.8	5.4	9.2	9.8	9.4	13.2	14.0	12.6	15.2	12.0	7.2	5.6	5.6	118.4	
浦三大中秩	山峯瀬川父	4.8	5.4	8.4	10.4	8.4	12.2	14.8	11.2	15.0	10.8	6.4	5.6	113.4
5.2	5.0	9.4	10.4	8.6	13.6	15.2	12.0	16.0	11.4	6.8	6.0	6.0	119.6	
4.4	5.2	8.2	9.4	9.0	10.6	14.4	13.2	14.2	10.8	6.6	5.8	5.8	112.4	
4.0	5.0	7.4	8.8	7.6	12.2	14.8	11.2	13.0	8.8	6.4	5.8	5.8	105.0	
4.4	4.6	7.8	8.0	7.0	11.0	13.4	10.8	12.8	9.8	5.8	5.4	5.4	100.9	
小野越	鹿野上生	3.6	4.2	7.4	8.0	7.8	10.6	16.2	12.0	13.2	10.4	5.6	5.4	104.0
3.0	4.2	6.8	7.8	7.2	10.4	13.2	11.4	12.8	10.0	6.0	5.4	5.4	98.2	
4.3	5.3	7.0	9.5	9.5	11.8	16.0	12.8	14.8	11.0	6.8	5.3	5.3	114.1	

晴天日数

浦吉岩杉苗	和川椴戸浦	23.2	18.4	18.8	14.4	17.0	10.4	8.2	13.8	7.4	13.0	17.4	19.4	181.4
25.0	20.4	18.2	16.8	21.0										

Table with columns for observation station name, month (Jan-Dec), and annual total. Rows include stations like 浦吉岩杉菖, 和川椶戸蒲, 越ヶ谷橋澤能越, etc.

曇日数

Table showing the number of cloudy days for each station from 1931 to 1935. Columns include station name and years.

Table with columns for observation station name, month (Jan-Dec), and annual total. Rows include stations like 浦吉岩杉菖, 和川椶戸蒲, 越ヶ谷橋澤能越, etc.

管内観測所一覽

Table listing observation stations with columns for name, location, latitude/longitude, elevation, and establishment date. Includes details for stations like 浦和市埼玉縣廳橋内, 北葛飾郡吉川町, etc.

昭和十三年一月十五日

熊谷市大字熊谷三、五、三、六番地

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
...

昭和十二年一月十一日印刷
昭和十二年一月十五日發行

埼玉縣熊谷測候所

熊谷市大字熊谷三、五、三、六番地
電話熊谷二一三番

埼玉縣熊谷市大字熊谷三、五、三、六番地
印刷所 關東印刷所

埼玉縣熊谷市大字熊谷三、五、三、六番地
印刷人 持田 惠太郎



146

209

14. 6二-2091



1200501223047

14.6二

091

終