	Buyer		Quantity (T)	Unit cost (¥)	Total cost (¥)	Used for	Remarks
	Address	Name					
	Domestic use	TM	30k 3	100.00	300.00	Domestic works	Used door
	〃	24-4	42k 1		500.00	〃	Used ammunition box
	〃	53-30	7k 1		210.00	〃	Used bracket
	〃	〃	12 k 1		360.00	〃	〃
	〃	D-4	6k 16		800.00	〃	Used foaming extinguisher
	〃	3-101	30k 1		1,300.00	〃	Used resistence
	〃	3-101	27k 1		3,000.00	〃	Used starter
	〃	81-4	1k 1		100.00	〃	Chemicals for extinguisher
	〃	112-4	16k 16	100.00	1,600.00	〃	〃
	〃	3-104	90k 2	850.00	1,700.00	〃	Used resistence
	〃	〃	994 k	10.00	9,940.00	〃	〃
	〃	33-31	2	53.00	106.00	〃	Used bearing

ment and other miscellaneous

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 77 5013

Navigation instrument and other miscellaneous

"	3-101	30k 1		1,300.00	"	Used resistence
"	3-101	27k 1		3,000.00	"	Used starter
"	81-4	1k 1		100.00	"	Chemicals for extinguisher
"	112-4	16k 16	100.00	1,600.00	"	"
"	3-104	90k 2	850.00	1,700.00	"	Used resistence
"	"	994 k	10.00	9,940.00	"	"
"	33-31	2	53.00	106.00	"	Used bearing
"	51-31	5k 1		275.00	"	Used handle
"	13-31	2	50.00	100.00	"	Used bearing
"	31-31	3k 3	120.00	360.00	"	Used sounder
"	95-31	1k 1		120.00	"	"
"	23-31	4k 4	120.00	480.00	"	"
"	D-30	2k 2	120.00	240.00	"	"
"	21-30	2k 2	120.00	240.00	"	"
"	2-205	15.972	40,000.00	80,000.00	"	Used engine
"	110	600k	30.00	18,000.00	"	Used bolt nut
"	110					Used stud

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 77 5013

〃	33-31	2	53.00	106.00	〃	Used bearing
〃	51-31	5k 1		275.00	〃	Used handle
〃	13-31	2	50.00	100.00	〃	Used bearing
〃	31-31	3k 3	120.00	360.00	〃	Used sounder
〃	95-31	1k 1		120.00	〃	〃
〃	23-31	4k 4	120.00	480.00	〃	〃
〃	D-30	2k 2	120.00	240.00	〃	〃
〃	21-30	2k 2	120.00	240.00	〃	〃
〃	2-205	15.972	40,000.00	80,000.00	〃	Used engine
〃	110	600k	30.00	18,000.00	〃	Used bolt nut
〃	110	100k	10.00	1,000.00	〃	Used steel pipe

Navigation instrument and

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CENTRAL FILE

CHUGOKU CENTRAL LIAISON OFFICE
KURE HONSHU

HRL No. 784 27 June 1947

SUBJECT: Changed Name of Plant.

TO : Commanding Officer,
Hiroshima Military Government Team.

11-5(11)
I.C

Attached herewith is submitted report KF No. 194, dated 27 June 1947 from the Chief of Kure Branch, Hiroshima Financial Bureau on above subject.

A. Takahashi

A. Takahashi,
Assistant Director,
Chugoku Central Liaison Office.

Inclosure: as indicated above.

SK/sn.

No action

file central

C.O. 2
Ex
Adj
PH
PW
CI&E
RC&I 1
LB
LC
Sgt Major

204 KURE FACTORY, MIZUNO SHIPBLDG. CO. LTD.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCIAL BUREAU

KF No. 194 27 June 1947

To : Hiroshima Military Government Team

Through: Chugoku Central Liaison Office

Subject: Changed Name of Plant

We herewith report to you on the above mentioned subject as follows.

1. Names of Plant:

New: Kure Factory, Mizuno Shipbuilding & Co. Ltd..

Former: Kegoya Factory, Mizuno Shipbuilding & Co. Ltd..

2. Plant Code No. :

11-5(7).

3. Responsible Custodian:

Ryosaku Hayashi, representative of the factory.

4. It is understood that responsible custodian and location of the indicated plant are not changed.

K. Yamashita

For Chief of Kure Branch,
Hiroshima Financial Bureau

1,219

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENT
7 Jan. 49	Petition to Complete Dry Dock	HMGT - Basic
28 Apr. 49	Removal of Damaged Machines for Repair Thermo Power Plant 11-5(14)Kure	HMGT - Basic
12 May 49	Reconditioning of scrap Machines at Amagasaki Seitatsu K.K. Kure	HMGT - Basic
13 June 49	Reconditioning of Reparations Buildings Amagasaki Seitetsu K.K.	HMGT - Basic
8 July 49	Request for Reconditioning Reparations Machine Damaged by Della Typhoon	HCAT - Basic
30 July 49	Inventory Sheet	- - - - - - - -
30 July 49	Plant Evaluation	Amagasaki Seitetsu
1 Aug. 49	Repairs on Certain Reparations Buildings and Machinery	HCAT * Basic
30 Sep. 49	Report on Accomplished Reconditioning of Scrap Machines Amagasaki Seitetsu K.K., Kure	Hiroshima Finance Bureau
27 Dec. 49	Funds for Maintenance of Reparations Equipment	CCAR - Basic
11 Jan. 50	Maintenance of Machines and Repair of Buildings in Certain Reparations Plants	CFC/SCAP
19 Oct. 50	Application for Maintenance Work (11-5(6))	Amagasaki Seitetsu K.K.
19 Oct. 50	Application for Maintenance Work (11-5(6))	Amagasaki Seitetsu K.K.
19 Oct. 50	Application for Maintenance Work (11-5(14))	Nippon Hassoden K.K.
24 March 51	Application for Maintenance Work of Reparations Facility	Chugoku Finanne Bureau

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU
~~HIROSHIMA~~ FINANCE BUREAU

SYM/th

KFL No. 1-36

24 March 1951

To : Chugoku Civil Affairs Region,
Attn. Economic Section

Subject: Application for Maintenance Work of
Reparations Facility

1. Submitted herewith is application for the approval of the proposed maintenance work of reparations facility as listed below.

Amagasaki Area, Plant code No. 11-5(6)

2. No further application for the maintenance work of reparations facility under the jurisdiction of Chugoku Finance Bureau will follow at present.

MANUFACTURING AND INDUSTRY FILE
11-5(6)

Yamanaka

SHIZUSO YAMASHITA
Chief of Kure Reparations Branch,
Chugoku Finance Bureau

Encls.
As indicated in para 1 above.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

APPLICATION FOR MAINTENANCE WORK

Kind of Work Reconditioning of Building

Project Number: Plant Number: 11-5(6)

Plant Name : Amagasaki Seitetsu K.K.

Plant Address : Miyahara-dori, Kure City

Description of work for which funds are requested:

Bldg. No.	Repairing Section	Dimensions for repair	Outline of Work
A-15A	Roofings, sidings troughs	108 sq. m Roofings, 3 sq. m sidings 60 m troughs	Sheet iron to be reconditioned & troughs to be replaced
A-15B	Roofings & troughs	26 sq. m Roofings 2 m troughs	"
A-17A	Roofings, sidings troughs	160 sq. m Roofings 92 sq. m sidings 24 m troughs	"
A-17B	Roofings troughs	18 sq. m Roofings 8 m troughs	"

(Remarks)

Yodogawa Steel Wks. and Nichia Steel Wks. applied for A.U. of the area respectively on 20 Nov. 1950 and 28 Dec. 1950. But no decision has yet been given by SCAP.

Justification for request:

To prevent reparations machines from deterioration which are water-beaten in buildings of which roofings, siding & troughs are in bad condition.

(Ref. attached map)

Continue next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Cost estimate:

	Custodian	District Office	Ministry
Materials Cost (Materials not available from reparations stocks)	Y 42,983.60	Y	Y
Labor Cost	Y 30,495.00	Y	Y
Transportation Cost	Y 0	Y	Y
Miscellaneous Expenses	Y 26,811.40	Y	Y
Total	Y 100,290.00	Y	Y

Estimated by (Custodian) K. Yamashita Date 23 March 51

Checked by (District Office) K. Morioka Date

Checked by (Ministry) Date

Approved by Reparations Agency Date

Approved by Civil Affairs Team R B Strodley Date 24 March 51

Approved by C.P.C. Date

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

NO	PART MARK	BUILDING NAME	ACREAGE (SQUARE METER)	EVALUATION	REMARKS
1	A	OXYGEN PRODUCING PLANT	200	MACHINE & BUILDING	
	B	WARE HOUSE	5,800	"	
	C	WARE HOUSE	756	"	
2	A	WARE HOUSE	100	"	
	B	NITTETSU. Co. OFFICE	950	"	
	C	WARE HOUSE	550	"	
	D	WARE HOUSE	550	"	
	E	BOILER ROOM	130	"	
3	A	WARE HOUSE	1,100	"	
	B	WARE HOUSE	8,280	"	
4		REPAIR SHOP		"	DESTROYED
5		BOILER ROOM	323	"	
6	A	SHEET PLATE ROLLING SHOP	2,400	"	
	B	2ND PLATE ROLLING SHOP	1,900	"	
	C	GAS PRODUCER			DESTROYED
	D	GAS PRODUCER	925	"	
	E	GAS PRODUCER	1,070	"	
7		SUB STATION	900	"	
8		MACHINE SHOP	2,450	ONLY BUILDING	
9	A	OFFICE OF STEEL LABORATORY	788	"	
	B	WORK SHOP OF STEEL LABORATORY	100	"	
10		CARPENTER SHOP			DESTROYED
11	A	1ST PLATE ROLLING SHOP	3,950	MACHINE & BUILDING	
	B	OXYGEN PRODUCING PLANT	570	"	
	C	PRIME MOVER	300	"	
	D	OXYGEN PRODUCING SHOP	400	"	
	E	BOILER ROOM	1,070	"	
	F	YARD			DESTROYED
	G	GAS PRODUCER	570	"	
	H	YARD		"	
	I	FURNACE	500	"	
	J	HIGH FREQUENCY FURNACE SHOP			DESTROYED
12		WARE HOUSE	8,396	"	
13		WARE HOUSE	2,000	"	
14		CHARGING SHOP	246	"	
15	A	WARE HOUSE	6,406	"	
	B	WARE HOUSE	4,650	"	
	C	WARE HOUSE	9,300	"	
16		WARE HOUSE	4,163	"	

NO	PART MARK	
28	A	CA
	B	SA
29		ST
30	A	EL
	B	Y
31		S
32	A	B
	B	I
	C	G
33		SH AN
34		R
35	A	W
	B	W
36		M
37	A	T
	B	W
38	A	OF FI
	B	OF
39	A	O
	B	C
40	A	W
	B	I
	C	W
	D	Y
	E	S
	F	P
41	A	M
	B	F
42	A	M
	B	P
43		F
44		B
45	A	B
	B	9A
	C	PR
	D	IN
	E	9A
	F	YA
	G	YA

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

N	REMARKS
DESTROYED	
DESTROYED	
NG	
DESTROYED	
DESTROYED	
DESTROYED	

NO	PART MARK	BUILDING NAME	ACREAGE (SQIARE METER)	EVALUATION	REMARKS
28	A	CAST STEEL FOUNDRY SHOP	3.054	MACHINE AND BUILDING	
	B	SAND BLAST SHOP			DESTROYED
29		STEEL ANALYZE SHOP			DESTROYED
30	A	ELECTRIC FURNACE SHOP	5.080	"	
	B	YARD	1.575	"	
31		SUB STATION	155	"	
32	A	BRICK YARD	2,610	"	
	B	1ST OPEN HEARTH SHOP	2,140	"	
	C	GAS PRODUCER	327	"	
33		SHOP MANAGEMENT OFFICE AND WOOD WORKING SHOP	1.500	"	
34		REPAIR SHOP	6,000	"	
35	A	WARE HOUSE	13,590	"	
	B	WARE HOUSE	2,600	"	
36		MACHINE SHOP	2,688	"	
37	A	TOOL SHOP	3.225	"	
	B	WARE HOUSE	25	"	
38	A	OFFICE OF HIROSHIMA FINANCIAL BUREAU	750	"	
	B	OFFICE OF EX-ORDNANCE DEPT			DESTROYED
39	A	OFFICE	367	"	
	B	COCKING HOUSE	640	"	
40	A	HEAD OFFICE OF AMAGASAKI	750	"	
	B	FOUNDRY SHOP	8.780	"	
	C	WARE HOUSE	120	"	
	D	YARD	895	"	
	E	SUND MIXER	160	"	
	F	PRIME MOVER	161	"	
41	A	MACHINE SHOP	2.426	"	
	B	FORGING SHOP	387	"	
42	A	MACHNE SHOP	5,525	"	
	B	PAINTING SHOP	600	"	
43		FORGING SHOP	5,330	"	
44		BOILER ROOM	600	"	
45	A	BOILER ROOM	1.680	"	
	B	GAS PRODUCING PLANT		"	
	C	PRIME MOVER		"	
	D	INGOT FORGING SHOP	12.071	"	
	E	GAS PRODUCER	740	"	
	F	YARD	1,900	"	
	G	YARD	1,900	"	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

VALUATION	REMARKS
MACHINE AND BUILDING	
	DESTROYED
	DESTROYED
"	
"	
"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT LAY OU



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT LAY OUT

CODE No: 11-5(6) {11-9(6, 11-5(194, 11-5(199, 11-5(232}



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DE No: 11-5(6) {11-9(6, 11-5(194, 11-5(197, 11-5(232}

Building Contai
(Building and

Buildings Constr
(Only Building to

Building not conta
(neither machine n

Boundary of re

Building to be

Applied for A.U
works on 20 No

Applied for A.U
on 26 Dec. 195

No answer has yet
as of 22 March 19

TOTAL AR

TOTAL AREA

REINFORCED CONCRETE

COAL HANDELING PORTAL C

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Building containing Reparations Items
(Building and machines to be evaluated)

Buildings constructed by custodial Company
(Only Building to be evaluated)

Building not containing reparation Items
(neither machine nor building to be evaluated)

Boundary of reparation area.

Building to be reconditiond.

Applied for A.U by Yodogawa steel works on 20 Nov. 1950.

Applied for A.U by Nichia steel Works on 26 Dec. 1950.

No answer has yet been given by SCAP as of 22 March 1951.



TOTAL AREA of LAND 950,000 m²

TOTAL AREA of BUILDING 233,294

REINFORCED CONCRETE

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

	A	1st PLATE ROLLING SHOP	$2,750	BUILDING		40	D	
	B	OXYGEN PRODUCING PLANT	570	"			E	
	C	PRIME MOVER	300	"			F	
11	D	OXYGEN PRODUCING SHOP	400	"			A	
	E	BOILER ROOM	1,070	"		41	B	
	F	YARD			DESTROYED		A	
	G	GAS PRODUCER	570	"		42	B	
	H	YARD		"		43		
	I	FURNACE	500	"		44		
	J	HIGH FREQUENCY FURNACE SHOP			DESTROYED		A	
12		WARE HOUSE	8,396	"			B	
13		WARE HOUSE	2,000	"			C	
14		CHARGING SHOP	246	"			D	
	A	WARE HOUSE	6,406	"		45	E	
15	B	WARE HOUSE	4,650	"			F	
	C	WARE HOUSE	9,300	"			G	
16		WARE HOUSE	4,163	"		46		
17		PACKING SHOP	6,660	"		47		
18	A	SHIPPING OFFICE	}	"		48		
	B	PRINTING SHOP OF HARIMA DOCK CO.	880	"			A	
19	A	MACHINE SHOP	}	"		49	B	
	B	REPARATION MACHINE MANAGEMENT OFFICE	4,460	"		50		
	A	MACHINE SHOP	1,210	"		51		
20	B	FORGING SHOP	1,000	"		52		
	C	PLATE & PIPING SHOP	2,456	"		53		
	A	2ND OPEN HEARTH SHOP	2,220	"		54		
21	B	GAS PRODUCER	495	"		55		
	C	YARD	1,500	"		56		
22		FORGING SHOP	1,140	"		57		
23		MEAT TREATING SHOP	3,440	"		58		
24		WARE HOUSE	10,900	"		59		
25		WARE HOUSE	14,100	"		60		
	A	3RD OPEN HEARTH SHOP	5,296	"		61		
26	B	YARD	1,628	"		62		
	C	GAS PRODUCER	928	"		63		
	D	BOILER ROOM	208	"		64		
	A	TRANSFORMER ROOM	20	"		65		
	B	PAPER MILL	1,370	"		66		
	C	WARE HOUSE	100	"				
	D	CHARCOAL MANUFACTURING SHOP	190	"				
	E	SELF MANUFACTURING SHOP	280	"				
27	F	OIL REFINING PLANT	415	"				
	G	WARE HOUSE	100	"				
	H	WARE HOUSE	50	"				
	I	WARE HOUSE	50	"				
	J	WARE HOUSE	300	ONLY BUILDING				
	K	WARE HOUSE	100	MACHINE & BUILDING				
	L	WARE HOUSE	100	"				

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

570	BUILDING					
300	"					
400	"					
070	"					
		DESTROYED				
570	"					
	"					
500	"					
		DESTROYED				
396	"					
000	"					
246	"					
406	"					
650	"					
300	"					
163	"					
660	"					
	"					
880	"					
	"					
460	"					
210	"					
000	"					
456	"					
220	"					
495	"					
600	"					
140	"					
440	"					
900	"					
100	"					
296	"					
128	"					
128	"					
108	"					
120	"					
170	"					
100	"					
190	"					
180	"					
115	"					
100	"					
150	"					
150	"					
100	ONLY BUILDING					
100	MACHINE & BUILDING					
100	"					

40	D	YARD	895	"
	E	SAND MIXER	160	"
	F	PRIME MOVER	161	"
41	A	MACHINE SHOP	2.426	"
	B	FORGING SHOP	387	"
42	A	MACHNE SHOP	5,525	"
	B	PAINTING SHOP	600	"
43		FORGING SHOP	5,330	"
44		BOILER ROOM	600	"
45	A	BOILER ROOM	1.680	"
	B	GAS PRODUCING PLANT		"
	C	PRIME MOVER		"
	D	INGOT FORGING SHOP	12.071	"
	E	GAS PRODUCER	740	"
	F	YARD	1,900	"
	G	YARD	1,900	"
46		WARE HOUSE	710	"
47		BOILER ROOM	500	"
48		PIPING SHOP	600	"
49	A	WARE HOUSE	1,960	"
	B	WARE HOUSE	650	"
50		TRANSPORT GARAGE	725	"
51		GUARD BOX	14	ONLY BUILDING
52		"	29	"
53		"	21	"
54		"	20	"
55		"	15	"
56		"	13	"
57		"	12	"
58		"	13	"
59		"	82	"
60		"	15	"
61		"	4	"
62		"	4	"
63		POLICE BOX	15	"
64		W. C	10	"
65		W. C	10	"
66		GUARD BOX	12	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

	895	"
ER	160	"
R	161	"
P	2.426	"
OP	387	"
P	5,525	"
OP	600	"
OP	5,330	"
M	600	"
M	1.680	"
PLANT		"
R		"
& SHOP	12.071	"
ER	740	"
	1,900	"
	1,900	"
E	710	"
M	500	"
P	600	"
SE	1,960	"
SE	650	"
ARAGE	725	"
	14	ONLY BUILDING
	29	"
	21	"
	20	"
	15	"
	13	"
	12	"
	13	"
	82	"
	15	"
	4	"
	4	"
	15	"
	10	"
	10	"
	12	"



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



NOTE: BUILDING No. 18 IS EXEMPTED
AS IT WAS ALREDY EVALUATED
EVALUATION OF SEVENTEEN

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



TE: BUILDING No. 18 IS EXEMPTED FROM THIS EVALUATION AS IT WAS ALREDY EVALUATED AT THE TIME OF EVALUATION OF SEVENTEEN ARSENALS.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



PLANT LAY OUT

PLANT CODE No: 11-5(6)

PLANT NAME KURE NAVAL ARSENAL
(AMAGASAKI SEITETSU K.K. KURE
ADDRESS: 13 CHOME MIYAHARA-DORI KURE CITY

SCALE 1/2500 0 50M 100M

KURE BRANCH HIROSHIMA FINANCE BUREAU	DRAWING COMPLETION 12 JULY 1948	DRAWING No

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



AS OF 31 MAY 1948

PLANT LAY OUT

PLANT CODE No: 11-5(6)

PLANT NAME KURE NAVAL ARSENAL (AMAGASAKI SEITETSU K.K. KURE FACTORY)

ADDRESS: 13 CHOME MIYAMAKI-DORI KURE CITY

SCALE 1/2500 50M 100M

KURE BRANCH HIROSHIMA FINANCE BUREAU	DRAWING COMPLETION 12 JULY 1948	DRAWING No 50

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

19650

APPLICATION FOR MAINTENANCE WORK

Kind of Work Reconditioning of Buildings

Project Number: Plant Number 11-5(14)

Plant Name : Nippon Hassoden K.K.

Plant Address : Miyahara-dori, Kure City.

Description of work for which funds are requested:

Bldg. No.	Repairing section	Dimensions for repair	Outline of work
2	sidings	350 sq. m.	Old corrugated sheet iron to be reconditioned.

Justification for request:

To prevent reparations machines from deteriorating which are water-deaten in buildings of which sidings are damaged.

Cost estimate:

	Custodian	District Office	Ministry
Materials Cost (not available from reparations stocks)	Y 3,123.24	Y 3,123.24	Y
Labor Cost	Y 13,475.00	Y 13,475.00	Y
Transportation Cost	Y 0.	Y 0.	Y
Miscellaneous Expenses	Y 6,061.76	Y 6,061.76	Y
Total	Y 22,660.00	Y 22,660.00	Y

Estimated by (Custodian) E. Mori Date 3 Oct. 50

Checked by (District Office) K. Morioka Date 6 Oct 50

Checked by (Ministry) _____ Date _____

Approved by Reparations Agency _____ Date _____

Approved by Civil Affairs Team R B Strodley Date 19 Oct 1950

Approved by C.P.C. _____ Date _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

APPLICATION FOR MAINTENANCE WORK

Kind of work Maintenance

Project Number :

Plant Number: 11-5(6)

Plant Name : Amagasaki Seitetsu K.K.

Plant Address : Miyahara-dori, Kure City

Description of work for which funds are requested:

Preservation of rusted parts of reparations machines

Justification for request:

Remaintenance is urgently required, because the machines listed in the enclosure will be soon corroded by dropping draim through the flown and damaged parts of roofing by Kizia typhoon.
Ref. attached list of machines which require urgent remaintenance. 1.

Cost estimate:	Custodian	District Office	Ministry
Materials Cost	Y 0.	Y 0.	Y
Labor Cost	Y 129,990.00	Y 129,990.00	Y
Transportation Cost	Y 0.	Y 0.	Y
Miscellaneous Expenses	Y 18,010.00	Y 18,010.00	Y
Total	Y 148,000.00	Y 148,000.00	Y

Estimated by (Custodian) E. Mori Date Oct. 15, 1950

Checked by (District Office) K. Monotsu Date Oct. 17, 1950

Checked by (Ministry) _____ Date _____

Approved by Reparations Agency _____ Date _____

Approved by Civil Affairs Team R.B. Stradley Date 19 October 1950

Approved by C.P.C. _____ Date _____

Bldg. No.	Inventory No.	Name of Machine	Class	Weight (ton)	Points	Extent of Maintenance
15	11-5(6)- 27	Boring machine	1	25.000	750	Partial cleaning & preservation
"	-539	Milling machine	2	2.000	100	"
"	-541	"	2	5.000	200	"
"	-533	"	2	2.000	100	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

Bldg. No.	Inventory No.	Name of Machine	Class	Weight (ton)	Points	Extent of Maintenance
6	11-5(6)-2028	Hydraulic Pump	2	15.000	400	Cleaning & Preservation
3	-1545	Drilling M/c	2	1.500	120	Partial Preservation
"	- 489	Planer	1	3.500	80	"
"	- 44	Milling M/c	1	1.500	180	"
"	-3120	Lathe	2	1.000	100	"
OUT	-3430	Steam Locomotive	2	8.000	80	Complete Preservation
"	-2144	Locomotive crane	1	13.000	100	"
"	-3429	"	2	6.500	25	"
Total :	296 Machines			2838.250 T	66,270	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

19 Oct 50

APPLICATION FOR MAINTENANCE WORK

Kind of Work Reconditioning of Buildings

Project Number: Plant Number: 11-5(6)

Plant Name : Amagasaki Seititsu K.K.

Plant Address : Miyahara-dori, Kure City.

Description of work for which funds are requested:

Bld. No.	Repairing Section	Dimensions for repair	Outline of work
A 3	Roofings & sidings	5 sq. m roofings & 8 sq. m sidings	Sheet iron to be reconditioned
A 6	Roofings & Pillars	108 sq. m	Pillars to be replaced by new ones & old corrugated sheet iron to be reconditioned for 108 sq. m.
A 12	Roofings & sidings	10 sq. m roofings & 130 sq. m sidings	Sheet iron to be reconditioned
A 15	"	85 sq. m roofings & 33 sq. m sidings	"
A 17	"	8 sq. m roofings & 40 sq. m sidings	"
A 24	"	38 sq. m roofings & 50 sq. m sidings	"
A 25	"	25 sq. m roofings & 11 sq. m. sidings	"

Justification for request:

To prevent reparations machines from deteriorating which are water-beaten in buildings of which roofings & sidings are damaged.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Cost estimate:

	Custodian	District Office	Ministry
Materials Cost (not available from reparations stocks)	Y 14,706.38	Y 14,706.38	Y
Labor Cost	Y 35,500.00	Y 35,500.00	Y
Transportation Cost	Y 2,250.00	Y 2,250.00	Y
Miscellaneous Expenses	Y 18,443.62	Y 18,443.62	Y
Total	Y 70,900.00	Y 70,900.00	Y

Estimated by (Custodian) E. Mori Date 3 Oct. 50

Checked by (Destrict Office) K. Maruska Date 6 Oct 50

Checked by (Ministry) _____ Date _____

Approved by Reparations Agency _____ Date _____

Approved by Civil Affairs Team B B Stradley Date 19 Oct 1950

Approved by C.P.C. _____ Date _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

CIVIL PROPERTY CUSTODIAN
APO 500

387.6 (11 Jan 50)CPC/RP JEV/GM/dms

MEMORANDUM FOR: REPARATIONS AGENCY, JAPANESE GOVERNMENT

SUBJECT: Maintenance of Machines and Repair of Buildings in Certain Reparations Plants

1. Reference is made to letter for Reparations Property Division, Civil Property Custodian, General Headquarters, Supreme Commander for the Allied Powers, R.A.R. No 6 (RA), 11 January 1950, subject, "Application for Encumbrance of Funds for Maintenance Works," from Reparations Agency, Japanese Government.

2. Funds have been approved for maintenance of machines and repair of buildings for the following projects:

a. Project No M 96, Plant No 11-5(6), Amagasaki Seitetsu KK, located at Miyahara-dori, Kure City, Hiroshima Prefecture: Buildings A-12, 15 and 17 will be repaired and reparations machines cleaned and preserved. Funds encumbered for this project are ¥ 105,000.

b. Project No M 100, Plant No 11-6(8), Chugoku Kosan KK, located at Hiro-machi, Kure City, Hiroshima Prefecture: Buildings 2 and 3 will be repaired and machines cleaned and preserved. Funds encumbered for this project are ¥ 10,000.

3. The applications for maintenance of machines and repair of buildings contained in the following projects are disapproved:

Project No	Plant No	Disapproved Amount
M 97	11-5(7)	¥ 11,100
M 98	11-5(14)	6,025
M 99	11-5(5)	21,520
M 101	11-6(9)	12,720
M 102	11-6(8)	26,350

4. It is requested that the Reparations Agency, Japanese Government, notify the appropriate Japanese Government Agencies to accomplish the two projects as outlined in Paragraph 2, above, for which funds have been encumbered, and that the Civil Property Custodian, General Headquarters, Supreme Commander for the Allied Powers, be notified upon completion of these projects.

5. Projects M 58 through M 67, M 78, M 103 through M 107, M 110 through M 116, M 117, M 119 through M 126, and M 130 contained in reference 1, above, are under investigation by

11-5 Sec I D

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

387.6 (11 Jan 50)CPC/RP
Subj: Maintenance of Machines and Repair of Buildings in Certain Reparations Plants

Civil Property Custodian inspectors. Action on these projects will be forwarded at a later date.

2 Incls
Notice of Encumbrance of Funds, Projects M 96 and M 100 (dup)

E. C. MILLER, Jr
Colonel, Infantry
Deputy Custodian

Copies furnished:
CAS
CHS (dup)

COPY
2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

5. Attention is invited to assessed repair charges for locomotive crane, code number 11-5-(5) 2072 which has been allocated (allocation notice 4-60) and shipped to the United Kingdom.

Frank Kowalski Jr

FRANK KOWALSKI, Jr.
Colonel Inf.
Chief

1 Incl:
As indicated.

1038

121(27 Dec 49)CAS-EM 1st Ind 30 JAN 1950

Civil Affairs Section, GHQ, SCAP, APO 500

TO: Chief, Chugoku Civil Affairs Region, APO 248

1. Funds for maintenance of machines and repair of buildings for Amagasaki Seitetsu KK. Plant No. 11-5(6), and Chugoku Kosan KK. Plant No. 11-6(8), have been encumbered.

2. Funds for maintenance of machines and repair of buildings for Mizuno Shipyard, Plant No. 11-5(7), have not been encumbered, since this Plant has been recently released from reparations custody.

FOR THE CHIEF, CIVIL AFFAIRS SECTION:

J. A. O'Brien

J. A. O'BRIEN
CWO USA
Adm Off

1 Incl:
Memo, Rep Agency
JG (cy)

2012

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 248 (Kure, Honshu)

1037

CCAR 386.3 (D-Kin)

27 December 1949

SUBJECT: Funds for Maintenance of Reparations Equipment

TO : Commanding General
Eighth Army
APO 343
(Attn: Civil Affairs Section)

1. References:

a. Memorandum for Reparations Board, Japanese Government, 386.6 (22 June 49) CPC/RP, 21 October 1949, subject: "Procedures for Securing Funds for Maintenance Work," from General Headquarters, Supreme Commander for the Allied Powers, Civil Property Custodian.

b. Letter Headquarters Eighth Army, file AGMGEM 386.3, 27 October 1949, subject as above.

2. Forwarded in accordance with paragraph 3 of reference 1 b above are two(2) copies each of petition by Hiroshima Finance Bureau for expenditure of appropriated reparations funds.

3. Survey analyses made by this office of proposed expenditures disclosed a 98% padding of cost estimates for necessary repairs and maintenance to buildings and equipment.

4. It is recommended that funds not to exceed ¥125,000 be made available for the repair of buildings and preservation of equipment at the indicated dead storage areas:

Location	Repairs to Buildings	Preservation of Equipment
Amagasaki Seitetsu 11-5-(6) Bldgs A-12,15,17	¥50,000	¥55,000
Mizuno Shipyard 11-5-(7)	5,000	5,000
Chugoku Kosan 11-6-(8)	5,000	5,000

Incl 1

1075

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 248 (Kure, Honshu)

CCAR 386.3 (D-Kin)

27 December 1949

SUBJECT: Funds for Maintenance of Reparations Equipment

TO : Commanding General
Eighth Army
APO 343
(Attn: Civil Affairs Section)

11-5-(6)
I.D.

1. References:

a. Memorandum for Reparations Board, Japanese Government, 386.6 (22 June 49) GPC/RP, 21 October 1949, subject: "Procedures for Securing Funds for Maintenance Work," from General Headquarters, Supreme Commander for the Allied Powers, Civil Property Custodian.

b. Letter Headquarters Eighth Army, file AGMGEM 386.3, 27 October 1949, subject as above.

2. Forwarded in accordance with paragraph 3 of reference 1 b above are two(2) copies each of petition by Hiroshima Finance Bureau for expenditure of appropriated reparations funds.

3. Survey analyses made by this office of proposed expenditures disclosed a 98% padding of cost estimates for necessary repairs and maintenance to buildings and equipment.

4. It is recommended that funds not to exceed ¥125,000 be made available for the repair of buildings and preservation of equipment at the indicated dead storage areas:

Location	Repairs to Buildings	Preservation of Equipment
Amagasaki Teitetsu 11-5-(6) Bldgs A-12,15,17	¥50,000	¥55,000
Mizuno Shipyard 11-5-(7)	5,000	5,000
Chugoku Kosan 11-6-(8)	5,000	5,000

Dec 49 I & R Hist

ECoN 241

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

5. Attention is invited to assessed repair charges for locomotive crane, code number 11-5-(5) 2072 which has been allocated (allocation notice 4-60) and shipped to the United Kingdom.

FRANK KOWALSKI, Jr.
Colonel Inf.
Chief

1 Incl:
As indicated.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

KFL No 9-281

SYM/ht

24 October 1949

TO : Hiroshima Civil Affairs Team

THRU : Chugoku Liaison and Coordination Office

SUBJECT: Application for Recognition of Maintenance Works for Reparations Equipment in Dead Storage

1. Reference is made to SCAP Memorandum dated 22 June 1949, subject:"New standards of Maintenance of Reparations Macnihes and Equipment in Dead Storage."

2. In accordance with the above referenced SCAP Memorandum the Maintenance of reparations equipment in dead storage has been stopped since 1 July 1949. Many of these machines are now deteriorating, especially because many buildings housing reparations equipment are incomplete because of the damage by bombs. Moreover the Dera typhoon incurred damages to reparations buildings and machines early on 21 June 1949 as indicated in enclosure 1 and 2 of this letter.

3. Enclosure 3 of this letter shows the number of deteriorating machines and the estimated cost of the minimum maintenance.

4. It will be greatly appreciated if inspection be made by your representative to ensure the necessity of the maintenance and the recognition be given to us at an early date.

TATSUKI HAYASHIDA
Director, Hiroshima Finance Office

Enclosures:
1. Buildings damaged by Dera typhoon
2. Repair Cost of locomotive crane
3. Number of deteriorating machines which require maintenance

77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

Inclosure 1 to Letter KFL No 9 , 24 October 1949

BUILDINGS DAMAGED BY DERA TYPHOON

Name	Damaged Buildings	Damages	Damaged Acreage (m2)	Estimated Repair Cost (Yen)
Kure Dock Code No 11-5 (5)	Northern fence of middle gate	Corrugated iron sheets fence fallen down	50	2,350,000
	H-15	Iron sheets to be fixed	44	2,746.15
	H-13	Roofing blown away	40	8,526.80
	H-6	ditto	64	13,642.88
	H-4	ditto	16	3,410.72
	H-11	ditto	60	7,400.00
	Oxygen shop Kaburasaki	Roofing top damaged, 30m of fence fallen down		4,500.00
	Boiler House Kaburasaki	Half fallen down	225	47,963.25
Amagasaki Seitetsu Xode No11-5(6) A	1,2,3,&25	Roof and siding sheets flown away	105	9,722.35
	A-15	ditto	260	24,198.20

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

	A-41	ditto	357	33,255.99
	A-12	ditto	416	38,717.12
	A-17	ditto	185	17,217.95
	A-25 and A-24	ditto	239	23,900.00
	A-6, A-35, A-43 & A-45	ditto	65	6,362.00
Mizuno Shipyard Code No 11-5(7)	No 1 to No 9	Roofing and siding sheets flown away	598	74,610.00
Nippon Hassoden Code No 11-5(14)	Boiler House	Roofing sheets flown asay	200	12,470.00
Kawaminami Kogyo Code No 11-6(8)	No 2	42 machines were moved as the building fell down	42m/c	26,390.00
Chugoku Kosan Code No 11-6(8)	No 1 to No 3	Roofing & siding sheets flown away	672	34,301.90
	No 6 & No 7	ditto	192	10,047.00
Government Railway Hiro shop Code No 11-6(9)	No 4	Roofing sheets flown away	240	12,243.60
	No 8	ditto	240	12,312.40
Grand Total:				430,042.58 Yen

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Inclosure 2 to Letter KFL No 9-281, 24 October 1949

REPAIR COST OF 5-TON LOCOMOTIVE CRANE
INVENTORY NO 11-5(5)-2072

Damaged Parts	Remarks
1. Crank Shaft bent	1. The crane had been placed at the Curazaki coast, but fell down into the sea on 21 June 1949 when the Dera typhoon blew strongly. As the crane was allocated to United Kingdom, it was brought back to Harima Dock and repaired.
2. Bearing matal of shaft missing	2. Cost of Transport from Curazaki to Harima Dock Yen 51,590.00
3. Boiler damaged partially	3. Repair cost : Yen 102,640.00 Total of both : Yen 154,230.00
4. Teeth of big revolving gear broken	
5. Small parts broken	
6. Roofing damaged partially	

77 5013

Inclosure 3 to Letter KFL No 9-281, 24 October 1949

ESTIMATED MAINTENANCE COST OF REPARATIONS MACHINES

Plant Name	No of Machines	Total Estimated manday Required	Estimated Cost '(Yen)			
			Labor	Material	Indirect Expenses	Total
(Kure)						
Amagasaki Seitetsu	206	1,512	527,890	24,476.07	199,885	752,251.07
Mizuno Shipyard	35	236	82,410	4,608.38	31,200	118,218.38
Harima Dock	42	233	81,535	1,483.72	30,870	113,888.72
(Hiro)						
Hiro Kiki	18	146	47,455	2,297.37	17,968	67,720.37
Kawaminami Kogyo	65	455	158,720	6,937.12	60,098	225,755.12
Chugoku Kosan	119	952	331,850	14,411.55	125,650	471,911.55
Government Railway Hiro Shop	6	42	14,595	799.86	5,530.	20,924.86
TOTAL	491	3,576	1,244,455	55,014.07	471,201	1,770,670.07

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE
KURE HONSHU

HRL No. 223

30 September 1949

SUBJECT: Report on Accomplished Reconditioning of Scrap Machines at Kure Plant, Amagasaki Seitetsue K.K.

TO : Chief,
Hiroshima Civil Affairs Team.

Report on above subject submitted by the chief of Kure Reparations Branch, Hiroshima Finance Bureau is forwarded herewith enclosed.

for K. Toh.

C. Igagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclousre: KFL No. 9 - 267 dtd. Sept. 30, '49.

SMA/yt.

6321

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

SYM/th

KFL No. 9-267

30 September 1949

To : Hiroshima Civil Affairs Team,
Economic Section

Through: Chugoku Liaison and Coordination Office

Subject: Report on accomplished Reconditioning of Scrap Machines-Amagasaki Seitetsu K.K., Kure.

1. Reference is made to letter File No. HMGT 386.3 dated 12 May 1949, subject "Reconditioning of Scrap Machines at Amagasaki Seitetsu K.K., Kure" approving our application in letter KFL No. 9-64 dated 12 April 1949.

2. The reconditioning of the two furnaces indicated in the above application was completely finished on 30 July 1949 with the cost of the Amagasaki Seitetsu K.K., Kure.

3. The two machines were taken for the reparations and given the following inventory numbers.

Annealing furnace, 11-5(6)-5274, class 1
Reverberatory furnace, 11-5(6)-5275, class 1

4. The responsible custodian is Masahiko Urabe, Manager of Kure Factory, Amagasaki Seitetsu K.K.

5. The location map and evaluation and inventory sheets of the two machines are attached herewith for your reference. The evaluation sheets are being submitted to SCAP through the Japanese regular channel.

K. Yamashita

KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Hiroshima Finance Office

Enclosures:
As indicated in para 5 above.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Buildings

HEADQUARTERS
HIROSHIMA CIVIL AFFAIRS TEAM
APO 248

D/SKS/mn

File No: HCAT 386.3

1 August 1949

SUBJECT: Repairs on Certain Reparations Buildings and Machinery

TO : Chief
Kure Branch
Hiroshima Finance Bureau

1. Your application for recognition of incidental works in connection with the removal program is returned without action.

2. Contracts have been let for packaging of this material and packing sites selected. No reparations funds should be allocated or used for repair of buildings or repair of machinery in order to assist the contractor in his work.

JAMES R. TRUDEN
Lt Col TC
Commanding

1 Incl:
Application dated 29 July 49

7

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE

KURE HONSHU

HRL No. 185 29 July 1949

SUBJECT: Application for Recognition of Incidental Works to Removal Program of Reparations Machines.

TO : Commanding Officer,
Hireshima Civil Affairs Team.

1. Application on above subject, dated 29, July 1949 from the Chief of Kure Reparations Branch, Hireshima Finance Bureau is submitted herewith enclosed.

2. Your high consideration on this regard will be greatly appreciated.

Osamu Itagaki

O. Itagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclosure: KFL No. 9 - 127 dated 29 July 1949.

MY/ta.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE

HRL No. 185 29 July 1949

SUBJECT: Application for Recognition of Incidental Works to Removal Program of Reparations Machines.

TO : Commanding Officer,
Hiroshima Civil Affairs Team.

1. Application on above subject, dated 29, July 1949 from the Chief of Kure Reparations Branch, Hiroshima Finance Bureau is submitted herewith enclosed.

2. Your high consideration on this regard will be greatly appreciated.

O. Itagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclosure: KFL No. 9 - 127 dated 29 July 1949.

MY/ta.

5796

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

SYM/to

KFL No. 9-127

29 July 1949

To : Hiroshima Civil Affairs Team

Through: Chugoku Liaison and Coordination Office

Subject: Application for Recognition of Incidental Works to Removal Program of Reparations Machines

1. In order to completely finish the reparations removal of allocated machines, in total 1341 items amounting estimatedly to total net weight of 5975 t, by 31 October 1949, it is absolutely necessary to have enough spaces for packaging and enough facilities for handling the equipment to be removed, as described in our letter KFL No. 9-124 dated 22 July 1949, subject "Application for temporary Use of Transit Warehouse of Imported Foods at Open Berth Site, Kure Naval Arsenal."

2. In order to have packaging spaces and facility for handling machines to be removed, the following works are required.

a. Arrangement of packaging site in Bldg. No. 14, Harima.
Equipment for wrecker, total weight rd. 1,000 tons to be removed to get packaging site. Total man/day required is 280 and the cost amounts to 232,700 yen.

b. Reconditioning of overhead cranes at Bldg. No. 2, Harima.
Overhead cranes, code No. 11-5(5)-143 & 135 (60 t & 30 t capacity respectively) have to be reconditioned in Bldg. No. 2, the transit food storage. The parts to be reconditioned are controllers of the both. Total man/day required is 174 and the cost 109,865 yen.

c. Reconditioning of Overhead crane at Amagasaki Packaging Site.
The crane, code No. 11-5(6)-2055, of 60 t capacity has to be repaired. Total man/day required is 40 and the cost 29,000 yen. Parts to be repaired are magnet coil for braking, controller and bus-bar.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

d. Reconditioning of Amagasaki Packaging Site & Storage.

Roofing	:	4917 sq.m.	)
Eaves	:	365 sq.m.	) Most parts damaged
Trough	:	297 m in length	) by Dela typhoon on 21 June 1949.

Estimated cost in total: 314,000 yen.
The above reconditioning of the building is absolutely necessary in order to prevent the machines in the process of packaging and finished packages from being weathered.

3. It will be greatly appreciated if recognition be given by your office upon spot inspection at an earliest date.

K. Yamashita

KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Hiroshima Finance Office

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE

HRL No. 185 29 July 1949

SUBJECT: Application for Recognition of Incidental Works to Removal Program of Reparations Machines.

TO : Commanding Officer,
Hiroshima Civil Affairs Team.

1. Application on above subject, dated 29, July 1949 from the Chief of Kure Reparations Branch, Hiroshima Finance Bureau is submitted herewith enclosed.

2. Your high consideration on this regard will be greatly appreciated.

O. Itagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclosure: KFL No. 9 - 127 dated 29 July 1949.

MY/ta.

5-194

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

SXM/to

KFL No. 9-127

29 July 1949

To : Hiroshima Civil Affairs Team

Through: Chugoku Liaison and Coordination Office

Subject: Application for Recognition of Incidental Works to Removal Program of Reparations Machines

1. In order to completely finish the reparations removal of allocated machines, in total 1341 items amounting estimatedly to total net weight of 5975 t, by 31 October 1949, it is absolutely necessary to have enough spaces for packaging and enough facilities for handling the equipment to be removed, as described in our letter KFL No. 9-124 dated 22 July 1949, subject "Application for temporary Use of Transit Warehouse of Imported Foods at Open Berth Site, Kure Naval Arsenal."

2. In order to have packaging spaces and facility for handling machines to be removed, the following works are required.

a. Arrangement of packaging site in Bldg. No. 14, Harima
Equipment for wrecker, total weight rd. 1,000 tons to be removed to get packaging site. Total man/day required is 280 and the cost amounts to 232,700 yen.

b. Reconditioning of overhead cranes at Bldg. No. 2, Harima.
Overhead cranes, code No. 11-5(5)-143 & 135 (60 t & 30 t capacity respectively) have to be reconditioned in Bldg. No. 2, the transit food storage. The parts to be reconditioned are controllers of the both. Total man/day required is 174 and the cost 109,865 yen.

c. Reconditioning of Overhead crane at Amagasaki Packaging Site.
The crane, code No. 11-5(6)-2055, of 60 t capacity has to be repaired. Total man/day required is 40 and the cost 29,000 yen. Parts to be repaired are magnet coil for braking, controller and bus-bar.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

d. Reconditioning of Amagasaki Packaging Site & Storage.

Roofing	:	4917 sq.m.	Most parts damaged by Dela typhoon on 21 June 1949.
Eaves	:	365 sq.m.	
Trough	:	297 m in length	

Estimated cost in total: 314,000 yen.

The above reconditioning of the building is absolutely necessary in order to prevent the machines in the process of packaging and finished packages from being weathered.

3. It will be greatly appreciated if recognition be given by your office upon spot inspection at an earliest date.

K. Yamashita

KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Hiroshima Finance Office

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 11-0 (6)
B NAME OF PLANT AMAGASAKI SEITETSU K.K. KURE FACTORY
C LOCATION 13CHOME MIYAHRADORI KURE CITY
D INDUSTRIAL GROUP NAVAL ARSENAL
E SECTION OF EVALUATION AUTHORIZED USE
F TYPE OF FACILITY FOUNDRY (CAST-STEEL) SHOP

1	2	3	4	5	6
Item No.	Bldg. No.	Inventory No.	Name–Type–Specifications Accessories & Spare parts	Weight (Kg)	Packing Size Length Width Height (cm)
			BROUGHT FORWARD		
	28	5274	HEAT TREATING FURNACE-ANNEALING KIND OF FUEL COAL HEATING TEMPERATURE 900°C INSIDE SIZE OF FURNACE HEATING CHAMBER L. 2.100MM W. 1.900MM H. 1.000MM COMBUSTION CHAMBER L. 1.870 MM W. 750MM H. 600 MM KIND OF BRICK FIRE BRICK ATTACHMENTS: CAR SIZE L. 2.350 MM W. 1.300 MM H. 500 MM NO. OF AXLES 2 STOKER SIZE L. 1.100 MM W 650 MM H. 950MM I.M.D. AC. 3HP NOTE: THIS MOTOR HAS BEEN EVALUATED, PAGE 1312 ITEM, 14, CODENO. 11-56(6)-4070 EX HOIST SIZE L. 1.100MM W. 600MM H. 700MM CAPACITY. 2TONS NOTE: THIS FURNACE IS SUPPORTED BY CHIMNEY ATTACHED TO DRYING FURNACE, HAS BEEN EVLUATED, PAGE 1312, ITEM 16. THESE FURNACE AND ATTACHMENTS SUCH AS STOKER, HOIST WHICH HAVE BEEN LISTED AS SCRAP, ARE REBUILT WITH THE PRIVATE MATERIAL BY AMA-	50,000	L 45 W 23 H 17

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

11-0, (6)

SAKI SEITETSU K.K. KURE FACTORY
MIYAHRADORI KURE CITY
NAVAL ARSENAL
AUTHORIZED USE
(CAST-STEEL) SHOP

PLANT EVA

REMOVA

4	5	6	7	8		9	9A	
Type-Specifications ries & Spare parts	Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion
HT FORWARD								
G FURNACE-ANNEALING EL COAL MPERATURE 900°C OF FURNACE MBER . 1.900MM H. 1,000MM CHAMBER 750MM H. 600MM EK FIRE BRICK S: L. 2.350MM W. 1.300MM NO. OF AXLES 2 L. 1.100MM W 650MM I.M.D. AC. 31P NOTE: THIS N EVALUATED, PAGE 1.312 DENO. 11-V(6)-4070 EX L. 1.100MM W. 600MM ACITY. 2TONS FURNACE IS SUPPORTED TTACHED TO DRYING BEEN EVLUATED, PAGE THESE FURNACE MENTS SUCH AS STOKER, HAVE BEEN LISTED RE REBUILT WITH MATERIAL. BY AMA-	50.000	L 450 W 233 H 173	AMAGASA- KI SEITETSU K.K. KURE FACTORY	49		457.350	165.600	3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT EVALUATION

			REMOVABLE										
7	8		9	9A	10	11	12	13	14	15	16		
Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value		
MAGASA-													
ITETSU K. KURE CTORY	49		457.350	165.600	3.8	6.293	25	25	10	100.0	6.293	NC	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ATION

SHEET 1 OF 1 SH

DATE 30 JULY

L E

11	12	13	14	15	16	17	18	19	20	21	NON-E 22
Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason–For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non-Remova Equipm
6.293	25	25	10	100.0	6.293	NONE	NONE	0	0	6.293	8,3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 1 OF 1 SHEETS

DATE 30 JULY 1949

						NON-REMOVABLE	
16	17	18	19	20	21	22	23
Depreciated Value	Other Deductions	Reason–For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non–Removable Equipment	Non–Removable Value
6,293	NONE	NONE	0	0	6,293	8,315	2,772

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ATTACHMENTS:
CAR SIZE L. 2.350MM W. 1.300MM
H. 500MM NO. OF AXLES 2
STOKER SIZE L. 1.100MM W 650 MM
H. 950MM I.M.D. AC. 3HP NOTE: THIS
MOTOR HAS BEEN EVALUATED, PAGE 1.312
ITEM 14, CODENO. 11-46)-4070 EX
HOIST SIZE L. 1.100MM W. 600MM
H. 700MM CAPACITY. 2TONS
NOTE: THIS FURNACE IS SUPPORTED
BY CHIMNEY ATTACHED TO DRYING
FURNACE, HAS BEEN EVLUATED, PAGE
1312, ITEM 16. THESE FURNACE
AND ATTACHMENTS SUCH AS STOKER,
HOIST WHICH HAVE BEEN LISTED
AS SCRAP, ARE REBUILT WITH
THE PRIVATE MATERIAL BY AMA-
GASAKI SEITETSU K.K. KUKE FACTORY.

REMARKS:
STATE-OWNED PROPERTY
SCRAP 122,550 (1949 YEN)
PRIVATE-OWNED
MATERIAL 209.800 (1949 YEN)
OTHERS 125,000 (1949 YEN)
TOTAL 334.800 (1949 YEN)

NOTES : NO Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page-Total
Cumulative-Total

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

2.350MM W. 1.300MM AXLES 2 1.100MM W 650MM AC. 3HP NOTE: THIS VALUATED, PAGE 1312 11-LF(6)-4070EX 1.100MM W. 600MM 2TONS NACE IS SUPPORTED CHED TO DRYING EVLUATED, PAGE THESE FURNACE TS SUCH AS STOKER, E BEEN LISTED REBUILT WITH ATERIAL BY AMA- K.K. KURE FACTORY. ROPERTY 2.550 (1949 YEN) 09.800 (1949 YEN) 25.000 (1949 YEN) 34.800 (1949 YEN)											
Page–Total											
Cumulative–Total											

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 11-05(o)
B NAME OF PLANT AMAGASAKI SEITETSU K.K. KURE FACTORY
C LOCATION 13CHOME MIYAHARADORI KURE CITY
D INDUSTRIAL GROUP NAVAL ARSENAL
E SECTION OF EVALUATION AUTHORIZED USE
F TYPE OF FACILITY FOUNDRY (CAST IRON) SHOP

1	2	3	4	5	6	
Item No.	Bldg. No.	Inventory No.	Name-Type-Specifications Accessories & Spare parts	Weight (Kg)	Packing Size Length Width Height (cm)	C
			BROUGHT FORWARD			
	40	5275	MELTING FURNACE - REVERBERATORY FURNACE	150,000	L. 506 W. 354 H. 200	AMA KI SEI KK FA JA
			KIND OF FUEL OIL MELTING CAPACITY OF ONE CHARGE 15 TONS MELTING TIME 7 HOURS MELTING TEMPERATURE 1,100°C INSIDE SIZE OF FURNACE - L. 3,180MM W. 2,550MM H. 170~380MM OIL CONSUMPTION 100KGS PER EVERY TON OF MELTING ATTACHMENTS; CHIMNEY - STEEL AND FIRE BRICK OUTSIDE SIZE DIA. 1,220MM H. 21,300MM (4) BURNER (EXO - VOLCANO TYPE BURNING CAPACITY 50~100 LTRS/HOUR PRESSURE 2KGS/CM² BLOWER - TURBO PRESSURE 55MM IN HG COLUMN DELIVERY CAPACITY 28 M³/MIN. I.M.D. AC. 20HP 220V. 3600 RPM. OIL PUMP - CENTRIFUGAL WORKING PRESSURE 1~1.7 KG/CM²			

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

-05(o)

TETSU K.K. KURE FACTORY
HARADORI KURE CITY
AL ARSENAL
AUTHORIZED USE
RY (CAST IRON) SHOP

PLANT EVALUA

REMOVABLE

	5	6	7	8		9	9A	10	
fications re parts	Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Pu Pric
WARD									
EVERBERATORY	150,000	L. 506 W. 354 H. 200	AMAGASAKI SEITETSU K.K. KURE FACTORY JAPAN	49		1476,200	243,900	3.8	
OIL OF ONE CHARGE 15 TONS 7 HOURS TURE 1,100°C URNACE 0 MM H. 170~380 MM 100 KGS PER EVERY TON OF MELTING									
ND FIRE BRICK 1,220 MM H. 21,300 MM OLCANO TYPE 50~100 LTRS/HOUR 2 KGS/CM²									
8 COLUMN 28 M³/MIN. V. 3,600 RPM. TRIFUGAL 1~1.7 KG/CM²									

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT EVALUATION

E M O V A B L E

	9	9A	10	11	12	13	14	15	16	17	18
NT E	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason-For Other Deductions
	1476,200	243,900	3.8	9.268	25	25	10	100.0	9.268	NONE	NONE

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ON

SHEET 1 OF 2 SHEETS

DATE 30 JULY 1949

12 Life Expectancy	13 Future Life	14 Salvage Value	15 Depreciation Factor	16 Depreciated Value	17 Other Deductions	18 Reason-For Other Deductions	19 Deduction Yen	20 Total Extra Deduction Yen	21 Total Depreciated Value	NON-REMOV 22 Non-Removable Equipment	N Rem V
25	25	10	100.0	9.268	NONE	NONE	0	0	9,268	35.120	11.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 1 OF 2 SHEETS

DATE 30 JULY 1949

16	17	18	19	20	21	NON-REMOVABLE 22	23
Depreciated Value	Other Deductions	Reason–For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non–Removable Equipment	Non–Removable Value
9.268	NONE	NONE	0	0	9,268	35.120	11.707

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OUTSIDE SIZE DIA. 1,220MM H. 21,300MM
(4) BURNER (EX) — VOLCANO TYPE
BURNING CAPACITY 50~100 LTRS/HOUR
PRESSURE 2Kgs/cm²
BLOWER — TURBO
PRESSURE 55 MM IN H8 COLUMN
DELIVERY CAPACITY 28 M³/MIN.
I.M.D. AC. 20HP 220V. 3,600 R.P.M.
OIL PUMP — CENTRIFUGAL
WORKING PRESSURE 1~1.7 Kg/cm²
DERIVERY CAPACITY 200 LTRS/HOUR
A.C. MOTOR (EX) — OIL PUMP DRIVING
220V. 1KW. 1400 ~ 1700 R.P.M 50~60~
OIL PREHEATER (EX) — ELECTRIC,
WITH WATER TANK
SIZE OF TANK DIA. 700MM H. 800MM
DIA OF OIL PIPE 25MM
(2) OIL TANKS-(UPPER) — SQUARE
CAPACITY EACH 10TONS SIZE EACH
L. 2.8M W 2.72M H 1.4M
OIL PUMP — 11-J-(6)-3505 U HAS
BEEN EVALUATED, PAGE. 1294. ITEM. 197
OIL TANK (EX)-(LOWER) — CYLINDRICAL
CAPACITY 3TONS SIZE (DIA. 1,500MM
H. 1,700MM

NOTE: CONTINUED NEXT PAGE

NOTES : NO Dittos Allowed in Spaces
Crossline All Spaces Not Used (As Shown Above)

Page Total
Cumulative Total

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

1,220MM H. 21,300MM
OLCANO TYPE
50~100 LTRS/HOUR
2KGS/CM²
28 M³/MIN.
3,600 R.P.M.
RIFUGAL
1~1.7 KG/cm²
200 LTRS/HOUR
PUMP DRIVING
700 RPM 50~60~
— ELECTRIC,
700MM H. 800MM
25MM
R) — SQUARE
NS SIZE EACH
H 1.4M
G)- 3505 U HAS
GE. 1294. ITEM. 197
ER) — CYLINDRICAL
ZE DIA. 1,506MM
H. 1,700MM

NEXT PAGE

Page Total

Cumulative Total

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A CODE NUMBER 11-05(6)
B NAME OF PLANT AMAGASAKI SEITETSU K.K. KURE FACTORY
C LOCATION 13CHOME MIYAHARADORI KURE CITY
D INDUSTRIAL GROUP NAVAL ARSENAL
E SECTION OF EVALUATION AUTHORIZED USU
F TYPE OF FACILITY FOUNDRY (CAST IRON) SHOP

1	2	3	4	5	6
Item No.	Bldg. No.	Inventory No.	Name–Type–Specifications Accessories & Spare parts	Weight (Kg)	Packing Size Length Width Height (cm)
			BROUGHT FORWARD		
40	5275		(3) HOISTS – ELECTRIC – HAVE BEEN EVALUATED AS FOLLOWING CAPACITY 1TON 11-5(6)-4498 PAGE 1299. ITEM. 215 1TON " 4500 " 1299 " 217 2TONS " 3812 " 1517 " 207 NOTE: THEASE FURNACE AND ATTACHMENTS SUCH AS CHIMNEY, BLOWER, OIL PUMP AND OIL TANK WHICH HAVE BEEN LISTED AS SCRAP, ARE REBUILT WITH THE PRIVATE MATERIAL BY AMAGASAKI SEITETSU K.K. KURE FACTORY REMARKS: STATE-OWNED PROPERTY SCRAP: 162,000 (1949 YEN) PRIVATE-OWNED MATERIAL 620,200 (1949 YEN) OTHERS 694,000 (1949 YEN) TOTAL 1,314,200 (1949 YEN)		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

5(6)

K.K. KURE FACTORY
OORI KURE CITY
. ARSENAL.
ORIZED USU
CAST IRON) SHOP

PLANT EVALUATION

REMOVABLE

	5	6	7	8		9	9A	10	11
	Weight (Kg)	Packing Size Length Width Height (cm)	Maker and Country	Year-Made-or Installed	DON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen
E BEEN									
ITEM. 215									
" 217									
" 207									
ATTACHMENTS									
OIL PUMP BEEN									
EBUILT									
RIAL BY KURE									
TY (1949 YEN)									
(1949 YEN)									
(1949 YEN)									
(1949 YEN)									

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT EVALUATION

R E M O V A B L E

	9	9A	10	11	12	13	14	15	16	17	18
ON'T USE	Original Cost	Purchase Price of Removable Equipment	Conversion Factor	Purchase Price 1939 Yen	Life Expectancy	Future Life	Salvage Value	Depreciation Factor	Depreciated Value	Other Deductions	Reason–F Other Deduction

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHEET 2 OF 2 SHEETS

DATE 30 JULY 1949

							NON-REMOVABLE	
15	16	17	18	19	20	21	22	23
Depreciation Factor	Depreciated Value	Other Deductions	Reason–For Other Deductions	Deduction Yen	Total Extra Deduction Yen	Total Depreciated Value	Non–Removable Equipment	Non–Removable Value

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FACTORY

REMARKS:

STATE-OWNED PROPERTY

SCRAP: 162,000 (1949 YEN)

PRIVATE-OWNED

MATERIAL 620,200 (1949 YEN)

OTHERS 694,000 (1949 YEN)

TOTAL 1,314,200 (1949 YEN)

NOTES: NO Dittos Allowed in Spaces Page-Total

Crossline All Spaces Not Used (As Shown Above) Cumulative-Total

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

AUTHORIZED [redacted] OPERATION AS OF 30 JUNE 1947: YES ___ N[redacted]

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 30 July 1949

B. Code Number: 11 – 5(6) – 5274
(Prefecture – Plant – Machine)

C. Name of Machine: HEAT TREATING FURNACE - Annealing

D. Manufacturer: Amagasaki Seitetsu K.K. Kure Factory

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: None

G. Age of Machine in Years: 0

H. Condition of Machine (Check one below):

GOOD	(Requires only Maintenance)	Class 1 ✓
GOOD	(But requires Repairs)	Class 2
UNSERVICEABLE.	(Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Kind of fuel : Coal

(2) Inside Size: length width height

(3) Heating chamber 2.1M 1.9M 1.0M

(4) Combustion chamber : 1.87M 0.75M 0.6M

K. Power Source: Attachments : stoker and hoist

(a) Motor Driven — AC | | DC | | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 50,000 Kgs. Length: 4.5 Meters
Width: 2.33 Meters Height: 1.73 Meters

M. Brief Description of Machine Characteristics: This furnace with attachments which has been listed as Scrap, is rebuilt with private material and labour by Amagasaki Seitetsu K.K. Kure Factory

approve by File No. NMGT 386.3 dated 12 May 1949

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

Bk | Bp | Bm | C | D | E | F | G | H | J1 | J2 | J3 | J4 | K | M

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

AUTHORIZED [redacted] OPERATION AS OF 30 JUNE 1947: YES___ N[redacted]

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

A. Date of Inventory: 30 July 1949

B. Code Number: 11 (Prefecture) – 5(6) (Plant) – 5275 (Machine)

C. Name of Machine: MELTING FURNACE
- Reverberatory furnace

D. Manufacturer: Amagasaki Seitetsu K.K. Kure Factory

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: None

G. Age of Machine in Years: 0

H. Condition of Machine (Check one below):

GOOD	(Requires only Maintenance)	Class 1 ✓
GOOD	(But requires Repairs)	Class 2
UNSERVICEABLE.	(Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Kind of fuel : Oil

(2) Melting Capacity of One charge : 15 tons

(3) Inside size of furnace :

(4) length:3,180MM width:2,550MM height:170~380MM

K. Power Source: Attachments: chimney,blower,pump and oil tanks

(a) Motor Driven

AC		DC			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 150,000 Kgs.
Width: 3,54 Meters
Length: 5.06 Meters
Height: 2.0 Meters

M. Brief Description of Machine Characteristics: This furnace with attachments which has been listed as Scrap,is rebuilt with private material and labour by Amagasaki Seitetsu K.K. Kure Factory

Bk	
Bp	
Bm	
C	
D	
E	
F	
G	
H	
J1	
J2	
J3	
J4	
K	
M	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FILE

HEADQUARTERS
HIROSHIMA CIVIL AFFAIRS TEAM
APO 248

D/SRS/mn

File No: HCAT 386.3

8 July 1949

SUBJECT: Request for Reconditioning Reparations Machine Damaged by Della Typhoon

TO : Commanding Officer
Chugoku Civil Affairs Region
APO 248

1. Attached report and request for reconditioning of Reparations Machine (Locomotive Crane) bearing Code Number 11-5-(5)-2072 allocated to United Kingdom on allocation Number 4-60 is forwarded for your consideration.

2. It is noted that the machine is now resting in sea water and immediate reconditioning is necessary.

James R. Truden
JAMES R. TRUDEN
Lt Col TC
Commanding

2 Incls:
1. Ltr. HRL No.164, dtd 5 July 49
2. Ltr. KFL No.9-109, dtd 2 July 49

CCAR 386.3 (D-E1) 1st Ind
(8 July 49)

Headquarters, Chugoku Civil Affairs Region, APO 248, 15 July 1949

TO: Commanding Officer, Hiroshima Civil Affairs Team, APO 248

Returned without action, pursuant to conversation with economic section your team.

BY ORDER OF COLONEL TOOLE:

Harold Berman Cwo USA
for GEO. E. MAYER
Capt., FA
Adjutant

2 Incls:
n/c

Responsibility of J.Govt.
Info. transmitted to
Mr. Yamanaka, Kure Finance Bureau,
in person on 14 July 1949 - Machine
out of water and at Kure Dock
under going repair 14 July 49

830 K

9 B

4961
4732

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE

KURE HONSHU

KRL No. 164 5 July 1949

SUBJECT: Damage to Reparations Machine by Dela Typhoon.

TO : Chief,
Hiroshima Civil Affairs Region.

Report on above subject from the Chief of Kure Branch, Hiroshima Finance Bureau dated 2 July 1949 is submitted herewith enclosed.

For the Director,
K. Toh,
Chugoku Liaison and Coordination Office.

Inclosure: KFL 9 - 109 dated 2 July 1949.

MY/yt.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

SYM/to

KFL No. 9-109

2 July 1949

To : Hiroshima Civil Affairs Team

Through: Chugoku Liaison and Coordination Office

Subject: Damage to Reparations Machine by Dela Typhoon

1. Reference is made to letter KFL No. 9-103 dated 27 June 1949, subject "Report on Damages caused by Dela Typhoon to Reparations Plants."

2. Upon further investigation it was found that a locomotive crane with code No. 11-5(5)-2072 at Ourasaki, Kurahashijima island under the custody of the Harima Dock, Kure was washed away into the sea.

3. The locomotive crane had been placed at the coast for using it there, but the foundation ground was not strong enough at the high tide at about 0200 hrs on 21 June when the Dele typhoon came in this district. It is supposed that the foundation was washed and the crane fell down into the sea, inclining without holding its own weight. It can be confirmed, because scraps and sheet irons nearby are partially buried by drifted sand and potatoes and beans etc. in about 10 meters distance from the coast are all withered.

4. The damages are as follws:

a. Crank shaft bent, requires replacement
b. Boiler damaged, requires repairs.

5. The locomotive crane is allocated to United Kingdom in Allocation No. 4-60 and must be reconditioned immediately, because it will deteriorate very soon in the sea-water. The estimated cost is as follows.

	Works	Total Cost
Picking up to the land:	26 man/day	176,080 yen
Repairs:	84 man/day	78,540 yen
Preservation:	55 man/day	51,425 yen

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

6. It will be greatly appreciated if decision be given by your Headquarters at an earliest date, because the fund will not be allotted without your approval and instruction.

K. Yamashita

KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Hiroshima Finance Bureau

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
HIROSHIMA MILITARY GOVERNMENT TEAM
APO 248

D/FMK/mn

File No: HMGT 386.3

13 June 1949

SUBJECT: Reconditioning of Reparations Buildings - Amagasaki Seitetsu K. K.

THROUGH: Director
Chugoku Liaison and Coordination Office
Kure, Japan

TO : Chief
Kure Branch
Hiroshima Finance Bureau

1. Reference: letter Hiroshima Finance Bureau KFL No. 9-94, 6 June 1949, subject, "Application for Reconditioning of Reparations Buildings."

2. Referenced application is approved.

JAMES R. TRUDEN
Lt Col TC
Commanding

119

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE
KURE HONSHU

HRL No. 147 — 7 June 1949

SUBJECT: Application for Reconditioning of Reparations Buildings - Amagasaki Seitetsu K.K.

TO : Commanding Officer,
Hiroshima Military Government Team.

1. Transmitted herewith is an application on above subject dated 6 June 1949 from the Chief of Kure Reparations Branch, Hiroshima Finance Bureau.

2. It is cordially requested that your high consideration be given on this regard.

Osamu Itagaki

O. Itagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclosure: KFL No. 9 - 94

SM/ta

4065

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

SYM/to

KFL No. 9-94

6 June 1949

To : Hiroshima Military Government Team

Through: Chugoku Liaison and Coordination Office

Subject: Application for Reconditioning of Reparations Buildings - Amagasaki Seitetsu K.K.

We herewith apply to you for the permission of the above mentioned subject according to the following details.

1. Buildings to be reconditioned(Ref. attached blue print):

a) Yard of Casting Shop marked (a) on the attached print:

One side of girders to be repaired,
one piece of bus bar to be repaired,
three pillars to be made anew,
one part of pillar base to be made anew.

b) Casting Shop of bigger items marked (b) on the print:

Reconditioning of roofs and sides(total about 1000 sq.m.),
Three girder pillars to be repaired,
one side of girders to be repaired,
one piece of guss-bar to be repaired,
removal of two scrap cranes.

c) Roofing of Coal and Cokes Yard:

As marked (c) on the blue print covering 150 sq.m.

2. Responsible custodian:

Haruji Yamamoto, Manager of Kure Factory,
Amagasaki Seitetsu K.K. in charge of the area.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

3. Reasons for application(respectively):

a) & b) above: In view of the increasing demand of casting, it is proposed to increase the casting capacity in the plant.

c) The Chugoku Regional Heat Control Commission has strictly warned the company against the present coal and cokes yard which is unroofed and exposed to rain, causing the big loss in calorific value. It is therefore required to roof the coal yard.

4. Remarks:

The reconditioning works will be started immediately upon the approval of your Headquarters. All the expenses will be paid by the company.

5. High consideration on this matter will be greatly appreciated.

K. Yamashita

KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Hiroshima Finance Office

Attachment:

One blue print showing the parts to be reconditioned.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

AREA, UNDER THE CHARGE OF AMAGASAKI IRON & STEEL MFG. CO., LTD.

N

Scale 1/5000

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
HIROSHIMA MILITARY GOVERNMENT TEAM
APO 248

D/FMX/jn

File No: HMGT 386.3

12 May 1949

SUBJECT: Reconditioning of Scrap Machines at Amagasaki Seitetsu K.K. Kure

THROUGH: Director
Chugoku Liaison and Coordination Office
Kure, Japan

TO : Chief
Kure Branch
Hiroshima Finance Bureau

1. Reference: Letter Hiroshima Finance Bureau K.F.L. No.9-64, dated 12 April 1949. Subject: Application for Reconditioning of Scrap Machines at Amagasaki Seitetsu K.K. Kure.

2. The request for reconditioning of two (2) furnaces, which at present are listed as scrap on the reparation inventory is approved by this headquarters.

3. After reconditioning, the two (2) furnaces will be reinventoried and reevaluated and the results of same will be forwarded to this headquarters. Temporary operation of the furnaces will be granted orally by this headquarters, only after the results of reconditioning are forwarded to this headquarters.

4. The Amagasaki Seitetsu K.K. will pay all expenses for reconditioning.

JAMES R. TRUDNW
Lt Col TC
Commanding

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE
KURE HONSHU

HRL No. 112

14 April 1949

SUBJECT: Application for Reconditioning of Scrap Machines at Amagasaki Seitetsu K.K., Kure.

TO : Commanding Officer,
Hiroshima Military Government Team.

Transmitted herewith application on above subject, dated 12 April 1949 from the Chief of Kure Reparations Branch, Hiroshima Finance Bureau for your consideration.

Osamu Magaki

O. Itagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclosure: KFL No. 9 - 64 dated 12 April 1949.

MY/yt.

2904

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Hold on a Col. from Scrap Rdp. Section is coming here soon.

HIROSHIMA FINANCE BUREAU

Col. Williams-
Lt Col. Julian

K/L No. 9-84

12 April 1949

To : Hiroshima Military Government Team

Through: Chugoku Liaison and Coordination Office

Subject: Application for Reconditioning of Scrap Machines at Amagasaki Seitetsu K.K., Kure

We herewith apply to you for the permission of the above mentioned subject according to the following details.

1. Items requested for reconditioning.

a) One annealing furnace, inventoried as scrap.

Parts to be repaired: Body of furnace, upper parts of smoke-stack, hoist part.

b) One reverberatory furnace, inventoried as scrap.

Parts to be repaired: Only outer armour plate will be taken for reconditioning and all other parts are to be made anew.

2. Location of items:

Kure Factory, Amagasaki Seitetsu K.K.

3. Applicant and responsible custodian:

Haruji Imamoto, Director of the above factory

4. Reasons for application:

In order to raise the capacity of the company ~~in~~ steel production which is critical at present and to contribute to the promotion of the enterprise.

O.K.

Forward to Kure Liaison Office for Col. Dillaway.

M/M. Imamoto Director Amagasaki Seitetsu Kure Branch. Same here—drop in office for the above from Col. Dillaway.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

5. Remarks:

In case this matter be approved by your Headquarters, the two machines will be taken for the reparations with new inventory numbers and evaluated additionally. The expenses for the reconditioning will be covered by the company.

6. High consideration on your part will be greatly appreciated.

KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Hiroshima Finance Bureau

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
HIROSHIMA MILITARY GOVERNMENT TEAM
APO 248

D/FWK/jn

File No: HMGT 386.3

28 April 1949

SUBJECT: Removal of Damaged Machines for Repair-
Thermo Power Plant 11-5 (14) Kure

THROUGH: Director
Chugoku Liaison and Coordination Office
Kure, Japan

TO : Chief of Kure Branch
Finance Bureau

1. Reference: Letter Hiroshima Finance Bureau, KFL No.9-74, dated 21 April 1949, Subject: Application for Removal of Damaged Machines for Repair-Thermo Power Plant, Kure.

2. The request to send the damaged equipment to the original maker in Tokyo, for repairs is approved by this headquarters.

3. Surveillance of repair work, to ascertain whether or not satisfactory repairs are being made, will be the responsibility of the Japanese Government.

FOR THE COMMANDING OFFICER:

WILLIAM BAKER
Major, Inf.
Executive-Adjutant

95

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU LIAISON AND COORDINATION OFFICE
KURE HONSHU

HRL No. 120 — 22 April 1949

SUBJECT: Application for Removal of Damaged Machines for Repair - Thermo Power Plant, Kure.

TO : Commanding Officer,
Hiroshima Military Government Team.

Transmitted herewith application on above subject, dated 21 April 1949 from the Chief of Kure Reparations Branch, Hiroshima Finance Bureau for your consideration.

Osamu Itagaki

O. Itagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclosure: KFL No. 9 - 74 dated 21 April 1949.

MY/yt.

3088

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

SYM/to

KFL No. 9-74

21 April 1949

To : Hiroshima Military Government Team

Through: Chugoku Liaison and Coordination Office

Subject: Application for Removal of damaged Machines for Repair - Thermo Power Plant, Kure

1. Circulating water pump with code No. 11-5(14)-11. allocated to China as part of the Thermo Power Plant was damaged on 15 April 49 during the dismantling operation as reported verbally to your Headquarters.

2. It is requested hereby that approval be given by your Headquarters to send the damaged pump with motor attached to the original maker Ebara Seisakusho K.K., Tokyo for repairing.

3. The contractor of the removal of the Power Plant will pay all the necessary expenses for the repair of which completion date is presently estimated end of September 1949.

4. The bed of the motor side and the lower casing of the pump side including its bed will be made anew. Other parts will be retained. Upon completion of the repair thorough operation test will be done by the maker.

S Yamanaka

for KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Hiroshima Finance Bureau

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
HIROSHIMA MILITARY GOVERNMENT TEAM
APO 317

EMN
D/EMN/jn

CENTRAL FILES

File No: HMGT 386.3

7 January 1949

SUBJECT: Petition to Complete Dry Dock

11-21
I.D.

TO : Commanding Officer
Chugoku Military Government Region
APO 317

1. The attached petition of the Setoda Shipbuilding Company, a reparation installation, (11-21), is forwarded for your consideration.

2. This company has two dry docks, No.1 is completed and operating, the other, No.2, is only half completed. The completed dry dock is in poor condition, leaking constantly, and in some danger of the wooden gate collapsing. In order to repair the gate of No. 1 and to continue ship repair operations at the same time, it is necessary that No.2 dry dock be completed.

3. No.2 dry dock is excavated and one half of the wall surfacing has been completed. It order to complete this dock, 300 tons of cement will be needed.

4. This headquarters recommends that approval be granted to complete No.2 dry dock in order that gate on No. 1 dry dock can be repaired.

1 Incl:
Petition to Build a
Dry Dock (trip)

T. M. CLOWARD
Lt. Col., USAF
Commanding

RL 14 997 - 3.2.2

213

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENT
18 June 48	Destruction of Hydraulic Press Kure Naval Arsenal	HMGT Basic
16 Aug. 48	Report on Completed Destruction of Hydraulic Press - Kure Naval Arsenal	HMGT Basic
27 Aug. 48	Report on Completed Destruction of Hydraulic Press- Kure Naval Arsenal	HMGT 2nd Ind.
- - - - - -	Hydr-Press, Code No. 11-5(6)-3177 Cap 15,000 t.	Hiroshima Finance Bureau - Basic

IE

Section I.E. Demilitarization Certificate and Destruction of SP Machinery

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENT
28 April 48	Report on Completed Destruction of S.L. Machinery - Tosho Kogyo-sha	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery - Asahi Sangyo K.K.	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery - Amagasaki Seitetsu	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery - Harima Zosen-sho	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery -Egi Crimene Shokai	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.P. Machinery - Mukaihara Kogyo K.K.	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery - Naka Tekkosho	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery - Nippon Seiko-sho	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.P. Machinery - Mizuno Zosensho	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.P. Machinery - Kansai Kosaku-sho	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery - Sakata Seisakusho	Hiroshima Finance Bureau
28 April 48	Report on Completed Destruction of S.L. Machinery - Nippon Seitetsu K.K.	Hiroshima Finance Bureau

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

11-5(5) Sec. I-E

1 Hydr. Press, code No. 11-5(6)-3177
cap. 15,000 t.

1. Destruction instructed by letter
HMGT 388.3 dtd. 16 June 48
as SP.
2. Destruction completed on 29 July 48.
reported by letter KFL No. 162 dtd. 9 Aug 48.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA FINANCE BUREAU

(Hydr. Press (all located in Amagasaki Area)

Class 1: Cap. 2,000 — 11.5(6)-1658

1,200 1661

1.000 " 1735

Class 2 —— 4,000 " 1817

6,000 " 242

1,000 " 3372

" 3548

Class 3 —— 3,000 " 3576

1,500 " 2838

2,000 —— " 2848

1,130 " 2849

" " 1861

8,000 " 3025

2,000 " 1857

4,000 —— " 3026

1,000 " 1816

2,500

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr. Hqs Hiroshima MG Team, APO 317, HMGT 388.3, dtd 16 Aug 48, subj: "Report on Completed Destruction of Hydraulic Press - Kure Naval Arsenal"

HMGT 388.3 2nd Ind D/JRF/mn

Headquarters, Hiroshima Military Government Team, APO 317, Kure, Honshu, 27 August 1948

TO: Commanding Officer, Chugoku Military Government Region, APO 317

The destruction of the Hydraulic Press in Kure Navy Yard has been verified by this headquarters.

11-05

T. M. CLOWARD
Lt. Col., USAF
Commanding

27 Aug 48 HMGT 388.3
Sec 1 of 2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr. Hqs Hiroshima MG Team, APO 317, HMGT 388.3, dtd 16 Aug 48, subj: "Report on Completed Destruction of Hydraulic Press - Kure Naval Arsenal"

HMGT 388.3 2nd Ind D/[illegible]F/mn

Headquarters, Hiroshima Military Government Team, APO 317, Kure, Honshu, 27 August 1948

TO: Commanding Officer, Chugoku Military Government Region, APO 317

The destruction of the Hydraulic Press in Kure Navy Yard has been verified by this headquarters.

T. M. CLOWARD
Lt. Col., USAF
Commanding

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIROSHIMA MIL. GOVT. TEA
BUCK SLIP

AUG 2 1948 1948

FROM: Sgt Rojo

TO: (Numerically)

			FOR:	
2		CO		Action
		EXEC		Your Approval
		ADJ		Central File
		L & G		Coments
		CI & E		Your Copy
		PH		Signa-ture
		PW		Proof Reading
1		RC & I		Infor-mation
		Reports Control Off.		
		Military I & E Off.		
		Troop Training Off.		
		Special Service Off.		
		Motor Transport. Off.		
3		Sergeant Major		

_____Typing Sec. for_____ Copies

_____Mimeograph in_____Copies

REMARKS:

Indorsed to Region #.