

Chestnut Hill Philadelphia, Pa.

Price-List of

Specimen Trees

Shrubs * Roses

and Fruit

SPRING : 1909

Canceling All Previous Lists

WHOLESALE PRICES

on quantities of ten to one thousand

SPECIAL:

Notes on pages 20, 64 and back cover

331 0- 58

SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

(The Name ANDORRA guarantees the quality)

CANADA UNLEACHED HARD-WOOD ASHES (ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500 lbs. for new lawns.

50-1	b. bag	100-lb. bag	200-lb. bbl.	Ton	Cars, 15 to 20 tons
F. O. B. cars\$6	0.85	\$1 25 T	\$2.00	\$18 00	At special
By wagon		1.50	2.50	=20.00	prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

			Cars, 12 to 25 tons
F. O. B. cars		\$11.00	\$9 per ton.
By wagon	\dots 1 25	13 00	

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% netnal potash, equal to 8% of sulphate of potash, the prepared lime being used us a filler, and makes a valuable ton-dresser for lawn, pasture, or gruss lands. Apply at the rate of 500 lbs, per acre.

	100-lb, bag	Ton	Cars, 12 to 25 tons
F. O. B. cars	\$1 25	\$13.50	= \$11 50 per ton.
By wagon		15/50	

PEAT We have on hand a stock of enrefully selected peat, suitable for potting or planting Rhododendrons and shruhs that need such soil. Sack of about 100 lbs., \$1. In sacks, \$15 per ton.

SPHAGNUM MOSS

An excellent quality on hand. Large bales, \$2 each.

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

inspection and fumigation.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS .- All orders are accepted subject to the following terms and conditions. Write plainly and give explicit directions as to address and mode of shipment

STOCK SELECTED by customers at the Nurseries will be charged ac-

cording to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING .- All goods are thoroughly packed, thus avoiding risk, if de-

layed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped by express.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

bill and present your claim through him promptly.

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to

their responsibility.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

Local and Long Distance Telephone CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA," PHILADELPHIA



Transplanting Norway Spruce

EVERGREEN TREES

ABIES balsamea. Balsam Fir. $2\frac{1}{2}$ to 3 ft. \$1 50 3 to $3\frac{1}{2}$ ft. \$150 per 100. 2 00 4 to 5 ft. \$200 per 100. 3 00	$\begin{array}{c} 10 \\ \$10 \ 00 \\ 17 \ 50 \\ 27 \ 50 \end{array}$
Canadensis. See Tsuga Canadensis.	21 00
concolor. White Fir. 3 to $3\frac{1}{2}$ ft	
$3\frac{1}{2}$ to 4 ft	
$\frac{4}{2}$ to $\frac{4}{2}$ ft	
4½ to 5 ft	
5 to 6 ft	
6 to 7 ft	
3½ to 4 ft	
4 to 6 ft	
Nordmanniana. Nordmann's Fir. 3 ft 3 50	-32 - 50
$\frac{3}{2}$ to $3\frac{1}{2}$ ft	$42 \ 50$
$3\frac{1}{2}$ to 4 ft	-57.50
4 to 4½ ft. Specimens	70 00
$\frac{4\frac{1}{2} \text{ to } 5 \text{ ft.}}{5 \text{ to } 5\frac{1}{2} \text{ ft.}}$ Specimens	
6 to 12 ft. Fine specimens. Prices on application.	
pectinata. European Silver Fir. 1 to 5 ft 2 50	20.00
5 to 6 ft	$-\frac{5}{27}$ 50
6 to 7 ft 4 00	35 00
Veitchii. Veitch's Silver Fir. 5 to 7 ft\$7.50 to 10 00	
BIOTA orientalis. Oriental Arborvitie. 3 to 4 ft 2 00	
5 to 6 ft	20 00
6 to 7 ft	30 00
7 to 10 ft	
orientalis, var. aurea. $2\frac{1}{2}$ to 3 ft	

	Each	10
BIOTA orientalis, var. aurea nana. 15 to 18 in	\$2 00	
orientalis, var. aurea pyramidalis. 3 to 4 ft	3 50	
4 to 5 ft,		
5 to 7 ft\$5 to	7 50	
orientalis, var. compacta. Compact Chinese Arborvita. 3 to $3\frac{1}{2}$ ft.	3 50	\$30 00
$3\frac{1}{2}$ to 4 ft	$4 \ 00$	$35\ 00$
4 to 5 ft	-5 - 00	$\frac{45}{70} \frac{00}{00}$
5 to 6 ft		70 00
5 to 6 ft		70 00
orientalis, var. elegantissima. Rollinson's Golden Ar-		
borvitæ. 3 to $3\frac{1}{2}$ ft	$\begin{array}{cccc} 3 & 50 \\ 4 & 00 \end{array}$	
4^2 to 6 ft	$\frac{7}{7} \frac{50}{50}$	
orientalis, var. filiformis; syn., Japonica. Thread-		
branched Arborvitæ. 2 to $2\frac{1}{2}$ ft	$\frac{2}{3} \frac{00}{50}$	
4 to 5 ft		
orientalis, var. semperaurescens. Ever-golden Arbor-		
vitæ. 2 to $2\frac{1}{2}$ ft	$\begin{array}{ccc} 2 & 50 \\ -3 & 50 \end{array}$	
CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar—	9 90	
4 to 5 ft		$32 \ 50$
5 to 6 ft		$\begin{array}{ccc} 42 & 50 \\ 55 & 00 \end{array}$
6 to 7 ft		$\frac{55}{70} \frac{00}{00}$
Deodara. Deodar, or Indian Cedar. 3 to 3½ ft		• • • • •
Libani (Cedar of Lebanon). 5 to 6 ft		
Libani, var. Sargenti pendula. $2\frac{1}{2}$ to 3 ft		
CEPHALOTAXUS Fortunei. Fortune's Yew. 2½ to 3 ft	3 00	
4 to $4\frac{1}{2}$ ft 5 to 6 ft. Very broad and heavy	$\frac{4}{7} \frac{00}{50}$	
pedunculata. 5 to 6 ft	7 50	
CRYPTOMERIA Japonica elegans. 5 to 6 ft		
6 to 7 ft	$\begin{array}{ccc} 7 & 50 \\ 2 & 50 \end{array}$	23 50
6 to 7 ft		$\frac{55}{55} \frac{90}{00}$
7 to 8 ft	7 50	72 50
ILEX opaca. American Holly. 1 to 1½ ft		$\frac{13}{18} \frac{50}{50}$
JUNIPERUS Canadensis. (Spreading) Canadian Juniper—	2 00	19 90
10 to 12 in	1 00	9 00
15 to 18 in	1.50	12 50
18 to 24 in Douglasi. Douglas'	2 00	
Golden Juniper. 12 to 15 in	1 00	8 50
15 to 18 in	1 50	12 50
18 to 24 in. Heavy		$\begin{array}{c} 17 \ 50 \\ 20 \ 00 \end{array}$
$2 \times 2\frac{1}{2}$ ft. Heavy	3 50	$32 \ 50$
3 x 3½ ft	5 00	40 00
Canadensis, var. prostrata. Trailing Canadian Juniper. 12 to 15 in	1 25	10 00
15 to 18 in		17 50

Each	10
JUNIPERUS Chinensis. Chinese Juniper. 3 ft\$2 00 50	\$17 50
3 to 4 ft	32 50
$4\frac{1}{2}$ to 5 ft 5 00	-45 00
5 to 6 ft •	55 00
6 to 7 ft	70 - 00
Chinensis, var. argentea marginata. A grand	
hardy variety. $2\frac{1}{2}$ to 3 ft	27 - 50
$3\frac{1}{2}$ to 4 ft. $\dots \qquad $	42 50
$\mathbf{a} = \mathbf{a} + \mathbf{b} + $	47 50
$\frac{1}{5}$ to $\frac{6}{6}$ ft	
6 to 8 ft. Specimens	
Chinensis, var. aurea. Golden Chinese Juniper—	
on 1 2 2 2 2 50 The Chinese 3 thip Chinese 3 thip Chinese 3 thing Chinese 3 th	
$\frac{2\frac{1}{2}}{2}$ to $\frac{3}{2}$ ft	
3^2 to $3\frac{1}{2}$ ft	
Chinensis, var. femina Reevesii. 3 to $3\frac{1}{2}$ ft	
Chinensis, var. Pfitzeriana. 3 ft	
communis. Common Upright Juniper—	
9 to $9\frac{1}{2}$ ft $\frac{1}{2}$ 50	
4 to 5 ft	
5 to 6 ft	
communis, var. Hibernica. Irish Juniper—	
3 to 4 ft 1 50	
communis, var. oblonga. 4 to 5 ft	
communis, var. Suecica. Swedish Juniper—	
2 to $2\frac{1}{2}$ ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Fortunei. 2 to $2\frac{1}{2}$ ft	
O (O O) Iti	
Japonioa. 😅 W 🗁 IV. III. III. III. III. III. III. III.	
0 (U 0) 1(
Japonica, var. aurea. Golden Japan Juniper-	13 50
$\frac{1}{2}$ to 2 ft. $\frac{1}{2}$ 50	$\frac{13}{22} \frac{50}{50}$
$\frac{2}{2}$ to $\frac{2}{2}$ ft	$\frac{22}{32} \frac{50}{50}$
$\frac{2}{2}$ to $\frac{3}{6}$ ft. $\frac{3}{6}$ ft. $\frac{3}{6}$	37 50
3^2 to 3^1 ft	47 50
	T1 00
5 to $5\frac{1}{2}$ ft	22 - 50
	00 کیے
recurva, var. squamata. Scaly-leaved—	18 50
19 to 4 to 10 to 20 to 2	$\begin{array}{c} 18 & 50 \\ 23 & 50 \end{array}$
2 to 29 tt,	$\frac{23}{32} \frac{50}{50}$
20 (U) 17 EU, 1 * * * * * * * * * * * * * * * * * *	• • • • • • • • • • • • • • • • • • • •
rigida. 7 to 8 ft	9.00
Sapina. Savin Jumper. 12 to 13 m	18 50
10 (O = 111; + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +	$\frac{13}{22} \frac{30}{50}$
	22 • 10
Sabina, var. aurea variegata. Savin's Golden Juniper 14 to 2 ft	12 50
4) 11111 1014 3 2 600 4 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	$\frac{12}{32} \frac{50}{50}$
2 to $2\frac{1}{2}$ ft	$\frac{32}{13} \frac{50}{50}$
Sanna, var. tamariscitula. 15 to 18 ili	18 50
19 00 = 10, 11, 11, 11, 11, 11, 11, 11, 11, 11,	$\frac{13}{27} \frac{50}{50}$
	13 50
Virginiana. Red, or Virginia Cedar. 3 to $3\frac{1}{2}$ ft 1 50	$\frac{13}{22} \frac{30}{50}$
$\frac{3\frac{1}{2}}{4\frac{1}{8}}$ to 4 ft	$\frac{22}{32} \frac{50}{50}$
4½ to 8 ft	94 90
9 (0 8 ft,	

polita. Tiger's Tail Spruce. 5 to 7 ft......\$5 to 10 00



Loading White Pines

	Each	10
PICEA pungens. Colorado Spruce. 2 to $2\frac{1}{2}$ ft	\$2 50	\$
$\frac{2\frac{1}{2}}{3}$ to $\frac{3}{2}$ ft	$egin{array}{ccc} 3 & 00 \ 4 & 00 \end{array}$	37 50
3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft. $3\frac{1}{2}$ to 4 ft.	5.00	$\frac{31}{45} \frac{30}{00}$
4 to 5 ft	$7 \ 50$	10 00
3. 5 to 8 ft	15 00	
pungens, var. glauca. Blue Colorado Spruce—	2 00	28 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 00 3 50	$\begin{array}{c} 25 & 00 \\ 32 & 50 \end{array}$
$3^{\frac{1}{2}}$ to $3^{\frac{1}{2}}$ ft	7.50	02 00
$3\frac{1}{2}$ to 4 ft	10 - 00	
5 to 10 ft	35 00	
pungens, var. Kosteriana. Koster's Blue Colorado Spruce. 2 to $2\frac{1}{2}$ ft) 2 50	32 50
$2\frac{1}{2}$ to 3 ft	7.50	02 00
3 to $3\frac{1}{2}$ ft	10 - 00	
$3\frac{1}{2}$ to 4 ft	12 50	
4 to 5 ft	15 00-	
6 to 7 ft. Grand specimens\$15 to pungens, var. pendula. Weeping Blue Colorado Spruce-		
$3\frac{1}{2}$ to 4 ft. Fine specimens	10 00	
4 to $4\frac{1}{2}$ ft. Fine specimens	15 - 00	
PINUS Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft	$\frac{1}{2} \frac{50}{50}$	$\frac{12}{20}$ $\frac{50}{20}$
$3\frac{1}{2}$ to 4 ft	$\begin{array}{cccc} . & 2 & 50 \\ . & 3 & 50 \end{array}$	$\begin{array}{c} 20 \ 00 \\ 32 \ 50 \end{array}$
$4\frac{1}{2}$ to 5 ft		47 50
5 to 8 ft	12/50	
Cembra. Swiss Stone Pine. 2 to $2\frac{1}{2}$ ft		$\frac{22}{99} \frac{50}{50}$
$2\frac{1}{2}$ to 3 ft		$\begin{array}{c} 32 & 50 \\ 37 & 50 \end{array}$
$3\frac{1}{5}$ to 4 ft.		47 50
4 to $4\frac{1}{2}$ ft		
5 to 6 ft	10 00	

FRICE-LIST FOR SPRING OF 1909	U
Each	10
PINUS excelsa. Bhotan Pine. 2 to $2\frac{1}{2}$ ft\$1 50	\$
$2\frac{1}{2}$ to 3 ft	22 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3 50$	$\frac{52}{32} \frac{50}{50}$
$\frac{4}{4}$ to $\frac{4^{\frac{1}{2}}}{4^{\frac{1}{2}}}$ ft	37 50
5 to 7 ft	$\frac{31}{47} \frac{50}{50}$
montana. Mountain Pine. $1\frac{1}{2}$ to 2 ft	13 50
	17 50
Mughus. Dwarf Mountain Pine. 12 to 15 in+ 1 50	$\frac{12}{15}$ 50
15 to 18 in	17 50
18 in	
ponderosa. Bull Pine. 4 to 5 ft	$\frac{32}{50}$
5 to 6 ft	37 - 50
rigida. Pitch Pine. 3 to 4 ft 3 50	
4 to 7 ft\$4 to 7 50	
Strobus. White Pine. 15 to 18 inper 100, \$25	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 00
2 to $2\frac{1}{2}$ ft	6 00
$\frac{2\frac{1}{2} \text{ to } 3 \text{ ft.} \dots}{100}$ + per 100. \$75 (1 00)	8 50
3 to 3½ ft	12 50
$3\frac{1}{2}$ to $4\frac{1}{3}$ ft	17 50
$\frac{4}{2}$ to $4\frac{1}{2}$ ft	$\frac{20}{20}$ 00
$\frac{4\frac{1}{2}}{10}$ to 5 ft	$\frac{27}{32} = \frac{50}{50}$
5 to 6 ft 4 00	$32 \ 50$
6 to 7 ft 5 00	
7 to 9 ft\$7.50 to 15 00	
The finest and best rooted stock in this country.	
sylvestris. Scotch Pine. 2 to $2\frac{1}{2}$ ft	$\frac{12}{3} 00$
$\frac{3}{2}$ to $\frac{3}{2}$ ft	$\frac{22}{50}$
4 to 5 ft	$\frac{32}{50}$
5 to 6 ft	$37 \ 50$
6 to 8 ft\$5 to 7 50	
Tanyosho (Dwarf Japanese variety)—	
$\frac{1_2}{2_2}$ to $\frac{2}{2}$ ft	
2 to $2\frac{1}{2}$ ft $+$. 5 00	
PODOCARPUS Japonica. Japanese Yew. 2 to 2½ ft 2 50	22 50
$2\frac{1}{2}$ to 3 ft	32 50
PSEUDOTSUGA Douglasi. Douglas' Spruce. 3 to 4 ft 1 75	15 00
4 to $4\frac{1}{2}$ ft	$22 \ 50$
$4\frac{1}{2}$ to 6 ft\$3.50 to 5 00	
RETINOSPORA ericoides. Heath-like Japan Cypress—	
3 to $3\frac{1}{2}$ ft	22 50
$3\frac{1}{2}$ to 4 ft	$32 \ 50$
filifera. Thread-branched Japan Cypress—	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	22 - 50
$2\frac{1}{2}$ to $\tilde{3}$ ft	$32 \ 50$
3 to $3\frac{1}{2}$ ft	
$3\frac{1}{2}$ to 4 ft. Specimens	
4 to 8 ft. Specimens	
filifera, yar. aurea. Golden Thread-branched	
Japan Cypress. $1 \times 1\frac{1}{2}$ ft	
$\frac{2}{9}$ x $\frac{2}{9}$ ft	
$2 \times 2\frac{1}{2}$ ft	
filifera, var. aurea variegata. Golden Varie-	
gated Thread-branched Japan Cypress.	
4 ft	

	Each	10
RETINOSPORA leptoclada. Thuya-like Japan Cypress-	Расп	10
$2\frac{1}{2}$ to 3 ft	+. .\$2 50	\$22 50
3 to $3\frac{1}{2}$ ft	. + 3 00 -	27 50
$3\frac{1}{2}$ to $\tilde{4}$ ft	♦ 3 50	32 50
lycopodioides. Club-moss Japan Cypress-	- - 9 50 1	
$\frac{2\frac{1}{2}}{3}$ ft	0.40500	
4 to 5 ft	5 to 7 50	
obtusa. Obtuse-leaved Japan Cypress—		
2 to $2\frac{1}{2}$ ft	\dots 2 00	18 50
$\frac{2}{3}$ to $\frac{3}{4}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
$3\frac{7}{2}$ to 4 ft	.+ 5 00	$\frac{32}{47} \frac{50}{50}$
5 to 8 ft	to 15 00	1. 00
obtusa, var. compacta. Compact Ob	tuse-	
leaved Japan Cypress. 2 to $^{2}{_{2}}$ f	t 2 50	22 50
$\frac{2\frac{1}{2}}{2}$ to 3 ft		
obtusa, var. gracilis. Graceful Obtuse-le Japan Cypress. 2 to $2\frac{1}{2}$ ft		22 50
$2^{\frac{1}{2}}$ to 3 ft	~	$\overline{32}$ $\widetilde{50}$
3 to 3 ft	\dots 5 00	47 50
4 to 5 ft\$7.50) to 10 00	
obtusa, var. nana. Dwarf Obtuse-leaved J Cypress. 1 ft	apan .★ 2 00	17 50
1点 ft	2 50	22 - 50
2 ft	. ♦ 3 00	27 50
$\frac{2^{1}}{2^{2}}$ ft	. † 4 00	$\begin{array}{c} 37 & 50 \\ 47 & 50 \end{array}$
3° ft $3^{\frac{1}{2}}$ ft		$\frac{47}{55} \frac{30}{00}$
4 to 5 ft. Specimens		30 00
obtusa, var. nana aurea. Dwarf Golden	Ob-	
tuse-leaved Japan Cypress—	.+ 2 50	
$\begin{array}{c} 1\frac{1}{2} \text{ ft. } \dots $	$\frac{1}{1}$ $\frac{2}{5}$ $\frac{50}{00}$	
$4\frac{1}{2}$ to 5 ft. Specimens \star $\$$ 7.9	U to 10 00	
nisifera. Pea-fruited Japan Cypress. 2 to	$2\frac{1}{2}$ ft. 2 50	$\frac{22}{60}$ 50
$\frac{3}{3}$ to $\frac{3}{2}$ ft	500	$\begin{array}{ccc} 32 & 50 \\ 47 & 50 \end{array}$
4 to $4\frac{1}{2}$ ft $4\frac{1}{2}$ to 5 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{47}{55} \frac{30}{00}$
5 to 6 ft	\dots 7 50	70 00
6 to 7 ft. Specimens \updownarrow \$7.5	0 to 12 50	
pisifera, var. aurea. Golden Pea-fruited J	lapan 1 50	
Cypress. $1\frac{1}{2}$ to 2 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 00
$2\frac{1}{2}$ to 3 ft		27 50
3^{2} to $3\frac{1}{2}$ ft	\dots 3 50	$\frac{30}{27} \frac{00}{50}$
$3\frac{1}{2}$ to 4 ft		$\begin{array}{c} 37 & 50 \\ 47 & 50 \end{array}$
4 to $4\frac{1}{2}$ ft	0 to 12 50	41 00
6 to 8 ft. Specimens	0 to 1a 00	
plumosa. Plume-like Japan Cypress. $1\frac{1}{2}$	ft 1 00	$\frac{9}{12} \frac{90}{50}$
$\frac{1\frac{1}{2}}{2}$ to $\frac{2}{21}$ ft		$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$
2 to $2\frac{1}{2}$ ft. $2\frac{1}{2}$ to 3 ft. $2\frac{1}{2}$		$32 \ 50$
3 to $3\frac{1}{2}$ ft	+ 4 00	37 50
$3\frac{1}{2}$ to 4 ft. Specimens	\$5 to 7 50	
4 to 6 ft. Specimens	0 to 12 50	

PRICE-LIST FOR SPRING OF 1909	1.1
Each	10
RETINOSPORA plumosa var argentea 11 to 2 ft\$1 00	\$9 00
り to ソム tt	$\frac{22}{20}$ 50
3 to 4 ft. \dots	$\frac{32}{70} \frac{50}{00}$
5 to 6 ft	10 00
plumosa, var. aurea. Golden Plume-like Japan Cypress. 12 in 50	4 00
12 to 18 in	6 00
2 to 21 ft	$\frac{22}{20}$ $\frac{50}{50}$
$2\frac{1}{2}$ to 3 ft 3 $\frac{30}{2}$	$32 \ 50$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
5 to 8 ft. Specimens + \$1.50 to 15 00	
plumosa, var. flavescens. 2⅓ to 3 ft♦ 3 50	
nlumosa, var. sulphurea. 2½ to 3 ft 3 30	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
squarrosa. Squarrose-leaved Japan Cypress—	
11 to 2 ft	13 50
of the Change hours 2 DU	$\begin{array}{ccc} 22 & 50 \\ 30 & 00 \end{array}$
2 to $2\frac{1}{2}$ it. Sheared; heavy	$\frac{30}{45} \frac{00}{00}$
3 to $3\frac{1}{2}$ II. Sheared; heavy $\frac{1}{7}$	70 00
4 TO 4条 II. ITENVV SDCCIMCUS ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	90 - 00
$4\frac{1}{2}$ to 5 ft Heavy specimens, \$12,50 to 19 00	
5 to 12 ft\$15 to 55 00	
This is excellent stock; exceptionally	
broad, bushy and low-branched. SCIADOPITYS verticillata. Umbrella Pine. 3 to 3½ ft	
4 to 5 ft	
5 to 6 ft	40 80
TAXIIS Canadensis. Canadian Yew. 15 to 18 in. $\cdots \rightarrow \cdots \rightarrow 00$	13 50
Canadensis, var alifea. Golden Canadian 16w-	$22 \ 50$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\overline{32}$ $\overline{50}$
9 #	47 50
3½ to 5 ft	40 50
baccata. English Yew. $1\frac{1}{2}$ to 2 ft. $\dots $	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$
ツ to ツキ ft	$\frac{17}{22} \frac{50}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\overline{32}$ $\overline{50}$
31 to 4 ft Specimens	47 50
A + A + A + A + C + C + A + A + A + A +	
41 to 6 ft Specimens	
haccata, var. adpressa. Adpressed few. 5 to 5 to 10 to	
baccata, var. aurea. Golden English Yew— 2 to $2\frac{1}{2}$ ft	
$2\frac{1}{2}$ to 3 ft	
baccata, var. Cheshuntensis. $3\frac{1}{2}$ to 4 ft	
haccata var Dovastoni. Dovaston's Yew-	0F 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} +25 & 00 \\ 32 & 50 \end{array}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	02 00
5 to 6 ft. Specimens	
haccata, var. Dovastoni aurea. Dovaston's Golden 1ew—	05 00
3 to 31 ft	35 00
$\frac{3\frac{1}{2} \text{ to } \overset{?}{4} \text{ ft.}}{5 \text{ to } 6 \text{ ft.}}$ Specimens	
o to o it. Specimens Y 410 to 20 oo	

Each	10
TAXUS baccata, var. elegantissima. Elegant English Yew— 3 to 3½ ft	
$3\frac{1}{2}$ to 4 ft	
4 to 5 ft	
2 to $2\frac{1}{2}$ ft	20 00
$2\frac{1}{2}$ to 3 ft	
4 to $4\frac{1}{2}$ ft	
2 to $2\frac{1}{2}$ ft	
baccata, var. ereeta, Overeynder. (Form similar to	
Fastigiata.) 4 to $4\frac{1}{2}$ ft 6 00 $4\frac{1}{2}$ to 5 ft	
5 to 6 ft	
baccata, var. fastigiata. Irish Yew. 1½ ft	$\begin{array}{ccc} & 13 & 50 \\ & 32 & 50 \end{array}$
$3\frac{1}{2}$ ft	62 80
4 to 6 ft. Specimens	
baccata, var. fastigiata aurea. Golden Irish Yew— 2 ft	22 50
$2\frac{1}{2}$ ft	$\frac{55}{50}$
$3\frac{1}{4}$ to 4 ft	
4 to 5 ft	
Yew. $4\frac{1}{2}$ to 5 ft. Specimens \bigstar \$5 to 7 50	
baccata, var. gracilis pendula. 3 to $3\frac{1}{2}$ ft	
4 to 5 ft. { NEW }+\$6 to 7 50 to 6 ft. { NEW }+\$7.50 to 15 00	
baccata, var. Washingtoni aurea. Washington's Golden English Yew. 2 to $2\frac{1}{2}$ ft	
$2\frac{1}{2}$ to 3 ft	
3 to 4 ft	18 50
$1\frac{1}{2}$ ft	10 90
2 ft 3 50	
$2\frac{1}{2}$ ft	18 50
1½ ft	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
cuspidata, var. capitata. $1\frac{1}{2}$ ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
THUJOPSIS borealis; syn., Cupressus Nutkaensis. Yellow or	
Sitka Cypress— 3 to 4 ft	32 50
5 to 7 ft. Specimens	02 iju
borealis, var. latifolia glauca. Glaucous Sitka Cy-	32 5 0
press. $3\frac{1}{2}$ to 4 ft	- 5 <u>4</u> 80
horealis, var nendula, Drooping Sitka Cypress—	
4 to 5 ft	37 50
Standishi. Standish's Sitka Cypress—	
8 to 9 ft. Specimens	

THUYA occidentalis. American Arborvitæ-	Each	10
2½ to 3 ft	1 25 1 50 2 00 2 50 3 00 3 50 4 00 4 50 10 00 15 00	\$8 00 10 00 13 50 19 00 22 50 27 50 32 50 37 50
$2\frac{1}{2}$ to 3 ft. 3 to $3\frac{1}{2}$ ft. 4 to 5 ft. 5 to 6 ft. 7 to 8 ft. Specimens. $+$ \$7.50 to 8 to 10 ft. Specimens. $+$ \$10 to	$\begin{array}{c} 1 & 50 \\ 2 & 50 \\ 4 & 00 \\ 5 & 00 \\ 10 & 00 \\ 15 & 00 \end{array}$	13 50 22 50 37 50 45 00
occidentalis, var. Douglasi. $3 to 3 \frac{1}{2} tt$ $3 \frac{1}{2} to 4 ft$ $4 to 5 ft$ $4 to 5 ft$ $5 to 6 ft$ $5 to 6 ft$ $4 to 7 ft$ occidentalis, var. globosa. $4 to 7 to $	3 00 3 50 4 00 5 00 7 50	27 50 32 50 37 50 45 00 70 00
15 to 18 in. 18 to 24 in. occidentalis, var. Hoveyi. Hovey's Golden Arborvitæ- 2 ft.	$\begin{array}{c} 2 & 50 \\ - & 1 & 50 \end{array}$	$\begin{array}{c} 13 & 50 \\ 22 & 50 \end{array}$ $13 & 50$
$2\frac{1}{2}$ to 3 ft. Very heavy 3 to $3\frac{1}{2}$ ft. Very heavy $\frac{1}{2}$ occidentalis, var. Lobbi. Lobb's Arborvitæ. 4 to $4\frac{1}{2}$ ft $4\frac{1}{2}$ to 5 ft.	$\begin{array}{c} 2 & 50 \\ 3 & 50 \\ 3 & 00 \\ 4 & 50 \\ \end{array}$	$\begin{array}{cccc} 22 & 50 \\ 27 & 50 \\ 42 & 50 \end{array}$
occidentalis, var. Lobbi aurea. 4 to 5 ft	3 50 4 50 1 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3½ to 4 ft. 4 to 5 ft. 5 to 6 ft. occidentalis, var. recurva nana. 2½ to 3 ft. \$3.50 to occidentalis, var. Tom Thumb. 1 ft. occidentalis, var. Vervæne's Arborvitæ—	$\begin{array}{c} 2 & 00 \\ 2 & 50 \\ 3 & 50 \\ 5 & 00 \\ 1 & 50 \end{array}$	17 50 22 50 32 50
2½ to 3 ft. 3 to 3½ ft. 3½ to 4 ft. 4½ to 5 ft. 5 to 6 ft. 6 to 7 ft. Specimens 7 to 8 ft. Specimens 8 to 9 ft. Specimens occidentalis, var. Wareana. Siberian Arborvitæ—	3 00 3 50 4 00 4 50 5 00 8 00	27 50 32 50 37 50 42 50 47 50
2 to $2\frac{1}{2}$ ft. 3 to $3\frac{1}{2}$ ft. 4 ft. 4 ft. 5 ft.; very heavy 5 ft.; very heavy 5 to $5\frac{1}{2}$ ft.; very heavy 5 to 6 ft.; very heavy	3 50 5 00 6 00 7 50 7 50	22 50 32 50 47 50 57 50 72 50

THUYA occidentalis, var. Wareana aurea. $2\frac{1}{2}$ ft\$2 50	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{r} 28 \ 00 \\ 42 \ 50 \\ 47 \ 50 \end{array}$
TSUGA Canadensis. Hemlock. $1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 4 & 00 \\ 7 & 50 \end{array}$
$\frac{3 \text{ to } 3\frac{1}{2} \text{ ft. } \dots}{3\frac{1}{2} \text{ to } 4 \text{ ft. } \dots}$ GRAND $\left(\begin{array}{c} \cdot \cdot \text{per } 100, \$125 \dots 150 \\ \cdot \cdot \text{per } 100, \$160 \dots 200 \end{array}\right)$	$\begin{array}{c} 10 & 00 \\ 13 & 50 \\ 17 & 50 \end{array}$
$ \begin{array}{c} 4 \text{ to } 4\frac{1}{2} \text{ ft. } \cdots) \text{ STOCK } \left(\begin{array}{c} \cdot \text{ per } 100, \$185 \\ \cdot \ \ \ \ \ \ \ \ \ \ \ \ \$	$\begin{array}{ccc} 20 & 00 \\ 22 & 50 \end{array}$
$\frac{5\frac{1}{2} \text{ to } 6 \text{ ft. } \dots }{6 \text{ to } 10 \text{ ft. } \text{Heavy specimens.} \dots } \frac{3}{50}$	27 50 32 50
The finest and largest stock offered. Canadensis, var. Sargenti pendula. Weeping Hemlock— 2 to 5 ft. Specimens	
Caroliniana. Southern Hemlock. 3 to $3\frac{1}{2}$ ft. $$ \$3.50 to 15 00 6 to 7 ft. Specimens $$ $$ \$3.50 to 15 00 $$	
Hookeriana. Alpine Hemlock. $2\frac{1}{2}$ to 3 ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	



Showing fibrous roots of Hemlock.



A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

ANDROMEDA Cotoohmi San Taurotta	Each	10
ANDROMEDA Catesbæi. See Leucothoë. floribunda. 12 in	. 1 75	\$13 50 16 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 1 25	$\begin{array}{c} 10 & 00 \\ 12 & 50 \\ 18 & 50 \end{array}$
AZALEA amœna. 12 to 15 in	. 1 00	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 2 & 00 \\ 2 & 50 \end{array}$	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$
2½ ft. Specimens		0.00
8 to 10 in	. 2 50	$\frac{6}{20} \frac{60}{00}$
BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to 1½ ft 1½ to 2 ft Japonica, var. aurea. Golden Japanese Box—		$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$
12 to 15 in	· 1 50 · 1 75	$\begin{array}{c} 9 & 00 \\ 12 & 50 \\ 15 & 00 \\ \end{array}$
$2 ext{ ft.}$ $2\frac{1}{2} ext{ ft.}$ sempervirens. Common Box. Ball-shaped—	. 3 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
15 x 15 in	$\frac{250}{2}$	

Eac	ch	10
BUXUS sempervirens. 1 ft. Andorra-grownper 100, \$40\$0		\$6 00
$1\frac{1}{2}$ ft.; light Andorra-grown.per 100, \$50 1	00	7 50
2 ft.; Andorra-grown		13 50
$2\frac{1}{2}$ ft.; Andorra-grown	50 50	$\begin{array}{cccc} 22 & 50 \\ 40 & 00 \end{array}$
	00	54 00
4 ft.; Andorra-grown. Specimens. + 7		$67 \overset{\circ}{50}$
	00	90 00
5 to $5\frac{1}{2}$ ft.; Andorra-grown. Specimens \bigstar \$12.50 to 25	00	
sempervirens. Pyramids—	00	
$2\frac{1}{2}$ ft.; Andorra-grown. Specimens	00	
3 ft.; Andorra-grown. Specimens	50	40 00
$3\frac{1}{2}$ ft.; Andorra-grown. Specimens	00 -	$\frac{54}{50} \frac{00}{00}$
Al ft · Andarra-graven Spacimons A 10	50	-70 - 00 - 90 - 00
5 ft.; Andorra-grown. Specimens	50	112 50
$5\frac{1}{2}$ ft.; Andorra-grown. Specimens	00	125 00
sempervirens. Standards—		
2 ft. stems, 18 in. head. Andorra-grown	50	
$\frac{2}{\text{grown}}$ to $\frac{2\frac{1}{2}}{\text{ft.}}$ stems, $\frac{22}{\text{to}}$ to $\frac{24}{\text{in.}}$ head. Andorragrown	50	
2 to $2\frac{1}{2}$ ft. stems, 24 to 26 in. heads. Andorra-	90	
grown	50	
sempervirens, var. angustifolia. 12 to 18 in		13 50
sempervirens, var. arborescens. Tall Tree Box—	=	00 50
	$\begin{array}{c} 50 \\ 50 \end{array}$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
sempervirens, var. arborescens variegata. Variegated	90	9 <u>2</u> 90
Tree Box. $3\frac{1}{2}$ ft	50	32.50
sempervirens, var. argentea marginata. Silver-tipped		
Box. $1\frac{1}{2}$ to 2 ft	$\frac{50}{50}$	$\frac{13}{50}$
sempervirens, var. decussata. $4\frac{1}{2}$ to 5 ft	50	30 00
5 to $5\frac{1}{2}$ ft	50	22 - 50
5 to 3½ ft	50	32 50
sempervirens, var. Japonica; syn., latifolia-	0.0	0 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00 50	$\begin{array}{c} 8 \ 50 \\ 13 \ 50 \end{array}$
	50 -	$\frac{13}{22} \frac{50}{50}$
2½ to 3 ft	50	$32 \ 50$
sempervirens, var. myrtifolia. Myrtle Leaf—		10 80
3 to $3\frac{1}{2}$ ft	50	42 50
sempervirens, var. suffruticosa. Dwarf Box Edging—	ΟÒ	
3 to 4 in		75
3 to 4 in+per 100, \$5; per 1.000, \$40 4 to 5 in+per 100, \$10; per 1,000, \$60 6 to 7 in+per 106, \$15; per 1,000, \$90	25	1 50
0 to 1 m+per 100, \$15; per 1,000, \$90	35	2 00
CERASUS Laurocerasus Caucasica. Caucasian Laurel— 1 to 1½ ft	00	7 50
$\frac{1}{2}$ to $\frac{1}{3}$ ft. $\frac{1}{2}$	50	$\frac{1}{22} \frac{50}{50}$
3 to 3ાં ft	50	32 50
Laurocerasus , var. Schipkaensis. 1 to $1\frac{1}{2}$ ft $+$ 1	50	10 00
	00	17 50
CHAMÆDAPHNE calyculata. Leather Leaf————————————————————————————————————	50	4 00
AATAMEN I I II IAA	75	6 00
	.0	3 00

12 50



Rhododendrons at Andorra

RHODODENDRONS

HYBRID VARIETIES—ANDORRA GROWN

DUODODENDONO Octobios Ustalla Accestal O	
RHODODENDRONS. Catawbiense Hybrids Assorted. Our selec-	10
tion of varieties— Each	10
$\frac{1\frac{1}{2}}{2}$ to 2 ftper 100, \$100\$1 50	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
2 to $2\frac{1}{2}$ ftper 100, \$175 2 50 Our stock of large, heavy plants, $3\frac{1}{2}$	20 00
to 5 ft. in height, is unusually	
fine. Prices on application.	
Abraham Lincoln. Rosy crimson.	
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots 2 50$	-22 - 50
$2\frac{1}{2}$ to 3 ft	30 00
Album elegans. White.	
2 to $\bar{2}_{\frac{1}{2}}$ ft	17 50
3 to $3\frac{1}{2}$ ft 3 50	
$\frac{3\frac{1}{2}}{1}$ to $\frac{4}{1}$ ft	
4 to 5 ft\$5.00 to 7 50	
Album grandiflorum. White. 2 to $2\frac{1}{2}$ ft 2 00	17 50
$2\frac{1}{2}$ to 3 ft 3 00	
$3\frac{1}{2}$ to 5 ft	
Atrosanguineum. Dark scarlet. $2\frac{1}{2}$ ft 3 50	-32/50
Betsy Parsons. Reddish purple.	
3 to 4 ft\$5.00 to 7 50	
Blandyanum. Rosy crimson. $1\frac{1}{2}$ to 2 ft 2 00	18 00
$\frac{2}{2}$ to $\frac{21}{2}$ ft	$22 \ 50$
$2\frac{1}{2}$ to 3 ft\$3.50 to 5 00	
3 to 4 ft. Specimens\$5 to 15 00	

	T3 . 1.	4.0
RHODODENDRONS	R W Fllight Doop nogo 2 to 21 ft (22 00	10
miobobenbiiono,	B. W. Elliott. Deep rose. 2 to $2\frac{1}{2}$ ft\$2 00 3 to $3\frac{1}{2}$ ft\$3.50 to 5 00	\$17 50
	Caractacus. Purplish crimson. $1\frac{1}{2}$ to 2 ft. 2 00	17 50
•	$\frac{2}{2}$ to $\frac{21}{2}$ ft	$\frac{22}{22} \frac{50}{50}$
	$2\frac{1}{2}$ to $\tilde{3}$ ft\$3.50 to $\bar{5}$ 00	00
	Charles Bagley. Bright red. $1\frac{1}{2}$ ft 2 00	17.50
	Charles Dickens. Scarlet. $1\frac{1}{2}$ to 2 ft 2 00	18 00
	Delieatissimum. White. $1\frac{1}{2}$ to 2 ft 1 50	-13 50
	$\frac{2}{21}$ to $\frac{21}{2}$ ft $\frac{2}{2}$ 00	$-\frac{17}{99}$ $\frac{50}{50}$
	$2\frac{1}{2}$ to 3 ft 3 50 3 to $3\frac{1}{2}$ ft\$3.50 to 5 00	$32 \ 50$
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	22 - 50
	$2\frac{1}{2}$ to 3 ft	$\frac{22}{32} \frac{50}{50}$
	Everestianum. Rosy lilac. 2 ft 2 50	$\frac{02}{22} \frac{50}{50}$
	$2\frac{1}{2}$ ft 3 50	$\overline{32}$ $\widetilde{50}$
•	3 ft 5 00	45 00
	General Grant. Red. $1\frac{1}{2}$ to 2 ft 2 00	18 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40 50
	Giganteum. Rosy crimson. $1\frac{1}{2}$ ft $1\frac{50}{2}$	13 50
	$2\frac{1}{2}$ to 3 ft	
	James Bateman. Scarlet. $1\frac{1}{2}$ ft	
	J. Marshall Brooks. Scarlet. $1\frac{1}{2}$ to 2 ft 2 00	17 50
•	2 to $2\frac{1}{2}$ ft	$\frac{1}{22} \frac{50}{50}$
	John Spencer. Rose. $1\frac{1}{2}$ to 2 ft 1 50	13 - 50
	John Walter. Rich crimson. $1\frac{1}{2}$ ft 2 00	17 50
	$\frac{2}{21}$ ft $\frac{2}{2}$ 50	$\frac{22}{20}$ 50
	$2\frac{1}{2}$ ft	$\frac{32}{17}$ 50
	John Waterer. Carmine. $1\frac{1}{2}$ to 2 ft 2 00 2 to $2\frac{1}{2}$ ft 3 00	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	Lady Armstrong. Pale rose. $1\frac{1}{2}$ to 2 ft 2 00	$\frac{18}{18} \frac{30}{00}$
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	$\frac{22}{50}$
	Lady Olampant Dans 14	
	Lady Glermont. Rosy scarlet. $2\frac{1}{2}$ to 3 ft 3 50	$32 \ 50$
	3 to 4 ft\$5.00 to 7 50 Luciferum. Clear white. 2 to $2\frac{1}{2}$ ft 2 50	99 50
	Luciferum. Clear white. 2 to $2\frac{1}{2}$ ft 2 50 $2\frac{1}{2}$ to 3 ft\$3.50 to 5 00	$22 \ 50$
	3 to 4 ft\$5.00 to 7 50	
	Madam Carvalho. Clear white.	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	
	Michael Waterer. Scarlet-crimson.	45 50
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	Minnie. White. $2\frac{1}{2}$ to 3 ft	$\begin{array}{ccc} 27 & 50 \\ 22 & 50 \end{array}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{55}{50}$
	Mrs. John Clutton. White. $1\frac{1}{2}$ to 2 ft 2 00	17 50
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 3 00$	
	3 to $3\frac{1}{2}$ ft\$3.50 to 5 00	10.00
	Mrs. Milner. Crimson. $1\frac{1}{2}$ ft	$\frac{18}{22} \frac{00}{50}$
	2° to $2\frac{1}{3}$ ft 3.00	$\begin{array}{ccc} 23 & 50 \\ 27 & 50 \end{array}$
	Old Port. Plum. 1½ ft 1 50	$\frac{21}{13} \frac{50}{50}$
	rarson's gioriosum. Brush. 15 to 2 ft 1 50	$12 \ 50$
4	$2 ext{ to } 2\frac{1}{2} ext{ ft$	15/00
	$\frac{2\frac{1}{2}}{2}$ to 3 ft	$\frac{23}{20}$ 50
	$\frac{3}{4}$ to $\frac{3\frac{1}{2}}{5}$ ft	$32 \ 50$
	$\frac{4 \text{ to } 5 \text{ ft.} \dots$	32 50
	1 01 0 produit 22 to 0 1t	<i>9</i> 2 90

	Each	10	
RHODODENDRONS, Pictum. White. $2\frac{1}{2}$ to 3 ft	.\$2 50	\$32 50	
3 to 3½ ft	. 5 00	47 50	
$3\frac{1}{2}$ to 4 ft $\$5.00$ t purpureum grandiflorum. Purple—			
$2\frac{1}{2}$ to 3 ft	. 3 50	17 50	
2 to $2\frac{1}{2}$ ft	. 2 50	22 50	
$egin{array}{cccccccccccccccccccccccccccccccccccc$. 3 50	$\begin{array}{c} 30 & 00 \\ 47 & 50 \end{array}$	
3 to 4 ft. Specimens\$7.50 to	15 00	_, _,	
NATIVE VARIETIES.—ANDORRA GROW			
RHODODENDRON Catawbiense. 2 to $2\frac{1}{2}$ ft	.\$1.50	\$12 50	
$2\frac{1}{2}$ to 3 ft	. 3 50	22 50	
$3\frac{1}{2}$ to 4 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50	
$2rac{1}{2}$ to 3 ft	. 3 00	27 50	
maximum. Great Laurel. 15 to 18 in $1\frac{1}{2}$ to 2 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 7 & 50 \\ 11 & 00 \end{array}$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 2 00	$\begin{array}{ccc} 17 & 50 \\ 25 & 00 \end{array}$	
3 to 4 ft	. 5 00	$\frac{25}{40} \frac{00}{00}$	
We have an excellent stock of larger specimens; prices	. 7 50	60 00	
Having good facilities for collecting Rhododendron maximum	m, we c	offer col-	
lected stock by the carload, in all sizes from 2 to 7 feet, a Write us.	t specia	I prices.	
DWARF VARIETIES.—ANDORRA GROWN			
RHODODENDRON Hammondi. 1. ft	.\$1.50	\$13 50	
$rac{1rac{1}{2}}{ ext{Hirsutum. }1}$ ft $ ightharpoonup$.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 17 & 50 \\ 13 & 50 \end{array}$	
myrtifolium. Myrtle-leaved. 1 to $1\frac{1}{2}$ ft	. 2 00	17 50	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} . & 2 & 50 \\ . & 2 & 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 20 & 00 \end{array}$	
$2\frac{1}{2}$ ft		13 50	
$1\frac{1}{2}$ to 2 ft	. 2 50	20 00	
Wilsonianum. $1\frac{1}{2}$ to 2 ft	. 2 50	20 00	
YUCCA filamentosa. Adam's Needle. 3-yr		$\frac{2}{3} \frac{00}{00}$	
4-yr	. 50	3 00	
DECIDUOUS TREES			
Measurements are given as follows: Height is taken	before	digging,	
from the surface of the ground to the top branches where the form the top; diameter of stem, or caliper, is taken above the			
ACER campestris. European Cork Maple. 4 to 5 ft	Each	10 \$6 00	
5 to 6 ft	. 1 00	8 50	
7 to 8 ft. 8 to 10 ft		$\begin{array}{ccc} 12 & 50 \\ 15 & 00 \end{array}$	
colchicum, var. rubrum. Red Colchicum Maple—			
10 to 12 ft.; $2\frac{1}{2}$ -in. cal	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 15 & 00 \\ 32 & 50 \end{array}$	



End View of a Block of Norway Maples

ACED	daayaannum Silvan Manla	ach	10	100
ĄUEK	dasycarpum. Silver Maple— 10 to 12 ft.; $1\frac{1}{2}$ to 2 in\$1 12 to 14 ft.; 2 to $2\frac{1}{2}$ in	50 12 00 15 50 20	3 50 ° 2 50 6 00 00 00	\$125 00 150 00
	dasycarpum, var. Wierii laciniatum. Wier's			
	Cut-leaved Silver Maple— 10 to 12 ft.; $1\frac{3}{4}$ to 2 in	50 18 50 32	50 2 50	
	Negundo. Ash-leaved Maple— 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. 1 10 to 12 ft.; 2 to $2\frac{1}{2}$ in. 1 12 to 14 ft. 2	00 8 50 10	3 50 0 00 7 50	
		50		
***	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 12 00 20 50 25 00 27 50 32 00 33 50 42 00 47 50 75	2 50 5 00 2 50 7 50 2 50	75 00 100 00 175 00 200 00 250 00 275 00 325 00 400 00 450 00 700 00

Each	10	100
ACER platanoides, var. purpurea. Schwedler's Purple Maple. 8 to 10 ft.; 1\frac{3}{4} to 2 in	\$32 50 37 50	
platanoides, var. Reitenbachi. Reitenbach's Purple Maple. 8 to 10 ft 2 00	17 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Broad-headed specimen trees. rubrum. Red or Scarlet Maple. 6 to 7 ft 1 00	8 50	
S to 10 ft	12 50 $17 50$	
saccharinum. Sugar Maple. 8 to 10 ft. 1 0 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 1 25 10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{4}$ in. 1 50 12 to 14 ft.; 2 to $2\frac{1}{4}$ in. 2 50 12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in. 3 50 12 to 14 ft.; $2\frac{1}{4}$ to 3 in. 5 00 14 to 16 ft.; 3 to $3\frac{1}{4}$ in. 6 00 14 to 16 ft.; $3\frac{1}{2}$ to 4 in. \$12.50 to 35 00	8 50 10 00 13 50 20 00 32 00 45 00 50 00	75 00 125 00 175 00 250 00
Specimen low-branched trees of		
heavy caliper and good tops. Prices on application. spicatum. Mountain Maple. 2 to 3 ft	6 00 8 50 12 50	30 00 40 00 60 00
2 ft	3 50 6 50 9 00 5 10 00	25 00 35 00 50 00 60 00
JAPANESE MAPLES		
ACER polymorphum, 3 to 4 ft) 13 50)	
branched trees.		

8 to 10 ft. 1 50 pentaphylla; syn., Acanthopanax spinosa.

9 to 10 ft...... 1 25

spinosa. See Shrubs.

6 - 008 00

12 - 50

6.00

DETHI A alleg TO MAN AND AND AND AND AND AND AND AND AND A	Each	10	100
BETULA alba. European White Weeping Birch—	1 05	Otation on	
8 to 10 ft	9 00	$\begin{array}{cccc} \$10 & 00 \\ 17 & 50 \end{array}$	
12 to 14 ft.: 2 to $2\frac{1}{2}$ in	9 50	$\frac{11}{22} \frac{50}{50}$	
10 to 18 it.; 3 to 4 in	$7\overline{50}$	50	
aiba, var. lastiglata. Pyramidal White			
Birch. 10 to 12 ft	$\frac{2}{5}$		•
12 to 14 ft alba, var. laciniata pendula. Weeping Cut-	3 50		
loomenal William This I in the second	1 50		
lenta Suract Dinch C. J. W. C.	$1 \begin{array}{c} 100 \\ 1 \end{array}$	8 50	
sutea. Yellow Birch. 6 to 8 ft	1 00	8 50	
14 to 16 ft.; specimens	2 50	$2\overline{2}$ $\overline{50}$	
papyrifera. Paper, or Canoe Birch—			
5 to 6 ft	1 00	6 00	
8 to 10 ftnigra; syn., rubra. Red Birch. 7 to 8 ft.	$\frac{1}{1} \frac{25}{20}$	10 00	000 00
$\Omega + A + A + A + A + A + A + A + A + A + $	$egin{array}{ccc} 1&00&1\\1&25&1 \end{array}$	$\begin{array}{c} 8 \ 50 \\ 10 \ 00 \end{array}$	\$60 00.
10 to 12 ft	150	$\frac{10}{13} \frac{00}{50}$	$75 00 \\ 115 00$
BROUSSONETIA papyrifera. Paper Mulberry-		10 00	119 00
5 to 6 ft	75	5 00	40 00
CARPINUS Americana; syn., Caroliniana. American			20 00
Hornbeam. 3 to 4 ft	60	5 00	30 00
4 to 5 ft. Bushy	00	7 50	$50 \ 00$
5 to 6 ft. Bushy		10 00	75 00
7 to 9 ft. Bushy	$\begin{array}{ccc} 2&00&-2&50&-1 \end{array}$	$\begin{array}{ccc} 13 & 50 \\ 20 & 00 \end{array}$	85 00
9 to 10 ft. Bushy	50	$\frac{20}{27} \frac{60}{50}$	150 00
Betulus. European Hornbeam. 2 to 3 ft.	$3\ddot{5}$	3 00	22 50
3 to 4 ft. Bushy	50	4 00	$30\ 00$
4 to 5 ft. Bushy	75°	$\frac{6}{10} \frac{00}{10}$	40 00
Dusily	$\frac{50}{200}$	$\begin{array}{ccc} 13 & 50 \\ 18 & 50 \end{array}$	$75\ 00$
8 to 10 ft. Bushy	50	$\frac{16}{30} \frac{30}{00}$	100 00
Carya alba (Hickory). 8 to 10 ft 1	50	12 50	
CASTANEA Americana. American Chestnut—			
5 to 6 ft	75	5 00	40 00
7 to 8 ft	. 00 95	$\frac{7}{0}$ $\frac{50}{00}$	50 00
$9 \text{ to } 10 \text{ ft.}; 1\frac{1}{2} \text{ to } 2 \text{ in.} \dots 1$	29 50	$\frac{9}{10} \frac{00}{00}$	$\begin{array}{ccc} 60 & 00 \\ 75 & 00 \end{array}$
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	75	$\frac{10}{12} \frac{50}{50}$	100 00
12 to 14 ft.; 3 in 2	-00	$\overline{17}$ $\overline{50}$	150 00
Japonica. Japan Chestnut. 4 to 5 ft 1	00	7/50	
vesca. Spanish Chestnut. 4 to 5 ft 1	00	7 50	
CATALPA bignonioides. 8 to 10 ft	00	6 00	
bignonioides, var. aurea. Golden Catalpa— 4 to 5 ft	00	F F0	
Bungei. Bunge's Catalpa. Standards. 7 ft. 3	50	7 50	
Kæmpieri. Japanese Catalpa. 6 to 8 ft. 1	50	12 50	
speciosa. Western Catalpa. 6 to 8 ft 1	-00	7.50	
δ to 10 ft.; $1\frac{1}{2}$ to 2 in	50	13 50	
one out out out	F0.		
8 to 10 ft 1	50		

PRICE-LIST FOR SPRING OF 1909		25
Each	10	100
CELTIS occidentalis. Nettle Tree. 6 to 7 ft\$1 00	\$9.00	100
7 to 8 ft	10 00	\$75 00
8 to 10 ft	$\frac{10}{12} \frac{50}{50}$	90 00
· · · · · · · · · · · · · · · · · · ·		50 00
CERASUS Padus. European Bird Cherry. 4 to 5 ft. 75	$\frac{6}{7} \frac{00}{50}$	co. 00
serotina. Wild Black Cherry. 10 to 12 ft., 1 00	7 50	60 00
Avium, var. alba plena. Double White-	13 50	
flowering Cherry. 5 to 6 ft 1 50 Avium, var. rosea plena. Double Pink-	19 90	
Howaving Chapter A to 8 ft 1 50		
flowering Cherry. 4 to 6 ft 1 50 Avium, var. rosea pendula. Pink Weeping		
Japan Cherry. 6 ft		
Sieboldi, var. rubra plena. 4 to 5 ft 1 50	12 50	
	12 00	
CERCIS Canadensis. Red Bud, American Judas— 3 to 4 ft	4 00	30 00
4 to 5 ft	$\frac{4}{6} \frac{00}{00}$	$\frac{30}{45} \frac{00}{00}$
5 to 6 ft	7 50	$\frac{10}{50} \frac{00}{00}$
6 to 8 ft	10 00	60 00
8 to 10 ft 1 75	12 50	85 00
Japonica. See Shrubs.		
CERCIDIPHYLLUM Japonicum. 6 to 8 ft 2 00	17 50	
8 to 9 ft. $\dots \cdot \uparrow \dots \stackrel{?}{\downarrow} \dots \stackrel{?}{$	$\frac{1}{22}$ $\frac{1}{50}$	
9 to 10 ft		
CLADRASTIS tinctoria (Virgilia lutea). Yellow		
Wood. 8 to 10 ft 1 00	9.00	75 00
10 to 12 ft	13 50	100 00
CORNUS. See, also, Shrubs.	10 00	100 00
florida. White Dogwood. 2 to $2\frac{1}{2}$ ft 50	4 00	25/00
$3\frac{1}{2}$ to 4 ft.; very fine 1 00	$\overline{7}$ $\overline{50}$	200
4 to 5 ft.; very fine 1 25	10 00	60 00
5 to 6 ft.; very fine 1 50	12 - 50	70 00
6 to 7 ft.; very fine	15 00	80 00
7 to 8 ft.; very fine	22 - 50	$100 \ 00$
8 to 10 ft.; very fine	27 - 50	
Very low-branched, heavy stock.		
florida, var. flore rubro. Red-flowered	A	
Dogwood. 3 to $3\frac{1}{2}$ ft. Bushy. \div . 1 75	15 00	
$3\frac{1}{2}$ to 4 ft. Bushy 2 00	$\frac{18}{100}$ $\frac{50}{100}$	
4 to 5 ft. Bushy	$22 \ 50$	
6 to 8 ft. Bushy		
florida, var. pendula. Weeping Dogwood— 5 to 6 ft. Rare		
6 to 7 ft. Rare		
7 to 10 ft. Rare+\$6 to 10 00		
One of the most beautiful of		
weeping trees, combining spring		
flowers, summer berries and bril-		
liant autumn foliage.		
CRATÆGUS Carrieri. $2\frac{1}{2}$ to 3 ft	5 00	
3 to 4 ft 1 00	7 50	
4 to 5 ft 1 25	10 00	
coccinea. $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 75$	$\frac{6}{9}$ $\frac{00}{9}$	
$\frac{4}{2}$ to $\frac{5}{2}$ ft. $\frac{1}{2}$ $\frac{00}{2}$	$\frac{7.50}{10.00}$	
5 to 6 ft	10 00	
cordata. Washington Thorn—	0.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 6 \ 00 \\ 8 \ 50 \end{array}$	
4 to 5 ft	0 00	
o to o it., very neavy		

	Each	10	100
CRATÆGUS Crus-galli. Cockspur Thorn—	0.75	\$6 00	\$35_00
$egin{array}{cccccccccccccccccccccccccccccccccccc$		7 50	50 - 00
6 to 8 ft	1 25	10 00	75 00
8 to 10 ft		$\begin{array}{rrr} 13 & 50 \\ -7 & 50 \end{array}$	85 00
Oxyacantha. English Hawthorn—			
3 to 4 ft	50 75	$\begin{array}{c} 3 & 50 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
4 to 5 ft 5 to 6 ft		6 00	$\frac{55}{45} \frac{00}{00}$
Oxyacantha, var. alba flore pleno. Dou-		0.00	
ble White Hawthorn, 4 to 6 ft. Oxyacantha, var. coccinea flore pleno.	1 00	9 00	
Paul's Double Scarlet—			
4 to 6 ft	1 00	$\frac{9}{9} \frac{00}{00}$	
10 to 12 ft. Standards	3 00	$25 \ 00$	
Double Pink Hawthorn—			•
4 to 5 ft	$\frac{1}{75}$	$\frac{9}{5} \frac{00}{00}$	35 00
cytisus Laburnum. Golden Chain. 3 to 4 ft	50	4 00	99 00
4 to 5 ft	75	6 00	
DIOSPYROS Virginica. Persimmon. 6 to 8 ft	1 00	8 50	
S to 10 ft	1 50 1 50	13 50	
4 to 5 ft	2 00	$\frac{10}{17} \frac{50}{50}$	
6 to 8 ft	$\frac{5}{75}$	6 00	50 00
sylvatica. European Beech. 3 to 4 ft 4 to 5 ft	1 00	7 50	60 00
5 to 6 ft	1 75	15 00	
6 to 7 ft\$3.50 to	3 50 5 00	32 50	
8 to 10 ft. Specimens \$5 to 1	$.5 \begin{array}{c} 00 \\ 00 \end{array}$		
sylvatica, var. asplenifolia. Fern-like Beech—	•		
3 to 4 ft	1 90		
6 to 8 ft	3 50	$32 \ 50$	
8 to 10 ft\$5 to 14 to 16 ft.; 2 to 3½ in. Speci-	7 50		
mens	25 00		
All recently transplanted.			
sylvatica, var. purpurea. Purple Beech— 4 to 5 ft	1 50	12 50	
5 to 6 ft	2.50		
6 to 7 ft	3 50	32 50	•
9 to 10 ft	5 00	$45 \ 00$	
11 to 12 ft\$10 to §	7.50°	70 00	
8 to 16 ft. Sheared specimens.\$10 to 8	35 00		
sylvatica, var. purpurea major. Large Leaf-		10.50	
3 to 4 ft	$\frac{1}{1} \frac{50}{75}$	$\begin{array}{c} 12\ 50 \\ 15\ 00 \end{array}$	
5 to 6 ft. sylvatica, yar. Riversi. Rivers' Blood-leaved	2 50	22 50	
sylvatica, var. Riversi. Rivers' Blood-leaved Beech. 5 to 6 ft	2 50		
6 to 8 ft\$3.50 to	5 - 00		
10 to 14 ft. Specimens\$12.50 to 5	35 00		



An avenue of Sweet Gums (Liquidambar), at Andorra

FRAXINUS Americana. White Ash. 6 to 8 ft\$1 00 8 to 10 ft	10 \$7 50 10 00 12 50 22 50	\$50 00 \$50 00 75 00 90 00
excelsior. European Ash— 6 to 8 ft	8 50 10 00	
8 to 10 ft	$\begin{array}{cc} 7 & 50 \\ 10 & 00 \end{array}$	$\begin{array}{ccc} 60 & 00 \\ 85 & 00 \end{array}$
8 to 10 ft	$\begin{array}{c} 4 & 50 \\ 7 & 50 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 40 & 00 \\ 60 & 00 \\ 25 & 00 \end{array}$
GLYPTOSTROBUS. See Taxodium. GYMNOCLADUS Canadensis. Kentucky Coffee Tree— 6 to 7 ft	7 50	
JUGLANS nigra. Black Walnut. 6 to 8 ft. 1 00 8 to 10 ft. 1 50	$\begin{array}{cc} 7 & 50 \\ 10 & 00 \end{array}$	$\frac{60}{75} \frac{00}{00}$
KŒLREUTERIA paniculata. Varnish Tree 5 to 6 ft. 1 50 8 to 10 ft. 2 50	$\begin{array}{ccc} 12 & 50 \\ 22 & 50 \end{array}$	
LARIX Europeaa. European Larch. 4 to 5 ft	$\begin{array}{c} 6 & 00 \\ 10 & 00 \\ 13 & 50 \\ 7 & 50 \\ 13 & 50 \end{array}$	85 00

LIQUIDAMBA	Each Support Cum G to 7 ft Fine \$1.50	10	100
LIGOIDAMD	AR. Sweet Gum. 6 to 7 ft. Fine\$1 50 7 to 8 ft.; $2\frac{1}{2}$ in. Fine\$\dagger\$. 2 50	$\begin{array}{ccc} \$12 & 50 \\ 22 & 50 \end{array}$	\$85 00
	8 to 9 ft.; 3 to $3\frac{1}{4}$ in. Fine. \updownarrow . 3 50	$\frac{52}{32} \frac{50}{50}$	
LIBIODENDR	ON Tulipitera. Tulip Tree. 6 to 7 ft 1 00	8 50	
	8 to 9 ft.; very heavy 1 50	10 00	
	9 to 10 ft.; very heavy 1 75	$\overline{16}$ $\overline{50}$	
	10 to 12 ft.; very heavy 2 00		
***	12 to 14 ft.; very heavy		
	tiful pyramidal form of the		
	well-known Tulip tree.		
	6 to 8 ft	18/50	
	8 to 10 ft. $\cdot \cdot \cdot$		
MACMOLIA	10 to 12 ft		
MAGNOLIA.	Native Sorts—	0.00	
	acuminata. Cucumber Tree. 6 to 8 ft. 1 00 glauca. Sweet or Swamp Magnolia—	9 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13 50	
	grandiflora. Evergreen Magnolia— ,	23 00	
	$2\frac{1}{2}$ to 3 ft 2 50		
	macrophylla. Great-leaved Magnolia—	00 50	
	3 to 4 ft	$\begin{array}{ccc} 22 & 50 \\ 6 & 00 \end{array}$	
	6 to 8 ft	8 50	
	8 to 10 ft 1 25	9 00	
	10 to 12 ft	= 12 50	
MA CNOLIA	12 to 14 ft 2 00	18 50	
MAGNOLIA.	Chinese Sorts—		
	Alexandriana. 3 to 4 ft. \updownarrow . $\$3.50$ to 5 00 6 to 7 ft \dotplus . \uparrow . \uparrow .		
	conspicua. Pure white-		
	$\frac{2\frac{1}{2}}{100}$ to 3 ft		
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \dots$	10 50	
	Kohus. 2 to $2\frac{1}{2}$ ft. 1 50 3 to $3\frac{1}{2}$ ft. 3 50	$\begin{array}{ccc} 13 & 50 \\ 30 & 00 \end{array}$	
	Lennei Hybrid. Lenne's Magnolia-	50 00	
	3 to 4 ft		
	4 to 5 ft		
	on application.		
	Norbertiana Hybrid. Norbert's Magnolia—		
	3 to $3\frac{1}{2}$ ft 3 50		
	purpurea; syn., obovata. Purple Magnolia-	00 =0	
	3 to $3\frac{1}{2}$ ft	$\begin{array}{ccc} 22 & 50 \\ 30 & 00 \end{array}$	
	Soulangeana Hybrid. Soulange's Magnolia—	50 00	
	3 to 4 ft. \ldots 2 50		
	4 to 5 ft		
	5 to 6 ft		
	cation.		
	speciosa. $4\frac{1}{2}$ to 5 ft $+$ \$3.50 to 5 00		
	stellata: syn., Halleana, Hall's Japanese	00.70	
	Magnolia. 2 ft	$\frac{22}{22}$ 50	
	$\frac{2\frac{1}{2}}{3}$ ft	$32 \ 50$	
	superba alba. 4 to 5 ft \Rightarrow \$3.50 to 5 00		
	7 to 8 ft		



An avenue of "Andorra-grown" Oriental Planes. (See page 30)

MORUS alba. White Mulberry. 8 to 10 ft. \$1 00 var. Tatarica alba. White-fruited Russian Mulberry. 6 ft. 75 alba. var. Tatarica rubra. Red Russian Mulberry. 6 ft. 75 alba, var. Tatarica pendula. Teas' Weeping Mulberry. 2-yr. heads \$\frac{10 \text{ ft}}{2 \text{ 50}}\$	10 \$6 00
NYASSA sylvatica. Sour Gum. 2 to 3 ft	
OSTRYA Virginica (Ironwood). 2 to 3 ft	2 00
	3 00
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel Tree. 2 to 3 ft. 1 00 3 to 4 ft. 1 50 4 to 5 ft. 2 00 5 to 6 ft. 2 50 6 to 7 ft. 3 00 7 to 8 ft. 3 50 PARROTIA Persica. Persian Iron Tree. 5 to 6 ft. 1 50 10 to 12 ft. 3 50 PAULOWNIA imperalis. 10 to 12 ft. 3 50 PERSICA vulgaris, var. alba plena. Double White-flowering	9 00 13 50 18 50 22 50 27 50
Peach. 5 to 6 ft	9 00
Peach. 4 to 5 ft	9 00
8 to 10 ft	$ \begin{array}{ccc} 12 & 50 \\ 18 & 50 \end{array} $

30 ANDORKA NURSERIES	1,8	
Each	10	100
PLATANUS occidentalis. American Buttonwood—	10	100
8 to 10 ft\$1 00	\$8 50	\$75 00
10 to 12 ft.: $1\frac{3}{4}$ to 2 in 1 50	12 50	Ψ•0
14 to 16 ft.; 24 to 3 in 3 00	27 50	
14 to 16 ft.; 3 to $3\frac{1}{2}$ in	$32 \ 50$	
orientalis. Oriental Plane, or European		
Buttonwood. 6 to 8 ft 1'00	7/50	50 00
8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1 25	11 50	85 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 1 50	$\frac{12}{12} \frac{50}{30}$	115 00
12 to 14 ft.; $1\frac{3}{2}$ to 2 in 1 75	$\frac{16}{22} \frac{00}{50}$	150 00
12 to 14 ft.; $2\frac{1}{2}$ to 3 in \bigstar 3 50	$32 \ 50$	
14 ft.; 3 to 4 in. Specimens.\$5 to 10 00		
POPULUS alba, var. Bolleana. Bolle's Poplar—	13 50	a.
8 to 10 ft		
16 to 18 ft.; 3 to $3\frac{1}{2}$ in, 3 50	20 00	
monilifera: syn. Carolinensis. Carolina		
monilifera; syn., Carolinensis. Carolina Poplar. 10 to 12 ft.; $1\frac{1}{2}$ to 2 in. 1 00	9 00	
nigra, var. fastigiata. Lombardy Poplar		
8 to 10 ft	10 00=	*
	10 00	125 00
12 to 14 ft.; 2 to $2\frac{1}{4}$ in 2 00	18 50	150 00
14 to 16 ft.; $2\frac{1}{2}$ in 2 50		
Transplanted several times.		
PRUNUS. See Cerasus.		
PTELEA trifoliata. Hop Tree. 4 to 6 ft 35		$\frac{20}{20} \frac{00}{00}$
6 to 7 ft		$\frac{25}{40} \frac{00}{00}$
7 to 9 ft	5 00	49 00
4 to 5 ft	3 00	20 09
5 to 6 ft 50		$\overline{25}$ $\overline{00}$
PTEROSTYRAX hispidum (Halesia hispida).		
6 to 8 ft 1 00	8 00	
8 to 10 ft 1 50	$12 \ 50$	
PYRUS. See, also, Shrubs.		
atrosanguinea. 3 to 4 ft	8 50	
baccata. Siberian Flowering Crab Apple—	0.00	
4 to 5 ft		
coronaria. Sweet-scented Crab. 4 to 5 ft. 75		
floribunda. Flowering Crab. $3\frac{1}{2}$ to 4 ft 1 00		
lænsis, var. Bechtel. Bechtel's Double-		
flowering Crab. 3 to 4 ft 1 50	12 50	
Parkmani; syn., Halliana. Parkman's Crab—		
3 to 4 ft	6.00	
spectabilis. Chinese Double-flowering Crab—		
3 to 4 ft	7 50	
spectabilis, var. alba flore pleno. Double Rose-flowering Crab 3 to 4 ft 1 00		
Trong trong crass.		
QUERCUS alba. White oak. 4 to 5 ft		
6 to 7 ft		
7 to 8 ft 1 75	16.00	
8 to 10 ft	-22/50	
1 0 to 12 ft, 3 50	$32 \ 50$	

, TRIOD DIOT TOR OTHER OF		31
Each	10	100
QUERCUS bicolor. Swamp White Oak. 6 to 7 ft\$1 25	\$10 00	\$85 00
7 to 8 ft	12 50	100 00
8 to 9 ft	17 - 50	-135/00
10 to 12 ft. Specimens\$3.50 to 5 00		
coccinea. Scarlet Oak. 6 to 7 ft 1 25	10 00	85 00
7 to 8 ft 1 50	-13 - 50	100 00
8 to 9 ft.; $1\frac{3}{4}$ to 2 in 2 00	17 50	150 00
9 to 10 ft.; 2 to $2\frac{1}{4}$ in 2 50	22 - 50	175 00
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in\$2.75 to 5 00		
imbricaria. Laurel Oak. 7 to 8 ft 2 50		
8 to 10 ft 3 50		
10 to 12 ft.; 2 to $2\frac{1}{2}$ in		
macrocarpa. Mossy Cup Oak—		
8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00	17 50	
10 to 12 ft	22 50	
12 to 14 ft. Specimens\$5.50 to 5 00		
palustris. Pin Oak—	0.50	
6 to 7 ft. Low-branched 1 00	$-\frac{8}{10} \frac{50}{00}$	70 00
7 to 8 ft. Low-branched 1 25	$\begin{array}{ccc} 10 & 00 \\ 13 & 50 \end{array}$	125 00
8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. Low-branched 1 50	$\frac{15}{17} \frac{50}{50}$	135 00
9 to 10 ft.; $1\frac{3}{4}$ to 2 in. Low-branched 2 00 10 to 12 ft.; 2 to $2\frac{1}{7}$ in. Low-branched 2 50		175 00
10 to 12 ft.; $2 \text{ to } 2\frac{1}{2} \text{ in. Low-branched } 2 50$ 10 to 12 ft.; $2\frac{3}{4}$ to 3 in 3 50	$\frac{22}{30} \frac{30}{00}$	$\frac{175}{275} \frac{00}{00}$
Extra heavy specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in.	00 00	210 00
cal., well-rooted and good tops,		
\$7.50 to 15 00		
pedunculata, var. Concordia. Golden Oak—		
8 to 10 ft	30 00	
Prinus. Rock Chestnut Oak. 7 to 8 ft 1 25	10 00	
8 to 10 ft	13 50	125 - 00
10 to 12 ft.: 2 to $2\frac{1}{7}$ in 2 00	$18\overline{50}$	150 00
$\begin{array}{c} 8 \text{ to } 10 \text{ ft.} \dots \dots 150 \\ 10 \text{ to } 12 \text{ ft.}; 2 \text{ to } 2\frac{1}{4} \text{ in.} \dots 200 \\ 12 \text{ to } 14 \text{ ft.}; 2\frac{1}{2} \text{ to } 2\frac{3}{4} \text{ in.} \dots 250 \\ \end{array}$	$22^{\circ}50^{\circ}$	175 00
Excellent for street planting.		
Robur. English Oak. 6 to 8 ft 1 00	8 50	•
8 to 10 ft 1 50	12/50	100 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50	125 - 00
$\frac{12}{2}$ to 14 ft ft.; $2\frac{1}{2}$ to 3 in 2 50	22/50	200 - 00
Specimens. 35 to 45 in cal.\$3.50 to 10 00		
Robur, var. fastigiata. Pyramidal English		
Oak. 6 to 7 ft		
7 to 8 ft	7.00	es 00
6 to 7 ft, 1 00	$\begin{array}{c} 7 & 00 \\ 9 & 00 \end{array}$	$\begin{array}{ccc} 65 & 00 \\ 85 & 00 \end{array}$
7 to 8 ft	$13 \ 50$	$-110^{\circ} 00^{\circ}$
8 to 10 ft.; 2 to $2\frac{1}{4}$ in 2 00	17 50	150 00
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 00	$\frac{27}{27} = \frac{50}{50}$	300 00
12 to 14 ft. Specimens\$3.50 to 10 00		
velutina, var. tinctoria. Black Oak—		
6 to 8 ft 1 25	10 00	85 00
8 to 10 ft.; $1\frac{3}{4}$ to 2 in 1 75	$\frac{15}{15}$ 00	125 00
10 to 12 it.; 2 to $2\pm$ in 2 00	18 50	$150 \ 00$
Specimens, 3 to $3\frac{1}{2}$ in 3 00	27 - 50	
RHUS glabra. Smooth Sumac: 4 to 5 ft 50	4 00	$\frac{35}{2}$
5 to 6 ft	$\frac{6}{6} \cdot \frac{50}{00}$	$\frac{59}{20} = \frac{00}{20}$
7 to 8 ft 1 00	8 50	$75 \ 00$
glabra, var. laciniata. Cut-leaved Sumac— 2 to 3 ft	6.00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 6 \ 00 \\ 7 \ 50 \end{array}$	
0 00 02 11, 1 00	1 30	

RHUS Osbecki. 3 to 4 ft\$0 50	10	100
9 to 0 it 75	$\begin{array}{c} \$4 & 00 \\ 6 & 00 \end{array}$	
typhina. Staghorn Sumac. 3 to 4 ft	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	\$15 00 30 00
8 to 10 ft	$\begin{array}{ccc} 6 & 00 \\ 8 & 50 \end{array}$	50 00
ROBINIA pseudacacia. 8 to 10 ft 2 00	17 50	
pseudacacia, var. foliis aureis. Golden- leaved Locust. 6 to 8 ft 1 00 8 to 10 ft		
SALISBURIA adiantifolia. Ginkgo, or Maidenhair		
Tree. 6 to 7 ft 1 00	8 50	
8 to 9 ft 1 50	$\begin{array}{ccc} 10 & 00 \\ 13 & 50 \end{array}$	125 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{ccc} 150 & 00 \\ 200 & 00 \end{array}$
SALIX alba. White Willow, 6 to 7 ft	5 00	35 00
Babylonica. Weeping Willow. 6 to 8 ft 75	6 00	00 00
Dayyoulled, Val' Holorosa, Wisconsin Woon	8 50	
caprea. Pussy Willow. 3 to 4 ft	7 50	0= 00
micana. Rosemary Willow, 2 ff 98	$\begin{array}{c}4~00\\3~00\end{array}$	$\begin{array}{c} 35 \ 00 \\ 20 \ 00 \end{array}$
lutea. Golden Willow. 8 to 10 ft. 1 50 10 to 12 ft. 2 00	$\begin{array}{c} 12 & 50 \\ -17 & 50 \end{array}$	
iutea, var. pendula. Golden Weeping Willow—	17 00	150 00
8 to 10 ft		
12 W 11 IL		
regalis. 10 to 12 ft 1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$	
viminalis. Z to 3 ft	3 00	20 00
vitellina, var. Britzensis. Salmon-barked Willow. 10 to 12 ft 2 00	17 50	150 00
SOPHORA Japonica. Japanese Sophora—	17 00	100 00
Japonica, var. pendula. Weeping Sophora—	8 50	
7 to 8 ft. Specimens+\$3.50 to 5 00		
SURBUS Americana. American Mountain Ash—	10 50	
7 to 8 ft	12 50	
7 to 8 ft	12 50 -	
fruited, 7 to 8 ft 1 50	12 50	
aucuparia, var. quercifolia. Oak-leaved . Mountain Ash. 8 to 10 ft 1 50	12 50	•
TAXODIUM distichum. Decidnous Cypress—	30	
3 to 4 ft	8 50	
8 to 10 ft		
8 to 10 ft		
± 0 to ± 2 H. E. 2 \approx TO \approx Th \approx		
12 to 14 ft.; 3 to 4 in		

THIS LIGHT ON STATES OF 1888	00
Each	10
TILIA argentea; syn., tomentosa. Silver-leaved Linden-	
6 to 8 ft\$1 5	0 \$12 50
8 to 10 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	0 - 18/50
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$32 \ 50$
vulgaris; syn., Europæa. European Linden—	
8 to 10 ft.; $1\frac{1}{2}$ to 2 in	60 - 12/50
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	50
12 to 14 ft.; 3 to 4 in\$3.50 to 7 5	50
vulgaris, var. pyramidalis laciniata. Pyramidal Cut-	00 45 00
leaf. 10 to 12 ft	00 15 00
ULMUS American Elm—	
8 to 10 ft	$\frac{10}{10}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{13}{12} \frac{50}{50}$
$12 \text{ to } 14 \text{ it.}; 2 \text{ to } 2\frac{1}{4} \text{ in.}$	$\frac{17}{10}$
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\frac{50}{2}$ 22 50
	$\frac{00}{50}$ 13 50
10 to 19 ft · 91 to 93 in	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	$\frac{30}{50}$. $\frac{22}{32}$ $\frac{50}{50}$
Specimens $\$5$ to 7 5	. 52 00 . ∩
Specimens	
English Elm. 10 to 12-ft.; 2 to $2\frac{1}{2}$ in 1 5	50 13 50
12 to 14 ft.: $2\frac{1}{8}$ to $2\frac{3}{4}$ in	$\frac{10}{50}$ $\frac{10}{22}$ $\frac{10}{50}$
12 to 14 ft.: $2\frac{3}{2}$ in. to 3 in	$\ddot{50}$ $\ddot{32}$ $\ddot{50}$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50
campestris, var. Wheatley's (Cornish) Elm-	
10 to 12 ft	50 - 22 50 -
12 to 14 ft	
scabra: syn., montana. Scotch, or Wych Elm—	
8 to 10 ft.: $1\frac{1}{2}$ to 2 in	50 - 13.50
scabra, var. Huntingdoni. Huntingdon Elm-	
10 to 12 ft.; $\frac{5}{2}$ to $2\frac{1}{4}$ in	75 16 90
12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in	$\frac{50}{2}$ 22 50
14 to 16 ft.; 3 to $3\frac{1}{4}$ in	0 0
scabra, var. pendula. Camperdown Elm-	· 0
6 ft	90
scabra, var. purpurea. Purple Wych Elm-	KO 19 KO
8 to 10 ft	$egin{array}{cccccccccccccccccccccccccccccccccccc$
10 10 12 11 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 12 11 13 11 13 13 13 13 13 13 13	$\frac{11}{50}$ $\frac{11}{22}$ $\frac{50}{50}$
12 to 17 tt., o to og III 2 e	0 22 00
DECIDITOTIC CHDIDS	
DECIDUOUS SHRUBS	
Each 10	100
ABELIA rupestris. 1 to $1\frac{1}{2}$ ft	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
ACANTHOPANAX spinosa (Aralia pentaphylla)—	, 00 00
3 to 4 ft 35 3 00	20 00
4 to 6 ft. Heavy 50 4 00	
ÆSCULUS parviflora; syn., Pavia macrostachya—	
$1\frac{1}{2}$ ft	75 00
2° ft	
ALTHEA. See Hibiscus.	
AMELANCHIER Botryapium. $2\frac{1}{2}$ to 3 ft 35 3 00	
3 to 4 ft 50 4 00	
4 to 5 ft 75 5 00	40 00



Partial view of Nursery grounds from top of Main Nursery

Each	10	100
AMORPHA canescens. 2 ft\$0 35	\$2 50	\$15 00
fragrans. 3 to 4 ft	$\frac{1}{3} \frac{1}{00}$	25 00
fruticosa. 2 to 3 ft	$\overset{\circ}{2}\overset{\circ}{00}$	$\tilde{15}$ $\tilde{00}$
	$\tilde{3}$ 00	$\frac{10}{20} \frac{100}{00}$
0 10 2 20 11 11 11 11 11 11 11 11 11 11 11 11 11	4 00	$25\ 00$
	Ŧ 00	20 00
AMYGDALUS (Almond). See Prunus.		
NATIVE AZALEAS.—Angorra Grown		
Clean, bushy, transplanted stock		
AZALEA arborescens. Fragrant White Azalea— Each	10	100
12 to 15 in. Bushy\$1 00	\$9 00	
15 to 18 in Bushy 1 50	13 - 50	\$125 00
$\frac{1}{2}$ to 2 ft. Bushy $\frac{2}{2}$ 00	18 50	150 00
$\frac{1}{2}$ to $\frac{2}{2}$ ft. Bushy $\frac{1}{2}$ 50	$22 \ 50$	
$2\frac{1}{2}$ to 3 ft. Bushy	30 00	
calendulacea. Flame Azalea. 12 to 15 in. 1 00	9 00	
15 to 18 in. Bushy	13 50	125 00
18 to 24 in. Bushy	15 00	$135\ 00$
2 to $2\frac{1}{2}$ ft. Bushy	$\frac{10}{22}$ $\frac{10}{50}$	$\tilde{1}75\ \tilde{0}\tilde{0}$
Canadensis (Rhodora). 1 ft. Bushy 1 00	$\frac{1}{8}$ $\frac{1}{50}$	75 00
	18 50	10 00
$rac{1_{2}^{1}}{1}$ to 2 ft	$\frac{13}{9} \frac{30}{00}$	
	$\frac{3}{13} \frac{50}{50}$	
$\frac{1\frac{1}{2}}{2}$ to 2 ft. Bushy 1 75	$\begin{array}{c} 15 & 00 \\ 22 & 50 \end{array}$	
$\frac{2}{2}$ to $\frac{2}{2}$ ft. Bushy	22 90	
Vaseyi. Southern Azalea. 12 to 15 in 1 00	$\frac{9}{19} \frac{90}{19}$	
15 to 18 in 1 50	13 50	
$\frac{1}{2}$ to 2 ft. Bushy $\frac{2}{2}$ 00	18 50	
2 to $2\frac{1}{2}$ ft. Bushy	22 50	
$2\frac{1}{2}$ to 3 ft. Bushy 3 50	30 00	
viscosa. White Azalea. 12 to 15 in 1 00	$\frac{9}{19} \frac{90}{20}$	
15 to 18 in. Bushy 1 50	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy	$18 \ 50$	
34		

MOLLIS and GHENT AZALEAS

1	Each	10	100
AZALEA mollis. 1½ ft\$1	25	\$10 00	\$90 00
2 ft. Bushy 1	. 50	13 50	$125 \ 00$
$2\frac{1}{2}$ ft. Bushy	00	17 50	
All very heavy stock, lifting with good balls.			
Pontica (Ghent). $1\frac{1}{2}$ ft. Named sorts 1	25	10 00	90 00
2 ft. Bushy. Named sorts	50	$\frac{12}{12} \frac{50}{50}$	120 00
$2\frac{1}{2}$ to 3 ft. Bushy	2 50	$22 \ 50$	
3 to $3\frac{1}{2}$ ft. Bushy\$2.50 to 8			
Heavy stock, lifting with good			
balls.			
BACCHARIS halimifolia. Groundsel Shrub—	F0	4.00	97.00
3 to 4 ft.; heavy	$\begin{array}{c} 50 \\ 75 \end{array}$	$\frac{4}{6} \frac{00}{00}$	$\frac{25}{20} \frac{00}{00}$
5 to 6 ft.; heavy	19	6 00	30 00
	35	2 00	
BENZOIN odoriferum. Spice Bush. $2\frac{1}{2}$ to 3 ft	$\frac{50}{50}$	$\begin{array}{c} 3 \ 00 \\ 4 \ 00 \end{array}$	
$3\frac{1}{2}$ to 4 ft	75	$\stackrel{\stackrel{1}{6}}{00}$	
BERBERIS (Barberry) Asiatica. $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots \diamondsuit$.	75	6 00	50 00
ilicifolia. Holly-leaved. 15 to 18 in	35	3 00	27 - 50
$1\frac{1}{2}$ to 2 ft	50	4 00	$35 \ 00$
2 to $2\frac{1}{2}$ ft	-75	6 00	40 00
Japonica (not Mahonia). 2 to $2\frac{1}{2}$ ft	=50	4 50	$25 \ 00$
3 to 4 ft	75	5 00	
Sinensis. Chinese Barberry. 2 to $2\frac{1}{2}$ ft.	35 50		
$2\frac{1}{2}$ to 3 ft.; very heavy	75		
Thunbergii. 12 to 15 in	25	1 75	12 00
15 to 18 in	35	$\hat{\overline{2}}$ $\hat{\overline{50}}$	$\frac{15}{15} \frac{00}{00}$
$1\frac{1}{2}$ ft.; broad and very heavy	50	3 50	$\frac{1}{20} \frac{1}{00}$
$1\frac{1}{2}$ to 2 ft.; broad and very heavy	60	4 50	$25 \ 00$
$\frac{2\frac{1}{2}}{2}$ ft.; broad and very heavy	75	6 00	
3 to $3\frac{1}{2}$ ft.; broad and very heavy	1 00		
vulgaris. Common Barberry—	35	3 00	20 00
$1\frac{1}{2}$ to 2 ft	50	3 50	$\begin{array}{c} 20 & 00 \\ 25 & 00 \end{array}$
vulgaris, var. purpurea. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	3 00	17 50
$2\frac{1}{2}$ to 3 ft	50	3 50	$\frac{1}{25} \frac{1}{00}$
3 to $3\frac{1}{2}$ ft	75	4 00	35 - 00
$3\frac{1}{2}$ to 4 ft		6 00	$50 \ 00$
CALLICARPA purpurea. Beauty Fruit. 2 to $2\frac{1}{2}$ ft	35	3 00	$25 \ 00$
$2\frac{1}{2}$ to 3 ft	50	4 50	$\frac{35}{2}$ 00
3 to 4 ft	75	6 00	45 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub—	50	4.00	90.00
$2\frac{1}{2}$ to 3 ft	-50 -75	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft	10	0 00	33 00
1½ to 2 ft	25	2 00	17 50
2 to $2\frac{1}{2}$ ft	35	3 00	$\overline{25}$ $\overline{00}$
$\overline{2}_{\overline{2}}$ to $\overline{3}$ ft	50	4 00	
CARYOPTERIS Mastacanthus. Blue Spirea—			4 12 - 2 5
$1\frac{1}{2}$ to 2 ft	35	2 50	15 00

		4 0	400
	ach	10	100
CEANOTHUS Americanus. Jersey Tea. 1½ to 2 ft\$0	29	\$2 00	\$15 00
$2 to 2\frac{1}{2} ft \dots \dots$	35	$\frac{3}{4} \frac{00}{00}$	$\frac{20}{20} \frac{00}{00}$
$2\frac{1}{2}$ to $\bar{3}$ ft	50	4 00	$25 \ 00$
Americanus, var. Fendleri-		F 00	
1½ to 2 ft	75	5/00	
CEPHALANTHUS occidentalis.	o=	9.00	97 00
$3\frac{1}{2}$ to 4 ft	35	3 00	$\frac{25}{20} \frac{00}{00}$
4 to 5 ft	50	4 00	$30 \ 00$
CERCIS. See, also, Decidnous Trees.			
Japonica. Japan Judas	75	e 00	
3 to $3\frac{1}{2}$ ft Exceptionally fine stock.	(9)	6 00	
CHIONANTHUS Virginica. White Fringe. 2 to $2\frac{1}{2}$ ft.	35	3 00	
91 to 2 ft Ruchy	50 50	$\frac{3}{4} \frac{60}{50}$	40 00
$2\frac{1}{2}$ to 3 ft. Bushy	75	$\frac{4}{7} \frac{30}{00}$	$\frac{40}{50} \frac{00}{00}$
$\frac{1}{4}$ to $\frac{1}{5}$ ft. Bushy	00	8 50	$\frac{30}{75} \frac{00}{00}$
5 to 6 ft	50	13 50	100 00
CLETHRA alnifolia. Sweet Pepperbush—	90	10 00	100 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots$	35	2.50	17 50
$2\frac{1}{2}$ to 3 ft. Broad and bushy	50	$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	$25 \ 00$
3 to $3\frac{1}{2}$ ft. Broad and bushy	60	4 00	
4 to $4\frac{1}{2}$ ft. Bushy	75		
COLUTEA arborescens. Bladder Senna, 2 to 3 ft	35	2 50	20 00
3 to $3\frac{1}{2}$ ft	50	$\frac{1}{4} = 00$	$\bar{25} 00$
4 to 5 ft	75	6 00	30 00
COMPTONIA asplenifolia. Sweet Fern. $1\frac{1}{2}$ to 2 ft	35	3 00	25/00
2 to $2\frac{1}{2}$ ft	50	4 00	
CORCHORUS Japonicus. Single Globe Flower-			
2 to $2\frac{1}{2}$ ft	50	3 50	$25 \ 00$
Japonicus, var. variegata. (Variegated Lea	aves)		
2 to $2\frac{1}{2}$ ft	50	$3 \ 50$	
CORNUS. See, also Trees.			
alba. Siberian Red-twigged Dogwood—			
$\frac{2}{2}$ to $\frac{2}{2}$ ft	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	15 00
$\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ to $\frac{3}{2}$ ft.; very heavy	35	3 00	$\frac{20}{20}$
3_1 to 3_2 ft.; very heavy	50	$\frac{4}{9} \frac{00}{00}$	$\frac{25}{20} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft.; very heavy	75	$\frac{6}{7} \frac{00}{50}$	$\frac{30}{50} \frac{00}{00}$
5 to 6 ft	00	7 50	50 00
alba; syn., sibirica, var. aurea variegata—	50	4 00	
$egin{array}{cccccccccccccccccccccccccccccccccccc$			
	75	$\frac{1}{5}$ $\overset{\circ}{00}$	
alba, var. elegantissima. Golden-leaved—	75	5 00	25 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft	75 35		25 00
alba, var. elegantissima. Golden-leaved—	75	5 00 3 00	25 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft	75 35	5 00 3 00	25 00 30 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft.	75 35 75 50 75	5 00 3 00 6 00 4 00 5 00	
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	75 75 75 50 75 00	5 00 3 00 6 00 4 00 5 00 6 00	30 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Mas. Cornelian Cherry. 1½ to 2 ft.	75 75 75 50 75 00 35	5 00 3 00 6 00 4 00 5 00 6 00 2 50	30 00 40 00 50 00 15 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 tt. 5 to 6 ft. 2 to 2½ ft.	75 35 75 50 75 00 35 50	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50	30 00 40 00 50 00 15 00 20 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. Mas. Cornelian Cherry. 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft.	75 35 75 50 75 00 35 50 75	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50 6 00	30 00 40 00 50 00 15 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 1 Mas. Cornelian Cherry. 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 4½ to 5 ft.; very heavy	75 35 75 50 75 00 35 50 75 75	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50 6 00 6 00	30 00 40 00 50 00 15 00 20 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 1 Mas. Cornelian Cherry. 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 4½ to 5 ft.; very heavy 5 to 6 ft.	75 35 75 50 75 00 35 50 75 75 00 •	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50 6 00	30 00 40 00 50 00 15 00 20 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 1 Mas. Cornelian Cherry, 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 4½ to 5 ft.; very heavy 5 to 6 ft. 6 to 10 ft. Speeimens .★.\$1.50 to 2	75 35 75 50 75 00 35 50 75 75	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50 6 00 6 00	30 00 40 00 50 00 15 00 20 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 2 to 2½ ft. 2 to 2½ ft. 2½ to 3 ft. 4½ to 5 ft.; very heavy 5 to 6 ft. 6 to 10 ft. Speeimens	75 35 75 50 75 00 35 50 75 75 00 •	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50 6 00 6 00 7 50	30 00 40 00 50 00 15 00 20 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 1 Mas. Cornelian Cherry, 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 4½ to 5 ft.; very heavy 5 to 6 ft. 6 to 10 ft. Speeimens★.\$1.50 to 2 paniculata. 2 to 2⅓ ft.	75 35 75 50 75 00 35 50 75 75 50 ** 50	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50 6 00 7 50 3 00	30 00 40 00 50 00 15 00 20 00
alba, var. elegantissima. Golden-leaved— 2 to 3 ft. 3 to 4 ft. alternifolia. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 2 to 2½ ft. 2 to 2½ ft. 2½ to 3 ft. 4½ to 5 ft.; very heavy 5 to 6 ft. 6 to 10 ft. Speeimens	75 35 75 50 75 00 35 50 75 75 00 •	5 00 3 00 6 00 4 00 5 00 6 00 2 50 3 50 6 00 6 00 7 50	30 00 40 00 50 00 15 00 20 00

PRICE-LIST FOR SPRING OF 1908	,	31
CORNUS sanguinea. European Osier Dogwood— Each	10	100
2 to $2\frac{1}{2}$ ft. Fine\$0 25	\$2 00	\$15 00
$3\frac{1}{2}$ to 4 ft. Fine	3 00	25/00
4 to 5 ft. Fine 50	4 00	30 00
5 to 6 ft. Fine	5 00	$35 \ 00$
sanguinea, yar. elegantissima variegata—		
$2\frac{1}{2}$ to 3 ft. \dots 50		
3 to 4 ft	3 00	20 00
sericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft 35 $3\frac{1}{2}$ to 4 ft 50	$\frac{3}{4} \frac{00}{00}$	30 00
4 to 5 ft	$\frac{1}{6}$ $\stackrel{\circ}{00}$	35 00
6 to 7 ft 1 00	7 50	50 00
stolonifera. Native Red Osier		
$2\frac{1}{2}$ to 3 ft	$\frac{3}{1} \frac{00}{00}$	$\frac{20}{25} \frac{00}{00}$
$\frac{3}{1}$ to $\frac{3}{2}$ ft	$\frac{4}{5} \frac{00}{00}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{3}{6} \frac{00}{00}$	$\frac{50}{35} \frac{00}{00}$
6 to 7 ft	7 50	50 00
stolonifera, var. aurea. Golden-barked-	. 00	30
$2\frac{1}{2}$ to 3 ft 3	3 00	
3 to $3\frac{1}{2}$ ft 50	$\frac{4}{5} \frac{00}{00}$	$\frac{30}{90} \frac{00}{90}$
$3\frac{1}{2}$ to $\tilde{4}$ ft	5 00	35 00
CORYLUS American Hazel—	3 50	
$2\frac{1}{2}$ to 3 ft	5 50	
CORYLUS Avellana, var. laciniata. Cut-leaved-Hazel—	7 50	
6 to 8 ft	1 90	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 00	20 00
$\frac{1}{4}$ to $\frac{5}{5}$ ft	4 50	40 00
COTONEASTER frigida, var. bacillaris—		
2 to $2\frac{1}{2}$ ft	3 00	
4 to $4\frac{1}{2}$ ft 50	4 00	
CRATÆGUS. see Trees.		
CYDONIA Japonica. Japan Quince. $1\frac{1}{2}$ ft 35	3 00	
CYTISUS scoparius. Scotch Broom. 4 to 5 ft 50	4 50	30 00
DESMODIUM penduliflorum. See Lespedeza Sieboldi.		
DEUTZIA candidissima (Double White). 3 to $3\frac{1}{2}$ ft. 35	3 00	20 00
$3\frac{1}{2}$ to 4 ft 50	4 00	$\frac{25}{2}$ 00
5 to 6 ft. $\ldots 75$	$\frac{5}{2} \frac{00}{50}$	35 00
crenata. $3\frac{1}{2}$ to 4 ft	3 50	30 00
crenata, var. Pride of Rochester— $3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 50$	3 50	25 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\tilde{35} \stackrel{\circ}{00}$
crenata, var. Waterer. 3 ft 35	3 00	20 00
$3\frac{1}{2}$ to 4 ft	3 50	$\frac{25}{20} \frac{00}{00}$
4 to 5 ft	$=\frac{4}{6}\frac{00}{00}$	30 00
5 to 6 ft	$\begin{array}{c} 6 & 00 \\ 5 & 00 \end{array}$	35 00
crenata, var. Wellsi. 5 to 6 ft	$\begin{array}{c} 5 & 00 \\ 7 & 50 \end{array}$	
gracilis. Dwarf Deutzia. 12 to 15 in 35	3 00	15 00
15 to 18 in.; very heavy 50	4 00	$25 \ 00$
18 to 24 in	6 00	30 00
24 to 30 in 1 00	*7 50	$\frac{40}{25} \frac{00}{00}$
gracilis, var. carminea. 15 to 18 in 50	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
18 to 24 in	$\frac{6}{7} \frac{60}{50}$	$\frac{30}{40} \frac{00}{00}$
#I (0 00 III, 11+11+1+1+1+1+1+1+1+1+1+1+1+1+1+1+1+1+	1 00	10 00

	Wash	10	100
DEUTZIA gracilis, var. rosea. 1½ to 2 ft	Each 50 50	$\begin{array}{c} 10 \\ \$4 \ 00 \end{array}$	$^{100}_{\$25-00}$
$2 to 2\frac{1}{2} \text{ ft.} \dots$	75	6 00	$\frac{$25,00}{30,00}$
	1 00	7 50	$35\ \ 00$
Lemoinel. 2 to $2\frac{1}{2}$ ft.; very heavy	35	3 00	20 00
4 to 5 ft.; heavy	75	6.00	40 00
Lemoinei, var. compacta. 1½ ft	25	2 00	12 50
$\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ to $\frac{3}{2^{\frac{1}{2}}}$ ft	=50	4 00	$\frac{25}{25} = \frac{00}{25}$
3 to $3\frac{1}{2}$ ft	75	$\frac{5}{7} = \frac{00}{50}$	$\frac{35}{50}$ 00
4 to 5 ft	$\frac{1}{50}$	$\frac{7}{4} \frac{50}{00}$	50 00
scabra. 3 to $3\frac{1}{2}$ ft	$\frac{30}{35}$	$egin{array}{ccc} 4 & 00 \ 3 & 00 \end{array}$	15 00
4 to 5 ft	50	4 00	$\frac{10}{20} \frac{00}{00}$
5 to 6 ft	75	$\tilde{6}$ $\tilde{0}\tilde{0}$	$\overline{30}$ $\overline{00}$
DIERVILLA (Weigela) florida, var. amabilis. 5 to 6 ft.	75	5 00	40 00
florida; syn., rosea. $2\frac{1}{2}$ to 3 ft	35	2.50	$\tilde{1} ilde{5}$ $\tilde{0} ilde{0}$
3 to 4 ft	50	4 00	$20 \ 00$
4 to 5 ft	75	5 00	30 00
florida, var. candida. 3 to 3½ ft	35	3 00	$\frac{25}{6}$ 00
4 to 5 ft	50	4 00	30 00
5 to 6 ft	75	5 00	40 00
3 to $3\frac{1}{2}$ ft	50	4 00	30 00
florida, var. Sieboldi alba. 4 to 5 ft	$\frac{30}{75}$	6 00	50 00
floribunda Lavallei.	• •	0 00	
3 to $3\frac{1}{2}$ ft	35	3 00	25/00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
5 to 6 ft.	75	6 00	40 00
Japonica (syn., hortensis), var. flori-	35	9.00	17 00
bunda. 3 to $3\frac{1}{2}$ ft	$\frac{50}{50}$	$egin{array}{ccc} 2&00\ 4&00 \end{array}$	$\begin{array}{c} 15 & 00 \\ 25 & 00 \end{array}$
5 to 6 ft	75	$\frac{1}{5} \frac{00}{00}$	30 00
Japonica, var. Eva Rathke. $2 \text{ to } 2\frac{1}{2} \text{ ft.}.$	35	3 00	$\frac{20}{20} \frac{00}{00}$
$2\frac{1}{2}$ to 3 ft $+$	50	3 50	-25 00
4 to 5 ft	75	6 00	40 00
Japonica, var. nivea. White. $2\frac{1}{2}$ to 3 ft.	$\frac{50}{2}$	4 00	
$3\frac{1}{2}$ to 4 ft	75 75	$= \frac{5}{6} \frac{00}{00}$	2000
Japonica, var. rubra. 4 to $4\frac{1}{2}$ ft 5 to 6 ft	1 00	750	$\begin{array}{cccc} 30 & 00 \\ 40 & 00 \end{array}$
Grænewegeni. $3\frac{1}{2}$ to 4 ft	$\frac{1}{50}$	4 00	30 00
4 to 5 ft	75	$\vec{6}$ $\vec{0}\vec{0}$	40 00
Grænewegent, var. Mad. Contourier. (Hy-			
brid). 3 to $3\frac{1}{2}$ ft	35	3 00	25 00
$\frac{3^{1}}{2}$ to $\frac{4}{3}$ ft	<u>50</u>	4 00	$-25^{\circ}00^{\circ}$
5 to 6 ft Stoltzneri 2 to 21 ft	75 50	$\begin{array}{cc} 5 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ -25 & 00 \end{array}$
Grænewegeni, var. Steltzneri. 3 to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft	60 60	$\frac{4}{5} \frac{00}{00}$	$\frac{23}{30} \frac{00}{00}$
5 to 6 ft	200	$\begin{array}{c} 3 & 50 \\ 7 & 50 \end{array}$	50 00
Grænewegeni, var. Van Houttei—		• 00	80 00
3 to $3\frac{1}{2}$ ft	35	3 00	$25 \ 00$
4 to $4\frac{1}{2}$ ft	<u>50</u>	4 00	3 5 00
5 to 6 ft	75	6-00	40 00
verschaπeiti. 3 to 3½ ft	$\begin{array}{c} 35 \\ 50 \end{array}$	$\begin{array}{c} 3 00 \\ 4 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 35 & 00 \end{array}$
4 to 5 ft	1.00	$\frac{4}{7} \frac{60}{50}$	55 U U
sessilifolia. 2 to 3 ft	$\frac{1}{25}$	$\frac{1}{2} \stackrel{60}{00}$	
3 to $3\frac{1}{2}$ ft	50	3.50	2 5 00
4 to 5 ft	75	5 00	$35 \ 00$
trifida. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	35	13 00	$20 \ 00$

Each	10	100
ELÆAGNUS angustifolia. Oleaster. 4 to 5 ft\$0 35	\$3 00	
5 to 6 ft	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	
longipes; syn., edulis. Japanese Oleas-		
ter. 2 to $2\frac{1}{2}$ ft	$\begin{array}{c} 3 \ 00 \\ 4 \ 00 \end{array}$	25 00
3 to 4 ft. Bushy	$\frac{4}{6} \frac{00}{00}$	30 00
4 to 5 ft. Bushy	10 00	60 00
5 to 6 ft	$\begin{array}{c} 17 \ 50 \\ 7 \ 50 \end{array}$	
EUONYMUS alatus. Cork-barked. 2 to $2\frac{1}{2}$ ft	10 00	
$2\frac{1}{2}$ to 3 ft	13 50	
Though little known, it is one of the most ornamental of flower-		
ing and fruiting shrubs. Berries		
are bright carmine. Americana. Strawberry Bush—		
4 to 5 ft	3 00	25 00
5 to 6 ft	$\frac{4}{2} \frac{00}{00}$	30 00
Europæus. Spindle Tree. 3 to 4 ft 35 4 to 5 ft 50	$\begin{array}{c} 3 \ 00 \\ 3 \ 50 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
5 to 6 ft	4 00	30 00
EXOCHORDA grandiflora. Pearl Bush. 2 to $2\frac{1}{2}$ ft. 35	2 50	20 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cc} 4 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
FORSYTHIA (Golden Bell) Fortunei. $2\frac{1}{2}$ ft 35	2 50	33 00
3 to 4 ft 50	3 50	25 00
4 to 5 ft.; very heavy	$\begin{array}{c} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
intermedia. 3 to $3\frac{1}{2}$ ft	2 50	15 00
$3\frac{1}{2}$ to 4 ft.; very heavy 50	$\begin{array}{ccc} 4 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 30 & 00 \end{array}$
4 to 5 ft	$\begin{array}{c} 3 & 60 \\ 7 & 50 \end{array}$	$\frac{30}{40} \frac{00}{00}$
suspensa. 2 to $2\frac{1}{2}$ ft	3 00	15 00
3 to 4 ft	$\begin{array}{c}4&00\\6&00\end{array}$	$\begin{array}{cccc} 20 & 00 \\ 30 & 00 \end{array}$
5 to 7 ft.; very heavy 1 00	7 50	$50\ 00$
viridissima. 2 to 3 ft	$\begin{array}{c}2~00\\3~00\end{array}$	25 00
3 to 4 ft.; very heavy; extra 35 4 to 5 ft.; very heavy; extra 50	4 00	$\frac{25}{30} \frac{00}{00}$
5 to 6 ft.; very heavy; extra 75	6 00	50 00
HALESIA tetraptera. 7 to 8 ft 1 00	8 50	
HAMAMELIS Japonica. • Japanese Witch Hazel—	4 00	
Virginiana. Witch Hazel. 2 to $2\frac{1}{2}$ ft 35	3 00	
3 to 4 ft. $\dots 50$	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{ccc} 30 & 00 \\ 50 & 00 \end{array}$
4 to 5 ft	7 50	60 00
HIBISCUS Syriacus. Althæa; Rose of Sharon—		
Boule de Feu. 3 to $3\frac{1}{2}$ ft	$\begin{array}{c} 4 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 20 & 00 \end{array}$
3 to 4 ft 50	4 00	25 00
Jeanne d'Arc. 2 to 3 ft	3 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c}4~00\\4~00\end{array}$	25 00
4 to 5 ft	5 00	05 00
Leopoldi. 3 to 4 ft	4 00	25 00

E	ach	10	100
HIBISCUS purpureus folis argentea marginata—			
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots \0	35	\$3 00	\$20 00
3 to $3\frac{7}{2}$ ft	50	4 00	25 00
totus albus. $1\frac{1}{2}$ to 2 ft	25	2 00	17 50
2 to 3 ft	35	$\bar{3}$ $\check{0}\check{0}$	$\frac{1}{20} \frac{1}{00}$
3 to 4 ft	50	$\frac{4}{00}$	_0 00
HIPPOPHAE rhamnoides. See Buekthorn—			
2 to $2\frac{1}{2}$ ft	35	2 50	15 00
HYDRANGEA arborescens. 2½ to 3 ft	75	5 00	35/00
Hortensis, var. Imperatrice Eugenie—	7-		*
$1\frac{1}{2}$ ft.; 4-in. pot	75 75		
Hortensis, var. Japonica. 1 ft	75		
	35	3 00	25/00
paniculata. $2\frac{1}{2}$ to 3 ft	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
$3\frac{1}{2}$ to 4 ft.; very heavy	$\frac{30}{75}$	6 00	90 00
5 to 6 ft.; very heavy	00	7 50	
naniculate arendiflare 91 to 9 ft	35	3 00	15 00
paniculata grandiflora. $2\frac{1}{2}$ to 3 ft	50 50	$\frac{3}{4} \frac{00}{00}$	$\begin{array}{c} 15 & 00 \\ 25 & 00 \end{array}$
3 to $3\frac{1}{2}$ ft	75	$\frac{4}{6} \frac{00}{00}$	$\frac{25}{35} \frac{00}{00}$
$3\frac{1}{2}$ to $\overline{4}$ ft	$\frac{10}{00}$	$\frac{0.00}{7.50}$	50 00
4 to 5 ft.; an extra heavy lot 1 5 to 6 ft.; bushy 1		$12 \ 50$	60 00
quercifolia. Oak-leaved—	90	12 00,	00 00
	00	7 50	50 00
	35	3 00	$\frac{25}{2}$ 00
HYPERICUM aureum. 2 to $2\frac{1}{2}$ in calcinum. Aaron's Beard. 12 in:	35	3 00	$\frac{25}{15} \frac{00}{00}$
hircinum. 1 to $1\frac{1}{2}$ ft	35	$\frac{3}{2} \frac{50}{50}$	$\frac{15}{15} \frac{00}{00}$
Moserianum hybridum. Gold-Flower—	99	2 30	19 00
10 to 12 in	35	$2 \ 50$	15 00
prolificum. 2 to $2\frac{1}{2}$ ft	25	$\frac{5}{2}$ $\frac{60}{00}$	15 00
$2\frac{1}{2}$ to 3 ft	$\overline{35}$	$\bar{3}$ 00	$\frac{1}{20} \frac{1}{00}$
$\overline{3}^2$ to $\overline{3}_{\overline{2}}$ ft	50	$3\overline{50}$	$\overline{25}$ 00
ILEX verticillata. Winter Berry. $1\frac{1}{2}$ to 2 ft	25	2 00	17 50
2 to $2\frac{1}{2}$ ft	$\bar{35} =$	$\tilde{3}$ $\tilde{0}\tilde{0}$	$\frac{1}{25} \frac{1}{00}$
$\overline{3}$ to $\overline{3}_{\overline{2}}^{\overline{1}}$ ft	50	4 00	_0 00
ITEA Virginica. $1\frac{1}{2}$ to 2 ft	35	$\frac{1}{2} \frac{00}{00}$	15 00
2 to $2\frac{1}{2}$ ft	50	$\frac{2}{3} \frac{00}{00}$	10 00
$2\frac{1}{2}$ to 3 ft	75	6 00	
JASMINUM nudiflorum. Yellow Jasmine—		0 00	
2 to $2\frac{1}{2}$ ft	35	3 00	20 00
officinale. Hardy White Jasmine-	90	9 00	20 00
2 to $2\frac{1}{2}$ ft	35	3 00	20 00
KERRIA. See Corchorus.			
LESPEDEZA bicolor. $2\frac{1}{2}$ to 3 ft	35	2 50	20 00
3 to 4 ft	50	$\frac{2}{4} \stackrel{90}{00}$	25 00
Sieboldi; syn., Desmodium Japonicum-	0.0		
Heavy clumps	35	3 00	
Sieboldi, var. alba. Heavy clumps	$\tilde{50}$	4 00	
LIGUSTRUM Amurense. Amoor Privet—			
2 to 3 ft	35 -	2 50	
6 to 8 ft		8 50	
ciliatum. Sold by many for Ibota.			
2 to $2\frac{1}{2}$ ft	25	1 50	15 00
2½ to 3 ft. Broad and heavy	35	$\frac{2}{2} \frac{50}{2}$	20 00
3 to $3\frac{1}{2}$ ft. Broad and heavy	50	3 50	25 00
3 to 3½ ft. Broad and heavy 3½ to 4 ft. Broad and heavy 4 to 5 ft. Broad and heavy	60	4 00	30 00
4 to 5 ft. Broad and heavy	75	5 00	35 00

	_			
	E	ach	10	100
LIGUSTRUM Ibota. The true upright form—				
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots$	\$0	25	\$2 00	\$15 00
				$\frac{10000}{2000}$
$2\frac{1}{2}$ to 3 ft	•	35	$\frac{3}{3} \frac{90}{90}$	
3 to $3\frac{1}{2}$ ft		50	3.50	30 00
5 to 6 ft. Heavy	•	75	= 6 00	$50 \ 00$
Ibota, var. Regelianum. Regel's-		105		
2 to $2\frac{1}{2}$ ft		50	4 00	-25 - 00
$\frac{2}{2}$ to $\frac{2}{3}$ ft		75	6 00	$\bar{30} \ 00$
		00	750	40 00
4 to $4\frac{1}{2}$ ft				
$4\frac{1}{2}$ to 5 ft		25	10 00	75 00
media. 4 to 5 ft		75	5 00	30 00
ovalifolium. California Privet—				
2 to $2\frac{1}{2}$ ft.; bushy $\int 1,000, \$40 + 1$)	25	1 00	7 50
2 to 22 it., bushy 1,000, with a 21 to 2 ft., bushy 1,000, with a	}	$\tilde{3}\tilde{5}$	$\hat{1}$ $\hat{50}$	10 00
$2\frac{1}{2}$ to 3 ft.; bushy \ 1,000, \$60\(\dight\)	,			
3 to $3\frac{1}{2}$ ft.; bushy	-	50	2.50	15 00
3 to $3\frac{1}{2}$ ft.; bushy		60	4 00	
4 to 5 ft.; bushy		75	5 00	
5 to 6 ft.; bushy	Ť 1			
		00		
Grand stock, all transplanted				
a great deal of Privet offered by	У			
nurseries has never been trans	; -			
planted. Ours have all been. W	e			
find it gives better results.				
		50	4 00	•
Sinensis. Chinese Privet. 4 to 5 ft				
5 to 6 ft.; beautiful, bushy stock.	•	75	6 00	
6 to 8 ft	. 1	00	7 50	
vulgaris. Common Privet. 2 to $2\frac{1}{2}$ ft		35	3 00	15 00
91 +0 9 f+	•	50	4 00	$\frac{20}{20} \frac{00}{00}$
$2\frac{1}{2}$ to 3 ft		90	4 00	20 00
LONICERA fragrantissima. Chinese Fragrant Bush	h			
Honeysuckle. 2 to 3 ft		25	2 00	15 00
3 to 4 ft		35	$\overline{3}$ $\overline{00}$	25 00
4 to 5 ft . boory	•	50	4 00	20 00
4 to 5 ft.; heavy			4 00	
5 to 6 ft.; heavy	•	75		



A portion of the propagating grounds at Andorra

Each	10	100
LONICERA Morrowi. Japanese Bush Honeysuckle—		
$2\frac{1}{2}$ to 3 ft\$0 50	\$3 50	\$25 00
$3\frac{1}{2}$ to 4 ft	5.00	35 00
4 to 5 ft 1 00	6 00	40 00
4 to 5 ft	3 50	$20 \ 00$
3 to 4 ft	6 00	
Standishi. Standish's Honeysuckle—	0.00	
3 to 4 ft	$\frac{6}{2} \frac{90}{20}$	
Tatarica, assorted. 3 to $3\frac{1}{2}$ ft $3\frac{5}{2}$	$\begin{array}{c} 2 \ 50 \\ 3 \ 00 \end{array}$	
$3\frac{1}{2}$ to 4 ft 50	3 00	
5 to 6 ft	$\frac{5}{6} \frac{00}{00}$	
6 to 8 ft.; heavy	$\begin{array}{c} 6.00 \\ 3.50 \end{array}$	
	$\begin{array}{c} 3 & 60 \\ 6 & 00 \end{array}$	
	3 00	
Tatarica, var. alba. 2 to $2\frac{1}{2}$ ft 35 3 to 4 ft 50	3 50	
4 to 5 ft.; heavy	8 50	
Tatarica, var. bella albida. 3 to 4 ft 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
4 to 5 ft	$\frac{1}{5} \frac{00}{00}$	40 00
5 to 6 ft 1 00	$7 \overset{\circ}{50}$	$\overline{50}$ $\overline{00}$
Tatarica, var. gracilis, 3 to 4 ft 50	$\stackrel{\cdot}{4}\stackrel{\circ}{0}\stackrel{\circ}{0}$	30 00
4 to 5 ft	$\tilde{6}$ $\tilde{00}$	
4 to 5 ft	3 00	
3 to 4 ft	3 50	$25 \ 00$
4 to 5 ft	$5 \ 00$	$35 \ 00$
Tatarica, var. splendens. 2 to $2\frac{1}{2}$ ft 35	3 00	
3 to 4 ft 50	4 00	
LYCIUM Chinense. Matrimony Vine. 2 to $2\frac{1}{2}$ ft 35	2.50	$20 \ 00$
$2\frac{1}{2}$ to 3 ft	4 00	$25 \ 00$
MYRICA cerifera. Wax Myrtle. 1 to $1\frac{1}{2}$ ft 35	3 00	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	4 00	
cerifera, var. pumila. 1 to $1\frac{1}{2}$ ft 50	4 00	
PAVIA parviflora. See Æsculus, under Shrubs.		
PHILADELPHUS coronarius. Mock Orange—		
2 to $2\frac{1}{2}$ ft. 35	3 00	$\frac{20}{20}$
3 to 4 ft. 20	$\frac{4}{3} \frac{00}{00}$	$25 \ 00$
4 to 5 ft	6 00	
coronarius, var. aureus. Golden	4 00	
Mock Orange. $2\frac{1}{2}$ to 3 ft. 50	4 00	05 00
grandiflorus. 3 to 4 ft 50	$\frac{4}{6} \frac{00}{00}$	$\frac{25}{20} \frac{00}{00}$
$\frac{4}{100}$ to $\frac{5}{100}$ ft	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{30\ 00}{50\ 00}$
5 to 6 ft	12^{+30}_{-50}	$\frac{30}{75} \frac{00}{00}$
6 to 8 ft	$\frac{12}{3} \frac{30}{00}$	$\frac{13}{20} \frac{00}{00}$
Lemoinel. (Hybrid). 2 to $2\frac{1}{2}$ it. $\frac{33}{50}$. $\frac{2}{10}$ to 3 ft. $\frac{50}{50}$.	$\frac{3}{4} \frac{00}{00}$	$\frac{25}{25} \frac{00}{00}$
Lemoinei, yar. erectus. 2 to 3 ft 35	3 00	$\frac{20}{20} \frac{00}{00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 00	$\frac{25}{25}$ $\frac{00}{00}$
Mt. Blanc. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	3 50	$\overline{25}$ $\overline{00}$
Zeyheri, var. speciosissimus—		
4 to 5 ft 50	4 00 -	,
$\vec{5}$ to $\vec{6}$ ft	$\bar{6}$ $\ddot{0}\ddot{0}$	
POTENTILLA fruticosa. Shrubby Cinquefoil—	Brogan Co	14
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 00	20 00
$2\frac{1}{2}$ to 3 ft. $\dots \dots 50$	3.50	
3 to $3\frac{1}{2}$ ft	4 00	30 00
PRUNUS amvadalus communis. Flowering Almond—	angle gi	. 14
2 to 2½ ft	5 00	
amygdalus communis, var. rosea. 2 to $2\frac{1}{2}$ ft. 75	5.00	

	Each	10	100
PYRUS arbutifolia. Chokeberry. 2 to 3 ft	35	3 00	\$20 00
$3\frac{1}{2}$ to 4 ft	50	4 00	25 00
4 to 5 ft	75	5 00	30 00
RHAMNUS cathartica. Buckthorn. 3 to 4 ft	35	3 00	15 00
4 to 5 ft	50	3 50	$\frac{10}{20} \frac{00}{00}$
	75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{20}{25} \frac{00}{00}$
RHODOTYPUS kerrioides. White Kerria. 2 to $2\frac{1}{2}$ ft.	25	2 00	15 00
$2\frac{1}{2}$ to 3 ft	35	3 00	25 00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
4 to $4\frac{1}{2}$ ft	75	6 00	40 00
$4\frac{1}{2}$ to 5 ft	1 00	7 50	50 - 00
RHUS aromatica. Fragrant Sumac. 2 to $2\frac{1}{2}$ ft	50	4 00	35 00
$2\frac{1}{2}$ to 3 ft	75	6 00	40 00
$\overline{3}$ to $3\frac{1}{2}$ ft	1 00	7 50	50 00
copallina. Shining Sumac. 2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	35 00
4 to 5 ft	75	6 00	40 00
Cotinus. Mist, or Smoke Tree. 3 to 3½ ft	$3\overline{5}$	3 00	25 00
$3\frac{1}{2}$ to 4 ft	50	4 00	30 00
5 to 6 ft	75	$\hat{6}$ $\hat{00}$	35 00
6 to 8 ft		7 50	40 00
* Cotinus, var. atropurpurea. Purple Mist-	_ 00	• 00	20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	
3 to $3\frac{1}{2}$ ft	75	6 00	
$3\frac{1}{2}$ to 4 ft		7 50	
	35	3 00	17 50
RIBES aureum. Golden Currant. 3 to 4 ft			
4 to 5 ft	50	$\frac{4}{9} \frac{00}{00}$	$\frac{20}{20} \frac{00}{00}$
Gordonianum. 2½ to 3 ft	35	$\frac{3}{4} \frac{00}{00}$	$\frac{20\ 00}{20\ 00}$
3 to 4 ft	50	4 00	30 00
sanguineum. 2 to $2\frac{1}{2}$ ft	35	3 00	
ROBINIA hispida. Rose Acacia. 2 to $2\frac{1}{2}$ ft	25	2 00	
RUBUS Canadensis. 3 to 4 ft	35	2 00	
odoratus. 2 to $2\frac{1}{2}$ ft	25	2 00	15 00
3 to 4 ft	35	3 00	20 00
SAMBUCUS Canadensis. 2 to 3 ft	25	1 50	10 00
Melanocarpus. 4 to 5 ft	$\frac{25}{75}$	6 00	10 00
nigra, yar, aurea. Golden Elder—	•0	0 00	
3 to 4 ft	50	3.50	25 00
4 to 5 ft	75	4 00	35 00
		1 00	00 00
nigra, var. laciniata. Cut-leaved Elder-	- 35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
3 to 4 ft	35	$\frac{4}{3} \frac{60}{00}$	50 00
racemosa. Red-fruited. 2 to 3 ft			
$\frac{3}{2}$ to $\frac{4}{3}$ ft	50	4 00	
5 to 6 ft		8 50	00.00
SPIRÆA arguta. 2 to $2\frac{1}{2}$ ft	35	$\frac{2}{2}$ 50	$\frac{20}{25} \frac{00}{00}$
3 to $3\frac{1}{2}$ ft.; heavy	50	$\frac{3}{2} \frac{50}{20}$	$\frac{25}{20} \frac{00}{00}$
Billardii. 3 to $3\frac{1}{2}$ ft	35	$\frac{3}{9} \frac{00}{00}$	$\frac{20}{20} \frac{00}{00}$
$. 4 to 4\frac{1}{2} ft. \dots$	50	$\frac{3}{2} \frac{50}{20}$	$25 \ 00$
Bumalda. 2 ft	$\frac{35}{2}$	3 00	
$2\frac{1}{2}$ ft.; lieavy	50	4 00	
3 ft	75	6 00	

	Each	10	100
SPIRÆA Bumalda, var. Anthony Waterer— $1\frac{1}{2}$ to 2 ft	\$0 25	\$2 00	
$2^{\frac{1}{2}}$ to $2^{\frac{1}{2}}$ ft.; heavy	35	$\ddot{3} \ddot{0} \ddot{0}$	\$20 00
$2\frac{1}{2}$ to 3 ft.; heavy	50	$\frac{4}{0} \frac{00}{00}$	$\frac{30}{50} \frac{00}{00}$
3 to $3\frac{1}{2}$ ft.; heavy	$\begin{array}{c} 75 \\ 50 \end{array}$	$\begin{array}{c} 6 \ 00 \\ 3 \ 50 \end{array}$	$\begin{array}{ccc} 50 & 00 \\ 25 & 00 \end{array}$
callosa, var. alba. $1\frac{1}{2}$ to 2 ft	35	$\frac{3}{3}$ $\frac{30}{00}$	$\frac{20}{20} \frac{00}{00}$
$2\frac{1}{2}$ to 3 ft	50	4 00	$25 \ 00$
crispifolia; syn., bullata. 12 to 15 in	$\frac{25}{50}$	$\frac{2}{2} \frac{00}{50}$	history.
Japonica, var. Fortunei rosea. 2 to 3 ft Lindleyana. 18 to 24 in	$\begin{array}{c} 50 \\ 35 \end{array}$	$\begin{array}{c} 3 & 50 \\ 3 & 00 \end{array}$	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$	50	$3 \overset{\circ}{50}$	25/00
opulifolia. 2 to 3 ft	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	15 00
$\frac{3}{4}$ to $\frac{4}{5}$ ft	$\begin{array}{c} 35 \\ 50 \end{array}$	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	$\frac{25}{20} \frac{00}{00}$
4 to 5 ft	75	6 00	$\frac{30}{50} \frac{00}{00}$
opulifolia, var. aurea. Golden-leaved-		0 00	00 00
$1\frac{1}{2}$ to 2 ft	25	$\frac{2}{1} \frac{00}{00}$	15 00
3 to 4 ft	$\begin{array}{c} 50 \\ 75 \end{array}$	$\begin{array}{c} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4 to 5 ft.; heavy	19	0 00	90 00
2 to 3 ft	35	3 00	
3 to 4 ft.;	50	4 00	90.00
Reevesiana. 2 to $2\frac{1}{2}$ ft	35 50	$\begin{array}{c} 3 & 00 \\ 4 & 00 \end{array}$	$\frac{20}{30} \frac{00}{00}$
4 to 5 ft	75	$\frac{4}{6} \frac{00}{00}$	35.00
rotundifolia; syn., bracteata. 3 to 4 ft	75	$5 \ 00$	
5 to $5\frac{1}{2}$ ft		$\frac{7}{2} = \frac{50}{50}$	90.00
sorbifolia. 3 to 4 ft	$\begin{array}{c} 50 \\ 75 \end{array}$	$\begin{array}{c} 3 & 50 \\ 6 & 00 \end{array}$	$\frac{30}{35} \frac{00}{00}$
Thunbergii. Thunberg's Spirea—		0 00	09 00
2 to $2\frac{1}{2}$ ft	35	3 00	$\frac{25}{20} \frac{00}{00}$
$2\frac{1}{2}$ to 3 ft.; very heavy	$\frac{50}{75}$	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$3\frac{1}{2}$ to 4 ft.; very heavy	35	3 00	15 00
$=2\frac{1}{2}$ to 3 ft	50	4 00	$20 \ 00$
$\frac{3}{4}$ to $\frac{3}{2}$ ft	75	$\frac{6}{7} \frac{00}{50}$	30 00
4 to 5 ft	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	$\begin{array}{c} 7 \ 50 \\ 10 \ 00 \end{array}$	$\frac{40}{50} \frac{00}{00}$
STAPHYLEA Colchica. Bladder Nut. 2 to 3 ft	35	3 00	90 00
3 to 4 ft	$\frac{50}{2}$	4 00	$\frac{35}{100}$
4 to 5 ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{60} \frac{00}{00}$
STEPHANANDRA flexuosa. 2 to $2\frac{1}{2}$ ft	35	3 00	25 00
$2\frac{1}{2}$ to 3 ft.; heavy	50	4 00	30 90
3 to 4 ft	75 75	$\frac{6}{00}$	$\frac{40}{50} \frac{00}{00}$
STYRAX Japonica. $2\frac{1}{2}$ to 3 ft SYMPHORICARPUS racemosus. Snowberry—	75	6 00	50 00
$\frac{2}{2}$ to $\frac{2}{2}$ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	$\frac{3}{9}$ 50	$\frac{25}{50}$ 00
3 to 4 ftvulgaris. Coral Berry—	75	6 00	50 00
2 to 3 ft	35	3 00	20 00
3 to $3\frac{1}{2}$ ft	50	4 00	25 00
$3\frac{1}{2}$ to 4 ft.; heavy	75	$= \frac{6}{7} \frac{00}{00}$	30 00
SYRINGA Chinensis syn., Rothomagensis. Rouen	1 00	7 00	40 00
Lilae. $1\frac{1}{2}$ to 2 ft	35	2.50	20 00
Japonica. 4 to 5 ft	1 00	8 50	

	PRICE-LIST FOR SPRING OF 1909		45
	Each	10	100
SYRINGA	Josikæa. 5 to 6 ft\$1 00.	\$7.50	
OTHINGA	Josikæa, var. eximia. 4 to 5 ft 1.00,	8 50	
	Josikæa, var. H. Zabel. $2\frac{1}{2}$ to 3 ft	6 00	
	Pekinensis. $2\frac{1}{2}$ to 3 ft		
	Persica. 2 to 3 ft	4 00	
	Persica, var. alba. 2 to $2\frac{1}{2}$ ft 50.	4 00	\$30 00
	4 to 5 ft	6 00	40 00
	Persica, var. laciniata. 2 to 3 ft 35	3 00	1
	3 to 4 ft	4 00	
	villosa. 3 to 4 ft	6 00	40 00
	villosa, var. Emodi. 4 to 5 ft 1 00	8 50	
	vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft 35	3 00	
	$\frac{3}{2}$ to $\frac{31}{2}$ ft	4 00	
	$3\frac{1}{2}$ to 4 ft.; very heavy	$\begin{array}{c} 9 & 00 \\ 22 & 50 \end{array}$	
		22 30	
	$5 \text{ to } 6 \text{ ft.} \dots + $2.50 \text{ to } 3 50$ vulgaris alba. $2\frac{1}{2} \text{ ft.} \dots + 50$	4 50	
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 75$	6 00	
	vulgaris, named varieties—		
	alba grandiflora. Single, white-		
	3 to $3\frac{1}{2}$ ft	6 00,	50 00
	Charles X. Single, reddish purple—	0.00	97 00
	2 to $2\frac{1}{2}$ ft $3\frac{5}{2}$	$\frac{3}{9}$ 00	$\frac{25}{50} \frac{00}{00}$
	$\frac{3}{2}$ to $3\frac{1}{2}$ ft	6 00	$50 \ 00$
	$3\frac{1}{2}$ to 4 ft	8 50	
	Frau Bertha Dammann. Single, white—	4 00	
	2 to $2\frac{1}{2}$ ft	1 00	
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 1 00$	9,00	
	La Tour d'Auvergne. Double, violet-	, ,,	
	purple, 2 to 3 ft,	6 00	
	Le Gaulois. Double, peach, $4\frac{1}{2}$ to 5 ft. 1 50	13 50	
	Lovaniensis. Single, pink. $3\frac{1}{2}$ to 4 ft. 1 50	13 50	00.00
	Mad. Lemoine. Double, white $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	$\frac{4}{6} \frac{00}{00}$	$\frac{30}{40} \frac{00}{00}$
	$\frac{2\frac{1}{2}}{1}$ to 3 ft	$\frac{600}{1250}$	40 00
	3 to 4 ft	$\begin{array}{cccc} 12 & 50 \\ 4 & 00 \end{array}$	30 00
	Marie LeGraye. Single, white. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50 $2\frac{1}{2} \text{ to } 3 \text{ ft.}$	6 00	40 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8 50	10 00
	Marc Micheli. Double, lilac-blue—	3 30	
	5 to 6 ft 1 50	13 50	
	Michael Buchner. Double, pale lilac—		
	$1\frac{1}{2}$ to 2 ft	4 00	
	$2\frac{1}{2}$ to 3 ft	$\frac{6}{9} \frac{90}{90}$	
	$\frac{3}{2}$ to $\frac{3}{2}$ ft	8 50	
	$3\frac{1}{2}$ to 4 ft	13 50	
	Matthew de Dombasle. Double, mauve—	6 00	
	$2\frac{1}{2}$ to 3 ft	8 50	
	President Carnot. Double, light lilac—		
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 75$	6 00	
	President Loubet. Double, red—		
	$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots 1 00$. 9 00	
	Rubra de Marley. Single, reddish purple—	4.00	90.00
	$\frac{2}{2}$ to $\frac{21}{21}$ ft	$\frac{4}{7} \frac{00}{50}$	$\frac{30}{60} \frac{00}{00}$
	$egin{array}{cccccccccccccccccccccccccccccccccccc$	$12 \begin{array}{c} 7 & 50 \\ 50 \end{array}$	00 00
	5 to 6 ft	$\frac{12}{22} \frac{50}{50}$	
	0 10 0 11		

Each Syping A Constant Valland David 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10	100
SYRINGA Senator Volland. Double, red. 3 to 4 ft\$1 00	\$8 50	
Souvenir de Ludwig Spæth. Single red-		
$\frac{3}{2}$ to $\frac{3}{2}$ ft	$\underline{6}$ $\underline{00}$	
$\frac{3_{\frac{1}{2}}}{4_{\frac{1}{2}}}$ to 4 ft	$\frac{7}{10} \frac{50}{20}$	
4 to $4\frac{1}{2}$ ft	12 50	
Verschaffelt. Single, dark red—	40 50	
4 to 5 ft	13 50	
TAMARIX Africana; syn., parviflora. 2½ to 3 ft 35	3 00	\$17.50
$\frac{3}{4}$ to $\frac{4}{5}$ ft	4 00	20 00
4 to 5 ft	$\frac{6}{9}$	30 00
6 to 7 ft 1 00	7 50	$\frac{35}{100}$
Gallica. 3 to 4 ft	3 00	$\frac{20}{2}$
4 to 5 ft	4 00	$\frac{25}{2} 00$
Gallica, var. Indica. 3 to 4 ft 50	4 00	25 00
5 to 6 ft	6 00	35 00
Japonica plumosa. 2 to 3 ft	3 00	$\frac{20}{20} = 00$
3 to 4 ft	4 00	$25 \ 00$
VACCINIUM corymbosum. Swamp Huckleberry-		
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 50$	4 00	25/00
VIBURNUM acerifolium. $1\frac{1}{2}$ ft	1 75	15 00
$1\frac{1}{2}$ to 2 ft	2 50	20 00
cassanoides. White Rod. 2 to $2\frac{1}{2}$ ft 35	3 00	20 00
$\frac{2\frac{1}{2}}{2}$ to $\frac{3}{2}$ ft	4 50	30 00
$\frac{3}{4}$ to $\frac{31}{2}$ ft	600	= 35 00
4 to $4\frac{1}{2}$ ft 1 00	7.50	50 00
dentatum. Arrow-wood. 3 to $3\frac{1}{2}$ ft 50	$\frac{4}{9} \frac{00}{90}$	$\frac{25}{2}$ 00
$3\frac{1}{2}$ to 4 ft	$\frac{6}{9} \frac{00}{50}$	30 00
4 to 5 ft.; heavy	$\begin{array}{c} 8 \ 50 \\ 10 \ 00 \end{array}$	$\frac{40}{75} \frac{00}{00}$
Lantana. Wayfaring Tree. 1½ to 2 ft. 25	$egin{array}{ccc} 10&00\ 2&00 \end{array}$	$\begin{array}{ccc} 75 & 00 \\ 17 & 50 \end{array}$
$\frac{3}{3}$ to $\frac{3}{2}$ ft	$\frac{2}{3} \frac{00}{00}$	$\begin{array}{c} 17 \ 50 \\ 25 \ 00 \end{array}$
$3\frac{1}{2}$ to 4 ft.; heavy	4 00	30 00
4 to 5 ft.; heavy	$\frac{1}{6} \frac{00}{00}$	35 00
5 to 6 ft.; very heavy 1 00	$8 \overline{50}$	$50\ 00$
6 to 8 ft.; very heavy 1 50	13 50	75 - 00
Lentago. Sheep-berry. 2½ to 3 ft 35	3 00	$25 \ 00$
$\frac{3}{2}$ to $\frac{3}{2}$ ft	4 00	30 00
4 to 5 ft	$\underline{6}$ $\underline{00}$	40 00
5 to 6 ft	7 50	60 00
molle. 3 to $3\frac{1}{2}$ ft	$\frac{4}{0} \frac{00}{00}$	35 00
4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
Opulus. High Cranberry Bush	7 50	50 00
1½ to 2 ft	3 00	20 00
$\frac{2}{2}$ to $2\frac{1}{2}$ ft. $\frac{50}{2}$	3 50	$\frac{20}{30} \frac{00}{00}$
5 to 4 II. Fine 50.	4 00	35 00
4 to 5 ft. Fine	$\hat{6}$ $\tilde{00}$	50 00
5 to 6 ft. Fine 1 00	8 50	75 00
Opulus, var. sterile. Guelder Rose		
2 to 3 ft	3 00	15 00
3 to $3\frac{1}{2}$ ft	4 00	$25 \ 00$
4 to 5 ft	$6 \ 00$	40 00
plicatum. Japanese Snowball—	F 00	
$\frac{2\frac{1}{2}}{4}$ to $\frac{3}{5}$ ft	$\frac{5}{7} \frac{00}{50}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{7}{12} \frac{50}{50}$	
5 to 6 ft 1 50	12 50	

PRICE-LIST FOR SPRING OF 1909	47
Each 10	100
VIBURNUM plicatum, var. tomentosum. Single Japan	
Snowball. 4 to 5 ft.: extra fine.\$0 50 \$4 50	\$30 00
5 to 6 ft. Specimens. Fine 1 00 6 00 6 to 8 ft. Specimens. Fine 2 00 17 50	$\begin{array}{ccc} 50 & 00 \\ 100 & 00 \end{array}$
6 to 8 ft. Specimens. Fine 2 00 17 50 A beautiful shrub, deserving	100 00
extensive planting.	
prunifolium. Black Haw.—	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 00
4 to 6 ft	
Sieboldi. 2 to $2\frac{1}{2}$ ft	$\frac{50}{75} \frac{00}{00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75 00
VITEX Agnus-castus. Chaste Tree. 2 to $2\frac{1}{2}$ ft 35	20 00
XANTHOCERAS sorbifolia. 2 to $2\frac{1}{2}$ ft 50 4 00	
$2\frac{1}{2}$ to 3 ft	
3 to 4 ft	
5 to 6 in. In clumps \dots 35 2 50	15 00
6 to 8 in. In clumps 50 3 50	$20 \ 00$
DDG 1 0D 1 00EG	
REEDS and GRASSES	
Each 10	100
ARUNDO Donax. Clumps	
BAMBUSA Metake	#40 F0
ELYMUS glaucus 25 1 50 ERIANTHUS Ravennæ 50 3 50	$\begin{array}{ccc} \$12 & 50 \\ 25 & 00 \end{array}$
EULALIA Japonica, and vars. variegata, gracillima	40 00
univittata, zebrina. Clumps 50 3 50	$\frac{20}{100}$
FESTUCA glauca. 3-in. pots	12 50
PHALARIS arundinacea, var. variegata. Ribbon Grass	12 50
UNIOLA latifolia 25 1 50	$1\overline{2}$ $5\overline{0}$
VINES, CLIMBING and TRAILING PLA	NTS
Each	10
ACTINIDIA polygama. 5-in. pots\$0 50	\$3 50
6-in, pots; heavy 1 00	$\frac{7}{2} \frac{50}{50}$
AKEBIA quinata. From 4-in. pots	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3-year, field-grown; heavy	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
quinquefolia, var. Engelmanni. 5-in. pots; heavy 35	3 00
3-year, field-grown; heavy	2 00
tricuspidata; syn., Veitchi. Japan, or Boston Lyv 4-in pots: heavy	3 00
Ivy. 4-in. pots; heavy	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
ARISTOLOCHIA Sipho. Dutchman's Pipe Vine. 5-in pots 75	6 00
6-in. pots 1 00	
BIGNONIA grandiflora. 5-in. pots	7 50
9 to 9 ft · field-groups 35	3 00
2 to 3 ft.: field-grown	$\begin{array}{c} 3 & 00 \\ 2 & 00 \\ 3 & 00 \end{array}$
radicans. Scarlet Trumpet Vine. 5-in pots 35 2 to 3 ft.: field-grown	
radicans. Scarlet Trumpet Vine. 5-in pots 35 2 to 3 ft.; field-grown	3 00 2 00 3 00 2 00
radicans. Scarlet Trumpet Vine. 5-in pots 35 2 to 3 ft.: field-grown	$\begin{array}{c} 3 & 00 \\ 2 & 00 \\ 3 & 00 \end{array}$

CLEMATIS appoints 4 in mater	ach	10
CLEMATIS coccinea. 4-in. pots		\$3 00
graveolens; syn., orientalis. 4-in. pots	-75 -35	$\frac{6}{3} \frac{00}{00}$
Large-flowering varieties.—Fairy Queen, Gem,	99	3 00
Henryi, Jackmani, Jackmani var. alba,		
Jeanne d'Arc, Duchess of Edinburgh, Ker-		
mesina, Lady Caroline Neville, Lilacina flori-		
bunda, Madame Van Houtte, Miss Bateman,		
President	50	4 00
paniculata. 2-year; heavyper 100, \$15	$\overline{30}$	2 50
5-in. pots; fine DOLICHOS. See Pueraria.	50	3 50
EUONYMUS radicans. 1 ft.; field-grownper 100, \$10	25	$\frac{1}{2}$ $\frac{75}{2}$
HEDERA Holix Provide I. field-grown per 100, \$15	35	2 50
HEDERA Helix. English Ivy. 4-in. potsper 100, \$15	25	2 00
5-in. potsper 100, \$35	50	4 00
LATHYRUS latifolius. Everlasting Pea	35	2 50
LONICERA Japonica. Honeysuekle. 4 in. pots	-35	2 50
3-year; field-grown	35	3 00
Japonica, var. brachypoda; syn., flexuosa. Field-	n=	D 00
Japonica, var. aurea reticulata. 4-in. pots	$\frac{35}{35}$	3 00
Japonica, var. Chinensis. Purplish green foliage—	5 0	3 00
4-in. pots	25	2 00
Heavy field-grown	35	3 00
Japonica, var. Halleana. 4-in. pots	25	$\frac{3}{2} \stackrel{\circ}{00} $
5-1n. pots	35	3 00
3-year-old, field-grown	35	3 00
sempervirens, var. fuchsioides. Searlet Trumpet—	50	0 50
5-in, pots	50	3 50
PERIPLOCA Græca. Silk Vine. Field-grown	$\begin{array}{c} 35 \\ 50 \end{array}$	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$
5-in. pots	$\frac{50}{50}$	$\frac{4}{4} \frac{00}{00}$
PUERARIA Thunbergiana; syn., Dolichos Japonicus. Kudzu	90	1 00
Vine. In pots	1.00	7 50
TECOMA. See Bignonia.	. 00	. 00
VITIS æstivalis. Summer Grape. 5-in. pots	75	6 00
neterophylla, var. variegata. 5-in. pots	75	6 00
Labrusca. Fox Grape. 5-in. pots	50	4 00
WISTARIA Chinensis. Chinese Wistaria-		
2 to 3 ft.; field-grown	$\underline{50}$	4 00
3 to 4 ft.; field-grown	$\frac{75}{2}$	6 00
4 to 6 ft.; field-grown+\$1.50 to 2 Chinensis, var. alba. Field-grown		7 50
frutescens. 3 to 4 ft	100 - 75	$\begin{array}{ccc} 7 & 50 \\ 6 & 00 \end{array}$
4 to 6 ft		0 00
magnifica. 5 to 6 ft.; field-grown\$1.50 to 2		
multijuga. 2 to 3 ft.; field-grown	$\frac{50}{75}$	4 00
3 to 4 ft.; field-grown	75 2 50	6 00
multijuga, var. alba. Field-grown	75	6 00
3 to 4 ft 1	. 00	7 50
4 to 6 ft\$1.50 to 2	50	

FRUIT DEPARTMENT

The second secon		
APPLES, Summer—Early Harvest, Golden Sweet, Red Astra- ehan, Summer Rambo, Sweet Bough, Benoin Yellow Transparent.	Each ,	10
Autumn—Fall Pippin, Gravensteiu, Maiden's Blush Smokehonse Wealthy		
Winter—Baldwin, Belle-fleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Styman's Winesap, York Imperial	l	-
9 10 (IE. : % to 1 m. eal	QA 75	\$6 00
Crab—Hyslop, Large Red Siberian, Large Yellow Siberian, Transeendent. 5 to 7 ft. CHERRIES, Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke,		6 00
Large Sweet (Hearts and Bigarreaus)—Black Tartarian, Governor Wood Napology Bi	1 00	8 50
Spanish Chestnut. See under Deciduous Trees. Spanish Chestnut. See under Deciduous Trees.		8 50
Japan Chestnut. 3 to 4 ft	1 00	12 50
ford's late, Elberta, Mountain Rose, Mouris White, Oldmixon Free, Stump the World, Susquehanna, Troth's Early, Wheat-land, 5 to 6 ft.	50	3 50
Autumn and Winter—Beurre d'Anjou, Buffum, Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence, Rutter, Seekel, Sheldon, Worden- Seckel. 5 to 6 ft	1 00	8 50
PLUMS, Japanese—Abundanee, Burbank, Chabot, Satsuma.		15 00
European—Giant Prune, Imperial Gage, Lombard. QUINCES—Champion, Orange. 3 to 4 ft	1 00 75	$\begin{array}{c} 7 & 50 \\ 6 & 00 \end{array}$
SMALL FRUITS	••	0 00
BLACKBERRIES—Eldorado, Erie, Kittatinny, Rathbun, Sny-		
current Ger, Wilson Juniorper 100, \$3		50
GOOSEBERRIES, Red—Houghton, Industry; Green—Down-	25	2 00
GRAPES, Black—Concord, Moore's Early, Warden; Red—Brighton, Catawba, Delaware; White—Green Mountain, Niagara, Pock-	25	2 00
RASPBERRIES, Black—Gregg: Red—Cuthbert, Columbian	25 50	$\begin{array}{cc} 2 & 00 \\ 3 & 00 \end{array}$
Ruby; Yellow—Golden Queen, per 100, \$3		50

STRAWBERRIES, Early—Bederwood, Marshall; Medium—
Bubach, Glen Mary, Sharpless,
Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50.
Potted plants, per 100, \$3 to \$4.

ESCULENT ROOTS

ASPARAGUS—Barr's Mammoth. Per 100, \$1.50; per 1,000, \$7.50. **RHUBARB**—Best varieties. Per 10, \$1.50; per 100, \$10.

ROSES

Potted, unless noted		
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow. SWEETBRIER—Rosa rubignosa	A ()	\$3 50 3 50
Brenda, Flora McIvor, Lady Penzance, Lord	, I	
Penzance, Meg Merrilies, Minna		3 50
tiflora, nitida, rubrifolia, field-grown	2%	3 00
Lady Gay, Prairie Quecn Setigera. Prairie Rose. 2 to 2½ ft.; field grown	40	$\frac{3}{3} \frac{50}{00}$
Kamplers —Crimson, White, Pink and Yellow The		3 UU
Dawson (carmine)	40	3 50
Betty, ruddy gold; Captain Christy, flesh;		
Caroline Testout, rose; Countess of Cale-		
don, carmine; Duchesse of Albany, dcep pink; Gladys Harkness, salmon-pink;		
Gruss an Teplitz, crimson: Kaiserine Au-		
guste Victoria, primrose; Killarney, pink;		
La France, rose; Madame Ravary, yellow; Souvenir du President Carnot, flesh-rose;		
Viscountess Folkestone, creamy nink,	50	4 50
EVERBLOOMING, Miscellaneous—Ciothilde Soupert (Poly-		
antha), rosy white; etoile de Lyon (Tea), yellow; Francisca Kruger (Tea), yellow-		
peach; Francis Dubreuil (Tca), crimson:		
Harry Kirk, deep sulphur vellow: Maman		
Cochet (Tca), rosy white; Souvenir de la Malmaison (Bourbon), flesh; White Ma-		
man Cochet (Tea) white	50	4 50
HYBRID Perpetual—Alfred K. Williams, carmine-red: Baroness		- 0
Rothschild, rose; Captain Hayward, carmine-crimson; Clio, flesh; Eugene Verdier, rosc-flesh; Frau		
Karl Druschki, white: General Jacqueminot scar-		
let; Lady Helch Stewart, crimson-scarlet: Louis		
Van Houtte, red-crimson; Magna Charta, rose; Madame Gabriel Luizet, silvery pink; Margaret		
Pickson, willte; Mrs. R. G. Sharman-Crawford		
rose-pink; Mrs. John Laing, pink; Paul Neyron		
deep rose; Prince Camille de Rohan, deep crimson; Ulrich Brunner, cherry crimson	40	3 50
MUSS—Blanche Moreau, white; Crimson Globe, deep crim-	10	
son; Zenobia, rose	40	3 50

RUGOSA ROSES			
	Each	10	100
ROSA rugosa. $1\frac{1}{2}$ to 2 ft	\$0.25	\$2 25	\$15.00
2 to $2\frac{1}{2}$ ft	35	3.00	20 00
$2\frac{1}{2}$ to $\tilde{3}$ ft	50	4 00	
rugosa, var. alba. $1\frac{1}{2}$ to 2 ft	50	4 00	25 00
rugosa Hybrids atropurpurea—Blanc Double			
de Coubert, Conrad F. Meyer, Madame			
Georges Bruant, Madam Charles Worth.			
Mrs. A. Waterer. Pot-grown	50	4 00	
WICHURAIANA ROSES			
ROSA Wichuraiana. The Trailing Rose. 1 to 2 ft	25	2 00	
2 to 3 ft. In 4-in. pots	35	3 00	25 00
Hybrids—Evergreen Gem, Gardenia, Manda's		0 00	20 00
Triumph, Pink Roamer, South Orange			•
Perfection, Universal Favorite. In pots.		3 50	
SINGLE ROSES, Dickson's Hybrids—New Irish Beau-	00	0 00	
ty, Irish Glory, Irish Modesty,			
Irish Brightness	75	6 00	
The set of 4 for \$2.75.			
inc bet of 1 for ψm. (o)			

HARDY HERBACEOUS PLANTS

	Each	10	100
ACHILLEA filipendulina (Noble Yarrow). July.	0.15	@1 OK	610 00
Golden yellow. 2 ft\$ millefolium roseum (Rosy Milfoil). July to	0 15	\$1 25	\$10 00
September. Pink. $1\frac{1}{2}$ ft	15	1 25	
Ptarmica, The Pearl. All summer. White. 2 ft.	15	1/25	10 00
tomentosum (Woolly Yarrow). June, Yellow.	25	2 00	
ACONITUM Fischeri (Monkshood). September and	<i>2</i> ()	4 00	
October. Blue. 3 ft	35	2 50	15 00
Lycoctonum (Wolf's-bane). June to September.			
Yellow. 3 ft	35	2/50	
ACANTHUS mollis (Bear's Breech). August and September. Rose. 3 ft	35	2 50	
AJUGA Genevensis. May. Bright blue. 6 in	25	$\tilde{1} \ \tilde{50}$	12 50
reptans rubra (Bugle). May. Purplish blue. 6 in.	25	1 50	12 - 50
ALTHÆA rosea (Hollyhock). July. Various colors.	0-	4 20	10 50
4 to 6 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
rosea, var. Allegheny Fringed	24)	1 00	1m 00
Yellow. 1 ft	35	2.50	
saxatile compactum (Golden Tuft). May and	~~		40 50
June. Yellow. 1 ft	25	1 50	12 50
ANCHUSA Italica, var. Dropmore. New (Alkanet). May and June. Blue. 3 to 4 ft	75	6 00	
ANEMONE (Windflower) Japonica. September.			
Red 2 to 3 ft	-25	1 50	$\frac{12}{10}$ $\frac{50}{10}$
Japonica, var. alba. Fall. White. 2 to 3 ft	25	1 50	12 50
Japonica, var. Queen Charlotte. Fall. Rose.	25	2 00	15 00
2 to 3 ft	<u></u> ,		20 00
2 to 3 ft	25	2 00	15 00



Partial view of Herbaceous Plantations

AND THE PROPERTY OF THE PARTY O	Each	10	100
ANEMONE Japonica, var. Whirlwind. Fall. Pure white. 2 to 3 ft\$	0 25	\$2 00	\$15 00
Pennsylvanicum. June and July. White, 1 to 2 ft.	$\overline{25}$	$\stackrel{\mathtt{\uparrow}}{1} \stackrel{\mathtt{\check{5}0}}{50}$	12 50
Pulsatilla (Pasque Flower). May. Violet-pur-	25	1 50	19 50
ple. 9 in sylvestris. May. Pure white. 1 to $1\frac{1}{2}$ ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$
ANTHEMIS tinctoria (Chamomile). June to Sep-			
tember. Golden Yellow. 2 ft	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and white. 18 in	25	1 50	12 50
Canadensis. (Common Columbine). May to			
July. Scarlet and Yellow. 1 to 2 ft	25	1 50	10 00
Chrysantha. May to August. Golden Yellow.	25	2 00	12 50
cærulea (Rocky Mountain Columbine). May			
to July. Blue. 18 in	25	2 00	12 50
flabellata, var. nana alba. April to June.	25	2 00	
White. 1 ft	49	2 00	
2 to 3 ft	25	$2 \ 00$	12 50
vulgaris fl. pl. May to July. White to blue.	25	2 00	12 50
$1\frac{1}{2}$ to 2 fttruncata. May and June. Scarlet, yellow-	ل شد	4 00	1 ii 00
tipped. 2 ft	25	2 00	12 50
ARABIS alpina (Rock Cress). April and May.	25	1 50	10 00
White. 4 inalpina fl. pl. Double	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{50}$	10 00
ARENARIA montana, var. grandiflora (Sandwort).			
May and June. White. 6 in	25	1 50	-12/50

FRICE-LIST FOR STRING OF	1909		00
Ţi	lach	10	100
ARMERIA maritima, var. alba (Thrift). Sum-			
mer. White. 9 in\$0	-25	\$1.50	\$10.00
maritima, var. splendens. Summer Rose. 9 in.	25	1 50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white			
foliage. 2 ft	25	1.50	10 00
Stelleriana (Old Woman). Silvery foliage. 2 ft.	25	1 50	10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and			
August. Orange. 2 ft	25	1 50	10 00
ASTER alpinus. June and July. Purple. 9 in	25	1 50	10 00
Amellus elegans. September and October. Blue.			
$1\frac{1}{2}$ ft	25	1 50	10 00
ASTER (Michælmas Daisy) amethystinus. Septem-			
ber and October. Amethyst. 3 to 4 ft	25	1 50	10 00
grandiflorus. October and November. Violet-	0-	0.50	MO 00
blue. 2 ft	35	2/50	20 00
Lady Trevelyan. September and October. White. 3 ft	25	1 50	10 00
Madonna. September and October. White. 4 ft.	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	$\frac{10}{10} \frac{00}{00}$
Novæ Angliæ. September and October. Purple.	20	1 00	10 00
4 ft	25	1 50	10 00
Novæ Angliæ, var. rubra. September and			
October. Bright rose. 4 ft	25	1 50	10 00
ptarmicoides. August and September. White.			
$1\frac{1}{2}$ ft	-25	1 50	10 00
Robert Parker. September and October. Laven-	214		4.0
der. 4 ft	25	$\frac{1}{1} \frac{50}{50}$	10 00
Tataricus. October and November, Purple. 5 ft.	25	1 50	10 00
Trinervius. October and November. Violet-	25	1 50	10 00
purple. $2\frac{1}{2}$ ft	ر • ــــ	1 00	10 00
4 ft	25	1.50	10 00
ASTILBE Japonica (Spirea). June. White. 1½ ft.	25	1 50	10 00
ASTRANTIA major (Masterwort). June and July.			1.0 00
Pale pink. 1 ft	25	2 50	20 00
AUBRETIA Hendersoni (False Wall Cress). April.		- 00	_0 00
Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July.		- 20	
Dark blue. 2 ft	25	1 50	10 00
tinctoria. June and July. Bright yellow.			
2 to 3 ft	25	1 50	10 00
BELEMCANDA Chinensis; syn., Pardanthus. June.			
Orange-red. 4 ft	-25	1.50	10 00
BELLIS perennis (English Daisy) May. White and			
pink. 6 to 8 in	25	1 50	10 00
BETONICA. See Stachys.			
BOCCONIA cordata (Plume Poppy). July and			
August. White. 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). August			
and September. White. 4 ft	25	1 50	10 00
latisquama. August and September. Light	05	1 50	10.00
lilac. 4 ft	25	1 50	10 00
CALIMERIS incisa (Starwort). July to September.	95	1.50	10.00
Light blue. 18 in.,	25	1 50	10 00

	Each	10	100
CALLIRHOE involucrata (Poppy Mallow). All		#4 F0	
summer. Rosy crimson. 1 ft	25 25	\$1 50 1 50	\$10 00 10 00
Carpatica, var. alba. June to September. White.			
9 in	25 35	$\begin{array}{c} 1 & 50 \\ 2 & 50 \end{array}$	10 00
Blue. 18 inpersicifolia alba. June and July. White. 18 in	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 10 & 00 \end{array}$
pyramidalis (Chimney Bellflower). August and September. Blue. 2 ft	25	1 50	10 00
June and July. Dark purple. 1½ ft	25	1 50	
CERASTIUM tomentosum. June and July. White.	25	1 50	12 50
CERATOSTIGMA plumbaginoides (Plumbago). October and November. Blue. 6 in	25	2 00	15 00
CHELONE Lyoni (Turtlehead). August and Sentem-			10 00
ber. Rose-purple. 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum	35	2 50	
(Shasta Daisies). Alaska, Čalifornia, Westralia. All summer. White. 2 ft	35	2 50	15 00
maximum, var. Triumph (Moonpenny Daisy). July to October. White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White.			12 00
Pompon Varieties. Fall. All colors. $1\frac{1}{2}$ to 2 ft.	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{array}{ccc} 2 & 50 \\ 1 & 50 \end{array}$	10 00
Pompon Varieties, Heavy Stock	25	2 00	15 00
ulignosum. September. White. $2\frac{1}{2}$ ft CHRYSOGONUM Virginianum (Golden Joint). June.	25	1 50	10 00
Yellow. 1 ft	25	1 50	12 50
CHRYSOPSIS villosa (Golden Aster). September. Yellow. 2 ft	25	2 00	15 00
CIMICIFUGA acerinum. August and September.			10 00
White. $2\frac{1}{2}$ ft. Dahurica (Bugbane). August and September.	35	2 50	
White. 2 to 3 ftracemosa (Snakeroot). July. White. 3 to 5 ft.	$\frac{35}{25}$	$\begin{array}{c}2 & 50\\1 & 50\end{array}$	$\begin{array}{c} 15 & 00 \\ 12 & 50 \end{array}$
CINERARIA. See Artemisia.	(دیند	1 90	32 50
CLEMATIS crispa (Leather-flower). June to September. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana. August and September. Blue.	25	1 50	12 50
Fragrant. 3 ft			
2 to 3 ft	25	1 50	12 50
ber and October. Deep blue. 18 in CONVALLARIA majalis (Lily-of-the-Valley). May	25	1 50	12 50
and June. White. 6 to 9 in	25	2 00	15 00
COREOPSIS lanceolata (Tickseed). June to October. Golden yellow. 2 ft	15	1 25	10 00
ber. Pink. 1 to 2 ft	25	1 50	12 50

THE DIOT TOR OF MING OF	1303		00
DELDHIAMIN Objected (Tarl.) T.1	Each	10	100
DELPHINIUM Chinense (Larkspur). July to September. Blue. 1½ ft\$ Chinense, var. album. July to September. White.	0 25	\$1 50	\$10 00
Chinense, var. album. July to September. White. $1\frac{1}{2}$ ft	25	1 50	10 00
elatum (Bee Larkspur). June to August. Blue.			
formosum (Larkspur). June to September.	25	1 50	10 00
Deep blue. 4 ft	25	1 50	10 00
DIANTHUS barbatus (Sweet William). May to July. Mixed colors. 1½ ft	25	1 50	10 00
deltoides (Maiden Pink), June, Pink 4 in	25	$\frac{1}{1} \frac{50}{50}$	$\frac{10}{10} \frac{00}{00}$
deltoides (Maiden Pink). June. Pink. 4 in latifolius. June. Red. 1 ft	25 25	$1.5\widetilde{0}$	10 00
plumarius (Hardy Pinks). May and June. 1 ft.	25	$\tilde{2}$ $\tilde{00}$	$15\ 00$
VARIETIES:			
Delicata. Rose, with fringed petals.			
Laura Wilmer. White, with maroon center.			
Her Majesty. White. Mrs. Sinkins. White.			
Stanislaus. Violet-rose, with crimson center.			
DICENTRA eximia (Seal-flower). June to August.			
Pink. 1 ft	25	1 50	10 00
spectabilis (Bleeding-heart). May and June.	~~		
Pink. 2 to 3 ft	25	$2 \ 00$	12 50
DICTAMNUS fraxinella (Gas Plant). June. Purple.	05	0 50	
fraxinella, var. alba. June. White. 3 ft	35 35	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$	$-15 00 \\ 15 00$
DIGITALIS ambigua (Foxglove). July and August.	ออ	2 00	15) 00
Pale vellow. 3 ft	25	2 00	15 00
purpurea (Common Foxglove). June and July.			10 00
Mixed colors. 4 to 5 ft	25	1 50	-10 - 00
purpurea, var. gloxiniæflora. June and July, Mixed colors. 4 to 5 ft	25	1 50	10.00
DORONICUM Austriacum. April and May. Yellow.	40	1 50	10 00
2 ft	35	2 50	15 00
plantagineum, var. excelsum. April to June.	,,,	2 .,0	10 00
Yellow. 2 ft	35	2 50	15 00
ECHINACEA purpurea (Purple Cone-flower). July to	A		
September. Rosy purple. 3 ft	25	2 00	-15/00
ERIGERON speciosus (Fleabane). June to August. Violet-blue. $1\frac{1}{2}$ to 2 ft	೧೯	0.00	15 00
ERYNGIUM amethystinum (Sea Holly). July to	25	2 00	15 00
September. Amethyst-blue. 2 ft	35	2 50	
EUPATORIUM ageratoides (White Snakeroot). Sep-	00	2 170	
tember and October, White, 3 ft	25	1 50	$12 \ 50$
cœlestinum. Fall. Light blue. 2 ft	25	1.50	
EUPHORBIA corollata (Spurge). July to Septem-	0.4		
ber. White. $1\frac{1}{2}$ ft	25	1/50	$12 \ 50$
FEVERFEW, Little Gem. June to October. White.	อะ	1 50	40.00
15 in	25	1 50	10 00
FUNKIA Fortunei (Day Lily). July to August. Blue.	25	1 50	12 50
ovata. July to August. Deep blue. 1½ to 2 ft.	$\frac{2.5}{25}$	$\frac{1}{1} \frac{50}{50}$	$\frac{12}{12} \frac{50}{50}$
subcordata, var. grandiflora. September. White.			12 00
Fragrant. 2 ft	25	2/00 .	15/00
undulata, var. media picta variegata. July and August. Lilac. 1 ft	25	1.50	19.50
August. Litat. I livere ever ever ever	- U	1 50	$12 \ 50$

GAILLARDIA grandiflora (Blanket-flower). June to	Each	10	100 •
November. Yellow. $1\frac{1}{2}$ ft	0 25	\$1 50	\$10 00
ualetia omemails (Goat's Rue). July and Angust			46
Blue. 2 ft	25	1 50	10 00
GERANIUM sanguineum (Cranesbill) June to Sen-	25	1 50	10 00
GEUM coccineum (Avens). June and July Scarlet	25	1 50	
	25	2/00	15 00
Heldrechi. June. Orange. 18 in. montanum. June and July. Yellow. 18 in. GILLENIA trifoliata (Powronia Boot).	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 2&00\\2&00 \end{array}$	$-15 00 \\ -15 00$
The state of the s		2 00	19 00
write. July. 3 ft	35	2/50	
White. 2 to 3 ft	25 *	1 50	10 70
TELENIUM, pumilum (Speezewort) July to Outo-		1 90	12 50
ber. Yellow. 1½ ft autumnale, var. superbum. July to October.	25	1 50	10.00
renow. 4 II	25	1 50	10 00
granulephalum, var. striatim. Amongt to Octo			
ber. Orange. 3 ft Hoopesi. All summer. Orange-yellow. 2 ft	$\frac{25}{25}$	$egin{array}{ccc} 2&00\ 2&00 \end{array}$	$\begin{array}{c} 15 & 00 \\ 15 & 00 \end{array}$
HELIANTHUS (Perennial Sunflowers) giganteus.		9	10 00
August to October. Pale yellow. 6 to 10 ft. Maximiliana. September, Deep yellow. 6 to 8 ft.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	10 00
moils. September and October. Golden vellow.		7.90	10 00
4 ft fl. July and August. Golden	25	1 50	10 00
yellow. 4 ft. orgyalis. September and October. Golden	25	1 50	10 00
yellow. 6 ft	25	1 50	10 00
rigidus. July to October. Golden vellow. 3 ft. rigidus, var. Miss Mellish. September and Octo-	25	1 50	10 00
per, Golden vellow 6 ft	25	1 50	10 00
rigidus, var. Wolly Dodd. September. Deep yellow. 3 ft.	25	1 50	
HELIOPSIS Pitcheriana. June to October. Orange-	(دشد	1 90	10 00
HELLEBORUS niger (Christmas Rose) March	25	1 50	10 00
White. 6 in	35	3 00	
HEMEROCALLIS Dumortieri (Yellow Day Lily).	35	3 00	
June and July Orange-vellow 9 ft	25	1 50	12 50
flava. June. Yellow. 2 ft. fulva (Tawny Day Lily). July and August. A	25	1 50	12 50
tawny yellow. 2½ ft. fulva, var. Kwansot ft. pl. (Double Orange Lily).	25	1 50	12 50
July and August. Coppery yellow. 2½ ft	25	1 50	
Tuiva, var. Inunpergil. August and September.	ودشد	1 50	12 50
Lemon-yellow. $2\frac{1}{2}$ ft	25	1 50	12 50
HEPATICA triloba (Liverleaf). April. White and blue. 6 in.	25	1 25	10 00
HEUCHERA sanguinea (Alumroot). June to Sen-			
tember. Coral-red. 18 insanguinea, var. alba. June to September. White.	25	2 00	15 00
18 in	25	2 00	



A field of Japanese Iris at Andorra

HIBISCUS militaris. June to September. Buff-yellow.	Each	10	100
18 in	25	\$2 00	
18 in		•	
Rose. 5 ft. Moscheutos, var. Crimson Eye. July to Sep-	$^{\circ}25$	1 50	\$10 00
tember. White. 5 ft	25	1. 20	10 00
HULLYHUCKS. See Althæa rosea.		1.00	10 00
IBERIS sempervirens (Candytuft). April and May.			
White 6 in	25	1 50	10 00
corifolia. April and May. White. 9 in	25	1 50	10 00
Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calen-	<i>ب</i> رب	1 90	12 00
dar of Hardy Perennials.			
atroviolacea. May. Dark violet. 2 to 2½ ft	35	3 00	
eristata. April and May. Light blue. 6 in	25	$\frac{1}{9} \frac{50}{90}$	12 50
Florentina. May. Tinted white. Fragrant. $1\frac{1}{2}$ ft Germanica. May. Named varieties. $1\frac{1}{2}$ to $2\frac{1}{2}$ ft.	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c}2~00\\1~50\end{array}$	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June	40	T 90	10 00
and July. Our selection, all colors. 2½ to 4 ft.	25	2 00	15 00
Customer's selection	35	3 00	25 00
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	$3 \ 00$	25 00
Pallida, var. speciosa. June. Indigo-blue.	35	3 00	er 00
Pseudacorus. June. Yellow. 2 to 3 ft	$\frac{55}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 25 & 00 \\ 15 & 00 \end{array}$
pumila nova. May. Various colors. S to 10 in.	25	$\frac{1}{1} \frac{50}{50}$	$\frac{13}{12} \frac{50}{50}$
Sibirica. May and June. Bright blue. 1 ft.	25	1 50	10 00
Sibirica, var. alba. June. White, 2 ft. Rare.	35	3 00	25 00
Sibirica, var. orientalis. May. Deep blue. 1½ ft.	25	$\frac{1}{9} \frac{50}{90}$	10 00
tectorum. May. Bright lilac. 1 ft	25	2 00	15 00

	Each	10	100
KNIPHOFIA aloides (Red-hot Poker). August and September. Crimson. 3 ft\$	0 25	\$1 50	\$12 50
obelisque. July and August. Saffron-yellow. 3 to 4 ft Pfitzerii (Flame Flower). July to Oetober.	35	2 50	15 00
Orange-scariet. 5 to 4 it	35	2 50	15 00
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing	25	2.00	
latifolius, var. roseus. Summer. Rose. Climbing. latifolius, var. splendens. Summer. Climbing.	$\begin{array}{c} ar{25} \\ 25 \end{array}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \\ 2 & 00 \end{array}$	15 00
latitolius, var. Pink Beauty. Summer. Bright	$\frac{25}{25}$	2 00	
pink. Climbing LAVENDULA spica (Lavender). 15 to 18 in	25	1 50	$15 00 \\ 12 50$
vera (Lavender). 15 to 18 in	25	1 50	12 50
September, Rosy purple, 2 ft	25	1 50	12 50
pycnostachya (Kansas Gay Feather). September. Rosy purple. 4 to 5 ft	25	1 50	12 50
spicata (Gay Feather). August and Septem ber. Deep purple. 3 to 4 ft	25	1 50	12 50
LILIUM Canadense (Meadow Lily). July. Shades of yellow. 2 to 4 ft	25	1 50	12 50
Philadelphicum (Wood Lily). July and August. Orange-searlet. 2 to 4 ft	25	2 00	15 00
speciosum, var. roseum (Japan Lily). July and			
August. Rosy white. 2 to 4 ft tigrinum (Tiger Lily). August. Salmon-red.	25	2 00	15 00
3 to 4 ft	25	1 50	12 50
August. Bluish purple. 18 in perenne (Perennial Flax). June to September.	25	1 75	
Clear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August and September. Searlet. 2 to 3 ft	25	1 50	12 50
syphilitica (Blue Lobelia). August and September. Deep blue. 2 ft	25	1 50	
LYCHNIS Chalcedonica (London Pride). July to			10.50
September. Vermilion. 2 to 3 ft	25	1 50	
Crimson. $1\frac{1}{2}$ to 2 ft	25	1 25	10 00
$1\frac{1}{2}$ to 2 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{c} 1 & 25 \\ 1 & 50 \end{array}$	10 00
vespertina, var. alba plena (White Campion). May to September. White. 1 ft	25	1 50	12 50
viscaria (Catchfly). June and July. Red. 1½ ft. viscaria, var. splendens. (German Catchfly).	$\overline{25}$	$\vec{1}$ $\vec{50}$	$1\overline{2}$ $5\overline{0}$
June and July. Pink. 15 in	25	1 50	12 50
LYSIMACHIA clethroides (Loosestrife). July to September, White. 1½ ft	25	1 25	10 00
nummularia (Moneywort). June to August. Yellow. Creeping	25	1 50	10 00
LYTHRUM roseum superbum (Rose Loosestrife).	25	1 50	
July to September. Rose. 3 ft			12 50
May and June. Blue. 2 ft	25	1 50	10 00

THIS DIST TON STRING ST		4.0	100
MONARDA didyma (Oswego Tea). July and	Each	10	100
August. Scarlet. 2½ ft	25	\$1 50	\$10 00
didyma, var. Cambridge Scarlet. July and	05	1 50	10.00
August. Scarlet. 2 ft	25	1 50	10 00
Crimson-scarlet. 2 ft	25	1 50	10 00
MY0S0TIS alpestris, var. Victoria. May and June.	25	1 50	10.00
Light blue. 6 to 9 in	20	т эо	10 00
Light blue. Spreading	25	1 50	10 00
NEPETA glecoma, var. variegata (Ground Ivy).	25	1 50	10 00
May. Purple. 6 in	20	T 90	10 00
July. Yellow. $1\frac{1}{2}$ ft	25	2 00	15 00
truticosa, var. Youngi (Young's Primrose).	25	1 50	12 50
Frazeri. June. Rich yellow. $1\frac{1}{2}$ ft	$\frac{25}{25}$	$\begin{array}{cc} 1 & 50 \\ 2 & 00 \end{array}$	$\frac{12}{15} \frac{30}{00}$
Missouriensis (Large Evening Primrose). June	0-		
and July. Yellow. 1 ftspeciosa (White Primrose). June and July.	25	2 00	·15 00
White. $1\frac{1}{2}$ ft	25	1 50	10 00
OPHIOPOGON Jaburan, var. aureus variegatus	=_	0 50	
(Snake's Beard). September. Blue. 6 in PACHYSANDRA procumbens (Mountain Spurge).	50	3 50	
March to May. White or purple. Spreading.	25	1 50	12 50
terminalis. May and June. White. 8 in	25	1 50	12 50
PÆONIA. See our Calendar of Hardy Perennials			
for Special List. Chinensis, Double Varieties. Our selection. May			
and June	$\frac{35}{2}$	3 00	$25 \ 00$
Chinensis, Heavy Clumps. Our selection 1 Chinensis, Single Varieties. Our selection	$\begin{array}{c} 50 \\ 35 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 3 & 00 \end{array}$	25 00
corallina. May. Single. Reddish purple	35	$3 \overset{\circ}{00}$	$25\ 00$
Moutan (Tree Peony). May and June. Dif-	00	0.00	
ferent colors	00	9 00	
Double; deep crimson	50	4 00	35 00
officinalis, var. rosea plena. Early April.	00	0.00	
Double; pink	$\frac{00}{50}$	$\begin{array}{c} 9 & 00 \\ 4 & 00 \end{array}$	
tenuifolia, var. plena. Early April. Double;			
maroon	50	$\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$	25 00
triternata. April. Single. Bright red PAPAVER bractcatum. June. Blood-red. 4 ft	$\begin{array}{c} 35 \\ 25 \end{array}$	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{c} 25 & 60 \\ 12 & 50 \end{array}$
nudicaule (Iceland Poppy). All summer. Many			
colors. 1 ft	25	1 50	10 00
orientale (Oriental Poppy). June. Orange-scar- let. 2 ft.	25	2 00	12 50
PARDANTHUS. See Belemcanda.			
PENTSTEMON barbatus, var. Torreyi (Torrey's Beard Tongue). June to August. Scarlet.			
Beard Tongue). June to August. Scarlet.	25	1 50	10 00
grandiflorus. June to August. Purplish blue.			
2 to $2\frac{1}{2}$ ft	25	2 00	15 00
lævigatus, var. Digitalis. July and August. White, 3 ft	25	2 00	
ovatus. July and August. Purplish blue.			
2 to 3 ft	25	2 00	

I	Each	10	100
PHLOX amena. May. Bright pink. 3 to 4 in\$0	25	\$1.50	\$10 00
Carolina. May and June. Rosy red. 1 ft	25	1 50	
divaricata (Wild Sweet William). May and	0=		13.46
June. Lavender. 1 ft	25	1 50	12 50
paniculata; syn., decussata (Perennial Phlox).			
See the Calendar of Hardy Perennials for	25	2 00	15 00
Special List. All colorssubulata (Mountain Pink). May and June.	<u></u> ,	2 00	10 00
Rose, Creeping	25	1 50	10 00
Rose. Creepingsubulata, var. alba. May and June. White.			
Creeping	25	1 50	10 00
subulata, var. atropurpurea. May and June.	25	1 50	
Purple. Creepingsubulata, var. lilacina. May. Lilac. Creeping	$\frac{25}{25}$	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	12 50
subulata, var. Nelsoni. May and June. Pure	Des C	1 00	12 00
white. Creeping	25	1 50	10 00
subulata, var. Model. May and June. Rosy	0.4		
white. Creeping	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead).	~~		
August. Deep rose. 3 ft	25	$\frac{1}{1} \frac{50}{50}$	10.00
Virginiana, var. alba. August. White. 3 ft Virginiana, var. speciosa. August. Pink. 3 ft.	$\frac{25}{25}$	$\begin{array}{c} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 10 & 00 \end{array}$
	ره ک	1 90	10 00
PLATYCODON grandiflorum (Balloon-flower). July.	25	1 50	
Blue. 1½ ft July. White. 1½ ft.	$\frac{23}{25}$	$\frac{1}{1} \frac{50}{50}$	
grandiflorum, var. Mariesi. June to October.		1 00	
Blue. 1 ft	25	1 50	$12 \ 50$
POLEMONIUM coeruleum (Jacob's Ladder). May to			
July. Deep blue. $1\frac{1}{2}$ ft	25	2/00	$15 \ 00$
cæruleum, var. album. May to July. White.	0-	9.00	
$1\frac{1}{2}$ to 2 ft	25	2 00	
PRIMULA acaulis (Primrose). May. Yellow.	25	1 50	10.50
6 to 9 in	$\frac{25}{25}$	$\begin{array}{c} 1.50 \\ 1.50 \end{array}$	$\begin{array}{c} -12 & 50 \\ -12 & 50 \end{array}$
suaveolens (Cowslin) May Yellow and	2.9	1 50	T. 90
orange. 1 ft	25	1 50	12/50
veris (Polyanthus). May, Yellow and orange-	~~		4.2 4.4
crimson. 6 to 9 in	25	1 50	12 50
vulgaris (English Primrose). May. Yellow. 6 to 9 in	25	1 50	12 50
PYRETHRUM roseum (Feverfew). June and July.	20	1 90	12 90
White, pink and red. $1\frac{1}{2}$ to 2 ft	25	1 50	10 00
roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	$\bar{3}\bar{5}$	3 00	10 00
RANUNCULUS aconitifolius fl. pl. (Crow's-foot).		9 9 9	
June. White. $1\frac{1}{2}$ to 2 ft	25	1 50	
June. White. $1\frac{1}{2}$ to 2 ftacris fl. pl. (Yellow Bachelor's Buttons).			
June. Yellow. $2 \text{ ft.} \dots$	25	1 50	
repens (Double Buttercup). May to July.	กะ	1 50	10.00
Yellow. 1 ft	25	1 50	10 00
ROSMARINUS officinalis (Rosemary). Scented	25	1 50	
foliage Colden Clow Tuly to	240	1 50	
RUDBECKIA laciniata, var. Golden Glow. July to September. Yellow. 8 ft	25	1 25	10 00
Newmani. August and September. Yellow. 1½ ft.	$\frac{25}{25}$	$\frac{1}{1}\frac{50}{50}$	10 00
nitida (Cone-flower). August and September.			
Pale yellow, 5 ft	25	1 50	10 00

SALVIA argentea. June. White, white foliage. 2 ft	Each \$0 25	\$1 50	\$10 00
Caucasicum. July and August. Reddish purple.	0-	4 20	40.00
3 ft	25	1 50	10 00
Deep blue. 2 to 3 ft	25	1 50	10 00
April. 6 in	25	1.50	$= 10 \cdot 00$
SANTOLINA incana (Lavender Cotton). July. Deep yellow. 1 ft	25	1 50	10 00
SAXIFRAGA cordifolia (Rockfoil). April to June.			
Rosy purple. 15 in	25	2 00	15 00
SCABIOSA Caucasica (Mourning Bride). Lav-		0 =0	444 0.0
ender-blue. June. 15 to 18 in	35	2 50	15 00
SEDUM acre (Golden Moss). May and June. Yellow. Spreading	25	1 25	10 00
album. July. White, 4 to 6 in	$\frac{25}{25}$	$egin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{10}{10} \frac{00}{00}$
Rhodiola. August. Light pink. 1 ft	$\frac{20}{25}$	$1\overset{25}{25}$	$\frac{10}{10} \frac{00}{00}$
sexaligulate (Stonecrop), June and July, Yel-	_,,	1 -0	10 00
low. 6 in	25	1 25	10 00
spectabile (Brilliant Stonecrop). September	~ =	0.00	
and October. Rose. 12 to 15 in spectabile, var. atropurpurea. September and	25	2 00	15 00
October. Purplish crimson. 15 in	25	2 00	15 00
telephoides. July and August. Pink. 1 ft	$\frac{55}{25}$	$\frac{5}{2}$ $\frac{00}{00}$	$\frac{15}{15} \frac{00}{00}$
SENECIO clivorum. Summer. Yellow. 3 ft	35	$\frac{2}{50}$	15 00
pulcher (Groundsel). July to October. Rosy			10 00
purple. $1\frac{1}{2}$ to 2 ft	25	1 50	
SILENE Pennsylvanicum (Wild Pink). April and	۵-	4 05	40.00
May. Rose or white. 9 in	25	1 25	10 00
April. White. $1\frac{1}{2}$ ft	25	1 50	
SPIRÆA (Goat's Beard, or Meadowsweet) aruncus	20	T 400	
June and July. White. 4 to 5 ft	35	2.50	15 00
filipendula fl. pl. June and July. White. 2 ft.	25	1 50	12 50
lebata. July. Pink. 3 to 4 ft	$\frac{25}{25}$	$\begin{array}{c} 2 & 00 \\ 2 & 00 \end{array}$	$\frac{15}{15} \frac{00}{00}$
pallitata, var. elegans. Anno and Anty White.	(بند	2 00	15 00
crimson anthers. 3 ft	25	2 00	
omaria. June and Juny. White, 5 ft	25	2 00	
venusta. June and July. Deep pink. Fragrant. 3 ft.	25	2 00	
STACHYS Betonica; syn., Betonica rosea. July and	240	2 00	
August. Rose. 1 ft	25	1 50	12 50
SIATIVE IdidICA (Sea Davender) Inne to Anguet		2 170	12 170
Red. 15 to 18 in	25	1 50	10 00
latifolia (Great Sea Lavender). July and August. Deep blue. 2 ft	25	1 50	10 00
STOKESIA cyanea (Stokes' Aster) July to Octo-	20	т эо	10.00
ber. Lavender, 1\(\frac{1}{2}\) ft	25	2 00	15 00
cyanea, var. alba. July to October. White.			
TANACETUM globiferum (Tanay) Avangt Caller	50	3 50	
TANACETUM globiferum (Tansy). August. Golden yellow. 3 ft	25	1 50	10 00
	20	7 90	10.00

THALICTRUM adjantifolium (Meadow Buo) Tuno	Each	10	100
aquilegifolium (Feathered Columbine) June	0 25	\$1 50	\$10 00
polyganum (Tall Rue). June, White 3 to 4 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{cc} 1 & 50 \\ 1 & 50 \end{array}$	
purpurascens. June to August. Purple. 3 to 4 ft.	25	1 50	
THERMOPSIS Caroliniana. June. Yellow. 3 to 4 ft. mollis. May to July. Yellow. 2 to 3 ft	25	1 50	
THYMUS montanus, var. coccineus (Scarlet Thyme)	25	1 50	
May. Bright red. 4 in. vulgaris (Common Thyme). May. Lilac. 1 to 2 ft.	$\frac{25}{25}$	1 50	
TRADESCANTIA Virginiana (Spiderwort). June to October. Purple. 2 ft.		1 25	10 5
Virginiana, var. alba. June and July. White, 2 ft.	$\frac{25}{25}$	$egin{array}{cccc} 1 & 50 \\ 1 & 50 \\ \end{array}$	12 50 12 50
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in.	25	1 50	. 12 30
grandiflorum (Wood Lily). March and April. White. 9 to 12 in.	$\frac{25}{25}$	1 50	
TROLLIUS Europæus (Globe-flower). May to August. Yellow. 2 ft.	25	1 50	12 50
Reddish 2 ft (Valerian). June to October.	25		
	25	1 50 1 50	10 00
Rose-pink. 2 ft. rubra. June to October. Red. 2 ft. VERBASCUM Olympicum (Mullein). July to Sep-	25	$1\overline{50}$	10 00
tember. Yellow. 6 ft. VERNONIA Arkansana (Ironweed). August to Octo-	25	1 50	12 50
Baldwini. August to October. Purple. 4 ft	25 25	$\begin{array}{cc}2&00\\2&00\end{array}$	
VERONICA longifolia, var. rosea (Speedwell). July to October. Rose. 1½ ft.	25	1 50	
longifolia, var. subsessilis. August to November. Deep blue. 1½ to 2 ft	25	2 00	15 00
Blue Spreading	25	1 50	10 00
Virginica. August to September. White. 4 ft.	25 25	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	10 00 10 00
VINCA minor (Periwinkle). May. Bright blue. Spreading	25	1 50	10 00
VIOLA pedata, var. bicolor (Bird's-foot Violet). May. Purple and White. 4 in	25 25	$\begin{array}{ccc} 1 & 50 \\ 1 & 25 \end{array}$	12 50 10 00

A CALENDAR OF PERENNIALS

This booklet, in a revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions. ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places.
Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.
Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.
ASPLENIUM Filix-femina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils.

BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.

DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations. ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet Struthiopteris (Ostrich Fern). 2 to 4 ft. For open positions, dry or moist soils. OSMUNDA gracilis (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils. Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils, cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils. WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil. WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions,

in moist soils.

The above varieties, 25 cts. each, \$2 per 10, \$15 per 100. The above collection, 15 varieties, \$3.

100 in 5 varieties, our selection, \$12.50.

HEDGE PLANTS

We shall be pleased to name special prices for plants in quantity for

hedging purposes. EVERGREE	N TOFFS		
. —	SEE PAGE		
Biota orientalis	Thuya occidentalis		
DECIDUOUS TREES			
Carpinus Americana	Cratægus Oxyacantha		
EVERGREEN	N SHRUBS		
Azalea amœna	Ilex crenata microphylla17Mahonia aquifolia17Japonica17		
DECIDUOUS SHRUBS			
Acanthopanax spinosa	Hippophae rhamnoides 40 Ligustrum Ibota, Regelianum, ovalifolium, vulgare 41 Lonicera Tatarica 42 Rhamnus cathartica 43		

OUR CATALOGS

- THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 eents, which will be credited upon their first purchase amounting to \$5.
 - ANDORRA'S HANDBOOK will serve as a standard guide, being up-todate in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.
- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers theroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- **BEAUTIFUL LAWNS, BOOKLET No. 27.** This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- BOXWOOD, BOOKLET No. 28. For formal gardens and in connection with architectural effects, BOXWOOD is now absolutely necessary. This booklet shows the different forms we offer.
- HINTS FOR SUCCESSFUL PLANTING, BOOKLET Mo. 30. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the ealiper or diameter of the trunk is taken above the eollar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).

DEPARTMENTS

PAGE (PAGE
Fertilizers	Vines and Climbing Plants47
General Instructions and Terms 3	Fruit and Small Fruits49, 50
Evergreen Trees 4	Roses
Evergreeu Shrubs	Herbaceons Plants51
Deciduous Trees20	Ferns
Deciduous Shrubs33	Iledge Plants63
Reeds and Grasses47	Catalogs64

INDEX			
PAGE	PAGE	PAGE	
Aaron's Beard40	Baby's Breath56	Catalpa24	
Abelia33	Baccharis35	Ceanothus36	
Abies	Bambusa	Cedar	
Acanthopanax33	Baptisia53	Cedrela24	
Acer	Barberry35	Cedrus 5	
Achillea	Basswood	Celastrus	
Aconitum51	Beard Tongue59	Cephalanthus36	
Actinidia47	Bear's Breech51	Cephalotaxus 5	
Adam's Needle20	Beauty-fruit35	Cerastium54	
Adiantum63	Beech	Cerasus 16, 25	
Æsculus23, 33	Belemeanda53	Ceratostigma54	
Ailanthus23	Bell-flower54	Cereidiphyllum25	
Ajuga	Bellis53	Cercis	
Akebia47	Benzoin	Chamædaphne16	
Alder	Berberis35	Chamomife52	
Shrub35	Betonica. See Stachys. Betula24	Chaste Tree47	
Alnus23	Bignonia47	Chelone	
Althæa (see, also, Hi-	Balloon-flower60	Cherry	
biscus)39, 40, 51	Biota4-5	Chestnut24, 49	
Alum Root56	Bireh24	Chinese Angelica Tree.23	
Alyssum51	Bittersweet47	Chinese Arborvitæ 5	
Amelanchier23, 33	Black Alder23	Chinese Cork Tree29	
Amorpha34	Blackberries49	Chionanthus36	
Ampelopsis47	Black Haw47	Chokeberry43	
Amygdalus. See Prunus. Anchusa	Black Walnut27 Bladder Nut44	Christmas Rose56	
Andromeda (see, also,	Bladder Senna36	Chrysanthemum54 Chrysogonum54	
Oxydendrum)15, 23	Blanket-flower55	Chrysopsis54	
Anemone	Blazing Star58	Cimicifuga54	
Anthemis52	Bleeding Heart55	Cineraria. Sce Arte-	
Apples49	Blue Spirea35	misia.	
Aquilegia52	Boeeonia53	Cinquefoil42	
Arabis52	Boltonia53	Cladrastris25	
Aralia	Box	Clematis48, 54	
Arenaria	Bridal Wreath	Clethra	
Aristolochia57	Broussonetla24	Colutea36	
Armeria53	Buckthorn43	Comptonia36, 37	
Aronia. See Pyrns.	Butterfly Weed53	Cone-flower55, 60	
Arrow-wood46	Buttonwood30	Conoclinium54	
Artemesia53	Buxus	Convallaria54	
Arundo47	Callmeris	Coral Berry44	
Asclepias	Callicarpa35	Corchorns36	
Asparagus50	Callirhoe	Coreopsis54	
Aspidium	Campanula54	Cornus25, 36, 37 Corylus37	
Asplenium63	Candytuft57	Cotoneaster16, 37	
Aster53	Caragana35	Crab Apples30	
Astilbe53	Cardinal-flower58	Cranberry Bush46	
Astranția53	Carpinus24	Cratægus17, 25, 26	
Aubrietia53	Caryopteris35	Cryptomeria 5	
Azalea15, 34, 35	Castanea24	Cueumber Tree28	

PAGE	PAGE	PAGE
Cupressus	Giukgo32	Kniphofia58
Curraut43, 49	Gleditschia27	Kœfrenterla27
Cydouia37	Globe-flower36	Kudzu Vine48
Cypress9, 12, 32	Goat's Beard61	Lareb27
Cytisu	Gold-flower40	Larix
Daisy53	Golden Bell39	Larkspur54
Day Lily55-56	Golden Chain26	Lathyrus48, 58
Day Eny	Golden Tuft51	Laurel16-17
Dapbue	Glyptostrobus. See Tax-	Lavandula58
Deciduous Trees 20-33	odium.	Lavender58
	Gooscherries49	Lavender-cotton61
Delphinium55 Desmodium. See Les-	Grapes	Lespedeza40
pedeza37	Groundsel Shrub35, 61 Guelder Rose46	Liatris58 Ligustrum40-41
Deutzia37, 38		Lilae44
Diauthus55	Gymnoeladus27 Gypsophila56	Lllium
Dicentra55	Halesia39	Lily-of-the-valley54
Dicksonia63	Hamamelis	Linden32-33
Dietamnus55	Hardy Roses50-51	Linum58
Diervilla38	Hawthorn26	Liquidambar28
Digitalis55	Hazel37	Liriodendron28
Diospyros26	Hedera48	Liver Leaf56
Dogwood25, 36-37	Hedge Plants63	Lobelia58
Dolichos. See Pueraria.	Helenium56	Loeust
Doronicum55	Helianthus56	London Pride58
Dutehman's Pipe47	Heliopsis56	Lonicera41, 42, 48
Echinacea55	Helleborns56	Loosestrife58
Elæagnus39	Hemerocallis, or Day	Lyehnis
Elder43	Lily56	Lyeium
Elin	Hemloek14	Lysimachia58
Elymus47	Hepatica56	Lythrum58
English Primrose60	Herbaceous Plants .51-62	Maelura28
English Ivy48	Heuchera56	Magnolia28
Erianthus47	Hibiscus39, 40, 57	Mahonia17
Erigeron	High Cranberry Bush 46	Maidenhair Tree32
Eryngium55	Hippophae40	Maple20-23
Esculent Roots50	Holly17	Matrimony Vine42
Eulalia47	Hollyhocks (see, also,	Meadow Rue61
Euonymus17, 39, 48	_Althæa)51	Meadow Swect61
Eupatorium55	Honey Locust27	Mertensia58
Euphorbia	Honeysuckle41, 48	Mint-flower54
Evening Primrose59	Hop Tree30	Mist, or Smoke Tree43
Evergreen Shrubs15-20	Horubeam24	Mock Orange42
Evergreen Thorn17	Horse-chestnnt23	Monarda59
Evergreen Trees4-15	Hydrangea40	Moneywort58 Moonkshood51
Everlasting Pea48 Exochorda39	Hypericum40	Moones 20
Fagus	Iberis	Morus
Ferns	Inula	Mourning Bride61
Festuea47.	Iris	Mulberry24, 29
Feverfew55, 60	Iron Weed62	Myosotis59
Fir 4	Itea	Myrica42
Flame-flower58	Jaeob's Ladder60	Negundo. See Acer Ne-
Flowering Almond43	Japanese Maples22-23	gundo.
Flowering Crab30	Japan, or Boston Ivy27	Nepeta59
Forget-mc-not59	Japan Cypress 9	Nettle Tree25
Forsythia39	Japan Judas36	Nuts49
Foxgloves55	Japan Quince37	Nyassa29
Fox Grape48	Japanese Snowball46	Oak30-31
Fraxinus	Jasmine40	Enothera59
Fruit49	Jasminum40	Old Man53
Funkia55	Jersey Tca36	Old Woman53
Gaillardia56	Judas Tree25	Oleaster39
Galega	Juglans27	Onoelea
Gas Plant55	Juneberry23	Ophiopogon59
Geranium58	Juniperus5-6-7	Oriențal Plane39
German Catebriy56	Kalmia	Oriental Poppy59
Genm	Kentucky Coffee Tree.27	Osage Orange28
Glllenia56	Kerria. See Corchorus.43	Osmanthus17

PAGE	(DACE	,
Osmunda63	PAGE PAGE	PAGE
Osmuida	Ribbon Grass47	Sweet Shrub35
Oswego Tea, or Fra-	Ribes	Sycamore30
grant Balm59	Robinia32, 43	Symphoricarpus44
Oxydendrum29	Rock Cress52	symphoticarpus44
Description 50	ROCK CIESS	Syringa44
Pæonia	Rockfoil61	Tanacetum61
Pachysandra59	Rose Acacla43	Tamarix
Papayer	Rose Camplon58	Manadian 10
Pardanthus. See Bei-	Description	Taxodium32
	Rosemary	Taxus
emcanda,	Rose of Sharon39, 40	Tecoma. See Bignonia.
Parrotia	Roses50-51	Thalictrum
Paulownia	Rosmarinus60	manetrum
Davia Sas Danier	Rosmarinus00	Thermopsis62
Pavia. See Escuius.	Rosy Milfoli51	Thorn
Peaches	Rubus43	Thorn, Evergreen17
Pearl Bush	Rudbeckia60	mbsigs
Pears49	Dyggang Danna 54	Thrift53
Desired as a second sec	Rugosa Roses51	Thuya
Pentstemon59	Salisburia32	Thujopsis
Periploca48	Salix32	Thymns
Periwinkle62	Salvia	Thymus
Domina Ivon Duna 00	Salvia	Tickseed54
Persian Iron Tree29	Sambucus43	Tiger Lily58
Persica	Sandwort	Tilia
Persimmon26	Sanguinaria61	The degree of the second secon
Dhalaria 47	G 1	Tradescantia62
Phalaris47	Santolina61	Tree of Heaven23
Pbellodendron29	Saxifraga61	Trillium62
Philadelphus42	Scotch Broom37	Trolling
Philiyrea17	Supilore C1	Trollius
Distantification of the control of t	Scablosa61	Trumpet Vine47
Phlox60	Sciadopitys11	Tsuga
Pbysostegia60	Sea Buckthorn40	Tulip Tree28
Picea7-8	Sea Holly55	Tilmus 00
Pine8-9, 11	Sea Torray June 44	<u>Ulmus</u>
Till 1	Sea Lavender61	Umbrella Tree28
Pinks60	Seneció61	Vaccinium46
Pinus8-9	Sedum	Valeriana62
Plane30	Sheepsberry45	Valorian
Platanus30	Obsert Vallers Dank 47	Valerian
Distance of our	Shrub Yellow Root47	Varnish Tree27
Platycodon60	Shrubby Cinquefoil42	Verbascum62
Plumbago54	'Sliene	Vernonia62
Plums49	Slik Vine48	Voyonico
Podocarpus9	Small Elimita 40	Veronica
Dolomonium 20	Small Fruits49	Viburnum46-47
Polemonium60	Smiiacina61	Vinca62
Poplar30	Snakeroot55	Vines and Climbing
Populus30	Snowbail	Plants47, 48
Poppy53, 59	Chambanna	Tiants41, 48
Detentilie 40	Snowberry44	Viola62
Potentilia	Sophora	Virgilia. See Cladras-
Primrose59-60	Sorbus	tris.
Primula	Speedwell62	
Privet40-41	Chaire Dante	Virginia Creeper47
Durners Con -1	Spice Bush35	Vltex
Prunus. See, also,	Spideewort62	Vltis
Cerasus30, 42	Spindle Tree39	Wax Myrtle42
Pseudotsuga9	Spiræa43, 44, 53, 61	Wayfaring Tree46
Ptelea30	CD11140 7 0 0	way faring tree46
Discondensing 00	Spruce	Weigela38
Pterostyrax30	Stachys	White Fringe36
Pueraria48	Staphylea44	White Rod46
Purple Mist43	Statice	Wolf's hans
Pyrethrum60	Starburandas 45	Wolf's-bane51
D	Stephanandra45	Willow32
Pyrus	Stokesia61	Windflower51-52
Quercus30, 31	Stokes' Aster61	Winola47
Quinces37, 49	Stonecrop	
Ranunculus60	Strone Cop	Winter Berry40
Description	Strawberries50	Wistaria48
Raspberries50	Strawberry Bush39	Witch Hazel39
Red Bud, or Judas25	Styrax44	Woodsin
Reeds and Grasses47	Sumae 91 90 49	Woodsia63
Potinognous 044	Sumae31-32, 43	Woodwardia63
Retinospora9-11	Sunflower56	Xanthoceras47
Rhamnus43	-Swamp Huckleberry46	Xauthorrhiza47
Rhododendron18	Sweet Fern36	Various F4
Rhodotypus43		Yarrow
Phuhoub ~	Sweet Gum28	Yellow Wood25
Rhubarb	Sweet William54, 60	Yew5. 9. 11. 12
Rhus31-32, 43	Sweet Pepper Bush 36	Yucca
	,	

Plant for Immediate Effect

Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

AS AN EXAMPLE

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place."

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
OUALITY IN TREES MEANS SUCCESSFUL PLANTING