

Inventory No	Name of Machine	Specifications	Remarks
20156	cutting tl tap	dia. 4/6 mm 11 pcs.	
20157	do rnd. die	dia. 4/26 mm 6 pcs.	
20158	do file	various kinds; 468 pcs	
20159	do drill	dia. 9/30 mm 108 pcs	
20160	measuring tool caliper gauge	cap. 300 mm	
20161	do thick. gauge	o.03/1 mm cap. 2 pcs.	
20162	do micrometre	outside xx 1/100 o/50 mm sen'ty: 2 pcs	
20163	do stl. ruler		
20164	do dial indicator	sensib'y: 1/100	
20165	do level	leng. wid. ht 200 200 45mm 2 pcs	
20166	do stl. rules	cap. 1.5' 10 pcs.	for wood-working
20167	hand tool found tool (V)	leng. 210mm 18 pcs.	
20168	pick	leng. 1100 mm 3 pcs. dia. of screw 25/40mm	
20169	Jacks	5 pcs	for wood working
20170	Ink pots	33 pcs	
20171	bellow torch	cap. 1/2 Lit. 6 pcs	
20172	weld. spectacle		
20173	shovel	leng. 1050 mm 31 pcs.	
20174	wooden blocks	single & doublr 5 pcs.	
20175	stl. block	do 4 pcs.	for wood working
20176	fire hook	leng. 230 mm 51 pcs.	
20177	levers	leng. 580 mm 34 pcs.	
20178	spectacle	46 pcs	to prevent dusts
20179	gas torch		
20180	hand tool die wrench	leng. 950 mm	
20181	do tap wrench	2 pcs.	
20182	do	leng. of edge 260 mm cap. 200 G	
20183	hack saw		
20183	chem. balance	sensit'y 1/1000 2 pcs	

Inventory No.	Name of Machine	Specifications				Remarks
20184	platform scale	cap. 1000 kg sensi'ty 500 g				
20185	do	cap. 120 kg sensi'ty 500 g				
20186	do	cap. 60 kg sensi'ty 100 g				
20187	safe	steel				
20188	do	do				
20189	Mineograph	3 pcs				
20192	bicycles	2 pcs				
20193	stove	cast iron				
20194	braziers	8 pcs.				
20195	clock					
20196	binders	23 pcs				
20197	desk	1 side sleeve 37 p				
20198	do	double slv. 6 pcs.				
20199	do	no sleeve 5 pcs.				
20200	book case	stl. 7 pcs.				
20201	do	wooden 6 pcs.				
20202	ward robe	wooden 12 pcs				
20203	Turnig chair	4 pcs.				
20204	chairs	14 pcs				
20205	do	16 pcs.(for officers)				
20207	table	wooden				
20206	screen	wooden				
20208	bed	wooden				
20209	sofa	do				
20210	Mosquito nets	.650 x 1.30M 2 pcs.				
20211	black board	300 x 850 mm 3 pcs				
20212	blankets	11 pcs				
20213	mettress	8 pcs				

Inventory No	Name of Machine	Specifications	Remarks
20214	telephone	on wall	
20215	table tel.	9 pcs.	
20216	pan	aluminium 2 pcs	
20217	rice chest	19 pcs.	
20218	table wares	large 80 pcs	
20219	do	small 80 pcs	
20220	lunch carriers	large 178 pcs	
20221	do	small 184 pcs.	
20222	rice washer	cap. 0.055 m ³	
20223	kettle	steel	
20224	ladle	do	
20225	fire hose	leng. 2 M 29 pcs	
20226	hand tool driver	leng. 333 mm 10 pcs	
20227	do cutting plier	leng. 225 mm 6 pcs	
20228	do chisel	wid. of edge 2/28 mm 5 pcs.	
20229	trowel chisel	wid. of edge 15 mm 20 pcs wid. of edge 40/70 mm 139 pcs.	
20230	planes hand tl.	leng. of edge 30/70 20 pcs	
20231	planes	leng. 205/305 10 pcs	
20232	do saw	290/460 mm 10 pcs	
20233	do		
20234	gimlet	20 pcs.	
20235	measure'g tl. tachometre	10000 revolution	
20237	Do sur. gauge	Ht. 360MM 3 pcs.	
20238	Instrument fire hooks	15 pcs	for wood working
20239	do ink pot	5 pcs	do
21060	storage battery	6v 6 pcs. 12v 3 pcs	
21061	Rubber tube	repairing instrument	
21062	spray gun	cap. 1 lit.	
20243	3 out. tool, grind.whl.	dia. 203/305; 50 pcs	

Code no. 22 74

Inventory No	Name of Machine	Specifications			Remarks
21063	chain block	cap. 10 tons ht. of lift. 10000			
21064	do	cap. 5 tons ht. of lift. 8000			
21065	do	cap. 10 tons ht. of lift 10000			
21066	do	cap. 1 ton ht. of lift; 2400			
21067	jack ;oil	cap. 1 ton, 3 pcs. ht. of lift. 210			
21068	do	cap. 20 tons lift. 220			
21069	screw jack	cap. 15 tons 30 pcs Lift 270 dia of Bed 100			
21070	oil jack	cap. 5 tons lift 2 lit.			
21071	jack	cap. 0.5 ton lift 80 sz. of hd. 40 x 45			
21072	vice	wid. of jaw 127 jaw open 140 3 pcs.			
21073	do	wid. of jaw 165 jaw open 220			
21074	do	wid. of jaw 140 jaw open 180			
21075	do	wid. of jaw 127 jaw open 140			
21076	gas generator	dia. (500) x Leng. 650 (tank) press. 14.7 kg			
21077	rescent spanner	cap. 33			
21078	case type wrench	cap. 67 2 pcs			
21079	pipe wrench	cap. 25.4 2 pcs.			
21080	ver/nier caliper	leng. 200			
21081	press. gauge	200 kg/cm ² 25 kg/cm ² 1 pce			
21082	screw clamp	wid. of jaw 350 1 pce.			
21083	anvil	wt. 60 kgs			
21084	blk. block iron	dia./whl. 180- 1 pce 115/ 1 pce. 220 - 1 pce			
21085	do	dia. of whl. 160/ 1 pce 125- 2 pcs. 250 - 3 pcs			
21086	block wooden	dia. of rope; 33; 1 pce 16 ; 2 pcs			
21087	oil tank	leng. 500 wid. 500 ht. 1150			
21088	conveyor box	2.m x 1.2m x .15m 1 pce 1.45m x 1.m x .14 m 2 pcs			
21101	port. drill el.	drill. cap. 23 IMD			
21102	Do.	a.s. /dc 0.25 hp drill. cap. 22			

Inventory No.	Name of Machine	Specifications			Remarks
21103	Port. drill	drill. cap. 22			
21104	do	drill. cap. 22			
21105	do	drill. cap. 22			
21106	sur. plate	drilling cap. 22			
21107	turning lathe	swing o.b. 520 leng. of bed. 1500 IHD 2hp			
21108	do	swing o.b. 520 leng. of bed 1420 IHD 2hp			
21109	vice	wid. of jaw 127 jaw open 140			
21111	port. drill	drill. cap. 9			
21112	do	drill. cap. 10			
21113	port. grinder	dia. /th. of whl. 180 x 25			
21117	do	dia./wid. of whl. IHD 0.5 hp 150 x 15			
21118	sewing mach.	type 15 foot			
21119	do	type 15 ft.			
21120	pump	water press. 100kg/cm ² stroke 150			
21151	driver	leng. 240/118 pcs 170. 22 pcs., 180/935 p. 320/730 pcs			
21152	graver	wid. of edge; 18/25 35 pcs 15/21 37 pcs. 6/10 12 pcs			
21153	gimlet	dia. 25/38 6 pcs.			
21154	spanner	dbl. hd. 1/2 x 1/1 1/4" 36 pcs			
21155	do	single hd. 3/4" 23 pcs 1.5/8" 45 pcs., 3" 2 pcs., 1/2" 113 pcs			
21156	do	double hd. 534 pcs. 1/4" 6 pcs			
21157	chain nose plier	leng. 150 35 pcs.			
21158	pipe plier	leng. 165 57 pcs.			
21159	square	115 x 250 x 100/170 704 pcs.			
21160	straight edge	350 x 1520 24 pcs			
21161	chain nose plier	leng. 150 12 pcs See 8 pcs			
21162	cutting plier	leng. 200 1000 pcs			
21163	hammer	wt. 0.5 kg 11 pcs			
21164	hatchet	leng. 200 5 pcs.			

Inventory No	Name of Machine	Specifications			Remarks
21165	plane	spec. type 260 pcs			
21166	do	54 pcs			
21167	saw	leng./edge 300 5 pcs			
21168	do	spec. type 25 pcs			
21169	snap gauge	dbl. hd. 4/22 556 pcs			
21170	morse taper gauge	no.4 2 pcs			
21171	thread gauge	dia. 2.6 2 pcs			
21172	tape cloth	10m; 6 pcs. 20m; 7pcs 30 ^m ; 6 pcs. 10m 2 pcs			
21173	convex rule	30 m 2 pcs			
21174	twist drill with taper shank	5/16 - 1 1/4" 72 pcs			
21175	Do.	3/49 175 pcs			
21176	Twist drill with straight shank	0.6/4 24540 pcs.			
21177	metal sitting saw	dia./th. 50/100 x 0.25/5 643 pcs			
21178	spiral end mill	dia. 5 1/2 x 7 1/2 130 pcs			
21179	side milling cutter	dia./th. 125/130 x 10/20 12 pcs			
21180	concave cutter	65/90 x 6/10 33 pcs dia. /th. 80/115, x 40/70 42 pcs.			
21181	angular cutter	6 pcs			
21182	spec. cutter	98 pcs.			
21183	HS tip bite	25 square; leng. 200 66 pcs.			
21184	thread cutting bite	20/30 sq. 349 pcs.			
21185	do	0.75 - 1.8 pcs. 197 pcs wood working			
21186	bite	leng. 150/210 84 pcs			
21187	sword edge type bite	sq. & leng 16/19 x 150/200 2612 pcs.			
21188	comb type bite	no.8 - 24 14 pcs			
21189	twist drill w. straight shank	dia. 4.2/ 12.3 160 100 pcs			
21190	hand tap	1.2/22 2934 pcs			
21191	do	1/8-1 1/2" 517 pcs			
21192	mach. tap	1/2 - 9/16" 300 pcs			

Inventory No	Name of Machine	Specifications	Remarks
21193	mach. tap	3/5 529 pcs	
21194	hand tap	7/32 - 63/64 168 pcs	
21195	rnd. dies	1/2 / 1.1/8" 117 pcs.	
21196	do	2/24 2472 pcs.	
21197	do	1/2 " / 249 pcs. 3/8" 189 pcs.	
21198	die head chaser	5/16" - 1 1/4 in. 478 pcs.	
21199	hand reamer	9.5/16 54 pcs 13/22 44 pcs.	
21200	blade-hack saw	410 x 9 x 1 455 pcs. Leng. wid. th.	
21201	file-hand	152/254 46 pcs 304 / 408 56 pcs	
21202	file round	152/260 521 p. 275/400 351 pcs.	
21203	file-half rnd.	150/203 39 pcs	
21204	knife switch	355 / 408 9 pcs 3 poles 250v, 150a	
21205	do	153 pcs. 3 pole 250v, 250 a 495 pcs.	
21206	do	3 poles 250v 400a 229 pcs.	
21207	do	3 poles 250v, 300a 13 pcs	
21208	do	3 poles 250v, 500a 3 pcs	
21209	do	3 poles 250v, 1000a 1 pcs	
21210	do	2 pole 250 v 300a 5 pcs	
21211	do	2 poles 250v 400 a 3 pcs	
21212	do	2 poles, 250v, 500a 2 pcs.	
21213	do	2 poles, 500v, 1000a 3 pcs.	
21214	do	2 poles 500v, 800a 1 pcs.	
21215	press.gauge	8 kg 10 pcs	
21216	do	20 kg 2 pcs	
21217	lathe dog	25 pcs	
21218	helmet for welding	165 pcs	
21219	rubber tb.	out.dia. inside dia. leng 10/8 x 4/7 x 34/85m 805 m	
21220	flask	0.1/1 lit. 30 pcs	

Inventory No	Name of Machine	Specifications			Remarks
		dia. & leng.			
21221	cock; glass	6 x 170 33 pcs. 500 Sp., 10cc; 5 p.			
21222	hole pipet	20cc. 3p., 25cc; 4 pcs 1 lit. 2 pcs.			
21223	burette	0.2 lit. 4 pcs.			
21224	filter glass	dia. 70 x 165(L.) 27 pcs 35 x 65 62 pcs.			
21225	safety funnel	dia. x leng. 40 x 300 7 pcs			
21226	aspirator	dia. x leng. 10 x 320 28 pcs.			
21227	test glass	dia. & leng. 20 x 180 50 pcs.			
21228	porcelain combustion tube	dia. x leng. 25 x 65 7 pcs.			
21229	cooler	dia. & leng. 30 x 120 2 pcs.			
21230	pad lock	37 pcs.			
21231	belt lacing	leng. 15/38 21296 p			
21232	fire brick	21296 pcs. dia. /jaw 37			
21233	vice	jaw open 87 457 pcs 125/150 4 pcs.			
21234	micrometre	50/75 6 pcs			
21235	micrometre thread	0/25 4 pcs.			
21236	do depth	10/20 1 pce			
21237	standard screw gauge	dia. /pitch 45/65 x 12/18 9 pcs			
21238	do	dia. # pitch 132 x 12 12 pcs. x type 10/50 85 pcs			
21239	snap gauge				
21240	do	c type 7.5/50 39 pcs			
21241	plug gauge	2/50 138 pcs.			
21242	megger	100 ohm 500v 1 pce.			
21243	do	100 ohm, 500v, 1 pce.			
21244	chem. bal.	200 kg. 1 pce. 100 gr 2 pcs			
21245	megger	100 ohm, 500 v, 1 pce			
21246	3-wire thread indicator	24 pcs. p. set			
21255	vice bench	parallel ; wid. of jaw 130, 6 pcs. chrome 32. of tank,			
21263	galvanizing	1000 x 820 x 720 1md 1p 510 x 460 x 510 1md 1p			

Inventory No	Name of Machine	Specifications	Remarks
21264	Galvanizing	chrome; sz. of tank 510x460x510 IMD 0.25 hp	
21265	do	chrome; sz. of tank 640 x 1200 x 800 Imd 1 hp	
21266	commutator	d.c. low a.c. 220v.	
21267	cable head	3300v 50mm ² 3ph	
21268	oil switch	3500 v 50 a 3 ph	
21269	insulator; high tension	9 pcs	
21270	" low tension	2 pcs	
21271	control panel	marble black sz. of panel 900x1200 x 40	
21272	do	marble blk. sz. of panel 900 x 1200 x 40	
21273	tank for pacalizing	cap. 100 kg chamber; 1m x .7m x .6m wt. to. prs. 6 kg	
21274	boiler	sz. of tube 150	
21275	wahser tank	sz. of tank 500 x 500 x 500	
21276	furnace drying ;el.	chamber 700x500x500 temp. 300 oC 2.4 kw	
21277	vice cent'l	wid. of jaw 120 jaw open 120 3 pcs	
21278	separator	rotary dia. 300 ht. 300	
21301	material mixer	Feed; dia. /ht. 500 x 280	
21309	chimney & flue	concrete dia. 4.3m ht. 50 m	
21323	furnace toast	cap. 1 t. /charge coke	
21338	Bal. static; scale	cap. 10 kg x 1 g	
21352	flask	dia. 450 ht. 250; 705 pcs	
21356	Tool containers;	310/1.94 x 300/1.25 x 100/330 400x1.32 x 1.58x250/lm	
21357	Sand containers	13 pcs. cap. 0.3m ³ /1.5m 20 pcs.	
21358	material containers	600x1.2x1.2m - 5 pcs. 600x1000x1210 610x1m x 550 - 5 pcs	
21364	air receiver	cap. 25m ³ x 7kg/cm ²	
21375	lapping mach.	dia. of pan 160 imd 0.5hp 2 pcs	
21376	vice leg	w. /jaw 130 ; jaw open 170 3 pcs	
21377	Do. bench	w. of jaw 130 jaw open 150 15 pcs	
21378	furnace htg.	Htg. cham.; 570x 400 x 650 - 3 pcs.	

Inventory No	Name of Machine	Specifications	Remarks
21379	sand mixer	cap. 0.5m ³ /hr	
21387	tool container	1.16m x .5m x 1.2m 2 pcs	
21388	do	2.1m x .87 m x 1.5 m 1 pce	
21418	blower	cap. 0.5m ³ /min 13hp del. prs. 0.35 kg/cm ²	
21419	rolling mill	cap. max. 20 lit. 3 passes Ind 0.5hp	
21421	pump	Prs. 2.5kg/cm ² stroke 150	
21422	do	Prs. 2.0 kg/cm ² strk. 150	
21423	do	Prs. 2.5 kg/cm ² strk. 150	
21562	switch gear	panel stl. black 3,300v 1.5x500x2300 2 pcs	
21671	crusher	cap. 1.5/2 ton/Hr.	
21766	thermo el. pyrometre	cap. 1400 °C	
21830	Insulator type	3500v, 8a	
21831	testing mach. hardness shore	graduation 0/150 sensibility 1	
21832	Port. hammer	No. of blows/min 1,300	
21833	pneumatic pump water	cap. 2 l/min Ind 1 hp	
21834	centrifugal	Cap. 2 Lit/min IND 1 hp	
21835	blower, propeller	Cap. 4m ³ /min Prs. 130mm/water colm	
21836	line shaft	dia. & leng. 75 x 4500	
21837	motor	Ind. 10 hp, 60 c. 3ph., 220v, 850 rpm	
21838	gas generator acetylene	dia. & Height 950 x 1200 Max. work. dim. 25.4	
21839	portable drill (el)	AC DC	
21840	Port. drill	Max. work dim. 32 mm	
21841	Pneu'tic	Max. work. dim. 19mm	
21842	Do.	Max. work dim. 5 sets	
21843	air receiver	cap. 4 m ³ prs. 7 kg/cm ²	
21844	vice parallel bench	wid. of jaw 160 mm jaw open 178 mm 5 pcs.	
21845	vice "	wid. of jaw; 152 mm jaw open; 165mm 11 pcs.	
21846	do	wid. of jaw; 134 mm jaw open; 152mm 5 pcs.	

Inventory No.	Name of Machine	Specifications			Remarks
21847	vice parrallel bench	width of jaw; 134 jaw opens 152 3 pos.			
21848	do	width of jaw ;134, jaw opend 152 12 pos.			
12849	do	wid. of jaw 127 jaw open 152 2 pos.			
21850	motor	AC induction; 3 hp 60 c. 220v. 3 ph. 1725 rpm			
21851	do	AC induction 7.5 hp 60 c. 220v. 3 ph. 3880 rpm			
21852	do	a.c. ind. 0.5 hp 60 c. 220v. 3ph. 1690 rpm			
21853	do	a.c. commutator 0.5hp 60 c 1ph. 220v. 1800 rpm			
21854	do	a.c. ind. 0.5 hp 60 c 3ph 220v. 1690 rpm			
21855	transformer for testing	1 kva pv 200/400v sv 30000 v indoor			
12856	Transformer current	15 kva 3450 v 30/5a 25 /60 c. indoor			
21857	do	15 kva 3450 v 30/5 a 25/60 c indoor			
21858	starter	a.c. 220v. 60 c. for 25 hp motor			
21859	transformer current	15 kva 3450 v 100/5a 60 c. 1 ph. indoor			
21860	transformer annunciation	200w pv 100v sv 4.8.10v 60 c. indoor			
21861	transformer current	40 va 3450 v 500/5a 60 c 1 ph. indoor			
21862	oil circuit breaker	3450 v 20000 kva 3ph indoor			
21863	controller reversible	ac 60 c. 220v. for travelling crane			
21864	do	a.c. 60 c. for travelling crane			
21865	pole oil switch	outdoor 1 ph. 3500 v. 50 a			
21866	branch clock	1 side dia. 300			
21867	do	1 side dia. 350 ²⁷ pos. 30 pos.			
21868	do	1 side dia. 600			
21869	do	2 sides dia. 450 4 pos.			
21870	do	two sides. dia. 500 2 sides dia. 400 ³ pos.			
21871	do	2 pos.			
21872	do	2 sides dia. 450 22 pos.			
21873	branch clock	2 sides dia. 350 11 pos.			
21874	do	2 sides dia. 300 6 pos.			

Inventory No	Name of Machine	Specifications			Remarks
21881	shearing mach. paper	max. wid. of paper max. thick./pp 4.5m x 2.5m x .75	1000 3hp x .7		
21887	fitters' bench	18 set			
21888	sur. plate	600 x 1.3m x 30 mm			
21889	do	500 x 500 x 30			
21890	do	2m x 4.9 m x .7 m/.9m 740 x /770			
21892	do	750 x 890 x 3.5 m	6 pcs.		
21893	do	5m x ⁷⁸ .8m x .8 m			
21894	do	2.65m x .9 m x .65m			
21895	chem. balance	cap. 100 g. 2/1000 g			
22026	Heater el.	Temp. 80 °C chamber; 600 x 1000mm			
22027	separator Dyphdration	sz. of tb.; 160 x 1.4m dis. pipe: 15 x 5000			
22028	bottling app.	main pipe: 15 x 8000 branch pipe; 6 x 12000			
22030	chain block	cap. 1000 kgs. ht. of lift. 5000			
22031	vice parallel bench	wid. of jaw 130 jaw open 90			
22032	press. gauge	0/400 Kg/cm ²	35 pcs.		
22033	fitters' bench wood	250 x 150 x 100			
22034	do	1300 x 900 x 40	2 pcs.		
22035	oxygen bottle	203/250 x 1370/1750 34.7 L/48.7 L.	494 pcs.		
22036	desk wooden double/drawers	of drawers. 1 x 299 x	1 pce.		
22037	desk; wooden single row of drawers		1 pce.		
22038	chair, wooden		8 pcs.		
22039	do		5 pcs.		
22040	wardrobe		3 pcs.		
22041	book case		5 pcs.		
22042	Counting machine,		1 pce. "Tiger" brand		
22043	mineograph		1 pce.		
22044	clock		1 pce. 2.63m x .9m x .76m		
22046	fitters' bench		5 pcs.		

Inventory No.	Name of Machine	Specifications			Remarks
22051	desk- wooden	double rows of / 24 pcs drawers; 1m x 1.39m x .8m			
22052	do	800mm x 1.2m x 800mm	63 pcs.		
22053	Desk-wood. single row of drawers	800 x 1.2 x 800	189 pcs.		
22054	desk; wooden	785 x 910 x 800	43 pcs.		
22055	Rolling arm wooden chair	(turning) 580 x 680 x 890	20 pcs		
22056	turning chair	380x 420x 620	8 pcs.		
22057	sq. chair	510 x 440 x 900	281 pcs		
22058	chair	400 x 380 x 690	18 pcs		
22059	folding chair	440 x 80 x 930	63 pcs.		
22060	chair for drawing	400 x 400 x 550	26 pcs		
22061	Typewriter's desk	850 x 560 x 650	8 pcs		
22062	side desk	380 x 890 x 820	61 pcs		
22063	wardrobe	390 x 1.1m x .63m	6 pcs.		
22064	do	370 x 590 x 1.79 M	7 pcs		
22065	do	370 x 890 x 1.79 m	19 pcs.		
22066	do	370 x 920 x 1.79 m	142 pcs		
22067	do	630 x 1.51m x 1.69m	13 pcs		
22068	drawing board	850 x 1180 x 30	23 pcs		
22069	table	2000 x 1000 x 750	14 pcs		
22070	round table	700 x 800	11 pcs		
22071	dining table	690 x 4.8m x 760	64 p.		
22072	black board	850 x 1.4 x 10	53 p		
22073	book shelf shelf	400 x 1510 x 800	234 pcs		
22074	do	380x 900 x 1820	7 pcs		
22075	do	350 x 620 x 800	116 pcs		
22076	sofa	850 x 1820 x 850	2 pcs		
22077	do case for	750 x 1850 x 850	1 pee		
		760 x 860 x 1800	3 pcs		
22078	bed cloth				

Code no. 22 - 24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
22079	screen	450 x 2000 x 1800 24 pcs				
22080	"Prong" file	70 x 240 x 290 439 pcs				
22081	drawing box	360 x 89 ox 360 3 pcs				
22082	puncher	260 x 380 x 220 13 pcs				
22083	stop watch	60 minutes				
22084	picture frame	1.2m x 1m x 100 4 pcs				
22085	flower vase pot	850 x 320 1 pce				
22086	book case shelf	380 x 1m x 1.2m 4 pcs				
22087	paper sharer hand	850 x 460 x 180 2 pcs				
22088	long chair	400 x 2200 x 500 197 pcs				
22089	wash basin	360 x 100 35 pcs.				
23090	brazier pottery	280x640 5 pcs				
22091	do	400 x 250 4 pcs.				
22092	el. heater	570 x 280 x 710 5 kw 1 pce				
22093	safe stl.	900x775 x 1470 1 pce				
22094	do	900x 775 x 1470 1 pce				
22095	do	900 x 800x1480 1 pce				
22096	do	720 x 650 x 1160 1 pce				
22097	do	730 x 630 x 1180 1 pce				
22098	do	900 x 900 x 1700 1 pce				
22099	do	910 x 800 x 1470 1 pce				
22100	cart	wooden 2 pcs				
22101	el. heater	220v 1 kw 1 pce				
22102	universal drawing machines	13 pcs				
22103	spring balance	3 kg 1 pce				
22104	mirror	9 pcs				
22105	el. tea pot	350 x 750 2 pcs				
22106	shoes box	300 x 1100 x 1180 3 pcs				

Code no. 22 - 24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
22107	analytical desk	600 x 2440 x 850 6 pcs				
22108	desk for blue printing tool	850 x 1300 x 1200 2 pcs				
22109	container	320 x 1080 x 1200 15 pcs				
22110	book	450 pcs				
22111	Sensitive-paper container	1300 x 900 x 1300 1 pce				
22112	Drawing paper container	1.4m x 550mm x 400mm 1 pce				
22113	stove	350 x 760 26 pcs				
22114	stop watch camera	8 pcs				
22115	cabinet Camera	2 pcs				
22116	1/8 camera	1 pce				
22117	1/4 camera	1 pce				
22118	portable cabinet	1 pce				
22119	Photo printing equipment	1 pce				
22120	Photo enlarging equi't (cabinet)	1 pce				
22121	drill. mach.	drill. cap. 10 mm swing 280 mm IMD 0.5hp				
22122	fitters' bench	L. 2650; 4100 x W. 800/950 H. 750/840 7 pcs				
22123	Drill. mach.	drill. cap. 10 swing: 280 IMD 0.5hp				
3 C	Motor	a. c. 2hp 3 ph. 220v, 60c. 1130 rpm				
4 C	Fur. melting cupola	3 t/hr IMD 1 t/hr hp (blower) 5hp				The letter "C" quoted for Inventory of Iron facility
8 C	do	blower				do
40 C	Fur. melting	15 T/hr 1 charge				
41 C	mould drying chamber	4.5mx3m x2.5M				do
42 C	Sand Ryddle	Cap. 500/600 kg/hr				
43 C	do Suspension	IMD 0.5 HP				
44 C	moulding mach.	work. prs. 80 lbs				do
45 C	air	dia. of squeeze 254				
46 C	do	work. prs. 80 lbs				do
47 C	do	dia. of sq. 254				
48 C	Rolling mill	Cap. 2 m3 discharge				
49 C	sand blast	sz. 60 max. prs. of blast 3kg/cm2 IMD for blower 5hp				
50 C	do	max prs. of blast 3kg/cm2 IMD for blower 5 hp				
51 C	Sand Ryddle	Cap. 500/600 kg/hr				
52 C	Suspention	IMD 0.5 HP				

THE LIST OF REPARATION MACHINES

THE NAVAL
ARSENAL

CODE NO.

22 - 24

15 DEC. 1948

VOLUME 2/2

AUTHORIZED USE SECTION

5,854 Pcs.

Authorized Use

Code no. 22 - 24

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
77	Grinding Machine bench	Dia of thickness Wheel 200x22	7 sept 1948	Eighth Army	London industrial Ltd	
82	Portable drill Electric	Size of drill	10	do	do	do
89	do	"	10	do	do	do
97	do	"	13	do	do	do
99	do	"	9	do	do	do
106	do	"	10	do	do	do
107	do	"	10	do	do	do
109	do	"	10	do	do	do
110	do	"	10	do	do	do
112	do	"	10	do	do	do
115	do	"	10	do	do	do
117	do	"	10	do	do	do
118	do	"	10	do	do	do
124	do	"	13	do	do	do
126	do	"	20	do	do	do
127	do	"	10	do	do	do
128	do	"	13	do	do	do
129	Portable grinder Electric	Dia & thickness of wheel 6"x3/4"		do	do	do
132	do	" 6"x3/4"		do	do	do
133	do	" 6"x3/4"		do	do	do
139	do	" 6"x3/4"		do	do	do
225	Hoist Electric	Capacity 1t lift 6.100		do	do	do
227	Crance overhead Traversing	Capacity 3t Lift 6.000 span 12.450		do	do	do
237	Motor-generator Enclosed	Motor AC 15kw Generator DC 10kw		do	do	do
264	Hoist electric	Capacity 1t Lift 6.100		do	do	do
274	Drilling machine Bench	Capacity 12 swing 350		do	do	do
277	Manual press bench	Length & thickness 250x1		do	do	do
279	Drilling machine vertical	Swing 520 Drilling cap 52		do	do	do

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
282	Drilling machine Vertical	Swing 520 Drill Cap 32	7 sept 1948	Eight Army	lino Ind 386.3 Astrial Leo	
286	Shearing machine manual	Length & thickness 1000 x 2	Do.	Do.	Do.	
297	Crane overhead Traveling	Capacity 3t Lift 6.1000span12.450	Do.	Do.	Do.	
298	Do.	Capacity 3t Lift 6.1000span12.250	Do.	Do.	Do.	
316	Transformer Out door	20kva pv3.300sv220	Do.	Do.	Do.	
317	Do.	30kva pv3.300sv220	Do.	Do.	Do.	
323	Shearing machine square	width & shickness of stock 3050x8 20HP	Do.	Do.	Do.	
383	Portable drill Electric	Size of drell 6.3	Do.	Do.	Do.	
388	Do;	Do. 9	Do.	Do.	Do.	
395	Do.	Do. 12.7	Do.	Do.	Do.	
396	Do.	Do. 12.7	Do.	Do.	Do.	
398	Do.	Do. 12.7	Do.	Do.	Do.	
399	Do.	Do. 12.7	Do.	Do.	Do.	
400	Do.	Do. 19	Do.	Do.	Do.	
401	Do.	Do. 12.7	Do.	Do.	Do.	
403	Do.	Do. 19	Do.	Do.	Do.	
404	Do.	Do. 19	Do.	Do.	Do.	
407	Do.	Do. 19	Do.	Do.	Do.	
411	Do.	Do. 10	Do.	Do.	Do.	
415	Do.	Do. 12.7	Do.	Do.	Do.	
416	Do.	Do. 12.7	Do.	Do.	Do.	
417	Do.	Do. 12.7	Do.	Do.	Do.	
418	Do.	Do. 12.7	Do.	Do.	Do.	
419	Do.	Do. 13	Do.	Do.	Do.	
423	Portable grinder electric	Dia of thickness of wheel 150 x 19	Do.	Do.	Do.	
426	Do	150 x 19	Do.	Do.	Do.	
655	welding machine electric	5 kw 15a	Do.	Do.	Do.	
666	A.C. Transformer out door	50kva pv3.450sv210	Do.	Do	Do.	

Code no. 22-24

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
667	Transformer Out-door	50 kva pv 3.450 sv210	7sept 1948	819th Army A.GMGM386.3	Iino Industrial Ltd	
668	Do.	200kva pv3.450 sv220	Do.	Do.	Do.	
669	Do.	76kva pv3.300 sv22	Do.	Do.	Do.	
670	Do.	75kva pv3.450 sv220	Do.	Do.	Do.	
671	Do.	Do.	Do.	Do.	Do.	
672	Do.	Do.9	Do.	Do.	Do.	
702	Lathe engine	swing 1000 Dist center 5.680	Do.	Do.	Do.	
739	Air compressor Rotary	Cap. 34m ³ /min Pressure 120lbs/square inch	Do.	Do.	Do.	
740	transformer out-door	20kva pv2.200 sv440	Do.	Do.	Do.	
741	Do.	Do.	Do.	Do.	Do.	
743	Air compressor Reciprocating	Capacity 615m ³ /min Pressure 4.275lbs/square inch	Do.	Do.	Do.	
746	machine Drilling	Capacity 12.7mm Swing 420mm	Do.	Do.	Do.	
747	transformer out-door	150kva pv3300 sv2200	Do.	Do.	Do.	
748	Do.	150kva pv3300 sv2200	Do.	Do.	Do.	
749	Do.	150kva pv3300 sv2200	Do.	Do.	Do.	
750	Do.	100kva pv3450 sv220	Do.	Do.	Do.	
751	Do.	250kva pv3450 sv2200	Do.	Do.	Do.	
752	Do.	250kva pv3450 sv2200	Do.	Do.	Do.	
759	Lathe engine	swing 1.000 Dist center 5.680	Do.	Do.	Do.	
764	Grinding machine	Dia & thickness of wheel 540x55	Do.	Do.	Do.	
784	Lathe gag	swing 1.100 Dist center 3.700	Do.	Do.	Do.	
788	Later engine	Swing 1.200 Dist center 2.600	Do.	Do.	Do.	
793	Transformer out-door	150kva pv3.450 sv220	Do.	Do.9	Do.	
794	Do.	100kva pv3.450 sv220	Do.	Do.	Do.	
795	Do.	30kva 60cycle pv 3.300 sv 220	Do.	Do.	Do.	
796	Do.	30kva 60cycle pv 3.300 sv 220	Do.	Do.	Do.	
787	Do.	50kva 60cycle sv 220 PV 3.300 sv 220	Do.	Do.	Do.	
801	Weldin machine Gas portable	producing tank Dia 570 height 900	Do.	Do.	Do.	

Code no. 22 - 24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
803	welding machine electric ARC AC	15KW 300A PV 220 sv 170	7 sept 1948	Eighth Army	A.GMGM 386.3	Iino Industrial Ltd
806	Honing&lapping Machine	Strok 190 Hone 370RPM	Do.	Do.	Do.	
807	Boring machine Vertical	Feed&spindle speed 330 x 52RPM	Do.9.	Do.	Do.	
811	Manual press Arbor	Pressur 100kg/cm ² Stroks 220	Do.	Do.	Do.	
812	Grinding machine Universal	Swing 216 Distancia Center 559	Do.	Do.	Do.	
813	Drilling machine bench	Capacity 8 Swing 340	Do.	Do.	Do.	
814	Lathe-engine	swing 230 Distance centor 420	Do.	Do.	Do.	
815	Grinding machine	Dia&thickness of wheel 300 x 30	Do.	Do.	Do.	
818	Air compressor Reciprocating	Pressure 5kg/cm ² Capacity 0.495m ³ /min	Do.	Do.	Do.	
819	Mercury Rectifier vertical	A C 220v 2.9a D C 70v 100a	Do.	Do.	Do.	
820	Grinding machine	Dia&thickness of wheel 200 x 20	Do.	Do.	Do.	
821	Do.	300 x 30	Do.	Do.	Do.	
822	Crane overhead traveling	Capacity 3t Lift 2300 span 12000	Do.	Do.	Do.	
823	boring machine vertical	Feed&spindle speed 300 x 520 RPM	Do.	Do.	Do.	
824	Generator Gasoline engine	6 KVA ac 60 cycle 220v " 1948 1500RPM 13A 5HP	26 july	C.H roller	Do.	
826	Boring Machine vertical	Feed&spindle speed 330 x 520RPM	7 sept 1948	A.GMGM 386.3	Do.	
827	Air compressor Reciprocating	Capacity 0.495m ³ /min Pressure 5kg/cm ³	Do.	Do.	Do.	
830	Do.	Capacity 0.36m ³ /min Pressure 5kg/cm ²	Do.	Do.	Do.	
831	Transformer out-door	100kva pv3.450 sv220	Do.	Do.	Do.	
832	Do.	30kva pv3.300 sv220	Do.	Do.	Do.	
848	Travelling crane over head bridge BL	Cap 3MT length of span 14.4m He'n lift 9m 10HP	Do.	Do.	Do.	
849	Grinder bench Double Head	Dia and thick ness of Wheel 203x19m/ml/2HP	Do.	Do.	Do.	
850	Transformer out-door type	100kva 75kva 3300/105 voltage 60 cycle	Do.	Do.	Do.	
854	Grinder double head stand	Dia&thickness of wheel 300x40m/m	Do.	Do.	Do.	
855	Drill radial	Distance spindle to c'l 1000mm 1000mm 0.5HP No spindle	26 july 1948	C H Roller	Do.	
857	Drill vertical	Drill Capacity 2t swing 420 IMDO.5HP	Do.	Do.	Do.	
858	Drilling machine Vertical	Drill cap 25.4/m Sw 480m/m max dist spindle table 560m/ml/2HP	Do.	Eighth army A.GMGM 386.3	Do.	
859	Do.	Drill cap 20m/m 448m/m 2HP max spindle Ta' 1726m/m	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
882	motor AC induction	0.5HP 1.100RPM 60cycle 220v	26july 1948	C H roller	Iino Industrial Ltd	
883	Grinder Double Head bench	Dia&thickness of wheel 203x19m/m 1/2HP	7 sept 1948	Eighth Army AGAC 388.3	Do.	
887	Do.	Dia&thickness of wheel 1/2 HP	Do.	Do.	Do.	
898	Do.	Dia&thickness of wheel 203x19m/m 1/2HP	Do.	Do.	Do.	
899	Drilling machine Benck	Drill cap 10m/m Sw 300m/m 1/2HP max spindle table	Do.	Do.	Do.	
900	Do.	Drill Cap 18m/m Sw 1000m/m 3/4HP max spi'e to table	Do.	Do.	Do.	
901	Grinder Double Head stand	Dia&thickness of wheel 300x40m/m 2HP	Do.	Do.	Do.	
902	Drilling machine vertical Mul	Drill cap 14m/m Sw 320m/m 3/4HP max spindle table 64m/m	Do.	Do.	Do.	
904	Dril'g Mach' Ver'l Bench	Drill Cap 10m/m swing 290m/m 1/2HP max dist spi'e to table 260m/m	Do.	Do.	Do.	
905	Drilling machine bench	Drill Cap 12m/m Sw 380m/m 1/2HP max SP ta'e 350m/m	Do.	Do.	Do.	
907	Trav'g crane over head bridge electric	Cap 3MT Len'h of Span 14.4m Height of 9m 10HP	Do.	Do.	Do.	
908	Do.	Cap 3MT length of Sp' 14.4m He't of lift 9m 10HP	Do.	Do.	Do.	
909	Transformer Out-door type	1/3 kva 60cycle 5 3300/220 volt	Do.	Do.	Do.	
910	Trav'g crane over head bridge electric	Cap 3MT length of span 14.4m Heu't of L 9m 10HP	Do.	Do.	Do.	
911	Lathe engine	Swing ore bed 480m/m bed 2660m/m dist Be'n center 1440m/m 7.5HP	Do.	Do.	Do.	
912	Do.	Swing over bed 440m/m center 1350m/m B.L 2450m/m 3HP	Do.	Do.	Do.	
913	Do.	S.O.B 480m/m Bed L 2660m/m c/c 1440m/m 7.5HP	Do.	Do.	Do.	
914	Do.	S.O.B, 440m/m B.L, 2450m/m D,B,C. 1350m/m 3HP	Do.	Do.	Do.	
915	Do.	S.O.B, 480m/m B, L 2660m/m D,B,C, 1440m/m 7.5HP	Do.	Do.	Do.	
916	Do.	S.O.B, 440m/m B, L, 2450m/m c/c 1350m/m 3HP	Do.	Do.	Do.	
917	Do.	S.O.B, 480m/m B, L 2660m/m c/c 1440m/m 7.5HP	Do.	Do.	Do.	
918	Do.	S.O.B, 440m/m B, L, 2450m/m c/c 1350m/m 3HP	Do.	Do.	Do.	
919	Do.	S.O.B, 480m/m B, L 2660m/m e/e 1440m/m 5HP	Do.	Do.	Do.	
920	Do.	S.O.B, 440m/m B, L 2450m/m DBC: 1350m/m 3HP	Do.	Do.	Do.	
921	Do.	S.O.B, 440m/m B, L, 2990m/m c/c 1770m/m	Do.	Do.	Do.	
926	Do.	S.O.B, 480m/m B, L 2660m/m max between center 1440m/m 5HP	Do.	Do.	Do.	
930	Do.	S.O.B, 520m/m B, L, 3210m/m max dist between center 1640m/m 10HP	Do.	Do.	Do.	
931	Do.	S.O.B, 520m/m B, L, 3210m/m e/c 1640m/m 10HP	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
935	Lathe Engine	S, V, B 480m/m B, L, 2660m/m c/c 1440m/m 7.5HP	7 sept 1948	Eighth Army	Iino, indus'l A, GmGm1386.3 Ltd,	
938	Do.	S, V, B, 520m/m B, L, 3210m/m c/c 1640m/m 10HP	Do.	Do.	Do.	
939	Do.	S, V, B, 520m/m B, L, 3210m/m c/c 1640m/m 10HP	Do.	Do.	Do.	
943	Do.	S, V, B, 520m/m B, L, 3210m/m c/c 1640m/m 10HP	Do.	Do.	Do.	
944	Do.	S, V, B, 520m/m B, L, 3210m/m c/c 1640m/m 10HP	Do.	Do.	Do.	
948	Do.	S, V, B, 410m/m B, L, 2030m/m c/c 830m/m 5HP	Do.	Do.	Do.	
949	Grinder, Double head floor too	Dia & thickness of wheel 254x32m/m 1HP	Do.	Do.	Do.	
951	Lathe engine	S, V, B, 410m/m B, L, 2030m/m c/c 830m/m 5HP	Do.	Do.	Do.	
956	Do.	S, O, B, 410m/m B, L, 2030 LMD 5HP	26 July 1948	C, H, Roller	Do.	
958	Do.	S, O, B, 520m/m B, L, 3210m/m c/c 1640m/m 10HP	7 Sept 1948	Eighth Army	A, GmGm386.3	Do.
959	Do.	S, O, B, 410m/m B, L, 2030m/m c/c 830m/m 5HP	Do.	Do.	Do.	
961	Do.	S, O, B, 480m/m B, L, 2660 LMD 7.5HP	26 July 1948	Do.	Do.	
964	Do.	S, O, B, 410m/m B, L, 2030m/m c/c 830m/m 5HP	7 sept 1948	Do.	Do.	
965	Do.	S, O, B, 520m/m B, L, 3210m/m c/c 1640m/m 10HP	Do.	Do.	Do.	
966	Do.	S, O, B, 520m/m B, L, 3210m/m c/c 1640m/m 10HP	Do.	Do.	Do.	
967	Do.	S, O, B, 410m/m B, L, 1860m/m c/c 830m/m 5HP	Do.	Do.	Do.	
968	Cut off & sawing hack Portable machine	Max work dimension 190m/m Max length of B, 300m/m 1HP	Do.	Do.	Do.	
1036	Electric drill	Drill Cap 3m/m 1/4HP 5HP 60° 220V 1,130R.P.M 3#	Do.	Do.	Do.	
1071	Motor electric	Dia & thickness of wheel 254x32m/m	Do.	Do.	Do.	
1073	A.C.	"				
1076	Do.	254x32m/m 1HP	Do.	Do.	Do.	
1086	Slotter vertical	Length of stroke 525m/m 15HP Table of 7930x1160m/m	Do.	Do.	Do.	
1087	Do.	Le'n of st'e 510m/m 15HP Tr'l & Tr'e of 350x900m/m	Do.	Do.	Do.	
1089	Boring machine vertical	Swing 1820m/m Travel of 5HP Head Gross Rail 1650m/m " 1000m/m	Do.	Do.	Do.	
1090	Slotter	Tr, B & Tr'e of 150m/m 3HP Table of 350x450m/m	Co.	Do.	Do.	
1073	Grinder vertical Head floor	Tr'l & Tr'e of 254x32m/m Diac thickness of wheel 1HP	Do.	Do.	Do.	
1091	Slotter vertical	Le'n of st'e 305m/m 5HP Tr'l & Tr'e of 470x650m/m	Do.	Do.	Do.	
1097	Do.	Le'n of st'e 305m/m 5HP Tr'l & Tr'e of 470x650m/m	Do.	Do.	Do.	
1099	Lathe engine	Swing O, B, 440m/m B, L 3120m/m D, B, C, 2020m/m 5HP	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
1102	Lathe engine	S, O, B, 440m/m B, L 3120m/m c/c 2020m/m 3HP	7 Sept 1948	Eighth Army A, GmGm386.3	Indo industrial Ltd	
1103	Do.	S, O, B, 410 B, L 2.800 IMD 3HP	26 July 1948	C.H Rotler	Do.	
1105	Do.	S, O, B, 1140m/m B, L 4150m/m c/c 2270m/m 20HP	7 sept 1948	Eighth Army A, GmGm386.3	Do.	
1106	Do.	S, O, B, 720m/m B, L 4150m/m c/c 2270m/m 20HP	Do. 9	Do.	Do.	
1107	Do.	S, O, B, 440m/m B, L, 3120m/m c/c 2020m/m 3HP	Do.	Do.	Do.	
1116	Grinder double Head stand	Dia & thi's of wheel 203x19m/m 1/2HP	Do.	Do.	Do.	
1122	Lathe gap	S, O, B, 1020m/m B, L 5000m/m S, gap 1650m/m c/c 2850m/m 5HP	Do.	Do.	Do.	
1123	Shaper Horizontal	L. of St'e 660m/m Travel & Traverse of Table 400x700m/m 5HP	Do.	Do.	Do.	
1127	Do.	L. of St'e 625m/m Trable & Traverse table 400x700m/m 5HP	Do.	Do.	Do.	
1131	Do.	Stroke 625IMD 5HP with of vice jaw 312	Do.	Do.	Do.	
1132	Boring machine horizontal	Dia & tra'l travell of spindle 62x340m/m dist spindle to floor 140m/m 5HP	Do.	Do.	Do.	
1133	Do.	Dia & T, S, 90x750m/m D. S. to Floor 820m/m 7.5HP at Pindle Floor Plate	Do.	Do.	Do.	
1134	Do.	Dia & T, of Spn'el 105x750mm D, S, to F, P 826mm 7.5HP	Do.	Do.	Do.	
1135	Shaper Horizontal	L. of Stroke 625m/m Tr. & Tr of Table 400x700mm 5HP	Do.	Do.	Do.	
1137	Do.	L. of Stroke 625m/m Tr'l & traverse of Table 400x700m/m 5HP	Do.	Do.	Do.	
1138	Travelling Cr' C, B, electric	Gap 5MT len'h of span 14.4m Hei'h of lift 9m 10HP	Do.	Do.	Do.	
1145	Drilling machine Ver'l	Drill Gap 45m/m S, 630m/m 2HP Max dist Sp'e to T, 822m/m	Do.	Do.	Do.	
1146	Milling machine die making	Size of L, T, C, & V, F 355x 480x330m/m dia. of S. Car'e 5HP 0/1524	Do.	Do.	Do.	
1148	Milling Ma' e Ver'l plane feed	Size of Long'd cro's & ver' 1070x400230m/m 15HP	Do.	Do.	Do.	
1150	Do.	Size of lon'd Cr' & Ve' Feed 760x245x310m/m 5HP	Do.	Do.	Do.	
1153	Do.	" 730x305x255m/m 5HP	Do.	Do.	Do.	
1156	Milling Machine vertical	Size of working table 1480v350IMD 5HP	26 July 1948	C.H Rotler	Do.	
1157	Milling Mac' Ver'l Plane	Size of Lon'l Cross & Ver' Feed 730x305x225m/m 3HP	7 Sept 1948	Eighth Army A, GmGm386.3	Do.	
1158	Do.	" 895x335x240m/m 3HP	Do.	Do.	Do.	
1160	Boring machine Ver'l Double Head Milling machine	Swing 1800mm Dia of Table 1700mm Max He' of S. 730mm 10HP	Do.	Do.	Do.	
1161	Hor'l Plane	size of Lon'D1' Cross & Ver' Feed 670x315x480m/m 5HP	Do.	Do.	Do.	
1162	Milling Ma' e Vertical Plane	Size of Lo'l Cross & Ver' Feed 760x32245x310m/m 5HP	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
1166	Mi' Machine for' l plane	Size of Lou' l cross & ver feed 670x315x480m/m 5HP	7 sept 1948	Eighth Army A, Gm GM 386.3	Ilno Industrial Ltd	
1168	Mi' knee horizontal -	Size of working table 1.150x182 IMD 5HP	Do	Do.	Do.	
1170	Boring machine Vertical Do' He'	Size of table 1130mm Dia Max He' work 900mm 10HP	7 sept 1948	Eighth Army A, Gm GM 386.3	Ilno Industrial Ltd	
1171	Do.	" 2200mm Dia table 1840mm Max, He' 1080mm 25HP	Do.	Do.	Do.	
1172	Mi' Machine for' l Plane	Size Lou' l cross & ver feed 670x315x480m/m 5HP	Do.	Do.	Do.	
1173	Do.	Size of Lou' Cross & Ver feed 970x315x480m/m 5HP	Do.	Do.	Do.	
1175	Grinder Double Head Stand	Dia & thickness of wheel 203x19m/m 1/2HP	Do.	Do.	Do.	
1179	Planer Double Head Double Hou'	L, W, H, 3450x2550x772m/m Hou', of H, 295m/m 10HP	Do.	Do.	Do.	
1180	Drilling Mac' Radial	Dr' Cap 60m/m Max Dist Co' Spindle Center 1220m/m 3HP	Do.	Do.	Do.	
1184	Do.	Drill Cap 60m/m Max Dist Co' Spindle Center 1340m/m 5HP	Do.	Do.	Do.	
1185	Do.	" " Spindle Center 1340m/m 5HP	Do.	Do.	Do.	
1186	Do.	" " 1340m/m 5HP	Do.	Do.	Do.	
1187	Do.	Drill Cap 120m/m Max Dist Co' Spindle Center 1340m/m 5HP	Do.	Do.	Do.	
1188	Planer Double Head	Len' & width of Table 5940x1520m/m Ta' of He' 3000m/m 40HP	Do.	Do.	Do.	
1189	Drilling Mac' Radial	Drill Cap 120m/m Max Colu' to Spin' Cen' 1340m/m 5HP	Do.	Do.	Do.	
1190	Do.	Dr' Cap 35 IMD 5HP Dist Co' Spindle 1340	26 July 1948	C. H. Roller	Do.	
1191	Do.	Dr' Cap 120m/m Max Dist Co' Sp' Center 1340m/m 5HP	7 Sept 1948	Eighth Army A, Gm GM 386.3	Do.	
1192	Dr' Horizontal Multiple	Dr' Cap 15 Swing 70 IMD 7.5HP	26 July 1948	C, H, Roller	Do.	
1193	Drill Radial	Drill Cap 60 IMD 2HP Dis Cul' Spindle 1100	Do.	Do.	Do.	
1194	Do.	Drill Cap 60 IMD 7.5HP	Do.	Do.	Do.	
1195	Drill Horizontal Multiple	Drill Cap 22 Swing 70 IMD 7.5HP	Do.	Do.	Do.	
1196	Drill Radial	Drill Cap 60 IMD 5HP	Do.	Do.	Do.	
1197	Planer Double Head Open Side	Len' & width of Table 3940x815m/m Table Head 1510m/m 10HP	7 sept 1948	Eighth Army A, Gm GM 386.3	Do.	
1208	Lathe Engine	Swing Over Bed 590m/m Bed Length 2450m/m Dist Between Center 1250m/m 5HP	Do.	Do.	Do.	
1213	Do.	" 410m/m 1860m/m 830m/m 5HP	Do.	Do.	Do.	
1216	Grinder Double Head Stand	Dia & thickness of wheel 203x19m/m 1/2HP	Do.	Do.	Do.	
1217	Lathe Turret Raffle	Sw' Ov' Bed 480m/m Bed L' 1775m/m Chucking Cap 120m/m 9HP	Do.	Do.	Do.	
1218	Do.	Sw' Ov' Bed 480m/m Bed L' 1775m/m Chucking Cap 120m/m 9HP	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
1219	Lathe Turret	Swing Over Bed 480m/m Bed Length 1775m/m Chucking Cap 120m/m 9HP	17 Sept 1948	Eighth Army	Line Industrial Ltd	
1220	Do.	Swing Over Bed 480m/m Bed Length 1775m/m Chucking Cap 120m/m 9HP	Do.	Do.	Do.	
1222	Do.	Swing Over Bed 480m/m Bed Length 1775m/m Chucking Cap 120m/m 9HP	Do.	Do.	Do.	
1223	Do.	Swing Over Bed 480m/m Bed Length 1775m/m Chucking Cap 120m/m 9HP	Do.	Do.	Do.	
1224	Do.	Swing Over Bed 480m/m Bed Length 1775m/m Chucking Cap 120m/m	Do.	Do.	Do.	
1225	Lathe Relieving	Swing Over Bed 490m/m Bed Length 1890m/m Dist. Between Center 490m/m 4HP	Do.	Do.	Do.	
1232	Grinder tool & Cutter Universal	Swing 216m/m Table Travel 457m/m Center to Cent 559m/m Dia of wheel 152x13m/m 1HP	Do.	Do.	Do.	
1236	Grinder tool Universal	Swing 216m/m Table Travel 457m/m Center to Cent 559m/m Dia of wheel 152x13m/m 1HP	Do.	Do.	Do.	
1237	Grinder External & Internal Universal	Swing 330mm Center to Center 1250m/m Table Travel 1370m/m Dia of wheel 350x80m/m 5HP	Do.	Do.	Do.	
1240	Drilling Machine Vertical	Drill Cap 15mm Swing 630mm Max Dist spindle to table 322mm 2HP	Do.	Do.	Do.	
1241	Do.	Drill Cap 14mm Swing 520mm 1HP Max Dist Spindle to Table 695mm	Do.	Do.	Do.	
1242	Do.	Drill Cap 50m/m Swing 670mm 2HP Max Dist Spindle to Table 860m/m	Do.	Do.	Do.	
1249	Drilling Machine Vertical Multi	Drilling Cap 14mm Swing 320mm Max Dist Spindle to Table 640mm 3/4HP	Do.	Do.	Do.	
1250	Do.	Drilling Cap 28 Swing 380mm 1HP	26 July 1948	C.H. Koller	Do.	
1259	Milling Machine Vertical Universal	Size of Loug' Cross & Ver' 530x0x200mm/m	2 Sept 1948	Eighth Army	GmGm386.3	Do.
1261	Gear Hobber Single Horiz'	Max Pitch Circle Dia 420m/m Max DP of Gear Cut 6P 2HP	Do.	Do.	Do.	
1262	Do.	Max Pitch Circle Dia 420m/m Max D.P. of Gear cut 6P 2HP	Do.	Do.	Do.	
1270	Boring Machine Jig Vertical	Boring Max dia 120mm Size of table 715x490mm 5HP	Do.	Do.	Do.	
1272	Lathe Engine	Swing over bed Red length 2.000mm 5HP	26 July 1948	C.H. Koller	Do.	
1274	Do.	Swing over Bed 390m/m Bed Length 1040m/m Dist. Between Center 360m/m 5HP	7 Sept 1948	Eighth Army	GmGm386.3	Do.
1278	Travelling Crane Over Head Electric	Cap 3MT Length of span 14.4m Height of Lift 9m 10HP	Do.	Do.	Do.	
1279	Transformer Out Door Type	1 Dia 400KVA 3300/210 Volt 60cycle	Do.	Do.	Do.	
1280	Do.	1 Dia 400KVA 3300/210 Volt 60cycle	Do.	Do.	Do.	
1281	Do.	Do.	Do.	Do.	Do.	
1282	Do.	1 Dia 75KVA 3300/105 Volt	Do.	Do.	Do.	
1301	Portable Machine Pneumatic Hammer	Dia & thickness of wheel 125x9m/m	Do.	Do.	Do.	
1321	Compressor For Air	Cap 24.4ft ³ /min Pressure 150lb/min Dia & length of Air tube 430x1200mm 3HP	Do.	Do.	Do.	
1322	Grinder Double Head Bench	Dia & thickness of wheel 260x40m/m 2HP	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted For Use	Permitted by	Company Granted Permitted	Remarks
1323	Transformer	1 Dia 15kva 60cycle Out-door type 3300/220 Volt	7 Sept 1948		Eighth Army A. G. M. 386, Industrial Ltd,	
1324	Do.	Do.	Do.	Do.	Do.	
1325	Do.	3300/110 Volt	Do.	Do.	Do.	
1327	Drilling Machine Bench Vertical	Drill Cap 10m/m Swing 300m/m Max Dist Spindle to Table 210m/m 1/2HP	Do.	Do.	Do.	
1329	Pump impeller & Staff water	Cap 0.226 ³ m/m Size of suction Dia 38m/m Size of Di 38m/m 2HP	Do.	Do.	Do.	
1331	Welding Machine Electric Arc	13HP (10kw) Single Cylinder Gasoline	Do.	Do.	Do.	
1333	Cut off & Sawing Machine Wire Str & Cutting	Working Cap Dia & Length 5x970m/m Cut' Area Speed 11 m/min 2HP	Do.	Do.	Do.	
1338	Transformer Out-door Type	1 Dia 200kva p/s 3300/105 Volt 60cycle	Do.	Do.	Do.	
1339	Do.	1 Dia 50kva p/s 3300/210 Volt 60cycle 1φ	Do.	Do.	Do.	
1340	Do.	1 Dia 50kva p/s 3300/210 Volt 60cycle 1φ	Do.	Do.	Do.	
1341	Do.	50kva 60cycle 1-1a p/s 3300/210 Volt	Do.	Do.	Do.	
1342	Generator Motor	36/39KW 1.160RPM IMD AC 80HP	28 July 1948	C.H. Peller	Do.	
1343	Do.	30kw 1.160RPM IMD AC 64HP	Do.	Do.	Do.	
1344	Generator Engine Portable	D.C. 13.5P 100V 2000RPM 10 Amp Single cylinder Gasoline	7 Sept 1948 Do.	Eighth Army A. G. M. 386	Do.	
1345	Grinder Double Head bench	Dia & Thickness of wheel 254x25.4m/m 1HP	Do.	Do.	Do.	
1347	Transformer Out-door type	1 Dia 30kva 60cycle p/s 3300/110 Volt	Do.	Do.	Do.	
1348	Do.	1 Dia 200kva 60cycle p/s 3300/220 Volt	Do.	Do.	Do.	
1349	Do.	Do.	Do.	Do.	Do.	
1350	Travelling Cranes Over Head Bridge Electric	Cap 3MP length of span 1444m Height of lift 9m 10 P 300x2514m/m 2HP	Do.	Do.	Do.	
1351	Grinder Double Head Bench	Dia & Thick' of wheel	Do.	Do.	Do.	
1352	Torch Gas Weld Low Pressure	Thickness of stock 12m/m	Do.	Do.	Do.	
1353	Do.	Do.	Do.	Do.	Do.	
1354	Do.	Low Pressure Thickness of Stock 15m/m	Do.	Do.	Do.	
1359	Weld Mach' Acetylene Gas Generator	10kg/Charger Pressure Max Culling Thi' 14.7Kg 150m/m 120m/m	Do.	Do.	Do.	
1361	Torch Gas Weld Low Pressure	Thickness of Stock 12m/m	Do.	Do.	Do.	
1362	Do.	Do.	Do.	Do.	Do.	
1376	Weld Mach' Acetylene Gas Cut Torch Auto	Max Work Dia Thickness 300m/m 1/2HP	Do.	Do.	Do.	
1377	Grind Double Head Bench	Dia & Thickness of wheel 254x25.4m/m 1HP	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
1378	Weld Machine Electric Arc	Cap 13HP (10kw) 400amp 20HP	7 Sept 1948	Eighth Army	Indo Ind-Industrial Ltd	
1380	"	Cap primary in put 10kw 21kva 60cycle 1 1	Do.	Do.	Do.	
1389	Do.	Primary in put 10kw 21kva 60cycle 1 1	Do.	Do.	Do.	
1391	Do.	Do.	Do.	Do.	Do.	
1392	Do.	Do.	Do.	Do.	Do.	
1393	Do.	Do.	Do.	Do.	Do.	
1398	Do.	Primary in put 8.5kw 60cycle 1Dia	Do.	Do.	Do.	
1399	Do.	Primary in put 21kva 60cycle 1 1 220V 30V Do.	Do.	Do.	Do.	
1400	Do.	Input 10kw 20kva 60cycle 1 1	Do.	Do.	Do.	
1401	Do.	Primary in put 10kw 60cycle 1 1	Do.	Do.	Do.	
1402	Do.	Primary in put 10kw 21kva 60cycle 1 1	Do.	Do.	Do.	
1403	Do.	Do.	Do.	Do.	Do.	
1404	Do.	Do.	Do.	Do.	Do.	
1405	Do.	Primary in put 21kva 60cycle 1 1	Do.	Do.	Do.	
1406	Do.	Primary input 10kw 21kva 60cycle 1 1	Do.	Do.	Do.	
1408	Grinder Double Head Floor	Dia & Thickness of Wheel 254x25.4m/m 1HP	Do.	Do.	Do.	
1409	Compre 'recip' Sin 'St' Aic Vert	Cap 4.8m ³ /min Pres 5kg/cm ² Str & Dia Cyl 152x20m/m 30HP	Do.	Do.	Do.	
1410	Bend Machine Plate Manual	Width & Thickness of stock 1700x3m/m Dia of Upper & Lower rolls 253mm	Do.	Do.	Do.	
1411	Bend machine plate	Width & thickness of stock 800x3m/m 2HP Dia of Upper roll 80m/m Dia of Lower 90m/m	Do.	Do.	Do.	
1415	Weld Machine Electric Spot	AC 50kVa Max welding Thickness 6m/m	Do.	Do.	Do.	
1416	Shear Machine Square	Width & thickness of stock 1000x1 m/m	Do.	Do.	Do.	
1417	Bend Machine Stra' Plate	Width & thickness of Stock 1500x5m/m Dia of Upper & Lower rolls 253mm 25HP	Do.	Do.	Do.	
1423	Shear Machine Square	Width & thickness of stock 1500x5m/m 15HP	Do.	Do.	Do.	
1424	Drill Machine Vertical unire bench	Drill Cap 19m/m Swing 1000m/m 3/4HP	Do.	Do.	Do.	
1425	Grind Double Head Bench	Dia & thickness of wheel 254x25.4m/m 1HP	Do.	Do.	Do.	
1426	Welding Mach' Arc AC	Cap 13HP (10KW) 400amp 20HP	Do.	Do.	Do.	
1427	Do.	Do.	Do.	Do.	Do.	
1428	Do.	Primary input 25kva 60cycle 1 1	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date permitted for Use	permitted by	company granted permitted	Remarks
1429	Weld Machine Electric Arc AC	Primary input 10kw 25kva 60cycle 1 HP	7 Dept 1948	Eighth Army	Line Industrial Co. Gml 386.3	
1430	Do.	Primary input 10kw 21kva 60cycle 1 HP	Do.	Do.	Do.	
1431	Do.	Do.	Do.	Do.	Do.	
1432	Do.	Primary input 10kw 60cycle 1 HP	Do.	Do.	Do.	
1433	Weld Machine Elec' Arc D.C	Cap 13HP (10KW) 400Amp 20HP	Do.	Do.	Do.	
1434	Weld Machine Elec' Arc A.C,	Primary Input 10kw 60cycle 1 HP	Do.	Do.	Do.	
1435	Do.	Primary input 10kw 21kva 60cycle 1 HP	Do.	Do.	Do.	
1436	Do.	Primary input 10kw 20kva 60cycle 1 HP	Do.	Do.	Do.	
1437	Do.	Do.	Do.	Do.	Do.	
1438	Do.	Do.	Do.	Do.	Do.	
1439	Do.	Do.	Do.	Do.	Do.	
1440	Do.	Do.	Do.	Do.	Do.	
1441	Do.	Do.	Do.	Do.	Do.	
1442	Do.	Primary input 21kva 60cycle 1 HP	Do.	Do.	Do.	
1443	Grinder Bench Double Head	Dia & Thickness of wheel 254x25.4 m/m 1HP	Do.	Do.	Do.	
1444	Drill Machine bench	Dir 11 Cap 18m/m Swin 450m/m 1/2HP Max Dist Spindle 500m/m	Do.	Do.	Do.	
1445	Grinder Floor Double Head	Dia & Thickness of wheel 253x25.4m/m 1HP	Do.	Do.	Do.	
1447	Portable Mac' Pneumatic Drill	Max work Dia 32m/m 200RPM	Do.	Do.	Do.	
1448	Do.	Max Work 25.4m/m 300RPM	Do.	Do.	Do.	
1449	Do.	Do.	Do.	Do.	Do.	
1450	Do.	Do.	Do.	Do.	Do.	
1451	Portable Mach' Elect' Grinder	Dia & Thickness of wheel 125x19m/m 1/4HP	Do.	Do.	Do.	
1452	Do.	Do.	Do.	Do.	Do.	
1453	Portable Mach' Pneumatic Gri'	Dia & Width of wheel 152x19m/m	Do.	Do.	Do.	
1454	Do.	Size of wheel 152x19m/m	Do.	Do.	Do.	
1455	Do.	Do.	Do.	Do.	Do.	
1456	Do.	Do.	Do.	Do.	Do.	
1457	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
1458	Portable Mach' Pneumatic Grin'	Size of wheel 152x19m/m	7 Sept 1948	Eighth Army	Indo Industrial Ltd	bid 1
1468	Portable Mach' Pneum' Hammer	Max work Dimension 22m/m	Do.	Do.	Do.	
1469	Do.	Do.	Do.	Do.	Do.	
1470	Do.	Do.	Do.	Do.	Do.	
1471	Do.	Do.	Do.	Do.	Do.	
1472	Do.	19m/m	Do.	Do.	Do.	
1473	Do.	Do.	Do.	Do.	Do.	
1474	Do.	Do.	Do.	Do.	Do.	
1475	Do.	16m/m	Do.	Do.	Do.	
1476	Do.	Do.	Do.	Do.	Do.	
1477	Do.	9.5m/m	Do.	Do.	Do.	
1478	Do.	Do.	Do.	Do.	Do.	
1498	Trav' Crane Over Head Bridge Electric	Cap 3mt Length of Span 14.4m Height Lift 9m 10HP	Do.	Do.	Do.	
1499	Do.	Do.	Do.	Do.	Do.	
1500	Transformer Out-door type	1 ^φ 60 cycle p/s 3300/110 Volt 75kVA	Do.	Do.	Do.	
1501	Do. indoor type	1 ^φ 200kVA 60 cycle 3300/220 Volt	Do.	Do.	Do.	
1502	Do. out door type	Do.	Do.	Do.	Do.	
1503	Do. indoor type	Do.	Do.	Do.	Do.	
1504	Pump Water Recip' Double Head Ver' Driven	Cap 250L/min Pressure 10kg/Cm ²	Do.	Do.	Do.	
1505	Do.	Do.	Do.	Do.	Do.	
1506	Compre' Recip' Air Acting	Cap 105m ³ /min Pressure 7kg/cm ² Stroke 530m/a 600HP	Do.	Do.	Do.	
1507	Ginder Double Head Bench Buffer	Dia & thickness Wheel 254x25.4m/m 2HP	Do.	Do.	Do.	
1508	Drilling Mach' Ver' Bench	Drill Cap 20m/m Sw' 440m/m 5HP Max Dist Sp' Table 340m/m	Do.	Do.	Do.	
1510	Compressor Recip' Air	Cap 4.8m ³ /min Press 5kg/Cm ² Stroke, 152m/a 30HP	Do.	Do.	Do.	
1512	Do.	Do.	Do.	Do.	Do.	
1513	Welding Mach' Elect' Arc, A.C.	Primary Input 21kva 60 cycle 1 ^φ	Do.	Do.	Do.	
1514	Pump Water Recip' Electric Power Driven	Cap 170l/min Pressure 200kg/Cm ² 100HP	Do.	Do.	Do.	
1515	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
1516	Pump Water Rec Horizontal Electric Power Drive	Cap 170L/min Pressure 200kg/cm ² 100HP	7 Sept 1948	Sighth Army	Line Ind' Co. Industrial Ltd	
1518	Boiler Water Table	Working Pressure 9.8kg/cm ² stoker fired	26 July 1948	C, H Roller	Do.	
1519	Transformer Out-Door type	1 1 30kva 60cycle p/s 3300/220 volt	Do.	Do.	Do.	
1520	Do.	Do.	Do.	Do.	Do.	
1521	Do.	Do.	Do.	Do.	Do.	
1522	Furnace Heating Electric Muffle	Cap 8kw 220Volt Max temperature 1100°C	Do.	Do.	Do.	
1523	Transformer Out-door type	3 3 4000kva 60cycle p/s 34200/3000Volt	Do.	Do.	Do.	
1524	Do.	p/s 31500/3000Volt	Do.	Do.	Do.	
1525	Do.	1 1 1kva 60cycle p/s 3300/220Volt	Do.	Do.	Do.	
1526	Do.	Do.	Do.	Do.	Do.	
1527	Do.	p/s 3300/220 volt	Do.	Do.	Do.	
1528	Do.	1 1 75kva 60cycle p/s 3300/220Volt 60amp	Do.	Do.	Do.	
1529	Do.	Do.	Do.	Do.	Do.	
1530	Transformer Out-door	1 1 15kva 60cycle p/s 3300/220 volt	Do.	Do.	Do.	
1531	Do.	Do.	Do.	Do.	Do.	
1532	Do.	Do.	Do.	Do.	Do.	
1533	Do.	Do.	Do.	Do.	Do.	
1534	Do.	Do.	Do.	Do.	Do.	
1535	Do.	1 1 30kva 60cycle p/s 3300/110volt 60"	Do.	Do.	Do.	
1538	Grinder floor Double Head	Dia & thickness of wheel 300x30m/m 1HP	Do.	Do.	Do.	
1540	Transformer Out-door	75kva 60cycle 1 1	Do.	Do.	Do.	
1541	Do.	250kva 60cycle 1 1	Do.	Do.	Do.	
1542	Do.	Do.	Do.	Do.	Do.	
1543	Do.	Do.	Do.	Do.	Do.	
1544	Portable Machine Pneumatic Drill	Max work dimension 13m/m	Do.	Do.	Do.	
1545	Do.	25.4m/m	Do.	Do.	Do.	
1546	Furnace Melting Electric Arc	Cap 3ton/1Cnagel 200kva Dia of Electrode 254m/m	Do.	Do.	Do.	
1548	Traveling Crane Over Head Bridge Electric	Cap 10MT Length of Lift 8m 15HP	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
1550	Drill Machine Vertical Bench	Drill Cap 9m/m swing 290 max Spindle to table 185m/m 172HP	7 Sept 1948	Eighth Army	Indo-industrial Co. Ltd	
1551	Furnace Anneling	Dust coil 2HP	Do.	Do.	Do.	
1552	Portable Mach Pneumatic Hdm	Dia of piston 27m/m Stroke 30m/m	Do.	Do.	Do.	
1553	Do.	Dia of piston 25m/m Stroke 25m/m	Do.	Do.	Do.	
1567	Weld Machine Electric Arc	Primary Max Input 13HP AC (10 kw) 21kva 60 cycle	Do.	Do.	Do.	
1568	Grinder floor Double Head	Dia & thickness of wheel 350x40m/m 3HP	Do.	Do.	Do.	
1569	Travel Crane Hand travelling	Jib Cap 1MT Height of Lift 4m 2HP	Do.	Do.	Do.	
1570	Band saw static Table electric	Dia of saw 600m/m width of Saw 33m/m Length of saw 3940m/m 3HP	Do.	Do.	Do.	
1571	Weld Machine Electric Arc	Cap 13HP (10kw) 400amp 60 cycle 20HP	Do.	Do.	Do.	
1572	Travel Crane Jib Hand Trav	Cap 2MT Height of Lift 4m 3HP	Do.	Do.	Do.	
1573	Do.	Cap 2MT Height of lift 4m 3HP	Do.	Do.	Do.	
1575	Travel Crane over head bridge electric	Cap 5MT Length of span 14m Height of lift 8m 10HP	Do.	Do.	Do.	
1576	Transformer Out-door type	1 - 3kva 60 cycle p/s 2300/220 volt	Do.	Do.	Do.	
1577	Do.	1 - 5kva 60 cycle p/s 3300/220 volt	Do.	Do.	Do.	
1578	Furnace Heating	Size of Heating Chamber 280x220xopen m/m	Do.	Do.	Do.	
1585	Portable Mach Electric Drill	Max size of drill 8m/m	Do.	Do.	Do.	
1593	Weld Machine Electric Arc	Max input 100kva Cap 9x95m/m 32x32 7/8m	Do.	Do.	Do.	
1596	Forg Machine Vert Air Hammer	Fall weight 250kg Max work Dial 100m/m stroke 500m/m 2HP	Do.	Do.	Do.	
1598	Grinder double Head bench	Dia & Thickness of wheel 300x40m/m 2HP	Do.	Do.	Do.	
1608	Furnace Heating	size of heating cham 280x220xopen m/m 2/3HP	Do.	Do.	Do.	
1609	Forg Machine Ver Drop Hammer	Falling weight 500 & 1000 kg stroke 2000m/m 50HP	Do.	Do.	Do.	
1610	Mechanical Pre Ver Friet Spin	Pressure 50MT stroke 300m/m 5HP	Do.	Do.	Do.	
1611	Do.	Max pressure 70MT stroke 400m/m 6HP	Do.	Do.	Do.	
1615	Furnace Heating	Cap 20/60kg/hour 1/2HP	Do.	Do.	Do.	
1616	Forg Machine Vertical Air Hammer	Fall weight 300kg Max work dia stroke 150x300m/m 44HP	Do.	Do.	Do.	
1618	Grinder Double Head singging	Dia & thickness of wheel 400x60m/m 5HP	Do.	Do.	Do.	
1628	Forg Machine Vert Air Hammer	Fall weight 250kg Max work dia stroke 500m/m 26HP	Do.	Do.	Do.	
1629	Furnace heat	Size of Heat Chamber 280x220x670x160m/m 1/2HP	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
1639	Furnace Heating	Size of heating chamber 1xwxH1100x1000x230m/m	7 Sept 1948	Light Army	Industrial Ltd	
1640	Do.	Size of heating chamber LxwxH 800x600x170m/m	Do.	Do.	Do.	
1641	Forge Machine Vertical Air Hammer	Falling weight 500kg Max Work Dial Dis 200m/m Stroke 500m/m 50HP	Do.	Do.	Do.	
1642	Do.	Do.	Do.	Do.	Do.	
1643	Furnace Heating	Size of heating chamber 750x650x180m/ml/2HP	Do.	Do.	Do.	
1646	Mechd Press Vertical Crane	Max Press 80MT Stroke 210 m/m Max Work Dia 20m/ml 10HP	Do.	Do.	Do.	
1647	Furnace Heating	Size of heating chamber 900x800x230m/ml 10HP	Do.	Do.	Do.	
1648	Forge Machine Vertical Air Hammer	Falling weight 1000kg max Work dia 250m/m max Stroke 900m/m 125HP	Do.	Do.	Do.	
1651	Weld machine Electric Arc	Cap 13 HP CS200 Hei of L 83ml 5HP	Do.	Do.	Do.	
1652	Trave crane Head Bridge	Cap 10 tone Length of Span 20m Heat of Lift 8m	Do.	Do.	Do.	
1653	Transformer Out-door type	75kva 1 5 60 cycle p/s 3300/110 volt	Do.	Do.	Do.	
1654	Do.	150kva 1 5 60 cycle p/s 3300/220 volt	Do.	Do.	Do.	
1655	Do.	Do.	Do.	Do.	Do.	
1656	Trave Crane Over Head Bridge	Cap 3m Length of Span 14.4m Height of lift 10HP	Do.	Do.	Do.	
1657	Grindler Floor Double Head	Dia & width of wheel 254x25.4 1MD 1HP	26 July 1948	C H Roller	Do.	
1659	Drill Machine Vert Floor	Drill Cap 24m/m Swing 440m/ml/2HP Max dia Spindle to table 70m/m	7 Sept 1948	Light Army	Industrial Ltd	
1661	Shear Machine Allig Retard	Max Work Mens thickness 5m/m Dial 600m/ml 10HP	Do.	Do.	Do.	
1666	Grinder Double Head Stand	Dia & thickness of wheel 203x19m/m 1/2HP	Do.	Do.	Do.	
1667	Motor Elect A.C	20HP 60 cycle 220 Vert 1140RPM	Do.	Do.	Do.	
1668	Transformer Out-door type	150kva 1 5 60 cycle	Do.	Do.	Do.	
1669	Do.	Do.	Do.	Do.	Do.	
1670	Do.	30 KVA Do.	Do.	Do.	Do.	
1671	Shear Machine Square	Max work Dimension Thick 5m/m width 1500m/ml 13HP	Do.	Do.	Do.	
1672	Bending Machine Strightening	" " 25HP	Do.	Do.	Do.	
1674	Hydr Press Closed side	Pressure 20MP Working Pressure 200kg/cm ²	Do.	Do.	Do.	
1676	Hydraulic press open side	Pressure 20MT	Do.	Do.	Do.	
1678	Shear Machine alligator	Max work Dimension Thick 10m/m width 230m/ml Dial 2m/m	Do.	Do.	Do.	
1679	Trave Crane Head Bridge	Cap 3MT L. of span 14.4m Height of Lift 10HP	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
1681	Travel' Crane Overhead Bridge Electric	Cap 10MT Length of span 14.4m Height of Lift 9m 10HP	7Sept 1948	Eighth Army	Iino Ind. Co., LTD	
1682	Shearing Machine Square,	Max work Dimension Thick 3m/m Width 2000m/m 10HP	Do.	Do.	Do.	
1683	Hydraulic press Closed Side Ver	Cap 1300MT Working Pressure 200kg/Cm ²	Do.	Do.	Do.	
1685	Furnace Heat'	Size of Heating Chamber 1800x1500 x500m/m	Do.	Do.	Do.	
1688	Hydraulic Press Closed Side Ver	Cap 20MT	Do.	Do.	Do.	
1689	Grinder Double Head Floor	Dia & Thickness of Wheel 254x25.4m/m 1HP	Do.	Do.	Do.	
1690	Hydraulic Press Closed side Ver	Cap 30MT Working Press 200kg/Cm ²	Do.	Do.	Do.	
1691	Do.	Cap 500MT Working Press 200kg/Cm ²	Do.	Do.	Do.	
1693	Transformer Out-door Type	1 ϕ 15kva p/s 3300/105 Volt 60cycle	Do.	Do.	Do.	
1694	Do.	1dia 15kva p/s 3300/210 60cycle	Do.	Do.	Do.	
1695	Do.	Do.	Do.	Do.	Do.	
1696	Do.	Do.	Do.	Do.	Do.	
1701	Do.	3KVA P/s 3300/220 Volt 1 ϕ 60 cycle	Do.	Do.	Do.	
1703	Cutoff & Saw Machine Hack	Max Length of Blade 420m/m Max cut cap 150m/m 1HP	Do.	Do.	Do.	
1704	Transformer Out-door type	1 ϕ 150kva 60cycle p/s 3300/220 Volt	Do.	Do.	Do.	
1705	Do.	Do.	Do.	Do.	Do.	
1706	Do.	Do.	Do.	Do.	Do.	
1707	Do.	1 ϕ 75kva 60cycle p/s 3300/110 Volt	Do.	Do.	Do.	
1708	Locomotive Coal	Weight 15MT Wheel Arrangment 0-6-0 Gauge of track 1067m/m Wheel Dia 750m/m Press 10kg/Cm ²	Do.	Do.	Do.	
1709	Travel' Crane Railroad Locom	Cap 5MT Gauge of Track 1067m/m H, L, 6ML Jib 7.5M	Do.	Do.	Do.	
1711	Travel' Crane Locomotive	Cap 5ton	26 July 1948	C, H, Rpler	Do.	
1712	Transformer Out-door Type	30kva 60cycle 1 ϕ	7Sept 1948	Eighth Army	Do.	
1713	Do.	Do.	Do.	Do.	Do.	
1714	Do.	Do.	Do.	Do.	Do.	
1715	Test & Measuring Machine	Cap 300kg Max work Dim 100x500m/m	Do.	Do.	Do.	
1716	"	Max Dia of Gear 200m/m Max Module Pith 7	Do.	Do.	Do.	
1719	"	Max Work Dim 200x300m/m	Do.	Do.	Do.	
1719	Hardness Vickers	Max Work Load 120kg	Do.	Do.	Do.	
1720	" oil Pre' Gdu' Pre' Si'	stem Max Pressure of Twat 500kg	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
1721	Test & Maasa Mac	Max Work Load 300kg Hardness Brinell Max Work 200x200m/m	7 Sept 1948A	Eighth Army Gm 38613	Iino Ind, Co., Ltd	
1722	Test & Medsut Mac	Max Work im 100 x 100m/m Hardness Shore (Graduation) / 140 Sencit'	Do.	Do.	Do.	
1723	Do.	Max, Work Dim 100x100m/m Graduation 0 / 140 Sencit'	Do.	Do.	Do.	
1724	Do.	Max Work Scale 140m/m	Do.	Do.	Do.	
1726	Transformer Out-door Type	1 5 15kva 60 cycle p/s 3300/110 Volt	Do.	Do.	Do.	
1728	Do.	15 0 kVA Do.	Do.	Do.	Do.	
1728	Do.	1 5 30kva 60 cycle p/s 3300/220 volt	Do.	Do.	Do.	
1729	Do.	Do.	Do.	Do.	Do.	
1731	Do.	5 kva 3 0 60 cycle p/s 3300/220 Volt	Do.	Do.	Do.	
1732	Do.	30kva 1 5 60 cycle "	Do.	Do.	Do.	
1734	Do.	1 5 50kva 60 cycle "	Do.	Do.	Do.	
1735	Do.	1 5 15kva 60 cycle "	Do.	Do.	Do.	
3005	Transformer	Phase 1 100kva 3450/100 V	Before 31 June 47	K P C	O F B branch 26 July 1947	Elclvf
3006	Do.	50kva 3450/100 V	Do.	Do.	Do.	Do.
3007	Do.	Do.	Do.	Do.	Do.	Do.
3008	Do.	Do.	Do.	Do.	Do.	Do.
3013	Do.	15kva 3450/200	Do.	Do.	Do.	Do.
3014	Do.	5kva 3450/105	Do.	Do.	Do.	Do.
3015	Do.	15kva 3450/200	Do.	Do.	Do.	Do.
3019	Do.	phase 3 5kva 3450/220	Do.	Do.	Do.	Do.
3025	Do.	phase 1 20kva 3450/100	Do.	Do.	Do.	Do.
3026	Do.	Do.	Do.	Do.	Do.	Do.
3027	Do.	5kva 3450/105	Do.	Do.	Do.	Do.
3105	Transfotmer Out-door	200kva pv3450sv210	7 Sept 1948A	Eighth Army Gm 386.3	Iino Ind, Co., Ltd	
3106	Do.	20kva pv3450 sv210	Do.	Do.	Do.	
3107	Do.	10kva pv3450 sv210	Do.	Do.	Do.	
3108	Do.	30kva pv3450 sv 220	Do.	Do.	Do.	
3109	Drill Machine Bench	Cap 12.7 Swong 420	Do.	Do.	Do.	

Code no. 22 - 24

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted By	Company Granted Permitted	Remarks
3101	Polishing & Buffing	size of wheel 355x38	7 Sept 1948	Light Army	Tino Ind, Co., Ltd	
3112	Grinding Machine	Dia & thickness of wheel 200x19	Do.	Do.	Do.	
3113	Grind' Machine Universal	Swing 200 Distance Center 450	Do.	Do.	Do.	
3115	Mill' Machine Knee-Universal	Working Surface of Table 290x1140	Do.	Do.	Do.	
3116	" Vertical	Working Surface of Table 308x1145	Do.	Do.	Do.	
3117	" Knee-horvizon'	210x870m-	Do.	Do.	Do.	
3118	Shaper Horizontal	Stroko 625 Size of table 400x600	Do.	Do.	Do.	
3119	Grinding Machi' Sorface	Dia & thickness of wheel 200x10	Do.	Do.	Do.	
3120	Gear cotter Straight bevel	pich dia 80 Face 40 Modul 5	Do.	Do.	Do.	
3121	Shaper Horizontal	Stroke 660 Size of table 410x610	Do.	Do.	Do.	
3122	Gear Hobber Horizontal	Pich Dia 70 width of tooth 50	Do.	Do.	Do.	
3124	Drill' Machine vertical	Capacity 16 Swing 600	Do.	Do.	Do.	
3127	Heat' Furnace Electric	Electric (Resistance) 9 kva	Do.	Do.	Do.	
3128	Grind' Machine	Dia & Thickness of Wheel 200 x 19	Do.	Do.	Do.	
3130	Shear' Machine Punching	Work Dimension Steel Plate 1 x 90	Do.	Do.	Do.	
3131	Mechanical Pre' Friction Spindle	Pressure 50t Stroke 200	Do.	Do.	Do.	
3132	Mechanical Press crank	Bressur 200t Stroke 180	Do.	Do.	Do.	
3133	Do.	Pressur 80t Stroke 80	Do.	Do.	Do.	
3134	Motor Generator Self-cooled	Motor A ^v 40HP Generator DC 25kw	Do.	Do.	Do.	
3136	Drill' Machine Vertical	Capacity 16 Swing 500	Do.	Do.	Do.	
3137	Do.	Capacity 30 Swing 550	Do.	Do.	Do.	
3138	Shear' Machine	Working Dimension By foot Square steel plate 1 x 800	Do.	Do.	Do.	
3139	Do.	Do.	Do.	Do.	Do.	
3142	Drill' Machine vertical	Capacity 45 Swing 2200	Do.	Do.	Do.	
3144	Bend' Machine Plate	Dia of roller 120 width & thickness 1200x3	Do.	Do.	Do.	
3147	Lathe-engine	swing 800 Distance center 1350	Do.	Do.	Do.	
3148	Hack sawing Machine	Stroke 200 Length of saw 400	Do.	Do.	Do.	
3149	Lathe-bench	Swing 280 Distance center 420	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date permitted for Use	permitted by	Company Granted permitted	Remarks
3150	Lathe-bench	swing 280 Distance center 420	7 sept 1948 A	Eighth Army	Lino Ind Co., Ltd	
3151	Screw machine Bar	Swing 270 Distance center 320	Do.	Do.	Do.	
3152	Lathe-engine	" 800 1350	Do.	Do.	Do.	
3153	Do.	" 530 Length of bed 1850	Do.	Do.	Do.	
3157	Drill Machine Bench	Capacity 12.7 Swing 420	Do.	Do.	Do.	
3158	Lathe turret	Swing 420 Bed length 1.150	Do.	Do.	Do.	
3159	Do.	Swing 370 Bed length 1.350	Do.	Do.	Do.	
3160	Do.	Do. Ø	Do.	Do.	Do.	
3161	Lathe-Turret-Sadle	420 Do. 1.730	Do.	Do.	Do.	
3162	Drill Machine Bench	Capacity 12.7 Swing 420	Do.	Do.	Do.	
3164	Grind machine Bench	Dia & thickness of wheel 200x19	Do.	Do.	Do.	
3165	Do.	200x19x16	Do.	/Do.	Do.	
3166	Do.	200x19	Do.	Do.	Do.	
3168	Do.	300x30	Do.	Do.	Do.	
3169	Bor machine Vertical (jig)	Dia of spindle 62 size of table 490x70	Do.	Do.	Do.	
3170	Lathe-engine	Swing 710 Distance center 3207	Do.	Do.	Do.	
3171	Do.	" 330 " 550	Do.	Do.	Do.	
3172	Slotter-vertical	Stroke 310 Dia of table 760	Do.	Do.	Do.	
3173	Gear cutter Straight bevel	Pich Dia 216 Face 60 Modul 6	Do.	Do.	Do.	
3177	Shear machine Rotary disc	Work dimension stand Plate 6x1000	Do.	Do.	Do.	
3179	Crane overhead trabeling	Capacity 10t Lift 6000 span 1000	Do.	Do.	Do.	
3182	Portable Drills Electric	Size of drill 12.7	Do.	Do.	Do.	
3184	Do.	" 15.8	Do.	Do.	Do.	
3186	Do.	" 9.5	Do.	Do.	Do.	
3190	Do.	" 19.5	Do.	Do.	Do.	
3191	Do.	" 6.3	Do.	Do.	Do.	
3194	Do.	" 10	Do.	Do.	Do.	
3196	Do.	" 9.52	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3197	Portable Drill Electric	Size of drill ϕ . 12	7 Sept 1948A,	Eighth Army	Lino Ind, Co., Ltd	
3198	Do.	" 9.5	Do.	Do.	Do.	
3200	Do.	" "	Do.	Do.	Do.	
3202	Weld Machine Electric	11kw 250a pv220sv30	Do.	Do.	Do.	
3203	Wood Working Circular saw	Dia of saw 400 Table 610x760	Do.	Do.	Do.	
3204	Crane Rail Road traveling	Capacity 5t Lift 7200	Do.	Do.	Do.	
3205	Jib crane	Capacity 5t Lift 3500 Arm 5700	Do.	Do.	Do.	
3206	Pump water Reciprocating	Capacity 5ton/Hr Pressure 10kg/cm ²	Do.	Do.	Do.	
3207	Pump water Centrifugal	Capacity 4.8m ³ /min Head 20m	Do.	Do.	Do.	
3208	Internal Combustion Engine diesel	Rated HP 80 Water cooled RPM1500	Do.	Do.	Do.	
3209	Do.	Do.	Do.	Do.	Do.	
3210	Pump water centrifugal	Capacity 2,85m ³ /min Head 20m	Do.	Do.	Do.	
3211	" Reciprocating	Capacity 0.2m ³ /min Pressure 14kg/cm ²	Do.	Do.	Do.	
3212	Internal combustion Engine Diesel	Rated HP 80 Water cooled RPM 1500	Do.	Do.	Do.	
3213	Motor AC Enclosed Induc	1.200RPM 30HP 60cycle 220v	Do.	Do.	Do.	
3215	Pump Water Centrifugal	Capacity 7t/Hr Pressure 14kg/cm ²	Do.	Do.	Do.	
3216	Air Compressor	" 0.25m ³ /min 30kg/cm ²	Do.	Do.	Do.	
3217	Pump water Centrifugal	" 0.485m ³ /min 60m	Do.	Do.	Do.	
3222	Generator Diesel Engine	48,5kw 110v 1.300RPM	Do.	Do.	Do.	
3223	Pump water Centrifugal	Capacity 62.5m ³ /min Stroke 240	Do.	Do.	Do.	
3224	Do.	" 50m ³ /min 240	Do.	Do.	Do.	
3225	Do.	" 50m ³ /min Head 5m	Do.	Do.	Do.	
3226	Do.	Do.	Do.9	Do.	Do.	
3227	Do.	Cap' 62.5m ³ /min Head 5m	Do.	Do.	Do.	
3228	Internal combustion Engine carburetor	Rated HP 50 Water cooled RPM1600	Do.	Do.	Do.	
3229	Pump hydraulic Reciprocating	Pressure 700kg/cm ² Stroke 80	Do.	Do.	Do.	
3231	Pump water Centrifugal	Capacity 150t/Hr Head 20m	Do.	Do.	Do.	
3234	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3235	Air compressor	Capacity 5.4m ³ /min Pressur 7kg/cm ²	7 sept 1948	Eighth Army	Iino Ind, Co., Ltd	
3236	Pump water centrifugal	Capacity 150t/min Head 20m	Do.	Do.	Do.	
3237	Do.	Do.	Do.	Do.	Do.	
3238	Do.	Do.	Do.	Do.	Do.	
3240	Do.	Do.	Do.	Do.	Do.	
3241	Do.	Do.	Do.	Do.	Do.	
3242	Do.	Cap: 5 m ³ /min Head 20m	Do.	Do.	Do.	
3243	Drill machine Radial	Capacity 500kg Surface table 550x800	Do.	Do.	Do.	
3244	" Vertical	Capacity 32 swing 520	Do.	Do.	Do.	
3245	Lathe-engine	swing 290 Distance center 530	Do.	Do.	Do.	
3246	Pump centrif	Capacity 5m ³ /min Head 20m	Do.	Do.	Do.	
3249	Pump water centrifugal	" 70ton/Hr " 12m	Do.	Do.	Do.	
3250	Air compressor	Capacity 8.67m ³ /min Pressure 7kg/cm ²	Do.	Do.	Do.	
3251	Boiler water tube	Pressure 14kg/cm ² Capacity 15m ³ /Hr	Do.	Do.	Do.	
3252	Internal combu Engine carbur	Rated HP 50 Water cooled RPM1600	Do.	Do.	Do.	
3253	Air compressor	Capacity 9m ³ /Hr Pressure 30kg/cm ²	Do.	Do.	Do.	
3254	Do.	" 0.15m ³ /min " 30kg/cm ²	Do.	Do.	Do.	
3257	Motor AC induction	7.5HP 60cycle 220v 1.740RPM	Do.	Do.	Do.	
3258	Do.	40HP 60cycle 220v 865 RPM	Do.	Do.	Do.	
3259	Pump water Propeller	Cap. 4.8m ³ /min Head 20m	Do.	Do.	Do.	
3260	Pump water propeller	Capacity 4.8m ³ /min Head 20m	Do.	Do.	Do.	
3262	Grind Machine Double Head	Dia of wheel 300 Thuckness wheel 30	Do.	Do.	Do.	
3263	Drill machine Bench	Capacity 10 Swing 280 20kw 300g	Do.	Do.	Do.	
3266	Weld Machine	Pv 220 sv 80	Do.	Do.	Do.	
3268	Do.	Do.	Do.	Do.	Do.	
3277	Grinding Machine	Dia of wheel 300 Thickness wheel 30	Do.	Do.	Do.	
3279	Crane over head trablel	Capacity 30t Lift 9500 span 15500	Do.	Do.	Do.	
3280	Do.	Capacity 10t lift 6000 span 15500	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3281	carne over head trabel'	Capacity 20t Lift 9500 span 8000	7sept 1948 A,	Do.	Eighth army Iino Gm386,3 Ind. co., Ltd	
3282	Transformer Out-door	50kva pv3450 sv220	Do.	Do.	Do.	
3283	Do.	30kva pv3300 sv220	Do.	Do.	Do.	
3284	Do.	50kva pv3450 sv220	Do.	Do.	Do.	
3285	Do.	30kva pv3450 sv220	Do.	Do.	Do.	
3287	Drill'machine bench	Capacity 12.7 Swing 420	Do.	Do.	Do.	
3288	Do.	" 9.5 " 290	Do.	Do.	Do.	
3291	Grincl'machine bench	Dia & thickness of wheel 300x30	Do.	Do.	Do.	
3292	Lathe-bench	swing 240 distance center 250	Do.	Do.	Do.	
3293	Drill'machine Bench	Capacity 12.7 Swing 350	Do.	Do.	Do.	
3297	" vertical	" 80 " 460	Do.	Do.	Do.	
3298	Hach sawing Machine	Stroke 200 length of saw 400	Do.	Do.	Do.	
3299	Transformer Outedoor	30kva pv3450 sv220	Do.	Do.	Do.	
3300	Do.	100kva pv3450 sv220	Do.	Do.	Do.	
3302	Drill'machine vertical	Capacity 30 swing 560	Do.	Do.	Do.	
3332	Lathe-engine	swing 400 distauce center 700	Do.	Do.	Do.	
3346	transformer Out-door	30kva pv3300 sv220	Do.	Do.	Do.	
3347	Do.	200kva pv sv	Do.	Do.	Do.	
3348	shaper horizontal	Stroke 610 Size of table 500x400x400	Do.	Do.	Do.	
3349	Do.	" 500x400x400	Do.	Do.	Do.	
3351	Drill'machine Vartical	Capacity 30 Swing 540	Do.	Do.	Do.	
3352	Do.	" 13 " 540	Do.	Do.	Do.	
3353	Do.	" 30 " 540	Do.	Do.	Do.	
3354	Do.	" 50 " 2.280	Do.	Do.	Do.	
3355	Grind'machine tool cetter	Dia & thickness of wheel 280x28	Do.	Do.	Do.	
3356	Lathe engine	swing 406 Distance center 1420	Do.	Do.	Do.	
3359	Lathe gap	swing 400 Diatance center 1420	Do.	Do.	Do.	
3360	Lathe-engine	" 300 1200	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3361	Grind'machine Tool cutter	Dia & thickness of wheel 280x26	7 sept 1948 A,	Eighth Army Gm ^m 326,3	Iino Ind. Co., Ltd	
3362	Pump water Reciprocating	Capacity 17l/min Pressure 150kg/cm ²	Do.	Do.	Do.	
3363	Do.	Do.	Do.	Do.	Do.	
3364	Do.	" 17L/min 170kg/cm ²	Do.	Do.	Do.	
3365	Grind'machine Tool cutter	Dia & thickness of wheel 280x26	Do.	Do.	Do.	
3367	Motor AC	7.5HP 60cycle 220v 680 R P M	Do.	Do.	Do.	
3375	Drill'mac ine Vertical	Capacity 25 Swing 550	Do.	Do.	Do.	
3376	Crane overhead Traveling	" 30t lifr 2500 Span16.750	Do.	Do.	Do.	
3377	Do.	Capacity 15t Lift 3800 Span16,750	Do.	Do.	Do.	
3378	Do.	Capacity 80t Lift 13.700 Span18.660	Do.	Do.	Do.	
3379	Do.	Capacity 40t Lift 11900 Span18660	Do.	Do.	Do.	
3380	Air compressor Receprocating	Capacity 40l/min Pressure 4kg/cm ²	Do.	Do.	Do.	
3381	Grind'machine Bench	Dia & thickness of wheel 228x25	Do.	Do.	Do.	
3390	Stand dooble	" 310x37	Do.	Do.	Do.	
3391	Drill'machine Bench	Capacity 10 Swing 280	do.	Do.	Do.	
3392	Do.	" 28 560	Do.	Do.	Do.	
3398	Locomotive Electric (battery)	Capacity 15T	Do.	Do.	Do.	
3399	Locomstive coal	Do.	Do.	Do.	Do.	
3406	Crane locom' Rail road trave'	Capacity 5t Lift 7000	Do.	Do.	Do.	
3408	Do.	Capacity 8t Lift 8500	Do.	Do.	Do.	
3409	Do.	Capacity 3t Lift 6110	Do.	Do.	Do.	
3410	Transformer out-door	15kva pv3450 sv220	Do.	Do.	Do.	
3411	Do.	Do.	Do.	Do.	Do.	
3412	Do.	Do.	Do.	Do.	Do.	
3413	Transformer In deer	150kva pv3300 sv220	Do.	Do.	Do.	
3414	Transformer Out-door	pv3450 sv210 20kva 60cycle	Do.	Do.	Do.	
3415	Do.	50kva pv3450 sv220	Do.	Do.	Do.	
3416	Do.	Do.	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3417	transformer Out-door	30 kva pv3450 sv220	7 sept 1948 A	Sighth Armyline Ind Co., Ltd		
3418	Crane overhead Traveling	Capacity 3t Lift 3600 Span 13000	Do.	Do.	Do.	
3420	Transformer Out-door	30kva pv3300 sv220	Do.	Do.	Do.	
3421	Do.	75kva pv 3450sv220	Do.	Do.	Do.	
3425	Pump water Reciprocating	Capacity 63L/min Pressure 16kg/cm ²	Do.	Do.	Do.	
3426	Do.	Capacity 48L/min Pressure 17kg/cm ²	Do.	Do.	Do.	
3428	Boiler water tube	Capacity 2.52okg/Hr Working pressure 5kg/cm ²	Do.	Do.	Do.	
3429	Motor AC	10HP 60cycle 220v 1740RPM	Do.	Do.	Do.	
3432	Motor AC Induction	15HP 60cycle 220V 560RPM	Do.	Do.	Do.	
3434	Hardness tester Brinell	Work dimension 360 Load 3000kg	Do.	Do.	Do.	
3436	"	Work dimension 450 Load 100kg	Do.	Do.	Do.	
3437	Vickers Spring tester Combination	magetizer cap. 300kg Work dimen 650 D.C 220V 20a	Do.	Do.	Do.	
3438	Crank-tester Magnaflox	Maghetizer D.C 220v 20A	Do.	Do.	Do.	
3439	Universal teser Ansler Hydr	Capacity 50t Work dimension 490	Do.	Do.	Do.	
3441	Fatigur tester	Moment ±3.8M-kg Repeated stress 3600/min	Do.	Do.	Do.	
3443	Pepc tied tov Impact tester Isod	Capacity 120ft/lbs	Do.	Do.	Do.	
3444	fatigue tester shore	500/250 P.r.m read scale 140 500/250 rpm	Do.	Do.	Do.	
3446	Hardness tester	Read scale 140	Do.	Do.	Do.	
3448	Do.	Read scale 140	Do.	Do.	Do.	
3450	Transformer Out-door	30kva pv3450 sv220	Do.	Do.	Do.	
3451	Do.	Do.	Do.	Do.	Do.	
3452	Drill machine Bench Portable Hammer	Capacity 10 Swing 300	Do.	Do.	Do.	
3453	Pneumatic	Work dimension 1 5/8 1 5/8	Do.	Do.	Do.	
3454	Do.	"Do.	Do.	Do.	Do.	
3455	Do.	Do.	Do.	Do.	Do.	
3456	Do.	Do.	Do.	Do.	Do.	
3457	Do.	Do.	Do.	Do.	Do.	
3458	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3459	Portable Hammer Pneumatic	Work dimension 15/8"	7 sept 1948	Eighth Army, Gm 386,300	Lino Ind, Co., Ltd	
3460	Do.	Do.	Do.	Do.	Do.	
3461	Do.	Do.	Do.	Do.	Do.	
3462	Do.	Do.	Do.	Do.	Do.	
3591	Portable Grin pneumatic	Dia & Thickness of wheel 62x12	Do.	Do.	Do.	
3592	Do.	100 x 19	Do.	Do.	Do.	
3593	Do.	2"	Do.	Do.	Do.	
3594	Do.	Do.	Do.	Do.	Do.	
3595	Do.	Do.	Do.	Do.	Do.	
3596	Do.	Do.	Do.	Do.	Do.	
3597	Do.	Do.	Do.	Do.	Do.	
3598	Do.	Do. 9	Do.	Do.	Do.	
3599	Do.	Do.	Do.	Do.	Do.	
3600	Do.	Do.	Do.	Do.	Do.	
3601	Do.	152 x 25	Do.	Do.	Do.	
3602	Do.	"	Do.	Do.	Do.	
3603	Do.	203 x 25	Do.	Do.	Do.	
3604	Do.	Do " 152 x 25	Do.	Do.	Do.	
3605	Do.	Do.	Do.	Do.	Do.	
3629	Portable drill pneumatic	Size or drill 32	Do.	Do.	Do.	
3630	Do.	" 44	Do.	Do.	Do.	
3631	Do.	" 32	Do.	Do.	Do.	
3632	Do.	" 32	Do.	Do.	Do.	
3633	Do.	" 19	Do.	Do.	Do.	
3634	Do.	" 32	Do.	Do.	Do.	
3635	Do.	" 32	Do.	Do.	Do.	
3636	Do.	" 14	Do.	Do.	Do.	
3637	Do.	" 19	Do.	Do.	Do.	
3593	Portable grin pneumatic	63 x 12 Dia thickness of wheel	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3638	Portable drill Pneumatic	Size of drill 19 3/4	7 sept 1948 A.	Eighth Army Gm 386,3	Iino Ind, Co., Ltd	
3639	Do.	Do.	14	Do.	Do.	
3640	Do.	"	19	Do.	Do.	
3641	(Corner) pneumatic	"	63	Do.	Do.	
3642	Do.	"	63	Do.	Do.	
3643	Do.	"	23	Do.	Do.	
3644	Do.	"	32	Do.	Do.	
3645	Do.	"	32	Do.	Do.	
3646	Do.	"	32	Do.	Do.	
3647	Do.	"	14	Do.	Do.	
3648	Portable drill pneumatic	"	14	Do.	Do.	
3729	portable grind Electric	'Dia & thickness of wheel 200x25		Do.	Do.	
3730	Do.	Do.		Do.	Do.	
3731	Do.	Do.		Do.	Do.	
3733	Do.	Do.		Do.	Do.	
3734	Do.	Do.		Do.	Do.	
3735	Do.	Do.		Do.	Do.	
3742	Portable drill Electric	" Size of drill 13		Do.	Do.	
3743	Do.	Do.		Do.	Do.	
3744	Do.	" 25.4		Do.	Do.	
3747	Do.	" 20		Do.	Do.	
3748	Do.	Do.		Do.	Do.	
3749	Do.	" 8		Do.	Do.	
3750	Do.	Size of drill 6		Do.	Do.	
3751	Do.	" 20		Do.	Do.	
3752	Do.	Do.		Do.	Do.	
3753	Do.	" 18		Do.	Do.	
3754	Do.	" 13		Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3755	Portable Drill Electric	Size of drill 13	7 sept 1948 A.	Eighth Army	Yino Ind. Co., Ltd	
3756	Transformer Out-door	30kva pv3450sv210	Do.	Do.	Do.	
3757	Do.	Do.	Do.	Do.	Do.	
3758	Do.	20kva pv3450 sv220	Do.	Do.	Do.	
3759	Vacuum gauge Test machine	Capacity 760 Stroke 310	Do.	Do.	Do.	
3760	Pressure gauge Manual fixed	Capacity 100kg/cm ² Stroke 250	Do.	Do.	Do.	
3763	Do.	" 300kg/cm ² 270	Do.	Do.	Do.	
3764	Drill machine Vertical	Capacity 10 Swing 290	Do.	Do.	Do.	
3765	Do.	" 10 286	Do.	Do.	Do.	
3766	Tool cutter wheel	Dia & thickness of wheel 280 x 26	Do.	Do.	Do.	
3767	Tachom' Testing Machine fixed	Capacity 8000RPM	Do.	Do.	Do.	
3772	Heat' Furnace Electric	Capacity 150kva	Do.	Do.	Do.	
3773	Weld' Machine electric arc AC	30kw 60cycle 500A	Do.	Do.	Do.	
3775	Heat sawing Portable	Capacity 150	Do.	Do.	Do.	
3776	Grinding machine	Dia wheel 400 thickness wheel 60	Do.	Do.	Do.	
3780	Transformer in door	150kva pv3300 sv 220	Do.	Do.	Do.	
3781	Do.	Do.	Do.	Do.	Do.	
3782	Do.	Do.	Do.	Do.	Do.	
3786	sinter' furnace Dolomite sinter	Capacity 1 ^{ton}	Do.	Do.	Do.	
3788	Melting furnace Cupola	" 6t/Hr	Do.	Do.	Do.	
3791	Do.	" 500kg/Hr	Do.	Do.	Do.	
3792	Reverbratory Grinding machine	" 4t Dia wheel 400 Thickness wheel 60	Do.	Do.	Do.	
3794	Drill machine vertical	capacity 12 Swing 320	Do.	Do.	Do.	
3795	Melr' fornace Electric	Capacity 6t/Hr	Do.	Do.	Do.	
3800	Do.	" 300kg/Hr	Do.	Do.	Do.	
3801	Jib crane Electric	" 2t Lift 5000	Do.	Do.	Do.	
3802	Do.	" 3t 5000	Do.	Do.	Do.	
3803	Do.	" 5000	Do.	Do.	Do.	

Code no. 22 - 24

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3804	Jib crane Electric	Capacity 3t Lift 5,000	7 sept 1948	Eighth Army	Iino Ind, Co., Ltd	
3805	Do.	Do.	Do.	Do.	Do.	
3806	Do.	Do. 2t 5,000	Do.	Do.	Do.	
3807	Do.	Do. 3t 5,000	Do.	Do.	Do.	
3808	Do.	Do. 2t 5,000	Do.	Do.	Do.	
3809	Do.	Do. 3t 5,000	Do.	Do.	Do.	
3810	Do.	Do.	Do.	Do.	Do.	
3811	Knife grinding Automatic feed	Dia of wheel 1350 Thickness of wheel 25	Do.	Do.	Do.	
3815	Cran overhead traveling	Capacity 15t Lift 9000 span 12000	Do.	Do.	Do.	
3816	Do.	" 5t Lift 6000 span 8000	Do.	Do.	Do.	
3819	Do.	Capacity 15t Lift 7620 span 11887	Do.	Do.	Do.	
3820	Do.	Capacity 20t Lift 7620 span 11887	Do.	Do.	Do.	
3821	Do.	" 20t lift 10970 span 17220	Do.	Do.	Do.	
3822	Do.	Capacity 40t Lift 10970 span 17220	Do.	Do.	Do.	
3823	Do.	Capacity 25 Lift 10970 span 17220	Do.	Do.	Do.	
3825	Do.	Capacity 5t lift 5790 span 8530	Do.	Do.	Do.	
3826	Do.	Capacity 20t Lift 10970 span 17220	Do.	Do.	Do.	
3827	Do.	Capacity 40t Lift 10970 span 17220	Do.	Do.	Do.	
3828	Do.	Capacity 10t Lift 9000 span 12170	Do.	Do.	Do.	
3829	Drill machine vertical	Capacity 15 swing 400	Do.	Do.	Do.	
3831	Transformer in-door	250kva pv3450sv2200	Do.	Do.	Do.	
3832	Do.	Do.	Do.	Do.	Do.	
3833	Do.	Do.	Do.	Do.	Do.	
3835	Do.	500KVA PV 3450 20.5V 220	Do.	Do.	Do.	
3836	Do.	Do.	Do.	Do.	Do.	
3837	Do.	Do.	Do.	Do.	Do.	
3838	Do.	75kva pv3450 sv220	Do.	Do.	Do.	
3845	Transformer Out-door	350kva pv3300 sv2200	Do.	Do.	Do.	

Code no. 22 - 24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3846	Transformer Outdoor	350kva pv3.300sv2.200	7 Sept 1948	Eighth Army	Yino ind Co., Ltd	
3847	do	do	do	do	do	
3848	Air Compressor Reciprocating	Capacity 50m ³ /min Pressure 120.9lbs/m ²	do	do	do	
3851	do	" 113.76lbs/m ²	do	do	do	
3852	Pump hydraulic Horizontal	Capacity 9.8m ³ /min Pressure 1.495lbs/m ²	do	do	do	
3853	Air compressor Reciprocating	Capacity 34m ³ /min Pressure 120.9lb/m ²	do	do	do	
3854	Transformer Out-door	30kva pv3.450 sv220	do	do	do	
3855	do	30kva pv3.450 sv220	do	do	do	
3856	do	do	do	do	do	
3857	Grinding machine Tool&Cutter	Dia & thickness of Wheel 300x30	do	do	do	
3858	Sawing machine Rotary	Dia & thickness of saw 500x5	do	do	do	
3859	Pump Reciprocating	Capacity 10ton/Hr Pressure 150kg/cm ²	do	do	do	
3860	Drilling machine Sensitive	Capacity 23.2 Swing 300	do	do	do	
3861	Shearing machine Triple needs	Width & thickness 250x10	do	do	do	
3862	Bending machine plate	Width & thickness of sheet 1.200x3.2	do	do	do	
3863	Sawing machine Rotary	Dia & thickness of saw 500x5	do	do	do	
3864	Motor AC induction	10 Hp 50cycle 400v 1.445 RPM	do	do	do	
3865	Boring machine Horizontal	Working pipe 400	do	do	do	
3867	Welding machine Electric	36kva 60cycle 220v	do	do	do	
3868	do	27kva 60cycle 220v 300a	do	do	do	
3869	do	do	do	do	do	
3872	do	do	do	do	do	
3873	" DC	3775kw 60cycle 220v	do	do	do	
3874	do	Motor 10Hp Generator 3.75kw	do	do	do	
3875	do	15kw 60cycle 220v 300a	do	do	do	
3877	" AC	27kva 60cycle 220v 300a	do	do	do	
3878	do	34kva 60cycle 220v 400a	do	do	do	
3879	do	do	do	do	do	

Code no. 22-24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3880	Welding machine electric Arc AC	27kva 60cycle 220v 300a	7 sept 1948	Eighth Army	Linomind Co., Ltd	
3881	do	36kva 60cycle 220v 400a	do	do	do	
3882	do	do	do	do	do	
3883	do	27kva 60cycle 220v 300a	do	do	do	
3884	do	do	do	do	do	
3885	do	do	do	do	do	
3886	do	do	do	do	do	
3887	do	15kw 60cycle 220v 300a	do	do	do	
3889	do	27kva 60cycle 220v 300a	do	do	do	
3891	do	36kva 60cycle 220v 400a	do	do	do	
3892	do	34kva 60cycle 220v 400a	do	do	do	
3893	do	36kva 60cycle 220v 400a	do	do	do	
3894	do	do	do	do	do	
3895	do	do	do	do	do	
3896	do	34kva 60cycle 220v 400a	do	do	do	
3898	do	36kva 60cycle 220v 400a	do	do	do	
3899	do	34kva 60cycle 220v 400a	do	do	do	
3900	do	do	do	do	do	
3901	do	do	do	do	do	
3902	do	36kva 60cycle 220v 400a	do	do	do	
3903	do	27kva 60cycle 220v 300a	do	do	do	
3908	do	16kva 60cycle 220v 215a	do	do	do	
3915	Hydraulic press Vertical closed	stroke 1.450 side Pressover 1.004mt	do	do	do	
3918	Motor AC Induction	10Hp 60cycle 220v 560RPM	do	do	do	
3920	do	20HP 60cycle 220v 1.160RPM	do	do	do	
3922	do	30HP 60cycle 22v 450RPM	do	do	do	
3924	Bending machine	width & thickness of plate steel 1.800x3.2	do	do	do	
	Mechanical press	Stroke 450	do	do	do	
	friction spindle	pressure 100t	do	do	do	

Code no. 22-24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3926	Bend'machine Pipe	Dia of pipe 31.8Dia 3 Rollers	7 sept 1948	Eighth Army GmGm388,300	Iino Ind. Co., Ltd	
3928	Shear'machine Plate	Width & thickness of sheet 1.525x10	Do.	Do.	Do.	
3929	Hydraulic Press Verticalside Crossed	Stroke 915 Pressure 232MT	Do.	Do.	Do.	
3933	Bend'machine Plate	Width & thickness of Steel 1.830 x 11.2	Do.	Do.	Do.	
3938	Pump Reciprocating	Capacity 16.7L/min Pressure 150kg/cm ²	Do.	Do.	Do.	
3939	Compressor Reciprocating	Capacity 6m ³ /min Pressure 7kg/cm ²	Do.	Do.	Do.	
3941	Shear'machine Square	Width & thickness of sheet 1300x2.3	Do.	Do.	Do.	
3945	Shaper Horizontal	Stroke 458 Size of table 410x540	Do.	Do.	Do.	
3946	Motor AC induction	7.5HP 60cycle 220v 1.130 RPM	Do.	Do.	Do.	
3948	Lathe-Gap	Swing 580 Distance center 1.370	Do.	Do.	Do.	
3950	Do.	" 460 3.200	Do.	Do.	Do.	
3951	Lathe-engine	" 380 700	Do.	Do.	Do.	
3961	Bend'machine Plate	Width & thickness of Sheet 2.440 x 18	Do.	Do.	Do.	
3968	Bor'machine Horizontal	Swing 3.160 Distance holder to table 880	Do.	Do.	Do.	
3969	Bor'machine vertical	Distance tool holder to table 960	Do.	Do.	Do.	
3972	Saw'machine Portable Hack Saw	Length & width of saw 406 x 25	Do.	Do.	Do.	
3975	Do.	Do.	Do.	Do.	Do.	
3977	Drill'machine Multitide	Dia of spindle 70 Swing 2.230	Do.	Do.	Do.	
3978	Planer Double Hoosing	Size of table L 5.530 W 1.520	Do.	Do.	Do.	
3979	Shear'machine Triple Head	Shearing width & thick' 300 x 12.7	Do.	Do.	Do.	
3981	Motor AC Induction	30HP 60cycle 220v 480 RPM	Do.	Do.	Do.	
3982	Hydraulic Press vertical&Horiz	Stroke 1.370 Prossore v130MTH30MT	Do.	Do.	Do.	
3983	shear'machine Double Head	Working width & thick' 300 x 16	Do.	Do.	Do.	
3984	" Rotary	Width & thickness of sheet 1.219 x 12.7	Do.	Do.	Do.	
3985	Bor'machine Horizontal	Dia of spindle 118 Boring Dia 1.375	Do.	Do.	Do.	
3986	Dril'machine sensitive	Capacity 76.2 Distance Spindle to table 2.000	Do.	Do.	Do.	
3988	Do.	Capacity 23.2 Swing 320	Do.	Do.	Do.	
3991	" Radial	Capacity 76.2 Distance Spindle to table 2.000	Do.	Do.	Do.	

Code no. 22 - 24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
3993	Drill'machine Radial	Capacity 50.8 distance Spindle to table 1305	7 sept 1948	Eighth Army	Lino Ind. Co., Ltd	
3994	Grind'machine tool&cutter	Dia & thickness wheel * 550 x 120	Do.	Do.	Do.	
3995	Motor AC induction	10HP 60cycle 220v 690 RPM	Do.	Do.	Do.	
3996	Grin'machine tool&Cutter	Dia & thickness of wheel 300 x 35	Do.	Do.	Do.	
3997	Do.	Do.	Do.	Do.	Do.	
3998	Do.	Dia & thickness of wheel 300 x 30	Do.	Do.	Do.	
3999	Drill'machine Bench	Capacity 23.8 swing 420	Do.	Do.	Do.	
4000	Forg'machine Double head	Working Dia & length 31.3Dia x 305	Do.	Do.	Do.	
4000 4001	Portable Hammer Pneumatic	Work dimension 3/4"	Do.	Do.	Do.	
4002	Do.	Do.	Do.	Do.	Do.	
4003	Do.	Do.	Do.	Do.	Do.	
4004	Do.	Do.	Do.	Do.	Do.	
4005	Do.	Do. 9	Do.	Do.	Do.	
4006	Do.	Do.	Do.	Do.	Do.	
4007	Do.	Do.	Do.	Do.	Do.	
4008	Do.	Do.	Do.	Do.	Do.	
4009	Do.	Do.	Do.	Do.	Do.	
4010	Do.	Do.	Do.	Do.	Do.	
4011	Do.	Do.	Do.	Do.	Do.	
4012	Do.	Do.	Do.	Do.	Do.	
4013	Do.	Do.	Do.	Do.	Do.	
4014	Do.	Do.	Do.	Do.	Do.	
4015	Do.	Do.	Do.	Do.	Do.	
4016	Do.	Do.	Do.	Do.	Do.	
4017	Do.	Do.	Do.	Do.	Do.	
4018	Do.	Do.	Do.	Do.	Do.	
4019	Do.	Do.	Do.	Do.	Do.	
4020	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4021	Portable Hammer Pneumatic	Work dimension 3/4"	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
4022	Do.	Do.	Do.	Do.	Do.	
4023	Do.	Do.	Do.	Do.	Do.	
4024	Do.	Do.	Do.	Do.	Do.	
4025	Do.	Do.	Do.	Do.	Do.	
4026	Do.	Do.	Do.	Do.	Do.	
4027	Do.	Do.	Do.	Do.	Do.	
4028	Do.	Do.	Do.	Do.	Do.	
4028	Do.	Do.	Do.	Do.	Do.	
4030	Do.	Do.	Do.	Do.	Do.	
4031	Do.	Do.	Do.	Do.	Do.	
4032	Do.	Do.	Do.	Do.	Do.	
4033	Do.	Do.	Do.	Do.	Do.	
4034	Do.	Do.	Do.	Do.	Do.	
4035	Do.	Do.	Do.	Do.	Do.	
4036	Do.	Do.	Do.	Do.	Do.	
4121	Portable Grinder Pneumatic	Portable Grinder Dia & thickness of wheel 203x25	Do.	Do.	Do.	
4122	Do.	152x25	Do.	Do.	Do.	
4123	Do.	"	Do.	Do.	Do.	
4124	Do.	100x18	Do.	Do.	Do.	
4125	Do.	152 x 25	Do.	Do.	Do.	
4126	Do.	Do.	Do.	Do.	Do.	
4127	Do.	63 x 12	Do.	Do.	Do.	
4128	Do.	100 x 19	Do.	Do.	Do.	
4129	Do.	203x 25	Do.	Do.	Do.	
4130	Do.	Do.	Do.	Do.	Do.	
4162	Portable Drill Pneumatic	Size of drill	23	Do.	Do.	
4163	Do.	"	19	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4164	Portable Drill Pneumatic	Size of drill 44	7 sept 1948	Eighth Army	Iino Ltd	
4165	Do.	" 30	Do.	Do.	Do.	
4166	Do.	" 30	Do.	Do.9	Do.	
4167	Do.	" 14	Do.	Do.	Do.	
4168	Do.	" 14	Do.	Do.	Do.	
4169	Do.	" 19	Do.	Do.	Do.	
4170	Do.9	" 23	Do.	Do.	Do.	
4171	Do.	" 63	Do.	Do.	Do.	
4196	Do.	" 23	Do.	Do.	Do.	
4197	Do.	" 14	Do.	Do.	Do.	
4198	Crane overhead traveling	Capacity 5t Lift 4000 span 8200	Do.	Do	Do.	
4199	Do.	Capacity 40t Lift 8000 span 15,240	Do.	Do.	Do.	
4200	Crane overhead traveling	Capacity 30t lift 3000 span 15,240	Do.	Do.	Do.	
4201	Do.	" 3t Lift 4000 span 10,690	Do.	Do.	Do.	
4202	Do.	Capacity 5t lift 4000 span 10,690	Do.	Do.	Do.	
4203	Do.	Capacity 20t lift 3000 span 13720	Do.	Do.	Do.	
4204	Do.	Capacity 25t lift 6000 span 13,720	Do.	Do.	Do.	
4208	Weld'machine Electric ARC AC	20kw 400A pv220sv80	Do.	Do.	Do.	
4210	Do.	14kw 300a pv220sv80	Do.	Do.	Do.	
4211	Do.	10.7kw 250a pv220sv80	Do.	Do.	Do.	
4212	lathe-engine	swing 460mm distance center 1.000mm	Do.	Do.	Do.	
4213	Do.	" 410mm 225mm	Do.	Do.	Do.	
4214	Do.	" 335mm 620mm	Do.	Do.	Do.	
4215	Do.	" 400mm 1.000mm	Do.	Do.	Do.	
4216	Do.	" 440mm 850mm	Do.	Do.	Do.	
4217	Do.	" 460mm 1.200mm	Do.	Do.	Do.	
4219	Do.	" 4 66mm 1.420mm 466mm	Do.	Do.	Do.	
4221	Do.	" 1.420mm	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4222	Lathe-Gap	swing 300mm Distance center 1.330mm	7 sept 1948	Eighth Army	Yino Ind Co., Ltd	
4224	shaper Horizontal	Stroke 510 size of table travel 150x510 & 360	Do.	Do.	Do.	
4225	Do.	Stroke 865 size of table travel 1680x405 & 353	Do.	Do.	Do.	
4226	Do.	Stroke ⁷¹² size of table travel 433x354 & 540 363	Do.	Do.	Do.	
4227	Do.	Stroke 407 size of table travel 450x354 & 340	Do.	Do.	Do.	
4230	Lathe-engine	swing 420 Distance center 830	Do.	Do.	Do.	
4235	Lathe-Gap	swing 304mm Distance center 711mm	Do.	Do.	Do.	
4236	Lathe-engine	Do.	Do.	Do.	Do.	
4239	Do.	" 330mm Bed length 1.200mm	Do.	Do.	Do.	
4245	Motor DC induction	15HP 60cycle 3 1/2 220v 865 RPM	Do.	Do.	Do.	
4246	" Shunt	10HP 220V 900RPM	Do.	Do.	Do.	
4248	" induction	10HP 60cycle 3 1/2 220V 1150 RPM	Do.	Do.	Do.	
4250	Motor DC	5HP 220v 450RPM	Do.	Do.	Do.	
4267	motor A induction	10HP 60cycle 3 1/2 220v 340/1.700RPM	Do.	Do.	Do.	
4271	Do.	15HP 60cycle 3 1/2 220v 1.800RPM	Do.	Do.	Do.	
4274	Do.	10HP 60cycle 3 1/2 220V 1.730RPM	Do.	Do.	Do.	
4280	Do.	30HP 60cycle 3 1/2 220v 1.145RPM	Do.	Do.	Do.	
4289	Drill machine Bench	Capacity 600 10 Swing 500	Do.	Do.	Do.	
4290	Grinding machine setnd	Dia of wheel 620mm Thickness of wheel 40mm	Do.	Do.	Do.	
4291	"	" 620mm	Do.	Do.	Do.	
4291	tool cutter	" 40mm	Do.	Do.	Do.	
4292	"	" 250mm	Do.	Do.	Do.	
4292	bench	" 25mm	Do.	Do.	Do.	
4293	"	" 150mm	Do.	Do.	Do.	
4293	tool cutter	" 10mm	Do.	Do.	Do.	
4294	Drill machine Bench	Capacity 10mm swing 300mm	Do.	Do.	Do.	
4298	Portable mach electric grinder	Dia & thickness of wheel 200 x 25	Do.	Do.	Do.	
4300	Do	Do.	Do.	Do.	Do.	
4302	Portable Grin' Pneumatic	" 203 x 25	Do.	Do.	Do.	
4315	Portable hammer Pneumatic	" 5/8" work dimension 1	Do.	Do.	Do.	
4316	Do.	Do.	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4317	Portable hammer Pneumatic	Work dimension 1 5/8"	7 sept 1948	Eighth Army	Yino Ind. Co., Ltd	
4318	Do.	Do.	Do.	Do.	Do.	
4319	Do.	Do.	Do.	Do.	Do.	
4320	Do.	Do.	Do.	Do.	Do.	
4321	Do.	Do.	Do.	Do.	Do.	
4322	Do.	Do.	Do.	Do.	Do.	
4323	Do.	Do.	Do.	Do.	Do.	
4324	Do.	Do.	Do.	Do.	Do.	
4325	Do.	Do.	Do.	Do.	Do.	
4326	Do.	strok 79 Dia of piston 28	Do.	Do.	Do.	
4327	Do.	Do.	Do.	Do.	Do.	
4328	Do.	Do.	Do.	Do.	Do.	
4329	Do.	Do.	Do.	Do.	Do.	
4330	Do.	Do.	Do.	Do.	Do.	
4331	Do.	Do.	Do.	Do.	Do.	
4332	Do.	Do.	Do.	Do.	Do.	
4333	Do.	Do.	Do.	Do.	Do.	
4334	Do.	Do.	Do.	Do.	Do.	
4335	Do.	Do.	Do.	Do.	Do.	
4336	Do.	Do.	Do.	Do.	Do.	
4337	Do.	Do.	Do.	Do.	Do.	
4411	Grind machine bench	Dia of wheel 250mm thickness of wheel 25"	Do.	Do.	Do.	
4412	Lathe-face	swing 2.100mm Bed length 4.200mm	Do.	Do.	Do.	
4413	Do.	" 2.100mm 4.200mm	Do.	Do.	Do.	
4414	Lathe-crane K pine "	swing 2.900mm 6.520mm	Do.	Do.	Do.	
4415	Lathe-engine	Distance center 920mm 3000mm	Do.	Do.	Do.	
4416	Do.	" 120mm 3.000mm	Do.	Do.	Do.	
4417	Do.	" 1.000mm 4.800mm	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4422	Lathe-engine	Swing 1.220mm Distance center 29.555"	7 sept 1948	A. Gm	Eighth Army Iino Gm 386, 3 Ind co., Ltd	
4423	Do.	" 840mm 2.955mm	Do.	Do.	Do.	
4424	Do.	" 840mm 2.955mm	Do.	Do.	Do.	
4425	Do.	" 1.016mm 4.500mm	Do.	Do.	Do.	
4440	Grind'machine surtawa	Dia of wheel 180mm thickness of wheel 20"	Do.	Do.	Do.	
4442	Internale-aut'	swing 208mm stroke 220mm	Do.	Do.	Do.	
4444	Motor AC induction	5HP 60cycle 3φ 220v 865 RPM	Do.	Do.	Do.	
4445	saddle Lathe-turret	swing 460mm Bed length 2.350mm	Do.	Do.	Do.	
4446	Lathe-torret	swing 460mm ram Red length 2.070mm	Do.	Do.	Do.	
4447	Do.	" 460mm 2.000mm	Do.	Do.	Do.	
4448	Tapping thread bolt & nut	' Bed length 150 Dia of threading 20	Do.	Do.	Do.	
4449	Do.	" 595 90	Do.	Do.	Do.	
4450	Ram Lathe-torret	swing 415mm bed length 2.070mm	Do.	Do.	Do.	
4451	Do.	" 460mm 2.000mm	Do.	Do.	Do.	
4452	Hack sawing machine	Stroke 130/200 Dial 80 Length of hack 330	Do.	Do.	Do.	
4459	Lathe-engine	swing 340mm distance center 500mm	Do.	Do.	Do.	
4461	Do.	Do.	Do.	Do.	Do.	
4462	Do.	Do.	Do.	Do.	Do.	
4463	Do.	Do.	Do.	Do.	Do.	
4464	Do.	" 270mm 650mm	Do.	Do.	Do.	
4468	Milling Machine knee horizontal	Size of table L 578 G 295 V 425	Do.	Do.	Do.	
4474	Grinding machine Universal tool	swing 210mm	Do.	Do.	Do.	
4475	Do.	swing 260mm stroke 1.000mm	Do.	Do.	Do.	
4476	" tool & cutter	" 230mm 380mm	Do.	Do.	Do.	
4477	Do.	swing 350mm	Do.	Do.	Do.	
4478	Grind'machine bench	swing 108mm strike 300mm	Do.	Do.	Do.	
4480	Lathe-Cap	swing 600mm Distance center 870mm	Do.	Do.	Do.	
4481	Do.	" Do.	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4483	Lathe-engine	swing 396mm Distance center 800mm	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
4485	Do.	" 340mm 880mm	Do.	Do.	Do.	
4487	Do.	" 390mm 760mm	Do.	Do.	Do.	
4489	Do.	" 404mm 880mm	Do.	Do.	Do.	
4490	Grind'machine Bench	Dia of wheel 280mm Thickness of wheel 130"	Do.	Do.	Do.	
4491	Lathe-engine	Swing 450 Distance center 800mm	Do.	Do.	Do.	
4493	Do.	" 420mm 1.150mm	Do.	Do.	Do.	
4494	Do.	" 455mm 1.220mm	Do.	Do.	Do.	
4495	Drill'machine Bench	Capacity 10mm Swing 540mm	Do.	Do.	Do.	
4496	Boring machine precision(jig)	Dia 5mmx150mm Length 50mmx175mm	Do.	Do.	Do.	
4500	Crane Overhead travelling	Capacity 15MT lift 6000 Span 11.880	Do.	Do.	Do.	
4514	Band sawing machine	working Dia 690 column to saw 750	Do.	Do.	Do.	
4515	Lathe - gap	swing 250mm Distance center 1800mm	Do.	Do.	Do.	
4516	Do.	Do.	Do.	Do.	Do.	
4517	Do.	Do.	Do.	Do.	Do.	
4518	Do.	Do.	Do.	Do.	Do.	
4519	Lathe engine	" 470mm 1.400mm	Do.	Do.	Do.	
4520	Do.	Do.	Do.	Do.	Do.	
4521	Do.	Do.	Do.	Do.	Do.	
4522	Do.	Do.	Do.	Do.	Do.	
4523	Do.	Do.	Do.	Do.	Do.	
4524	Do.	Do.	Do.	Do.	Do.	
4525	Do.	Do.	Do.	Do.	Do.	
4526	Do.	Do.	Do.	Do.	Do.	
4527	Do.	Do.	Do.	Do.	Do.	
4528	Do.	Do.	Do.	Do.	Do.	
4529	Do.	Do.	Do.	Do.	Do.	
4530	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4531	Lathe-engine	swing 470mm distance center 1.400mm	7 sept 1948	Eighth Army	Iino Ind, Co., Ltd	
4532	Do.	Do.	Do.	Do.	Do.	
4533	Do.	Do.	Do.	Do.	Do.	
4534	Drill'machine Radial	Capacity 50mm Size of table 1.320x730	Do.	Do.	Do.	
4535	Do.	Do.	Do.	Do.	Do.	
4536	Do.	Do.	Do.	Do.	Do.	
4538	Do.	Capacity 50mm Size of table 1.500x740	Do.	Do.	Do.	
4539	slotter vertical	length of stroke 203 Dia of table 422	Do.	Do.	Do.	
4540	Do.	" 200	Do.	Do.	Do.	
4541	Do.	" 458	Do.	Do.	Do.	
4543	Do.	" 912	Do.	Do.	Do.	
4545	Gear cutter straight bevel	" 305	Do.	Do.	Do.	
4546	Gear hobber siegle	" 920	Do.	Do.	Do.	
4547	Gear cutter Milling	" 610mm	Do.	Do.	Do.	
4549	Gear cutter spiral bevel	" 550mm	Do.	Do.	Do.	
4550	Gear shaper	" 585mm	Do.	Do.	Do.	
4551	Grind'machine bench	" 215mm	Do.	Do.	Do.	
4554	Gear hopper single	External gear 1.000mm Internal gear 900mm	Do.	Do.	Do.	
4557	Hack sawing Machine	Dia of wheel 300mm thickness of wheel 130mm	Do.	Do.	Do.	
4559	Lathe - face	Dia of gear 100mm	Do.	Do.	Do.	
4560	Lathe - Gap	working Dia 150 length of hack 390	Do.	Do.	Do.	
4562	Do.	swing over bed 1.260mm swing over carriage 900	Do.	Do.	Do.	
4563	Lathe-engine	swing 530mm Distance center 2.438mm	Do.	Do.	Do.	
4564	Do.	" 622mm	Do.	Do.	Do.	
4566	Drill'machine radial	" 2.025mm	Do.	Do.	Do.	
4567	Do.	" 634mm	Do.	Do.	Do.	
4568	Do.	1.980mm	Do.	Do.	Do.	
4569	Mill'machine knee	Capacity 50mm Table 1.550mmx830mm " 50" " 1.370mmx750mm " 50" " 1.320mmx780mm	Do.	Do.	Do.	
4569	Lathe - knee	Size of table L 630 C 290 V 390	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4570	Mil'g machine knee vertical	size of table L 630 e290 v390	7 sept 1948	Lighth Army Gm385.2	Iino Ind. Co., Ltd	
4571	Do.	Do.	Do.	Do.	Do.	
4572	Do.	L1.150 e430 v410	Do.	Do.	Do.	
4573	Do.	1645 e290 v360	Do.	Do.	Do.	
4574	Do.	Do.	Do.	Do.	Do.	
4575	Mil'g machine knee horizontal	" L760 e310 v510	Do.	Do.	Do.	
4576	Do.	" L650 e310 v470	Do.	Do.	Do.	
4580	Do.	" L475 e210 V460	Do.	Do.	Do.	
4582	Lathe-engine	Swing 520mm Distance center 800mm	Do.	Do.	Do.	
4583	Do.	Do.	Do.	Do.	Do.	
4584	Do.	Do.	Do.	Do.	Do.	
4585	Do.	Do.	Do.	Do.	Do.	
4586	Do.	Do.	Do.	Do.	Do.	
4587	Do.	Do.	Do.	Do.	Do.	
4588	Do.	Do.	Do.	Do.	Do.	
4589	Do.	Do.	Do.	Do.	Do.	
4590	Do.	Do.	Do.	Do.	Do.	
4591	Do.	Do.	Do.	Do.	Do.	
4592	Do.	Do.	Do.	Do.	Do.	
4593	Do.	Do.	Do.	Do.	Do.	
4594	Do.	Do.	Do.	Do.	Do.	
4595	Grind'g machine tool cutter	Dia of wheel 300mm thickness of wheel 40mm	Do.	Do.	Do.	
4596	bor'g machine vertical	swing 1.680mm Dia of table 1.455mm	Do.	Do.	Do.	
4597	Do.	" 1.880mm " 1.900mm	Do.	Do.	Do.	
4598	Mil'g machine planer	work'g surface of table 3,690 x 1.000	Do.	Do.	Do.	
4599	Dril'g machine radial	Capacity 80mm Table 2.50mm x 980mm	Do.	Do.	Do.	
4601	Grind'g machine Bench	Dia of wheel 240mm Thickness of wheel 25mm	Do.	Do.	Do.	
4603	Dril'g machine bench	Capacity 14mm Swing 180mm	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4604	Drill'g machine Bench	Capacity 14mm Swing 330mm	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
4605	Lathe-engine	Swing 540mm Distance center 800mm	Do.	Do.	Do.	
4608	Mil'g machine knee Horizontal	Size of table L740 C230 V460	Do.	Do.	Do.	
4609	Do.	" L526 C170 V400	Do.	Do.	Do.	
4611	Do.	" L490 C260 V380	Do.	Do.	Do.	
4619	Drill'g machine Radial	Capacity 50 Distance spindle floor 1100	Do.	Do.	Do.	
4620	Tapp'g thread bolt	Bed length 1.400 Dia of threading 25.4	Do.	Do.	Do.	
4624	Mil'g machine knee horizontal	Size of table L1.650 C700 V530	Do.	Do.	Do.	
4627	Planer Double housing	Size of table L1.220 W508 VC820	Do.	Do.	Do.	
4629	Slotter vertical	Length of stroke 760 Dia of table 1.220	Do.	Do.	Do.	
4630	Mill'g machine knee vertical	Size of wheel 250 mm Thickness of wheel 25mm	Do.	Do.	Do.	
4631	Grind'g machine Bench	Dia of wheel 250mm Thickness of wheel 25"	Do.	Do.	Do.	
4632	Do.	Do.	Do.	Do.	Do.	
4633	Drill'g machine bench	Capacity 10mm Swing 300mm	Do.	Do.	Do.	
4634	Pol'g buffing machine	Dia of wheel 254 thickness of wheel 25"	Do.	Do.	Do.	
4635	Grind'g machine Bench	Dia of wheel 250mm Thickness of wheel 25"	Do.	Do.	Do.	
4637	Planer Double housing	Size of table L 4.865 W1.725 VC1540	Do.	Do.	Do.	
4638	Do.	Size of table L5.565 W1.365 VC1.595	Do.	Do.	Do.	
4639	Planer misc'd Travel'g head	Long feed 3.800 Ver 12.300 stroke 1.800	Do.	Do.	Do.	
4640	Drill'g machine Radial	Capacity 80mm Table 2.330mmx910"	Do.	Do.	Do.	
4641	Do.	Do.	Do.	Do.	Do.	
4642	Do.	Do.	Do.	Do.	Do.	
4643	Do.	Capacity 80mm Table 1.380mm	Do.	Do.	Do.	
4644	Bor'g machine Horizontal	Dia of spindle 107mm Dia of face plate 660mm	Do.	Do.	Do.	
4645	Do.	" 108mm 700mm	Do.	Do.	Do.	
4646	Do.	Do.	Do.	Do.	Do.	
4647	Do.	Dia of spindle 108mm Dia of face plate 660mm	Do.	Do.	Do.	
4648	Do.	" 107mm 660mm	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4649	Bor'g machine Horizontal	Dia of spimcle 89mm Travle of spindle 490	7 sept 1948	Eighth Army	Iino ind. Co., Ltd	
4650	Do.	" 95mm Dia of face plat 550mm	Do.	Do.	Do.	
4651	Grin'g machine Bench	Dia of wheel 220mm thickness of wheel 30"	Do.	Do.	Do.	
4652	Bor'g machine Horizontal	Dia of wpindle 95mm Dia of fane plat 550mm	Do.	Do.	Do.	
4654	Milling Mach' Head vertical	Size of table L1.380mm G915 V645	Do.	Do.	Do.	
4660	Dril'g machine Bench	Capacity 10mm Swing 250mm	Do.	Do.	Do.	
4663	Do.	" 10mm 300mm	Do.	Do.	Do.	
4664	Grind'g machine bench	Dia of wheel 250mm thickness of wheel 25"	Do.	Do.	Do.	
4667	Universal-tool	Swing 105mm	Do.	Do.	Do.	
4668	" Cam	Swing 640mm Stroke 330mm	Do.	Do.	Do.	
4671	" Surface	" 748mm 280mm	Do.	Do.	Do.	
4672	" internal	" 240mm 480mm	Do.	Do.	Do.	
4673	" Vertical	Capacity 32mm swing 430mm	Do.	Do.	Do.	
4677	Do.	" 23mm 250mm	Do.	Do.	Do.	
4678	" Bench	Dia of wheel 250mm Thickness of wheel 25"	Do.	Do.	Do.	
4679	Pump water Reciprocating	Capacity 35l/min pressure 45kg/cm ²	Do.	Do.	Do.	
4681	Gear hobber single	Dia of gear 3.600mm	Do.	Do.	Do.	
4682	Do.	" 1.500mm	Do.	Do.	Do.	
4683	Do.	" 700mm	Do.	Do.	Do.	
4684	Bor'g machine vertical	swing 3.190mm Dia of table 2.318mm Swing 2.574mm	Do.	Do.	Do.	
4685	lathe-engine	Diameter center 9.680mm	Do.	Do.	Do.	
4687	Boring machine vertical	Swing 6.160mm Dia of table 4.280mm	Do.	Do.	Do.	
4688	Lathe-gap	swing 2.650mm Distance center 7.600mm	Do.	Do.	Do.	
4693	Dril'g machine vertical	Capacity 10mm Swing 450mm	Do.	Do.	Do.	
4698	Gear cutter straight ben'e	Dia of gear 480mm	Do.	Do.	Do.	
4699	Boring machine vertical	swing 965mm Dia of table 364mm	Do.	Do.	Do.	
4705	" Horizontal	Dia of pndle 178mm Travle of spindle 1.582mm Dia of spindle 45mm	Do.	Do.	Do.	
4708	Do.	Dia of trable 400mm	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4712	Lathe engine	swing 1.460mm Distance center 4.980"	7 sept 1948	Lighth Army	Iino Ind Co., Ltd	
4713	Do.	" 1.220mm 6.400mm	Do.	Do.	Do.	
4714	Do.	" 1.460mm 4.950mm	Do.	Do.	Do.	
4715	Lathe - gap	" 1.780mm 2.895mm	Do.	Do.	Do.	
4717	Grind'g machine External univer	Swing 550mm Dist centers 2.450mm	Do.	Do.	Do.	
4720	Test'g machine balancing	working dimension 220φ	Do.	Do.	Do.	
4721	Shear'g machine Punching	Work Dia & thickness 15mmφ & 5mm	Do.	Do.	Do.	
4723	Test'g machine Blancing	Working dimension 250φ	Do.	Do.	Do.	
4728	milling machine	Size of table 11.800 6280 V1.500 key way	Do.	Do.	Do.	
4740	Pump water reciprocating	Capacity 2L/min Pressure 3kg/cm ²	Do.	Do.	Do.	
4746	Do.	Capacity 700L/min Pressure 42kg/cm ²	Do.	Do.	Do.	
4747	Pump water centrifugal	Capacity 400L/min Pressure 32kg/cm ²	Do.	Do.	Do.	
4748	Pump heavy oil reciprocating	Capacity 100L/min Pressure 6kg/cm ²	Do.	Do.	Do.	
4749	Boiler water tube	working pressur 42kg/cm ² HP 372	Do.	Do.	Do.	
4751	Pump heavy oil rotary	Capacity 300L/min Pressure 16kg/cm ²	Do.	Do.	Do.	
4752	Do.	Capacity 150L/min Pressure 16kg/cm ²	Do.	Do.	Do.	
4759	Boiler water tube	Working press 18.5kg/cm ² H P 385/16kg/cm ²	Do.	Do.	Do.	
4760	Pump water reciprocating	Capacity 250L/min Pressure 20kg/cm ²	Do.	Do.	Do.	
4761	Do.	Do.	Do.	Do.	Do.	
4762	Do.	Capacity 1.500L/min Pressure 5kg/cm ²	Do.	Do.	Do.	
4763	Pump sea water reciprocating	Capacity 500L/min Pressure 3kg/cm ²	Do.	Do.	Do.	
4764	Boiler water tube	working press 17.5kg/cm ² H P 217	Do.	Do.	Do.	
4765	Crane overhead traveling	Capacity 3t lift 4800 span 7.960	Do.	Do.	Do.	
4766	Do.	Capacity 10t Lift 4.500 span 7.960	Do.	Do.	Do.	
4767	Do.	capacity 7.5t lift 6.200 span 13.700	Do.	Do.	Do.	
4768	Do.	Capacity 15t Lift 6.000 span 13.700	Do.	Do.	Do.	
4769	Do.	Capacity 18t lift 7.500 span 14.100	Do.	Do.	Do.	
4770	Do.	Capacity 60t lift 7.000 span 14.950	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4771	Crane Overhead traveling	Capacity 30t Lift 7500 span 14930	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
4772	Do.	Capacity 60t Lift 8000 span 15400	Do.	Do.	Do.	
4780	Heating furnace Coal	Size of heating chamber 3200x1600x1100	Do.	Do.	Do.	
4787	Hydraulic press vertical steam	Capacity 2.000t Dia & stork of ram 800x1.500	Do.	Do.	Do.	
4790	Heating furnace Coal	Size of heating chamber 900x900x560	Do.	Do.	Do.	
4791	Do.	900 x 1.000 x 600	Do.	Do.	Do.	
4794	forging hammer steam	Falling weight 3000kg Pressure 5/8kg/cm ²	Do.	Do.	Do.	
4795	Do.	" " 2000kg	Do.	Do.	Do.	
4796	Do.	" " 1000kg	Do.	Do.	Do.	
4797	Heating furnace Coal	Size of heat'g chamber 900 x 900 x 560	Do.	Do.	Do.	
4798	Do.	Size of heating chamber 600 x 600 x 400	Do.	Do.	Do.	
4799	forging hammer Air	Falling weight 25kg Work dimension 45	Do.	Do.	Do.	
4802	Grinding Machine	Dia & thickness of wheel 380 x 50	Do.	Do.	Do.	
4804	Mechanical Press Crank	Capacity 100t Stroke 100 Table 600x600	Do.	Do.	Do.	
4805	Forging Hammer steam	Falling weight 1000kg Pressure 5/8kg/cm ²	Do.	Do.	Do.	
4806	Heating furnace Electric resistance	Size of heat'g chamber 4500x1600x2000	Do.	Do.	Do.	
4809	Heat'g furnace Coal	Size of heating chamber 3.500x2.000x1.800	Do.	Do.	Do.	
4810	Do.	size of heating chamber 3.000x2.000x1.500	Do.	Do.	Do.	
4813	Do.	" " 2.500x1.000x1.100	Do.	Do.	Do.	
4815	Do.	" " 1.500x1.000x1.100	Do.	Do.	Do.	
4817	Heat'g furnace Electric Resistance	" " 1.500x800x800	Do.	Do.	Do.	
4819	Forging Hammer Steam	Falling weight 500kg Pressure 5/8kg/cm ²	Do.	Do.	Do.	
4820	Do.	Do.	Do.	Do.	Do.	
4821	Heating furnace Coal	Size of heating chamber 900x900x500	Do.	Do.	Do.	
4822	Forging hammer steam	Falling weight 1.000kg Pressure 5/8kg/cm ²	Do.	Do.	Do.	
4824	Lathe-engine (spring wind mac'g)	swing 450 Distance center 1140	Do.	Do.	Do.	
4825	Grind'g machine Cutting tool	Dia & thickness of wheel 290x90	Do.	Do.	Do.	
4826	Do.	" " 340x70	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4827	Heating furnace Electric resistance	Size of heating chamber 1.300x650x500	7 sept 1948	Eighth Army	Iino Ind. A, m, m386, 306., Ltd	
4828	Do.	Size of heating chamber 800 x 350 x 250	Do.	Do.	Do.	
4829	Grind'g machine	Dia & thickness of wheel 350 x 75	Do.	Do.	Do.	
4832	Do.	" 460 x 35	Do.	Do.	Do.	
4833	Crane overhead traveling	Capacity 50t lift 15000span20000	Do.	Do.	Do.	
4834	Do.	Capacity 40t Lift 15.000span20.000	Do.	Do.	Do.	
4835	Do.	Capacity 15t Lift 15.000span20.000	Do.	Do.	Do.	
4836	Do.	Capacity 15t Lift 15.000 span20,000	Do.	Do.	Do.	
4837	Pump water Reciprocating	Pressure 14.5kg/cm ²	Do.	Do.	Do.	
4838	Do.	Pressure 14.5kg/cm ²	Do.	Do.	Do.	
4839	Do.	Do.	Do.	Do.	Do.	
4841	Boiler water tube	Workijg pressur HP 215 10kg/cm ²	Do.	Do.	Do.	
4842	Do.	Do.	Do.	Do.	Do.	
4844	Pump water Reciprocating	Capacity 227.3L/min Pressure 110kg/cm ²	Do.	Do.	Do.	
4845	Transformer Outdoor	185kva pv3150 sv230	Do.	Do.	Do.	
4846	Do.	Do.	Do.	Do.	Do.	
4847	Do.	Do.	Do.	Do.	Do.	
4848	Do.	100kva pv3450 sv220	Do.	Do.	Do.	
4849	Do.	Do.	Do.	Do.	Do.	
4854	Do.	4.000kva pv31500sv3450	Do.	Do.	Do.	
4855	Do.	Do.	Do.	Do.	Do.	
4856	Do.	Do.	Do.	Do.	Do.	
4857	Do.	Do.	Do.	Do.	Do.	
4860	Portable drill electric	Capacity 13	Do.	Do.	Do.	
4861	Do.	Do.	Do.	Do.	Do.	
4862	Do.	Do.	Do.	Do.	Do.	
4863	Do.	Do.	Do.	Do.	Do.	
4864	Motor-generator	Moror AC 250HP Generator DC 200HP	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4865	Motor-Generator	Motor AC 130HP Generator DC 75kw	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
4870	switch gear in-door	100va pv21200 sv110	Do.	Do.	Do.	
4887	Transformer in-door	750kva pv3.300 sv2.200	Do.	Do.	Do.	
4888	Do.	Do.	Do.	Do.	Do.	
4889	Do.	Do.	Do.	Do.	Do.	
4890	Compressor Reciprocating	Capacity 62m ³ /min Pressure 8kg/cm ²	Do.	Do.	Do.	
4898	Welding Machine Electric Arc AC	11kw 250x pv220 sv 30	Do.	Do.	Do.	
4905	Crane Overhead traveling	Capacity 10t lift span 13.7m	Do.	Do.	Do.	
4906	Pump hydraulic vertical	presser 105kg/cm ² stroke of cylinder 250mm	Do.	Do.	Do.	
4907	Air compressor Reciprocating	Capacity 71.3m ³ /min Pressuer 113.78lbs/square inch	Do.	Do.	Do.	
4909	Knife grinder Automatic	Grinding length 750 Dia 500 thickness 40	Do.	Do.	Do.	
4911	Motor AC induction	7.5HP 60cycle 220v 1.700 RPM	Do.	Do.	Do.	
4912	Transformer in-door	70kva 60cycle pv 3.000 sv210	Do.	Do.	Do.	
4915	shearing machine squarer	Working Dia 3 Working length 400	Do.	Do.	Do.	
4916	Motor A induction	10HP 60cycle 220v 885 RPM.	Do.	Do.	Do.	
4917	shearing machine squarer	Working Dia 4 Working length 800	Do.	Do.	Do.	
4918	Do.	Working Dia 5 Working length 400	Do.	Do.	Do.	
4920	welding machine electric Butt A,C,	15kva 300a 30v	Do.	Do.	Do.	
4921	Do.	Do.	Do.	Do.	Do.	
4925	shear'g machine Rotary disc	Work thickness 7.9 Dia of cutter 108	Do.	Do.	Do.	
4926	Shear'g machine Punch'g vertical	work thickness 4 work Dia 25	Do.	Do.	Do.	
4928	Shear'g & punch'g Combination	Work Dia & thickness 52.8 x 8	Do.	Do.	Do.	
4929	Do	" 20 x 7	Do.	Do.	Do.	
4930	Transformer Out-door	150kva pv3.300 sv220	Do.	Do.	Do.	
4931	Do.	Do.	Do.	Do.	Do.	
4953	Welding machine Electric Arc AC	20kw 400a pv220 sv80	Do.	Do.	Do.	
4964	Do.	Do.	Do.	Do.	Do.	
4972	Do.	15kw 300z pv220 sv80	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
4976	Weld'g machine Electric Arc	105kw 250A pv220 sv 80	7 sept 1948	Eighth Army Gm	Iino Ind. Co., Ltd	
4977	Do.	107kw 250A.pv220 Sv80	Do.	Do.	Do.	
4993	Do.	20kw 400A pv220 Sv80	Do.	Do.	Do.	
5000	Do.	6kw 150A pv220 sv80	Do.	Do.	Do.	
5002	Do.	5kw ¹⁵⁰ 300A pv220 sv80	Do.	Do.	Do.	
5003	Do.	Do.	Do.	Do.	Do.	
5005	Do.	20kw 400A pv220 sv80	Do.	Do.	Do.	
5006	Do.	15kw 300A pv220 sv80	Do.	Do.	Do.	
5014	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5028	Do.	10.5kw 300A pv220 sv80	Do.	Do.	Do.	
5035	Do.	15kw 300A pv220 sv80	Do.	Do.	Do.	
5042	Do.	Do.	Do.	Do.	Do.	
5044	Shear'g machine Purchase	Work thickness & Dia 17 x 38	Do.	Do.	Do.	
5045	Transformer Out-door	100kva pv3.300 sv220	Do.	Do.	Do.	
5046	Do.	Do.	Do.	Do.	Do.	
5047	Do.	Do.	Do.	Do.	Do.	
5048	Do.	Do.	Do.	Do.	Do.	
5049	Do.	20kva pv3.300 sv220	Do.	Do.	Do.	
5050	Dril'g machine Radial	Capacity 65 Distance spindle to column 2.000	Do.9	Do.	Do.	
5051	Do.9	" 2.000	Do.	Do.	Do.	
5052	Do.	Do.	Do.	Do.	Do.	
5054	Grind'g machine	370 x 50 Dia of thickness of wheel	Do.	Do.	Do.	
5056	Planer plate	working table 9.906 x 800	Do.	Do.	Do.	
5057	Do.	Do.	Do.	Do.	Do.	
5062	Dril'g machine Radial	Capacity 45 distance spindle to column 2000	Do.	Do.	Do.	
5063	Do.	Do.	Do.	Do.	Do.	
5064	Do.	Do.	Do.	Do.9	Do.	
5065	Shear'g & punching Combination	Work thickness & Dia 18 x 30	Do.	Do.	Do.	

5/

Code no. 22 - 24

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5066	Sheari'g machine Square	Work & thickness 2.050 x 10	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
5067	Crane overhead traveling	Capacity 5t Lift 9.700 span 17,000	Do.	Do.	Do.	
5068	Do.	Do.	Do.	Do.	Do.	
5069	Transformer Out-door	100kva pv3.300sv220	Do.	Do.	Do.	
5070	Do.	Do.	Do.	Do.	Do.	
5071	Do.	Do.	Do.	Do.	Do.	
5072	Do.	50kva pv3.300sv220	Do.	Do.	Do.	
5073	Air compressor Reciprocating	Capacity 76.5m ³ /min Pressure 113.8lbs/square inch	Do.	Do.	Do.	
5074	Do.	" 16.1m ³ /min 99.56lbs/square inch	Do.	Do.	Do.	
5075	Transformer Out-door	50kva pv3.300sv220	Do.	Do.	Do.	
5079	Weld'g machine Electric Arc	17.5kw 4.00a AC Pv220 sv80	Do.	Do.	Do.	
5089	Do.	15kw 400a pv220sv80	Do.	Do.	Do.	
5090	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5091	Do.	Do.	Do.	Do.	Do.	
5092	Do.	14kw 300a pv220 sv80	Do.	Do.	Do.	
5093	Do.	15kw 300a pv220sv80	Do.	Do.	Do.	
5094	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	
5095	Do.	14kw 300a pv220 sv80	Do.	Do.	Do.	
5096	Do.	10.5kw 250a pv220sv80	Do.	Do.	Do.	
5098	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5104	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5109	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5116	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5119	Do.	10.5kw 250a pv220 sv80	Do.	Do.	Do.	
5120	Do.	Do.	Do.	Do.	Do.	
5121	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5123	Do.	17.5kw 400a pv220 sv80	Do.	Do.	Do.	
5127	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company/Granted Permitted	Remarks
5133	Weld'g machine Electric Arc AC	17.5kw 400a pv220 sv80	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
5141	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5142	Do.	35kva 60cycle 1Ø	Do.	Do.	Do.	
5188	Do.	Do.	Do.	Do.	Do.	
5218	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5219	Do.	10.5kw 250apv220sv80	Do.	Do.	Do.	
5222	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5226	Do.	15kw 150a 30v	Do.	Do.	Do.	
5228	Do.	35kw 250a 30v	Do.	Do.	Do.	
5232	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5234	Do.	10.5kw 250a 30v	Do.	Do.	Do.	
5235	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5236	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5239	Do.	Do.	Do.	Do.	Do.	
5240	Do.	Do.	Do.	Do.	Do.	
5242	Do.	10.5kw 250a pv220 sv80	Do.	Do.	Do.	
5245	Do.	10.5kw 250a 30v	Do.	Do.	Do.	
5246	Do.	10.5k 250a pv220 sv80	Do.	Do.	Do.	
5247	Do.	10.5kw 250a 30v	Do.	Do.	Do.	
5250	Do.	17.5kw 400a pv220 sv80	Do.	Do.	Do.	
5252	Do.	10.5kw 250a 30v	Do.	Do.	Do.	
5257	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5258	Do.	15kw 150a 30v	Do.	Do.	Do.	
5259	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5261	Do.	Do.	Do.	Do.	Do.	
5262	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5263	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5264	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5265	Weld'g Machine Electric Arc AC	15kw 300a pv220 sv80	7 sept 1948	Eighth Army A. mgm3863	Iino Ind. Co., Ltd	
5266	Do.	20kw 400a pv200 sv80	Do.	Do.	Do.	
5267	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5268	Do.	Do.	Do.	Do.	Do.	
5272	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	
5273	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5274	Do.	Do.	Do.	Do.	Do.	
5275	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	
5276	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5328	Grinding Machine	Dia & thickness of wheel 360 & 45	Do.	Do.	Do.	
5330	Weld'g machine Electric Arc AC	35kva 150a 10 60cycle	Do.	Do.	Do.	
5338	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5339	Do.	17.5kw 400a pv220 sv80	Do.	Do.	Do.	
5340	Do.	11.5kw 300a pv220 sv80	Do.	Do.	Do.	
5341	Do.	Do.	Do.	Do.9	Do.	
5342	Do.	5kw 150a pv220 sv80	Do.	Do.	Do.	
5343	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5344	Do.	10.5kw 250a pv220 sv80	Do.	Do.	Do.	
5345	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	
5346	Do.	11.5kw 300a pv220 sv80	Do.	Do.	Do.1	
5347	Do.	10.5kw 250a pv220 sv80	Do.	Do.	Do.	
5351	Crane overhead traveling	Capacity 2t Lift 5.500 span11.500	Do.	Do.	Do.	
5352	Do.	Capacity 3t lift 7.500 span14.500	Do.	Do.	Do.	
5353	Transformer out-door	150kva pv3.300sv220	Do.	Do.	Do.	
5354	Do.	Do.	Do.	Do.	Do.	
5355	Do.	Do.	Do.	Do.	Do.	
5356	Do.	50kva pv3.300 sv220	Do.	Do.	Do.	
5359	Portable drill electric	Size of drill 13	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5360	Portable drill electric	Size of drill 13	7 sept 1948	Eighth Army, Gm	Yino Ind. 386,3 Co., Ltd	
5365	Do.	Do.	Do.	Do.	Do.	
5367	Do.	Do.	Do.	Do.	Do.	
5368	Do.	Do.	Do.	Do.	Do.	
5370	Do.	" 10	Do.	Do.	Do.	
5373	Do.	" 13	Do.	Do.	Do.	
5374	Do.	" 10	Do.	Do.	Do.	
5375	Do.	" Do.	Do.	Do.	Do.	
5376	Do.	Do.	Do.	Do.	Do.	
5377	Do.	Do.	Do.	Do.	Do.	
5380	Do.	Do.	Do.	Do.	Do.	
5381	Do.	Do.	Do.	Do.	Do.	
5382	Do.	" Do.	Do.	Do.	Do.	
5383	Do.	" 13	Do.	Do.	Do.	
5384	Do.	Do.	Do.	Do.	Do.	
5442	Do.	" 10	Do.	Do.	Do.	
5461	Do.	" 16	Do.	Do.	Do.	
5465	Portable grinder electric	Dia & thickness of wheel 7" x 1"	Do.	Do.	Do.	
5466	Do.	" 5" x 1"	Do.	Do.	Do.	
5497	Grind'g machine bench	Dia & thickness of wheel 254 x 28	Do.	Do.	Do.	
5498	Grill'g machine bench	Capacity 9.5mm Swing 280mm	Do.	Do.	Do.	
5501	Crane fixed (Hoist'g & turning transformer)	Capacity 30t Lift 17.000	Do.	Do.	Do.	
5502	Out-door	30kvapv3.300 sv220	Do.	Do.	Do.	
5503	Do.	Do.	Do.	Do.	Do.	
5504	Do.	Do.	Do.	Do.	Do.	
5505	weld'g machine Electric ABC AC	15kw 300a pv220 sv80	Do.	Do.	Do.	
5511	Do.	Do.	Do.	Do.	Do.	
5513	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitt	Remarks
5515	Weld'g machine Electric, Arc AC	15kw 300a pv220 sv80	7 sept 1946 A,	Eighth army Gm	Iino Ind, Co., Ltd	
5516	Crane oixed (Host'g&turning)	Capacity 60t lift 19.000	Do.	Do.	Do.	
5521	Weld'g machine Electric Arc AC	10.5kw 250a pv220 sv80	Do.	Do.	Do.	
5522	Do.	20kw 400a "	Do.	Do.	Do.	
5523	Do.	5kw 150a "	Do.	Do.	Do.	
5526	Do.	20kw 400a "	Do.	Do.	Do.	
5527	Do.	Do.	Do.	Do.	Do.	
5528	Do.	Do.	Do.	Do.	Do.	
5530	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5531	Do.	10.5kw 250a pv220 sv80	Do.	Do.	Do.	
5533	Do.	10kw 400a pv220 sv80	Do.	Do	Do.	
5534	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5535	Do.	10kw 250a pv220sv80	Do.	Do.	Do.	
5536	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5537	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
5538	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	
5539	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
5550	Do.	19kw 400a pv220 sv80 capacity 10t	Do.	Do.	Do.	
5556	Crane overhead	Lift 11.000span24.000	Do.	Do.	Do.	
5557	Do.	Capacity 5t Lift21.640 Span16.154	Do.	Do.	Do.	
5559	Do.	Do.	Do.	Do.	Do.	
5561	Do.	Capacity 30t Lift17.370 span32.920	Do.	Do.	Do.	
5573	Crane rail road traveling	Capacity 22m-20t Lift on grund surface 34m	Do.	Do.	Do.	
5576	Do.	Capacity 12.192-6t Lift 28.000	Do.	Do.	Do.	
5577	Do.	Capacity21.031-3t 10; 360-6t lift12.090	Do.	Do.	Do	
5578	Bedn'g machine Plate straight	Work width & thickne's g 1.525 x 29	Do.	Do.	Do.	
5579	Do.	" 2.134 x 16	Do.	Do.	Do.	
5580	Do.	" 1.830 x 6	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5582	Drillg machine	capacity 14 7	sept	Eighth Army	Lino Ind.	
	vertical	Swing 300	1948 A,	Gm	386,3 Co., Ltd	
5583	bench	" 1.000	15	Do.	Do.	Do.
5584	Grinding machine	Dia & thickness of wheel 300 x 50	Do.	Do.	Do.	
5585	Do.	Do.	Do.	Do.	Do.	
5586	welding machine	30kva 330a pv220	Do.	Do.	Do.	
	Electric Arc AC	sv80	Do.	Do.	Do.	
5587	Do.	14.5kw 330a pv220 sv80	Do.	Do.	Do.	
5593	Transformer Out-door	200kva pv3.300xv220	Do.	Do.	Do.	
5594	Do.	Do.	Do.	Do.	Do.	
5595	Do.	100kva pv3.300sv820	Do.	Do.	Do.	
5602	Grind'g machine tool & cutter	Dia & thickness of wheel 340 x 50	Do.	Do.	Do.	
5604	Shearing machine square	Dimension/ dia 22	Do.	Do.	Do.	
5614	Hydraulic press vertical	Capacity 70t strike of ram 300	Do.	Do.	Do.	
5615	Do.	" 300t 300	Do.	Do.	Do.	
5616	Manual press Horizontal	Capacity 10t strike of ram 230	Do.	Do.	Do.	
5617	Hydraulic press vertical	" 400t 178	Do.	Do.	Do.	
5618	Do.	" 260t 750	Do.	Do.	Do.	
5619	bend'g machine plate	work width & thickness 3.760 x 10	Do.	Do.	Do.	
5620	Hydraulic press vertical	Cap horizontal 20t vertical 200 & 30t	Do.	Do.	Do.	
5621	Bend'g machine plate	Work width & thickness 1315 x 19	Do.	Do.	Do.	
5623	Mechanical press horizontal	Capacity 3t Lift 8.300 span 14.700	Do.	Do.	Do.	
5625	Crane overhead traveling	capacity 3t Lift 8200 span 14.000	Do.	Do.	Do.	
5626	Do.	Capacity 2t lift 8.000 span 14.700	Do.	Do.	Do.	
5629	Shearing machine square	Dimension Dia 22	Do.	Do.	Do.	
5630	Do.	Do.	Do.	Do.	Do.	
5631	Mechanical press friction	pressure 50t Dia & length 25x250	Do.	Do.	Do.	
5632	Double head	Pressure 50t Dia & lought 25x200	Do.	Do.	Do.	
5633	" friction	Pressure 30t Dia & length 13x350	Do.	Do.	Do.	
5634	Shear'g machine square	Dia 32 Dimension	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5635	Grind'g machine Double head	Dia & thickness of wheel 320 x 32	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
5637	Bend'g machine plate	Width & thickness 1.500 x 3	Do.	Do.	Do.	
5638	Shear'g machine roatly dise	" 900 x 7	Do.	Do.	Do.	
5641	" squar	" 1.800 x 1	Do.	Do.	Do.	
5642	Shear'g & punching squar	" 200 x 6	Do.	Do.	Do.	
5643	weld'g machine electric arc	105kw 250a 30v AC	Do.	Do.	Do.	
5644	Do.	Do.	Do.	Do.	Do.	
5646	Motor AC induction	45HP 60cycle 250v 688 RPM	Do.	Do.	Do.	
5648	Grind'g machine Double head	Dia & thickness of wheel 350 x 50	Do.	Do.	Do.	
5650	Motor AC induction	7.5HP 60cycle 220v 1.140 RPM	Do.	Do.	Do.	
5651	Grind'g machine Double head	Dia & thickness of wheel 340 x 50	Do.	Do.	Do.	
5652	Bend'g machine Plate	Width & thickness 3.000 x 5	Do.	Do.	Do.	
5653	Do.	" 1.800 x 3	Do.	Do.	Do.	
5654	Drill'g machine vertical	Capacity 23 swing 600	Do.	Do.	Do.	
5660	Weld'g machine Electric Arc	AC 10.5kw 250x 30v	Do.	Do.	Do.	
5661	Do.	Do.	Do.	do.	Do.	
5664	Pump sea water centrifugal	Capacity 18.700L/min Pressure 0.4kg/cm ²	Do.	Do.	Do.	
5665	Do.	Do.	Do.	Do.	Do.	
5666	"	" 500L/min	Do.	Do.	Do.	
5676	Reciprocating Weld'g machine Electric Arc	" 10kw 250a 30v AC	Do.	Do.	Do.	
5679	Polish'g & buffing sheat	width of paper 200 Distance roller 530	Do.	Do.	Do.	
5680	Drill'g machine vertical	Capacity 23 swing 600	Do.	Do.	Do.	
5681	" bench	" 10 520	Do.	Do.	Do.	
5682	Grind'g machine double head	Dia of wheel 400 thickness of wheel 55	Do.	Do.	Do.	
5683	Do.	" 300 70	Do.	Do.	Do.	
5685	Lathe-engine	swing 750 Distance center 2300	Do.	Do.	Do.	
5686	Lathe-gap	" 770 1.400	Do.	Do.	Do.	
5691	Bor'g machine horizontal stroke	Dia of spindle 65 1.350	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5692	Gear hobber single-horuzintal	Dia of gear 600	7 sept 1948	Eighth Army	Iine Ind Co., Ltd	
5693	Gear shaper berek	Face width of ger 76 Dia of gear 254	Do.	Do.	Do.	
5694	Dril'g machine bench	Capacity 10 swing 280	Do.	Do.	Do.	
5695	Grind'g machine unuversal	Swing 240 wheel Dia 200 Thickness 20	Do.	Do.	Do.	
5696	Dril'g machine Bench	Capacity 10 swing 280	Do.	Do.	Do.	
5697	Lathe - engine	swing 610 Distance center 2000	Do.	Do.	Do.	
5698	Do.	" 600 880	Do.	Do.	Do.	
5699	Do.	Do.	Do.	Do.	Do.	
5700	Do.	Do.	Do.	Do.	Do.	
5704	Mil'g machine Knee-vertical	Size of feed L310 c280 v650	Do.	Do.	Do.	
5705	Motor AC induction	7.5HP 69cycle 220v 1.140 RPM	Do.	Do.	Do.	
5706	Shaper Horizontal	strok 635 Table 500x460x450	Do.	Do.	Do.	
5708	Do.	strok 610 table 460x400x400	Do.	Do.	Do.	
5710	slotter vertical	stork 550 Dia of table 1.000	Do.	Do.	Do.	
5711	Dril'g machine Radial	Capacity 80 swing 3.010	Do.	Do.	Do.	
5712	Slotter vertical	stroke 330 Dia of table 770	Do.	Do.	Do.	
5713	Planer-singlehead Double houding	Size of table 2.450 x760	Do.	Do.	Do.	
5714	Do.	" 3.100 x910	Do.	Do.	Do.	
5715	Lathe-engine	swing 430 Distance center 1.3450	Do.	Do.	Do.	
5716	Grind'g machine Double head	Dia of wheel 350 Thickness of wheel 50	Do.	Do.	Do.	
5717	Lathe-engine	swing 400 Distance center 900	Do.	Do.	Do.	
5718	Lathe-gap	" 460 760	Do.	Do.	Do.	
5719	Lathe-engine	" 600 800	Do.	Do.	Do.	
5721	Milling machine vertical	Size of feed L 270 C480 V150	Do.	Do.	Do.	
5722	Knee-horizontal	L868 c216 v457	Do.	Do.	Do.	
5723	Grind'g machine Double head	Dia of wheel 400 Thickness of wheel 155	Do.	Do.	Do.	
5724	Slotter vertical	strok 300 Dia of table 760	Do.	Do.	Do.	
5725	Threading machine Bolt horizontal	work dimension dia 85 x250	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5729	Tapp'g machine Mot'e-vertical	table 1.300s380Distance Spindle 230 255 280	7sept 1948	Eighth army	lino ind. A, GmGm386, Inc., Ltd	
5730	Lathe-Gap	swing 440 Distance center 1.200	Do.	Do.	Do.	
5731	Lathe-engine	" 550 2.500	Do.	Do.	Do.	
5733	Motor AC Induction	30HP 60cycle 3Ø 220v 568 RPM	Do.	Do.	Do.	
5734	Lathe-engine	swing 540 Distance center 2.400	Do.	Do.	Do.	
5735	Lathe-turret saddle	swing 380 distance turret 700	Do.	Do.	Do.	
5736	Lathe-engine	swing 380 distance center 470	Do.	Do.	Do.	
5737	Do.	" 550 1.500	Do.	Do.	Do.	
5738	Lathe-turret saddle	swing 310 distance turret 340	Do.	Do.	Do.	
5739	Lathe - gap	swing 500 Distance center 1.550	Do.	Do.	Do.	
5740	Dril'g machine Radial	Capacity 50 swing 3.000	Do.	Do.	Do.	
5743	" vertical	" 23 600	Do.	Do.	Do.	
5744	Do.	" 40 540	Do.	Do.	Do.	
5745	Do.	" 14 320	Do.	Do.	Do.	
5746	Dril'g machine bench	" 20 " 300	Do.	Do.	Do.	
5750	Crane over head traveling	capacity 3t lift 13000span 13.000	Do.	Do.	Do.	
5751	Transformer Out-door	100kva pv3.450 sv220	Do.	Do.	Do.	
5752	Do.	150kva pv3.150 sv220	Do.	Do.	Do.	
5753	Do.	30kva pv3.300 sv220	Do.	Do.	Do.	
5754	weld'g machine Electric Arc	20kw 400a pv220 sv80	Do.	Do.	Do.	
5755	Do.	10.5kw 250a pv220 sv80	Do.	Do.	Do.	
5756	Do.	20kw 400a pv220 sv80	Do.	do.	Do.	
5757	Do.	15kw 300a pv220sv80	Do.	Do.	Do.	
5759	Portable drill pneumatic	size of drill 23	Do.	Do.	Do	
5760	Do.	Do.	Do.	Do.	Do.	
5761	Do.	Do.	Do.	Do.	Do.	
5762	Do.	Do.	Do.	Do.	Do.	
5763	Do.	Do.	Do.	Do.	Do.	

775013

Code no. 22-24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5764	Portable drill Pneumatic	Size of drill 23	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
5765	Do.	Do.	Do.	Do.	Do.	
5766	Do.	Do.	Do.	Do.	Do.	
5767	Do.	Do.	Do.	Do.	Do.	
5768	Do.	Do.	Do.	Do.	Do.	
5769	Do.	Do.	Do.	Do.	Do.	
5770	Do.	Do.	Do.	Do.	Do.	
5771	Do.	Do.	Do.	Do.	Do.	
5772	Do.	Do.	Do.	Do.	Do.	
5773	Do.	Do.	Do.	Do.	Do.	
5774	Do.	Do.	Do.	Do.	Do.	
5775	Do.	Do.	Do.	Do.	Do.	
5776	Do.	Do.	Do.	Do.	Do.	
5777	Do.	Do.	Do.	Do.	Do.	
5778	Do.	Do.	Do.	Do.	Do.	
5779	Do.	Do.	Do.	Do.	Do.	
5780	Do.	Do.	Do.	Do.	Do.	
5781	Do.	Do.	Do.	Do.	Do.	
5782	Do.	Do.	Do.	Do.	Do.	
5783	Do.	Do.	Do.	Do.	Do.	
5784	Do.	Do.	Do.	Do.	Do.	
5786	Do.	Do.	Do.	Do.	Do.	
5787	Do.	Do.	Do.	Do.	Do.	
5788	Do.	Do.	Do.	Do.	Do.	
5789	Do.	Do.	Do.	Do.	Do.	
5790	Do.	Do.	Do.	Do.	Do.	
5791	Do.	Do.	Do.	Do.	Do.	
5792	Do.	Do.	Do.	Do.	Do.	

775013

Code no. 22 - 24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5893	Portable drill (corner) pneumatic	Size of drill 23	7 sept 1948	Eighth Army A.Gm	Iino Ind. Co., Ltd	
5894	Do.	Do.	Do.	Do.	Do.	
5895	Do.	Do.	Do.	Do.	Do.	
5896	Do.	Do.	Do.	Do.	Do.	
5897	Do.	Do.	Do.	Do.	Do.	
5898	Do.	Do.	Do.	Do.	Do.	
5899	Do.	Do.	Do.	Do.	Do.	
5900	Do.	Do.	Do.	Do.	Do.	
5901	Do.	Do.	Do.	Do.	Do.	
5902	Do.	Do.	Do.	Do.	Do.	
5903	Do.	Do.	Do.	Do.	Do.	
5904	Do.	Do.	Do.	Do.	Do.	
5905	Portable drill pneumatic	Size of drill 14	Do.	Do.	Do.	
5907	Do.	Do.	Do.	Do.	Do.	
5908	Do.	Do.	Do.	Do.	Do.	
5909	Do.	Do.	Do.	Do.	Do.	
5910	Do.	Do.	Do.	Do.	Do.	
5911	Do.	Do.	Do.	Do.	Do.	
5912	Do.	Do.	Do.	Do.	Do.	
5913	Do.	Do.	Do.	Do.	Do.	
5914	Do.	Do.	Do.	Do.	Do.	
5915	Do.	Do.	Do.	Do.	Do.	
5916	Do.	Do.	Do.	Do.	Do.	
5917	Do.	Do.	Do.	Do.	Do.	
5918	Do.	Do.	Do.	Do.	Do.	
5919	Do.	Do.	Do.	Do.	Do.	
5920	Do.	Do.	Do.	Do.	Do.	
5921	Do.	Do.	Do.	Do.	Do.	

(469)
7772

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
5922	Portable drill pneumatic	Size of drill 14	7 sept 1948A	Eighth Army	Iino Ind Co., Ltd	
5923	Do.	Do.	Do.	Do.	Do.	
5924	Do.	Do.	Do.	Do.	Do.	
5925	Do.	Do.	Do.	Do.	Do.	
5926	Do.	Do.	Do.	Do.	Do.	
5927	Do.	Do.	Do.	Do.	Do.	
5928	Do.	Do.	Do.	Do.	Do.	
5929	Do.	Do.	Do.	Do.	Do.	
5930	Do.	Do.	Do.	Do.	Do.	
5931	Do.	Do.	Do.	Do.	Do.	
5932	Do.	Do.	Do.	Do.	Do.	
5933	Do.	Do.	Do.	Do.	Do.	
5934	Do.	Do.	Do.	Do.	Do.	
5935	Do.	Do.	Do.	Do.	Do.	
5936	Do.	Do.	Do.	Do.	Do.	
5937	Do.	Do.	Do.	Do.	Do.	
5938	Do.	Do.	Do.	Do.	Do.	
5939	Do.	Do.	Do.	Do.	Do.	
5940	Do.	Do.	Do.	Do.	Do.	
5941	Do.	Do.	Do.	Do.	Do.	
5942	Do.	Do.	Do.	Do.	Do.	
5943	Do.	Do.	Do.	Do.	Do.	
5944	Do.	Do.	Do.	Do.	Do.	
5945	Do.	Do.	Do.	Do.	Do.	
6025	Portable hammer (pivoting) Pneumatic	Work size 25	Do.	Do.	Do.	
6026	Do.	Do.	Do.	Do.	Do.	
6027	Do.	Do.	Do.	Do.	Do.	
6028	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6029	Portable Hammer (Pneumatic)	Work size 25	7 sept 1948	8th Army	Iino Ind Co., Ltd	
6030	Do.	Do.	Do.	Do.	Do.	
6033	Portable ratchet spanner pneumatic	Size of bolt 7/8"	Do.	Do.	Do.	
6034	Do.	Do.	Do.	Do.	Do.	
6035	Do.	Do.	Do.	Do.	Do.	
6036	Do.	Do.	Do.	Do.	Do.	
6037	Do.	Do.	Do.	Do.	Do.	
6038	Do.	Do.	Do.	Do.	Do.	
6039	Do.	Do.	Do.	Do.	Do.	
6040	Do.	Do.	Do.	Do.	Do.	
6103	Portable Hammer Combination	Work size 25	Do.	Do.	Do.	
6104	Do.	Do.	Do.	Do.	Do.	
6105	Do.	Do.	Do.	Do.	Do.	
6106	Do.	Do.	Do.	Do.	Do.	
6107	Do.	Do.	Do.	Do.	Do.	
6108	Do.	Do.	Do.	Do.	Do.	
6109	Do.	Do.	Do.	Do.	Do.	
6110	Do.	Do.	Do.	Do.	Do.	
6111	Do.	Do.	Do.	Do.	Do.	
6112	Do.	Do.	Do.	Do.	Do.	
6113	Do.	Do.	Do.	Do.	Do.	
6114	Do.	Do.	Do.	Do.	Do.	
6115	Do.	Do.	Do.	Do.	Do.	
6116	Do.	Do.	Do.	Do.	Do.	
6117	Do.	Do.	Do.	Do.	Do.	
6118	Do.	Do.	Do.	Do.	Do.	
6135	Do.	Do.	Do.	Do.	Do.	
6136	Do.	Do.	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6137	Portable Hammer Combnetion Hren's	Work size 25	7 sept 1948	Eighth Army	Indo Ltd	
6260	" (caulking)	Work size 15	Do.	Do.	Do.	
6261	Do.	Do.	Do.	Do.	Do.	
6262	Do.	Do.	Do.	Do.	Do.	
6263	Do.	Do.	Do.	Do.	Do.	
6264	Do.	Do.	Do.	Do.	Do.	
6265	Do.	Do.	Do.	Do.	Do.	
6266	Do.	Do.	Do.	Do.	Do.	
6267	Do.	Do.	Do.	Do.	Do.	
6268	Do.	Do.	Do.	Do.	Do.	
6269	Do.	Do.	Do.	Do.	Do.	
6270	Do.	Do.	Do.	Do.	Do.	
6271	Do.	Do.	Do.	Do.	Do.	
6272	Do.	Do.	Do.	Do.	Do.	
6273	Do.	Do.	Do.	Do.	Do.	
6274	Do.	Do.	Do.	Do.	Do.	
6275	Do.	Do.	Do.	Do.	Do.	
6276	Do.	Do.	Do.	Do.	Do.	
6277	Do.	Do.	Do.	Do.	Do.	
6278	Do.	Do.	Do.	Do.	Do.	
6279	Do.	Do.	Do.	Do.	Do.	
6280	Do.	Do.	Do.	Do.	Do.	
6281	Do.	Do.	Do.	Do.	Do.	
6282	Do.	Do.	Do.	Do.	Do.	
6283	Do.	Do.	Do.	Do.	Do.	
6284	Do.	Do.	Do.	Do.	Do.	
6285	Do.	Do.	Do.	Do.	Do.	
6286	Do.	Do.	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6286	Portable Hammer (caulking)	Pneumatic work size 15	7 sept 1948 A.	Eighth Army	Iino Ind Co., Ltd	
6287	Do.	Do.	Do.	Do.	Do.	
6288	Do.	Do.	Do.	Do.	Do.	
6306	Do.	Do.	Do.	Do.	Do.	
6307	Do.	Do.	Do.	Do.	Do.	
6308	Do.	Do.	Do.	Do.	Do.	
6309	Do.	Do.	Do.	Do.	Do.	
6310	Do.	Do.	Do. 9	Do.	Do.	
6311	Do.	Do.	Do.	Do.	Do.	
6312	Do.	Do.	Do.	Do.	Do.	
6313	Do.	Do.	Do.	Do.	Do.	
6314	Do.	Do.	Do.	Do.	Do.	
6315	Do.	Do.	Do.	Do.	Do.	
6316	Do.	Do.	Do.	Do.	Do.	
6317	Do.	Do.	Do.	Do.	Do.	
6318	Do.	Do.	Do.	Do.	Do.	
6344	" (riveting) "	work size 25	Do.	Do.	Do.	
6345	Do.	Do.	Do.	Do.	Do.	
6346	Do.	Do.	Do.	Do.	Do.	
6353	Do.	Do.	Do.	Do.	Do.	
6354	Do.	Do.	Do.	Do.	Do.	
6355	Do.	Do.	Do.	Do.	Do.	
6356	Do.	Do.	Do.	Do.	Do.	
6357	Do.	Do.	Do.	Do.	Do.	
6358	Do.	Do.	Do.	Do.	Do.	
6359	Do.	Do.	Do.	Do.	Do.	
6360	Do.	Do.	Do.	Do.	Do.	
6361	Do.	Do.	Do.	Do.	Do.	
6362	Do.	Do.	Do.	Do.	Do.	

775013

Code no. 22-24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	company Granted Permitted	Remarks
6363	Portable Hammer (Riveting) Pneumatic	Work size 25	7 sept 1948A	GmGm386,3	Eighth Armijo Ind. Co., Ltd	
6364	Do.	Do.	Do.	Do.	Do.	
6365	Do.	Do.	Do.	Do.	Do.	
6366	Do.	Do.	Do.	Do.	Do.	
6367	Do.	Do.	Do.	Do.	Do.	
6368	Do.	Do.	Do.	Do.	Do.	
6369	Do.	Do.	Do.	Do.	Do.	
6370	Do.	Do.	Do.	Do.	Do.	
6371	Do.	Do.	Do.	Do.	Do.	
6372	Do.	Do.	Do.	Do.	Do.	
6373	Do.	Do. 15	Do.	Do.	Do.	
6374	Do.	Do.	Do.	Do.	Do.	
6375	Do.	Do.	Do.	Do.	Do.	
6393	Do.	Do. 15	Do.	Do.	Do.	
6394	Do.	Do.	Do.	Do.	Do.	
6395	Do.	Do.	Do.	Do.	Do.	
6396	Do.	Do.	Do.	Do.	Do.	
6397	Do.	Do.	Do.	Do.	Do.	
6398	Do.	Do.	Do.	Do.	Do.	
6399	Do.	Do.	Do.	Do.	Do.	
6400	Do.	Do.	Do.	Do.	Do.	
6401	Do.	Do.	Do.	Do.	Do.	
6402	Do.	Do.	Do.	Do.	Do.	
6403	Do.	Do.	Do.	Do.	Do.	
6404	Do.	Do.	Do.	Do.	Do.	
6405	Do.	Do.	Do.	Do.	Do.	
6406	Do.	Do.	Do.	Do.	Do.	
6407	Do.	Do.	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6432	Portable Hammer (Riveting)	Pneumatic Work size 25 15	7 sspt 1948 A,	Eighth Army	Iini Ind Co., Ltd	
6433	Do.	Do.	Do.	Do.	Do.	
6434	Do.	Do.	Do.	Do.	Do.	
6435	Do.	Do.	Do.	Do.	Do.	
6439	Portable Drill (corner)	" 32	Do.	Do.	Do.	
6440	Do.	Do.	Do.	Do.	Do.	
6441	Do.	Do.	Do.	Do.	Do.	
6446	" Pneumatic	Size of drill 32	Do.	Do.	Do	
6447	Do.	Do.	Do.	Do.	Do.	
6448	Do.	Do.	Do.	Do.	Do.	
6451	Do.	Do.	Do.	Do.	Do.	
6452	Do.	Do.	Do.	Do.	Do.	
6453	Do.	Do.	Do.	Do.	Do.	
6454	Do.	Do.	Do.	Do.	Do.	
6455	Do.	Do.	Do.	Do.	Do.	
6456	Do.	Do.	Do.	Do.	Do.	
6457	Do.	Do.	Do.	Do.	Do.	
6458	Do.	Do.	Do.	Do.	Do.9	
6459	Do.	Do.	Do.	Do.	Do.	
6460	Do.	Do.	Do.	Do.	Do.	
6464	Do.	" 40	Do.	Do.	Do.	
6465	Do.	Do.	Do.	Do.	Do.	
6466	Do.	Do.	Do.	Do.	Do.	
6467	Do.	Do. 32	Do.	Do.	Do.	
6470	" (corner)	" 32	Do.	Do.	Do.	
6471	" Pneumatic	Do.	Do.	Do.	Do.	
6472	Do.	Do.	Do.	Do.	Do.	
6473	Do.	Do.9	Do.	Do	Do.	

775 013

Code no. 22-24

Inventory No.	Name of Machine	Specifications	Date permitted for Use	Permitted by	Company Granted permitted	Remarks
6474	Portable Drill Pneumatic	Size of drill 32	7 sept 1948 A.	Eighth Army GmGm386,3	Lino ind. Co., Ltd	
6475	Do.	Do.	Do.	Do.	Do.	
6478	" (corner Pneumatic)	" 14	Do.	Do.	Do.	
6479	Do.	Do.	Do.	Do.	Do.	
6480	Do. 9	Do.	Do.	Do.	Do.	
6481	Do.	Do.	Do.	Do.	Do.	
6482	Do.	Do.	Do.	Do.	Do.	
6483	Do.	Do.	Do.	Do.	Do.	
6484	Do.	Do.	Do.	Do.	Do.	
6485	Do.	Do.	Do.	Do.	Do.	
6486	Do.	Do.	Do.	Do.	Do.	
6487	Do.	Do.	Do. 9	Do.	Do.	
6488	Do.	Do.	Do.	Do.	Do.	
6489	Do.	Do. 1	Do.	Do.	Do.	
6490	Do.	Do.	Do.	Do.	Do.	
6491	Do.	Do.	Do.	Do.	Do.	
6492	Do.	Do.	Do.	Do.	Do.	
6541	Portable drill pneumatic	size of drill 23	Do.	Do.	Do.	
6542	Do.	Do.	Do.	Do.	Do.	
6543	Do.	Do.	Do.	Do.	Do.	
6544	Do.	Do.	Do.	Do.	Do.	
6545	Do.	Do.	Do.	Do.	Do.	
6546	Do.	Do.	Do.	Do.	Do.	
6547	Do.	Do.	Do.	Do.	Do.	
6551	Portable hammer (chip'g) pneumatic	work size 20	Do.	Do.	Do.	
6552	Do.	Do.	Do.	Do.	Do.	
6553	Do.	Do.	Do.	Do.	Do.	
6554	Do.	Do.	Do.	Do.	do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6555	Portable Hammer (chip'g)pneumatic	Work size 20	7 sept 1948	Eighth Army	Atyino Ind Co., Ltd	
6556	Do.	Do.	Do.	Do.	Do.	
6557	Do.	Do.	Do.	Do.	Do.	
6558	Do.	Do.	Do.	Do.	Do.	
6559	Do.	Do.	Do.	Do.	Do.	
6560	Do.	Do.	Do.	Do.	Do.	
6561	Do.	Do.	Do.	Do.	Do.	
6562	Do.	Do.	Do.	Do.	Do.	
7563	Do.	Do.	Do.	Do.	Do.	
7564	Do.	Do	Do.	Do.	Do.	
7565	Do.	Do.	Do.	Do.	Do.	
7566	Do.	Do	Do.	Do.	Do.	
7567	Do.	Do.	Do.	Do.	Do.	
7568	Do.	Do.	Do.	Do.	Do.	
7569	Do.	Do.	Do.	Do.	Do.	
7570	Do.	Do.	Do.	Do.	Do.	
7571	Do.	Do.	Do.	Do.	Do.	
7572	Do.	Do.	Do.	Do.	Do.	
7573	Do.	Do.	Do.	Do.	Do.	
7574	Do.	Do.	Do.	Do.	Do.	
7575	Do.	Do.	Do.	Do.	Do.	
7576	Do.	Do.	Do.	Do.	Do.	
7577	Do.	Do.	Do.	Do.	Do.	
7578	Do.	Do.	Do.	Do.	Do.	
7579	Do.	Do.	Do.	Do.	Do.	
7580	Do.	Do.	Do.	Do.	Do.	
7581	Do.	Do.	Do.	Do.	Do.	
7582	Do.	Do.	Do.	Do.	Do.	

775013

Code no. 22 - 24

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6583	Portable Hemmer (chi'g) Pneumatic	work size 20	7 sept 1948	Eighth Army	Yino Ind. Co., Ltd	
6584	Do.	Do.	Do.	Do.	Do.	
6585	Do.	Do.	Do.9	Do	Do.	
6586	Do.	Do.	Do.	Do.	Do.	
6587	Do.	Do.	Do.	Do.	Do.	
6588	Do.	Do.	Do.	Do.	Do.	
6589	Do.	Do.	Do.	Do.	Do.	
6590	Do.	Do.	Do.	Do.	Do.	
6591	Do.	Do.	Do.	Do.	Do.	
6592	Do.	Do.	Do.	Do.	Do.	
6593	Do.	Do.	Do.	Do.	Do.	
6594	Do.	Do.	Do.	Do.	Do.	
6595	Do.	Do.	Do.	Do.	Do.	
6596	Do.	Do.	Do.	Do.	Do.	
6597	Do.	Do.	Do.	Do.	Do.	
6598	Do.	Do.	Do.	Do.	Do.	
6599	DB.	Do.	Do.	Do.	Do.	
6600	Do.	Do.	Do.	Do.9	Do.	
6601	Do.	Do.	Do.	Do.	Do.	
6602	Do.	Do.	Do.	Do.	Do.	
6603	Do.	Do.	Do.	Do.	Do.	
6604	Do.	Do.	Do.	Do.	Do.	
6605	Do.	Do.	Do.	Do.	Do.	
6606	Do.	Do.	Do.	Do.	Do.	
6607	Do.	Do.	Do.	Do.	Do.	
6608	Do.	Do.	Do.	Do.	Do.	
6609	Do.	Do.	Do.	Do.	Do.	
6610	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6611	Portable Hammer (chip'g)pneumatic	Work size 20	7 sept 1948	eighth Army	lino ind. Co., Ltd	
6612	Do.	Do.	Do.	Do.	Do.	
6613	Do.	Do.	Do.	Do.	Do.	
6614	Do.	Do.	Do.	Do.	Do.	
6615	Do.	Do.	Do.	Do.	Do.	
6826	Portable Grinder Pneumatic	Dia & thickness of wheel 150 x 35	Do.	Do.	Do.	
6827	Do.	Do.	Do.	Do.	Do.	
6828	Do.	Do.	Do.	Do.	Do.	
6829	Do.	Do.	Do.	Do.	Do.	
6830	Do.	Do.	Do.	Do.	Do.	
6831	Do.	Do.	Do.	Do.	Do.	
6832	Do.	Do.	Do.	Do.	Do.	
6833	Do.	Do.	Do.	Do.	Do.	
6834	Do.	Do.	Do.	Do.	Do.	
6835	Do.	Do.	Do.	Do.	Do.	
6836	Do.	Do.	Do.	Do.	Do.	
6837	Do.	Do.	Do.	Do.	Do.	
6838	Do.	Do.	Do.	Do.	Do.	
6839	Do.	Do.	Do.	Do.	Do.	
6840	Do.	Do.	Do.	Do.	Do.	
6841	Do.	Do.	Do.	Do.	Do.	
6842	Do.	Do.	Do.	Do.	Do.	
6843	Do.	Do.9	Do.	Do.	Do.	
6844	Do.	Do.	Do.	Do.	Do.	
6845	Do.	Do.	Do.	Do.	Do.	
6846	Do.	Do.	Do.	Do.	Do.	
6847	Do.	Do.	Do.	Do.	Do.	
6848	Do.	Do.	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6849	Portable Grinder Pneumatic	Dia & thickness of wheel 150 x 35	7 sept 1948	Eighth Army A, Gm386,3	Iino Ind. Co., Ltd	
6850	Do.	Do.	Do.	Do.	Do.	
6851	Do.	Do.	Do.	do.	Do.	
6852	Do.	Do.	Do.	Do.	Do.	
6853	Do.	Do.	Do.	Do.	Do.	
6854	Do.	Do.	Do.	Do.	Do.	
6855	Do.	Do.	Do.	Do.	Do.	
6856	Do.	Do.	Do.	Do.	Do.	
6857	Do.	Do.	Do.	Do.	Do.	
6858	Do.	Do.	Do.	Do.	Do.	
6859	Do.	Do.	Do.	Do.	Do.	
6860	Do.	Do.	Do.	Do.	Do.	
6861	Do.	Do.	Do.	Do.	Do.	
6862	Do.	Do.	Do.	Do.	Do.	
6863	Do.	Do.	Do.	Do.	Do.	
6864	Do.	Do.	Do.	Do.	Do.	
6865	Do.	Do.	Do.	Do.	Do.	
6866	Do.	Do.	Do.	Do.	Do.	
6867	Do.	Do.	Do.	Do.	Do.	
6868	Do.	Do.	Do.	Do.	Do.	
6869	Do.	Do.	Do.	Do.	Do.	
6870	Do.	Do.	Do.	Do.	Do.	
6871	Do.	Do.	Do.	Do.	Do.	
6872	Do.	Do.	Do.	Do.	Do.	
6873	Do.	Do.	Do.	Do.	Do.	
6874	Grind'g machine Double head	Dia of wheel 340 thickness wheel 50	Do.	Do.	Do.	
6880	Forg'g hammer Air	Stroke 650 weight 250kg	Do.	Do.	Do.	
6886	Grind'g machine Double head	Dia of wheel 350 Thickness of wheel 40	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6889	Blower	Delivery volume 9.9kg/min " Pressure 0.03kg/cm ²	7 sept 1948	Eighth Army	Yino A, Gm 386, 3 Ind. Co., Ltd	
6898	Motor AC induction	5HP 60cycle 220v 1.140 RPM	Do.	Do.	Do.	
6901	Weld'g machine Electric Arc AC	15kw 300a pv220 sv80	Do.	Do.	Do.	
6902	Do.	Do.	Do.	Do.	Do.	
6903	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	
6913	Weld'g machine Electric Arc AC	20kw 400a 13.5kw/330a pv220 sv80	Do.	Do.	Do.	
6914	Do.	13.5kw 330a pv220 sv80	Do.	Do.	Do.	
6916	Grind'g machine Stand double head wheel	Dia & thickness of wheel 350 x 40	Do.	Do.	Do.	
6917	Pump seawater centrifugal	Capacity 142.000L/min Pressure 1.2kg/cm ²	Do.	Do.	Do.	
6918	Pump water centrifugal	Capacity 1.6m ³ /min vacuum 500mm	Do.	Do.	Do.	
6919	Do.	" 3.380L/min 122kg/cm ²	Do.	Do.	Do.	
6920	Pump sea water centrifugal	" 142.000L/min 1.2kg/cm ²	Do.	Do.	Do.	
6926	Air compressor Reciprocating	" 16.4m ³ /min 99.5lbs/Square inch	Do.	Do.	Do.	
6927	Do.	Do.	Do.	Do.	Do.	
6928	Transformer Out-door	350kva pv3.300 sv220	Do.	Do.	Do.	
6929	Do.	Do.	Do.	Do.	Do.	
6930	Do.	Do.	Do.	Do.	Do.	
6931	Do.	20kva pv3.300 sv220	Do.	Do.	Do.	
6933	Crane Rail Road traveling	Capacity 21m/20t Lift 37.000	Do.	Do.	Do.	
6935	Welding machine Electric Arc AC	20kw 400a pv220 sv80	Do.	Do.	Do.	
6936	Do.	17.5kw 400a pv220 sv80	Do.	Do.	Do.	
6937	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
6940	Do.	10kw 250a pv220 sv80	Do.	Do.	Do.	
6941	Do.	15kw 300a pv220 sv80	Do.	Do.	Do.	
6944	Do.	15 ³ kw 400a pv220 sv80	Do.	Do.	Do.	
6946	Do.	20kw 400a pv220 sv80	Do.	Do.	Do.	
6951	Pump water Reciprocating	Capacity 22L/min Suction 38	Do.	Do.	Do.	
6952	Air compressor	" 2.8m ³ /min 300kg/cm ²	Do.	Do.	Do.	

Code no. 22-24

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
6953	Air compressor Reciprocating	Capacity 3m ³ /min Pressure 300kg/cm ²	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
6954	Do.	" 1.3m ³ /min 300kg/cm ²	Do.	Do.	Do.	
6955	Do.	Do.	Do.	do.	Do.	
6957	Pump seawater centrifugal	" 700L/min Suction 75	Do.	Do.	Do.	
6958	Do.	" 568L/min 80	Do.	Do.	Do.	
6959	Transformer Out-door	30kva pv3.300 sv220	Do.	Do.	Do.	
6960	Do.	Do.	Do.	Do.	Do.	
6961	Pump seawater centrifugal	Capacity 700L/min suction 75	Do.	Do.	Do.	
6964	Boiler Water tube	Pressure 7kg/cm ² 80HP	Do.	Do.	Do.	
6970	Transformer Out-door	500kva pv3.300 sv220	Do.	Do.	Do.	
6971	Do.	Do.	Do.	Do.	Do.	
6972	Do.	75kva pv3.300 sv220	Do.	Do.	Do.	
6973	Do.	Do.	Do.	Do.	Do.	
6974	Pump seawater	Capacity 500L/min Pressure 5kg/cm ²	Do.	Do.	Do.	
6991	Air compressor Reciprocating	Capacity 21.7m ³ /min Pressure 7kg/cm ²	Do.	Do.	Do.	
7011	Pump Steam driver	Capacity 0.3m ³ /min	Do.	Do.	Do.	
7012	Do.	Capacity 0.3m ³ /min	Do.	Do.	Do.	
7013	Boiler Lancashire	Pressure 7kg/cm ² HP 250	Do.	Do.	Do.	
7014	Do.	Do.	Do.	Do.	Do.	
7015	Pump Rotary	Capacity 0.2m ³ /min	Do.	Do.	Do.	
7016	" Vacuum	" 4.52m ³ /min	Do.	Do.	Do.	
7017	Do.	Do.	Do.	Do.	Do.	
7018	Transformer Out-door	15kva	Do.	Do.	Do.	
7019	Do.	150kva	Do.	Do.	Do.	
7020	Do.	50kva	Do.	Do.	Do.	
7023	Do.	Capacity 15kw Max input 80v	Do.	Do.	Do.	
7024	Crane overhead traveling	Capacity 5t Lift 10.000 span 24.000	Do.	Do.	Do.	
7025	Gring'g machine Bench	HP 1/2	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
7026	Motor AC Induction	15HP 220v 1.760 RPM	7 sept 1948	Eighth Army	Alino Ind Co., Ltd	
7027	Do.	220v 865 RPM 40HP 60cycle	Do.	Do.	Do.	
7028	Pump centrifugal	Deliv'y volome in 0.23 1 m ² /min deliv'y oressure 1.7kg/cm ²	Do.	Do.	Do.	
7029	Motor A Induction	220V 3.470RPM 10HP 60cycle	Do.	Do.	Do.	
7030	Grind'g machine	unknown	Do.	Do.	Do.	
7031	Motor AC induction	7.5HP 60cycle 220v 1.150 RPM	Do.	Do.	Do.	
7032	Transformer Outdoor	30kva pv3.300 sv220	Do.	Do.	Do.	
7033	Do.	10kva pv3.450 sv220	Do.	Do.	Do.	
7034	Do.	30kva pv3.450 sv210	Do.	Do.	Do.	
7035	Do.	Do.	Do.	Do.	Do.	
7036	Grand Jib Locomotive tra'g	Capacity 5t	Do.	Do.	Do.	
7037	" Electric Trav'g	Capacity 5t	Do.	Do.	Do.	
7587	Surface Plate	Length 1.800 width 4000 thickness 515	Do.	Do.	Do.	
7588	Do.	Do.	Do.	Do.	Do.	
7591	Do.	Length 1.800 width4000 thickness 510	Do.	Do.	Do.	
7594	Do.	Length 1.830 sidth3530 thickness 525	Do.	Do.	Do.	
7595	Do.	Length 2000 width4000 thickness 510	Do.	Do.	Do.	
7596	Do.	Length 1510 width2300 thickness 510	Do.	Do.	Do.	
7598	Do.	Do.	Do.	Do.	Do.	
7599	Do.	Length 2000 width3500 thickness 300	Do.	Do.	Do.	
7600	Do.	thickness 350	Do.	Do.	Do.	
7643	Hoist electric travel'g hand	Capacity 2MT height of Lift 9m 5 HP	Do.	Do.	Do.	
7644	Do.	Cap 2MT height of lift 8.5m 5 HP	Do.	Do.	Do.	
7645	Do.	Cap 1MT height of lift 7m 2HP	Do.	Do.	Do.	
7646	Do.	Do.	Do.	Do.	Do.	
7647	Do.	Cap 1MT height of lift 6.1m 4 HP	Do.	Do.	Do.	
7648	Do.	Cap 2MY height of lift 8.5m 3 HP	Do.	Do.	Do.	
7655	Do.	Cap 2MT height of lift 8.5m 3 HP	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
7656	Hoist Electric Traveling Hand	Cap 1 MT Height of lift 7m 2 HP	7sept 1948 A	Eighth Army	Iino Ind Co., Ltd	
7657	Winch Electric Horizontal	Cap 5MT Speed 48.5 m/min 30HP	Do.	Do.	Do.	
7669	Boiler	Working Pressure 3.5 kg/cm ² No of tube 63	Do.	Do.	Do.	
7670	Trackage	Gauge of track 1067m/m 30kg/m x 224m	Do.	Do.	Do.	
7671	Point	No of frog 6	Do.	Do.	Do.	
7672	Chain block	Cap 20MT Height of lift 5000m/m	Do.	Do.	Do.	
7673	Do.	Cap 16MT Height of lift 8000m/m	Do.	Do.	Do.	
7674	Do.	Cap 1 MT 2400m/m	Do.	Do.	Do.	
7675	Do.	Cap 8MT 8000m/m	Do.	Do.	Do.	
7676	Do.	Cap 5 MT	Do.	Do.	Do.	
7677	Do.	" 10000m/m	Do.	Do.	Do.	
7678	Do.	" 8000m/m	Do.	Do.	Do.	
7679	Do.	" 1 MT 1000m/m	Do.	Do.	Do.	
7680	Do.	" 3 MT 3000m/m	Do.	Do.	Do.	
7681	Do.	Do.	Do.	Do.	Do.	
7682	Do.	Do	Do.	Do.	Do.	
7683	Do.	Cap 2 MT 5000m/m	Do.	Do.	Do.	
7684	Do.	" 2400m/m	Do.	Do.	Do.	
7685	Do.	Do.	Do.	Do.	Do.	
7686	Do.	Cap 1 MT 5000m/m	Do.	Do.	Do.	
7687	Do.	Cap 1/2MT	Do.	Do.	Do.	
7688	Do.	Cap 1 MT 5m	Do.	Do.	Do.	
7689	Do.	" 3m	Do.	Do.	Do.	
7695	Do.	Do.	Do.	Do.	Do.	
7696	Do.	" 2.5m	Do.	Do.	Do.	
7697	Do.	" 2.4m	Do.	Do.	Do.	
7698	Do.	Do.	Do.	Do.	Do.	
7700	Do.	Cap 1/2MT 4.8m	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date permitted for Use	Permitted by	Company Granted Permitted	Remarks
7701	Chain block	Cap 1.5MT Height of lift 5m	7 sept 1948	Eighth Army	Iino Ind Co., Ltd	
7702	Do.	Cap 1/2MT " 10m	Do.	Do.	Do.	
7703	Do.	Cap 1MT " 5m	Do.	Do.	Do.	
7704	Do.	Cap 3 MT "	Do.	Do.	Do.	
7707	Surface plate	Length width & thickness 2300x1500x55m/m 3100x1850x460m/m	Do.	Do.	Do.	
7708	Do.	2500x1500x55m/m	Do.	Do.	Do.	
7709	Do.	" 2000x1000x40m/m	Do.	Do.	Do.	
7710	Do.	" 500x500x25m/m	Do.	Do.	Do.	
7711	Do.	Do.	Do.	Do.	Do.	
7712	Do.	" 1010x610x35m/m	Do.	Do.	Do.	
7713	Do.	" 3000x1810x45m/m	Do.	Do.	Do.	
7714	Do.	" 3000x1600x70m/m	Do.	Do.	Do.	
7715	Do.	" 920x510x80m/m	Do.	Do.	Do.	
7716	Do.	" 1510x605x30m/m	Do.	Do.	Do.	
7717	Do.	" 3350x2000x110m/m	Do.	Do.	Do.	
7718	Do.	" 2000x2000x45m/m	Do.	Do.	Do.	
7719	Do.	" 3050x1800x100m/m	Do.	Do.	Do.	
7720	Do.	" 2000x1000x90m/m	Do.	Do.	Do.	
7721	Do.	" 2000x1000x75m/m	Do.	Do.	Do.	
7722	Do.	Do.	Do.	Do.	Do.	
7723	Do.	" 1500x1000x45m/m	Do.	Do.	Do.	
7725	Do.	" 465x460x12m/m	Do.	Do.	Do.	
7726	Do.	" 465x400x13m/m	Do.	Do.	Do.	
7727	Do.	" 2000x2000x45m/m	Do.	Do.	Do.	
7728	Do.	Do.	Do.	Do.	Do.	
7729	Do.	Do.	Do.	Do.	Do.	
7730	Do.	" 2000x2000x23.4m/mq	Do.	Do.	Do.	
7731	Do.	" 2000x2000x45m/m	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company granted Permitted	Remarks
7732	Surface Plate	Length width&Thickness 2000x2000x50m/m	7 sept 1948	Eighth Army GmGm386,3	Iino Ind Co., Ltd	
7733	Do.	2000x2000x45m/m	Do.	Do.	Do.	
7734	Do.	Do.	Do.	Do.	Do.	
7735	Do.	1200x610x25m/m	Do.	Do.	Do.	
7736	Do.	800x500x27m/m	Do.	Do.	Do.	
8085	Surface plate	Size of table 1000x750	Do.	Do.	Do.	
8086	Wire Drawing Machine	No of spindle speed8 3.000x1500	Do.	Do.	Do.	
8088	Surface Plate	Size of table	Do.	Do.	Do.	
8089	Do.	Size of table 1.215x915	Do.	Do.	Do.	
8094	Hoist-Hand Chain	Cap 1.5 tons Lift 3M	Do.	Do.	Do.	
8096	Do.	Cap 2 tons Lift 3m	Do.	Do.	Do.	
8098	Surface Plate	L 5000 W2500 H 300	Do.	Do.	Do.	
8099	Hoist-Hand Chain	Cap 1 ton Lift 3M	Do.	Do.	Do.	
8100	Do.	Cap 2 tons Lift 3M	Do.	Do.	Do.	
8101	Surface Plate	L 5.000 W 2.500 H 300	Do.	Do.	Do.	
8102	Hoist-Hand Chain	Cap 2 tons Lift 3m	Do.	Do.	Do.	
8103	Do.	Do.	Do.	Do.	Do.	
8104	Surface Plate	L 2.000 W 1.200 H 300	Do.	Do.	Do.	
8105	Do.	Do.	Do.	Do.	Do.	
8106	Do.	L2.000 W1,600 H 250	Do.	Do.	Do.	
8107	Do.	Do.	Do.	Do.	Do.	
8108	Hoist Hand chain	Cap 2 tons Lift 3m	Do.	Do.	Do.	
8109	Do.	Do.	Do.	Do.	Do.	
8111	Do.	Cap 1 tone Lift 3m	Do.	Do.	Do.	
8118	Do.	Cap 1 tons Lift 2,5M	Do.	Do.	Do.	
8119	Do.	Do.	Do.	Do.	Do.	
8120	Do.	Cap 2 tons Lift 5m	Do.	Do.	Do.	
8121	Do.	Cap 2 tons Lift 10m	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
8124	Hoist Hand chain	Cap 3tons Lift 5m	7 sept 1948	Eighth Army	Lino Ind Co., Ltd	
8125	Do.	Cap 3tons Lift 2m	Do.	Do.	Do.	
8127	Do.	Cap 2tons Lift 10m	Do.	Do.	Do.	
8128	Do.	Cap 1tons Lift 3m	Do.	Do.	Do.	
8131	Do.	Cap 1ton Lift 3m	Do.	Do.	Do.	
8132	Do.	Cap 5tons Lift 10m	Do.	Do.	Do.	
8134	Do.	Cap 3tons lift 5m	Do.	Do.	Do.	
8135	Do.	" " 3m	Do.	Do.	Do.	
8136	Do.	" 1 " 5m	Do.	Do.	Do.	
8140	Do.	Do.	Do.	Do.	Do.	
8141	Do.	" 5 " 10m	Do.	Do.	Do.	
8144	Do.	" 2 " 5m	Do.	Do.	Do.	
8145	Do.	" 2 " 10m	Do.	Do.	Do.	
8146	Do.	Do.	Do.	Do.	Do.	
8147	Do.	" " 5m	Do.	Do.	Do.	
8149	Do.	" 5 " 10m	Do.	Do.	Do.	
8151	Do.	" 2 " 8m	Do.	Do.	Do.	
8152	Do.	" 5 " 10m	Do.	Do.	Do.	
8153	Do.	" " 5m	Do.	Do.	Do.	
8154	Do.	" 2 "	Do.	Do.	Do.	
8155	Do.	" 3 "	Do.	Do.	Do.	
8156	Do.	" 1 "	Do.	Do.	Do.	
8158	Do.	" 5 " 10m	Do.	Do.	Do.	
8159	Do.	" 10 "	Do.	Do.	Do.	
8160	Do.	" 5 "	Do.	Do.	Do.	
8162	Do.	" 3 " 5m	Do.	Do.	Do.	
8163	Do.	" 2 " 10m	Do.	Do.	Do.	
8164	Do.	" 10 "	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
8176	Hoist-Electric	Cap 1tons lift 6.7m	7 sept 1948	Light Army GmGm386,3	Ind Co., Ltd	
8177	Do.	Do.	Do.	Do.	Do.	
8180	Moulding Machine	Dia of cylinder 420 420mm Pressure 4kg/cm ²	Do.	Do.	Do.	
8181	Do.	Dia of cylinder 250mm Pressure 4kg/cm ²	Do.	Do.	Do.	
8182	Do.	Do.	Do.	Do.	Do.	
8183	Hoist - Hand chain	Cap 2 tons Lifting height 6000mm	Do.	Do.	Do.	
8187	Rail	Pimmension 30kg/m Length 89m	Do.	Do.	Do.	
8191	Do.	" 144m	Do.	Do.	Do.	
8197	Hoist Hand chain	" 1 tons 2.5M	Do.	Do.	Do.	
8198	Winch-hand	Cap 1.5MT	Do.	Do.	Do.	
8199	Hoist Hand chain	Cap 1tons Lift 2.5M	Do.	Do.	Do.	
8200	Do.	" 3m	Do.	Do.	Do.	
8201	Do.	" 1tons Lift 2.5m	Do.	Do.	Do.	
8203	Line shafting	Dia 76mm Length 12.8m	Do.	Do.	Do.	
8204	Hoist Hand chain	Cap 2tons Lift 3m	Do.	Do.	Do.	
8205	Do.	" 3tons	Do.	Do.	Do.	
8206	Do.	" 2tons	Do.	Do.	Do.	
8207	Do.	Do.	Do.	Do.	Do.	
8208	Do.	Do.	Do.	Do.	Do.	
8209	Do.	Do.	Do.	Do.	Do.	
8210	Do.	Lift 3m Cap 1tons	Do.	Do.	Do.	
8211	Do.	Cap 2tons Lift 3m	Do.	Do.	Do.	
8212	Line shafting	Dia 76mm Length 19, 2m	Do.	Do.	Do.	
8216	Hoist Hand chain	Cap 1tons Lift 3m	Do.	Do.	Do.	
8217	Do.	Do.	Do.	Do.	Do.	
8218	Do.	Do.	Do.	Do.	Do.	
8219	Do.	Do.	Do.	Do.	Do.	
8220	Do.	Do.	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
8221	Hoist Hand chain	Cap 1 ton lift 3m	7 sept 1948	Eighth Army	Iino Ind. Co., Ltd	
8222	Do.	Do.	Do.	Do.	Do.	
8223	Do.	Cap 2 ^t lift 3 ^m	Do.	Do.	Do.	
8224	Do.	Do.	Do.	Do.	Do.	
8225	Do.	Do.	Do.	Do.	Do.	
8226	Do.	Do.	Do.	Do.	Do.	
8227	Do.	Do.	Do.	Do.	Do.	
8228	Do.	Do.	Do.	Do.	Do.	
8229	Do.	Do.	Do.	Do.	Do.	
8230	Do.	Do.	Do.	Do.	Do.	
8231	Do.	Do.	Do.	Do.	Do.	
8232	Do.	Do.	Do.	Do.	Do.	
8233	Do.	Do.	Do.	Do.	Do.	
8234	Do.	Do.	Do.	Do.	Do.	
8235	Do.	Do.	Do.	Do.	Do.	
8236	Do.	Do.	Do.	Do.	Do.	
8237	Do.	Do.	Do.	Do.	Do.	
8238	Do.	Do.	Do.	Do.	Do.	
8239	Do.	Do.	Do.	Do.	Do.	
8240	Do.	Do.	Do.	Do.	Do.	
8241	Do.	Do.	Do.	Do.	Do.	
8242	Do.	Do.	Do.	Do.	Do.	
8243	Do.	Do.	Do.	Do.	Do.	
8244	Do.	Cap 3ton lift 3m	Do.	Do.	Do.	
8245	Do.	Do.	Do.	Do.	Do.	
8246	Do.	Do.	Do.	Do.	Do.	
8247	Do.	Do.	Do.	Do.	Do.	
8248	Do.	Do.	Do.	Do.	Do.	

Code no. 22-24

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
8249	Hoist Hand chain	Cap 1ton lift 3m	7 sept 1948	Eight Army	Lino Ind Co., Ltd	
8250	Do.	Do.	Do.	Do.	Do.	
8251	Line shafting	Dia 76mm length 63,5M	Do.	Do.	Do.	
8252	Do.	" " 27.6m	Do.	Do.	Do.	
8253	Hoist Hand chain	Cap 2tons lift 3m	Do.	Do.	Do.	
8254	Do.	" / 3 "	Do.	Do.	Do.	
8255	Industrial tra- chage straight	Size and length 30kg/m x 118m	Do.	Do.	Do.	
8259	Surface plate	L6.090 W3.060 H310	Do.	Do.	Do.	
8260	Hoist Hand chain	Lift 3m cap 2tons	Do.	Do.	Do.	
8277	Surface plate	L9.000 W3.500 H400	Do.	Do.	Do.	
8278	Do.	L4.200 W2.440 H400	Do.	Do.	Do.	
8279	Hoist Hand chain	Cap 2tons lift 3m	Do.	Do.	Do.	
8280	Do.	Do.	Do.	Do.	Do.	
8282	Do.	Do.	Do.	Do.	Do.	
8283	Surface plate	L4.300 W2.450 H430	Do.	Do.	Do.	
8284	Do.	Do.	Do.	Do.	Do.	
8285	Hoist Hand chain	Cap 2tons lift 3m	Do.	Do.	Do.	
8286	Chromizing Galvainer	CU-Galva nized tank Steel plate volume 0.2m ³	Do.	Do.	Do.	
8288	Surface plate	L4.900 W4.250 H400	Do.	Do.	Do.	
8289	Hoist Hand chain	Cap 2tons lift 3m	Do.	Do.	Do.	
8290	Do.	Cap 3 " "	Do.	Do.	Do.	
8291	Do.	" 2 " "	Do.	Do.	Do.	
8292	Do.	Do.	Do.	Do.	Do.	
8296	Jib crane (hoist hand chain)	Cap 10tons lift 20m	Do.	Do.	Do.	
8297	Do.	Cap 2ton lift 4.5M	Do.	Do.	Do.	
8298	Do.	" 1 " " 2m	Do.	Do.	Do.	
8300	Hoist Hand chain	Cap 1ton lift 6m	Do.	Do.	Do.	
8304	Hoist Gearad hand chain	Cap 2tons Lifting hight 2.400mm	Do.	Do.	Do.	

Inventory No	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
8305	Hoist-Electric	Cap 1MT lift 5m	7 sept 1948	Eighth Army	Iini Ind Co., Ltd	
8306	Line shafting	Dia 75mm Length 18M	Do.	Do.	Do.	
8307	Hoist electric	Cap 1MT lift 6.1 M	Do.	Do.	Do.	
8310	Hoist Hand chain	Cap 1.5tons lift 4.8m	Do.	Do.	Do.	
8315	Do.	Cap 2tons lift 5m	Do.	Do.	Do.	
8323	Do.	" " 2.5M	Do.	Do.	Do.	
8332	Car woodn Truck open	Cap 5tons	Do.	Do.	Do.	
8333	" Truck flat	Do.	Do.	Do.	Do.	
8334	Do.	Do.	Do.	Do.	Do.	
8336	" Truck open	Do.	Do.	Do.	Do.	
8339	Car iron Truck flat	Cap 45tone	Do.	Do.	Do.	
8340	Do.	Cap 5tons	Do.	Do.	Do.	
8342	" Truck open	Do.	Do.	Do.	Do.	
8346	Winch-steam	Cap 15tons	Do.	Do.	Do.	
8354	Do.	Cap 3tons speed 10m/min	Do.	Do.	Do.	
8356	Hoist Hand chain	Cap 1ton lift 3m	Do.	Do.	Do.	
8357	Do.	Do.	Do.	Do.	Do.	
8358	Do.	Cap 1tons lift 2.5m	Do.	Do.	Do.	
8359	Do.	" 5m	Do.	Do.	Do.	
8360	Do.	Cap 2tons lift 3m	Do.	Do.	Do.	
8361	Do.	Do.	Do.	Do.	Do.	
8362	Do.	Do.	Do.	Do.	Do.	
8363	Do.	Cap 2tons lift 5m	Do.	Do.	Do.	
8364	Do.	Do.	Do.	Do.	Do.	
8365	Do.	Do.	Do.	Do.	Do.	
8366	Do.	Do.	Do.	Do.	Do.	
8367	Do.	Cap 3tons lift 5m	Do.	Do.	Do.	
8386	Do.	Cap 1ton lift 3m	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
8387	Hoist Hand chain	Cap 1 tons lift 3m	7 sept 1948A	Eighth Army GmGm386,3	Iino Ind Co., Ltd	
8388	Do.	Cap ^{1.5} tons lift ⁴ m	Do.	Do.	Do.	
8389	Do.	Cap ² tons lift ⁵ m	Do.	Do.	Do.	
8390	Do.	" 2 " 7	Do.	Do.	Do.	
8391	Do.	" 3 " 5	Do.	Do.	Do.	
8392	Do.	" " 3	Do.	Do.	Do.	
8393	Do.	Do.	Do.	Do.	Do.	
8394	Do.	" 3 " 5	Do.	Do.	Do.	
8395	Do.	Do.	Do.	Do.	Do.	
8396	Do.	Do.	Do.	Do.	Do.	
8397	Do.	Cap 5 tons lift 5m	Do.	Do.	Do.	
8398	Do.	" 0.5 "	Do.	Do.	Do.	
8399	Do.	" 5 "	Do.	Do.	Do.	
8400	Do.	" 0.5 " 3m	Do.	Do.	Do.	
8401	Winch-electric	Cap 3MT DC3.3HP	Do.	Do.	Do.	
8404	Line shafting	75mm 8m Dia length	Do.	Do.	Do.	
8405	Hoist Hand chain	Cap 1 tons lift 2.7m	Do.	Do.	Do.	
8406	Do.	" 2.5 " 3m	Do.	Do.	Do.	
8408	Do.	" 1 " 2.7m	Do.	Do.	Do.	
8409	Line shafting	Dia 20mm length 8m	Do.	Do.	Do.	
8410	Do.	" " 12m	Do.	Do.	Do.	
8411	Hoist Hand chain	Cap 2 tons lift 10m	Do.	Do.	Do.	
8413	Surface plate	15.000 W3.500H300	Do.	Do.	Do.	
8414	Line shafting	Dia 75mm length 2400mm	Do.	Do.	Do.	
8416	Hoist-electric	Cap 2 tons lift 6m3Hp	Do.	Do.	Do.	
8417	Do.	Cap 2 tons high 6.100mm	Do.	Do.	Do.	
8418	Hoist Hand chain	Cap ² tons lift 5m	Do.	Do.	Do.	
8424	Car woodn truck flat	Cap 5 tons	Do.	Do.	Do.	

Inventory No.	Name of Machine	Specifications	Date Permitted for Use	Permitted by	Company Granted Permitted	Remarks
8427	Winch-electric	Capstan cap 10.16 tons	7 sept 1948	Eighth Army	Iino Ind Co., Ltd	
8428	Do.	Do.	Do.	Do.	Do.	
8429	Do.	Do.	Do.	Do.	Do.	
8430	Do.	Do.	Do.	Do.	Do.	
8431	Do.	Do.	Do.	Do.	Do.	
8435	Car iron truck open	Cap 5 tons	Do.	Do.	Do.	
8436	Do.	Do.	Do.	Do.	Do.	
8437	Do.	Do.	Do.	Do.	Do.	
8438	Do.	Do.	Do.	Do.	Do.	
8439	Woodn	Do.	Do.	Do.	Do.	
8440	Woodn	Do.	Do.	Do.	Do.	
8442	Line shafting	Dia 90 length 4.000	Do.	Do.	Do.	
8444	Winch-electric	Capstan cycle Cap 8.64 tons DC60	Do.	Do.	Do.	
8445	Do.	Do.	Do.	Do.	Do.	
8446	Do.	Do.	Do.	Do.	Do.	
8447	Do.	Do.	Do.	Do.	Do.	
8448	Do.	Do.	Do.	Do.	Do.	
8455	Car woodn Truck open	Cap 5 tons	Do.	Do.	Do.	
8462	Do.	Do.	Do.	Do.	Do.	
8463	Do.	Do.	Do.	Do.	Do.	
8464	Do.	Do.	Do.	Do.	Do.	
8468	Do.	Do.	Do.	Do.	Do.	
8469	Car woodn Truck flat	Do.	Do.	Do.	Do.	
8470	Do.	Do.	Do.	Do.	Do.	
8475	Do.	Do.	Do.	Do.	Do.	
8477	Do.	Do.	Do.	Do.	Do.	
8478	Car woodn Truck open	Do.	Do.	Do.	Do.	
8479	Do.	Do.	Do.	Do.	Do.	