
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



P.

.

.

SPRING OF 1892.

うろう

WHOLESALE TRADE LIST. Department of Agriculture.

The Turners

RET

🔬 JUL 1 9 1923 💮

Hardy Ornamental Trees, Shrubs, Vines, and Herbaceous Perennials.

OF

OFFERED BY

THE READING NURSERY.

Established in 1854.

JACOB W. MANNING, Proprietor.

NOTICE.

This list 1s for Nurserymen, Florists, and Dealers only.

Five hundred, fifty, and six will be furnished at thousand, hundred, and dozen rates, respectively. Plants carried by us, but not mentioned herein, will be furnished at a liberal discount from retail rates. We in no case allow the selection of several varieties to make up a dozen at dozen rates, but charge retail rates, in this case allowing our usual trade discount on the whole.

The stock herein offered, unless specially noted to the contrary, is grown on good soil to insure plenty of fibrous roots and proportionate tops. Frequent transplanting is our motto and the secret of the universal success of our stock.

and the secret of the universal success of our stock. **TERMS.** — Cash, or satisfactory security, upon delivery of stock. **REMIT** by bank draft on Boston, registered letter, money order, or express order on Reading, Mass. We prefer not to send goods C.O.D., as it is a useless increase of office detail. **PACKING** done in the most thorough manner, in bales or boxes, to insure safe arrival at all distances. A cost charge is made for material used. Our **SHIPPING FACILITIES** are unsurpassed, owing to our proximity to the numerous railroads and steamship lines leading out of Boston to all parts of the country and world at large. Re-monochilute for the cafe delivery of goods after delivery to forwarders by us remains with sponsibility for the safe delivery of goods after delivery to forwarders by us remains with the forwarders alone.

ERRORS should be brought to our attention immediately after receipt of the goods, for immediate correction by us.

SHIPPING SEASON. - Our shipping seasons are approximately as follows:

Deciduous Trees, April 1 to May 15; in fall, September 15 to hard frost.

Evergreen Trees, April 15 to June 15; fall, August 15 to October 1. Hardy Perennials, April 1 to June 1; and August 1 to hard frost.

Reading is situated on the Western Division of the Boston & Maine Railroad, 12 miles from Boston. Trains leave Haymarket Square, Boston, for Reading. at 6, 7, *7.30, 8.05, 8.40, 9.30, 10.25, 11.15 A.M.; *12 M.; 1.30, *2.15, 2.30, 3.15, *4, 4.30, 5.01, 5.15, *6, 6.01, 6.05, 6.35, 7, 7.20, 8.10, 9.15, 10.15, 11, 11.15 P.M. Leave Reading for Boston at 5.50, 6, 6.40, 7.12, 7.14, 7.32, 8.15, *8.27, *8.54, 9.10, 9.53, *10.08, 10.25, 11.32 A.M.; 1.02, 1.19, *1.47, 2.40, 3.40, 4.50, 5.19, 5.50, 6.07, 6.30, *7.34, 7.50, 9.20, 10.10, 10.20 P.M.

* Indicates the Express trains to or from Reading.

CATALOGUES.

We publish the following Illustrated Descriptive Catalogues, and will send them free upon application to those that may apply:

- I. Hardy Ornamental Trees, Shrubs, Vines, and Conifers.
- II. Choice Hardy Perennials. (The most complete in the country.)
- III. Large and Small Fruits.
- IV. Recently introduced Trees, Shrubs, and Plants of Ornamental Merit.

LARGE AND SMALL FRUITS.

Of Apples, Pears, Plums, Cherries, Peaches, etc., we carry a class of extra heavy, transplanted stock of the leading and some scarce varieties. These have the finest possible roots and extra fully-developed tops, and will bear transplanting unusually well. Where quick fruit returns are desirable, these are especially successful, and are much sought for. List of varieties and wholesale rates upon application.

Of Small Fruits we carry the usual sizes, and will give our usual trade discount.

DECIDUOUS TREES.

	Size.	Dozen.	Hundred.
Acacia, Three Thorned (Gleditschia triacanthos) $\begin{cases} 1 \\ race race race race race race race race$	2 to 18 in.		\$5 00
Acuera, Infee Inorney (cleanschia thacantilos)	2 " 3 ft.		10 00
Frequently transplanted, well branched	5 7	\$4 00	30 00
Alden English (Almendution) III to the local	6 8	2 00	
Alder, English (Alnus glutinosa). Twice transplanted	8 10	2 50	
	5 7	$\begin{smallmatrix}5&00\\3&00\end{smallmatrix}$	20 00
Ash, Green (Fraxinus viridis). Frequently transplanted	8 10	5 00 5 00	$\frac{20}{35}$ 00
Asing Green (Frazinus vinuis). Frequenciy transplanted	0 " 15 "	750	50 00
	1 2	75	5 00
	3 4	2 50	15 00
" European Mountain (Pyrus Sorbus aucuparia)	7 9	4 00	
	3 " 4 "	2 25	$15 \ 00$
Birch, Canoe (Betula papyracea). Transplanted, stocky {	4 " 5 "	4 00	30 00
	6 8	$5 \ 00$	
" English (Betula alba). Transplanted, stocky	3 " 4 "	2 00	12 00
		4 00	
neu of inver (betuia ingra of rubra.)		4 00	
Bushy, fine stock, limbed to ground	6 " 8 "	$\begin{array}{c} 6 & 00 \\ 3 & 00 \end{array}$	
	5 " 6 "	5 00	
" Very heavy, thrice transplanted, 2 in. up, diam		10 00	
	9 " 12 "	15 00	
		3 00	
Tenow (Decula Intea). Dushy. Transplanted	7 ** 8 **	5 00	
" Very heavy	9 ** 12 **	10 00	
Butternut (Jugals cinera). Twice transplanted	2 3	2 00	
		4 00	
Beech, American (Fagus ferruginea). Trans., bushy Thrice transplanted, very select	5 " 6 "	$\begin{array}{c}4&00\\6&00\end{array}$	
		3 00	20 00
" English (Fagus sylvatica). Very bushy. Trans {	4 " 5 "	4 00	30 00
	4 " 6 "	3 00	
Basswood (Tilia Americana). Transplanted stock	6 " 8 "	5 00	
Catalpa speciosa. Twice transplanted	4 " 6 "	3 00	20 00
catalpa speciosa. I wice transplanted	6 " 8 "	4 00	30 00
" Kaempferii. Transplanted	2 " 15 in.	1 00	
Chestnut, American (Castanea Americana). Transplanted, {	3 · 4 ft.	5 00	
Celtis occidentalis (Nettle Tree). Transplanted		$\begin{array}{ccc} 10 & 00 \\ 2 & 50 \end{array}$	
" " Transplanted twice		$\frac{2}{5}$ 00	
Cercidiphyllum Japonicum. Very bushy. Transplanted		5 00	
	5 6	8 00	
	7 8	12 00	
Cercis Canadensis (Red Bud). Twice transplanted	3 " 4 "	4 00	
		5 00	
Elm, American (Ulmus Americana). Transplanted	$3 \ {}^{\prime\prime} 4 \ {}^{\prime\prime} 6 \ {}^{\prime\prime} 5 \ {}^{\prime\prime} 7 \ {}^{\prime\prime} 6 \ $	2 00	12 00
	7 9	$\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	$\begin{array}{ccc} 20 & 00 \\ 30 & 00 \end{array}$
	0 " 12 "	$\frac{4}{7}$ 50	60 00
	$2 \cdot 15 \cdot 15$	15 00	100 00
(1	- 10		100 00

	Size.	3	Dozer	. Hundred.	
Elm, English (Ulmus campestris). Well branched 6	to 8	ft.	\$4 (00 \$30 00)
" Very heavy tops 8		6.6	9 (00	
" Unusually heavy tops and roots	11	66	24 (00	
"Scotch (Ulmus montana). Transplanted stock $\begin{cases} 4\\ 6 \end{cases}$	·· 6	6 6	2 5		
			4 0		
Unusually heavy tops and roots	. 12	••	80		
Hawthorne, English (Gratagus oxycanina). Transplanted., 2	·· 3		15		,
"Paul's Double Scarlet. Very heavy, symmetrical, 9 Hornbeam, American (Carpinus Americana)			24 0	0	
Transplanted, stocky	12	" "	10 0	00	
	3	6.6	2 (00	
••• European (Carpinus betulus). Bushy. Trans., $\begin{cases} 2\\4 \end{cases}$	5	6.6	3 0	00	
Larch, European (Larix Europea). Transplanted twice $\begin{cases} 3 \\ * \end{cases}$		6.6	3 (00	
	4	"	5 (
	0	6 6 6 6	3 (
Linden, European (Tilia Europea). Twice transplanted $\ldots \begin{cases} 6 \\ 10 \end{cases}$	·· 8 ·· 15		50		
	15		$12 \\ 4 \\ 5$		
(Golden Barked (Tilia Europea var. sulphurea) 6 Maple, English Field (Acer campestris). Twice transplanted, 2			2 0)
Very stocky and select			4 0		1
"Ginnala (Acer Ginnala). Transplanted	" 18 i	n	2 (
Very showy foliage dwarf hushy habit (18	`` 24	" "	3 (
Very showy foliage, dwarf, bushy habit $\dots $ $\begin{cases} 18\\ 24\\ 4 \end{cases}$	·· 30	"	4 0		
Data busily	0.	L U +	8 (
	·· 8 ·· 10		3 0		
" Norway (Acer platanoides). Transplanted		66	9 0		
"Pennsylvanian, or Moose Wood (A. pennsylvanica) 3	5	"	4 0		1
Very select stock		"	6 0		
. (4	** 6	6.6	2 0)
" Rock, or Sugar (A. saccharinum). Trans. stock 6		" "	3 (0 20 00)
10	10	* *	5 (
L 10	" 12 " 7	"	9 0		
(5)		6 6 6 6	3 0		
"Silver (Acer dasycarpum). Transplanted stock 8 10	$^{\circ}_{\circ}10$ $^{\circ}12$				
	7		4 0		
"Weir's Cut-leaved Silver. Transplanted { 5 8	10	6 4	60		
15	7	4 4	4 0		
Scallet (Acer fubruin). Transplanted	0	"	5 (0 40 00)
" Sycamore (Acer Pseudo-platanus). Transplanted 5	·· 7	"	4 0	0 30 00)
"Purple-leaved Sycamore	" 8		6 (
Tallegateu Bycanore	·· 8	**	60		
"Tartarian (Acer Tartarica). Transplanted, stocky 3 Rare species of merit 5	" 4 " 6		3 (
Mulberry, White (Morus alba). Twice transplanted	9		50		
Oak, Chestnnt-leaved (Quercus prinos). Transplanted 9	12			0 5 00)
Thrice transplanted 5	7	ft.	9 0		
" English (Quarque robur) Twice transplanted	" 5	" "	4 0		
		"	6 0		
Very stocky, thrice transplanted		دد دد	10 0)
"Pin (Quercus palustris). Transplanted	0	"	$\begin{array}{c} 5 & 0 \\ 10 & 0 \end{array}$		
("			5 0)
neu (Quereus rubra). Transplanteu stock	$^{(1)}12$	"	12 0		
Extra large, 3 to 5 in. diam., \$3.00 each.	·· 4	"	1.0	10	
"Scarlet (Quercus coccinea). Very fine. Transplanted, $\begin{cases} 2\\5 \end{cases}$					5
		"	3 0		
Oak White (Querous alba) Transplanted steak	0	" "	5 0	0	
			10 0		
Poplar, White or Silver (Populus alba) 1 Transplanted	$\frac{12}{12}$	6 6 6 6	1 0		
Very heavy. Select	. 12				1
" Balsam, or Balm of Gilead (P. balsamifera) 1			$10 \ 0 \ 1 \ 0$,
" Bolleana (Populus alba var. Bolleana)	" 4	4.4	20		
Transplanted 5	7		4 0		

	Size.	Dozen.	Hundred.
	$\begin{bmatrix} 2 \text{ to } 4 \text{ ft.} \end{bmatrix}$	\$1 50	\$10 00
Ponlar	Lombardy (Populus dilitata). Transplanted, thrifty, $\begin{cases} 4 & 6 & 6 \\ 6 & 8 & 6 \end{cases}$	3 00	15 00
r opiar,		4 00	30 00
	(10 " 12 " (1 " 2 "))	$\begin{smallmatrix}5&00\\1&00\end{smallmatrix}$	5 00
	Cottonwood (Populus monolifera) $\begin{cases} \frac{1}{8} & \frac{2}{10} & \frac{2}{10} \end{cases}$	3 00	20 00
		5 00	40 00
	(1) (1) (1) (1) (1) (1) (1) (1)	1 00	5 00
	Golden-leaved (Populus monolifera var. van Gertii). $\begin{pmatrix} 1 & 2 \\ 2 & 3 \end{pmatrix}$	$2 \ 00$	10 00
	Transplanted 4 " 6 "	3 00	
G11	Transplanted, very select	4 00	$25 \ 00$
Siberia	n Pea Tree (Caragana arborescens). Transplanted 2 " 3 " Quite rare and very choice	$ \begin{array}{c} 2 & 00 \\ 4 & 00 \end{array} $	
	Blooming size	8 00	
Willow	Acute-leaved (Salix acutifolia) 2 " 3 "	1 00	5 00
	Rapid growth, showy foliage. Choice 4 " 5 "	$2 \ 00$	10 00
"	Apple-leaved (Salix pyrifolia) $\ldots $	1 00	5 00
"	(0 +	$2 00 \\ 50$	10 00
••	Golden-barked (Salix alba var. vitellina) 6 " 12 in. 1 " 2 ft.	50 1 00	$ \begin{array}{c} 3 & 00 \\ 5 & 00 \end{array} $
	Very showy golden bark in winter	$\frac{1}{2}$ 00	10 00
	1 4 4 5 4	3 00	15 00
" "	Very heavy, transplanted stock	6 00	
	Even brighter than the last. Choice $\dots \left\{ \begin{array}{c} 2 & 3 & 3 \\ 4 & 5 & 0 \end{array} \right\}$	250	15 00
"	Gray-branched (Salix candicans) 1 " 2 "	$\begin{smallmatrix}3&00\\1&50\end{smallmatrix}$	$\begin{array}{ccc} 20 & 00 \\ 7 & 50 \end{array}$
	(1 a)-branched (Sanz candicans) $(2 a)$	$\frac{1}{2}$ 00	10 00
	Showy white bark	3 00	10 00
4.6	nippopna-reaved (Sanx inppopnationa)12 10 In.	$3 \ 00$	
٤ ٢	Laurel-leaved (Salix pentandra) 1 " 2 ft.	1 00	5 00
17	Beautiful, broad, glossy-green, laurel-like foliage. (2 " 3 " orms a straight, smooth-trunked, round-headed tree, 3 " 4 "	2 00	10 00
r R	orms a straight, smooth-trunked, round-headed tree. 3 " 4 " ushy	$\begin{array}{ccc} 2 & 50 \\ 4 & 00 \end{array}$	$ \begin{array}{r} 12 & 00 \\ 25 & 00 \end{array} $
	Meden's (Salix Medenii)	150	10 00
٤،	Royal or Silver (Salix regalis)	1.50	10 00
	Beautiful, silvery-gray foliage. Dense, bushy { 3 " 4 " abit of growth. Transplanted	2 50	15 00
h	abit of growth. Transplanted $\ldots $	$\frac{2}{3}00$	20 00
"	Salmon-barked (Salix alba var. Britzensis) 6 " 12 in.	1 00	5 00
	Deep, salmon-colored bark. Unique	$\begin{array}{ccc} 1 & 00 \\ 2 & 00 \end{array}$	5 00
	(15 4 04 4	$\frac{2}{2}$ 50	
Vollow	wood (Cladrastis tinctoria). Rare. Transplanted $\begin{cases} 2 & 3 & \text{ft.} \\ 4 & 5 & 0 \end{cases}$	3 00	
Tenow.	wood (Cladrastis tinctoria). Rare. Transplanted., $\begin{cases} 13 & 12 & 12 \\ 2 & 12 & 3 \\ 4 & 12 & 12 \\ 4 & 12 & 12 \\ 4 & 12 & 12 \\ 4 & 12 & 12 \\ 12 & 12 & 12 \\ 12 & 12 & 12$	5 00	
	6 " 7 "	10 00	

EVERGREEN TREES.

Our stock of Evergreens is grown with special reference to the production of low, bushy specimens, with the finest obtainable roots.

We attain this end in view, by giving sufficient space for full development of top, and by frequent transplanting.

This is sufficient recommendation of our stock, and will be fully appreciated by those who have hitherto used stock grown thickly, and seldom transplanted.

We have a fine assortment of the rarer Conifers, which will be priced on application.

		Size.	Dozen.	Hundred.
Arbor Vitæ, American (Thuya o	ccidentalis). All transpl.,			
	\$20.00 per thousand	5 to 8 in.	\$ 75	\$3 00
	\$35.00 per thousand 10) " 15 "	1 00	5 00
	\$75.00 per thousand 18		2 00	10 00
Very frequently tran	splanted \ldots	" 2½ ft.	$2\ 50$	$15 \ 00$
very requently that		5	$5 \ 00$	35 00

	Size.	Dozen.	Hundred.
Arbor Vitæ, Siberian (Thuya occid. var. Warreana). Transp			
Very bushy and select			\$12 00
" Woodwardii. All twice or more transplanted A perfectly hardy, dense, globular bush			25 00
Choice for lawn and low hedge planting	.15 ** 20 *		40 00
Cedar, Red (Juniperus Virginiana). Trimmed. Transpl	1 3 · · 4 f		
ceuar, neu (sumperus virginiana). Trimineu. Transpisso		0.00	0.00
" White (Chamaecyparis thuyoides.) Transplanted	$\begin{cases} 1 \\ 2 \end{cases}$		$\begin{array}{c} 8 & 00 \\ 15 & 00 \end{array}$
White (Chamacey parts thuy blues.) I ransplanted	2 " 3 "	2 00	10 00
Hemlock (Tsuga Canadensis). Transpl., Natural form	∫12 '' 15 in		10 00
nennock (Isuga Canadensis). Itanspi., Naturai Iorin	$18 \cdot 24 \cdot 15 \cdot 20 \cdot 2$		$15 \ 00$
" Trimmed. All of true conical form	$\left\{ \begin{array}{c} 15 & 20 \\ 20 & 24 \end{array} \right.$	0 00	
trimmed. An of whe content form	30 36 .		
	j 12 · 18 ·	1 00	10 00
Pin Balson (Abies hele web) All 6 a sublet and stall	$ \cdot 18 \ ^{\prime\prime} 24 \ ^{\prime} 2 \ ^{\prime\prime} 3 \ \mathrm{f}$	2 00	15 00
Fir Balsam (Abies balsamea). All frequently transplanted.	$\begin{array}{c} 2 & 3 \\ 3 & 4 \\ 3 & 4 \end{array}$		$\begin{array}{c} 20 \ 00 \\ 25 \ 00 \end{array}$
	4 5 .		35 00
	6 " 8 in		15 00
Juniper, Prostrate (Juniperus prostrata). Transpl. Diam.	$\left\{ \begin{array}{c} 8 & `` 10 & `\\ 12 & `` 15 & `\end{array} \right.$	0 00	$\begin{array}{c} 25 & 00 \\ 40 & 00 \end{array}$
	$(12 \cdot 13 \cdot 4)$	0 00	20 00
" Golden (Juniperus prostrata var. aurea) Diam.	4 " 6 "	5 00	35 00
	(7 * 10 *	0 00	
	6 · · 8 · 8 · · 12 ·		5 00 8 00
Pine, Austrian (Pinus Austrica). Transplanted	$3^{\circ} 4^{\circ}$	1 40	30 00
	5 6 .		40 00
" Dwarf, or Maritime (Pinus mugho). Transplanted	$j 1 + 1\frac{1}{2}$	T 00	$25 \ 00$
Diffund of Manifeld (Lines magne), Thuspaneed	$1\frac{1}{2}$ · 2 · (10 · 15 i)	0 00	10.00
" Pitch (Pinus rigida). Transplanted	/10 · · 15 in 3 · · 5 f		10 00
	(4 " 5 "	4 00	30 00
" Red (Pinus resinosa). Transplanted	6 8 .	10 00	
	(10 " 12" (6" 8 in))	10 00	5 00
	8 " 10 "		8 00
" Scotch (Pinus Sylvestris) Transplanted	12 ** 16 *		10 00
Scotch (1 mus Sylvestils) 11ansplanted	3 " 4 f		25 00
	4 " 6 "		$\begin{array}{ccc} 35 & 00 \\ 50 & 00 \end{array}$
	6 " 10 in	0 00	5 00
	12 ** 15 *	• 1 50	10 00
	18 " 24 "	2 00	15 00
"White (Pinus Strobus). Transplanted. Bushy) 21 OO	' 3 00 t. 6 00	$ \begin{array}{ccc} 20 & 00 \\ 40 & 00 \end{array} $
	4 5 .		50 00
	<u>[</u> 5 ' 8 '	0 00	60 00
Summer Block (Diese size) (December 1	$\int \frac{12}{2}$ " 18 in		10 00
Spruce, Black (Picea nigra). Transplanted	$\begin{array}{c} 2 \\ 4 \\ 4 \\ 6 \end{array}$		$\begin{array}{ccc} 25 & 00 \\ 40 & 00 \end{array}$
	18 " 24 in	0 00	10 00
" Blue. Selected blue type of White Spruce	2^{4} 3 f		
(i Plue Peely Mt (Piece pungene) Creen tur	(3"4'	· 8 00	
"Blue, Rocky Mt. (Picea pungens). Green type Transplanted		n. 2 00	
" Engleman's (Picea Englemanii). Transpl., bushy.	$ \begin{pmatrix} 1 & & 2 & f \\ 2 & & 4 & 4 \end{pmatrix} $		$ \begin{array}{r} 25 & 00 \\ 35 & 00 \end{array} $
" Douglass' (Pseuda-tsuga Douglasii). Transpl., bushy,	1 4 5 .	• 8 00	00 00
	() /		2 00
" Norway (Picea excelsa). Seedlings in beds, §8 per M \$10.00 per thousand			$\frac{2}{2}$ $\frac{00}{50}$
Transplanted stock, bushy, \$20.00 per M			3 00
\$60.00 per M	10 115 1	1.25	8 00

Spruce, Norway. - Continued.

• • • • • • • • • • • • • • • • • • • •	5	lize.	Dozen.	Hundred.
Very bushy stock, best of roots	(18 in	n. to 3 ft	\$2 50	\$15 00
Very bushy stock, best of roots	3 t	o 4 ft.	4 00	$25 \ 00$
	4'	• 5 • •	6 00	$40 \ 00$
Three times transplanted Extra fine	6 4	. 7	8 00	$60 \ 00$
" White (Picea alba). All frequently transplanted	9 '	' 15 in.	1 25	8 00
	18 '	24	1 50	$10 \ 00$
"White (Picea alba). All frequently transplanted	2 '	' 3 ft.	3 00	$20 \ 00$
	3 '	• 4 • •	4 00	$25 \ 00$
	4 '	• 5 • •	6 00	$40 \ 00$
Yew, American Ground (Taxus Canadensis). Transplanted.	. 15 '	• 18 in.	6 00	
A rare and desirable native	.18'	· 24 ··	$10 \ 00$	
All very bushy, with best of roots			$15 \ 00$	
Cuttings, two years; transplanted two years	. 6 '	. 9	1 50	$10 \ 00$

DECIDUOUS SHRUBS.

	Size.	Dozen.	Hundred.
Alder, Black (Ilex verticillata). Transplanted Fruiting form. Very bushy stock	2 " 3 ft.	$\substack{\$1 & 00\\ 6 & 00}$	\$7 50
Amorpha fruiticosa (Indigo Shrub). Transplanted	12 " 15 in.	75	5 00
Amorpha in anticosa (inggo Saras). Transplance	18 24	1 00	7 50
Andromeda. See Evergreen Shrubs.	5 TI.	2 00	12 00
Aralia nentanhylla. Bare and very desirable	12 " 15 in.	$2 \ 00$	10 00
	18 ** 24 **	2 50	15 00
Dense growth, brilliant green foliage	24 ** 30 **	3 00	20 00
	30 36	3 50	$25 \ 00$
" spinosa (Hercules' Club)	$1 \cdot 2 \text{ II.}$	$\begin{array}{c} 3 & 00 \\ 5 & 00 \end{array}$	
		9 00	
Azaleas, Ghent. Named sorts. Bushy plants	18 24	15 00	
" " Unnamed sorts. Bushy plants	12 ** 18 **	750	
		$12 \ 00$	
" mollis. Named sorts	10 15	10 00	
	15 18	$\begin{array}{ccc}12&00\\&3&00\end{array}$	80.00
Azalaas Chant Unnamed sorts Bushy plants	6 9	$\frac{5}{5}00$	$ \begin{array}{ccc} 20 & 00 \\ 40 & 00 \end{array} $
Azaleas, Ghent. Unnamed sorts. Bushy plants	10 12	8 00	40 00
" nudiflora (Pinxter Flower). Collected	$8 \cdot 12 \cdot 12$	3 00	$20 \ 00$
Elegant pink flowers. Very choice. Collected {	12 ** 18 **	$ 5 00 \\ 7 50 $	$\begin{array}{ccc} 35 & 00 \\ 50 & 00 \end{array}$
Nursery grown, very select	9 12	$\frac{7}{5}00$	50 00
An extra choice stock	12 18	8 00	
		$12 \ 00$	
" viscosa (Swamp White Azalea). Collected	8 " 12 "	2 00	15 00
Showy, fragrant, white flowers, August. Collected	$12 \cdot 18 \cdot 18$	3 50	$25 \ 00$
Nursery grown, very select and bushy	18 24	$\begin{smallmatrix}&8&00\\12&00\end{smallmatrix}$	
Berberis vulgaris (Barberry). Transplanted	4 8	12 00 75 .	5 00
Berberis vulgaris (Barberry). Transplanted	10 15	1 25	8 00
Ċ	6 " 10 "	75	5 00
" Purple-leaved. Transplanted, bushy		1 50	$10 \ 00$
	18 ** 24 **	3 00	
inumperg s (Derberts inumbergh). Inansplanted.	6 " 9 " 9 " 12 "	$ \begin{array}{c} 1 & 00 \\ 1 & 50 \end{array} $	$\begin{array}{c} 7 & 50 \\ 10 & 00 \end{array}$
Very bushy and select stock	12 15	$\frac{1}{2}$ 00	$10 \ 00 \ 12 \ 00$
Very bushy and select stock	15 18	3 00	12 00
		1 00	5 00
		1 50	750
Clethra alnifolia (White Alder). Transplanted		75	4 00
Valuable ornamental plant		1 00	5 00
Used largely for bee fields	10 7 24 1	1 50	10 00

6

Size.	Dozen.	Hundred,
Clethra Alnifolia. — Continued.	0 70	00 50
Collected, \$15 per M.; \$100 per 10 M 6 to 10 in. \$20 per M.; \$150 per 10 M	\$ 50 75	
Cornel. Creeping (Cornus stolonifera). Transplanted	75	4 00
Very bushy and select. $\begin{cases} 12 & 18 & 18 \\ 18 & 24 & 18 \end{cases}$	$\frac{1}{2} \frac{50}{50}$	$ 10 \ 00 \\ 15 \ 00 $
male (Cornus mascula). Transplanted, bushy 5 410.	$2 \ 00$	10 00
(12 "18 in.) 18 "94 "	$ \begin{array}{c} 1 & 00 \\ 1 & 50 \end{array} $	$\begin{array}{c} 6 & 00 \\ 10 & 00 \end{array}$
$\begin{array}{c} {}^{\prime \prime} {\bf Panieled} \ ({\rm Cornus} \ {\rm paniculata}) \ \dots \ $	$ \frac{1}{2} \frac{50}{50} $	$15 \ 00 \ 15 \ 00$
(i) B od branched (Compute alba) Very bushy $\int 2^{\circ} \cdot 2^{\circ}_{2} \text{ft}.$	1 50	10 00
Very heavy stools. Very bushy	$\begin{array}{ccc} 3 & 00 \\ 5 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 35 & 00 \end{array}$
Very heavy stools	1 50	
Cydonia Japonica (Japan Quince). All transplanted 6 " 8 "	$\begin{array}{c} 75\\ 1 50 \end{array}$	$5 00 \\ 8 00$
Cydonia Japonica (Japan Quince). All transplanted	3 00	15 00
Daphne Cneorum (Garland Flower). See Evergreen Shrubs. Deutzia crenata. Heavy stools. Thrice transplanted 3 " 4 ft.	3 00	20 00
" var. rosea plena. Twice transplanted, bushy 18 " 30 in.	$\frac{3}{2}$ 00	12 00
" gracillis (Snow Flower). Choice transplanted stock. 9 "12"	1 00	8 00
Very bushy	$ \begin{array}{r} 3 & 00 \\ 4 & 00 \end{array} $	$\begin{array}{ccc} 12 & 00 \\ 15 & 00 \end{array}$
Elder, Golden (Sambucus nigra var. aurea). Transplanted, $\begin{cases} 9 & 12 & 12 \\ 12 & 15 & 12 \end{cases}$	1 50	10 00
	$ \begin{array}{r} 2 50 \\ 1 50 \end{array} $	$\begin{array}{ccc} 15 & 00 \\ 10 & 00 \end{array}$
EXOCHORDA grandinora (Pearl Bush). Transplanted, bushy, j 2 (191 (3 00	15 00 15 00
Foresthis suspanse (Colden Poll) $\begin{pmatrix} 2 & 22 \\ 12 & 18 \text{ in.} \\ 12 & 48 \text{ is} \end{pmatrix}$	1 00	5 00
	$\begin{array}{ccc} 2 & 00 \\ 3 & 00 \end{array}$	$\begin{smallmatrix}&&00\\15&00\end{smallmatrix}$
"viridissima. Bushy. Transplanted stock $\begin{cases} 2 & 3 & 4 \\ 3 & 4 & 4 \end{cases}$	$2 \ 00$	12 00
Genista tinctoria (Woodwaxen). 2 years. 1st selection	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 12 & 00 \end{array}$
2 years. 2d selection	1 25	8 00
A very choice cover plant for poorest lands. Heather (Calluna vulgaris). See Evergreen Shrubs.		
 Hippophæa rhamnoides (Sea Buckthorn). Transplanted { 1 ft. 18 to 24 in. Heavy	1 00	8 00
Heavy	$\begin{array}{ccc} 1 & 50 \\ 3 & 00 \end{array}$	10 00
Hudrangaa panjaplata san grandiflara Transplantad 12 "15 in.	$\frac{3}{2}$ 00	10 00
Hynavieum anveum (St. John's Wort) Transplanted, husha 15 (124 ($\begin{array}{ccc} 3 & 00 \\ 4 & 00 \end{array}$	15 00
Hypericum aureum (St. John's Wort). Transplanted, bushy,15 "24 " prolificum. Transplanted, bushy 3 ft.	$\frac{4}{1}\frac{00}{50}$	8 00
Ilex verticillata. See Black Alder.		
Japan Quince. See Cydonia Japonica. Kalmia latifolia (Mountain Laurel). See Evergreen Shrubs.		
Ligustrum Ibotti. Transplanted stock $2^{\circ\circ}$ $3^{\circ\circ}$ $3^{\circ\circ}$ $3^{\circ\circ}$ $4^{\circ\circ}$	1 00	8 00
(15 (12))	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \end{array}$	$\begin{smallmatrix}10&00\\5&00\end{smallmatrix}$
"vulgare (Common Privet). Transp., very bushy, {15 "18 in. 18 "24"	$2 \ 00$	$10 \ 00$
	$\begin{array}{ccc} 1 & 25 \\ 2 & 00 \end{array}$	$\begin{array}{c} 8 & 00 \\ 12 & 00 \end{array}$
Very choice in fruit. Scarce	$\frac{2}{4}00$	12 00
Mahonia aquifolia (Ashberry). See Evergreen Shrubs.		0.00
Myrica gale (Sweet Gale). Collected, \$25 per M	$ \begin{array}{c} 50\\ 1 00 \end{array} $	$\begin{array}{c} 3 & 00 \\ 6 & 00 \end{array}$
Nursery grown, bushy and select	$1 \ 25$	8 00
	$\begin{array}{ccc} 3 & 00 \\ 3 & 00 \end{array}$	15 00
Plum Dwarf (Prunus pumilla) Transplanted twice $\int 12$ "15 "	$2 \ 00$	10 00
Plum, Dwarf (Prunus pumilla). Transplanted twice {12 "15 " Rhodora, Canadian (Rhododendron Rhodora). Bushy. Trans-	3 00	$15 \ 00$
inouola, Canadian (Inouodendion Inouola), Dushy, 11ans-	6 00	
planted	3 00	$15 \ 00$
Rhodotypus kerrioides (White Kerria). Transpl., heavy 2 "24 ft. Rhus Canadensis, or aromatica (F'g'nt. Sumach). Transpl. $\begin{cases} 6 & 12 \text{ in.} \\ 15 & 24 & 12 \end{cases}$	$\begin{array}{ccc} 3 & 50 \\ 3 & 00 \end{array}$	
Ruus canadensis, or aromatica (F g nt. Sumach). Transpl. { 15 " 24 "	5 00	

Size. Rosa alpina (Alpine Rose). A choice species	$\begin{array}{c} \text{Dozen.}\\ \$3 \ 00 \\ 2 \ 00 \\ 2 \ 50 \\ 1 \ 50 \\ 2 \ 00 \\ 4 \ 00 \\ 6 \ 00 \\ 5 \ 00 \\ 1 \ 50 \\ 2 \ 50 \\ 4 \ 00 \\ 3 \ 00 \\ 5 \ 00 \\ \end{array}$	Hundred. \$20 00 12 00 9 00 35 00 10 00 15 00 15 00 18 00 35 00
borne in constant succession all summer. Fine for cover-		
ing rock-work, banks, or ledges. See "Garden and		
Forest," Dec. 2, 1891.	5 00	
Rubus deliciosus. Rare and choice	$\begin{array}{ccc} 5 & 00 \\ 1 & 25 \end{array}$	8 00
" odoratus (Flowering Raspberry). Transpl.; choice { 18 to 24 in. 24 " 36 "		12 00
Spiræa opulitolia var. aurea (Golden Spiræa) 1 " 2 ft.	1 00	8 00
Transplanted, bushy stock 2 " 3 "	2 00	10 00
Very showy golden foliage	$\begin{smallmatrix}3&00\\4&00\end{smallmatrix}$	$15 \ 00$
" colloss var alba Transplantad 19 (115 in	$\frac{4}{1}$ $\frac{00}{50}$	10 00
(1"2 ft.)	1 00	8 00
" prunifolia var. flore plena (Bridal Wreath) 2 " 3 "	1 50	10 00
	3 00	15 00
$1^{(i)}$ $1^{(i)}$ $2^{(i)}$ $1^{(i)}$ $2^{(i)}$ $1^{(i)}$ $1^{(i)}$ $2^{(i)}$ $1^{(i)}$ $1^{(i)}$ $2^{(i)}$ $1^{(i)}$ $1^{(i)}$ $2^{(i)}$ $1^{(i)}$	$\begin{smallmatrix}1&00\\2&00\end{smallmatrix}$	$\begin{array}{c} 8 & 00 \\ 10 & 00 \end{array}$
11 Inundergil. Extra line bushy stock	$\frac{2}{3}00$	20 00
(12 " 18 "	1 00	8 00
Spiræa van Houteii. Extra fine, bushy. Transplanted stock, 18 "24" 2 " 3 ft.	$2 \ 00$	$12 \ 00$
$\begin{array}{c} 2 & 3 & \text{ft.} \\ \end{array}$	2 00	$15 \ 00$
Stephenandra flexnosa. Rare and very desirable	$ 1 50 \\ 1 50 $	10 00
Syringa Chinensis (Rouen Lilac). Transplanted $\begin{cases} 12 & 15 & 12 \\ 18 & 24 & 12 \\ 18 & 24 & 12 \\ 18 & 12$	$\frac{1}{2}$ 50	
" Emodii (Mt. Emodus Lilac). Very bushy. Trans 2 " 25 ft.	250	
" Jossikaea (Lady Jossikea's Lilac). Bushy. Transpl. 2 ft.	3 00	
This is one of the choicest single sorts.	50	4 00
'' vulgaris (Common Lilac)	1 25	¥ 00 8 00
$(3\frac{1}{2}, \frac{1}{5}, \frac{1}{5})$	1 50	15 00
Very heavy stools, best of roots 5 " 6 "	5 00	30 00
" var. alba (White Lilac). Splendid transplanted stock { 10 " 15 in. 15 " 20 "	$egin{array}{ccc} 1 & 50 \ 2 & 00 \end{array}$	$\begin{array}{c} 10 \hspace{0.1cm} 00 \\ 15 \hspace{0.1cm} 00 \end{array}$
VINHERNUM ACCELIANUUM (MADIC-leaved Spindle Tree). Transpil 2 th	$\frac{2}{3}00$	10 00
"opulis var. nana (Dwf. Spinde Tree).Transpl. $\begin{cases} 4 \text{ to } 6 \text{ in.} \\ 6 ``10 ``10 ``10 ``10 ``10 ``10 ``10 ``1$	2 50	$15 \ 00$
Nonthecome confiction Trependented stack	3 50	20 00
Autoreras sorollolla. Transplanted stock	$\begin{array}{ccc} 4 & 00 \\ 2 & 00 \end{array}$	
Xanthorhiza apiifolia (Shrub Yellow-root). Transpl 9 "12 "	$\frac{2}{3}$ 00	

EVERGREEN SHRUBS.

	Size.	Dozen.	Hundred
Andromeda calyculata (Leather-leaf)	6 to 10 in.	\$4 00	
" floribunda (Lily-of-the-valley Tree). Blooming.	7 * 10 * -	6 00	
Berberis dulcis1		1 50	\$10 00
" aquifolia (Ashberry). All transplanted		75	5 00
A fine cover plant for shade $\dots $	6 " 10 "	2 00	$10 \ 00$
A fine cover plant for shade { 1	$2 {}^{\prime\prime} 15 {}^{\prime\prime}$	3 00	$15 \ 00$
(1	8 ** 24 **	4 00	
Berberis stenophylla1		150	$10 \ 00$
Calluna vulgaris (Heather). Transplanted stock		1 50	10 00
" var. nana		1 50	10 00

	Size.	Dozen.	Hundred.
Calluna var. stricta		\$1 50	\$10 00
•• var. pygmæa		1 50	10 00
All very showy, requiring slight protection.			
Daphne cneorum (Garland flower). Splendid stock. First selection	n.	$5 \ 00$	35 00
Plants vary from 4 to 10 in. in diam. Second selection.		3 50	$25 \ 00$
Euonymus radicans. Very fine transplanted stock 4	to 6 in.	75	5 00
\$40.00 and \$60.00 per thousand 7	·· 10 ··	1 00	8 00
" var. variegata. Very fine transplanted stock 4	6	75	5 00
\$40.00 and \$60.00 per thousand 7	·· 10 ··	1 00	8 00
Helianthemums (Sun Roses). A valuable class of evergreen trailers. See under Hardy Perennials.			
Iberis (Hardy Candytufts). A valuable class of hardy ever-			
green shrubs. See under Hardy Perennials.			
Kalmia latifolia (Mountain Laurel). All bushy	to 9 11	3 00	20 00
	·· 12 ··	4 00	30 00
19	15	6 00	40 00
A first class, frequently transplanted stock with best 1	·· 18 ··	9 00	60 00
	·· 24 ··	15 00	100 00
	30	$ \frac{10}{24} 00 $	100 00
Mahonia. See Berberis above.	00	21 00	
Santaling income (Lawandar Cottan) San Handy Poyonnials			

Santolina incana (Lavender Cotton) Thymus (Thyme). See under Hard	
Yucca filimentosa (Adam's Needle).	
· .	

TRAILING VINES.

	Size.	Do:	zen.	Hundi	ed.
Akebia quinata		\$2	00	\$10	00
Ampelopsis quinquifolia (Woodbine)	? to 18 in.		50		00
	3 ** 36 **		00	12	00
" var. Englemanii			00		
" aconitifolia			50		
Aristolochia sipho (Dutchman's Pipe)			00		
Celastrus scandens (Bitter-sweet, or Roxbury Wax-work)			00		~~
" paniculatus. Choice and rare. 1 year, light			50 00		00
(lemotic origns (Leether flower)			50	20	00
Clematis crispa (Leather flower)		12^{2}		75	00
" paniculata. Choice and rare. 4 and 5 in. pots 3-in. pots			00		00
" virginiana (Virgin's Bower)		1			00
"Heavy			00		00
" vitacella (Vine Bower). Heavy. 3 years		2	50		00
	to 6 in.		75	5	00
Euonymus radicans. Very fine transplanted stock	7 ** 10 **	1	00	8	00
540 and 500 per thousand.					
" var variegata Very fine stock. Transplanted.	L 6		75	-	00
" var. variegata. Very fine stock. Transplanted, {	··· 10 ···	1	00	8	00
\$40 and \$60 per thousand.		1	50	10	00
Hedera helix. In pots			50 50	10	00
var. Rægnerzana (Giant Tvy). In pots	S to 12 ''	~	50	4	00
Lonicera brachypoda (var. Halliana Hall's Honeysuckle).	2 18		75		00
" " Heavy, several stocks		1	25	10	
" Very heavy, freely branched		2	50	15	00
" flexuosa var. reticulata	2 ** 18 **	2	00	12	00
" sempervirens (Scarlet Trumpet Honey). Very					
heavy plants		2	50		00
Rabus hispidus. 830 per thousand.		_	75		00
Smilax rotundifolia (Bull Brier). 2-year, light			25		00
" best selection			50		00
Wisteria fruitescens. Very heavy plants		\$3	$\frac{00}{25}$	\$20	00
" magnifica		-	29 00		00
"" Stronger "" Heavy			50		00
" multijnga. Rare and very choice. Very strong		~	00	10	00
plants		5	00		
plants					

HARDY HERBACEOUS PERENNIALS.

Of these we have by far the finest collection in the country. and make a large specialty. Nurserymen and florists who have not already taken up this branch we would thoroughly recommend to do so, at least in the most often called for varieties, as they are an easy class to care for, are easily increased, and take up but little space to grow. The demand is increasing heavily each year. To nurserymen or dealers we would recommend them for use by agents, and would suggest this as an open field for profitable trade. We will gladly recommend the sorts best adapted to your needs on application. Special collections of varieties at special rates.

lates.	Dozen	Hundred.
Achillan arganatum (Swt Milfoil) Shawy wellow Account		
Achillea argeratum (Swt. Milfoil). Showy yellow flowers Egyptica (Egyptian Yarrow). Silvery, fern-like foliage	01 20 1 95	10 00
millifolium var posonav (Diale Vareau)	1 25	8 00
millifolium var. roseum (Pink Yarrow)		0 00
Mongolica	1 75	10.00
Achillea ptarmacoides. Small white flowers in profusion. Summer	1 50	$12 \ 00$
Ptarmica var. flore plena (Dbl. Sneeswort). All summer	1 00	0.00
serrata var. The Pearl. Choice for cutting all summer	1 00	8 00
tomentosa (Woolly Yarrow). Dense heads, lemon-yellow flowers on	1 00	0.00
good stems for cutting	1 00	9 00
Acorus calamus var. varlegata (Var. Swt. Flagg). Very showy	1 50	12 00
regopoulum pougrafia var. vgla. (varlegated Gout Weed)	1 00	8 00
Agrostemma coronaria (Mullein Pink)	1 25	10 00
var. alba (White Mullein Pink)	1 25	10 00
Flos-Jovis (Jupiter's Flower)	1 25	10 00
Aira cœrulea var. variegata (Variegated Hair Grass)	1 25	10 00
A fine edging plant, beautifully variegated and of dense growth.		
Ajuga Genevensis (Bugle). Fine carpet plant for sun or shade	1 00	.8 00
Allium cernuum (Flwg. Garlic). Showy-pink flowers in August	75	5 00
Moly (Golden Leek). Showy yellow flowers in flat heads	75	$5 \ 00$
Schenoprasum (Chives)	75	5 00
stellatum (Starry Garlic). Showy pink flowers. Summer	75	$5 \ 00$
Alstræmeria auraniaca (Orange Herb Lily). Elegant flowers	1 50	$12 \ 00$
hæmantha. This and the latter require protection. Fine	1 50	$12 \ 00$
Alyssum argenteum. Showy foliage and flowers	1 25	10 00
Gemonense (German Mad-wort). Showy yellow flowers saxatile var. compactum (Gold Dust). One of the best	1 00	8 00
saxatile var. compactum (Gold Dust). One of the best	1 25	10 00
Weirspeckii	1 25	10 00
Anchusa Italica (Alkanet). Elegant blue flowers all summer	1 50	$12 \ 00$
Anemonæ Japonica. Showy flowers in fall. One of the best	1 25	10 00
var. alba. Pure white flowers	1 25	10 00
Pennsylvanica. Medium white flowers all summer	75	6 00
Anthemis tinctoria (Golden Marguerite). Choice for cutting	1 00	8 00
Anthericum liliastrum var. major (St. Bruno's Lily)	1 50	
Aquilegia canadensis (Wild Columbine)	75	6 00
chrysantha (Golden Spurred Columbine)	1 25	10 00
Extra strong plants	1 75	$15 \ 00$
Munstead (Giant White). White flowers in dense clusters	1 25	8 00
This is the earliest and best sort, and very choice.		
Olympica (Grecian Columbine) Showy flowers	1 50	
Skinnerii. Peculiar green and red flowers. Unique	1 75	15 00
Arabis albida (Alpine Rock Cress). Showy, fragrant white flowers in early		
spring	1 00	8 00
Armeria plantaginea (Thrift)	1 50	12 50
var. formosa. Showy, clear pink flowers in large heads	1 75	$15 \ 00$
maritima (Cushion Pink). A fine edging plant	1 00	8 00
var. alba. Showy, pure white flowers. Keeps well	1 50	$12 \ 00$
var. Lauchiana, or coccinea. Brilliant crimson flowers	1 ('0	8 00
Artemesia Abrotamum (Southernwood]. Finely-cut foliage	1 00	8 00
absinthum (Wormwood)	1 00	8 00
frigida. Showy, finely cut, aromatic foliage	75	6 00
Stelleriaua (Old Man). Silvery foliage. Edging plant	75	6 00
Asarum Canadensis (Indian Ginger). A good cover plant in shade	1 00	8 00
Europeum (Asarabacca). Smaller foliage	1 25	10 00
Asclepias incarnata (Swamp Milkweed)	1 00	8 00
tuberosa (Butterflyweed, or Pleurisy Root). Good plants	75	6 00
This is one of the showiest in its season. Heavy plants	1 00	8 00
Asperula hexaphylla. Minute white flowers in open panicle	1 00	8 00
odorata (Sweet Woodruff). Minute white flowers. Good	1 25	$10 \ 00$

	Dozei	n.	Hundre	ed.
Aster ericoides. Small, pure white flowers in abundance	81	00	88	00
grandiflorus. Myriads of small white flowers longifolia var. formosa. Dwarf habit, showy pink flowers	1	50	10	
longifolia var. formosa. Dwarf habit, showy pink flowers.	1		8	
Nora Anglæa (New England Aster). Very effective		75	6	
var. rosea (Pink New England Aster). Clear, pink flowers	1	75		
spectabilis (Showy Aster). Clear, blue flowers, Large	i	00	8	00
spectabilis (Showy Aster). Clear, blue flowers. Large Astilbe Japonica, or Spiræa Japonica. Good clumps to grow on	-	75	6	
Heavy clumps for forcing. Astilbe Japonica, var. aurea reticulata. Handsomely reticulated and	1	00	8	
Astilbe Japonica, var. aurea reticulata, Handsomely reticulated and	1	00	0	00
variegated foliage. Does not falle in forcing. Choice	9	00	12	00
var. purpurea. Showy purple foliage. Desirable		00	12	
var. grandiflora. This is a fine addition, with larger, handsomer	-	00	14	00
foliage; much heavier spikes and larger individual flowers. Is destined				
to supreade the type	9	00	12	00
to supersede the type Aubretia deltoidea (Purple Alysson). Showy rock plant		00	8	
vor Laightlainii	1			
var. Leichtleinii var. rosea. Showy pink flowers	1	00	8	
Baptisia australis (False Indigo). Showy blue flowers in spring	1	00	8	
	1	25	10	
Bellis perennis (English Daises). Colors to order		75		00
Betonica officinalis (Betony)		00	8	
Bocconta Japonica (Flume Foppy). Broad, glaucus foliage	1	25	10	00
Boltonia latisquamæ (False Chamonile). Showy lavender pink flowers				~ ~
in immense heads, in late fall. Select		00	8	00
Brunella Webbiana (Self-Heal). Choice and rare	1	75		
Bupthalminm salicifolium (Ox-eye). Showy, yellow flowers	1	50		
Bupthalminm salicifolium (Ox-eye). Showy, yellow flowers	1	50	10	
Campanula allariæfolia	1	50	12	
barbata (Bearded Harebell). Very free and showy	1	50	12	00
grandinora. See Platycouou grandinora.				
glomerata var. Dalurica. One of the choicest. Splendid Holenackerii. Rare, and very showy	1	50	12	
Hohenackerii. Rare, and very showy	1	50	12	00
persicatolia var. alba. Choice for cutting	1	25	10	00
Carpathica (Carpathian Harebell). Always included. Fine	1	25	10	00
var. aiba. Pure white flowers, very choice for cutting	2	00		
punctata. (Spotted Bell-flower)	1	50	12	00
punctata. (Spotted Bell-flower) trachælium (Blue Foxglove). One of the best	1	50	12	00
Cardamine prætense var. flore plena (Cuckoo flower)	1	50		
Cassia Marilandica (Senna-plant). First-class in habit, or flower	1	00	8	00
Catananche cœrulea (Blue Cupidone). Fine, free bloomer		50	12	00
Cedronella cana (Balm of Gilead). Showy in fall	1	25	10	00
Centaurea atropurpurea, or calocephala (Knapweed)	1	00	8	00
declinata. Handsome pink flowers with white centres		50	12	00
macroconhala (Giant Knanweed) Tall and stately		50	12	
montana. One of the finest in flower and foliage	1	50	12	00
nigra (Logger-heads)	1	00	8	
Cerastium arvense (Mouse-ear Chickweed). Good carpet plant		75	6	00
tomentosum Silvery foliage nure white flowers (food	1	00	8	00
Chelone Lyonii. Showy fall bloomer. Rare and choice	1	75	15 (
chelone Lyonii. Showy fall bloomer. Rare and choice	1	00	8 1	00
Chrysanthemum uliginosum. See Pyrethrum.				
Clematis. See Climbing Vines.				
Convalaria majalis (Lily-of-the-Valley). Strong pips		50	4	00
Heavy clumps	1		8 (
Coreopsis auriculata. Showy yellow flowers in mid-summer		75	6 (
grandiflora. Broad foliage, very large, lemon-yellow, cup-shaped			-	
flowers, all summer. Choice for cutting	1	00	8 (00
lanceolata. Golden-yellow flowers. Also indispensable	1		8	
Light but good plants		75	6	
nalmata Pale-vellow flowers in summer		00	8	
palmafa. Pale-yellow flowers in summer rosea. Pretty, light-pink flowers. Dwarf compact habit		75	6 (
		00	8 1	
Coronilla varia Showy pink and white flowers all summer.	1		10 0	
Coronilla varia. Showy pink and white flowers; all summer Daphne cneorum. See Evergreen Shrubs.		- /	20 (
Delphining Cashmonianny Rare and interesting	2	00		
Delphinium Cashmerianum. Rare and interesting Chinensis. Very choice, varying from deepest azure blue to pure white	-	50		
in all intervening shades. Also single and double. Elegant for cut-				
ting purposes or show	1	25	10	00
ting purposes or show		-0	10	~~

	Doz	en.	Hundred.
Delphinium formosum (Showy Larkspur). The freest and best species		25	·\$10 00
hybridum. Choice strain, from best seed obtainable. Fine		00	8 00 8 00
cruentis. Showy, blood-red flowers, in dense heads. Fine		50	12 00
Dianthus deltoides (Maiden Pink) Hispanicus (Spanish Pink). Showy, large crimson flowers . plumarius (Scotch Pink). Very fragrant in flower . superbus (Fringed Pink). One of the choicest and rarest		00	8 00
Hispanicus (Spanish Pink). Showy, large crimson flowers	_	00	8 00
plumarius (Scotch Pink). Very fragrant in flower		00	8 00
Dicentra eximia (Plumy Bleeding Heart). Showy, fern-like folliage and	1	50	
spikes of handsome flowers throughout the growing season. One of			
the best	1	00	8 00
formosa. Similar to the last, but dwarfer		50	
spectabilis (Dutchman's Breeches, or Seal Flower)		00	8 00
Dictamnus albus (Gas Plant) Digitalis purpurea (Foxglove). A fine strain of heavy plants		$75 \\ 00$	$15 \ 00 \\ 8 \ 00$
tomentosa (Hairy Foxglove)		25	10 00
Dodecatheon Meadia (Shooting Star). Unique and showy		25	10 00
Doronicum Pardalianches (Great Leopard's Bane)		50	
Draba brunifolia (Whitlow Grass). Fine rockery plant		50	12 00
Dracocephalum altaiense (Dragon's Head). Showy pink flowers speciosum (Showy Dragon's Head). More dwarf. Fine		25 25	$ 10 \ 00 \\ 10 \ 00 $
Echinops Ritro (Globe Thistle). Showy foliage. Unique flowers		75	10 00
sphærocephalus (Giant Globe-Thistle). Larger flowers	1	75	15 00
Epimedium rubrum (Barrenwort). One of the cnoicest		50	12 00
Erigeron aurantiacus (Orange Flea Bane)	1	00	$\begin{array}{c} 8 & 00 \\ 6 & 00 \end{array}$
bellidifolium (Robin's Plantain) speciosum. Showy, large, lilac flowers all summer	1	$ \begin{array}{c} 75\\00 \end{array} $	8 00
Erinus alninus. Tufted habit, showy purple flowers. Spring		00	8 00
var. albus. Pure white flowers. var. carmineus. Especially brilliant flowers. Very fine		00	8 00
var. carmineus. Especially brilliant flowers. Very fine		00	8 00
Erodium macradededum (Herodis-Dill)		$\frac{25}{50}$	10 00
Manescevii (Showy Heron's-bill). Choice and rare Eryngium aquaticum, or yuccæfolium (Rattlesnake Plantain)		00	
amæthystinum (Eryngo). Showy thistle-like flowers		25	9 00
Ervssimum nulchellum (Rock Wall-flower)		00	8 00
Erythræa diffusa (Blushwort). Very choice carpet plant		75	
Eulalia Japonica var. varlegata. Strong clumps		00 50	
Eulalia Japonica var. variegata. Strong clumps var. zebrina (Zebra-grass) gracillima. Very graceful in habit. Very choice		50	$12 00 \\ 12 00$
Eupatorium argeratoides (White Snake-root). Good for cutting		00	8 00
Fraserii. A rare and choice dwarf form	1	50	12 00
Euphorbia corrolata (Flowering Spurge). Choice for cutting		50	4 00
Funkia lancifolia (Plantain Lily) var. vgta. (Variegated Plantain Lily). Showy variegated foliage		00 50	
ovata. (Blue Plantain Lily). Broad, showy foliage		.25	10 00
subcordata, or grandiflora (White Day Lily). Showy, very fragrant, pure white flowers in late summer. Fine			
pure white flowers in late summer. Fine		25	10 00
Gaillardia grandiflora (Blanket Flower). Indispensable Galega officinalis (Goat's Rue)		$\frac{25}{25}$	10 00
var. alba. A free and continuous bloomer		$\frac{20}{25}$	10 00
Galium boreale (Infant's Breath). Airy, white flowers for cutting	1	75	6 00
Genista tinctoria (Woodwaxen). Showy golden-yellow flowers		25	10 00
var. flore plena. Rare form, with double flowers. Small		50	12 50
Gentiana Andrewsii (Closed Gentian). Deep-blue flowers. October		$\frac{75}{75}$	$15 \ 00$
Geraneum Endressi (Crane's-bill) Ibericum. Showy foliage, deep-purple flowers		75	
Londessi. Choicest of the genus. Select		50	
Londessi. Choicest of the genus. Select. maculatum	1	00	8 00
peltatum. Showy foliage		75	15 00
platypetalum. Very choice. Deep blue flowers prætense var. flore plena. A long bloomer		75 00	$\begin{array}{ccc}15&00\\&8&00\end{array}$
sanguineum. Showy red flowers, handsome follage. Select	1	00	8 00
Geum rivale (Indian Chocolate)	1	75	6 00
Geum rivale (Indian Chocolate) triflorum (Apache Plume). Showy flowers, and seeds Gillenia trifoliata (Bowman's Root) Glaucium Fischerii (Horned Poppy). Elegant glaucus foliage	1	00	8 00
Gillenia trifoliata (Bowman's Root)	1	50	15 00
Glaucium Fischerii (Horned Poppy). Elegant glaucus toliage Glechoma hederacea var. vgta. (Variegated Ground Ivy). Showy	1	75 00	$15 00 \\ 8 00$
Giernoma neueracea var. igta. (vanegatea triound riv). Bhowy	1	00	0.00

(1) he leave the (C1) he to he are a set	1)026	en.	Hund	red.
Globularia tricosantha (Globe Daisy). Very choice	-81	75		
Cysonnilla achillonia. Extends the season with C papieulate		50	\$12	00
repens (Creeping Chalk Plant). A showy creeper paniculata (Chalk Plant). One of the best for cutting	1	50		00
noniculate (Chalk Plant) () no of the bast for any	1			
paintenated (chark Fishe). One of the best for cutting	1	50	.12	00
Good plants to bloom this season.	1	00	8	00
Helenium annumate (Sneeswort). Very showy fall bloomer	7	00		00
Hoopesii. The finest species of the class. Early summer. pumillum. A showy free bloomer all summer. Good	î	50		
numilium A showy from bloom on all summary summer	E			00
putilitation A showy free bloomer all summer. Good	1	25		00
Helianthemum augustifolium (Sun Rose). Handsome, dwarf plant	1	75	15	00
rhodanthemnm. Showy red flowers		75	15	00
vulgare. Preuv vellow flowers. A free bloomer		50		00
var. flore plena. Very double flowers.				
val. note plena. Very double nowers.		75		00
Helianthus decadetatas. Clouds of vellow flowers. Late summer	1	00	8	00
lætiflorus. Masses of large, cup-shaped, golden-yellow flowers, on				
long clean stems in July and August Choice	т	72	1 5	00
long, clean stems, in July and August. Choice	T	75	19	00
Maximinana. The latest blooming of all, and elegant in bud and				
flower. Indispensable.	2	00	15	00
multinorus var. nore plena (Double Sunflower). Heavy	1	00		00
Lighter plants to bloom this season	1			
and participation of the season of the seaso		75		00
orgyalis (Graceful Sunflower). Elegant in habit trachæfolius (Rough-leaved Sunflower)	2	00	17	50
trachælolius (Rough-leaved Sunflower)	1	00	8	00
Heliopsis lævis (Ox-eye Sunflower). Showy all summer		00		00
Homoroeg Ilis Dumortierij Showy orange-golored Lilica	1		0	00
Hemerocallis Dumortierii. Showy, orange-colored Lilies fulva (Tawny Day Lily). Tawny orange flowers	T	75		
Iuiva (Iawny Day Luy). Iawny orange flowers		75	6	00
var. nore plena, or Kwanso nore plena. Very showy. Good	1	50	12	00
Middenhorfiana. A rare and choice species	9	00		
Heuchera Americana (Alum Root). Very ornamental foliage				00
neuchera Americana (Atum Root). Very ofnamentar fonage		75		00
sanguinea. Showy crimson flowers. One of the choicest	2	50	20	00
Hibiscus moschnetos (Swamp Rose-Mallow). Showy pink flowers	1	00	8	00
Hieracium aurantiacum (Hawk Weed)		75		00
Hollyhocks. Best double sorts to color		50		00
Hydrophyllum appendiculatum (Waterleaf)	1	00	7	50
Canadense. This, with the other two species are cover plants		75	6	00
Virginicum		75		00
Hypoxis erecta (Star Grass). A choice native. Showy		00		00
Iberis corræfolia (Hardy Candytuft). Beautiful in spring	1	50	12	00
var. sempervirens. The purest white flowers. Choice Tenoriana. The earliest and heaviest bloomer.	1	50	19	00
Tenewigna The conflict and beguingt bloomer		50		00
Tenoriana. The earliest and heaviest bloomer	1	50	12	00
The Hardy Candytufts possess great merit for forcing, or as orna-				
mental plants, being evergreen in nature, with pleasing foliage, and				
producing masses of pure white flowers in dense heads in early spring.				
The two last species will cover a season of bloom of six weeks or more.				
Inula glandulosa (Georgian Flea Bane). Rare and choice	2	50		
Iris cristata (Crested Iris). Fine at Decoration day. Elegant		75	5	00
Florenting (Orris Root). Pure white, Choice,	1	00		00
Florentina (Orris Root). Pure white. Choice Germanica. In finest-named varieties. Fresh from ground		00		00
Wei manita. In mest-named varieties. Fresh from ground	1			
Mixed varieties, fresh from open ground. Not dried		75	ő	00
lævigata, or Kæmpferii (Japan Iris). Best-named sorts	2	50		
Older, but distinct sorts. Open ground plants	1	75	15	00
Mixed, unnamed seedlings. Probably very choice		50		00
miller (Der of Lie) Velue he arring bloom of				
pumina (Dwari Iris). Valuable spring bloomer	1	00		00
pumilla (Dwarf Iris). Valuable spring bloomer Siberica. Very showy. Tall, and an abundant bloomer		75	6	00
Lathyrus latifolius (Perennial Pea). Indispensable for cutting	1	00		00
var. splendens. More brilliant in color than the type		25		00
var. sprendens. More brinnant in color than the type			10	00
Lavendula vera (Lavender). Showy, aromatic foliage	1	75		
Leucanthemum lacustre. Handsome, large, pure white flowers, with yellow				
centres on good stems for cutting, and produced in succession all				
summer, and to late autumn. Choice Liatris pycnostachya (Kansas Gay Feather). Unique and choice Liatris squarrosa (Blazing Star). Showy, long spikes in fall Linaria alpina (Alpine Toad Flax). Showy Alpine plant	1	25	10	00
summer, and to rate autumn. Ondecter the state of the sta	1			
Liatris pycnostacnya (Kansas Gay Feather). Unique and choice	1	25		00
Liatris squarrosa (Blazing Star). Showy, long spikes in fall	1	00	8	00
Linaria alnina (Alpine Toad Flax). Showy Alpine plant	1	50		
Linum norman (Dependial Flax) One of the choicest of all	1	75	15	00
Linum perenne (rerennar Flax). One of the choicest of an	1		10	00
Linum perenne (Perennial Flax). On only Apple parter Linum perenne (Perennial Flax). One of the choicest of all Lionysiris vulgaris (Goldilocks). Lobelia cardinalis. Heavy plants, nursery grown. Lotus corniculatus (Bird's-foot Trefoil). Showy cover plant.	1	50		
Lobelia cardinalis. Heavy plants, nursery grown	1	00	7	50
Lotus cornienlatus (Bird's-foot Trefoil). Showy cover plant	1	00	8	00
Lychnis chalcedonica (Lamp Flower, or London Pride)	1	25		00
Lycnnis chaicedonica (Lamp Flower, of London Filde)	1			00

diurna var. flore plena (Red Campion). One of the finest of early

Lychnis diurna var. flore plena.— Continued.	Doze	n.	Hundred	-
spring-blooming plants, and continuing the season long into the				
summer Very double deep rod fragrant flowers in eluctore				
fine for cutting. Should be in every collection	\$1	50	\$12 50)
Heavy plants for propagation		00		
Haageana (Shaggy Lychnis). Elegant large flowers. Choice	2	00		
viscaria var. flore plena (Ragged Robin). A fit companion to the Red Campion, but of dwarf, tufted nature, throwing up spikes of deep				
campion, but of dwarf, turted nature, throwing up spikes of deep red flowers, intensely frequent, and your deable, during late. Turne				
red flowers, intensely fragrant and very double, during late June and early July. As indespensable	1	00	8 00	
Extra heavy clumps for propagation		50	12 00	
Lysimachia clethroides		00	12 00	1
nummularia (Moneywort). A fine cover plant, \$30 per M		50	4 00)
var. aurea (Golden Moneywort). Showy golden foliage		50		
Lythrum roseum var. superbum (Showy Loosestrife)	1	00	8 00)
Malva moschata (Musk Mallow). Clouds of showy flowers. Summer		25	10 00	,
alcea. Larger, pink flowers all summer and to frost		50		
Megasea cordifolia. Handsome foliage, showy flowers in spring		50	12 00	
Mertensia Virginica (Virginian Cowslip). One of the best Mimulus moschatus (Musk Plant)		00 50	8 00	,
Monarda didyma (Oswego Tea). One of the showiest and best		00	8 00	2
var. alba. Pure white flowers, as good as the type		25	10 00	
fistulosa (Wild Bergamot), Lavender, or lilac flowers, Good		00	8 00	
var. alba. A white form		00	8 00	
Myosotis palustris var. semperflorens (Everblooming Forget-me-not).				
Myosotis palustris var. semperflorens (Everblooming Forget-me-not). One of the choicest plants in our collection. In bloom throughout				
the summer and far into autumn, withstands draught and hottest				
sun, and always ready to be cut from. A fine florist s flower		25	8 00)
(Enothera glauca, or Fraserii (Fraser's Evening Primrose) fruiticosa var. major (Sun-drops). One of the best		75	0.00	
macrocarpa, or Missouriensis. The giant of the family		$ \begin{array}{c} 00 \\ 75 \end{array} $	8 00	,
numilla Dwarf and a constant flowerer		50	12 00	0
punilla. Dwarf, and a constant flowerer		25	10 00	
Opuntia vulgaris (Indian Fig). Hardy and unique		75	7 00	
Ononis rotundifolia (Rest Harrow), Bare		75		
Orobus formosus (Showy Bitter Veitch) lathyroides. The finest of the class. Choice superbus var. albus. White flowers. Rare	1	50	$12 \ 00$	0
lathyroides. The finest of the class. Choice		75		
superbus var. albus. White flowers. Rare		00		
vernuus. Showy in early summer Pachysandra procumbens (Mountain Spurge). Cover plant. Evergreen		00	8 00	
Pachysandra procumpens (Mountain Spurge). Cover plant. Evergreen		$ \frac{00}{50} $		
Paconia chinensis var. rosca plena. Fragrant and very double Named sorts in best varieties		50 50	30 00	
officinalis var. rubra plena (Old Crimson Pæony) Choice		50	30 00	
tenuifolia. Elegant foliage, showy single flowers		50	30 00	
Papaver bracteatum. Gorgeous blood-red flowers, often 8 inches in di-	, v		00 00	
ameter, with black blotches. One of the choicest	1	50	12 00	0
nudicaule (Iceland Poppy). Showy and in flower throughout the sum-				
mer. A choice strain orientale (Oriental Poppy). Gorgeous crimson flowers, similar in many	1	50	12 00	0
orientale (Oriental Poppy). Gorgeous crimson flowers, similar in many				
ways to the P. bracteatum , but more inclined to the crimson pilosum (Hairy Poppy). Showy flesh-colored to salmon-colored	1	25	10 00	3
flowers, in constant succession throughout the summer and early				
autumn months Choice and new	1	50	12 00	6
autumn months. Choice and new Pardanthus Sinensis (Blackberry Lily). Odd in flower, and showy Pentstemon barbatus var. Torreyii. Long spikes of crimson flowers, produced abundantly		00	8 00	
Pentstemon barbatus var. Torrevii. Long spikes of crimson flowers,	1	00	0.01	Ĭ
produced abundantly	1	00	8 00	0
confertus		00		
diffusus. One of the choicest in habit and color		00	12 0	
digitalis. White flowers in long spikes		00	8 0	
Phiox amoena (Lovely Phiox). Very showy in early spring. Pink		00	6 0	
Carolina. Showy pink flowers in abundance in midsummer		$\frac{00}{25}$	8 0 10 0	
deccusata (Dwf. Garden Phlox). Best named sorts Mixed sorts; good selection		25	8 0	
nivalis (White Moss Pink). Dark, evergreen foliage, pure white	1	00	0.0	9
flowers. Rare and very choice	1	25	10 0	0
ovata. Showy, clear pink flowers, fine color. Dwf. habit	1	50	12 0	
rentans (Creeping Phlox). Clear pink flowers. Very early	1	00	8 00	0
stellulata (Starry Phlox). Light lilac flowers in sheets	1	25	10 0	0

	Doze	n.	Hundr	ed.
Phlox subulata (Moss Pink). Sheet of light purple flowers	s		\$6	
var. compacta. Light pink flowers, dense habit	1		8	00
var. Fayrii. Choice	1	$\frac{25}{75}$	c	00
suffuticosa (Tall Fall Fillox). Newest named sorts		$\frac{75}{25}$		00
Older distinct sorts		00		00
Mixed sorts all from good varieties	-	75		00
Phalaris arundillacea var. vgta (vgt. Ribbon Grass)		50		00
Platycodon grandiflora (Giant Bell flower). Choice for cutting	1	50	12	00
Selected sorts by color. White, blue, purple, lavender, and semi-double		~~		00
forms of same Mariesii. A dwarf species with large, deep-blue flowers		75 0)	15	00
Plumbago Larpentæ (Leadwort). Half hardy. Deep-blue flowers		50		
Polemonium Himalavicum (Himalavan Jacob's Ladder) Baro		75		
rentaus. Dense dwarf habit, pretty blue flowers		50	8	00
Polygonatium giganteum (Great Solomon's Seal) (Graceful		50		00
Polygonum cuspidatum (Knotweed). Potentilla hybrida. A showy, free-blooning class. Named varieties	_	00		00
formosa (Showy Cinquifoil). One of the best species		50 00		00
Primula (ashmeriana, or dentienlata, Rare and desirable		00	0	00
Primula Cashmeriana, or denticulata. Rare and desirable capitata. Rare veris (Polyanthus). A choice strain, in fine variety of coloring. Hardy		50		
veris (Polyanthus). A choice strain, in fine variety of coloring. Hardy	-			
with us in various exposures	1	50	12	00
var. Gold Laced. A choice strain. Beautiful coloring		50		00
var. Hose in Hose. Odd and striking vulgaris (Cowslip). The old favorite, yellow flowers		50		00
Ware's Hybrids. A choice collection.		$25 \\ 00$		00
Pycnanthemum vulgare (Basil)		25		00
Pyrethrum roseum. Single varieties, mixed		00		00
Uliginosum (Giant Daisy). One of the best fall flowers	1	50		00
Rudbeckia laciniata (Cut-leaved Cone-flower)		25		00
maxima (Giant Cone-flower). Broad glaucus foliage. Showy speciosa. Choice for cutting		00		00
speciosa. Choice for cutting	_	00		00
sub-tomentosa. The finest of the class		50 00		00
Santolina incana (Lavender Cotton). Ornamental foliage		00		00
officinallis var. flore plena (Bouncing Bets)		00		00
var. rosea. A really distinct and desirable variety	1	50	12	00
Saxifraga crassifolia, same as Megasea crassifolia. Choice		50		00
Sedum Maximowicksii. Showy yellow flowers, in flat heads		50		00
brevifolium. A fine carpet plant, in partial shade maximum. Broad, light-green foliage, vigorous habit		00		00
roseum. Showy pink flowers in dense flat heads		25		00
Siebolldii. Elegant tufted species, glaucus foliage		75	10	00
spectabile. Showy, clear pink flowers in immense flat heads in late fall.				
One of the best in the list		25		00
var. variegata. Handsomely variegated green and gold foliage	1	50		00
telephium (Live-long) Sempervivum tectorum (Houseleek). \$30 per thousand		75 50		00
arachnoideum, atlanticum, calcareum, cuneatum, Ruthenicum,		00	x	00
soholiferum glaueum, flagelliformis, Wulfenii, etc		75	6	00
Silene maritima var. flore plena (Dbl. Seaside Catch-fly)		00		
Silphium laciniatum (Compas Plant) perfoliatum (Cup Plant). Showy yellow flowers. August		00		00
perfoliatum (Cup Plant). Showy yellow flowers. August		00		00
Solidago rigida. The finest of the Golden Rods. Not weedy		$ \frac{00}{25} $		00
Spiræa auruncus (Goat's Beard Spiræa). Immense plumes fillipendula (Dropwort). Creamy flowers, dense heads		20		00
var. flore plena (Dbl. Dropwort). Double flowers		25		00
var. flore plena (Dbl. Dropwort). Double flowers palmata. Spikes of clear crimson flowers. The best. July		25		00
var. elegans. Pink and white flowers. Very choice		75		00
nimaria var. flore plena (Dbl. Meadow Sweet). Dbl. white		00		00
var. variegata. Handsome golden variegated foliage		00		00
Statice latifolia (Sea Lavender). Immense panicles of minute blue flowers.	1	00	8	00
Elegant for cutting August and September	1	50	12	00
Stellaria Holosteii. A good cover plant. Immense bloomer Stenactis speciosa, or Erigeron speciosa		00		00
Stenactis speciosa, or Erigeron speciosa	1	00	8	00

3	Dozen.	Hundred.
Stockesia cyanea (Stoke's Aster). Large, clear blue flowers in succession		
all summer. One of the choicest	\$1 50	\$12 00
Tanacetum vulgare var. crispum (Crisped-leaved Tansy). Showy	75	
Thalictrum dioicum (Early Meadow Rue)	1 00	
Thermopsis Caroliana. Long spikes of showy yellow flowers	1 50	
Thymus citroidens var. aureus (Variegated Lemon Thyme). Showy	1 00	
lanuginosus. A showy cover plant for full sun	1 50	
micans. A rare and showy, prostrate species	1 50	
vulgaris (Common Thyme). A good cover plant	1 00	
Tradescantia Virginica (Spiderwort). Showy blue flowers	7ă	6 00
Trillium grandiflorum (White Wood Lily). Large lily-like, pure white	~ .	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
flowers in early spring. Very showy	75	
Tritoma corallina. Tender. The best kind for cutting	1 50	
Tunica saxifragica. Light pink flowers, all summer. Cuts well	1 25	
Tussilago farfara (Colt's Foot). Cover for waste places	1 00	
Uvularia grandiflora (Giant Bell-flower) Verbascum Phœniceum (Purple Mullein) Very showy. Rare	$1 00 \\ 1 25$	
Veronice cumthysting (Amethyst Speedwell) Very showy. Kare	1 20	
Veronica amæthystina (Amæthyst Speedwell). Very choice incana (Hoary Speedwell). Showy flowers, handsome foliage	1 25	
	1 20	
repens. Handsome glossy foliage, showy flowers. Rockwork rupestris. Deep blue flowers, in sheets. Choice for carpet	1 00	
spicata. Very long spikes, clear blue flowers	75	
var. alba. Pure white flowers. Very choice	2 50	
Virginica. Tall, immense spikes of pure white flowers	1 00	
Valeriana officinalis (Wild Heliotrope). An immense bloomer	1 00	
Vinca minor (Perriwinkle). One of the best covers in all situations, soils,	1 00	0 00
and lights. \$30 per thousand	50	4 00
var. alba. Pure white flowers. \$30 per thousand	50	
var. alba plena. Double white flowers. Rare	1 00	
var. rubra plena. Double lilac flowers	1 25	
var. purpurea plena. Double purple flowers	1 25	
var. foliis argentea variegata. Silvery variegated leaves	1 50	
var. foliis aurea variegata. Golden variegated foliage	1 25	
All the above are hardy, and to be recommended.		
Viola cornuta var. alba (White Horned Violet). Pure white flowers in		
constant succession during early summer and again in the fall.		
Choice for cutting	1 25	5 10 00
cucculata. Blue flowers on long, clean stems	75	6 00
var. alba. Pure white flowers. Choice for cutting	1 00	8 00
odorata var. (The Czar). Single, deep-blue flowers of most intense		
fragrance. Perfectly hardy	1 25	5 10 00
Hardy Double Species. A perfectly hardy sort, with very large, per-		
fectly double, deep-violet blue flowers of the most intense fra-		
grance. Very choice, and stock limited	1 75	
pedata (Bird's-foot Violet). Our choicest native	1 00	
Yucca filimentosa (Adam's Needle, Thread, and Needle Plant)	1 00	
Medium-sized plants	1 25	
Heavier size. Blooming size with us	1 50	
Very heavy	2 00	
var. augustifolia. Drooping foliage, earlier flowerer	2 00) 18 00

HARDY FERNS.

Dozen. Hundred.

strong plants of the following species. Adjantum pedatum (Maiden-	
hair). Aspidium acrostichoides (Christmas Fern). Asplenium	
ebenium (Ebony Fern). Aspidium cristatum (Crested Shield	
Fern). Cystopteris fragilis, Dicksonia punctilobula, Onoclea	
sensibilis (Sensitive Fern). Onoclea struthiopteris (Ostrich	
Fern). Ösmundia cinnamonea (Cinnamon Fern). Woodsia	
obtnsa, etc) 8 00