

GENERAL HEADQUARTERS
SUPREME COMMANDER FOR THE ALLIED POWERS

AG 676.3 (30 Jan 47) CCS
(SCAPIN 1500)

APO 500
30 January 1947

MEMORANDUM FOR: IMPERIAL JAPANESE GOVERNMENT
THROUGH: Central Liaison Office, Tokyo
SUBJECT: Control of Radio Communications

1. Reference is made to Memoranda to the Imperial Japanese Government, subject as above:

File AG 676.3 (29 Aug 46) CCS (SCAPIN 1166) dated 29 August 1946
File AG 676.3 (20 Sep 46) CCS (SCAPIN 1222) dated 20 September 1946
File AG 676.3 (22 Oct 46) CCS (SCAPIN 1283) dated 22 October 1946
File AG 676.3 (7 Nov 46) CCS (SCAPIN 1323) dated 7 November 1946
File AG 676.3 (4 Dec 46) CCS (SCAPIN 1379) dated 4 December 1946

2. The Japanese Ministry of Communications has proposed further changes to the Master List of Frequencies assigned for use by the Japanese Government as published and amended in the reference memoranda. Additions, deletions and changes subsequent to publication of the last amendment to Master List of Frequencies assigned for use by the Japanese Government are approved and listed in Inclosure 1, to be effective 31 January 1947.

FOR THE SUPREME COMMANDER:

1 Incl
Fifth Amendment to Master
List of Frequencies Assigned
for use by the Japanese
Government

R. H. Hersey
for JOHN W. COOLIN,
Colonel, USA,
Adjutant General.

D.C.S

GENERAL HEADQUARTERS
SUPREME COMMANDER FOR THE ALLIED POWERS

FIFTH AMENDMENT TO
MASTER LIST OF FREQUENCIES ASSIGNED FOR USE BY THE
JAPANESE GOVERNMENT

NOTE: Basic List : Inclosure 1, Memorandum to Imperial Japanese Govern-
ment (SCAPIN 1166), dated 29 August 1946
1st Amendment : Inclosure 1, Memorandum to Imperial Japanese Govern-
ment (SCAPIN 1222), dated 20 September 1946
2nd Amendment : Inclosure 1, Memorandum to Imperial Japanese Govern-
ment (SCAPIN 1283), dated 22 October 1946
3rd Amendment : Inclosure 1, Memorandum to Imperial Japanese Govern-
ment (SCAPIN 1323), dated 7 November 1946
4th Amendment : Inclosure 1, Memorandum to Imperial Japanese Govern-
ment (SCAPIN 1379), dated 4 December 1946
And as further amended by this publication.

Inclosure 1 to SCAPIN 1500

FIFTH AMENDMENT TO MASTER LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

ADDITIONS

SCAP RFG. NO.	FREQUENCY	CALL SIGN	EMISSION POWER (KW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
6120C	135	JIT	A2-1-FC	Marine	None	OITA, Oaza, Senzai, Tsurusaki-machi, Oita-gun, Oita-ken	33°14' N	131°37' E
6120C	143	JIT	A2-3-FC	do	do	OITA, See 135 kc - 6120C		
6120C	408	JIT	A2-0.5-FC	do	L-4 100 mi. Osaka	OITA, See 135 kc - 6120C		
6120C	500	JIT	do	do	L-2	OITA, See 135 kc - 6120C		
2431F	1610	JOE	A3-0.5-FC	Fishery	None	YAIZU, See 500 kc - 2431F		
3330F	do	JOU	do	do	do	KASUMI, See 500 kc - 3330F		
3630F	do	JZX	do	do	do	TANABE, See 500 kc - 4430F		
4430F	do	JZT	do	do	do	SHIMONOSEKI, See 500 kc - 3630F		
5330F	do	JOM	do	do	do	SUZAKI, See 500 kc - 5330F		
6031F	do	JKQ	do	do	do	FUKUOKA, See 500 kc - 6031F		
6330F	do	JOY	do	do	do	ABUATSU, See 500 kc - 6330F		
6430F	do	JON	do	do	do	YAKUHAZAKI, See 500 kc - 6430F		
7220F	do	JOJ	do	do	do	HAKAISHI, See 500 kc - 7220F		
7420F	do	JOV	do	do	do	ISHINOMAKI, See 500 kc - 7420F		
8045F	do	JZW	do	do	do	YOICHI, See 500 kc - 8045F		
8046F	do	JOK	do	do	do	HAKKANAI, See 500 kc - 8046F		
None	do		A3-0.5-MN	do	do	For assignment to fishery ships		
1415F	1620	JOO	A3-0.5-FC	do	do	NAKAMINATO, See 500 kc - 1415F		
1520F	do	JPW	do	do	do	KATSUURA, See 500 kc - 1520F		
1910F	do	JOW	do	do	do	MISAKI, See 500 kc - 1910F		
2030F	do	JOP	do	do	do	AMAMACHI, See 500 kc - 2030F		
2430F	do	JOE	do	do	do	OMAEZAKI, See 500 kc - 2430F		
2431F	do	JOE	do	do	do	YAIZU, See 500 kc - 2431F		
2432F	do	JOG	do	do	do	SHIZUOKA, See 500 kc - 2432F		
2530F	do	JOX	do	do	do	HANAJIMA, See 500 kc - 2530F		
3330F	do	JOU	do	do	do	KASUMI, See 500 kc - 3330F		
3630F	do	JZX	do	do	do	TANABE, See 500 kc - 3630F		
4430F	do	JZT	do	do	do	SHIMONOSEKI, See 500 kc - 4430F		
5330F	do	JOM	do	do	do	SUZAKI, See 500 kc - 5330F		
5331F	do	JOZ	do	do	do	MUROTO, See 500 kc - 5331F		

FIFTH AMENDMENT TO MASTER LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

ADDITIONS

SCAP RFG. NO.	FREQUENCY	CALL SIGN	EMISSION POWER (KW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
6031F	1620	JKQ	A-3-0.5-FC	Fishery	None	FURUOKA, See 500 kc - 6031F		
6330F	do	JOY	do	do	do	APITATSU, See 500 kc - 6330F		
6430F	do	JON	do	do	do	TAJURAZAKI, See 500 kc - 6430F		
6630F	do	JPZ	do	do	do	NAGASAKI, See 500 kc - 6630F		
7025F	do	JOL	do	do	do	HACHINOHE, See 500 kc - 7025F		
7220F	do	JOJ	do	do	do	KAPASHI, See 500 kc - 7220F		
7420F	do	JOV	do	do	do	ISHINOMAKI, See 500 kc - 7420F		
7421F	do	JPV	do	do	do	KESENNUMA, See 500 kc - 7421F		
7520F	do	JOH	do	do	do	FUKUSHIMA, See 500 kc - 7520F		
8045F	do	JZW	do	do	do	YOICHI, See 500 kc - 8045F		
8046F	do	JOK	do	do	do	WAKKANAI, See 500 kc - 8046F		
8047F	do	JOI	do	do	do	KUSHIRO, See 500 kc - 8047F		
None	do		A3-0.5-MN	do	do	For assignment to fishing ships		
1038R	2800	JA9A	A3-0.05-FX	Railroad	Emergency only	NIITSU, See 2800 kc - JBJ - 1038 R		
1038R	do	JA9B to JA9G incl.	A3-0.03-MVP	do	Emergency only	NIITSU, See 2800 kc - JRJ - 1038 R Ll-60 mi.Niitsu		
1155R	do	JA9H	A3-0.05-FX	do	Emergency only	NAGANO, Minamiishido-machi, Nagano-shi, Nagano-ken.....	36°38'N	138°11'E
1155R	do	JA9I to JA9N incl.	A3-0.03-MVP	do	Emergency only	NAGANO, See 2800 kc - JA9H - 1155R Ll-40 mi.Nagano		
7050R	do	JB7F	A3-0.05-FX	do	Emergency only	AOMORI, Yasukata-machi, Aomori-shi, Aomori-ken.....	40 49	140 46
7050R	do	JB7G to JB7J incl.	A3-0.03-MVP	do	Emergency only	AOMORI, See 2800 kc - JB7F - 7050R Ll-70 mi.Aomori		
7155R	do	JA7I	A3-0.05-FX	do	Emergency Only	AKITA, Naranaganuma, Akita-shi, Akita-ken.....	39 43	140 07
7155R	do	JA7J to JA7O incl.	A3-0.03-MVP	do	Emergency only	AKITA, See 2800 kc - JA7I - 7155R Ll-60 mi.Akita		
7255R	do	JB7A	A3-0.05-FX	do	Emergency only	MORIOKA, Shimokurikawa, Morioka-shi, Iwate-ken.....	39 42	141 08
7255R	do	JB7B to JB7F incl.	A3-0.03-MVP	do	Emergency only	MORIOKA, See 2800 kc - JB7A - 7255R Ll-50 mi.Morioka		

FIFTH AMENDMENT TO MASTER LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

ADDITIONS

SCAF FREQ. NO.	FREQUENCY	CALL SIGN	EMISSION POWER (KW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
7355F 2800 JA7A A3-0.05-FX Railroad Emergency only	YAMAGATA, Kasumi-machi, Yamagata-shi, Yamagata-ken.....	38°14'N140°20'E
7355F do JA7B to.. JA7H incl A3-0.03-MVP... do Emergency only	YAMAGATA, See 2800 kc - JA7A - 7355F L1-65 mi. Yamagata		
7455F do JA7P A3-0.05-FX do Emergency only	SENDAI, Higashi, Goban-cho, Sendai-shi, Miyagi-ken.....	38 15140 53
7455F do JA7Q to.. JA7U incl A3-0.03-MVP... do Emergency only	SENDAI, See 2800 kc - JA7P - 7455F L1-50 mi. Sendai		
7555R do JA7V A3-0.05-FX do Emergency only	FUKUSHIMA, Sakae-machi, Fukushima-shi, Fukushima-ken.....	38 45140 28
7555F do JA7W to JA7Z incl A3-0.03-MVP... do Emergency only	FUKUSHIMA, See 2800 kc - JA7V - 7555F L1-50 mi. Fukushima		
8088R do JA8W A3-0.05-FX do Emergency only	NAYORO, Nayoro-machi, Kamikawa-gun, Teshio-kuni, Hokkaido.....	44 21142 28
8088R do JA8X to.. JA8Z incl and JB8A. A3-0.03-MVP... do Emergency only	NAYORO, See 2800 kc - JA8W - 8088R L1-90 mi. Nayoro		
8089R do JA8T A3-0.05-FX do Emergency only	KITAMI, 4 Odori, Kitami-shi, Hokkaido.....	43 44143 54
8089R do JA8U - JA8V A3-0.03-MVP... do Emergency only	KITAMI, See 2800 kc - JA8T - 8089R L1-70 mi. Kitami		
8094R do JA8O A3-0.05-FX do Emergency only	KUSHIRO, Matsuura-machi, Kushiro-shi, Hokkaido.....	42 59144 22
8094F do JA8P to.. JA8S incl A3-0.03-MVP... do Emergency only	KUSHIRO, See 2800 kc - JA8O - 8094R L1-85 mi. Kushiro		
8096R do JA8C A3-0.05-FX do Emergency only	HAKODATE, Wakamatsu-machi, Hakodate- shi, Hokkaido.....	41 40140 42
8096F do JA8D - JA8E A3-0.03-MVP... do Emergency only	HAKODATE, See 2800 kc - JA8C - 8096R L1-60 mi. Hakodate		
8097F do JA8F A3-0.05-FX do Emergency only	MURORAN, Minato-machi, Muroran-shi, Hokkaido.....	42 20140 58

FIFTH AMENDMENT TO IASIFF LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

ADDITIONS

SCAP FFG. NO.	FREQUENCY	CALL SIGN	EMISSION POWER (KW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
8097E	2800	JASG JASH	A3-0.03-FVP	Failroad	Emergency only.. L1-50 mi. Muroran	MURORAN, See 2800 kc - JASG - 8097E		
8098E	do	JASI	A3-0.05-FX	do	Emergency only..	SAPPORO, Nishi 3, Kitagojyo, Sapporo-shi, Hokkaido.....	43°03'N	141°20'E
8098E	do	JASJ-JASK	A3-0.03-FVP	do	Emergency only.. L1-50 mi. Sapporo	SAPPORO, See 2800 kc - JASI - 8098E		
8099E	do	JASL	A3-0.05-FX	do	Emergency only..	ASAHIKAWA, Nivashitadori, Asahigawa-shi, Hokkaido.....	43 45	142 21
8099E	do	JASJ - JASN	A3-0.03-FVP	do	Emergency only L1-60 mi. Asahigawa.	ASAHIKAWA, See 2800 kc - JASL - 8099E		
6001X	3550	None	A2-0.50-S	NOC Ex- perimental	Auth. Expires 1 Apr 47.....	SHINGU, See 355 kc - 6001A		
6001X	6395	None	A2-0.50-S	NOC Ex- perimental	Auth. Expires 1 Apr 47.....	SHINGU, See 355 kc - 6001A		
1402I	6900	JVV-2	A3-30-FX	International	PFO BC to US	NAZAKI, See 4910 kc - 1402 BR		
1402I	8125	JVF	do	do	PFO BC to US	NAZAKI, See 4910 kc - 1402 BR		
1901S	a9260	JJC-3	A1-1.5-S	Marine BC	L3-L1-Tokyo	TOTSUKA, See 3090 kc - 1901 DM		
1402I	9295	JVB	A3-30-FX	International	PFO BC to US	NAZAKI, See 4910 kc - 1402 BR		
1901	13090	JJC-4	A1-1.5-S	Marine BC	L3, L1-Tokyo	TOTSUKA, See 3090 kc - 1901 DM		
3433I	15325	JVM-3	A3-7.5-SB	International	None	KAWACHI, See 4930 kc - 3343 BR		
1740P	38000	JPC-3	A3-0.02-FX	Police	Auth. Expires 1 Apr 47.....	KEISHICHO, See 3685 kc - 1740P		
1740P	38500	JPC-3	A3-0.02-FX	do	Auth. Expires 1 Apr 47.....	KEISHICHO, See 3685 kc - 1740P		
1740P	38000	JPC-4	A3-0.01-FV	do	Auth. Expires 1 Apr 47 - L1- 25 mi. Tokyo	KEISHICHO, See 3685 kc - 1740P		
4460DH	48930	None	A4-0.01-FX	Domestic	None	SOFU, See 55070 kc - 4460 DH		
4460DH	54630	do	do	do	do	SOFU, See 55070 kc - 4460 DH		
7061DH	do	do	do	do	do	KAMABUSE, Ominato-machi, Shimokita-gun, Aomori-ken.....	41 17	141 17

FIFTH APPENDIX TO MASTER LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

ADDITIONS

SCAP REG. NO.	FREQUENCY	CALL SIGN	EMISSION POWER (KW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
7260DH....	54630	None	A4-0.01-FX	Domestic	None	OHIZUMI, Nisattasi-mura, Ninohe-gun, Iwate-ken.....	40°15'N....	141°23'E
7560DH....	do	do	do	do	do	IYOZEN, See 49800 kc - 7560DH		
7061DH....	56380	do	do	do	do	KAMABUSU, See 54630 kc - 7061DH		
7260DH....	do	do	do	do	do	OHIZUMI, See 54630 kc - 7260DH		
7560DH....	do	do	do	do	do	IYOZEN, See 49800 kc - 7560DH		
5061DH....	57260	do	do	do	do	MATSUYAMA, Matsuyama-shi, Ehime-ken.....	33 47132 50
5061DH....	59020	do	do	do	do	MATSUYAMA, See 57260 kc - 5061DH		
7261DH....	do	do	do	do	do	TABASHINE, Nagashima-mura, Higashiiwai- gun, Iwate-ken.....	39 00141 11
7263DH....	do	do	do	do	do	NIYAMA, Shiwa-mura, Shiha-gun, Iwate-ken..	39 35141 05
8161DH....	do	do	do	do	do	SASAYAMA, Niikappu-gun, Hokkaido.....	42 28142 30
7261DH....	60770	do	do	do	do	TABASHINE, See 59020 kc - 7261DH		
7263DH....	do	do	do	do	do	NIYAMA, See 59020 kc - 7263DH		
8161DH....	do	do	do	do	do	SASAYAMA, See 59020 kc - 8161DH		
7560DH....	61650	do	do	do	do	IYOZEN, See 49800 kc - 7560DH		
4460DH....	62090	do	do	do	do	SOBU, See 55070 kc - 4460DH		
7260DH....	63400	do	do	do	do	OHIZUMI, See 54630 kc - 7260DH		
7263DH....	do	do	do	do	do	NIYAMA, See 59020 kc - 7263DH		
8162DH....	do	do	do	do	do	MOIWA, Moiwa-mura, Sapporo-gun, Hokkaido....	43 02141 19
4460DH....	64720	do	do	do	do	SOBU, See 55070 kc - 4460DH		
7260DH....	65160	do	do	do	do	OHIZUMI, See 54630 kc - 7260DH		
7263DH....	do	do	do	do	do	NIYAMA, See 59020 kc - 7263DH		
8162DH....	do	do	do	do	do	MOIWA, See 63400 kc - 8162DH		
7460DH....	66040	do	do	do	do	TAKASAGO, See 66910 kc - 7460DH		
4360DH....	66470	do	do	do	do	SHIWA, See 66910 kc - 4360DH		
7061DH....	67790	do	do	do	do	KAMABUSU, See 54630 kc - 7061DH		
7261DH....	do	do	do	do	do	TABASHINE, See 59020 kc - 7261DH		
8161DH....	do	do	do	do	do	SASAYAMA, See 59020 kc - 8161DH		
4360DH....	69110	do	do	do	do	SHIWA, See 66910 kc - 4360DH		
7061DH....	69550	do	do	do	do	KAMABUSU, See 54630 kc - 7061DH		

FIFTH AMENDMENT TO TABLE LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

ADDITIONS

SCAP FREQ. NO.	FREQUENCY	CALL SIGN	MISSION POWER (kW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
7261DH	69550	None	A4-0.01-FX	Domestic	None	TAJASHIMI, See 59020 kc - 7261DH		
8161DH	do	do	do	do	do	SASAYAMA, See 59020 kc - 8161DH		
3360S	750,000	do	A4-0.01-S	NOG Ex- perimental	Auth. Expires 1 Apr 47	YOKU, See 57700 kc - 3360DH		

DELETIONS

2431F	1640	JOF	A3-0.1-FC	Fishery	None	YAIZU, See 500 kc - 2431F		
3330F	do	JOU	do	do	do	KASUMI, See 500 kc - 3330F		
3630F	do	JZX	do	do	do	TANABE, See 500 kc - 3630F		
4430F	do	JZT	do	do	do	SHIMONOSEKI, See 500 kc - 4430F		
5330F	do	JOM	do	do	do	SUZAKI, See 500 kc - 5330F		
6031F	do	JKQ	do	do	do	FUKUOKA, See 500 kc - 6031F		
6330F	do	JOY	do	do	do	ABURATSU, See 500 kc - 6330F		
6430F	do	JON	do	do	do	NAKURAZAKI, See 500 kc - 6430F		
7220F	do	JOJ	do	do	do	KANAJI, See 500 kc - 7220F		
7420F	do	JOV	do	do	do	ISHINOMAKI, See 500 kc - 7420F		
8045F	do	JZW	do	do	do	YOICHI, See 500 kc - 8045F		
8046F	do	JOK	do	do	do	WAKKANAI, See 500 kc - 8046F		
None	do		A3-0.1-MN	do	do	For assignment to fishery ships		
1415F	1650	JOO	A3-0.5-FC	do	do	NAKAMINATO, See 500 kc - 1415F		
1520F	do	JPW	do	do	do	KATSUURA, See 500 kc - 1520F		
1910F	do	JOW	do	do	do	MISAKI, See 500 kc - 1910F		
2030F	do	JOP	do	do	do	ANAMACHI, See 500 kc - 2030F		
2430F	do	JOE	do	do	do	OMAZAKI, See 500 kc - 2430F		
2431F	do	JOF	do	do	do	YAIZU, See 500 kc - 2431F		
2432F	do	JOG	do	do	do	SHIZUOKA, See 500 kc - 2432F		
2530F	do	JOX	do	do	do	HAMAJIMA, See 500 kc - 2530F		
3330F	do	JOU	do	do	do	KASUMI, See 500 kc - 3330F		
3630F	do	JZX	do	do	do	TANABE, See 500 kc - 3630F		

FIFTH AMENDMENT TO MASTER LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

DELETIONS

SCAP REQ. NO.	FREQUENCY	CALL SIGN	EMISSION POWER (KW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
4430F	1650	JZT	A3-0.5-FC	Fishery	None	SHIMONOSEKI, See 500 kc - 4430F		
5330F	do	JOM	do	do	do	SUZAKI, See 500 kc - 5330F		
5331F	do	JOZ	do	do	do	MUROTO, See 500 kc - 5331F		
6031F	do	JKQ	do	do	do	FUKUOKA, See 500 kc - 6031F		
6330F	do	JOY	do	do	do	ABURATSU, See 500 kc - 6330F		
6430F	do	JON	do	do	do	MAHURAZAKI, See 500 kc - 6430F		
6630F	do	JPZ	do	do	do	MAGASAKI, See 500 kc - 6630F		
7025F	do	JOL	do	do	do	HACHINOHE, See 500 kc - 7025F		
7220F	do	JCJ	do	do	do	KAWAISHI, See 500 kc - 7220F		
7420F	do	JOV	do	do	do	ISHINOMAKI, See 500 kc - 7420F		
7421F	do	JPV	do	do	do	KESPINUMA, See 500 kc - 7421F		
7520F	do	JOH	do	do	do	FUKUSHIMA, See 500 kc - 7520F		
8045F	do	JZW	do	do	do	YOICHI, See 500 kc - 8045F		
8046F	do	JOK	do	do	do	WAKKANAI, See 500 kc - 8046F		
8047F	do	JOI	do	do	do	KUSHIRO, See 500 kc - 8047F		
1501S	9260	JJC-3	A1-1.5-S	Marine BC	L3, L1 Tokyo	KENIGAWA, See 39 kc - 1501S		
1510C	12460	JCW	A1-2.5-FC	Coastal	Auth. Expires 30 Apr 47	CHOSHI, See 132 kc - 1510C		
6615C	do	JMX	do	do	do	MAZAKI, See 139 kc - 6615C		
17S001	do	JWPM	A1-0.5-MN	Marine Whaling Fleet Exped.	do	HASHIDATE-Maru, Tokyo		
17S002	do	JOSJ	do	do	do	HISSHIN-Maru, Tokyo		
17S003	do	JJAA	do	do	do	SEKI-Maru, Tokyo		
17S004	do	JWCN	do	do	do	SHI-Maru, #3 Tokyo		
17S005	do	JJBA	do	do	do	SPKI-Maru, #5 Tokyo		
17S006	do	JOVN	do	do	do	TABOTSU-Maru, Tokyo		
17S007	do	JJXJ	do	do	do	TENYO-Maru, Tokyo		
17S008	do	JQJB	do	do	do	SANDIEGO-Maru, Shimonoseki		
34S001	do	JUPR	do	do	do	KOYCO-Maru, Osaka		
34S002	do	JUNM	do	do	do	SHONAN-Maru, #8 Osaka		
34S003	do	JMPM	do	do	do	SHONAN-Maru #11, Osaka		

FIFTH AMENDMENT TO MASTER LIST OF FREQUENCIES ASSIGNED FOR USE BY THE JAPANESE GOVERNMENT

DELETIONS

SCAP RFG. NO.	FREQUENCY	CALL SIGN	EMISSION POWER (KW) CLASS	TYPE	NOTES LIMITATIONS	STATION NAME AND LOCATION	LATITUDE	LONGITUDE
34S004	12460	JWBL	A1-0.5-MN	Marine Whaling	Auth. Expires Fleet Exped. 30 Apr 47	TAKUNAN-Mar#2, Osaka		
34S005	do	JWHL	do	do	do	TAKUNAN-Mar#3, Osaka		
34S006	do	JWLL	do	do	do	KAIUNAN-Mar#8, Osaka		
44S001	do	JJLA	do	do	do	FUMI-Mar#2, Shimonoseki		
44S003	do	JUBO	do	do	do	FUMI-Mar#5, Shimonoseki		
44S004	do	JFNC	do	do	do	BANSHU-Mar, Shimonoseki		
44S005	do	JZUQ	do	do	do	BANSHU-Mar, #32, Shimonoseki		
44S006	do	JJKU	do	do	do	BANSHU-Mar #35, Shimonoseki		
44S007	do	JWLU	do	do	do	BANSHU-Mar #36, Shimonoseki		
1501S	13890	JJC-4	A1-1.5-S	Marine BC	L3, L1-Tokyo	KEMIGAWA, See 39 kc - 1501S		
3433I	15140	JVW-3	A3-2.5-SB	International	None	KAWACHI, See 4930 kc - 3433 BR		

CHANGES

1740P	3685	JPC-2	A1-0.5-FX	Police	None	TOKYO-KHISHICHO <u>74-5-chome Aoyamaminami-</u> <u>machi, AYASAKA-ku, Tokyo-to</u>	35°34'N	139°43'E
3433I	9505	JVW-2	A3- <u>15</u> -SB	Internat'l	Auth. Pwr. output to be delivered equally between two antenna systems	KAWACHI, See 4930 kc - 3433 BR		
3433I	9560	JVW-4	A3- <u>7.5</u> -SB	do	None	KAWACHI, See 4930 kc - 3433 BR		
3433I	15225	JVW	A3- <u>15</u> -SB	do	Auth. Pwr. output to be delivered equally between two antenna systems	KAWACHI, See 4930 kc - 3433BR		