


FROM
THE LIBRARY
OF
SIR WILLIAM OSLER, BART.
OXFORD

7666 5



memoranda

4/9/82

- (1) Get specimens of Lake Sault
- (2) The list of papers on my desk
- (3) Telegraph to Adam Wright
- (4) See Mr. Gibson.
- (5) " " " "
- (6) Davan ~~Wright~~

Just S.H.C.

Expenses - C.M.A

Cd	-	50	5-	0
Ticket	-		13	5-0
Palmer	-		1	5-0
Dinner	-			75

Journal - of the Royal Mc Sault
+ Mr. McKay
Walker - Fungi.

Wren }
English } dead
See W. }
Dr. Mc Mullar

Prepar. of Gel. elev.

- (1) $\frac{1}{2}$ lb. of beef - beef, 12 hours in water $\frac{1}{2}$ litre on ice.
- (2) Press out
- (3) Gelatine 5% - 6% = 30 grammes
in winter 5% - summer 6 or 7
Get quality for use in cooking
- (4) 1% Peptone 5 grammes -
- (5) $\frac{1}{2}$ % Salt 2 $\frac{1}{2}$ grammes
- all in a flask -
- 6 Neutralize - - -
order carb. soda used to neut. so -
12 drops - - - sometimes need more
- (7) $\frac{1}{2}$ in steam bath.
- (8) Filtered - hot - - - open 2 -
9. Test tubes 150°C in hot air chamber.
10. Test tubes filled. Oblique
- (11) Placed in steam bath. $\frac{1}{2}$ a hour each
day for six days - at 100°C

In account with Canadian Government

Sept	11th Ticket - in P.	25.85
	Palmer	5.00
	Cab -	.50
	Cab	.50
	Acced. busur	2.50
	Meals in route	2.00
	Palmer Post	.50
	Telegram to D. McLeod	.25
Wed.	Trap to Luan	
Thurs.	Trap in m	
Saturday	Trap in aft	
Sunday	Trap in afternoon	
Monday	morning	
Tuesday	even	
Wednesday	Total	16.50
	Telegram	2.50
	Gas station & to M	4.50
	To bank East Victoria	10.50
	Dinner at M, Luan	1.00
	Palmer & Munk	5.00
	meals in route	2.50
	Palmer Post	.50
	Cab	.50
	Palmer	2.50
		<u>76.50</u>

|||||

To lendings - \$100.00

I left on
 (12) Not under + I believe
 (13) Steam
 (14) Transport

281

Memoranda in respect

Mr & Mrs Dawson. invl.

what about the Hamath - ?

W. McLaren - Box 2073 -

- Conversazione - Music & Singing

+ Hotels - reduced - rates +

✓ - Mr & Mrs Field -

D. Walker & Long ✓

J. Lapham Smith ✓

Maj & D. Atoms ✓

Chadwick - 1st time ✓

Placard

- Wm Robb - city auditor ✓

100
00

Band - what one at dinner

Flowers - - Bain -

Can we furnish own wine


Get list of wine prices -

• Bottled ale •

claret

cherry -

Mr Baynes & Mrs Hasle
been asked to the dinner.



Plan

Write request about Art Gallery

Miss Budge Cops Thomas ✓

Miss Stewart

7. McCullh. Jr. ✓

Mr. McCullh. Mrs. McCullh.

A. Mansum

Pres. Phas. Ars. Pw. Dr.

Young Stralby ✓

Mrs. Skater - write.


Representative of Farmers

Robt. Shepherd

W. C. McDonald ask L. driver

as debator - N.

Guy Paterson



wants

Medical Chronicle

Vol IV. nos 8 & 11

Halls Journal. 1st ser

Vol I. all except no 7 & index

III .. nos 1, 2, 3, 4, 6, 7, 8.

IV. all except 2, 9, 10, 11, 12

V. nos 4 & 5

VII *3 ~~9, 10, 11, 12~~

Halls Journal 2nd series

Vol II. no. 11

Montreal Med. Gazette

nos. 9 & 10

, & Abelle Medical

Vol I. nos 6 & 7 10

Vol III ~~6, 9, & 10~~

IV. all after January.

L'Union Medicale

Vol III nos 7 & 8

" 4 " 9, 10, 11, & 12

& all after.

Canada Medical Journal

all

Canada Lancet. (Bourman's)
1863 - 64

Vol I all except no 3

Vol II all except May, June, July
& August. nos 15, 16, 17, 18, 19 & 22

Canada Medical Journal
Fenn & Campbell

Vol I nos 1, 4, 9, 10, 11

Vol II no 10

Vol III no 5

rest complete

Upper Canada Med Journal.

vol II. Aug. Sept. October. 1852

" III Nov. 1853

Canada Lancet
(Univ. Med Journal)

~~Vol I. nos 3 & 4~~

" " 8 & 9 10, 11 & 12

Vol III ~~all~~ 1 & 2

~~Vol IV. all~~

Canadian Journal

Vol I to 11
all after 1867 Complete

Canadian Naturalist

New Series

Vol I
" II
" III
" ~~IV~~
" ~~V~~
" ~~VI~~ no 6

La Naturaliste Canadienne

Vol I nos 1 & 2

III no 2

IV " 6

V " 10

VI " 3

VIII no 4, 8, 11, 12

all after vol VI

all up to end of 82

Complete

Med Bull of 1845 in No 2 of
B. a. M. J.

Dr Scott

April & May 1845 his last
reports in B.A.M.J.

Med Chronicle Vol 1 - Cases of Trachoma

July 1856. notice of his app^l & chairs of anat
in the Coll Coll - succeeding Dr Bourne who
had resigned

Phonon 19 Dec. 1902

To Love her was a liberal education? was it. I think
yes. when.

Learn reflexion

(1) at mt of hand

(2) at jaw. trill will

(1) ant. lobes - allent / character w
may cause, irritat. & shrink rest
reflex - irritat. restles. muscular
when hand removed handles
- kind - movement not reflex
and not reflex. but rough, also imp
dell. - stump - do not find the shape
into the light - a great general dullness
a weakness of the whole
Perhaps the good nature of the dogs in the
can depend on it.

The bad one - w. of saddle - a bad one -
by the hinder. brain removed - no change
a really good dog -

Cases in blen has say. a number of
cases by men with frontal. lobes. but
an umbilical - In day die with a man. a
stump. body. also, who down the nose.

Quintant.

62 cases from Stal Hospital
- 9. not useful -

53. (1) motor gen. II not not

111 not not 139 - 39-

25 not paralyzed - all in own
motion - 14, with partly - here
with neherentibus -

9.

Brentthal Pathology the main ^{the}
- great of number reaches open
aphasia a decline of memory -

Wothmeyer - clinic standpoint
not only - we have seen - 30 ft part
in dim - when is the description
- between the phy & path - 90% does
this - - - - - when is a man
lesion the surf of the brain, - but
so wide - we have a lesion - multi
span long - diff between men
& animal - levels less not -
diff for arm & man - diff in
organism - a hemiplegia has not been
seen in dog or rabbit -
diff between arm & leg - in human paral
- The long leg in man nearest seen to
the dog -

9. My - rel. of Phy & Path -

Great tendency to form of embolism & the spleen here is an example - more abundant than normal s. can be distributed given normal (i.e.) don't red haemorrhage of spleen prominent
 (3) (Poor old man got off in the spleen of a very case - Gravity - pulled him up & he -) fibrin in the small & large intestine, small haemorrhagic infarcts

Case 4 Endocarditis valvulae of slight extent - but ext. embolic processes are present. Spleen & Kidneys - Heart very small part in the mitralis - mild



Scaraf think that so much could be carried to so small

Pharynx &c. as if a diphtheria had been present.

5. Pernicious anaemia
 fatty heart - exquisite - Ferrous the red marrow - Dist. anaemia of the other organs.

(6) Leber Syphilis

(7) Ulcerus of the partum in liver long & small - fatty.

(8) Ulcer of Esophagus & Larynx in Phthisis

(9) Phthisis

Wellplut Alaxia - cont / 17/5/84

Adelate glaxie - app. Patent common held out a hump. but movement occur - usually in a later stage -

Adult parasite often does not come in - may in others a purere & finally - paralyse

Reflex, may be increased, as in the case in which the sens was retarded, then was a short time of the mus. when the skin was smrt.

Tendon, reflex - not refl - T by my sci nervous in the tendon - stimulated

to then reflex to the muscles. 2 direct cross of the muscle & a direct stim of the same - not reflex - mechanical -

Line rel. of the with weak stimulation - The sparring of the tendon - Fat below & c. . . when felt. It is an ungratib unlesent ungru. may be of a cirruscript place -

By no me full of ans tabs. does the symptom. part. & the tendon is soft - mus. also are also soft - like canchone - the linn fault in many case - a very early symptom, long before the alax develops -

Reflex also in the adult phase -


- Pallen Phren - Pallellan Phren & what W. purfers

An exampl^{early} of cerebral nerves - in general cent - app - Headache - a case of 12 tablets in early stage - In add - psychom. disturbance - hopeful - (not labeled as Tabetic)

hypoph - a stage would lead to Mania & c or general paralysis. Enceph. central - eye mus. - Cont. to the other then of the legs & a total paralysis. Double vision comes & goes sev. fol. self. - Pupil. reflex be weak

or - may treat: or myosis - very fund. then occupy sp - weakness of the visseri. excentr


which have a scrublance of adherence
 - diff. below thrombi in heart & vessels -
 often a stem or pedicle in the round thrombi
 often deep in the substance may have
 communication with each other



a rich system of trabeculae carneae - & the
 depression between them are deep & in there the
 thrombi develop. These heart thrombi originate
 in the recesses. Gradually softening
 & get dry. May soften, in the oldest
 part - the inner strata are the most
 open part. gradually a soft material is
 formed. solid. mostly is purulent body sub
 part thought to be "cyte purulente" & pus
 was thought to be lying there. The blood in pus
 had been changed. But it is not pus early
 thrombus - albuminous.

In this case a Myocarditis - probably - the
 older case - Partial heart aneurism - a char
 acter. of Myocarditis is the usual cause
 also a Myocarditis. Proliferation
 changes in the muscle. Early - long paralytic
 symptoms with. Here in this case a similar
 condition present. In addition
 a myoaposthematosis - rare circum.
 condition in the heart very rare - Purulent
 myocarditis in
 patches.

dent
 see them
 in years
 valves not
 changed -
 no endocard




Virus is introduced into the field of vision. Colour vision red yellow blue - in order disappears. Long slow progress occ. very schnell.


Ophth. & disease of the papilla & optic nerve. ever in. or blue white as a full moon. not a remnant a patch of grey - Out of seen over of the 5th - a month - very anesthetic - a by itself may proceed. Also a conjunctive disease - in the 5th - in the morning - much all go in diff. dir. when the patient speaks. a sort of incoordination in the muscles of the face - an anesthetic of the 5th is usually present. If other nerves of brain are affected as gastro-intestinal crasis, pain in abd., vomiting. Some diarrhoea & cholera - mucus & bile - not necess. food. by last 2-3 days. - Sometimes in beginning of the disease - I must believe for gastric disease. Great prostration. Attacks of asthma - coughing often; deep short inspiration while almost asleep. There is gastro-intestinal crasis - a dose of 120 - a dose of 120 of vagus. At night at times, no vomiting. Excess, sec of saliva at times. All of the same at times. But a trophic - joint affect - very considerable. not any specific proof but perhaps accord - with the case however it is peculiar - a enlargement of the - : Swelling of joint & fluid - in the joints in a few weeks - The other cases - Knap & Knap - Ophth. a free drooper & conjunctive. Coloured conjunctive web - abnorm. deviation & inflammation. Cart. def. a great one. Small joint the least affected.

(11) Surge. Empyema - part of lung.
 28/5/14 Kochovs.
 Phlegmonous subcutaneous

I




incent, red. Interstitial tissue of the pounce is chiefly affected. Fat cells purulent. They are ground when fat is set free. Schwannian bodies when the process migrates. Lymph. vessels. acute adenitis at part. swelling. Small cells appear in the interst. of the tissue round ulcers.



deep infoldings between


the surface of the brain deep red colour - look like haemorrhage as if from contusion. Partly imbibition phenomenon - cadaverous.


II Casus rarissimus - heart affected. brown, starchy and amyloid. verandering (a) color. thrombus found in left ventricle. T. parietalis vent. sinistra - localized in constant in the inner part of vent. in apex - They appear like 2 forms, viz with round head shaped projections, pea-like bodies - a second, larger, large bodies with irregular form, attached to the wall, - irregular heart polyp - sometimes so large - not resemble common clot. (1/2 m) Ad. & non adhaer. clots - not a sig. of P.M. & acute mitral cong. in the heart. The crucial between the col. cav. prod. clots




5. Gastrointestinal. "the stomach near at pyloric
 small div. red softens & m. membrane.
 the rest rest of skin no more muc. line.
 the matted sub-mucosa, The trans - is co
 general, scars of hunt? that such a condition
 was present.
 In this case a brown atrophy - by. only - & -
 parasymphysal septa

16) Pyaemia, skin of lower Ext. blackish
 parts - gran. etc. - ulcers.



on uterus with a 
 mullous - or flat fatty p.

crary. chronic. oophoritis.
 tubercle head in lung - prominent pleuritis.



Lung -


17) Fall - Fall lines & - cases of W.

18) Gallenit. mass in lung. in the. after fibrin

19) Phthisis

10) Very fall - P. verrucosa

"12, 13, 14. Extra atrophy of the Kidney & curv by of the
 the case of Lupa. Lung



The case today - stones were present - galli -
 a pe. in the pleura of the right lung - a haemorrhagic
 spot smaller - on costal pleura. minor lobe
 of the pleura thickened & red - blood rich -
 Pannus pleurae - a section shows the bending
 part at this spot - an infarction

Also a remarkable change in the follicles of
 the testis - which present an infectious
 character, swelling of the mesenteric glands. Spleen
 also enlarged.

Scheerer's organ



- Typhlus infantum?
 - child of 9 weeks old.

3) Case of:


Left K. greater than normal - hypertrophy compensating
 a kidneys atrophy - more probably - than true hypertrophy
 level of the soft double above - duplication of the
 water

may be
 two or
 one kidney

But renal
 calculus a
 of the canal
 pyelitis. may


but may - more chronic - fibrous process
 may set up & very little work can be carried.
 Here there is excretory granular atrophy - leading
 to the ptosis when the stone have been. - the result
 whose calyces contain - renal atrophy of the
 organ.

Very hypertrophy - tubular - no real affection. look into
 the condition of the cavity



Right Kid. small - atrophic
 a kind of mark or relation
 between the two kidneys
 that before the birth the condi-
 tion being new born defect in the
 a fatal disease of the one organ
 in the small one - Nephritis
 - first involves the wall
 of them in the papilla. depth
 of the papilla be present - very extreme
 a more chronic - fibrous process
 may set up & very little work can be carried.





(2) case Rickets - - reversy changes - - Thors
 Valvinitis. normal & may be - - 3rd
 R. anal. to many other diseases. an osteomata
 ext. reg. preferably affected. From below found
 similar in intensity - accord. Murchison's
 but depends on other condition. as walking &

Disease of the growing bones -
 Thors - grows mostly in ant. cava for the
 rib cartilage. at the zone where grow.

There part - point - denation - for the
 norm. (2) beding in direction
 that the ribs - each answer. the
 cart. - each in - first obs. in both hand
 made - called a - Murchison's - Cms of

Cart. of gray part of cartilage -
 cart. or of bone - but not time to
 usually in process of ossification.


The gray cart. - less solid than that of
 of which it has originated. The bending is the result of -
 in extreme - draughts - but in ribs at end.

In case of the draught not inf. a bending. an
 essent. change in the tissue & R. always thought
 a process, when the bone became soft. - Comp. sub
 not changed but soft subst. but what happens
 an infarction - i.e. like the part together
 to one side of the randschichte. It is the rubein
 die R. - bending, in the hauptursache



same may be in ribs
 several angles

hands there infarct come? grows in in a
 defect time forth of the reg. of the matter
 of the bone. The bone grow in length & in breadth
 in period. The absorb. of the small holes. grow on
 without the add. of the periodical layer. (1) a
 round in the peris. (2) a center. & a thinning
 of the randschicht - Inf. - round. latter plan



C. J. W. Williams. In T + G. 1872. case fatal
pus. print daily for ev day.


Dr Peacock L. 1873. 1 269. case of a woman
at 33. ill two months.

Dray perforate the lung early - & in a small
coll of

In large collection pneumothorax more apt to
develop.

Endocarditis - maligna -
Embolic of the spirian artery. - Septe

(4) Fall of ulcer ventriculi chorion robust
uncum. Still near under the cardiac, in plane
curvature. Haemorrhage - organ anemic
Knochenmark not much change. not the
common yellow but glaucous mark.

^v in  - exostosis supra cartilaginea

Fatty heart. Lung - an abscess

(5) Haemorrhage = Eruption - man dead -
Cause of the bleeding. Organ of the
throat swollen -

Knochenmark - yellow mark changed -
almost like osteomyelitis. Spent aneurysm
& fatty -

6. 3 d on ab Klutung - prograde -
actin Klutung - in the deepest layer &
suppuration. Aneurysm of the abta arch -
passed by the 1st trachea ruptured


7. Chn Endocarditis

(8).

2 2 -

Kugel - bullet

T Suicide - self murder - shot
in shot - mid of breast. skin 4 mt. empans
Erg. web de harte offener, gray breast &
is gross. (16 yrs old)
+ spine - the bullet ^{traced} in the body of vert. narrow
opening - (1) Zwickel legendenbrake - Heart.
seen being in the aorta in front
of the ...




for albumen - Leucin auch. These
 bodies in the liver are things to be seen in
 them is the name. The Leucin can be un-
 est. with water current, drop on a clock glass
 the gradually creep - & then deuen, but
 not as needle when droplet. ○○○○○○
 which must be desing for fluid part of gang
 with part. Fat. represent the light string, a
 string shatter in the circumference.
 may be even conf. with amyloid. Not so
 ab as the liver the predilection organ
 Pancreas, spleen, cetera. Leber häufig
 Puerpera. most often - bei them is the liver
 rel. feel mehr erkranz - that we would
 expect. - The liver sehr est. in the
 pregnancy. Parter erkranz - or.
 Seder. yell atroph. Parench. hepatitis
 swelling of the cells - after death the tyro
 is very common. In yell atroph, the thick
 the center. Par hep can be e or c with
 est. by no cetera. tyrosin is common
 of other apparatus. a great spleen - also
 Tyrosin - Neuen - old custom & new
 Parench.

Harnstein - in the lutes.

Endocard verrucosa by
 development -
 months of pregnancy.
 point of the depar
 Vagina - coccyx
 No induration no.
 the right ovaria
 plethoronic.

probably - we talk
 whereas here the
 here. The uterus?
 longitudinal - very common
 septate - very doubtful point
 in - large. of pague, a
 more probable than the infect
 apper; have been in connection with the



In the first division - the stones its abundance of diff. any thickness.
 We can see in one when small corner by the testes - we have in testes a definite bond-gewebe. A heterozygous building - as with epith. crustat. in the testes. Two sorts heterol. & the homology where epidermis is. as melan & grayed belt. I should have said that in which the downward eye is often absent, but not in the testes. besides defect of the sort, other develop into a true pest. but mixed with other. Knorpel stucken - T. non mixtus - differ type of development - not meaning a connection - but a mixture the indiv. part to diff. categories, belong.

Taprobana ^{on the doves} - small punctum anther very small. - gray - brown - 1. dark both over - flach & schmalblache.



Even heat concretum. Microscop - crystalline small fine needle shaped crystals, differ only in length for each other may be conf. with bacteria. = + < > < > < > These

large are dent like an. To be disting. by margin crystal - each abundant - may in human fat on the overflade of the cell capsule. These were also tho. to be the part of the body. But diff. are - pot. cryst. dissolved at high temp. Crystals when warm disappear. Solubility of the tyrosin, any fluid almost, water, parts of warm alk. acids, & alcohol. From this has been called salt. It is des

words

Gargantua?

Briareus.

Clarissa Harlowe, her death -

Diphloëcus subcavalis Deering

May -



May 17th.

(1) Pneumonia, (Purpura) (simple)

(2) Cancer. Perleorgans - consist of a row of concentric layers like a ring set - Can be isolated - ~~but~~ but all other forms of cancer.




Johannes Mueller has prepared cholesterin - of Stearins for the solidification of myring. the cholesterin a crust. com- stituent. This one is an illustration, but in older ones very common. The part observed in over the color - pearl - ardy. The con- layer are evidenced regular all - in color.



In the way, at the periphery.

rete malpighii a fine net of the skin comes one heart as we also get in may be very evident that the rete malp. is larger are gularly - always local - it is a pear shaped just on the diff from the skin diff from the epithelium. Other pearls p. located on the face - just such. Fre. another Nagelbecken by - that in the 1.





3) . Syllh - Lar. diph - some in pharynx
and eardrums -

4. drums with Branch - paren

Suggestions. 1883-84

Inreg. fee. from \$4 - to \$5 } covered
Grad. " " 20 to 30. }
84-85

Library Recipient student.
3rd year. Phy. Diagnosis
Surg. Diagnosis - ?
Range of Therapeutics & Surgery

Notice of us more 3 years more -

- (1) detailed calendar in front of ann. with
dates of all meetings of interest to students
- (2) list of benefactors

10 Feb.

- 1 Hours of attendance at Dispensary &
no. of patients annually treated
 - (2) Med. Jurist slip
 - (3) Hygiene
 - 4 Under attendance at Univ. Dispensary
(1) Eye.
(2) Child.
(3) Diseases of skin.
- Dr. James Douglas address.

Kidney affected also - a deep granular
the surface of the endo. also - not a paronychia
reph. Spleen large also with usual

VI. A more chronic endocard. fibrosis
7th co. mit., - vent. & , in the form of

VII. Much em full p. ends - prostatic - febrile
second. but a pericarditic chronic &
remains

VIII. Also endocarditis, by a dil. of H. heart
with end ch. mitral & aortic, & tricuspid
a four valves - in the part aortic.
Heart is not enlarged - ch. network.

IX. a double Pneumonia - - deviate of
the usual form - On one side discrete heads

May 9th. 7. 40

1) Carcinoma - organ abundant -
macroscopic appearance - macroscopic - cell nigh -
C. histology - for an organ the appearance of the word.
Carcinoid - no mit. sign - but an appearance like -
from Galy. tissue - (being called on this)

A dermoid opening - can give impression -

(1) Car. uteri - origin not known. The uterus
and the still seem grossly - begins at cervix -
commonly in lip - is a junction organ over
goes over into the cervix - can come from
goes to the sup. uterine - here make halt, no water
no ground why - sometimes does.

(2) Car. ventriculi, more complicated.


Mr W S
T I T

III Large liver Is it by peritrophy? 2 lines
 quickly arose - ac. by peritrophy - & often appears
 are present. A form of acute enceph - psychomotor
 - & a nephritis pass - Leber in bemerkenswert
 from the eye - Puerperal grüsternd disposition
 to this state - more often, & the sympt of this
 the peral relaxation of the organ, very little
 resistance the finger, with the enlarge a
 tol. deep nothing. Kidneys -
 Heart - a - uterus a thumb walnut
 eye in under wall & rest of the placenta



Placental polyp - a remnant
 of placenta - a poly - sanguine
 - blood polyp or hematoma -
 Tends to hemorrhage - & decays: not
 a trace of deep process - or affect of the geras
 after

IV Perforat of Ulcus duoden. - See a
 as Per. mag. gastroch. -




small infarct of the colled, lobes

V. Mord and - Melchior's endoc. & anten-
 & mitat - and a little - the right - the brain
 in - chord & tend.

Structure more a
 regular structure, more a thrombus formation






Walls of this abscess form of a thick layer of fatty
metamorph. tissue - deep yellow bed above

Os penis in old woman - on long bone - what
used felt is, here the cut is with red mark
cut at under end a yellow - at one place
the redness is stronger in the inner end of
the medulla & in the middle of it a little
abscess - an accidental carcinoma -
(Murmured the fact that they could not see
other bad also are present in the body)
(Kleinsche Bild. fehlt ganz)

Suppurative disease of

abscess in the shoulder - a rarity
Nerven - wh. give secondary growth. 1st growth
in Nerven - wh. auf eine alte Wunde - Neph
Gruppe. fibr. Chr. yellow spots - also in
in tuber in wh. sehr Klein Nerven - also in
brain - a few of malignant Nat. also Bildung
a schlechtes Mischung of Saefle:

II a Head of a person wh. ulcer of the face
had, wh. inf. appe. like lupus - pres-
ence - Ext. dest. of eye - nose & face -
of interest, not lupus but cancer -
Flat - can skin tumor. In med. age -
then age of can. we think of tumor form
of - in middle age a carcinoma - rodent
(Chance cancer the same derivation). Here
in this no tumor no swelling all ulcer -
cut at the border small swelling which
make a diagnosis possible - No melanin
pigment in view - quite local
Is it a true cancer? or carcinoma? a few of Krebs
at a wider form




P. thomsoni
Virchow's dear curvatus
schubler

3/5/84

Method - chief fresh prep. day & week - not only for practice - Def. tel & dog - is that here to control of ourselves in the out-stale & doubt of necer. Clin. tel met

T. actinomycosis. new. essen. clear
we not. First observation of this in D. S. 1891
76, V. says upper jaw - of cattle (moss) in a lesion
(3). Often suppuration (in cattle not in lower jaw)

Multiply many abscesses - the corrupt - by a
10 year ago. Abscess profound. in the case
(D. S. 76) of a north col. chalk. Poly crypt
is in the skin - cates - actives. Nodes are
beneath  - also idery & abscess
into the skin diff. per. post. - in this. wh.
is a local & super. dermatit. wh. do not for
an abscess.

An am. condition here which not kept other
is here in the an. infect. affect. ulcerate of
the bowel. They have an haemorrhagic chamber
Vacc. of sub. come in. wh. small round
expans. form & then last something like the
soft-sarvic. a red - ending - Embolic process
by like - a seam change, similar & abd. typhus
in Ty. sloughs - very little - it in this case for
colon - like a d. avin diphtheric - in x. dem.
also. Not so the diph. here in the course
of the act. - Deeper affection, a suppurated
the the stemm - here it has the char. of
an old abscess. old term - as a cold abs-
at. pyogenic. Had before the pericardium etc

Prof V. had maintained that the danger
from am. Pott was less than that of Native
The World. all. Zeit. - May 15 or 16. has a strong article
on the subject. "The figures show that in the last
year from 1878-83 in Hamburg 335,820 mives
of am. smoke were made, including under grass
in this period 3470 were found to contain. In
the same time 304,725 mives of European smoke
of which only 8 were found to contain. That is to say
the am. are found 1.033% to be in the current
0.002. The danger from am. potter is 567
as great as by European. So says Herr
V. und nachweist dass entweder am. Ind
wird doch nicht sein oder dass es immer arbei
in Inden etc. eine am. die durch Potteln
der Rauchen stirbt und eine solche die
denn immer verdeckt. so lange wird man
sich offener Augen haben will Zweifelhaft
bleiben das am. schwerfl. eine recht hand
fuch grossen Indenergrah anheft als
deutlich (see Post. 17/5/64)

Pennine.

Jungius

Struvel

Friedländer

Gerhardt


Kuhle

Wolfgang (at what)

Ryzenhal (Wienburg) .2 or 3 galle

Baender

Edliffel Kiel



one lobe overlapped the other
- showed three other specimens of *Cercaria guttosa*
Crede - spleen extirpated - 2 1/2 years before.


Child had great cyst of spleen
since 2 yrs well & fit as budder being
a grade quite well
opening spoke of a car 7 years ago
in which the spleen was extirpated, severe
nervous appearance, head

Ha then - hem. of spleen

34 prisms. for 10 yrs. seen in lab
Sarcoma of the spleen
stump of side with a little more in
with 100 cells no microcytes - no
des of bone Thymus & lymph glands
1st case of spleen of a neoplasm

Crede - of 4 small all in case.
one of ink on each.

^{now that} The Trachina question
After the ~~death~~ ^{death} of Cursony with which this
subject has been enveloped, has somewhat
settled ^{can} we perhaps in a class or case
cut of a more case to glimpse of the truth
The points ~~which are of interest~~ ^{are} ~~which refer~~
arising on (1st) the relative percentage of
T. in Germ & Am. part. (2) The actual an-
of cases of disease - ⁱⁿ ~~in~~ ^{the} ~~the~~ ^{ing} ~~ing~~ ^{of} ~~of~~ ^{am} ~~am~~
part. & 3rd do the latter & ^{as} ~~as~~ ^{con} ~~con ⁱⁿ ~~in~~ ^{the} ~~the
deply the worms. 4th What means can
be taken to render ~~them~~ ^{them} products as ~~smaller~~
as possible.~~~~



Open incision to subclavian, show a dorsal
process of 5th & the left side. also was a
forward proc. trans. which could be felt thin
on phan. & of the body quite plainly to the right.
Clear that here the base of 5th C. vert. to the left
on 3d with a snap which could be felt the last
went. Swallowing all right next day.

Diagn. place of the neck. a handle not easy
the direction. which direct not with that the vertebra
base back. scarcely to be drag. Red line at
diff. front in spite of the line of the vert. the
same side.


Not able to find the base on the dead body - G. Meberg
of Kopp. with the body the upper part of the neck with
an assistant.

Rusler No trace of odontoid process
18 yr old man. In March 1891
no other changes, paralysis, & stupor. Sensory
weak speech, no breath, began to die. Face
pale, reflexes weak, severe weakness. Answer
then up, all on limbs. C. vert. behind for
mid the O. 2 pr of C. vert. projected, none in
pharynx. Oct. 10 1891, rapid belly 5 weeks
ago could be lifted up. speech better. After half a
year.

Rusler new method open on the front

Franklin on remnants of help report -

Grade 22. scale - 2/3 total 1/3 -
22. 1 dead. on a remnants of the
21 are diff. forms. man 15 or 16 2 1/2 yrs ago
operated, saw 4 years swelling, election,
asphyxial. Part of right cord. Took scale
under. Gule curvular and the gullet



Bedde

(1) Took out after abscess & their
replantation. Lasted 3 yrs. & very
quite absorbed.

2. Knee calveum apparatus

(3) Wagner. Distal of cerv. vertebrae.
can diff.

(1) 157. Re sed. R. acc. Par of 6 legs. under
arms. but they were anæsthetic. Kopf. Kanten
beut. no act mo. Small and different
next day, anæth further. in arm & trunk
and chlr. excise. no spe parts. in night
T. rose. P. em. not after 4 good day word
of dist of m. out of mass & cerv. was
dislocated. Back bent. Head bent
in angles cases in Hamulth. Leg ant
ant. spines, when it


2. fall 19. girl. The fr. a high ff.
paraly. 14 days after em. Head bent. No
mov. of cerv. vert. spaving forward. Ex. in
mar. roll in. Crept in 6th leg. vert.
Org. of fracture. Improves. In ant. Prop
showed. hand. backwards.

(3) Mountain man - beaded.

(4) Why position. bent to right. . . boy fell on his head
parous of left arm. part of legs. Ex. left side
Mr. leure. right left. Why prog. of 3 ed hats worked
v. in phar. next day arms better. Patient exultable.

(5) Boy. . . on head. In his. only little bone of
left arm all the members paralyzed. Head
bent to the right, out. . . Note. find a narrows
in fully second bone of 5th Cerv. . . Org. of
5th Cerv. + the left. In fourth of head above

(6) Boy of a child. on his head. . . head in
odd bent. diff. of swallowing. par. in l arm
14 days after came to him. Head to left end



II

Novel Monday 5th 6 PM

new chants mellela
1 Tr.

Mendel. no 18 unat. 6.

Microscope in Medicine
1883

- 1 G. A. Graham +
- 2 Smythe, H.E. 2
- 3 Hatcher
- 4 Cook, S.E.
- 5 Addison 3 -
- 6 - Sharp.
- 7 Raymond & own m
- 8 Robbins
- 9 Wilson S.F. 4
- 10 Grant G.C.J. 5 +
- 11 Allen
- 12 Drey(?)
- 13 Clarke.
- 14 Ruttan
- 15 Tubley
- 16 Kulloch. - own mic.
- 17 McClure - own mic
- 18 Birmingham

54	McLean	4	+	-
	McCrain	3		-
	McKenzie	4		-
	McInerney	4		-
	McKay	4		-
19	kelson	4	+	-
40	Park	4		
41	Powell	2		-
42	Porteous	4		
43	Ross. L. D.	4		
44	Raymond	2		-
45	Renner	4	+	-
46	Roswell	4	+	-
47	Ruttan	4		
48	Sch			
49	Schmidt	2		-
50	Sharp	4	+	-
51	Shibley	3		-
52	Myrtle	4	+	-
53	Stephen G.C.	2		-
54	Trapnell	3		-
55	Schmidt W. C. J.	2		-
56	Wilson	4	+	-
57	Walker	4	+	-
58	Worthington	2		-
59	Lockster	4		-
60	White war	2		-
61	L. + Ross	2		
62	Jennie	-3		

1 Allen	3		-
2 Addison	4	- +	-
3 Barrett	4		-
4 Blackledge	2		-
5 Clarke	4	-	
6 Church	4	-	
7 Cook	4		-
8 Cunningham	4	-	-
9 Daly	4		-
10 Dakey	3		-
11 Doherty	4		-
12 Duncan	4		-
13 Elderhill	4		-
14 Elder	2		-
15 Hague	2		-
16 Ferguson	4	+	-
17 Fairbanks	4		
18 Gooding	4	+	-
19 Graham	4		
20 Graham	9 a	4 +	-
21 Grant	9 C J.	2	-
22 Grant	J. H. Y.	2	-
23 Hulchison	4	+	-
24 Hart	2		-
25 Herzfeld	2		-
26 Joliffe	4		-
27 Johnston	W. J.	4	-
28 Johnson	C. H.	4	-
29 Kelly	4	- +	-
30 Kinloch	4		-
31 Merritt	4		-
32 Meahan	4	- +	-
33 Mc Lellan	4		-
34 McClure	4	+	-

Clinical clerk

70 May 14th

Addison	11.		10 2
McClure	"		50 4
Rivell	"		50 6
Johnston Kelly	"		70 8
Ferguson	"		90 10
Keeton	"		110 12
Ramer	"		130 14
Graham	" 24. 0 4		15
Smythe	"		90 10
Gordiey	"		110 12
J. M. McKean	"		130 14
J. C. Sharp	"		150 16
Walker	"		170 18
Hutcheon	"	} ward 20021 -	
Wilson 07	"		

Extra - J. C. McKean - ward.
 J. C. McKean " 24. 70 5-

Quality of cerebral sp. fluid - when body up.
 When pieces - then see the size of the space.
 My the hinder part is divided - it of the sub-
 arach. space - - & behind we have the chief
 of the path given & there may have some of the
 with the amount of loose connective tissue
 in this part

10/5/84 Are the really systems? come through out.
 In 900s - the ends. from the post to with the the
 whole end & end. In Bardach the connection
 between diff heights of the cord.

Section I. Tabes dorsalis

Indiv. symptoms - Sensit. & motile.
Sensit. - parath - Pain - Disturb of sensation
 heat & cold extrins. varied. Painful dull, but quite
 retained. Touch - often insens. Temp. sensit. last
 to be described. Pain & Temp. go more together
 than the P. & touch. Showing of the sensation
 space between the ice - & the part of second - even
 with the Pain sensation. Touch is rapid but the
Painful is delayed on the touch so much. Often the
 painful stimulus remains. Us. in low ext. when in
 upper or ter. of ulnaris, the little finger
 a dist. in sensit. of muscle. Shows of time
 Test with elec. sometimes a strong stream will not
 give him a sensat. of pain. The ability to report
 & own mind the position of the legs &c.
 not for muscles alone but complex - skin
 folds &c. chiefly for that. Part of the joint are
 sensation. the insert. of the tendons. Does
 in Tabes. does not show when the hands are

References. Most addresses

Land med Gazette 1849; p 5-17

Detman - a. Most ad.

Jacobsd.

Addresses work in Libr

Froelcher's T. ad.

Saint Anthonis

Northeylen plan

Kassmann plan

Dominion survey 170

Ge. Arthur Grant field

Frederick 170

Sapin

Malabar gum

Aranta

Genham field

Another peculiar weight & estimate, also
attrib. to the muscle sense, after denervation
of the ^{1st} division - above 1/2 lb. became perfectly
well estimated. Estimation is a centrifugal
response, a def. wall impulse which is
sufficient to hold the weight. It is thus which
we feel.


Then are cases in which little or no disturbance
of the dorsal region also affected - late
on face sens. dist. - anast. to - conj. & cornea
even. Anesth. may be complete in some
limbs. Some with it a hyperalgesia - no
touch sens. but part may have a ext. element of
the painful sensation

Motion - walk fairly -
lift the leg by str. ant. of vasti - foot - Coordination
disturbance. The identity of the kind of alarm
- sense of error is ext. - not explicable

Balfour Memorial Fund.

Dr Oeler.	Pd \$	10 00
Prof Bovey	Pd.	5 00
Prof Stead.	Pd	10 00
J.S. MacLennan BA (count)	pd. for him.	5.00
Rev. F.L. Oeler MA (count)	pd	5 00
Dr H. McFinnick	pd	5 00
	included Martin	
Russell Fisher MA (count)	pd	5 00
Mr W. Mills	pd	2 00

DeBosny at 400 working. good linguist I knew
 eight languages. Murdered his wife in 1882. Executed in
 the state prison on 27th April 1883



Krause	40 cases	27 deaths	67.5% of 91st.
Lebert	27 ..	17	62% "
Ewald	46	26	56% "

author cases (39) 10 without interference.
 29 with 7 deaths = 24.13%

Of the 22 living 13 got perfectly well, 4 with pleural
 in good state in bad state 3, & 2 remained under
 treatment

Operation not without danger pyaemia has
 followed in several instances, collapse & in
 2 cases suppurative peritonitis. In both
 these the operation was low behind 8 & 9th
 space with resection of 9th = 10 ribs.

Long recurrence and death after 5th or 6th rib
 in axilla line

In old cases Hirsch (Arch f. Klin. Chir. 1881) in
 8 cases 3, 4 bis 9 months after empyema resection
 of several ribs 4 to 9. - Kaley in 2 cases, death
 in 3 - remaining fulfilled in 3.

Author uses a hook & cannula - of which the
 cannula is 6% cm long 1.3 cm thick & 0.8 cm
 thick. In 4th or 5th intercostal space. After
 24 hrs or so the cannula removed & strong
 rubber tubing substituted 8-10 cm long
 1 cm broad.

Result of my experience
 of 31 cases treated with resections only 4 recovered
 in axilla line. While 128 cases had
 costal arches resected, i.e. 19 in axilla line
Site of operation. Surgery as deep as possible.
 author recommended, ^{side} ~~side~~ below. In axilla
 line

When can the drain be removed.

[The page contains extremely faint, illegible handwriting, likely bleed-through from the reverse side of the paper. The text is mirrored and cannot be transcribed.]

healy, or perforation more favourable in them
than in adults - not thought to be proved.

Rogers says resorption of the once formed pus never
takes place - all die of septal abscess. Gerhardt
thinks that my small exudate very low: - Perforation
he thinks is most unfavourable. Baginsky gives two
cases of healing of perforation of the lung

The author thinks empyema in child. a rare disease
in Riga only 2 in 10 years

The question is by which method shall we treat
a case 1) Die punktion unter Luftabschluss und
2) die Bildung einer offenen Brustpfistel.

6. puncture. - Some seem to be in favour of it
again. Even Senator in a recent discussion in
the Berl Klin Woch. Recent reports - as
Oeri. 8, Karkner. 2. Goldammer. 1. Fuller. 1.
12 in all. 2 of them died after repeated punctures,
which led to perforation. 7 were healed by the
puncture. ~~aber~~ wer zahlt aber die Menge
narrischer und gelblicher, fruchtloser und selbst
tödlicher Punctionen? Erwart 9 cases treated
by puncture 7 fatal - 2 discharged unhealed
and recovered.

In the authors case 10 were punctured. In
2 a fistula arose, in the other a radical operation
had to follow.

Author thinks that no good is ever done by
a single tapping - die puncture bei Em-
pyem, welches vorher gesunde Lungenmasse
befällt oder in Folge acuter Krankheiten
auftritt für verschieden contraindicirt
except as a palliative. when does it danger to the
life by amount of pus in the

In children it is different. 11 cases are
quoted in which favourable result followed.

In children puncture is always indicated at
least.

Die Heilung des Empyem

Dr. P. Kämpfer. Riga

Zeitschrift f. Klin. Med. Bd. 10. 1871.

39 cases mostly in ad. M. for 1878-81.

Case I & II. sudden death with full or
nearly full pleura. Dyspnoea cyanosis.

Case III. Exuberant supp in abd. muscle. Pleu & Pericard.

Case IV. Septicæmia with a localized Empyem
between intercostal spaces. Abgekapseltes

Parts in neighbourhood of Empyem. Schwarten
Wandung.

V. right sided. ext. Exudat. fluctu. in lower
intercost. space. Pat. refused help.

VI at 17. 3 ~~same~~ weeks after begun: Em. lunks.
Operat. refused. After a year & a day that it
spontaneous perforation. fatal. remained

VII. at 14 admitted 27/2/78. healthy before. fever
with dulness at bases. death on 12/3/78.

In right pleura 1 liter. in left 1/2 liter of pus - no
bronchopneumonia. slight pericarditis.

An instance of acute purulent double empyema
in a healthy individual. Was the pericarditis
the primary trouble?

Of 9 cases left to nature, without operative
interference 8 died & in only one did a relapse
occure. These perforated the chest
wall & one also the bronchi

Traube in 1872 expressed the opinion that
purulent pleuritis healed spontaneously
more frequently than was supposed.

In children, often thought that spontaneous

Men

Leisure

The standard of modern medicine
and of other sciences

Tuesday

3(205) Welden

4/ 249 L. F. Ward.

Prof Cope.


Prof Mendel

W. H. Dall.

(253) Prof Cope - Prof Ward.

(249) L. F. Ward.

(223) Prof Bessey.





- (8) 2 11 or Blake. on growth
 with 1 m try
- (9) 113 - Gall mites Buckler.
 Abstract: Read. 1
- (10) 134
 Hiber of aletic scyline. 3 ch
 Riley -

Recess - none

- " (5.1) Whiteaves
- " 112 Ward.
- " (102) Baker -
 Mr Ward.
- 14 159 Mc Cluskie
 King

RR	12 50
Cabs. Sub (50) & coll 75. h. 1.00. 2.50. 6.15 (50)	4 00
Tickets	50
Stationery	75
Postage	3 00
Hotel	8 00
Cabs. - 6.6. 1.60	2 00
	<hr/> 30.75





Friday am.

(1) (133) Mr Saunders
on mouth of Coy

(2) 52 Prof Gray -
Remarks by Prof Leake. Wm

(3) a character for Eon Be
Abom. -

(4) On the characters of Placental
in Mammals
or Mammals.

5 Mouth of robin.

(6) Green. - Riley -
Mansum -

10 kills -

11 Illusion of Mr. B. Bowditch
Mr Seaman
Mr Oliver
Mr Steven
Mr Clarke

(12) 91. Mr Blackwood

210

" 211

" 208

No 223

Coastal Lark

Thursday, Dec 7

- (1) Variations in Nature
Prof Meekhan of
Philadelphia
- (2) Description of *Bracon*
Ozle
- (3) New trip of alcyonid pupae -
Searns
- 4 on the polymorphism of *Lycama*
W Edwards.
- (5) Clay pit - on the
formation of pollen
or Gray pit

(6)

3 members of it

at all.

The Meekhan } Sub committee
DD Habelt } to know
J. J. Darnell }

1870

1871

1872

Bay Marcey - common

St. Louis

Yucca on the left of the

Yucca in the

Yucca in the

Dr Gutne^R - Wand Tafel -
Kreide

John McLean

Wm Muller -

North Sydney NSW

McKullan 1860

Mr Addis 85 Cathcart St

Dunn 439 Woodward ave
Hughes 21 slate
Gustin 41 Henry

2401

751

494

Vancouver 207 Woodward Ave

99 Sanderson - 7 miles

W. W. W. - Calhoun & W. W.

Bas - 24 artillerie -

Forte Must B. 5

Vorhaben Gem. 50 ab. Lehmann

