

Andorra
Nurs.
1906

PRICE-LIST OF SPECIMEN

Trees, Shrubs, Roses
and Fruit

SPRING : 1906

LIBRARY
NEW YORK
BOTANICAL
GARDEN



FOR ANY ITEM, SEE INDEX

ANDORRA NURSERIES
Chestnut Hill, Philadelphia, Pa.

To Secure and Maintain Beautiful Lawns
and Productive Pastures, use

ANDORRA BRAND Canada Unleached Hard-wood Ashes

They are nature's complete fertilizer
They make new soil out of worn-out lands
They keep borers away from trees
They do not make the lawn unsightly
They produce no unhealthy or offensive odors
They are easier to handle than other fertilizers

APPLY AT THE RATE OF 1,000 TO 1,500 POUNDS PER ACRE

Realizing the importance of a clean, complete manure that can be applied to the lawn and garden, and having all the advantages without the offensiveness and inconvenience attending the application of stable manure, we have made arrangements with responsible dealers in Canada for a limited supply of their **best grades of screened, Unleached Hard-wood Ashes**, and are now in a position to supply them to our customers either in small quantities or by the car-load of 15 to 20 tons.

For convenience in handling and to prevent waste, we have arranged to have all our Ashes put up in compact packages.

PRICE:

Delivered by wagon, per barrel of 200 lbs., \$2.50; per ton, \$20.
F. O. B. cars Chestnut Hill, per 200 lbs., \$2.00; per ton, \$18.
Special rates for large quantities and car-load lots.

BOOKLET NO. 27 TELLS MORE OF THEM

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia and Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY.—The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are generally offered.

QUANTITY.—Lots of 5 and 25 will be furnished at the 10 and 100 rates respectively.

STOCK SELECTED by customers at the Nurseries will be charged for at advanced rates, according to the value of the trees chosen.

SHIPPING SEASON opens about March 1 in the spring and August 15 in the fall.

INSECT AND FUNGOUS PESTS.—A certificate of inspection will be sent with each shipment. Stock will be **fumigated** when requested, unless your state law requires it, in which case all stock will be treated before shipment.

PACKING.—The utmost care will be used and charges made at actual cost.

ORDERS.—Write plainly and give explicit directions as to address and mode of shipment; otherwise we will forward according to our best judgment. Orders will be filled for any amount. Small orders receive careful attention.

RISK.—All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good condition.

GUARANTEE.—All stock is guaranteed true to name and in good condition when shipped. Any plant proving untrue to name will be replaced. **We give no guarantee of the life of stock.**

CLAIMS, to receive consideration, must be made within five days after receipt of goods. Claims for damage in transit must be made to the company delivering the goods, and should be presented promptly.

TERMS, CASH WITH ORDER, except to such persons as satisfy us as to their responsibility.

Address all orders to

ANDORRA NURSERIES

WM. WARNER HARPER, Prop.

Local and Long

Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address
CHESTNUT HILL, PHILADELPHIA

Cable Address
"ANDORRA," PHILADELPHIA

EVERGREEN TREES

| | Each | Per 10 |
|---|---------------|--------|
| ABIES Balsamea. Balsam Fir. 15 to 18 in..... per 100, \$15.. | \$0 35 | \$2 00 |
| 2½ to 3 ft..... | 1 50 | 10 00 |
| Canadensis. See <i>Tsuga Canadensis</i> . | | |
| concolor. White Fir. 2½ to 3 ft..... | 3 50 | 30 00 |
| 3 to 3½ ft..... | 4 00 | 35 00 |
| 3½ to 4 ft..... | 6 00 | |
| 4 to 4½ ft..... | 7 50 | |
| 4½ to 5 ft..... | 10 00 | |
| 5 to 6 ft..... | \$10 to 15 00 | |
| nobilis, var. glauca. Noble Silver Fir. 3 ft..... | 3 50 | 30 00 |
| 3½ ft..... | 4 50 | |
| 4 ft..... | 5 00 | |
| Nordmanniana. Nordmann's Fir. | | |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 4 50 | 42 50 |
| 3½ to 4 ft..... | 6 00 | 57 50 |
| 4 to 4½ ft. Specimens | 7 50 | 70 00 |
| 4½ to 5 ft. Specimens | 10 00 | |
| 5 to 5½ ft. Specimens | 15 00 | |
| 6 to 9 ft. Fine Specimens. Prices on application. | | |
| pectinata. European Silver Fir. 3 to 4 ft..... | 1 50 | 10 00 |
| 4 to 5 ft..... | 2 50 | 20 00 |
| 5 to 6 ft..... | 3 00 | |
| 6 to 7 ft..... | 3 50 | |
| Veitchii. Veitch's Silver Fir. 3½ to 4 ft..... | 4 50 | 40 00 |
| 4 to 4½ ft..... | 5 00 | 45 00 |
| BIOTA orientalis. Oriental Arborvitæ. 3 to 4 ft..... | 2 00 | 15 00 |
| 5 to 6 ft..... | 2 50 | 20 00 |
| 6 to 7 ft..... | 3 00 | |
| 7 to 8 ft..... | 4 00 | |
| orientalis, var. aurea nana. 1½ to 2 ft..... | 2 50 | |
| orientalis, var. aurea pyramidalis. 1½ to 2 ft..... | 2 00 | 18 50 |
| 3 to 4 ft..... | 3 50 | |
| 5½ to 6 ft..... | 5 00 | |
| orientalis, var. compacta. Compact Chinese Arborvitæ— | | |
| 3 to 3½ ft..... | 3 50 | 30 00 |
| 3½ to 4 ft..... | 4 00 | 35 00 |
| 4 to 5 ft..... | 5 00 | 40 00 |
| orientalis, var. conspicua. 4 to 5 ft..... | 3 50 | 32 50 |
| orientalis, var. elegantissima. Rollinson's Golden Arborvitæ. 2 to 2½ ft..... | 2 50 | |
| 3½ to 4 ft..... | 5 00 | |
| orientalis, var. filiformis; syn. Japonica. Thread-branched Arborvitæ. 2 to 2½ ft..... | 2 00 | |
| 3 to 4 ft..... | 3 50 | |
| 4 to 5 ft..... | 4 00 | |
| orientalis, var. semperaurescens. Ever-golden Arborvitæ— | | |
| 2 to 2½ ft..... | 2 50 | |
| 2½ to 3 ft..... | 3 50 | |
| CEDRUS Atlantica, var. glauca. Mt. Atlas Silver Cedar. | | |
| 2½ ft..... | 2 00 | 17 50 |
| 3 ft..... | 2 50 | 20 00 |
| 3 to 4 ft..... | 3 50 | |
| 4 to 5 ft..... | 5 00 | |
| Deodara. Deodar, or Indian Cedar. 2½ to 3 ft..... | 3 50 | |
| Libani. Cedar of Lebanon. 4 to 4½ ft..... | 7 50 | |
| Libani, var. Sargenti pendula. 2 to 2½ ft..... | 3 00 | |

| | Each | Per 10 |
|---|--------|---------|
| CEPHALOTAXUS Fortunei. Fortune's Yew. | | |
| 3 to 3½ ft..... | \$3 50 | |
| 4 to 5 ft. Very broad and heavy..... | 7 50 | |
| pedunculata. 3 to 3½ ft..... | 3 50 | \$32 50 |
| CRYPTOMERIA Japonica elegans. 3½ ft..... | 2 50 | |
| Japonica, var. Lobbi. 1½ to 2 ft..... | 1 25 | |
| ILEX opaca. American Holly. 1 to 1½ ft..... | 1 50 | 13 50 |
| 1½ to 2 feet. Very heavy..... | 2 00 | 18 50 |
| JUNIPERUS Canadensis. (Spreading) Canadian Juniper— | | |
| 12 to 15 in..... | 1 00 | 9 00 |
| 15 to 18 in..... | 1 50 | 12 50 |
| 18 to 24 in..... | 2 00 | 15 00 |
| Canadensis, var. aurea; syn., Douglasi. Douglas' | | |
| Golden Juniper. 12 to 15 in..... | 1 00 | 8 50 |
| 15 to 18 in..... | 1 50 | 12 50 |
| 18 to 24 in..... | 2 00 | 17 50 |
| 2 ft..... | 2 50 | 20 00 |
| 2 to 2½ ft..... | 3 50 | 30 00 |
| Canadensis, var. prostrata. Trailing Canadian Juniper— | | |
| per. 12 to 18 in..... | 1 00 | 8 50 |
| 18 to 24 in..... | 2 00 | 15 00 |
| Chinensis. Chinese Juniper. 3 ft..... | 2 00 | 17 50 |
| 3½ to 4 ft..... | 3 50 | |
| 4½ to 5 ft..... | 5 00 | |
| Chinensis, var. aurea. Golden Chinese Juniper— | | |
| 2 to 2½ ft..... | 3 00 | |
| communis. Common Upright Juniper. 2½ to 3 ft... 1 50 | | |
| 3 to 3½ ft..... | 2 00 | |
| 3½ to 4 ft..... | 3 00 | |
| communis, var. Hibernica. Irish Juniper— | | |
| 2 to 2½ ft..... | 75 | 6 00 |
| 2½ to 3 ft..... | 1 00 | 8 50 |
| communis, var. oblonga. 3 to 4 ft..... | 3 50 | |
| communis, var. Suecica. Swedish Juniper— | | |
| 3 to 3½ ft..... | 2 00 | 18 50 |
| 3½ to 4½ ft..... | 3 00 | 27 50 |
| excelsa, var. stricta variegata; syn., Sinensis argentea— | | |
| 3 ft..... | 4 00 | 37 50 |
| 4 ft..... | 5 00 | 47 50 |
| 5 ft..... | 7 50 | 70 00 |
| Japonica aurea. Golden Japan Juniper— | | |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 4 00 | 37 50 |
| 3½ to 4 ft..... | 5 00 | 47 50 |
| 4 to 4½ ft..... | 7 50 | |
| 4½ to 5 ft..... | 10 00 | |
| recurva, var. squamata. Scaly-leaved. 1 to 1½ ft... 1 00 | | |
| Sabina. Savin Juniper. 12 in..... | 1 00 | 9 00 |
| 18 to 24 in..... | 2 00 | |
| 2 to 2½ ft..... | 2 50 | |
| Sabina, var. aurea variegata. Savin's Golden Juniper. 12 in..... | 2 50 | |
| Virginiana. Red, or Virginia Cedar. 3 to 3½ ft.... 1 50 | | 13 50 |
| 3½ to 4 ft..... | 2 50 | 22 50 |
| 4½ to 5 ft..... | 3 50 | 32 50 |

| | Each | Per 10 |
|--|-----------------|---------|
| JUNIPERUS Virginiana, var. glauca. Blue Virginia Cedar— | | |
| 3 to 3½ ft. Extra heavy..... | \$2 00 | . |
| 4 to 4½ ft. Extra heavy..... | 3 50 | \$32 50 |
| 5 to 6 ft. Extra heavy..... | 6 00 | 55 00 |
| 6 to 8 ft..... | 7 50 | 70 00 |
| As attractive in color as Koster's Blue Spruce. | | |
| Virginiana, var. Kosteri (spreading): 12 to 15 in.... | 1 50 | 13 50 |
| Virginiana, var. Leei elegantissima. Golden Vir- | | |
| ginia Cedar. 3 to 3½ ft. Extra heavy..... | 2 50 | 20 00 |
| 4 to 4½ ft. Extra heavy..... | 4 00 | 35 00 |
| 4½ to 5 ft. Extra heavy..... | 5 00 | |
| Virginiana, var. pendula. 5 to 6 ft..... | 4 00 | 37 50 |
| Virginiana, var. Schotti. 3 to 3½ ft..... | 2 50 | 20 00 |
| 4 to 5 ft..... | 3 50 | 32 50 |
| 5 to 6 ft..... | 5 00 | 45 00 |
| PICEA alba. White Spruce. 2½ to 3 ft..... | 1 50 | 12 50 |
| 3 to 3½ ft..... | 2 50 | 20 00 |
| 3½ to 4 ft..... | 3 50 | 30 00 |
| 4 to 5 ft..... | 5 00 | 45 00 |
| 5 to 6 ft..... | 7 50 | 70 00 |
| 7 to 8 ft..... | 12 50 | |
| Very fine specimens. | | |
| Engelmanni. Engelmann's Spruce. 3 to 3½ ft..... | 3 50 | |
| 3½ to 4 ft..... | 4 00 | 35 00 |
| 4 to 5 ft..... | 4 50 | 40 00 |
| excelsa. Norway Spruce. 1½ to 2 ft..... | 75 | 6 00 |
| 2½ to 3 ft..... | 1 00 | 9 00 |
| 3 to 3½ ft..... | 2 00 | 18 50 |
| 3½ to 4 ft..... | 2 50 | 22 50 |
| 4 to 4½ ft..... | 3 00 | 27 50 |
| 4½ to 5 ft..... | 3 50 | 32 50 |
| 5 to 6 ft..... | 5 00 | 45 00 |
| 6 to 7 ft..... | 6 00 | 57 50 |
| 7 to 8 ft..... | \$7.50 to 10 00 | |
| Beautiful stock, low-branched and bushy. | | |
| excelsa, var. aurea. Golden Norway Spruce. 2½ ft..... | 2 00 | 17 50 |
| excelsa, var. inverta. Weeping Norway Spruce. 3 ft... 5 00 | | |
| 4 ft..... | \$7.50 to 10 00 | |
| excelsa, var. pendula. Pendulous Norway Spruce— | | |
| 3 to 3½ ft..... | 3 50 | |
| orientalis. Eastern Spruce. 2½ to 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 5 00 | 45 00 |
| 3½ to 4 ft..... | 7 50 | |
| 4½ to 5 ft..... | 10 00 | |
| orientalis, var. gracilis. Graceful Eastern Spruce. 2½ ft. 2 50 | | |
| pungens. Colorado Spruce. 1½ to 2 ft..... | 1 50 | 12 00 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 00 | 27 50 |
| 3 to 3½ ft..... | 3 50 | 32 50 |
| 3½ to 4 ft..... | 5 00 | 45 00 |
| 4 to 5 ft..... | 7 50 | |
| pungens, var. glauca. Blue Colorado Spruce. 1½ to 2 ft. 2 50 | | 22 50 |
| 2 to 2½ ft..... | 3 50 | 32 50 |
| 2½ to 3 ft..... | 4 00 | 37 50 |
| 3 to 3½ ft..... | 7 50 | 60 00 |
| 3½ to 4 ft..... | 10 00 | |
| 5 to 7 ft..... | \$15 to 25 00 | |
| Larger specimens. Prices on application. | | |

PRICE-LIST FOR SPRING OF 1906

| | Each | Per 10 |
|---|--------------|---------|
| PICEA pungens, var. Kosteriana. Koster's Blue Colorado Spruce— | | |
| 2 to 2½ ft..... | \$3 50 | \$32 50 |
| 2½ to 3 ft..... | \$5 to 7 | 50 |
| 3 to 3½ ft..... | 10 | 00 |
| 3½ to 4 ft..... | 15 | 00 |
| 4½ to 6 ft. Specimens. Prices on application. | | |
| pungens, var. pendula. Weeping Blue Colorado Spruce— | | |
| 3½ ft..... | 10 | 00 |
| 4 ft..... | 15 | 00 |
| PINUS Austriaca. Austrian Pine. 1½ to 2 ft..... | 1 00 | 5 00 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 3½ to 4 ft..... | 3 50 | 30 00 |
| 4 to 5 ft..... | 5 00 | 45 00 |
| 5 ft..... | 6 00 | |
| Cembra. Swiss Stone Pine. 2 to 2½ ft..... | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 4 00 | 37 50 |
| 3½ to 4 ft..... | 5 00 | 47 50 |
| 4 to 5 ft..... | 7 50 | |
| excelsa. Bhotan Pine. 2 to 2½ ft..... | 2 00 | 18 50 |
| 3 ft..... | 2 50 | |
| 3 to 3½ ft..... | 3 50 | |
| 4 to 5 ft..... | 5 00 | |
| 5 to 7 ft..... | \$7.50 to 10 | 00 |
| Mughus. Dwarf Mountain Pine. 12 to 15 in..... | 1 50 | 12 50 |
| 15 to 18 in..... | 2 00 | 17 50 |
| 18 in..... | 2 50 | |
| ponderosa. Bull Pine. 2 to 3 ft..... | 2 00 | 17 50 |
| 4 to 5 ft..... | 3 50 | 32 50 |
| rigida. Pitch Pine. 4 to 5 ft..... | 3 50 | |
| Strobus. White Pine. 1½ ft.....per 100, \$25.. | | |
| 1½ to 2 ft.....per 100, \$30.. | 50 | 4 00 |
| 2 to 2½ ft.....per 100, \$50.. | 75 | 6 00 |
| 2½ to 3 ft.....per 100, \$75.. | 1 00 | 8 50 |
| 3 to 3½ ft.....per 100, \$100.. | 2 00 | 12 50 |
| 3½ to 4 ft..... | 2 50 | 17 50 |
| 4 to 4½ ft..... | 3 50 | 22 50 |
| 4½ to 5 ft..... | 4 00 | 27 50 |
| 5 to 6 ft..... | 5 00 | 32 50 |
| 6 to 7 ft..... | 6 00 | |
| 7 to 9 ft..... | \$7.50 to 15 | 00 |
| The finest and best rooted stock in this country. | | |
| sylvestris. Scotch Pine. 1½ to 2 ft..... | 50 | 4 00 |
| 2 to 2½ ft..... | 1 50 | 12 00 |
| 3 to 3½ ft..... | 3 00 | 27 50 |
| 4 to 4½ ft..... | 4 50 | 42 50 |
| Tanyosho (Dwarf Japanese variety). 1 to 1½ ft..... | 3 00 | 27 50 |
| PODOCARPUS Japonica. Japanese Yew. 1½ to 2 ft..... | 2 00 | |
| PSEUDOTSUGA Douglasi. Douglas' Spruce. 2½ to 3 ft..... | 2 00 | 18 00 |
| 8 to 10 ft. Specimens..... | 10 | 00 |
| RETINOSPORA ericoides. Heath-like Japan Cypress. 1½ ft.... | 50 | 4 00 |
| filifera. Thread-branched Japan Cypress— | | |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 5 00 | |
| 3½ to 4 ft. Specimens..... | 7 50 | |
| 4 to 6 ft. Specimens..... | \$10 to 15 | 00 |

ANDORRA NURSERIES

| | Each | Per 10 |
|---|------------------|---------|
| RETINOSPORA filifera, var. aurea. Golden Thread-branched Japan Cypress. 1 x 1½ ft..... | \$2 00 | \$17 50 |
| 2 ft..... | 3 50 | |
| filifera, var. aurea variegata. Golden Variegated Thread-branched Japan Cypress— | | |
| 1½ x 2 ft..... | 2 50 | |
| leptoclada. Thuya-like Japan Cypress— | | |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| lycopodioides. Club-moss Japan Cypress— | | |
| 1½ ft..... | 2 00 | |
| 2 ft..... | 2 50 | |
| 3 to 3½ ft..... | 3 50 | 32 50 |
| obtusa. Obtuse-leaved Japan Cypress— | | |
| 1½ to 2 ft..... | 1 50 | 12 50 |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| 2½ to 3 ft..... | 2 50 | 22 50 |
| 3½ to 4 ft..... | 3 50 | 32 50 |
| 4½ to 5 ft..... | 5 00 | 47 50 |
| 5 to 6 ft..... | 7 50 | 70 00 |
| 6 to 7 ft..... | 10 00 | |
| obtusa, var. compacta. Compact Obtuse-leaved Japan Cypress. 3 to 3½ ft..... | 5 00 | |
| 4 to 5 ft..... | 7 50 | |
| obtusa, var. gracilis. Graceful Obtuse-leaved Japan Cypress. 1½ ft..... | 1 50 | 12 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 5 00 | 47 50 |
| obtusa, var. nana. Dwarf Obtuse leaved Japan Cypress. 1 ft..... | 2 00 | 17 50 |
| 1½ ft..... | 2 50 | 22 50 |
| 2 ft..... | 3 00 | 27 50 |
| 3 ft..... | 4 50 | 42 50 |
| 3½ ft..... | 5 00 | 47 50 |
| 4 to 5 ft. Specimens..... | \$7.50 to 10 00 | |
| obtusa, var. nana aurea. Dwarf Golden Obtuse-leaved Japan Cypress. 2½ ft.... | 3 50 | 30 00 |
| 3 ft..... | 4 50 | |
| 3½ ft..... | 5 00 | |
| 5 to 6 ft. Specimens..... | 15 00 | |
| pisifera. Pea-fruited Japan Cypress— | | |
| 1½ to 2 ft..... | 2 00 | 18 50 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 3 to 4 ft..... | 3 50 | 32 50 |
| 6 to 7 ft. Specimens..... | \$7.50 to 10 00 | |
| pisifera, var. aurea. Golden Pea-fruited Japan Cypress. 1½ to 2 ft..... | 2 00 | |
| 2 to 2½ ft..... | 2 50 | 20 00 |
| 2½ to 3 ft..... | 3 00 | 27 50 |
| 3 to 3½ ft..... | 3 50 | 30 00 |
| 3½ to 4 ft..... | 4 00 | 37 50 |
| 4 to 4½ ft..... | 5 00 | 47 50 |
| 5 to 6 ft. Specimens..... | \$7.50 to 12 50 | |
| 6 to 7 ft. Specimens..... | \$12.50 to 15 00 | |
| plumosa. Plume-like Japan Cypress. 1 ft..... | 50 | 4 00 |
| 1½ ft..... | 1 50 | 12 50 |
| 1½ to 2 ft..... | 1 75 | 15 00 |

PRICE-LIST FOR SPRING OF 1906

| | Each | Per 10 |
|---|------------------|---------|
| RETINOSPORA plumosa, continued— | | |
| 2 to 2½ ft..... | \$2 50 | \$22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| 3½ to 4 ft..... | \$5 to 7 50 | |
| 4 to 4½ ft..... | \$7.50 to 10 00 | |
| plumosa, var. aurea. Golden Plume-like Japan | | |
| Cypress, 12 in..... | 50 | 4 00 |
| 12 to 15 in..... | 75 | 6 00 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 4 00 | |
| 3½ to 4 ft. Specimens..... | \$5 to 7 00 | |
| 4 to 4½ ft. Specimens..... | \$7.50 to 10 00 | |
| 5 to 6 ft. Specimens..... | \$10 to 15 00 | |
| plumosa, var. flavescens. 12 to 15 in..... | | |
| | 2 00 | |
| 15 to 18 in..... | 2 50 | |
| plumosa, var. sulphurea, 2 to 2½ ft..... | | |
| | 2 50 | |
| 2½ to 3 ft..... | 3 50 | |
| squarrosa. Squarrose-leaved Japan Cypress— | | |
| 1½ to 2 ft. Sheared; heavy..... | 2 00 | 17 50 |
| 2 to 2½ ft. Sheared; heavy..... | 2 50 | 22 50 |
| 2½ to 3 ft. Sheared; heavy..... | 3 50 | 30 00 |
| 3 to 3½ ft. Sheared; heavy..... | 5 00 | 45 00 |
| 3½ to 4 ft. Heavy specimens..... | 7 50 | 70 00 |
| 4 to 4½ ft. Heavy specimens..... | 10 00 | 90 00 |
| 4½ to 5 ft. Heavy specimens..... | \$12.50 to 15 00 | |
| 5 to 9 ft..... | \$15 to 35 00 | |
| This is excellent stock; exceptionally broad, bushy and low-branched. | | |
| SCIADOPITYS verticillata. Umbrella Pine. 3 to 3½ ft..... | | |
| | 5 00 | |
| 5 to 6 ft..... | 20 00 | |
| TAXUS Canadensis, var. aurea. Golden Canadian Yew— | | |
| 1½ to 2 ft..... | 2 50 | 22 50 |
| 2 to 2½ ft..... | 3 50 | 32 50 |
| 2½ to 3 ft..... | 5 00 | 47 50 |
| 3 to 3½ ft..... | 7 50 | |
| baccata. English Yew. 1½ to 2 ft..... | | |
| | 1 50 | 12 50 |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| 2½ to 3 ft..... | 2 50 | 22 50 |
| 3 to 3½ ft..... | 3 00 | 27 50 |
| 3½ to 4 ft..... | 3 50 | 32 50 |
| 4 to 4½ ft..... | 5 00 | |
| 4½ to 5 ft..... | 7 50 | |
| baccata adpressa. Adpressed Yew. 2 to 2½ ft..... | | |
| | 3 00 | 27 00 |
| baccata aurea. Golden English Yew. 2 to 2½ ft..... | | |
| | 2 50 | |
| 2½ to 3 ft..... | 3 50 | |
| 4 to 5 ft..... | \$5 to 10 00 | |
| baccata, var. Cheshuntensis. 2 to 2½ ft..... | | |
| | 3 00 | 27 50 |
| baccata, var. Dovastoni. Dovaston's Yew. 2 to 2½ ft.... | | |
| | 1 50 | 12 50 |
| 2½ to 3 ft..... | 2 75 | 25 00 |
| 3 to 3½ ft..... | 3 50 | 32 50 |
| 3½ to 5 ft. Specimens..... | \$5 to 15 00 | |
| baccata, var. Dovastoni aurea. Dovaston's Golden Yew— | | |
| 2 to 2½ ft..... | 1 75 | 15 00 |
| 3 to 3½ ft..... | 3 75 | 35 00 |
| 3½ to 4 ft. Specimens..... | \$5 to 12 50 | |
| 5 to 6 ft. Specimens..... | \$15 to 20 00 | |
| baccata, var. elegantissima. Elegant English Yew— | | |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| 3 to 3½ ft..... | 4 00 | |
| 3½ to 5½ ft..... | \$5 to 12 50 | |

ANDORRA NURSERIES

| | Each | Per 10 |
|---|-----------------|---------|
| TAXUS baccata, var. erecta. Erect English Yew. 1½ to 2 ft.... | \$1 50 | \$12 50 |
| 2 to 2½ ft..... | 2 50 | 20 00 |
| 4½ to 5 ft..... | \$7.50 to 10 00 | |
| baccata, var. erecta lutea. Erect Golden English Yew— | | |
| 2 to 2½ ft..... | 2 75 | |
| 2½ to 3 ft..... | 3 75 | |
| baccata, var. erecta, Overeynder. (Form similar to fastigiata). 4½ to 5 ft..... | \$7.50 to 10 00 | |
| baccata, var. fastigiata. Irish Yew. 2½ ft..... | 2 50 | 22 50 |
| 3 ft..... | 3 50 | 32 50 |
| 3½ ft..... | 7 50 | |
| 4 to 5 ft. Specimens..... | 10 00 | |
| 5 to 6 ft. Specimens..... | 15 00 | |
| baccata, var. fastigiata aurea. Golden Irish Yew— | | |
| 2 ft..... | 2 50 | 22 50 |
| 2½ ft..... | 3 50 | 32 50 |
| 3½ to 4 ft..... | 10 00 | |
| baccata, var. fruticosa lutea. Yellow-fruited English Yew. 4½ to 5 ft. Specimens..... | 5 00 | |
| 5 ft. Specimens..... | 6 00 | |
| baccata, var. gracilis pendula. 4 to 5 ft..... | 3 50 | |
| 5 to 6 ft..... | \$5 to 7 50 | |
| baccata, var. repandens. Spreading English Yew— | | |
| 1 ft. diameter..... | 3 50 | |
| 1½ ft. diameter..... | 5 00 | |
| baccata, var. Washingtoni aurea. Washington's Golden English Yew. 2 ft..... | 2 50 | |
| 3 ft. | 3 50 | |
| THUJOPSIS borealis; syn., Cupressus Nutkaensis. Yellow, or Sitka Cypress 4 to 5 ft. Specimens..... | 7 50 | |
| 6 to 7 ft. Specimens..... | \$10 to 15 00 | |
| borealis, var. argentea. 3 to 4 ft..... | 4 00 | |
| 4 to 5 ft..... | 5 00 | |
| borealis, var. latifolia glauca. Glaucous Sitka Cypress. 3 to 3½ ft..... | 2 50 | 22 50 |
| 3½ to 4 ft..... | 3 50 | 32 50 |
| 7 to 8 ft. Specimens..... | 12 50 | |
| borealis, var. pendula. Drooping Sitka Cypress— | | |
| 3 to 3½ ft..... | 2 50 | |
| 3½ to 4 ft..... | 3 50 | |
| Standishi. Standish's Sitka Cypress. 5 to 6 ft..... | 5 00 | |
| THUYA occidentalis. American Arborvitæ— | | |
| 1 to 1½ ft.....per 100, \$15.. | | 2 50 |
| 2 to 2½ ft.; very heavy | 50 | 3 50 |
| 4 to 4½ ft.; very heavy | 2 00 | 19 00 |
| 4½ to 5 ft.; very heavy | 2 50 | 22 50 |
| 5 to 5½ ft.; very heavy | 3 00 | 27 50 |
| 5½ to 6 ft.; very heavy | 3 50 | 32 50 |
| 6 to 7 ft..... | 4 00 | 37 50 |
| 7 to 8 ft..... | 4 50 | 42 50 |
| 8 to 10 ft..... | 5 00 | 47 50 |
| 10 to 12 ft..... | 6 00 | 57 50 |
| occidentalis, var. aurea, George Peabody's Arborvitæ— | | |
| 1½ to 2 ft. | 1 00 | 8 50 |
| 3 to 3½ ft. | 2 50 | 22 50 |
| 4 to 5 ft. | 4 00 | 37 50 |
| 5 to 6 ft. | 5 00 | 45 00 |
| 7 ft. | 6 00 | 55 00 |
| 7 to 8 ft. | \$7.50 to 10 00 | |

| | Each | Per 10 |
|--|-----------------|---------|
| THUYA occidentalis, var. filifolia: Fern-like. 2 to 3 ft..... | \$1 50 | \$12 50 |
| 3 to 3½ ft..... | 2 50 | 22 50 |
| 4 to 5 ft..... | 3 50 | 32 50 |
| occidentalis, var. globosa. Globe Arborvitæ. 15 to 18 in. | 1 00 | 9 00 |
| 18 to 24 in..... | 1 50 | 13 50 |
| occidentalis, var. Hoveyi. Hovey's Golden Arborvitæ— | | |
| 1½ ft..... | 1 00 | 9 00 |
| 2 ft..... | 1 25 | 10 00 |
| 2½ to 3 ft..... | 1 50 | 12 50 |
| 3 to 3½ ft..... | 2 00 | 17 50 |
| occidentalis, var. Lobbi. Lobb's Arborvitæ— | | |
| 3½ to 4 ft..... | 1 50 | 12 50 |
| 4 to 4½ ft..... | 2 50 | 22 50 |
| occidentalis, var. pyramidalis. Pyramidal Arborvitæ— | | |
| 3 to 3½ ft..... | 2 00 | 17 50 |
| 3½ to 4 ft..... | 2 50 | 22 50 |
| occidentalis, var. Sibirica. See Wareana. | | |
| occidentalis, var. Vervaeneana. Vervæne's Arborvitæ— | | |
| 3 ft..... | 3 50 | 32 50 |
| 3 to 3½ ft..... | 4 00 | 37 50 |
| 3½ to 4 ft..... | 4 50 | 42 50 |
| 5 to 6 ft..... | 5 00 | 47 50 |
| 6 to 7 ft. Specimens..... | 8 00 | |
| 7 to 8 ft. Specimens..... | 10 00 | |
| occidentalis, var. Wareana. Siberian Arborvitæ— | | |
| 1 to 1½ ft..... | 1 50 | 10 00 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 3 to 3½ ft..... | 3 50 | 32 50 |
| 4 ft..... | 5 00 | 47 50 |
| 4½ ft.; very heavy..... | 6 00 | 57 50 |
| 5 ft.; very heavy..... | 7 50 | 72 50 |
| 5 to 5½ ft.; very heavy..... | \$7.50 to 10 00 | |
| occidentalis, var. Wareana aurea. 3 to 3½ ft..... | 2 50 | 22 50 |
| 3½ to 4 ft..... | 3 50 | 32 50 |
| TSUGA Canadensis. Hemlock. 1½ to 2 ft.....per 100, \$32.50.. | 75 | 3 75 |
| 2 to 2½ ft.....per 100, \$50.. | 1 00 | 6 00 |
| 2½ to 3 ft.....per 100, \$90.. | 1 25 | 10 00 |
| 3 to 3½ ft.....per 100, \$125.. | 1 50 | 13 50 |
| 3½ to 4 ft.....per 100, \$160.. | 2 00 | 17 50 |
| 4 to 4½ ft.....per 100, \$185.. | 2 25 | 20 00 |
| 4½ to 5 ft..... | 2 50 | 22 50 |
| 5 to 5½ ft..... | 3 00 | 27 50 |
| 5½ to 6 ft..... | 3 50 | 32 50 |
| 6 to 8 ft. Heavy specimens..... | \$4 to 7 50 | |
| The finest and largest stock offered. | | |
| Canadensis, var. gracilis. Graceful Hemlock. 5 to 6 ft.. | 3 50 | |
| Canadensis, var. Sargentii pendula. Weeping Hemlock. | | |
| 4 to 5½ ft..... | \$10 to 15 00 | |
| Caroliniana. Southern Hemlock. 3 ft..... | 1 50 | |
| Hookeriana. Alpine Hemlock. 2½ to 3 ft..... | 2 50 | 22 00 |
| 3 to 3½ ft..... | 3 00 | 27 50 |
| 3½ to 4 ft..... | 3 50 | 32 50 |
| 4 to 4½ ft..... | 4 00 | 37 50 |
| 4½ to 5 ft..... | 4 50 | 42 50 |
| 5½ ft..... | 5 00 | |
| Bluish-colored foliage. As good as that of the Blue Spruce. | | |

EVERGREEN SHRUBS

| | Each | Per 10 |
|--|--------|--------|
| ANDROMEDA Catesbaei. See <i>Leucothoë</i> . | | |
| floribunda. 12 in..... | \$1 00 | \$9 00 |
| 12 to 15 in..... | 1 25 | 12 00 |
| 15 to 18 in..... | 1 75 | 16 00 |
| 24 in..... | 2 50 | 22 50 |
| 2½ x 2½ ft. Specimen..... | 12 50 | |
| Japonica. 12 to 15 in..... | 1 25 | 10 00 |
| 15 to 18 in..... | 1 50 | 12 50 |
| AZALEA amoena. 12 to 15 in..... | 1 00 | 8 50 |
| 15 to 18 in..... | 1 50 | 12 50 |
| 1½ ft..... | 2 00 | 17 50 |
| 2 ft..... | 2 50 | 22 50 |
| amoena, var. Hinondigiro. Bright carmine— | | |
| 10 to 12 in..... | 1 00 | 9 50 |
| 12 to 15 in..... | 1 50 | 13 50 |
| BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to 1½ ft.. | 1 50 | 12 50 |
| 1½ to 2 ft..... | 2 00 | 17 50 |
| Japonica, var. aurea. Golden Japanese Box-- | | |
| 12 to 15 in..... | 1 00 | 9 00 |
| 15 to 18 in..... | 1 50 | 12 50 |
| 1½ ft..... | 1 75 | 15 00 |
| 2 ft..... | 2 00 | 17 50 |
| 2½ ft..... | 2 50 | 22 50 |
| sempervirens. Common Box. Thoroughly acclimated stock from our nursery. Andorra-grown are much superior to imported plants. | | |
| sempervirens. Bushes. 1 ft. Andorra-grown..... | 75 | 6 00 |
| 1½ ft. Andorra-grown..... | 1 00 | 9 00 |
| 2 ft. Andorra-grown..... | 1 50 | 13 50 |
| 2½ ft. Andorra-grown..... | 2 50 | 22 50 |
| 3 ft.; heavy, Andorra-grown..... | 4 50 | 40 00 |
| 3½ ft.; heavy, Andorra-grown..... | 6 00 | 54 00 |
| 4 ft.; heavy, Andorra-grown..... | 7 50 | 67 50 |
| 4½ ft.; heavy, Andorra-grown..... | 10 00 | 90 00 |
| 5 ft.; heavy, Andorra-grown..... | 12 50 | 112 50 |
| sempervirens. Pyramids— | | |
| 3 ft. Andorra-grown..... | 3 00 | |
| 3 ft.; heavy. Andorra-grown..... | 4 50 | 40 00 |
| 3½ ft.; heavy. Andorra-grown..... | 6 00 | 54 00 |
| 4 ft.; heavy. Andorra-grown..... | 7 50 | 67 00 |
| 4½ ft.; heavy. Andorra-grown..... | 10 00 | 90 00 |
| 5 ft.; heavy. Andorra-grown..... | 12 50 | 112 50 |
| 5½ ft.; heavy. Andorra-grown..... | 15 00 | 125 00 |
| sempervirens. Standards— | | |
| 2 to 3 ft. stems, 15 in. head. Andorra-grown... | 2 50 | 22 50 |
| 2 to 3 ft. stems, 18 in. head. Andorra-grown... | 4 00 | 36 00 |
| 2 to 3 ft. stems, 24 in. head. Andorra-grown... | 5 00 | |
| 2 to 3 ft. stems, 26 to 30 in. head. Andorra-grown... | 7 50 | |
| sempervirens, var. arborescens. Tall tree box. 2 ft.... | 1 00 | 8 50 |
| 2½ ft..... | 1 50 | 12 50 |
| sempervirens, var. suffruticosa. Dwarf Box Edging— | | |
| 3 to 4 in.....per 100, \$5; per 1,000, \$40.. | | 75 |
| 4 to 5 in.....per 100, \$10; per 1,000, \$60.. | | |
| 6 to 7 in.....per 100, \$15 | | |

PRICE-LIST FOR SPRING OF 1906

13

| | Each | Per 10 |
|--|-----------------|---------|
| BUXUS sempervirens, var. decussata. 3½ to 4 ft..... | \$3 50 | \$30 00 |
| sempervirens, var. Handsworthi. 2 to 2½ ft.; light..... | 1 00 | 8 50 |
| 3 to 3½ ft..... | 3 00 | 27 50 |
| 3½ to 4 ft..... | 3 50 | 32 50 |
| sempervirens, var. Japonica; syn., latifolia. 1 to 1½ ft... | 1 00 | 9 50 |
| 1½ to 2 ft..... | 1 50 | 13 50 |
| sempervirens, var. myrtifolia. Myrtle leaf. 3 ft..... | 3 50 | 32 50 |
| 3½ ft..... | 4 00 | |
| COTONEASTER microphylla, 8 to 10 in..... | 50 | 4 50 |
| 10 to 12 in..... | 75 | 6 00 |
| CRATAEGUS Pyracantha, var. Lelandi. Leland's Evergreen Thorn. 10 to 12 in..... | 50 | 4 00 |
| DAPHNE Cneorum. 3 years; 8 to 12 in. Potted | 1 00 | 9 50 |
| EUONYMUS radicans and variegata. See Trailing Plants. | | |
| ILEX aquifolium. Common English Holly. 3½ to 4 ft..... | 3 50 | |
| crenata. Japanese Holly. Large-leaved. 1½ ft..... | 1 50 | 12 50 |
| 2 ft..... | 2 00 | 17 50 |
| crenata, var. latifolia. Broad-leaved Japanese Holly— | | |
| 2½ to 3 ft..... | 2 00 | 17 50 |
| 3 to 3½ ft..... | 2 50 | 22 50 |
| 3½ to 4 ft..... | 3 00 | 27 50 |
| 4 to 4½ ft..... | 3 50 | 32 50 |
| crenata, var. microphylla. Smaller-leaved Japanese Holly— | | |
| 9 to 12 in..... per 100, \$40.. | 75 | 6 00 |
| 12 to 15 in..... per 100, \$60.. | 1 00 | 8 50 |
| 15 to 18 in. | 1 25 | 10 00 |
| 3½ ft.; heavy..... | 5 00 | |
| 4 ft.; heavy..... | 7 50 | |
| 4½ to 5½ ft. Specimens; heavy..... | \$7.50 to 12 50 | |
| KALMIA latifolia. Mountain Laurel. 1 ft..... | 50 | 4 00 |
| 1½ ft..... | 75 | 6 00 |
| 2 ft..... | 1 00 | 8 50 |
| 3 ft..... | 3 00 | 27 50 |
| 1½ ft. Heavy clumps..... | 1 50 | 12 50 |
| 2 ft. Heavy clumps..... | 2 00 | 17 50 |
| 2½ ft. Heavy clumps..... | 2 50 | 22 50 |
| LEUCOTHOE Catesbaei. Drooping Andromeda. 12 to 15 in. Clumps | 50 | 4 00 |
| 15 to 18 in. Clumps..... | 75 | 6 00 |
| 1½ ft. Clumps | 1 00 | 8 50 |
| MAHONIA aquifolia. Holly-leaved Mahonia. 12 to 15 in..... | 50 | 4 00 |
| 15 to 18 in.; heavy | 75 | 7 00 |
| 18 to 24 in..... | 1 00 | 9 00 |
| Japonica. Japanese Mahonia. 1 ft..... | 75 | 6 00 |
| 1 to 1½ ft. | 1 00 | 8 50 |
| 2 to 2½ ft. | 2 00 | 18 50 |
| RHODODENDRON Catawbiense. 2 to 2½ ft.. | 1 50 | 12 50 |
| 2½ to 3 ft..... | 2 00 | 17 50 |
| 3 to 3½ ft..... | 3 50 | 32 50 |
| 3½ to 4 ft.\$3.50 to | 5 00 | |
| Catawbiense, var. alba. 1½ ft. | 1 50 | 12 50 |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| 2½ to 3 ft..... | 2 50 | 22 50 |

HYBRID VARIETIES

| | Each | Per 10 |
|---|----------------|---------|
| RHODODENDRONS, Catawbiense Hybrids, Assorted. Our selection | | |
| of varieties, 1½ to 2 ft.. per 100, \$100.. | \$1 50 | \$12 50 |
| 2 to 2½ ft. per 100, \$175.. | 2 50 | 20 00 |
| Our stock of large, heavy plants, 3½ to 5 ft. in height is unusually fine. Prices on application. | | |
| Atropurpureum. 1 to 1½ ft..... | 1 50 | 12 50 |
| Abraham Lincoln. Rosy crimson. 2 ft..... | 2 00 | 17 50 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| album elegans. White. 1½ to 2 ft. | 1 50 | 12 50 |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| 3 to 3½ ft..... | 3 00 | 25 00 |
| 3½ to 4 ft..... | \$3.50 to 5 00 | |
| Atrosanguineum. Dark scarlet. 1 to 1½ ft... 1 50 | 1 50 | 13 50 |
| Blandyanum. Rosy crimson. 1½ to 2 ft... 2 00 | 2 00 | 17 50 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| 3 to 4 ft. Specimens..... | 15 00 | |
| Caractacus. Purplish crimson. 1 to 1½ ft.. 1 00 | 1 00 | 9 00 |
| 1½ to 2 ft..... | 2 00 | 17 50 |
| Delicatissimum. White. 1½ to 2 ft..... 1 50 | 1 50 | 13 50 |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| Duchess of Bedford. Crimson. 1 to 1½ ft... 1 50 | 1 50 | 13 50 |
| Everestianum. Rosy lilac. 15 to 18 in..... 1 50 | 1 50 | 12 50 |
| 1½ ft. | 1 75 | 15 00 |
| 2 ft..... | 2 00 | 17 50 |
| 2½ ft..... | 3 00 | 27 50 |
| J. Marshall Brooks. Scarlet. 1½ ft..... 2 00 | 2 00 | 17 50 |
| 2 ft..... | 2 50 | 22 50 |
| John Walter. Rich crimson. 12 to 15 in.... 1 50 | 1 50 | 13 50 |
| 1½ ft. | 2 00 | 17 50 |
| 2 ft. | 2 50 | 22 50 |
| Lady Armstrong. Pale rose. 1½ ft..... 1 50 | 1 50 | 12 50 |
| 2 ft. | 2 00 | 17 50 |
| 2 to 2½ ft..... | 2 50 | 22 50 |
| Luciferum. Clear white. 2 to 2½ ft..... 2 50 | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| Madam Carvalho. Clear white. 2 to 2½ ft... 2 50 | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| Minnie. White. 1½ to 2 ft. 1 50 | 1 50 | 12 50 |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| Mrs. John Clutton. White. 1½ ft..... 2 00 | 2 00 | 17 50 |
| 2 ft..... | 2 50 | 22 50 |
| 2½ to 3 ft..... | 3 50 | 32 50 |
| Mrs. Milner. Crimson. 1 ft..... 1 50 | 1 50 | 12 50 |
| 1½ ft..... | 2 00 | 17 50 |
| Perspicum. 2½ to 3 ft..... 3 50 | 3 50 | 32 50 |
| Pictum. White. 2 to 2½ ft..... 2 00 | 2 00 | 17 50 |
| Parson's Gloriosum Blush. 1 to 1½ ft..... 1 00 | 1 00 | 7 50 |
| 1½ to 2 ft..... | 1 50 | 10 00 |
| 2 to 2½ ft..... | 1 75 | 12 50 |
| purpureum grandiflorum. Purple— | | |
| 2 to 2½ ft..... | 1 50 | 12 50 |

PRICE-LIST FOR SPRING OF 1906

15

| | Each | Per 10 |
|---|-----------------|--------|
| RHODODENDRONS, roseum elegans. Good rose. 12 to 15 in..... | \$1 00 | \$9 00 |
| 15 to 18 in..... | 1 50 | 12 50 |
| 1½ ft..... | 2 00 | 17 50 |
| 2 ft..... | 2 50 | 22 50 |
| 2 to 2½ ft. Specimens..... | 3 50 | 30 00 |
| 2½ to 3 ft. Specimens..... | 5 00 | 47 50 |
| 3 to 3½ ft. Specimens..... | \$7.50 to 15 00 | |
| Sir John Sebright. Purple 1½ ft..... | 1 50 | 12 50 |
| 2 ft..... | 2 00 | 17 50 |
| maximum. Great Laurel— | | |
| 15 to 18 in.....per 100, \$60.. | 1 00 | 7 50 |
| 1½ to 2 ft.....per 100, \$90.. | 1 25 | 11 00 |
| 2 to 2½ ft..... | 2 00 | 17 50 |
| 2½ to 3 ft..... | 3 50 | 25 00 |
| 3 to 4 ft..... | 5 00 | 40 00 |
| 4 to 5 ft..... | 7 50 | 60 00 |

We have an excellent stock of larger specimens; prices on application.
Collected plants by the carload.

DWARF RHODODENDRONS

| | | |
|---|------|-------|
| RHODODENDRON Ponticum, var. myrtifolium. Myrtle-leaved | | |
| 1 ft..... | 1 00 | |
| 1½ ft..... | 2 00 | 17 50 |
| Ponticum, var. odoratum. Fragrant. 1½ ft. | 2 00 | 17 50 |
| 1½ to 2 ft..... | 2 50 | 22 50 |
| punctatum. Dotted. 15 to 18 in..... | 1 00 | 7 50 |
| YUCCA filamentosa. Adam's Needle. 3-year..... | 35 | 2 00 |
| 4-year..... | 50 | 3 00 |

DECIDUOUS TREES

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| ACER campestre. European Cork maple, 3 to 4 ft.... | \$0 50 | \$4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| 5 to 6 ft..... | 1 00 | 8 50 | |
| 7 to 8 ft..... | 1 50 | 12 50 | |
| colchicum, var. rubrum. Red Colchicum Maple— | | | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| 10 to 12 ft..... | 1 75 | 15 00 | |
| dasycarpum. Silver Maple— | | | |
| 10 to 12 ft.; 1½ to 2 in..... | 1 00 | 8 50 | \$60 00 |
| 12 to 14 ft.; 2 to 2½ in..... | 1 50 | 12 50 | 90 00 |
| 12 to 14 ft.; 2½ to 3 in..... | 2 00 | 15 00 | 125 00 |
| 12 to 14 ft.; 3 to 3½ in..... | 2 50 | 20 00 | |
| dasycarpum, var. Wierii laciniatum. Wier's Cut-leaved Silver Maple. 8 to 10 ft. | 1 25 | | |
| 10 to 12 ft.; heavy..... | 2 00 | 15 00 | |
| Negundo. Ash-leaved Maple. 6 to 8 ft..... | 75 | 6 00 | |
| 8 to 10 ft.; 1½ to 2 in..... | 1 00 | 8 50 | |
| 10 to 12 ft.; 2 to 2½ in..... | 1 50 | 10 00 | |
| platanoides. Norway Maple. 10 to 12 ft.; 1½ in. | 1 00 | 8 50 | |
| 12 to 14 ft.; 1½ to 1¾ in..... | 1 25 | 10 00 | |
| 12 to 14 ft.; 1¾ to 2 in..... | 1 50 | 12 50 | |
| 12 to 14 ft.; 2 to 2¼ in..... | 1 75 | 15 00 | 125 00 |
| 12 to 14 ft.; 2½ to 2¾ in..... | 2 50 | 22 50 | 175 00 |

ACER platanoides, continued—

| | Each | Per 10 | Per 100 |
|--|--------|---------|----------|
| 12 to 14 ft.; 2 $\frac{3}{4}$ to 3 in..... | \$3 00 | \$27 50 | \$225 00 |
| 14 to 16 ft.; 3 to 3 $\frac{1}{4}$ in..... | 3 50 | 32 50 | 275 00 |
| 14 to 16 ft.; 3 $\frac{1}{4}$ to 3 $\frac{1}{2}$ in..... | 4 00 | 35 00 | 300 00 |
| 14 to 16 ft.; 3 $\frac{1}{2}$ to 3 $\frac{3}{4}$ in..... | 4 50 | 42 50 | 375 00 |
| 14 to 16 ft.; 3 $\frac{3}{4}$ to 4 in..... | 5 00 | 47 50 | 400 00 |
| 14 to 16 ft.; 4 to 4 $\frac{1}{4}$ in..... | 7 50 | 72 50 | 700 00 |
| 14 to 16 ft.; 4 $\frac{1}{4}$ to 4 $\frac{1}{2}$ in..... | 10 00 | 90 00 | |

Specimen Norways. 14 to 20 ft. in height and 4 $\frac{1}{2}$ -to 6- and 7-inch caliper; clean, well headed. We can supply these by the hundred. Prices on application.

plantanoides, var. purpurea. Schwedler's Purple

| | | | |
|--|---------------|-------|--|
| Maple. 8 to 10 ft.; 1 $\frac{3}{4}$ to 2 in..... | 1 50 | 12 50 | |
| 10 to 12 ft.; 2 to 2 $\frac{1}{4}$ in..... | 2 50 | 22 50 | |
| 16 to 18 ft.; 5 to 6 in. Specimens.... | \$20 to 35 00 | | |
| 18 to 20 ft.; 6 to 7 in. Specimens.... | \$35 to 60 00 | | |

platanoides, var. Reitenbachi. Reitenbach's

| | | | |
|-------------------------------|------|-------|--|
| Purple Maple. 8 to 10 ft..... | 1 50 | 12 50 | |
|-------------------------------|------|-------|--|

Pseudo-platanus. European Sycamore Maple—

| | | | |
|------------------------------|----------------|-------|--|
| 6 to 8 ft..... | 75 | 6 00 | |
| 10 to 12 ft..... | 1 50 | 13 50 | |
| 12 to 14 ft..... | 2 50 | 22 50 | |
| 14 to 16 ft. Specimens | \$3.50 to 7 50 | | |

Pseudo-platanus, var. purpurea. Purple Sycamore Maple.

| | | | |
|--|--------------|-------|--|
| 10 to 12 ft..... | 1 50 | 12 50 | |
| 12 to 14 ft.; 2 $\frac{1}{2}$ in. | 2 00 | 17 50 | |
| 12 to 14 ft.; 3 in. Specimens..... | 3 00 | 27 50 | |
| 13 to 15 ft.; 3 $\frac{1}{2}$ in. Specimens..... | 4 00 | 37 50 | |
| 13 to 15 ft.; 4 in..... | \$5 to 15 00 | | |

| | | | |
|--|------|-------|--|
| ACER rubrum. Red or Scarlet Maple. 6 to 7 ft..... | 1 00 | 8 50 | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| 10 to 12 ft..... | 2 00 | | |

saccharinum. Sugar Maple—

| | | | |
|--|-----------------|-------|--------|
| 6 to 8 ft..... | 50 | 5 00 | |
| 8 to 10 ft..... | 75 | 6 00 | |
| 10 to 12 ft.; 1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in..... | 1 00 | 7 50 | 60 00 |
| 10 to 12 ft.; 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in..... | 1 50 | 12 50 | 100 00 |
| 10 to 12 ft.; 1 $\frac{3}{4}$ to 2 in..... | 1 75 | 15 00 | 125 00 |
| 12 to 14 ft.; 2 to 2 $\frac{1}{4}$ in..... | 2 00 | 17 50 | 150 00 |
| 12 to 14 ft.; 2 $\frac{1}{4}$ to 2 $\frac{1}{2}$ in..... | 2 50 | 22 50 | 175 00 |
| 12 to 14 ft.; 2 $\frac{1}{2}$ to 2 $\frac{3}{4}$ in..... | 3 50 | 32 00 | 250 00 |
| 12 to 14 ft.; 2 $\frac{3}{4}$ to 3 in..... | 4 00 | 37 50 | |
| 14 to 16 ft.; 3 to 3 $\frac{1}{4}$ in..... | 5 00 | 45 00 | |
| 14 to 16 ft.; 3 $\frac{1}{4}$ to 3 $\frac{1}{2}$ in..... | \$7.50 to 15 00 | | |
| 14 to 16 ft.; 3 $\frac{1}{2}$ to 4 in..... | \$15 to 35 00 | | |

| | | | |
|---|------|------|--|
| spicatum. Mountain Maple. 3 to 4 ft..... | 75 | 6 00 | |
| 4 to 5 ft..... | 1 00 | 8 50 | |

Tataricum, var. Ginnala. Tartarian Maple—

| | | | |
|------------------------|------|-------|-------|
| 2 to 3 ft..... | 75 | 6 50 | |
| 4 to 5 ft..... | 1 00 | 9 00 | |
| 6 to 7 ft. Bushy | 1 25 | 10 00 | 60 00 |
| 7 to 8 ft. Bushy..... | 1 50 | 12 50 | 75 00 |
| 8 to 9 ft..... | 2 00 | 15 00 | |

Specially adapted for mass plantings.
Colors beautifully in the fall.

JAPANESE MAPLES

| | Each | Per 10 | Per 100 |
|--|-------------|--------|---------|
| ACER polymorphum. 1½ to 2 ft | \$0 50 | \$3 50 | |
| A few excellent specimens. 10 ft..... | \$10 to 20 | 00 | |
| polymorphum, var. ampelopsilobum | \$5 to 15 | 00 | |
| polymorphum, var. atropurpureum. Blood-leaved | | | |
| Japan Maple. 1½ to 2 ft. | 1 50 | 13 50 | |
| 2 to 2½ ft. | \$2.50 to 5 | 00 | |
| 2½ to 3 ft. | \$5 to 10 | 00 | |
| 3 ft. Specimens..... | \$10 to 15 | 00 | |
| 3 to 4 ft. Specimens..... | \$15 to 20 | 00 | |
| These are beautiful, bushy, low-branched trees. | | | |
| polymorphum, var. atropurpureum dissectum. | | | |
| Weeping Cut-leaf Blood-leaved. 1½ to 2 ft... | 1 50 | 13 50 | |
| 2 to 2½ ft.; heavy..... | 3 50 | 30 00 | |
| 2½ to 3 ft..... | 5 00 | | |
| polymorphum, var. dissectum. Cut-leaf Weeping | | | |
| Japan Maple. 2½ to 3 ft. | 3 50 | | |
| 3 to 3½ ft..... | 5 00 | | |
| polymorphum, var. aureum. Golden Japan Maple. | | | |
| 1½ ft..... | 1 50 | | |
| 2 to 2½ ft..... | 2 50 | | |
| polymorphum, var. filicifolium. 1½ to 2 ft. | 1 50 | | |
| 2 to 2½ ft..... | 2 50 | | |
| polymorphum, var. scopendifolium. 1½ to 2 ft..... | 1 50 | | |
| AESCULUS Hippocastanum. European Horse-chestnut— | | | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| 10 ft.; 2 in..... | 2 00 | 17 50 | |
| 12 ft.; 2½ in..... | 2 50 | 22 50 | |
| 12 ft.; 3 in..... | 3 50 | 32 50 | |
| Specimens; 3½ in..... | \$5 to 10 | 00 | |
| Specimens; 4 to 5 in..... | 10 to 15 | 00 | |
| Hippocastanum, var. alba flore pleno. Double White-flowered Horse-chestnut— | | | |
| 8 to 9 ft.; 1½ in..... | 2 00 | | |
| 9 to 10 ft.; 1¾ in. | 2 25 | | |
| 10 to 11 ft.; 2 in. | 2 50 | | |
| 11 to 12 ft.; 2½ in. | 3 50 | | |
| Specimens; 3 to 3½ in. | 10 00 | | |
| Hippocastanum, var. rubicunda. Red-flowered Horse-chestnut— | | | |
| 7 to 8 ft.; 1¼ in..... | 1 75 | | |
| 10 ft.; 1½ in..... | 2 00 | | |
| 10 ft.; 2 in..... | 2 50 | | |
| 12 ft.; 2½ to 3 in. | 3 50 | | |
| AESCULUS parviflora. See Shrubs. | | | |
| AILANTHUS glandulosa. Ailanthus, or Tree of Heaven— | | | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| 14 to 16 ft. | 2 50 | 22 50 | |
| 16 to 18 ft..... | 3 50 | 30 00 | |
| ALNUS glutinosa. European or Black Alder— | | | |
| 8 to 10 ft. | 1 50 | 9 00 | |
| glutinosa, var. imperialis. Cut-leaved Alder— | | | |
| 5 to 6 ft..... | 1 00 | 8 50 | |

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| AMELANCHIER Canadensis. Shad-bush. 2 to 3 ft..... | \$0 30 | \$2 50 | |
| 3 to 4 ft..... | 50 | 3 50 | |
| Botryapium. Dwarf Juneberry. See Shrubs. | | | |
| ANDROMEDA. See Oxydendron. | | | |
| ARALIA Chinensis; syn., Japonica. Chinese Angelica Tree— | | | |
| 6 to 8 ft..... | 1 00 | | |
| 8 to 10 ft..... | 1 25 | | |
| 10 to 12 ft..... | 1 50 | | |
| elata, var. foliis argentea marginata. 3 to 4 ft... | 1 00 | 9 00 | |
| 4 to 6 ft..... | 1 50 | 13 50 | |
| pentaphylla; syn., Acanthopanax spinosa. See Shrubs. | | | |
| spinosa. 3 to 4 ft..... | 50 | 2 50 | |
| 4 to 6 ft..... | 75 | 6 00 | |
| 6 to 8 ft..... | 1 00 | 7 50 | |
| 8 to 10 ft..... | 1 25 | 10 00 | |
| BETULA alba. European White Weeping Birch— | | | |
| 8 to 10 ft..... | 1 25 | 10 00 | |
| 10 to 12 ft..... | 2 00 | 17 50 | |
| 12 to 14 ft..... | 2 50 | 22 50 | |
| Larger specimens. Prices on application. | | | |
| alba, var. fastigiata. Pyramidal White Birch— | | | |
| 7 to 9 ft..... | | 2 50 | |
| alba, var. laciniata pendula. Weeping Cut-leaved White Birch. 5 to 6 ft..... | 1 00 | | |
| 6 to 8 ft..... | 1 50 | | |
| alba, var. Youngii. Young's Weeping Birch— | | | |
| 5 to 7 ft..... | | 2 50 | |
| lenta. Sweet Black, or Cherry Birch— | | | |
| 8 to 10 ft..... | 1 00 | | |
| 10 to 12 ft..... | 1 50 | 13 50 | |
| lutea. Yellow Birch. 8 to 10 ft..... | 1 00 | 7 50 | |
| 10 to 12 ft..... | 1 50 | 10 00 | |
| 12 to 14 ft..... | 2 00 | 12 50 | |
| populifolia. American White Birch— | | | |
| 10 to 12 ft..... | 1 50 | 12 50 | |
| 12 to 14 ft..... | 2 50 | 17 50 | |
| papyrifera. Paper, or Canoe Birch— | | | |
| 6 to 8 ft..... | 1 00 | 7 50 | |
| 8 to 10 ft..... | 1 25 | 10 00 | |
| 12 ft.; 2 in..... | 1 75 | 15 00 | |
| 14 ft.; 2½ in..... | 2 50 | 22 50 | |
| 16 ft.; 3 in..... | 3 50 | 32 50 | |
| nigra, syn., rubra. Red Birch. 5 to 6 ft..... | 50 | 4 50 | |
| 14 to 16 ft..... | 1 50 | 12 50 | |
| BROUSSONETIA papyrifera. Paper Mulberry— | | | |
| 4 to 6 ft..... | 75 | 6 00 | |
| CARPINUS Americana; syn., Caroliniana. American Hornbeam. 2 to 3 ft..... | 50 | 3 00 | \$22 50 |
| 3 to 4 ft..... | 60 | 5 00 | 40 00 |
| 4 to 5 ft..... | 1 00 | 7 50 | 60 00 |
| 5 to 6 ft..... | 1 50 | 13 50 | |
| 6 to 7 ft..... | 2 00 | 18 50 | |
| 7 to 9 ft..... | 2 50 | 22 50 | |

PRICE-LIST FOR SPRING OF 1906

19

| | Each | Per 10 | Per 100 |
|---|----------------|--------|---------|
| CARPINUS Betulus. European Hornbeam. 2 to 3 ft..... | \$0 35 | \$3 00 | \$22 50 |
| 3 to 4 ft..... | 50 | 4 00 | 30 00 |
| 4 to 5 ft..... | 75 | 6 00 | 40 00 |
| 5 to 6 ft..... | 1 50 | 13 50 | |
| 6 to 8 ft..... | 2 00 | 18 50 | |
| CASTANEA Americana. American Chestnut— | | | |
| 4 to 5 ft..... | 35 | 3 00 | 27 50 |
| 5 to 6 ft..... | 50 | 4 75 | 45 00 |
| 6 to 7 ft..... | 75 | 6 00 | 55 00 |
| 7 to 8 ft..... | 1 00 | 7 50 | 60 00 |
| 8 to 9 ft..... | 1 25 | 9 00 | |
| 9 to 10 ft.; 1½ to 2 in..... | 1 50 | 10 00 | |
| 10 to 12 ft.; 2 to 2½ in..... | 1 75 | 15 00 | |
| Japonica. Japan Chestnut. 4 to 5 ft..... | 1 00 | 7 50 | |
| vesca. Spanish Chestnut. 4 to 5 ft..... | 1 00 | 7 50 | |
| CATALPA bignonioides. 8 to 9 ft..... | 75 | 6 00 | |
| bignonioides, var. aurea. Golden Catalpa— | | | |
| 4 to 5 ft..... | 1 00 | 7 50 | |
| Bungei. Bunge's Catalpa. Standards. 7 ft... | 2 00 | | |
| Kaempferi. Japanese Catalpa. 2 to 3 ft..... | 35 | 3 00 | |
| speciosa. Western Catalpa. 10 ft..... | 1 00 | 7 50 | |
| CEDRELA Sinensis. Chinese Cedreta— | | | |
| 12 to 14 ft.; 2 to 2¼ in..... | 2 50 | | |
| CELTIS occidentalis. Nettle tree— | | | |
| 4 to 5 ft..... | 50 | 4 00 | |
| 5 to 6 ft..... | 75 | 6 00 | |
| 6 to 7 ft..... | 1 00 | 9 00 | |
| CERASUS Padus. European Bird Cherry. 3 to 4 ft..... | 50 | 3 00 | |
| serotina. Wild Black Cherry. 10 to 12 ft.... | 1 00 | 7 50 | |
| Avium, var. alba plena. Double White-flower- ing Cherry. 4 to 6 ft..... | 1 00 | | |
| Avium, var. rosea plena. Double Pink-flower- ing Cherry. 4 to 6 ft..... | 1 50 | | |
| Avium, var. rosea pendula. Pink Weeping Japan Cherry. 6 to 7 ft..... | \$2.50 to 5 00 | | |
| Sieboldi, var. rubra plena. 4 to 6 ft..... | 1 50 | 12 50 | |
| CERCIS Canadensis, Red Bud, American Judas— | | | |
| 3 to 4 ft..... | 35 | 3 00 | 25 00 |
| 4 to 5 ft..... | 50 | 4 00 | 30 00 |
| 5 to 6 ft..... | 75 | 6 00 | 45 00 |
| 6 to 8 ft..... | 1 00 | 7 50 | 50 00 |
| Japonica. See Shrubs. | | | |
| occidentalis. Texas Red Bud. 4 to 6 ft..... | 50 | | |
| CERCIDIPHYLLUM Japonicum. 3 to 4 ft..... | 1 00 | 7 50 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| 5 to 6 ft..... | 1 75 | 15 00 | |
| 6 to 8 ft..... | 2 00 | 17 50 | |
| 8 to 9 ft..... | 2 50 | 22 50 | |
| 9 to 10 ft..... | 3 50 | | |
| 10 to 12 ft..... | 5 00 | | |
| CLADRASTIS tinctoria (Virgilia lutea). Yellow Wood— | | | |
| 4 to 6 ft..... | 50 | 4 00 | 35 00 |
| 6 to 8 ft..... | 75 | 6 00 | 45 00 |
| 8 to 10 ft..... | 1 00 | 7 50 | |

| | Each | Per 10 | Per 100 |
|---|----------------|--------|---------|
| CORNUS. See also Shrubs. | | | |
| florida. White Dogwood. 2½ to 3 ft..... | \$0 50 | \$4 00 | |
| 3 to 3½ ft.; very fine..... | 75 | 6 00 | \$40 00 |
| 3½ to 4 ft.; very fine..... | 1 00 | 7 50 | 50 00 |
| 4 to 5 ft.; very fine..... | 1 25 | 10 00 | 60 00 |
| 5 to 6 ft.; very fine..... | 1 50 | 12 50 | 80 00 |
| 6 to 7 ft.; very fine..... | 1 75 | 15 00 | |
| 7 to 8 ft.; very fine..... | 2 50 | 22 50 | |
| 8 to 10 ft.; very fine..... | 3 00 | | |
| Very low-branched, heavy stock. | | | |
| florida, var. flore rubro. Red-flowered Dog- wood. 3 to 3½ ft..... | 2 00 | 17 50 | |
| 3½ to 4 ft..... | 2 50 | 22 50 | |
| florida, var. pendula. Weeping Dogwood— | | | |
| 5 to 6 ft. Very heavy specimens | 3 50 | | |
| 6 to 7 ft. Very heavy specimens..... | 5 00 | | |
| 7 to 8 ft. Very heavy specimens..... | 6 00 | | |
| CRATAEGUS cordata. Washington Thorn— | | | |
| 5 to 6 ft.; very heavy..... | 1 50 | | |
| Crus-galli. Cockspur Thorn— | | | |
| 2 to 2½ ft..... | 50 | 4 00 | 25 00 |
| 2½ to 3 ft..... | 75 | 6 00 | 35 00 |
| 3 to 3½ ft..... | 1 00 | 7 50 | |
| 5 to 6 ft.; very heavy..... | 1 75 | 15 00 | |
| 6 to 8 ft.; very heavy..... | 2 00 | 17 50 | 125 00 |
| Lavellei. Hybrid Crus-galli × Mexicana— | | | |
| 1½ to 2 ft..... | 50 | 4 50 | |
| tomentosa. Black Hawthorn— | | | |
| 3½ to 4 ft..... | 50 | | |
| 5 to 6 ft..... | 75 | | |
| Oxyacantha, var. alba flore pleno. Double White Hawthorn. 4 to 6 ft..... | 1 00 | 9 00 | |
| Oxyacantha, var. coccinea flore pleno. Paul's Double Scarlet. 4 to 6 ft. | 1 00 | 9 00 | |
| 10 to 12 ft. Standards..... | 3 00 | 25 00 | |
| Oxyacantha, var. rosea flore pleno. Double Pink Hawthorn. 4 to 5 ft..... | 1 00 | 9 00 | |
| Oxyacantha, var. rubra pleno. 3 to 4 ft..... | 1 00 | 9 00 | |
| CYTISUS Laburnum. Golden Chain. 6 to 8 ft..... | 1 50 | 14 00 | |
| 8 to 10 ft..... | 2 00 | 18 00 | |
| FAGUS ferruginea. American Beech. 3 to 4 ft..... | 1 50 | 13 50 | 100 00 |
| 4 to 5 ft..... | 2 00 | 17 50 | |
| 6 to 8 ft..... | 2 50 | 22 50 | |
| sylvatica. European Beech. 3 to 4 ft..... | 75 | 6 00 | 50 00 |
| 4 to 5 ft..... | 1 00 | 7 50 | 60 00 |
| 5 to 6 ft..... | 1 75 | 15 00 | |
| 6 to 7 ft..... | 3 00 | 27 50 | |
| 7 to 8 ft..... | 3 50 | 32 50 | |
| 8 to 10 ft. Specimens | \$3.50 to 7 50 | | |
| sylvatica, var. pendula. Weeping Beech— | | | |
| 6 to 8 ft..... | 3 50 | 32 50 | |
| 8 to 10 ft..... | \$5 to 7 50 | | |
| 14 to 16 ft.; 2 to 3½ in. Specimens, \$15 to 25 00 | | | |
| Beautiful trees. | | | |

PRICE-LIST FOR SPRING OF 1906

Each Per 10 Per 100

FAGUS sylvatica, var. purpurea. Purple Beech—

| | | | |
|---|------------------|---------|--|
| 5 to 6 ft..... | \$2 50 | | |
| 6 to 7 ft..... | 3 00 | | |
| 7 to 8 ft..... | 3 50 | \$32 50 | |
| 8 to 9 ft..... | 4 00 | 37 50 | |
| 9 to 10 ft..... | 5 00 | 45 00 | |
| 10 to 11 ft..... | 6 00 | 57 50 | |
| 11 to 12 ft..... | 7 50 | 70 00 | |
| 12 to 14 ft..... | 10 00 | | |
| 8 to 10 ft. Sheared specimens..... | \$10 to 12 50 | | |
| 10 to 12 ft. Sheared specimens..... | \$12.50 to 20 00 | | |
| Larger specimens, 12 to 18 ft. Prices on application. | | | |

sylvatica, var. purpurea major. Large leaf—

| | | | |
|----------------|------|-------|--|
| 3 to 4 ft..... | 1 50 | 12 50 | |
| 4 to 5 ft..... | 1 75 | 15 00 | |
| 5 to 6 ft..... | 2 50 | 22 50 | |

sylvatica, var. purpurea rosea marginata. Rose-margined Purple-leaved Beech—

| | | | |
|----------------|------|--|--|
| 2 to 3 ft..... | 2 00 | | |
| 3 to 4 ft..... | 3 00 | | |

sylvatica, var. Riversi. Rivers' Blood-leaved Beech. 4 to 6 ft.

| | | | |
|-----------------------------|------------------|--|--|
| 4 to 6 ft. | 2 00 | | |
| 8 to 10 ft..... | 3 50 | | |
| 10 to 14 ft. Specimens..... | \$12.50 to 25 00 | | |

| | | | |
|--|------|-------|---------|
| FRAXINUS Americana. White Ash. 6 to 8 ft..... | 1 00 | 7 50 | \$50 00 |
| 8 to 10 ft..... | 1 25 | 10 00 | 75 00 |
| 10 to 12 ft..... | 1 50 | 12 50 | 90 00 |
| 12 to 14 ft..... | 2 50 | 22 50 | |
| 14 to 16 ft. 2½ in..... | 3 00 | | |

| | | | |
|---|------|-------|--|
| excelsior. European Ash. 8 to 10 ft..... | 1 00 | 7 50 | |
| 10 to 12 ft..... | 1 50 | 10 00 | |
| 12 to 14 ft..... | 2 00 | 12 50 | |
| 3 to 3½ in. caliper..... | 2 50 | 22 50 | |

excelsior, var. aurea. Golden Ash—
Specimens..... 3 50

| | | | |
|--|------|------|-------|
| Ornus. Flowering Ash— 8 to 10 ft.; 1½ to 2 in..... | 1 00 | 5 00 | 35 00 |
|--|------|------|-------|

| | | | |
|---|------|------|--|
| GLEDITSCHIA aquatica. Water Locust. 4 to 6 ft..... | 35 | 3 00 | |
| 6 to 8 ft..... | 50 | 4 50 | |
| 8 to 10 ft..... | 1 00 | 7 50 | |

| | | | |
|---|------|------|--|
| tricanthos. Honey Locust. 6 to 8 ft..... | 1 00 | 7 50 | |
|---|------|------|--|

GLYPTOSTROBUS. See Taxodium.

| | | | |
|--|------|------|--|
| GYMNOCLADUS. Kentucky Coffee Tree. 5 to 6 ft..... | 75 | 6 00 | |
| 6 to 7 ft..... | 1 00 | 7 50 | |
| 7 to 8 ft..... | 1 25 | 8 00 | |

| | | | |
|--|------|------|--|
| JUGLANS nigra. Black Walnut. 4 to 6 ft..... | 50 | 3 00 | |
| 6 to 8 ft..... | 75 | 4 00 | |
| 8 to 10 ft..... | 1 00 | 6 00 | |

| | | | |
|---|------|-------|--|
| KOELREUTERIA paniculata. Varnish Tree. 4 to 6 ft... 1 00 | 7 50 | | |
| 8 to 10 ft..... | 1 50 | 12 50 | |

| | | | |
|---|------|------|--|
| LARIX Europaea. European Larch. 6 ft..... | 1 00 | 7 50 | |
| leptolepis. Japanese Larch. 3 to 4 ft..... | 75 | 6 00 | |

LAURUS Sassalras. See *Sassafras officinale*.

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| LIQUIDAMBAR. Sweet Gum. 4 to 5 ft..... | \$1 00 | \$6 00 | |
| 5 to 6 ft..... | 1 25 | 7 50 | |
| 6 to 7 ft. Fine..... | 1 50 | 12 50 | |
| 7 to 8 ft. Fine..... | 2 00 | 15 00 | |
| 8 to 9 ft. Fine..... | 2 50 | 17 50 | |
| LIRIODENDRON Tulipifera. Tulip Tree— | | | |
| 8 to 9 ft.; very heavy..... | 1 00 | 7 50 | |
| 9 to 10 ft.; very heavy..... | 1 50 | 12 50 | |
| 10 to 12 ft.; very heavy..... | 2 00 | 17 50 | |
| 12 to 14 ft.; very heavy..... | 2 50 | 22 50 | |
| Tulipifera, var. fastigiata. 4 to 6 ft..... | 2 50 | | |
| MACLURA aurantiaca. Osage Orange— | | | |
| 2 year.....per 1,000, \$8.. | | | \$2 00 |
| MAGNOLIA, Native Sorts— | | | |
| acuminata. Cucumber Tree. 6 to 8 ft..... | 1 00 | | |
| 8 to 10 ft..... | 1 50 | | |
| 10 to 12 ft. | 2 00 | | |
| glauca. Sweet or Swamp Magnolia— | | | |
| 1½ to 2 ft..... | 1 00 | | |
| macrophylla. Great-leaved Magnolia— | | | |
| 2 to 3 ft..... | 1 50 | | |
| tripetala. Umbrella Tree. 8 to 10 ft..... | 1 25 | 9 00 | |
| 10 to 12 ft..... | 1 50 | 12 50 | |
| MAGNOLIA, Chinese Sorts— | | | |
| conspicua, (white). 1½ to 2 ft..... | 1 50 | | |
| 2 to 2½ ft..... | 2 50 | | |
| Kobus. Thurber's Japanese Magnolia— | | | |
| 6 to 7 ft..... | 5 00 | | |
| Lennei Hybrid. Lenne's Magnolia— | | | |
| 4 to 5 ft..... | 2 50 | 22 50 | |
| 5 to 6 ft.....\$3.50 to | 7 50 | | |
| Norbertiana Hybrid. Norbert's Magnolia— | | | |
| 4 to 5 ft..... | 2 50 | | |
| purpurea; syn., obovata. Purple Magnolia— | | | |
| 2 to 3 ft..... | 1 50 | | |
| Soulangeana Hybrid. Soulange's Magnolia— | | | |
| 3 to 4 ft..... | 2 50 | 22 50 | |
| 4 to 6 ft.....\$3.50 to | 7 50 | | |
| Larger specimens. Prices on application. | | | |
| speciosa. 5 to 6 ft..... | 3 50 | | |
| stellata; syn., Halleana. Hall's Japanese | | | |
| Magnolia. 2 ft..... | 1 50 | 12 50 | |
| 2½ ft..... | 3 50 | 32 50 | |
| 3 ft..... | 5 00 | 47 50 | |
| 3½ ft. Fine specimens.....\$5 to | 7 50 | | |
| 5 to 6 ft. Fine specimens.....\$7.50 to | 10 00 | | |
| MAGNOLIA superba alba. 4 to 6 ft.....\$3.50 to | 5 00 | | |
| MORUS alba. White Mulberry. 6 to 8 ft..... | 75 | 6 00 | |
| alba, var Tatarica alba. White-fruited Russian | | | |
| Mulberry. 6 ft..... | 75 | | |
| alba, var. Tatarica rubra. Red Russian Mul- | | | |
| berry. 6 ft..... | 75 | | |
| alba, var. Tatarica pendula. Teas' Weeping | | | |
| Mulberry. 2-yr. heads..... | 1 50 | | |
| Specimens, 6 to 7 ft. 5-yr. heads.....\$3.50 to | 5 00 | | |

PRICE-LIST FOR SPRING OF 1906

| | Each | Per 10 | Per 100 |
|---|-----------|--------|----------|
| NEGUNDO. See Acer. | | | |
| OXYDENDRUM arboreum; syn., Andromeda arborea. | | | |
| Sorrel Tree. 2 to 3 ft..... | \$1 00 | \$9 00 | |
| 3 to 4 ft..... | 1 50 | 13 50 | |
| 4 to 5 ft..... | 2 00 | 18 50 | |
| 5 to 6 ft..... | 2 50 | 22 50 | |
| 6 to 7 ft..... | 3 00 | 27 50 | |
| 7 to 8 ft..... | 3 50 | | |
| PARROTIA Persica. Persian Iron Tree. 4 ft..... | 1 50 | | |
| 7 to 8 ft..... | 2 00 | | |
| 8 to 10 ft..... | 2 50 | | |
| PERSICA vulgaris, var. alba plena. Double White-flowering Peach. 4 ft..... | 75 | | |
| vulgaris, var. sanguinea plena. Double Red-flowering Peach. 4 ft..... | 75 | | |
| vulgaris, var. foliis purpurea. Purple-leaved Peach. 4 ft..... | 75 | | |
| PHELLODENDRON Amurense. Chinese Cork Tree— | | | |
| 4 to 6 ft..... | 1 00 | 7 50 | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| PLATANUS occidentalis. Buttonwood or American Plane. | | | |
| 10 to 12 ft.; 1½ to 1¾ in..... | 1 50 | 12 50 | \$100 00 |
| 12 to 14 ft.; 2 to 2½ in..... | 2 00 | 18 50 | 160 00 |
| orientalis. Oriental Plane. Sycamore or Buttonwood. 6 to 8 ft..... | 1 00 | 7 50 | |
| 8 to 10 ft.; 1¼ to 1½ in..... | 1 25 | 11 50 | 100 00 |
| 10 to 12 ft.; 1½ to 1¾ in..... | 1 75 | 16 50 | 150 00 |
| 12 to 14 ft.; 1¾ to 2 in..... | 2 00 | 18 50 | 175 00 |
| 12 to 14 ft.; 2½ to 3 in..... | 5 00 | 35 00 | |
| 14 ft.; 3 to 4 in..... | \$5 to 10 | 00 | |
| POPULUS alba, var. Bolleana. Bolle's Poplar— | | | |
| 8 to 10 ft..... | 1 50 | | |
| 12 to 14 ft..... | 2 50 | | |
| monilifera; syn., Carolinensis. Carolina Poplar. 8 to 10 ft.; 1½ in..... | 1 00 | 9 00 | |
| 10 to 12 ft.; 1½ to 2 in..... | 1 50 | 12 50 | |
| nigra, var. fastigiata. Lombardy Poplar— | | | |
| 8 to 10 ft..... | 1 25 | 10 00 | |
| 10 to 12 ft.; 1¼ to 2 in..... | 1 50 | 13 50 | |
| 12 to 14 ft.; 2 to 2½ in..... | 2 75 | 25 00 | |
| 14 to 16 ft.; 2½ to 3 in..... | 3 50 | | |
| Transplanted several times. | | | |
| PRUNUS. See, also, Cerasus. | | | |
| Pissardii. Purple-leaved Plum. 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 6 ft..... | 1 00 | 6 00 | |
| PTELEA trifoliata. Hop Tree. 5 to 6 ft..... | 75 | 5 00 | |
| trifoliata, var. aurea. Golden Hop Tree— | | | |
| 3 to 4 ft..... | 50 | 3 50 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| PTEROSTYRAX hispidum (Halesia hispida) — | | | |
| 4 to 6 ft..... | 1 00 | 8 00 | |
| 6 to 8 ft..... | 1 50 | 12 50 | |
| PYRUS. See, also, Shrubs. | | | |
| baccata. Siberian Flowering Crab Apple— | | | |
| 3 to 4 ft..... | | 35 | |

ANDORRA NURSERIES

| | Each | Per 10 | Per 100 |
|---|-----------|--------|---------|
| PYRUS coronaria. Sweet-scented Crab. 3 to 5 ft..... | \$0 50 | | |
| floribunda. Flowering Crab. 4 to 5 ft..... | 1 00 | | |
| loensis, var. Bechtel. Bechtel's Double-flowering Crab. 3 to 4 ft. | 1 00 | \$9 00 | |
| Parkmani; syn., Halliana. Parkman's Crab— 4 ft. | 75 | | |
| spectabilis. Chinese Double-flowering Crab— 3 to 4 ft..... | 75 | | |
| spectabilis, var. flore rosea pleno. Double Rose- flowering Crab. 3 to 4 ft. | 75 | | |
| QUERCUS alba. White Oak. 4 to 5 ft. | 1 00 | 8 50 | \$75 00 |
| 5 to 6 ft..... | 1 25 | 10 00 | |
| 6 to 7 ft. | 1 50 | 12 50 | |
| 7 to 8 ft..... | 2 00 | 18 50 | |
| bicolor. Swamp White Oak. 5 to 6 ft. | 1 00 | 8 50 | |
| 6 to 7 ft..... | 1 25 | 10 00 | |
| 7 to 8 ft. | 1 50 | 12 50 | |
| 8 to 9 ft..... | 2 00 | 17 50 | |
| 10 to 12 ft.; 2 to 2½ in. Specimens. \$3.50 to | 5 00 | | |
| coccinea. Scarlet Oak. 6 to 7 ft. | 1 25 | 10 00 | |
| 7 to 8 ft. | 1 50 | 13 50 | |
| 8 to 9 ft. | 2 00 | 17 50 | |
| 9 to 10 ft. | 2 50 | 22 50 | |
| 10 to 12 ft. | \$2.75 to | 5 00 | |
| imbricaria. Laurel Oak. 7 to 8 ft..... | 3 50 | 32 50 | |
| 10 to 12 ft. | \$5 to | 7 50 | |
| macrocarpa. Mossy Cup Oak. 7 to 8 ft..... | 1 50 | 12 50 | |
| 8 to 9 ft.; 1½ to 1¾ in. | 2 00 | 17 50 | |
| 10 to 12 ft. | \$2.50 to | 5 00 | |
| palustris. Pin Oak. 5 to 6 ft. Low-branched..... | 75 | 6 00 | 50 00 |
| 6 to 7 ft. Low-branched..... | 1 00 | 8 50 | 60 00 |
| 7 to 8 ft. Low-branched..... | 1 25 | 10 00 | 70 00 |
| 8 to 9 ft. Low-branched; 1½ to 1¾ in. cal.. | 1 50 | 12 50 | 100 00 |
| 9 to 10 ft. Low-branched; 1¾ to 2 in. cal.. | 2 00 | 17 50 | 125 00 |
| 10 to 12 ft. Low-branched; 2 to 2½ in. cal.. | 2 50 | 22 50 | 150 00 |
| Extra-heavy specimens..... | \$3.50 to | 10 00 | |
| pedunculata, var. Concordia. Golden Oak— 6 to 8 ft..... | 3 50 | | |
| Phellos. Willow Oak. 4 to 5 ft..... | 1 50 | 13 50 | |
| Prinus. Rock Chestnut Oak. 6 ft..... | 1 00 | 8 50 | |
| 7 to 8 ft..... | 1 25 | 10 00 | |
| 8 to 10 ft..... | 1 50 | 13 50 | |
| 10 to 12 ft..... | 2 00 | 18 50 | |
| Robur. English Oak. 6 to 8 ft. | 1 50 | 12 50 | |
| 8 to 10 ft..... | 2 50 | 20 00 | |
| 10 to 12 ft..... | \$3.50 to | 5 00 | |
| Specimens. 3½ to 4 in. caliper.... | \$3.50 to | 7 50 | |
| Robur, var. fastigiata. Pyramidal English Oak. 6 ft..... | 2 50 | 20 00 | |
| rubra. Red Oak. 5 to 6 ft..... | 75 | 7 00 | 65 00 |
| 6 to 7 ft..... | 1 00 | 9 00 | 85 00 |
| 7 to 8 ft..... | 1 50 | 13 50 | |
| 8 to 10 ft..... | 2 00 | 17 50 | |
| 10 to 12 ft..... | 3 00 | 27 50 | |
| 12 to 14 ft. | \$3.50 to | 10 00 | |

PRICE-LIST FOR SPRING OF 1906

25

| | Each | Per 10 | Per 100 |
|---|----------------|---------|---------|
| QUERCUS velutina, var. tinctoria. Black Oak— | | | |
| 6 to 8 ft..... | \$1 25 | \$10 00 | |
| 8 to 10 ft..... | 1 75 | 15 00 | |
| 10 to 12 ft..... | 2 50 | 22 50 | |
| RHUS glabra. Smooth Sumac. 1 ft..... | 35 | 2 50 | |
| 6 to 7 ft..... | 1 00 | 6 00 | |
| glabra, var. laciniata. Cut-leaved Sumac— | | | |
| 1½ to 2 ft..... | 35 | 3 00 | |
| 2½ to 3 ft..... | 50 | 4 00 | |
| typhina. Staghorn Sumac. 3 to 4 ft..... | 35 | 3 00 | \$15 00 |
| 4 to 6 ft..... | 50 | 4 00 | |
| 6 to 8 ft..... | 75 | 5 00 | |
| typhina, var. laciniata. 1 to 2 ft..... | 50 | 3 50 | |
| ROBINIA pseudacacia, var. foliis aureis. Golden-leaved Locust. 8 to 10 ft..... | 1 50 | | |
| SALISBURIA adiantifolia. Ginkgo, or Maidenhair Tree— | | | |
| 5 to 6 ft..... | 75 | 6 00 | |
| 6 to 7 ft..... | 1 00 | 8 50 | |
| 7 to 8 ft..... | 1 50 | 13 50 | |
| 8 to 9 ft..... | 2 50 | 22 50 | |
| 9 to 10 ft..... | 3 50 | 32 50 | |
| SALIX Babylonica. Weeping Willow. 6 to 8 ft..... | 75 | 5 00 | |
| 8 to 10 ft. | 1 50 | 13 50 | |
| 10 to 12 ft..... | 2 50 | 22 50 | |
| caprea. Goat Willow. 6 to 8 ft..... | 1 00 | 9 00 | |
| 8 to 10 ft..... | 2 00 | 18 50 | |
| elegantissima. Thurlow's Willow. 7 to 8 ft..... | 1 00 | 7 50 | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| incana; syn., rosmarinifolia. Rosemary Willow— | | | |
| 5 to 6 ft.; heavy..... | 1 50 | | |
| lutea. Golden Willow. 6 to 8 ft..... | 1 00 | 6 00 | |
| lutea, var. pendula. Golden Weeping Willow— | | | |
| 6 to 8 ft..... | 1 00 | 6 00 | |
| 8 to 10 ft..... | 1 50 | | |
| 10 to 12 ft..... | \$2.50 to 5 00 | | |
| purpurea, var. pendula. New American Willow— | | | |
| 5 to 6 ft..... | 1 50 | | |
| Sieboldii. Siebold's Willow. 6 to 8 ft..... | 1 00 | 6 00 | |
| vitellina. Yellow Willow. 4 to 6 ft. | 75 | 6 00 | |
| vitellina, var. Britzensis. Salmon-barked Willow— | | | |
| 4 to 6 ft..... | 75 | 6 00 | |
| SASSAFRAS officinalis. 2 to 3 ft..... | 50 | | |
| 3 to 3½ ft..... | 75 | | |
| SOPHORA Japonica. Japanese Sophora. 3 ft..... | 1 00 | | |
| Japonica, var. pendula. Weeping Sophora— | | | |
| 8 to 10 ft. Specimens..... | 3 50 | | |
| SORBUS Americana. American Mountain Ash— | | | |
| 6 to 8 ft..... | 1 00 | | |
| aucuparia. European Mountain Ash— | | | |
| 6 to 8 ft..... | 1 00 | | |
| aucuparia, var. pendula. Weeping European Mountain Ash. 6 to 7 ft..... | 1 25 | | |
| aucuparia, var. quercifolia. Oak-leaved Mountain Ash. 6 to 8 ft..... | 1 00 | | |

| | Each | Per 10 | Per 100 |
|---|-----------------|---------|---------|
| TAXODIUM distichum. Deciduous Cypress— | | | |
| 6 to 8 ft..... | \$1 00 | | |
| 8 to 10 ft..... | 1 50 | \$10 00 | |
| 10 to 12 ft..... | 2 00 | 18 50 | |
| TILIA Americana. American Linden, or Basswood— | | | |
| 6 to 8 ft..... | 1 00 | 8 50 | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| 10 to 12 ft..... | 2 00 | 17 50 | |
| 10 to 12 ft.; 2 to 2½ in..... | 2 50 | 22 50 | |
| 10 to 12 ft.; 2½ to 3 in..... | \$3.50 to 5 00 | | |
| 12 to 14 ft.; 3 to 4 in..... | \$5 to 10 00 | | |
| argentea; syn., tomentosa. Silver-leaved Linden— | | | |
| 6 to 8 ft..... | 1 50 | 12 50 | |
| 8 to 10 ft..... | 2 00 | 18 50 | |
| 10 to 12 ft..... | 3 50 | 32 50 | |
| dasystyla. Crimean Linden. 8 to 10 ft..... | 1 00 | 8 50 | |
| 10 to 12 ft. Heavy..... | 1 50 | 12 50 | |
| platyphyllos. Large-leaved Linden. 10 to 12 ft.. | 2 50 | | |
| platyphyllos aurea. Golden-barked Linden— | | | |
| 8 to 10 ft..... | 1 50 | 12 50 | |
| vulgaris; syn., Europaea. European Linden— | | | |
| 8 to 10 ft.; 1½ to 2 in..... | 1 50 | 12 50 | |
| 10 to 12 ft.; 2 to 2½ in..... | 2 50 | 22 50 | |
| vulgaris, var. rubra. Red-barked Linden— | | | |
| 10 to 12 ft..... | 2 00 | 15 00 | |
| ULMUS Americana. American Elm. 8 to 10 ft..... | 1 00 | 7 50 | |
| 10 to 12 ft..... | 1 50 | 13 50 | |
| 12 to 14 ft..... | 2 50 | 22 50 | |
| 14 to 15 ft.; very fine..... | \$3.50 to 10 00 | | |
| campestris. English Elm. 8 to 10 ft..... | 1 50 | 13 50 | |
| 10 to 12 ft..... | 2 50 | 22 50 | |
| Specimens..... | \$5 to 7 50 | | |
| campestris, var. latifolia; syn., major. Broad-leaved English Elm. 8 to 10 ft..... | 1 50 | 13 50 | |
| 12 to 14 ft..... | 3 50 | 30 00 | |
| scabra; syn., montana. Scotch or Wych Elm— | | | |
| 7 to 9 ft..... | 1 50 | 12 50 | |
| scabra, var. Huntingdoni. Huntingdon Elm— | | | |
| 8 to 10 ft.; 1¾ to 2 in..... | 1 75 | 16 00 | |
| 10 to 12 ft..... | 2 50 | 22 50 | |
| 12 to 14 ft..... | 3 50 | 32 50 | |
| scabra, var. pendula. Camperdown Elm. 6 ft. | 1 50 | | |
| scabra, var. purpurea. Purple Wych Elm— | | | |
| 10 to 12 ft..... | 1 50 | 12 50 | |
| VIRGILIA. See Cladrastis. | | | |

DECIDUOUS SHRUBS

| | Each | Per 10 | Per 100 |
|--|--------|--------|---------|
| ABELIA floribunda. 10 to 12 in.; heavy..... | \$0 50 | \$4 50 | \$30 00 |
| 12 to 15 in.; heavy..... | 75 | 6 00 | 50 00 |
| 15 to 18 in..... | 1 00 | 8 00 | |
| ACANTHOPANAX spinosa (Aralia pentaphylla). | | | |
| 3 to 4 ft..... | 35 | 3 00 | 20 00 |
| 4 to 6 ft..... | 50 | 4 00 | 25 00 |

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| AESCULUS parviflora; syn., <i>Pavia macrostachya</i> — | | | |
| 1½ ft..... | \$1 00 | \$8 50 | |
| 2 ft..... | 1 50 | 13 50 | |
| ALTHEA. See Hibiscus. | | | |
| AMELANCHIER Botryapium. 2 to 2½ ft..... | 50 | 4 00 | |
| 2½ to 3 ft..... | 75 | 6 00 | |
| AMORPHA canescens. 12 to 15 in..... | 25 | 1 50 | |
| <i>fruticosa.</i> 2 to 2½ ft..... | 25 | 2 00 | |
| 5 to 7 ft. | 35 | 3 00 | |
| AMYGDALUS (Almond). See Prunus. | | | |

NATIVE AZALEAS

| | | | |
|---|------|-------|--------|
| AZALEA arborescens. Fragrant White Azalea— | | | |
| 12 to 15 in..... | 1 00 | 9 00 | |
| 15 to 18 in..... | 1 50 | 13 50 | |
| <i>calendulacea.</i> Flame Azalea. 12 in..... | 1 00 | 9 00 | 80 00 |
| 18 in..... | 1 50 | 13 50 | 115 00 |
| 24 in..... | 1 75 | 15 00 | 125 00 |
| 2 to 2½ ft..... | 2 50 | 20 00 | |
| <i>Canadensis.</i> Rhodora. 1 ft..... | 1 00 | 7 50 | |
| <i>Nudiflora.</i> 1 ft..... | 75 | 6 00 | |
| <i>Vaseyi.</i> Southern Azalea. 12 to 18 in..... | 1 00 | 9 00 | 75 00 |
| 1½ ft..... | 1 50 | 13 50 | 125 00 |
| <i>viscosa.</i> White Azalea. 12 to 15 in..... | 50 | 4 00 | 35 00 |

MOLLIS AND GHENT AZALEAS

| | | | |
|--|------|-------|-------|
| mollis. 15 to 18 in..... | 1 00 | 7 50 | 65 00 |
| 1½ ft..... | 1 25 | 10 00 | |
| 2 ft..... | 1 50 | 13 50 | |
| 2½ ft..... | 2 00 | 17 50 | |
| All very heavy stock, lifting with good balls. | | | |
| Pontica (Ghent). 15 to 18 in..... | 1 00 | 7 50 | |
| 1½ ft..... | 1 25 | 10 00 | |
| 2 ft..... | 1 50 | 12 50 | |
| 3 ft..... | 2 50 | 22 50 | |
| Heavy stock, lifting with good balls. | | | |

| | | | |
|--|------|------|-------|
| BACCHARIS halimifolia. Groundsel Shrub— | | | |
| 3 to 4 ft.; heavy..... | 35 | 3 00 | 20 00 |
| 4 to 5 ft.; heavy..... | 50 | 4 00 | 25 00 |
| 6 to 8 ft.; heavy..... | 75 | 6 00 | 30 00 |
| BENZOIN odoriferum. Spice Bush. 3 to 3½ ft..... | 50 | 4 00 | |
| 3½ to 4 ft..... | 75 | 6 00 | |
| 4 to 5 ft..... | 1 00 | 8 00 | |
| BERBERIS (Barberry) ilicifolia. Holly-leaved. | | | |
| 15 to 18 in..... | 35 | 3 00 | 25 00 |
| <i>Sinensis.</i> Chinese Barberry— | | | |
| 2½ to 3 ft.; very heavy..... | 50 | 4 00 | |
| 3 to 3½ ft..... | 75 | 6 00 | |
| <i>Thunbergi.</i> 12 to 15 in..... | 25 | 1 75 | 12 00 |
| 15 to 18 in..... | 35 | 2 50 | 15 00 |
| 1½ ft.; broad and very heavy..... | 50 | 3 50 | 20 00 |
| 1½ to 2 ft.; broad and very heavy..... | 60 | 4 50 | 25 00 |
| 2½ ft.; broad and very heavy..... | 75 | 6 00 | 45 00 |
| 3 to 3½ ft.; broad and very heavy..... | 1 00 | 7 50 | 50 00 |

| | Each | Per 10 | Per 100 |
|--|--------|--------|---------|
| BERBERIS vulgaris. Common Barberry— | | | |
| 18 to 24 in; (heavy)..... | \$0 35 | \$2 00 | |
| 2 to 2½ ft..... | 50 | 3 50 | |
| 2½ to 3 ft..... | 75 | 5 00 | |
| vulgaris, var. purpurea. 2 to 2½ ft..... | 35 | 2 00 | |
| 2½ to 3 ft..... | 50 | 3 00 | |
| 3 to 3½ ft..... | 75 | 4 00 | |
| CALLICARPA purpurea. Beauty Fruit. 3 to 4 ft..... | 75 | 5 00 | |
| CALYCANTHUS floridus. Allspice, or Sweet Shrub— | | | |
| 1½ to 2 ft..... | 35 | 2 00 | |
| 2½ to 3 ft..... | 50 | 3 00 | |
| CARYOPTERIS Mastacanthus. Blue Spirea. 1 ft..... | 25 | 2 00 | \$15 00 |
| CEANOTHUS Americanus. Jersey Tea, 12 to 15 in.... | 35 | | |
| 2 to 2½ ft..... | 50 | 4 00 | |
| Var. Fendleri. 12 in..... | 75 | 5 00 | |
| CEPHALANTHUS occidentalis. 1½ ft..... | 35 | 2 00 | |
| 3 to 4 ft..... | 50 | 3 50 | |
| CERCIS. See, also, Deciduous Trees. | | | |
| Japonica. Japan Judas. 3 to 3½ ft..... | 75 | 6 50 | |
| 3½ to 4 ft..... | 1 00 | 8 50 | |
| 4 to 5 ft..... | 1 50 | 13 50 | |
| Exceptionally fine stock. | | | |
| CHIONANTHUS Virginica. White Fringe. 2 to 2½ ft.... | 50 | 4 50 | |
| 2½ to 3 ft..... | 75 | 7 00 | |
| 4 to 5 ft..... | 1 25 | 10 00 | |
| CITRUS trifoliata; syn., Limonia. Hardy Trifoliolate | | | |
| Orange. 1½ to 2 ft..... | 35 | 2 50 | 15 00 |
| CLETHRA alnifolia. Sweet Pepperbush— | | | |
| 2 to 2½ ft.; very broad and bushy..... | 35 | 3 00 | |
| 2½ to 3 ft.; very broad and bushy..... | 50 | 4 00 | |
| 3 to 4 ft.; very broad and bushy..... | 75 | 6 00 | |
| COLUTEA arborescens. Bladder Senna. 1 to 2 ft..... | 35 | 2 50 | |
| 2 to 3 ft..... | 50 | 4 00 | |
| COMPTONIA asplenifolia. Sweet Fern. 1½ to 2 ft..... | 35 | 3 00 | |
| CORCHORUS Japonicus (double). Syn. Kerria — | | | |
| 2 to 2½ ft..... | 35 | 3 00 | |
| Japonicus (single). Globe Flower. 1½ ft.. | 25 | 2 00 | |
| Japonicus, var. variegata. 1 to 1½ ft..... | 25 | 2 00 | 15 00 |
| CORNUS. See, also, Trees. | | | |
| alba. Siberian Red-twigged Dogwood— | | | |
| 2½ to 3 ft.; very heavy..... | 35 | 3 00 | |
| 3 to 3½ ft.; very heavy..... | 50 | 4 00 | |
| 3½ to 4 ft.; very heavy..... | 75 | 6 00 | |
| 4 to 5 ft.; very heavy..... | 1 00 | 7 50 | |
| 5 to 6 ft.; very heavy..... | 1 25 | 8 50 | |
| alba (syn., Sibirica), var. aurea variegata. | | | |
| 1½ ft..... | 1 00 | | |
| alba, var. elegantissima. Golden-leaved— | | | |
| 1½ to 2 ft..... | 75 | 5 00 | |
| alternifolia. 1 to 1½ ft..... | 35 | 2 00 | |
| 2½ to 3 ft..... | 50 | 4 00 | |

PRICE-LIST FOR SPRING OF 1906

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| CORNUS Mas. Cornelian Cherry— | | | |
| 2 to 3 ft.; very heavy..... | \$0 50 | \$4 00 | |
| 4 to 4½ ft.; very heavy..... | 75 | 6 00 | |
| 4½ to 5 ft.; very heavy..... | 1 00 | 7 50 | |
| 5 to 6 ft..... | 1 25 | 10 00 | |
| paniculata. 3 to 4 ft..... | 50 | 4 50 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| 5 to 6 ft..... | 1 00 | 9 00 | |
| sanguinea. European Osier Dogwood— | | | |
| 2 to 2½ ft..... | 25 | 2 00 | |
| 3½ to 4 ft..... | 35 | 3 00 | |
| 4 to 5 ft.; extra..... | 50 | 4 00 | |
| sericea. Silky Dogwood. 2 to 3 ft..... | 35 | 2 00 | |
| 3 to 4 ft..... | 50 | 4 00 | \$30 00 |
| 4 to 5 ft..... | 75 | 6 00 | |
| stolonifera. Native Red Osier. 3 to 4 ft..... | 50 | 3 00 | |
| 4 to 5 ft..... | 75 | 4 00 | |
| stolonilera, var. aurea. Golden-barked. 3 ft.. | 35 | 2 50 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| CORYLUS Avellana, var. laciniata. Cut-leaved Hazel. | | | |
| 5 ft..... | 50 | 4 00 | |
| maxima, var. purpurea. Purple Hazel— | | | |
| 1½ to 2 ft..... | 25 | 2 00 | |
| 2 to 2½ ft..... | 35 | 3 00 | |
| 2½ to 3 ft..... | 50 | 4 00 | |
| CRATAEGUS. See Trees. | | | |
| CYDONIA Japonica. Japan Quince. 1 to 2 ft..... | | | |
| | 35 | 3 00 | |
| Maulei, var. tricolor. 1 to 1½ ft..... | 35 | 3 00 | |
| CYTISUS purpureus. 1 ft..... | | | |
| | 25 | 2 00. | |
| scoparius. Scotch Broom. 2 to 2½ ft..... | 35 | 3 00 | |
| DESMODIUM penduliflorum. See <i>Lespedeza Sieboldi</i>. | | | |
| DEUTZIA, Assorted. 3 to 5 ft.; heavy..... | | | |
| | 50 | 4 00 | 30 00 |
| 6 to 8 ft.; heavy..... | 1 00 | 7 50 | |
| crenata, var. Pride of Rochester. 4 to 5 ft.... | 50 | 4 00 | |
| crenata, var. rosea plena. 4 to 5 ft..... | 50 | 4 00 | |
| crenata, var. Waterer. 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft.; very heavy..... | 75 | 6 00 | |
| crenata, var. Wellsi. 4 to 5 ft..... | 50 | 3 50 | |
| gracilis. Dwarf Deutzia. 12 in.; very heavy. | 35 | 3 00 | |
| 18 in.; very heavy..... | 50 | 4 00 | |
| gracilis, var. carminea. 1 ft..... | 50 | | |
| 1½ to 2 ft..... | 1 00 | | |
| gracilis, var. rosea. 1 to 1½ ft..... | 50 | | |
| 1½ to 2 ft..... | 1 00 | | |
| Lemoinei. 1 to 1½ ft..... | 25 | 2 00 | |
| 1½ to 2 ft..... | 35 | 3 00 | |
| Lemoinei compacta. 1 to 1½ ft..... | 75 | 5 00 | |
| parvillora. 1½ to 2 ft..... | 35 | 3 00 | |
| scabra. 2 to 3 ft..... | 35 | 3 00 | |
| 4 to 5 ft..... | 50 | 4 00 | |
| 5 to 6 ft..... | 75 | 6 00 | |
| DIERVILLA (Weigela) florida; var. amabilis. 2 to 2½ ft.. | | | |
| | 35 | 2 00 | |
| florida, syn., rosea. 2 to 2½ ft..... | 35 | 2 50 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| 5 to 6 ft..... | 1 00 | | |

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| DIERVILLA florida, var. candida. 2 to 3 ft..... | \$0 35 | \$3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| florida nana, var. aurea variegata. 2 to 2½ ft.. | 50 | 4 00 | |
| florida, var. Sieboldi alba-- | | | |
| 2 to 3 ft..... | 50 | 4 00 | |
| floribunda Lavellei. 1½ ft..... | 35 | 2 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| Japonica (syn. hortensis), var. floribunda-- | | | |
| 2 to 3 ft..... | 35 | 2 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| Japonica, var. Duchatre. 3 to 3½ ft..... | 1 00 | 6 00 | |
| Japonica, var. Eva Rathke. (Hybrid). | | | |
| 2 to 2½ ft..... | 35 | 3 00 | |
| 3 to 3½ ft..... | 50 | 3 50 | |
| Groenewegeni. 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| Groenewegeni, var. Mad. Contourier. (Hybrid). | | | |
| 3 to 4 ft..... | 50 | 3 00 | |
| Groenewegeni, var. Steftzneri. 3 to 4 ft..... | 50 | 3 00 | |
| Groenewegeni, var. Van Houttei. 2 to 3 ft. ... | 35 | 2 50 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| Verschaffelti. 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| sessifolia. 1 to 1½ ft..... | 25 | 2 00 | |
| ELAEAGNUS angustifolia. Oleaster. 1 to 2 ft..... | 25 | 1 50 | |
| 4 to 5 ft..... | 35 | 3 00 | |
| 5 to 6 ft..... | 50 | 4 00 | |
| 6 to 8 ft..... | 75 | 6 00 | |
| longipes; syn. edulus. Japanese Oleaster-- | | | |
| 2 to 2½ ft..... | 35 | 3 00 | |
| 2½ to 3 ft..... | 50 | 4 00 | |
| 3 to 4 ft..... | 1 00 | 6 00 | |
| parvifolia, 3 to 3½ ft..... | 50 | 4 00 | |
| EUONYMUS alatus. Cork-barked. 3 to 4 ft..... | 2 00 | 18 50 | |
| 4 to 5 ft..... | 2 50 | 22 50 | |
| Americana. Strawberry Bush. 2 to 3 ft.... | 25 | 2 00 | |
| Europaeus. Spindle Tree. 3 ft..... | 35 | 3 00 | |
| EXOCHORDA grandiflora. Pearl Bush. 2½ to 3 ft..... | 35 | 2 50 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| FORSYTHIA (Golden Bell) Fortunei. 2 to 3 ft..... | 25 | 2 00 | |
| 3 to 4 ft..... | 35 | 3 00 | |
| 4 to 5 ft.; very heavy..... | 50 | 4 00 | |
| intermedia. 2 to 3 ft..... | 35 | 2 50 | |
| 5 to 6 ft.; very heavy..... | 75 | 6 00 | |
| suspensa. 2 to 3 ft..... | 55 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| 5 to 7 ft.; very heavy..... | 1 00 | 7 50 | |
| viridissima. 2 to 3 ft..... | 25 | 2 00 | |
| 3 to 4 ft.; very heavy; extra..... | 35 | 3 00 | |
| 4 to 5 ft.; very heavy; extra..... | 50 | 4 00 | |
| 5 to 6 ft.; very heavy; extra..... | 75 | 6 00 | \$50 00 |

PRICE-LIST FOR SPRING OF 1906

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| HALESIA tetraptera. 4 to 6 ft..... | \$0 50 | \$4 00 | |
| 6 to 8 ft..... | 1 00 | 7 50 | |
| HAMAMELIS Japonica. (Japanese Witch Hazel)— | | | |
| 2 to 3 ft..... | 35 | 3 00 | |
| Virginiana. Witch Hazel. 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft.; heavy..... | 75 | 6 00 | |
| 5 to 6 ft.; heavy..... | 1 00 | 7 50 | |
| HIBISCUS Syriacus. Althæa; Rose of Sharon— | | | |
| Boule de Feu. 2½ to 3 ft..... | 50 | 4 00 | |
| Comte de Flandre. 3 to 4 ft..... | 50 | 4 00 | |
| cammellaeflorus, var. Jeanne d'Arc— | | | |
| 3 to 4 ft..... | 50 | 4 00 | |
| cammellaeflorus, var. Lady Stanley— | | | |
| 3 to 3½ ft..... | 50 | 4 00 | |
| cammellaeflorus, var. Leopoldi— | | | |
| 2½ to 3 ft..... | 35 | 3 00 | |
| cammellaeflorus, var. purpurea— | | | |
| 2 to 2½..... | 35 | 3 00 | |
| cammellaeflorus, var. rubus. (New)— | | | |
| 3 to 3½ ft..... | 35 | 3 00 | |
| cammellaeflorus, var. totus albus— | | | |
| 1½ to 2 ft..... | 25 | 2 00 | |
| HIPPOPHAE rhamnoides. Sea Buckthorn— | | | |
| 2 to 3 ft. | 35 | 2 50 | \$15 00 |
| HYDRANGEA arborescens. 1½ ft..... | 35 | 3 00 | |
| Hortensis, var. Imperatrice Eugenie— | | | |
| 1½ ft.; 4-in. pot..... | 75 | 6 00 | |
| Hortensis, var. Otaksa. 3-year..... | 75 | 6 00 | |
| Hortensis, var. Japonica. 1½ ft..... | 75 | | |
| paniculata. 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft. | 50 | 4 00 | |
| 4 to 5 ft.; very heavy..... | 75 | 6 00 | |
| 5 to 6 ft.; very heavy..... | 1 00 | 7 50 | |
| 6 to 7 ft.; very heavy..... | 1 50 | 10 00 | |
| paniculata grandiflora. 2½ to 3 ft..... | 35 | 3 00 | 15 00 |
| 3 to 3½ ft..... | 50 | 4 00 | 25 00 |
| 3½ to 4 ft..... | 75 | 6 00 | 35 00 |
| 4 to 5 ft.; an extra heavy lot..... | 1 00 | 7 50 | 50 00 |
| 5 to 6 ft.; an extra heavy lot..... | 1 50 | | |
| quercifolia. Oak-leaved. 1 to 1½ ft..... | 75 | 6 00 | |
| 1½ to 2 ft. | 1 00 | 9 00 | |
| HYPERICUM aureum. 12 to 18 in..... | 35 | 3 00 | |
| calcinum. Aaron's Beard. 2-year..... | 35 | 3 00 | |
| hircinum. 1½ to 2 ft..... | 35 | 3 00 | |
| Moserianum hybrid. Gold-flower— | | | |
| 12 in..... | 35 | 2 50 | 15 00 |
| ILEX verticillata. Winter Berry. 1 to 1½ ft..... | 25 | 2 00 | |
| 1½ to 2 ft. | 35 | 3 00 | |
| 2 to 3 ft. | 50 | 4 00 | |
| ITEA Virginica. 1½ to 2 ft..... | 50 | 4 00 | |
| 2 to 2½ ft. | 75 | 6 00 | |

| | Each | Per 10 | Per 100 |
|--|--------|--------|---------|
| JASMINUM nudiflorum. Yellow Jasmine. 1 to 2 ft..... | \$0 35 | \$3 00 | |
| officinale. Hardy White Jasmine. 1 ft..... | 35 | 3 00 | |
| KERRIA. See Corechorus— | | | |
| LESPEDEZA bicolor. 2 to 3 ft..... | 0 35 | 2 50 | |
| Sieboldi; syn., Desmodium Japonicum— | | | |
| Heavy clumps..... | 35 | 3 00 | |
| Sieboldi, var. alba. Heavy clumps..... | 50 | 4 00 | |
| LIGUSTRUM Amurense. Amoor Privet— | | | |
| 3 to 4 ft.; very heavy..... | 75 | 4 50 | |
| lbota. 4 to 5 ft..... | 35 | 3 00 | \$20 00 |
| 5 to 6 ft. | 50 | 4 00 | 30 00 |
| lbota, var. Regelianum. Regel's— | | | |
| 12 to 15 in..... | 25 | 2 00 | 18 00 |
| 15 to 18 in..... | 35 | 3 00 | 25 00 |
| 1½ to 2 ft..... | 50 | 4 00 | 30 00 |
| 2 to 2½ ft..... | 75 | 6 00 | 40 00 |
| 2½ to 3 ft..... | 1 00 | 7 50 | 50 00 |
| 4 to 4½ ft..... | 1 50 | | |
| ovalifolium. California Privet— | | | |
| 2 to 2½ ft.; bushy.....per 1,000, \$40.. | 25 | 1 00 | 7 50 |
| 2½ to 3 ft.; bushy.....per 1,000, \$50.. | 35 | 1 50 | 10 00 |
| 3 to 3½ ft.; bushy.....per 1,000, \$60.. | 50 | 2 50 | 15 00 |
| 3½ to 4 ft.; bushy..... | 60 | 4 00 | 25 00 |
| 4 to 5 ft.; bushy..... | 75 | 5 00 | 30 00 |
| 5 to 6 ft.; bushy..... | 1 00 | 6 00 | 35 00 |
| Grand stock, all transplanted; a great deal of Privet offered by nurseries has never been transplanted. Ours have all been. We find it gives better results. | | | |
| Sinensis. Chinese Privet— | | | |
| 3 to 3½ ft.; heavy..... | 35 | 3 00 | |
| 4 to 5 ft..... | 50 | 4 00 | |
| 6 to 8 ft. Beautiful, bushy stock..... | 1 00 | 7 50 | 40 00 |
| vulgaris. Common Privet. 2 to 3 ft..... | 25 | 2 00 | |
| 3 to 4 ft..... | 35 | 3 00 | |
| LIMONIA trifoliata. See Citrus. | | | |
| LONICERA fragrantissima. Chinese Fragrant Bush Honeysuckle. 1 to 1½ ft. | | 1 50 | 10 00 |
| 2 to 3 ft..... | 25 | 2 00 | 15 00 |
| 3 to 4 ft..... | 35 | 3 00 | 20 00 |
| 4 to 5 ft.; heavy | 50 | 4 00 | 30 00 |
| 5 to 6 ft.; heavy..... | 75 | 6 00 | 40 00 |
| Morrowi. Japanese Bush Honeysuckle— | | | |
| 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 50 | |
| Ruprechtiana. 3 to 4 ft..... | 50 | 4 50 | |
| Standishi. Standish's Honeysuckle— | | | |
| 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| Tatarica, assorted. 3 to 4 ft..... | 35 | 2 50 | |
| 4 to 5 ft..... | 50 | 3 00 | |
| 5 to 6 ft..... | 75 | 5 00 | |
| 6 to 8 ft.; heavy..... | 1 00 | 6 00 | |
| Tatarica (rubra). 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| 5 to 6 ft..... | 1 00 | 7 50 | |

| | Each | Per 10 | Per 100 |
|--|--------|--------|---------|
| LONICERA Tatarica, var. alba. 2 to 3 ft..... | \$0 35 | \$3 00 | |
| 3 to 4 ft..... | 50 | 3 50 | |
| 4 to 5 ft.; heavy..... | 1 00 | 8 50 | |
| Tatarica, var. bella albida. 2 to 3 ft. | 50 | 3 50 | |
| 4 to 5 ft..... | 75 | 5 00 | |
| Tatarica, var. gracilis. 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| Tatarica, var. Chrysanthera. 3 to 3½ ft..... | 50 | 3 50 | |
| 4 to 5 ft..... | 75 | 5 00 | |
| Tatarica, var. splendens. 4 to 5 ft..... | 75 | 5 00 | |
| LYCIUM Chinense. Matrimony Vine. 1½ to 2 ft..... | 35 | 2 50 | |
| 2 to 3 ft..... | 50 | 4 00 | |
| MYRICA cerifera. Wax Myrtle. 2 ft..... | 25 | 2 00 | |
| 3 to 3½ ft..... | 50 | 4 00 | |
| PAVIA parviflora. See <i>Æsculus</i> , under Shrubs. | | | |
| PHILADELPHUS coronarius. Mock Orange— | | | |
| 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | \$20 00 |
| 4 to 5 ft..... | 75 | 6 00 | 30 00 |
| coronarius, var. aureus. Golden Mock Orange. 1½ ft..... | 35 | 3 00 | |
| grandiflorus. 3 to 4 ft. | 35 | 3 00 | 27 50 |
| 3 to 4 ft..... | 50 | 4 00 | 30 00 |
| 4 to 5 ft.,..... | 75 | 6 00 | 40 00 |
| Lemoinei. (Hybrid.) 2 to 2½ ft..... | 35 | 3 00 | |
| Lemoinei, var. erectus. 1½ to 2 ft..... | 50 | 3 50 | |
| Zeyheri, var. speciosissimus. 3 to 4 ft. | 35 | 3 00 | |
| POTENTILLA fruticosa. Shrubbery Cinquefoil. 2 to 3 ft. | 35 | 3 00 | |
| PRUNUS amygdalus communis. Flowering Almond— | | | |
| 2 to 3 ft..... | 75 | 5 00 | |
| amygdalus communis, var. rosea. 2 to 3 ft..... | 75 | 5 00 | |
| maritima. Beach Plum. 2 ft..... | 35 | 3 00 | |
| PYRUS arbutifolia. Chokeberry. 2 to 3 ft..... | 35 | 3 00 | |
| RHAMNUS cathartica. Buckthorn. 1 ft..... | 25 | 2 00 | 10 00 |
| RHODOTYPUS kerrioides. White Kerria. 2 to 3 ft.... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| RHUS aromatica. Fragrant Sumac. 1½ to 2 ft..... | 35 | 3 00 | |
| 2½ to 3 ft..... | 50 | 4 00 | |
| 3 to 3½ ft..... | 75 | 6 00 | |
| copallina. Shining Sumac. 2 to 2½ ft..... | 35 | 3 00 | |
| 2½ to 3 ft..... | 50 | 4 00 | |
| 3 to 3½ ft..... | 75 | 5 00 | |
| 3½ to 4 ft..... | 1 00 | 7 50 | |
| Cotinus. Mist, or Smoke Tree. 2 to 2½ ft..... | 35 | 3 00 | |
| 2½ to 3 ft..... | 50 | 4 00 | |
| 3 to 4 ft..... | 75 | 5 00 | |
| Cotinus, var. atropurpurea. Purple Mist— | | | |
| 2½ to 3 ft..... | 75 | | |
| 3 to 4 ft..... | 1 00 | | |
| RIBES aureum. Golden Currant. 4 ft..... | 35 | 3 00 | |
| 4 to 5 ft..... | 50 | 4 00 | |
| Gordonianum. 2½ to 3½ ft..... | 50 | 4 00 | |
| sanguineum. 2 to 2½ ft..... | 35 | 3 00 | |

ANDORRA NURSERIES

| | Each | Per 10 | Per 100 |
|--|--------|--------|---------|
| ROBINIA hispida. Rose Acacia. 2 to 3 ft..... | \$0 25 | \$2 00 | \$12 00 |
| 3 to 4 ft..... | 35 | 3 00 | 20 00 |
| RUBUS Canadensis. Strong plants..... | 25 | 2 00 | |
| odoratus. 2 ft..... | 25 | 2 00 | 15 00 |
| SAMBUCUS Canadensis. 2 to 3 ft..... | 25 | 1 50 | |
| Melanocarpus. 3 to 3½ ft..... | 75 | 6 00 | |
| nigra, var. aurea. Golden Elder. 3 to 4 ft. | 35 | 3 00 | |
| 4 to 5 ft..... | 50 | 4 00 | |
| nigra, var. foliis luteis. 6 to 7 ft..... | 75 | 6 00 | |
| nigra, var. laciniata. Cut-leaved Elder— | | | |
| 3 to 4 ft..... | 50 | 3 50 | |
| racemosa. Red-fruited. 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 6 ft..... | 75 | 6 00 | |
| SPIRAEA arguta. 3 to 4 ft.; heavy..... | 50 | 4 00 | |
| 4 to 6 ft.; heavy..... | 75 | 6 00 | |
| Biltardi. 3 to 4 ft..... | 35 | 3 00 | |
| Bumalda. 2 ft..... | 35 | 3 00 | |
| 2½ ft.; heavy..... | 50 | 4 00 | |
| 3 ft..... | 75 | 6 00 | |
| Bumalda, var. Anthony Waterer. 1½ to 2 ft.... | 25 | 2 00 | 15 00 |
| 2 to 2½ ft.; heavy..... | 35 | 3 00 | |
| 2½ to 3 ft.; heavy..... | 50 | 4 00 | |
| 3 to 3½ ft.; heavy..... | 75 | 6 00 | |
| callosa. Fortune's Spirea. 2 ft..... | 35 | 3 00 | |
| callosa, var. alba. 1½ to 2 ft..... | 35 | 3 00 | |
| 2 to 2½ ft..... | 50 | 3 50 | |
| crispifolia; syn., bullata. 12 to 15 in..... | 25 | 2 00 | 15 00 |
| Japonica, var. Fortunei rosea— | | | |
| 3 to 3½ ft.; very heavy..... | 75 | 6 00 | |
| Japonica, var. macrophylla— | | | |
| 3 to 3½ ft..... | 35 | 3 00 | |
| opulifolia. 2 to 3 ft..... | 25 | 2 00 | 15 00 |
| 3 to 4 ft..... | 35 | 3 00 | 25 00 |
| 4 to 5 ft..... | 50 | 4 00 | |
| 6 to 7 ft.; heavy..... | 75 | 6 00 | |
| opulifolia, var. aurea. Golden-leaved— | | | |
| 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | 25 00 |
| 4 to 5 ft.; heavy..... | 75 | 6 00 | |
| 6 to 8 ft..... | 1 00 | 7 50 | |
| prunifolia flore pleno. Bridal Wreath— | | | |
| 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft.; heavy..... | 50 | 4 00 | |
| 5 to 6 ft.; heavy..... | 75 | 6 00 | |
| Reevesiana. 2 to 3 ft..... | 35 | 3 00 | 20 00 |
| 3 to 4 ft..... | 50 | 4 00 | 30 00 |
| rotundifolia; syn., bracteata. 3 ft..... | 35 | 3 00 | |
| salicifolia. Willow-leaved. 5 to 6 ft..... | 75 | 6 00 | |
| sorbifolia. 2 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 3 50 | |
| Thunbergii. Thunberg's Spirea— | | | |
| 1½ to 2 ft..... | 35 | 3 00 | 15 00 |
| 2½ to 3 ft.; very heavy..... | 50 | 4 00 | 20 00 |
| 3½ to 4 ft.; very heavy..... | 75 | 6 00 | 30 00 |
| 4 to 4½ ft.; very heavy..... | 1 00 | 7 50 | |

PRICE-LIST FOR SPRING OF 1906

35

| | Each | Per 10 | Per 100 |
|---|----------------|--------|---------|
| SPIRAEA Van Houttei. 2 to 2½ ft..... | \$0 35 | \$3 00 | \$15 00 |
| 2½ to 3 ft..... | 50 | 4 00 | 20 00 |
| 3 to 3½ ft..... | 75 | 6 00 | 30 00 |
| 4 to 5 ft..... | 1 00 | 7 50 | 40 00 |
| STAPHYLEA colchica. Bladder Nut. 1½ to 2 ft. | 25 | 2 00 | |
| 2 to 3 ft..... | 35 | 3 00 | |
| 3 to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| 5 to 6 ft..... | 1 00 | | |
| STEPHANANDRA flexuosa. 2 to 2½ ft..... | 35 | 3 00 | 25 00 |
| 2½ to 3 ft.; heavy..... | 50 | 4 00 | 30 00 |
| STYRAX Japonica. 4 to 5 ft..... | 1 00 | 7 50 | |
| SYMPHORICARPUS racemosus. Snowberry— | | | |
| 1½ to 2 ft..... | 25 | 2 00 | 12 00 |
| 2 to 2½ ft..... | 35 | 3 00 | 15 00 |
| 2½ to 3 ft..... | 50 | 3 50 | 17 50 |
| 3 to 4 ft..... | 75 | 5 00 | 25 00 |
| vulgaris. Coral Berry— | | | |
| 2½ to 3 ft..... | 35 | 3 00 | 15 00 |
| 3 to 3½ ft..... | 50 | 4 00 | 20 00 |
| 3½ to 4 ft.; heavy..... | 75 | 6 00 | 30 00 |
| 4 to 5 ft..... | 1 00 | 7 00 | 40 00 |
| SYRINGA Chinensis; syn., Rothmagensis. Rouen Lilac— | | | |
| 4 to 5 ft. | 50 | 4 00 | |
| 6 to 7 ft..... | 75 | 6 00 | |
| Japonica. 3 to 3½ ft..... | 50 | | |
| Josikaea, var. eximia. 1½ to 2 ft..... | 75 | 6 00 | |
| Josikaea, var. H. Zabel. 2 to 2½ ft..... | 75 | 6 00 | 30 00 |
| Persica. 2 to 3 ft..... | 50 | 4 00 | |
| 3 to 4 ft. | 75 | 6 00 | |
| Persica, var. alba. 2 to 3 ft. | 50 | 4 00 | |
| 3 to 3½ ft. | 75 | 6 00 | |
| Persica, var. laciniata. 3 to 3½ ft. | 50 | 4 00 | |
| Persica, var. violacea. 3 to 4 ft..... | 75 | 6 00 | |
| villosa. 2 to 3 ft..... | 50 | 4 00 | |
| villosa, var. Emodi. 2½ to 3 ft..... | 50 | 4 00 | |
| 3 to 3½ ft. | 75 | 6 00 | |
| vulgaris. Common Lilac. 2½ to 3 ft..... | 35 | 3 00 | |
| 3 to 3½ ft..... | 50 | 4 00 | |
| 3½ to 4 ft.; very heavy | 1 00 | 9 00 | |
| 4 to 4½ ft.; very heavy | 1 50 | 13 50 | |
| 5 to 6 ft..... | \$2.50 to 3 50 | | |
| vulgaris alba. 3 to 3½ ft..... | 75 | 6 00 | |
| 3½ to 4 ft..... | 1 00 | 9 00 | |
| 4 to 5 ft..... | 1 50 | 13 50 | |
| 5 to 6 ft..... | 2 50 | | |
| vulgaris, Named Varieties— Alba grandiflora, Albert the Good, Charles X, Frau Bertha Dammann, La Tour d'Auvergne, Marie Legraye, Mathieu de Dombasle, Rubra de Marley, Senateur Volland, Souvenir de Ludwig Spaeth, Verschaffelt. 2 to 3 ft.. | 50 | 4 00 | |
| 3 to 3½ ft.; heavy | 1 00 | 7 50 | |
| 3½ to 4 ft.; heavy | 1 50 | 12 50 | |
| 4 to 5 ft.; heavy | 2 00 | 17 50 | |

ANDORRA NURSERIES

| | Each | Per 10 | Per 100 |
|--|----------|--------------|---------|
| SYRINGA vulgaris, Named Varieties —Docteur Masters, Edouard André, Le Gaulois, Lovaniensis, Michael Buchner, Marie Lemoine, Marc Micheli, President Loubet. 1 to 2 ft..... | \$0 75 | \$6 00 | |
| 2 to 3 ft. | 1 00 | 9 00 | |
| TAMARIX Africana; syn., parviflora. 2 to 3 ft. | 35 | 3 00 | |
| Gallica and Gallica, var. Indica. 2 to 3 ft..... | 35 | 3 00 | |
| VACCINUM corymbosum. Swamp Huckleberry— | | | |
| 1 to 2 ft..... | 25 | 2 00 | \$10 00 |
| VIBURNUM acerifolium. 1 to 1½ ft..... | 25 | 1 75 | |
| 2 to 2½ ft..... | 35 | 2 50 | |
| cassanoides. White Rod. 1½ to 2 ft..... | 25 | 2 00 | 15 00 |
| 2 to 2½ ft..... | 35 | 3 00 | 20 00 |
| 2½ to 3 ft..... | 50 | 4 50 | 30 00 |
| dentatum. Arrow-wood. 2 to 3 ft..... | 35 | 3 00 | 20 00 |
| 3 to 3½ ft..... | 50 | 4 00 | |
| 3½ to 4 ft..... | 75 | 6 00 | |
| 4 to 5 ft.; heavy..... | 1 00 | 8 50 | |
| Lantana. Wayfaring Tree. 2 to 2½ ft. | 25 | 2 00 | 15 00 |
| 3 to 3½ ft..... | 35 | 3 00 | |
| 3½ to 4 ft.; very heavy..... | 50 | 4 00 | |
| 4 to 5 ft.; very heavy..... | 75 | 6 00 | |
| 5 to 7 ft.; very heavy..... | 1 00 | 8 50 | |
| Lentago. Sheep-berry. 3 to 3½ ft..... | 35 | 3 00 | |
| 4 to 5 ft..... | 50 | 4 00 | |
| molle. 1½ to 2 ft..... | 35 | 3 00 | 20 00 |
| 2 to 3 ft..... | 50 | 4 00 | |
| Opulus. High Cranberry Bush. 2 to 3 ft... 3 to 4 ft. | 35 50 | 3 00 4 00 | |
| 4 to 5 ft..... | 75 | 5 00 | |
| Opulus, var. sterile. Guelder Rose— | | | |
| 2 to 3 ft..... | 35 | 3 00 | 15 00 |
| 3 to 3½ ft..... | 50 | 4 00 | 25 00 |
| plicatum. Japanese Snowball. 2½ to 3 ft... 3 to 3½ ft.; extra fine.... | 50 35 | 3 50 3 00 | |
| 4 to 5 ft.; extra fine..... | 50 | 4 50 | 20 00 |
| 5 to 6 ft. Specimens. Fine..... | 1 00 | 6 00 | 75 00 |
| 6 to 8 ft. Specimens. Fine..... | 2 00 | 15 00 | |
| A beautiful shrub deserving extensive planting. | | | |
| prunifolium. Black Haw. 3 to 3½ ft..... | 35 | 3 00 | |
| 3½ to 4 ft..... | 50 | 4 00 | |
| 4 to 5 ft..... | 75 | 6 00 | |
| Sieboldi. 1½ to 2 ft..... | 35 | 3 00 | |
| 2 to 3 ft..... | 50 | 4 00 | |
| VITEX Agnus-castus. Chaste Tree. 2 ft..... | 35 | 2 50 | |
| XANTHOCERAS sorbifolia. 1½ to 2 ft. | 50 | 4 00 | |
| XANTHORRHIZA apiifolia. Shrub Yellow Root— | | | |
| 12 in. In clumps..... | 35 | 2 50 | 10 00 |
| 18 in. In clumps..... | 50 | 3 00 | 12 00 |
| 24 in. In clumps..... | 75 | 5 00 | 15 00 |

REEDS AND GRASSES

| | Each | Per 10 |
|--|--------|--------|
| ARUNDO Donax. Clumps..... | \$0 50 | \$3 50 |
| BAMBUSA Metake. Clumps | 50 | 3 50 |
| ELYMUS glaucus | 25 | 1 50 |
| ERIANTHUS Ravennae | 50 | 3 50 |
| EULALIA Japonica, and vars. <i>variegata</i> , <i>gracillima univittata</i> , <i>zebrina</i> . Clumps | 50 | 3 50 |
| FESTUCA glauca..... | 25 | 1 50 |
| PHALARIS arundinacea, var. <i>variegata</i> . Ribbon Grass..... | 25 | 1 00 |

VINES, CLIMBING AND TRAILING PLANTS

| | Each | Per 10 | |
|--|--------|--------|---------|
| ACTINIDIA polygama. | \$0 25 | \$1 50 | |
| Heavy..... | 1 00 | 7 50 | |
| AKEBIA quinata. From pots..... | 35 | 2 50 | |
| AMPELOPSIS quinquefolia, Virginia Creeper. 5-in. pots..... | 35 | 3 00 | |
| 3-year, field-grown; heavy..... | 25 | 2 00 | |
| <i>quinquefolia</i> , var. <i>Engelmanni</i> . 5 in. pots; heavy... | 35 | 3 00 | |
| 3-year, field-grown; heavy..... | 25 | 2 00 | |
| <i>tricuspidata</i> ; syn., <i>Veitchi</i> . Japan or Boston Ivy— | | | |
| 5-in. pots; heavy | 35 | 3 00 | |
| 3-year, field-grown; heavy..... | 25 | 2 00 | |
| ARISTOLOCHIA Siphocampylodes. Dutchman's Pipe Vine. 5-in. pots..... | 75 | 6 00 | |
| BIGNONIA grandiflora. 6-in. pots..... | 50 | 4 00 | |
| 2 to 3 ft.; field-grown..... | 35 | 2 00 | |
| <i>radicans</i> . Scarlet Trumpet Vine. 5-in. pots..... | 50 | 4 00 | |
| 2 to 3 ft.; field-grown..... | 25 | 2 00 | |
| CELASTRUS scandens. False Bitter-sweet. 5-in. pots | 50 | 4 00 | |
| 3 to 5 ft.; heavy; field-grown | 75 | 6 00 | |
| CLEMATIS coccinea. 4-in. pots..... | 50 | 4 00 | |
| <i>Flammula</i> . Sweet Clematis. 4-in. pots | 50 | 4 00 | |
| <i>graveolens</i> ; syn., <i>orientalis</i> . 4-in. pots..... | 35 | 3 00 | |
| Large-flowering varieties.—Fairy Queen, Gem, Henryi, Jackmani, Jackmani, var. <i>alba</i> , Jeanne d'Arc, Duchess of Edinburgh, Kermesina, Lady Caro- line Neville, Lilicina floribunda, Madame Van Houtte, Miss Bateman, President..... | 50 | 4 00 | |
| <i>paniculata</i> . 2-year | 25 | 2 00 | |
| 3-year; heavy | 35 | 3 00 | |
| 5-in. pots; fine | 35 | 3 00 | |
| DOLICHOS. See Pueraria. | | | |
| EUONYMUS <i>radicans</i> and <i>radicans variegata</i> — | Each | Per 10 | Per 100 |
| 1½ to 2 ft., field-grown..... | \$0 35 | \$2 50 | \$12 00 |
| HEDERA Helix. English Ivy— | | | |
| 2 to 3 ft., pot-grown | 25 | 2 00 | 12 00 |
| 3 to 3½ ft., pot grown; extra..... | 35 | 3 00 | 15 00 |
| JASMINUM. See Deciduous Shrubs. | | | |
| LATHYRUS latifolius. Everlasting Pea..... | 75 | | |
| LEUCOTHOE. See Evergreen Shrubs. | | | |
| LONICERA Japonica. Honeysuckle. 4-in. pots..... | 25 | 2 50 | |
| 3-year, field-grown..... | 35 | 3 00 | |

| | Each | Per 10 |
|---|--------|--------|
| LONICERA Japonica , var. <i>brachypoda</i> ; syn., <i>flexuosa</i> — | | |
| 4-in. pots..... | \$0 35 | \$3 00 |
| Japonica , var., <i>aurea reticulata</i> . 4-in. pots..... | 25 | 2 00 |
| 6-in. pots..... | 50 | 4 00 |
| Japonica , var. <i>Cbinensis</i> . Purplish green foliage— | | |
| 4-in. pots..... | 25 | 2 00 |
| Heavy field-grown..... | 35 | 3 00 |
| Japonica , var. <i>Halliana</i> . 4-in. pots..... | 25 | 2 00 |
| 3-year, field-grown..... | 35 | 3 00 |
| sempervirens , var. <i>fuchsioides</i> . (Scarlet Trumpet.) | | |
| 5-in. pots..... | 35 | 3 00 |
| PERIPLOCA Graeca . Silk Vine. 6-in. pots..... | 50 | |
| PUERARIA Thunbergiana ; syn., <i>Dolichos Japonicus</i> — | | |
| Kudzu Vine. In pots..... | 75 | |
| TECOMA . See Bignonia. | | |
| VITIS Labrusca . Fox Grape. 5-in. pots..... | 50 | 3 50 |
| WISTARIA Chinensis . Chinese Wistaria. 5-in. pots; heavy..... | 75 | 6 00 |
| Chinensis , var. <i>alba</i> . 6-in. pots; heavy..... | 1 00 | 7 50 |
| magnifica . 5-in. pots; heavy..... | 75 | 6 00 |
| multijuga . 5-in pots; heavy..... | 75 | 6 00 |

FRUIT DEPARTMENT

| | | |
|---|------|-------|
| APPLES, Summer —Early Harvest, Golden Sweet, Red Astrachan, Summer Rambo, Sweet Bongh, Tetofsky, Yellow Transparent. | | |
| Autumn —Duchess of Oldenburg, Gravenstein, Maiden's Blush, Red Bietigheimer. | | |
| Winter —American Golden Russet, Baldwin, Bellefleur, Fallawater, King of Tompkins County, Northern Spy, Rhode Island Greening, Wealthy. | | |
| 5 to 7 ft.; $\frac{7}{8}$ to 1 in..... | 1 00 | 7 50 |
| Crab —Hyslop, Large Red Siberian, Large Yellow Siberian, Transcendent. 5 to 7 ft..... | 1 00 | 7 50 |
| CHERRIES, Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke, Montmorency. 5 to 6 ft..... | 1 50 | 12 50 |
| Large Sweet (Hearts and Bigarreaus)—Black Eagle, Black Tartarian, Gov. Wood, Napoleon Bigarreau, Yellow Spanish. 5 to 6 ft..... | 1 50 | 12 50 |
| NUTS, American Sweet Chestnut . See under Deciduous Trees. | | |
| Spanish Chestnut . See under Deciduous Trees. | | |
| Hybrid Chestnut —Paragon, Numbo. 4 to 5 ft..... | 1 50 | 12 50 |
| Filberts , 4 varieties. 1 ft..... | 25 | 2 00 |
| Walnut, Black . See <i>Juglans nigra</i> , under Deciduous Trees. | | |
| PEACHES —Belle of Georgia, Crawford's Early, Crawford's Late, Elberta, Mountain Rose, Morris White, Oldmixon Free, Stump the World, Wheatland— | | |
| 4 to 5 ft..... | 35 | 3 00 |
| 5 to 6 ft..... | 50 | 3 50 |
| PEARS, Summer . Bartlett, Clapp's Favorite, Doyenne d'Ete. | | |
| Autumn —Beurre d'Anjon, Buffum, Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence. | | |

PRICE-LIST FOR SPRING OF 1906

39

| | Each | Per 10 |
|--|--------|---------|
| PEARS, Winter —Rutter, Seckel, Sheldon, Worden-Seckel. | | |
| 5 to 6 ft..... | \$1 25 | \$10 00 |
| 6 to 8 ft..... | 2 00 | 15 00 |
| PLUMS, Japanese —Abundance, Burbank, Chabot, Satsuma, Willard. 5 to 6 ft..... | 1 00 | 7 50 |
| QUINCES —Champion, Orange, Rea's Mammoth. 3 to 4 ft..... | 75 | 6 00 |

SMALL FRUITS

| | | |
|---|----------|--------------|
| BLACKBERRIES —Early Harvest, Eldorado, Erie, Kittatinny, Rathbun, Snyder, Wilson Junior.per 100, \$3.. | | 50 |
| CURRANTS, Red —Cherry, Fay's Prolific, Red Dutch; White —White Grape; Black —Lee's Prolific..... | 25 | 2 00 |
| GOOSEBERRIES —Downing, Houghton, Industry, Smith's Improved | 25 | 2 00 |
| GRAPES, Black —Concord, Moore's Early, Warden; Red —Brighton, Catawba, Delaware; White —Green Mountain, Niagara, Pocklington. 2-year.. Extra heavy | 25 50 | 2 00 3 00 |
| RASPBERRIES —Columbian, Cuthbert, Golden Queen, Gregg, Mammoth Cluster, Ruby.....per 100, \$3 | | 50 |
| STRAWBERRIES —Bederwood, Bismarek, Brandywine, Bubach, Charles Downing, Gandy, Gladstone, Marshall, Sharpless. Runners, per 100, \$2; per 1,000, \$7.50. Potted plants, per 100, \$3 to \$4. | | |

ESCULENT ROOTS

ASPARAGUS—Barr's Mammoth. Per 100, \$1.50; per 1,000, \$6.
RHUBARB—Best varieties. Per 10, \$1.50; per 100, \$10.

ROSES

Potted Unless Noted

| | | |
|--|----|------|
| AUSTRIAN BRIERS —Harrison's Yellow and Persian Yellow. | 40 | 3 50 |
| SWEETBRIER —Rosa Rubiginosa..... | 40 | 3 50 |
| HYBRIDS. Penzance Briars —Amy Robsart, Anne of Geierstein, Brenda, Flora McIvor, Lady Penzance, Lord Penzance, Meg Merrilies, Minna | 40 | 3 50 |
| BUSH —Carolina (Swamp Rose). Rosa Lucida, Rosa multiflora, Rosa rubrifolia (Red-leaved Rose). Field-grown.. | 35 | 2 50 |
| CLIMBING. Prairie —Baltimore Belle, Prairie Queen, Grevillea, or Seven Sisters..... | 40 | 3 50 |
| Setigera. 2 to 3 ft. Field-grown | 35 | 2 50 |
| 3 to 4 ft.; heavy. Field-grown..... | 50 | 3 50 |
| Ramblers —Crimson, White, Pink and Yellow, Dorothy Perkins (pink), The Dawson (carmine).. | 40 | 3 50 |
| EVERBLOOMING—Hybrid Teas —Captain Christy, Caroline Testout, Cheshunt Hybrid, Countess of Caledon, Duchess of Albany, Gladys Harkness, Kaiserin Augusta Victoria, La France, Madame Eugenie Boulet, Souvenir du President Carnot, Killarney (new) | 50 | 4 50 |

EVERBLOOMING ROSES, continued

| | Each | Per 10 |
|--|--------|--------|
| Miscellaneous —Catharine Mernet (Tea), Clothilde Soupert (Polyantha), Francisea Kruger (Tea), Francis Dubrenil (Tea), Hermosa (China), Maman Cochet (Tea), Madam Ravary (Tea), Souvenir de la Malmaison (Bourbon), White Maman Cochet (Tea)..... | \$0 50 | \$4 50 |
| HYBRID PERPETUAL —Alfred Williams (carmine-red), Baroness Rothschild, Boule de Neige, Captain Hayward, Clio, Eugene Verdier, General Jacqueminot, Lady Helen Stewart, Louis Van Houtte, Madame Gabriel Luizet, Magna Charta, Margaret Dickson, Merveille de Lyon, Mrs. R. G. Sharman-Crawford, Mrs. John Laing, Paul Neyron, Prince Camille de Rohan, Ulrich Brunner, Pride of Waltham..... | 40 | 3 50 |
| MOSS —Blanche Moreau, Crimson Globe, Zenobia..... | 40 | 3 50 |

RUGOSA ROSES

| | Each | Per 10 | Per 100 |
|---|--------|--------|---------|
| ROSA rugosa. 1½ to 2 ft..... | \$0 25 | \$2 25 | \$15 00 |
| 2 to 2½ ft..... | 35 | 3 00 | 20 00 |
| 2½ to 3 ft..... | 50 | 4 00 | 25 00 |
| rugosa alba. 1½ to 2 ft..... | 50 | 4 00 | 25 00 |
| rugosa Hybrids —Atropurpurea, Blanc Double de Coubert, Conrad F. Meyer, Madame Georges Bruant, Madam Chas. Worth, Mrs. F. Waterer..... | 50 | 4 00 | |

WICHURAIANA ROSES

| | | |
|---|------|------|
| ROSA Wichuraiana. The Trailing Rose. 1 to 2 ft..... | 25 | 2 00 |
| 2 to 3 ft.: 4-in. pots..... | 35 | 3 00 |
| Hybrids —Evergreen Gem, Gardenia, Manda's Triumph, Pink Roamer, South Orange Perfection, Universal Favorite In pots..... | 50 | 3 50 |
| SINGLE ROSES, Dickson's Hybrids. —New, Irish Beauty, Irish Glory, Irish Modesty..... | 1 50 | |

HARDY HERBACEOUS PLANTS

N. B.—Varieties marked with an asterisk (*) will be supplied by the hundred at a discount of 30 per cent from prices quoted in "per ten" lots

| | Each | Per 10 |
|--|--------|--------|
| ACHILLEA (Yarrow) *Millefolium roseum, Rosy Milfoil..... | \$0 15 | \$1 25 |
| *filipendulina and *Ptarmica, var. "The Pearl"..... | 15 | 1 25 |
| *tomentosum, Woolly Yellow..... | 25 | 2 00 |
| ACONITUM (Monkshood), Fischeri and Lycoctonum, Wolf's-bane..... | 25 | 2 00 |
| ADONIS vernalis. *Spring Adonis..... | 30 | 2 00 |
| ALTHAEA rosea. *Hollyhock, Eight varieties..... | 25 | 1 50 |
| ALYSSUM Saxatile (Golden Tuft) *compactum and rostratum.... | 25 | 1 50 |
| *ANEMONE Japonica (Windflower) and var. *alba..... | 25 | 1 50 |
| *Japonica, var. Queen Charlotte..... | 25 | 2 00 |
| *Japonica, var. Lady Ardilaun and var. Whirlwind..... | 25 | 2 00 |
| *Pennsylvanicum; syn., Canadensis..... | 25 | 1 75 |
| ANTHEMIS (Chamomile) *tinctoria and var. *Kelwayi..... | 25 | 1 50 |

For rate per 100, see note above.

| | Each | Per 10 |
|--|--------|--------|
| *ANTHERICUM Liliago. St. Bernard's Lily..... | \$0 25 | \$2 00 |
| *AQUILEGIA (Columbine) Canadensis. Common Columbine..... | 25 | 1 50 |
| *chrysantha and var. *alba..... | 25 | 2 00 |
| *coerulea. Rocky Mountain Columbine..... | 25 | 2 00 |
| *flabellata, var. nana alba, *Skinneri, *vulgaris flore pleno and *truncata..... | 25 | 2 00 |
| *ARABIS alpina. Rock Crest..... | 25 | 1 50 |
| *ARENARIA (Sandwort) grandiflora and Verna..... | 25 | 1 50 |
| *ARMERIA maritima. Thrift..... | 25 | 1 50 |
| *Laucheana..... | 25 | 2 00 |
| *ARTEMISIA Stelleriana. Old Woman..... | 20 | 1 50 |
| *ASCLEPIAS tuberosa. Butterfly Weed..... | 25 | 1 50 |
| ASTER (Michaelmas Daisy) *grandiflorus and *Madonna..... | 35 | 2 50 |
| *alpinus, *Amellus elegans, *amethystinus, *Lady Trevelyan, *Novae-Angliae, var. *rubra and *Ptarmicoides..... | 25 | 1 50 |
| *Robert Parker, *Tataricus, *White Queen..... | 25 | 1 50 |
| *ASTILBE (Spiraea) Japonica..... | 25 | 1 50 |
| AUBRIETIA Hendersoni..... | 25 | 1 50 |
| BAPTISIA australis. False Indigo..... | 25 | 1 50 |
| *BELEMCANDA Chinensis. Blackberry Lily..... | 20 | 1 25 |
| *BELLIS (English Daisy) perennis..... | 15 | 1 00 |
| BOCCONIA cordata..... | 25 | 1 50 |
| BETONICA. See Stachys. | | |
| *BOLTONIA asteroides..... | 25 | 1 50 |
| *latisquama..... | 25 | 2 00 |
| *CALIMERIS incisa..... | 25 | 1 50 |
| CALLIRHOE involucrata..... | 20 | 1 50 |
| CAMPANULA (Bell-flower) *Carpatica, var. alba..... | 25 | 1 50 |
| glomerata, var. Dahurica alba..... | 30 | 2 50 |
| *media..... | 15 | 1 00 |
| *persicilolia and *var. alba and *allairaeifolia..... | 25 | 1 50 |
| pyramidalis. Chimney Bell-flower..... | 30 | 2 50 |
| rotundilolia (Hare Bell)..... | 25 | 1 50 |
| Trachelium fl. pl.; syn., urticilolia..... | 35 | 2 50 |
| CENTAUREA montana (Mountain Bluet), and var. Lady Hastings. | 25 | 2 00 |
| *CERASTIUM tomentosum..... | 25 | 1 50 |
| CERATOSTIGMA plumbaginoides. Plumbago..... | 25 | 2 00 |
| CHELONE (Turtle-head) Lyoni and obliqua, var. alba..... | 35 | 2 50 |
| CHRYSANTHEMUM leucanthemum hybridum. (Shasta Daisy) ... | 25 | 1 50 |
| maximum, var. *Triumph, and *uliginosum ... | 25 | 1 50 |
| Nipponicum..... | 35 | 2 50 |
| *Pompon varieties. For list of varieties, get our booklet, Chrysanthemums..... | 20 | 1 50 |
| *CHRYSOGONUM Virginicum..... | 25 | 1 50 |
| CHRYSOPSIS villosa (Golden Aster)..... | 25 | 2 00 |
| CIMICIFUGA (Snake root) acerinum and Dahurica..... | 35 | 2 50 |
| racemosa..... | 25 | 1 50 |
| CINERARIA. See Artemisia. | | |
| CLEMATIS Davidiana and recta..... | 25 | 1 50 |
| *CONOCLINIUM coelestinum. Mint Flower..... | 25 | 1 50 |
| *CONVALLARIA majalis. Lily-of-the-Valley..... | 15 | 1 25 |
| *COREOPSIS lanceolata. Tickseed..... | 15 | 1 25 |
| CORONILLA varia. The Crown Vetch..... | 25 | 1 50 |
| DELPHINIUM (Larkspur) *Chinense..... | 25 | 1 25 |
| elatum and *lormosum..... | 25 | 1 50 |

For rate per 100, see note, page 40

| | Each | Per 10 |
|---|--------|--------|
| DIANTHUS (Sweet William) *barbatus..... | \$0 15 | \$1 25 |
| <i>nanus compacta</i> | 25 | 1 50 |
| * <i>plumarius</i> , (Hardy Pinks). varieties — Comet, <i>Delicata, Helka, Laura Wilmer, Mrs. Sinkins,</i> <i>Sparkler, Stanislaus, Her Majesty</i> | 25 | 2 00 |
| The set of eight varieties for \$1.50 | | |
| DICENTRA (Bleeding Heart) * <i>eximia</i> and * <i>spectabilis</i> | 25 | 2 00 |
| DICTAMNUS (Gas Plant) <i>fraxinella</i> , and var. <i>alba</i> | 30 | 2 50 |
| DIGITALIS (Foxglove) * <i>ambigua</i> ; syn., <i>grandiflora</i> and * <i>lanata</i> ... | 25 | 2 00 |
| * <i>purpurea</i> . Common Foxglove..... | 25 | 1 25 |
| *DORONICUM <i>plantagineum</i> var. <i>excelsum</i> | 35 | 2 50 |
| ECHINACEA <i>purpurea</i> . Purple Cone-flower..... | 25 | 2 00 |
| EPIMEDIUM (Barrenwort) <i>lilacea, macranthum</i> , var. <i>niveum</i> , and <i>pinnatum, var. sulphureum</i> | 35 | 2 50 |
| *ERIGERON <i>speciosus</i> | 25 | 2 00 |
| *ERYNGIUM <i>amethystinum</i> . Sea Holly..... | 35 | 2 50 |
| EUPATORIUM (White Snakeroot) <i>ageratoides</i> and <i>purpureum</i> | 25 | 1 50 |
| EUPHORBIA <i>corollata</i> . Spurge..... | 20 | 1 25 |
| FUNKIA (Day Lily) <i>subcordata grandiflora</i> | 25 | 2 00 |
| * <i>cordifolia, *lanceifolia variegata</i> and * <i>ovata</i> | 25 | 1 50 |
| GAILLARDIA * <i>aristata</i> ; syn., <i>grandiflora</i> . Blanket Flower..... | 25 | 1 25 |
| GERANIUM <i>sanguineum</i> . Crane's Bill..... | 25 | 1 50 |
| GENTIANA <i>Andrewsii</i> . Closed Gentian..... | 25 | 2 00 |
| GEUM <i>coccineum, *Heldrechi</i> and <i>montanum</i> | 25 | 2 00 |
| *GYPSOPHILA <i>paniculata</i> . Baby's Breath..... | 25 | 1 25 |
| HELENIUM * <i>autumnale</i> , var. <i>pumilum</i> and *var. <i>superbum</i> | 25 | 1 50 |
| <i>grandicephalum striatum</i> and * <i>Hoopesi</i> | 25 | 2 00 |
| <i>grandicephalum cupreum</i> | 35 | 2 50 |
| *HELIANTHUS (Perennial Sunflower) <i>doronicoides, giganteus,</i> * <i>mollis</i> and * <i>rigidus</i> | 15 | 1 25 |
| * <i>Maximilliana, *multiflorus flore pleno, *multi-</i> <i>florus maximus, and orgyalis</i> | 25 | 1 50 |
| *HELIOPSIS <i>laevis</i> , var. <i>Pitcherianus</i> | 25 | 1 50 |
| HELLEBORUS (Christmas Rose) * <i>niger</i> , and *var. <i>atrorubens</i> ... | 35 | 3 00 |
| HEMEROCALLIS (Yellow Day Lily) * <i>Dumortierii</i> | 25 | 1 50 |
| * <i>flava</i> | 25 | 1 50 |
| * <i>fulva</i> | 25 | 1 25 |
| * <i>fulva</i> , var. <i>Kwanso fl, pl. Double Orange Lily</i> . | 25 | 1 50 |
| * <i>fulva</i> , var. <i>Kwanso-variegata</i> | 35 | 2 50 |
| *HEPATICA <i>triloba</i> . Liver-Leaf..... | 25 | 1 25 |
| HEUCHERA (Alum-root) * <i>sanguinea</i> , and var. <i>alba</i> | 25 | 2 00 |
| *HIBISCUS <i>Moscheutos</i> , var. <i>Crimson Eye</i> | 25 | 1 50 |
| HOLLYHOCKS. See <i>Althaea rosea</i> . | | |
| IBERIS (Candytuft) * <i>sempervirens</i> | 25 | 1 50 |
| INULA (Flea Bane) * <i>Britannica</i> and <i>ensifolia</i> | 25 | 1 50 |
| IRIS. For descriptive lists, see Special Booklet. | | |
| * <i>atroviolacea</i> | 25 | 2 00 |
| * <i>cristata</i> | 25 | 1 50 |
| <i>Florentina</i> | 25 | 2 00 |
| * <i>Germanica</i> , named sorts..... | 25 | 1 50 |
| <i>laevigata</i> ; syn., <i>Kaempferi</i> . Japanese Iris. *Named Sorts.. | 25 | 3 00 |
| <i>Pallida Dalmatica</i> and * <i>Pallida speciosa</i> | 35 | 3 00 |
| * <i>Pseudacoris</i> | 25 | 2 00 |
| * <i>pumila</i> and <i>alba</i> | 25 | 2 00 |

For rate per 100, see note, page 40

| | Each | Per 10 |
|---|--------|--------|
| IRIS *Sibirica | \$0 25 | \$1 50 |
| Sibirica, var. alba..... | 35 | 3 00 |
| *Sibirica, var. orientalis | 25 | 1 50 |
| *Tectorum | 25 | 2 00 |
| KNIPHOFIA (Flame Flower) aloides; syn., Tritoma Uvaria..... | 25 | 1 50 |
| *Piltzeri | 35 | 2 50 |
| LAVANDULA vera Lavender..... | 25 | 1 50 |
| LIATRIS (Blazing Star) graminifolia and *spicata | 25 | 1 50 |
| LILIUM tigrinum (Tiger Lily)..... | 25 | 1 50 |
| LOBELIA (Cardinal Flower) *cardinalis..... | 25 | 1 50 |
| siphilitica (Blue Lobelia) and var. alba | 25 | 1 50 |
| LYCHNIS (Lamp Flower) *chalcedonica. London Pride..... | 25 | 1 50 |
| Coronaria; syn., Agrostemma Coronaria..... | | |
|Rose Champion.. | 20 | 1 25 |
| Coronaria, var. alba..... | 20 | 1 25 |
| *Flos-cuculi. Ragged Robin..... | 25 | 2 00 |
| *Haageana | 25 | 1 50 |
| vespertina; syn., alba. White Champion | 25 | 1 50 |
| Viscaria, var. grandiflora alba | 35 | 3 00 |
| Viscaria, var. splendens. German Catchfly | 25 | 2 00 |
| LYSIMACHIA (Loose-strife) nummularia. Money-wort..... | 25 | 1 25 |
| LYTHRUM, var. roseum superbum..... | 25 | 1 50 |
| MERTENSIA pulmonarioides. Virginia Cowslip..... | 25 | 1 50 |
| MONARDA (Horse Mint) *didyma. Oswego Tea, or Fragrant | | |
| Balm..... | 25 | 1 50 |
| didyma, var. splendens..... | 25 | 1 50 |
| fistulosa, var. rosea. Wild Bergamot | 25 | 1 50 |
| *MYOSOTIS (Forget-me-not) palustris..... | 25 | 1 25 |
| alpestris, var. Victoria | 25 | 1 50 |
| NEPETA glecoma, var. variegata. Ground Ivy..... | 25 | 1 25 |
| OENOTHERA (Evening Primrose) Missouriensis and *fruticosa, | | |
| var. major..... | 25 | 2 00 |
| *fruticosa, var. Youngii | 25 | 1 50 |
| *speciosa. Tall White Evening Primrose..... | 25 | 1 50 |
| OPHIPOGON Jaburan, var. aureus variegatus | 50 | 3 50 |
| OROBUS superbus (New) | 50 | 3 50 |
| PACHYSANDRA terminalis..... | 25 | 1 50 |
| PAEONIA. Get our booklet "Peonies," describing varieties. | | |
| albiflora; syn., Chinensis— | | |
| *Double and Single Varieties..... | 35 | 3 00 |
| *Heavy clumps..... | 75 | 6 00 |
| *Corallina | 35 | 2 50 |
| Moutan (Tree Peony), in varieties..... | 1 00 | 8 50 |
| Moutan (pink sorts), large..... | 2 50 | |
| officinalis, var. *alba, *rosea and rubra plena..... | 50 | 4 00 |
| tenuilolia..... | 50 | 4 00 |
| tenuilolia, flore pleno var..... | 50 | 4 00 |
| *triternata (Early Single) | 35 | 2 50 |
| PAPAVER *orientale. Oriental Poppy..... | 25 | 1 50 |
| *bracteatum | 25 | 1 50 |
| *nudicaule. Iceland Poppy..... | 25 | 1 25 |
| PARDANTHUS. See Belemcanda. | | |
| PENTSTEMON (Beard-tongue) *barbatus, var. coccineus | 25 | 1 50 |
| diffusus | 25 | 2 00 |
| laevigatus, vars. digitalis and ovatus..... | 25 | 2 00 |
| PHLOX *divaricata; syn., Canadensis..... | 25 | 2 00 |
| *paniculata; syn., decussata. Perennial Phlox..... | 25 | 2 00 |
| For descriptive list of varieties, get our booklet, | | |
| "Phlox." | | |

For rate per 100, see note, page 40

| | Each | Per 10 |
|--|--------|--------|
| PHLOX *subulata, and *var. alba. Moss Pink | \$0 25 | \$1 50 |
| subulata, vars. Model and Nelsoni..... | 25 | 1 50 |
| *PHYSOSTEGIA Virginiana and var. *alba..... | 25 | 1 50 |
| PLATYCODON (Chinese Bell-flower) *grandiflorum, Japonicum flore pleno and *Mariesi..... | 25 | 1 50 |
| *POLEMONIUM (Jacob's Ladder) coeruleum and album..... | 25 | 2 00 |
| POTENTILLA Nepalensis..... | 25 | 1 50 |
| PRIMULA (Primrose) Sieboldi, vars. Queen of Whites and Sirius . | 35 | 3 00 |
| capitata and *suaveolens. English Cowslip..... | 25 | 1 50 |
| *auricula, *veris and vulgaris..... | 25 | 1 25 |
| PYRETHRUM (Feverfew) roseum..... | 25 | 1 50 |
| roseum, vars. Aphrodite, King Oscar and Marquis of Salisbury..... | 35 | 3 00 |
| RANUNCULUS aconitifolius flore pleno. White Bachelors' Buttons | 25 | 2 00 |
| RUDBECKIA *laciniata, var. Golden Glow | 15 | 1 25 |
| *Newmani..... | 20 | 1 25 |
| nitida and triloba..... | 25 | 1 50 |
| *SANTOLINA incana. Lavender Cotton | 25 | 1 50 |
| SAXIFRAGA cordifolia. Rockfoil..... | 25 | 2 00 |
| *SCABIOSA Caucasica. Mourning Bride | 30 | 2 00 |
| *SEDUM (Stonecrop) Rhodiola; syn., roseum | 25 | 1 50 |
| *sexangulare and *telephoides..... | 25 | 1 25 |
| *album and *spectabile | 25 | 2 00 |
| SENECIO pulcher..... | 25 | 2 00 |
| SOLIDAGO (Goldenrod) altissima, bicolor, caesia, gigantea, latifolia and serotina..... | 25 | 1 50 |
| SPIRAEA (Goat's Beard, or Meadow Sweet) *Aruncus | 30 | 2 60 |
| *filipendula flore pleno and *palmata..... | 25 | 1 50 |
| *palmata, var. elegans | 25 | 1 50 |
| *Ulmaria and *lobata..... | 25 | 1 50 |
| *STACHYS Betonica; syn., Betonica rosea | 25 | 1 50 |
| STATICE (Sea Lavender) Tatarica; syn., incana..... | 25 | 1 50 |
| *STOKESIA cyanea. Stokes' Aster | 25 | 2 00 |
| THALICTRUM adiantifolium. Meadow Rue..... | 25 | 1 50 |
| *aquilegifolium. Feathered Columbine..... | 25 | 1 50 |
| THERMOPSIS Caroliniana..... | 25 | 1 50 |
| *THYMUS vulgaris. "Common Thyme"..... | 25 | 1 25 |
| *TRADESCANTIA (Spiderwort) Virginiana and var. alba..... | 25 | 1 50 |
| TRILLIUM erectum album and grandiflorum..... | 25 | 1 00 |
| TROLLIUS Europaeus. Globe Flower | 25 | 1 50 |
| VERNONIA (Ironweed) Arkansana and *Baldwini..... | 25 | 2 00 |
| VERONICA (Speedwell) longifolia, var. subsessilis..... | 25 | 2 00 |
| *longifolia, var. rosea..... | 25 | 1 50 |
| *rupestris (Rock Speedwell) *spicata and var. alba, and *Virginica..... | 25 | 1 50 |
| *VINCA minor. Periwinkle..... | 15 | 1 00 |

FERNS

25 cts. each, \$2 per 10

| | |
|--------------------------|-------------------------|
| Adiantum pedatum, | Onoclea Struthiopteris, |
| Aspidium acrostichoides. | Osmunda Claytoniana, |
| Dicksonia pilosiuscula. | |

For rate per 100, see note, page 40

HEDGE PLANTS

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES

| | SEE PAGE | | SEE PAGE |
|----------------------------------|----------|--|----------|
| <i>Biota orientalis</i> | 4 | <i>Retinospora plumosa aurea</i> | 9 |
| <i>Picea excelsa</i> | 4 | <i>Thuja occidentalis</i> | 10, 11 |
| <i>Retinospora plumosa</i> | 8,9 | <i>occidentalis Wareana</i> | 11 |
| | | <i>Tsuga Canadensis</i> | 11 |

DECIDUOUS TREES

| | | | |
|-----------------------------------|----|-----------------------------------|--------|
| <i>Carpinus Americana</i> | 18 | <i>Crataegus Oxyacantha</i> | 20 |
| <i>Betulus</i> | 19 | <i>Fagus sylvatica</i> | 20, 21 |
| <i>Crataegus Crus-galli</i> | 20 | <i>Maclura aurantiaca</i> | 22 |

EVERGREEN SHRUBS

| | | | |
|-------------------------------------|--------|---------------------------------------|----|
| <i>Azalea amoena</i> | 12 | <i>Ilex crenata microphylla</i> | 13 |
| <i>Buxus sempervirens</i> | 12, 13 | <i>Mahonia aquifolia</i> | 13 |
| <i>sempervirens suffruticosa</i> .. | 12 | <i>Japonica</i> | 13 |

DECIDUOUS SHRUBS

| | | | |
|--|--------|-------------------------------------|--------|
| <i>Acanthopanax spinosa</i> | 26 | <i>Hippophae rhamnoides</i> | 31 |
| <i>Berberis Thunbergi and vulgaris</i> | 27, 28 | <i>Ligustrum Ibota, Regelianum,</i> | |
| <i>Elaeagnus longipes</i> | 30 | <i>ovalifolium, vulgaris</i> | 32 |
| <i>Forsythia viridissima</i> | 30, 31 | <i>Lonicera Tatarica</i> | 32, 33 |
| <i>Hibiscus Syriacus</i> | 31 | <i>Rhamnus cathartica</i> | 33 |

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.00.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-to-date in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the **PRICE-LIST** are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's **PRICE-LIST**.

MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. That it has already run through three editions shows its popularity.

BOOKLET No. 26, PEONIES, IRIS, PHLOX, CHRYSANTHEMUMS, a 16-page list giving varieties and full descriptions as to color and habit, as well as planting notes.

BOOKLET No. 27, BEAUTIFUL LAWNS. This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.

BOOKLET No. 28, BOX WOOD. For formal gardens and in connection with architectural effects, **BOX WOOD** is now absolutely necessary. This booklet shows the different forms we offer.

BOOKLET No. 30, HINTS FOR SUCCESSFUL PLANTING. Does not aim to cover every point that may arise, but it gives the principles in such a way that anyone, by following its directions, can secure the best results.

BOOKLET No. 33, A CALENDAR OF HARDY PERENNIALS. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

DEPARTMENTS

| | PAGE | | PAGE |
|--|------|-------------------------------------|--------|
| Wood-ashes—"Andorra Brand" | 2 | Vines and Climbing Plants | 37 |
| General Instructions and Terms | 3 | Fruit and Small Fruits | 38, 39 |
| Evergreen Trees | 4 | Roses | 39, 40 |
| Evergreen Shrubs | 12 | Herbaceous Plants | 40 |
| Deciduous Trees | 15 | Ferns | 44 |
| Deciduous Shrubs | 26 | Hedge Plants | 45 |
| Reeds and Grasses | 37 | Catalogs | 45 |

INDEX

| | PAGE | | PAGE | | PAGE |
|------------------------------------|------------|---------------------------|--------|---------------------------------|------------|
| Aaron's Beard | 31 | Barrenwort | 42 | Centaurea | 41 |
| Abelia | 26 | Basswood | 26 | Cephalanthus | 28 |
| Abies | 4 | Beard Tongue | 43 | Cephalotoxus | 5 |
| Acanthopanax | 26 | Beauty-fruit | 28 | Cerastium | 41 |
| Acer | 15-17 | Beech | 20, 21 | Cerasus | 19 |
| Achillea | 40 | Beach Plum | 33 | Ceratostigma | 41 |
| Aconitum | 40 | Belemcanda | 41 | Cercidiphyllum | 19 |
| Actinidia | 37 | Bell-flower | 41 | Cercis | 19, 28 |
| Adam's Needle | 15 | Bellis | 41 | Chamomile | 40 |
| Adiantum | 44 | Benzoin | 27 | Chaste Tree | 36 |
| Adonis | 40 | Berberis | 27, 28 | Chelone | 41 |
| Æsculus | 17, 27 | Betonica. See Stachys. | | Cherries | 38 |
| Ailanthus | 17 | Betula | 18 | Cherry | 19, 29 |
| Akebia | 37 | Bignonia | 37 | Chestnut | 19, 38 |
| Alder | 17 | Biota | 4 | Chinese Angelica Tree | 18 |
| Allspice, or Sweet Shrub | 28 | Birch | 18 | Chinese Arborvitæ | 4 |
| Alnus | 17 | Bittersweet | 37 | Chinese Bell-Flower | 44 |
| Althæa (see, also, Hibiscus) | 31, 40 | Black Alder | 17 | Chinese Cork Tree | 23 |
| Alum Root | 42 | Blackberries | 39 | Chionanthus | 28 |
| Alyssum | 40 | Blackberry Lily | 41 | Chokeberry | 33 |
| Amelanchier | 18, 27 | Black Haw | 36 | Christmas Rose | 42 |
| Amorpha | 27 | Black Walnut | 21 | Chrysanthemum | 41 |
| Ampelopsis | 37 | Bladder Nut | 35 | Chrysogonium | 41 |
| Amgdalus. See Prunus. | | Bladder Sema | 28 | Chrysopsis | 41 |
| Andromeda (see, also, Oxydendrum) | 12, 13, 18 | Blanket Flower | 42 | Cimicifuga | 41 |
| Anemone | 40 | Blazing Star | 43 | Cinarraria. See Artemisia. | |
| Anthemis | 40 | Bleeding Heart | 42 | Cinquefoil | 33 |
| Anthericum | 41 | Blue Spirea | 28 | Citrus | 28 |
| Apples | 38 | Boceonia | 41 | Cladrastis | 19 |
| Aquilegia | 41 | Boltonia | 41 | Clematis | 37, 41 |
| Arabis | 41 | Botrychium | 45 | Clethra | 28 |
| Aralia | 18, 26 | Box | 12, 13 | Columbine | 41, 44 |
| Arborvitæ | 4, 10, 11 | Bridal Wreath | 34 | Colutea | 28 |
| Arenaria | 41 | Broussonetia | 18 | Comptonia | 28 |
| Aristolochia | 37 | Buckthorn | 33 | Cone-flower | 42 |
| Armeria | 41 | Butterfly Weed | 41 | Conoclinium | 41 |
| Aronia. See Pyrus. | | Buttonwood | 23 | Convallaria | 41 |
| Arrow-wood | 36 | Buxus | 12, 13 | Coral Berry | 35 |
| Artemisia | 41 | Calimeris | 41 | Coreopsis | 28 |
| Arundo | 37 | Callicarpa | 28 | Coreopsis | 41 |
| Asclepias | 41 | Callirhoë | 41 | Cornus | 20, 28, 29 |
| Ash | 21, 25 | Calycanthus | 28 | Coronilla | 41 |
| Asparagus | 39 | Campanula | 41 | Corylus | 29 |
| Aspidium | 44 | Candytuft | 42 | Cotoneaster | 13 |
| Aster | 41 | Cardinal Flower | 43 | Crab Apples | 23, 24, 38 |
| Astilbe | 41 | Carpinus | 18, 19 | Cranberry Bush | 36 |
| Aubrietia | 41 | Caryopteris | 28 | Cranesbill | 42 |
| Azalea | 12, 27 | Castanea | 19 | Cratægnus | 13, 20 |
| Baby's Breath | 42 | Catalpa | 19 | Crown Vetch | 41 |
| Baccharis | 27 | Ceanothus | 28 | Cryptomeria | 5 |
| Bambusa | 37 | Cedar | 4, 5 | Cucumber Tree | 22 |
| Baptisia | 41 | Cedrela | 19 | Cupressus | 10 |
| Barberry | 27, 28 | Cedrus | 4, 5 | Curraut | 33, 39 |
| | | Celastrus | 37 | Cydonia | 29 |
| | | Celtis | 19 | | |

| | PAGE | | PAGE | | PAGE |
|---------------------------------|-----------------|--------------------------------|----------------|---------------------------------|----------------|
| Cypress | 7, 8, 9, 10, 26 | Globe Flower | 28, 44 | Juniperus | 5, 6 |
| Cytisus | 20, 29 | Goat's Beard | 44 | Kalmia | 13 |
| Daisy | 41 | Gold Flower | 31 | Kentucky Coffee Tree | 21 |
| Day Lily | 42 | Golden Bell | 30 | Kerria. See Corehorus | 33 |
| Dapne | 13 | Golden Chain | 20 | Kniphofia | 43 |
| Deciduous Shrubs | 26-36 | Goldenrod | 44 | Kœlreuteria | 21 |
| Deciduous Trees | 15-26 | Golden Tuft | 40 | Kudzu Vine | 38 |
| Delphinium | 41 | Glyptostrobilus. See Tax- | | Lamp Flower | 43 |
| Desmodium. See Les- | | odium. | | Larch | 21 |
| pedeza. | 32 | Gooseberries | 39 | Larix | 21 |
| Deutzia | 29 | Grapes | 39 | Larkspur | 41 |
| Dianthus | 42 | Ground Ivy | 43 | Lathyrus | 37 |
| Dicentra | 42 | Groundsel Shrub | 27 | Laurel | 13 |
| Dicksonia | 44 | Guelder Rose | 36 | Laurus. See Sassafras. | |
| Dictamnus | 42 | Gymnocladus | 21 | Lavandula | 43 |
| Diervilla | 29, 30 | Gypsophila | 42 | Lavender | 43 |
| Digitalis | 42 | Halesia (see, also, Ptero- | | Lavender-cotton | 44 |
| Dogwood | 20, 28, 29 | styra) | 31 | Lespedeza | 32 |
| Dolichos. See Pueraria. | | Hamamelis | 31 | Leucothoë | 13 |
| Doronicum | 42 | Hardy Roses | 39, 40 | Liatris | 43 |
| Dutchman's Pipe | 37 | Hardy Orange | 28 | Ligustrum | 32 |
| Dwarf Juneberry | 18 | Hawthorn | 20 | Lilac | 35, 36 |
| Echinacea | 42 | Hazel | 29 | Lilium | 43 |
| Elavagnus | 30 | Hedera | 37 | Lily-of-the-valley | 41 |
| Elder | 34 | Hedge Plants | 45 | Limonia. See Citrus. | |
| Elm | 26 | Helenium | 42 | Linden | 26 |
| Elymus | 37 | Helianthus | 42 | Liquidambar | 22 |
| English Cowslip | 44 | Heliopsis | 42 | Liriodendron | 22 |
| English Ivy | 37 | Helleborus | 42 | Liver Leaf | 42 |
| Epimedium | 42 | Hemerocallis, or Day | | Lobelia | 43 |
| Erianthus | 37 | Lily | 42 | Locust | 21, 25 |
| Erigeron | 42 | Hemlock | 11 | London Pride | 43 |
| Eryngium | 42 | Hepatica | 42 | Lonicera | 32, 33, 37, 38 |
| Esculent Roots | 39 | Herbaceous Plants | 40-44 | Loosestrife | 43 |
| Eulalia | 37 | Heuchera | 42 | Lychmis | 43 |
| Enonymus | 30, 37 | Hibiscus | 31, 42 | Lycium | 33 |
| Eupatorium | 42 | High Cranberry Bush | 36 | Lysimachia | 43 |
| Enphorbia | 42 | Hippophaë | 31 | Lythrum | 43 |
| Evening Priurose | 43 | Holly | 5, 13 | Maclura | 22 |
| Evergreen Shrubs | 12-15 | Hollyhocks (see, also, | | Magnolia | 22 |
| Evergreen Thorn | 13 | Althæa) | 40 | Mahonia | 13 |
| Evergreen Trees | 4-11 | Honey Locust | 21 | Maidenhair Tree | 25 |
| Everlasting Pea | 37 | Honeysuckle | 32, 33, 37, 38 | Maple | 15-17 |
| Exochorda | 30 | Hop Tree | 23 | Matrimony Vine | 33 |
| Fagus | 20, 21 | Hornbeam | 18, 19 | Meadow Rue | 44 |
| False Indigo | 41 | Horse chestnut | 17 | Meadow Sweet | 44 |
| Ferns | 44 | Horsemint | 43 | Mertensia | 43 |
| Festuca | 37 | Hydrangea | 31 | Mint Flower | 41 |
| Feverfew | 44 | Hypericum | 31 | Mist, or Smoke Tree | 33 |
| Fir | 4 | Iberis | 42 | Mock Orange | 33 |
| Flame Flower | 43 | Ilex | 5, 13, 31 | Monarda | 43 |
| Flowering Almond | 33 | Inula | 42 | Moneywort | 43 |
| Flowering Crab | 24 | Iris | 42, 43 | Monkshood | 40 |
| Forget-me-not | 43 | Iron Weed | 44 | Morus | 22 |
| Forsythia | 30, 31 | Itea | 31 | Moss Pink | 44 |
| Foxgloves | 42 | Jacob's Ladder | 44 | Mountain Ash | 25 |
| Fox Grape | 38 | Japanese Maples | 16, 17 | Mountain Blnet | 41 |
| Fraxinus | 21 | Japan, or Boston Ivy | 37 | Mourning Bride | 44 |
| Fruit | 38, 39 | Japan Cypress | 7, 8 | Mulberry | 18, 22 |
| Funckia | 42 | Japan Judas | 28 | Myosotis | 43 |
| Gaillardia | 42 | Japan Quince | 29 | Myrica | 33 |
| Gas Plant | 42 | Japanese Snowball | 36 | Negundo. See Acer Ne- | |
| Gentian | 42 | Jasmine | 32 | gundo. | |
| Gentiana | 42 | Jasminum | 32 | Nepeta | 43 |
| Geranium | 42 | Jersey Tea | 28 | Nettle Tree | 19 |
| German Catchfly | 43 | Judas Tree | 19, 28 | Nuts | 38 |
| Geum | 42 | Juglans | 21 | Oak | 24, 25 |
| Ginkgo | 25 | Juneberry | 18 | Oenothera | 43 |
| Gleditschia | 21 | Juniper | 5, 6 | Old Woman | 41 |

| | PAGE | | PAGE | | PAGE |
|---|------------|------------------------------|----------------|---|-------------|
| Oleaster | 30 | Retiospora | 7-9 | Swamp Huckleberry | 36 |
| Onoclea | 44 | Rhamnus | 33 | Sweet Fern | 28 |
| Ophiopogon | 43 | Rhododendron | 13-15 | Sweet Gum | 22 |
| Orange, Hardy Trifo- liate | 28 | Rhodotypus | 33 | Sweet William | 42 |
| Oriental Plane | 23 | Rhubarb | 39 | Sweet Pepper Bush | 28 |
| Orobus | 43 | Rhus | 25, 33 | Sweet Shrub | 28 |
| Osage Orange | 22 | Ribbon Grass | 37 | Sycamore | 23 |
| Osmunda | 44 | Ribes | 33 | Symphoricarpus | 35 |
| Oswego Tea, or Fra- grant Balm | 43 | Robinia | 25, 34 | Syringa | 35, 36 |
| Oxydendrum | 23 | Rock Crest | 41 | Tamarix | 36 |
| Paeonia | 43 | Rose Acacia | 34 | Taxodium | 26 |
| Pachysandra | 43 | Rose Champion | 43 | Taxus | 9, 10 |
| Papaver | 43 | Rose of Sharon | 31 | Tecoma. See Bignonia. | |
| Pardanthus. See Be- lemcanda. | | Roses | 39, 40 | Thalictrum | 44 |
| Parrotia | 23 | Rosy Milfoil | 40 | Thermopsis | 44 |
| Pavia. See Aesculus | | Rubus | 34 | Thorn | 13, 20 |
| Peaches | 23, 38 | Rudbeckia | 44 | Thorn, Evergreen | 13 |
| Pearl Bush | 30 | Rugosa Roses | 40 | Thrift | 41 |
| Pears | 38, 39 | Salisbury | 25 | Thuja | 10, 11 |
| Pentstemon | 43 | Salix | 25 | Thujaopsis | 10 |
| Periploca | 38 | Sambucus | 34 | Thymus | 44 |
| Periwinkle | 44 | Sandwort | 41 | Tickseed | 41 |
| Persian Iron Tree | 23 | Santolina | 44 | Tiger Lily | 43 |
| Persica | 23 | Sassafras | 25 | Tilia | 26 |
| Phalaris | 37 | Saxifraga | 44 | Tradescantia | 44 |
| Phellodendron | 23 | Scotch Broom | 29 | Tree of Heaven | 17 |
| Philadelphus | 33 | Scabiosa | 44 | Trillium | 44 |
| Phlox | 43, 44 | Sciadopitys | 9 | Trollius | 44 |
| Physostegia | 44 | Sea Buckthorn | 31 | Trumpet Vine | 37 |
| Picea | 6, 7 | Sea Holly | 42 | Truga | 11 |
| Pine | 7, 9 | Sea Lavender | 44 | Tulip Tree | 22 |
| Pinks | 42 | Sedum | 44 | Ulmus | 26 |
| Pinus | 7 | Senecio | 44 | Umbrella Tree | 22 |
| Plaue | 23 | Shad-bush | 18 | Vaccinium | 36 |
| Platanus | 23 | Sheepberry | 36 | Vaccinium Tree | 21 |
| Platycodon | 44 | Shrub Yellow Root | 36 | Vernonia | 44 |
| Plumbago | 41 | Shrubby Cinquefoil | 33 | Veronica | 44 |
| Plums | 39 | Silk Vine | 38 | Viburnum | 36 |
| Podocarpus | 7 | Small Fruits | 39 | Vinca | 44 |
| Polemonium | 44 | Snakeroot | 41, 42 | Vines and Climbing Plants | 37, 38 |
| Poplar | 23 | Snowball | 36 | Virginia Cowslip | 43 |
| Populus | 23 | Snowberry | 35 | Virgilia. See Cladras- tis. | |
| Poppy | 43 | Solidago | 44 | Virginia Creeper | 37 |
| Potentilla | 33, 44 | Sophora | 25 | Vitex | 36 |
| Primrose | 44 | Sorbus | 25 | Vitis | 38 |
| Prinula | 44 | Speedwell | 44 | Wax Myrtle | 33 |
| Privet | 32 | Spice Bush | 27 | Wayfaring Tree | 36 |
| Prunus. (See also, Cerasus) | 23, 33 | Spiderwort | 44 | Wayfaring Tree | 36 |
| Pseudotsuga | 7 | Spindle Tree | 30 | Weigela | 29, 30 |
| Ptelea | 23 | Spiraea | 34, 35, 41, 44 | White Bachelors' But- tous | 44 |
| Pterostyrax | 23 | Spring Adonis | 40 | White Fringe | 28 |
| Pueraria | 38 | Spruce | 6, 7 | White Rod | 36 |
| Purple Mist | 33 | Spurge | 42 | Wolf's-bane | 40 |
| Pyrethrum | 44 | Stachys | 44 | Willow | 25 |
| Pyrus | 23, 24, 33 | Staphylea | 35 | Windflower | 40 |
| Quercus | 24, 25 | Statice | 44 | Winter Berry | 31 |
| Quiuces | 39 | St. Bernard's Lily | 41 | Wistaria | 38 |
| Ragged Robin | 43 | Stephanandra | 35 | Witch Hazel | 31 |
| Ranunculus | 44 | Stokesia | 44 | Xanthoceras | 36 |
| Raspberries | 39 | Stokes' Aster | 44 | Xanthorrhiza | 36 |
| Red Bud, or Judas | 19 | Stone Crop | 44 | Yarrow | 40 |
| Reeds and Grasses | 37 | Strawberries | 39 | Yellow Wood | 19 |
| | | Strawberry Bush | 30 | Yew | 5, 7, 9, 10 |
| | | Styrax | 35 | Yucca | 15 |
| | | Sunac | 25, 33 | | |
| | | Sunflower | 42 | | |

ANDORRA NURSERIES

Wm. Warner Harper, Prop.

CHESTNUT HILL, PHILA.