
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





ANNUAL DESCRIPTIVE CATALOGUE OF

SEEDS GROWE AND DEALER

GARDEN TOOLS AND HORTICULTURAL BOOKS *

37 EAST NINETEENTH ST.

NEW YORK CITY

USEFUL TABLES

FOF

GARDENER AND FARMER.

Seed for a Given Number of Plants, etc.

~ 11	
Cabbage 3,000 plants.	Marrow Squash r oz. to 30 hills.
Cauliflower 1 " 3,000 "	Asparagus
Celery	2000
Eggplant	Carrot
Endive	Okra
Lettuce	Onion I " 100 "
Pepper 1 " 2 000 "	Onion Sets, Small 1 qt. to 50 "
Tomato	Parsley 10z to 150 "
Pole Beans 1 qt. to 150 hills.	Parsnip I " 200 "
Corn	Radish
Cucumber 50 "	Salsify
Watermelon 1 " 30 "	Spinach
Muskmelon	Turnip 1 " 150 "
Pumpkin	Peas
Early Squash 50 "	Dwarf Beans

Seed Usually Sown upon One Acre.

Artichoke, Jerusalem 4 bush.	Grass, Hungarian
Barley, broadcast 2 to 3 "	Grass, Lawn
Beans, Dwarf, in dril's 1½ "	Grass, Orchard 2 to 3 "
Beans, Pole, in hills 8 to 10 qts.	Grass, Rye
Beet, in drills	Grass, Timothy
Broom-Corn, in hills 4 to 6 qts.	Millet
Buckwheat, broadcast 3/4 to 1 bush.	Mustard, broadcast 12 to 16 qts.
Cabbage, to transplant	Oats, broadcast 2 to 3 bush.
Carrot, in drills 2 to 3 lbs.	Onion, in drills 4 to 6 lbs.
Corn, in hills 8 qts.	Parsnip, in drills 4 to 5 "
Corn, for soiling 3 bush.	Peas, Early, in drills 1½ bush.
Clover, Alsike 5 lbs.	Peas, Marrowfat, in drills 134 "
Clover, Red, alone 20 "	Peas, broadcast 3 "
Clover, Red, with Timothy and Red-	Potatoes, cut tubers, in drills 10 "
top	Radish, in drills 6 to 8 lbs.
Clover, White, alone 8 to :o "	Rye, broadcast 1½ to 2 bush.
Clover, White, with other seeds 4 "	Salsify, in drills 6 to 8 lbs.
Clover, Lucerne, alone 15 "	Spinach in drills 8 to 10 "
Clover (together) . 10 lbs Clover.	Turnip, in drills 1½ "
Timothy . { for } ¼ bu. Timothy.	Turnip, broadcast 2 to 3 "
Redtop (one acre) I bu. Redtop.	Vetches, broadcast 2 to 3 bush.
Cucumber, in hills 1 to 2 lbs.	Wheat, broadcast 1½ to 2 "
Flax, broadcast 1 to 2 bush.	Wheat, in drills

Plants or Trees for One Acre.

Distance Apart. Number.	Distance Apart. Number.
6 inches by 6 inches	5 ft. by 5 ft
I ft. by I ft	6 it. by 6 ft
1½ ft. by 1½ ft	8 ft. by 8 ft
2 ft. by 1 ft 21.780	9 ft. by 9 ft 537
2 ft. by 2 ft 10 890	: o ft. by 10 ft
2½ ft. by 2½ ft 6,970	12 ft. by 12 ft 302
3 ft. by 1 ft	16 ft. by 16 ft 170
3 ft. by 2 ft	20 ft, by 20 ft
3 ft. by 3 ft	25 ft. by 25 f 70
1 ft. by 4 ft	30 ft. by 30 ft

General Remarks.



HE PROPRIETOR, having devoted many years to horticulture in its several departments, feels confident in his ability to select from the vast and confusing list of seeds such species and varieties only as are really worthy of cultivation, to the exclusion of all the various sorts that are not adapted to our climate,

but which are too frequently recommended and sold, to the serious loss and disappointment of planters.

As the profession has always been pursued with a view to a permanent business, great care is taken to preserve an unsullied reputation, by having supplies of all the leading kinds of seeds raised annually by careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under the proprietor's personal supervision.

The observance of such a system may be considered as a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

The proprietor can here only enumerate the leading articles in his collection; and from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes:

First—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus (†). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (‡). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

Second—That some species of seeds, such as Beans, Beets, Cabbage, Lettuce, Radishes, Salsify, Turnips, etc., being, from their nature, apt to

vegetate quickly, are often liable to be devoured by insects within 48 hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

Third—That some species, such as Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

Fourth—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures.

To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young.

In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch.

For instructions on these and other subjects of gardening, the reader is referred to Bridgeman's Book on Gardening, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, nothing is warranted.

Boxes, barrels and bags used in packing will be charged for at cost prices.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed, and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

The following are published annually, and mailed free to all applicants:

CATALOGUE OF VEGETABLE, FLOWER, GRASS, HERB AND MISCELLANEOUS SEEDS, with brief directions for their care and treatment. (This one.) Ready in January.

Market-Gardeners' Priced Catalogue of Vegetable Seeds, etc. Ready in January.

CATALOGUE OF DUTCH BULBOUS ROOTS. Ready in September.

Address all orders plainly to

Alfred Bridgeman,

Novelties and Specialties in FLOWER SEEDS.


ASTERS.

Comet, Snow=White. The flowers of this splendid new class are very large and extremely double, with incurved petals, giving them the appearance


double, with incurved petals, giving them the appearance of the finest Japanese Chrysanthemums. Pkt. 10 cts.

Ball, or Jewel. (Benary.) A magnificent rose and white variety. The flowers are very double, petals incurved; blooms in great profusion. Pkt. 10 cts.


Snowball, or Princess. (Benary.) Flowers pure white; in form they are semi-spherical, and composed of quite short and very thickly set imbricated petals. Pkt. 25 cts.



A splendid Columbine, the result of a cross between A. glandulosa and A. Wilmanni. The flowers are 4 inches in diameter, and are of a fine, rich blue. Pkt. 25 cts.



New. A cross between B. Vernon and Schmidti. Rosy carmine; profuse bloomer; excellent for groups. Pkt. 25c.



This novelty is the result of careful cultivation extending over a period of many years. The plant is of dwarf habit, and above the beautiful green foliage is elevated the charm-

ing comb, of a magnificent fiery red on a golden yellow ground. The peculiar beauty of this new Cockscomb is seen the best in full sunshine, where the flower much resembles a blaze. This novelty is equally well adapted for the garden or for pot-culture. Pkt. 15 cts.

CHRYSANTHEMUMS.

Carinatum, "Purple-Crown." This new Chrysanthemum is of dwarf, compact, and very regular growth. Its flowers are produced in great abundance, and are purple-scarlet, ornamented inside with a golden ring. The foliage being yellow, makes it very striking. Pkt. 15c. Carinatum plenissimum foliis aureis. New. A notable addition to the new section of golden-

leaved annual Chrysanthemums.
The large and very double flowers
are of all colors, the red shades
being especially strongly repre-

are of all colors, the red shades being especially strongly represented. The plants are only half the height of the ordinary variety, and will be found very useful in the garden and as cut-flowers. Pkt. 25c.

Ball or Jewel Aster.

CINERARIA HYBRIDA GRANDI-FLORA SANGUINEA.

An exceedingly fine new variety of the large-flowering class of Cinerarias, the color being of a rich blood red. Pkt. 50 cts.

DATURA CORNUCOPIA. ("HORN OF PLENTY.")

The plant is of a very robust habit. The stem is thick, dark brown-purple, shining as if varnished. The branches are numerous, spreading symmetrically 3 or 4 feet in every direction. The leaves are large, of



Cineraria hybrida grandiflora.

a dark green color. The flowers are trumpet-shaped, measuring 8 to 10 inches in length and



Datura Cornucopia.

5 to 7 across the mouth, and thus form three distinct flowers growing each within the other; the throat and mouth of the corolla are a delicate French white, beautifully contrasted and marbled with royal purple on the outside. Pkt. 10 cts., oz. 75 cts.

HEUCHERA ALBA.

New. A valuable variety of the well-known *H. sanguinea*. The long slender flower-stalks are thickly clothed with pure white long-lasting flowers, which through their elegant appearance are highly effective in the border and also very useful for bouquets. Pkt. 25 cts.

HIBISCUS, CRIMSON EYE.

A robust grower, with dark red stems and folingliage. The flowers are of immense size, often
measuring roinches in circumference. The color
line is of the purest white, with a large spot of deep,
velvety crimson in the center of each flower. It
will succeed anywhere, and is perfectly hardy,
blooming very finely the first year from seed
sown in the open ground. A splendid plant for
hardy borders. Pkt. ro cts.

LOBELIA ERINUS COMPACTA, "GOLDELSE."

This grand novelty, with its golden yellow foliage and deep blue flowers, makes a contrast of charming beauty. Pkt. 20 cts.

SWEET PEA, CUPID.

Foliage very dark green, blossoms pure waxy white, of unequaled substance, and fully as large as Emily Henderson. The plant is about 5 inches high and 12 inches in diameter. The stems are 4 inches long, bearing 2 or 3 blossoms. A very free bloomer; begins to flower as early as May, and continues until November. Pkt. 15 cts., oz. 50 cts.

MIGNONETTE, GOLDEN MACHET.

The plants are of strong, compact growth, with large crinkled leaves, and bear long, massive spikes of golden yellow blossoms; excellent for pots or forcing. Pkt. 20 cts.

NASTURTIUM, LILLIPUT.

An entirely new class of dwarf Nasturtiums; the plant is in every respect smaller than

the Tom Thumb. The dainty little flowers, produced in the greatest profusion, and peeping up well above the small cut and bushy foliage, make it one of the prettiest of annuals. Pkt. 10 cts.

PAPAVER GLAUCUM. (TULIP POPPY.)

The plant of this splendid annual grows from 12 to 14 inches high, and produces well above the foliage 50 to 60 large and splendid flowers of the most vivid scarlet imaginable. Pkt. 10 cts.



Sweet Pea, Cupid.

Novelties and Specialties in VEGETABLE SEEDS.

ASPARAGUS, COLUMBIAN MAMMOTH WHITE.

This variety is a sport from Conover's Colossal. It produces pure white shoots, and requires no artificial blanching. It is a strong grower, and comes remarkably true from seed. Oz. 10 cts., lb. 75 cts.

VALENTINE WAX BEAN.

This is an improved Extra Early Valentine Bean with round wax pods. It grows about 15 inches high, with a strong stalk and an abundance of foliage remarkably free from rust. Beans planted June 18 produced pods 4 inches long by July 21. The pods are very meaty and almost stringless. Qt. 30 cts., bus. \$5.

BEET, COLUMBIAN TURNIP.

A round, smooth-skinned variety with deep blood-red flesh. Very early and of the finest quality. Per oz. 10 cts., lb. 75 cts.

CARROT, HALF-LONG RED CARENTAN.

A slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 10 cts., lb. 75 cts.

CAULIFLOWER, ERFURT EXTRA-EARLY DWARF.

The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Pkt. 50 cts., oz. \$6.

CELERY, THORBURN'S FIN DE SIÈCLE.

It is not a sport or hybrid, white or yellow, but a common green Celery of the old familiar kind. But it has a pedigree and breeding and traditions and a name which it must preserve. After growing to a great size it lends itself to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. It has also proved to be the largest, hardiest, solidest, crispest, best keeper and best shipping winter Celery we know of. Per pkt. 25 cts.

CORN, CHAMPION SWEET.

This Corn is, without doubt, the earliest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 20 cts.

LETTUCE, BUTTERCUP.

A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts., lb. \$1.25.

PEAS.

Duke of York. This splendid new wrinkled Pea is the most distinct and valuable that has been introduced for years. It is of robust growth, very large, long and full podded, and of the highest flavor. Height, 3 feet. Ot. 50 cts.

Ot. 50 cts.


The Queen. A new wrinkled variety; pods very large, produced mostly in pairs. The Peas are large and of a delicious flavor. Ot 30 cts.

delicious flavor. Qt. 30 cts.

Heroine. This is a medium early, and grows uniformly from 2 to 2½ feet high. It comes in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing 9 or 10 large Peas of the finest quality. Qt. 30c.



Thorburn's Fin de Siecle Celery.



New White Peach-Blow Potato.

NEW WHITE PEACH-BLOW POTATO.

This is a seedling of the old "Excelsior," which has always been considered the standard for quality as well as the latest keeper known. In table quality this new seedling is fully equal to its parent, which is the very highest recommendation that could be given it. The flesh, as well as the skin, is of extreme whiteness. It is very dry when cooked, and does not fall in pieces, as most dry varieties do. It is the most freest from scab of any variety we have any knowledge of. It has been, so far, entirely free from rot. There has never yet been a hollow-hearted one found among them. The vines make a very heavy, luxuriant growth. The flower is large and purple. In growth, quality and general appearance, this variety resembles the old and once popular "White Peach-Blow," but it will yield very much more, and is earlier in ripening. Bus. \$5, bbl. \$12.

PUMPKIN, JONATHAN.

This is one of the best crookneck varieties ever introduced. It is a good keeper, of large size, very prolific, and wonderfully smooth and even fleshed, being free from that coarse stringiness which most varieties have. Oz. 10 cts., lb. 75 cts.

RADISH, Scarlet Globe.

New; excellent for frame, and has short leaves; brilliant red: flesh fine, white, tender and crisp. Oz. 15 cts., lb. \$1.

SALSIFY, MAMMOTH SANDWICH ISLAND.

In size twice as large as the ordinary variety. The roots are smooth; flesh fine-grained and of pleasant flavor. Oz. 20 cts., lb. \$1.50.

SPINACH, LONG-STANDING.

Thick, dark green leaves, of compact growth, standing longer than any other sort before running to seed. Lb. 40 cts.

UPLAND CRESS.

A new hardy perennial vegetable, thriving on any soil wet or dry. It is of easy culture, and when once established requires little after-care. In taste it is very agreeable, having the identical flavor of true water cress. Pkt. 20 cts., oz. \$1.50.

Collections of Select Vegetable Garden Seeds.

STANDARD SORTS for Family Use, in quantities to suit Small	No. 1.	No. 2.	No. 3.	No. 4. \$16.	No. 5.
or Large Gardens, as follows:	Contains	Contains	Contains	Contains	Contain.
Beans Early Valentine Bush	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
" Black Wax Bush	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
"Refugee Bush	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
"Large White Lima Pole	I pt.	ı pt.	ı qt.	3 qts.	2 qts.
Beet Extra Early Turnip	I OZ.	2 OZ.	4 OZ.	4 OZ.	8 oz.
"Early Blood Turnip	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cabbage Early Ox-Heart	pkt.	½ OZ.	¼ oz. ½ oz.	½ OZ.	I OZ.
"Early Winnigstadt	pkt.	½ OZ.	½ OZ.	I OZ.	I 02.
"Large Late Drumhead	pkt.	½ OZ.	I OZ.	I OZ.	I 02.
Darge Date Drummead	pkt.	1/2 OZ.	½ oz.	½ oz.	I 02.
Dramacad Cave)	pkt.		pkt.		
tted, of Ficking	pkt.	pkt.		½ OZ.	I OZ.
Cauliflower. Paris Nonpareil	I OZ.	¼ oz.	½ oz.	½ OZ.	I OZ.
Carrot Early Orange, or Horn		2 OZ.	2 oz.	4 OZ.	8 oz.
Long Orange	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz.
Cress Curled, or Pepper Grass	I OZ.	2 OZ.	2 OZ.	2 02.	4 OZ.
CornEarly Sugar	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
Mammoth Sugar	½ pt.	ı pt.	I qt.	2 qts.	2 qts.
Stowell's Evergreen	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
Celery Early White Solid	pkt.	½ OZ.	I OZ.	I OZ.	I OZ.
Cucumber Early Russian	pkt.	I OZ.	I OZ.	2 OZ.	4 OZ.
"Long Green	I oz.	I OZ.	2 OZ.	4 OZ.	4 OZ.
gg-plant Improved N. Y. Purple	pkt.	¼ oz.	¼ oz.	½ OZ.	½ oz.
EndiveGreen Curled	pkt.	½ oz.	½ OZ.	I OZ.	I OZ.
Kohlrabi Early White Vienna	pkt.	¼ oz.	½ oz.	I oz.	I OZ.
Kale Green Curled Scotch	pkt.	I OZ.	I oz.	I OZ.	I OZ.
Lettuce Early Curled Silesia	pkt.	½ oz.	½ oz.	I OZ.	I OZ.
"Early Tennisball	pkt.	½ OZ.	I oz.	I OZ.	I OZ.
" Large Butter-Head	pkt.	½ oz.	I oz.	I OZ.	2 OZ.
LeekLarge Flag	pkt.	1/2 OZ.	I oz.	I OZ.	2 OZ,
Melon Orange Christina	pkt.	1/2 OZ.	I oz.	2 OZ.	4 OZ.
"Green Citron (netted)	pkt.	I OZ.	I oz.	2 OZ.	4 oz.
" Mountain Sweet Water	I OZ.	I OZ.	2 oz.	4 OZ.	4 OZ.
Onion Extra Early Red	½ oz.	I OZ.	2 oz.	2 OZ,	4 OZ.
"White Portugal	½ oz.	I OZ.	2 oz.	2 oz.	4 OZ.
Peas Carter's "First Crop"	I pt.	ıqt.	2 qts.	2 qts.	2 qts.
" Laxton's Alpha	ı pt.	ıqt.	Iq.	2 qts.	2 qts.
" McLean's Little Gem	ı pt.	ı qt.	Iq.	I qt.	2 qts.
" McLean's Advancer	ı pt.	ı qt.	I qt	I qt.	2 qts.
" Champion of England	ı pt.	ı qt.	2 qts.	2 qts.	2 qts.
arsley Extra Curled	pkt,	I OZ.	I oz.	2 OZ.	I OZ.
epper Sweet Mountain	pkt.	¼ oz.	½ oz.	I OZ.	I OZ.
arsnipCup, or Guernsey	I OZ.	I OZ.	2 oz.	4 oz.	8 oz.
Radish Long Scarlet	pkt.	2 OZ.	2 oz.	4 oz.	4 OZ.
" Red Turnip, or Cherry	pkt.	2 OZ.	4 OZ.	4 OZ.	8 oz.
" Chinese Winter	pkt.	I oz.	2 oz.	2 OZ.	2 OZ.
alsify Long White	1/2 OZ.	1/2 oz.	I OZ.	2 OZ.	4 OZ.
quash Early Bush	I OZ.	I OZ.	2 oz.	2 OZ.	4 OZ.
" Hubbard Winter	I OZ.	I oz.	2 OZ.	4 oz.	4 02.
pinachRound-leaved Flanders	4 OZ.	6 oz.	8 oz.	8 oz.	ı lb.
Tomato Early Red Smooth	pkt.	1/2 OZ.	1/2 OZ.	I oz.	I OZ.
" The Trophy	pkt.	½ oz.	½ oz.	I oz.	I OZ.
Turnip White Dutch	I oz.	2 OZ.	4 oz.	8 oz.	8 oz.
				8 oz.	8 oz.


General List of VEGETABLE SEEDS.

For the accommodation of very small growers, those seeds priced by the ounce or quart at 30 cents and under may be had put up in 5-cent papers; seeds priced per ounce or quart above 30 cents may be had put up in papers costing not less than 10 cents.

The names printed in smaller Roman type are identically the same or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 26 to 28.

For New Vegetable Seeds, etc., see pages 5 and 6.



ARTICHOKE.

Artichaut, Fr. Artischode, Ger. Alcachofa, Sp.

Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

ŭ	Per or	z.
French, or	Green Globe so 4	0
,	Per pl	
Jerusalem	Artichoke qt., 25 cts \$1 2	5

ASPARAGUS.

Asperge, Fr. Spargel, Ger. Esparragos, Sp. Seeds should be sown in the spring, or roots planted in the spring or autumn.

	Per oz.	4 ozs.
Palmetto	\$0 IO	\$0 25
Conover's Colossallb., 50c	10	20

ASPARAGUS ROOTS.

A saving of one to two years is effected by planting roots. Those offered below are strong 2-year-old roots. For private use, the beds should be formed 5 feet wide with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.


P	er	100	I,C	000	
Palmetto, 2 years old	\$0	75	\$5	00	
Conover's Colossal, 2 years old.		75	5	00	



Conover's Colussal Asparagus.

I 25

I 25



Long Yellow Six-Weeks Bean.

†BEANS.

Dwarf or Bush.

Haricot, Fr. Bohnen, Ger. Frijole Nano, Sp.
Plant from the middle of April to
August for successional crops, in drills
2 inches deep and from 2 to 3 feet apart.

*Extra Early Valentine.....\$0 25 \$1 25

*Long Yellow Six-Wee	ks			25
*Early Mohawk				25
Per	r qt.	8 q	ts.	
Early China Dwarf. \$0	25	\$1	25	
*Extra Early Refugee	25	I	25	
Golden Refugee	25	I	25	
*Refugee, or 1,000-				
to-1	25	I	25	
White Kidney, or				
Royal	20	I	00	A
Red Kidney, or				7
French	20	I	00	4
White Marrowfat	20	I	00	
*Valentine Wax	30	I	50	-
*Yosemite Mammoth				
Wax	30	I	50	
Crystal White Wax	30	1	50	
*Black Wax (with				1/2
yellow pods)	25	I	25	5 PM
*Golden, or Cream Wax	25	I	25	
*Golden Wax Improved	25	I	25	- CO
*Wardwell's Kidney				Pint
Wax	25	I	25	11119/
Flageolet Wax	30	I	50	CHAR!
*Wonder of France.	30	I	50	
Flageolet Improved Gre				
Canadian Wonder	30	I	50	
*Burpee's Bush Lima	30	I	50	-
Dreer's Bush Lima.	30	I	50	-
Dwarf Horticultural	25	I	25	

For prices per bushel, see

page 26.

BEANS.

English Dwarf.

Féve de Marais, Fr. Garten Bohnen, Ger. Haba Commun, Sp.

Plant as early as practicable in spring, 4 inches apart and 2 inches deep, in drills 4 feet apart.

	Per qt.	8 0	ıts.
*Sword Long Pod	\$0 30	\$1	50
Long Turkey,			
*Broad Windsor (Taylor's)	30	I	50
Green Mazagan	25	I	25.
English Horse Bean.			
Green Nonpareil	25	I	25

†BEANS.

Pole or Running.

Haricot a Rames, Fr. Stangen Bohnen, Ger. Frijole Vastago, Sp.

Pole Beans are more tender, and require rather more care in culture, than the Bush Beans. They succeed best in a rich, sandy loam.



Burpee's Bush Lima Bean.



Eclipse Crimson Turnip Beet.

BEANS, Pole or Running, continued.

Plant from the middle of May to July, in hills about 4 feet apart each way.

P	er qt.	8 0	its.
*Extra Early Lima\$6	40	\$1	75
*Dreer's Improved Lima	35	I	75
*Large White Lima	35	I	75
*King of the Garden Lima	35	I	75
Early Golden Cluster Wax	40	2	00
*Horticultural, or Wren's Egg.	30	I	50
Small White Lima Carolina, Saba, Sewee or Sieva.	40	2	00
White Dutch Case-Knife	30	I	75
*Mont d'Or, or Golden Butter	40	2	00
Giant Red Wax	40	2	00
Indian Chief (with yellow pods) Black German Wax, or Algerian.	30	I	75
White Dutch Runner	30	I	75
Scarlet Flowering Runner	30	I	50
Asparagus, or Yard Long	со		

‡BEETS.

Betterave, Fr. Runfelrüben, Ger. Remolacha, Sp.

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

Pe	r oz.	4 ozs.
*Extra Early Turnip \$0	10	\$0 25
Early Bassano, or Sugar.		
*Eclipse Crimson Turnip	10	25
*Early Blood Turnip	10	25

_		
	r oz.	4 ozs.
*Egyptian Blood Turnip \$0	10	\$0 25
Dewing's Blood Turnip	10	25
*Edmand's Early Blood Turnip	10	25
Columbia Turnip	10	25
Long Dark Red	IO	25
*Half-Long Dark, or Pear-Shaped	15	30
Yellow Turnip, or Orange	10	25
Silver Swiss Chard	10	25
Victoria Blood-Red Swiss Chard	15	30
Sea Kale Beet, for greens.		
For prices per lb., see page	26.	

CATTLE BEETS.

Per a	ozs. I	b.
White Imperial Sugar\$0	15 \$0	40
White French Sugar	15	40

MANGEL WURZELS.

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

		4 ozs.		
Long Red	.\$0	15	\$0	40
Scarcity, or Cattle Beet.		_		
*Mammoth Long Red		15		40
*Norbiton Giant Red		15		50
Champion Yellow Globe		15		35
*Golden Tankard		15		40



Golden Tankard Mangel Wurzel.



Early Jersey Wakefield.

BROCCOLI.

Chou Brocolis, Fr. Brocoli, Epargel-Rohl, Ger. Broculi, Sp.

Sow in May or June. This should be transplanted in July, in rows about 2 feet apart each way.

Pe	Per oz.		ozs.
*Extra Early Whiteso			00
*Early Purple Cape	40	I	00
White Cape, or Cauliflower	бо	2	00
Early Walcheren (true) Walcheren Cauliflower.	50	I	50

BURNET.

Pimpernelle petite, Fr. Bimpernell, Ger. Pimpinela, Sp.

Sow in rows early in spring.

	Per oz.	4 ozs.
Garden	 .\$0 25	\$0 50

†BRUSSELS SPROUTS.

Chou de Bruxelles, Fr. Grüner Sproffen, Ger. Breton de Bruselas, Sp.

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small tender heads melt in the mouth like fine cauliflower.


	Pe:	r oz.	40	zs.
*Improved Dwarf Tree or Miniature Cabbage.	\$0	25	\$0	75
Roseberry, or French		25		75

† CABBAGE.

Chou pomme ou Cabus, Fr. Ropffohl, Ger. Repollo, Sp.

Sow the early varieties in protecting frames in September, or hotbeds early in the spring; sow late kinds about the middle of May; transplant in July in fresh, rich ground, in rows about 21 feet apart, and from 1 to 2 feet apart in rows.

Pe	r oz.	40	zs.
Early York, or Mayso Early Royal Dwarf.	20	\$ 0	50
*Early Oxheart French, Heart-Shaped.	20		50
*Early Winnigstadt, or Cone	20		50
Early Flat Dutch Early Summer, or Henderson's.	30		75
*Early Jersey Wakefield Early Nonpareil, Early Becalan.	30	I	00
*Selected All-Seasons	25		75
Early Dutch Drumhead Early Dutch, or Battersea.	20		50
*Large Late Flat Dutch	25		75
Large Late Brunswick, or Fottler's.	25		75
*Henderson's Succession	30	I	00
*Autumn King	40	I	00
*Dwarf Early Ulm Savoy	25		75
*Late Drumhead Savoy Large Globe Savoy.	25		75
Perfection Curled Savoy	25		75
Large Red Drumhead	25		75
Red Dutch, or Pickling	25		75
Marblehead Mammoth	20		50
Large Early Schweinfurt	20		50
Pomeranian, or Filderkraut	20		50
For prices per lo, see page 20			,



Selected All-Seasons Cabbage.



Early Dwarf Snowball Cauliflower.

CARROTS.

Carrotte, Fr. Möhren, Ger. Zanahoria, Sp. Sow in April for early; middle of June for winter use, in drills about 15 inches apart.

Per oz.	4 ozs.
*Extra Early Forcing\$0 15 Orange Turnip-Rooted.	\$0 30
*Early Orange Horn (pointed) 15	30
*Half-Long Red (stump-rooted) 10	25
Scarlet Carentan (coreless) 10	25
*0xheart, or Guerande 15	30
Danvers Orange Intermediate 10	25
*Long Orange 10 Long Scarlet or Surry, Altringham.	25
Long White 10 Large White Belgian.	25
For prices per lb., see page 26.	

CARDOON.

Cardon, Fr. Cardon, Ger.

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

	_		Per oz.	4 OZS.
Large	Solid	 	. \$ o 3o	\$0 75

†CAULIFLOWER.

Choufleur, Fr. Blumenfohl, Ger. Coliflor, Sp.

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May, and transplanted early in July, is more likely to produce good heads. Sow for early and late, same as Cabbage.

*Erfurt Extra Early Dwarf\$0	pkt 50	 \$6	oz. 00
Carrara Rock	50		
*Early Dwarf Snowball	25	4	00
*Extra Early Paris (fine)\$0	75	\$2	ozs. 25
Half-Early Paris Nonpareil	60	2	00
*Lenormand's Short-Stemmed Carter's Extra Dwarf Mammoth.	75	2	25
Early London, or Dutch	40	ı	00

Per	oz.	4 (ozs.
Large Late Stadtholder \$0	40	\$1	00
Large Algiers (fine late)	75	2	25
Italian, or Autumn Ciant	40	I	00

CELERY.


Céleri, Fr. Sellerie, Ger. Apio, Sp.

Sow very early in spring, in moist, rich ground, when the plants are from 4 to 6 inches high; transplant into trenches 4 inches deep and 9 wide, and 3 feet from trench to trench. Set the plants 6 inches apart in the rows.

P	er oz.	4 ozs.
*Early Dwarf White	25	\$0 75
Incomparable Dwarf.		
*Early White Plume	.40	I 00
*Golden Heart Half-Dwarf	25	75
Golden Self-Blanching	40	I 25
*Perfection Heartwell	30	75
*Boston Market Dwarf White	. 25	75
*New Giant Pascal		75
Large White, or Giant		50
*Early Dwarf Red		_
Dwarf Crimson, Rose-colored.	. 30	75
London Large Red	30	75
Sandringham Dwarf White	20	50
Turnip-Rooted Celery	25	_
Early Erfurt Celeriac.	-5	75
Celery Seed (for flavoring) lb. 60c.	. IO	20



New Giant Pascal Celery.



Types of Sweet Corn

I 00

Cerfeuil, Fr., Rerbel, Ger. Perrifollo, Sp. Sow early in spring, and at short intervals for later use. Per oz. Curled, or Double\$0 20 \$0 50 Tuberous-Rooted 20 COLLARD, or COLE-WORT. Chou, Fr. Blätter=Rohl, Ger. Sow from May to July for succession, in rows a foot apart, and treat same as cabbage. Georgia-Grown Collards.....\$0 20 \$0 50 †SUGAR-CORN. Mais, Fr. Welschforn, Ger. Maiz, Sp. Plant from the middle of May to July for successional crops, in hills about 3 feet apart. Extra Early. 8 qts. *Extra Early Minnesota.....\$0 20 \$1 00 *Extra Early Cory..... 20 I 00 Perry's Hybrid 20 I 00 Dwarf Champion 20 I 00

Early Marblehead 20

CHERVIL.

veet Corn.			
Second Early.			
Per	qt.	8 0	its.
*Crosby's Early (fine)		1	00
Triumph Early Sugar		1	00
Moore's Early Concord		1	00
Amber Cream Sugar	20	1	00
*Squantum, or Potter's Sugar	20	I	00
*Ne Plus Ultra	20	I	00
General Crop Corn	•		
*Stowell's Evergreen\$0	20	\$ 1	00
*Country Gentleman		1	00
*Mammoth Sugar (extra fine)	20	I	90
Excelsior, Asylum, or Burr's.			
Egyptian, or Washington Market.	20	_	00
Large Eight-Rowed Sugar	20		00
Roslyn Hybrid			00
Black Mexican Sugar			² 5
C		Per b	us.
Sweet Fodder (best for soiling)			75
For prices per bushel, see p	age	26.	
POP CORN.			
Pop, or Parching\$0	e qt. 25	8 c	25

†FIELD CORN. Per bus.

Early Yellow Canada 1 75

Large White Flint..... 1 75

Long Orange Flint..... 1 75

King Philip..... 1 75

Queen of the Prairie (Dent)..... 1 75

Golden Beauty (Dent)..... 1 75

We can furnish, also, other Field varieties.



Water Cress.

CORN-SALAD, or FETTI-CUS.

Mâche, Fr. Acferialat, Ger. Canonigos, Sp. Sow in September, and manage same as spinach.

Per	oz.	40	zs.
Small Seeded\$0	IO	\$0	25
Large Seeded	10		25

‡CRESS, or PEPPER-GRASS.

Cresson, Fr. Rreije, Ger. Mastuerzo, Sp. Sow at short intervals, spring and fall.

Pe	er oz.	40	zs.
*Upland Cress\$	I 50		
*Extra Curled	. 10	\$0	25
Australian, or Golden	. 10		25
True Water Cress	. 50	I	50



†CUCUMBERS.

Concombre, Fr. Gurfen, Ger. Pepino, Sp. Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

1 61	UZ.	4 023,
*Extra Early Russian \$0	10	\$0 25
Early White Spined	15	30
Short Green, or Boston Pickling.	10	25
Green Prolific, or Pickling	15	25
Early Green Cluster	10	25
Early Short Prickly, Early Frame.		
Improved Long Green		30
*Thorburn's Everbearing	IO	25



Early White Spined.

Khiva Brown Netted \$0	oz.	4 ozs. \$0 60
Long White Spined New Jersey Hybrid.		30
*Tailby's Hybrid		30
Long Green Turkey	IO	25
W. I. Gherkin, or Burr	20	60
German White (for forcing)	20	60
Nichol's Medium Green	10	25

ENGLISH FRAME CUCUMBERS.

Per p	kt.
General Grant\$0	25
Telegraph	25
Duke of Edinburgh	25
Marquis of Lorne	25
Also several other English long varie-	
ties for forcing; each, per pkt	25
For prices per lb., see page 27.	



Improved New York Purple.

†EGG-PLANT.

Aubergine, Fr. Gierpflanze, Ger. Berengena, Sp.

Sow in hotbed or under glass, early in spring; about the end of May transplant to the open ground.

Per oz.		ozs.
Early Long Purple \$0 30	\$ I	00
*Improved N. Y. Purple 50	I	25
Large Oval Purple, Round Purple.		
*Early Black Pekin 40	I	00
P	er p	kt.
Long White Chinese	.\$o	Io
Scarlet Chinese		10
Striped, or Guadaloupe		IO
White Egg-Shaped		IO

‡ ENDIVE.

Chicorée-Endive, Fr. Endivie, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

	er oz.		
*Green Curled Summer\$0	20	\$0	50
White Curled	20		50
French, or Moss-Curled	20		50
*Broad-Leaved	20		50
Batavian, or Escarolle.			
Brussels Chicory (Witloof)	15		25
Wild (for flavoring coffee)	15		30
(Chicory, or Succory, per lb., \$1.))		

GARLIC.

Ail, Fr. Knoblauch, Ger. Ajo, Sp.

Plant early in spring, in rows 10 inches apart and 2 inches deep.

‡ KALE, or BORECOLE.

Chou-vert, Fr. Grüner-Rohl, Ger. Breton, Sp.

Sow Spring Sprouts during March and April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

Pe	r oz.	4 ozs.
*Green Curled Scotch\$0	15	\$0 30
*Dwarf Green Erfurt	15	40
Brown, or Purple-Curled	15	40
*Curled Siberian per lb., 60 cts	10	25
Hardy German Greens, or Winter Sp	routs	
*Striped Garnishing	25	75
Sea Kale (Crambe maritima)	25	75
Spring Sprouts (for greens)		10



t KOHLRABI.

(Turnip-Rooted Cabbage.)

Chou-rave, Fr. Rohl-Rabi, Ger. Col de Nabo, Sp.

Sow from March to June for transplanting in succession.

	Per oz.	40	zs.
Early White Vienna	0 30	\$1	00
Early Purple Vienna	. 30	I	00-



Green Paris Cos Lettuce.

! LETTUCE.

Laitue, Fr. Lattich, Ger. Lechuga, Sp.

Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

	er oz.	4 oz
*German Early Head\$0	25	\$0 7
Early Egg, or Forcing	25	7
*Buttercup (fine for forcing)	20	5
*Big Boston fine for forcing)	20	6
*Simpson's Curled Silesia	20	5
Early Cut Salad.		_
Black-Seeded Simpson	15	4
*Early Tennisball (fine)	20	5
Early Boston Market.		_
*Golden Stone Head (fine)	25	7
Yellow-Seeded Butter.		
Deacon (solid head)	20	5
Early Prize Head	15	4
Black-Seeded Large Butter	20	5
Turkish Cabbage, or Russian.		
Gray-Seeded Butter	25	7
*Perpignan, or Summer	20	5
Henderson's New York	20	5
Ice Drumhead (fine)	15	4
Royal Cabbage, or Malta.		
White Summer Cabbage	20	5
Stone Cabbage, or Winter Butter.		
American Gathering	15	4

Per oz.	4 ozs.
Victoria Cabbage50 15	\$0 40
Red Edged Cabbage.	
*Salamander, or Satisfaction 20	50
*All-the-Year-Round 20	50
Hanson's Cabbage 20	50
Shotwell's Brown Head 20	50
Hardy Green 15	40
Winter, or Hammersmith.	
White Paris, or Ice Cos 20	50
Green Paris Cos (Romaine) 20	50
Trianon Self-Closing Cos 20	50
Balloon Cos 20	50
Asiatic Cabbage, or Imperial 15	30
Saxony Cabbage, Grand Admiral.	
For prices per lb., see page 27.	

LEEKS.

Poireau, Fr. Lauch, Ger. Puerro, Sp.

Sow from March to May; transplant in rich ground.

*Large American Flag\$0 30 \$0 75 Large Carentan (fine) 20 60

† MARTYNIA.

Gemsenhorn, Ger.

Sow in May in open ground, three feet apart each way.

Craniolaria (for pickles) \$0 30 \$0 75



MUSHROOMS.

Champignon, Fr. Champignonbrut, Ger. Seta, Sp.

English Spawnper 8 lbs., \$1. \$0 15
French, in boxes of 3 lbs., each \$1.25..

Printed pamphlets on Mushroom culture sent with all orders for spawn.

† MUSKMELONS.

Melon, Fr. Melonen, Ger. Melon, Sp. Sow in frames for early; open ground in May and June, in hills 6 feet apart each way.

F	er oz.	4 ozs.
*Early White Japan\$6	_	\$0 32
*Early Christina (orange flesh)	15	30
*Emerald Gem (orange flesh)	15	30
*Large Nutmeg (green flesh)	15	30
Green Citron (netted)	15	30
The Banquet (rich salmon)	15	30
*Early Jenny Lind (green flesh)	15	30
Delmonico (large; orange flesh	15	30



Improved Hackensack.


	$P\epsilon$	r oz.	40	zs.
*Improved Hackensack			\$ 0	30
Bay View (extra large)				30
Surprise (new)		15		30
Excelsior Nutmeg (green flesh)				30
*Golden Perfection yellow flesh)				30
Baltimore Market (orange flesh				30
*Golden Netted Gem				30
*Montreal Market (green flesh)				30
*Long Island Beauty		15		30
Also, English varieties for cultur	е			
in framesper pkt., 20 cts				

† WATERMELONS.

Melon d'Eau, Fr. Wassermelonen, Ger. Sandia, Sp.

Sow in frames for early; open ground May and June, in hills 8 feet apart each way.

*Early Mountain Sweet		4 ozs. \$0 25
Kolb's Gem	. Io	25




Mushrooms.

	Per oz.	4 ozs.
Icing, or Ice Rind (red flesh) White-Seeded Ice-Cream, Strawbe		\$o 25
*Black Spanish (red flesh)	10	25
Phinney's Early (red flesh)	Io	25
*Jordan's Gray Monarch	15	30
Green and Gold	15	30
Ruby Gold	15	30
*Scaly Bark (crimson flesh)	10	25
*Vick's Early (red flesh)	15	30
The Volga (red flesh)		25
Orange (scarlet flesh)		25
Mammoth Ironclad	IO	25
*Striped Gipsy (fine late		25
Jackson, or Rattlesnake.		_
Japan Sculptured (cream flesh)	10	25
Citron (for preserves)	10	25


MUSTARD:

Sinapis, Lin. Moutarde, Fr. Senf, Ger. Sow at intervals, spring and autumn.

	Per	oz.	40	zs*
White, or Yellow	. \$о	05	\$0	15
Black, or Brown		5		15
Chinese (for salad)		IO		30
			-	-



Phinney's Early Watermelon.



White Portugal Onion.

† NASTURTIUMS.

Capucine grande, Fr. Kreffen Indianische, Gera Maranuela, Sp.

Sow in May and June in drills an inch deep.

•	Per oz.	4 ozs.
†Tall (Indian Cress)	\$0 20	\$0 50
Dwarf "	20	50

OKRA.

Gombo, Fr. Effbarer Hibiscus, Ger. Quimbombo, Sp.

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

*Dwarf White Velvet\$0	oz. 10	
*Early Dwarf Green	10	25
Improved Dwarf Prolific.		
Extra Long Green	10	25

ONIONS.

Oignon, Fr. Zwiebeln, Ger. Cebollo, Sp.

Sow seed in rich ground early in spring, in drills r foot apart, and thin to 2 inches apart.

1	Per	02	40	25
*Extra Early Flat Red	.\$0	20	\$0	50
Large Red Wethersfield				



Yellow Danvers, or Globe.

*Large Red Globe	er oz.	\$0	
*Southport White Globe	. 25	#0	75
Yellow Dutch, or Strasburg			50
*Yellow Danvers, or Globe			50
*White Portugal			
New England White, Silver Skin.	. 23		75
Queen (New Early White)	. 25		75
Prize-Taker (straw-color)			75
White Italian Tripoli			75
Naples Giant Rocca (late)			50
About		t.	Pk.
Potato Onions			50
White Multiplier			75
Red Onion Sets	. 25		50
*White Onion Sets	. 25		50
Yellow Onion Sets	. ~5		50
Top, or Button Onions	. 25		-
			50
For prices per pound see p	200 2	7	



PARSNIPS.

Panais, Fr. Bastinaten, Ger. Pastinaca, Sf. Sow from March to June, in deep, rich ground.

	Per	oz.	4 C	ZS.	
*Long White, or Guernsey	\$о	10	\$0	25	
Cup, Hollow Crowned, or Sugar.					
Sutton's Student		IO		25	

PARSLEY.

Persil, Fr. Betersisse, Ger. Perejil, Sp. Sow from March till June, in drills an

inch deep and I foot apart.

•	Per	oz.	4 ozs.
*Curled, or Double	.\$o	10	\$0 25
*Champion Moss-Curled		15	30 €
*Carter's Fern-leaved		10	25
Hamburg, or Rooted		10	25

PEAS.


Pois, Fr. Grhjen, Ger. Guisante, Sp.

Extra Early Sorts.

Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.

Those marked thus (*) are the wrinkled varieties.


Bridgeman's	_	
Extra Early 21/2 . \$0	25	\$I 25
Carter's First		
Crop 2½	25	I 25
Sutton's Ring-leader, First and Best.		
Daniel O'Rourke21/2.	25	I 25



Ft. Per qt. 8 qts.

Second Early Pe	eas			
Ft.	Pe	r qt.		qts.
*Heroine	. \$0	30	\$1	75
*McLean's Advancer21/2			I	25
*Shropshire Hero3			I	50
Laxton's Fillbasket 3			I	75
*Horsford's Market Garden. 21/2			I	25
*Dwarf Champion 2			I	50
*Abundance (sow thin) 11/2		25	I	25
		-		





Alaska Peas.

Ft.	Per qt.	8 qts.
*McLean's Little GemI	.\$0 30	\$1 50
McLean's Blue Peter	30	
Tom Thumb (Amer.) 7 in	25	I 50

Main Crop and Late Peas	÷.
Ft. Per qt.	8 qts.
*Champion of England 5 \$0 25	\$1 25
*Yorkshire Hero3 25	I 25
*Ne Plus Ultra 5 25	I 50
*Juno. Large, straight pods.2 30	I 50
*Everbearing (sow thin) 2½ 25	I 25
Pride of the Market 30	I 75
*Sander's Marrow 30	I 50
*Carter's Telephone5 30	I 50
Culverwell's Telegraph4 30	I 50
*Carter's Stratagem 30	I 50
*Queen (finest flavor)2½ 30	I 50
Rine Imperial all as	I 25
White Marrow-	
12 A fat 3 20	T 00

Black-Eyed Marrow....3


Peruvian Marrow.

SUGAR PEAS.

.. 20

I 00

Ft.	Per qt.	8 qts.
Tall Sugar (edi-		
ble pods)5	\$ 0 30	\$1 75
Wrinkled Sugar		
(edible pods).4	40	2 00
Dwarf Sugar		
(edible pods). 2	40	2 00
For prices p	er bush	el, see
nage 28		



Clark's No. 1 Potato.

†PEPPERS.

Piment, Fr. Spanischer Pfeffers, Ger. Pimiento, Sp.

Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.

	Per oz.	4 ozs.
Squash, or Tomato		\$0 75
*Large Bell, or Bull Nose		75
*Sweet Spanish (for salad)	25	75
*Sweet Mountain (for mangoes)	30	75
*Celestial	30	I 00
Red Cherry	30	I 00
Red Chili, or Red Chester	30	I 00
Long Red Cayenne	30	I 00
Ruby King	. 30	1 00
Golden Dawn (new)	25	75
For prices per lb., see pa	ge 27.	

POTATOES.

Pomme de Terre, Fr. Rartoffein, Ger.
Our Potatoes are all specially "northern-grown," for seed purposes.

Prices subject to variation.



Mammoth Pumpkin.

A	About,	per	bus.	Bbl.
Early Mayflower	\$	75	\$4	00
Extra Early (Thorburn)	:	I 75	5 3	75
Charles Downing	:	75	i 4	00
Early Puritan				75
Rural New-Yorker				50
Pride of Ireland (heavy yiel				00
Clark's No. 1				50
White Elephant (fine late).				50
Dakota Red	• • • • •	1 50) 3	50
White Star				50
Late Beauty of Hebron		I 50	3	50



Ruby King Pepper.

† PUMPKINS.

Potiron, Fr. Kürbisse, Ger. Calabaza, Sp. Sow in May or June, in hills 6 by 8 feet apart.

rect apart.	
Large Chinese, or Pie\$0 10	
West India Mammoth 25	5 75
Mammoth, or Large Tours 20	60
Jonathan	25
Connecticut Field	t. bus.

RHUBARB.

Rhubarbe, Fr. Rhabarber, Ger. Ruibarbo, Sp.

Sow seed or plant roots in rich ground during April or May.

Myatt's Victoria		\$0 50
Pie Plant, Wine Plant.	T71.	Dan Jan
Ponts (large)		Per doz.



Beckert's Long Red Chartier Radish.

‡RADISHES.

Radis, Rave, Fr. Mettige, Ger. Rabanos and Rabonitas, Sp.

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.

	oz.	4 ozs.
*Scarlet Globe Turnip (new)\$0	15 \$	50 30
*French Breakfast (fine)	10	25
Red Olive-Shaped, White Tipped.		
*Early Scarlet Turnip (fine)	10	25
Red Turnip, or Cherry.		
*Early Round Dark Red	10	25
White-Tipped Scarlet Turnip	15	30
New Golden Olive-Shaped	15	30
Early White Olive-Shaped	10	25
*Long Scarlet Short-Top	10	25
Beckert's Chartier Long Red	10	25
*Golden Globe (fine)	IO	25
Yellow Summer Turnip	IO	25
Gray Summer Turnip	10	25
*White Summer Turnip	IO	25
Giant Stuttgart Summer Turnip	IO	25
*Purple Summer Turnip	10	25
*Long Black Spanish	10	25
*Round Black Spanish	10	25
White Spanish, or Fall	15	30
*Scarlet Chinese Winter	10	25
Long White Naples	IO	25
Raphanus (edible pods), pkt., 10 ct	s.	
For prices per lb., see page :	28.	

SAGE.

Sauge, Fr. Salbei, Ger.

Sow during the spring.

Per oz. 4 ozs.

Common(Salvia officinalis)....\$0 25 \$0 75

SALSIFY, or OYSTER PLANT.

SCORZONERA.

Scolymus (Salsify sp.).....25

Scorsonére, Fr. Sforzonere, Ger. Escorconera, Sp.
Sow from April till June.

Black Salsify Per oz. 4 ozs.
\$0 25 \$0 75

SAVORY.

Bohnenkraut, Ger. Per oz. 4 ozs. *Summer \$0 25 \$0 75
Winter 40 1 00

SKIRRET.



Long Scarlet Short-Top.



Savoy-Leaved Spinach.

SORREL.

Oseille, Fr. Sauerampfer, Ger. Acedera, Sp.

Sow during the spring.

Per oz. 4 ozs.

*Large-leaved, per lb., \$1.25...\$0 15 \$0 40


SPINACH.

Garden Patience Dock 30

Epinard, Fr. Spinat, Ger. Espinaca, Sp.

Sow early in the spring, in very rich ground. Also during September and October for winter use, in drills 12 inches apart, and half an inch deep.

*Round-leaved	Per \$0	oz.	Per \$0	1b. 40
*Long-Standing				40
Broad Flanders				40
*Large Viroflay		15		40
Large Round Thick-Leaved.				
Savoy-leaved		15		40
Bloomsdale, or Norfolk.				
Prickly-leaved		15		40
New Zealand per oz. 15c.		30	I	00
Holland, or Orach " 20c.		50	I	00
French, or Mountain Spinach.				




Sibley, or Pike's Peak Squash.

†SQUASHES.

Courge, Fr. Kürbiğ, Ger. Calabozo, Tontanera, Sp.


Sow in hills from the middle of April till the last of June. Bush kinds about 4 feet apart, other kinds 8 feet apart.

•	Pet	oz.	4 ozs.
*Early White Bush	\$0	IO	\$0 25
Scallop, or Patty-Pan.			
Egg-Plant Bush		IO	25
*Early Striped Bush			25
Green-Striped Bergen.			
Early Golden Bush		10	25
*Summer Crookneck Bush		IO	25
Early Orange Marrow		IO	25
Boston Marrow		15	30
*Hubbard, or Winter		15	30
*Sibley, or Pike's Peak		IO	25



Essex Hybrid Squash.		
	et oz.	
Marblehead Marrow\$0	10	\$0 25
*Essex Hybrid	IO	25
*Winter Crookneck	15	30
Canada Crookneck.		
Turban, or Turk's Cap	10	25
Fordhook (Long-keeper)	10	25
*Perfect Gem (Late-running)	10	25
Lima Cocoanut	10	25
Valparaiso, or Acorn.		
Butman (Winter)	IO	25
English Vegetable Marrow	20	50
Mammoth Chili (extra size)	20	50
Patagonia Seven Years' Custard, or Butter.	20	50
Brazil Sugar	IO	25
For prices per lb., see page	28.	

SWEET BASIL.



Livingston's Perfection Tomato.

SWEET MARJORAM.

Marjolaine, Fr. Marjoran, Ger. Sow during the spring.

	_		
		Per oz.	4 ozs.
Sweet		 \$0 30	\$1 00

TOBACCO SEED.

(Nicotiana tabacum.)

Per	oz.	40	zs.
Connecticut Seed-Leaf\$0	30	\$1	00
Imported Havana	50	I	50

THYME.

Thym, Fr. Thymian, Ger. Sow during the spring.

Per oz.	4.0ZS.
*English\$0 50	\$1 50
French (Small-leaved) 40	I 25

† TOMATO, or LOVE-APPLE.

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp.

Sow in hotbeds for early; open ground April and May; transplant in rows 3 or 4 feet apart.

Per oz	. 4 ozs
*Ponderosa\$o 50	\$1 25
*Livingston's Perfection 25	75
*Ignotum 25	
The Lorillard 25	75
Extra Early Conqueror 25	75
*Mikado (early, large, red). 25 Turner's Hybrid.	
*The Trophy (selected) 25	
*Dwarf Champion 25	
*Acme (smooth, dark red) 25	75


1	Per oz.	4 ozs.
Livingston's Beauty	50 25	\$0 75
*Livingston's Favorite	25	75
*Early Ruby (dwarf, compact)		75
Large Red Cherry, or Gem		75
Large Golden Yellow	30	75
Red Pear-Shaped, or Fig	25	75
Yellow Plum	30	75
*Cardinal (brilliant red)	25	75
Table Queen (rich crimson)	25	75
*Carter's Green Gage (fine)	25	75
Strawberry, or Winter	30	75
DeLaye, or Treepkt. 10 cts.		
For prices per lb., see pag	e 28.	

TURNIPS.

Navet, Fr. Müben, Ger. Nabo commun, Sp. All varieties, 10 cents per ounce.

Sow for early, very early in spring, on freshly broken up ground. Upon old ground early Turnips are liable to be hot, strong and wormy. For main crop, sow in July and August. Sow Ruta Baga in July, in drills 15 inches apart; thin out to 6 inches. For best results, cultivate carefully all through the season.

			Ļb.
*Extra Early Milan	\$0	25	\$0 75
Early Flat Dutch		20	50
White Strap Teaved			



Mikado Tomato.

TURNIPS, continued.	GRASS SEEDS.
Early White Stone\$0 20 \$0 60	
Early Snowball, or Six-Weeks.	Timothy. 45 lbs. to bus Market price Phleum pratense.
Early Purple-Top Munich 20 50	Creeping Bent Grass. 20 lbs. to bus. \$3.50
Early Yellow Teltow 25 75	Agrostis stolonitera.
Small Berlin, or Marrow. *Red-Top Strap-Leaved 20 50	Red Top. 14 lbs. to bus
Dad Ton White Oleke	Rhode Island Bent Grass. 14 lbs. to bus. 3 00
*White Egg-Shaped (fine late) 20 50	Agrostis canina.
*Yellow Stone, or Globe 20 50	Sweet Vernal Grassper lb., 75 cts
Yellow Aberdeen 20 50	Meadow Fescue. 22 lbs. to bus 3 50
Scotch Yellow.	Festuca pratensis.
*Robinson's Golden Ball 20 50	Meadow Fox-Tail Grass. 7 lbs. to bus 2 75
Orange Jelly. White French, or Rock 20 50	Alopecurus pratensis. Tall Meadow Oat Grass. 13 lbs. to bus. 2 50
Russian, Hanover, Sweet German.	Avena elatior.
*Purple-Top Ruta-Baga 20 50	Orchard Grass. Choice; 14 lbs. to bus. 2 75 Dactylis glomerata.
Improved Yellow Swede, or Russia.	Sheep's Fescue Grass. 12 lbs. to hus 2 50
White Ruta-Baga 20 50	Festuca ovina.
White Swede, or Russia. Long White, Cow Horn 20 50	Hungarian Grass. 48 lbs. to busabout 1 75 Panicum Germanicum.
Zong White, oow Zon Time 20	Meadow Soft Grass. 7 lbs. to bus 1 25
SWEET, POT AND MEDI-	Holeus lanatus.
CINAL HERBS.	Italian Rye Grass. 12 lbs. to bus 2 00
Per packet, 5 to 10 cents.	English Rye Grass. 24 lbs. to bus 2 00
Sow under glass early in spring; about	Lolium perenne.
the end of May transplant to open ground.	Wood Meadow Grass. 14 lbs. to bus 5 00 Poa nemoralis.
Per oz	Kentucky Blue. Best ex. cleaned; 14 lbs. 2 50
Anise (Pimpinella Anisum)	Central Park Lawn Grass, 15 lbs. to bus. 3 50
Basil, Sweet (Ocymum basilicum) 40	Extra Finest Mixed Lawn Grass. 15 lbs. 4 50
Borage (Borago officinalis) (for bees) 20	Permanent Pasture Grass 2 50
Balm (Melissa officinalis) 40	
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20	CLOVERS.
Balm (Melissa officinalis)	CLOVERS. Per 1b. Red Clover. Price variable\$0 20
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable\$0 20 White Clover. '' 30
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable\$0 20 White Clover. '' '' 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum.
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable \$0 20 White Clover. '' 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15	CLOVERS. Red Clover. Price variable \$0 20 White Clover. '' 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable \$0 20 White Clover. '' 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable \$0 20 White Clover. '' 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable. \$0 20 White Clover. '' '' 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable \$0 20 White Clover. '' 30 Crimson Clover. 15 lbs. per acre 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Per gt. Bus.
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20	CLOVERS. Red Clover. Price variable. \$0 20 White Clover. " 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Per qt. Bus. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00
Balm (Melissa officinalis)	CLOVERS. Red Clover. Price variable
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15	CLOVERS. Red Clover. Price variable. \$0 20 White Clover. '' '' 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Per qt. Bus. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Hemp Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25	CLOVERS. Red Clover. Price variable
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25	CLOVERS. Red Clover. Price variable
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40	CLOVERS. Red Clover. Price variable. \$0 20 White Clover. '' '' 30 Crimson Clover. 15 lbs. per acre. 10 Trifolium incarnatum. Yellow Clover, or Trefoil 20 Lucerne, or Alfalfa Clover 25 Alsike Clover, or Swedish 25 Bokhara Clover 30 BIRD SEED, ETC. Per qt. Bus. Canary (best Sicily) \$0 20 \$4 00 Mixed Bird Seed 20 4 00 Mixed Bird Seed 10 2 00 White Millet 30 4 00 Yellow Millet 15 3 00 English Rape (large-seeded) 20 4 00 German Rape (small-seeded) 20 4 00 Bird Gravel (for cages) 10 2 00 Rough Rice 15 3 50 Maw, or Poppyper lb., 30 cts. Bird Lettuce. '' 50 ''
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Ruosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40 Tansy (Tanacetum vulgaris) 50	CLOVERS. Red Clover. Price variable
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40	CLOVERS. Red Clover. Price variable
Balm (Melissa officinalis) 40 Bene (for dysentery) per lb., \$1.25 20 Coriander (Coriandrum sativum) 15 Castor Oil Plant (Ricinus) per lb., 50c. 10 Caraway (Carum carui) 15 Catnip (Nepeta cataria) 40 Dandelion (Leontodon taraxacum) 40 Dill (Anethum graveolens) per lb., \$1 15 Eucalyptus, or Fever Plant 35 Fennel, Sweet (Anethum) 15 Hop Seed (Humulus) 50 Horehound (Marrubium) 30 Hyssop (Hyssopus officinalis) 30 Lavender (Lavendula spica) 30 Marjoram, Sweet (Origanum) 30 Marjoram, Sweet (Origanum) 30 Rue (Ruta graveolens) 20 Rosemary (Rosemarinus officinalis) 50 Saffron (Carthamus) 15 Sage, Common (Salvia officinalis) 25 Savory, Summer (Satureja hortensis) 25 Savory, Winter (Satureja montana) 40 Tansy (Tanacetum vulgaris) 50 Thyme, English (Thymus vulgaris) 50	CLOVERS. Red Clover. Price variable

VARIOUS SEEDS.

	Per	at	Per h	1115
Flax Seed	.\$0	25	\$3	50
Sunflower		10	2	25
Broom Corn		25	3	00
Vetches (for pigeons, etc.)		20	2	75
			Per	
Chinese Sugar Cane			.\$0	25
Rural Branching Sorghum				25
Yellow Locust (Robinia)				50
Honey Locust				50
Osage Orange (Maclura)				50
Wheat, Rye, Oats, Barley and	Bu	ckw	hea	ıt;
also Tree, Shrub, and Fruit Se	eds,	Su	ppli	ed

INSECTICIDES.

to Order.

Bordeaux	Mixture.	For	blac	k-rot,	do	wny
mildew	and anthra	cnose	of g	rapes,	po	tato
blight,	potato rot,	and	other	fungo	us	dis-
eases,	20-pound	pack	age	(50	gal	lons
wash), ;	₿1.					

Kerosene Emulsion. For plant-lice of any kind, cabbage worms, scale insects on apple, pear, orange and other trees, 5-gallon bucket (makes 75 gallons wash), \$2; qt. jar, 50 cts.

HAMMOND'S GRAPE-DUST, for the prevention and destruction of mildew on plants. 5-lb. package, 35 cts.

Ant Destroyer. A non-poisonous powder, which will destroy or drive away black ants from lawns, trees, plants, houses, or other affected localities. Per can, 50 cts.

Slug-Shot...... 5 lbs., 30 cts.; 10 lbs., \$0 50 Fir-Tree 0il . . pt., 75 cts.; qt., \$1.25; gal., 4 oo Fir-Tree Oil Soap...... 1/2-lb. can, 25c.;

	75
Persian Insect Powderper lb.,	75
Flowers of Sulphur	10
Pure Paris Green "	30
White Hellebore	30
Whale-Oil Soap "	12
Gishurst's Compoundper box,	50

Tobacco	Stemsper 100 lbs., \$2	00
Tobacco	Dustper lb.,	10
Tobacco:	Insecticide Soap	50

MISCELLANEOUS.

Grafting Waxper lb., #	60	40
Raffia (for tying)		25
Cuba Bast (for tying)		25
Mats, straw (6 ft. by 6 ft.)each,	I	50
Round Scythe Stones		15
Indelible Garden Pencils "		10
Pea Trellisper 10-feet lengths,		75
Thremometerseach, 50 cts. to	I	50
mt	2	50
Thermometers, Hotbedeach,		50
Bellows (for insect powder, etc.), "	I	00
Elastic Plant-Sprinklers	I	00
Elastic Putty Bulbs (for glazing		
	I	00
Canes (useful as flower sticks), per 100.		

STANDARD FLOWER POTS.

				Per	100	Per 1.	000
	21/4	inch	Thumb	·\$0	80	\$ 6	
	3	"	Gilî	. І	25	9	00
	4	"	Half-pint	. і	75	15	00
	5	6.1	Pint	. 2	50	25	00
	6	"	Quart	. 4	00	40	00
	7	"	Three-pint	. 6	50	бо	00
	8	"	Half-gallon,	. 9	СО		
	9	* *	Gallon				
I	0	6.4	Two-gallon	. 20	00		

ROUND SEED, or LILY PANS.



FERTILIZERS.

	. Per	ton
Superphosphat	e of Lime\$40	00
Ground Bone .	38	00
Bone Meal	44	00
Potato Fertilize	r 43	00
Sheep Manure	(pulverized) 35	00
66 66	(per 100 lbbag) \$2.75	

FRUIT SEEDS.

Ter lb.	1
Apple Seed	Currant Seed
Cherry Pits, Mahaleb 30	Gooseberry S
Pear Seed 1 50	Raspberry Se
Quince Seed 1 50	Strawberry S
•	

		Per	oz.
Currant Seed, Mixed		\$0	40
Gooseberry Seed, Mixed	٠.		75
Raspberry Seed, Mixed			50
Strawberry Seed, Mixed			50

VEGETABLE SEEDS, ETC.

By Pound, Bushel or Barrel.

Orders for less than Half-Rushel	s and Half_	Pounds are liable to somewhat higher rates.
BUSH BEANS.	Per bus.	CABBAGE.
Burpee's Bush Lima		Per 1b.
Dreer's Bush Lima	6 00	Early York, or May\$1 50
Extra Early Valentine	4 50	Large Early Oxheart 1 50
Long Yellow Six-Weeks	4 50	Early Flat Dutch, or Summer 2 50
Early Mohawk	4 50	Early Jersey Wakefield 3 00
Early China Dwarf	4 50	All-Seasons 2 50
Golden Refugee		Henderson's Succession 3 00
Refugee, or 1,000-to-1		Autumn King 3 00
Canadian Wonder		Early Winnigstadt
Wonder of France		Early Dutch, or Drumhead
White Kidney, or Royal		Premium Late Flat Dutch
Red Kidney, or French	4 00	Dwarf Early Ulm Savoy 2 00
White Marrowfat	4 00	Large Late Drumhead Savoy 2 00
Dwarf Horticultural	•••• 4 50	Red Dutch, or Pickling 2 50
Valentine Wax		and a story or 1 touring vivivivities 2 jo
Flageolet Wax	5 00	CARROTS.
Yosemite Mammoth Wax		Per 1b.
Black Wax		Extra Early Forcing\$1 00
Crystal White Wax	0 00	Scarlet Carentan (coreless) 75
Golden, or Cream Wax		Oxheart, or Guerande
Golden Wax Improved	4 00	Early Orange Horn (pointed) 75
	4 00	Half-Long Red Orange (stump-rooted). 75
POLE, or RUNNING BEA	Per bus	Danvers Orange (true)
Extra Early Lima	\$6 00	Improved Long Orange 75
Dreer's Improved Lima	6 00	CELERY.
Large White Lima (extra size)		Per 1b.
King of the Garden Lima	6 00	Early Dwarf White\$2 50
Early Golden Cluster Wax	7 00	Early White Plume 3 00
Horticultural, or Wren's Egg	5 00	Boston Market Dwarf White 2 50
Small White Lima		Perfection Heartwell
White Dutch Case-Knife		Giant Pascal
Mont d'Or, or Golden Butter		Large White, or Giant 1 50
Giant Red Wax	7 00	Golden Heart Half-Dwarf 2 50 Sandringham Dwarf White 2 00
Indian Chief (with yellow pods)		Golden Self-Blanching 4 50
White Dutch Runner		Early Dwarf Red
Scarlet Flowering Runner		Turnip-Rooted Celery (Erfurt) 2 00
BEETS.	Per 1b.	Taring attention control (Martin, 1997)
Extra Early Turnip		CHERVIL. Per lb.
Eclipse Crimson Turnip		Curled, or Double\$1 00
Early Blood Turnip		
Egyptian Blood Turnip		SUGAR CORN.
Dewing's Blood Turnip Edmand's Early Blood Turnip		Per bus.
Long Dark Red		Extra Early Minnesota\$3 50
Half-Long Dark, or Pear-Shaped	75	Extra Early Cory 3 50
Yellow Turnip, or Orange		Perry's Hybrid 3 50
Silver Swiss Chard		Crosby's Early 3 50
Victoria Blood-Red Swiss Chard		Ne Plus Ultra 3 50
		Triumph Early 3 50
CAULIFLOWER.	Per 1b.	Large Sweet, or Sugar 3 50
Extra Early Paris	\$9 00	Stowell's Evergreen 3 50
Half-Early Paris Nonpareil	8 00	Egyptian, or Washington Market 3 50
Large Late Algiers Lenormand's Short-Stemmed		Mammoth Sugar (extra fine) 3 50
Early London, or Dutch		Sweet Fodder (best for soiling) 1 75 Southern Shelled (for fodder) 1 25
Larry London, or Duton	4 00	Courner office (for fouder) 1 25

CORN SALAD, or FETTICUS.	MUSKMELONS.
Round-Leaved Small-Seeded \$0 75	Early White Japan\$0 75
Round-Leaved Large-Seeded 75	Large Nutmeg (green flesh) 75
CRESS, or PEPPER GRASS. Per lb.	Delmonico (large; orange flesh)
Extra Curled\$0 60	Improved Hackensack
Australian, or Golden 60	Emerald Com (orange flock) 75
CUCUMBERS. Per lb.	Montreal Market
Extra Early Russian	WATERMELONS.
Early Green Cluster 75	Early Mountain Sweet
Early Short Green 75 Improved Long Green 75	Phinney's Farly 75
Green Prolific (pickling) 75 Long White-Spined 75	Striped Gipsy, or Jackson 75
Everbearing 75	Black Spanish
Tailby's Hybrid 75 Nichol's Medium Green 75	Scaly Bark 75
EGG-PLANTS.	
Early Long Purple \$2 50	MUSTARD. Per lb.
Improved New York Purple 4 50	White, or Yellow \$0 40 Black, or Brown 40
Early Black Pekin 4 00	NASTURTIUMS.
ENDIVE. Per lb.	Tall (Indian Cress)\$1 50
Green Curled Summer	Dwarf (Indian Cress) 1 50
French, or Moss Curled	OKRA.
Wild, for flavoring coffee 1 00	Early Dwarf Green \$0 75
KALE.	Extra Long Green
Green Curled Scotch	Dwarf white vervet
Brown, or Purple Curled	ONIONS.
Spring Sprouts (English) 25	Prices may vary as the season advances. Per lb.
KOHLRABI.	Extra Early Flat Red. \$1 50 Large Red Wethersfield. 1 50
Early White Vienna\$2 50	Large Red Globe 50 White Portugal 3 00
Early Purple Vienna 2 50	Southport White Globe 3 00
LEEKS.	Prize-Taker (straw-color) 2 50 Yellow Dutch, or Strasburg
Large American Flag, or Scotch \$2 50 Large Carentan 2 00	Yellow Danvers, or Globe 1 50
LETTUCE.	PARSLEY.
Buttercup (fine for forcing)	Curled, or Double (extra)
Big Boston (fine for forcing)	Champion Moss Curled
Golden Stone Head (fine) r 50	Hamburg, or Rooted 75
Early Egg, or Forcing 1 50 Simpson's Curled Silesia 1 25	PARSNIPS.
Ice Drumhead, or Malta r oo Early Tennisball, or Boston Market r 25	Long White, or Guernsey \$0 60
Black-Seeded Large Butter 1 25	Sutton's Student
Perpignan Head, or Summer	PEPPERS.
	Per lb.
White Summer Cabbage	Large Squash, or Tomato\$2 50
Hardy Green, or Winter I oo Asiatic Cabbage, or Imperial I oo	Large Squash, or Tomato \$2 50 Large Bell, or Bull Nose 2 50 Sweet Spanish (for salad) 2 50
Hardy Green, or Winter 1 00	Large Squash, or Tomato\$2 50 Large Bell, or Bull Nose 2 50

PEAS.	RADISHES, continued. Per	. 11.
Per bus.	Early Round Dark Redso	10.
Bridgeman's Extra Early\$4 50	White-Tipped Scarlet	
Carter's First Crop 4 00	Golden Olive-Shaped	75
Extra Early Daniel O'Rourke 4 50	Early White Olive-Shaped	75
Philadelphia Extra Early 4 00	Early Scarlet Olive-Shaped	75 60
Bliss' Everbearing 4 00	Long Scarlet Short-Top	75
Alaska 4 50	Beckert's Chartier Long Red	75
Carter's Premium Gem 5 00	Golden Globe (fine)	60
Laxton's Fillbasket 6 00	Yellow Summer Turnip	60
Horsford's Market Garden 4 50	Gray Summer Turnip	60
Dwarf Champion	White Summer Turnip	75
Abundance (sow thin) 4 50	Giant Stuttgart Summer Turnip	60
Pride of the Market 6 oo Yorkskire Hero 4 oo	Purple Summer Turnip	бо
Kentish Invicta	Long Black Spanish	75
McLean's Advancer 4 50	Round Black Spanish	75
Laxton's Alpha 5 00	White Spanish, or Fall	60
McLean's Little Gem 5 00	Scarlet Chinese Winter	75
American Wonder 6 oo	California Mammoth	75
Carter's Telephone 5 50	21.	
Culverwell's Telegraph 5 50	SALSIFY, or OYSTER PLANT.	
Carter's Stratagem 5 50	Per White	
Heroine	Long White\$1	00
McLean's Blue Peter 5 00	Mammoth Sandwich Island	50
Tom Thumb (American) 5 oo	Long Black (Scorzonera) 1	50
Dwarf Blue Imperial 4 50	COVIACITICS	
Champion of England 4 00	SQUASHES.	115
Disab and Manuscript	Per	ID.
black-eyed marrowlat 3 00	Early White Bush	75
Black-eyed Marrowfat 3 00 White Marrowfat 3 00	Early White Bush\$0 Early Striped Bush	
	Early Striped Bush	75
White Marrowfat 3 00	Early Golden Bush	75 75
White Marrowfat	Early Striped Bush	75 75 75
PUMPKINS. Per lb. Large Cheese, or Pie	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow	75 75 75 75
PUMPKINS. Per lb. Large Cheese, or Pie \$0 60 Mammoth, or Large Tours 1 00	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter	75 75 75 75 75
PUMPKINS. Per lb. Large Cheese, or Pie	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter	75 75 75 75
PUMPKINS. Per lb. Large Cheese, or Pie \$0 60 Mammoth, or Large Tours 1 00	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow	75 75 75 75 75 75
White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow	75 75 75 75 75 75 75
Pumpkins. Per lb. Large Cheese, or Pie	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size)	75 75 75 75 75 75 75 75 75
White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck	75 75 75 75 75 75 75 75 75
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) English Vegetable Marrow	75 75 75 75 75 75 75 75 75 75
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES.	75 75 75 75 75 75 75 75 75 75 75
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow Per	75 75 75 75 75 75 75 75 75 75 75 75
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES. Per Livingston's Perfection \$2	75 75 75 75 75 75 75 75 75 75 75 75
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES. Per Livingston's Perfection \$2 Ignotum. 2	75 75 75 75 75 75 75 75 75 75 75 75 75
White Marrowfat. 3 00 PUMPKINS. Large Cheese, or Pie \$0 60 Mammoth, or Large Tours 1 00 Connecticut Field per bus., \$4 POTATOES. Prices may vary as the season advances. About, per bbl. Beauty of Hebron \$3 50 Charles Downing 4 00 Extra Early Thorburn 3 75 Early Rose, or Vermont 3 50 Clark's No. 1 3 50 Early Mayflower 4 00 Early Puritan 3 75	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES Per Livingston's Perfection \$2 Ignotum 2 Acme (smooth, dark red) 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) Inglish Vegetable Marrow TOMATOES Livingston's Perfection Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4	75 75 75 75 75 75 75 75 75 75 75 75 75 7
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES. Per Livingston's Perfection Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES. Per Livingston's Perfection Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES. Per Livingston's Perfection Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES. Per Livingston's Perfection \$2 Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES Livingston's Perfection \$2 Ignotum \$2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
### White Marrowfat	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES Per Livingston's Perfection \$2 Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2 Livingston's Beauty 2 Dwarf Champion 2 Livingston's Favorite 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
## PUMPKINS. Pumpkins	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES Livingston's Perfection \$2 Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2 Livingston's Beauty 2 Dwarf Champion 2 Livingston's Favorite 2 Table Queen (rich crimson) 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
## PUMPKINS. Pumpkins	Early Striped Bush Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem Winter Crookneck Mammoth Chili (extra size) I English Vegetable Marrow TOMATOES Per Livingston's Perfection \$2 Ignotum 2 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2 Livingston's Beauty 2 Dwarf Champion 2 Livingston's Favorite 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7


VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates;

Asparagus Roots, Jerusalem Artichoke Tubers, Cauliflower Plants, Cabbage and Celery Plants, Lettuce Plants,

Chives and Shallots, Egg-Plants, Pepper Plants, Hop-Vine Plants, Horse-radish Sets, Mint and Tarragon Roots, Tomato Plants, Rhubarb Roots, Strawberry Plants, Sweet Potato Plants.

Bill and Brush Hooks (See No. 156, page 30)	HORTICULTURA	•
Flower Gatherers, to cut and hold.	Bill and Brush Hooks (See No. 156, page 20)	Each
Manure and Hay Forks.	Flower Gatherers, to cut and hold.	75 to 7 75
Ladies' Weeding Forks (r and 13). 25 to 1 25 Spading or Digging Forks. 1 1 00 to 1 25 To Tobacco Fungators. 1 50 to 3 00 Cast Steel Dutch or Push Hoes, 4 to 10-inch. 40 to 1 00 Cast Steel Dutch or Push Hoes. 60 to 7 50 Cast Steel Dutch or Push Hoes. 60 to 7 50 Cast Steel Dutch or Push Hoes. 75 Cast Steel Potato Hook or Prong Hoes 75 Cast Steel Potato Hook or Prong Hoes 75 Cast Steel Grass Hook and Sickles. 50 to 10 Cast Steel Grass Hook and Sickles. 50 to 10 Cast Steel Grass Hook and Sickles. 50 to 10 Cast Steel Grass Hook and Sickles. 50 to 10 Cast Steel Grass Hook and Sickles. 50 to 10 Cast Steel Grass Hook and Sickles. 50 to 10 Co State Steel Grass Hook and Sickles. 50 to 10 Co State Steel Grass Hook and Sickles. 50 to 10 Co Wonder Steel Grass Hook and Sickles. 50 to 10 Co Wonder Steel Grass Hook and Sickles. 50 to 10 Co Watering Pots, several sizes. 50 to 2 Co Garden Reels and Garden Lines (18). 75 to 1 co Cast Steel Rakes, with handles. 50 to 10 Co Wooden, Lawn and Hay Rakes 50 to 10 Co Wooden, 10 Co Handley Rayn Rake 50 to 10 Co Wooden, 10 Co Handley Rayn Rake 50 to 10 Co Wooden, 10 Co Handley Rayn Rake 50 to 10 Co Wooden, 10 Co Handley Rayn Rake 50 to 10 Co Handley Rayn Rake 50 to 10 Co Handley Rayn Rake 50 to 10 Co Handley Rayn Rayn Rayn	Manure and Hay Forks	75 to 1 25
Spading or Digging Forks	Ladies' Weeding Forks (1 and 13)	
Tobacco Fumigators	Spading or Digging Forks	I 00 to I 50
Cast Steel Druch or Push Hoose, 4 to 10-inch.	Tobacco Fumigators	I 50 to 3 00
Hand Cultivators and Seed Sowers	Cast Steel Dutch or Push Hoes, 4 to 10-inch	40 to 1 00
Cast Steel Potato Hook or Prong Hoes	Cast Steel Draw or Garden Hoes	60 to 75
Triangular Hoes or Tree Scrapers (16)	Cost Stool Poteto Hook or Propa Hoos	
Improved Hammers and Hatchets		
Cast Steel Grass Hooks and Sickles	Improved Hammers and Hatchets	T.00
Cast Steel Grass Plot Edging Knives, 10-inch (9)	Cast Steel Grass Hooks and Sickles	50 to 75
Asparagus Knives (19) 1 oo to 1 50	Cast Steel Grass Plot Edging Knives, 10-inch (9)	2 00
Budding Knives of various sizes and patterns (204-207)	Asparagus Knives (19)	I oo to I 50
Budding Knives of various sizes and patterns (204-207)	Pruning Knives of all sizes and patterns (186-938	B) 75 to 2 00
Hand Mowers of various sizes and patterns	Budding Knives of various sizes and patterns (:	204-207) I oo to 2 oo
Garden Reels and Garden Lines [18]	Hand Mowers of various sizes and patterns	7 00 to 10 00
Cast Steel Rakes, with handles	Watering Pots, several sizes	50 to 2 00
Wooden, Lawn and Hay Rakes	Garden Reels and Garden Lines (18)	75 to 1 00
Davis Lawn Rake	Cast Steel Rakes, with nandles	50 to 1 00
Scythe Rifles and Scythe Stones		
Hand Pruning Shears, various sizes and patterns (15)	Scuthe Rifles and Scuthe Stones	To to
Hand Pruning Shears, various sizes and patterns (15)	Vine Scissors, for thinning out grapes (20)	
English Bow Slide Hand Pruning Shears	Hand Pruning Shears, various sizes and patterns	s (15)
Improved Pole Pruning Shears	English Bow Slide Hand Pruning Shears	2 00
Grass Border Shears, for cutting borders, 9-inch (\$2.75) 10-inch	Improved Pole Pruning Shears	2 50
Ladies' Wood-Handled Garden Shears (107)	Grass Border Shears, for cutting borders, 9-inch	(\$2.75) 10-inch 3 00
Spring Grass or Sheep Shears		
English Cast Steel Pruning Saws	Ladies' Wood-Handled Garden Shears (107).	· · · · · · · · · · · · · · · · · · ·
Waters' Pole Pruner (6) 6, 8 and 10-foot	Spring Grass or Sheep Shears	75 to 1 25
Pole Pruning Saw, with chisel	Waters' Pole Pruner (6) 6 8 and to-foot	75 to 2 00
English Patent Lawn Scythes (14)		
Improved Scythe Snaths	English Patent Lawn Scythes (14)	
Cast Steel Spades, short and long handled	Improved Scythe Snaths	
Cast Steel Shovels, short and long handled Greenhouse Syringes, various sizes and patterns (4)	Cast Steel Spades, short and long handled	1 oo to 1 50
Transplanting or Garden Trowels, several sizes (25)	Cast Steel Shovels, short and long handled	1 25 to 1 50
Mole Traps, Olmsted's Improved	Greenhouse Syringes, various sizes and patterns	s (4) 2 50 to 10 00
Mole Traps, English, for frames (18)	Transplanting or Garden Trowels, several sizes	(25) 20 to I 25
HORTICULTURAL BOOKS. American Farm (revised). Allen . \$2 50 American Fruit Culture Thomas . 2 00 Asparagus Culture. Barnes & Robinson. Bulbs and Tuberous-Rooted Plants. Allen 2 00 Carnation Culture. Lamborn . 1 50 Chrysanthemum Culture. Morton . 60 Fruit Garden. Barry . 2 00 Gardener's Assistant. Bridgeman . 2 00 Gardening for Pleasure. Henderson . 1 50 Gardening for Profit. Henderson . 1 50 Gardening for Profit. Henderson . 2 00 Grape Grower's Guide, Foreign. Charlton	Mole Traps, Olmsted's Improved	I 50
American Farm (revised). Allen . \$2 50 American Fruit Culture Thomas . 2 00 Asparagus Culture. Barnes & Robinson . 50 Bulbs and Tuberous-Rooted Plants. Allen 2 00 Carnation Culture. Lamborn . 1 50 Chrysanthemum Culture. Morton . 60 Fruit Garden. Barry . 2 00 Gardener's Assistant. Bridgeman . 2 00 Gardening for Pleasure. Henderson . 1 50 Gardening for Profit. Henderson . 2 00 Gardening for Profit. Henderson . 2 00 Garden Grower's Guide, Foreign. Charlton	Mole Traps, English, for frames (18)	nor how (* 200) ar ata
American Farm (revised). Allen . \$2 50 American Fruit Culture Thomas . 2 00 Asparagus Culture. Barnes & Robinson. Bulbs and Tuberous-Rooted Plants. Allen 2 00 Carnation Culture. Lamborn . 1 50 Chrysanthemum Culture. Morton . 60 Fruit Garden. Barry . 2 00 Gardener's Assistant. Bridgeman . 2 00 Gardening for Pleasure. Henderson . 1 50 Gardening for Profit. Henderson . 2 00 Garde Grower's Guide, Foreign. Charlton	Glaziers' Points, van Reyper's	per box (1,000), 75 cts
American Farm (revised). Allen . \$2 50 American Fruit Culture Thomas . 2 00 Asparagus Culture. Barnes & Robinson. Bulbs and Tuberous-Rooted Plants. Allen 2 00 Carnation Culture. Lamborn . 1 50 Chrysanthemum Culture. Morton . 60 Fruit Garden. Barry . 2 00 Gardener's Assistant. Bridgeman . 2 00 Gardening for Pleasure. Henderson . 1 50 Gardening for Profit. Henderson . 2 00 Garde Grower's Guide, Foreign. Charlton		
American Farm (revised). Allen . \$2 50 American Fruit Culture Thomas . 2 00 Asparagus Culture. Barnes & Robinson. Bulbs and Tuberous-Rooted Plants. Allen 2 00 Carnation Culture. Lamborn . 1 50 Chrysanthemum Culture. Morton . 60 Fruit Garden. Barry . 2 00 Gardener's Assistant. Bridgeman . 2 00 Gardening for Pleasure. Henderson . 1 50 Gardening for Profit. Henderson . 2 00 Garde Grower's Guide, Foreign. Charlton		AT BOOTS
American Fruit Culture Thomas. 2 00 Asparagus Culture. Barnes & Robinson. Bulbs and Tuberous-Rooted Plants. Allen 2 00 Carnation Culture. Lamborn		AL BUURS.
American Fruit Culture Thomas. 2 00 Asparagus Culture. Barnes & Robinson. Bulbs and Tuberous-Rooted Plants. Allen 2 00 Carnation Culture. Lamborn	American Farm (revised). Allen \$2 50	
Asparagus Culture. Barnes & Robinson. Bulbs and Tuberous-Rooted Plants. Allen	American Fruit Culture Thomas 2 00	
Allen	Asparagus Culture. Barnes & Robinson. 50	
Carnation Culture. Lamborn		Falconer
Chrysanthemum Culture. Morton	Allen 2 00	
Fruit Garden. Barry	Carnation Culture. Lamborn 1 50	
Gardener's Assistant. Bridgeman 2 00 Gardening for Pleasure. Henderson 1 50 Gardening for Profit. Henderson 2 00 Grape Grower's Guide, Foreign. Charlton 75 Grape Culturist. Fuller 1 50 Home Floriculture. Rexford 1 50 Horticulturist's Rule Book. Bailey 75 The Forcing-Book. Complete instructions for all forcing operations. Bailey. 1 00 The Nursery Book. A Complete Guide to Multiplication of Plants. Bailey. 1 00 The Pruning Book. Comprising the entire range of the theory and practice of pruning. Bailey 1 00 Window Gardening. Heinrich 75		
Gardening for Pleasure. Henderson . I 50 Gardening for Profit. Henderson . 2 00 Grape Grower's Guide, Foreign. Charton		
Gardening for Profit. Henderson. 2 00 Grape Grower's Guide, Foreign. Charlton	Gardening for Pleasure. Henderson . I 50	
Grape Grower's Guide, Foreign. Charlton	Gardening for Profit. Henderson 2 00	
ton	Grape Grower's Guide, Foreign. Charl-	
Grape Culturist. Fuller 1 50 Home Floriculture. Rexford 1 50 Horticulturist's Rule Book. Bailey 1 00 Window Gardening. Heinrich 75	ton	The Pruning Book. Comprising the en-
Home Floriculture. Rexford 1 50 of pruning. Bailey 1 00 Horticulturist's Rule Book. Bailey	Grape Culturist. Fuller 1 50	tire range of the theory and practice
Horticulturist's Rule Book. Bailey 75 Window Gardening. Heinrich 75	Home Floriculture. Rexford 1 50	of pruning. Bailey 1 00
New Publications not listed supplied to order at publisher's prices.	Horticulturist's Rule Book. Bailey 75	
	New Publications not listed suppl	ied to order at publisher's prices.



THE PLANET JR. HAND IMPLEMENTS.



wheels. It is nicely adapted to all condi-tions of land, working especially well in fresh ground or when planting on a ridge. The plow is adjustable, and opens a very narrow furrow, which is a great advantage for after-cultivation.

This is the first year that this machine has been offered widely by the manufacturers of the celebrated line of "Planet Jr." goods, but the machine has been tested thoroughly by careful gardeners and nurserymen during the season of 1895, and the manufacturers guarantee it to give entire satisfaction. **Price**, \$9.


The Planet Jr. Combined Hill-Dropping and Fertilizer Drill.

The Planet Jr. No. 2 Seed Drill.

This tool is also new, and as a drill is exactly the same as the machine just described. The fertilizer can be sown in any quantity necessary, either above or below the seed, as desired, by setting that plow deeper or shallower than the other. The drills may be satisfactorily used also to sow either seed or fertilizer alone. The amount sown is regulated accurately by the dials, and the discharge of both may be stopped and started instantly, either separately or together, thus avoiding all loss at the ends of the row. Like the plain Hill-Dropping Drill, it does not sow when drawn backward, and can quickly be thrown entirely out of gear. This machine will be a great boon to all farmers and market-gardeners. It is thoroughly well made, and guaranteed to do satisfactory work. **Price**, \$14.

This is a simple and most accurate drill, and has been the standard machine for years. It holds two and one-half quarts. It sows all garden seeds accurately at any desired thickness or depth; it opens, drops, covers, rolls down and marks the next row, all at one passage, in the most perfect manner. The continual revolution of the hopper keeps the seed loose, and makes sowing difficult seed, such as carrot, parsnip, beet, salsify, easy and perfect. The machine has no agitators, and hence delicate seed can be sown without danger of injury. It is the best machine on the market, except the Hill-Dropping Drill described above. This machine, with the "Planet Jr." Double Wheel Hoe (see description), makes an excellent combination for market-gardeners, and especially onion growers. **Price**, \$6.50.

The Planet Jr. Combined Drill, Wheel Hoe, Cultivator, Rake and




COMBINED DRILL, WHEEL HOE, CULTIVATOR, RAKE AND PLOW.

This is unquestionably the most popular and perfect machine of its kind made. As a seed drill it is the same as the No. 2, except in size. It holds one quart. It has all the tools shown in cut. All blades are steel, tempered and polished. The Rakes are invaluable for preparing the ground for planting, for covering seeds, first cultivation, etc. The Hoes work closely and safely all rows up to 16 inches wide at one passage, leaving the ground nearly level. The plow opens furrows, covers them, hills, plows to and from, etc. The Cultivator teeth are admirably adapted to deep mellowing of the soil and marking out. Taken as a whole, this combined tool is the nearest approach to perfection for the uses of a gardener that can well be devised in a single implement. **Price**, \$9.

The Planet Jr. Double-Wheel Hoe, Cultivator

This tool is the best for all who raise onions or garden vegetables on an extensive scale. It does the work of six to ten men with ordinary hand hoes. It can be used to straddle the rows or between rows.

Rake and Plow.



are useful for marking out. The plows lay out deep furrows and cover them, hill-up or plow away as desired. The leaf-guards allow cultivation of large plants, such as beets, carrots, parsnips, beans and peas. No vegetable grower can afford to be without it. **Price, complete, \$6.**

DOUBLE-WHEEL HOE, CULTIVATOR, RAKE AND PLOW.
will be offered with only one pair of hoes and without leaf-guards, as the "Planet Jr." Double-Wheel Hoe, \$3.50. This makes a very effective and cheap tool for parties who have limited work or chiefly hoeing.

The Planet Jr. Single-Wheel Hoe, Cultivator, Rake and Plow.

The tool combines lightness, great strength, variety and adjustability of tools. It has all the tools shown in the cut. It is pronounced by practical men without an equal in design and finish, ease of operation, variety of adjustment and perfection of work. The form of the hoe insures a forward slanting cut next to the plant, and consequent close work without danger, and at the same time thorough cultivation of the soil. The rakes and cultivator teeth, in combination with the hoes and plow, enable the operator to perform almost every variety of work, either in field or garden. A leaf-guard (detachable) is very useful in late hoeing. All rows from 6 to 18 inches apart can be perfectly hoed at one passage. The frame allows every desirable adjustment, is quickly raised and lowered to regulate depth, and the wheel can be attached centrally or at one side of the machine, giving the operator the advantage of hoeing both sides of the row at one passage when desired. **Price**, \$4.50.



"FIRE-FLY" WHEEL GARDEN PLOW.


"Fire-Fly" Wheel Garden Plow.

This tool is intended for those who have but small This tool is intended for those who have but small gardens and a moderate amount of time to spend in them. It enables them to raise vegetables for their family or for market with a minimum expenditure of labor and time, the latter being often the most important item to many who would be glad to grow their own vegetables if they could do it in their spare moments. The moldboard is tempered and polished steel. The depth may be changed as desired very quickly. The low price brings it within reach of all. **Price**, \$2.

The "Fire-Fly" Single-Wheel Hoe, Cultivator and Plow Combined.



The Planet Jr. Grass-Edger.



A cheap, handy and effective Grass Edger is a treasure, and here it is; one with which you can in an hour edge beautifully the walks and the flower and shrub beds of an ordinary half-acre Jawn. Think of it; why in the usual way it would take a day. This perfect little tool does either straight or curved work most accurately, edging at the desired angle and at the speed of a mile an hour. It will give more genuine pleasure and satisfaction for a moderate cost and the little time expended in its use than the lawn mower. It should be the constant companion of the mower, and is regarded as invaluable in giving the last touch of neatness to the lawn when the mower has done its best. Strawberry growers will find it a rapid and perfect tool for cutting off surplus runners. For this work the hoe may be used alone with great satisfaction in the vegetable earden, first cutting away from the crop, and then running the earth. All the "Planet Jr." tools are remarkable for their adaptability to different conditions, the case with which they may be operated, and the long time they remain in good running condition. **Price**, \$5.

FLOWER SEEDS.

GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS.

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-Hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth—every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second, and sometimes the third, year after the seed is sown, and then perish.

Perennials are those plants that live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as TENDER, HALF-HARDY and HARDY.

Tender Biennials and Perennials are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

Half-Hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures.—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable-manure, dug in to the depth of about ten inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing.—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) hardy kinds may be sown in the open ground about the middle of April, half-hardy kinds during the first week of May, and tender kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing.—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The Depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting.—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening; and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The Risk and Trouble of transplanting may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from 1 to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (*) denotes climbing plants.

The (") or (-) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which see page 55.

The Third Column shows the color of the flower, abbreviated as follows, viz.:

		,		
bblue.	cr.—crimson.	1.—light.	r.—red.	sul.—sulphur.
blkblack.	divdiverse.	li.—lilac.	ro.—rose.	tri.—three col'd.
bordbordered.	da.—dark.	marmarbled.	saf.—saffron.	vviolet.
brbrown.	gn.—green.	or.—orange.	s.—scarlet.	vavariegated.
bubuff.	gol.—golden.	pkpink.	spot.—spotted.	wwhite.
car.—carmine.	gy.—gray.	pur.—purple.	stri.—striped.	yel.—yellow.

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz.:

```
tA.—tender annual.
hhA.—half-hardy annual.
hhB.—half-hardy annual.
hhB.—half-hardy biennial.
hhB.—half-hardy biennial.
hhB.—half-hardy biennial.
hhB.—half-hardy biennial.
```

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 53.


FLOWER SEEDS.

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.


For Ornamental Grasses, see page 51; Flower Seeds by Weight, page 53; Index of Common Names, etc., pages 55 and 56.

Flower Seeds Forwarded by Mail, Free of Postage, on Receipt of Prices Annexed.


Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 05
—grandiflora	New Deep Rose	pink	1/2	hhA	φυ υ <u>ς</u>
Abutilon in vars	Chinese Bell-flower	div.	div.	tP	
Darwini	Crimson Bell-flower	crim.	4	tP	25
Acacia in vars	Acacia, Fine Mixed	div.	div.	tP	25
Aconitum napellus	Monk's-hood	blue		hP	10
	From Lasting Flower Dogs		2	hhA	5
Acroclinium roseum	Everlasting Flower, Rose	rose	I		5
—album†	White	white	I	hhA	10
—fl. pl.†	Double Rose	rose	I	hhA	10
Adlumia cirrhosa*	Mountain-fringe Vine	pink	10	hP	10
Adonis æstivalis	Pheasant's-eye	scarlet	I	hA	5
Ageratum Mexicanum	Ageratum, Blue	blue	2	hA	5
nanum	Imperial Dwarf	blue	1/2	h A	5
album	Dwarf White	white	1/2	hA	5
Lasseauxi	Rose-flowered	rose	I	hP	5
Agrostemma coronaria	Rose Campion	rose	2	hP	5
—alba	White Campion	white	1 1/2	hP	5
Alonsoa grandiflora	Alonsoa, Large-flowered	scarlet	1 1/2	hhA	5
linifolia	Roezl's	1. s.	I	hhA	IO
Aloysia citriodora	Lemon-scented Verbena	white	2	hhP	10
Alstræmeria hybrida	Finest Hybrid	div.	2	tP	IO
Althæa albafl. pl	Hollyhock, Double White	white	3	hB	IO
coccinea fl. pl	Double Scarlet	scarlet	3	hB	IO
rosea fl. pl	Double Rose	rose	3	hB	10
lutea fl. pl	Double Yellow	yellow	3	hB	IO
varius fl. pl	Double Mixed	div.	div.	hB	IO
Collection	See page 52				
Alyssum maritimum	Alyssum, Sweet	white	1/2	hA	5
—compacta	Tom Thumb	white	1/2	hA	5
saxatile	Golden	golden	I	hP	5
Amarantus tricolor	Joseph's Coat	tri.	2	tA	5
caudatus†	Love-lies-bleeding	crim.	3	hh A	5
hypochondriacus†	Prince's-feather	crim.	3	hhA	5
Henderi	Amaranthus, Variegated	div.	3	hA	5
melancholicus	Blood Red	red	3	hhA	5
bicolor ruber	Carmine and Yellow	car.&vl.	2	hhA	5
salicifolius	Fountain Plant	br. & s.	3	hhA	10
	Rose-spiked	rose	5 5	hhA	10
nobilis pyramidalis		1056	5	IIIIA	10
COLLECTION	See page 52. Ammobium, Winged	white	T 1/	hA	-
Ammobium alatum†		- 1	1 1/2	hP	5
Ampelopsis Veitchii*	Japanese Ivy	green	50		10
Anagallis varius	Pimpernel, Mixed	div.	I	hhA hhP	5
Anchusa capensis	Cape Alkanet	Dine	2	HILL	10




				-	
Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
	M.: 1 0	1,.		1.0	
Anemone coronaria	Wind-flower	div.	I	hP	\$0 05 .
pulsatilla	Pasque-flower	violet	I	hP	5
Antirrhinum hybridum	Snapdragon, Fine Mixed	div.	1 1/2	hhP	5
Angelonia grandiflora	Angelonia, Sweet-scented	blue	1 1/2	tP	15
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5
Aquilegia Sibirica	Columbine, Double Violet	violet	1 1/2	hP	10
chrysantha	Golden-spurred	yellow	2	hP	10
cœrulea	Large-flowered	b. & w.	2	hP	10
Skinneri	Scarlet and Yellow	sc. & yl.	1/2	hP	10
caryophylloides	Striped	striped	1 1/2	hP	10
varius	Vulgaris and Mixed	div.	2	hP	10
Collection	See page 52.				
Arabis alpina	Arabis, Sweet-scented	white	3/4	hP	IO
Arctotis breviscapa	Arctotis, Orange, Dark Center		1/2	hhA	10
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5
speciosa	Yellow	yellow	21/2	hA	10
Aristolochia sipho*	Dutchman's Pipe Vine	yel & br.	15	hP	IO
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25
Asclepias tuberosa	Swallow-wort	orange	2	hP	5
Asperula azurea setosa	Asperula, Light Blue	blue	I	hA	10
odorata (Woodruff)	Sweet-scented	white	1/2	hP	IO
Aster Chinensis Eugenie	Aster, Imbricated Pompon	div.	2	ĥΑ	IO
Comet Rose	Comet	rose	2	hA	10
-Snow White	White	white	2	hA	10
Truffaut's White	Pure White	white	1 1/2	hA	10
—Blood Red	Dark Red	red	11/2	hA	10
—cœruleus	Black-Blue	blue	1 1/2	hA	10
—Mixed	Pæony-flowered	div.	2	hA	10
Ball, or Jewell	Apple Blossom		2	hA	10
Snowball, or Princess.	Pure White		11/2	hA	25
Branching	Late Blooming		2	hA	10
Cocardeau	Crown-flowered	div.	2	hA	10
Washington	New Perfection,	div.	2	hA	10
Mignon	Pure White Mignon		11/2	hA	15
—Mixed	Mixed	div.	1 1/2	hA	10
Victoria White	Dwarf White	div.	1 1/2	hA	10
—Mixed	Mixed Victoria	div.	2	hA	IO
chrysanthemiflorus	Dwarf Bouquet	div.	I	hA	10
Ried's Mixed	German Quilled	div.	11/2	hA	5
varius	Mixed China	div.	2	hA	5
tenellus	Biennial Aster	blue	1 1/2	hhB	10
Collections	See page 51.				
Astragalus caryocarpus	Astragalus, Red-fruited	rose	2	hP	10
Athanasia annua	African Daisy	yellow	I	hA	10
Aubrietia deltoides	Rock Plant	lilac	1/2	hP	10
Azalea indica	Azalea, Fine Mixed	div.	div.	tP	25
Balsamina impatiens rosea.	Lady's Slipper, Double Rose	rose	1 1/2	tP	10
-kermesina	Double Scarlet	scarlet	1 1/2	tA	10
—albiflora	Double White	white	1 1/2	tA	10
-violacea	Double Violet	violet	1 1/2	tA	10
-Victoria	Double Striped	striped	11/2	tA	10
-Solferino	Double Spotted	spotted	1 1/2	t A	10
—camelliæflora	Mixed Double	div.	2	tA	10
-varius	Mixed Paris	div.	1 1/2	tA	5
Collections	See page 52.				
Baptisia australis	(Polydaria australis)	blue.	2	hP	5
Begonia hybrida	Begonia, Single Tuberous-rooted.	div.	2	tP	25
—fl. pl	Double Tuberous-rooted	div.	2	tP	50
Bartonia aurea	Golden Bartonia	yellow	1 1/2	hA	5
Bellis perennis	Daisy, Finest Double	div.	1/2	hhP	25
-Longfellow	Double Rose	rose	1/2	hhP	25
Belvidere Kochia	Summer Cypress	yellow	3	h A	5
Bidens atrosanguinea	Dahlia Zimpani		2	h A	10
Bocconia Japonica	Bocconia, Oak-leaved	white	6	hP	10



Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Brachycome iberidifolia	Daisy, Blue Swan River	blue	3/4	hhA	\$0 10
—in varieties	Mixed	div.	3/4	hhA	10
Browallia elata	Amethyst, Blue	blue	1 1/2	tA	10
alba	White	white	1 1/2	tA	10
Bryonopsis erythrocarpa*	Ornamental-fruited Vine	red	8	tA	10
Cacalia coccinea	Tassel-flower, Scarlet	scarlet	I	hA	5
aurantiaca	Orange	orange	I	hA	5
Calandrinia speciosa	Lindley's Calandrinia		I	hA hA	5
—umbellata Calceolaria hybrida grand	Umbel-flowered	crim. div.	1 2	hA tP	10
—punctata superba	Superb Spotted	div.	1 1/2	tP	25
rugosa	Finest Shrubby	div.	2	tP	25 50
scabiosæfolia	Golden Slipperwort	yellow	11/2	hA	10
Calampelis scaber*	(Eccremocarpus) Vine	orange	10	tA	10
Calendula pluvialis	Marigold, Cape	white	1 1/2	hA	5
—officinalis	Double Pot	orange	ı	hA	5
-Meteor	Double Pot	golden	I	hA	5
-Prince of Orange	New Double Pot	golden	I	hA	5
Calliopsis tinctoria	Coreopsis, Golden	y. & br	2	hA	5
—coronata	Crowned	spotted	1 1/2	hA	5
-Golden Wave	Golden Yellow	yellow	I	hA	5
-atrosanguinea	Crimson	crim.	2	hA	10
lanceolata	Yellow	yellow	3	hP	10
Callirrhoe pedata	(Nuttalia grandiflora)	red	2	hhA	10
Campanula medium	Canterbury Bell, Blue	blue	2 1/2	hhB	5
—alba	White	white	21/2	hhB	5
—in varieties	Single Mixed	div.	21/2	hhB	5
—alba fl. pl	Double White	white	21/2	hhB	IC
—rosea fl. pl	Double Pink	pink	2	hhB	IC
—varius	Double Mixed	div.	2	hhB	· IC
speculum	Venus' Looking-glass	div.	3/4	hA	5
carpatica	Carpathian Bell-flower	div.	1/2	hP	5
Collection	See page 52. See Iberis.				
Candytuft	Indian-shot, Scarlet	scarlet	2	hhP	
Nepalensis	New Yellow	1. & y.	3	hhP	10
Madam Crozy	Scarlet, Yellow Border		3	hhP	10
In varieties	Crozy's Finest	div.	31/2	hhA	10
Cannabis gigantea	Giant Hemp		10	tA	
Canterbury Bells	See Campanula.				
Cardiospermum halica'm*	Balloon Vine	white	10	tA	1 :
Carduus benedictus	Ornamental Thistle	yellow	3	h A	10
Castilleja indivisa	Scarlet Castilleja	scarlet	1 1/2	hhA	2.
Castor Oil Plant	See Ricinus.				
Cedronella cana	Sweet-scented Cedronella	purple	2	hP	10
Celosia cristata, in vars.†	Cockscomb, Mixed	div.	3	t A	
—Japonica†			2	tA	I
-margaritaceat	Rose-spiked		2	tA.	
-Glasgow Prizet	New Purple	purple	3/4	t A	10
aurea pyramidalist	New Golden		2	tA tP	10
Triomphe d'Exposition		In .	3 2	tA	I
kermesina†		CI IIII.	4	122	1
Centaurea moschata		purple	2	hA	
-alba		1	2	hA	•
suaveolens			1 1/2	hA	
in vars	3 3	72.4	div.	hA	
cyanus	Corn-bottle, or Mixed Blue		2	hA	
—fl, pl			2	hA	I
—cœruleus	71 1	blue	2	hA	1 :
-rosea			2	hA	
Americana	. Centaurea, American		3	hA	
Clementei	. White Cut-leaved		I	hhP	10
gymnocarpa		nurnie	1 1/2	hhP	I



Botazical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and hardi- ness.	Price per Paper.
Centaurea candidissima	Centaurea, White-leaved	white	I	hhP	\$0 10
Centranthus macrosiphon	Long-tubed Centranthus	pink	I	hA	5
Cheiranthus cheiri	Wallflower, Bloody	b. & w.	2	hhB	5
— fl. pl	German Double	div.	div.	hhB	10
Cerastium Biebersteinii	Silver-leaved Rock Plant	<u>.</u> .	1/2	hP	10
Chamæpeuce diacantha	Spine-leaved Chamæpeuce	var.	2	hP	10
Chelone barbata	Bearded Pentstemon	scarlet	2	hP	10
Chorizema, in vars	Finest Mixed	div.	div.	tP	25
Chrysanthemum Dunnetti.	Chrysanthemum, Golden	yellow	I	hA	5
W. E. Gladstone	Brilliant Crimson	crim.	I	hA	10
Lord Beaconsfield	Crimson-edged	crim.	I	hA	10
The Sultan	Maroon, Gold Ring	maro'n	I	hA	10
venustum	Crimson	crim.	2	hA	5
varius	Double Annual Mixed	div.	div.	hA	5
frutescens	Paris Daisy, Marguerite	white	I	hA	10
indicum fl. pl	Chinese Artemisia	div.	div.	hhP	10
CHOICE COLLECTION	See page 52.				
Cineraria hybrida grandifl.	Cineraria, Hybrid	div.	2	tP	25
—nana in vars	Dwarf Hybrid	div.	I	tP	25
flore pleno	New Double	div.	1 1/2	hhP	50
maritima	Dusty Miller	yellow	2	tP	10
Clarkia pulchella	Clarkia, Lilac	lilac	I	hA	5
pulcherrima	Crimson	crim.	I 1/2	hA	10
—alba nana	White	white	3/4	hA	10
varius	Mixed	div.	div.	hA	5
Clematis flammula*	Virgin's Bower	white	IO	hP	10
varius*	Mixed Perennial Clematis	div.	10	hhP	25
Cleome speciosa	Spiderwort or Spider-flower	purple		hA	IO
Clianthus puniceus*	Glory Vine, Crimson	crim.	6	tP	10
Dampieri*	Dampier's	scarlet	6	tP	IO
Clintonia pulchella	Clintonia, Blue and White		1/2	tA	10
—alba	Pure White	bl & w.	1/2	tA	10
Cobæa scandens*	Cobæa, Climbing	white	20	tP	10
—alba*	White Climbing	purple white	10	tP	15
Coccinea indica*	New Scarlet-fruited Gourd	red	6	tA	10
Cockscomb	See Celosia.	reu		LA.	10
Coleus, in varieties	Fine Mixed Coleus	div.	div.	tP	25
Collinsia bicolor	Collinsia, Two-colored	p. & w.	I	hA	5
—alba	White	white	I	hA	5
vera	Sky Blue and White	sk-b&w.	I	hA	5
varius	Mixed	div.	I	hA	5
Collomia coccinea	Scarlet Collomia	scarlet	I	hA	5
Commelina cœlestis	Blue Commelina	blue	1 1/2	hhP	5
Convolvulus majus albus*	Morning-glory, White	white	10	hA	5
—kermesinus*	Scarlet	scarlet	10	hA	5
-maculatus*			IO	hA	
-varius*	Spotted	div.	10	hA	5
	Mixed	div.	8	hA	5
—azureus superbus*	New Golden	yellow	tra.	hhP	10
mauritanicus	Convolvulus, Bright Blue	blue	I	hA	
unicaulis	Upright	b.&pur.	tra.	hA	5
minor albus		white	tra.		5
-monstrosus	Large-flowering	tri.	tra.	hA hA	5
—varius	Mixed Dwarf	div.	tra.	IIA	5
Coreopsis	See Calliopsis.				
Cornflower	See Centaurea Cyanus.	wallan	dir	+D	
Coronilla, in vars	Mixed Coronilla	yellow	div.	tP	25
Cosmidium Burridgeanum	(Cosmidium bicolor)	cr. & br.	2	hA	10
Cosmos bipinnata purpurea.	Cosmos, Purple	purple	4	hA.	10
-alba	White	white	4	hA	10
in vars	Mixed	div.	4	hA	10
	Mixed	yellow red	4 I	hA hA	5 5



	TARRE OLLO OMI	ALCO	JUL		
Botanical Names, etc.	Common Names, etc.	Coler.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Cucumis flexuosus*	Melon, Snake			tA	#2.70
odoratissimus*	Pomegranate	yellow	10	tA	\$0 10
grossularifolius*	Gooseberry-fruited	yellow	8	tA	5
perennis*	Cucumber Vine	y cirow	1	tA	10
Cucurbita aurantiaca*	Gourd, Mock Orange	yellow	15	tA	5
melopepo*	Apple-shaped	yellow	10	tA	10
massue*	Hercules' Club	white	10	tA	5
lagenaria*	Bottle		10	tA	5
Cuphea platycentra	Cigar Plant	tri.	1 1/2	tP	10
Cyclamen Persicum	Cyclamen, Mixed	w. & ro.	1/2	tP	25
-giganteum	Large-flowering	div.	1/2	tP	25
Cyclanthera pedata*	Climbing Cucumber	yellow	1/2 6	hA	10
Cynoglossum linifolium	Venus' Navelwort	white	1/2	hP	5
Cytisus scoparius	Scotch Broom	yellow	3	hA	10
Dahlia nanus in vars	Dahlia, Single Dwarf	div.	3	hhP	10
Large Double	Double Large-flowering	div.	4	tP	10
Datura fastuosa alba	Double Stramonium	white	3	hA	5
meteloides	Datura, Wright's	y. & li.	2	hA	10
humilis fl. pl	Double	yellow	2	hhA	10
Delphinium ajacis in vars	Larkspur, Mixed Rocket	div.	1	hA	5
consolida in vars	Mixed Branching	div.	2	hA	5
imperialis fl. pl	Annual Double	blue	2	hA	10
Stock-flowered	Rose-scarlet Double	r. scar.	1/2	hA	15
Brunonianum	Musk-scented	l. blue	1	hP	25
Zulil	Sulphur Yellow	yellow	3	hP	15
Chinensis in vars	Mixed Chinese	div.	21/2	hP	5
formosum	Blue and White	b. & w.	2	hP	10
—cœlestinum	Celestial Blue	blue	2	hP	10
-album grandiflorum.	Pure White	white	2	hP	IO
nudicaule	New Scarlet	scarlet	1 1/2	hP	10
elatum	Mixed Bee	div.	3	hP	5
CHOICE COLLECTIONS	See page 52.				
Dianthus Chinensis alba	Indian Pink, Double White	white	3/4	hA	10
—atrosanguinea	Double Red	red	3/4	hA	10
-varius	Fine Mixed	div.	div.	hA	5
—nanus in vars	Double Dwarf	div.	1/2	hA	10
imperialis fl. pl	Pink, Double Imperial	div.	I	hA	10
—nanus in vars	Dwarf Crimson	crim.	1/2	hA	10
Heddewigii	Mixed Single Japan	div.	I	hA	10
—Double	Mourning Cloak	div.	I	hA hA	10
—diadematus fl. pl	New Diadem	div.	I	hA	10
—laciniatus	Fringed Japan	div.	11/2	hA	10
deltoides	London Pride or Maiden	pink	I 3/	hP	5
plumarius	Pheasant's-eye	div.	3/4 I	hP	5
caryophyllus in vars	Carnation Pink, Mixed	div.	2	hhP	10
—flore pleno	Marguerite	div.	I	hhP	10
—nanus	Double Dwarf Vienna	div.	ī	hhP	IO
-Grenadin fl. pl	New Scarlet	scarlet	11/2	hhP	25
—perpetual fl. pl	Tree, or Monthly	div.	2	hhP	25
punctatus	Pink, Mixed Picotee	div.	2	hhP	25
barbatus in vars	Sweet-William, Mixed	div.	I	hP	5
—flore pleno	Double Mixed	div.	I	hP	10
Collection	See page 52.			1	
Dictamnus rubra	Fraxinella, or Gas-plant	red	1 1/2	hP	5
Didiscus cœrulea	(Trachimene Hugelia)	blue	2	hhA	10
Digitalis alba	Foxglove, White	white	3	hP	5
purpurea	Purple	purple	3	hP	5
punctata	Spotted	spotted	3	hP	5
gloxiniæflora	Gloxinia-flowered	div.	21/2	hP	5
in varieties	Mixed	div.	div.	hP	5
Dolichos lablab*	Hyacinth-bean, Purple	purple	10	tA	5
—albus*	White	white	10	tA	5
Dracæna in vars	(Cordyline)	div.	div.	tP /	25

Dracocephalum Canadense. Echeveria in vars. Balm of Gilead li.æpur. 2 hhP Echeveria in vars. Fine Mixed Echeveria div. div. tP Epacris hybrida Mixed Hybrid Epacris div. div. tP Erica in varieties Fine Mixed Heath div. div. tP Erodium moschatum Musk Geranium lilac ¾ hhP Eryngium Leavenworthi∤ Purple Everlasting-flower purple 2 hA Erysmum Peroffskianum Hedge Mustard orange 1 hA Erysthrina crista-galli Coral Plant scarlet 4 tP Eyschscholtzia Californica Coral Plant scarlet 4 tP Eyschscholtzia Californica White white yellow 1 hA Crocea Orange orange 1 hA White White white orange 1 hA Euchscholtzia Californica Fine Mixed dorange 1 hA Coral Plant scarlet 4 tP Eyschscholtzia Califo	\$0 10 25 50 25 10 10 5 5 5 5 5 5 5 5 5 5 5 5 5 25 5 5 5 5 5
Echeveria in vars. Epacris hybrida Mixed Hybrid Epacris Fine Mixed Heath Erodium moschatum Musk Geranium Eryngium Leavenworthit Erysmum Peroffskianum Erythrina crista-galli Coral Plant Eschscholtzia Californica —alba —rosea Mandarin varius Eucalyptus globosus Eupatorium Fraseri Euphorbia marginata pandurata Eutoca Wrangeliana Pendurata Eutoca Wrangeliana Fene Mixed Hebeveria Mixed Hybrid Epacris Mixed Hybrid Epacris Mixed Hybrid Epacris Mixed Hybrid Epacris div. div. tP fine Mixed Hybrid Epacris Musk Geranium Purple Everlasting-flower Purple Secritaring-flower Purple 2 hA orange I hA Orange Orange Orange I hA Orange Orange I hA Orange Orange I hA Eucalyptus globosus Fine Mixed Fine Mixed Eupatorium White Snow-on-the-Mountain Red-striped Bright Blue Fenzlia dianthiflora Ferns in varieties Fine Mixed Ferns Fine Mixed Ferns Mixed Fuchsia Gaillardia pieta —Lorenziana Mixed Fuchsia Blue Gentian Blue Gentiana acaulis Blue Gentian Blue Scarlet AtP Hedge Mustard Orange Double Geum Durple At P Aba Aba Lilac Lic. ∨ Aba Lilac Lic. ∨ Aba Abh Lic. ∨ Abh Abh Abh Abh Abh Abh Abh Ab	25 50 25 10 10 5 25 5 5 5 5 5 5 5 5 5 5 5 5 10 10 25 5 5 5 5 5 5 5 5 5 5 5 6 10 10 10 10 10 10 10 10 10 10 10 10 10
Epacris hybrida	50 25 10 10 5 25 5 5 5 5 5 5 5 10 25 10 25 25 25 25 25 25 25 25 25 25 25 25 25
Erica in varieties	25 10 10 5 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Erodium moschatum Eryngium Leavenworthi† Erysmum Peroffskianum Erythrina crista-galli. Coral Plant Coral Plant Coral Plant Coral Plant Corange Musk Geranium Purple Everlasting-flower Hedge Mustard Coral Plant Coral Plant Coral Plant Coral Plant Corange Mixed Corange Mixed Corange Tose Tose Tose Tose Tose Tose Tose To	10 10 5 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Eryngium Leavenworthit Erysmum Peroffskianum Erythrina crista-galli. Eschscholtzia Californica —alba —rosea. Mandarin varius. Euqatorium Fraseri Euphorbia marginata pandurata Eutoca Wrangeliana. Fenzlia dianthiflora Fenzlia dianthiflora Ferns in varieties. Fuchsia in varieties. Gaillardia pieta —Lorenziana Gentiana acaulis. Geum coccineum fl. pl. Erythrina crista-galli. Coral Plant Coral Plant Coral Plant Coral Plant Coral Plant Scarlet 4 tP Coral Plant Scarlet 4 tP Coral Plant Corange I hA Co	10 5 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Erysimum Peroffskianum. Erythrina crista-galli. Eschscholtzia Californica —alba —alba —rosea —rosea —and Mandarin varius —besupatorium Fraseri Euphorbia marginata —pandurata Eutoca Wrangeliana Eutoca Wrangeliana Fenziia dianthiflora Ferns in varieties Forget-me-not. Fughation Fughation Frose Buthorbia in varieties Forget-me-not. Fughation Fugh	25 5 5 5 5 5 5 5 10 10 5 10 25
Erythrina crista-galli. Coral Plant scarlet 4 Eschscholtzia Californica Chriseis, Californian yellow 1 —alba White white 1 Crocea Orange orange 1 —rosea. Rose rose 1 Mandarin Orange and Scarlet or & sc. 1 Eucalyptus globosus Fine Mixed div. 1 Eupatorium Fraseri White Eupatorium white 2 Eupatorium Fraseri White Eupatorium white 2 Eupatorium Fraseri White Eupatorium white 2 Eutoca Wrangeliana Eutoca, Wrangel's lilac 3 Ferenzlia dianthiflora Three-colored Fenzlia 1 Fine Mixed Ferns div. div. hhP Forget-me-not. See Myosotis. Fuchsia in varieties Mixed Fuchsia. div. div. hhP Geallardia picta Mixed Mixed Gentiana acaulis Blue Gentian. blue //2 hP Geum coccineum fl. pl. Double Geum scarlet 1½ hP	5 5 5 5 5 5 5 5 10 10 5 10 25 25
-alba White orange I hA crocea Orange Rose rose I hA Mandarin Orange and Scarlet or & sc. I hA varius Fine Mixed div. I hA Eucalyptus globosus Fever-and-Ague Plant White Eupatorium Fraseri White Eupatorium white 2 hhP Euphorbia marginata Red-striped lilac 3 hhA Eutoca Wrangeliana Eutoca, Wrangel's lilac I tA viscida Bright Blue blue I tA Fenzlia dianthiflora Three-colored Fenzlia Proget-me-not. See Myosotis. Fuchsia in varieties Mixed Fuchsia div. tP Gaillardia pieta Gaillardia, Painted cr. & y I hhA Mixed Gentian acaulis Blue Gentian blue //2 hP Geum coccineum fl. pl. Double Geum scarlet 11/2 hP	5 5 5 5 5 5 10 10 5 5 10 25
crocea Orange orange I hA —rosea Rose rose I hA Mandarin Orange and Scarlet or & sc. I hA varius Fine Mixed div. I hA Eucalyptus globosus Fever-and-Ague Plant 10 tP Eupatorium Fraseri White Eupatorium white 2 hhP Euphorbia marginata Snow-on-the-Mountain w. & gr. 3 hhA pandurata Red-striped lilac 3 hhA Eutoca Wrangeliana Eutoca, Wrangel's lilac 1 tA wiscida Bright Blue blue I tA Ferns in varieties Fine Mixed Ferns div. hhA Forget-me-not See Myosotis see Myosotis Fuchsia in varieties Mixed Fuchsia div. div. tP Gaillardia pieta Gaillardia, Painted cr. & y. I hhA Mixed dived div. hP hP Gentiana acaulis Blue Gentian blue	5 5 5 5 5 10 10 5 10 5 5 10 25
Tosea. Mandarin Orange and Scarlet Fine Mixed Warius Eutoca Wrangeliana Viscida Fenzlia dianthiflora Fone Mixed Fenzlia Mixed Fenzlia Mixed Fuchsia Mixed Fuchsia Mixed Mixe	5 5 5 10 10 5 10 5 10 25
Mandarin Orange and Scarlet or & sc. I hA barries Mixed. It hA barries Mixed. It hA barries Mixed Mixe	5 5 10 10 5 10 5 10 25 25
varius Fine Mixed div. I hA Eucalyptus globosus Fever-and-Ague Plant white Eupatorium Fraseri White Eupatorium white 2 hhP Euphorbia marginata Red-striped lilac 3 hhA Eutoca Wrangeliana Eutoca, Wrangel's lilac I tA viscida Bright Blue blue I tA Fenzlia dianthiflora Fine Mixed Ferns div. Fine Mixed Ferns warieties Fine Mixed Ferns div. HA Forget-me-not. See Myosotis. Fuchsia in varieties Mixed Fuchsia div. Gaillardia pieta Gaillardia, Painted Cr. & y I hhA Gentiana acaulis Blue Gentian blue //2 hP Geum coccineum fl. pl. Double Geum scarlet 11/2 hP	5 10 10 5 10 5 10 25 5 10 25 5 10
Eucalyptus globosus Fever-and-Ague Plant white Eupatorium Fraseri White Eupatorium white 2 hhP Euphorbia marginata Red-striped lilac 3 hhA Eutoca Wrangeliana Eutoca, Wrangel's lilac 1 tA viscida Bright Blue blue 1 tA Fenzlia dianthiflora Three-colored Fenzlia 1.cr.∨ 1/2 hhA Forget-me-not. See Myosotis. Fuchsia in varieties Mixed Fuchsia div. Gaillardia pieta Gentiana acaulis Blue Gentian. blue 1/2 hP Geum coccineum fl. pl. Double Geum scarlet 11/2 hP	10 10 5 10 5 5 10 25 25 25
Eupatorium Fraseri White Eupatorium white 2 hhP Euphorbia marginata Snow-on-the-Mountain Red-striped lilac 3 hhA Eutoca Wrangeliana Eutoca, Wrangel's lilac 1 tA viscida Bright Blue blue 1 tA Fenzlia dianthiflora Three-colored Fenzlia l.cr.∨ 1/2 hhA Ferns in varieties Fine Mixed Ferns div. div. hhP Forget-me-not. See Myosotis. Fuchsia in varieties Mixed Fuchsia, div. div. TP Gaillardia picta Gaillardia, Painted Cr. & y. I hhA Mixed Gentiana acaulis Blue Gentian. blue 1/2 hP Geum coccineum fl. pl. Double Geum scarlet 11/2 hP	10 5 10 5 5 10 25 25 5
Euphorbia marginata Snow-on-the-Mountain W. & gr. 3 hhA pandurata Red-striped lilac 3 Eutoca Wrangeliana Eutoca, Wrangel's lilac 1 Fenzlia dianthiflora Three-colored Fenzlia 1.cr. & div. hhA Ferns in varieties Fine Mixed Ferns div. div. hhP Forget-me-not. See Myosotis. Fuchsia in varieties Mixed Fuchsia. div. div. hhA —Lorenziana Mixed div. Tl/2 hhP Geum coccineum fl. pl. Double Geum scarlet 1½ hP	5 10 5 5 10 25 25 5 10
pandurata. Red-striped lilac 3 hhA Eutoca Wrangeliana. Eutoca, Wrangel's lilac 1 viscida Bright Blue blue 1 Fenzlia dianthiflora Three-colored Fenzlia 1.cr.∨ ½ hhA Ferns in varieties. Fine Mixed Ferns div. div. hhP Forget-me-not. See Myosotis. Fuchsia in varieties. Mixed Fuchsia. div div. Gaillardia pieta Gaillardia, Painted cr. & y I hhA —Lorenziana Mixed div. I½ hhP Gentiana acaulis. Blue Gentian. blue ½ hP Geum coccineum fl. pl. Double Geum scarlet 1½ hP	10 5 5 10 25 25 5 10
Eutoca Wrangeliana viscida Bright Blue Bri	5 5 10 25 25 5 10
viscida . Bright Blue . blue I tA Fenzlia dianthiflora . Three-colored Fenzlia . l.cr.∨ div. hhA Ferns in varieties . Fine Mixed Ferns . div. hhP Forget-me-not . See Myosotis . Fuchsia in varieties . Mixed Fuchsia . div div. tP Gaillardia picta . Gaillardia, Painted . cr. & y. I hhA —Lorenziana . Mixed . div. I½ hhP Geum coccineum fl. pl. Double Geum . scarlet I½ hP	5 10 25 25 5 10
Fenzlia dianthiflora Three-colored Fenzlia 1.cr.∨ div. hhA Ferns in varieties. Fine Mixed Ferns div. hhP Forget-me-not. See Myosotis. Fuchsia in varieties. Mixed Fuchsia. div div. tP Gaillardia picta. Gaillardia, Painted cr. & y. I hhA Mixed div. div. tP Mixed div. div. tP Mixed div. div. tP Mixed div. div. r. & y. I hhA Mixed blue gentian. blue //2 hP Geum coccineum fl. pl. Double Geum scarlet 1//2 hP	25 25 5 10
Forget-me-not. See Myosotis. div div. tP Fuchsia in varieties. Mixed Fuchsia. div. tP Gaillardia pieta. Gaillardia, Painted cr. & y. r hhA Lorenziana Mixed div. r hhP Gentiana acaulis. Blue Gentian. blue ½ hP Geum coccineum fl. pl. Double Geum scarlet r½ hP	25 5 10
Fuchsia in varieties. Mixed Fuchsia. div. tP Gaillardia pieta. Gaillardia, Painted cr. & y. 1 hhA — Lorenziana. Mixed. div. 1½ hhP Gentiana acaulis. Blue Gentian. blue ½ hP Geum coccineum fl. pl. Double Geum scarlet 1½ hP	5 10
Gaillardia picta Gaillardia, Painted cr. & y. I hhA —Lorenziana Mixed div. 1½ hhP Gentiana acaulis Blue Gentian blue ½ hP Geum coccineum fl. pl. Double Geum scarlet 1½ hP	5 10
—Lorenziana Mixed div. 1½ hhP Gentiana acaulis Blue Gentian blue ½ hP Geum coccineum fl. pl. Double Geum scarlet 1½ hP	10
Gentiana acaulis. Blue Gentian. blue ½ hP Geum coccineum fl. pl. Double Geum scarlet 1½ hP	
Geum coccineum fl. pl Double Geum scarlet 1½ hP	10
deam cocomean at partition Bousto deam treatment and	-
Gilia tricolor	5
dina incolori	5 5
nivalis alba Snow White white I hA capitata	5
in varieties Mixed div. I hA	5
Glaucium rubrum Horned Poppy, Red red I hhP	10
corniculatum White-leaved yellow I hhP	10
Gloxinia, Emperor Fred'k. Gloxinia, Scarlet scarlet 1 tP	50
in varieties Finest Mixed div. I tP	25
Godetia, Duchess of Albany Godetia, White white 1½ hA	10
Lady Satin Rose Brilliant Rose rose 1½ hA	10
Lady Albemarle Dark Crimson crim. 1½ hA Gomphrena globosa albał Globe Amaranthus White white 1 tA	10
domphicha groots area Grobe rimaranta as,	5
Ref most na	5 5
-aurea† Orange orange i tA -nana compacta† Rich Red red ½ tA	5
in varieties \(\frac{1}{2}\)	5
Grevillea robusta Silk Oak orange 5 tP	10
Gypsophila elegans Gypsophila, White white I hA	5
muralis	10
Hedysarum coronarium* French Honeysuckle r. & w. 2 hB	5
Helianthus annuus Sunflower, Double Dwarf yellow 4 hA	5
-Oscar Wilde Yellow, Dark Center gol. y. 4 hA -giganteum Mammoth Russian yellow 9 hA	5
8.8.2.0	5
Controlling in pro-	5
argophymus ii. pining	5 5
Helichrysum bracteatum : Eternal Flower, Yellow yellow 2 hA —album : White white 2 hA	5
macranthum Pink Pink pink 2 hA	5
—in varieties div. 2 hA	5
nanum in varieties Mixed Dwarf y. & w. I hA	5
monstrosum fl. pl Mixed Double div. 2 hA	10
Heliophila Arabiodes Bright Blue Heliophila blue 1/4 hhA	
Heliotropium Peruvianum Mixed Heliotrope div. div. tP	Io
Helipterum Sandfordi Everlasting-flower gol. y. 1½ hhA Hesperia matropolis Mixed Sweet Rocket pur & w 2 hB	
Hesperis matronalis Mixed Sweet Rocket	25

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Hibiscus Africanus	Bladder Ketmia	bu.&br.	11/2	hA	\$0 05
Crimson Eye	Marshmallow	wh.& cr	4	hP	10
militaris	Rose-mallow	rose	4	hP	5
Hollyhock	See Althæa.				
Humea elegans	(Calomeria Aramantoides)	red	6	hhP	10
Humulus Japonicus*	Japan Hop	green	25	hA	10
Iberis amara	Candytuft, White	white	I	hA	5
coronaria	Rocket	white	I	hA	5
odorata	Fragrant	white	3/4	h A	5
Dunnettii	Dark Crimson	d. crim	I	hA	5
lilacina	Rosy Lilac	lilac white	3/4	hA	5
Empress	Large White	div.	I /	hA	10
nana hybrida	Dwarf Mixed	div.	1/2	h A	10
in varieties	Mixed	white	I	hA hhD	5
Sempervirens	White Perennial	WILLE	I	hhP	10
Impatiens glanduligera	Touch-me-not	red	2	tA	10
—Sultani	Perennial Balsam	scarlet	2	hhP	25
Ipomœa quamoclit*	Cypress-vine, Scarlet	scarlet	10	tA	25 5
—alba*	White	white	10	tA	5
coccinea*	Star Ipomœa, Scarlet	scarlet	10	hA	5
—lutea*	Two-colored	s. & y.	10	hA	5
Ferrandiana*	Ipomœa, Sky-blue	blue	10	hhA	5
grandiflora alba*	Moon-flower	white	10	tA	10
bona-nox*	Good-night	white	6	tA	5
rubro-cœrulea*	Azure-blue	r. & b.	10	tA	IO
varius*	Mixed	div.	div.	tA	IO
Learii*	Blue and Violet	b. & v.	8	tP	25
Kaulfussia amelloides	Kaulfussia, Blue	blue	I	hA	5
kermesina	Crimson	crim.	3/4	hA	10
Kennedya in varieties*	Mixed Kennedya	div.	8	tP	25
Lantana in varieties	Mixed Lantana	div.	div.	tP	10
Larkspur	See Delphinium.				
Lathyrus odoratus albus*	Sweet Peas, White	white	5	hA	5
—carneus*	Crown Princess	rose	5	hA	5
—Butterfly*	White and Lilac	wh.& li.	5	hA	5
—pictus*	Painted Lady	ro. & w.	5	hA	5
—coccineus*	Invincible	scarlet	5	hA	5
—Adonis*	Carmine	car.	5	hA	5
-Miss Blanche Ferry*	Rich Red, white striped	numala	5	hA	5
—purpureus*	Purple	purple	5	hA hA	5 5
—niger*	New Black	black 3-col.	5	hA	5
-Fairy Queen*	Tricolor	w. & ro.	5	hA	5
—Princess Beatrice*	Beautiful Rose	rose	5	hA	5
-Countess of Radnor*	Delicate Lavender	lav.	5	hA	5
—Primrose*	Pale Primrose Yellow	yel.	5	hA	5
-Emily Henderson*	Large White	white	5	hA	5
-Lottie Eckford*	Rose and White, edged blue		5	hA	5
—Cupid	Dwarf White	white	1/2	hA	15
—Eckford's*	New Hybrid	div.	5	hA	5
—varius*	Finest Mixed	div.	5	hA	5
latifolius*	Everlasting Peas	rose	5	hP	5
—albus*	White	white	8	hP	IO
Collection	See page 52.				
Lavatera trimestris	Lavatera, Red	red	2	hA	5
Leptosiphon roseum	Leptosiphon, Rose	rose	1	hA	5
Liatris pycnostachya .	Kansas Gay-feather	pink	3	hP	10
Linaria maroccana	Rose Linaria	rose	3/4	hhA	5
bipartita striata	Striped Linaria	div.	I	hA	10
cymbalaria	Kenilworth Ivy	lilac	tra.	hP	IO
.,	-				
Linum Lewisi variegatum	Flax, Variegated	li. & w.	2	hhA	IO



Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Linum perenne	Flax, Perennial	blue	2	hP	\$0 10
flavum	Yellow	yellow	3/4	hP	" 10
Loasa lateritia*	Orange Loasa Vine	orange	6	tA	10
Lobelia gracilis	Lobelia, Slender	l. blue	tra.	hhA	IO
—alba	White	white	tra.	hhA	10
Prima Donna	Maroon	maro'n	1/2	hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	10
Emperor William	Azure-blue	blue	1/2	hhA	10
-Crystal Palace		• • • • • •	I	hhP hhP	10
—Royal Purple speciosa compacta	Blue, White Eye	blue	1/2	hhA	10
Queen Victoria	Crystal Palace Dwarf Scarlet Cardinal flower	scarlet	2	hP	25
Lophospermum in vars*	Mixed Lophospermum	div.	8	tP	10
Lunaria biennis in vars	Honesty, or Satin-flower	br. & w.	2	hB	10
Lupinus pilosus	Sun-dial, Large Rose	rose w.	2	hA	5
luteus	Yellow	yellow	2	hA	5 5
hirsutus	Large Blue	blue		hA	5
albus	White	white	2	hA	5
hybridus insignis	Dark Red	d. red	2	hA	10
Cruikshankii	Dark Blue		3	hA	5
tricolor elegans	Three-colored	tri.	3	hA	. 5
varius	Mixed	div.	div.	hA	5
polyphyllus	Mixed Perennial	div.	div.	hP	5
Lychnis chalcedonica	Lychnis, Scarlet	scarlet	3	hP	5
—alba	White	white	3	hP	5
Malcolmia maritima	Virginian Stock	red	1/2	hA	5
Malope grandiflora	Large-flowered Malope	red	2	hA	5
Malva zebrina	Striped Mallow	w.& pur	2	hA	5
Marigold	See Tagetes.				
Martynia fragrans	Fragrant Martynia	purp'e	2	hhA	5
Mathiola annua in vars	Stocks, Ten-Weeks, English	div.	1	hA	5
—fl. pl. mixed	German Large-flowering	div.	I	hA	10
-Snowflake	Double White	white	I	hA	25
bicornis	Night-scented	pink	1 1/2	hA	10
glabrum albus	Wallflower-leaved	white	I	hA	10
—coccineus	Scarlet	scarlet div.	I	hA hA	10
		scarlet	1 1/4	hhB	10
biennis	Buck's Stock Gilli, Intermediate. White Brompton	white	2	hhB	10
—incarna purpurea	Purple Queen	purple	2	hhB	IO
—fl. pl. in vars	Mixed German Brompton	div.	2	hhB	10
Choice Collections	See page 52.	u.,.	_		10
Matricaria eximia	Matricaria, Quilled	white	I	hhB	5
—grandiflora	Double White	white	11/2	hhB	5
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	10
—rosea*	Rose	rose	8	tA	10
—coccinea*	Scarlet	scarlet	8	tA	10
albiflora*	White	white	8	tA	IO
varius*	Mixed	div.	8	tA	IO
Mesembryanthemum cor-					
difolium	Ice-plant, Annual	white	1/2	tA	5
—variegatum	Variegated foliage	ro. & p.	1/2 3/4	hhP	10
glabrum	Dew Plant	red	3/4	hhA	5
Mignonette	See Reseda.	nin1.		+ 1	
Mimosa pudica	Sensitive Plant	pink	I I/	tA tA	5
Mimulus moschatus	Musk Plant	yellow yellow	1/2 1/2	hP	10
Roezl's	Monkey-flower, Yellow	div.	/2 I	hP	25 10
cupreus in vars	Hybrid	spot.	3/4	tP	10
hybridus tigrinus	Double Mixed	div.	74 3/4	tP	25
—flore pleno Mina lobata*	Mexican Climbing Vine	wh. & r.	15	tA	10
Mirabilis jalapa in vars	Marvel of Peru, Mixed	div.	2	hA	5
—longiflora in vars	Scented	div.	2	hA	5



Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Momordica balsamina*	Balsam Apple	yellow	10	hhA	\$0 05
charantia*	Balsam Pear	yellow	10	hhA	5
Musa Ensete	Abyssinian Banana	y. & br.	10	tP	25
Myosotis alpestris	Forget-me-not, Alpine	blue	1/2	hhP	10
-Victoria	Double Blue	blue	1/2	hhP	25
azorica	Dark Blue	blue	1/2	hhP	10
palustris	Blue and White	b. & w.	3/4	hhP	10
dissitiflora	Large Blue	blue	I	hhP	10
Myrsiphyllum asparagoides	Smilax Vine	green white	6	tP tP	10
Myrtus Communis Nasturtium.	See Tropæolum.	white	2	ır	10
Nemophila discoidalis	Love-grove, Bordered	blk.&w.	3/	hhA	-
insignis	Bright Blue	blue	3/4 1/2 3/4	hhA	5
—alba	White	white	3/	hhA	5 5
maculata	Spotted	div.	3/4	hhA	5
in varieties	Mixed	div.	div.	hhA	5
Nicotiana affinis	Flowering Tobacco	white	3	hhA	10
Nierembergia gracilis	Graceful Nierembergia	w. & li.	I	hhP	10
Nigella damascena	Blue Love-in-a-mist	blue	I	hA	5
Nolana prostrata	Trailing Nolana	b.&blk.	tra.	hA	5
Nycterinia capensis	(Nycterinia odorata)	white	3/4	hhA	10
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	2	hhP	5
Œnothera biennis	Evening Primrose, Fragrant	yellow	2	hB	5
bistorta Veitchii	Spotted	y. & cr.	I	hA	5
Lamarckiana	Light Yellow	yellow	3	hB	5
Orobus niger	Bitter Vetch	purple	I	hA	5
Oxalis rosea	Oxalis, Rose	rose	1/2 1/2 3/4	hhP	10
delicata	Rosy Salmon	ro.&sal.	1/2	hhP	10
Valdiviensis	New Sweet	yellow	3/4	hhP	IO
Tropæoloides	Yellow-brown foliage		1/2	hhA	IO
Pansy, or Heart's-ease	See Viola tricolor.	1.	-/		
Papaver Rhœas	African Rose	div.	1 1/2	h A	5
glaucum	Tulip Poppy	scarlet white	1 1/2	hA	10
album	Poppy, Double White Double Scarlet	scarlet	2 2	hA hA	5
umbrosum	Rich Vermilion, Black Spot	ver.	1 1/2	hA	5
Fairy-blush	Double White, Rose-tipped		2	hA	5
The Shirley	Mixed	div.	2	hA	10
Mikado	Mixed	div.	2	hA	10
ranunculiflorum	Mixed French	div.	2	hA	5
somniferum fl. pl	Mixed Carnation	div.	2	hA	5
nudicaule	Iceland Poppy, Mixed		2	hP	10
orientale	Red Asiatic	r. & b1.	2	hhP	10
croceum	Yellow Asiatic	yellow	1 1/2	hhP	10
Collection	See page 52.				
Passiflora in vars.*	Mixed Passion Flower	div.	10	tP	10
Pelargonium zonale	Geranium, Mixed	div.	div.	tP	10
—tricolor	Three-colored	div.	div.	tP	25
odoratissimum	Apple-scented	pink	1/2	tP	25
hybridum in vars.	Finest Mixed		div.	tP	25
Pentstemon gentianoides	Pentstemon, Bicolor	pur.&w.	2	hhP	10
-cœruleus	Hartweg's	blue	2	hhP	10
—in varieties	Mixed	div.	2	hhP hhA	10
Perilla Nankinensis	Ornamental-leaved Perilla	purple	tro	hhA	5
Petunia Phœnicea	Petunia, Purple	purple white	tra.	hhA	5
nyctaginiflora striata		striped	tra.	hhA	5
Countess of Ellesmere	_ *	ro. & W.		hhA	10
varius		9.4	tra.	hhA	5
hybrida grandiflora		div.	tra.	hhA	25
— —inimitable			tra.	hhA	25
— — nana compacta			1/2	hhA	10
— —aurea			tra.	hhA	25
	Mixed Double		1	1	

BRIDGEMAN'S SEED CATALOGUE.

				Duration	
Botanical Names, etc.	Common Names, etc.	Color.	Height	and	Price per
Detailout Lames, Coo.	James Mandy, ott.	00101.	in Feet.	Hardi- ness.	Paper.
				2000.	
Petunia fimbriata fl. pl	Petunia, New Fringed	div.	tra.	hhA	\$0 50
Collections	See page 52.				1 0 JC
Phaseolus multiflorus*	Scarlet Flowering Bean	scarlet	10	tA	5
Phlox Drummondii alba	Phlox Drummondii, White	white	I	hA	10
-albafl. pl	Double White	white	I	hA	IO
-oculata	White, Purple-eyed	white	I	hA	IO
—Leopoldiana	Pink, White-eyed	pink	I	hA	IO
—coccinea	Deep Scarlet	scar.	I	hA	10
—Isabellina	Pale Yellow	yellow	I	hA	10
—Chamois Rose	Light Rose	rose	I	hA	10
-William I	Red-striped	div.	I	hA	10
—Black Warrior	Dark Red	div.	I	hA	10
-marmorata	Marbled and Striped	div.	I	hA	10
-Princess Royal	Lilac, White-edged	div.	I	hA	10
—variabilis	Slate-blue, Marbled	div.	I	hA	10
—compacta	Dwarf Blood-red	red	1/2	hA	10
-cuspidata and fim-	Cton local Mills	3.	_	71. 4	
briata	Star-shaped, Mixed	div.	I	hA	10
-varius	Fine Mixed	div.	I	hA.	5
—grandiflora	Large Mixed	div.	I	hA	10
— — splendens	Large-flowering	cr. & w.	I	hA	10
Heynholdi	Brilliant Scarlet	scarlet	I	h A	10
hortensiæflora	Hydrangea	rose	I	hA	25
decussata	Mixed Perennial	div.	div.	hP	10
COLLECTION	See page 52.				
Pinks	See Dianthus.				
Platystemon Californicum	California Poppy	yellow	I	hA	5
Polemonium cœruleum	Jacob's-ladder, Blue	blue	1/2	hP	5
album	White	white	1/2	hP	5
Polycalymma Stuartif	Bicolor Everlasting	y. & w.	1/2	hhA	10
Polygala, in varieties	Fine Mixed Polygala	div.	div.	tΡ	25
Poppies	See Papaver.				
Portulaca splendens aurea.	Sun-plant, Yellow	yellow	1/2	hA	5
-purpureus	Purple	purple	1/2	hA	5
—albiflora	White	white	1/2	hA	5
—Thellusoni	Scarlet	scarlet	1/2	hA	5
—bicolor	Yellow and Purple	y.&pur.	1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	hA	5
—aurantiaca	Orange	orange	1/2	hA	5
—rosea	Rose	rose	1/2	hA	5
—caryophylloides	Striped	div.	1/2	hA	5
-varius	Mixed Single	div.		hhA	5
—flore pleno	Mixed Double	div.	1/2	hhA	10
Collections	See page 52.				
Potentilla, in varieties	Mixed Potentilla	div.	I	hP	10
Primula elatior, in vars	Mixed Polyanthus	div.	1/2	hhP	10
auricula	Fine Mixed Auricula	div.	1/2	hhP	25
Japonica	Primrose, Purple	purple	I	hhP	10
obconica	Everblooming	white		tP	25
vulgaris	English Yellow	yellow	I	hP	10
fimbriata alba	Chinese Primrose, Fringed	white	3/4	tP	25
—rosea	Fringed Rose	rose	3/4	tP	25
—elegantissima	Fringed Spotted	li. & cr.		tP	50
—striata	Fringed Striped	div.	3/4	tP	25
—flore pleno	Fringed Double	div.	div.	tP	50
—varius		div.	div.	tP	25
—filicifolia		div.	div.	tP	50
COLLECTION	See page 52.			1,,-	
Pyrethrum parthenium	Feverfew, Double	white	1 1/2	hhP	10
auratum	Golden-leaved	yellow	2	hhP	10
**************************************	Rose-flowered Pyrethrum	rose	2	hP	10
roseum					-
Reseda odorata	Mignonette, Sweet	buff	I	hA	5
	Large Sweet	buff	I I I ¹ / ₂	hA hA	5 5

		MLO	JUL	-	
Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Reseda grandiflora aurea	Mignonette, Golden Queen	gol. y.	ı	hA	\$0 10
—Machet	New Dwarf Pot	1ed	ī	hA	10
-Gabrielle	Robust, Large Spike	red	3/4	hA	10
—gigantea	Crimson Giant	crim.	2	hA	5
—Miles' Hybrid	New Spiral	buff	11/2	hA	5
eximea	Parsons' White	white	I	hA	5
Rhodanthe Manglesi	Everlasting-flower, Rose	rose	I	tA	10
maculata†	Three-colored	y r.&bk	2	tA	10
—alba†	New White	white	1 1/2	tA	10
varius	Mixed	div.	div.	tA	10
Ricinus sanguineus	Castor-Bean, Red		10	tA	5
Borboniensis	Large Green	vio.	15	tA	5
Cambodgensis	Ebony Black		6	tA	10
giganteus	New Giant		10	tA	. 10
Gibsoni	Dark Red	d. red	4	tA	10
varius	Mixed	div.	div.	tA	5
Rosa in varieties	Fine Mixed Rose	div.	div.	hhP	10
Salpiglossis hybrida	(Salpiglossis grandiflora)	div.	1 1/2	hhA	10
Salvia patens	Salvia, Light Blue	blue	I	tP	25
splendens	Brilliant Scarlet	scarlet	3	tP	10
—compacta erecta	Bonfire	d scar.	3.	tP	15
argentea	Silver-leaved	white	3	hP	10
horminum	Purple Clary	purple	I	hA	5
Sanvitalia procumbens	Sanvitalia, Yellow and Brown		tra.	hA	5
—flore pleno	New Double	yellow	tra.	hA	5
Saponaria calabrica	Bouncing-Bet	pink	I	hA_	5
Saxifraga in varieties	Mixed Saxifraga	div.	tra.	hhP	10
Scabiosa candidissima	Mourning-Bride, White	white	1 1/2	hA	5
coccinea nana	Carmine	car.	1 1/2	hA	5
varius	Dwarf Mixed	div.	I	hA	5
Collection	See page 52.			1.4	
Schizanthus Grahami	Schizanthus, Red and Orange	r. & o.	. 2	hA	5
Priesti	Pure White	white	2	hA	5
in varieties	Fine Mixed	div.	2	hA hP	5
Sedum azureum	Stone-Crop	yellow	1/2	hP	10
Maximowiczii	New Golden	yellow white	1/2	tA	10
Senecio elegans alba	Jacobæa, White		I	tA	5
—purpurea	Catchfly, Lobel's	purple pink	1 1/2	hA	5
—compacta	Rose-Purple	l. pur.	1/2	hA	5 5
Solanum capsicastrum	Orange-fruited Solanum		I I	tP	10
melongena	Egg-Plant, White	white	I	tA	5
—coccineum	Scarlet		3	tA	5
Statice Bonduelli	Statice, Golden	yellow	I	hhP	10
Suworowi	Rose	rose	ī	hhP	10
incana hybrida	Hybrid Mixed	div.	11/2	hP	10
Stevia serrata	Vanilla-scented Stevia	white	3	tP	10
Stocks	See Mathiola.		3	'	
Sweet Peas	See Lathvrus.				
Tacsonia ignea*	Passion-Flower-like	div.	10	tP	25
Tagetes patula aurea fl. pl	Marigold, Double Golden	yellow	I	hA	5
-striata fl. pl	Double-striped	y. & br.	11/2	hA	5
striata	Cloth of Gold	striped	1 1/2	hA	5
pumila	Golden Ring	orange	ı	hA	5 5
Little Brownie	Single-flowering yellow	y. & cr.	2	hA	5
varius fl. pl	French Double Mixed	div.	I	hA	5
erecta citrina fl. pl	Lemon African	yellow	2	hA	5
-aurantiaca fl. pl	Orange African	orange	2	hA	5
-Nugget of Gold	Golden Yellow African	yellow	I 1/2	hA	10
-El Dorado	Double African	div.	2	hA	IO
signati pumila	Yellow-striped (for edging)	y. & br.	I	hA	5
COLLECTION	See page 52.				
Thunbergia Bakeri* :	Thunbergia, Pure White	white	4	hhA	5
aurantiaca*		orange	4	hhA	5

Botanical Names, etc.	Common Names, etc.	Coler.	Eeight in Feet.	Duration and Eardi- ness.	Price per Paper.
Thunbergia alata*	Thunbergia, Buff, Dark-eyed		4	hhA	\$0 05
in varieties*	Superb Mixed		4	hhA	5
Torenia edentata	Fournier's New Torenia		1/2	tP	25
Tournefortia heliotropioi's.	Summer Heliotrope	blue	tra.	hhA	10
Trachelium cœruleum	Blue Trachelium		2	hB	10
Trichosanthes colubrina*	Climbing Scarlet-fruited Cucumber		10	tP	10
Trifolium odoratum	Sweet-scented Clover	white	3	hA	5
Tropæolum peregrinum*	Canary-bird Flower	yellow	8	hA	10
majus Lobbianum Tom Thumb King	Dwarf Carmine	div.	6 1	tP hA	10
——sulphureum	Dwarf Yellow	yellow	I	hA	5
— —Bronze color	Dwarf Bronze	bronze	I	hA	5 5
——Pearl	Dwarf Blush	cream	I	hA	5
— -Ruby King	Dwarf Ruby	red	I	hA	5
- Golden King	Dwarf Golden	golden	I	hA	5
- King Theodore* .	Dwarf Purple		I	hA	5
— —Empress of India.	Dwarf Crimson		I	'nΑ	5
— — varius	Mixed Tom Thumb (Finest).	div.	I	hA	5
majus Schillingi*	Light Yellow	li. yel.	6	hA	5
—The Pearl*	Cream-White		6	hA	5
—Dunnetti*	Bright Orange	orange	6	hA	5
-King Theodore*	Dark Crimson	d. cr.	6	hA	5
-atrosanguineum*	Crimson	crim.	6	hA	5.
-Madam Gunter Hy-		3.	_	1. 4	
brids*	Mived Tell (Finest)	div.	6	hA	10
varius*	Mixed Tall (Finest)	div.	6	hA	5
Valeriana in varieties	See page 52. Mixed Garden Valerian	div.	2	hP	-
Greek	Sweet-scented		2	hP	5
Venidium calendulaceum	Orange, Brown Center		ī	hhA	10
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP	IO
—striata	Italian, Striped	striped	tra.	hhP	10
coccinea	Bright Scarlet	scarlet	tra.	hhP	IO
-Defiance	Dark Scarlet	d.s.	tra.	hhP	10
—cærulea	Beautiful Blue	blue	tra.	hhP	10
-Mammoth	Mammoth Mixed	div.	tra.	hhP	10
—in varieties	Finest Mixed	div.	tra.	hhP	10
—varius	Fine Mixed	div.	tra.	hhP	10
tencroides	White Sweet	white	tra.	hA	10
Choice Collection	See page 52.	1.1.	*/	1.1.4	
Veronica Syrica	Dwarf Blue Veronica	blue	1/2	hhA	10
Vinca alba rosea	Periwinkle, Madagascar	W. & ro	I	tA	10
—nova	Pure White	white	τ	tA tA	10
varius	Mixed		I	tA	10
Viola tricolor cœrulea	Pansy, or Heart's-ease, Blue		1/2	hhP	10
—Bugnot's	Superb strains.	1	1/2	hhP	25
—Faust	King of the Blacks	black .	1/2	hhP	10
—alba	White	white	1/2	hhP	10
—Prince	Yellow	yellow	1/2	hhP	10
—striata	Belgian or Fancy	div.	1/2	hhP	25
—Emperor William		b &pur	1 2	hhP	10
—Odior	Five-blotched, extra	div.	1/2 1/2 1/2 1/2	hhP	25
-Lord Beaconsfield			1/2	hhP	10
Mahogany-colored			1/2	hhP	10
—maxima, in vars			1/2 1/2 1/2 1/2	hhP	25
—varius		div.	1/2		10
Trimardeau		div.	/2	hhP	25
CHOICE COLLECTION	See page 52. Mixed Sweet Violet	div.	1/2	hhP	10
VIDIALS ID WARS			1 1 I	hA	5
Violets, in vars	Kose of Heaven Pink				
Viscaria oculata	Rose of Heaven, Pink	pk. & s.			
		1 -		hA hA	5 5

Betanical Names, etc.	Common Names, etc.	Color.	Height in Feet.	Duration and Hardi- ness.	Price per Paper.
Waitzia grandiflora†	Large-flowered Waitzia	yellow	1 2	tA	\$o 25
Whitlavia grandiflora	Whitlavia, Violet-blue	blue	1 1	hA	φυ 25 5
-gloxinoides	Gloxinia-like	w. & b.	T	hA	10
Wigandia Vigieri	Ornamental-leaved		4	tΡ	15
Xeranthemum annum	Everlasting-flower	purple	2	hA	5
—album†	White	white	2	hA	5
imperalis fl. pl+	Dark		2	hA	10
varium†	Mixed		2	hA	5
Zauschneria Californica	Scarlet Tubular-flowered	scarlet	I	hhP	25
Zea Japonica	Striped-leaved Japanese Maize	w. & gr.	5	hhA	5
Zinnia elegans alba	Zinnia, Double White	white	2	hA	10
—cocinea	Double Scarlet	scarlet	2	hA	IO
—aurea	Double Yellow		2	hA	IO
—purpurea	Double Purple	purple	2	hA	IO
-violacea	Double Violet	violet	2	hA	10
-grandiflora robusta	Double Large-flowering	div.	2	hA	IO
—zebra	Double Carnation, striped	striped	2	hA	IO
—in vars	Double Mixed		2	hA	IO
—Tom Thumb	Dwarf Double Mixed		I	hA	10
-New Pompon	Double Cone-shaped	div	I	hA	IO
Haageana fl. pl	Mexican Double	golden	1 1/4	hA	10

ORNAMENTAL GRASSES.

Per pkt.	Per pk t
Agrostis pulchella (hA)\$0 10	Coix lachrymæ (Job's-Tears) (hA)\$0 05
Agrostis nebulosa (fine) (hA) 10	Eragrostis elegans (Love-Grass) (hA) 5
Anthoxanthum gracilis (hhP) 10	Erianthus Ravennæ (hP) 10
Arundo Donax (hhP)	Eulalia Japonica (hP)
Avena sensitiva (Animated Oats) (hA) 5	Festuca rigida (hP)
Bromus brizæformis (hA) 5	Gynerium, sp. (Pampas Grass) (hhP) 10
Briza maxima (Quaking Grass) (hA) 5	Hordeum jubatum (hA) 5
Briza gracilis (hA)5	Lagurus ovatus (Hare's-Tail) (hA) 5
Brizopyrum siculum (hA) 5	Setaria macrochæta (hA)
Chrysurus aureus (Lamarckia) (hA) 5	Stipa pennata (Feather-Grass) (hP) 10



Collections of Flower Seeds.

GERMAN AND FRENCH FLOWER SEEDS.

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS.

Truffaut's French Pæony-flowered Per-		Dwarf Chrysanthemum-flowered German, 6 varieties\$0	50
fection, 12 distinct varieties\$0	75	Rose-flowered German, extra fine, 8 va-	2
Truffaut's Imbricated Pompon French,		rieties	75
12 varieties	75	Cocardeau, or Crown (white center), 6	
Quilled Double German, 12 varieties	75	varieties	50
New Dwarf Bouquet German (Boltz),		Comet Asters, 6 distinct varieties	50
		Betteridge's Prize, 12 varieties	75
10 varieties	75	New Victoria German, 8 distinct va-	
Globe or Uhland German, 10 varieties	75	rieties	50

BALSAMS.

Miniature or Dwarf German, 10 varieties	Carnation-striped, double, 8 fine varieties
STO	CKS.
Dwarf German Ten-Weeks, 12 varieties, \$0 75 New Large - flowering Dwarf Ten- Weeks, 12 varieties	Wallflower-leaved Ten-Weeks, 10 su- perb varieties
MISCELLANEOUS	S COLLECTIONS.
Alpine or Rock Plants, 8 varieties\$0 Amaranthus (Ornamental Sorts), 8 varieties	Ornamental Grasses, 12 varieties\$0 Ornamental-leaved Plants, 12 varieties. 1 Pansy or Heart's-ease, 12 distinct varieties

OUR OWN SELECTION.

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

100	Packets			and	Perennials,	best assorted\$8 oo
100	"	, "			"	good assorted 4 00
50	"	66	"		"	best assorted 4 00
50	"	"	"		"	good assorted 2 00
25	"	"	best assort	ed.		
20	"	"	good assor	rted.		I oo
12	"	66	best assor	ted.		I 00
10	"	"	good assor	ted.	. 	50
12	"	"	New and	Favo	rite kinds	1 50

FLOWER SEEDS BY WEIGHT.

For Other Varieties, See Pages 33 to 51.

Per oz.	Per	oz.
Ageratum Mexicanum, blue \$0 50	Lathyrus (Sweet Peas), White \$0	20
Althæa (Hollyhock), Double Mixed 75	"Scarlet	20
" Double White 1 00	" Painted Lady	20
Alyssum, Sweet, white 40	" Mixed Finest Per lb., \$1 .	15
" compacta 50	Lobelia gracilis, Blue	75
	" apaciona Crustal Palaca	
	Speciosa, Crystai Laiace	_
Aquilegia (Columbine) Mixed 50	compacta 3	
Aster Chinensis, Fine Mixed 50	Lupinus (Lupins), Mixed Annual	25
"German Quilled, Mixed 50	Malcolmia (Virginian Stocks), Lilac	30
"Truffaut's White 1 50	Mathiola (Stocks, Ten-Weeks), English	
" Blood Red 2 00	Mixed	75
" cœruleus	" Finest Mixed 3	00
" Perfection, Mixed 1 50	" Snowflake	00
Balsamina (Balsam) Paris, Mixed 50	Mesembryanthemum (Ice Plant)	50
" Camellia-flowered, Mixed 1 00	Mimosa (Sensitive Plant)	75
"Double White 1 00	Mimulus (Musk Plant)	
Cacalia (Scarlet Tassel Flower) 50	Mirabilis (Marvel of Peru)	25
Calendula (Marigold), Double Pot	Myosotis (Alpine Forget-me-not), Blue	_
		75
Meteor	Myrsiphyllum (Smilax Vine)	75
Calliopsis (Coreopsis)30	Nemophila insignis, Blue	30
Canna (Indian Shot), Crozy's Mixed 75	Fine Mixed	25
Cardiospermum (Balloon Vine) 25	Papaver (Poppy), French Mixed	30
Centaurea gymnocarpa	" (The Shirley)	75
" candidissima 1 75	Perilla Nankinensis, Purple-leaved	25
Cheiranthus (Wall-Flower), Double 3 00	Petunia, Purple	50
Cobœa scandens, Purple	" White	50
Coix lachryma (Job's-Tears) 25	" Mixed	75
Convolvulus major (Morning-Glory) 20		
" minor, Fine Mixed 25	Phlox Drummondii, White	•
Delphinium (Larkspur), Tall Branch-		
ing 30	Sourist	00
	THE MIXES	50
Dianthus Chinensis (Indian Pink),	Portulaca (Sun Plant), White	50
	Dodinot	50
Mixed 50	" Mixed	50
barbatus (Sweet William),	" Double, extra	00
Mixed 30 "Carnation Pink, Common	Pyrethrum aureum (Golden Feather).	75
Carnation Pink, Common	Reseda (Mignonette, Sw't), per lb., 75.	15
Mixed	" Large per lb., \$1.	20
Digitalis (Foxglove), Mixed 40	" Giant Pyramidal . per lb., \$1.	20
Dolichos (Hyacinth Bean) 25	" Machet	60
Eschscholtzia Californica, Orange 40	Ricinus (Castor Bean), Fine Mixed	15
Euphorbia, Variegated-leaved 40	" sanguineus, Red	25
Gilia, Fine Mixed 30		2 00
Gomphrena (Globe Amaranthus),	Scabiosa (Mourning Bride), Mixed	50
White 40	Tagetes (Marigold), French Mixed	50
" Crimson 40	"African Mixed	50
	Thunbergia Vine, Fine Mixed	_
		50
Hibiscus Africanus (Bladder Ketmia) . 25	Trifolium (Sweet-scented Clover)	20
Iberis (Candytuft), White 25	Tropæolum (Canary-Bird Vine)	50
White Rocket	Trade and Talli, Intheca,	20
CIIII30II	Tom Inums, Mixea	20
Empress, Large White		00
Mixeu		2 00
Ipomœa (Cypress Vine), Scarlet 40		00
" White 30		00
" Star 25	Zinnia elegans, Double Mixed	40

SEEDS ADAPTED TO GREENHOUSE CULTURE.

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.



FUCHSIA.

Abutilon, in varieties. Acacia, in varieties. Alstræmeria hybrida. Angelonia grandiflora. Azalea Indica. Begonia hybrida. Calceolaria, in varieties. Campanula pyramidalis. Centaurea Clementei. " gymnocarpa. Chorozema, in varieties. Cineraria hybrida. Convolvulus mauritanicus Coronilla, in varieties.

Cyclamen persicum giganteum. Dianthus caryophyllus (Carnation).

Cuphea platycentra.

Dracænsa, in varieties.

Eupatorium, in varieties. Euphorbia pandurata. Ferns, in varieties. Fuchsia, in varieties. Glaucium corniculatum. Gloxinia, in varieties. Grevillea robusta. Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomœa Learii. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lophospermum, in varieties. Mathiola (Stock Gilly). Maurandia, in varieties. Mimulus (Monkey-flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower). Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette).

Dracocephalum (Balm of Gilead.)

Erodium (Musk Geranium).

Epacris hybrida.

Solanum ciliatum. capsicastrum. Stevia serrata. Tacsonia ignea. Torenia edentata. Tropæolum Lobbianum, in varieties. Vinca (Madagascar Periwinkle).

Senecio, in varieties (Jacobæa).

USEFUL ORNAMENTAL FOLIAGE-PLANTS. (Suitable for Borders and Sub-Tropical Gardening.)

Amaranthus salicifolius.

bicolor ruber.

66 tricolor.

Henderi.

Aquilegia (Columbine).

Bocconia Japonica. Canna (Indian-shot).

Cannabis gigantea (Giant Hemp).

Carduus benedictus. Celosia cristata (Cockscomb).

Huttonii. Centaurea candidissima.

Cineraria maritima. Datura meteloides.

Erythrina (Coral-plant). Eryngium Leavenworthi.

Euphorbia marginata. " pandurata.

Glaucium (Horned Poppy).

Helianthus (Russian Sunflower).

argophyllus.

centrochlorus fl. pl.

Humea elegans.

Liatris (Gay-feather).

Salvia splendens.

Martynia fragrans. Nicotiana affinis (Tobacco).

Ornamental Grasses. Perilla Nankinensis.

Pyrethrum aureum.

Musa ensete.

Ricinus (Castor-oil Plant).

Salvia argentea.

Solanum coccineum.

Statice incana.

Trifolium odoratum. Wigandia Vigieri.

Zea Japonica.

ANNUALS, ETC., FOR VASES AND HANGING BASKETS.

Ageratum, in varieties.
Alonsoa, in varieties.
Alyssum martimum.
Aubrietia deltoidea.
Brachycome (Swan River Daisy).
Calandrinia umbellata.
Callirhoe pedata.
Centaurea candidissima.
Cineraria maritima.
Clintonia elegans.
Convolvulus minor.

Clintonia elegans.
Clintonia elegans.
Convolvulus minor.

"mauritanicus.
Eschscholtzia Mandarin.
Fenzlia dianthiflora.
Gilia tricolor, in varieties.
Heliophila Arabioides.
Iberis odorata, in varieties.
Leptosiphon, in varieties.
Linum (Flax).
Loasa lateritia.
Lobelia gracilis, in varieties.
Lophospermum, in varieties.

Malcomia (Virginia Stock). Maurandya, in varieties. Mimulus (Musk Plant). (Monkey-flower). Nemophila (Love-grove). Nierembergia gracilis. Nolana prostrata. Pelargonium, Zonale (Geranium). Petunia, in varieties. Portulaca, in varieties. Reseda odorata (Mignonette). Sanvitalia procumbens. Saponaria (Soapwort). Saxifraga, in varieties. Sedum (Stonecrop). Thunbergia, in varieties. Tropæolum (Nasturtium). Verbena. in varieties. Vinca (Madagascar Periwinkle). Viola tricolor (Pansy). Viscaria (Rose-of-heaven). Zinnia Haageana.

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS.

Abronia umbellata. Ageratum, in varieties. Alyssum (Sweet Alyssum). Antirrhinum (Snapdragon). Aquilegia (Columbine). Asperula azurea. Aster Chinensis, and varieties Balsamina camélliæflora. Cacalia (Tassel-flower). Celosia kermesina. Centaurea (Sweet Sultan). cyanus (Bluebottle). Centranthus, in varieties. Chrysanthemum, in varieties. Clintonia pulchella. Collinsia, in varieties. Cynoglossum (Venus'-navelwort). Dianthus Chinensis (Pinks). barbatus (Sweet-william). caryophyllus (Carnation). Delphinium (Larkspur). Didiscus cœrulea. Erysimum (Hedge-Mustard). Gilia, in varieties. Gomphrena (Globe-Amaranthus).

Gypsophila, in varieties. Heliophila Arabioides. Heliotropium (Heliotrope). Hesperis (Sweet-Rocket) Iberis odorata, in varieties. Lathyrus (Sweet-Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock). Myosotis (Forget-me-not). Nigella (Love-in-a-mist). Petunia hybrida. Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning-bride). Senecio (Jacobea). Silene Armeria (Catch-fly). Smilax asparagoides.
Tournefortia (Summer Heliotrope). Tropæolum (Nasturtium). Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

INDEX TO COMMON NAMES.

Common Name. Botanical Name.	Common Name. Botanical Name.
African Marigold Tagetes.	Balm-of-Gilead Dracocephalum.
African Daisy Athanasia.	Balloon-vine Cardiospermum.
Amethyst Browallia.	Banana Musa.
Animated Oats Avena.	Beans Phaseolus.
Arabian Primrose Arnebia.	Bearded Pentstemon Chelone.
Armeria Statice.	Bee Larkspur Delphinium.
Auricula Primula.	Bladder Ketmia Hibiscus.
Balsams Balsamina.	Bluebottle Centaurea.
Balsam-apple Momordica.	Bell-flower Campanula.
Balsam-pear Momordica.	Bouncing Bet Saponaria.

Common Name.	Botanical Name.	Common Name.	Botanical Name.
Blue Hibiscus		Larkspur	. Delphinium.
Californian Poppy	. Platystemon.	London Pride	
Calomeria	. Humea.	Love-grove	. Nemophila.
Candytuft		Love-grass	
Canary-bird Flower	. Tropæolum.	Love-in-a-mist	. Nigella.
Canterbury Bells	. Campanula.	Love-in-a-puff	. Cardiospermum.
Cape Marigold	. Calendula.	Love-lies-bleeding	. Amarantus.
Carnation Pink Cardinal-flower	. Diantinus.	Maiden Pink	. Dianthus.
Castor Bean		Marigold	Mirabilia
Catch-fly	Silene	Mexican Poppy	Argemone
China Pink	Dianthus	Mignonette	Reseda
Chinese Bell-flower		Mock Orange	. Cucurbita.
Chinese Primrose	. Primula.	Monkey-flower	. Mimulus.
Chinese Larkspur	. Delphinium.	Monk's-hood	
Clary	. Salvia horminum.	Morning-glory	
Climbing Cucumber	. Cyclanthera.	Mountain Fringe	
Clove Pink	. Dianthus.	Mourning-Bride	
Cockscomb		Musk Geranium	
Columbine	. Aquilegia.	Musk Plant	
Coral Plant	Dracona	Nasturtium	
Coreopsis		Passion Flower Pasque-flower	
Cowslip	Primula veris	Pheasant's-eye	
Cypress-vine	Inomea.	Pheasant's-eye Pink	
Daisy	. Bellis.	Pinks	. Dianthus.
Dame's Violet	. Hesperis. [mum.	Polyanthus	. Primula.
Dew Plant	. Mesembry anthe-	Poppy	
Dusty Miller	. Cineraria.	Pot Marigold	. Calendula.
Dutchman's Pipe	. Aristolochia.	Primrose	
Eccremocarpus	. Calampelis.	Prince's-feather	
Egg-plant		Quaking-grass	
Eternal-flower		Rose, African	
Evening Primrose		Rose-of-Heaven	
Everlasting Peas Fever-and-Ague Plant .		Rose Campion	
Feather-grass		Saffron	
Flax	. Linum.	Satin Flower	
Forget-me-not	. Myosotis.	Scotch Broom	
Foxglove	. Digitalis.	Sensitive-plant	. Mimosa.
Four-O'clocks	. Mirabilis.	Silk Oak	
French Marigold	. Tagetes.	Slipperwort	
Gas-plant	. Dictamnus.	Snapdragon	
Gay-feather	. Liatris.	Sneezewort	
Geranium	. Pelargonium.	Spider-flower	
Gilliflower Globe Amaranth	Comphrens	Stock Gilli	
Glory Vine	Clianthus	Stone Crop	Datura
Gourds	. Cucurbita.	Sun-dial	
Hawkweed	. Crepis.	Sunflower	
Heart's-ease	. Viola.	Summer Heliotrope	. Tournefortia.
Heath	. Erica.	Swallowwort	
Hedge Mustard	. Erysimum.	Swan River Daisy	
Hedgehog		Sweet-Clover	
Hollyhock		Sweet-Peas	
Honesty		Sweet-Rocket	
Honeysuckle Horned Poppy		Sweet-Sultan	
Hyacinth Bean	Dolichos. [mum	Tassel-flower	
Ice-plant	. Mesembr vanthe-	Tobacco	
Immortal-flower	. Xeranthemum.	Touch-me-not	. Impatiens.
Imperial Pink		Varigated Spurge	
Indian-shot	. Canna.	Venus' Looking-glass .	. Campanula.
Jacob's-ladder	. Polemonium.	Venus' Navelwort	
Japanese Maize	. Zea.	Viriginan Stock	. Malcolmia.
Japan Pink		Virgin's Bower	. Clematis.
Job's-Tears		Wallflower	
Joseph's Coat Lady's Slipper		Windflower Youth-and-old-age	
Lady b Gripper	, _arsamma,		

Bulbs and Tuberous Roots.

The Following are Kept in Stock, or Supplied to Order:

TUBEROUS-ROOTED BEGONIAS.

The Tuberous-Rooted Begonias are among the handsomest of our summer-flowering bulbs

Single Finest Mixed. 10 cts. each, \$1 per doz., \$7 per 100.

Double Finest Mixed. 30 cts. each, \$3 per doz., \$22 per 100.

GLADIOLUS, FRENCH HYBRID.

Superb fall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Named Sorts. 25 cts. each, \$2 per doz. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

DOUBLE TUBEROSES.

One of the most fragrant and beautiful of summer-flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

ASTILBE JAPONICA.

(Spiræa Japonica.)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers; excellent for forcing. 15 cts. each, \$1.50 per doz.

ASPARAGUS TENUISSIMUS.

One of the grandest acquisitions for decorative purposes. The stems or fronds retain their freshness and rich green color for a long time after being cut. 50 cts. each, \$5 per doz.

AMARYLLIS.

Splendid greenhouse bulbs, and also well suited for house culture.

Atamasco. 20 cts. each, \$2 per doz. Formosissima. 30 cts. each, \$3 per doz. Johnsonii. 75 cts. each. Vitata rubra. 50 cts. each.

CONVALLARIA MAJALIS.

(Lily-of-the-Valley.)

The most charming of spring-flowering plants. Pips, per 100, \$2; large clumps, 50 cts. each; small clumps, 25 cts. each, \$2.25 per doz.

AMORPHOPHALLUS RIVIERI.

A very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts. each.

CALLA AETHIOPICA.

(Lily of the Nile.)

A well-known house plant of easy management. 25 cts. each, \$2.50 per doz.

CALADIUMS, FANCY.

Leaves spotted with various colors in the richest manner; superb for summer decorations.

Distinct Sorts. For pot-culture. 50 cts. each, \$5 per doz.

CALADIUM ESCULENTUM.

One of the most attractive ornamental foliage plants in cultivation. 25 cts. each, \$2.25 per doz.; extra large bulbs, 50 cts. each, \$4.50 per doz.

DWARF FRENCH CANNAS.

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

CYCLAMEN PERSICUM.

Flowers of elegant and distinct shape and delicate colors. Large bulbs, 30 cts. each, \$3 per doz.

DAHLIAS.

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon and Large-flowering. Named sorts, 25 cts. each, \$2.25 per doz.

SPECTABILIS.

(Bleeding Heart.)

A good companion to Astilbe Japonica; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

ERIANTHUS RAVENNAE.

A fine ornamental grass, similar in habit of growth to the Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 to 50 cts. each.

ERYTHRINA CRISTA-GALLI.

(Coral Plant.)

A beautiful tender greenhouse shrub; very ornamental. First size, 50 cts. each, \$4.50 per doz.; second size, 30 cts. each, \$3 per doz.



LILY-OF-THE-VALLEY.

EULALIA.

Japonica Zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white across the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. Very valuable for massing. 75 cts. each.

Japonica var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine for parlor ornaments, remaining fresh a long time. 50 cts. each.

FUNKIA (HEMEROCALLIS).

(Day Lily.)

Handsome perennial plants. They are quite hardy, and only require a moist soil and shady situation. 30 cts. each, \$3 per doz.

HELIANTHUS MULTIFLORUS PLENUS.

(Double Golden Sunflower.)
Perfectly hardy, and flowering from July
until frost. The flowers are of rich golden
yellow, and last a long time after being cut.
20 cts. each, \$2 per doz.

HYACINTHUS CANDICANS.

A magnificent hardy plant, producing in July and August a flower stem about 4 feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers. 10 cts. each, \$1 per doz.

MANETTIA VINE,

(Manettia Bicolor.)
A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts. each, \$1.50 per doz.

MADEIRA OR MIGNONETTE VINE.

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

LILIUM.

(Lily.)

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 15 cts. each, \$1.50 per doz.
Candidum. 15 cts. each, \$1.50 per doz.
Lancifolium rubrum. 25 cts. each.
'' roseum. 25 cts. each.

Tigrinum fl. pl. 25 cts. each.
"splendens. 25 cts. each.

MYRSIPHYLLUM ASPARA-GOIDES.

(Smilax.)

A very graceful climbing plant; can be used either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

PEONY, HARDY HERBA-CEOUS.

Large flowers, ranging from the purest white to the richest crimson, and most attractive. Large roots, 50 cts. each, \$5 per doz.

PAMPAS GRASS.

(Gynerium argenteum.)

A species of grass from South America, growing about 6 feet high, with plumes of yellowish white about 2 feet in length. 30 cts each, \$3 per doz.

RICHARDIA ALBA MACULATA.

(Summer Calla.)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

TIGRIDIA.

(Tiger-flower.)

Extremely handsome, producing many magnificent flowers in the open ground.

Conchiflora. 5 cts each, 50 cts. per doz., \$3.50 per 100.

Pavonia. 5 cts each, 50 cts. per doz., \$3.50 per 100.

TRITOMA UVARIA GRANDI-FLORA.

(Red-Hot Poker Plant.)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.

VALLOTTA PURPUREA.

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 50 cts. each, \$5 per doz.

SMALL FRUITS.

FOREIGN GRAPE VINES FOR VINERIES.

One-Year-Old Vines, \$1; Two-Year-Old Vines, \$2.

Bowood Muscat. Berries very large, of a rich amber color when ripe.

Black Alicante or Black Tokay. A large, showy black grape; fine late variety.

Black Barbarossa. Berries round, very large; a late variety.

Buckland's Sweetwater. Berries round, large; when ripe, of a pale amber; habit vigorous, and vine a good bearer.

Chasselas de Fontainebleau. Berries round and large, juicy and sweet.

Chasselas, White. Berries round; fair sized bunch.

Charlesworth White Tokay. Berries oval and large; bunch very large, juicy and rich.

Duchess of Buccleugh. Berries round, golden color; an excellent bearer.

Frontignac, White. Berries round, medium size; very rich; a good bearer.

Gros Colman. A very handsome grape; berries and bunches of enormous size; hangs very late.

Hamburg, Black. Large, sweet and juicy; a well-known and leading variety; very fine.

Lady Downs' Seedling. Berries large, oval, firm, sweet and richly flavored. One of the best late black grapes.

Madresfield Court. Berries very large, black, and of a rich muscat flavor; a superb grape.

Mrs. Prince's Muscat. Bunches large; berries medium size, nearly black.

Muscat of Alexandria. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Royal Ascot. Black oval berries; fine flavor.

Trentham Black. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. A late black grape; keeps well.

White Nice. Large bunch, and of very good quality.

HARDY GRAPE VINES.

Agawam. One of the most reliable of the hybrid grapes; bunches large, berries very large, dark red; ripens with or soon after Concord, and is of peculiar aromatic flavor. 50 cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75 cents each.

Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky flavor.

Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does well everywhere, and is always reliable. 50 cents each.

Concord Chasselas. Early, very large, rich amber; free from foxiness. 75 cents each.

Delaware. Early, small, light red; juicy, with very soft pulp; very productive, and requires a rich soil. 50 cents each.

Diana. Late; reddish lilac, juicy and sweet; very vigorous and very good. 35 cents each.

Duchess. Whitish green; berries and bunch medium size; fine flavor. 50 cents each.


Eldorado. A very beautiful grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cents each.


Elvira. Medium early; pale green, juicy and sweet. 40 cents each.


Hartford Prolific. Extra-early, large and very productive. Desirable grape for home use.

Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.

Niagara. Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cents each.







TIMBRELL STRAWBERRY.

HARDY GRAPE-VINES, continued.

Isabella. Medium early; large purplish black; with little pulp. 30 cents each.
Lady Washington. White; bunches and berries quite large and of good flavor. 75 cents.
Lindley (Rogers' No. 9). Light bronze; berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimac (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cents each.

Prentiss. Bunch large; berries of medium size, yellowish green, sometimes tinted rose color. 75 cents each.

STRAWBERRIES.

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten barn-yard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

	doz.	100.
Anna Kennedy (new). Pistillate. Fruit almost globular, of the most brilliant flame color. The berries are rich, sweet and sprightly. Season medium to		
late *x	00	\$6 00
Brandywine (new). Bi-sexual. Fruit of large size, quite firm and shapely. Foliage large and thrifty, entirely free from scale or blemish. Season		
medium to late	00	4 00
strong growth and exceedingly productive	50	3 00
Charles Downing. Bi-sexual. A well-known and popular family berry of fine flavor; the plants do well in most soils and locations	50	3 00
Cumberland Triumph. Bi sexual. An excellent early variety; berries of fine		
color, large, and of a delicious flavor.	50	3 00
Dayton (new). Bi-sexual. The plants are robust, compact growers; fruit of a crimson color, large in size, uniform in shape, and very productive. Early		
to medium	75	3 50
to the end of the season; berries of a bright scarlet color. Season extra		
early	00	6 00
Gandy. Bi-sexual. The berries are of mammoth size and shape, of a bright crimson color; one of the best and finest late sorts introduced; flavor of		
superior quality	75	3 50

·	
STRAWBERRIES, continued. Greenville (new). Pistillate. Plants good, strong, healthy growers, with a com-	100.
pact, dark, rich foliage. Fruit large and firm, of a dark crimson color;	** **
quite regular in shape and ripens evenly. Very productive Midseason to late \$0.75 Lovett's Early. A vigorous, healthy grower; fruit large, firm, enormously pro-	\$3 50
ductive; blossoms perfect	3 50
quality; rather late	3 50
Sharpless. Bi-sexual. Berries very large, solid and of fine flavor; plants hardy; very large and vigorous	3 o o
Shuckless. The Shuckless is recommended as a strong grower, producing berries of uniform size in great abundance and of the best quality. A late variety, with perfect flowers	4 0 0
The Marshall (new). Bi-sexual. Fruit large and perfect, of a dark, rich, crimson color, with large green hull	4 00
Timbrell (new). Pistillate. The plants are large and strong; foliage of a dark, rich, healthy color; the fruit stalks are unusually strong, and hold the fruit quite free from the ground. Medium to late	3 50
Van Deman. Bi-sexual. The fruit is large, of a dark glossy crimson, and fine quality; ripens extra early, and valuable as a pollenizer for early pistillates. 50	3 00
RASPBERRIES.	
Golden Queen. Large; fruit of a beautiful buff or amber color. One of the	. 100.
richest flavored berries	\$6 o o
Brandywine. Fruit bright red, very firm and fine-flavored; hardy and very	6 00
productive	6 00
Gregg. A new black-cap of the largest size; very productive, and of excellent	6
quality	
Miller Red. Berry as large as Cuthbert; color bright red, and ripening very early; very productive	
BLACKBERRIES.	. 100.
Erie. Fruit large; firm, sweet and high-flavored; a vigorous grower; perfectly	
hardy	
Kittatinny. A stout, erect and vigorous-growing kind; fruit large and delicious. I oo New Rochelle, or Lawton. Fruit very sweet and delicious when well ripened. I oo	6 o o
Wilson's Early. Very good; large, firm and sweet; hardy and productive, and one of the earliest in fruit	6 o ɔ
CURRANTS.	
Cherry. A strong-growing variety; fruit of the largest size, deep red \$1 00	
Fay's Prolific. Very large, and exceeding productive. Bunches of immense size. A popular red currant	
Red Dutch. The most prolific and best-flavored of the old red varities 1 00	6 00
Versailles. Foreign; vigorous grower; fruit of the largest size, dark red 1 00	6 00
White Grape. The best white variety; berry large, beautiful, best quality 1 00	6 00
Victoria. Late red; of good quality	6 00
GOOSEBERRIES.	. 100.
Downing. Pale green; large, prolific and good. Best for both home and market use	
Houghton's Seedling. Small to medium; fruit oval, pale red; very productive and free from rust	
Red Jacket. The most prolific and most valuable Gooseberry in America; as large as the largest; berry smooth. Very hardy. Quality best, and foliage	3 30
best of any Gooseberry known	16 0 0

ORNAMENTAL SHRUBS AND VINES.

HARDY VINES AND CREEPERS.

Ampelopsis quinquefolia. (Virginia or Strawberry Creeper.) Leaves crimson in autumn; very strong grower. 30 cents each.

"Veitchii. (Japanese Ivy.) Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho. (Dutchman's-pipe.) Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans. (Trumpet-creeper.) Scarlet flowers in August; handsome. 40 cents each.

" grandiflora. Very large flowers, of a splendid orange color. 50 cents each.

Clematis coccinea. Flowers scarlet; very choice. 50 cents each.

" flammula. (Virgin's-bower.) White; very fragrant. 50 cents each.

Jackmanni. Large purple flowers; a great favorite. 75 cents each.

Dolichos japonicus. A strong-growing large-leaved vine, which for rapidity of growth has no equal; strong plants will run fifty feet a season. 75 cents each.

Euonymus variegata. The leaves are variegated white and green; a distinct rapid-growing climbing plant. 40 cents each.

Hedera helix. (Evergreen Ivy.) Leaves large and luxuriant; a standard vine. 25 to 75 cents each.

" helix tricolor. (Tricolor-leaved Ivy.) Leaves green, white and rose; very pretty.

50 cents each.

Humulus lupulus. (Hop-vine.) A rapid grower; very ornamental. 30 cents each.

Hydrangea scandens. (Japan Climbing Hydrangea.) Leaves dark green; ornamental white flowers. A little tender while young. \$1 each.

Ipomœa pandurata. (Hardy Moon-flower.) Foliage large, with white flowers shading to pink; from 3 to 4 inches across; opens during the day. 25 cents each, \$2.50 per dozen.

Lonicera Belgica. (Honeysuckle.) Flowers all summer; very fragrant. 50 cents each.

Sinensis. (Chinese Honeysuckle.) Dark green foliage; one of the best. 50 cents. reticulata aurea. (Golden-leaved Japan Honeysuckle.) Remarkably ornamental,

with leaves of a distinct yellow effect. 50 cents each.

Menispermum Ganadense. (Moonseed.) A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Græca. (Virginia Silk Vine.) Foliage long, narrow and shining. 50 cents each. Wistaria Sinensis. (Chinese Blue Wistaria.) Flowers pale blue, in June; a superb climber for any place. 75 cents each.

" Sinensis alba. The best white variety. \$1 each.

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. alba. (Double White Flowering Almond.) A beautiful early-flowering shrub. 75 cents each.

"fl. pl. rubro. A variety of the preceeding with rose-colored flowers. 60 cents.

Andromeda Mariana. A native shrub, blooming about the last of May, bearing beautiful white flowers tinged with red. 50 cents each.

Berberis vulgaris. (European Barberry.) A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cents each.

atropurpurea. A purple-leaved variety of the above. 50 cents each.

DECIDUOUS HARDY SHRUBS, etc., continued.

Berberis Thunbergii. (Japan Barberry.) Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cents each.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each.

Calycanthus floridus. (Sweet-scented Shrub.) Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginica. (White Fringe.) Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladder-like pods. Very ornamental. 50 cents each.

Cornus florida flore rubro. (Red-flowering Dogwood.) A variety of white dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2 each.

" var. pendula. (Weeping Dogwood.) Its pendulous habit, large white flowers, and scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2 each.

" alba sanguinea. Remarkable in winter for the red color of its branches. 50 cts. each.

" sanguinea variegata. Having very ornamental green foliage, striped with white during the whole season. 50 cents each.

Corylus. (Hazel.) A distinct very ornamental shrub; the leaves are of a deep, dark red color. almost black. 75 cents each.

Cratægus alba plena. (White-flowering Hawthorn.) Foliage and flowers very ornamental. 75 cents each.

" coccinea fl. pl. Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low spreading shrub, bearing white flowers. 60 cents each.

Cydonia Japonica carnea fl. pl. (Japan Quince) Flesh-colored double flowers, produced early in spring. 75 cents each.

" rubra grandiflora. (Red Japan Quince.) Large red flowers; very showy.

50 cents each.

Cytisus laburaum. (Golden Chain.) Drooping yellow flowers; a handsome small tree. \$1 each.

Daphne cneorum. A choice low-growing bush, bearing its sweet-scented rosy white flowers for several weeks of midsummer. 75 cents each.

Deutzia crenata fl. pl. alba. Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cents each.

" gracilis. Dwarf, compact; pure white. 35 cents each.

" scabra. (Rough leaved Deutzia.) Bearing beautiful white spiral flowers. 50 cts. each. Euonymus Americanus. Shining green foliage, scarlet berries; fine in fall. 50 cents each.

" latifolius. (Burning-bush.) Vigorous growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea. (Copper Beech.) Leaves purple, early in the season. \$1.50 to \$5 each.
'' laciniata. (Cut-leaved Beech.) Cone-shaped and compact; leaves showy. \$1.50 to \$3.
Forsythia viridissima. (Golden Bell.) The best early-flowering shrub. 50 cents each.

Genista scoparius. (Scotch Broom.) Yellow; flowers in May. 40 cents each.

Hibiscus Syriacus atrorubens. (Althæa, or Rose of Sharon.) Showy purple flowers. 35 cents.
"foliis variegatis. Variegated foliage; highly ornamental. 60 cents each.

Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in cultivation. 75 cents to \$2 each.

' hortensis. Changeable rose-colored flowers; very popular. 50 cents each.

Itea Virginica. A very pretty shrub, bearing large erect spikes of white flowers, making a fine appearance for a long time. 50 cents each.


Ligustrum tricolor. (Privet.) Stands the sun well and forms a good bush; the leaves are golden yellow, changing to white and green as it develops. 50 cents each.

Lonicera Tatarica. (Upright Honeysuckle.) Pink flowers in May; handsome. 40 cts. each.

"alba. A pretty upright shrub; white flowers in spring. 50 cents each.

Magnolia conspicua. A Chinese tree producing large white flowers in spring. \$2 to \$5 each.

Soulangeana. Like above, but flowers are purple and white. \$1.50 to \$5 each.



WHITE LILAC (SYRINGA VULGARIS ALBA).

DECIDUOUS HARDY SHRUBS, etc., continued.

Pæonia Moutan. (Tree Pæony.) Very large flowers, of gorgeous colors. \$2 to \$3 each.

Philadelphus coronarius. (Mock-Orange or Syringa.) Strong-growing; pure white fragrant flowers in June. 50 cents each.

Prunus Sinensis. (Double White-flowering Plum.) Very pretty. 75 cents each.

" myrobolana. (Pissardi.) A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cents each.

Ribes aureum. (Missouri Currant). Shining glabrous leaves; early yellow flowers. 35 cents each.

Rhus cotinus. (Purple-Fringe or Smoke Tree.) A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

" glabra laciniata, (Cut-leaved Sumac.) Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Salisburia adiantifolia. (Maiden-Hair Tree.) A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1 each.

Spiræa Billardii. Pink-flowered; a late blooming species. 50 cents each.

' prunifolia fl. pl. (Plum-leaved Spiræa.) Double white flowers. 40 cents each.

"Reevesiana fl. pl. Clusters of double white flowers, early in spring. 50 cents each.

Symphoricarpus racemosus. (Snowberry.) White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris. (Common Lilac.) Purple, sweet-scented flowers. 35 cents each.

" alba. White, sweet-scented; very delicate. 40 cents each.

" Persica. (Persian Lilac.) Small-leaved; purple flowers of a different shade. 40 cents each.

Tamarix Africana. Béautiful feathery foliage; makes a fine small tree. 50 cents each.

Viburnum plicatum. (Double Japan Snowball.) Distinct and good; of upright growth, with plaited leaves, and many pure white heads of flowers. 50 to 75 cents each.

Weigela amabilis. Pink flowers; free bloomer. 50 cents each.

" alba. White; very showy. 50 cents each.

" variegata. Beautiful variegated foliage. 50 cents each.

"floribunda. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cents each.

Vitus Agnus-Castus. A handsome-leaved shrub; it bears panicles of lilac-blue flowers, and the foliage is nicely scented. 50 cent each.

the foliage is nicely scented. 50 cent each.

Also supplied to order, all the leading varieties of standard and dwarf Roses,
Azaleas, Camellias, etc., Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.



FINEST MIXED LAWN GRASS.

Per qt., 25 cts.; per peck, \$1.25; per bushel, \$4.50.

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns, Cemeteries, etc. These grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

Grass seed may be sown in April or May, and again in September. The ground should be very carefully prepared, and made fine to receive the seed. After the seed is well up, and again at frequent intervals, the lawn should be rolled, which will greatly improve the turf.

Address

ALFRED BRIDGEMAN, 37 E. 19th St., NEW YORK.

