

Multiple Random Variables

Young W Lim

April 26, 2018

Copyright (c) 2018 Young W. Lim. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

This work is licensed under a Creative Commons "Attribution-NonCommercial-ShareAlike 3.0 Unported" license.



Based on
Probability, Random Variables and Random Signal Principles,
P.Z. Peebles,Jr. and B. Shi

Outline

1 Joint Distribution and its Properties

Probability Distribution Function

Definition

events :

$$A = \{X \leq x\}$$

$$B = \{Y \leq y\}$$

probability distribution functions :

$$F_X(x) = P\{X(s) \leq x\}$$

$$F_Y(y) = P\{Y(s) \leq y\}$$

Joint Distribution Function

joint event $\{X \leq x, Y \leq y\} = (A \cap B)$

joint probability distribution function

an $F_{XY}(x, y) = P\{X \leq x, Y \leq y\} = P(A \cap B)$

Joint Distribution Function

for two discrete random variables

let X have N possible values x_n

let Y have M possible values y_m

$$F_{XY}(x, y) = P\{X \leq x, Y \leq y\}$$

$$= \sum_{n=1}^N \sum_{m=1}^M P(x_n, y_m) u(x - x_n) u(y - y_m)$$

$P(x_n, y_m)$ the probability of the joint event $\{X = x_n, Y = y_m\}$

$u(\cdot)$ the unit step function

Joint Distribution Function

for N random variables

let N random variables $X_n, n = 1, 2, \dots, N$

$$F_{X_1, X_2, \dots, X_N}(x_1, x_2, \dots, x_n) = P\{X_1 \leq x_1, X_1 \leq x_1, \dots, X_N \leq x_N\}$$