Differentiation of Continuous Functions

Young W Lim

Sep 12, 2024

Approximations of a first derivative

Copyright (c) 2024 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

This work is licensed under a Creative Commons "Attribution-NonCommercial-ShareAlike 3.0 Unported" license.



Based on Introduction to Matrix Algebra, Autar Kaw https://ma.mathforcollege.com

Outline

- Approximations of a first derivative
 - Forward Difference Approximation
 - Backward Difference Approximation
 - Taylor Series
 - Central Divided Difference

Outline

- Approximations of a first derivative
 - Forward Difference Approximation
 - Backward Difference Approximation
 - Taylor Series
 - Central Divided Difference

Forward Difference Approximation (1)

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$
$$= \lim_{\Delta x \to 0} \frac{f(x+\Delta x) - f(x)}{\Delta x}$$

for a finite $\Delta x > 0$

$$f'(x) \approx \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

Forward Difference Approximation (2)




Figure: forward difference approximation



Forward Difference Approximation (3)

a forward difference approximation as you are taking a point forward from x.

To find the value of f'(x) at $x = x_i$, we may choose another point Δx forward as $x = x_{i+1}$.

$$f'(x) \approx \frac{f(x+\Delta x)-f(x)}{\Delta x}$$

$$f'(x_i) \approx \frac{f(x_{i+1}) - f(x_i)}{\Delta x}$$
$$= \frac{f(x_{i+1}) - f(x_i)}{x_{i+1} - x_i}$$

Outline

- Approximations of a first derivative
 - Forward Difference Approximation
 - Backward Difference Approximation
 - Taylor Series
 - Central Divided Difference

Backward Difference Approximation (1a)

forward difference approximation

for a finite $\Delta x > 0$,

$$f'(x) \approx \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

backward difference approximation

for a finite $\Delta x < 0$, then $-\Delta x > 0$,

$$f'(x) \approx \frac{f(x - \Delta x) - f(x)}{-\Delta x}$$
$$= \frac{f(x) - f(x - \Delta x)}{\Delta x}$$

Backward Difference Approximation (1b)




Figure: backward difference approximation (a)

Backward Difference Approximation (2a)

forward difference approximation

for a finite $\Delta x > 0$,

$$f'(x) \approx \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

backward difference approximation

for a finite $\Delta x > 0$, then $-\Delta x < 0$,

$$f'(x) \approx \frac{f(x) - f(x - \Delta x)}{x - (x - \Delta x)}$$
$$= \frac{f(x) - f(x - \Delta x)}{\Delta x}$$

Backward Difference Approximation (2b)




Figure: backward difference approximation (b)

Backward Difference Approximation (3)

a backward difference approximation as you are taking a point backward from x.

To find the value of f'(x) at $x = x_i$, we may choose another point Δx backwad as $x = x_{i-1}$.

$$f'(x) \approx \frac{f(x) - f(x - \Delta x)}{\Delta x}$$

$$f'(x_i) \approx \frac{f(x_i) - f(x_{i-1})}{\Delta x}$$

= $\frac{f(x_i) - f(x_{i-1})}{x_i - x_{i-1}}$

Outline

- Approximations of a first derivative
 - Forward Difference Approximation
 - Backward Difference Approximation
 - Taylor Series
 - Central Divided Difference

Taylor Series (1)

the Taylor series of a function f(x), that is infinitely differentiable at a point a is the power series

$$f(a) + f'(a)(x-a) + \frac{f''(a)}{2!}(x-a)^2 + \cdots$$

Taylor Series (2)

If f(x) is given by a convergent power series in an open disk centred at a, it is said to be *analytic* in this region.

Thus for x in this region, f is given by a convergent power series

$$f(x) = f(a) + f'(a)(x - a) + \frac{f''(a)}{2!}(x - a)^2 + \cdots$$

Approximating the first derivative

A Taylor expansion approximate f(x), using $f(a), f'(a), f''(a), \cdots$,

$$f(x) = f(a) + f'(a)(x-a) + \frac{f''(a)}{2!}(x-a)^2 + \cdots$$

• for forward difference approximatin

$$x_i = a$$
, $x_{i+1} = x$, $\Delta x = x_{i+1} - x_i$

• for forward difference approximatin

$$x_i = a, \quad x_{i-1} = x, \quad \Delta x = x_i - x_{i-1}$$

Deriving Forward Difference Approximation (1)

A Taylor expansion approximate f(x), using $f(a), f'(a), f''(a), \cdots$,

$$f(x) = f(a) + f'(a)(x-a) + \frac{f''(a)}{2!}(x-a)^2 + \cdots$$

Let $x_i = a$ and $x_{i+1} = x$

$$f(x_{i+1}) = f(x_i) + f'(x_i)(x_{i+1} - x_i) + \frac{f''(x_i)}{2!}(x_{i+1} - x_i)^2 + \cdots$$

Substituting for convenience $\Delta x = x_{i+1} - x_i$

$$f(\mathbf{x}_{i+1}) = f(\mathbf{x}_i) + f'(\mathbf{x}_i)(\Delta x) + \frac{f''(\mathbf{x}_i)}{2!}(\Delta x)^2 + \cdots$$

Deriving Forward Difference Approximation (2)

$$f(x_{i+1}) = f(x_i) + f'(x_i)(\Delta x) + \frac{f''(x_i)}{2!}(\Delta x)^2 + \cdots$$

$$f(x_{i+1}) - f(x_i) - \frac{f''(x_i)}{2!}(\Delta x)^2 - \cdots = f'(x_i)(\Delta x)$$

$$\frac{f(x_{i+1}) - f(x_i)}{\Delta x} - \frac{f''(x_i)}{2!}(\Delta x) - \cdots = f'(x_i)$$

$$\frac{f(x_{i+1}) - f(x_i)}{\Delta x} + O(\Delta x) = f'(x_i)$$

Deriving Backward Difference Approximation (1)

A Taylor expansion approximate f(x), using $f(a), f'(a), f''(a), \cdots$,

$$f(x) = f(a) + f'(a)(x-a) + \frac{f''(a)}{2!}(x-a)^2 + \cdots$$

Let $x_i = a$ and $x_{i-1} = x$

$$f(x_{i-1}) = f(x_i) + f'(x_i)(x_{i-1} - x_i) + \frac{f''(x_i)}{2!}(x_{i-1} - x_i)^2 + \cdots$$

Substituting for convenience $\Delta x = x_i - x_{i-1}$

$$f(\mathbf{x}_{i-1}) = f(\mathbf{x}_i) - f'(\mathbf{x}_i)(\Delta \mathbf{x}) + \frac{f''(\mathbf{x}_i)}{2!}(\Delta \mathbf{x})^2 - \cdots$$

=

Deriving Forward Difference Approximation (2)

$$f(\mathbf{x}_{i-1}) = f(\mathbf{x}_i) - f'(\mathbf{x}_i)(\Delta x) + \frac{f''(\mathbf{x}_i)}{2!}(\Delta x)^2 - \cdots$$

$$f'(\mathbf{x}_i)(\Delta x) = f(\mathbf{x}_i) - f(\mathbf{x}_{i-1}) + \frac{f''(\mathbf{x}_i)}{2!}(\Delta x)^2 - \cdots$$

$$f'(\mathbf{x}_i) = \frac{f(\mathbf{x}_i) - f(\mathbf{x}_{i-1})}{\Delta x} + \frac{f''(\mathbf{x}_i)}{2!}(\Delta x) - \cdots$$

$$f'(\mathbf{x}_i) = \frac{f(\mathbf{x}_i) - f(\mathbf{x}_{i-1})}{\Delta x} + O(\Delta x)$$

Forward and Backward Approximation

• for forward difference approximatin

$$x_i = a, \quad x_{i+1} = x, \quad \Delta x = x_{i+1} - x_i$$

$$f'(\mathbf{x}_i) = \frac{f(\mathbf{x}_{i+1}) - f(\mathbf{x}_i)}{\Delta x} + O(\Delta x)$$

for forward difference approximatin

$$x_i = a, \quad x_{i-1} = x, \quad \Delta x = x_i - x_{i-1}$$

$$f'(\mathbf{x}_i) = \frac{f(\mathbf{x}_i) - f(\mathbf{x}_{i-1})}{\Delta x} + O(\Delta x)$$

Approximation Errors

- the $O(\Delta x)$ term shows that the error in the approximation is of the order of Δx
- both forward and backward difference approximation of the first derivative are accurate on the order of $O(\Delta x)$
- to get better approximations
- the Central divided difference approximation of the first derivative.

Deriving Central Divide Approximation (1)

$$f(x) = f(a) + f'(a)(x-a) + \frac{f''(a)}{2!}(x-a)^2 + \cdots$$

Let $x_i = a$ and $x_{i+1} = x$, and substitute $\Delta x = x_{i+1} - x_i$

$$f(x_{i+1}) = f(x_i) + f'(x_i)(x_{i+1} - x_i) + \frac{f''(x_i)}{2!}(x_{i+1} - x_i)^2 + \cdots$$

Let $x_i = a$ and $x_{i-1} = x$, and substitute $\Delta x = x_i - x_{i-1}$

$$f(x_{i-1}) = f(x_i) + f'(x_i)(x_{i-1} - x_i) + \frac{f''(x_i)}{2!}(x_{i-1} - x_i)^2 + \cdots$$

Deriving Central Divide Approximation

$$f(x_{i+1}) = f(x_i) + f'(x_i)(\Delta x) + \frac{f''(x_i)}{2!}(\Delta x)^2 + \frac{f^{(3)}(x_i)}{3!}(\Delta x)^3 + \cdots$$

$$f(x_{i-1}) = f(x_i) - f'(x_i)(\Delta x) + \frac{f''(x_i)}{2!}(\Delta x)^2 - \frac{f^{(3)}(x_i)}{3!}(\Delta x)^3 + \cdots$$

subtracting eq(2) from eq(1)

$$f(x_{i+1}) - f(x_{i-1}) = 2f'(x_i)(\Delta x) + \frac{2f^{(3)}(x_i)}{3!}(\Delta x)^3 + \cdots$$

$$2f'(x_i)(\Delta x) = f(x_{i+1}) - f(x_{i-1}) - \frac{2f^{(3)}(x_i)}{3!}(\Delta x)^3 - \cdots$$

$$f'(x_i) = \frac{f(x_{i+1}) - f(x_{i-1})}{2(\Delta x)} - \frac{f^{(3)}(x_i)}{3!}(\Delta x)^2 - \cdots$$

$$f'(x_i) = \frac{f(x_{i+1}) - f(x_{i-1})}{2\Delta x} + O((\Delta x)^2)$$

Outline

- Approximations of a first derivative
 - Forward Difference Approximation
 - Backward Difference Approximation
 - Taylor Series
 - Central Divided Difference

Central Divided Approximation




Figure: central difference approximation



Tangent Lines

- as $h \to 0$, $Q \to P$ and the secant line \to the tangent line
- the slope of the tangent line

$$m_{tangent} = \lim_{h \to 0} \frac{f(a+h) - f(a)}{(a+h) - a}$$
$$= \lim_{h \to 0} \frac{f(a+h) - f(a)}{h}$$

Forward Difference Approximation Backward Difference Approximatio Taylor Series Central Divided Difference

Forward Difference Approximation Backward Difference Approximatio Taylor Series Central Divided Difference