Multiple Random Variables

Young W Lim

April 24, 2018

Young W Lim Multiple Random Variables

< ∃ >

Copyright (c) 2018 Young W. Lim. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

This work is licensed under a Creative Commons "Attribution-NonCommercial-ShareAlike 3.0 Unported" license.



イロト イポト イヨト イヨト

Based on Probability, Random Variables and Random Signal Principles, P.Z. Peebles, Jr. and B. Shi



1 Joint Distribution and its Properties

Young W Lim Multiple Random Variables

Joint Distribution and its Properties

Probability Distribution Function

Definition

events :

 $A = \{X \le x\}$ $B = \{Y \le y\}$

probability distribution functions : $F_X(x) = P\{X(s) \le x\}$ $F_Y(y) = P\{Y(s) \le y\}$

- ∃ →

Joint Distribution Function

joint event
$$\{X \le x, Y \le y\} = (A \cap B)$$

joint probability distribution function
an $F_X(x,y) = P\{X \le x, Y \le y\} = P(A \cap B)$

æ