

# Applications of Arrays (1A)

---

Copyright (c) 2024 - 2010 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to [youngwlim@hotmail.com](mailto:youngwlim@hotmail.com).

This document was produced by using LibreOffice.

- 
- Viewing an **array** as a **pointer**
  - Viewing a **pointer** as an **array**

- Viewing an **array** as a **pointer**

`int a[4];`

an array **a**

generalization



`int (*a)`

view **a** as a pointer

virtual pointer

- no real memory location

- constraints :

`value(&a) = value(a)`

- Viewing a **pointer** as an **array**

`int (*a);`

a pointer **a**

a specific instance



`int a[N]`

view **a** as an array

**N** is not fixed

`sizeof(a)` is


not the size of the array

but of a pointer variable

# Array **a** and pointer **a**


`int a[4];`

an array **a**




`int (*a);`

a pointer **a**




`int (*a)`

**a** as a pointer



`int a[N]`

**a** as an array



# Array **a** and pointer **a**

`int a[4];` an array **a**

- `type(a)` = `int [4]`
- `sizeof(a)` = an array size (16 bytes)
- `value(&a)` = `value(a)`
- fixed number of elements

`int (*a)` **a** as a pointer

**a** is not a real pointer

- `sizeof(a)` = an array size
- `value(&a)` = `value(a)`

`int (*a);` a pointer **a**

- `type(a)` = `int (*)`
- `sizeof(a)` = a pointer size (4 bytes)
- `value(&a)`  $\neq$  `value(a)`
- variable number of elements

`int a[N]` **a** as an array

**a** is not a real array

- `sizeof(a)`  $\neq$  an array size  
= a pointer size
- `value(&a)`  $\neq$  `value(a)`  
= assigned address

# Relationship between array and array pointer types

`int b[4][2];` declare a **2-d** array **b**



generalization

`int (*b)[2]` **b** as a **1-d** array pointer

`int a[4];` declare a **1-d** array **a**



generalization

`int (*a)` **a** as a **0-d** array pointer

`int (*b)[2];` declare a **1-d** array pointer **b**



a specific instance

`int b[N][2]` **b** as a **2-d** array

`int (*a);` declare a **0-d** array pointer **a**



a specific instance

`int a[N]` **a** as a **1-d** array

# Array **b** and array pointer **b**

`int b[4][2];`      2-d array **b**

- `type(b)` = `int [4]`
- `sizeof(b)` = an array size (32 bytes)
- `value(&b)` = `value(b)`
- fixed number of elements

`int (*) [2]`      **b** as a 1-d array pointer

**b** is not a real pointer

- `sizeof(b)` = an array size
- `value(&b)` = `value(b)`

`int (*b) [2];`      1-d array pointer **b**

- `type(b)` = `int (*)`
- `sizeof(b)` = a pointer size (4 bytes)
- `value(&b)` ≠ `value(b)`
- variable number of elements

`int [N][2]`      **b** as a 2-d array

**b** is not a real array

- `sizeof(b)` ≠ an array size  
= a pointer size
- `value(&b)` ≠ `value(b)`  
= assigned address



# Array **b** and array pointer **b**

`int b[4][2];`

2-d array **b**

<b>b</b>	b[0]	b[0][0]
		b[0][1]
	b[1]	b[1][0]
		b[1][1]
	b[2]	b[2][0]
		b[2][1]
	b[3]	b[3][0]
		b[3][1]

`int (*) [2]`

**b** as a 1-d array pointer

<b>b</b>	*(b+0)	(*(b+0))[0]
		(*(b+0))[1]
	*(b+1)	(*(b+1))[0]
		(*(b+1))[1]
	*(b+2)	(*(b+2))[0]
		(*(b+2))[1]
	*(b+3)	(*(b+3))[0]
		(*(b+3))[1]

minimal reference

extended references

virtual pointer  
- no real memory location  
- constraints :  
`&b = b`

...

`int (*b) [2];`

1-d array pointer **b**

<b>b</b>	*(b+0)	(*(b+0))[0]
		(*(b+0))[1]
	*(b+1)	(*(b+1))[0]
		(*(b+1))[1]
	*(b+2)	(*(b+2))[0]
		(*(b+2))[1]
	*(b+3)	(*(b+3))[0]
		(*(b+3))[1]

minimal reference

extended references

...

`int [N][2]`

**b** as a 2-d array

<b>b</b>	b[0]	b[0][0]
		b[0][1]
	b[1]	b[1][0]
		b[1][1]
	b[2]	b[2][0]
		b[2][1]
	b[3]	b[3][0]
		b[3][1]

**N** is not fixed to 4

`sizeof(b)` is not the size of the array but the size of a pointer variable

# Dual type - relaxing the 1<sup>st</sup> dimension of an array

`int [4][2]` **2-d array**  
more constrained type

relaxing the  
1<sup>st</sup> dimension  
generalization



a specific instance

`int (*)[2]` **1-d array pointer**  
more general type

`int [4]` **1-d array**  
more constrained type

relaxing the  
1<sup>st</sup> dimension  
generalization




a specific instance

`int (*)` **0-d array pointer**  
more general type






# Subarray types in a 2-d array

`int b[2][4];` 2-d array `b`



# Dual types in a 2-d array

`int b[2][4];` 2-d array **b**



# Subarray type examples

```
int a[4];
```

			relaxed type	virtual
a	int [4]	<b>1-d</b> array type	int (*)	<b>0-d</b> array pointer type
a[i]	int	<b>0-d</b> array type		




```
int b[2][4];
```

			relaxed type	virtual
b	int [2][4]	<b>2-d</b> array type	int (*)[4]	<b>1-d</b> array pointer type
b[i]	int [4]	<b>1-d</b> array type	int (*)	<b>0-d</b> array pointer type
b[i][j]	int	<b>0-d</b> array type		

```
int c[4][2][3];
```

			relaxed type	virtual
c	int [4][2][3]	<b>3-d</b> array type	int (*)[2][3]	<b>2-d</b> array pointer type
c[i]	int [4][2]	<b>2-d</b> array type	int (*)[2]	<b>1-d</b> array pointer type
c[i][j]	int [4]	<b>1-d</b> array type	int (*)	<b>0-d</b> array pointer type
c[i][j][k]	int	<b>0-d</b> array type		

# Types of **a**, **b**, **c** arrays





```
int a[4];
int b[2][4];
int c[4][2][3];
```

## dual types

int [4]	<b>1-d array a</b>	<b>a[i]</b>
int (*)	<b>0-d array pointer a (virtual)</b>	<b>*(a+i)</b>
int [4][2];	<b>2-d array b</b>	<b>b[i]</b>
int (*)[2];	<b>1-d array pointer b (virtual)</b>	<b>*(b+i)</b>
int [4][2][3];	<b>3-d array c</b>	<b>c[i]</b>
int (*)[2][3];	<b>2-d array pointer c (virtual)</b>	<b>*(c+i)</b>

# Types of $b[i]$ , $c[i]$ subarrays

```
int a[4];
int b[2][4];
int c[4][2][3];
```



## dual types

<code>int [2]</code>	<b>1-d array <math>b[i]</math></b>	<code><math>b[i][j]</math></code>
<code>int (*)</code>	<b>0-d array pointer <math>b[i]</math> (virtual)</b>	<code><math>*(b[i]+j)</math></code>
<code>int [2][3];</code>	<b>2-d array <math>c[i]</math></b>	<code><math>c[i][j]</math></code>
<code>int (*)[3];</code>	<b>1-d array pointer <math>c[i]</math> (virtual)</b>	<code><math>*(c[i]+j)</math></code>

# Types of `c[i][j]` subarrays

```
int a[4];
int b[2][4];
int c[4][2][3];
```

## dual types

<code>int [3]</code>	<b>1-d array</b> <code>c[i][j]</code>	<code>c[i][j][k]</code>
<code>int (*)</code>	<b>0-d array pointer</b> <code>c[i][j]</code> (virtual)	<code>*(c[i][j]+k)</code>





# Types of a 4-d array and its subarrays

int **d**[4][2][3][4];


types

<b>d</b>	consider <b>d</b> [4][2][3][4] relax the 1 <sup>st</sup> dimension	→ →	int [4][2][3][4] int (*)[2][3][4]	⇒ ⇒	<b>4-d</b> array <b>3-d</b> array pointer (virtual)
<b>d[i]</b>	consider <b>d</b> [i][2][3][4] relax the 1 <sup>st</sup> dimension	→ →	int [2][3][4] int (*)[3][4]	⇒ ⇒	<b>3-d</b> array <b>2-d</b> array pointer (virtual)
<b>d[i][j]</b>	consider <b>d</b> [i][j][3][4] relax the 1 <sup>st</sup> dimension	→ →	int [3][4] int (*)[4]	⇒ ⇒	<b>2-d</b> array <b>1-d</b> array pointer (virtual)
<b>d[i][j][k]</b>	consider <b>d</b> [i][j][k][4] relax the 1 <sup>st</sup> dimension	→ →	int [4] int (*)	⇒ ⇒	<b>1-d</b> array <b>0-d</b> array pointer (virtual)

i,j,k are specific index values    i=[0..3],    j=[0..1],    k=[0..2]

# Initializing $n$ -d array pointers with $n$ -d subarrays


```
int d[4][2][3][4];
```



$d$	4-d array	$d[4][2][3][4]$	$p = \&d$	abstract data
$p$	4-d array pointer	$(*p)[4][2][3][4]$	$\text{int } (*p)[4][2][3][4] = \&d;$ $(*p)[i][j][k][l] \equiv d[i][j][k][l]$	
$d[i]$	3-d array	$d[i][2][3][4]$	$p = \&d[i]$	abstract data
$p$	3-d array pointer	$(*p)[2][3][4]$	$\text{int } (*p)[3][4] = \&d[i];$ $(*p)[j][k][l] \equiv d[i][j][k][l]$ given $i$	
$d[i][j]$	2-d array	$d[i][j][3][4]$	$p = \&d[i][j]$	abstract data
$p$	2-d array pointer	$(*p)[3][4]$	$\text{int } (*p)[4] = \&d[i][j];$ $(*p)[k][l] \equiv d[i][j][k][l]$ given $i, j$	
$d[i][j][k]$	1-d array	$d[i][j][k][4]$	$p = \&d[i][j][k]$	abstract data
$p$	1-d array pointer	$(*p)[4]$	$\text{int } (*p) = \&d[i][j][k];$ $(*p)[l] \equiv d[i][j][k][l]$ given $i, j, k$	

# Initializing $(n-1)$ -d array pointers with $n$ -d subarrays

```
int d[4][2][3][4];
```




<b>d</b>	4-d array	$d[4][2][3][4]$	$q = d$	virtual pointer
<b>q</b>	3-d array pointer	$(*q)[2][3][4]$	$int (*q)[2][3][4] = d;$ $q[i][j][k][l] \equiv d[i][j][k][l]$	
<b>d[i]</b>	3-d array	$d[i][2][3][4]$	$q = d[i]$	virtual pointer
<b>q</b>	2-d array pointer	$(*q)[3][4]$	$int (*q)[3][4] = d[i];$ $q[j][k][l] \equiv d[i][j][k][l]$ given i	
<b>d[i][j]</b>	2-d array	$d[i][j][3][4]$	$q = d[i][j]$	virtual pointer
<b>q</b>	1-d array pointer	$(*q)[4]$	$int (*q)[4] = d[i][j];$ $q[k][l] \equiv d[i][j][k][l]$ given i, j	
<b>d[i][j][k]</b>	1-d array	$d[i][j][k][4]$	$q = d[i][j][k]$	virtual pointer
<b>q</b>	0-d array pointer	$(*q)$	$int (*q) = d[i][j][k];$ $q[l] \equiv d[i][j][k][l]$ given i, j, k	



---

Aggregate Data Types  
Abstract Data Types  
Virtual Array Pointers

# Aggregate data type



# Abstract data **c**




an abstract data

- start address
- size

**c**  
**&c**  
**sizeof(c)**

# Aggregate data **c**




an aggregate type data **c**

- 1<sup>st</sup> element    **c[0]**
- 2<sup>nd</sup> element    **c[1]**
- 3<sup>rd</sup> element    **c[2]**

# Virtual pointer **c**

$\&c = c = \&c[0]$



$\text{size}(*c)$

a virtual pointer **c**  
- pointer address  $\&c$   
- pointer value  $c = \&c[0]$   
  
with the constraint  
 $c = \&c$

an abstract data  $c[0] = *c$   
- start address  $\&c[0] = c$   
- size  $\text{sizeof}(c[0])$



virtual pointer **c** points  
to abstract data **c[0]**

## virtual pointers

- no physical memory locations are allocated
- address and data have the same value




# Abstract data $c[i]$



- an abstract data
  - start address  $c[0]$
  - size  $\&c[0]$
  - $sizeof(c[0])$
- an abstract data
  - start address  $c[1]$
  - size  $\&c[1]$
  - $sizeof(c[1])$
- an abstract data
  - start address  $c[2]$
  - size  $\&c[2]$
  - $sizeof(c[2])$


# Aggregate data $c[i]$



an aggregate type data  $c[i]$

- 1<sup>st</sup> element  $c[i][0]$
- 2<sup>nd</sup> element  $c[i][1]$
- 3<sup>rd</sup> element  $c[i][2]$
- 4<sup>th</sup> element  $c[i][3]$

# Virtual pointer $c[i]$



a virtual pointer  $c[i]$

- pointer address  $\&c[i]$
- pointer value  $c+i = \&c[i]$

with the constraint

$$c[i] = \&c[i]$$

an primitive data  $c[i][0] = *c[i]$

- start address  $\&c[i][0] = c[i]$
- size  $\text{sizeof}(c[i][0])$



virtual pointer  $c[i]$   
points to primitive data  $c[i][0]$

## virtual pointers

- no physical memory locations are allocated
- address and data have the same value


# A 2-d array and its 1-d sub-arrays – a size view

```
int c[3][4];
```



# A 2-d array and its 1-d sub-arrays – a virtual pointer view

```
int c[3][4];
```



`value( c ) = value( c[0] ) = value(&c[0][0])`  
`value(&c) = value(&c[0]) = value(&c[0][0])`


`value( c[1] ) = value(&c[1][0])`  
`value(&c[1]) = value(&c[1][0])`

`value( c[2] ) = value(&c[2][0])`  
`value(&c[2]) = value(&c[2][0])`

`address(c) = address(c[0]) = address(c[0][0])`  
`address(c[1]) = address(c[1][0])`  
`address(c[2]) = address(c[2][0])`

# A 2-d array and its 1-d sub-arrays – size relation

```
int c[3][4];
```



`sizeof(c)` = `sizeof(c[0])` \* 3 ... leading element  
`sizeof(c+1)` = pointer size (4/8 bytes)  
`sizeof(c+2)` = pointer size (4/8 bytes)


`sizeof(c[0])` = `sizeof(c[0][0])` \* 4 ... leading element  
`sizeof(c[0]+1)` = pointer size (4/8 bytes)  
`sizeof(c[0]+2)` = pointer size (4/8 bytes)  
`sizeof(c[0]+3)` = pointer size (4/8 bytes)

`sizeof(c[1])` = `sizeof(c[1][0])` \* 4 ... leading element  
`sizeof(c[1]+1)` = pointer size (4/8 bytes)  
`sizeof(c[1]+2)` = pointer size (4/8 bytes)  
`sizeof(c[1]+3)` = pointer size (4/8 bytes)

`sizeof(c[2])` = `sizeof(c[2][0])` \* 4 ... leading element  
`sizeof(c[2]+1)` = pointer size (4/8 bytes)  
`sizeof(c[2]+2)` = pointer size (4/8 bytes)  
`sizeof(c[2]+3)` = pointer size (4/8 bytes)

# Sub-array types in a 2-d array

`int c[3][4];` 2-d array `c`



Dual Types

- 
- **Identifying nested arrays  
in a 2-d array declaration**



# Nested arrays in a 2-d array declaration

int c[3] [4] ;

int c[3] [4] ;

**c** : a 3 element array  
**c[i]** : each element

int c[3] [4] ;

**c[i]**'s type 1 : int [4]  
an array of 4 integers

int c[3] [4] ;

relaxed dimension



**c[i]**'s type 2: int (\*)  
a pointer to an integer

# Nested arrays


`c[3]`

`c` : a 3 element array  
`c[i]` : each element

`int`

`[4];`

`c[i]`'s type 1 : `int [4]`  
`c[i]`'s type 2 : `int (*)`



Address

`&c[0][0]` → `c[0]` → `c`

`&c[1][0]` → `c[1]`

`&c[2][0]` → `c[2]`

`int`

`c[3]`

`[4];`

# c : 3-element array


<b>c</b>	2-d array	int [3][4]
<b>c[i]</b>	1-d array	int [4]

```
int c [3] [4] ;
```

## 3-element array c


abstract data element **c[i]**

each element **c[i]** has the 1-d array type **int [4]**



# c : pointer to a 4-element array


<b>c</b>	1-d array pointer	int (*)[4]
<b>c[i]</b>	1-d array	int [4]



## pointer c


abstract data element **c[0]**

each element **c[i]** has the 1-d array type **int [4]**



# c[i] : 4-element array


c[i]	1-d array	int [4]
c[i][j]	0-d array	int



## 4-element array c[i]


primitive data element `c[i][j]`

each element `c[i][j]` has the primitive type `int`



# c[i] : pointer to a primitive data


c[i]	0-d array pointer	int (*)
c[i][j]	0-d array	int



## pointer c[i]

primitive data element **c[i][0]**

each element **c[i][j]** has the primitive type **int**




# Recursive data view

<code>c</code>	2-d array	<code>int [3][4]</code>
<code>c</code>	1-d array pointer	<code>int (*)[4]</code>
<code>c[i]</code>	1-d array	<code>int [4]</code>
<code>c[i]</code>	0-d array pointer	<code>int (*)</code>
<code>c[i][j]</code>	0-d array	<code>int</code>

`int`   `c[3]`   `[4]` ;

3-element array `c`  
4-element array `c[i]`



# Pointer view

<code>c</code>	<b>2-d array</b>	<code>int [3][4]</code>
<code>c</code>	<b>1-d array pointer</b>	<code>int (*)[4]</code>
<code>c[i]</code>	<b>1-d array</b>	<code>int [4]</code>
<code>c[i]</code>	<b>0-d array pointer</b>	<code>int (*)</code>
<code>c[i][j]</code>	<b>0-d array</b>	<code>int</code>


`int c[3][4];`

$v(c) = v(c[0]) = v(\&c[0][0])$

$v(c[1]) = v(\&c[1][0])$

$v(c[2]) = v(\&c[2][0])$


$v \equiv \text{value}$





# 1-d array pointer

```
int (*p) [4];
```




```
int c[3] [4];
```

$$v(c) = v(c[0]) = v(\&c[0][0])$$

$$v(c[1]) = v(\&c[1][0])$$

$$v(c[2]) = v(\&c[2][0])$$

$v \equiv$  value




# Pointer $c[i]$ and integer $c[i][0]$

```
int c[3][4];
```

non-real pointer  $c[i]$  :  $\text{value}(c[i]) = \&c[i][0]$

0-d array pointer




# Pointer **c** and abstract data **c[i]**

```
int c [3] [4];
```

non-real pointer **c** :  $\text{value}(\mathbf{c}) = \&\mathbf{c}[0] = \&\mathbf{c}[0][0]$   
abstract data **c[i]** :  $\text{sizeof}(\mathbf{c}[\mathbf{i}]) = 4 * \text{sizeof}(\text{int})$

**1-d** array pointer  
**1-d** array




# Abstract data **c**

```
int c [3] [4];
```


abstract data **c**:  $\text{sizeof}(\mathbf{c}) = 3 * \text{sizeof}(\mathbf{c}[\mathbf{i}])$

**2-d** array



# Rows and columns of a 2-d array **c**

```
int c[3][4];
```



# The name of a 2-d array

```
int    a [4];
```

```
int    c [4] [4];
```

1. the name of the nested array (recursive definition)
2. a double pointer
3. a pointer to an array

# 2-d array c and 1-d array q

```
int c [3] [4];
```


c	c[0]	c[0]+0	c[0][0]
		c[0]+1	c[0][1]
		c[0]+2	c[0][2]
		c[0]+3	c[0][3]
	c[1]	c[1]+0	c[1][0]
		c[1]+1	c[1][1]
		c[1]+2	c[1][2]
		c[1]+3	c[1][3]
	c[2]	c[2]+0	c[2][0]
		c[2]+1	c[2][1]
		c[2]+2	c[2][2]
		c[2]+3	c[2][3]

```
int q [3*4];
```


q	q+0	q[0*4+0]
	q+1	q[0*4+1]
	q+2	q[0*4+2]
	q+3	q[0*4+3]
	q+4	q[1*4+0]
	q+5	q[1*4+1]
	q+6	q[1*4+2]
	q+7	q[1*4+3]
	q+8	q[2*4+0]
	q+9	q[2*4+1]
	q+10	q[2*4+2]
	q+11	q[2*4+3]

# 2-d and 1-d interpretations of linear memories


2-d interpretation



1-d interpretation



Physical Linear Memory






# A 2-d array stored as a 1-d array (row major order)

```
int c [3] [4];
```

```
c[i][j]
```

```
[i*4+j]
```

```
[k]
```



## 2-d array access via a single pointer

```
int *p = c[0];
```



```
int c [3][4];
```

```
p[ i*4 + j ]
```



```
c[ i ][ j ]
```

```
*(p + i*4 + j)
```



```
*(*(c+i)+ j)
```

```
*(p + k)    i = k / 4;  
            j = k % 4;
```

# View a 2-d array as a 1-d array


```
int c [3][4];
```

```
int *p = c[0];
```

c, c[0],  
&c[0][0]


0-d array pointer int (\*)

p



0-d array pointer int (\*)

p




# View a 2-d array as another 2-d array

```
int c [3][4];
```


```
int (*q) [3] = (int (*) [3]) c;
```

`c`, `c[0]`,  
&`c[0][0]`

1-d array pointer `int (*) [3]`



1-d array pointer `int (*) [3]`




# A 2-d array stored as a 1-d array (row major order)

```
int c [3] [4];
```


```
int (*r) [2][2] = (int (*) [2][2]) c;
```

`c`, `c[0]`,  
`&c[0][0]`

2-d array pointer `int (*) [2][2]`



2-d array pointer `int (*) [2][2]`



## 2-d array access via pointers

```
int c [3][4];
```

### 1. recursive pointers

```
c [ i ][ j ]
```

```
(*(c+i))[ j ]
```

→ `int (*p)[4];`

```
*(c[ i ]+ j)
```

```
*(*(c+i)+ j)
```

→ `int **q;`

```
int *p = c[0] ;
```

### 2. linear array pointers

```
p[ i*4 + j ]
```


```
*(p+ i*4 + j)
```

# Static Allocation of a 2-d Array

```
int A [3][4];
```

A in %eax,  
i in %edx,  
j in %ecx

```
sall    $2, %ecx           ;; j * 4  
leal   (%edx, %edx, 2), %edx  ;; i * 3  
leal   (%ecx, %edx, 4), %edx  ;; j * 4 + i * 12  
movl   (%eax, %edx), %eax     ;; read M[ XA+4(3i +j) ]
```



The pointer array :  
not allocated  
in the memory

c[0]+0	*(c [0]+0)
c[0]+1	*(c [0]+1)
c[0]+2	*(c [0]+2)
c[0]+3	*(c [0]+3)
c[1]+0	*(c [1]+0)
c[1]+1	*(c [1]+1)
c[1]+2	*(c [1]+2)
c[1]+3	*(c [1]+3)
c[2]+0	*(c [2]+0)
c[2]+1	*(c [2]+1)
c[2]+2	*(c [2]+2)
c[2]+3	*(c [2]+3)

---

# Pointers, arrays, and operator precedence



# Address-of & and dereference \* operators

## Address-of operation

**&X**

C Expressions

=

**value(&X)**

Mixed Expressions

*rvalue*

*rvalue*

**&X**

*lvalue*



**&X** evaluates the address *value* of a variable **X**

**&** is a mathematical operator (the inverse operator of **\***)

$\text{value}(\&X) = \text{value}(\text{value}(\&X)) = \text{value}(\&X) = \&X$

## Dereference operation

**\*X**

C Expressions

=

**\*value(X)**

Mixed Expressions

*lvalue*

*rvalue*



*lvalue must be evaluated to rvalue*

*lvalue*



**X** must be evaluated to an address before de-referencing

# Equivalences in address replications


## Equivalences in Address Replications

a pointer variable  $X$

$\text{value}(\&X) \equiv \text{value}(X)$

at the pointed address  $X$

$\text{value}(X) \equiv * \text{value}(X)$





$\&X$  and  $X$  have different types  
but have the same value

$X$  and  $*X$  have different types  
but have the same value

$\text{value}(\&X) \equiv \text{value}(X) \equiv * \text{value}(X)$



# Equivalences in array notations



← C operator  $\&$   
 $\neq$  inverse of  $*$

math operator  $\&$   
= inverse of  $*$

↓  
 $\text{value}(\&X[n])$   
=  $\text{value}(\&*(X+n))$   
=  $\text{value}(X+n)$



← C operator  $\&$   
 $\neq$  inverse of  $*$

math operator  $\&$   
= inverse of  $*$

↓  
 $\text{value}(\&X[0])$   
=  $\text{value}(\&*(X+0))$   
=  $\text{value}(X+0)$

# Pointer Arithmetic

- increment / decrement  $++X, --X, X++, X--$
- addition of an integer  $X + i$
- subtraction of an integer  $X - i$
- subtracting two pointers of the same type  $X - Y$
- comparison of pointers  $==, !=, >, >=, <, <=$
- adding two pointers are not allowed  ~~$X + Y$~~

pointer variables:  $X, Y$

integer compatible variables :  $i$

(**int, short, char, ...**)

# Pointer Addition / Subtraction

pointer variables: **X, Y**

primitive variables : **A, B**

`value(X)` is used to avoid confusion  
between **pointer additions**  
and **arithmetic additions**

**X + A**    the variable **A** must have  
**X - A**    **integer** compatible types,  
             otherwise **error**

**X + Y**    **error!**

**X - Y**    o.k.

`value(A) = A`    primitive variable **A**

`value(X) ≠ X`    pointer variable **X**

`value(X + A) = value(X) +a A * sizeof(*X)`

`value(X - A) = value(X) -a A * sizeof(*X)`

`value(X + Y)`    **error!**

`value(X - Y) = value(X) -a value(Y)`


`+a` is used to denote **arithmetic additions**

`-a` is used to denote **arithmetic subtractions**

# Pointer Addition / Subtraction


**X + A : pointer addition**

$$\text{value}(X + A) = \text{value}(X) +_a A * \text{sizeof}(*X)$$



**X - A : pointer subtraction**

$$\text{value}(X - A) = \text{value}(X) -_a A * \text{sizeof}(*X)$$



# Pointer variables vs. primitive variables

pointer variables: **X**

$\text{value}(\mathbf{X}) \neq \mathbf{X}$

integer compatible variables : **A**

$\text{value}(\mathbf{A}) = \mathbf{A}$

<b>X</b>	C expression	<p>+ <math>\rightarrow</math> pointer additions</p> <p>- <math>\rightarrow</math> pointer subtractions</p>	<p><math>\text{value}(\mathbf{X} + \mathbf{A}) = \text{value}(\mathbf{X}) +_a \mathbf{A} * \text{sizeof}(*\mathbf{X})</math></p> <p><math>\text{value}(\mathbf{X} - \mathbf{A}) = \text{value}(\mathbf{X}) -_a \mathbf{A} * \text{sizeof}(*\mathbf{X})</math></p>
<b>A</b>	C expression	<p>+ <math>\rightarrow</math> pointer additions</p> <p>- <math>\rightarrow</math> pointer subtractions</p> <p><i>for a <u>pointer</u> type operand</i></p>	<p><math>\text{value}(\mathbf{X} + \mathbf{A}) = \text{value}(\mathbf{X}) +_a \mathbf{A} * \text{sizeof}(*\mathbf{X})</math></p> <p><math>\text{value}(\mathbf{X} - \mathbf{A}) = \text{value}(\mathbf{X}) -_a \mathbf{A} * \text{sizeof}(*\mathbf{X})</math></p>
		<p>+ <math>\rightarrow</math> arithmetic additions <math>+_a</math></p> <p>- <math>\rightarrow</math> arithmetic subtractions <math>-_a</math></p> <p><i>for a <u>non pointer</u> type operand</i></p>	
$\text{value}(\mathbf{X})$	Math expression	<p>+ <math>\rightarrow</math> arithmetic additions <math>+_a</math></p> <p>- <math>\rightarrow</math> arithmetic subtractions <math>-_a</math></p>	
$\text{value}(\mathbf{A})$	Math expression	<p>+ <math>\rightarrow</math> arithmetic additions <math>+_a</math></p> <p>- <math>\rightarrow</math> arithmetic subtractions <math>-_a</math></p>	

# Recursive application of `value()`

`value(value(A)) = value(A) = A`

`value(value(X)) = value(X)  $\neq$  X`

`value(value(X + i))`

`= value(value(X) +a i * sizeof(*X))`

`= value(value(X) +a value(i * sizeof(*X)))`

`= value(X) +a i * sizeof(*X)`

`= value(X) + i * sizeof(*X) in math expression`



# Operator Precedence of \* and [ ]

$$*x[m] \equiv *(x[m])$$

$$x[m][n] \equiv (x[m])[n]$$

$$**x \equiv *(*x)$$

[ ] has a **higher** priority than \*

[ ] has **left-to-right** associativity




\* has **right-to-left** associativity

$$(*x)[m][n] \leftrightarrow ((*x)[m])[n]$$

red parentheses ( ) must not be removed  
gray parentheses ( ) can be removed

$$(*x[m])[n] \leftrightarrow (*(x[m]))[n]$$

# Operator Precedence of \* and [ ]




# Abstract Data $x$ and $x[i]$

$x[3]$   $x$  has 3 elements

$\text{int } [3][4]$     $\text{int } [4]$

$\&x$




array element  $x[i]$

$(x[3])[4]$  each  $x[i]$  has 4 elements


$\text{int } [3][4]$     $\text{int } [4]$     $\text{int}$

$\&x$




array name  $x[i][j]$

# Virtual Pointers $x$ and $x[i]$




array name  $x$  ..... virtual pointer  
 array element  $x[i]$  ..... abstract data




array name  $x[i]$  ..... virtual pointer  
 array element  $x[i][j]$  .... primitive data

# Virtual Pointers $x$ and $x[i]$



## Pointer Array Approach

$$\text{value}(x + i) = \text{value}(x) +_a i * \text{sizeof}(*x)$$




## Array Pointer Approach

$$\text{value}(x + i) = \text{value}(x) +_a i * \text{sizeof}(x[0])$$

# Base and offset in byte addresses

pointer variable **X**

$\text{value}(\mathbf{x + i})$  pointer addition +  
 $= \text{value}(\mathbf{x}) +_{\mathbf{a}} \mathbf{i} * \text{sizeof}(\mathbf{*x})$  arithmetic addition +<sub>a</sub>




byte addresses

`int ** x = y; int * y[3];`

array variable **X**

$\text{value}(\mathbf{x + i})$  pointer addition +  
 $= \text{value}(\mathbf{x}) +_{\mathbf{a}} \mathbf{i} * \text{sizeof}(\mathbf{x[0]})$  arithmetic addition +<sub>a</sub>



byte addresses

`int x[3][4];`

# Base and offset in byte address (1)

pointer variable **X**

$\text{value}(\mathbf{x} + \mathbf{i})$  pointer addition +  
 $= \text{value}(\mathbf{x}) +_{\mathbf{a}} \mathbf{i} * \text{sizeof}(*\mathbf{x})$  arithmetic addition  $+_{\mathbf{a}}$   
 $= \text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(*\mathbf{x})$  in math expression

$\text{value}(\mathbf{X})$  may be involved  
in only arithmetic additions / subtractions,  
therefore the arithmetic addition  $+_{\mathbf{a}}$   
can be replaced with the ordinary +

$= \text{value}(\mathbf{x}) +_{\mathbf{a}} \mathbf{i} * \text{sz}, \quad \text{sz} = \text{sizeof}(*\mathbf{x})$   
 $= \text{value}(\mathbf{x} + \mathbf{i})_{\mathbf{s}}$

array variable **X**

$\text{value}(\&\mathbf{x}[\mathbf{i}])$  pointer addition +  
 $= \text{value}(\mathbf{x}) +_{\mathbf{a}} \mathbf{i} * \text{sizeof}(\mathbf{x}[0])$  arithmetic addition  $+_{\mathbf{a}}$   
 $= \text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(\mathbf{x}[0])$  in math expression

$= \text{value}(\mathbf{x}) +_{\mathbf{a}} \mathbf{i} * \text{sz}, \quad \text{sz} = \text{sizeof}(*\mathbf{x})$   
 $= \text{value}(\mathbf{x} + \mathbf{i})_{\mathbf{s}}$

$\text{int} ** \mathbf{x} = \mathbf{y}; \quad \text{int} * \mathbf{y}[3];$

$\text{int} \mathbf{x}[3][4];$

# Base and offset in byte address (2)

## pointer variable $\mathbf{x}$

$\text{value}(*(\mathbf{x} + \mathbf{i}) + \mathbf{j})$  value(value(x)) = value(x)  
=  $\text{value}(*(\mathbf{x} + \mathbf{i})) + \mathbf{j} * \text{sizeof}(**\mathbf{x})$   
=  $*\text{value}(\mathbf{x} + \mathbf{i}) + \mathbf{j} * \text{sizeof}(**\mathbf{x})$   
=  $*(\text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(*\mathbf{x})) + \mathbf{j} * \text{sizeof}(**\mathbf{x})$

=  $*(\text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(*\mathbf{x})) + \mathbf{j} * \text{sizeof}(**\mathbf{x})$   
in math expressions

=  $*(\text{value}(\mathbf{x}) + \mathbf{i} * \mathbf{s1}) + \mathbf{j} * \mathbf{s2}$   
=  $(*(\mathbf{x} + \mathbf{i})_{\mathbf{s1}} + \mathbf{j})_{\mathbf{s2}}$   
 $\mathbf{s1} = \text{sizeof}(*\mathbf{x}), \mathbf{s2} = \text{sizeof}(**\mathbf{x})$

$\text{int } **\mathbf{x} = \mathbf{y}; \text{ int } * \mathbf{y}[3];$

## array variable $\mathbf{x}$

$\text{value}(\mathbf{x}[\mathbf{i}] + \mathbf{j})$  address replications  
=  $\text{value}(\mathbf{x}[\mathbf{i}]) + \mathbf{j} * \text{sizeof}(\mathbf{x}[\mathbf{i}][\mathbf{j}])$   
=  $*(\text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(\mathbf{x}[0])) + \mathbf{j} * \text{sizeof}(\mathbf{x}[0][0])$   
=  $(\text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(\mathbf{x}[0])) + \mathbf{j} * \text{sizeof}(\mathbf{x}[0][0])$



=  $\text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(\mathbf{x}[0]) + \mathbf{j} * \text{sizeof}(\mathbf{x}[0][0])$   
in math expressions

=  $\text{value}(\mathbf{x}) + \mathbf{i} * \mathbf{s1} + \mathbf{j} * \mathbf{s2}$   
=  $(*(\mathbf{x} + \mathbf{i})_{\mathbf{s1}} + \mathbf{j})_{\mathbf{s2}}$   
 $\mathbf{s1} = \text{sizeof}(\mathbf{x}[0]), \mathbf{s2} = \text{sizeof}(\mathbf{x}[0][0])$

$\text{int } \mathbf{x}[3][4];$





# \* into [ ] notations – Pointer Array Approach



C expression  $*(*(\mathbf{x+i})+\mathbf{j})$   $\longrightarrow$   $\mathbf{x}[\mathbf{i}][\mathbf{j}]$

Math expression  $*(*(\mathbf{x+i})_{1..4}+\mathbf{j})_{1..4}$

# \* and [ ] notations – Array Pointer Approach




C expression  $*(*(\mathbf{x} + \mathbf{i}) + \mathbf{j})$



$\mathbf{x}[\mathbf{i}][\mathbf{j}]$

Math expression  $*(*(\mathbf{x} + \mathbf{i})_{4 \cdot 4} + \mathbf{j})_{1 \cdot 4}$

# Virtual pointers vs. real pointers (1)



$\text{value}(\&\mathbf{x}) = \text{value}(\mathbf{x})$  address replications

$\text{sizeof}(\mathbf{x}) = 3 * \text{sizeof}(*\mathbf{x})$  abstract data size


$\text{value}(\mathbf{x}+\mathbf{i}) = \text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(*\mathbf{x})$   
 $= \text{value}(\mathbf{x}) + \mathbf{i} * 4 * 4$  pointer arithmetic

$\text{value}(\&\mathbf{x}) \neq \text{value}(\mathbf{x})$  physical memory

$\text{sizeof}(\mathbf{x}) = \text{sizeof}(*\mathbf{x}) = 4$  pointer size

$\text{value}(\mathbf{x}+\mathbf{i}) = \text{value}(\mathbf{x}) + \mathbf{i} * \text{sizeof}(*\mathbf{x})$   
 $= \text{value}(\mathbf{x}) + \mathbf{i} * 4$  pointer arithmetic

# Virtual pointers vs. real pointers (2)



$\text{value}(\&x[i]) = \text{value}(x[i])$  address replications

$\text{sizeof}(x[i]) = 4 * \text{sizeof}(*x[i])$  abstract data size

$\text{value}(x[i]+j) = \text{value}(x[i]) + j * \text{sizeof}(*x[i])$   
 $= \text{value}(x[i]) + j * 4$  pointer arithmetic

$\text{value}(\&x[i]) \neq \text{value}(x[i])$  physical memory

$\text{sizeof}(x[i]) = \text{sizeof}(*x[i]) = 4$  pointer size

$\text{value}(x[i]+j) = \text{value}(x[i]) + j * \text{sizeof}(*x[i])$   
 $= \text{value}(x[i]) + j * 4$  pointer arithmetic

# Relaxing the outermost dimension

$p[i] \equiv *(p+i)$   
 $p[i][j] \equiv *(p[i]+j)$   
 $p[i][j][k] \equiv *(p[i][j]+k)$

$\&p[i] \equiv \text{value}(p+i)$   
 $\&p[i][j] \equiv \text{value}(p[i]+j)$   
 $\&p[i][j][k] \equiv \text{value}(p[i][j]+k)$



$*\text{value}(X) = *X$

$p[0] \equiv *p$   
 $p[i][0] \equiv *p[i]$   
 $p[i][j][0] \equiv *p[i][j]$

$\&p[0] \equiv \text{value}(p)$   
 $\&p[i][0] \equiv \text{value}(p[i])$   
 $\&p[i][j][0] \equiv \text{value}(p[i][j])$

valid for proper  $i, j, k$  values

# Relaxing all the dimensions



valid for proper  $i, j, k$  values

# Left-to-right and right-to-left associative operators

$p[i] \equiv p[i]$   
 $p[i][j] \equiv (p[i])[j]$   
 $p[i][j][k] \equiv ((p[i])[j])[k]$

$\rightarrow *(p+i)$   
 $\rightarrow *(*(p+i)+j)$   
 $\rightarrow *((*(*(p+i)+j)+k)$

$*p \equiv *(p)$   
 $**p \equiv *((*(p))$   
 $***p \equiv *((*(*(p)))$

$\rightarrow p[0]$   
 $\rightarrow (p[0])[0]$   
 $\rightarrow ((p[0])[0])[0]$

# Address Calculation (1) Array Pointer Approach

```
int c [2][3][4] ;
```

```
c[i]      ≡ *(c + i)
c[i][j]   ≡ *(c[i] + j)
c[i][j][k] ≡ *(c[i][j] + k)
```

```
&c[i]      ≡ value(c + i)
&c[i][j]   ≡ value(c[i] + j)
&c[i][j][k] ≡ value(c[i][j] + k)
```


## address replication

value(c[i][j][k]) ≠ value(&c[i][j][k]) ← primitive data & address

value(c[i][j])	= value(&c[i][j])	= value(&c[i][j][0])
value(c[i])	= value(&c[i])	= value(&c[i][0][0])
value(c)	= value(&c)	= value(&c[0][0][0])

skip i elements of c  
skip j elements of c[i]  
skip k elements of c[i][j]

skip i\*3\*4 primitive elements of c  
skip j\*4 primitive elements of c  
skip k primitive elements of c





# Address Calculation (2) Pointer Array Approach

```
int ** c [2];
int *  b [2*3];
int   a [2*3*4];
```


$b[j] \equiv (a+j*4)$   
 $*(b[j]+k) = *(a+j*4+k);$   
 $b[j][k] \equiv a[j*4+k]$

$c[i] \equiv (b+i*3)$   
 $*(c[i]+j) = *(b+i*3+j);$   
 $c[i][j] \equiv b[i*3+j]$

$c[i][j] \equiv (a+(i*3+j)*4)$   
 $*(c[i][j]+k) = *(a+(i*3+j)*4+k);$   
 $c[i][j][k] \equiv a[(i*3+j)*4+k]$

$c[i] = \&b[3*i] \quad (= b + 3*i)$   
 $b[j] = \&a[4*j] \quad (= a + 4*j)$

skip  $i$  elements of  $c$  → skip  $i*3*4$  elements of  $a$   
 skip  $j$  elements of  $b$  → skip  $j*4$  elements of  $a$   
 skip  $k$  elements of  $a$  → skip  $k$  elements of  $a$




# Address Calculation (3)

$$\begin{aligned} \text{value}(\mathbf{c} + \mathbf{i}) &= \text{value}(\mathbf{c}) + \mathbf{i} * 3 * 4 * 4 \\ \text{value}(\mathbf{c}[\mathbf{i}] + \mathbf{j}) &= \text{value}(\mathbf{c}[\mathbf{i}]) + \mathbf{j} * 4 * 4 \\ \text{value}(\mathbf{c}[\mathbf{i}][\mathbf{j}] + \mathbf{k}) &= \text{value}(\mathbf{c}[\mathbf{i}][\mathbf{j}]) + \mathbf{k} * 4 \end{aligned}$$

$$\begin{aligned} \text{value}(\mathbf{c} + \mathbf{i}) &= \text{value}(\mathbf{c}) + \mathbf{i} * \text{sizeof}(*\mathbf{c}) \\ \text{value}(\mathbf{c}[\mathbf{i}] + \mathbf{j}) &= \text{value}(\mathbf{c}[\mathbf{i}]) + \mathbf{j} * \text{sizeof}(*\mathbf{c}[\mathbf{i}]) \\ \text{value}(\mathbf{c}[\mathbf{i}][\mathbf{j}] + \mathbf{k}) &= \text{value}(\mathbf{c}[\mathbf{i}][\mathbf{j}]) + \mathbf{k} * \text{sizeof}(*\mathbf{c}[\mathbf{i}][\mathbf{j}]) \end{aligned}$$

## Array Pointer Approach




$$\begin{aligned} \mathbf{c}[\mathbf{i}] &\equiv *(\mathbf{c} + \mathbf{i}) \\ \mathbf{c}[\mathbf{i}][\mathbf{j}] &\equiv *(\mathbf{c}[\mathbf{i}] + \mathbf{j}) \\ \mathbf{c}[\mathbf{i}][\mathbf{j}][\mathbf{k}] &\equiv *(\mathbf{c}[\mathbf{i}][\mathbf{j}] + \mathbf{k}) \end{aligned}$$

$$\begin{aligned} \&\mathbf{c}[\mathbf{i}] &\equiv \text{value}(\mathbf{c} + \mathbf{i}) \\ \&\mathbf{c}[\mathbf{i}][\mathbf{j}] &\equiv \text{value}(\mathbf{c}[\mathbf{i}] + \mathbf{j}) \\ \&\mathbf{c}[\mathbf{i}][\mathbf{j}][\mathbf{k}] &\equiv \text{value}(\mathbf{c}[\mathbf{i}][\mathbf{j}] + \mathbf{k}) \end{aligned}$$

$$\begin{aligned} \text{value}(\mathbf{c} + \mathbf{i}) &= \text{value}(\mathbf{c}) + \mathbf{i} * 4 \\ \text{value}(\mathbf{c}[\mathbf{i}] + \mathbf{j}) &= \text{value}(\mathbf{c}[\mathbf{i}]) + \mathbf{j} * 4 \\ \text{value}(\mathbf{c}[\mathbf{i}][\mathbf{j}] + \mathbf{k}) &= \text{value}(\mathbf{c}[\mathbf{i}][\mathbf{j}]) + \mathbf{k} * 4 \end{aligned}$$

$$(\mathbf{c} + \mathbf{i})_{1 \cdot 4} \quad (\mathbf{c}[\mathbf{i}] + \mathbf{j})_{1 \cdot 4} \quad (\mathbf{c}[\mathbf{i}][\mathbf{j}] + \mathbf{k})_{1 \cdot 4}$$

## Pointer Array Approach



# Subscript [ ] and dereference \* notations (1a)

$$p[i] \equiv *(p+i)$$

$$p[i][j] \equiv *(* (p+i)+j)$$

$$p[i][j][k] \equiv *(* (* (p+i)+j)+k)$$

from  $p$ , skip  
 $i \cdot M \cdot N$  integers

$$\begin{aligned} \&p[i] &= \text{value}((p + i)_{M \cdot N \cdot 4}) \\ &= \text{value}(p + i * M \cdot N \cdot 4) \end{aligned}$$


from  $p[i]$ , skip  
 $j \cdot N$  integers

$$\begin{aligned} \&p[i][j] &= \text{value}((p[i] + j)_{N \cdot 4}) \\ &= \text{value}(p[i] + j * N \cdot 4) \end{aligned}$$

from  $p[i][j]$ , skip  
 $k$  integers

$$\begin{aligned} \&p[i][j][k] &= \text{value}((p[i][j]+k)_{1 \cdot 4}) \\ &= \text{value}(p[i][j] + k * 1 \cdot 4) \end{aligned}$$

`int p[L][M][N]`



**Array Pointer Approach**

## address replications

$$\text{value}(p[i]) = \&p[i] = \text{value}(p + i)$$

$$\text{value}(p[i][j]) = \&p[i][j] = \text{value}(p[i] + j)$$

$$\text{value}(p[i][j][k]) \neq \&p[i][j][k] = \text{value}(p[i][j] + k)$$

$$\&p[i][j][k] = \text{value}(p + i * M \cdot N \cdot 4 + j * N \cdot 4 + k * 4)$$

$$p[i][j][k] = * \text{value}(p + i * M \cdot N \cdot 4 + j * N \cdot 4 + k * 4)$$

# Subscript [ ] and dereference \* notations (1b)

$$p[i] \equiv *(p+i)$$

skip i pointers  
from p

$$\begin{aligned} &\&p[i] = \text{value}(p + i)_{1-4} \\ &= \text{value}(p + i * 4) \end{aligned}$$

$$p[i][j] \equiv *(* (p+i) + j)$$


skip j pointers  
from p[i]

$$\begin{aligned} &\&p[i][j] = \text{value}(p[i] + j)_{1-4} \\ &= \text{value}(p[i] + j * 4) \end{aligned}$$

$$p[i][j][k] \equiv *(* (* (p+i) + j) + k)$$

skip k integers  
from p[i][j]

$$\begin{aligned} &\&p[i][j][k] = \text{value}(p[i][j] + k)_{1-4} \\ &= \text{value}(p[i][j] + k * 4) \end{aligned}$$



```
int ** p [L];
int * q [L·M];
int r [L·M·N];
```

**Pointer Array Approach**

## address dereferences

$$\text{value}(p[i]) = *(&p[i]) = * \text{value}(p + i)$$

$$\text{value}(p[i][j]) = *(&p[i][j]) = * \text{value}(p[i] + j)$$

$$\text{value}(p[i][j][k]) = *(&p[i][j][k]) = * \text{value}(p[i][j] + k)$$

$$\&p[i][j][k] = \text{value}(* \text{value}(* \text{value}(p+i*4)+j*4)+k*4)$$

# Subscript [ ] and dereference \* notations (1a)

$$p[i][j][k] = *value(*value(*value(p+i)+j)+k) \xrightarrow{\text{address replications}} \begin{aligned} &= value(value(value(p + i)_{3 \cdot 4 \cdot 4} + j)_{4 \cdot 4} + k)_4 \\ &= value(value(value(p) + i * 3 \cdot 4 \cdot 4) + j * 4 \cdot 4) + k * 4 \end{aligned}$$


$$value(X + i) = value(X) + i * sizeof(*X)$$

$$\begin{aligned} value((X + i) + j) &= value(X + i) + j * sizeof(**X) \\ &= value(X) + i * sizeof(*X) + j * sizeof(**X) \end{aligned}$$

# Subscript [ ] and dereference \* notations (1a)

`int p[L][M][N]`

**Array Pointer Approach**



*address replications*

$$\text{value}(p[i]) = \&p[i] = \text{value}(p + i)$$

$$\text{value}(p[i][j]) = \&p[i][j] = \text{value}(p[i] + j)$$

$$\text{value}(p[i][j][k]) \neq \&p[i][j][k] = \text{value}(p[i][j] + k)$$

$$\&p[i][j][k] = \text{value}(p + i * M * N * 4 + j * N * 4 + k * 4)$$

$$p[i][j][k] = * \text{value}(p + i * M * N * 4 + j * N * 4 + k * 4)$$

abstract data    `int [3][4]`    `value(p[i])`    = `&p[i]`    = `value(p + i)`    `int (*)[3][4]`    virtual pointer

abstract data    `int [4]`    `value(p[i][j])`    = `&p[i][j]`    = `value(p[i] + j)`    `int (*)[4]`    virtual pointer

primitive data    `int`    `value(p[i][j][k])`     $\neq$  `&p[i][j][k]`    = `value(p[i][j] + k)`    `int (*)`    virtual pointer

$$p[i][j][k] = * \text{value}(* \text{value}(* \text{value}(p+i)+j)+k) \xrightarrow{\text{address replications}} \begin{aligned} &= \text{value}(\text{value}(\text{value}(p + i)_{3 \cdot 4 \cdot 4} + j)_{4 \cdot 4} + k)_4 \\ &= \text{value}(p + i * 3 \cdot 4 \cdot 4 + j * 4 \cdot 4 + k * 4) \end{aligned}$$

# Subscript [ ] and dereference \* notations (2)

$p[i] \equiv *(p+i)$   
 $p[i][j] \equiv *(*p+i)+j$   
 $p[i][j][k] \equiv *(*(*p+i)+j)+k$

C Expressions

$\&p[i] \equiv \text{value}(p+i)$   
 $\&p[i][j] \equiv \text{value}(*p+i)+j$   
 $\&p[i][j][k] \equiv \text{value}(*(*p+i)+j)+k$

C Expressions

`int p [L][M][N] ;`

$\text{value}(\&X) = \text{value}(X)$  (address replication)

$p[i] \longrightarrow *(p+i)_{M \cdot N \cdot 4}$   
 $p[i][j] \longrightarrow *(*p+i)_{M \cdot N \cdot 4} + j)_{N \cdot 4}$   
 $p[i][j][k] \longrightarrow *(*(*p+i)_{M \cdot N \cdot 4} + j)_{N \cdot 4} + k)_{1 \cdot 4}$

Math Expressions

$\&p[i] \longrightarrow \text{value}(p+i)_{M \cdot N \cdot 4}$   
 $\&p[i][j] \longrightarrow \text{value}((p+i)_{M \cdot N \cdot 4} + j)_{N \cdot 4}$   
 $\&p[i][j][k] \longrightarrow \text{value}(((p+i)_{M \cdot N \cdot 4} + j)_{N \cdot 4} + k)_{1 \cdot 4}$

Math Expressions

`int ** p[L], * q[L·M], r[L·M·N] ;`

$*\text{value}(X) = *X$

$p[i] \longrightarrow *(p+i)_{1 \cdot 4}$   
 $p[i][j] \longrightarrow *(*p+i)_{1 \cdot 4} + j)_{1 \cdot 4}$   
 $p[i][j][k] \longrightarrow *(*(*p+i)_{1 \cdot 4} + j)_{1 \cdot 4} + k)_{1 \cdot 4}$

Math Expressions

$\&p[i] \longrightarrow \text{value}(p+i)_{1 \cdot 4}$   
 $\&p[i][j] \longrightarrow \text{value}(*p+i)_{1 \cdot 4} + j)_{1 \cdot 4}$   
 $\&p[i][j][k] \longrightarrow \text{value}(*(*p+i)_{1 \cdot 4} + j)_{1 \cdot 4} + k)_{1 \cdot 4}$

Math Expressions

# Subscript [ ] and dereference \* notations (3)

`int p [L][M][N] ;`

$\text{value}(\&X) = \text{value}(X)$  (address replication)

$$\begin{aligned} \&p[i] &= \text{value}((p + i)_{M \cdot N \cdot 4}) = \text{value}(p + i * M \cdot N \cdot 4) \\ \&p[i][j] &= \text{value}((p[i] + j)_{N \cdot 4}) = \text{value}(p[i] + j * N \cdot 4) \\ \&p[i][j][k] &= \text{value}((p[i][j] + k)_{1 \cdot 4}) = \text{value}(p[i][j] + k * 1 \cdot 4) \\ &= \text{value}(p + i * M \cdot N \cdot 4 + j * N \cdot 4 + k * 4) \end{aligned}$$

$$\begin{aligned} \&p[i] &\longrightarrow \text{value}(p+i)_{M \cdot N \cdot 4} \\ \&p[i][j] &\longrightarrow \text{value}((p+i)_{M \cdot N \cdot 4} + j)_{N \cdot 4} \\ \&p[i][j][k] &\longrightarrow \text{value}(((p+i)_{M \cdot N \cdot 4} + j)_{N \cdot 4} + k)_{1 \cdot 4} \end{aligned}$$

Math Expressions

`int ** p[L], * q[L·M], r[L·M·N] ;`

$*\text{value}(X) = *X$

$$\begin{aligned} \&p[i] &= \text{value}(p + i)_{1 \cdot 4} = \text{value}(p + i * 1 \cdot 4) \\ \&p[i][j] &= \text{value}(p[i] + j)_{1 \cdot 4} = \text{value}(p[i] + j * 1 \cdot 4) \\ \&p[i][j][k] &= \text{value}(p[i][j] + k)_{1 \cdot 4} = \text{value}(p[i][j] + k * 1 \cdot 4) \\ &= \text{value}(*\text{value}(*\text{value}(p + i * 4) + j * 4) + k * 4) \end{aligned}$$

$$\begin{aligned} \&p[i] &\longrightarrow \text{value}(p+i)_{1 \cdot 4} \\ \&p[i][j] &\longrightarrow \text{value}(*(p+i)_{1 \cdot 4} + j)_{1 \cdot 4} \\ \&p[i][j][k] &\longrightarrow \text{value}(*( *(p+i)_{1 \cdot 4} + j)_{1 \cdot 4} + k)_{1 \cdot 4} \end{aligned}$$

Math Expressions



# Operator Precedence

Precedence	Operator	Description	Associativity
1	++ -- () [] . -> (type){list}	Suffix/postfix increment and decrement Function call <b>Array subscripting</b> Structure and union member access member access through pointer Compound literal(C99)	Left-to-right  (((x[m])[n])[p])  —————▶
2	++ -- + - ! ~ (type) * & sizeof _Alignof	Prefix increment and decrement Unary plus and minus Logical NOT and bitwise NOT Type cast <b>Indirection (dereference)</b> Address-of Size-of Alignment requirement(C11)	Right-to-left    *((*(*X)))  ◀—————

[https://en.cppreference.com/w/c/language/operator\\_precedence](https://en.cppreference.com/w/c/language/operator_precedence)

# Limitations

---

No index Range Checking

Array Size must be a constant expression

Variable Array Size

Arrays cannot be Copied or Compared

Aggregate Initialization and Global Arrays

Precedence Rule

Index Type Must be Integral

# References

- [1] Essential C, Nick Parlante
- [2] Efficient C Programming, Mark A. Weiss
- [3] C A Reference Manual, Samuel P. Harbison & Guy L. Steele Jr.
- [4] C Language Express, I. K. Chun
- [5] <https://pdos.csail.mit.edu/6.828/2008/readings/pointers.pdf>