

# First Order Logic – Semantics (3A)

---

Copyright (c) 2016 - 2017 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to [youngwlim@hotmail.com](mailto:youngwlim@hotmail.com).

This document was produced by using LibreOffice

# Based on

---

Contemporary Artificial Intelligence,  
R.E. Neapolitan & X. Jiang

Logic and Its Applications,  
Burkey & Foxley

# Examples of Terms

**no** expression involving a **predicate symbol** is a term.

$x$     $y$     $f(x)$     $g(x, y)$

$father(x)$      A function returns neither True nor False

The father of  $x$

$Father(x)$      A predicate returns always True or False

Is  $x$  a father?

$\forall x \text{ love}(x, y)$      : free variable  $y$   
 $\forall x \text{ tall}(x)$          : no free variable

Bound variable      $x$

Free variable         $y$

[https://en.wikipedia.org/wiki/First-order\\_logic#Formation\\_rules](https://en.wikipedia.org/wiki/First-order_logic#Formation_rules)

# Terms

## Terms

1. **Variables**. Any variable is a term.
2. **Functions**. Any expression  $f(t_1, \dots, t_n)$  of  $n$  arguments is a term where each argument  $t_i$  is a term and  $f$  is a function symbol of valence  $n$ . In particular, symbols denoting **individual constants** are **0-ary function symbols**, and are thus terms.

Only expressions which can be obtained by finitely many applications of rules 1 and 2 are terms.

**no** expression involving a **predicate symbol** is a term.

[https://en.wikipedia.org/wiki/First-order\\_logic#Formation\\_rules](https://en.wikipedia.org/wiki/First-order_logic#Formation_rules)

# Formulas

## Formulas (wffs)

**Predicate symbols.**

**Equality.**

**Negation.**

**Binary connectives.**

**Quantifiers.**

$P(x)$        $Q(x, y)$

$x = f(y)$

$\neg Q(x, y)$

$P(x) \wedge \neg Q(x, y)$

$\forall x, y (P(x) \wedge \neg Q(x, y))$

Only expressions which can be obtained by finitely many applications of rules 1–5 are formulas.

The formulas obtained from the first two rules are said to be **atomic formulas**.

[https://en.wikipedia.org/wiki/First-order\\_logic#Formation\\_rules](https://en.wikipedia.org/wiki/First-order_logic#Formation_rules)

# Formulas

## Formulas (wffs)

**Predicate symbols.** If  $P$  is an  $n$ -ary predicate symbol and  $t_1, \dots, t_n$  are terms then  $P(t_1, \dots, t_n)$  is a formula.

**Equality.** If the equality symbol is considered part of logic, and  $t_1$  and  $t_2$  are terms, then  $t_1 = t_2$  is a formula.

**Negation.** If  $\varphi$  is a formula, then  $\neg\varphi$  is a formula.

**Binary connectives.** If  $\varphi$  and  $\psi$  are formulas, then  $(\varphi \rightarrow \psi)$  is a formula. Similar rules apply to other binary logical connectives.

**Quantifiers.** If  $\varphi$  is a formula and  $x$  is a variable, then  $\forall x \varphi$  (for all  $x$ , holds) and  $\exists x \varphi$  (there exists  $x$  such that  $\varphi$ ) are formulas.

$$P(x) \quad Q(x, y)$$

$$x = f(y)$$

$$\neg Q(x, y)$$

$$P(x) \wedge \neg Q(x, y)$$

$$\forall x, y (P(x) \wedge \neg Q(x, y))$$

[https://en.wikipedia.org/wiki/First-order\\_logic#Formation\\_rules](https://en.wikipedia.org/wiki/First-order_logic#Formation_rules)

# Atoms and Compound Formulas

a formula that contains **no logical connectives**

a formula that has **no strict subformulas**

**Atoms :**

the **simplest** well-formed formulas of the logic.

$$P(x) \quad Q(x, y)$$

**Compound formulas :**

formed by combining the atomic formulas using the **logical connectives**.

$$P(x) \wedge \neg Q(x, y)$$

$$\forall x, y (P(x) \wedge \neg Q(x, y))$$

[https://en.wikipedia.org/wiki/Atomic\\_formula](https://en.wikipedia.org/wiki/Atomic_formula)



# Atomic Formula

for **propositional logic**

the atomic formulas are the **propositional variables**

$p$

$q$

for **predicate logic**

the atoms are **predicate symbols** together with their **arguments**,  
each argument being a **term**.

$P(x)$

$Q(x, f(y))$

In **model theory**

atomic formula are merely strings of symbols with a given signature  
which may or may not be satisfiable with respect to a given model

[https://en.wikipedia.org/wiki/Atomic\\_formula](https://en.wikipedia.org/wiki/Atomic_formula)

# A Signature

First specify a **signature**

Constant Symbols  $\{c_1, c_2, \dots, c_n\} = D$

Predicate Symbols  $\{P_1, P_2, \dots, P_m\}$

Function Symbols  $\{f_1, f_2, \dots, f_l\}$

# A Language

Determines the **language**

Given a language

A **model** is specified

A **domain of discourse**

a set of entities

$\{\text{entity}_1, \text{entity}_2, \dots, \text{entity}_n\}$

An **interpretation**

constant assignments

$\{c_1, c_2, \dots, c_n\} = D$

function assignments

$f_1(), f_2(), \dots, f_l()$

truth value assignments

$P_1(), P_2(), \dots, P_m()$

# Interpretation – assigning the signature

Constant assignments

$\{entity_1, entity_2, \dots, entity_n\}$

$\{c_1, c_2, \dots, c_n\} = D$

Function assignments

$f_1(), f_2(, ), \dots$

Truth value assignments

$P_1( ), P_2(, ), \dots$

always return T / F

# Interpretation – assigning atoms


## Propositional Logic

	A	B
Interpretation $I_1$ →	T	T
Interpretation $I_2$ →	T	F
Interpretation $I_3$ →	F	T
Interpretation $I_4$ →	F	F

## First Order Logic

Sentences

	P1() ... P2() ...	S1	S2
Interpretation $I_1$ →	T T		
Interpretation $I_2$ →	T F		
Interpretation $I_3$ →	F T		
Interpretation $I_4$ →	F F		




# PL: A Model

A **model** or a **possible world**:

Every **atomic proposition** is assigned a value **T** or **F**

The **set of all these assignments** constitutes  
A **model** or a **possible world**




All possible worlds (assignments) are **permissible**

A	B	$A \wedge B$	$A \wedge B \Rightarrow A$
T	T	T	T
T	F	F	T
F	T	F	T
F	F	F	T




Every **atomic proposition** : A, B




$$2^4 = 16$$

# Models and Signatures

Different sets of constants




$\{\text{John, Baker, } \dots, \text{Paul}\} = D1$




$\{\text{Mary, Jane, } \dots, \text{Elizabeth}\} = D2$

# Models and Signatures




a subset of constants

$$\{d_1, d_2, \dots, d_m\} = D2$$





# Truth values of sentences



<b>terms</b>	$x \quad y \quad f(x) \quad g(x, y)$
<b>atomic formulas</b>	$P(x) \quad Q(x, f(y))$
<b>formulas / sentences</b>	$\forall x, y (P(x) \wedge \neg Q(x, y))$

## First Order Logic

## Sentences

	P1()	P2()	...	S1	S2
Interpretation $I_1$	T	T			
Interpretation $I_2$	T	F			
Interpretation $I_3$	F	T			
Interpretation $I_4$	F	F			

# Model Theory


A first-order **theory** of a particular signature is  
a set of **axioms**,  
which are **sentences**  
consisting of **symbols** from that signature.

The set of axioms is  
often finite or  
recursively enumerable,  
in which case the theory is called effective.

Sometimes theories often include  
**all logical consequences** of the **axioms**.

[https://en.wikipedia.org/wiki/First-order\\_logic#First-order\\_theories.2C\\_models.2C\\_and\\_elementary\\_classes](https://en.wikipedia.org/wiki/First-order_logic#First-order_theories.2C_models.2C_and_elementary_classes)

# Axioms of a model theory



## Axioms

valid sentences consisting of symbols from a particular signature.

# Models


## Propositional Logic

	A	B		
Interpretation $I_1$	T	T		
Interpretation $I_2$	T	F	T T T	→ a model
Interpretation $I_3$	F	T	T T T	→ a model
Interpretation $I_4$	F	F		

## First Order Logic

	P1() ... P2() ...	Sentences		
		S1	S2 ...	
Interpretation $I_1$	T T			
Interpretation $I_2$	T F			
Interpretation $I_3$	F T	T	T	→ a model
Interpretation $I_4$	F F	T	T	→ a model
		T	T	→ a model

## Signature



# Logical Axioms

---

Logical Axioms      - axioms

Non-logical Axioms      - postulate – deductive system



<https://en.wikipedia.org/wiki/Axiom>

# Logical Axioms

**formulas** in a formal language that are **universally valid**  
**formulas** that are **satisfied** by every assignment of values (**interpretations**)

usually one takes as **logical axioms**  
at least some **minimal set of tautologies**  
that is sufficient for proving **all tautologies** in the language

in the case of predicate logic more **logical axioms** than that are required,  
in order to prove **logical truths** that are **not tautologies** in the **strict sense**.



<https://en.wikipedia.org/wiki/Axiom>

# Non-logical Axioms

formulas that play the role of **theory-specific assumptions**

**reasoning** about **two different structures**,  
for example the **natural numbers** and the **integers**,  
may involve the same **logical axioms**;

the purpose is to find out  
what is special about *a particular structure*  
(or set of structures, such as groups).

Thus non-logical axioms are not **tautologies**.

<https://en.wikipedia.org/wiki/Axiom>

# Mathematical Discourse

Also called

- **postulate**
- **axioms in mathematical discourse**

this does not mean that it is claimed  
that they are true in some absolute sense

an elementary basis for a formal logic system


## **A deductive system**

- **axioms** (non-logical)
- **rules of inference**

<https://en.wikipedia.org/wiki/Axiom>



# Need not be tautologies



this does not mean that it is claimed  
that they are true in some absolute sense

- Commutative axiom
- Non-commutative axiom

<https://en.wikipedia.org/wiki/Axiom>

# Model Theory

The **axioms** are considered to *hold* within the **theory** and

From **axioms** other **sentences** that *hold* within the **theory** can be derived.

A first-order structure that satisfies **all** **sentences** in a given **theory** is said to be a **model** of the **theory**.

An **elementary class** is the set of **all** structures satisfying a particular **theory**.

These classes are a main subject of study in model theory.

[https://en.wikipedia.org/wiki/First-order\\_logic#First-order\\_theories.2C\\_models.2C\\_and\\_elementary\\_classes](https://en.wikipedia.org/wiki/First-order_logic#First-order_theories.2C_models.2C_and_elementary_classes)

# Truth values of sentences

Entailment in propositional logic can be computed  
By enumerating the possible worlds (i.e. model checking)

How to enumerate possible worlds in FOL?

For each number of domain number  $n$  from 1 to infinity

For each  $k$ -ary predicate  $P_k$  in the vocabulary

For each possible  $k$ -ary relation on  $n$  objects

For each constant symbol  $C$  in the vocabulary

For each choice of referent for  $C$  from  $n$  objects. ..

Computing entailment in this way is not easy.

<https://www.cs.umd.edu/~nau/cm421/chapter08.pdf>

# Model – domain of discourse

1. a nonempty set D of **entities** called a **domain of discourse**
  - this domain is a set
  - each element in the set : entity
  - each constant symbol : one entity in the domain

If we considering all individuals in a class,  
The constant symbols might be

'Mary', - an entity  
'Fred', - an entity  
'John', - an entity  
'Tom' - an entity

# Model – interpretation

## 2. an **interpretation**

(a) an entity in D is assigned to each of the constant symbols.

Normally, every entity is assigned to a constant symbol.

(b) for each **function**,

an entity is assigned to each possible input of entities to the **function**

(c) the predicate '**True**' is always assigned **the value T**

The predicate '**False**' is always assigned **the value F**

(d) for every other **predicate**,

**the value T or F** is assigned

to each possible input of entities to the **predicate**

# Each possible input of entities

Arity one:  $C(n, 1)$   
Arity two:  $C(n, 2)$   
Arity three:  $C(n, 3)$

...

Arity one functions & predicates:  $C(n, 1)$   
Arity two:  $C(n, 2)$   
Arity three:  $C(n, 3)$

...

$\{\text{entity}_1, \text{entity}_2, \dots, \text{entity}_n\}$

$\{c_1, c_2, \dots, c_n\} = D$

$f1(), f2(, ), \dots$

$P1( ), P2(, ), \dots$

always return **T / F**

# Interpretation

## Constant assignments

(a) an entity → the constant symbols.

## Function assignments

(b) an entity → each possible input of entities to the **function**

## Truth value assignments

(c) the value **T** → the predicate '**True**'  
the value **F** → the predicate '**False**'

(d) for every other **predicate**,  
the value **T** or **F** is assigned → every other predicate  
to each possible input of entities to the **predicate**

# Signature Model Examples A – (1)

## Signature

1. constant symbols = { Mary, Fred, Sam }
2. predicate symbols = { married, young }
  - married(x, y) : arity two
  - young(x) : arity one

## Model

1. domain of discourse D : the set of three particular *individuals*

- this domain is a set
- each element in the set : entity (= *individuals*)
- each constant symbol : one entity in the domain (= one *individual*)

2. interpretation

(a) a different *individual* is assigned to each of the **constant symbols**

(a) an entity in D is assigned to each of the constant symbols.  
Normally, every entity is assigned to a constant symbol.



# Signature Model Examples A – (2)

(b) for each **function**,  
an entity is assigned to each possible input of entities to the **function**

(c) the predicate '**True**' is always assigned the value T  
The predicate '**False**' is always assigned the value F

(d) the truth value assignments for every predicate

$\text{young}(\text{Mary}) = \text{F}$ ,  $\text{young}(\text{Fred}) = \text{F}$ ,  $\text{young}(\text{Sam}) = \text{T}$

$\text{married}(\text{Mary}, \text{Mary}) = \text{F}$ ,  $\text{married}(\text{Mary}, \text{Fred}) = \text{T}$ ,  $\text{married}(\text{Mary}, \text{Sam}) = \text{F}$   
 $\text{married}(\text{Fred}, \text{Mary}) = \text{T}$ ,  $\text{married}(\text{Fred}, \text{Fred}) = \text{F}$ ,  $\text{married}(\text{Fred}, \text{Sam}) = \text{F}$   
 $\text{married}(\text{Sam}, \text{Mary}) = \text{F}$ ,  $\text{married}(\text{Sam}, \text{Fred}) = \text{F}$ ,  $\text{married}(\text{Sam}, \text{Sam}) = \text{F}$

(d) for every other **predicate**,  
the value T or F is assigned  
to each possible input of entities to the **predicate**

(Mary, Mary), (Mary, Fred), (Mary, Sam)  
(Fred, Mary), (Fred, Fred), (Fred, Sam)  
(Sam, Mary), (Sam, Fred), (Sam, Sam)

# Signature Model Examples B – (1)

## Signature

1. constant symbols = { Fred, Mary, Sam }
2. predicate symbols = { love }      love(x, y) : arity two
3. function symbols = { mother }      mother(x) : arity one

## Model

1. domain of discourse D : the set of three particular individuals
2. interpretation
  - (a) a different individual is assigned to each of the **constant symbols**
  - (b) **the truth value assignments for every predicate**  
love(Fred, Fred) = F, love(Fred, Mary) = F, love(Fred, Ann) = F  
love(Mary, Fred) = T, love(Mary, Mary) = F, love(Mary, Ann) = T  
love(Ann, Fred) = T, love(Ann, Mary) = T, love(Ann, Ann) = F
  - (c) **the function assignments**  
mother(Fred) = Mary, mother(Mary) = Ann, mother(Ann) = - (no assignment)

# Signature Model Examples B – (2)

## 2. interpretation

(a) a different individual is assigned to each of the **constant symbols**

(a) an entity in  $D$  is assigned to each of the constant symbols.  
Normally, every entity is assigned to a constant symbol.

(b) **the truth value assignments**

(b) for each **function**,  
an entity is assigned to each possible input of entities to the **function**

$\text{love}(\text{Fred}, \text{Fred}) = \text{F}$ ,  $\text{love}(\text{Fred}, \text{Mary}) = \text{F}$ ,  $\text{love}(\text{Fred}, \text{Ann}) = \text{F}$   
 $\text{love}(\text{Mary}, \text{Fred}) = \text{T}$ ,  $\text{love}(\text{Mary}, \text{Mary}) = \text{F}$ ,  $\text{love}(\text{Mary}, \text{Ann}) = \text{T}$   
 $\text{love}(\text{Ann}, \text{Fred}) = \text{T}$ ,  $\text{love}(\text{Ann}, \text{Mary}) = \text{T}$ ,  $\text{love}(\text{Ann}, \text{Ann}) = \text{F}$

(c) **the function assignments**

(d) for every other **predicate**,  
the value T or F is assigned  
to each possible input of entities to the **predicate**

$\text{mother}(\text{Fred}) = \text{Mary}$ ,  $\text{mother}(\text{Mary}) = \text{Ann}$ ,  $\text{mother}(\text{Ann}) = -$  (no assignment)

# The truth value of sentences

The truth values of **all sentences** are assigned :

1. the truth values for **sentences** developed with the symbols  $\neg$ ,  $\wedge$ ,  $\vee$ ,  $\Rightarrow$ ,  $\Leftrightarrow$  are assigned as in propositional logic.
2. the truth values for two terms connected by the  $=$  symbol is **T** if both terms refer to the same entity; otherwise it is **F**
3. the truth values for  $\forall x p(x)$  has value **T** if  $p(x)$  has value **T** for **every assignment** to  $x$  of an **entity** in the domain  $D$ ; otherwise it has value **F**
4. the truth values for  $\exists x p(x)$  has value **T** if  $p(x)$  has value **T** for **at least one assignment** to  $x$  of an **entity** in the domain  $D$ ; otherwise it has value **F**
5. the operator **precedence** is as follows  $\neg$ ,  $=$ ,  $\wedge$ ,  $\vee$ ,  $\Rightarrow$ ,  $\Leftrightarrow$
6. the **quantifiers** have precedence over the operators
7. **parentheses** change the order of the precedence

# Formulas and Sentences

An **formula**

- A **atomic formula**
- The operator  $\neg$  followed by a **formula**
- Two formulas separated by  $\wedge$ ,  $\vee$ ,  $\Rightarrow$ ,  $\Leftrightarrow$
- A **quantifier** following by a variable followed by a formula

A **sentence**

- A **formula** with **no free variables**

$\forall x \text{ love}(x,y)$	: free variable $y$	: <b>not</b> a sentence
$\forall x \text{ tall}(x)$	: no free variable	: a sentence

# Finding the truth value

Find the truth values of **all sentences**

1.  $\neg$ ,  $\wedge$ ,  $\vee$ ,  $\Rightarrow$ ,  $\Leftrightarrow$

2. = symbol

3.  $\forall x p(x)$

4.  $\exists x p(x)$

5. the **operator precedence** is as follows  $\neg$ , =,  $\wedge$ ,  $\vee$ ,  $\Rightarrow$ ,  $\Leftrightarrow$

6. the **quantifiers** ( $\forall$ ,  $\exists$ ) have precedence over the **operators**

7. **parentheses** change the order of the precedence



# Sentence Examples (1)

## Signature

Constant Symbols = {Socrates, Plato, Zeus, Fido}

Predicate Symbols = {human, mortal, legs} all arity one

## Model

D: the set of these four particular individuals

## Interpretation

(a) a different individual is assigned to each of the constant symbols

(b) the truth value assignment

human(Socrates)=T, human(Plato)=T, human(Zeus)=F, human(Fido)=F

mortal(Socrates)=T, mortal(Plato)=T, mortal(Zeus)=F, mortal(Fido)=T

legs(Socrates)=T, legs(Plato)=T, legs(Zeus)=T, legs(Fido)=T



## Sentence Examples (2)

Sentence 1:  $\text{human}(\text{Zeus}) \wedge \text{human}(\text{Fido}) \vee \text{human}(\text{Socrates}) = \text{T}$   
F       $\wedge$       F       $\vee$       T

Sentence 2:  $\text{human}(\text{Zeus}) \wedge (\text{human}(\text{Fido}) \vee \text{human}(\text{Socrates})) = \text{F}$   
F       $\wedge$  (      F       $\vee$       T      )

Sentence 3:  $\forall x \text{human}(x) = \text{F}$   
 $\text{human}(\text{Zeus})=\text{F}, \text{human}(\text{Fido})=\text{F}$

Sentence 4:  $\forall x \text{mortal}(x) = \text{F}$   
 $\text{mortal}(\text{Zeus})=\text{F}$

Sentence 5:  $\forall x \text{legs}(x) = \text{T}$   
 $\text{legs}(\text{Socrates})=\text{T}, \text{legs}(\text{Plato})=\text{T}, \text{legs}(\text{Zeus})=\text{T}, \text{legs}(\text{Fido})=\text{T}$

Sentence 6:  $\exists x \text{human}(x) = \text{T}$   
 $\text{human}(\text{Socrates})=\text{T}, \text{human}(\text{Plato})=\text{T}$

Sentence 7:  $\forall x (\text{human}(x) \Rightarrow \text{mortal}(x)) = \text{T}$

# Sentence Examples (3)

Sentence 7:  $\forall x (\text{human}(x) \Rightarrow \text{mortal}(x)) = T$

$\text{human}(\text{Socrates})=T,$	$\text{mortal}(\text{Socrates})=T,$
$\text{human}(\text{Plato})=T,$	$\text{mortal}(\text{Plato})=T,$
$\text{human}(\text{Zeus})=F,$	$\text{mortal}(\text{Zeus})=F,$
$\text{human}(\text{Fido})=F$	$\text{mortal}(\text{Fido})=T$

$T \Rightarrow T : T$
$T \Rightarrow T : T$
$F \Rightarrow F : T$
$F \Rightarrow T : T$

## References

- [1] en.wikipedia.org
- [2] en.wiktionary.org
- [3] U. Endriss, “Lecture Notes : Introduction to Prolog Programming”
- [4] <http://www.learnprolognow.org/> Learn Prolog Now!
- [5] [http://www.csupomona.edu/~jrfisher/www/prolog\\_tutorial](http://www.csupomona.edu/~jrfisher/www/prolog_tutorial)
- [6] [www.cse.unsw.edu.au/~billw/cs9414/notes/prolog/intro.html](http://www.cse.unsw.edu.au/~billw/cs9414/notes/prolog/intro.html)
- [7] [www.cse.unsw.edu.au/~billw/dictionaries/prolog/negation.html](http://www.cse.unsw.edu.au/~billw/dictionaries/prolog/negation.html)
- [8] <http://ilppp.cs.lth.se/>, P. Nugues, `An Intro to Lang Processing with Perl and Prolog