

Laurent Series and z-Transform Examples case 0.A


20171129

Copyright (c) 2016 - 2017 Young W. Lim.



Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

1. A


$$f(z) = \frac{-1}{(z-1)(z-2)} \xrightarrow{z^{-1}} X(z) = \frac{-0.5z^2}{(z-1)(z-0.5)}$$





$$\sum_{n=0}^{\infty} \left[\left(\frac{1}{2}\right)^{n+1} - 1 \right] z^n$$




$$\sum_{n=0}^{\infty} \left[\left(\frac{1}{2}\right)^{n+1} - 1 \right] z^{-n}$$





$$\sum_{n=-1}^{\infty} \left[1 - \left(\frac{1}{2}\right)^{n+1} \right] z^n$$



$$\sum_{n=-1}^{\infty} \left[1 - \left(\frac{1}{2}\right)^{n+1} \right] z^{-n}$$




$$\sum_{n=-1}^{\infty} 1 \cdot z^n + \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^{n+1} \cdot z^n$$





$$\sum_{n=-1}^{\infty} 1 \cdot z^{-n} + \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^{n+1} \cdot z^{-n}$$

2.A


$$f(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)} \xrightarrow{z^{-1}} X(z) = \frac{-1}{(z-1)(z-2)}$$





$$\sum_{n=-\infty}^{\infty} [1 - 2^{n-1}] z^n$$




$$\sum_{n=-\infty}^{\infty} [1 - 2^{n-1}] z^{-n}$$





$$\sum_{n=0}^{\infty} [2^{n-1} - 1] z^n$$



$$\sum_{n=0}^{\infty} [2^{n-1} - 1] z^{-n}$$




$$\sum_{n=-\infty}^{\infty} 1 \cdot z^n + \sum_{n=0}^{\infty} 2^{n-1} \cdot z^n$$





$$\sum_{n=-\infty}^{\infty} 1 \cdot z^{-n} + \sum_{n=0}^{\infty} 2^{n-1} \cdot z^{-n}$$

3. A


$$f(z) = \frac{-1}{(z-1)(z-2)} = X(z) = \frac{-1}{(z-1)(z-2)}$$





$$\sum_{n=0}^{\infty} \left[\left(\frac{1}{2}\right)^{n+1} - 1 \right] z^n$$




$$\sum_{n=0}^{-\infty} \left[2^{n-1} - 1 \right] z^{-n}$$





$$\sum_{n=-1}^{\infty} \left[1 - \left(\frac{1}{2}\right)^{n+1} \right] z^n$$



$$\sum_{n=-1}^{\infty} \left[1 - 2^{n-1} \right] z^{-n}$$




$$\sum_{n=-1}^{\infty} z^n + \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^{n+1} z^n$$





$$+ \sum_{n=-1}^{\infty} z^{-n} + \sum_{n=0}^{\infty} 2^{n-1} z^{-n}$$

4.A


$$f(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)} = X(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)}$$





$$\sum_{n=-\infty}^{\infty} [1 - 2^{n-1}] z^n$$




$$\sum_{n=-\infty}^{\infty} [1 - (\frac{1}{2})^{n+1}] z^{-n}$$





$$\sum_{n=-\infty}^{\infty} [2^{n-1} - 1] z^n$$



$$\sum_{n=-\infty}^{\infty} [(\frac{1}{2})^{n+1} - 1] z^{-n}$$



$$+\sum_{n=-\infty}^{\infty} z^n + \sum_{n=0}^{\infty} 2^{n-1} z^n$$




$$+\sum_{n=-\infty}^{\infty} z^{-n} + \sum_{n=0}^{\infty} (\frac{1}{2})^{n+1} z^{-n}$$

1. A


$$f(z) = \frac{-1}{(z-1)(z-2)} \xrightarrow{z^{-1}} X(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)}$$

I



$$a_n = \begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$


$$f(z) = \sum_{n=0}^{\infty} \left[\left(\frac{1}{2}\right)^{n+1} - 1 \right] z^n$$



$$x_n = \begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$


$$X(z) = \sum_{n=0}^{\infty} \left[\left(\frac{1}{2}\right)^{n+1} - 1 \right] z^{-n}$$

II



$$a_n = \begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$


$$f(z) = \sum_{n=-1}^{-\infty} \left(1 - \left(\frac{1}{2}\right)^{n+1} \right) z^n$$



$$x_n = \begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$


$$X(z) = \sum_{n=-1}^{-\infty} \left(1 - \left(\frac{1}{2}\right)^{n+1} \right) z^{-n}$$

III



$$a_n = \begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$f(z) = \sum_{n=-1}^{-\infty} z^n + \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^{n+1} z^n$$




$$x_n = \begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$X(z) = \sum_{n=-1}^{-\infty} z^{-n} + \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^{n+1} z^{-n}$$

2.A


$$f(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)} \xrightarrow{z^{-1}} X(z) = \frac{-1}{(z-1)(z-2)}$$

I



$$a_n = \begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$


$$f(z) = \sum_{n=1}^{\infty} [1 - 2^{n-1}] z^n$$



$$x_n = \begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$


$$X(z) = \sum_{n=1}^{\infty} [1 - 2^{n-1}] z^{-n}$$

II



$$a_n = \begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$


$$f(z) = \sum_{n=0}^{-\infty} [2^{n-1} - 1] z^n$$



$$x_n = \begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$


$$X(z) = \sum_{n=0}^{-\infty} [2^{n-1} - 1] z^{-n}$$

III



$$a_n = \begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$f(z) = \sum_{n=1}^{\infty} 1 \cdot z^n + \sum_{n=0}^{-\infty} 2^{n-1} \cdot z^n$$




$$x_n = \begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$X(z) = \sum_{n=1}^{\infty} 1 \cdot z^{-n} + \sum_{n=0}^{-\infty} 2^{n-1} \cdot z^{-n}$$


3.A $f(z) = \frac{-1}{(z-1)(z-2)} = X(z) = \frac{-1}{(z-1)(z-2)}$

I




$$a_n = \begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$

$$f(z) = \sum_{n=0}^{\infty} [(\frac{1}{2})^{n+1} - 1] z^n$$




$$x_n = \begin{cases} 0 & (n > 0) \\ [2^{n-1} - 1] & (n \leq 0) \end{cases}$$

$$X(z) = \sum_{n=-\infty}^{\infty} [2^{n-1} - 1] z^{-n}$$




II




$$a_n = \begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$

$$f(z) = \sum_{n=-1}^{\infty} [1 - (\frac{1}{2})^{n+1}] z^n$$




$$x_n = \begin{cases} [1 - 2^{n-1}] & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$

$$X(z) = \sum_{n=1}^{\infty} [1 - 2^{n-1}] z^{-n}$$




III




$$a_n = \begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$f(z) = \sum_{n=-1}^{\infty} z^n + \sum_{n=0}^{\infty} (\frac{1}{2})^{n+1} z^n$$



$$x_n = \begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$


$$X(z) = \sum_{n=1}^{\infty} z^{-n} + \sum_{n=0}^{\infty} 2^{n-1} z^{-n}$$



4.A


$$f(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)} = X(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)}$$

I



$$a_n = \begin{cases} [1 - 2^{n-1}] & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$


$$f(z) = \sum_{n=-1}^{\infty} [1 - 2^{n-1}] z^n$$



$$x_n = \begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$


$$X(z) = \sum_{n=-1}^{\infty} [1 - (\frac{1}{2})^{n+1}] z^{-n}$$

II



$$a_n = \begin{cases} 0 & (n > 0) \\ [2^{n-1} - 1] & (n \leq 0) \end{cases}$$


$$f(z) = \sum_{n=-1}^{\infty} [2^{n-1} - 1] z^n$$



$$x_n = \begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$


$$X(z) = \sum_{n=-1}^{\infty} [(\frac{1}{2})^{n+1} - 1] z^{-n}$$

III




$$a_n = \begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$f(z) = + \sum_{n=1}^{\infty} z^n + \sum_{n=0}^{-\infty} 2^{n-1} z^n$$



$$x_n = \begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$


$$X(z) = + \sum_{n=1}^{\infty} z^{-n} + \sum_{n=0}^{\infty} (\frac{1}{2})^{n+1} z^{-n}$$



$$X(z^{-1}) = \frac{z^{-1}}{z^{-1} - 0.5} \quad |z| < 2$$


$$f(z) = \frac{z}{z - 0.5} = \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^n z^n$$

$$a_n = \left(\frac{1}{2}\right)^n = p^{-n} \quad p=2$$



$$X(z) = \frac{z}{z - 0.5} = \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^n z^{-n} \quad |z| > \frac{1}{2}$$


$$x_n = \left(\frac{1}{2}\right)^n = p^n \quad p = \frac{1}{2}$$



$$X(z^{-1}) = \frac{z}{z - 0.5} \quad |z| > \frac{1}{2}$$

$$f(z) = \frac{z}{z - 0.5} = \sum_{n=-\infty}^0 \left(\frac{1}{2}\right)^{-n} z^n = \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^n z^{-n}$$

$$a_n = \left(\frac{1}{2}\right)^{-n} = p^{-n} \quad p = \frac{1}{2}$$




$$X(z) = \frac{z}{z - 0.5} = \sum_{n=-\infty}^0 \left(\frac{1}{2}\right)^{-n} z^{-n} = \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^n z^n \quad |z| < 2$$

$$x_n = \left(\frac{1}{2}\right)^{-n} = p^n \quad p=2$$

$$(bz)^n \quad (n \geq 0)$$

$$|z| < b^{-1}$$




$$f(z) = \frac{1}{1-bz} = \frac{b^{-1}}{b^{-1}-z}$$

$$a_n = b^n$$


$$= p^{-n}$$

$$p = b^{-1}$$



$$(bz^{-1})^n \quad (n \geq 0)$$

$$|z| > b$$




$$X(z) = \frac{1}{1-b/z} = \frac{z}{z-b}$$

$$x_n = b^n$$


$$= p^n$$

$$p = b$$



$$(n \leq 0) \quad (b^{-1}z)^n = (bz^{-1})^{-n}$$

$$|z| > b$$




$$f(z) = \frac{1}{1-(bz^{-1})} = \frac{z}{z-b}$$

$$a_n = b^{-n}$$


$$= p^{-n}$$

$$p = b$$



$$(n \leq 0) \quad (b^{-1}z^{-1})^n = (bz)^{-n}$$

$$|z| < b^{-1}$$




$$X(z) = \frac{1}{1-(bz)} = \frac{b^{-1}}{b^{-1}-z}$$

$$x_n = b^{-n}$$

$$= p^n$$


$$p = b^{-1}$$



$$f(z) \xrightarrow{z^{-1}} X(z)$$

1.A


$$\frac{-1}{(z-1)(z-2)} \xrightarrow{z^{-1}} \frac{-0.5z^2}{(z-1)(z-0.5)}$$



$$\frac{1}{p_2} < \frac{1}{p_1}$$

$$\frac{1}{2} < \frac{1}{1}$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$




$$p_1 < p_2$$

$$0.5 < 1.0$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$

2.A


$$\frac{-0.5z^2}{(z-1)(z-0.5)} \xrightarrow{z^{-1}} \frac{-1}{(z-1)(z-2)}$$



$$\frac{1}{p_2} < \frac{1}{p_1}$$

$$\frac{1}{1} < \frac{1}{0.5}$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$




$$p_1 < p_2$$

$$1 < 2$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$

$$f(z) = X(z)$$

3.A $\frac{-1}{(z-1)(z-2)} = \frac{-1}{(z-1)(z-2)}$




$$\frac{1}{p_2} < \frac{1}{p_1}$$

$$\frac{1}{2} < \frac{1}{1}$$

$$p_1 = 1$$

$$p_2 = 2$$




$$p_1 < p_2$$

$$1 < 2$$

$$p_1 = 1$$

$$p_2 = 2$$

4.A $\frac{-0.5z^2}{(z-1)(z-0.5)} = \frac{-0.5z^2}{(z-1)(z-0.5)}$




$$\frac{1}{p_2} < \frac{1}{p_1}$$

$$\frac{1}{1} < \frac{1}{0.5}$$

$$p_1 = 0.5$$

$$p_2 = 1$$



$$p_1 < p_2$$

$$1 < 0.5$$


$$p_1 = 0.5$$

$$p_2 = 1$$


$$f(z) \xleftrightarrow{z^{-1}} X(z)$$

$$a_n = x_n$$

I




$$\begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$




$$\begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$

II




$$\begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$




$$\begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$

III




$$\begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$




$$\begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

I




$$\begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$




$$\begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$

II




$$\begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$




$$\begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$

III



$$\begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$



$$\begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$f(z) = X(z)$$

$$a_n \overset{-n}{\longleftrightarrow} x_n$$

I		$\begin{matrix} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{matrix}$		$\begin{matrix} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{matrix}$
II		$\begin{matrix} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{matrix}$		$\begin{matrix} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{matrix}$
III		$\begin{matrix} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{matrix}$		$\begin{matrix} 1 & (n > 0) \\ 2^n & (n \leq 0) \end{matrix}$
I		$\begin{matrix} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{matrix}$		$\begin{matrix} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{matrix}$
II		$\begin{matrix} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{matrix}$		$\begin{matrix} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{matrix}$
III		$\begin{matrix} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{matrix}$		$\begin{matrix} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{matrix}$

$$f(z) \xleftrightarrow{z^{-1}} X(z)$$

$$a_n = x_n$$

Ⓘ

$$P_1 = 1 \\ P_2 = 2$$

$$\begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$

$$\begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$

$$P_1 = 0.5 \\ P_2 = 1$$

Ⓙ

$$P_1 = 1 \\ P_2 = 2$$

$$\begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$

$$\begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$

$$P_1 = 0.5 \\ P_2 = 1$$

Ⓚ

$$P_1 = 1 \\ P_2 = 2$$

$$\begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$\begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$P_1 = 0.5 \\ P_2 = 1$$

Ⓛ

$$P_1 = 0.5 \\ P_2 = 1$$

$$\begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$

$$\begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$

$$P_1 = 1 \\ P_2 = 2$$

Ⓜ

$$P_1 = 0.5 \\ P_2 = 1$$

$$\begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$

$$\begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$

$$P_1 = 1 \\ P_2 = 2$$

Ⓝ

$$P_1 = 0.5 \\ P_2 = 1$$

$$\begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$\begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$P_1 = 1 \\ P_2 = 2$$

$$f(z) = X(z)$$

$$a_n \overset{-n}{\longleftrightarrow} x_n$$

Ⓘ

$$P_1 = 1 \\ P_2 = 2$$

$$\begin{matrix} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{matrix}$$

$$\begin{matrix} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{matrix}$$

$$P_1 = 1 \\ P_2 = 2$$

Ⓜ

$$P_1 = 1 \\ P_2 = 2$$

$$\begin{matrix} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{matrix}$$

$$\begin{matrix} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{matrix}$$

$$P_1 = 1 \\ P_2 = 2$$

Ⓝ

$$P_1 = 1 \\ P_2 = 2$$

$$\begin{matrix} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{matrix}$$

$$\begin{matrix} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{matrix}$$

$$P_1 = 1 \\ P_2 = 2$$

Ⓘ

$$P_1 = 0.5 \\ P_2 = 1$$

$$\begin{matrix} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{matrix}$$

$$\begin{matrix} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{matrix}$$

$$P_1 = 0.5 \\ P_2 = 1$$

Ⓜ

$$P_1 = 0.5 \\ P_2 = 1$$

$$\begin{matrix} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{matrix}$$

$$\begin{matrix} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{matrix}$$

$$P_1 = 0.5 \\ P_2 = 1$$

Ⓝ

$$P_1 = 0.5 \\ P_2 = 1$$

$$\begin{matrix} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{matrix}$$

$$\begin{matrix} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{matrix}$$

$$P_1 = 0.5 \\ P_2 = 1$$

$$\begin{array}{l} \left(\frac{1}{2}\right)^{n+1} - 1 \quad (n \geq 0) \\ 0 \quad (n < 0) \end{array}$$

$$\begin{array}{l} 0 \quad (n > 0) \\ 2^{n-1} - 1 \quad (n \leq 0) \end{array}$$


n	-3	-2	-1	0	1	2	3	4
$\left(\frac{1}{2}\right)^{n+1}$	$\left(\frac{1}{2}\right)^{-3+1}$	$\left(\frac{1}{2}\right)^{-2+1}$	$\left(\frac{1}{2}\right)^{-1+1}$	$\left(\frac{1}{2}\right)^{0+1}$	$\left(\frac{1}{2}\right)^{1+1}$	$\left(\frac{1}{2}\right)^{2+1}$	$\left(\frac{1}{2}\right)^{3+1}$	$\left(\frac{1}{2}\right)^{4+1}$
	$\left(\frac{1}{2}\right)^{-2}$	$\left(\frac{1}{2}\right)^{-1}$	$\left(\frac{1}{2}\right)^0$	$\left(\frac{1}{2}\right)^1$	$\left(\frac{1}{2}\right)^2$	$\left(\frac{1}{2}\right)^3$	$\left(\frac{1}{2}\right)^4$	$\left(\frac{1}{2}\right)^5$
2^{-n-1}	2^2	2^1	2^0	2^{-1}	2^{-2}	2^{-3}	2^{-4}	2^{-5}
$-n$	+3	+2	+1	0	-1	-2	-3	-4
2^{-n-1}	2^{3-1}	2^{2-1}	2^{1-1}	2^{0-1}	2^{-1-1}	2^{-2-1}	2^{-3-1}	2^{-4-1}

n'	m	-2	-1	0	+1	+2	+3
$2^{n'-1}$	2^{m-1}	2^{-2-1}	2^{-1-1}	2^{0-1}	2^{1-1}	2^{2-1}	2^{3-1}

n	-3	-2	-1	0	1	2	3
2^n	2^{-3}	2^{-2}	2^{-1}	2^0	2^1	2^2	2^3
$-n$	3	2	1	0	-1	-2	-3
2^{-n}	2^3	2^2	2^1	2^0	2^{-1}	2^{-2}	2^{-3}

rearrange



n'	m	$-n$	-3	-2	-1	0	1	2	3
$2^{n'}$	2^m	2^{-n}	2^{-3}	2^{-2}	2^{-1}	2^0	2^1	2^2	2^3



the same function


n	-3	-2	-1	0	1	2	3
2^n	2^{-3}	2^{-2}	2^{-1}	2^0	2^1	2^2	2^3
n	-3	-2	-1	0	1	2	3
2^{-n}	2^3	2^2	2^1	2^0	2^{-1}	2^{-2}	2^{-3}

different functions





① 2^n ($n < 0$)

② 2^n ($n > 0$)




③ $(\frac{1}{2})^n$ ($n < 0$)

④ $(\frac{1}{2})^n$ ($n > 0$)



⑤ 2^n ($n < 0$)

⑥ 2^n ($n > 0$)



⑦ $(\frac{1}{2})^n$ ($n < 0$)

⑧ $(\frac{1}{2})^n$ ($n > 0$)

$$2^{n-1} \xleftrightarrow{-n} 2^{-n-1} = \left(\frac{1}{2}\right)^{n+1}$$

$$2^{n-1} \quad (n < 0) \quad \times \quad \left(\frac{1}{2}\right)^{n+1} \quad (n \geq 0)$$

$$2^{n-1} \quad (n \geq 0) \quad \times \quad \left(\frac{1}{2}\right)^{n+1} \quad (n < 0)$$



$$2^{n-1} \quad (n \leq 0) \quad \times \quad \left(\frac{1}{2}\right)^{n+1} \quad (n > 0)$$

$$2^{n-1} \quad (n > 0) \quad \times \quad \left(\frac{1}{2}\right)^{n+1} \quad (n \leq 0)$$

$f(z)$

$p_1 < p_2$

$p_1 \leq p_2 \leq 1$	2^{n-1}	$1 \leq p_1 \leq p_2$	$(\frac{1}{2})^{n+1}$	
$\begin{cases} (\frac{1}{p_2})^{n-1} - (\frac{1}{p_1})^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$		$\begin{cases} (\frac{1}{p_2})^{n+1} - (\frac{1}{p_1})^{n+1} & (n \geq 0) \\ 0 & (n < 0) \end{cases}$		$ z < p_1$
$\begin{cases} 0 & (n > 0) \\ (\frac{1}{p_1})^{n-1} - (\frac{1}{p_2})^{n-1} & (n \leq 0) \end{cases}$		$\begin{cases} 0 & (n \geq 0) \\ (\frac{1}{p_1})^{n+1} - (\frac{1}{p_2})^{n+1} & (n < 0) \end{cases}$		$ z > p_2$
$\begin{cases} (\frac{1}{p_2})^{n-1} & (n > 0) \\ (\frac{1}{p_1})^{n-1} & (n \leq 0) \end{cases}$		$\begin{cases} (\frac{1}{p_2})^{n+1} & (n \geq 0) \\ (\frac{1}{p_1})^{n+1} & (n < 0) \end{cases}$		$p_1 < z < p_2$



2^n

$\frac{1}{p_1}$	$\frac{1}{p_2}$
2	1

$\frac{1}{p_1}$	$\frac{1}{p_2}$
1	0.5

$(\frac{1}{2})^{n+1}$

$X(z)$ $p_1 < p_2$ $p_1 \leq p_2 \leq 1 \quad \left(\frac{1}{2}\right)^{n+1}$ $1 \leq p_1 \leq p_2 \quad 2^{n-1}$

0	$(n \geq 0)$
$(p_1)^{n+1} - (p_2)^{n+1}$	$(n < 0)$

0	$(n > 0)$
$(p_1)^{n-1} - (p_2)^{n-1}$	$(n \leq 0)$

 $|z| < p_1$



$(p_2)^{n+1} - (p_1)^{n+1}$	$(n \geq 0)$
0	$(n < 0)$

$(p_2)^{n-1} - (p_1)^{n-1}$	$(n > 0)$
0	$(n \leq 0)$

 $|z| > p_2$

$(p_2)^{n+1}$	$(n \geq 0)$
$(p_1)^{n+1}$	$(n < 0)$

$(p_2)^{n-1}$	$(n > 0)$
$(p_1)^{n-1}$	$(n \leq 0)$

 $p_1 < |z| < p_2$  $\left(\frac{1}{2}\right)^{n+1}$

p_1	p_2
0.5	1.0


$\frac{1}{p_1}$	$\frac{1}{p_2}$
2	1

p_1	p_2
1	2

$\frac{1}{p_1}$	$\frac{1}{p_2}$
1	0.5

 2^n

I




$(\frac{1}{2})^{n+1} - 1$	$(n \geq 0)$
0	$(n < 0)$

$p_1 = 1$
$p_2 = 2$

$(\frac{1}{p_2})^{n+1} - (\frac{1}{p_1})^{n+1}$	$(n \geq 0)$
0	$(n < 0)$

II




0	$(n \geq 0)$
$1 - (\frac{1}{2})^{n+1}$	$(n < 0)$

$p_1 = 1$
$p_2 = 2$

0	$(n \geq 0)$
$(\frac{1}{p_1})^{n+1} - (\frac{1}{p_2})^{n+1}$	$(n < 0)$

III




$(\frac{1}{2})^{n+1}$	$(n \geq 0)$
1	$(n < 0)$

$p_1 = 1$
$p_2 = 2$

$(\frac{1}{p_2})^{n+1}$	$(n \geq 0)$
$(\frac{1}{p_1})^{n+1}$	$(n < 0)$

I




$1 - 2^{n-1}$	$(n > 0)$
0	$(n \leq 0)$

$p_1 = 0.5$
$p_2 = 1$

$(\frac{1}{p_2})^{n-1} - (\frac{1}{p_1})^{n-1}$	$(n > 0)$
0	$(n \leq 0)$

II




0	$(n > 0)$
$2^{n-1} - 1$	$(n \leq 0)$

$p_1 = 0.5$
$p_2 = 1$

0	$(n > 0)$
$(\frac{1}{p_1})^{n-1} - (\frac{1}{p_2})^{n-1}$	$(n \leq 0)$

III



1	$(n > 0)$
2^{n-1}	$(n \leq 0)$

$p_1 = 0.5$
$p_2 = 1$

$(\frac{1}{p_2})^{n-1}$	$(n > 0)$
$(\frac{1}{p_1})^{n-1}$	$(n \leq 0)$


$$f(z) \xleftrightarrow{z^{-1}} X(z)$$

$$a_n = x_n$$

I

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$

$$\begin{matrix} (p_1)^{n+1} - (p_2)^{n+1} \\ 0 \end{matrix}$$




$$\begin{matrix} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{matrix}$$

II

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$

$$\begin{matrix} 0 \\ (p_2)^{n+1} - (p_1)^{n+1} \end{matrix}$$




$$\begin{matrix} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{matrix}$$

III

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$

$$\begin{matrix} (p_1)^{n+1} \\ (p_2)^{n+1} \end{matrix}$$




$$\begin{matrix} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{matrix}$$

I

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$

$$\begin{matrix} (p_1)^{n-1} - (p_2)^{n-1} \\ 0 \end{matrix}$$




$$\begin{matrix} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{matrix}$$

II

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$

$$\begin{matrix} 0 \\ (p_2)^{n-1} - (p_1)^{n-1} \end{matrix}$$




$$\begin{matrix} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{matrix}$$

III

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$

$$\begin{matrix} (p_1)^{n-1} \\ (p_2)^{n-1} \end{matrix}$$



$$\begin{matrix} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{matrix}$$

$$f(z) = X(z)$$

$$a_n \overset{-n}{\longleftrightarrow} x_n$$


I

$$p_1 = 1$$

$$p_2 = 2$$

$$0$$

$$(p_2)^{n-1} - (p_1)^{n-1}$$



$$0 \quad (n > 0)$$

$$2^{n-1} - 1 \quad (n \leq 0)$$


II

$$p_1 = 1$$

$$p_2 = 2$$

$$(p_1)^{n-1} - (p_2)^{n-1}$$

$$0$$



$$1 - 2^{n-1} \quad (n > 0)$$

$$0 \quad (n \leq 0)$$


III

$$p_1 = 1$$

$$p_2 = 2$$

$$(p_1)^{n-1}$$

$$(p_2)^{n-1}$$



$$1 \quad (n > 0)$$

$$2^{n-1} \quad (n \leq 0)$$


I

$$p_1 = 0.5$$

$$p_2 = 1$$

$$0$$

$$(p_2)^{n+1} - (p_1)^{n+1}$$



$$0 \quad (n \geq 0)$$

$$1 - (\frac{1}{2})^{n+1} \quad (n < 0)$$


II

$$p_1 = 0.5$$

$$p_2 = 1$$

$$(p_1)^{n+1} - (p_2)^{n+1}$$

$$0$$



$$(\frac{1}{2})^{n+1} - 1 \quad (n \geq 0)$$

$$0 \quad (n < 0)$$


III

$$p_1 = 0.5$$

$$p_2 = 1$$

$$(p_1)^{n+1}$$

$$(p_2)^{n+1}$$















$$(\frac{1}{2})^{n+1} \quad (n \geq 0)$$

$$1 \quad (n < 0)$$



$$f(z) \xleftrightarrow{z^{-1}} X(z)$$


$$a_n = x_n$$

<p>I</p> 	$\begin{cases} \left(\frac{1}{p_2}\right)^{n+1} - \left(\frac{1}{p_1}\right)^{n+1} & (n \geq 0) \\ 0 & (n < 0) \end{cases} \quad \begin{cases} (n \geq 0) \\ (n < 0) \end{cases}$ $\begin{cases} (p_1)^{n+1} - (p_2)^{n+1} \\ 0 \end{cases}$ $\begin{cases} p_1 = 1 \\ p_2 = 2 \end{cases} \quad \begin{cases} p_1 = 0.5 \\ p_2 = 1 \end{cases}$	
<p>II</p> 	$\begin{cases} 0 & (n \geq 0) \\ \left(\frac{1}{p_1}\right)^{n+1} - \left(\frac{1}{p_2}\right)^{n+1} & (n < 0) \end{cases} \quad \begin{cases} (n \geq 0) \\ (n < 0) \end{cases}$ $\begin{cases} 0 \\ (p_2)^{n+1} - (p_1)^{n+1} \end{cases}$ $\begin{cases} p_1 = 1 \\ p_2 = 2 \end{cases} \quad \begin{cases} p_1 = 0.5 \\ p_2 = 1 \end{cases}$	
<p>III</p> 	$\begin{cases} \left(\frac{1}{p_2}\right)^{n+1} & (n \geq 0) \\ \left(\frac{1}{p_1}\right)^{n+1} & (n < 0) \end{cases} \quad \begin{cases} (n \geq 0) \\ (n < 0) \end{cases}$ $\begin{cases} (p_1)^{n+1} \\ (p_2)^{n+1} \end{cases}$ $\begin{cases} p_1 = 1 \\ p_2 = 2 \end{cases} \quad \begin{cases} p_1 = 0.5 \\ p_2 = 1 \end{cases}$	
<p>I</p> 	$\begin{cases} \left(\frac{1}{p_2}\right)^{n-1} - \left(\frac{1}{p_1}\right)^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases} \quad \begin{cases} (n > 0) \\ (n \leq 0) \end{cases}$ $\begin{cases} (p_1)^{n-1} - (p_2)^{n-1} \\ 0 \end{cases}$ $\begin{cases} p_1 = 0.5 \\ p_2 = 1 \end{cases} \quad \begin{cases} p_1 = 1 \\ p_2 = 2 \end{cases}$	
<p>II</p> 	$\begin{cases} 0 & (n > 0) \\ \left(\frac{1}{p_1}\right)^{n-1} - \left(\frac{1}{p_2}\right)^{n-1} & (n \leq 0) \end{cases} \quad \begin{cases} (n > 0) \\ (n \leq 0) \end{cases}$ $\begin{cases} 0 \\ (p_2)^{n-1} - (p_1)^{n-1} \end{cases}$ $\begin{cases} p_1 = 0.5 \\ p_2 = 1 \end{cases} \quad \begin{cases} p_1 = 1 \\ p_2 = 2 \end{cases}$	
<p>III</p> 	$\begin{cases} \left(\frac{1}{p_2}\right)^{n-1} & (n > 0) \\ \left(\frac{1}{p_1}\right)^{n-1} & (n \leq 0) \end{cases} \quad \begin{cases} (n > 0) \\ (n \leq 0) \end{cases}$ $\begin{cases} (p_1)^{n-1} \\ (p_2)^{n-1} \end{cases}$ $\begin{cases} p_1 = 0.5 \\ p_2 = 1 \end{cases} \quad \begin{cases} p_1 = 1 \\ p_2 = 2 \end{cases}$	

$$f(z) = X(z)$$

$$a_n \overset{-n}{\longleftrightarrow} x_n$$


I




$$\begin{matrix} \left(\frac{1}{p_2}\right)^{n+1} - \left(\frac{1}{p_1}\right)^{n+1} & (n \geq 0) & (n > 0) & 0 \\ 0 & (n < 0) & (n \leq 0) & (p_2)^{n-1} - (p_1)^{n-1} \end{matrix}$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$




II




$$\begin{matrix} 0 & (n \geq 0) & (n > 0) & (p_1)^{n-1} - (p_2)^{n-1} \\ \left(\frac{1}{p_1}\right)^{n+1} - \left(\frac{1}{p_2}\right)^{n+1} & (n < 0) & (n \leq 0) & 0 \end{matrix}$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$




III




$$\begin{matrix} \left(\frac{1}{p_2}\right)^{n+1} & (n \geq 0) & (n > 0) & (p_1)^{n-1} \\ \left(\frac{1}{p_1}\right)^{n+1} & (n < 0) & (n \leq 0) & (p_2)^{n-1} \end{matrix}$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$

$$\begin{matrix} p_1 = 1 \\ p_2 = 2 \end{matrix}$$




I




$$\begin{matrix} \left(\frac{1}{p_2}\right)^{n-1} - \left(\frac{1}{p_1}\right)^{n-1} & (n > 0) & (n \geq 0) & 0 \\ 0 & (n \leq 0) & (n < 0) & (p_2)^{n+1} - (p_1)^{n+1} \end{matrix}$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$




II




$$\begin{matrix} 0 & (n > 0) & (n \geq 0) & (p_1)^{n+1} - (p_2)^{n+1} \\ \left(\frac{1}{p_1}\right)^{n-1} - \left(\frac{1}{p_2}\right)^{n-1} & (n \leq 0) & (n < 0) & 0 \end{matrix}$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$




III



$$\begin{matrix} \left(\frac{1}{p_2}\right)^{n-1} & (n > 0) & (n \geq 0) & (p_1)^{n+1} \\ \left(\frac{1}{p_1}\right)^{n-1} & (n \leq 0) & (n < 0) & (p_2)^{n+1} \end{matrix}$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$

$$\begin{matrix} p_1 = 0.5 \\ p_2 = 1 \end{matrix}$$




$$a_n = x_n$$

$$a_n \overset{-n}{\longleftrightarrow} x_n$$

①

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} - (p_2)^{n+1} \\ (n < 0) & 0 \end{aligned}$$


$$\begin{aligned} p_1 &= 0.5 \\ p_2 &= 1 \end{aligned}$$



⑦

$$\begin{aligned} (n > 0) & 0 \\ (n \leq 0) & (p_2)^{n-1} - (p_1)^{n-1} \end{aligned}$$


$$\begin{aligned} p_1 &= 1 \\ p_2 &= 2 \end{aligned}$$



②

$$\begin{aligned} (n \geq 0) & 0 \\ (n < 0) & (p_2)^{n+1} - (p_1)^{n+1} \end{aligned}$$


$$\begin{aligned} p_1 &= 0.5 \\ p_2 &= 1 \end{aligned}$$



⑧

$$\begin{aligned} (n > 0) & (p_1)^{n-1} - (p_2)^{n-1} \\ (n \leq 0) & 0 \end{aligned}$$


$$\begin{aligned} p_1 &= 1 \\ p_2 &= 2 \end{aligned}$$



③

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} \\ (n < 0) & (p_2)^{n+1} \end{aligned}$$


$$\begin{aligned} p_1 &= 0.5 \\ p_2 &= 1 \end{aligned}$$



⑨

$$\begin{aligned} (n > 0) & (p_1)^{n-1} \\ (n \leq 0) & (p_2)^{n-1} \end{aligned}$$


$$\begin{aligned} p_1 &= 1 \\ p_2 &= 2 \end{aligned}$$



④

$$\begin{aligned} (n > 0) & (p_1)^{n-1} - (p_2)^{n-1} \\ (n \leq 0) & 0 \end{aligned}$$


$$\begin{aligned} p_1 &= 1 \\ p_2 &= 2 \end{aligned}$$



⑩

$$\begin{aligned} (n \geq 0) & 0 \\ (n < 0) & (p_2)^{n+1} - (p_1)^{n+1} \end{aligned}$$


$$\begin{aligned} p_1 &= 0.5 \\ p_2 &= 1 \end{aligned}$$



⑤

$$\begin{aligned} (n > 0) & 0 \\ (n \leq 0) & (p_2)^{n-1} - (p_1)^{n-1} \end{aligned}$$


$$\begin{aligned} p_1 &= 1 \\ p_2 &= 2 \end{aligned}$$



⑪

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} - (p_2)^{n+1} \\ (n < 0) & 0 \end{aligned}$$


$$\begin{aligned} p_1 &= 0.5 \\ p_2 &= 1 \end{aligned}$$



⑥

$$\begin{aligned} (n > 0) & (p_1)^{n-1} \\ (n \leq 0) & (p_2)^{n-1} \end{aligned}$$


$$\begin{aligned} p_1 &= 1 \\ p_2 &= 2 \end{aligned}$$



⑫

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} \\ (n < 0) & (p_2)^{n+1} \end{aligned}$$

$$\begin{aligned} p_1 &= 0.5 \\ p_2 &= 1 \end{aligned}$$



$$a_n = x_n$$


$$a_n \overset{-n}{\longleftrightarrow} x_n$$

2

$$\begin{aligned} (n \geq 0) & 0 \\ (n < 0) & (p_2)^{n+1} - (p_1)^{n+1} \end{aligned}$$

$$p_1 = 0.5$$

$$p_2 = 1$$




7

$$\begin{aligned} (n > 0) & 0 \\ (n \leq 0) & (p_2)^{n-1} - (p_1)^{n-1} \end{aligned}$$

$$p_1 = 1$$

$$p_2 = 2$$




1

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} - (p_2)^{n+1} \\ (n < 0) & 0 \end{aligned}$$

$$p_1 = 0.5$$

$$p_2 = 1$$




8

$$\begin{aligned} (n > 0) & (p_1)^{n-1} - (p_2)^{n-1} \\ (n \leq 0) & 0 \end{aligned}$$

$$p_1 = 1$$

$$p_2 = 2$$




3

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} \\ (n < 0) & (p_2)^{n+1} \end{aligned}$$

$$p_1 = 0.5$$

$$p_2 = 1$$




9

$$\begin{aligned} (n > 0) & (p_1)^{n-1} \\ (n \leq 0) & (p_2)^{n-1} \end{aligned}$$

$$p_1 = 1$$

$$p_2 = 2$$




5

$$\begin{aligned} (n > 0) & 0 \\ (n \leq 0) & (p_2)^{n-1} - (p_1)^{n-1} \end{aligned}$$

$$p_1 = 1$$

$$p_2 = 2$$




10

$$\begin{aligned} (n \geq 0) & 0 \\ (n < 0) & (p_2)^{n+1} - (p_1)^{n+1} \end{aligned}$$

$$p_1 = 0.5$$

$$p_2 = 1$$




4

$$\begin{aligned} (n > 0) & (p_1)^{n-1} - (p_2)^{n-1} \\ (n \leq 0) & 0 \end{aligned}$$

$$p_1 = 1$$

$$p_2 = 2$$




11

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} - (p_2)^{n+1} \\ (n < 0) & 0 \end{aligned}$$

$$p_1 = 0.5$$

$$p_2 = 1$$




6

$$\begin{aligned} (n > 0) & (p_1)^{n-1} \\ (n \leq 0) & (p_2)^{n-1} \end{aligned}$$

$$p_1 = 1$$

$$p_2 = 2$$




12

$$\begin{aligned} (n \geq 0) & (p_1)^{n+1} \\ (n < 0) & (p_2)^{n+1} \end{aligned}$$

$$p_1 = 0.5$$

$$p_2 = 1$$



$$n > 0$$

$$n < 0$$





$$n > 0$$



$$n < 0$$





$$\left(\frac{1}{p_2}\right)^{n+1} - \left(\frac{1}{p_1}\right)^{n+1}$$
$$0$$





$$0$$
$$\left(\frac{1}{p_1}\right)^{n+1} - \left(\frac{1}{p_2}\right)^{n+1}$$





$$\left(\frac{1}{p_2}\right)^{n+1}$$
$$\left(\frac{1}{p_1}\right)^{n+1}$$





$$(p_2)^{n+1} - (p_1)^{n+1}$$
$$0$$




$$0$$
$$(p_1)^{n+1} - (p_2)^{n+1}$$




$$(p_2)^{n+1}$$
$$(p_1)^{n+1}$$






$$\left(\frac{1}{p_2}\right)^{n+1} - \left(\frac{1}{p_1}\right)^{n+1} \quad (n \geq 0)$$

$$0 \quad (n < 0)$$



$$p_1 = 1$$

$$p_2 = 2$$



$$\left(\frac{1}{p_2}\right)^{n-1} - \left(\frac{1}{p_1}\right)^{n-1} \quad (n > 0)$$

$$0 \quad (n \leq 0)$$


$$0.5, 1.0$$

$$p_1 = 0.5$$

$$p_2 = 1$$


$$0 \quad (n \geq 0)$$

$$\left(\frac{1}{p_1}\right)^{n+1} - \left(\frac{1}{p_2}\right)^{n+1} \quad (n < 0)$$



$$p_1 = 1$$

$$p_2 = 2$$



$$0 \quad (n > 0)$$

$$\left(\frac{1}{p_1}\right)^{n-1} - \left(\frac{1}{p_2}\right)^{n-1} \quad (n \leq 0)$$


$$0.5, 1.0$$

$$p_1 = 0.5$$

$$p_2 = 1$$


$$\left(\frac{1}{p_2}\right)^{n+1} \quad (n \geq 0)$$

$$\left(\frac{1}{p_1}\right)^{n+1} \quad (n < 0)$$



$$p_1 = 1$$

$$p_2 = 2$$



$$\left(\frac{1}{p_2}\right)^{n-1} \quad (n > 0)$$

$$\left(\frac{1}{p_1}\right)^{n-1} \quad (n \leq 0)$$


$$0.5, 1.0$$

$$p_1 = 0.5$$

$$p_2 = 1$$


$$\left(p_1\right)^{n-1} - \left(p_2\right)^{n-1} \quad (n > 0)$$

$$0 \quad (n \leq 0)$$



$$p_1 = 1$$

$$p_2 = 2$$



$$\left(p_1\right)^{n+1} - \left(p_2\right)^{n+1} \quad (n \geq 0)$$

$$0 \quad (n < 0)$$


$$0.5, 1.0$$

$$p_1 = 0.5$$

$$p_2 = 1$$


$$0 \quad (n > 0)$$

$$\left(p_2\right)^{n-1} - \left(p_1\right)^{n-1} \quad (n \leq 0)$$



$$p_1 = 1$$

$$p_2 = 2$$



$$0 \quad (n \geq 0)$$

$$\left(p_2\right)^{n+1} - \left(p_1\right)^{n+1} \quad (n < 0)$$


$$0.5, 1.0$$

$$p_1 = 0.5$$

$$p_2 = 1$$


$$\left(p_1\right)^{n-1} \quad (n > 0)$$

$$\left(p_2\right)^{n-1} \quad (n \leq 0)$$



$$p_1 = 1$$

$$p_2 = 2$$



$$\left(p_1\right)^{n+1} \quad (n \geq 0)$$





$$\left(p_2\right)^{n+1} \quad (n < 0)$$

$$0.5, 1.0$$

$$p_1 = 0.5$$

$$p_2 = 1$$





```

% Laurent Series and sequences
function plotseq1(m=1, p1=2, p2=2.1)

if (p1 >= 1 && p2 >= 1 && p1 < p2)
    t1n = -m: -1;
    t1p = 0: m;
    t1 = [t1n, t1p];
    f1 = [zeros(1,m), ((1/p2).^(t1p+1) - (1/p1).^(t1p+1))];
    f2 = [((1/p1).^(t1n+1) - (1/p2).^(t1n+1)), zeros(1,m+1)];
    f3 = [(1/p1).^(t1n+1), (1/p2).^(t1p+1)];
endif

if (p1 <= 1 && p2 <= 1 && p1 < p2)
    t1n = -m: 0;
    t1p = +1: m;
    t1 = [t1n, t1p];
    f1 = [zeros(1,m+1), ((1/p2).^(t1p-1) - (1/p1).^(t1p-1))];
    f2 = [((1/p1).^(t1n-1) - (1/p2).^(t1n-1)), zeros(1,m)];
    f3 = [(1/p1).^(t1n-1), (1/p2).^(t1p-1)];
endif

subplot(3, 1, 1);
stem(t1, f1);
grid on
%axis([0, m])
title(sprintf("f1 m=%d p1=%g p2=%g", m, p1, p2))

subplot(3, 1, 2);
stem(t1, f2);
grid on
%axis([0, m])
title(sprintf("f2 m=%d p1=%g p2=%g", m, p1, p2))

subplot(3, 1, 3);
stem(t1, f3);
grid on
%axis([0, m])
title(sprintf("f3 m=%d p1=%g p2=%g", m, p1, p2))

endfunction

```

```

% z-Transform and sequences
function plotseq2(m=1, p1=2, p2=2.1)

cla;

if (p1 <= 1 && p2 <= 1 && p1 < p2)
    t1n = -m: -1;
    t1p = 0: m;
    t1 = [t1n, t1p];
    X1 = [zeros(1,m), ((p1).^(t1p+1) - (p2).^(t1p+1))];
    X2 = [((p2).^(t1n+1) - (p1).^(t1n+1)), zeros(1,m+1)];
    X3 = [(p2).^(t1n+1), (p1).^(t1p+1)];
endif

if (p1 >= 1 && p2 >= 1 && p1 < p2)
    t1n = -m: 0;
    t1p = +1: m;
    t1 = [t1n, t1p];
    X1 = [zeros(1,m+1), ((p1).^(t1p-1) - (p2).^(t1p-1))];
    X2 = [((p2).^(t1n-1) - (p1).^(t1n-1)), zeros(1,m)];
    X3 = [(p2).^(t1n-1), (p1).^(t1p-1)];
endif

subplot(3, 1, 1);
stem(t1, X1);
grid on
%axis([0, m])
title(sprintf("X1 m=%d p1=%g p2=%g", m, p1, p2))

subplot(3, 1, 2);
stem(t1, X2);
grid on
%axis([0, m])
title(sprintf("X2 m=%d p1=%g p2=%g", m, p1, p2))

subplot(3, 1, 3);
stem(t1, X3);
grid on
%axis([0, m])
title(sprintf("X3 m=%d p1=%g p2=%g", m, p1, p2))

endfunction

```

I **1**

$\left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1}$	$(n \geq 0) (n > 0)$	0
0	$(n < 0) (n \leq 0)$	$\left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1}$

$p_1 = 1 = p$	$p_2 = 2 = q$
---------------	---------------

$p_1 = 0.5 = \frac{1}{q}$	$p_2 = 1 = \frac{1}{p}$
---------------------------	-------------------------

II **2**

0	$(n \geq 0) (n > 0)$	$\left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1}$
$\left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1}$	$(n < 0) (n \leq 0)$	0

$p_1 = 1 = p$	$p_2 = 2 = q$
---------------	---------------

$p_1 = 0.5 = \frac{1}{q}$	$p_2 = 1 = \frac{1}{p}$
---------------------------	-------------------------

III **3**

$\left(\frac{1}{q}\right)^{n+1}$	$(n \geq 0) (n > 0)$	$\left(\frac{1}{q}\right)^{n+1}$
$\left(\frac{1}{p}\right)^{n+1}$	$(n < 0) (n \leq 0)$	$\left(\frac{1}{p}\right)^{n+1}$

$p_1 = 1 = p$	$p_2 = 2 = q$
---------------	---------------

$p_1 = 0.5 = \frac{1}{q}$	$p_2 = 1 = \frac{1}{p}$
---------------------------	-------------------------

I **4**

$(p)^{n-1} - (q)^{n-1}$	$(n > 0) (n \geq 0)$	0
0	$(n \leq 0) (n < 0)$	$(p)^{n-1} - (q)^{n-1}$

$p_1 = 0.5 = \frac{1}{q}$	$p_2 = 1 = \frac{1}{p}$
---------------------------	-------------------------

$p_1 = 1 = p$	$p_2 = 2 = q$
---------------	---------------

II **5**

0	$(n > 0) (n \geq 0)$	$(q)^{n-1} - (p)^{n-1}$
$(q)^{n-1} - (p)^{n-1}$	$(n \leq 0) (n < 0)$	0

$p_1 = 0.5 = \frac{1}{q}$	$p_2 = 1 = \frac{1}{p}$
---------------------------	-------------------------



$p_1 = 1 = p$	$p_2 = 2 = q$
---------------	---------------



III **6**



$(p)^{n-1}$	$(n > 0) (n \geq 0)$	$(p)^{n-1}$
$(q)^{n-1}$	$(n \leq 0) (n < 0)$	$(q)^{n-1}$



$p_1 = 0.5 = \frac{1}{q}$	$p_2 = 1 = \frac{1}{p}$
---------------------------	-------------------------



$p_1 = 1 = p$	$p_2 = 2 = q$
---------------	---------------



I **1**  $\left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1}$ ($n \geq 0$) ($n > 0$) 0
 0 ($n < 0$) ($n \leq 0$) $\left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1}$
 $p_1 = 1 = p$ $p_2 = 2 = q$ $p_1 = 0.5 = \frac{1}{q}$ $p_2 = 1 = \frac{1}{p}$ 

II **2**  0 ($n \geq 0$) ($n > 0$) $\left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1}$
 $\left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1}$ ($n < 0$) ($n \leq 0$) 0
 $p_1 = 1 = p$ $p_2 = 2 = q$ $p_1 = 0.5 = \frac{1}{q}$ $p_2 = 1 = \frac{1}{p}$ 

III **3**  $\left(\frac{1}{q}\right)^{n+1}$ ($n \geq 0$) ($n > 0$) $\left(\frac{1}{q}\right)^{n+1}$
 $\left(\frac{1}{p}\right)^{n+1}$ ($n < 0$) ($n \leq 0$) $\left(\frac{1}{p}\right)^{n+1}$
 $p_1 = 1 = p$ $p_2 = 2 = q$ $p_1 = 0.5 = \frac{1}{q}$ $p_2 = 1 = \frac{1}{p}$ 

I **4**  $(p)^{n-1} - (q)^{n-1}$ ($n > 0$) ($n \geq 0$) 0
 0 ($n \leq 0$) ($n < 0$) $(p)^{n-1} - (q)^{n-1}$
 $p_1 = 0.5 = \frac{1}{q}$ $p_2 = 1 = \frac{1}{p}$ $p_1 = 1 = p$ $p_2 = 2 = q$ 

II **5**  0 ($n > 0$) ($n \geq 0$) $(q)^{n-1} - (p)^{n-1}$
 $(q)^{n-1} - (p)^{n-1}$ ($n \leq 0$) ($n < 0$) 0
 $p_1 = 0.5 = \frac{1}{q}$ $p_2 = 1 = \frac{1}{p}$ $p_1 = 1 = p$ $p_2 = 2 = q$ 


III **6**  $(p)^{n-1}$ ($n > 0$) ($n \geq 0$) $(p)^{n-1}$
 $(q)^{n-1}$ ($n \leq 0$) ($n < 0$) $(q)^{n-1}$
 $p_1 = 0.5 = \frac{1}{q}$ $p_2 = 1 = \frac{1}{p}$ $p_1 = 1 = p$ $p_2 = 2 = q$ 

$$f(z) \xleftrightarrow{z^{-1}} X(z)$$

$$a_n = x_n$$

I

1




$$\begin{cases} \left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1} & (n \geq 0) \quad (n > 0) \\ 0 & (n < 0) \quad (n \leq 0) \end{cases}$$

$$\begin{cases} p_1 = 1 = p \\ p_2 = 2 = q \end{cases}$$

$$\begin{cases} 0 \\ \left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1} \end{cases}$$


$$\begin{cases} p_1 = 0.5 = 1/q \\ p_2 = 1 = 1/p \end{cases}$$



7

II

2




$$\begin{cases} 0 & (n \geq 0) \quad (n > 0) \\ \left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1} & (n < 0) \quad (n \leq 0) \end{cases}$$

$$\begin{cases} p_1 = 1 = p \\ p_2 = 2 = q \end{cases}$$

$$\begin{cases} \left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1} \\ 0 \end{cases}$$


$$\begin{cases} p_1 = 0.5 = 1/q \\ p_2 = 1 = 1/p \end{cases}$$



8

III

3




$$\begin{cases} \left(\frac{1}{q}\right)^{n+1} & (n \geq 0) \quad (n > 0) \\ \left(\frac{1}{p}\right)^{n+1} & (n < 0) \quad (n \leq 0) \end{cases}$$

$$\begin{cases} p_1 = 1 = p \\ p_2 = 2 = q \end{cases}$$

$$\begin{cases} \left(\frac{1}{q}\right)^{n+1} \\ \left(\frac{1}{p}\right)^{n+1} \end{cases}$$


$$\begin{cases} p_1 = 0.5 = 1/q \\ p_2 = 1 = 1/p \end{cases}$$



9

I

4




$$\begin{cases} (p)^{n-1} - (q)^{n-1} & (n > 0) \quad (n \geq 0) \\ 0 & (n \leq 0) \quad (n < 0) \end{cases}$$

$$\begin{cases} p_1 = 0.5 = 1/q \\ p_2 = 1 = 1/p \end{cases}$$

$$\begin{cases} 0 \\ (p)^{n-1} - (q)^{n-1} \end{cases}$$


$$\begin{cases} p_1 = 1 = p \\ p_2 = 2 = q \end{cases}$$



10

II

5




$$\begin{cases} 0 & (n > 0) \quad (n \geq 0) \\ (q)^{n-1} - (p)^{n-1} & (n \leq 0) \quad (n < 0) \end{cases}$$

$$\begin{cases} p_1 = 0.5 = 1/q \\ p_2 = 1 = 1/p \end{cases}$$

$$\begin{cases} (q)^{n-1} - (p)^{n-1} \\ 0 \end{cases}$$


$$\begin{cases} p_1 = 1 = p \\ p_2 = 2 = q \end{cases}$$



11

III

6




$$\begin{cases} (p)^{n-1} & (n > 0) \quad (n \geq 0) \\ (q)^{n-1} & (n \leq 0) \quad (n < 0) \end{cases}$$

$$\begin{cases} p_1 = 0.5 = 1/q \\ p_2 = 1 = 1/p \end{cases}$$

$$\begin{cases} (p)^{n-1} \\ (q)^{n-1} \end{cases}$$

$$\begin{cases} p_1 = 1 = p \\ p_2 = 2 = q \end{cases}$$



12

$$n \geq 0$$


$$n < 0$$

$$n > 0$$

$$n \leq 0$$


$$\left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1}$$

$$0$$


 $0.5, 1.0$

$$0$$

$$\left(\frac{1}{q}\right)^{n+1} - \left(\frac{1}{p}\right)^{n+1}$$



 $0.5, 1.0$

$$\left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1}$$

$$0$$


$$0$$

$$\left(\frac{1}{p}\right)^{n+1} - \left(\frac{1}{q}\right)^{n+1}$$


 $1, 2$

$$\left(\frac{1}{q}\right)^{n+1}$$

$$\left(\frac{1}{p}\right)^{n+1}$$



 $1, 2$
 $0.5, 1.0$

$$\left(\frac{1}{p}\right)^{n+1}$$

$$\left(\frac{1}{q}\right)^{n+1}$$

$$(p)^{n-1} - (q)^{n-1}$$

$$0$$



 $0.5, 1.0$
 $1, 2$

$$0$$

$$(p)^{n-1} - (q)^{n-1}$$

$$0$$

$$(q)^{n-1} - (p)^{n-1}$$



 $0.5, 1.0$
 $1, 2$

$$(q)^{n-1} - (p)^{n-1}$$

$$0$$

$$(p)^{n-1}$$

$$(q)^{n-1}$$


 $0.5, 1.0$
 $1, 2$

$$(q)^{n-1}$$

$$(p)^{n-1}$$

