

Characteristics of Multiple Random Variables

Young W Lim

July 25, 2019

Copyright (c) 2018 Young W. Lim. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

This work is licensed under a Creative Commons "Attribution-NonCommercial-ShareAlike 3.0 Unported" license.



Based on
Probability, Random Variables and Random Signal Principles,
P.Z. Peebles,Jr. and B. Shi

Outline

1 Simulation of Multiple Random Variables

Complex Random Variables (1)

N Gaussian random variables

Definition

$$Z = X + jY$$

$$E[g(Z)] = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} g(z) f_{X,Y}(x,y) dx dy$$

$$\bar{Z} = E[Z] = E[X] + jE[Y] = \bar{X} + j\bar{Y}$$

$$\sigma_Z^2 = E[|Z - E[Z]|^2] = E[(Z - E[Z])(Z - E[Z])^*]$$

Complex Random Variables (2)

N Gaussian random variables

Definition

$$\sigma_Z^2 = E[|Z - E[Z]|^2] = E[(Z - E[Z])(Z - E[Z])^*]$$

$$g(Z) = |Z - E[Z]|^2$$

$$\tilde{\sigma}_Z^2 = E[(Z - E[Z])^2] = E[(Z - E[Z])(Z - E[Z])]$$

Complex Random Variables (3)

N Gaussian random variables

Definition

$$\sigma_X^2 = \frac{1}{2} \operatorname{Re} \{ \sigma_Z^2 - \tilde{\sigma}_Z^2 \}$$

$$\sigma_Y^2 = \frac{1}{2} \operatorname{Im} \{ \sigma_Z^2 - \tilde{\sigma}_Z^2 \}$$

$$\sigma_{XY}^2 = \sigma_{YX}^2 = \frac{1}{2} \operatorname{Im} \{ \tilde{\sigma}_Z^2 \}$$

Complex Random Variables (4)

N Gaussian random variables

Definition

$$Z_m = X_m + jY_m$$

$$Z_n = X_n + jY_n$$

$$f_{X_m Y_m X_n Y_n}(x_m, y_m, x_n, y_n) = f_{X_m Y_m}(x_m, y_m) f_{X_n Y_n}(x_n, y_n)$$

