Multiple Random Variables

Young W Lim

April 18, 2020

Copyright (c) 2018 Young W. Lim. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

This work is licensed under a Creative Commons "Attribution-NonCommercial-ShareAlike 3.0 Unported" license.



Based on Probability, Random Variables and Random Signal Principles, P.Z. Peebles, Jr. and B. Shi

Outline

1 A vector random variable (a random vector)

Outline

1 A vector random variable (a random vector)

A Vector Random Variable

a random vector

Definition

```
X and Y: two random variables X and Y: specific values of X and Y
```

(x,y): the ordered pair of numbers

a random point vector in the xy plane

Range Sample Space

two dimensional product space, a joint sample space S_J

Definition

```
an event A = \{X \le x\} referes to the sample space S : \{X(s) \le x\} an event B = \{Y \le y\} refers to the sample space S : \{Y(s) \le y\} a joint event A \cap B = \{X \le x, Y \le y\} refers to the sample space S_J : \{X(s) \le x, Y(s) \le y\}
```

General Range Sample Space

multi-dimensional product space, a joint sample space S_J

Definition

 $X_1, X_2, \dots, X_N : N$ random variables defined on a sample space S

an N-dimensional random vector (random variable) defined on an N-dimensional joint sample space