

# Laurent Series and z-Transform Examples case 0.A

20171005

Copyright (c) 2016 - 2017 Young W. Lim.







Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

1.A

$$f(z) = \frac{-1}{(z-1)(z-2)}$$









$$X(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)}$$




2.A

$$f(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)} \rightarrow X(z) = \frac{-1}{(z-1)(z-2)}$$









3.A

$$f(z) = \frac{-1}{(z-1)(z-2)}$$









$$X(z) = \frac{-1}{(z-1)(z-2)}$$



4.A

$$f(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)} \longrightarrow X(z) = \frac{-0.5 z^2}{(z-1)(z-0.5)}$$



$$a_n = \begin{cases} \left(\frac{1}{2}\right)^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$



$$x_n = \begin{cases} 1 - 2^{n-1} & ( \\ 0 & ( \end{cases}$$

$$a_n = \begin{cases} 0 & (n \geq 0) \\ 1 - \left(\frac{1}{2}\right)^{n+1} & (n < 0) \end{cases}$$

$$x_n = \begin{cases} 0 & ( \\ 2^{n+1} - 1 & ( \end{cases}$$

$$f(z) = \frac{-1}{(z-1)(z-2)} = X(z)$$



Ⓘ



$$a_n = \begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$

$$x_n = \begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$



Ⓢ



$$a_n = \begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$

$$x_n = \begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$

Ⓣ



$$a_n = \begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$x_n = \begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$a_n = \begin{cases} \left(\frac{1}{2}\right)^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$

$$x_n = \begin{cases} 0 & (n > 0) \\ \left(\frac{1}{2}\right)^{-n+1} - 1 & (n < 0) \end{cases}$$

$$f(z) = \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^{n+1} z^n - \sum_{n=0}^{\infty} 1 \cdot z^n$$

$$X(z) = \sum_{n=0}^{-\infty} \left(\frac{1}{2}\right)^{-n+1} z^{-n} - \sum_{n=0}^{-\infty} 1 \cdot z^{-n}$$

$$= \sum_{n=0}^{\infty} \left(\frac{1}{2}\right)^{n+1} z^n - \sum_{n=0}^{\infty} 1 \cdot z^n$$



$$= \frac{\left(\frac{1}{2}\right)}{1 - \left(\frac{z}{2}\right)} - \frac{1}{1 - z}$$

$$= \frac{-1}{z-2} + \frac{1}{z-1}$$

$$= \frac{-z+1+z-2}{(z-1)(z-2)}$$


$$= \frac{-1}{(z-1)(z-2)}$$

$$\left|\frac{z}{2}\right| < 1 \quad \left|\frac{z}{1}\right| < 1$$






I



$$a_n = \begin{cases} \left(\frac{1}{2}\right)^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$


$$f(z) = \sum_{n=0}^{\infty} 2^{-n-1} \cdot z^n - \sum_{n=0}^{\infty} 1 \cdot z^n$$



$$x_n = \begin{cases} 0 & (n > 0) \\ 2^{n-1} - 1 & (n \leq 0) \end{cases}$$


$$X(z) = \sum_{n=0}^{-\infty} 2^{n-1} \cdot z^{-n} - \sum_{n=0}^{-\infty} 1 \cdot z^{-n}$$

II



$$a_n = \begin{cases} 0 & (n > 0) \\ 1 - \left(\frac{1}{2}\right)^{n+1} & (n < 0) \end{cases}$$


$$f(z) = \sum_{n=-1}^{-\infty} 1 \cdot z^n - \sum_{n=-1}^{-\infty} 2^{-n-1} \cdot z^n$$



$$x_n = \begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$


$$X(z) = \sum_{n=1}^{\infty} 1 \cdot z^{-n} - \sum_{n=1}^{\infty} 2^{n-1} \cdot z^{-n}$$

III



$$a_n = \begin{cases} \left(\frac{1}{2}\right)^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$f(z) = \sum_{n=-1}^{-\infty} 1 \cdot z^n - \sum_{n=0}^{\infty} 2^{-n-1} \cdot z^n$$



$$x_n = \begin{cases} 1 & (n > 0) \\ 2^{n-1} & (n \leq 0) \end{cases}$$

$$X(z) = \sum_{n=1}^{\infty} 1 \cdot z^{-n} - \sum_{n=0}^{-\infty} 2^{n-1} \cdot z^{-n}$$

$$f(z) = \sum_{n=0}^{\infty} 2^{-n-1} \cdot z^n - \sum_{n=0}^{\infty} 1 \cdot z^n$$

$$= \frac{\left(\frac{1}{2}\right)}{1 - \left(\frac{z}{2}\right)} - \frac{(1)}{1 - \left(\frac{z}{1}\right)}$$


$$= \frac{-1}{z-2} + \frac{1}{z-1}$$

$$= \frac{-z-1 + z-2}{(z-2)(z-1)}$$

$$= \frac{-1}{(z-2)(z-1)}$$

$$X(z) = \sum_{n=0}^{-\infty} 2^{n-1} \cdot z^{-n} - \sum_{n=0}^{-\infty} 1 \cdot z^{-n}$$


=



$$a_n = \begin{cases} 0 & (n \geq 0) \\ 1 - (\frac{1}{2})^{n+1} & (n < 0) \end{cases}$$


$$f(z) = \sum_{n=-1}^{-\infty} 1 \cdot z^n - \sum_{n=-1}^{-\infty} 2^{-n-1} z^n$$

Ⓘ



$$x_n = \begin{cases} 1 - 2^{n-1} & (n > 0) \\ 0 & (n \leq 0) \end{cases}$$


$$X(z) = \sum_{n=1}^{\infty} 1 \cdot z^{-n} - \sum_{n=1}^{\infty} 2^{n-1} z^{-n}$$



$$a_n = \begin{cases} (\frac{1}{2})^{n+1} - 1 & (n \geq 0) \\ 0 & (n < 0) \end{cases}$$


$$f(z) = \sum_{n=0}^{\infty} 2^{-n-1} \cdot z^n - \sum_{n=0}^{\infty} 1 \cdot z^n$$

Ⓛ



$$x_n = \begin{cases} 0 & (n > 0) \\ 2^{n+1} - 1 & (n \leq 0) \end{cases}$$


$$X(z) = \sum_{n=0}^{-\infty} 2^{n+1} \cdot z^{-n} - \sum_{n=0}^{-\infty} 1 \cdot z^{-n}$$



$$a_n = \begin{cases} (\frac{1}{2})^{n+1} & (n \geq 0) \\ 1 & (n < 0) \end{cases}$$

$$f(z) = \sum_{n=-1}^{-\infty} 1 \cdot z^n + \sum_{n=0}^{\infty} 2^{-n-1} \cdot z^n$$

Ⓜ



$$x_n = \begin{cases} 1 & (n > 0) \\ 2^{n+1} & (n \leq 0) \end{cases}$$

$$X(z) = \sum_{n=0}^{-\infty} 2^{n+1} \cdot z^{-n} + \sum_{n=1}^{\infty} 1 \cdot z^{-n}$$



