

Lambda Calculus - Combinators (8A)

Copyright (c) 2024 - 2016 Young W. Lim.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Please send corrections (or suggestions) to youngwlim@hotmail.com.

This document was produced by using LibreOffice.

Fix point (1)

In mathematics, a **fixed point** (**fixpoint**), also known as an **invariant point**, is a **value** that does not change under a given **transformation**.

Specifically, for **functions**, a **fixed point** is an **element** that is mapped to **itself** by the **function**.

Formally, **c** is a **fixed point** of a **function f** if **c** belongs to both the **domain** and the **codomain** of **f**, and $f(c) = c$.

[https://en.wikipedia.org/wiki/Fixed_point_\(mathematics\)](https://en.wikipedia.org/wiki/Fixed_point_(mathematics))

Fix point (2)

For example, if f is defined on the real numbers by

$$f(x) = x^2 - 3x + 4,$$

then 2 is a fixed point of f , because $f(2) = 2$.

Not all functions have **fixed points**: for example,

$f(x) = x + 1$, has no fixed points,

since x is never equal to $x + 1$ for any real number.

In graphical terms, a **fixed-point** x means

the point $(x, f(x))$ is on the line $y = x$, or in other words

the graph of f has a point in common with that line.

[https://en.wikipedia.org/wiki/Fixed_point_\(mathematics\)](https://en.wikipedia.org/wiki/Fixed_point_(mathematics))

Combinatory Logic

Combinatory logic is a notation to eliminate the need for **quantified variables** in **mathematical logic**.

It was introduced by Moses Schönfinke and Haskell Curry, and has more recently been used in computer science as a theoretical model of computation and also as a basis for the design of functional programming languages.

It is based on **combinators**

https://en.wikipedia.org/wiki/Combinatory_logic

Combinator

combinators were introduced by Schönfinkel in 1920 with the idea of providing an analogous way

- to build up **functions**
- to remove any mention of **variables**
- particularly in **predicate logic**.

A **combinator** is a **higher-order function** that uses only **function application**

earlier defined **combinators** to define a **result** from its **arguments**.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinator Definitions (1)

Combinator : A **lambda expression** containing no free variables.

While this is the most general definition, the word is usually understood more specifically to refer to certain **combinators** of special importance, in particular the following four:

$$I = \lambda x . x$$

$$K = \lambda x . \lambda y . x$$

$$S = \lambda x . \lambda y . \lambda z . x(z)(y(z))$$

$$Y = \lambda f . (\lambda u . f(u(u))) (\lambda u . f(u(u)))$$

<https://www.encyclopedia.com/computing/dictionaries-thesauruses-pictures-and-press-releases/combinator>

Combinator Definitions (2)

The **combinators** **I**, **K**, and **S** were introduced by Schönfinkel and Curry, who showed that any **λ -expression** can essentially be formed by combining them.

More recently **combinators** have been applied to the design of implementations for **functional languages**.

In particular **Y** (also called the **paradoxical combinator**) can be seen as producing **fixed points**, since **Y(f)** reduces to **f(Y(f))**.

$$I = \lambda x . x$$

$$K = \lambda x . \lambda y . x$$

$$S = \lambda x . \lambda y . \lambda z . x(z)(y(z))$$

$$Y = \lambda f . (\lambda u . f(u(u))) (\lambda u . f(u(u)))$$

<https://www.encyclopedia.com/computing/dictionaries-thesauruses-pictures-and-press-releases/combinator>

Combinatory Logic and Lambda Calculus (1)

Lambda calculus is concerned with objects called **lambda-terms**, which can be represented by the following three forms of strings:

v

$\lambda v. E_1$

$(E_1 E_2)$

where v is a variable name drawn from a predefined infinite set of variable names, and E_1 and E_2 are **lambda-terms**.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (2)

Terms of the form $\lambda v. E_1$ are called **abstractions**.

The variable v is called the **formal parameter** of the abstraction, and E_1 is the **body** of the abstraction.

The term $\lambda v. E_1$ represents the **function**

applied to an **argument**,

binds the **formal parameter** v to the **argument**

computes the resulting value of E_1

returns E_1 , with every occurrence of v replaced by the **argument**.

v

$\lambda v. E_1$

$(E_1 E_2)$

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (3-1)

Terms of the form $(E_1 E_2)$ are called **applications**.

applications model **function invocation** or **execution**:

the **function** represented by E_1 is to be invoked,

with E_2 as its **argument**, and the result is computed.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (3-2)

If E_1 (the applicand) is an **abstraction**, the term may be reduced:
 E_2 , the **argument**, may be substituted into the **body** of E_1
in place of the **formal parameter** v of E_1 ,
and the result is a new lambda term which is equivalent to the old one.

If a **lambda term** contains no subterms of the form $((\lambda v. E_1) E_2)$
then it cannot be reduced, and is said to be in **normal form**.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (4)

The motivation for this definition of **reduction** is that it captures the essential behavior of all **mathematical functions**.

For example, consider the function that computes the square of a number. We might write

The **square** of x is $x * x$ (using $*$ to indicate multiplication.)

x here is the **formal parameter** of the function.

To evaluate the **square** for a particular **argument**, say 3, we insert it into the definition in place of the formal parameter:

The **square** of 3 is $3 * 3$

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (5)

To evaluate the resulting expression $3 * 3$, we would have to resort to our knowledge of multiplication and the number 3.

Since any computation is simply a composition of the evaluation of suitable **functions** on suitable **primitive arguments**,

this simple **substitution principle** suffices to capture the essential mechanism of computation.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (6)

Moreover, in **lambda calculus**, notions such as '**3**' and '*****' can be represented without any need for externally defined primitive operators or constants.

It is possible to identify **terms** in **lambda calculus**, which, when suitably interpreted, behave like the number 3 and like the multiplication operator *, q.v. **Church encoding**.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (7)

Lambda calculus is known to be computationally equivalent in power to many other plausible models for computation (including Turing machines);

that is, any calculation that can be accomplished in any of these other models can be expressed in lambda calculus, and vice versa.

According to the Church-Turing thesis, both models can express any possible computation.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (8-1)

lambda-calculus can represent any conceivable computation using only the simple notions of **function abstraction** and **application** based on simple textual **substitution** of **terms** for **variables**.

abstraction is not even *required*.

Combinatory logic is a model of computation equivalent to **lambda calculus**, but without **abstraction**.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Logic and Lambda Calculus (8-2)

Combinatory logic is a model of computation equivalent to **lambda calculus**, but without abstraction.

The advantage of this is that evaluating expressions in **lambda calculus** is quite complicated because the **semantics** of **substitution** must be specified with great care to avoid variable capture problems.

evaluating expressions in **combinatory logic** is much simpler, because there is no notion of **substitution**.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Calculus

abstraction is the only way to manufacture **functions**
in the **lambda calculus**

Instead of **abstraction**,
combinatory calculus provides a limited set of **primitive functions**
out of which other **functions** may be built.

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Terms (1)

A **combinatory term** has one of the following **forms**:

Syntax	Name	Description
x	Variable	A character or string representing a combinatory term .
P	Primitive function	One of the combinator symbols I , K , S .
(M N)	Application	<u>Applying</u> a function to an argument . M and N are combinatory terms .

https://en.wikipedia.org/wiki/Combinatory_logic

Combinatory Terms (2)

The **primitive functions** are **combinators**, or **functions** that, when seen as **lambda terms**, contain no **free variables**.

To shorten the notations, a general convention is that $(E_1 E_2 E_3 \dots E_n)$, or even $E_1 E_2 E_3 \dots E_n$, denotes the term $(\dots ((E_1 E_2) E_3) \dots E_n)$.

This is the same general convention (left-associativity) as for multiple application in lambda calculus.

https://en.wikipedia.org/wiki/Combinatory_logic

Reductions in Combinatory Logic

In **combinatory logic**, each **primitive combinator** comes with a **reduction rule** of the form

$$(P x_1 \dots x_n) = E$$

where **E** is a **term** mentioning only **variables** from the set $\{x_1 \dots x_n\}$.

It is in this way that **primitive combinators** behave as **functions**.

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (1-1)

The simplest example of a **combinator** is **I**, the **identity combinator**, defined by

$$(I\ x) = x \quad \text{for all terms } x.$$

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (1-2)

Another simple **combinator** is **K**,

which manufactures **constant functions**:

(K x) is the **function** which, for any **argument**, returns **x**, so we say

$$((K x) y) = x \quad \text{for all terms } x \text{ and } y.$$

Or, following the convention for **multiple application**,

$$(K x y) = x$$

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (2-1)

A third **combinator** is **S**, which is a generalized version of **application**:

$$(S\ x\ y\ z) = (x\ z\ (y\ z))$$

S applies **x** to **y**

after first substituting **z** into each of them (**x** and **y**)

x is applied to **y**

inside the **environment** **z**.

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (2-2)

Given **S** and **K**, **I** itself is *unnecessary*,
since it can be built from the other two:

$$((S K K) x)$$
$$= (S K K x)$$
$$= (K x (K x))$$
$$= x$$

for any **term** x .

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (3-1)

Note that although $((S K K) x) = (I x)$ for any x ,
 $(S K K)$ itself is not equal to I .

We say the terms are **extensionally equal**.

Extensional equality captures the mathematical notion
of the **equality** of **functions**:

that two **functions** are equal
if they always produce the same results for the same arguments.

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (3-2)

In contrast, the **terms** themselves,
together with the **reduction** of **primitive combinators**,
capture the notion of **intensional equality** of functions:

that two **functions** are equal
only if they have **identical implementations**
up to the expansion of **primitive combinators**.

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (3-3)

There are many ways to implement an **identity function**;
(S K K) and **I** are among these ways.

(S K S) is yet another.

We will use the word **equivalent** to indicate **extensional equality**,
reserving **equal** for **identical combinatorial terms**.

https://en.wikipedia.org/wiki/Combinatory_logic

Examples of Combinators (4)

A more interesting combinator is the fixed point combinator or Y combinator, which can be used to implement recursion.

https://en.wikipedia.org/wiki/Combinatory_logic

Fix-point combinator (1)

In combinatory logic for computer science, a **fixed-point combinator** (or **fixpoint combinator**), denoted **fix**, is a **higher-order function** (which takes a **function** as **argument**) that **returns** some **fixed point** (a value that is mapped to itself) of its **argument function**, if one exists.

Formally, if the function f has one or more fixed points, then

$$\mathbf{fix\ f = f\ (fix\ f),}$$

and hence, by repeated application,

$$\mathbf{fix\ f = f\ (f\ (... f\ (fix\ f)\ ...))}$$

https://en.wikipedia.org/wiki/Fixed-point_combinator

Fix-point combinator (1111)

Every **recursively defined function** can be seen as a **fixed point** of some suitably defined **function closing** over the **recursive call** with an **extra argument**,

and therefore, using Y , every recursively defined function can be expressed as a lambda expression.

In particular, we can now cleanly define the subtraction, multiplication and comparison predicate of natural numbers recursively.

https://en.wikipedia.org/wiki/Lambda_calculus#Formal_definition

Fix-point combinator (3)

In the classical untyped lambda calculus, every function has a fixed point.

A particular implementation of fix is Curry's paradoxical combinator Y, represented by

$$Y = \lambda f. (\lambda x. f (x x)) (\lambda x. f (x x)) . \quad \{\displaystyle \{\text{tsf } \{Y\}\}=\lambda f.\ (\lambda x.f\ (x\ x))\ (\lambda x.f\ (x\ x))\ .\} [2]:131[\text{note } 1][\text{note } 2]$$

In functional programming, the Y combinator can be used to formally define recursive functions in a programming language that does not support recursion.

This combinator may be used in implementing Curry's paradox. The heart of Curry's paradox is that untyped lambda calculus is unsound as a deductive system, and the Y combinator demonstrates this by allowing an anonymous expression to represent zero, or even many values. This is inconsistent in mathematical logic.

https://en.wikipedia.org/wiki/Fixed-point_combinator

Fix-point combinator (4)

Every recursively defined function can be seen as a fixed point of some suitably defined function closing over the recursive call with an extra argument, and therefore, using Y, every recursively defined function can be expressed as a lambda expression. In particular, we can now cleanly define the subtraction, multiplication and comparison predicate of natural numbers recursively.

https://en.wikipedia.org/wiki/Fixed-point_combinator

Fix-point combinator (5)

Applied to a function with one variable, the Y combinator usually does not terminate. More interesting results are obtained by applying the Y combinator to functions of two or more variables. The additional variables may be used as a counter, or index. The resulting function behaves like a while or a for loop in an imperative language.

https://en.wikipedia.org/wiki/Fixed-point_combinator

Fix-point combinator (6)

Used in this way, the Y combinator implements simple recursion. In the lambda calculus, it is not possible to refer to the definition of a function inside its own body by name. Recursion though may be achieved by obtaining the same function passed in as an argument, and then using that argument to make the recursive call, instead of using the function's own name, as is done in languages which do support recursion natively. The Y combinator demonstrates this style of programming.

https://en.wikipedia.org/wiki/Fixed-point_combinator

Fix-point combinator (7)

An example implementation of Y combinator in two languages is presented below.

```
# Y Combinator in Python
```

```
Y=lambda f: (lambda x: f(x(x)))(lambda x: f(x(x)))
```

```
Y(Y)
```

https://en.wikipedia.org/wiki/Fixed-point_combinator

Extensionality (1)

In logic, **extensionality**, or **extensional equality**, refers to principles that judge objects to be **equal** if they have the same **external properties**.

It stands in contrast to the concept of **intensionality**, which is concerned with whether the **internal definitions** of objects are the same.

<https://en.wikipedia.org/wiki/Extensionality>

Extensionality (2)

Consider the two **functions** f and g mapping from and to natural numbers, defined as follows:

To find $f(n)$, first add 5 to n , then multiply by 2.

To find $g(n)$, first multiply n by 2, then add 10.

These functions are **extensionally equal**; given the same input, both functions always produce the same value.

But the definitions of the functions are not equal, and in that **intensional** sense the functions are not the same.

<https://en.wikipedia.org/wiki/Extensionality>

Extensionality (3)

Similarly, in natural language
there are many **predicates** (relations)
that are **intensionally** different
but are **extensionally** identical.

For example, suppose that a town has one person named Joe,
who is also the oldest person in the town.

Then, the two predicates "being called Joe",
and "being the oldest person in this town"
are **intensionally** distinct,
but **extensionally** equal
for the (current) population of this town.

<https://en.wikipedia.org/wiki/Extensionality>

Extensionality (4-1)

If you are not skilled in colloquial astronomy,
and I tell you that the morning star is the evening star,
I have given you information—your knowledge has changed.

If I tell you the morning star is the morning star,
you might feel I was wasting your time.

Yet in both cases I have told you the planet Venus was self-identical.

There must be more to it than this.

<https://plato.stanford.edu/entries/logic-intensional/>

Extensionality (4-2)

Naively, we might say the morning star and the evening star are the same in one way, and not the same in another.

The two phrases, “morning star” and “evening star” may designate the same object, but they do not have the same meaning.

Meanings, in this sense, are often called **intensions**, and things designated, **extensions**.

Contexts in which **extension** is all that matters are, naturally, called **extensional**, while contexts in which **extension** is not enough are **intensional**.

<https://plato.stanford.edu/entries/logic-intensional/>

Extensionality (5-1)

Mathematics is typically extensional throughout—we happily write “ $1+4=2+3$ ” even though the two terms involved may differ in meaning (more about this later).

“It is known that...” is a typical intensional context—“it is known that $1+4=2+3$ ” may not be correct when the knowledge of small children is involved.

Thus mathematical pedagogy differs from mathematics proper.

<https://plato.stanford.edu/entries/logic-intensional/>

Extensionality (5-2)

Other examples of intensional contexts are

“it is believed that...”, “it is necessary that...”, “it is informative that...”,
“it is said that...”, “it is astonishing that...”, and so on.

Typically a context that is intensional can be recognized
by a failure of the substitutivity of equality when naively applied.

Thus, the morning star equals the evening star;
you know the morning star equals the morning star;
then on substituting equals for equals,
you know the morning star equals the evening star.

<https://plato.stanford.edu/entries/logic-intensional/>

Extensionality (5-2)

Note that this knowledge arises from purely logical reasoning, and does not involve any investigation of the sky, which should arouse some suspicion.

Substitution of co-referring terms in a knowledge context is the problematic move—such a context is intensional, after all.

Admittedly this is somewhat circular.

We should not make use of equality of extensions in an intensional context, and an intensional context is one in which such substitutivity does not work.

<https://plato.stanford.edu/entries/logic-intensional/>

References

- [1] <ftp://ftp.geoinfo.tuwien.ac.at/navratil/HaskellTutorial.pdf>
- [2] <https://www.umiacs.umd.edu/~hal/docs/daume02yaht.pdf>