Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





The Milton Nurseries,

H. Miller & Sons,

PROPRIETORS

Milton - - Oregon



General Descriptive Catalogue

----OF----

Fruit, Shade and Ornamental Trees

GROWN AND PROPAGATED BY

A. MILLER & SONS

PROPRIETORS OF

THE MILTON NURSERIES

ESTABLISHED IN 1878-28 YEARS IN BUSINESS

Oldest and Largest Nurseries in the Walla Walla Valley

INTRODUCTION

E TAKE great pleasure in presenting herewith our twenty-eighth annual catalog, with revised and complete descriptions. The simple and systematic arrangement which has been adopted, combined with a complete index, renders the publication very convenient for reference.

We thank our friends and customers for the liberal patronage we have received for more than a quarter of a century, and believing this is only attained by honest and fair dealing with all, we hope in the same manner to retain the trade and confidence already placed in our nursery as well as to increase it.

We claim the distinction of having the oldest and best equipped nurseries in the Walla Walla Valley. As we have announced from time to time the increase in our business and doubling of our stock, it gives us great pleasure to again say that our stock as well as our trade has been greatly increased to that of any previous year. The immense stock which we cultivate, besides having the best of care, is grown each year on new soil, perfectly adapted to the raising of nursery stock, and producing a fine system of golden yellow, fibrous roots, as well as unusually healthy and thrifty tops. We have this past season purchased thirty acres of land, so that we now have all told about one hundred and fifty acres devoted to the growing of nursery stock.

Knowing that never before have we offered a finer stock to the public, we feel that we need no other guarantee than our record of the past years. It is our aim and intention to supply only the best stock at lowest prices consistent with the quality of the goods offered, and all intending purchasers will find it to their advantage to give us an opportunity to furnish estimates upon their lists. We therefore solicit your orders, promising that every endeavor will be made to make each customer satisfied.

Our Nurseries are located in what is known as "The Garden Spot" of the Walla Walla Valley, just in the edge of the beautiful little city of Milton, Umatilla County, Oregon, and one fourth mile east of the depot, on the line of the O. R. & N. Railroad.

To all patrons and friends we extend a hearty invitation to visit us whenever at leisure, and every effort will be made to make you feel ''at home.''

A. MILLER & SONS, Milton, Oregon.

PLEASE READ

I.—We begin shipping in the Fall, about the 20th of October, continuing until freezing weather, and usually in the Spring from March 1st to the middle of April.

2.—Orders should be sent in as early as possible, that there may be plenty of time

for shipping long distances when necessary.

3.—Buyers ordering by letter should write out their order plainly. This will prevent mistakes in the hurry of the packing season. Also, write your name, postoffice, State and County as plain as possible.

4.—Give plain and specific directions. When none is given we forward according to our best judgment, but in no case do we assume any responsibility after the de-

livery of the stock in good condition to the forwarder.

5—Those who are not acquainted with the merits of the different varieties will do well to leave the selection to us, stating if wanted for family or market use, and giving the proportion of Summer, Fall and Winter, as we shall send only such as give general satisfaction, and our long experience enables us to select varieties adapted to the locality.

6.—We take great care to have our trees true to name, cutting all our scions and buds from bearing trees ourselves, and not trusting it to our hired men, but if any should prove untrue we will replace the same or refund the money. It is, however, understood between the purchaser and ourselves that in no case will we be held liable for a greater sum than the original price paid for the trees that prove untrue.

7.—All the trees and plants are carefully labeled and securely packed in the best possible manner, and delivered at the railroad or postoffice, for which no extra charge

is made.

8.—Orders must be accompanied with the cash or satisfactory reference.

9.—Remittances may be made by Bank Draft, Express Checks, Postal Orders or Registered Letters. Please do not send individual checks without adding 15 cents to

cover exchange.

10.—Our Customers are requested to notify us immediately if any errors occur in filling their orders, so that we may at once make ample amends, as we desire to conduct our business in all respects satisfactory to those who favor us with their confidence

HINTS ON PLANTING ETC.

WHAT TO PLANT—Select thrifty young trees in preference to old or very large ones; the roots are more tender and fibrous and bear transplanting better and are far more apt to live. They can also be more easily trimmed and shaped to any desired form, and in the course of a few years will usually outstrip the old ones in growth. The largest and most successful planters almost invariably select one-year-old trees.

TREATMENT—When the trees are received from the nursery, bury the roots in well pulverized soil until you are ready to plant them. Never expose the roots to sun or wind. If trees are received in a frozen state, place the package unopened in a cellar, away from frost and heat, until thawed out, then unpack. If partly dried from long exposure, bury entirely in the ground, or place in water from 12 to 24 hours.

PLANTING—Make the holes large enough to admit the roots without cramping or bending, and deep enough to bring the tree to its natural depth. The fine surface soil should be used in covering the roots, and this should be carefully worked among them. If the ground is dry it is well to pour in some water when the hole is partially filled. See that the ground is firmly and solidly packed over all parts of the roots, so there will be no opportunity for dry air or frost to enter and destroy roots deprived of the full benefit of their natural protection. Omission to pack the earth solidly is a more frequent cause of failure in planting nursery stock than any other. Fill the holes full enough to be even with the surrounding surface after the fresh earth settles. Large standard trees should be staked and tied so that the wind will not loosen the roots.

AFTER CULTURE—Cultivate vegetables among your trees, never grain or grass. In order to make your trees have a good healthy growth you must cultivate them the same as you would corn or potatoes; in fact you cannot cultivate them too much the first three years.

PRUNING—Prunning should be varied according to the condition of the tree and the purpose of the planter. It should be done regularly every Spring before the buds swell. By doing this the removal of large branches will be avoided.

NUMBER OF TREES OR PLANTS ON AN ACRE AT GIVEN DISTANCES APART.

						SQUARE METHOD.	EQUILATERAL TRIANGLE METHOD.
Distance,	ı f	oot apart	each way,	No. Pla	nts	43,560	50,300
"	2	"	"	6.6		10,890	12,575
6.6	3	4.6	ĉ.	"		4,840	5,899
6		6	6.6	64		2,722	3,143
6.6	5	6.6	4.6	6.6		1,742	2,011
6.6	4 5 6	4.6	* *	6.6		1,210	1,397
4.6		6.4		6.4		888	1,035
6.6	7 8	. 6		"		68o	785
6.6	9		"	"		537	620
6.6	10	6.6	4				502
6.6		6.6	6.6			435	
6.6	12				*** **	302	348
61	14	6.6	6.6	• 6	• · · · · · · · · · · · · · · · · · · ·	222	256
	15		66	6.6		193	222
	16	"				170	191
66	18					134	154
4.6	20	66	4.5		••••	109	125
6.6	25	4.4	66	**		69 48	79
6.6	30	6.6	4.4	6.6		48	55
	35	6.6	4.4	6.6		35	40
6.6	40	4.4	4.4	4.4		27	31

Rule, Square method—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of square feet in an acre, (43.560), will give the number of plants or trees to the acre

Rule Equilateral Triangle Method—Divide the number required to the acre, "square method," by the decimal .866. The result will be the number of plants required to the acre by this method.

DISTANCES FOR PLANTING.


Standard Apple 20 to 25 feet apart	each way
Standard Pears20 to 25	
Strong Growing Cherries 20 to 25 "	
Duke and Morello Cherries16 to 18	
Standard Plums and Prunes 16 to 18 "	
Apricots, Peaches and Nectarines16 to 18	
Grapes 7 to 10	6.6
Currants and Gooseberries	4 by 6
Raspberries and Blackberries 3 to 4	
Strawberries for field culture I to 1½	
Strawberries for garden culture to 2	

All communications relative to nursery stock and price will be attended to promptly, and any information or advice that we are able to impart, when desired, will be given freely. No business transacted on Saturday. Address,

A. MILLER & SONS,
Milton, Oregon.

fruit Department

SUMMER APPLES



EARLY GOODWIN.

Early Goodwin—Originated one and one-half miles north of our nurseries, on the old fruit farm of William Goodwin, whose name we have given this valuable apple, not only in honor of him, but that it also expresses in part the quality of the fruit, "Goodone." The tree makes a beautiful upright, spreading and vigorous growth, perfectly hardy and bears an immense crop of fruit annually. The fruit is large size, smooth, roundish, oblong, beautifully colored with whitish yellow, striped and splashed with bright red and covered with thin bloom. Flesh white, tender, juicy, sub-acid; excellent for cooking and dessert and is unequaled by any other variety of its season, July and August, for its long keeping and shipping qualities. We are pleased to offer to our customers this new apple, feeling assured that it is the best all around shipping Summer variety that has ever been placed on the market.

Yellow Transparent—The earliest apple grown. Ripens two weeks before Early Harvest. Can easily be kept ten days after ripening, making it a desirable market fruit. Flesh fine grained, juicy, rich sub-acid; the tree is perfectly hardy, a good, upright grower, very early and abundant bearer, new and valuable.

Early Harvest-Fruit medium size, skin yellow, flesh very white, tender and

juicy; ripens middle of July.

Red June-A medium size apple of good quality, productive and hardy; July

and August.

Red Ast

Red Astrachan—Fruit above medium size, nearly covered with deep crimson; rich, juicy and acid; a strong growing tree, perfectly hardy and a good bearer; July.

Sweet June—Rather large, pale yellow, sweet and juicy; last of August.

FALL APPLES

Autumn Strawberry - Size medium, color streaks of light and dark red; tender, juicy, sub-acid, fine. Tree vigorous and productive. September to October.

Alexander—Of Russian origin; large, deep red flesh; yellowish white; crisp, tender, with pleasant flavor. Very good. October.

Duchess of Oldenburgh—Of Russian origin; large size, roundish, streaked with red and yellow; flesh juicy, sprightly, sub-acid; tree a vigorous grower, very hardy; very early and abundant bearer; it succeeds well in the North where other varieties fail. We confidently recommend it as a valuable market sort, or for domestic use. September.

Fameuse or Snow-A most beautiful apple of medium size, roundish, oblate; whitish ground, striped with deep red, flesh snowy white; juicy and pleasant; tree

very hardy. November to December.

Gravenstein-Large, striped and beautiful; tender, juicy and high flavored;

vigorous and productive. September and October.

Jeffries-Fruit medium size, yellow, shaded and splashed with crimson; flesh white, tender, juicy, with a rich, mild, sub-acid flavor. The best eating grown in

its season; very productive. September and October.

Maiden's Blush—Rather large, pale yellow, with a beautiful red cheek; fine

grained tender, pleasant acid flavor; an excellent market variety; a good and regular bearer; tree extremely hardy; very good. September to October.

Rambo—A very popular Autumn fruit. It is valuable for the table or kitchen, and the tree thrives well, fruit of medium size, with a rich flavor. October to

December.

Red Beitigheimer—A rare German variety, very recently introduced. Fruit very large, skin pale green, mostly covered with purplish crimson; flesh white, firm, sub-acid, with a brisk, pleasant flavor. Tree a fine grower and abundant bearer. September to October.

Twenty Ounce-Very large; yellow, striped with red; quality good; tree hardy, vigorous and a good bearer; popular as a market variety. October to December.

Waxen-Tree very healthy and thrifty; fruit medium size with deep, rich yellow in the sun; flesh crisp, tender, juicy, acid; one of the best drying apples. Last of October.

WINTER APPLES

Arkansaw Black-This apple originated in Benton County, Arkansas. tree is very hardy and thrifty, an early and uniform bearer. Fruit large, smooth and round, very black, dotted with whitish specks. Flesh yellow, very juicy and a delicious flavor. A standard market variety. Specimens have been kept until

Baldwin-Large, skin yellow in shade, but nearly covered with red and orange in the sun. Flesh yellowish white with an agreeable mild acid and yet high flavor.

Tree a fine grower and very productive. November to March.

Ben Davis—Large size, striped with bright red; showy, rather coarse quality; productive. Its good keeping qualities make it one of the best shipping varieties.

A long keeper.

Bailey's Sweet-Tree hardy, vigorous and productive. Fruit large, roundish, conical, yellowish, mostly shaded and striped with dark red; flesh white, tender, almost melting, with a honeyed sweet flavor. The best late sweet apple. October to November.

Blue Pearmain—Tree hardy. Fruit large, dark red, rich, sub-acid. Decem-

ber to February.

Grimes' Golden Pippin-Tree hardy and productive. Fruit medium to large, rich golden yellow; flesh erisp, tender, juicy, rich, sub-acid; very good. December to March.

Gano-Form conical, good size and smooth; deep red shaded on sunny side to mahogany; very attractive; flesh pale yellow, fine grained, tender, pleasant, mild, sub-acid; tree healthy, vigorous and hardy; an annual and prolific bearer. It is becoming known as one of our best keeping and shipping apples. February to May

Jonathan-Medium to large, roundish; skin yellow, nearly covered with dark or lively red; fine grained, very tender and finely flavored; tree very productive.


An excellent market variety. December to February.

King-(King of Tompkins County)-Very large and showy; color red and striped; flavor like the Baldwin. One of our best Winter apples. Very salable. November to December.

Lawver—(Delaware Red Winter)—Large, roundish, flat, very heavy and hard; beautiful dark red; mild sub-acid. We have kept them in our cellar for more than a year.

Mammoth Black Twig—(Paragon)—Very large, bright red, pleasant, sub-acid; tree remarkably vigorous and productive; fruit hangs well on tree; fine late keeper.

Missouri Pippin—Large; red cheek, with darker red stripes, very handsome and fair quality. Good grower; early and immense bearer.



WINTER BANANA. (See page 8 for description.)

McIntosh Red—An exceedingly valuable, hardy, Canada sort; medium size, nearly covered with dark red; flesh white, fine, very tender, juicy and refreshing. A good, annual bearer, of fair handsome fruit. Resembles the Fameuse, but larger and more hardy, and fully equal in quality to this standard sort. November to February.

Northern Spy—Fruit large, roundish, oblong, conical; skin thin, smooth, greenish or pale yellow, with light and dark stripes of purplish red; flesh white, fine grained, tender, slightly sub-acid and delicious flavor; tree a good grower; a long become:

Red Cheek Pippin—(Mammoth Pippin)—Large, greenish yellow, with a fine red cheek; juicy, tender and good; trees erect, vigorous and productive. Keeps well till March or April.

Rome Beauty—Origin, Southern Ohio; tree vigorous and productive; bears quite often when but four years old; fruit large, roundish, approaching conic; yellow shaded and striped with a beautiful bright red; flesh yellowish, very tender,

juicy, sprightly, sub-acid and very pleasant. We cannot recommend this apple too

highly for cooking, eating or market. December to March.

Rhode Island Greening—Trees are hardy, grow very strong, and bears most abundant; fruit large, roundish; skin smooth dark green, becoming yellow when thoroughly ripe; rich, tender and fine grained. November to December.

Roxbury Russett-Medium to large; greenish or yellow russett; crisp, good, subacid flavor; tree vigorous and productive; very popular on account of its long

keeping. June.

Spitzenburg, Esopus-Is a handsome, truly delicious apple; fruit striped and splashed with red; flesh yellow, rather firm, with a delicious rich acid flavor.

November to April.

Spokane Beauty-Largest apple known, a perfect prodigy for beauty and large size; color a greenish yellow, shaded and striped with deep red; flesh crisp, juicy, rich, with a delicious high flavor; unsurpassed for cooking and drying; a long keeper, having kept in our cellar until the 1st of August; was awarded the first prize at the Spokane Fruit Fair in 1895 and 1896.

Stayman Winesap-Originated on the grounds of Dr. J. Stayman, Leavenworth, Kansas. Tree much in appearance like winesap; fruit hangs well on the tree. Fruit medium to large, greenish yellow, striped with dark dull red; flesh yellow, firm, tender, juicy, rich, mild subacid, quality best, season January to May.

Talman Sweet-Medium; pale yellow, slightly tinged with red; firm, rich and very sweet; the most valuable baking apple; vigorous and productive. Nov-

ember to April.

Winesap—Medium; dark red, sub-acid; excellent. Tree a moderate grower and abundant bearer; an old and favorite market apple. December to May.

White Winter Pearmain—Above medium size; roundish, oblong, conic; pale yellow, with a slight blush; extra high flavor; one of the best. December to March.

Wolf River—An apple peculiarly adapted to the West on account of its extreme hardiness; fruit very large and handsome, being covered with two shades of light and dark red; flesh whitish; juicy, breaking, pleasant sub-acid. A good bearer. November.

Wealthy—Tree very hardy, vigorous and very productive; a beautiful and excellent fruit; skin smooth, white yellow, shaded with deep, rich red; flesh white, fine, sometimes stained with red; tender, juicy, lively sub-acid; very good. December to February.

Wagener-Medium to large; deep red in the sun; flesh firm, sub-acid and excel-

lent; very productive and bears very young. December to April.

Winter Banana—This valuable new variety was originated on the farm of D. N. Flory, Cass County, Indiana. Fruit large, fine grained, a beautiful golden yellow, shaded with bright red, unusually handsome. Flesh of golden yellow, very large and highly perfumed and considered the finest flavored apple grown; an excellent table variety. Tree hardy. An early and prolific bearer. November to May. We have watched this apple since its introduction and from our personal observation, believe it is a profitable variety to grow, especially for the fancy trade, and those who wish to secure this class of business will make no mistake in planting it.

Yellow Newtown Pippin-This stands as high as any apple in our markets, and is one of the best keepers; flesh firm, crisp, juley and with a fine flavor. January

to June.

Yellow Bellflower—Large, oblong; skin yellow, with a beautiful tinge of red on the sunny side; flesh crisp, juicy with a delicious high flavor. October to

York Imperial—Medium to large; whitish, shaded with a beautiful crimson in the sun; firm, crisp, juicy, pleasant, mild sub-acid; tree vigorous and productive; a good market variety. November to February.

CRAB APPLES

Transcendent—A handsome little apple for dessert and preserving. Early

Hyslop—Produced in clusters; dark, rich red; flesh yellowish, sub-acid; good for culinary uses and cider. Good last of September.

Red Siberian-A beautiful little fruit, produced in rich clusters; highly esteemed for preserving. First of September.

Yellow Siberian-Small, beautiful golden yellow. September to October. Whitney's No. 20-One of the largest Crabs; glossy green, splashed carmine,

juicy, pleasant; great bearer, excellent for cider. August. Martha—A new fruit raised from seed of Duchess of Oldenburg. Resembles


the Transcendent, but larger. Very productive.

PEARS SUMMER

Bartlett—Large, buttery, juicy, high flavored; great bearer. One of the most popular of all the Summer varieties. August to September.

Clapp's Favorite—Fruit large, skin thin, pale yellow; flesh white, fine grained, juicy, buttery, melting, rich, sweet, vinous; a little perfumed; very good. Ripens two weeks earlier than Bartlett.

Early Madeline—Fruit below medium size; flesh white, juicy and sweet. Rots at the core. Ripens by the 4th of July.



ROSSNEY

Rossney—A choice seedling grown near Salt Lake City, Utah. Ripens about two weeks after Bartlett, averages larger, excellent keeper and shipper, uniform size, shape and color, one of the handsomest; creamy skin, with crimson blush; flesh melting, juicy, sweet and tender, of superior flavor. A vigorous grower, hardy both in wood and fruit bud, and very productive. Combines excellent quality with large size, fine form, and superior shipping qualities. Luther Burbank, the most noted horticulturist of the age, says: "The samples of Rossney Pear arrived in due season. The largest size, handsome form, and creamy-yellow skin with crimson blush gives the fruit a tempting appearance; and the tender, creamy flesh, of just the right texture, with no hard spots and an unusually small core, with its superior flavor, makes it about the best pear so far seen. If the tree is vigorous, healthy and productive, would prefer it to any other, even the standards, Bartlett or Seckel."

AUTUMN

Flemish Beauty—The tree is very luxuriant, hardy and bears early and abundantly; fruit large, pale yellow, becoming reddish-brown at maturity on the sunny

side. Flesh yellowish-white, juicy, melting, very saccharine and rich. Last of

September.

Beurre d'Anjou-A fine pear; rather large; flesh yellowish-white, buttery, fine grained, rich, vinous flavor. Tree a good grower and fine bearer. October and November.

Seckel-Small, yellowish brown, red cheek; sweet, juicy, melting. Best. Sep-

tember and October.

Idaho-Introduced from Lewiston, Idaho. Flesh white, exceedingly fine grained, very tender and buttery, with a rich acid flavor. Ripens a month after the Bartlett.

Louise Bonne de Jersey-Rather large, greenish-yellow, with a bright red cheek; juicy, buttery and melting; excellent, very productive; a fine grower. Sep-

tember and October.

White Doyenne (Fall Butter)-Medium; pale yellow, with a faint blush; fine flavor. October to November.

WINTER

Beurre Easter-Tree grows upright and thrifty. Fruit large, flesh white, fine grained, very buttery, melting and juicy, with a sweet and rich flavor. January

to May.

Winter Nellis-Tree hardy and thrifty; a very delicious Winter pear of medium size; flesh yellowish-white, fine grained, buttery and very melting, abounding with juice of a rich, aromatic flavor; good to very good. December to Feb-

Vicar of Winkfield—Tree hardy and thrifty; fruit quite large, with pale yellow reddish cheek. Rich and juicy, first quality for cooking and is a valuable

variety. November to January.

Winter Bartlett-Fruit large, closely resembling the Bartlett in shape and appearance; perfectly smooth, flesh tender; juicy and melting; flavor similar to the Winter Nellis, but season a little later, and as good as can be desired. In every way a grand pear.

CHERRIES

SWEET VARIETIES

Early Purple-An early variety, ripening the last of May in favorable seasons; skin dark red, almost black; flesh juicy and rich.

Royal Ann-Fruit large; very dark color when ripe, very rich and solid and

an excellent keeper. Middle of July.

Centennial-A new cherry, very much like the Royal Ann, but ripens a few

days later; sweet and good.

Shelton-This new cherry originated in the Walla Walla Valley and is a seedling of the well known Royal Ann, which it very much resembles, but ripens two weeks earlier, which makes it more valuable; tree hardy, upright and vigorous grower, and a continuous and heavy bearer. Fruit very large, pale yellow, with bright red cheek; flesh sweet, juicy and very rich; the best early cherry grown.

Black Republican—Fruit large, very dark color when ripe; very rich and solid

and an excellent keeper. Middle of July.

Lambert—Size very large; form roundish, heart shaped; cavity medium, regular, with gradual slope; stem long, slender; suture of medium depth, wide, extending from cavity to apex, which is of a round russet dot in a broad depression; surface smooth, glossy; color dark purplish-red, with numerous minute, indented russet dots; flesh dark purplish-red with whitish veins, meaty and of firm texture; semi-cling, small for so large a fruit; flavor sweet or very mild sub-acid, aromatic, rich. Quality very good and an excellent shipper.

Governor Wood-Medium size; rich; light yellow with red cheek; juicy and

sweet. One of the best. Last of June.

Black Tartarian—Very large, purplish black; half tender; flavor mild and pleasant. Tree a remarkable, vigorous, erect and beautiful grower, and an immense bearer. Ripe last of June and beginning of July. One of the most popular early varieties.

Bing-This grand new black cherry was originated by Seth Luelling, of Milwaukee, Oregon. Almost as large again as the Black Republican; flesh very solid, flavor of the highest quality; -tree thrifty, upright grower, very hardy and productive; a fine shipping and market variety. First of July.



DUKES AND MORELLOS

May Duke-This is one of the best hardy cherries; medium size, dark red, melting, rich and juicy. First of June.

Late Duke-Fruit large, roundish, rich, dark red, sub-acid. Tree hardy; very valuable. Ripens last of July.

Early Richmond—(Kentish)—Medium size, bright red; flesh melting, juicy and rich acid flavor. Last of June.

English Morello—Medium to large; blackish-red, rich, acid, juicy and good.

Olivet—Tree hardy; fruit very large; a shining deep red sort; tender, rich and good. Last of June.

Montmorency—Large, red cherry; larger than Early Richmond and fully tenders later.

days later.

PLUMS

Abundance—Mr. George W. Thissell of Winters, Cal., says of this fruit: "I have fruited it three years; have found it very prolific; fruit large to very large; color yellowish green, with red cheek in the sun; flesh deep yellow and exceedingly sweet; pit very small; ripens at Winters, June 10th. I consider this one of my best shipping plums."

Peach Plum—Fruit of the largest size and earliest to ripen; regularly formed, roundish; skin red, dotted with a blue bloom; flesh greenish-yellow; becomes tinged with red at maturity; a rich, brisk flavor; the leading market variety. Middle

Bradshaw—Large, dark red; flesh green, juicy, good; ripens first of September. Burbank—(Japan)—Tree a vigorous grower; early and very heavy bearer; fruit very large; yellowish ground, with red cheek in the sun; flesh yellow, firm and very sweet when fully ripe; extremely small pit, which clings. Middle of June.

Blue Damson-Fruit small, oval; skin dark purple, covered with blue bloom;

much used for preserves.

Yellow Egg-Largest size; skin yellow, flesh yellow, very sweet; first-class for canning and a good bearer. September.

Columbia-Tree vigorous and productive; fruit of largest size; skin dark purple, flesh orange, not very juicy, but very rich, sugary and excellent. August.

Coe's Golden Drop—Large and handsome; light yellow, firm, rich and sweet.

September.

Prunus Simoni—(Apricot Plum)—Of Chinese origin; fruit large, flattened; of the size and appearance of a nectarine, and of a brick-red color; flesh shows a fine apricot yellow, with a peculiar aromatic flavor; is becoming popular as a market variety. July.

PRUNES



SUGAR PRUNE

Hungarian — Largest size, with a beautiful bright red, making it one of the best for marketing; not good for September. drying.

Petite d'Agen-(French Prune) - The well-known variety extensively planted for drying; medium size, reddish purple, juicy, sugary, rich and sweet; bears immense crops. September.

Silver Prune - Large size and sweet; a good dryer; ripens rather late for Northern climates. October.

Golden Prune—Large size, rich golden yellow; very sweet. The dried fruit when cooked requires no sugar.

Sugar Prune-A new prune, originated by the well-known Luther Burbank, of Santa Rosa, Cal., from whom we purchased our scions. An extremely early prune, ripens August 1st; cures superbly rich, with a yellow flesh, tender and rich in sugar juice; fruit large, skin very tender, at first of a light purple, tinted with green, changing at maturity to dark purple, covered with a thick, white bloom. Tree a vigorous grower and very productive. (See cut).

Italian—(Fellenberg)—Medium to large size, oval, dark purple; flesh juicy,

sweet and delicious; a standard drying variety. September.

Tragedy-Medium size; skin dark purple; flesh of yellowish green, very rich and sweet; frees readily from pit. Its early ripening (in July) makes it a valuable shipper.


PEACHES

Alexander—Medium to large; greenish-white, covered with a deep rich red; very juicy, clinging to stone. Best early market variety.

juicy, clinging to stone. Best early market variety.

Amsden June—The same as above.

Champion—A particularly hardy seedling of Old Mixon, from the west, which is noted for the hardiness of its blossoms, thus insuring a good yield in spite of heavy Spring frosts. It is a large, handsome peach, with a creamy white skin and beautiful red cheek. In flavor it is exquisite, and is a true freestone. Ripens about the middle of July.



TRIUMPH

Foster—Fruit large, deep orange red, becoming very dark red on the sunny side; flesh yellow, very rich and juicy, with sub-acid flavor; ripens with Early Crawford; a very handsome freestone peach.

Greensboro—Origin, North Carolina. Ripens with Alexander, but much larger. Round; flesh white, very juicy, of good quality; bright red over yellow,

highly colored in the sun. A promising market variety.

Globe—Large; flesh firm, juicy, yellow; quality good, pleasant, rich, vinous and luscious. A profitable freestone peach ripening about the middle of August.

Wonderful—A freestone. Color a rich golden yellow, overspread with carmine. Ripens after nearly all others have disappeared. Is a wonderful keeper. Tree very prolific. October.

Hale's Early-Medium, nearly round; skin mottled red, dark red cheek. Flesh

white, juicy, melting, high flavored, free from stone. First of August.

Early Charlotte—An improved seedling from Early Crawford. Originated at Salem, Oregon, in 1878, by O. Dickinson, where it has attracted much attention among fruit growers. This remarkable peach succeeds in Oregon, where many other varieties fail. Flesh yellow, melting and juicy, with a rich and excellent flavor. Freestone. Ripens about ten days after Crawford's Early, which it closely resembles.

Salway—A large, yellow English peach, with deep yellow flesh; very juicy,

melting and rich. A valuable late market variety.

Early Crawford—A magnificent, large, yellow peach of good quality. Its size, beauty and productiveness makes it one of the most popular varieties. Extensively planted. Freestone.

Late Crawford—A superb, large, yellow, freestone peach; very rich. Last of

September.

Malta or Muir—Very sweet and firm, yellow, with sometimes a faint blush. Large, very free, pit quite small. Most popular drying and canning variety on the

coast. August.

Triumph—Earliest yellow flesh peach; ripens a few days later than Alexander, blooms late; sure and abundant bearer; strong vigorous grower; fruit good size;

yellow, with red and crimson cheek.

Elberta—Very large; skin golden yellow where exposed to sun, faintly striped with red. Flesh yellow, very fine grain, juicy, rich and sweet. Tree very prolific and presents a handsome appearance. This peach is a perfect freestone. Very successful market variety, commanding a high price. September.

Perfection—This new and valuable peach orginated about three miles above

Weston, Umatilla County, Oregon, near the timber line of the Blue Mountain Range, which proves its hardiness. The fruit is of the largest size, yellow, with a beautiful blush cheek. The flesh is thick and very fine grained, yellow, with red around the pit, which is nearly as small as a prune seed. Its tough skin, firm flesh and good keeping qualities place it in the lead for a desirable shipping and market variety. Ripens from 10th to 15th of September. We cannot recommend this new peach too highly to our friends and patrons.

Crosby-Originated near Lowell, Mass. Tree low spreading, willowy habit of growth; fruit buds hardy; so, that the "Crosby" produces full annual crops when all others fail; fruit medium size, rich orange yellow, splashed with carmine on the sunny side; perfect freestone, pit small, flesh yellow, juicy, tender, sweet and rich.

Cox's Cling-Large, yellow, with dark red cheek; flesh yellow. sweet and de-

licious, Last of September.

Indian Peach—Very large, dark purple clingstone. Flesh dark purple, firm and rich. September.

Lemon Cling-Large size, lemon color. One of the best market varities on

account of its firmness size and excellent qualities. September.

Health Cling—A most delicious cling. Very large; skin downy, creamy-white with faint blush of red; flesh white, slightly red at the pit; very tender, juicy and sweet; valuable for canning; season, early September.

NECTARINES

Boston—Very large and handsome; deep yellow, with a bright blush and mottled with red; fiesh yellow to the stone; sweet with a pleasant and peculiar flavor; freestone.

Early Violet-Medium size, skin yellowish green, with a purple cheek, Flesh

melting, rich and highly flavored. July.

APRICOTS

Early Golden—Earliest to ripen; small, pale orange, juicy and sweet. July. Peach Apricot-One of the largest; fruit firm, juicy, with a rich flavor; pro-

ductive. Last of July.

Royal—A fine large French variety; fruit roundish, large, oval, slightly compressed. Skin dull yellow with an orange cheek, very faintly tinged with red. Flesh pale orange, firm and juicy, with a rich, vinous flavor. Ripens the latter part of July.

Moorpark—Fruit large, roundish, about two inches and a quarter in diameter. Skin orange in the shade, but deep orange or brownish red in the sun. Flesh quite

firm, bright orange, parting from the stone. Ripens early in August.

RUSSIAN VARIETY

J. L. Budd—Tree a strong grower and profuse bearer; fruit large, white, with red cheek; sweet, juicy, with a sweet kernel, as fine flavored as an almond; the best late variety and a decided acquisition. July.

QUINCES

Champion—A prolific and constant bearer. Fruit large and of excellent flavor. Bears extremely young. Hardy.

Rea's Mammoth-Fruit large, bright yellow, of excellent flavor. Productive. Angers—Later than the above, fruit more acid, but cooks well; tree a thrifty grower and abundant bearer.

MULBERRIES

Downing Everbearing-Fruit large, black and of best quality. Bears abundantly for three months in the year. Tree hardy.

Russian—A very hardy, rapid grower. Fruit small but produced in abundance.

A valuable tree for wind-brakes.

NUT TREES

ALMONDS

That the Almond may be grown and fruited successfully, has been demonstrated, and some very fine specimens have been grown in the foothills of the Blue Mountains. It will flourish and fruit where the peach is grown. Some seasons have proved the Almond hardier than the peach. The varities we offer are carefully selected and propagated by budding. They come into bearing as early as the peach.

Gross Tendre—Large, full kernel, thin shell, sweet and rich.

I. X. L.—Large, generally single kernel; hulls easily; soft shell; tree a

strong upright grower.

Nonpareil—Large, full kernel, thin shell; tree of a weeping habit and a strong grower.

CHESTNUTS

American Sweet-Wherever soil is adapted to its growth; valuable for orn-

ament, timber and nuts.

Japan Mammoth-Dwarf grower, very productive and comes into bearing at two or three years old, while yet in the nursery rows, trees three to four feet high are heavily laden with nuts of large size and running three to four in the bur. Matures very early and without the aid of frost to open the burs.

Spanish or Italian—A handsome, round headed tree, producing abundantly very large nuts that find a ready market at good prices. Not quite as sweet as the

American Chestnuts. Tree is hardy with us.

FILBERT

Kentish Cob—One of the best Filberts to plant; kernel large, full and rich; a heavy bearer.

PECAN

A native nut belonging to the hickory nut family. Tree is of tall growth and bears abundantly; not entirely hardy in the north. Should be planted wherever it will succeed. The shell is very thin, the kernel sweet and delicious.

WALNUTS

American Black-This valuable tree grows and succeeds well on this coast. Valuable for timber and nuts.

Butternut or White Walnut—A fine native tree, producing a large, longish nut, which is prized for its sweet oily nutritous kernel. Tree hardy.

ENGLISH WALNUTS

The culture of the English Walnut in Oregon and Washington, we believe from observation and experience, has passed from the experimental stage to that of success and profit. Locally, we have grown the English Walnut for more than 10 years. The trees began to bear a good quality of nuts at six years of age, and in subsequent years the heaviest crop was born following a very severe winter and the trees have successfully withstood the low temperature of fifteen degrees below zero. The English Walnut is propagated by grafting, budding, or from seed. Experience has proven in the nut districts of California that English Walnuts grown from first generation seed, produce nuts that are superior commercially in quality and quantity to those produced by grafted trees. The trees we are offering are grown from selected first generation seed.

Franquette Walnut—Nut very large and long; kernel full fleshed, sweet and


rich; buds out late in the Spring, which enables it to escape the disastrous effects of late frosts. Tree a hardy, thrifty grower and abundant bearer.

Mayette Walnut-This is one of the finest flavored nuts grown; it is quite large, uniformly so, kernel is full fleshed, sweet and nutty. Tree grows well, quite hardy and blooms late, which insures a good annual crop.

GRAPE VINES

AMERICAN VARIETIES

Agawam-Vine very vigorous, productive; bunch large, moderately compact, shouldered; berry large, roundish, dark red or maroon; flesh almost tender, juicy, vinous, rich peculiar aromatic flavor. Especially adapted for arbor culture. Ripens with the Concord. We consider this the best of American varieties.



AGAWAM.

Concord-The well known standard variety, succeeds wherever grapes will grow. Black, sweet, good. First of September.

Delaware—Bunches compact; berries rather small, round; skin thin, of a

beautiful light red; exceedingly sweet. September.

Isabella—Bunches and berries of medium size; black. A good variety for

arbors. September and October.

Moores Early—Bunch large; berry large; round, with heavy blue bloom; vine exceedingly hardy. Its earliness makes it desirable for an early market; Its hardiness particularly adapts it to Canada and northern portions of the United States.

Niagara—Occupies the same position among the white varieties as Concord among the black. A profitable market sort. Bunch and berries large, greenish white, changing to pale yellow when fully ripe. Skin thin; quality much like Concord.

Worden—This new variety is a seedling of the Concord, which it greatly resembles in appearance and flavor, but the berries are larger. The fruit is said to be better flavored and to ripen several days earlier.

EUROPEAN VARIETIES

Black Hamburg-A fine, tender grape, producing large, magnificent, compact bunches; berries black, very large and round. A great favorite everywhere, especially for table. Last September.

Black Prince-Very large, oval; bunches medium; flesh firm, with a rich deli-

cious flavor, and highly esteemed as a market variety. September.

Flame Tokay—Bunches very large and moderately compact; berries large, skin thick, pale red, covered with bloom; flesh firm, sweet; an old standard variety, always demands a good price in the markets, and as a table grape, more extensively planted than any other variety. October.

Mission, or California—A well-known variety. A strong, sturdy grower, bearing large bunches of black, medium sized berries. Valuable for wine. September.

Muscat of Alexander-Bunches large, long, and loose; berries large, slightly oval, pale amber when ripe, covered with a thin, white bloom; flesh firm, brittle, exceedingly sweet and rich; fine flavored; the variety most extensively planted for raisins. September.

Rose Peru—Bunches very large; berries large, oval, skin thick, brownish black; flesh tender, juicy, rich, and sprightly; a fine market variety. September.

Royal Muscadine—Bunches large and compact; berries medium size, round; skin thin, transparent, greenish yellow; pulp tender, juicy, sweet and richly flavored; one of the best early grapes. Vines are hardy. First of August.

White Sweetwater—This is the earliest grape to ripen. Vines hardy; fruit rich and sweet. Very much resembles the Royal Muscadine but the berries are not so compact. First of August.

BLACKBERRIES

Wilson-A magnificent large, very early, beautiful berry, of sweet, excellent flavor. Ripens evenly, holds its color well and brings highest market price. Strong grower, exceed-ingly productive. Not very hardy.

Lawton-Large, black, sweet. Very productive. One of the best.

Erie-Fruit large, about the size of Lawton, round and firm; good quality. Its extreme hardiness makes it the best blackberry to plant in cold climates.

Mammoth - Supposed to be a cross between the wilds blackberry of California and the Crandalls Early. Grows entirely unlike any other blackberry plant known. It is a rampant grower, trailing on the ground, and under favorable conditions will grow twenty feet in a season; the canes are large, of deep red color when exposed in the sun; the foliage is large, thick, of a deep green color; enormously productive and exceedingly early, ripening three weeks before other cultivated kinds; fruit enormous, specimens measuring 21/4 to 21/2 inches long; seeds small, core small, soft; in size



MERSEREAU BLACKBERRY

and flavor said to surpass all other varieties of blackberries. Mersereau—This early, mammoth, ironclad blackberry is by far the most valuable variety that has appeared since the advent of the Wilson, over 30 years ago. It originated in northwestern New York, where the mercury falls from 15 to 25 degrees below zero, and where it has stood in open field culture for many years without the slightest protection, never being injured in the least. In quality, it is exceptionally sweet, rich, melting and luscious, being without core; the seedy character of the Snyder and most other sorts is noticeably absent. As a shipper and keeper, it is unsurpassed, remaining firm without "bleeding" in handling.

BLACKBERRY-RASPBERRY HYBRIDS

Logan—(Raspberry-Blackberry)—Fruit size of large blackberries, same form and shape; color dark, bright red; partakes of the flavors of both blackberry and raspberry; mild, pleasant, vinous, excellent for table and for canning, jelly, jam, etc. Seeds few and small. Bush of trailing habit, vigorous and very productive.

This new berry brings the highest price on the markets.

Phenomenal—One of the most valuable of Luther Burbank's productions. It is the result of a cross between the improved California dewberry and the Cuthbert raspberry. Mr. Burbank describes it as larger than the largest berry ever before grown; bright crin son raspberry color; productive as could be desired, and the most delicious of all berries for canning and drying. The berries grow in clusters, each having from five to ten or more, and individual berries often measure three inches around one way by four the other, and weigh one-quarter ounce each. It very much resembles the Logan berry but is claimed to be superior in quality.

GOOSEBERRIES

Oregon Champion—Large, skin light green. Flesh very sweet, juicy, excellent flavor; very prolific bearer and will not mildew.

Houghton—Medium, skin pale red; very productive,

sweet and good.

Red Jacket (Josselyn) — An American seedling of large size; smooth, prolific and hardy; of best quality. Has been well tested over a wide extent of territory by the side of all the leading varieties, and so far the freest from mildew, both in leaf and fruit, of them all. A wonderful cropper, with bright, clean, healthy foliage.


RASPBERRIES

Cuthbert—Large, deep red, firm, of excellent quality, hardy very desirable

hardy, very desirable.

Loudon—This new

Loudon—This new variety has come to stay and is the best mid-season berry. Its points of superiority are vigor of growth, large fruit, beautiful rich dark crimson color, good quality and marvelous productiveness and hardiness, enduring Winters without protection and without injury to the very tips. A good shipper.




OREGON CHAMPION,

Gregg-This is decidely the largest and most prolific Blackcap that we have

ever seen. Fine quality, very productive and hardy.

Golden Queen—A beautiful, large, golden yellow berry; seedling of the Cuthbert and surpassing that variety in size, beauty, quality and adaptability. Canes hardy, of strongest growth, productive. Should be in every home garden, its beauty and high quality placing it at the head for table use.

Cumberland—The largest Black Raspberry known, has been well tested in nearly all sections the past seasons, giving thorough satisfaction. In hardiness and productiveness it is unexcelled by any other variety. In size, the fruit is simply enormous, far surpassing any other sort. The berries run seven-eighths and fifteen-sixteenths of an inch in diameter, and are of such handsome appearance that their fruit sold for 10e per quart, when other varieties were selling for 5c to 7c per quart. The quality is very similar and fully equal to Gregg. In spite of its unusual large size the fruit is possessed of great firmness and is thus well adapted for standing long shipments.



CUMBERLAND

DEWBERRY

Lucretia—One of the low-growing, trailing blackberries. In earliness, size and quality, it equals any of the tall growing sorts. The plant is extremely hardy, healthy and productive. Fruit is of the largest size, soft, sweet, luscious throughout, with no hard core. Very valuable.

CURRANTS

Cherry-Large, bright red, very good, but not productive.

White Grape—Berries very large, whitish yellow, sweet and good; very productive.

Fay's Prelific—A new seedling, originated by Lincoln Fay, of New York, and for size, beauty and productiver ss, is the rest remarkable currant ever grown. The berry is fully equal to Cherry Currant, while the flavor is much superior. The stems are double the length on an average, and the fruit hangs on well, never dropping as in other currants. We can truly say that it surpasses any other variety ever introduced.

Lee's Prelific—(Black)—A new English variety. The fruit is large and of superior quality; the bush is a vigorous grower and enormously productive, render-

ing it very profitable.

STRAWBERRIES

Charrless—Large, irregular, very good quality, with fee flavor; a prolific bearer.

Hocd River—((lark's Scedling)—Criginated at Hood River, Oregon, where it is planted to the exclusion of all others for long distance shipments; large, round and smooth; color a beautiful dark red, and in quality is unsurpassed. Ripens early.

Magoon—This new berry was originated near Portland, Oregon, and promises to be one of the leading berries in the Northwest. A good shipping and canning variety. Ripens about ten days later than Hood River.

RHUBARB OR PIE PLANT


This is one of the earliest garden fruits, is excellent for pies, and continues long in use; also very valuable for canning.

Mammoth-Large, early, tender and good.

ASPARAGUS

Conover's Colossal—This variety is much superior in size and quality to any of the old common varieties, being remarkably tender and fine flavored.

Ornamental Department



SHADE AND ORNAMENTAL TREES

THERE is nothing that adds so much to the appearance and solid comfort of the home, and that will enhance the commercial value of property, either large or small, than the planting of beautiful shade trees, ornamental shrubs and roses. Realizing the growing demand for nursery stock of this nature, we have been giving careful attention to the selection and growing of such shade trees, shrubs, etc., that are best adapted for the various soils and climates of the Northwest, as a result we now have the following most desirable and valuable kinds and varieties to offer.

Black Locust.

A very rapid growing tree, covered in June with sweet-scented, white flowers; valuable as a shade tree and also for its hard wood.

Birch.

EUROPEAN WHITE—(Alba)—A graceful tree with silvery bark and slender branches. A vigorous grower with branches rather pendulous. A beautiful tree for either street or lawn.

Carolina Poplar.

A vigorous, healthy, native tree of rapid growth, pyramidal in form, with large, glossy leaves; valuable for park or street planting. Makes a fine, spreading head if well cut back the first few seasons. Succeeds well everywhere.

Catalpa.

The Catalpa flowers in July when few trees are in bloom. Blossoms are large, very showy and quite fragrant. Leaves large, heart shaped and greenish-yellow. A very effective, tropical looking lawn tree. Hardy.

Elm.

ENGLISH-A sturdy, vigorous, upright growing tree. Desirable for streets

or parks. Hardy. AMERICAN WHITE—The noble spreading, drooping tree of our own woods. One of the grandest and hardiest of park or street trees. CAMPERDOWN—(See weeping trees).

Flowering Thorn.

PAUL'S DOUBLE SCARLET—Flowers large, deep carmine scarlet, very showy and lightly perfumed. The thorns justly deserve to be classed among the most beautiful flowering trees. They will thrive in dry soil.

DOUBLE WHITE THORN—Has small, double white flowers. Highly orna-

mental on account of both foliage and flowers. Makes a striking contrast when planted with the Double Scarlet.



CAROLINA POPLAR.

Flowering Crab.

BECHTEL'S DOUBLE FLOWERING-Makes a medium sized ornamental tree of great beauty; perfectly hardy; succeeds well in all soils not extremely wet. When in bloom in early Spring, this tree presents the appearance of being covered with perfectly double, small, pink roses, of delicious fragrance. The only sweet scented double crab, blooms quite young. Unlike many other trees, it does not bloom until the leaves are fully developed, which adds greatly to its beauty. Has become popular wherever known.

Flowering Almond.

DOUBLE ROSE FLOWERING—A beautiful small shrub, blooming in early May, before the leaves appear, small, double, rose-like flowers, closely set on technolos

en t'e lianches FOUBLE WHITE FLOWERING—A pretty sort of small size, producing beantiful white flowers in May.

Gingko-(Salisburia).

"MAIDEN HAIR TREE"—A remarkable tree from Japan, of medium size; foliage fern-like, yellowish-green, curiously lobed and marked with delicate, hair-like lines.



CUT-LEAF WEEPING BIRCH.

Herse Chestnut.

RED FLOWERING—Not so rapid or as fine a grower as the White; foliage of deep green and blossoms later with showy red flowers.

WHITE FLOWERING—A very beautiful well-known tree, with round, dense head, dark green foliage and an abundance of showy flowers in early Spring. Readily transplanted, hardy, and succeeds well on a variety of soils.



BECHTEL'S DOUBLE-FLOWERING CRAB. (See description page 21)

Laburnum.

GOLDEN CHAIN—Bears long, pendant raccines of yellow flowers in June; showy and beautiful. Should be in every lawn.

Linden, or Basswood.

AMERICAN—A native tree of value for ornan ental purposes. It has large, dark green foliage and very fragrant white flowers in July. It makes a large tree and rapid growth in good soil.

Mountain Ash.

EUROPEAN—A fine, hardy shade and ornamental tree; head dense and regular; covered from July till mid-Winter with large clusters of bright red berries.

Maples.

ASH LEAVED, OR BOX ELDER—A rapid growing variety with spreading head. Succeeds well in dry soil, where other varieties do not thrive. Too

well known to need further description.

SILVER VARIEGATED—(Argenta)—This we consider one of the most attractive small ornamental trees grown; so much of the leaf is variegated, that at a short distance it has the appearance of the whole leaf being a silver white. The tree is as hardy as the ash leaved and a specimen should be in every lawn.

GOLDEN VARIEGATED—(A Aurea)—Foliage golden yellow; tree very

hardy and attractive.

SILVER OR SOFT MAPLE—This rapid growing tree is being largely planted in many places. It is a clean tree of great beauty, and hardy. One of the best for streets, parks and lawns.

Maples—Continued

NORWAY—A native of Europe. Its large, compact habit, broad, deep green shining foliage and its vigorous growth, renders it a very desirable tree. SUGAR, OR ROCK—The well-known native variety from which the maple sugar is taken. It is also very desirable as a shade tree.

SYCAMORE—A handsome, broad spreading tree, with large, thick, dark

green leaves. It is a rapid grower and hardy.

SCHWEDLERII—(Schwedler's Norway Maple)—A beautiful variety, with the young shoots and leaves of a bright purplish or crimson color, which changes to purplish green in the older leaves. One of the most valuable trees.

TREE, OR WHITEWOOD—(Liriodendron)—A magnificent native TULIP for its clean, smooth bark and handsome green foliage. The flowers appear in the first week in June. They are large, greenish yellow, blotched orange, and have the shape of a tulip. It makes a very desirable tree for shade or street planting, thriving in low as well as high ground. Plant only in Spring and prune very closely. Allied to the Magnolia, and like them, difficult to transplant unless of small size.

WEEPING TREES

Cut-Leaved Weeping Birch.

Beyond question one of the most popular and elegant of all weeping or pendulous trees. Its tall, slender, yet vigorous growth, graceful drooping habit, silvery white bark and delicate cut foliage, present a combination of attractive characteristics rarely met with in a single tree. It is easily transplanted and thrives well in any soil and climate.

Camperdown Weeping Elm.

A vigorous grower, having a uniform weeping habit, overlapping very regularly and forming a roof-like head. The leaves are large, dark green and glossy and cover the tree with a luxuriant mass of verdure.

Wisconsin Weeping Willow.

A beautiful tree with straggling, weeping branches. Makes a fine tree for the lawn or background.

HARDY FLOWERING SHRUBS

Forsythia—(Golden Bell).

VIRIDISSIMA—Foliage deep, shining green; flowers bright yellow. A fine hardy shrub and one of the earliest to bloom in the Spring.

FORTUNEI-Similar to the above in flowers, but of more upright growth, with foliage a darker green.



Among the rarest and choicest of all garden flowers. Great flaming masses of bloom are produced by these new hardy Azaleas, making a show, the glory of which one cannot describe. Suffice it to say that the blossoms are often larger than the hot-house Azaleas, and more brilliant and fiery in colors, scarlet, red, orange, yellow, pink, etc., often flamed and variegated in a lovely manner. Perfectly hardy anywhere in the United States and the most brilliant flowering shrub known. We only send out plants that are well set with bloom buds, and will blossom the first year. Althea, or Rose of Sharon.

A showy and beautiful flowering shrub. The flowers are large size, very double and full of brilliant colors, beginning to bloom the same year it is transplanted and continues to bloom every year from mid-Summer until frost. We





Althea-Continued

have the following three selected

varieties to offer: DOUBLE ROSE.

DOUBLE VARIEGATED, pink and white.

VARIEGATED FOLIAGE, purple flowers.

Barberry—(Purple-leaved).

Foliage and fruit of a violet purple color; very striking; fine for single specimens in the lawn; also a desirable ornamental hedge plant.

Calycanthus - (Sweet-Scented

Shrub).

Flowers purple, very double and deliciously fragrant; remains in bloom for a long time; very desirable.

Deutzias-(Crenata).

Flowers double white, tinged with pink; blooms in June. One of the fine hardy shrubs.

CANDIDISSIMA—A very valuable variety of strong, hardy growth, producing its pure white double flowers in abundance

ALTHÆA

Hydrangea—(Paniculata Grandiflora).

Generally considered the most valuable and ornamental shrub in existence. Bushy and robust, every branch tipped in mid-Summer with an immense close panicle of flat, snow white flowers of gigantic size. The trusses of bloom are eight to ten inches long and are nearly as thick through. Begins blooming in July and lasts until November, flowers turning pinkish toward the last. No other shrub makes such a show on the lawn or is so universally admired. Hardy in any country, and always blooms finely the first Summer.

Japan Flowering Quince.

Bright scarlet crimson flowers in great profusion in early Spring, and in the Fall the bush hangs full of small golden quinces. Perfectly hardy anywhere.

Lilac.

PURPLE—The common purple species and one of the best.

WHITE—Flowers pure white; very fragrant and beautiful.

PERSIAN — Of more slender growth and finer foliage than common lilac. Flowers purple, in immense sized spikes.

(Budded Varieties.)
ALPHONSO LAVALLEE—

Double. Blue shaded violet.

BELLE DE NANCY—Double.

Very large; color satiny rose,
white toward center.

LUDWIG SPAETH—Flowers large, single, dark, purplish red; trusses very long.

MADAM ABEL CHATENAY—
Large truss; flowers double
white; very fine.
PRESIDENT GREVY—A grand

PRESIDENT GREVY—A grand sort. Flowers perfectly double, a beautiful blue. Blos-



SPIREA VAN HOUTTEI



HYDRANGEA

soms measure three-fourths inch in diameter; truss the largest of all,, frequently measuring 10 inches long. One of the finest.

Spireas.

- ANTHONY WATERER—A new crimson-flowered variety which is, in our estimation, one of the best dwarf flowering plants. It makes a low, compact bush two to three feet high and is covered from Spring until late in the Fall with large heads of deep crimson flowers. Perfectly hardy.
- VAN HOUTTE—It is a beautiful ornament for the lawn at any season, but when in bloom it is a complete fountain of white flowers, the foliage hardly showing. Perfectly hardy.

 BILLARDII—Pink flowers in

BILLARDII—Pink flowers in dense spikes; blooms nearly all Summer.

Snow Ball—(Viburnum Sterilis).

A well-known shrub; attains a height of 8 to 10 feet; produces its snow white flowers in large balls in May.



LILAC-PRESIDENT GREVY

HIGH BUSH CRANBERRY—(Viburnum Opulus)—Handsome and dense foliage; flowers white in drooping flat cymes, followed by brilliant scarlet fruit in showy, pendulous bunches that remain on the plant all Winter.

Upright, or Bush Honeysuckle.

RED TARTARIAN—Beautiful pink and rose colored blossoms in June, followed with bright red berries all during the season. Hardy.

WHITE TARTARIAN—Covered with white blossoms in May and June and is also covered with berries until Fall. Hardy.

Weigelas—(Diervilla).

CANDIDA—A vigorous, erect grower; flowers pure white, borne all through the Summer months.

FLORIBUNDA—Flowers of good size, delicately blushed rosy pink; blooms

in June and July.

ROSEA—A beautiful shrub, with rose-colored flowers in May and June. No one should neglect adding the Weigelas to their collection of flowering shrubs. They are all hardy with us.



RHODODENDRON

Rhododendron, or Rosebay.

CATAWBIENSE—The Rhododendron,

wherever known, is universally acknowledged to be most showy magnificent, hardy evergreen shrub that grows. It will thrive in any good soil without any special preparation, and in the full blaze of the sun, but it is more luxuriant in good, well prepared soil of leaf mold and muck and peat mixed and in partial shade. The broad, thick evergreen foliage, with its glossy richness, would entitle it to a place foremost in the rank of evergreen shrubs, but when in June this mass of luxuriant foliage is almost (hidden by the magnificent array of beautiful flowers in clusters, it is simply grand. A

protection of leaves and brush during the first Winter will be beneficial. The plants we offer are strong and bushy, well set with flower buds and will flower nicely the first year. The flowers are of rich purple color.

Yucca Filamentosa—(Adam's Needle).

A hardy, evergreen plant, with long, narrow leaves that are bright green the whole year. The flowers are creamy, bell-shaped, produced in long spikes, 3 to 4 feet high. Fine, stately lawn plant, easy to make grow, and does well in any climate.

EVERGREEN TREES

Evergreens are very desirable, but they are rather difficult to transplant. They should be subjected to as little exposure as possible. Set with care and shaded well the first three or four months after transplanting.

Arbor Vitae.

AMERICAN—One of the finest evergreens for hedges. It grows rapidly and soon forms the most desirable and ornamental hedge or screen to divide the lawn from other parts of the ground.

GLOBOSA—Forms a dense, low globe; handsome shade of green.

SIBERIAN—One of the best of the genus of this country; exceedingly hardy, keeping color well in Winter; growth compact and pyramidal; makes an elegant lawn tree.

GEORGE PEABODY—A beautiful variety, the gold marking diffusing itself more deeply in the foliage than any other.

HOVEY'S GOLDEN—A small tree, globular in form; foliage light green, with a golden tinge, and very compact. The most desirable sort for lawns.



IRISH JUNIPER

Cypress.

LAWSON'S—(Lawsonia)—A fine evergreen, native of the Pacific Coast. One of the most graceful and beautiful of evergreens; of fine, compact habit; delicate feathery, vivid green foliage.

Juniper—(Juniperus).

IRISH—Very erect and tapering in its growth, forming a column of deep blue foliage; a general favorite.


JAPAN-A dense, bush dwarf, with light green foliage. Extra fine sort.

Red Cedar—A well-known American tree, with deep green foliage. Can be trained in any form and makes a fine ornamental tree.

Spruce.

NORWAY—A lofty, elegant tree, of perfect, pyramidal habit, remarkably elegant and rich, and as it gets age, has fine, graceful, pendulous branches. It is exceedingly picturesque and beautiful. Very popular and should be largely planted.

HARDY ORNAMENTAL CLIMBING VINES



Clematis.

Clematis plants of the improved sorts are exceedingly hardy and produce beautiful large flowers in great abundance during a long period. They do best in a rich soil, in a sunny situation. The young shoots that spring up after transplanting sometimes die down, but if the root is left in the ground undisturbed, it will, most always, send forth strong shoots early the following Spring, which will bear handsome blossoms the same season.

HENRYII—Fine bloomer, flowers large, of a bright, beautiful creamy white, consisting generally of from 6 to 8 sepals; it is not only a vigorous grower but a remarkably free and continu-

ous bloomer.

MADAM EDWARD ANDRE—
This is the nearest approach to a bright red Clematis and has been called the crimson Jackmanii. The plant is a strong, vigorous grower, and very free in bloom.

PANICULATA — (New, Sweet-Scented Japan Clematis)—No

CLEMATIS PANICULATA

introduction of recent years has met with such ready sale and given such satisfaction wherever planted. It grows and thrives anywhere and is a very rapid grower and profuse bloomer. Flowers are pure white, borne in large clusters, converting the plant into a perfect mass of white. Its extreme hardiness, bright green foliage and delightfully fragrant flowers serve to make this one of the finest hardy climbing plants in cultivation.

JACKMANNII—The flowers, when fully expanded, are from 4 to 6 inches in diameter; intense violet-purple, with a rich, velvety appearance, dis-

tinctly veined; flowers continually from July to October.

Ampelopsis.

AMERICAN IVY, OR VIRGINIA CREEPER—(Quinquefolia)—A native vine of hardy, rapid growth, with large, luxuriant foliage, which in Autumn takes on the most gorgeous coloring. One of the finest vines for covering walls, verandas, etc.

VEITCHII—(Boston Ivy)—Leaves a little smaller and more ivy like in form than the foregoing. The plant requires some protection until it is es-

tablished.

Trumpet Flower or Bignonia.

RADICANS—A hardy rapid growing climber, with large, scarlet, trumpet shaped flowers. Blooms almost continuously throughout the summer season.

GRANDIFLORA—(New)—Large flowered trumpet creeper. A rare and beautiful variety of the Trumpet Vine, which is perfectly hardy. Flowers very large, salmon colored, center yellow, striped red; fine.

Wistaria.

CHINESE PURPLE—(Sinensis)—Most beautiful climber; of rapid growth, producing fine, large clusters of lovely blue in great masses. It is very hardy, and one of the most superb vines ever introduced.

CHINESE WHITE—(Sinensis Alba)—Flowers borne in long, drooping

clusters as in the purple variety; pure white in color, making a striking and elegant contrast.

Honovenekle

Honeysuckle.

RED CORAL—A hardy, rapid grower; flowers are red and fragrant.

HALLEANA—A new, hardy variety from Japan, and has proved to be one of the best Honeysuckles grown. Blooms from June to November. It is almost evergreen and one of the most fragrant. White, changing to yellow.

ORNAMENTAL HEDGES


Nothing could be more beautiful than a neatly trimmed hedge, and they are useful for boundary fences, screens, etc. We give below some of the best varieties for ornamental hedges, screens, wind breaks or boundaries.

Privet Barberry we give below some of the best breaks or boundaries. American Arbor vitae Siberian Arbor vitae

Box Norway Spruce.

All described in appropriate places in this catalog. See index for page.

Rose Department



GRUSS AN TEPLITZ

MADAM CAROLINE TESTOUT

More people appreciate the beauty and value of the Rose than that of any other flower, it is one of the easiest to raise in perfection.

It succeeds best in a deep, rich soil, rather moist, with plenty of fine rotted cow manure and leaf mold, spaded in, every Fall banking up against each plant a foot or more with old coarse straw manure for protection.

In the Spring this manure should be spread on the surface of the bed and cultivated in; the result will be an abundance of rich, beautiful blossoms.

We offer the following carefully selected varieties, which have proved hardy with us. We send out one and two-year old strong plants on their own roots.

HYBRID PERPETUAL ROSES.

American Beauty—Color rich, rose crimson, shaded and veined in the most charming manner. Hardy, free bloomer and very desirable.

Anne de Diesbach—Brilliant crimson, sometimes shaded with maroon; long pointed buds and large, finely formed flowers. Extra fine.

Clio-The finest flesh colored hybrid perpetual. The flowers are simply perfection in form, with fine broad petals, and beautiful at all stages of development, from the small bud to the full open flower; color delicate satin blush, with a light shading of rosy pink at the center. Very free blooming and strong,

healthy grower.

Dinsmore—A vigorous, healthy rose of branching habit, very popular and highly recommended for garden planting as it is almost always in bloom. Flowers of a rich, bright crimson.

Fisher Holmes—Dark, rich scarlet, elegantly shaded with deep, velvety crimson; beautiful. Extra large, full flowers.



CLIO

General Jacqueminot—Large, velvety flowers of the most intense maroon-scarlet, each set in a cluster of rich green leaves. Blooms repeatedly through the Summer and Fall and is the most popular rose grown, without exception.

Margaret Dixon—Of magnificent form; white, with pale fiesh center; petals very large, shell shaped, and of great substance; foliage very large, dark

green.

Magna Charta—A general favorite, prized on account of its strong, upright growing and bright, healthy foliage, as well as for its magnificent bloom. The color is a beautiful bright pink, suffused with carmine.

Madam Plantier—This grand variety, when once planted, is as hardy as a hydrangea. Flowers pure white, very large and double. One of the very best white roses.

Marshal P. Wilder—Color bright cherry-carmine; fragrant; of vigorous growth, with fine foliage. One of the freest of the Hybrid Perpetuals to bloom. We can recommend this rose without hesitation.

Mrs. John Laing—New. As a bedding rose this is undoubtedly one of the very best varieties yet introduced, being hardly ever out of bloom all Summer. Color a beautiful shade of delicate pink, of large size and very fragrant. It is also a good forcer from January onward.

Paul Neyron-Immense double flowers, with a shining carmine pink; very double

and fine scented. The largest rose known.

Madame Chas. Wood—Beginning to bloom almost as soon as planted, and continues throughout the season. The flowers are extra large, very double and full and quite fragrant. Color a bright, fiery scarlet, passing to a fine rosy crimson, elegantly shaded with maroon. very showy and handsome and one of the best roses ever introduced for general planting.

Prince Camille de Rohan-One of the darkest colored roses; very dark velvety crimson, changing to intense maroon. There is no rose in all this collection that attracts more favorable comment than this one. A very prolific bloomer and the blooms are of excellent form and size.

Ulrich Brunner-Brilliant cherry-red, a sport of Paul Neyron. Flowers of fine

form and substance; very vigorous and does not mildew.

TEA AND EVERBLOOMING VARIETIES.

Champion of the World-A free-blooming, hardy rose of great merit; the flowers are large size, color a lovely, clear, deep pink. Is constantly in bloom during the whole season.

Etoile de Lyon—This magnificent Tea Rose is rich, golden-yellow; strong, healthy and vigorous grower. Immense bloomer, bearing flowers and buds early and late. Remarkably hardy with us.



PRINCESS BONNIE

Gruss an Teplitz—(Virginia R. Cox)—This grand rose has proved one of the best and most valuable hardy crimson ever blooming roses for garden planting ever introduced. The color when first opening is dark rich crimson quickly passing to velvety fire red, one of the very brightest colored roses we know. Flowers larger, full, sweet; very showy and handsome; blooms constantly, throwing up fresh buds and flowers the whole growing spaces. The high is a healthy right rown grower hardy hear whole growing season. The bush is a healthy vigorous grower, hardy here, and cannot be recommended too highly; every one should have it.

Gen. Robt. E. Lee—Elegant long-pointed buds of a deep orange yellow. The

color is so rich and peculiar as to attract attention whenever seen.

Helen Gould—A remarkably vigorous grower, quickly throwing up strong shoots from the root and producing great masses of splendid roses throughout the season. Flowers are large, perfectly double, and deliciously sweet; color is rich vinous crimson, elegantly shaded and exceedingly beautiful. It is as hardy as La France.

Isabella Sprunt—A canary-yellow, very free bloomer, literally lavishing its large, beautiful buds. Fragrant, strong growing, and requires but little

attention.



KAISERIN AUGUSTA VICTORIA

Kaiserin Augusta Victoria—This beautiful rose is celebrated the world over for its elegant, large pointed buds and full fragrant flowers. The color is a delicate creamy white, with a faint tinge of lemon in the center.

La France—Perhaps no rose is better known and more highly valued than the La France. Both flowers and buds are of grand size. Color, a silvery-rose, changing to pink. A general favorite and the sweetest of all roses.

Meteor—A reliable ever-bloomer of the deepest glowing crimson; flowers very double and petals slightly recurved; a beautiful, open rose, a vigorous grower and a very fine bloomer.

Maman Cochet—This is one of the most beautiful new Tea Roses that has been introduced in years. The growth is vigorous and very rich; healthy foliage and extra large flowers on long, stout stems; very double and simply exquisite when in bud or half blown. The color is a deep rosy pink, the inner side of petals

silvery-rose; makes charming bunches of long-stemmed flowers when cut.

Marie Van Houtte—Plant Marie Van Houtte if you want a rose that will bloom continually and furnish large, well-shaped, sweet scented bloom. It succeeds anywhere in any soil; an exceedingly strong, vigorous grower. Its color is creamy-white, with the outer petals outlined bright rose; occasionally the entire flower is suffused with light pink.

occasionally the entire flower is suffused with light pink.

Madam Caroline Testout—A grand new rose of the La France type, but with the flowers larger and finer. Color bright, satiny pink; very fragrant and free in bloom. One of the handsomest roses, and should be planted

extensively.

Perle des Jardins—This magnificent Yellow Tea Rose still retains its position as one of the finest and most beautiful roses of its color ever produced. Its color is a clear, golden yellow, an indescribably rich and beautiful shade, and entirely distinct from any other variety. The flowers are extra large, of great substance, and full to the center. Beautiful both in bud and open flower.


Papa Gontier—An excellent crimson Tea, and one of the best for all purposes. It is a perfect shaped bud on good length of stem, making it desirable for cut flowers and when planted outside, the flowers open up nicely and are of an attractive carmine crimson; should be included in every collection

of roses.

Princess Bonnie—One of the finest dark colored Tea roses. Very nearly hardy in most parts of the country. In color, solid crimson. Is already a prime favorite and will be planted even more extensively. (See cut, page 26).

Rainbow—Beautiful buds and flowers of large size; color a beautiful shade of deep pink, distinctly striped and mottled with brilliant crimson, elegantly shaded and toned with rich amber. Very fragrant and exquisitely beautiful.

Red La France—(Duchess of Albany)—A sport from the La France. Resembles that variety, but the bud is more perfect in contour and the color is of a richer, deeper, more even pink tint; one of the most important of recent acquisitions for forcing or growing in the open air.



BALTIMORE BELLE-WHITE

QUEEN OF THE PRAIRIE-RED

Sunset-This grand rose is a favorite wherever known. The color is a rich, golden amber, or old gold, elegantly shaded and buds are extra large, full, finely formed and deliciously perfumed.

Safrano-A bright, apricot yellow, changing to orange fawn. Very much

Souvenir de Wooten—A brilliant rose; color magenta-red, shaded violet-crimson; flowers large, full and regular, with thick, leathery petals and delicious Tea scent.

The Bride—A lovely, hardy Tea rose and very popular. It has beautiful foliage and flowers of large size and most snowy white.

Viscountess Folkstone—A vigorous, free-blooming, Hybrid Tea, of delicate tinted flesh color, almost white, and lustrous as satin; large, delightfully sweet.

White La France—This magnificent new rose is a pure white La France, having just a breath of rose tint blush, decidedly clouding the depths of its broad petals; the buds and flowers are extra large and very full and finely formed; the fragrance is delicious. It is a free, continuous bloomer.



MOSS ROSE

White Maman Cochet-The name describes this new rose. Pure white, grand substance, immense size, exquisitely fragrant and a free bloomer. It inherits all the good points of the grand variety, Maman Cochet. Buds long and pointed, keeping a long time when cut. We cannot speak too highly of this rose.

CLIMBING ROSES. Baltimore Belle-This elegant climbing rose is a pale blush, variegated carmine rose and white. It is very double and flowers in beautiful clusters, the whole plant appearing a perfect mass of bloom. It is one of the very best climbing roses.

Crimson Rambler-Perfectly hardy, wonderful free bloomer; rich, flowing crimson. A most vigorous grower, making shoots 8 to 10 feet in a single season. As many as 30 and 40 flowers are seen in a single cluster.

Dorothy Perkins-Much has been said of this splendid new hardy climber. It has stood a temperature of twenty degrees below zero, without injury; grows ten or fifteen feet in a season. Blooms in immense clusters like the crimson rambler, but the blooms are more double and of a beautiful shell pink color passing to deep rose. We consider this the most beautiful climbing rose ever introduced.

Empress of China-A new and very beautiful perpetual blooming climber. It commences blooming the last of May, and if properly cared for, will bloom until late in the Fall. Flowers are beautiful red, but soon turn to

a lovely pink. Perfectly hardy.

Marechal Neil—Still the best climbing, yellow everblooming rose, and is just as popular as ever. The buds and flowers are superb, extra large, very double and sweet-scented; color is deep golden yellow. Every one should have some of this variety.

Queen of the Prairies—Flowers are very large and of a peculiar, globular form. A bright, rosy red, changing to lighter as the flower opens. Of very

strong rapid growth.

Seven Sisters—Blooms in clusters of seven or more flowers, varying from white

to crimson.

White Rambler—(Thalia)—In habit of growth, foliage, manner of blooming and shape of flowers. This is identical with Crimson Rambler, differing only in color, which in Thalia is pure, clear white.

Yellow Rambler-This is the only hardy yellow climbing rose. Rapid grower; color a clear, decided yellow, changing to a beautiful cream. Blooms in clusters same as the Crimson Rambler.

MOSS ROSES

Countess de Murinaise-One of the best and most satisfactory pure white Moss Roses; the buds are elegantly mossed; flowers large, full and fragrant. Princess Adelaide—Fine, large flowered; very double and fragrant. Color bright rosy pink.

BULBS AND TUBEROUS ROOTED PLANTS **PAEONIES**

Paeonies, (Herbaceous)—Fine, hardy plant rivaling the rose in perfection of bloom and coloring. They make an excellent display when well established in



clumps on the lawn, and require very little care, as they will grow and do well in any soil, but the flowers will be larger and the color brighter, if given a rich, deep loam. A selection will give a continuous bloom for two months. We offer the best sorts as follows:

Duke of Wellington—Ivory white, with creamy white center, very large.
Festiva Alba—Pure white. An early and free bloomer.
General Gordon—Purplish crimson; strong, free blooming variety; especially suited for cut flowers.

Humei—A pink peony. Very full and double. Very large and showy; one of the latest in bloom. One of the best, latest blooming varieties.
Madam Breon—A beautiful variety with good growing qualities; flowers outside flesh, center lemon, changing to white.
Officinalis Rubra—The old fashioned deep crimson paeony (Piney) early, blooms

just before the snowball.

Paganini—Lively rose, center yellow. Queen Victoria—A good sized flower; outside pure white, center creamy white, inner petals usually tipped with carmine.

Rosea-Deep bright rose, fragrant blooms very late.

Rubra Triumphans-Early. A satiny finish, intensely rich crimson; sweetly fragrant.

L'Esperence—Fine pink colored; early, free, very fragrant.

Dorchester-Beautiful soft pink.

DAHLIAS

Dahlia-A favorite among all people of all countries. Its easy culture, varied forms, almost boundless range of colors, and the wealth of bloom at a season when most needed, make it one of the most desirable of flowers to plant. After danger of frost is over the tubers should be planted in soil that is well dug, and in good condition, moderately sunny. Keep out weeds and grass, use manure and water sparingly, as they produce an over abundance of foliage. Before freezing hard, cut the tops a few inches above the ground, and dig carefully, after which they should be stored away in a cellar secure from frost.

SHOW VARIETIES.

A. D. Livoni-Rich pink. Finely formed. A very handsome flower.

Bon Ton-A fine bell-shaped flower of a deep garnet red; sometimes tipped and streaked with white. Extra fine.

Canary Bird-Clear yellow, round and full.

Grand Duke Alexis—A magnificent dahlia of the largest size. Petals beautifully quilled, giving it a very unique appearance. Color pure white, if slightly shaded, but overspread with delicate lavender when grown in bright sunlight.

Glory de Lion-Pure white. The largest white dahlia in cultivation. Almost

a round ball.

Purple Gem-Rich royal purple, clear and constant. This variety is a decided improvement over the old varieties. A first class flower.

CACTUS.

Countess of Lonsdale—The freest-flowering cactus dahlia in the collection and perfect in form. Exquisite shade of rich salmon, with just a suspicion of apricot at the base of petals. Towards the tips the color deepens gradually to the softest carmine pink.

Dr. Gates—Beautiful shell-pink, shading to blush at base of petals, stems long;

excellent for cutting.

Mrs. Alvord—A fine salmon-pink, with long regular petals.

Mrs. Chas. Turner-This is one of the finest yellow cactus. Extra large, long pointed petals, and perfect in form. Bright lemon yellow.

Mrs. Peart-Creamy white, cactus. Fine form; one of the grandest.

DECORATIVE.

Gold of Ophir-Flowers extra large and always full to the center. Rich old gold, shading to amber center.

Iola-Flowers medium to large; rich rosy pink, an early and free bloomer.

Opal Queen-Strong erect grower, good stems. Color hard to describe as the opal itself. In a general way said to be a light sulphur yellow, over-spread and shaded with a tinge of pink, but giving various hues according to light.

Umatilla—Another grand dahlia of superior merit, either for garden or home decoration to which it is especially adapted by reason of its remarkably long stems, and splendid keeping qualities. Color deep blood-red, with

neither shading or variation.

Mrs. Winters-Superb white. Second to none. Always reliable, always satisfactory. SINGLE.

Twentieth Century-No single dahlia ever created such a sensation or received with such popular favor as this. Intense, rosy-crimson tipped with white and having a white band around the disc. As the season advances they become lighter until they are almost a pure white suffused with soft pink.

INSECT PEST REMEDIES

As we are often asked the questions, when to spray, what to spray with, how to spray and what to spray for, we give below several remedies for insect pests and diseases, taken from the Spray Bulletin, issued by the Oregon State Board of Horticulture in 1900:

All fruit trees should be sprayed in the Fall, as soon as the leaves have dropped, with sulphur, lime and salt; if no scale are present, full strength Bor-

deaux mixture will be found sufficient.

SPRAY No. 1-Lime, Sulphur and Salt.

This is a Winter spray, and used for all scale insects, green aphis and clover mite.

For San Jose Scale, Greedy Scale, and Turtle-Back Scale.

Sulphur, lime and salt in the Fall as soon as the leaves have dropped, and again in the Spring before the buds begin to swell.

For Green Aphis. First application with sulphur lime and salt in the Fall after leaves have dropped, followed in the Spring with Spray No. 14, as they appear on the trees.

For Clover Mite.

Spray with sulphur, lime and salt in the Fall as soon as the leaves have dropped.

Îngredients—Lime (unslacked), 50 pounds; sulphur, 50 pounds; stock salt, 50 pounds. This will make 150 gallons of wash.

Directions-Slack 50 pounds of lime, then add the 50 pounds of sulphur, boil it over a brisk fire for one hour then place all the salt with it in the boiler and boil for 15 minutes more, then add the necessary amount of water to make 150 gallons. This solution should be used at a temperature of at least 100 degrees. Before using, strain it. The utility of this wash depends a great deal upon the strength of the sulphur. It is, therefore, recommended that those who use this wash have a Beaumes scale for acid. When it shows 8 degrees when cold, it is of the proper strength. These scales can be obtained of any druggist at a cost not to exceed 50 cents.

SPRAY No. 7-Bordeaux Mixture.

Used for apple scab, apple canker or deadspot, curl-leaf on the peach,

gummosis, prune or plum rot, and black rot on the grape.

This is the sovereign remedy against injurious fungus diseases, and its use is general throughout the world; therefore, the combination of bluestone and lime, known as Bordeaux mixture, is indispensable in fruit growing.

For Apple Scab, Pear Scab, and Leaf Blight.

First Application—Just as the buds are swelling, with Bordeaux mixture. Second Application-Just as the fruit buds break open, but before the flowers expand, with Bordeaux mixture.

Third Application-With Bordeaux mixture when the fruit has attained

the size of a hazel nut.

For Apple Canker, or Deadspot.

Cut out diseased spots clean, in the Fall, when leaves have dropped, and wash with Bordeaux mixture; repeat in mid-Summer, if found necessary.

For Curl-Leaf on the Peach.

Prof. Newton B. Pierce says: "Curl-leaf on the peach is caused by a parasitic fungus which is known as **Taphrina Deformans**. The fungus lives within the tissues of the leaf, in the tender shoots and in the buds. Within the past few months I have learned that lime, sulphur and salt is a satisfactory preventive of this widespread disease. The application of this spray should be made three to five weeks before the buds open in the Spring. The treatment should be application of the spring of the stream of the same three streams. be very thorough. Or spray with Bordeaux mixture six weeks, and again three weeks later, before the buds begin to swell."

For Prune and Plum Rot.

Spray with Bordeaux mixture as the buds are swelling, and again when the fruit has attained the size of a bean, with modified Bordeaux mixture.

For Gummosis.

Cut out gum pockets, split the outer bark about one-eighth of an inch from roots to branches on three sides when sap begins to flow, as all gum infected trees are bark-bound, and wash with Bordeaux mixture. Care must be taken in splitting the bark not to cut through to the wood; repeat in mid-Summer if necessary.

For Black Rot on Grape.

Spray with Bordeaux mixture just as the buds are swelling, and again immediately after blooming, with modified Bordeaux mixture.

Bordeaux Mixture for Fungi-How Prepared.

Ingredients—Sulphate of copper, 6 pounds; lime, 4 pounds; water, 45 gallons.

Modified Bordeaux Mixture.

Ingredients—Sulphate of copper, 3 pounds; lime 4 pounds; water 45 gallons.

Dissolve bluestone in a wooden vessel, slack the lime in another vessel or can, put both in a barrel of water and mix thoroughly.

SPRAY No. 10-Paris Green Spray-Arsenite of Soda Spray.

These sprays are used for coddling moth larvae, tingis, caterpillars, slugs, and all eating or biting insects.

For Codling Moth.

Paris green or Arsenite of Soda. First spraying, ten days after blossoms have fallen, and then at intervals, not exceeding three weeks, up to within three weeks of harvesting the apples or pears.

The arsenite of soda is preferably used with Bordeaux mixture, and, as the season advances and foliage matures, increase the arsenite solution gradually from 1½ pints to 1 quart to the 50 gallons of Bordeaux mixture.

For Tingis, Caterpillars and Slugs.

Spray as they hatch and appear on the leaves.

Paris Green Spray-How Prepared.

Proportions for first Applications—Paris Green, 4 ounces; lime, 2 pounds; water 40 gallons.

Proportions for later Applications-Paris Green, 4 ounces; lime 1 pound;

water 50 gallons.

Directions—Slack the lime; make a paste of the Paris green, mix thoroughly and then add water to make the required amount; stir thoroughly while using,

and should be thrown on the leaves and fruit in a fine spray.

Paris green is one of our commercial articles that is shamefully adulterated. The foregoing formula is based upon pure Paris green; it is therefore, of much importance that one be able to detect impurities. So far as we know, but two adulterants are used—gypsum and Glauber's salts. The method generally given for the detection of adulteration is to dissolve a small sample of Paris green in ammonia. If there is any gypsum it will not dissolve, but forms a sediment. Glauber's salts cannot be detected by this method, it being equally as soluble as pure Paris green, but if one has a strong microscope at hand, the adulterant granules can be easily detected, they being white, while the pure article is green. Ammonia, however, is a good test, gypsum being most commonly used as an adulterant.

The Arsenite of Soda Spray.

Ingredients—Commercial white arsenic, 1 pound; carbonate of soda, 2 pounds; water, 2 gallons. Use $1\frac{1}{2}$ pints to 50 gallons of Bordeaux mixture.

Directions—Dissolve 1 pound of commercial white arsenic and 2 pounds of carbonate of soda in 2 gallons of water; Use 2½ pints to 50 gallons of Bordeaux mixture. The easiest way to make the solution is to put both the white arsenic

and soda in a gallon of boiling water and keep boiling about fifteen minutes, or until clear liquid is formed, then dilute to two gallons; 11/2 pints of this solution should be added to each barrel of full strength Bordeaux mixture for earlier spraying, and modified Bordeaux mixture for late sprayings.

If used without Bordeaux mixture or lime, it is liable to burn the foliage. As there is nearly always fungus to contend with, it is recommended that the two sprays be combined, with the additional advantage of making the poison stick

longer.

This spray has proven the most successful of any used against codling moth, and is used extensively in Southern and Eastern Oregon. Paris Green being so much adulterated, its use has been pretty much discarded. Prof. M. V. Slinger-

land, the eminent entomologist, says in this connection.

"As to the effectiveness of these substitutes, there can be no further question. Several of New York's leading fruit growers have used both the arsenite of lime and the arsenite of soda for one or more seasons, and all are unanimous in their praise. Some report that they are more effective than Paris green. Their making, however, should never be left to careless hands. White arsenic is a dangerous poison. But there is no reason why intelligent and careful horticulturists should not make these cheap substitutes at home, and thus have for use a staple and effective insecticide of known composition.''

Arsenite of Lead. (Disparene)

1 to 5 lbs. to the 100 gallons of water. It does not burn the foliage, neither does it wash off easily. In general use and highly recommended.

SPRAY No. 14-Tobacco Wash.

Used for aphis and tingis, as they appear on the trees.

Ingredients—Tobacco (sheep dip, sulphured tobacco), 4 pounds; whale-oil soap (or good strong soap), 4 pounds; water, 20 gallons.

Directions—Soak the tobacco in hot water for several hours; dissolve the soap in hot water; strain both ingredients; add together, and dilute to 20 gallons. On varieties of trees where the foliage is very tender, tests should be made before applying extensively.

Kerosene Emulsion.

Used for Wooly Aphis and clover mite.

For Woolly Aphis—Spray with kerosene emulsion, diluted seven times. For Clover Mite-Spray with kerosene emulsion, diluted eight times.

Kerosene Emulsion-How Prepared.

Ingredients—Kerosene, 2 gallons; water, 1 gallon; hard soap, ½ pound. Directions—Make a suds of the soap and water and pour boiling hot into the kerosene; churn with a force pump or syringe, pumping out of and into a barrel or bucket through a nozzle until completely emulsified. If the mixture is sufficiently hot it will thicken in from five to ten minutes, and will be, when cold, of the consistency of butter or of soft soap. Dilute with seven to twelve parts water to one of emulsion, as occasion requires, and this will kill almost anything in the form of plant lice.

For Currant and Gooseberry Worm.

Spray the bushes just before blooming, and again after the fruit has set, with one large tablespoonful of powdered white hellebore dissolved in 21/2 gallons of water.

To Washington, Idaho and British Columbia Purchasers.

Purchasers from these points will remember that we are under bonds to the amount of \$1000 in each place for license to ship trees in said places, which is required by law. If any of our nursery stock is found to be infected with pests of any kind, we are held responsible by these states for inspection fees, and the infected stock is burned. While we never, to our knowledge, have sent out an infected tree, this will serve for an extra warrant that all stock from our nursery will be clear from all insect pests. And, furthermore, we are in the nursery business to stay, and we realize that our future success depends on sending out only clean, thrifty trees, true to name.

A. MILLER & SONS. Milton, Oregon.

INDEX.

Apples 5-8	Insect Pest remedies 37-39
Apricots 14	
Almonds 15, 22	Japan Flowering Quince
Azalea Mollis 24	
Althea 24-25	Juniper Japan 28
Arbor Vitae 27, 29	Lana Daww
Ampelopsis 28	Logan Berry 18
American Ivy 28	Locust Black 20
Asparagus 19	Laburnum 23
	Linden 23
Black Walnut 15	Lilacs 25–26
Butternut 15	3/11
Blackberries 17-18	Maples 23-24
Box Elder 23	Mullberries 15
Birch 20	Mt. Ash 23
Basswood 23	Moss Roses, 35
Birch, cut leaved 24	37
Barberry 25, 29	Nectarines 14
Box 29	Nut Trees
Bulbs and Tuberous rooted plants 35-37	Norway Spruce 28
Crab Apples 8	Ornamental Department 20-29
Cherries 10-11	DI 11D
Chestnuts 15	Phenominal Berry 18
Currants 19	Pears 9-10
Carolina Poplar 20	Plums 12
Catalpa 20	Prunes 12
Camperdown Elm 24	Peaches 13-14
Calycanthus 25	Pieplant 19
Cedar Red 28	Pæonias 35
Clematis 28	Privet 29
Climbing Roses 33-35	Pecans 15
Cypress, Lawsons 28	- •
Cranberry, High Bush 27	Quince 14
, , , ,	Quince, Japan Flowering 25
Dewberry 19	Pacabarrias
Deutzia	Raspberries 18–19
Dahlia 35-37	Rhubarb
English Walnut 15	Rhododendron or Rosebay 27
Elm 2I	Red Cedar 28
Evergreens 27-28	Roses 29-35
	Strawberries 19
Fruit Department 5-19	Spirea 26
Flowering Crab 21	Snowball
Flowering Thorn 21	5110 11 5111111111111111111111111111111
Forsythia 24	Tulip Tree 24
Filberts 15	Trumpet Flower 29
Grape Vines 16-17	Upright Honeysuckle 27
Gooseberries	Vivoinia Croanar
Gingko 22	Virginia Creeper 28
	Walnuts 15
Hedges 29	Weeping Trees 24
Horse Chestnut 22	Wisconsin Weeping Willow 24
Hardy Flowering Shrubs 24	Weigelias 27
Hydrangea 25	Wistaria
Honeysuckle 29	29
Hardy Ornamental Vines 28	Yucca



