(166)

easily, as of the Sun from the Dial in a Sunshine. It were good to have an Index of Winds, that discover'd as well their Ascent and Descent, as their Side-coastings.

A Relation concerning the late Earthquake neer Oxford; together with some Observations of the sealed Weatherglass, and the Barometer both upon that Phænomenon, and in General.

This Relation was communicated by the excellently learned Dr. Wallis, as follows:

On the 19. of January 1665. Stylo Anglia (or Jan, 29. 1666. stylo novo) at divers places neer Oxford, was observed a small Earthquake (as at Blechington, Stanton-St. Johns, Bril, &c.) towards evening. In Oxford it felf, I doe not hear, that it was observ'd to be an Earthquake; yet I remember about that time (whether precifely then or not, I cannot fay) I took notice of fome kind of odde shaking or heaving, I observed in my study, but did impute it to the going of Carts or Coaches, supposed to be not far off; though, yet I did take notice of it, as a little differing from what is usual on such occasions; (and wondered the more, that I did not hear any:) But not knowing, what else to refer it to, I thought no more of it. And the like account I have had from some others in Oxford, who yet did not think of an Earth quake; it being a rare thing with us. Hearing afterwards of an Earthquake observed by others; I looked on my Notes concerning my Thermoscope and Baroscope, to see if any alteration confiderable had then happened.

My Thermoscope consists of a round large Glass, containing about half a pint or more; from whence issues a long Cylindrical neck of Glass, about two foot and a half in length, and less than a quarter of an inch diameter; which neck was hermetically sealed at the top, to exclude communication with the External Air; but before the sealing of it, the whole Glass was filled with spirit of Wine (tinged with Cochineel, to make it the more discernable to the Eye) so warmed, that it filled the whole content of the Glass; but afterwards, as it cooled, did so subside, as to leave a void space in the upper part of the Neck. Which Instrument, so prepared, doth by the rising or falling of the tinged liquor in the neck (consequent upon the expanding or contracting of the whole liquor contained in it and the Ball below) give a very nice account of the Temperature of the Air,

as to Heat or Cold: Even so nice, as that my being or not being in my Study I find to vary its hight sometimes almost a quarter of an inch.

My Baroscope, I call another Instrument for estimating the Weight or Pressure of the Incumbent Air, confisting of a long Glass tube of about 4. foot in length, and about a quarter of an inch Bore: which tube (hermetically fealed at the one end) being filled with Quickfilver (according to the Torricellian Experiment) is inverted, so as to have the open end of it immersed in Stagnant Quickfilver, contained in a larger Glass under it, exposed to the pressure of the outward Air: Out of which open end (after such immersion) the Quicksilver in the Tube being suffered to run out, as much as it will, into the Stagnant Quickfilver, in which that mouth or open end is immerfed, there is wont to remain (as is commonly known to those acquainted with this Experiment) a Cylinder of Quickfilver suspended in the Tube, about 28, 29, or 30, inches high; measuring from the furface of the Stagnant Quickfilver perpendicularly; (but more or less, within such limits, according as the Weight or Pressure of the Air incumbent on the External Stagnant Quickfilver exposed to it, is greater or less:) leaving the upper part of the Tube void. (Both which Instruments being the contrivance of the Honourable Robert Boyle, they are by him more particularly described in his Physico-Mechanical Experiments touching the Air, Exper. 17. and 18. and in his Thermometrical Discourses, premised to his History of Cold.)

Now, according to both these Instruments, having kept a daily Register of Observations for more than a whole year (saving when I have been for some short time absent from home) I find my Notes for that day to be these.

January.	Thermoscope.	Baroscope.	1665.	
Day. Hour.		inches.	·	
19. 8. Morn.	14 16.	$29^{\frac{1}{2}}$.	Hard frost.	Close.
4. Even.	$14\frac{2}{\epsilon}$.	29 4.	Hard frost.	Cloudy.
9. Even.	$14^{\frac{3}{4}}$.	29 4	Rain.	Wind
20. 8. Morn.		28 3.	Sunshine.	Wind.

So that, there being in the morning (January 19.) a hard frost (which began the day before about 4. of the Clock in the after-

noon(Jan. 18.) and continued (with us) till about 5. of the Clock in the afternoon of that day, Jan. 19. with some fierceness) and the weather, 7an. 19. being in the morning, close; and cloudy all the day, with little of Sun-shine; the Liquor in the Thermoscope was very little raifed, by 4. of the Clock afternoon, that is, but of an inch (which, had the Sun shone, would, it's likely, have been near an Inch:) and after that time(or somewhat before) had there been no confiderable change of weather, it would upon the Sun's fetting have fallen (and probably fo it did, till about 5. of the Clock, though I took no Observation in the interim. But contrary to what would have been expected, it was at 9. of the Clock at night, higher by 3 of an inch, than it had been at 4, occasioned by the change of weather, the Frost fuddenly breaking, with us, between 5. and 6. of the Clock; about which time also it began to rain, and continued raining that Evening and good part of the Night. And the next morning I found the Liquor yet higher by half an inch, vid. 15 1 inches: (by reason of the Air that night being so much warmer, than it had been the day before;) whereas commonly it is confiderably lower in the morning, than over night.

As to the Baroscope, for the Weight or Pressure of the Air; I find, that for the 11, 12, 13, 14, 15, 16, and 17. dayes, the Mercury in the Tube, was (by the ballancing Pressure of the incumbent Air on the stagnant Quickfilver, exposed to it) kept up to the height of near 30. Inches above the surface of the External Ouickfilver, (though with some little variation, as 30, 29 13, 29 18, 29 to but never so low, all that time, as 29 to) which is the greatest height I have know it at, (for I do not find, that I have ever, till then, observed it to be, in my Glasses, full 30. Inches, though it have been very near it: the Weather having been almost continually Foggy, or very thick Mists, all that time. January 18. it came down to 29 %, in the forenoon; and afternoon to 29 %. about the time the frost began: And Jan. 19. it was, at 8. in the morning, come down to 2); at 4. in the afternoon, to 29?. But at 9. in the evening (when the Earth quake had intervened) it was risen half an inch, vid. to 29 2 And, by the next morning, fallen again a whole inch, vid to 28 2; which fall I attribute (at least in part) to the rain that fell in the night.

This being what I observed out of my Register of these Instruments, (which, if I had then thought of an Earthquake, I should should have more nicely watched) what I have further gather-

ed from Reports, is to this purpose.

I hear, it was observed at Blechington, above s. miles to the North of Oxford, and so along by Boltol, Horton, Stanton-St. Johns, and so towards Whately, which is about 4. miles Eastward from Oxford. Not at all these places at the same time, but moving forward from Blechington towards Whately. For it was at Stanton about 6. of the Clock or later (as I understand from Mr. Boyle, who was there at that time;) but had been at Blechington a good while sooner. And I am told, that it was taken notice of by Doctor Holder (a Member of our Society) who was then at Blechington, to be observed by those in the further part of the Garden, some very discernable time before it was observed by those in the House; creeping forward from the one place to the other. What other places in the Country it was observed at, I have not been informed: but at Oxford (which, it feems. was about the skirts of it) it was so small, as would have been hardly noted at all, had not the notice, taken of it abroad, informed us of it.

Upon this Occasion, it will not be unseasonable to give some General accounts of what I have in my Thermoscope and Baro-

sope observed.

My Thermoscope, being fitted somewhat at adventures, I have found at the lowest to be somewhat more than 12. inches high, in the fiercest time of the long Frost in the beginning of the last year 1665. and about 27. Inches high, at the highest, in the hottest time of the last Summer: (which I mention, that it may appear at what temperature in proportion, the Air was at the time above-mentioned.) But I must add withall, that this standing so, as never to be exposed to the Sun, but in a room, that has a window only to the North, it would have been raised much higher than 27. inches, if it were put in the hot Sun-shine in Summer; this, as it is placed, giving therefore an account onely of the Temperature of the Air in general, not of the immediate heat of the Sun-shine.

This Instrument, thus situated, when it is about 15. inches, or lower, is for the most part hard frost; but seldom a frost, if higher than 16. Yet this I have often observed; that the Air by the Thermoscope has appeared considerably colder (and the liquor lower) at sometimes when there is no Frost, than at some other times, when the Frost hath been considerably hard.

In

In my Baroscope, I have never found the Quickfilver higher than 30. inches, nor lower than 28. (at least, scarce discernably, not to of an inch higher than that, or lower than this:) which I mention, not only to shew the limits, within which I have observed mine to keep, vid. full 2 inches, but likewise as an Estimate of the Clearness of the Quickfilver from Air. For, though my Quickfilver were with good care cleanfed from the Air; yet I find that which Mr. Boyle useth, much better: for, comparing his with mine at the same times, and both in Oxford, at no great distance; I find his Quickfilver to stand alwaies somewhat higher than mine (sometimes neer a quarter of an Inch;) which I know now how to give a more probable account off, than that my Quickfilver is either heavier than his; or elfe, that his is better cleanfed from Air; (unless, possibly, the difference of the Bore, or other circumstances of the Tube, may cause the alteration; mine being a taller Tube, and a bigger Bore, than his.) And upon like reason, as his stands higher than mine; so another, less cleansed from Air, may at the same time be considerably lower, and consequently under 28. Inches at the lowest.

In thick foggy weather, I find my Quickfilver to rife; which I adscribe to the heaviness of the Vapours in the Air. And I have never found it higher, than in the foggy weather above-

mentioned:

In Sunshing weather, it riseth also (and commonly the clearer, the more;) which, I think, may be imputed partly to the Vapors raised by the Sun, and making the Air heavier; and partly to the Heat, increasing the Elastick or Springy power of the Air. Which latter I the rather add, because I have sometimes observed in Sunshing weather, when there have come Clouds for some considerable time (suppose an hour or two) the Quick-silver has fallen; and then, upon the Suns breaking out again, it has risen as before.

In Rainy weather, it useth to fall (of which the reason is obvious, because the Air is lightned, by so much as falls:) In Snowy weather, likewise, but not so much as in Rain. And sometimes I have observed it, upon a Hoar-frost, falling in the night.

For Windy weather, I find it generally to fall; and that more univerfally, and more discernably, than upon Rain: (which I attribute to the Winds moving the Air collaterally, and thereby not suffering it to press so much directly downwards: the like of

which we see in swimming, &c.) And I have never found it lower

than in high Winds. *

I have divers times, upon discerning my Quicksilver to fall without any visible cause at home, looked abroads and found (by the appearance of broken Clouds, or otherwise) that it had rained not far off, though not with us: Whereupon, the Air

*The Author of these Observations intends hereafter more particularly to observe, from what points those winds blow, that make the Quicksilver that subside.

being then lightened, our heavier Air (where it rained not) may have, in part, discharged it self on that lighter.

A more particular Account of those Observations about Jupiter, that were mentioned in Numb. 8.

Since the publishing of Numb. 8. of these Transactions, where, among other particulars, some short Observations were set down touching both the shadow of one of Jupiter's Satellits, passing over his Body, and that Permanent Spot, which manifests the Conversion of that Planet about his own Axis; there is come to hand an Extrast of that Letter, which was written from Rome, about those Discoveries, containing an ample and particular Relation of them, as they were made by the Learned Cassini, Professor of Astronomy in the University of Bononia. That Extrast, as it is found in the French Journal des Scavans of Febr. 22. 1666. we thus English.

Monsieur Cassini, after he had discovered (by the means of those Excellent Glasses of 50. palmes, or 35. feet, made by M. Campani) the Shadows, cast by the 4 Moons or Satellits of Jupiter upon his Diske, when they happen to be between the Sun and Him; after he had also distinguished their Bodies upon the Diske of Jupiter; made the last year some Prædictions for the Months of August and September, noting the dayes and hours, when the Bodies of the said Satellits and their Shadows should appear upon Jupiter, to the end that the Curious might be convinced of this matter by their own Observations.

Some of these Prædictions have been verified not only at Rome, and in other places of Italy, but also at Paris by M. Auzout, the most Celebrated and the most Exact of our Astronomers; and in Holland, by M. Hugens. And we can now doubt no longer, of the rotation of the Satellits about Jupiter, as the Moon turns about the Earth; nor believe, that Jupiter or his Attendants have any other Light, than that, which they receive from the Sun; as some did as

a fure