



Federal Register

9-28-09


Vol. 74 No. 186

Monday

Sept. 28, 2009

UNITED STATES GOVERNMENT PRINTING OFFICE

*****3-DIGIT 481
A FR NAPCO300N OCT 09 R
MARTHA EVILSIZER
300 N. ZEEB ROAD - P. O. BOX
ANN ARBOR MI 48103





Federal Register

9-28-09

Vol. 74 No. 186

Monday

Sept. 28, 2009

Pages 49307-49790



The **FEDERAL REGISTER** (ISSN 0097-6326) is published daily, Monday through Friday, except official holidays, by the Office of the Federal Register, National Archives and Records Administration, Washington, DC 20408, under the Federal Register Act (44 U.S.C. Ch. 15) and the regulations of the Administrative Committee of the Federal Register (1 CFR Ch. I). The Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402 is the exclusive distributor of the official edition. Periodicals postage is paid at Washington, DC.

The **FEDERAL REGISTER** provides a uniform system for making available to the public regulations and legal notices issued by Federal agencies. These include Presidential proclamations and Executive Orders, Federal agency documents having general applicability and legal effect, documents required to be published by act of Congress, and other Federal agency documents of public interest.

Documents are on file for public inspection in the Office of the Federal Register the day before they are published, unless the issuing agency requests earlier filing. For a list of documents currently on file for public inspection, see www.federalregister.gov.

The seal of the National Archives and Records Administration authenticates the Federal Register as the official serial publication established under the Federal Register Act. Under 44 U.S.C. 1507, the contents of the Federal Register shall be judicially noticed.

The Federal Register is published in paper and on 24x microfiche. It is also available online at no charge as one of the databases on GPO Access, a service of the U.S. Government Printing Office.

The online edition of the Federal Register www.gpoaccess.gov/nara, available through GPO Access, is issued under the authority of the Administrative Committee of the Federal Register as the official legal equivalent of the paper and microfiche editions (44 U.S.C. 4101 and 1 CFR 5.10). It is updated by 6 a.m. each day the Federal Register is published and includes both text and graphics from Volume 59, Number 1 (January 2, 1994) forward.

For more information about GPO Access, contact the GPO Access User Support Team, call toll free 1-888-293-6498; DC area 202-512-1530; fax at 202-512-1262; or via e-mail at gpoaccess@gpo.gov. The Support Team is available between 7:00 a.m. and 9:00 p.m. Eastern Time, Monday-Friday, except official holidays.

The annual subscription price for the Federal Register paper edition is \$749 plus postage, or \$808, plus postage, for a combined Federal Register, Federal Register Index and List of CFR Sections Affected (LSA) subscription; the microfiche edition of the Federal Register including the Federal Register Index and LSA is \$165, plus postage. Six month subscriptions are available for one-half the annual rate. The prevailing postal rates will be applied to orders according to the delivery method requested. The price of a single copy of the daily Federal Register, including postage, is based on the number of pages: \$11 for an issue containing less than 200 pages; \$22 for an issue containing 200 to 400 pages; and \$33 for an issue containing more than 400 pages. Single issues of the microfiche edition may be purchased for \$3 per copy, including postage. Remit check or money order, made payable to the Superintendent of Documents, or charge to your GPO Deposit Account, VISA, MasterCard, American Express, or Discover. Mail to: U.S. Government Printing Office—New Orders, P.O. Box 979050, St. Louis, MO 63197-9000; or call toll free 1-866-512-1800, DC area 202-512-1800; or go to the U.S. Government Online Bookstore site, see bookstore.gpo.gov.

There are no restrictions on the republication of material appearing in the Federal Register.

How To Cite This Publication: Use the volume number and the page number. Example: 74 FR 12345.

Postmaster: Send address changes to the Superintendent of Documents, Federal Register, U.S. Government Printing Office, Washington, DC 20402, along with the entire mailing label from the last issue received.

SUBSCRIPTIONS AND COPIES

PUBLIC

Subscriptions:

Paper or fiche	202-512-1800
Assistance with public subscriptions	202-512-1806

General online information 202-512-1530; 1-888-293-6498

Single copies/back copies:

Paper or fiche	202-512-1800
Assistance with public single copies	1-866-512-1800 (Toll-Free)

FEDERAL AGENCIES

Subscriptions:

Paper or fiche	202-741-6005
Assistance with Federal agency subscriptions	202-741-6005

FEDERAL REGISTER WORKSHOP

THE FEDERAL REGISTER: WHAT IT IS AND HOW TO USE IT

FOR: Any person who uses the Federal Register and Code of Federal Regulations.

WHO: Sponsored by the Office of the Federal Register.

WHAT: Free public briefings (approximately 3 hours) to present:

1. The regulatory process, with a focus on the Federal Register system and the public's role in the development of regulations.
2. The relationship between the Federal Register and Code of Federal Regulations.
3. The important elements of typical Federal Register documents.
4. An introduction to the finding aids of the FR/CFR system.

WHY: To provide the public with access to information necessary to research Federal agency regulations which directly affect them. There will be no discussion of specific agency regulations.

WHEN: Tuesday, October 20, 2009
9 a.m.-12:30 p.m.

WHERE: Office of the Federal Register
Conference Room, Suite 700
800 North Capitol Street, NW,
Washington, DC 20002

RESERVATIONS: (202) 741-6008



Contents

Federal Register

Vol. 74, No. 186

Monday, September 28, 2009

Agency for International Development

NOTICES

Meetings:

Advisory Committee on Voluntary Foreign Aid, 49362

Agricultural Marketing Service

PROPOSED RULES

Egg Research and Promotion Order; Referendum Procedures, 49342-49344

Agriculture Department

See Agricultural Marketing Service

See Animal and Plant Health Inspection Service

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49360

Animal and Plant Health Inspection Service

RULES

Commuted Traveltime, 49309-49311

User Fees for Agricultural Quarantine and Inspection Services, 49311-49315

NOTICES

Environmental Impact Statements; Availability, etc.:
Biological Control Agent for Japanese Beetle, 49360-49361

Fiscal Year 2010 Veterinary Import/Export User Fees and Veterinary Diagnostic Services User Fees, 49361-49362

Centers for Disease Control and Prevention

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49380-49382

Meetings:

Advisory Board on Radiation and Worker Health, National Institute for Occupational Safety and Health, 49390-49391

Ethics Subcommittee, Advisory Committee to the Director, 49391

Subcommittee on Procedures Reviews, Advisory Board on Radiation and Worker Health, National Institute for Occupational Safety and Health, 49389-49390

Children and Families Administration

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49382-49383

Statement of Organization, Functions, and Delegations of Authority, 49391

Coast Guard

RULES

Drawbridge Operation Regulations:

Cape Fear River and Northeast Cape Fear River, Wilmington, NC, 49325-49326

Raritan River, Arthur Kill and Their Tributaries, Staten Island, NY and Elizabeth, NJ, 49323-49325

PROPOSED RULES

Standards for Living Organisms in Ships Ballast Water Discharged in U.S. Waters; Public Meeting, 49355-49356

Commerce Department

See Foreign-Trade Zones Board

See International Trade Administration

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49362-49363

Community Development Financial Institutions Fund

NOTICES

Funds Availability:

Community Development Financial Institutions Program, 49440-49450

Education Department

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49365-49366

Employment and Training Administration

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49401-49402

Change in Status of an Extended Benefit (EB) Period:
Alabama, 49402-49403¹

Idaho, 49403

West Virginia, 49403

States Triggering 'on' to the Second-Tier of Emergency Unemployment Compensation 2008 (EUC08), 49403-49404

Energy Department

See Energy Information Administration

See Federal Energy Regulatory Commission

See Western Area Power Administration

Energy Information Administration

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49366

Environmental Protection Agency

RULES

Approval and Promulgation of Air Quality Implementation Plans:

Mohegan Tribe of Indians of Connecticut, 49327-49330

PROPOSED RULES

Approval and Promulgation of Air Quality Implementation Plans:

Mohegan Tribe of Indians of Connecticut, 49356

Establish Light-Duty Vehicle Greenhouse Gas Emission and Corporate Average Fuel Economy Standards, 49454-49789

Farm Credit Administration

NOTICES

Meetings; Sunshine Act, 49377-49378

Federal Aviation Administration

PROPOSED RULES

Airworthiness Directives:

Boeing Model 747-100, 747-100B, 747-100B SUD, 747 200B, et.al. Series Airplanes, 49351-49354

Bombardier Model CL 600 2C10 (Regional Jet Series 700, 701, & 702), Model CL 600 2D15 (Regional Jet Series 705), et al. Airplanes, 49346-49349

Fokker Model F.28 Mark 0070 and 0100 Airplanes, 49349-49351

SOCATA Model TBM 700 Airplanes, 49345-49346

NOTICES

Intent to Rule on Request to Release Airport Property: Boise Air Terminal, Boise, ID, 49434-49435

Meetings:

RTCA Government/Industry Air Traffic Management Advisory Committee, 49435-49436

RTCA Special Committee 135: Environmental Conditions and Test Procedures for Airborne Equipment, 49435

Federal Bureau of Investigation

NOTICES

Meetings:

Compact Council for the National Crime Prevention and Privacy Compact, 49400-49401

Federal Communications Commission

RULES

Facilitating the Provision of Fixed and Mobile Broadband Access, etc., in the 2150-2162 and 2500-2690 MHz Bands, 49335-49338

PROPOSED RULES

Facilitating the Provision of Fixed and Mobile Broadband Access, etc., in the 2150-2162 and 2500-2690 MHz Bands, 49356-49359

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49378-49379

Federal Deposit Insurance Corporation

NOTICES

Meetings:

FDIC Advisory Committee on Community Banking, 49379-49380

Federal Energy Regulatory Commission

NOTICES

Applications:

Alaska Village Electric Cooperative, 49367-49368

Combined Filings, 49368-49369

Combined Notice of Filings, 49369-49373,

Complaints:

Californians for Renewable Energy, Inc. (CARE) et al., 49373-49374

Designation of Commission Staff as Non-Decisional:

Richard Blumenthal, Attorney General for the State of Connecticut et al., 49374

Environmental Impact Statements; Availability, etc.:

Florida Gas Transmission Co., LLC, 49374-49375

Filings:

Allegheny Electric Cooperative, Inc., et al., 49375,

North American Electric Reliability Corp., 49375-49376

Petition for Declaratory Order:

Clayton Silver Mines, Inc., 49376

Technical Conference:

National Action Plan on Demand Response, 49376-49377

Federal Reserve System

NOTICES

Change in Bank Control Notices; Acquisition of Shares of Bank or Bank Holding Companies, 49380

Formations of, Acquisitions by, and Mergers of Bank Holding Companies, 49380

Fish and Wildlife Service

NOTICES

Environmental Impact Statements; Availability, etc.:

Kaua'i National Wildlife Refuge Complex, Kaua'i County, HI; Comprehensive Conservation Plan, 49399-49400

Food and Drug Administration

NOTICES

Meetings:

Pulmonary-Allergy Drugs Advisory Committee, 49384-49385

Foreign-Trade Zones Board

NOTICES

Foreign-Trade Zone 196-5; Fort Worth, TX:

Application for Processing Authority; ATC Logistics & Electronics (Personal Navigation Devices), 49364

Health and Human Services Department

See Centers for Disease Control and Prevention

See Children and Families Administration

See Food and Drug Administration

See National Institutes of Health

Homeland Security Department

See Coast Guard

See U.S. Citizenship and Immigration Services

See U.S. Customs and Border Protection

RULES

Minimum Standards for Driver's Licenses and Identification

Cards Acceptable by Federal Agencies for Official

Purposes, 49308-49309

NOTICES

Meetings:

Homeland Security Science and Technology Advisory Committee, 49391-49392

Interior Department

See Fish and Wildlife Service

See Land Management Bureau

See Minerals Management Service

Internal Revenue Service

RULES

Definition of Omission from Gross Income, 49321-49323

Determination of Interest Expense Deduction of Foreign

Corporations, 49315-49320

PROPOSED RULES

Definition of Omission from Gross Income, 49354-49355

International Trade Administration

NOTICES

Applications for Duty-Free Entry of Scientific Instruments, 49363

Decision on Application for Duty-Free Entry of an Electron Microscope:

National Renewable Energy Laboratory, et al., 49363

Decision on Application for Duty-Free Entry of Scientific Instruments:

Air Force Research Laboratory et al., 49364

Rescission of New Shipper Review:

Pure Magnesium from the People's Republic of China, 49364-49365

Justice Department

See Federal Bureau of Investigation

Labor Department

See Employment and Training Administration

See Mine Safety and Health Administration

Land Management Bureau

RULES

Minerals Management:

Adjustment of Cost Recovery Fees, 49330-49335

Maritime Administration

NOTICES

Requested Administrative Waiver of the Coastwise Trade Laws, 49436-49437

Mine Safety and Health Administration

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49401

Minerals Management Service

NOTICES

Environmental Impact Statements; Availability, etc.:
Proposed Oil, Gas, and Mineral Operations by the Gulf of Mexico Outer Continental Shelf (OCS) Region, 49396-49399

National Aeronautics and Space Administration

NOTICES

Meetings:

NASA Advisory Council; Science Committee; Earth Science Subcommittee, 49404

Privacy Act; Systems of Records, 49404-49406

National Archives and Records Administration

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49406-49407

National Highway Traffic Safety Administration

RULES

Requirements and Procedures for Consumer Assistance to Recycle and Save Program, 49338-49341

PROPOSED RULES

Establish Light-Duty Vehicle Greenhouse Gas Emission and Corporate Average Fuel Economy Standards, 49454-49789

National Institutes of Health

NOTICES

Meetings:

Center for Scientific Review, 49385-49387, 49389

National Cancer Institute, 49383-49384, 49388-49389

National Institute of Mental Health, 49383

National Institute on Aging, 49388

National Institute on Drug Abuse, 49385

Office of the Director, National Institutes of Health; Correction, 49387-49388

Nuclear Regulatory Commission

NOTICES

Environmental Impact Statements; Availability, etc.:
Southern Nuclear Operating Co.; Vogtle Electric Generating Plant (Units 3 and 4), 49407-49408

Meetings:

ACRS Subcommittee on Economic Simplified Boiling Water Reactor, 49408

Personnel Management Office

RULES

General Schedule Locality Pay Areas, 49307-49308

Postal Regulatory Commission

RULES

Postal Rates, 49326-49327

NOTICES

New Postal Product, 49408-49410

Presidio Trust

NOTICES

Trial Use Limits, 49410-49411

Securities and Exchange Commission

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49411-49412

Applications:

Annuity Investors Life Insurance Co., et al., 49412-49415

Order of Suspension of Trading:

DTVN Holdings, Inc., et al., 49415-49416

Self-Regulatory Organizations; Proposed Rule Changes:

Financial Industry Regulatory Authority, Inc., 49425-49426

New York Stock Exchange LLC, 49431-49434

NYSE Amex LLC, 49426-49431

NYSE Arca, Inc., 49416-49425

State Department

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49434

Culturally Significant Objects Imported for Exhibition Determinations:

Gabriel Orozco, 49434

Transportation Department

See Federal Aviation Administration

See Maritime Administration

See National Highway Traffic Safety Administration

Treasury Department

See Community Development Financial Institutions Fund

See Internal Revenue Service

See United States Mint

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49437-49440

U.S. Citizenship and Immigration Services

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49392-49396

U.S. Customs and Border Protection

NOTICES

Agency Information Collection Activities; Proposals, Submissions, and Approvals, 49392-49393

United States Mint

NOTICES

Request for Citizens Coinage Advisory Committee Membership Applications, 49450-49451

Western Area Power Administration

NOTICES

Applications for the 2015 Resource Pool Power Allocations: Sierra Nevada Region, 49366-49367

Separate Parts In This Issue**Part II**

Environmental Protection Agency, 49454-49789
Transportation Department, National Highway Traffic
Safety Administration, 49454-49789

Reader Aids


Consult the Reader Aids section at the end of this page for phone numbers, online resources, finding aids, reminders, and notice of recently enacted public laws.

To subscribe to the Federal Register Table of Contents LISTSERV electronic mailing list, go to <http://listserv.access.gpo.gov> and select Online mailing list archives, FEDREGTOC-L, Join or leave the list (or change settings); then follow the instructions.

CFR PARTS AFFECTED IN THIS ISSUE

A cumulative list of the parts affected this month can be found in the Reader Aids section at the end of this issue.

5 CFR	
531	49307
6 CFR	
37	49308
7 CFR	
354 (2 documents)	49309,
	49311
Proposed Rules:	
1250	49342
14 CFR	
Proposed Rules:	
39 (4 documents)	49345,
	49346, 49349, 49351
26 CFR	
1	49315
301	49321
602	49315
Proposed Rules:	
301	49354
33 CFR	
117 (3 documents)	49323,
	49325, 49326
Proposed Rules:	
151	49355
39 CFR	
3010	49326
40 CFR	
49	49327
Proposed Rules:	
49	49356
86	49454
600	49454
43 CFR	
3000	49330
3200	49330
46 CFR	
Proposed Rules:	
151	49355
47 CFR	
27	49335
Proposed Rules:	
27	49356
49 CFR	
599	49338
Proposed Rules:	
531	49454
533	49454
537	49454
538	49454



Rules and Regulations

Federal Register

Vol. 74, No. 186

Monday, September 28, 2009

This section of the FEDERAL REGISTER contains regulatory documents having general applicability and legal effect, most of which are keyed to and codified in the Code of Federal Regulations, which is published under 50 titles pursuant to 44 U.S.C. 1510.

The Code of Federal Regulations is sold by the Superintendent of Documents. Prices of new books are listed in the first FEDERAL REGISTER issue of each week.

OFFICE OF PERSONNEL MANAGEMENT

5 CFR Part 531

RIN 3206-AL96

General Schedule Locality Pay Areas

AGENCY: U.S. Office of Personnel Management.

ACTION: Interim rule with request for comments.

SUMMARY: On behalf of the President's Pay Agent, the U.S. Office of Personnel Management is issuing interim regulations on the locality pay program for General Schedule employees. The interim regulations move the McGuire Air Force Base, NJ, and Fort Dix, NJ, Philadelphia locality pay area portions of the new Joint Base McGuire-Dix-Lakehurst, from the Philadelphia locality pay area to the New York locality pay area.

DATES: *Effective Date:* The regulations are effective October 28, 2009.

Applicability Date: The regulations apply on the first day of the first pay period beginning on or after the date of publication in the **Federal Register**, but no earlier than the first day of the first pay period beginning on or after October 1, 2009.

Comment Date: We must receive comments on or before November 27, 2009.

ADDRESSES: Send or deliver comments to Charles D. Grimes III, Deputy Associate Director for Performance and Pay Systems, Office of Personnel Management, Room 7H31, 1900 E Street, NW., Washington, DC 20415-8200; *Fax:* (202) 606-4264; or *e-mail:* pay-performance-policy@opm.gov.

FOR FURTHER INFORMATION CONTACT: Allan Hearne, (202) 606-2838; *Fax:* (202) 606-4264; *e-mail:* pay-performance-policy@opm.gov.

SUPPLEMENTARY INFORMATION: Section 5304 of title 5, United States Code, authorizes locality pay for General Schedule (GS) employees with duty stations in the 48 contiguous United States and the District of Columbia.

Section 5304(f) of title 5, United States Code, authorizes the President's Pay Agent (the Secretary of Labor, the Director of the Office of Management and Budget, and the Director of the Office of Personnel Management) to determine locality pay areas. The boundaries of locality pay areas must be based on appropriate factors, which may include local labor market patterns, commuting patterns, and the practices of other employers. The Pay Agent must give thorough consideration to the views and recommendations of the Federal Salary Council, a body composed of experts in the fields of labor relations and pay policy and representatives of Federal employee organizations. The President appoints the members of the Council, which submits annual recommendations to the Pay Agent about the locality pay program.

Most locality pay areas follow county lines under the methods recommended by the Council and adopted by the Pay Agent. However, exceptions are made for Federal facilities that cross county borders under the following criteria:

○ *For Federal facilities that cross locality pay area boundaries:* To be included in an adjacent locality pay area, the whole facility must have at least 500 GS employees, with the majority of those employees in the higher-paying locality pay area, or that portion of a Federal facility outside of a higher-paying locality pay area must have at least 750 GS employees, the duty stations of the majority of those employees must be within 10 miles of the separate locality pay area, and a significant number of those employees must commute to work from the higher-paying locality pay area.

See 2005 Annual Report on General Schedule Locality-Based Comparability Payments, p. 13 at <http://www.opm.gov/oca/payagent/2005/2005PayAgentReport.pdf>.

We presently have two exceptions under these criteria; all of Edwards Air Force Base, CA, is included in the Los Angeles locality pay area, and all of the Federal Prison at Butner, NC, is

included in the Raleigh locality pay area.

As part of the base realignment and closure process, the Department of Defense is required to establish Joint Base McGuire-Dix-Lakehurst and will do so effective October 1, 2009. Presently, McGuire AFB and Fort Dix, in Burlington County, are in the Philadelphia locality pay area while Lakehurst, in Ocean County, is in the New York locality pay area. The new joint base commander wrote to the Federal Salary Council requesting that all employees on the joint base be included in the higher paying New York locality pay area. As justification for this proposal, the base commander noted that (1) 49 percent of employees at McGuire AFB and Fort Dix commute from the New York locality pay area, (2) the work locations of the majority of those employees are within 10 miles of the New York locality pay area, (3) McGuire AFB and Fort Dix have higher vacancy rates than found at Lakehurst, and (4) "[T]o effectively and efficiently provide installation management, the joint base commander must be able to move and/or consolidate civilian employees * * * as needed, without impacting employees pay".

Since the McGuire AFB and Fort Dix portions of Joint Base McGuire-Dix-Lakehurst outside of the New York locality pay area have more than 750 GS employees, with the duty stations of the majority of those employees within 10 miles of the New York locality pay area, and a significant proportion of those employees commute from the New York locality pay area, the President's Pay Agent concludes the joint base meets the Council's existing criteria to be included in the New York locality pay area. This interim rule implements the change in pay areas effective with the first pay period beginning on or after the date of publication in the **Federal Register**, but no earlier than the first day of the first pay period beginning on or after October 1, 2009. Because the Federal Salary Council will not be able to meet until after October 1, 2009, we will discuss this matter with the Council and hear their views when the Council holds its next public meeting. In the meantime, we see no reason to delay the regulatory process needed to implement this change.

Impact and Implementation

The change in the coverage of the New York locality pay area will affect about 2,300 Federal white-collar employees of the Department of Justice, the Department of Defense, and the Department of Veterans Affairs stationed at McGuire AFB or Fort Dix, at an annual cost of about \$8 million.

Waiver of Notice of Proposed Rulemaking

Pursuant to 5 U.S.C. 553(b)(3)(B), I find that good cause exists for waiving the general notice of proposed rulemaking. Also pursuant to 5 U.S.C. 553(d)(3), I find that good cause exists for making this rule effective in less than 30 days. This notice is being waived and the regulation is being made effective in less than 30 days because the joint base goes into effect on October 1, 2009, and it will have an undesirable effect on base management to delay the implementation of a common locality pay rate for all employees on the base.

E.O. 12866, Regulatory Review

The Office of Management and Budget has reviewed this rule in accordance with E.O. 12866.

Paperwork Reduction Act

This document does not contain proposed information collection requirements subject to the Paperwork Reduction Act of 1995, Public Law 104-13.

Regulatory Flexibility Act

I certify that these regulations will not have a significant economic impact on a substantial number of small entities because they will apply only to Federal agencies and employees.

List of Subjects in 5 CFR Part 531

Government employees, Law enforcement officers, Wages.

John Berry,
Director, U.S. Office of Personnel Management.

■ Accordingly, OPM amends 5 CFR part 531 as follows:

PART 531—PAY UNDER THE GENERAL SCHEDULE

■ 1. The authority citation for part 531 continues to read as follows:

Authority: 5 U.S.C. 5115, 5307, and 5338; sec. 4 of Public Law 103-89, 107 Stat. 981; and E.O. 12748, 56 FR 4521, 3 CFR, 1991 Comp., p. 316; Subpart B also issued under 5 U.S.C. 5303(g), 5305, 5333, 5334(a) and (b), and 7701(b)(2); Subpart D also issued under 5 U.S.C. 5335 and 7701(b)(2); Subpart E also issued under 5 U.S.C. 5336; Subpart F also issued under 5 U.S.C. 5304 and 5305; E.O.

12883, 58 FR 63281, 3 CFR, 1993 Comp., p. 682; and E.O. 13106, 63 FR 68151, 3 CFR, 1998 Comp., p. 224.

Subpart F—Locality-Based Comparability Payments

■ 2. In § 531.603, paragraph (b)(20) is revised to read as follows:

§ 531.603 Locality pay areas.

* * * * *
(b) * * *
(20) New York-Newark-Bridgeport, NY-NJ-CT-PA—consisting of the New York-Newark-Bridgeport, NY-NJ-CT-PA CSA, plus Monroe County, PA, Warren County, NJ, and all of Joint Base McGuire-Dix-Lakehurst;

* * * * *
[FR Doc. E9-23359 Filed 9-25-09; 8:45 am]
BILLING CODE 6325-39-P

DEPARTMENT OF HOMELAND SECURITY

Office of the Secretary

6 CFR Part 37

[Docket No. DHS-2006-0030]

RIN 1601-AA37

Minimum Standards for Driver's Licenses and Identification Cards Acceptable by Federal Agencies for Official Purposes

AGENCY: Office of the Secretary, DHS.
ACTION: Final rule.

SUMMARY: Pursuant to the Department of Homeland Security's REAL ID regulations, States seeking an extension of the date by which they must begin to comply with REAL ID requirements currently must submit a request for extension by October 11, 2009. This final rule changes that date to December 1, 2009.

DATES: This rule is effective September 28, 2009.

FOR FURTHER INFORMATION CONTACT: Steve Kozar, Office of State-Issued Identification Support, Screening Coordination Office, Department of Homeland Security, Washington, DC 20528 (202) 447-3368.

SUPPLEMENTARY INFORMATION:

I. Analysis of This Final Rule

The REAL ID Act of 2005 (the Act)¹ prohibits Federal agencies, effective

¹ Division B—REAL ID Act of 2005, the Emergency Supplemental Appropriations Act for Defense, the Global War on Terror, and Tsunami Relief, 2005, Public Law 109-13m 119 Stat. 231, 302 (May 11, 2005) (codified at 49 U.S.C. 30301 note).

May 11, 2008, from accepting a driver's license or personal identification card for any official purpose unless the license or card has been issued by a State that is meeting the requirements set forth in the Act. The Act sets forth certain minimum standards applicable to the driver's license issuance process. Section 205(b) of the REAL ID Act authorizes the Secretary of Homeland Security to grant States extensions of time to meet the requirements of the Act if the State provides adequate justification for noncompliance.

On January 29, 2008, DHS promulgated a final rule implementing the requirements of the Act. See 73 FR 5272; also 6 CFR part 37. The final rule, pursuant to the Secretary's authority under § 205(b) of the REAL ID Act, extended the original compliance date from May 11, 2008 to January 1, 2010, for each State that timely filed a request for extension. All States timely filed the required requests for extensions and were granted an extension of the compliance date. The final rule further provided that any State requiring an extension of the compliance date must submit a request for such an extension to DHS no later than October 11, 2009, and include with that submission a material compliance checklist demonstrating that the State has met certain compliance milestones. See 6 CFR 37.63.

DHS has determined that additional time is warranted for States to submit a request for an additional extension. Accordingly, under this final rule, DHS is revising the regulatory text at 6 CFR 37.63(b) to change the deadline by which States must file a request for an extension of the compliance date from October 11, 2009 to December 1, 2009.

II. Regulatory Analyses

A. Administrative Procedure Act

This final rule addresses requirements that are procedural in nature. This rule does not change the January 1, 2010 compliance date—the date by which States must begin to issue licenses and identification cards that are in compliance with the standards and requirements under the REAL ID Act and regulations—but merely changes the date by which States may seek a further extension of that deadline. This rule, therefore, does not alter the substantive rights of, nor impose new requirements on, any State or individual. This final rule, therefore, is exempt from notice and comment requirements under 5 U.S.C. 553(b)(A). For the same reason, under 5 U.S.C. 553(d)(3), this rule is effective

immediately upon publication in the **Federal Register**.

B. Executive Order 12866 (Regulatory Planning and Review)

This final rule is not a "significant regulatory action" under section 3(f)(1) of Executive Order 12866, "Regulatory Planning and Review," therefore the Office of Management and Budget has not reviewed this rule. DHS anticipates that the changed filing deadline in this final rule will not increase REAL ID-related compliance costs to the affected entities and, in most cases, will provide advantages by changing the filing deadline.

C. Regulatory Flexibility Act

The Regulatory Flexibility Act of 1980, 5 U.S.C. 601–612, as amended by the Small Business Regulatory Enforcement Fairness Act of 1996 (Pub. L. 104–121), requires Federal agencies to consider the potential impact of regulations on small businesses, small governmental jurisdictions, and small organizations during the development of their rules. This final rule, however, makes changes for which notice and comment are not necessary. Accordingly, DHS is not required to prepare a regulatory flexibility analysis. 5 U.S.C. 603, 604.

D. Paperwork Reduction Act

This rule calls for no new collection of information under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501–3520).

E. Executive Order 13132 (Federalism)

A rule has implications for federalism under Executive Order 13132, "Federalism," if it has a substantial direct effect on State or local governments and would either preempt State law or impose a substantial direct cost of compliance on them. We have analyzed this rule under that Order and have determined that it does not have implications for federalism.

F. Unfunded Mandates Reform Act

The Unfunded Mandates Reform Act of 1995 (2 U.S.C. 1531–1538), requires Federal agencies to assess the effects of their discretionary regulatory actions. In particular, the Unfunded Mandates Reform Act addresses actions that may result in the expenditure by a State, local, or tribal government, in the aggregate, or by the private sector of \$100,000,000 (adjusted for inflation) or more in any one year. This final rule will not result in such an expenditure.

G. Executive Order 13175 (Tribal Consultation)

This rule does not have tribal implications under Executive Order 13175, "Consultation and Coordination with Indian Tribal Governments," because it does not have a substantial direct effect on one or more Indian tribes, on the relationship between the Federal Government and Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes.

H. Executive Order 13211 (Energy Impact Analysis)

We have analyzed this rule under Executive Order 13211, "Actions Concerning Regulations That Significantly Affect Energy Supply, Distribution, or Use." We have determined that it is not a "significant energy action" under that Order and is not likely to have a significant adverse effect on the supply, distribution, or use of energy. Therefore, it does not require a Statement of Energy Effects under Executive Order 13211.

List of Subjects in 6 CFR Part 37

Document security, driver's licenses, identification cards, incorporation by reference, motor vehicle administrations, physical security.

The Amendments

■ For the reasons set forth above, the Department of Homeland Security amends 6 CFR part 37 as follows:

TITLE 6—DOMESTIC SECURITY

CHAPTER I—DEPARTMENT OF HOMELAND SECURITY, OFFICE OF THE SECRETARY

PART 37—REAL ID DRIVER'S LICENSES AND IDENTIFICATION CARDS

■ 1. The authority citation for part 105 continues to read as follows:

Authority: 49 U.S.C. 30301 note; 6 U.S.C. 111, 112.

§ 37.63 [Amended]

■ 2. Amend § 37.63(b) by removing the date "October 11, 2009" and adding in its place the date "December 1, 2009".

Janet Napolitano,
Secretary.

[FR Doc. E9–23381 Filed 9–25–09; 8:45 am]

BILLING CODE 9110–9M–P

DEPARTMENT OF AGRICULTURE

Animal and Plant Health Inspection Service

7 CFR Part 354

[Docket No. APHIS–2009–0055]

Commuted Traveltime

AGENCY: Animal and Plant Health Inspection Service, USDA.

ACTION: Final rule.

SUMMARY: We are amending the regulations concerning overtime services provided by employees of the Agency's Plant Protection and Quarantine (PPQ) program by adding or amending commuted traveltime allowances for travel between certain locations in the District of Columbia, Florida, Illinois, and Minnesota. Commuted traveltime allowances are the periods of time required for PPQ employees to travel from their dispatch points and return there from the places where they perform Sunday, holiday, or other overtime duty. The Government charges a fee for certain overtime services provided by PPQ employees and, under certain circumstances, the fee may include the cost of commuted traveltime. This action is necessary to inform the public of commuted traveltime for these locations.

DATES: *Effective Date:* September 28, 2009.

FOR FURTHER INFORMATION CONTACT: Ms. Terri Burrell, Director, Resource Management Staff, PPQ, APHIS, 4700 River Road Unit 120, Riverdale, MD 20737–1238; (301) 734–5575.

SUPPLEMENTARY INFORMATION:

Background

The regulations in 7 CFR, chapter III, require inspection, certification, or quarantine of certain plants, plant products, or other commodities intended for importation into, or exportation from, the United States.

When these services must be provided by an employee of the Animal and Plant Health Inspection Service (APHIS) on a Sunday or holiday, or at any other time outside the employee's regular duty hours, the Government charges a fee for the services in accordance with 7 CFR part 354 for services provided by an employee of APHIS' Plant Protection and Quarantine (PPQ) program. Under circumstances described in 7 CFR 354.1(a)(2), this fee may include the cost of commuted traveltime. The regulations in 7 CFR 354.2 contain administrative instructions prescribing commuted traveltime allowances, which

reflect, as nearly as practicable, the periods of time required for PPQ employees to travel from their dispatch points and return there from the places where they perform Sunday, holiday, or other overtime duty.

We are amending 7 CFR 354.2 by adding or adjusting commuted traveltime allowances for travel between certain locations in the District of Columbia, Florida, Illinois, and Minnesota. The new allowances are set forth in the regulatory text at the end of this document. This action is necessary to inform the public of the commuted traveltime between the dispatch and service locations.

Effective Date

The commuted traveltime allowances appropriate for employees performing services at ports of entry, and the features of the reimbursement plan for recovering the cost of furnishing port of entry services, depend upon facts within the knowledge of the Department of Agriculture. It does not appear that public participation in this rulemaking would make additional relevant information available to the Department.

Accordingly, pursuant to the administrative procedure provisions in 5 U.S.C. 553, we find upon good cause that prior notice and other public procedure with respect to this rule are impracticable and unnecessary; we also find good cause for making this rule effective less than 30 days after

publication of this document in the Federal Register.

Executive Order 12866 and Regulatory Flexibility Act

This rule has been reviewed under Executive Order 12866. For this action, the Office of Management and Budget has waived its review under Executive Order 12866.

The number of requests for overtime services of a PPQ employee at the locations affected by this rule represents an insignificant portion of the total number of requests for these services in the United States.

Under these circumstances, the Administrator of the Animal and Plant Health Inspection Service has determined that this action will not have a significant economic impact on a substantial number of small entities.

Executive Order 12988

This final rule has been reviewed under Executive Order 12988, Civil Justice Reform. This rule is not intended to have retroactive effect. There are no administrative procedures that must be exhausted prior to any judicial challenge to the provisions of this rule or the application of its provisions.

Paperwork Reduction Act

This final rule contains no new information collection or recordkeeping requirements under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 et seq.).

List of Subjects in 7 CFR Part 354

Animal diseases, Exports, Government employees, Imports, Plant diseases and pests, Quarantine, Reporting and recordkeeping requirements, Travel and transportation expenses.

■ Accordingly, we are amending 7 CFR part 354 as follows:

PART 354—OVERTIME SERVICES RELATING TO IMPORTS AND EXPORTS; AND USER FEES

■ 1. The authority citation for part 354 continues to read as follows:

Authority: 7 U.S.C. 7701–7772, 7781–7786, and 8301–8317; 21 U.S.C. 136 and 136a; 49 U.S.C. 80503; 7 CFR 2.22, 2.80, and 371.3.

■ 2. In § 354.2, the table is amended as follows:

■ a. Under the District of Columbia, Florida, and Illinois, by adding, in alphabetical order, new entries to read as set forth below.

■ b. Under Minnesota, in the first entry for Duluth, by removing under Metropolitan area, the number “1” and adding the number “2” in its place.

■ c. Under Minnesota, by removing the entry for Silver Bay.

§ 354.2 Administrative instructions prescribing commuted traveltime.

* * * * *

COMMUTED TRAVELTIME ALLOWANCES

[In hours]

Location covered	Served from—	Metropolitan area	
		Within	Outside
District of Columbia:			
Washington, DC Metropolitan area (including Arlington and Alexandria, VA; Andrews AFB, MD; and Washington Navy Yard).	Baltimore, MD	2	
Florida:			
Panama City	Mobile, AL	7	
Illinois:			
Undesignated ports		3	

Done in Washington, DC, this 22nd day of September 2009.

Kevin Shea,

Acting Administrator, Animal and Plant Health Inspection Service.

[FR Doc. E9-23327 Filed 9-25-09; 8:45 am]

BILLING CODE 3410-34-P

DEPARTMENT OF AGRICULTURE

Animal and Plant Health Inspection Service

7 CFR Part 354

[Docket No. APHIS-2009-0048]

RIN 0579-AC99

User Fees for Agricultural Quarantine and Inspection Services

AGENCY: Animal and Plant Health Inspection Service, USDA.

ACTION: Interim rule and request for comments.

SUMMARY: We are amending the user fee regulations by adjusting the fees charged for certain agricultural quarantine and inspection (AQI) services that are provided in connection with certain commercial vessels, commercial trucks, commercial railroad cars, commercial aircraft, and international airline passengers arriving at ports in the customs territory of the United States. The recent downturn in the U.S. economy has negatively impacted travel volumes, and, as a result, our user fee collections, which fund these services, have diminished. Although the volume of international travel and trade has decreased, inspection and related support services continue to be provided at their existing levels, so expenses have not decreased. As a result, our user fee collections have not been sufficient to enable us to provide those services and maintain a reasonable reserve balance. We are therefore increasing our AQI user fees in order to provide adequate funds for these purposes.

DATES: This interim rule is effective October 1, 2009. We will consider all comments that we receive on or before November 27, 2009.

ADDRESSES: You may submit comments by either of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov/fdmspublic/component/main?main=DocketDetail&d=APHIS-2009-0048> to submit or view comments and to view supporting and related materials available electronically.
- *Postal Mail/Commercial Delivery:* Please send two copies of your comment

to Docket No. APHIS-2009-0048, Regulatory Analysis and Development, PPD, APHIS, Station 3A-03.8, 4700 River Road Unit 118, Riverdale, MD 20737-1238. Please state that your comment refers to Docket No. APHIS-2009-0048.

Reading Room: You may read any comments that we receive on this docket in our reading room. The reading room is located in Room 1141 of the USDA South Building, 14th Street and Independence Avenue, SW., Washington, DC. Normal reading room hours are 8 a.m. to 4:30 p.m., Monday through Friday, except holidays. To be sure someone is there to help you, please call (202) 690-2817 before coming.

Other Information: Additional information about APHIS and its programs is available on the Internet at <http://www.aphis.usda.gov>.

FOR FURTHER INFORMATION CONTACT: For information concerning program operations, contact Mr. William E. Thomas, Director, Quarantine Policy, Analysis, and Support, PPD, APHIS, 4700 River Road Unit 131, Riverdale, MD 20737; (301) 734-5214. For information concerning rate development, contact Mrs. Kris Caraher, User Fee Section, Financial Services Branch, Financial Management Division, MRPBS, APHIS, 4700 River Road Unit 55, Riverdale, MD 20737-1232; (301) 734-0882.

SUPPLEMENTARY INFORMATION:

Background

Section 2509(a) of the Food, Agriculture, Conservation, and Trade Act of 1990 (21 U.S.C. 136a), referred to below as the FACT Act, authorizes the Animal and Plant Health Inspection Service (APHIS) to collect user fees for agricultural quarantine and inspection (AQI) services. The FACT Act was amended on April 4, 1996, and May 13, 2002.

The FACT Act, as amended, authorizes APHIS to collect user fees for AQI services provided in connection with the arrival, at a port in the customs territory of the United States, of:

- Commercial vessels,
- Commercial trucks,
- Commercial railroad cars,
- Commercial aircraft, and
- International airline passengers.

According to the FACT Act, as amended, these user fees should recover the costs of:

- Providing the AQI services for the conveyances and the passengers listed above,
- Providing preclearance or preinspection at a site outside the

customs territory of the United States to international airline passengers, commercial vessels, commercial trucks, commercial railroad cars, and commercial aircraft, and

- Administering the user fee program.

Introduction

In an interim rule published in the **Federal Register** on December 9, 2004 (69 FR 71660-71683, Docket No. 04-042-1), and effective on January 1, 2005, we amended the user fee regulations in 7 CFR part 354 by adjusting the fees charged for certain agricultural quarantine and inspection (AQI) services that are provided by the Animal and Plant Health Inspection Service (APHIS) and the Customs and Border Protection (CBP) Bureau of the Department of Homeland Security in connection with certain commercial vessels, commercial trucks, commercial railroad cars, commercial aircraft, and international airline passengers arriving at ports in the customs territory of the United States. Prior to the interim rule, user fees had not been adjusted since October 1, 2001. Due to the attacks of September 11, 2001, and the resulting increased security concerns, the Federal Government began to inspect a greater volume and variety of cargo entering the United States than it had before. In addition, the attacks of September 11 resulted in a reduction in airline travel, which lowered fee revenues. We determined that the fee adjustments contained in the December 2004 interim rule were needed to recover the costs of this increased inspection activity and to account for routine inflationary increases in the cost of doing business. The adjusted AQI user fees contained in that interim rule covered fiscal years (FYs) 2005 through 2010. A final rule affirming the interim rule without change was published in the **Federal Register** on August 24, 2006 (71 FR 49984-49986, Docket No. 04-042-2).

However, the effects of the recent and unanticipated downturn in the U.S. economy have been felt by all Americans, both personally and in their business concerns. These recent events have negatively impacted travel volumes and funds in the AQI user fee account. Due to the decrease in travel, we are collecting less in user fees while still maintaining the necessary enhanced level of inspection and related support services that we have since September 11, 2001. Although the volume of international travel and trade has decreased, inspection and related support services continue to be provided at their existing levels, expenses have not decreased. Moreover, while we have limited new hiring to

critical positions, we do not consider it advisable to cut back on existing personnel as a cost-saving measure because of the time required (2 to 3 years) to train agricultural inspectors. Reducing the number of fully trained, experienced inspectors during the current economic downturn could result in a shortage of such employees when the economy rebounds and volumes pick up again, thereby increasing the risk of plant or animal pest or disease introduction into the United States. Since our current user fee collections are not sufficient to enable us to continue to provide AQI services at their existing levels and to maintain a reasonable reserve balance, we are therefore increasing our AQI user fees in order to provide adequate funds for these purposes.

Because our AQI Programs are funded solely through user fee collections, it is imperative that we adjust the fees upward to maintain our existing level of services. We estimate that, absent the necessary fee adjustments, revenues will be inadequate, and the reserve balance in the AQI user fee account will be completely depleted. By February 2010, the AQI program could be forced to lay off significant numbers of employees and cut back on services. Such cutbacks would increase the potential for agriculturally devastating animal and plant pests and diseases to enter the United States and could disrupt trade if inspectors were not available to inspect and clear cargo on a timely basis.

Therefore, in this interim rule, we are amending our AQI user fees to enable us to continue to provide AQI services at their existing levels and to provide some replenishment of the reserve balance in the AQI account so that program operations can continue without interruption when volumes fluctuate due to economic conditions or other circumstances. Because user fee revenues were down in FY 2009, we have had to draw upon our reserve funds. We are adjusting the fees upward, at a rate of approximately 10 percent, for each type of conveyance or person to whom AQI services are provided: commercial vessels, commercial trucks, commercial railroad cars, commercial aircraft, and international airline passengers. However, because commercial truck inspection has separate fees for trucks with and without transponders,¹ we are actually adjusting a total of six fees. We estimate that this action will result in

total revenues of \$578 million during the period from October 1, 2009 to September 30, 2010, an increase of \$53.4 million, or 10 percent from the \$524.6 million which we anticipate would be collected without the increase. This proposed increase would be sufficient to cover joint CBP and APHIS expenses for providing AQI services in FY 2010. This action will also bring our reserve funding level to \$48.5 million, about 1 month of AQI user fee funding. While we traditionally have sought to maintain a reserve balance sufficient to cover 3 to 5 months, we recognize that the significantly higher user fee increases that would be needed to build the reserve back to that level could be burdensome to affected entities in the present difficult economic climate. The smaller user fee increases contained in this interim rule, therefore, will not provide us with an optimal reserve balance; however, they are necessary to maintain a level of inspection services sufficient to prevent plant and animal diseases and pests from entering the United States.

AQI User Fee Accounting

We maintain all AQI fees we collect in distinct accounts, carefully monitor the balances in these accounts, and only use these funds to pay for our actual costs for providing these distinct services. Any surplus in the AQI account carries forward from year to year, is not subject to appropriation by Congress, and is available until expended to fund AQI activities.

Types of AQI Program Costs

As part of our accounting procedures, we maintain separate accounting codes to record costs that can be directly related to an inspection activity. These are referred to as "direct-charge costs." APHIS functions that are directly charged to AQI accounts include the following: Salary and benefits and other costs, e.g., travel, supplies, rents, equipment, for personnel in plant inspection stations inspecting propagative plants; for personnel performing identification services (entomology, pathology, botanical); for personnel performing investigative and enforcement and smuggling interdiction and trade compliance activities; for personnel performing risk analysis, science and technology, and methods development activities relating to AQI work; and for personnel performing training of CBP agricultural specialists and canines. CBP functions that are directly charged to AQI accounts include the following: Salaries and benefits for inspectors and canine officers, supervisors (such as officers-in-

charge), and clerical staff; equipment used only in connection with services subject to user fees; contracts; and large supply items such as x-ray equipment and uniforms.

Other program-delivery-related costs, at the State level and below, that cannot be directly charged to individual accounts are charged to "distributable" accounts established at the State level and are referred to as "distributable costs." The following types of costs are charged to distributable accounts: Utilities, rent, telephone, vehicles, office supplies, etc. The costs in these distributable accounts are prorated (or distributed) among all the activities that benefit from the expense, based on a formula under which the costs that are directly charged to each activity are divided by the total costs directly charged to each account at the field level. For example, if a work unit performs work on domestic programs, AQI user fee programs, and AQI-appropriated programs, the costs are distributed among each of these programs, based on the percentage of the direct costs for that activity at the field level that is charged to that activity.

AQI program costs also include program direction and support costs we incur at the regional and headquarters level, as well as Agency-level support costs. Headquarters-level costs include salaries and benefits for employees of APHIS' Plant Protection and Quarantine and International Services programs who are based at those programs' headquarters in Riverdale, MD, and Washington, DC. We incur Agency-level support costs through activities that support the Agencies (*i.e.*, APHIS and CBP), such as recruitment and development; legislative and public affairs; regulation development; regulatory enforcement; and budget, accounting, payroll, purchasing, billing, and collection services.

Departmental charges are assessed for various AQI program costs including Federal telephone service, mail, processing of payroll and money management, unemployment compensation, Office of Workers Compensation Programs, and central supply for storing and issuing commonly used supplies and forms.

In order to identify properly our actual AQI program costs in prior fiscal years, we first identify the direct-charge costs. We then add to this the pro-rata share costs of the distributable accounts maintained at the State, regional, headquarters, Agency, and departmental levels.

¹ In previous rulemakings, we referred to commercial truck decals rather than transponders. Because transponders are now being used, we are updating our terminology accordingly.

Calculation of User Fees Contained in This Interim Rule

Results in FY 2009: We originally anticipated collecting revenue of \$553.5 million in FY 2009, and planned to spend that same amount. If the economy had remained strong, this approach would have led to the AQI User Fees

Program keeping the strong reserve balance of \$100.6 million it had at the start of FY 2009. We have maintained our planned level of services and related costs during FY 2009; however, our current estimate for FY 2009 collections is only \$483.3 million, a difference of \$70.2 million [\$553.5 million (anticipated) – \$483.3 million (current

estimate)]. The reserve balance of \$100.6 million we had at the start of FY 2009 has allowed the program to continue operating even with the lower collections. We now estimate that only \$27.2 million will remain as the program's reserve balance at the end of FY 2009 as follows:

TABLE 1—PROGRAM OVERVIEW—FY 2009 AND FY 2010
[In millions]

	FY 2009 estimate	FY 2010 current fees	FY 2010 new fees
Reserve balance at the start of fiscal year	\$100.6	27.2	27.2
+ Estimated collections	+483.3	+524.6	+578.0
Total availability	583.9	551.8	605.2
– Program spending	–556.7	–556.7	–556.7
Estimated reserve balance at the end of fiscal year	\$ 27.2	\$ (4.9)	48.5

FY 2010 program overview: If we were to collect user fees in FY 2010 at the current published rates for FY 2010, we estimate that collections would be \$524.6 million. This amount falls short of our funding needs by \$32.1 million [\$556.7 million (FY 2010 funding needs) – \$524.6 million (estimated FY 2010 collections without this rule change)]. This \$32.1 million shortfall would leave APHIS and CBP to cover this difference, as well as ordinary annual increases in costs for pay and inflation. If we continue to maintain the same level of services in FY 2010, the program would consume the remaining amount in the reserve and face a shortfall of \$4.9 million in the program.

FY 2010 planned fee increases: We project that the revenue needed to maintain the same level of service in FY 2010 that we provided in FY 2009 and to begin rebuilding the reserve is \$578.0 million (\$556.7 million in program expenditures and \$21.3 million to help rebuild the reserve). To do so, we calculated an approximately 10 percent increase across the board in current user fees. This amount is used because it will allow us to maintain the same level of service in FY 2010 that we did in FY 2009 and to bring the reserve fund balance partially back up to the level it was at the start of FY 2009 without placing an excessive burden on those who pay the user fees. This action will

allow the program to continue operating while the economy recovers.

Once we identified that an approximately 10 percent across-the-board increase was needed for all AQI user fees, we calculated the fees on that basis and then rounded up in increments of \$1 for the commercial vessel fee, which is a significantly larger fee than all the others, and \$0.25 for the rest, as shown in Table 2. below. No rounding of the international air passenger fee was required, though it traditionally has been rounded up to the nearest \$0.05, nor of the commercial truck transponder fee, which is simply calculated at 20 times the individual rounded truck fee.

TABLE 2—ADJUSTED USER FEES

AQI user fee category	FY 2009 user fees	FY 2010 raw fees	FY 2010 rounded fees
International airline passengers	\$5.00	\$5.50	\$5.50
Commercial aircraft	70.75	77.83	78.00
Commercial vessels	494.00	543.40	544.00
Loaded rail cars	7.75	8.53	8.75
Commercial trucks	5.25	5.78	6.00
Commercial truck transponders	105.00	N/A	120.00

This rule is intended to provide sufficient funding to operate the program and partially replenish the AQI reserve funds. APHIS and CBP are also embarking on a review of the current fees and what costs are built into them and may, if needed, enter into a new rulemaking to set longer-term rates for AQI user fees.

Projecting FY 2010 volumes: In projecting our activity volumes and fee

collections for FY 2010, we assumed that the first two quarters of activity in FY 2010 will be similar to the diminished levels of FY 2009 and that the final two quarters of FY 2010 will see a rebound, with activity levels similar to those of the third and fourth quarters of FY 2008. In other words, our assumption is that the U.S. economy will fully recover by midway through FY 2010.

Table 3 below contains our actual volumes for each AQI service category for FY 2008 and our estimated volumes for FYs 2009 and 2010. Our estimated FY 2009 volumes are based on actual data from the first three quarters and an estimate for the fourth. Average actual quarterly volumes for the first three quarters of FY 2009 showed a 10.3 percent decrease in comparison with the same quarters in FY 2008. To estimate

the volumes for the final quarter of FY 2009, therefore, we projected that volumes for the fourth quarter of FY 2009 would be 10.3 percent less than the actual volumes for the fourth quarter of FY 2008.

We projected our volumes for the first and second quarters of FY 2010 using

the averages for the first three quarters of FY 2009, based on the assumption that the economy will not recover in the first half of FY 2010. We used actual FY 2008 volumes for the third and fourth quarter volumes for FY 2010, based on the assumption that the economy will bounce back completely in the second

half of FY 2010. These assumptions are considered reasonable.

Actual FY 2008 volumes, estimated FY 2009 volumes, projected FY 2010 volumes, adjusted FY 2010 user fees, and resulting estimated FY 2010 collections with the new user fees in place are as follows:

TABLE 3—VOLUMES AND ESTIMATED FY 2010 COLLECTIONS

AQI user fee category	Actual FY 2008 volumes	Estimated FY 2009 volumes	Estimated FY 2010 volumes	FY 2010 adjusted user fees	Estimated FY 2010 collections (volume × fee)
International airline passengers	79,152,044	77,004,184	80,337,817	\$ 5.50	\$441,857,994
Commercial aircraft	1,262,599	801,110	1,037,829	78.00	80,950,662
Commercial vessels	56,536	45,225	54,834	544.00	29,829,696
Loaded rail cars	1,300,645	934,463	1,069,345	8.75	9,356,769
Commercial trucks	888,693	645,169	748,712	6.00	4,492,272
Commercial truck transponders	111,875	83,184	96,262	120.00	11,551,440
Total					578,038,832

Emergency Action

This rulemaking, which adjusts our flat-rate AQI user fees, is necessary on an emergency basis to ensure the adequate funding and continued operation at necessary levels of CBP and APHS activities vital to preventing the introduction of plant and animal pests and diseases into the United States. Under these circumstances, the Administrator has determined that prior notice and opportunity for public comment are contrary to the public interest and that there is good cause under 5 U.S.C. 553 for making this rule effective less than 30 days after publication in the **Federal Register**.

We will consider comments we receive during the comment period for this interim rule (see **DATES** above). After the comment period closes, we will publish another document in the **Federal Register**. The document will include a discussion of any comments we receive and any amendments we are making to the rule.

Executive Order 12866 and Regulatory Flexibility Act

This interim rule has been determined to be significant for the purposes of Executive Order 12866 and, therefore, has been reviewed by the Office of Management and Budget.

We have prepared an economic analysis for this interim rule. The economic analysis provides a cost-benefit analysis, as required by Executive Order 12866, and an initial regulatory flexibility analysis that examines the potential economic effects of this rule on small entities, as required by the Regulatory Flexibility Act. The economic analysis is summarized below. The full analysis may be viewed

on the Regulations.gov Web site (see **ADDRESSES** above for instructions for accessing Regulations.gov) or obtained from the person listed under **FOR FURTHER INFORMATION CONTACT**.

This interim rule amends the user fee regulations by adjusting the fees charged for certain AQI services that are provided in connection with certain commercial vessels, commercial trucks, commercial railroad cars, commercial aircraft, and international airline passengers arriving at ports in the customs territory of the United States. This rulemaking is intended to enable us to continue to provide AQI services at their existing levels and to provide some replenishment of the reserve balance in the AQI account so that program operations can continue without interruption when volumes fluctuate due to economic conditions or other circumstances. We project that the revenue needed to maintain the same level of service in FY 2010 and begin rebuilding the reserve is \$578 million.

International airline passengers and the operators of commercial aircraft, commercial vessels, commercial trucks, and commercial railroad cars will be affected by this interim rule. Taken collectively, the changes in user fees in this rule are very large, amounting to more than \$53 million in user fees collected in FY 2010 over what we would have collected if the fees had remained at their previous levels. However, the impact of the individual increases in the user fees should be small. The fee increases are small compared to the overall costs of the affected travel and transport activities. For example, the user fee on international passengers increases from \$5 to \$5.50. The new fee equates to less

than 1 percent (about 0.3 percent) of the average international airfare.

The benefits associated with AQI services are the losses to U.S. animals, plants, and their products and markets that are avoided when foreign pests and diseases are prevented from entering the country. The cost of the introduction of a single foreign pest or disease can be immense. The increase in AQI user fees will ensure that the program operates at a level sufficient to minimize the risk of introduction of agricultural pests and diseases. Without the increase in fees, those services cannot be adequately provided.

Collections of \$556.7 million are required to maintain the current level of AQI services. If we were to collect user fees at the original rates for FY 2010 while continuing to provide services at the current level, we estimate that collections would be \$524.6 million, based on projected international airline passenger and transport volumes for the year. Therefore a shortfall in revenue of \$32.1 million would occur absent changes to the fees over the next year. In addition, the reserve fund is currently being depleted, and continuing to operate the program at the current level without fee increases will quickly and fully deplete the reserve. A reserve level of \$48.5 million represents 48 percent of the size of the reserve balance at the beginning of FY 2009.

The Regulatory Flexibility Act requires that agencies specifically consider the economic impact of their rules on small entities. Those entities most likely to be economically affected by the rule are domestic entities in the transportation sector moving goods into the United States. In addition to international air passengers, four modes

of conveyance—trucks, railroad cars, maritime vessels, and aircraft—are assessed AQI user fees upon arrival in the United States. According to the guidelines established by the Small Business Administration, most of the surface, waterborne, and air conveyance entities that are directly affected by the rule are small, although we do not have precise estimates of their numbers. However, the user fee changes represent a small portion of overall operating costs for affected transportation entities whether small or large, and should therefore have a small impact on those entities. We invite public comment on this interim rule, including any comment on the rule's expected impact on small entities.

Alternatives to this rulemaking that were considered included taking no action or enacting even higher fee increases to build the reserve quickly. For reasons discussed in the full analysis, these alternatives were not pursued.

Executive Order 12988

This rule has been reviewed under Executive Order 12988, Civil Justice Reform. This rule: (1) Has no retroactive effect; and (2) does not require administrative proceedings before parties may file suit in court challenging this rule.

Paperwork Reduction Act

This rule contains no new information collection or recordkeeping requirements under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 et seq.).

List of Subjects in 7 CFR Part 354

Animal diseases, Exports, Government employees, Imports, Plant diseases and pests, Quarantine, Reporting and recordkeeping requirements, Travel and transportation expenses.

■ Accordingly, we are amending 7 CFR part 354 as follows:

PART 354—OVERTIME SERVICES RELATING TO IMPORTS AND EXPORTS; AND USER FEES

■ 1. The authority citation for part 354 continues to read as follows:

Authority: 7 U.S.C. 7701–7772, 7781–7786, and 8301–8317; 21 U.S.C. 136 and 136a; 49 U.S.C. 80503; 7 CFR 2.22, 2.80, and 371.3.

■ 2. Section 354.3 is amended by revising the tables in paragraphs (b)(1), (c)(1), (d)(1), (e)(1), and (f)(1) to read as set forth below.

§ 354.3 User fees for certain international services.

* * * * *

(b) *Fee for inspection of commercial vessels of 100 net tons or more.* (1)

* * *

Effective dates	Amount
October 1, 2008, through September 30, 2009	\$494.00
Beginning October 1, 2009	544.00

* * * * *

(c) *Fee for inspection of commercial trucks.* (1) * * *

Effective dates	Amount
October 1, 2008, through September 30, 2009	\$5.25
Beginning October 1, 2009	6.00

* * * * *

(d) *Fee for inspection of commercial railroad cars.* (1) * * *

Effective dates	Amount
October 1, 2008, through September 30, 2009	\$7.75
Beginning October 1, 2009	8.75

* * * * *

(e) *Fee for inspection of commercial aircraft.* (1) * * *

Effective dates	Amount
October 1, 2008, through September 30, 2009	\$70.75
Beginning October 1, 2009	78.00

* * * * *

(f) *Fee for inspection of international passengers.* (1) * * *

Effective dates ¹	Amount
October 1, 2008, through September 30, 2009	\$5.00
Beginning October 1, 2009	5.50

¹ Persons who issue international airline tickets or travel documents are responsible for collecting the AQI international airline passenger user fee from ticket purchasers. Issuers must collect the fee applicable at the time tickets are sold. In the event that ticket sellers do not collect the AQI user fee when tickets are sold, the air carrier must collect the user fee from the passenger upon departure. Carriers must collect the fee applicable at the time of departure from the traveler.

* * * * *

Done in Washington, DC, this 23rd day of September 2009.

John Ferrell,
Deputy Under Secretary for Marketing and Regulatory Programs.
[FR Doc. E9–23387 Filed 9–25–09; 8:45 am]

BILLING CODE 3410–34–P

DEPARTMENT OF THE TREASURY

Internal Revenue Service

26 CFR Parts 1 and 602

[TD 9465]

RIN 1545–BF71

Determination of Interest Expense Deduction of Foreign Corporations

AGENCY: Internal Revenue Service (IRS), Treasury.

ACTION: Final regulations and removal of temporary regulations.

SUMMARY: This document contains final regulations under section 882(c) of the Internal Revenue Code (Code) concerning the determination of the interest expense deduction of foreign corporations engaged in a trade or business within the United States. These final regulations conform the interest expense rules to recent U.S. Income Tax Treaty agreements and adopt other changes to improve compliance.

DATES: These final regulations are effective September 28, 2009.

FOR FURTHER INFORMATION CONTACT: Anthony J. Marra, (202) 622–3870 (not a toll-free number).

SUPPLEMENTARY INFORMATION:

Paperwork Reduction Act

The collection of information contained in these final regulations has been reviewed and approved by the Office of Management and Budget in accordance with the Paperwork Reduction Act of 1995 (44 U.S.C. 3507(d)) under control number 1545–2030. Responses to this collection of information are mandatory. The collection of information in these final regulations is in § 1.884–1(e)(3)(iv). This information is required by the IRS to allow a taxpayer to reduce U.S. liabilities to the extent necessary to prevent the recognition of a dividend equivalent amount.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless the collection of information displays a valid control number.

Books and records relating to a collection of information must be retained as long as their contents may become material in the administration of any internal revenue law. Generally, tax returns and tax return information are confidential, as required by 26 U.S.C. 6103.

Background

On August 17, 2006, the Treasury Department and the IRS published TD 9281 (71 FR 47443-01, 2006-2 CB 517) (the temporary regulations) under section 882(c) of the Internal Revenue Code regarding the determination of a foreign corporation's interest expense allocable to income effectively connected with the conduct of a trade or business within the United States. On the same day, a notice of proposed rulemaking (REG-120509-06, 71 FR 47459, 2006-2 CB 570) was published by cross-reference to the temporary regulations in the *Federal Register*. See § 601.601(d)(2)(ii)(b).

Section 1.882-5 generally requires a foreign corporation to use a three-step calculation to determine the amount of interest expense that is allocable under section 882(c) to income effectively connected (or treated as effectively connected) with the foreign corporation's conduct of a trade or business within the United States. The notice of proposed rulemaking (the proposed regulations) provided for certain changes in the three-step calculation. First, the proposed regulations revised the election to use fair market value rather than adjusted basis in valuing U.S. assets in Step 1. That revision required the taxpayer to use fair market valuations for both Step 1 purposes and the entire determination of the actual ratio in Step 2. The proposed regulations also revised the Step 2 elective fixed ratio for foreign banks, allowing a 95 percent fixed ratio to be used in lieu of the actual ratio. In Step 3, the proposed regulations allowed a foreign bank with excess U.S.-connected liabilities over U.S.-booked liabilities under the adjusted U.S. booked liabilities (AUSBL) method to elect to use the 30-day London Interbank Offering Rate (LIBOR) to calculate interest on the excess U.S.-connected liabilities.

In addition to the changes in the three-step calculation, the proposed regulations implemented guidance provided in Notice 2005-53 (2005-32 IRB 263, 2005-2 CB 263) regarding the interaction of § 1.882-5 and U.S. income tax treaties in recognition that recent treaties expressly permit taxpayers to determine attribution of business profits to a permanent establishment by analogy to the 1995 Organisation for Economic Co-operation and Development Transfer Pricing Guidelines (Authorized OECD Approach). For purposes of applying the branch profits tax, the proposed regulations expanded the election under § 1.884-1 to allow a taxpayer to reduce

U.S. liabilities to the extent necessary to prevent the recognition of a dividend equivalent amount, but not below zero. Finally, the proposed regulations clarified the application of the 1996 final regulations under § 1.882-5 with respect to certain direct interest allocations, the definition of U.S.-booked liabilities, and the treatment of certain currency gain and loss for purposes of § 1.882-5. The preamble of TD 9281 includes background information with respect to the proposed regulations and a further explanation of these provisions. See § 601.601(d)(2)(ii)(b).

The IRS received written comments in response to the proposed regulations. No requests to speak at a public hearing were received and no hearing was held. After consideration of the comments received, the proposed regulations are adopted without substantive change by this Treasury decision, and the corresponding temporary regulations are removed. To relieve taxpayers of the burden of duplicative reporting, these final regulations coordinate the various elections provided in the three-step formula with the filing of taxpayer's Schedule I (Form 1120-F). Taxpayers filing protective tax returns under § 1.882-4(a)(3)(vi) may make § 1.882-5 protective elections by attaching Schedule I to a timely filed return (including extensions). Taxpayers must separately attach to the Form 1120-F, any election to reduce U.S. liabilities for branch profits tax purposes as permitted by § 1.884-1(e)(3). A taxpayer's Schedule I must reflect the cumulative amount of all U.S. liability reductions.

Many of the comments received raised issues specific to certain financial transactions that require broader considerations than the interaction of § 1.882-5 and those financial transactions. The Treasury Department and the IRS received a number of comments requesting that the 1996 proposed hedging regulations (INTL-0054-95, 1996-1 CB 844) be finalized and expanded, in certain cases, to cover interbranch activities (including currency gains and losses). Since those regulations were proposed, the increase in interdesk and interbranch hedging (in both dealer and nondealer operations) has given rise to special considerations other than the familiar limitations associated with capital and ordinary income distinctions. In this regard, the proposed 1998 global dealing regulations, for example, require special considerations as to the appropriate treatment of risk transfer agreements in similar circumstances. In light of the need for a broader consideration of these issues, the Treasury Department

and the IRS are not adopting the suggestions outlined in the comments received at this time. See § 601.601(d)(2)(ii)(b).

Commentators also suggested that the regulations adopt special rules that would govern the treatment of certain integrated financial transactions such as effectively connected sale-repurchase agreements and securities lending transactions. The commentators suggested the adoption of a direct tracing rule that would, in effect, give zero risk weighting to such assets, especially in defined dealer books consisting of sale-repurchase transactions and securities loans involving U.S. Treasuries and other government securities. The suggested rule would scale back the amount of capital that is imputed to such portfolios under either the actual ratio or the fixed ratio to reflect the economic reality that such assets are entirely debt-financed. Commentators also suggested that "netting" rules apply for offsetting notional principal contracts within discrete portfolios. Finally, commentators suggested revisions to the definition of U.S.-booked liabilities that would exclude certain conduit interbranch lending arrangements. The Treasury Department and the IRS are not adopting these suggestions at this time but continue to consider the issues raised in this context and intend to coordinate these issues, where appropriate, with similar issues in analogous contexts, such as global dealing operations and section 864(e). See Notice 2001-59 (2001-41 IRB 315, 2001-2 CB 315). See § 601.601(d)(2)(ii)(b).

Section 861(a)(1)(C), as amended by the American Jobs Creation Act of 2004 provides a special source rule for interest on obligations of certain foreign partnerships and may require coordinating changes to the branch-level interest tax rules under § 1.884-4. Specifically, a foreign corporate partner is not treated as paying branch interest under § 1.884-4(b)(1)(i)(A) and therefore may be liable for tax on excess interest even if that foreign partner has U.S. book interest paid with respect to its distributive share of U.S. booked liabilities under § 1.882-5. Accordingly, the Treasury Department and the IRS are currently considering how best to coordinate the U.S. booked liability rules with the determination of partnership branch interest so that foreign corporate partners of partnerships described in section 861(a)(1)(C) are provided similar treatment under § 1.884-4 with respect to their distributive shares of interest expense as foreign corporations directly

engaged in a trade or business within the United States.

Special Analyses

It has been determined that this Treasury decision is not a significant regulatory action as defined in Executive Order 12866. Therefore, a regulatory assessment is not required. It also has been determined that section 553(b) of the Administrative Procedure Act (5 U.S.C. chapter 5) does not apply to these regulations. It is hereby certified that the collection of information contained in these regulations will not have a significant economic impact on a substantial number of small entities. Accordingly, a regulatory flexibility analysis under the Regulatory Flexibility Act (5 U.S.C. chapter 6) is not required. The collection of information requirement in these regulations generally only affects large foreign banks. Thus, the number of affected small entities will not be substantial and any economic impacts on those entities in complying with the collection of information would be minimal. Pursuant to section 7805(f) of the Code, these regulations have been submitted to the Chief Counsel for Advocacy of the Small Business Administration for comment on its impact on small business.

Drafting Information

The principal author of these regulations is Anthony J. Marra of the Office of Associate Chief Counsel (International). However, other persons from the Office of Associate Chief Counsel (International) and the Treasury Department have participated in their development.

List of Subjects

26 CFR Part 1

Income taxes, Reporting and recordkeeping requirements.

26 CFR Part 602

Reporting and recordkeeping requirements.

Adoption of Amendments to the Regulations

■ Accordingly, 26 CFR parts 1 and 602 are amended as follows:

PART 1—INCOME TAXES

■ **Paragraph 1.** The authority citation for part 1 continues to read in part as follows:

Authority: 26 U.S.C. 7805 * * *

■ **Par. 2.** Section 1.882-0 is amended by:

■ 1. Revising the entries for § 1.882-5(a)(1), (a)(1)(i), (a)(1)(ii), (a)(1)(ii)(A), (a)(1)(ii)(B), (a)(2), (a)(7), (a)(7)(i), (a)(7)(ii), (b)(2)(ii)(A), (b)(3), (c)(2)(iv), (c)(4), (d)(2)(iii)(A), and (d)(5)(ii).

■ 2. Adding entries for § 1.882-5(a)(7)(iii), (b)(3)(i), (b)(3)(ii), (d)(5)(ii)(A), and (d)(5)(ii)(B).

■ 3. Removing the entries for § 1.882-5T.

The revisions and additions read as follows:

§ 1.882-0 Table of contents.

* * * * *

§ 1.882-5 Determination of interest deduction.

- (a)(1) Overview.
 - (i) In general.
 - (ii) Direct allocations.
 - (A) In general.
 - (B) Partnership interests.
 - (2) Coordination with tax treaties.-
 - * * * * *

- (7) Elections under § 1.882-5.
 - (i) In general.
 - (ii) Failure to make the proper election.
 - (iii) Step 2 special election for banks.
 - * * * * *

- (b) * * *
- (2) * * *
- (ii) * * *
- (A) In general.
 - * * * * *

- (3) Computation of total value of U.S. assets.
 - (i) General rule.
 - (ii) Adjustment to basis of financial instruments.
 - * * * * *

- (c)(2)(iv) Determination of value of worldwide assets.
 - * * * * *

- (4) Elective fixed ratio method of determining U.S. liabilities.
 - * * * * *
 - (d) * * *
 - (2) * * *
 - (iii) * * *
 - (A) In general.
 - * * * * *

- (5) * * *
- (ii) Interest rate on excess U.S.-connected liabilities.
 - (A) General rule.
 - (B) Annual published rate election.
 - * * * * *

■ **Par. 3.** Section 1.882-5 is amended by revising paragraphs (a)(1), (a)(2), (a)(7), (a)(7)(i), (a)(7)(ii), (a)(7)(iii), (b)(2)(ii)(A), (b)(3), (c)(2)(iv), (c)(4), (d)(2)(ii)(B)(2), (d)(2)(ii)(B)(3), (d)(2)(iii)(A), (d)(5)(ii), (d)(6) *Example 5* and (f)(1) to read as follows:

§ 1.882-5 Determination of interest deduction.

(a)(1) *Overview*—(i) *In general.* The amount of interest expense of a foreign corporation that is allocable under section 882(c) to income which is (or is treated as) effectively connected with the conduct of a trade or business within the United States (ECI) is the sum of the interest allocable by the foreign corporation under the three-step process set forth in paragraphs (b), (c), and (d) of this section and the specially allocated interest expense determined under paragraph (a)(1)(ii) of this section. The provisions of this section provide the exclusive rules for allocating interest expense to the ECI of a foreign corporation under section 882(c). Under the three-step process, the total value of the U.S. assets of a foreign corporation is first determined under paragraph (b) of this section (Step 1). Next, the amount of U.S.-connected liabilities is determined under paragraph (c) of this section (Step 2). Finally, the amount of interest paid or accrued on U.S.-booked liabilities, as determined under paragraph (d)(2) of this section, is adjusted for interest expense attributable to the difference between U.S.-connected liabilities and U.S.-booked liabilities (Step 3). Alternatively, a foreign corporation may elect to determine its interest rate on U.S.-connected liabilities by reference to its U.S. assets, using the separate currency pools method described in paragraph (e) of this section.

(ii) *Direct allocations*—(A) *In general.* A foreign corporation that has a U.S. asset and indebtedness that meet the requirements of § 1.861-10T (b) or (c), as limited by § 1.861-10T(d)(1), shall directly allocate interest expense from such indebtedness to income from such asset in the manner and to the extent provided in § 1.861-10T. For purposes of paragraph (b)(1) or (c)(2) of this section, a foreign corporation that allocates its interest expense under the direct allocation rule of this paragraph (a)(1)(ii)(A) shall reduce the basis of the asset that meets the requirements of § 1.861-10T (b) or (c) by the principal amount of the indebtedness that meets the requirements of § 1.861-10T (b) or (c). The foreign corporation shall also disregard any indebtedness that meets the requirements of § 1.861-10T (b) or (c) in determining the amount of the foreign corporation's liabilities under paragraphs (c)(2) and (d)(2) of this section and shall not take into account any interest expense paid or accrued with respect to such a liability for purposes of paragraph (d) or (e) of this section.

(B) *Partnership interest.* A foreign corporation that is a partner in a partnership that has a U.S. asset and indebtedness that meet the requirements of § 1.861-10T (b) or (c), as limited by § 1.861-10T(d)(1), shall directly allocate its distributive share of interest expense from that indebtedness to its distributive share of income from that asset in the manner and to the extent provided in § 1.861-10T. A foreign corporation that allocates its distributive share of interest expense under the direct allocation rule of this paragraph (a)(1)(ii)(B) shall disregard any partnership indebtedness that meets the requirements of § 1.861-10T (b) or (c) in determining the amount of its distributive share of partnership liabilities for purposes of paragraphs (b)(1), (c)(2)(vi), and (d)(2)(vii) or (e)(1)(ii) of this section, and shall not take into account any partnership interest expense paid or accrued with respect to such a liability for purposes of paragraph (d) or (e) of this section. For purposes of paragraph (b)(1) of this section, a foreign corporation that directly allocates its distributive share of interest expense under this paragraph (a)(1)(ii)(B) shall—

(1) Reduce the partnership's basis in such asset by the amount of such indebtedness in allocating its basis in the partnership under § 1.884-1(d)(3)(ii); or

(2) Reduce the partnership's income from such asset by the partnership's interest expense from such indebtedness under § 1.884-1(d)(3)(iii).

(2) *Coordination with tax treaties.* Except as expressly provided by or pursuant to a U.S. income tax treaty or accompanying documents (such as an exchange of notes), the provisions of this section provide the exclusive rules for determining the interest expense attributable to the business profits of a permanent establishment under a U.S. income tax treaty.

* * * * *

(7) *Elections under § 1.882-5—(i) In general.* A corporation must make each election provided in this section on the corporation's original timely filed Federal income tax return for the first taxable year it is subject to the rules of this section. An amended return does not qualify for this purpose, nor shall the provisions of § 301.9100-1 of this chapter and any guidance promulgated thereunder apply. Except as provided elsewhere in this section, each election under this section, whether an election for the first taxable year or a subsequent change of election, shall be made by indicating the method used on Schedule I (Form 1120-F) attached to the

corporation's timely filed return. An elected method (other than the fair market value method under paragraph (b)(2)(ii) of this section, or the annual 30-day London Interbank Offered Rate (LIBOR) election in paragraph (d)(5)(ii) of this section) must be used for a minimum period of five years before the taxpayer may elect a different method. To change an election before the end of the requisite five-year period, a taxpayer must obtain the consent of the Commissioner or his delegate. The Commissioner or his delegate will generally consent to a taxpayer's request to change its election only in rare and unusual circumstances. After the five-year minimum period, an elected method may be changed for any subsequent year on the foreign corporation's original timely filed tax return for the first year to which the changed election applies.

(ii) *Failure to make the proper election.* If a taxpayer, for any reason, fails to make an election provided in this section in a timely fashion, the Director of Field Operations may make any or all of the elections provided in this section on behalf of the taxpayer, and such elections shall be binding as if made by the taxpayer.

(iii) *Step 2 special election for banks.* For the first taxable year for which an original income tax return is due (including extensions) after August 17, 2006, in which a taxpayer that is a bank as described in paragraph (c)(4) of this section is subject to the requirements of this section, a taxpayer may make a new election to use the fixed ratio on an original timely filed return. A new fixed ratio election may be made in any subsequent year subject to the timely filing and five-year minimum period requirements of paragraph (a)(7)(i) of this section. A new fixed ratio election under this paragraph (a)(7)(iii) is subject to the adjusted basis or fair market value conforming election requirements of paragraph (b)(2)(ii)(A)(2) of this section and may not be made if a taxpayer elects or maintains a fair market value election for purposes of paragraph (b) of this section. Taxpayers that already use the fixed ratio method under an existing election may continue to use the new fixed ratio at the higher percentage without having to make a new five-year election in the first year that the higher percentage is effective.

* * * * *

(b) * * *

(2) * * *

(ii) * * *

(A) *In general—(1) Fair market value conformity requirement.* A taxpayer may elect to value all of its U.S. assets on the

basis of fair market value, subject to the requirements of § 1.861-9T(g)(1)(iii), and provided the taxpayer is eligible and uses the actual ratio method under paragraph (c)(2) of this section and the methodology prescribed in § 1.861-9T(h). Once elected, the fair market value must be used by the taxpayer for both Step 1 and Step 2 described in paragraphs (b) and (c) of this section, and must be used in all subsequent taxable years unless the Commissioner or his delegate consents to a change.

(2) *Conforming election requirement.* Taxpayers that as of the effective date of this paragraph (b)(2)(ii)(A)(2) have elected and currently use both the fair market value method for purposes of paragraph (b) of this section and a fixed ratio for purposes of paragraph (c)(4) of this section must conform either the adjusted basis or fair market value methods in Step 1 and Step 2 of the allocation formula by making an adjusted basis election for paragraph (b) of this section purposes while continuing the fixed ratio for Step 2, or by making an actual ratio election under paragraph (c)(2) of this section while remaining on the fair market value method under paragraph (b) of this section. Taxpayers who elect to conform Step 1 and Step 2 of the formula to the adjusted basis method must remain on both methods for the minimum five-year period in accordance with the provisions of paragraph (a)(7) of this section. Taxpayers that elect to conform Step 1 and Step 2 of the formula to the fair market value method must remain on the actual ratio method until the consent of the Commissioner or his delegate is obtained to switch to the adjusted basis method. If consent to use the adjusted basis method in Step 1 is granted in a later year, the taxpayer must remain on the actual ratio method for the minimum five-year period unless consent to use the fixed ratio is independently obtained under the requirements of paragraph (a)(7) of this section. For the first taxable year for which an original income tax return is due (including extensions) after August 17, 2006, taxpayers that are required to make a conforming election under this paragraph (b)(2)(ii)(A)(2), may do so on an original timely filed return. If a conforming election is not made within the timeframe provided in this paragraph, the Director of Field Operations or his delegate may make the conforming elections in accordance with the provisions of paragraph (a)(7)(ii) of this section.

* * * * *

(3) *Computation of total value of U.S. assets—(i) General rule.* The total value

of U.S. assets for the taxable year is the average of the sums of the values (determined under paragraph (b)(2) of this section) of U.S. assets. For each U.S. asset, value shall be computed at the most frequent regular intervals for which data are reasonably available. In no event shall the value of any U.S. asset be computed less frequently than monthly (beginning of taxable year and monthly thereafter) by a large bank (as defined in section 585(c)(2)) or a dealer in securities (within the meaning of section 475) and semi-annually (beginning, middle and end of taxable year) by any other taxpayer.

(ii) *Adjustment to basis of financial instruments.* For purposes of determining the total average value of U.S. assets in this paragraph (b)(3), the value of a security or contract that is marked to market pursuant to section 475 or section 1256 shall be determined as if each determination date is the most frequent regular interval for which data are reasonably available that reflects the taxpayer's consistent business practices for reflecting mark-to-market valuations on its books and records.

* * * * *

(c) * * *

(2) * * *

(iv) *Determination of value of worldwide assets.* The value of an asset must be determined consistently from year to year and must be substantially in accordance with U.S. tax principles. To be substantially in accordance with U.S. tax principles, the principles used to determine the value of an asset must not differ from U.S. tax principles to a degree that will materially affect the value of the taxpayer's worldwide assets or the taxpayer's actual ratio. The value of an asset is the adjusted basis of that asset for determining the gain or loss from the sale or other disposition of that asset, adjusted in the same manner as the basis of U.S. assets are adjusted under paragraphs (b)(2) (ii) through (iv) of this section. The rules of paragraph (b)(3) of this section apply in determining the total value of applicable worldwide assets for the taxable year, except that the minimum number of determination dates are those stated in paragraph (c)(2)(i) of this section.

(4) *Elective fixed ratio method of determining U.S. liabilities.* A taxpayer that is a bank as defined in section 585(a)(2)(B) (without regard to the second sentence thereof or whether any such activities are effectively connected with a trade or business within the United States) may elect to use a fixed ratio of 95 percent in lieu of the actual ratio. A taxpayer that is neither a bank

nor an insurance company may elect to use a fixed ratio of 50 percent in lieu of the actual ratio.

* * * * *

(d) * * *

(2) * * *

(ii) * * *

(B) * * *

(2) The foreign corporation enters the liability on a set of books reasonably contemporaneously with the time at which the liability is incurred and the liability relates to an activity that produces ECI.

(3) The foreign corporation maintains a set of books and records relating to an activity that produces ECI and the Director of Field Operations determines that there is a direct connection or relationship between the liability and that activity. Whether there is a direct connection between the liability and an activity that produces ECI depends on the facts and circumstances of each case.

* * * * *

(iii) * * *

(A) *In general.* A liability, whether interest bearing or non-interest bearing, is properly reflected on the books of the U.S. trade or business of a foreign corporation that is a bank as described in section 585(a)(2)(B) (without regard to the second sentence thereof) if—

(1) The bank enters the liability on a set of books before the close of the day on which the liability is incurred, and the liability relates to an activity that produces ECI; and

(2) There is a direct connection or relationship between the liability and that activity. Whether there is a direct connection between the liability and an activity that produces ECI depends on the facts and circumstances of each case. For example, a liability that is used to fund an interbranch or other asset that produces non-ECI may have a direct connection to an ECI producing activity and may constitute a U.S.-booked liability if both the interbranch or non-ECI activity is the same type of activity in which ECI assets are also reflected on the set of books (for example, lending or money market interbank placements), and such ECI activities are not de minimis. Such U.S. booked liabilities may still be subject to paragraph (d)(2)(v) of this section.

* * * * *

(5) * * *

(ii) *Interest rate on excess U.S.-connected liabilities—(A) General rule.* The applicable interest rate on excess U.S.-connected liabilities is determined by dividing the total interest expense paid or accrued for the taxable year on U.S.-dollar liabilities that are not U.S.-

booked liabilities (as defined in paragraph (d)(2) of this section) and that are shown on the books of the offices or branches of the foreign corporation outside the United States by the average U.S.-dollar denominated liabilities (whether interest-bearing or not) that are not U.S.-booked liabilities and that are shown on the books of the offices or branches of the foreign corporation outside the United States for the taxable year.

(B) *Annual published rate election.* For each taxable year beginning with the first year end for which the original tax return due date (including extensions) is after August 17, 2006, in which a taxpayer is a bank within the meaning of section 585(a)(2)(B) (without regard to the second sentence thereof or whether any such activities are effectively connected with a trade or business within the United States), such taxpayer may elect to compute its excess interest by reference to a published average 30-day London Interbank Offering Rate (LIBOR) for the year. The election may be made for any eligible year by indicating the rate used on Schedule I (Form 1120-F) attached to the timely filed return. Once selected, the rate may not be changed by the taxpayer. If a taxpayer that is eligible to make the 30-day LIBOR election either does not file a timely return or files a calculation that allocates interest expense under the scaling ratio in paragraph (d)(4) of this section and it is determined by the Director of Field Operations that the taxpayer's U.S.-connected liabilities exceed its U.S.-booked liabilities, then the Director of Field Operations, and not the taxpayer, may choose whether to determine the taxpayer's excess interest rate under paragraph (d)(5)(ii)(A) or (B) of this section and may select the published 30-day LIBOR rate.

(6) * * *

Example 5. U.S. booked liabilities—direct relationship. (i) *Facts.* Bank A, a resident of Country X maintains a banking office in the U.S. that records transactions on three sets of books for State A, an International Banking Facility (IBF) for its bank regulatory approved international transactions, and a shell branch licensed operation in Country C. Bank A records substantial ECI assets from its bank lending and placement activities and a mix of interbranch and non-ECI producing assets from the same or similar activities on the books of State A branch and on its IBF. Bank A's Country C branch borrows substantially from third parties, as well as from its home office, and lends all of its funding to its State A branch and IBF to fund the mix of ECI, interbranch and non-ECI activities on those two books. The consolidated books of State A branch and IBF indicate that a substantial amount of the total book assets constitute U.S. assets under

paragraph (b) of this section. Some of the third-party borrowings on the books of the State A branch are used to lend directly to Bank A's home office in Country X. These borrowings reflect the average borrowing rate of the State A branch, IBF and Country C branches as a whole. All third-party borrowings reflected on the books of State A branch, the IBF and Country C branch were recorded on such books before the close of business on the day the liabilities were acquired by Bank A.

(ii) *U.S. booked liabilities.* The facts demonstrate that the separate State A branch, IBF and Country C branch books taken together, constitute a set of books within the meaning of paragraph (d)(2)(iii)(A)(1) of this section. Such set of books as a whole has a direct relationship to an ECI activity under paragraph (d)(2)(iii)(A)(2) of this section even though the Country C branch books standing alone would not. The third-party liabilities recorded on the books of Country C constitute U.S. booked liabilities because they were timely recorded and the overall set of books on which they were reflected has a direct relationship to a bank lending and interbank placement ECI producing activity. The third-party liabilities that were recorded on the books of State A branch that were used to lend funds to Bank A's home office also constitute U.S. booked liabilities because the interbranch activity the funds were used for is a lending activity of a type that also gives rise to a substantial amount of ECI that is properly reflected on the same set of books as the interbranch loans. Accordingly, the liabilities are not traced to their specific interbranch use but to the overall activity of bank lending and interbank placements which gives rise to substantial ECI. The facts show that the liabilities were not acquired to increase artificially the interest expense of Bank A's U.S. booked liabilities as a whole under paragraph (d)(2)(v) of this section. The third-party liabilities also constitute U.S. booked liabilities for purposes of determining Bank A's branch interest under § 1.884-4(b)(1)(i)(A) regardless of whether Bank A uses the Adjusted U.S. booked liability method, or the Separate Currency Pool method to allocate its interest expense under paragraph 5(e) of this section.

(f)(1) *Effective/applicability date*—(1) *General rule.* This section is applicable for taxable years ending on or after August 15, 2009. A taxpayer, however, may choose to apply § 1.882-5T, rather than applying the final regulations, for any taxable year beginning on or after August 16, 2008 but before August 15, 2009.

§ 1.882-5T [Removed]

- Par. 4. Section 1.882-5T is removed.
■ Par. 5. Section 1.884-1 is amended by revising paragraphs (e)(3)(ii), (e)(3)(iv) and (e)(5) Example 2.

§ 1.884-1 Branch profits tax.

(e) * * *

(3) * * *

(ii) *Limitation.* For any taxable year, a foreign corporation may elect to reduce the amount of its liabilities determined under paragraph (e)(1) of this section by an amount that does not exceed the lesser of the amount of U.S. liabilities as of the determination date, or the amount of U.S. liability reduction needed to reduce a dividend equivalent amount as of the determination date to zero.

* * * * *

(iv) *Method of election.* A foreign corporation that elects the benefits of this paragraph (e)(3) for a taxable year shall attach a statement to its return for the taxable year that it has elected to reduce its liabilities for the taxable year under this paragraph (e)(3) and that it has reduced the amount of its U.S.-connected liabilities as provided in paragraph (e)(3)(iii) of this section and shall indicate the amount of such reductions on such attachment. The cumulative amount of all U.S. liability reductions is shown on Schedule I (Form 1120-F) in addition to the separate elections attached to the timely filed return. An election under this paragraph (e)(3) must be made before the due date (including extensions) for the foreign corporation's income tax return for the taxable year.

* * * * *

(5) * * *

Example 2. Election made to reduce liabilities. (i) As of the close of 2007, foreign corporation A, a real estate company, owns U.S. assets with an E&P basis of \$1000. A has \$800 of liabilities under paragraph (e)(1) of this section. A has accumulated ECEP of \$500 and in 2008, A has \$60 of ECEP that it intends to retain for future expansion of its U.S. trade or business. A elects under paragraph (e)(3) of this section to reduce its liabilities by \$60 from \$800 to \$740. As a result of the election, assuming A's U.S. assets and U.S. liabilities would otherwise have remained constant, A's U.S. net equity as of the close of 1994 will increase by the amount of the decrease in liabilities (\$60) from \$200 to \$260 and its ECEP will be reduced to zero. Under paragraph (e)(3)(iii) of this section, A's interest expense for the taxable year is reduced by the amount of interest attributable to \$60 of liabilities and A's excess interest is reduced by the same amount. A's taxable income and ECEP are increased by the amount of the reduction in interest expense attributable to the liabilities, and A may make an election under paragraph (e)(3) of this section to further reduce its liabilities, thus increasing its U.S. net equity and reducing the amount of additional ECEP created for the election.

(ii) In 2009, assuming A again has \$60 of ECEP, A may again make the election under paragraph (e)(3) to reduce its liabilities. However, assuming A's U.S. assets and liabilities under paragraph (e)(1) of this section remain constant, A will need to make

an election to reduce its liabilities by \$120 to reduce to zero its ECEP in 2009 and to continue to retain for expansion (without the payment of the branch profits tax) the \$60 of ECEP earned in 2008. Without an election to reduce liabilities, A's dividend equivalent amount for 2009 would be \$120 (\$60 of ECEP plus the \$60 reduction in U.S. net equity from \$260 to \$200). If A makes the election to reduce liabilities by \$120 (from \$800 to \$680), A's U.S. net equity will increase by \$60 (from \$260 at the end of the previous year to \$320), the amount necessary to reduce its ECEP to \$0. However, the reduction of liabilities will itself create additional ECEP subject to section 884 because of the reduction in interest expense attributable to the \$120 of liabilities. A can make the election to reduce liabilities by \$120 without exceeding the limitation on the election provided in paragraph (e)(3)(ii) of this section because the \$120 reduction does not exceed the amount needed to treat the 2009 and 2008 ECEP as reinvested in the net equity of the trade or business within the United States.

(iii) If A terminates its U.S. trade or business in 2009 in accordance with the rules in § 1.884-2T(a), A would not be subject to the branch profits tax on the \$60 of ECEP earned in that year. Under paragraph (e)(3)(v) of this section, however, it would be subject to the branch profits tax on the portion of the \$60 of ECEP that it earned in 2008 that became accumulated ECEP because of an election to reduce liabilities.

§ 1.884-1T [Removed]

- Par. 6. Section 1.884-1T is removed.

PART 602—OMB CONTROL NUMBERS UNDER THE PAPERWORK REDUCTION ACT

- Par. 7. The authority citation for part 602 continues to read as follows:

Authority: 26 U.S.C. 7805.

- Par. 8. In § 602.101, paragraph (b) is amended by removing the entry for "§ 1.882-5T" from the table.

Linda E. Stiff, Deputy Commissioner for Services and Enforcement.

Approved: September 15, 2009.

Michael Mundaca, (Acting) Assistant Secretary of the Treasury (Tax Policy).

[FR Doc. E9-22867 Filed 9-25-09; 8:45 am]

BILLING CODE 4830-01-P

DEPARTMENT OF THE TREASURY

Internal Revenue Service

26 CFR Part 301

[TD 9466]

RIN 1545-B194

Definition of Omission From Gross Income

AGENCY: Internal Revenue Service (IRS), Treasury.

ACTION: Final and temporary regulation.

SUMMARY: This document contains temporary regulations (replacing an existing final regulation) defining an omission from gross income for purposes of the six-year minimum period for assessment of tax attributable to partnership items and the six-year period for assessing tax. The temporary regulations resolve a continuing issue as to whether an overstatement of basis in a sold asset results in an omission from gross income. The regulations will affect any taxpayer who overstates basis in a sold asset creating an omission from gross income exceeding twenty-five percent of the income stated in the return. The text of these temporary regulations also serves as the text of the proposed regulations set forth in the notice of proposed rulemaking on this subject in the Proposed Rules section in this issue of the *Federal Register*.

DATES: *Effective date:* These regulations are effective on September 24, 2009.

Applicability date: The rules of this section apply to taxable years with respect to which the applicable period for assessing tax did not expire before September 24, 2009.

FOR FURTHER INFORMATION CONTACT: William A. Heard III at (202) 622-4570 (not a toll-free number).

SUPPLEMENTARY INFORMATION:**Background and Explanation of Provisions**

These temporary regulations amend the Procedure and Administration Regulations (26 CFR part 301) relating to sections 6229(c)(2) and 6501(e). Section 6229(c)(2) provides that if a partnership "omits from gross income an amount properly includible therein which is in excess of 25 percent of the amount of gross income stated" in its return, the minimum period for assessing tax attributable to its partnership items is extended to six years. The quoted language is identical to language used in section 6501(e). An omission from gross income is not further defined in section 6229(c) as it is in section 6501(e)(1)(A). But, as noted by the courts, section

6229(c) merely serves to extend the section 6501 period for each separate partner to a minimum expiration date computed from the date the partnership return is filed or due to be filed, whichever is later. See section 6501(n)(2). In extending each partner's section 6501 period under section 6229, Congress is presumed to give the language in section 6229, which is identical to language in section 6501, identical meaning. Having defined a phrase in section 6501, Congress need not redefine the same phrase when it is later used to extend that same statute of limitations. Ascribing a different interpretation to an identical phrase would result in partners being treated differently based on the happenstance of whether the transaction is reported on a partnership return rather than on a partner's return. For instance, in *Son of Boss* transactions described in Notice 2000-44, 2000-2 CB 255 (Sept. 5, 2000), gross income can be generated by the partnership when it sells an inflated basis asset, or directly by the partner if the asset is first distributed to the partner before being sold. Thus, section 6501(e)(1)(A) defines an omission from gross income both for purposes of section 6501 under section 6229. The temporary regulations confirm this point. Further, in light of the different interpretations given by courts to the meaning of section 6501(e)(1)(A), the temporary regulations clarify the meaning of this section. See § 601.601(d)(2)(ii)(b).

Section 6501(e)(1)(A) provides that if the taxpayer omits from gross income an amount properly includible therein that is in excess of 25 percent of the amount of gross income stated in the return, the tax may be assessed, or a proceeding in court for the collection of such tax may be begun without assessment, at any time within 6 years after the return was filed. Subsection (i) of this provision provides that, in the case of a trade or business, the term *gross income* means the total of the amounts received or accrued from the sale of goods or services (if such amounts are required to be shown on the return) prior to diminution by the cost of such sales or services.

These temporary regulations clarify that, outside of the trade or business context, gross income for purposes of sections 6501(e)(1)(A) and 6229(c)(2) has the same meaning as gross income as defined in section 61(a). Under section 61(a), gross income includes "gains derived from dealings in property" and the regulations under section 61(a) further explain that gain equals "the excess of the amount

realized over the unrecovered cost or other basis for the property sold or exchanged." Accordingly, outside the context of a trade or business, any basis overstatement that leads to an understatement of gross income under section 61(a) constitutes an omission from gross income for purposes of sections 6501(e)(1)(A) and 6229(c)(2).

Relying on the Supreme Court's opinion in *Colony v. Commissioner*, 357 U.S. 28 (1958), which dealt with an omission from gross income in the context of a trade or business, the United States Court of Appeals for the Ninth Circuit and Federal Circuit recently construed section 6501(e)(1)(A) in cases outside the trade or business context contrary to the interpretation provided in these temporary regulations, holding that an "omission" does not occur by an overstatement of basis. *Bakersfield Energy Partners v. Commissioner*, 568 F.3d 767 (9th Cir. 2009); *Salman Ranch Ltd v. United States*, 573 F.3d 1362 (Fed. Cir. 2009). The Treasury Department and the Internal Revenue Service disagree with these courts that the Supreme Court's reading of the predecessor to section 6501(e) in *Colony* applies to sections 6501(e)(1)(A) and 6229(c)(2). When Congress enacted the 1954 Internal Revenue Code, it was aware of the disagreement among the courts that existed at the time regarding the proper scope of section 275(c) of the 1939 Internal Revenue Code. The changes that Congress enacted as part of the 1954 Internal Revenue Code predated the Supreme Court's opinion in *Colony* and were intended to resolve the matter for the future. Therefore, by amending the Internal Revenue Code, including the addition of a special definition of "gross income" with respect to a trade or business, Congress effectively limited what ultimately became the holding in *Colony*, to cases subject to section 275(c) of the 1939 Internal Revenue Code. Moreover, under section 6501(e)(1)(A) of the 1954 Internal Revenue Code, which remains in effect under the 1986 Internal Revenue Code, when outside of the trade or business context, the definition of "gross income" in section 61 applies. In this regard, the Treasury Department and the Internal Revenue Service agree with the opinions in *Home Concrete & Supply, LLC v. United States*, 599 F.Supp.2d 678, 690 (E.D.N.C. 2008) (overstatement of basis can constitute an omission from gross income for purposes of the six-year period of limitations) and *Brandon Ridge Partners v. United States*, 2007-2 U.S.T.C. (CCH) ¶ 50,573, 100

A.F.T.R.2d (RIA) 5347, 5351–53 (M.D. Fla. 2007) (same).

Consistent with the Ninth Circuit's suggestion in *Bakersfield*, these temporary regulations clarify what constitutes an "omission from gross income" under sections 6501(e)(1)(A) and 6229(c)(2), as amended in connection with the enactment of the 1954 Internal Revenue Code and continuing in effect under the 1986 Internal Revenue Code. The reasonable interpretation of the provisions of sections 6501(e)(1)(A) and 6229(c)(2) provided in these temporary regulations, acknowledged by both the Ninth and Federal Circuits to be ambiguous, is entitled to deference even if the agency's interpretation may run contrary to the opinions in *Bakersfield* and *Salman Ranch*. See *Nat'l Cable & Telecomms. Ass'n v. Brand X Internet Servs.*, 545 U.S. 967, 982–83 (2005); *Swallows Holding, Ltd. v. Commissioner*, 515 F.3d 162, 170 (3rd Cir. 2008). Because these temporary regulations are a clarification of the period of limitations provided in sections 6501(e)(1)(A) and 6229(c)(2) and are consistent with the Secretary's application of those provisions both with respect to a trade or business (that is, gross income means gross receipts), as well as outside of the trade or business context (that is, section 61 definition of gross income applies), they are applicable to all cases with respect to which the period for assessing tax under the applicable provisions has not expired before the date of filing of these regulations with the **Federal Register**.

Although these temporary regulations do not provide guidance on this issue, section 6501(e)(1)(A)(ii) additionally provides that the amount omitted from gross income does not include any amount disclosed on the return, or in a statement attached to the return, in a manner adequate to apprise the Internal Revenue Service of the nature and amount of the item. This adequate disclosure exception to the six-year statute of limitations applies to omissions from gross income resulting from basis overstatements (as provided for in these temporary regulations) in the same manner as it applies to other omissions from gross income. Accordingly, taxpayers who adequately disclose the nature and amount of the omissions from gross income resulting from dealings in property will not be subject to the extended six-year statute of limitations.

Special Analyses

It has been determined that these temporary regulations are not a significant regulatory action as defined

in Executive Order 12866. Therefore, a regulatory assessment is not required. It also has been determined that section 553(b) of the Administrative Procedure Act (5 U.S.C. chapter 5) does not apply to these regulations. For the applicability of the Regulatory Flexibility Act (5 U.S.C. chapter 6) refer to the Special Analyses section of the preamble of the cross-reference notice of proposed rulemaking published in the Proposed Rules section in this issue of the **Federal Register**. Pursuant to section 7805(f) of the Internal Revenue Code, these regulations have been submitted to the Chief Counsel for Advocacy of the Small Business Administration for comment on their impact on small business.

Drafting Information

The principal author of these regulations is William A. Heard III of the Office of the Associate Chief Counsel (Procedure and Administration).

List of Subjects in 26 CFR Part 301

Employment taxes, Estate taxes, Excise taxes, Gift taxes, Income taxes, Penalties, Reporting and recordkeeping requirements.

Amendments to the Regulations

■ Accordingly, 26 CFR part 301 is amended as follows:

PART 301—PROCEDURE AND ADMINISTRATION

■ **Paragraph 1.** The authority citation for part 301 is amended by adding the entry in numerical order to read in part as follows:

Authority: 26 U.S.C. 7805 * * *
Section 301.6229(c)(2)–1T is also issued under 26 U.S.C. § 6230(k). * * *

■ **Par. 2.** Section 301.6229(c)(2)–1T is added to read as follows:

§ 301.6229(c)(2)–1T Substantial omission of income (temporary).

(a) *Partnership return*—(1) *General rule.* (i) If any partnership omits from the gross income stated in its return an amount properly includible therein that is in excess of 25 percent of the amount of gross income stated in its return, subsection (a) of section 6229 shall be applied by substituting "6 years" for "3 years."

(ii) For purposes of paragraph (a)(1)(i) of this section, the term *gross income*, as it relates to a trade or business, means the total of the amounts received or accrued from the sale of goods or services, to the extent required to be shown on the return, without reduction for the cost of those goods or services.

(iii) For purposes of paragraph (a)(1)(i) of this section, the term *gross income*, as it relates to any income other than from the sale of goods or services in a trade or business, has the same meaning as provided under section 61(a), and includes the total of the amounts received or accrued, to the extent required to be shown on the return. In the case of amounts received or accrued that relate to the disposition of property, and except as provided in paragraph (a)(1)(ii) of this section, gross income means the excess of the amount realized from the disposition of the property over the unrecovered cost or other basis of the property. Consequently, except as provided in paragraph (a)(1)(ii) of this section, an understated amount of gross income resulting from an overstatement of unrecovered cost or other basis constitutes an omission from gross income for purposes of section 6229(c)(2).

(iv) An amount shall not be considered as omitted from gross income if information sufficient to apprise the Commissioner of the nature and amount of the item is disclosed in the return, including any schedule or statement attached to the return.

(2) [Reserved]
(b) *Effective/applicability date.* The rules of this section apply to taxable years with respect to which the applicable period for assessing tax did not expire before September 24, 2009.

(c) *Expiration date.* The applicability of this section expires on or before September 24, 2012.

§ 301.6501(e)–1 [Removed].

■ **Par. 3.** Section 301.6501(e)–1 is removed.

■ **Par. 4.** Section 301.6501(e)–1T is added to read as follows:

§ 301.6501(e)–1T Omission from return (temporary).

(a) *Income taxes*—(1) *General rule.* (i) If the taxpayer omits from the gross income stated in the return of a tax imposed by subtitle A of the Internal Revenue Code an amount properly includible therein that is in excess of 25 percent of the gross income so stated, the tax may be assessed, or a proceeding in court for the collection of that tax may be begun without assessment, at any time within 6 years after the return was filed.

(ii) For purposes of paragraph (a)(1)(i) of this section, the term *gross income*, as it relates to a trade or business, means the total of the amounts received or accrued from the sale of goods or services, to the extent required to be shown on the return, without reduction for the cost of those goods or services.

(iii) For purposes of paragraph (a)(1)(i) of this section, the term *gross income*, as it relates to any income other than from the sale of goods or services in a trade or business, has the same meaning as provided under section 61(a), and includes the total of the amounts received or accrued, to the extent required to be shown on the return. In the case of amounts received or accrued that relate to the disposition of property, and except as provided in paragraph (a)(1)(ii) of this section, *gross income* means the excess of the amount realized from the disposition of the property over the unrecovered cost or other basis of the property. Consequently, except as provided in paragraph (a)(1)(ii) of this section, an understated amount of gross income resulting from an overstatement of unrecovered cost or other basis constitutes an omission from gross income for purposes of section 6501(e)(1)(A).

(iv) An amount shall not be considered as omitted from gross income if information sufficient to apprise the Commissioner of the nature and amount of the item is disclosed in the return, including any schedule or statement attached to the return.

(2) [Reserved]

(b) *Effective/applicability date.* The rules of this section apply to taxable years with respect to which the applicable period for assessing tax did not expire before September 24, 2009.

(c) *Expiration date.* The applicability of this section expires on or before September 24, 2012.

Linda E. Stiff,
Deputy Commissioner for Services and Enforcement.

Approved: September 23, 2009.

Michael Mundaca,
Acting Assistant Secretary of the Treasury
(Tax Policy).

[FR Doc. E9-23426 Filed 9-24-09; 4:15 pm]

BILLING CODE 4830-01-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2009-0202]

RIN 1625-AA09

Drawbridge Operation Regulations; Raritan River, Arthur Kill and Their Tributaries, Staten Island, NY and Elizabeth, NJ

AGENCY: Coast Guard, DHS.

ACTION: Final rule.

SUMMARY: The Coast Guard changed the drawbridge operating regulations governing the operation of the Arthur Kill (AK) Railroad Bridge at mile 11.6, across Arthur Kill and the New Jersey Transit (NJTRO) Railroad Bridge at mile 0.5, across the Raritan River. This final rule is expected to better meet the present needs of navigation and enhanced needs of rail traffic resulting from the resumption of rail traffic across the Arthur Kill (AK) Bridge.

DATES: This rule is effective October 28, 2009.

ADDRESSES: Comments and related materials received from the public, as well as documents mentioned in this preamble as being available in the docket, are part of docket (USCG-2009-0202) and are available online by going to <http://www.regulations.gov>, inserting USCG-2009-0202 in the "Keyword" box, and then clicking "Search." This material is also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC, 20590-0001, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or e-mail Mr. Gary Kassof, Project Officer, First Coast Guard District, telephone 212-668-7165, e-mail gary.kassof@uscg.mil. If you have any questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION:

Regulatory Information

On June 24, 2009, we published an interim rule entitled "Drawbridge Operation Regulations"; Raritan River, Arthur Kill and their tributaries, Staten Island and Elizabeth, New Jersey, in the *Federal Register* (74 FR 29941). We received no comments on the interim rule. No public meeting was requested, and none was held.

Background and Purpose

The Arthur Kill (AK) Railroad Bridge at mile 11.6, across Arthur Kill, has a vertical clearance of 31 feet at mean-high water, and 35 feet at mean low water in the closed position. The New Jersey Transit (NJTRO) Railroad Bridge at mile 0.5, across the Raritan River, has a vertical clearance of 8 feet at mean high water and 13 feet at mean low water in the closed position.

The previous drawbridge operating regulations listed at 33 CFR 117.747,

required the draws of all bridges across the Raritan River, Arthur Kill and their tributaries to open on signal at all times; except that, from 7:30 a.m. to 10 a.m. and from 5 p.m. to 7:30 p.m., the draws may be opened for the passage of vessels for periods no longer than ten minutes or remain closed for the passage of land traffic for no longer than ten minutes.

The New Jersey Transit Railroad Bridge at mile 0.5, across the Raritan River and the Arthur Kill (AK) Railroad Bridge at mile 11.6, across Arthur Kill were the only drawbridges operating under this regulation.

Rail traffic was suspended for many years on the rail line that crosses the Arthur Kill (AK) Bridge. During the time rail traffic was suspended across Arthur Kill the Arthur Kill (AK) Railroad Bridge was locked in the full open position.

Several years ago the Arthur Kill (AK) Railroad Bridge was mechanically and structurally rehabilitated as part of New York City Economic Development Corporation's Full Freight Access Initiative, and restored to good operating condition in 2007 enabling restoration of rail freight service across the Arthur Kill (AK) Railroad Bridge to the Staten Island Landfill facility and the New York Container Terminal, formerly known as the Howland Hook Terminal. Rail traffic began crossing the re-opened bridge in June of 2007.

After a short period of time, it became apparent, that the then existing drawbridge operation regulations, would no longer effectively meet the present complex needs of navigation and the revitalized volume of rail traffic that would be crossing the Arthur Kill (AK) Railroad Bridge.

The bridge owner, New York City Economic Development Corporation (NYCEDC), requested a change to the drawbridge operation regulations to help facilitate the resumption of rail traffic crossing the Arthur Kill (AK) Railroad Bridge.

As a result of the above described transition in the needs of commerce, the Coast Guard conducted an evaluation, comprised of three temporary test deviations and an interim rule, with public comment periods, to help determine the best drawbridge operation regulations to meet the present and future needs of marine and rail transportation.

Each test deviation modified the previous test as a result of their observed effectiveness and comments received from the public.

After evaluating the results of our third temporary deviation the Coast Guard concluded that the operating procedure tested in the third deviation

was the most reasonable and effective drawbridge operation regulation which best addressed the present and future needs of navigation and rail traffic.

We then implemented an interim rule with request for comment, in order to allow the operating procedures tested by our third deviation to become effective the day after that third deviation ended.

Discussion of Comments and Changes

The Coast Guard received no comment letters in response to the interim rule. As a result, no changes have been made to this final rule.

Regulatory Analysis

We developed this rule after considering numerous statutes and executive orders related to rulemaking. Below we summarize our analysis based on 13 of these statutes or executive orders.

Regulatory Planning and Review

This rule is not a "significant regulatory action" under section 3(f) of Executive Order 12866, Regulatory Planning and Review, and does not require an assessment of potential costs and benefits under section 6(a)(3), of that Order. The Office of Management and Budget has not reviewed it under that Order.

This conclusion is based on the fact that this final rule is not a significant regulatory action. This conclusion is based upon the fact that vessel and rail traffic will both be able to transit over and through the Arthur Kill (AK) Railroad Bridge under a balanced and reasonable schedule.

Small Entities

Under the Regulatory Flexibility Act (5 U.S.C. 601-612), we considered whether this rule would have a significant economic impact on a substantial number of small entities. The term "small entities" comprises small businesses, not-for-profit organizations that are independently owned and operated and are not dominant in their fields, and governmental jurisdictions with populations less than 50,000.

The Coast Guard certifies under 5 U.S.C. 605(b), that this rule will not have a significant economic impact on a substantial number of small entities.

This conclusion is based on the fact that the commercial marine traffic and rail traffic will both be able to transit over and through the Arthur (AK) Railroad Bridge under a balanced and reasonable schedule.

Assistance for Small Entities

Under section 213(a) of the Small Business Regulatory Enforcement

Fairness Act of 1996 (Pub. L. 104-121), in the NPRM we offered to assist small entities in understanding the rule so that they could better evaluate its effects on them and participate in the rulemaking process.

No small entities requested Coast Guard assistance and none was given.

Small businesses may send comments on the actions of Federal employees who enforce, or otherwise determine compliance with, Federal regulations to the Small Business and Agriculture Regulatory Enforcement Ombudsman and the Regional Small Business Regulatory Fairness Boards. The Ombudsman evaluates these actions annually and rates each agency's responsiveness to small business. If you wish to comment on actions by employees of the Coast Guard, call 1-888-REG-FAIR (1-888-734-3247). The Coast Guard will not retaliate against small entities that question or complain about this rule or any policy or action of the Coast Guard.

Collection of Information

This rule calls for no new collection of information under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501-3520).

Federalism

A rule has implications for federalism under Executive Order 13132, Federalism, if it has a substantial direct effect on State or local governments and would either preempt State law or impose a substantial direct cost of compliance on them. We have analyzed this rule under that Order and have determined that it does not have implications for federalism.

Unfunded Mandates Reform Act

The Unfunded Mandates Reform Act of 1995 (2 U.S.C. 1531-1538) requires Federal agencies to assess the effects of their discretionary regulatory actions. In particular, the Act addresses actions that may result in the expenditure by a State, local, or tribal government, in the aggregate, or by the private sector of \$100,000,000 or more in any one year. Though this rule will not result in such an expenditure, we do discuss the effects of this rule elsewhere in this preamble.

Taking of Private Property

This rule will not affect a taking of private property or otherwise have taking implications under Executive Order 12630, Governmental Actions and Interference with Constitutionally Protected Property Rights.

Civil Justice Reform

This rule meets applicable standards in sections 3(a) and 3(b)(2) of Executive Order 12988, Civil Justice Reform, to minimize litigation, eliminate ambiguity, and reduce burden.

Protection of Children

We have analyzed this rule under Executive Order 13045, Protection of Children from Environmental Health Risks and Safety Risks. This rule is not an economically significant rule and does not concern an environmental risk to health or risk to safety that may disproportionately affect children.

Indian Tribal Governments

This final rule does not have tribal implications under Executive Order 13175, Consultation and Coordination with Indian Tribal Governments, because it does not have substantial direct effect on one or more Indian tribes, on the relationship between the Federal Government and Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes.

Energy Effects

We have analyzed this rule under Executive Order 13211, Actions Concerning Regulations That Significantly Affect Energy Supply, Distribution, or Use. We have determined that it is not a "significant energy action" under that order because it is not a "significant regulatory action" under Executive Order 12866 and is not likely to have a significant adverse effect on the supply, distribution, or use of energy. The Administrator of the Office of Information and Regulatory Affairs has not designated it as a significant energy action. Therefore, it does not require a Statement of Energy Effects under Executive Order 13211.

Technical Standards

The National Technology Transfer and Advancement Act (NTTAA) (15 U.S.C. 272 note) directs agencies to use voluntary consensus standards in their regulatory activities unless the agency provides Congress, through the Office of Management and Budget, with an explanation of why using these standards would be inconsistent with applicable law or otherwise impractical. Voluntary consensus standards are technical standards (e.g., specifications of materials, performance, design, or operation; test methods; sampling procedures; and related management systems practices) that are developed or adopted by voluntary consensus standards bodies.

This rule does not use technical standards. Therefore, we did not consider the use of voluntary consensus standards.

Environment

We have analyzed this rule under Department of Homeland Security Management Directive 023-01 and Commandant Instruction M16475.1D, which guides the Coast Guard in complying with the National Environmental Policy Act of 1969 (NEPA) (42 U.S.C. 4321-4370f), and have concluded that this action is one of a category of actions which does not individually or cumulatively have a significant effect on the human environment. This rule is categorically excluded, under figure 2-1, paragraph (32)(e), of the Instruction.

Under figure 2-1, paragraph (32)(e), of the Instruction, an environmental analysis checklist and a categorical exclusion determination are not required for this rule.

List of Subjects in 33 CFR Part 117

Bridges.

■ For the reasons discussed in the preamble, the Coast Guard amends 33 CFR part 117 as follows:

PART 117—DRAWBRIDGE OPERATION REGULATIONS

■ 1. The authority citation for part 117 continues to read as follows:

Authority: 33 U.S.C. 499; 33 CFR 1.05-1(g); Department of Homeland Security Delegation No. 0170.1.

■ 2. Add a new § 117.702 to read as follows:

§ 117.702 Arthur Kill

(a) The draw of the Arthur Kill (AK) Railroad Bridge shall be maintained in the full open position for navigation at all times, except during periods when it is closed for the passage of rail traffic.

(b) The bridge owner/operator shall maintain a dedicated telephone hot line for vessel operators to call the bridge in advance to coordinate anticipated bridge closures. The telephone hot line number shall be posted on signs at the bridge clearly visible from both the up and downstream sides of the bridge.

(c) Tide restrained deep draft vessels shall notify the bridge operator, daily, of their expected times of vessel transits through the bridge, by calling the designated telephone hot line.

(d) The bridge shall not be closed for the passage of rail traffic during any predicted high tide period if a tide restrained deep draft vessel has provided the bridge operator with an advance notice of their intent to transit

through the bridge. For the purposes of this regulation, the predicted high tide period shall be considered to be from two-hours before each predicted high tide to a half-hour after each predicted high tide taken at the Battery, New York.

(e) The bridge operator shall issue a manual broadcast notice to mariners of the intent to close the bridge for a period of up to thirty minutes for the passage of rail traffic, on VHF-FM channels 13 and 16 (minimum range of 15 miles) 90-minutes before and again at 75-minutes before each bridge closure.

(f) Beginning at 60 minutes prior to each bridge closure, automated or manual broadcast notice to mariners must be repeated at 15 minute intervals and again at 10 and 5 minutes prior to each bridge closure and once again as the bridge begins to close and appropriate sound signal given.

(g) Two fifteen minute bridge closures may be provided each day for the passage of multiple rail traffic movements across the bridge. Each fifteen minute bridge closure shall be separated by at least a thirty minute period when the bridge is returned to and remains in the full open position. Notification of the two fifteen minute closures shall follow the same procedures outlined in paragraphs e and f above.

(h) A vessel operator may request up to a 30 minute delay for any bridge closure in order to allow vessel traffic to meet tide or current requirements; however, the request to delay the bridge closure must be made within 30 minutes following the initial broadcast for the bridge closure. Requests received after the initial 30 minute broadcast will not be granted.

(i) In the event of a bridge operational failure, the bridge operator shall immediately notify the Coast Guard Captain of the Port New York. The bridge owner/operator must provide and dispatch a bridge repair crew to be on scene at the bridge no later than 45 minutes after the bridge fails to operate. A repair crew must remain at the bridge at all times until the bridge has been fully restored to normal operations or the bridge must be raised and locked in the fully open position.

■ 3. Section 117.747 is revised to read as follows:

§ 117.747 Raritan River

(a) The draw of New Jersey Transit Rail Operations Railroad Bridge at mile 0.5 shall open on signal; except that, from 6 a.m. to 9:30 a.m. and 4:30 p.m. to 7:30 p.m., Monday through Friday, except holidays, the bridge need not open.

(b) The bridge owner shall provide and keep in good legible condition two clearance gauges with figures not less than 12 inches high designed, installed and maintained according to the provisions of § 118.160 of this chapter.

(c) Trains and locomotives shall be controlled so that any delay in opening the draw span shall not exceed ten minutes. However, if a train moving toward the bridge has crossed the home signal for the bridge before the signal requesting opening of the bridge is given, the train may continue across the bridge and must clear the bridge interlocks before the bridge may be opened.

Dated: September 8, 2009.

Joseph L. Nimmich,

Rear Admiral, U.S. Coast Guard, Commander, First Coast Guard District.

[FR Doc. E9-23278 Filed 9-25-09; 8:45 am]

BILLING CODE 4910 P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2009-0864]

Drawbridge Operation Regulation; Cape Fear River and Northeast Cape Fear River, Wilmington, NC

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander Fifth Coast Guard District has issued a temporary deviation from the regulations governing the operation of the Cape Fear River Memorial Bridge at mile 26.8 and the Isabel S. Holmes Bridge at mile 1.0 across Northeast Cape Fear River at Wilmington NC. The deviation is necessary to accommodate a road race. This deviation allows the bridges to remain in the closed position to vessels.

DATES: This deviation is effective from 8 a.m. to 10 a.m. on October 4, 2009.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG-2009-0864 and are available online by going to <http://www.regulations.gov>, inserting USCG-2009-0864 in the "Keyword" box and then clicking "Search." They are also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., Washington, DC 20590,

between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or e-mail Gary Heyer, Bridge Management Specialist, Fifth Coast Guard District; telephone 757-398-6629, e-mail Gary.S.Heyer@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The Cape Fear River Memorial Bridge at mile 26.8, a vertical-lift type bridge, and the Isabel S. Holmes Bridge at mile 1.0 across Northeast Cape Fear River, a bascule lift bridge, have vertical clearances in the closed positions to vessels of 65 feet and 40 feet above mean high water, respectively.

The North Carolina Department of Transportation has requested a temporary deviation from the current operating regulations of the aforementioned bridges set out in 33 CFR 117.823 and 33 CFR 117.829 (a), respectively, to accommodate the annual Riverfest 8K Run. The deviation would allow the two drawbridges to remain in the closed position to vessels from 8 a.m. to 10 a.m. on Sunday, October 4, 2009.

The Coast Guard will inform the users of the waterways through our Local and Broadcast Notices to Mariners of the closure periods for the bridges so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: September 15, 2009.

Waverly W. Gregory, Jr.,

Chief, Bridge Administration Branch, Fifth Coast Guard District.

[FR Doc. E9-23279 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-15-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2009-0865]

Drawbridge Operation Regulation; Cape Fear River and Northeast Cape Fear River, Wilmington, NC

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander Fifth Coast Guard District has issued a temporary deviation from the regulations governing the operation of the Cape Fear River Memorial Bridge at mile 26.8 and the Isabel S. Holmes Bridge at mile 1.0 across Northeast Cape Fear River at Wilmington NC. The deviation is necessary to accommodate a road race. The deviation allows the bridges to remain in the closed position.

DATES: This deviation is effective from 7 a.m. to 11 a.m. on November 1, 2009.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG-2009-0865 and are available online by going to <http://www.regulations.gov>, inserting USCG-2009-0865 in the "Keyword" box and then clicking "Search." They are also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or e-mail Gary Heyer, Bridge Management Specialist, Fifth Coast Guard District, telephone 757-398-6629, e-mail Gary.S.Heyer@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The Cape Fear River Memorial Bridge at mile 26.8, a vertical-lift type bridge, and the Isabel S. Holmes Bridge at mile 1.0 across Northeast Cape Fear River, a bascule lift bridge, has vertical clearances in the closed positions to vessels of 65 feet and 40 feet above mean high water, respectively.

The North Carolina Department of Transportation has requested a temporary deviation from the current operating regulations of the aforementioned bridges set out in 33 CFR 117.823 and 33 CFR 117.829 (a), respectively, to accommodate the annual Battleship Half Marathon. The deviation would allow the two drawbridges to remain in the closed position to vessels from 7 a.m. to 11 a.m. on Sunday, November 1, 2009.

The Coast Guard will inform the users of the waterways through our Local and Broadcast Notices to Mariners of the closure periods for the bridges so that vessels can arrange their transits to

minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: September 15, 2009.

Waverly W. Gregory, Jr.,

Chief, Bridge Administration Branch, By Direction of the Commander, Fifth Coast Guard District.

[FR Doc. E9-23280 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-15-P

POSTAL REGULATORY COMMISSION

39 CFR Part 3010

[Docket No. RM2009-8; Order No. 303]

Postal Rates

AGENCY: Postal Regulatory Commission.

ACTION: Final rule.

SUMMARY: The Commission has approved a rounding convention used in the statutory price cap calculation for purposes of establishing rates for certain postal products. This change will facilitate small rate adjustments and promote consistency with the treatment of unused rate adjustment rounding.

DATES: Effective October 28, 2009.

FOR FURTHER INFORMATION CONTACT: Stephen L. Sharfman, General Counsel, 202-789-6820 or stephen.sharfman@prc.gov.

SUPPLEMENTARY INFORMATION:

Regulatory History

72 FR 63662 (November 9, 2007).

74 FR 27843 (June 11, 2009).

74 FR 36132 (July 22, 2009).

This order adopts the amendments proposed to the inflation-based price cap calculation as set forth in Order No. 246.¹ The amendments allow the Commission to calculate the price cap using three decimal places, as opposed to one decimal place. *Id.* at 2-3.

Order No. 246 explains that previously data limitations only allowed for the use of one decimal place. *Id.* at 2. Order No. 246 also sets forth the developments that make three decimal places more appropriate, including small rate adjustments proposed by the Postal Service, which require a greater degree of precision from the cap; the availability of data that allows the cap

¹ PRC Order No. 246, Notice of Proposed Rulemaking to Amend the Cap Calculation in the System of Ratemaking, July 10, 2009 (Order No. 246).

to be calculated to three decimal places; and consistency with the Postal Service's unused rate adjustment authority (bank), which is calculated to three decimal places. *Id.* at 2–3.

The Commission amends the last sentence in 39 CFR 3010.21(a) and 3010.22(b) to read, "The result is expressed as a percentage, rounded to three decimal places." The amendment also corrects an inadvertent error in the current heading for part 3010 from "Regulation of Rules for Market Dominant Products" to "Regulation of Rates for Market Dominant Products". *Id.* at 3.

Only two comments were submitted in response to Order No. 246. The Postal Service and the Public Representative both filed comments in support of the proposed change.²

It is ordered:

1. The Commission adopts the referenced amendments as final rules revising the price cap calculation in 39 CFR part 3010 and the part heading for 39 CFR part 3010. The part heading and sections affected by these revisions are set forth in their entirety, following the Secretary's signature, to provide context and clarity.

2. These rules shall take effect 30 days after publication in the **Federal Register**.

3. The Secretary shall arrange for publication of this order in the **Federal Register**.

List of Subjects in 39 CFR Part 3010

Administrative practice and procedure; Postal Service.

Dated: September 22, 2009.

By the Commission.

Shoshana M. Grove,
Secretary.

■ For the reasons discussed in the preamble, the Commission amends chapter III of title 39 of the Code of Federal Regulations as follows:

PART 3010—REGULATION OF RATES FOR MARKET DOMINANT PRODUCTS

■ 1. The authority citation for 39 CFR part 3010 continues to read as follows:

Authority: 39 U.S.C. 503; 3622.

■ 2. Revise the part heading of part 3010 to read as set forth above.

■ 3. Revise § 3010.21 to read as follows:

§ 3010.21 Calculation of annual limitation.

(a) The calculation of an annual limitation involves three steps. First, a simple average CPI-U index is

calculated by summing the most recently available 12 monthly CPI-U values from the date the Postal Service files its notice of rate adjustment and dividing the sum by 12 (Recent Average). Then, a second simple average CPI-U index is similarly calculated by summing the 12 monthly CPI-U values immediately preceding the Recent Average and dividing the sum by 12 (Base Average). Finally, the annual limitation is calculated by dividing the Recent Average by the Base Average and subtracting 1 from the quotient. The result is expressed as a percentage, rounded to three decimal places.

(b) The formula for calculating an annual limitation is as follows: Annual Limitation = (Recent Average/Base Average) - 1.

■ 4. Revise § 3010.22 to read as follows:

§ 3010.22 Calculation of less than annual limitation.

(a) If a notice of rate adjustment is filed less than 1 year after the last Type 1-A or Type 1-B notice of rate adjustment applicable to an affected class of mail, then the annual limitation will recognize the rate increases that have occurred during the preceding 12 months. When the effects of those increases are removed, the remaining partial year limitation is the applicable restriction on rate increases.

(b) The applicable partial year limitation is calculated in two steps. First, a simple average CPI-U index is calculated by summing the 12 most recently available monthly CPI-U values from the date the Postal Service files its notice of rate adjustment and dividing the sum by 12 (Recent Average). The partial year limitation is then calculated by dividing the Recent Average by the Recent Average from the most recent previous notice of rate adjustment (Previous Recent Average) applicable to each affected class of mail and subtracting 1 from the quotient. The result is expressed as a percentage, rounded to three decimal places.

(c) The formula for calculating the partial year limitation for a notice of rate adjustment filed less than 1 year after the last notice is as follows: Partial Year Limitation = (Recent Average/Previous Recent Average) - 1.

[FR Doc. E9-23321 Filed 9-25-09; 8:45 am]

BILLING CODE 7710-FW-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 49

[EPA-R01-OAR-2009-0305; A-1-FRL-8949-8]

Approval and Promulgation of Air Quality Implementation Plans; Mohegan Tribe of Indians of Connecticut

AGENCY: Environmental Protection Agency (EPA).

ACTION: Direct final rule.

SUMMARY: EPA is approving a Tribal Implementation Plan ("TIP") submitted by the Mohegan Tribe of Indians of Connecticut ("the Tribe"). This revision adds new emission units to the Tribe's TIP, while maintaining an enforceable cap on nitrogen oxide emissions from stationary sources owned by the Mohegan Tribal Gaming Authority and located within the external boundaries of the Mohegan Reservation. The revision also provides the Administrator of The Mohegan Environmental Protection Department with enforcement authority for violations of the Mohegan TIP and establishes a right of appeal to the Director of Regulation and Compliance and the Mohegan courts. This action is intended to help attain the National Ambient Air Quality Standards (NAAQS) for ground-level ozone. This action is being taken in accordance with the Clean Air Act. **DATES:** This direct final rule will be effective November 27, 2009, unless EPA receives adverse comments by October 28, 2009. If adverse comments are received, EPA will publish a timely withdrawal of the direct final rule in the **Federal Register** informing the public that the rule will not take effect.

ADDRESSES: Submit your comments, identified by Docket ID Number EPA-R01-OAR-2009-0305 by one of the following methods:

1. www.regulations.gov: Follow the on-line instructions for submitting comments.

2. *E-mail:* mcdonnell.ida@epa.gov.

3. *Fax:* (617) 918-0653.

4. *Mail:* "Docket Identification Number EPA-R01-OAR-2009-0305," Ida McDonnell, U.S. Environmental Protection Agency, EPA New England Regional Office, One Congress Street, Suite 1100 (mail code CAP), Boston, MA 02114-2023.

5. *Hand Delivery or Courier:* Deliver your comments to: Ida McDonnell, Air Permits, Toxics and Indoor Air Unit, Office of Ecosystem Protection, U.S. Environmental Protection Agency, EPA New England Regional Office, One

²Initial Comments of the United States Postal Service, July 30, 2009; Public Representative Comments, August 21, 2009.

Congress Street, 11th floor, (CAP), Boston, MA 02114-2023. Such deliveries are only accepted during the Regional Office's normal hours of operation. The Regional Office's official hours of business are Monday through Friday, 8:30 to 4:30, excluding legal holidays.

Instructions: Direct your comments to Docket ID No. EPA-R01-OAR-2009-0305. EPA's policy is that all comments received will be included in the public docket without change and may be made available online at www.regulations.gov, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit through www.regulations.gov, or e-mail, information that you consider to be CBI or otherwise protected. The www.regulations.gov website is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through www.regulations.gov, your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses.

Docket: All documents in the electronic docket are listed in the www.regulations.gov index. Although listed in the index, some information is not publicly available, i.e., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the Internet and will be publicly available only in hard copy form. Publicly available docket materials are available either electronically through www.regulations.gov or in hard copy at the Office of Ecosystem Protection, U.S. Environmental Protection Agency, EPA New England Regional Office, One Congress Street, Suite 1100, Boston, MA. EPA requests that if at all possible, you contact the contact listed in the **FOR**

FURTHER INFORMATION CONTACT section to schedule your inspection. The Regional Office's official hours of business are Monday through Friday, 8:30 to 4:30, excluding legal holidays.

In addition, copies of the Tribe's submittal and EPA's technical support document are also available for public inspection during normal business hours, by appointment at the Mohegan Tribe, Mohegan Environmental Protection Department, 49 Sandy Desert Road, Uncasville, CT 06382, telephone number (860) 862-6112.

FOR FURTHER INFORMATION CONTACT: Ida E. McDonnell, Air Permits, Toxics and Indoor Air Unit, Office of Ecosystem Protection, U.S. Environmental Protection Agency, EPA New England Regional Office, One Congress Street, 11th floor, (CAP), Boston, MA 02114-2023, telephone number (617) 918-1653, fax number (617) 918-0653, e-mail mcdonnell.ida@epa.gov.

SUPPLEMENTARY INFORMATION:

Throughout this document, whenever "we," "us," or "our" is used, it means U.S. EPA, Region 1.

Organization of this document. The following outline is provided to aid in locating information in this preamble.

- I. Background and Purpose
- II. Final Action
- III. Statutory and Executive Order Reviews

I. Background and Purpose: The Mohegan Tribe of Indians of Connecticut ("the Tribe") submitted a Tribal Implementation Plan ("Mohegan TIP") consisting of a tribal ordinance, entitled "Area Wide NO_x Emissions Limitation Regulation," establishing a limit on nitrogen oxide ("NO_x") emissions from stationary sources owned by the Mohegan Tribal Gaming Authority and located within the external boundaries of the Mohegan Reservation. The TIP was submitted by the Tribe on May 4, 2005 and amended on August 22, 2007. EPA granted approval of the Mohegan TIP in a rulemaking published on November 14, 2007 (72 FR 63988).

Stationary sources owned by the Mohegan Tribal Gaming Authority have the potential to emit ¹ NO_x in major source amounts, but have actual emissions that are below the major source thresholds. The Mohegan TIP is a mechanism by which the emission limit for stationary sources owned by the Mohegan Tribal Gaming Authority located within the exterior boundaries of the Mohegan Reservation is enforceable as a practical matter. The

¹ Potential to emit means the maximum capacity of a stationary source to emit any air pollutant under its physical and operational design.

Mohegan TIP is the equivalent of a permit that keeps the sources in "synthetic minor" status and ensures that the source is legally prohibited from operating as a major source. In other words, even though units owned by the Mohegan Tribal Gaming Authority have the potential to emit NO_x in major source amounts, they will be considered minor sources and will avoid triggering CAA major source requirements because the units collectively will be subject to an enforceable emissions limitation.

On April 17, 2009, the Tribe submitted a formal revision to the Mohegan TIP ("Revision"). The Revision includes a monthly NO_x emissions limitation for new emission units, namely uncontrolled diesel generators and controlled diesel generators. The Revision also removes the classification for emergency diesel generators, as these emission units constitute uncontrolled diesel generators. The Revision contains monitoring, recordkeeping, reporting, and testing requirements for the new emission units, as needed to assure compliance with the synthetic minor limit. The inclusion of these units does not result in any increase in potential emissions at the facility because the Area Wide Limitation for NO_x Emissions remains at 49 tons per year for each twelve-month rolling year.

The Revision also vests the Administrator of The Mohegan Environmental Protection Department with enforcement authority for violations of the Mohegan TIP. Specifically, the Revision provides the Administrator with the authority to assess civil penalties of up to \$25,000 per violation per day, as well as to issue cease and desist orders, for violations of the Mohegan TIP. The Mohegan Gaming Disputes Court formerly had the authority to perform these functions. Under the Revision, any entity or individual whose legal rights are affected by any decision of the Administrator regarding the enforcement of the Mohegan TIP may appeal the decision to the Director of Regulation and Compliance, and may subsequently appeal any decision of the Director of Regulation and Compliance to the Mohegan Tribal Court or Mohegan Gaming Disputes Court ("Mohegan Courts"), as appropriate.

II. Final Action: EPA is approving the Mohegan Tribal Implementation Plan Revision, submitted by the Mohegan Tribe of Indians of Connecticut on April 17, 2009. The Revision incorporates new emission units with associated monitoring, recordkeeping and reporting provisions for the facility

owned by the Mohegan Tribal Gaming Authority. The Revision also vests the Administrator of The Mohegan Environmental Protection Department with enforcement authority for violations of the Mohegan TIP and establishes a right of appeal to the Director of Regulation and Compliance and the Mohegan Courts.

The EPA is publishing this action without prior proposal because the Agency views this as a noncontroversial amendment and anticipates no adverse comments. However, in the Proposed Rules section of this **Federal Register** publication, EPA is publishing a separate document that will serve as the proposal to approve the Mohegan TIP revision should relevant adverse comments be filed. This rule will be effective November 27, 2009 without further notice unless the Agency receives relevant adverse comments by *October 28, 2009*.

If the EPA receives such comments, then EPA will publish a notice withdrawing the final rule and informing the public that the rule will not take effect. All public comments received will then be addressed in a subsequent final rule based on the proposed rule. The EPA will not institute a second comment period on the proposed rule. All parties interested in commenting on the proposed rule should do so at this time. If no such comments are received, the public is advised that this rule will be effective on November 27, 2009 and no further action will be taken on the proposed rule. Please note that if EPA receives adverse comment on an amendment, paragraph, or section of this rule and if that provision may be severed from the remainder of the rule, EPA may adopt as final those provisions of the rule that are not the subject of an adverse comment.

III. *Statutory and Executive Order Reviews*: Under the Clean Air Act, the Administrator is required to approve a TIP submission that complies with the provisions of the Act and applicable Federal regulations. 42 U.S.C. 7410(k); 40 CFR 52.02(a). Thus, in reviewing TIP submissions, EPA's role is to approve tribal choices, provided that they meet the criteria of the Clean Air Act. Accordingly, this action merely approves tribal law as meeting Federal requirements and does not impose additional requirements beyond those imposed by tribal law. For that reason, this action:

- Is not a "significant regulatory action" subject to review by the Office of Management and Budget under Executive Order 12866 (58 FR 51735, October 4, 1993);

- Does not impose an information collection burden under the provisions of the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*);

- Is certified as not having a significant economic impact on a substantial number of small entities under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*);

- Does not contain any unfunded mandate or significantly or uniquely affect small governments, as described in the Unfunded Mandates Reform Act of 1995 (Pub. L. 104-4);

- Does not have Federalism implications as specified in Executive Order 13132 (64 FR 43255, August 10, 1999);

- Is not an economically significant regulatory action based on health or safety risks subject to Executive Order 13045 (62 FR 19885, April 23, 1997);

- Is not a significant regulatory action subject to Executive Order 13211 (66 FR 28355, May 22, 2001);

- Is not subject to requirements of Section 12(d) of the National Technology Transfer and Advancement Act of 1995 (15 U.S.C. 272 note) because application of those requirements would be inconsistent with the Clean Air Act; and

- Does not provide EPA with the discretionary authority to address, as appropriate, disproportionate human health or environmental effects, using practicable and legally permissible methods, under Executive Order 12898 (59 FR 7629, February 16, 1994). Since this rule simply approves pre-existing tribal law, it does not result in any direct costs or preemption of tribal law as specified by Executive Order 13175 (65 FR 67249, November 9, 2000). Nonetheless, EPA has consulted extensively with the Mohegan Tribe concerning this proposed TIP revision. The Congressional Review Act, 5 U.S.C. 801 *et seq.*, as added by the Small Business Regulatory Enforcement Fairness Act of 1996, generally provides that before a rule may take effect, the agency promulgating the rule must submit a rule report, which includes a copy of the rule, to each House of the Congress and to the Comptroller General of the United States. EPA will submit a report containing this action and other required information to the U.S. Senate, the U.S. House of Representatives, and the Comptroller General of the United States prior to publication of the rule in the **Federal Register**. A major rule cannot take effect until 60 days after it is published in the **Federal Register**. This action is not a "major rule" as defined by 5 U.S.C. 804(2).

Under section 307(b)(1) of the Clean Air Act, petitions for judicial review of this action must be filed in the United States Court of Appeals for the appropriate circuit by *November 27, 2009*. Filing a petition for reconsideration by the Administrator of this final rule does not affect the finality of this action for the purposes of judicial review nor does it extend the time within which a petition for judicial review may be filed, and shall not postpone the effectiveness of such rule or action. Parties with objections to this direct final rule are encouraged to file a comment in response to the parallel notice of proposed rulemaking for this action published in the proposed rules section of today's **Federal Register**, rather than file an immediate petition for judicial review of this direct final rule, so that EPA can withdraw this direct final rule and address the comment in the proposed rulemaking. This action may not be challenged later in proceedings to enforce its requirements. (See section 307(b)(2).)

this action must be filed in the United States Court of Appeals for the appropriate circuit by *November 27, 2009*. Filing a petition for reconsideration by the Administrator of this final rule does not affect the finality of this action for the purposes of judicial review nor does it extend the time within which a petition for judicial review may be filed, and shall not postpone the effectiveness of such rule or action. Parties with objections to this direct final rule are encouraged to file a comment in response to the parallel notice of proposed rulemaking for this action published in the proposed rules section of today's **Federal Register**, rather than file an immediate petition for judicial review of this direct final rule, so that EPA can withdraw this direct final rule and address the comment in the proposed rulemaking. This action may not be challenged later in proceedings to enforce its requirements. (See section 307(b)(2).)

List of Subjects in 40 CFR Part 49

Environmental protection, Administrative practice and procedure, Air pollution control, Incorporation by reference, Indians, Intergovernmental relations, Reporting and recordkeeping requirements.

Dated: August 13, 2009.

Ira Leighton,

Acting Regional Administrator, EPA New England.

■ Part 49 of chapter I, title 40 of the Code of Federal Regulations is amended as follows:

PART 49—[AMENDED]

■ 1. The authority citation for part 49 continues to read as follows:

Authority: 42 U.S.C. 7401 *et seq.*

Subpart D—[Amended]

■ 2. Section 49.201 is amended by revising paragraph (b) and (c) to read as follows:

§ 49.201 Identification of plan.

* * * * *

(b) *Incorporation by reference.* (1) Material listed in paragraph (c) of this section was approved for incorporation by reference by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Material is incorporated as it exists on the date of the approval, and notice of any change in the material will be published in the **Federal Register**. Entries in paragraph (c) of this section with EPA approval dates after August 13, 2009, will be incorporated by

reference in the next update to the TIP compilation.

(2) EPA Region 1 certifies that the rules/regulations provided by EPA in the TIP compilation at the addresses in paragraph (b)(3) of this section are an exact duplicate of the officially promulgated tribal rules/regulations which have been approved as part of the Tribal Implementation Plan as of August 13, 2009.

(3) Copies of the materials incorporated by reference may be

inspected at the New England Regional Office of EPA at One Congress Street, Suite 1100, Boston, MA 02114-2023; the U.S. Environmental Protection Agency, EPA Docket Center (EPA/DC), Air and Radiation Docket and Information Center, MC 2822T, 1200 Pennsylvania Avenue, NW., Washington, DC 20460 and the National Archives and Records Administration. If you wish to obtain material from the EPA Regional Office, please call 617-

918-1653; for materials from the docket in EPA Headquarters Library, please call the Office of Air and Radiation docket at 202-566-1742. For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

(c) EPA-approved regulations.

EPA-APPROVED MOHEGAN TRIBE OF INDIANS OF CONNECTICUT REGULATIONS

Tribal citation	Title/subject	Tribal effective date	EPA approval date	Explanations
Mohegan Tribal Resolution. 2009-28	Approval of Amended Tribal Air Program Area Wide NO _x Emission Limitation Regulation.	02/18/2009	09/29/09 [Insert Federal Register page number where the document begins].	Mohegan Tribal Resolution 2009-28 includes the "Area Wide NO _x Emission Limitation Regulation."
Mohegan Tribal Gaming Authority Resolution MTGA 2009-07.	Confirmation and Approval of Amended Tribal Air Program "Area Wide NO _x Emission Limitation Regulation."	2/18/2009	09/29/09 [Insert Federal Register page number where the document begins].	
Memorandum of Agreement.	Memorandum of Agreement dated December 26, 2006, between the Mohegan Tribe of Indians of Connecticut and the U.S. Environmental Protection Agency Region I.	12/26/06	11/14/07, 72 FR 63988..	

[FR Doc. E9-23259 Filed 9-25-09; 8:45 am]

BILLING CODE 6560-50-P

DEPARTMENT OF THE INTERIOR

Bureau of Land Management

43 CFR Parts 3000 and 3200

[L13100000 PP0000 LLWO310000; L1990000 PO0000 LLWO320000]

RIN 1004-AE01

Minerals Management: Adjustment of Cost Recovery Fees

AGENCY: Bureau of Land Management, Interior.

ACTION: Final rule.

SUMMARY: This final rule amends the Bureau of Land Management (BLM) mineral resources regulations to update some fees that cover the BLM's cost of processing certain documents relating to its mineral programs and some filing fees for mineral-related documents. These updates include fees for actions such as lease applications, name changes, corporate mergers, and lease consolidations.

DATES: This final rule is effective October 1, 2009.

ADDRESSES: You may send inquiries or suggestions to Director (630), Bureau of Land Management, MS-LS 401, 1849 C Street, NW., Washington, DC 20240; Attention: RIN 1004-AE01.

FOR FURTHER INFORMATION CONTACT: Steve Salzman, Acting Chief, Division of Fluid Minerals, (202) 452-7777, or Faith Bremner, Regulatory Affairs Analyst, (202) 452-5042. Persons who use a telecommunications device for the deaf (TDD) may leave a message for these individuals with the Federal Information Relay Service (FIRS) at 1-800-877-8339, 24 hours a day, 7 days a week.

SUPPLEMENTARY INFORMATION:

I. Background

The BLM has specific authority to charge fees for processing applications and other documents relating to public lands under Section 304 of the Federal Land Policy and Management Act of 1976 (FLPMA), 43 U.S.C. 1734. In 2005, the BLM published a final cost recovery rule (70 FR 58854) establishing or revising certain fees and service charges, and establishing the method it would use to adjust those fees and service charges on an annual basis.

At 43 CFR 3000.12(a), the regulations provide that the BLM will annually

adjust fees established in Subchapter C according to changes in the Implicit Price Deflator for Gross-Domestic Product (IPD-GDP), which is published quarterly by the U.S. Department of Commerce. See also 43 CFR 3000.10. Because the fee recalculations are simply based on a mathematical formula, we have changed the fees in this final rule without providing opportunity for notice and comment. This final rule will allow the BLM to update these fees and service charges by October 1 of this year, as required by the 2005 regulation. The public had an opportunity to comment on this procedure during the comment period on the original cost recovery rule, and this new rule simply administers the procedure set forth in those regulations. The Department of the Interior, therefore, for good cause finds under 5 U.S.C. 553(b)(B) and (d)(3) that notice and public comment procedures are unnecessary and that the rule may be effective less than 30 days after publication.

II. Discussion of Final Rule

BLM publishes a fee update rule each year, which becomes effective on October 1 of that year. The fee updates are based on the IPD-GDP for the 4th

Quarter of the preceding calendar year. BLM's most recent fee update rule became effective on October 1, 2008, 73 FR 54717 (Sept. 23, 2008), based on the IPD-GDP for 4th Quarter 2007. This fee update rule is based on the IPD-GDP for 4th Quarter 2008, thus reflecting inflation over the four calendar quarters since 4th Quarter 2007.

This rule continues the BLM's past practice of rounding numbers to arrive at the final fee. Values equal to or

greater than \$1 are rounded to the nearest \$5, while values under \$1 are rounded to the nearest penny.

In the 2007 fee update rule, 72 FR 50882, Sept. 5, 2007, we attempted to move all references to fee amounts in specific program areas from the rule text to the fee table at 43 CFR 3000.12 for administrative convenience. While preparing this rule, we found that one reference to a specific fee amount remained at 43 CFR 3216.14, in an

example relating to fees for transfer of geothermal lease interests. In this final rule, we have revised the language of that provision to remove reference to a specific fee amount. This revision is for administrative convenience and has no substantive effect.

The calculations that resulted in the new fees are included in the table below.

FIXED COST RECOVERY FEES FY09

Document/action	Existing fee ¹	Existing value ²	IPD-GDP increase ³	New value ⁴	New fee ⁵
Oil & Gas (parts 3100, 3110, 3120, 3130, 3150):					
Noncompetitive lease application	\$365	\$367.08	\$7.60	\$374.68	\$375
Competitive lease application	140	142.45	2.95	145.40	145
Assignment and transfer of record title or operating rights	80	82.18	1.70	83.88	85
Overriding royalty transfer, payment out of production	10	10.95	0.23	11.18	10
Name change, corporate merger or transfer to heir/devisee	190	191.75	3.97	195.72	195
Lease consolidation	405	405.43	8.39	413.82	415
Lease renewal or exchange	365	367.08	7.60	374.68	375
Lease reinstatement, Class I	70	71.22	1.47	72.69	75
Leasing under right-of-way	365	367.08	7.60	374.68	375
Geophysical exploration permit application—Alaska	25	25 ⁶
Renewal of exploration permit—Alaska	25	25 ⁷
Geothermal (part 3200):					
Noncompetitive lease application	365	367.08	7.60	374.68	375
Competitive lease application	140	142.45	2.95	145.40	145
Assignment and transfer of record title or operating right	80	82.18	1.70	83.88	85
Name change, corporate merger or transfer to heir/devisee	190	191.75	3.97	195.72	195
Lease consolidation	405	405.43	8.39	413.82	415
Lease reinstatement	70	71.22	1.47	72.69	75
Nomination of lands	105	102.57	2.12	104.69	105
plus per acre nomination fee	0.10	0.10257	0.00212	0.10469	0.10
Site license application	55	54.79	1.13	55.92	55
Assignment or transfer of site license	55	54.79	1.13	55.92	55
Coal (parts 3400, 3470):					
License to mine application	10	10.95	0.23	11.18	10
Exploration license application	300	301.33	6.24	307.57	310
Lease or lease interest transfer	60	60.27	1.25	61.52	60
Leasing of Solid Minerals Other Than Coal and Oil Shale (parts 3500, 3580):					
Applications other than those listed below	35	32.87	0.68	33.55	35
Prospecting permit application amendment	60	60.27	1.25	61.52	60
Extension of prospecting permit	100	98.62	2.04	100.66	100
Lease modification or fringe acreage lease	25	27.40	0.57	27.97	30
Lease renewal	470	471.18	9.75	480.93	480
Assignment, sublease, or transfer of operating rights	25	27.40	0.57	27.97	30
Transfer of overriding royalty	25	27.40	0.57	27.97	30
Use permit	25	27.40	0.57	27.97	30
Shasta and Trinity hardrock mineral lease	25	27.40	0.57	27.97	30
Renewal of existing sand and gravel lease in Nevada	25	27.40	0.57	27.97	30
Multiple Use; Mining (Group 3700):					
Notice of protest of placer mining operations	10	10.95	0.23	11.18	10
Mining Law Administration (parts 3800, 3810, 3830, 3850, 3860, 3870):					
Application to open lands to location	10	10.95	0.23	11.18	10
Notice of Location	15	16.43	0.34	16.77	15
Amendment of location	10	10.95	0.23	11.18	10
Transfer of mining claim/site	10	10.95	0.23	11.18	10
Recording an annual FLPMA filing	10	10.95	0.23	11.18	10
Deferment of assessment work	100	98.62	2.04	100.66	100
Recording a notice of intent to locate mining claims on Stockraising Homestead Act lands	25	27.40	0.57	27.97	30
Mineral patent adjudication (more than 10 claims)	2,760	2,761.31	57.16	2,818.47	2,820
(10 or fewer claims)	1,380	1,380.65	28.58	1,409.23	1,410
Adverse claim	100	98.62	2.04	100.66	100

FIXED COST RECOVERY FEES FY09—Continued

Document/action	Existing fee ¹	Existing value ²	IPD-GDP increase ³	New value ⁴	New fee ⁵
Protest	60	60.27	1.25	61.52	60

¹ The Existing Fee was established by the 2008 cost recovery fee update rule published September 23, 2008 (73 FR 54717), effective October 1, 2008.

² The Existing Value is the figure from the "New Value" column in the rule published September 23, 2008 (73 FR 54717).

³ From 4th Quarter 2007 to 4th Quarter 2008 the IPD-GDP increased by 2.07%. The value in the IPD-GDP Increase column is 2.07% of the Existing Fee.

⁴ The sum of the Existing Value and IPD-GDP Increase is the New Value.

⁵ The New Fee for 2010 is the New Value rounded to the nearest 5.00 for values equal to or greater than 1.00, or to the nearest penny for values under 1.00.

⁶ Section 365 of the Energy Policy Act of 2005 (Pub. L. 109-58) directed in subsection (i) that "the Secretary shall not implement a rulemaking that would enable an increase in fees to recover additional costs related to processing drilling-related permit applications and use authorizations." In the 2005 cost recovery rule, the BLM interpreted this prohibition to apply to geophysical exploration permits. 70 FR 58854-58855. While the \$25 fees for geophysical exploration permit applications for Alaska and renewals of exploration permits for Alaska pre-dated the 2005 cost recovery rule and were not affected by the Energy Policy Act prohibition, we interpret the provision quoted as prohibiting us from increasing this \$25 fee.

⁷ We interpret the Energy Policy Act prohibition discussed in footnote 6, above, as prohibiting us from increasing this \$25 fee, as well.

Source for Implicit Price Deflator for Gross Domestic Product data: U.S. Department of Commerce, Bureau of Economic Analysis.

III. How Fees Are Adjusted

The figures in the "New Value" column in the table above, not those in the "New Fee" column, will be used in the following year as the basis for calculating the annual adjustment to these fees. Because the new values are rounded to the nearest \$5.00, or the nearest penny for fees under \$1.00, in setting the new fees, future fees based on the figures in the "New Fee" column would become significantly over- or under-valued over time. In today's rule, the figures in the Existing Value column are from the New Value column in the final rule of September 23, 2008. However, if the "New Value" column is blank because the fee was not updated in this rule, future adjustments will be based on the figures in the "New Fee" column. Adjustments to future fees will be made by multiplying the annual change in the IPD-GDP by the reported New Value in the previous year's rule. This calculation will define a new value for that year, which will then be rounded to the nearest \$5.00, or the nearest penny for fees under \$1.00, to establish the new adjusted fee.

IV. Procedural Matters

Regulatory Planning and Review (Executive Order 12866)

This document is not a significant rule and the Office of Management and Budget has not reviewed this rule under Executive Order 12866. We have made the assessments required by E.O. 12866 and the results are given below.

The BLM has determined that the rule will not have an annual effect on the economy of \$100 million or more. It will not adversely affect in a material way the economy, a sector of the economy, productivity, competition, jobs, the environment, public health or safety, or State, local, or Tribal governments or

communities. The changes in today's rule are much smaller than those in the 2005 or 2007 final rules, which did not approach the threshold in E.O. 12866. For instructions on how to view a copy of the analysis prepared in conjunction with the 2005 final rule, please contact one of the persons listed in the **FOR FURTHER INFORMATION CONTACT** section, above.

This rule will not create inconsistencies or otherwise interfere with an action taken or planned by another agency. This rule does not change the relationships of the onshore minerals programs with other agencies' actions. These relationships are included in agreements and memoranda of understanding that would not change with this rule.

In addition, this final rule does not materially affect the budgetary impact of entitlements, grants, or loan programs, or the rights and obligations of their recipients. This rule does apply an inflation factor that increases some existing user fees for processing documents associated with the onshore minerals programs. However, most of these fee increases are less than 3 percent and none of the increases materially affects the budgetary impact of user fees.

Finally, this rule will not raise novel legal issues. As explained above, this rule simply implements an annual process to account for inflation that was proposed and explained in the 2005 cost recovery rule.

The Regulatory Flexibility Act

This final rule will not have a significant economic effect on a substantial number of small entities as defined under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*). A Regulatory Flexibility Analysis is not required. Accordingly, a Small Entity Compliance

Guide is not required. For the purposes of this section, a small entity is defined by the Small Business Administration (SBA) for mining (broadly inclusive of metal mining, coal mining, oil and gas extraction, and the mining and quarrying of nonmetallic minerals) as an individual, limited partnership, or small company considered to be at arm's length from the control of any parent companies, with fewer than 500 employees. The SBA defines a small entity differently, however, for leasing Federal land for coal mining. A coal lessee is a small entity if it employs not more than 250 people, including people working for its affiliates.

The SBA would consider many, if not most, of the operators the BLM works with in the onshore minerals programs to be small entities. The BLM notes that this final rule does not affect service industries, for which the SBA has a different definition of "small entity."

The final rule will affect a large number of small entities since nearly all of them will face fee increases for activities on public lands. However, we have concluded that the effects will not be significant. Most of the fixed fee increases will be less than 3 percent as a result of this final rule. The adjustments result in no increase in the fee for the processing of 20 documents relating to the BLM's minerals programs. The highest adjustment is for mineral patent adjudications involving more than 10 mining claims, which will be increased by \$60.00. For the 2005 final rule, the BLM completed a threshold analysis which is available for public review in the administrative record for that rule. (For instructions on how to view a copy of that analysis, please contact one of the persons listed in the **FOR FURTHER INFORMATION CONTACT** section, above.) The analysis for the 2005 rule concluded that the fees

would not have a significant economic effect on a substantial number of small entities. The fee increases implemented in today's rule are substantially smaller than those provided for in the 2005 rule.

The Small Business Regulatory Enforcement Fairness Act

This final rule is not a "major rule" as defined at 5 U.S.C. 804(2). The final rule will not have an annual effect on the economy greater than \$100 million; it will not result in major cost or price increases for consumers, industries, government agencies, or regions; and it will not have significant adverse effects on competition, employment, investment, productivity, innovation, or the ability of U.S.-based enterprises to compete with foreign-based enterprises. For the 2005 final rule, which established the fee adjustment procedure that this rule implements, the BLM completed a threshold analysis, which is available for public review in the administrative record for that rule. The fee increases implemented in today's rule are substantially smaller than those provided for in the 2005 rule.

Executive Order 13132, Federalism

This final rule will not have a substantial direct effect on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government. In accordance with Executive Order 13132, therefore, we find that the final rule does not have significant Federalism effects. A Federalism assessment is not required.

The Paperwork Reduction Act of 1995

These regulations contain information collection requirements. As required by the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*), we submitted a copy of the proposed information collection requirements to the Office of Management and Budget (OMB) for review. The OMB approved the information collection requirements under the following Control Numbers:

Oil and Gas

- (1) 1004-0034 which expires July 31, 2012;
- (2) 1004-0137 which expires July 31, 2010;
- (3) 1004-0162 which expires May 31, 2012;
- (4) 1004-0185 which expired July 31, 2009, renewal pending;

Geothermal

- (5) 1004-0132 which expires July 31, 2010;

Coal

- (6) 1004-0073 which expires March 31, 2010;

Mining Claims

- (7) 1004-0025 which expires November 30, 2009;
- (8) 1004-0114 which expires February 28, 2010; and

Leasing of Solid Minerals Other Than Oil Shale

- (9) 1004-0121 which expires November 30, 2009.

Takings Implication Assessment (Executive Order 12630)

As required by Executive Order 12630, the Department of the Interior has determined that this rule will not cause a taking of private property. No private property rights will be affected by a rule that merely reports changes in service fees. The Department therefore certifies that this final rule does not represent a governmental action capable of interference with constitutionally protected property rights.

Civil Justice Reform (Executive Order 12988)

In accordance with Executive Order 12988, the BLM finds that this final rule will not unduly burden the judicial system and meets the requirements of sections 3(a) and 3(b)(2) of the Executive Order.

The National Environmental Policy Act (NEPA)

The BLM has determined that this final rule is administrative and involves only procedural changes addressing fee requirements. In promulgating this rule, the government is conducting routine and continuing government business of an administrative nature having limited context and intensity. Therefore, it is categorically excluded from environmental review under section 102(2)(C) of NEPA, pursuant to 516 DM 2.3A and 516 DM 2, Appendix 1, Items 1.7 and 1.10. In addition, the final rule does not meet any of the 10 criteria for exceptions to categorical exclusions listed in 516 DM 2, Appendix 2.

Pursuant to Council on Environmental Quality regulation (40 CFR 1508.4 *et seq.*) and the environmental policies and procedures of the Department of the Interior, the term "categorical exclusions" means categories of actions which do not individually or cumulatively have a significant effect on the human environment and which have been determined to have no such effect in procedures adopted by a Federal agency, and therefore require neither an

environmental assessment nor an environmental impact statement.

The Unfunded Mandates Reform Act of 1995

The BLM has determined that this final rule is not significant under the Unfunded Mandates Reform Act of 1995, 2 U.S.C. 1501 *et seq.*, because it will not result in State, local, private sector, or Tribal government expenditures of \$100 million or more in any one year. 2 U.S.C. 1532. This rule will not significantly or uniquely affect small governments. Therefore, the BLM is not required to prepare a statement containing the information required by the Unfunded Mandates Reform Act.

Consultation and Coordination With Indian Tribal Governments (Executive Order 13175)

In accordance with Executive Order 13175, the BLM has determined that this final rule does not include policies that have Tribal implications. A key factor is whether the rule would have substantial direct effects on one or more Indian Tribes. The BLM has not found any substantial direct effects. Consequently, the BLM did not utilize the consultation process set forth in section 5 of the Executive Order.

Information Quality Act

In developing this rule, we did not conduct or use a study, experiment, or survey requiring peer review under the Information Quality Act (Pub. L. 106-554).

Effects on the Nation's Energy Supply (Executive Order 13211)

In accordance with Executive Order 13211, the BLM has determined that this final rule is not likely to have a significant adverse effect on the supply, distribution, or use of energy. The distribution of or use of energy would not be unduly affected by this final rule. It merely adjusts certain administrative cost recovery fees to account for inflation.

Author

The principal author of this rule is Steve Salzman, Division of Fluid Minerals, assisted by Faith Bremner of the Division of Regulatory Affairs, Bureau of Land Management.

List of Subjects in 43 CFR Parts 3000 and 3200

Public lands—mineral resources, Reporting and recordkeeping requirements.

Ned Farquhar,

Acting Assistant Secretary—Land and Minerals Management.

■ For reasons stated in the preamble, the Bureau of Land Management amends 43 CFR Chapter II as follows:

PART 3000—MINERALS MANAGEMENT: GENERAL

■ 1. The authority citation for part 3000 continues to read as follows:

Authority: 16 U.S.C. 3101 *et seq.*; 30 U.S.C. 181 *et seq.*, 301–306, 351–359, and 601 *et seq.*; 31 U.S.C. 9701; 40 U.S.C. 471 *et seq.*; 42 U.S.C. 6508; 43 U.S.C. 1701 *et seq.*; and Pub. L. 97–35, 95 Stat. 357.

Subpart 3000—General

■ 2. Amend § 3000.12 by revising paragraph (a) and the table following paragraph (b) to read as follows:

§ 3000.12 What is the fee schedule for fixed fees?

(a) The table in this section shows the fixed fees that you must pay to BLM for the services listed for Fiscal Year 2010. These fees are nonrefundable and must

be included with documents you file under this chapter. Fees will be adjusted annually according to the change in the Implicit Price Deflator for Gross Domestic Product (IPD–GDP) by way of publication of a final rule in the Federal Register, and will subsequently be posted on the BLM Web site (<http://www.blm.gov>) before October 1 each year. Revised fees are effective each year on October 1.

* * * * *

FY 2010 PROCESSING AND FILING FEE TABLE

Document/action	FY 2010 fee
Oil & Gas (parts 3100, 3110, 3120, 3130, 3150):	
Noncompetitive lease application	\$375
Competitive lease application	145
Assignment and transfer of record title or operating rights	85
Overriding royalty transfer, payment out of production	10
Name change, corporate merger or transfer to heir/devisee	195
Lease consolidation	415
Lease renewal or exchange	375
Lease reinstatement, Class I	75
Leasing under right-of-way	375
Geophysical exploration permit application—Alaska	25
Renewal of exploration permit—Alaska	25
Geothermal (part 3200):	
Noncompetitive lease application	375
Competitive lease application	145
Assignment and transfer of record title or operating rights	85
Name change, corporate merger or transfer to heir/devisee	195
Lease consolidation	415
Lease reinstatement	75
Nomination of lands	105
plus per acre nomination fee	0.10
Site license application	55
Assignment or transfer of site license	55
Coal (parts 3400, 3470):	
License to mine application	10
Exploration license application	310
Lease or lease interest transfer	60
Leasing of Solid Minerals Other Than Coal and Oil Shale (parts 3500, 3580):	
Applications other than those listed below	35
Prospecting permit application amendment	60
Extension of prospecting permit	100
Lease modification or fringe acreage lease	30
Lease renewal	480
Assignment, sublease, or transfer of operating rights	30
Transfer of overriding royalty	30
Use permit	30
Shasta and Trinity hardrock mineral lease	30
Renewal of existing sand and gravel lease in Nevada	30
Multiple Use; Mining (part 3730):	
Notice of protest of placer mining operations	10
Mining Law Administration (parts 3800, 3810, 3830, 3850, 3860, 3870):	
Application to open lands to location	10
Notice of location *	15
Amendment of location	10
Transfer of mining claim/site	10
Recording an annual FLPMA filing	10
Deferment of assessment work	100
Recording a notice of intent to locate mining claims on Stockraising Homestead Act lands	30
Mineral patent adjudication	2,820 (more than 10 claims), 1,410 (10 or fewer claims).
Adverse claim	100

FY 2010 PROCESSING AND FILING FEE TABLE—Continued

Document/action	FY 2010 fee
Protest	60

* To record a mining claim or site location, you must pay this processing fee along with the initial maintenance fee and the one-time location fee required by statute. 43 CFR part 3833

PART 3200—GEOTHERMAL RESOURCE LEASING

■ 3. The authority citation for part 3200 continues to read as follows:

Authority: 30 U.S.C. 1001–1028; 43 U.S.C. 1701 *et seq.*; and Pub. L. 109–58.

Subpart 3216—Transfers

■ 4. Amend § 3216.14 by revising the third sentence of the first paragraph to read as follows:

§ 3216.14 What filing fees and forms does a transfer require?

* * * For example, if you are transferring record-title for three leases, submit three times the fee for “Assignment and transfer of record title or operating rights” in the fee schedule in § 3000.12 of this chapter. * * *

[FR Doc. E9–23268 Filed 9–25–09; 8:45 am]

BILLING CODE 4310–84–P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 27

[WT Docket No. 03–66; FCC 09–70]

Facilitating the Provision of Fixed and Mobile Broadband Access, Educational and Other Advanced Services in the 2150–2162 and 2500–2690 MHz Bands

AGENCY: Federal Communications Commission.

ACTION: Final rule.

SUMMARY: In this document, the Commission addresses two issues with respect to two petitions for reconsideration filed in response to the *Fourth Memorandum Opinion and Order*. First, the Commission changes its policy regarding the “start date” of Educational Broadband Service (EBS) excess capacity lease agreements. Second, the Commission amends its rules to permit BRS 1 and 2/2A licensees to simultaneously operate, post-transition, in the 2.1 GHz band and in the 2.5 GHz band. The Commission makes these changes to facilitate the provision of the broadband and other new and innovative wireless services in the 2.5 GHz band, to ensure that the

spectrum is put in use, and to promote rapid service to the public.

DATES: Effective October 28, 2009.

ADDRESSES: Federal Communications Commission, 445 12th Street, SW., Washington, DC 20554.

FOR FURTHER INFORMATION CONTACT: Nancy M. Zaczek, Wireless Telecommunications Bureau, Broadband Division, Federal Communications Commission, 445 12th Street, SW., Washington, DC 20554, at (202) 418–0274 or via the Internet to Nancy.Zaczek@fcc.gov.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission’s *Fifth Memorandum Opinion and Order*, FCC 09–70, adopted on September 8, 2009 and released on September 11, 2009. The full text of this document, including attachments and related documents is available for public inspection and copying during normal business hours in the FCC Reference Information Center, Room CY–A257, 445 12th Street, SW., Washington, DC 20554. The complete text of these documents and related Commission documents may be purchased from the Commission’s duplicating contractor, Best Copy and Printing, Inc. (BCPI), Portals II, 445 12th Street, SW., Room CY–B402, Washington, DC 20554, (202) 488–5300 or (800) 378–3160, contact BCPI at its Web site: <http://www.bcpiweb.com>. When ordering documents from BCPI, please provide the appropriate FCC document number, for example, FCC 09–70. The complete text of these documents is also available on the Commission’s Web site at http://wireless.fcc.gov/edocs_public/attachment/FCC-09-70A1doc. This full text may also be downloaded at: <http://wireless.fcc.gov/releases.html>. Alternative formats (computer diskette, large print, audio cassette, and Braille) are available by contacting Brian Millin at (202) 418–7426, TTY (202) 418–7365, or via e-mail to bmillin@fcc.gov.

Summary

I. Introduction

1. In this *Fifth Memorandum Opinion and Order*, the Commission grants, in part, two petitions for reconsideration of the Broadband Radio Service (BRS)/Educational Broadband Service (EBS) *Fourth Memorandum Opinion and*

Order adopted on March 18, 2008 and released on March 20, 2008, 73 FR 26032 (May 8, 2008).

2. The first issue we address on reconsideration concerns how the Commission should implement the 15-year term limit for grandfathered EBS leases (*i.e.* leases entered into before January 10, 2005) that it established in the *BRS/EBS Fourth MO&O*. The item adopts an unopposed compromise proposal negotiated between the National EBS Association (NEBSA)—which represents educational interests that hold EBS licenses—and the Wireless Communications Association International, Inc. (WCA)—which represents commercial operators that lease spectrum from EBS licensees. Our adoption of the NEBSA/WCA Proposal balances the concerns of both educators and commercial lessees.

3. The second issue we address on reconsideration concerns whether the Commission should permit BRS 1 and 2/2A licensees to simultaneously operate, *post-transition*, in the 2.1 GHz band and in the 2.5 GHz band until all of their customers have migrated to the 2.5 GHz band. This determination is consistent with the Commission’s decision in the *BRS/EBS Fourth Memorandum Opinion and Order* to permit such simultaneous operation *pre-transition* in order to avoid requiring BRS operators to flash cut subscribers to the new band plan.

II. Issues on Reconsideration

A. Grandfathered EBS Leases

4. *Background.* The Commission established the Instructional Television Fixed Service (ITFS) in the 2500–2690 MHz band in 1963 and later adopted rules for the Multipoint Distribution Service (MDS). ITFS was generally used for one-way video service for students. MDS was generally used to provide wireless cable service to subscribers. In 1983, noting that the ITFS was being underutilized, the Commission permitted ITFS licensees to lease excess channel capacity to commercial MDS operators. In 2004, the Commission renamed ITFS as the Educational Broadband Service (EBS) and MDS as the Broadband Radio Service (BRS).

5. The Commission’s policy regarding the length of EBS leases has evolved

since it first permitted ITFS (now EBS) licensees to lease excess capacity in 1983. Originally, the Commission's policy prohibited an ITFS licensee from executing a lease agreement with commercial operators that extended beyond the 10-year ITFS license term because such provisions were viewed as inconsistent with the terms of the license. In 1995, however, the Commission changed its policy to permit an ITFS licensee to enter into a 10-year lease agreement without regard to the duration of the licensee's license term, but required the lease to note that such an extension was contingent on the renewal of the license. In 1998, in the *Two-Way Order*, the Commission again changed its policy and permitted an ITFS licensee, as of the effective date of that order, which was January 25, 1999, to enter into a 15-year lease agreement, but continued to require that, to the extent the lease extended beyond the current license term, the lease specify that such an extension be subject to the renewal of the underlying license. The Commission also grandfathered existing ITFS excess capacity leases entered into before March 31, 1997. In 2000, in the *Two-Way Order on Further Reconsideration*, the Commission further grandfathered ITFS excess capacity leases entered into before March 31, 1997 that contained an automatic renewal clause that would be effective after March 31, 1997, provided that the total term of the lease did not exceed 15 years.

6. In 2004, in the *BRS/EBS R&O*, the Commission adopted a number of revisions to ITFS and MDS, and renamed ITFS as the Educational Broadband Service (EBS) and MDS as the Broadband Radio Service (BRS). Of particular relevance here, the Commission applied the spectrum leasing rules established in the Secondary Markets proceeding to EBS (formerly ITFS) excess capacity leases for new leases entered into after the effective date of that order (which was January 10, 2005), while grandfathering existing leases under the previous ITFS rules, which limited such leases to a term of no more than fifteen years. In 2006, in the *BRS/EBS Third MO&O*, the Commission modified the application of the spectrum leasing rules and policies of the Secondary Markets proceeding to EBS leases, while reaffirming that excess capacity leases entered into before January 10, 2005 were grandfathered under the previous ITFS leasing framework.

7. In the *BRS/EBS Fourth MO&O* adopted in March 2008, the Commission provided additional clarification regarding grandfathered leases, holding

that they "are grandfathered after January 10, 2005 if they have an automatic renewal clause effective after January 10, 2005, only to the extent that such leases do not exceed 15 years in total length (including the automatic renewal period(s))." The Commission stated that leases executed before January 10, 2005 are limited to a term of 15 years "from the date of execution."

8. On June 9, 2008, WCA and Gateway Access Solutions, Inc. asked the Commission to reconsider its decision in the *BRS/EBS Fourth MO&O* that limited grandfathered excess capacity leases entered into before January 10, 2005 to a term of 15 years, starting from the date of execution. C&W Enterprises, Clarendon Foundation, and a Commercial Coalition comprised of Sprint Nextel Corp., Clearwire Corp., Xanadoo, Inc., NextWave, and WCA support WCA's petition. NEBSA, the ITFS/2.5 GHz Mobile Wireless Engineering & Development Alliance, the Hispanic Information and Telecommunications Network, Inc., and Texas State Technical College—Sweetwater opposed the petitions for reconsideration. Notwithstanding the disagreements between educational licensees and commercial lessees on this issue, both sides expressed a willingness to work out a compromise on this issue. On October 16, 2008, NEBSA and WCA submitted a joint proposal that reflects a compromise agreement between them regarding the maximum permissible lease term for grandfathered leases, which they assert is "fair and reasonable" in addressing their different concerns.

9. We conclude that the public interest would best be served by adopting the NEBSA/WCA Proposal. The NEBSA/WCA Proposal ensures the stability of existing viable relationships between educators and commercial lessees. We therefore adopt the compromise proposal as follows. Every grandfathered lease entered into before January 10, 2005, is limited to a term of 15 years commencing from its start date, which remains the date of execution except under certain circumstances. For earlier leases, *i.e.*, grandfathered excess capacity leases executed before January 25, 1999, the start date is the date on which it was executed unless the existing lease provided for a later start date, and: (1) the lease actually started before March 20, 2008—as demonstrated by documentary evidence (including that the EBS licensee/lessor has been paid on or after the commencement of the lease)—in which case the lease will be deemed to have started on the start date contained in the

lease; or (2) the lease did not start before March 20, 2008, but the parties have agreed in writing to continue with the existing lease, in which case the start date is deemed to be March 20, 2008. For later leases, *i.e.*, grandfathered leases executed on or after January 25, 1999, but before January 10, 2005, the start date is the date on which the lease was executed unless the existing lease provided for a later start date.

10. We find that the NEBSA/WCA Proposal addresses the concerns of the other parties that have taken positions on the term of grandfathered leases. We find that the NEBSA/WCA Proposal appropriately balances the needs of the commercial lessee—to have a significant length of time in which to build out its service—with the needs of the educational licensee/lessor not to be tied indefinitely to lease agreements that have not provided it with educational services or lease revenues. We have granted relief with respect to one-way analog video leases entered into prior to the *Two-Way Order*. Further, with respect to leases involving broadband services, the rule changes we have made in this proceeding have been designed to facilitate the provision of broadband services. We decline to adopt the alternative proposals offered by the parties to this proceeding.

B. Simultaneous Operation on Old and New BRS Channels 1 and 2/2A

11. *Background.* In the *BRS/EBS R&O*, the Commission not only restructured the 2500–2690 MHz band, but also designated the 2495–2500 MHz band for use in connection with the 2500–2690 MHz band. In the *BRS/EBS R&O*, the Commission proceeded to relocate BRS Channels 1 and 2/2A to new channel locations in the 2495–2690 MHz band. Specifically, BRS Channel 1 would be relocated from 2150–2156 MHz (which was redesignated for Advanced Wireless Service (AWS)) to 2496–2502 MHz and Channel 2/2A would be relocated from 2156–2160/62 MHz (also redesignated for AWS) to 2618–2624 MHz. In the *BRS/EBS Third MO&O*, the Commission discussed the relationship between the transition within the 2.5 GHz band and the relocation of the BRS Channels No. 1 and No. 2/2A incumbents currently operating at 2150–2156 MHz and 2156–2160/62 MHz. In that regard, the Commission held that licensees on these channels may operate in either 2150–2156 or 2496–2500 MHz (for BRS Channel 1) or 2156–2160/62 or 2686–2690 MHz band (for BRS Channel 2/2A) pre-transition, but not in both bands. In the *BRS/EBS Fourth MO&O*, the Commission, in response to a petition for reconsideration filed by WCA, found

that BRS Channels 1 and 2/2A licensees may operate simultaneously in their old locations at 2150–2156 MHz and 2156–2160/62 MHz and their temporary, pre-transition locations at 2496–2500 MHz (BRS Channel 1) and 2686–2690 MHz (BRS Channel 2) until every subscriber is relocated to the 2.5 GHz band, at which point the licensees must cease all operations in the 2150–2160/62 MHz band.

12. In the WCA Petition, WCA asks the Commission to confirm that even after a Basic Trading Area has been transitioned, BRS Channels 1 and 2/2A licensees may simultaneously operate in both the 2.1 GHz band and the 2.5 GHz band until all of their subscribers have been successfully migrated to the 2.5 GHz band.

13. We agree with WCA that it is not in the public interest to permit simultaneous operations, pre-transition, but prohibit them post-transition prior to the migration of subscribers. Thus, we conclude that BRS Channels 1 and 2/2A operators may simultaneously operate, post-transition, in their old channel locations at 2150–2156 MHz and 2156–2160/62 MHz and their new channel locations at 2496–2502 MHz or 2618–2624 MHz until such time as all of their subscribers have been migrated to the 2.5 GHz band. Advanced Wireless Service (AWS) licensees must relocate existing BRS operations at 2150–2156 MHz and 2156–2160/62 MHz if necessary in order to commence AWS operations in the band under circumstances specified in the Commission's rules. Since the BRS rules do not explicitly allow simultaneous operation, post-transition, on both the old and new channel locations, we amend §§ 27.5(i)(2)(i) and (iii) of the Commission's rules to add such authorization.

III. Procedural Matters

14. *Paperwork Reduction Analysis.* This document does not contain proposed information collection requirements subject to the Paperwork Reduction Act of 1995, Public Law 104–13. In addition, therefore, it does not contain any proposed information collection burden for small business concerns with fewer than 25 employees," pursuant to the Small Business Paperwork Relief Act of 2002, Public Law 107–198, see 44 U.S.C. 3506(c)(4).

IV. Final Regulatory Flexibility Act Certification of BRS/EBS Fifth MO&O

15. For the reasons described below, we now certify that the policies and rules adopted in the *BRS/EBS Fifth MO&O* will not have a significant

economic impact on a substantial number of small entities. The RFA generally defines the term "small entity" as having the same meaning as the terms "small business," "small organization," and "small governmental jurisdiction." In addition, the term "small business" has the same meaning as the term "small business concern" under the Small Business Act. A "small business concern" is one which: (1) Is independently owned and operated; (2) is not dominant in its field of operation; and (3) satisfies any additional criteria established by the U.S. Small Business Administration (SBA).

16. In this *BRS/EBS Fifth MO&O*, the Commission permits BRS Channels 1 and 2/2A licensees to simultaneously operate in their old channel locations at 2150–2160/62 MHz and their new channel locations at 2496–2502 MHz or 2618–2624 MHz, post-transition, until all of their subscribers have been migrated to the 2.5 GHz band. In the *BRS/EBS Fourth MO&O*, the Commission permitted BRS Channels 1 and 2/2A operators to simultaneously operate in their old channel locations and their temporary channel locations at 2496–2500 MHz or 2686–2690 MHz, pre-transition.

17. We find that our actions will not affect a substantial number of small entities because it affects only BRS Channels 1 and 2/2A operators that are actually operating and that will migrate subscribers post-transition to the 2.5 GHz band. Furthermore, our actions provide such entities with additional flexibility to operate simultaneously in their old and new channel positions while transitioning their systems to the new band plan. Therefore, we certify that the requirements of the *BRS/EBS Fifth MO&O* will not have a significant economic impact on a substantial number of small entities.

V. Report to Congress

18. The Commission will send a copy of this *Fifth Memorandum Opinion and Order*, including a copy of this Final Regulatory Flexibility Certification, in a report to be sent to Congress and the Government Accountability Office pursuant to the Small Business Regulatory Enforcement Fairness Act of 1996, see 5 U.S.C. 801(a)(1)(A).

VI. Ordering Clauses

19. Accordingly, it is ordered, that pursuant to section 4(i) and 405 of the Communications Act of 1934, 47 U.S.C. 154(i), 405, and § 1.429 of the Commission's rules, 47 CFR 1.429, the Petitions for Reconsideration filed by the Wireless Communications Association International, Inc. and

Gateway Access Solutions, Inc. on June 9, 2008, are granted in part and are otherwise denied.

20. It is further ordered, pursuant to section 4(i) of the Communications Act of 1934, 47 U.S.C. 154(i), and § 1.44(e) of the Commission's rules, 47 CFR 1.44(e), that the Petition for Stay of Wireless Communications Association International, Inc. filed on June 9, 2008, is dismissed as moot.

21. It is further ordered, pursuant to section 4(i) of the Communications Act of 1934, 47 U.S.C. 154(i), that the Commission's Consumer and Governmental Affairs Bureau, Reference Information Center, shall send a copy of this *Fifth Memorandum Opinion and Order*, including the Final Regulatory Certification, to the Chief Counsel for Advocacy of the Small Business Administration.

List of Subjects in 47 CFR Part 27

Communications common carriers, Communications equipment, Equal employment opportunity, Radio, Reporting and recordkeeping requirements, Satellites, Securities, Telecommunications.

Federal Communications Commission.

Marlene H. Dortch,
Secretary.

Final Rules

■ For the reasons discussed in the preamble, the Federal Communications Commission amends 47 CFR part 27 as follows:

PART 27—MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES

■ 1. The authority citation for part 27 continues to read as follows:

Authority: 47 U.S.C. 154, 301, 302, 303, 307, 309, 332, 336, and 337 unless otherwise noted.

■ 2. Amend § 27.5 by revising paragraphs (i)(2)(i) and (i)(2)(iii) to read as follows:

§ 27.5 Frequencies.

* * * * *
(i) * * *
(2) * * *

(i) Lower Band Segment (LBS): The following channels shall constitute the Lower Band Segment:

BRS Channel 1: 2496–2502 MHz or 2150–2156 MHz
EBS Channel A1: 2502–2507.5 MHz
EBS Channel A2: 2507.5–2513 MHz
EBS Channel A3: 2513–2518.5 MHz
EBS Channel B1: 2518.5–2524 MHz
EBS Channel B2: 2524–2529.5 MHz
EBS Channel B3: 2529.5–2535 MHz

EBS Channel C1: 2535–2540.5 MHz
 EBS Channel C2: 2540.5–2546 MHz
 EBS Channel C3: 2546–2551.5 MHz
 EBS Channel D1: 2551.5–2557 MHz
 EBS Channel D2: 2557–2562.5 MHz
 EBS Channel D3: 2562.5–2568 MHz
 EBS Channel JA1: 2568.00000–
 2568.33333 MHz
 EBS Channel JA2: 2568.33333–
 2568.66666 MHz
 EBS Channel JA3: 2568.66666–
 2569.00000 MHz
 EBS Channel JB1: 2569.00000–
 2569.33333 MHz
 EBS Channel JB2: 2569.33333–
 2569.66666 MHz
 EBS Channel JB3: 2569.66666–
 2570.00000 MHz
 EBS Channel JC1: 2570.00000–
 2570.33333 MHz
 EBS Channel JC2: 2570.33333–
 2570.66666 MHz
 EBS Channel JC3: 2570.66666–
 2571.00000 MHz
 EBS Channel JD1: 2571.00000–
 2571.33333 MHz
 EBS Channel JD2: 2571.33333–
 2571.66666 MHz
 EBS Channel JD3: 2571.66666–
 2572.00000 MHz
 * * * * *

(iii) Upper Band Segment (UBS): The following channels shall constitute the Upper Band Segment:

BRS Channel KH1: 2614.00000–
 2614.33333 MHz.
 BRS Channel KH2: 2614.33333–
 2614.66666 MHz.
 BRS Channel KH3: 2614.66666–
 2615.00000 MHz.
 EBS Channel KG1: 2615.00000–
 2615.33333 MHz.
 EBS Channel KG2: 2615.33333–
 2615.66666 MHz.
 EBS Channel KG3: 2615.66666–
 2616.00000 MHz.
 BRS Channel KF1: 2616.00000–
 2616.33333 MHz.
 BRS Channel KF2: 2616.33333–
 2616.66666 MHz.
 BRS Channel KF3: 2616.66666–
 2617.00000 MHz.
 BRS Channel KE1: 2617.00000–
 2617.33333 MHz.
 BRS Channel KE2: 2617.33333–
 2617.66666 MHz.
 BRS Channel KE3: 2617.66666–
 2618.00000 MHz.
 BRS Channel 2: 2618–2624 MHz or
 2156–2162 MHz.
 BRS Channel 2A: 2618–2624 MHz or
 2156–2160 MHz.
 BRS/EBS Channel E1: 2624–2629.5
 MHz.
 BRS/EBS Channel E2: 2629.5–2635
 MHz.
 BRS/EBS Channel E3: 2635–2640.5
 MHz.

BRS/EBS Channel F1: 2640.5–2646
 MHz.
 BRS/EBS Channel F2: 2646–2651.5
 MHz.
 BRS/EBS Channel F3: 2651.5–2657
 MHz.
 BRS Channel H1: 2657–2662.5 MHz.
 BRS Channel H2: 2662.5–2668 MHz.
 BRS Channel H3: 2668–2673.5 MHz.
 EBS Channel G1: 2673.5–2679 MHz.
 EBS Channel G2: 2679–2684.5 MHz.
 EBS Channel G3: 2684.5–2690 MHz.
 * * * * *

[FR Doc. E9–23330 Filed 9–25–09; 8:45 am]
 BILLING CODE 6712–01–P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

49 CFR Part 599

[Docket No. NHTSA–2009–0120]

RIN 2127–AK61

Requirements and Procedures for Consumer Assistance To Recycle and Save Program

AGENCY: National Highway Traffic Safety Administration (NHTSA), Department of Transportation (DOT).
ACTION: Final rule.

SUMMARY: This final rule amends the regulation implementing the Consumer Assistance to Recycle and Save (CARS) Program, published on July 29, 2009 in the *Federal Register*, under the CARS Act. The rule adds an exception process for registered dealers who were prevented from submitting an application for reimbursement for a qualifying transaction prior to the announced August 25, 2009 deadline due to problems associated with the CARS electronic transaction system.

DATES: This final rule is effective September 28, 2009. A request for an exception must be postmarked no later than October 13, 2009.

ADDRESSES: A request for exception must be made in writing and mailed by United States mail to the NHTSA Administrator, 1200 New Jersey Ave., SE., Washington, DC 20590.

FOR FURTHER INFORMATION CONTACT: For questions, you may call David Bonelli, NHTSA Office of Chief Counsel, telephone (202) 366–5834.

SUPPLEMENTARY INFORMATION:

Background

This final rule amends the regulation implementing the Consumer Assistance to Recycle and Save (CARS) Program,

published on July 29, 2009 (74 FR 37878), with a previous amendment published on August 5, 2009 (74 FR 38974), under the CARS Act (Pub. L. 111–32). The rule adds an exception process for registered dealers who were unable to submit an application for reimbursement for a qualifying transaction prior to August 25, 2009, 8 pm EDT, NHTSA’s announced deadline for the program. As detailed below, this exception process is available only where the delay is attributable to action or inaction by NHTSA.

Due to the enormous popularity of the CARS program, the available Federal funds were depleted in a short period of time. Based on daily projections of transactions, NHTSA determined that it was necessary to declare an August 24, 2009, 8 pm EDT deadline for completing CARS deals and an August 25, 2009, 8 pm EDT deadline for submitting applications for reimbursement. The agency received an overwhelming number of inquiries to the CARS hotline from dealers and consumers during the course of the program, and especially during the days immediately prior to the announced deadline. From these inquiries, we learned that dealers encountered problems in submitting applications for reimbursement as a result of problems caused by the agency’s transaction system. Because the agency was unable to respond to and resolve some of these problems prior to the application deadline, some dealers who had made qualifying CARS deals and extended credits to consumers in accordance with the provisions of the rule were prevented from completing and submitting applications for reimbursement.

We are aware that some of these difficulties arose because of a feature that automatically locks a dealer out of the CARS transaction system and prevents the dealer from being able to re-enter the system without the agency’s assistance. This occurred, for example, when a dealer inaccurately entered its account password into the system multiple times. Ordinarily, the dealer’s password could be reset through a simple telephone call to the agency for technical assistance. However, due to the volume of transactions and inquiries, some dealers may have been unsuccessful in their attempts to get their passwords reset prior to the deadline.

We are aware also that some dealers were unable to submit an electronic application because of an automatic feature that precluded a submission with a State identification number, a trade-in vehicle’s vehicle identification number (VIN), or a new vehicle’s VIN

that was previously entered into a draft application in the CARS system. This feature was designed to detect multiple transactions with the same persons or vehicles, errors, and attempted fraud. However, the application of this feature also blocks transactions where the draft application with the same State identification number or VIN was entered, but never submitted as part of a completed application. This might occur, for example, where a dealer enters a purchaser's State identification number, trade-in vehicle's VIN, and/or new vehicle's VIN as part of an application, but the deal is never completed between the parties. If the same or another dealer attempts to enter this same purchaser or vehicle information as part of another transaction, the system automatically rejects the application even if the purchaser, the trade-in vehicle, and the new vehicle have never been part of a completed CARS deal.

On most occasions where such problems occurred, a dealer was able to contact NHTSA officials to resolve the issue. However, due to the overwhelming number of transactions and inquiries that occurred as the application deadline approached, the agency was unable to respond to and resolve all dealer inquiries. As a result, some dealers may have been prevented from submitting an application for reimbursement, despite having made a qualifying CARS deal, where the dealer took ownership of the trade-in vehicle and transferred ownership and possession of the new vehicle to the purchaser.

Today's final rule establishes an exception process by which a dealer may apply for reimbursement of a CARS credit if it had made a binding CARS deal prior to the application deadline but was prevented from submitting an application for reimbursement prior to the deadline due to a hardship caused by the agency. This exception process is available only to dealers, and not to consumers, as the CARS Act authorizes payment only to dealers. However, the process also benefits consumers, by enabling a dealer to seek reimbursement from the agency for a legitimate transaction rather than seeking return of the vehicle or repayment of the credit from the consumer.

Exception Process

To qualify for the exception process, a dealer must have been prevented from submitting an application for reimbursement due to a hardship caused by the agency. Specifically, a dealer may request an exception if the dealer was locked out of the CARS

system, contacted NHTSA for a password reset prior to the announced deadline, but did not receive a password reset. A dealer also may request an exception if its timely transaction was rejected by the CARS system due to a duplicate State identification number, trade-in vehicle VIN, or new vehicle VIN that was never used for a submitted CARS transaction, if the dealer contacted NHTSA prior to the announced deadline to resolve the issue but did not receive a resolution. Finally, a dealer may seek an exception if it was prevented from submitting a transaction by the announced deadline due to another hardship attributable to NHTSA's action or inaction, upon submission of proof and justification satisfactory to the Administrator.

A request for an exception will not be granted if the dealer did not complete a qualifying vehicle sale/lease and trade-in vehicle transaction meeting the existing requirements of § 599.300 and § 599.301 prior to the August 24th deadline. A qualifying transaction requires that the dealer took ownership and possession of the trade-in vehicle and delivered ownership and possession of the new vehicle to the purchaser. A request for an exception also will not be granted if a dealer's inability to complete or submit an application was due to a reason other than action or inaction by NHTSA, such as technological difficulties in the dealer's own systems or processes. The exception process is not available for transactions that were successfully submitted on the CARS system but were subsequently rejected, as dealers have the opportunity to correct and resubmit their applications following rejection. The agency informed dealers on several occasions that any applications created in the system must be submitted, even if in incomplete form, prior to the application deadline, and the agency also informed the dealers that they would have the opportunity to correct any incomplete applications after the application deadline.

A dealer seeking an exception must describe in a written statement the basis for the exception and provide evidence that it was prevented from submitting an application by the deadline due to action or inaction by NHTSA. Such evidence may include copies of correspondence, such as electronic mail, documenting that the dealer contacted the agency regarding issues with its application. The dealer also must present proof that a qualifying deal was made on or after July 1, 2009, but not later than August 25, 2009, 8 pm EDT, by submitting paper copies of all completed and signed supporting

documents and certifications required under § 599.302(c)(2) and (c)(3) of the rule.

All decisions granting or denying a request for exception will be made by the NHTSA Administrator or his or her designee. Finally, in order to bring finality to the CARS accounting process, all requests for exception must be postmarked no later than October 13, 2009.

Statutory Basis for This Action

This final rule makes amendments to implement the Consumer Assistance to Recycle and Save Act (CARS Act) (Pub. L. 111-32), which directs the Secretary to issue final regulations.

APA Requirements and Effective Date

The rule is being issued without first providing a notice and an opportunity for public comment. Section 1302(d) of the CARS Act provides that "notwithstanding" the requirements of section 553 of title 5, United States Code, the Secretary shall promulgate final regulations to implement the Program not later than 30 days after the date of the enactment of this Act. Due to the enormous success and popularity of the CARS program, the agency closed the program and issued an August 25, 2009, 8 p.m. EDT deadline for submission of applications for reimbursement. However, the agency is aware that there are completed valid transactions for which dealers were unable to submit applications prior to the deadline. In order to ensure that dealers and consumers do not unwind these transactions because dealers were not reimbursed, the agency believes that it is important to promulgate an exception process for the final rule immediately. Therefore, the agency finds for good cause that providing notice and comment is impracticable and contrary to the public interest for these changes to the final rule. Drafting and issuing a proposed rule, providing a period for public comment, and addressing those comments in the final rule would be highly impracticable in the time available and would substantially inhibit the ability to make payment for granted exception requests.

For the above-mentioned reasons, the agency also finds that it has good cause to make this rule effective fewer than 30 days after the publication in the **Federal Register**.

We believe it is necessary to provide these amendments immediately to ensure that payment for valid transactions submitted under the exception process permitted under this rule can be made. We also note that this rule relieves restrictions in the original

final rule by permitting additional submissions of applications for reimbursement. It would, therefore, be inconsistent with Congressional intent, impracticable, and contrary to the public interest to delay the effective date of the regulation, which would, in turn, adversely affect payment for valid transactions.

Accordingly, the effective date of this final rule is September 28, 2009.

Regulatory Analyses and Notices

Because of the public and Congressional interest in the CARS program, this rulemaking is considered significant under Executive Order 12866 and the Department of Transportation's Regulatory Policies and Procedures. It was reviewed by the Office of Management and Budget. The agency has discussed the relevant requirements of the Regulatory Flexibility Act, Executive Order 13132 (Federalism), Executive Order 12988 (Civil Justice Reform), the National Environmental Policy Act, and the Unfunded Mandates Reform Act in the July 29, 2009 final rule cited above. This rule does not change the finding in those analyses.

Paperwork Reduction Act

Under the Paperwork Reduction Act of 1995 (PRA) (44 U.S.C. 3501 *et seq.*), a person is not required to respond to a collection of information by a Federal agency unless the collection displays a valid OMB control number. As part of this final rule, the agency must request information from participating dealers that encountered problems in submitting applications for CARS transaction reimbursement prior to the announced August 25, 2009 deadline due to action or inaction by NHTSA. Today's collection of information amends a previously approved collection, OMB Control No. 2127-0660, to address an exemption process by which a dealer may apply for reimbursement of a CARS credit if it had made a binding CARS deal prior to the application deadline but was prevented from submitting the application due to a hardship caused by the agency.

The agency has received approval from OMB to amend the following collection of information:

Title: CARS Program; Dealer and Buyer Transaction Information.
OMB Control No.: 2127-0660.

Expiration date: January 31, 2010.

NHTSA has been given OMB approval to collect an additional 2,000 responses, for a total of 1,000 additional burden hours. The total number of responses under this collection is 1,352,000, for a total of 372,350 burden hours.

Regulatory Identifier Number (RIN)

The Department of Transportation assigns a regulation identifier number (RIN) to each regulatory action listed in the Unified Agenda of Federal Regulations. The Regulatory Information Service Center publishes the Unified Agenda in April and October of each year. You may use the RIN contained in the heading at the beginning of this document to find this action in the Unified Agenda.

Privacy Act

Please note that anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review the complete User Notice and Privacy Notice for Regulations.gov at <http://www.regulations.gov/search/footer/privacyanduse.jsp>.

List of Subjects in 49 CFR Part 599

Fuel Economy, Motor vehicle safety.

■ In consideration of the foregoing, NHTSA hereby amends 49 CFR part 599 as set forth below.

PART 599—REQUIREMENTS AND PROCEDURES FOR CONSUMER ASSISTANCE TO RECYCLE AND SAVE ACT PROGRAM

■ 1. The authority citation for part 599 continues to read as follows:

Authority: 49 U.S.C. 32901, Notes; delegation of authority at 49 CFR 1.50.

■ 2. Add Subpart F to read as follows:

Subpart F—Requirements and Procedures for Exceptions

Sec.
599.600 Exceptions—applicability and requirements.
599.601 Procedures for requesting exception.
599.603 Disposition of requests for exception.

Subpart F—Requirements and Procedures for Exceptions

§ 599.600 Exceptions—applicability and requirements.

(a) *Applicability.* (1) *Eligible Requesters.* To qualify for an exception under this subpart, a requester must be a dealer registered in accordance with the requirements of § 599.200.

(2) *Filing deadline.* A request for an exception must be postmarked no later than October 13, 2009.

(3) *Availability of funds.* An exception shall be approved under this subpart

only if Federal funds are available for payment.

(4) *Exclusion.* No exception may be approved for an application for reimbursement that was successfully submitted to the CARS system.

(b) *Threshold requirements.* Subject to the requirements of § 599.600(a), a registered dealer may submit a request for exception and seek reimbursement of a CARS credit under this subpart if the dealer:

(1) Prior to August 24, 2009, 8 pm EDT, completed a qualifying deal meeting the requirements of § 599.300 and § 599.301;

(2) Took ownership and possession of a trade-in vehicle and transferred ownership and possession of a new vehicle to the purchaser; and

(3) Prior to August 25, 2009, 8 pm EDT, attempted to submit an application for reimbursement meeting the requirements of § 599.302, but was prevented from submitting the application for any of the reasons identified in § 599.600(c).

(c) *Exception cases.* A dealer is eligible for an exception if:

(1) *Password rejection.* The dealer's account password was locked out and not reset by NHTSA;

(2) *Transaction rejection.* The application was rejected at submission because the dealer entered a State identification number, a trade-in vehicle VIN, or a new vehicle VIN that was already entered into the CARS program system, but that State identification number, trade-in vehicle VIN, or new vehicle VIN was never used for a CARS deal; or

(3) *Other hardship.* The dealer experienced any other hardship attributable to NHTSA action or inaction that the Administrator determines in his or her discretion should be redressed, consistent with the purposes of the CARS Act.

§ 599.601 Procedures for requesting exception.

(a) *Submission.* A request for exception must be made in writing and mailed by United States mail to the NHTSA Administrator, 1200 New Jersey Ave SE., Washington, DC 20590.

(b) *Contents.* The request must include paper copies of the following materials:

(1) *Explanation of hardship.* A written explanation of a hardship identified in § 599.600(c) that prevented the dealer from submitting its transaction, and the steps the dealer took to contact the agency and timely resolve the issue;

(2) *Proof of hardship.* Documents evidencing that the dealer was unable to complete and submit an application for

reimbursement prior to the deadline because of hardship caused by NHTSA. Documents may include copies of correspondence with the agency;

(3) *Documentation of qualifying transaction.* Paper copies of all supporting attachments required by § 599.302(c)(2) which reveal that a qualifying CARS transaction, including the transfer of ownership and possession of the trade-in vehicle to the dealer and the delivery of ownership and possession of the new vehicle to the purchaser, was made prior to August 24, 2009, 8 p.m. EDT; and

(4) *Certifications.* Paper copies of all certifications provided in Appendix A to this part, signed by both the dealer and the purchaser.

(5) *Evidence of prior notice to NHTSA.* Evidence, if any, that the dealer

attempted to contact NHTSA prior to August 25, 2009, 8 p.m. EDT, to request assistance with a problem described in § 599.600(c).

§ 599.603 Disposition of requests for exception.

(a) *In general.* Upon receipt of the request for exception, the agency will review the request to determine whether the exception should be granted and approved for payment.

(b) *Deciding official.* The NHTSA Administrator or his or her designee shall serve as the Deciding Official for all determinations under this subpart.

(c) *Incomplete requests.* A request for exception that fails to include all of the documents required under this subpart may be rejected without further review.

(d) *Denied requests.* If the Deciding Official denies the request, the requester will be informed in writing of the reasons for the denial of the request.

(e) *Granted requests.* If the Deciding Official grants the request, the requester will be notified by electronic mail, at the e-mail address identified in § 599.200(c)(2)(iii), and the requester's application for reimbursement will be processed for payment by the agency as a qualifying transaction in accordance with § 599.304.

(f) *No appeals.* There are no appeals from the Deciding Official's decision.

Issued on: September 23, 2009.

Ronald L. Medford,

Acting Deputy Administrator.

[FR Doc. E9-23335 Filed 9-23-09; 4:15 pm]

BILLING CODE 4910-59-P

Proposed Rules

Federal Register

Vol. 74, No. 186

Monday, September 28, 2009

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

DEPARTMENT OF AGRICULTURE

Agricultural Marketing Service

7 CFR Part 1250

[Doc. No. AMS-PY-09-0116]

Egg Research and Promotion Order; Referendum Procedures

AGENCY: Agricultural Marketing Service, USDA.

ACTION: Proposed rule with request for comments.

SUMMARY: This proposed rule would establish procedures which the USDA will use in conducting a referendum to determine whether egg producers favor increasing the assessment they pay to the American Egg Board (AEB) from a rate of 10 cents per 30-dozen case of commercial eggs to 15 cents per case. An amendment to increase the assessment rate in the Egg Research and Promotion Order will be implemented if it is approved by two-thirds of the egg producers voting in the referendum or by a majority of producers voting if they produced two-thirds of the eggs produced by all voters. These procedures would also be used for subsequent referenda. A proposed rule to increase the assessment rate is published separately in this issue of the *Federal Register*. AEB, which administers the Order, recommended this action to sustain and expand its national promotion, research, and consumer information program.

DATES: Comments must be received on or before November 27, 2009.

ADDRESSES: Interested persons are invited to submit written comments on the Internet at <http://www.regulations.gov> or to Angela C. Snyder, Research and Promotion; Standards, Promotion, & Technology Branch; Poultry Programs, AMS, USDA; 1400 Independence Avenue, SW., Room 3932-S, Stop 0256; Washington, DC 20250-0259; fax (202) 720-2930. Comments should reference the docket number and the date and page number

of this issue of the *Federal Register* and will be available for public inspection at the above address during regular business hours or can be viewed at: <http://www.regulations.gov>. All comments received will be posted without change, including any personal information provided.

FOR FURTHER INFORMATION CONTACT:

Angela C. Snyder, Research and Promotion; Standards, Promotion & Technology Branch; Poultry Programs, AMS, USDA, 1400 Independence Avenue, SW., Room 3932-S, Stop 0256; Washington, DC 20250-0256; telephone: (202) 720-4476; fax (202) 720-2930; or e-mail: angie.snyder@ams.usda.gov.

SUPPLEMENTARY INFORMATION:

Executive Order 12866

The Office of Management and Budget (OMB) has waived the review process required by Executive Order 12866 for this action.

Executive Order 12988

This proposed rule has been reviewed under Executive Order 12988, Civil Justice Reform. The rule is not intended to have a retroactive effect and will not affect or preempt any State or Federal law authorizing promotion or research relating to an agricultural commodity.

The Act provides that administrative proceedings must be exhausted before parties may file suit in court. Section 14 of the Act allows those subject to the Order to file a written petition with the Secretary of Agriculture (Secretary) if they believe that the Order, any provision of the Order, or any obligation imposed in connection with the Order, is not in accordance with the law. In any petition, the person may request a modification of the Order or an exemption from the Order. The petitioner will have the opportunity for a hearing on the petition. Afterwards, an Administrative Law Judge (ALJ) will issue a decision. If the petitioner disagrees with the ALJ's ruling, the petitioner has 30 days to appeal to the Judicial Officer, who will issue a ruling on behalf of the Secretary. If the petitioner disagrees with the Secretary's ruling, the petitioner may file, within 20 days, an appeal in the U.S. District Court for the district where the petitioner resides or conducts business.

Initial Regulatory Flexibility Act Analysis and Paperwork Reduction Act

In accordance with the Regulatory Flexibility Act (RFA) [5 U.S.C. 601-612], the AMS has considered the economic impact of this action on the small producers that would be affected by this rule. The purpose of the RFA is to fit regulatory action to scale on businesses subject to such action so that small businesses will not be disproportionately burdened.

According to AEB, approximately 245 producers are subject to the provisions of the Order, including paying assessments. Under the current Order, producers in the 48 contiguous United States and the District of Columbia who own more than 75,000 laying hens each pay a mandatory assessment of 10 cents per 30-dozen case of eggs. Assessments under the program are used by AEB to finance promotion, research, and consumer information programs designed to increase consumer demand for eggs in domestic and international markets. At the current rate of 10 cents per case, assessments generate about \$20 million in annual revenues. The Order is administered by AEB under supervision of the U.S. Department of Agriculture.

In 13 CFR part 121, the Small Business Administration (SBA) defines small agricultural producers as those having annual receipts of no more than \$750,000. Under this definition, the vast majority of the egg producers that would be affected by this rule would not be considered small entities. Producers owning 75,000 or fewer laying hens are exempt from this program.

Given that a laying hen produces approximately 22 dozen eggs per year, production from 75,000 laying hens would result in 1.65 million dozen eggs. With a wholesale price of \$0.965 per dozen, total annual receipts would be \$1.59 million, which is well above the definition used to describe a small farm. The wholesale price of eggs would need to drop to approximately \$0.45 per dozen before a producer with 75,000 hens could be classified as a small farm under the SBA definition.

This proposed rule would establish the procedures under which egg producers vote on whether they favor an increase in the assessments they pay to AEB. This proposal would add a new subpart which establishes procedures to conduct this referendum as well as

future referenda. The proposed subpart covers definitions, voting, instructions, use of subagents, ballots, the referendum report, and confidentiality of information.

USDA will keep egg producers who are eligible to vote informed throughout the referendum process to ensure that they are aware of and are able to participate. USDA will also publicize information regarding the referendum process so that trade associations and related industry media can be kept informed.

Voting in the referendum is optional. However, if egg producers choose to vote, the burden of voting is minimal. USDA considered electronic voting, but the use of computers is not universal. Conducting the referendum from one central location by mail ballot would be more cost-effective and reliable.

In accordance with the Office of Management and Budget (OMB) regulation 5 CFR part 1320 that implements the Paperwork Reduction Act of 1995 [44 U.S.C. Chapter 35], the information collection requirements contained in this proposed rule have been approved previously under OMB control number 0581-0093. This rule does not result in a change to those information collection and recordkeeping requirements.

There are no Federal rules that duplicate, overlap, or conflict with this rule.

We have performed this Initial Regulatory Flexibility Analysis regarding the impact of these proposed referendum procedures on small entities, and we invite comments concerning potential effects of these amendments on small businesses.

Background

The Egg Research and Consumer Information Act established a national egg research and promotion program—administered by AEB—that is financed through industry assessments and subject to oversight by AMS. This program of promotion, research, and consumer information is designed to strengthen the position of eggs in the marketplace and to establish, maintain, and expand markets for eggs.

This program is financed by assessments on egg producers owning more than 75,000 laying hens. The Egg Research and Promotion Order specifies that handlers are responsible for collecting and remitting the producer assessments to AEB, reporting their handling of eggs, and maintaining records necessary to verify their reports.

Only producers in the contiguous United States are subject to the program, and producers owning 75,000 or fewer

laying hens are exempt from paying assessments.

This proposed rule would establish the procedures under which egg producers may vote on whether they want to increase the assessments they pay to AEB by increasing the rate from 10 cents to 15 cents per 30-dozen case of eggs. A proposed rule to increase the assessment rate is published separately in this issue of the **Federal Register**. This proposed rule would add a new subpart which would establish procedures to be used in this and future referenda. This subpart covers definitions, voting, instructions, use of subagents, ballots, the referendum report, and confidentiality of information.

A 60-day comment period is provided to allow interested parties to respond to this proposal. All written comments received by the date specified in response to this rule will be considered prior to conduct of the referendum.

All written comments received in response to this rule by the date specified will be considered prior to finalizing this action.

List of Subjects in 7 CFR Part 1250

Administrative practice and procedure, Advertising, Agricultural research, Eggs and egg products, Reporting and recordkeeping requirements.

For the reasons set forth in the preamble, 7 CFR Part 1250 is proposed to be amended as follows:

PART 1250—EGG RESEARCH AND PROMOTION

1. The authority citation of Part 1250 continues to read as follows:

Authority: 7 U.S.C. 2701–2718 and 7 U.S.C. 2401.

2. Part 1250 is proposed to be amended by adding a new subpart consisting of §§ 1250.200 through 1250.207 and titled “referendum Procedures” to read as follows:

Subpart—Referendum Procedures

Sec.

1250.200	Referenda.
1250.201	Definitions.
1250.202	Voting.
1250.203	Instructions.
1250.204	Subagents.
1250.205	Ballots.
1250.206	Referendum report.
1250.207	Confidential information.

Subpart—Referendum Procedures

§ 1250.200 Referenda.

Referenda for the purpose of ascertaining whether the issuance by the Secretary of Agriculture of an Egg

Research and Promotion Order, or the continuance, termination, or suspension of such an order, is approved or favored by producers shall, unless supplemented or modified by the Secretary, be conducted in accordance with this subpart.

§ 1250.201 Definitions.

(a) *Act* means the Egg Research and Consumer Information Act and as it may be amended (Pub. L. 93–428, 7 U.S.C. 2701 *et seq.*).

(b) *Administrator* means the administrator of the Agricultural Marketing Service, with power to redelegate, or any other officer or employee of the Department to whom authority has been delegated or may hereafter be delegated to act in the Administrator's stead.

(c) *Egg producer* or *producer* means any person who either:

(1) Is an egg farmer who acquires and owns laying hens, chicks, and/or started pullets for the purpose of and is engaged in the production of commercial eggs; or

(2) Is a person who supplied or supplies laying hens, chicks, and/or started pullets to an egg farmer for the purpose of producing commercial eggs pursuant to an oral or written contractual agreement for the production of commercial eggs. Such person is deemed to be the owner of such laying hens unless it is established in writing, to the satisfaction of the Secretary or the Egg Board, that actual ownership of the laying hens is in some other party to the contract. In the event the party to an oral contract who supplied or supplies the laying hens cannot be readily identified by the Secretary or the Egg Board, the person who has immediate possession and control over the laying hens at the egg production facility shall be deemed to be the owner of such hens unless written notice is provided to the Secretary or the Egg Board, signed by the parties to said oral contract, clearly stating that the eggs are being produced under a contractual agreement and identifying the party (or parties) under said contract who is the owner of the hens.

(d) *Order* means the order or any amendment thereto promulgated pursuant to the act with respect to which the Secretary has directed that a referendum be conducted.

(e) *Person* means any individual, group of individuals, partnership, corporation, association, cooperative, or any other entity.

(f) *Referendum agent* means the individual or individuals designated by the Secretary to conduct the referendum.

(g) *Representative period* means the period designated by the Secretary pursuant to section 9 of the act (7 U.S.C. 2708).

(h) *Secretary* means the Secretary of Agriculture or any other officer or employee of the Department of Agriculture to whom there has heretofore been delegated, or to whom there may be hereafter delegated, the authority to act in the Secretary's stead.

§ 1250.202 Voting.

(a) Each person who is a producer, as defined in this subpart, at the time of the referendum, who was engaged in the production of commercial eggs during the representative period, and who is not exempt from the provisions of the order as provided for in § 1250.348 thereof, shall be entitled to only one vote in the referendum.

(b) Proxy voting is not authorized, but an officer or employee of a corporate producer, or an administrator, executor, or trustee of a producing estate, or an authorized representative of any other entity may cast a ballot on behalf of such producer or estate. Any individual so voting in a referendum shall certify that such individual is an officer or employee of the corporate producer, or an administrator, executor, or trustee of the producing estate, or an authorized representative of such other entity, and that such individual has the authority to take such action. Upon request of the referendum agent, the individual shall submit adequate evidence of his authority.

(c) Each producer shall be entitled to cast only one ballot in the referendum.

§ 1250.203 Instructions.

The referendum agent shall conduct the referendum, in the manner herein provided, under supervision of the Administrator. The Administrator may prescribe additional instructions, not inconsistent with the provisions hereof, to govern the procedure to be followed by the referendum agent. Such agent shall:

(a) Determine the time of commencement and termination of the period of the referendum, and the time when all ballots must be received by the referendum agent.

(b) Determine whether ballots may be cast by mail, at polling places, at meetings of producers, or by any combination of the foregoing.

(c) Provide ballots and related material to be used in the referendum. Ballot material shall provide for recording essential information for ascertaining:

(1) Whether the person voting or on whose behalf the vote is cast, is an eligible voter, and

(2) The total volume of commercial eggs produced during a representative period.

(d) Give reasonable advance notice of the referendum:

(1) By utilizing available media or public information sources, without incurring advertising expense, to publicize the dates, places, method of voting, eligibility requirements, and other pertinent information. Such sources of publicity may include, but are not limited to, print and radio; and

(2) By such other means as the agent may deem advisable.

(e) Make available to producers instructions on voting, appropriate registration, ballot, and certification forms, and, except in the case of a referendum on the termination or continuance of an order, a summary of the terms and conditions of the order: *Provided*, That no person who claims to be qualified to vote shall be refused a ballot.

(f) If the ballots are to be cast by mail, cause all the material specified in paragraph (e) of this section to be mailed to each eligible producer whose name and address are known to the Secretary or the referendum agent.

(g) If the ballots are to be cast at polling places or meetings, determine the necessary number of polling or meeting places, designate them, announce the time of each meeting or the hours during which each polling place will be open, provide the material specified in paragraph (e) of this section, and provide for appropriate custody of ballot forms and delivery to the referendum agent of ballots cast.

(h) At the conclusion of the referendum, canvass the ballots, tabulate the results, and except as otherwise directed report the outcome to the Administrator and promptly thereafter submit the following:

(1) All ballots received by the agent and appointees, together with a certificate to the effect that the ballots listed are all of the ballots cast and received by the agent and appointees during the referendum period;

(2) A tabulation of all challenged ballots deemed to be invalid; and

(3) A report of the referendum including a detailed statement explaining the method used in giving publicity to the referendum and showing other information pertinent to the manner in which the referendum was conducted.

§ 1250.204 Subagents.

The referendum agent may appoint any person or persons deemed necessary or desirable to assist the agent in performing such agent's functions of this subpart. Each individual so appointed may be authorized by the agent to perform, in accordance with the requirements herein set forth, any or all of the following functions (which, in the absence of such appointment, shall be performed by said agent):

(a) Give public notice of the referendum in the manner specified herein;

(b) Preside at a meeting where ballots are to be cast or as poll officer at a polling place;

(c) See the ballots and the aforesaid texts are distributed to producers and receive any ballots which are cast; and

(d) Record the name and address of each person casting a ballot with said subagent and inquire, as deemed appropriate, into the eligibility of such persons to vote in the referendum.

§ 1250.205 Ballots.

The referendum agent and subagents shall accept all ballots cast; but should they, or any of them, deem that a ballot should be challenged for any reason, the agent or subagent shall endorse above their signature, on the ballot, a statement to the effect that such ballot was challenged, by whom challenged, the reasons therefor, and the results of any investigations made with respect thereto, and the disposition thereof. Invalid ballots shall not be counted.

§ 1250.206 Referendum report.

Except as otherwise directed, the Administrator shall prepare and submit to the Secretary a report on the results of the referendum, the manner in which it was conducted, the extent and kind of public notice given, and other information pertinent to analysis of the referendum and its results.

§ 1250.207 Confidential information.

The ballots cast or the manner in which any person voted and all information furnished to, compiled by, or in the possession of the referendum agent shall be regarded as confidential. The ballots and other information or reports that reveal, or tend to reveal, the vote of any person covered under the Order and the voter list shall be strictly confidential and shall not be disclosed.

Dated: September 21, 2009.

Rayne Pegg,

Administrator, Agricultural Marketing Service.

[FR Doc. E9-23151 Filed 9-25-09; 8:45 am]

BILLING CODE 3410-02-P

DEPARTMENT OF TRANSPORTATION**Federal Aviation Administration****14 CFR Part 39**

[Docket No. FAA-2009-0886; Directorate Identifier 2009-CE-045-AD]

RIN 2120-AA64

Airworthiness Directives; SOCATA Model TBM 700 Airplanes

AGENCY: Federal Aviation Administration (FAA), Department of Transportation (DOT).

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for the products listed above. This proposed AD results from mandatory continuing airworthiness information (MCAI) originated by an aviation authority of another country to identify and correct an unsafe condition on an aviation product. The MCAI describes the unsafe condition as:

It was noticed on assembly line an elongation of bolts connecting power leads on R700 and R701 shunts. An incorrect tightening torque value is likely to be the cause of the elongation.

This condition, if left uncorrected could lead to heating, electrical arcing or smokes and could result in an in-flight loss of electrical power.

The proposed AD would require actions that are intended to address the unsafe condition described in the MCAI.

DATES: We must receive comments on this proposed AD by November 12, 2009.

ADDRESSES: You may send comments by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.

- *Fax:* (202) 493-2251.

- *Mail:* U.S. Department of

Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590.

- *Hand Delivery:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

Examining the AD Docket

You may examine the AD docket on the Internet at <http://www.regulations.gov>; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through

Friday, except Federal holidays. The AD docket contains this proposed AD, the regulatory evaluation, any comments received, and other information. The street address for the Docket Office (telephone (800) 647-5527) is in the ADDRESSES section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT:

Albert Mercado, Aerospace Engineer, FAA, Small Airplane Directorate, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329-4119; fax: (816) 329-4090.

SUPPLEMENTARY INFORMATION:**Comments Invited**

We invite you to send any written relevant data, views, or arguments about this proposed AD. Send your comments to an address listed under the ADDRESSES section. Include "Docket No. FAA-2009-0886; Directorate Identifier 2009-CE-045-AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this proposed AD. We will consider all comments received by the closing date and may amend this proposed AD because of those comments.

We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this proposed AD.

Discussion

The European Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Community, has issued EASA AD No.: 2009-0174, dated August 11, 2009 (referred to after this as "the MCAI"), to correct an unsafe condition for the specified products. The MCAI states:

It was noticed on assembly line an elongation of bolts connecting power leads on R700 and R701 shunts. An incorrect tightening torque value is likely to be the cause of the elongation.

This condition, if left uncorrected could lead to heating, electrical arcing or smokes and could result in an in-flight loss of electrical power.

For the reason described above, this Airworthiness Directive (AD) mandates the replacement of the power lead bolts on R700 and R701 shunts.

You may obtain further information by examining the MCAI in the AD docket.

Relevant Service Information

SOCATA has issued SOCATA Mandatory Service Bulletin SB 70-169,

dated May 2009. The actions described in this service information are intended to correct the unsafe condition identified in the MCAI.

FAA's Determination and Requirements of the Proposed AD

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with this State of Design Authority, they have notified us of the unsafe condition described in the MCAI and service information referenced above. We are proposing this AD because we evaluated all information and determined the unsafe condition exists and is likely to exist or develop on other products of the same type design.

Differences between this Proposed AD and the MCAI or Service Information

We have reviewed the MCAI and related service information and, in general, agree with their substance. But we might have found it necessary to use different words from those in the MCAI to ensure the AD is clear for U.S. operators and is enforceable. In making these changes, we do not intend to differ substantively from the information provided in the MCAI and related service information.

We might also have proposed different actions in this AD from those in the MCAI in order to follow FAA policies. Any such differences are highlighted in a NOTE within the proposed AD.

Costs of Compliance

We estimate that this proposed AD will affect 47 products of U.S. registry. We also estimate that it would take about 0.5 work-hour per product to comply with the basic requirements of this proposed AD (warranty credit provided by manufacturer). The average labor rate is \$80 per work-hour.

Required parts would cost about \$50 per product (warranty credit provided by manufacturer). Where the service information lists required parts costs that are covered under warranty, we have assumed that there will be no charge for these costs. As we do not control warranty coverage for affected parties, some parties may incur costs higher than estimated here.

Based on these figures, we estimate the cost of the proposed AD on U.S. operators to be \$4,230, or \$90 per product.

Authority for this Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue

rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

1. Is not a "significant regulatory action" under Executive Order 12866;
2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and
3. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a regulatory evaluation of the estimated costs to comply with this proposed AD and placed it in the AD docket.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. The FAA amends § 39.13 by adding the following new AD:

Socata: Docket No. FAA-2009-0886; Directorate Identifier 2009-CE-045-AD.

Comments Due Date

(a) We must receive comments by November 12, 2009.

Affected ADs

(b) None

Applicability

(c) This AD applies to TBM 700 airplanes, serial numbers 434 through 502, and serial numbers 504 and 505, certificated in any category.

Subject

(d) Air Transport Association of America (ATA) Code 24: Electric Power.

Reason

(e) The mandatory continuing airworthiness information (MCAI) states:

It was noticed on assembly line an elongation of bolts connecting power leads on R700 and R701 shunts. An incorrect tightening torque value is likely to be the cause of the elongation.

This condition, if left uncorrected could lead to heating, electrical arcing or smokes and could result in an in-flight loss of electrical power.

For the reason described above, this Airworthiness Directive (AD) mandates the replacement of the power lead bolts on R700 and R701 shunts.

Actions and Compliance

(f) Unless already done, within the next 100 hours time-in-service after the effective date of this AD, or within the next 12 months after the effective date of this AD, whichever occurs first, replace the bolts of shunts R700 and R701 following SOCATA Mandatory Service Bulletin SB 70-169, dated May, 2009.

FAA AD Differences

Note: This AD differs from the MCAI and/or service information as follows: No differences.

Other FAA AD Provisions

(g) The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs):* The Manager, Standards Office, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to ATTN: Albert Mercado, Aerospace Engineer, FAA, Small Airplane Directorate, 901 Locust, Room 301, Kansas City, Missouri 64106; telephone: (816) 329-4119; fax: (816) 329-4090. Before using any approved AMOC on any airplane to which the AMOC applies, notify your appropriate principal inspector (PI) in the FAA Flight Standards District Office (FSDO), or lacking a PI, your local FSDO.

(2) *Airworthy Product:* For any requirement in this AD to obtain corrective actions from a manufacturer or other source, use these actions if they are FAA-approved. Corrective

actions are considered FAA-approved if they are approved by the State of Design Authority (or their delegated agent). You are required to assure the product is airworthy before it is returned to service.

(3) *Reporting Requirements:* For any reporting requirement in this AD, under the provisions of the Paperwork Reduction Act (44 U.S.C. 3501 *et seq.*), the Office of Management and Budget (OMB) has approved the information collection requirements and has assigned OMB Control Number 2120-0056.

Related Information

(h) Refer to MCAI EASA AD No.: 2009-0174, dated August 11, 2009; and SOCATA Mandatory Service Bulletin SB 70-169, dated May 2009, for related information.

Issued in Kansas City, Missouri, on September 21, 2009.

Scott A. Horn,

Acting Manager, Small Airplane Directorate, Aircraft Certification Service.

[FR Doc. E9-23293 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2009-0792; Directorate Identifier 2009-NM-057-AD]

RIN 2120-AA64

Airworthiness Directives; Bombardier Model CL-600-2C10 (Regional Jet Series 700, 701, & 702), Model CL-600-2D15 (Regional Jet Series 705), and Model CL-600-2D24 (Regional Jet Series 900) Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for the products listed above. This proposed AD results from mandatory continuing airworthiness information (MCAI) originated by an aviation authority of another country to identify and correct an unsafe condition on an aviation product. The MCAI describes the unsafe condition as:

Bombardier Aerospace has completed a system safety review of the CL-600-2C10/CL600-2D15/CL-600-2D24 aircraft fuel system against the new fuel tank safety standards, introduced in Chapter 525 of the Airworthiness Manual through Notice of Proposed Amendment (NPA) 2002-043. The identified non-compliances were assessed using Transport Canada Policy Letter No. 525-001 to determine if mandatory corrective action was required.

The assessment showed that certain hydraulic system failure scenarios could lead

to a rapid overheat in the hydraulic lines without giving flight crew sufficient time to react before the No. 1 and No. 2 hydraulic system tubing inside the fuel tank reaches the fuel auto ignition temperature. This could result in a fuel tank explosion.

* * * * *

The proposed AD would require actions that are intended to address the unsafe condition described in the MCAI.

DATES: We must receive comments on this proposed AD by November 12, 2009.

ADDRESSES: You may send comments by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.
- *Fax:* (202) 493-2251.
- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590.
- *Hand Delivery:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this proposed AD, contact Bombardier, Inc., 400 Côte-Vertu Road West, Dorval, Québec H4S 1Y9, Canada; telephone 514-855-5000; fax 514-855-7401; e-mail thd.crj@aero.bombardier.com; Internet <http://www.bombardier.com>. You may review copies of the referenced service information at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington. For information on the availability of this material at the FAA, call 425-227-1221 or 425-227-1152.

Examining the AD Docket

You may examine the AD docket on the Internet at <http://www.regulations.gov>; or in person at the Docket Operations office between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this proposed AD, the regulatory evaluation, any comments received, and other information. The street address for the Docket Operations office (telephone (800) 647-5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT:

Christopher Alfano, Aerospace Engineer, Airframe and Propulsion Branch, ANE-171, FAA, New York Aircraft Certification Office, 1600 Stewart Avenue, Suite 410, Westbury, New York 11590; telephone (516) 228-7340; fax (516) 794-5531.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposed AD. Send your comments to an address listed under the **ADDRESSES** section. Include "Docket No. FAA-2009-0792; Directorate Identifier 2009-NM-057-AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this proposed AD. We will consider all comments received by the closing date and may amend this proposed AD based on those comments.

We have lengthened the 30-day comment period for proposed ADs that address MCAI originated by aviation authorities of other countries to provide adequate time for interested parties to submit comments. The comment period for these proposed ADs is now typically 45 days, which is consistent with the comment period for domestic transport ADs.

We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this proposed AD.

Discussion

Transport Canada Civil Aviation, which is the aviation authority for Canada, has issued Canadian Airworthiness Directive CF-2009-09, dated March 9, 2009 (referred to after this as "the MCAI"), to correct an unsafe condition for the specified products. The MCAI states:

Bombardier Aerospace has completed a system safety review of the CL-600-2C10/CL600-2D15/CL-600-2D24 aircraft fuel system against the new fuel tank safety standards, introduced in Chapter 525 of the Airworthiness Manual through Notice of Proposed Amendment (NPA) 2002-043. The identified non-compliances were assessed using Transport Canada Policy Letter No. 525-001 to determine if mandatory corrective action was required.

The assessment showed that certain hydraulic system failure scenarios could lead to a rapid overheat in the hydraulic lines without giving flight crew sufficient time to react before the No. 1 and No. 2 hydraulic system tubing inside the fuel tank reaches the fuel auto ignition temperature. This could result in a fuel tank explosion.

To correct the unsafe condition, this [Canadian airworthiness] directive mandates the installation of thermal fuses in the No. 1 and No. 2 hydraulic systems and the introduction of Fuel System Limitations (FSL) and Critical Design Configuration Control Limitations (CDCCL) associated with this design change.

You may obtain further information by examining the MCAI in the AD docket.

The FAA has examined the underlying safety issues involved in fuel tank explosions on several large transport airplanes, including the adequacy of existing regulations, the service history of airplanes subject to those regulations, and existing maintenance practices for fuel tank systems. As a result of those findings, we issued a regulation titled "Transport Airplane Fuel Tank System Design Review, Flammability Reduction and Maintenance and Inspection Requirements" (66 FR 23086, May 7, 2001). In addition to new airworthiness standards for transport airplanes and new maintenance requirements, this rule included Special Federal Aviation Regulation No. 88 ("SFAR 88," Amendment 21-78, and subsequent Amendments 21-82 and 21-83).

Among other actions, SFAR 88 requires certain type design (*i.e.*, type certificate (TC) and supplemental type certificate (STC)) holders to substantiate that their fuel tank systems can prevent ignition sources in the fuel tanks. This requirement applies to type design holders for large turbine-powered transport airplanes and for subsequent modifications to those airplanes. It requires them to perform design reviews and to develop design changes and maintenance procedures if their designs do not meet the new fuel tank safety standards. As explained in the preamble to the rule, we intended to adopt airworthiness directives to mandate any changes found necessary to address unsafe conditions identified as a result of these reviews.

In evaluating these design reviews, we have established four criteria intended to define the unsafe conditions associated with fuel tank systems that require corrective actions. The percentage of operating time during which fuel tanks are exposed to flammable conditions is one of these criteria. The other three criteria address the failure types under evaluation: single failures, single failures in combination with a latent condition(s), and in-service failure experience. For all four criteria, the evaluations included consideration of previous actions taken that may mitigate the need for further action.

Relevant Service Information

Bombardier has issued Service Bulletin 670BA-29-005, Revision A, dated January 29, 2009; Bombardier Temporary Revision 2-268, dated December 18, 2008, to Section 3, "Fuel System Limitations," of Part 2 of the

Bombardier CL-600-2C10, CL-600-2D15, and CL-600-2D24 Maintenance Requirements Manual; and Bombardier Temporary Revision 2-269, dated December 18, 2008, to Section 3, "Fuel System Limitations," of Part 2 of the Bombardier CL-600-2C10, CL-600-2D15, and CL-600-2D24 Maintenance Requirements Manual. The actions described in this service information are intended to correct the unsafe condition identified in the MCAI.

FAA's Determination and Requirements of this Proposed AD

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with the State of Design Authority, we have been notified of the unsafe condition described in the MCAI and service information referenced above. We are proposing this AD because we evaluated all pertinent information and determined an unsafe condition exists and is likely to exist or develop on other products of the same type design.

Differences between this AD and the MCAI or Service Information

We have reviewed the MCAI and related service information and, in general, agree with their substance. But we might have found it necessary to use different words from those in the MCAI to ensure the AD is clear for U.S. operators and is enforceable. In making these changes, we do not intend to differ substantively from the information provided in the MCAI and related service information.

We might also have proposed different actions in this AD from those in the MCAI in order to follow FAA policies. Any such differences are highlighted in a NOTE within the proposed AD.

Costs of Compliance

Based on the service information, we estimate that this proposed AD would affect about 334 products of U.S. registry. We also estimate that it would take about 45 work-hours per product to comply with the basic requirements of this proposed AD. The average labor rate is \$80 per work-hour. Required parts would cost about \$6,765 per product. Where the service information lists required parts costs that are covered under warranty, we have assumed that there will be no charge for these costs. As we do not control warranty coverage for affected parties, some parties may incur costs higher than estimated here. Based on these figures, we estimate the cost of the

proposed AD on U.S. operators to be \$3,461,910, or \$10,365 per product.

Authority for this Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

1. Is not a "significant regulatory action" under Executive Order 12866;
2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and
3. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a regulatory evaluation of the estimated costs to comply with this proposed AD and placed it in the AD docket.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

■ 2. The FAA amends § 39.13 by adding the following new AD:

Bombardier Inc. (Formerly Canadair):

Docket No. FAA-2009-0792; Directorate Identifier 2009-NM-057-AD.

Comments Due Date

(a) We must receive comments by November 12, 2009.

Affected ADs

(b) None.

Applicability

(c) This AD applies to Bombardier Model CL-600-2C10 (Regional Jet Series 700, 701, & 702), airplanes; certificated in any category, having serial numbers 10003 through 10267 inclusive; and Bombardier Model CL-600-2D15 (Regional Jet Series 705) and CL-600-2D24 (Regional Jet Series 900), certificated in any category, having serial numbers 15001 through 15199 inclusive, 15202, and 15204.

Note 1: This AD requires revisions to certain operator maintenance documents to include new inspections. Compliance with these inspections is required by 14 CFR 91.403(c). For airplanes that have been previously modified, altered, or repaired in the areas addressed by these inspections, the operator may not be able to accomplish the inspections described in the revisions. In this situation, to comply with 14 CFR 91.403(c), the operator must request approval for an alternative method of compliance according to paragraph (g) of this AD. The request should include a description of changes to the required inspections that will ensure the continued operational safety of the airplane.

Subject

(d) Air Transport Association (ATA) of America Code 29: Hydraulic power.

Reason

(e) The mandatory continuing airworthiness information (MCAI) states:

Bombardier Aerospace has completed a system safety review of the CL-600-2C10/CL600-2D15/CL-600-2D24 aircraft fuel system against the new fuel tank safety standards, introduced in Chapter 525 of the Airworthiness Manual through Notice of Proposed Amendment (NPA) 2002-043. The identified non-compliances were assessed using Transport Canada Policy Letter No. 525-001 to determine if mandatory corrective action was required.

The assessment showed that certain hydraulic system failure scenarios could lead to a rapid overheat in the hydraulic lines without giving flight crew sufficient time to react before the No. 1 and No. 2 hydraulic system tubing inside the fuel tank reaches the fuel auto ignition temperature. This could result in a fuel tank explosion.

To correct the unsafe condition, this [Canadian airworthiness] directive mandates the installation of thermal fuses in the No. 1 and No. 2 hydraulic systems and the introduction of Fuel System Limitations (FSL) and Critical Design Configuration Control Limitations (CDCCL) associated with this design change.

Actions and Compliance

(f) Unless already done, do the following actions.

(1) Within 6,000 flight hours after the effective date of this AD, modify the aircraft hydraulic system by installing thermal fuses according to the Accomplishment Instructions of Bombardier Service Bulletin 670BA-29-005, Revision A, dated January 29, 2009.

(2) Before or concurrently with the actions required by paragraph (f)(1) of this AD, revise the Airworthiness Limitations Section (ALS) of the Instructions for Continued Airworthiness to incorporate the tasks identified in Table 1 of this AD as specified in Bombardier Temporary Revision (TR) 2-269, dated December 18, 2008, to Section 3, "Fuel Systems Limitations," of Part 2 of the Bombardier CL-600-2C10, CL-600-2D15, and CL-600-2D24 Maintenance Requirements Manual. The initial compliance time for the task is within 10,000 flight hours after doing the action required by paragraph (f)(1) of this AD, or within 60 days after the effective date of this AD, whichever occurs later, and the limitation task must be accomplished thereafter at the "limiting interval" specified in Bombardier TR 2-269, dated December 18, 2008, except as provided by paragraphs (f)(4) and (g)(1) of this AD.

TABLE 1—FUEL SYSTEM LIMITATION TASK

Task No.	Task description
29-30-00-603	Hydraulic System No. 1 and No. 2 Thermal Fuse: Discard the system No. 1 and No. 2 thermal fuse (Post Modsum 670T112042 or SB 670BA-29-005).

(3) Before or concurrently with the actions required by paragraph (f)(1) of this AD, revise the ALS of the Instructions for Continued Airworthiness to incorporate the CDCCL data specified in Bombardier TR 2-268, dated December 18, 2008, to Section 3, "Fuel System Limitations," of Part 2 of the Bombardier CL-600-2C10, CL-600-2D15 and CL-600-2D24 Maintenance Requirements Manual.

Note 2: The actions required by paragraphs (f)(2) and (f)(3) of this AD may be done by inserting a copy of the TR into the maintenance requirements manual. When the TR has been included in the general revision of the maintenance program, the general revision may be inserted into the maintenance requirements manual, provided the relevant information in the general revision is identical to that in the TR, and the temporary revision may be removed.

(4) After accomplishing the actions specified in paragraphs (f)(2) and (f)(3) of this

AD, no alternative limitation tasks, limitation task intervals, or CDCCLs may be used unless the limitation task, limitation task interval, or CDCCL is approved as an alternative method of compliance (AMOC) in accordance with the procedures specified in paragraph (g)(1) of this AD.

(5) Actions accomplished before the effective date of this AD in accordance with Bombardier Service Bulletin 670BA-29-005, dated December 18, 2008, are considered acceptable for compliance with the corresponding action specified in paragraph (f)(1) of this AD.

Note 3: Notwithstanding any other maintenance or operational requirements, components that have been identified as airworthy or installed on the affected airplanes before the revision of the airworthiness limitations section, as required by paragraphs (f)(1) and (f)(2) of this AD, do not need to be reworked in accordance with the CDCCLs. However, once the airworthiness limitations section has been revised, future maintenance actions on these components must be done in accordance with the CDCCLs.

FAA AD Differences

Note 4: This AD differs from the MCAI and/or service information as follows: No differences.

Other FAA AD Provisions

(g) The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs):* The Manager, New York Aircraft Certification Office (ACO), FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to ATTN: Christopher Alfano, Aerospace Engineer, Airframe and Propulsion Branch, ANE-171, FAA, New York Aircraft Certification Office, 1600 Stewart Avenue, Suite 410, Westbury, New York 11590; telephone (516) 228-7340; fax (516) 794-5531. Before using any approved AMOC on any airplane to which the AMOC applies, notify your principal maintenance inspector (PMI) or principal avionics inspector (PAI), as appropriate, or lacking a principal inspector, your local Flight Standards District Office. The AMOC approval letter must specifically reference this AD.

(2) *Airworthy Product:* For any requirement in this AD to obtain corrective actions from a manufacturer or other source, use these actions if they are FAA-approved. Corrective actions are considered FAA-approved if they are approved by the State of Design Authority (or their delegated agent). You are required to assure the product is airworthy before it is returned to service.

(3) *Reporting Requirements:* For any reporting requirement in this AD, under the provisions of the Paperwork Reduction Act, the Office of Management and Budget (OMB) has approved the information collection requirements and has assigned OMB Control Number 2120-0056.

Related Information

(h) Refer to MCAI Canadian Airworthiness Directive CF-2009-09, dated March 9, 2009;

Bombardier Service Bulletin 670BA-29-005, Revision A, dated January 29, 2009; Bombardier TR 2-268, dated December 18, 2008, to Section 3, "Fuel System Limitations," of Part 2 of the Bombardier CL-600-2C10, CL-600-2D15, and CL-600-2D24 Maintenance Requirements Manual; and Bombardier TR 2-269, dated December 18, 2008, to Section 3, "Fuel System Limitations," of Part 2 of the Bombardier CL-600-2C10, CL-600-2D15, and CL-600-2D24 Maintenance Requirements Manual; for related information.

Issued in Renton, Washington, on September 18, 2009.

Ali Bahrami,

Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. E9-23296 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2009-0793; Directorate Identifier 2009-NM-051-AD]

RIN 2120-AA64

Worthiness Directives; Fokker Model F.28 Mark 0070 and 0100 Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for the products listed above. This proposed AD results from mandatory continuing airworthiness information (MCAI) originated by an aviation authority of another country to identify and correct an unsafe condition on an aviation product. The MCAI describes the unsafe condition as:

Several cases have been reported where a passenger door actuator detached from the passenger door. This caused the passenger door to drop to the platform in an uncontrolled manner.

This condition, if not corrected, could result in injury to persons on the ground and damage to the aircraft.

The proposed AD would require actions that are intended to address the unsafe condition described in the MCAI.

DATES: We must receive comments on this proposed AD by October 28, 2009.

ADDRESSES: You may send comments by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.
- *Fax:* (202) 493-2251.

• **Mail:** U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590.

• **Hand Delivery:** U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-40, 1200 New Jersey Avenue, SE., Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this proposed AD, contact Fokker Services B.V., Technical Services Dept., P.O. Box 231, 2150 AE Nieuw-Vennep, the Netherlands; telephone +31 (0)252-627-350; fax +31 (0)252-627-211; e-mail technicalservices.fokkerservices@stork.com; Internet <http://www.myfokkerfleet.com>. You may review copies of the referenced service information at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington. For information on the availability of this material at the FAA, call 425-227-1221 or 425-227-1152.

Examining the AD Docket

You may examine the AD docket on the Internet at <http://www.regulations.gov>; or in person at the Docket Operations office between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this proposed AD, the regulatory evaluation, any comments received, and other information. The street address for the Docket Operations office (telephone (800) 647-5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Tom Rodriguez, Aerospace Engineer, International Branch, ANM-116, Transport Airplane Directorate, FAA, 1601 Lind Avenue, SW., Renton, Washington 98057-3356; telephone (425) 227-1137; fax (425) 227-1149.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposed AD. Send your comments to an address listed under the **ADDRESSES** section. Include "Docket No. FAA-2009-0793; Directorate Identifier 2009-NM-051-AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this proposed AD. We will consider all comments received by the closing date and may amend this proposed AD based on those comments.

We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this proposed AD.

Discussion

The European Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Community, has issued EASA Airworthiness Directive 2009-0026, dated February 17, 2009 (referred to after this as "the MCAI"), to correct an unsafe condition for the specified products. The MCAI states:

Several cases have been reported where a passenger door actuator detached from the passenger door. This caused the passenger door to drop to the platform in an uncontrolled manner.

This condition, if not corrected, could result in injury to persons on the ground and damage to the aircraft.

To address this problem, Fokker Services has developed an improved actuator to ensure the proper functioning of the door opening mechanism.

For the reason described above, this AD requires the replacement of existing airstair door actuators with improved actuators.

You may obtain further information by examining the MCAI in the AD docket.

Relevant Service Information

Fokker Services B.V. has issued Service Bulletin SBF100-52-087 and Component Service Bulletin R5320-52-011, both dated November 10, 2008. The actions described in this service information are intended to correct the unsafe condition identified in the MCAI.

FAA's Determination and Requirements of this Proposed AD

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to our bilateral agreement with the State of Design Authority, we have been notified of the unsafe condition described in the MCAI and service information referenced above. We are proposing this AD because we evaluated all pertinent information and determined an unsafe condition exists and is likely to exist or develop on other products of the same type design.

Differences between this AD and the MCAI or Service Information

We have reviewed the MCAI and related service information and, in general, agree with their substance. But we might have found it necessary to use different words from those in the MCAI

to ensure the AD is clear for U.S. operators and is enforceable. In making these changes, we do not intend to differ substantively from the information provided in the MCAI and related service information.

We might also have proposed different actions in this AD from those in the MCAI in order to follow FAA policies. Any such differences are highlighted in a NOTE within the proposed AD.

Costs of Compliance

Based on the service information, we estimate that this proposed AD would affect about 2 products of U.S. registry. We also estimate that it would take about 12 work-hours per product to comply with the basic requirements of this proposed AD. The average labor rate is \$80 per work-hour. Required parts would cost about \$4,933 per product. Where the service information lists required parts costs that are covered under warranty, we have assumed that there will be no charge for these costs. As we do not control warranty coverage for affected parties, some parties may incur costs higher than estimated here. Based on these figures, we estimate the cost of the proposed AD on U.S. operators to be \$11,786, or \$5,893 per product.

Authority for this Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and

responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

1. Is not a "significant regulatory action" under Executive Order 12866;
2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and
3. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a regulatory evaluation of the estimated costs to comply with this proposed AD and placed it in the AD docket.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. The FAA amends § 39.13 by adding the following new AD:

Fokker Services B.V.: Docket No. FAA-2009-0793; Directorate Identifier 2009-NM-051-AD.

Comments Due Date

(a) We must receive comments by October 28, 2009.

Affected ADs

(b) None.

Applicability

(c) This AD applies to Fokker Model F.28 Mark 0070 and 0100 airplanes, certificated in any category, all serial numbers, if equipped with an "airstair" type door with a passenger door actuator having part number (P/N) A26900-401, A82936-701, A82936-705, R5320, R5320-1, R5320-12, W26900-401, W53200-401, W53200-403, or W53200-405.

Subject

(d) Air Transport Association (ATA) of America Code 52: Doors.

Reason

(e) The mandatory continuing airworthiness information (MCAI) states: "Several cases have been reported where a passenger door actuator detached from the passenger door. This caused the passenger door to drop to the platform in an uncontrolled manner.

This condition, if not corrected, could result in injury to persons on the ground and damage to the aircraft.

To address this problem, Fokker Services has developed an improved actuator to ensure the proper functioning of the door opening mechanism.

For the reason described above, this AD requires the replacement of existing airstair door actuators with improved actuators.

Actions and Compliance

(f) Unless already done, do the following actions.

(1) Within 7,500 flight cycles after the effective date of this AD, replace the affected door actuator with a new or modified unit that has a part number not identified in paragraph (c) of this AD, in accordance with Fokker Service Bulletin SBF100-52-087, dated November 10, 2008.

(2) As of 18 months after the effective date of this AD, no person may install on any airplane a door actuator with a part number listed in paragraph (c) of this AD; modification of the actuators in accordance with Fokker Component Service Bulletin R5320-52-011, dated November 10, 2008, changes the part number of the actuator.

FAA AD Differences

Note 1: This AD differs from the MCAI and/or service information as follows: No differences.

Other FAA AD Provisions

(g) The following provisions also apply to this AD:

(1) **Alternative Methods of Compliance (AMOCs):** The Manager, International Branch, ANM-116, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to ATTN: Tom Rodriguez, Aerospace Engineer, International Branch, ANM-116, Transport Airplane Directorate, FAA, 1601 Lind Avenue, SW., Renton, Washington 98057-3356; telephone (425) 227-1137; fax (425) 227-1149. Before using any approved AMOC on any airplane to which the AMOC applies, notify your principal maintenance inspector (PMI) or principal avionics inspector (PAI), as appropriate, or lacking a principal inspector, your local Flight Standards District Office. The AMOC approval letter must specifically reference this AD.

(2) **Airworthy Product:** For any requirement in this AD to obtain corrective actions from a manufacturer or other source, use these actions if they are FAA-approved. Corrective actions are considered FAA-approved if they are approved by the State of Design Authority (or their delegated agent). You are required to assure the product is airworthy before it is returned to service.

(3) **Reporting Requirements:** For any reporting requirement in this AD, under the provisions of the Paperwork Reduction Act, the Office of Management and Budget (OMB) has approved the information collection requirements and has assigned OMB Control Number 2120-0056.

Related Information

(h) Refer to MCAI European Aviation Safety Agency Airworthiness Directive 2009-

0026, dated February 17, 2009; Fokker Service Bulletin SBF100-52-087, dated November 10, 2008; and Fokker Component Service Bulletin R5320-52-011, dated November 10, 2008; for related information.

Issued in Renton, Washington, on September 18, 2009.

Ali Bahrami,

Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. E9-23299 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2009-0794; Directorate Identifier 2009-NM-035-AD]

RIN 2120-AA64

Airworthiness Directives; Boeing Model 747-100, 747-100B, 747-100B SUD, 747-200B, 747-200C, 747-200F, 747-300, 747-400, 747-400D, 747-400F, 747SR, and 747SP Series Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: We propose to adopt a new airworthiness directive (AD) for all Boeing Model 747 airplanes. This proposed AD would require a general visual inspection to identify any existing repairs of the upper main sill outer chord of the left and right side main entry door number 1, as applicable; repetitive detailed inspections for cracks in the upper main sill of the door(s); and related investigative and corrective actions, if necessary. This proposed AD would also require repetitive inspections for airplanes on which a certain repair is done, and corrective actions if necessary. This proposed AD results from reports of cracks in the main entry door number 1 upper main sill outer chord, along the bend radius of the chord on several airplanes. We are proposing this AD to detect and correct such cracks, which could result in loss of structural integrity of the airplane.

DATES: We must receive comments on this proposed AD by November 12, 2009.

ADDRESSES: You may send comments by any of the following methods:

- **Federal eRulemaking Portal:** Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.
- **Fax:** 202-493-2251.

• **Mail:** U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590.

• **Hand Delivery:** U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this proposed AD, contact Boeing Commercial Airplanes, Attention: Data & Services Management, P.O. Box 3707, MC 2H-65, Seattle, Washington 98124-2207; telephone 206-544-5000, extension 1; fax 206-766-5680; e-mail me.boecom@boeing.com; Internet <https://www.myboeingfleet.com>. You may review copies of the referenced service information at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington. For information on the availability of this material at the FAA, call 425-227-1221 or 425-227-1152.

Examining the AD Docket

You may examine the AD docket on the Internet at <http://www.regulations.gov>; or in person at the Docket Management Facility between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this proposed AD, the regulatory evaluation, any comments received, and other information. The street address for the Docket Office (telephone 800-647-5527) is in the **ADDRESSES** section. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Ivan Li, Aerospace Engineer, Airframe Branch, ANM-120S, FAA, Seattle Aircraft Certification Office, 1601 Lind Avenue, SW., Renton, Washington 98057-3356; telephone (425) 917-6437; fax (425) 917-6590.

SUPPLEMENTARY INFORMATION:

Comments Invited

We invite you to send any written relevant data, views, or arguments about this proposed AD. Send your comments to an address listed under the **ADDRESSES** section. Include "Docket No. FAA-2009-0794; Directorate Identifier 2009-NM-035-AD" at the beginning of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of this proposed AD. We will consider all comments received by the closing date and may amend this

proposed AD because of those comments.

We will post all comments we receive, without change, to <http://www.regulations.gov>, including any personal information you provide. We will also post a report summarizing each substantive verbal contact we receive about this proposed AD.

Discussion

We have received reports in the main entry door number 1 upper main sill outer chord, along the bend radius of the chord on several airplanes. The cracks have been attributed to fatigue. This condition, if not detected and corrected, could result in loss of structural integrity of the airplane.

Relevant Service Information

We have reviewed Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009. The service bulletin describes procedures for a general visual inspection to identify any existing structural repair manual (SRM) repairs of the upper main sill outer chord of the left and right side main entry door number 1, as applicable, repetitive detailed inspections to detect cracks in the upper main sill of the door(s), and related investigative and corrective actions, if necessary.

The related investigative action is to remove any existing SRM outer chord repair found and do a detailed inspection for cracks of the upper main sill and corrective actions, if necessary.

The corrective actions include:

- For airplanes on which any crack is found in the upper main sill outer chord, install an outer chord repair in accordance with Boeing drawing 691U0145;
- For airplanes on which any existing SRM outer chord repair is removed, install a new repair in accordance with Boeing drawing 691U0145;
- For airplanes on which any crack is found in the frame attachment angles or clips of the upper main sill, replace the cracked angle or clip with a new part; and
- For airplanes on which any crack is found in the upper main sill web, contact Boeing for repair instructions.

The service bulletin also describes procedures for repetitive after-repair inspections of any upper main sill(s) that has been repaired in accordance with Boeing drawing 691U0145. For airplanes on which any crack is found during the after-repair inspections, the service bulletin specifies contacting Boeing for repair instructions.

The compliance time for the initial general visual and detailed inspections

is before 9,000 total flight cycles or within 12,000 flight cycles after installation of the Zone 3 modification in accordance with Boeing Service Bulletin 747-53-2272, depending on the configuration of the airplane; or within 1,500 flight cycles after the date on the service bulletin; whichever occurs later. The repetitive interval for the detailed inspection is 6,000 flight cycles. The compliance time for the after-repair inspection is within 15,000 flight cycles after the installation of the repair in accordance with Boeing drawing 691U0145, or within 1,500 flight cycles after the date on the service bulletin, whichever occurs later. The repetitive interval for the after-repair inspection is 3,000 flight cycles. The compliance time for all related investigative and corrective actions is before further flight.

FAA's Determination and Requirements of this Proposed AD

We are proposing this AD because we evaluated all relevant information and determined the unsafe condition described previously is likely to exist or develop in other products of the same type design. This proposed AD would require accomplishing the actions specified in the service information described previously, except as discussed under "Differences Between the Proposed AD and the Service Bulletin."

Differences between the Proposed AD and the Service Bulletin

The service bulletin specifies to contact the manufacturer for instructions on how to repair certain conditions, but this proposed AD would require repairing those conditions in one of the following ways:

- Using a method that we approve; or
- Using data that meet the

certification basis of the airplane, and that have been approved by an Authorized Representative for the Boeing Commercial Airplanes Delegation Option Authorization Organization whom we have authorized to make those findings.

Where the service bulletin specifies a compliance time after the date on the service bulletin, this AD requires compliance within the specified compliance time after the effective date of this AD.

Costs of Compliance

We estimate that this proposed AD would affect 165 airplanes of U.S. registry. The following table provides the estimated costs for U.S. operators to comply with this proposed AD.

TABLE—ESTIMATED COSTS

Action	Work hours	Average labor rate per hour	Parts	Cost per product	Number of U.S.-registered airplanes	Fleet cost
Inspection (groups 1, 3)	6	\$80	\$0	\$480, per inspection cycle.	Up to 165	Up to \$79,200, per inspection cycle.
Inspection (groups 2, 4)	3	80	0	\$240, per inspection cycle.	Up to 165	Up to \$39,600, per inspection cycle.

Authority for this Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. "Subtitle VII: Aviation Programs," describes in more detail the scope of the Agency's authority.

We are issuing this rulemaking under the authority described in "Subtitle VII, Part A, Subpart III, Section 44701: General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

Regulatory Findings

We determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

1. Is not a "significant regulatory action" under Executive Order 12866,
2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979), and
3. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

You can find our regulatory evaluation and the estimated costs of compliance in the AD Docket.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. The FAA amends § 39.13 by adding the following new AD:

Boeing: Docket No. FAA-2009-0794; Directorate Identifier 2009-NM-035-AD.

Comments Due Date

(a) We must receive comments by November 12, 2009.

Affected ADs

(b) None.

Applicability

(c) This AD applies to all Boeing Model 747-100, 747-100B, 747-100B SUD, 747-200B, 747-200C, 747-200F, 747-300, 747-400, 747-400D, 747-400F, 747SR, and 747SP series airplanes, certificated in any category.

Subject

(d) Air Transport Association (ATA) of America Code 53: Fuselage.

Unsafe Condition

(e) This AD results from reports of cracks in the main entry door number 1 upper main sill outer chord, along the bend radius of the chord on several airplanes. The Federal Aviation Administration is issuing this AD to detect and correct such cracks, which could result in loss of structural integrity of the airplane.

Compliance

(f) You are responsible for having the actions required by this AD performed within the compliance times specified, unless the actions have already been done.

Inspections

(g) At the applicable times specified in Table 1 of paragraph 1.E. "Compliance" of Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009, except as required by paragraphs (j), (k), and (l) of this AD: Do a general visual inspection to identify any existing structural repair manual (SRM)

repairs of the upper main sill outer chord of the left and right side main entry door number 1, as applicable; a detailed inspection for cracks in the upper main sill of the door(s); and do all related investigative and corrective actions, as applicable; in accordance with the Accomplishment Instructions of Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009. Do all applicable related investigative and corrective actions before further flight.

(h) For airplanes identified in paragraphs (h)(1) and (h)(2) of this AD: Repeat the detailed inspection described in paragraph (g) of this AD thereafter at the interval specified in Table 1 of paragraph 1.E. "Compliance" of Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009, until the outer chord repair specified in drawing 691U0145 is done on the upper main sill, in accordance with the Accomplishment Instructions of the Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009.

(1) Airplanes on which no cracking is found and no existing SRM outer chord repair is found during any inspection required by paragraph (g) of this AD.

(2) Airplanes on which sill web or frame attachment angles (or clips) are repaired or replaced in accordance with Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009, and the drawing 691U0145 outer chord repair is not installed in accordance with Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009.

(i) For airplanes on which the outer chord repair specified in drawing 691U0145 has been installed in accordance with Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009: At the applicable times specified in Table 2 of paragraph 1.E. "Compliance" of Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009, except as required by paragraph (l) of this AD, do the after-repair inspections and all applicable corrective actions in accordance with the Accomplishment Instructions of Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009, except as provided by paragraph (k) of this AD. Repeat the inspections thereafter at intervals not to exceed 3,000 flight cycles.

Credit for Inspections Required by AD 2005-20-30 or AD 2006-05-02

(j) Accomplishing the inspections required by AD 2005-20-30 or AD 2006-05-02, as applicable, is an acceptable method of compliance for the inspections required by paragraph (g) of this AD. For any airplane that has accumulated 22,000 total flight

cycles or more, AD 2005-20-30 requires accomplishing the inspections in accordance with Boeing Service Bulletin 747-53A2349, Revision 2, dated April 3, 2003; and AD 2006-05-02 requires accomplishing the inspections in accordance with Boeing Alert Service Bulletin 747-53A2500, dated December 21, 2004.

Exceptions to the Service Bulletin

(k) If any crack is found during any inspection required by this AD, and Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009, specifies to contact Boeing for appropriate action: Before further flight, repair the crack using a method approved in accordance with the procedures specified in paragraph (m) of this AD.

(l) Where Boeing Alert Service Bulletin 747-53A2785, dated February 12, 2009, specifies a compliance time "after the date on this service bulletin," this AD requires compliance within the specified compliance time after the effective date of this AD.

Alternative Methods of Compliance (AMOCs)

(m)(1) The Manager, Seattle (ACO), FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. Send information to ATTN: Ivan Li, Aerospace Engineer, Airframe Branch, ANM-120S, FAA, Seattle Aircraft Certification Office, 1601 Lind Avenue, SW., Renton, Washington 98057-3356; telephone (425) 917-6437; fax (425) 917-6590. Or, e-mail information to 9-ANM-Seattle-ACO-AMOC-Requests@faa.gov.

(2) To request a different method of compliance or a different compliance time for this AD, follow the procedures in 14 CFR 39.19. Before using any approved AMOC on any airplane to which the AMOC applies, notify your principal maintenance inspector (PMI) or principal avionics inspector (PAI), as appropriate, or lacking a principal inspector, your local Flight Standards District Office. The AMOC approval letter must specifically reference this AD.

(3) An AMOC that provides an acceptable level of safety may be used for any repair required by this AD, if it is approved by an Authorized Representative for the Boeing Commercial Airplanes Delegation Option Authorization Organization who has been authorized by the Manager, Seattle ACO, to make those findings. For a repair method to be approved, the repair must meet the certification basis of the airplane, and the approval must specifically refer to this AD.

Issued in Renton, Washington, on September 18, 2009.

Ali Bahrami,

Manager, Transport Airplane Directorate,
Aircraft Certification Service.

[FR Doc. E9-23294 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF THE TREASURY

Internal Revenue Service

26 CFR Part 301

[REG-108045-08]

RIN 1545-BI44

Definition of Omission From Gross Income

AGENCY: Internal Revenue Service (IRS), Treasury.

ACTION: Notice of proposed rulemaking by cross-reference to temporary regulations.

SUMMARY: This document contains proposed regulations defining an omission from gross income for purposes of the six-year minimum period for assessment of tax attributable to partnership items and the six-year period for assessing tax. The regulations resolve a continuing issue as to whether an overstatement of basis in a sold asset results in an omission from gross income. The regulations will affect any taxpayer who overstates basis in a sold asset creating an omission from gross income exceeding twenty-five percent of the income stated in the return. The text of the temporary regulations published in the Rules and Regulations section of this issue of the **Federal Register** also serves as the text of these proposed regulations. This document also provides notice of a public hearing on these proposed and temporary regulations.

DATES: Written or electronic comments and requests for a public hearing must be received by December 28, 2009.

ADDRESSES: Send submissions to: CC:PA:LPD:PR (REG-108045-08), room 5205, Internal Revenue Service, P.O. Box 7604, Ben Franklin Station, Washington, DC 20044. Submissions may be hand delivered Monday through Friday between the hours of 8 a.m. and 4 p.m. to: CC:PA:LPD:PR (REG-108045-08), Courier's Desk, Internal Revenue Service, 1111 Constitution Avenue, NW., Washington, DC, or sent electronically via the Federal eRulemaking Portal at <http://www.regulations.gov> (IRS REG-108045-08).

FOR FURTHER INFORMATION CONTACT: Concerning the proposed regulations, William A. Heard, III at (202) 622-4570; concerning submissions of comments and requests for a public hearing, Richard A. Hurst at irs.counsel@treas.gov, (202) 622-7180 (not toll-free numbers).

SUPPLEMENTARY INFORMATION:

Background and Explanation of Provisions

Temporary regulations in the Rules and Regulations section of this issue of the **Federal Register** amend the Procedure and Administration Regulations (26 CFR part 301) relating to sections 6229(c)(2) and 6501(e). The text of those regulations also serves as the text of these proposed regulations. The preamble to the temporary regulations explains the amendments.

Special Analyses

It has been determined that this notice of proposed rulemaking is not a significant regulatory action as defined in Executive Order 12866. Therefore, a regulatory assessment is not required. It also has been determined that section 553(b) of the Administrative Procedure Act (5 U.S.C. chapter 5) does not apply to these regulations and because these regulations do not impose a collection of information on small entities, the Regulatory Flexibility Act (5 U.S.C. chapter 6) does not apply. Pursuant to section 7805(f) of the Internal Revenue Code, these regulations have been submitted to the Chief Counsel for Advocacy of the Small Business Administration for comment on their impact on small business.

Comments and Requests for a Public Hearing

Before these proposed regulations are adopted as final regulations, consideration will be given to any written (a signed original and eight (8) copies) or electronic comments that are submitted timely to the IRS. The IRS and the Treasury Department request comments on the substance of the proposed regulations, as well as on the clarity of the proposed rules and how they can be made easier to understand. All public comments will be made available for public inspection and copying. A public hearing will be scheduled if requested in writing by any person that timely submits comments. If a public hearing is scheduled, notice of the date, time, and place for the public hearing will be published in the **Federal Register**.

Drafting Information

The principal author of these regulations is William A. Heard III of the Office of the Associate Chief Counsel (Procedure and Administration).

List of Subjects in 26 CFR Part 301

Employment taxes, Estate taxes, Excise taxes, Gift taxes, Income taxes, Penalties, Reporting and recordkeeping requirements.

Proposed Amendments to the Regulations

Accordingly, 26 CFR Part 301 is proposed to be amended as follows:

PART 301—PROCEDURE AND ADMINISTRATION

Paragraph 1. The authority citation for part 301 is amended by adding the entry in numerical order to read in part as follows:

Authority: 26 U.S.C. 7805 * * *
Section 301.6229(c)(2)-1 is also issued under 26 U.S.C. 6230(k). * * *

Par. 2. Section 301.6229(c)(2)-1 is added to read as follows:

§ 301.6229(c)(2)-1 Substantial omission of income.

[The text of § 301.6229(c)(2)-1 is the same as the text of § 301.6229(c)(2)-1T published elsewhere in this issue of the Federal Register].

Par. 3. Section 301.6501(e)-1 is added to read as follows:

§ 301.6501(e)-1 Omission from return.

[The text of § 301.6501(e)-1 is the same as the text of § 301.6501(e)-1T

published elsewhere in this issue of the Federal Register].

Linda E. Stiff,
Deputy Commissioner for Services and Enforcement.
[FR Doc. E9-23423 Filed 9-24-09; 4:15 pm]
BILLING CODE 4830-01-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 151

46 CFR Part 162

[USCG-2001-10486]

RIN 1625-AA32

Standards for Living Organisms in Ships' Ballast Water Discharged in U.S. Waters

AGENCY: Coast Guard, DHS.

ACTION: Notice of public meetings.

SUMMARY: This notice provides the times and locations of the first four of six public meetings which will be held by the Coast Guard (USCG) regarding the

Notice of Proposed Rulemaking (NPRM) entitled "Standards for Living Organisms in Ships' Ballast Water Discharged in U.S. Waters" that published in the **Federal Register** on Friday, August 28, 2009.

DATES: Public meetings will be held in the Seattle, WA (September 28, 2009), New Orleans, LA (September 30, 2009), Chicago, IL (October 2, 2009), Washington, DC (October 8, 2009), Oakland, CA (October 27, 2009), and New York, NY (October 29, 2009) areas to provide opportunities for oral comments. The comment period for the NPRM closes on November 27, 2009. All comments and related material submitted after a meeting must either be submitted to our online docket via <http://www.regulations.gov> on or before November 27, 2009 or reach the Docket Management Facility by that date.

ADDRESSES: The dates and locations of the first four public meetings are provided in the following table. All meetings will be held from 9 a.m. until 4 p.m. local time unless otherwise noted. The meetings may conclude before the allotted time if all matters of discussion have been addressed.

Date	Location	Phone
09/28/2009	Hotel 1000 Seattle, 1000 First Avenue, Seattle, WA 98104	206-957-1000.
09/30/2009	Hotel Monteleone, 214 Rue Royal, New Orleans, LA 70130	866-338-4684.
10/02/2009	Hilton Garden Inn Chicago Downtown/Magnificent Mile, 10 E. Grand Avenue, Chicago, IL 60611	312-595-0000.
10/08/2009	U.S. Environmental Protection Agency, 1201 Constitution Ave., NW., Washington, DC 20460	202-564-9545.
10/27/2009	TBD, Oakland, CA	TBD.
10/29/2009	TBD, New York, NY	TBD.

You may submit written comments identified by docket number USCG-2001-10486 before or after the meeting using any one of the following methods:

- (1) *Federal eRulemaking Portal:*
<http://www.regulations.gov>.
- (2) *Fax:* 202-493-2251.
- (3) *Mail:* Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590-0001.
- (4) *Hand delivery:* Same as mail address above, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The telephone number is 202-366-9329.

To avoid duplication, please use only one of these four methods. Our online docket for this rulemaking is available on the Internet at <http://www.regulations.gov>

www.regulations.gov under docket number USCG-2001-10486.
FOR FURTHER INFORMATION CONTACT: If you have questions on this proposed rulemaking, call or e-mail Mr. John Morris, Project Manager, Environmental Standards Division, U.S. Coast Guard Headquarters, telephone 202-372-1433, e-mail: John.C.Morris@uscg.mil. If you have questions on viewing or submitting material to the docket, call Ms. Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.
SUPPLEMENTARY INFORMATION: The Coast Guard published a Notice of Proposed Rulemaking (NPRM) in the **Federal Register** on Friday, August 28, 2009 (74 FR 44632), entitled "Standards for Living Organisms in Ships' Ballast Water Discharged in U.S. Waters." In it, we stated our intention to hold public meetings, and to publish a notice with

additional details regarding those public meetings as soon as the information was available. 74 FR 44632. On Monday, September 14, 2009, we published a Notice of Public Meeting to inform the public of the date for each public meeting, as well as the city in which those meetings will be held. 74 FR 46964. That notice also stated that additional notice(s) would be published in the **Federal Register** as specific locations and details for these meetings were finalized. On Tuesday, September 22, 2009, we published a Notice of Public Meeting with the specific locations and details for the first two of the six public meetings. 74 FR 48190. This notice provides those details for the second two public meetings and restates the information for the first two public meetings. Those details are as follows:

Date	Location	Phone
09/28/2009	Hotel 1000 Seattle, 1000 First Avenue, Seattle, WA 98104	206-957-1000.

Date	Location	Phone
09/30/2009	Hotel Monteleone, 214 Rue Royal, New Orleans, LA 70130	866-338-4684.
10/02/2009	Hilton Garden Inn Chicago Downtown/Magnificent Mile, 10 E. Grand Avenue, Chicago, IL 60611	312-595-0000.
10/08/2009	U.S. Environmental Protection Agency, 1201 Constitution Ave., NW., Washington, DC 20460	202-564-9545.
10/27/2009	TBD, Oakland, CA	TBD.
10/29/2009	TBD, New York, NY	TBD.

Written comments and related material may also be submitted to Coast Guard personnel specified at those meetings for inclusion in the official docket for this rulemaking.

Information on Service for Individuals with Disabilities

For information on facilities or services for individuals with disabilities or to request special assistance at the public meetings, contact Mr. John Morris at the telephone number or e-mail address indicated under the **FOR FURTHER INFORMATION CONTACT** section of this notice.

Dated: September 23, 2009.

F.J. Sturm,

Acting Director of Commercial Regulations and Standards, U.S. Coast Guard.

[FR Doc. E9-23386 Filed 9-24-09; 11:15 am]

BILLING CODE 4910-15-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 49

[EPA-R01-OAR-2009-0305; A-1-FRL-8949-7]

Approval and Promulgation of Air Quality Implementation Plans; Mohegan Tribe of Indians of Connecticut

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule.

SUMMARY: EPA is proposing to approve a Tribal Implementation Plan ("TIP") submitted by the Mohegan Tribe of Indians of Connecticut ("the Tribe"). This revision adds new emission units to the Tribe's TIP, while maintaining an enforceable cap on nitrogen oxide emissions from stationary sources owned by the Mohegan Tribal Gaming Authority and located within the external boundaries of the Mohegan Reservation. The revision also provides the Administrator of The Mohegan Environmental Protection Department with enforcement authority for violations of the Mohegan TIP and establishes a right of appeal to the Director of Regulation and Compliance and the Mohegan courts. This action is

intended to help attain the National Ambient Air Quality Standards (NAAQS) for ground-level ozone. This action is being taken in accordance with the Clean Air Act.

DATES: Written comments must be received on or before October 28, 2009.

ADDRESSES: Submit your comments, identified by Docket ID No. EPA-R01-OAR-2009-0305 by one of the following methods:

1. *http://www.regulations.gov*: Follow the on-line instructions for submitting comments.

2. *E-mail*: mcdonnell.ida@epa.gov

3. *Fax*: (617) 918-1653

4. *Mail*: "EPA-R01-OAR-2009-0305", Ida McDonnell, U.S. Environmental Protection Agency, EPA New England Regional Office, One Congress Street, Suite 1100 (mail code CAP), Boston, MA 02114-2023.

5. *Hand Delivery or Courier*: Deliver your comments to: Ida McDonnell, Air Permits, Toxics and Indoor Air Unit, Office of Ecosystem Protection, U.S. Environmental Protection Agency, EPA New England Regional Office, One Congress Street, 11th floor, (CAP), Boston, MA 02114-2023. Such deliveries are only accepted during the Regional Office's normal hours of operation. The Regional Office's official hours of business are Monday through Friday, 8:30 to 4:30, excluding legal holidays.

Please see the direct final rule which is located in the Rules Section of this **Federal Register** for detailed instructions on how to submit comments.

FOR FURTHER INFORMATION CONTACT: Ida E. McDonnell, Air Permits, Toxics and Indoor Air Unit, Office of Ecosystem Protection, U.S. Environmental Protection Agency, EPA New England Regional Office, One Congress Street, 11th floor, (CAP), Boston, MA 02114-2023, telephone number (617) 918-1653, fax number (617) 918-0653, e-mail mcdonnell.ida@epa.gov

SUPPLEMENTARY INFORMATION: In the Final Rules Section of this **Federal Register**, EPA is approving the Tribe's TIP submittal as a direct final rule without prior proposal because the Agency views this as a noncontroversial submittal and anticipates no adverse comments. A detailed rationale for the

approval is set forth in the direct final rule. If no adverse comments are received in response to this action rule, no further activity is contemplated. If EPA receives adverse comments, the direct final rule will be withdrawn and all public comments received will be addressed in a subsequent final rule based on this proposed rule. EPA will not institute a second comment period. Any parties interested in commenting on this action should do so at this time. Please note that if EPA receives adverse comment on an amendment, paragraph, or section of this rule and if that provision may be severed from the remainder of the rule, EPA may adopt as final those provisions of the rule that are not the subject of an adverse comment.

For additional information, see the direct final rule which is located in the Rules Section of this **Federal Register**.

Dated: August 13, 2009.

Ira Leighton,

Acting Regional Administrator, EPA New England.

[FR Doc. E9-23262 Filed 9-25-09; 8:45 am]

BILLING CODE 6560-50-P

FEDERAL COMMUNICATIONS COMMISSION

47 CFR Part 27

[WT Docket Nos. 03-66; RM-10586, FCC 09-70]

Facilitating the Provision of Fixed and Mobile Broadband Access, Educational and Other Advanced Services in the 2150-2162 and 2500-2690 MHz Bands

AGENCY: Federal Communications Commission.

ACTION: Notice of proposed rulemaking.

SUMMARY: In this document, the Commission seeks comment on its proposal to require applicants that win BRS licenses in Auction 86, and any subsequent auction, to demonstrate substantial service on or before four years from the date of license grant. Further, the Commission seeks comment on a proposed clarification to the substantial service rule applicable to the Broadband Radio Service and to the

Educational Broadband Service. The Commission's proposals, if adopted, would ensure that spectrum in the 2.5 GHz band is put in use and would promote the provision of innovative services and rapid service to the public.

DATES: Submit comments on or before October 13, 2009. Submit reply comments on or before October 23, 2009.

ADDRESSES: Federal Communications Commission, 445 12th Street, SW., Washington, DC 20554. You may submit comments, identified by FCC 09-70, or by WT Docket No. 03-66, by any of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the instructions for submitting comments.

- *Federal Communications Commission's Web site:* <http://www.fcc.gov/cgb/ecfs/>. Follow the instructions for submitting comments.

- *People with Disabilities:* Contact the FCC to request reasonable accommodations (accessible format documents, sign language interpreters, CART, etc.) by e-mail: FCC504@fcc.gov or phone: (202) 418-0530 or TTY: (202) 418-0432.

For detailed instructions for submitting comments and additional information on the rulemaking process, see the **SUPPLEMENTARY INFORMATION** section of this document.

FOR FURTHER INFORMATION CONTACT:

Nancy M. Zaczek, Wireless Telecommunications Bureau, Broadband Division, Federal Communications Commission, 445 12th Street, SW., Washington, DC 20554, at (202) 418-0274 or via the Internet to Nancy.Zaczek@fcc.gov.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission's *Broadband Radio Service/Educational Broadband Service Third Further Notice of Proposed Rulemaking (BRS/EBS 3rd FNPRM)*, FCC 09-70, adopted on September 8, 2009, and released on September 11, 2009. The full text of this document is available for inspection and copying during normal business hours in the FCC Reference Information Center, Room CY-A257, 445 12th Street, SW., Washington, DC 20554. The complete text may be purchased from the Commission's duplicating contractor, Best Copy and Printing, Inc. (BCPI), Portals II, 445 12th Street, SW., Room CY-B402, Washington, DC 20554, 1-800-378-3160 or via e-mail at fcc@bcpiweb.com. The complete text is also available on the Commission's Web site at http://wireless.fcc.gov/edocs_public/attachment/FCC-09-70A1doc. This full text may also be

downloaded at: <http://wireless.fcc.gov/releases.html>. Alternative formats (computer diskette, large print, audio cassette, and Braille) are available by contacting Brian Millin at (202) 418-7426, TTY (202) 418-7365, or via e-mail to bmillin@fcc.gov.

SUPPLEMENTARY INFORMATION:

BRS/EBS Third FNPRM

1. *Background.* The Commission's general practice has been to adopt performance requirements associated with licenses to be met at a deadline measured in some period of time from the issue of the license (e.g., a licensee may have to demonstrate substantial service 5 years from issue of the license). Regarding incumbent BRS licenses, licensees were required to construct within twelve months of the date of license grant. Regarding BTA licenses, the former MDS rules provided that "within five years of the grant of a BTA authorization, the authorization holder must construct MDS stations to provide signals * * * that are capable of reaching at least two-thirds of the population of the applicable service area." Subsequently, in April 2006, the Commission adopted May 1, 2011 as the uniform date by which all BRS BTA authorization holders and incumbent BRS and EBS licensees must demonstrate substantial service.

2. The Commission adopted May 1, 2011 as the date for BRS licensees to demonstrate substantial service because it is the date that renewal applications for incumbent BRS licenses are due. Moreover, May 1, 2011 is approximately five years from the date of release of the *BRS/EBS Second Report and Order*, which gave existing BRS licensees five years to build out their systems, while they simultaneously transitioned to the new band plan and technical rules. Thus, the Commission concluded, requiring BRS licensees to demonstrate substantial service by May 1, 2011 struck the appropriate balance between ensuring that the band is promptly placed in use and giving licensees fair opportunity to transition their facilities. The Commission then required that BRS incumbent licensees file their demonstration of substantial service with their respective renewal applications.

3. On April 24, 2009, the Wireless Telecommunications Bureau announced that it intended to auction 78 BRS BTA licenses, 75 of which will be overlay licenses that were originally offered in Auction 6 and are now available as a result of default, cancellation, or termination. Three additional licenses were created by the Commission in the *BRS/EBS Fourth MO&O*, when the

Commission amended its rules to establish three Gulf of Mexico Service Areas for BRS. It is anticipated that the auction of these 78 BRS licenses will commence on October 27, 2009. Under the rules adopted by the Commission in 2006, auction winners of these 78 licenses will also be required to demonstrate substantial service on or before May 1, 2011.

4. In response to the Auction 86 Procedures Public Notice, SAL Spectrum, LLC (SAL Spectrum) asked the Commission to give applicants that win BRS licenses in Auction 86 ten years in which to demonstrate substantial service. SAL Spectrum argues that requiring licensees who receive their licenses in Auction 86 to demonstrate substantial service by May 1, 2011 "will discourage participation in Auction 86 and deflate the amount that participants will be willing to bid." The Ad Hoc BRS Applicants Association supports giving new licensees ten years to demonstrate substantial service. The Wireless Communications Association International, Inc. (WCA) and Clearwire Corporation (Clearwire) opposed SAL Spectrum's proposal. They contend that it would not be in the public interest to give new licensees ten years to demonstrate substantial service because the spectrum could lie fallow during that period. WCA recommends that any additional time "be an appropriate balance between the goal of ensuring that the spectrum is put to good use and permitting winners a reasonable opportunity to construct." Clearwire argues that the existing May 1, 2011 substantial service deadline should apply.

5. We tentatively conclude that we should require applicants that win BRS licenses in Auction 86, and any subsequent auction of BRS licenses, to demonstrate substantial service on or before four years from the date their respective licenses are granted. We agree with WCA that the substantial service deadline should ensure that spectrum is promptly placed in use while allowing licensees a reasonable opportunity to construct.

6. We tentatively conclude that a four-year time period will allow new licensees sufficient time to build out their systems and put the spectrum to use. Although the May 1, 2011 date adopted by the Commission in the *BRS/EBS Second Report and Order* gave BRS licensees five years to build out their systems, during this five-year period licensees had to simultaneously transition to the new band plan and technical rules. Since the adoption of the *BRS/EBS 2nd Report and Order*, however, the transition of the 2500-

2690 MHz band has been initiated in virtually the entire United States and has been completed in most of the country. Given that new BRS licensees will not face issues related to simultaneous transition and construction, we tentatively conclude that requiring new BRS licensees to build out within four years of license grant will ensure that the spectrum is put in use, promote the provision of innovative services, and promote rapid service to the public.

7. The proposal to require substantial service within four years of license grant is consistent with the decision to establish initial buildout requirements within four years of the effective date of the DTV transition or of license grant in the 700 MHz band. Therefore, we tentatively conclude that a four-year deadline is more appropriate than the ten-year deadline. We believe that a ten-year deadline is excessive and could lead to spectrum being unused for an inordinately long period of time. Also, we believe the better course of action is to provide advance notice to potential bidders regarding their buildout obligations. Thus, we tentatively conclude that we should require new BRS licensees awarded in Auction 86 to demonstrate substantial service on or before four years from the date of license grant. In addition, we note that the same rationale would apply to any BRS licensee whose initial license is granted near the May 1, 2011 substantial service deadline. Therefore, we tentatively conclude that we should adopt a rule that would require any BRS licensee whose initial license is granted after the revised rule becomes effective to demonstrate substantial service on or before a date four years from the date the license was granted. We seek comment on this proposal and alternatives.

8. We also propose to revise the introductory text to § 27.14(o) of the Commission's rules to more clearly state the Commission's intent to allow BRS or EBS licensees to demonstrate substantial service if their respective lessees met one of the safe harbors adopted by the Commission and to allow licenses to be combined for purposes of demonstrating substantial service under certain circumstances. We seek comment on this proposal.

Procedural Matters

Ex Parte Rules—Permit-But-Disclose Proceeding

9. This is a permit-but-disclose notice and comment rulemaking proceeding. Ex parte presentations are permitted, except during the Sunshine Agenda

period, provided they are disclosed pursuant to the Commission's rules.

Comment Period and Procedures

10. Pursuant to §§ 1.415 and 1.419 of the Commission's rules, 47 CFR 1.415, 1.419, interested parties may file comments and reply comments on or before the dates indicated on the first page of this document. Comments may be filed using: (1) The Commission's Electronic Comment Filing System (ECFS), (2) the Federal Government's eRulemaking Portal, or (3) by filing paper copies. See Electronic Filing of Documents in Rulemaking Proceedings, 63 FR 24121 (1998).

- *Electronic Filers:* Comments may be filed electronically using the Internet by accessing the ECFS: <http://www.fcc.gov/cgb/ecfs/> or the Federal eRulemaking Portal: <http://www.regulations.gov>. Filers should follow the instructions provided on the Web site for submitting comments.

- *For ECFS filers,* if multiple docket or rulemaking numbers appear in the caption of this proceeding, filers must transmit one electronic copy of the comments for each docket or rulemaking number referenced in the caption. In completing the transmittal screen, filers should include their full name, U.S. Postal Service mailing address, and the applicable docket or rulemaking number. Parties may also submit an electronic comment via the Internet e-mail. To get filing instructions for e-mail comments, commenters should send an e-mail to ecfs@fcc.gov, and include the following words in the body of the message, "get form." A sample form and directions will be sent in response.

- *Paper Filers:* Parties who choose to file by paper must file an original and four copies of each filing. If more than one docket or rulemaking number appears in the caption of this proceeding, filers must submit two additional copies for each additional docket or rulemaking number. Filings can be sent by hand or messenger delivery, by commercial overnight courier, or by first-class or overnight U.S. Postal Service mail (although we continue to experience delays in receiving U.S. Postal Service mail). All filings must be addressed to the Commission's Secretary, Office of the Secretary, Federal Communications Commission. The Commission's contractor will receive hand-delivered or messenger-delivered paper filings for the Commission's Secretary at 236 Massachusetts Avenue, NE., Suite 110, Washington, DC 20002. The filing hours at this location are 8 a.m. to 7 p.m. All hand deliveries must be held together

with rubber bands or fasteners. Any envelopes must be disposed of before entering the building. Commercial overnight mail (other than U.S. Postal Service Express Mail and Priority Mail) must be sent to 9300 East Hampton Drive, Capitol Heights, MD 20743. U.S. Postal Service first-class, Express, and Priority mail must be addressed to 445 12th Street, SW., Washington, DC 20554.

- *People with Disabilities:* To request materials in accessible formats for people with disabilities (braille, large print, electronic files, audio format), send an e-mail to fcc504@fcc.gov or call the Consumer & Governmental Affairs Bureau at (202) 418-0530 (voice), (202) 418-0432 (tty).

- *Availability of Documents:* The public may view the documents filed in this proceeding during regular business hours in the FCC Reference Information Center, Federal Communications Commission, 445 12th Street, SW., Room CY-A257, Washington, DC 20554, and on the Commission's Internet Home Page: <http://www.fcc.gov>. Copies of comments and reply comments are also available through the Commission's duplicating contractor: Best Copy and Printing, Inc., 445 12th Street, SW., Room CY-B402, Washington, DC 20554, 1-800-378-3160.

Paperwork Reduction Analysis

11. This document does not contain proposed information collections subject to the Paperwork Reduction Act of 1995, Public Law 104-13. In addition, therefore, it does not contain any proposed information collection burden "for small business concerns with fewer than 25 employees," pursuant to the Small Business Paperwork Relief Act of 2002, Public Law 107-198, see 44 U.S.C. 3506(c)(4).

Initial Regulatory Flexibility Analysis

12. The Regulatory Flexibility Act (RFA) requires that an agency prepare a regulatory flexibility analysis for notice-and-comment rulemaking proceedings, unless the agency certifies that "the rule will not, if promulgated, have a significant economic impact on a substantial number of small entities." The RFA generally defines "small entity" as having the same meaning as the terms "small business," "small organization," and "small governmental jurisdiction." In addition, the term "small business" has the same meaning as the term "small business concern" under the Small Business Act. A "small business concern" is one which: (1) Is independently owned and operated; (2) is not dominant in its field of operation; and (3) satisfies any additional criteria

established by the Small Business Administration (SBA).

13. In the *BRS/EBS Third FNPRM*, the Commission has proposed extending the deadline for demonstrating substantial service for those licensees that are granted a BRS license after the adoption date of a rule in this proceeding. The Commission proposes this action in light of its decision to auction 78 available BRS BTA licenses starting on October 27, 2009. The Commission is concerned that these licensees, and any other licensees whose initial license is granted after the effective date of the rules adopted in this proceeding, may not be able to meet the substantial service deadline adopted by the Commission on April 12, 2006. This proposal, if adopted, would not create any additional burdens for BRS licensees. All BRS licensees must demonstrate substantial service. If adopted, however, this decision would relieve certain licensees of the burden of demonstrating substantial service on or before May 1, 2011, which would, in many cases, be just over a year from the date of license grant. Thus the Commission's proposal, if adopted, would relieve licensees granted an initial license after the effective date of the rules adopted in this proceeding, from having to meet the May 1, 2011 deadline, but would require them to demonstrate substantial service four years from the date of license grant.

14. The Commission therefore certifies, pursuant to the RFA, that the proposals in the *BRS/EBS Third FNPRM*, if adopted, will not have a significant economic impact on a substantial number of small entities. If commenters believe that the proposals discussed in the *BRS/EBS Third FNPRM* require additional RFA analysis, they should include a discussion of these issues in their comments and

additionally label them as RFA comments.

Ordering Clauses

15. It is ordered that notice is hereby given of the proposed regulatory changes described in this *Third Further Notice of Proposed Rulemaking*, and that comment is sought on these proposals.

16. It is further ordered that pursuant to section 4(i) of the Communications Act of 1934, 47 U.S.C.154(i), that the Commission's Consumer and Governmental Affairs Bureau, Reference Information Center, shall send a copy of this *Third Further Notice of Proposed Rulemaking*, including the Initial Regulatory Certification, to the Chief Counsel for Advocacy of the Small Business Administration.

List of Subjects in 47 CFR Part 27

Communications common carriers, Communications equipment, Equal employment opportunity, Radio, Reporting and recordkeeping requirements, Satellites, Securities, Telecommunications.

Marlene H. Dortch,
Secretary, Federal Communications
Commission.

Proposed Rules

For the reasons discussed in the preamble, the Federal Communications Commission proposes to amend 47 CFR part 27 as follows:

PART 27—MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES

1. The authority citation for part 27 continues to read as follows:

Authority: 47 U.S.C. 154, 301, 302, 303, 307, 309, 332, 336, and 337 unless otherwise noted.

2. Amend § 27.14 by revising paragraph (o) introductory text to read as follows:

§ 27.14 Construction requirements; Criteria for renewal.

* * * * *

(o) BRS and EBS licensees originally issued a BRS or EBS license prior to [insert effective date of final rule] must make a showing of substantial service no later than May 1, 2011. With respect to initial BRS licenses issued after [insert effective date of final rule], the licensee must make a showing of substantial service within four years from the date of issue of the license. Incumbent BRS licensees that are required to demonstrate substantial service by May 1, 2011 must file their substantial service showing with their renewal applications. "Substantial service" is defined as service which is sound, favorable, and substantially above a level of mediocre service which just might minimally warrant renewal. Substantial service for BRS and EBS licensees is satisfied if a licensee meets the requirements of paragraph (o)(1), (o)(2), or (o)(3) of this section. If a licensee has not met the requirements of paragraph (o)(1), (o)(2), or (o)(3) of this section, then demonstration of substantial service shall proceed on a case-by-case basis. Except as provided in paragraphs (o)(4) and (o)(5) of this section, all substantial service determinations will be made on a license-by-license basis. Failure by any licensee to demonstrate substantial service will result in forfeiture of the license and the licensee will be ineligible to regain it.

* * * * *

[FR Doc. E9-23331 Filed 9-25-09; 8:45 am]

BILLING CODE 6712-01-P

Notices

Federal Register

Vol. 74, No. 186

Monday, September 28, 2009

This section of the FEDERAL REGISTER contains documents other than rules or proposed rules that are applicable to the public. Notices of hearings and investigations, committee meetings, agency decisions and rulings, delegations of authority, filing of petitions and applications and agency statements of organization and functions are examples of documents appearing in this section.

DEPARTMENT OF AGRICULTURE

Submission for OMB Review; Comment Request

September 23, 2009.

The Department of Agriculture has submitted the following information collection requirement(s) to OMB for review and clearance under the Paperwork Reduction Act of 1995, Public Law 104-13. Comments regarding (a) Whether the collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility; (b) the accuracy of the agency's estimate of burden including the validity of the methodology and assumptions used; (c) ways to enhance the quality, utility and clarity of the information to be collected; (d) ways to minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology should be addressed to: Desk Officer for Agriculture, Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), OIRA_Submission@OMB.EOP.GOV or fax (202) 395-5806 and to Departmental Clearance Office, USDA, OCIO, Mail Stop 7602, Washington, DC 20250-7602. Comments regarding these information collections are best assured of having their full effect if received within 30 days of this notification. Copies of the submission(s) may be obtained by calling (202) 720-8681.

An agency may not conduct or sponsor a collection of information unless the collection of information displays a currently valid OMB control number and the agency informs potential persons who are to respond to the collection of information that such persons are not required to respond to

the collection of information unless it displays a currently valid OMB control number.

Forest Service

Title: Forest Service Ride-Along Program Application.

OMB Control Number: 0596-0170.

Summary of Collection: The Forest Service (FS) ride-along program allows the general public or other interested person to accompany agency law enforcement personnel as they conduct their normal field duties, including access to and discussions about agency law enforcement vehicles, procedures, and facilities. The program provides an opportunity for officers to enhance the public's understanding and support of the agency program and to increase agency understanding of public and community concerns. The program also aids the agency's recruitment program by allowing interested persons to observe a potential career choice or to participate in innovative intern-type programs, and by allowing the agency to showcase the quality of its program and services.

Need and Use of the Information:

Information will be collected from any person who voluntarily approaches the FS and wishes to participate in the program. The FS 5300-33 program application form will be used to conduct a minimal background check and the FS 5300-34 is a liability waiver form that requires the applicant's signature and their written assurance that they have read and understood the form. The information collected from the forms will be used by FS and, in appropriate part, by any person or entity needed and authorized by the FS to provide the needed background information (primarily applicable local law enforcement agencies, state criminal justice agencies maintaining state justice records, and by the FBI). If the information is not collected, the program could not operate.

Description of Respondents:

Individuals or households.

Number of Respondents: 100.

Frequency of Responses: Reporting: Other (per applicant).

Total Burden Hours: 16.

Charlene Parker,

Departmental Information Collection Clearance Officer.

[FR Doc. E9-23276 Filed 9-25-09; 8:45 am]

BILLING CODE 3410-11-P

DEPARTMENT OF AGRICULTURE

Animal and Plant Health Inspection Service

[Docket No. APHIS-2009-0059]

Availability of an Environmental Assessment for a Biological Control Agent for Japanese Beetle

AGENCY: Animal and Plant Health Inspection Service, USDA.

ACTION: Notice of availability and request for comments.

SUMMARY: We are advising the public that the Animal and Plant Health Inspection Service has prepared an environmental assessment relative to the control of Japanese beetle (*Popillia japonica*). The environmental assessment considers the effects of, and alternatives to, the release of a bacterium, *Bacillus thuringiensis japonensis*, into the continental United States for the use of biological control to reduce the severity of infestations of Japanese beetle on turfgrass. We are making the environmental assessment available to the public for review and comment.

DATES: We will consider all comments that we receive on or before October 28, 2009.

ADDRESSES: You may submit comments by either of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov/fdmspublic/component/main?main=DocketDetail&d=APHIS-2009-0059> to submit or view comments and to view supporting and related materials available electronically.

- *Postal Mail/Commercial Delivery:* Please send two copies of your comment to Docket No. APHIS-2009-0059, Regulatory Analysis and Development, PPD, APHIS, Station 3A-03.8, 4700 River Road Unit 118, Riverdale, MD 20737-1238. Please state that your comment refers to Docket No. APHIS-2009-0059.

Reading Room: You may read any comments that we receive on the environmental assessment in our reading room. The reading room is located in room 1141 of the USDA South Building, 14th Street and Independence Avenue SW., Washington, DC. Normal reading room hours are 8 a.m. to 4:30 p.m., Monday through Friday, except holidays. To be

sure someone is there to help you, please call (202) 690-2817 before coming.

Other Information: Additional information about APHIS and its programs is available on the Internet at <http://www.aphis.usda.gov>.

FOR FURTHER INFORMATION CONTACT: Dr. James L. White, Pest Permitting Branch, Registration, Identification, Permitting, and Plant Safeguarding, PPQ, APHIS, 4700 River Road Unit 133, Riverdale, MD 20737-1237; (301) 734-8713.

SUPPLEMENTARY INFORMATION:

Background

The Animal and Plant Health Inspection Service (APHIS) is proposing to issue permits for the release of a bacterium, *Bacillus thuringiensis japonensis*, into the continental United States for the biological control of the larval stage of Japanese beetle (*Popillia japonica*).

Japanese beetle is native to Japan where it is not a significant pest and was first discovered in the United States in 1916 near Riverton, NJ. APHIS has administered regulations regarding Japanese beetle since 1979 to prevent its spread to new areas. Currently, 28 States and the District of Columbia are quarantined under 7 CFR 301.48 because of the presence of Japanese beetle.

To control Japanese beetle, turf care professionals and homeowners use large quantities of several chemical insecticides. While these chemicals can be effective, their use can result in potential environmental and health issues. Currently, there are very few biological control options for Japanese beetle control. While these natural products do not present the potential environmental impact that standard insecticides do, they tend to provide inconsistent grub pest control at best.

Thus, a permit application has been submitted to APHIS for the purpose of releasing a soil dwelling bacterium, *B. thuringiensis japonensis* to reduce the severity of infestations of Japanese beetle in the United States in turfgrass. The field tests requested will be performed in five States: Massachusetts, New Jersey, New York, Ohio, and Rhode Island. Additional locations in different States may be authorized if a finding of no significant impact is reached for the environmental assessment (EA).

APHIS' review and analysis of the proposed action are documented in detail in a draft EA titled "Field Release of *Bacillus thuringiensis apnensis*, a Bacterium for Biological Control of Japanese Beetle, *Popillia japonica* (Coleoptera:Scarabaeidae), in Five

States" (February 2009). We are making the EA available to the public for review and comment. We will consider all comments that we receive on or before the date listed under the heading **DATES** at the beginning of this notice.

The EA may be viewed on the Regulations.gov Web site or in our reading room (see **ADDRESSES** above for instructions for accessing Regulations.gov and information on the location and hours of the reading room). You may request paper copies of the EA by calling or writing to the person listed under **FOR FURTHER INFORMATION CONTACT**. Please refer to the title of the EA when requesting copies.

The EA has been prepared in accordance with: (1) The National Environmental Policy Act of 1969 (NEPA), as amended (42 U.S.C. 4321 *et seq.*), (2) regulations of the Council on Environmental Quality for implementing the procedural provisions of NEPA (40 CFR parts 1500-1508), (3) USDA regulations implementing NEPA (7 CFR part 1b), and (4) APHIS' NEPA Implementing Procedures (7 CFR part 372).

Done in Washington, DC, this 22nd day of September 2009.

Kevin Shea,

Acting Administrator, Animal and Plant Health Inspection Service.

[FR Doc. E9-23326 Filed 9-25-09; 8:45 am]

BILLING CODE 3410-34-P

DEPARTMENT OF AGRICULTURE

Animal and Plant Health Inspection Service

[Docket No. APHIS-2009-0054]

Fiscal Year 2010 Veterinary Import/Export User Fees and Veterinary Diagnostic Services User Fees

AGENCY: Animal and Plant Health Inspection Service, USDA.

ACTION: Notice.

SUMMARY: This notice pertains to user fees charged for import- and export-related services that we provide for animals, animal products, birds, germ plasm, organisms, and vectors and for certain veterinary diagnostic services. The purpose of this notice is to remind the public of the user fees for fiscal year 2010 (October 1, 2009, through September 30, 2010).

FOR FURTHER INFORMATION CONTACT: For information on Veterinary Services import and export program operations, contact Dr. Freeda Isaac, Director, National Center for Import and Export, VS, APHIS, 4700 River Road, Unit 39,

Riverdale, MD 20737-1231; (301) 734-8364.

For information on Veterinary Diagnostic program operations, contact Dr. Elizabeth Lautner, Director, National Veterinary Services Laboratories, VS, APHIS, 1800 Dayton Avenue, Ames, IA 50010; (515) 663-7301.

For information concerning user fee rate development, contact Mrs. Kris Caraher, Section Head, User Fees Section, Financial Services Branch, FMD, MRPBS, APHIS, 4700 River Road, Unit 54, Riverdale, MD 20737; (301) 734-5901.

SUPPLEMENTARY INFORMATION:

Background

Veterinary Import/Export User Fees

The regulations in 9 CFR part 130 (referred to below as the regulations) list user fees for import- and export-related services provided by the Animal and Plant Health Inspection Service (APHIS) for animals, animal products, birds, germ plasm, organisms, and vectors.

These user fees are authorized by section 2509(c)(1) of the Food, Agriculture, Conservation, and Trade Act of 1990, as amended (21 U.S.C. 136a), which provides that the Secretary of Agriculture may establish and collect fees that will cover the cost of providing import- and export-related services for animals, animal products, birds, germ plasm, organisms, and vectors.

In a final rule published in the **Federal Register** on March 30, 2009 (74 FR 13999-14006, Docket No. APHIS-2006-0144), and effective April 29, 2009, we established, for fiscal years 2009 through 2013, user fees for those services.

The veterinary import/export user fees are found in §§ 130.2 through 130.11 and §§ 130.20 through 130.30 of the regulations and cover the following:

- Any service rendered by an APHIS representative for each animal or bird receiving standard housing, care, feed and handling while quarantined in the APHIS-owned or -operated animal import center or quarantine facility;
- Birds or poultry, including zoo birds or poultry, receiving nonstandard housing, care, or handling to meet special requirements while quarantined in an APHIS-owned or -operated animal import center or quarantine facility;
- Exclusive use of space at APHIS Animal Import Centers;
- Processing import permit applications;
- Any service rendered by an APHIS representative for live animals presented for importation or entry into the United States through a land border port along the United States-Mexico border;

- Any service rendered for live animals at land border ports along the United States-Canada border;
- Miscellaneous services;
- Pet birds;
- The inspection of various import and export facilities and establishments;
- The endorsement of export health certificates that do not require the verification of tests or vaccinations;
- The endorsement of export health certificates that require the verification of tests and vaccinations; and,
- Hourly rate and minimum user fees.

On October 1, 2009, the veterinary import/export user fees for fiscal year 2010 will take effect. You may view the regulations in 9 CFR part 130, which includes charts showing all the fiscal year 2010 veterinary import/export user fees, on the Internet at Regulation.gov, at <http://www.regulations.gov/fdmspublic/component/main?main=DocketDetail&d=APHIS-2009-0054>.

Veterinary Diagnostic Services User Fees

User fees to reimburse APHIS for the costs of providing veterinary diagnostic services are also contained in 9 CFR part 130. These user fees are authorized by section 2509(c) of the Food, Agriculture, Conservation, and Trade Act of 1990, as amended (21 U.S.C. 136a), which provides that the Secretary of Agriculture may, among other things, prescribe regulations and collect fees to recover the costs of veterinary diagnostics relating to the control and eradication of communicable diseases of livestock and poultry within the United States.

In a final rule published in the *Federal Register* on December 19, 2007 (72 FR 71744–71750, Docket No. APHIS–2006–0161), and effective January 18, 2008, we established, for fiscal years 2008 through 2012 and beyond, user fees for certain veterinary diagnostic services, including certain diagnostic tests, reagents, and other veterinary diagnostic materials and services. Veterinary diagnostics is the work performed in a laboratory to determine whether a disease-causing organism or chemical agent is present in body tissues or cells and, if so, to identify those organisms or agents. Services in this category include: (1) Performing identification, serology, and pathobiology tests and providing diagnostic reagents and other veterinary diagnostic materials and services for the National Veterinary Services Laboratories (NVSL) in Ames, IA; and (2) performing laboratory tests and providing reagents and other veterinary diagnostic materials and services at the

NVSL Foreign Animal Disease Diagnostic Laboratory (NVSL FADDL) in Greenport, NY.

The veterinary diagnostic services user fees are found in §§ 130.12 through 130.19 and cover the following:

- Virology identification tests performed at NVSL (excluding FADDL) or other authorized sites;
- Bacteriology serology tests performed at NVSL (excluding FADDL) or other authorized sites;
- Virology serology tests performed at NVSL (excluding FADDL) or other authorized sites;
- Veterinary diagnostic tests performed at the Pathobiology Laboratory at NVSL (excluding FADDL) or other authorized sites;
- Bacteriology reagents produced by the Diagnostic Bacteriology Laboratory at NVSL (excluding FADDL) or other authorized sites;
- Virology reagents produced by the Diagnostic Virology Laboratory at NVSL (excluding FADDL) or other authorized sites; and,
- Other veterinary diagnostic services or materials available from NVSL (excluding FADDL).

On October 1, 2009, the veterinary diagnostic services user fees for fiscal year 2010 will take effect. You may view the regulations in 9 CFR part 130, which includes charts showing all the fiscal year 2010 veterinary import/export user fees, on the Internet at Regulation.gov, at <http://www.regulations.gov/fdmspublic/component/main?main=DocketDetail&d=APHIS-2009-0054>.

Done in Washington, DC, this 23rd day of September 2009.

Karen Grillo,

Acting Administrator, Animal and Plant Health Inspection Service.

[FR Doc. E9–23320 Filed 9–25–09; 8:45 am]

BILLING CODE 3410–34–P

AGENCY FOR INTERNATIONAL DEVELOPMENT

Notice of Meeting

Pursuant to the Federal Advisory Committee Act, notice is hereby given of a meeting of the Advisory Committee on Voluntary Foreign Aid (ACVFA).

Dates: Wednesday, October 21, 2009 (9 a.m. to 3 p.m., times may be adjusted).

Location: Jack Morton Auditorium, Media and Public Affairs Building, George Washington University, 805 21st Street, NW., Washington, DC 20052.

Please note that this is the anticipated agenda and is subject to change.

Keynote: The Administrator-designate, or if there is not yet a designated nominee, the

Acting Administrator, Alonzo Fulgham, will present an update from the front office of USAID on the current initiatives underway at USAID.

Keynote: Franklin Moore, Deputy Assistant Administrator, Bureau for Africa, USAID, will present an overview of food security issues and programs at USAID and frame the discussion of the panel following on best (and worst) practices in implementing food security programs overseas.

The primary focus of the meeting will be on food security and what has and has not worked in implementing these programs. There will be a panel discussion on this topic.

Stakeholders. The meeting is free and open to the public. Persons wishing to attend the meeting can register online at http://www.usaid.gov/about_usaid/acvfa or with Deborah Lewis at dlewis@usaid.gov or 202–712–0936.

September 22, 2009.

Deborah Lewis,

Office of the Chief Operating Officer, U.S. Agency for International Development.

[FR Doc. E9–23314 Filed 9–25–09; 8:45 am]

BILLING CODE P

DEPARTMENT OF COMMERCE

Submission for OMB Review; Comment Request

The Department of Commerce will submit to the Office of Management and Budget (OMB) for clearance the following proposal for collection of information under the provisions of the Paperwork Reduction Act (44 U.S.C. Chapter 35).

Agency: National Oceanic and Atmospheric Administration (NOAA).

Title: Jones and NOAA Awards Nominations.

OMB Control Number: None.

Form Number(s): NA.

Type of Request: Regular submission.

Number of Respondents: 25.

Average Hours per Response: 1 hour.

Burden Hours: 25.

Needs and Uses: The 1990 reauthorization of the Coastal Zone Management Act (CZMA) authorized NOAA to “implement a program to promote excellence in coastal zone management by identifying and acknowledging outstanding accomplishments in the field.” As authorized in Section 314 of the CZMA, the Walter B. Jones Awards recognize three categories of excellence: Coastal Steward of the Year, Excellence in Local Government, and Excellence in Coastal and Marine Graduate Study. The CZMA authorizes NOAA to conduct public ceremonies to acknowledge such awards, which are based on responses to a biannual call for nominations.

In conjunction with the Walter B. Jones Awards, NOAA instituted several

additional categories of awards, to recognize: Volunteer of the Year; Non-governmental Organization of the Year; Excellence in Promoting Cultural & Ethnic Diversity; Excellence in Business Leadership; and the Susan Snow Cotter Award for Excellence in Ocean and Coastal Resource (NOAA re-named this award in honor of Susan Snow Cotter in 2007).

Affected Public: State, local and Tribal governments; not-for-profit institutions.

Frequency: Biannually.

Respondent's Obligation: Voluntary.

OMB Desk Officer: David Rostker, (202) 395-3897.

Copies of the above information collection proposal can be obtained by calling or writing Diana Hynek, Departmental Paperwork Clearance Officer, (202) 482-0266, Department of Commerce, Room 7845, 14th and Constitution Avenue, NW., Washington, DC 20230 (or via the Internet at dHynek@doc.gov).

Written comments and recommendations for the proposed information collection should be sent within 30 days of publication of this notice to David Rostker, OMB Desk Officer, FAX number (202) 395-7285, or David_Rostker@omb.eop.gov.

Dated: September 22, 2009.

Gwellnar Banks,

Management Analyst, Office of the Chief Information Officer.

[FR Doc. E9-23290 Filed 9-25-09; 8:45 am]

BILLING CODE 3510-22-P

DEPARTMENT OF COMMERCE

International Trade Administration

Application(s) for Duty-Free Entry of Scientific Instruments

Pursuant to Section 6(c) of the Educational, Scientific and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, as amended by Pub. L. 106-36; 80 Stat. 897; 15 CFR part 301), we invite comments on the question of whether instruments of equivalent scientific value, for the purposes for which the instruments shown below are intended to be used, are being manufactured in the United States. Comments must comply with 15 CFR 301.5(a)(3) and (4) of the regulations and be postmarked on or before October 19, 2009. Address written comments to Statutory Import Programs Staff, Room 3720, U.S. Department of Commerce, Washington, D.C. 20230. Applications may be examined between 8:30 A.M. and 5:00 P.M. at the U.S. Department of Commerce in Room 3720.

Docket Number: 09-051. Applicant: University of Notre Dame, 709 Grace Hall, Notre Dame, IN 46556. Instrument: Electron Microscope. Manufacturer: FEI Company, Czech Republic. Intended Use: The instrument will be used for the fabrication and characterization of nanostructures. This instrument provides the capability of both direct-write fabrication of nanostructures and nanomodified materials by using the 30 keV Ga+ beam to remove material selectively or deposit material by ion-beam induced degradation of gas-phase precursors. Justification for Duty-Free Entry: No instruments of same general category are manufactured in the United States. Application accepted by Commissioner of Customs: August 31, 2009.

Docket Number: 09-052. Applicant: Youngstown State University, One University Plaza, Youngstown, OH 44555. Instrument: Electron Microscope. Manufacturer: JEOL Ltd., Japan. Intended Use: The instrument will be used to study the nonstructural features of materials such as ceramic-metallic composite materials, and how they relate to macroscopic properties such as strength and resistance to corrosion. Justification for Duty-Free Entry: No instruments of same general category are manufactured in the United States. Application accepted by Commissioner of Customs: September 4, 2009.

Docket Number: 09-053. Applicant: University of Notre Dame, 709 Grace Hall, Notre Dame, IN 46556. Instrument: Electron Microscope. Manufacturer: FEI Company, the Netherlands. Intended Use: The instrument will be used for the fabrication and characterization of nanostructures. This instrument provides the capability of both direct-write fabrication of nanostructures and nanomodified materials by using the 30 keV Ga+ beam to remove material selectively or deposit material by ion-beam induced degradation of gas-phase precursors. Justification for Duty-Free Entry: No instruments of same general category are manufactured in the United States. Application accepted by Commissioner of Customs: September 9, 2009.

Docket Number: 09-054. Applicant: University of Nebraska Medical Center, 986395 Nebraska Medical Center, Omaha, NE 68198. Instrument: Electron Microscope. Manufacturer: FEI Company, Czech Republic. Intended Use: The instrument will be used to study biological (e.g., human biopsy material and various animal tissues) as well as non-biological materials (e.g., nanoparticles). In studying these materials, the instrument will be used in techniques such as fixation, embedding,

sectioning and staining. Justification for Duty-Free Entry: No instruments of same general category are manufactured in the United States. Application accepted by Commissioner of Customs: September 11, 2009.

Dated: September 22, 2009.

Christopher D. Cassel,
Director.

IA Subsidies Enforcement Office.

[FR Doc. E9-23383 Filed 9-25-09; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

National Renewable Energy Laboratory, et al.

Notice of Decision on Application for Duty-Free Entry of an Electron Microscope

This is a decision consolidated pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, as amended by Pub. L. 106-36; 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 A.M. and 5:00 P.M. in Room 3705, U.S. Department of Commerce, 14th and Constitution Avenue, NW, Washington, D.C.

Docket Number: 09-047. Applicant: Washington State University, Pullman, WA 99164. Instrument: Electron Microscope. Manufacturer: FEI Company, Czech Republic. Intended Use: See notice at 74 FR 44350, August 28, 2009.

Comments: None received. Decision: Approved. No instrument of equivalent scientific value to the foreign instrument, for such purposes as this instrument is intended to be used, was being manufactured in the United States at the time the instrument was ordered. Reasons: The foreign instrument is an electron microscope and is intended for research or scientific educational uses requiring an electron microscope. We know of no electron microscope or any other instrument suited to these purposes, which was being manufactured in the United States at the time of order of this instrument.

Dated: September 22, 2009.

Christopher D. Cassel,
Director.

Subsidies Enforcement Office.

Import Administration.

[FR Doc. E9-23384 Filed 9-25-09; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

**Air Force Research Laboratory et al.;
Notice of Decision on Application for
Duty-Free Entry of Scientific
Instruments**

This is a decision pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, as amended by Pub. L. 106-36; 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 a.m. and 5 p.m. in Room 3705, U.S. Department of Commerce, 14th and Constitution Ave, NW., Washington, DC.

Comments: None received. *Decision:* Approved. We know of no instruments of equivalent scientific value to the foreign instrument described below, for such purposes as this is intended to be used, that was being manufactured in the United States at the time of its order.

Docket Number: 09-045. *Applicant:* Air Force Research Laboratory, Wright-Patterson AFB, OH 45433. *Instrument:* Tilting Goniometer Stages, with Resistive Encoders. *Manufacturer:* Attocube Systems AG, Germany. *Intended Use:* See notice at 74 FR 44350, August 28, 2009. *Reasons:* This instrument is unique and is essential to enable the characterization and measurement of micromechanical properties of structural aerospace metals. Specifically, the instrument can move linear position less than 5nm wide and to move objects to distances over 5nm and has millidegree resolution and a range of tilt of at least 5 degrees. No domestic sources make devices with similar capabilities.

Docket Number: 09-046. *Applicant:* National Renewable Energy Laboratory, Golden, CO 80401. *Instrument:* Sidewinder Upgrade (ion column) Accessory for Electron Microscope. *Manufacturer:* FEI Company, the Netherlands. *Intended Use:* See notice at 74 FR 44350, August 28, 2009. *Reasons:* This instrument is unique and is essential to the study of the chemistry, crystallography and structural morphology of materials used in the development of photovoltaic devices. We know of no electron microscope, or accessory thereto, suited to these purposes, which was being manufactured in the United States at the time of order of this instrument.

Dated: September 22, 2009.

Christopher D. Cassel,

*Director, Subsidies Enforcement Office,
Import Administration.*

[FR Doc. E9-23368 Filed 9-25-09; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

Foreign-Trade Zones Board

[Docket 38-2009]

**Foreign-Trade Zone 196-5; Fort Worth,
Texas.****Application for Processing Authority****ATC Logistics & Electronics****(Personal Navigation Devices)****Fort Worth, Texas**

An application has been submitted to the Foreign-Trade Zones Board (the Board) by ATC Logistics & Electronics (ATCLE), an operator of FTZ 196, requesting processing authority within FTZ 196 in Fort Worth, Texas. The application was submitted pursuant to the provisions of the Foreign-Trade Zones Act, as amended (19 U.S.C. 81a-81u), and the regulations of the Board (15 CFR part 400). It was formally filed on September 16, 2009.

The ATCLE facility (817 employees, 6 million unit capacity) is located within Site 2 of FTZ 196. The facility is used for the kitting of personal navigation devices. Components and materials sourced from abroad (representing 97% of the value of the finished product) include: LCD tape; plastic self-adhesive labels; dummy SIM cards; labels; LCD film; screw covers; plastic brackets and washers; USB connector housings; foam strips; rubber O-rings, gaskets, buffers and serial port plug covers; foam fronts; leather bags and holsters; screws and nuts; locking washers; anti-ESD foil; LCD copper; antennas and parts; speaker labels; steel brackets; label printers; disk drives; stylus pens; USB travel chargers with captive cables; power adapters; batteries; microphones; speakers; recorded media; GPS units; remote controls; FM transmitters; keyboards; SIM cards; plastics kits; SD card doors; shield cases; car kits; LCD modules; capacitors; keypads; rail clamps; switches; cables; adaptors; integrated circuits; security tags; adhesive mounting discs; bean bag mounts; LCD optis unified (flat panel display); LCD multi-source (flat panel display 5; high definition); battery analyzers; and battery adapters (duty rate ranges from duty-free to 6.5%).

FTZ procedures could exempt ATCLE from customs duty payments on the foreign components used in export production. The company anticipates that some 10% percent of the plant's shipments will be exported. On its domestic sales, ATCLE would be able to choose the duty rates during customs

entry procedures that apply to the assembled personal navigation device kits (duty-free) for the foreign inputs noted above. FTZ designation would further allow ATCLE to realize logistical benefits through the use of weekly customs entry procedures. Customs duties also could possibly be deferred or reduced on foreign status production equipment. The request indicates that the savings from FTZ procedures would help improve the facility's international competitiveness.

In accordance with the Board's regulations, Elizabeth Whiteman of the FTZ Staff is designated examiner to evaluate and analyze the facts and information presented in the application and case record and to report findings and recommendations to the Board.

Public comment is invited from interested parties. Submissions (original and 3 copies) shall be addressed to the Board's Executive Secretary at the address below. The closing period for their receipt is November 27, 2009. Rebuttal comments in response to material submitted during the foregoing period may be submitted during the subsequent 15-day period to December 14, 2009.

A copy of the application will be available for public inspection at the Office of the Executive Secretary, Foreign-Trade Zones Board, Room 2111, U.S. Department of Commerce, 1401 Constitution Avenue, NW, Washington, DC 20230-0002, and in the "Reading Room" section of the Board's website, which is accessible via www.trade.gov/ftz.

For further information, contact Elizabeth Whiteman at Elizabeth_Whiteman@ita.doc.gov or (202) 482-0473.

Dated: September 17, 2009.

Andrew McGilvray,

Executive Secretary.

[FR Doc. E9-23369 Filed 9-25-09; 8:45 am]

BILLING CODE 3510-DS-S

DEPARTMENT OF COMMERCE

International Trade Administration

[A-570-832]

**Pure Magnesium From the People's
Republic of China: Rescission of New
Shipper Review**

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: In response to a request from Tianjin Xianghaiqi-Resources Import & Export Trade Co., Ltd. ("TXR"), the Department of Commerce

("Department") initiated a new shipper review of the antidumping duty order on pure magnesium from the People's Republic of China ("PRC") for the period of review ("POR") May 1, 2008, through April 30, 2009.¹ On August 3, 2009, TXR submitted a letter to the Department withdrawing its request for the new shipper review.² Accordingly, we are rescinding the new shipper review with respect to TXR.

Background

On May 21, 2009, the Department received a timely request from TXR in accordance with section 751(a)(2)(B)(i) of the Tariff Act of 1930 as amended ("the Act"), and 19 CFR 351.214(C) for a new shipper review of the antidumping order on pure magnesium from the PRC from TXR. On June 30, 2009, the Department initiated a new shipper review of shipments of pure magnesium from the PRC exported by TXR during the POR³ because TXR met all statutory and regulatory requirements for the new shipper review. On August 3, 2009, TXR withdrew its request for a new shipper review.⁴

Rescission of New Shipper Review

Section 351.214(f)(1) of the Department's regulations provides that the Department may rescind a new shipper review if the party that requested the review withdraws its request for review within 60 days of the date of publication of the notice of initiation of the requested review. In this instance, the requesting party withdrew its request within 60 days of our notice of initiation. Based upon the above, we are rescinding the new shipper review of the antidumping duty order on pure magnesium from the PRC with respect to TXR. As the Department is rescinding this new shipper review, we are not calculating a company-specific rate for TXR, and will continue to treat TXR as part of the PRC-wide entity.

Notifications

Because TXR is still under review as part of the PRC-wide entity in the ongoing administrative review, the Department will not order liquidation of

entries for TXR. The Department intends to issue liquidation instructions for the PRC-wide entity which will cover any entries by TXR, 15 days after publication of the final results of the ongoing administrative review covering the same period as this new shipper review. This notice serves as a final reminder to importers of their responsibility under 19 CFR 351.402(f)(2) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

This notice also serves as the only reminder to parties subject to administrative protective orders ("APO") of their responsibility concerning the return or destructions of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a). Timely written notification of the return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and terms of an APO is a violation which is subject to sanction.

We are issuing and publishing this determination and notice in accordance with section 777(i) of the Act and 19 CFR 351.214(f)(3).

Dated: September 21, 2009.

John M. Andersen,

Acting Deputy Assistant Secretary for Antidumping and Countervailing Duty Operations.

[FR Doc. E9-23370 Filed 9-25-09; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF EDUCATION

Notice of Proposed Information Collection Requests

AGENCY: Department of Education.

SUMMARY: The Director, Information Collection Clearance Division, Regulatory Information Management Services, Office of Management, invites comments on the proposed information collection requests as required by the Paperwork Reduction Act of 1995.

DATES: Interested persons are invited to submit comments on or before November 27, 2009.

SUPPLEMENTARY INFORMATION: Section 3506 of the Paperwork Reduction Act of 1995 (44 U.S.C. Chapter 35) requires that the Office of Management and Budget (OMB) provide interested

Federal agencies and the public an early opportunity to comment on information collection requests. OMB may amend or waive the requirement for public consultation to the extent that public participation in the approval process would defeat the purpose of the information collection, violate State or Federal law, or substantially interfere with any agency's ability to perform its statutory obligations. The Director, Information Collection Clearance Division, Regulatory Information Management Services, Office of Management, publishes that notice containing proposed information collection requests prior to submission of these requests to OMB. Each proposed information collection, grouped by office, contains the following: (1) Type of review requested, e.g. new, revision, extension, existing or reinstatement; (2) Title; (3) Summary of the collection; (4) Description of the need for, and proposed use of, the information; (5) Respondents and frequency of collection; and (6) Reporting and/or Recordkeeping burden. OMB invites public comment.

The Department of Education is especially interested in public comment addressing the following issues: (1) Is this collection necessary to the proper functions of the Department; (2) will this information be processed and used in a timely manner; (3) is the estimate of burden accurate; (4) how might the Department enhance the quality, utility, and clarity of the information to be collected; and (5) how might the Department minimize the burden of this collection on the respondents, including through the use of information technology.

Dated: September 22, 2009.

Angela C. Arrington,

Director, Information Collection Clearance Division, Regulatory Information Management Services, Office of Management.

Office of Postsecondary Education

Type of Review: Extension.

Title: Annual Performance Report for Partnership and State Projects for Gaining Early Awareness and Readiness for Undergraduate Programs (GEAR UP).

Frequency: Annually.

Affected Public: Not-for-profit institutions; State, Local, or Tribal Gov't, SEAs or LEAs.

Reporting and Recordkeeping Hour Burden:

Responses: 209.

Burden Hours: 8,360.

Abstract: The Annual Performance Report for Partnership and State Projects for Gaining Early Awareness and Readiness for Undergraduate Programs

¹ See *Pure Magnesium from the People's Republic of China: Initiation of Antidumping Duty New Shipper Review*, 74 FR 31251 (June 30, 2009).

² See letter from TXR, "Pure Magnesium from the People's Republic of China—Withdrawal of New Shipper Review," dated August 3, 2009.

³ See *Pure Magnesium from the People's Republic of China: Initiation of Antidumping Duty New Shipper Review*, 74 FR 31251 (June 30, 2009).

⁴ See letter from TXR, "Pure Magnesium from the People's Republic of China—Withdrawal of New Shipper Review," dated August 3, 2009.

(GEAR UP) is a required report that grant recipients must submit annually. The purpose of this information collection is for accountability. The data is used to report on progress in meeting the performance objectives of GEAR UP, program implementation and student outcomes. The data collected includes budget data on Federal funds and match contributions, demographic data, and data regarding services provided to students.

Requests for copies of the proposed information collection request may be accessed from <http://edicsweb.ed.gov>, by selecting the "Browse Pending Collections" link and by clicking on link number 4117. When you access the information collection, click on "Download Attachments" to view. Written requests for information should be addressed to U.S. Department of Education, 400 Maryland Avenue, SW., LBJ, Washington, DC 20202-4537. Requests may also be electronically mailed to ICDocketMgr@ed.gov or faxed to 202-401-0920. Please specify the complete title of the information collection when making your request.

Comments regarding burden and/or the collection activity requirements should be electronically mailed to ICDocketMgr@ed.gov 202-401-0563. Individuals who use a telecommunications device for the deaf (TDD) may call the Federal Information Relay Service (FIRS) at 1-800-877-8339.

[FR Doc. E9-23316 Filed 9-25-09; 8:45 am]
BILLING CODE 4000-01-P

DEPARTMENT OF ENERGY

Energy Information Administration

Agency Information Collection Activities: Submission for OMB Review; Comment Request

AGENCY: Energy Information Administration (EIA), Department of Energy (DOE).

ACTION: Agency Information Collection Activities: Submission for OMB Review; Comment Request.

SUMMARY: The EIA has submitted the Petroleum Marketing Program package to the Office of Management and Budget (OMB) for review and a three-year extension under section 3507(h)(1) of the Paperwork Reduction Act of 1995 (Pub. L. 104-13) (44 U.S.C. 3501 *et seq.*, at 3507(h)(1)).

DATES: Comments must be filed by October 28, 2009. If you anticipate that you will be submitting comments but find it difficult to do so within that

period, you should contact the OMB Desk Officer for DOE listed below as soon as possible.

ADDRESSES: Send comments to OMB Desk Officer for DOE, Office of Information and Regulatory Affairs, Office of Management and Budget. To ensure receipt of the comments by the due date, submission by FAX at 202-395-7285 or e-mail to Christine_Kymn@omb.eop.gov is recommended. The mailing address is 726 Jackson Place, NW., Washington, DC 20503. The OMB DOE Desk Officer may be telephoned at (202) 395-4638. (A copy of your comments should also be provided to EIA's Statistics and Methods Group at the address below.)

FOR FURTHER INFORMATION CONTACT: Requests for additional information should be directed to Grace Sutherland. To ensure receipt of the comments by the due date, submission by FAX (202-586-5271) or e-mail (grace.sutherland@eia.doe.gov) is also recommended. The mailing address is Statistics and Methods Group (E1-70), Forrestal Building, 1000 Independence Ave., SW., U.S. Department of Energy, Washington, DC 20585-0670. Ms. Sutherland may be contacted by telephone at (202) 586-6264.

SUPPLEMENTARY INFORMATION: This section contains the following information about the energy information collection submitted to OMB for review: (1) The collection numbers and title; (2) the sponsor (*i.e.*, the Department of Energy component); (3) the current OMB docket number (if applicable); (4) the type of request (*i.e.*, new, revision, extension, or reinstatement); (5) response obligation (*i.e.*, mandatory, voluntary, or required to obtain or retain benefits); (6) a description of the need for and proposed use of the information; (7) a categorical description of the likely respondents; and (8) an estimate of the total annual reporting burden (*i.e.*, the estimated number of likely respondents times the proposed frequency of response per year times the average hours per response).

1. Forms EIA-14, 182, 782A/B/C, 821, 856, 863, 877, 878, and 888, "Petroleum Marketing Program".
2. Energy Information Administration.
3. OMB Number 1905-0174.
4. Three-year extension.
5. Mandatory.
6. EIA's Petroleum Marketing Program collects basic data necessary to meet EIA's legislative mandates as well as the needs of EIA's public and private customers. Data collected include costs, sales, prices, and distribution of crude oil and petroleum products. The data

are used for analyses, publications, and multi-fuel reports. Respondents are refiners, first purchasers, gas plant operators, resellers/retailers, motor gasoline wholesalers, suppliers, distributors and importers.

7. Business or other for-profit.
8. 121,293 total annual hours; 13,947 total annual respondents, and frequency is as follows: Forms EIA-878 and EIA-888 collected weekly; EIA-14, EIA-182, EIA-782A, EIA-782B, EIA-782C, and EIA-856 collected monthly; EIA-877 collected semi-monthly (during the heating season); EIA-821 collected annually; and EIA-863 collected Quadrennially.

Please refer to the supporting statement as well as the proposed forms and instructions for more information about the purpose, who must report, when to report, where to submit, the elements to be reported, detailed instructions, provisions for confidentiality, and uses (including possible nonstatistical uses) of the information. For instructions on obtaining materials, see the **FOR FURTHER INFORMATION CONTACT** section.

Statutory Authority: Section 13(b) of the Federal Energy Administration Act of 1974, Pub. L. 93-275, codified at 15 U.S.C. 772(b).

Issued in Washington, DC, September 21, 2009.

Stephanie Brown,

Director, Statistics and Methods Group, Energy Information Administration.

[FR Doc. E9-23323 Filed 9-25-09; 8:45 am]
BILLING CODE 6450-01-P

DEPARTMENT OF ENERGY

Western Area Power Administration

Applications for the 2015 Resource Pool Power Allocations, Sierra Nevada Region

AGENCY: Western Area Power Administration, DOE.

ACTION: Notice of Extension.

SUMMARY: The Western Area Power Administration (Western), a Federal power marketing administration of the Department of Energy, published a Call for 2015 Resource Pool Applications in the **Federal Register** (74 FR 26671, June 3, 2009) (Call for 2015 Applications). Western issued the Call for 2015 Applications pursuant to the 2004 Power Marketing Plan (Marketing Plan) for the Sierra Nevada Customer Service Region (SNR) (64 FR 34417, June 25, 1999). In the Call for 2015 Applications, Western stated that all applications were due by 4 p.m., PDT, on August 3, 2009. This notice extends the filing date

for applications to 4 p.m., PDT, on October 28, 2009.

DATES: As more fully described in the Call for 2015 Applications, entities interested in applying for an allocation of power from SNR must submit applications to Western's Sierra Nevada Customer Service Regional Office at the address below. Applications must be received by 4 p.m., PDT, on October 28, 2009. Applicants are encouraged to submit the application form through electronic mail or to use certified mail. Applications will be accepted via regular mail through the U.S. Postal Service if postmarked at least 3 days before October 28, 2009, and received no later than November 2, 2009. Western will not consider applications that are not received by the prescribed dates. Western will publish a Notice of Proposed Allocations in the *Federal Register* after evaluating all applications.

ADDRESSES: Applications must be submitted to Ms. Sonja Anderson, Power Marketing Manager, Sierra Nevada Customer Service Region, Western Area Power Administration, 114 Parkshore Drive, Folsom, CA 95630. Applications with an electronic signature may be electronically mailed to 2015RPApps@wapa.gov. If an entity submits an application form electronically and an electronic signature is not available, the applicant must mail the signed application form signature page to the address above, or scan the signed page and send it via electronic mail to 2015RPApps@wapa.gov.

FOR FURTHER INFORMATION CONTACT: Ms. Sonja Anderson, Power Marketing Manager, Sierra Nevada Customer Service Region, Western Area Power Administration, 114 Parkshore Drive, Folsom, CA 95630, (916) 353-4421, or by electronic mail at sanderso@wapa.gov.

SUPPLEMENTARY INFORMATION:

Background

On June 3, 2009, Western published a Call for 2015 Resource Pool Applications in the *Federal Register* (74 FR 26671, June 3, 2009) pursuant to the Marketing Plan for SNR (64 FR 34417, June 25, 1999). In that notice, Western stated applications were due on August 3, 2009. Western received numerous requests to extend the date for applications. Upon consideration of those requests, Western is extending the date to submit applications from 4 p.m., PDT, on August 3, 2009, to 4 p.m., PDT, October 28, 2009.

This notice is intended only to extend the deadline for filing applications. Applicants must comply with all other requirements identified in the Call for 2015 Applications.

All applications received prior to the date and time prescribed herein shall be considered timely and will be accepted. If an entity has already submitted an application pursuant to the Call for 2015 Applications, it does not need to be resubmitted.

Dated: September 18, 2009.

Timothy J. Meeks,
Administrator.

[FR Doc. E9-23325 Filed 9-25-09; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Project No. 13272-001]

Alaska Village Electric Cooperative; Notice of Intent To File License Application, Filing of Pre-Application Document, Commencement of Licensing Proceeding, and Scoping; Request for Comments on the PAD and Scoping Document, and Identification of Issues and Associated Study Requests

September 21, 2009.

a. *Type of Filing:* Notice of Intent To File Application for an Original License and Commencing Licensing Proceeding.

b. *Project No.:* 13272-001.

c. *Dated Filed:* August 24, 2009.

d. *Submitted By:* Alaska Village Electric Cooperative.

e. *Name of Project:* Old Harbor Hydroelectric Project.

f. *Location:* On Mountain Creek, near the town of Old Harbor, Kodiak Island Borough, Alaska.

g. *Filed Pursuant to:* 18 CFR part 5 of the Commission's Regulations.

h. *Potential Applicant Contact:* Brent Petrie, Alaska Village Electric Cooperative, 4831 Eagle Street, Anchorage, Alaska 99503-7497, (907) 565-5358 or e-mail at bpetrie@avec.org.

i. *FERC Contact:* John Mudre at (202) 502-8902 or e-mail at john.mudre@ferc.gov.

j. *Cooperating agencies:* Federal, State, local, and tribal agencies with jurisdiction and/or special expertise with respect to environmental issues that wish to cooperate in the preparation of the environmental document should follow the instructions for filing such requests described in item o below. Cooperating agencies should note the Commission's

policy that agencies that cooperate in the preparation of the environmental document cannot also intervene. See, 94 FERC ¶ 61,076 (2001).

k. *With this notice, we are initiating informal consultation with:* (a) The U.S. Fish and Wildlife Service and/or NOAA Fisheries under section 7 of the Endangered Species Act and the joint agency regulations thereunder at 50 CFR, part 402 and (b) the State Historic Preservation Officer, as required by section 106, National Historical Preservation Act, and the implementing regulations of the Advisory Council on Historic Preservation at 36 CFR § 800.2.

l. Alaska Village Electric Cooperative filed a Pre-Application Document (PAD; including a proposed process plan and schedule) with the Commission, pursuant to 18 CFR 5.6 of the Commission's regulations.

m. A copy of the PAD is available for review at the Commission in the Public Reference Room or may be viewed on the Commission's Web site (<http://www.ferc.gov>), using the "eLibrary" link. Enter the docket number, excluding the last three digits in the docket number field to access the document. For assistance, contact FERC Online Support at FERCONlineSupport@ferc.gov or toll free at 1-866-208-3676, or for TTY, (202) 502-8659. A copy is also available for inspection and reproduction at the address in paragraph h.

Register online at <http://www.ferc.gov/docs-filing/esubscription.asp> to be notified via e-mail of new filing and issuances related to this or other pending projects. For assistance, contact FERC Online Support.

n. With this notice, we are soliciting comments on the PAD and Scoping Document 1 (SD1), as well as study requests. All comments on the PAD and SD1, and study requests should be sent to the address above in paragraph h. In addition, all comments on the PAD and SD1, study requests, requests for cooperating agency status, and all communications to and from Commission staff related to the merits of the potential application (original and eight copies) must be filed with the Commission at the following address: Kimberly D. Bose, Secretary, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426. All filings with the Commission must include on the first page, the project name (Overton Lock and Dam Hydroelectric Project) and number (P-13160-002), and bear the heading "Comments on Pre-Application Document," "Study Requests," "Comments on Scoping Document 1,"

"Request for Cooperating Agency Status," or "Communications to and from Commission Staff." Any individual or entity interested in submitting study requests, commenting on the PAD or SD1, and any agency requesting cooperating status must do so by November 20, 2009.

Comments on the PAD and SD1, study requests, requests for cooperating agency status, and other permissible forms of communications with the Commission may be filed electronically via the Internet in lieu of paper. The Commission strongly encourages electronic filings. See 18 CFR 385.2001(a)(1)(iii) and the instructions on the Commission's Web site (<http://www.ferc.gov/docs-filing/ferconline.asp>) under the "e-filing" link. For a simpler method of submitting text-only comments, click on "Quick Comment."

p. Although our current intent is to prepare an environmental assessment (EA), there is the possibility that an Environmental Impact Statement (EIS) will be required. Nevertheless, the scoping meetings described below will satisfy the NEPA scoping requirements, irrespective of whether an EA or EIS is issued by the Commission.

Scoping Meetings

Commission staff will hold two scoping meetings in the vicinity of the project at the times and places noted below. The daytime meeting will focus on resource agency, Indian tribes, and non-governmental organization concerns, while the evening meeting is primarily for receiving input from the public. We invite all interested individuals, organizations, and agencies to attend one or both of the meetings, and to assist staff in identifying particular study needs, as well as the scope of environmental issues to be addressed in the environmental document. The times and locations of these meetings are as follows:

Evening Scoping Meeting

Date: Wednesday, October 21, 2009.

Time: 6:30 p.m.

Location: Old Harbor Native Corporation Office Building, 12 Elderberry Drive, Old Harbor, AK 99643.

Phone: (907) 286-2286.

Daytime Scoping Meeting

Date: Thursday October 22, 2009.

Time: 3 p.m.

Location: Alaska Village Electric Cooperative Office, 4831 Eagle Street, Anchorage, AK 99503-7497.

Phone: (907) 565-5358.

Scoping Document 1 (SD1), which outlines the subject areas to be

addressed in the environmental document, was mailed to the individuals and entities on the Commission's mailing list. Copies of SD1 will be available at the scoping meetings, or may be viewed on the Web at <http://www.ferc.gov>, using the "eLibrary" link. Follow the directions for accessing information in paragraph n. Based on all oral and written comments, a Scoping Document 2 (SD2) may be issued. SD2 may include a revised process plan and schedule, as well as a list of issues, identified through the scoping process.

Environmental Site Review

The potential applicant and Commission staff will conduct an environmental site review of the project area on Wednesday, October 21, 2009 beginning at 1 p.m. at the Old Harbor Native Corporation office. Those wishing to participate should contact Dan Hertrich by October 11, 2009 [e-mail, dan@polarconsult.net or phone, (907) 258-2420] for details on how to participate. The environmental site review will include a strenuous hike to the proposed project intake and other features; proper footwear and gear is strongly recommended.

Meeting Objectives

At the scoping meetings, staff will: (1) initiate scoping of the issues; (2) review and discuss existing conditions and resource management objectives; (3) review and discuss existing information and identify preliminary information and study needs; (4) review and discuss the process plan and schedule for pre-filing activity that incorporates the time frames provided for in part 5 of the Commission's regulations and, to the extent possible, maximizes coordination of Federal, state, and tribal permitting and certification processes; and (5) discuss the appropriateness of any Federal or State agency or Indian tribe acting as a cooperating agency for development of an environmental document.

Meeting participants should come prepared to discuss their issues and/or concerns. Please review the PAD in preparation for the scoping meetings. Directions on how to obtain a copy of the PAD and SD1 are included in item n. of this document.

Meeting Procedures

The meetings will be recorded by a stenographer and will become part of

the formal record of the Commission proceeding on the project.

Kimberly D. Bose,

Secretary.

[FR Doc. E9-23288 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Combined Notice of Filings No. 1

September 17, 2009.

Take notice that the Commission has received the following Natural Gas Pipeline Rate and Refund Report filings:

Docket Numbers: RP09-1041-000.

Applicants: CenterPoint Energy-Mississippi River Transmission.

Description: CenterPoint Energy-Mississippi River Transmission Corporation submits its Annual Report of Penalty Revenue Credits covering during the twelve month reporting period ended 7/31/09.

Filed Date: 09/14/2009.

Accession Number: 20090914-0079.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1042-000.

Applicants: CenterPoint Energy-Mississippi River Transmission.

Description: CenterPoint Energy-Mississippi River Transmission Corporation submits Sixty-Sixth Revised Sheet 5 *et al* of its FERC Gas Tariff, Third Revised Volume 1, to be effective 11/1/09.

Filed Date: 09/14/2009.

Accession Number: 20090914-0078.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1044-000.

Applicants: Texas Eastern Transmission LP.

Description: Texas Eastern Transmission, LP submits Second Revised Sheet No 297A *et al* FERC Gas Tariff, Seventh Revised Volume No 1.

Filed Date: 09/15/2009.

Accession Number: 20090915-0063.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1045-000.

Applicants: Viking Gas Transmission Company.

Description: Viking Gas Transmission Co submits Fourth Revised Sheet 98 *et al* to FERC Gas Tariff, First Revised Volume 1, to be effective 10/15/09.

Filed Date: 09/15/2009.

Accession Number: 20090916-0037.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1046-000.

Applicants: Hardy Storage Company, LLC.

Description: Hardy Storage Co, LLC submits Third Revised Sheet 13 to FERC Gas Tariff, Original Volume 1, to be effective 11/1/09.

Filed Date: 09/15/2009.

Accession Number: 20090916-0036.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1047-000.

Applicants: Dominion Cove Point LNG, LP.

Description: Report of Distribution of Revenue Credits of Dominion Cove Point LNG, LP.

Filed Date: 09/15/2009.

Accession Number: 20090915-5110.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Any person desiring to intervene or to protest in any of the above proceedings must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211 and 385.214) on or before 5 p.m. Eastern time on the specified comment date. It is not necessary to separately intervene again in a subdocket related to a compliance filing if you have previously intervened in the same docket. Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant. In reference to filings initiating a new proceeding, interventions or protests submitted on or before the comment deadline need not be served on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper, using the FERC Online links at <http://www.ferc.gov>. To facilitate electronic service, persons with Internet access who will eFile a document and/or be listed as a contact for an intervenor must create and validate an eRegistration account using the eRegistration link. Select the eFiling link to log on and submit the intervention or protests.

Persons unable to file electronically should submit an original and 14 copies of the intervention or protest to the Federal Energy Regulatory Commission, 888 First St. NE., Washington, DC 20426.

The filings in the above proceedings are accessible in the Commission's eLibrary system by clicking on the appropriate link in the above list. They are also available for review in the Commission's Public Reference Room in

Washington, DC. There is an eSubscription link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Nathaniel J. Davis, Sr.,

Deputy Secretary.

[FR Doc. E9-23352 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Combined Notice of Filings # 1

September 21, 2009.

Take notice that the Commission received the following electric corporate filings:

Docket Numbers: EC09-109-000.

Applicants: Consolidated Edison Company of New York, Inc.

Description: Application of Consolidated Edison Company of New York, Inc. for Authorization to Acquire Short-Term Debt.

Filed Date: 09/18/2009.

Accession Number: 20090918-5110.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Take notice that the Commission received the following electric rate filings:

Docket Numbers: ER00-3251-020; ER01-1147-010; ER01-1919-016; ER01-513-028; ER98-1734-019; ER99-2404-015.

Applicants: Exelon Generation Company, LLC, AmerGen Energy Company, LLC; Commonwealth Edison Company, Exelon Framingham LLC, Exelon Generation Company, LLC, Exelon New Boston LLC, Exelon New England Power Marketing, LP, Exelon West Medway LLC, PECO Energy Power Company, PECO Energy Company.

Description: Revised Caption for Central Region Market Power Update Filing of the Exelon MBR Companies.

Filed Date: 09/18/2009.

Accession Number: 20090918-5104.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Docket Numbers: ER05-1195-005.

Applicants: Silverhill, Ltd.

Description: Change in Status of Silverhill LTD.

Filed Date: 09/18/2009.

Accession Number: 20090918-5063.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Docket Numbers: ER08-54-014.

Applicants: ISO New England Inc.

Description: Report of ISO New England Inc. Regarding the Implementation of Market Rule Changes to Permit Non-Generating Resources to Participate in the Regulation Market.

Filed Date: 09/18/2009.

Accession Number: 20090918-5106.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Docket Numbers: ER09-1716-000.

Applicants: Southwest Power Pool, Inc.

Description: Southwest Power Pool, Inc submits an executed interim Large Generator Interconnection Agreement with Western Farmers Electric Cooperative.

Filed Date: 09/17/2009.

Accession Number: 20090918-0089.

Comment Date: 5 p.m. Eastern Time on Thursday, October 08, 2009.

Docket Numbers: ER09-1717-000.

Applicants: Duke Energy Carolinas, LLC.

Description: Duke Energy Carolinas, LLC submits the revised depreciation accrual rates for use in its formula rates for wholesale power sales under.

Filed Date: 09/17/2009.

Accession Number: 20090918-0086.

Comment Date: 5 p.m. Eastern Time on Thursday, October 08, 2009.

Docket Numbers: ER09-1719-000.

Applicants: Midwest Independent Transmission System Operator, Inc. **Description:** Midwest Independent Transmission System Operator, Inc submits proposed revisions to the Open Access Transmission, Energy and Operating Reserve Markets Tariff re the Reliability Assessment Commitment Objective Function.

Filed Date: 09/18/2009.

Accession Number: 20090918-0111.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Any person desiring to intervene or to protest in any of the above proceedings must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211 and 385.214) on or before 5 p.m. Eastern time on the specified comment date. It is not necessary to separately intervene again in a subdocket related to a compliance filing if you have previously intervened in the same docket. Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant. In reference to filings initiating a new proceeding, interventions or protests submitted on

or before the comment deadline need not be served on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper, using the FERC Online links at <http://www.ferc.gov>. To facilitate electronic service, persons with Internet access who will eFile a document and/or be listed as a contact for an intervenor must create and validate an eRegistration account using the eRegistration link. Select the eFiling link to log on and submit the intervention or protests.

Persons unable to file electronically should submit an original and 14 copies of the intervention or protest to the Federal Energy Regulatory Commission, 888 First St. NE., Washington, DC 20426.

The filings in the above proceedings are accessible in the Commission's eLibrary system by clicking on the appropriate link in the above list. They are also available for review in the Commission's Public Reference Room in Washington, DC. There is an eSubscription link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Nathaniel J. Davis, Sr.,
Deputy Secretary.

[FR Doc. E9-23348 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Combined Notice of Filings

September 21, 2009.

Take notice that the Commission has received the following Natural Gas Pipeline Rate and Refund Report filings:

Docket Numbers: RP09-1043-000

Applicants: Equitrans, LP

Description: Equitrans submits Letter of transmittal with Appendices A through D.

Filed Date: 09/14/2009

Accession Number: 20090915-0064

Comment Date: 5:00 pm Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1043-001

Applicants: Equitrans, LP

Description: Equitrans, LP submits non-conforming service agreements.

Filed Date: 09/16/2009

Accession Number: 20090917-0001

Comment Date: 5:00 pm Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1048-000

Applicants: Discovery Gas Transmission LLC,

Description: Discovery Gas Transmission LLC submits Seventeenth Revised Sheet No 20 to FERC Gas Tariff, Original Volume No 1, to be effective 10/1/09.

Filed Date: 09/17/2009

Accession Number: 20090917-0075

Comment Date: 5:00 pm Eastern Time on Tuesday, September 29, 2009.

Docket Numbers: RP09-1049-000

Applicants: Black Marlin Pipeline Company

Description: Black Marlin Pipeline Company submits Eighteenth Revised Sheet No 4 to FERC Gas Tariff, First Revised Volume No 1, to be effective 10/1/09.

Filed Date: 09/17/2009

Accession Number: 20090917-0074

Comment Date: 5:00 pm Eastern Time on Tuesday, September 29, 2009.

Docket Numbers: RP09-1050-000

Applicants: Kinder Morgan Interstate Gas Trans. LLC

Description: Kinder Morgan Interstate Gas Transmission, LLC submits Second Revised Sheet 28 et al to FERC Gas Tariff, Fourth Revised Volume 1-A, to be effective 10/19/09.

Filed Date: 09/18/2009

Accession Number: 20090918-0109

Comment Date: 5:00 pm Eastern Time on Wednesday, September 30, 2009.

Docket Numbers: RP09-1051-000

Applicants: Texas Gas Transmission, LLC

Description: Texas Gas Transmission, LLC submits Fifth Revised Sheet 99A to FERC Gas Tariff, Third Revised Volume 1 to be effective 9/18/09.

Filed Date: 09/18/2009

Accession Number: 20090918-0110

Comment Date: 5:00 pm Eastern Time on Wednesday, September 30, 2009.

Docket Numbers: RP09-1052-000

Applicants: Dominion Transmission, Inc.

Description: Dominion Transmission, Inc. Refund Report.

Filed Date: 09/18/2009

Accession Number: 20090918-5068

Comment Date: 5:00 pm Eastern Time on Wednesday, September 30, 2009.

Docket Numbers: RP09-1053-000

Applicants: CenterPoint Energy Gas Transmission Company

Description: CenterPoint Energy Gas Transmission Company submits FERC Gas Tariff, Sixth Revised Volume 1 to be effective 11/1/09.

Filed Date: 09/18/2009

Accession Number: 20090918-0112

Comment Date: 5:00 pm Eastern Time on Wednesday, September 30, 2009.

Any person desiring to intervene or to protest in any of the above proceedings must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211 and 385.214) on or before 5 p.m. Eastern time on the specified comment date. It is not necessary to separately intervene again in a subdocket related to a compliance filing if you have previously intervened in the same docket. Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant. In reference to filings initiating a new proceeding, interventions or protests submitted on or before the comment deadline need not be served on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper, using the FERC Online links at <http://www.ferc.gov>. To facilitate electronic service, persons with Internet access who will eFile a document and/or be listed as a contact for an intervenor must create and validate an eRegistration account using the eRegistration link. Select the eFiling link to log on and submit the intervention or protests.

Persons unable to file electronically should submit an original and 14 copies of the intervention or protest to the Federal Energy Regulatory Commission, 888 First St. NE., Washington, DC 20426.

The filings in the above proceedings are accessible in the Commission's eLibrary system by clicking on the appropriate link in the above list. They are also available for review in the Commission's Public Reference Room in Washington, DC. There is an eSubscription link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Nathaniel J. Davis, Sr.,
Deputy Secretary.

[FR Doc. E9-23350 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY**Federal Energy Regulatory Commission****Combined Notice of Filings No. 2**

September 17, 2009.

Take notice that the Commission has received the following Natural Gas Pipeline Rate and Refund Report filings:

Docket Numbers: RP99-518-112.

Applicants: Gas Transmission

Northwest Corporation.

Description: Gas Transmission

Northwest Corporations submits certain revised sheets to be a part of its FERC Gas tariff, Third Revised Volume 1-a.

Filed Date: 09/09/2009.

Accession Number: 20090910-0455.

Comment Date: 5 p.m. Eastern Time on Monday, September 21, 2009.

Docket Numbers: RP09-448-002.

Applicants: Texas Gas Transmission, LLC.

Description: Texas Gas Transmission, LLC submits First Revised Sheet 2603 *et al* to FERC Gas Tariff, Third Revised Volume 1.

Filed Date: 09/11/2009.

Accession Number: 20090911-0100.

Comment Date: 5 p.m. Eastern Time on Wednesday, September 23, 2009.

Docket Numbers: RP09-611-001.

Applicants: Carolina Gas Transmission Corporation.

Description: Carolina Gas

Transmission Corporation submits Second Revised Sheet 212 to its FERC Gas Tariff, Original Volume 1.

Filed Date: 09/15/2009.

Accession Number: 20090916-0085.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-611-002.

Applicants: Carolina Gas Transmission Corporation.

Description: Carolina Gas

Transmission Corporation submits Second Revised Sheet 212 to its FERC Gas Tariff, Original Volume 1.

Filed Date: 09/15/2009.

Accession Number: 20090916-0085.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-734-002.

Applicants: Southern Star Central Gas Pipeline, Inc.

Description: Southern Star Central Gas Pipeline, Inc submits Fourth Revised Sheet 289 *et al* to FERC Gas Tariff, First Revised Volume 1.

Filed Date: 09/11/2009.

Accession Number: 20090911-0101.

Comment Date: 5 p.m. Eastern Time on Wednesday, September 23, 2009.

Docket Numbers: RP09-856-001.

Applicants: Horizon Pipeline Company, L.L.C.

Description: Horizon Pipeline Company, LLC submits Substitute First Revised Sheet 300 *et al* to FERC Gas Tariff, Original Volume 1, to be effective 10/11/09.

Filed Date: 09/11/2009.

Accession Number: 20090911-0099.

Comment Date: 5 p.m. Eastern Time on Wednesday, September 23, 2009.

Docket Numbers: RP08-426-009.

Applicants: El Paso Natural Gas Company.

Description: El Paso Natural Gas Company submits Fifth Revised Sheet No 200A *et al* to FERC Gas Tariff, Second Revised Volume No 1A.

Filed Date: 09/14/2009.

Accession Number: 20090915-0051.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1027-001.

Applicants: White River Hub, LLC.

Description: White River Hub, LLC submits Substitute First Revised Sheet No 243 to its FERC Gas Tariff, Original Volume No 1.

Filed Date: 09/14/2009.

Accession Number: 20090915-0055.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1028-001.

Applicants: Questar Southern Trails Pipeline Company.

Description: Questar Southern Trails Pipeline Co submits Sub First Revised Sheet No. 130 to FERC Gas Tariff, Second Revised Volume No. 1-A.

Filed Date: 09/14/2009.

Accession Number: 20090915-0054.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1029-001.

Applicants: Questar Overthrust Pipeline Company.

Description: Questar Overthrust Pipeline Co submits Sub First Revised Sheet No. 211 to FERC Gas Tariff, Second Revised Volume No. 1-A.

Filed Date: 09/14/2009.

Accession Number: 20090915-0053.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Docket Numbers: RP09-1030-001.

Applicants: Questar Pipeline Company.

Description: Questar Pipeline Company submits Substitute Fourth Revised Sheet No 202 to its FERC Gas Tariff, First Revised Volume No 1.

Filed Date: 09/14/2009.

Accession Number: 20090915-0052.

Comment Date: 5 p.m. Eastern Time on Monday, September 28, 2009.

Any person desiring to protest this filing must file in accordance with Rule 211 of the Commission's Rules of Practice and Procedure (18 CFR

385.211). Protests to this filing will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Such protests must be filed on or before 5 p.m. Eastern time on the specified comment date. Anyone filing a protest must serve a copy of that document on all the parties to the proceeding.

The Commission encourages electronic submission of protests in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov, or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Nathaniel J. Davis,

Deputy Secretary.

[FR Doc. E9-23351 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY**Federal Energy Regulatory Commission****Combined Notice of Filings #1**

September 18, 2009.

Take notice that the Commission received the following electric rate filings:

Docket Numbers: ER05-1372-002; ER05-1373-002; ER05-1374-002; ER05-1375-002; ER05-1376-002; ER99-2774-017; ER07-189-006; ER07-190-006; ER07-191-006; ER07-192-004.

Applicants: CinCap IV, LLC, CinCap V LLC, Cinergy Capital & Trading, Inc., Cinergy Power Investments, Inc., St. Paul Cogeneration, LLC, Duke Energy Trading & Marketing, LLC, Duke Energy Indiana, Inc., Duke Energy Kentucky, Inc., Duke Energy Ohio, Inc., Duke Energy Business Services, Inc.

Description: Duke Energy Corp *et al* submits First Substitute Sheet 2 *et al* to FERC Electric Tariff, Original Volume 2 Superseding Rate Schedule FERC No 1, First Revised Volume 1.

Filed Date: 09/15/2009.

Accession Number: 20090917-0006.

Comment Date: 5 p.m. Eastern Time on Tuesday, October 06, 2009.

Docket Numbers: ER09-1431-000.

Applicants: Midwest Independent Transmission System Operator, Inc.

Description: The Midwest Independent Transmission System Operator, Inc submits response to the Commission's letter dated 9/2/09 seeking additional information.

Filed Date: 09/17/2009.

Accession Number: 20090918-0091.

Comment Date: 5 p.m. Eastern Time on Thursday, September 24, 2009.

Docket Numbers: ER09-1710-000.

Applicants: KEB Trading LLC.

Description: KEB Trading LLC submits application for Market-Based Rate Authorization and Request for Waivers and Blanket Authorizations and Request for Expedited Treatment.

Filed Date: 09/17/2009.

Accession Number: 20090917-0070.

Comment Date: 5 p.m. Eastern Time on Thursday, October 08, 2009.

Docket Numbers: ER09-1713-000.

Applicants: PJM Interconnection, L.L.C.

Description: PJM Interconnection, LLC submits two executed interconnection service agreements among PJM, Commonwealth Edison Company, Blackstone Wind Farm, LLC, et al.

Filed Date: 09/16/2009.

Accession Number: 20090917-0073.

Comment Date: 5 p.m. Eastern Time on Wednesday, October 07, 2009.

Docket Numbers: ER09-1714-000.

Applicants: Southwest Power Pool, Inc.

Description: Southwest Power Pool, Inc (SPP) submits executed Large Generator Interconnection Agreement among SPP, Elk City Wind, et al.

Filed Date: 09/16/2009.

Accession Number: 20090917-0072.

Comment Date: 5 p.m. Eastern Time on Wednesday, October 07, 2009.

Docket Numbers: ER09-1715-000; ER09-1715-001.

Applicants: Employers' Energy Alliance of Pennsylvania.

Description: The Energy Cooperative of Pennsylvania, Inc (EEA-PA) notifies the Commission of the name change of The Energy Cooperative of Pennsylvania, Inc. to reflect EEA-PA's rate schedule.

Filed Date: 09/17/2009.

Accession Number: 20090917-0069.

Comment Date: 5 p.m. Eastern Time on Thursday, October 08, 2009.

Take notice that the Commission received the following open access transmission tariff filings:

Docket Numbers: OA07-100-001.

Applicants: Black Hills Power, Inc.

Description: Black Hills Power, Inc submits Third Revised Sheet 147 et al to FERC Electric Tariff, Second Substitute First Revised Volume 4, Order 890 Attachment C compliance filing.

Filed Date: 09/14/2009.

Accession Number: 20090917-0005.

Comment Date: 5 p.m. Eastern Time on Monday, October 05, 2009.

Any person desiring to intervene or to protest in any of the above proceedings must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211 and 385.214) on or before 5 p.m. Eastern time on the specified comment date. It is not necessary to separately intervene again in a subdocket related to a compliance filing if you have previously intervened in the same docket. Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant. In reference to filings initiating a new proceeding, interventions or protests submitted on or before the comment deadline need not be served on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper, using the FERC Online links at <http://www.ferc.gov>. To facilitate electronic service, persons with Internet access who will eFile a document and/or be listed as a contact for an intervenor must create and validate an eRegistration account using the eRegistration link. Select the eFiling link to log on and submit the intervention or protests.

Persons unable to file electronically should submit an original and 14 copies of the intervention or protest to the Federal Energy Regulatory Commission, 888 First St. NE., Washington, DC 20426.

The filings in the above proceedings are accessible in the Commission's eLibrary system by clicking on the appropriate link in the above list. They are also available for review in the Commission's Public Reference Room in Washington, DC. There is an eSubscription link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov or call

(866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Nathaniel J. Davis, Sr.,

Deputy Secretary.

[FR Doc. E9-23349 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Combined Notice of Filings #1

September 22, 2009.

Take notice that the Commission received the following electric corporate filings:

Docket Numbers: EQ09-103-000.

Applicants: Dynegy Arlington Valley, LLC, Dynegy Inc., Dynegy Midwest Generation, Inc., Bluegrass Generation Company, L.L.C., Renaissance Power, L.L.C, Griffith Energy LLC, Rocky Road Power, LLC, Riverside Generating Company, LLC, Bridgeport Energy, LLC, LS Power Development, LLC, Tilton Energy LLC.

Description: Supplemental Information Clarifying Application for Approval under Section 203 of Federal Power Act of LS Power Development, LLC, et al.

Filed Date: 09/21/2009.

Accession Number: 20090921-5078.

Comment Date: 5 p.m. Eastern Time on Thursday, October 01, 2009.

Take notice that the Commission received the following exempt wholesale generator filings:

Docket Numbers: EG09-94-000.

Applicants: Dry Lake Wind Power, LLC.

Description: Notice of Self-Certification of Exempt Wholesale Generator Status of Dry Lake Wind Power, LLC.

Filed Date: 09/22/2009.

Accession Number: 20090922-5046.

Comment Date: 5 p.m. Eastern Time on Tuesday, October 13, 2009.

Take notice that the Commission received the following electric rate filings:

Docket Numbers: ER98-1643-015.

Applicants: Portland General Electric Company.

Description: Portland General Electric Company Notification of Non-Material Change in Status.

Filed Date: 09/21/2009.

Accession Number: 20090921-5107.

Comment Date: 5 p.m. Eastern Time on Tuesday, October 13, 2009.

Docket Numbers: ER08-378-002; ER03-1085-007; ER05-1398-004; ER06-1257-003; ER07-426-003; ER09-

1028-002; ER09-560-001; ER09-826-001.

Applicants: Covanta Hempstead Company Covanta Union, Inc.; Covanta Niagara, L.P.; Covanta Essex Company; Covanta Delaware Valley, L.P.; Covanta Delano, Inc.; Covanta Maine, LLC; Michigan Waste Energy, Inc.

Description: Covanta MBR Entities submits notice of non material change in status.

Filed Date: 09/18/2009.

Accession Number: 20090921-0121.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Docket Numbers: ER08-394-024.

Applicants: Midwest Independent Transmission System Operator, Inc.

Description: Midwest Independent Transmission System Operator, Inc submits a compliance filing addressing congestion that may limit aggregate deliverability of Planning Resources *etc.*

Filed Date: 08/18/2009.

Accession Number: 20090819-0624.

Comment Date: 5 p.m. Eastern Time on Friday, October 02, 2009.

Docket Numbers: ER08-1317-005; ER09-1722-000.

Applicants: California Independent System Operator Corporation.

Description: California Independent System Operator Corporation submits amendment to the ISO tariff provisions on generator interconnection process reform.

Filed Date: 09/18/2009.

Accession Number: 20090921-0123.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Docket Numbers: ER09-1312-001; ER09-1313-001.

Applicants: Riverside Energy Center, LLC; RockGen Energy, LLC.

Description: Riverside Energy Center, LLC *et al* submits settlement materials.

Filed Date: 09/18/2009.

Accession Number: 20090921-0120.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Docket Numbers: ER09-1645-001.

Applicants: Devonshire Energy LLC.

Description: Devonshire Energy LLC submits amended and restated application for authorization to make wholesale sales of energy and capacity at negotiated, market based rates.

Filed Date: 09/21/2009.

Accession Number: 20090921-0133.

Comment Date: 5 p.m. Eastern Time on Tuesday, October 13, 2009.

Take notice that the Commission received the following open access transmission tariff filings:

Docket Numbers: OA08-81-001.

Applicants: NorthWestern Corporation.

Description: NorthWestern Corporations submits Substitute First Revised Sheet 15 *et al* to its FERC Electric Tariff, Second Revised Volume 2.

Filed Date: 09/18/2009.

Accession Number: 20090921-0122.

Comment Date: 5 p.m. Eastern Time on Friday, October 09, 2009.

Any person desiring to intervene or to protest in any of the above proceedings must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211 and 385.214) on or before 5 p.m. Eastern time on the specified comment date. It is not necessary to separately intervene again in a subdocket related to a compliance filing if you have previously intervened in the same docket. Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant. In reference to filings initiating a new proceeding, interventions or protests submitted on or before the comment deadline need not be served on persons other than the Applicant.

The Commission encourages electronic submission of protests and interventions in lieu of paper, using the FERC Online links at <http://www.ferc.gov>. To facilitate electronic service, persons with Internet access who will eFile a document and/or be listed as a contact for an intervenor must create and validate an eRegistration account using the eRegistration link. Select the eFiling link to log on and submit the intervention or protests.

Persons unable to file electronically should submit an original and 14 copies of the intervention or protest to the Federal Energy Regulatory Commission, 888 First St., NE., Washington, DC 20426.

The filings in the above proceedings are accessible in the Commission's eLibrary system by clicking on the appropriate link in the above list. They are also available for review in the Commission's Public Reference Room in Washington, DC. There is an eSubscription link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov or call

(866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Nathaniel J. Davis, Sr.,

Deputy Secretary.

[FR Doc. E9-23347 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. EL09-73-000]

Californians for Renewable Energy, Inc. (CARE), Complainant v. Pacific Gas and Electric Company (PG&E) and California Energy Commission (CEC), Respondents; Notice of Complaint

September 18, 2009.

Take notice that on September 8, 2009, pursuant to sections 206 and 212 of the Rules and Practice and Procedure, 18 CFR 385.206 and 385.212 and sections 205 and 306 of the Federal Power Act, 16 U.S.C. 824(e) and 825(e), Californians for Renewable Energy, Inc. (CARE) (Complainant) filed a formal complaint against Pacific Gas and Electric Company (Respondents) for operating its Gateway Generating Station without permits that limit emissions regulated by the Clean Air Act and the California Energy Commission (CEC).

The Complainant states that a copy of the complaint has been served upon Respondents and CEC and other interested parties.

Any person desiring to intervene or to protest this filing must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211, 385.214). Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. The Respondent's answer and all interventions, or protests must be filed on or before the comment date. The Respondent's answer, motions to intervene, and protests must be served on the Complainants.

The Commission encourages electronic submission of protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest or intervention to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov, or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Comment Date: 5 p.m. Eastern Time on September 28, 2009.

Kimberly D. Bose,

Secretary.

[FR Doc. E9-23287 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. EL09-47-000; Docket No. EL09-48-000]

Notice of Designation of Commission Staff as Non-Decisional

September 18, 2009.

Richard Blumenthal, Attorney General for the State of Connecticut v. ISO New England Inc., et al.;

The Connecticut Department of Public Utility Control and the Connecticut Office of Consumer Counsel, v. ISO New England Inc., et al. (Consolidated).

With respect to the August 24, 2009 order issued by the Commission in the above-captioned dockets establishing hearing procedures and directing the participation of the litigation staff of the Office of Enforcement, ¹ the staff of the Office of Enforcement is designated as non-decisional in deliberations by the Commission in the above-referenced docket nos. for purposes of 18 CFR 385.2202 (2009).

Kimberly D. Bose,

Secretary.

[FR Doc. E9-23286 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. CP09-17-000]

Florida Gas Transmission Company, LLC; Notice of Availability of the Environmental Impact Statement for the Proposed Phase VIII Expansion Project

September 18, 2009.

The staff of the Federal Energy Regulatory Commission (Commission or FERC) has prepared a final environmental impact statement (EIS) for the construction and operation of natural gas pipeline facilities proposed by Florida Gas Transmission Company, LLC (FGT) in the above referenced docket. FGT's Phase VIII Expansion Project (Project) would be located in various counties in southern Alabama and throughout Florida.

The final EIS was prepared to satisfy the requirements of the National Environmental Policy Act of 1969 (NEPA). The FERC staff concludes that approval of the proposed project, with the appropriate mitigation measures as recommended, would have some adverse environmental impact. However, most of these impacts would be reduced to less-than significant levels with the implementation of the applicant's proposed mitigation measures and the additional measures we recommend in the EIS.

The U.S. Army Corps of Engineers (COE) and U.S. Department of Agriculture Forest Service (USFS) participated as cooperating agencies in the preparation of the EIS. Cooperating agencies have jurisdiction by law or special expertise with respect to resources potentially affected by the proposal and participate in the NEPA analysis. The Project would require permits from the COE pursuant to Section 404 of the Clean Water Act (33 United States Code [U.S.C.] 1344) and Section 10 of the Rivers and Harbors Act (33 USC 403). The COE would adopt the EIS per Title 40 of the Code of Federal Regulations, Part 1501.3 if, after an independent review of the document, it concludes that its comments and suggestions have been satisfied. The USFS manages all federal lands (the Apalachicola National Forest) that would be crossed by this Project. A special-use permit would be issued by the USFS for the existing right-of-way for two existing pipelines (a 30-inch and a 36-inch-diameter) and the proposed additional 36-inch-diameter pipeline. This additional pipeline would require an additional 40 feet of right-of-way

adjacent to the existing right-of-way. By participating as a cooperating agency, the USFS has obtained the views of the public prior to reaching an easement decision.

The final EIS addresses the potential environmental effects of the construction and operation of the following facilities:

- Construction and operation of about 357.3 miles of looping¹ various diameters of pipeline in Mobile, Baldwin, and Escambia Counties, Alabama and Escambia, Santa Rosa, Okaloosa, Walton, Washington, Jackson, Bay, Calhoun, Gadsden, Leon, Jefferson, Taylor, Lafayette, Suwannee, Gilchrist, Levy, Citrus, Hernando, Pasco, Hillsborough, and Miami-Dade Counties, Florida;

- Construction and operation of about 125.9 miles of 20, 24, and 30-inch-diameter pipelines in Lafayette, Madison, Manatee, DeSoto, Highlands, Okeechobee, Martin, and Suwannee Counties, Florida;

- Acquisition from Florida Power & Light Company of a 22.7-mile-long, 20-inch-diameter pipeline located in Martin County, Florida;

- Installation of a total of about 198,000 horsepower (hp) of compression at 8 existing compressor stations;

- Installation of one new 15,600 hp compressor station in Highlands County, Florida; and

- Construction and operation of three new meter and regulator (M&R) Stations in Suwannee, Manatee, and Martin Counties, Florida; upgrade two existing M&R Stations in Mobile County, Alabama and Martin County, Florida; and construct one new regulator station in Lafayette County, Florida.

The final EIS has been placed in the public files of the FERC and the COE and is available for public inspection at: Federal Energy Regulatory Commission, Public Reference Room, 888 First Street, NE., Room 2A, Washington, DC 20426. (202) 502-8371.

U.S. Army Corps of Engineers, Jacksonville District, 701 San Marco Boulevard, Jacksonville, Florida 32207. 904-232-1472.

U.S. Forest Service, Apalachicola National Forest, 57 Taft Drive, Crawfordville, Florida 32327. 850-926-3561.

Copies of the final EIS have been mailed to Federal, State, and local government agencies; elected officials; Native American Tribes; local libraries

¹ A loop is a segment of pipeline that is usually installed adjacent to an existing pipeline and connected to it at both ends. The loop allows more gas to be moved through the system.

and newspapers; intervenors in the FERC's proceeding; individuals who provided scoping comments; and individuals who requested to remain on the environmental mailing list. Hard copy versions of this EIS were mailed to those specifically requesting them, and all others received a CD-ROM. A limited number of hard copies and CD-ROMs are available in the Public Reference Room identified above.

Additional information about the Project is available from the Commission's Office of External Affairs, at 1-866-208-FERC (3372) or on the FERC Internet Web site (<http://www.ferc.gov>). Using the "eLibrary" link, select "General Search" from the eLibrary menu, enter the selected date range and "Docket Number," excluding the last three digits in the Docket Number field (*i.e.*, CP09-17), and follow the instructions. You may also search using the phrase "FGT Phase VIII Expansion Project" in the "Text Search" field. For assistance with access to eLibrary, the helpline can be reached at 1-866-208-3676, TTY (202) 502-8659, or at FERCOnlineSupport@ferc.gov. The eLibrary link on the FERC Internet Web site also provides access to the texts of formal documents issued by the Commission, such as orders, notices, and rulemakings.

In addition, the Commission offers a free service called eSubscription that allows you to keep track of all formal issuances and submittals in specific dockets. This can reduce the amount of time you spend researching proceedings by automatically providing you with notification of these filings, document summaries, and direct links to the documents. To register for this service, go to <http://www.ferc.gov/esubscribenow.htm>.

Information concerning the involvement of the COE is available from Beverlee Lawrence at (904) 232-2517, and information concerning the involvement of the Apalachicola National Forest is available from Harold Shenk at (850) 926-3561.

Kimberly D. Bose,
Secretary.

[FR Doc. E9-23283 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. EL07-56-009; Docket No. EL07-58-009]

Notice of Filing

September 18, 2009.

Allegheny Electric Cooperative, Inc., et al. v. PJM Interconnection, LLC;
Organization of PJM States, Inc., et al. v. PJM Interconnection, LLC

Take notice that on September 17, 2009, the Indiana Utility Regulatory Commission filed a Confidentiality Certification as required by sections 18.17.4 of the Operating Agreement of PJM Interconnection, LLC.

Any person desiring to intervene or to protest this filing must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211, 385.214). Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. Such notices, motions, or protests must be filed on or before the comment date. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant and all the parties in this proceeding.

The Commission encourages electronic submission of protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest or intervention to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov, or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Comment Date: 5 p.m. Eastern Time on October 1, 2009.

Kimberly D. Bose,
Secretary.

[FR Doc. E9-23285 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. RM06-22-010]

North American Electric Reliability Corporation; Notice of Filing

DATE: September 18, 2009.

Take notice that on September 15, 2009, the North American Electric Reliability Corporation, in compliance with Paragraph 60 of the Federal Energy Regulatory Commission's (Commission), *Mandatory Reliability Standards for Critical Infrastructure Protection*, Order No. 706-B, 126 FERC ¶ 61, 229 (2009), submitted a compliance filing and petition for approval of an Implementation Plan for Generator Owners and Generator Operators of nuclear plants in the United States for Version 1 of the Critical Infrastructure Protection Reliability Standards, CIP-002-1 through CIP-009-1.

Any person desiring to intervene or to protest this filing must file in accordance with Rules 211 and 214 of the Commission's Rules of Practice and Procedure (18 CFR 385.211, 385.214). Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a notice of intervention or motion to intervene, as appropriate. Such notices, motions, or protests must be filed on or before the comment date. Anyone filing a motion to intervene or protest must serve a copy of that document on the Applicant and all the parties in this proceeding.

The Commission encourages electronic submission of protests and interventions in lieu of paper using the "eFiling" link at <http://www.ferc.gov>. Persons unable to file electronically should submit an original and 14 copies of the protest or intervention to the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426.

This filing is accessible on-line at <http://www.ferc.gov>, using the "eLibrary" link and is available for review in the Commission's Public Reference Room in Washington, DC. There is an "eSubscription" link on the

Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov, or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Comment Date: 5 p.m. Eastern Time on October 6, 2009.

Kimberly D. Bose,
Secretary.

[FR Doc. E9-23282 Filed 9-25-09; 8:45 am]
BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. DI09-13-000]

Clayton Silver Mines, Inc.; Notice of Petition for Declaratory Order and Soliciting Comments, Protests, and/or Motions To Intervene

September 18, 2009.

Take notice that the following application has been filed with the Commission and is available for public inspection:

- a. *Application Type:* Petition for Declaratory Order.
- b. *Docket No:* DI09-13-000.
- c. *Date Filed:* September 2, 2009.
- d. *Applicant:* Clayton Silver Mines, Inc.
- e. *Name of Project:* Clayton Silver Mine Hydro Project.
- f. *Location:* The Clayton Silver Mine Hydro Project is located on Kinnikinic Creek, near Clayton, in Custer County, Idaho, affecting T. 11 N, R. 17 E, sec. 13, Boise Meridian.
- g. *Filed Pursuant to:* Section 23(b)(1) of the Federal Power Act, 16 U.S.C. 817(b).
- h. *Applicant Contact:* Robert B. Corrigan, 59 N. Sierra View Way, Eagle, ID 83622; telephone: (208) 761-8492; Fax: (208) 938-0193; e-mail: www.ppaidco@msn.com.
- i. *FERC Contact:* Any questions on this notice should be addressed to Henry Ecton, (202) 502-8768, or E-mail address: henry.ecton@ferc.gov.
- j. *Deadline for filing comments, protests, and/or motions:* October 19, 2009.

All documents (original and eight copies) should be filed with: Secretary, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, D.C. 20426. Comments, protests, and/or interventions may be filed electronically via the Internet in lieu of paper. Any questions, please contact the Secretary's

Office. See, 18 CFR 385.2001(a)(1)(iii) and the instructions on the Commission's Web site at <http://www.ferc.gov> under the "e-Filing link.

Please include the docket number (DI09-13-000) on any comments, protests, and/or motions filed.

k. *Description of Project:* The Clayton Silver Mines Hydro project consists of: (1) A powerhouse containing a 600-kW Pelton wheel and generator; (2) an 18-inch-diameter, 9,500-foot-long penstock; (3) a 15-foot-long tailrace, emptying into Kinnikinic Creek; and (4) appurtenant facilities. The proposed project will be connected to an interstate grid. The project will not occupy federal lands.

When a Petition for Declaratory Order is filed with the Federal Energy Regulatory Commission, the Federal Power Act requires the Commission to investigate and determine if the interests of interstate or foreign commerce would be affected by the project. The Commission also determines whether or not the project: (1) Would be located on a navigable waterway; (2) would occupy or affect public lands or reservations of the United States; (3) would utilize surplus water or water power from a government dam; or (4) if applicable, has involved or would involve any construction subsequent to 1935 that may have increased or would increase the project's head or generating capacity, or have otherwise significantly modified the project's pre-1935 design or operation.

l. *Locations of the Application:* Copies of this filing are on file with the Commission and are available for public inspection. This filing may be viewed on the Web at <http://www.ferc.gov> using the "eLibrary" link, select "Docket#" and follow the instructions. For assistance, please contact FERC Online Support at FERCOnlineSupport@ferc.gov or toll-free at (866) 208-3372, or TTY, contact (202) 502-8659.

m. Individuals desiring to be included on the Commission's mailing list should so indicate by writing to the Secretary of the Commission.

n. *Comments, Protests, or Motions to Intervene*—Anyone may submit comments, a protest, or a motion to intervene in accordance with the requirements of Rules of Practice and Procedure, 18 CFR 385.210, .211, .214. In determining the appropriate action to take, the Commission will consider all protests or other comments filed, but only those who file a motion to intervene in accordance with the Commission's Rules may become a party to the proceeding. Any comments, protests, or motions to intervene must

be received on or before the specified comment date for the particular application.

o. *Filing and Service of Responsive Documents*—Any filings must bear in all capital letters the title "COMMENTS", "PROTESTS", AND/OR "MOTIONS TO INTERVENE", as applicable, and the Docket Number of the particular application to which the filing refers. A copy of any motion to intervene must also be served upon each representative of the Applicant specified in the particular application.

p. *Agency Comments*—Federal, state, and local agencies are invited to file comments on the described application. A copy of the application may be obtained by agencies directly from the Applicant. If an agency does not file comments within the time specified for filing comments, it will be presumed to have no comments. One copy of an agency's comments must also be sent to the Applicant's representatives.

Kimberly D. Bose,
Secretary.

[FR Doc. E9-23284 Filed 9-25-09; 8:45 am]
BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. AD09-10-000]

National Action Plan on Demand Response; Notice of Technical Conferences

September 18, 2009.

Take notice that Commission Staff will hold two technical conferences to support the development of the National Action Plan on Demand Response. The first technical conference will take place on October 22, 2009, from 9 a.m. to 5 p.m. Eastern Time in the Commission Meeting Room at the Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426. The second technical conference will take place on October 27, 2009, from 9 a.m. to 5 p.m. Pacific Time in Portland, OR. Commissioners may attend. The conferences will be open to the public, and all interested persons are invited to participate. For logistical purposes, staff requests those planning to attend pre-register via an electronic form: for Washington, <https://www.ferc.gov/whats-new/registration/nap-10-22-form.asp>; for Portland, <https://www.ferc.gov/whats-new/registration/nap-10-27-form.asp>. Advance registration is not required to participate.

Section 529 of the Energy Independence and Security Act of 2007 (EISA)¹ directed the Commission to develop a National Action Plan on Demand Response (National Action Plan). The purpose of these technical conferences is to elicit further input from interested stakeholders on the possible elements of the National Action Plan as discussed in the *Discussion Draft on Possible Elements of a National Action Plan on Demand Response* (Discussion Draft) to be released for comment prior to the technical conferences. The Discussion Draft will be noticed at <http://www.ferc.gov> when it is available. In addition, the Commission seeks input from a broad range of industry stakeholders, state regulatory utility commissioners, and non-governmental groups regarding the best ways to meet the objectives that Congress identified for the National Action Plan: (1) Identification of requirements for technical assistance to States to allow them to maximize the amount of demand response resources that can be developed and deployed; (2) design and identification of requirements for implementation of a national communications program that includes broad-based customer education and support; (3) development or identification of analytical tools, information, model regulatory provisions, model contracts, and other support materials for use by customers, States, utilities and demand response providers.² Commission Staff will draw on the comments received and the discussion at the technical conferences to prepare a draft of the National Action Plan.

There will be panel sessions in the morning of the technical conferences to discuss the overall approach to and scope of the National Action Plan, followed by afternoon breakout sessions that will focus on each of the three statutory objectives above. A closing plenary session will summarize the break-out discussions to identify possible areas of consensus.

Those interested in speaking on the morning panels at the conferences should notify the Commission by September 25, 2009 by completing an online form describing the elements that they will address: for Washington, <https://www.ferc.gov/whats-new/registration/nap-10-22-speaker-form.asp>; for Portland, <https://www.ferc.gov/whats-new/registration/nap-10-27-speaker-form.asp>. Due to

time constraints, we may not be able to accommodate all those interested in speaking on panels. Panel speakers will be invited so as to balance stakeholder interests. However, all conference attendees are invited to participate in the break-out session discussions and the plenary session. A detailed agenda, including panel speakers, will be published at a later date.

The technical conferences represent one of the means for stakeholders to provide input on the National Action Plan. Those interested will also have an opportunity to submit comments on the Discussion Draft and the technical conferences. The Commission will establish the comment period and provide instructions for submitting comments at a later date.

The morning panel sessions and the plenary session of the conferences will be transcribed. Transcripts of the conferences will be immediately available for a fee from Ace-Federal Reporters, Inc. (202-347-3700 or 1-800-336-6646). A free Web cast of the morning panel sessions and the closing plenary session of the Washington conference will be available. A free Web cast (audio only) of the morning panel sessions and the closing plenary session of the Portland conference will be also available. Anyone with Internet access interested in listening to the Washington conference or Portland conference can do so by navigating to <http://www.ferc.gov>'s Calendar of Events and locating the appropriate event in the Calendar. The events will contain a link to the applicable Web cast option. The Capitol Connection provides technical support for the Washington Web casts and offers the option of listening to the conferences via phone-bridge for a fee. If you have any questions, visit <http://www.CapitolConnection.org> or call 703-993-3100. The transcripts will be available for free on the Commission's eLibrary system and on the Calendar of Events approximately one week after the conference.

There is an "eSubscription" link on the Web site that enables subscribers to receive e-mail notification when a document is added to a subscribed docket(s). For assistance with any FERC Online service, please e-mail FERCOnlineSupport@ferc.gov, or call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Commission conferences are accessible under section 508 of the Rehabilitation Act of 1973. For accessibility accommodations, please send an e-mail to accessibility@ferc.gov or call toll free (866) 208-3372 (voice) or (202) 208-1659 (TTY), or send a FAX

to (202) 208-2106 with the required accommodations.

For further information about these conferences, please contact:

Caroline Daly (Technical Information), Office of Energy Policy and Innovation, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426. (202) 502-8931. Caroline.Daly@ferc.gov.
Christina Switzer (Legal Information), Office of the General Counsel—Energy Markets, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426. (202) 502-6379. Christina.Switzer@ferc.gov.

Kimberly D. Bose,
Secretary.

[FR Doc. E9-23289 Filed 9-25-09; 8:45 am]

BILLING CODE 6717-01-P

FARM CREDIT ADMINISTRATION

Farm Credit Administration Board; Regular Meeting

AGENCY: Farm Credit Administration.

SUMMARY: Notice is hereby given, pursuant to the Government in the Sunshine Act (5 U.S.C. 552b(e)(3)), of the regular meeting of the Farm Credit Administration Board (Board).

DATE AND TIME: The regular meeting of the Board will be held at the offices of the Farm Credit Administration in McLean, Virginia, on October 15, 2009, from 9 a.m. until such time as the Board concludes its business.

FOR FURTHER INFORMATION CONTACT: Roland E. Smith, Secretary to the Farm Credit Administration Board, (703) 883-4009, TTY (703) 883-4056.

ADDRESSES: Farm Credit Administration, 1501 Farm Credit Drive, McLean, Virginia 22102-5090.

SUPPLEMENTARY INFORMATION: Parts of this meeting of the Board will be open to the public (limited space available), and parts will be closed to the public. In order to increase the accessibility to Board meetings, persons requiring assistance should make arrangements in advance. The matters to be considered at the meeting are:

Open Session

A. Approval of Minutes

- September 11, 2009.

B. New Business

- Regulatory Burden—Final Notice.

C. Reports

- Office of Examination (OE) Quarterly Report.

¹ Public Law 110-140, § 529, 121 Stat. 1492, 1664 (to be codified at National Energy Conservation Policy Act, 42 U.S.C. 8241-8287d, 8279).

² *Id.*

Closed Session*

• OE Oversight and Examination Activities.

Dated: September 23, 2009.

Roland E. Smith,

Secretary, Farm Credit Administration Board.

[FR Doc. E9-23438 Filed 9-24-09; 4:15 pm]

BILLING CODE 6705-01-P

FEDERAL COMMUNICATIONS COMMISSION**Notice of Public Information Collection(s) Being Reviewed by the Federal Communications Commission for Extension Under Delegated Authority, Comments Requested**

September 15, 2009.

SUMMARY: The Federal Communications Commission, as part of its continuing effort to reduce paperwork burden invites the general public and other Federal agencies to take this opportunity to comment on the following information collection(s), as required by the Paperwork Reduction Act of 1995, 44 U.S.C. 3501—3520. An agency may not conduct or sponsor a collection of information unless it displays a currently valid control number. No person shall be subject to any penalty for failing to comply with a collection of information subject to the Paperwork Reduction Act (PRA) that does not display a valid control number. Comments are requested concerning (a) Whether the proposed collection of information is necessary for the proper performance of the functions of the Commission, including whether the information shall have practical utility; (b) the accuracy of the Commission's burden estimate; (c) ways to enhance the quality, utility, and clarity of the information collected; and (d) ways to minimize the burden of the collection of information on the respondents, including the use of automated collection techniques or other forms of information technology.

DATES: Persons wishing to comment on this information collection should submit comments November 27, 2009. If you anticipate that you will be submitting comments, but find it difficult to do so within the period of time allowed by this notice, you should advise the contact listed below as soon as possible.

ADDRESSES: Direct all PRA comments to Nicholas A. Fraser, Office of Management and Budget (OMB), via fax at 202-395-5167, or via the Internet at

Nicholas_A.Fraser@omb.eop.gov and to *Judith-B.Herman@fcc.gov*, Federal Communications Commission (FCC). To submit your comments by e-mail send them to: *PRA@fcc.gov*.

To view a copy of this information collection request (ICR) submitted to OMB: (1) Go to the Web page <http://www.reginfo.gov/public/do/PRAMain>, (2) look for the section of the Web page called "Currently Under Review", (3) click the downward-pointing arrow in the "Select Agency" box below the "Currently Under Review" heading, (4) select "Federal Communications Commission" from the list of agencies presented in the "Select Agency" box, (5) click the "Submit" button to the right of the "Select Agency" box and (6) when the list of FCC ICRs currently under review appears, look for the title of this ICR (or its OMB Control Number, if there is one) and then click on the ICR Reference Number to view detailed information about this ICR.

FOR FURTHER INFORMATION CONTACT: For additional information, send an e-mail to Judith B. Herman at 202-418-0214.

SUPPLEMENTARY INFORMATION:

OMB Control Number: 3060-0773.

Title: Section 2.803, Marketing of RF Devices Prior to Equipment Authorization.

Form No.: N/A.

Type of Review: Extension of a currently approved collection.

Respondents: Business or other for-profit.

Number of Respondents: 6,000 respondents; 6,000 responses.

Estimated Time Per Response: .5 hours.

Frequency of Response: One time reporting requirement and third party disclosure requirement.

Obligation to Respond: Required to obtain or retain benefits. Statutory authority for this information collection is contained in 47 U.S.C. 154(i), 302, 303, 303(r), and 307.

Total Annual Burden: 3,000 hours.

Total Annual Cost: N/A.

Privacy Act Impact Assessment: N/A.

Nature and Extent of Confidentiality: There is no need for confidentiality.

Needs and Uses: The Commission will submit this information collection to the Office of Management and Budget (OMB) after this 60 day comment period in order to obtain the full three year clearance from them. The Commission is requesting an extension (no change in the reporting and/or third party disclosure requirements) of this information collection. The Commission is estimating no change in their burden estimates.

The Commission has established rules for the marketing and authorization of

radio frequency (RF) devices under guidelines in 47 CFR Part 2, Section 2.803. The general guidelines in Section 2.803 prohibit the marketing or sale of such equipment prior to a demonstration of compliance with the applicable equipment authorization and technical requirements in the case of a device subject to verification or Declaration of Conformity.

The following general guidelines apply for third party notifications:

(a) A RF device may be advertised and displayed at a trade show or exhibition prior to a demonstration of compliance with the applicable technical standards and compliance with the applicable equipment authorization procedure provided the advertising and display is accompanied by a conspicuous notice specified in Section 2.803(c).

(b) An offer for sale solely to business, commercial, industrial, scientific, or medical users of an RF device in the conceptual, developmental, design or pre-production stage prior to demonstration of compliance with the equipment authorization regulations may be permitted provided that the prospective buyer is advised in writing at the time of the offer for sale that the equipment is subject to FCC rules and that the equipment will comply with the appropriate rules before delivery to the buyer or centers of distribution.

(c) There are no FCC requirements for how this notice of compliance is to be phrased.

The information to be disclosed about marketing of the RF device is intended:

(a) To ensure the compliance of the proposed equipment with Commission rules; and

(b) To assist industry efforts to introduce new products to the marketplace more promptly.

The information disclosure applies to a variety of RF devices that:

(a) Is pending equipment authorization or verification of compliance;

(b) May be manufactured in the future; and

(c) Operates under varying technical standards.

The information disclosed is essential to ensuring that interference to radio communications is controlled.

OMB Control Number: 3060-0782.

Title: Petition for Limited Modification of LATA Boundaries to Provide Expanded Local Calling Service (ELCS) at Various Locations.

Form No.: N/A.

Type of Review: Extension of a currently approved collection.

Respondents: Business or other for-profit.

Number of Respondents: 20 respondent; 100 responses.

* Session Closed-Exempt pursuant to 5 U.S.C. 552b(c)(8) and (9).

Estimated Time Per Response: 8 hours (5 times/year).

Frequency of Response: On occasion reporting requirement.

Obligation to Respond: Voluntary. Statutory authority for this information collection is required by Section 3(25) of the Communications Act of 1934, as amended; and 47 U.S.C. sections 153, 154(i), and 271.

Total Annual Burden: 800 hours.

Total Annual Cost: N/A.

Privacy Act Impact Assessment: N/A.

Nature and Extent of Confidentiality: The Commission is not requesting that respondents submit confidential information. The information submitted to the Commission is available for public inspection; no assurance of confidentiality has been given regarding the information.

Needs and Uses: The Commission will submit this information collection to the Office of Management and Budget (OMB) after this 60 day comment period in order to obtain the full three year clearance from them. The Commission is requesting an extension (no change in the reporting requirement) of this information collection. The Commission is reporting no change in their burden estimates.

In a 1997 Memorandum Opinion and Order, the Commission requested that Bell Operating Companies (BOCs) provide certain information to the Commission regarding BOC requests for limited modification of local access and transport area (LATA) boundaries to provide local calling services (ELCS).

Section 271 of the Communications Act of 1934 ("the Act"), as amended, prohibits a BOC from providing "interLATA services originating in any of its 'in-region' States" until the BOC takes certain steps to open its own market to competition and the Commission approves the BOC's application to provide such service. Moreover, Section 10(d) prohibits the Commission from forbearing from applying the requirements of Section 271. However Section 3(25) of the Act provides that a BOC may modify LATA boundaries, if such modifications are approved by the Commission. Thus, for a BOC to provide service on a new ELCS route that crosses existing LATA boundaries, the Act requires that the BOC either modify the LATA so that the route no longer crosses a LATA boundary or satisfy the requirements of Section 271. Although the BOCs have otherwise satisfied the criteria for Section 271, this collection remains relevant in order to ensure that they fulfill their obligations under the Act and Commission policies and rules

regarding BOC provision of InterLATA services.

The Commission had found that LATA modification for the "limited purpose" of authorizing a BOC to provide flat-rate, non-optional local calling service between specific exchanges will meet community needs for traditional local telephone service while reducing the potential anticompetitive effects of general LATA modifications.

The guidelines ask that each ECLS request include the following information:

(1) Type of proposed service; (2) direction of proposed service; (3) telephone exchanges involved; (4) names of affected customers; (5) state commission approval; (6) number of access lines for customers; (7) usage data; (8) poll results; if any; (9) community of interest statement; (10) a map showing exchanges and LATA boundary involved; and (11) any other pertinent information.

A carrier will be deemed to have made a *prima facie* case supporting grant of the proposed modification if the petition: (1) Has been approved by the state commission; (2) that the state commission found a sufficient community interest to warrant such service; (4) documents this community of interest through such evidence as poll results, usage data, and descriptions of the communities involved; and (5) involves a limited number of customers or access lines. The guidelines will enable the Commission to ensure that BOCs are in compliance with the Act and Commission policies and rules regarding BOC provision of InterLATA services. The requested information is used by the Commission to determine whether the need for the proposed ELCS routes outweigh the risk of potential anticompetitive effects, and thus whether requests for limited modifications of LATA boundaries should be granted.

Federal Communications Commission.

Marlene H. Dortch,

Secretary.

[FR Doc. E9-23332 Filed 9-25-09; 8:45 am]

BILLING CODE 6712-01-P

FEDERAL DEPOSIT INSURANCE CORPORATION

FDIC Advisory Committee on Community Banking; Notice of Meeting

AGENCY: Federal Deposit Insurance Corporation (FDIC).

ACTION: Notice of Open Meeting.

SUMMARY: In accordance with the Federal Advisory Committee Act, notice is hereby given of a meeting of the FDIC Advisory Committee on Community Banking, which will be held in Washington, DC. The Advisory Committee will provide advice and recommendations on a broad range of policy issues that have a particular impact on small community banks throughout the United States and the local communities they serve, with a focus on rural areas.

DATES: October 15, 2009, from 8:45 a.m. to 3:30 p.m.

ADDRESSES: The meeting will be held in the FDIC Board Room on the sixth floor of the FDIC Building located at 550 17th Street, NW., Washington, DC.

FOR FURTHER INFORMATION CONTACT: Requests for further information concerning the meeting may be directed to Mr. Robert E. Feldman, Committee Management Officer of the FDIC, at (202) 898-7043.

SUPPLEMENTARY INFORMATION:

Agenda: The agenda will include a discussion of the impact of the financial crisis on community banks, the role of financial reform legislation in preventing the next crisis and community bank perspectives on funding the deposit insurance system. The agenda may be subject to change. Any changes to the agenda will be announced at the beginning of the meeting.

Type of Meeting: The meeting will be open to the public, limited only by the space available on a first-come, first-served basis. For security reasons, members of the public will be subject to security screening procedures and must present valid photo identification to enter the building. The FDIC will provide attendees with auxiliary aids (e.g., sign language interpretation) required for this meeting. Those attendees needing such assistance should call (703) 562-6067 (Voice or TTY) at least two days before the meeting to make necessary arrangements. Written statements may be filed with the committee before or after the meeting.

This Community Banking Advisory Committee meeting will be Webcast live via the Internet at <http://www.vodium.com/goto/fdic/communitybanking.asp>. This service is free and available to anyone with the following systems requirements: <http://www.vodium.com/home/sysreq.html>. Adobe Flash Player is required to view these presentations. The latest version of Adobe Flash Player can be downloaded at <http://www.adobe.com/shockwave/download/download>.

cgi?P1_Prod_Version=ShockwaveFlash. Installation questions or troubleshooting help can be found at the same link. For optimal viewing, a high speed Internet connection is recommended. The Community Banking Advisory Committee meeting videos are made available on-demand approximately two weeks after the event.

Dated: September 23, 2009.

Robert E. Feldman,

Committee Management Officer,

Federal Deposit Insurance Corporation.

[FR Doc. E9-23298 Filed 9-25-09; 8:45 am]

BILLING CODE 6714-01-P

FEDERAL RESERVE SYSTEM

Change in Bank Control Notices; Acquisition of Shares of Bank or Bank Holding Companies

The notificants listed below have applied under the Change in Bank Control Act (12 U.S.C. 1817(j)) and § 225.41 of the Board's Regulation Y (12 CFR 225.41) to acquire a bank or bank holding company. The factors that are considered in acting on the notices are set forth in paragraph 7 of the Act (12 U.S.C. 1817(j)(7)).

The notices are available for immediate inspection at the Federal Reserve Bank indicated. The notices also will be available for inspection at the office of the Board of Governors. Interested persons may express their views in writing to the Reserve Bank indicated for that notice or to the offices of the Board of Governors. Comments must be received not later than October 13, 2009.

A. Federal Reserve Bank of San Francisco (Kenneth Binning, Vice President, Applications and Enforcement) 101 Market Street, San Francisco, California 94105-1579:

1. *Alma Medina Vivar*, Daly City, California; as part of a group acting in concert including Rommel and Ruell Medina, to individually acquire, and to collectively acquire, voting shares of MNB Holdings, Inc., and thereby indirectly acquire voting shares of Mission National Bank, both of San Francisco, California.

Board of Governors of the Federal Reserve System, September 23, 2009.

Robert deV. Frierson,

Deputy Secretary of the Board.

[FR Doc. E9-23356 Filed 9-25-09; 8:45 am]

BILLING CODE 6210-01-S

FEDERAL RESERVE SYSTEM

Formations of, Acquisitions by, and Mergers of Bank Holding Companies

The companies listed in this notice have applied to the Board for approval, pursuant to the Bank Holding Company Act of 1956 (12 U.S.C. 1841 *et seq.*) (BHC Act), Regulation Y (12 CFR Part 225), and all other applicable statutes and regulations to become a bank holding company and/or to acquire the assets or the ownership of, control of, or the power to vote shares of a bank or bank holding company and all of the banks and nonbanking companies owned by the bank holding company, including the companies listed below.

The applications listed below, as well as other related filings required by the Board, are available for immediate inspection at the Federal Reserve Bank indicated. The applications also will be available for inspection at the offices of the Board of Governors. Interested persons may express their views in writing on the standards enumerated in the BHC Act (12 U.S.C. 1842(c)). If the proposal also involves the acquisition of a nonbanking company, the review also includes whether the acquisition of the nonbanking company complies with the standards in section 4 of the BHC Act (12 U.S.C. 1843). Unless otherwise noted, nonbanking activities will be conducted throughout the United States. Additional information on all bank holding companies may be obtained from the National Information Center website at www.ffiec.gov/nic/.

Unless otherwise noted, comments regarding each of these applications must be received at the Reserve Bank indicated or the offices of the Board of Governors not later than October 23, 2009.

A. Federal Reserve Bank of Richmond (A. Linwood Gill, III, Vice President) 701 East Byrd Street, Richmond, Virginia 23261-4528:

1. *Nantahala Bancshares, Inc.*, Franklin, North Carolina; to become a bank holding company by acquiring 100 percent of the voting shares of Nantahala Bank & Trust Company, Franklin, North Carolina.

Board of Governors of the Federal Reserve System, September 23, 2009.

Robert deV. Frierson,

Deputy Secretary of the Board.

[FR Doc. E9-23357 Filed 9-25-09; 8:45 am]

BILLING CODE 6210-01-S

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

[30 Day-09-09CC]

Agency Forms Undergoing Paperwork Reduction Act Review

The Centers for Disease Control and Prevention (CDC) publishes a list of information collection requests under review by the Office of Management and Budget (OMB) in compliance with the Paperwork Reduction Act (44 U.S.C. Chapter 35). To request a copy of these requests, call the CDC Reports Clearance Officer at (404) 639-5960 or send an e-mail to omb@cdc.gov. Send written comments to CDC Desk Officer, Office of Management and Budget, Washington, DC or by fax to (202) 395-5806. Written comments should be received within 30 days of this notice.

Proposed Project

CDC American Recovery and Reinvestment Act of 2009 (ARRA) Performance Progress Report—New—Office of the Chief Operating Officer (OCOO), Centers for Disease Control and Prevention (CDC).

Background and Brief Description

The American Recovery and Reinvestment Act of 2009 was signed into law on February 17, 2009, Public Law 111-5 ("Recovery Act"). The purpose of this proposed data collection is to collect quarterly performance information for all CDC grants and cooperative agreements funded under the Recovery Act. This will allow CDC to receive reports on recipient performance measures as set forth in the applicable Funding Opportunity Announcement (FOA) and Notice of Grant Award. This requirement is in addition to the reporting requirements of Section 1512 of the Recovery Act, set forth by the Office of Management and Budget (OMB) under the data collection instrument titled "Standard Data Elements for Reports under Section 1512 of the American Recovery and Reinvestment Act of 2009, Public Law 111-5 (Grants, Cooperative Agreements and Loans)."

The form CDC proposes to use is a modified Performance Progress Report (SF-PPR) which was successfully piloted by the Administration for Children and Families (ACF). CDC intends to use this modified form for quarterly standard reporting of performance measures set forth in the applicable FOA and Notice of Grant Award for all CDC Recovery Act funded

grants and cooperative agreements. In addition to allowing for uniformity of information collection, this format will support systematic electronic collection and submission of information. The

form contains non-personal identifying data elements and a section for a performance narrative.

There are no costs to respondents other than their time. The total

estimated annual burden hours are 11,676. This estimate reflects an increase from the 60 day notice as a result of an increase in respondents and adjustments to average burden hours.

ESTIMATED ANNUALIZED BURDEN HOURS

Respondents	Number of respondents (estimated)	Number of responses per respondent	Average burden per response (in hours)	Total burden (in hours)
States: Section 317 Immunization Program—Reaching More Children & Adults	64	4	6	1,536
States: Section 317 Immunization Program—Innovative Initiatives	15	4	6	360
States: Section 317 Immunization Program—Communication & Provider Education	10	4	6	240
States: Section 317 Immunization Program—Strengthening the Evidence Base	64	4	6	1,536
States: Healthcare Associated Infections—Emerging Infections Program	10	4	6	240
States: Healthcare Associated Infections—Epidemiology & Laboratory Capacity	52	4	6	1,248
States: Health Information Technology and Public Health	64	4	6	1,536
Universities: Health Information Technology Professionals in Health Care	30	4	6	720
States: Communities Putting Prevention to Work—Quitline Support	50	4	2	400
States: Communities Putting Prevention to Work—Policy Activities	50	4	2	400
States: Communities Putting Prevention to Work—Policy Implementation	50	2	1	100
States: Communities Putting Prevention to Work—Community Policy Activities	40	4	16	2,560
Communities: Communities Putting Prevention to Work—Policy Implementation	40	2	8	640
State Cancer Registries: Comparative Effectiveness Research to Enhance Cancer Registry Data Systems	15	4	2	120
Universities: Comparative Effectiveness Research to Improve Prevention and Wellness	5	4	2	40

Dated: September 21, 2009.

Maryam I. Daneshvar,

Acting Reports Clearance Officer, Centers for Disease Control and Prevention.

[FR Doc. E9-23311 Filed 9-25-09; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

[30 Day-09-07AA]

Agency Forms Undergoing Paperwork Reduction Act Review

The Centers for Disease Control and Prevention (CDC) publishes a list of information collection requests under review by the Office of Management and Budget (OMB) in compliance with the Paperwork Reduction Act (44 U.S.C. Chapter 35). To request a copy of these requests, call Maryam I. Daneshvar, the CDC Reports Clearance Officer, at (404) 639-5960 or send an e-mail to omb@cdc.gov. Send written comments to CDC Desk Officer, Office of Management and Budget, Washington, DC or by fax to (202) 395-5806. Written comments should be received within 30 days of this notice.

Proposed Project

Evaluating the Quality of Interview Data Collected by Teratology Information Services About Pregnancy Outcomes, Maternal and Infant Health, Following Medication Use During Pregnancy and Lactation—New—National Center on Birth Defects and Developmental Disabilities (NCBDDD), Centers for Disease Control and Prevention (CDC).

Background and Brief Description

This data collection is based on the following components of the Public Health Service Act: (1) Act 42 USC 241, Section 301, which authorizes "research, investigations, experiments, demonstrations, and studies relating to the causes, diagnosis, treatment, control, and prevention of physical and mental diseases and impairments of man." (2) 42 USC 247b-4, Section 317 C, which authorizes the activities of the National Center on Birth Defects and Developmental Disabilities. This section was created by Public Law 106-310, also known as "the Children's Health Act of 2000." This portion of the code has also been amended by Public Law 108-154, which is also known as the "Birth Defects and Developmental Disabilities Prevention Act of 2003".

The use of a number of medications during pregnancy is known to be associated with serious adverse effects in children. However, because pregnant and lactating women are traditionally excluded from clinical trials, and because premarketing animal studies do not necessarily predict the experience of humans, little information is available about the safety of most prescription medications during pregnancy and lactation at the time they are marketed. Nevertheless, many women inadvertently use medications early in gestation before realizing they are pregnant, and many maternal conditions require treatment during pregnancy and breastfeeding to safeguard the health of both mother and infant. Currently, the United States does not does not conduct comprehensive monitoring for pregnancy or infant outcomes related to medication exposures. To try to address these concerns, a number of pharmaceutical manufacturers have established pregnancy drug registries to monitor the effects of use of selected medications during pregnancy on pregnancy outcomes and fetal and infant health. In some instances, the U.S. Food and Drug Administration has required postmarketing monitoring of pregnancy outcomes after medication

exposure as a condition of new drug approval. However, registries such as these monitor only a small number of medications, and many suffer from methodologic limitations including high loss to follow-up rates and incomplete or nonspecific outcome information.

Teratology Information Services (TIS) utilize trained specialists to provide free phone consultation, risk assessment, and counseling about exposures during pregnancy and breastfeeding—including medications—to women and healthcare providers. Altogether, they respond to approximately 70,000–100,000 inquiries each year in the United States and Canada. Because they have direct contact with pregnant and breastfeeding women, TIS are in a unique position to monitor the effects of medication exposures during pregnancy and lactation. The objective of this project is to assess the quality of information on (1) pregnancy outcomes (e.g., live birth, stillbirth, premature birth, low birth weight, etc.) and (2) maternal and infant health following medication use during

pregnancy and lactation that can be obtained from maternal interviews conducted by TIS in the U.S. The project will assess the willingness of pregnant and breastfeeding women who contact a TIS about medication exposure to participate in and complete a follow-up study; whether these women are similar in demographic characteristics to the U.S. population of child-bearing age women; the specificity and completeness of the information obtained from such a study about pregnancy outcomes, and maternal and infant health; and the amount of time required to conduct the follow-up.

Within a continuous six-month period, three individual TIS will recruit all women who contact their service (up to a maximum of 250 enrollees per TIS) who have used any prescription or over-the-counter medication, vitamin, herbal, or other dietary supplement during pregnancy or while breastfeeding to participate in a follow-up study. Informed consent to participate will be obtained from each woman by

telephone. For each pregnant woman who agrees to participate, the TIS will then conduct 4 telephone interviews: (1) At enrollment; (2) during the third trimester of pregnancy; (3) approximately one month after delivery; and (4) when the infant is about 3 months old. For each breastfeeding woman who agrees to participate, the TIS will then conduct 3 telephone interviews: (1) At enrollment; (2) approximately one month after enrollment; and (3) 3 months after enrollment, if the woman is still taking medication and still breastfeeding. The interviews will assess maternal and fetal health throughout pregnancy, and maternal and infant health at delivery, during the newborn and early infancy period, and while breastfeeding, and correlate these outcomes with medication exposure during pregnancy and while breastfeeding. There is no cost to respondents other than their time. The total estimated annualized burden is 516 hours.

ESTIMATE OF ANNUALIZED BURDEN HOURS

Type of respondent	Form name	Number of respondents	Responses per respondent	Avg. burden per response (in hours)
All Respondents	Telephone script	294	1	3/60
Screened Eligible Respondents-	Tracking	250	1	5/60
Pregnancy Exposure (Group 1)/Lactation Exposure (Group 2)/Pregnancy and Lactation Exposure (Group 3).	Consent	250	1	20/60
Groups 1, 2 and 3	Enrollment	250	1	10/60
Group 1 and 3	Initial Pregnancy	200	1	30/60
	Follow-up Pregnancy	200	1	20/60
	Initial Infant	200	1	20/60
	Follow-up Infant	200	1	15/60
Groups 2 and 3	Initial breastfeeding	100	1	20/60
	Follow-up breastfeeding	100	1.5	15/60

Dated: September 18, 2009.

Maryam I. Daneshvar,
Acting Reports Clearance Officer, Centers for Disease Control and Prevention.

[FR Doc. E9-23309 Filed 9-25-09; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Administration for Children and Families

Submission for OMB Review; Comment Request

Proposed Projects:

Title: Project LAUNCH Cross-Site Evaluation.

OMB No.: New Collection.

Description: The Administration for Children and Families (ACF), U.S.

Department of Health and Human Services, is planning to collect data as part of a cross-site evaluation of a new initiative called Project LAUNCH (Linking Actions for Unmet Needs in Children's Health): Project LAUNCH is intended to promote the healthy development and wellness of children ages birth to eight years. A total of 18 Project LAUNCH grantees will be funded to improve coordination among child-serving systems, build infrastructure, and improve methods for providing services. Grantees will also implement a range of public health strategies to support young child wellness in a designated locality.

Data for the cross-site evaluation of Project LAUNCH will be collected through: (1) Interviews conducted during annual site visits to Project LAUNCH grantees, and (2) semi-annual

reports that will be submitted electronically on a Web-based data-entry system. Information will be collected from all Project LAUNCH grantees.

During annual site visits, researchers will conduct interviews with Project LAUNCH service providers and collaborators in States/Tribes and local communities of focus. Site visitors will ask program administrators questions about all Project LAUNCH activities, including: infrastructure development; collaboration and coordination among partner agencies, organizations, and service providers; and development, implementation, and refinement of service strategies.

As part of the proposed data collection, Project LAUNCH staff will be asked to submit semi-annual electronic reports on State/Tribal and local

systems development and on services that children and families receive. The electronic data reports also will collect data about other Project LAUNCH-funded service enhancements, such as trainings, Project LAUNCH systems change activities, and changes in

provider settings. Information provided in these reports will be aggregated on a quarterly basis, and reported semi-annually.

Respondents: State/Tribal Child Wellness Coordinator, State/Tribal Wellness Council Members, State ECCS

Project Director, Local Child Wellness Coordinator, Local Wellness Council Members, Local Evaluator, and Local Service Providers.

ANNUAL BURDEN ESTIMATES¹

Instrument	Annual number of respondents	Number of responses per respondent	Average burden hours per response	Estimated annual burden hours
Site Visit Interview Guide	216	1	1.25	270
Electronic Data Reporting: Systems Measures	18	2	4	144
Electronic Data Reporting: Services Measures	18	2	8	288

Estimated Annual Burden Hours: 702 hours.

Additional Information

Copies of the proposed collection may be obtained by writing to the Administration for Children and Families, Office of Planning, Research and Evaluation, 370 L'Enfant Promenade, SW., Washington, DC 20447, Attn: OPRE Reports Clearance Officer. All requests should be identified by the title of the information collection. E-mail address: OPREinfocollection@acf.hhs.gov.

OMB Comment

OMB is required to make a decision concerning the collection of information between 30 and 60 days after publication of this document in the **Federal Register**. Therefore, a comment is best assured of having its full effect if OMB receives it within 30 days of publication. Written comments and recommendations for the proposed information collection should be sent directly to the following: Office of Management and Budget, Paperwork Reduction Project, Fax: 202-395-6974. Attn: Desk Officer for the Administration for Children and Families.

Dated: September 17, 2009.

Seth F. Chamberlain,

OPRE Reports Clearance Officer.

[FR Doc. E9-23242 Filed 9-25-09; 8:45 am]

BILLING CODE M

DEPARTMENT OF HEALTH AND HUMAN SERVICES**National Institutes of Health****National Institute of Mental Health;****Notice of Closed Meeting**

Pursuant to section 10(d) of the Federal Advisory Committee Act, as

amended (5 U.S.C. App.), notice is hereby given of the following meeting.

The meeting will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Institute of Mental Health Special Emphasis Panel. K99.

Date: October 29, 2009.

Time: 1 p.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, Neuroscience Center, 6001 Executive Boulevard, Rockville, MD 20852. (Telephone Conference Call).

Contact Person: Megan Libbey, PhD, Scientific Review Officer, Division of Extramural Activities, National Institute of Mental Health, NIH, Neuroscience Center, 6001 Executive Blvd., Room 6148, MSC 9609, Rockville, MD 20852-9609. 301-402-6807. libbeym@mail.nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.242, Mental Health Research Grants; 93.281, Scientist Development Award, Scientist Development Award for Clinicians, and Research Scientist Award; 93.282, Mental Health National Research Service Awards for Research Training, National Institutes of Health, HHS)

Dated: September 21, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23337 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES**National Institutes of Health****National Cancer Institute; Notice of Closed Meetings**

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and/or contract proposals and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications and/or contract proposals, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Cancer Institute Special Emphasis Panel. Pharmacodynamic Assays for Cancer Therapeutics.

Date: October 6, 2009.

Time: 11 a.m. to 1:30 p.m.

Agenda: To review and evaluate contract proposals.

Place: National Institutes of Health, 6116 Executive Boulevard, Room # 210, Rockville, MD 20852. (Telephone Conference Call).

Contact Person: Thomas M Vollberg, PhD, Scientific Review Officer, Special Review and Logistics Branch, Division of Extramural Activities, National Cancer Institute, 6116 Executive Boulevard, Room 7142, Bethesda, MD 20892. 301-594-9582. vollbert@mail.nih.gov.

This notice is being published less than 15 days prior to the meeting due to scheduling conflicts.

Name of Committee: National Cancer Institute Special Emphasis Panel. R13 Conference Grants Review.

Date: October 29, 2009.

Time: 1 p.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6116 Executive Boulevard, 8041, Rockville, MD 20852. (Telephone Conference Call).

Contact Person: Bratin K. Saha, PhD, Scientific Review Officer, Program Coordination and Referral Branch, Division of Extramural Activities, National Cancer Institute, NIH, 6116 Executive Boulevard, Room 8041, Bethesda, MD 20892. (301) 402-0371. sahab@mail.nih.gov.

Name of Committee: National Cancer Institute Special Emphasis Panel. NCI Cancer Prevention Research II.

Date: October 30, 2009.

Time: 10 a.m. to 12 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6116 Executive Boulevard, Room # 210, Rockville, MD 20852. (Telephone Conference Call).

Contact Person: Irina Gordienko, PhD, Scientific Review Officer, Scientific Review and Logistics Branch, Division of Extramural Activities, National Cancer Institute, NIH, 6116 Executive Blvd., Rm. 7073, Bethesda, MD 20892. 301-594-1566. gordienkoiv@mail.nih.gov.

Name of Committee: National Cancer Institute Special Emphasis Panel. Community Clinical Oncology Programs.

Date: December 1-2, 2009.

Time: 7 p.m. to 4 p.m.

Agenda: To review and evaluate grant applications.

Place: Marriott Courtyard Gaithersburg Washingtonian Ctr, 204 Boardwalk Place, Gaithersburg, MD 20878.

Contact Person: Gerald G. Lovinger, PhD, Scientific Review Administrator, Special Review and Logistics Branch, Division of Extramural Activities, National Cancer Institute, 6116 Executive Blvd., Room 8101, Bethesda, MD 20892-8329. 301/496-7987. lovingeg@mail.nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.392, Cancer Construction; 93.393, Cancer Cause and Prevention Research; 93.394, Cancer Detection and Diagnosis Research; 93.395, Cancer Treatment Research; 93.396, Cancer Biology Research; 93.397, Cancer Centers Support; 93.398, Cancer Research Manpower; 93.399, Cancer Control, National Institutes of Health, HHS)

Dated: September 21, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23269 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2009-N-0664]

Pulmonary-Allergy Drugs Advisory Committee; Notice of Meeting

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

This notice announces a forthcoming meeting of a public advisory committee of the Food and Drug Administration (FDA). The meeting will be open to the public.

Name of Committee: Pulmonary-Allergy Drugs Advisory Committee.

General Function of the Committee: To provide advice and recommendations to the agency on FDA's regulatory issues.

Date and Time: The meeting will be held on November 18, 2009, from 8 a.m. to 5 p.m.

Location: Hilton Washington DC/Silver Spring, The Ballrooms, 8727 Colesville Rd., Silver Spring, MD. The hotel phone number is 301-589-5200.

Contact Person: Kristine T. Khuc, Center for Drug Evaluation and Research (HFD-21), Food and Drug Administration, 5600 Fishers Lane (for express delivery, 5630 Fishers Lane, rm. 1093), Rockville, MD 20857, 301-827-7001, FAX: 301-827-6776, e-mail: Kristine.Khuc@fda.hhs.gov, or FDA Advisory Committee Information Line, 1-800-741-8138 (301-443-0572 in the Washington, DC area), code 3014512545. Please call the Information Line for up-to-date information on this meeting. A notice in the **Federal Register** about last minute modifications that impact a previously announced advisory committee meeting cannot always be published quickly enough to provide timely notice. Therefore, you should always check the agency's Web site and call the appropriate advisory committee hot line/phone line to learn about possible modifications before coming to the meeting.

Agenda: The committee will discuss biologics license application (BLA) 103976, supplement 5149, for XOLAIR (omalizumab), manufactured by Genentech USA, Inc. and Novartis Pharmaceuticals Corp. The proposed indication for this product is to treat moderate to severe persistent asthma in patients between 6 and 11 years of age whose symptoms are inadequately controlled with inhaled steroid medications and have: (1) A positive reaction to skin testing with common substances that can cause allergies and asthma, such as pollen or (2) in vitro reactivity, which is measured with a blood test that confirms the presence of specific proteins consistent with allergies and asthma.

FDA intends to make background material available to the public no later than 2 business days before the meeting. If FDA is unable to post the background material on its Web site prior to the meeting, the background material will be made publicly available at the location of the advisory committee

meeting, and the background material will be posted on FDA's Web site after the meeting. Background material is available at <http://www.fda.gov/AdvisoryCommittees/Calendar/default.htm>. Scroll down to the appropriate advisory committee link.

Procedure: Interested persons may present data, information, or views, orally or in writing, on issues pending before the committee. Written submissions may be made to the contact person on or before November 3, 2009. Oral presentations from the public will be scheduled between approximately 1 p.m. and 2 p.m. Those desiring to make formal oral presentations should notify the contact person and submit a brief statement of the general nature of the evidence or arguments they wish to present, the names and addresses of proposed participants, and an indication of the approximate time requested to make their presentation on or before October 26, 2009. Time allotted for each presentation may be limited. If the number of registrants requesting to speak is greater than can be reasonably accommodated during the scheduled open public hearing session, FDA may conduct a lottery to determine the speakers for the scheduled open public hearing session. The contact person will notify interested persons regarding their request to speak by October 27, 2009.

Persons attending FDA's advisory committee meetings are advised that the agency is not responsible for providing access to electrical outlets.

FDA welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Kristine T. Khuc at least 7 days in advance of the meeting.

FDA is committed to the orderly conduct of its advisory committee meetings. Please visit our Web site at <http://www.fda.gov/AdvisoryCommittees/AboutAdvisoryCommittees/ucm111462.htm> for procedures on public conduct during advisory committee meetings.

Notice of this meeting is given under the Federal Advisory Committee Act (5 U.S.C. app. 2).

Dated: September 22, 2009.

David Horowitz,

Assistant Commissioner for Policy.

[FR Doc. E9-23292 Filed 9-25-09; 8:45 am]

BILLING CODE 4160-01-S

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA-2009-N-0664]

Pulmonary-Allergy Drugs Advisory Committee; Notice of Meeting

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

This notice announces a forthcoming meeting of a public advisory committee of the Food and Drug Administration (FDA). The meeting will be open to the public.

Name of Committee: Pulmonary-Allergy Drugs Advisory Committee.

General Function of the Committee: To provide advice and recommendations to the agency on FDA's regulatory issues.

Date and Time: The meeting will be held on November 20, 2009, from 8 a.m. to 5 p.m.

Location: Hilton Washington DC/Silver Spring, The Ballrooms, 8727 Colesville Rd., Silver Spring, MD. The hotel phone number is 301-589-5200.

Contact Person: Kristine T. Khuc, Center for Drug Evaluation and Research (HFD-21), Food and Drug Administration, 5600 Fishers Lane (for express delivery, 5630 Fishers Lane, rm. 1093), Rockville, MD 20857, 301-827-7001, FAX: 301-827-6776, e-mail: Kristine.Khuc@fda.hhs.gov, or FDA Advisory Committee Information Line, 1-800-741-8138 (301-443-0572 in the Washington, DC area), code 3014512545. Please call the Information Line for up-to-date information on this meeting. A notice in the **Federal Register** about last minute modifications that impact a previously announced advisory committee meeting cannot always be published quickly enough to provide timely notice. Therefore, you should always check the agency's Web site and call the appropriate advisory committee hot line/ phone line to learn about possible modifications before coming to the meeting.

Agenda: The committee will discuss new drug application (NDA) 22-368, for ARIDOL (mannitol bronchial challenge test), manufactured by Pharmaxis Ltd. The proposed use of this product is to assess bronchial hyperresponsiveness (airway irritability in the lungs) to aid in diagnosing patients 6 years of age or older who have symptoms of asthma or symptoms that are suggestive of asthma.

FDA intends to make background material available to the public no later than 2 business days before the meeting. If FDA is unable to post the background material on its Web site prior to the meeting, the background material will be made publicly available at the location of the advisory committee meeting, and the background material will be posted on FDA's Web site after the meeting. Background material is available at <http://www.fda.gov/AdvisoryCommittees/Calendar/default.htm>. Scroll down to the appropriate advisory committee link.

Procedure: Interested persons may present data, information, or views, orally or in writing, on issues pending before the committee. Written submissions may be made to the contact person on or before November 5, 2009. Oral presentations from the public will be scheduled between approximately 1 p.m. to 2 p.m. Those desiring to make formal oral presentations should notify the contact person and submit a brief statement of the general nature of the evidence or arguments they wish to present, the names and addresses of proposed participants, and an indication of the approximate time requested to make their

presentation on or before October 28, 2009. Time allotted for each presentation may be limited. If the number of registrants requesting to speak is greater than can be reasonably accommodated during the scheduled open public hearing session, FDA may conduct a lottery to determine the speakers for the scheduled open public hearing session. The contact person will notify interested persons regarding their request to speak by October 29, 2009.

Persons attending FDA's advisory committee meetings are advised that the agency is not responsible for providing access to electrical outlets.

FDA welcomes the attendance of the public at its advisory committee meetings and will make every effort to accommodate persons with physical disabilities or special needs. If you require special accommodations due to a disability, please contact Kristine T. Khuc at least 7 days in advance of the meeting.

FDA is committed to the orderly conduct of its advisory committee meetings. Please visit our Web site at <http://www.fda.gov/AdvisoryCommittees/AboutAdvisoryCommittees/ucm11462.htm> for procedures on public conduct during advisory committee meetings.

Notice of this meeting is given under the Federal Advisory Committee Act (5 U.S.C. app. 2).

Dated: September 22, 2009.

David Horowitz,

Assistant Commissioner for Policy.

[FR Doc. E9-23270 Filed 9-25-09; 8:45 am]

BILLING CODE 4160-01-S

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Institute on Drug Abuse; Notice of Closed Meeting

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meeting.

The meeting will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Institute on Drug Abuse Special Emphasis Panel B/START Review.

Date: October 15, 2009.

Time: 9 a.m. to 11:30 a.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6101 Executive Boulevard, Rockville, MD 20852, (Virtual Meeting).

Contact Person: Gerald L. McLaughlin, PhD, Scientific Review Administrator, Office of Extramural Affairs, National Institute on Drug Abuse, NIH, DHHS, Room 220, MSC 8401, 6101 Executive Blvd., Bethesda, MD 20892-8401, 301-402-6626, gm145a@nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.279, Drug Abuse and Addiction Research Programs, National Institutes of Health, HHS)

Dated: September 18, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23085 Filed 9-25-09; 8:45 am]

BILLING CODE M

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

Center for Scientific Review; Notice of Closed Meetings

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Member Conflicts: Addiction, Learning, and Feeding.

Date: October 6-7, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Brian Hoshaw, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5181, MSC 7844, Bethesda, MD 20892. 301-435-1033. hoshawb@csr.nih.gov.

This notice is being published less than 15 days prior to the meeting due to the timing limitations imposed by the review and funding cycle.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Motivated Behavior.

Date: October 7, 2009.

Time: 1 p.m. to 2 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Telephone Conference Call.)

Contact Person: Michael Selmanoff, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 3134, MSC 7844, Bethesda, MD 20892. 301-435-1119. selmanoff@csr.nih.gov.

This notice is being published less than 15 days prior to the meeting due to the timing limitations imposed by the review and funding cycle.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Member Conflicts: Sensory Motor Integration.

Date: October 13-14, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Brian Hoshaw, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5181, MSC 7844, Bethesda, MD 20892. 301-435-1033. hoshawb@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Health Services Research Member Applications.

Date: October 20-21, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Katherine N. Bent, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 3160, MSC 7770, Bethesda, MD 20892. (301) 435-0695. bentkn@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Topic in Bacteriology.

Date: October 23, 2009.

Time: 1 p.m. to 2 p.m.

Agenda: To review and evaluate grant applications.

Place: The Allerton Hotel, 701 North Michigan Avenue, Chicago, IL 60611.

Contact Person: Fouad A. El-Zaatari, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 3206, MSC 7808, Bethesda, MD 20814-9692. (301) 435-1149. elzaatf@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel Drug Discovery and Development Small Business Panel.

Date: October 26-27, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: Doubletree Hotel Bethesda, 8120 Wisconsin Avenue, Bethesda, MD 20814.

Contact Person: Sergei Ruvinov, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of

Health, 6701 Rockledge Drive, Room 4158, MSC 7806, Bethesda, MD 20892. 301-435-1180. ruvinser@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, ZRG1-IFCN-B-04M: Member Conflicts: Sensory Neuroscience.

Date: October 26-27, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: John Bishop, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5180, MSC 7844, Bethesda, MD 20892. (301) 435-1250. bishopj@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, BDCN Member Conflict Special Emphasis Panel.

Date: October 26-27, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Jerry L. Taylor, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5202, MSC 7846, Bethesda, MD 20892. 301-435-1175. taylorje@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Experimental Cancer Therapeutics SBIR/STTR.

Date: October 26-27, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: Hyatt Regency Bethesda, One Bethesda Metro Center, 7400 Wisconsin Avenue, Bethesda, MD 20814.

Contact Person: Denise R. Shaw, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 6158, MSC 7804, Bethesda, MD 20892. 301-435-0198. shawdeni@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Member Conflicts: CIMG and GMPB.

Date: October 26, 2009.

Time: 12 p.m. to 2 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Telephone Conference Call.)

Contact Person: Patricia Greenwel, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 2178, MSC 7818, Bethesda, MD 20892. 301-435-1169. greenwep@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Radiation Therapy and Biology SBIR/STTR.

Date: October 27-28, 2009.

Time: 9 a.m. to 11 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Bo Hong, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 6194, MSC 7804, Bethesda, MD 20892. 301-435-5879. hongb@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Cancer Diagnostic and Treatment SBIR/STTR.

Date: October 27-28, 2009.

Time: 9 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Malaya Chatterjee, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 6192, MSC 7804, Bethesda, MD 20892. 301-451-0131. chatterm@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, BBBB Psychopathology and Addiction Member Conflict, Special Emphasis Panel.

Date: October 28-29, 2009.

Time: 7 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Melissa Gerald, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 3172, MSC 7848, Bethesda, MD 20892. (301) 435-0692. geraldmel@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Retinopathy Studies.

Date: October 29, 2009.

Time: 8 a.m. to 5:30 p.m.

Agenda: To review and evaluate grant applications.

Place: Hyatt Regency Bethesda, One Bethesda Metro Center, 7400 Wisconsin Avenue, Bethesda, MD 20814.

Contact Person: Raya Mandler, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5217, MSC 7840, Bethesda, MD 20892. 301-402-8228. rayam@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel Fellowship: Oncological Sciences.

Date: October 29-30, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: Churchill Hotel, 1914 Connecticut Avenue, NW., Washington, DC 20009.

Contact Person: Ross D. Shonat, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5156, MSC 7849, Bethesda, MD 20892. 301-435-2786. shonatr@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Vision Sciences and Technology.

Date: October 29, 2009.

Time: 8 a.m. to 1 p.m.

Agenda: To review and evaluate grant applications.

Place: Mayflower Park Hotel, 405 Olive Way, Seattle, WA 98101.

Contact Person: George Ann McKie, DVM, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 1124, MSC 7846, Bethesda, MD 20892. 301-435-1049. mckiegea@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Shared Instrumentation Review-2.

Date: October 29-30, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: Renaissance Mayflower Hotel, 1127 Connecticut Avenue, NW., Washington, DC 20036.

Contact Person: Joseph D. Mosca, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5158, MSC 7808, Bethesda, MD 20892. (301) 435-2344. mascajas@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Small Business Occupational Health.

Date: October 29-30, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Seymour Garte, PhD, Director, Physiological and Pathological Sciences, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 2166, MSC 7762, Bethesda, MD 20892. 301-594-6836. seymaur.garte@nih.hhs.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Shared Instrumentation Review-1.

Date: October 29-30, 2009.

Time: 8:30 a.m. to 5:30 p.m.

Agenda: To review and evaluate grant applications.

Place: Washington Plaza Hotel, 10 Thomas Circle, NW., Washington, DC 20005.

Contact Person: Ping Fan, MD, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5154, MSC 7840, Bethesda, MD 20892. 301-435-1740. fanp@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Non-HIV Infectious Agent Detection/Diagnostics, Food Safety, Sterilization/Disinfection and Bioremediation.

Date: October 29-30, 2009.

Time: 8:30 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: Mayflower Park Hotel, 405 Olive Way, Seattle, WA 98101.

Contact Person: John C. Pugh, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 3114,

MSC 7808, Bethesda, MD 20892. (301) 435-2398. pughjohn@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Member Conflicts: Cell Biology.

Date: October 29-30, 2009.

Time: 9 a.m. to 5:30 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: Noni Byrnes, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5130, MSC 7840, Bethesda, MD 20892. (301) 435-1023. byrnesn@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Visual Systems Small Business.

Date: October 29-30, 2009.

Time: 2 p.m. to 6 p.m.

Agenda: To review and evaluate grant applications.

Place: Mayflower Park Hotel, 405 Olive Way, Seattle, WA 98101.

Contact Person: George Ann McKie, DVM, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 1124, MSC 7846, Bethesda, MD 20892. 301-435-1049. mckiegeo@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Sensory, Motor, and Cognitive Neuroscience Fellowship, Study Section.

Date: October 30, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: One Washington Circle Hotel, One Washington Circle, NW., Washington, DC 20037.

Contact Person: John Bishop, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5180, MSC 7844, Bethesda, MD 20892. (301) 435-1250. bishopj@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Risk and Prevention of Addictions.

Date: October 30, 2009.

Time: 8 a.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: Courtyard by Marriott Chevy Chase, 5520 Wisconsin Avenue, Chevy Chase, MD 20815.

Contact Person: Michael Micklin, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 3136, MSC 7759, Bethesda, MD 20892. (301) 435-1258. micklinm@csr.nih.gov.

Name of Committee: Center for Scientific Review Special Emphasis Panel, Quick Trials on Imaging and Image-guided Intervention.

Date: October 30, 2009.

Time: 2 p.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD 20892. (Virtual Meeting.)

Contact Person: John Firrell, PhD, Scientific Review Officer, Center for Scientific Review, National Institutes of Health, 6701 Rockledge Drive, Room 5213, MSC 7854, Bethesda, MD 20892. 301-435-2598. firrellj@csr.nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.306, Comparative Medicine; 93.333, Clinical Research, 93.306, 93.333, 93.337, 93.393-93.396, 93.837-93.844, 93.846-93.878, 93.892, 93.893, National Institutes of Health, HHS)

Dated: September 18, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23082 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-M

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

Center for Scientific Review; Amended Notice of Meeting

Notice is hereby given of a change in the meeting of the Center for Scientific Review Special Emphasis Panel, September 16, 2009, 11 a.m. to September 18, 2009, 3 p.m., National Institutes of Health, 6701 Rockledge Drive, Bethesda, MD, 20892 which was published in the *Federal Register* on September 11, 2009, 74 FR 46781.

The meeting has been changed to an AED meeting to be held on October 29, 2009, 8:30 a.m. to October 30, 2009, 3 p.m. The meeting is closed to the public.

Dated: September 18, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23081 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-M

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Office of the Secretary

Office of the Director, National Institutes of Health; Amended Notice of Meeting

Notice is hereby given of a change in the meeting of the Secretary's Advisory Committee on Genetics, Health, and Society, October 8, 2009, 8 a.m. to October 9, 2009, 3:30 p.m., Department of Health and Human Services, Washington, DC 20201 which was published in the *Federal Register* on August 17, 2009, 74FR41436.

This notice is being amended to change the meeting location to the Park

Hyatt Hotel, 1201 24th Street, NW., Washington, DC 20037. The meeting is open to the public.

Dated: September 23, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23341 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

Office of the Director, National Institutes of Health; Amended Notice of Meeting

Notice is hereby given of a change in the meeting of the Secretary's Advisory Committee on Genetics, Health, and Society, October 8, 2009, 8 a.m. to October 9, 2009, 3:30 p.m., Department of Health and Human Services, Washington, DC 20201 which was published in the **Federal Register** on August 17, 2009, 74FR14146.

This notice is being amended to change the meeting location to the Park Hyatt Hotel, 1201 24th Street, NW., Washington, DC 20037. The meeting is open to the public.

Dated: September 23, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23339 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Institute on Aging; Notice of Closed Meetings

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Institute on Aging Special Emphasis Panel. Metabolic Dysfunction and Aging.

Date: October 28, 2009.

Time: 1 p.m. to 5 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institute on Aging, Gateway Building, 7201 Wisconsin Avenue, 2C-212, Bethesda, MD 20892. (Telephone Conference Call).

Contact Person: Ramesh Vemuri, PhD, Chief, Scientific Review Branch, National Institute on Aging, National Institutes of Health, 7201 Wisconsin Avenue, Suite 2C-212, Bethesda, MD 20892. 301-402-7700. rv23r@nih.gov.

Name of Committee: National Institute on Aging Special Emphasis Panel. Calcium Dysregulation.

Date: October 30, 2009.

Time: 10 a.m. to 2 p.m.

Agenda: To review and evaluate grant applications.

Place: National Institute on Aging, Gateway Building, 7201 Wisconsin Avenue, 2C-212, Bethesda, MD 20892. (Telephone Conference Call).

Contact Person: Ramesh Vemuri, PhD, Chief, Scientific Review Branch, National Institute on Aging, National Institutes of Health, 7201 Wisconsin Avenue, Suite 2C-212, Bethesda, MD 20892. 301-402-7700. rv23r@nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.866, Aging Research, National Institutes of Health, HHS)

Dated: September 22, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23338 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Cancer Institute; Notice of Closed Meeting

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meeting.

The meeting will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Cancer Institute Initial Review Group, Subcommittee H—Clinical Groups.

Date: November 9–10, 2009.

Time: 8 a.m. to 8 p.m.

Agenda: To review and evaluate grant applications.

Place: Bethesda Marriott, 5151 Pooks Hill Road, Bethesda, MD 20814.

Contact Person: Timothy C. Meeker, MD, PhD, Scientific Review Officer, Resources and Training Review Branch, Division of Extramural Activities, National Cancer Institute, 6116 Executive Boulevard, Room 8103, Bethesda, MD 20892. (301) 594-1279. meekert@mail.nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.392, Cancer Construction; 93.393, Cancer Cause and Prevention Research; 93.394, Cancer Detection and Diagnosis Research; 93.395, Cancer Treatment Research; 93.396, Cancer Biology Research; 93.397, Cancer Centers Support; 93.398, Cancer Research Manpower; 93.399, Cancer Control, National Institutes of Health, HHS)

Dated: September 21, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23267 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Cancer Institute; Notice of Meeting

Pursuant to section 10(a) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of a meeting of the President's Cancer Panel.

The meeting will be open to the public, with attendance limited to space available. Individuals who plan to attend and need special assistance, such as sign language interpretation or other reasonable accommodations, should notify the Contact Person listed below in advance of the meeting.

Name of Committee: President's Cancer Panel.

Date: October 27, 2009.

Time: 8 a.m. to 4:25 p.m.

Agenda: America's Demographic and Cultural Transformation: Implications for the Cancer Enterprise.

Place: Omni Los Angeles, 251 South Olive Street, Los Angeles, CA 90012.

Contact Person: Abby B. Sandler, PhD, Executive Secretary, Chief, Institute Review Office, Office of the Director, 6116 Executive Blvd., Suite 220, MSC 8349, National Cancer Institute, NIH, Bethesda, MD 20892-8349, (301) 451-9399. sandlera@mail.nih.gov.

Any interested person may file written comments with the committee by forwarding the statement to the Contact Person listed on this notice. The statement should include the name, address, telephone number and when

applicable, the business or professional affiliation of the interested person.

Information is also available on the Institute's/Center's home page: <http://deainfo.nci.nih.gov/advisory/pcp/pcp.htm>, where an agenda and any additional information for the meeting will be posted when available.

(Catalogue of Federal Domestic Assistance Program Nos. 93.392, Cancer Construction; 93.393, Cancer Cause and Prevention Research; 93.394, Cancer Detection and Diagnosis Research; 93.395, Cancer Treatment Research; 93.396, Cancer Biology Research; 93.397, Cancer Centers Support; 93.398, Cancer Research Manpower; 93.399, Cancer Control, National Institutes of Health, HHS)

Dated: September 21, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23266 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

National Cancer Institute; Notice of Closed Meetings

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of the following meetings.

The meetings will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

Name of Committee: National Cancer Institute Special Emphasis Panel, Small Grants Program for Cancer Epidemiology.

Date: October 15-16, 2009.

Time: 8:30 a.m. to 5:30 p.m.

Agenda: To review and evaluate grant applications.

Place: Bethesda North Marriott and Conference Center, 5701 Marinelli Road, Bethesda, MD 20852.

Contact Person: Joyce C. Pegues, BS, BA, PhD, Scientific Review Officer, Special Review and Logistics Branch, Division of Extramural Activities, NIH National Cancer Institute, 6116 Executive Boulevard, Room 7149, Bethesda, MD 20892-8329. 301-594-1286. peguesj@mail.nih.gov.

Name of Committee: National Cancer Institute Special Emphasis Panel, Education.

Date: November 3, 2009.

Time: 5 p.m. to 6:30 p.m.

Agenda: To review and evaluate grant applications.

Place: Hilton Washington/Rockville, 1750 Rockville Pike, Rockville, MD 20852.

Contact Person: Lynn M Amende, PhD, Scientific Review Officer, Resources and Training Review Branch, Division of Extramural Activities, National Cancer Institute, 6116 Executive Boulevard Room 8105, Bethesda, MD 20892-8328. 301-451-4759. amendel@mail.nih.gov.

Name of Committee: National Cancer Institute Special Emphasis Panel, Small Grants for Behavioral Research in Cancer Control.

Date: November 12-13, 2009.

Time: 8:30 a.m. to 5:30 p.m.

Agenda: To review and evaluate grant applications.

Place: Bethesda North Marriott Hotel & Conference Center, 5701 Marinelli Road, Bethesda, MD 20852.

Contact Person: Joyce C. Pegues, BS, BA, PhD, Scientific Review Officer, Special Review and Logistics Branch, Division of Extramural Activities, NIH National Cancer Institute, 6116 Executive Boulevard, Room 7149, Bethesda, MD 20892-8329. 301-594-1286. peguesj@mail.nih.gov.

(Catalogue of Federal Domestic Assistance Program Nos. 93.392, Cancer Construction; 93.393, Cancer Cause and Prevention Research; 93.394, Cancer Detection and Diagnosis Research; 93.395, Cancer Treatment Research; 93.396, Cancer Biology Research; 93.397, Cancer Centers Support; 93.398, Cancer Research Manpower; 93.399, Cancer Control, National Institutes of Health, HHS)

Dated: September 21, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23263 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

National Institutes of Health

Center for Scientific Review; Cancellation of Meeting

Notice is hereby given of the cancellation of the Center for Scientific Review Special Emphasis Panel, October 1, 2009, 11 a.m. to October 1, 2009, 12 p.m., One Washington Circle Hotel, One Washington Circle, NW., Washington, DC 20037 which was published in the **Federal Register** on September 15, 2009, 74 FR 47262-47264.

The meeting was cancelled due to administration problems.

Dated: September 21, 2009.

Jennifer Spaeth,

Director, Office of Federal Advisory Committee Policy.

[FR Doc. E9-23238 Filed 9-25-09; 8:45 am]

BILLING CODE 4140-01-M

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention (CDC)

Subcommittee on Procedures Reviews, Advisory Board on Radiation and Worker Health (ABRWH), National Institute for Occupational Safety and Health (NIOSH)

In accordance with section 10(a)(2) of the Federal Advisory Committee Act (Pub. L. 92-463), CDC announces the following meeting for the aforementioned subcommittee:

Time and Date: 9:30 a.m.-5 p.m., October 15, 2009.

Place: Cincinnati Airport Marriott, 2395 Progress Drive, Hebron, Kentucky 41018. Telephone (859) 334-4611, Fax (859) 334-4619.

Status: Open to the public, but without a public comment period. To access by conference call dial the following information 1 (866) 659-0537, Participant Pass Code 9933701.

Background: The Advisory Board was established under the Energy Employees Occupational Illness Compensation Program Act of 2000 to advise the President on a variety of policy and technical functions required to implement and effectively manage the compensation program. Key functions of the Advisory Board include providing advice on the development of probability of causation guidelines that have been promulgated by the Department of Health and Human Services (HHS) as a final rule; advice on methods of dose reconstruction which have also been promulgated by HHS as a final rule; advice on the scientific validity and quality of dose estimation and reconstruction efforts being performed for purposes of the compensation program; and advice on petitions to add classes of workers to the Special Exposure Cohort (SEC).

In December 2000, the President delegated responsibility for funding, staffing, and operating the Advisory Board to HHS, which subsequently delegated this authority to CDC. NIOSH implements this responsibility for CDC. The charter was issued on August 3, 2001, renewed at appropriate intervals, and will expire on August 3, 2011.

Purpose: The Advisory Board is charged with (a) Providing advice to the Secretary, HHS, on the development of guidelines under Executive Order 13179; (b) providing advice to the Secretary, HHS, on the scientific validity and quality of dose reconstruction efforts performed for this program; and (c) upon request by the

Secretary, HHS, advise the Secretary on whether there is a class of employees at any Department of Energy facility who were exposed to radiation but for whom it is not feasible to estimate their radiation dose, and on whether there is reasonable likelihood that such radiation doses may have endangered the health of members of this class. The Subcommittee on Procedures Reviews was established to aid the Advisory Board in carrying out its duty to advise the Secretary, HHS, on dose reconstruction. It is responsible for overseeing, tracking, and participating in the reviews of all procedures used in the dose reconstruction process by the NIOSH Office of Compensation Analysis and Support (OCAS) and its dose reconstruction contractor.

Matters To Be Discussed: The agenda for the Subcommittee meeting includes: preparation of status report to the Secretary on procedures review; discussion of the following ORAU & OCAS procedures: OTIB-013 ("Special External Dose Reconstruction Considerations for Mallinckrodt Workers"), OTIB-014 ("Rocky Flats Internal Dosimetry Co-Worker Extension"), OTIB-0029 ("Internal Dosimetry Coworker Data for Y-12"), OTIB-0049 ("Estimating Doses for Plutonium Strongly Retained in the Lung"), OTIB-0051 ("Effect of Threshold Energy and Angular Response of NTA Film on Missed Neutron Dose at the Oak Ridge Y-12 Facility"), OTIB-0054 ("Fission and Activation Product Assignment for Internal Dose-Related Gross Beta and Gross Gamma Analyses"), and OTIB-0070 ("External Coworker Dosimetry Data for the Sandia National Laboratory in Albuquerque, New Mexico"); and a continuation of the comment-resolution process for other dose reconstruction procedures under review by the Subcommittee.

The agenda is subject to change as priorities dictate.

This meeting is open to the public, but without a public comment period. In the event an individual wishes to provide comments, written comments may be submitted. Any written comments received will be provided at the meeting and should be submitted to the contact person below in advance of the meeting.

Contact Person for More Information: Theodore Katz, Executive Secretary, NIOSH, CDC, 1600 Clifton Road, Mailstop E-20, Atlanta GA 30333, Telephone (513)533-6800, Toll Free 1 (800) CDC-INFO, E-mail ocas@cdc.gov.

The Director, Management Analysis and Services Office, has been delegated the authority to sign **Federal Register** notices pertaining to announcements of meetings and other committee management activities, for both CDC and the Agency for Toxic Substances and Disease Registry.

Dated: September 19, 2009.

Elaine L. Baker,

Director, Management Analysis and Services Office, Centers for Disease Control and Prevention.

[FR Doc. E9-23302 Filed 9-25-09; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention (CDC)

Advisory Board on Radiation and Worker Health (ABRWH or Advisory Board), National Institute for Occupational Safety and Health (NIOSH)

In accordance with section 10(a)(2) of the Federal Advisory Committee Act (Pub. L. 92-463), and pursuant to the requirements of 42 CFR 83.15(a), CDC announces the following meeting of the aforementioned committee:

Board Public Meeting Times and Dates (All times are Eastern Time):

9 a.m.-4:30 p.m., October 20, 2009.

9 a.m.-5:45 p.m., October 21, 2009.

9 a.m.-12:30 p.m., October 22, 2009.

Public Comment Times and Dates (All times are Eastern Time):

4:30 p.m.-6 p.m., October 20, 2009.

6 p.m.-7:30 p.m., October 21, 2009.

Place: Danfords Hotel and Marina, 25 East Broadway, Port Jefferson, New York; **Phone:** (631) 928-5200; **Fax:** (631) 928-9082. Audio Conference Call via FTS Conferencing. The USA toll free dial in number is 1-866-659-0537 with a pass code of 9933701.

Status: Open to the public, limited only by the space available. The meeting space accommodates approximately 100 people.

Background: The Advisory Board was established under the Energy Employees Occupational Illness Compensation Program (EEOICP) Act of 2000 to advise the President on a variety of policy and technical functions required to implement and effectively manage the new compensation program. Key functions of the Advisory Board include providing advice on the development of probability of causation guidelines which have been promulgated by the Department of Health and Human Services (HHS) as a final rule, advice on methods of dose reconstruction which have also been promulgated by HHS as a final rule, advice on the scientific validity and quality of dose estimation and reconstruction efforts being performed for purposes of the compensation program, and advice on petitions to add classes of workers to the Special Exposure Cohort (SEC).

In December 2000, the President delegated responsibility for funding, staffing, and operating the Advisory Board to HHS, which subsequently delegated this authority to the CDC. NIOSH implements this responsibility for CDC. The charter was issued on August 3, 2001, renewed at appropriate intervals, and will expire on August 3, 2011.

Purpose: This Advisory Board is charged with a) providing advice to the Secretary, HHS, on the development of guidelines under Executive Order 13179; b) providing advice to the Secretary, HHS, on the scientific validity and quality of dose reconstruction efforts performed for this program; and c) upon request by the Secretary, HHS, advise the Secretary on whether there is a class of employees at any

Department of Energy facility who were exposed to radiation but for whom it is not feasible to estimate their radiation dose, and on whether there is reasonable likelihood that such radiation doses may have endangered the health of members of this class.

Matters To Be Discussed: The agenda for the Advisory Board meeting includes: NIOSH Program Status Update; Department of Labor (DOL) Update; Department of Energy (DOE) Update; OCAS Science Update; Blockson Chemical Company Special Exposure Cohort (SEC) Petition (regarding radon-related dose reconstruction); SEC Petitions for: Hanford, Brookhaven National Laboratory, Oak Ridge Hospital, United Nuclear Corporation, Piqua Organic Moderated Reactor, Metal and Controls Corporation, Electro-Metallurgical Company, University of Rochester Atomic Energy Project, and Bliss and Laughlin Steel Facility; Special Exposure Cohort (SEC) Petition Status Updates; Work Group reports; Reports of the Subcommittees on Dose Reconstruction Reviews and Procedures Reviews; and Board Working Time.

The agenda is subject to change as priorities dictate.

In the event an individual cannot attend, written comments may be submitted according to the policy provided below. Any written comments received will be provided at the meeting and should be submitted to the contact person below well in advance of the meeting.

Policy on Redaction of Board Meeting Transcripts (Public Comment), (1) If a person making a comment gives his or her name, no attempt will be made to redact that name. (2) NIOSH will take reasonable steps to ensure that individuals making public comment are aware of the fact that their comments (including their name, if provided) will appear in a transcript of the meeting posted on a public Web site. Such reasonable steps include: (a) A statement read at the start of each public comment period stating that transcripts will be posted and names of speakers will not be redacted; (b) A printed copy of the statement mentioned in (a) above will be displayed on the table where individuals sign up to make public comment; (c) A statement such as outlined in (a) above will also appear with the agenda for a Board Meeting when it is posted on the NIOSH Web site; (d) A statement such as in (a) above will appear in the **Federal Register** Notice that announces Board and Subcommittee meetings. (3) If an individual in making a statement reveals personal information (e.g., medical information) about themselves that information will not usually be redacted. The NIOSH FOIA coordinator will, however, review such revelations in accordance with the Freedom of Information Act and the Federal Advisory Committee Act and if deemed appropriate, will redact such information. (4) All disclosures of information concerning third parties will be redacted. (5) If it comes to the attention of the DFO that an individual wishes to share information with the Board but objects to doing so in a public forum, the DFO will work with that individual, in accordance with the Federal Advisory Committee Act, to find a way that the Board can hear such comments.

Contact Person for More Information: Theodore Katz, M.P.A., Executive Secretary, NIOSH, CDC, 1600 Clifton Road, MS E-20, Atlanta, GA 30333, Telephone (513) 533-6800, Toll Free 1 (800) CDC-INFO, E-mail ocas@cdc.gov.

The Director, Management Analysis and Services Office, has been delegated the authority to sign Federal Register notices pertaining to announcements of meetings and other committee management activities, for both CDC and the Agency for Toxic Substances and Disease Registry.

Dated: September 19, 2009.

Elaine L. Baker,

Director, Management Analysis and Services Office, Centers for Disease Control and Prevention.

[FR Doc. E9-23301 Filed 9-25-09; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Disease Control and Prevention

Ethics Subcommittee, Advisory Committee to the Director (ACD), Centers for Disease Control and Prevention (CDC)

In accordance with section 10(a)(2) of the Federal Advisory Committee Act (Pub. L. 92-463), the Centers for Disease Control and Prevention announces the following meeting of the aforementioned subcommittee:

Time and Date: 10 a.m.–11:30 a.m., October 15, 2009.

Place: Teleconference. To participate in the teleconference, please dial (866) 919-3560 enter passcode 4168828.

Status: Open to the public; teleconference access is limited only by availability of telephone ports. The public is welcome to participate during the public comment period which is tentatively scheduled from 11:10 a.m.–11:20 a.m.

Purpose: The Ethics Subcommittee will provide counsel to the ACD, CDC, regarding a broad range of public health ethics questions and issues arising from programs, scientists and practitioners.

Matter To Be Discussed: Ethical guidance for ventilator distribution during a severe pandemic.

Agenda items are subject to change as priorities dictate.

Contact Person for More Information: Drue Barrett, PhD, Designated Federal Officer, Ethics Subcommittee, CDC, 1600 Clifton Road, NE., M/S D-50, Atlanta, Georgia 30333, Telephone (404) 639-4690. E-mail: dbr Barrett@cdc.gov.

The Director, Management Analysis and Services Office, has been delegated the authority to sign Federal Register notices pertaining to announcements of meetings and other committee management activities, for both the Centers for Disease Control and Prevention and the Agency for Toxic Substances and Disease Registry.

Dated: September 22, 2009.

Elaine L. Baker,

Director, Management Analysis and Services Office, Centers for Disease Control and Prevention.

[FR Doc. E9-23300 Filed 9-25-09; 8:45 am]

BILLING CODE 4163-18-P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Administration for Children and Families

Statement of Organization, Functions, and Delegations of Authority

Notice is hereby given that I have delegated to the Director, Program Operations Division, Office of Head Start, Administration for Children and Families the following authority vested in me by the Assistant Secretary for Children and Families in the memorandum dated February 16, 2007.

(a) Authority Delegated

Authority to approve or disapprove requests for non-Federal share waivers under 42 USC 9835(b) for expenditures funded by the American Recovery & Reinvestment Act of 2009, Public Law 111-5 (February 17, 2009)

(b) Limitations

1. This delegation shall be exercised under financial and administrative requirements applicable to all Administration for Children and Families authorities.

2. Any delegation requires the concurrence of the Deputy Assistant Secretary, Office of Administration and the Director, Office of Head Start.

(c) Effective Date

This delegation is effective on the date of signature.

(d) Effect on Existing Delegations

This delegation of authority supplements the previous delegations from the Director, Office of Head Start in the memorandum dated April 26, 2007.

I hereby affirm and ratify any actions taken by the Director, Program Operations Division, which involved the exercise of this authority prior to the effective date of this delegation.

Dated: August 27, 2009.

Patricia E. Brown,

Acting Director, Office of Head Start.

[FR Doc. E9-23291 Filed 9-25-09; 8:45 am]

BILLING CODE 4184-01-P

DEPARTMENT OF HOMELAND SECURITY

[Docket No. DHS-2009-0109]

Homeland Security Science and Technology Advisory Committee

AGENCY: Science and Technology Directorate, DHS.

ACTION: Committee Management; Notice of Closed Federal Advisory Committee Meeting.

SUMMARY: The Homeland Security Science and Technology Advisory Committee will meet October 20–22, 2009 at the Naval Postgraduate School, 1 University Circle, Monterey, CA. This meeting will be closed to the public.

DATES: The Homeland Security Science and Technology Advisory Committee will meet October 20, 2009, from 9 a.m. to 5 p.m., October 21, 2009, from 8:30 a.m. to 5:00 p.m. and on October 22, 2009, from 8:30 a.m. to 4 p.m.

ADDRESSES: The meeting will be held at the Naval Postgraduate School, 1 University Circle, Monterey, CA. Requests to have written material distributed to each member of the committee prior to the meeting should reach the contact person at the address below by Friday, October 9, 2009. Send written material to Ms. Tiwanda Burse, Science and Technology Directorate, Department of Homeland Security, 245 Murray Lane, Bldg. 410, Washington, DC 20528. Comments must be identified by DHS-2009-0109 and may be submitted by one of the following methods:

- **Federal eRulemaking Portal:** <http://www.regulations.gov>. Follow the instructions for submitting comments.

- **E-mail:** HSSTAC@dhs.gov. Include the docket number in the subject line of the message.

- **Fax:** 202-254-6173.

- **Mail:** Ms. Tiwanda Burse, Science and Technology Directorate, Department of Homeland Security, 245 Murray Lane, Bldg. 410, Washington, DC 20528.

Instructions: All submissions received must include the words "Department of Homeland Security" and the docket number for this action. Comments received will be posted without alteration at <http://www.regulations.gov>, including any personal information provided.

Docket: For access to the docket to read background documents or comments received by the (committee name), go to <http://www.regulations.gov>.

FOR FURTHER INFORMATION CONTACT: Ms. Tiwanda Burse, Science and Technology Directorate, Department of Homeland Security, 245 Murray Lane,

Bldg. 410, Washington, DC 20528, 202-254-6877.

SUPPLEMENTARY INFORMATION: Notice of this meeting is given under the Federal Advisory Committee Act, 5 U.S.C. App. (Pub. L. 92-463).

At this meeting, the Committee will receive classified (SECRET-level) updated threat and Homeland Security related briefings; and classified reports from the Committee panels. West Coast laboratories, Federally Funded Research and Development Centers (FFRDCs), and Homeland Security experts will present SECRET-level briefings concerning matters sensitive to homeland security.

Basis for Closure: In accordance with section 10(d) of the Federal Advisory Committee Act, it has been determined that the Homeland Security Science and Technology Advisory Committee meeting concerns sensitive Homeland Security information and classified matters within the meaning of 5 U.S.C. 552b(c)(1) and (c)(9)(B) which, if prematurely disclosed, would significantly jeopardize national security and frustrate implementation of proposed agency actions and that, accordingly, the portion of the meeting that concerns these issues will be closed to the public.

Dated: September 16, 2009.

Bradley I. Buswell,

Under Secretary for Science and Technology (Acting).

[FR Doc. E9-23221 Filed 9-25-09; 8:45 am]

BILLING CODE 9110-9F-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Citizenship and Immigration Services

Agency Information Collection Activities: Form I-140, Revision of a Currently Approved Information Collection; Comment Request

ACTION: 30-Day Notice of Information Collection Under Review: Form I-140, Immigrant Petition for Alien Worker; OMB Control Number 1615-0015.

The Department of Homeland Security, U.S. Citizenship and Immigration Services (USCIS) has submitted the following information collection request to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995. The information collection was previously published in the **Federal Register** on May 5, 2009, at 74 FR 20722, allowing for a 60-day public

comment period. USCIS received three comments. USCIS's discussion and response to the comments are addressed in the supporting statement. The supporting statement will be posted to the Web site at: <http://www.regulations.gov>.

The purpose of this notice is to allow an additional 30 days for public comments. Comments are encouraged and will be accepted until October 28, 2009. This process is conducted in accordance with 5 CFR 1320.10.

Written comments and/or suggestions regarding the item(s) contained in this notice, especially regarding the estimated public burden and associated response time, should be directed to the Department of Homeland Security (DHS), and to the Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), USCIS Desk Officer. Comments may be submitted to: USCIS, Chief, Regulatory Products Division, Clearance Office, 111 Massachusetts Avenue, Washington, DC 20529-2210. Comments may also be submitted to DHS via facsimile to 202-272-8352 or via e-mail at rfs.regs@dhs.gov, and to the OMB, USCIS Desk Officer via facsimile at 202-395-5806 or via e-mail at oir_submission@omb.eop.gov.

When submitting comments by e-mail, please make sure to add OMB Control No. 1615-0015 in the subject box. Written comments and suggestions from the public and affected agencies should address one or more of the following four points:

(1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

(3) Enhance the quality, utility, and clarity of the information to be collected; and

(4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Overview of This Information Collection

(1) *Type of Information Collection:* Revision of a currently approved information collection.

(2) *Title of the Form/Collection:* Immigrant Petition for Alien Workers.

(3) *Agency form number, if any, and the applicable component of the Department of Homeland Security sponsoring the collection:* Form I-140, U.S. Citizenship and Immigration Services.

(4) *Affected public who will be asked or required to respond, as well as a brief abstract: Primary: Business or other for profit.* The information furnished on Form I-140 will be used by U.S. Citizenship and Immigration Services to classify aliens under section 203(b)(1), 203(b)(2) or 203(b)(3) of the Immigration and Nationality Act (Act).

(5) *An estimate of the total number of respondents and the amount of time estimated for an average respondent to respond:* 96,000 responses at one hour per response.

(6) *An estimate of the total public burden (in hours) associated with the collection:* 96,000 annual burden hours.

If you need a copy of the information collection instrument, please visit the Web site at: <http://www.regulations.gov>.

We may also be contacted at: USCIS, Regulatory Products Division, 111 Massachusetts Avenue, NW., Washington, DC 20529-2210, Telephone number 202-272-8377.

Dated: September 23, 2009.

Stephen Tarragon,

Deputy Chief, Regulatory Products Division, U.S. Citizenship and Immigration Services.

[FR Doc. E9-23363 Filed 9-25-09; 8:45 am]

BILLING CODE 9111-97-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Agency Information Collection Activities: Administrative Rulings

AGENCY: U.S. Customs and Border Protection (CBP), Department of Homeland Security.

ACTION: 60-Day Notice and request for comments; Extension of an existing collection of information: 1651-0085.

SUMMARY: As part of its continuing effort to reduce paperwork and respondent burden, CBP invites the general public and other Federal agencies to comment on an information collection requirement concerning Administrative Rulings. This request for comment is being made pursuant to the Paperwork Reduction Act of 1995 (Pub. L. 104-13; 44 U.S.C. 3505(c)(2)).

DATES: Written comments should be received on or before November 27, 2009, to be assured of consideration.

ADDRESSES: Direct all written comments to U.S. Customs and Border Protection, Attn: Tracey Denning, Office of Regulations and Rulings, 799 9th Street, NW., 7th Floor, Washington, DC 20229-1177.

FOR FURTHER INFORMATION CONTACT:

Requests for additional information should be directed to Tracey Denning, U.S. Customs and Border Protection, Office of Regulations and Rulings, 799 9th Street, NW., 7th Floor, Washington, DC 20229-1177, at 202-325-0265.

SUPPLEMENTARY INFORMATION: CBP

invites the general public and other Federal agencies to comment on proposed and/or continuing information collections pursuant to the Paperwork Reduction Act of 1995 (Pub. L. 104-13; 44 U.S.C. 3505(c)(2)). The comments should address: (a) Whether the collection of information is necessary for the proper performance of the functions of the agency, including whether the information shall have practical utility; (b) the accuracy of the agency's estimates of the burden of the collection of information; (c) ways to enhance the quality, utility, and clarity of the information to be collected; (d) ways to minimize the burden including the use of automated collection techniques or the use of other forms of information technology; and (e) the annual costs burden to respondents or record keepers from the collection of information (a total capital/startup costs and operations and maintenance costs). The comments that are submitted will be summarized and included in the CBP request for Office of Management and Budget (OMB) approval. All comments will become a matter of public record. In this document CBP is soliciting comments concerning the following information collection:

Title: Administrative Rulings.

OMB Number: 1651-0085.

Form Number: None.

Abstract: The collection of information in 19 CFR Part 177 is necessary in order to enable Customs and Border Protection (CBP) to respond to requests by importers and other interested persons for the issuance of administrative rulings. These rulings pertain to the interpretation and application of the CBP and related laws with respect to prospective and current transactions.

Current Actions: There are no changes to the information collection. This submission is being made to extend the expiration date.

Type of Review: Extension (without change).

Affected Public: Businesses.

Rulings

Estimated Number of Respondents: 12,000.

Estimated Time Per Respondent: 10 hours.

Estimated Total Annual Burden Hours: 120,000.

Appeals

Estimated Number of Respondents: 200.

Estimated Time Per Respondent: 40 hours.

Estimated Total Annual Burden Hours: 8,000.

Dated: September 22, 2009.

Tracey Denning,

Agency Clearance Officer, Customs and Border Protection.

[FR Doc. E9-23303 Filed 9-25-09; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Citizenship and Immigration Services

Agency Information Collection Activities: Extension of an Existing Information Collection; Comment Request

ACTION: 30-Day Notice of Information Collection Under Review: File No. OMB 25, Special Immigrant Visas for Fourth Preference Employment-Based Broadcasters; OMB Control No. 1615-0064.

The Department of Homeland Security, U.S. Citizenship and Immigration Services (USCIS) has submitted the following information collection request to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995. The information collection was previously published in the **Federal Register** on June 25, 2009, at 74 FR 30314, allowing for a 60-day public comment period. USCIS did not receive any comments.

The purpose of this notice is to allow an additional 30 days for public comments. Comments are encouraged and will be accepted until October 26, 2009. This process is conducted in accordance with 5 CFR 1320.10.

Written comments and/or suggestions regarding the item(s) contained in this notice, especially regarding the estimated public burden and associated response time, should be directed to the Department of Homeland Security (DHS), and to the Office of Information and Regulatory Affairs, Office of

Management and Budget (OMB), USCIS Desk Officer. Comments may be submitted to: USCIS, Chief, Regulatory Products Division, Clearance Office, 111 Massachusetts Avenue, Washington, DC 20529-2210. Comments may also be submitted to DHS via facsimile to 202-272-8352 or via e-mail at rfs.regs@dhs.gov, and to the OMB USCIS Desk Officer via facsimile to 202-395-5806 or via e-mail at oir_submission@omb.eop.gov.

When submitting comments by e-mail, please make sure to add OMB Control No. 1615-0064 in the subject box. Written comments and suggestions from the public and affected agencies should address one or more of the following four points:

(1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

(3) Enhance the quality, utility, and clarity of the information to be collected; and

(4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Overview of This Information Collection

(1) *Type of Information Collection:* Extension of a currently approved information collection.

(2) *Title of the Form/Collection:* Special Immigrant Visas for Fourth Preference Employment-Based Broadcasters.

(3) *Agency form number, if any, and the applicable component of the Department of Homeland Security sponsoring the collection:* No Agency Form Number (File No. OMB-25); U.S. Citizenship and Immigration Services.

(4) *Affected public who will be asked or required to respond, as well as a brief abstract: Primary:* Individuals or Households. The information will be used by the USCIS to determine eligibility for the requested classification as fourth preference employment-based immigrant broadcasters.

(5) *An estimate of the total number of respondents and the amount of time*

estimated for an average respondent to respond: 100 responses at 2 hours per response.

(6) *An estimate of the total public burden (in hours) associated with the collection:* 200 annual burden hours.

If you need a copy of the regulation requiring this information collection, please visit the Web site at: <http://www.regulations.gov/>.

We may also be contacted at: USCIS, Regulatory Products Division, 111 Massachusetts Avenue, NW., Washington, DC 20529-2210, Telephone number 202-272-8377.

Dated: September 22, 2009.

Stephen Tarragon,

Deputy Chief, Regulatory Products Division, U.S. Citizenship and Immigration Services.

[FR Doc. E9-23367 Filed 9-25-09; 8:45 am]

BILLING CODE 9-97-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Citizenship and Immigration Services

Agency Information Collection Activities: Form N-470; Extension of a Currently Approved Information Collection; Comment Request

ACTION: 30-Day Notice of Information Collection Under Review; Form N-470, Application To Preserve Residence for Naturalization; Form N-470. OMB Control No. 1615-0056.

The Department of Homeland Security, U.S. Citizenship and Immigration Services (USCIS) has submitted the following information collection request to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995. The information collection was previously published in the **Federal Register** on June 2, 2009, at 74 FR 26411, allowing for a 60-day public comment period. USCIS did not receive any comments.

The purpose of this notice is to allow an additional 30 days for public comments. Comments are encouraged and will be accepted until October 28, 2009. This process is conducted in accordance with 5 CFR 1320.10.

Written comments and/or suggestions regarding the item(s) contained in this notice, especially regarding the estimated public burden and associated response time, should be directed to the Department of Homeland Security (DHS), and to the Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), USCIS

Desk Officer. Comments may be submitted to: USCIS, Chief, Regulatory Products Division, Clearance Office, 111 Massachusetts Avenue, Washington, DC 20529-2210. Comments may also be submitted to DHS via facsimile to 202-272-8352 or via e-mail at rfs.regs@dhs.gov, and to the OMB USCIS Desk Officer via facsimile at 202-395-5806 or via e-mail at oir_submission@omb.eop.gov.

When submitting comments by e-mail, please make sure to add OMB Control No. 1615-0056 in the subject box. Written comments and suggestions from the public and affected agencies should address one or more of the following four points:

(1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

(3) Enhance the quality, utility, and clarity of the information to be collected; and

(4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Overview of This Information Collection

(1) *Type of Information Collection:* Extension of currently approved information collection.

(2) *Title of the Form/Collection:* Application To Preserve Residence for Naturalization.

(3) *Agency form number, if any, and the applicable component of the Department of Homeland Security sponsoring the collection:* Form N-470. U.S. Citizenship and Immigration Services.

(4) *Affected public who will be asked or required to respond, as well as a brief abstract:* *Primary:* Individuals or households. The information furnished on this form will be used to determine whether an alien who intends to be absent from the United States for a period of one year or more is eligible to preserve residence for naturalization purposes.

(5) *An estimate of the total number of respondents and the amount of time estimated for an average respondent to*

respond: 375 responses at 35 minutes (.583) per response.

(6) *An estimate of the total public burden (in hours) associated with the collection:* 219 annual burden hours.

If you need a copy of the information collection instrument, please visit the Web site at: <http://www.regulations.gov/>.

We may also be contacted at: USCIS, Regulatory Products Division, 111 Massachusetts Avenue, NW., Washington, DC 20529-2210, Telephone number 202-272-8377.

Dated: September 22, 2009.

Stephen Tarragon,

Deputy Chief, Regulatory Products Division, U.S. Citizenship and Immigration Services.

[FR Doc. E9-23366 Filed 9-25-09; 8:45 am]

BILLING CODE 9111-97-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Citizenship and Immigration Services

Agency Information Collection Activities: Form I-192; Extension of an Existing Information Collection; Comment Request

ACTION: 30-Day Notice of Information Collection Under Review; Form I-192, Application for Advance Permission to Enter as Nonimmigrant (Pursuant to 212(d)(3) of the Immigration and Nationality Act); OMB Control No. 1615-0017.

The Department of Homeland Security, U.S. Citizenship and Immigration Services (USCIS) has submitted the following information collection request to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995. The information collection was previously published in the **Federal Register** on June 25, 2009, at 74 FR 30313, allowing for a 60-day public comment period. USCIS did not receive any comments.

The purpose of this notice is to allow an additional 30 days for public comments. Comments are encouraged and will be accepted until October 28, 2009. This process is conducted in accordance with 5 CFR 1320.10.

Written comments and/or suggestions regarding the item(s) contained in this notice, especially regarding the estimated public burden and associated response time, should be directed to the Department of Homeland Security (DHS), and to the Office of Information and Regulatory Affairs, Office of

Management and Budget (OMB), USCIS Desk Officer. Comments may be submitted to: USCIS, Chief, Regulatory Products Division, Clearance Office, 111 Massachusetts Avenue, Washington, DC 20529-2210. Comments may also be submitted to DHS via facsimile to 202-272-8352 or via e-mail at rfs.regs@dhs.gov, and to the OMB USCIS Desk Officer via facsimile to 202-395-5806 or via e-mail at oir_submission@omb.eop.gov.

When submitting comments by e-mail, please make sure to add OMB Control No. 1615-0017 in the subject box. Written comments and suggestions from the public and affected agencies should address one or more of the following four points:

(1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) Evaluate the accuracy of the agencies estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

(3) Enhance the quality, utility, and clarity of the information to be collected; and

(4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Overview of This Information Collection

(1) *Type of Information Collection:* Extension of an existing information collection.

(2) *Title of the Form/Collection:* Application for Advance Permission to enter as Nonimmigrant (Pursuant to 212(d)(3) of the Immigration and Nationality Act).

(3) *Agency form number, if any, and the applicable component of the Department of Homeland Security sponsoring the collection:* Form I-192; U.S. Citizenship and Immigration Services (USCIS).

(4) *Affected public who will be asked or required to respond, as well as a brief abstract:* Primary: Individuals or households. The information collected will be used to determine whether the applicant meets the eligibility to enter the U.S. temporarily under the provisions of section 212(d)(3) of the Immigration and Nationality Act.

(5) *An estimate of the total number of respondents and the amount of time estimated for an average respondent to respond:* 17,000 responses at 30 minutes (.50) per response.

(6) *An estimate of the total public burden (in hours) associated with the collection:* 8,500 annual burden hours.

If you need a copy of the information collection instrument, please visit the Web site at: <http://www.regulations.gov>.

We may also be contacted at: USCIS, Regulatory Products Division, 111 Massachusetts Avenue, NW., Washington, DC 20529-2210, Telephone number 202-272-8377.

Dated: September 23, 2009.

Stephen Tarragon,

Deputy Chief, Regulatory Products Division, U.S. Citizenship and Immigration Services.

[FR Doc. E9-23364 Filed 9-25-09; 8:45 am]

BILLING CODE 9111-97-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Citizenship and Immigration Services

Agency Information Collection Activities: Form I-526, Extension of a Currently Approved Information Collection; Comment Request

ACTION: 30-Day Notice of Information Collection Under Review: Form I-526, Immigrant Petition by Alien Entrepreneur; OMB Control No. 1615-0026.

The Department of Homeland Security, U.S. Citizenship and Immigration Services (USCIS) has submitted the following information collection request to the Office of Management and Budget (OMB) for review and clearance in accordance with the Paperwork Reduction Act of 1995. The information collection was previously published in the **Federal Register** on June 9, 2009, at 74 FR 27338, allowing for a 60-day public comment period. USCIS did not receive any comments.

The purpose of this notice is to allow an additional 30 days for public comments. Comments are encouraged and will be accepted until October 26, 2009. This process is conducted in accordance with 5 CFR 1320.10.

Written comments and/or suggestions regarding the item(s) contained in this notice, especially regarding the estimated public burden and associated response time, should be directed to the Department of Homeland Security (DHS), and to the Office of Information and Regulatory Affairs, Office of

Management and Budget (OMB), USCIS Desk Officer. Comments may be submitted to: USCIS, Chief, Regulatory Products Division, Clearance Office, 111 Massachusetts Avenue, Washington, DC 20529-2210. Comments may also be submitted to DHS via facsimile to 202-272-8352 or via e-mail at rfs.regs@dhs.gov, and to the OMB USCIS Desk Officer via facsimile to 202-395-5806 or via e-mail at oir_submission@omb.eop.gov.

When submitting comments by e-mail, please make sure to add OMB Control No. 1615-0026 in the subject box. Written comments and suggestions from the public and affected agencies should address one or more of the following four points:

(1) Evaluate whether the collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) Evaluate the accuracy of the agency's estimate of the burden of the collection of information, including the validity of the methodology and assumptions used;

(3) Enhance the quality, utility, and clarity of the information to be collected; and

(4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques, or other forms of information technology, e.g., permitting electronic submission of responses.

Overview of This Information Collection

(1) *Type of Information Collection:* Extension of an existing information collection.

(2) *Title of the Form/Collection:* Immigrant Petition by Alien Entrepreneur

(3) *Agency form number, if any, and the applicable component of the Department of Homeland Security sponsoring the collection:* Form I-526. U.S. Citizenship and Immigration Services.

(4) *Affected public who will be asked or required to respond, as well as a brief abstract:* Primary: Individuals and households. This form is used by the USCIS to determine if an alien can enter the U.S. to engage in a commercial enterprise.

(5) *An estimate of the total number of respondents and the amount of time estimated for an average respondent to respond:* 1,368 responses at 1 hour and 15 minutes (1.25 hours) per response.

(6) An estimate of the total public burden (in hours) associated with the collection: 1,710 annual burden hours.

If you need a copy of the information collection instrument, please visit the Web site at: <http://www.regulations.gov/>.

We may also be contacted at: USCIS, Regulatory Products Division, 111 Massachusetts Avenue, NW., Washington, DC 20529-2210, Telephone number 202-272-8377.

Dated: September 22, 2009.

Stephen Tarragon,

Deputy Chief, Regulatory Products Division, U.S. Citizenship and Immigration Services.

[FR Doc. E9-23365 Filed 9-25-09; 8:45 am]

BILLING CODE 9111-97-P

DEPARTMENT OF THE INTERIOR

Minerals Management Service

Environmental Documents Prepared for Proposed Oil, Gas, and Mineral Operations by the Gulf of Mexico Outer Continental Shelf (OCS) Region

AGENCY: Minerals Management Service, Interior.

ACTION: Notice of the Availability of Environmental Documents Prepared for OCS Mineral Proposals by the Gulf of Mexico OCS Region.

SUMMARY: Minerals Management Service (MMS), in accordance with Federal Regulations that implement the National Environmental Policy Act (NEPA), announces the availability of NEPA-related Site-Specific Environmental Assessments (SEA) and Findings of No Significant Impact (FONSI), prepared by MMS for the following oil-, gas-, and mineral-related activities proposed on the Gulf of Mexico and Atlantic OCS.

FOR FURTHER INFORMATION CONTACT: Public Information Unit, Information Services Section at the number below. Minerals Management Service, Gulf of Mexico OCS Region, Attention: Public Information Office (MS 5034), 1201 Elmwood Park Boulevard, Room 114, New Orleans, Louisiana 70123-2394, or by calling 1-800-200-GULF.

SUPPLEMENTARY INFORMATION: MMS prepares SEAs and FONSI for proposals that relate to exploration, development, production, and transport of oil, gas, and mineral resources on the

Federal OCS and decommissioning of production facilities. These SEAs examine the potential environmental effects of activities described in the proposals and present MMS conclusions regarding the significance of those effects. Environmental Assessments are used as a basis for determining whether or not approvals of the proposals constitute major Federal actions that significantly affect the quality of the human environment in the sense of NEPA Section 102(2)(C). A FONSI is prepared in those instances where MMS finds that approval will not result in significant effects on the quality of the human environment. The FONSI briefly presents the basis for that finding and includes a summary or copy of the SEA.

This notice constitutes the public notice of availability of environmental documents required under the NEPA Regulations.

Activity/operator	Location	Date
Maritech Resources, Inc., Structure Removal, SEA ES/SR 09-034.	East Cameron, Block 195, Lease OCS-G 00958, located 58 miles from the nearest Louisiana shoreline.	4/1/2009
McMoran Oil & Gas, LLC, Structure Removal, SEA ES/SR 09-036.	East Cameron, Block 151, Lease OCS-G 05372, located 46 miles from the nearest Louisiana shoreline.	4/2/2009
Devon Energy Production Company, L.P., Structure Removal, SEA ES/SR APM EI119-007.	Eugene Island, Block 119, Lease OCS-G 00049, located 22 miles from the nearest Louisiana shoreline.	4/2/2009
EMGS Americas, Geological & Geophysical Prospecting for Mineral Resources, SEA M09-02.	Located in the Eastern Gulf of Mexico, south of Pensacola, Florida.	4/2/2009
McMoran Oil & Gas, LLC, Structure Removal, SEA ES/SR 09-042.	Ship Shoal, Block 139, Lease OCS-G 21115, located 21 miles from the nearest Louisiana shoreline.	4/2/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 08-087A	Vermilion, Block 245, Lease OCS-G 01146, located 64 miles from the nearest Louisiana shoreline.	4/2/2009
McMoran Oil & Gas, LLC, Structure Removal, SEA ES/SR 08-169A.	West Cameron, Block 43, Lease OCS-G 16107, located 5 miles from the nearest shoreline.	4/2/2009
Helis Oil & Gas Company, Structure Removal, SEA ES/SR 08-161A.	East Cameron, Block 131, Lease OCS-G 21068, located 38 miles from the nearest Louisiana shoreline.	4/6/2009
Energy XXI GOM, LLC, Structure Removal, SEA ES/SR 09-024	East Cameron, Block 335, Lease OCS-G 02439, located 108 miles from the nearest Louisiana shoreline.	4/6/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 97-096A, 09-035.	Bay Marchand, Block 2, Lease OCS-G 00369, located 4 miles from the nearest Louisiana shoreline.	4/8/2009
McMoran Oil & Gas, Structure Removal, SEA ES/SR 09-037	West Cameron, Block 176, Lease OCS-G 00762, located 24 miles from the nearest Louisiana shoreline.	4/8/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 09-056 ..	South Timbalier, Block 47, Lease OCS-G 21664, located 12 miles from the nearest Louisiana shoreline.	4/12/2009
Callon Petroleum Operating Company, Structure Removal, SEA ES/SR 09-050.	East Cameron, Block 90, Lease OCS-G 22576, located 22 miles from the nearest Louisiana shoreline.	4/13/2009
SPN Resources, LLC, Structure Removal, SEA ES/SR 09-052	Eugene Island, Block 100, Lease OCS-G 00796, located 19 miles from the nearest shoreline.	4/13/2009
Nippon Oil Exploration U.S.A. Limited, Structure Removal, SEA ES/SR 09-065.	West Cameron, Block 537, Lease OCS-G 02551, located 90 miles from the nearest Louisiana shoreline.	4/13/2009
Nippon Oil Exploration U.S.A. Limited, Structure Removal, SEA ES/SR 09-066.	West Cameron, Block 537, Lease OCS-G 02551, located 98 miles from the nearest Louisiana shoreline.	4/13/2009
Maritech Resources, Inc., Structure Removal, SEA ES/SR 09-043 & 09-044.	Main Pass, Block 181, Lease OCS-G 12092, located 43 miles from the nearest Louisiana shoreline.	4/14/2009
SPN Resources, LLC, Structure Removal, SEA ES/SR 09-052A	Eugene Island, Block 100, Lease OCS-G 00796, located 19 miles from the nearest Louisiana shoreline.	4/15/2009
W&T Offshore, Inc., Structure Removal, SEA ES/SR 09-053	South Marsh Island, Block 028, Lease OCS-G 09536, located 50 miles from the nearest Louisiana shoreline.	4/15/2009

Activity/operator	Location	Date
Energy Resource Technology GOM, Structure Removal, SEA ES/SR 09-081.	South Marsh Island, Block 113, Lease OCS-G 23842, located 70 miles from the nearest Louisiana shoreline.	4/15/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-054 & 09-055.	Vermilion, Block 84, Lease OCS-G 03124, located 23 miles from the nearest Louisiana shoreline.	4/15/2009
Noble Energy, Inc., Structure Removal, SEA ES/SR 09-060 & 09-061 & 09-062.	Brazos, Blocks A52, A53 and A51, respectively, Leases OCS-G 06085, 06086 and 08549, respectively, located 44 miles from the nearest Louisiana shoreline.	4/17/2009
McMoran Oil & Gas, LLC, Structure Removal, SEA ES/SR 09-039.	East Cameron, Block 151, Lease OCS-G 05372, located 55 miles from the nearest Louisiana shoreline.	4/17/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-068 ..	Eugene Island, Block 29, Lease OCS-G 23854, located 12 miles from the nearest Louisiana shoreline.	4/17/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-084 ..	High Island (East Addition), Block 84, Lease OCS-G 18948, located 20 miles from the nearest Texas/Louisiana shoreline.	4/17/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-075 ..	High Island (East Addition), Block 85, Lease OCS-G 21349, located 32 miles from the nearest Texas/Louisiana shoreline.	4/17/2009
Kerr McGee Oil and Gas Corporation, Structure Removal, SEA ES/SR 09-051.	High Island, Block 21, Lease OCS-G 06136, located 10 miles from the nearest Louisiana shoreline.	4/17/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-080.	South Marsh Island, Block 24, Lease OCS-G 22643, located 35 miles from the nearest Louisiana shoreline.	4/17/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 09-056 ..	South Timbalier, Block 47, Lease OCS-G 21664, located 12 miles from the nearest Louisiana shoreline.	4/17/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-074.	Vermilion, Block 250, Lease OCS-G 27027, located 65 miles from the nearest Louisiana shoreline.	4/17/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-057.	Vermilion, Block 64, Lease OCS-G 22608, located 18 miles from the nearest Louisiana shoreline.	4/17/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-071 & 09-077.	West Cameron (West Addition), Block 331, Lease OCS-G 03275, located 48 miles from the nearest Louisiana shoreline.	4/17/2009
SPN Resources, LLC, Structure Removal, SEA ES/SR 07-041A & 07-042A.	West Cameron, Block 280, Lease OCS-G 00911, located 64 miles from the nearest Louisiana shoreline.	4/20/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-082.	East Cameron, Block 364, Lease OCS-G 21080, located 92 miles from the nearest Louisiana shoreline.	4/28/2009
Apache Corporation, Structure Removal, SEA ES/SR 09-087 ...	Eugene Island, Block 176, Lease OCS-G 00445, located 44 miles from the nearest Louisiana shoreline.	4/28/2009
Sterling Energy, Inc., Structure Removal, SEA ES/SR 09-092 ...	Eugene Island, Block 268, Lease OCS-G 16363, located 20 miles from the nearest Louisiana shoreline.	4/28/2009
Apache Corporation, Structure Removal, SEA ES/SR 09-086 & 09-090.	Matagorda Island, Block 638, Lease OCS-G 06044, located 28 miles from the nearest Texas shoreline.	4/28/2009
GOM Shelf, LLC, Structure Removal, SEA ES/SR 09-089	Matagorda Island, Block 700, Lease OCS-G 03108, located 20 miles from the nearest Texas shoreline.	4/28/2009
Energy Resource Technology GOM, Structure Removal, SEA ES/SR 09-058.	South Timbalier, Block 138, Lease OCS-G 22741, located 32 miles from the nearest Louisiana shoreline.	4/28/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-073.	East Cameron, Block 169, Lease OCS-G 23797, located 58 miles from the nearest Louisiana shoreline.	5/1/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-072.	West Cameron, Block 403, Lease OCS-G 24740, located 68 miles from the nearest Louisiana shoreline.	5/1/2009
Badger Oil Corporation, Structure Removal, SEA ES/SR 09-076	Ship Shoal, Block 62, Lease OCS-G 21650, located 7.7 miles from the nearest Louisiana shoreline.	5/5/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 09-095 ..	Eugene Island, Block 294, Lease OCS-G 03569, located 73 miles from the nearest Louisiana shoreline.	5/6/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 09-098 ..	Eugene Island, Block 64, Lease OCS-G 01865, located 14 miles from the nearest Louisiana shoreline.	5/6/2009
Stone Energy Corporation, Structure Removal, SEA ES/SR 09-101.	Ship Shoal, Block 92, Lease OCS-G 05541, located 15 miles from the nearest Louisiana shoreline.	5/6/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 09-094 ..	South Marsh Island, Block 236, Lease OCS-G 00310, located 10 miles from the nearest Louisiana shoreline.	5/7/2009
Energy Resource Technology GOM, Inc., Structure Removal, SEA ES/SR 09-078 & 09-079.	Brazos, Blocks 436 & 437, respectively, Leases OCS-G 04258 & 04140 (expired) respectively, Platform A is located 14 miles from the nearest Texas shoreline & the Platform 7 is located 12 miles from the nearest Texas shoreline.	5/8/2009
Murphy Exploration & Production Company-USA, Initial Exploration Plan, SEA N-9352.	DeSoto Canyon, Block 927, Lease OCS-G 32396, located 105 miles from the nearest Louisiana shoreline, 154 miles from the nearest Mississippi shoreline, 151 miles from the nearest Alabama shoreline and 155 miles from the nearest Florida shoreline.	5/8/2009
Wild Well Control, Inc., Structure Removal, SEA ES/SR 09-099	Grand Isle, Block 40, Lease OCS-G 00128, located 14 miles from the nearest Louisiana shoreline.	5/8/2009
Gryphon Exploration Company, Structure Removal, SEA ES/SR 09-097.	West Cameron (South Addition), Block 489, Lease OCS-G 24760, located 90 miles from the nearest Louisiana shoreline.	5/8/2009
Beryl Oil and Gas LP, Structure Removal, SEA ES/SR 08-128A	Chandeleur, Block 38, Lease OCS-G 07836, located 33 miles from the nearest Louisiana shoreline.	5/11/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-032A	Ship Shoal, Block 202, Lease OCS-G 05558, located 54 miles from the nearest Louisiana shoreline.	5/12/2009
Fugro Airborne Surveys, Inc., Geological & Geophysical Exploration for Mineral Resources, SEA E09-04.	Located on the Outer Continental Shelf (OCS) of the Atlantic Ocean.	5/13/2009

Activity/operator	Location	Date
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 09-096	Eugene Island, Block 339, Lease OCS-G 02318, located 83 miles from the nearest Louisiana shoreline.	5/14/2009
Chevron U.S.A., Inc., Revised Exploration Plan, SEA R-4942-AA	Located in the Central Planning Area of the Gulf of Mexico, located 137 miles offshore, south of Morgan City, Louisiana.	5/14/2009
Union Oil Company of California (Unocal), Structure Removal, SEA ES/SR 09-093	Mobile, Block 961, Lease OCS-G 05761, located 9 miles from the nearest Mississippi shoreline.	5/14/2009
Eni US Operating Co., Inc., Structure Removal, SEA ES/SR 08-148A	Ship Shoal (South Addition), Block 246, Lease OCS-G 01027, located 55 miles from the nearest Louisiana shoreline.	5/14/2009
McMoran Oil & Gas, LLC, Structure Removal, SEA ES/SR 09-083	Vermilion, Block 407, Lease OCS-G 16317, located 34 miles from the nearest Louisiana shoreline.	5/14/2009
ExxonMobil Production Company, Structure Removal, SEA ES/SR 09-022A	West Delta, Block 100, Lease OCS-G 03188, located 21 miles from the nearest Louisiana shoreline.	5/14/2009
Stone Energy Corporation, Structure Removal, SEA ES/SR 09-104	South Timbalier, Block 34, Lease OCS-G 04842, located 9 miles from the nearest Louisiana shoreline.	5/19/2009
Ridgellake Energy, Inc., Structure Removal, SEA ES/SR 08-022A	High Island, Block A352, Lease OCS-G 24424, located 102 miles from the nearest Texas shoreline.	5/21/2009
Apache Corporation, Structure Removal, SEA ES/SR 09-088	Main Pass, Block 91, Lease OCS-G 14576, located 31 miles from the nearest Louisiana shoreline.	5/21/2009
Devon Energy Production Company, LP, Lease-Term Pipeline Bundle Application, SEA P-17473 & P-17474	Mobile, Block 826, OCS-G 26176 to Alabama State waters Mobile Bay, Block 113, located 4 miles from the nearest Alabama shoreline.	5/21/2009
Apache Corporation, Structure Removal, SEA ES/SR 09-085	Mustang Island, Block 757, Lease OCS-G 03019, located 28 miles from the nearest Texas shoreline.	5/21/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-063	Vermilion, Block 115, Lease OCS-G 17896, located 30 miles from the nearest Louisiana shoreline.	5/21/2009
Maritech Resources, Inc., Structure Removal, SEA APM MP263-001	Main Pass, Block 263, Lease OCS-G 23992, located 48 miles from the nearest Louisiana shoreline.	5/21/2009
Merit Energy Company, Structure Removal, SEA ES/SR 09-100	Eugene Island, Block 288, Lease OCS-G 06045, located 59 miles from the nearest Louisiana shoreline.	5/22/2009
Knight Resources, Inc., Structure Removal, SEA ES/SR 09-106	Viosca Knoll, Block 77, Lease OCS-G 26189, located 49 miles from the nearest Louisiana shoreline.	5/22/2009
El Paso E&P Company, L.P., Structure Removal, SEA ES/SR 09-105	West Cameron, Block 53, Lease OCS-G 04379, located 10 miles from the nearest Louisiana shoreline.	5/22/2009
Knight Resources, Inc., Structure Removal, SEA ES/SR 09-107	Viosca Knoll, Block 432, Lease OCS-G 26198, located 45 miles from the nearest Alabama shoreline.	6/2/2009
Energy Partners, Ltd., Structure Removal, SEA ES/SR 08-156A	Vermilion, Block 320, Lease OCS-G 02087, located 87 miles from the nearest Louisiana shoreline.	6/3/2009
Noble Energy, Inc., Structure Removal, SEA ES/SR 09-110, 09-111 & 09-112	Main Pass (South Addition), Blocks 305 and 306, Leases OCS-G 01676 and 01677, located 30 miles from the nearest Louisiana shoreline.	6/4/2009
Nippon Oil Exploration U.S.A., Limited, Structure Removal, SEA EG/SR 09-064	West Cameron, Block 537, Lease OCS-G 02551, located 90 miles from the nearest Louisiana shoreline.	6/4/2009
Energy XXI GOM, LLC, Structure Removal, SEA ES/SR 09-023B	Eugene Island, Block 256, Lease OCS-G 2102, located 53 miles from the nearest Louisiana shoreline.	6/9/2009
Energy Resources Technology GOM, Inc. Structure Removal, SEA ES/SR 09-069	Eugene Island, Block 302, Lease OCS-G 21642, located 65 miles from the nearest Louisiana shoreline.	6/12/2009
Energy Resources Technology GOM, Inc. Structure Removal, SEA ES/SR 09-070	Ship Shoal, Block 224, Lease OCS-G 01023, located 44 miles from the nearest Louisiana shoreline.	6/12/2009
Energy XXI GOM, LLC, Structure Removal, SEA ES/SR 09-024A	East Cameron, Block 335, Lease OCS-G 02439, located 108 miles from the nearest Louisiana shoreline.	6/14/2009
McMoran Oil & Gas, LLC, Structure Removal, SEA ES/SR 09-115A	East Cameron, Block 267, Lease OCS-G 16267, located 87 miles from the nearest Louisiana shoreline.	6/15/2009
Helis Oil & Gas Company, L.L.C., Structure Removal, SEA ES/SR 09-102	Eugene Island, Block 45, Right-of-Use and Easement No. G30009, located 18 miles from the nearest Louisiana shoreline.	6/15/2009
Chevron U.S.A., Inc., Structure Removal, SEA ES/SR 07-089	Garden Banks, Block 236, Lease OCS-G 23582, located 148 miles from the nearest Louisiana shoreline.	6/15/2009
SPN Resources, LLC, Structure Removal, SEA ES/SR 09-113	Ship Shoal, Block 167, Lease OCS-G 00818, located 27 miles from the nearest Louisiana shoreline.	6/15/2009
Apex Oil & Gas, Inc., Structure Removal, SEA ES/SR 09-120	West Cameron, Block 229, Lease OCS-G 31293, located 42 miles from the nearest Louisiana shoreline.	6/15/2009
Tarpon Operating & Development, L.L.C., Structure Removal, SEA ES/SR 09-128	East Cameron, Block 311, Lease OCS-G 25969, located 95 miles from the nearest Louisiana shoreline.	6/17/2009
Seabird Exploration FZ LLC, Geological & Geophysical Prospecting for Mineral Resources, SEA L09-16	Located in the Central Gulf of Mexico south of Port Fourchon, Louisiana.	6/17/2009
Western Geco, LLC, Geological & Geophysical Exploration for Mineral Resources, SEA L09-17	Located in the Western/Central Gulf of Mexico south of Intra-coastal City, Louisiana.	6/17/2009
Century Exploration New Orleans, Inc., Structure Removal, SEA ES/SR 09-103	West Cameron, Block 368, Lease OCS-G 05315, located 63 miles from the nearest Louisiana shoreline.	6/17/2009
Fairways Offshore Exploration, Inc., Structure Removal, SEA ES/SR 09-126	South Timbalier, Block 245, Lease OCS-G 05625, located 59 miles from the nearest Louisiana shoreline.	6/19/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-108 & 09-109	Vermilion, Block 115, Lease OCS-G 17896, located 30-35 miles from the nearest Louisiana shoreline.	6/19/2009

Activity/operator	Location	Date
Nippon Oil Exploration U.S.A. Limited, Structure Removal, SEA ES/SR 04-038A.	West Cameron, Block 533, Lease OCS-G 02225, located 89 miles from the nearest Louisiana shoreline.	6/19/2009
Nippon Oil Exploration U.S.A. Limited, Structure Removal, SEA ES/SR 09-067.	West Cameron, Block 549, Lease OCS-G 16203, located 100 miles from the nearest Louisiana shoreline.	6/19/2009
McMoran Oil & Gas, Structure Removal, SEA ES/SR 09-49	Brazos, Block A-23, Lease OCS-G 03938, located 38 miles from the nearest Texas shoreline.	6/24/2009
Energy Partners, LTD, Structure Removal, SEA ES/SR 08-138A.	East Cameron (South Addition), Block 263, Lease OCS-G 15417, located 88 miles from the nearest Louisiana shoreline.	6/24/2009
SPN Resources, LLC, Structure Removal, SEA ES/SR 09-127	Ship Shoal, Block 73, Lease OCS-G 22697, located 13 miles from the nearest Louisiana shoreline.	6/24/2009
Samson Contour Energy E & P, LLC, Structure Removal, SEA ES/SR 09-121 & 09-122.	Vermilion, Block 217, Lease OCS-G 01141, located 60 miles from the nearest Louisiana shoreline.	6/24/2009
McMoran Oil & Gas, Structure Removal, SEA ES/SR 09-116 & 09-117.	Main Pass, Block 86, Lease OCS-G 19852, located 25 and 48 miles from the nearest Louisiana shoreline.	6/26/2009
W & T Offshore, Inc., Structure Removal, SEA ES/SR 09-031 ..	Ship Shoal, Block 202, Lease OCS-G 05558, located 54 miles from the nearest Louisiana shoreline.	6/26/2009
SPN Resources, LLC, Structure Removal, SEA ES/SR 09-114	Vermilion, Block 306, Lease OCS-G 21095, located 34 miles from the nearest Louisiana shoreline.	6/26/2009
Energy Partners, Ltd., Structure Removal, SEA ES/SR 08-151A	West Cameron, Block 98, Lease OCS-G 12757, located 13 miles from the nearest Louisiana shoreline.	6/26/2009
McMoran Oil & Gas, LLC, Structure Removal, SEA ES/SR 09-118.	High Island, Block 131, Lease OCS-G 24393, located 30 miles from the nearest Texas shoreline.	6/29/2009
Apex Oil & Gas, Inc., Structure Removal, SEA ES/SR 09-138 ..	Vermilion, Block 128, Lease OCS-G 17897, located 38 miles from the nearest Louisiana shoreline.	6/29/2009
Stone Energy Corporation, Structure Removal, SEA ES/SR 09-134.	Ship Shoal, Block 117, Lease OCS-G 00065, located 18 miles from the nearest Louisiana shoreline.	6/30/2009
EOG Resources, Inc., Structure Removal, SEA ES/SR 09-129	Viosca Knoll, Block 74, Lease OCS-G 07878, located 21 miles from the nearest Alabama shoreline.	6/30/2009
Anglo-Suisse Offshore Partners, LLC, Structure Removal, SEA ES/SR 06-113A.	West Delta (South Addition), Block 117, Lease OCS-G 01101, located 34 miles from the nearest Louisiana shoreline.	6/30/2009

Persons interested in reviewing environmental documents for the proposals listed above or obtaining information about SEAs and FONSI's prepared by the Gulf of Mexico OCS Region are encouraged to contact MMS at the address or telephone listed in the **FOR FURTHER INFORMATION** section.

Dated: August 3, 2009.

Lars Herbst,

Regional Director, Gulf of Mexico OCS Region.

[FR Doc. E9-23317 Filed 9-25-09; 8:45 am]

BILLING CODE 4310-MR-P

DEPARTMENT OF THE INTERIOR

Fish and Wildlife Service

[FWS-R1-2009-N146; 1265-0000-10137-S3]

Kaua'i National Wildlife Refuge Complex, Kaua'i County, HI

AGENCY: Fish and Wildlife Service, Interior.

ACTION: Notice of intent to prepare a comprehensive conservation plan and environmental assessment and announcement of public open house meetings; request for comments.

SUMMARY: We, the U.S. Fish and Wildlife Service (Service), intend to prepare a comprehensive conservation plan (CCP) for the Kilauea Point, Hanalei, and Hule'ia National Wildlife

Refuges (NWRs). We will also prepare an environmental assessment (EA) to evaluate the potential effects of various CCP alternatives. We provide this notice in compliance with our CCP policy to advise the public, other Federal and State agencies, and Native Hawaiian organizations of our intentions and to obtain suggestions and information on the scope of issues to be considered in the planning process. We are also announcing public open house meetings and requesting public comments; see **SUPPLEMENTARY INFORMATION** for details.

DATES: To ensure consideration, please send your written comments by November 27, 2009.

ADDRESSES: Send your comments or requests for more information by any of the following methods:

E-mail:
FW1PlanningComments@fws.gov.
 Include "Kaua'i NWR Complex CCP Scoping Comments" in the subject line of the message.

Fax: Attn: Shannon Smith, (808) 828-1413.

U.S. Mail: Kaua'i National Wildlife Refuge Complex, P.O. Box 1128, Kilauea, HI 96754.

Additional information concerning the NWRs is available on the Internet at <http://www.fws.gov/hanalei/>; <http://www.fws.gov/huleia/>; and <http://www.fws.gov/kilaueapoint/>.

FOR FURTHER INFORMATION CONTACT: Shannon Smith, (808) 828-1413, or Shannon_Smith@fws.gov.

SUPPLEMENTARY INFORMATION:

Background

The CCP Process

The National Wildlife Refuge System Administration Act of 1966 (16 U.S.C. 668dd-668ee) (Administration Act), as amended by the National Wildlife Refuge System Improvement Act of 1997, requires us to develop a CCP for each national wildlife refuge. The purpose of developing a CCP is to provide refuge managers with a 15-year direction for achieving refuge purposes and contributing toward the mission of the National Wildlife Refuge System (NWRS), consistent with sound principles of fish and wildlife conservation, legal mandates, and Service policies. In addition to outlining broad management direction on conserving wildlife and their habitats, CCPs identify wildlife-dependent recreational opportunities available to the public, including opportunities for hunting, fishing, wildlife observation, wildlife photography, and environmental education and interpretation.

The Service will prepare a CCP/EA in compliance with the National Environmental Policy Act (NEPA) of 1969, as amended (42 U.S.C. 4321 *et*

seq.); NEPA Regulations (40 CFR parts 1500–1508); other appropriate Federal laws and regulations; and our policies and procedures for compliance with those laws and regulations.

Each unit of the NWRs was established for specific purposes. We use these purposes to develop and prioritize management goals and objectives within the NWRs mission and to guide which public uses occur on a refuge. The planning process is a way for us and the public to evaluate management goals and objectives for the best possible approach to wildlife, plant, and habitat conservation, while providing for wildlife-dependent recreational opportunities that are compatible with a refuge's establishing purposes and the mission of the NWRs.

We will conduct a planning process that provides opportunities for the public, Federal and local government agencies, Native Hawaiian organizations, and others to participate in issue scoping and public comment. We request input for issues, concerns, ideas, and suggestions for the future management of the Hanalei, Hulé'ia and Kilauea Point NWRs.

We will also give the public an opportunity to provide input at open houses to identify issues and concerns. All information provided voluntarily by mail, phone, or at public meetings becomes part of our official public record. We will handle requests for comments received in accordance with the Freedom of Information Act, NEPA, and other applicable statutory authorities.

The Refuges

Hanalei, Hulé'ia, and Kilauea Point National Wildlife Refuges (NWRs) are part of the Kaua'i National Wildlife Refuge Complex (NWRC or Complex). Hanalei NWR, located along the lower reach and floodplain of the Hanalei River along the northern shore of Kaua'i, was established in 1972 for the purpose of providing habitat for Hawai'i's endangered water birds and the Hawaiian goose. Hulé'ia NWR, located along the Hulé'ia River on Kaua'i's eastern shore, was established in 1973 for the purpose of providing habitat for Hawai'i's endangered water birds. Kilauea Point NWR, located at the northern most point of Kaua'i, was established in 1985 for the purpose of providing habitat for seabirds, nēnē, and native plants, to preserve the historic light station, and provide environmental education to the public. Kilauea Point NWR's purpose was expanded in 2004 to include conserving and managing the biological diversity of native coastal strand, riparian, and aquatic habitats,

and continue the protection and recovery of endangered Hawaiian water birds and other endangered birds, including the Hawaiian goose.

Scoping: Preliminary Issues, Concerns, and Opportunities

We have identified preliminary issues, concerns, and opportunities to be addressed in the CCP; additional issues may be identified through public scoping.

During the CCP planning process, the Service will analyze methods for protecting the resources of the Hanalei, Hulé'ia, and Kilauea Point NWRs while providing quality opportunities for wildlife-dependent recreation. The Service will evaluate public use programs and facilities, cultural and historic resources, cooperative farming, alternative transportation opportunities, wetland management, land acquisition, and endangered species interactions with humans.

Public Meetings

"Talk Story" Sessions

To begin the public scoping phase of the planning process, we will hold a number of facilitated "Talk Story" Sessions for the public, Refuge neighbors, and others. These facilitated sessions are designed to gather information about local knowledge and cultural ties for each of the refuges, including stories passed down through generations of living on, working on, and enjoying the Refuges' lands, waters, and natural and cultural resources. These sessions will be open to the public and held in communities near the Refuges to encourage local participation.

Public Open House Meetings

We will also hold Public Open House Meetings as part of public scoping to answer questions, obtain comments on Refuge management issues, and learn about natural resource issues important to the public, the State, and other agencies and organizations. In order to incorporate the information we gain from the Talk Story Sessions into the Public Open House Meetings, the meetings will be held several weeks after the Talk Story Sessions. We will provide additional opportunities for public involvement throughout our CCP planning process. Public involvement opportunities will be announced in local news media, on our websites, and through our mailing list.

Public Availability of Comments

Before including your address, phone number, e-mail address, or other personal identifying information in your

comment, you should be aware that your entire comment—including your personal identifying information—may be made publicly available at any time. While you can ask us in your comment to withhold your personal identifying information from public review, we cannot guarantee that we will be able to do so.

Dated: August 13, 2009.

David J. Wesley,

Acting Regional Director, Region 1, Portland, Oregon.

[FR Doc. E9-23169 Filed 9-25-09; 8:45 am]

BILLING CODE 4310-55-P

DEPARTMENT OF JUSTICE

Federal Bureau of Investigation

Meeting of the Compact Council for the National Crime Prevention and Privacy Compact

AGENCY: Federal Bureau of Investigation

ACTION: Meeting notice.

SUMMARY: The purpose of this notice is to announce a meeting of the National Crime Prevention and Privacy Compact Council (Council) created by the National Crime Prevention and Privacy Compact Act of 1998 (Compact). Thus far, the Federal Government and 28 states are parties to the Compact which governs the exchange of criminal history records for licensing, employment, and similar purposes. The Compact also provides a legal framework for the establishment of a cooperative federal-state system to exchange such records.

The United States Attorney General appointed 15 persons from state and federal agencies to serve on the Council. The Council will prescribe system rules and procedures for the effective and proper operation of the Interstate Identification Index system.

Matters for discussion are expected to include:

- (1) Update on the Rap Back Task Force,
- (2) Proposal to Establish a Process for Initiating Noncriminal Justice Record Checks During Emergencies and Disasters,
- (3) Access to Department of Homeland Security Information by Local, State, and Federal Criminal Justice, Intelligence, and Authorized Noncriminal Justice Agencies: Update on the Progress to Date with Interoperability.

The meeting will be open to the public on a first-come, first-seated basis. Any member of the public wishing to file a written statement with the Council or wishing to address this session of the

Council should notify Mr. Gary S. Barron at (304) 625-2803, at least 24 hours prior to the start of the session. The notification should contain the requestor's name and corporate designation, consumer affiliation, or government designation, along with a short statement describing the topic to be addressed and the time needed for the presentation. Requesters will ordinarily be allowed up to 15 minutes to present a topic.

DATES AND TIMES: The Council will meet in open session from 9 a.m. until 5 p.m., on November 4-5, 2009.

ADDRESSES: The meeting will take place at the Renaissance Long Beach, 111 East Ocean Boulevard, Long Beach, California, telephone (562) 437-5900.

FOR FURTHER INFORMATION CONTACT: Inquiries may be addressed to Mr. Gary S. Barron, FBI Compact Officer, Compact Council Office, Module D3, 1000 Custer Hollow Road, Clarksburg, West Virginia 26306, telephone (304) 625-2803, facsimile (304) 625-2868.

Dated: September 11, 2009.

Robert J. Casey,

Section Chief, Liaison, Advisory, Training and Statistics Section, Criminal Justice Information Services Division, Federal Bureau of Investigation.

[FR Doc. E9-23177 Filed 9-25-09; 8:45 am]

BILLING CODE 4410-02-M

DEPARTMENT OF LABOR

Mine Safety and Health Administration

Proposed Information Collection Request Submitted for Public Comment and Recommendations; Explosive Materials and Blasting Units

ACTION: Notice.

SUMMARY: The Department of Labor, as part of its continuing effort to reduce paperwork and respondent burden conducts a pre-clearance consultation program to provide the general public and Federal agencies with an opportunity to comment on proposed and/or continuing collections of information in accordance with the Paperwork Reduction Act of 1995 (PRA95) [44 U.S.C. 3506(c)(2)(A)]. This program helps to ensure that requested data can be provided in the desired format, reporting burden (time and financial resources) is minimized, collection instruments are clearly understood, and the impact of collection requirements on respondents can be properly assessed.

Currently, the Mine Safety and Health Administration (MSHA) is soliciting

comments concerning the extension of the information collection related to the 30 CFR Sections 57.22606(a); Explosive Materials and Blasting Units.

DATES: Submit comments on or before November 27, 2009.

ADDRESSES: Send comments to U.S. Department of Labor, Mine Safety and Health Administration, John Rowlett, Director, Management Services Division, 1100 Wilson Boulevard, Room 2134, Arlington, VA 22209-3939.

Commenters are encouraged to send their comments on a computer disk, or via Internet E-mail to

Rowlett.John@dol.gov, along with an original printed copy. Mr. Rowlett can be reached at (202) 693-9827 (voice), or (202) 693-9801 (facsimile).

FOR FURTHER INFORMATION CONTACT:

Contact the employee listed in the **ADDRESSES** section of this notice.

SUPPLEMENTARY INFORMATION:

I. Background

MSHA evaluates and approves explosive materials and blasting units as permissible for use in the mining industry. However, since there are no permissible explosives or blasting units available that have adequate blasting capacity for some metal and nonmetal gassy mines, Standard 57.22606(a) was promulgated to provide procedures for mine operators to follow for the use of non-approved explosive materials and blasting units. Mine operators must notify MSHA in writing, of all non-approved explosive materials and blasting units to be used prior to their use. MSHA evaluates the non-approved explosive materials and determines if they are safe for blasting in a potentially gassy environment.

II. Desired Focus of Comments

MSHA is particularly interested in comments that:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- Enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or

other forms of information technology, e.g., permitting electronic submissions of responses.

A copy of the proposed information collection request can be obtained by contacting the employee listed in the **FOR FURTHER INFORMATION CONTACT** section of this notice, or viewed on the Internet by accessing the MSHA home page (<http://www.msha.gov>) and selecting "Rules & Regs", and then selecting "FedReg. Doc". On the next screen, select "Paperwork Reduction Act Supporting Statement" to view documents supporting the **Federal Register Notice**.

III. Current Actions

MSHA uses the information to determine that the explosives and blasting procedures to be used in a gassy underground mine are safe. Federal inspectors use the notification to ensure that safe procedures are followed.

Type of Review: Extension.

Agency: Mine Safety and Health Administration.

Title: Explosive Materials and Blasting Units.

OMB Number: 1219-0095.

Frequency: On Occasion.

Affected Public: Business or other for-profit.

Respondents: 1.

Average Time per Respondent: 1 hour.

Total Burden Hours: 1 hour.

Total Burden Cost (Operating/Maintaining): \$0.

Comments submitted in response to this notice will be summarized and/or included in the request for Office of Management and Budget approval of the information collection request; they will also become a matter of public record.

Dated at Arlington, Virginia, this 22nd day of September, 2009.

John Rowlett,

Director, Management Services Division.

[FR Doc. E9-23250 Filed 9-25-09; 8:45 am]

BILLING CODE 4510-43-P

DEPARTMENT OF LABOR

Employment and Training Administration

"Pell Grants and the Payment of Unemployment Benefits to Individuals in Approved Training," Extension Without Change; OMB Control No. 1205-0473

AGENCY: Employment and Training Administration.

ACTION: Notice.

SUMMARY: The Department of Labor, as part of its continuing effort to reduce

paperwork and respondent burden conducts a preclearance consultation program to provide the general public and federal agencies with an opportunity to comment on proposed and/or continuing collections of information in accordance with the Paperwork Reduction Act of 1995 (PRA 95) [44 U.S.C. 3506(c)(2)(A)]. This program helps to ensure that requested data can be provided in the desired format, reporting burden (time and financial resources) is minimized, collection instruments are clearly understood, and the impact of collection requirements on respondents can be properly assessed.

In response to the American Recovery and Reinvestment Act (ARRA), the Employment and Training Administration is soliciting comments concerning state UI agencies' notifying UI beneficiaries that they may be able to obtain training using Pell Grants while continuing to collect UI and to give them information about how to apply. This notice utilizes standard clearance procedures in accordance with the Paperwork Reduction Act of 1995 and 5 CFR 1320.12. This information collection follows an emergency review that was conducted in accordance with the Paperwork Reduction Act of 1995 and 5 CFR 1320.13. The submission for OMB emergency review was approved on May 8, 2009. A copy of this Information Collection Request (ICR) can be obtained from the *RegInfo.gov* Web site at <http://www.reginfo.gov/public/do/PRAMain>.

DATES: Written comments must be submitted to the office listed in the addressee's section below on or before November 27, 2009.

ADDRESSES: Submit written comments to U.S. Department of Labor, Employment and Training Administration, Office of Employment Security, attn: Scott Gibbons, Room S-4231, 200 Constitution Avenue, NW, Washington, DC 20210. Telephone number: 202-693-3008 (this is not a toll-free number).

SUPPLEMENTARY INFORMATION:

I. Background

To enable more individuals to obtain job training while receiving unemployment benefits, so they can develop their skills while the economy recovers, states are strongly encouraged to widen their definitions of the types of training and the conditions under which education or training are considered "approved training" for purposes of the state's UI law.

States are also encouraged to notify unemployed individuals of their

potential eligibility for Pell Grants and to assist individuals with applications. Pell Grants are awarded based on financial need and other factors. Many UI beneficiaries are potentially eligible for Pell Grants, and the Department of Education is currently undertaking a major effort to encourage student financial aid administrators to use the discretion available to them in determining if UI beneficiaries are eligible for Pell Grants. Through information dissemination, the Department of Labor is encouraging state UI agencies to notify UI beneficiaries that they may qualify for Pell Grants and to give them information about how to apply. States are strongly encouraged to determine if their approved training requirements are appropriate to the current economy. Post-secondary education and training are increasingly important for success in the job market. Periods of unemployment, particularly in the current economic climate, provide opportunities for laid-off workers to develop new skills, so that employers will benefit from a skilled workforce when the economy recovers. In particular, states are asked to consider approval of courses at community colleges with significant job skills components, courses leading to general equivalency degrees, courses in adult basic education, language courses, or other courses of study, including degree and certificate courses that are likely to increase the individual's long-term employability.

II. Review Focus

The Department of Labor is particularly interested in comments which:

- * Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- * Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- * Enhance the quality, utility, and clarity of the information to be collected; and
- * Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submissions of responses.

III. Current Actions

Type of Review: Extension without changes.

Title: Pell Grants and the Payment of Unemployment Benefits to Individuals in Approved Training.

OMB Number: 1205-0473.

Affected Public: State Workforce Agencies.

Total Respondents: 53.

Frequency of Collection: Once.

Total Responses: 53.

Average Time per Respondent: 40 hours.

Estimated Total Burden Hours: 2120.

Total Annual Costs Burden: \$0.

Comments submitted in response to this comment request will be summarized and/or included in the request for Office of Management and Budget approval of the information collection request; they will also become a matter of public record.

Dated This 23rd day of September, 2009.

Jane Oates,

Assistant Secretary, Employment and Training Administration.

[FR Doc. E9-23372 Filed 9-25-09; 8:45 am]

BILLING CODE 4510-FN-P

DEPARTMENT OF LABOR

Employment and Training Administration

Notice of a Change in Status of an Extended Benefit (EB) Period for Alabama.

AGENCY: Employment and Training Administration, Labor.

ACTION: Notice.

SUMMARY: This notice announces a change in benefit period eligibility under the EB program for Alabama.

The following change has occurred since the publication of the last notice regarding Alabama's EB status:

- Alabama has enacted a retroactive TUR trigger for their EB program. Alabama would have triggered on with the release of state total unemployment rates (TURs) for January 2009, released by the Bureau of Labor Statistics on March 11, 2009. This means their current EB period began March 29, 2009. In addition, the three month average seasonally adjusted TUR rose above the 8.0 percent threshold for a High Unemployment Period (HUP) with the release of March TURs on April 17, 2009. As a result, a HUP in the EB program began in Alabama on May 3. Eligible claimants will be able to receive up to 20 weeks of additional benefits.

Information for Claimants

The duration of benefits payable in the EB Program, and the terms and conditions on which they are payable, are governed by the Federal-State Extended Unemployment Compensation Act of 1970, as amended, and the operating instructions issued to the states by the U.S. Department of Labor. In the case of a state beginning a HUP period, the State Workforce Agency will furnish a written notice of potential entitlement to each individual who may be eligible for increased benefits due to the HUP (20 CFR 615.13 (c) (1)).

Persons who wish to inquire about their rights under the program should contact their State Workforce Agency.

FOR FURTHER INFORMATION CONTACT: Scott Gibbons, U.S. Department of Labor, Employment and Training Administration, Office of Workforce Security, 200 Constitution Avenue NW., Frances Perkins Bldg. Room S-4231, Washington, DC 20210, telephone number (202) 693-3008 (this is not a toll-free number) or by e-mail: gibbons.scott@dol.gov.

Signed in Washington, DC, this 23rd day of September, 2009.

Jane Oates,

Assistant Secretary, Employment and Training Administration.

[FR Doc. E9-23353 Filed 9-25-09; 8:45 am]

BILLING CODE 4510-FW-P

DEPARTMENT OF LABOR**Employment and Training Administration****Notice of a Change in Status of an Extended Benefit (EB) Period for West Virginia.**

AGENCY: Employment and Training Administration, Labor.

ACTION: Notice.

SUMMARY: This notice announces a change in benefit period eligibility under the EB program for West Virginia.

The following change has occurred since the publication of the last notice regarding West Virginia's EB status:

- West Virginia has enacted a retroactive TUR trigger for their EB program. West Virginia would have triggered on with the release of state total unemployment rates (TURs) for April 2009, released by the Bureau of Labor Statistics on May 22, 2009. This means their current EB period began June 7, 2009. In addition, the three month average seasonally adjusted TUR rose above the 8.0 percent threshold for a High Unemployment Period (HUP) with the release of June TURs on July

17, 2009. As a result, a HUP in the EB program began in West Virginia on August 2. Eligible claimants will be able to receive up to 20 weeks of additional benefits.

Information for Claimants

The duration of benefits payable in the EB Program, and the terms and conditions on which they are payable, are governed by the Federal-State Extended Unemployment Compensation Act of 1970, as amended, and the operating instructions issued to the states by the U.S. Department of Labor. In the case of a state beginning a HUP period, the State Workforce Agency will furnish a written notice of potential entitlement to each individual who may be eligible for increased benefits due to the HUP (20 CFR 615.13 (c) (1)).

Persons who wish to inquire about their rights under the program should contact their State Workforce Agency.

FOR FURTHER INFORMATION CONTACT: Scott Gibbons, U.S. Department of Labor, Employment and Training Administration, Office of Workforce Security, 200 Constitution Avenue NW., Frances Perkins Bldg. Room S-4231, Washington, DC 20210, telephone number (202) 693-3008 (this is not a toll-free number) or by email: gibbons.scott@dol.gov.

Signed in Washington, DC, this 23rd day of September, 2009.

Jane Oates,

Assistant Secretary,

Employment and Training Administration.

[FR Doc. E9-23355 Filed 9-25-09; 8:45 am]

BILLING CODE 4510-FW-P

DEPARTMENT OF LABOR**Employment and Training Administration****Notice of a Change in Status of an Extended Benefit (EB) Period for Idaho**

AGENCY: Employment and Training Administration, Labor.

ACTION: Notice.

SUMMARY: This notice announces a change in benefit period eligibility under the EB program for Idaho.

The following change has occurred since the publication of the last notice regarding Idaho's EB status:

- Idaho has modified its law by adding a total unemployment rate (TUR) trigger. As a result, Idaho triggered "on" to a high unemployment period (HUP) for weeks of unemployment beginning September 6, 2009, and eligible unemployed workers will be able to

collect up to an additional 20 weeks of unemployment insurance benefits.

Information for Claimants

The duration of benefits payable in the EB program, and the terms and conditions on which they are payable, are governed by the Federal-State Extended Unemployment Compensation Act of 1970, as amended, and the operating instructions issued to the states by the U.S. Department of Labor. In the case of a state beginning a HUP, the State Workforce Agency will furnish a written notice of potential entitlement to each individual who has exhausted all rights to regular benefits and is potentially eligible for EB (20 CFR 615.13(c)(1)). Persons who believe they may be entitled to EB or who wish to inquire about their rights under the program should contact their State Workforce Agency.

FOR FURTHER INFORMATION CONTACT: Scott Gibbons, U.S. Department of Labor, Employment and Training Administration, Office of Workforce Security, 200 Constitution Avenue NW., Frances Perkins Bldg. Room S-4231, Washington, DC 20210, telephone number (202) 693-3008 (this is not a toll-free number) or by e-mail: gibbons.scott@dol.gov.

Signed in Washington, DC, this 23rd day of September, 2009.

Jane Oates,

Assistant Secretary, Employment and Training Administration.

[FR Doc. E9-23354 Filed 9-25-09; 8:45 am]

BILLING CODE 4510-FW-P

DEPARTMENT OF LABOR**Employment and Training Administration****Announcement Regarding States Triggering "on" to the second-tier of Emergency Unemployment Compensation 2008 (EUC08)**

AGENCY: Employment and Training Administration, Labor.

ACTION: Notice.

SUMMARY: Announcement regarding the Virgin Islands triggering "on" to the second-tier of Emergency Unemployment Compensation (EUC08).

Public law 110-449 created a second-tier of benefits within the EUC08 program for qualified unemployed workers claiming benefits in high unemployment states. The Department of Labor produces a trigger notice indicating which states qualify for this second-tier of EUC08 benefits and provides the beginning and ending dates

of the second-tier period for each state. The trigger notice covering state eligibility for the second-tier of the EUC08 program can be found at: http://ows.doleta.gov/unemploy/claims_arch.asp. A new trigger notice is posted at this location each week that the program is in effect.

For weeks of unemployment beginning August 23, 2009, claimants in the Virgin Islands are potentially eligible for up to 13 weeks of additional benefits within the second-tier of the EUC08 program.

Information for Claimants

The duration of benefits payable in the EUC program, and the terms and conditions under which they are payable, are governed by public laws 110-252 and 110-449, and the operating instructions issued to the states by the U.S. Department of Labor. The State Workforce Agency in states beginning a high unemployment period will furnish a written notice of potential entitlement to each individual who is potentially eligible for second-tier EUC08 benefits. Persons who believe they may be entitled to additional benefits under the EUC08 program, or who wish to inquire about their rights under the program, should contact their State Workforce Agency.

FOR FURTHER INFORMATION CONTACT: Scott Gibbons, U.S. Department of Labor, Employment and Training Administration, Office of Workforce Security, 200 Constitution Avenue NW., Frances Perkins Bldg. Room S-4231, Washington, DC 20210, telephone number (202) 693-3008 (this is not a toll-free number) or by e-mail: gibbons.scott@dol.gov.

Signed in Washington, DC, this 23rd day of September, 2009.

Jane Oates,

Assistant Secretary, Employment and Training Administration.

[FR Doc. E9-23360 Filed 9-25-09; 8:45 am]

BILLING CODE 4510-FW-P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice (09-083)]

NASA Advisory Council; Science Committee; Earth Science Subcommittee; Meeting

AGENCY: National Aeronautics and Space Administration.

ACTION: Notice of meeting.

SUMMARY: The National Aeronautics and Space Administration (NASA)

announces a meeting of the Earth Science Subcommittee of the NASA Advisory Council (NAC). This Subcommittee reports to the Science Committee of the NAC. The Meeting will be held for the purpose of soliciting from the scientific community and other persons scientific and technical information relevant to program planning.

DATES: Wednesday, October 14, 2009, 8 a.m. to 4:30 p.m. and Thursday, October 15, 2009, 8 a.m. to 2:30 p.m. Eastern Daylight Time.

ADDRESSES: L'Enfant Plaza Hotel, 480 L'Enfant Plaza, SW., Washington, DC 20024.

FOR FURTHER INFORMATION CONTACT: Ms. Marian Norris, Science Mission Directorate, NASA Headquarters, Washington, DC 20546, (202) 358-4452, fax (202) 358-4118, or mnorris@nasa.gov.

SUPPLEMENTARY INFORMATION: The meeting will be open to the public up to the capacity of the room. The agenda for the meeting includes the following topics:

- Earth Science Division Update;
- Decadal Survey Status Update;
- Data and Information Systems Status and Long-Term Plans.

It is imperative that the meeting be held on these dates to accommodate the scheduling priorities of the key participants. Attendees will be requested to sign a register.

Dated: September 22, 2009.

P. Diane Rausch,

Advisory Committee Management Officer, National Aeronautics and Space Administration.

[FR Doc. E9-23340 Filed 9-25-09; 8:45 am]

BILLING CODE P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice (09-084)]

Privacy Act of 1974; Privacy Act System of Records

AGENCY: National Aeronautics And Space Administration (NASA).

ACTION: Notice of proposed revisions to an existing Privacy Act system of records.

SUMMARY: Pursuant to the provisions of the Privacy Act of 1974 (5 U.S.C. 552a), the National Aeronautics and Space Administration is issuing public notice of its proposal to modify its existing system of records, NASA 10HIMS "Health Information Management." System modifications are set forth

below under the caption **SUPPLEMENTARY INFORMATION**.

DATES: Submit comments within 30 calendar days from the date of this publication. This system will be effective as proposed at the end of the comment period unless comments are received which would require a contrary determination.

ADDRESSES: Patti F. Stockman, Privacy Act Officer, Office of the Chief Information Officer, National Aeronautics and Space Administration Headquarters, Washington, DC 20546-0001, (202) 358-4787, NASA-PAOfficer@nasa.gov.

FOR FURTHER INFORMATION CONTACT: NASA Privacy Act Officer, Patti F. Stockman, (202) 358-4787, NASA-PAOfficer@nasa.gov.

SUPPLEMENTARY INFORMATION: NASA is modifying 10HIMS to clarify existing routine uses and add new routine uses that provide for the release of medical information to entities outside NASA in the case of newly deceased NASA employees and, as necessary, in instances of proceedings regarding NASA healthcare providers.

Submitted by:

Bobby L. German,

NASA Chief Information Officer (Acting).

NASA 10HIMS

SYSTEM NAME:

Health Information Management System.

SECURITY CLASSIFICATION:

None.

SYSTEM LOCATION:

Medical Clinics/Units and Environmental Health Offices at Locations 1 through 15 inclusive as set forth in Appendix A.

CATEGORIES OF INDIVIDUALS COVERED BY THE SYSTEM:

This system maintains information on NASA civil service employees and applicants; other Agency civil service and military employees working at NASA; astronauts and their families; International Space Partners astronauts, their families, or other space flight personnel on temporary or extended duty at NASA; onsite contractor personnel who receive job-related examinations under the NASA Occupational Health Program, have work-related mishaps or accidents, or come to the clinic for emergency or first-aid treatment; visitors to NASA Centers who come to the clinic for emergency or first-aid treatment.

CATEGORIES OF RECORDS IN THE SYSTEM:

This system contains general medical records of medical care, first aid, emergency treatment, examinations (e.g., surveillance, hazardous workplace, certification, flight, special purpose and health maintenance), exposures (e.g., hazardous materials and ionizing radiation), and consultations by non-NASA physicians. Information resulting from physical examinations, laboratory and other tests, and medical history forms; treatment records; screening examination results; immunization records; administration of medications prescribed by private/personal or NASA flight surgeon physicians; consultation records; and hazardous exposure and other health hazard/abatement data.

Medical records and physical examination records of patients seen by NASA or NASA contractor clinical personnel in the performance of medical or behavioral examinations or consultations.

AUTHORITY FOR MAINTENANCE OF THE SYSTEM:

42 U.S.C. 2473; 44 U.S.C. 3101; Public Law 92-255.

ROUTINE USES OF RECORDS MAINTAINED IN THE SYSTEM, INCLUDING CATEGORIES OF USERS AND THE PURPOSES OF SUCH USES

Any disclosures of information will be compatible with the purpose for which the Agency collected the information. The records and information in this system may be disclosed:

(1) To external medical professionals and independent entities to support internal and external reviews for purposes of medical quality assurance; (2) To private or other government health care providers for consultation or referral; (3) To the Office of Personnel Management, Occupational Safety and Health Administration, and other Federal or State agencies as required in accordance with the Federal agency's special program responsibilities; (4) To insurers for the purposes of reimbursement or coordination of patient care; (5) To employers of non-NASA personnel in support of the Mission Critical Space Systems Personnel Reliability Program; (6) pursuant to NASA Space Act agreements to international partners for mission support and continuity of care for their employees; (7) To non-NASA personnel performing research, studies, or other activities through arrangements or agreements with NASA and for mutual benefit; (8) To the public for spaceflight, information having mission impact concerning an individual crewmember, limited to the crewmember's name and the fact that a

medical condition exists; (9) To the public, limited to the crewmember's name and the fact that a medical condition exists, if a flight crewmember is, for medical reasons, unable to perform a scheduled public event during the time period following space mission landing and concluding with completion of the post space flight return to duty medical evaluation; (10) To the public of medical conditions arising from accidents, consistent with NASA regulations; (11) To Agency contractors or other Federal agencies, as necessary for the purpose of assisting NASA in the efficient administration of its programs; (12) To a Congressional office in response to an inquiry from that office made at the request of the subject of the record; (13) To coroners, medical examiners; funeral directors, justices of the peace, the Armed Forces Institute of Pathology and/or the Armed Forces Medical Examiners Office for the purposes of accident investigations, autopsies, and completion of death certificates and funeral processes; (14) To appointed legal officers or agents for the purposes of judicial or administrative proceedings, including (i) malpractice, complaints, or license revocation proceedings in which disclosure is relevant to the proceeding, and (ii) a judicial proceeding relating to a will, living will, or end of life care when the patient's physical or mental condition is relevant to the execution of same; and (15) In accordance with the routine uses as set forth in Appendix B.

POLICIES AND PRACTICES FOR STORING, RETRIEVING, ACCESSING, AND DISPOSITIONING OF RECORDS IN THE SYSTEM:**STORAGE:**

Records are stored in multiple formats including paper, digital, micrographic, photographic, and as medical recordings such as electrocardiograph tapes, x-rays and strip charts.

RETRIEVABILITY:

Records are retrieved from the system by the individual's name, date of birth, and/or Social Security or other assigned Number.

SAFEGUARDS:

Access limited to NASA health care providers and occupational health personnel on a need-to-know basis. Computerized records are protected via limited user accounts with secure user authentication and non-electronic records are maintained in locked rooms or files. Records are protected in accordance with the requirements and procedures, which appear in the NASA regulations at 14 CFR 1212.605.

RETENTION AND DISPOSAL:

Records are maintained in Agency files and destroyed by series in accordance with NASA Records Retention Schedule 1, Item 126, and NASA Records Retention Schedule 8, Item 57.

SYSTEM MANAGER(S) AND ADDRESS(ES):

Chief Health and Medical Officer at Location 1

Subsystem Managers: Director Occupational Health at Location 1; Chief, Space Medicine Division at Location 5; Occupational Health Contracting Officers Technical Representatives at Locations 2-4 and 6-15. Locations are as set forth in Appendix A.

NOTIFICATION PROCEDURE:

Information may be obtained by contacting the cognizant system or subsystem manager listed above. Requests must contain the identifying data concerning the requester, e.g., first, middle and last name; date of birth; and Social Security Number.

RECORD ACCESS PROCEDURES:

Individual written requests for information shall be addressed to the System Manager at Location 1 or the subsystem manager at the appropriate NASA Center.

CONTESTING RECORD PROCEDURES:

The NASA regulations for access to records and for contesting contents and appealing initial determinations by the individual concerned appear in 14 CFR part 1212.

RECORD SOURCE PROCEDURES:

The information in this system of records is obtained from individuals, physicians, and previous medical records of individuals.

EXEMPTIONS CLAIMED FOR THE SYSTEM: NONE**APPENDIX A—LOCATION NUMBERS AND MAILING ADDRESSES OF NASA INSTALLATIONS AT WHICH RECORDS ARE LOCATED****Location 1**

NASA Headquarters, National Aeronautics and Space Administration Washington, DC 20546-0001

Location 2

Ames Research Center, National Aeronautics and Space Administration, Moffett Field, CA 94035-1000

Location 3

Dryden Flight Research Center, National Aeronautics and Space Administration, PO Box 273, Edwards, CA 93523-0273

Location 4

Goddard Space Flight Center, National Aeronautics and Space Administration, Greenbelt, MD 20771-0001

Location 5

Lyndon B. Johnson Space Center, National Aeronautics and Space Administration, Houston, TX 77058-3696

Location 6

John F. Kennedy Space Center, National Aeronautics and Space Administration, Kennedy Space Center, FL 32899-0001

Location 7

Langley Research Center, National Aeronautics and Space Administration, Hampton, VA 23681-2199

Location 8

John H. Glenn Research Center at Lewis Field, National Aeronautics and Space Administration, 21000 Brookpark Road, Cleveland, OH 44135-3191

Location 9

George C. Marshall Space Flight Center, National Aeronautics and Space Administration, Marshall Space Flight Center, AL 35812-0001

Location 10

HQ NASA Management Office-JPL, National Aeronautics and Space Administration, 4800 Oak Grove Drive, Pasadena, CA 91109-8099

Location 11

John C. Stennis Space Center, National Aeronautics and Space Administration, Stennis Space Center, MS 39529-6000

Location 12

JSC White Sands Test Facility, National Aeronautics and Space Administration, PO Drawer MM, Las Cruces, NM 88004-0020

Location 13

GRC Plum Brook Station, National Aeronautics and Space Administration, Sandusky, OH 44870

Location 14

MSFC Michoud Assembly Facility, National Aeronautics and Space Administration, PO Box 29300, New Orleans, LA 70189

Location 15

NASA Independent Verification and Validation Facility (NASA IV&V), 100 University Drive, Fairmont, WV 26554

Location 16

New Jersey Post of Duty, 402 East State Street, Trenton, NJ 08608

Location 17

Western Field Office, Glenn Anderson Federal Building, 501 West Ocean Blvd., Long Beach, CA 90802-4222

Location 18

NASA Shared Services Center (NSSC), Building 5100, Stennis Space Center, MS 39529-6000

APPENDIX B—STANDARD ROUTINE USES—NASA

The following routine uses of information contained in SORs, subject to the Privacy Act of 1974, are standard for many NASA systems. They are cited by reference in the paragraph "Routine uses of records maintained in the system, including categories of users and the purpose of such uses" of the Federal Register Notice on those systems to which they apply.

Standard Routine Use No. 1—LAW ENFORCEMENT—In the event this system of records indicates a violation or potential violation of law, whether civil, criminal, or regulatory in nature, and whether arising by general statute or particular program statute, or by regulation, rule or order issued pursuant thereto, the relevant records in the SOR may be referred, as a routine use, to the appropriate agency, whether Federal, State, local or foreign, charged with the responsibility of investigating or prosecuting such violation or charged with enforcing or implementing the statute, or rule, regulation or order issued pursuant thereto.

Standard Routine Use No. 2—DISCLOSURE OF REQUESTED INFORMATION—A record from this SOR may be disclosed as a "routine use" to a Federal, State, or local agency maintaining civil, criminal, or other relevant enforcement information or other pertinent information, such as current licenses, if necessary to obtain information relevant to an agency decision concerning the hiring or retention of an employee, the issuance of a security clearance, the letting of a contract, or the issuance of a license, grant, or other benefit.

Standard Routine Use No. 3—DISCLOSURE OF REQUESTED INFORMATION—A record from this SOR may be disclosed to a Federal agency, in response to its request, in connection with the hiring or retention of an employee, the issuance of a security clearance, the reporting of an investigation of an employee, the letting of a contract, or the issuance of a license, grant, or other benefit by the requesting agency, to the extent that the information is relevant and necessary to the requesting agency's decision on the matter.

Standard Routine Use No. 4—DISCLOSURE TO THE DEPARTMENT OF JUSTICE FOR USE IN LITIGATION:

It shall be a routine use of the records in this system of records to disclose them to the Department of Justice when (a) the Agency, or any component thereof; or (b) any employee of the Agency in his or her official capacity; or (c) any employee of the Agency in his or her individual capacity where the Department of Justice or the Agency has agreed to represent the employee; or (d) the United States, where the Agency determines that litigation is likely to affect the Agency or any of its components, is a party to litigation or has an interest in such litigation, and the use of such records by the Department of Justice or the Agency is deemed by the Agency to be relevant and necessary to the litigation provided, however, that in each case it has been determined that the disclosure is compatible with the purpose for which the records were collected.

Standard Routine Use 5: ROUTINE USE FOR AGENCY DISCLOSURE IN LITIGATION:

It shall be a routine use of the records in this system of records to disclose them in a proceeding before a court or adjudicative body before which the agency is authorized to appear, when: (a) The Agency, or any component thereof; or (b) any employee of the Agency in his or her official capacity; or (c) any employee of the Agency in his or her individual capacity where the Agency has agreed to represent the employee; or (d) the United States, where the Agency determines that litigation is likely to affect the Agency or any of its components, is a party to litigation or has an interest in such litigation, and the use of such records by the Agency is deemed to be relevant and necessary to the litigation, provided, however, that in each case, the Agency has determined that the disclosure is compatible with the purpose for which the records were collected.

Standard Routine Use No. 6—SUSPECTED OR CONFIRMED CONFIDENTIALITY COMPROMISE—A record from this SOR may be disclosed to appropriate agencies, entities, and persons when (1) NASA suspects or has confirmed that the security or confidentiality of information in the system of records has been compromised; (2) NASA has determined that as a result of the suspected or confirmed compromise there is a risk of harm to economic or property interests, identity theft or fraud, or harm to the security or integrity of this system or other systems or programs (whether maintained by NASA or another agency or entity) that rely upon the compromised information; and (3) the disclosure made to such agencies, entities, and persons is reasonably necessary to assist in connection with NASA's efforts to respond to the suspected or confirmed compromise and prevent, minimize, or remedy such harm.

[FR Doc. E9-23371 Filed 9-25-09; 8:45 am]

BILLING CODE 7510-13-P

NATIONAL ARCHIVES AND RECORDS ADMINISTRATION**Agency Information Collection Activities: Proposed Collection; Comment Request**

AGENCY: National Archives and Records Administration (NARA).

ACTION: Notice.

SUMMARY: NARA is giving public notice that the agency proposes to request extension of two currently approved information collection. The first information collection is used when former Federal civilian employees and other authorized individuals request information from or copies of documents in Official Personnel Folders or Employee Medical Folders from the National Personnel Records Center (NPRC) of the National Archives and Records Administration (NARA). The

second information collection is NA Form 6045, Volunteer Service Application, used by individuals who wish to volunteer at the National Archives Building, the National Archives at College Park, regional records services facilities, and Presidential Libraries. The public is invited to comment on the proposed information collection pursuant to the Paperwork Reduction Act of 1995.

DATES: Written comments must be received on or before November 27, 2009 to be assured of consideration.

ADDRESSES: Comments should be sent to: Paperwork Reduction Act Comments (NHP), Room 4400, National Archives and Records Administration, 8601 Adelphi Rd., College Park, MD 20740-6001; or faxed to 301-713-7409; or electronically mailed to tamee.fechhelm@nara.gov.

FOR FURTHER INFORMATION CONTACT: Requests for additional information or copies of the proposed information collection and supporting statement should be directed to Tamee Fechhelm at telephone number 301-837-1694, or fax number 301-713-7409.

SUPPLEMENTARY INFORMATION: Pursuant to the Paperwork Reduction Act of 1995 (Pub. L. 104-13), NARA invites the general public and other Federal agencies to comment on proposed information collections. The comments and suggestions should address one or more of the following points: (a) Whether the proposed information collections are necessary for the proper performance of the functions of NARA; (b) the accuracy of NARA's estimate of the burden of the proposed information collections; (c) ways to enhance the quality, utility, and clarity of the information to be collected; and (d) ways to minimize the burden of the collection of information on respondents, including the use of information technology; and (e) whether small businesses are affected by these collections. The comments that are submitted will be summarized and included in the NARA request for Office of Management and Budget (OMB) approval. All comments will become a matter of public record. In this notice, NARA is soliciting comments concerning the following information collection:

1. *Title:* Returned Request Form, Reply to Request Involving Relief Agencies, Walk-In Request for OPM Records or Information.

OMB number: 3095-0037.

Agency form number: NA Forms 13022, 13064, 13068.

Type of review: Regular.

Affected public: Former Federal civilian employees, their authorized representatives, State and local governments, and businesses.

Estimated number of respondents: 32,060.

Estimated time per response: 5 Minutes.

Frequency of response: On occasion, when individuals desire to acquire information from Federal civilian employee personnel or medical records.

Estimated total annual burden hours: 2,671 hours.

Abstract: In accordance with rules issued by the Office of Personnel Management, the National Personnel Records Center (NPRC) of the National Archives and Records Administration (NARA) administers Official Personnel Folders (OPF) and Employee Medical Folders (EMF) of former Federal civilian employees. When former Federal civilian employees and other authorized individuals request information from or copies of documents in OPF or EMF, they must provide in forms or in letters certain information about the employee and the nature of the request. The NA Form 13022, Returned Request Form, is used to request additional information about the former Federal employee. The NA Form 13064, Reply to Request Involving Relief Agencies, is used to request additional information about the former relief agency employee. The NA Form 13068, Walk-In Request for OPM Records or Information, is used by members of the public, with proper authorization, to request a copy of a Personnel or Medical record.

2. *Title:* Volunteer Service Application.

OMB number: 3095-0060.

Agency form number: NA Form 6045.

Type of review: Regular.

Affected public: Individuals or households.

Estimated number of respondents: 500.

Estimated time per response: 25 minutes.

Frequency of response: On occasion.

Estimated total annual burden hours: 208 hours.

Abstract: NARA uses volunteer resources to enhance its services to the public and to further its mission of providing ready access to essential evidence. Volunteers assist in outreach and public programs and provide technical and research support for administrative, archival, library, and curatorial staff. NARA uses a standard-way to recruit volunteers and assess the qualifications of potential volunteers. The NA Form 6045, Volunteer Service Application, is used by members of the public to signal their interest in being a

NARA volunteer and to identify their qualifications for this work.

Dated: September 21, 2009.

Martha Morphy,

Assistant Archivist for Information Services.

[FR Doc. E9-23436 Filed 9-25-09; 8:45 am]

BILLING CODE 7515-01-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52-025 and 52-026; NRC-2008-0252]

Southern Nuclear Operating Company Vogtle Electric Generating Plant, Units 3 and 4 Combined License Application; Notice of Intent To Prepare a Supplemental Environmental Impact Statement

Southern Nuclear Operating Company (Southern) has submitted an application for a combined license (COL) for its Vogtle Electric Generating Plant site to build Units 3 and 4, located in Burke County, Georgia, approximately 26 miles southeast of Augusta. The application for the COL was submitted by letter dated March 31, 2008, pursuant to the requirements of Title 10, part 52. A notice of receipt and availability of the application, which included the environmental report (ER), was published in the *Federal Register* on May 5, 2008 (73 FR 24616). A notice of acceptance for docketing of the application for the COL was published in the *Federal Register* on June 11, 2008 (73 FR 33118).

On August 26, 2009, the NRC authorized the Vogtle Electric Generating Plant Early Site Permit (ESP) and Limited Work Authorization. An ESP is a Commission approval of a site as suitable for construction and operation of one or more new nuclear units. The NRC intends to prepare a supplement to the Final Environmental Impact Statement (FEIS) for the Early Site Permit (ESP) at the Vogtle Electric Generating Plant, NUREG-1872, as required by 10 CFR 51.92 for a COL referencing an ESP. The supplemental environmental impact statement (SEIS) for the COL will be prepared in the same manner as the FEIS for the ESP except that the NRC staff will not conduct a formal scoping process. This notice advises the public that the SEIS will, however, analyze any new and potentially significant information since the ESP FEIS was published on August 21, 2008, in the *Federal Register*. This notice is being published in accordance with the National Environmental Policy Act (NEPA) and NRC regulations found in 10 CFR part 51.

In addition, as outlined in 36 CFR 800.8(c), "Use of the NEPA process for section 106 purposes," the NRC staff plans to coordinate compliance with section 106 of the National Historic Preservation Act (NHPA) with steps taken to meet the requirements of NEPA. Pursuant to 36 CFR 800.8(c), the NRC staff intends to use the process and documentation for the preparation of the SEIS on the proposed action to comply with section 106 of the NHPA in lieu of the procedures set forth in 36 CFR 800.3 through 800.6.

In accordance with 10 CFR 51.45 and 10 CFR 51.50, Southern submitted the ER as part of the application. The ER was prepared pursuant to 10 CFR Parts 51 and 52 and is available for public inspection at the NRC Public Document Room (PDR), located at One White Flint North, 11555 Rockville Pike (first floor), Rockville, Maryland, or from the Publicly Available Records component of the NRC's Agencywide Documents Access and Management System (ADAMS). ADAMS is accessible at <http://www.nrc.gov/reading-rm/adams.html>, which provides access through the NRC's Electronic Reading Room (ERR) link. The accession number in ADAMS for the ER is ML081050181. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS should contact the NRC's PDR Reference staff at 1-800-397-4209 or 301-415-4737, or by sending an e-mail to pdr.resource@nrc.gov.

The staff will prepare and issue for comment the draft SEIS, which will be the subject of separate notices and a separate public meeting. A copy of the draft SEIS will be available for public inspection at the above-mentioned address. The application may also be viewed on the Internet at <http://www.nrc.gov/reactors/new-licensing/cvl/vogtle.html>.

In addition, the Burke County Library in Waynesboro, Georgia has agreed to make the ER available for public inspection.

The following key reference documents related to the COL application and the NRC staff's review process are available through the NRC's Web site at <http://www.nrc.gov>:

- a. 10 CFR part 51, Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions;
- b. 10 CFR part 52, Licenses, Certifications, and Approvals for Nuclear Power Plants;
- c. 10 CFR part 100, Reactor Site Criteria;

d. NUREG-1555, Standard Review Plans for Environmental Reviews for Nuclear Power Plants;

e. NUREG/BR-0298, Brochure on Nuclear Power Plant Licensing Process;

f. Fact Sheet on Nuclear Power Plant Licensing Process;

g. Regulatory Guide 4.2, Preparation of Environmental Reports for Nuclear Power Stations;

h. Regulatory Guide 1.206, Combined License Applications for Nuclear Power Plants.

The regulations, NUREG-series documents, regulatory guides, and fact sheets can be found under Document Collections in the Electronic Reading Room on the NRC Web page. After receipt and consideration of the comments on the DSEIS for the COL, the NRC staff will prepare a final SEIS, which will also be available for public inspection.

Information about the proposed SEIS may be obtained from Ms. Mallecia Hood, Environmental Project Manager, 301-415-0673.

Dated at Rockville, Maryland, this 18th day of September 2009.

For the Nuclear Regulatory Commission.

Nilesh Chokshi,

Deputy Director, Division of Site and Environmental Reviews, Office of New Reactors.

[FR Doc. E9-23318 Filed 9-25-09; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

Advisory Committee on Reactor Safeguards (ACRS)

Meeting of the ACRS Subcommittee on ESBWR; Notice of Meeting

The ACRS Subcommittee on the Economic Simplified Boiling Water Reactor (ESBWR) will hold a meeting on October 20-22, 2009, Room T2-B3, 11545 Rockville Pike, Rockville, Maryland.

The entire meeting will be open to public attendance, with the exception of a portion that may be closed to protect information that is proprietary to General Electric—Hitachi Nuclear Americas, LLC (GEH) and its contractors pursuant to 5 U.S.C. 552b(c)(4).

The agenda for the subject meeting shall be as follows:

Tuesday, October 20, 2009, 8:30 a.m.–5 p.m.

Wednesday, October 21, 2009, 8:30 a.m.–6 p.m.

Thursday, October 22, 2009, 8:30 a.m.–12:15 p.m.

The Subcommittee will review the resolution of reactor systems and

mechanical issues associated with the ESBWR design certification. The Subcommittee will hear presentations by and hold discussions with representatives of the NRC staff, GEH, and other interested persons regarding this matter.

The Subcommittee will gather information, analyze relevant issues and facts, and formulate proposed positions and actions, as appropriate, for deliberation by the full Committee.

Members of the public desiring to provide oral statements and/or written comments should notify the Designated Federal Official, Christopher L. Brown (*telephone: 301-415-7111, e-mail: Christopher.Brown@nrc.gov*) between 6:45 a.m. and 3:30 p.m. (ET) five days prior to the meeting, if possible, so that appropriate arrangements can be made. Thirty-five hard copies of each presentation or handout should be provided to the Designated Federal Official 30 minutes before the meeting. In addition, one electronic copy of each presentation should be e-mailed to the Designated Federal Official 1 day before the meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the Designated Federal Official with a CD containing each presentation at least 30 minutes before the meeting. Electronic recordings will be permitted only during those portions of the meeting that are open to the public. Detailed procedures for the conduct of and participation in ACRS meetings were published in the *Federal Register* on October 6, 2008 (73 FR 58268-58269).

Further information regarding this meeting can be obtained by contacting the Designated Federal Official (DFO) between 6:45 a.m. and 3:30 p.m. (ET). Persons planning to attend this meeting are urged to contact the DFO at least two working days prior to the meeting to be advised of any potential changes to the agenda.

Dated: September 22, 2009.

Cayetano Santos,

Chief, Reactor Safety Branch A, Advisory Committee on Reactor Safeguards.

[FR Doc. E9-23312 Filed 9-25-09; 8:45 am]

BILLING CODE 7590-01-P

POSTAL REGULATORY COMMISSION

[Docket No. CP2009-64; Order No. 300]

New Postal Product

AGENCY: Postal Regulatory Commission.

ACTION: Notice.

SUMMARY: The Commission is noticing a recently-filed Postal Service request to add Global Expedited Package Services 2 to the Competitive Product List. This notice addresses procedural steps associated with these filings.

DATES: Comments are due September 25, 2009.

ADDRESSES: Submit comments electronically via the Commission's Filing Online system at <http://www.prc.gov>.

FOR FURTHER INFORMATION CONTACT: Stephen L. Sharfman, General Counsel, 202-789-6820 or stephen.sharfman@prc.gov.

SUPPLEMENTARY INFORMATION:

- I. Introduction
- II. Notice of Filing
- III. Ordering Paragraphs

I. Introduction

On September 15, 2009, the Postal Service filed a notice announcing that it has entered into an additional Global Expedited Package Services 2 (GEPS 2) contract.¹ GEPS 2 provides volume-based incentives for mailers that send large volumes of Express Mail International (EMI) and/or Priority Mail International (PMI). The Postal Service believes the instant contract is functionally equivalent to the previously submitted GEPS 2 contracts and is supported by the Governors' Decision filed in Docket No. CP2008-4.² *Id.* at 1.

The instant contract. The Postal Service filed the instant contract pursuant to 39 CFR 3015.5. In addition, the Postal Service contends that the contract is in accordance with Order No. 290.³ The term of the instant contract is one year beginning October 1, 2009. Notice at 2.

In support of its Notice, the Postal Service filed four attachments as follows:

1. Attachment 1—An application for non-public treatment of materials to maintain the contract and supporting documents under seal;
2. Attachment 2—A redacted copy of Governors' Decision No. 08-7 which establishes prices and classifications for

GEPS contracts, a description of applicable GEPS contracts, formulas for prices, an analysis and certification of the formulas and certification of the Governors' vote;

3. Attachment 3—A redacted copy of the contract, applicable annexes, and a provision to modify the mailer's tender requirements;⁴ and

4. Attachment 4—A certified statement required by 39 CFR 3015.5(c)(2).

Functional equivalency. The Postal Service asserts that the instant contract is functionally equivalent to the contract in Docket No. CP2009-50 and prior GEPS 2 contracts. *Id.* at 3-5. The Postal Service states that there are two essential changes in the instant contract from the contract in Docket No. CP2009-50; customer specific information and modifications for clarity that will be included in future contracts.⁵ These distinctions include the customer name, address, representative to receive notices, identity of the signatory, and provisions clarifying tender locations, minimum revenue requirements, liquidated damages, confidentiality, and reference updates. *Id.* at 3-4. The Postal Service contends that the instant contract satisfies the pricing formula and classification system established in Governors' Decision No. 08-7 and, except for the customer-specific information and clarifying provisions, it is the same as the contract in Docket No. CP2009-50. *Id.* at 3. It contends that the instant contract and all GEPS 2 contracts have similar cost and market characteristics and is functionally equivalent in all relevant aspects. *Id.* at 5. The Postal Service concludes that this contract is in compliance with 39 U.S.C. 3633, and requests that this contract be included within the GEPS 2 product. *Id.*

Other issues. The Postal Service states that it has executed a clarifying modification to the contract provisions with the mailer regarding tender requirements and a representative sample of the modification is filed with the notice. *Id.* at 3. It also affirms that a signed copy is available to the Commission upon request. The Commission directs the Postal Service to file an executed copy of the

modification provision in this docket by September 21, 2009.

II. Notice of Filing

The Commission establishes Docket No. CP2009-64 for consideration of matters related to the contract identified in the Postal Service's Notice.

Interested persons may submit comments on whether the Postal Service's contract is consistent with the policies of 39 U.S.C. 3632, 3633, or 3642. Comments are due no later than September 25, 2009. The public portions of these filings can be accessed via the Commission's Web site (<http://www.prc.gov>).

The Commission appoints Paul L. Harrington to serve as Public Representative in this docket.

III. Ordering Paragraphs

It is ordered:

1. The Commission establishes Docket No. CP2009-64 for consideration of the issues raised in this docket.

2. Comments by interested persons in these proceedings are due no later than September 25, 2009.

3. As set forth in this order, the Postal Service shall file an executed copy of the modification provision by September 21, 2009.

4. Pursuant to 39 U.S.C. 505, Paul L. Harrington is appointed to serve as officer of the Commission (Public Representative) to represent the interests of the general public in this proceeding.

5. The Secretary shall arrange for publication of this order in the **Federal Register**.

Dated: September 17, 2009.

By the Commission.

Shoshana M. Grove,
Secretary.

[FR Doc. E9-23445 Filed 9-25-09; 8:45 am]

BILLING CODE 7710-FW-P

POSTAL REGULATORY COMMISSION

[Docket No. CP2009-65; Order No. 301]

New Postal Product

AGENCY: Postal Regulatory Commission.

ACTION: Notice.

SUMMARY: The Commission is noticing a recently-filed Postal Service request to add a Global Expedited Package Services 2 contract to the Competitive Product List. This notice addresses procedural steps associated with this filing.

DATES: Comments are due September 25, 2009.

ADDRESSES: Submit comments electronically via the Commission's

¹ Notice of United States Postal Service Filing of Functionally Equivalent Global Expedited Package Services 2 Negotiated Service Agreement and Application for Non-Public Treatment of Materials Filed Under Seal, September 15, 2009 (Notice).

² See Docket No. CP2008-4, Notice of United States Postal Service of Governors' Decision Establishing Prices and Classifications for Global Expedited Package Services Contracts, May 20, 2008.

³ See Docket No. CP2009-50, Order Granting Clarification and Adding Global Expedited Package Services 2 to the Competitive Product List, August 28, 2009 (Order No. 290).

⁴ The Postal Service indicates that it has executed a modification provision clarifying the manner and location for the mailer's tender of qualifying mail.

⁵ The Postal Service's Notice it states the clarification provisions included in this contract are "intended to be incorporated into all subsequent agreements in exactly the same terms." *Id.* at 3. However, the Commission notes that in the contract filed in Docket No. CP2009-65, also filed on September 15, 2009, these clarifying provisions are not included.

Filing Online system at <http://www.prc.gov>.

FOR FURTHER INFORMATION CONTACT:

Stephen L. Sharfman, General Counsel,
202-789-6820 and
stephen.sharfman@prc.gov.

SUPPLEMENTARY INFORMATION:

- I. Introduction
- II. Notice of Filing
- III. Ordering Paragraphs

I. Introduction

On September 15, 2009, the Postal Service filed a notice announcing that it has entered into an additional Global Expedited Package Services 2 (GEPS 2) contract.¹ GEPS 2 provides volume-based incentives for mailers that send large volumes of Express Mail International (EMI) and/or Priority Mail International (PMI). The Postal Service believes the instant contract is functionally equivalent to the previously submitted GEPS 2 contracts and is supported by the Governors' Decision filed in Docket No. CP2008-4. *Id.* at 1.²

The instant contract. The Postal Service filed the instant contract pursuant to 39 CFR 3015.5. In addition, the Postal Service contends that the contract is in accordance with Order No. 290.³ The term of the instant contract is one year beginning October 1, 2009. Notice at 2.

In support of its Notice, the Postal Service filed four attachments as follows:

1. Attachment 1—an application for non-public treatment of materials to maintain the contract and supporting documents under seal;
2. Attachment 2—a redacted copy of Governors' Decision No. 08-7 which establishes prices and classifications for GEPS contracts, a description of applicable GEPS contracts, formulas for prices, an analysis and certification of the formulas and certification of the Governors' vote;
3. Attachment 3—a redacted copy of the contract, applicable annexes, and a

provision to modify the mailer's tender requirements;⁴ and

4. Attachment 4—a certified statement required by 39 CFR 3015.5(c)(2).

Functional equivalency. The Postal Service asserts that the instant contract is functionally equivalent to the contract in Docket No. CP2009-50 and prior GEPS 2 contracts. *Id.* at 3-5. It also contends that the instant contract meets the requirements of Governors' Decision No. 08-7 for rates for GEPS contracts. *Id.* at 3. The Postal Service states that the basic difference between the contract in Docket No. CP2009-50 and the instant contract is customer-specific information including the customer's name, address, representative to receive notices and identity of the signatory. *Id.* at 3-4. The Postal Service contends that the instant contract satisfies the pricing formula and classification system established in Governors' Decision No. 08-7. *Id.* at 3. It contends that the instant contract and all GEPS 2 contracts have similar cost and market characteristics and is functionally equivalent in all relevant aspects. *Id.* at 5. The Postal Service concludes that this contract is in compliance with 39 U.S.C. 3633, and requests that this contract be included within the GEPS 2 product. *Id.*

Other issues. The Postal Service states that it has executed a clarifying modification to the contract provisions with the mailer regarding tender requirements and a representative sample of the modification is filed with the notice. *Id.* at 3. It also affirms that a signed copy is available to the Commission upon request. The Commission directs the Postal Service to file an executed copy of the modification provision in this docket by September 21, 2009.

II. Notice of Filing

The Commission establishes Docket No. CP2009-65 for consideration of matters related to the contract identified in the Postal Service's Notice.

Interested persons may submit comments on whether the Postal Service's contract is consistent with the policies of 39 U.S.C. 3632, 3633 or 3642. Comments are due no later than September 25, 2009. The public portions of these filings can be accessed via the Commission's Web site (<http://www.prc.gov>).

The Commission appoints Paul L. Harrington to serve as Public Representative in this proceeding.

III. Ordering Paragraphs

It is ordered:

⁴ The Postal Service indicates that it has executed a modification provision clarifying the manner and location for the mailer's tender of qualifying mail.

1. The Commission establishes Docket No. CP2009-65 for consideration of the issues raised in this docket.

2. Comments by interested persons in these proceedings are due no later than September 25, 2009.

3. As set forth in this order, the Postal Service shall file an executed copy of the modification provision by September 21, 2009.

4. Pursuant to 39 U.S.C. 505, Paul L. Harrington is appointed to serve as officer of the Commission (Public Representative) to represent the interests of the general public in this proceeding.

5. The Secretary shall arrange for publication of this order in the **Federal Register**.

Issued: September 17, 2009.

By the Commission.

Shoshana M. Grove,
Secretary.

[FR Doc. E9-23446 Filed 9-25-09; 8:45 am]

BILLING CODE 7710-FW-P

PRESIDIO TRUST

Notice of Trial Use Limits

SUMMARY: By Federal Register notice of August 20, 2009 (73 FR 42028), the Presidio Trust ("Trust") announced its proposal to undertake trial temporary traffic-calming and reduction measures for a period up to 45 days in that portion of The Presidio of San Francisco ("Presidio") under the Trust's administrative jurisdiction ("Area B"), including temporary road closures of certain roads, in order to assess various means that may slow traffic through Area B and reduce cut-through traffic. The Trust also announced its termination of the temporary public use limits no later than 45 days after they commence. In its notice of the trial temporary traffic-calming and reduction measures the Trust solicited public comment through September 21, 2009.

Under 36 CFR 1001.5, the Board of Directors of the Presidio Trust ("Board") may close all or a portion of Area B to all public use or to a specific use or activity, given a determination that such action is necessary for the maintenance of public health and safety, the protection of environmental or scenic values, or the avoidance of conflict among visitor use activities. The Board has determined that the trial temporary traffic-calming and reduction measures, including temporary road closures of certain roads for a period up to 45 days commencing approximately September 29, 2009, will afford the Trust the opportunity to study and monitor the

¹ Notice of United States Postal Service Filing of Functionally Equivalent Global Expedited Package Services 2 Negotiated Service Agreement and Application for Non-Public Treatment of Materials Filed Under Seal, September 15, 2009 (Notice).

² See Docket No. CP2008-4, Notice of United States Postal Service of Governors' Decision Establishing Prices and Classifications for Global Expedited Package Services Contracts, May 20, 2008.

³ See Docket No. CP2009-50, Order Granting Clarification and Adding Global Expedited Package Services 2 to the Competitive Product List, August 28, 2009 (Order No. 290).

effects (both positive and negative) of these actions. The Board has authorized these temporary public use limits in Resolution 09-19.

Comments: The Trust received approximately 100 individual comments as well as a petition signed by 128 residents of Area B. The comments generally fall into three categories: (1) Inconvenience—some commented that temporary road closures, specifically the closure of Presidio Boulevard, would create an inconvenience to motorists, both to those who live in the Presidio as well as to those who live outside the park; (2) safety and congestion—some worry that rerouting traffic to other streets might create safety problems, especially on West Pacific Avenue, the roadway adjacent to Julius Kahn Playground; and (3) timing and length of study.

Responses to Comments: In the 2002 Presidio Trust Management Plan, the Trust committed to mitigate traffic impacts as Area B occupancy increased and visitation grew. The Trust has implemented a number of strategies and an array of traffic-calming measures. In March 2009, the Trust took traffic counts at all Presidio gates which allowed the Trust to ascertain what percentage of the cars entering the Presidio simply drove through the park and out another gate. The Trust determined that, while the Trust appears to have succeeded in managing traffic generated by park residents, tenants and visitors, and that the Presidio has sufficient capacity for traffic generated by anticipated land uses in Area B, cut-through traffic has become a major issue representing approximately 50% of the traffic in Area B. With the anticipated transformation of Doyle Drive, the landscape of the Presidio will be changing and new traffic patterns will emerge.

This trial limitation of public use and resulting study will help the Trust in implementing its management responsibilities and in avoiding conflicts among resident, tenant and visitor activities by allowing the Trust to analyze the effects of measures that are intended to slow traffic and to discourage cut-through traffic on Area B's major streets and gateways and through the Presidio's residential neighborhoods. In particular, it will help the Trust plan for the effect the new Doyle Drive/Girard Street interchange may have on the use of Area B streets for cut-through traffic. Further, as implementation of the Presidio's Trail and Bikeways Master Plan continues, the Trust expects the numbers of pedestrian and cyclists using the park to increase. Ensuring the

safety of this growing population means prioritizing the traffic movements of park users over traffic unrelated to park uses.

The study will examine the effects of a variety of potential traffic-calming solutions. The challenge is to weigh the benefit of a potentially significant reduction in traffic in the park against the inconvenience of using other routes. Cut-through traffic, especially those vehicles using the Presidio Boulevard gate, is creating congestion elsewhere in the Presidio. During the temporary closures the Trust anticipates a reduction in traffic volume throughout the Presidio. Safety concerns along West Pacific Avenue will be addressed through the addition of a speed cushion, increased United States Park Police enforcement, signage, and altering parking patterns to create a pedestrian zone out of the roadway. The study is scheduled for a brief window before construction of the Doyle Drive Replacement Project begins later in the fall. The study is designed in part to anticipate changes that may come about as a result of Doyle Drive; gathering data before construction begins is essential to undertaking an analysis of the impacts of potential changes. All roads will remain open to MUNI, PresidioGo and emergency vehicles. The Trust has considered public comment and has decided to proceed with the temporary public use limits and to terminate the use limits no later than 45 days after they commence.

Further Information: Further information about the study can be found at <http://www.presidio.gov> or by contacting Public Affairs (415.561.5418), The Presidio Trust, 34 Graham St., P.O. Box 29052, San Francisco, CA 94129-0052.

Dated: September 22, 2009.

Karen A. Cook,

General Counsel.

[FR Doc. E9-23313 Filed 9-25-09; 8:45 am]

BILLING CODE 4310-4R-P

SECURITIES AND EXCHANGE COMMISSION

Submission for OMB Review; Comment Request

Upon Written Request, Copies Available

From: Securities and Exchange Commission, Office of Investor Education and Advocacy, Washington, DC 20549-0213.

Extension:

Form N-4, SEC File No. 270-282, OMB Control No. 3235-0318.

Notice is hereby given that, pursuant to the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*), the Securities and Exchange Commission (the "Commission") has submitted to the Office of Management and Budget a request for extension of the previously approved collection of information discussed below.

The collection of information is entitled: "Form N-4 (17 CFR 239.17b and 274.11c) under the Securities Act of 1933 (15 U.S.C. 77a *et seq.*) and under the Investment Company Act of 1940 (15 U.S.C. 80a-1 *et seq.*) registration statement of separate accounts organized as unit investment trusts." Form N-4 is the form used by insurance company separate accounts organized as unit investment trusts that offer variable annuity contracts to register as investment companies under the Investment Company Act of 1940 and/or to register their securities under the Securities Act of 1933. The primary purpose of the registration process is to provide disclosure of financial and other information to investors and potential investors for the purpose of evaluating an investment in a security. Form N-4 also permits separate accounts organized as unit investment trusts that offer variable annuity contracts to provide investors with a prospectus containing the information required in a registration statement prior to the sale or at the time of confirmation or delivery of the securities. The estimated annual number of respondents filing on Form N-4 is 104 for those filing initial registration statements and 1,360 for those filing post-effective amendments. The proposed frequency of response is annual. The estimate of the total annual reporting burden of the collection of information is approximately 278.5 hours per initial filing and 197.25 hours for a post-effective amendment, for a total of 297,224 hours ((104 initial registration statements × 278.5 hours) + (1,360 post-effective amendments × 197.25 hour)). Providing the information required by Form N-4 is mandatory. Responses will not be kept confidential. Estimates of the burden hours are made solely for the purposes of the Paperwork Reduction Act, and are not derived from a comprehensive or even a representative survey or study of the costs of Commission rules and forms.

An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid control number.

Please direct general comments regarding the above information to the following persons: (i) Desk Officer for

the Securities and Exchange Commission, Office of Management and Budget, Room 10102, New Executive Office Building, Washington, DC 20503 or send an email to Shagufta Ahmed at Shagufta-Ahmed@omb.eop.gov; and (ii) Charles Boucher, Director/CIO, Securities and Exchange Commission, C/O Shirley Martinson, 6432 General Green Way, Alexandria, VA 22312; or send an e-mail to: PRA_Mailbox@sec.gov. Comments must be submitted to OMB within 30 days of this notice.

Dated: September 21, 2009.

Florence E. Harmon,

Deputy Secretary.

[FR Doc. E9-23308 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. IC-28909; 812-13612]

Annuity Investors Life Insurance Company, et al., Notice of Application

September 22, 2009.

AGENCY: Securities and Exchange Commission ("Commission").

ACTION: Notice of application for an order pursuant to Section 6(c) of the Investment Company Act of 1940 (the "Act") granting exemptions from Sections 2(a)(32) and 27(i)(2)(A) of the Act and Rule 22c-1 thereunder for the recapture of certain bonus credits.

APPLICANTS: Annuity Investors Life Insurance Company ("Annuity Investors Life"), Annuity Investors Variable Account C ("Variable Account C"), and Great American Advisors, Inc. ("GAA").

SUMMARY OF APPLICATION: Applicants seek an order to permit, under specified circumstances, the recapture of certain Bonuses (defined below) applied to Purchase Payments (defined below) made under: (1) Certain deferred variable annuity contracts and certificates, described herein, that Annuity Investors Life has issued, currently issues, or will issue through Variable Account C under a registration statement filed with the Commission under Securities Act of 1933 File No. 333-148459 (the contracts and certificates, including applicable data pages and endorsements, are collectively referred to herein as the "Current Bonus Contracts"); and (2) deferred variable annuity contracts and certificates, including applicable data pages and endorsements, other than Current Bonus Contracts that Annuity Investors Life may issue in the future ("Future Bonus Contracts," and together

with the Current Bonus Contracts, the "Contracts") through Variable Account C, through any of its existing separate accounts (together with Variable Account C, the "Current Accounts"), or through any future separate account of Annuity Investors Life ("Future Accounts," and together with the Current Accounts, the "Accounts"). Such Future Bonus Contracts will be substantially similar to the Current Bonus Contracts in all material respects. Applicants also request that the order being sought extend to any other Financial Industry Regulatory Authority ("FINRA") member broker-dealer controlling or controlled by, or under common control with Annuity Investors Life, whether existing or created in the future, that serves as a distributor or principal underwriter of the Contracts offered through the Accounts ("Future Underwriters").

DATES: Filing Dates: The application was filed on December 12, 2008, and an amended and restated application was filed on April 14, 2009 and September 18, 2009.

HEARING OR NOTIFICATION OF HEARING: An order granting the application will be issued unless the Commission orders a hearing. Interested persons may request a hearing by writing to the Secretary of the Commission and serving Applicants with a copy of the request personally or by mail. Hearing requests should be received by the Commission by 5:30 p.m. on October 19, 2009, and should be accompanied by proof of service on Applicants, in the form of an affidavit or for lawyers a certificate of service. Hearing requests should state the nature of the writer's interest, the reason for the request and the issues contested. Persons may request notification of a hearing by writing to the Secretary of the Commission.

ADDRESSES: Secretary, Securities and Exchange Commission, 100 F Street, NE., Washington, DC 20549-1090. Applicants, c/o Annuity Investors Life Insurance Company, 525 Vine Street, 7th Floor, Cincinnati, OH 45202, Attn: Karen McLaughlin, Esq. Copy to: Richard Choi, Jordan Burt LLP, 1025 Thomas Jefferson Street, Suite 400 East, Washington, DC 20007.

FOR FURTHER INFORMATION CONTACT: Michael L. Kosoff, Attorney, or Harry Eisenstein, Branch Chief, Office of Insurance Products, Division of Investment Management, at (202) 551-6795.

SUPPLEMENTARY INFORMATION: The following is a summary of the application. The complete application may be obtained via the Commission's

Web site by searching for the file number or an applicant using the Company name box, at <http://www.sec.gov/search/search.htm> or by calling (202) 551-8090.

Applicants' Representations

1. Annuity Investors Life desires the flexibility, and is requesting exemptive relief, to recapture Bonuses of up to 5% of each Purchase Payment credited to Purchase Payments under a Contract if the owner returns the Contract for a refund during the free-look period. In addition, Annuity Investors Life is seeking exemptive relief to enable it to recapture the amount of any Bonus of up to 5% of each Purchase Payment credited to a Purchase Payment made under a Contract within the 12 month period that ends on the Death Benefit Valuation Date.¹

2. Annuity Investors Life is a wholly owned subsidiary of Great American Life Insurance Company, which is a wholly owned subsidiary of Great American Financial Resources, Inc. ("GAFRI"). GAFRI is a wholly owned subsidiary of American Financial Group, Inc., a publicly traded holding company. Annuity Investors Life serves as depositor of Variable Account C, which was established on November 7, 2001. Annuity Investors Life may establish one or more Future Accounts for which it will serve as depositor.

3. Great American Advisors, Inc. ("GAA") is the principal underwriter of the variable annuity products issued by Annuity Investors Life. GAA is a wholly owned subsidiary of Great American Financial Resources, Inc. GAA is registered with the Commission as a broker-dealer under the Securities Exchange Act of 1934 ("Exchange Act") and is a member of FINRA. The Contracts are offered or will be offered through registered representatives of GAA or others who are registered broker-dealers under the Exchange Act and FINRA members, and who have entered into selling agreements with GAA or any Future Underwriter. GAA or any Future Underwriter may act as principal underwriter for any Current or Future Bonus Contracts issued through any of the Accounts.

4. Each of the Accounts is or will be a segregated asset account of Annuity Investors Life that is or will be

¹ The Death Benefit Valuation Date means the earlier of (1) the date that the Company has received both due proof of death and a written request with instructions as to the form of the death benefit or (2) the Death Benefit Commencement Date, which is the first day of the first payment interval for a death benefit that is paid as periodic payments or the date of payment for a death benefit that is paid as a lump sum.

registered with the Commission as a unit investment trust under the Act to the extent required thereby. Each of the Accounts funds or will fund the variable benefits available under the Contracts issued through that Account. Units of interest in the Accounts are registered or will be registered under the Securities Act of 1933 ("1933 Act") to the extent required thereby. Annuity Investors Life, on behalf of itself and Variable Account C, filed a Form N-4 registration statement relating to the Current Bonus Contract on January 4, 2008 (File No. 333-148459), which was declared effective on April 30, 2008.

5. Annuity Investors Life may issue Future Bonus Contracts through its Current Accounts or Future Accounts. That portion of the assets of the Current Accounts that is equal to the reserves and other contract liabilities with respect to the Current Accounts is not chargeable with liabilities arising out of any other business of Annuity Investors Life, as the case may be. Any income, gains or losses, realized or unrealized, from assets allocated to any Current Account are, in accordance with the Contracts, credited to or charged against the Current Account, without regard to other income, gains or losses of Annuity Investors Life, as the case may be. The same will be true of any Future Accounts of Annuity Investors Life.

6. The Current Bonus Contracts (file no. 333-148459) are individual or group flexible premium deferred annuity contracts that may be issued on a tax-qualified or non-tax-qualified basis. Presently, the Current Bonus Contracts may be purchased with a minimum initial Purchase Payment of \$20,000. A Current Bonus Contract owner may make additional Purchase Payments, subject to a \$50 minimum. The current maximum single Purchase Payment under a Current Bonus Contract is \$1,000,000 without prior approval from Annuity Investors Life. These maximums and minimums may be different for Future Bonus Contracts, and may be prospectively changed by rider or endorsement for Current Bonus Contracts. Any such changes also would be disclosed in the applicable prospectus(es). A "Purchase Payment" under the Current Bonus Contract means the amount received by Annuity Investors Life after the deduction of applicable premium or other taxes. Future Bonus Contracts will be substantially similar in all material respects to the Current Bonus Contracts.

7. Each time Annuity Investors Life receives a Purchase Payment from an owner of a Current Bonus Contract during the first 10 Contract Years (as defined in the Current Bonus Contract),

it will credit to the owner's account value a bonus ("Bonus") equal to 4% of each Purchase Payment (5% if the Bonus Base Amount, as defined in the Current Bonus Contract, equals or exceeds \$250,000). The Bonus Base Amount at any point in time is equal to the total of all Purchase Payments that Annuity Investors Life has received since the Contract effective date, before deduction of premium tax or other taxes; less all withdrawals since the Contract effective date. The Bonus Base Amount does not include any bonuses paid on Purchase Payments.

8. The Bonus will be allocated according to the allocation instructions in effect for Purchase Payments under the particular Current Bonus Contract, and will generally be deemed to be a Purchase Payment thereunder.

9. Annuity Investors Life will fund Bonus amounts from its general account assets. Annuity Investors Life will recapture from a Current Bonus Contract owner: (1) Any Bonus previously credited if the owner returns the Current Bonus Contract for a refund during the free-look period; and (2) the amount of any Bonus credited to a Purchase Payment made under a Current Bonus Contract within the 12 month period that ends on the Death Benefit Valuation Date, as defined in the Current Bonus Contract. The owner of an individual Current Bonus Contract may cancel it before midnight of the 20th day following the date the owner receives it unless a longer period is required by State law. If the owner cancels the Current Bonus Contract during the applicable time period, it will be void, and Annuity Investors Life will refund the Purchase Payment(s) in full, less the Bonus amounts credited to the Purchase Payment(s) and plus or minus any investment gains or losses under the Current Bonus Contract as of the end of the valuation period during which the returned Contract or the cancellation request is received by Annuity Investors Life (unless a return of Purchase Payments is required under State law).

10. Current Bonus Contract owners may allocate their Purchase Payments to any of the available sub-accounts or fixed account options. Each sub-account invests in shares of a corresponding registered investment company or series thereof (each, a "Portfolio").

11. The Current Bonus Contracts provide for various optional living benefits, surrender options, annuity benefits, and annuity payout options, as well as transfer privileges among the Portfolios, dollar cost averaging, and other features. The Current Bonus Contracts contain the following charges: (1) A contingent deferred sales charge

based on the number of full years elapsed between the date of receipt of the Purchase Payment and the date that the request for withdrawal, surrender, or annuitization was received equal to a maximum of 9% of Purchase Payments (including any Bonuses credited thereto) withdrawn, surrendered, or annuitized, declining to 0% after eight years, which may be waived in certain circumstances as disclosed in the prospectus for the Current Bonus Contract; (2) a \$30 annual Contract maintenance fee, which may be waived in certain circumstances as disclosed in the prospectus for the Current Bonus Contract; (3) a mortality and expense risk fee at an effective annual rate of 1.40% (1.60% with enhanced death benefit rider); (4) an administration charge at an effective annual rate of 0.15%, which may be waived where Annuity Investors Life incurs reduced sales and servicing expenses; (5) a current transfer fee of \$25 for each transfer in excess of twelve in any Contract year; (6) any applicable State and local government premium taxes; and (7) optional living benefit rider charges currently ranging, depending on the rider selected, from an annual rate of 0.40% to 0.95% of the benefit base amount determined under the Contract. In addition, assets invested in the Portfolios are charged with annual operating expenses of those Portfolios. All such fees and charges, and circumstances under which such fees and charges may be reduced or waived, are described in greater detail in the "Charges And Deductions" section of the prospectus contained in the Form N-4 Registration Statement for file no. 333-148459 of Annuity Investors Life and Current Accounts that has been incorporated by reference into the Application.

Applicants' Legal Analysis

1. Section 6(c) of the Act authorizes the Commission to exempt any person, security or transaction, or any class or classes of persons, securities or transactions from the provisions of the Act and the rules promulgated thereunder, if and to the extent that such exemption is necessary or appropriate in the public interest and consistent with the policy and provisions of the Act.

2. Section 27(i) of the Act provides that Section 27 does not apply to any registered separate account funding variable insurance contracts, or to the sponsoring insurance company and principal underwriter of such account, except as provided in paragraph (2) of the subsection. Paragraph (2) provides that it shall be unlawful for any

registered separate account funding variable insurance contracts or a sponsoring insurance company of such account to sell a contract funded by the registered separate account unless such contract is a "redeemable security."⁸ Section 2(a)(32) of the Act defines "redeemable security" as any security, other than short-term paper, under the terms of which the holder, upon presentation to the issuer, is entitled to receive approximately his proportionate share of the issuer's current net assets, or the cash equivalent thereof.

3. Rule 22c-1 under the Act prohibits a registered investment company issuing any redeemable security, a person designated in such issuer's prospectus as authorized to consummate transactions in any such security, and a principal underwriter of, or dealer in, such security, from selling, redeeming, or repurchasing any such security except at a price based on the current net asset value of such security which is next computed after receipt of a tender of such security for redemption or of an order to purchase or sell such security.

4. Applicants request exemptions pursuant to Section 6(c) from Sections 2(a)(32), and 27(i)(2)(A) of the Act and Rule 22c-1 thereunder to the extent deemed necessary to permit Applicants to recapture: (1) Any Bonus previously credited if the owner returns the Current Bonus Contract for a refund during the free-look period; and (2) the amount of any Bonus credited to a Purchase Payment made under a Current Bonus Contract within the 12 month period that ends on the Death Benefit Valuation Date, as defined in the Current Bonus Contract. Applicants believe that the requested exemptions are appropriate in the public interest and consistent with the protection of investors and the purposes fairly intended by the policy and provisions of the Act.

5. Applicants also request that the Commission, pursuant to Section 6(c) of the Act, grant the above exemptions with respect to the Current Bonus Contracts and any Future Bonus Contracts funded by the Current Accounts or Future Accounts that are issued by Annuity Investors Life and underwritten or distributed by GAA or any Future Underwriters. Applicants undertake that Future Bonus Contracts funded by the Current Accounts or by the Future Accounts which seek to rely on the order issued pursuant to this Application will be substantially similar in all material respects to the Current Bonus Contracts. Applicants submit that their request for an order that applies to the Current Accounts or any Future Accounts established by Annuity

Investors Life, in connection with the issuance of the Current Bonus Contracts and Future Bonus Contracts that are substantially similar in all material respects to the Current Bonus Contracts described herein, and that are underwritten or distributed by GAA or any Future Underwriter, is appropriate in the public interest. Applicants submit that such an order would promote competitiveness in the variable annuity market by eliminating the need to file redundant exemptive applications, thereby reducing administrative expenses and maximizing the efficient use of Applicants' resources as well as those of the Commission. Investors would not receive any benefit or additional protection by requiring Applicants to repeatedly seek exemptive relief that would present no issue under the Act that has not already been addressed in this Application. Further, having Applicants file additional applications would impair their ability quickly and effectively to take advantage of business opportunities as they arise.

6. Applicants submit that the recapture of the Bonuses will not raise concerns under sections 2(a)(32), and 27(i)(2)(A) of the Act, and rule 22c-1 thereunder. The amounts recaptured will equal the Bonuses paid for by Annuity Investors Life out of its general account assets. Therefore, the Bonus recapture provisions described herein will not deprive a Contract owner of his or her proportionate share of the issuer's current net assets.

7. Applicants represent that under the terms of the Current Bonus Contract a Contract owner's interest in the amount of the Bonus allocated to his or her annuity account value upon receipt of an initial Purchase Payment is not vested if the Contract is returned during the applicable free-look period. Similarly, under the terms of the Current Bonus Contract a Contract owner's interest in the amount of any Bonuses allocated upon receipt of any Purchase Payments made during the 12 month period ending on the Death Benefit Valuation Date is not vested. Until or unless the amount of any Bonus is vested, Annuity Investors Life retains the right and interest in the Bonus amount, although not in the earnings attributable to that amount. Thus, when any Bonus amounts are recaptured, Annuity Investors Life is simply retrieving its own assets. Since the Contract owner's interest in the Bonus is not vested, the Contract owner has not been deprived of a proportionate share of the applicable Account's assets.

8. With respect to the Bonus recapture upon the exercise of the free-look

privilege, the Applicants assert that it would be patently unfair to allow a Contract owner to exercise that privilege and retain a Bonus amount under a Contract that has been returned for a refund after a period of a few weeks or days. If Annuity Investors Life could not recapture the Bonus, individuals could purchase a Contract with no intention of retaining it, and simply return it for a quick profit.

9. Furthermore, Applicants assert that the recapture of the amount of any Bonus credited to a Purchase Payment made under a Current Bonus Contract within the 12 month period that ends on the Death Benefit Valuation Date, as defined in the Current Bonus Contract, is designed to afford Annuity Investors Life with a measure of protection from anti-selection. The risk here is that the Contract owner could make very large Purchase Payments shortly before death, thereby leaving Annuity Investors Life less time to recover the cost of the Bonuses, to its financial detriment.²

10. Applicants submit that the recapture of a Bonus might be viewed as resulting in the redemption of redeemable securities for a price other than one based on the current net asset value of the Accounts. Applicants contend, however, that recapture of any Bonus would not violate Rule 22c-1.

11. Applicants maintain that the recapture does not involve either of the problems that Rule 22c-1 was designed to prevent, namely (i) the dilution of the value of outstanding redeemable securities of registered investment companies through their sale at a price below net asset value or their redemption or repurchase at a price above it, and (ii) other unfair practices such as speculative trading practices.³ These problems were the result of backward pricing, the practice of basing the price of a mutual fund share on the net asset value per share determined as of the close of the market on the previous day. Backward pricing allowed investors to take advantage of increases in net asset value that were not yet reflected in the price, thereby diluting the value of outstanding mutual fund shares.

12. Applicants also maintain that the proposed recapture of the Bonus poses no threat of dilution. To effect a

² Annuity Investors Life intends to recover the cost of the Bonuses applied from the revenue from the charges imposed under the Current Bonus Contracts, which are described earlier in this Application. Annuity Investors Life may use any excess to recover distribution costs relating to the Current Bonus Contracts and as a source of profit.

³ See Adoption of Rule 22c-1 under the Act, Investment Company Act Release No. 5519 (Oct. 16, 1968).

recapture of a Bonus, Annuity Investors Life will redeem interests in the Contract owner's annuity account at a price determined on the basis of current net asset value of the relevant Account. The amount recaptured will equal the amount of the Bonus that Annuity Investors Life paid or will pay out of its general account assets. Although Contract owners will be entitled to retain any investment gain attributable to the Bonus, the amount of such gain will be determined on the basis of the current net asset value of the relevant Account. Thus, no dilution will result from the recapture of the Bonus. The second problem that Rule 22c-1 was designed to address, namely, speculative trading practices calculated to take advantage of backward pricing, also will not occur as a result of the recapture of the Bonus.

Because neither of the problems that Rule 22c-1 was designed to address is found in the recapture of the Bonus, Rule 22c-1 should have no application to any Bonus under the Current Bonus Contracts or Future Bonus Contracts. However, to avoid any uncertainty as to full compliance with the Act, Applicants request exemptions from the provisions of Rule 22c-1 to the extent deemed necessary to permit them to recapture the Bonus under the Current Bonus Contracts and Future Bonus Contracts.

13. Applicants assert that the Bonus is and will be attractive to and in the interests of investors because it will allow Contract owners to apply 104% or 105%, as the case may be, of their Purchase Payments to work for them in their selected investment options. Also, any earnings attributable to the Bonus will be retained by the Contract owner, and the principal amount of the Bonus also will be retained if the contingencies set forth in this Application are satisfied, *i.e.*, the Contract is not returned for a refund during the free-look period and the Bonus is not credited to a Purchase Payment made under the Contract within the 12 month period that ends on the Death Benefit Valuation Date.

14. Further, Applicants submit that the recapture of any Bonus only applies in relation to the risk of anti-selection against Annuity Investors Life. In the context of the contingencies described in this Application, anti-selection can generally be described as a risk that Contract owners obtain an undue advantage based on elements of fairness to Annuity Investors Life and the actuarial and other factors it takes into account in designing the Contracts. Annuity Investors Life provides the Bonuses from its general accounts on a

guaranteed basis. Thus, Annuity Investors Life undertakes a financial obligation that contemplates the retention of the Contracts by its owners over an extended period, consistent with the long term nature of retirement planning. Annuity Investors Life generally expects to recover its costs, including Bonuses, over an anticipated duration while a Contract is in force. The right to recapture Bonuses credited to Purchase Payments made within the 12 month period ending on the Death Benefit Valuation Date protects Annuity Investors Life against the risk that Contract owners will contribute larger amounts shortly before death, while avoiding Contract charges over the long term. With respect to refunds paid upon the return of Contracts within the free-look period, the amount payable by the applicable Annuity Investors Life must be reduced by the allocated Bonuses. Otherwise, purchasers could apply for Contracts for the sole purpose of exercising the free-look refund provision and making a quick profit.

Conclusion

For the reasons summarized above, Applicants submit that their exemptive request meets the standards set out in Sections 6(c) of the Act, namely, that the exemptions requested are necessary or appropriate in the public interest and consistent with the protection of investors and the purposes fairly intended by the policy and provisions of the Act, and that, therefore, the Commission should grant the requested order.

For the Commission, by the Division of Investment Management, pursuant to delegated authority.

Florence E. Harmon,

Deputy Secretary.

[FR Doc. E9-23277 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[File No. 500-1]

In the Matter of DTVN Holdings, Inc., Employee Solutions, Inc., Falcon Natural Gas Corp., Internet Commerce & Communications, Inc., Osage Systems Group, Inc., Payless Cashways, Inc., PC Service Source, Inc., Play by Play Toys & Novelties, Inc., Powerbrief, Inc., Southern Energy Company, Inc., Strategia Corp. (n/k/a Catthai Corp.), and TTI Industries, Inc.; Order of Suspension of Trading

September 24, 2009.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of DTVN Holdings, Inc. because it has not filed any periodic reports since the period ended June 30, 2002.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Employee Solutions, Inc. because it has not filed any periodic reports since the period ended September 30, 2000.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Falcon Natural Gas Corp. because it has not filed any periodic reports since the period ended September 30, 2006.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Internet Commerce & Communications, Inc. because it has not filed any periodic reports since the period ended June 30, 2001.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Osage Systems Group, Inc. because it has not filed any periodic reports since the period ended September 30, 2000.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Payless Cashways, Inc. because it has not filed any periodic reports since the period ended May 26, 2001.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of PC Service Source, Inc. because it has not filed any periodic reports since the period ended March 31, 2000.

It appears to the Securities and Exchange Commission that there is a

lack of current and accurate information concerning the securities of Play by Play Toys & Novelties, Inc. because it has not filed any periodic reports since the period ended April 30, 2001.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Powerbrief, Inc. because it has not filed any periodic reports since the period ended June 30, 2001.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Southern Energy Company, Inc. because it has not filed any periodic reports for the period ended March 31, 1999 through the period ended September 30, 2008, or for the period ended June 30, 2009.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of Strategia Corp. (n/k/a Catthai Corp.) because it has not filed any periodic reports since the period ended September 30, 2000.

It appears to the Securities and Exchange Commission that there is a lack of current and accurate information concerning the securities of TTI Industries, Inc. because it has not filed any periodic reports since the period ended February 29, 2000.

The Commission is of the opinion that the public interest and the protection of investors require a suspension of trading in the securities of the above-listed companies. Therefore, it is ordered, pursuant to Section 12(k) of the Securities Exchange Act of 1934, that trading in the securities of the above-listed companies is suspended for the period from 9:30 a.m. EDT on September 24, 2009, through 11:59 p.m. EDT on October 7, 2009.

By the Commission.

Florence E. Harmon,

Deputy Secretary.

[FR Doc. E9-23422 Filed 9-24-09; 11:15 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-60706; File No. SR-NYSEArca-2009-36]

Self-Regulatory Organizations; NYSE Arca, Inc.; Notice of Filing of Amendment No. 1 and Order Granting Accelerated Approval of Proposed Rule Change, as Modified by Amendment No. 1 Thereto, Relating to NYSE Arca Equities Rule 7.10 Governing Clearly Erroneous Executions

September 22, 2009.

I. Introduction

On April 27, 2009, NYSE Arca, Inc. ("NYSE Arca" or the "Exchange") filed with the Securities and Exchange Commission ("Commission"), pursuant to Section 19(b)(1) of the Securities Exchange Act of 1934 ("Act")¹ and Rule 19b-4 thereunder,² a proposed rule change to amend NYSE Arca Equities Rule 7.10 governing clearly erroneous executions. The proposed rule change was published for comment in the *Federal Register* on May 5, 2009.³ On September 21, 2009, the Exchange submitted Amendment No. 1 to the proposed rule change.⁴ The Commission received no comment letters on the proposal. This order provides notice of filing of Amendment No. 1 to the proposed rule change and grants accelerated approval to the proposed rule change, as modified by Amendment No. 1.

II. Description of the Proposal

The Exchange proposes to amend NYSE Arca Rule 7.10 in order to improve the Exchange's rule regarding clearly erroneous executions. The proposed changes are part of a market-wide effort designed to provide transparency and finality with respect to clearly erroneous executions. This effort seeks to achieve consistent results for participants across U.S. equities exchanges while maintaining a fair and orderly market, protecting investors and protecting the public interest. A summary of the most significant proposed changes are discussed below.

¹ 15 U.S.C. 78s(b)(1).

² 17 CFR 240.19b-4.

³ See Securities Exchange Act Release No. 59838 (April 28, 2009), 74 FR 20767 (the "Notice").

⁴ In Amendment No. 1, the Exchange specifies an effective date of October 5, 2009 for the proposed rule change, if the proposed rule change is approved by the Commission, and makes certain other changes as described in Section V, *infra*. The text of Amendment No. 1 is available on the Exchange's Web site at <http://www.nyse.com>, at the principal office of the Exchange, and at the Commission's Public Reference Room.

A more detailed description of the proposed changes may be found in the Notice.

A. ETP Holder Initiated Review Requests

1. Requests for Review

The Exchange proposes that requests for review must be received by the Exchange by electronic mail ("email"), or other electronic means specified from time to time by the Exchange, within 30 minutes of the execution time for orders initially routed to and executed on the Exchange.⁵ However, requests for review relating to orders routed from another market center to NYSE Arca will have an additional 30 minutes.⁶ These requests for review must contain certain essential identifying information, including the time of the transaction(s), security symbol(s), number of shares, price(s), side (bought or sold), and factual basis for believing that the trade is clearly erroneous.

The proposed rule requires the Exchange to notify the counterparty to a trade only upon receipt of a timely filed request for review that satisfies the numerical guidelines set forth within the Rule. The Exchange also proposes to allow an Officer of the Corporation or such other senior level employee designee ("Officer") of NYSE Arca to request additional information from each party to a transaction under review. Parties to the review will have 30 minutes from the time of the request to provide additional supporting information.

2. Threshold Factors and Numerical Guidelines

Currently, the Exchange does not identify specific numeric guidelines for determining what constitutes a clearly erroneous transaction, but instead provides that "an Officer of the Corporation will review the transaction and determine whether it is clearly erroneous, with a view toward maintaining a fair and orderly market and the protection of investors and the public interest."⁷ The Exchange proposes adding certain numerical thresholds to the Rule that explicitly

⁵ The Exchange will publish the email address or other electronic means to be used for all clearly erroneous filings in a circular distributed to Equity Trading Permit ("ETP") Holders.

⁶ Specifically, if an order is initially routed by a participant to Market Center A and subsequently routed to NYSE Arca, the proposed rule will generally require Market Center A to file with the Exchange within 30 minutes from the time it receives its participant's timely filed request for review. This proposed rule caps the filing deadline for an away market center at 60 minutes from the time of the execution at issue.

⁷ See NYSE Arca Rule 7.10(b).

state what constitutes a clearly erroneous execution.

Specifically, the proposed numerical guidelines state that a transaction executed during the Core, Opening, or Late Trading Session may be found to be clearly erroneous only if the price of the transaction is greater (for a buy) or less (for a sale) than a reference price (the "Reference Price") by an amount that equals or exceeds the numerical guidelines for a particular transaction category. The Reference Price will be equal to the Consolidated Last Sale immediately prior to the execution under review, unless unusual circumstances are present. The proposed guidelines for sales greater than \$0.00 up to and including \$25.00 will be 10% for the Core Trading Session and 20% for the Opening and Late Trading Sessions. The proposed guidelines for sales greater than \$25.00 up to an including \$50.00 will be 5% for the Core Trading Session and 10% for Opening and Late Trading Sessions. The proposed guidelines for sales greater than \$50.00 will be 3% for the Core Trading Session and 6% for Opening and Late Trading Sessions. A filing involving five or more securities by the same ETP Holder will be aggregated into a single filing called a "Multi-Stock Event." In the case of a Multi-Stock Event, the proposed guidelines will be 10% for both the Core Trading Session and the Opening and Late Trading Sessions. In the case of Leveraged ETF/ETN securities, the above guidelines will be multiplied by the leverage multiplier of the security. Executions that do not meet or exceed the Numerical Guidelines will not be eligible for review under the proposed rule.

3. Unusual Circumstances

NYSE Arca proposes that, in Unusual Circumstances the Exchange may, in its discretion and with a view toward maintaining a fair and orderly market and the protection of investors and the public interest, use a Reference Price other than the consolidated last sale. Unusual Circumstances may include periods of extreme market volatility, sustained illiquidity, or widespread system issues. Other Reference Prices that the Exchange may use will include the consolidated inside price, the consolidated opening price, the consolidated prior close, or the consolidated last sale prior to a series of executions.

Under the proposed rule the Exchange may also use a higher numerical guideline if, after market participants have been alerted to erroneous activity, the price of the security returns toward

its prior trading range but continues to trade beyond the price at which it would have normally been broken.

4. Joint Market Rulings

In the interest of achieving consistency across markets, the Exchange proposes that, in events that involve other markets, the Exchange will have the ability to use a different Reference Price and/or Numerical Guideline than those specifically outlined in the proposed rule in an effort to coordinate a Reference Price and/or a Numerical Guideline that is consistent across the Exchanges on which the transactions occurred. Furthermore, when a ruling is made across markets, the Exchange may determine that the ruling is not eligible for appeal because immediate finality is necessary to maintain a fair and orderly market and to protect investors and the public interest.

5. Additional Factors

The proposed rule change enumerates some additional factors that an Officer may consider when determining whether an execution is clearly erroneous. These factors include, but are not limited to, system malfunctions or disruptions, volume and volatility for the security, derivative securities products that correspond to greater than 100% in the direction of a tracking index, news released for the security, whether trading in the security was recently halted/resumed, whether the security is an initial public offering, whether the security was subject to a stock-split, reorganization, or other corporate action, overall market conditions, Opening and Late Session executions, validity of the consolidated tapes trades and quotes, consideration of primary market indications, and executions inconsistent with the trading pattern in the stock. Each additional factor will be considered with a view toward maintaining a fair and orderly market, and the protection of investors and the public interest.

6. Numerical Guidelines Applicable to Volatile Market Opens

Under the proposed rule change, the Exchange will have the ability to expand the Numerical Guidelines applicable to transactions occurring between 9:30 a.m. and 10 a.m. based on the disseminated value of the S&P 500 Futures at 9:15 a.m. When the S&P Futures are up or down 3% to up to but not including 5% at 9:15 a.m., the Numerical Guidelines will be doubled. When the S&P Futures are up or down 5% or greater at 9:15 a.m., the Numerical Guidelines will be tripled.

B. Outlier Transactions

The proposed rule change permits an Officer to consider requests for review received after 30 minutes, but not longer than 60 minutes after the execution in question in the case of an Outlier Transaction. An Outlier Transaction will be a transaction where (1) the execution price of the security is greater than three times the current Numerical Guidelines, or (2) the execution price of the security breaches the 52-week high or low, in which case the Exchange may consider Additional Factors to determine if the transaction qualifies for review or if the Corporation will decline to act.

C. Review Procedures

Under the proposed rule, an Officer will only have the authority to break trades or rule to let trades stand. An Officer will no longer be able to modify the terms of an individual transaction.

The Exchange also proposes that an initial determination must be made generally within 30 minutes of receipt of the complaint, but in no case later than the start of Core Trading on the following trading day in order to provide a time frame in which ruling may be expected.

The Exchange proposes that all appeal requests must be submitted via email. The Exchange also proposes more definite guidelines to ensure the expedient resolution of appeals by requiring the Exchange to review appeals as soon as practicable, but generally on the same day as the executions under review. Appeals received between 3 ET and the close of trading in the Late Trading Session will be made as soon as practicable, but in no case later than the trading day following the date of the execution under review.

D. System Disruption and Malfunctions

The proposed rule provides that, in the event of a disruption or a malfunction, an Officer will rely on the proposed numerical guidelines in determining whether an execution is clearly erroneous. However, the Officer may also use a lower Numerical Guideline if necessary to maintain a fair and orderly market, protect investors, and protect the public interest. The proposed rule also states that actions taken under these circumstances must be taken within 30 minutes of detection of the erroneous transaction in the ordinary case, and by no later than the start of the Core Trading Session on the day following the date of the execution under review when extraordinary circumstances exist.

In addition, under the proposed rule, an Officer will only have the authority to break trades or rule to let trades stand. An Officer will no longer be able to modify the terms of an individual transaction.

E. Officers Acting on Their Own Motion

The Exchange proposes to grant Officers the ability to act on their own motion to review potentially erroneous executions. Under the current rule, Officers have the ability to act upon their own motion only in the event of a system disruption or malfunction. The proposed rule will allow an Officer to review executions and rely on the Numerical Guidelines with respect to any potentially erroneous executions. In extraordinary circumstances an Officer may apply a lower Numerical Guideline if such action is necessary to maintain a fair and orderly market or protect investors and the public interest.

F. Trade Nullification for UTP Securities That Are Subject of Initial Public Offerings

The proposed rule also modifies NYSE Arca's policy on trade nullification and for UTP securities that are subject to initial public offerings. Under the proposed rule, Officers must either declare an opening transaction null and void or decline to take action. An opening transaction can no longer be adjusted. Furthermore, the proposed rule requires that, in extraordinary circumstances, the reviewing Officer must take action by no later than the start of Core Trading on the day following the date of the execution under review.

III. Discussion and Commission Findings

The Commission finds that the proposed rule change is consistent with the requirements of the Act and the rules and regulations thereunder applicable to a national securities exchange.⁸ In particular, it is consistent with Section 6(b)(5) of the Act,⁹ which requires, among other things, that the rules of a national securities exchange be designed to promote just and equitable principles of trade, to remove impediments to and perfect the mechanism of a free and open market and a national market system and, in general, to protect investors and the public interest, and not be designed to

permit unfair discrimination between customers, issuers, brokers, or dealers.

The Commission considers that, under ordinary circumstances, trades that are executed between parties should be honored. On rare occasions, the price of the executed trade indicates that an obvious error may exist, suggesting that it is unrealistic to expect that the parties to the trade had come to a meeting of the minds regarding the terms of the transaction and therefore that a clearly erroneous transaction may have taken place. In the Commission's view, the determination of whether a clearly erroneous trade has occurred should be based on specific and objective criteria and subject to specific and objective procedures.

The Commission believes that the proposed rule change sets forth a specific methodology for reviewing potentially erroneous trades and should increase transparency and certainty for participants for transactions executed on NYSE Arca with respect to such trades. Specifically, the proposed rule change sets forth a specified procedure and imposes a timeframe for requesting reviews of potentially clearly erroneous transactions and for appealing clearly erroneous determinations. The proposed rule change also sets forth timeframes for NYSE Arca to make a ruling and to consider an appeal relating to trades that are claimed to be clearly erroneous. In addition, the Commission notes that the establishment of Numerical Guidelines, below which NYSE Arca will not break trades, sets forth a more specific and objective methodology that should provide greater certainty to market participants who are parties to trades that are claimed to be clearly erroneous. The Commission notes that the guidance for Unusual Circumstances provides the Exchange needed flexibility to respond to market conditions and to help facilitate the fair and orderly operation of the markets and protection of investors and the public interest. Further, the Commission believes that the use of enumerated Additional Factors provides the Officers with more transparent standards and procedures when they are called upon to determine whether a transaction that exceeds the Numerical Guidelines is clearly erroneous.

The Commission notes that the joint ruling provision allowing the Exchange to use a different Reference Price and/or Numerical Guideline, determined based on a consensus among the relevant exchanges, is designed to increase the likelihood that that clearly erroneous execution rules will be consistently applied across markets, while also helping to facilitate the fair

and orderly operation of the markets and protection of investors and the public interest.

The proposed rule change provides that Officers of NYSE Arca acting on their own motion in the event of a system disruption or malfunction must rely on the Numerical Guidelines. In addition, the proposed rule change expands the ability of such Officers to act on their own motion, subject to the Numerical Guidelines, to any circumstance in which nullification of the transaction may be necessary for the maintenance of a fair and orderly market or the protection of investors and the public interest. In addition, the rule allows, in extraordinary circumstances, an Officer to apply a lower Numerical Guideline if it is determined that such action is necessary to maintain a fair and orderly market or protect investors and the public interest. The Commission believes that these proposed changes set forth more specific and objective standards and procedures than under the current rule.

Finally, the Commission notes that the proposed rule change eliminates the Exchange's ability to modify or adjust a clearly erroneous execution. Under the proposed rule, the Exchange must either uphold or nullify the execution based upon the determination of the Officer reviewing the execution. The Commission believes that it is reasonable for the Exchange to eliminate the subjectivity in determining the appropriate adjustment amount and that the proposed change is specific and objective.

IV. Solicitation of Comments

Interested persons are invited to submit written data, views, and arguments concerning Amendment No. 1, including whether Amendment No. 1 is consistent with the Act. Comments may be submitted by any of the following methods:

Electronic Comments

- Use the Commission's Internet comment form (<http://www.sec.gov/rules/sro.shtml>); or
- Send an e-mail to rule-comments@sec.gov. Please include File Number SR-NYSEArca-2009-36 on the subject line.

Paper Comments

- Send paper comments in triplicate to Elizabeth M. Murphy, Secretary, Securities and Exchange Commission, 100 F Street, NE., Washington, DC 20549-1090.

All submissions should refer to File Number SR-NYSEArca-2009-36. This file number should be included on the

⁸ In approving this proposed rule change, the Commission has considered the proposed rule's impact on efficiency, competition, and capital formation. See 15 U.S.C. 78c(f).

⁹ 15 U.S.C. 78f(b)(5).

subject line, if e-mail is used. To help the Commission process and review your comments more efficiently, please use only one method. The Commission will post all comments on the Commission's Internet Web site (<http://www.sec.gov/rules/sro.shtml>). Copies of the submission, all subsequent amendments, all written statements with respect to the proposed rule change that are filed with the Commission, and all written communications relating to the proposed rule change between the Commission and any person, other than those that may be withheld from the public in accordance with the provisions of 5 U.S.C. 552, will be available for inspection and copying in the Commission's Public Reference Room, 100 F Street, NE., Washington, DC 20549, on official business days between the hours of 10 a.m. and 3 p.m. Copies of the filing also will be available for inspection and copying at the principal office of the Exchange. All comments received will be posted without change; the Commission does not edit personal identifying information from submissions. You should submit only information that you wish to make available publicly. All submissions should refer to File Number SR-NYSEArca-2009-36 and should be submitted on or before October 19, 2009.

V. Accelerated Approval of Proposed Rule Change, as Modified by Amendment No. 1

The Commission finds good cause to approve the proposed rule change, as modified by Amendment No. 1, prior to the thirtieth day after publication for comment in the *Federal Register*.

In Amendment No. 1, the Exchange clarifies that, throughout the rule, the definition of "Officer" encompasses only Officers of the Corporation or such other senior level employee designee of the Corporation. In addition, in the context of rulings in Unusual Circumstances, the Exchange added the protection of investors and the public interest as a basis for using a reference price other than the consolidated last sale.

In the context of the Numerical Guidelines, the Exchange also clarifies that the execution time of the transaction under review determines whether the Numerical Guideline applied is Core Trading Session or Opening and Late Trading Session. In addition, the Exchange corrected a drafting error regarding the sales price at which certain numerical guidelines are applicable. The corrected language, which is reflected in the discussion

above, now states that the proposed guidelines for sales greater than \$0.00 up to and including \$25.00 are 10% for the Core Trading Session and 20% for the Opening and Late Trading Sessions, and the proposed guidelines for sales greater than \$25.00 up to and including \$50.00 are 5% for the Core Trading Session and 10% for Opening and Late Trading Sessions.

In addition, as is reflected in the discussion above, the Exchange clarifies the percentage range at which volatility in the S & P 500 Futures would trigger the Exchange's ability to double or triple the applicable Numerical Guidelines. The Exchange also clarifies that, the context of appeals, in no case will a CEE Panel include a person affiliated with a party to the trade in question.

The changes proposed in Amendment No. 1, discussed above, seek to clarify the operation of the proposed rule and do not differ materially from the proposal as published in the *Federal Register* on May 5, 2009. Therefore, the Commission finds good cause, consistent with Section 19(b)(2) of the Act,¹⁰ to approve the proposed rule change, as modified by Amendment No. 1, on an accelerated basis.

VI. Conclusion

It is therefore ordered, pursuant to Section 19(b)(2) of the Act,¹¹ that the proposed rule change (SR-NYSEArca-2009-36), as amended, be, and it hereby is, approved on an accelerated basis.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.¹²

Florence E. Harmon,

Deputy Secretary.

[FR Doc. E9-23358 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-60711; File No. SR-NYSEArca-2009-44]

Self-Regulatory Organizations; NYSE Arca, Inc.; Notice of Filing of Amendment Nos. 1 and 3 and Order Granting Partial Accelerated Approval of a Proposed Rule Change, as Modified by Amendment Nos. 1 and 3 Thereto, Amending NYSE Arca Rule 6.72 and Expanding the Penny Pilot Program

September 23, 2009.

I. Introduction

On May 15, 2009, NYSE Arca, Inc. ("NYSE Arca" or "Exchange") filed with the Securities and Exchange Commission ("Commission"), pursuant to Section 19(b)(1) of the Securities Exchange Act of 1934 ("Act")¹ and Rule 19b-4 thereunder,² a proposed rule change to amend its options trading rule to extend through December 31, 2010 and expand a program to quote certain options in smaller increments ("Pilot Program" or "Pilot").³ The proposed rule change was published for comment in the *Federal Register* on May 27, 2009.⁴ The Commission received nine comment letters in response to the proposed rule change.⁵ On August 18, 2009, the Exchange responded to the comment letters⁶ and filed Amendment

¹ 15 U.S.C. 78s(b)(1).

² 17 CFR 240.19b-4.

³ The current pilot is scheduled to expire on October 31, 2009. See Securities Exchange Act Release No. 60224 (July 1, 2009), 74 FR 32991 (July 9, 2009).

⁴ See Securities Exchange Act Release No. 59944 (May 20, 2009), 74 FR 25294 (May 27, 2009) ("Notice").

⁵ See letter from Stephen Schuler and Daniel Tierney, Managing Members, Global Electronic Trading Company, dated June 10, 2009 ("GETCO Letter"); letter from Edward J. Joyce, President and COO, Chicago Board Options Exchange, dated June 12, 2009 ("CBOE Letter"); letter from Thomas Wittman, Vice President, The NASDAQ OMX Group, Inc., dated June 12, 2009 ("Nasdaq Letter"); letter from Christopher Nagy, Managing Director Order Routing Strategy, TD Ameritrade, Inc., dated June 17, 2009 ("Ameritrade Letter"); letter from Thomas F. Price, Managing Director, Securities Industry and Financial Markets Association, dated June 17, 2009 ("SIFMA Letter"); letter from Anthony J. Saliba, CEO, LiquidPoint LLC, dated June 17, 2009 ("LiquidPoint Letter"); letter from Michael J. Simon, Secretary, International Securities Exchange, LLC, dated June 23, 2009 ("ISE Letter"); letter from John Ingrassia, Gerard Satur, Karen Wendell, Managing Directors, UBS Securities LLC, dated June 30, 2009 ("UBS Letter"); and letter from Jerome Johnson, Vice President, Market Development, BATS Exchange, Inc., dated August 28, 2009 ("BATS Letter") (collectively, the "Comment Letters").

⁶ See letter from Janet M. Kissane, Senior Vice President—Legal & Corporate Secretary, NYSE Arca, to Elizabeth M. Murphy, Secretary,

¹⁰ 15 U.S.C. 78s(b)(2).

¹¹ 15 U.S.C. 78s(b)(2).

¹² 17 CFR 200.30-3(a)(12).

No. 1 to the proposed rule change.⁷ On September 21, 2009, the Exchange filed Amendment No. 2 to the proposed rule change. On September 22, 2009, the Exchange withdrew Amendment No. 2 and filed Amendment No. 3. Among other things, in Amendment No. 3 the Exchange consented to a bifurcation of the filing such that the portion of the proposed rule change proposing to quote IWM and SPY entirely in pennies would be subject to further notice and comment prior to Commission action.⁸ The Commission is publishing this notice to solicit comments on the proposed rule change, as modified by Amendment Nos. 1 and 3, and simultaneously is partially approving the proposed rule change, as modified by Amendment Nos. 1 and 3, on an accelerated basis.⁹

II. Description of the Proposal

Currently, all seven options exchanges participate in the Pilot Program, which is scheduled to expire on October 31, 2009.¹⁰ The Exchange proposes to extend the time period of the Pilot Program through December 31, 2010 and expand the Pilot Program.

NYSE Arca proposes to add the next 300 most actively traded, multiply listed options classes that are not currently included in the Pilot Program, excluding options with high premiums.¹¹ The Exchange proposes to

Commission, dated August 18, 2009 ("NYSE Arca Response").

⁷ In Amendment No. 1, the Exchange: (i) Clarified how replacement issues would be selected in the event that a Pilot class were delisted; (ii) proposed to begin the phased implementation of the expansion of the Pilot on September 28, 2009 and continue over four successive quarters; and (iii) clarified that under its proposal NYSE Arca would begin quoting SPY and IWM entirely in pennies on September 28, 2009. See *infra* note 17 with respect to that portion of the proposal to change the quoting increments for options on SPY and IWM.

⁸ Also, in Amendment No. 3, the Exchange clarified the threshold levels for determining when an options class would not be eligible to participate in the Pilot due to a high premium. The Exchange also proposed to begin the phased implementation of the Pilot on October 26, 2009 and continue over four successive quarters. The Exchange has consented to an extension of time for the Commission to act until October 31, 2009.

⁹ See *infra* note 17 and accompanying text.

¹⁰ See Securities Exchange Act Release Nos. 55156 (January 23, 2007), 72 FR 4759 (February 21, 2007); 56568 (September 27, 2007), 72 FR 56422 (October 3, 2007); 59628 (March 26, 2009), 74 FR 15025 (April 2, 2009); and 60224 (July 1, 2009) 74 FR 32991 (July 9, 2009).

¹¹ One commenter raised issues with the aspect of NYSE Arca's proposal that would exclude options with high premiums, claiming that the Exchange's proposal did not give guidance, definition or indication of what constitutes a "high premium." See CBOE Letter, *supra* note 5, at 2. In response to this comment, NYSE Arca clarified in Amendment No. 3 that a class would be excluded from the Pilot for having a high premium if at the time of selection of new classes the underlying

phase-in these 300 classes in groups of 75 additional classes each quarter over four successive quarters on October 26, 2009, January 25, 2009, April 26, 2010 and July 26, 2010.¹² The Exchange will identify the classes to be added each quarter based on national average daily volume in the prior six calendar months immediately preceding their addition to the Pilot Program, using data compiled and disseminated by the Options Clearing Corporation. The Exchange will announce the classes to be added to the Pilot Program each quarter to the Exchange's membership in a Regulatory Bulletin and by publishing the information on its Web site, in addition to submitting a filing with the Commission.¹³

The minimum variation for all classes to be included in the Pilot, except for QQQQ, will continue to be \$0.01 for all quotations in option series that are quoted at less than \$3.00 per contract, and \$0.05 for all quotations in option series that are quoted at \$3.00 or greater. Options on QQQQ will continue to be quoted in \$0.01 increments for all series. Further, the Exchange proposes to designate options on SPY (SPDR S&P 500 ETF) and IWM (iShares Russell 2000 Index Fund) as eligible to quote and trade all options series in one cent increments, regardless of premium value.¹⁴

The Exchange further proposes that any option class included in the Pilot Program that has been delisted may be replaced on a semi-annual basis by the next most actively traded, multiply listed options class that is not yet included in the Pilot, based on trading activity in the previous six months.¹⁵ The replacements issue(s) would be added to the Pilot Program on the second trading day following January 1, 2010 and July 1, 2010.¹⁶

The Exchange will submit semi-annual reports to the Commission that will include sample data and analysis of

equity security was priced at \$200 per share or above or the underlying index level was at 200 or above. The determination of whether a security is trading above \$200 or above a calculated index value of 200 shall be based on the price at the close of trading on the Expiration Friday prior to being added to the Pilot. See *supra* note 8, and NYSE Arca Response, *supra* note 6, at 3-4.

¹² See *supra* note 8.

¹³ The Exchange has committed to file a proposed rule change under Section 19(b)(3)(A) of the Act to identify the option classes to be included each quarter.

¹⁴ See *supra* note 8 and *infra* note 17.

¹⁵ In Amendment No. 1, the Exchange clarified that the replacement classes also would exclude options with high premiums. See *supra* note 7.

¹⁶ The replacement issues will be announced to the Exchange's membership in a Regulatory Bulletin and published by the Exchange on its Web site.

information collected from April 1 through September 30, and from October 1 through March 31, for each year, for the ten most active and twenty least active options classes added to the Pilot Program, in addition to continuing to provide data concerning the existing Pilot Program classes. The Exchange also will identify, for comparison purposes, a control group consisting of the ten least active options classes from the existing Pilot Program classes. The report will include, but not be limited to the following: (1) Data and analysis on the number of quotations generated for options included in the report; (2) an assessment of the quotation spreads for the options included in the report; (3) an assessment of the impact of the Pilot Program on the capacity of NYSE Arca's automated systems; (4) data reflecting the size and depth of markets; and (5) any capacity problems or other problems that arose related to the operation of the Pilot Program and how the Exchange addressed them.

III. Discussion and Findings

After careful review of the proposed rule change, Amendment Nos. 1 and 3, the Comment Letters, and the NYSE Arca Response, the Commission finds that the proposed rule change, as amended, except for the portion of the proposal to quote IWM and SPY entirely in pennies, is consistent with the requirements of the Act, and the rules and regulations thereunder that are applicable to a national securities exchange.¹⁷ Specifically, the Commission finds that the proposal is consistent with Section 6(b)(5) of the Act,¹⁸ which requires, among other things, that the rules of a national securities exchange be designed to promote just and equitable principles of trade, to remove impediments to and perfect the mechanism of a free and open market and a national market system, and in general, to protect investors and the public interest.¹⁹

On June 28, 2005, the Pacific Exchange (now known as NYSE Arca) announced its intention to begin quoting and trading all listed options in penny increments.²⁰ In June 2006, to

¹⁷ The Commission is not at this time approving the portion of the proposed rule change that would designate options on IWM and SPY as eligible to quote all options series in one-cent increments. The Commission is soliciting further comment on that portion of the proposed rule change. See *infra* Section IV.

¹⁸ 15 U.S.C. 78f(b)(5).

¹⁹ In approving the proposed rule change, the Commission has considered the proposed rule's impact on efficiency, competition, and capital formation. See 15 U.S.C. 78c(f).

²⁰ PCX News Release, "Pacific Exchange to Trade Options in Pennies," June 28, 2005.

facilitate the orderly transition to quoting a limited number of options in penny increments, the then Chairman of the Commission sent a letter to the six options exchanges urging the exchanges that chose to begin quoting in smaller increments to plan for the implementation of a limited penny pilot program to commence in January 2007.²¹ The then existing options exchanges submitted proposals to permit quoting a limited number of classes in smaller increments, and, in January 2007, the Commission approved those proposals to implement the current Pilot Program.²² The Pilot, which has since been extended and expanded, currently includes 63 classes and is scheduled to expire on October 31, 2009.²³ NYSE Arca now proposes to extend and further expand the Pilot.

The Commission believes that NYSE Arca's proposal is consistent with the Act in large measure because allowing market participants to quote in smaller increments has been shown to reduce spreads, thereby lowering costs to investors. An analysis of the current Pilot shows that the reduction in the minimum quoting increment has resulted in narrowing the average quoted spreads in classes included in the Pilot.²⁴ The reduction in spreads

also has led the exchanges to reduce or eliminate their exchange-sponsored payment-for-order-flow programs.²⁵ The Commission believes that the proposed rule change, which will expand the Pilot to include 300 of the next most actively traded, multiply listed classes, is designed to allow the continuing narrowing of spreads.

One commenter stated that "full access to penny increments provides investors with more flexibility to compete and determine the natural spread for each security independently." This commenter further stated that "penny pricing gives market participants the flexibility to trade with spreads at six or eleven cents wide, as much as it facilitates trading in one or two cent spreads."²⁶ This commenter explained that even if

volatility. The CBOE Volatility Index ("VIX") was well above previous levels through most of this period. From late September 2008 through January 2009 (and beyond) the VIX was almost always above 40, peaking at 80 in October and November 2008. See also Report by NYSE Arca, The Options Penny Pilot, dated August 18, 2009 ("NYSE Arca Report") at 7 to 10 and Report by NYSE Arca, Reporting Period 5 ("NYSE Arca Report 2") (showing overall greater reductions in volume-weighted average spreads for the period February 1, 2009 through April 30, 2009 as compared to the period August 1, 2008 through January 31, 2009); CBOE March Report at 2 and CBOE Penny Pilot Report, dated July 31, 2009 ("CBOE July Report") at 2 (these reports show that the average spread width decreased from the period of February 1, 2009 through April 30, 2009, as compared to the period of August 1, 2008 through January 1, 2009); and Report by BOX, BOX Penny Pilot Report: Penny Pilot Report 6 ("BOX Penny Pilot Report 6") at 7 (stating that the average bid/ask spread narrowed in the period February 1, 2009 through April 30, 2009 as compared to the period from August 1, 2008 through January 31, 2009). Further, one exchange that measured average spreads in non-Pilot classes during the same time period for which it measured average spreads for Pilot classes showed that average spreads in non-Pilot classes also widened. See Report by ISE, Penny Pilot Analysis 5, dated May 2009 ("ISE Report") at 4. ISE provides statistics showing volume-weighted spreads for the classes in each phase of the Pilot, for the 3 months prior to each group being included in the Pilot, the first year after inclusion in the Pilot, and the six months from November 2008 to April 2009, as well as volume-weighted spread statistics for comparable classes not included in the Pilot for the same time periods as used for the classes in phase 3 of the Pilot. The data shows that the spreads for the non-penny classes also widened in the time period from November 2008 to April 2009. See also CBOE March Report at 2 (stating that the exchange is aware that average spread width in many non-Pilot classes widened during the same reporting period due to the unusual market conditions that existed).

²⁵ See Securities Exchange Act Release Nos. 55328 (February 21, 2007), 72 FR 9050 (February 28, 2007) (SR-Amex-2007-16); 55197 (January 30, 2007), 72 FR 5772 (February 7, 2007) (SR-BSE-2007-02); 55265 (February 9, 2007), 72 FR 7697 (February 16, 2007) (SR-CBOE-2007-11); 55271 (February 12, 2007), 72 FR 7699 (February 16, 2007) (SR-ISE-2007-08); 55223 (February 1, 2007) 72 FR 6306 (February 9, 2007) (SR-NYSEArca-2007-07); and 55290 (February 13, 2007), 72 FR 8051 (February 22, 2007) (SR-Phlx-2007-05).

²⁶ See BATS Letter, *supra* note 5, at 1-2.

spreads in a Pilot class increase, quoting in pennies mitigates the increase. For example, the commenter noted that CBOE's March Report showed that for the period August 1, 2008 through January 31, 2009, the average spread in OIH options increased from \$0.13 to \$0.19. The commenter pointed out that if this class were not quoting in pennies, the \$0.06 increase in the spread could have been a \$0.10 increase.

Several commenters expressed concern about the impact of NYSE Arca's proposal on displayed size that will be available at the best bid and offer in the additional classes to be included in the Pilot, and the impact that a decrease in displayed size would have on the market quality.²⁷ In particular, several commenters expressed concern that decreased liquidity in Pilot classes has made, and will continue to make, it harder for market participants to execute orders of large size.²⁸ They argue that decreased liquidity in Pilot classes is causing market participants to seek liquidity from off-exchange venues, such as the OTC market or off-exchange dark pools, which results in less transparent markets.²⁹ Several commenters also expressed concerns with the potential impact of increased quotation traffic on costs to exchanges and other market participants to process and store the additional quotations, and on the ability of market systems to effectively handle increased quotation traffic if NYSE Arca's proposal were approved.³⁰

These commenters generally believe that to mitigate any concerns about the impact of decreased displayed size and increased quotation traffic from the Pilot, classes included in the Pilot Program should have a \$1, rather than \$3, breakpoint.³¹ These commenters generally believe that a \$1 breakpoint would appropriately balance the benefits of narrower spreads for an expanded number of options against the strain on systems capacity and increased costs due to increased quotation traffic and reduced liquidity at the national best bid and offer, by concentrating the benefits where

²⁷ See, e.g., CBOE Letter, *supra* note 5, at 2; LiquidPoint Letter, *supra* note 5, at 4; SIFMA Letter, *supra* note 5, at 4-5; and UBS Letter, *supra* note 5, at 1.

²⁸ See, e.g., SIFMA Letter, *supra* note 5, at 4; and UBS Letter, *supra* note 5, at 1.

²⁹ See ISE Letter, *supra* note 5, at 3-4; and SIFMA Letter, *supra* note 5, at 4.

³⁰ See, e.g., CBOE Letter, *supra* note 5, at 2; ISE Letter, *supra* note 5, at 5; and SIFMA Letter, *supra* note 5, at 4.

³¹ See, e.g., CBOE Letter, *supra* note 5, at 4; LiquidPoint Letter, *supra* note 5, at 3-4; SIFMA Letter, *supra* note 5, at 2-3; and UBS Letter, *supra* note 5, at 1.

²¹ Commission Press Release 2006-91, "SEC Chairman Cox Urges Options Exchanges to Start Limited Penny Quoting," June 7, 2006.

²² See Securities Exchange Act Release Nos. 55154 (January 23, 2007), 72 FR 4743 (February 1, 2007) (SR-CBOE-2006-92); 55162 (January 24, 2007), 72 FR 4738 (February 1, 2007) (Amex-2006-106); 55155 (January 23, 2007), 72 FR 4741 (February 1, 2007) (SR-BSE-2006-49); 55161 (January 24, 2007), 72 FR 4754 (February 1, 2007) (SR-ISE-2006-62); 55156 (January 23, 2007), 72 FR 4759 (February 1, 2007) (SR-NYSEArca-2006-73); and 55153 (January 23, 2007), 72 FR 4553 (January 31, 2007) (SR-Phlx-2006-74).

²³ See *supra* note 3. Although the proposed rule changes approved by the Commission to implement and expand the Pilot provide for 65 classes in the current Pilot Program, the actual number of those classes still trading is 59.

²⁴ See Memorandum to Heather Seidel, from J. Daniel Aromi, Office of Economic Analysis ("OEA"), "Volume and Spreads for Pilot and Non-Pilot Options Classes," dated July 24, 2009 ("OEA Memo"). See also Ameritrade Letter, *supra* note 5, at 1 (noting the firm's belief that overall, the Pilot has brought about tighter trading increments); GETCO Letter, *supra* note 5, at 1 (noting as a benefit of the Pilot the substantial decreases in quoted spreads); UBS Letter, *supra* note 5, at 1 (noting that spreads have narrowed as a result of penny quoting); and BATS Letter, *supra* note 5, at 1-2 (noting a reduction in spreads in Pilot classes).

Average spread width reductions for some options included in the Pilot were less during the period from approximately August 2008 through January 2009 than in prior periods. See e.g., CBOE Penny Pilot Report, dated March 9, 2009 ("CBOE March Report") at 2; CBOE Penny Pilot Report, dated September 4, 2008 ("CBOE September Report") at 1 to 5; and Report by BOX, BOX Penny Pilot Report: Penny Pilot Report 5 ("BOX Penny Pilot Report 5") at 7. However, this time frame covers a period of significant overall market

customers trade the most and provide the most liquidity.³²

The Commission continues to believe that the impact of the Pilot on displayed size, as well as on non-displayed depth-of-book, and the impact of decreased size on market and execution quality, is an area that requires careful analysis as the Pilot continues. The Commission further recognizes that the options exchanges have consistently shown in their reports that there has been a reduction in the displayed size available in the Pilot classes. However, the Commission does not believe that the decrease in displayed size that accompanies smaller increments and narrower spreads means that NYSE Arca's proposal to expand the Pilot is not consistent with the Act. A decrease in displayed size available at the best bid or offer may have a greater effect on the ability of market participants to execute large-sized orders as compared to smaller-sized orders, given the smaller size that would be available at that best price. The Commission does not believe that the data to date shows that retail customers have been adversely affected by the reduction in size at the inside price.³³

Moreover, the Commission anticipates that market participants with large sized orders will adjust their trading strategies to accommodate smaller displayed size in additional classes quoting in pennies.³⁴ Importantly, the Commission notes that the new Options Order Protection and Locked/Crossed Market Plan ("Linkage Plan") provides for the use of intermarket sweep orders ("ISOs"), which will allow market participants to more efficiently access liquidity at multiple-price levels across

exchanges.³⁵ Several commenters acknowledged the anticipated benefits of the new Linkage Plan, especially for options quoted in pennies, and requested that any expansion of the Pilot Program be contingent on the implementation of the new options linkage plan.³⁶ In response to these comments, NYSE Arca amended its proposed rule change to modify the phased roll-out of the additional 300 classes to begin following implementation of the Linkage Plan on August 31, 2009.³⁷ The Commission agrees with commenters that the ability of market participants to use ISOs to access liquidity across exchanges and at different price levels will help to address concerns that a decrease in displayed size at the BBO negatively impacts the ability to execute large sized orders.³⁸

In addition, one commenter notes a decrease in average daily volume in the Pilot classes as a negative effect of the Pilot.³⁹ The Commission believes that the impact of smaller increments on trading volume is one of the more difficult aspects of the Pilot to assess. The bid-ask spread is only one factor that influences volume. Other factors that impact options volume are trading activity in the underlying security and in related products, volatility in the market and in the underlying security, as well as firm and market specific events. The Commission does not

believe that exchange reports show a clear change in trading volume, and the Commission's Office of Economic Analysis looked at the change in average contract volume for classes included in the Pilot and a sample of classes not included in the Pilot, over two time periods, finding that volume increased for the Pilot classes as compared to the control group of non-Pilot classes (the difference for one time period was statistically significant).⁴⁰ Thus, based on the data viewed to date, the Commission cannot conclude that the Pilot has had an adverse impact on volume in the Pilot securities.

As anticipated, the Pilot has contributed to the increase in quotation message traffic from the options markets. However, while the increase in quotation message traffic is appreciable, it has been manageable by the exchanges and the Options Price Reporting Authority ("OPRA"), and the Commission did not receive any reports of disruptions in the dissemination of pricing information as a result of quotation capacity restraints.⁴¹ While the Commission anticipates that NYSE Arca's proposed expansion of the Pilot Program will contribute to further increases in quotation message traffic, the Commission believes that NYSE Arca's proposal is sufficiently limited such that it is unlikely to increase quotation message traffic beyond the capacity of market participants' systems and disrupt the timely receipt of quote information. NYSE Arca has proposed to roll out the additional 300 classes over time, in groups of 75 classes each quarter beginning on October 26, 2009. The Commission further notes that a June 2, 2009 sustained message traffic peak of 852,350 messages per second reported by OPRA⁴² is still well below

⁴⁰ Memorandum from J. Daniel Aromi, OEA, to Heather Seidel, Assistant Director, Division of Trading and Markets, Commission, dated August 14, 2009 ("OEA Memo 2") (looking at the change in volume from August to September 2007 to April to May 2008, and from August to September 2007 to May to June 2009).

⁴¹ One commenter states that although the exchange reports have shown that quotation traffic has increased significantly, the quotation volume has not resulted in significant problems for exchanges or market participants. See UBS Letter, *supra* note 5, at 1. Another commenter noted that the risks associated with OPRA's capacity being overwhelmed appear to be mitigated. See GETCO Letter, *supra* note 5, at 3. Another commenter notes that market participants will continue to make the investment in technology that results in more efficient markets and states that many of the exchanges have doubled the number of physical network connections between themselves and OPRA as a result. See BATF Letter, *supra* note 5, at 2.

⁴² See NYSE Arca Report, *supra* note 24, at 11 (noting a sustained five second peak of 852,350 messages per second as reported by OPRA on June 2, 2009, and noting OPRA's current output capacity

³² See, e.g., LiquidPoint Letter, *supra* note 5, at 4; SIFMA Letter, *supra* note 5, at 1-2; and UBS Letter, *supra* note 5, at 1-2.

³³ See, e.g., BOX Penny Pilot Report 6, *supra* note 24, at 6 (stating that the quantity at the top of the BOX book was sufficient to satisfy the average trade size in the Pilot classes); CBOE July Report, *supra* note 24, at 2, 4 and 6 (showing the change in quoted size in Pilot classes); ISE Report, *supra* note 24, at 5 (showing the change in volume weighted size at the ISE's best bid or best offer in Pilot classes); Nasdaq OMX Phlx, Options Penny Pilot Expansion Report 4, dated February 27, 2009, at 3 and 6 (showing the change in quoted size at the NBBO in Pilot Classes); NYSE Arca Report, *supra* note 24, at 3-5 (showing that 100 percent of customer and firm orders up to 100 contracts in the Pilot classes were filled during the periods February 1, 2008 through July 31, 2008 and February 1, 2009 through April 30, 2009); and NYSE Arca Report, *supra* note 24, at 3 (showing that 100% of customer orders up to 50 contracts in the Pilot classes were filled during the period August 1, 2008 to January 31, 2009, and 94% of all customer orders in the Pilot classes were filled during the same period).

³⁴ See NYSE Arca Response, *supra* note 6, at 5 (stating that the current mechanisms for sourcing block-sized liquidity will continue to grow and evolve to meet the demands of users).

³⁵ See Securities Exchange Act Release No. 60405 (July 30, 2009), 74 FR 39362 (August 6, 2009) (File No. 4-546) (order approving Linkage Plan). The Linkage Plan was implemented on August 31, 2009.

The Commission encourages the options exchanges to consider measures that would facilitate access to depth of book quotations. The Commission notes that currently several exchanges make available quotations and orders on their respective books below their best bid and offer. The Commission anticipates that to the extent display of this information proves to be valuable to the options market as a whole, other exchanges may choose to make this information available as well.

³⁶ See CBOE Letter, *supra* note 5, at 3; and UBS Letter, *supra* note 5, at 2.

³⁷ See *supra* note 7. In Amendment No. 3, the Exchange proposed to begin the phased implementation on October 26, 2009. See *supra* note 8.

³⁸ Several commenters noted that the introduction of ISOs and improvements in order routing technology anticipated as part of the new linkage plan would provide an improved trading environment for the expansion of penny quoting and permit market participants to simultaneously access better priced quotations across all options exchanges. See GETCO Letter, *supra* note 5, at 4 and UBS Letter, *supra* note 5, at 2. See also NYSE Arca Response, *supra* note 6, at 5 (stating that the soon-to-be implemented ISO will allow block-sized liquidity to be sourced at prices inferior to the NBBO and let it trade, offering institutional investors the certainty of both trade and price that they need and desire).

³⁹ See SIFMA Letter, *supra* note 5, at 4 (citing to CBOE March Report, *supra* note 24).

OPRA's current messages per second capacity limit of 2,050,000.⁴³ Moreover, NYSE Arca has adopted and will continue to utilize quote mitigation strategies that should continue to mitigate the expected increase in quotation traffic.⁴⁴

As noted above, NYSE Arca has proposed to expand the current Pilot Program to the 300 next most actively traded, multiply listed options classes, and to continue the existing \$3 breakpoint for classes included in the Pilot (with the exception of options on QQQQ, IWM, and SPY).⁴⁵ The Commission believes that NYSE Arca's proposal is consistent with the Act. The Commission believes that the proposed rule change is designed to continue the narrowing of spreads in options included in the Pilot. NYSE Arca's proposal will provide the opportunity for reduced spreads where a significant amount of trading occurs, thus maximizing the economic benefits of the Pilot while minimizing the impact of increased quotation traffic.⁴⁶ Further,

of 2,050,000 messages per second, which is scheduled to increase to over 3,000,000 messages per second in January 2010).

⁴³ See NYSE Arca Response, *supra* note 6, at 6 (stating that "there has been no outcry from vendors or firms in response to quote traffic projections through mid-year 2011, as published by (OPRA)").

⁴⁴ See Securities Exchange Act Release No. 56157 (July 27, 2007), 72 FR 42459 (August 2, 2007) (SR-NYSEArca-2007-71) (notice and immediate effectiveness of a proposed rule change to implement the Exchange's quote mitigation strategy); and NYSE Arca Response, *supra* note 6, at 6 (representing that the Exchange will retain and continue to employ its quotation mitigation strategy).

⁴⁵ One commenter argues that NYSE Arca's proposal is confusing to investors because it will provide for 355 classes to be quoted in pennies and nickels, three classes to be quoted in all pennies, and the rest of the classes to be quoted in nickels and dimes (see CBOE Letter, *supra* note 5, at 2), while another commenter states its belief that a single break point for all classes will provide consistency for the industry and investors (see LiquidPoint Letter, *supra* note 5, at 3). The Commission does not believe that NYSE Arca's proposal will result in increased confusion. The Commission notes that the proposal will continue the same breakpoint as the existing Pilot, and thus changes to the structure of the Pilot will be minimal. See Ameritrade Letter, *supra* note 5, at 3 (noting that the current Pilot program carries a \$3.00 breakpoint and thus changes to the pilot strategies would be minimal, thus reducing any investor confusion related to the expansion of the Pilot).

⁴⁶ One commenter that supports retaining the \$3 breakpoint noted that the majority of its customers' trades occur at or below the \$3 breakpoint. This commenter believes that a \$3 breakpoint is in the best interest of retail investors. See Ameritrade Letter, *supra* note 5, at 2-3 (stating that in April 2009, 71% of its customers' trades and 89% of its customers' volume was in series priced up to \$3, and that in May 2009, 74% of its customers' trades and 88% of its customers' volume was in series priced up to \$3). Another commenter that supports quoting in one-cent increments in all series in all options classes included in the Pilot believes that

the Commission believes that the proposal will provide an opportunity for increased transparency in the options markets, by allowing market participants to display their trading interest in one-cent increments in the consolidated quotation stream.

One commenter stated its belief that NYSE Arca's proposal, which would be expanded to the next most-active, multiply-traded 300 classes, rather than all classes, does not provide a stringent process to renew names that will be eliminated from the Pilot due to delisting, merger or other circumstances, and that the proposal in this regard would represent an ongoing administration that would be costly to the commenter.⁴⁷ The Commission notes that NYSE Arca's proposal explicitly includes a process for replacing, on a semi-annual basis, any Pilot class that has been delisted with the next most actively traded, multiply listed class that is not already included in the Pilot, based on trading activity in the previous six months.⁴⁸ While there may be other approaches to address Pilot classes that have been delisted, none have been submitted to the Commission for its consideration. The Commission believes that NYSE Arca's proposal to replace delisted classes from the Pilot is reasonable and consistent with the Act.⁴⁹

doing so would make the benefits of penny pricing available to more options. See GETCO Letter, *supra* note 5, at 3. Further, the Commission's Office of Economic Analysis estimates that, under NYSE Arca's proposal, approximately 70% of options contract volume would be quoted in one-cent increments. See OEA Memo 2, *supra* note 39.

One commenter noted that if the Pilot were rolled back, as is proposed by several of the commenters, this would eliminate much of the benefit experienced by the options markets and customers due to the Pilot. See GETCO Letter, *supra* note 5, at 3. Another commenter similarly stated that a rollback of the Pilot would be "unfortunate" given the benefits from the Pilot that participants have realized and recommended that the Pilot move forward. See BATS Letter, *supra* note 5, at 2.

⁴⁷ See Ameritrade Letter, *supra* note 5, at 3 (also noting its belief that the proposal would lead to investor confusion as it would not be representative of all classes).

⁴⁸ See Notice, *supra* note 4, at 4.

⁴⁹ One commenter believes the incidence of locked markets in Pilot classes has increased since the introduction of quoting in pennies. In addition, this commenter believes that an expansion of the Pilot could exacerbate the friction that it believes exists between competing payment models among the exchanges. The commenter believes that this issue could be mitigated if the Commission adopts the Linkage Plan. See Ameritrade Letter, *supra* note 5, at 2. The Commission notes that it approved the Linkage Plan on July 30, 2009. See Securities Exchange Act Release No. 60405, *supra* note 34. The commenter also urges the Commission to consider expanding the provisions of Rule 610 of Regulation NMS to options trading. See Ameritrade Letter, *supra* note 5, at 2. The Commission staff is currently considering the issue of access and access fees in the context of its ongoing consideration of

The Commission has published for comment proposed rule changes from CBOE and ISE that propose alternative approaches to expanding the Pilot.⁵⁰ In recognition of these other proposals, several commenters express the view that uniformity is necessary for an expansion of the Pilot Program.⁵¹ These commenters argue that approval of multiple plans permitting exchanges to adopt different breakpoints would create confusion,⁵² and that a uniform approach is necessary to assure that there is a fair and orderly national market system.⁵³ Several commenters state that adopting different penny pilot rules would cause technological and implementation problems for all participants in the National Market System, and that varied breakpoints will impact order entry, routing, quoting and compliance systems for each venue.⁵⁴

While the Commission agrees that a uniform approach may be preferable, the Commission must analyze each exchange's proposed rule change on its own merits for consistency with the Act. As discussed above, the Commission has analyzed NYSE Arca's proposal and finds that it is consistent with the Act. In this case, the Commission does not believe the choice of other exchanges to propose different quoting increments, or to not expand the current Pilot, makes NYSE Arca's proposed rule change inconsistent with the Act. The Commission notes, however, that if an options exchange chooses not to permit quoting in one-cent increments in a particular option at the same time as another exchange, it would nevertheless remain obligated to comply with the provisions of the Linkage Plan, as well as its own rules, to avoid trading at prices worse than those offered by other exchanges, including prices in pennies.

a petition for rulemaking requesting that the Commission impose a cap of \$.20 on certain transaction fees. See Letter from John C. Nagel, Managing Director & Deputy General Counsel, Citadel, to Nancy M. Morris, Secretary, Commission, dated July 15, 2008.

⁵⁰ See Securities Exchange Act Release Nos. 60018 (June 1, 2009), 74 FR 27211 (June 8, 2009) and 60146 (June 19, 2009), 74 FR 30346 (June 25, 2009).

⁵¹ See, e.g., ISE Letter, *supra* note 5, at 1 and 3; Nasdaq Letter, *supra* note 5; SIFMA Letter, *supra* note 5, at 5-6; and UBS Letter, *supra* note 5, at 2.

⁵² See, e.g., CBOE Letter, *supra* note 5, at 4; LiquidPoint Letter, *supra* note 5, at 2; and UBS Letter, *supra* note 5, at 2.

⁵³ See ISE Letter, *supra* note 5, at 1; and LiquidPoint Letter, *supra* note 5, at 2.

⁵⁴ See LiquidPoint, *supra* note 5, at 2-3; and Nasdaq Letter, *supra* note 5, at 2. Another commenter further states that multiple plans would subject members and ultimately investors to the elevated costs of excessive systems modifications and personnel training activities. See SIFMA Letter, *supra* note 5, at 6.

The continued operation and phased expansion of the Pilot Program will provide further valuable information to the exchanges, the Commission, and others about the impact of penny quoting in the options market. In particular, extending and expanding the Pilot Program as proposed by NYSE Arca will allow further analysis of the impact of penny quoting in the Pilot classes over a longer period of time on, among other things: (1) Spreads; (2) peak quotation rates; (3) quotation message traffic; (4) displayed size; (5) "depth of book" liquidity; and (6) market structure. NYSE Arca has committed to provide the Commission with periodic reports, which will analyze the impact of the expanded Pilot Program. The Commission expects the Exchange to include statistical information relating to these factors in its periodic reports.

IV. Partial Accelerated Approval

The Commission finds good cause, pursuant to Section 19(b)(2) of the Act,⁵⁵ for partially approving the proposed rule change,⁵⁶ as modified by Amendment Nos. 1 and 3 thereto, prior to the 30th day after the date of publication in the *Federal Register*. In its proposed rule change, the Exchange proposed that any option class included in the Pilot Program that has been delisted be replaced on a semi-annual basis by the next most actively traded, multiply listed options class that is not yet included in the Pilot, based on trading activity in the previous six months. In Amendment No. 1, the Exchange provided clarification that the Exchange will employ the same parameters to prospective replacement issues as approved and applicable under the Pilot Program, including the exclusion of high-priced underlying securities and indexes. In Amendment No. 3, the Exchange clarified that the threshold for "high priced" designation is \$200 per share or a calculated index value of 200, at the time of selecting new issues to be included in the Pilot. The Exchange also represented that the threshold and the Exchange's approach for excluding high priced underlying securities is consistent with the Exchange's prior process in determining issues to be included in the Pilot. The Exchange stated that the determination of whether a security is trading above \$200 or above a calculated index value of 200 shall be based on the price at the close of trading on the Expiration Friday prior to being added to the Pilot. These changes clarify the operation of the

proposal and do not differ materially from the proposal as noticed in the *Federal Register*. Also, in response to commenters, in Amendment No. 1 the Exchange proposes to delay the start of the phased implementation of the expansion of the Pilot from July 28, 2009 to September 28, 2009. In Amendment No. 3 the Exchange proposed to begin the phased implementation on October 26, 2009. The proposed change to the implementation date is responsive to concerns expressed by commenters. Accordingly, the Commission finds that good cause exists to approve the proposed rule change, as modified by Amendment Nos. 1 and 3, on an accelerated basis.⁵⁷

V. Solicitation of Comments

Interested persons are invited to submit written data, views, and arguments concerning Amendment Nos. 1 and 3, including whether Amendment Nos. 1 and 3 are consistent with the Act.

The Commission also is soliciting additional comment on NYSE Arca's proposal to quote two classes entirely in pennies, SPY and IWM, in addition to QQQs. In response to the initial notice of this proposal,⁵⁸ the Commission received several comment letters with respect to the portion of the proposal that would allow quoting of all series of options on IWM and SPY in one-cent increments. One commenter supported NYSE Arca's proposal to eliminate a breakpoint for options on these two exchange-traded funds, as a way to expand the benefits of penny quoting to more options,⁵⁹ while two other commenters did not support this aspect of NYSE Arca's proposal and question NYSE Arca's basis for the proposal.⁶⁰ In particular, one commenter did not find persuasive NYSE Arca's rationale that because IWM and SPY have more series trading at premiums between \$3 and \$10, the \$3 breakpoint should be eliminated, noting that only 11% of IWM's national average daily volume and 18% of SPY's national average daily volume is in series with premiums greater than \$3.⁶¹

⁵⁷ In its proposed rule change, the Exchange proposed to quote SPY and IWM entirely in pennies. In Amendment No. 1, the Exchange stated that this proposed change to the minimum quoting increment in these classes would take place on September 28, 2009. The Commission notes, however, that it is not approving this aspect of the proposal in this order.

⁵⁸ See Notice, *supra* note 4.

⁵⁹ See GETCO Letter, *supra* note 5, at 2-3.

⁶⁰ See CBOE Letter, *supra* note 5, at 2 to 3, and SIFMA Letter, *supra* note 5, at 5.

⁶¹ See CBOE Letter, *supra* note 5, at 3. This commenter further noted that the average spread width in series with a premium \$3 or greater is \$0.27 for SPY and \$0.25 for IWM. *Id.*

The Commission's Office of Economic Analysis estimated that for a four month period earlier this year, approximately 40.9 million contracts for SPY and approximately 4.5 million contracts for IWM traded at premia of \$3 or greater, as compared to approximately 2.7 million contracts for QQQQ that traded at premia of \$3 or greater.⁶² The Commission specifically requests comment on these findings.

Comments may be submitted by any of the following methods:

Electronic Comments

- Use the Commission's Internet comment form (<http://www.sec.gov/rules/sro.shtml>); or
- Send an e-mail to rule-comments@sec.gov. Please include File Number SR-NYSEArca-2009-44 on the subject line.

Paper Comments

- Send paper comments in triplicate to Elizabeth M. Murphy, Secretary, Securities and Exchange Commission, 100 F Street, NE., Washington DC 20549-1090.

All submissions should refer to File Number SR-NYSEArca-2009-44. This file number should be included on the subject line if e-mail is used. To help the Commission process and review your comments more efficiently, please use only one method. The Commission will post all comments on the Commission's Internet Web site (<http://www.sec.gov/rules/sro.shtml>). Copies of the submission, all subsequent amendments, all written statements with respect to the proposed rule change that are filed with the Commission, and all written communications relating to the proposed rule change between the Commission and any person, other than those that may be withheld from the public in accordance with the provisions of 5 U.S.C. 552, will be available for inspection and copying in the Commission's Public Reference Room, 100 F Street, NE., Washington, DC 20549, on official business days between the hours of 10 a.m. and 3 p.m. Copies of such filing also will be available for inspection and copying at the principal office of the Exchange. All comments received will be posted without change; the Commission does not edit personal identifying information from submissions. You should submit only information that you wish to make available publicly. All

⁶² See OEA Memo 2, *supra* note 40 (measuring from February 2, 2009 to May 27, 2009). These numbers represent approximately 29% of contract volume for SPY and 18% of contract volume for IWM.

⁵⁵ 15 U.S.C. 78s(b)(2).

⁵⁶ See *supra* 8 and *supra* note 9.

submissions should refer to File No. SR-NYSEArca-2009-44 and should be submitted on or before October 19, 2009.

VI. Conclusion

It is therefore ordered, pursuant to Section 19(b)(2) of the Act,⁶³ that the proposed rule change (SR-NYSEArca-2009-44) as modified by Amendment Nos. 1 and 3 thereto, be, and hereby is, partially approved on an accelerated basis, as discussed above.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.⁶⁴

Florence E. Harmon,
Deputy Secretary.

[FR Doc. E9-23374 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-60701; File No. SR-FINRA-2009-014]

Self-Regulatory Organizations; Financial Industry Regulatory Authority, Inc.; Order Approving Proposed Rule Change To Adopt FINRA Rule 2150 (Improper Use of Customers' Securities or Funds; Prohibition Against Guarantees and Sharing in Accounts) in the Consolidated FINRA Rulebook

September 21, 2009.

I. Introduction

On March 24, 2009, the Financial Industry Regulatory Authority, Inc. ("FINRA" or "Exchange") filed with the Securities and Exchange Commission ("Commission"), pursuant to Section 19(b)(1) of the Securities Exchange Act of 1934 ("Act")¹ and Rule 19b-4 thereunder,² a proposed rule change as part of the process of developing a new consolidated rulebook (the "Consolidated FINRA Rulebook").³ FINRA proposed to adopt NASD Rules

2330(a), 2330(e) and 2330(f) as FINRA Rules 2150(a), 2150(b) and 2150(c), respectively, in the Consolidated FINRA Rulebook, with certain changes as described below.⁴ Proposed FINRA Rule 2150 also would take into account certain provisions of NYSE Rule 352. In addition, proposed FINRA Rule 2150 includes a "Supplementary Material" section that contains certain clarifications and codifications of existing staff guidance. FINRA further proposed to delete NYSE Rule 352 (with the exception of paragraphs (e), (f) and (g))⁵ from the Transitional Rulebook. The proposed rule change was published for public comment in the *Federal Register* on June 24, 2009.⁶ The Commission received no comment letters regarding proposed rule change. This order approves the proposed rule change.

II. Description of the Proposal

FINRA proposed to adopt certain paragraphs, as specified below, of NASD Rule 2330 (Customers' Securities or Funds) as FINRA Rule 2150 (Improper Use of Customers' Securities or Funds; Prohibition Against Guarantees and Sharing in Accounts) in the Consolidated FINRA Rulebook taking into account certain provisions of Incorporated NYSE Rule 352 (Guarantees, Sharing in Accounts, and Loan Arrangements)⁷ and to delete NYSE Rule 352, with the exception of NYSE Rules 352(e) (Limitations on Borrowing From or Lending to Customers), 352(f) (Loan Procedures) and 352(g).

The proposed rule change would renumber NASD Rule 2330(a) (Improper Use) as FINRA Rule 2150(a) (Improper Use), NASD Rule 2330(e) (Prohibition Against Guarantees) as FINRA Rule 2150(b) (Prohibition Against Guarantees) and NASD Rule 2330(f) (Sharing in Accounts; Extent Permissible) as FINRA Rule 2150(c)

(Sharing in Accounts; Extent Permissible) in the consolidated FINRA rulebook. The proposed rule change also would add a "Supplementary Material" section to proposed FINRA Rule 2150 that contains certain clarifications and codifications of existing staff guidance.

A. Improper Use of Customers' Securities or Funds (Proposed FINRA Rule 2150(a))

NASD Rule 2330(a) prohibits members and associated persons from making improper use of a customer's securities or funds. The improper use of customer securities or funds threatens the fundamental relationship between a broker and a customer and undermines the integrity of the securities industry. FINRA proposed to adopt NASD Rule 2330(a) as FINRA Rule 2150(a) in the Consolidated FINRA Rulebook without changes.

B. Prohibition Against Guarantees (Proposed FINRA Rule 2150(b))

NASD Rule 2330(e) prohibits members and their associated persons from guaranteeing a customer against loss in connection with any securities transaction or in any securities account of the customer. The reason for the prohibition is that such guarantees create the expectation that the customer is insulated from market risk intrinsic in securities ownership and may induce the customer to engage in a securities transaction that is not otherwise appropriate for the customer.

FINRA proposed to adopt NASD Rule 2330(e) as FINRA Rule 2150(b) in the Consolidated FINRA Rulebook without changes and delete NYSE Rule 352(a) (Prohibitions Against Guarantees) because its provisions are substantially similar to proposed FINRA Rule 2150(b).

C. Sharing in Accounts (Proposed FINRA Rule 2150(c))

NASD Rule 2330(f) prohibits members and associated persons from sharing in the profits or losses in a customer's account except under certain limited conditions specified in the Rule.

FINRA proposed to adopt NASD Rule 2330(f) as FINRA Rule 2150(c) in the Consolidated FINRA Rulebook, with only minor changes.

FINRA proposed to delete NYSE Rules 352(b), (c) and (d) as they are substantially similar to proposed FINRA Rule 2150(c) or are otherwise incorporated as part of the supplementary material to proposed FINRA Rule 2150.

⁴ Other provisions that set forth certain financial and operational requirements, including, NASD Rules 2330(b) (General Provisions), 2330(c) (Authorization to Lend), 2330(d) (Segregation and Identification of Securities) and Interpretive Material 2330 (Segregation of Customers' Securities) would remain in the Transitional Rulebook to be addressed as part of a later phase of the consolidation process.

⁵ NYSE Rules 352(e), 352(f) and 352(g) govern borrowing from or lending to customers. These provisions generally are equivalent to the provisions of NASD Rule 2370 (Borrowing From or Lending to Customers). NASD Rule 2370 and the corresponding NYSE provisions would remain in the Transitional Rulebook to be addressed as part of a later phase of the rulebook consolidation process.

⁶ Securities Exchange Act Release No. 60135 (June 18, 2009), 74 FR 30198 ("Notice").

⁷ For convenience, Incorporated NYSE Rule 352 is hereinafter referred to as "NYSE Rule 352."

⁶³ 15 U.S.C. 78s(b)(2).

⁶⁴ 17 CFR 200.30-3(a)(12).

¹ 15 U.S.C. 78s(b)(1).

² 17 CFR 240.19b-4.

³ The current FINRA rulebook consists of (1) FINRA Rules; (2) NASD Rules; and (3) rules incorporated from NYSE ("Incorporated NYSE Rules") (together, the NASD Rules and Incorporated NYSE Rules are referred to as the "Transitional Rulebook"). While the NASD Rules generally apply to all FINRA members, the Incorporated NYSE Rules apply only to those members of FINRA that are also members of the NYSE ("Dual Members"). The FINRA Rules apply to all FINRA members, unless such rules have a more limited application by their terms. For more information about the rulebook consolidation process, see FINRA Information Notice, March 12, 2008 (Rulebook Consolidation Process).

D. Proposed Supplementary Material

In addition, FINRA proposed to add a "Supplementary Material" section to proposed FINRA Rule 2150 that would:

- Codify existing staff guidance clarifying that a "guarantee" extended to all holders of a particular security by an issuer as part of that security generally would not be subject to the prohibition against guarantees and that a permissible sharing arrangement remains subject to other applicable FINRA rules;

- Clarify that the rule does not preclude a member from determining on an after-the-fact basis, to reimburse a customer for transaction losses, provided however that the member shall comply with all reporting requirements that may be applicable to such payment;⁸

- Consistent with NYSE Rule 352(c), clarify that the rule does not preclude a member from correcting a *bona fide* error; and

- Clarify that the required written authorization(s) shall be preserved for a period of at least six years after the date the account is closed, which is consistent with the retention period under the SEA for similar records.

FINRA stated in its proposal that it intends to announce the implementation date of the proposed rule change in a *Regulatory Notice* to be published no later than 90 days following Commission approval.

III. Discussion

After careful review, the Commission finds that the proposed rule change is consistent with the requirements of the Act and the rules and regulations thereunder applicable to a national securities association.⁹ In particular, the Commission believes the proposal is consistent with the requirements of Section 15A(b)(6) of the Act,¹⁰ which requires, among other things, that the Association's rules be designed to prevent fraudulent and manipulative acts and practices, to promote just and equitable principles of trade, and, in general, to protect investors and the public interest. Further, the Commission believes it is appropriate to transfer these NASD Rules into the FINRA Consolidated Rulebook, with the changes specified, and to delete the noted NYSE Rules as proposed because

⁸ Associated persons would not similarly be permitted to reimburse their customers for losses under the rule given the concern that such payments may conceal individual misconduct.

⁹ In approving this rule proposal, the Commission has considered the proposed rule's impact on efficiency, competition, and capital formation. 15 U.S.C. 78c(f).

¹⁰ 15 U.S.C. 78o-3(b)(6).

the proposal will protect investors against potential misconduct.

IV. Conclusion

It is therefore ordered, pursuant to Section 19(b)(2) of the Act,¹¹ that the proposed rule change (SR-FINRA-2009-014) is approved.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.¹²

Florence E. Harmon,
Deputy Secretary.

[FR Doc. E9-23307 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-60698; File No. SR-NYSEAmex-2009-61]

Self-Regulatory Organizations; NYSE Amex, LLC; Notice of Filing and Immediate Effectiveness of Proposed Rule Change, as Modified by Amendment No. 1, Implementing a Fee for Complex Orders to Its Schedule of Fees and Charges for Exchange Services

September 21, 2009.

Pursuant to Section 19(b)(1) of the Securities Exchange Act of 1934 ("Act"),¹ and Rule 19b-4 thereunder,² notice is hereby given that on September 9, 2009, NYSE Amex, LLC (the "Exchange" or "NYSE Amex") filed with the Securities and Exchange Commission ("Commission") the proposed rule change as described in Items I, II, and III below, which Items have been prepared by NYSE Amex. NYSE Amex filed Amendment No. 1 to the proposal on September 18, 2009.³ NYSE Amex filed the proposed rule change, as amended, pursuant to Section 19(b)(3)(A) of the Act⁴ and Rule 19b-4(f)(2) thereunder,⁵ which renders the proposed rule change, as amended, effective upon filing with the Commission. The Commission is publishing this notice to solicit comments on the proposed rule change, as amended, from interested persons.

¹ 15 U.S.C. 78s(b)(2).

² 17 CFR 200.30-3(a)(12).

³ 15 U.S.C. 78s(b)(1).

⁴ 17 CFR 240.19b-4.

⁵ Amendment No. 1 revises the proposal to: (1) Correct an example in the purpose section of the proposal of the fee applicable when one firm represents both sides of a transaction; and (2) provide additional discussion of the statutory basis for the proposal.

⁶ 15 U.S.C. 78s(b)(3)(A).

⁷ 17 CFR 19b-4(f)(2).

I. Self-Regulatory Organization's Statement of the Terms of Substance of the Proposed Rule Change

The Exchange proposes to amend the section of its Schedule of Fees and Charges for Exchange Services (the "Schedule"). While changes to the Schedule pursuant to this proposal will be effective upon filing, the changes will become operative on September 9, 2009. The amended section of the Schedule is included as Exhibit 5 hereto. A copy of this filing is available on the Exchange's Web site at <http://www.nyse.com>, at the Exchange's principal office, and at the Commission's Public Reference Room.

II. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

In its filing with the Commission, the Exchange included statements concerning the purpose of and basis for the proposed rule change and discussed any comments it received on the proposed rule change. The text of these statements may be examined at the places specified in Item IV below. The self-regulatory organization has prepared summaries, set forth in sections A, B, and C below, of the most significant aspects of such statements.

A. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

1. Purpose

Pursuant to a recent rule filing⁶ the Exchange will be introducing automated complex order trading for all market participants on NYSE Amex. In conjunction with this new functionality, the Exchange proposes to introduce two new transaction fees specific to Complex Order executions.

Complex Orders that are executed against other similar Complex Orders will be subject to a transaction fee of \$0.10 per contract. For example, if a Complex Order, comprised of two legs, executes against a similar two-legged Complex Order, each market participant will be charged \$0.20 (\$0.10 per contract). To expand on this example, if the same strategy is executed a total of ten (10) times, each participant would be charged \$2.00. If a Complex Order comprised of three legs executes against a similar three-legged Complex Order then each participant would be charged \$0.30, for the transaction. To expand on this example, if the same three-legged

⁶ See Securities and Exchange Act Release No. 60554 (August 21, 2009) 74 FR 43737 (August 27, 2009) (Order granting accelerated approval of NYSEAmex-2009-42).

Complex Order is executed a total of ten (10) times, each participant would be charged \$3.00. All electronically executed Complex Orders, regardless of whether they are entered by Market Makers, Brokers Dealers, or OTP Firms representing Public Customers, will be billed this same rate when their order is executed against another Complex Order.

The Exchange proposes a separate fee for electronically executed Complex Orders when the same member firm represents both sides of the transaction. Complex Orders, entered by a firm that trade against a similar Complex Order represented by the same firm, will be subject to a transaction fee of \$0.05 per contract side. For example, if a Complex Order comprised of two legs is entered by Firm A, and executes against a similar two-legged Complex Order also for Firm A, the firm will be charged a total of \$0.20 (four contracts at \$.05 per contract), for each time the complex order strategy is executed. To expand on this example, if the same strategy is executed a total of ten (10) times, the firm would be subject to a transaction fee of \$1.00 per Complex Order, and since the same firm is a party to both sides of the transaction, they would be charged a total of \$2.00. If a Complex Order entered by Firm A, which is comprised of three legs, executes against a similar three-legged Complex Order entered by Firm A, then the firm would be charged \$0.30, for each time the three legged Complex Order is executed. To expand on this example, if the same three-legged Complex Order is executed a total of ten (10) times, the firm would be subject to a transaction fee of \$1.50 per Complex Order, and since the firm represents both sides of the transaction, they would be charged a total of \$3.00.

There may be occasions where a Complex Order will not execute against a similar contra-side Complex Order, but instead will execute against the individual leg markets represented by quotes and/or orders in the Consolidated Book. This scenario will occur when the best price for the Complex Order strategy is actually represented by a combination of individual quotes and/or orders, resting in the Consolidated Book. In situations where Complex Orders are executed utilizing two or more individual quotes or orders from the Consolidated Book, standard transaction fees, as shown on the Schedule, will apply to all participants on the trade. Additionally, standard Marketing Charges apply to all electronic complex order executions.

The Exchange believes that the proposed changes to the Schedule are equitable in that they apply uniformly

to all similarly situated Users. Additionally, the proposed fees are the same as those currently charged by NYSE Arca.⁷

2. Basis

The Exchange believes that the proposal is consistent with Section 6(b) of the Act, in general, and Section 6(b)(4), in particular, in that it provides for the equitable allocation of dues, fees and other charges among its members. The Exchange believes that the proposed rates are reasonable. The proposed rate structure is part of the Exchange's efforts to attract and enhance participation on the Exchange, with respect to the implementation of electronic complex order trading. The Exchange also believes that the proposed changes to the Fee Schedule are equitable in that they apply uniformly to all market participants on NYSE Amex.

B. Self-Regulatory Organization's Statement on Burden on Competition

The Exchange does not believe that the proposed rule change will impose any burden on competition that is not necessary or appropriate in furtherance of the purposes of the Act.

C. Self-Regulatory Organization's Statement on Comments on the Proposed Rule Change Received From Members, Participants or Others

No written comments were solicited or received with respect to the proposed rule change.

III. Date of Effectiveness of the Proposed Rule Change and Timing for Commission Action

The foregoing rule change, as amended, has become effective pursuant to Section 19(b)(3)(A) of the Act⁸ and Rule 19b-4(f)(2)⁹ thereunder because it establishes a due, fee, or other charge imposed by NYSE Amex.

At any time within 60 days of the filing of such proposed rule change, as amended, the Commission may summarily abrogate such rule change if it appears to the Commission that such action is necessary or appropriate in the public interest, for the protection of investors, or otherwise in furtherance of the purposes of the Act.¹⁰

⁷ See Securities and Exchange Act Release No. 58473 (September 8, 2008) 73 FR 53312 (September 15, 2008) (Notice of filing and immediate effectiveness for SR-NYSEArca-2008-97).

⁸ 5 U.S.C. 78s(b)(3)(A).

⁹ 17 CFR 19b-4(f)(2).

¹⁰ The Commission considers the 60-day period within which the Commission may summarily abrogate the proposal pursuant to Section 19(b)(3)(C) of the Act, 15 U.S.C. 78s(b)(3)(C), to

IV. Solicitation of Comments

Interested persons are invited to submit written data, views, and arguments concerning the foregoing, including whether the proposed rule change, as amended, is consistent with the Act. Comments may be submitted by any of the following methods:

Electronic Comments

- Use the Commission's Internet comment form (<http://www.sec.gov/rules/sro.shtml>); or
- Send an e-mail to rule-comments@sec.gov. Please include File Number SR-NYSEAmex-2009-61 on the subject line.

Paper Comments

- Send paper comments in triplicate to Elizabeth M. Murphy, Secretary, Securities and Exchange Commission, Station Place, 100 F Street, NE., Washington, DC 20549-1090.

All submissions should refer to File Number SR-NYSEAmex-2009-61. This file number should be included on the subject line if e-mail is used. To help the Commission process and review your comments more efficiently, please use only one method. The Commission will post all comments on the Commission's Internet Web site (<http://www.sec.gov/rules/sro.shtml>). Copies of the submission, all subsequent amendments, all written statements with respect to the proposed rule change that are filed with the Commission, and all written communications relating to the proposed rule change between the Commission and any person, other than those that may be withheld from the public in accordance with the provisions of 5 U.S.C. 552, will be available for inspection and copying in the Commission's Public Reference Room, 100 F Street, NE., Washington, DC 20549, on official business days between the hours of 10 a.m. and 3 p.m. Copies of such filing also will be available for inspection and copying at the principal office of NYSEAmex. All comments received will be posted without change; the Commission does not edit personal identifying information from submissions. You should submit only information that you wish to make publicly available. All submissions should refer to File Number SR-NYSEAmex-2009-61 and should be submitted on or before October 19, 2009.

commence on September 18, 2009, the date NYSE Amex filed Amendment No. 1 to the proposal.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.¹¹

Florence E. Harmon,
Deputy Secretary.

[FR Doc. E9-23306 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-60692; File No. SR-NYSEAmex-2009-57]

Self-Regulatory Organizations; Notice of Filing of Proposed Rule Change by NYSE Amex LLC, as Modified by Amendment No. 1, Amending Rule 36—NYSE Amex Equities To Conform With Proposed Amendments to Corresponding NYSE Rule 36 To Permit the Use of Personal Portable or Wireless Communication Devices Off the Exchange Trading Floor and Outside Other Restricted Access Areas

September 18, 2009.

Pursuant to Section 19(b)(1)¹ of the Securities Exchange Act of 1934 (the "Act")² and Rule 19b-4 thereunder,³ notice is hereby given that, on August 27, 2009, NYSE Amex LLC ("NYSEAmex" or the "Exchange") filed with the Securities and Exchange Commission (the "Commission") the proposed rule change, as described in Items I, II, and III below, which Items have been prepared by the Exchange. On September 17, 2009, the Exchange filed Amendment No. 1 to the proposed rule change.⁴ The Commission is publishing this notice to solicit comments on the proposed rule change, as modified by Amendment No. 1, from interested persons.

I. Self-Regulatory Organization's Statement of the Terms of Substance of the Proposed Rule Change

The Exchange proposes to amend Rule 36—NYSE Amex Equities (Communications Between Exchange and Members' Offices) to conform with proposed amendments to corresponding NYSE Rule 36 submitted in a companion filing by the Exchange's corporate affiliate, the New York Stock Exchange LLC ("NYSE"). This Amendment No. 1 supersedes the original filing in its entirety. Amendment No. 1 serves to clarify in the rule text the specific areas where employees of member organizations are

permitted to use personal portable or wireless communications devices.⁵ The text of the proposed rule change is available at the Exchange, the Commission's Public Reference Room, and <http://www.nyse.com>.

II. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

In its filing with the Commission, the self-regulatory organization included statements concerning the purpose of, and basis for, the proposed rule change and discussed any comments it received on the proposed rule change. The text of those statements may be examined at the places specified in Item IV below. The Exchange has prepared summaries, set forth in sections A, B, and C below, of the most significant parts of such statements.

A. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

1. Purpose

This Amendment No. 1 to SR-NYSEAmex-2009-57 supersedes and replaces the original filing in its entirety.

The purpose of the proposed rule changes is to amend Rule 36—NYSE Amex Equities (Communications Between Exchange and Members' Offices) to conform with proposed amendments to corresponding NYSE Rule 36 submitted in a companion filing by the Exchange's corporate affiliate, the NYSE.⁶

Background

As described more fully in a related rule filing,⁷ NYSE Euronext acquired The Amex Membership Corporation ("AMC") pursuant to an Agreement and Plan of Merger, dated January 17, 2008 (the "Merger"). In connection with the Merger, the Exchange's predecessor, the American Stock Exchange LLC, a subsidiary of AMC, became a subsidiary of NYSE Euronext called NYSE

Alternext US LLC,⁸ and continues to operate as a national securities exchange registered under Section 6 of the Act.⁹ The effective date of the Merger was October 1, 2008.

In connection with the Merger, on December 1, 2008, the Exchange relocated all equities trading conducted on the Exchange legacy trading systems and facilities located at 86 Trinity Place, New York, New York, to trading systems and facilities located at 11 Wall Street, New York, New York (the "Equities Relocation"). The Exchange's equity trading systems and facilities at 11 Wall Street (the "NYSE Amex Trading Systems") are operated by the NYSE on behalf of the Exchange.¹⁰

As part of the Equities Relocation, NYSE Amex adopted NYSE Rules 1-1004, subject to such changes as necessary to apply the Rules to the Exchange, as the NYSE Amex Equities Rules to govern trading on the NYSE Amex Trading Systems.¹¹ The NYSE Amex Equities Rules, which became operative on December 1, 2008, are substantially identical to the current NYSE Rules 1-1004 and the Exchange continues to update the NYSE Amex Equities Rules as necessary to conform with rule changes to corresponding NYSE Rules filed by the NYSE.

Proposed Conforming Amendments to NYSE Amex Equities Rules

As noted above, the Exchange proposes to amend Rule 36—NYSE Amex Equities to conform with proposed amendments to corresponding NYSE Rule 36 submitted in a companion filing by the NYSE. As discussed in more detail below, the NYSE is filing the proposed rule changes to permit the use of personal portable or wireless communication devices off the NYSE Trading Floor. The Exchange is proposing to adopt the NYSE's proposed rule changes, subject to such technical changes as are necessary to apply the changes to the Exchange.

⁸ NYSE Alternext US LLC was subsequently renamed NYSE Amex LLC. See Securities Exchange Act Release No. 59575 (March 13, 2009), 74 FR 11803 (March 19, 2009) (SR-NYSEALTR-2009-24).

⁹ 15 U.S.C. 78f.

¹⁰ See Securities Exchange Act Release No. 58705 (October 1, 2008), 73 FR 58995 (October 8, 2008) (SR-Amex-2008-63).

¹¹ See Securities Exchange Act Release Nos. 58705 (October 1, 2008), 73 FR 58995 (October 8, 2008) (SR-Amex-2008-63); 58833 (October 22, 2008), 73 FR 64642 (October 30, 2008) (SR-NYSE-2008-106); 58839 (October 23, 2008), 73 FR 64645 (October 30, 2008) (SR-NYSEALTR-2008-03); 59022 (November 26, 2008), 73 FR 73683 (December 3, 2008) (SR-NYSEALTR-2008-10); and 59027 (November 28, 2008), 73 FR 73681 (December 3, 2008) (SR-NYSEALTR-2008-11).

¹¹ 17 CFR 200.30-3(a)(12).

¹ 15 U.S.C. 78s(b)(1).

² 15 U.S.C. 78a.

³ 17 CFR 240.19b-4.

⁴ Amendment No. 1 supersedes and replaces the original filing in its entirety.

⁵ The Commission notes that the rule text makes clear that personal portable or wireless communication devices can only be used outside of the Trading Floor and all other restricted access areas.

⁶ See SR-NYSE-2009-84. The Commission notes that the rule text makes clear that personal portable or wireless communication devices can only be used outside of the Trading Floor and all other restricted access areas. See *supra* note 5.

⁷ See Securities Exchange Act Release No. 58673 (September 29, 2008), 73 FR 57707 (October 3, 2008) (SR-NYSE-2008-60 and SR-Amex-2008-62).

Current Rule 36—NYSE Amex Equities

Rule 36—NYSE Amex Equities prohibits members and member organizations from establishing or maintaining any telephonic or electronic communication, including the usage of any portable or wireless communication devices (*i.e.* cellular phone, wireless pager, BlackBerry™, *etc.*), between the Floor and any other location without prior Exchange approval.

Under Rule 36—NYSE Amex Equities, notwithstanding the general prohibition on the use of portable or wireless communication devices, Floor brokers may use Exchange authorized and issued portable phones on the Floor to communicate with both member firms and non-members off the Floor, subject to certain restrictions. Floor brokers may not, however, use Exchange authorized and issued devices on the NYSE Amex Options Trading Floor (as defined in Rule 6A—NYSE Amex Equities).¹² See Rule 36—NYSE Amex Equities, Supplementary Material .20–.23.

Designated Market Makers (“DMMs”) may, subject to restriction, maintain at their posts telephone lines to the off-Floor offices of the DMM unit or the unit’s clearing firm.¹³ Such telephone lines may only be used to enter options or futures hedging orders through the DMM unit’s off-Floor office or the unit’s clearing firm, or through a member (on the Floor) of an options or futures exchange. These lines may not, however, be used for the purpose of transmitting to the Floor orders for the purchase or sale of securities. DMMs are also permitted to use at their posts wired or wireless devices, including computer terminals or laptops, that are registered with the Exchange to communicate with their system algorithms. See Rule 36.30—NYSE Amex Equities.

Under Rule 36—NYSE Amex Equities, the use of all other portable or wireless communication devices on the Floor is prohibited.

The prescriptions of Rule 36—NYSE Amex Equities must be viewed in

conjunction with Rules 6—NYSE Amex Equities (“Floor”) and 6A—NYSE Amex Equities (“Trading Floor”). Under Rule 6—NYSE Amex Equities, the term “Floor” is defined as having the same meaning given that term under the Act. The Exchange has issued interpretive guidance that the “Floor” includes the trading Floor of the Exchange and the premises immediately adjacent thereto, such as the various entrances and lobbies of the 11 Wall Street, 18 New Street, 8 Broad Street, 12 Broad Street and 18 Broad Street Buildings, the telephone facilities available in these locations, the areas outside the “Blue Line” (member and member organization booths adjacent to the trading Floor), and any area reserved primarily for members, including members’ lounges and bathrooms.¹⁴

In addition, under recently adopted Rule 6A—NYSE Amex Equities, the Equities “Trading Floor” is within the area of the “Floor” and defined as “the restricted-access physical areas designated by the Exchange for the trading of securities, commonly known as the ‘Main Room’ and the ‘Garage.’” In accordance with Rule 6A—NYSE Amex Equities, the Equities Trading Floor does not, however, include the areas where NYSE Amex-listed options are traded, commonly known as the “Blue Room” and the “Extended Blue Room” (the “NYSE Amex Options Trading Floor”).¹⁵

Proposed Rule Changes

The Exchange proposes to amend Rule 36.23—NYSE Amex Equities to permit members and member firm employees to use personal portable or wireless communications devices outside the Equities Trading Floor (*i.e.* outside the turnstiles or card swipe pads that electronically release locked doors to permit authorized entry).¹⁶

Although there are other areas on the Exchange’s premises where personal communications devices may be used by members and member firm employees (*e.g.*, the cafeteria in 11 Wall Street), these areas are either too far

from the Trading Floor to be practical or do not have adequate reception for such devices. Thus, due to the prescriptions of Rule 36—NYSE Amex Equities and the broad definition of “Floor” under Rule 6—NYSE Amex Equities, Exchange members and member firm employees are effectively required to leave the physical premises of the Exchange’s buildings and facilities in order to use their personal portable or wireless communications devices. Once outside, members and member firm employees may use their personal phones, BlackBerry™ or other devices to make personal calls and these conversations are not subject to the requirements of Rule 36—NYSE Amex Equities. The requirement to leave the physical premises of the Exchange’s buildings and facilities to make personal communications can be overly burdensome, particularly during times of inclement weather. It is also burdensome to ask a member or member firm employee to go outside to make a personal call when there is no regulatory purpose for requiring personal calls to be made outside as opposed to inside the Exchange’s facilities.

The Exchange thus proposes to amend Rule 36.23—NYSE Amex Equities to provide a limited exception permitting members and member firm employees to use personal portable or wireless communications devices in designated areas of the Exchange’s buildings and facilities that fall within the technical definition of the Floor under Rule 6—NYSE Amex Equities, but that are outside the Trading Floor as defined under Rule 6A—NYSE Amex Equities. The proposed changes would permit members and member firm employees to use their personal communications devices in the hallways, stairwells, lobbies or members-only areas of the Exchange premises that are adjacent to the Equities and Options Trading Floors of the Exchange and the NYSE.¹⁷ Specifically, such usage would be permitted in the lobby areas of the Exchange’s facilities at 11 Wall Street, 6 and 18 New Street, and 2, 12, 18 and 20

¹² All members and member firm employees who use an Exchange authorized and issued portable phone must execute a written acknowledgement as to the usage of the phone and authorizing the Exchange to receive data and records related to incoming and outgoing calls. See NYSE Information Memos 08–40 (August 14, 2008) and 08–41 (August 14, 2008) (concerning the use of Exchange authorized and issued portable phones on the Floor, incorporated by reference in joint NYSE/NYSE Amex Information Memo 08–66 (December 22, 2008)).

¹³ The role of DMMs and their obligations on the Exchange adopted pursuant to the Merger are described in Securities Exchange Act Release No. 58845 (October 24, 2008), 73 FR 64379 (October 29, 2008) (SR–NYSE–2008–46).

¹⁴ See NYSE/NYSE Amex Information Memo 08–66 (December 22, 2008).

¹⁵ Pursuant to the definitions of “Floor” and “Trading Floor” in Rules 6—and 6A—NYSE Amex Equities, and corresponding NYSE Rules 6 and 6A, the NYSE Amex Equities and NYSE Trading Floors overlap and thus references in the proposed rule text as well as in the 19b–4 to “Equities Trading Floor” include the NYSE Trading Floor. See Securities Exchange Act Release No. 59480 (March 2, 2009), 74 FR 10109 (March 9, 2009) (SR–NYSEALTR–2009–21) (adopting, *inter alia*, Rule 6A—NYSE Amex Equities). As noted above in footnote 4, the NYSE has proposed corresponding rule changes for its members and member organizations. See SR–NYSE–2009–84.

¹⁶ See *supra* note 5.

¹⁷ It is important to note that the NYSE Amex Options Trading Floor is within the restricted access perimeter that encompasses the NYSE and NYSE Amex Equities Trading Floors and thus member and member firm employees would not be permitted to use such devices in that space under the terms of the proposed Rule defining where such devices are permissible. See proposed Rule 36.23—NYSE Amex Equities. In addition, while the Exchange’s Options Rules permit NYSE Amex Options members to use personal communications devices on the NYSE Amex Options Trading Floor, those rules prohibit NYSE Amex Options members from using those devices on the Equities Trading Floor of the Exchange. See NYSE Amex Options Rule 902NY.

Broad Street, as well as in the corridor in front of the interior elevator bank inside of 18 Broad Street. Again, it is important to note that a member would need to re-enter the Trading Floor from these areas through a restricted access point (i.e. turnstiles or card swipe pads that electronically release locked doors to permit authorized entry).¹⁸

In addition, such usage would need to be consistent with all other Exchange Rules and/or Federal securities laws, including, but not limited to, the requirements of Securities Exchange Act Release Nos. 33-7288 and 34-37182, concerning the "Use of Electronic Media by Broker-Dealers, Transfer Agents, and Investment Advisers for Delivery of Information."¹⁹ The Exchange represents that it will issue a notice to members that will, inter alia, remind them of their obligations under these releases. Finally, the Exchange proposes corresponding technical amendments to Rule 36.20.

In proposing this limited exception, the Exchange seeks to provide its members and member firm employees with a reasonable and comfortable space inside the physical confines of the Exchange's buildings and facilities within which they may use their personal portable or wireless communication devices, without diminishing the ability to monitor and regulate their conduct. The Exchange believes that the distance afforded by allowing a DMM, for example, to use a personal portable or wireless communication device outside the turnstiles is, in essence, equivalent to requiring a DMM to leave the Exchange's premises to do the same. Any time or place advantage to using such devices outside the turnstiles is significantly reduced by the fact that a DMM has no line of sight and no ability to hear trading activity on the Floor and the speed of electronic trading would likely render stale any information a DMM had prior to leaving his or her post on the Trading Floor.

In addition, the proposed amendments do not change the current obligations of members and member firm employees to use their personal portable or wireless communication devices consistent with Exchange Rules and Federal securities laws. Floor brokers would still be limited to using only Exchange authorized and issued

portable phones on the Equities Trading Floor and DMMs would still only be permitted to use registered telephone lines and/or wired or wireless devices at their posts, and all such devices and communications would continue to be regulated by the Exchange. All other usage of portable or wireless communication devices on the Equities Trading Floor would continue to be prohibited.

Finally, the Exchange would still retain jurisdiction over its members and member firm employees to regulate conduct that is inconsistent with Exchange Rules and/or the Federal securities laws (e.g., trading ahead, insider trading, market manipulation).

2. Statutory Basis

The Exchange believes that the proposed rule changes are consistent with, and further the objectives of, Section 6(b)(5) of the Act,²⁰ in that they are designed to prevent fraudulent and manipulative acts and practices, to promote just and equitable principles of trade, to remove impediments to and perfect the mechanism of a free and open market and a national market system and, in general, to protect investors and the public interest.

The Exchange believes that the proposed rule changes are consistent with these principles because they do not modify the current prescribed uses (and limitations thereof) of personal portable or wireless communications devices. Rather, they merely change where those devices may be used to reflect the reality of the current trading environment, in which any time and place advantage to using such devices outside the Equities Trading Floor and other restricted access areas is significantly reduced by the fact that a DMM or Floor broker has no line of sight or ability to hear trading activity on the Equities Trading Floor. The Exchange further believes that, given the current speed of Exchange systems and the marketplace, any information a DMM obtained prior to leaving his or her post would be rendered stale by the time the DMM is outside the turnstiles. As such, the location change for the use of personal portable or wireless communication devices in the current trading environment is consistent with the Exchange's current regulatory controls governing the use of personal portable or wireless communication devices on the Floor, which were previously approved by the Commission

or submitted by the Exchange for immediate effectiveness.²¹

The Exchange further believes that the proposal will permit Exchange members and member firm employees to, within the existing regulatory framework at the Exchange, efficiently and effectively conduct business on the Equities Trading Floor and engage in personal communications while off the Equities Trading Floor.

B. Self-Regulatory Organization's Statement on Burden on Competition

The Exchange does not believe that the proposed rule change will impose any burden on competition that is not necessary or appropriate in furtherance of the purposes of the Act.

C. Self-Regulatory Organization's Statement on Comments on the Proposed Rule Change Received From Members, Participants, or Others

No written comments were solicited or received with respect to the proposed rule change.

III. Date of Effectiveness of the Proposed Rule Change and Timing for Commission Action

Within 35 days of the date of publication of this notice in the *Federal Register* or within such longer period (i) as the Commission may designate up to 90 days of such date if it finds such longer period to be appropriate and publishes its reasons for so finding or (ii) as to which the self-regulatory organization consents, the Commission will:

(A) By order approve the proposed rule change, or

(B) Institute proceedings to determine whether the proposed rule change should be disapproved.

IV. Solicitation of Comments

Interested persons are invited to submit written data, views, and arguments concerning the foregoing, including whether the proposed rule change is consistent with the Act. Comments may be submitted by any of the following methods:

Electronic Comments

- Use the Commission's Internet comment form (<http://www.sec.gov/rules/sro.shtml>); or
- Send an e-mail to rule-comments@sec.gov. Please include File Number SR-NYSEAmex-2009-57 on the subject line.

¹⁸ The majority of the doors that require card swipe for entry are opaque.

¹⁹ See Securities Exchange Act Release Nos. 33-7288 and 34-37182 (May 9, 1996), 61 FR 24643 (May 15, 1996) (S7-13-96). See also FINRA Regulatory Notice 2007-59 (December 7, 2007), concerning the supervision of electronic communications.

²⁰ 15 U.S.C. 78f(b)(5).

²¹ See Securities Exchange Act Release No. 58705 (October 1, 2008), 73 FR 58995 (October 8, 2008) (SR-Amex-2008-63); and Securities Exchange Act Release No. 59480 (March 2, 2009), 74 FR 10109 (March 9, 2009) (SR-NYSEALTR-2009-21).

Paper Comments

- Send paper comments in triplicate to Elizabeth M. Murphy, Secretary, Securities and Exchange Commission, 100 F Street, NE., Washington, DC 20549-1090.

All submissions should refer to File Number SR-NYSEAmex-2009-57. This file number should be included on the subject line if e-mail is used. To help the Commission process and review your comments more efficiently, please use only one method. The Commission will post all comments on the Commission's Internet Web site (<http://www.sec.gov/rules/sro.shtml>). Copies of the submission, all subsequent amendments, all written statements with respect to the proposed rule change that are filed with the Commission, and all written communications relating to the proposed rule change between the Commission and any person, other than those that may be withheld from the public in accordance with the provisions of 5 U.S.C. 552, will be available for inspection and copying in the Commission's Public Reference Section, 100 F Street, NE., Washington, DC 20549, on official business days between the hours of 10 a.m. and 3 p.m. Copies of the filing also will be available for inspection and copying at the principal office of the Exchange. All comments received will be posted without change; the Commission does not edit personal identifying information from submissions. You should submit only information that you wish to make available publicly. All submissions should refer to File Number SR-NYSEAmex-2009-57 and should be submitted on or before October 19, 2009.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.²²

Florence E. Harmon,
Deputy Secretary.

[FR Doc. E9-23305 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

SECURITIES AND EXCHANGE COMMISSION

[Release No. 34-60691; File No. SR-NYSE-2009-84]

Self-Regulatory Organizations; Notice of Filing of Proposed Rule Change by New York Stock Exchange LLC, as Modified by Amendment No. 1, Amending NYSE Rule 36 To Permit the Use of Personal Portable or Wireless Communication Devices Off the Exchange Trading Floor and Outside Other Restricted Access Areas

September 18, 2009.

Pursuant to Section 19(b)(1)¹ of the Securities Exchange Act of 1934 (the "Act")² and Rule 19b-4 thereunder,³ notice is hereby given that, on August 27, 2009, New York Stock Exchange LLC ("NYSE" or the "Exchange") filed with the Securities and Exchange Commission (the "Commission") the proposed rule change, as described in Items I, II, and III below, which Items have been prepared by the Exchange. On September 17, 2009, the Exchange filed Amendment No. 1 to the proposed rule change.⁴ The Commission is publishing this notice to solicit comments on the proposed rule change, as modified by Amendment No. 1, from interested persons.

I. Self-Regulatory Organization's Statement of the Terms of Substance of the Proposed Rule Change

The Exchange proposes to amend NYSE Rule 36 (Communications Between Exchange and Members' Offices) to permit the use of personal portable or wireless communication devices off the Exchange Trading Floor. Amendment No. 1 supersedes the original filing in its entirety. Amendment No. 1 serves to clarify in the rule text the specific areas where employees of member organizations are permitted to use personal portable or wireless communications devices.⁵ The text of the proposed rule change is available at the Exchange, the Commission's Public Reference Room, and <http://www.nyse.com>.

¹ 15 U.S.C. 78s(b)(1).

² 15 U.S.C. 78a.

³ 17 CFR 240.19b-4.

⁴ Amendment No. 1 supersedes and replaces the original filing in its entirety.

⁵ The Commission notes that the rule text makes clear that personal portable or wireless communication devices can only be used outside of the Trading Floor and all other restricted access areas.

II. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

In its filing with the Commission, the self-regulatory organization included statements concerning the purpose of, and basis for, the proposed rule change and discussed any comments it received on the proposed rule change. The text of those statements may be examined at the places specified in Item IV below. The Exchange has prepared summaries, set forth in sections A, B, and C below, of the most significant parts of such statements.

A. Self-Regulatory Organization's Statement of the Purpose of, and Statutory Basis for, the Proposed Rule Change

1. Purpose

This Amendment No. 1 to SR-NYSE-2009-84 supersedes and replaces the original filing in its entirety.

The purpose of the proposed rule changes is to amend NYSE Rule 36 (Communications Between Exchange and Members' Offices) to permit the use of personal portable or wireless communication devices off the Exchange Trading Floor.⁶

Current Rule 36

NYSE Rule 36 prohibits members and member organizations from establishing or maintaining any telephonic or electronic communication, including the usage of any portable or wireless communication devices (*i.e.* cellular phone, wireless pager, BlackBerry™ etc.), between the Floor and any other location without prior Exchange approval.

Under Rule 36, notwithstanding the general prohibition on the use of portable or wireless communication devices, Floor brokers may use Exchange authorized and issued portable phones on the Floor to communicate with both member firms and non-members off the Floor, subject to certain restrictions.⁷ Floor brokers

⁶ The Exchange's corporate affiliate, NYSE Amex LLC ("NYSE Amex"), has submitted a companion filing. See SR-NYSE-Amex-2009-57. The Commission notes that the rule text makes clear that personal portable or wireless communication devices can only be used outside of the Trading Floor and all other restricted access areas. See *supra* note 5.

⁷ Prior to the implementation of a pilot program in 2003, Rule 36 prohibited, *inter alia*, the use of any portable or wireless communication devices on the Floor of the Exchange. In 2003, the Commission approved a six-month pilot program under NYSE Rule 36 for the use of portable phones by Floor brokers on the Floor of the Exchange, which was subsequently extended several times to June 30,

Continued

²² 17 CFR 200.30-3(a)(12).

may not, however, use Exchange authorized and issued devices on the NYSE Amex Options Trading Floor (as defined in NYSE Rule 6A).⁸ See Rule 36, Supplementary Material .20–.23.

Designated Market Makers (“DMMs”) may, subject to restriction, maintain at their posts telephone lines to the off-Floor offices of the DMM unit or the unit’s clearing firm.⁹ Such telephone lines may only be used to enter options or futures hedging orders through the DMM unit’s off-Floor office or the unit’s clearing firm, or through a member (on the Floor) of an options or futures exchange. These lines may not, however, be used for the purpose of transmitting to the Floor orders for the purchase or sale of securities. DMMs are also permitted to use at their posts wired or wireless devices, including computer terminals or laptops, that are registered with the Exchange to communicate with their system algorithms. See Rule 36.30.

Under Rule 36, the use of all other portable or wireless communication devices on the Floor is prohibited.

The prescriptions of Rule 36 must be viewed in conjunction with NYSE Rules 6 (“Floor”) and 6A (“Trading Floor”). Under Rule 6, the term “Floor” is defined as “the trading Floor of the Exchange and the premises immediately adjacent thereto, such as the various entrances and lobbies of the 11 Wall Street, 18 New Street, 8 Broad Street, 12 Broad Street and 18 Broad Street Buildings, and also means the telephone facilities available in these locations.” The Exchange has issued interpretive guidance that the “Floor” also includes the areas outside the “Blue Line” (member and member organization booths adjacent to the trading Floor) and “any area reserved primarily for members, including members’ lounges and bathrooms.”¹⁰

⁸ 2008. See footnotes 5 through 7 in Securities Exchange Act Release No. 58068 (June 30, 2008), 73 FR 39363 (July 9, 2008) (SR-NYSE-2008-20). In July 2008 the Commission approved the Exchange’s proposed amendments to Rule 36, making the pilot program permanent. See *id.* (order approving the amendments to Rule 36).

⁹ All members and member firm employees who use an Exchange authorized and issued portable phone must execute a written acknowledgement as to the usage of the phone and authorizing the Exchange to receive data and records related to incoming and outgoing calls. See NYSE Information Memos 08–40 (August 14, 2008) and 08–41 (August 14, 2008) (concerning the use of Exchange authorized and issued portable phones on the Floor). See also NYSE/NYSE Amex Information Memo 08–66 (December 22, 2008).

⁹ The role of DMMs and their obligations on the Exchange are described in Securities Exchange Act Release No. 58845 (October 24, 2008), 73 FR 64379 (October 29, 2008) (SR-NYSE-2008-46).

¹⁰ See NYSE/NYSE Amex Information Memo 08–66 (December 22, 2008).

In addition, under recently adopted Rule 6A, the “Trading Floor” is within the area of the “Floor” and defined as “the restricted-access physical areas designated by the Exchange for the trading of securities, commonly known as the ‘Main Room’ and the ‘Garage.’” In accordance with Rule 6A, the Trading Floor does not, however, include the areas where NYSE Amex-listed options are traded, commonly known as the “Blue Room” and the “Extended Blue Room” (the “NYSE Amex Options Trading Floor”).¹¹

Proposed Rule Changes

The Exchange proposes to amend Rule 36.23 to permit members and member firm employees to use personal portable or wireless communications devices outside the Trading Floor (*i.e.* outside the turnstiles or card swipe pads that electronically release locked doors to permit authorized entry).¹²

Although there are other areas on the Exchange’s premises where personal communications devices may be used by members and member firm employees (*e.g.*, the cafeteria in 11 Wall Street), these areas are either too far from the Trading Floor to be practical or do not have adequate reception for such devices. Thus, due to the prescriptions of Rule 36 and the broad definition of “Floor” under Rule 6, Exchange members and member firm employees are effectively required to leave the physical premises of the Exchange’s buildings and facilities in order to use their personal portable or wireless communications devices. Once outside, members and member firm employees may use their personal phones, BlackBerry™ or other devices to make personal calls and these conversations are not subject to the requirements of Rule 36. The requirement to leave the physical premises of the Exchange’s buildings and facilities to make personal communications can be overly burdensome, particularly during times of inclement weather. It is also burdensome to ask a member or member firm employee to go outside to make a personal call when there is no regulatory purpose for requiring

¹¹ Pursuant to the definitions of “Floor” and “Trading Floor” in NYSE Rules 6 and 6A, and corresponding Rules 6– and 6A—NYSE Amex Equities, the NYSE and NYSE Amex Equities Trading Floors overlap and thus references in the proposed rule text as well as in the 19b-4 to “Trading Floor” include the NYSE Amex Equities Trading Floor. See Securities Exchange Act Release No. 59479 (March 2, 2009), 74 FR 10325 (March 10, 2009) (SR-NYSE-2009-23) (adopting, *inter alia*, NYSE Rule 6A). As noted in footnote 4, NYSE Amex has proposed corresponding rule changes for its members and member organizations. See SR-NYSE-Amex-2009-57.

¹² See *supra* note 5.

personal calls to be made outside as opposed to inside the Exchange’s facilities.

The Exchange thus proposes to amend Rule 36.23 to provide a limited exception permitting members and member firm employees to use personal portable or wireless communications devices in designated areas of the Exchange’s buildings and facilities that fall within the technical definition of the Floor under Rule 6, but that are outside the Trading Floor as defined under Rule 6A. The proposed changes would permit members and member firm employees to use their personal communications devices in the hallways, stairwells, lobbies or members-only areas of the Exchange premises that are adjacent to the Trading Floors of the Exchange, NYSE Amex Options and/or NYSE Amex Equities.¹³ Specifically, such usage would be permitted in the lobby areas of the Exchange’s facilities at 11 Wall Street, 6 and 18 New Street, and 2, 12, 18 and 20 Broad Street, as well as in the corridor in front of the interior elevator bank inside of 18 Broad Street. Again, it is important to note that a member would need to re-enter the Trading Floor from these areas through a restricted access point (*i.e.* turnstiles or card swipe pads that electronically release locked doors to permit authorized entry).¹⁴

In addition, such usage would need to be consistent with all other Exchange Rules and/or federal securities laws, including, but not limited to, the requirements of Securities Exchange Act Release Nos. 33–7288 and 34–37182, concerning the “Use of Electronic Media by Broker-Dealers, Transfer Agents, and Investment Advisers for Delivery of Information.”¹⁵ The Exchange represents that it will issue a notice to members that will, *inter alia*, remind them of their obligations under these

¹³ It is important to note that the NYSE Amex Options Trading Floor is within the restricted access perimeter that encompasses the NYSE Trading Floor and thus member and member firm employees would not be permitted to use such devices in that space under the terms of the proposed Rule defining where such devices are permissible. See proposed NYSE Rule 36.23. In addition, while the NYSE Amex Options Rules permit NYSE Amex Options members to use personal communications devices on the NYSE Amex Options Trading Floor, those rules prohibit NYSE Amex Options members from using those devices on the Trading Floor of the Exchange. See NYSE Amex Options Rule 902NY.

¹⁴ The majority of the doors that require card swipe for entry are opaque.

¹⁵ See Securities Exchange Act Release Nos. 33–7288 and 34–37182 (May 9, 1996), 61 FR 24643 (May 15, 1996) (S7–13–96). See also FINRA Regulatory Notice 2007–59 (December 7, 2007), concerning the supervision of electronic communications.

releases. Finally, the Exchange proposes corresponding technical amendments to Rule 36.20.

In proposing this limited exception, the Exchange seeks to provide its members and member firm employees with a reasonable and comfortable space inside the physical confines of the Exchange's buildings and facilities within which they may use their personal portable or wireless communication devices, without diminishing the ability to monitor and regulate their conduct. The Exchange believes that the distance afforded by allowing a DMM, for example, to use a personal portable or wireless communication device outside the turnstiles is, in essence, equivalent to requiring a DMM to leave the Exchange's premises to do the same. Any time or place advantage to using such devices outside the turnstiles is significantly reduced by the fact that a DMM has no line of sight and no ability to hear trading activity on the Floor and the speed of electronic trading would likely render stale any information a DMM had prior to leaving his or her post on the Trading Floor.

In addition, the proposed amendments do not change the current obligations of members and member firm employees to use their personal portable or wireless communication devices consistent with Exchange Rules and federal securities laws. Floor brokers would still be limited to using only Exchange authorized and issued portable phones on the Exchange Trading Floor and DMMs would still only be permitted to use registered telephone lines and/or wired or wireless devices at their posts, and all such devices and communications would continue to be regulated by the Exchange. All other usage of portable or wireless communication devices on the Trading Floor would continue to be prohibited.

Finally, the Exchange would still retain jurisdiction over its members and member firm employees to regulate conduct that is inconsistent with Exchange Rules and/or the federal securities laws (e.g., trading ahead, insider trading, market manipulation).

2. Statutory Basis

The Exchange believes that the proposed rule changes are consistent with, and further the objectives of, Section 6(b)(5) of the Act,¹⁶ in that they are designed to prevent fraudulent and manipulative acts and practices, to promote just and equitable principles of trade, to remove impediments to and

perfect the mechanism of a free and open market and a national market system and, in general, to protect investors and the public interest.

The Exchange believes that the proposed rule changes are consistent with these principles because they do not modify the current prescribed uses (and limitations thereof) of personal portable or wireless communications devices. Rather, they merely change where those devices may be used to reflect the reality of the current trading environment, in which any time and place advantage to using such devices outside the Trading Floor and other restricted access areas is significantly reduced by the fact that a DMM or Floor broker has no line of sight or ability to hear trading activity on the Trading Floor. The Exchange further believes that, given the current speed of Exchange systems and the marketplace, any information a DMM obtained prior to leaving his or her post would be rendered stale by the time the DMM is outside the turnstiles. As such, the location change for the use of personal portable or wireless communication devices in the current trading environment is consistent with the Exchange's current regulatory controls governing the use of personal portable or wireless communication devices on the Floor, which were previously approved by the Commission or submitted by the Exchange for immediate effectiveness.¹⁷

The Exchange further believes that the proposal will permit Exchange members and member firm employees to, within the existing regulatory framework at the Exchange, efficiently and effectively conduct business on the Trading Floor and engage in personal communications while off the Trading Floor.

B. Self-Regulatory Organization's Statement on Burden on Competition

The Exchange does not believe that the proposed rule change will impose any burden on competition that is not necessary or appropriate in furtherance of the purposes of the Act.

C. Self-Regulatory Organization's Statement on Comments on the Proposed Rule Change Received From Members, Participants, or Others

No written comments were solicited or received with respect to the proposed rule change.

¹⁷ See Securities Exchange Act Release No. 58068 (June 30, 2008), 73 FR 39363 (July 9, 2008) (SR-NYSE-2008-20); and Securities Exchange Act Release No. 59479 (March 2, 2009), 74 FR 10325 (March 10, 2009) (SR-NYSE-2009-23).

III. Date of Effectiveness of the Proposed Rule Change and Timing for Commission Action

Within 35 days of the date of publication of this notice in the **Federal Register** or within such longer period (i) as the Commission may designate up to 90 days of such date if it finds such longer period to be appropriate and publishes its reasons for so finding or (ii) as to which the self-regulatory organization consents, the Commission will:

- (A) By order approve the proposed rule change, or
- (B) Institute proceedings to determine whether the proposed rule change should be disapproved.

IV. Solicitation of Comments

Interested persons are invited to submit written data, views, and arguments concerning the foregoing, including whether the proposed rule change is consistent with the Act. Comments may be submitted by any of the following methods:

Electronic Comments

- Use the Commission's Internet comment form (<http://www.sec.gov/rules/sro.shtml>); or
- Send an e-mail to rule-comments@sec.gov. Please include File Number SR-NYSE-2009-84 on the subject line.

Paper Comments

- Send paper comments in triplicate to Elizabeth M. Murphy, Secretary, Securities and Exchange Commission, 100 F Street, NE., Washington, DC 20549-1090.

All submissions should refer to File Number SR-NYSE-2009-84. This file number should be included on the subject line if e-mail is used. To help the Commission process and review your comments more efficiently, please use only one method. The Commission will post all comments on the Commission's Internet Web site (<http://www.sec.gov/rules/sro.shtml>). Copies of the submission, all subsequent amendments, all written statements with respect to the proposed rule change that are filed with the Commission, and all written communications relating to the proposed rule change between the Commission and any person, other than those that may be withheld from the public in accordance with the provisions of 5 U.S.C. 552, will be available for inspection and copying in the Commission's Public Reference Section, 100 F Street, NE., Washington, DC 20549, on official business days

¹⁶ 15 U.S.C. 78f(b)(5).

between the hours of 10 a.m. and 3 p.m. Copies of the filing also will be available for inspection and copying at the principal office of the Exchange. All comments received will be posted without change; the Commission does not edit personal identifying information from submissions. You should submit only information that you wish to make available publicly. All submissions should refer to File Number SR-NYSE-2009-84 and should be submitted on or before October 19, 2009.

For the Commission, by the Division of Trading and Markets, pursuant to delegated authority.¹⁸

Florence E. Harmon,
Deputy Secretary.

[FR Doc. E9-23304 Filed 9-25-09; 8:45 am]

BILLING CODE 8010-01-P

DEPARTMENT OF STATE

[Public Notice 6771]

30-Day Notice of Proposed Information Collection: DS-4076 Commodity Jurisdiction (CJ) Determination Form; OMB Control Number 1405-0163

ACTION: Notice of request for public comment and submission to OMB of proposed collection of information.

SUMMARY: The Department of State has submitted the following information collection to the Office of Management and Budget (OMB) for approval in accordance with the Paperwork Reduction Act of 1995.

Title of Information Collection: DS-4076 Commodity Jurisdiction (CJ) Determination Form.

OMB Control Number: 1405-0163.

Type of Request: Extension of currently approved collection.

Originating Office: Bureau of Political Military Affairs, Directorate of Defense Trade Controls, PM/DDTC.

Form Number: DS-4076.

Respondents: Business organizations.

Estimated Number of Respondents: 425 (total).

Estimated Number of Responses: 465 (per year).

Average Hours per Response: 10 hours.

Total Estimated Burden: 4,650 hours (per year).

Frequency: On Occasion.

Obligation to Respond: Voluntary.

DATES: Submit comments to the Office of Management and Budget (OMB) for up to 30 days from September 28, 2009.

ADDRESSES: Direct comments to the Department of State Desk Officer in the

Office of Information and Regulatory Affairs at the Office of Management and Budget (OMB). You may submit comments by any of the following methods:

E-mail:

oira_submission@omb.eop.gov. You must include the DS form number, information collection title, and OMB control number in the subject line of your message.

Fax: 202-395-5806. *Attention:* Desk Officer for Department of State.

FOR FURTHER INFORMATION CONTACT: You may obtain copies of the proposed information collection and supporting documents from Mary F. Sweeney, PM/DDTC, SA-1, 12th Floor, Directorate of Defense Trade Controls, Bureau of Political Military Affairs, U.S. Department of State, Washington, DC 20522-0112, who may be reached via phone at (202) 663-2865, or via e-mail at *sweeneymf@state.gov.*

SUPPLEMENTARY INFORMATION: We are soliciting public comments to permit the Department to:

Evaluate whether the proposed collection of information is necessary to properly perform our functions.

Evaluate the accuracy of our estimate of the burden of the proposed collection, including the validity of the methodology and assumptions used.

Enhance the quality, utility, and clarity of the information to be collected.

Minimize the reporting burden on those who are to respond, including the use of automated collection techniques or other forms of technology.

Abstract of proposed collection: The information will be used to evaluate whether or not a particular defense article or defense service is covered by the U.S. Munitions List; to remove a defense article from the U.S. Munitions List; or to reconsider a previous commodity jurisdiction determination.

Methodology: This information collection will be collected electronically.

Dated: September 17, 2009.

Robert S. Kovac,

Acting Deputy Assistant Secretary for Defense Trade, Bureau of Political-Military Affairs, U.S. Department of State.

[FR Doc. E9-23324 Filed 9-25-09; 8:45 am]

BILLING CODE 4710-25-P

DEPARTMENT OF STATE

[Public Notice 6772]

Culturally Significant Objects Imported for Exhibition Determinations: "Gabriel Orozco"

SUMMARY: Notice is hereby given of the following determinations: Pursuant to the authority vested in me by the Act of October 19, 1965 (79 Stat. 985; 22 U.S.C. 2459), Executive Order 12047 of March 27, 1978, the Foreign Affairs Reform and Restructuring Act of 1998 (112 Stat. 2681, *et seq.*; 22 U.S.C. 6501 note, *et seq.*), Delegation of Authority No. 234 of October 1, 1999, Delegation of Authority No. 236 of October 19, 1999, as amended, and Delegation of Authority No. 257 of April 15, 2003 [68 FR 19875], I hereby determine that the objects in the exhibition: "Gabriel Orozco," imported from abroad for temporary exhibition within the United States, are of cultural significance. The objects are imported pursuant to loan agreements with the foreign owners or custodians. I also determine that the exhibition or display of the exhibit objects at The Museum of Modern Art, New York, N.Y., from on or about December 13, 2009, until on or about March 1, 2010, and at possible additional exhibitions or venues yet to be determined, is in the national interest. Public Notice of these Determinations is ordered to be published in the Federal Register.

FOR FURTHER INFORMATION CONTACT: For further information, including a list of the exhibit objects, contact Julie Simpson, Attorney-Adviser, Office of the Legal Adviser, U.S. Department of State (telephone: 202-632-6467). The address is U.S. Department of State, L/PD, SA-5, 2200 C Street, NW., Suite 5H03, Washington, DC 20522-0505.

Dated: September 21, 2009.

Maura M. Pally,

Deputy Assistant Secretary for Professional and Cultural Exchanges, Bureau of Educational and Cultural Affairs, Department of State.

[FR Doc. E9-23322 Filed 9-25-09; 8:45 am]

BILLING CODE 4710-05-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

Notice of Intent to Rule on Request To Release Airport Property at the Boise Air Terminal, Boise, ID

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of request to release airport property.

¹⁸ 17 CFR 200.30-3(a)(12).

SUMMARY: The FAA proposes to rule and invite public comment on the release of land at Boise Air Terminal under the provisions of section.

DATES: Comments must be received on or before October 28, 2009.

ADDRESSES: Comments on this application may be mailed or delivered to the FAA at the following address: Ms. Carol Suomi, Manager, Seattle Airports District Office, Federal Aviation Administration, Northwest Mountain Region, Airports Division, 1601 Lind Ave SW., Suite 250 Renton, Washington 98057-3356.

FOR FURTHER INFORMATION CONTACT: Ms. Sandy Simmons, Idaho Airport Engineer, Project Manager Seattle Airports District Office, Federal Aviation Administration, Northwest Mountain Region, Airports Division, 1601 Lind Ave SW., Suite 250 Renton, Washington 98057-3356.

SUPPLEMENTARY INFORMATION: The FAA invites public comment on the request to release property at the Boise Air Terminal under the provisions of the AIR 21 (49 U.S.C. 47107 (h)(2)).

On September 10, 2009 the FAA determined that the request to release property at Boise Air Terminal submitted by the airport meets the procedural requirements of the Federal Aviation Administration. The FAA may approve the request, in whole or in part, no later than October 28, 2009.

The following is a brief overview of the request: Boise Air Terminal is proposing the release of approximately 10.157 acres of airport property to the Federal Highways Department of Transportation. This release is necessary in order to sell required Right of Way and Permanent Easement to the Idaho Transportation Department (ITD) for the 1-84/Orchard Street Interchange Project, an Eminent Domain project.

Any person may inspect, by appointment, the request in person at the FAA office listed above under **FOR FURTHER INFORMATION CONTACT**.

FOR FURTHER INFORMATION CONTACT: In addition, any person may, upon appointment and request, inspect application, notice and other documents germane to the application in person at the Boise Air Terminal.

Issued in Renton, Washington, September 10, 2009.

Carol A. Suomi,
Manager, Seattle Airports District Office,
Northwest Mountain Region, Federal Aviation
Administration.

[FR Doc. E9-23236 Filed 9-25-09; 8:45 am]

BILLING CODE M

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

Fifty-Fourth Meeting, RTCA Special Committee 135: Environmental Conditions and Test Procedures for Airborne Equipment

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of RTCA Special Committee 135: Environmental Conditions and Test Procedures for Airborne Equipment meeting.

SUMMARY: The FAA is issuing this notice to advise the public of a meeting of RTCA Special Committee 135: Environmental Conditions and Test Procedures for Airborne Equipment.

DATES: The meeting will be held October 28-30, 2009, starting at 9 a.m.

ADDRESSES: The meeting will be held at RTCA, 1828 L Street, NW., Suite 805, RTCA Conference Rooms, Washington, DC 20036.

FOR FURTHER INFORMATION CONTACT: (1) RTCA Secretariat, 1828 L Street, NW., Suite 805, Washington, DC 20036; telephone (202) 833-9339; fax (202) 833-9434; Web site <http://www.rtca.org>.

SUPPLEMENTARY INFORMATION: Pursuant to section 10(a) (2) of the Federal Advisory Committee Act (Pub. L. 92-463, 5 U.S.C., Appendix 2), notice is hereby given for a Special Committee 135: Environmental Conditions and Test Procedures for Airborne Equipment meeting. The agenda will include:

October 28-30

- Opening Session (Welcome, Chairman's Opening Remarks, Introductions)
- Approval of Summary from the Fifty-Third Meeting. RTCA Paper No. 178-09/SC135-672.
- Status and Review of Revision of AC.
- Review Errata for DO-160F.
- Report from Section 16, 20, 21, & 26 Working Groups.
- Review Change Proposals for DO-160G/ED-14G.
- Status of User Guide Material.
- Review Schedule for DO-160G.
- Establish Date for Next SC-135 Meeting.
- Closing Plenary Session (New/Unfinished Business, Date and Place of Next Meeting).

Attendance is open to the interested public but limited to space availability. With the approval of the chairmen, members of the public may present oral statements at the meeting. Persons wishing to present statements or obtain information should contact the person

listed in the **FOR FURTHER INFORMATION CONTACT** section. Members of the public may present a written statement to the committee at any time.

Issued in Washington, DC, on September 22, 2009.

Francisco Estrada C.,

RTCA Advisory Committee.

[FR Doc. E9-23333 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

RTCA Government/Industry Air Traffic Management Advisory Committee

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of RTCA Government/Industry Air Traffic Management Advisory Committee.

SUMMARY: The FAA is issuing this notice to advise the public of a meeting of RTCA Government/Industry Air Traffic Management Advisory Committee.

DATES: The meeting will be held October 29, 2009, from 1 p.m. to 4 p.m.

ADDRESSES: The meeting will be held at FAA Headquarters, 800 Independence Avenue, SW., Bessie Coleman Conference Center (2nd Floor), Washington, DC, 20591.

FOR FURTHER INFORMATION CONTACT: RTCA Secretariat, 1828 L Street, NW., Suite 805, Washington, DC, 20036; telephone (202) 833-9339; fax (202) 833-9434; Web site <http://www.rtca.org>. *METRO: L'Enfant Plaza Station (Use 7th & Maryland Exit).*

SUPPLEMENTARY INFORMATION: Pursuant to section 10(a)(2) of the Federal Advisory Committee Act (Pub. L. 92-463, 5 U.S.C., Appendix 2), notice is hereby given for the Air Traffic Management Advisory Committee meeting. The agenda will include:

- Opening Plenary (Welcome and Introductions).
- ATMAD ADS-B WG Report, Discussion, and Tasking.
- RTCA Task Force on NextGen Mid-Term Implementation (NextGen TF): Recommendations and Post TF Collaboration.
- Trajectory Based Operations: Discussion and Potential Tasking.
- ATMAD R&P WG Report, Discussion, and Tasking.
- ATMAD Member Discussion and Recommendations.
- Proposed 2010 Meeting Schedule.
- Closing Plenary (Other Business, Member Discussion, Adjourn).

Attendance is open to the interested public but limited to space availability.

With the approval of the chairmen, members of the public may present oral statements at the meeting. Persons wishing to present statements or obtain information should contact the person listed in the **FOR FURTHER INFORMATION CONTACT** section. Members of the public may present a written statement to the committee at any time.

Issued in Washington, DC, on September 22, 2009.

Francisco Estrada C.,

RTCA Advisory Committee.

[FR Doc. E9-23275 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Maritime Administration

[Docket No. MARAD-2009-0072]

Requested Administrative Waiver of the Coastwise Trade Laws

AGENCY: Maritime Administration, Department of Transportation.

ACTION: Invitation for public comments on a requested administrative waiver of the Coastwise Trade Laws for the vessel FLOAT PLANE.

SUMMARY: As authorized by 46 U.S.C. 12121, the Secretary of Transportation, as represented by the Maritime Administration (MARAD), is authorized to grant waivers of the U.S.-build requirement of the coastwise laws under certain circumstances. A request for such a waiver has been received by MARAD. The vessel, and a brief description of the proposed service, is listed below. The complete application is given in DOT docket MARAD-2009-0072 at <http://www.regulations.gov>. Interested parties may comment on the effect this action may have on U.S. vessel builders or businesses in the U.S. that use U.S.-flag vessels. If MARAD determines, in accordance with 46 U.S.C. 12121 and MARAD's regulations at 46 CFR part 388 (68 FR 23084; April 30, 2003), that the issuance of the waiver will have an unduly adverse effect on a U.S.-vessel builder or a business that uses U.S.-flag vessels in that business, a waiver will not be granted. Comments should refer to the docket number of this notice and the vessel name in order for MARAD to properly consider the comments. Comments should also state the commenter's interest in the waiver application, and address the waiver criteria given in § 388.4 of MARAD's regulations at 46 CFR part 388.

DATES: Submit comments on or before October 28, 2009.

ADDRESSES: Comments should refer to docket number MARAD-2009-0072. Written comments may be submitted by hand or by mail to the Docket Clerk, U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590. You may also send comments electronically via the Internet at <http://www.regulations.gov>. All comments will become part of this docket and will be available for inspection and copying at the above address between 10 a.m. and 5 p.m., E.T., Monday through Friday, except Federal holidays. An electronic version of this document and all documents entered into this docket is available on the World Wide Web at <http://www.regulations.gov>.

FOR FURTHER INFORMATION CONTACT:

Joann Spittle, U.S. Department of Transportation, Maritime Administration, 1200 New Jersey Avenue, SE., Room W21-203, Washington, DC 20590. Telephone 202-366-5979.

SUPPLEMENTARY INFORMATION: As described by the applicant the intended service of the vessel FLOAT PLANE is:
Intended Use: "Skipped commercial cruises with 12 or less passengers in the Puget Sound region, mostly Lake Washington."
Geographic Region: "Washington State".

Geographic Region: "Washington State".

Privacy Act

Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (Volume 65, Number 70; Pages 19477-78).

Dated: September 17, 2009.

By Order of the Maritime Administrator.

Christine Gurland,

Secretary, Maritime Administration.

[FR Doc. E9-23376 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-81-P

DEPARTMENT OF TRANSPORTATION

Maritime Administration

[Docket No. MARAD-2009-0086]

Requested Administrative Waiver of the Coastwise Trade Laws

AGENCY: Maritime Administration, Department of Transportation.

ACTION: Invitation for public comments on a requested administrative waiver of the Coastwise Trade Laws for the vessel SUNLUVER.

SUMMARY: As authorized by 46 U.S.C. 12121, the Secretary of Transportation, as represented by the Maritime Administration (MARAD), is authorized to grant waivers of the U.S.-build requirement of the coastwise laws under certain circumstances. A request for such a waiver has been received by MARAD. The vessel, and a brief description of the proposed service, is listed below. The complete application is given in DOT docket MARAD-2009-0086 at <http://www.regulations.gov>. Interested parties may comment on the effect this action may have on U.S. vessel builders or businesses in the U.S. that use U.S.-flag vessels. If MARAD determines, in accordance with 46 U.S.C. 12121 and MARAD's regulations at 46 CFR Part 388 (68 FR 23084; April 30, 2003), that the issuance of the waiver will have an unduly adverse effect on a U.S.-vessel builder or a business that uses U.S.-flag vessels in that business, a waiver will not be granted. Comments should refer to the docket number of this notice and the vessel name in order for MARAD to properly consider the comments. Comments should also state the commenter's interest in the waiver application, and address the waiver criteria given in § 388.4 of MARAD's regulations at 46 CFR Part 388.

DATES: Submit comments on or before October 28, 2009.

ADDRESSES: Comments should refer to docket number MARAD-2009-0086. Written comments may be submitted by hand or by mail to the Docket Clerk, U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590. You may also send comments electronically via the Internet at <http://www.regulations.gov>. All comments will become part of this docket and will be available for inspection and copying at the above address between 10 a.m. and 5 p.m., E.T., Monday through Friday, except federal holidays. An electronic version of this document and all documents entered into this docket is available on the World Wide Web at <http://www.regulations.gov>.

FOR FURTHER INFORMATION CONTACT:

Joann Spittle, U.S. Department of Transportation, Maritime Administration, 1200 New Jersey Avenue, SE., Room W21-203,

Washington, DC 20590. Telephone 202-366-5979.

SUPPLEMENTARY INFORMATION: As described by the applicant the intended service of the vessel SUNLUVER is:

Intended Commercial Use of Vessel: "Crewed Charters to Cuba (when it opens up), Dry Tortugas, day sails."
Geographic Region: "Florida."

Privacy Act

Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (Volume 65, Number 70; Pages 19477-78).

Dated: September 17, 2009.

By Order of the Maritime Administrator.

Christine Gurland,

Secretary, Maritime Administration.

[FR Doc. E9-23377 Filed 9-25-09; 8:45 am]

BILLING CODE 4910-81-P

DEPARTMENT OF TRANSPORTATION

Maritime Administration

[Docket No. MARAD-2009-0087]

Requested Administrative Waiver of the Coastwise Trade Laws

AGENCY: Maritime Administration, Department of Transportation.

ACTION: Invitation for public comments on a requested administrative waiver of the Coastwise Trade Laws for the vessel LIZ B.

SUMMARY: As authorized by 46 U.S.C. 12121, the Secretary of Transportation, as represented by the Maritime Administration (MARAD), is authorized to grant waivers of the U.S.-build requirement of the coastwise laws under certain circumstances. A request for such a waiver has been received by MARAD. The vessel, and a brief description of the proposed service, is listed below. The complete application is given in DOT docket MARAD-2009-0087 at <http://www.regulations.gov>. Interested parties may comment on the effect this action may have on U.S. vessel builders or businesses in the U.S. that use U.S.-flag vessels. If MARAD determines, in accordance with 46 U.S.C. 12121 and MARAD's regulations at 46 CFR part 388 (68 FR 23084; April 30, 2003), that the issuance of the waiver will have an unduly adverse effect on a U.S.-vessel builder or a

business that uses U.S.-flag vessels in that business, a waiver will not be granted. Comments should refer to the docket number of this notice and the vessel name in order for MARAD to properly consider the comments. Comments should also state the commenter's interest in the waiver application, and address the waiver criteria given in § 388.4 of MARAD's regulations at 46 CFR part 388.

DATES: Submit comments on or before October 28, 2009.

ADDRESSES: Comments should refer to docket number MARAD-2009-0087. Written comments may be submitted by hand or by mail to the Docket Clerk, U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590. You may also send comments electronically via the Internet at <http://www.regulations.gov>. All comments will become part of this docket and will be available for inspection and copying at the above address between 10 a.m. and 5 p.m., E.T., Monday through Friday, except Federal holidays. An electronic version of this document and all documents entered into this docket is available on the World Wide Web at <http://www.regulations.gov>.

FOR FURTHER INFORMATION CONTACT: Joann Spittle, U.S. Department of Transportation, Maritime Administration, 1200 New Jersey Avenue, SE., Room W21-203, Washington, DC 20590. Telephone 202-366-5979.

SUPPLEMENTARY INFORMATION: As described by the applicant the intended service of the vessel LIZ B:

Intended Commercial Use of Vessel: "Passenger between island state parks accessible by water only with valid permit from local state parks, sports fishing (catch not for sale)."

Geographic Region: "Waters in and surrounding the San Juan Islands, WA".

Privacy Act

Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an association, business, labor union, etc.). You may review DOT's complete Privacy Act Statement in the **Federal Register** published on April 11, 2000 (Volume 65, Number 70; Pages 19477-78).

Dated: September 17, 2009.

By Order of the Maritime Administrator.
Christine Gurland,
Secretary, Maritime Administration.
[FR Doc. E9-23378 Filed 9-25-09; 8:45 am]
BILLING CODE 4910-81-P

DEPARTMENT OF THE TREASURY

Submission for OMB Review; Comment Request

September 22, 2009.

The Department of the Treasury will submit the following public information collection requirement(s) to OMB for review and clearance under the Paperwork Reduction Act of 1995, Public Law 104-13 on or after the date of publication of this notice. Copies of the submission(s) may be obtained by calling the Treasury Bureau Clearance Officer listed. Comments regarding this information collection should be addressed to the OMB reviewer listed and to the Treasury Department Clearance Officer, Department of the Treasury, Room 11020, 1750 Pennsylvania Avenue, NW., Washington, DC 20220.

DATES: Written comments should be received on or before October 28, 2009 to be assured of consideration.

Office of Financial Stability (OFS)

OMB Number: 1505-0213.

Type of Review: Extension.

Title: Capital Assistance Program (CAP) Application.

Description: The Emergency Economic Stabilization Act provides the Secretary of the Treasury broad authority to purchase and insure mortgage assets, and to purchase any other financial instrument that the Secretary, in consultation with the Federal Reserve Chairman, determines necessary to stabilize our financial markets. The TARP includes several components including the Capital Assistance Program (CAP) under which the Department may purchase qualifying capital in U.S. banking organizations. The Treasury, through Federal banking agencies, is seeking applicant information for financial institutions that seek participation in the CAP. Treasury is seeking information from financial institutions include bank holding companies, financial holding companies, insured depository institutions and savings and loan holding companies that engage solely or predominately in activities that are permissible for financial holding companies under relevant law. To qualify, the applicant must be established and operating in the United

States and may not be controlled by a foreign bank or company.

Respondents: Businesses or other for-profit institutions.

Estimated Total Reporting Burden: 200 hours.

OMB Number: 1505-0214.

Type of Review: Extension.

Title: Troubled Assets Relief Program (TARP) Capital Purchase Program (CPP) All Participants Monthly Report.

Description: Authorized under the Emergency Economic Stabilization Act (EESA) of 2008 (Pub. L. 110-343), the Department of the Treasury has implemented several aspects of the Troubled Asset Relief Program. Among these components is a voluntary Capital Purchase Program (CPP) under which the Department may purchase qualifying capital in U.S. banking organizations. The Treasury has so far invested capital through this program in over 400 financial institutions. As part of this program, Treasury would like to gauge, whether the capital injections made through the CPP are having the desired effect of ensuring liquidity within the banking system and thereby increasing lending activity. To gauge this, Treasury would like to monitor the lending activity of all CPP participants. The Treasury will be conducting evaluations using quarterly Call Report data supplied by these financial institutions to their primary regulator. However, in order to have a more frequent and timely snapshot of the current lending environment, Treasury is requesting the ability to conduct a monthly survey of all participants in the CPP in order to supplement the quarterly analysis.

Respondents: Businesses or other for-profit institutions.

Estimated Total Reporting Burden: 48,000 hours.

OMB Number: 1505-0215.

Type of Review: Extension.

Title: Legacy Systems Public-Private Investment Fund Application.

Description: Authorized under the Emergency Economic Stabilization Act (EESA) of 2008 (Pub. L. 110-343), the Department of the Treasury is implementing several aspects of the Troubled Asset Relief Program. The statute provides the Secretary broad authority to purchase and insure mortgage assets, and to purchase any other financial instrument that the Secretary, in consultation with the Federal Reserve Chairman, determines necessary to stabilize our financial markets. The TARP includes several components including a voluntary Legacy Securities Public Private Investment Fund (PPIF). Under this

plan the Treasury will contribute equity funding equal to or less than the private capital raised by private investors. In addition Treasury will consider requests for loans from Treasury in amounts of up to 100% of the total equity capital (Treasury plus private) of a Legacy Security PPIF. The Treasury is seeking applicant information for financial institutions that seek participation in the Legacy Securities PPIF.

Respondents: Businesses or other for-profit institutions.

Estimated Total Reporting Burden: 1,200 hours.

Clearance Officer: Suzanne Tosini, (202) 927-9627, 1801 L Street NW, Washington, DC 20220.

OMB Reviewer: OIRA Desk Officer, Office of Management and Budget, Room 10235, New Executive Office Building, Washington, DC 20503. oira_submission@omb.eop.gov.

Robert Dahl,

Treasury PRA Clearance Officer.

[FR Doc. E9-23271 Filed 9-25-09; 8:45 am]

BILLING CODE 4810-25-P

DEPARTMENT OF THE TREASURY

Submission for OMB Review; Comment Request

September 22, 2009.

The Department of the Treasury will submit the following public information collection requirement(s) to OMB for review and clearance under the Paperwork Reduction Act of 1995, Public Law 104-13 on or after the date of publication of this notice. Copies of the submission(s) may be obtained by calling the Treasury Bureau Clearance Officer listed. Comments regarding this information collection should be addressed to the OMB reviewer listed and to the Treasury Department Clearance Officer, Department of the Treasury, Room 11020, 1750 Pennsylvania Avenue, NW., Washington, DC 20220.

DATES: Written comments should be received on or before October 28, 2009 to be assured of consideration.

Office of Foreign Portfolio Investment

OMB Number: 1505-0146.

Type of Review: Extension.

Title: Survey of U.S. Ownership of Foreign Securities.

Description: The survey will collect information on U.S. holdings of foreign securities. The information will be used in the computation of the U.S. balance of payments accounts and international investments position, as well as in the formulation of U.S. financial and

monetary policies. This survey is also part of an international effort coordinated by the IMF to improve worldwide balance of payments statistics. Respondents are primarily the largest banks, securities dealers, and investors.

Respondents: Businesses or other for-profit institutions.

Estimated Total Reporting Burden: 40,740 hours.

Clearance Officer: Dwight Wolkow, (202) 622-2176, 1500 Pennsylvania Avenue, Room 2064D, Washington, DC 20220.

OMB Reviewer: OIRA Desk Officer, Office of Management and Budget, Room 10235, New Executive Office Building, Washington, DC 20503, oira_submission@omb.eop.gov.

Robert Dahl,

Treasury PRA Clearance Officer.

[FR Doc. E9-23272 Filed 9-25-09; 8:45 am]

BILLING CODE 4810-25-P

DEPARTMENT OF THE TREASURY

Submission for OMB Review; Comment Request

September 21, 2009.

The Department of the Treasury will submit the following public information collection requirement(s) to OMB for review and clearance under the Paperwork Reduction Act of 1995, Public Law 104-13 on or after the date of publication of this notice. Copies of the submission(s) may be obtained by calling the Treasury Bureau Clearance Officer listed. Comments regarding this information collection should be addressed to the OMB reviewer listed and to the Treasury Department Clearance Officer, Department of the Treasury, Room 11000, and 1750 Pennsylvania Avenue, NW., Washington, DC 20220.

DATES: Written comments should be received on or before October 28, 2009 to be assured of consideration.

Internal Revenue Service (IRS)

OMB Number: 1545-0175.

Type of Review: Revision.

Form: 4626.

Title: Alternative Minimum Tax-Corporations.

Description: Form 4626 is used by corporations to calculate their alternative minimum tax.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 2,611,200 hours.

OMB Number: 1545-0217.

Type of Review: Extension.

Form: 5735.

Title: Form 5735, American Samoa Economic Development Credit.

Description: Form 5735 is used to figure the American Samoa economic development credit under section 30A. The credit is generally allowed against income tax imposed by Chapter 1. A domestic corporation (other than an S corporation) that is an existing credit claimant with respect to American Samoa must complete Form 5735 for each year the American Samoa economic development credit election is in effect.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 127 hours.

OMB Number: 1545-0644.

Type of Review: Extension.

Form: 6781.

Title: Gains and Losses from Section 1256 Contracts and Straddles.

Description: Form 6781 is used by taxpayers to compute their gains and losses from section 1256 contracts and straddles and their special tax treatment. The data is used to verify that the tax reported accurately reflects any such gains and losses.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 903,236 hours.

OMB Number: 1545-0887.

Type of Review: Extension.

Form: 8281.

Title: Information Return for Publicity Offered Original Issue Discount Instruments.

Description: Form 8281 is filed by the issuer of a publicly offered debt instrument having OID. The information is used to update Pub. 1212, List of Original Issue Discount Instruments.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 3,060 hours.

OMB Number: 1545-0745.

Type of Review: Extension.

Title: LR-27-83 (Temporary) Floor Stocks Credits or Refunds and Consumer Credits or Refunds With Respect to Certain Tax-Repealed Articles; Excise Tax on Heavy Trucks; LR-54-85 (Temporary) Excise Tax on.

Description: LR-27-83 requires sellers of trucks, trailers and semitrailers, and tractors to maintain records of the gross vehicle weights of articles sold to verify taxability. LR-54-85 requires that if the sale is to be treated as exempt, the seller and the purchaser must be registered and the purchaser must give the seller a resale certificate.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 4,140 hours.

OMB Number: 1545-1975.

Type of Review: Extension.

Form: Schedule F (Form 1040).

Title: Profit or Loss from Farming.

Description: Schedule F (Form 1040) is used by individuals to report their employment taxes. The data is used to verify that the items reported on the form is correct and also for general statistical use.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 7,796,240 hours.

OMB Number: 1545-1989.

Type of Review: Extension.

Title: Notice 2009-53—Credit for Nonbusiness Energy Property.

Description: This notice updates interim guidance, pending the issuance of regulations, relating to the credit for nonbusiness energy property under § 25C of the Internal Revenue Code. Specifically, this notice provides procedures that manufacturers may follow to certify property as either eligible building envelope components or qualified energy property, as well as guidance regarding the conditions under which taxpayers seeking to claim the § 25C credit may rely on a manufacturer's certification.

Respondents: Individuals and Households.

Estimated Total Burden Hours: 350 hours.

OMB Number: 1545-1438.

Type of Review: Extension.

Title: CO-8-91 (Final) Distributions of Stock and Stock Rights.

Description: The requested information is required to notify the Service that a holder of preferred stock callabe at a premium by the issuer has made a determination regarding the likelihood of exercise of the right to call that is different from the issuer's determination.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 333 hours.

OMB Number: 1545-1163.

Type of Review: Extension.

Form: 8822.

Title: Change of Address.

Description: Form 8822 is used by taxpayers to notify the Internal Revenue Service that they have changed their home or business.

Respondents: Individuals and Households.

Estimated Total Burden Hours: 258,334 hours.

OMB Number: 1545-2003.

Type of Review: Extension.

Title: Notice 2006-24, Qualifying Advanced Coal Project Program.

Description: This notice establishes the qualifying advanced coal project program under sec. 48A of the Internal Revenue Code. The notice provides the time and manner for a taxpayer to apply for an allocation of qualifying advanced coal project credits and, once the taxpayer has received this allocation, the time and manner for the taxpayer to file for a certification of its qualifying advanced coal project.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 4,950 hours.

OMB Number: 1545-2009.

Type of Review: Extension.

Form: 13285-A.

Title: Reducing Tax Burden on America's Taxpayers.

Description: The IRS Office of Taxpayer Burden Reduction (TBR) needs the taxpaying public's help to identify meaningful taxpayer burden reduction opportunities that impact a large number of taxpayers. This form should be used to refer ideas for reducing taxpayer burden to the TBR for consideration and implementation.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 62 hours.

OMB Number: 1545-1035.

Type of Review: Extension.

Form: 8611.

Title: Recapture of Low-Income Housing Credit.

Description: IRC section 42 permits owners of residential rental projects providing low-income housing to claim a credit against their income tax. If the property is disposed of or it fails to meet certain requirements over a 15-year compliance period and a bond is not posted, the owner must recapture on Form 8611 part of the credit(s) taken in prior years.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 7,842 hours.

Clearance Officer: R. Joseph Durbala, (202) 622-3634, Internal Revenue Service, Room 6516, 1111 Constitution Avenue, NW., Washington, DC 20224.

OMB Reviewer: Shagufta Ahmed, (202) 395-7873, Office of Management and Budget, Room 10235, New Executive Office Building, Washington, DC 20503.

Celina Elphage,

Treasury PRA Clearance Officer.

[FR Doc. E9-23273 Filed 9-25-09; 8:45 am]

BILLING CODE 4830-01-P

DEPARTMENT OF THE TREASURY

**Submission for OMB Review;
Comment Request**

September 22, 2009.

The Department of the Treasury will submit the following public information collection requirement(s) to OMB for review and clearance under the Paperwork Reduction Act of 1995, Public Law 104-13 on or after the date of publication of this notice. Copies of the submission(s) may be obtained by calling the Treasury Bureau Clearance Officer listed. Comments regarding this information collection should be addressed to the OMB reviewer listed and to the Treasury Department Clearance Officer, Department of the Treasury, Room 11000, 1750 Pennsylvania Avenue, NW., Washington, DC 20220.

DATES: Written comments should be received on or before October 28, 2009 to be assured of consideration.

Alcohol and Tobacco Tax and Trade Bureau (TTB)

OMB Number: 1513-0028.

Type of Review: Extension.

Form: TTB F 5150.22.

Title: Application for an Industrial Alcohol User Permit.

Description: TTB F 5150.22 is used to determine the eligibility of the applicant to engage in certain operations and the extent of the operations for the production and distribution of specially denatured spirits (alcohol/um). This form identifies the location of the premises and establishes whether the premises will be in conformity with the Federal laws and regulations.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 738 hours.

OMB Number: 1513-0048.

Type of Review: Extension.

Form: TTB F 5110.41.

Title: Registration of Distilled Spirits Plants and Miscellaneous Requests and Notices and Distilled Spirits Plants.

Description: The information provided by the applicants assists TTB in determining eligibility and providing for registration. These eligibility requirements are for persons who wish to establish distilled spirits plant operations. However, both statutes and regulations allow variances from regulations, and this information gives data to permit a variance.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 1,888 hours.

OMB Number: 1513-0057.

Type of Review: Extension.

Title: Letterhead Applications and Notices Relating to Wine (5120/2).

Description: Letterhead applications and notices relating to wine are required to ensure that the intended activity will not jeopardize the revenue or defraud consumers.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 826 hours.

OMB Number: 1513-0088.

Type of Review: Extension.

Title: Alcohol, Tobacco, and Firearms Related Documents for Tax Returns and Claims (TTB REC 5000/24).

Description: TTB is responsible for the collection of the excise taxes on firearms, ammunition, distilled spirits, wine, beer, cigars, cigarettes, chewing tobacco, snuff, cigarette papers and tubes and pipe tobacco. Alcohol, tobacco, firearms and ammunition excise taxes are required to be collected on the basis of a return, and required to maintain appropriate records that support the information in the return.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 503,921 hours.

OMB Number: 1513-0129.

Type of Review: Revision.

Form: TTB F 5000.28T09.

Title: Tobacco Products and Cigarette Papers and Tubes, 2009 Tax Increase and Floor Stocks Tax.

Description: The Children's Health Insurance Program Reauthorization Act of 2009 (Pub. L. 111-3), enacted February 4, 2009, imposed a floor stocks tax on tobacco products (except large cigars) and cigarette papers and tubes held for sale on April 1, 2009. Persons holding taxable articles on that date must take an inventory and file a return and pay any tax due.

Respondents: Businesses or other for-profits.

Estimated Total Burden Hours: 1,200,000 hours.

Clearance Officer: Frank Foote (202) 927-9347, Alcohol and Tobacco Tax and Trade Bureau, Room 200 East, 1310 G Street, NW., Washington, DC 20005.

OMB Reviewer: Shagufta Ahmed, (202) 395-7873, Office of Management and Budget, Room 10235, New Executive Office Building, Washington, DC 20503.

Celina Elphage,

Treasury PRA Clearance Officer.

[FR Doc. E9-23274 Filed 9-25-09; 8:45 am]

BILLING CODE 4810-31-P

DEPARTMENT OF THE TREASURY

Community Development Financial Institutions Fund**Funding Opportunity Title: Notice of Funds Availability (NOFA) Inviting Applications for the FY 2010 Funding Round of the Community Development Financial Institutions (CDFI) Program**

Announcement Type: Announcement of funding opportunity.

Catalog Of Federal Domestic Assistance (CFDA) Number: 21.020.

DATES: Applications for Financial Assistance (FA) and/or Technical Assistance (TA) awards through the FY 2010 Funding Round of the CDFI Program must be received by 5 p.m. Eastern Time (ET), November 18, 2009. **EXECUTIVE SUMMARY:** Subject to funding availability, this NOFA is issued in connection with the FY 2010 Funding Round of the CDFI Program (the FY 2010 Funding Round). The CDFI Program is administered by the Community Development Financial Institutions Fund (the Fund).

I. Funding Opportunity Description

A. Through the CDFI Program, the Fund provides: (i) FA awards to CDFIs that have Comprehensive Business Plans for creating demonstrable community development impact through the deployment of credit, capital, and financial services within their respective Target Markets or the expansion into new Investment Areas, Low-Income Targeted Populations, or Other Targeted Populations, and (ii) TA grants to CDFIs and entities proposing to become CDFIs in order to build their capacity to meet the community development and capital access needs of their existing or proposed Target Markets and/or to become certified CDFIs.

B. The regulations governing the CDFI Program are found at 12 CFR Part 1805 (the Regulations) and provide guidance on evaluation criteria and other requirements of the CDFI Program. The Fund encourages Applicants to review the Regulations. Detailed application content requirements are found in the applicable funding application and related guidance materials. Each capitalized term in this NOFA is more fully defined in the Regulations, the application, or the guidance materials.

C. The Fund reserves the right to fund, in whole or in part, any, all, or none of the applications submitted in response to this NOFA. The Fund reserves the right to re-allocate funds from the amount that is anticipated to be available under this NOFA to other

Fund programs, particularly if the Fund determines that the number of awards made under this NOFA is fewer than projected. In addition, the Fund invites applications that propose innovative Financial Products and Financial Services to address the current difficult economic conditions of our nation.

II. Award Information

A. Funding Availability

1. *FY 2010 Funding Round:* Through this NOFA, and subject to funding availability, the Fund expects that it may award approximately \$113 million in appropriated funds, of which: (i) Approximately \$20 million in appropriated funds may be awarded to Category I/SECA Applicants (as defined below in Table 1—FA Applicant Criteria) in the form of FA awards and TA grants; (ii) approximately \$90 million in appropriated funds may be awarded to Category II/Core Applicants (as defined below in Table 1—FA Applicant Criteria) in the form of FA awards and TA grants; and (iii) approximately \$3 million in appropriated funds may be awarded to Applicants in the form of TA grants only. The Fund reserves the right to award in excess of \$113 million in appropriated funds to Applicants (and/or more or less than \$20 million to Category I/SECA Applicants, and/or more or less than \$90 million to Category II/Core Applicants, and/or more or less than \$3 million to TA-only Applicants) in the FY 2010 Funding Round, provided that the funds are available and the Fund deems it appropriate.

2. *Availability of Funds for the FY 2010 Funding Round:* Funds for the FY 2010 Funding Round have not yet been appropriated. If funds are not appropriated for the FY 2010 Funding Round, there will not be a FY 2010 Funding Round. Further, it is possible that if funds are appropriated for the FY 2010 Funding Round, the amount of such funds may be greater than or less than the amounts set forth above. Further, if funds for the FY 2010 Funding Round of the Native American CDFI Assistance (NACA) Program are not appropriated, entities that are eligible to apply for CDFI Program funds and that might otherwise have applied for NACA Program funds are encouraged to apply for CDFI Program funds through the FY 2010 Funding Round.

B. *Types of Awards:* An Applicant may submit an application either for: (i) A FA-only award; (ii) a FA award and a TA grant; or (iii) a TA-only grant.

1. *FA Awards:* FA is intended to provide flexible financial support to CDFIs so that they may achieve the strategies outlined in their Comprehensive Business Plans. FA awards can be used in the following five categories: (i) Financial Products; (ii) Financial Services; (iii) Development Services; (iv) Loan Loss Reserves, Capital Reserves, or other activities/uses that support the activities in the Applicant's Comprehensive Business Plan; and/or (v) Operations. For purposes of this NOFA, Financial Products means loans, grants, equity investments, and similar financing activities, including the purchase of loans originated by certified CDFIs and the provision of loan guarantees, in the Applicant's Target Market, or for related purposes that the Fund deems appropriate (including administrative funds used to carry out Financial Products). Financial Services means checking and savings accounts, certified checks, automated teller machines services, deposit taking, remittances, safe deposit box services, and other similar services (including administrative funds used to carry out Financial Services). Development Services means activities that promote community development and are integral to the Applicant's provisions of Financial Products and Financial Services (including administrative funds used to carry out Development Services) including, for example, financial or credit counseling, housing and homeownership counseling (pre- and post-), self-employment technical assistance, entrepreneurship training, and financial management skill-building. Loan Loss Reserves means funds that the Applicant will set aside in the form of cash reserves, or through accounting-based accrual reserves, to cover losses on loans, accounts, and notes receivable made in its Target Market, or for related purposes that the Fund deems appropriate (including administrative funds used to carry out Loan Loss Reserves). Capital Reserves means funds that the Applicant will set aside in the form of reserves to support the Applicant's ability to leverage other capital, for such purposes as increasing its net assets or serving the financing needs of its Target Market, or for related purposes that the Fund deems appropriate (including administrative funds used to carry out Capital Reserves). Operations means funds that the Applicant will use to carry out its Comprehensive Business Plan, and/or for related purposes that the Fund deems appropriate, that are not used to carry out or administer any of the

foregoing eligible FA uses. FA awards are most commonly used for an Applicant's Financial Products since FA funds can be used to support the Applicant's community development lending activities.

The Fund may provide FA awards in the form of equity investments (including, in the case of certain Insured Credit Unions, secondary capital accounts), grants, loans, deposits, credit union shares, or any combination thereof. The Fund reserves the right, in its sole discretion, to provide a FA award in a form and amount other than that which the Applicant requests; however, the award amount will not exceed the Applicant's award request as stated in its application. The Fund reserves the right, in its sole discretion, to provide a FA award to an Applicant on the condition that the Applicant agrees to use a TA grant for specified capacity-building purposes, even if the Applicant has not requested a TA grant. FA awards must be used to support the Applicant's activities; FA awards cannot be used to support the activities of, or otherwise be "passed through" to, third-party entities, whether Affiliates, Subsidiaries, or others, without the prior written permission of the Fund.

2. TA Grants

(a) The Fund provides TA awards in the form of grants. The Fund reserves the right, in its sole discretion, to provide a TA grant for uses and amounts other than that which the Applicant requests; however, the award amount will not exceed the Applicant's award request as stated in its application and the applicable budget chart.

(b) TA grants may be used to address a variety of needs including, but not limited to, development of strategic planning documents (such as strategic or capitalization plans), market analyses or product feasibility analyses, operational policies and procedures, curricula for Development Services (such as entrepreneurial training, home buyer education, financial education or training, or borrower credit repair training), improvement of underwriting and portfolio management, development of outreach and training strategies to enhance product delivery, operating support to expand into a new eligible market, and tools that allow the Applicant to assess the impact of its activities in its community.

(c) Eligible TA grant uses include, but are not limited to: (i) Procuring professional services; (ii) acquiring/enhancing technology items, including computer hardware, software, and Internet connectivity and related

information management systems; (iii) acquiring training for staff, management, and/or board members; and (iv) paying recurring expenses, including staff salary and other key operating expenses, that will enhance the capacity of the Applicant to serve its Target Market and/or to become certified as a CDFI. TA awards must be used to support the Applicant's activities; TA awards cannot be used to support the activities of, or otherwise be "passed through" to, third-party entities, whether Affiliates,

Subsidiaries, or others, without the prior written permission of the Fund.

C. Notice of Award; Assistance Agreement: Each Awardee under this NOFA must sign a Notice of Award and an Assistance Agreement in order to receive a disbursement of award proceeds by the Fund. The Notice of Award and the Assistance Agreement contain the terms and conditions of the award. For further information, see Sections VI.A and VI.B of this NOFA.

III. Eligibility Information

A. Eligible Applicants: The Regulations specify the eligibility requirements that each Applicant must meet in order to be eligible to apply for assistance under this NOFA. The following sets forth additional detail and dates that relate to the submission of applications under this NOFA:

1. **FA Applicant Categories:** All Applicants for FA awards through this NOFA must meet the criteria for one of the following two categories:

TABLE 1—FA APPLICANT CRITERIA

FA Applicant category	Applicant criteria	Applicant may apply for	Application deadline
Category I/Small and/or Emerging CDFI Assistance (SECA).	(1) Is a Certified/Certifiable CDFI; (2) Has total assets, as of the end of the Applicant's most recent fiscal year end or September 30, 2009, as follows: <ul style="list-style-type: none"> • Insured Depository Institutions and Depository Institution Holding Companies: up to \$250 million. • Insured Credit Unions: Up to \$10 million. • Venture capital funds: up to \$10 million. • Other CDFIs: up to \$5 million, or. (3) Began operations on or after January 1, 2006; and (4) Prior to the application deadline, has not been selected to receive in excess of \$500,000 in FA award(s) in the aggregate from the CDFI Program or Native Initiatives Funding Programs.	Up to and including \$500,000 in FA funds, and up to and including \$100,000 in TA funds.	5:00 p.m. ET, Wednesday, November 18, 2009.
Category II/Core	A Certified/Certifiable CDFI that meets all other eligibility requirements described in this NOFA.	Up to and including \$2 million in FA funds, and up to \$100,000 in TA funds.	5:00 p.m. ET, Wednesday, November 18, 2009.

Please note: (1) The Fund reserves the right, in its sole discretion, to award amounts in excess of or less than the anticipated maximum award amounts permitted in this NOFA, if the Fund deems it appropriate. (2) Any Applicant that requests FA funding in

excess of \$500,000 is classified as a Category II/Core Applicant, regardless of its total assets, years in operation, or prior Fund awards. (3) The term "began operations" is defined as the financing activity start date

indicated in the Applicant's myCDFIFund account.

2. **TA Applicants:** All Applicants for TA grants through this NOFA must meet the following criteria:

TABLE 2—TA APPLICANT CRITERIA

Applicant type	Criteria of applicant	Applicant can apply for	Application due date
TA-Only	A Certified CDFI, a Certifiable CDFI, or an Emerging CDFI.	Up to \$100,000 for capacity-building activities.	5:00 p.m. ET, Wednesday, November 18, 2009.
FA/TA (Core/SECA)	A Certified CDFI, a Certifiable CDFI.	Up to \$100,000 for capacity-building activities.	5:00 p.m. ET, Wednesday, November 18, 2009.

The Fund, in its sole discretion, reserves the right to award amounts less than the anticipated maximum award amounts permitted in this NOFA, if the Fund deems it appropriate.

3. **CDFI Certification Requirements:** For purposes of this NOFA, eligible FA Applicants include Certified CDFIs and Certifiable CDFIs; eligible TA Applicants include Certified CDFIs,

Certifiable CDFIs, and Emerging CDFIs, defined as follows:

(a) **Certified CDFIs:** For purposes of this NOFA, a Certified CDFI is an entity that has received official notification from the Fund that it meets all CDFI

certification requirements as of the date of publication of this NOFA, the certification of which has not expired and that has not been notified by the Fund that its certification has been terminated. In cases where the Fund provided certified CDFIs with written notification that their certifications had been extended, the Fund will consider the extended certification date (the later date) to determine whether those certified CDFIs meet this eligibility requirement. When applicable, each such Applicant must submit a Certification of Material Events form to the Fund not later than October 14, 2009 (see Table 3—FY 2010 CDFI Program Deadlines). The Certification of Material Events form can be found on the Fund's Web site at <http://www.CDFIfund.gov>.

(b) *Certifiable CDFIs*: For purposes of this NOFA, a Certifiable CDFI is an entity from which the Fund has received a complete CDFI Certification Application no later than October 14, 2009 (see Table 3—FY 2010 CDFI Program Deadlines), evidencing that the Applicant meets the requirements to be certified as a CDFI. The CDFI Certification Application can be found on the Fund's Web site at <http://www.CDFIfund.gov>. If the Fund is unable to certify the organization as a CDFI based on the CDFI certification Application submitted to the Fund, it is in the sole discretion of the Fund to terminate the Notice of Award and the award commitment. While a Certifiable CDFI may be conditionally selected for a FA award (as evidenced through the Notice of Award), the Fund will not enter into an Assistance Agreement or disburse award funds unless and until the Fund has officially certified the organization as a CDFI.

(c) *Emerging CDFIs*: For purposes of this NOFA, an Emerging CDFI is an entity that demonstrates to the Fund's satisfaction that it has a reasonable plan to be certified as a CDFI by December 31, 2012, or such other date selected by the Fund. Emerging CDFIs may only apply for TA grants; they are not eligible to apply for FA awards. Each Emerging CDFI that is selected to receive a TA grant will be required, pursuant to its Assistance Agreement with the Fund, to become certified as a CDFI by a certain date.

4. *Limitation on Awards*: An Applicant may receive only one award through the FY 2010 Funding Round of the CDFI Program or the NACA Program. No Awardee may also receive a FY 2010 Bank Enterprise Award (BEA) Program award (subject to certain limitations; refer to the Regulations at 12 CFR § 1805.102). A CDFI Program Applicant, its Subsidiaries, or Affiliates

also may apply for and receive a tax credit allocation through the New Markets Tax Credit (NMTC) Program, but only to the extent that the activities approved for CDFI Program awards are different from those activities for which the Applicant receives a NMTC Program allocation.

B. *Prior Awardees*: Applicants must be aware that success in a prior round of any of the Fund's programs is not indicative of success under this NOFA. For purposes of this section, the Fund will consider an Affiliate to be any entity that meets the definition of Affiliate in the Regulations or any entity otherwise identified as an Affiliate by the Applicant in its funding application under this NOFA. Prior awardees should note the following:

1. *\$5 Million Funding Cap*: Congress waived the \$5 million funding cap for the FY 2009 Funding Round, and it is possible that the \$5 million funding cap may be waived for the FY 2010 Funding Round as well. As of the publication date of this NOFA, however, such a waiver has not been enacted into law. Accordingly, the Fund is currently prohibited from obligating more than \$5 million in assistance, in the aggregate, to any one organization and its Subsidiaries and Affiliates during any three-year period. In general, the three-year period extends back three years from the date that the Fund signs a Notice of Award; for purposes of this NOFA, and for ease of administration, the Fund will consider any assistance documented with a Notice of Award dated between July 31, 2007 and July 31, 2010 (which is the anticipated date that the Fund will issue Notices of Award for the FY 2010 Funding Round). However, in light of the possibility of a waiver of the \$5 million funding cap, an Applicant who is otherwise eligible under this NOFA, and is requesting an award amount that would cause the Applicant to exceed the \$5 million funding cap, should submit an Application under this NOFA. The Fund will assess applicability of the \$5 million funding cap during the award selection phase based upon whether the Congressional waiver has been enacted at that time.

2. *Failure to Meet Reporting Requirements*: The Fund will not consider an application submitted by an Applicant if the Applicant, or an Affiliate of the Applicant, is a prior Awardee or allocatee under any Fund program and is not current on the reporting requirements set forth in a previously executed assistance, allocation, or award agreement(s), as of the applicable application deadline of this NOFA. Please note that the Fund

only acknowledges the receipt of reports that are complete. As such, incomplete reports or reports that are deficient of required elements will not be recognized as having been received.

3. *Pending Resolution of Noncompliance*: If an Applicant is a prior Awardee or allocatee under any Fund program and if (i) it has submitted complete and timely reports to the Fund that demonstrate noncompliance with a previous assistance, allocation or award agreement, and (ii) the Fund has yet to make a final determination as to whether the entity is in default of its previous assistance, allocation, or award agreement, the Fund will consider the Applicant's application under this NOFA pending full resolution, in the sole determination of the Fund, of the noncompliance. Further, if an Affiliate of the Applicant is a prior Fund Awardee or allocatee and if such entity (i) has submitted complete and timely reports to the Fund that demonstrate noncompliance with a previous assistance, allocation, or award agreement, and (ii) the Fund has yet to make a final determination as to whether the entity is in default of its previous assistance, allocation, or award agreement, the Fund will consider the Applicant's application under this NOFA pending full resolution, in the sole determination of the Fund, of the noncompliance.

4. *Default Status*: The Fund will not consider an application submitted by an Applicant that is a prior Awardee or allocatee under any Fund program if, as of the applicable application deadline of this NOFA, the Fund has made a final determination that such Applicant is in default of a previously executed assistance, allocation, or award agreement(s). Further, an entity is not eligible to apply for an award pursuant to this NOFA if, as of the applicable application deadline of this NOFA, the Fund has made a final determination that an Affiliate of the Applicant is a prior Awardee or allocatee under any Fund program and has been determined by the Fund to be in default of a previously executed assistance, allocation, or award agreement(s). Such entities will be ineligible to apply for an award pursuant to this NOFA so long as the Applicant's, or its Affiliate's, prior award or allocation remains in default status or such other time period as specified by the Fund in writing.

5. *Termination in Default*: The Fund will not consider an application submitted by an Applicant that is a prior Awardee or allocatee under any Fund program if (i) within the 12-month period prior to the applicable application deadline of this NOFA, the

Fund has made a final determination that such Applicant's prior award or allocation terminated in default of a previously executed assistance, allocation, or award agreement(s), and (ii) the final reporting period end date for the applicable terminated assistance, allocation, or award agreement(s) falls within the 12-month period prior to the application deadline of this NOFA. Further, an entity is not eligible to apply for an award pursuant to this NOFA if (i) within the 12-month period prior to the applicable application deadline, the Fund has made a final determination that an Affiliate of the Applicant is a prior Awardee or allocatee under any Fund program whose award or allocation terminated in default of a previously executed assistance, allocation, or award agreement(s), and (ii) the final reporting period end date for the applicable terminated assistance, allocation or award agreement(s) falls within the 12-month period prior to the application deadline of this NOFA.

6. *Undisbursed Award Funds:* The Fund will not consider an application submitted by an Applicant that is a prior Awardee under any Fund program if the Applicant has a balance of undisbursed award funds (as defined below) under said prior award(s), as of the applicable application deadline of this NOFA. Further, an entity is not eligible to apply for an award pursuant to this NOFA if an Affiliate of the Applicant is a prior Awardee under any Fund program, and has a balance of undisbursed award funds under said prior award(s), as of the applicable application deadline of this NOFA. In a case where another entity that Controls the Applicant, is Controlled by the Applicant, or shares common management officials with the Applicant (as determined by the Fund) is a prior Awardee under any Fund program, and has a balance of undisbursed award funds under said prior award(s), as of the applicable application deadline of this NOFA, the Fund will include the combined awards of the Applicant and such Affiliated entities when calculating the amount of undisbursed award funds.

For purposes of the calculation of undisbursed award funds for the BEA Program, only awards made to the Applicant (and any Affiliates) three to five calendar years prior to the end of the calendar year of the application deadline of this NOFA are included ("includable BEA awards"). Thus, for purposes of this NOFA, undisbursed BEA Program award funds are the amount of FYs 2004, 2005, and 2006 awards that remain undisbursed as of the application deadline of this NOFA.

For purposes of the calculation of undisbursed award funds for the CDFI Program and the Native Initiatives Funding Programs, only awards made to the Applicant (and any Affiliates) two to five calendar years prior to the end of the calendar year of this NOFA are included ("includable CDFI/NI awards"). Thus, for purposes of this NOFA, undisbursed CDFI Program and NI awards are the amount of FYs 2004, 2005, 2006, and 2007 awards that remain undisbursed as of the application deadline of this NOFA. The term "Native Initiatives Funding Programs" refers to the NACA Program and all prior funding programs, through which funds are no longer available, including the Native American CDFI Technical Assistance (NACTA) Component of the CDFI Program, the Native American CDFI Development (NACD) Program, and the Native American Technical Assistance (NATA) Component of the CDFI Program.

To calculate total includable BEA/CDFI/NI awards: Amounts that are undisbursed as of the application deadline of this NOFA cannot exceed five percent of the total includable awards. Please refer to an example of this calculation on the Fund's Web site, found in the Q&A document for the FY 2010 Funding Round.

The "undisbursed award funds" calculation does not include: (i) Tax credit allocation authority made available through the NMTC Program; (ii) any award funds for which the Fund received a full and complete disbursement request from the Awardee by the applicable application deadline of this NOFA; (iii) any award funds for an award that has been terminated in writing by the Fund or deobligated by the Fund; or (iv) any award funds for an award that does not have a fully executed assistance or award agreement. The Fund strongly encourages Applicants requesting disbursements of "undisbursed funds" from prior awards to provide the Fund with a complete disbursement request at least 10 business days prior to the application deadline of this NOFA.

7. *Contact the Fund:* Applicants that are prior Fund Awardees are advised to: (i) Comply with requirements specified in assistance, allocation, and/or award agreement(s), and (ii) contact the Fund to ensure that all necessary actions are underway for the disbursement or deobligation of any outstanding balance of said prior award(s). An Applicant that is unsure about the disbursement status of any prior award should contact the Fund's Senior Resource Manager via e-mail at CDFI.disburseinquiries@cdfi.treas.gov.

8. *Other Targeted Populations as Target Markets:* Other Targeted Populations are defined as identifiable groups of individuals in the Applicant's service area for which there exists a strong basis of evidence that they lack access to loans, Equity Investments, and/or Financial Services. The Fund has determined that there is a strong basis of evidence that the following groups of individuals lack access to loans, Equity Investments, and/or Financial Services on a national level: Blacks or African Americans, Native Americans or American Indians, and Hispanics or Latinos. In addition, for purposes of this NOFA, the Fund has determined that there is a strong basis of evidence that Alaskan Natives residing in Alaska, Native Hawaiians residing in Hawaii, and Other Pacific Islanders residing in other Pacific Islands lack adequate access to loans, Equity Investments, or Financial Services. An Applicant designating any of the above-cited Other Targeted Populations is not required to provide additional narrative explaining the Other Targeted Population's lack of adequate access to loans, Equity Investments, or Financial Services. For purposes of this NOFA, the Fund will use the following definitions, set forth in the Office of Management and Budget (OMB) Notice, Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity (October 30, 1997), as amended and supplemented:

(a) *American Indian, Native American, or Alaskan Native:* A person having origins in any of the original peoples of North and South America (including Central America) and who maintains tribal affiliation or community attachment;

(b) *Black or African American:* A person having origins in any of the black racial groups of Africa (terms such as Haitian or Negro can be used in addition to Black or African American);

(c) *Hispanic or Latino:* A person of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race (the term Spanish origin can be used in addition to Hispanic or Latino); and

(d) *Native Hawaiian:* A person having origins in any of the original peoples of Hawaii; and

(e) *Other Pacific Islander:* A person having origins in any of the original peoples of Guam, Samoa or other Pacific Islands.

C. *Matching Funds:* Congress waived the matching funds requirements for the FY 2009 Funding Round, and it is possible that the matching funds requirements may be waived for the FY 2010 Funding Round as well. As of the

publication date of this NOFA, however, such a waiver has not been enacted into law. Accordingly, the Fund encourages Applicants to include matching funds documentation as instructed in the application; if the matching funds waiver is enacted, the Fund will not consider matching funds documentation. An Applicant that does not include matching funds documentation in its application runs the risk of being determined to be ineligible for funding under the FY 2010 Funding Round if said matching funds waiver is not enacted. In light of the possibility of a waiver of the matching funds requirements, an Applicant who would not satisfy the matching funds requirements but is otherwise eligible under this NOFA should submit an application under this NOFA. The Fund will assess applicability of the matching funds requirements during the award selection phase based upon whether the Congressional waiver has been enacted at that time.

Accordingly, subject to the immediately preceding paragraph:

1. Applicants responding to this NOFA must obtain non-Federal matching funds from sources other than the Federal government on the basis of not less than one dollar for each dollar of FA funds provided by the Fund (matching funds are not required for TA grants). Matching funds must be at least comparable in form and value to the FA provided by the Fund. For example, if an Applicant is requesting a FA award from the Fund, the Applicant must show that it has obtained matching funds through commitment(s) from non-Federal sources that are at least equal to the amount requested from the Fund. Applicants cannot use matching funds from a prior FA award under the NACA or CDFI Program or under another Federal grant or award program to satisfy the matching funds requirement of this NOFA. If an Applicant seeks to use as matching funds monies received from an organization that was a prior Awardee under the NACA or CDFI Program, the Fund will deem such funds to be Federal funds, unless the funding entity establishes to the reasonable satisfaction of the Fund that such funds do not consist, in whole or in part, of NACA or CDFI Program funds or other Federal funds. For the purposes of this NOFA, BEA Program awards may be used as matching funds. The Fund encourages Applicants to review the Regulations at 12 CFR 1805.500 *et seq.* and matching funds guidance materials on the Fund's Web site for further information.

2. Due to funding constraints and the desire to quickly deploy Fund dollars,

the Fund will not consider for a FA award any Applicant that has no matching funds in-hand or firmly committed as of the application deadline of this NOFA. Specifically, FA Applicants must meet the following matching funds requirements:

(a) *Category I/SECA Applicants:* A Category I/SECA Applicant must demonstrate that it has eligible matching funds equal to no less than 25 percent of the amount of the FA award requested in-hand or firmly committed, on or after January 1, 2008, and on or before the application deadline. The Fund reserves the right to rescind all or a portion of a FA award and re-allocate the rescinded award amount to other qualified Applicant(s), if an Applicant fails to obtain in-hand 100 percent of the required matching funds by March 14, 2011 (with required documentation of such receipt received by the Fund not later than March 31, 2011), or to grant an extension of such matching funds deadline for specific Applicants selected to receive FA awards, if the Fund deems it appropriate. For any Applicant that demonstrates that it has less than 100 percent of matching funds in-hand or firmly committed as of the application deadline, the Fund will evaluate the Applicant's ability to raise the remaining matching funds by March 14, 2011.

(b) *Category II/Core Applicants:* A Category II/Core Applicant must demonstrate that it has eligible matching funds equal to no less than 100 percent of the amount of the FA award requested in-hand or firmly committed, on or after January 1, 2008 and on or before the application deadline. The Fund reserves the right to rescind all or a portion of a FA award and re-allocate the rescinded award amount to other qualified Applicant(s), if an Applicant fails to obtain in-hand 100 percent of the required matching funds by March 14, 2011 (with required documentation of such receipt received by the Fund not later than March 31, 2011), or to grant an extension of such matching funds deadline for specific Applicants selected to receive FA, if the Fund deems it appropriate.

3. *Matching Funds Terms Defined; Required Documentation*

(a) "*Matching funds in-hand*" means the Applicant has actually received the matching funds. If the matching funds are "in-hand," the Applicant must provide the Fund with acceptable written documentation of the source, form, and amount of the Matching Funds (i.e., grant, loan, deposit, and equity investment). For a loan, the Applicant must provide the Fund with a copy of the loan agreement and

promissory note. For a grant, the Applicant must provide the Fund with a copy of the grant letter or agreement for all grants of \$50,000 or more. For an equity investment, the Applicant must provide the Fund with a copy of the stock certificate and any related shareholder agreement. Further, if the matching funds are "in-hand," the Applicant must provide the Fund with acceptable documentation that evidences its receipt of the matching funds proceeds, such as a copy of a check or a wire transfer statement.

(b) "*Firmly committed matching funds*" means the Applicant has entered into or received a legally binding commitment from the matching funds source that the matching funds will be disbursed to the Applicant. If the matching funds are "firmly committed," the Applicant must provide the Fund with acceptable written documentation to evidence the source, form, and amount of the firm commitment (and, in the case of a loan, the terms thereof), as well as the anticipated date of disbursement of the committed funds.

4. The Fund may contact the matching funds source to discuss the matching funds and the documentation provided by the Applicant. If the Fund determines that any portion of the Applicant's matching funds is ineligible under this NOFA, the Fund, in its sole discretion, may permit the Applicant to offer alternative matching funds as a substitute for the ineligible matching funds; provided, however, that (i) the Applicant must provide acceptable alternative matching funds documentation within two business days of the Fund's request and (ii) the alternative matching funds documentation cannot increase the total amount of FA requested by the Applicant.

5. *Special Rule for Insured Credit Unions:* The Regulations allow an Insured Credit Union to use retained earnings to serve as matching funds for a FA grant in an amount equal to: (i) the increase in retained earnings that has occurred over the Applicant's most recent fiscal year; (ii) the annual average of such increases that has occurred over the Applicant's three most recent fiscal years; or (iii) the entire retained earnings that have been accumulated since the inception of the Applicant, as provided in the Regulations. For purposes of this NOFA, if option (iii) is used, the Applicant must increase its member and/or non-member shares or total loans outstanding by an amount that is equal to the amount of retained earnings that is committed as matching funds. This amount must be raised by the end of the Awardee's second

performance period, as set forth in its Assistance Agreement, and will be based on amounts reported in the Applicant's Audited or Reviewed Financial Statements or NCUA Form 5300 Call Report. The Fund will assess the likelihood of this increase during the application review process. An award will not be made to any Applicant that has not demonstrated that it has increased shares or loans by at least 25 percent of the requested FA award amount between December 31, 2008, and December 31, 2009, as demonstrated by the corresponding NCUA report.

IV. Application and Submission Information

A. MyCDFIFund Accounts: All Applicants must register User and Organization accounts in myCDFIFund, the Fund's Internet-based interface. An Applicant must be registered as both a User and an Organization in myCDFIFund as of the applicable application deadline in order to be considered to have submitted a complete application. As myCDFIFund is the Fund's primary means of communication with Applicants and Awardees, organizations must make sure that they update the contact information in their myCDFIFund accounts before the applicable application deadline. For more information on myCDFIFund, please see

the "Frequently Asked Questions" link posted at <https://www.cdfifund.gov/myCDFI/Help/Help.asp>.

B. Form of Application Submission: Applicants must submit applications under this NOFA electronically. Applications sent by mail, facsimile, or other form will not be permitted, except in circumstances that the Fund, in its sole discretion, deems acceptable.

C. Applications Submitted via myCDFIFund: Applicants must submit applications under this NOFA electronically, through myCDFIFund, the Fund's internet-based interface. Please note that the Fund will not accept applications through Grants.gov. Applications sent by mail, facsimile, or other form will generally not be accepted, except in circumstances approved by the Fund, in its sole discretion. The Fund will post to its Web site at <http://www.cdfifund.gov> instructions for accessing and submitting an application as soon as they become available.

D. Application Content Requirements: Detailed application content requirements, including the required elements of the Comprehensive Business Plan, are found in the application and guidance. Please note that, pursuant to OMB guidance (68 FR 38402), each Applicant must provide, as part of its application submission, a Dun and Bradstreet Data Universal Numbering System (DUNS) number. In addition, each application must include

a valid and current Employer Identification Number (EIN), with a letter or other documentation from the Internal Revenue Service (IRS) confirming the Applicant's EIN. An electronic application that does not include an EIN is incomplete and cannot be transmitted to the Fund. Applicants should allow sufficient time for the IRS and/or Dun and Bradstreet to respond to inquiries and/or requests for identification numbers. Once an application is submitted, the Applicant will not be allowed to change any element of the application. The preceding sentences do not limit the Fund's ability to contact an Applicant for the purpose of obtaining clarifying or confirming application information (such as a DUNS number or EIN information).

E. Under the Paperwork Reduction Act (44 U.S.C. chapter 35), an agency may not conduct or sponsor a collection of information, and an individual is not required to respond to a collection of information, unless it displays a valid OMB control number. Pursuant to the Paperwork Reduction Act, the application has been assigned the following control number: 1559-0021.

F. Application Deadlines:

1. The following are the deadlines for submission of the CDFI Program Funding Application, the CDFI Certification Application, and the Certification of Material Events form:

TABLE 3—FY 2010 CDFI PROGRAM DEADLINES

[All 5:00 p.m. ET deadlines]

Document	Application deadline	Last date to contact fund
CDFI Program Funding Application (FA and/or TA) (both Core and SECA applicants).	Wednesday, November 18, 2009 ..	Monday, November 16, 2009.
CDFI Certification Application	Wednesday, October 14, 2009	Monday, October 12, 2009.
Certification of Material Events form	Wednesday, October 14, 2009	Monday, October 12, 2009.

All CDFI Program funding applications must be electronic and submitted through myCDFIFund. No paper submittals or attachments will be accepted. Please see the CDFI Certification Application for requirements specific to that application.

2. Late Delivery: The Fund will neither accept a late application nor any portion of an application that is late; an application that is late, or for which any portion is late, will be rejected. The Fund will not grant exceptions or waivers. Any application that is deemed ineligible will not be returned to the Applicant.

G. Intergovernmental Review: Not applicable.

H. Funding Restrictions: For allowable uses of FA proceeds, please see the Regulations at 12 CFR 1805.301.

V. Application Review Information

A. Format: Funding applications must be single-spaced and use a 12-point font with 1-inch margins. Each section in the application that is scored has page limitations. Applications are encouraged to read each section carefully and to remain within the page limitations for each section. The Fund will not consider responses beyond the specified page limitation in each section. Also, the Fund will read only information requested in the application and will not read attachments that have not been specifically requested in this

NOFA or the application, such as the Applicant's five-year strategic or marketing plans.

B. Criteria: The Fund will evaluate each application on a 100-point scale using numeric scores with respect to the five sections required in the application. The Fund will score each section as indicated in the following table:

TABLE 4—APPLICATION SCORING CRITERIA

Application sections	Scoring points
Market Analysis	TA-only—25. FA (SECA and Core)— 20.
Business Strategy	TA-only—25.

TABLE 4—APPLICATION SCORING CRITERIA—Continued

Application sections	Scoring points
Community Development Performance & Effective Use.	FA (SECA and Core)—20.
	TA-only—20.
Management	FA (SECA and Core)—20.
	TA-only—20.
Financial Health & Viability.	FA (SECA and Core)—20.
	TA-only—10.

C. Technical Assistance Proposal: Any Applicant applying for a TA grant, either alone or in conjunction with a request for a FA award, must complete a Technical Assistance Proposal (TAP) as part of its application. The TAP consists of a summary of the organizational improvements needed to achieve the objectives of the Comprehensive Business Plan, a budget, and a description of the requested goods and/or services comprising the TA award request. The budget and accompanying narrative will be evaluated for the eligibility and appropriateness of the proposed uses of the TA grant (described above). In addition, if the Applicant identifies a capacity-building need related to any of the evaluation criteria above (for example, if the Applicant requires a market need analysis or a community development impact tracking/reporting system), the Fund will assess its plan to use the TA grant to address said needs.

1. Non-Certified Applicants: An Applicant that is not a Certified CDFI and that requests TA to address certification requirements must explain how the requested TA grant will assist the Applicant in meeting the certification requirements. The Fund will assess the reasonableness of the plan to become certified (as specified above in Section III, Eligibility Information; A.3. CDFI Certification Requirements), taking into account the requested TA. For example, if the Applicant does not currently make loans and therefore does not meet the Financing Entity requirement, it might describe how the TA funds will be used to hire a consultant to develop underwriting policies and procedures to support the Applicant's ability to start its lending activity.

2. Recurring Activities: An Applicant that requests a TA grant for recurring activities must clearly describe the benefit that would accrue to its capacity or to its Target Market(s) (such as plans

for expansion of staff, market, or products) as a result of the TA grant. If the Applicant is a prior Fund Awardee, it must describe how it has used the prior assistance and explain the need for additional Fund dollars over and above such prior assistance.

D. Review and Selection Process

1. Eligibility and Completeness Review: The Fund will review each application to determine whether it is complete and the Applicant meets the eligibility requirements set forth above. An incomplete application does not meet eligibility requirements and will be rejected. Any application that does not meet eligibility requirements will not be returned to the Applicant.

2. Substantive Review: If an application is determined to be complete and the Applicant is determined to be eligible, the Fund will conduct the substantive review of the application in accordance with the criteria and procedures described in the Regulations, this NOFA, and the application and guidance. As part of the review process, the Fund may contact the Applicant by telephone, e-mail, mail, or through an on-site visit for the sole purpose of obtaining clarifying or confirming application information (such as statements of work, matching funds documentation, EINs, DUNS numbers, for example). After submitting its application, the Applicant will not be permitted to revise or modify its application in any way nor attempt to negotiate the terms of an award. If contacted for clarifying or confirming information, the Applicant must respond within the time parameters set by the Fund.

3. Application Scoring; Ranking:

(a) Application Scoring: The Fund will evaluate each application on a 100-point scale, comprising the five criteria categories described above, and assign numeric scores. An Applicant must receive a minimum score in each evaluation criteria in order to be considered for an award.

(b) Evaluating Prior Award Performance: In the case of an Applicant that has previously received funding through any Fund program, the Fund will consider and will deduct points for:

(i) The Applicant's noncompliance with any active award or award that terminated in the current calendar year in meeting its performance goals and measures, reporting deadlines, and other requirements set forth in the assistance or award agreement(s) with the Fund during the Applicant's two complete fiscal years prior to the application deadline of this NOFA; (ii)

the Applicant's failure to make timely loan payments to the Fund during the Applicant's two complete fiscal years prior to the application deadline of this NOFA (if applicable); (iii) performance on any prior Assistance Agreement as part of the overall assessment of the Applicant's ability to carry out its Comprehensive Business Plan; and (iv) funds deobligated from a FY 2007, 2008 or 2009 FA award (if the Applicant is applying for a FA award under this NOFA) if (A) the amount of deobligated funds is at least \$200,000 and (B) the deobligation occurred within the 12 months prior to the application deadline under this NOFA. Any award deobligations that result in a point deduction under an application submitted pursuant to either Funding Round of this NOFA will not be counted against any future application for FA through the CDFI Program. Furthermore, in the case of an Applicant that has previously received funding through any Fund program, the Fund will consider and may, in its discretion, deduct points for those Applicants that have in any proceeding instituted against the Applicant in, by, or before any court, governmental, or administrative body or agency received a final determination within the last three years indicating that the Applicant has discriminated on the basis of race, color, national origin, disability, age, marital status, receipt of income from public assistance, religion, or sex.

(c) Ranking: The Fund then will rank the applications by their scores, from highest to lowest.

4. Award Selection: The Fund will make its final award selections based on the rank order of Applicants by their scores and the amount of funds available. In the case of a tied score(s), Applicants will be ranked according to each Applicant's Community Development Performance and Effective Use section. TA-only Applicants, Category I/SECA, and Category II/Core Applicants will be ranked separately. In addition, the Fund may consider the institutional and geographic diversity, including geographic areas of distress, of Applicants when making its funding decisions. Geographic areas of distress will be based on state and multi-county distress indexes derived from the following measures and data sources: HUD's 2008 annual state and county-level estimates of housing foreclosure starts; 2008 state and county-level annual average unemployment rate data from the Bureau of Labor Statistics; Local Area Unemployment Statistics; and Census Bureau 2007 data from the American Community Survey on median family income and poverty data.

5. *Insured CDFIs*: In the case of Insured Depository Institutions and Insured Credit Unions, the Fund will take into consideration the views of the Appropriate Federal Banking Agencies; in the case of State-Insured Credit Unions, the Fund may consult with the appropriate State banking agencies (or comparable entity). The Fund will not approve a FA award or a TA grant to any Insured Credit Union (other than a State-Insured Credit Union) or Insured Depository Institution Applicant for which its Appropriate Federal Banking Agency indicates it has safety and soundness concerns, unless the Appropriate Federal Banking Agency asserts, in writing, that improvement in status is imminent and such improvement is expected to occur not later than September 30, 2010, or within such other time frame deemed acceptable by the Fund, or (ii) the safety and soundness condition of the Applicant is adequate to undertake the activities for which the Applicant has requested a FA award and the obligations of an Assistance Agreement related to such a FA award. In addition, the Fund will take into consideration Community Reinvestment Act assessments of Insured Depository Institutions and/or their Affiliates.

6. *Award Notification*: Each Applicant will be informed of the Fund's award decision either through a Notice of Award (NOA) if selected for an award (see NOA section, below) or written declination if not selected for an award. The Fund will notify Awardees by e-mail using the addresses maintained in the Awardee's myCDFIFund account. Each Applicant that is not selected for an award based on reasons other than completeness or eligibility issues will be provided the opportunity for a debriefing on the strengths and weaknesses of its application. This feedback will be provided in a format and within a timeframe to be determined by the Fund, based on available resources.

7. The Fund reserves the right to reject an application if information (including administrative errors) comes to the attention of the Fund that either adversely affects an applicant's eligibility for an award, adversely affects the Fund's evaluation or scoring of an application, or indicates fraud or mismanagement on the part of an Applicant. If the Fund determines that any portion of the application is incorrect in any material respect, the Fund reserves the right, in its sole discretion, to reject the application. The Fund reserves the right to change its eligibility and evaluation criteria and procedures, if the Fund deems it

appropriate; if said changes materially affect the Fund's award decisions, the Fund will provide information regarding the changes through the Fund's Web site. There is no right to appeal the Fund's award decisions. The Fund's award decisions are final.

VI. Award Administration Information

A. *Notice of Award (NOA)*: The Fund will signify its conditional selection of an Applicant as an Awardee by delivering a signed NOA to the Applicant through its myCDFIFund account. The NOA will contain the general terms and conditions underlying the Fund's provision of assistance including, but not limited to, the requirement that the Awardee and the Fund enter into an Assistance Agreement. The Applicant must execute the NOA and return it to the Fund. By executing a NOA, the Awardee agrees, among other things, that, if prior to entering into an Assistance Agreement with the Fund, information (including administrative error) comes to the attention of the Fund that either adversely affects the Awardee's eligibility for an award, or adversely affects the Fund's evaluation of the Awardee's application, or indicates fraud or mismanagement on the part of the Awardee, the Fund may, in its discretion and without advance notice to the Awardee, terminate the NOA or take such other actions as it deems appropriate. Moreover, by executing a NOA, the Awardee agrees that, if prior to entering into an Assistance Agreement with the Fund, the Fund determines that the Awardee or an Affiliate of the Awardee is in default of any Assistance Agreement previously entered into with the Fund, the Fund may, in its discretion and without advance notice to the Awardee, either terminate the NOA or take such other actions as it deems appropriate. The Fund reserves the right, in its sole discretion, to rescind its award if the Awardee fails to return the NOA, signed by the authorized representative of the Awardee, along with any other requested documentation, within the deadline set by the Fund. For purposes of this section, the Fund will consider an Affiliate to mean any entity that meets the definition of Affiliate in the Regulations.

1. *Failure to Meet Reporting Requirements*: If an Awardee or an Affiliate of the Awardee is a prior Awardee or allocatee under any Fund program and is not current on the reporting requirements set forth in the previously executed assistance, allocation or award agreement(s), as of the date of the NOA, the Fund reserves

the right, in its sole discretion, to delay entering into an Assistance Agreement until said prior Awardee or allocatee is current on the reporting requirements in any previously executed assistance, allocation, or award agreement(s). Please note that the Fund only acknowledges the receipt of reports that are complete. As such, incomplete reports or reports that are deficient of required elements will not be recognized as having been received. If said prior Awardee or allocatee is unable to meet this requirement within the timeframe set by the Fund, the Fund reserves the right, in its sole discretion, to terminate and rescind the NOA and the award made under this NOFA.

2. *Pending Resolution of Noncompliance*: If an Applicant is a prior Awardee or allocatee under any Fund program and if: (i) it has submitted complete and timely reports to the Fund that demonstrate noncompliance with a previous assistance, award, or allocation agreement; and (ii) the Fund has yet to make a final determination as to whether the entity is in default of its previous assistance, award, or allocation agreement, the Fund reserves the right, in its sole discretion, to delay entering into an Assistance Agreement, pending full resolution, in the sole determination of the Fund, of the noncompliance. Further, if an Affiliate of the Awardee is a prior Fund Awardee or allocatee and if such entity (i) has submitted complete and timely reports to the Fund that demonstrate noncompliance with a previous assistance, award, or allocation agreement and (ii) the Fund has yet to make a final determination as to whether the entity is in default of its previous assistance, award, or allocation agreement, the Fund reserves the right, in its sole discretion, to delay entering into an Assistance Agreement, pending full resolution, in the sole determination of the Fund, of the noncompliance. If the prior Awardee or allocatee in question is unable to satisfactorily resolve the issues of noncompliance, in the sole determination of the Fund, the Fund reserves the right, in its sole discretion, to terminate and rescind the NOA and the award made under this NOFA.

3. *Default Status*: If, at any time prior to entering into an Assistance Agreement through this NOFA, the Fund has made a final determination that an Awardee that is a prior Awardee or allocatee under any Fund program is in default of a previously executed assistance, allocation, or award agreement(s), the Fund reserves the right, in its sole discretion, to delay entering into an Assistance Agreement,

until said prior Awardee or allocatee has submitted a complete and timely report demonstrating full compliance with said agreement within a timeframe set by the Fund. Further, if at any time prior to entering into an Assistance Agreement through this NOFA, the Fund has made a final determination that an Affiliate of the Awardee is a prior Awardee or allocatee under any Fund program and is in default of a previously executed assistance, allocation, or award agreement(s), the Fund reserves the right, in its sole discretion, to delay entering into an Assistance Agreement, until said prior Awardee or allocatee has submitted a complete and timely report demonstrating full compliance with said agreement within a timeframe set by the Fund. If said prior Awardee or allocatee is unable to meet this requirement and the Fund has not specified in writing that the prior Awardee or allocatee is otherwise eligible to receive an Award under this NOFA, the Fund reserves the right, in its sole discretion, to terminate and rescind the NOA and the award made under this NOFA.

4. *Termination in Default:* If (i) within the 12-month period prior to entering into an Assistance Agreement through this NOFA, the Fund has made a final determination that an Awardee that is a prior Awardee or allocatee under any Fund program whose award or allocation was terminated in default of such prior agreement, and (ii) the final reporting period end date for the applicable terminated agreement falls within the 12-month period prior to the application deadline of this NOFA, the Fund reserves the right, in its sole discretion, to delay entering into or determine not to enter into an Assistance Agreement. Further, if (i) within the 12-month period prior to entering into an Assistance Agreement through this NOFA, the Fund has made a final determination that an Affiliate of the Awardee is a prior Awardee or allocatee under any Fund program whose award or allocation was terminated in default of such prior agreement, and (ii) the final reporting period end date for the applicable terminated agreement falls within the 12-month period prior to the application deadline of this NOFA, the Fund reserves the right, in its sole discretion, to delay entering into or determine not to enter into an Assistance Agreement.

5. *Compliance with Federal Anti-Discrimination Laws:* If the Awardee has previously received funding through any Fund program, and if at any time prior to entering into an Assistance Agreement through this NOFA, the Fund is made aware of a final

determination, made within the last three years, in any proceeding instituted against the Awardee in, by, or before any court, governmental, or administrative body or agency, declaring that the Awardee has discriminated on the basis of race, color, national origin, disability, age, marital status, receipt of income from public assistance, religion, or sex, the Fund reserves the right, in its sole discretion, to terminate and rescind the NOA and the award made under this NOFA.

B. *Assistance Agreement:* Each Applicant that is selected to receive an award under this NOFA must enter into an Assistance Agreement with the Fund in order to receive disbursement of award proceeds. The Assistance Agreement will set forth certain required terms and conditions of the award, which will include, but not be limited to: (i) The amount of the award; (ii) the type of award; (iii) the approved uses of the award; (iv) the approved eligible market to which the funded activity must be targeted; (v) performance goals and measures; and (vi) reporting requirements for all Awardees. FA-only and FA/TA Assistance Agreements under this NOFA generally will have three-year performance periods; TA-only Assistance Agreements generally will have two-year performance periods.

The Fund reserves the right, in its sole discretion, to terminate the NOA and rescind an award if the Awardee fails to return the Assistance Agreement, signed by the authorized representative of the Awardee, and/or provide the Fund with any other requested documentation, within the deadlines set by the Fund.

Each Awardee must provide the Fund with a good standing certificate (or equivalent documentation) from its state (or jurisdiction) of incorporation.

C. Reporting

1. *Reporting requirements:* The Fund will collect information, on at least an annual basis, from each Awardee including, but not limited to, an Annual Report that comprises the following components: (i) Financial Reports (including an OMB A-133 audit, as applicable; however Financial Reports are not required of Sponsoring Entities); (ii) Institution Level Report; (iii) Transaction Level Report (for Awardees receiving FA awards); (iv) Financial Status Report form SF-269/SF-425 (for Awardees receiving TA grants); (v) Uses of Financial Assistance (for Awardees receiving FA awards); (vi) Explanation of Noncompliance (as applicable); and (vii) such other information as the Fund may require. Each Awardee is responsible for the timely and complete

submission of the Annual Report, even if all or a portion of the documents actually is completed by another entity or signatory to the Assistance Agreement. If such other entities or signatories are required to provide Institution Level Reports, Transaction Level Reports, Financial Reports, or other documentation that the Fund may require, the Awardee is responsible for ensuring that the information is submitted timely and complete. The Fund reserves the right to contact such additional entities or signatories to the Assistance Agreement and require that additional information and documentation be provided. The Fund will use such information to monitor each Awardee's compliance with the requirements set forth in the Assistance Agreement and to assess the impact of the CDFI Program. All reports must be electronically submitted to the Fund via the Awardee's myCDFIFund account. The Institution Level Report and the Transaction Level Report must be submitted through the Fund's web-based data collection system, the Community Investment Impact System (CIIS). The Financial Reports may be submitted through CIIS. All other components of the Annual Report may be submitted electronically, as directed, by the Fund. The Fund reserves the right, in its sole discretion, to modify these reporting requirements if it determines it to be appropriate and necessary; however, such reporting requirements will be modified only after notice to Awardees.

2. *Accounting:* The Fund will require each Awardee that receives FA and TA awards through this NOFA to account for and track the use of said FA and TA awards. This means that for every dollar of FA and TA awards received from the Fund, the Awardee will be required to inform the Fund of its uses. This will require Awardees to establish separate administrative and accounting controls, subject to the applicable OMB Circulars. The Fund will provide guidance to Awardees outlining the format and content of the information to be provided on an annual basis, outlining and describing how the funds were used. Each Awardee that receives an award must provide the Fund with the required complete and accurate Automated Clearinghouse (ACH) form for its bank account prior to award closing and disbursement.

VII. Agency Contacts

A. The Fund will respond to questions and provide support concerning this NOFA and the funding application between the hours of 9 a.m. and 5 p.m. ET, starting the date of the

publication of this NOFA through three days prior to the application deadline. The Fund will not respond to questions or provide support concerning the application that are received after 5 p.m. ET on said dates, until after the funding

application deadline. Applications and other information regarding the Fund and its programs may be obtained from the Fund's Web site at <http://www.cdfifund.gov>. The Fund will post on its Web site responses to questions

of general applicability regarding the CDFI Program.

B. The Fund's contact information is as follows:

TABLE 5—CONTACT INFORMATION

Type of question	Telephone number (not toll free)	E-mail addresses
Fax number for all offices: 202-622-7754		
CDFI Program	202-622-6355	cdfihelp@cdfi.treas.gov
CDFI Certification	202-622-6355	cdfihelp@cdfi.treas.gov
Compliance Monitoring and Evaluation	202-622-6330	cme@cdfi.treas.gov
Information Technology Support	202-622-2455	IThelp@cdfi.treas.gov

C. *Information Technology Support:* People who have visual or mobility impairments that prevent them from creating a Target Market map using the Fund's Web site should call (202) 622-2455 for assistance (this is not a toll free number).

D. *Communication with the CDFI Fund:* The Fund will use the myCDFIFund Internet interface to communicate with Applicants and Awardees, using the contact information maintained in their respective myCDFIFund accounts. Therefore, the Applicant and any Subsidiaries, signatories, and Affiliates must maintain accurate contact information (including contact person and authorized representative, e-mail addresses, fax numbers, phone numbers, and office addresses) in its myCDFIFund account(s). For more information about myCDFIFund (which includes information about the Fund's Community Investment Impact System), please see the Help documents posted at <http://www.cdfifund.gov/ciis/accessingciis.pdf>.

VIII. Information Sessions and Outreach

The Fund may conduct Webcasts or host information sessions for organizations that are considering applying to, or are interested in learning about, the Fund's programs. For further information, please visit the Fund's Web site at <http://www.cdfifund.gov>.

Authority: 12 U.S.C. 4703, 4703 note, 4704, 4706, 4707, 4717; 12 CFR part 1805.

Dated: September 16, 2009.

Donna J. Gambrell,

Director, Community Development Financial Institutions Fund.

[FR Doc. E9-23343 Filed 9-25-09; 8:45 am]

BILLING CODE 4810-70-P

DEPARTMENT OF THE TREASURY

United States Mint

ACTION: Request for Citizens Coinage Advisory Committee Membership Applications.

SUMMARY: Pursuant to United States Code, Title 31, section 5135 (b), the United States Mint is accepting applications for membership to the Citizens Coinage Advisory Committee (CCAC) for two new members—one specially qualified to serve on the CCAC by virtue of his or her education, training, or experience in *American History* and one specially qualified to serve on the CCAC by virtue of his or her experience in *the medallic arts or sculpture*. The CCAC was established to:

- Advise the Secretary of the Treasury on any theme or design proposals relating to circulating coinage, bullion coinage, Congressional Gold Medals, and national and other medals produced by the United States Mint.

- Advise the Secretary of the Treasury with regard to the events, persons, or places that the CCAC recommends to be commemorated by the issuance of commemorative coins in each of the five calendar years succeeding the year in which a commemorative coin designation is made.

- Make recommendations with respect to the mintage level for any commemorative coin recommended.

Total membership consists of eleven voting members appointed by the Secretary of the Treasury:

- One person specially qualified by virtue of his or her education, training or experience as nationally or internationally recognized curator in the United States of a numismatic collection;

- One person specially qualified by virtue of his or her experience in the medallic arts or sculpture;

- One person specially qualified by virtue of his or her education, training, or experience in American history;

- One person specially qualified by virtue of his or her education, training, or experience in numismatics;

- Three persons who can represent the interests of the general public in the coinage of the United States; and

- Four persons appointed by the Secretary of the Treasury on the basis of the recommendations by the House and Senate leadership.

Members are appointed for a term of four years. No individual may be appointed to the CCAC while serving as an officer or employee of the Federal Government.

The CCAC is subject to the direction of the Secretary of the Treasury. Meetings of the CCAC are open to the public and are held approximately 6–8 times per year, ordinarily at the United States Mint Headquarters, Washington, DC. The United States Mint is responsible for providing the necessary support, technical services and advice to the CCAC. CCAC members are not paid for their time or services, but, consistent with Federal Travel Regulations, members are reimbursed for their travel and lodging expenses to attend meetings. Members are Special Government Employees and are subject to the Standards of Ethical Conduct for Employees of the Executive Branch (5 CFR part 2635).

The United States Mint will review all submissions and will forward its recommendations to the Secretary of the Treasury for appointment consideration. Candidates should forward a resume or curriculum vitae, along with a cover letter describing specific skills, abilities, talents, and credentials to support their applications. The United States Mint is also interested in candidates who have

demonstrated leadership skills, have received recognition by their peers in their field of interest, have a record of participation in public service or activities, and are willing to commit the time and effort to participate in the CCAC meetings and related activities. Applicants must specify which position for which they wish to be considered.

Application Deadline: November 13, 2009.

Receipt of Applications: Any member of the public wishing to be considered for participation on the CCAC should apply by fax to 202-756-6525, by e-mail to gweinman@usmint.treas.gov, or by mail to the United States Mint, 801 9th

Street, NW., Washington, DC 20001, Attn: Greg Weinman. Submissions must be postmarked no later than November 13, 2009.

Notice Concerning Delivery of First-Class and Priority Mail: The delivery of first-class mail to the United States Mint has been delayed since mid-October 2001, and delays are expected to continue. Until normal mail service resumes, please consider using alternate delivery services when sending time-sensitive material.

Some or all of the first-class and priority mail we receive may be put through an irradiation process to protect against biological contamination.

Support materials put through this process may suffer irreversible damage. We encourage you to consider using alternate delivery services.

FOR FURTHER INFORMATION CONTACT: Cliff Northup, United States Mint Liaison to the CCAC; 801-Ninth Street, NW.; Washington, DC 20220, or call 202-354-7463.


Dated: September 22, 2009.

Edmund C. Moy,

Director, United States Mint.

[FR Doc. E9-23310 Filed 9-25-09; 8:45 am]

BILLING CODE P





Federal Register

Monday,
September 28, 2009

Part II

Environmental Protection Agency

40 CFR Parts 86 and 600

Department of Transportation

National Highway Traffic Safety
Administration

49 CFR Parts 531, 533, 537, et al.
Proposed Rulemaking To Establish Light-
Duty Vehicle Greenhouse Gas Emission
Standards and Corporate Average Fuel
Economy Standards; Proposed Rule

**ENVIRONMENTAL PROTECTION
AGENCY**
40 CFR Parts 86 and 600
DEPARTMENT OF TRANSPORTATION
**National Highway Traffic Safety
Administration**
49 CFR Parts 531, 533, 537, and 538
**[EPA-HQ-OAR-2009-0472; FRL-8959-4;
NHTSA-2009-0059]**
RIN 2060-AP58; RIN 2127-AK90
**Proposed Rulemaking To Establish
Light-Duty Vehicle Greenhouse Gas
Emission Standards and Corporate
Average Fuel Economy Standards**
AGENCY: Environmental Protection
Agency (EPA) and National Highway
Traffic Safety Administration (NHTSA).

ACTION: Proposed rule.

SUMMARY: EPA and NHTSA are issuing this joint proposal to establish a National Program consisting of new standards for light-duty vehicles that will reduce greenhouse gas emissions and improve fuel economy. This joint proposed rulemaking is consistent with the National Fuel Efficiency Policy announced by President Obama on May 19, 2009, responding to the country's critical need to address global climate change and to reduce oil consumption. EPA is proposing greenhouse gas emissions standards under the Clean Air Act, and NHTSA is proposing Corporate Average Fuel Economy standards under the Energy Policy and Conservation Act, as amended. These standards apply to passenger cars, light-duty trucks, and medium-duty passenger vehicles, covering model years 2012 through 2016, and represent a harmonized and consistent National Program. Under the National Program, automobile manufacturers would be able to build a single light-duty national fleet that satisfies all requirements under both programs while ensuring that consumers still have a full range of vehicle choices.

FOR FURTHER INFORMATION CONTACT:
Comments: Comments must be received on or before November 27, 2009. Under the Paperwork Reduction Act, comments on the information collection provisions must be received by the Office of Management and Budget (OMB) on or before October 28, 2009. See the **SUPPLEMENTARY INFORMATION** section on "Public Participation" for more information about written comments.

Hearings: NHTSA and EPA will jointly hold three public hearings on the

following dates: October 21, 2009 in Detroit, Michigan; October 23, 2009 in New York, New York; and October 27, 2009 in Los Angeles, California. EPA and NHTSA will announce the addresses for each hearing location in a supplemental **Federal Register** Notice. The hearings will start at 9 a.m. local time and continue until everyone has had a chance to speak. See the **SUPPLEMENTARY INFORMATION** section on "Public Participation" for more information about the public hearings.

ADDRESSES: Submit your comments, identified by Docket ID No. EPA-HQ-OAR-2009-0472 and/or NHTSA-2009-0059, by one of the following methods:

- *www.regulations.gov:* Follow the on-line instructions for submitting comments.
- *E-mail:* a-and-r-Docket@epa.gov.
- *Fax:* EPA: (202) 566-1741; NHTSA: (202) 493-2251.
- *Mail:*

- EPA: Environmental Protection Agency, EPA Docket Center (EPA/DC), Air and Radiation Docket, Mail Code 2822T, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, Attention Docket ID No. EPA-HQ-OAR-2009-0472. In addition, please mail a copy of your comments on the information collection provisions to the Office of Information and Regulatory Affairs, Office of Management and Budget (OMB), Attn: Desk Officer for EPA, 725 17th St., NW., Washington, DC 20503.

- NHTSA: Docket Management Facility, M-30, U.S. Department of Transportation, West Building, Ground Floor, Rm. W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590.

- *Hand Delivery:*
- EPA: Docket Center, (EPA/DC) EPA West, Room B102, 1301 Constitution Ave., NW., Washington, DC, Attention Docket ID No. EPA-HQ-OAR-2009-0472. Such deliveries are only accepted during the Docket's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

- NHTSA: West Building, Ground Floor, Rm. W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590, between 9 a.m. and 5 p.m. Eastern Time, Monday through Friday, except Federal Holidays.

Instructions: Direct your comments to Docket ID No. EPA-HQ-OAR-2009-0472 and/or NHTSA-2009-0059. See the **SUPPLEMENTARY INFORMATION** section on "Public Participation" for more information about submitting written comments.

Public Hearing: NHTSA and EPA will jointly hold three public hearings on the following dates: October 21, 2009 in

Detroit, Michigan; October 23, 2009 in New York, New York; and October 27, 2009 in Los Angeles, California. EPA and NHTSA will announce the addresses for each hearing location in a supplemental **Federal Register** Notice. See the **SUPPLEMENTARY INFORMATION** section on "Public Participation" for more information about the public hearings.

Docket: All documents in the dockets are listed in the www.regulations.gov index. Although listed in the index, some information is not publicly available, e.g., confidential business information (CBI) or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available either electronically in www.regulations.gov or in hard copy at the following locations: EPA: EPA Docket Center, EPA/DC, EPA West, Room 3334, 1301 Constitution Ave., NW., Washington, DC. The Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Public Reading Room is (202) 566-1744. NHTSA: Docket Management Facility, M-30, U.S. Department of Transportation, West Building, Ground Floor, Rm. W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590. The Docket Management Facility is open between 9 a.m. and 5 p.m. Eastern Time, Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT:
EPA: Tad Wyszor, Office of Transportation and Air Quality, Assessment and Standards Division, Environmental Protection Agency, 2000 Traverwood Drive, Ann Arbor MI 48105; telephone number: 734-214-4332; fax number: 734-214-4816; e-mail address: wyszor.tad@epa.gov, or Assessment and Standards Division Hotline; telephone number (734) 214-4636; e-mail address asinfo@epa.gov.
NHTSA: Rebecca Yoon, Office of Chief Counsel, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, SE., Washington, DC 20590. Telephone: (202) 366-2992.

SUPPLEMENTARY INFORMATION:
A. Does This Action Apply to Me?

This action affects companies that manufacture or sell new light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles, as defined under EPA's CAA regulations,¹

¹ "Light-duty vehicle," "light-duty truck," and "medium-duty passenger vehicle" are defined in 40 CFR 86.1803-01. Generally, the term "light-duty

and passenger automobiles (passenger cars) and non-passenger automobiles (light trucks) as defined under NHTSA's

CAFE regulations.² Regulated categories and entities include:

Category	NAICS codes ^A	Examples of potentially regulated entities
Industry	336111	Motor vehicle manufacturers.
Industry	336112	Commercial Importers of Vehicles and Vehicle Components.
Industry	811112	
Industry	811198	
Industry	541514	

^ANorth American Industry Classification System (NAICS).

This list is not intended to be exhaustive, but rather provides a guide regarding entities likely to be regulated by this action. To determine whether particular activities may be regulated by this action, you should carefully examine the regulations. You may direct questions regarding the applicability of this action to the person listed in **FOR FURTHER INFORMATION CONTACT**.

B. Public Participation

NHTSA and EPA request comment on all aspects of this joint proposed rule. This section describes how you can participate in this process.

How Do I Prepare and Submit Comments?

In this joint proposal, there are many issues common to both EPA's and NHTSA's proposals. For the convenience of all parties, comments submitted to the EPA docket will be considered comments submitted to the NHTSA docket, and vice versa. An exception is that comments submitted to the NHTSA docket on the Draft Environmental Impact Statement will not be considered submitted to the EPA docket. Therefore, the public only needs to submit comments to either one of the two agency dockets. Comments that are submitted for consideration by one agency should be identified as such, and comments that are submitted for consideration by both agencies should be identified as such. Absent such identification, each agency will exercise its best judgment to determine whether a comment is submitted on its proposal. Further instructions for submitting comments to either the EPA or NHTSA docket are described below.

EPA: Direct your comments to Docket ID No EPA-HQ-OAR-2009-0472. EPA's policy is that all comments received will be included in the public docket without change and may be made

available online at www.regulations.gov, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through www.regulations.gov or e-mail. The www.regulations.gov Web site is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through www.regulations.gov your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD-ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses. For additional information about EPA's public docket visit the EPA Docket Center homepage at <http://www.epa.gov/epahome/dockets.htm>.

NHTSA: Your comments must be written and in English. To ensure that your comments are correctly filed in the Docket, please include the Docket number NHTSA-2009-0059 in your comments. Your comments must not be more than 15 pages long.³ NHTSA established this limit to encourage you to write your primary comments in a concise fashion. However, you may attach necessary additional documents

to your comments. There is no limit on the length of the attachments. If you are submitting comments electronically as a PDF (Adobe) file, we ask that the documents submitted be scanned using the Optical Character Recognition (OCR) process, thus allowing the agencies to search and copy certain portions of your submissions.⁴ Please note that pursuant to the Data Quality Act, in order for the substantive data to be relied upon and used by the agencies, it must meet the information quality standards set forth in the OMB and Department of Transportation (DOT) Data Quality Act guidelines. Accordingly, we encourage you to consult the guidelines in preparing your comments. OMB's guidelines may be accessed at <http://www.whitehouse.gov/omb/fedreg/reproducible.html>. DOT's guidelines may be accessed at <http://www.dot.gov/dataquality.htm>.

Tips for Preparing Your Comments

When submitting comments, remember to:

- Identify the rulemaking by docket number and other identifying information (subject heading, **Federal Register** date and page number).
- Follow directions—The agency may ask you to respond to specific questions or organize comments by referencing a Code of Federal Regulations (CFR) part or section number.
- Explain why you agree or disagree, suggest alternatives, and substitute language for your requested changes.
- Describe any assumptions and provide any technical information and/or data that you used.
- If you estimate potential costs or burdens, explain how you arrived at your estimate in sufficient detail to allow for it to be reproduced.
- Provide specific examples to illustrate your concerns, and suggest alternatives.

vehicle" means a passenger car, the term "light-duty truck" means a pick-up truck, sport-utility vehicle, or minivan of up to 8,500 lbs gross vehicle weight rating, and "medium-duty passenger vehicle" means a sport-utility vehicle or passenger

van from 8,500 to 10,000 lbs gross vehicle weight rating. Medium-duty passenger vehicles do not include pick-up trucks.

²"Passenger car" and "light truck" are defined in 49 CFR part 523.

³ See 49 CFR 553.21.

⁴Optical character recognition (OCR) is the process of converting an image of text, such as a scanned paper document or electronic fax file, into computer-editable text.

• Explain your views as clearly as possible, avoiding the use of profanity or personal threats.

Make sure to submit your comments by the comment period deadline identified in the **DATES** section above.

How Can I Be Sure That My Comments Were Received?

NHTSA: If you submit your comments by mail and wish Docket Management to notify you upon its receipt of your comments, enclose a self-addressed, stamped postcard in the envelope containing your comments. Upon receiving your comments, Docket Management will return the postcard by mail.

How Do I Submit Confidential Business Information?

Any confidential business information (CBI) submitted to one of the agencies will also be available to the other agency. However, as with all public comments, any CBI information only needs to be submitted to either one of the agencies' dockets and it will be available to the other. Following are specific instructions for submitting CBI to either agency.

EPA: Do not submit CBI to EPA through <http://www.regulations.gov> or e-mail. Clearly mark the part or all of the information that you claim to be CBI. For CBI information in a disk or CD-ROM that you mail to EPA, mark the outside of the disk or CD-ROM as CBI and then identify electronically within the disk or CD-ROM the specific information that is claimed as CBI. In addition to one complete version of the comment that includes information claimed as CBI, a copy of the comment that does not contain the information claimed as CBI must be submitted for inclusion in the public docket. Information so marked will not be disclosed except in accordance with procedures set forth in 40 CFR part 2.

NHTSA: If you wish to submit any information under a claim of confidentiality, you should submit three copies of your complete submission, including the information you claim to be confidential business information, to the Chief Counsel, NHTSA, at the address given above under **FOR FURTHER INFORMATION CONTACT**. When you send a comment containing confidential business information, you should include a cover letter setting forth the information specified in our confidential business information regulation.⁵

In addition, you should submit a copy from which you have deleted the

claimed confidential business information to the Docket by one of the methods set forth above.

Will the Agencies Consider Late Comments?

NHTSA and EPA will consider all comments received before the close of business on the comment closing date indicated above under **DATES**. To the extent practicable, we will also consider comments received after that date. If interested persons believe that any new information the agency places in the docket affects their comments, they may submit comments after the closing date concerning how the agency should consider that information for the final rule. However, the agencies' ability to consider any such late comments in this rulemaking will be limited due to the time frame for issuing a final rule.

If a comment is received too late for us to practicably consider in developing a final rule, we will consider that comment as an informal suggestion for future rulemaking action.

How Can I Read the Comments Submitted by Other People?

You may read the materials placed in the docket for this document (e.g., the comments submitted in response to this document by other interested persons) at any time by going to <http://www.regulations.gov>. Follow the online instructions for accessing the dockets. You may also read the materials at the EPA Docket Center or NHTSA Docket Management Facility by going to the street addresses given above under **ADDRESSES**.

How Do I Participate in the Public Hearings?

NHTSA and EPA will jointly host three public hearings on the dates and locations described in the **DATES** and **ADDRESSES** sections above.

If you would like to present testimony at the public hearings, we ask that you notify the EPA and NHTSA contact persons listed under **FOR FURTHER INFORMATION CONTACT** at least ten days before the hearing. Once EPA and NHTSA learn how many people have registered to speak at the public hearing, we will allocate an appropriate amount of time to each participant, allowing time for lunch and necessary breaks throughout the day. For planning purposes, each speaker should anticipate speaking for approximately ten minutes, although we may need to adjust the time for each speaker if there is a large turnout. We suggest that you bring copies of your statement or other material for the EPA and NHTSA panels and the audience. It would also be

helpful if you send us a copy of your statement or other materials before the hearing. To accommodate as many speakers as possible, we prefer that speakers not use technological aids (e.g., audio-visuals, computer slideshows). However, if you plan to do so, you must notify the contact persons in the **FOR FURTHER INFORMATION CONTACT** section above. You also must make arrangements to provide your presentation or any other aids to NHTSA and EPA in advance of the hearing in order to facilitate set-up. In addition, we will reserve a block of time for anyone else in the audience who wants to give testimony.

The hearing will be held at a site accessible to individuals with disabilities. Individuals who require accommodations such as sign language interpreters should contact the persons listed under **FOR FURTHER INFORMATION CONTACT** section above no later than ten days before the date of the hearing.

NHTSA and EPA will conduct the hearing informally, and technical rules of evidence will not apply. We will arrange for a written transcript of the hearing and keep the official record of the hearing open for 30 days to allow you to submit supplementary information. You may make arrangements for copies of the transcript directly with the court reporter.

Table of Contents

I. Overview of Joint EPA/NHTSA National Program

A. Introduction

1. Building Blocks of the National Program
2. Joint Proposal for a National Program
- B. Summary of the Joint Proposal
- C. Background and Comparison of NHTSA and EPA Statutory Authority
 1. NHTSA Statutory Authority
 2. EPA Statutory Authority
 3. Comparing the Agencies' Authority
- D. Summary of the Proposed Standards for the National Program

E. Summary of Costs and Benefits for the Joint Proposal

1. Joint Analytical Approach
2. Level of the Standards
3. Form of the Standards
- E. Summary of Costs and Benefits for the Joint Proposal
 1. Summary of Costs and Benefits of Proposed NHTSA CAFE Standards
 2. Summary of Costs and Benefits of Proposed EPA GHG Standards

F. Program Flexibilities for Achieving Compliance

1. CO₂/CAFE Credits Generated Based on Fleet Average Performance
2. Air Conditioning Credits
3. Flex-Fuel and Alternative Fuel Vehicle Credits
4. Temporary Lead-time Allowance Alternative Standards
5. Additional Credit Opportunities Under the CAA

G. Coordinated Compliance

H. Conclusion

⁵ See 49 CFR part 512.

II. Joint Technical Work Completed for This Proposal

- A. Introduction
- B. How Did NHTSA and EPA Develop the Baseline Market Forecast?
1. Why Do the Agencies Establish a Baseline Vehicle Fleet?
 2. How Do the Agencies Develop the Baseline Vehicle Fleet?
 3. How Is the Development of the Baseline Fleet for this Proposal Different From NHTSA's Historical Approach, and Why is This Approach Preferable?
 4. How Does Manufacturer Product Plan Data Factor Into the Baseline Used in This Proposal?
- C. Development of Attribute-Based Curve Shapes
- D. Relative Car-Truck Stringency
- E. Joint Vehicle Technology Assumptions
1. What Technologies Do the Agencies Consider?
 2. How Did the Agencies Determine the Costs and Effectiveness of Each of These Technologies?
- F. Joint Economic Assumptions

III. EPA Proposal for Greenhouse Gas Vehicle Standards

- A. Executive Overview of EPA Proposal
1. Introduction
 2. Why Is EPA Proposing This Rule?
 3. What Is EPA Proposing?
 4. Basis for the Proposed GHG Standards Under Section 202(a)
- B. Proposed GHG Standards for Light-Duty Vehicles, Light-Duty Trucks, and Medium-Duty Passenger Vehicles
1. What Fleet-Wide Emissions Levels Correspond to the CO₂ Standards?
 2. What Are the CO₂ Attribute-Based Standards?
 3. Overview of How EPA's Proposed CO₂ Standards Would Be Implemented for Individual Manufacturers
 4. Averaging, Banking, and Trading Provisions for CO₂ Standards
 5. CO₂ Temporary Lead-Time Allowance Alternative Standards
 6. Proposed Nitrous Oxide and Methane Standards
 7. Small Entity Deferment
- C. Additional Credit Opportunities for CO₂ Fleet Average Program
1. Air Conditioning Related Credits
 2. Flex Fuel and Alternative Fuel Vehicle Credits
 3. Advanced Technology Vehicle Credits for Electric Vehicles, Plug-in Hybrids, and Fuel Cells
 4. Off-cycle Technology Credits
 5. Early Credit Options
- D. Feasibility of the Proposed CO₂ Standards
1. How Did EPA Develop a Reference Vehicle Fleet for Evaluating Further CO₂ Reductions?
 2. What Are the Effectiveness and Costs of CO₂-Reducing Technologies?
 3. How Can Technologies Be Combined into "Packages" and What Is the Cost and Effectiveness of Packages?
 4. Manufacturer's Application of Technology
 5. How Is EPA Projecting That a Manufacturer Would Decide Between Options To Improve CO₂ Performance To Meet a Fleet Average Standard?

6. Why Are the Proposed CO₂ Standards Feasible?
 7. What Other Fleet-Wide CO₂ Levels Were Considered?
- E. Certification, Compliance, and Enforcement
1. Compliance Program Overview
 2. Compliance With Fleet-Average CO₂ Standards
 3. Vehicle Certification
 4. Useful Life Compliance
 5. Credit Program Implementation
 6. Enforcement
 7. Prohibited Acts in the CAA
 8. Other Certification Issues
 9. Miscellaneous Revisions to Existing Regulations
 10. Warranty, Defect Reporting, and Other Emission-related Components Provisions
 11. Light Vehicles and Fuel Economy Labeling
- F. How Would This Proposal Reduce GHG Emissions and Their Associated Effects?
1. Impact on GHG Emissions
 2. Overview of Climate Change Impacts From GHG Emissions
 3. Changes in Global Mean Temperature and Sea-Level Rise Associated With the Proposal's GHG Emissions Reductions
 4. Weight Reduction and Potential Safety Impacts
- G. How Would the Proposal Impact Non-GHG Emissions and Their Associated Effects?
1. Upstream Impacts of Program
 2. Downstream Impacts of Program
 3. Health Effects of Non-GHG Pollutants
 4. Environmental Effects of Non-GHG Pollutants
 5. Air Quality Impacts of Non-GHG Pollutants
- H. What Are the Estimated Cost, Economic, and Other Impacts of the Proposal?
1. *Conceptual Framework for Evaluating Consumer Impacts*
 2. Costs Associated With the Vehicle Program
 3. Cost per Ton of Emissions Reduced
 4. Reduction in Fuel Consumption and Its Impacts
 5. Impacts on U.S. Vehicle Sales and Payback Period
 6. Benefits of Reducing GHG Emissions
 7. Non-Greenhouse Gas Health and Environmental Impacts
 8. Energy Security Impacts
 9. Other Impacts
 10. Summary of Costs and Benefits
- I. Statutory and Executive Order Reviews
1. Executive Order 12866: Regulatory Planning and Review
 2. Paperwork Reduction Act
 3. Regulatory Flexibility Act
 4. Unfunded Mandates Reform Act
 5. Executive Order 13132 (Federalism)
 6. Executive Order 13175 (Consultation and Coordination With Indian Tribal Governments)
 7. Executive Order 13045: "Protection of Children From Environmental Health Risks and Safety Risks"
 8. Executive Order 13211 (Energy Effects)
 9. National Technology Transfer Advancement Act
 10. Executive Order 12898: Federal Actions to Address Environmental Justice in

Minority Populations and Low-Income Populations

J. Statutory Provisions and Legal Authority

IV. NHTSA Proposal for Passenger Car and Light Truck CAFE Standards for MYs 2012–2016

- A. Executive Overview of NHTSA Proposal
1. Introduction
 2. Role of Fuel Economy Improvements in Promoting Energy Independence, Energy Security, and a Low Carbon Economy
 3. The National Program
 4. Review of CAFE Standard Setting Methodology Per the President's January 26, 2009 Memorandum on CAFE Standards for MYs 2011 and Beyond
 5. Summary of the Proposed MY 2012–2016 CAFE Standards
- B. Background
1. Chronology of Events Since the National Academy of Sciences Called for Reforming and Increasing CAFE Standards
 2. NHTSA Issues Final Rule Establishing Attribute-Based CAFE Standards for MY 2008–2011 Light Trucks (March 2006)
 3. Ninth Circuit Issues Decision re Final Rule for MY 2008–2011 Light Trucks (November 2007)
 4. Congress Enacts Energy Security and Independence Act of 2007 (December 2007)
 5. NHTSA Proposes CAFE Standards for MYs 2011–2015 (April 2008)
 6. Ninth Circuit Revises Its Decision re Final Rule for MY 2008–2011 Light Trucks (August 2008)
 7. NHTSA Releases Final Environmental Impact Statement (October 2008)
 8. Department of Transportation Decides not to Issue MY 2011–2015 final Rule (January 2009)
 9. The President Requests NHTSA to Issue Final Rule for MY 2011 Only (January 2009)
 10. NHTSA Issues Final Rule for MY 2011 (March 2009)
 11. Energy Policy and Conservation Act, as Amended by the Energy Independence and Security Act
- C. Development and Feasibility of the Proposed Standards
1. How Was the Baseline Vehicle Fleet Developed?
 2. How were the Technology Inputs Developed?
 3. How Did NHTSA Develop the Economic Assumption Inputs?
 4. How Does NHTSA Use the Assumptions in Its Modeling Analysis?
 5. How Did NHTSA Develop the Shape of the Target Curves for the Proposed Standards?
- D. Statutory Requirements
1. EPCA, as Amended by EISA
 2. Administrative Procedure Act
 3. National Environmental Policy Act
- E. What Are the Proposed CAFE Standards?
1. Form of the Standards
 2. Passenger Car Standards for MYs 2012–2016
 3. Minimum Domestic Passenger Car Standards
 4. Light Truck Standards
- F. How Do the Proposed Standards Fulfill NHTSA's Statutory Obligations?

- C. Impacts of the Proposed CAFE Standards
1. How Would These Proposed Standards Improve Fuel Economy and Reduce GHG Emissions for MY 2012–2016 Vehicles?
 2. How Would These Proposed Standards Improve Fleet-Wide Fuel Economy and Reduce GHG Emissions Beyond MY 2016?
 3. How Would These Proposed Standards Impact Non-GHG Emissions and Their Associated Effects?
 4. What Are the Estimated Costs and Benefits of These Proposed Standards?
 5. How Would These Proposed Standards Impact Vehicle Sales?
 6. What Are the Consumer Welfare Impacts of These Proposed Standards?
 7. What Are the Estimated Safety Impacts of These Proposed Standards?
 8. What Other Impacts (Quantitative and Unquantifiable) Will These Proposed Standards Have?
- H. Vehicle Classification
- I. Compliance and Enforcement
1. Overview
 2. How Does NHTSA Determine Compliance?
 3. What Compliance Flexibilities Are Available under the CAFE Program and How Do Manufacturers Use Them?
 4. Other CAFE Enforcement Issues—Variations in Footprint
- J. Other Near-Term Rulemakings Mandated by EISA
1. Commercial Medium- and Heavy-Duty On-Highway Vehicles and Work Trucks
 2. Consumer Information
- K. Regulatory Notices and Analyses
1. Executive Order 12866 and DOT Regulatory Policies and Procedures
 2. National Environmental Policy Act
 3. Regulatory Flexibility Act
 4. Executive Order 13132 (Federalism)
 5. Executive Order 12988 (Civil Justice Reform)
 6. Unfunded Mandates Reform Act
 7. Paperwork Reduction Act
 8. Regulation Identifier Number
 9. Executive Order 13045
 10. National Technology Transfer and Advancement Act
 11. Executive Order 13211
 12. Department of Energy Review
 13. Plain Language
 14. Privacy Act

I. Overview of Joint EPA/NHTSA National Program

A. Introduction

The National Highway Traffic Safety Administration (NHTSA) and the Environmental Protection Agency (EPA) are each announcing proposed rules whose benefits would address the urgent and closely intertwined challenges of energy independence and security and global warming. These proposed rules call for a strong and coordinated *Federal* greenhouse gas and fuel economy program for passenger cars, light-duty-trucks, and medium-duty passenger vehicles (hereafter light-duty vehicles), referred to as the National Program. The proposed rules

can achieve substantial reductions of greenhouse gas (GHG) emissions and improvements in fuel economy from the light-duty vehicle part of the transportation sector, based on technology that is already being commercially applied in most cases and that can be incorporated at a reasonable cost.

This joint notice is consistent with the President's announcement on May 19, 2009 of a National Fuel Efficiency Policy of establishing consistent, harmonized, and streamlined requirements that would reduce greenhouse gas emissions and improve fuel economy for all new cars and light-duty trucks sold in the United States.⁶ The National Program holds out the promise of delivering additional environmental and energy benefits, cost savings, and administrative efficiencies on a nationwide basis that might not be available under a less coordinated approach. The proposed National Program also offers the prospect of regulatory convergence by making it possible for the standards of two different *Federal* agencies and the standards of California and other States to act in a unified fashion in providing these benefits. This would allow automakers to produce and sell a single fleet nationally. Thus, it may also help to mitigate the additional costs that manufacturers would otherwise face in having to comply with multiple sets of *Federal* and State standards. This joint notice is also consistent with the Notice of Upcoming Joint Rulemaking issued by DOT and EPA on May 19⁷ and responds to the President's January 26, 2009 memorandum on CAFE standards for model years 2011 and beyond,⁸ the details of which can be found in Section IV of this joint notice.

1. Building Blocks of the National Program

The National Program is both needed and possible because the relationship between improving fuel economy and reducing CO₂ tailpipe emissions is a very direct and close one. The amount of those CO₂ emissions is essentially

constant per gallon combusted of a given type of fuel. Thus, the more fuel efficient a vehicle is, the less fuel it burns to travel a given distance. The less fuel it burns, the less CO₂ it emits in traveling that distance.⁹ While there are emission control technologies that reduce the pollutants (e.g., carbon monoxide) produced by imperfect combustion of fuel by capturing or destroying them, there is no such technology for CO₂. Further, while some of those pollutants can also be reduced by achieving a more complete combustion of fuel, doing so only increases the tailpipe emissions of CO₂. Thus, there is a single pool of technologies for addressing these twin problems, *i.e.*, those that reduce fuel consumption and thereby reduce CO₂ emissions as well.

a. DOT's CAFE Program

In 1975, Congress enacted the Energy Policy and Conservation Act (EPCA), mandating that NHTSA establish and implement a regulatory program for motor vehicle fuel economy to meet the various facets of the need to conserve energy, including ones having energy independence and security, environmental and foreign policy implications. Fuel economy gains since 1975, due both to the standards and market factors, have resulted in saving billions of barrels of oil and avoiding billions of metric tons of CO₂ emissions. In December 2007, Congress enacted the Energy Independence and Securities Act (EISA), amending EPCA to require substantial, continuing increases in fuel economy standards.

The CAFE standards address most, but not all, of the real world CO₂ emissions because EPCA requires the use of 1975 passenger car test procedures under which vehicle air conditioners are not turned on during fuel economy testing.¹⁰ Fuel economy is determined by measuring the amount of CO₂ and other carbon compounds emitted from the tailpipe, not by attempting to measure directly the amount of fuel consumed during a vehicle test, a difficult task to accomplish with precision. The carbon content of the test fuel¹¹ is then used to calculate the amount of fuel that had to be consumed per mile in order to

⁶ President Obama Announces National Fuel Efficiency Policy. The White House, May 19, 2009. Available at: http://www.whitehouse.gov/the_press_office/President-Obama-Announces-National-Fuel-Efficiency-Policy/ (last accessed August 18, 2009). Remarks by the President on National Fuel Efficiency Standards, The White House, May 19, 2009. Available at: http://www.whitehouse.gov/the_press_office/Remarks-by-the-President-on-national-fuel-efficiency-standards/ (Last accessed August 18, 2009).

⁷ 74 FR 24007 (May 22, 2009).

⁸ Available at: http://www.whitehouse.gov/the_press_office/Presidential-Memorandum-Fuel-Economy/ (last accessed on August 18, 2009).

⁹ Panel on Policy Implications of Greenhouse Warming, National Academy of Sciences, National Academy of Engineering, Institute of Medicine, "Policy Implications of Greenhouse Warming: Mitigation, Adaptation, and the Science Base," National Academies Press, 1992. p. 287.

¹⁰ EPCA does not require the use of 1975 test procedures for light trucks.

¹¹ This is the method that EPA uses to determine compliance with NHTSA's CAFE standards.

produce that amount of CO₂. Finally, that fuel consumption figure is converted into a miles-per-gallon figure. CAFE standards also do not address the 5–8 percent of GHG emissions that are not CO₂, *i.e.*, nitrous oxide (N₂O), and methane (CH₄) as well as emissions of CO₂ and hydrofluorocarbons (HFCs) related to operation of the air conditioning system.

b. EPA's Greenhouse Gas Standards for Light-Duty Vehicles

Under the Clean Air Act EPA is responsible for addressing air pollutants from motor vehicles. On April 2, 2007, the U.S. Supreme Court issued its opinion in *Massachusetts v. EPA*,¹² a case involving a 2003 order of the Environmental Protection Agency (EPA) denying a petition for rulemaking to regulate greenhouse gas emissions from motor vehicles under section 202(a) of the Clean Air Act (CAA).¹³ The Court held that greenhouse gases were air pollutants for purposes of the Clean Air Act and further held that the Administrator must determine whether or not emissions from new motor vehicles cause or contribute to air pollution which may reasonably be anticipated to endanger public health or welfare, or whether the science is too uncertain to make a reasoned decision. The Court further ruled that, in making these decisions, the EPA Administrator is required to follow the language of section 202(a) of the CAA. The Court rejected the argument that EPA cannot regulate CO₂ from motor vehicles because to do so would *de facto* tighten fuel economy standards, authority over which has been assigned by Congress to DOT. The Court stated that “[b]ut that DOT sets mileage standards in no way licenses EPA to shirk its environmental responsibilities. EPA has been charged with protecting the public’s ‘health’ and ‘welfare’, a statutory obligation wholly independent of DOT’s mandate to promote energy efficiency.” The Court concluded that “[t]he two obligations may overlap, but there is no reason to think the two agencies cannot both administer their obligations and yet avoid inconsistency.”¹⁴ The Court remanded the case back to the Agency for reconsideration in light of its findings.¹⁵

¹² 549 U.S. 497 (2007).

¹³ 68 FR 52922 (Sept. 8, 2003).

¹⁴ 549 U.S. at 531–32.

¹⁵ For further information on *Massachusetts v. EPA* see the July 30, 2008 Advance Notice of Proposed Rulemaking, “Regulating Greenhouse Gas Emissions under the Clean Air Act”, 73 FR 44354 at 44397. There is a comprehensive discussion of the litigation’s history, the Supreme Court’s findings, and subsequent actions undertaken by the

EPA has since proposed to find that emissions of GHGs from new motor vehicles and motor vehicle engines cause or contribute to air pollution that may reasonably be anticipated to endanger public health and welfare.¹⁶ This proposal represents the second phase of EPA’s response to the Supreme Court’s decision.

c. California Air Resources Board Greenhouse Gas Program

In 2004, the California Air Resources Board approved standards for new light-duty vehicles, which regulate the emission of not only CO₂, but also other GHGs. Since then, thirteen States and the District of Columbia, comprising approximately 40 percent of the light-duty vehicle market, have adopted California’s standards. These standards apply to model years 2009 through 2016 and require CO₂ emissions for passenger cars and the smallest light trucks of 323 g/mi in 2009 and 205 g/mi in 2016, and for the remaining light trucks of 439 g/mi in 2009 and 332 g/mi in 2016. On June 30, 2009, EPA granted California’s request for a waiver of preemption under the CAA.¹⁷ The granting of the waiver permits California and the other States to proceed with implementing the California emission standards.

2. Joint Proposal for a National Program

On May 19, 2009, the Department of Transportation and the Environmental Protection Agency issued a Notice of Upcoming Joint Rulemaking to propose a strong and coordinated fuel economy and greenhouse gas National Program for Model Year (MY) 2012–2016 light duty vehicles.

B. Summary of the Joint Proposal

In this joint rulemaking, EPA is proposing GHG emissions standards under the Clean Air Act (CAA), and NHTSA is proposing Corporate Average Fuel Economy (CAFE) standards under the Energy Policy and Conservation Act of 1975 (EPCA), as amended by the Energy Independence and Security Act of 2007 (EISA). The intention of this joint rulemaking proposal is to set forth a carefully coordinated and harmonized approach to implementing these two statutes, in accordance with all substantive and procedural requirements imposed by law.

Climate change is widely viewed as the most significant long-term threat to the global environment. According to the Intergovernmental Panel on Climate

Change, anthropogenic emissions of greenhouse gases are very likely (90 to 99 percent probability) the cause of most of the observed global warming over the last 50 years. The primary GHGs of concern are carbon dioxide (CO₂), methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. Mobile sources emitted 31.5 percent of all U.S. GHG in 2006, and have been the fastest-growing source of U.S. GHG since 1990. Light-duty vehicles emit four GHGs—CO₂, methane, nitrous oxide, and hydrofluorocarbons—and are responsible for nearly 60 percent of all mobile source GHGs. For Light-duty vehicles, CO₂ emissions represent about 95 percent of all greenhouse emissions, and the CO₂ emissions measured over the EPA tests used for fuel economy compliance represent over 90 percent of total light-duty vehicle greenhouse gas emissions.

Improving energy security by reducing our dependence on foreign oil has been a national objective since the first oil price shocks in the 1970s. Net petroleum imports now account for approximately 60 percent of U.S. petroleum consumption. World crude oil production is highly concentrated, exacerbating the risks of supply disruptions and price shocks. Tight global oil markets led to prices over \$100 per barrel in 2008, with gasoline reaching as high as \$4 per gallon in many parts of the U.S., causing financial hardship for many families. The export of U.S. assets for oil imports continues to be an important component of the U.S.’ historically unprecedented trade deficits. Transportation accounts for about two-thirds of U.S. petroleum consumption. Light-duty vehicles account for about 60 percent of transportation oil use, which means that they alone account for about 40 percent of all U.S. oil consumption.

NHTSA and EPA have coordinated closely and worked jointly in developing their respective proposals. This is reflected in many aspects of this joint proposal. For example, the agencies have developed a comprehensive joint Technical Support Document (TSD) that provides a solid technical underpinning for each agency’s modeling and analysis used to support their proposed standards. Also, to the extent allowed by law, the agencies have harmonized many elements of program design, such as the form of the standard (the footprint-based attribute curves), and the definitions used for cars and trucks. They have developed the same or similar compliance flexibilities, to the extent allowed and appropriate under their

Bush Administration and the EPA from 2007–2008 in response to the Supreme Court remand.

¹⁶ 74 FR 18886 (Apr. 24, 2009).

¹⁷ 74 FR 32744 (July 8, 2009).

respective statutes, such as averaging, banking, and trading of credits, and have harmonized the compliance testing and test protocols used for purposes of the fleet average standards each agency is proposing. Finally, as discussed in Section I.C., under their respective statutes each agency is called upon to exercise its judgment and determine standards that are an appropriate balance of various relevant statutory factors. Given the common technical issues before each agency, the similarity of the factors each agency is to consider and balance, and the authority of each agency to take into consideration the standards of the other agency, both EPA and NHTSA are proposing standards that result in a harmonized National Program.

This joint proposal covers passenger cars, light-duty-trucks, and medium-duty passenger vehicles built in model years 2012 through 2016. These vehicle categories are responsible for almost 60 percent of all U.S. transportation-related GHG emissions. EPA and NHTSA expect that automobile manufacturers will meet these proposed standards by utilizing technologies that will reduce vehicle GHG emissions and improve fuel economy. Although many of these technologies are available today, the emissions reductions and fuel economy improvements proposed would involve more widespread use of these technologies across the light-duty vehicle fleet. These include improvements to engines, transmissions, and tires, increased use of start-stop technology, improvements in air conditioning systems (to the extent currently allowed by law), increased use of hybrid and other advanced technologies, and the initial commercialization of electric vehicles and plug-in hybrids.

The proposed National Program would result in approximately 950 million metric tons of total carbon dioxide equivalent emissions reductions and approximately 1.8 billion barrels of oil savings over the lifetime of vehicles sold in model years 2012 through 2016. In total, the combined EPA and NHTSA 2012–2016 standards would reduce GHG emissions from the U.S. light-duty fleet by approximately 21 percent by 2030 over the level that would occur in the absence of the National Program. These proposals also provide important energy security benefits, as light-duty vehicles are about 95 percent dependent on oil-based fuels. The benefits of the proposed National Program would total about \$250 billion at a 3% discount rate, or \$195 billion at a 7% discount rate. In the discussion that follows in Sections III and IV, each agency explains the

related benefits for their individual standards.

Together, EPA and NHTSA estimate that the average cost increase for a model year 2016 vehicle due to the proposed National Program is less than \$1,100. U.S. consumers who purchase their vehicle outright would save enough in lower fuel costs over the first three years to offset these higher vehicle costs. However, most U.S. consumers purchase a new vehicle using credit rather than paying cash and the typical car loan today is a five year, 60 month loan. These consumers would see immediate savings due to their vehicle's lower fuel consumption in the form of reduced monthly costs of \$12–\$14 per month throughout the duration of the loan (that is, the fuel savings outweigh the increase in loan payments by \$12–\$14 per month). Whether a consumer takes out a loan or purchases a new vehicle outright, over the lifetime of a model year 2016 vehicle, consumers would save more than \$3,000 due to fuel savings. The average 2016 MY vehicle will emit 16 fewer metric tons of CO₂ emissions during its lifetime.

This joint proposal also offers the prospect of important regulatory convergence and certainty to automobile companies. Absent this proposal, there would be three separate Federal and State regimes independently regulating light-duty vehicles to reduce fuel consumption and GHG emissions: NHTSA's CAFE standards, EPA's GHG standards, and the GHG standards applicable in California and other States adopting the California standards. This joint proposal would allow automakers to meet both the NHTSA and EPA requirements with a single national fleet, greatly simplifying the industry's technology, investment and compliance strategies. In addition, in a letter dated May 18, 2009, California stated that it "recognizes the benefit for the country and California of a National Program to address greenhouse gases and fuel economy and the historic announcement of United States Environmental Protection Agency (EPA) and National Highway Transportation Safety Administration's (NHTSA) intent to jointly propose a rule to set standards for both. California fully supports proposal and adoption of such a National Program." To promote the National Program, California announced its commitment to take several actions, including revising its program for MYs 2012–2016 such that compliance with the *Federal* GHG standards would be deemed to be compliance with California's GHG standards. This would allow the single national fleet used by automakers to meet the two Federal

requirements and to meet California requirements as well. This commitment was conditioned on several points, including EPA GHG standards that are substantially similar to those described in the May 19, 2009 Notice of Upcoming Joint Rulemaking. Many automakers and trade associations also announced their support for the National Program announced that day.¹⁸ The manufacturers conditioned their support on EPA and NHTSA standards substantially similar to those described in that Notice. NHTSA and EPA met with many vehicle manufacturers to discuss the feasibility of the National Program. EPA and NHTSA are confident that these proposed GHG and CAFE standards, if finalized, would successfully harmonize both the *Federal* and State programs for MYs 2012–2016 and would allow our country to achieve the increased benefits of a single, nationwide program to reduce light-duty vehicle GHG emissions and reduce the country's dependence on fossil fuels by improving these vehicles' fuel economy.

A successful and sustainable automotive industry depends upon, among other things, continuous technology innovation in general, and low greenhouse gas emissions and high fuel economy vehicles in particular. In this respect, this proposal would help spark the investment in technology innovation necessary for automakers to successfully compete in both domestic and export markets, and thereby continue to support a strong economy.

While this proposal covers MYs 2012–2016, EPA and NHTSA anticipate the importance of seeking a strong, coordinated national program for light-duty vehicles in model years beyond 2016 in a future rulemaking.

Key elements of the proposal for a harmonized and coordinated program are the level and form of the GHG and CAFE standards, the available compliance mechanisms, and general implementation elements. These elements are outlined in the following sections.

C. Background and Comparison of NHTSA and EPA Statutory Authority

This section provides the agencies' respective statutory authorities under which CAFE and GHG standards are established.

1. NHTSA Statutory Authority

NHTSA establishes CAFE standards for passenger cars and light trucks for each model year under EPCA, as

¹⁸ These letters are available at <http://www.epa.gov/otaq/climate/regulations.htm>.

amended by EISA. EPCA mandates a motor vehicle fuel economy regulatory program to meet the various facets of the need to conserve energy, including ones having environmental and foreign policy implications. EPCA allocates the responsibility for implementing the program between NHTSA and EPA as follows: NHTSA sets CAFE standards for passenger cars and light trucks; EPA establishes the procedures for testing, tests vehicles, collects and analyzes manufacturers' data, and calculates the average fuel economy of each manufacturer's passenger cars and light trucks; and NHTSA enforces the standards based on EPA's calculations.

a. Standard Setting

We have summarized below the most important aspects of standard setting under EPCA, as amended by EISA.

For each future model year, EPCA requires that NHTSA establish standards at "the maximum feasible average fuel economy level that it decides the manufacturers can achieve in that model year," based on the agency's consideration of four statutory factors: technological feasibility, economic practicability, the effect of other standards of the Government on fuel economy, and the need of the nation to conserve energy. EPCA does not define these terms or specify what weight to give each concern in balancing them; thus, NHTSA defines them and determines the appropriate weighting based on the circumstances in each CAFE standard rulemaking.¹⁹

For MYs 2011–2020, EPCA further requires that separate standards for passenger cars and for light trucks be set at levels high enough to ensure that the CAFE of the industry-wide combined fleet of new passenger cars and light trucks reaches at least 35 mpg not later than MY 2020.

i. Factors That Must Be Considered in Deciding the Appropriate Stringency of CAFE Standards

(1) Technological Feasibility

"Technological feasibility" refers to whether a particular method of improving fuel economy can be available for commercial application in the model year for which a standard is being established. Thus, the agency is not limited in determining the level of new standards to technology that is

already being commercially applied at the time of the rulemaking. NHTSA has historically considered all types of technologies that improve real-world fuel economy, except those whose effects are not reflected in fuel economy testing. Principal among them are technologies that improve air conditioner efficiency because the air conditioners are not turned on during testing under existing test procedures.

(2) Economic Practicability

"Economic practicability" refers to whether a standard is one "within the financial capability of the industry, but not so stringent as to" lead to "adverse economic consequences, such as a significant loss of jobs or the unreasonable elimination of consumer choice."²⁰ This factor is especially important in the context of current events, where the automobile industry is facing significantly adverse economic conditions, as well as significant loss of jobs. In an attempt to ensure the economic practicability of attribute-based standards, NHTSA considers a variety of factors, including the annual rate at which manufacturers can increase the percentage of its fleet that employs a particular type of fuel-saving technology, and cost to consumers. Consumer acceptability is also an element of economic practicability, one which is particularly difficult to gauge during times of frequently-changing fuel prices. NHTSA believes this approach is reasonable for the MY 2012–2016 standards in view of the facts before it at this time. NHTSA is aware, however, that facts relating to a variety of key issues in CAFE rulemaking are steadily evolving and seeks comments on the balancing of these factors in light of the facts available during the comment period.

At the same time, the law does not preclude a CAFE standard that poses considerable challenges to any individual manufacturer. The Conference Report for ERCA, as enacted in 1975, makes clear, and the case law affirms, "a determination of maximum feasible average fuel economy should not be keyed to the single manufacturer which might have the most difficulty achieving a given level of average fuel economy."²¹ Instead, NHTSA is compelled "to weigh the benefits to the nation of a higher fuel economy standard against the difficulties of individual automobile manufacturers." *Id.* The law permits CAFE standards exceeding the projected capability of any particular manufacturer as long as

the standard is economically practicable for the industry as a whole. Thus, while a particular CAFE standard may pose difficulties for one manufacturer, it may also present opportunities for another. The CAFE program is not necessarily intended to maintain the competitive positioning of each particular company. Rather, it is intended to enhance fuel economy of the vehicle fleet on American roads, while protecting motor vehicle safety and being mindful of the risk of harm to the overall United States economy.

(3) The Effect of Other Motor Vehicle Standards of the Government on Fuel Economy

"The effect of other motor vehicle standards of the Government on fuel economy," involves an analysis of the effects of compliance with emission,²² safety, noise, or damageability standards on fuel economy capability and thus on average fuel economy. In previous CAFE rulemakings, the agency has said that pursuant to this provision, it considers the adverse effects of other motor vehicle standards on fuel economy. It said so because, from the CAFE program's earliest years²³ until present, the effects of such compliance on fuel economy capability over the history of the CAFE program have been negative ones. For example, safety standards that have the effect of increasing vehicle weight lower vehicle fuel economy capability and thus decrease the level of average fuel economy that the agency can determine to be feasible.

In the wake of *Massachusetts v. EPA* and of EPA's proposed endangerment finding, granting of a waiver to California for its motor vehicle GHG standards, and its own proposal of GHG standards, NHTSA is confronted with the issue of how to treat those standards under the "other motor vehicle standards" provision. To the extent the GHG standards result in increases in fuel economy, they would do so almost exclusively as a result of inducing manufacturers to install the same types of technologies used by manufacturers in complying with the CAFE standards. The primary exception would involve increases in the efficiency of air conditioners.

Comment is requested on whether and in what way the effects of the California and EPA standards should be

¹⁹ See *Center for Biological Diversity v. NHTSA*, 538 F.3d 1172, 1195 (9th Cir. 2008) ("The EPCA clearly requires the agency to consider these four factors, but it gives NHTSA discretion to decide how to balance the statutory factors—as long as NHTSA's balancing does not undermine the fundamental purpose of the EPCA: Energy conservation.")

²⁰ 67 FR 77015, 77021 (Dec. 16, 2002).

²¹ *CEI-I*, 793 F.2d 1322, 1352 (D.C. Cir. 1986).

²² In the case of emission standards, this includes standards adopted by the Federal government and can include standards adopted by the States as well, since in certain circumstances the Clean Air Act allows States to adopt and enforce State standards different from the Federal ones.

²³ 42 FR 63184, 63188 (Dec. 15, 1977). See also 42 FR 33534, 33537 (Jun. 30, 1977).

considered under the "other motor vehicle standards" provision or other provisions of EPCA in 49 U.S.C. 32902, consistent with NHTSA's independent obligation under EPCA/EISA to issue CAFE standards. The agency has already considered EPA's proposal and the harmonization benefits of the National Program in developing its own proposal.

(4) The Need of the United States To Conserve Energy

"The need of the United States to conserve energy" means "the consumer cost, national balance of payments, environmental, and foreign policy implications of our need for large quantities of petroleum, especially imported petroleum."²⁴ Environmental implications principally include reductions in emissions of criteria pollutants and carbon dioxide. Prime examples of foreign policy implications are energy independence and security concerns.

(a) Fuel Prices and the Value of Saving Fuel

Projected future fuel prices are a critical input into the preliminary economic analysis of alternative CAFE standards, because they determine the value of fuel savings both to new vehicle buyers and to society. In this rule, NHTSA relies on fuel price projections from the U.S. Energy Information Administration's (EIA) Annual Energy Outlook (AEO) for this analysis. Federal government agencies generally use EIA's projections in their assessments of future energy-related policies.

(b) Petroleum Consumption and Import Externalities

U.S. consumption and imports of petroleum products impose costs on the domestic economy that are not reflected in the market price for crude petroleum, or in the prices paid by consumers of petroleum products such as gasoline. These costs include (1) higher prices for petroleum products resulting from the effect of U.S. oil import demand on the world oil price; (2) the risk of disruptions to the U.S. economy caused by sudden reductions in the supply of imported oil to the U.S.; and (3) expenses for maintaining a U.S. military presence to secure imported oil supplies from unstable regions, and for maintaining the strategic petroleum reserve (SPR) to provide a response option should a disruption in commercial oil supplies threaten the U.S. economy, to allow the United States to meet part of its International

Energy Agency obligation to maintain emergency oil stocks, and to provide a national defense fuel reserve. Higher U.S. imports of crude oil or refined petroleum products increase the magnitude of these external economic costs, thus increasing the true economic cost of supplying transportation fuels above the resource costs of producing them. Conversely, reducing U.S. imports of crude petroleum or refined fuels or reducing fuel consumption can reduce these external costs.

(c) Air Pollutant Emissions

While reductions in domestic fuel refining and distribution that result from lower fuel consumption will reduce U.S. emissions of various pollutants, additional vehicle use associated with the rebound effect²⁵ from higher fuel economy will increase emissions of these pollutants. Thus, the net effect of stricter CAFE standards on emissions of each pollutant depends on the relative magnitudes of its reduced emissions in fuel refining and distribution, and increases in its emissions from vehicle use.

Fuel savings from stricter CAFE standards also result in lower emissions of CO₂, the main greenhouse gas emitted as a result of refining, distribution, and use of transportation fuels. Lower fuel consumption reduces carbon dioxide emissions directly, because the primary source of transportation-related CO₂ emissions is fuel combustion in internal combustion engines.

NHTSA has considered environmental issues, both within the context of EPCA and the National Environmental Policy Act, in making decisions about the setting of standards from the earliest days of the CAFE program. As courts of appeal have noted in three decisions stretching over the last 20 years,²⁶ NHTSA defined the "need of the Nation to conserve energy" in the late 1970s as including "the consumer cost, national balance of payments, environmental, and foreign policy implications of our need for large quantities of petroleum, especially imported petroleum."²⁷ Pursuant to that view, NHTSA declined in the past

²⁵ The "rebound effect" refers to the tendency of drivers to drive their vehicles more as the cost of doing so goes down, as when fuel economy improves.

²⁶ *Center for Auto Safety v. NHTSA*, 793 F.2d 1322, 1325 n. 12 (D.C. Cir. 1986); *Public Citizen v. NHTSA*, 848 F.2d 256, 262-3 n. 27 (D.C. Cir. 1988) (noting that "NHTSA itself has interpreted the factors it must consider in setting CAFE standards as including environmental effects"); and *Center for Biological Diversity v. NHTSA*, 538 F.3d 1172 (9th Cir. 2007).

²⁷ 42 FR 63184, 63188 (Dec. 15, 1977) (emphasis added).

to include diesel engines in determining the appropriate level of standards for passenger cars and for light trucks because particulate emissions from diesels were then both a source of concern and unregulated.²⁸ In 1988, NHTSA included climate change concepts in its CAFE notices and prepared its first environmental assessment addressing that subject.²⁹ It cited concerns about climate change as one of its reasons for limiting the extent of its reduction of the CAFE standard for MY 1989 passenger cars.³⁰ Since then, NHTSA has considered the benefits of reducing tailpipe carbon dioxide emissions in its fuel economy rulemakings pursuant to the statutory requirement to consider the nation's need to conserve energy by reducing fuel consumption.

ii. Other Factors Considered by NHTSA

NHTSA considers the potential for adverse safety consequences when in establishing CAFE standards. This practice is recognized approvingly in case law.³¹ Under the universal or "flat" CAFE standards that NHTSA was previously authorized to establish, the primary risk to safety came from the possibility that manufacturers would respond to higher standards by building smaller, less safe vehicles in order to "balance out" the larger, safer vehicles that the public generally preferred to buy. Under the attribute-based standards being proposed in this action, that risk is reduced because building smaller vehicles tends to raise a manufacturer's overall CAFE obligation, rather than only raising its fleet average CAFE. However, even under attribute-based standards, there is still risk that manufacturers will rely on downweighting to improve their fuel economy (for a given vehicle at a given

²⁸ For example, the final rules establishing CAFE standards for MY 1981-84 passenger cars, 42 FR 33533, 33540-1 and 33551 (Jun. 30, 1977), and for MY 1983-85 light trucks, 45 FR 81593, 81597 (Dec. 11, 1980).

²⁹ 53 FR 33080, 33096 (Aug. 29, 1988).

³⁰ 53 FR 39275, 39302 (Oct. 6, 1988).

³¹ See, e.g., *Center for Auto Safety v. NHTSA (CAS)*, 793 F.2d 1322 (D.C. Cir. 1986) (Administrator's consideration of market demand as component of economic practicability found to be reasonable); *Public Citizen 848 F.2d 256* (Congress established broad guidelines in the fuel economy statute; agency's decision to set lower standard was a reasonable accommodation of conflicting policies). As the United States Court of Appeals pointed out in upholding NHTSA's exercise of judgment in setting the 1987-1989 passenger car standards, "NHTSA has always examined the safety consequences of the CAFE standards in its overall consideration of relevant factors since its earliest rulemaking under the CAFE program." *Competitive Enterprise Institute v. NHTSA (CEI I)*, 901 F.2d 107, 120 at n.11 (D.C. Cir. 1990).

footprint target) in ways that may reduce safety.

In addition, the agency considers consumer demand in establishing new standards and in assessing whether already established standards remained feasible. In the 1980's, the agency relied in part on the unexpected drop in fuel prices and the resulting unexpected failure of consumer demand for small cars to develop in explaining the need to reduce CAFE standards for a several year period in order to give manufacturers time to develop alternative technology-based strategies for improving fuel economy.

iii. Factors That NHTSA Is Statutorily Prohibited From Considering in Setting Standards

EPCA provides that in determining the level at which it should set CAFE standards for a particular model year, NHTSA may not consider the ability of manufacturers to take advantage of several EPCA provisions that facilitate compliance with the CAFE standards and thereby reduce the costs of compliance.³² As noted below in Section IV, manufacturers can earn compliance credits by exceeding the CAFE standards and then use those credits to achieve compliance in years in which their measured average fuel economy falls below the standards. Manufacturers can also increase their CAFE levels through MY 2019 by producing alternative fuel vehicles. EPCA provides an incentive for producing these vehicles by specifying that their fuel economy is to be determined using a special calculation procedure that results in those vehicles being assigned a high fuel economy level.

iv. Weighing and Balancing of Factors

NHTSA has broad discretion in balancing the above factors in determining the average fuel economy level that the manufacturers can achieve. Congress "specifically delegated the process of setting * * * fuel economy standards with broad guidelines concerning the factors that the agency must consider." The breadth of those guidelines, the absence of any statutorily prescribed formula for balancing the factors, the fact that the relative weight to be given to the various factors may change from rulemaking to rulemaking as the underlying facts change, and the fact that the factors may often be conflicting with respect to whether they militate toward higher or lower standards give NHTSA discretion to decide what weight to give each of

the competing policies and concerns and then determine how to balance them—as long as NHTSA's balancing does not undermine the fundamental purpose of the EPCA: Energy conservation, and as long as that balancing reasonably accommodates "conflicting policies that were committed to the agency's care by the statute."

Thus, EPCA does not mandate that any particular number be adopted when NHTSA determines the level of CAFE standards. Rather, any number within a zone of reasonableness may be, in NHTSA's assessment, the level of stringency that manufacturers can achieve. See, e.g., *Hercules Inc. v. EPA*, 598 F.2d 91, 106 (D.C. Cir. 1978) ("In reviewing a numerical standard we must ask whether the agency's numbers are within a zone of reasonableness, not whether its numbers are precisely right").

v. Other Requirements Related to Standard Setting

The standards for passenger cars and those for light trucks must increase ratably each year. This statutory requirement is interpreted, in combination with the requirement to set the standards for each model year at the level determined to be the maximum feasible level that manufacturers can achieve for that model year, to mean that the annual increases should not be disproportionately large or small in relation to each other.

The standards for passenger cars and light trucks must be based on one or more vehicle attributes, like size or weight, that correlate with fuel economy and must be expressed in terms of a mathematical function. Fuel economy targets are set for individual vehicles and increase as the attribute decreases and vice versa. For example, size-based (i.e., size-indexed) standards assign higher fuel economy targets to smaller (and generally, but not necessarily, lighter) vehicles and lower ones to larger (and generally, but not necessarily, heavier) vehicles. The fleet-wide average fuel economy that a particular manufacturer is required to achieve depends on the size mix of its fleet, i.e., the proportion of the fleet that is small-, medium- or large-sized.

This approach can be used to require virtually all manufacturers to increase significantly the fuel economy of a broad range of both passenger cars and light trucks, i.e., the manufacturer must improve the fuel economy of all the vehicles in its fleet. Further, this approach can do so without creating an incentive for manufacturers to make small vehicles smaller or large vehicles

larger, with attendant implications for safety.

b. Test Procedures for Measuring Fuel Economy

EPCA provides EPA with the responsibility for establishing CAFE test procedures. Current test procedures measure the effects of nearly all fuel saving technologies. The principal exception is improvements in air conditioning efficiency. By statutory law in the case of passenger cars and by administrative regulation in the case of light trucks, air conditioners are not turned on during fuel economy testing. See Section I.C.2 for details.

The fuel economy test procedures for light trucks could be amended through rulemaking to provide for air conditioner operation during testing and to take other steps for improving the accuracy and representativeness of fuel economy measurements. Comment is sought by the agencies regarding implementing such amendments beginning in MY 2017 and also on the more immediate interim alternative step of providing CAFE program credits under the authority of 49 U.S.C. 32904(c) for light trucks equipped with relatively efficient air conditioners for MYs 2012–2016. These CAFE credits would be earned by manufacturers on the same terms and under the same conditions as EPA is proposing to provide them under the CAA, and additional detail is on this request for comment for early CAFE credits is contained in Section IV of this preamble. Modernizing the passenger car test procedures, or even providing similar credits, would not be possible under EPCA as currently written.

c. Enforcement and Compliance Flexibility

EPA is responsible for measuring automobile manufacturers' CAFE so that NHTSA can determine compliance with the CAFE standards. When NHTSA finds that a manufacturer is not in compliance, it notifies the manufacturer. Surplus credits generated from the five previous years can be used to make up the deficit. The amount of credit earned is determined by multiplying the number of tenths of a mpg by which a manufacturer exceeds a standard for a particular category of automobiles by the total volume of automobiles of that category manufactured by the manufacturer for a given model year. If there are no (or not enough) credits available, then the manufacturer can either pay the fine, or submit a carry back plan to NHTSA. A carry back plan describes what the manufacturer plans to do in the

³² 49 U.S.C. 32902(b).

following three model years to earn enough credits to make up for the deficit. NHTSA must examine and determine whether to approve the plan.

In the event that a manufacturer does not comply with a CAFE standard, even after the consideration of credits, EPCA provides for the assessing of civil penalties, unless, as provided below, the manufacturer has earned credits for exceeding a standard in an earlier year or expects to earn credits in a later year.³³ The Act specifies a precise formula for determining the amount of civil penalties for such a noncompliance. The penalty, as adjusted for inflation by law, is \$5.50 for each tenth of a mpg that a manufacturer's average fuel economy falls short of the standard for a given model year multiplied by the total volume of those vehicles in the affected fleet (i.e., import or domestic passenger car, or light truck), manufactured for that model year. The amount of the penalty may not be reduced except under the unusual or extreme circumstances specified in the statute.

Unlike the National Traffic and Motor Vehicle Safety Act, EPCA does not provide for recall and remedy in the event of a noncompliance. The presence of recall and remedy provisions³⁴ in the Safety Act and their absence in EPCA is believed to arise from the difference in the application of the safety standards and CAFE standards. A safety standard applies to individual vehicles; that is, each vehicle must possess the requisite equipment or feature that must provide the requisite type and level of performance. If a vehicle does not, it is noncompliant. Typically, a vehicle does not entirely lack an item or equipment or feature. Instead, the equipment or features fails to perform adequately. Recalling the vehicle to repair or replace the noncompliant equipment or feature can usually be readily accomplished.

In contrast, a CAFE standard applies to a manufacturer's entire fleet for a model year. It does not require that a particular individual vehicle be equipped with any particular equipment or feature or meet a particular level of fuel economy. It does require that the manufacturer's fleet, as a whole, comply. Further, although under the attribute-based approach to setting CAFE standards fuel economy targets are established for individual vehicles based on their footprints, the vehicles are not required to comply with those targets. However, as a practical matter,

if a manufacturer chooses to design some vehicles that fall below their target levels of fuel economy, it will need to design other vehicles that exceed their targets if the manufacturer's overall fleet average is to meet the applicable standard.

Thus, under EPCA, there is no such thing as a noncompliant vehicle, only a noncompliant fleet. No particular vehicle in a noncompliant fleet is any more, or less, noncompliant than any other vehicle in the fleet.

2. EPA Statutory Authority

Title II of the Clean Air Act (CAA) provides for comprehensive regulation of mobile sources, authorizing EPA to regulate emissions of air pollutants from all mobile source categories. Pursuant to these sweeping grants of authority, EPA considers such issues as technology effectiveness, its cost (both per vehicle, per manufacturer, and per consumer), the lead time necessary to implement the technology, and based on this the feasibility and practicability of potential standards; the impacts of potential standards on emissions reductions of both GHGs and non-GHGs; the impacts of standards on oil conservation and energy security; the impacts of standards on fuel savings by consumers; the impacts of standards on the auto industry; other energy impacts; as well as other relevant factors such as impacts on safety.

This proposal implements a specific provision from Title II, section 202(a).³⁵ Section 202(a)(1) of the Clean Air Act (CAA) states that "the Administrator shall by regulation prescribe (and from time to time revise) * * * standards applicable to the emission of any air pollutant from any class or classes of new motor vehicles * * *, which in his judgment cause, or contribute to, air pollution which may reasonably be anticipated to endanger public health or welfare." If EPA makes the appropriate endangerment and cause or contribute findings, then section 202(a) authorizes EPA to issue standards applicable to emissions of those pollutants.

Any standards under CAA section 202(a)(1) "shall be applicable to such vehicles * * * for their useful life." Emission standards set by the EPA under CAA section 202(a)(1) are technology-based, as the levels chosen must be premised on a finding of technological feasibility. Thus, standards promulgated under CAA section 202(a) are to take effect only "after providing such period as the Administrator finds necessary to permit the development and application of the

requisite technology, giving appropriate consideration to the cost of compliance within such period" (section 202(a)(2); see also *NRDC v. EPA*, 655 F.2d 318, 322 (D.C. Cir. 1981)). EPA is afforded considerable discretion under section 202(a) when assessing issues of technical feasibility and availability of lead time to implement new technology. Such determinations are "subject to the restraints of reasonableness", which "does not open the door to 'crystal ball' inquiry." *NRDC*, 655 F.2d at 328, quoting *International Harvester Co. v. Ruckelshaus*, 478 F.2d 615, 629 (D.C. Cir. 1973). However, "EPA is not obliged to provide detailed solutions to every engineering problem posed in the perfection of the trap-oxidizer. In the absence of theoretical objections to the technology, the agency need only identify the major steps necessary for development of the device, and give plausible reasons for its belief that the industry will be able to solve those problems in the time remaining. The EPA is not required to rebut all speculation that unspecified factors may hinder 'real world' emission control." *NRDC*, 655 F.2d at 333-34. In developing such technology-based standards, EPA has the discretion to consider different standards for appropriate groupings of vehicles ("class or classes of new motor vehicles"), or a single standard for a larger grouping of motor vehicles (*NRDC*, 655 F.2d at 338).

Although standards under CAA section 202(a)(1) are technology-based, they are not based exclusively on technological capability. EPA has the discretion to consider and weigh various factors along with technological feasibility, such as the cost of compliance (see section 202(a)(2)), lead time necessary for compliance (section 202(a)(2)), safety (see *NRDC*, 655 F.2d at 336 n. 31) and other impacts on consumers, and energy impacts associated with use of the technology. See *George E. Warren Corp. v. EPA*, 159 F.3d 616, 623-624 (D.C. Cir. 1998) (ordinarily permissible for EPA to consider factors not specifically enumerated in the Act). See also *Entergy Corp. v. Riverkeeper, Inc.*, 129 S.Ct. 1498, 1508-09 (2009) (congressional silence did not bar EPA from employing cost-benefit analysis under Clean Water Act absent some other clear indication that such analysis was prohibited; rather, silence indicated discretion to use or not use such an approach as the agency deems appropriate).

In addition, EPA has clear authority to set standards under CAA section 202(a) that are technology forcing when EPA considers that to be appropriate, but is

³³ EPCA does not provide authority for seeking to enjoin violations of the CAFE standards.

³⁴ 49 U.S.C. 30120, Remedies for defects and noncompliance.

³⁵ 42 U.S.C. 7521(a).

not required to do so (as compared to standards set under provisions such as section 202(a)(3) and section 213(a)(3)). EPA has interpreted a similar statutory provision, CAA section 231, as follows:

While the statutory language of section 231 is not identical to other provisions in title II of the CAA that direct EPA to establish technology-based standards for various types of engines, EPA interprets its authority under section 231 to be somewhat similar to those provisions that require us to identify a reasonable balance of specified emissions reduction, cost, safety, noise, and other factors. See, e.g., *Husqvarna AB v. EPA*, 254 F.3d 195 (DC Cir. 2001) (upholding EPA's promulgation of technology-based standards for small non-road engines under section 213(a)(3) of the CAA). However, EPA is not compelled under section 231 to obtain the "greatest degree of emission reduction achievable" as per sections 213 and 202 of the CAA, and so EPA does not interpret the Act as requiring the agency to give subordinate status to factors such as cost, safety, and noise in determining what standards are reasonable for aircraft engines. Rather, EPA has greater flexibility under section 231 in determining what standard is most reasonable for aircraft engines, and is not required to achieve a "technology forcing" result.³⁶

This interpretation was upheld as reasonable in *NACAA v. EPA*, (489 F.3d 1221, 1230 (D.C. Cir. 2007)). CAA section 202(a) does not specify the degree of weight to apply to each factor, and EPA accordingly has discretion in choosing an appropriate balance among factors. See *Sierra Club v. EPA*, 325 F.3d 374, 378 (D.C. Cir. 2003) (even where a provision is technology-forcing, the provision "does not resolve how the Administrator should weigh all [the statutory] factors in the process of finding the 'greatest emission reduction achievable'"). Also see *Husqvarna AB v. EPA*, 254 F.3d 195, 200 (D.C. Cir. 2001) (great discretion to balance statutory factors in considering level of technology-based standard, and statutory requirement "to [give appropriate] consideration to the cost of applying * * * technology" does not mandate a specific method of cost analysis); see also *Hercules Inc. v. EPA*, 598 F.2d 91, 106 (D.C. Cir. 1978) ("In reviewing a numerical standard we must ask whether the agency's numbers are within a zone of reasonableness, not whether its numbers are precisely right"); *Permian Basin Area Rate Cases*, 390 U.S. 747, 797 (1968) (same); *Federal Power Commission v. Conway Corp.*, 426 U.S. 271, 278 (1976) (same); *Exxon Mobil Gas Marketing Co. v. FERC*, 297 F.3d 1071, 1084 (D.C. Cir. 2002) (same).

a. EPA's Testing Authority

Under section 203 of the CAA, sales of vehicles are prohibited unless the vehicle is covered by a certificate of conformity. EPA issues certificates of conformity pursuant to section 206 of the Act, based on (necessarily) pre-sale testing conducted either by EPA or by the manufacturer. The Federal Test Procedure (FTP or "city" test) and the Highway Fuel Economy Test (HFET or "highway" test) are used for this purpose. Compliance with standards is required not only at certification but throughout a vehicle's useful life, so that testing requirements may continue post-certification. Useful life standards may apply an adjustment factor to account for vehicle emission control deterioration or variability in use (section 206(a)).

Pursuant to EPCA, EPA is required to measure fuel economy for each model and to calculate each manufacturer's average fuel economy.³⁷ EPA uses the same tests—the FTP and HFET—for fuel economy testing. EPA established the FTP for emissions measurement in the early 1970s. In 1976, in response to the Energy Policy and Conservation Act (EPCA) statute, EPA extended the use of the FTP to fuel economy measurement and added the HFET.³⁸ The provisions in the 1976 regulation, effective with the 1977 model year, established procedures to calculate fuel economy values both for labeling and for CAFE purposes. Under EPCA, EPA is required to use these procedures (or procedures which yield comparable results) for measuring fuel economy for cars for CAFE purposes, but not for labeling purposes.³⁹ EPCA does not pose this restriction on CAFE test procedures for light trucks, but EPA does use the FTP and HFET for this purpose. EPA determines fuel economy by measuring the amount of CO₂ and all other carbon compounds (e.g. total hydrocarbons (THC) and carbon monoxide (CO)), and then, by mass balance, calculating the amount of fuel consumed.

b. EPA Enforcement Authority

Section 207 of the CAA grants EPA broad authority to require manufacturers to remedy vehicles if EPA determines there are a substantial number of noncomplying vehicles. In addition, section 205 of the CAA authorizes EPA to assess penalties of up to \$37,500 per vehicle for violations of various prohibited acts specified in the CAA. In determining the appropriate

³⁷ See 49 U.S.C. 32904(c).

³⁸ See 41 FR 38674 (Sept. 10, 1976), which is codified at 40 CFR part 600.

³⁹ See 49 U.S.C. 32904(c).

penalty, EPA must consider a variety of factors such as the gravity of the violation, the economic impact of the violation, the violator's history of compliance, and "such other matters as justice may require." Unlike EPCA, the CAA does not authorize vehicle manufacturers to pay fines in lieu of meeting emission standards.

3. Comparing the Agencies' Authority

As the above discussion makes clear, there are both important differences between the statutes under which each agency is acting as well as several important areas of similarity. One important difference is that EPA's authority addresses various GHGs, while NHTSA's authority addresses fuel economy as measured under specified test procedures. This difference is reflected in this rulemaking in the scope of the two standards: EPA's proposal takes into account air conditioning related reductions, as well as proposed standards for methane and N₂O, but NHTSA's does not. A second important difference is that EPA is proposing certain compliance flexibilities, and takes those flexibilities into account in its technical analysis and modeling supporting its proposal. EPCA places certain limits on compliance flexibilities for CAFE, and expressly prohibits NHTSA from considering the impacts of the compliance flexibilities in setting the CAFE standard so that the manufacturers' election to avail themselves of the permitted flexibilities remains strictly voluntary.⁴⁰ The Clean Air Act, on the other hand, contains no such prohibition. These considerations result in some differences in the technical analysis and modeling used to support EPA's and NHTSA's proposed standards.

These differences, however, do not change the fact that in many critical ways the two agencies are charged with addressing the same basic issue of reducing GHG emissions and improving fuel economy. Given the direct relationship between emissions of CO₂ and fuel economy levels, both agencies are looking at the same set of control technologies (with the exception of the air conditioning related technologies). The standards set by each agency will drive the kind and degree of penetration of this set of technologies across the vehicle fleet. As a result, each agency is trying to answer the same basic question—what kind and degree of technology penetration is necessary to achieve the agencies' objectives in the rulemaking time frame, given the

³⁶ 70 FR 69664, 69676, November 17, 2005.

⁴⁰ 74 FR 24009 (May 22, 2009).

agencies' respective statutory authorities?

In making the determination of what standards are appropriate under the CAA and EPCA, each agency is to exercise its judgment and balance many similar factors, such as the availability of technologies, the appropriate lead time for introduction of technology, and based on this the feasibility and practicability of their standards; the impacts of their standards on emissions reductions (of both GHGs and non-GHGs); the impacts of their standards on oil conservation; the impacts of their standards on fuel savings by consumers; the impacts of their standards on the auto industry; as well as other relevant factors such as impacts on safety. Conceptually, therefore, each agency is considering and balancing many of the same factors, and each agency is making a decision that at its core is answering the same basic question of what kind and degree of technology penetration is it appropriate to call for in light of all of the relevant factors. Finally, each agency has the authority to take into consideration impacts of the standards of the other agency. EPCA calls for NHTSA to take into consideration the effects of EPA's emissions standards on fuel economy capability (see 49 U.S.C. 32902 (f)), and EPA has the discretion to take into consideration NHTSA's CAFE standards in determining appropriate action under section 202(a). This is consistent with the Supreme Court's statement that EPA's mandate to protect public health and welfare is wholly independent from NHTSA's mandate to promote energy efficiency, but there is no reason to think the two agencies cannot both administer their obligations and yet avoid inconsistency. *Massachusetts v. EPA*, 549 U.S. 497, 532 (2007).

In this context, it is in the Nation's interest for the two agencies to work together in developing their respective proposed standards, and they have done so. For example, the agencies have committed considerable effort to develop a joint Technical Support Document that provides a technical basis underlying each agency's analyses. The agencies also have worked closely together in developing and reviewing their respective modeling, to develop the best analysis and to promote technical consistency. The agencies have developed a common set of attribute-based curves that each agency supports as appropriate both technically and from a policy perspective. The agencies have also worked closely to ensure that their respective programs will work in a coordinated fashion, and will provide regulatory compatibility

that allows auto manufacturers to build a single national light-duty fleet that would comply with both the GHG and the CAFE standards. The resulting overall close coordination of the proposed GHG and CAFE standards should not be surprising, however, as each agency is using a jointly developed technical basis to address the closely intertwined challenges of energy security and climate change. As discussed above, in determining the standards to propose the agencies are called upon to weigh and balance various factors that are relevant under their respective statutory provisions. Each agency is to exercise its judgment and balance many similar factors, such as the availability of technologies, the appropriate lead time for introduction of technology, and based on this, the feasibility and practicability of their standards; and the impacts of their standards on the following: Emissions reductions (of both GHGs and non-GHGs); oil conservation; fuel savings by consumers; the auto industry; as well as other relevant factors such as safety. Conceptually, each agency is considering and balancing many of the same factors, and each agency is making a decision that at its core is answering the same basic question of what kind and degree of technology penetration is appropriate and required in light of all of the relevant factors. Each Administrator is called upon to exercise judgment and propose standards that the Administrator determines are a reasonable balance of these relevant factors.

As set out in detail in Sections III and IV of this notice, both EPA and NHTSA believe the agencies' proposals are fully justified under their respective statutory criteria. The proposed standards can be achieved within the lead time provided, based on a projected increased use of various technologies which in most cases are already in commercial application in the fleet to varying degrees. Detailed modeling of the technologies that could be employed by each manufacturer supports this initial conclusion. The agencies also carefully assessed the costs of the proposed rules, both for the industry as a whole and per manufacturer, as well as the costs per vehicle, and consider these costs to be reasonable and recoverable (from fuel savings). The agencies recognize the significant increase in the application of technology that the proposed standards would require across a high percentage of vehicles, which will require the manufacturers to devote considerable engineering and development resources before 2012 laying the critical

foundation for the widespread deployment of upgraded technology across a high percentage of the 2012–2016 fleet. This clearly will be challenging for automotive manufacturers and their suppliers, especially in the current economic climate. However, based on all of the analyses performed by the agencies, our judgment is that it is a challenge that can reasonably be met.

The agencies also evaluated the impacts of these standards with respect to the expected reductions in GHGs and oil consumption and, found them to be very significant in magnitude. The agencies considered other factors such as the impacts on noise, energy, and vehicular congestion. The impact on safety was also given careful consideration. Moreover, the agencies quantified the various costs and benefits of the proposed standards, to the extent practicable. The agencies' analyses to date indicate that the overall quantified benefits of the proposed standards far outweigh the projected costs. All of these factors support the reasonableness of the proposed standards.

The agencies also evaluated alternatives which were less and more stringent than those proposed. Less stringent standards, however, would forego important GHG emission reductions and fuel savings that are technically achievable at reasonable cost in the lead time provided. In addition, less stringent GHG standards would not result in a harmonized National Program for the country. Based on California's letter of May 18, 2009, the GHG emission standards would not result in the State of California revising its regulations such that compliance with EPA's GHG standards would be deemed to be compliance with California's GHG standards for these model years. The substantial cost advantages associated with a single national program discussed at the outset of this section would then be foregone.

The agencies are not proposing any of the more stringent alternatives analyzed largely due to concerns over lead time and economic practicability. The proposed standards already require aggressive application of technologies, and more stringent standards which would require more widespread use (including more substantial implementation of advanced technologies such as strong hybrids) raise serious issues of adequacy of lead time, not only to meet the standards but to coordinate such significant changes with manufacturers' redesign cycles. At a time when the entire industry remains in an economically critical state, the agencies believe that it would be

unreasonable to propose more stringent standards. Even in a case where economic factors were not a consideration, there are real-world time constraints which must be considered due to the short lead time available for the early years of this program, in particular for model years 2012 and 2013. The physical processes which the automotive industry must follow in order to introduce reliable, high quality products require certain minimums of time during the product development process. These include time needed for durability testing which requires significant mileage accumulation under a range of conditions (e.g., high and low temperatures, high altitude, etc.) in both real-world and laboratory conditions. In addition, the product development cycle includes a number of pre-production gateways on the manufacturing side at both the supplier level and at the automotive manufacturer level that are constrained by time. Thus adequate lead-time is an important factor that the agencies have taken into consideration in evaluating the proposed standards as well as the alternative standards.

As noted, both agencies also considered the overall costs of their respective proposed standards in relation to the projected benefits. The fact that the benefits are estimated to considerably exceed their costs supports the view that the proposed standards represent a reasonable balance of the relevant statutory factors. In drawing this conclusion, the agencies acknowledge the uncertainties and limitations of the analyses. For example, the analysis of the benefits is highly dependent on the estimated price of fuel projected out many years into the future. There is also significant uncertainty in the potential range of values that could be assigned to the social cost of carbon. There are a variety of impacts that the agencies are unable to quantify, such as non-market damages, extreme weather, socially contingent effects, or the potential for longer-term catastrophic events, or the impact on consumer choice. The agencies also note the need to consider factors such as the availability of technology within the lead time provided and many of the other factors discussed above. The cost-benefit analyses are one of the important things the agencies consider in making a judgment as to the appropriate standards to propose under their respective statutes. Consideration of the results of the cost-benefit analyses by the agencies, however, includes careful

consideration of the limitations discussed above.

One important area where the two agencies' authorities are similar but not identical involves the transfer of credits between a single firm's car and truck fleets. EISA revised EPCA to allow for such credit transfers, but with a cap on the amount of CAFE credits which can be transferred between the car and truck fleets. 49 U.S.C. 32903(g)(3). Under CAA section 202(a), EPA is proposing to allow CO₂ credit transfers between a single manufacturer's car and truck fleets, with no corresponding limits on such transfers. In general, the EPCA limit on CAFE credit transfers is not expected to have the practical effect of limiting the amount of CO₂ emission credits manufacturers may be able to transfer under the CAA program, recognizing that manufacturers must comply with both the proposed CAFE standards and the proposed EPA standards. However, it is possible that in some specific circumstances the EPCA limit on CAFE credit transfers could constrain the ability of a manufacturer to achieve cost savings through unlimited use of GHG emissions credit transfers under the CAA program.

The agencies request comment on the impact of the EISA credit transfer caps on the implementation of the proposed CAFE and GHG standards, including whether it would impose such a constraint and the impacts of a constraint on costs, emissions, and fuel economy. In addition, the agencies invite comment on approaches that could assist in addressing this issue, recognizing the importance the agencies place on harmonization, and that would be consistent with their respective statutes. For example, any approach must be consistent with both the EISA transfer caps and the EPCA requirement to set annual CAFE standards at the maximum feasible average fuel economy level that NHTSA decides the manufacturers can achieve in that model year, based on the agency's consideration of the four statutory factors. Manufacturers should submit publicly available evidence supporting their position on this issue so that a well informed decision can be made and explained to the public.

D. Summary of the Proposed Standards for the National Program

1. Joint Analytical Approach

NHTSA and EPA have worked closely together on nearly every aspect of this joint proposal. The extent and results of this collaboration is reflected in the elements of the respective NHTSA and

EPA proposals, as well as the analytical work contained in the Joint Technical Support Document (Joint TSD). The Joint TSD, in particular, describes important details of the analytical work that are shared, as well as any differences in approach. These include the build up of the baseline and reference fleets, the derivation of the shape of the curve that defines the standards, a detailed description of the costs and effectiveness of the technology choices that are available to vehicle manufacturers, a summary of the computer models used to estimate how technologies might be added to vehicles, and finally the economic inputs used to calculate the impacts and benefits of the rules, where practicable. Some of these are highlighted below.

EPA and NHTSA have jointly developed attribute curve shapes that each agency is using for its proposed standards. Both agencies reviewed the shape of the attribute-based curve used for the model year 2011 CAFE standards. After a new and thorough analysis of current vehicle data and the comments received from previous two CAFE rules, the two agencies improved upon the constrained logistic curve and developed a similarly shaped piece-wise linear function. Further details of these functions can be found in Sections III and IV of this preamble as well as Chapter 2 of the Joint TSD.

A critical technical underpinning of each agency's proposal is the cost and effectiveness of the various control technologies. These are used to analyze the feasibility and cost of potential GHG and CAFE standards. The technical work reflected in the joint TSD is the culmination of over 3 years of literature research, consultation with experts, detailed computer simulations, vehicle tear-downs and engineering review, all of which will continue into the future as more data becomes available. To promote transparency, the vast majority of this information is collected from publically available sources, and can be found in the docket of this rule. Non-public (i.e., confidential manufacturer) information was used only to the limited extent it was needed to fill a data void. A detailed description of all of the technology information considered can be found in Chapter 3 of the Joint TSD (and for A/C, Chapter 2 of the EPA RIA).

This detailed technology data forms the inputs to computer models that each agency uses to project how vehicle manufacturers may add those technologies in order to comply with new standards. These are the OMEGA and Volpe models for EPA and NHTSA respectively. The Volpe model is

tailored for NHTSA's EPCA and EISA needs, while the OMEGA model is tailored for EPA's CAA needs. In developing the National Program, EPA and NHTSA have worked closely to ensure that consistent and reasonable results are achieved from both models. This fruitful collaboration has resulted in the improvement of both approaches and now, far from being redundant, these models serve the purposes of the respective agencies while also maintaining an important validating role. The models and their inputs can also be found in the docket. Further description of the model and outputs can be found in Sections II and IV of this preamble, and Chapter 3 of the Joint TSD.

This comprehensive joint analytical approach has provided a sound and consistent technical basis for each agency in developing its proposed standards, which are summarized in the sections below.

2. Level of the Standards

In this notice, EPA and NHTSA are proposing two separate sets of standards, each under its respective statutory authorities. EPA is proposing national CO₂ emissions standards for light-duty vehicles under section 202 (a) of the Clean Air Act. These standards would require these vehicles to meet an estimated combined average emissions level of 250 grams/mile of CO₂ in model year 2016. NHTSA is proposing CAFE standards for passenger cars and light trucks under 49 U.S.C. 32902. These standards would require them to meet an estimated combined average fuel economy level of 34.1 mpg in model year 2016. The proposed standards for both agencies begin with the 2012 model year, with standards increasing in stringency through model year 2016. They represent a harmonized approach that will allow industry to build a single

national fleet that will satisfy both the GHG requirements under the CAA and CAFE requirements under EPCA/EISA.

Given differences in their respective statutory authorities, however, the agencies' proposed standards include some important differences. Under the CO₂ fleet average standard proposed under CAA section 202(a), EPA expects manufacturers to take advantage of the option to generate CO₂-equivalent credits by reducing emissions of hydrofluorocarbons (HFCs) and CO₂ through improvements in their air conditioner systems. EPA accounted for these reductions in developing its proposed CO₂ standard. EPCA does not allow vehicle manufacturers to use air conditioning credits in complying with CAFE standards for passenger cars.⁴¹ CO₂ emissions due to air conditioning operation are not measured by the test procedure mandated by statute for use in establishing and enforcing CAFE standards for passenger cars. As a result, improvements in the efficiency of passenger car air conditioners would not be considered as a possible control technology for purposes of CAFE.

These differences regarding the treatment of air conditioning improvements (related to CO₂ and HFC reductions) affect the relative stringency of the EPA standard and NHTSA standard. The 250 grams per mile of CO₂ equivalent emissions limit is equivalent to 35.5 mpg⁴² if the automotive industry were to meet this CO₂ level all through fuel economy improvements. As a consequence of the prohibition against NHTSA's allowing credits for air conditioning improvements for purposes of passenger car CAFE compliance, NHTSA is proposing fuel economy standards that are estimated to require a combined (passenger car and light truck) average fuel economy level of 34.1 mpg by MY 2016.

NHTSA and EPA's proposed standards, like the standards NHTSA promulgated in March 2009 for model year 2011 (MY 2011), are expressed as mathematical functions depending on vehicle footprint. Footprint is one measure of vehicle size, and is determined by multiplying the vehicle's wheelbase by the vehicle's average track width.⁴³ The standards that must be met by the fleet of each manufacturer would be determined by computing the sales-weighted harmonic average of the targets applicable to each of the manufacturer's passenger cars and light trucks. Under these proposed footprint-based standards, the levels required of individual manufacturers depend, as noted above, on the mix of vehicles sold. NHTSA and EPA's respective proposed standards are shown in the tables below. It is important to note that the standards are the attribute-based curves proposed by each agency. The values in the tables below reflect the agencies' projection of the corresponding fleet levels that would result from these attribute-based curves.

As shown in Table I.D.2-1, NHTSA's proposed fleet-wide CAFE-required levels for passenger cars under the proposed standards are projected to increase from 33.6 to 38.0 mpg between MY 2012 and MY 2016. Similarly, fleet-wide CAFE levels for light trucks are projected to increase from 25.0 to 28.3 mpg. These numbers do not include the effects of other flexibilities and credits in the program. NHTSA has also estimated the average fleet-wide required levels for the combined car and truck fleets. As shown, the overall fleet average CAFE level is expected to be 34.1 mpg in MY 2016. These standards represent a 4.3 percent average annual rate of increase relative to the MY 2011 standards.⁴⁴

TABLE I.D.2-1—AVERAGE REQUIRED FUEL ECONOMY (MPG) UNDER PROPOSED CAFE STANDARDS

	2011- base	2012	2013	2014	2015	2016
Passenger Cars	30.2	33.6	34.4	35.2	36.4	38.0
Light Trucks	24.1	25.0	25.6	26.2	27.1	28.3
Combined Cars & Trucks	27.3	29.8	30.6	31.4	32.6	34.1

⁴¹ There is no such statutory limitation with respect to light trucks.

⁴² The agencies are using a common conversion factor between fuel economy in units of miles per gallon and CO₂ emissions in units of grams per mile. This conversion factor is 8,887 grams CO₂ per gallon gasoline fuel. Diesel fuel has a conversion factor of 10,180 grams CO₂ per gallon diesel fuel though for the purposes of this calculation, we are assuming 100% gasoline fuel.

⁴³ See 49 CFR 523.2 for the exact definition of "footprint."

⁴⁴ Because required CAFE levels depend on the mix of vehicles sold by manufacturers in a model year, NHTSA's estimate of future required CAFE levels depends on its estimate of the mix of vehicles that will be sold in that model year. NHTSA currently estimates that the MY 2011 standards will require average fuel economy levels of 30.5 mpg for

passenger cars, 24.2 mpg for light trucks, and 27.6 mpg for the combined fleet.

Accounting for the expectation that some manufacturers would continue to pay civil penalties rather than achieving required CAFE levels, and the ability to

use FFV credits, NHTSA estimates that the proposed CAFE standards would lead to the following average achieved fuel economy levels, based on the

projections of what each manufacturer's fleet will comprise in each year of the program.⁴⁵

TABLE I.D.2-2—PROJECTED FLEET-WIDE ACHIEVED CAFE LEVELS UNDER THE PROPOSED FOOTPRINT-BASED CAFE STANDARDS (MPG)

	2012	2013	2014	2015	2016
Passenger Cars	32.5	33.4	34.3	35.3	36.5
Light Trucks	24.1	24.6	25.3	26.3	27.0
Combined Cars & Trucks	28.7	29.6	30.4	31.6	32.7

NHTSA is also required by EISA to set a minimum fuel economy standard for domestically manufactured passenger cars in addition to the attribute-based passenger car standard. The minimum standard "shall be the greater of (A) 27.5 miles per gallon; or (B) 92 percent of the average fuel economy projected by the

Secretary for the combined domestic and non-domestic passenger automobile fleets manufactured for sale in the United States by all manufacturers in the model year * * *,⁴⁶

Based on NHTSA's current market forecast, the agency's estimates of these minimum standards under the proposed MY 2012-2016 CAFE standards (and,

for comparison, the final MY 2011 standard) are summarized below in Table I.D.2-3.⁴⁷ For eventual compliance calculations, the final calculated minimum standards will be updated to reflect any changes in the average fuel economy level required under the final standards.

TABLE I.D.2-3—ESTIMATED MINIMUM STANDARD FOR DOMESTICALLY MANUFACTURED PASSENGER CARS UNDER FINAL MY 2011 AND PROPOSED MY 2012-2016 CAFE STANDARDS FOR PASSENGER CARS (MPG)

2011	2012	2013	2014	2015	2016
28.0	30.9	31.6	32.4	33.5	34.9

EPA is proposing GHG emissions standards, and Table I.D.2-4 provides EPA's estimates of their projected

overall fleet-wide CO₂ equivalent emission levels.⁴⁸ The g/mi values are CO₂ equivalent values because they

include the projected use of A/C credits by manufacturers.

TABLE I.D.2-4—PROJECTED FLEET-WIDE EMISSIONS COMPLIANCE LEVELS UNDER THE PROPOSED FOOTPRINT-BASED CO₂ STANDARDS (G/Mi)

	2012	2013	2014	2015	2016
Passenger Cars	261	253	246	235	224
Light Trucks	352	341	332	317	302
Combined Cars & Trucks	295	286	276	263	250

As shown in Table I.D.2-4, projected fleet-wide CO₂ emission level requirements for cars under the proposed approach are projected to increase in stringency from 261 to 224 grams per mile between MY 2012 and MY 2016. Similarly, fleet-wide CO₂ equivalent emission level requirements for trucks are projected to increase in stringency from 352 to 302 grams per mile. As shown, the overall fleet average CO₂ level requirements are projected to be 250 g/mile in 2016.

EPA anticipates that manufacturers will take advantage of program flexibilities such as flex fueled vehicle credits, and car/truck credit trading. Due to the credit trading between cars and trucks, the estimated improvements in CO₂ emissions are distributed differently than shown in Table I.D.2-4, where full manufacturer compliance is assumed. Table I.D.2-5 shows EPA projection of the achieved emission levels of the fleet for MY 2012 through 2016, which does consider the impact of

car/truck credit transfer and the increase in emissions due to program flexibilities including flex fueled vehicle credits and the temporary leadtime allowance alternative standards. The use of optional air conditioning credits is considered both in this analysis of achieved levels and of the projected levels described above. As can be seen in Table I.D.2-5, the projected achieved levels are slightly higher for model years 2012-2015 due to the projected use of the proposed flexibilities, but in model

⁴⁵ NHTSA's estimates account for availability of CAFE credits for the sale of flexibly-fuel vehicles (FFVs), and for the potential that some manufacturers would pay civil penalties rather than complying with the proposed CAFE standards. This yields NHTSA's estimates of the real-world fuel economy that could be achieved under the proposed CAFE standards. NHTSA has not

included any potential impact of car-truck credit transfer in its estimate of the achieved CAFE levels.

⁴⁶ 49 U.S.C. 32902(b)(4).

⁴⁷ In the March 2009 final rule establishing MY 2011 standards for passenger cars and light trucks, NHTSA estimated that the minimum required CAFE standard for domestically manufactured passenger cars would be 27.8 mpg under the MY 2011 passenger car standard. Based on the agency's

current forecast of the MY 2011 passenger car market, NHTSA now estimates that the minimum required CAFE standard will be 28.0 mpg in MY 2011.

⁴⁸ These levels do not include the effect of flexible fuel credits, transfer of credits between cars and trucks, temporary lead time allowance, or any other credits with the exception of air conditioning.

year 2016 the achieved value is projected to be 250 g/mi for the fleet.

TABLE I.D.2-5—PROJECTED FLEET-WIDE ACHIEVED EMISSION LEVELS UNDER THE PROPOSED FOOTPRINT-BASED CO₂ STANDARDS (G/MI)

	2012	2013	2014	2015	2016
Passenger Cars	264	254	245	232	220
Light Trucks	365	355	346	332	311
Combined Cars & Trucks	302	291	281	267	250

NHTSA's and EPA's technology assessment indicates there is a wide range of technologies available for manufacturers to consider in upgrading vehicles to reduce GHG emissions and improve fuel economy.⁴⁹ As noted, these include improvements to the engines such as use of gasoline direct injection and downsized engines that use turbochargers to provide performance similar to that of larger engines, the use of advanced transmissions, increased use of start-stop technology, improvements in tire performance, reductions in vehicle weight, increased use of hybrid and other advanced technologies, and the initial commercialization of electric vehicles and plug-in hybrids. EPA is also projecting improvements in vehicle air conditioners including more efficient as well as low leak systems. All of these technologies are already available today, and EPA's and NHTSA's assessment is that manufacturers would be able to meet the proposed standards through more widespread use of these technologies across the fleet.

With respect to the practicability of the standards in terms of lead time, during MYs 2012–2016 manufacturers are expected to go through the normal automotive business cycle of redesigning and upgrading their light-duty vehicle products, and in some cases introducing entirely new vehicles not on the market today. This proposal would allow manufacturers the time needed to incorporate technology to achieve GHG reductions and improve fuel economy during the vehicle redesign process. This is an important aspect of the proposal, as it avoids the much higher costs that would occur if manufacturers needed to add or change technology at times other than their scheduled redesigns. This time period would also provide manufacturers the opportunity to plan for compliance using a multi-year time frame, again consistent with normal business

⁴⁹ The close relationship between emissions of CO₂—the most prevalent greenhouse gas emitted by motor vehicles—and fuel consumption, means that the technologies to control CO₂ emissions and to improve fuel economy overlap to a great degree

practice. Over these five model years, there would be an opportunity for manufacturers to evaluate almost every one of their vehicle model platforms and add technology in a cost effective way to control GHG emissions and improve fuel economy. This includes redesign of the air conditioner systems in ways that will further reduce GHG emissions.

Both agencies considered other standards as part of the rulemaking analyses, both more and less stringent than those proposed. EPA's and NHTSA's analysis of alternative standards are contained in Sections III and IV of this notice, respectively.

The CAFE and GHG standards described above are based on determining emissions and fuel economy using the city and highway test procedures that are currently used in the CAFE program. Both agencies recognize that these test procedures are not fully representative of real world driving conditions. For example EPA has adopted more representative test procedures that are used in determining compliance with emissions standards for pollutants other than GHGs. These test procedures are also used in EPA's fuel economy labeling program. However, as discussed in Section III, the current information on effectiveness of the individual emissions control technologies is based on performance over the two CAFE test procedures. For that reason EPA is proposing to use the current CAFE test procedures for the proposed CO₂ standards and is not proposing to change those test procedures in this rulemaking. NHTSA, as discussed above, is limited by statute in what test procedures can be used for purposes of passenger car testing; however there is no such statutory limitation with respect to test procedures for trucks. However, the same reasons for not changing the truck test procedures apply for CAFE as well.

Both EPA and NHTSA are interested in developing programs that employ test procedures that are more representative of real world driving conditions, to the extent authorized under their respective statutes. This is an important issue, and

the agencies intend to address it in the context of a future rulemaking to address standards for model year 2017 and thereafter. This could include a range of test procedure changes to better represent real-world driving conditions in terms of speed, acceleration, deceleration, ambient temperatures, use of air conditioners, and the like. With respect to air conditioner operation, EPA discusses the procedures it intends to use for determining emissions credits for controls on air conditioners in Section III. Comment is also invited in Section IV on the issue of providing air conditioner credits under 49 U.S.C. 32902 and/or 32904 for light-trucks in the model years covered by this proposal.

Finally, based on the information EPA developed in its recent rulemaking that updated its fuel economy labeling program to better reflect average real-world fuel economy, the calculation of fuel savings and CO₂ emissions reductions obtained by the proposed CAFE and GHG standards includes adjustments to account for the difference between the fuel economy level measured in the CAFE test procedure and the fuel economy actually achieved on average under real world driving conditions. These adjustments are industry averages for the vehicles' performance as a whole, however, and are not a substitute for the information on effectiveness of individual control technologies that will be explored for purposes of a future GHG and CAFE rulemaking.

3. Form of the Standards

In this rule, NHTSA and EPA are proposing attribute-based standards for passenger cars and light trucks. NHTSA adopted an attribute standard based on vehicle footprint in its Reformed CAFE program for light trucks for model years 2008–2011,⁵⁰ and recently extended this approach to passenger cars in the CAFE rule for MY 2011 as required by EISA.⁵¹ EPA and NHTSA are proposing vehicle footprint as the attribute for the GHG

⁵⁰ 71 FR 17566 (Apr. 6, 2006).

⁵¹ 74 FR 14196 (Mar. 30, 2009).

and CAFE standards. Footprint is defined as a vehicle's wheelbase multiplied by its track width—in other words, the area enclosed by the points at which the wheels meet the ground. The agencies believe that the footprint attribute is the most appropriate attribute on which to base the standards under consideration, as further discussed later in this notice and in Chapter 2 of the joint TSD.

Under the proposed footprint-based standards, each manufacturer would have a GHG and CAFE target unique to its fleet, depending on the footprints of the vehicle models produced by that manufacturer. A manufacturer would have separate footprint-based standards for cars and for trucks. Generally, larger vehicles (*i.e.*, vehicles with larger footprints) would be subject to less stringent standards (*i.e.*, higher CO₂ grams/mile standards and lower CAFE standards) than smaller vehicles. This is because, generally speaking, smaller vehicles are more capable of achieving higher standards than larger vehicles. While a manufacturer's fleet average standard could be estimated throughout the model year based on projected production volume of its vehicle fleet, the standard to which the manufacturer must comply would be based on its final model year production figures. A manufacturer's calculation of fleet average emissions at the end of the model year would thus be based on the production-weighted average emissions of each model in its fleet.

In designing the footprint-based standards, the agencies built upon the footprint standard curves for passenger cars and light trucks used in the CAFE rule for MY 2011.⁵² EPA and NHTSA

worked together to design car and truck footprint curves that followed from logistic curves used in that rule. The agencies started by addressing two main concerns regarding the car curve. The first concern was that the 2011 car curve was relatively steep near the inflection point thus causing concern that small variations in footprint could produce relatively large changes in fuel economy targets. A curve that was directionally less steep would reduce the potential for gaming. The second issue was that the inflection point of the logistic curve was not centered on the distribution of vehicle footprints across the industries' fleet, thus resulting in a flat (universal or unreformed) standard for over half the fleet. The proposed car curve has been shifted and made less steep compared to the car curve adopted by NHTSA for 2011, such that it better aligns the sloped region with higher production volume vehicle models. Finally, both the car and truck curves are defined in terms of a constrained linear function for fuel consumption and, equivalently, a piece-wise linear function for CO₂. NHTSA and EPA include a full discussion of the development of these curves in the joint TSD and a summary is found in Section II below. In addition, a full discussion of the equations and coefficients that define the curves is included in Section III for the CO₂ curves and Section IV for the mpg curves. The following figures illustrate the standards. First Figure I.D.3-1 shows the fuel economy (mpg) car standard curve.

Under an attribute-based standard, every vehicle model has a performance target (fuel economy for the CAFE standards, and CO₂ g/mile for the GHG emissions standards), the level of which

depends on the vehicle's attribute (for this proposal, footprint). The manufacturers' fleet average performance is determined by the production-weighted⁵³ average (for CAFE, harmonic average) of those targets. NHTSA and EPA are proposing CAFE and CO₂ emissions standards defined by constrained linear functions and, equivalently, piecewise linear functions.⁵⁴ As a possible option for future rulemakings, the constrained linear form was introduced by NHTSA in the 2007 NPRM proposing CAFE standards for MY 2011–2015.

NHTSA is proposing the attribute curves below for assigning a fuel economy level to an individual vehicle's footprint value, for model years 2012 through 2016. These mpg values would be production weighted to determine each manufacturer's fleet average standard for cars and trucks. Although the general model of the equation is the same for each vehicle category and each year, the parameters of the equation differ for cars and trucks. Each parameter also changes on an annual basis, resulting in the yearly increases in stringency. Figure I.D.3-1 below illustrates the passenger car CAFE standard curves for model years 2012 through 2016 while Figure I.D.3-2 below illustrates the light truck standard curves for model years 2012–2016. The MY 2011 final standards for cars and trucks, which are specified by a constrained logistic function rather than a constrained linear function, are shown for comparison.

BILLING CODE 4910-59-P

⁵³ Production for sale in the United States.

⁵⁴ The equations are equivalent but are specified differently due to differences in the agencies' respective models.

⁵² 74 FR 14407–14409 (Mar. 30, 2009).




Figure I.D.3-1 Final MY 2011 and Proposed MY 2012-2016 Passenger Car Fuel Economy Targets




Figure I.D.3-2. Final MY 2011 and Proposed MY 2012-2016 Light Truck Fuel Economy Targets

EPA is proposing the attribute curves below for assigning a CO₂ level to an individual vehicle's footprint value, for model years 2012 through 2016. These CO₂ values would be production weighted to determine each manufacturer's fleet average standard

for cars and trucks. Although the general model of the equation is the same for each vehicle category and each year, the parameters of the equation differ for cars and trucks. Each parameter also changes on an annual basis, resulting in the yearly increases in

stringency. Figure I.D.3-3 below illustrates the CO₂ car standard curves for model years 2012 through 2016 while Figure I.D.3-4 shows the CO₂ truck standard curves for Model Years 2012-2016.




Figure I.D.3-3. CO2 (g/mi) Car standard curves.




Figure I.D.3-4. CO2 (g/mi) Truck standard curves.

BILLING CODE 4910-59-C

NHTSA and EPA propose to use the same vehicle category definitions for determining which vehicles are subject to the car footprint curves versus the truck curve standards. In other words, a vehicle classified as a car under the

NHTSA CAFE program would also be classified as a car under the EPA GHG program, and likewise for trucks. EPA and NHTSA are proposing to employ the same car and truck definitions for the MY 2012-2016 CAFE and GHG

standards as those used in the CAFE program for the 2011 model year standards.⁵⁵ This proposed approach of using CAFE definitions allows EPA's

⁵⁵ 49 CFR part 523.

proposed CO₂ standards and the proposed CAFE standards to be harmonized across all vehicles. EPA is not changing the car/truck definition for the purposes of any other previous rule.

Generally speaking, a smaller footprint vehicle will have lower CO₂ emissions relative to a larger footprint vehicle. A footprint-based CO₂ standard

can be relatively neutral with respect to vehicle size and consumer choice. All vehicles, whether smaller or larger, must make improvements to reduce CO₂ emissions, and therefore all vehicles will be relatively more expensive. With the footprint-based standard approach, EPA and NHTSA believe there should be no significant effect on the relative

distribution of different vehicle sizes in the fleet, which means that consumers will still be able to purchase the size of vehicle that meets their needs. Table I.D.3-1 illustrates the fact that different vehicle sizes will have varying CO₂ emissions and fuel economy targets under the proposed standards.

TABLE I.D.3-1—MODEL YEAR 2016 CO₂ AND FUEL ECONOMY TARGETS FOR VARIOUS MY 2008 VEHICLE TYPES

Vehicle type	Example models	Example model footprint (sq. ft.)	CO ₂ emissions target (g/mi)	Fuel economy target (mpg)
Example Passenger Cars				
Compact car	Honda Fit	40	214	41.4
Midsized car	Ford Fusion	46	237	37.3
Fullsize car	Chrysler 300	53	270	32.8
Example Light-Duty Trucks				
Small SUV	4WD Ford Escape	44	269	32.8
Midsized crossover	Nissan Murano	49	289	30.6
Minivan	Toyota Sienna	55	313	28.2
Large pickup truck	Chevy Silverado	67	358	24.7

E. Summary of Costs and Benefits for the Joint Proposal

This section summarizes the projected costs and benefits of the proposed CAFE and GHG emissions standards. These projections helped inform the agencies' choices among the alternatives considered and provide further confirmation that proposed standards fall within the spectrum of choices allowable under their respective statutory criteria. The costs and benefits projected by NHTSA to result from NHTSA's proposed CAFE standards are presented first, followed by those from EPA's analysis of the proposed GHG emissions standards.

The agencies recognize that there are uncertainties regarding the benefit and cost values presented in this proposal. Some benefits and costs are not quantified. The values of other benefits and costs could be too low or too high.

For several reasons, the estimates for costs and benefits presented by NHTSA and EPA, while consistent, are not directly comparable, and thus should not be expected to be identical. Most important, NHTSA and EPA's proposed standards would require slightly different fuel efficiency improvements. EPA's proposed GHG standard is more stringent in part due to its assumptions about manufacturers' use of air conditioning credits, which result from reductions in air conditioning-related emissions of HFCs and CO₂. In addition, the proposed CAFE and GHG standards offer different program flexibilities, and the agencies' analyses differ in their

accounting for these flexibilities (for example, FFVs etc.), primarily because NHTSA is statutorily prohibited from considering some flexibilities when establishing CAFE standards, while EPA is not. These differences contribute to differences in the agencies' respective estimates of costs and benefits resulting from the new standards.

Because EPCA prohibits NHTSA from considering the use of FFV credits when establishing CAFE standards, the agency's primary analysis of costs, fuel savings, and related benefits from imposing higher CAFE standards does not include them. However, EPCA does not prohibit NHTSA from considering the fact that manufacturers may pay civil penalties rather than complying with CAFE standards, and NHTSA's primary analysis accounts for some manufacturers' tendency to do so. In addition, NHTSA performed a supplemental analysis of the effect of FFV credits on benefits and costs from its proposed CAFE standards, to demonstrate the real-world impacts of FFVs, and the summary estimates presented in Section IV include these effects. Including the use of FFV credits reduces estimated per-vehicle compliance costs of the program. However, as shown below, including FFV credits does not significantly change the projected fuel savings and CO₂ reductions, because FFV credits reduce the fuel economy levels that manufacturers achieve not only under the proposed standards, but also under the baseline MY 2011 CAFE standards.

Also, EPCA, as amended by EISA, allows manufacturers to transfer credits between their passenger car and light truck fleets. However, EPCA also prohibits NHTSA from considering manufacturers' ability to use CAFE credits when determining the stringency of the CAFE standards. Because of this prohibition, NHTSA's primary analysis does not account for the extent to which credit transfers might actually occur. For purposes of its supplemental analysis, NHTSA considered accounting for the fact that EPCA allows some transfer of CAFE credits between the passenger car and light truck fleets, but determined that in NHTSA's year-by-year analysis, manufacturers' likely credit transfers cannot be reasonably estimated at this time.⁵⁶

Therefore, NHTSA's primary analysis shows the estimates the agency considered for purposes of establishing new CAFE standards, and its supplemental analysis including manufacturers' potential use of FFV credits currently reflects the agency's best estimate of the potential real-world effects of the proposed CAFE standards.

⁵⁶ NHTSA's analysis estimates multi-year planning effects within a context in which each model year is represented explicitly, and technologies applied in one model year carry forward to future model years. NHTSA does not currently have a basis to estimate how a manufacturer might, for example, weigh the transfer of credits from the passenger car to the light truck fleet in MY 2013 against the potential to carry light truck technologies forward from MY 2013 through MY 2016. The agency is considering the possibility of implementing such analysis for purposes of the final rule.

EPA made explicit assumptions about manufacturers' use of FFV credits under both the baseline and control alternatives, and its estimates of costs and benefits from the proposed GHG standards reflect these assumptions. However, under the proposed GHG standards, FFV credits would be available through MY 2015; starting in MY 2016, EPA proposes to allow FFV credits only based on a manufacturer's demonstration that the alternative fuel is actually being used in the vehicles and the actual GHG performance for the vehicle run on that alternative fuel.

EPA's analysis also assumes that manufacturers would transfer credits between their car and truck fleets in the MY 2011 baseline subject to the maximum value allowed by EPCA, and that unlimited car-truck credit transfers would occur under the proposed GHG standards. Including these assumptions in EPA's analysis increases the resulting estimates of fuel savings and reductions in GHG emissions, while reducing EPA's estimates of program compliance costs.

Finally, under the proposed EPA GHG program, there is no ability for a manufacturer to intentionally pay fines in lieu of meeting the standard. Under EPCA, however, vehicle manufacturers are allowed to pay fines as an alternative to compliance with applicable CAFE standards. NHTSA's analysis explicitly estimates the level of voluntary fine payment by individual manufacturers, which reduces NHTSA's estimates of both the costs and benefits of its proposed CAFE standards. In

contrast, the CAA does not allow for fine payment in lieu of compliance with emission standards; and EPA's analysis of costs and benefits from its proposed standard thus assumes full compliance. This assumption results in higher estimates of fuel savings, reductions in GHG emissions, and manufacturers' compliance costs to sell fleets that comply with both NHTSA's proposed CAFE program and EPA's proposed GHG program.

In summary, the projected costs and benefits presented by NHTSA and EPA are not directly comparable, because the levels being proposed by EPA include air conditioning-related improvements in equivalent fuel efficiency and HFC reductions, because the assumptions incorporated in EPA's analysis regarding car-truck credit transfers, and because of the projection by EPA of complete compliance with the proposed GHG standards. It should also be expected that overall EPA's estimates of GHG reductions and fuel savings achieved by the proposed GHG standards will be slightly higher than those projected by NHTSA only for the CAFE standards because of the reasons described above. For the same reasons, EPA's estimates of manufacturers' costs for complying with the proposed passenger car and light trucks GHG standards are slightly higher than NHTSA's estimates for complying with the proposed CAFE standards.

1. Summary of Costs and Benefits of Proposed NHTSA CAFE Standards

Without accounting for the compliance flexibilities that NHTSA is

prohibited from considering when determining the level of new CAFE standards, since manufacturers' decisions to use those flexibilities are voluntary, NHTSA estimates that these fuel economy increases would lead to fuel savings totaling 62 billion gallons throughout the useful lives of vehicles sold in MYs 2012–2016. At a 3% discount rate, the present value of the economic benefits resulting from those fuel savings is \$158 billion.

The agency further estimates that these new CAFE standards would lead to corresponding reductions in CO₂ emissions totaling 656 million metric tons (mmt) during the useful lives of vehicles sold in MYs 2012–2016. The present value of the economic benefits from avoiding those emissions is \$16.4 billion, based on a global social cost of carbon value of \$20 per metric ton,⁵⁷ although NHTSA estimated the benefits associated with five different values of a one ton GHG reduction (\$5, \$10, \$20, \$34, \$56).⁵⁸ See Section II for a more detailed discussion of the social cost of carbon. It is important to note that NHTSA's CAFE standards and EPA's GHG standards will both be in effect, and each will lead to increases in average fuel economy and CO₂ emissions reductions. The two agencies' standards together comprise the National Program, and this discussion of costs and benefits of NHTSA's CAFE standards does not change the fact that both the CAFE and GHG standards, jointly, are the source of the benefits and costs of the National Program.

TABLE I.E.1-1—NHTSA FUEL SAVED (BILLION GALLONS) AND CO₂ EMISSIONS AVOIDED (MMT) UNDER PROPOSED CAFE STANDARDS (WITHOUT FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Fuel (b. gal.)	4	9	13	16	19	62
CO ₂ (mmt)	44	96	137	173	206	656

Considering manufacturers' ability to earn credit toward compliance by selling FFVs, NHTSA estimates very

little change in incremental fuel savings and avoided CO₂ emissions, assuming

FFV credits would be used toward both the baseline and proposed standards:

⁵⁷ We have developed two interim estimates of the global social cost of carbon (SCC) (\$/tCO₂ in 2007 (2006\$)): \$33 per tCO₂ at a 3% discount rate, and \$5 per tCO₂ with a 5% discount rate. The 3% and 5% estimates have independent appeal and at this time a clear preference for one over the other is not warranted. Thus, we have also included—and centered our current attention on—the average of

the estimates associated with these discount rates, which is \$19 (in 2006\$) per ton of CO₂ emissions. When converted to 2007\$ for consistency with other economic values used in the agency's analysis, this figure corresponds to \$20 per metric ton of CO₂ emissions occurring in 2007. This value is assumed to increase at 3% annually for emissions occurring after 2007.

⁵⁸ The \$10 and \$56 figures are alternative interim estimates based on uncertainty about interest rates of long periods of time. They are based on an approach that models discount rate uncertainty as something that evolves over time; in contrast, the preferred approach mentioned in the immediately preceding paragraph assumes that there is a single discount rate with equal probability of 3% and 5%.

TABLE I.E.1-2—NHTSA FUEL SAVED (BILLION GALLONS) AND CO₂ EMISSIONS AVOIDED (MMT) UNDER PROPOSED CAFE STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Fuel (b. gal.)	5	8	12	15	19	59
CO ₂ (mmt)	49	90	129	167	204	639

NHTSA estimates that these fuel economy increases would produce other benefits both to drivers (e.g., reduced time spent refueling) and to the U.S. (e.g., reductions in the costs of petroleum imports *beyond* the direct savings from reduced oil purchases, as well as some disbenefits (e.g., increase traffic congestion) caused by drivers'

tendency to travel more when the cost of driving declines (as it does when fuel economy increases). NHTSA has estimated the total monetary value to society of these benefits and disbenefits, and estimates that the proposed standards will produce significant net benefits to society. Using a 3% discount rate, NHTSA estimates that the present

value of these benefits would total more than \$200 billion over the useful lives of vehicles sold during MYs 2012–2016. More discussion regarding monetized benefits can be found in Section IV of this notice and in NHTSA's Regulatory Impact Analysis.

TABLE I.E.1-3—NHTSA DISCOUNTED BENEFITS (\$BILLION) UNDER PROPOSED CAFE STANDARDS (BEFORE FFV CREDITS, USING 3 PERCENT DISCOUNT RATE)

	2012	2013	2014	2015	2016	Total
Passenger Cars	7.6	17.0	24.4	31.2	38.7	119.1
Light Trucks	5.5	11.6	17.3	22.2	26.0	82.6
Combined	13.1	28.7	41.8	53.4	64.7	201.7

Using a 7% discount rate, NHTSA estimates that the present value of these

benefits would total more than \$159 billion over the same time period.

TABLE I.E.1-4—NHTSA DISCOUNTED BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS (BEFORE FFV CREDITS, USING 7 PERCENT DISCOUNT RATE)

	2012	2013	2014	2015	2016	Total
Passenger Cars	6.0	13.6	19.5	25.0	31.1	95.3
Light Trucks	4.3	9.1	13.5	17.4	20.4	64.6
Combined	10.3	22.6	33.1	42.4	51.5	159.8

NHTSA estimates that FFV credits could reduce achieved benefits by about 4.5%:

TABLE I.E.1-5a—NHTSA DISCOUNTED BENEFITS (\$BILLION) UNDER PROPOSED CAFE STANDARDS (WITH FFV CREDITS, USING A 3 PERCENT DISCOUNT RATE)

	2012	2013	2014	2015	2016	Total
Passenger Cars	7.8	15.9	22.5	28.6	37.1	111.9
Light Trucks	6.1	10.2	15.9	22.1	26.3	80.5
Combined	13.9	26.1	38.4	50.7	63.3	192.5

TABLE I.E.1-5b—NHTSA DISCOUNTED BENEFITS (\$BILLION) UNDER PROPOSED CAFE STANDARDS (WITH FFV CREDITS, USING A 7 PERCENT DISCOUNT RATE)

	2012	2013	2014	2015	2016	Total
Passenger Cars	6.2	12.7	18.0	23.0	29.8	89.6
Light Trucks	4.7	7.9	12.4	17.3	20.6	63.0
Combined	10.9	20.6	20.4	40.3	50.4	152.5

NHTSA attributes most of these benefits—about \$158 billion (at a 3% discount rate and excluding consideration of FFV credits), as noted

above—to reductions in fuel consumption, valuing fuel (for societal purposes) at the future pre-tax prices projected in the Energy Information

Administration's (EIA's) reference case forecast from Annual Energy Outlook (AEO) 2009. The Preliminary Regulatory Impact Analysis (PRIA) accompanying

this proposed rule presents a detailed analysis of specific benefits of the proposed rule.

TABLE I.E.1-6—SUMMARY OF BENEFITS FUEL SAVINGS AND CO₂ EMISSIONS REDUCTION DUE TO THE PROPOSED RULE (BEFORE FFV CREDITS)

	Amount	Monetized value (discounted)	
		3% Discount rate	7% Discount rate
Fuel savings	61.6 billion gallons	\$158.0 billion	\$125.3 billion.
CO ₂ emissions reductions	656 million metric tons (mmt)	\$16.4 billion	\$12.8 billion.

NHTSA estimates that the increases in technology application necessary to achieve the projected improvements in fuel economy will entail considerable monetary outlays. The agency estimates that incremental costs for achieving its proposed standards—that is, outlays by vehicle manufacturers over and above those required to comply with the MY 2011 CAFE standards—will total about \$60 billion (i.e., during MYs 2012–2016).

TABLE I.E.1-7—NHTSA INCREMENTAL TECHNOLOGY OUTLAYS (\$BILLION) UNDER PROPOSED CAFE STANDARDS (BEFORE FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Passenger Cars	4.1	6.5	8.4	9.9	11.8	40.8
Light Trucks	1.5	2.8	4.0	5.2	5.9	19.4
Combined	5.7	9.3	12.5	15.1	17.6	60.2

NHTSA estimates that use of FFV credits could significantly reduce these outlays:

TABLE I.E.1-8—NHTSA INCREMENTAL TECHNOLOGY OUTLAYS (\$BILLION) UNDER PROPOSED CAFE STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Passenger Cars	2.5	4.4	6.1	7.4	9.3	29.6
Light Trucks	1.3	2.0	3.1	4.3	5.0	15.6
Combined	3.7	6.3	9.2	11.7	14.2	45.2

The agency projects that manufacturers will recover most or all of these additional costs through higher selling prices for new cars and light trucks. To allow manufacturers to recover these increased outlays (and, to a much lesser extent, the civil penalties that some companies are expected to pay for noncompliance), the agency estimates that the proposed standards would lead to increases in average new vehicle prices ranging from \$476 per vehicle in MY 2012 to \$1,091 per vehicle in MY 2016:

TABLE I.E.1-9—NHTSA INCREMENTAL INCREASES IN AVERAGE NEW VEHICLE COSTS (\$) UNDER PROPOSED CAFE STANDARDS (BEFORE FFV CREDITS)

	2012	2013	2014	2015	2016
Passenger Cars	591	735	877	979	1,127
Light Trucks	283	460	678	882	1,020
Combined	476	635	806	945	1,091

NHTSA estimates that use of FFV credits could significantly reduce these costs, especially in earlier model years:

TABLE I.E.1-10—NHTSA INCREMENTAL INCREASES IN AVERAGE NEW VEHICLE COSTS (\$) UNDER PROPOSED CAFE STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016
Passenger Cars	295	448	591	695	851
Light Trucks	231	347	533	758	895

TABLE I.E.1-10—NHTSA INCREMENTAL INCREASES IN AVERAGE NEW VEHICLE COSTS (\$) UNDER PROPOSED CAFE STANDARDS (WITH FFV CREDITS)—Continued

	2012	2013	2014	2015	2016
Combined	271	411	571	716	866

NHTSA estimates, therefore, that the total benefits of these proposed standards would be more than three times the magnitude of the corresponding costs. As a consequence, its proposed standards would produce net benefits of \$142 billion at a 3 percent discount rate (with FFV credits, \$147 billion) or \$100 billion at a 7 percent discount rate over the useful lives of vehicles sold during MYs 2012–2016.

2. Summary of Costs and Benefits of Proposed EPA GHG Standards

EPA has conducted a preliminary assessment of the costs and benefits of the proposed GHG standards. Table I.E.2-1 shows EPA's estimated lifetime fuel savings and CO₂ equivalent emission reductions for all vehicles sold in the model years 2012–2016. The values in Table I.E.2-1 are projected lifetime totals for each model year and are not discounted. As documented in DRIA Chapter 5, the potential credit transfer between cars and trucks may change the distribution of the fuel

savings and GHG emission impacts between cars and trucks. As discussed above with respect to NHTSA's CAFE standards, it is important to note that NHTSA's CAFE standards and EPA's GHG standards will both be in effect, and each will lead to increases in average fuel economy and CO₂ emissions reductions. The two agency's standards together comprise the National Program, and this discussion of costs and benefits of EPA's GHG standards does not change the fact that both the CAFE and GHG standards, jointly, are the source of the benefits and costs of the National Program.

TABLE I.E.2-1—EPA'S ESTIMATED 2012-2016 MODEL YEAR LIFETIME FUEL SAVED AND GHG EMISSIONS AVOIDED

		2012	2013	2014	2015	2016	Total
Cars	Fuel (billion gallons)	4	6	8	11	14	43
	Fuel (billion barrels)	0.1	0.1	0.2	0.3	0.3	1.0
	CO ₂ EQ (mmt)	51	74	98	137	179	539
Light Trucks	Fuel (billion gallons)	2	4	6	9	12	33
	Fuel (billion barrels)	0.1	0.1	0.1	0.2	0.3	0.8
	CO ₂ EQ (mmt)	30	51	77	107	143	408
Combined	Fuel (billion gallons)	7	10	14	19	26	76
	Fuel (billion barrels)	0.2	0.2	0.3	0.5	0.6	1.8
	CO ₂ EQ (mmt)	81	125	174	244	323	947

Table I.E.2-2 shows EPA's estimated lifetime discounted benefits for all vehicles sold in model years 2012–2016. Although EPA estimated the benefits associated with five different values of a one ton GHG reduction (\$5, \$10, \$20, \$34, \$56), for the purposes of this overview presentation of estimated benefits EPA is showing the benefits associated with one of these marginal values, \$20 per ton of CO₂, in 2007 dollars and 2007 emissions, in this joint proposal. Table I.E.2-2 presents benefits based on the \$20 value. Section III.H

presents the five marginal values used to estimate monetized benefits of GHG reductions and Section III.H presents the program benefits using each of the five marginal values, which represent only a partial accounting of total benefits due to omitted climate change impacts and other factors that are not readily monetized. These factors are being used on an interim basis while analysis is conducted to generate new estimates. The values in the table are discounted values for each model year throughout their projected lifetimes.

The benefits include all benefits considered by EPA such as fuel savings, GHG reductions, PM benefits, energy security and other externalities such as reduced refueling and accidents, congestion and noise. The lifetime discounted benefits are shown for one of five different social cost of carbon (SCC) values considered by EPA. The values in Table I.E.2-2 do not include costs associated with new technology required to meet the proposal.

TABLE I.E.2-2—EPA'S ESTIMATED 2012-2016 MODEL YEAR LIFETIME DISCOUNTED BENEFITS ASSUMING THE \$20/TON SCC VALUE^a

[\$Billions of 2007 dollars]

Discount rate	Model year					
	2012	2013	2014	2015	2016	Total
3%	\$20.4	\$31.7	\$44.9	\$63.7	\$87.2	\$248
7	15.8	24.7	34.9	49.3	67.7	193

^aThe benefits include all benefits considered by EPA such as fuel savings, GHG reductions, PM benefits, energy security and other externalities such as reduced refueling and accidents, congestion and noise.

Table I.E.2-3 shows EPA's estimated lifetime fuel savings, lifetime CO₂ emission reductions, and the monetized net present values of those fuel savings and CO₂ emission reductions. The gallons of fuel and CO₂ emission reductions are projected lifetime values for all vehicles sold in the model years

2012-2016. The estimated fuel savings in billions of barrels and the GHG reductions in million metric tons of CO₂ shown in Table I.E.2-3 are totals for the five model years throughout their projected lifetime and are not discounted. The monetized values shown in Table I.E.2-3 are the summed

values of the discounted monetized-fuel savings and monetized-CO₂ reductions for the five model years 2012-2016 throughout their lifetimes. The monetized values in Table I.E.2-3 reflect both a 3 percent and a 7 percent discount rate as noted.

TABLE I.E.2-3—EPA'S ESTIMATED 2012-2016 MODEL YEAR LIFETIME FUEL SAVINGS, CO₂ EMISSION REDUCTIONS, AND DISCOUNTED MONETIZED BENEFITS AT A 3% DISCOUNT RATE

[Monetized values in 2007 dollars]

	Amount	\$ value (billions)
Fuel savings	1.8 billion barrels	\$193, 3% discount rate.
CO ₂ emission reductions (valued assuming \$20/ton CO ₂ in 2007).	947 MMT CO ₂ e	\$151, 7% discount rate. \$21.0, 3% discount rate. \$15.0, 7% discount rate.

Table I.E.2-4 shows EPA's estimated incremental technology outlays for cars and trucks for each of the model years

2012-2016. The total outlays are also shown. The technology outlays shown in Table I.E.2-4 are for the industry as

a whole and do not account for fuel savings associated with the proposal.

TABLE I.E.2-4—EPA'S ESTIMATED INCREMENTAL TECHNOLOGY OUTLAYS
[\$BILLIONS OF 2007 DOLLARS]

	2012	2013	2014	2015	2016	Total
Cars	\$3.5	\$5.3	\$7.0	\$8.9	\$10.7	\$35.3
Trucks	2.0	3.1	4.0	5.1	6.8	20.9
Combined	5.4	8.4	10.9	13.9	17.5	56.1

Table I.E.2-5 shows EPA's estimated incremental cost increase of the average new vehicle for each model year 2012-2016. The values shown are incremental to a baseline vehicle and are not

cumulative. In other words, the estimated increase for 2012 model year cars is \$374 relative to a 2012 model year car absent the proposal. The estimated increase for a 2013 model

year car is \$531 relative to a 2013 model year car absent the proposal (not \$374 plus \$531).

TABLE I.E.2-5—EPA'S ESTIMATED INCREMENTAL INCREASE IN AVERAGE NEW VEHICLE COST
[2007 Dollars per unit]

	2012	2013	2014	2015	2016
Cars	\$374	\$531	\$663	\$813	\$968
Trucks	358	539	682	886	1,213
Combined	368	534	670	838	1,050

F. Program Flexibilities for Achieving Compliance

EPA's and NHTSA's proposed programs provide compliance flexibility to manufacturers, especially in the early years of the National Program. This flexibility is expected to provide sufficient lead time for manufacturers to make necessary technological improvements and reduce the overall cost of the program, without compromising overall environmental and fuel economy objectives. The broad goal of harmonizing the two agencies' proposed standards includes preserving manufacturers' flexibilities in meeting

the standards, to the extent appropriate and required by law. The following section provides an overview of the flexibility provisions the agencies are proposing.

1. CO₂/CAFE Credits Generated Based on Fleet Average Performance

Under the NHTSA and EPA proposal the fleet average standards that apply to a manufacturer's car and truck fleets would be based on the applicable footprint-based curves. At the end of each model year, when production of the model year is complete, a production-weighted fleet average

would be calculated for each averaging set (cars and trucks). Under this approach, a manufacturer's car and/or truck fleet that achieves a fleet average CO₂/CAFE level better than the standard would generate credits. Conversely, if the fleet average CO₂/CAFE level does not meet the standard the fleet would generate debits (also referred to as a shortfall).

Under the proposed program, a manufacturer whose fleet generates credits in a given model year would have several options for using those credits, including credit carry-back, credit carry-forward, credit transfers,

and credit trading. These provisions exist in the MY 2011 CAFE program under EPCA and EISA, and similar provisions are part of EPA's Tier 2 program for light duty vehicle criteria pollutant emissions, as well as many other mobile source standards issued by EPA under the CAA. EPA is proposing that the manufacturer would be able to carry-back credits to offset any deficit that had accrued in a prior model year and was subsequently carried over to the current model year. EPCA already provides for this. EPCA restricts the carry-back of CAFE credits to three years and EPA is proposing the same limitation, in keeping with the goal of harmonizing both sets of proposed standards.

After satisfying any need to offset pre-existing deficits, remaining credits could be saved (banked) for use in future years. Under the CAFE program, EISA allows manufacturers to apply credits earned in a model year to compliance in any of the five subsequent model years.⁵⁹ EPA is also proposing, under the GHG program, to allow manufacturers to use these banked credits in the five years after the year in which they were generated (i.e., five years carry-forward).

EISA required NHTSA to establish by regulation a CAFE credits transferring program, which NHTSA established in a March 2009 final rule codified at 49 CFR part 536, to allow a manufacturer to transfer credits between its vehicle fleets to achieve compliance with the standards. For example, credits earned by over-compliance with a manufacturer's car fleet average standard could be used to offset debits incurred due to that manufacturer's not meeting the truck fleet average standard in a given year. EPA's Tier 2 program also provides for this type of credit transfer. For purposes of this NPRM, EPA proposes unlimited credit transfers across a manufacturer's car-truck fleet to meet the GHG standard. This is based on the expectation that this kind of credit transfer provision will allow the required GHG emissions reductions to be achieved in the most cost effective way, and this flexibility will facilitate the ability of the manufacturers to comply with the GHG standards in the lead time provided. Under the CAA, unlike under EISA, there is no statutory limitation on car-truck credit transfers. Therefore EPA is not proposing to constrain car-truck credit transfers as doing so would increase costs with no corresponding environmental benefit. For the CAFE program, however, EISA limits the amount of credits that may be

transferred, and also prohibits the use of transferred credits to meet the statutory minimum level for the domestic car fleet standard.⁶⁰ These and other statutory limits would continue to apply to the determination of compliance with the CAFE standard.

Finally, EISA also allowed NHTSA to establish by regulation a CAFE credit trading program, which NHTSA established in the March 2009 final rule at 40 CFR Part 536, to allow credits to be traded (sold) to other vehicle manufacturers. EPA is also proposing to allow credit trading in the GHG program. These sorts of exchanges are typically allowed under EPA's current mobile source emission credit programs, although manufacturers have seldom made such exchanges. Under the NHTSA CAFE program, EPCA also allows these types of credit trades, although, as with transferred credits, traded credits may not be used to meet the minimum domestic car standards specified by statute.⁶¹

2. Air Conditioning Credits

Air conditioning (A/C) systems contribute to GHG emissions in two ways. Hydrofluorocarbon (HFC) refrigerants, which are powerful GHG pollutants, can leak from the A/C system. Operation of the A/C system also places an additional load on the engine, which results in additional CO₂ tailpipe emissions. EPA is proposing an approach that allows manufacturers to generate credits by reducing GHG emissions related to A/C systems. Specifically, EPA is proposing a test procedure and method to calculate CO₂ equivalent reductions for the full useful life on a grams/mile basis that can be used as credits in meeting the fleet average CO₂ standards. EPA's analysis indicates this approach provides manufacturers with a highly cost-effective way to achieve a portion of GHG emissions reductions under the EPA program. EPA is estimating that manufacturers will on average take advantage of 11 g/mi GHG credit toward meeting the 250 g/mi by 2016 (though some companies may have more). EPA is also proposing to allow manufacturers to earn early A/C credits starting in MY 2009 through 2011, as discussed further in a later section.

Comment is also sought on the approach of providing CAFE credits under 49 U.S.C. 32904(c) for light trucks equipped with relatively efficient air conditioners for MYs 2012–2016. The agencies invite comment on allowing a manufacturer to generate additional

CAFE credits from the reduction of fuel consumption through the application of air conditioning efficiency improvement technologies to trucks. Currently, the CAFE program does not induce manufacturers to install more efficient air conditioners because the air conditioners are not turned on during fuel economy testing. The agencies note that if such credits were adopted, it may be necessary to reflect them in the setting of the CAFE standards for light trucks for the same model years and invite comment on that issue.

3. Flex-Fuel and Alternative Fuel Vehicle Credits

EPCA authorizes an incentive under the CAFE program for production of dual-fueled or flexible-fuel vehicles (FFV) and dedicated alternative fuel vehicles. FFVs are vehicles that can run both on an alternative fuel and conventional fuel. Most FFVs are E-85 capable vehicles, which can run on either gasoline or a mixture of up to 85 percent ethanol and 15 percent gasoline. Dedicated alternative fuel vehicles are vehicles that run exclusively on an alternative fuel. EPCA was amended by EISA to extend the period of availability of the FFV incentive, but to begin phasing it out by annually reducing the amount of FFV incentive that can be used toward compliance with the CAFE standards.⁶² EPCA does not premise the availability of the FFV credits on actual use of alternative fuel by an FFV vehicle. Under NHTSA's CAFE program, pursuant to EISA, after MY 2019, no FFV credits will be available for CAFE compliance.⁶³ For dedicated alternative fuel vehicles, there are no limits or phase-out of the credits. Consistent with the statute, NHTSA will continue to allow the use of FFV credits for purposes of compliance with the proposed standards until the end of the phase-out period.

For the GHG program, EPA is proposing to allow FFV credits in line with EISA limits only during the period from MYs 2012 to 2015. After MY 2015, EPA proposes to allow FFV credits only based on a manufacturer's demonstration that the alternative fuel is actually being used in the vehicles. EPA is seeking comments on how that demonstration could be made. EPA discusses this in more detail in Section III.C of the preamble.

⁶² EPCA provides a statutory incentive for production of FFVs by specifying that their fuel economy is determined using a special calculation procedure that results in those vehicles being assigned a higher fuel economy level than would otherwise occur. This is typically referred to as an FFV credit.

⁶³ *Id.*

⁶⁰ 49 U.S.C. 32903(g)(4).

⁶¹ 49 U.S.C. 32903(f)(2).

⁵⁹ 49 U.S.C. 32903(a)(2).

4. Temporary Lead-Time Allowance Alternative Standards

Manufacturers with limited product lines may be especially challenged in the early years of the proposed program. Manufacturers with narrow product offerings may not be able to take full advantage of averaging or other program flexibilities due to the limited scope of the types of vehicles they sell. For example, some smaller volume manufacturers focus on high performance vehicles with higher CO₂ emissions, above the CO₂ emissions target for that vehicle footprint, but do not have other types of vehicles in their production mix with which to average. Often, these manufacturers pay fines under the CAFE program rather than meeting the applicable CAFE standard. EPA believes that these technological circumstances may call for a more gradual phase-in of standards so that manufacturer resources can be focused on meeting the 2016 levels.

EPA is proposing a temporary lead-time allowance for manufacturers who sell vehicles in the U.S. in MY 2009 whose vehicle sales in that model year are below 400,000 vehicles. EPA proposes that this allowance would be available only during the MY 2012–2015 phase-in years of the program. A manufacturer that satisfies the threshold criteria would be able to treat a limited number of vehicles as a separate averaging fleet, which would be subject to a less stringent GHG standard.⁶⁴ Specifically, a standard of 125 percent of the vehicle's otherwise applicable footprint target level would apply to up to 100,000 vehicles total, spread over the four year period of MY 2012 through 2015. Thus, the number of vehicles to which the flexibility could apply is limited. EPA also is proposing appropriate restrictions on credit use for these vehicles, as discussed further in Section III. By MY 2016, these allowance vehicles must be averaged into the manufacturer's full fleet (*i.e.*, they are no longer eligible for a different standard). EPA discusses this in more detail in Section III.B of the preamble.

5. Additional Credit Opportunities Under the CAA

EPA is proposing additional opportunities for early credits in MYs 2009–2011 through over-compliance with a baseline standard. The baseline standard would be set to be equivalent,

on a national level, to the California standards. Potentially, credits could be generated by over-compliance with this baseline in one of two ways—over-compliance by the fleet of vehicles sold in California and the CAA section 177 States (*i.e.*, those States adopting the California program), or over-compliance with the fleet of vehicles sold in the 50 States. EPA is also proposing early credits based on over-compliance with CAFE, but only for vehicles sold in States outside of California and the CAA section 177 States. Under the proposed early credit provisions, no early FFV credits would be allowed, except those achieved by over-compliance with the California program based on California's provisions that manufacturers demonstrate actual use of the alternative fuel. EPA's proposed early credits options are designed to ensure that there would be no double counting of early credits. Consistent with this paragraph, NHTSA notes, however, that credits for over-compliance with CAFE standards during MYs 2009–2011 will still be available for manufacturers to use toward compliance in future model years, just as before.

EPA is proposing additional credit opportunities to encourage the commercialization of advanced GHG/fuel economy control technologies, such as electric vehicles, plug-in hybrid electric vehicles, and fuel cell vehicles. These proposed advanced technology credits are in the form of a multiplier that would be applied to the number of vehicles sold, such that each eligible vehicle counts as more than one vehicle in the manufacturer's fleet average. EPA is also proposing to allow early advanced technology credits to be generated beginning in MYs 2009 through 2011.

EPA is also proposing an Option for manufacturers to generate credits for employing technologies that achieve GHG reductions that are not reflected on current test procedures. Examples of such "off-cycle" technologies might include solar panels on hybrids, adaptive cruise control, and active aerodynamics, among other technologies. EPA is seeking comments on the best ways to quantify such credits to ensure any off-cycle credits applied for by a manufacturer are verifiable, reflect real-world reductions, based on repeatable test procedures, and are developed through a transparent process allowing appropriate opportunities for public comment.

G. Coordinated Compliance

Previous NHTSA and EPA regulations and statutory provisions establish ample examples on which to develop an

effective compliance program that achieves the energy and environmental benefits from CAFE and motor vehicle GHG standards. NHTSA and EPA are proposing a program that recognizes, and replicates as closely as possible, the compliance protocols associated with the existing CAA Tier 2 vehicle emission standards, and with CAFE standards. The certification, testing, reporting, and associated compliance activities closely track current practices and are thus familiar to manufacturers. EPA already oversees testing, collects and processes test data, and performs calculations to determine compliance with both CAFE and CAA standards. Under this proposed coordinated approach, the compliance mechanisms for both programs are consistent and non-duplicative. EPA will also apply the CAA authorities applicable to its separate in-use requirements in this program.

The proposed approach allows manufacturers to satisfy the new program requirements in the same general way they comply with existing applicable CAA and CAFE requirements. Manufacturers would demonstrate compliance on a fleet-average basis at the end of each model year, allowing model-level testing to continue throughout the year as is the current practice for CAFE determinations. The proposed compliance program design establishes a single set of manufacturer reporting requirements and relies on a single set of underlying data. This approach still allows each agency to assess compliance with its respective program under its respective statutory authority.

NHTSA and EPA do not anticipate any significant noncompliance under the proposed program. However, failure to meet the fleet average standards (after credit opportunities are exhausted) would ultimately result in the potential for penalties under both EPCA and the CAA. The CAA allows EPA considerable discretion in assessment of penalties. Penalties under the CAA are typically determined on a vehicle-specific basis by determining the number of a manufacturer's highest emitting vehicles that caused the fleet average standard violation. This is the same mechanism used for EPA's National Low Emission Vehicle and Tier 2 corporate average standards, and to date there have been no instances of noncompliance. CAFE penalties are specified by EPCA and would be assessed for the entire noncomplying fleet at a rate of \$5.50 times the number of vehicles in the fleet, times the number of tenths of mpg by which the fleet average falls below the standard. In

⁶⁴ EPCA does not permit such an allowance. Consequently, manufacturers who may be able to take advantage of a lead-time allowance under the proposed GHG standards would be required to comply with the applicable CAFE standard or be subject to penalties for non-compliance.

the event of a compliance action arising out of the same facts and circumstances, EPA could consider CAFE penalties when determining appropriate remedies for the EPA case.

H. Conclusion

This joint proposal by NHTSA and EPA represents a strong and coordinated National Program to achieve greenhouse gas emission reductions and fuel economy improvements from the light-duty vehicle part of the transportation sector. EPA's proposal for GHG standards under the Clean Air Act is discussed in Section III of this notice; NHTSA's proposal for CAFE standards under EPCA is discussed in Section IV. Each agency includes analyses on a variety of relevant issues under its respective statute, such as feasibility of the proposed standards, costs and benefits of the proposal, and effects on the economy, auto manufacturers, and consumers. This joint rulemaking proposal reflects a carefully coordinated and harmonized approach to developing and implementing standards under the two agencies' statutes and is in accordance with all substantive and procedural requirements required by law.

NHTSA and EPA believe that the MY 2012 through 2016 standards proposed would provide substantial reductions in emissions of GHGs and oil consumption, with significant fuel savings for consumers. The proposed program is technologically feasible at a reasonable cost, based on deployment of available and effective control technology across the fleet, and industry would have the opportunity to plan over several model years and incorporate the vehicle upgrades into the normal redesign cycles. The proposed program would result in enormous societal net benefits, including greenhouse gas emission reductions, fuel economy savings, improved energy security, and cost savings to consumers from reduced fuel utilization.

II. Joint Technical Work Completed for This Proposal

A. Introduction

In this section NHTSA and EPA discuss several aspects of the joint technical analyses the two agencies collaborated on which are common to the development of each agency's proposed standards. Specifically we discuss: The development of the baseline vehicle market forecast used by each agency, the development of the proposed attribute-based standard curve shapes, how the relative stringency between the car and truck fleet

standards for this proposal was determined, which technologies the agencies evaluated and their costs and effectiveness, and which economic assumptions the agencies included in their analyses. The joint Technical Support Document (TSD) discusses the agencies' joint technical work in more detail.

B. How Did NHTSA and EPA Develop the Baseline Market Forecast?

1. Why Do the Agencies Establish a Baseline Vehicle Fleet?

In order to calculate the impacts of the EPA and NHTSA proposed regulations, it is necessary to estimate the composition of the future vehicle fleet absent these proposed regulations in order to conduct comparisons. EPA and NHTSA have developed a comparison fleet in two parts. The first step was to develop a baseline fleet based on model year 2008 data. The second step was to project that fleet into 2011–2016. This is called the reference fleet. The third step was to modify that 2011–2016 reference fleet such that it had sufficient technologies to meet the 2011 CAFE standards. This final "reference fleet" is the light duty fleet estimated to exist in 2012–2016 if these proposed rules are not adopted. Each agency developed a final reference fleet to use in its modeling. All of the agencies' estimates of emission reductions, fuel economy improvements, costs, and societal impacts are developed in relation to the respective reference fleets.

2. How Do the Agencies Develop the Baseline Vehicle Fleet?

EPA and NHTSA have based the projection of total car and total light truck sales on recent projections made by the Energy Information Administration (EIA). EIA publishes a long-term projection of national energy use annually called the Annual Energy Outlook. This projection utilizes a number of technical and econometric models which are designed to reflect both economic and regulatory conditions expected to exist in the future. In support of its projection of fuel use by light-duty vehicles, EIA projects sales of new cars and light trucks. Due to the state of flux of both energy prices and the economy, EIA published three versions of its 2009 Annual Energy Outlook. The Preliminary 2009 report was published early (in November 2008) in order to reflect the dramatic increase in fuel prices which occurred during 2008 and which occurred after the development of the 2008 Annual Energy Outlook. The

official 2009 report was published in March of 2009. A third 2009 report was published a month later which reflected the economic stimulus package passed by Congress earlier this year. We use the sales projections of this latest report, referred to as the updated 2009 Annual Energy Outlook, here.

In their updated 2009 report, EIA projects that total light-duty vehicle sales will gradually recover from their currently depressed levels by roughly 2013. In 2016, car and light truck sales are projected to be 9.5 and 7.1 million units, respectively. While the total level of sales of 16.6 million units is similar to pre-2008 levels, the fraction of car sales is higher than that existing in the 2000–2007 timeframe. This presumably reflects the impact of higher fuel prices and that fact that cars tend to have higher levels of fuel economy than trucks. We note that EIA's definition of cars and trucks follows that used by NHTSA prior to the MY 2011 CAFE final rule published earlier this year. That recent CAFE rule, which established the MY 2011 standards, reclassified a number of 2-wheel drive sport utility vehicles from the truck fleet to the car fleet. This has the impact of shifting a considerable number of previously defined trucks into the car category. Sales projections of cars and trucks for all future model years can be found in the draft Joint TSD for this proposal.

In addition to a shift towards more car sales, sales of segments within both the car and truck markets have also been changing and are expected to continue to change in the future. Manufacturers are introducing more crossover models which offer much of the utility of SUVs but using more car-like designs. In order to reflect these changes in fleet makeup, EPA and NHTSA considered several available forecasts. After review EPA purchased and shared with NHTSA forecasts from two well-known industry analysts, CSM—Worldwide (CSM), and J.D. Powers. NHTSA and EPA decided to use the forecast from CSM, for several reasons. One, CSM agreed to allow us to publish the data, on which our forecast is based, in the public domain.⁶⁵ Two, it covered nearly all the timeframe of greatest relevance to this proposed rule (2012–2015 model years). Three, it provided projections of vehicle sales both by manufacturer and by market segment. Four, it utilized market segments similar to those used in the

⁶⁵ The CSM data made public includes only the higher level volume projections by market segment and manufacturer. The projections by nameplate and model are strictly the agencies' estimates based on these higher level CSM segment and manufacturer distribution.

EPA emission certification program and fuel economy guide. As discussed further below, this allowed the CSM forecast to be combined with other data obtained by NHTSA and EPA. We also assumed that the breakdowns of car and truck sales by manufacturer and by market segment for 2016 model year and beyond were the same as CSM's forecast for 2015 calendar year. The changes between company market share and industry market segments were most significant from 2011–2014, while for

2014–2015 the changes were relatively small. Therefore, we assumed 2016 market share and market segments to be the same as for 2015. To the extent that the agencies have received CSM forecasts for 2016, we will consider using them for the final rule.

We then projected the CSM forecasts for relative sales of cars and trucks by manufacturer and by market segment on to the total sales estimates of the updated 2009 Annual Energy Outlook. Tables II.B.1–1 and II.B.1–2 show the

resulting projections for the 2016 model year and compare these to actual sales which occurred in 2008 model year. Both tables show sales using the traditional or classic definition of cars and light trucks. Determining which classic trucks will be defined as cars using the revised definition established by NHTSA earlier this year and included in this proposed rule requires more detailed information about each vehicle model which is developed next.

TABLE II.B.2–1—ANNUAL SALES OF LIGHT-DUTY VEHICLES BY MANUFACTURER IN 2008 AND ESTIMATED FOR 2016

	Cars		Light trucks		Total	
	2008 MY	2016 MY	2008 MY	2016 MY	2008 MY	2016 MY
BMW	291,796	380,804	61,324	134,805	353,120	515,609
Chrysler	537,808	110,438	1,119,397	133,454	1,657,205	243,891
Daimler	208,052	235,205	79,135	109,917	287,187	345,122
Ford	641,281	990,700	1,227,107	1,713,376	1,868,388	2,704,075
General Motors	1,370,280	1,562,791	1,749,227	1,571,037	3,119,507	3,133,827
Honda	899,498	1,429,262	612,281	812,325	1,511,779	2,241,586
Hyundai	270,293	437,329	120,734	287,694	391,027	725,024
Kia	145,863	255,954	135,589	162,515	281,452	418,469
Mazda	191,326	290,010	111,220	112,837	302,546	402,847
Mitsubishi	76,701	49,697	24,028	10,872	100,729	60,569
Porsche	18,909	37,064	18,797	17,175	37,706	54,240
Nissan	653,121	985,668	370,294	571,748	1,023,415	1,557,416
Subaru	149,370	128,885	49,211	75,841	198,581	204,726
Suzuki	68,720	69,452	45,938	34,307	114,658	103,759
Tata	9,596	41,584	55,584	47,105	65,180	88,689
Toyota	1,143,696	1,986,824	1,067,804	1,218,223	2,211,500	3,205,048
Volkswagen	290,385	476,699	26,999	99,459	317,384	576,158
Total	6,966,695	9,468,365	6,874,669	7,112,689	13,841,364	16,581,055

TABLE II.B.2–2—ANNUAL SALES OF LIGHT-DUTY VEHICLES BY MARKET SEGMENT IN 2008 AND ESTIMATED FOR 2016

	Cars			Light trucks	
	2008 MY	2016 MY		2008 MY	2016 MY
Full-Size Car	730,355	466,616	Full-Size Pickup	1,195,073	1,475,881
Mid-Size Car	1,970,494	2,641,739	Mid-Size Pickup	598,197	510,580
Small/Compact Car	1,850,522	2,444,479	Full-Size Van	33,384	284,110
Subcompact/Mini Car	599,643	1,459,138	Mid-Size Van	719,529	615,349
Luxury Car	1,057,875	1,432,162	Mid-Size MAV*	191,448	158,930
Specialty Car	754,547	1,003,078	Small MAV	235,524	289,880
Others	3,259	21,153	Full-Size SUV*	530,748	90,636
			Mid-Size SUV	347,026	110,155
			Small SUV	377,262	124,397
			Full-Size CUV*	406,554	319,201
			Mid-Size CUV	798,335	1,306,770
			Small CUV	1,441,589	1,866,580
Total Sales	6,966,695	9,468,365		6,874,669	7,152,470

* MAV—Multi-Activity Vehicle, SUV—Sport Utility Vehicle, CUV—Crossover Utility Vehicle.

The agencies recognize that CSM forecasts a very significant reduction in market share for Chrysler. This may be a result of the extreme uncertainty surrounding Chrysler in early 2009. The forecast from CSM used in this proposal is CSM's forecast from the 2nd quarter of 2009. CSM also provided to the agencies an updated forecast in the 3rd

quarter of 2009, which we were unable to use for this proposal due to time constraints. However, we have placed a copy of the 3rd Quarter CSM forecast in the public docket for this rulemaking, and we will consider its use, and any further updates from CSM or other data received during the comment period when developing the analysis for the

final rule.⁶⁶ CSM's forecast for Chrysler for the 3rd quarter of 2009 was significantly increased compared to the 2nd quarter, by nearly a factor of two

⁶⁶ "CSM North America Sales Forecast Comparison 2Q09 3Q09 For Docket." 2nd and 3rd quarter forecasting results from CSM World Wide (Docket EPA-HQ-OAR-2009-0472).

increase in projected sales over the 2012–2015 time frame.

The forecasts obtained from CSM provided estimates of car and trucks sales by segment and by manufacturer, but not by manufacturer for each market segment. Therefore, we needed other information on which to base these more detailed market splits. For this task, we used as a starting point each manufacturer's sales by market segment from model year 2008. Because of the larger number of segments in the truck market, we used slightly different methodologies for cars and trucks.

The first step for both cars and trucks was to break down each manufacturer's 2008 sales according to the market segment definitions used by CSM. For example, we found that Ford's car sales in 2008 were broken down as shown in Table II.B.2–3:

TABLE II.B.2–3—BREAKDOWN OF FORD'S 2008 CAR SALES

Full-size cars	76,762 units.
Mid-size cars	170,399 units.
Small/Compact cars	180,249 units.
Subcompact/Mini cars ...	None.
Luxury cars	100,065 units.
Specialty cars	110,805 units.

We then adjusted each manufacturer's sales of each of its car segments (and truck segments, separately) so that the manufacturer's total sales of cars (and trucks) matched the total estimated for each future model year based on EIA and CSM forecasts. For example, as indicated in Table II.B.2–1, Ford's total car sales in 2008 were 641,281 units, while we project that they will increase to 990,700 units by 2016. This represents an increase of 54.5 percent. Thus, we increased the 2008 sales of each Ford car segment by 54.5 percent. This produced estimates of future sales which matched total car and truck sales per EIA and the manufacturer breakdowns per CSM (and exemplified for 2016 in Table II.B.1–1). However, the sales splits by market segment would not necessarily match those of CSM (and exemplified for 2016 in Table II.B.2–2).

In order to adjust the market segment mix for cars, we first adjusted sales of luxury, specialty and other cars. Since the total sales of cars for each manufacturer were already set, any changes in the sales of one car segment had to be compensated by the opposite change in another segment. For the luxury, specialty and other car segments, it is not clear how changes in sales would be compensated. For example, if luxury car sales decreased, would sales of full-size cars increase,

mid-size cars, etc.? Thus, any changes in the sales of cars within these three segments were assumed to be compensated for by proportional changes in the sales of the other four car segments. For example, for 2016, the figures in Table II.B.2–2 indicate that luxury car sales in 2016 are 1,432,162 units. Luxury car sales are 1,057,875 units in 2008. However, after adjusting 2008 car sales by the change in total car sales for 2016 projected by EIA and a change in manufacturer market share per CSM, luxury car sales increased to 1,521,892 units. Thus, overall for 2016, luxury car sales had to decrease by 89,730 units or 6 percent. We decreased the luxury car sales by each manufacturer by this percentage. The absolute decrease in luxury car sales was spread across sales of full-size, mid-size, compact and subcompact cars in proportion to each manufacturer's sales in these segments in 2008. The same adjustment process was used for specialty cars and the "other cars" segment defined by CSM.

A slightly different approach was used to adjust for changing sales of the remaining four car segments. Starting with full-size cars, we again determined the overall percentage change that needed to occur in future year full-size car sales after (1) adjusting for total sales per EIA, (2) manufacturer sales mix per CSM and (3) adjustments in the luxury, specialty and other car segments, in order to meet the segment sales mix per CSM. Sales of each manufacturer's large cars were adjusted by this percentage. However, instead of spreading this change over the remaining three segments, we assigned the entire change to mid-size vehicles. We did so because, as shown in 2008, higher fuel prices tend to cause car purchasers to purchase smaller vehicles. We are using AEO 2009 for this analysis, which assumes fuel prices similar in magnitude to actual high fuel prices seen in the summer of 2008.⁶⁷ However, if a consumer had previously purchased a full-size car, we thought it unlikely that they would jump all the way to a subcompact. It seemed more reasonable to project that they would drop one vehicle size category smaller. Thus, the change in each manufacturer's sales of full-size cars was matched by an opposite change (in absolute units sold) in mid-size cars.

The same process was then applied to mid-size cars, with the change in mid-size car sales being matched by an

opposite change in compact car sales. This process was repeated one more time for compact car sales, with changes in sales in this segment being matched by the opposite change in the sales of subcompacts. The overall result was a projection of car sales for 2012–2016 which matched the total sales projections of EIA and the manufacturer and segment splits of CSM. These sales splits can be found in Chapter 1 of the draft Joint Technical Support Document for this proposal.

As mentioned above, a slightly different process was applied to truck sales. The reason for this was we could not confidently project how the change in sales from one segment preferentially went to or came from another particular segment. Some trend from larger vehicles to smaller vehicles would have been possible. However, the CSM forecasts indicated large changes in total sport utility vehicle, multi-activity vehicle and cross-over sales which could not be connected. Thus, we applied an iterative, but straightforward process for adjusting 2008 truck sales to match the EIA and CSM forecasts.

The first three steps were exactly the same as for cars. We broke down each manufacturer's truck sales into the truck segments as defined by CSM. We then adjusted all manufacturers' truck segment sales by the same factor so that total truck sales in each model year matched EIA projections for truck sales by model year. We then adjusted each manufacturer's truck sales by segment proportionally so that each manufacturer's percentage of total truck sales matched that forecast by CSM. This again left the need to adjust truck sales by segment to match the CSM forecast for each model year.

In the fourth step, we adjusted the sales of each truck segment by a common factor so that total sales for that segment matched the combination of the EIA and CSM forecasts. For example, sales of large pickups across all manufacturers were 1,144,166 units in 2016 after adjusting total sales to match EIA's forecast and adjusting each manufacturer's truck sales to match CSM's forecast for the breakdown of sales by manufacturer. Applying CSM's forecast of the large pickup segment of truck sales to EIA's total sales forecast indicated total large pickup sales of 1,475,881 units. Thus, we increased each manufacturer's sales of large pickups by 29 percent. The same type of adjustment was applied to all the other truck segments at the same time. The result was a set of sales projections which matched EIA's total truck sales projection and CSM's market segment forecast. However, after this step, sales

⁶⁷ J.D. Power and Associates, Press Release, May 16, 2007. "Rising Gas Prices Begin to Sway New-Vehicle Owners Toward Smaller Versions of Trucks and Utility Vehicles."

by manufacturer no longer met CSM's forecast. Thus, we repeated step three and adjusted each manufacturer's truck sales so that they met CSM's forecast. The sales of each truck segment (by manufacturer) were adjusted by the same factor. The resulting sales projection matched EIA's total truck sales projection and CSM's manufacturer forecast, but sales by market segment no longer met CSM's forecast. However, the difference between the sales projections after this fifth step was closer to CSM's market segment forecast than it was after step three. In other words, the sales projection was converging. We repeated these adjustments, matching manufacturer sales mix in one step and then market segment in the next for a total of 19 times. At this point, we were able to match the market segment splits exactly and the manufacturer splits were within 0.1% of our goal, which is well within the needs of this analysis.

The next step in developing the baseline fleet was to characterize the vehicles within each manufacturer-segment combination. In large part, this was based on the characterization of the specific vehicle models sold in 2008. EPA and NHTSA chose to base our estimates of detailed vehicle characteristics on 2008 sales for several reasons. One, these vehicle characteristics are not confidential and can thus be published here for careful review and comment by interested parties. Two, being actual sales data, this vehicle fleet represents the distribution of consumer demand for utility, performance, safety, *etc.*

We gathered most of the information about the 2008 vehicle fleet from EPA's emission certification and fuel economy database. The data obtained from this source included vehicle production volume, fuel economy, engine size, number of engine cylinders, transmission type, fuel type, *etc.* EPA's certification database does not include a detailed description of the types of fuel economy-improving/CO₂-reducing technologies considered in this proposal. Thus, we augmented this description with publicly available data which includes more complete technology descriptions from Ward's Automotive Group.⁶⁸ In a few instances when required vehicle information was not available from these two sources (such as vehicle footprint), we obtained this information from publicly

accessible Internet sites such as Motortrend.com and Edmunds.com.⁶⁹

The projections of future car and truck sales described above apply to each manufacturer's sales by market segment. The EPA emissions certification sales data are available at a much finer level of detail, essentially vehicle configuration. As mentioned above, we placed each vehicle in the EPA certification database into one of the CSM market segments. We then totaled the sales by each manufacturer for each market segment. If the combination of EIA and CSM forecasts indicated an increase in a given manufacturer's sales of a particular market segment, then the sales of all the individual vehicle configurations were adjusted by the same factor. For example, if the Prius represented 30% of Toyota's sales of compact cars in 2008 and Toyota's sales of compact cars in 2016 was projected to double by 2016, then the sales of the Prius were doubled, and the Prius sales in 2016 remained 30% of Toyota's compact car sales.

NHTSA and EPA request comment on the methodology and data sources used for developing the baseline vehicle fleet for this proposal and the reasonableness of the results.

3. How Is the Development of the Baseline Fleet for This Proposal Different From NHTSA's Historical Approach, and Why Is This Approach Preferable?

NHTSA has historically based its analysis of potential new CAFE standards on detailed product plans the agency has requested from manufacturers planning to produce light vehicles for sale in the United States. Although the agency has not attempted to compel manufacturers to submit such information, most major manufacturers and some smaller manufacturers have voluntarily provided it when requested.

As in this and other prior rulemakings, NHTSA has requested extensive and detailed information regarding the models that manufacturers plan to offer, as well as manufacturers' estimates of the volume of each model they expect to produce for sale in the U.S. NHTSA's recent requests have sought information regarding a range of engineering and planning characteristics for each vehicle model (*e.g.*, fuel economy, engine, transmission, physical dimensions, weights and capacities, redesign schedules), each engine (*e.g.*, fuel type, fuel delivery, aspiration, valvetrain configuration, valve timing,

valve lift, power and torque ratings), and each transmission (*e.g.*, type, number of gears, logic).

The information that manufacturers have provided in response to these requests has varied in completeness and detail. Some manufacturers have submitted nearly all of the information NHTSA has requested, have done so for most or all of the model years covered by NHTSA's requests, and have closely followed NHTSA's guidance regarding the structure of the information. Other manufacturers have submitted partial information, information for only a few model years, and/or information in a structure less amenable to analysis. Still other manufacturers have not responded to NHTSA's requests or have responded on occasion, usually with partial information.

In recent rulemakings, NHTSA has integrated this information and estimated missing information based on a range of public and commercial sources (such as those used to develop today's market forecast). For unresponsive manufacturers, NHTSA has estimated fleet composition based on the latest-available CAFE compliance data (the same data used as part of the foundation for today's market forecast). NHTSA has then adjusted the size of the fleet based on AEO's forecast of the light vehicle market and normalized manufacturers' market shares based on the latest-available CAFE compliance data.

Compared to this approach, the market forecast the agencies have developed for this analysis has both advantages and disadvantages.

Most importantly, today's market forecast is much more transparent. The information sources used to develop today's market forecast are all either in the public domain or available commercially. Therefore, NHTSA and EPA are able to make public the market inputs actually used in the agencies' respective modeling systems, such that any reviewer may independently repeat and review the agencies' analyses. Previously, although NHTSA provided this type of information to manufacturers upon request (*e.g.*, GM requested and received outputs specific to GM), NHTSA was otherwise unable to release market inputs and the most detailed model outputs (*i.e.*, the outputs containing information regarding specific vehicle models) because doing so would violate requirements protecting manufacturers' confidential business information from disclosure.⁷⁰ Therefore, this approach provides much greater opportunity for the public to

⁶⁸ Note that WardsAuto.com is a fee-based service, but all information is public to subscribers.

⁶⁹ Motortrend.com and Edmunds.com are free, no-fee Internet sites.

⁷⁰ See 49 CFR part 512.

review every aspect of the agencies' analyses and comment accordingly.

Another significant advantage of today's market forecast is the agencies' ability to assess more fully the incremental costs and benefits of the proposed standards. In the past two years, NHTSA has requested and received three sets of future product plan submissions from the automotive companies, most recently this past spring. These submissions are intended to be the actual future product plans for the companies. In the most recent submission it is clear that many of the firms have been and are clearly planning for future CAFE standard increases for model years 2012 and later. The results for the product plans for many firms are a significant increase in their projected future application of fuel economy improvement technology. However, for the purposes of assessing the costs of the model year 2012–2016 standards the use of the product plans presents a difficulty, namely, how to assess the increased costs of the proposed future standards if the companies have already anticipated the future standards and the costs are therefore now part of the agencies' baseline. This is a real concern with the most recent product plans received from the companies, and is one of the reasons the agencies have decided not to use the recent product plans to define the baseline market data for assessing our proposed standards. The approach used for this proposal does not raise this concern, as the underlying data comes from model year 2008 production.⁷¹

In addition, by developing a baseline fleet from common sources, the agencies have been able to avoid some errors—perhaps related to interpretation of requests—that have been observed in past responses to NHTSA's requests. For example, while reviewing information submitted to support the most recent CAFE rulemaking, NHTSA staff discovered that one manufacturer had misinterpreted instructions regarding the specification of vehicle track width, leading to important errors in estimates of vehicle footprints. Although the manufacturer resubmitted the information with corrections, with this approach, the agencies are able to reduce the potential for such errors and

inconsistencies by utilizing common data sources and procedures.

An additional advantage of the approach used for this proposal is a consistent projection of the change in fuel economy and CO₂ emissions across the various vehicles from the application of new technology. In the past, company product plans would include the application of new fuel economy improvement technology for a new or improved vehicle model with the resultant estimate from the company of the fuel economy levels for the vehicle. However, companies did not always provide to NHTSA the detailed analysis which showed how they forecasted what the fuel economy performance of the new vehicle was—that is, whether it came from actual test data, from vehicle simulation modeling, from best engineering judgment or some other methodology. Thus, it was not possible for NHTSA to review the methodology used by the manufacturer, nor was it possible to review what approach the different manufacturers utilized from a consistency perspective. With the approach used for this proposal, the baseline market data comes from actual vehicles which have actual fuel economy test data—so there is no question what is the basis for the fuel economy or CO₂ performance of the baseline market data as it is actual measured data.

Another advantage of today's approach is that future market shares are based on a forecast of what will occur in the future, rather than a static value. In the past, NHTSA has utilized a constant market share for each model year, based on the most recent year available, for example from the CAFE compliance data, that is, a forecast of the 2011–2015 time frame where company market shares do not change. In the approach used today, we have utilized the forecasts from CSM of how future market shares among the companies may change over time.⁷²

The approach the agencies have taken in developing today's market forecast does, however, have some disadvantages. Most importantly, it produces a market forecast that does not represent some important changes likely to occur in the future.

Some of the changes not captured by today's approach are specific. For example, the agencies' current market forecast includes some vehicles for

which manufacturers have announced plans for elimination or drastic production cuts such as the Chevrolet Trailblazer, the Chrysler PT Cruiser, the Chrysler Pacifica, the Dodge Magnum, the Ford Crown Victoria, the Hummer H2, the Mercury Sable, the Pontiac Grand Prix, and the Pontiac G5. These vehicle models appear explicitly in market inputs to NHTSA's analysis, and are among those vehicle models included in the aggregated vehicle types appearing in market inputs to EPA's analysis.

Conversely, the agencies' market forecast does not include some forthcoming vehicle models, such as the Chevrolet Volt, the Chevrolet Camaro, the Ford Fiesta and several publicly announced electric vehicles, including the announcements from Nissan. Nor does it include several MY 2009 or 2010 vehicles, such as the Honda Insight, the Hyundai Genesis and the Toyota Venza, as our starting point for vehicle definitions was Model Year 2008. Additionally, the market forecast does not account for publicly announced technology introductions, such as Ford's EcoBoost system, whose product plans specify which vehicles and how many are planned to have this technology. Were the agencies to rely on manufacturers' product plans (that were submitted), the market forecast would account for not only these specific examples, but also for similar examples that have not yet been announced publicly.

The agencies anticipate that including vehicles after MY 2008 would not significantly impact our estimates of the technology required to comply with the proposed standards. If they were included, these vehicles could make the standards appear to cost less relative to the reference case. First, the projections of sales by vehicle segment and manufacturer include these expected new vehicle models. Thus, to the extent that these new vehicles are expected to change consumer demand, they should be reflected in our reference case. While we are projecting the characteristics of the new vehicles with MY 2008 vehicles, the primary difference between the new vehicles and 2008 vehicles in the same vehicle segment is the use of additional CO₂-reducing and fuel-saving technology. Both the NHTSA and EPA models add such technology to facilitate compliance with the proposed standards. Thus, our future projections of the vehicle fleet generally shift vehicle designs towards those of these newer vehicles. The advantage of our approach is that it helps clarify the costs of this proposal, as the cost of all fuel economy

⁷¹ However, as discussed below, an alternative approach that NHTSA is exploring would be to use only manufacturers' near-term product plans, e.g., from MY 2010 or MY 2011. NHTSA believes manufacturers' near-term plans should be less subject to this concern about missing costs and benefits already included in the baseline. NHTSA is also hopeful that in connection with the agencies' rulemaking efforts, manufacturers will be willing to make their near-term plans available to the public.

⁷² We note that market share forecasts like CSM's could, of course, be applied to any data used to create the baseline market forecast. If, as mentioned above, manufacturers do consent to make public MY 2010 or 2011 product plan data for the final rule, the agencies could consider applying market share forecast to that data as well.

improvements beyond those required by the MY 2011 CAFE standards are being assigned to the proposal. In some cases, the new vehicles being introduced by manufacturers are actually in response to their anticipation of this rulemaking. Our approach prevents some of these technological improvements and their associated cost from being assumed in the baseline. Thus, the added technology will not be considered to be free for the purposes of this rule.

We note that, as a result of these issues, the market file may show sales volumes for certain vehicles during MYs 2012–2016 even though they will be discontinued before that time frame. Although the agencies recognize that these specific vehicles will be discontinued, we continue to include them in the market forecast because they are useful for representing successor vehicles that may appear in the rulemaking time frame to replace the discontinued vehicles in that market segment.

Other market changes not captured by today's approach are broader. For example, Chrysler Group LLC has announced plans to offer small- and medium-sized cars using Fiat powertrains. The product plan submitted by Chrysler includes vehicles that appear to reflect these plans. However, none of these specific vehicle models are included in the market forecast the agencies have developed starting with MY 2008 CAFE compliance data. The product plan submitted by Chrysler is also more optimistic with regard to Chrysler's market share during MYs 2012–2016 than the market forecast projected by CSM and used by the agencies for this proposal. Similarly, the agencies' market forecast does not reflect Nissan's plans regarding electric vehicles.

Additionally, some technical information that manufacturers have provided in product plans regarding specific vehicle models is, at least insofar as NHTSA and EPA have been able to determine, not available from public or commercial sources. While such gaps do not bear significantly on the agencies' analysis, the diversity of pickup configurations necessitated utilizing a sales-weighted average footprint value⁷³ for many

⁷³ A full-size pickup might be offered with various combinations of cab style (e.g., regular, extended, crew) and box length (e.g., 5½', 6½', 8') and, therefore, multiple footprint sizes. CAFE compliance data for MY 2008 data does not contain footprint information, and does not contain information that can be used to reliably identify which pickup entries correspond to footprint values estimable from public or commercial sources. Therefore, the agencies have used the known production levels of average values to represent all

manufacturers' pickups. Since our modeling only utilizes footprint in order to estimate each manufacturer's CO₂ or fuel economy standard and all the other vehicle characteristics are available for each pickup configuration, this approximation has no practical impact on the projected technology or cost associated with compliance with the various standards evaluated. The only impact which could arise would be if the relative sales of the various pickup configurations changed, or if the agencies were to explore standards with a different shape. This would necessitate recalculating the average footprint value in order to maintain accuracy.

The agencies have carefully considered these advantages and disadvantages of using a market forecast derived from public and commercial sources rather than from manufacturers' product plans, and we believe that the advantages outweigh the disadvantages for the purpose of proposing standards for model years 2012–2016. NHTSA's inability to release confidential market inputs and corresponding detailed outputs from the CAFE model has raised serious concerns among many observers regarding the transparency of NHTSA's analysis, as well as related concerns that the lack of transparency might enable manufacturers to provide unrealistic information to try to influence NHTSA's determination of the maximum feasible standards. Although NHTSA does not agree with some observers' assertions that some manufacturers have deliberately provided inaccurate or otherwise misleading information, today's market forecast is fully open and transparent, and is therefore not subject to such concerns.

With respect to the disadvantages, the agencies are hopeful that manufacturers will, in the future, agree to make public their plans regarding model years that are very near, such as MY 2010 or perhaps MY 2011, so that this information can be considered for purposes of the final rule analysis and be available for the public. In any event, because NHTSA and EPA are releasing market inputs used in the agencies' respective analyses, manufacturers,

variants of a given pickup line (e.g., all variants of the F-150 and the Sierra/Silverado) in order to calculate the sales-weighted average footprint value for each pickup family. Again, this has no impact on the results of our modeling effort, although it would require re-estimation if we were to examine light truck standards of a different shape. In the extreme, one single footprint value could be used for every vehicle sold by a single manufacturer as long as the fuel economy standard associated with this footprint value represented the sales-weighted, harmonic average of the fuel economy standards associated with each vehicle's footprint values.

suppliers, and other automobile industry observers and participant can submit comments on how these inputs should be improved, as can all other reviewers.

4. How Does Manufacturer Product Plan Data Factor into the Baseline Used in This Proposal?

In the Spring of 2009, many manufacturers submitted product plans in response to NHTSA's request that they do so.⁷⁴ NHTSA and EPA both have access to these plans, and both agencies have reviewed them in detail. A small amount of product plan data was used in the development of the baseline. The specific pieces of data are:

- Wheelbase;
- Track Width Front;
- Track Width Rear;
- EPS (Electric Power Steering);
- ROLL (Reduced Rolling Resistance);
- LUB (Advance Lubrication *i.e.*, low weight oil);
- IACC (Improved Electrical Accessories);
- Curb Weight;
- GVWR (Gross Vehicle Weight Rating)

The track widths, wheelbase, curb weight, and GVWR could have been looked up on the Internet (159 were), but were taken from the product plans when available for convenience. To ensure accuracy, a sample from each product plan was used as a check against the numbers available from Motortrend.com. These numbers will be published in the baseline file since they can be easily looked up on the Internet. On the other hand, EPS, ROLL, LUB, and IACC are difficult to determine without using manufacturer's product plans. These items will not be published in the baseline file, but the data has been aggregated into the EPA baseline in the technology effectiveness and cost effectiveness for each vehicle in a way that allows the baseline for the model to be published without revealing the manufacturers' data.

Considering both the publicly-available baseline used in this proposal and the product plans provided recently by manufacturers, however, it is possible that the latter could potentially be used to develop a more realistic forecast of product mix and vehicle characteristics of the near-future light-duty fleet. At the core of concerns about using company product plans are two concerns about doing so: (a) Uncertainty and possible inaccuracy in manufacturers' forecasts and (b) the transparency of using product plan data. With respect to the first concern, the

⁷⁴ 74 FR 9185 (Mar. 3, 2009)

agencies note that manufacturers' near-term forecasts (*i.e.*, for model years two or three years into the future) should be less uncertain and more amenable to eventual retrospective analysis (*i.e.*, comparison to actual sales) than manufacturers' longer-term forecasts (*i.e.*, for model years more than five years into the future). With respect to the second concern, NHTSA has consulted with most manufacturers and believes that although few, if any, manufacturers would be willing to make public their longer-term plans, many responding manufacturers may be willing to make public their short-term plans. In a companion notice, NHTSA is seeking product plan information from manufacturers for MYs 2008 to 2020, and the agencies will also continue to consult with manufacturers regarding the possibility of releasing plans for MY 2010 and/or MY 2011 for purposes of developing and analyzing the final GHG and CAFE standards for MYs 2012–2016. The agencies are hopeful that manufacturers will agree to do so, and that NHTSA and EPA would therefore be able to use product plans in ways that might aid in increasing the accuracy of the baseline market forecast.

C. Development of Attribute-Based Curve Shapes

NHTSA and EPA are setting attribute-based CAFE and CO₂ standards that are defined by a mathematical function for MYs 2012–2016 passenger cars and light trucks. EPCA, as amended by EISA, expressly requires that CAFE standards for passenger cars and light trucks be based on one or more vehicle attributes related to fuel economy, and be expressed in the form of a mathematical function.⁷⁵ The CAA has no such requirement, though in past rules, EPA has relied on both universal and attribute-based standards (*e.g.*, for nonroad engines, EPA uses the attribute of horsepower). However, given the advantages of using attribute-based standards and given the goal of coordinating and harmonizing CO₂ standards promulgated under the CAA and CAFE standards promulgated under EPCA, as expressed in the joint NOI, EPA is also proposing to issue standards that are attribute-based and defined by mathematical functions.

Under an attribute-based standard, every vehicle model has a performance target (fuel economy and GHG emissions for CAFE and GHG emissions standards, respectively), the level of which depends on the vehicle's

attribute (for this proposal, footprint). The manufacturers' fleet average performance is determined by the production-weighted⁷⁶ average (for CAFE, harmonic average) of those targets. NHTSA and EPA are proposing CAFE and CO₂ emissions standards defined by constrained linear functions and, equivalently, piecewise linear functions.⁷⁷ As a possible option for future rulemakings, the constrained linear form was introduced by NHTSA in the 2007 NPRM proposing CAFE standards for MY 2011–2015. Described mathematically, the proposed constrained linear function is defined according to the following formula:⁷⁸

Where:

TARGET = the fuel economy target (in mpg) applicable to vehicles of a given footprint (*FOOTPRINT*, in square feet),
a = the function's upper limit (in mpg),
b = the function's lower limit (in mpg),
c = the slope (in gpm per square foot) of the sloped portion of the function,
d = the intercept (in gpm) of the sloped portion of the function (that is, the value the sloped portion would take if extended to a footprint of 0 square feet, and the *MIN* and *MAX* functions take the minimum and maximum, respectively, of the included values; for example, *MIN*(1,2) = 1, *MAX*(1,2) = 2, and *MIN*[*MAX*(1,2),3] = 2.

$$TARGET = \frac{1}{MIN \left[MAX \left(c \times FOOTPRINT + d, \frac{1}{a} \right), \frac{1}{b} \right]}$$

Because the format is linear on a gallons-per-mile basis, not on a miles-per-gallon basis, it is plotted as fuel

consumption below. Graphically, the

constrained linear form appears as shown in Figure II.C.1–1.

BILLING CODE 4910–59–P

⁷⁵ 49 U.S.C. 32902(a)(3)(A).

⁷⁶ Production for sale in the United States.

⁷⁷ The equations are equivalent but are specified differently due to differences in the agencies' respective models.

⁷⁸ This function is linear in fuel consumption but not in fuel economy.




Figure II.C.1-1 The Shape of the Constrained Linear Form

The specific form and stringency for each fleet (passenger cars and light trucks) and model year are defined through specific values for the four coefficients shown above.

EPA is proposing the equivalent equation below for assigning CO₂ targets

to an individual vehicle's footprint value. Although the general model of the equation is the same for each vehicle category and each year, the parameters of the equation differ for cars and trucks. Each parameter also changes on an annual basis, resulting in the yearly

increases in stringency seen in the tables above. Described mathematically, EPA's proposed piecewise linear function is as follows:

- Target = a, if $x \leq l$
- Target = $cx + d$, if $l < x \leq h$
- Target = b, if $x > h$

In the constrained linear form applied by NHTSA, this equation takes the simplified form:

$$\text{Target} = \text{MIN} [\text{MAX} (c * x + d, a), b]$$

Where:

Target = the CO₂ target value for a given footprint (in g/mi)

- a = the minimum target value (in g/mi CO₂)
- b = the maximum target value (in g/mi CO₂)
- c = the slope of the linear function (in g/mi per sq ft CO₂)
- d = is the intercept or zero-offset for the line (in g/mi CO₂)
- x = footprint of the vehicle model (in square feet, rounded to the nearest tenth)

l & h are the lower and higher footprint limits or constraints or ("kinks") or the boundary between the flat regions and the intermediate sloped line (in sq ft)

Graphically, piecewise linear form, like the constrained linear form, appears as shown in Figure II.C.1-2.




Figure II.C.1-2 The Shape of the Piecewise Linear Form

BILLING CODE 4910-59-C

As for the constrained linear form, the specific form and stringency for each fleet (passenger car and light trucks) and model year are defined through specific values for the four coefficients shown above.

For purposes of this rule, NHTSA and EPA developed the basic curve shapes using methods similar to those applied by NHTSA in fitting the curves defining the MY 2011 standards. The first step is defining the reference market inputs (in the form used by NHTSA's CAFE model) described in Section II.B of this preamble and in Chapter 1 of the joint TSD. However, because the baseline fleet is technologically heterogeneous, NHTSA used the CAFE model to develop a fleet to which nearly all the technologies discussed in Chapter 3 of the joint TSD⁷⁹ were applied, by taking the following steps: (1) Treating all manufacturers as unwilling to pay civil penalties rather than applying technology, (2) applying any technology at any time, irrespective of scheduled vehicle redesigns or freshening, and (3) ignoring "phase-in caps" that constrain the overall amount of technology that can be applied by the model to a given manufacturer's fleet. These steps helped to increase technological parity among vehicle models, thereby providing a better basis (than the baseline or reference fleets) for estimating the statistical relationship between vehicle size and fuel economy.

In fitting the curves, NHTSA also continued to apply constraints to limit the function's value for both the smallest and largest vehicles. Without a limit at the smallest footprints, the function—whether logistic or linear—can reach values that would be unfairly burdensome for a manufacturer that elects to focus on the market for small vehicles; depending on the underlying data, an unconstrained form could apply to the smallest vehicles targets that are simply unachievable. Limiting the function's value for the smallest vehicles ensures that the function remains technologically achievable at small footprints, and that it does not unduly burden manufacturers focusing on small vehicles. On the other side of the function, without a limit at the largest footprints, the function may provide no floor on required fuel economy. Also, the safety

considerations that support the provision of a disincentive for downsizing as a compliance strategy apply weakly—if at all—to the very largest vehicles. Limiting the function's value for the largest vehicles leads to a function with an inherent absolute minimum level of performance, while remaining consistent with safety considerations.

Before fitting the sloped portion of the constrained linear form, NHTSA selected footprints above and below which to apply constraints (*i.e.*, minimum and maximum values) on the function. For passenger cars, the agency noted that several manufacturers offer small and, in some cases, sporty coupes below 41 square feet, examples including the BMW Z4 and Mini, Saturn Sky, Honda Fit and S2000, Hyundai Tiburon, Mazda MX-5 Miata, Suzuki SX4, Toyota Yaris, and Volkswagen New Beetle. Because such vehicles represent a small portion (less than 10 percent) of the passenger car market, yet often have characteristics that could make it infeasible to achieve the very challenging targets that could apply in the absence of a constraint, NHTSA is proposing to "cut off" the linear portion of the passenger car function at 41 square feet. For consistency, the agency is proposing to do the same for the light truck function, although no light trucks are currently offered below 41 square feet. The agency further noted that above 56 square feet, the only passenger car model present in the MY 2008 fleet were four luxury vehicles with extremely low sales volumes—the Bentley Arnage and three versions of the Rolls Royce Phantom. NHTSA is therefore proposing to "cut off" the linear portion of the passenger car function at 56 square feet. Finally, the agency noted that although public information is limited regarding the sales volumes of the many different configurations (cab designs and bed sizes) of pickup trucks, most of the largest pickups (*e.g.*, the Ford F-150, GM Sierra/Silverado, Nissan Titan, and Toyota Tundra) appear to fall just above 66 square feet in footprint. NHTSA is therefore proposing to "cut off" the linear portion of the light truck function at 66 square feet.

NHTSA and EPA seek comment on this approach to fitting the curves. We note that final decisions on this issue will play an important role in determining the form and stringency of the final CAFE and CO₂ standards, the incentives those standards will provide (*e.g.*, with respect to downsizing small vehicles), and the relative compliance burden faced by each manufacturer.

For purposes of the CAFE and CO₂ standards proposed in this NPRM, NHTSA and EPA recognize that there is some possibility that low fuel prices during the years in which MY 2012–2016 vehicles are in service might lead to less than currently anticipated fuel savings and emissions reductions. One way to assure that emission reductions are achieved in fact is through the use of explicit backstops, fleet average standards established at an absolute level. For purposes of the CAFE program, EISA requires a backstop for domestically-manufactured passenger cars—a universal minimum, non-attribute-based standard of either "27.5 mpg or 92 percent of the average fuel economy projected by the Secretary of Transportation for the combined domestic and non-domestic passenger automobile fleets manufactured for sale in the United States by all manufacturers in the model year * * *," whichever is greater.⁸⁰ In the MY 2011 final rule, the first rule setting standards since EISA added the backstop provision to EPCA, NHTSA considered whether the statute permitted the agency to set backstop standards for the other regulated fleets of imported passenger cars and light trucks. Although commentators expressed support both for and against a more permissive reading of EISA, NHTSA concluded in that rulemaking that its authority was likely limited to setting only the backstop standard that Congress expressly provided, *i.e.*, the one for domestic passenger cars. A backstop, however, could be adopted under section 202(a) of the CAA assuming it could be justified under the relevant statutory criteria. EPA and NHTSA also note that the flattened portion of the car curve directionally addresses the issue of a backstop (*i.e.*, a flat curve is itself a backstop). The agencies seek comment on whether backstop standards, or any other method within the agencies' statutory authority, should and can be implemented in order to guarantee a level of CO₂ emissions reductions and fuel savings under the attribute-based standards.

Having developed a set of baseline data to which to fit the mathematical fuel consumption function, the initial values for parameters *c* and *d* were determined for cars and trucks separately. *c* and *d* were initially set at the values for which the average (equivalently, sum) of the absolute values of the differences was minimized between the "maximum technology" fleet fuel consumption (within the footprints between the upper and lower

⁷⁹ The agencies excluded diesel engines and strong hybrid vehicle technologies from this exercise (and only this exercise) because the agencies expect that manufacturers would not need to rely heavily on these technologies in order to comply with the proposed standards. NHTSA and EPA did include diesel engines and strong hybrid vehicle technologies in all other portions of their analyses.

⁸⁰ 49 U.S.C. 32902(b)(4).

limits) and the straight line the function defined above at the same corresponding vehicle footprints. That is, c and d were determined by minimizing the average absolute residual, commonly known as the MAD (Mean Absolute Deviation) approach, of the corresponding straight line.

Finally, NHTSA calculated the values of the upper and lower values (a and b) based on the corresponding footprints discussed above (41 and 56 square feet for passenger cars, and 41 and 66 square feet for light trucks).

The result of this methodology is shown below in Figures II.A.2-2 and II.A.2-3 for passenger cars and light

trucks, respectively. The fitted curves are shown with the underlying "maximum technology" passenger car and light truck fleets. For passenger cars, the mean absolute deviation of the sloped portion of the function was 14 percent. For trucks, the corresponding MAD was 10 percent.

BILLING CODE 4910-59-P




Figure II.C.1-3 "Maximum Technology" Passenger Fleet with Fitted Constrained Linear Function




Figure II.C.1-4 "Maximum Technology" Light Truck with Fitted Constrained Linear Function

The agencies used these functional forms as a starting point to develop mathematical functions defining the actual proposed standards as discussed above. The agencies then transposed these functions vertically (*i.e.*, on a gpm or CO₂ basis, uniformly downward) to

produce the relative car and light truck standards described in the next section.

D. Relative Car-Truck Stringency

The agencies have determined, under their respective statutory authorities, that it is appropriate to propose fleetwide standards with the projected levels of stringency of 34.1 mpg or 250

g/mi (as well as the corresponding intermediate year fleetwide standards) for NHTSA and EPA respectively. To determine the relative stringency of passenger car and light truck standards, the agencies are concerned that increasing the difference between the car and truck standards (either by

raising the car standards or lowering the truck standards) could encourage manufacturers to build fewer cars and more trucks, likely to the detriment of fuel economy and CO₂ reductions.⁸¹ In order to maintain consistent car/truck standards, the agencies applied a constant ratio between the estimated average required performance under the passenger car and light truck standards, in order to maintain a stable set of

⁸¹ For example, since many 2WD SUVs are classified as passenger cars, manufacturers have already warned that high car standards relative to truck standards could create an incentive for them to drop the 2WD version and sell only the 4WD version.

incentives regarding vehicle classification.

To calculate relative car-truck stringency in this proposal, the agencies explored a number of possible alternatives. In the interest of harmonization, the agencies agree to use the Volpe model in order to estimate stringencies at which net benefits would be maximized. Further details of the development of this scenario approach can be found in Section IV of this preamble as well as in NHTSA's PRIA and DEIS. NHTSA examined passenger car and light truck standards that would produce the proposed combined average fuel economy levels from Table I.B.2-2 above. NHTSA did so by shifting downward the curves that maximize net

benefits, holding the relative stringency of passenger car and light truck standards constant at the level determined by maximizing net benefits, such that the average fuel economy required of passenger cars remains 34 percent higher than the average fuel economy required of light trucks. This methodology resulted in the average fuel economy levels for passenger cars and light trucks during MYs 2012-2016 as shown in Table I.D.2-1. The following chart illustrates this methodology of shifting the standards from the levels maximizing net benefits to the levels consistent with the combined fuel economy standards in this rule.




Figure II.D.1-1 Shifting the Standards from the Maximizing Net Benefit Levels to the Levels Consistent with the Combined Fuel Economy Standards in this Rule

After this analysis was completed, EPA examined two alternative approaches to determine whether they would lead to significantly different outcomes. First, EPA analyzed the relative stringencies using a 10-year payback analysis (with the OMEGA

model). This analysis sets the relative stringencies if increased technology cost is to be paid back out of fuel savings over a 10-year period (assuming a 3% discount rate). Second, EPA also conducted a technology maximized analysis, which sets the relative

stringencies if all technologies (with the exception of strong hybrids and diesels) are assumed to be utilized in the fleet. (This is the same methodology that was used to determine the curve shape as explained in the section above and in Chapter 2 of the joint TSD section).

Compared to NHTSA's approach based on stringencies estimated to maximize net benefits, EPA staff found that these two other approaches produced very similar results to NHTSA's, *i.e.*, similar ratios of car-truck relative stringency (the ratio being within a range of 1.34 to 1.37 relative stringency of the car to

the truck fuel economy standard). EPA believes that this similarity supports the proposed relative stringency of the two standards.

The car and truck standards for EPA (Table I.D. 2-4 above) were subsequently determined by first converting the average required fuel

economy levels to average required CO₂ emission rates, and then applying the expected air conditioning credits for 2012-2016. These A/C credits are shown in the following table. Further details of the derivation of these factors can be found in Section III of this preamble or in the EPA RIA.

TABLE II.D.1-1 EXPECTED FLEET A/C CREDITS (IN CO₂ EQUIVALENT G/MI) FROM 2012-2016

	Average technology penetration (percent)	Average credit for cars	Average credit for trucks	Average credit for combined fleet
2012	25	3.0	3.4	3.1
2013	40	4.8	5.4	5.0
2014	55	7.2	8.1	7.5
2015	75	9.6	10.8	10.0
2016	85	10.2	11.5	10.6

The agencies seek comment on the use of this methodology for apportioning the fleet stringencies to relative car and truck standards for 2012-2016.

E. Joint Vehicle Technology Assumptions

Vehicle technology assumptions, *i.e.*, assumptions about their cost, effectiveness, and the rate at which they can be incorporated into new vehicles, are often very controversial as they have a significant impact on the levels of the standards. Agencies must, therefore, take great care in developing and justifying these assumptions. In developing technology inputs for MY 2012-2016 standards, the agencies reviewed the technology assumptions that NHTSA used in setting the MY 2011 standards and the comments that NHTSA received in response to its May 2008 Notice of Proposed Rulemaking. This review is consistent with the request by President Obama in his January 26 memorandum to DOT. In addition, the agencies reviewed the technology input estimates identified in EPA's July 2008 Advanced Notice of Proposed Rulemaking. The review of these documents was supplemented with updated information from more current literature, new product plans and from EPA certification testing.

As a general matter, the best way to derive technology cost estimates is to conduct real-world tear down studies. These studies break down each technology into its respective components, evaluate the costs of each component, and build up the costs of the entire technology based on the contribution of each component. As such, tear down studies require a significant amount of time and are very costly. EPA has begun conducting tear

down studies to assess the costs of 4-5 technologies under a contract with FEV. To date, only two technologies (stoichiometric gasoline direct injection and turbo charging with engine downsizing for a 4 cylinder engine to a 4 cylinder engine) have been evaluated. The agencies relied on the findings of FEV for estimating the cost of these technologies in this rulemaking—directly for the 4 cylinder engines, and extrapolated for the 6 and 8 cylinder engines. The agencies request comment on the use of these estimated costs from the FEV study. For the other technologies, because tear down studies were not yet available, the agencies decided to pursue, to the extent possible, the Bill of Materials (BOM) approach as outlined in NHTSA's MY 2011 final rule. A similar approach was used by EPA in the EPA 2008 Staff Technical Report. This approach was recommended to NHTSA by Ricardo, an international engineering consulting firm retained by NHTSA to aid in the analysis of public comments on its proposed standards for MYs 2011-2015 because of its expertise in the area of fuel economy technologies. A BOM approach is one element of the process used in tear down studies. The difference is that under a BOM approach, the build up of cost estimates is conducted based on a review of cost and effectiveness estimates for each component from available literature, while under a tear down study, the cost estimates which go into the BOM come from the tear down study itself. To the extent that the agencies departed from the MY 2011 CAFE final rule estimates, the agencies explained the reasons and provided supporting analyses. As tear down studies are concluded by FEV during the rulemaking process, the

agencies will make them available in the joint rulemaking docket of this rulemaking. The agencies will consider these studies and any comments received on them, as practicable and appropriate, as well as any other new information pertinent to the rulemaking of which the agencies become aware, in developing technology cost assumptions for the final rule.

Similarly, the agencies followed a BOM approach for developing its effectiveness estimates, insofar as the BOM developed for the cost estimates helped to inform the appropriate effectiveness values derived from the literature review. The agencies supplemented the information with results from available simulation work and real world EPA certification testing. The agencies would also like to note that per the Energy Independence and Security Act (EISA), the National Academies of Sciences is conducting an updated study to update Chapter 3 of the 2002 NAS Report, which outlines technology estimates. The update will take a fresh look at that list of technologies and their associated cost and effectiveness values.

The report is expected to be available on September 30, 2009. As soon as the update to the NAS Report is received, it will be placed in the joint rulemaking docket for the public's review and comment. Because this will occur during the comment period, the public is encouraged to check the docket regularly and provide comments on the updated NAS Report by the closing of the comment period of this notice. NHTSA and EPA will consider the updated NAS Report and any comments received, as practicable and appropriate, on it when considering revisions to the technology cost and effectiveness estimates for the final rule.

Consideration of this report is consistent with the request by President Obama in his January 26 memorandum to DOT.

1. What Technologies Do the Agencies Consider?

The agencies considered over 35 vehicle technologies that manufacturers could use to improve the fuel economy and reduce CO₂ emissions of their vehicles during MYs 2012–2016. The majority of the technologies described in this section are readily available, well known, and could be incorporated into vehicles once production decisions are made. Other technologies considered may not currently be in production, but are beyond the research phase and under development, and are expected to be in production in the next few years. These are technologies which can, for the most part, be applied both to cars and trucks, and which are capable of achieving significant improvements in fuel economy and reductions in CO₂ emissions, at reasonable costs. The agencies did not consider technologies in the research stage because the leadtime available for this rule is not sufficient to move such technologies from research to production.

The technologies considered in the agencies' analysis are briefly described below. They fall into five broad categories: engine technologies, transmission technologies, vehicle technologies, electrification/accessory technologies, and hybrid technologies. For a more detailed description of each technology and their costs and effectiveness, we refer the reader to Chapter 3 of the joint TSD, Chapter III of NHTSA's PRIA, and Chapter 1 of EPA's DRIA. Technologies to reduce CO₂ and HFC emissions from air conditioning systems are discussed in Section III of this preamble and in EPA's DRIA.

Types of engine technologies that improve fuel economy and reduce CO₂ emissions include the following:

- *Low-friction lubricants*—low viscosity and advanced low friction lubricants oils are now available with improved performance and better lubrication. If manufacturers choose to make use of these lubricants, they would need to make engine changes and possibly conduct durability testing to accommodate the low-friction lubricants.
- *Reduction of engine friction losses*—can be achieved through low-tension piston rings, roller cam followers, improved material coatings, more optimal thermal management, piston surface treatments, and other improvements in the design of engine

components and subsystems that improve engine operation.

- *Conversion to dual overhead cam with dual cam phasing*—as applied to overhead valves designed to increase the air flow with more than two valves per cylinder and reduce pumping losses.
- *Cylinder deactivation*—deactivates the intake and exhaust valves and prevents fuel injection into some cylinders during light-load operation. The engine runs temporarily as though it were a smaller engine which substantially reduces pumping losses.
- *Variable valve timing*—alters the timing of the intake valve, exhaust valve, or both, primarily to reduce pumping losses, increase specific power, and control residual gases.
- *Discrete variable valve lift*—increases efficiency by optimizing air flow over a broader range of engine operation which reduces pumping losses. Accomplished by controlled switching between two or more cam profile lobe heights.
- *Continuous variable valve lift*—is an electromechanically controlled system in which valve timing is changed as lift height is controlled. This yields a wide range of performance optimization and volumetric efficiency, including enabling the engine to be valve throttled.
- *Stoichiometric gasoline direct-injection technology*—injects fuel at high pressure directly into the combustion chamber to improve cooling of the air/fuel charge within the cylinder, which allows for higher compression ratios and increased thermodynamic efficiency.
- *Combustion restart*—can be used in conjunction with gasoline direct-injection systems to enable idle-off or start-stop functionality. Similar to other start-stop technologies, additional enablers, such as electric power steering, accessory drive components, and auxiliary oil pump, might be required.
- *Turbocharging and downsizing*—increases the available airflow and specific power level, allowing a reduced engine size while maintaining performance. This reduces pumping losses at lighter loads in comparison to a larger engine.
- *Exhaust-gas recirculation boost*—increases the exhaust-gas recirculation used in the combustion process to increase thermal efficiency and reduce pumping losses.
- *Diesel engines*—have several characteristics that give superior fuel efficiency, including reduced pumping losses due to lack of (or greatly reduced) throttling, and a combustion cycle that

operates at a higher compression ratio, with a very lean air/fuel mixture, relative to an equivalent-performance gasoline engine. This technology requires additional enablers, such as NO_x trap catalyst after-treatment or selective catalytic reduction NO_x after-treatment. The cost and effectiveness estimates for the diesel engine and aftertreatment system utilized in this proposal have been revised from the NHTSA MY 2011 CAFE final rule, and the agencies request comment on these diesel cost estimates.

Types of transmission technologies considered include:

- *Improved automatic transmission controls*—optimizes shift schedule to maximize fuel efficiency under wide ranging conditions, and minimizes losses associated with torque converter slip through lock-up or modulation.
 - *Six-, seven-, and eight-speed automatic transmissions*—the gear ratio spacing and transmission ratio are optimized for a broader range of engine operating conditions.
 - *Dual clutch or automated shift manual transmissions*—are similar to manual transmissions, but the vehicle controls shifting and launch functions. A dual-clutch automated shift manual transmission uses separate clutches for even-numbered and odd-numbered gears, so the next expected gear is pre-selected, which allows for faster and smoother shifting.
 - *Continuously variable transmission*—commonly uses V-shaped pulleys connected by a metal belt rather than gears to provide ratios for operation. Unlike manual and automatic transmissions with fixed transmission ratios, continuously variable transmissions can provide fully variable transmission ratios with an infinite number of gears, enabling finer optimization of transmission torque multiplication under different operating conditions so that the engine can operate at higher efficiency.
 - *Manual 6-speed transmission*—offers an additional gear ratio, often with a higher overdrive gear ratio, than a 5-speed manual transmission.
- Types of vehicle technologies considered include:*
- *Low-rolling-resistance tires*—have characteristics that reduce frictional losses associated with the energy dissipated in the deformation of the tires under load, therefore improving fuel economy and reducing CO₂ emissions.
 - *Low-drag brakes*—reduce the sliding friction of disc brake pads on rotors when the brakes are not engaged because the brake pads are pulled away from the rotors.

• *Front or secondary axle disconnect for four-wheel drive systems*—provides a torque distribution disconnect between front and rear axles when torque is not required for the non-driving axle. This results in the reduction of associated parasitic energy losses.

• *Aerodynamic drag reduction*—is achieved by changing vehicle shape or reducing frontal area, including skirts, air dams, underbody covers, and more aerodynamic side view mirrors.

• *Mass reduction and material substitution*—Mass reduction encompasses a variety of techniques ranging from improved design and better component integration to application of lighter and higher-strength materials. Mass reduction is further compounded by reductions in engine power and ancillary systems (transmission, steering, brakes, suspension, etc.). The agencies recognize there is a range of diversity and complexity for mass reduction and material substitution technologies and there are many techniques that automotive suppliers and manufacturers are using to achieve the levels of this technology that the agencies have modeled in our analysis for this proposal. The agencies seek comments on the methods, costs, and effectiveness estimates associated with mass reduction and material substitution techniques that manufacturers intend to employ for reducing fuel consumption and CO₂ emissions during the rulemaking time frame.

Types of electrification/accessory and hybrid technologies considered include:

• *Electric power steering (EPS)*—is an electrically-assisted steering system that has advantages over traditional hydraulic power steering because it replaces a continuously operated hydraulic pump, thereby reducing parasitic losses from the accessory drive.

• *Improved accessories (IACC)*—may include high efficiency alternators, electrically driven (i.e., on-demand) water pumps and cooling fans. This excludes other electrical accessories such as electric oil pumps and electrically driven air conditioner compressors.

• *Air Conditioner Systems*—These technologies include improved hoses, connectors and seals for leakage control. They also include improved compressors, expansion valves, heat exchangers and the control of these components for the purposes of improving tailpipe CO₂ emissions as a result of A/C use. These technologies are covered separately in the EPA RIA.

• *12-volt micro-hybrid (MHEV)*—also known as idle-stop or start stop and commonly implemented as a 12-volt belt-driven integrated starter-generator, this is the most basic hybrid system that facilitates idle-stop capability. Along with other enablers, this system replaces a common alternator with a belt-driven enhanced power starter-alternator, and a revised accessory drive system.

• *Higher Voltage Stop-Start/Belt Integrated Starter Generator (BISG)*—provides idle-stop capability and uses a high voltage battery with increased energy capacity over typical automotive batteries. The higher system voltage allows the use of a smaller, more powerful electric motor. This system replaces a standard alternator with an enhanced power, higher voltage, higher efficiency starter-alternator, that is belt driven and that can recover braking energy while the vehicle slows down (regenerative braking).

• *Integrated Motor Assist (IMA)/Crank integrated starter generator (CISG)*—provides idle-stop capability and uses a high voltage battery with increased energy capacity over typical automotive batteries. The higher system voltage allows the use of a smaller, more powerful electric motor and reduces the weight of the wiring harness. This system replaces a standard alternator with an enhanced power, higher voltage, higher efficiency starter-alternator that is crankshaft mounted and can recover braking energy while the vehicle slows down (regenerative braking).

• *2-mode hybrid (2MHEV)*—is a hybrid electric drive system that uses an adaptation of a conventional stepped-ratio automatic transmission by replacing some of the transmission clutches with two electric motors that control the ratio of engine speed to vehicle speed, while clutches allow the motors to be bypassed. This improves both the transmission torque capacity for heavy-duty applications and reduces fuel consumption and CO₂ emissions at highway speeds relative to other types of hybrid electric drive systems.

• *Power-split hybrid (PSHEV)*—a hybrid electric drive system that replaces the traditional transmission with a single planetary gearset and a motor/generator. This motor/generator uses the engine to either charge the battery or supply additional power to the drive motor. A second, more powerful motor/generator is permanently connected to the vehicle's final drive and always turns with the wheels. The planetary gear splits engine power between the first motor/generator and the drive motor to either charge the battery or supply power to the wheels.

• *Plug-in hybrid electric vehicles (PHEV)*—are hybrid electric vehicles with the means to charge their battery packs from an outside source of electricity (usually the electric grid). These vehicles have larger battery packs with more energy storage and a greater capability to be discharged. They also use a control system that allows the battery pack to be substantially depleted under electric-only or blended mechanical/electric operation.

• *Electric vehicles (EV)*—are vehicles with all-electric drive and with vehicle systems powered by energy-optimized batteries charged primarily from grid electricity.

The cost estimates for the various hybrid systems have been revised from the estimates used in the MY 2011 CAFE final rule, in particular with respect to estimated battery costs. The agencies request comment on the hybrid cost estimates detailed in the draft Joint Technical Support Document.

2. How Did the Agencies Determine the Costs and Effectiveness of Each of These Technologies?

Building on NHTSA's estimates developed for the MY 2011 CAFE final rule and EPA's Advanced Notice of Proposed Rulemaking, which relied on the 2008 Staff Technical Report,⁸² the agencies took a fresh look at technology cost and effectiveness values for purposes of the joint proposal under the National Program. For costs, the agencies reconsidered both the direct or "piece" costs and indirect costs of individual components of technologies. For the direct costs, the agencies followed a bill of materials (BOM) approach employed by NHTSA in NHTSA's MY 2011 final rule based on recommendation from Ricardo, Inc. EPA used a similar approach in the 2008 EPA Staff Technical Report. A bill of materials, in a general sense, is a list of components or sub-systems that make up a system—in this case, an item of fuel economy-improving technology. In order to determine what a system costs, one of the first steps is to determine its components and what they cost.

NHTSA and EPA estimated these components and their costs based on a number of sources for cost-related information. The objective was to use those sources of information considered to be most credible for projecting the costs of individual vehicle technologies. For example, while NHTSA and Ricardo engineers had relied considerably in the

⁸² EPA Staff Technical Report: Cost and Effectiveness Estimates of Technologies Used to Reduce Light-Duty Vehicle Carbon Dioxide Emissions. EPA420-R-08-008, March 2008.

MY 2011 final rule on the 2008 Martec Report for costing contents of some technologies, upon further joint review and for purposes of the MY 2012–2016 standards, the agencies decided that some of the costing information in that report was no longer accurate due to downward trends in commodity prices since the publication of that report. The agencies reviewed, then revalidated or updated cost estimates for individual components based on new information. Thus, while NHTSA and EPA found that much of the cost information used in NHTSA's MY 2011 final rule and EPA's staff report was consistent to a great extent, the agencies, in reconsidering information from many sources,^{83,84,85,86,87,88,89} revised several component costs of several major technologies: turbocharging with engine downsizing, mild and strong hybrids, diesels, stoichiometric gasoline direct injection fuel systems, and valve train lift technologies. These are discussed at length in the joint TSD and in NHTSA's PRIA.

For two technologies (stoichiometric gasoline direct injection and turbocharging with engine downsizing), the agencies relied, to the extent possible, on the tear down data available and scaling methodologies used in EPA's ongoing study with FEV. This study consists of complete system tear-down to evaluate technologies down to the nuts and bolts to arrive at very detailed estimates of the costs associated with manufacturing them.⁹⁰

⁸³ National Research Council, "Effectiveness and Impact of Corporate Average Fuel Economy (CAFE) Standards," National Academy Press, Washington, DC (2002) (the "2002 NAS Report"), available at <http://www.nap.edu/openbook.php?isbn=0309076013> (last accessed August 7, 2009).

⁸⁴ Northeast States Center for a Clean Air Future (NESCCAF), "Reducing Greenhouse Gas Emissions from Light-Duty Motor Vehicles," 2004 (the "2004 NESCCAF Report"), available at <http://www.nesccaf.org/documents/rpt040923ghlightduty.pdf> (last accessed August 7, 2009).

⁸⁵ Staff Report: Initial Statement of Reasons for Proposed Rulemaking, Public Hearing to Consider Adoption of Regulations to Control Greenhouse Gas Emissions from Motor Vehicles," California Environmental Protection Agency, Air Resources Board, August 6, 2004.

⁸⁶ Energy and Environmental Analysis, Inc., "Technology to Improve the Fuel Economy of Light Duty Trucks to 2015," 2006 (the "2006 EEA Report"), Docket EPA-HQ-OAR-2009-0472.

⁸⁷ Martec, "Variable Costs of Fuel Economy Technologies," June 1, 2008, (the "2008 Martec Report") available at Docket No. NHTSA-2008-0089-0169.1

⁸⁸ Vehicle fuel economy certification data.

⁸⁹ Confidential data submitted by manufacturers in response to the March 2009 and other requests for product plans.

⁹⁰ U.S. Environmental Protection Agency, "Draft Report—Light-Duty Technology Cost Analysis Pilot Study," Contract No. EP-C-07-069, Work Assignment 1-3, September 3, 2009.

The confidential information provided by manufacturers as part of their product plan submissions to the agencies or discussed in meetings between the agencies and the manufacturers and suppliers served largely as a check on publicly-available data.

For the other technologies, considering all sources of information and using the BOM approach, the agencies worked together intensively during the summer of 2009 to determine component costs for each of the technologies and build up the costs accordingly. Where estimates differ between sources, we have used engineering judgment to arrive at what we believe to be the best cost estimate available today, and explained the basis for that exercise of judgment.

Once costs were determined, they were adjusted to ensure that they were all expressed in 2007 dollars using a ratio of GDP values for the associated calendar years,⁹¹ and indirect costs were accounted for using the new approach developed by EPA and explained in Chapter 3 of the draft joint TSD, rather than using the traditional Retail Price Equivalent (RPE) multiplier approach. A report explaining how EPA developed this approach can be found in the docket for this notice. NHTSA and EPA also reconsidered how costs should be adjusted by modifying or scaling content assumptions to account for differences across the range of vehicle sizes and functional requirements, and adjusted the associated material cost impacts to account for the revised content, although some of these adjustments may be different for each agency due to the different vehicle subclasses used in their respective models. In previous rulemakings, NHTSA has used the Producer Price Index (PPI) to adjust vehicle technology costs to consistent price levels, since the PPI measures the effects of cost changes that are specific to the vehicle manufacturing industry. For purposes of this NPRM, NHTSA and EPA chose to use the GDP deflator, which accounts for the effect of economy-wide price inflation on technology cost estimates, in order to express those estimates in comparable terms with forecasts of fuel prices and other economic values used in the analysis of costs and benefits from the proposed standards. Because it is specific to the automotive sector, the PPI tends to be highly volatile from year to year, reflecting rapidly changing

balances between supply and demand for specific components, rather than longer-term trends in the real cost of producing a broad range of powertrain components. NHTSA and EPA seek comment on whether the agencies should use a GDP deflator or a PPI inflator for purposes of developing technology cost estimates for the final rule.

Regarding estimates for technology effectiveness, NHTSA and EPA also reexamined the estimates from NHTSA's MY 2011 final rule and EPA's ANPRM and 2008 Staff Technical Report, which were largely consistent with NHTSA's 2008 NPRM estimates. The agencies also reconsidered other sources such as the 2002 NAS Report, the 2004 NESCCAF report, recent CAFE compliance data (by comparing similar vehicles with different technologies against each other in fuel economy testing, such as a Honda Civic Hybrid versus a directly comparable Honda Civic conventional drive), and confidential manufacturer estimates of technology effectiveness. NHTSA and EPA engineers reviewed effectiveness information from the multiple sources for each technology and ensured that such effectiveness estimates were based on technology hardware consistent with the BOM components used to estimate costs. Together, they compared the multiple estimates and assessed their validity, taking care to ensure that common BOM definitions and other vehicle attributes such as performance, refinement, and drivability were taken into account. However, because the agencies' respective models employ different numbers of vehicle subclasses and use different modeling techniques to arrive at the standards, direct comparison of BOMs was somewhat more complicated. To address this and to confirm that the outputs from the different modeling techniques produced the same result, NHTSA and EPA developed mapping techniques, devising technology packages and mapping them to corresponding incremental technology estimates. This approach helped compare the outputs from the incremental modeling technique to those produced by the technology packaging approach to ensure results that are consistent and could be translated into the respective models of the agencies.

In general, most effectiveness estimates used in both the MY 2011 final rule and the 2008 EPA staff report were determined to be accurate and were carried forward without significant change into this proposal. When NHTSA and EPA's estimates for effectiveness diverged slightly due to

⁹¹ NHTSA examined the use of the CPI multiplier instead of GDP for adjusting these dollar values, but found the difference to be exceedingly small—only \$0.14 over \$100.

differences in how agencies apply technologies to vehicles in their respective models, we report the ranges for the effectiveness values used in each model. While the agencies believe that the ideal estimates for the final rule would be based on tear down studies or BOM approach and subjected to a transparent peer-reviewed process, NHTSA and EPA are confident that the thorough review conducted, led to the best available conclusion regarding technology costs and effectiveness estimates for the current rulemaking and resulted in excellent consistency between the agencies' respective analyses for developing the CAFE and CO₂ standards.

The agencies note that the effectiveness values estimated for the technologies considered in the modeling analyses may represent average values, and do not reflect the potentially-limitless spectrum of possible values that could result from adding the technology to different vehicles. For example, while the agencies have estimated an effectiveness of 0.5 percent for low friction lubricants, each vehicle could have a unique effectiveness estimate depending on the baseline vehicle's oil viscosity rating. Similarly, the reduction in rolling resistance (and thus the improvement in fuel economy and the reduction in CO₂ emissions) due to the application of low rolling resistance tires depends not only on the unique characteristics of the tires originally on the vehicle, but on the unique characteristics of the tires being applied, characteristics which must be balanced between fuel efficiency, safety, and performance. Aerodynamic drag reduction is much the same—it can improve fuel economy and reduce CO₂ emissions, but it is also highly dependent on vehicle-specific functional objectives. For purposes of this NPRM, NHTSA and EPA believe that employing average values for technology effectiveness estimates, as adjusted depending on vehicle subclass, is an appropriate way of recognizing the potential variation in the specific benefits that individual manufacturers (and individual vehicles) might obtain from adding a fuel-saving technology. However, the agencies seek comment on whether additional levels of specificity beyond that already provided would improve the analysis for the final rule, and if so, how those levels of specificity should be analyzed.

Chapter 3 of the draft Joint Technical Support Document contains a detailed description of our assessment of vehicle technology cost and effectiveness estimates. The agencies note that the technology costs included in this NPRM

take into account only those associated with the initial build of the vehicle. The agencies seek comment on the additional lifetime costs, if any, associated with the implementation of advanced technologies including warranty costs, and maintenance and replacement costs such as replacement costs for low rolling resistance tires, low friction lubricants, and hybrid batteries, and maintenance on diesel aftertreatment components.

F. Joint Economic Assumptions

The agencies' preliminary analysis of alternative CAFE and GHG standards for the model years covered by this proposed rulemaking rely on a range of forecast information, economic estimates, and input parameters. This section briefly describes the agencies' preliminary choices of specific parameter values. These proposed economic values play a significant role in determining the benefits of both CAFE and GHG standards.

In reviewing these variables and the agency's estimates of their values for purposes of this NPRM, NHTSA and EPA reconsidered previous comments that NHTSA had received and reviewed newly available literature. As a consequence, the agencies elected to revise some economic assumptions and parameter estimates, while retaining others. Some of the most important changes, which are discussed in greater detail in the agencies' respective sections below, as well as in Chapter 4 of the joint TSD and in Chapter VIII of NHTSA's PRIA and Chapter 8 of EPA's DRIA, include significant revisions to the markup factors for technology costs; reducing the rebound effect from 15 to 10 percent; and revising the value of reducing CO₂ emissions based on recent interagency efforts to develop estimates of this value for government-wide use. The agencies seek comment on the economic assumptions described below.

- *Costs of fuel economy-improving technologies*—These estimates are presented in summary form above and in more detail in the agencies' respective sections of this preamble, in Chapter 3 of the joint TSD, and in the agencies' respective RIAs. The technology cost estimates used in this analysis are intended to represent manufacturers' direct costs for high-volume production of vehicles with these technologies and sufficient experience with their application so that all cost reductions due to "learning curve" effects have been fully realized. Costs are then modified by applying near-term indirect cost multipliers ranging from 1.11 to 1.64 to the estimates of vehicle manufacturers'

direct costs for producing or acquiring each technology to improve fuel economy, depending on the complexity of the technology and the time frame over which costs are estimated.

- *Potential opportunity costs of improved fuel economy*—This estimate addresses the possibility that achieving the fuel economy improvements required by alternative CAFE or GHG standards would require manufacturers to compromise the performance, carrying capacity, safety, or comfort of their vehicle models. If it did so, the resulting sacrifice in the value of these attributes to consumers would represent an additional cost of achieving the required improvements, and thus of manufacturers' compliance with stricter standards. Currently the agencies assume that these vehicle attributes do not change, and include the cost of maintaining these attributes as part of the cost estimates for technologies. However, it is possible that the technology cost estimates do not include adequate allowance for the necessary efforts by manufacturers to maintain vehicle performance, carrying capacity, and utility while improving fuel economy and reducing GHG emissions. While, in principle, consumer vehicle demand models can measure these effects, these models do not appear to be robust across specifications, since authors derive a wide range of willingness-to-pay values for fuel economy from these models, and there is not clear guidance from the literature on whether one specification is clearly preferred over another. Thus, the agencies seek comment on how to estimate explicitly the changes in vehicle buyers' welfare from the combination of higher prices for new vehicle models, increases in their fuel economy, and any accompanying changes in vehicle attributes such as performance, passenger- and cargo-carrying capacity, or other dimensions of utility.

- *The on-road fuel economy "gap"*—Actual fuel economy levels achieved by light-duty vehicles in on-road driving fall somewhat short of their levels measured under the laboratory-like test conditions used by NHTSA and EPA to establish compliance with the proposed CAFE and GHG standards. The agencies use an on-road fuel economy gap for light-duty vehicles of 20 percent lower than published fuel economy levels. For example, if the measured CAFE fuel economy value of a light truck is 20 mpg, the on-road fuel economy actually achieved by a typical driver of that vehicle is expected to be 16 mpg

(20* 80).⁹² NHTSA previously used this estimate in its MY 2011 final rule, and the agencies confirmed it based on independent analysis for use in this NPRM.

• *Fuel prices and the value of saving fuel*—Projected future fuel prices are a critical input into the preliminary economic analysis of alternative standards, because they determine the value of fuel savings both to new vehicle buyers and to society. The agencies relied on the most recent fuel price projections from the U.S. Energy Information Administration's (EIA) Annual Energy Outlook (AEO) for this analysis. Specifically, the agencies used the AEO 2009 (April 2009 release) Reference Case forecasts of inflation-adjusted (constant-dollar) retail gasoline and diesel fuel prices, which represent the EIA's most up-to-date estimate of the most likely course of future prices for petroleum products.⁹³

EIA's Updated Reference Case reflects the effects of the American Reinvestment and Recovery Act of 2009, as well as the most recent revisions to the U.S. and global economic outlook. In addition, it also reflects the provisions of the Energy Independence and Security Act of 2007 (EISA), including the requirement that the combined mpg level of U.S. cars and light trucks reach 35 miles per gallon by model year 2020. Because this provision would be expected to reduce future U.S. demand for gasoline and other fuels, there is some concern about whether the AEO 2009 forecast of fuel prices already partly reflects the increases in CAFE standards considered in this rule, and thus whether it is suitable for valuing the projected reductions in fuel use. In response to this concern, the agencies note that EIA issued a revised version of AEO 2008 in June 2008, which modified its previous December 2007 Early Release of AEO 2008 to reflect the effects of the recently-passed EISA legislation.⁹⁴ The fuel price forecasts reported in EIA's Revised Release of AEO 2008 differed by less than one cent per gallon over the entire forecast period (2008–230) from those previously issued

as part of its initial release of AEO 2008. Thus, the agencies are reasonably confident that the fuel price forecasts presented in AEO 2009 and used to analyze the value of fuel savings projected to result from this rule are not unduly affected by the CAFE provisions of EISA, and therefore do not cause a baseline problem. Nevertheless, the agencies request comment on the use of the AEO 2009 fuel price forecasts, and particularly on the potential impact of the EISA-mandated CAFE improvements on these projections.

• *Consumer valuation of fuel economy and payback period*—In estimating the value of fuel economy improvements that would result from alternative CAFE and GHG standards to potential vehicle buyers, the agencies assume that buyers value the resulting fuel savings over only part of the expected lifetime of the vehicles they purchase. Specifically, we assume that buyers value fuel savings over the first five years of a new vehicle's lifetime, and that buyers discount the value of these future fuel savings using rates of 3% and 7%. The five-year figure represents the current average term of consumer loans to finance the purchase of new vehicles.

• *Vehicle sales assumptions*—The first step in estimating lifetime fuel consumption by vehicles produced during a model year is to calculate the number that are expected to be produced and sold.⁹⁵ The agencies relied on the AEO 2009 Reference Case for forecasts of total vehicle sales, while the baseline market forecast developed by the agencies (see Section II.B) divided total projected sales into sales of cars and light trucks.

• *Vehicle survival assumptions*—We then applied updated values of age-specific survival rates for cars and light trucks to these adjusted forecasts of passenger car and light truck sales to determine the number of these vehicles remaining in use during each year of their expected lifetimes.

⁹⁵ Vehicles are defined to be of age 1 during the calendar year corresponding to the model year in which they are produced; thus for example, model year 2000 vehicles are considered to be of age 1 during calendar year 2000, age 2 during calendar year 2001, and to reach their maximum age of 26 years during calendar year 2025. NHTSA considers the maximum lifetime of vehicles to be the age after which less than 2 percent of the vehicles originally produced during a model year remain in service. Applying these conventions to vehicle registration data indicates that passenger cars have a maximum age of 26 years, while light trucks have a maximum lifetime of 36 years. See Lu, S., NHTSA, Regulatory Analysis and Evaluation Division, "Vehicle Survivability and Travel Mileage Schedules," DOT HS 809 952, 8–11 (January 2006). Available at <http://www.nrd.nhtsa.dot.gov/Pubs/809952.pdf> (last accessed July 27, 2009).

• *Total vehicle use*—We then calculated the total number of miles that cars and light trucks produced in each model year will be driven during each year of their lifetimes using estimates of annual vehicle use by age tabulated from the Federal Highway Administration's 2001 National Household Transportation Survey (NHTS),⁹⁶ adjusted to account for the effect on vehicle use of subsequent increases in fuel prices. In order to insure that the resulting mileage schedules imply reasonable estimates of future growth in total car and light truck use, we calculated the rate of growth in annual car and light truck mileage at each age that is necessary for total car and light truck travel to increase at the rates forecast in the AEO 2009 Reference Case. The growth rate in average annual car and light truck use produced by this calculation is approximately 1.1 percent per year.⁹⁷ This rate was applied to the mileage figures derived from the 2001 NHTS to estimate annual mileage during each year of the expected lifetimes of MY 2012–2016 cars and light trucks.⁹⁸

• *Accounting for the rebound effect of higher fuel economy*—The rebound effect refers to the fraction of fuel savings expected to result from an increase in vehicle fuel economy—particularly an increase required by the adoption of higher CAFE and GHG standards—that is offset by additional vehicle use. The increase in vehicle use occurs because higher fuel economy reduces the fuel cost of driving, typically the largest single component of the monetary cost of operating a vehicle, and vehicle owners respond to this reduction in operating costs by driving slightly more. For purposes of this NPRM, the agencies have elected to use a 10 percent rebound effect in their analyses of fuel savings and other benefits from higher standards.

• *Benefits from increased vehicle use*—The increase in vehicle use from the rebound effect provides additional benefits to their owners, who may make more frequent trips or travel farther to reach more desirable destinations. This

⁹² U.S. Environmental Protection Agency, Final Technical Support Document, Fuel Economy Labeling of Motor Vehicle Revisions to Improve Calculation of Fuel Economy Estimates, EPA420–R-06-017, December 2006.

⁹³ Energy Information Administration, Annual Energy Outlook 2009, Revised Updated Reference Case (April 2009), Table 12. Available at http://www.eia.doe.gov/oi/aff/service/stimulus/excel/aeostimtab_12.xls (last accessed July 26, 2009).

⁹⁴ Energy Information Administration, Annual Energy Outlook 2008, Revised Early Release (June 2008), Table 12. Available at http://www.eia.doe.gov/oi/aff/archive/aeo08/excel/aeotab_12.xls (last accessed September 12, 2009).

⁹⁶ For a description of the Survey, see <http://nhts.ornl.gov/quickStart.shtml> (last accessed July 27, 2009).

⁹⁷ It was not possible to estimate separate growth rates in average annual use for cars and light trucks, because of the significant reclassification of light truck models as passenger cars discussed previously.

⁹⁸ While the adjustment for future fuel prices reduces average mileage at each age from the values derived from the 2001 NHTS, the adjustment for expected future growth in average vehicle use increases it. The net effect of these two adjustments is to increase expected lifetime mileage by about 18 percent for passenger cars and about 16 percent for light trucks.

additional travel provides benefits to drivers and their passengers by improving their access to social and economic opportunities away from home. The benefits from increased vehicle use include both the fuel expenses associated with this additional travel, and the consumer surplus it provides. We estimate the economic value of the consumer surplus provided by added driving using the conventional approximation, which is one half of the product of the decline in vehicle operating costs per vehicle-mile and the resulting increase in the annual number of miles driven. Because it depends on the extent of improvement in fuel economy, the value of benefits from increased vehicle use changes by model year and varies among alternative standards.

- *The value of increased driving range*—By reducing the frequency with which drivers typically refuel their vehicles, and by extending the upper limit of the range they can travel before requiring refueling, improving fuel economy and reducing GHG emissions thus provides some additional benefits to their owners. No direct estimates of the value of extended vehicle range are readily available, so the agencies' analysis calculates the reduction in the annual number of required refueling cycles that results from improved fuel economy, and applies DOT-recommended values of travel time savings to convert the resulting time savings to their economic value.⁹⁹ The agencies invite comment on the assumptions used in this analysis. Please see the Chapter 4 of the draft Joint TSD for details.

- *Added costs from congestion, crashes and noise*—Although it provides some benefits to drivers, increased vehicle use associated with the rebound effect also contributes to increased traffic congestion, motor vehicle accidents, and highway noise. Depending on how the additional travel is distributed over the day and on where it takes place, additional vehicle use can contribute to traffic congestion and delays by increasing traffic volumes on facilities that are already heavily traveled during peak periods. These added delays impose higher costs on drivers and other vehicle occupants in the form of increased travel time and operating expenses, increased costs

associated with traffic accidents, and increased traffic noise. The agencies rely on estimates of congestion, accident, and noise costs caused by automobiles and light trucks developed by the Federal Highway Administration to estimate the increased external costs caused by added driving due to the rebound effect.¹⁰⁰

- *Petroleum consumption and import externalities*—U.S. consumption and imports of petroleum products also impose costs on the domestic economy that are not reflected in the market price for crude petroleum, or in the prices paid by consumers of petroleum products such as gasoline. In economics literature on this subject, these costs include (1) higher prices for petroleum products resulting from the effect of U.S. oil import demand on the world oil price ("monopsony costs"); (2) the risk of disruptions to the U.S. economy caused by sudden reductions in the supply of imported oil to the U.S.; and (3) expenses for maintaining a U.S. military presence to secure imported oil supplies from unstable regions, and for maintaining the strategic petroleum reserve (SPR) to cushion against resulting price increases.¹⁰¹ Reducing U.S. imports of crude petroleum or refined fuels can reduce the magnitude of these external costs. Any reduction in their total value that results from lower fuel consumption and petroleum imports represents an economic benefit of setting more stringent standards over and above the dollar value of fuel savings itself. The agencies do not include a value for monopsony costs in order to be consistent with their use of a global value for the social cost of carbon. Based on a recently-updated ORNL study, we estimate that each gallon of fuel saved that results in a reduction in U.S. petroleum imports (either crude petroleum or refined fuel) will reduce the expected costs of oil supply disruptions to the U.S. economy by \$0.169 (2007\$). The agencies do not include savings in budgetary outlays to support U.S. military activities among the benefits of higher fuel economy and the resulting fuel savings. Each gallon of

fuel saved as a consequence of higher standards is anticipated to reduce total U.S. imports of crude petroleum or refined fuel by 0.95 gallons.¹⁰²

- *Air pollutant emissions*
 - *Impacts on criteria air pollutant emissions*—While reductions in domestic fuel refining and distribution that result from lower fuel consumption will reduce U.S. emissions of criteria pollutants, additional vehicle use associated with the rebound effect will increase emissions of these pollutants. Thus the net effect of stricter standards on emissions of each criteria pollutant depends on the relative magnitudes of reduced emissions from fuel refining and distribution, and increases in emissions resulting from added vehicle use. Criteria air pollutants emitted by vehicles and during fuel production include carbon monoxide (CO), hydrocarbon compounds (usually referred to as "volatile organic compounds," or VOC), nitrogen oxides (NO_x), fine particulate matter (PM_{2.5}), and sulfur oxides (SO_x). It is assumed that the emission rates (per mile) stay constant for future year vehicles.

- EPA and NHTSA estimate the economic value of the human health benefits associated with reducing exposure to PM_{2.5} using a "benefit-per-ton" method. These PM_{2.5}-related benefit-per-ton estimates provide the total monetized benefits to human health (the sum of reductions in premature mortality and premature morbidity) that result from eliminating one ton of directly emitted PM_{2.5}, or one ton of a pollutant that contributes to secondarily-formed PM_{2.5} (such as NO_x, SO_x, and VOCs), from a specified source. Chapter 4.2.9 of the Technical Support Document that accompanies this proposal includes a description of these values.

- *Reductions in GHG emissions*—Emissions of carbon dioxide and other greenhouse gases (GHGs) occur throughout the process of producing and distributing transportation fuels, as well as from fuel combustion itself. By reducing the volume of fuel consumed by passenger cars and light trucks, higher standards will thus reduce GHG emissions generated by fuel use, as well as throughout the fuel supply cycle. The agencies estimated the increases of GHGs other than CO₂, including

⁹⁹ These estimates were developed by FHWA for use in its 1997 *Federal Highway Cost Allocation Study*; <http://www.fhwa.dot.gov/policy/hcos/finol/index.htm> (last accessed July 29, 2009).

¹⁰¹ See, e.g., Bohi, Douglas R. and W. David Montgomery (1982). *Oil Prices, Energy Security, and Import Policy* Washington, DC: Resources for the Future, Johns Hopkins University Press; Bohi, D. R., and M. A. Toman (1993). "Energy and Security: Externalities and Policies." *Energy Policy* 21:1093-1109; and Toman, M. A. (1993). "The Economics of Energy Security: Theory, Evidence, Policy," in A. V. Kneese and J. L. Sweeney, eds. (1993). *Handbook of Natural Resource and Energy Economics*, Vol. III. Amsterdam: North-Holland, pp. 1167-1218.

¹⁰² Each gallon of fuel saved is assumed to reduce imports of refined fuel by 0.5 gallons, and the volume of fuel refined domestically by 0.5 gallons. Domestic fuel refining is assumed to utilize 90% imported crude petroleum and 10% domestically-produced crude petroleum as feedstocks. Together, these assumptions imply that each gallon of fuel saved will reduce imports of refined fuel and crude petroleum by 0.50 gallons + 0.50 gallons*90% = 0.50 gallons + 0.45 gallons = 0.95 gallons.

⁹⁹ Department of Transportation, Guidance Memorandum, "The Value of Saving Travel Time: Departmental Guidance for Conducting Economic Evaluations," Apr. 9, 1997. <http://ostpxweb.dot.gov/policy/Doto/VOT97guid.pdf> (last accessed October 20, 2007); update available at http://ostpxweb.dot.gov/policy/Doto/VOTrevision1_2-11-03.pdf (last accessed October 20, 2007).

methane and nitrous oxide, from additional vehicle use by multiplying the increase in total miles driven by cars and light trucks of each model year and age by emission rates per vehicle-mile for these GHGs. These emission rates, which differ between cars and light trucks as well as between gasoline and diesel vehicles, were estimated by EPA using its recently-developed Motor Vehicle Emission Simulator (Draft MOVES 2009).¹⁰³ Increases in emissions of non-CO₂ GHGs are converted to equivalent increases in CO₂ emissions using estimates of the Global Warming Potential (GWP) of methane and nitrous oxide.

○ *Economic value of reductions in CO₂ emissions*—EPA and NHTSA assigned a dollar value to reductions in CO₂ emissions using the marginal dollar value (i.e., cost) of climate-related damages resulting from carbon emissions, also referred to as “social cost of carbon” (SCC). The SCC is intended to measure the monetary value society places on impacts resulting from increased GHGs, such as property damage from sea level rise, forced migration due to dry land loss, and mortality changes associated with vector-borne diseases. Published estimates of the SCC vary widely as a

result of uncertainties about future economic growth, climate sensitivity to GHG emissions, procedures used to model the economic impacts of climate change, and the choice of discount rates. EPA and NHTSA’s coordinated proposals present a set of interim SCC values reflecting a *Federal* interagency group’s interpretation of the relevant climate economics literature. Sections III.H and IV.C.3 provide more detail about SCC.

• *Discounting future benefits and costs*—Discounting future fuel savings and other benefits is intended to account for the reduction in their value to society when they are deferred until some future date, rather than received immediately. The discount rate expresses the percent decline in the value of these benefits—as viewed from today’s perspective—for each year they are deferred into the future. In evaluating the non-climate related benefits of the proposed standards, the agencies have employed discount rates of both 3 percent and 7 percent.

For the reader’s reference, Table II.F.1–1 below summarizes the values used to calculate the impacts of each proposed standard. The values presented in this table are summaries of the inputs used for the models; specific

values used in the agencies’ respective analyses may be aggregated, expanded, or have other relevant adjustments. See the respective RIAs for details. The agencies seek comment on the economic assumptions presented in the table and discussed below.

In addition, the agencies have conducted a range of sensitivities and present them in their respective RIAs. For example, NHTSA has conducted a sensitivity analysis on several assumptions including (1) forecasts of future fuel prices, (2) the discount rate applied to future benefits and costs, (3) the magnitude of the rebound effect, (4) the value to the U.S. economy of reducing carbon dioxide emissions, (5) the monopsony effect, and (6) the reduction in external economic costs resulting from lower U.S. oil imports. This information is provided in NHTSA’s PRIA. The agencies will consider additional sensitivities for the final rule as appropriate, including sensitivities on the markup factors applied to direct manufacturing costs to account for indirect costs (i.e., the Indirect Cost Markups (ICMs) which are discussed in Sections III and IV), and the learning curve estimates used in this analysis.

TABLE II.F.1–1—ECONOMIC VALUES FOR BENEFITS COMPUTATIONS (2007\$)

Fuel Economy Rebound Effect	10%
“Gap” between test and on-road MPG	20%
Value of refueling time per (\$ per vehicle-hour)	24.64
Annual growth in average vehicle use	1.1%
Fuel Prices (2012–50 average, \$/gallon):	
Retail gasoline price	3.77
Pre-tax gasoline price	3.40
Economic Benefits from Reducing Oil Imports (\$/gallon):	
“Monopsony” Component	0.00
Price Shock Component	0.17
Military Security Component	0.00
Total Economic Costs (\$/gallon)	0.17
Emission Damage Costs (2020, \$/ton or \$/metric ton):	
Carbon monoxide	0
Volatile organic compounds (VOC)	1,283
Nitrogen oxides (NO _x)—vehicle use	5,116
Nitrogen oxides (NO _x)—fuel production and distribution	5,339
Particulate matter (PM _{2.5})—vehicle use	238,432
Particulate matter (PM _{2.5})—fuel production and distribution	292,180
Sulfur dioxide (SO ₂)	30,896
	5
	10
	20
	34
Carbon dioxide (CO ₂)	56
Annual Increase in CO ₂ Damage Cost	3%
External Costs from Additional Automobile Use (\$/vehicle-mile):	
Congestion	0.054
Accidents	0.023
Noise	0.001
Total External Costs	0.078
External Costs from Additional Light Truck Use (\$/vehicle-mile):	

¹⁰³ The MOVES model assumes that the per-mile rates at which cars and light trucks emit these GHGs are determined by the efficiency of fuel combustion during engine operation and chemical reactions that

occur during catalytic after-treatment of engine exhaust, and are thus independent of vehicles’ fuel consumption rates. Thus MOVES’ emission factors for these GHGs, which are expressed per mile of

vehicle travel, are assumed to be unaffected by changes in fuel economy.

TABLE II.F.1-1—ECONOMIC VALUES FOR BENEFITS COMPUTATIONS (2007\$)—Continued

Congestion	0.048
Accidents	0.026
Noise	0.001
Total External Costs	0.075
Discount Rates Applied to Future Benefits	3%, 7%

III. EPA Proposal for Greenhouse Gas Vehicle Standards

A. Executive Overview of EPA Proposal

1. Introduction

The Environmental Protection Agency (EPA) is proposing to establish greenhouse gas emissions standards for the largest sources of transportation greenhouse gases—light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles (hereafter light vehicles). These vehicle categories, which include cars, sport utility vehicles, minivans, and pickup trucks used for personal transportation, are responsible for almost 60% of all U.S. transportation related greenhouse gas emissions. This action represents the first-ever proposal by EPA to regulate vehicle greenhouse gas emissions under the Clean Air Act (CAA) and would establish standards for model years 2012 and later light vehicles sold in the U.S.

EPA is proposing three separate standards. The first and most important is a set of fleet-wide average carbon dioxide (CO₂) emission standards for cars and trucks. These standards are based on CO₂ emissions-footprint curves, where each vehicle has a different CO₂ emissions compliance target depending on its footprint value. Vehicle CO₂ emissions would be measured over the EPA city and highway tests. The proposed standard allows for credits based on demonstrated improvements in vehicle air conditioner systems, including both efficiency and refrigerant leakage improvement, which are not captured by the EPA tests. The EPA projects that the average light vehicle tailpipe CO₂ level in model year 2011 will be 326 grams per mile while the average vehicle tailpipe CO₂ emissions compliance level for the proposed model year 2016 standard will be 250 grams per mile, an average reduction of 23 percent from today's CO₂ levels.

EPA is also proposing standards that will cap tailpipe nitrous oxide (N₂O) and methane (CH₄) emissions at 0.010 and 0.030 grams per mile, respectively. Even after adjusting for the higher relative global warming potencies of these two compounds, nitrous oxide and methane emissions represent less than one percent of overall vehicle greenhouse gas emissions from new

vehicles. Accordingly, the goal of these two proposed standards is to limit any potential increases in the future and not to force reductions relative to today's low levels.

This proposal represents the second-phase of EPA's response to the Supreme Court's 2007 decision in *Massachusetts v. EPA*¹⁰⁴ which found that greenhouse gases were air pollutants for purposes of the Clean Air Act. The Court held that the Administrator must determine whether or not emissions from new motor vehicles cause or contribute to air pollution which may reasonably be anticipated to endanger public health or welfare, or whether the science is too uncertain to make a reasoned decision. The Court further ruled that, in make these decisions, the EPA Administrator is required to follow the language of section 202(a) of the CAA. The Court remanded the case back to the Agency for reconsideration in light of its finding.

The Administrator responded to the Court's remand by issuing two proposed findings under section 202(a) of the Clean Air Act.¹⁰⁵ First, the Administrator proposed to find that the science supports a positive endangerment finding that a mix of certain greenhouse gases in the atmosphere endangers the public health and welfare of current and future generations. This is referred to as the endangerment finding. Second, the Administrator proposed to find that the emissions of four of these gases—carbon dioxide, methane, nitrous oxide, and hydrofluorocarbons—from new motor vehicles and new motor vehicle engines contribute to the atmospheric concentrations of these key greenhouse gases and hence to the threat of climate change. This is referred to as the cause and contribute finding. Finalizing this proposed light vehicle regulations is contingent upon EPA finalizing both the endangerment finding and cause or

contribute finding. Sections III.B.1 through III.B.4 below provide more details on the legal and scientific bases for this proposal.

As discussed in Section I, this GHG proposal is part of a joint National Program such that a large majority of the projected benefits are achieved jointly with NHTSA's proposed CAFE rule which is described in detail in Section IV of this preamble. EPA's proposal projects total carbon dioxide emissions savings of nearly 950 million metric tons, and oil savings of 1.8 billion barrels over the lifetimes of the vehicles sold in model years 2012–2016. EPA projects net societal benefits of \$192 billion at a 3 percent discount rate for these same vehicles, or \$136 billion at a 7 percent discount rate (both values assume a \$20/ton SCC value). Accordingly, these proposed light vehicle greenhouse gas emissions standards would make an important "first step" contribution as part of the National Program toward meeting long-term greenhouse gas emissions and import oil reduction goals, while providing important economic benefits as well.

2. Why is EPA Proposing this Rule?

This proposal addresses only light vehicles. EPA is addressing light vehicles as a first step in control of greenhouse gas emissions under the Clean Air Act for four reasons. First, light vehicles are responsible for almost 60% of all mobile source greenhouse gas emissions, a share three times larger than any other mobile source subsector, and represent about one-sixth of all U.S. greenhouse gas emissions. Second, technology exists that can be readily and cost-effectively applied to these vehicles to reduce greenhouse gas emissions in the near term. Third, EPA already has an existing testing and compliance program for these vehicles, refined since the mid-1970s for emissions certification and fuel economy compliance, which would require only minor modifications to accommodate greenhouse gas emissions regulations. Finally, this proposal is an important first step in responding to the Supreme Court's ruling in *Massachusetts vs. EPA*. In addition, EPA is currently evaluating controls for motor vehicles other than those covered

¹⁰⁴ 549 U.S. 497 (2007). For further information on *Massachusetts v. EPA* see the July 30, 2008 Advance Notice of Proposed Rulemaking, "Regulating Greenhouse Gas Emissions under the Clean Air Act", 73 FR 44354 at 44397. There is a comprehensive discussion of the litigation's history, the Supreme Court's findings, and subsequent actions undertaken by the Bush Administration and the EPA from 2007–2008 in response to the Supreme Court remand.

¹⁰⁵ 74 FR 18886, April 24, 2009.

by this proposal, and is reviewing seven petitions submitted by various States and organizations requesting that EPA use its Clean Air Act authorities to take action to reduce greenhouse gas emissions from aircraft (under § 231(a)(2)), ocean-going vessels (under § 213(a)(4)), and other nonroad engines and vehicle sources (also under § 213(a)(4)).

a. Light Vehicle Emissions Contribute to Greenhouse Gases and the Threat of Climate Change

Greenhouse gases are gases in the atmosphere that effectively trap some of the Earth's heat that would otherwise escape to space. Greenhouse gases are both naturally occurring and anthropogenic. The primary greenhouse gases of concern are directly emitted by human activities and include carbon dioxide, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride.

These gases, once emitted, remain in the atmosphere for decades to centuries. Thus, they become well mixed globally in the atmosphere and their concentrations accumulate when emissions exceed the rate at which natural processes remove greenhouse gases from the atmosphere. The heating effect caused by the human-induced buildup of greenhouse gases in the atmosphere is very likely¹⁰⁶ the cause of most of the observed global warming over the last 50 years. The key effects of climate change observed to date and projected to occur in the future include, but are not limited to, more frequent and intense heat waves, more severe wildfires, degraded air quality, heavier and more frequent downpours and flooding, increased drought, greater sea level rise, more intense storms, harm to water resources, continued ocean acidification, harm to agriculture, and harm to wildlife and ecosystems. A detailed explanation of observed and projected changes in greenhouse gases and climate change and its impact on health, society, and the environment is included in EPA's technical support document for the recently released Proposed Endangerment and Cause or Contribute Findings for Greenhouse Gases Under Section 202(a) of the Clean Air Act.¹⁰⁷

¹⁰⁶ According to Intergovernmental Panel on Climate Change (IPCC) terminology, "very likely" conveys a 90 to 99 percent probability of occurrence. "Virtually certain" conveys a greater than 99 percent probability, "likely" conveys a 66 to 90 percent probability, and "about as likely as not" conveys a 33 to 66 percent probability.

¹⁰⁷ 74 FR18886, April 24, 2009. Both the Federal Register Notice and the Technical Support Document for this rulemaking are found in the

Transportation sources represent a large and growing share of United States greenhouse gases and include automobiles, highway heavy duty trucks, airplanes, railroads, marine vessels and a variety of other sources. In 2006, all transportation sources emitted 31.5% of all U.S. greenhouse gases, and were the fastest-growing source of greenhouse gases in the U.S., accounting for 47% of the net increase in total U.S. greenhouse gas emissions from 1990–2006.¹⁰⁸ The only sector with larger greenhouse gas emissions was electricity generation which emitted 33.7% of all U.S. greenhouse gases.

Light vehicles emit four greenhouse gases: carbon dioxide, methane, nitrous oxide and hydrofluorocarbons. Carbon dioxide (CO₂) is the end product of fossil fuel combustion. During combustion, the carbon stored in the fuels is oxidized and emitted as CO₂ and smaller amounts of other carbon compounds.¹⁰⁹ Methane (CH₄) emissions are a function of the methane content of the motor fuel, the amount of hydrocarbons passing uncombusted through the engine, and any post-combustion control of hydrocarbon emissions (such as catalytic converters).¹¹⁰ Nitrous oxide (N₂O) (and nitrogen oxide (NO_x)) emissions from vehicles and their engines are closely related to air-fuel ratios, combustion temperatures, and the use of pollution control equipment. For example, some types of catalytic converters installed to reduce motor vehicle NO_x, carbon monoxide (CO) and hydrocarbon emissions can promote the formation of N₂O.¹¹¹ Hydrofluorocarbons (HFC) emissions are progressively replacing chlorofluorocarbons (CFC) and hydrochlorofluorocarbons (HCFC) in these vehicles' cooling and refrigeration systems as CFCs and HCFCs are being phased out under the Montreal Protocol and Title VI of the CAA. There are multiple emissions pathways for HFCs with emissions occurring during charging of cooling and refrigeration

public docket for this rulemaking. Docket is EPA–OAR–2009–0171.

¹⁰⁸ Inventory of U.S. Greenhouse Gases and Sinks: 1990–2006.

¹⁰⁹ Mobile source carbon dioxide emissions in 2006 equaled 26 percent of total U.S. CO₂ emissions.

¹¹⁰ In 2006, methane emissions equaled 0.32 percent of total U.S. methane emissions. Nitrous oxide is a product of the reaction that occurs between nitrogen and oxygen during fuel combustion.

¹¹¹ In 2006, nitrous oxide emissions for these sources accounted for 8 percent of total U.S. nitrous oxide emissions.

systems, during operations, and during decommissioning and disposal.¹¹²

b. Basis for Action Under Clean Air Act

Section 202(a)(1) of the Clean Air Act (CAA) states that "the Administrator shall by regulation prescribe (and from time to time revise) * * * standards applicable to the emission of any air pollutant from any class or classes of new motor vehicles * * *, which in his judgment cause, or contribute to, air pollution which may reasonably be anticipated to endanger public health or welfare." As noted above, the Administrator has proposed to find that the air pollution of elevated levels of greenhouse gas concentrations may reasonably be anticipated to endanger public health and welfare.¹¹³ The Administrator has proposed to define the air pollution to be the elevated concentrations of the mix of six GHGs: carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF₆). The Administrator has further proposed to find under CAA section 202(a) that CO₂, methane, N₂O and HFC emissions from new motor vehicles and engines contribute to this air pollution. This preamble describes proposed standards that would control emissions of CO₂, HFCs, nitrous oxide, and methane. Standards for these GHGs would only be finalized if EPA determines that the criteria have been met for endangerment by the air pollution, and that emissions of GHGs from new motor vehicles or engines "cause or contribute" to that air pollution. In that case, section 202(a) would authorize EPA to issue standards applicable to emissions of those pollutants. For further discussion of EPA's authority under section 202(a), see Section I.C.2 of the proposal.

There are a variety of other CAA Title II provisions that are relevant to standards established under section 202(a). As noted above, the standards are applicable to motor vehicles for their useful life. EPA has the discretion in determining what standard applies over the useful life. For example, EPA may set a single standard that applies both when the vehicles are new and throughout the useful life, or where appropriate may set a standard that varies during the term of useful life, such as a standard that is more stringent in the early years of the useful life and less stringent in the later years.

¹¹² In 2006 HFC from these source categories equaled 56 percent of total U.S. HFC emissions, making it the single largest source category of U.S. HFC emissions.

¹¹³ 74 FR18886, April 24, 2009.

The standards established under CAA section 202(a) are implemented and enforced through various mechanisms. Manufacturers are required to obtain an EPA certificate of conformity with the section 202 regulations before they may sell or introduce their new motor vehicle into commerce, according to CAA section 206(a). The introduction into commerce of vehicles without a certificate of conformity is a prohibited act under CAA section 203 that may subject a manufacturer to civil penalties and injunctive actions (see CAA sections 204 and 205). Under CAA section 206(b), EPA may conduct testing of new production vehicles to determine compliance with the standards. For in-use vehicles, if EPA determines that a substantial number of vehicles do not conform to the applicable regulations then the manufacturer must submit and implement a remedial plan to address the problem (see CAA section 207(c)). There are also emissions-based warranties that the manufacturer must implement under CAA section 207(a).

c. EPA's Greenhouse Gas Proposal Under Section 202(a) Concerning Endangerment and Cause or Contribute Findings

EPA's Administrator recently signed a proposed action with two distinct findings regarding greenhouse gases under section 202(a) of the Clean Air Act. This action is called the Proposed Endangerment and Cause or Contribute Findings for Greenhouse Gases under the Clean Air Act (Endangerment Proposal).¹¹⁴ The Administrator proposed an affirmative endangerment finding that the current and projected concentrations of a mix of six key greenhouse gases—carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), hydrofluorocarbons (HFCs), perfluorocarbons (PFCs), and sulfur hexafluoride (SF₆)—in the atmosphere threaten the public health and welfare of current and future generations. She also proposed to find that the combined emissions of four of the gases—carbon dioxide, methane, nitrous oxide and hydrofluorocarbons from new motor vehicles and motor vehicle engines—contribute to the atmospheric concentrations of these greenhouse gases and therefore to the climate change problem.

Specifically, the Administrator proposed, after a thorough examination of the scientific evidence on the causes and impact of current and future climate change, to find that the science

compellingly supports a positive finding that atmospheric concentrations of these greenhouse gases result in air pollution which may reasonably be anticipated to endanger both public health and welfare. In her proposed finding, the Administrator relied heavily upon the major findings and conclusions from the recent assessments of the U.S. Climate Change Science Program and the U.N. Intergovernmental Panel on Climate Change.¹¹⁵ The Administrator proposed a positive endangerment finding after considering both observed and projected future effects of climate change, key uncertainties, and the full range of risks and impacts to public health and welfare occurring within the United States. In addition, the proposed finding noted that the evidence concerning risks and impacts occurring outside the U.S. provided further support for the proposed finding.

The key scientific findings supporting the proposed endangerment finding are that:

- Concentrations of greenhouse gases are at unprecedented levels compared to recent and distant past. These high concentrations are the unambiguous result of anthropogenic emissions and are very likely the cause of the observed increase in average temperatures and other climatic changes.
- The effects of climate change observed to date and projected to occur in the future include more frequent and intense heat waves, more severe wildfires, degraded air quality, heavier downpours and flooding, increasing drought, greater sea level rise, more intense storms, harm to water resources, harm to agriculture, and harm to wildlife and ecosystems. These impacts are effects on public health and welfare within the meaning of the Clean Air Act.

With regard to new motor vehicles and engines, the Administrator also proposed a finding that the combined emissions of four greenhouse gases—carbon dioxide, methane, nitrous oxide and hydrofluorocarbons—from new motor vehicles and engines contributes to this air pollution, *i.e.*, the atmospheric concentrations of the mix of six greenhouse gases which create the threat of climate change and its impacts. Key facts supporting the proposed cause and contribute finding for on-highway vehicles regulated under section 202(a) of the Clean Air Act are that these sources are responsible for 24% of total

U.S. greenhouse gas emissions, and more than 4% of total global greenhouse gas emissions.¹¹⁶ The Administrator also considered whether emissions of each greenhouse gas individually, as a separate air pollutant, would contribute to this air pollution.

If the Administrator makes affirmative findings under section 202(a) on both endangerment and cause or contribute, then EPA is to issue standards "applicable to emission" of the air pollutant or pollutants that EPA finds causes or contributes to the air pollution that endangers public health and welfare. The Endangerment Proposal invited public comment on whether the air pollutant should be considered the group of GHGs, or whether each GHG should be treated as a separate air pollutant. Either way, the emissions standards proposed today would satisfy the requirements of section 202(a) as the Administrator has significant discretion in how to structure the standards that apply to the emission of the air pollutant or air pollutants at issue. For example, under either approach EPA would have the discretion under section 202(a) to adopt separate standards for each GHG, a single composite standard covering various gases, or any combination of these. In this rulemaking EPA is proposing separate standards for nitrous oxide and methane, and a CO₂ standard that provides for credits based on reductions of HFCs, as the appropriate way to issue standards applicable to emissions of these GHGs.

3. What is EPA Proposing?

a. Proposed Light-Duty Vehicle, Light-Duty Truck, and Medium-Duty Passenger Vehicle Greenhouse Gas Emission Standards and Projected Compliance Levels

The CO₂ emissions standards are by far the most important of the three standards and are the primary focus of this summary. EPA is proposing an attribute-based approach for the CO₂ fleet-wide standard (one for cars and one for trucks), based on vehicle footprint as the attribute. These curves establish different CO₂ emissions targets for each unique car and truck footprint. Generally, the larger the vehicle footprint, the higher the corresponding vehicle CO₂ emissions target. Table III.A.3-1 shows the greenhouse gas standards for light vehicles that EPA is proposing for model years (MY) 2012 and later:

¹¹⁴ 74 FR 18886 (April 24, 2009).

¹¹⁵ The U.S. Climate Change Science Program (CCSP) is now called the U.S. Global Change Research Program (GCRP).

¹¹⁶ This figure includes the greenhouse gas contributions of light vehicles, heavy duty vehicles, and remaining on-highway mobile sources.

TABLE III.A.3-1—PROPOSED INDUSTRY-WIDE GREENHOUSE GAS EMISSIONS STANDARDS

Standard/covered pollutants	Form of standard	Level of standard	Credits	Test cycles
CO ₂ Standard ¹¹⁷ : Tailpipe CO ₂	Fleetwide average footprint CO ₂ -curves for cars and trucks.	See footprint—CO ₂ curves in Figure I.C-1 for cars and Figure I.C-2 for trucks.	CO ₂ -e credits ¹¹⁸	EPA 2-cycle (FTP and HFET test cycles), with separate mechanisms for A/C credits. ¹¹⁹
N ₂ O Standard: Tailpipe N ₂ O	Cap per vehicle	0.010 g/mi	None	EPA FTP test.
CH ₄ Standard: Tailpipe CH ₄	Cap per vehicle	0.030 g/mi	None	EPA FTP test.

One important flexibility associated with the proposed CO₂ standard is the proposed option for manufacturers to obtain credits associated with improvements in their air conditioning systems. As will be discussed in greater detail in later sections, EPA is establishing test procedures and design criteria by which manufacturers can demonstrate improvements in both air conditioner efficiency (which reduces vehicle tailpipe CO₂ by reducing the load on the engine) and air conditioner refrigerants (using lower global warming potency refrigerants and/or improving system design to reduce GHG emissions associated with leaks). Neither of these strategies to reduce GHG emissions from air conditioners would be reflected in the EPA FTP or HFET tests. These improvements would be translated to a g/mi CO₂-equivalent credit that can be subtracted from the manufacturer's tailpipe CO₂ compliance value. EPA expects a high percentage of manufacturers to take advantage of this flexibility to earn air conditioning-related credits for MY2012–2016 vehicles such that the average credit earned is about 11 grams per mile CO₂-equivalent in 2016.

A second flexibility being proposed is CO₂ credits for flexible and dual fuel vehicles, similar to the CAFE credits for such vehicles which allow manufacturers to gain up to 1.2 mpg in their overall CAFE ratings. The Energy Independence and Security Act of 2007 (EISA) mandated a phase-out of these flexible fuel vehicle CAFE credits beginning in 2015, and ending after 2019. EPA is proposing to allow comparable CO₂ credits for flexible fuel

vehicles through MY 2015, but for MY 2016 and beyond, EPA is proposing to treat flexible and dual fuel vehicles on a CO₂-performance basis, calculating the overall CO₂ emissions for flexible and dual fuel vehicles based on a fuel use-weighted average of the CO₂ levels on gasoline and on a manufacturer's demonstrated actual usage of the alternative fuel in its vehicle fleet.

Table III.A.3-2 summarizes EPA projections of industry-wide 2-cycle CO₂ emissions and fuel economy levels that would be achieved by manufacturer compliance with the proposed GHG standards for MY2012–2016.

For MY2011, Table III.A.3-2 uses the projected NHTSA compliance values for its MY2011 CAFE standards of 30.2 mpg for cars and 24.1 mpg for trucks, converted to an equivalent combined car and truck CO₂ level of 325 grams per mile.¹²⁰ EPA believes this is a reasonable estimate with which to compare the proposed MY2012–2016 CO₂ emission standards. Identifying the proper MY2011 estimate is complicated for many reasons, among them being the turmoil in the current automotive market for consumers and manufacturers, uncertain and volatile oil and gasoline prices, the ability of manufacturers to use flexible fuel vehicle credits to meet MY2011 CAFE standards, and the fact that most manufacturers have been surpassing CAFE standards (particularly the car standard) in recent years. Taking all of these considerations into account, EPA believes that the MY2011 projected CAFE compliance values, converted to CO₂ emissions levels, represent a reasonable estimate.

Table III.A.3-2 shows projected industry-wide average CO₂ emissions values. The Projected CO₂ Emissions for the Footprint-Based Standard column shows the CO₂ g/mi level corresponding with the footprint standard that must be met. It is based on the proposed CO₂-footprint curves and projected footprint values, and will decrease each year to 250 grams per mile (g/mi) in MY2016. For MY2012–2015, the emissions impact of the projected utilization of flexible fuel vehicle (FFV) credits and the temporary lead-time allowance alternative standard (TLAAS, discussed below) are shown in the next two columns. Neither of these programs is proposed to be available in MY2016. The Projected CO₂ Emissions column gives the CO₂ emissions levels projected to be achieved given use of the flexible fuel credits and temporary lead-time allowance program. This column shows that, relative to the MY 2011 estimate, EPA projects that MY2016 CO₂ emissions will be reduced by 23 percent over five years. The Projected A/C Credit column represents the industry wide average air conditioner credit manufacturers are expected to earn on an equivalent CO₂ gram per mile basis in a given model year. In MY2016, the projected A/C credit of 10.6 g/mi represents 14 percent of the 75 g/mi CO₂ emissions reductions associated with the proposed standards. The Projected 2-cycle CO₂ Emissions column shows the projected CO₂ emissions as measured over the EPA 2-cycle tests, which would allow compliance with the standard assuming utilization of the projected FFV, TLAAS, and A/C credits.

¹¹⁷ While over 99 percent of the carbon in automotive fuels is converted to CO₂ in a properly functioning engine, compliance with the CO₂ standard will also account for the very small levels of carbon associated with vehicle tailpipe hydrocarbon (HC) and carbon monoxide (CO) emissions, converted to CO₂ on a mass basis, as discussed further in section x.

¹¹⁸ CO₂-e refers to CO₂-equivalent, and is a metric that allows non-CO₂ greenhouse gases (such as hydrofluorocarbons used as automotive air conditioning refrigerants) to be expressed as an equivalent mass (i.e., corrected for relative global warming potency) of CO₂ emissions.

¹¹⁹ FTP is the Federal Test Procedure which uses what is commonly referred to as the "city" driving schedule, and HFET is the Highway Fuel Economy

Test which uses the "highway" driving schedule. Compliance with the CO₂ standard will be based on the same 2-cycle values that are currently used for CAFE standards compliance; EPA projects that fleet-wide in-use or real world CO₂ emissions are approximately 25 percent higher, on average, than 2-cycle CO₂ values.

¹²⁰ 74 FR 14196.

TABLE III.A.3-2—PROJECTED FLEETWIDE CO₂ EMISSIONS VALUES (GRAMS PER MILE)

Model year	Projected CO ₂ emissions for the footprint-based standard	Projected FFV credit	Projected TLAAS credit	Projected CO ₂ emissions	Projected A/C credit	Projected 2-cycle CO ₂ emissions
2011				(325)		(325)
2012	295	6	0.3	302	3.1	305
2013	286	5.7	0.2	291	5.0	296
2014	276	5.4	0.2	281	7.5	289
2015	263	4.1	0.1	267	10.0	277
2016	250	0	0	250	10.6	261

EPA is also proposing a series of flexibilities for compliance with the CO₂ standard which are not expected to significantly affect the projected compliance and achieved values shown above, but which should significantly reduce the costs of achieving those reductions. These flexibilities include the ability to earn: annual credits for a manufacturer's over-compliance with its unique fleet-wide average standard, early credits from MY2009–2011, credits for early introduction of advanced technology vehicles, credit for "off-cycle" CO₂ reductions not reflected in CO₂/fuel economy tests, as well as the carry-forward and carry-backward of credits, the ability to transfer credits between a manufacturer's car and truck fleets, and a temporary lead-time allowance alternative standard (included in the tables above) that will permit manufacturers with less than 400,000 vehicles produced in MY 2009 to designate a fraction of their vehicles to meet a 25% higher CO₂ standard for MY 2012–2015. All of these proposed

flexibilities are discussed in greater detail in later sections.

EPA is also proposing caps on the tailpipe emissions of nitrous oxide (N₂O) and methane (CH₄)—0.010 g/mi for N₂O and 0.030 g/mi for CH₄—over the EPA FTP test. While N₂O and CH₄ can be potent greenhouse gases on a relative mass basis, their emission levels from modern vehicle designs are extremely low and represent only about 1% of total light vehicle GHG emissions. These cap standards are designed to ensure that N₂O and CH₄ emissions levels do not rise in the future, rather than to force reductions in the already low emissions levels. Accordingly, these standards are not designed to require automakers to make any changes in current vehicle designs, and thus EPA is not projecting any environmental or economic impacts associated with these proposed standards.

EPA has attempted to build on existing practice wherever possible in designing a compliance program for the proposed GHG standards. In particular,

the program structure proposed will streamline the compliance process for both manufacturers and EPA by enabling manufacturers to use a single data set to satisfy both the new GHG and CAFE testing and reporting requirements. Timing of certification, model-level testing, and other compliance activities also follow current practices established under the Tier 2 and CAFE programs.

b. Environmental and Economic Benefits and Costs of EPA's Proposed Standards

In Table III.A.3-3 EPA presents estimated annual net benefits for the indicated calendar years. The table also shows the net present values of those benefits for the calendar years 2012–2050 using both a 3% and a 7% discount rate. As discussed previously, EPA recognizes that much of these same costs and benefits are also attributed to the proposed CAFE standard contained in this joint proposal.

TABLE III.A.3-3—PROJECTED QUANTIFIABLE BENEFITS AND COSTS FOR PROPOSED CO₂ STANDARD

[(In million 2007 \$) (Note: B = unquantified benefits)]

	2020	2030	2040	2050	NPV, 3%	NPV, 7%
Quantified Annual Costs ^a	-\$25,100	-\$72,500	-\$105,700	-\$146,100	-\$1,287,600	-\$529,500
Benefits from Reduced GHG Emissions at each assumed SCC value:						
SCC 5%	1,200	3,300	5,700	9,500	69,200	28,600
SCC 5% Newell-Pizer	2,500	6,600	11,000	19,000	138,400	57,100
SCC from 3% and 5%	4,700	12,000	22,000	36,000	263,000	108,500
SCC 3%	8,200	22,000	38,000	63,000	456,900	188,500
SCC 3% Newell-Pizer	14,000	36,000	63,000	100,000	761,400	314,200
Other Quantified Externalities						
PM _{2.5} Related Benefits ^{bcd}	1,400	3,000	4,600	6,700	59,800	26,300
Energy Security Impacts (price shock)	2,300	4,800	6,200	7,800	85,800	38,800
Reduced Refueling	2,500	4,900	6,400	8,000	89,600	41,000
Value of Increased Driving ^e	4,900	10,000	13,600	18,000	184,700	82,700
Accidents, Noise, Congestion	-2,400	-4,900	-6,300	-7,900	-88,200	-40,200
Quantified Net Benefits at each assumed SCC value:						
SCC 5%	35,000	93,600	135,900	188,200	1,688,500	706,700
SCC 5% Newell-Pizer	36,300	96,900	141,200	197,700	1,757,700	735,200
SCC from 3% and 5%	38,500	102,300	152,200	214,700	1,882,300	786,600

TABLE III.A.3-3—PROJECTED QUANTIFIABLE BENEFITS AND COSTS FOR PROPOSED CO₂ STANDARD—Continued
(In million 2007 \$s) [Note: B = unquantified benefits]

	2020	2030	2040	2050	NPV, 3%	NPV, 7%
SCC 3%	42,000	112,300	168,200	241,700	2,076,200	866,600
SCC 3% Newell-Pizer	47,800	126,300	193,200	278,700	2,380,700	992,300

^a Quantified annual costs are negative because fuel savings are included as negative costs (*i.e.*, positive savings). Since the fuel savings outweigh the vehicle technology costs, the costs of as presented here are actually negative (*i.e.*, they represent savings).

^b Note that the co-pollutant impacts associated with the standards presented here do not include the full complement of endpoints that, if quantified and monetized, would change the total monetized estimate of rule-related impacts. Instead, the co-pollutant benefits are based on benefit-per-ton values that reflect only human health impacts associated with reductions in PM_{2.5} exposure. Ideally, human health and environmental benefits would be based on changes in ambient PM_{2.5} and ozone as determined by full-scale air quality modeling. However, EPA was unable to conduct a full-scale air quality modeling analysis in time for the proposal. EPA does intend to more fully capture the co-pollutant benefits for the analysis of the final standards.

^c The PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table are based on an estimate of premature mortality derived from the ACS study (Pope *et al.*, 2002). If the benefit-per-ton estimates were based on the Six Cities study (Laden *et al.*, 2006), the values would be approximately 145% (nearly two-and-a-half times) larger.

^d The PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table assume a 3% discount rate in the valuation of premature mortality to account for a twenty-year segmented cessation lag. If a 7% discount rate had been used, the values would be approximately 9% lower.

^e Calculated using pre-tax fuel prices.

4. Basis for the Proposed GHG Standards Under Section 202(a)

EPA statutory authority under section 202(a)(1) of the Clean Air Act (CAA) is discussed in more detail in Section I.C.2. The following is a summary of the basis for the proposed standards under section 202(a), which is discussed in more detail in the following portions of Section III.

With respect to CO₂ and HFCs, EPA is proposing attribute-based light-duty car and truck standards that achieve large and important emissions reductions of GHGs. EPA has evaluated the technological feasibility of the proposed standards, and the information and analysis performed by EPA indicates that these standards are feasible in the lead time provided. EPA and NHTSA have carefully evaluated the effectiveness of individual technologies as well as the interactions when technologies are combined. EPA's projection of the technology that would be used to comply with the proposed standards indicates that manufacturers will be able to meet the proposed standards by employing a wide variety of technology that is already commercially available and can be incorporated into their vehicle at the time of redesign. In addition to the use of the manufacturers' redesign cycle, EPA's analysis also takes into account certain flexibilities that will facilitate compliance especially in the early years of the program when potential lead time constraints are most challenging. These flexibilities include averaging, banking, and trading of various types of credits. For the industry as a whole, EPA's projections indicate that the proposed standards can be met using technology that will be available in the lead-time provided.

To account for additional lead-time concerns for various manufacturers of typically higher performance vehicles, EPA is proposing a Temporary Lead-time Allowance that will further facilitate compliance for limited volumes of such vehicles in the program's initial years. For a few very small volume manufacturers, EPA projects that manufacturers will likely comply using a combination of credits and technology.

EPA has also carefully considered the cost to manufacturers of meeting the standards, estimating piece costs for all candidate technologies, direct manufacturing costs, cost markups to account for manufacturers' indirect costs, and manufacturer cost reductions attributable to learning. In estimating manufacturer costs, EPA took into account manufacturers' own standard practices such as making major changes to model technology packages during a planned redesign cycle. EPA then projected the average cost across the industry to employ this technology, as well as manufacturer-by-manufacturer costs. EPA considers the per vehicle costs estimated from this analysis to be well within a reasonable range in light of the emissions reductions and benefits received. EPA projects, for example, that the fuel savings over the life of the vehicles will more than offset the increase in cost associated with the technology used to meet the standards.

EPA has also evaluated the impacts of these standards with respect to reductions in GHGs and reductions in oil usage. For the lifetime of the model year 2012–2016 vehicles we estimate GHG reductions of approximately 950 million metric tons CO₂ eq. and fuel reductions of 1.8 billion barrels of oil. These are important and significant reductions that would be achieved by

the proposed standards. EPA has also analyzed a variety of other impacts of the standards, ranging from the standards' effects on emissions of non-GHG pollutants, impacts on noise, energy, safety and congestion. EPA has also quantified the cost and benefits of the proposed standards, to the extent practicable. Our analysis to date indicates that the overall quantified benefits of the proposed standards far outweigh the projected costs. Utilizing a 3% discount rate and a \$20 per ton social cost of carbon we estimate the total net social benefits over the life of the model year 2012–2016 vehicles is \$192 billion, and the net present value of the net social benefits of the standards through the year 2050 is \$1.9 trillion dollars. These values are estimated at \$136 billion and \$787 billion, respectively, using a 7% discount rate and the \$20 per ton SCC value.

Under section 202(a) EPA is called upon to set standards that provide adequate lead-time for the development and application of technology to meet the standards. EPA's proposed standards satisfy this requirement, as discussed above. In setting the standards, EPA is called upon to weigh and balance various factors, and to exercise judgment in setting standards that are a reasonable balance of the relevant factors. In this case, EPA has considered many factors, such as cost, impacts on emissions (both GHG and non-GHG), impacts on oil conservation, impacts on noise, energy, safety, and other factors, and has where practicable quantified the costs and benefits of the rule. In summary, given the technical feasibility of the standard, the moderate cost per vehicle in light of the savings in fuel costs over the life time of the vehicle, the very significant reductions

in emissions and in oil usage, and the significantly greater quantified benefits, compared to quantified costs, EPA is confident that the proposed standards are an appropriate and reasonable balance of the factors to consider under section 202(a). See *Husqvarna AB v. EPA*, 254 F.3d 195, 200 (D.C. Cir. 2001) (great discretion to balance statutory factors in considering level of technology-based standard, and statutory requirement "to [give appropriate] consideration to the cost of applying * * * technology" does not mandate a specific method of cost analysis); see also *Hercules Inc. v. EPA*, 598 F.2d 91, 106 (D.C. Cir. 1978) ("In reviewing a numerical standard we must ask whether the agency's numbers are within a zone of reasonableness, not whether its numbers are precisely right"); *Permian Basin Area Rate Cases*, 390 U.S. 747, 797 (1968) (same); *Federal Power Commission v. Conway Corp.*, 426 U.S. 271, 278 (1976) (same); *Exxon Mobil Gas Marketing Co. v. FERC*, 297 F.3d 1071, 1084 (D.C. Cir. 2002) (same).

EPA recognizes that the vast majority of technology which we are considering for purposes of setting standards under section 202(a) is commercially available and already being utilized to a limited extent across the fleet. The vast majority of the emission reductions which would result from this proposed rule would result from the increased use of these technologies. EPA also recognizes that this proposed rule would enhance the development and limited use of more advanced technologies, such as PHEVs and EVs. In this technological context, there is no clear cut line that indicates that only one projection of technology penetration could potentially be considered feasible for purposes of section 202(a), or only one standard that could potentially be considered a reasonable balancing of the factors relevant under section 202(a). EPA has therefore evaluated two sets of alternative standards, one more stringent than the proposed standards and one less stringent.

The alternatives are 4% per year increase in standards which would be less stringent than our proposal and a 6% per year increase in the standards which would be more stringent than our proposal. EPA is not proposing either of these. As discussed in Section III.D.7, the 4% per year compared to the proposal forgoes CO₂ reductions which can be achieved at reasonable costs and are achievable by the industry within the rule's timeframe. The 6% per year alternative requires a significant increase in the projected required technology which may not be achievable in this timeframe due to the

limited available lead time and the current difficult financial condition of the automotive industry. (See Section III.D.7 for a detailed discussion of why EPA is not proposing either of the alternatives.) EPA thus believes that it is appropriate to propose the CO₂ standards discussed above. EPA invites comment on all aspects of this judgment, as well as comment on the alternative standards.

EPA is also proposing standards for N₂O and CH₄. EPA has designed these standards to act as emission rate (i.e., gram per mile) caps and to avoid future increases in light duty vehicle emissions. As discussed in Section III.B.6, N₂O and CH₄ emissions are already generally well controlled by current emissions standards, and EPA has not identified clear technological steps available to manufacturers today that would significantly reduce current emission levels for the vast majority of vehicles manufactured today (i.e., stoichiometric gasoline vehicles). However, for both N₂O and CH₄, some vehicle technologies (and, for CH₄, use of natural gas fuel) could potentially increase emissions of these GHGs in the future, and EPA believes it is important that this be avoided. EPA expects that, almost universally across current car and truck designs, manufacturers will be able to meet the "cap" standards with little if any technological improvements or cost. EPA has designed the level of the N₂O and CH₄ standards with the intent that manufacturers would be able to meet them without the need for technological improvement; in other words, these emission standards are designed to be "anti-backsliding" standards.

B. Proposed GHG Standards for Light-Duty Vehicles, Light-Duty Trucks, and Medium-Duty Passenger Vehicles

EPA is proposing new emission standards to control greenhouse gases (GHGs) from light-duty vehicles. First, EPA is proposing emission standards for carbon dioxide (CO₂) on a gram per mile (g/mile) basis that would apply to a manufacturer's fleet of cars, and a separate standard that would apply to a manufacturer's fleet of trucks. CO₂ is the primary pollutant resulting from the combustion of vehicular fuels, and the amount of CO₂ emitted is directly correlated to the amount of fuel consumed. Second, EPA is providing auto manufacturers with the opportunity to earn credits toward the fleet-wide average CO₂ standards for improvements to air conditioning systems, including both hydrofluorocarbon (HFC) refrigerant losses (i.e., system leakage) and indirect

CO₂ emissions related to the increased load on the engine. Third, EPA is proposing separate emissions standards for two other GHG pollutants: Methane (CH₄) and nitrous oxide (N₂O). CH₄ and N₂O emissions relate closely to the design and efficient use of emission control hardware (i.e., catalytic converters). The standards for CH₄ and N₂O would be set as a cap that would limit emissions increases and prevent backsliding from current emission levels. The proposed standards described below would apply to passenger cars, light-duty trucks, and medium-duty passenger vehicles (MDPVs). As an overall group, they are referred to in this preamble as light vehicles or simply as vehicles. In this preamble section passenger cars may be referred to simply as "cars", and light-duty trucks and MDPVs as "light trucks" or "trucks."¹²¹

EPA is establishing a system of averaging, banking, and trading of credits integral to the fleet averaging approach, based on manufacturer fleet average CO₂ performance, as discussed in Section III.B.4. This approach is similar to averaging, banking, and trading (ABT) programs EPA has established in other programs and is also similar to provisions in the CAFE program. In addition to traditional ABT credits based on the fleet emissions average, EPA is also proposing to include A/C credits as an aspect of the standards, as mentioned above. EPA is also proposing several additional credit provisions that apply only in the initial model years of the program. These include flex fuel vehicle credits, credits based on the use of advanced technologies, and generation of credits prior to model year 2012. The proposed A/C credits and additional credit opportunities are described in Section III.C. These credit programs would provide flexibility to manufacturers, which may be especially important during the early transition years of the program. EPA is also proposing to allow a manufacturer to carry a deficit into the future for a limited number of model years. A parallel provision, referred to as credit carry-back, is proposed as part of the CAFE program.

1. What Fleet-Wide Emissions Levels Correspond to the CO₂ Standards?

The proposed attribute-based CO₂ standards, if made final, are projected to achieve a national fleet-wide average, covering both light cars and trucks, of

¹²¹ As described in Section III.B.2., EPA is proposing for purposes of GHG emissions standards to use the same vehicle category definitions as are used in the CAFE program.

250 grams/mile of CO₂ in model year (MY) 2016. This includes CO₂-equivalent emission reductions from A/C improvements, reflected as credits in the standard. The standards would begin with MY 2012, with a generally linear increase in stringency from MY 2012 through MY 2016. EPA is proposing separate standards for cars and light trucks. The tables in this section below provide overall fleet average levels that are projected for both cars and light trucks over the phase-in period which is estimated to correspond with the proposed standards. The actual fleet-wide average g/mi level that will be achieved in any year for cars and trucks will depend on the actual production for that year, as well as the use of the various credit and averaging, banking, and trading provisions. For

example, in any year, manufacturers may generate credits from cars and use them for compliance with the truck standard. Such transfer of credits between cars and trucks is not reflected in the table below. In Section III.F, the year-by-year estimate of emissions reductions that are projected to be achieved by the proposed standards are discussed.

In general, the proposed schedule of standards acts as a phase-in to the MY 2016 standards, and reflects consideration of the appropriate lead-time for each manufacturer to implement the requisite emission reductions technology across its product line.¹²² Note that 2016 is the final model year in which standards become more stringent. The 2016 CO₂ standards would remain in place for 2017 and

later model years, until revised by EPA in a future rulemaking.

EPA estimates that, on a combined fleet-wide national basis, the proposed 2016 MY standards would achieve a level of 250 g/mile CO₂, including CO₂-equivalent credits from A/C related reductions. The derivation of the 250 g/mile estimate is described in Section III.B.2.

EPA has estimated the overall fleet-wide CO₂-equivalent emission levels that correspond with the proposed attribute-based standards, based on the projections of the composition of each manufacturer's fleet in each year of the program. Tables III.B.1-1 and III.B.1-2 provide these estimates for each manufacturer.¹²³

TABLE III.B.1-1—ESTIMATED FLEET CO₂-EQUIVALENT LEVELS CORRESPONDING TO THE PROPOSED STANDARDS FOR CARS

Manufacturer	Model year				
	2012	2013	2014	2015	2016
BMW	265	257	249	238	227
Chrysler	266	259	251	242	231
Daimler	270	263	257	245	234
Ford	266	259	251	239	228
General Motors	266	258	250	239	228
Honda	259	251	244	232	221
Hyundai	260	252	244	233	221
Kia	262	253	246	235	223
Mazda	258	250	243	231	220
Mitsubishi	255	247	240	228	217
Nissan	263	255	247	236	225
Porsche	242	234	227	215	204
Subaru	252	244	237	225	214
Suzuki	244	236	229	217	206
Tata	286	278	271	259	248
Toyota	257	250	242	231	220
Volkswagen	254	246	239	228	217

TABLE III.B.1-2—ESTIMATED FLEET CO₂-EQUIVALENT LEVELS CORRESPONDING TO THE PROPOSED STANDARDS FOR LIGHT TRUCKS

Manufacturer	Model year				
	2012	2013	2014	2015	2016
BMW	334	324	313	298	283
Chrysler	349	339	329	315	300
Daimler	346	334	323	308	293
Ford	363	352	343	329	314
General Motors	372	361	351	337	322
Honda	333	322	311	295	280
Hyundai	330	320	308	293	278
Kia	341	330	319	303	288
Mazda	321	311	300	286	271
Mitsubishi	320	310	299	284	269
Nissan	352	341	332	318	303
Porsche	338	327	316	301	286
Subaru	319	308	297	282	267
Suzuki	324	313	301	286	271
Tata	326	316	305	289	275
Toyota	342	332	320	305	291

¹²² See CAA section 202(a)(2).

¹²³ These levels do not include the effect of flexible fuel credits, transfer of credits between cars

and trucks, temporary lead time allowance, or any other credits.

TABLE III.B.1-2—ESTIMATED FLEET CO₂-EQUIVALENT LEVELS CORRESPONDING TO THE PROPOSED STANDARDS FOR LIGHT TRUCKS—Continued

Manufacturer	Model year				
	2012	2013	2014	2015	2016
Volkswagen	344	333	322	307	292

These estimates were aggregated based on projected production volumes into the fleet-wide averages for cars and trucks (Table III.B.1-3).¹²⁴

TABLE III.B.1-3—ESTIMATED FLEET-WIDE CO₂-EQUIVALENT LEVELS CORRESPONDING TO THE PROPOSED STANDARDS

Model year	Cars	Trucks
	CO ₂ (g/mi)	CO ₂ (g/mi)
2012	261	352
2013	254	341
2014	245	331
2015	234	317
2016 and later	224	303

As shown in Table III.B.1-3, fleet-wide CO₂-equivalent emission levels for cars under the proposed approach are projected to decrease from 261 to 224 grams per mile between MY 2012 and MY 2016. Similarly, fleet-wide CO₂-equivalent emission levels for trucks are projected to decrease from 352 to 303 grams per mile. These numbers do not include the effects of other flexibilities and credits in the program. The estimated achieved values can be found in Chapter 5 of the Draft Regulatory Impact Analysis (DRIA).

EPA has also estimated the average fleet-wide levels for the combined car and truck fleets. These levels are provided in Table III.B.1-4. As shown, the overall fleet average CO₂ level is expected to be 250 g/mile in 2016.

TABLE III.B.1-4—ESTIMATED FLEET-WIDE COMBINED CO₂-EQUIVALENT LEVELS CORRESPONDING TO THE PROPOSED STANDARDS

Model year	Combined car and truck
	CO ₂ (g/mi)
2012	295
2013	286
2014	276
2015	263
2016	250

¹²⁴ Due to rounding during calculations, the estimated fleet-wide CO₂-equivalent levels may vary by plus or minus 1 gram.

As noted above, EPA is proposing standards that would result in increasingly stringent levels of CO₂ control from MY 2012 through MY 2016—applying the CO₂ footprint curves applicable in each model year to the vehicles expected to be sold in each model year produces fleet-wide annual reductions in CO₂ emissions. As explained in Section III.D below and the relevant support documents, EPA believes that the proposed level of improvement achieves important CO₂ emissions reductions through the application of feasible control technology at reasonable cost, considering the needed lead time for this program. EPA further believes that the proposed averaging, banking and trading provisions, as well as other credit-generating mechanisms, allow manufacturers further flexibilities which reduce the cost of the proposed CO₂ standards and help to provide adequate lead time. EPA believes this approach is justified under section 202(a) of the Clean Air Act.

EPA has analyzed the feasibility under the CAA of achieving the proposed CO₂ standards, based on projections of what actions manufacturers are expected to take to reduce emissions. The results of the analysis are discussed in detail in Section III.D below and in the DRIA. EPA also presents the estimated costs and benefits of the proposed car and truck CO₂ standards in Section III.H. In developing the proposal, EPA has evaluated the kinds of technologies that could be utilized by the automobile industry, as well as the associated costs for the industry and fuel savings for the consumer, the magnitude of the GHG reductions that may be achieved, and other factors relevant under the CAA.

With respect to the lead time and cost of incorporating technology improvements that reduce GHG emissions, EPA and NHTSA place important weight on the fact that during MYs 2012–2016 manufacturers are expected to redesign and upgrade their light-duty vehicle products (and in some cases introduce entirely new vehicles not on the market today). Over these five model years there would be an opportunity for manufacturers to evaluate almost every one of their

vehicle model platforms and add technology in a cost-effective way to control GHG emissions and improve fuel economy. This includes redesign of the air conditioner systems in ways that will further reduce GHG emissions. The time-frame and levels for the proposed standards, as well as the ability to average, bank and trade credits and carry a deficit forward for a limited time, are expected to provide manufacturers the time needed to incorporate technology that will achieve GHG reductions, and to do this as part of the normal vehicle redesign process. This is an important aspect of the proposal, as it would avoid the much higher costs that would occur if manufacturers needed to add or change technology at times other than these scheduled redesigns. This time period would also provide manufacturers the opportunity to plan for compliance using a multi-year time frame, again in accord with their normal business practice.

Consistent with the requirement of CAA section 202(a)(1) that standards be applicable to vehicles “for their useful life,” EPA is proposing CO₂ vehicle standards that would apply for the useful life of the vehicle. Under section 202(i) of the Act, which authorized the Tier 2 standards, EPA established a useful life period of 10 years or 120,000 miles, whichever first occurs, for all Tier 2 light-duty vehicles and light-duty trucks.¹²⁵ Tier 2 refers to EPA’s standards for criteria pollutants such as NO_x, HC, and CO. EPA is proposing new CO₂ standards for the same group of vehicles, and therefore the Tier 2 useful life would apply for CO₂ standards as well. The in-use emission standard will be 10% higher than the certification standard, to address issues of production variability and test-to-test variability. The in-use standard is discussed in Section III.E.

EPA is proposing to measure CO₂ for certification and compliance purposes using the same test procedures currently used by EPA for measuring fuel economy. These procedures are the Federal Test Procedure (FTP or “city” test) and the Highway Fuel Economy

¹²⁵ See 65 FR 6698 (February 10, 2000).

Test (HFET or "highway" test).¹²⁶ This corresponds with the data used to develop the footprint-based CO₂ standards, since the data on control technology efficiency was also developed in reference to these test procedures. Although EPA recently updated the test procedures used for fuel economy labeling, to better reflect the actual in-use fuel economy achieved by vehicles, EPA is not proposing to use these test procedures for the CO₂ standards proposed here, given the lack of data on control technology effectiveness under these procedures.¹²⁷ As stated in Section I, EPA and NHTSA invite comments on potential amendments to the CAFE and GHG test procedures, including but not limited to air conditioner-related emissions, that could be implemented beginning in MY 2017.

EPA proposes to include hydrocarbons (HC) and carbon monoxide (CO) in its CO₂ emissions calculations on a CO₂-equivalent basis. It is well accepted that HC and CO are typically oxidized to CO₂ in the atmosphere in a relatively short period of time and so are effectively part of the CO₂ emitted by a vehicle. In terms of standard stringency, accounting for the carbon content of tailpipe HC and CO emissions and expressing it as CO₂-equivalent emissions would add less than one percent to the overall CO₂-equivalent emissions level. This will also ensure consistency with CAFE calculations since HC and CO are included in the "carbon balance" methodology that EPA uses to determine fuel usage as part of calculating vehicle fuel economy levels.

2. What Are the CO₂ Attribute-Based Standards?

EPA proposes to use the same vehicle category definitions that are used in the CAFE program for the 2011 model year standards.¹²⁸ The CAFE vehicle category definitions differ slightly from

the EPA definitions for cars and light trucks used for the Tier 2 program, as well as other EPA vehicle programs. Specifically, NHTSA's reconsideration of the CAFE program statutory language has resulted in many two-wheel drive SUVs under 6000 pounds gross vehicle weight being reclassified as cars under the CAFE program. The proposed approach of using CAFE definitions allows EPA's proposed CO₂ standards and the proposed CAFE standards to be harmonized across all vehicles. In other words, vehicles would be subject to either car standards or truck standards under both programs, and not car standards under one program and trucks standards under the other.

EPA is proposing separate car and truck standards, that is, vehicles defined as cars have one set of footprint-based curves for MY 2012–2016 and vehicles defined as trucks have a different set for MY 2012–2016. In general, for a given footprint the CO₂ g/mi target for trucks is less stringent than for a car with the same footprint.

EPA is not proposing a single fleet standard where all cars and trucks are measured against the same footprint curve for several reasons. First, some vehicles classified as trucks (such as pick-up trucks) have certain attributes not common on cars which attributes contribute to higher CO₂ emissions—notably high load carrying capability and/or high towing capability. Due to these differences, it is reasonable to separate the light-duty vehicle fleet into two groups. Second, EPA would like to harmonize key program design elements of the GHG standards with NHTSA's CAFE program where it is reasonable to do so. NHTSA is required by statute to set separate standards for passenger cars and for non-passenger cars.

Finally, most of the advantages of a single standard for all light duty vehicles are also present in the two-fleet standards proposed here. Because EPA is proposing to allow unlimited credit

transfer between a manufacturer's car and truck fleets, the two fleets can essentially be viewed as a single fleet when manufacturers consider compliance strategies. Manufacturers can thus choose on which vehicles within their fleet to focus GHG reducing technology and then use credit transfers as needed to demonstrate compliance, just as they would if there was a single fleet standard. The one benefit of a single light-duty fleet not captured by a two-fleet approach is that a single fleet prevents potential "gaming" of the car and truck definitions to try and design vehicles which are more similar to passenger cars but which may meet the regulatory definition of trucks. Although this is of concern to EPA, we do not believe at this time that concern is sufficient to outweigh the other reasons for proposing separate car and truck fleet standards. EPA requests comment on this approach.

For model years 2012 and later, EPA is proposing a series of CO₂ standards that are described mathematically by a family of piecewise linear functions (with respect to vehicle footprint). The form of the function is as follows:

$$\begin{aligned} \text{CO}_2 &= a, \text{ if } x \leq l \\ \text{CO}_2 &= cx + d, \text{ if } l < x \leq h \\ \text{CO}_2 &= b, \text{ if } x > h \end{aligned}$$

- Where:
- CO₂ = the CO₂ target value for a given footprint (in g/mi)
- a = the minimum CO₂ target value (in g/mi)
- b = the maximum CO₂ target value (in g/mi)
- c = the slope of the linear function (in g/mi per sq ft)
- d = is the zero-offset for the line (in g/mi CO₂)
- x = footprint of the vehicle model (in square feet, rounded to the nearest tenth)
- l & h are the lower and higher footprint limits, constraints, or the boundary ("kinks") between the flat regions and the intermediate sloped line.

EPA's proposed parameter values that define the family of functions for the proposed CO₂ fleetwide average car and truck standards are as follows:

TABLE III.B.2-1—PARAMETER VALUES FOR CARS
[For CO₂ gram per mile targets]

Model year	a	b	c	d	Lower constraint	Upper constraint
2012	242	313	4.72	48.8	41	56
2013	234	305	4.72	40.8	41	56
2014	227	297	4.72	33.2	41	56
2015	215	286	4.72	22.0	41	56
2016 and later	204	275	4.72	10.9	41	56

¹²⁶ EPA established the FTP for emissions measurement in the early 1970s. In 1976, in response to the Energy Policy and Conservation Act (EPCA) statute, EPA extended the use of the FTP

to fuel economy measurement and added the HFET.¹²⁶ The provisions in the 1976 regulation, effective with the 1977 model year, established

procedures to calculate fuel economy values both for labeling and for CAFE purposes.

¹²⁷ See 71 FR 77872, December 27, 2006.

¹²⁸ See 49 CFR part 523.

TABLE III.B.2-2—PARAMETER VALUES FOR TRUCKS
[For CO₂ gram per mile targets]

Model year	a	b	c	d	Lower constraint	Upper constraint
2012	298	399	4.04	132.6	41	66
2013	287	388	4.04	121.6	41	66
2014	276	377	4.04	110.3	41	66
2015	261	362	4.04	95.2	41	66
2016 and later	246	347	4.04	80.4	41	66

The equations can be shown graphically for each vehicle category, as shown in Figures III.B.2-1 and III.B.2-2. These standards (or functions) decrease from 2012-2016 with a vertical shift. A more detailed description of the development of the attribute based standard can be found in Chapter 2 of the Draft Joint TSD. More background discussion on other alternative

attributes and curves EPA explored can be found in the EPA DRIA. EPA recognizes that the CAA does not mandate that EPA use an attribute based standard, as compared to NHTSA's obligations under EPCA. The EPA believes that proposing a footprint-based program will harmonize EPA's proposed program and the proposed CAFE program as a single national

program, resulting in reduced compliance complexity for manufacturers. EPA's reasons for proposing to use an attribute based standard are discussed in more detail in the Joint TSD. Comments are requested on this proposal to use the attribute-based approach for regulating tailpipe CO₂ emissions.

BILLING CODE 4910-59-P




Figure III.B.2-1. CO2 (g/mi) Car standard curves.




Figure III.B.2-2. CO2 (g/mi) Truck standard curves.

BILLING CODE 4910-59-C

3. Overview of How EPA's Proposed CO₂ Standards Would Be Implemented for Individual Manufacturers

This section provides a brief overview of how EPA proposes to implement the

CO₂ standards. Section III.E explains EPA's proposed approach for certification and compliance in detail. EPA is proposing two kinds of standards—fleet average standards determined by a manufacturer's fleet

profile of various models, and in-use standards that would apply to the various models that make up the manufacturer's fleet. Although this is similar in concept to the current light-duty vehicle Tier 2 program, there are

important differences. In explaining EPA's proposal for the CO₂ standards, it is useful to summarize how the Tier 2 program works.

Under Tier 2, manufacturers select a test vehicle prior to certification and test the vehicle and/or its emissions hardware to determine both its emissions performance when new and the emissions performance expected at the end of its useful life. Based on this testing, the vehicle is assigned to one of several specified bins of emissions levels, identified in the Tier 2 rule, and this bin level becomes the emissions standard for the test group the test vehicle represents. All of the vehicles in the group must meet the emissions level for that bin throughout their useful life. The emissions level assigned to the bin is also used in calculating the manufacturer's fleet average emissions performance.

Since compliance with the Tier 2 fleet average depends on actual test group sales volumes and bin levels, it is not possible to determine compliance at the time the manufacturer applies for and receives a certificate of conformity for a test group. Instead, at certification, the manufacturer demonstrates that the vehicles in the test group are expected to comply throughout their useful life with the emissions bin assigned to that test group, and makes a good faith demonstration that its fleet is expected to comply with the Tier 2 average when the model year is over. EPA issues a certificate for the vehicles covered by the test group based on this demonstration, and includes a condition in the certificate that if the manufacturer does not comply with the fleet average then production vehicles from that test group will be treated as not covered by the certificate to the extent needed to bring the manufacturer's fleet average into compliance with Tier 2.

EPA proposes to retain the Tier 2 approach of requiring manufacturers to demonstrate in good faith at the time of certification that models in a test group will meet applicable standards throughout useful life. EPA also proposes to retain the practice of conditioning certificates upon attainment of the fleet average standard. However, there are several important differences between a Tier 2 type of program and the CO₂ standards program EPA is proposing. These differences and resulting modifications to certification are summarized below and are described in detail in Section III.E.

EPA is proposing to certify test groups as it does for Tier 2, with the CO₂ emission results for the test vehicle as the initial or default standard for all of the models in the test group. However,

manufacturers would later substitute test data for individual models in that test group, based on the model level fuel economy testing that typically occurs through the course of the model year. This model level data would then be used to assign a distinct certification level for that model, instead of the initial test group level. These model level results would then be used to calculate the fleet average after the end of production.¹²⁹ The option to substitute model level test data for the test group data is at the manufacturer's discretion, except they are required as under the CAFE test protocols to test, at a minimum, enough models to represent 90 percent of their production. The test group level would continue to apply for any model that is not covered by model level testing. A related difference is that the fleet average calculation for Tier 2 is based on test group bin levels and test group sales whereas under this proposal the CO₂ fleet level would be based on a combination of test group and model-level emissions and model-level production. For the new CO₂ standards, EPA is proposing to use production rather than sales in calculating the fleet average in order to more closely conform with CAFE, which is a production-based program. EPA does not expect any significant environmental effect because there is little difference between production and sales, and this will reduce the complexity of the program for manufacturers.

4. Averaging, Banking, and Trading Provisions for CO₂ Standards

As explained above, a fleet average CO₂ program for passenger cars and light trucks is proposed. EPA has implemented similar averaging programs for a range of motor vehicle types and pollutants, from the Tier 2 fleet average for NO_x to motorcycle hydrocarbon (HC) plus oxides of nitrogen (NO_x) emissions to NO_x and particulate matter (PM) emissions from heavy-duty engines.¹³⁰ The proposed program would operate much like EPA's existing averaging programs in that manufacturers would calculate

¹²⁹ The final in-use vehicle standards for each model would also be based on the model-level fuel economy testing. As discussed in Section III.E.4, an in-use adjustment factor would be applied to the model level results to determine the in-use standard that would apply during the useful life of the vehicle.

¹³⁰ For example, see the Tier 2 light-duty vehicle emission standards program (65 FR 6698, February 10, 2000), the 2010 and later model year motorcycle emissions program (69 FR 2398, January 15, 2004), and the 2007 and later model year heavy-duty engine and vehicle standards program (66 FR 5001, January 18, 2001).

production-weighted fleet average emissions at the end of the model year and compare their fleet average with a fleet average standard to determine compliance. As in other EPA averaging programs, the Agency is also proposing a comprehensive program for averaging, banking, and trading of credits which together will help manufacturers in planning and implementing the orderly phase-in of emissions control technology in their production, using their typical redesign schedules.

Averaging, Banking, and Trading (ABT) of emissions credits has been an important part of many mobile source programs under CAA Title II, both for fuels programs as well as for engine and vehicle programs. ABT is important because it can help to address many issues of technological feasibility and lead-time, as well as considerations of cost. ABT is an integral part of the standard setting itself, and is not just an add-on to help reduce costs. In many cases, ABT resolves issues of lead-time or technical feasibility, allowing EPA to set a standard that is either numerically more stringent or goes into effect earlier than could have been justified otherwise. This provides important environmental benefits at the same time it increases flexibility and reduces costs for the regulated industry.

This section discusses generation of credits by achieving a fleet average CO₂ level that is lower than the manufacturer's CO₂ fleet average standard. EPA is proposing a variety of additional ways credits may be generated by manufacturers. Section III.C describes these additional opportunities to generate credits in detail. EPA is proposing that credits could be earned through A/C system improvements, beyond a specified baseline. Credits can also be generated by producing alternative fuel vehicles, by producing advanced technology vehicles including electric vehicles, plug-in hybrids, and fuel cell vehicles, and by using technologies that improve off-cycle emissions. In addition, EPA is proposing that early credits could be generated prior to the proposed program's MY 2012 start date. The credits would be used in calculating the fleet averages at the end of the model year, with the exception of early credits which would be tracked separately. These proposed credit generating opportunities are described below in Section III.C.

As explained earlier, manufacturers would determine the fleet average standard that would apply to their car fleet and the standard for their truck fleet from the applicable attribute-based curve. A manufacturer's credit or debit

balance would be determined by comparing their fleet average with the manufacturer's CO₂ standard for that model year. The standard would be calculated from footprint values on the attribute curve and actual production levels of vehicles at each footprint. A manufacturer would generate credits if its car or truck fleet achieves a fleet average CO₂ level lower than its standard and would generate debits if its fleet average CO₂ level is above that standard. At the end of the model year, each manufacturer would calculate a production-weighted fleet average for each averaging set, cars and trucks. A manufacturer's car or truck fleet that achieves a fleet average CO₂ level lower than its standard would generate credits, and if its fleet average CO₂ level is above that standard its fleet would generate debits.

EPA is proposing to account for the difference in expected lifetime vehicle miles traveled (VMT) between cars and trucks in order to preserve CO₂ reductions when credits are transferred between cars and trucks. As directed by EISA, NHTSA accomplishes this in the CAFE program by using an adjustment factor that is applied to credits when they are transferred between car and truck compliance categories. The CAFE adjustment factor accounts for two different influences that can cause the transfer of car and truck credits (expressed in tenths of a mpg), if left unadjusted, to potentially negate fuel reductions. First, mpg is not linear with fuel consumption, *i.e.*, a 1 mpg improvement above a standard will imply a different amount of actual fuel consumed depending on the level of the standard. Second, NHTSA's conversion corrects for the fact that the typical lifetime miles for cars is less than that for trucks, meaning that credits earned for cars and trucks are not necessarily equal. NHTSA's adjustment factor essentially converts credits into vehicle lifetime gallons to ensure preservation of fuel savings and the transfer credits on an equal basis, and then converts back to the statutorily required credit units of tenths of a mile per gallon. To convert to gallons NHTSA's conversion must take into account the expected lifetime mileage for cars and trucks. Because EPA is proposing standards that are expressed on a CO₂ gram per mile basis, which is linear with fuel consumption, EPA's credit calculations do not need to account for the first issue noted above. However, EPA is proposing to account for the second issue by expressing credits when they are generated in total lifetime megagrams (metric tons), rather than

through the use of conversion factors that would apply at certain times. In this way credits could be freely exchanged between car and truck compliance categories without adjustment. Additional detail regarding this approach, including a discussion of the vehicle lifetime mileage estimates for cars and trucks can be found in Section III.E.5. A discussion of the estimated vehicle lifetime miles traveled can be found in Chapter 4 of the draft Joint Technical Support Document. EPA requests comment on the proposed approach.

A manufacturer that generates credits in a given year and vehicle category could use those credits in essentially four ways, although with some limitations. These provisions are very similar to those of other EPA averaging, banking, and trading programs. These provisions have the potential to reduce costs and compliance burden, and support the feasibility of the standards being proposed in terms of lead time and orderly redesign by a manufacturer, thus promoting and not reducing the environmental benefits of the program.

First, the manufacturer would have to offset any deficit that had accrued in that averaging set in a prior model year and had been carried over to the current model year. In such a case, the manufacturer would be obligated to use any current model year credits to offset that deficit. This is referred to in the CAFE program as credit carry-back. EPA's proposed deficit carry-forward, or credit carry-back provisions are described further, below.

Second, after satisfying any needs to offset pre-existing deficits within a vehicle category, remaining credits could be banked, or saved for use in future years. EPA is proposing that credits generated in this program be available to the manufacturer for use in any of the five years after the year in which they were generated, consistent with the CAFE program under EISA. This is also referred to as a credit carry-forward provision. For other new emission control programs, EPA has sometimes initially restricted credit life to allow time for the Agency to assess whether the credit program is functioning as intended. When EPA first offered averaging and banking provisions in its light-duty emissions control program (the National Low Emission Vehicle Program), credit life was restricted to three years. The same is true of EPA's early averaging and banking program for heavy-duty engines. As these programs matured and were subsequently revised, EPA became confident that the programs were functioning as intended and that the

standards were sufficiently stringent to remove the restrictions on credit life.

EPA is therefore acting consistently with our past practice in proposing to reasonably restrict credit life in this new program. The Agency believes, subject to consideration of public comment, that a credit life of five years represents an appropriate balance between promoting orderly redesign and upgrade of the emissions control technology in the manufacturer's fleet and the policy goal of preventing large numbers of credits accumulated early in the program from interfering with the incentive to develop and transition to other more advanced emissions control technologies. As discussed below in Section III.C, EPA is proposing that any early credits generated by a manufacturer, beginning as soon as MY 2009, would also be subject to the five-year credit carry-forward restriction based on the year in which they are generated. This would limit the effect of the early credits on the long-term emissions reductions anticipated to result from the proposed new standards.

Third, EPA is proposing to allow manufacturers to transfer credits between the two averaging sets, passenger cars and trucks, within a manufacturer. For example, credits accrued by over-compliance with a manufacturer's car fleet average standard could be used to offset debits accrued due to that manufacturer's not meeting the truck fleet average standard in a given year. EPA believes that such cross-category use of credits by a manufacturer would provide important additional flexibility in the transition to emissions control technology without affecting overall emission reductions.

Finally, accumulated credits could be traded to another vehicle manufacturer. As with intra-company credit use, such inter-company credit trading would provide flexibility in the transition to emissions control technology without affecting overall emission reductions. Trading credits to another vehicle manufacturer would be a straightforward process between the two manufacturers, but could also involve third parties that could serve as credit brokers. Brokers would not own the credits at any time. These sorts of exchanges are typically allowed under EPA's current emission credit programs, *e.g.*, the Tier 2 light-duty vehicle NO_x fleet average standard and the heavy-duty engine NO_x fleet average standards, although manufacturers have seldom made such exchanges. EPA seeks comment on enhanced reporting requirements or other methods that could help EPA assess validity of

credits, especially those obtained from third-party credit brokers

If a manufacturer had a deficit at the end of a model year—that is, its fleet average level failed to meet the required fleet average standard—EPA proposes that the manufacturer could carry that deficit forward (also referred to credit carry-back) for a total of three model years after the model year in which that deficit was generated. As noted above, such a deficit carry-forward could only occur after the manufacturer applied any banked credits or credits from another averaging set. If a deficit still remained after the manufacturer had applied all available credits, and the manufacturer did not obtain credits elsewhere, the deficit could be carried over for up to three model years. No deficit could be carried into the fourth model year after the model year in which the deficit occurred. Any deficit from the first model year that remained after the third model year would thus constitute a violation of the condition on the certificate, which would constitute a violation of the Clean Air Act and would be subject to enforcement action.

In the Tier 2 rulemaking proposal, EPA proposed to allow deficits to be carried forward for one year. In their comments on that proposal, manufacturers argued persuasively that by the time they can tabulate their average emissions for a particular model year, the next model year is likely to be well underway and it is too late to make calibration, marketing, or production mix changes to adjust that year's credit generation. Based on those comments, in the Tier 2 final rule EPA finalized provisions that allowed the deficit to be carried forward for a total of three years. EPA continues to believe that three years is an appropriate amount of time that gives the manufacturers adequate time to respond to a deficit situation but does not create a lengthy period of prolonged non-compliance with the fleet average standards.¹³¹ Subsequent EPA emission control programs that incorporate ABT provisions (e.g., the Mobile Source Air Toxics rule) have provided this three-year deficit carry-forward provision for this reason.¹³²

The proposed averaging, banking, and trading provisions are generally consistent with those included in the CAFE program, with a few notable exceptions. As with EPA's proposed approach, CAFE allows five year carry-forward of credits and three year carry-back. Transfers of credits across a manufacturer's car and truck averaging

sets are also allowed, but with limits established by EISA on the use of transferred credits. The amount of transferred credits that can be used in a year is limited, and transferred credits may not be used to meet the CAFE minimum domestic passenger car standard. CAFE allows credit trading, but again, traded credits cannot be used to meet the minimum domestic passenger car standard. EPA is not proposing these constraints on the use of transferred credits.

Additional details regarding the averaging, banking, and trading provisions and how EPA proposes to implement these provisions can be found in Section III.E.

5. CO₂ Optional Temporary Lead-time Allowance Alternative Standards

EPA is proposing a limited and narrowly prescribed option, called the Temporary Lead-time Allowance Alternative Standards (TLAAS), to provide additional lead time for a certain subset of manufacturers. This option is designed to address two different situations where we project that more lead time is needed, based on the level of emissions control technology and emissions control performance currently exhibited by certain vehicles. One situation involves manufacturers who have traditionally paid CAFE fines instead of complying with the CAFE fleet average, and as a result at least part of their vehicle production currently has significantly higher CO₂ and lower fuel economy levels than the industry average. More lead time is needed in the program's initial years to upgrade these vehicles to meet the aggressive CO₂ emissions performance levels required by the proposal. The other situation involves manufacturers who have a limited line of vehicles and are unable to take advantage of averaging of emissions performance across a full line of production. For example, some smaller volume manufacturers focus on high performance vehicles with higher CO₂ emissions, above the CO₂ emissions target for that vehicle footprint, but do not have other types of vehicles in their production mix with which to average. Often, these manufacturers also pay fines under the CAFE program rather than meeting the applicable CAFE standard. Because voluntary non-compliance is impermissible for the GHG standards proposed under the CAA, both of these types of manufacturers need additional lead time to upgrade vehicles and meet the proposed standards. EPA is proposing an optional, temporary alternative standard, which is only slightly less

stringent, and limited to the first four model years (2012–2015) of the National Program, so that these manufacturers can have sufficient lead time to meet the tougher MY 2016 GHG standards, while preserving consumer choice of vehicles during this time.

In MY 2016, the TLAAS option ends, and all manufacturers, regardless of size, and domestic sales volume, must comply with the same CO₂ standards, while under the CAFE program companies would continue to be allowed to pay civil penalties in lieu of complying with the CAFE standards. However, because companies must meet both the CAFE standards and the EPA CO₂ standards, the National Program will have the practical impact of providing a level playing field for all companies beginning in MY 2016—a situation which has never existed under the CAFE program. This option thereby results in more fuel savings and CO₂ reductions than would be the case under the CAFE program.

EPA projects that the environmental impact of the proposed TLAAS program will be very small. If all companies eligible to use the TLAAS use it to the maximum extent allowed, total GHG emissions from the proposal will increase by less than 0.4% over the lifetime of the MY 2012–2016 vehicles. EPA believes the impact will be even smaller, as we do not expect all of the eligible companies to use this option, and we do not expect all companies who do use the program will use it to the maximum extent allowed, as we have included provisions which discourage companies from using the TLAAS any longer than it is needed.

EPA has structured the TLAAS option to provide more lead time in these kinds of situations, but to limit the program so that it would only be used in situations where these kinds of lead time concerns arise. Based on historic data on sales, EPA is using a specific historic U.S. sales volume as the best way to identify the subset of production that falls into this situation. Under the TLAAS, these manufacturers would be allowed to produce up to but no more than 100,000 vehicles that would be subject to a somewhat less stringent CO₂ standard. This 100,000 volume is not an annual limit, but is an absolute limit for the total number of vehicles which can use the TLAAS program over the model years 2012–2015. Any additional production would be subject to the same standards as any other manufacturer. In addition, EPA is imposing a variety of restrictions on the use of the TLAAS program, discussed in more detail below, to ensure that only manufacturers who need more lead-time

¹³¹ See 65 FR 6745 (February 10, 2000).

¹³² See 71 FR 8427 (February 26, 2007).

for the kinds of reasons noted above are likely to use the program. Finally, the program is temporary and expires at the end of MY 2015. A more complete discussion of the program is provided below. EPA believes the proposed program reasonably addresses a real world lead time constraint, and does it in a way that balances the need for more lead time with the need to minimize any resulting loss in potential emissions reductions. EPA invites comment as to whether its proposal is the best way to balance these concerns.

EPA proposes to establish a TLAAS for a specified subset of manufacturers. There are two types of companies who would make use of TLAAS—those manufacturers who have paid CAFE fines in recent years, and who need additional lead-time to incorporate the needed technology; and those companies who are not full-line manufacturers, who have a smaller range of models and vehicle types, who may need additional lead-time as well. This alternative standard would apply to manufacturers with total U.S. sales of less than 400,000 vehicles per year, using 2009 model year final sales numbers to determine eligibility for these alternative standards. EPA reviewed the sales volumes of manufacturers over the last few years, and determined that manufacturers below this level typically fit the characteristics discussed above, and manufacturers above this level did not. Thus, EPA chose this level because it functionally identifies the group of manufacturers described above, recognizing that there is nothing

intrinsic in the sales volume itself that warrants this allowance. EPA was not able to identify any other objective criteria that would more appropriately identify the manufacturers and vehicle fleets described above.

EPA is proposing that manufacturers qualifying for TLAAS would be allowed to meet slightly less stringent standards for a limited number of vehicles for model years 2012–2015. Specifically, an eligible manufacturer could have a total of up to 100,000 units of cars and trucks combined over model years 2012–2015, and during those model years those vehicles would be subject to a standard 1.25 times the standard that would otherwise apply to those vehicles under the primary program. In other words, the footprint curves upon which the individual manufacturer standards for the TLAAS fleets are based would be less stringent by a factor of 1.25 for up to 100,000 of an eligible manufacturer's vehicles for model years 2012–2015. As noted, this approach seeks to balance the need to provide additional lead-time without reducing the environmental benefits of the proposed program. EPA believes that 100,000 units over four model years achieves an appropriate balance as the emissions impact is quite small, but does provide companies with some flexibility during MY 2012–2015. For example, for a manufacturer producing 400,000 vehicles per year, this would be a total of up to 100,000 vehicles out of a total production of up to 1.6 million vehicles over the four year period, or about 6 percent of total production.

Manufacturers with no U.S. sales in model year 2009 would not qualify for

the TLAAS program. Manufacturers meeting the cut-point of 400,000 for MY 2009 but with U.S. directed production above 400,000 in any subsequent model years would remain eligible for the TLAAS program. Also, the total sales number applies at the corporate level, so if a corporation owns several vehicle brands the aggregate sales for the corporation would be used. These provisions would help prevent gaming of the provisions through corporate restructuring. Corporate ownership or control relationships would be based on determinations made under CAFE for model year 2009. In other words, corporations grouped together for purposes of meeting CAFE standards, would be grouped together for determining whether or not they are eligible under the 400,000 vehicle cut point.

EPA derived the 100,000 maximum unit set aside number based on a gradual phase-out schedule shown in Table III.B.5–1, below. However, individual manufacturers' situations will vary significantly and so EPA believes a flexible approach that allows manufacturers to use the allowance as they see fit during these model years would be most appropriate. As another example, an eligible manufacturer could also choose to apply the TLAAS program to an average of 25,000 vehicles per year, over the four-year period. Therefore, EPA is proposing that a total of 100,000 vehicles of an eligible manufacturer, with any combination of cars or trucks, could be subject to the alternative standard over the four year period without restrictions.

TABLE III.B.5–1—TLAAS EXAMPLE VEHICLE PRODUCTION VOLUMES

Model year	2012	2013	2014	2015
Sales Volume	40,000	30,000	20,000	10,000

The TLAAS vehicles would be separate car and truck fleets for that model year and would be subject to the less stringent footprint-based standards of 1.25 times the primary fleet average that would otherwise apply. The manufacturer would determine what vehicles are assigned to these separate averaging sets for each model year. EPA is proposing that credits from the primary fleet average program can be transferred and used in the TLAAS program. Credits within the TLAAS program may also be transferred between the TLAAS car and truck averaging sets for use through 2015 when the TLAAS would end. However, credits generated under TLAAS would

not be allowed to be transferred or traded to the primary program. Therefore, any unused credits under TLAAS would expire after model year 2015. EPA believes that this is necessary to limit the program to situations where it is needed and to prevent the allowance from being inappropriately transferred to the long-term primary program.

EPA is concerned that some manufacturers would be able to place relatively clean vehicles in the TLAAS to maximize TLAAS credits if credit use was unrestricted. However, any credits generated from the primary program that are not needed for compliance in the primary program, should be used to

offset the TLAAS vehicles. EPA is thus proposing to restrict the use of banking and trading between companies of credits in the primary program in years in which the TLAAS is being used. For example, manufacturers using the TLAAS in MY 2012 could not bank credits in the primary program during MY 2012 for use in MY 2013 and later. No such restriction would be in place for years when the TLAAS is not being used. EPA also believes this provision is necessary to prevent credits from being earned simply by removing some high-emitting vehicles from the primary fleet. Absent this restriction, manufacturers would be able to choose to use the TLAAS for these vehicles and also be

able to earn credits under the primary program that could be banked or traded under the primary program without restriction. EPA is proposing two additional restrictions regarding the use of the TLAAS by requiring that for any of the 2012–2015 model years for which an eligible manufacturer would like to use the TLAAS, the manufacturer must use two of the available flexibilities in the GHG program first in order to try and show compliance with the primary standard before accessing the TLAAS. Specifically, before using the TLAAS the manufacturer must: (1) use any banked emission credits from a previous model year; and, (2) use any available credits from the companies' car or truck fleet for the specific model year (*i.e.*, use credit transfer from cars to trucks or from trucks to cars, that is, before using the TLAAS for either the car fleet or the truck fleet, make use of any available credit transfers first). EPA is requesting comments on all aspects of the proposed TLAAS program including comments on other provisions that might be needed to ensure that the TLAAS program is being used as intended and to ensure no gaming occurs.

Finally, EPA recognizes that there will be a wide range of companies within the eligible manufacturers with sales less than 400,000 vehicles in model year 2009. Some of these companies, while having relatively small U.S. sales volumes, are large global automotive firms, including companies such as Mercedes and Volkswagen. Other companies are significantly smaller niche firms, with sales volumes closer to 10,000 vehicles per year worldwide; an example of this type of firm is Aston Martin. EPA anticipates that there are a small number of such smaller volume manufacturers, which have claimed that they may face greater challenges in meeting the proposed standards due to their limited product lines across which to average. EPA requests comment on whether the proposed TLAAS program, as described above, provides sufficient lead-time for these smaller firms to incorporate the technology needed to comply with the proposed GHG standards.

6. Proposed Nitrous Oxide and Methane Standards

In addition to fleet-average CO₂ standards, EPA is proposing separate per-vehicle standards for nitrous oxide (N₂O) and methane (CH₄) emissions. Standards are being proposed that would cap vehicle N₂O and CH₄ emissions at current levels. Our intention is to set emissions standards that act to cap emissions to ensure that

future vehicles do not increase their N₂O and CH₄ emissions above levels that would be allowed under the proposal.

EPA considered an approach of expressing each of these standards in common terms of CO₂-equivalent emissions and combining them into a single standard along with CO₂ and HFC emissions. California's "Pavley" program adopted such a CO₂-equivalent emissions standards approach to GHG emissions in their program.¹³³ However, these pollutants are largely independent of one another in terms of how they are generated by the vehicle and how they are tested for during implementation. Potential control technologies and strategies for each pollutant also differ. Moreover, an approach that provided for averaging of these pollutants could undermine the stringency of the CO₂ standards, as at this time we are proposing standards which "cap" N₂O and CH₄ emissions, rather than proposing a level which is either at the industry fleet-wide average or which would result in reductions from these pollutants. It is possible that once EPA begins to receive more detailed information on the N₂O and CH₄ performance of the new vehicle fleet as a result of this proposed rule (if it were to be finalized as proposed) that for a future action for model years 2017 and later EPA could consider a CO₂-equivalent standard which would not result in any increases in GHG emissions due to the current lack of detailed data on N₂O and CH₄ emissions performance. In addition, EPA seeks comment on whether a CO₂-equivalent emissions standard should be considered for model years 2012 through 2016, and whether there are advantages or disadvantages to such an approach, including potential impacts on harmonization with CAFE standards.

Almost universally across current car and truck designs, both gasoline- and diesel-fueled, these emissions are relatively low, and our intent is to not require manufacturers to make technological improvements in order to reduce N₂O and CH₄ at this time. However, it is important that future vehicle technologies or fuels do not result in increases in these emissions, and this is the intent of the proposed "cap" standards.

EPA requests comments on our approach to regulating N₂O and CH₄ emissions including the appropriateness

¹³³ California Environmental Protection Agency Air Resources Board, Staff Report: Initial Statement of Reasons for Proposed Rulemaking Public Hearing To Consider Adoption Of Regulations To Control Greenhouse Gas Emissions From Motor Vehicles, August 6, 2004.

of "cap" standards as opposed to "technology-forcing" standards, the technical bases for the proposed N₂O and CH₄ standards, the proposed test procedures, and timing. Specifically, EPA seeks comment on the appropriateness of the proposed levels of the N₂O and CH₄ standards to accomplish our stated intent. In addition, EPA seeks comment on any additional emissions data on N₂O and CH₄ from current technology vehicles.

a. Nitrous Oxide (N₂O) Exhaust Emission Standard

N₂O is a global warming gas with a high global warming potential.¹³⁴ It accounts for about 2.7% of the current greenhouse gas emissions from cars and light trucks. EPA is proposing a per-vehicle N₂O emission standard of 0.010 g/mi, measured over the traditional FTP vehicle laboratory test cycles. The standard would become effective in model year 2012 for all light-duty cars and trucks. Averaging between vehicles would not be allowed. The standard is designed to prevent increases in N₂O emissions from current levels, *i.e.* a no-backsliding standard.

N₂O is emitted from gasoline and diesel vehicles mainly during specific catalyst temperature conditions conducive to N₂O formation. Specifically, N₂O can be generated during periods of emission hardware warm-up when rising catalyst temperatures pass through the temperature window when N₂O formation potential is possible. For current Tier 2 compatible gasoline engines with conventional three-way catalyst technology, N₂O is not generally produced in significant amounts because the time the catalyst spends at the critical temperatures during warm-up is short. This is largely due to the need to quickly reach the higher temperatures necessary for high catalyst efficiency to achieve emission compliance of criteria pollutants. N₂O is a more significant concern with diesel vehicles, and potentially future gasoline lean-burn engines, equipped with advanced catalytic NO_x emissions control systems. These systems can but need not be designed in a way that emphasizes efficient NO_x control while allowing the formation of significant quantities of N₂O. Excess oxygen present in the exhaust during lean-burn conditions in diesel or lean-burn gasoline engines equipped with these advanced systems can favor N₂O formation if catalyst temperatures are not carefully controlled. Without

¹³⁴ N₂O has a GWP of 310 according to the IPCC Second Assessment Report (SAR).

specific attention to controlling N₂O emissions in the development of such new NO_x control systems, vehicles could have N₂O emissions many times greater than are emitted by current gasoline vehicles.

EPA is proposing an N₂O emission standard that EPA believes would be met by current-technology gasoline vehicles at essentially no cost. As noted, N₂O formation in current catalyst systems occurs, but the emission levels are low, because the time the catalyst spends at the critical temperatures during warm-up when N₂O can form is short. At the same time, EPA believes that the proposed standard would ensure that the design of advanced NO_x control systems, especially for future diesel and lean-burn gasoline vehicles, would control N₂O emission levels. While current NO_x control approaches used on current Tier 2 diesel vehicles do not tend to form N₂O emissions, EPA believes that the proposed standards would discourage any new emission control designs that achieve criteria emissions compliance at the cost of increased N₂O emissions. Thus, the proposed standard would cap N₂O emission levels, with the expectation that current gasoline and diesel vehicle control approaches that comply with the Tier 2 vehicle emission standards for NO_x would not increase their emission levels, and that the cap would ensure that future vehicle designs would appropriately control their emissions of N₂O. The proposed N₂O level is approximately two times the average N₂O level of current gasoline passenger cars and light-duty trucks that meet the Tier 2 NO_x standards.¹³⁵ Manufacturers typically use design targets for NO_x emission levels of about 50% of the standard, to account for in-use emissions deterioration and normal testing and production variability, and manufacturers are expected to utilize a similar approach for N₂O emission compliance. EPA is not proposing a more stringent standard for current gasoline and diesel vehicles because the stringent Tier 2 program and the associated NO_x fleet average requirement already result in significant N₂O control, and does not expect current N₂O levels to rise for these vehicles. EPA requests comment on this technical assessment of current and potential future N₂O formation in cars and trucks.

While EPA believes that manufacturers will likely be able to acquire and install N₂O analytical

equipment, the agency also recognizes that some companies may face challenges. Given the short lead-time for this rule, EPA proposes that manufacturers be able to apply for a certificate of conformity with the N₂O standard for model year 2012 based on a compliance statement based on good engineering judgment. For 2013 and later model years, manufacturers would need to submit measurements of N₂O for compliance purposes.

Diesel cars and light trucks with advanced emission control technology are in the early stages of development and commercialization. As this segment of the vehicle market develops, the proposed N₂O standard would require manufacturers to incorporate control strategies that minimize N₂O formation. Available approaches include using electronic controls to limit catalyst conditions that might favor N₂O formation and consider different catalyst formulations. While some of these approaches may have modest associated costs, EPA believes that they will be small compared to the overall costs of the advanced NO_x control technologies already required to meet Tier 2 standards.

Vehicle emissions regulations do not currently require testing for N₂O, and most test facilities do not have equipment for its measurement. Manufacturers without this capability would need to acquire and install appropriate measurement equipment. However, EPA is proposing four N₂O measurement methods, all of which are commercially available today. EPA expects that most manufacturers would use photo-acoustic measurement equipment, which the Agency estimates would result in a one-time cost of about \$50,000–\$60,000 for each test cell that would need to be upgraded.

Overall, EPA believes that manufacturers of cars and light trucks, both gasoline and diesel, would meet the proposed standard without implementing any significantly new technologies, and there are not expected to be any significant costs associated with this proposed standard.

b. Methane (CH₄) Exhaust Emission Standard

CH₄ (or methane) is greenhouse gas with a high global warming potential.¹³⁶ It accounts for about 0.2% of the greenhouse gases from cars and light trucks.

EPA is proposing a CH₄ emission standard of 0.030 g/mi as measured on the FTP, to apply beginning with model

year 2012 for both cars and trucks. EPA believes that this level for the standard would be met by current gasoline and diesel vehicles, and would prevent large increases in future CH₄ emissions in the event that alternative fueled vehicles with high methane emissions, like some past dedicated compressed natural gas (CNG) vehicles, become a significant part of the vehicle fleet. Currently EPA does not have separate CH₄ standards because unlike other hydrocarbons it does not contribute significantly to ozone formation.¹³⁷ However CH₄ emissions levels in the gasoline and diesel car and light truck fleet have nevertheless generally been controlled by the Tier 2 non-methane organic gases (NMOG) emission standards. However, without an emission standard for CH₄, future emission levels of CH₄ cannot be guaranteed to remain at current levels as vehicle technologies and fuels evolve.

The proposed standard would cap CH₄ emission levels, with the expectation that current gasoline vehicles meeting the Tier 2 emission standards would not increase their levels, and that it would ensure that emissions would be addressed if in the future there are increases in the use of natural gas or any other alternative fuel. The level of the standard would generally be achievable through normal emission control methods already required to meet Tier 2 program emission standards for NMOG and EPA is therefore not attributing any cost to this part of this proposal. Since CH₄ is produced in gasoline and diesel engines similar to other hydrocarbon components, controls targeted at reducing overall NMOG levels generally also work at reducing CH₄ emissions. Therefore, for gasoline and diesel vehicles, the Tier 2 NMOG standards will generally prevent increases in CH₄ emissions levels from today. CH₄ from Tier 2 light-duty vehicles is relatively low compared to other GHGs largely due to the high effectiveness of previous National Low Emission Vehicle (NLEV) and current Tier 2 programs in controlling overall HC emissions.

The level of the proposed standard is approximately two times the average Tier 2 gasoline passenger cars and light-duty trucks level.¹³⁸ As with N₂O, this proposed level recognizes that manufacturers typically set emission design targets at about 50% of the standard. Thus, EPA believes the proposed standard would be met by

¹³⁵ Memo to docket "Deriving the standard from EPA's MOVES model emission factors," December 2007.

¹³⁶ CH₄ has a GWP of 21 according to the IPCC Second Assessment Report (SAR).

¹³⁷ But see *Ford Motor Co. v. EPA*, 604 F. 2d 685 (D.C. Cir. 1979) (permissible for EPA to regulate CH₄ under CAA section 202 (b)).

¹³⁸ Memo to docket "Deriving the standard from EPA's MOVES model emission factors," December 2007.

current gasoline vehicles. Similarly, since current diesel vehicles generally have even lower CH₄ emissions than gasoline vehicles, EPA believes that diesels would also meet the proposed standard. However, EPA also believes that to set a CH₄ emission standard more stringent than the proposed standard could effectively make the Tier 2 NMOG standard more stringent.

In recent model years, a small number of cars and light trucks were sold that were designed for dedicated use of compressed natural gas (CNG) that met Tier 2 emission standards. While emission control designs on these recent dedicated CNG-fueled vehicles demonstrate CH₄ control as effective as gasoline or diesel equivalent vehicles, CNG-fueled vehicles have historically produced significantly higher CH₄ emissions than gasoline or diesel vehicles. This is because their CNG fuel is essentially methane and any unburned fuel that escapes combustion and not oxidized by the catalyst is emitted as methane. However, even if these vehicles meet the Tier 2 NMOG standard and appear to have effective CH₄ control by nature of the NMOG controls, Tier 2 standards do not require CH₄ control. While the proposed CH₄ cap standard should not require any different emission control designs beyond what is already required to meet Tier 2 NMOG standards on a dedicated CNG vehicle, the cap will ensure that systems maintain the current level of CH₄ control. EPA is not proposing more stringent CH₄ standards because the same controls that are used to meet Tier 2 NMOG standards should result in effective CH₄ control. Increased CH₄ stringency beyond proposed levels could inadvertently result in increased Tier 2 NMOG stringency absent an emission control technology unique to CH₄. Since CH₄ is already measured under the current Tier 2 regulations (so that it may be subtracted to calculate non-methane hydrocarbons), the proposed standard would not result in additional testing costs. EPA requests comment on whether the proposed cap standard would result in any significant technological challenges for makers of CNG vehicles.

7. Small Entity Deferment

EPA is proposing to defer setting GHG emissions standards for small entities meeting the Small Business Administration (SBA) criteria of a small business as described in 13 CFR 121.201. EPA would instead consider appropriate GHG standards for these entities as part of a future regulatory action. This includes small entities in three distinct categories of businesses

for light-duty vehicles: small volume manufacturers, independent commercial importers (ICIs), and alternative fuel vehicle converters. EPA has identified about 13 entities that fit the Small Business Administration (SBA) criterion of a small business. EPA estimates there are 2 small volume manufacturers, 8 ICIs, and 3 alternative fuel vehicle converters currently in the light-duty vehicle market. EPA estimates that these small entities comprise less than 0.1 percent of the total light-duty vehicle sales in the U.S., and therefore the proposed deferment will have a negligible impact on the GHG emissions reductions from the proposed standards. Further detail is provided in Section III.I.3, below.

To ensure that EPA is aware of which companies would be deferred, EPA is proposing that such entities submit a declaration to EPA containing a detailed written description of how that manufacturer qualifies as a small entity under the provisions of 13 CFR 121.201. Because such entities are not automatically exempted from other EPA regulations for light-duty vehicles and light-duty trucks, absent such a declaration, EPA would assume that the entity was subject to the greenhouse gas control requirements in this GHG proposal. The declaration would need to be submitted at time of vehicle emissions certification under the EPA Tier 2 program. Small entities are currently covered by a number of EPA motor vehicle emission regulations, and they routinely submit information and data on an annual basis as part of their compliance responsibilities. EPA expects that the additional paperwork burden associated with completing and submitting a small entity declaration to gain deferral from the proposed GHG standards would be negligible and easily done in the context of other routine submittals to EPA. However, EPA has accounted for this cost with a nominal estimate included in the Information Collection Request completed under the Paperwork Reduction Act. Additional information can be found in the Paperwork Reduction Act discussion in Section III.I.2.

C. Additional Credit Opportunities for CO₂ Fleet Average Program

The standards being proposed represent a significant multi-year challenge for manufacturers, especially in the early years of the program. Section III.B.4 described EPA proposals for how manufacturers could generate credits by achieving fleet average CO₂ emissions below the fleet average standard, and also how manufacturers

could use credits to comply with standards. As described in Section III.B.4, credits could be carried forward five years, carried back three years, transferred between vehicle categories, and traded between manufacturers. The credits provisions proposed below would provide manufacturers with additional ways to earn credits starting in MY 2012. EPA is also proposing early credits provisions for the 2009–2011 model years, as described below in Section III.C.5.

The provisions proposed below would provide additional flexibility, especially in the early years of the program. This flexibility helps to address issues of lead-time or technical feasibility for various manufacturers and in several cases provides an incentive for promotion of technology pathways that warrant further development, whether or not they are an important or central technology on which critical features of this program are premised. EPA is proposing a variety of credit opportunities because manufacturers are not likely to be in a position to use every credit provision. EPA expects that manufacturers are likely to select the credit opportunities that best fit their future plans. EPA believes it is critical that manufacturers have options to ease the transition to the final MY 2016 standards. At the same time, EPA believes these credit programs must be designed in a way to ensure that they achieve emission reductions that achieve real-world reductions over the full useful life of the vehicle (or, in the case of FFV credits and Advanced Technology credits, to incentivize the introduction of those vehicle technologies) and are verifiable. In addition, EPA wants to ensure these credit programs do not provide an opportunity for manufacturers to earn “windfall” credits. EPA seeks comments on how to best ensure these objectives are achieved in the design of the credit programs. EPA requests comment on all aspects of these proposed credits provisions.

1. Air Conditioning Related Credits

EPA proposes that manufacturers be able to generate and use credits for improved air conditioner (A/C) systems in complying with the CO₂ fleetwide average standards described above. EPA expects that most manufacturers will choose to utilize the A/C provisions as part of its compliance demonstration (and for this reason cost of compliance with A/C related emission reductions are assumed in the cost analysis). The A/C provisions are structured as credits, unlike the CO₂ standards for which manufacturers will demonstrate

compliance using 2-cycle tests (see Sections III.B and III.E.). Those tests do not measure either A/C leakage or tailpipe CO₂ emissions attributable to A/C load (see Section III.C.1.b below describing proposed alternative test procedures for assessing tailpipe CO₂ emission attributable to A/C engine load). Thus, it is a manufacturer's option to include A/C GHG emission reductions as an aspect of its compliance demonstration. Since this is an elective alternative, EPA is referring to the A/C part of the proposal as a credit.

EPA estimates that direct A/C GHG emissions—emissions due to the leakage of the hydrofluorocarbon refrigerant in common use today—account for 4.3% of CO₂-equivalent GHGs from light-duty cars and trucks. This includes the direct leakage of refrigerant as well as the subsequent leakage associated with maintenance and servicing, and with disposal at the end of the vehicle's life. The emissions that are impacted by leakage reductions are the direct leakage and the maintenance and servicing. Together these are equivalent to CO₂ emissions of approximately 13.6 g/mi per vehicle (this is 14.9 g/mi if end of life emissions are also included). EPA also estimates that indirect GHG emissions (additional CO₂ emitted due to the load of the A/C system on the engine) account for another 3.9% of light-duty GHGs.¹³⁹ This is equivalent to CO₂ emissions of approximately 14.2 g/mi per vehicle. The derivation of these figures can be found in the EPA DRIA.

EPA believes that it is important to address A/C direct and indirect emissions because the technologies that manufacturers will employ to reduce vehicle exhaust CO₂ will have little or no impact on A/C related emissions. Without addressing A/C-related emissions, as vehicles become more efficient, the A/C related contribution will become a much larger portion of the overall vehicle GHG emissions.

Over 95% of the new cars and light trucks in the United States are equipped with A/C systems and, as noted, there are two mechanisms by which A/C systems contribute to the emissions of greenhouse gases: through leakage of refrigerant into the atmosphere and through the consumption of fuel to provide power to the A/C system. With leakage, it is the high global warming potential (GWP) of the current automotive refrigerant—R134a, with a GWP of 1430—that results in the CO₂-equivalent impact of 13.6 g/mi.¹⁴⁰ Due

to the high GWP of this HFC, a small leakage of the refrigerant has a much greater global warming impact than a similar amount of emissions of CO₂ or other mobile source GHGs.

Manufacturers can choose to reduce A/C leakage emissions by using leak-tight components. Also, manufacturers can largely eliminate the global warming impact of leakage emissions by adopting systems that use an alternative, low-GWP refrigerant.¹⁴¹ The A/C system also contributes to increased CO₂ emissions through the additional work required to operate the compressor, fans, and blowers. This additional work typically is provided through the engine's crankshaft, and delivered via belt drive to the alternator (which provides electric energy for powering the fans and blowers) and A/C compressor (which pressurizes the refrigerant during A/C operation). The additional fuel used to supply the power through the crankshaft necessary to operate the A/C system is converted into CO₂ by the engine during combustion. This incremental CO₂ produced from A/C operation can thus be reduced by increasing the overall efficiency of the vehicle's A/C system, which in turn will reduce the additional load on the engine from A/C operation.¹⁴²

Manufacturers can make very feasible improvements to their A/C systems to address A/C system leakage and efficiency. EPA proposes two separate credit approaches to address leakage reductions and efficiency improvements independently. A proposed leakage reduction credit would take into account the various technologies that could be used to reduce the GHG impact of refrigerant leakage, including the use of an alternative refrigerant with a lower GWP. A proposed efficiency improvement credit would account for the various types of hardware and control of that hardware available to

Intergovernmental Panel on Climate Change (IPCC) Fourth Assessment Report (AR4). At this time, the IPCC Second Assessment Report (SAR) global warming potential values have been agreed upon as the official U.S. framework for addressing climate change. The IPCC SAR GWP values are used in the official U.S. greenhouse gas inventory submission to the climate change framework. When inventories are recalculated for the final rule, changes in GWP used may lead to adjustments.

¹⁴¹ Refrigerant emissions during maintenance and at the end of the vehicle's life (as well as emissions during the initial charging of the system with refrigerant) are also addressed by the CAA Title VI stratospheric ozone program, as described below.

¹⁴² We will not be addressing changes to the weight of the A/C system, since the issue of CO₂ emissions from the fuel consumption of normal (non-A/C) operation, including basic vehicle weight, is inherently addressed with the primary CO₂ standards (See III.B above).

increase the A/C system efficiency. Manufacturers would be required to attest the durability of the leakage reduction and the efficiency improvement technologies over the full useful life of the vehicle.

EPA believes that both reducing A/C system leakage and increasing efficiency are highly cost-effective and technologically feasible. EPA expects most manufacturers will choose to use these A/C credit provisions, although some may not find it necessary to do so.

a. A/C Leakage Credits

The refrigerant used in vehicle A/C systems can get into the atmosphere by many different means. These refrigerant emissions occur from the slow leakage over time that all closed high pressure systems will experience. Refrigerant loss occurs from permeation through hoses and leakage at connectors and other parts where the containment of the system is compromised. The rate of leakage can increase due to deterioration of parts and connections as well. In addition, there are emissions that occur during accidents and maintenance and servicing events. Finally, there are end-of-life emissions if, at the time of vehicle scrapping, refrigerant is not fully recovered.

Because the process of refrigerant leakage has similar root causes as those that cause fuel evaporative emissions from the fuel system, some of the control technologies are similar (including hose materials and connections). There are however, some fundamental differences between the systems that require a different approach. The most notable difference is that A/C systems are completely closed systems, whereas the fuel system is not. Fuel systems are meant to be refilled as liquid fuel is consumed by the engine, while the A/C system ideally should never require "recharging" of the contained refrigerant. Thus it is critical that the A/C system leakages be kept to an absolute minimum. These emissions are typically too low to accurately measure in most current SHED chambers designed for fuel evaporative emissions measurement, especially for systems that are new or early in life. Therefore, if leakage emissions were to be measured directly, new measurement facilities would need to be built by the OEM manufacturers and very accurate new test procedures would need to be developed. Especially because there are indications that much of the industry is moving toward alternative refrigerants (post-2016 for most manufacturers), EPA is not proposing such a direct measurement approach to addressing refrigerant leakage.

¹³⁹ See Chapter 2, section 2.2.1.2 of the DRIA.

¹⁴⁰ The global warming potentials (GWP) used in the NPRM analysis are consistent with

Instead, EPA proposes that manufacturers demonstrate improvements in their A/C system designs and components through a design-based method. Manufacturers implementing systems expected to result in reduced refrigerant leakage would be eligible for credits that could then be used to meet their CO₂ emission compliance requirements. The proposed "A/C Leakage Credit" provisions would generally assign larger credits to system designs that are expected to result in greater leakage reduction. In addition, EPA proposes that proportionately larger A/C Leakage Credits be available to manufacturers that substitute a lower-GWP refrigerant for the current R134a refrigerant.

Our proposed method for calculating A/C Leakage Credits is based closely on an industry-consensus leakage scoring method, described below. This leakage scoring method is correlated to experimentally-measured leakage rates from a number of vehicles using the different available A/C components. Under the proposed approach, manufacturers would choose from a menu of A/C equipment and components used in their vehicles in order to establish leakage scores which would characterize their A/C system leakage performance. The leakage score can be compared to expected fleetwide leakage rates in order to quantify improvements for a given A/C system. Credits would be generated from leakage reduction improvements that exceeded average fleetwide leakage rates.

EPA believes that the design-based approach would result in estimates of likely leakage emissions reductions that would be comparable to those that would eventually result from performance-based testing. At the same time, comments are encouraged on all developments that may lead to a robust, practical, performance-based test for measuring A/C refrigerant leakage emissions.

The cooperative industry and government Improved Mobile Air Conditioning (IMAC) program¹⁴³ has demonstrated that new-vehicle leakage emissions can be reduced by 50%. This program has shown that this level of improvement can be accomplished by reducing the number and improving the quality of the components, fittings, seals, and hoses of the A/C system. All of these technologies are already in commercial use and exist on some of today's systems.

EPA is proposing that a manufacturer wishing to earn A/C Leakage Credits

would compare the components of its A/C system with a set of leakage-reduction technologies and actions that is based closely on that being developed through IMAC and the Society of Automotive Engineers (as SAE Surface Vehicle Standard J2727, August 2008 version). The J2727 approach is developed from laboratory testing of a variety of A/C related components, and EPA believes that the J2727 leakage scoring system generally represents a reasonable correlation with average real-world leakage in new vehicles. Like the IMAC approach, our proposed credit approach would associate each component with a specific leakage rate in grams per year identical to the values in J2727. A manufacturer choosing to claim Leakage Credits would sum the leakage values for an A/C system for a total A/C leakage score. EPA is proposing a formula for converting the grams-per-year leakage score to a grams-per-mile CO₂eq value, taking vehicle miles traveled (VMT) and the GWP of the refrigerant into account. This formula is:

$$\text{Credit} = (\text{MaxCredit}) * [1 - (\text{LeakScore} / \text{AvgImpact}) * (\text{GWPrefrigerant} / 1430)]$$

Where:

MaxCredit is 12.6 and 15.7 g/mi CO₂eq for cars and trucks respectively. These become 13.8 and 17.2 for cars and trucks if alternative refrigerants are used since they get additional credits for end-of-life emissions reductions.

LeakScore is the leakage score of the A/C system as measured according to methods similar to the J2727 procedure in units of g/yr. The minimum score which is deemed feasible is fixed at 8.3 and 10.4 g/yr for cars and trucks respectively.

AvgImpact is the average impact of A/C leakage, which is 16.6 and 20.7 g/yr for cars and trucks respectively.

GWPrefrigerant is the global warming potential for direct radiative forcing of the refrigerant as defined by EPA (or IPCC).

All of the parameters and limits of the equation are derived in the EPA DRIA.

For systems using the current refrigerant, EPA proposes that these emission rates could at most be feasibly reduced by half, based on the conclusions of the IMAC study, and consideration of emission over the full life of the vehicle. (This latter point is discussed further in the DRIA.)

As discussed above, EPA recognizes that substituting an alternative refrigerant (one with a significantly lower global warming potential, GWP), would potentially be a very effective way to reduce the impact of all forms of refrigerant emissions, including maintenance, accidents, and vehicle

scrappage. To address future GHG regulations in Europe and California, systems using alternative refrigerants—including HFO1234yf, with a GWP of 4—are under serious development and have been demonstrated in prototypes by A/C component suppliers. These alternative refrigerants have remaining cost, safety and feasibility hurdles for commercial applications.¹⁴⁴ However, the European Union has enacted regulations phasing in alternative refrigerants with GWP less than 150 starting in 2010, and the State of California proposed providing credits for alternative refrigerant use in its GHG rule.

Within the timeframe of 2012–2016, EPA is not expecting the use of low-GWP refrigerants to be widespread. However, EPA believes that these developments are promising, and have included in our proposed A/C Leakage Credit system provisions to account for the effective refrigerant reductions that could be expected from refrigerant substitution. The quantity of A/C Leakage Credits that would be available would be a function of the GWP of the alternative refrigerant, with the largest credits being available for refrigerants approaching a GWP of zero.¹⁴⁵ For a hypothetical alternative refrigerant with a GWP of 1, effectively eliminating leakage as a GHG concern, our proposed credit calculation method could result in maximum credits equal total average emissions, or credits of 13.4 and 17.8 g/mi CO₂eq for cars and trucks, respectively. This option is also captured in the equation above.

It is possible that alternative refrigerants could, without compensating action by the manufacturer, reduce the efficiency of the A/C system (see discussion of the A/C Efficiency Credit below.) However, EPA believes that manufacturers will have substantial incentives to design their systems to maintain the efficiency of the A/C system, therefore EPA is not accounting for any potential efficiency degradation.

EPA requests comment on all aspects of our proposed A/C Leakage Credit system.

¹⁴⁴ Although see 71 FR 55140 (Sept. 21, 2006) (proposal pursuant to section 612 of the CAA finding CO₂ and HFC 152a as acceptable refrigerant substitutes as replacements for CFC-12 in motor vehicle air conditioning systems, and stating (at 55142) that "data ... indicate that use of CO₂ and HFC 152a with risk mitigation technologies does not pose greater risks compared to other substitutes").

¹⁴⁵ For example, the GWP for R152a is 120, the GWP of HFO-1234yf is 4, and the GWP of CO₂ as a refrigerant is 1.

¹⁴³ Team 1-Refrigerant Leakage Reduction: Final Report to Sponsors, SAE, 2007.

b. A/C Efficiency Credits

EPA is proposing that manufacturers that make improvements in their A/C systems to increase efficiency and thus reduce CO₂ emissions due to A/C system operation be eligible for A/C Efficiency Credits. As with A/C Leakage Credits, manufacturers could apply A/C Efficiency Credits toward compliance with their overall CO₂ standards.

As mentioned above, EPA estimates that the CO₂ emissions due to A/C related loads on the engine account for approximately 3.9% of total greenhouse gas emissions from passenger vehicles in the United States. Usage of A/C systems is inherently higher in hotter and more humid months and climates; however, vehicle owners may use their A/C systems all year round in all parts of the nation. For example, people commonly use A/C systems to cool and dehumidify the cabin air for passenger comfort on hot humid days, but they also use the systems to de-humidify cabin air to assist in defogging/de-icing the front windshield and side glass in cooler weather conditions for improved visibility. A more detailed discussion of seasonal and geographical A/C usage rates can be found in the DRIA.

Most of the additional load on the engine from A/C system operation comes from the compressor, which pumps the refrigerant around the system loop. Significant additional load on the engine may also come from electric or hydraulic fans, which are used to move air across the condenser, and from the electric blower, which is used to move air across the evaporator and into the cabin. Manufacturers have several currently-existing technology options for improving efficiency, including more efficient compressors, fans, and motors, and systems controls that avoid over-chilling the air (and subsequently re-heating it to provide the desired air temperature with an associated loss of efficiency). For vehicles equipped with automatic climate-control systems, real-

time adjustment of several aspects of the overall system (such as engaging the full capacity of the cooling system only when it is needed, and maximizing the use of recirculated air) can result in improved efficiency. Table III.C.1-1 below lists some of these technologies and their respective efficiency improvements.

As with the A/C Leakage Credit program, EPA is interested in performance-based standards (or credits) based on measurement procedures whenever possible. While design-based assessments of expected emissions can be a reasonably robust way of quantifying emission improvements, these approaches have inherent shortcomings, as discussed for the case of A/C leakage above. Design-based approaches depend on the quality of the data from which they are calibrated, and it is possible that apparently proper equipment may function less effectively than expected. Therefore, while the proposal uses a design-based menu approach to quantify improvements in A/C efficiency, it is also proposed to begin requiring manufacturers to confirm that technologies applying for Efficiency Credits are measurably improving system efficiency.

EPA believes that there is a more critical need for a test procedure to quantify A/C Efficiency Credits than for Leakage Credits, for two reasons. First, the efficiency gains for various technologies are more difficult to quantify using a design-based program (like the SAE J2727-based procedure used to generate Leakage Credits). Second, while leakage may disappear as a significant source of GHG emissions if a shift toward alternate refrigerants develops, no parallel factor exists in the case of efficiency improvements. EPA is thus proposing to phase-in a performance-based test procedure over time beginning in 2014, as discussed below. In the interim, EPA proposes a

design-based "menu" approach for estimating efficiency improvements and, thus, quantifying A/C Efficiency Credits.

For model years 2012 and 2013, EPA proposes that a manufacturer wishing to generate A/C Efficiency Credits for a group of its vehicles with similar A/C systems would compare several of its vehicle A/C-related components and systems with a "menu" of efficiency-related technology improvements (see Table III.C.1-1 below). Based on the technologies the manufacturer chooses, an A/C Efficiency Credit value would be established. This design-based approach would recognize the relationships and synergies among efficiency-related technologies. Manufacturers could receive credit based on the technologies they chose to incorporate in their A/C systems and the associated credit value for each technology. The total A/C Efficiency Credit would be the total of these values, up to a maximum feasible credit of 5.7 g/mi CO₂eq. This would be the maximum improvement from current average efficiencies for A/C systems (see the DRIA for a full discussion of our derivation of the proposed reductions and credit values for individual technologies and for the maximum total credit available). Although the total of the individual technology credit values may exceed 5.7 g/mi CO₂eq, synergies among the technologies mean that the values are not additive, and thus A/C Efficiency credit could not exceed 5.7 g/mi CO₂eq.

The EPA requests comment on adjusting the A/C efficiency credit to account for potential decreases (or increases) in efficiency when using an alternative refrigerant by using the change in the coefficient of performance. The effects may include the impact of a secondary loop system (including the incremental effect on tailpipe CO₂ emissions that the added weight of such a system would incur).

TABLE III.C.1-1 EFFICIENCY-IMPROVING A/C TECHNOLOGIES AND CREDITS

Technology description	Estimated reduction in A/C CO ₂ emissions (percent)	A/C Efficiency credit (g/mi CO ₂)
Reduced reheat, with externally-controlled, variable-displacement compressor	30	1.7
Reduced reheat, with externally-controlled, fixed-displacement or pneumatic variable-displacement compressor	20	1.1
Default to recirculated air whenever ambient temperature is greater than 75 °F	30	1.7
Blower motor and cooling fan controls which limit waste energy (e.g. pulse width modulated power controller)	15	0.9
Electronic expansion valve	20	1.1
Improved evaporators and condensers (with system analysis on each component indicating a COP improvement greater than 10%, when compared to previous design)	20	1.1
Oil Separator	10	0.6

For model years 2014 and later, EPA proposes that manufacturers seeking to generate A/C Efficiency Credits would need to use a specific performance test to confirm that the design changes were also improving A/C efficiency. Manufacturers would need to perform an A/C CO₂ Idle Test for each A/C system (family) for which it desired to generate Efficiency Credits. Manufacturers would need to demonstrate at least a 30% improvement over current average efficiency levels to qualify for credits. Upon qualifying on the Idle Test, the manufacturer would be eligible to use the menu approach above to quantify the credits it would earn.

The proposed A/C CO₂ Idle Test procedure, which EPA has designed specifically to measure A/C CO₂ emissions, would be performed while the vehicle engine is at idle. This proposed laboratory idle test would be similar to the idle carbon monoxide (CO) test that was once a part of EPA vehicle certification. The test would determine the additional CO₂ generated at idle when the A/C system is operated. The A/C CO₂ Idle Test would be run with and without the A/C system cooling the interior cabin while the vehicle's engine is operating at idle and with the system under complete control of the engine and climate control system.

The proposed A/C CO₂ Idle Test is similar to that proposed in April 2009 for the Mandatory GHG Reporting Rule, with several improvements. These improvements include tighter restrictions on test cell temperatures and humidity levels in order to more closely control the loads from operation of the A/C system. EPA also made additional refinements to the required in-vehicle blower fan settings for manually controlled systems to more closely represent "real world" usage patterns. These details can be found in the DRIA and the regulations.

The design of the A/C CO₂ Idle Test represents a balancing of the need for performance tests whenever possible to ensure the most accurate quantification of efficiency improvements, with practical concerns for testing burden and facility requirements. EPA believes that the proposed Idle Test adds to the robust quantification of A/C credits that will result in real-world efficiency improvements and reductions in A/C-related CO₂ emissions. EPA is proposing that the Idle Test be required in order to qualify for A/C Efficiency Credits beginning in 2014 to allow sufficient time for manufacturers to make the necessary facilities improvements and to establish a comfort level with the test.

EPA also considered a more comprehensive testing approach to quantifying A/C CO₂ emissions that could be somewhat more technically robust, but would require more test time and test facility improvements for many manufacturers. This approach would be to adapt an existing test procedure, the Supplemental Federal Test Procedure (SFTP) for A/C operation, called the SC03, in specific ways for it to function as a tool to evaluate A/C CO₂ emissions. The potential test method is described in some detail here, and EPA encourages comment on how this type of test might or might not accomplish the goals of robust performance-based testing and reasonable test burdens.

EPA designed the SC03 test to measure criteria pollutants under severe air conditioning conditions not represented in the FTP and Highway Fuel Economy Tests. EPA did not specifically design the SC03 to measure incremental reductions in CO₂ emissions from more efficient A/C technologies. For example, due to the severity of the SC03 test environmental conditions and the relatively short duration of the SC03 cycle, it is difficult for the A/C system to achieve a stabilized interior cabin condition that reflects incremental improvements. Many potential efficiency improvements in the A/C components and controls (i.e., automatic recirculation and heat exchanger fan control) are specifically measured only during stabilized conditions, and therefore become difficult or impossible to measure and quantify during this test. In addition, SC03 testing is also somewhat constrained and costly due to limited number of test facilities currently capable of performing testing under the required environmental conditions.

One value of using the SC03 as the basis for a new test to quantify A/C-related efficiency improvements would be the significant degree of control of test cell ambient conditions. The load placed on an A/C system, and thus the incremental CO₂ emissions, are highly dependent on the ambient conditions in the test cell, especially temperature and humidity, as well as simulated solar load. Thus, as with the proposed Idle Test, a new SC03-based test would need to accurately and reliably control these conditions. (This contrasts with FTP testing for criteria pollutants, which does not require precise control of cell conditions because test results are generally much less sensitive to changes in cell temperature or humidity).

However, for the purpose of quantifying A/C system efficiency improvements, EPA believes a test cell temperature less severe than the 95°F

required by the SC03 would be appropriate. A cell temperature of 85°F would better align the initial cooling phase ("pull-down") as well as the stabilized phase of A/C operation with real-world driving conditions.

Another value of an SC03-based test would be the opportunity to create operating conditions for vehicle A/C systems that in some ways would better simulate "real world" operation than either the proposed Idle Test or the current SC03. The SC03 test cycle, roughly 10 minutes in length, has a similar average speed, maximum speed, and percentage of time at idle as the FTP. However, since the SC03 test cycle was designed principally to measure criteria pollutants under maximum A/C load conditions, it is not long enough to allow temperatures in the passenger cabin to consistently stabilize. EPA believes that once the pull-down phase has occurred and cabin temperatures have dropped dramatically to a suitable interior comfort level, additional test cycle time would be needed to measure how efficiently the A/C system operates under stabilized conditions.

To capture the A/C operation during stabilized operation, EPA would consider adding two phases to the SC03 test of roughly 10 minutes each. Each additional phase would simply be repeats of the SC03 drive cycle, with two exceptions. During the second phase, the A/C system would now be operating at cabin temperature at or approaching a stabilized condition. During the third phase, the A/C system would be turned off. The purpose of the third phase would be to establish the base CO₂ emissions with no A/C loads on the engine, which would provide a baseline for the incremental CO₂ due to A/C use. EPA would likely weight the CO₂ g/mi results for the first and second phases of the test as follows: 50% for phase 1, and 50% for phase 2. From this average CO₂ the methodology would subtract the CO₂ result from phase 3, yielding an incremental CO₂ (in g/mi) due to A/C use.

EPA expects to continue working with industry, the California Air Resources Board, and other stakeholders to move toward increasingly robust performance tests for A/C and may include such changes in this final rule. EPA requests comment on all aspects of our proposed A/C Efficiency Credits program.

c. Interaction With Title VI Refrigerant Regulations

Title VI of the Clean Air Act deals with the protection of stratospheric ozone. Section 608 establishes a comprehensive program to limit emissions of certain ozone-depleting

substances (ODS). The rules promulgated under section 608 regulate the use and disposal of such substances during the service, repair or disposal of appliances and industrial process refrigeration. In addition, section 608 and the regulations promulgated under it, prohibit knowingly venting or releasing ODS during the course of maintaining, servicing, repairing or disposing of an appliance or industrial process refrigeration equipment. Section 609 governs the servicing of motor vehicle air conditioners (MVACs). The regulations promulgated under section 609 (40 CFR part 82, subpart B) establish standards and requirements regarding the servicing of MVACs. These regulations include establishing standards for equipment that recovers and recycles or only recovers refrigerant (CFC-12, HFC 134a, and for blends only recovers) from MVACs; requiring technician training and certification by an EPA-approved organization; establishing recordkeeping requirements; imposing sales restrictions; and prohibiting the venting of refrigerants. Section 612 requires EPA to review substitutes for class I and class II ozone depleting substances and to consider whether such substitutes will cause an adverse effect to human health or the environment as compared with other substitutes that are currently or potentially available. EPA promulgated regulations for this program in 1992 and those regulations are located at 40 CFR part 82, subpart G. When reviewing substitutes, in addition to finding them acceptable or unacceptable, EPA may also find them acceptable so long as the user meets certain use conditions. For example, all motor vehicle air conditioning system must have unique fittings and a uniquely colored label for the refrigerant being used in the system.

EPA views this proposed rule as complementing these Title VI programs, and not conflicting with them. To the extent that manufacturers choose to reduce refrigerant leakage in order to earn A/C Leakage Credits, this would dovetail with the Title VI section 609 standards which apply to maintenance events, and to end-of-vehicle life disposal. In fact, as noted, a benefit of the proposed A/C credit provisions is that there should be fewer and less impactful maintenance events for MVACs, since there will be less leakage. In addition, the credit provisions would not conflict (or overlap) with the Title VI section 609 standards. EPA also believes the menu of leak control technologies proposed today would complement the section 612 requirements, because these control

technologies would help ensure that R134a (or other refrigerants) would be used in a manner that further minimizes potential adverse effects on human health and the environment.

2. Flex Fuel and Alternative Fuel Vehicle Credits

As described in this section, EPA is proposing credits for flexible-fuel vehicles (FFVs) and alternative fuel vehicles starting in the 2012 model year. FFVs are vehicles that can run both on an alternative fuel and conventional fuel. Most FFVs are E-85 vehicles, which can run on a mixture of up to 85 percent ethanol and gasoline. Dedicated alternative fuel vehicles are vehicles that run exclusively on an alternative fuel (e.g., compressed natural gas). EPCA includes an incentive under the CAFE program for production of dual-fueled vehicles or FFVs, and dedicated alternative fuel vehicles.¹⁴⁶ EPCA's provisions were amended by the EISA to extend the period of availability of the FFV credits, but to begin phasing them out by annually reducing the amount of FFV credits that can be used in demonstrating compliance with the CAFE standards.¹⁴⁷ EPCA does not premise the availability of the FFV credits on actual use of alternative fuel. Under EPCA, after MY 2019 no FFV credits will be available for CAFE compliance.¹⁴⁸ Under EPCA, for dedicated alternative fuel vehicles, there are no limits or phase-out. EPA is proposing that FFV and Alternative Fuel Vehicle Credits be calculated as a part of the calculation of a manufacturer's overall fleet average fuel economy and fleet average carbon-related exhaust emissions (§ 600.510-12).

EPA is not proposing to include electric vehicles (EVs) or plug-in hybrid electric vehicles (PHEVs) in these flex fuel and alternative fuel provisions. These vehicles would be covered by the proposed advanced technology vehicle credits provisions described in Section III.C.3, so including them here would lead to a double counting of credits.

a. Model Year 2012-2015 Credits

i. FFVs

For the GHG program, EPA is proposing to allow FFV credits corresponding to the amounts allowed by the amended EPCA only during the

¹⁴⁶ 49 U.S.C. 32905.

¹⁴⁷ See 49 U.S.C. 32906. The mechanism by which EPCA provides an incentive for production of FFVs is by specifying that their fuel economy is determined using a special calculation procedure that results in those vehicles being assigned a higher fuel economy level than would otherwise occur. 49 U.S.C. section 32905(b). This is typically referred to as an FFV credit.

¹⁴⁸ 49 U.S.C. 32906.

period from MYs 2012 to 2015. (As discussed below in Section III.E., EPA is proposing that CAFE-based FFV credits would not be permitted as part of the early credits program.) Several manufacturers have already taken the availability of FFV credits into account in their near-term future planning for CAFE and this reliance indicates that these credits need to be considered in considering adequacy of lead time for the CO₂ standards. EPA thus believes that allowing these credits, in the near term, would help provide adequate lead time for manufacturers to implement the new multi-year standards, but that for the longer term there is adequate lead time without the use of such credits. This will also tend to harmonize the GHG and the CAFE program during these interim years. As discussed below, EPA is proposing for MY 2016 and later that manufacturers would not receive FFV credits unless they reliably estimate the extent the alternative fuel is actually being used by vehicles in order to count the alternative fuel use in the vehicle's CO₂ emissions level determination.

As with the CAFE program, EPA proposes to base credits on the assumption that the vehicles would operate 50% of the time on the alternative fuel and 50% of the time on conventional fuel, resulting in CO₂ emissions that are based on an arithmetic average of alternative fuel and conventional fuel CO₂ emissions.¹⁴⁹ The measured CO₂ emissions on the alternative fuel would be multiplied by a 0.15 volumetric conversion factor which is included in the CAFE calculation as provided by EPCA. Through this mechanism a gallon of alternative fuel is deemed to contain 0.15 gallons of fuel. EPA is proposing to take the same approach for 2012-2015 model years. For example, for a flexible-fuel vehicle that emitted 330 g/mi CO₂ operating on E-85 and 350 g/mi CO₂ operating on gasoline, the resulting CO₂ level to be used in the manufacturer's fleet average calculation would be:

$$CO_2 = \frac{[(330 \times 0.15) + 350]}{2} = 199.8 \text{ g/mi}$$

EPA understands that by using the CAFE approach—including the 0.15 factor—the CO₂ emissions value for the vehicle is calculated to be significantly lower than it actually would be otherwise, even if the vehicle were assumed to operate on the alternative fuel at all times. This represents a "credit" being provided to FFVs.

¹⁴⁹ 49 U.S.C. 32905 (b).

EPA notes also that the above equation and example are based on an FFV that is an E-85 vehicle. EPCA, as amended by EISA, also establishes the use of this approach, including the 0.15 factor, for all alternative fuels, not just E-85.¹⁵⁰ The 0.15 factor is used for B-20 (20 percent biofuel and 80 percent diesel) FFVs. EPCA also establishes this approach, including the 0.15 factor, for gaseous-fueled FFVs such as a vehicle able to operate on gasoline and CNG.¹⁵¹ (For natural gas FFVs, EPCA establishes a factor of 0.823 gallons of fuel for every 100 cubic feet a natural gas used to calculate a gallons equivalent.)¹⁵² The EISA statute's use of the 0.15 factor in this way provides a similar regulatory treatment across the various types of alternative fuel vehicles. EPA also proposes to use the 0.15 factor for all FFVs in keeping with the goal of not disrupting manufacturers' near-term compliance planning. EPA, in any case, expects the vast majority of FFVs to be E-85 vehicles, as is the case today.

The FFV credit limits for CAFE are 1.2 mpg for model years 2012-2014 and 1.0 mpg for model year 2015.¹⁵³ In CO₂ terms, these CAFE limits translate to declining CO₂ credit limits over the four model years, as the CAFE standards increase in stringency (as the CAFE standard increases numerically, the limit becomes a smaller fraction of the standard). EPA proposes credit limits shown in Table III.C.2-1 based on the proposed average CO₂ standards for cars and trucks. These have been calculated by comparing the average proposed CAFE standards with and without the FFV credits, converted to CO₂. EPA requests comments on this proposed approach.

TABLE III.C.2-1—FFV CO₂ STANDARD CREDIT LIMITS (G/MILE)

Model year	Cars	Trucks
2012	9.8	17.9
2013	9.3	17.1
2014	8.9	16.3
2015	6.9	12.6

EPA also requests comments on basing the calculated CO₂ credit limit on the individual manufacturer standards calculated from the footprint curves. For example, if a manufacturer's 2012 car standard was 260 g/mile, the credit limit in CO₂ terms would be 9.5 g/mile and if it were 270 g/mile the limit would be 10.2 g/mile. This approach would be somewhat more complex and would

mean that the FFV CO₂ credit limits would vary by manufacturer as their footprint based standards vary. However, it would more closely track CAFE FFV credit limits.

ii. Dedicated Alternative Fuel Vehicles

EPA proposes to calculate CO₂ emissions from dedicated alternative fuel vehicles for MY 2012-2015 by measuring the CO₂ emissions over the test procedure and multiplying the results by the 0.15 conversion factor described above. For example, for a dedicated alternative fuel vehicle that would achieve 330 g/mi CO₂ while operating on alcohol (ethanol or methanol), the effective CO₂ emissions of the vehicle for use in determining the vehicle's CO₂ emissions would be calculated as follows:

$$\text{CO}_2 = 330 \times 0.15 = 49.5 \text{ g/mi}$$

b. Model Years 2016 and Later

i. FFVs

For 2016 and later model years, EPA proposes to treat FFVs similarly to conventional fueled vehicles in that FFV emissions would be based on actual CO₂ results from emission testing on the alternative fuel. The manufacturer would also be required to demonstrate that the alternative fuel is actually being used in the vehicles. The manufacturer would need to establish the ratio of operation that is on the alternative fuel compared to the conventional fuel. The ratio would be used to weight the CO₂ emissions performance over the 2-cycle test on the two fuels. The 0.15 conversion factor would no longer be included in the CO₂ emissions calculation. For example, for a flexible-fuel vehicle that emitted 300 g/mi CO₂ operating on E-85 ten percent of the time and 350 g/mi CO₂ operating on gasoline ninety percent of the time, the CO₂ emissions for the vehicles to be used in the manufacturer's fleet average would be calculated as follows:

$$\text{CO}_2 = (300 \times 0.10) + (350 \times 0.90) = 345 \text{ g/mi}$$

The most complex part of this approach is to establish what data are needed for a manufacturer to accurately demonstrate use of the alternative fuel. One option EPA is considering is establishing a rebuttable presumption using a "top-down" approach based on national E-85 fuel use to assign credits to FFVs sold by manufacturers under this program. For example, national E-85 volumes and national FFV sales could be used to prorate E-85 use by manufacturer sales volumes and FFVs already in-use. EPA would conduct an analysis of vehicle miles travelled (VMT) by year for all FFVs using its

emissions inventory MOVES model. Using the VMT ratios and the overall E-85 sales, E-85 usage could be assigned to each vehicle. This method would account for the VMT of new FFVs and FFVs already in the existing fleet using VMT data in the model. The model could then be used to determine the ratio of E-85 and gasoline for new vehicles being sold. Fluctuations in E-85 sales and FFV sales would be taken into account to adjust the credits annually. EPA believes this is a reasonable way to apportion E-85 use across the fleet.

If manufacturers decided not to use EPA's assigned credits based on the top-down analysis, they would have a second option of presenting their own data for consideration as the basis for credits. Manufacturers have suggested demonstrations using vehicle on-board data gathering through the use of on-board sensors and computers. California's program allows FFV credits based on FFV use and envisioned manufacturers collecting fuel use data from vehicles in fleets with on-site refueling. Any approach must reasonably ensure that no CO₂ emissions reductions anticipated under the program are lost.

EPA proposes that manufacturers would need to present a statistical analysis of alternative fuel usage data collected on actual vehicle operation. EPA is not attempting to specify how the data is collected or the amount of data needed. However, the analysis must be based on sound statistical methodology. Uncertainty in the analysis must be accounted for in a way that provides reasonable certainty that the program does not result in loss of emissions reductions. EPA requests comment on how this demonstration could reasonably be made.

EPA recognizes that under EPCA FFV credits are entirely phased-out of the CAFE program by MY 2020, and apply in the prior years with certain limitations, but without a requirement that the manufacturers demonstrate actual use of the alternative fuel. Under this proposal EPA would treat FFV credits the same as under EPCA for model years 2012-2015, but would apply a different approach starting with model year 2016. Unlike EPCA, CAA section 202(a) does not mandate that EPA treat FFVs in a specific way. Instead EPA is required to exercise its own judgment and determine an appropriate approach that best promotes the goals of this CAA section. Under these circumstances, EPA proposes to treat FFVs for model years 2012-2015 the same as under EPCA, for the lead time reasons described above. Starting

¹⁵⁰ 49 U.S.C 32905 (c).

¹⁵¹ 49 U.S.C 32905 (d).

¹⁵² 49 U.S.C section 32905 (c).

¹⁵³ 49 U.S.C section 32906 (a).

with model year 2016, EPA believes the appropriate approach is to ensure that emissions reduction credits are based upon a demonstration that emissions reductions have been achieved, to ensure the credits are for real reductions instead of reductions that have not likely occurred. This will promote the environmental goals of this proposal. At the same time, the ability to generate credits upon a demonstration of usage of the alternative fuel will provide an actual incentive to see that such fuels are used. Under the EPCA credit provision, there is an incentive to produce FFVs but no actual incentive to ensure that the alternative fuels are used. GHG and energy security benefits are only achieved if the alternative fuel is actually used, and EPA's approach will now provide such an incentive. This approach will promote greater use of renewable fuels, as compared to a situation where there is a credit but no usage requirement. This is also consistent with the agency's overall commitment to the expanded use of renewable fuels. Therefore EPA is not proposing to phase-out the FFV program for MYs 2016 and later but instead to base the program on real-world reductions (*i.e.*, actual vehicle CO₂ emissions levels based on actual use of the two fuels, without the 0.15 conversion factor specified under EISA). Based on existing certification data, E-85 FFV CO₂ emissions are typically about 5 percent lower on E-85 than CO₂ emissions on 100 percent gasoline. However, currently there is little incentive to optimize CO₂ performance for vehicles when running on E-85. EPA believes the above approach would provide such an incentive to manufacturers and that E-85 vehicles could be optimized through engine redesign and calibration to provide additional CO₂ reductions. EPA requests comments on the above.

ii. Dedicated Alternative Fuel Vehicles

EPA proposes that for model years 2016 and later dedicated alternative fuel vehicles, CO₂ would be measured over the 2-cycle test in order to be included in a manufacturer's fleet average CO₂ calculations. As noted above, this is different than CAFE methodology which provides a methodology for calculating a petroleum-based mpg equivalent for alternative fuel vehicles so they can be included in CAFE. However, because CO₂ can be measured directly from alternative fuel vehicles over the test procedure, EPA believes this is the simplest and best approach since it is consistent with all other vehicle testing under the proposed CO₂ program.

3. Advanced Technology Vehicle Credits for Electric Vehicles, Plug-in Hybrids, and Fuel Cells

EPA is proposing additional credit opportunities to encourage the early commercialization of advanced vehicle powertrains, including electric vehicles (EVs), plug-in hybrid electric vehicles (PHEVs), and fuel cell vehicles. These technologies have the potential for more significant reductions of GHG emissions than any technology currently in commercial use, and EPA believes that encouraging early introduction of such technologies will help to enable their wider use in the future, promoting the technology-based emission reduction goals of section 202(a)(1) of the Clean Air Act.

EPA proposes that these advanced technology credits would take the form of a multiplier that would be applied to the number of vehicles sold such that they would count as more than one vehicle in the manufacturer's fleet average. These advanced technology vehicles would then count more heavily when calculating fleet average CO₂ levels. The multiplier would not be applied when calculating the manufacturer's foot-print-based standard, only when calculating the manufacturer's fleet average levels. EPA proposes to use a multiplier in the range of 1.2 to 2.0 for all EVs, PHEVs, and fuel cell vehicles produced from MY 2012 through MY 2016. EPA proposes that starting in MY 2017, the multiplier would no longer be used. As described in Section III.C.5, EPA is also proposing to allow early advanced technology vehicle credits to be generated for model years 2009–2011. EPA requests comment on the level of the multiplier and whether it should be the same value for each of these three technologies. Further, if EPA determines that a multiplier of 2.0, or another level near the higher end of this range, is appropriate for the final rule, EPA requests comment on whether the multiplier should be phased down over time, such as: 2.0 for MY 2009 through MY 2012, 1.8 in MY 2013, 1.6 in MY 2014, 1.4 in MY 2015, and 1.2 in MY 2016 (*i.e.*, the multiplier could phase-down by 0.2 per year). In addition, EPA requests comment on whether or not it would be appropriate to differentiate between EVs and PHEVs for advanced technology credits. Under such an approach, PHEVs could be provided a lesser multiplier compare to EVs. Also, the PHEV multiplier could be prorated based on the equivalent electric range (*i.e.*, the extent to which the PHEV operates on average as an EV) of the vehicle in order to incentivize battery

technology development. This approach would give more credits to "stronger" PHEV technology.

EPA has provided this type of credit previously, in the Tier 2 program. This approach provides an incentive for manufacturers to prove out ultra-clean technology during the early years of the program. In Tier 2, early credits for Tier 2 vehicles certified to the very cleanest bins (equivalent to California's standards for super ultra low emissions vehicles (SULEVs) and zero emissions vehicles (ZEVs)) had a multiplier of 1.5 or 2.0.¹⁵⁴ The multiplier range of 1.2 to 2.0 being proposed for GHGs is consistent with the Tier 2 approach. EPA believes it is appropriate to provide incentives to manufacturers to produce vehicles with very low emissions levels and that these incentives may help pave the way for greater and/or more cost effective emission reductions from future vehicles. EPA would like to finalize an approach which appropriately balances the benefits of encouraging advanced technologies with the overall environmental reductions of the proposed standards as a whole.

As with other vehicles, CO₂ for these vehicles would be determined as part of vehicle certification, based on emissions over the 2-cycle test procedures, to be included in the fleet average CO₂ levels.

For electric vehicles, EPA proposes that manufacturers would include them in the average with CO₂ emissions of zero grams/mile both for early credits, and for the MY 2012–2016 time frame. Similarly, EPA proposes to include as zero grams/mile of CO₂ the electric portion of PHEVs (*i.e.*, when PHEVs are operating as electric vehicles) and fuel cell vehicles. EPA recognizes that for each EV that is sold, in reality the total emissions off-set relative to the typical gasoline or diesel powered vehicle is not zero, as there is a corresponding increase in upstream CO₂ emissions due to an increase in the requirements for electric utility generation. However, for the time frame of this proposed rule, EPA is also interested in promoting very advanced technologies such as EVs which offer the future promise of significant reductions in GHG emissions, in particular when coupled with a broader context which would include reductions from the electricity generation. For the California Paley 1 program, California assigned EVs a CO₂ performance value of 130 g/mile, which was intended to represent the average CO₂ emissions required to charge an EV using representative CO₂ values for the California electric utility grid. For this

¹⁵⁴ See 65 FR 6746, February 10, 2000.

proposal, EPA is assigning an EV a value of zero g/mile, which should be viewed as an interim solution for how to account for the emission reduction potential of this type of vehicle, and may not be the appropriate long-term approach. EPA requests comment on this proposal and whether alternative approaches to address EV emissions should be considered, including approaches for considering the lifecycle emissions from such advanced vehicle technologies.

The criteria and definitions for what vehicles qualify for the multiplier are provided in Section III.E. As described in Section III.E, EPA is proposing definitions for EVs, PHEVs, and fuel cell vehicles to ensure that only credible advanced technology vehicles are provided credits.

EPA requests comments on the proposed approach for advanced technology vehicle credits.

4. Off-Cycle Technology Credits

EPA is proposing an optional credit opportunity intended to apply to new and innovative technologies that reduce vehicle CO₂ emissions, but for which the CO₂ reduction benefits are not captured over the 2-cycle test procedure used to determine compliance with the fleet average standards (i.e., "off-cycle"). Eligible innovative technologies would be those that are relatively newly introduced in one or more vehicle models, but that are not yet implemented in widespread use in the light-duty fleet. EPA will not approve credits for technologies that are not innovative or novel approaches to reducing greenhouse gas emissions. Further, any credits for these off-cycle technologies must be based on real-world GHG reductions not captured on the current 2-cycle tests and verifiable test methods, and represent average U.S. driving conditions.

Similar to the technologies used to reduce A/C system indirect CO₂ emissions such as compressor efficiency improvements, eligible technologies would not be active during the 2-cycle test and therefore the associated improvements in CO₂ emissions would not be captured. EPA will not consider technologies to be eligible for these credits if the technology has a significant impact on CO₂ emissions over the FTP and HFET tests. Because these technologies are not nearly so well developed and understood, EPA is not prepared to require their utilization to meet the CO₂ standards. However, EPA is aware of some emerging and innovative technologies and concepts in various stages of development with CO₂ reduction potential that might not be

adequately captured on the FTP or HFET, and that some of these technologies might merit some additional CO₂ credit for the manufacturer. Examples include solar panels on hybrids or electric vehicles, adaptive cruise control, and active aerodynamics. EPA believes it would be appropriate to provide an incentive to encourage the introduction of these types of technologies and that a credit mechanism is an effective way to do this. This optional credit opportunity would be available through the 2016 model year.

EPA is proposing that manufacturers quantify CO₂ reductions associated with the use of the off-cycle technologies such that the credits could be applied on a g/mile equivalent basis, as is proposed for A/C system improvements. Credits would have to be based on real additional reductions of CO₂ emissions and would need to be quantifiable and verifiable with a repeatable methodology. Such submissions of data should be submitted to EPA subject to public scrutiny. EPA proposes that the technologies upon which the credits are based would be subject to full useful life compliance provisions, as with other emissions controls. Unless the manufacturer can demonstrate that the technology would not be subject to in-use deterioration over the useful life of the vehicle, the manufacturer would have to account for deterioration in the estimation of the credits in order to ensure that the credits are based on real in-use emissions reductions over the life of the vehicle.

As discussed below, EPA is proposing a two-tiered process for demonstrating the CO₂ reductions of an innovative and novel technology with benefits not captured by the FTP and HFET test procedures. First, a manufacturer would determine whether the benefit of the technology could be captured using the 5-cycle methodology currently used to determine fuel economy label values. EPA established the 5-cycle test methods to better represent real-world factors impacting fuel economy, including higher speeds and more aggressive driving, colder temperature operation, and the use of air conditioning. If this determination is affirmative, the manufacturer would follow the protocol laid out below and in the proposed regulations. If the manufacturer finds that the technology is such that the benefit is not adequately captured using the 5-cycle approach, then the manufacturer would have to develop a robust methodology, subject to EPA approval, to demonstrate the benefit and determine the appropriate CO₂ gram per mile credit.

a. Technology Demonstration Using EPA 5-Cycle Methodology

As noted above, the CO₂ reduction benefit of some innovative technologies could be demonstrated using the 5-cycle approach currently used for EPA's fuel economy labeling program. The 5-cycle methodology was finalized in EPA's 2006 fuel economy labeling rule,¹⁵⁵ which provides a more accurate fuel economy label estimate to consumers starting with 2008 model year vehicles. In addition to the FTP and HFET test procedures, the 5-cycle approach folds in the test results from three additional test procedures to determine fuel economy. The additional test cycles include cold temperature operation, high temperature, high humidity and solar loading, and aggressive and high-speed driving; thus these tests could be used to demonstrate the benefit of a technology that reduces CO₂ over these types of driving and environmental conditions. Using the test results from these additional test cycles collectively with the 2-cycle data provides a more precise estimate of the average fuel economy and CO₂ emissions of a vehicle for both the city and highway independently. A significant benefit of using the 5-cycle methodology to measure and quantify the CO₂ reductions is that the test cycles are properly weighted for the expected average U.S. operation, meaning that the test results could be used without further adjustments.

The use of these supplemental cycles may provide a method by which technologies not demonstrated on the baseline 2-cycles can be quantified. The cold temperature FTP can capture new technologies that improve the CO₂ performance of vehicles during colder weather operation. These improvements may be related to warm-up of the engine or other operation during the colder temperature. An example of such a new, innovative technology is a waste heat capture device that provides heat to the cabin interior, enabling additional engine-off operation during colder weather not previously enabled due to heating and defrosting requirements. The additional engine-off time would result in additional CO₂ reductions that otherwise would not have been realized without the heat capture technology.

While A/C credits for efficiency improvements will largely be captured in the A/C credits proposal through the credit menu of known efficiency improving components and controls,

¹⁵⁵ Fuel Economy Labeling of Motor Vehicles: Revisions to Improve Calculation of Fuel Economy Estimates; Final Rule (71 FR 77872, December 27, 2006).

certain new technologies may be able to use the high temperatures, humidity, and solar load of the SC03 test cycle to accurately measure their impact. An example of a new technology may be a refrigerant storage device that accumulates pressurized refrigerant during driving operation or uses recovered vehicle kinetic energy during deceleration to pressurize the refrigerant. Much like the waste heat capture device used in cold weather, this device would also allow additional engine-off operation while maintaining appropriate vehicle interior occupant comfort levels. SC03 test data measuring the relative impact of innovative A/C-related technologies could be applied to the 5-cycle equation to quantify the CO₂ reductions of the technology. Another example is glazed windows. This reflects sunlight away from the cabin so that the energy required to stabilize the cabin air to a comfortable level is decreased. The impact of these windows may be measurable on an SC03 test (with and without the window option).

The US06 cycle may be used to capture innovative technologies designed to reduce CO₂ emissions during higher speed and more aggressive acceleration conditions, but not reflected on the 2-cycle tests. An example of this is an active aerodynamic technology. This technology recognizes the benefits of reduced aerodynamic drag at higher speeds and makes changes to the vehicle at those speeds. The changes may include active front or grill air deflection devices designed to redirect frontal airflow. Certain active suspension devices designed primarily to reduce aerodynamic drag by lowering the vehicle at higher speeds may also be measured on the US06 cycle. To properly measure these technologies on the US06, the vehicle would require unique load coefficients with and without the technologies. The different load coefficient (properly weighted for the US06 cycle) could effectively result in reduced vehicle loads at the higher speeds when the technologies are active. Similar to the previously discussed cycles, the results from the US06 test with and without the technology could then use the 5-cycle methodology to quantify CO₂ reductions.

If the 5-cycle procedures can be used to demonstrate the innovative technology, then the process would be relatively simple. The manufacturer would simply test vehicles with and without the technology installed or operating and compare results. All 5-cycles would be tested with the technology enabled and disabled, and the test results would be used to

calculate a combined city/highway CO₂ value with the technology and without the technology. These values would be compared to determine the amount of the credit; the combined city/highway CO₂ value with the technology operating would be subtracted from the combined city/highway CO₂ value without the technology operating to determine the gram per mile CO₂ credit. It is likely that multiple tests of each of the five test procedures would need to be performed in order to achieve the necessary strong degree of statistical significance of the credit determination results. This would have to be done for each model type for which a credit was being sought, unless the manufacturer could demonstrate that the impact of the technology was independent of the vehicle configuration on which it was installed. In this case, EPA may consider allowing the test to be performed on an engine family basis or other grouping. At the end of the model year, the manufacturer would determine the number of vehicles produced subject to each credit amount and report that to EPA in the final model year report. The gram per mile credit value determined with the 5-cycle comparison testing would be multiplied by the total production of vehicles subject to that value to determine the total number of credits.

b. Alternative Off-Cycle Credit Methodologies

In cases where the benefit of a technological approach to reducing CO₂ emissions can not be adequately represented using existing test cycles, EPA will work with and advise manufacturers in developing test procedures and analytical approaches to estimate the effectiveness of the technology for the purpose of generating credits. Clearly the first step should be a thorough assessment of whether the 5-cycle approach can be used, but if the manufacturer finds that the 5-cycle process is fundamentally inadequate for the specific technology being considered by the manufacturer, then an alternative approach may be developed and submitted to EPA for approval. The demonstration program should be robust, verifiable, and capable of demonstrating the real-world emissions benefit of the technology with strong statistical significance.

The CO₂ benefit of some technologies may be able to be demonstrated with a modeling approach, using engineering principles. An example would be where a roof solar panel is used to charge the on-board vehicle battery. The amount of potential electrical power that the panel could supply could be modeled for average U.S. conditions and the units of

electrical power translated to equivalent fuel energy or annualized CO₂ emission rate reduction from the captured solar energy. The CO₂ reductions from other technologies may be more challenging to quantify, especially if they are interactive with the driver, geographic location, environmental condition, or other aspect related to operation on actual roads. In these cases, manufacturers might have to design extensive on-road test programs. Any such on-road testing programs would need to be statistically robust and based on average U.S. driving conditions, factoring in differences in geography, climate, and driving behavior across the U.S.

Whether the approach involves on-road testing, modeling, or some other analytical approach, the manufacturer would be required to present a proposed methodology to EPA. EPA would approve the methodology and credits only if certain criteria were met. Baseline emissions and control emissions would need to be clearly demonstrated over a wide range of real world driving conditions and over a sufficient number of vehicles to address issues of uncertainty with the data. Data would need to be on a vehicle model-specific basis unless a manufacturer demonstrated model specific data was not necessary. Approval of the approach to determining a CO₂ benefit would not imply approval of the results of the program or methodology; when the testing, modeling, or analyses are complete the results would likewise be subject to EPA review and approval. EPA believes that manufacturers could work together to develop testing, modeling, or analytical methods for certain technologies, similar to the SAE approach used for A/C refrigerant leakage credits.

EPA requests comments on the proposed approach for off-cycle emissions credits, including comments on how best to structure the program. EPA particularly requests comments on how the case-by-case approach to assessing off-cycle innovative technology credits could best be designed, including ways to ensure the verification of real-world emissions benefits and to ensure transparency in the process of reviewing manufacturer's proposed test methods.

5. Early Credit Options

EPA is proposing to allow manufacturers to generate early credits in model years 2009–2011. As described below, credits could be generated through early additional fleet average CO₂ reductions, early A/C system improvements, early advanced

technology vehicle credits, and early off-cycle credits. As with other credits, early credits would be subject to a five year carry-forward limit based on the model year in which they are generated. Early credits could also be transferred between vehicle categories (e.g., between the car and truck fleet) or traded among manufacturers without limits. The agencies note that CAFE credits earned in MYs prior to MY 2011 will still be available to manufacturers for use in the CAFE program in accordance with applicable regulations.

EPA is not proposing certification, compliance, or in-use requirements for vehicles generating early credits. MY 2009 would be complete and MY 2010 would be well underway by the time the rule is promulgated. This would make certification, compliance, and in-use requirements unworkable. As discussed below, manufacturers would be required to submit an early credits report to EPA for approval no later than the time they submit their final CAFE report for MY 2011. This report would need to include details on all early credits the manufacturer generates, why the credits are bona fide, how they are quantified, and how they can be verified.

As a general principle, EPA believes these early credit programs must be designed in a way to ensure that they are capturing real-world reductions. In addition, EPA wants to ensure these credit programs do not provide an opportunity for manufacturers to earn "windfall" credits that do not result in actual, surplus CO₂ emission reductions. EPA seeks comments on

how to best ensure these objectives are achieved in the design of the early credit program options.

a. Credits Based on Early Fleet Average CO₂ Reductions

EPA is proposing opportunities for early credit generation in MYs 2009–2011 through over-compliance with a fleet average CO₂ baseline established by EPA. EPA is proposing four pathways for doing so. Manufacturers would select one of the four paths for credit generation for the entire three year period and could not switch between pathways for different model years. For two pathways, the baseline would be set by EPA to be equivalent to the California standards for the relevant model year. Generally, manufacturers that over-comply with those CARB standards would earn credits. Two additional pathways, described below, would include credits based on over-compliance with CAFE standards in States that have not adopted the California standards.

Pathway 1 would be to earn credits by over-complying with the California equivalent baseline over the manufacturer's fleet of vehicles sold nationwide. Pathway 2 would be for manufacturers to generate credits against the baseline only for the fleet of vehicles sold in California and the CAA section 177 States.¹⁵⁶ This approach would include any CAA 177 States as of the date of promulgation of the Final Rule in this proceeding. Manufacturers would be required to include both cars and trucks in the program. Under

Pathways 1 and 2, EPA proposes that manufacturers would be required to cover any deficits incurred against the baseline levels established by EPA during the three year period 2009–2011 before credits could be carried forward into the 2012 model year. For example, a deficit in 2011 would have to be subtracted from the sum of credits earned in 2009 and 2010 before any credits could be applied to 2012 (or later) model year fleets. EPA is proposing this provision to help ensure the early credits generated under this program are consistent with the credits available under the California program during these model years.

Table III.C.5–1 provides the California equivalent baselines EPA proposes to use as the basis for CO₂ credit generation under the California-based pathways. These are the California GHG standards for the model years shown, with a 2.0 g/mile adjustment to account for the exclusion of N₂O and CH₄, which are included in the California GHG standards, but not included in the credits program. Manufacturers would generate CO₂ credits by achieving fleet average CO₂ levels below these baselines. As shown in the table, the California-based early credit pathways are based on the California vehicle categories. Also, the California-based baseline levels are not footprint-based, but universal levels that all manufacturers would use. Manufacturers would need to achieve fleet levels below those shown in the table in order to earn credits.

TABLE III.C.5–1—CALIFORNIA EQUIVALENT BASELINES CO₂ EMISSIONS LEVELS FOR EARLY CREDIT GENERATION

Model year	Passenger cars and light trucks with an LVW of 0–3,750 lbs	Light trucks with a LVW of 3,751 or more and a GVWR of up to 8,500 lbs plus medium-duty passenger vehicles
2009	321	437
2010	299	418
2011	265	388

EPA proposes that manufacturers using Pathways 1 or 2 above would use year end car and truck sales in each category. Although production data is used for the program starting in 2012, EPA is proposing to use sales data for the early credits program in order to apportion vehicles by State. This is described further below. Manufacturers would calculate actual fleet average emissions over the appropriate vehicle

fleet, either for vehicles sold nationwide for Pathway 1, or California plus 177 States sales for Pathway 2. Early CO₂ credits would be based on the difference between the baseline shown in the table above and the actual fleet average emissions level achieved. Any early A/C credits generated by the manufacturer, described below in Section III.C.5.b, would be included in the fleet average level determination. In

model year 2009, the California CO₂ standards for cars (321 g/mi CO₂) are only slightly more stringent than the 2009 CAFE car standard of 27.5 mpg, which is approximately equivalent to 323 g/mi CO₂, and the California light-truck standard (437 g/mi CO₂) is less stringent than the equivalent CAFE standard, recognizing that there are some differences between the way the California program and the CAFE

¹⁵⁶ CAA 177 States refers to States that have adopted the California GHG standards. At present, there are thirteen CAA 177 States including New

York, Massachusetts, Maryland, Vermont, Maine, Connecticut, Arizona, New Jersey, New Mexico,

Oregon, Pennsylvania, Rhode Island, Washington, and Washington, DC.

program categorize vehicles. Under the proposed option, manufacturers would have to show that they over comply over the entire three model year time period, not just the 2009 model year, to generate early credits under either Pathways 1, 2 or 3. A manufacturer cannot use credits generated in model year 2009 unless they offset any debits from model years 2010 and 2011. EPA expects that the requirement to over comply over the entire time period covering these three model years should mean that the credits that are generated are real and are in excess of what would have otherwise occurred. However, because of the circumstances involving the 2009 model year, in particular for companies with significant truck sales, there is some concern that under Pathways 1, 2, and 3, there is a potential for a large number of credits generated in 2009 against the California standard, in particular for a number of companies who have significantly over-achieved on CAFE in recent model years. EPA wants to avoid a situation where, contrary to expectation, some part of the early credits generated by a manufacturer are in fact not excess, where companies could trade such credits to other manufacturers, risking a delay in the addition of new technology across the industry from the 2012 and later EPA CO₂ standards. For this reason, EPA requests comment on the merits of prohibiting the trading of model year 2009 generated early credits between firms.

In addition, for Pathways 1 and 2, EPA proposes that manufacturers may also include alternative compliance credits earned per the California alternative compliance program.¹⁵⁷ These alternative compliance credits are based on the demonstrated use of alternative fuels in flex fuel vehicles. As with the California program, the credits would be available beginning in MY 2010. Therefore, these early alternative compliance credits would be available under EPA's program for the 2010 and 2011 model years. FFVs would otherwise be included in the early credit fleet average based on their emissions on the conventional fuel. This would not apply to EVs and PHEVs. The emissions of EVs and PHEVs would be determined as described in Section III.E. Manufacturers could choose to either include their EVs and PHEVs in one of the four pathways described in this section or under the early advanced technology emissions credits described below, but not both due to issues of credit double counting.

EPA is also proposing two additional early credit pathways manufacturers could select. Pathways 3 and 4 incorporate credits based on over-compliance with CAFE standards for vehicles sold outside of California and CAA 177 States in MY 2009–2011. Pathway 3 would allow manufacturers to earn credits as under Pathway 2, plus earn CAFE-based credits in other States. Credits would not be generated for cars sold in California and CAA 177 States

unless vehicle fleets in those States are performing better than the standards which otherwise would apply in those States, *i.e.* the baselines shown in Table III.C.5–1 above.

Pathway 4 would be for manufacturers choosing to forego California-based early credits entirely and earn only CAFE-based credits outside of California and CAA 177 States. EPA proposes that manufacturers would not be able to include FFV credits under the CAFE-based-early credit pathways since those credits do not automatically reflect actual reductions in CO₂ emissions.

The proposed baselines for CAFE-based early pathways are provided in Table III.C.5–2 below. They are based on the CAFE standards for the 2009–2011 model years. For CAFE standards in 2009–2011 model years that are footprint-based, the baseline would vary by manufacturer. Footprint-based standards are in effect for the 2011 model year CAFE standards.¹⁵⁸ Additionally, for Reform CAFE truck standards, footprint standards are optional for the 2009–2010 model years. Where CAFE footprint-based standards are in effect, manufacturers would calculate a baseline using the footprints and sales of vehicles outside of California and CAA 177 States. The actual fleet CO₂ performance calculation would also only include the vehicles sold outside of California and CAA 177 States, and as mentioned above, may not include FFV credits.

TABLE III.C.5–2—CAFE EQUIVALENT BASELINES CO₂ EMISSIONS LEVELS FOR EARLY CREDIT GENERATION

Model year	Cars	Trucks
2009	323	381.*
2010	323	376.*
2011	Footprint-based standard	Footprint-based standard.

* Would be footprint-based standard for manufacturers selecting footprint option under CAFE.

For the CAFE-based pathways, EPA proposes to use the NHTSA car and truck definitions that are in place for the model year in which credits are being generated. EPA understands that the NHTSA definitions change starting in the 2011 model year, and would therefore change part way through the early credits program. EPA further recognizes that MDPVs are not part of the CAFE program until the 2011 model year, and therefore would not be part of the early credits calculations for 2009–2010 under the CAFE-based pathways.

Pathways 2 through 4 involve splitting the vehicle fleet into two groups, vehicles sold in California and CAA 177 States and vehicles sold outside of these States. This approach would require a clear accounting of location of vehicle sales by the manufacturer. EPA believes it will be reasonable for manufacturers to accurately track sales by State, based on its experience with the National Low Emissions Vehicle (NLEV) Program. NLEV required manufacturers to meet separate fleet average standards for vehicles sold in two different regions of

the country.¹⁵⁹ As with NLEV, the determination would be based on where the completed vehicles are delivered as a point of first sale, which in most cases would be the dealer.¹⁶⁰

As noted above, EPA proposes that manufacturers choosing to generate early credits would select one of the four pathways for the entire early credits program and would not be able to switch among them. EPA proposes that manufacturers would submit their early credits report when they submit their final CAFE report for MY 2011 (which is required to be submitted no

¹⁵⁷ See Section 6.6.E, California Environmental Protection Agency Air Resources Board, Staff Report: Initial Statement of Reasons For Proposed

Rulemaking, Public Hearing to Consider Adoption of Regulations to Control Greenhouse Gas Emissions From Motor Vehicles, August 6, 2004.

¹⁵⁸ 74 FR 14196, March 30, 2009.

¹⁵⁹ 62 FR 31211, June 6, 1997.

¹⁶⁰ 62 FR 31212, June 6, 1997.

later than 90 days after the end of the model year). Manufacturers would have until then to decide which pathway to select. This would give manufacturers enough time to determine which pathway works best for them. This timing may be necessary in cases where manufacturers earn credits in MY 2011 and need time to assess data and prepare an early credits submittal for final EPA approval.

The table below provides a summary of the four fleet average-based CO₂ early credit pathways EPA is proposing. As noted above, EPA is concerned with potential "windfall" credits and is seeking comments on how to best ensure the objective of achieving surplus, real-world reductions is achieved in the design of the credit programs. In addition, EPA requests comments on the merits of each of these pathways. Specifically, EPA requests

comment on whether or not any of the pathways could be eliminated to simplify the program without diminishing its overall flexibility. For example, Pathway 2 may not be particularly useful to manufacturers if the California/177 State and overall national fleets are projected to be similar during these model years. EPA also requests comment on proposed program implementation structure and provisions.

TABLE III.C.5-3—SUMMARY OF PROPOSED EARLY FLEET AVERAGE CO₂ CREDIT PATHWAYS

Common Elements	<ul style="list-style-type: none"> —Manufacturers would select a pathway. Once selected, may not switch among pathways. —All credits subject to 5 year carry-forward restrictions. —For Pathways 2-4, vehicles apportioned by State based on point of first sale.
Pathway 1: California-based Credits for National Fleet. ...	<ul style="list-style-type: none"> —Manufacturers earn credits based on fleet average emissions compared with California equivalent baseline set by EPA. —Based on nationwide CO₂ sales-weighted fleet average. —Based on use of California vehicle categories. —FFV alternative compliance credits per California program may be included. —Once in the program, manufacturers must make up any deficits that are incurred prior to 2012 in order to carry credits forward to 2012 and later.
Pathway 2: California-based Credits for vehicles sold in California plus CAA 177 States.	<ul style="list-style-type: none"> —Same as Pathway 1, but manufacturers only includes vehicles sold in California and CAA 177 States in the fleet average calculation.
Pathway 3: Pathway 2 plus CAFE-based Credits outside of California plus CAA 177 States.	<ul style="list-style-type: none"> —Manufacturer earns credits as provided by Pathway 2: California-based credits for vehicles sold in California plus CAA 177 States, plus: —CAFE-based credits allowed for vehicles sold outside of California and CAA 177 States. —For CAFE-based credits, manufacturers earn credits based on fleet average emissions compared with baseline set by EPA. —CAFE-based credits based on NHTSA car and truck definitions. —FFV credits not allowed to be included for CAFE-based credits.
Pathway 4: Only CAFE-based Credits outside of California plus CAA 177 States.	<ul style="list-style-type: none"> —Manufacturer elects to only earn CAFE-based credits for vehicles sold outside of California and CAA 177 States. Earns no California and 177 State credits. —For CAFE-based credits, manufacturers earn credits based on fleet average emissions compared with baseline set by EPA. —CAFE-based credits based on NHTSA car and truck definitions. —FFV credits not allowed to be included for CAFE-based credits.

b. Early A/C Credits

EPA proposes that manufacturers could earn early A/C credits in MYs 2009-2011 using the same A/C system design-based EPA provisions being proposed for MYs commencing in 2012, as described in Section III.C.1, above. Manufacturers would be able to earn early A/C CO₂-equivalent credits by demonstrating improved A/C system performance, for both direct and indirect emissions. To earn credits for vehicles sold in California and CAA 177 States, the vehicles would need to be included in one of the California-based early credit pathways described above in III.C.5.a. EPA is proposing this constraint in order to avoid credit double counting with the California program in place in those States, which also allows A/C system credits in this time frame. Manufacturers would fold the A/C credits into the fleet average CO₂ calculations under the California-based pathway. For example, the MY 2009 California-based program car

baseline would be 321 g/mile (see Table III.C.5-1). If a manufacturer under Pathway 1 had a MY 2009 car fleet average CO₂ level of 320 g/mile and then earned an additional 9 g/mile CO₂-equivalent A/C credit, the manufacturers would earn a total of 10 g/mile of credit. Vehicles sold outside of California and 177 States would be eligible for the early A/C credits whether or not the manufacturers participate in other aspects of the early credits program.

c. Early Advanced Technology Vehicle Credits

EPA is proposing to allow early advanced technology vehicle credits for sales of EVs, PHEVs, and fuel cell vehicles. To avoid double-counting, manufacturers would not be allowed to generate advanced technology credits for vehicles they choose to include in Pathways 1 through 4 described in III.C.5.a, above. EPA proposes to use a similar methodology to that proposed for MYs 2012 and later, as described in

Section III.C.3, above. EPA proposes to use a multiplier in the range of 1.2 to 2.0 for all eligible vehicles (i.e., EVs, PHEVs, and fuel cells). Manufacturers, however, would track the number of these vehicles sold in the model years 2009-2011, and the emissions level of the vehicles, rather than a CO₂ credit. When a manufacturer chooses to use the vehicle credits to comply with 2012 or later standards, the vehicle counts including the multiplier would be folded into the CO₂ fleet average. For example, if a manufacturer sells 1,000 EVs in MY 2011, and if the final multiplier level were 2.0, the manufacturer would apply the multiplier of 2.0 and then be able to include 2,000 vehicles at 0 g/mile in their MY 2012 fleet to decrease the fleet average for that model year. As with other early credits, these early advanced technology vehicle credits would be tracked by model year (2009, 2010, or 2011) and would be subject to 5 year carry-forward restrictions. Again,

manufacturers would not be allowed to include the EVs, PHEVs, or fuel cell vehicles in the early credit pathways discussed above in Section III.C.5.a, otherwise the vehicles would be double counted. As discussed in Section III.C.3, EPA is requesting comment on a multiplier in the range of 1.2 to 2.0, including a potential phase-down in the multiplier by model year 2016, if a multiplier near the higher end of this range is determined for the final rule. This request for comment also extends to the potential for early advance technology vehicle credits. EPA is also requesting comment on the appropriate gram/mile metric for EVs and fuel cell vehicles, as well as for the EV-only contribution for a PHEV.

d. Early Off-Cycle Credits

EPA's proposed off-cycle innovative technology credit provisions are provided in Section III.C.4. EPA requests comment on beginning these credits in the 2009–2011 time frame, provided manufacturers are able to make the necessary demonstrations outlined in Section III.C.4, above.

D. Feasibility of the Proposed CO₂ Standards

This proposal is based on the need to obtain significant GHG emissions reductions from the transportation sector, and the recognition that there are cost-effective technologies to achieve such reductions in the 2012–2016 time frame. As in many prior mobile source rulemakings, the decision on what standard to set is largely based on the effectiveness of the emissions control technology, the cost and other impacts of implementing the technology, and the lead time needed for manufacturers to employ the control technology. The standards derived from assessing these issues are also evaluated in terms of the need for reductions of greenhouse gases, the degree of reductions achieved by the standards, and the impacts of the standards in terms of costs, quantified benefits, and other impacts of the standards. The availability of technology to achieve reductions and the cost and other aspects of this technology are therefore a central focus of this rulemaking.

EPA is taking the same basic approach in this rulemaking, although the technological problems and solutions involved in this rulemaking differ in some ways from prior mobile source rulemakings. Here, the focus of the emissions control technology is on reducing CO₂ and other greenhouse gases. Vehicles combust fuel to perform two basic functions: (1) Transport the vehicle, its passengers and its contents,

and (2) operate various accessories during the operation of the vehicle such as the air conditioner. Technology can reduce CO₂ emissions by either making more efficient use of the energy that is produced through combustion of the fuel or reducing the energy needed to perform either of these functions.

This focus on efficiency calls for looking at the vehicle as an entire system. In addition to fuel delivery, combustion, and aftertreatment technology, any aspect of the vehicle that affects the need to produce energy must also be considered. For example, the efficiency of the transmission system, which takes the energy produced by the engine and transmits it to the wheels, and the resistance of the tires to rolling both have major impacts on the amount of fuel that is combusted while operating the vehicle. The braking system, the aerodynamics of the vehicle, and the efficiency of accessories, such as the air conditioner, all affect how much fuel is combusted.

In evaluating vehicle efficiency, we have excluded fundamental changes in vehicles' size and utility. For example, we did not evaluate converting minivans and SUVs to station wagons, converting vehicles with four wheel drive to two wheel drive, or reducing headroom in order to lower the roofline and reduce aerodynamic drag. We have limited our assessment of technical feasibility and resultant vehicle cost to technologies which maintain vehicle utility as much as possible. Manufacturers may decide to alter the utility of the vehicles which they sell in response to this rule. Assessing the societal cost of such changes is very difficult as it involves assessing consumer preference for a wide range of vehicle features.

This need to focus on the efficient use of energy by the vehicle as a system leads to a broad focus on a wide variety of technologies that affect almost all the systems in the design of a vehicle. As discussed below, there are many technologies that are currently available which can reduce vehicle energy consumption. These technologies are already being commercially utilized to a limited degree in the current light-duty fleet. These technologies include hybrid technologies that use higher efficiency electric motors as the power source in combination with or instead of internal combustion engines. While already commercialized, hybrid technology continues to be developed and offers the potential for even greater efficiency improvements. Finally, there are other advanced technologies under development, such as lean burn gasoline engines, which offer the potential of

improved energy generation through improvements in the basic combustion process. In addition, the available technologies are not limited to powertrain improvements but also include mass reduction, electrical system efficiencies, and aerodynamic improvements.

The large number of possible technologies to consider and the breadth of vehicle systems that are affected mean that consideration of the manufacturer's design and production process plays a major role in developing the proposed standards. Vehicle manufacturers typically develop many different models by basing them on a limited number of vehicle platforms. The platform typically consists of a common vehicle architecture and structural components. This allows for efficient use of design and manufacturing resources. Given the very large investment put into designing and producing each vehicle model, manufacturers typically plan on a major redesign for the models approximately every 5 years. At the redesign stage, the manufacturer will upgrade or add all of the technology and make most other changes supporting the manufacturer's plans for the next several years, including plans related to emissions, fuel economy, and safety regulations.

This redesign often involves a package of changes designed to work together to meet the various requirements and plans for the model for several model years after the redesign. This often involves significant engineering, development, manufacturing, and marketing resources to create a new product with multiple new features. In order to leverage this significant upfront investment, manufacturers plan vehicle redesigns with several model years of production in mind. Vehicle models are not completely static between redesigns as limited changes are often incorporated for each model year. This interim process is called a refresh of the vehicle and generally does not allow for major technology changes although more minor ones can be done (*e.g.*, small aerodynamic improvements, valve timing improvements, *etc.*). More major technology upgrades that affect multiple systems of the vehicle thus occur at the vehicle redesign stage and not in the time period between redesigns.

As discussed below, there are a wide variety of CO₂ reducing technologies involving several different systems in the vehicle that are available for consideration. Many can involve major changes to the vehicle, such as changes to the engine block and cylinder heads, redesign of the transmission and its

packaging in the vehicle, changes in vehicle shape to improve aerodynamic efficiency and the application of aluminum in body panels to reduce mass. Logically, the incorporation of emissions control technologies would be during the periodic redesign process. This approach would allow manufacturers to develop appropriate packages of technology upgrades that combine technologies in ways that work together and fit with the overall goals of the redesign. It also allows the manufacturer to fit the process of upgrading emissions control technology into its multi-year planning process, and it avoids the large increase in resources and costs that would occur if technology had to be added outside of the redesign process.

This proposed rule affects five years of vehicle production, model years 2012–2016. Given the now-typical five year redesign cycle, nearly all of a manufacturer's vehicles will be redesigned over this period. However, this assumes that a manufacturer has sufficient lead time to redesign the first model year affected by this proposed rule with the requirements of this proposed rule in mind. In fact, the lead time available for model year 2012 is relatively short. The time between a likely final rule and the start of 2013 model year production is likely to be just over two years. At the same time, manufacturer product plans indicate that they are planning on introducing many of the technologies EPA projects could be used to show compliance with the proposed CO₂ standards in both 2012 and 2013. In order to account for the relatively short lead time available prior to the 2012 and 2013 model years, albeit mitigated by their existing plans, EPA has factored this reality into how the availability is modeled for much of the technology being considered for model years 2012–2016 as a whole. If the technology to control greenhouse gas emissions is efficiently folded into this redesign process, then EPA projects that 85 percent of each manufacturer's sales will be able to be redesigned with many of the CO₂ emission reducing technologies by the 2016 model year, and as discussed below, to reduce emissions of HFCs from the air conditioner.

In determining the level of this first ever GHG emissions standard under the CAA for light-duty vehicles, EPA proposes to use an approach that accounts for and builds on this redesign process. This provides the opportunity for several control technologies to be incorporated into the vehicle during redesign, achieving significant emissions reductions from the model at

one time. This is in contrast to what would be a much more costly approach of trying to achieve small increments of reductions over multiple years by adding technology to the vehicle piece by piece outside of the redesign process.

As described below, the vast majority of technology required by this proposal is commercially available and already being employed to a limited extent across the fleet. The vast majority of the emission reductions which would result from this proposed rule would result from the increased use of these technologies. EPA also believes that this proposed rule would encourage the development and limited use of more advanced technologies, such as PHEVs and EVs.

In developing the proposed standard, EPA built on the technical work performed by the State of California during its development of its statewide GHG program. EPA began by evaluating a nationwide CAA standard for MY 2016 that would require the levels of technology upgrade, across the country, which California standards would require for the subset of vehicles sold in California under Pavley 1. In essence, EPA evaluated the stringency of the California Pavley 1 program but for a national standard. As mentioned above, and as described in detail in Section II.C of this preamble and Chapter 3 of the Joint TSD, one of the important technical documents included in EPA and NHTSA's assessment of vehicle technology effectiveness and costs was the 2004 NESCCAF report which was the technical foundation for California's Pavley 1 standard. However, in order to evaluate the impact of standards with similar stringency on a national basis to the California program EPA chose not to evaluate the specific California standards for several reasons. First, California's standards are universal standards (one for cars and one for trucks), while EPA is proposing attribute-based standards using vehicle footprint. Second, California's definitions of what vehicles are classified as cars and which are classified as trucks are different from those used by NHTSA for CAFE purposes and different from EPA's proposed classifications in this notice (which harmonizes with the CAFE definitions). In addition, there has been progress in the refinement of the estimation of the effectiveness and cost estimation for technologies which can be applied to cars and trucks since the California analysis in 2004 which could lead to different relative stringencies between cars and trucks than what California determined for its Pavley 1 program. There have also been

improvements in the fuel economy and CO₂ performance of the actual new vehicle fleet since California's 2004 analysis which EPA wanted to reflect in our current assessment. For these reasons, EPA developed an assessment of an equivalent national new vehicle fleet-wide CO₂ performance standards for model year 2016 which would result in the new vehicle fleet in the State of California having CO₂ performance equal to the performance from the California Pavley 1 standards. This assessment is documented in Chapter 3.1 of the DRIA. The results of this assessment predicts that a national light-duty vehicle fleet which adopts technology that achieves performance of 250 g/mile CO₂ for model year 2016 would result in vehicles sold in California that would achieve the CO₂ performance equivalent to the Pavley 1 standards.

EPA then analyzed a level of 250 g/mi CO₂ in 2016 using the OMEGA model, and the car and truck footprint curves relative stringency discussed in Section II to determine what technology would be needed to achieve a fleet wide average of 250 g/mi CO₂. As discussed later in this section we believe this level of technology application to the light-duty vehicle fleet can be achieved in this time frame, that such standards will produce significant reductions in GHG emissions, and that the costs for both the industry and the costs to the consumer are reasonable. EPA also developed standards for the model years 2012 through 2015 that lead up to the 2016 level.

EPA's independent technical assessment of the technical feasibility of the proposed MY2012–2016 standards is described below. EPA has also evaluated a set of alternative standards for these model years, one that is more stringent than the proposed standards and one that is less stringent. The technical feasibility of these alternative standards is discussed at the end of this section.

Evaluating the feasibility of these standards primarily includes identifying available technologies and assessing their effectiveness, cost, and impact on relevant aspects of vehicle performance and utility. The wide number of technologies which are available and likely to be used in combination requires a more sophisticated assessment of their combined cost and effectiveness. An important factor is also the degree that these technologies are already being used in the current vehicle fleet and thus, unavailable for use to improve energy efficiency beyond current levels. Finally, the challenge for manufacturers to design the technology

into their products, and the appropriate lead time needed to employ the technology over the product line of the industry must be considered.

Applying these technologies efficiently to the wide range of vehicles produced by various manufacturers is a challenging task. In order to assist in this task, EPA has developed a computerized model called the Optimization Model for reducing Emissions of Greenhouse gases from Automobiles (OMEGA) model. Broadly, the model starts with a description of the future vehicle fleet, including manufacturer, sales, base CO₂ emissions, footprint and the extent to which emission control technologies are already employed. For the purpose of this analysis, over 200 vehicle platforms were used to capture the important differences in vehicle and engine design and utility of future vehicle sales of roughly 16 million units in the 2016 timeframe. The model is then provided with a list of technologies which are applicable to various types of vehicles, along with their cost and effectiveness and the percentage of vehicle sales which can receive each technology during the redesign cycle of interest. The model combines this information with economic parameters, such as fuel prices and a discount rate, to project how various manufacturers would apply the available technology in order to meet various levels of emission control. The result is a description of which technologies are added to each vehicle platform, along with the resulting cost. While OMEGA can apply technologies which reduce CO₂ emissions and HFC refrigerant emissions associated with air conditioner use, this task is currently handled outside of the OMEGA model. The model can be set to account for various types of compliance flexibilities, such as FFV credits.

EPA invites comment on all aspects of this feasibility assessment. Both the OMEGA model and its inputs have been placed in the docket to this proposed rule and available for review.

The remainder of this section describes the technical feasibility analysis in greater detail. Section III.D.1 describes the development of our projection of the MY 2012–2016 fleet in the absence of this proposed rule. Section III.D.2 describes our estimates of the effectiveness and cost of the control technologies available for application in the 2012–2016 timeframe. Section III.D.3 combines these technologies into

packages likely to be applied at the same time by a manufacturer. In this section, the overall effectiveness of the technology packages vis-à-vis their effectiveness when combined individually is described. Section III.D.4 describes the process which manufacturers typically use to apply new technology to their vehicles. Section III.D.5 describes EPA's OMEGA model and its approach to estimating how manufacturers would add technology to their vehicles in order to comply with CO₂ emission standards. Section III.D.6 presents the results of the OMEGA modeling, namely the level of technology added to manufacturers' vehicles and its cost. Section III.D.7 discusses the feasibility of the alternative 4-percent-per-year and 6-percent-per-year standards. Further detail on all of these issues can be found in EPA and NHTSA's draft Joint Technical Support Document as well as EPA's draft Regulatory Impact Analysis.

1. How Did EPA Develop a Reference Vehicle Fleet for Evaluating Further CO₂ Reductions?

In order to calculate the impacts of this proposed regulation, it is necessary to project the GHG emissions characteristics of the future vehicle fleet absent this proposed regulation. This is called the "reference" fleet. EPA developed this reference fleet by determining the characteristics of a specific model year (in this case, 2008) of vehicles, called the baseline fleet, and then projecting what changes if any would be made to these vehicles to comply with the MY2011 CAFE standards. Thus, the MY 2008 fleet is our "baseline fleet," and the projection of the baseline to MY 2011–2016 is called the "reference fleet."

EPA used 2008 model year vehicles as the basis for its baseline fleet. 2008 model year is the most recent model year for which data is publicly available. Sources of data for the baseline include the EPA vehicle certification data, Ward's Automotive Group data, Motortrend.com, Edmunds.com, manufacturer product plans, and other sources to a lesser extent (such as articles about specific vehicles) revealed from Internet search engine research. EPA then projects this fleet out to the 2016 MY, taking into account factors such as changes in overall sales volume. Section II.B describes the development of the EPA reference fleet, and further details can

be found in Section II.B of this preamble and Chapter 1 of the Draft Joint TSD.

The light-duty vehicle market is currently in a state of flux due to the volatility in fuel prices over the past several years and the current economic downturn. These factors have changed the relative sales of the various types of light-duty vehicles marketed, as well as total sales volumes. EPA and NHTSA desire to account for these changes to the degree possible in our forecast of the make-up of the future vehicle fleet. EPA wants to include improvements in fuel economy associated with the existing CAFE program. It is possible that manufacturers could increase fuel economy beyond the level of the 2011 MY CAFE standards for marketing purposes. However, it is difficult to separate fuel economy improvements in those years for marketing purposes from those designed to facilitate compliance with anticipated CAFE or CO₂ emission standards. Thus, EPA limits fuel economy improvements in the reference fleet to those projected to result from the existing CAFE standards. The addition of technology to the baseline fleet so that it complies with the MY 2011 CAFE standards is described later in Section III.D.4, as this uses the same methodology used to project compliance with the proposed CO₂ emission standards. In summary, the reference fleet represents vehicle characteristics and sales in the 2012 and later model years absent this proposed rule. Technology is then added to these vehicles in order to reduce CO₂ emissions to achieve compliance with the proposed CO₂ standards. EPA did not factor in any changes to vehicle characteristics or sales in projecting manufacturers' compliance with this proposal.

After the reference fleet is created, the next step aggregates vehicle sales by a combination of manufacturer, vehicle platform, and engine design. As discussed in Section III.D.4 below, manufacturers implement major design changes at vehicle redesign and tend to implement these changes across a vehicle platform. Because the cost of modifying the engine depends on the valve train design (such as SOHC, DOHC, etc.), the number of cylinders and in some cases head design, the vehicle sales are broken down beyond the platform level to reflect relevant engine differences. The vehicle groupings are shown in Table III.D.1–1.

TABLE III.D.1-1—VEHICLE GROUPINGS^a

Vehicle description	Vehicle type	Vehicle description	Vehicle type
Large SUV (Car) V8+ OHV	13	Subcompact Auto I4	1
Large SUV (Car) V6 4v	16	Large Pickup V8+ DOHC	19
Large SUV (Car) V6 OHV	12	Large Pickup V8+ SOHC 3v	14
Large SUV (Car) V6 2v SOHC	9	Large Pickup V8+ OHV	13
Large SUV (Car) I4 and I5	7	Large Pickup V8+ SOHC	10
Midsize SUV (Car) V6 2v SOHC	8	Large Pickup V6 DOHC	18
Midsize SUV (Car) V6 S/DOHC 4v	5	Large Pickup V6 OHV	12
Midsize SUV (Car) I4	7	Large Pickup V6 SOHC 2v	11
Small SUV (Car) V6 OHV	12	Large Pickup I4 S/DOHC	7
Small SUV (Car) V6 S/DOHC	4	Small Pickup V6 OHV	12
Small SUV (Car) I4	3	Small Pickup V6 2v SOHC	8
Large Auto V8+ OHV	13	Small Pickup I4	7
Large Auto V8+ SOHC	10	Large SUV V8+ DOHC	17
Large Auto V8+ DOHC, 4v SOHC	6	Large SUV V8+ SOHC 3v	14
Large Auto V6 OHV	12	Large SUV V8+ OHV	13
Large Auto V6 SOHC 2/3v	5	Large SUV V8+ SOHC	10
Midsize Auto V8+ OHV	13	Large SUV V6 S/DOHC 4v	16
Midsize Auto V8+ SOHC	10	Large SUV V6 OHV	12
Midsize Auto V7+ DOHC, 4v SOHC	6	Large SUV V6 SOHC 2v	9
Midsize Auto V6 OHV	12	Large SUV I4/	7
Midsize Auto V6 2v SOHC	8	Midsize SUV V6 OHV	12
Midsize Auto V6 S/DOHC 4v	5	Midsize SUV V6 2v SOHC	8
Midsize Auto I4	3	Midsize SUV V6 S/DOHC 4v	5
Compact Auto V7+ S/DOHC	6	Midsize SUV I4 S/DOHC	7
Compact Auto V6 OHV	12	Small SUV V6 OHV	12
Compact Auto V6 S/DOHC 4v	4	Minivan V6 S/DOHC	16
Compact Auto I5	7	Minivan V6 OHV	12
Compact Auto I4	2	Minivan I4	7
Subcompact Auto V8+ OHV	13	Cargo Van V8+ OHV	13
Subcompact Auto V8+ S/DOHC	6	Cargo Van V8+ SOHC	10
Subcompact Auto V6 2v SOHC	8	Cargo Van V6 OHV	12
Subcompact Auto I5/V6 S/DOHC 4v	4		

^a I4 = 4 cylinder engine, I5 = 5 cylinder engine, V6, V7, and V8 = 6, 7, and 8 cylinder engines, respectively, DOHC = Double overhead cam, SOHC = Single overhead cam, OHV = Overhead valve, v = number of valves per cylinder, "and" = and, "+" = or larger.

As mentioned above, the second factor which needs to be considered in developing a reference fleet against which to evaluate the impacts of this proposed rule is the impact of the 2011 MY CAFE standards, which were published earlier this year. Since the vehicles which comprise the above reference fleet are those sold in the 2008 MY, when coupled with our sales projections, they do not necessarily meet the 2011 MY CAFE standards.

The levels of the 2011 MY CAFE standards are straightforward to apply to future sales fleets, as is the potential fine-paying flexibility afforded by the CAFE program (i.e., \$55 per mpg of shortfall). However, projecting some of the compliance flexibilities afforded by EISA and the CAFE program are less clear. Two of these compliance flexibilities are relevant to EPA's analysis: (1) The credit for FFVs, and (2) the limit on the transferring of credits between car and truck fleets. The FFV credit is limited to 1.2 mpg in 2011 and EISA gradually reduces this credit, to 1.0 mpg in 2015 and eventually to zero in 2020. In contrast, the limit on car truck transfer is limited to 1.0 mpg in 2011, and EISA increases this to 1.5

mpg beginning in 2015 and then to 2.0 mpg beginning in 2020. The question here is whether to hold the 2011 MY CAFE provisions constant in the future or incorporate the changes in the FFV credit and car-truck credit trading limits contained in EISA.

EPA decided to hold the 2011 MY limits on FFV credit and car-truck credit trading constant in projecting the fuel economy and CO₂ emission levels of vehicles in our reference case. This approach treats the changes in the FFV credit and car-truck credit trading provisions consistently with the other EISA-mandated changes in the CAFE standards themselves. All EISA provisions relevant to 2011 MY vehicles are reflected in our reference case fleet, while all post-2011 MY provisions are not. Practically, relative to the alternative, this increases both the cost and benefit of the proposed standards. In our analysis of this proposed rule, any quantified benefits from the presence of FFVs in the fleet are not considered. Thus, the only impact of the FFV credit is to reduce onroad fuel economy. By assuming that the FFV credit stays at 1.2 mpg in the future absent this rule, the assumed level of

onroad fuel economy that would occur absent this proposal is reduced. As this proposal eliminates the FFV credit starting in 2016, the net result is to increase the projected level of fuel savings from our proposed standards. Similarly, the higher level of FFV credit reduces projected compliance cost for manufacturers to meet the 2011 MY standards in our reference case. This increases the projected cost of meeting the proposed 2012 and later standards.

As just implied, EPA needs to project the technology (and resultant costs) required for the 2008 MY vehicles to comply with the 2011 MY CAFE standards in those cases where they do not automatically do so. The technology and costs are projected using the same methodology that projects compliance with the proposed 2012 and later CO₂ standards. The description of this process is described in the following four sections.

A more detailed description of the methodology used to develop these sales projections can be found in the Draft Joint TSD. Detailed sales projections by model year and manufacturer can also be found in the TSD. EPA requests comments on both

the methodology used to develop the reference fleet, as well as the characteristics of the reference fleet.

2. What Are the Effectiveness and Costs of CO₂-Reducing Technologies?

EPA and NHTSA worked together to jointly develop information on the effectiveness and cost of the CO₂-reducing technologies, and fuel economy-improving technologies, other than A/C related control technologies. This joint work is reflected in Chapter 3 of the Draft Joint TSD and in Section II of this preamble. A summary of the effectiveness and cost of A/C related technology is contained here. For more detailed information on the effectiveness and cost of A/C related technology, please refer to Section III.C of this preamble and Chapter 2 of EPA's DRIA.

A/C improvements are an integral part of EPA's technology analysis and have been included in this section along with the other technology options. While discussed in Section III.C as a credit opportunity, air conditioning-related

improvements are included in Table III.D.2-1 because A/C improvements are a very cost-effective technology at reducing CO₂ (or CO₂-equivalent) emissions. EPA expects most manufacturers will choose to use AC improvement credit opportunities as a strategy for meeting compliance with the CO₂ standards. Note that the costs shown in Table III.D.2-1 do not include maintenance savings that would be expected from the new AC systems. Further, EPA does not include AC-related maintenance savings in our cost and benefit analysis presented in Section III.H. EPA discusses the likely maintenance savings in Chapter 2 of the DRIA and requests comment on that discussion because we may include maintenance savings in the final rule and would like to have the best information available in order to do so. The EPA approximates that the level of the credits earned will increase from 2012 to 2016 as more vehicles in the fleet are redesigned. The penetrations and average levels of credit are summarized in Table III.D.2-2, though

the derivation of these numbers (and the breakdown of car vs. truck credits) is described in the DRIA. As demonstrated in the IMAC study (and described in Section III.C as well as the DRIA), these levels are feasible and achievable with technologies that are available and cost-effective today.

These improvements are categorized as either leakage reduction, including use of alternative refrigerants, or system efficiency improvements. Unlike the majority of the technologies described in this section, A/C improvements will not be demonstrated in the test cycles used to quantify CO₂ reductions in this proposal. As described earlier, for this analysis A/C-related CO₂ reductions are handled outside of OMEGA model and therefore their CO₂ reduction potential is expressed in grams per mile rather than a percentage used by the OMEGA model. See Section III.C for the method by which potential reductions are calculated or measured. Further discussion of the technological basis for these improvements is included in Chapter 2 of the DRIA.

TABLE III.D.2-1—TOTAL CO₂ REDUCTION POTENTIAL AND 2016 COST FOR A/C RELATED TECHNOLOGIES FOR ALL VEHICLE CLASSES
[Costs in 2007 dollars]

	CO ₂ reduction potential	Incremental compliance costs
A/C refrigerant leakage reduction	7.5 g/mi ¹⁶¹	\$17
A/C efficiency improvements	5.7 g/mi	53

TABLE III.D.2-2 A/C RELATED TECHNOLOGY PENETRATION AND CREDIT LEVELS EXPECTED TO BE EARNED

	Technology penetration (Percent)	Average credit over entire fleet
2012	25	3.1
2013	40	5.0
2014	60	7.5
2015	80	10.0
2016	85	10.6

“packages” to capture synergistic aspects and reflect progressively larger CO₂ reductions with additions or changes to any given package. In addition, manufacturers would typically apply new technologies in packages during model redesigns—which occur once roughly every five years—rather than adding new technologies one at a time on an annual or biennial basis. This way, manufacturers can more efficiently make use of their redesign resources and more effectively plan for changes necessary to meet future standards.

Therefore, the approach taken here is to group technologies into packages of increasing cost and effectiveness. EPA determined that 19 different vehicle types provided adequate representation to accurately model the entire fleet. This was the result of analyzing the existing light duty fleet with respect to vehicle size and powertrain configurations. All vehicles, including cars and trucks, were first distributed based on their relative size, starting from compact cars and working upward to large trucks. Next, each vehicle was evaluated for

powertrain, specifically the engine size, I4, V6, and V8, and finally by the number of valves per cylinder. Note that each of these 19 vehicle types was mapped into one of the five classes of vehicles mentioned in Section III.D.2. While the five classes provide adequate representation for the cost basis associated with most technology application, they do not adequately account for all existing vehicle attributes such as base vehicle powertrain configuration and mass reduction. As an example, costs and effectiveness estimates for engine friction reduction for the small car class were used to represent cost and effectiveness for three vehicle types: Subcompact cars, compact cars, and small multi-purpose vehicles (MPV) equipped with a 4-cylinder engine, however the mass reduction associated for each of these vehicle types was based on the vehicle type sales-weighted average. In another example, a vehicle type for V8 single overhead cam 3-valve engines was created to properly account for the incremental cost in moving to a dual overhead cam 4-valve

3. How Can Technologies Be Combined into “Packages” and What Is the Cost and Effectiveness of Packages?

Individual technologies can be used by manufacturers to achieve incremental CO₂ reductions. However, as mentioned in Section III.D.1, EPA believes that manufacturers are more likely to bundle technologies into

¹⁶¹ This represents 50% improvement in leakage and thus 50% of the A/C leakage impact potential compared to a maximum of 15 g/mi credit that can be achieved through the incorporation of a low very GWP refrigerant.

configuration. Note also that these 19 vehicle types span the range of vehicle footprints—smaller footprints for smaller vehicles and larger footprints for larger vehicles—which serve as the basis for the standards proposed in this rule. A complete list of vehicles and their associated vehicle types is shown above in Table III.D.1-1.

Within each of the 19 vehicle types multiple technology packages were created in increasing technology content and, hence, increasing effectiveness. Important to note is that the effort in creating the packages attempted to maintain a constant utility for each package as compared to the baseline package. As such, each package is meant to provide equivalent driver-perceived performance to the baseline package. The initial packages represent what a manufacturer will most likely implement on all vehicles, including low rolling resistance tires, low friction lubricants, engine friction reduction, aggressive shift logic, early torque converter lock-up, improved electrical accessories, and low drag brakes.¹⁶² Subsequent packages include advanced gasoline engine and transmission technologies such as turbo/downsizing, GDI, and dual-clutch transmission. The most technologically advanced packages within a segment included HEV, PHEV and EV designs. The end result being a list of several packages for each of 19 different vehicle types from which a manufacturer could choose in order to modify its fleet such that compliance could be achieved.

Before using these technology packages as inputs to the OMEGA model, the cost and effectiveness for the package was calculated. The first step—mentioned briefly above—was to apply the scaling class for each technology package and vehicle type combination. The scaling class establishes the cost and effectiveness for each technology with respect to the vehicle size or type. The Large Car class was provided as an example in Section III.D.2. Additional classes include Small Car, Minivan, Small Truck, and Large Truck and each of the 19 vehicle types was mapped into one of those five classes. In the next step, the cost for a particular technology package, was determined as the sum of the costs of the applied technologies. The final step, determination of effectiveness, requires greater care due to the synergistic effects mentioned in Section III.D.2. This step is described immediately below.

Usually, the benefits of the engine and transmission technologies can be combined multiplicatively. For example, if an engine technology reduces CO₂ emissions by five percent and a transmission technology reduces CO₂ emissions by four percent, the benefit of applying both technologies is 8.8 percent (100% - (100% - 4%) * (100% - 5%)). In some cases, however, the benefit of the transmission-related technologies overlaps with many of the engine technologies. This occurs because the primary goal of most of the transmission technologies is to shift operation of the engine to more efficient locations on the engine map. Some of

the engine technologies have the same goal, such as cylinder deactivation. In order to account for this overlap and avoid over-estimating emissions reduction effectiveness, EPA has developed a set of adjustment factors associated with specific pairs of engine and transmission technologies.

The various transmission technologies are generally mutually exclusive. As such, the effectiveness of each transmission technology generally supersedes each other. For example, the 9.5–14.5 percent reduction in CO₂ emissions associated with the automated manual transmission includes the 4.5–6.5 percent benefit of a 6-speed automatic transmission. Exceptions are aggressive shift logic and early torque converter lock-up. The former can be applied to any vehicle and the latter can be applied to any vehicle with an automatic transmission.

EPA has chosen to use an engineering approach known as the lumped-parameter technique to determine these adjustment factors. The results from this approach were then applied directly to the vehicle packages. The lumped-parameter technique is well documented in the literature, and the specific approach developed by EPA is detailed in Chapter 3 of the Draft Joint TSD.

Table III.D.3-1 presents several examples of the reduction in the effectiveness of technology pairs. A complete list and detailed discussion of these synergies is presented in Chapter 3 of the Draft Joint TSD.

TABLE III.D.3-1—REDUCTION IN EFFECTIVENESS FOR SELECTED TECHNOLOGY PAIRS

Engine technology	Transmission technology	Reduction in combined effectiveness (percent)
Intake cam phasing	5 speed automatic	0.5
Coupled cam phasing	5 speed automatic	0.5
Coupled cam phasing	Aggressive shift logic	0.5
Cylinder deactivation	5 speed automatic	1.0
Cylinder deactivation	Aggressive shift logic	0.5

Table III.D.3-2 presents several examples of the CO₂-reducing technology vehicle packages used in the OMEGA model for the large car class.

Similar packages were generated for each of the 19 vehicle types and the costs and effectiveness estimates for each of those packages are discussed in

detail in Chapter 3 of the Draft Joint TSD.

¹⁶² When making reference to low friction lubricants, the technology being referred to is the

engine changes and possible durability testing that

would be done to accommodate the low friction lubricants, not the lubricants themselves.

TABLE III.D.3-2—CO₂ REDUCING TECHNOLOGY VEHICLE PACKAGES FOR A LARGE CAR EFFECTIVENESS AND COSTS IN 2016

[Costs in 2007 dollars]

Engine technology	Transmission technology	Additional technology	CO ₂ reduction	Package cost
3.3L V6	4 speed automatic	None	Baseline	
3.0L V6 + GDI + CCP	6 speed automatic	3% Mass Reduction	17.9%	\$1,022
3.0L V6 + GDI + CCP + Deac	6 speed automatic	5% Mass Reduction	20.6	1,280
3.0L V6 + GDI + CCP + Deac	6 speed DCT	10% Mass Reduction Start-Stop	34.2	2,108
2.2L I4 + GDI + Turbo + DCP	6 speed DCT	10% Mass Reduction Start-Stop	34.3	2,245

4. Manufacturers' Application of Technology

Vehicle manufacturers often introduce major product changes together, as a package. In this manner the manufacturers can optimize their available resources, including engineering, development, manufacturing and marketing activities to create a product with multiple new features. In addition, manufacturers recognize that a vehicle will need to remain competitive over its intended life, meet future regulatory requirements, and contribute to a manufacturer's CAFE requirements. Furthermore, automotive manufacturers are largely focused on creating vehicle platforms to limit the development of entirely new vehicles and to realize economies of scale with regard to variable cost. In very limited cases, manufacturers may implement an individual technology outside of a vehicle's redesign cycle. In following with these industry practices, EPA has created a set of vehicle technology packages that represent the entire light duty fleet.

EPA has historically allowed manufacturers of new vehicles or nonroad equipment to phase in available emission control technology over a number of years. Examples of this are EPA's Tier 2 program for cars and light trucks and its 2007 and later PM and NO_x emission standards for heavy-duty vehicles. In both of these rules, the major modifications expected from the rules were the addition of exhaust aftertreatment control technologies. Some changes to the engine were expected as well, but these were not expected to affect engine size, packaging or performance. The CO₂ reduction technologies described above potentially involve much more significant changes to car and light truck designs. Many of the engine technologies involve changes to the engine block and heads. The transmission technologies could change the size and shape of the transmission

and thus, packaging. Improvements to aerodynamic drag could involve body design and therefore, the dies used to produce body panels. Changes of this sort potentially involve new capital investment and the obsolescence of existing investment.

At the same time, vehicle designs are not static, but change in major ways periodically. The manufacturers' product plans indicate that vehicles are usually redesigned every 5 years on average. Vehicles also tend to receive a more modest "refresh" between major redesigns, as discussed above. Because manufacturers are already changing their tooling, equipment and designs at these times, further changes to vehicle design at these times involve a minimum of stranded capital equipment. Thus, the timing of any major technological changes is projected to coincide with changes that manufacturers would already tend to be making to their vehicles. This approach effectively avoids the need to quantify any costs associated with discarding equipment, tooling, emission and safety certification, etc. when CO₂-reducing equipment is incorporated into a vehicle.

This proposed rule affects five years of vehicle production, model years 2012–2016. Given the now-typical five-year redesign cycle, nearly all of a manufacturer's vehicles will be redesigned over this period. However, this assumes that a manufacturer has sufficient lead time to redesign the first model year affected by this proposed rule with the requirements of this proposed rule in mind. In fact, the lead time available for model year 2012 is relatively short. The time between a likely final rule and the start of 2013 model year production is likely to be just over two years. At the same time, the manufacturer product plans indicate that they are planning on introducing many of the technologies projected to be required by this proposed rule in both 2012 and 2013. In order to account for the relatively short lead time available prior to the 2012 and 2013 model years,

albeit mitigated by their existing plans, EPA projects that only 85 percent of each manufacturer's sales will be able to be redesigned with major CO₂ emission-reducing technologies by the 2016 model year. Less intrusive technologies can be introduced into essentially all a manufacturer's sales. This resulted in three levels of technology penetration caps, by manufacturer. Common technologies (e.g., low friction lubes, aerodynamic improvements) had a penetration cap of 100%. More advanced powertrain technologies (e.g., stoichiometric GDI, turbocharging) had a penetration cap of 85%. The most advanced technologies considered in this analysis (e.g., diesel engines, as well as IMA, powersplit and 2-mode hybrids) had a 15% penetration cap.

5. How Is EPA Projecting That a Manufacturer Would Decide Between Options To Improve CO₂ Performance To Meet a Fleet Average Standard?

There are many ways for a manufacturer to reduce CO₂-emissions from its vehicles. A manufacturer can choose from a myriad of CO₂ reducing technologies and can apply one or more of these technologies to some or all of its vehicles. Thus, for a variety of levels of CO₂ emission control, there are an almost infinite number of technology combinations which produce the desired CO₂ reduction. EPA has created a new vehicle model, the Optimization Model for Emissions of Greenhouse gases from Automobiles (OMEGA) in order to make a reasonable estimate of how manufacturers will add technologies to vehicles in order to meet a fleet-wide CO₂ emissions level. EPA has described OMEGA's specific methodologies and algorithms in a memo to the docket for this rulemaking (Docket EPA-HQ-OAR-2009-0472).

The OMEGA model utilizes four basic sets of input data. The first is a description of the vehicle fleet. The key pieces of data required for each vehicle are its manufacturer, CO₂ emission level, fuel type, projected sales and footprint. The model also requires that

each vehicle be assigned to one of the 19 vehicle types, which tells the model which set of technologies can be applied to that vehicle. (For a description of how the 19 vehicle types were created, reference Section III.D.3.) In addition, the degree to which each vehicle already reflects the effectiveness and cost of each available technology must also be input. This avoids the situation, for example, where the model might try to add a basic engine improvement to a current hybrid vehicle. Except for this type of information, the development of the required data regarding the reference fleet was described in Section III.D.1 above and in Chapter 1 of the Draft Joint TSD.

The second type of input data used by the model is a description of the technologies available to manufacturers, primarily their cost and effectiveness. Note that the five vehicle classes are not explicitly used by the model, rather the costs and effectiveness associated with each vehicle package is based on the associated class. This information was described in Sections III.D.2 and III.D.3 above as well as Chapter 3 of the Draft Joint TSD. In all cases, the order of the technologies or technology packages for a particular vehicle type is determined by the model user prior to running the model. Several criteria can be used to develop a reasonable ordering of technologies or packages. These are described in the Draft Joint TSD.

The third type of input data describes vehicle operational data, such as annual scrap rates and mileage accumulation rates, and economic data, such as fuel prices and discount rates. These estimates are described in Section II.F above, Section III.H below and Chapter 4 of the Draft Joint TSD.

The fourth type of data describes the CO₂ emission standards being modeled. These include the CO₂ emission equivalents of the 2011 MY CAFE standards and the proposed CO₂ standards for 2016. As described in more detail below, the application of A/C technology is evaluated in a separate analysis from those technologies which impact CO₂ emissions over the 2-cycle test procedure. Thus, for the percent of vehicles that are projected to achieve A/C related reductions, the CO₂ credit associated with the projected use of improved A/C systems is used to adjust the proposed CO₂ standard which would be applicable to each manufacturer to develop a target for CO₂ emissions over the 2-cycle test which is assessed in our OMEGA modeling.

As mentioned above for the market data input file utilized by OMEGA, which characterizes the vehicle fleet,

our modeling must and does account for the fact that many 2008 MY vehicles are already equipped with one or more of the technologies discussed in Section III.D.2 above. Because of the choice to apply technologies in packages, and 2008 vehicles are equipped with individual technologies in a wide variety of combinations, accounting for the presence of specific technologies in terms of their proportion of package cost and CO₂ effectiveness requires careful, detailed analysis. The first step in this analysis is to develop a list of individual technologies which are either contained in each technology package, or would supplant the addition of the relevant portion of each technology package. An example would be a 2008 MY vehicle equipped with variable valve timing and a 6-speed automatic transmission. The cost and effectiveness of variable valve timing would be considered to be already present for any technology packages which included the addition of variable valve timing or technologies which went beyond this technology in terms of engine related CO₂ control efficiency. An example of a technology which supplants several technologies would be a 2008 MY vehicle which was equipped with a diesel engine. The effectiveness of this technology would be considered to be present for technology packages which included improvements to a gasoline engine, since the resultant gasoline engines have a lower CO₂ control efficiency than the diesel engine. However, if these packages which included improvements also included improvements unrelated to the engine, like transmission improvements, only the engine related portion of the package already present on the vehicle would be considered. The transmission related portion of the package's cost and effectiveness would be allowed to be applied in order to comply with future CO₂ emission standards.

The second step in this process is to determine the total cost and CO₂ effectiveness of the technologies already present and relevant to each available package. Determining the total cost usually simply involves adding up the costs of the individual technologies present. In order to determine the total effectiveness of the technologies already present on each vehicle, the lumped parameter model described above is used. Because the specific technologies present on each 2008 vehicle are known, the applicable synergies and dis-synergies can be fully accounted for.

The third step in this process is to divide the total cost and CO₂ effectiveness values determined in step 2 by the total cost and CO₂ effectiveness

of the relevant technology packages. These fractions are capped at a value of 1.0 or less, since a value of 1.0 causes the OMEGA model to not change either the cost or CO₂ emissions of a vehicle when that technology package is added.

As described in Section III.D.3 above, technology packages are applied to groups of vehicles which generally represent a single vehicle platform and which are equipped with a single engine size (e.g., compact cars with four cylinder engine produced by Ford). These groupings are described in Table III.D.1-1. Thus, the fourth step is to combine the fractions of the cost and effectiveness of each technology package already present on the individual 2008 vehicles models for each vehicle grouping. For cost, percentages of each package already present are combined using a simple sales-weighting procedure, since the cost of each package is the same for each vehicle in a grouping. For effectiveness, the individual percentages are combined by weighting them by both sales and base CO₂ emission level. This appropriately weights vehicle models with either higher sales or CO₂ emissions within a grouping. Once again, this process prevents the model from adding technology which is already present on vehicles, and thus ensures that the model does not double count technology effectiveness and cost associated with complying with the 2011 MY CAFE standards and the proposed CO₂ standards.

Conceptually, the OMEGA model begins by determining the specific CO₂ emission standard applicable for each manufacturer and its vehicle class (i.e., car or truck). Since the proposed rule allows for averaging across a manufacturer's cars and trucks, the model determines the CO₂ emission standard applicable to each manufacturer's car and truck sales from the two sets of coefficients describing the piecewise linear standard functions for cars and trucks in the inputs, and creates a combined car-truck standard. This combined standard considers the difference in lifetime VMT of cars and trucks, as indicated in the proposed regulations which would govern credit trading between these two vehicle classes. For both the 2011 CAFE and 2016 CO₂ standards, these standards are a function of each manufacturer's sales of cars and trucks and their footprint values. When evaluating the 2011 MY CAFE standards, the car-truck trading was limited to 1.2 mpg. When evaluating the proposed CO₂ standards, the OMEGA model was run only for MY 2016. OMEGA is designed to evaluate technology addition over a complete

redesign cycle and 2016 represents the final year of a redesign cycle starting with the first year of the proposed CO₂ standards, 2012. Estimates of the technology and cost for the interim model years are developed from the model projections made for 2016. This process is discussed in Chapter 6 of EPA's DRIA to this proposed rule. When evaluating the 2016 standards using the OMEGA model, the proposed CO₂ standard which manufacturers would otherwise have to meet to account for the anticipated level of A/C credits generated was adjusted. On an industry wide basis, the projection shows that manufacturers would generate 11 g/mi of A/C credit in 2016. Thus, the 2016 CO₂ target for the fleet evaluated using OMEGA was 261 g/mi instead of 250 g/mi.

The cost of the improved A/C systems required to generate the 11 g/mi credit was estimated separately. This is consistent with our proposed A/C credit procedures, which would grant manufacturers A/C credits based on their total use of improved A/C systems, and not on the increased use of such systems relative to some base model year fleet. Some manufacturers may already be using improved A/C technology. However, this represents a small fraction of current vehicle sales. To the degree that such systems are

already being used, EPA is over-estimating both the cost and benefit of the addition of improved A/C technology relative to the true reference fleet to a small degree.

The model then works with one manufacturer at a time to add technologies until that manufacturer meets its applicable standard. The OMEGA model can utilize several approaches to determining the order in which vehicles receive technologies. For this analysis, EPA used a "manufacturer-based net cost-effectiveness factor" to rank the technology packages in the order in which a manufacturer would likely apply them. Conceptually, this approach estimates the cost of adding the technology from the manufacturer's perspective and divides it by the mass of CO₂ the technology will reduce. One component of the cost of adding a technology is its production cost, as discussed above. However, it is expected that new vehicle purchasers value improved fuel economy since it reduces the cost of operating the vehicle. Typical vehicle purchasers are assumed to value the fuel savings accrued over the period of time which they will own the vehicle, which is estimated to be roughly five years. It is also assumed that consumers discount these savings at the same rate as that

used in the rest of the analysis (3 or 7 percent). Any residual value of the additional technology which might remain when the vehicle is sold is not considered. The CO₂ emission reduction is the change in CO₂ emissions multiplied by the percentage of vehicles surviving after each year of use multiplied by the annual miles travelled by age, again discounted to the year of vehicle purchase.

Given this definition, the higher priority technologies are those with the lowest manufacturer-based net cost-effectiveness value (relatively low technology cost or high fuel savings leads to lower values). Because the order of technology application is set for each vehicle, the model uses the manufacturer-based net cost-effectiveness primarily to decide which vehicle receives the next technology addition. Initially, technology package #1 is the only one available to any particular vehicle. However, as soon as a vehicle receives technology package #1, the model considers the manufacturer-based net cost-effectiveness of technology package #2 for that vehicle and so on. In general terms, the equation describing the calculation of manufacturer-based cost effectiveness is as follows:

$$\text{ManufCostEff} = \frac{\text{TechCost} - \sum_{i=1}^{PP} [dFS_i \times VMT_i] \times \frac{1}{(1 - \text{Gap})}}{\sum_i^{i+35} [[dCO_2] \times VMT_i] \times \frac{1}{(1 - \text{Gap})}}$$

Where:

ManufCostEff = Manufacturer-Based Cost Effectiveness (in dollars per kilogram CO₂).

TechCost = Marked up cost of the technology (dollars).

PP = Payback period, or the number of years of vehicle use over which consumers value fuel savings when evaluating the value of a new vehicle at time of purchase.

dFS_i = Difference in fuel consumption due to the addition of technology times fuel price in year *i*.

dCO₂ = Difference in CO₂ emissions due to the addition of technology

VMT_i = product of annual VMT for a vehicle of age *i* and the percentage of vehicles of age *i* still on the road.

1 - Gap = Ratio of onroad fuel economy to two-cycle (FTP/HFET) fuel economy

EPA describes the technology ranking methodology and manufacturer-based cost effectiveness metric in greater detail in a technical memo to the Docket

for this proposed rule (Docket EPA-HQ-OAR-2009-0472).

When calculating the fuel savings, the full retail price of fuel, including taxes is used. While taxes are not generally included when calculating the cost or benefits of a regulation, the net cost component of the manufacturer-based net cost-effectiveness equation is not a measure of the social cost of this proposal, but a measure of the private cost, (i.e., a measure of the vehicle purchaser's willingness to pay more for a vehicle with higher fuel efficiency). Since vehicle operators pay the full price of fuel, including taxes, they value fuel costs or savings at this level, and the manufacturers will consider this when choosing among the technology options.

This definition of manufacturer-based net cost-effectiveness ignores any change in the residual value of the vehicle due to the additional technology

when the vehicle is five years old. As discussed in Chapter 1 of the DRIA, based on historic used car pricing, applicable sales taxes, and insurance, vehicles are worth roughly 23% of their original cost after five years, discounted to year of vehicle purchase at 7% per annum. It is reasonable to estimate that the added technology to improve CO₂ level and fuel economy would retain this same percentage of value when the vehicle is five years old. However, it is less clear whether first purchasers, and thus, manufacturers would consider this residual value when ranking technologies and making vehicle purchases, respectively. For this proposal, this factor was not included in our determination of manufacturer-based net cost-effectiveness in the analyses performed in support of this proposed rule. Comments are requested on the benefit of including an increase

in the vehicle's residual value after five years in the calculation of effective cost.

The values of manufacturer-based net cost-effectiveness for specific technologies will vary from vehicle to vehicle, often substantially. This occurs for three reasons. First, both the cost and fuel-saving component cost, ownership fuel-savings, and lifetime CO₂ effectiveness of a specific technology all vary by the type of vehicle or engine to which it is being applied (e.g., small car versus large truck, or 4-cylinder versus 8-cylinder engine). Second, the effectiveness of a specific technology often depends on the presence of other technologies already being used on the vehicle (i.e., the dis-synergies). Third, the absolute fuel savings and CO₂ reduction of a percentage an incremental reduction in fuel consumption depends on the CO₂ level of the vehicle prior to adding the technology. Chapter 1 of the DRIA of this proposed rule contains further detail on the values of manufacturer-based net cost-effectiveness for the various technology packages.

EPA requests comment on the use of manufacturer-based net cost-effectiveness to rank CO₂ emission reduction technologies in the context of evaluating alternative fleet average standards for this rule. EPA believes this manufacturer-based net cost-effectiveness metric is appropriate for ranking technology in this proposed program because it considers effectiveness values that may vary widely among technology packages when determining the order of technology addition. Comments are

requested on this option and on any others thought to be appropriate.

6. Why Are the Proposed CO₂ Standards Feasible?

The finding that the proposed standards would be technically feasible is based primarily on two factors. One is the level of technology needed to meet the proposed standards. The other is the cost of this technology. The focus is on the proposed standards for 2016, as this is the most stringent standard and requires the most extensive use of technology.

With respect to the level of technology required to meet the standards, EPA established technology penetration caps. As described in Section III.D.4, EPA used two constraints to limit the model's application of technology by manufacturer. The first was the application of common fuel economy enablers such as low rolling resistance tires and transmission logic changes. These were allowed to be used on all vehicles and hence had no penetration cap. The second constraint was applied to most other technologies and limited their application to 85% with the exception of the most advanced technologies (e.g., powersplit and 2-mode hybrids) whose application was limited to 15%.

EPA used the OMEGA model to project the technology (and resultant cost) required for manufacturers to meet the current 2011 MY CAFE standards and the proposed 2016 MY CO₂ emission standards. Both sets of standards were evaluated using the OMEGA model. The 2011 MY CAFE

standards were applied to cars and trucks separately with the transfer of credits from one category to the other allowed up to an increase in fuel economy of 1.0 mpg. Chrysler, Ford and General Motors are assumed to utilize FFV credits up to the maximum of 1.2 mpg for both their car and truck sales. Nissan is assumed to utilize FFV credits up to the maximum of 1.2 mpg for only their truck sales. The use of any banked credits from previous model years was not considered. The modification of the reference fleet to comply with the 2011 CAFE standards through the application of technology by the OMEGA model is the final step in creating the final reference fleet. This final reference fleet forms the basis for comparison for the model year 2016 standards.

Table III.D.6-1 shows the usage level of selected technologies in the 2008 vehicles coupled with 2016 sales prior to projecting their compliance with the 2011 MY CAFE standards. These technologies include converting port fuel-injected gasoline engines to direct injection (GDI), adding the ability to deactivate certain engine cylinders during low load operation (Deac), adding a turbocharger and downsizing the engine (Turbo), increasing the number of transmission speeds to 6 or, converting automatic transmissions to dual-clutch automated manual transmissions (Dual-Clutch Trans), adding 42 volt start-stop capability (Start-Stop), and converting a vehicle to an intermediate or strong hybrid design. This last category includes three current hybrid designs: integrated motor assist (IMA), power-split (PS) and 2-mode hybrids.

TABLE III.D.6-1—PENETRATION OF TECHNOLOGY IN 2008 VEHICLES WITH 2016 SALES: CARS AND TRUCKS
(Percent of sales)

	GDI	GDI+ deac	GDI+ turbo	Diesel	6 Speed or CV trans	Dual clutch trans	Start-stop	Hybrid
BMW	6.7	0.0	0.0	0.0	98.8	0.8	0.0	0.1
Chrysler	0.0	0.0	0.0	0.0	27.9	0.0	0.0	0.0
Daimler	6.2	0.0	0.0	6.2	74.7	11.4	0.0	0.0
Ford	0.6	0.0	0.0	0.0	28.1	0.0	0.0	0.0
General Motors	3.3	0.0	0.0	0.0	13.7	0.0	0.1	0.1
Honda	1.2	0.0	0.0	0.0	4.2	0.0	0.0	2.1
Hyundai	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0
Kia	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0
Mazda	11.8	0.0	0.0	0.0	37.1	0.0	0.0	0.0
Mitsubishi	0.0	0.0	0.0	0.0	76.1	0.0	0.0	0.1
Nissan	17.7	0.0	0.0	0.0	33.3	0.0	0.0	0.0
Porsche	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0
Subaru	0.0	0.0	0.0	0.0	29.0	0.0	0.0	0.0
Suzuki	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0
Tata	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Toyota	7.5	0.0	0.0	0.0	30.6	0.0	0.0	12.8
Volkswagen	52.2	0.0	0.0	0.1	82.8	10.9	0.0	0.0
Overall	6.4	0.0	0.0	0.1	27.1	0.6	0.0	2.8

As can be seen, all of these technologies except for the direct injection gasoline engines with either cylinder deactivation or turbocharging and downsizing, were already being used on some 2008 MY vehicles. High speed transmissions were the most prevalent, with some manufacturers (e.g., BMW, Suzuki) using them on essentially all of their vehicles. Both Daimler and VW equip many of their vehicles with automated manual transmissions, while VW makes extensive use of direct injection gasoline engine technology. Toyota has

converted a significant percentage of its 2008 vehicles to strong hybrid design.

Table III.D.6-2 shows the usage level of the same technologies in the reference case fleet after projecting their compliance with the 2011 MY CAFE standards. Except for mass reduction, the figures shown represent the percentages of each manufacturer's sales which are projected to be equipped with the indicated technology. For mass reduction, the overall mass reduction projected for that manufacturer's sales is shown. The last row in Table III.D.6-2 shows the increase in projected

technology penetration due to compliance with the 2011 MY CAFE standards. The results of DOT's Volpe Modeling were used to project that all manufacturers would comply with the 2011 MY standards in 2016 without the need to pay fines, with one exception. This exception was Porsche in the case of their car fleet. When projecting Porsche's compliance with the 2011 MY CAFE standard for cars, the car fleet was assumed to achieve a CO₂ emission level of 293.2 g/mi instead of the required 285.2 g/mi level (30.3 mpg instead of 31.2 mpg).

TABLE III.D.6-2—PENETRATION OF TECHNOLOGY UNDER 2011 MY CAFE STANDARDS IN 2016 SALES: CARS AND TRUCKS
[Percent of sales]

	GDI	GDI+ deac	GDI+ turbo	6 Speed or CV trans	Dual clutch trans	Start-stop	Hybrid	Mass reduction (percent)
BMW	7.3	11.1	0.0	86.3	11.1	11.1	0.1	0.5
Chrysler	0.0	0.0	0.0	27.9	0.0	0.0	0.0	0.0
Daimler	16.4	10.3	14.3	45.8	36.0	24.6	0.0	0.9
Ford	0.6	0.0	0.0	28.1	0.0	0.0	0.0	0.0
General Motors	3.3	0.0	0.0	13.7	0.0	0.1	0.1	0.0
Honda	1.2	0.0	0.0	4.2	0.0	0.0	2.1	0.0
Hyundai	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0
Kia	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0
Mazda	11.8	0.0	0.0	37.1	0.0	0.0	0.0	0.0
Mitsubishi	0.0	2.2	0.0	76.0	2.2	2.2	0.1	0.0
Nissan	17.7	0.0	0.0	33.3	0.0	0.0	0.0	0.0
Porsche	0.0	25.0	23.2	0.0	48.2	37.1	0.0	1.2
Subaru	0.0	0.0	0.0	29.0	0.0	0.0	0.0	0.0
Suzuki	4.5	0.0	0.0	100.0	0.0	0.0	0.0	0.0
Tata	14.5	60.9	0.0	14.5	60.9	60.9	0.0	2.6
Toyota	7.5	0.0	0.0	30.6	0.0	0.0	12.8	0.0
Volkswagen	51.2	6.9	11.8	60.8	29.6	18.7	0.0	0.3
Overall	6.7	1.2	0.8	25.4	2.6	2.0	2.8	0.1
Increase over 2008 MY ...	0.3	1.2	0.8	-1.7	2.0	2.0	0.0	0.0

As can be seen, the 2011 MY CAFE standards, when evaluated on an industry wide basis, require only a modest increase in the use of these technologies. Higher speed automatic transmission use actually decreases due to conversion of these units to more efficient designs such as automated manual transmissions and hybrids. However, the impact of the 2011 MY CAFE standards is much greater on selected manufacturers, particularly BMW, Daimler, Porsche, Tata (Jaguar/Land Rover) and VW. All of these manufacturers are projected to increase their use of advanced direct injection gasoline engine technology, advanced transmission technology, and start-stop technology. It should be noted that these manufacturers have traditionally paid fines under the CAFE program. However, with higher fuel prices and the lead-time available by 2016, these manufacturers would likely find it in their best interest to improve their fuel

economy levels instead of continuing to pay fines (again with the exception of Porsche cars). While not shown, no gasoline engines were projected to be converted to diesel technology.

This 2008 baseline fleet, modified to meet 2011 standards, becomes our "reference" case. This is the fleet by which the control program (or 2016 rule) will be compared. Thus, it is also the fleet that would be assumed to exist in the absence of this rule. No air conditioning improvements are assumed for model year 2011 vehicles. The average CO₂ emission levels of this reference fleet vary slightly from 2012-2016 due to small changes in the vehicle sales by market segments and manufacturer. CO₂ emissions from cars range from 282-284 g/mi, while those from trucks range from 382-384 g/mi. CO₂ emissions from the combined fleet range from 316-320. These estimates are described in greater detail in Section 5.3.2.2 of the DRIA.

Conceptually, both EPA and NHTSA perform the same projection in order to develop their respective reference fleets. However, because the two agencies use two different models to modify the baseline fleet to meet the 2011 CAFE standards, the technology added will be slightly different. The differences, however, are small since most manufacturers do not require a lot of additional technology to meet the 2011 standards.

EPA then used the OMEGA model once again to project the level of technology needed to meet the proposed 2016 CO₂ emission standards. Using the results of the OMEGA model, every manufacturer was projected to be able to meet the proposed 2016 standards with the technology described above except for four: BMW, VW, Porsche and Tata due to the OMEGA cap on technology penetration by manufacturer. For these manufacturers, the results presented below are those with the fully allowable

application of technology and not for the technology projected to enable compliance with the proposed standards. Described below are a number of potential feasible solutions

for how these companies can achieve compliance. The overall level of technology needed to meet the proposed 2016 standards is shown in Table III.D.6-3. As discussed above, all

manufacturers are projected to improve the air conditioning systems on 85% of their 2016 sales.

TABLE III.D.6-3—PENETRATION OF TECHNOLOGY FOR PROPOSED 2016 CO₂ STANDARDS: CARS AND TRUCKS
[Percent of sales]

	GDI	GDI+ deac	GDI+ turbo	6 Speed auto trans	Dual clutch trans	Start-stop	Hybrid	Mass reduction
BMW	4	35	47	15	71	71	14	5
Chrysler	51	28	3	37	51	51	0	6
Daimler	3	44	39	11	73	72	13	5
Ford	29	39	13	19	67	67	0	6
General Motors	34	26	7	13	55	55	0	5
Honda	24	1	2	10	22	22	2	2
Hyundai	28	3	14	3	43	43	0	3
Kia	37	0	5	7	35	35	0	3
Mazda	54	2	16	31	43	43	0	4
Mitsubishi	65	2	7	22	66	66	0	6
Nissan	29	26	5	34	57	56	1	5
Porsche	7	36	49	10	70	70	15	4
Subaru	46	4	14	0	64	51	0	4
Suzuki	66	5	8	9	69	69	0	4
Tata	4	81	0	14	70	70	15	6
Toyota	37	2	0	30	33	16	13	2
Volkswagen	9	26	58	12	72	70	15	4
Overall	30	18	10	19	49	45	4	4
Increase over 2011 CAFE	24	17	9	-7	46	43	1	4

As can be seen, the overall average reduction in vehicle weight is projected to be 4%. This reduction varies across the two vehicle classes and vehicle base weight. For cars below 2,950 pounds curb weight, the average reduction is 2.3% (62 pounds), while the average was 4.4% (154 pounds) for cars above 2,950 curb weight. For trucks below 3,850 pounds curb weight, the average reduction is 3.5% (119 pounds), while it was 4.5% (215 pounds) for trucks above 3,850 curb weight. Splitting trucks at a higher weight, for trucks below 5,000 pounds curb weight, the average reduction is 3.3% (140 pounds), while it was 6.7% (352 pounds) for trucks above 5,000 curb weight.

The levels of requisite technologies differ significantly across the various manufacturers. Therefore, several analyses were performed to ascertain the cause. Because the baseline case fleet consists of 2008 MY vehicle designs, these analyses were focused on these vehicles, their technology and their CO₂ emission levels.

Comparing CO₂ emissions across manufacturers is not a simple task. In addition to widely varying vehicle styles, designs, and sizes, manufacturers have implemented fuel efficient technologies to varying degrees, as

indicated in Table III.D.6-1. The projected levels of requisite technology to enable compliance with the proposed 2016 standards shown in Table III.D.6-3 account for two of the major factors which can affect CO₂ emissions: (1) Level of technology already being utilized and (2) vehicle size, as represented by footprint.

For example, the fuel economy of a manufacturer's 2008 vehicles may be relatively high because of the use of advanced technology. This is the case with Toyota's high sales of their Prius hybrid. However, the presence of this technology in a 2008 vehicle eliminates the ability to significantly reduce CO₂ further through the use of this technology. In the extreme, if a manufacturer were to hybridize a high level of its sales in 2016, it doesn't matter whether this technology was present in 2008 or whether it would be added in order to comply with the standards. The final level of hybrid technology would be the same. Thus, the level at which technology is present in 2008 vehicles does not explain the difference in requisite technology levels shown in Table III.D.6-3.

Similarly, the proposed CO₂ emission standards adjust the required CO₂ level according to a vehicle's footprint,

requiring lower absolute emission levels from smaller vehicles. Thus, just because a manufacturer produces larger vehicles than another manufacturer does not explain the differences seen in Table III.D.6-3.

In order to remove these two factors from our comparison, the EPA lumped parameter model described above was used to estimate the degree to which technology present on each 2008 MY vehicle in our reference fleet was improving fuel efficiency. The effect of this technology was removed and each vehicle's CO₂ emissions were estimated as if it utilized no additional fuel efficiency technology beyond the baseline. The differences in vehicle size were accounted for by determining the difference between the sales-weighted average of each manufacturer's "no technology" CO₂ levels to their required CO₂ emission level under the proposed 2016 standards. The industry-wide difference was subtracted from each manufacturer's value to highlight which manufacturers had lower and higher than average "no technology" emissions. The results are shown in Figure III.D.6-1.

BILLING CODE 4910-59-P




Figure III.D.6-1 CO₂ Emissions Relative to Fleet Adjusted for Technology and Footprint

As can be seen in Table III.D.6-3 the manufacturers projected to require the greatest levels of technology also show the highest offsets relative to the industry. The greatest offset shown in Figure III.D.6-1 is for Tata's trucks (Land Rover). These vehicles are estimated to have 100 g/mi greater CO₂ emissions than the average 2008 MY truck after accounting for differences in the use of fuel saving technology and footprint. The lowest adjustment is for Subaru's trucks, which have 50 g/mi CO₂ lower emissions than the average truck.

While this comparison confirms the differences in the technology penetrations shown in Table III.D.6-3, it does not yet explain why these

differences exist. Two well known factors affecting vehicle fuel efficiency are vehicle weight and performance. The footprint-based form of the proposed CO₂ standard accounts for most of the difference in vehicle weight seen in the 2008 MY fleet. However, even at the same footprint, vehicles can have varying weights. Higher performing vehicles also tend to have higher CO₂ emissions over the two-cycle test procedure. So manufacturers with higher average performance levels will tend to have higher average CO₂ emissions for any given footprint.

The impact of these two factors on each manufacturer's "no technology" CO₂ emissions was estimated. First, the "no technology" CO₂ emissions levels

were statistically analyzed to determine the average impact of weight and the ratio of horsepower to weight on CO₂ emissions. Both factors were found to be statistically significant at the 95 percent confidence level. Together, they explained over 80 percent of the variability in vehicles' CO₂ emissions for cars and over 70 percent for trucks. These relationships were then used to adjust each vehicle's "no technology" CO₂ emissions to the average weight for its footprint value and to the average horsepower to weight ratio of either the car or truck fleet. The comparison was repeated as shown in Figure III.D.6-1. The results are shown in Figure III.D.6-2.




Figure III.D.6-2 CO₂ Emissions Relative to Fleet Adjusted for Technology, Footprint, Weight at Footprint, and Performance

BILLING CODE 4910-59-C

First, note that the scale in Figure III.D.6-2 is much smaller by a factor of 3 than that in Figure III.D.6-1. In other words, accounting for differences in vehicle weight (at constant footprint) and performance dramatically reduces the differences in various manufacturers' CO₂ emissions. Most of

the manufacturers with high offsets in Figure III.D.6-1 now show low or negative offsets. For example, BMW's and VW's trucks show very low CO₂ emissions. Tata's emissions are very close to the industry average. Daimler's vehicles are no more than 10 g/mi above the average for the industry. This analysis indicates that the primary

reasons for the differences in technology penetrations shown for the various manufacturers in Table III.D.6-3 are weight and performance. EPA has not determined why some manufacturers' vehicle weight is relatively high for its footprint value, or whether this weight provides additional utility for the consumer. Performance is more

straightforward. Some consumers desire high performance and some manufacturers orient their sales towards these consumers. However, the cost in terms of CO₂ emissions is clear. Producing relatively heavy or high performance vehicles increases CO₂ emissions and will require greater levels of technology in order to meet the proposed CO₂ standards.

As can be seen from Table III.D.6-3 above, widespread use of several technologies is projected due to the proposed standards. The vast majority of engines are projected to be converted to direct injection, with some of these engines including cylinder deactivation or turbocharging and downsizing. More than 60 percent of all transmissions are projected to be either high speed automatic transmissions or dual-clutch automated manual transmissions. More than one third of the fleet is projected to be equipped with 42 volt start-stop capability. This technology was not utilized in 2008 vehicles, but as discussed above, promises significant fuel efficiency improvement at a moderate cost.

EPA foresees no significant technical or engineering issues with the projected deployment of these technologies across the fleet, with their incorporation being folded into the vehicle redesign process. All of these technologies are commercially available now. The automotive industry has already begun to convert its port fuel-injected gasoline engines to direct injection. Cylinder deactivation and turbocharging technologies are already commercially available. As indicated in Table III.D.6-1, high speed transmissions are already widely used. However, while more common in Europe, automated manual transmissions are not currently used extensively in the U.S. Widespread use of this technology would require significant capital investment but does not present any significant technical or engineering issues. Start-stop systems also represent a significant challenge because of the complications involved in a changeover to a higher voltage electrical architecture. However, with appropriate capital investments (which are captured in the costs), these technology penetration rates are achievable within the timeframe of this rule. While most manufacturers have some plans for these systems, our projections indicate that their use may exceed 35 percent of sales, with some manufacturers requiring higher levels.

Most manufacturers would not have to hybridize any vehicles due to the proposed standards. The hybrids shown for Toyota are projected to be sold even in the absence of the proposed

standards. However the relatively high hybrid penetrations (15%) projected for BMW, Daimler, Porsche, Tata and Volkswagen deserve further discussion. These manufacturers are all projected by the OMEGA model to utilize the maximum application of full hybrids allowed by our model in this time frame, which is 15 percent.

As discussed in the EPA DRIA, a 2016 technology penetration rate of 85% is projected for the vast majority of available technologies, however, for full hybrid systems the projection shows that given the available lead-time full hybrids can only be applied to approximately 15% of a manufacturer's fleet. This number of course can vary by manufacturer.

While the hybridization levels of BMW, Daimler, Porsche, Tata and Volkswagen are relatively high, the sales levels of these five manufacturers are relatively low. Thus, industry-wide, hybridization reaches only 8 percent, compared with 3 percent in the reference case. This 8 percent level is believed to be well within the capability of the hybrid component industry by 2016. Thus, the primary challenge for these five companies would be at the manufacturer level, redesigning a relatively large percentage of sales to include hybrid technology. The proposed TLAAS provisions will provide significant aid to these manufacturers in pre-2016 compliance, since all qualified companies are expected to be able to take advantage of these provisions. By 2016, it is likely that these manufacturers would also be able to change vehicle characteristics which currently cause their vehicles to emit much more CO₂ than similar sized vehicles produced by other manufacturers. These factors may include changes in model mix, further lightweighting, downpowering, electric and/or plug-in hybrid vehicles, or downsizing (our current baseline fleet assumes very little change in footprint from 2012-2016), as well as technologies that may not be included in our packages. Also, companies may have technology penetration rates of less costly technologies (listed in the above tables) greater than 85%, and they may also be able to apply hybrid technology to more than 15 percent of their fleet (as the 15% for hybrid technology is an industry average). For example, a switch to a low GWP alternative refrigerant in a large fraction of a fleet can replace many other much more costly technologies, but this option is not captured in the modeling. In addition, these manufacturers can also take advantage of flexibilities, such as early credits for air conditioning and trading

with other manufacturers. The EPA expects that there will be certain high volume manufacturers that will earn a significant amount of early GHG credits starting in 2009 and 2010 that will expire 5 years later, by 2014 and 2015, unused. The EPA believes that these manufacturers will be willing to sell these expiring credits to manufacturers with whom there is no direct competition. Furthermore, some of these manufacturers have also stated either publicly or in confidential discussions with EPA that they will be able to comply with 2016 standards. Because of the confidential nature of this information sharing, EPA is unable to capture these packages specifically in our modeling. The following companies have all submitted letters in support of the national program, including the 2016 MY levels discussed above: BMW, Chrysler, Daimler, Ford, GM, Honda, Mazda, Toyota, and Volkswagen. This supports the view that the emissions reductions needed to achieve the standards are technically and economically feasible for all these companies, and that EPA's projection of non-compliance for four of the companies is based on an inability of our model to fully account for the full flexibilities of the EPA program as well as the potentially unique technology approaches or new product offerings which these manufactures are likely to employ.

In addition, manufacturers do not need to apply technology exactly according to our projections. Our projections simply indicate one path which would achieve compliance. Those manufacturers whose vehicles are heavier and higher performing than average in particular have additional options to facilitate compliance and reduce their technological burden closer to the industry average. These options include decreasing the mass of the vehicles and/or decreasing the power output of the engines. Finally, EPA allows compliance to be shown through the use of emission credits obtained from other manufacturers. Especially for the lower volume sales of some manufacturers that could be one component of an effective compliance strategy, reducing the technology that needs to be employed on their vehicles.

For the vast majority of light-duty cars and trucks, manufacturers have available to them a range of technologies that are currently commercially available and can feasibly be employed in their vehicles by MY 2016. Our modeling projects widespread use of these technologies as a technologically feasible approach to complying with the proposed standards.

In sum, EPA believes that the emissions reductions called for by the proposed standards are technologically feasible, based on projections of widespread use of commercially available technology, as well as use by some manufacturers of other technology

approaches and compliance flexibilities not fully reflected in our modeling.

EPA also projected the cost associated with these projections of technology penetration. Table III.D.6-4 shows the cost of technology in order for manufacturers to comply with the 2011 MY CAFE standards, as well as those

associated with the proposed 2016 CO₂ emission standards. The latter costs are incremental to those associated with the 2011 MY standards and also include \$60 per vehicle, on average, for the cost of projected use of improved air-conditioning systems.¹⁶³

TABLE III.D.6-4—COST OF TECHNOLOGY PER VEHICLE IN 2016 (\$2007)

	2011 MY CAFE standards			Proposed 2016 CO ₂ standards		
	Cars	Trucks	All	Cars	Trucks	All
BMW	\$319	\$479	\$361	\$1,701	\$1,665	\$1,691
Chrysler	7	125	59	1,331	1,505	1,408
Daimler	431	632	495	1,631	1,357	1,543
Ford	28	211	109	1,435	1,485	1,457
General Motors	28	136	73	969	1,782	1,311
Honda	0	0	0	606	695	633
Hyundai	0	76	14	739	1,680	907
Kia	0	48	8	741	1,177	812
Mazda	0	0	0	946	1,030	958
Mitsubishi	96	322	123	1,067	1,263	1,090
Nissan	0	19	6	1,013	1,194	1,064
Porsche	535	1,074	706	1,549	666	1,268
Subaru	64	100	77	903	1,329	1,057
Suzuki	99	231	133	1,093	1,263	1,137
Tata	691	1,574	1,161	1,270	674	952
Toyota	0	0	0	600	436	546
Volkswagen	269	758	354	1,626	949	1,509
Overall	47	141	78	968	1,214	1,051

As can be seen, the industry average cost of complying with the 2011 MY CAFE standards is quite low, \$78 per vehicle. The range of costs across manufacturers is quite large, however. Honda, Mazda and Toyota are projected to face no cost, while Daimler, Porsche and Tata face costs of at least \$495 per vehicle. As described above, these last three manufacturers face such high costs to meet even the 2011 MY CAFE standards due to both their vehicles' weight per unit footprint and performance. Also, these cost estimates apply to sales in the 2016 MY. These three manufacturers, as well as others like Volkswagen, may choose to pay CAFE fines prior to this or even in 2016.

As shown in the last row of Table III.D.6-4, the average cost of technology to meet the proposed 2016 standards for cars and trucks combined relative to the 2011 MY CAFE standards is \$1051 per vehicle. The projection shows that the average cost for cars would be slightly lower than that for trucks. Toyota and Honda show projected costs significantly below the average, while BMW, Porsche, Tata and Volkswagen show significantly higher costs. On average, the \$1051 per vehicle cost is significant, representing roughly 5% of the total cost of a new vehicle. However,

as discussed below, the fuel savings associated with the proposed standards exceeds this cost significantly.

While the CO₂ emission compliance modeling using the OMEGA model focused on the proposed 2016 MY standards, EPA believes that the proposed standards for 2012-2015 would also be feasible. As discussed above, EPA believes that manufacturers develop their vehicle designs with several model years in view. Generally, the technology estimated above for 2016 MY vehicles represents the technology which would be added to those vehicles which are being redesigned in 2012-2015. The proposed CO₂ standards for 2012-2016 reduce CO₂ emissions at a fairly steady rate. Thus, manufacturers which redesign their vehicles at a fairly steady rate will automatically comply with the interim standard as they plan for compliance in 2016.

Manufacturers which redesign much fewer than 20% of their sales in the early years of the proposed program would face a more difficult challenge, as simply implementing the "2016 MY" technology as vehicles are redesigned may not enable compliance in the early years. However, even in this case, manufacturers would have several options to enable compliance. One, they

could utilize the proposed debit carry-forward provisions described above. This may be sufficient alone to enable compliance through the 2012-2016 MY time period, if their redesign schedule exceeds 20% per year prior to 2016. If not, at some point, the manufacturer might need to increase their use of technology beyond that projected above in order to generate the credits necessary to balance the accrued debits. For most manufacturers representing the vast majority of U.S. sales, this would simply mean extending the same technology to a greater percentage of sales. The added cost of this in the later years of the program would be balanced by lower costs in the earlier years. Two, the manufacturer could buy credits from another manufacturer. As indicated above, several manufacturers are projected to require less stringent technology than the average. These manufacturers would be in a position to provide credits at a reasonable technology cost. Thus, EPA believes the proposed standards for 2012-2016 would be feasible.

7. What Other Fleet-Wide CO₂ Levels Were Considered?

Two alternative sets of CO₂ standards were considered. One set would reduce

¹⁶³Note that the actual cost of the A/C technology is estimated at \$78 per vehicle as shown in Table

III.D.2-3. However, we expect only 85 percent of the fleet to add that technology. Therefore, the cost

of the technology when spread across the entire fleet is \$66 per vehicle ($\$78 \times 85\% = \66).

CO₂ emissions at a rate of 4 percent per year. The second set would reduce CO₂ emissions at a rate of 6 percent per year. The analysis of these standards followed the exact same process as described

above for the proposed standards. The only difference was the level of CO₂ emission standards. The footprint-based standard coefficients of the car and truck curves for these two alternative

control scenarios were discussed above. The resultant CO₂ standards in 2016 for each manufacturer under these two alternative scenarios and under the proposal are shown in Table III.D.7-1.

TABLE III.D.7-1—OVERALL AVERAGE CO₂ EMISSION STANDARDS BY MANUFACTURER IN 2016

	4% per year	Proposed	6% per year
BMW	245	241	222
Chrysler	266	262	241
Daimler	257	253	233
Ford	270	266	245
General Motors	272	268	247
Honda	243	239	219
Hyundai	235	231	212
Kia	237	234	215
Mazda	231	227	208
Mitsubishi	226	223	204
Nissan	251	247	227
Porsche	234	230	210
Subaru	237	233	213
Suzuki	227	223	203
Tata	267	263	241
Toyota	247	243	223
Volkswagen	233	230	211
Overall	254	250	230

Tables III.D.7-2 and III.D.7-3 show the technology penetration levels for the 4 percent per year and 6 percent per year standards in 2016.

TABLE III.D.7-2—TECHNOLOGY PENETRATION—4% PER YEAR CO₂ STANDARDS IN 2016: CARS AND TRUCKS COMBINED

	GDI	GDI+ deac	GDI+ turbo	6 Speed auto trans	Dual clutch trans	Start-stop	Hybrid	Mass reduction (%)
BMW	4%	35%	47%	15%	71%	71%	14%	5
Chrysler	47	25	3	33	48	48	0	5
Daimler	3	44	39	11	73	72	13	5
Ford	33	32	13	23	61	61	0	5
General Motors	33	25	7	19	48	48	0	5
Honda	20	1	0	6	19	19	2	2
Hyundai	27	2	12	2	39	39	0	3
Kia	31	0	4	1	34	34	0	2
Mazda	34	2	16	10	43	43	0	3
Mitsubishi	65	2	7	28	60	60	0	6
Nissan	34	22	2	40	51	51	1	5
Porsche	7	36	49	10	70	70	15	4
Subaru	46	4	14	10	54	46	0	3
Suzuki	72	5	2	15	63	63	0	4
Tata	4	81	0	14	70	70	15	6
Toyota	25	2	0	30	33	5	13	1
Volkswagen	9	26	58	12	72	70	15	4
Overall	28	17	9	20	45	40	4	4
Increase over 2011 CAFE	21	15	9	-5	42	38	1	4

TABLE III.D.7-3—TECHNOLOGY PENETRATION—6% PER YEAR ALTERNATIVE STANDARDS IN 2016: CARS AND TRUCKS COMBINED

	GDI	GDI+ deac	GDI+ turbo	6 Speed auto trans	Dual clutch trans	Start-stop	Hybrid	Weight reduction (%)
BMW	4%	35%	47%	15%	71%	71%	14%	5
Chrysler	29	50	6	4	85	85	0	8
Daimler	3	44	39	11	73	72	13	5
Ford	8	37	40	4	74	74	11	7
General Motors	24	54	8	6	81	81	0	8
Honda	38	1	15	8	50	50	2	4
Hyundai	36	9	28	7	66	66	0	5
Kia	48	0	25	18	55	55	0	4
Mazda	65	2	16	4	81	76	0	6

TABLE III.D.7-3—TECHNOLOGY PENETRATION—6% PER YEAR ALTERNATIVE STANDARDS IN 2016: CARS AND TRUCKS COMBINED—Continued

	GDI	GDI+ deac	GDI+ turbo	6 Speed auto trans	Dual clutch trans	Start-stop	Hybrid	Weight reduction (%)
Mitsubishi	59	7	19	7	80	80	5	8
Nissan	34	17	35	9	76	76	10	7
Porsche	7	36	49	10	70	70	15	4
Subaru	66	4	14	0	85	80	0	6
Suzuki	2	12	71	0	80	80	5	7
Tata	4	81	0	14	70	70	15	6
Toyota	40	7	11	25	50	50	13	3
Volkswagen	9	26	58	12	72	70	15	4
Overall	28	24	23	11	67	67	7	6
Increase over 2011 CAFE	22	23	22	-15	65	65	4	6

With respect to the 4 percent per year standards, the levels of requisite control technology decreased relative to those under the proposed standards, as would be expected. Industry-wide, the largest decrease was a 2 percent decrease in the application of start-stop technology. On a manufacturer specific basis, the most significant decreases were a 6 percent decrease in hybrid penetration for BMW and a 2 percent drop for Daimler. These are relatively small changes and are due to the fact that the 4 percent per year standards only require 4 g/mi CO₂ less control than the proposed standards in

2016. Porsche, Tata and Volkswagen continue to be unable to comply with the CO₂ standards in 2016.

With respect to the 6 percent per year standards, the levels of requisite control technology increased relative to those under the proposed standards, as again would be expected. Industry-wide, the largest increase was an 8 percent increase in the application of start-stop technology. On a manufacturer specific basis, the most significant increases were a 42 percent increase in hybrid penetration for BMW and a 38 percent increase for Daimler. These are more

significant changes and are due to the fact that the 6 percent per year standards require 20 g/mi CO₂ more control than the proposed standards in 2016. Porsche, Tata and Volkswagen continue to be unable to comply with the CO₂ standards in 2016. However, BMW joins this list, as well, though just by 1 g/mi. Most manufacturers experience the increase in start-stop technology application, with the increase ranging from 5 to 17 percent.

Table III.D.7-4 shows the projected cost of the two alternative sets of standards.

TABLE III.D.7-4—TECHNOLOGY COST PER VEHICLE IN 2016—ALTERNATIVE STANDARDS (\$2007)

	4 Percent per year standards			6 Percent per year standards		
	Cars	Trucks	All	Cars	Trucks	All
BMW	\$1,701	\$1,665	\$1,691	\$1,701	\$1,665	\$1,691
Chrysler	1,340	1,211	1,283	1,642	2,211	1,893
Daimler	1,631	1,357	1,543	1,631	1,357	1,543
Ford	1,429	1,305	1,374	2,175	2,396	2,273
General Motors	969	1,567	1,221	1,722	2,154	1,904
Honda	633	402	564	777	1,580	1,016
Hyundai	685	1,505	832	1,275	1,680	1,347
Kia	741	738	741	1,104	1,772	1,213
Mazda	851	914	860	1,369	1,030	1,320
Mitsubishi	1,132	247	1,028	1,495	2,065	1,563
Nissan	910	1,194	991	1,654	2,274	1,830
Porsche	1,549	666	1,268	1,549	666	1,268
Subaru	903	1,131	985	1,440	1,615	1,503
Suzuki	1,093	1,026	1,076	1,718	2,219	1,846
Tata	1,270	674	952	1,270	674	952
Toyota	518	366	468	762	1,165	895
Volkswagen	1,626	949	1,509	1,626	949	1,509
Overall	940	1,054	978	1,385	1,859	1,544

As can be seen, the average cost of the 4 percent per year standards is only \$73 per vehicle less than that for the proposed standards. In contrast, the average cost of the 6 percent per year standards is nearly \$500 per vehicle more than that for the proposed standards. Compliance costs are entering the region of non-linearity. The \$73 cost savings of the 4 percent per year standards relative to the proposal

represents \$18 per g/mi CO₂ increase. The \$493 cost increase of the 6 percent per year standards relative to the proposal represents \$25 per g/mi CO₂ increase.

EPA does not believe the 4% per year alternative is an appropriate standard for the MY2012-2016 time frame. As discussed above, the 250 g/mi proposal is technologically feasible in this time frame at reasonable costs, and provides

higher GHG emission reductions at a modest cost increase over the 4% per year alternative (less than \$100 per vehicle). In addition, the 4% per year alternative does not result in a harmonized National Program for the country. Based on California's letter of May 18, 2009, the emission standards under this alternative would not result in the State of California revising its regulations such that compliance with

EPA's GHG standards would be deemed to be in compliance with California's GHG standards for these model years. Thus, the consequence of promulgating a 4% per year standard would be to require manufacturers to produce two vehicle fleets: a fleet meeting the 4% per year *Federal* standard, and a separate fleet meeting the more stringent California standard for sale in California and the section 177 States. This further increases the costs of the 4% per year standard and could lead to additional difficulties for the already stressed automotive industry.

EPA also does not believe the 6% per year alternative is an appropriate standard for the MY 2012–2016 time frame. As shown in Tables III.D.7–3 and III.D.7–4, the 6% per year alternative represents a significant increase in both the technology required and the overall costs compared to the proposed standards. In absolute percent increases in the technology penetration, compared to the proposed standards the 6% per year alternative requires for the industry as a whole: an 18% increase in GDI fuel systems, an 11% increase in turbo-downsize systems, a 6% increase in dual-clutch automated manual transmissions (DCT), and a 9% increase in start-stop systems. For a number of manufacturers the expected increase in technology is greater: for GM, a 15% increase in both DCTs and start-stop systems, for Nissan a 9% increase in full hybrid systems, for Ford an 11% increase in full hybrid systems, for Chrysler a 34% increase in both DCT and start-stop systems and for Hyundai a 23% increase in the overall penetration of DCT and start-stop systems. For the industry as a whole, the per-vehicle cost increase for the 6% per year alternative is nearly \$500. On average this is a 50% increase in costs compared to the proposed standards. At the same time, CO₂ emissions would be reduced by about 8%, compared to the 250 g/mi target level.

These technology and cost increases are significant, given the amount of lead-time between now and model years 2012–2016. In order to achieve the levels of technology penetration for the proposed standards, the industry needs to invest significant capital and product development resources right away, in particular for the 2012 and 2013 model year, which is only 2–3 years from now. For the 2014–2016 time frame, significant product development and capital investments will need to occur over the next 2–3 year in order to be ready for launching these new products for those model years. Thus a major part of the required capital and resource investment will need to occur in the

next few years, under the proposed standards. EPA believes that the proposal (a target of 250 gram/mile in 2016) already requires significant investment and product development costs for the industry, focused on the next few years.

It is important to note, and as discussed later in this preamble, as well as in the draft Joint Technical Support Document and the draft EPA Regulatory Impact Analysis document, the average model year 2016 per-vehicle cost increase of nearly \$500 includes an estimate of both the increase in capital investments by the auto companies and the suppliers as well as the increase in product development costs. These costs can be significant, especially as they must occur over the next 2–3 years. Both the domestic and transplant auto firms, as well as the domestic and world-wide automotive supplier base, is experiencing one of the most difficult markets in the U.S. and internationally that has been seen in the past 30 years. One major impact of the global downturn in the automotive industry and certainly in the U.S. is the significant reductions in product development engineers and staffs, as well as a tightening of the credit markets which allow auto firms and suppliers to make the near-term capital investments necessary to bring new technology into production. EPA is concerned that the significantly increased pressure on capital and other resources from the 6% per year alternative may be too stringent for this time frame, given both the relatively limited amount of lead-time between now and model years 2012–2016, the need for much of these resources over the next few years, as well the current financial and related circumstances of the automotive industry. EPA is not concluding that the 6% per year alternative standards are technologically infeasible, but EPA believes such standards for this time frame would be overly stringent given the significant strain it would place on the resources of the industry under current conditions. EPA believes this degree of stringency is not warranted at this time. Therefore EPA does not believe the 6% per year alternative would be an appropriate balance of various relevant factors for model years 2012–2016.

These alternative standards represent two possibilities out of many. The EPA believes that the current proposed standards represent an appropriate balance of the factors relevant under section 202(a). For further discussion of this issue, see Chapter 4 of the DRIA.

E. Certification, Compliance, and Enforcement

1. Compliance Program Overview

This section of the preamble describes EPA's proposal for a comprehensive program to ensure compliance with EPA's proposed emission standards for carbon dioxide (CO₂), nitrous oxide (N₂O), and methane (CH₄), as described in Section III.B. An effective compliance program is essential to achieving the environmental and public health benefits promised by these mobile source GHG standards. EPA's proposal for a GHG compliance program is designed around two overarching priorities: (1) To address Clean Air Act (CAA) requirements and policy objectives; and (2) to streamline the compliance process for both manufacturers and EPA by building on existing practice wherever possible, and by structuring the program such that manufacturers can use a single data set to satisfy both the new GHG and Corporate Average Fuel Economy (CAFE) testing and reporting requirements. The program proposed by EPA and NHTSA recognizes, and replicates as closely as possible, the compliance protocols associated with the existing CAA Tier 2 vehicle emission standards, and with CAFE standards. The certification, testing, reporting, and associated compliance activities closely track current practices and are thus familiar to manufacturers. EPA already oversees testing, collects and processes test data, and performs calculations to determine compliance with both CAFE and CAA standards. Under this proposed coordinated approach, the compliance mechanisms for both programs are consistent and non-duplicative.

Vehicle emission standards established under the CAA apply throughout a vehicle's full useful life. In this case EPA is proposing fleet average standards where compliance with the fleet average is determined based on the testing performed at time of production, as with the current CAFE fleet average. EPA is also proposing in-use standards that apply throughout a vehicle's useful life, with the standard determined by adding a 10% adjustment factor to the model-level emission results used to calculate the fleet average. Therefore, EPA's proposed program must not only assess compliance with the fleet average standards described in Section III.B, but must also assess compliance with the in-use standards. As it does now, EPA would use a variety of compliance mechanisms to conduct these assessments, including pre-production certification and post-production, in-use

monitoring once vehicles enter customer service. Specifically, EPA is proposing a compliance program for the fleet average that utilizes CAFE program protocols with respect to testing, a certification procedure that operates in conjunction with the existing CAA-Tier 2 certification procedures, and assessment of compliance with the in-use standards concurrent with existing EPA and manufacturer Tier 2 emission compliance testing programs. Under the proposed compliance program manufacturers would also be afforded numerous flexibilities to help achieve compliance, both stemming from the program design itself in the form of a manufacturer-specific CO₂ fleet average standard, as well as in various credit banking and trading opportunities, as described in Section III.C. EPA's proposed compliance program is outlined in further detail below. EPA requests comment on all aspects of the compliance program design including comments about whether differences between the proposed compliance scheme for GHG and the existing compliance scheme for other regulated pollutants are appropriate.

2. Compliance With Fleet-Average CO₂ Standards

Fleet average emission levels can only be determined when a complete fleet profile becomes available at the close of the model year. Therefore, EPA is proposing to determine compliance with the fleet average CO₂ standards when the model year closes out, as is currently the protocol under EPA's Tier 2 program as well as under the current CAFE program. The compliance determination would be based on actual production figures for each model and on model-level emissions data collected through testing over the course of the model year. Manufacturers would submit this information to EPA in an end-of-year report which is discussed in detail in Section III.E.5.h below.

Manufacturers currently conduct their CAFE testing over an entire model year to maximize efficient use of testing and engineering resources. Manufacturers submit their CAFE test results to EPA and EPA conducts confirmatory fuel economy testing at its laboratory on a subset of these vehicles under EPA's Part 600 regulations. EPA is proposing that manufacturers continue to perform the model level testing currently required for CAFE fuel economy performance and measure and report the CO₂ values for all tests conducted. Thus, manufacturers will submit one data set in satisfaction of both CAFE and GHG requirements such that EPA's proposed program would not impose additional

timing or testing requirements on manufacturers beyond that required by the CAFE program. For example, manufacturers currently submit fuel economy test results at the subconfiguration and configuration levels to satisfy CAFE requirements. Under this proposal manufacturers would also submit CO₂ values for the same vehicles. Section III.E.3 discusses how this will be implemented in the certification process.

a. Compliance Determinations

As described in Section III.B above, the fleet average standards would be determined on a manufacturer by manufacturer basis, separately for cars and trucks, using the proposed footprint attribute curves. Under this proposal, EPA would calculate the fleet average emission level using actual production figures and, for each model type, CO₂ emission test values generated at the time of a manufacturer's CAFE testing. EPA would then compare the actual fleet average to the manufacturer's footprint standard to determine compliance, taking into consideration use of averaging and/or other types of credits.

Final determination of compliance with fleet average CO₂ standards may not occur until several years after the close of the model year due to the flexibilities of carry-forward and carry-back credits and the remediation of deficits (see Section III.C). A failure to meet the fleet average standard after credit opportunities have been exhausted could ultimately result in penalties and injunctive orders under the CAA as described in Section III.E.6 below.

EPA periodically provides mobile source emissions and fuel economy information to the public, for example through the annual Compliance Report¹⁶⁴ and Fuel Economy Trends Report.¹⁶⁵ EPA plans to expand these reports to include GHG performance and compliance trends information, such as annual status of credit balances or debits, use of various credit programs, attained versus projected fleet average emission levels, and final compliance status for a model year after credit reconciliation occurs. We seek comment on all aspects of public

¹⁶⁴ 2007 Progress Report Vehicle and Engine Compliance Activities; EPA-420-R-08-011; October 2008. This document is available electronically at <http://www.epa.gov/otaq/about/420r08011.pdf>.

¹⁶⁵ Light-Duty Automotive Technology and Fuel-Economy Trends: 1975 Through 2008; EPA-420-S-08-003; September 2008. This document is available electronically at <http://www.epa.gov/otaq/fetrends.htm>.

dissemination of GHG compliance information

b. Required Minimum Testing for Fleet Average CO₂

As noted, EPA is proposing that the same test data required for determining a manufacturer's compliance with the CAFE standard also be used to determine the manufacturer's compliance with the fleet average CO₂ emissions standard. CAFE requires manufacturers to submit test data representing at least 90% of the manufacturer's model year production, by configuration.¹⁶⁶ The CAFE testing covers the vast majority of models in a manufacturer's fleet. Manufacturers industry-wide currently test more than 1,000 vehicles each year to meet this requirement. EPA believes this minimum testing requirement is necessary and applicable for calculating accurate CO₂ fleet average emissions. Manufacturers may test additional vehicles, at their option. As described above, EPA would use the emissions results from the model-level testing to calculate a manufacturer's fleet average CO₂ emissions and to determine compliance with the CO₂ standard.

EPA is proposing to continue to allow certain testing flexibilities that exist under the CAFE program. EPA has always permitted manufacturers some ability to reduce their test burden in tradeoff for lower fuel economy numbers. Specifically the practice of "data substitution" enables manufacturers to apply fuel economy test values from a "worst case" configuration to other configurations in lieu of testing them. The substituted values may only be applied to configurations that would be expected to have better fuel economy and for which no actual test data exist. Substituted data would only be accepted for the GHG program if it is also used for CAFE purposes.

EPA's regulations for CAFE fuel economy testing permit the use of analytically derived fuel economy data in lieu of an actual fuel economy test in certain situations.¹⁶⁷ Analytically derived data is generated mathematically using expressions determined by EPA and is allowed on a limited basis when a manufacturer has not tested a specific vehicle configuration. This has been done as a means to reduce some of the testing burden on manufacturers without sacrificing accuracy in fuel economy measurement. EPA has issued guidance that provides details on analytically

¹⁶⁶ See 40 CFR 600.010-08(d).

¹⁶⁷ 40 CFR 600.006-08(e).

derived data and that specifies the conditions when analytically derived-fuel economy may be used. EPA would also apply the same guidance to the GHG program and would allow any analytically derived data used for CAFE to also satisfy the GHG data reporting requirements. EPA would, however, need to revise the terms in the current equations for analytically derived fuel economy to specify them in terms of CO₂. Analytically derived CO₂ data would not be permitted for the Emission Data Vehicle representing a test group for pre-production certification, only for the determination of the model level test results used to determine actual fleet-average CO₂ levels.

EPA is retaining the definitions needed to determine CO₂ levels of each model type (such as "subconfiguration," "configuration," "base level," *etc.*) as they are currently defined in EPA's fuel economy regulations.

3. Vehicle Certification

CAA section 203(a)(1) prohibits manufacturers from introducing a new motor vehicle into commerce unless the vehicle is covered by an EPA-issued certificate of conformity. Section 206(a)(1) of the CAA describes the requirements for EPA issuance of a certificate of conformity, based on a demonstration of compliance with the emission standards established by EPA under section 202 of the Act. The certification demonstration requires emission testing, and must be done for each model year.¹⁶⁸

Under Tier 2 and other EPA emission standard programs, vehicle manufacturers certify a group of vehicles called a test group. A test group typically includes multiple vehicle car lines and model types that share critical emissions-related features.¹⁶⁹ The manufacturer generally selects and tests one vehicle to represent the entire test group for certification purposes. The test vehicle is the one expected to be the worst case for the emission standard at issue. Emission results from the test vehicle are used to assign the test group to one of several specified bins of emissions levels, identified in the Tier 2 rule, and this bin level becomes the in-use emissions standard for that test group.¹⁷⁰

Since compliance with the Tier 2 fleet average depends on actual test group sales volumes and bin levels, it is not possible to determine compliance at the time the manufacturer applies for and receives a certificate of conformity for a test group. Instead, EPA requires the manufacturer to make a good faith demonstration in the certification application that vehicles in the test group will both (1) comply throughout their useful life with the emissions bin assigned, and (2) contribute to fleetwide compliance with the Tier 2 average when the year is over. EPA issues a certificate for the vehicles included in the test group based on this demonstration, and includes a condition in the certificate that if the manufacturer does not comply with the fleet average, then production vehicles from that test group will be treated as not covered by the certificate to the extent needed to bring the manufacturer's fleet average into compliance with Tier 2.

The certification process often occurs several months prior to production and manufacturer testing may occur months before the certificate is issued. The certification process for the Tier 2 program is an efficient way for manufacturers to conduct the needed testing well in advance of certification, and to receive the needed certificates in a time frame which allows for the orderly production of vehicles. The use of a condition on the certificate has been an effective way to ensure compliance with the Tier 2 fleet average.

EPA is proposing to similarly condition each certificate of conformity for the GHG program upon a manufacturer's good faith demonstration of compliance with the manufacturer's fleetwide average CO₂ standard. The following discussion explains how EPA proposes to integrate the proposed vehicle certification program into the existing certification program.

a. Compliance Plans

EPA is proposing that manufacturers submit a compliance plan to EPA prior to the beginning of the model year and prior to the certification of any test group. This plan would include the manufacturer's estimate of its footprint-based standard (Section III.B), along with a demonstration of compliance with the standard based on projected model-level CO₂ emissions, and production estimates. Manufacturers would submit the same information to NHTSA in the pre-model year report required for CAFE compliance. However, the GHG compliance plan could also include additional information relevant only to the EPA

program. For example, manufacturers seeking to take advantage of air conditioning or other credit flexibilities (Section III.C) would include these in their compliance demonstration. Similarly, the compliance demonstration would need to include a credible plan for addressing deficits accrued in prior model years. EPA would review the compliance plan for technical viability and conduct a certification preview discussion with the manufacturer. EPA would view the compliance plan as part of the manufacturer's good faith demonstration, but understands that initial projections can vary considerably from the reality of final production and emission results. EPA requests comment on the proposal to evaluate manufacturer compliance plans prior to the beginning of model year certification. EPA also requests comment on what criteria the agency should use to evaluate the sufficiency of the plan and on what steps EPA should take if it determines that a plan is unlikely to offset a deficit.

b. Certification Test Groups and Test Vehicle Selection

Manufacturers currently divide their fleet into "test groups" for certification purposes. The test group is EPA's unit of certification; one certificate is issued per test group. These groupings cover vehicles with similar emission control system designs expected to have similar emissions performance.¹⁷¹ The factors considered for determining test groups include combustion cycle, engine type, engine displacement, number of cylinders and cylinder arrangement, fuel type, fuel metering system, catalyst construction and precious metal composition, among others. Vehicles having these features in common are generally placed in the same test group.¹⁷² Cars and trucks may be included in the same test group as long as they have similar emissions performance (manufacturers frequently produce cars and trucks that have identical engine designs and emission controls).

EPA is proposing to retain the current Tier 2 test group structure for cars and light trucks in the certification requirements for CO₂. At the time of certification, manufacturers would use the CO₂ emission level from the Tier 2 Emission Data Vehicle as a surrogate to represent all of the models in the test group. However, following certification

¹⁷¹ 40 CFR 86.1827-01.

¹⁷² EPA provides for other groupings in certain circumstances, and can establish its own test groups in cases where the criteria do not apply. 40 CFR 86.1827-01(b), (c) and (d).

¹⁶⁸ CAA section 206(a)(1).

¹⁶⁹ The specific test group criteria are described in 40 CFR 86.1827-01, car lines and model types have the meaning given in 40 CFR 86.1803-01.

¹⁷⁰ Initially in-use standards were different from the bin level determined at certification as the useful life level. The current in-use standards, however, are the same as the bin levels. In all cases, the bin level, reflecting useful life levels, has been used for determining compliance with the fleet average.

further testing would generally be required for compliance with the fleet average CO₂ standard as described below. EPA's issuance of a certificate would be conditioned upon the manufacturer's subsequent model level testing and attainment of the actual fleet average. Further discussion of these requirements is presented in Section III.E.6.

EPA recognizes that the Tier 2 test group criteria do not necessarily relate to CO₂ emission levels. For instance, while some of the criteria, such as combustion cycle, engine type and displacement, and fuel metering, may have a relationship to CO₂ emissions, others, such as those pertaining to the catalyst, may not. In fact, there are many vehicle design factors that impact CO₂ generation and emission but are not included in EPA's test group criteria.¹⁷³ Most important among these may be vehicle weight, horsepower, aerodynamics, vehicle size, and performance features.

EPA considered, but is not proposing, a requirement for separate CO₂ test groups established around criteria more directly related to CO₂ emissions. Although CO₂-specific test groups might more consistently predict CO₂ emissions of all vehicles in the test group, the addition of a CO₂ test group requirement would greatly increase the pre-production certification burden for both manufacturers and EPA. For example, a current Tier 2 test group would need to be split into two groups if automatic and manual transmissions models had been included in the same group. Two- and four-wheel drive vehicles in a current test group would similarly require separation, as would weight differences among vehicles. This would at least triple the number of test groups. EPA believes that the added burden of creating separate CO₂ test groups is not warranted or necessary to maintain an appropriately rigorous certification program because the test group data are later replaced by model specific data which are used as the basis for determining compliance with a manufacturer's fleet average standard.

EPA believes that the current test group concept is appropriate for N₂O and CH₄ because the technologies that would be employed to control N₂O and CH₄ emissions would generally be the same as those used to control the criteria pollutants.

As just discussed, the "worst case" vehicle a manufacturer selects as the

Emissions Data Vehicle to represent a test group under Tier 2 (40 CFR 86.1828-01) may not have the highest levels of CO₂ in that group. For instance, there may be a heavier, more powerful configuration that would have higher CO₂, but may, due to the way the catalytic converter has been matched to the engine, actually have lower NO_x, CO, PM or HC.

Therefore, in lieu of a separate CO₂-specific test group, EPA considered requiring manufacturers to select a CO₂ test vehicle from within the Tier 2 test group that would be expected, based on good engineering judgment, to have the highest CO₂ emissions within that test group. The CO₂ emissions results from this vehicle would be used to establish an in-use CO₂ emission standard for the test group. The requirement for a separate, worst case CO₂ vehicle would provide EPA with some assurance that all vehicles within the test group would have CO₂ emission levels at or below those of the selected vehicle, even if there is some variation in the CO₂ control strategies within the test group (such as different transmission types). Under this approach, the test vehicle might or might not be the same one that would be selected as worst case for criteria pollutants. Thus, manufacturers might be required to test two vehicles in each test group, rather than a single vehicle. This would represent an added timing burden to manufacturers because they might need to build additional test vehicles at the time of certification that previously weren't required to be tested.

Instead, EPA is proposing to require a single Emission Data Vehicle that would represent the test group for both Tier 2 and CO₂ certification. The manufacturer would be allowed to initially apply the Emission Data Vehicle's CO₂ emissions value to all models in the test group, even if other models in the test group are expected to have higher CO₂ emissions. However, as a condition of the certificate, this surrogate CO₂ emissions value would generally be replaced with actual, model-level CO₂ values based on results from CAFE testing that occurs later in the model year. This model level data would become the official certification test results (as per the conditioned certificate) and would be used to determine compliance with the fleet average. Only if the test vehicle is in fact the worst case CO₂ vehicle for the test group could the manufacturer elect to apply the Emission Data Vehicle emission levels to all models in the test group for purposes of calculating fleet average emissions. Manufacturers would be unlikely to make this choice, because doing so would ignore the

emissions performance of vehicle models in their fleet with lower CO₂ emissions and would unnecessarily inflate their CO₂ fleet average. Testing at the model level already occurs and data are already being submitted to EPA for CAFE and labeling purposes, so it would be an unusual situation that would cause a manufacturer to ignore these data and choose to accept a higher CO₂ fleet average.

EPA requests comment regarding whether the Tier 2 test group can adequately represent CO₂ emissions for certification purposes, and whether the Emission Data Vehicle's CO₂ emission level is an appropriate surrogate for all vehicles in a test group at the time of certification, given that the certificate would be conditioned upon additional model level testing occurring during the year (see Section III.E.6) and that the surrogate CO₂ emission values would be replaced with model-level emissions data from those tests. Comments should also address EPA's desire to minimize the up-front pre-production testing burden and whether the proposed efficiencies would be balanced by the requirement to test all model types in the fleet by the conclusion of the model year in order to establish the fleet average CO₂ levels.

There are two standards that the manufacturer would be subject to, the fleet average standard and the in-use standard for the useful life of the vehicle. Compliance with the fleet average standard is based on production-weighted averaging of the test data that applies for each model. For each model, the in-use standard is set at 10% higher than the level used for that model in calculating the fleet average. The certificate would cover both of these standards, and the manufacturer would have to demonstrate compliance with both of these standards for purposes of receiving a certificate of conformity. The certification process for the in-use standard is discussed below in Section III.E.4.

c. Certification Testing Protocols and Procedures

To be consistent with CAFE, EPA proposes to combine the CO₂ emissions results from the FTP and HFET tests using the same calculation method used to determine fuel economy for CAFE purposes. This approach is appropriate for CO₂ because CO₂ and fuel economy are so closely related. Other than the fact that fuel economy is calculated using a harmonic average and CO₂ emissions can be calculated using a conventional average, the calculation methods are very similar. The FTP CO₂

¹⁷³ EPA noted this potential lack of connection between fuel economy testing and testing for emissions standard purposes when it first adopted fuel economy test procedures. See 41 FR at 38677 (Sept. 10, 1976).

data will be weighted at 55%, and the highway CO₂ data at 45%, and then averaged to determine the combined number. See Section III.B.1 for more detailed information on CO₂ test procedures, Section III.C.1 on Air Conditioning Emissions, and Section III.B.6 for N₂O and CH₄ test procedures.

For the purposes of compliance with the fleet average and in-use standards, the emissions measured from each test vehicle will include hydrocarbons (HC) and carbon monoxide (CO), in addition to CO₂. All three of these exhaust constituents are currently measured and used to determine the amount of fuel burned over a given test cycle using a "carbon balance equation" defined in the regulations; and thus measurement of these is an integral part of current fuel economy testing. As explained in Section III.C, it is important to account for the total carbon content of the fuel. Therefore the carbon-related combustion products HC and CO must be included in the calculations along with CO₂. CO emissions are adjusted by a coefficient that reflects the carbon weight fraction (CWF) of the CO molecule, and HC emissions are adjusted by a coefficient that reflects the CWF of the fuel being burned (the molecular weight approach doesn't work since there are many different hydrocarbons being accounted for). Thus, EPA is proposing that the carbon-related exhaust emissions of each test vehicle be calculated according to the following formula, where HC, CO, and CO₂ are in units of grams per mile:

$$\text{Carbon-related exhaust emissions} \\ (\text{grams/mile}) = \text{CWF} * \text{HC} + \\ 1.571 * \text{CO} + \text{CO}_2$$

As part of the current CAFE and Tier 2 compliance programs, EPA selects a subset of vehicles for confirmatory testing at its National Vehicle and Fuel Emissions Laboratory. The purpose of confirmatory testing is to validate the manufacturer's emissions and/or fuel economy data. Under this proposal, EPA would add CO₂, N₂O, and CH₄ to the emissions measured in the course of Tier 2 and CAFE confirmatory testing. The emission values measured at the EPA laboratory would continue to stand as official, as under existing regulatory programs.

As is the current practice with fuel economy testing, if during EPA's confirmatory testing the EPA CO₂ value differs from the manufacturer's value by more than 3%, manufacturers could request a re-test. Also as with current practice, the results of the re-test would stand as official, even if they differ from the manufacturer value by more than 3%. EPA is proposing to allow a re-test

request based on a 3% or greater disparity since a manufacturer's fleet average emissions level would be established on the basis of model level testing only (unlike Tier 2 for which a fixed bin standard structure provides the opportunity for a compliance buffer). EPA requests comment on whether the 3% value currently used during CAFE confirmatory testing is appropriate and should be retained under the proposed GHG program.

4. Useful Life Compliance

Section 202(a)(1) of the CAA requires emission standards to apply to vehicles throughout their statutory useful life, as further described in Section III.A. For emission programs that have fleet average standards, such as Tier 2 and the proposed CO₂ standards, the useful life requirement applies to individual vehicles rather than to the fleet average standard. For example, in Tier 2 the useful life requirements apply to the individual emission standard levels or "bins" that the vehicles are certified to, not the fleet average standard. For Tier 2, the useful life requirement is 10 years or 120,000 miles with an optional 15 year or 150,000 mile provision. For each model, the proposed CO₂ standards in-use are the model specific levels used in calculating the fleet average, adjusted to be 10% higher. EPA is proposing the 10% adjustment factor to provide some margin for production and test-to-test variability that could result in differences between initial model-level emission results used in calculating the fleet average and any subsequent in-use testing. EPA requests comment on whether a separate in-use standard is an appropriate means of addressing issues of variability and whether 10% is an appropriate adjustment.

This in-use standard would apply for the same useful life period as in Tier 2. Section 202(i)(3)(D) of the CAA allows EPA to adopt useful life periods for light-duty vehicles and light-duty trucks which differ from those in section 202(d). Similar to Tier 2, the useful life requirements would be applicable to the model-level CO₂ certification values (similar to the Tier 2 bins), not to the fleet average standard.

EPA believes that the useful life period established for criteria pollutants under Tier 2 is also appropriate for CO₂. Data from EPA's current in-use compliance test program indicate that CO₂ emissions from current technology vehicles increase very little with age and in some cases may actually improve slightly. The stable CO₂ levels are expected because unlike criteria pollutants, CO₂ emissions in current technology vehicles are not controlled

by after treatment systems that may fail with age. Rather, vehicle CO₂ emission levels depend primarily on fundamental vehicle design characteristics that do not change over time. Therefore, vehicles designed for a given CO₂ emissions level would be expected to sustain the same emissions profile over their full useful life.

The CAA requires emission standards to be applicable for the vehicle's full useful life. Under Tier 2 and other vehicle emission standard programs, EPA requires manufacturers to demonstrate at the time of certification that the new vehicles being certified will continue to meet emission standards throughout their useful life. EPA allows manufacturers several options for predicting in-use deterioration, including full vehicle testing, bench-aging specific components, and application of a deterioration factor based on data and/or engineering judgment.

In the specific case of CO₂, EPA does not currently anticipate notable deterioration and is therefore proposing that an assigned deterioration factor be applied at the time of certification. EPA is further proposing an additive assigned deterioration factor of zero, or a multiplicative factor of one. EPA anticipates that the deterioration factor would be updated from time to time, as new data regarding emissions deterioration for CO₂ are obtained and analyzed. Additionally, EPA may consider technology-specific deterioration factors, should data indicate that certain CO₂ control technologies deteriorate differently than others.

During compliance plan discussions prior to the beginning of the certification process, EPA would explore with each manufacturer any new technologies that could warrant use of a different deterioration factor. Manufacturers would not be allowed to use the assigned deterioration factor but rather would be required to establish an appropriate factor for any vehicle model determined likely to experience increases in CO₂ emissions over the vehicle's useful life. If such an instance were to occur, EPA is also proposing to allow manufacturers to use the whole-vehicle mileage accumulation method currently offered in EPA's regulations.

EPA requests comments on the proposal to allow manufacturers to use an EPA-assigned deterioration factor for CO₂ useful life compliance, and to set that factor at zero (additive) or one (multiplicative). Particularly helpful would be data from in-use vehicles that demonstrate the rate of change in CO₂ emissions over a vehicle's useful life,

separated according to vehicle technology.

N₂O and CH₄ emissions are directly affected by vehicle emission control systems. Any of the durability options offered under EPA's current compliance program can be used to determine how emissions of N₂O and CH₄ change over time.

a. Ensuring Useful Life Compliance

The CAA requires a vehicle to comply with emission standards over its regulatory useful life and affords EPA broad authority for the implementation of this requirement. As such, EPA has authority to require a manufacturer to remedy any noncompliance issues. The remedy can range from the voluntary or mandatory recall of any noncompliant vehicles to the recalculation of a manufacturer's fleet average emissions level. This provides manufacturers with a strong incentive to design and build complying vehicles.

Currently, EPA regulations require manufacturers to conduct in-use testing as a condition of certification. Specifically, manufacturers must commit to later procure and test privately-owned vehicles that have been normally used and maintained. The vehicles are tested to determine the in-use levels of criteria pollutants when they are in their first and third years of service. This testing is referred to as the In-Use Verification Program (IUVP) testing, which was first implemented as part of EPA's CAP 2000 certification program.¹⁷⁴ The emissions data collected from IUVP serves several purposes. It provides EPA with annual real-world in-use data representing the majority of certified vehicles. EPA uses IUVP data to identify in-use problems, validate the accuracy of the certification program, verify the manufacturer's durability processes, and support emission modeling efforts. Manufacturers are required to test low mileage and high mileage vehicles over the FTP and US06 test cycles. They are also required to provide evaporative emissions and on-board diagnostics (OBD) data.

Manufacturers are required to provide data for all regulated criteria pollutants. Some manufacturers voluntarily submit CO₂ data as part of IUVP. EPA is proposing that for IUVP testing, all manufacturers will provide emission data for CO₂ and also for N₂O and CH₄. EPA is also proposing that manufacturers perform the highway test cycle as part of IUVP. Since the proposed CO₂ standard reflects a combined value of FTP and highway

results, it is necessary to include the highway emission test in IUVP to enable EPA to compare an in-use CO₂ level with a vehicle's in-use standard. EPA requests comments on adding the highway test cycle as part of the IUVP requirements.

Another component of the CAP 2000 certification program is the In-Use Confirmatory Program (IUCP). This is a manufacturer-conducted recall quality in-use test program that can be used as the basis for EPA to order an emission recall. In order to qualify for IUCP, there is a threshold of 1.30 times the certification emission standard and an additional requirement that at least 50% of the test vehicles for the test group fail for the same pollutant. EPA is proposing to exclude IUVP data for CO₂, N₂O, and CH₄ emissions from the IUCP thresholds. At this time, EPA does not have sufficient data to determine if the existing thresholds are appropriate or even applicable to those emissions. Once EPA can gather more data from the IUVP program and from EPA's internal surveillance program described below, EPA will reassess the need to exclude IUCP thresholds, and if warranted, propose a separate rulemaking establishing IUCP threshold criteria which may include CO₂, N₂O, and CH₄ emissions. EPA requests comment on the proposal to exclude CO₂, N₂O, and CH₄ from the IUCP threshold.

EPA has also administered its own in-use testing program for light-duty vehicles under authority of section 207(c) of the CAA for more than 30 years. In this program, EPA procures and tests representative privately owned vehicles to determine whether they are complying with emission standards. When testing indicates noncompliance, EPA works with the manufacturer to determine the cause of the problem and to conduct appropriate additional testing to determine its extent or the effectiveness of identified remedies. This program operates in conjunction with the IUVP program and other sources of information to provide a comprehensive picture of the compliance profile for the entire fleet and address compliance problems that are identified. EPA proposes to add CO₂, N₂O, and CH₄ to the emissions measurements it collects during surveillance testing.

b. In-Use Compliance Standard

For Tier 2, the in-use standard and the certification standard are the same. In-use compliance for an individual vehicle is determined by comparing the vehicle's in-use emission results with the emission standard levels or "bin" to which the vehicle is certified rather

than to the Tier 2 fleet average standard for the manufacturer. This is because as part of a fleet average standard, individual vehicles can be certified to various emission standard levels, which could be higher or lower than the fleet average standard. Thus, comparing an individual vehicle to the fleet average, where that vehicle was certified to an emission level that could be different than the fleet average level, would be inappropriate.

This would also be true for the proposed CO₂ fleet average standard. Therefore, to ensure that an individual vehicle complies with the proposed CO₂ standards in-use, it is necessary to compare the vehicle's in-use CO₂ emission result with the appropriate model-level certification CO₂ level used in determining the manufacturer's fleet average result.

There is a fundamental difference between the proposed CO₂ standards and Tier 2 standards. For Tier 2, the certification standard is one of eight different emission levels, or "bins," whereas for the proposed CO₂ fleet average standard, the certification standard is the model-level certification CO₂ result. The Tier 2 fleet average standard is calculated using the "bin" emission level or standard, not the actual certification emission level of the certification test vehicle. So no matter how low a manufacturer's actual certification emission results are, the fleet average is still calculated based on the "bin" level rather than the lower certification result. In contrast, EPA is proposing that the CO₂ fleet average standard would be calculated using the actual vehicle model-level CO₂ values from the certification test vehicles. With a known certification emission standard, such as the Tier 2 "bins," manufacturers typically attempt to over-comply with the standard to give themselves some cushion for potentially higher in-use testing results due to emissions performance deterioration and/or variability that could result in higher emission levels during subsequent in-use testing. For our proposed CO₂ standards, the certification standard is the actual certification vehicle test result, thus manufacturers cannot over-comply since the certification test vehicle result will always be the value used in determining the CO₂ fleet average. If the manufacturer attempted to design the vehicle to achieve a lower CO₂ value, similar to Tier 2 for in-use purposes, the new lower CO₂ value would simply become the new certification standard.

The CO₂ fleet average standard is based on the performance of pre-production technology that is

¹⁷⁴ 64 FR 23906, May 4, 1999.

representative of the point of production, and while there is expected to be limited if any deterioration in effectiveness for any vehicle during the useful life, the fleet average standard does not take into account the test to test variability or production variability that can affect in-use levels. Therefore, EPA believes that unlike Tier 2, it is necessary to have a different in-use standard for CO₂ to account for these variabilities. EPA is proposing to set the in-use standard at 10% higher than the appropriate model-level certification CO₂ level used in determining the manufacturer's fleet average result.

As described above, manufacturers typically design their vehicles to emit at emission levels considerably below the standards. This intentional difference between the actual emission level and the emission standard is referred to as "certification margin," since it is typically the difference between the certification emission level and the emission standard. The certification margin can provide manufacturers with some protection from exceeding emission standards in-use, since the in-use standards are typically the same as the certification standards. For Tier 2, the certification margin is the delta between the specific emission standard level, or "bin," to which the vehicle is certified, and the vehicle's certification emission level.

Since the level of the fleet average standard does not reflect this kind of variability, EPA believes it is appropriate to set an in-use standard that provides manufacturers with an in-use compliance factor of 10% that will act as a surrogate for a certification margin. The factor would only be applicable to CO₂ emissions, and would be applied to the model-level test results that are used to establish the model-level in-use standard.

If the in-use emission result for the vehicle exceeds the model-level CO₂ certification result multiplied by the in-use compliance factor of 10%, then the vehicle would have exceeded the in-use emission standard. The in-use compliance factor would apply to all in-use compliance testing including IUVP, selective enforcement audits, and EPA's internal test program.

The intent of the separate in-use standard, based on a 10% compliance factor adjustment, is to provide a reasonable margin such that vehicles are not automatically deemed as exceeding standards simply because of normal variability in test results. EPA has some concerns however that this in-use compliance factor could be perceived as providing manufacturers with the ability to design their fleets to generate

CO₂ emissions up to 10% higher than the actual values they use to certify and to calculate the year end fleet average value that determines compliance with the fleet average standard. This concern provides additional rationale for requiring FTP and HFET IUVP data for CO₂ emissions to ensure that in-use values are not regularly 10% higher than the values used in the fleet average calculation. If in the course of reviewing a manufacturer's IUVP data it becomes apparent that a manufacturer's CO₂ results are consistently higher than the values used for certification, EPA would discuss the matter with the manufacturer and consider possible resolutions such as changes to ensure that the emissions test data more accurately reflects the emissions level of vehicles at the time of production, increased EPA confirmatory testing, and other similar measures.

EPA selected a value of 10% for the in-use standard based on a review of EPA's fuel economy labeling and CAFE confirmatory test results for the past several vehicle model years. The EPA data indicate that it is common for test variability to range between three to six percent and only on rare occasions to exceed 10%. EPA believes that a value of 10% should be sufficient to account for testing variability and any production variability that a manufacturer may encounter. EPA considered both higher and lower values. The Tier 2 fleet as a whole, for example, has a certification margin approaching 50%.¹⁷⁵ However, there are some fundamental differences between CO₂ emissions and other criteria pollutants in the magnitude of the pollutants. Tier 2 NMOG and NO_x emission standards are hundredths of a gram per mile (e.g., 0.07 g/mi NO_x & 0.09 g/mi NMOG), whereas the CO₂ standards are four orders of magnitude greater (e.g., 250 g/mi). Thus EPA does not believe it is appropriate to consider a value on the order of 50 percent. In addition, little deterioration in emissions control is expected in-use. The adjustment factor addresses only one element of what is usually built into a compliance margin.

EPA requests comments regarding a proposed in-use standard that uses an in-use compliance factor. Specifically, is a factor the best way to address the technical and other feasibility of the in-use standard; is 10% the appropriate factor; can EPA expect variability to decrease as manufacturing experience

increases, in which case would it be appropriate for the in-use compliance factor of 10% to decrease over time? EPA especially requests any data to support such comments.

5. Credit Program Implementation

As described in Section III.E.2 above, for each manufacturer's model year production, EPA is proposing that the manufacturer would average the CO₂ emissions within each of the two averaging sets (passenger cars and trucks) and compare that with its respective fleet average CO₂ standards (which in turn would have been determined from the appropriate footprint curve applicable to that model year). In addition to this within-company averaging, EPA is proposing that when a manufacturer's fleet average CO₂ emissions of vehicles produced in an averaging set over-complies compared to the applicable fleet average standard, the manufacturer could generate credits that it could save for later use (banking) or could transfer to another manufacturer (trading). Section III.C discusses opportunities that EPA is proposing for manufacturers to earn additional credits, beyond those simply calculated by "over-achieving" their applicable standard. Implementation of the credit program generally involves two steps: calculation of the credit amount and reporting the amount and the associated data and calculations to EPA.

Of the various credit programs being proposed by EPA, there are two broad types. One type of credit directly lowers a manufacturer's actual fleet average by virtue of being applied to the methodology for calculating the fleet average emissions. Examples of this type of credit include the credits available for alternative fuel vehicles and for advanced technology vehicles. The second type of credit is independent of the calculation of a manufacturer's fleet average. Rather than giving credit by lowering a manufacturer's fleet average via a credit mechanism, these credits (in megagrams) are calculated separately and are simply added to the manufacturer's overall "bank" of credits (or debits). Using a fictional example, the remainder of this section will step through the different types of credits and show where and how they are calculated and how they impact a manufacturer's available credits.

a. Basic Credits for a Fleet With Average CO₂ Emissions Below the Standard

Basic credits are earned by doing better than the applicable standard. Manufacturers calculate their standards

¹⁷⁵ See pages 39–41 of EPA's Vehicle and Engine Compliance Activities 2007 Progress Report (EPA-420-R-08-011) published in October 2008. This document is available electronically at <http://epa.gov/otaq/about/420R08011.pdf>.

(separate standards are calculated for cars and trucks) using the footprint-based equations described in Section III.B. A manufacturer's actual end-of-year fleet average CO₂ is calculated similarly to the way in which CAFE values are currently calculated; in fact, the regulations are essentially identical. The current CAFE calculation methods are in 40 CFR Part 600. EPA is proposing to amend key subparts and sections of Part 600 to require that fleet average CO₂ be calculated in a manner parallel to the way CAFE values are calculated. First manufacturers would determine a CO₂-equivalent value for each model type. The CO₂-equivalent value is a summation of the carbon-containing constituents of the exhaust emissions, with each weighted by a coefficient that reflects the carbon weight fraction of that constituent. For gasoline and diesel vehicles this simply involves measurement of total hydrocarbons and carbon monoxide in addition to CO₂, but becomes somewhat

more complex for alternative fuel vehicles due to the different nature of their exhaust emissions. For example, for ethanol-fueled vehicles, the emission tests must measure ethanol, methanol, formaldehyde, and acetaldehyde in addition to CO₂. However, all these measurements are necessary to determine fuel economy and thus no new testing or data collection would be required. Second, manufacturers would calculate a fleet average by weighting the CO₂-equivalent value for each model type by the production of that model type, as they currently do for the CAFE program. Again, this would be done separately for cars and trucks. Finally, the manufacturer would compare the calculated standard with the average that is actually achieved to determine the credits (or debits). Both the determination of the applicable standard and the actual fleet average would be done after the model year is complete and using final model year production data.

Consider a basic example where Manufacturer "A" has calculated a car standard of 300 grams/mile and a fleet average of 290 grams/mile (Figure III.E.5-1). Further assume that the manufacturer produced 500,000 cars. The credit is calculated by taking the difference between the standard and the fleet average (300-290=10) and multiplying it by the production of 500,000. This result is then multiplied by the lifetime vehicle miles travelled (for cars this is 190,971 miles), then finally divided by 1,000,000 to convert from grams to total megagrams. The result is the number of CO₂ megagrams of credit (or deficit, if the manufacturer was not able to comply with the fleet average standard) generated by the manufacturer's car fleet. In this example, the result is 954,855 megagrams.

BILLING CODE 4910-59-P

Summary for Manufacturer A: Earning Basic Credits		
	CO ₂	Totals
Total production	Conventional: 500,000	500,000
Fleet average	300 g/mi	
standard		
Fleet average	290 g/mi	
Credits	$[(300-290) \times 500,000 \times 190,971] \div 1,000,000$	= 954,855 Mg

Figure III.E.5-1 Summary for Manufacturer A: Earning Basic Credits

b. Advanced Technology Credits

Advanced technology credits directly impact a manufacturer's fleet average, thus increasing the amount of credits they earn (or reducing the amount of debits that would otherwise accrue). To earn these credits, manufacturers that produce electric vehicles, plug-in hybrid electric vehicles, or fuel cell electric vehicles would include these vehicles in the fleet average calculation

with their model type emission values (0 g/m for electric vehicles and fuel cell electric vehicles, and a measured CO₂ value for plug-in hybrid electric vehicles), but would apply the proposed multiplier of 2.0 to the production volume of each of these vehicles. This approach would thus enhance the impact that each of these low-CO₂ advanced technology vehicles has on the manufacturer's fleet average.

EPA is proposing to limit availability of advanced technology credits to the technologies noted above, with the additional limitation that the vehicles must be certified to Tier 2 Bin 5 emission standards or cleaner (this obviously applies primarily to plug-in hybrid electric vehicles). EPA is proposing to use the following definitions to determine which vehicles

are eligible for the advanced technology credits:

- *Electric vehicle* means a motor vehicle that is powered solely by an electric motor drawing current from a rechargeable energy storage system, such as from storage batteries or other portable electrical energy storage devices, including hydrogen fuel cells, provided that:

- (1) Recharge energy must be drawn from a source off the vehicle, such as residential electric service; and

- (2) The vehicle must be certified to the emission standards of Bin #1 of Table S04-1 in paragraph (c)(6) of § 86.1811.

- *Fuel cell electric vehicle* means a motor vehicle propelled solely by an electric motor where energy for the motor is supplied by a fuel cell.

- *Fuel cell* means an electrochemical cell that produces electricity via the reaction of a consumable fuel on the anode with an oxidant on the cathode in the presence of an electrolyte.

- *Plug-in hybrid electric vehicle (PHEV)* means a hybrid electric vehicle that: (1) Has the capability to charge the battery from an off-vehicle electric source, such that the off-vehicle source cannot be connected to the vehicle while the vehicle is in motion, and (2) has an equivalent all-electric range of no less than 10 miles.

With some simplifying assumptions, assume that 25,000 of Manufacturer A's fleet are now plug-in hybrid electric vehicles with CO₂ emissions of 100 g/mi, and the remaining 475,000 are conventional technology vehicles with average CO₂ emissions of 290 grams/mile. By applying the factor of 2.0 to the electric vehicle production numbers in the appropriate places in the fleet average calculation formula Manufacturer A now has more than 2.6 million credits (Figure III.E.5-2). Without the use of the multiplier Manufacturer A's fleet average would be 281 instead of 272, which would generate about 1.8 million credits.

Summary for Manufacturer A: Earning Basic and Advanced Technology Credits		
	CO ₂	Totals
Total production	290 g/mi	500,000
	100 g/mi	
Fleet average standard	300 g/mi	
Fleet average	$[(475,000 \times 290) + ((2 \times 25,000) \times 100)] \div [475,000 + (2 \times 25,000)]$	272 g/mi
Credits	$[(300 - 272) \times 500,000 \times 190,971] \div 1,000,000$	= 2,673,594 Mg

Figure III.E.5-2 Summary for Manufacturer A: Earning Basic and Advanced Technology Credits

c. Flexible-Fuel Vehicle Credits

As noted in Section III.C, treatment of flexible-fuel vehicle (FFV) credits differs between 2012 to 2015 and 2016 and later. For the 2012 through 2015 model years the FFV credits will be calculated as they are in the CAFE program for the same model years, except that formulae in the regulations would be modified as needed to do the calculations in terms of grams per mile of CO₂ rather than miles per gallon. Like the advanced

technology vehicle credits, these credits are integral to the fleet average calculation, but rather than crediting the vehicles with an artificially inflated quantity as in the advanced technology credit program described above, the FFV credit program allows the vehicles to be represented by artificially reduced emissions. To use this credit program, the CO₂ emissions of FFVs will be represented by the average of two things: the CO₂ emissions while

operating on gasoline, and the CO₂ emissions operating on the alternative fuel multiplied by 0.15.

For example, Manufacturer A now makes 30,000 FFVs with CO₂ emissions of 280 g/mi using gasoline and 260 g/mi using ethanol. The CO₂ emissions that would represent the FFVs in the fleet average calculation would be calculated as follows:

$$\text{FFV emissions} = (280 + 260 \times 0.15) \div 2 = 160 \text{ g/mi}$$

Including these FFVs with the applicable credit in Manufacturer A's fleet average, as shown below in Figure

III.E.5-3, further reduces the fleet average to 256 grams/mile and increases

the manufacturer's credits to about 4.2 million megagrams.

Summary for Manufacturer A: Earning Basic, Advanced Technology, and Flexible Fuel Vehicle Credits		CO ₂	Totals
Total production	Conventional: 445,000 PHEV: 25,000 FFV: 30,000	290 g/mi 100 g/mi 160 g/mi	500,000
Fleet average standard		300 g/mi	
Fleet average	$[(445,000 \times 290) + ((2 \times 25,000) \times 100) + 30,000 \times 160] \div [475,000 + (2 \times 25,000)]$	256 g/mi	
Credits	$[(300 - 256) \times 500,000 \times 190,971] \div 1,000,000$		= 4,201,362 Mg

Figure III.E.5-3 Summary for Manufacturer A: Earning Basic and Advanced Technology, and Flexible Fuel Vehicle Credits

In the 2016 and later model years the calculation of FFV emissions would be much the same except that the determination of the CO₂ value to represent an FFV model type would be

based upon the actual use of the alternative fuel and on actual CO₂ emissions while operating on that fuel. EPA's default assumption in the regulations is that the alternative fuel is

used negligibly, and the CO₂ value that would apply to an FFV by default would be the value determined for operation on conventional fuel. However, if the manufacturer believes

that the alternative fuel is used in real-world driving and that accounting for this use could improve the fleet average, the manufacturer would have two options. First, the regulations would allow a manufacturer to request that EPA determine an appropriate weighting value for an alternative fuel to reflect the degree of use of that fuel in FFVs relative to real-world use of the conventional fuel. Section III.C describes how EPA might make this determination. Any value determined by EPA would be published via guidance letter to manufacturers, and that weighting value would be available for all manufacturers to use for that fuel. A second option proposed in the regulations would allow a manufacturer to determine the degree of alternative fuel use for their own vehicle(s), using a variety of potential methods. Both the method and the use of the final results

would have to be approved by EPA before their use would be allowed. In either case, whether EPA supplies the weighting factors or the manufacturer determines them, the CO₂ emissions of an FFV in 2016 and later would be as follows (assuming non-zero use of the alternative fuel):

$$(W1 \times CO_2\text{conv}) + (W2 \times CO_2\text{alt}),$$

Where,

W1 and W2 are the proportion of miles driven using conventional fuel and alternative fuel, respectively, CO₂conv is the CO₂ value while using conventional fuel, and CO₂alt is the CO₂ value while using the alternative fuel.

d. Dedicated Alternative Fuel Vehicle Credits

Like the FFV credit program described above, these credits would be treated differently in the first years of the program than in the 2016 and later model years. In fact, these credits are

essentially identical to the FFV credits except for two things: (1) There is no need to average CO₂ values for gasoline and alternative fuel, and (2) in 2016 and later there is no demonstration needed to get a benefit from the alternative fuel. The CO₂ values are essentially determined the same way they are for FFVs operating on the alternative fuel. For the 2012 through 2015 model years the CO₂ test results are multiplied by the credit adjustment factor of 0.15, and the result is production-weighted in the fleet average calculation. For example, assume that Manufacturer A now produces 20,000 dedicated CNG vehicles with CO₂ emissions of 220 grams/mile, in addition to the FFVs and PHEVs already included in their fleet (Figure III.E.5-4). Prior to the 2016 model year the CO₂ emissions representing these CNG vehicles would be 33 grams/mile (220 × 0.15).

Summary for Manufacturer A: Earning Basic, Advanced Technology, and Flexible Fuel Vehicle Credits		CO ₂	Totals
Total production	Conventional: 425,000 PHEV: 25,000 FFV: 30,000 CNG: 20,000	290 g/mi 100 g/mi 160 g/mi 33 g/mi	500,000
Fleet average standard		300 g/mi	
Fleet average	$[(425,000 \times 290) + ((2 \times 25,000) \times 100) + (30,000 \times 160) + (20,000 \times 33)] \div [475,000 + (2 \times 25,000)]$	247 g/mi	
Credits	$[(300 - 247) \times 500,000 \times 190,971] \div 1,000,000$		= 5,060,732 Mg

Figure III.E.5-4 Summary for Manufacturer A:
Earning Basic, Advanced Technology, and Flexible Fuel Vehicle Credits

BILLING CODE 4910-59-C

The calculation for 2016 and later would be exactly the same except the 0.15 credit adjustment factor would be removed from the equation, and the CNG vehicles would simply be production-weighted in the equation using their actual emissions value of 220 grams/mile instead of the "credited" value of 33 grams/mile.

e. Air Conditioning Leakage Credits

Unlike the credit programs described above, air conditioning-related credits do not affect the overall calculation of the fleet average. Whether a manufacturer generates zero air conditioning credits or many, the calculated fleet average remains the same. Air conditioning credits are calculated and added to any credits (or deficit) that results from the fleet

average calculation. Thus, these credits can increase a manufacturer's credit balance or offset a deficit, but their calculation is external to the fleet average calculation. As noted in Section III.C, manufacturers could generate credits for reducing the leakage of refrigerant from their air conditioning systems. To do this the manufacturer would identify an air conditioning system improvement, indicate that they

intend to use the improvement to generate credits, and then calculate an annual leakage rate (grams/year) for that system based on the method defined by the proposed regulations. Air conditioning credits would be determined separately for cars and trucks using the car and truck-specific equations described in Section III.C.

In order to put these credits on the same basis as the basic and other credits describe above, the air conditioning leakage credits would need to be calculated separately for cars and trucks. Thus, the resulting grams per mile credit determined from the appropriate car or truck equation would be multiplied by the lifetime VMT (190,971 for cars; 221,199 for trucks), and then divided by 1,000,000 to get the total megagrams of CO₂ credits generated by the improved air conditioning system. Although the calculations are done separately for cars and trucks, the total megagrams would be summed and then added to the overall credit balance maintained by the manufacturer.

For example, assume that Manufacturer A has improved an air conditioning system that is installed in 250,000 cars and that the calculated leakage rate is 12 grams/year. Assume that the manufacturer has also implemented a new refrigerant with a Global Warming Potential of 850. In this case the credit per air conditioning unit, rounded to the nearest gram per mile would be:

$$[13.8 \times [1 - (12/16.6 \times 850/1430)]] = 7.9 \text{ g/mi.}$$

Total megagrams of credits would then be:

$$[7.9 \times 250,000 \times 190971] + 1,000,000 = 377,168 \text{ Mg.}$$

These credits would be added directly to a manufacturer's total balance; thus in this example Manufacturer A would now have, after consideration of all the above credits, a total of 5,437,900 Megagrams of credits.

f. Air Conditioning Efficiency Credits

As noted in Section III.C.1.b, manufacturers could earn credits for improvements in air conditioning efficiency that reduce the impact of the air conditioning system on fuel consumption. These credits are similar to the air conditioning leakage credits described above, in that these credits are determined independently from the manufacturer's fleet average calculation, and the resulting credits are added to the manufacturer's overall balance for the respective model year. Like the air conditioning leakage credits, these credits can increase a manufacturer's

credit balance or offset a deficit, but their calculation is external to the fleet average calculation.

In order to put these credits on the same basis as the basic and other credits describe above, the air conditioning leakage credits would need to be calculated separately for cars and trucks. Thus, the resulting grams per mile credit determined in the above equation would be multiplied by the lifetime VMT (190,971 for cars; 221,199 for trucks), and then divided by 1,000,000 to get the total megagrams of CO₂ credits generated by the improved air conditioning system. Although the calculations are done separately for cars and trucks, the total megagrams can be summed and then added to the overall credit balance maintained by the manufacturer.

As described in Section III.C, manufacturers would determine their credit based on selections from a menu of technologies, each of which provides a gram per mile credit amount. The credits would be summed for all the technologies implemented by the manufacturer, but could not exceed 5.7 grams per mile. Once this is done, the calculation is a straightforward translation of a gram per mile credit to total car or truck megagrams, using the same methodology described above. For example, if Manufacturer A implements enough technologies to get the maximum 5.7 grams per mile for an air conditioning system that sells 250,000 units in cars, the calculation of total credits would be as follows:

$$[5.7 \times 250,000 \times 190971] + 1,000,000 = 272,134 \text{ Mg.}$$

These credits would be added directly to a manufacturer's total balance; thus in this example Manufacturer A would now have, after consideration of all the above credits, a total of 5,710,034 Megagrams of credits.

g. Off-Cycle Technology Credits

As described in Section III.C, these credits would be available for certain technologies that achieve real-world CO₂ reductions that aren't adequately captured on the city or highway test cycles used to determine compliance with the fleet average standards. Like the air conditioning credits, these credits are independent of the fleet average calculation. Section III.C.4 describes two options for generating these credits: either using EPA's 5-cycle fuel economy labeling methodology, or if that method fails to capture the CO₂-reducing impact of the technology, the manufacturer could propose and use, with EPA approval, a different analytical approach to determining the

credit amount. Like the air conditioning credits above, these credits would have to be determined separately for cars and trucks because of the differing lifetime mileage assumptions between cars and trucks.

Using the 5-cycle approach would be relatively straightforward, and because the 5-cycle formulae account for nationwide variations in driving conditions, no additional adjustments to the test results would be necessary. The manufacturer would simply calculate a 5-cycle CO₂ value with the technology installed and operating and compare it with a 5-cycle CO₂ value determined without the technology installed and/or operating. Existing regulations describe how to calculate 5-cycle fuel economy values, and the proposed regulations contain provisions that describe how to calculate 5-cycle CO₂ values. The manufacturer would have to design a test program that accounts for vehicle differences if the technology is installed in different vehicle types, and enough data would have to be collected to address data uncertainty issues. A description of such a test program and the results would be submitted to EPA for approval.

As noted in Section III.C.4, a manufacturer-developed testing, data collection and analysis program would require some additional EPA approval and oversight. Once the demonstration of the CO₂ reduction of an off-cycle technology is complete, however, and the resulting value accounts for variations in driving, climate and other conditions across the country, the two approaches are treated fundamentally the same way and in a way that parallels the approach for determining the air conditioning credits described above. Once a gram per mile value is approved by the EPA, the manufacturer would determine the total credit value by multiplying the gram per mile per vehicle credit by the volume of vehicles with that technology and approved for use of the credit. This would then be multiplied by the lifetime vehicle miles for cars or trucks, whichever applies, and divided by 1,000,000 to obtain total Megagrams of CO₂ credits. These credits would then be added to the manufacturer's total balance for the given model year. Just like the above air conditioning case, an off-cycle technology that is demonstrated to achieve an average CO₂ reduction of 4 grams/mile and that is installed in 175,000 cars would generate credits as follows:

$$[4 \times 175,000 \times 190971] + 1,000,000 = 133,680 \text{ Mg.}$$

h. End-of-Year Reporting

In general, implementation of the averaging, banking, and trading (ABT) program, including the calculation of credits and deficits, would be accomplished via existing reporting mechanisms. EPA's existing regulations define how manufacturers calculate fleet average miles per gallon for CAFE compliance purposes, and EPA is proposing to modify these regulations to also require the parallel calculation of fleet average CO₂ levels for car and light truck compliance categories. These regulations already require an end-of-year report for each model year, submitted to EPA, which details the test results and calculations that determine each manufacturer's CAFE levels. EPA is proposing to require that this report also include fleet average CO₂ levels. In addition to requiring reporting of the actual fleet average achieved, this end-of-year report would also contain the calculations and data determining the manufacturer's applicable fleet average standard for that model year. As under the existing Tier 2 program, the report would be required to contain the fleet average standard, all values required to calculate the fleet average standard, the actual fleet average CO₂ that was achieved, all values required to calculate the actual fleet average, the number of credits generated or debits incurred, all the values required to calculate the credits or debits, and the resulting balance of credits or debits.

Because of the multitude of credit programs that are available, the end-of-year report will be required to have more data and a more defined and specific structure than the CAFE end-of-year report does today. Although requiring "all the data required" to calculate a given value should be inclusive, the proposed report would contain some requirements specific to certain types of credits.

For advanced technology credits that apply to vehicles like electric vehicles and plug-in hybrid electric vehicles, manufacturers would be required to identify the number and type of these vehicles and the effect of these credits on their fleet average. The same would be true for credits due to flexible-fuel and alternative-fuel vehicles, although for 2016 and later flexible-fuel credits manufacturers would also have to provide a demonstration of the actual use of the alternative fuel in-use and the resulting calculations of CO₂ values for such vehicles. For air conditioning leakage credits manufacturers would have to include a summary of their use of such credits that would include which air conditioning systems were

subject to such credits, information regarding the vehicle models which were equipped with credit-earning air conditioning systems, the production volume of these air conditioning systems, the leakage score of each air conditioning system generating credits, and the resulting calculation of leakage credits. Air conditioning efficiency reporting will be somewhat more complicated given the phase-in of the efficiency test, and reporting would have to detail compliance with the phase-in as well as the test results and the resulting efficiency credits generated. Similar reporting requirements would also apply to the variety of possible off-cycle credit options, where manufacturers would have to report the applicable technology, the amount of credit per unit, the production volume of the technology, and the total credits from that technology.

Although it is the final end-of-year report, when final production numbers are known, that will determine the degree of compliance and the actual values of any credits being generated by manufacturers, EPA is also proposing that manufacturers be prepared to discuss their compliance approach and their potential use of the variety of credit options in pre-certification meetings that EPA routinely has with manufacturers. In addition, and in conjunction with a pre-model year report required under the CAFE program, the manufacturer would be required to submit projections of all of the elements described above.

Finally, to the extent that there are any credit transactions, the manufacturer would have to detail in the end-of-year report documentation on all credit transactions that the manufacturer has engaged in. Information for each transaction would include: The name of the credit provider, the name of the credit recipient, the date the transfer occurred, the quantity of credits transferred, and the model year in which the credits were earned. Failure by the manufacturer to submit the annual report in the specified time period would be considered to be a violation of section 203(a)(1) of the Clean Air Act.

6. Enforcement

As discussed above in Section III.E.5 under the proposed program, manufacturers would report to EPA their fleet average standard for a given model year (reporting separately for each of the car and truck averaging sets), the credits or deficits generated in the current year, the balance of credit balances or deficits (taking into account

banked credits, deficit carry-forward, etc. *see* Section III.E.5), and whether they were in compliance with the fleet average standard under the terms of the regulations. EPA would review the annual reports, figures, and calculations submitted by the manufacturer to determine any nonconformance. EPA requests comments on the above approach for monitoring and enforcement of the fleet average standard.

Each certificate, required prior to introduction into commerce, would be conditioned upon the manufacturer attaining the CO₂ fleet average standard. If a manufacturer failed to meet this condition and had not generated or purchased enough credits to cover the fleet average exceedance following the three year deficit carry-forward (Section III.B.4, then EPA would review the manufacturer's sales for the most recent model year and designate which vehicles caused the fleet average standard to be exceeded. EPA would designate as nonconforming those vehicles with the highest emission values first, continuing until a number of vehicles equal to the calculated number of non-complying vehicles as determined above is reached and those vehicles would be considered to be not covered by the certificates of conformity covering those model types. In a test group where only a portion of vehicles would be deemed nonconforming, EPA would determine the actual nonconforming vehicles by counting backwards from the last vehicle sold in that model type. A manufacturer would be subject to penalties and injunctive orders on an individual vehicle basis for sale of vehicles not covered by a certificate. This is the same general mechanism used for the National LEV and Tier 2 corporate average standards, except that these programs operate slightly differently in that the non-compliant vehicles would be designated not in the most recent model year, but in the model year in which the deficit originated. EPA requests comment on which approach is most appropriate; the Tier 2 approach of penalizing vehicles from the year in which the deficit was generated, or the proposed approach that would penalize vehicles from the year in which the manufacturer failed to make up the deficit as required.

Section 205 of the CAA authorizes EPA to assess penalties of up to \$37,500 per vehicle for violations of the requirements or prohibitions of this proposed rule.¹⁷⁶ This section of the

¹⁷⁶ 42 U.S.C. 7524(a), Civil Monetary Penalty Inflation Adjustment, 69 FR 7121 (Feb. 13, 2004)

CAA provides that the agency shall take the following penalty factors into consideration in determining the appropriate penalty for any specific case: The gravity of the violation, the economic benefit or savings (if any) resulting from the violation, the size of the violator's business, the violator's history of compliance with this title, action taken to remedy the violation, the effect of the penalty on the violator's ability to continue in business, and such other matters as justice may require.

EPA recognizes that it may be appropriate, should a manufacturer fail to comply with the NHTSA fuel economy standards as well as the CO₂ standard proposed today in a case arising out of the same facts and circumstances, to take into account the civil penalties that NHTSA has assessed for violations of the CAFE standards when determining the appropriate penalty amount for violations of the CO₂ emissions standards. This approach is consistent with EPA's broad discretion to consider "such other matters as justice may require," and will allow EPA to exercise its discretion to prevent injustice and ensure that penalties for violations of the CO₂ rule are assessed in a fair and reasonable manner.

The statutory penalty factor that allows EPA to consider "such other matters as justice may require" vests EPA with broad discretion to reduce the penalty when other adjustment factors prove insufficient or inappropriate to achieve justice.¹⁷⁷ The underlying principle of this penalty factor is to operate as a safety mechanism when necessary to prevent injustice.¹⁷⁸

In other environmental statutes, Congress has specifically required EPA to consider penalties assessed by other government agencies where violations arise from the same set of facts. For instance, section 311(b)(8) of the Clean Water Act, 33 U.S.C. 1321(b)(8) authorizes EPA to consider any other penalty for the same incident when determining the appropriate Clean Water Act penalty. Likewise, section 113(e) of the CAA authorizes EPA to consider "payment by the violator of penalties previously assessed for the same violation" when assessing penalties for certain violations of Title I of the Act.

7. Prohibited Acts in the CAA

Section 203 of the Clean Air Act describes acts that are prohibited by

and Civil Monetary Penalty Inflation Adjustment Rule, 73 FR 75340 (Dec. 11, 2008).

¹⁷⁷ *In re Spang & Co.*, 6 E.A.D. 226, 249 (EAB 1995).

¹⁷⁸ *B.J. Carney Industries*, 7 E.A.D. 171, 232, n. 82 (EAB 1997).

law. This section and associated regulations apply equally to the greenhouse standards proposed today as to any other regulated pollutant.

8. Other Certification Issues

a. Carryover/Carry Across Certification Test Data

EPA's certification program for vehicles allows manufacturers to carry certification test data over and across certification testing from one model year to the next, when no significant changes to models are made. EPA expects that this policy could also apply to CO₂, N₂O and CH₄ certification test data. A manufacturer may also be eligible to use carryover and carry across data to demonstrate CO₂ fleet average compliance if they had done so for CAFE purposes.

b. Compliance Fees

The CAA allows EPA to collect fees to cover the costs of issuing certificates of conformity for the classes of vehicles and engines covered by this proposal. On May 11, 2004, EPA updated its fees regulation based on a study of the costs associated with its motor vehicle and engine compliance program (69 FR 51402). At the time that cost study was conducted the current rulemaking was not considered.

At this time the extent of any added costs to EPA as a result of this proposal is not known. EPA will assess its compliance testing and other activities associated with the proposed rule and may amend its fees regulations in the future to include any warranted new costs.

c. Small Entity Deferment

EPA is proposing to defer CO₂ standards for certain small entities, and these entities (necessarily) would not be subject to the certification requirements of this proposal.

As discussed in Section III.B.7, businesses meeting the Small Business Administration (SBA) criterion of a small business as described in 13 CFR 121.201 would not be subject to the proposed GHG requirements, pending future regulatory action. EPA is proposing that such entities submit a declaration to EPA containing a detailed written description of how that manufacturer qualifies as a small entity under the provisions of 13 CFR 121.201 in order to ensure EPA is aware of the deferred companies. This declaration would have to be signed by a chief officer of the company, and would have to be made at least 30 days prior to the introduction into commerce of any vehicles for each model year for which the small entity status is requested, but

not later than December of the calendar year prior to the model year for which deferral is requested. For example, if a manufacturer will be introducing model year 2012 vehicles in October of 2011, then the small entity declaration would be due in September of 2011. If 2012 model year vehicles are not planned for introduction until March of 2012, then the declaration would have to be submitted in December of 2011. Such entities are not automatically exempted from other EPA regulations for light-duty vehicles and light-duty trucks; therefore, absent this annual declaration EPA would assume that each entity was not deferred from compliance with the proposed greenhouse gas standards.

d. Onboard Diagnostics (OBD) and CO₂ Regulations

The light-duty on-board diagnostics (OBD) regulations require manufacturers to detect and identify malfunctions in all monitored emission-related powertrain systems or components.¹⁷⁹ Specifically, the OBD system is required to monitor catalysts, oxygen sensors, engine misfire, evaporative system leaks, and any other emission control systems directly intended to control emissions, such as exhaust gas recirculation (EGR), secondary air, and fuel control systems. The monitoring threshold for all of these systems or components is 1.5 times the applicable standards, which typically include NMHC, CO, NO_x, and PM. EPA is confident that many of the emission-related systems and components currently monitored would effectively catch any malfunctions related to CO₂ emissions. For example, malfunctions resulting from engine misfire, oxygen sensors, the EGR system, the secondary air system, and the fuel control system would all have an impact on CO₂ emissions. Thus, repairs made to any of these systems or components should also result in an improvement in CO₂ emissions. In addition, EPA does not have data on the feasibility or effectiveness of monitoring various emission systems and components for CO₂ emissions and does not believe it would be prudent to include CO₂ emissions without such information. Therefore, at this time, EPA does not plan to require CO₂ emissions as one of the applicable standards required for the OBD monitoring threshold. EPA plans to evaluate OBD monitoring technology, with regard to monitoring CO₂ emissions-related systems and components, and may choose to propose to include CO₂ emissions as part of the OBD requirements in a future regulatory

¹⁷⁹ 40 CFR 86.1806-04.

action. EPA requests comment as to whether this is appropriate at this time, and specifically requests any data that would support the need for CO₂-related components that could or should be monitored via an OBD system.

e. Applicability of Current High Altitude Provisions to Greenhouse Gases

EPA is proposing that vehicles covered by this proposal meet the CO₂, N₂O and CH₄ standard at altitude. The CAA requires emission standards under section 202 to apply at all altitudes.¹⁸⁰ EPA does not expect vehicle CO₂, CH₄, or N₂O emissions to be significantly different at high altitudes based on vehicle calibrations commonly used at all altitudes. Therefore, EPA is proposing to retain its current high altitude regulations so manufacturers would not normally be required to submit vehicle CO₂ test data for high altitude. Instead, they would submit an engineering evaluation indicating that common calibration approaches will be utilized at high altitude. Any deviation in emission control practices employed only at altitude would need to be included in the auxiliary emission control device (AEC) descriptions submitted by manufacturers at certification. In addition, any AEC specific to high altitude would be required to include emissions data to allow EPA evaluate and quantify any emission impact and validity of the AEC. EPA requests comment on this approach, and specifically requests data on impact of altitude on FTP and HFET CO₂ emissions.

f. Applicability of Standards to Aftermarket Conversions

With the exception of the small entity deferment option EPA is proposing, EPA's emission standards, including the proposed greenhouse gas standards, would continue to apply as stated in the applicability sections of the relevant regulations. The proposed greenhouse gas standards are being incorporated into 40 CFR part 86, subpart S, the provisions of which include exhaust and evaporative emission standards for criteria pollutants. Subpart S includes requirements for new light-duty vehicles, light-duty trucks, medium-duty passenger vehicles, Otto-cycle complete heavy-duty vehicles, and some incomplete light-duty trucks. Subpart S is currently specifically applicable to aftermarket conversion systems, aftermarket conversion installers, and aftermarket conversion certifiers, as those terms are defined in 40 CFR

85.502. EPA expects that some aftermarket conversion companies would qualify for and seek the small entity deferment, but those that do not qualify would be required to meet the applicable emission standards, including the proposed greenhouse gas standards.

9. Miscellaneous Revisions to Existing Regulations

a. Revisions and Additions to Definitions

EPA is proposing to amend its definitions of "engine code," "transmission class," and "transmission configuration" in its vehicle certification regulations (Part 86) to conform with the definitions for those terms in its fuel economy regulations (Part 600). The exact terms in Part 86 are used for reporting purposes and are not used for any compliance purpose (e.g., an engine code would not determine which vehicle was selected for emission testing). However, the terms are used for this purpose in Part 600 (e.g., engine codes, transmission class, and transmission configurations are all criteria used to determine which vehicles are to be tested for the purposes of establishing corporate average fuel economy). Here, EPA is proposing that the same vehicles tested to determine corporate average fuel economy also be tested to determine fleet average CO₂, so the same definitions should apply. Thus EPA is proposing to amend its Part 86 definitions of the above terms to conform to the definitions in Part 600.

To bring EPA's fuel economy regulations in Part 600 into conformity with this proposal for fleet average CO₂ and NHTSA's reform truck regulations two amendments are proposed. First, the definition of "footprint" that is proposed in this rule is also being proposed for addition to EPA's Part 86 and 600 regulations. This definition is based on the definition promulgated by NHTSA at 49 CFR 523.2. Second, EPA is proposing to amend its model year CAFE reporting regulations to include the footprint information necessary for EPA to determine the reformed truck standards and the corporate average fuel economy. This same information is proposed to be included in this proposal for fleet average CO₂ and fuel economy compliance.

b. Addition of Ethanol Fuel Economy Calculation Procedures

EPA is proposing to add calculation procedures to part 600 for determining the carbon-related exhaust emissions and calculating the fuel economy of vehicles operating on ethanol fuel.

Manufacturers have been using these procedures as needed, but the regulatory language—which specifies how to determine the fuel economy of gasoline, diesel, compressed natural gas, and methanol fueled vehicles—has not previously been brought up-to-date to provide procedures for vehicles operating on ethanol. Thus EPA is proposing a carbon balance approach similar to other fuels for the determination of carbon-related exhaust emissions for the purpose of determining fuel economy and for compliance with the proposed fleet average CO₂ standards. The carbon balance formula is similar to that for methanol, except that ethanol-fueled vehicles must also measure the emissions of ethanol and acetaldehyde. The proposed carbon balance equation for determining fuel economy is as follows, where CWF is the carbon weight fraction of the fuel and CWF_{exHC} is the carbon weight fraction of the exhaust hydrocarbons:

$$\text{mpg} = (\text{CWF} \times \text{SG} \times 3781.8) / ((\text{CWF}_{\text{exHC}} \times \text{HC}) + (0.429 \times \text{CO}) + (0.273 \times \text{CO}_2) + (0.375 \times \text{CH}_3\text{OH}) + (0.400 \times \text{HCHO}) + (0.521 \times \text{C}_2\text{H}_5\text{OH}) + (0.545 \times \text{C}_2\text{H}_4\text{O}))$$

The proposed equation for determining the total carbon-related exhaust emissions for compliance with the CO₂ fleet average standards is the following, where CWF_{exHC} is the carbon weight fraction of the exhaust hydrocarbons:

$$\text{CO}_2\text{-eq} = (\text{CWF}_{\text{exHC}} \times \text{HC}) + (0.429 \times \text{CO}) + (0.375 \times \text{CH}_3\text{OH}) + (0.400 \times \text{HCHO}) + (0.521 \times \text{C}_2\text{H}_5\text{OH}) + (0.545 \times \text{C}_2\text{H}_4\text{O}) + \text{CO}_2$$

EPA requests comment on the use of these formulae to determine fuel economy and carbon emissions.

c. Revision of Electric Vehicle Applicability Provisions

In 1980 EPA issued a rule that provided for the inclusion of electric vehicles in the CAFE program.¹⁸¹ EPA now believes that certain provisions of the regulations should be updated to reflect the current state of motor vehicle emission and fuel economy regulations. In particular, EPA believes that the exemption of electric vehicles in certain cases from fuel economy labeling and CAFE requirements should be reevaluated and revised.

The rule created an exemption for electric vehicles from fuel economy labeling in the following cases: (1) If the electric vehicles are produced by a company that produces only electric vehicles; and (2) if the electric vehicles are produced by a company that

¹⁸⁰ See CAA 206(f).

¹⁸¹ 45 FR 49256, July 24, 1980.

produces fewer than 10,000 vehicles of all kinds worldwide. EPA believes that this exemption language is no longer appropriate and proposes to delete it from the affected regulations. First, since 1980 many regulatory provisions have been put in place to address the concerns of small manufacturers and enable them to comply with fuel economy and emission programs with reduced burden. EPA believes that all small volume manufacturers should compete on a fair and level regulatory playing field and that there is no longer a need to treat small volume electric vehicles any differently than small volume manufacturers of other types of vehicles. Current regulations contain streamlined certification procedures for small companies, and because electric vehicles emit no direct pollution there is effectively no certification emission testing burden. For example, the proposed greenhouse gas regulations contain a provision allowing the exemption of certain small entities. Meeting the requirements for fuel economy labeling and CAFE will entail a testing, reporting, and labeling burden, but these burdens are not extraordinary and should be applied equally to all small volume manufacturers, regardless of the fuel that moves their vehicles. EPA has been working with existing electric vehicle manufacturers on fuel economy labeling, and EPA believes it is important for the consumer to have impartial, accurate, and useful label information regarding the energy consumption of these vehicles. Second, EPCA does not provide for an exemption of electric vehicles from NHTSA's CAFE program, and NHTSA regulations regarding the applicability of the CAFE program do not provide an exemption for electric vehicles. Third, the blanket exemption for any manufacturer of only electric vehicles assumed at the time that these companies would all be small, but the exemption language inappropriately did not account for size and would allow large manufacturers to be exempt as well. Finally, because of growth expected in the electric vehicle market in the future, EPA believes that the labeling and CAFE regulations need to be designed to more specifically accommodate electric vehicles and to require that consumers be provided with appropriate information regarding these vehicles. For these reasons EPA is proposing revisions to 40 CFR Part 600 applicability regulations such that these electric vehicle exemptions are deleted starting with the 2012 model year.

d. Miscellaneous Conforming Regulatory Amendments

Throughout the regulations EPA has made a number of minor amendments to update the regulations as needed or to conform with amendments discussed in this preamble. For example, for consistency with the ethanol fuel economy calculation procedures discussed above, EPA has amended regulations where necessary to require the collection of emissions of ethanol and acetaldehyde. Other changes are made to applicability sections to remove obsolete regulatory requirements such as phase-ins related to EPA's Tier 2 emission standards program, and still other changes are made to better accommodate electric vehicles in EPA emission control regulations. Not all of these minor amendments are noted in this preamble, thus the reader should carefully evaluate the proposed regulatory text to ensure a complete understanding of the regulatory changes being proposed by EPA.

10. Warranty, Defect Reporting, and Other Emission-Related Components Provisions

Under section 207(a) of the CAA, manufacturers must warrant that a vehicle is designed to comply with the standards and will be free from defects that may cause it to not comply over the specified period which is 2 years/24,000 miles (whichever is first) or, for major emission control components, 8 years/80,000 miles. Under certain conditions, manufacturers may be liable to replace failed emission components at no expense to the owner. EPA regulations define "emission related parts" for the purpose of warranty. This definition includes parts which must function properly to assure continued compliance with the emission standards.¹⁸²

The air conditioning system and its components have not previously been covered under the CAA warranty provisions. However, the proposed A/C leakage and A/C-related CO₂ emission standards are dependent upon the proper functioning of a number of components on the A/C system, such as rings, fittings, compressors, and hoses. Therefore, EPA is proposing that these components be included under the CAA section 207(a) emission warranty provisions, with a warranty of 2 years/24,000 miles.

EPA requests comment as to whether any other parts or components should be designated as "emission related parts" subject to warranty and defect

reporting provisions under this proposal.

11. Light Duty Vehicles and Fuel Economy Labeling

American consumers need accurate and meaningful information about the environmental and fuel economy performance of new light vehicles. EPA believes it is important that the fuel-economy label affixed to the new vehicles provide consumers with the critical information they need to make smart purchase decisions. This is a special challenge in light of the expected increase in market share of electric and other advanced technology vehicles. Consumers may need new and different information than today's vehicle labels provide in order to help them understand the energy use and associated cost of owning these electric and advanced technology vehicles. As discussed below, these two issues are key to determining whether the current MPG-based fuel-economy label is adequate.

Therefore, as part of this action, EPA seeks comments on issues surrounding consumer vehicle labeling in general, and labeling of advanced technology vehicles in particular. EPA also plans to initiate a separate rulemaking to explore in detail the information displayed on the fuel economy label and the methodology for deriving that information. The purposes of this new rulemaking would be to ensure that American consumers continue to have the most accurate, meaningful, and useful information available to them when purchasing new vehicles, and that the information is presented to them in clear and understandable terms.

a. Background

EPA has considerable experience in providing vehicle information to consumers through its fuel-economy labeling activities and related web-based programs. Under 49 U.S.C. 32908(b) EPA is responsible for developing the fuel economy labels that are posted on window stickers of all new light duty cars and trucks sold in the U.S. and, beginning with the 2011 model year, on all new medium-duty passenger vehicles (a category that includes large sport-utility vehicles and passenger vans). The statutory requirements established by EPCA require that the label contain the following:

- The fuel economy of the vehicle;¹⁸³
- The estimated annual fuel cost of operating the vehicle;

¹⁸³ "Fuel economy" per the statute is miles per gallon of gasoline (or equivalent amount of other fuel).

¹⁸² 40 CFR 85.2102(14).

- The range of fuel economy of comparable vehicles among all manufacturers;
- A statement that a fuel economy booklet is available from the dealer;¹⁸⁴ and
- The amount of the "gas guzzler" tax imposed on the vehicle by the Internal Revenue Service.
- Other information required or authorized by EPA that is related to the information required above.

Fuel economy is defined as the number of miles traveled by an automobile for each gallon of gasoline (or equivalent amount of other fuel). It is relatively easy to determine the miles per gallon (MPG) for vehicles that use liquid fuels (e.g., gasoline or diesel), but an expression that uses gallons—whether miles per gallon or gallons per mile—may not be a useful metric for vehicles that have limited to no operation on liquid fuel such as electric or compressed natural gas vehicles. The mpg metric is the one generally used today to provide comparative fuel economy information to consumers.

As part of its vehicle certification, CAFE, and fuel economy labeling authorities, EPA works with stakeholders on the testing and other regulatory requirements necessary to bring advanced technology vehicles to market. With increasing numbers of advanced technology vehicles beginning to be sold, EPA believes it is now appropriate to address potential regulatory and certification issues associated with these technologies including how best to provide relevant consumer information about their environmental impact, energy consumption, and cost.

b. Test Procedures

As discussed in this notice, there are explicit and very long-standing test procedures and calculation methodologies associated with CAFE that EPA uses to test conventionally-fueled vehicles and to calculate their fuel economy. These test procedures and calculations also generally apply to advanced technology vehicles (e.g., an electric (EV) or plug-in hybrid vehicle (PHEV)).

The basic test procedure for an electric vehicle follows a standardized practice—an EV is fully charged and then driven over the city cycle (Urban Dynamometer Drive Schedule) until the vehicle can no longer maintain the required drive cycle vehicle speed. For some vehicles, this could require operation over multiple drive cycles.

The EV is then fully recharged and the AC energy to the charger is recorded.

To derive the CAFE value for electric vehicles, the amount of AC energy needed to recharge the battery is divided by the range the vehicle reached in the repeated city drive cycle. This calculation provides a raw CAFE energy consumption value expressed in kilowatt hours per 100 miles. The raw CAFE number is then converted to miles per gallon of equivalent gasoline using a Department of Energy (DOE) conversion factor of 82,700 Kwhr/gallon of gasoline.¹⁸⁵ The DOE conversion factor combines several adjustments including: an adjustment similar to the statutory 6.67 multiplier credit¹⁸⁶ used in deriving the final CAFE value for alternative fueled vehicles; a factor representing the gasoline-equivalent energy content of electricity; and various adjustments to account for the relative efficiency of producing and transporting the electricity. The resulting value after the DOE conversion factor is applied becomes the final CAFE city value.

The label value calculation for an EV uses a different conversion factor than the CAFE value calculation. To come up with the final city fuel economy label value for an EV, a conversion factor of 33,705 Kwhr/gallon of gasoline equivalent is applied to the raw consumption number instead of the 82,700 Kwhr/gallon used for CAFE. The conversion factor used for labeling purposes represents only the gasoline-equivalent energy content of electricity, without the multiplier credit and other adjustments used in the CAFE calculation. The consumption, now expressed as a fuel economy in miles per gallon equivalent, is then applied to the derived 5-cycle equation required under EPA's fuel economy labeling regulations. The above process is then repeated for the EV highway fuel economy label number. Finally, the combined city/highway numbers for the EV use the same 55/45 weighting as conventional vehicles to determine the final fuel economy label values. CAFE numbers end up being significantly higher for EVs than the associated fuel economy label values, both because a higher adjustment factor applies under CAFE regulations and also because other real-world adjustments such as the 5-cycle test are not applied to the CAFE values.

For PHEVs, a similar process would be followed, except that PHEVs require testing in both charge sustain (CS) and charge depleting (CD) modes to capture

how these vehicles operate. For charge sustain modes, PHEVs essentially operate as conventional Hybrid Electric Vehicles (HEVs). PHEVs therefore test in all 5-cycles (for further information on these test cycles, see Section III.C.4) just as HEVs do for CS fuel economy. For CD fuel economy, PHEVs are only required to test on the Urban Dynamometer Drive Schedule and Highway Fuel Economy cycles just like other alternative fueled vehicles—the 5-cycle fuel economy testing is optional in the CD mode. There are additional processes that address different PHEV modes, such as for PHEVs that operate solely on electricity throughout the CD mode.

As this discussion shows, the CAFE and fuel economy labeling test procedures and calculations for advanced technology vehicles such as EVs and PHEVs can be very complicated. EPA is interested in comments on these processes, including views on the appropriate use of adjustment factors. Currently in guidance, EPA references SAE J1634 for EV range and consumption test procedures. EPA currently includes the "California Exhaust Emission Standards and Test Procedures for 2003 and Subsequent Model Zero-Emission Vehicles, in the Passenger Car, Light Truck, and Medium-duty Vehicle Classes" by reference in 40 CFR 86.1. As California requirements and SAE test procedures are updated these may be included by reference in the future.

c. Current Fuel Economy Label

In 2006 EPA redesigned the window stickers to make them more informative for consumers. More particular, the redesigned stickers more prominently feature annual fuel cost information, to provide contemporary and easy-to-use graphics for comparing the fuel economy of different vehicles, to use clearer text, and to include a Web site reference to www.fueleconomy.gov which provides additional information. In addition, EPA updated how the city and highway fuel economy values were calculated, to reflect typical real-world driving patterns.¹⁸⁷ This rulemaking involved significant stakeholder outreach in determining how best to calculate and display this new information. The feedback EPA has received to date on the new label design and values has been generally very positive.

During the 2006 label rulemaking process EPA requested comments on

¹⁸⁴ EPA and DOE jointly publish the annual Fuel Economy Guide and distribute it to dealers.

¹⁸⁵ 49 U.S.C. 32904 and 10 CFR 474.3.

¹⁸⁶ 49 U.S.C. 32905.

¹⁸⁷ 71 FR 77872 (December 27, 2006). Fuel Economy Labeling of Motor Vehicles: Revisions to Improve Calculations of Fuel Economy Estimates. U.S. EPA.

how a fuel consumption metric (such as gallons per 100 miles) could be used and represented to the public, including presentation in the annual Fuel Economy Guide. EPA received a number of comments from both vehicle manufacturers and consumer organizations, suggesting that the MPG measures can be misleading and that a fuel consumption metric might be more meaningful to consumers than the established MPG metric found on fuel economy labels. The reason is that fuel consumption metric, directly measures the amount of fuel used and is thus directly related to cost that consumers incur when filling up.

The problem with the MPG metric is that it is inversely related to fuel consumption and cost. As higher MPG values are reached, the relative impact of these higher values on fuel consumption and fuel costs decreases. For example, a 25 percent increase in gallons per 100 miles will always lead to a 25 percent increase in the fuel cost, but a similar 25 percent increase in MPG will have varying impacts on actual fuel cost depending on whether the percent increase occurs to a low or high MPG value. Many consumers do not understand this nonlinear relationship between MPG and fuel costs. Evidence suggest that people tend

to see the MPG as being linear with fuel cost, which will lead to erroneous decisions regarding vehicle purchases. Figure III.E.11-1 below illustrates the issue; one can see that changes in MPG at low MPG levels can result in large changes in the fuel cost, while changes in MPG values at high MPG levels result in small changes in the fuel cost. For example, a change from 10 to 15 MPG will reduce the 10-mile fuel cost from \$2.50 to \$1.60, but a similar increase in MPG from 20 to 25 MPG will only reduce the 10-mile fuel cost by less than \$0.30.




Figure III.E.11-1 Fuel Economy vs. Fuel Cost of Driving

Because of the potential for consumers to misunderstand this MPG/cost relationship, commenters on the 2006 labeling rule universally agreed that any change to the label metric should involve a significant public education campaign directed toward both dealers and consumers.

In 2006, EPA did not include a consumption-based metric on the redesigned fuel economy label in 2006. It was concerned about potential confusion associated with introducing a second metric on the label (MPG is a required element, as noted above). EPA has developed an interactive feature on www.fueleconomy.gov which allows

consumers, while viewing data on a specific vehicle, to switch units between the MPG and gallons per 100 miles metrics. The tool also displays the cost and the amount of fuel needed to drive 25 miles. As indicated above, however, EPA is alert to the problems with the MPG measure and the importance of providing consumers with a clear sense

of the consequences of their purchasing decisions; a gallon-per mile measure would have significant advantages. EPA plans to seek comment and engage in extensive public debate about fuel consumption and other appropriate consumer information metrics as part of a new labeling rule initiative. EPA also welcomes comments on this topic in response to this GHG proposal.

d. Labeling for Advanced Technology Vehicles

Even though a fuel consumption metric may more directly represent likely fuel costs than a fuel economy metric, any expression that uses gallons—whether miles per gallon or gallons per mile—is not a useful metric for vehicles that have limited to no operation on liquid fuel (e.g., electricity or compressed natural gas). For example, PHEVs and extended range electric vehicles (EREVs) can use two types of energy sources: (1) An onboard battery, charged by plugging the vehicle into the electrical grid via a conventional wall outlet, to power an electric motor, as well as (2) a gas or diesel-powered engine to propel the vehicle or power a generator used to provide electricity to the electric motor. Depending on how these vehicles are operated, they can use electricity exclusively, never use electricity and operate like a conventional hybrid, or operate in some combination of these two modes. The use of a MPG figure alone would not account for the electricity used to propel the vehicle.

EPA has worked closely with numerous stakeholders including vehicle manufacturers, the Society of Automotive Engineers (SAE), the State of California, the Department of Energy (DOE) and others to develop possible approaches for both estimating fuel economy and labeling vehicles that can operate using more than one energy source. At the present time, EPA believes the appropriate method for estimating fuel economy of PHEVs and EREVs would be a weighted average of fuel economy for the two modes of operation. A methodology developed by SAE and DOE to predict the fractions of total distance driven in each mode of operation (electricity and gas) uses a term known as a utility factor (UF). By using a utility factor, it is possible to determine a weighted average for fuel economy of the electric and gasoline modes. For example, a UF of 0.8 would indicate that a PHEV or EREV operates in an all electric mode 80% of the time and uses the gasoline engine the other 20% of the time. In this example, the weighted average fuel economy value would be influenced more by the

electrical operation than the gasoline operation.

Under this approach, a UF could be assigned to each successive fuel economy test until the battery charge was depleted and the PHEV or EREV needed power from the gasoline engine to propel the vehicle or to recharge the battery. One minus the sum of all the utility factors would then represent the fraction of driving performed in this "gasoline mode." Fuel economy could then be expressed as:

$$FE_{MPG} = \frac{1}{\sum \frac{UF_i}{FE_i} + \frac{1 - \sum UF_i}{FE_{gasoline}}}$$

Likewise, the electrical consumption would be expressed by adding the fuel consumption from each mode. Since there is no electrical consumption in hybrid mode, the equation for electricity consumption would be as follows:

$$FC_{Kwhr/100miles} = \sum UF_i \times FC_i$$

Utility factors could be cycle specific not only due to different battery ranges on different test cycles but also due to the fact that "highway" type driving may imply longer trips than urban driving. That is to say that the average city trip could be shorter than the average highway trip.

e. Request for Comments

EPA is interested in comments on both topics raised in this section. For the methodology, we are interested in comments addressing how the utility factor is calculated and which data should be used in establishing the UF. Additionally, commenters should address: The appropriateness of this approach for estimating fuel economy for PHEVs and EREVs, including the concept of using a UF to determine the fuel economy for vehicles operated in multiple modes; the appropriate form and value of the factor, including the type of data that would be necessary to confidently develop it accurately; and availability of other potential methodologies for determining fuel economy for vehicles that can operate in multiple modes, such as "all electric" and "hybrid," including the use of fuel consumption, cost, GHG emissions, or other metrics in addition to miles per gallon.

EPA is also requesting comment on how the agency can satisfy statutory labeling requirements while providing relevant information to consumers. For example, the statute indicates that EPA may provide other related items on the

label beyond those that are required.¹⁸⁸ EPA is interested in receiving comments on the potential approaches and supporting data we might consider for adding additional information regarding fuel economics while maintaining our statutory obligation to report MPG on the label.

There are a number of different metrics that are available that could be useful in this regard. Two possible options would be to show consumption in fuel use per distance (e.g., gallons/100 miles) or in cost per distance (e.g., \$/100 miles). As discussed above, these two metrics have benefits over a straight mpg value in showing a more direct relationship between fuel consumption and cost. The cost/distance metric has an added potential benefit of providing a common basis for comparing differently fueled or powered vehicles, for example being able to show the cost of gasoline used over a specified distance or time for a conventional gasoline-powered vehicle in comparison to the gasoline and electricity used over the same period for a plug-in hybrid vehicle. Another approach would be to use a metric that provides information about a vehicle's greenhouse gas emissions per unit of travel, such as carbon dioxide equivalent grams per mile (g CO₂e/mi). This type of metric would allow consumers to directly compare among vehicles on the basis of their overall greenhouse gas impact. A total annual energy cost would be another way to look at this information, and is currently used on the fuel economy label. As is currently done, EPA would need to determine and show a common set of fuel costs used to calculate such values, recognizing that energy costs vary across the country.

The Agency is also interested in comments on the usefulness of adding other types of information, such as an estimated driving range for electric vehicles. The label design is also an important issue to consider and any changes to the existing label would need to show information in a technologically accurate, meaningful and understandable manner, while ensuring that the label does not become overcrowded and difficult for consumers to comprehend. EPA is also interested in what and how other information paths, such as web-based programs, could be used to enhance the consumer education process.

¹⁸⁸ 49 U.S.C. 3290(b)(F).

F. How Would This Proposal Reduce GHG Emissions and Their Associated Effects?

This action is an important step towards curbing steady growth of GHG emissions from cars and light trucks. In the absence of control, GHG emissions worldwide and in the U.S. are projected to continue steady growth; Table

III.F-1 shows emissions of CO₂, methane, nitrous oxide and air conditioning refrigerants on a CO₂-equivalent basis for calendar years 2010, 2020, 2030, 2040 and 2050. U.S. GHGs are estimated to make up roughly 15 percent of total worldwide emissions, and the contribution of direct emissions from cars and light trucks to this U.S.

share is growing over time, reaching an estimated 20 percent of U.S. emissions by 2030 in the absence of control. As discussed later in this section, this steady rise in GHG emissions is associated with numerous adverse impacts on human health, food and agriculture, air quality, and water and forestry resources.

TABLE III.F-1—REFERENCE CASE GHG EMISSIONS BY CALENDAR YEAR
[MMTCO₂ Eq]

	2010	2020	2030	2040	2050
All Sectors (Worldwide) ^a	41,016	48,059	52,870	56,940	60,209
All Sectors (U.S. Only) ^a	7,118	7,390	7,765	8,101	8,379
U.S. Cars/Light Truck Only ^b	1,359	1,332	1,516	1,828	2,261

^a ADAGE model projections, U.S. EPA.¹⁸⁹

^b MOVES (2010), OMEGA Model (2020–50) U.S. EPA. See DRIA Chapter 5.3 for modeling details.

EPA's proposed GHG rule, if finalized, will result in significant reductions as newer, cleaner vehicles come into the fleet, and the rule is estimated to have a measurable impact on world global temperatures. As discussed in Section I, this GHG proposal is part of a joint National Program such that a large majority of the projected benefits would be achieved jointly with NHTSA's proposed CAFE standards which are described in detail in Section IV of this preamble. EPA estimates the reductions attributable to the GHG program over time assuming the proposed 2016 standards continue indefinitely post-2016,¹⁹⁰ compared to a baseline scenario in which the 2011 model year fuel economy standards continue beyond 2011.

Using this approach, EPA estimates these standards would cut annual fleetwide car and light truck tailpipe CO₂ emissions 21 percent by 2030, when 90 percent of car and light truck miles will be travelled by vehicles meeting the new standards. Roughly 20 percent of these reductions are due to emission reductions from gasoline extraction, production and distribution processes as a result of reduced gasoline demand associated with this proposal. Some of the overall emission reductions also come from projected improvements

in the efficiency of vehicle air conditioning systems, which will substantially reduce direct emissions of HFCs, one of the most potent greenhouse gases, as well as indirect emissions of tailpipe CO₂ emissions attributable to reduced engine load from air conditioning. In total, EPA estimates that compared to a baseline of indefinite 2011 model year standards, net GHG emission reductions from the proposed program would be 325 million metric tons CO₂-equivalent (MMTCO₂eq) annually by 2030, which represents a reduction of 4 percent of total U.S. GHG emissions and 0.6 percent of total worldwide GHG emissions projected in that year. This estimate accounts for all upstream fuel production and distribution emission reductions, vehicle tailpipe emission reductions including air conditioning benefits, as well as increased vehicle miles travelled (VMT) due to the "rebound" effect discussed in Section III.H. EPA estimates this would be the equivalent of removing nearly 60 million cars and light trucks from the road in this timeframe.

EPA projects the total reduction of the program over the full life of model year 2012–2016 vehicles is about 950 MMTCO₂eq, with fuel savings of 76 billion gallons (1.8 billion barrels) of gasoline over the life of these vehicles, assuming that some manufacturers take advantage of low-cost HFC reduction strategies to help meet these proposed standards.

These reductions are projected to reduce global mean temperature by approximately 0.007–0.016°C by 2100, and global mean sea level rise is projected to be reduced by approximately 0.06–0.15 cm by 2100.

1. Impact on GHG Emissions

a. Calendar Year Reductions Due to GHG Standards

This action, if finalized, will reduce GHG emissions emitted directly from vehicles due to reduced fuel use and more efficient air conditioning systems. In addition to these "downstream" emissions, reducing CO₂ emissions translates directly to reductions in the emissions associated with the processes involved in getting petroleum to the pump, including the extraction and transportation of crude oil, and the production and distribution of finished gasoline (termed "upstream" emissions). Reductions from tailpipe GHG standards grow over time as the fleet turns over to vehicles affected by the standards, meaning the benefit of the program will continue as long as the oldest vehicles in the fleet are replaced by newer, lower CO₂ emitting vehicles.

EPA is not projecting any reductions in tailpipe CH₄ or N₂O emissions as a result of these proposed emission caps, which are meant to prevent emission backsliding and to bring diesel vehicles equipped with advanced technology aftertreatment into alignment with current gasoline vehicle emissions.

As detailed in the DRIA, EPA estimated calendar year tailpipe CO₂ reductions based on pre- and post-control CO₂ gram per mile levels from EPA's OMEGA model and assumed to continue indefinitely into the future, coupled with VMT projections from AEO2009. These estimates reflect the real-world CO₂ emissions reductions projected for the entire U.S. vehicle fleet in a specified calendar year, including the projected effect of air conditioning credits, TLAASP credits and FFV credits. EPA also estimated full lifetime reductions for model years 2012–2016

¹⁸⁹ U.S. EPA (2009). "EPA Analysis of the American Clean Energy and Security Act of 2009: H.R. 2454 in the 111th Congress." U.S. Environmental Protection Agency, Washington, DC, USA. (www.epa.gov/climatechange/economics/economicanalyses.html)

¹⁹⁰ This analysis does not include the EISA requirement for 35 MPG through 2020 or California's Pavley 1 GHG standards. The proposed standards are intended to supersede these requirements, and the baseline case for comparison is the emissions that would result without further action above the currently promulgated fuel economy standards.

using pre- and post-control CO₂ levels projected by the OMEGA model, coupled with projected vehicle sales and lifetime mileage estimates. These estimates reflect the real-world CO₂ emissions reductions projected for model years 2012 through 2016 vehicles over their entire life.

This proposal would allow manufacturers to earn credits for improved vehicle air conditioning efficiency. Since these improvements are relatively low cost, EPA projects that manufacturers will take advantage of this flexibility, leading to reductions from emissions associated with vehicle air conditioning systems. As explained above, these reductions will come from both direct emissions of air conditioning refrigerant over the life of the vehicle and tailpipe CO₂ emissions produced by the increased load of the A/C system on the engine. In particular, EPA estimates that direct emissions of HFCs, one of the most potent greenhouse gases, would be reduced 40 percent from light-duty

vehicles when the fleet has turned over to more efficient vehicles. The fuel savings derived from lower tailpipe CO₂ would also lead to reductions in upstream emissions. Our estimated reductions from the A/C credits program are based on our analysis of how manufacturers are expected to take advantage of this credit opportunity in complying with the CO₂ fleetwide average tailpipe standards.

Upstream emission reductions associated with the production and distribution of fuel were estimated using emission factors from DOE's GREET1.8 model, with some modifications as detailed in the DRIA. These estimates include both international and domestic emission reductions, since reductions in foreign exports of finished gasoline and/or crude would make up a significant share of the fuel savings resulting from the proposed GHG standards. Thus, significant portions of the upstream GHG emission reductions will occur outside of the U.S.; a breakdown of

projected international versus domestic reductions is included in the DRIA.

Table III.F.1-1 shows reductions estimated from these proposed GHG standards assuming a pre-control case of 2011 MY standards continuing indefinitely beyond 2011, and a post-control case in which 2016 MY standards continue indefinitely beyond 2016. These reductions are broken down by upstream and downstream components, including air conditioning improvements, and also account for the offset from a 10 percent VMT "rebound" effect as discussed in Section III.H. Including the reductions from upstream emissions, total reductions are estimated to reach 325 MMTCO₂eq annually by 2030 (a 21 percent reduction in U.S. car and light truck emissions), and grow to over 500 MMTCO₂eq in 2050 as cleaner vehicles continue to come into the fleet (a 23 percent reduction in U.S. car and light truck emissions).

TABLE III.F.1-1—PROJECTED NET GHG REDUCTIONS
[MMTCO₂ Eq per year]

	Calendar year			
	2020	2030	2040	2050
Net Reduction Due to Tailpipe Standards*	165.2	324.6	417.5	518.5
Tailpipe Standards	107.7	211.4	274.1	344.0
A/C—indirect CO ₂	11.0	21.1	27.3	34.2
A/C—direct HFCs	13.5	27.2	32.1	34.9
Upstream	33.1	64.9	84.1	105.5
Percent reduction relative to U.S. reference (cars + light trucks)	12.4%	21.4%	22.8%	22.9%
Percent reduction relative to U.S. reference (all sectors)	2.2%	4.2%	5.2%	6.2%
Percent reduction relative to worldwide reference	0.3%	0.6%	0.7%	0.9%

* Includes impacts of 10% VMT rebound rate presented in Table III.F.1-3.

b. Lifetime Reductions for 2012–2016 Model Years

EPA also analyzed the emission reductions over the full life of the 2012–

2016 model year cars and trucks affected by this proposal.¹⁹¹ These results, including both upstream and downstream GHG contributions, are presented in Table III.F.1-2, showing

lifetime reductions of nearly 950 MMTCO₂eq, with fuel savings of 76 billion gallons (1.8 billion barrels) of gasoline.

TABLE III.F.1-2—PROJECTED NET GHG REDUCTIONS
[MMTCO₂ Eq per year]

Model year	Lifetime GHG reduction (MMT CO ₂ EQ)	Lifetime fuel savings (billion gallons)
2012	81.4	6.6
2013	125.0	10.0
2014	174.1	13.9
2015	243.2	19.5
2016	323.6	26.3
Total Program Benefit	947.4	76.2

¹⁹¹ As detailed in the DRIA, for this analysis the full life of the vehicle is represented by average

lifetime mileages for cars (190,000 miles) and trucks (221,000 miles) averaged over calendar years 2012

through 2030, a function of how far vehicles drive per year and scrappage rates.

c. Impacts of VMT Rebound Effect

As noted above and discussed more fully in Section III.H., the effect of fuel cost on VMT ("rebound") was accounted for in our assessment of economic and environmental impacts of this proposed rule. A 10 percent rebound case was used for this analysis, meaning that VMT for affected model years is modeled as increasing by 10 percent as much as the increase in fuel economy; i.e., a 10 percent increase in fuel economy would yield a 1.0 percent

increase in VMT. Results are shown in Table III.F.1-3; using the 10 percent rebound rate results in an overall emission increase of 26.4 MMTCO₂eq annually in 2030 (this increase is accounted for in the reductions presented in Tables III.F.1-1 and III.F.1-2). Our estimated changes in CH₄ or N₂O emissions as a result of these proposed vehicle GHG standards are attributed solely to this rebound effect.

As discussed in Section III.H, EPA will be reassessing the appropriate rate

of VMT rebound for the final rule. Although EPA has not directly quantified the GHG emissions effect of using a lower rebound rate for this analysis, lowering the rebound rate would reduce the emission increases in Tables III.F.1-1 and III.F.1-2 in proportion (i.e., zero rebound equals zero emissions effect), and, thus, would increase our estimates of emission reductions due to these proposed standards.

TABLE III.F.1-3—GHG IMPACT OF 10% VMT REBOUND^a
[MMTCO₂ Eq per year]

	2020	2030	2040	2050
Total GHG Increase	13.6	26.4	34.2	42.9
Tailpipe & Indirect A/C CO ₂	10.6	20.6	26.6	33.4
Upstream GHGs ^b	2.95	5.74	7.43	9.32
Tailpipe N ₂ O	0.040	0.085	0.113	0.142
Tailpipe CH ₄	0.008	0.016	0.021	0.027

^a These impacts are included in the reductions shown in Table III.F.1-1 and III.F.1-2.

^b Upstream rebound impact calculated as upstream total CO₂ effect times ratio of downstream tailpipe rebound CO₂ effect to downstream tailpipe total CO₂ effect.

d. Analysis of Alternatives

EPA analyzed two alternative scenarios, including 4% and 6% annual increases in 2 cycle (CAFE) fuel economy. In addition to this annual increase, EPA assumed that

manufacturers would use air conditioning improvements in identical penetrations as in the primary scenario. Under these assumptions, EPA expects achieved fleetwide average emission levels of 254 g/mile CO₂ EQ (4%), and 230 g/mile CO₂ EQ (6%) in 2016.

As in the primary scenario, EPA assumed that the fleet complied with the standards. For full details on modeling assumptions, please refer to DRIA Chapter 5.

TABLE III.F.1-4—CALENDAR YEAR IMPACTS OF ALTERNATIVE SCENARIOS

Calendar year

	Scenario	CY 2020	CY 2030	CY 2040	CY 2050
Total GHG Reductions (MMT CO ₂ EQ)	Primary	165.2	324.6	417.5	518.5
	4%	152.8	305.9	394.1	489.3
	6%	215.2	426.2	549.3	683.9
Fuel Savings (Billion Gallons Gasoline Equivalent)	Primary	13.4	26.2	33.9	42.6
	4%	12.2	24.5	31.8	39.9
	6%	17.8	35.1	45.5	57.1

TABLE III.F.1-5—MODEL YEAR IMPACTS OF ALTERNATIVE SCENARIOS

Model year lifetime

	Scenario	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	Total
Total GHG Reductions (MMT CO ₂ EQ).	Primary	81.4	125.0	174.1	243.2	323.6	947.4
	4%	41.8	93.5	160.8	231.0	305.2	832.3
	6%	60.2	146.4	239.9	333.3	424.9	1,204.7
Fuel Savings (Billion Gallons Gasoline Equivalent).	Primary	6.6	10.0	13.9	19.5	26.3	76.2
	4%	3.1	7.2	12.7	18.4	24.7	66.1
	6%	4.7	11.9	19.7	27.4	35.2	99.0

2. Overview of Climate Change Impacts From GHG Emissions

Once emitted, greenhouse gases (GHG) that are the subject of this

regulation can remain in the atmosphere for decades to centuries, meaning that (1) their concentrations become well-mixed throughout the global atmosphere regardless of emission origin, and (2)

their effects on climate are long lasting. Greenhouse gas emissions come mainly from the combustion of fossil fuels (coal, oil, and gas), with additional contributions from the clearing of

forests and agricultural activities. The transportation sector accounts for a portion, 28%, of US GHG emissions.¹⁹²

This section provides a broad overview of some of the impacts of GHG emissions. The best sources of information include the major assessment reports of both the Intergovernmental Panel on Climate Change (IPCC) and the U.S. Global Change Research Program (USGCRP, formerly referred to as the U.S. Climate Change Science Program). The IPCC and USGCRP assessments base their findings on the large body of individual, peer-reviewed studies in the literature, and then the IPCC and USGCRP assessments themselves go through a transparent peer-reviewed process. The USGCRP reports, where possible, are specific to impacts in the U.S. and therefore represent the best available syntheses of relevant impacts.

Most recently, the USGCRP released a report entitled "Global Climate Change Impacts in the United States".¹⁹³ The report summarizes the science and the impacts of climate change on the United States, now and in the future. It focuses on climate change impacts in different regions of the U.S. and on various aspects of society and the economy such as energy, water, agriculture, and human health. It's also a report written in plain language, with the goal of better informing public and private decision making at all levels. The foundation of this report is a set of 21 Synthesis and Assessment Products (SAPs), which were designed to address key policy-relevant issues in climate science. The report was extensively reviewed and revised based on comments from experts and the public. The report was approved by its lead USGCRP Agency, the National Oceanic and Atmospheric Administration, the other USGCRP agencies, and the Committee on the Environment and Natural Resources on behalf of the National Science and Technology Council. This report meets all Federal requirements associated with the Information Quality Act, including those pertaining to public comment and transparency. Readers are encouraged to review this report.

The source document for the section below is the draft endangerment Technical Support Document (TSD). In

¹⁹² U.S. EPA (2008) Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990–2006. EPA-430-R-08-005, Washington, DC. http://www.epa.gov/climatechange/emissions/usgginv_archive.html.

¹⁹³ Global Climate Change Impacts in the United States, Thomas R. Karl, Jerry M. Melillo, and Thomas C. Peterson, (eds.). Cambridge University Press, 2009. <http://www.globalchange.gov/publications/reports/scientific-assessments/us-impacts>.

EPA's Proposed Endangerment and Cause or Contribute Findings Under the Clean Air Act,¹⁹⁴ EPA provides a summary of the USGCRP and IPCC reports in a draft TSD. The draft TSD reviews observed and projected changes in climate based on current and projected atmospheric GHG concentrations and emissions, as well as the related impacts and risks from climate change that are projected in the absence of GHG mitigation actions, including this proposal and other U.S. and global actions. The TSD serves as an important support document to EPA's proposed Endangerment Finding; however, the document is a draft and is still undergoing comment and review as part of EPA's rulemaking process, and is subject to change based upon comments to the final endangerment finding.

a. Changes in Atmospheric Concentrations of GHGs From Global and U.S. Emissions

Concentrations of six key GHGs (carbon dioxide, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons and sulfur hexafluoride) are at unprecedented levels compared to the recent and distant past. The global atmospheric CO₂ concentration has increased about 38% from pre-industrial levels to 2009, and almost all of the increase is due to anthropogenic emissions.

Based on data from the most recent Inventory of U.S. Greenhouse Gas Emissions and Sinks (2008),¹⁹⁵ total U.S. GHG emissions increased by 905.9 teragrams of CO₂-equivalent (Tg CO₂ Eq), or 14.7%, between 1990 and 2006. U.S. transportation sources subject to control under section 202(a) of the Clean Air Act (passenger cars, light duty trucks, other trucks and buses, motorcycles, and cooling¹⁹⁶) emitted 1665 Tg CO₂ Eq in 2006, representing almost 24% of the total U.S. GHG emissions. Total global emissions, calculated by summing emissions of the six greenhouse gases by country, for 2005 was 38,725.9 Tg CO₂ Eq. This represents an increase of 26% from the 1990 level. See the EPA report "Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990–2006",¹⁹⁷

¹⁹⁴ See *Federal Register*/Vol. 74, No. 78/Friday, April 24, 2009/Proposed Rules; also Docket Number EPA-HQ-OAR-2009-0171; FRL-8895-5.

¹⁹⁵ U.S. EPA (2008) Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990–2006. EPA-430-R-08-005, Washington, DC.

¹⁹⁶ Cooling refers to refrigerants/air conditioning from all transportation sources and is related to HFCs.

¹⁹⁷ U.S. EPA (2008) Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990–2006. EPA-430-R-08-005, Washington, DC. http://www.epa.gov/climatechange/emissions/usgginv_archive.html.

Section 2 of the proposed Endangerment TSD, and IPCC's Working Group I (WGI) Fourth Assessment Report (AR4)¹⁹⁸ for a more complete discussion of GHG emissions and concentrations.

b. Observed Changes in Climate

i. Temperature

The warming of the climate system is unequivocal, as is now evident from observations of increases in global air and ocean temperatures, widespread melting of snow and ice, and rising global average sea level. The global average net effect of the increase in atmospheric GHG concentrations, plus other human activities (e.g., land use change and aerosol emissions), on the global energy balance since 1750 has been one of warming. The global mean surface temperature¹⁹⁹ over the last 100 years (1906–2005) has risen by about 0.74 °C (1.5 °F) +/- 0.18 °C, and climate model simulations suggest that natural variation alone (e.g., changes in solar irradiance) cannot explain the observed warming. The rate of warming over the last 50 years is almost double that over the last 100 years. Most of the observed increase in global mean surface temperature since the mid-20th century is very likely due to the observed increase in anthropogenic GHG concentrations.

It can be stated with confidence that global mean surface temperature was higher during the last few decades of the 20th century than during any comparable period during the preceding four centuries. Like global mean surface temperatures, U.S. surface temperatures also warmed during the 20th and into the 21st century. U.S. average annual temperatures are now approximately 0.69°C (1.25°F) warmer than at the start of the 20th century, with an increased rate of warming over the past 30 years. Temperatures in winter have risen more than any other season, with winters in the Midwest and northern Great Plains increasing more than 7 °F.²⁰⁰ Some of these changes have been faster than previous assessments had suggested.

For additional information, please see Section 4 of the proposed Endangerment

¹⁹⁸ Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

¹⁹⁹ Surface temperature is calculated by processing data from thousands of world-wide observation sites on land and sea.

²⁰⁰ Global Climate Change Impacts in the United States, Thomas R. Karl, Jerry M. Melillo, and Thomas C. Peterson, (eds.) Cambridge University Press, 2009.

TSD, IPCC WGI AR4,²⁰¹ and the report "Global Climate Change Impacts in the United States".²⁰²

ii. Precipitation

Observations show that changes are occurring in the amount, intensity, frequency and type of precipitation. Global, long-term trends from 1900 to 2005 have been observed in the amount of precipitation over many large regions. Patterns in precipitation change are more spatially and seasonally variable than temperature change, but where significant precipitation changes do occur they are consistent with measured changes in stream flow. Significantly increased precipitation has been observed in eastern parts of North and South America, northern Europe and northern and central Asia.²⁰⁰ More intense and longer droughts have been observed over wider areas since the 1970s, particularly in the tropics and subtropics. It is likely there has been an increase in heavy precipitation events (e.g., 95th percentile) within many land regions, even in those where there has been a reduction in total precipitation amount, consistent with a warming climate and observed significant increasing amounts of water vapor in the atmosphere. Rising temperatures have generally resulted in rain rather than snow in locations and seasons such as in northern and mountainous regions where the average (1961–1990) temperatures were close to 0 °C. Over the contiguous U.S., total annual precipitation increased at an average rate of 6.5% from 1901–2006, with the greatest increases in precipitation in the East and North Central climate regions (11.2% per century).

For additional information, please see Section 4 of the proposed Endangerment TSD, IPCC WGI AR4,²⁰³ and the

²⁰¹ Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

²⁰² Global Climate Change Impacts in the United States, Thomas R. Karl, Jerry M. Melillo, and Thomas C. Peterson, (eds.). Cambridge University Press, 2009. <http://www.globalchange.gov/publications/reports/scientific-assessments/us-impacts>.

²⁰³ Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

USGCRP report "Global Climate Change Impacts in the United States".²⁰⁴

iii. Extreme Events

Changes in climate extremes have been observed related to temperature, precipitation, tropical cyclones, and sea level. In the last 50 years, there have been widespread changes in extreme temperatures observed across the globe. For example, cold days, cold nights, and frost have become less frequent, while hot days, hot nights, and heat waves have become more frequent. Globally, a reduction in the number of daily cold extremes has been observed in 70 to 75% of the land regions where data is available. Cold nights (lowest or coldest 10% of nights, based on the period 1961–1990) have become rarer over the last 50 years.

Observational evidence indicates an increase in intense tropical cyclone (i.e., tropical storms and/or hurricanes) activity in the North Atlantic. Since about 1970, increases in cyclone developments that affect the U.S. East and Gulf Coasts have been correlated with increases of tropical sea surface temperatures. In the contiguous U.S., studies find statistically significant increases in heavy precipitation (the heaviest 5%) and very heavy precipitation (the heaviest 1%) of 14 and 20%, respectively. Much of this increase occurred during the last three decades of the 20th century and is most apparent over the eastern parts of the country. Trends in drought also have strong regional variations. In much of the Southeast and large parts of the western U.S., the frequency of drought has increased coincident with rising temperatures over the past 50 years. Although there has been an overall increase in precipitation and no clear trend in drought for the nation as a whole, increasing temperatures have made droughts more severe and widespread than they would have otherwise been.

For additional information, please see Section 4 of the proposed Endangerment TSD, the CCSP report "Weather and Climate Extremes in a Changing Climate. Regions of Focus: North America, Hawaii, Caribbean, and U.S.

²⁰⁴ Global Climate Change Impacts in the United States, Thomas R. Karl, Jerry M. Melillo, and Thomas C. Peterson, (eds.). Cambridge University Press, 2009. <http://www.globalchange.gov/publications/reports/scientific-assessments/us-impacts>.

Pacific Islands",²⁰⁵ IPCC WGI AR4,²⁰⁶ and the report "Global Climate Change Impacts in the United States".²⁰⁷

iv. Physical and Biological Changes

Observations show that climate change is currently affecting U.S. physical and biological systems in significant ways. Observations of the cryosphere (the "frozen" component of the climate system) have revealed changes in sea ice, glaciers and snow cover, freezing and thawing, and permafrost. Satellite data since 1978 show that annual average Arctic sea ice extent has shrunk by 2.7% (+/- 0.6%) per decade, with larger decreases in summer. Subtropical and tropical corals in shallow waters have already suffered major bleaching events that are primarily driven by increases in sea surface temperatures. Heat stress from warmer ocean water can cause corals to expel the microscopic algae that live inside them which are essential to their survival. Another stressor on coral populations is ocean acidification which occurs as CO₂ is absorbed from the atmosphere by the oceans. About one-third of the carbon dioxide emitted by human activities has been absorbed by the ocean, resulting in a decrease in the ocean's pH. A lower pH affects the ability of living things to create and maintain shells or skeletons of calcium carbonate. Other documented biophysical impacts include a significant lengthening of the growing season and increase in net primary productivity²⁰⁸ in higher latitudes of North America. Over the last 19 years, global satellite data indicate an earlier onset of spring across the temperate latitudes by 10 to 14 days.

²⁰⁵ *Weather and Climate Extremes in a Changing Climate. Regions of Focus: North America, Hawaii, Caribbean, and U.S. Pacific Islands.* A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. [Thomas R. Karl, Gerald A. Meehl, Christopher D. Miller, Susan J. Hassol, Anne M. Waple, and William L. Murray (eds.)]. Department of Commerce, NOAA's National Climatic Data Center, Washington, D.C., USA, 164 pp.

²⁰⁶ Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

²⁰⁷ Global Climate Change Impacts in the United States, Thomas R. Karl, Jerry M. Melillo, and Thomas C. Peterson, (eds.). Cambridge University Press, 2009. <http://www.globalchange.gov/publications/reports/scientific-assessments/us-impacts>.

²⁰⁸ Net primary productivity is the rate at which an ecosystem accumulates energy or biomass, excluding the energy it uses for the process of respiration.

For additional information, please see Section 4 of the proposed Endangerment TSD and IPCC WGI AR4.²⁰⁹

c. Projected Changes in Climate

Most future scenarios that assume no explicit GHG mitigation actions (beyond those already enacted) project increasing global GHG emissions over the century, with corresponding climbing GHG concentrations. Carbon dioxide is expected to remain the dominant anthropogenic GHG over the course of the 21st century. The radiative forcing²¹⁰ associated with the non-CO₂ GHGs is still significant and increasing over time. As a result, warming over this century is projected to be considerably greater than over the last century and climate related changes are expected to continue while new ones develop. Described below are projected changes in climate for the U.S.

See Section 6 of the proposed Endangerment TSD, IPCC WGI AR4,²¹¹ the USGCRP report "Global Climate Change Impacts in the United States",²¹² and the CCSP report "Weather and Climate Extremes in a Changing Climate, Regions of Focus: North America, Hawaii, Caribbean, and U.S. Pacific Islands"²¹³ for a more complete discussion of projected changes in climate.

²⁰⁹ IPCC (2007a) Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

²¹⁰ Radiative forcing is a measure of the change that a factor causes in altering the balance of incoming (solar) and outgoing (infrared and reflected shortwave) energy in the Earth-atmosphere system and thus shows the relative importance of different factors in terms of their contribution to climate change.

²¹¹ Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

²¹² Global Climate Change Impacts in the United States, Thomas R. Karl, Jerry M. Melillo, and Thomas C. Peterson, (eds.). Cambridge University Press, 2009. <http://www.globalchange.gov/publications/reports/scientific-assessments/us-impacts>.

²¹³ *Weather and Climate Extremes in a Changing Climate. Regions of Focus: North America, Hawaii, Caribbean, and U.S. Pacific Islands*. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. [Thomas R. Karl, Gerald A. Meehl, Christopher D. Miller, Susan J. Hassol, Anne M. Waple, and William L. Murray (eds.)]. Department of Commerce, NOAA's National Climatic Data Center, Washington, DC, USA, 164 pp.

i. Temperature

Future warming over the course of the 21st century, even under scenarios of low emissions growth, is very likely to be greater than observed warming over the past century. The range of IPCC SRES scenarios provides a global warming range of 1.8 °C to 4.0 °C (3.2 °F to 7.2 °F) with an uncertainty range of 1.1 °C to 6.4 °C (2.0 °F to 11.5 °F). All of the U.S. is very likely to warm during this century, and most areas of the U.S. are expected to warm by more than the global average. The average warming in the U.S. through 2100 is projected by nearly all the models used in the IPCC assessment to exceed 2 °C (3.6 °F) for all scenarios, with 5 out of 21 models projecting average warming in excess of 4 °C (7.2 °F) for the mid-range emissions scenario. The number of days with high temperatures above 90 °F is projected to increase throughout the U.S. Temperature increases in the next couple of decades will be primarily determined by past emissions of heat-trapping gases. As a result, there is less difference in projected temperature scenarios in the near-term (around 2020) than in the middle (2050) and end of the century, which will be determined more by future emissions.

ii. Precipitation

Increases in the amount of precipitation are very likely in higher latitudes, while decreases are likely in most subtropical latitudes and the southwestern U.S., continuing observed patterns. The mid-continental area is expected to experience drying during the summer, indicating a greater risk of drought. Climate models project continued increases in the heaviest downpours during this century, while the lightest precipitation is projected to decrease. With more intense precipitation expected to increase, the risk of flooding and greater runoff and erosion will also increase. In contrast, droughts are likely to become more frequent and severe in some regions. The Southwest, in particular, is expected to experience increasing drought as changes in atmospheric circulation patterns cause the dry zone just outside the tropics to expand farther northward into the United States.

iii. Extreme Events

It is likely that hurricanes will become more intense, especially along the Gulf and Atlantic coasts, with stronger peak winds and more heavy precipitation associated with ongoing increases of tropical sea surface temperatures. Heavy rainfall events are expected to increase, increasing the risk

of flooding, greater runoff and erosion, and thus the potential for adverse water quality effects. These projected trends can increase the number of people at risk from suffering disease and injury due to floods, storms, droughts, and fires. Severe heat waves are projected to intensify, which can increase heat-related mortality and sickness.

iv. Physical and Biological Changes

IPCC projects a six-inch to two-foot rise in sea level during the 21st century from processes such as thermal expansion of sea water and the melting of land-based polar ice sheets. Ocean acidification is projected to continue, resulting in the reduced biological production of marine calcifiers, including corals. In addition to ocean acidification, coastal waters are very likely to continue to warm by as much as 4 to 8 °F in this century, both in summer and winter. This will result in a northward shift in the geographic distribution of marine life along the coasts. Warmer ocean temperatures will also contribute to increased coral bleaching.

d. Key Climate Change Impacts and Risks

The effects of climate changes observed to date and/or projected to occur in the future include: More frequent and intense heat waves, more wildfires, degraded air quality, more heavy downpours and flooding, increased drought, greater sea level rise, more intense storms, water quantity and quality problems, and negative impacts to human health, water supply, agriculture, forestry, coastal areas, wildlife and ecosystems, and many other aspects of society and the natural environment.

i. Human Health

Warm temperatures and extreme weather already cause and contribute to adverse human health outcomes through heat-related mortality and morbidity, storm-related fatalities and injuries, and disease. In the absence of effective adaptation, these effects are likely to increase with climate change. Health effects related to climate change include increased deaths, injuries, infectious diseases, and stress-related disorders and other adverse effects associated with social disruption and migration from more frequent extreme weather. Severe heat waves are projected to intensify in magnitude and duration over the portions of the U.S. where these events already occur, with potential increases in mortality and morbidity, especially among the elderly, young and other sensitive populations.

However, reduced human mortality from cold exposure is projected through 2100. It is not clear whether reduced mortality from cold will be greater or less than increased heat-related mortality, especially among the elderly, young and frail. Public health effects from climate change will likely disproportionately impact the health of certain segments of the population, such as the poor, the very young, the elderly, those already in poor health, the disabled, those living alone and/or indigenous populations dependent on one or a few resources. Increases are expected in potential ranges and exposure of certain diseases affected by temperature and precipitation changes, including vector and waterborne diseases (*i.e.*, malaria, dengue fever, West Nile virus). See the CCSP Report "Analyses of the effects of global change on human health and welfare and human systems",²¹⁴ IPCC's Working Group II (WG2) AR4,²¹⁵ and Section 7 of the proposed Endangerment TSD for a more complete discussion regarding climate change and impacts on human health.

ii. Air Quality

Climate change can be expected to influence the concentration and distribution of air pollutants through a variety of direct and indirect processes, including the modification of biogenic emissions, the change of chemical reaction rates, wash-out of pollutants by precipitation, and modification of weather patterns that influence pollutant build-up. Higher temperatures and weaker circulation patterns associated with climate change are expected to worsen regional ozone pollution in the U.S., with associated risks in respiratory infection, aggravation of asthma, and premature death. In addition to human health effects, elevated levels of tropospheric ozone have significant adverse effects on crop yields, pasture and forest growth, and species composition. See Section 8 of the proposed Endangerment TSD, EPA's report "Assessment of the Impacts of Global Change on Regional U.S. Air Quality: A Synthesis of Climate

²¹⁴ *Analyses of the effects of global change on human health and welfare and human systems. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research.* [Gamble, J.L. (ed.), K.L. Ebi, F.G. Sussman, T.J. Wilbanks, (Authors)]. U.S. Environmental Protection Agency, Washington, DC, USA.

²¹⁵ *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

Change Impacts on Ground-Level Ozone",²¹⁶ the CCSP report "Analyses of the effects of global change on human health and welfare and human systems"²¹⁷ and IPCC WGII AR4²¹⁸ for a more complete discussion regarding human health impacts resulting from climate change effects on air quality.

iii. Food and Agriculture

The CCSP concluded that, with increased CO₂ and temperature, the life cycle of grain and oilseed crops will likely progress more rapidly. But, as temperature rises, these crops will increasingly begin to experience failure, especially if climate variability increases and precipitation lessens or becomes more variable. Furthermore, the marketable yield of many horticultural crops (*e.g.*, tomatoes, onions, fruits) is very likely to be more sensitive to climate change than grain and oilseed crops. Higher temperatures will very likely reduce livestock production during the summer season, but these losses will very likely be partially offset by warmer temperatures during the winter season. Cold water fisheries will likely be negatively affected; warm-water fisheries will generally benefit; and the results for cool-water fisheries will be mixed, with gains in the northern and losses in the southern portions of ranges. See Section 9 of the proposed Endangerment TSD, the CCSP report "The Effects of Climate Change on Agriculture, Land Resources, Water Resources, and Biodiversity in the United States", and the USGCRP report "Global Climate Change Impacts in the United States" for a more complete discussion regarding climate science and impacts to food production and agriculture.

iv. Forestry

Climate change has very likely increased the size and number of forest fires, insect outbreaks, and tree

²¹⁶ EPA (2009) *Assessment of the Impacts of Global Change on Regional U.S. Air Quality: A Synthesis of Climate Change Impacts on Ground-Level Ozone. An Interim Report of the U.S. EPA Global Change Research Program.* U.S. Environmental Protection Agency, Washington, DC, EPA/600/R-07/094.

²¹⁷ *Analyses of the effects of global change on human health and welfare and human systems. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research.* [Gamble, J.L. (ed.), K.L. Ebi, F.G. Sussman, T.J. Wilbanks, (Authors)]. U.S. Environmental Protection Agency, Washington, DC, USA.

²¹⁸ *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change* [M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

mortality in the interior west, the Southwest, and Alaska, and will continue to do so. Disturbances like wildfire and insect outbreaks are increasing and are likely to intensify in a warmer future with drier soils and longer growing seasons. Although recent climate trends have increased vegetation growth, continuing increases in disturbances are likely to limit carbon storage, facilitate invasive species, and disrupt ecosystem services. Overall forest growth for North America as a whole will likely increase modestly (10–20%) as a result of extended growing seasons and elevated CO₂ over the next century, but with important spatial and temporal variation. Forest growth is slowing in areas subject to drought and has been subject to significant loss due insect infestations such as the spruce bark beetle in Alaska. See Section 10 of the proposed Endangerment TSD, the CCSP report "The Effects of Climate Change on Agriculture, Land Resources, Water Resources, and Biodiversity in the United States", IPCC WGII, and the USGCRP report "Global Climate Change Impacts in the United States" for a more complete discussion regarding climate science and impacts to forestry.

v. Water Resources

The vulnerability of freshwater resources in the United States to climate change varies from region to region. Climate change will likely further constrain already over-allocated water resources in some sections of the U.S., increasing competition among agricultural, municipal, industrial, and ecological uses. Although water management practices in the U.S. are generally advanced, particularly in the western U.S. climate change may increasingly create conditions well outside of historic observations impacting managed water systems. Rising temperatures will diminish snowpack and increase evaporation, affecting seasonal availability of water. Groundwater systems generally respond more slowly to climate change than surface water systems. In semi-arid and arid areas, groundwater resources are particularly vulnerable because of precipitation and stream flow are concentrated over a few months, year-to-year variability is high, and deep groundwater wells or reservoirs generally do not exist. Availability of groundwater is likely to be influenced by changes in withdrawals (reflecting development, demand, and availability of other sources).

In the Great Lakes and major river systems, lower levels are likely to exacerbate challenges relating to water quality, navigation, recreation,

hydropower generation, water transfers, and bi-national relationships. Decreased water supply and lower water levels are likely to exacerbate challenges relating to aquatic navigation. Higher water temperatures, increased precipitation intensity, and longer periods of low flows will exacerbate many forms of water pollution, potentially making attainment of water quality goals more difficult. As waters become warmer, the aquatic life they now support will be replaced by other species better adapted to warmer water. In the long-term, warmer water and changing flow may result in deterioration of aquatic ecosystems. See Section 11 of the proposed Endangerment TSD, the CCSP report "The Effects of Climate Change on Agriculture, Land Resources, Water Resources, and Biodiversity in the United States", IPCC WGII, and the USGCRP report "Global Change Impacts in the United States" for a more complete discussion regarding climate science and impacts to water resources.

vi. Sea Level Rise and Coastal Areas

Warmer temperatures raise sea level by expanding ocean water, melting glaciers, and possibly increasing the rate at which ice sheets discharge ice and water into the oceans. Rising sea level and the potential for stronger storms pose an increasing threat to coastal cities, residential communities, infrastructure, beaches, wetlands, and ecosystems. Coastal communities and habitats will be increasingly stressed by climate change effects interacting with development and pollution. Sea level is rising along much of the U.S. coast, and the rate of change will increase in the future, exacerbating the impacts of progressive inundation, storm-surge flooding, and shoreline erosion. Studies find 75% of the shoreline removed from the influence of spits, tidal inlets and engineering structures is eroding along the U.S. East Coast probably due to sea level rise. Storm impacts are likely to be more severe, especially along the Gulf and Atlantic coasts. Salt marshes, estuaries, other coastal habitats, and dependent species will be further threatened by sea level rise. The interaction with coastal zone development and climate change effects such as sea level rise will further stress coastal communities and habitats. Population growth and rising value of infrastructure in coastal areas increases vulnerability and risk of climate variability and future climate change. Sea level rise and high rates of water withdrawal promote the intrusion of saline water in to groundwater supplies, which adversely affects water quality. See Section 12 of the proposed

Endangerment TSD, the CCSP report "Coastal Sensitivity to Sea Level Rise: A Focus on the Mid-Atlantic Region",²¹⁹ the USGCRP report "Global Change Impacts in the United States", and IPCC WGII for a more complete discussion regarding climate science and impacts to sea level rise and coastal areas.

vii. Energy, Infrastructure and Settlements

Most of the effects of climate change on the U.S. energy sector will be related to energy use and production. The research evidence is relatively clear that climate warming will mean reductions in total U.S. heating requirements and increases in total cooling requirements for building. These changes will vary by region and by season and will affect household and business energy costs. Studies project that temperature increases due to global warming are very likely to increase peak demand for electricity in most regions of the country as rising temperatures are expected to increase energy requirements for cooling residential and commercial buildings. An increase in peak demand for electricity can lead to a disproportionate increase in energy infrastructure investment. Extreme weather events can threaten coastal energy infrastructures and electricity transmission and distribution in the U.S. Increases in hurricane intensity are likely to cause further disruptions to oil and gas operations in the Gulf, like those experienced in 2005 with Hurricane Katrina. Climate change is likely to affect some renewable energy sources across the nation, such as hydropower production in regions subject to changing patterns of precipitation or snowmelt. The U.S. energy sector, which relies heavily on water for both hydropower and cooling capacity, may be adversely impacted by changes to water supply and quality in reservoirs and other water bodies.

Water infrastructure, including drinking water and wastewater treatment plants, and sewer and storm water management systems, will be at greater risk of flooding, sea level rise and storm surge, low flows, and other factors that could impair performance. In addition, as water supply is constrained and demand increases it will become more likely that water will

²¹⁹ CCSP (2009) *Coastal Sensitivity to Sea-Level Rise: A Focus on the Mid-Atlantic Region*. A report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. [James G. Titus (Coordinating Lead Author), K. Eric Anderson, Donald R. Cahoon, Dean B. Gesch, Stephen K. Gill, Benjamin T. Gutierrez, E. Robert Thieler, and S. Jeffress Williams (Lead Authors)], U.S. Environmental Protection Agency, Washington DC, USA, 320 pp.

have to be transported and moved which will require additional energy capacity. See Section 13 of the proposed Endangerment TSD, the CCSP reports "the Effects of Climate Change on Energy Production in the United States"²²⁰ and "Impacts of Climate Change and Variability on Transportation Systems and Infrastructure",²²¹ and the USGCRP report "Global Change Impacts in the United States" for a more complete discussion regarding climate science and impacts to energy, infrastructure and settlements.

viii. Ecosystems and Wildlife

Disturbances such as wildfires and insect outbreaks are increasing in the U.S. and are likely to intensify in a warmer future with drier soils and longer growing seasons. Although recent climate trends have increased vegetation growth, continuing increases in disturbances are likely to limit carbon storage, facilitate invasive species, and disrupt ecosystem services. Over the 21st century, changes in climate will cause species to shift north and to higher elevations and fundamentally rearrange U.S. ecosystems. Differential capacities for range shifts are constrained by development, habitat fragmentation, invasive species, and broken ecological connections. IPCC consequently predicts significant disruption of ecosystem structure, function, and services. See Section 14 of the proposed Endangerment TSD, IPCC WGII, the CCSP report "The Effects of Climate Change on Agriculture, Land Resources, Water Resources, and Biodiversity in the United States", and the USGCRP report "Global Change Impacts in the United States" for a more complete discussion regarding climate science and impacts to ecosystems and wildlife.

²²⁰ CCSP (2007) *Effects of Climate Change on Energy Production and Use in the United States*. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. Thomas J. Wilbanks, Vatsal Bhatt, Daniel E. Bilello, Stanley R. Bull, James Ekman, William C. Horak, Y. Joe Huang, Mark D. Levine, Michael J. Sale, David K. Schmalzer, and Michael J. Scott). Department of Energy, Office of Biological & Environmental Research, Washington, DC, USA, 160 pp.

²²¹ CCSP (2008) *Impacts of Climate Change and Variability on Transportation Systems and Infrastructure: Gulf Coast Study, Phase I*. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research [Savonis, M.J., V.R. Burkett, and J.R. Potter (eds.)]. Department of Transportation, Washington, DC, USA, 445 pp.

3. Changes in Global Mean Temperature and Sea Level Rise Associated With the Proposal's GHG Emissions Reductions

EPA examined²²² the reductions in CO₂ and other GHGs associated with the proposal and analyzed the projected effects on global mean surface temperature and sea level, two common indicators of climate change. The analysis projects that the proposal will reduce climate warming and sea level rise. Although the projected reductions are small in overall magnitude by themselves, they are quantifiable and would contribute to reducing climate change risks.

a. Estimated Projected Reductions in Global Mean Surface Temperatures and Sea Level Rise

EPA estimated changes in the atmospheric CO₂ concentration, global mean surface temperature and sea level to 2100 resulting from the emissions reductions in this proposal using the Model for the Assessment of Greenhouse Gas Induced Climate Change (MAGICC, version 5.3). This widely used, peer reviewed modeling tool was also used to project temperature and sea level rise under different emissions scenarios in the Third and Fourth Assessments of the Intergovernmental Panel on Climate Change (IPCC).

GHG emissions reductions from Section III.F.1a were applied as net reductions to a peer reviewed global reference case (or baseline) emissions scenario to generate an emissions scenario specific to this proposal. For the proposal scenario, all emissions reductions were assumed to begin in 2012, with zero emissions change in 2011 (from the reference case) followed by emissions linearly increasing to equal the value supplied in Section III.F.1.a for 2020 and then continuing to 2100. Details about the reference case scenario and how the emissions reductions were applied to generate the proposal scenario can be found in the DRIA Chapter 7.

The atmospheric CO₂ concentration, temperature, and sea-level increases for both the reference case and the proposal emissions scenarios were computed using MAGICC. To compute the reductions in the atmospheric CO₂ concentrations as well as in temperature and sea level resulting from the proposal, the output from the proposal

scenario was subtracted from an existing MiniCAM emission scenario. To capture some key uncertainties in the climate system with the MAGICC model, changes in temperature and sea-level rise were projected across the most current IPCC range for climate sensitivities which ranges from 1.5 °C to 6.0 °C (representing the 90% confidence interval).²²³ This wide range reflects the uncertainty in this measure of how much the global mean temperature would rise if the concentration of carbon dioxide in the atmosphere were to double. Details about this modeling analysis can be found in the DRIA Chapter 7.4.

The results of this modeling show small, but quantifiable, reductions in the atmospheric CO₂ concentration, the projected global mean surface temperature and sea level resulting from this proposal (assuming it is finalized), across all climate sensitivities. As a result of this proposal's emission reductions, the atmospheric CO₂ concentration is projected to be reduced by approximately 2.9 to 3.2 parts per million (ppm), the global mean temperature is projected to be reduced by approximately 0.007–0.016 °C by 2100, and global mean sea level rise is projected to be reduced by approximately 0.06–0.15cm by 2100. The reductions are small relative to the IPCC's 2100 "best estimates" for global mean temperature increases (1.8–4.0 °C) and sea level rise (0.20–0.59m) for all global GHG emissions sources for a range of emissions scenarios. EPA used a peer reviewed model, the MAGICC model, to do this analysis. This analysis is specific to the proposed rule and therefore cannot come from some previously published work. The Agency welcomes comment on the use of the MAGICC model for these purposes. Further discussion of EPA's modeling analysis is found in Chapter 7 of the Draft RIA.

As a substantial portion of CO₂ emitted into the atmosphere is not removed by natural processes for millennia, each unit of CO₂ not emitted into the atmosphere avoids essentially permanent climate change on centennial time scales. Though the magnitude of the avoided climate change projected

here is small, these reductions would represent a reduction in the adverse risks associated with climate change (though these risks were not formally estimated for this proposal) across all climate sensitivities.

4. Weight Reduction and Potential Safety Impacts

In this section, EPA will discuss potential safety impacts of the proposed standards. In the joint technology analysis, EPA and NHTSA agree that automakers could reduce weight as one part of the industry's strategy for meeting the proposed standards. As shown in table III.D.6–3, of this Preamble, EPA's modeling projects that vehicle manufacturers will reduce the weight of their vehicles by 4% on average between 2011 and 2016 although individual vehicles may have greater or smaller weight reduction (NHTSA's results are similar using the Volpe model). The penetration and magnitude of these modeled changes are consistent with the public announcements made by many manufacturers since early 2008 and are consistent with meetings that EPA has had with senior engineers and technical leadership at many of the automotive companies during 2008 and 2009.

EPA also projects that automakers will not reduce footprint in order to meet the proposed CO₂ standards in our modeling analysis. NHTSA and EPA have taken two measures to help ensure that the proposed rules provide no incentive for mass reduction to be accompanied by a corresponding decrease in the footprint of the vehicle (with its concomitant decrease in crush and crumple zones). The first design feature of the proposed rule is that the CO₂ or fuel economy targets are based on the attribute of footprint (which is a surrogate for vehicle size).²²⁴ The second design feature is that the shape of the footprint curve (or function) has been carefully chosen such that it neither encourages manufacturers to increase, nor decrease the footprint of their fleet. Thus, the standard curves are designed to be approximately "footprint neutral" within the sloped portion of the function.²²⁵ For further discussion on this, refer to Section II.C of the preamble, or Chapter 2 of the joint TSD. Thus the agencies are assuming in their

²²² Using the Model for the Assessment of Greenhouse Gas Induced Climate Change (MAGICC, <http://www.cgd.ucar.edu/cas/wigley/magicc/>), EPA estimated the effects of this action's greenhouse gas emissions reductions on global mean temperature and sea level. Please refer to Chapter 7.4 of the DRIA for additional information.

²²³ In IPCC reports, equilibrium climate sensitivity refers to the equilibrium change in the annual mean global surface temperature following a doubling of the atmospheric equivalent carbon dioxide concentration. The IPCC states that climate sensitivity is "likely" to be in the range of 2 °C to 4.5 °C, "very unlikely" to be less than 1.5 °C, and "values substantially higher than 4.5 °C cannot be excluded." IPCC WGI, 2007, *Climate Change 2007—The Physical Science Basis*, Contribution of Working Group I to the Fourth Assessment Report of the IPCC, <http://www.ipcc.ch/>.

²²⁴ As the footprint attribute is defined as wheelbase times track width, the footprint target curves do not discourage manufacturers from reducing vehicle size by reducing front, rear, or side overhang, which can impact safety by resulting in less crush space.

²²⁵ This neutrality with respect to footprint does not extend to the smallest and largest vehicles, because the function is limited, or flattened, in these footprint ranges.

modeling analysis that the manufacturers could reduce vehicle mass without reducing vehicle footprint as one way to respond to the proposed rule.²²⁶

In Section IV of this preamble, NHTSA presents a safety analysis of the proposed CAFE standards based on the 2003 Kahane analysis. As discussed in Section IV, NHTSA has developed a worse case estimate of the impact of weight reductions on fatalities. The underlying data used for that analysis does not allow NHTSA to analyze the specific impact of weight reduction at constant footprint because historically there have not been a large number of vehicles produced that relied substantially on material substitution. Rather, the data set includes vehicles that were either smaller and lighter or larger and heavier. The numbers in the NHTSA analysis predict the safety-related fatality consequences that would occur in the unlikely event that weight reduction for model years 2012–2016 is accomplished by reducing mass and reducing footprint. EPA concurs with NHTSA that the safety analysis conducted by NHTSA and presented in Section IV is a worst case analysis for fatalities, and that the actual impacts on vehicle safety could be much less. However, EPA and NHTSA are not able to quantify the lower-bound potential impacts at this time.

The agencies believe that reducing vehicle mass without reducing the size of the vehicle or the structural integrity is technically feasible in the rulemaking time frame. Many of the technical options for doing so are outlined in Chapter 3 of the joint TSD and in EPA's DRIA. Weight reduction can be accomplished by the proven methods described below. Every manufacturer will employ these methodologies to some degree, the magnitude to which each will be used will depend on opportunities within individual vehicle design.

• **Material Substitution:** Substitution of lower density and/or higher strength materials in a manner that preserves or improves the function of the component. This includes substitution of high-strength steels, aluminum, magnesium or composite materials for components currently fabricated from mild steel (e.g., the magnesium-alloy front structure used on the 2009 Ford F150 pickups).²²⁷ Light-weight

materials with acceptable energy absorption properties can maintain structural integrity and absorption of crash energy relative to previous designs while providing a net decrease in component weight.

• **Smart Design:** Computer aided engineering (CAE) tools can be used to better optimize load paths within structures by reducing stresses and bending moments without adversely affecting structural integrity. This allows better optimization of the sectional thicknesses of structural components to reduce mass while maintaining or improving the function of the component. Smart designs also integrate separate parts in a manner that reduces mass by combining functions or the reduced use of separate fasteners. In addition, some "body on frame" vehicles are redesigned with a lighter "unibody" construction with little compromise in vehicle functionality.

• **Reduced Powertrain Requirements:** Reducing vehicle weight sufficiently can allow for the use of a smaller, lighter and more efficient engine while maintaining or even increasing performance. Approximately half of the reduction is due to these reduced powertrain output requirements from reduced engine power output and/or displacement, lighter weight transmission and final drive gear ratios. The subsequent reduced rotating mass (e.g. transmission, driveshafts/halfshafts, wheels and tires) via weight and/or size reduction of components are made possible by reduced torque output requirements.

• **Mass Compounding:** Following from the point above, the compounded weight reductions of the body, engine and drivetrain can reduce stresses on the suspension components, steering components, brakes, and thus allow further reductions in the weight of these subsystems. The reductions in weight for unsprung masses such as brakes, control arms, wheels and tires can further reduce stresses in the suspension mounting points which can allow still further reductions in weight. For example, lightweighting can allow for the reduction in the size of the vehicle brake system, while maintaining the same stopping distance.

Therefore, EPA believes it is both technically feasible to reduce weight without reducing vehicle size, footprint or structural strength and manufacturers have indicated to the agencies that they will use these approaches to accomplish these tasks. We request written comment on this assessment and this projection, including up-to-date plans regarding the extent of use by each

manufacturer of each of the methodologies described above.

For this proposed rule, as noted earlier, EPA's modeling analysis projects that weight reduction by model year 2016 on the order of 4% on average for the fleet will occur (see Section III.D.6 for details on our estimated mass reduction). EPA believes that such modeled changes in the fleet could result in much smaller fatality impacts than those in the worst case scenario presented in Section IV by NHTSA, since manufacturers have many safer options for reducing vehicle weight than doing so by simultaneously reducing footprint. The NHTSA analysis, based solely on 4-door vehicles, does not independently differentiate between weight reduction which comes from vehicle downsizing (a physically smaller vehicle) and vehicle weight reduction solely through design and material changes (i.e., making a vehicle weigh less without changing the size of the vehicle or reducing structural integrity).

Dynamic Research Incorporated (DRI) has assessed the independent effects of vehicle weight and size on safety in order to determine if there are tradeoffs between improving vehicle safety and fuel consumption. In their 2005 studies^{228 229} one of which was published as a Society of Automotive Engineers Technical Paper and received peer review through that body, DRI presented results that indicate that vehicle weight reduction tends to decrease fatalities, but vehicle wheelbase and track reduction tends to increase fatalities. The DRI work focused on four major points, with #1 and #4 being discussed with additional detail below:

1. 2-Door vehicles represented a significant portion of the light duty fleet and should not be ignored.
2. Directional control and therefore crash avoidance improves with a reduction in curb weight.
3. The occupants of the impacted vehicle, or "collision partner" benefit from being impacted by a lighter vehicle.
4. Rollover fatalities are reduced by a reduction in curb weight due to lower centers of gravity and lower loads on the roof structures.

²²⁸ "Supplemental Results on the Independent Effects of Curb Weight, Wheelbase and Track on Fatality Risk", Dynamic Research, Inc., DRI-TR-05-01, May 2005.

²²⁹ "An Assessment of the Effects of Vehicle Weight and Size on Fatality Risk in 1985 to 1998 Model Year Passenger Cars and 1985 to 1997 Model Year", M. Van Auken and J. Zellner, Dynamic Research Inc., Society of Automotive Engineers Technical Paper 2005-01-1354.

²²⁶ See Chapter 1 of the joint TSD for a description of potential footprint changes in the 2016 reference fleet.

²²⁷ We note that since these MY 2009 F150s have only begun to enter the fleet, there is little real-world crash data available to evaluate the safety impacts of this new design.

The data used for the DRI analysis was similar to NHTSA's 2003 Kahane study, using Fatality Analysis Reporting System (FARS) data for vehicle model years 1985 through 1998 for cars, and 1985 through 1997 trucks. This data overlaps Kahane's FARS data on model year 1991 to 1999 vehicles. However, DRI included 2-door passenger cars, whereas the Kahane study excluded all 2-door vehicles. The 2003 Kahane study excluded 2-door passenger cars because it found that for MY 1991–1999 vehicles, sports and muscle cars constituted a significant proportion of those vehicles. These vehicles have relatively high weight relative to their wheelbase, and are also disproportionately involved in crashes. Thus, Kahane concluded that including these vehicles in the analysis excessively skewed the regression results. However, as of July 1, 1999, 2-door passenger cars represented 29% of the registered cars in the United States. DRI's position was that this is a significant portion of the light duty fleet, too large to be ignored, and conclusions regarding the effects of weight and safety should be based on data for all cars, not just 4-doors. DRI did state in their conclusions that the results are sensitive to removing data for 2-doors and wagons, and that the results for 4-door cars with respect to the effects of wheelbase and track width were no longer statistically significant when 2-door cars were removed. EPA and NHTSA recognize that it is important to properly account for 2-door cars in a regression analysis evaluating the impacts of vehicle weight on safety. Thus, the agencies seek comment on how to ensure that any analysis supporting the final rule accounts as fully as possible for the range of safety impacts due to weight reduction on the variety of vehicles regulated under these proposed standards.

The DRI and Kahane studies also differ with respect to the impact of vehicle weight on rollover fatalities. The Kahane study treated curb weight as a surrogate for size and weight and analyzed them as a single variable. Using this method, the 2003 Kahane analysis indicates that curb weight reductions would increase fatalities due to rollovers. The DRI study differed by analyzing curb weight, wheelbase, and track as multiple variables and concluded that curb weight reduction would decrease rollover fatalities, and wheelbase and track reduction would increase rollover fatalities. DRI offers two potential root causes for higher curb weight resulting in higher rollover fatalities. The first is that a taller vehicle

tends to be heavier than a shorter vehicle; therefore, heavier vehicles may be more likely to rollover because the vehicle height and weight are correlated with vehicle center of gravity height. The second is that FMVSS 216 for roof crush strength requirements for passenger cars of model years 1995 through 1999 were proportional to the unloaded vehicle weight if the weight is less than 3,333 lbs, however they were a constant if the weight is greater than 3,333 lbs. Therefore heavier vehicles may have had relatively less rollover crashworthiness.

NHTSA has rejected the DRI analysis, and has not relied on it for its evaluation of safety impact changes in CAFE standards. See Section IV.G.6 of this Notice, as well as NHTSA's March 2009 Final Rulemaking for MY2011 CAFE standards (see 74 FR at 14402–05).

The DRI and Kahane analyses of the FARS data appear similar in one respect because the results are reproducible between the two studies when using aggregated vehicle attributes for 4-door cars.^{230 231 232} However, when DRI and NHTSA separately analyzed individual vehicle attributes of mass, wheelbase and track width, DRI and NHTSA obtained different results for passenger cars. NHTSA has raised this as a concern with the DRI study. When 2-door vehicles are removed from the data set EPA is concerned that the results may no longer be statistically significant with respect to independent vehicle attributes due to the small remaining data set, as DRI stated in the 2005 study.

The DRI analysis concluded that there would be a small reduction in fatalities for cars and for trucks for a 100 pound reduction in curb weight without accompanied vehicle footprint or size changes. EPA notes that if DRI's results were to be applied using the curb weight reductions predicted by the OMEGA model, an overall reduction in fatalities would be predicted. EPA invites comment on all aspects of the issue of the impact of this kind of weight reduction on safety, including the usefulness of the DRI study in evaluating this issue.

The agencies are committed to continuing to analyze vehicle safety issues so a more informed evaluation

can be made. We request comment on this issue. These comments should include not only further discussion and analysis of the relevant studies but data and analysis which can allow the agencies to more accurately quantify any potential safety issues with the proposed standards.

G. How Would the Proposal Impact Non-GHG Emissions and Their Associated Effects?

In addition to reducing the emissions of greenhouse gases, this proposal would influence the emissions of "criteria" air pollutants and air toxics (i.e., hazardous air pollutants). The criteria air pollutants include carbon monoxide (CO), fine particulate matter (PM_{2.5}), sulfur dioxide (SO₂) and the ozone precursors hydrocarbons (VOC) and oxides of nitrogen (NO_x); the air toxics include benzene, 1,3-butadiene, formaldehyde, acetaldehyde, and acrolein. Our estimates of these non-GHG emission impacts from the proposed program are shown by pollutant in Table III.G–1 and Table III.G–2 in total, and broken down by the two drivers of these changes: (a) "Upstream" emission reductions due to decreased extraction, production and distribution of motor gasoline; and (b) "downstream" emission increases, reflecting the effects of VMT rebound (discussed in Sections III.F and III.H). Total program impacts on criteria and toxics emissions are discussed below, followed by individual discussions of the upstream and downstream impacts. Those are followed by discussions of the effects on air quality, health, and other environmental concerns.

As discussed in Chapter 5 of the DRIA, the impacts presented here are only from petroleum (i.e., EPA assumes that total volumes of ethanol and other renewable fuels will remain unchanged due to this program). Ethanol use was modeled at the volumes projected in AEO2007 for the reference and control case; thus no changes are projected in upstream emissions related to ethanol production and distribution. However, due to the decreased gasoline volume associated with this proposal, a greater market share of E10 is expected relative to E0, which would be expected to have some effect on fleetwide average non-GHG emission rates. This effect, which is likely small relative to the other effects considered here, has not been accounted for in the downstream emission modeling conducted for this proposal, but EPA does plan to address it in the final rule air quality analysis, for which localized impacts could be more significant. A more comprehensive analysis of the impacts of different

²³⁰ "Supplemental Results on the Independent Effects of Curb Weight, Wheelbase and Track on Fatality Risk", Dynamic Research, Inc., DRI-TR-05-01, May 2005.

²³¹ "An Assessment of the Effects of Vehicle Weight and Size on Fatality Risk in 1985 to 1998 Model Year Passenger Cars and 1985 to 1997 Model Year", M. Van Auken and J. Zellner, Dynamic Research Inc., Society of Automotive Engineers Technical Paper 2005-01-1354.

²³² FR Vol. 74, No. 59, beginning on pg. 14402.

ethanol and gasoline volume scenarios is being prepared as part of EPA's RFS2 rulemaking package.^{233 74 FR 24904}

As shown in Table III.G-1, EPA estimates that this program would result in reductions of NO_x, VOC, PM and SO_x, but would increase CO emissions. For NO_x, VOC, PM and SO_x, we estimate net reductions in criteria pollutant emissions because the emissions reductions from upstream sources are larger than the emission increases due to additional driving (*i.e.*, the "rebound effect"). In the case of CO, we estimate slight emission increases, because there are relatively small reductions in upstream emissions, and thus the projected emission increases due to additional driving are greater than the projected emission decreases due to reduced fuel production. EPA estimates that the proposed program would result in small changes for toxic emissions compared to total U.S. inventories across all sectors. For all pollutants the overall impact of the program would be relatively small.

compared to total U.S. inventories across all sectors. In 2030 EPA estimates the proposed program would reduce these total NO_x, PM and SO_x inventories by 0.2 to 0.3 percent and reduce the VOC inventory by 1.2 percent, while increasing the total national CO inventory by 0.4 percent.

As shown in Table III.G-2, EPA estimates that the proposed program would result in small changes for toxic emissions compared to total U.S. inventories across all sectors. In 2030 EPA estimates the program would reduce total benzene and formaldehyde by 0.04 percent. Total acrolein, acetaldehyde, and 1,3-butadiene would increase by 0.03 to 0.2 percent.

Other factors which may impact non-GHG emissions, but are not estimated in this analysis, include:

- Vehicle technologies used to reduce tailpipe CO₂ emissions; because the regulatory standards for non-GHG emissions are the primary driver for these emissions, EPA expects the impact of this program to be negligible on non-GHG emission rates per mile.

- The potential for increased market penetration of diesel vehicles; because

these vehicles would be held to the same certification and in-use standards for criteria pollutants as their gasoline counterparts, EPA expects their impact to be negligible on criteria pollutants and other non-GHG emissions.

- Early introduction of electric vehicles and plug-in hybrid electric vehicles, which would reduce criteria emissions in cases where they are able to certify to lower certification standards. It would also likely reduce gaseous air toxics.

- Reduced refueling emissions due to less frequent refueling events and reduced annual refueling volumes resulting from the GHG standards.

- Increased hot soak evaporative emissions due to the likely increase in number of trips associated with VMT rebound modeled in this proposal.

- Increased market share of E10 relative to E0 due to the decreased overall gasoline consumption of this proposal combined with an unchanged fuel ethanol volume.

EPA invites comments on the possible contribution of these factors to non-GHG emissions.

BILLING CODE 4910-59-P

²³³ 74 FR 24904. See also Docket EPA-HQ-OAR-2005-0161.

Table III.G-1 Annual Criteria Emission Impacts of Program (short tons)

	Total Impacts		Upstream Impacts		Downstream Impacts	
	2020	2030	2020	2030	2020	2030
VOC	-73,739	-142,347	-75,437	-147,841	1,698	5,494
% of total inventory	-0.60%	-1.2%	-0.61%	-1.2%	0.01%	0.05%
CO	70,614	227,832	-7,209	-14,107	77,823	241,939
% of total inventory	0.13%	0.38%	-0.01%	-0.02%	0.14%	0.40%
NO _x	-17,206	-27,726	-22,560	-43,286	5,354	15,560
% of total inventory	-0.14%	-0.2%	-0.18%	-0.36%	0.04%	0.13%
PM _{2.5}	-2,856	-5,431	-3,075	-6,003	218	572
% of total inventory	-0.08%	-0.16%	-0.09%	-0.18%	0.01%	0.02%
SO _x	-16,307	-31,965	-13,804	-27,060	-2,503	-4,906
% of total inventory	-0.18%	-0.34%	-0.16%	-0.29%	-0.03%	-0.05%

Table III.G-2 Annual Air Toxic Emission Impacts of Program (short tons)

	Total Impacts		Upstream Impacts		Downstream Impacts	
	2020	2030	2020	2030	2020	2030
1,3-Butadiene	11	37	-1.8	-3.4	13.2	40.2
% of total inventory	0.07%	0.22%	-0.01%	-0.02%	0.08%	0.24%
Acetaldehyde	17	61	-8	-15	24.8	75.5
% of total inventory	0.04%	0.13%	-0.02%	-0.03%	0.05%	0.17%
Acrolein	0	2	-1.1	-2.0	1.3	3.9
% of total inventory	0.00%	0.03%	0.0%	0.0%	0.02%	0.06%
Benzene	-84	-77	-163	-320	79.6	242.2
% of total inventory	-0.04%	-0.04%	-0.08%	-0.15%	0.04%	0.11%
Formaldehyde	-28	-16	-60	-112	31.8	96.3
% of total inventory	-0.03%	-0.02%	-0.07%	-0.1%	0.04%	0.11%

BILLING CODE 4910-59-C

1. Upstream Impacts of Program

Reducing tailpipe CO₂ emissions from light-duty cars and trucks through tailpipe standards and improved A/C efficiency will result in reduced fuel demand and reductions in the emissions associated with all of the processes involved in getting petroleum to the pump. These upstream emission impacts on criteria pollutants are summarized in Table III.G-1. The upstream reductions grow over time as the fleet turns over to cleaner CO₂ vehicles, so that by 2030 VOC would decrease by 148,000 tons, NO_x by 43,000 tons, and PM_{2.5} by 6,000 tons. Table III.G-2 shows the corresponding impacts on upstream air toxic emissions in 2030. Formaldehyde decreases by 112 tons, benzene by 320 tons, acetaldehyde

by 15 tons, acrolein by 2 tons, and 1,3-butadiene by 3 tons.

To determine these impacts, EPA estimated the impact of reduced petroleum volumes on the extraction and transportation of crude oil as well as the production and distribution of finished gasoline. For the purpose of assessing domestic-only emission reductions it was necessary to estimate the fraction of fuel savings attributable to domestic finished gasoline, and of this gasoline what fraction is produced from domestic crude. For this analysis EPA estimated that 50 percent of fuel savings is attributable to domestic finished gasoline and that 90 percent of this gasoline originated from imported crude. Emission factors for most upstream emission sources are based on the GREET1.8 model, developed by

DOE's Argonne National Laboratory,²³⁴ but in some cases the GREET values were modified or updated by EPA to be consistent with the National Emission Inventory (NEI).²³⁵ The primary updates for this analysis were to incorporate newer information on gasoline distribution emissions for VOC from the NEI, which were significantly higher than GREET estimates; and the incorporation of upstream emission factors for the air toxics estimated in this analysis: benzene, 1,3-butadiene, acetaldehyde, acrolein, and

²³⁴ Greenhouse Gas, Regulated Emissions, and Energy Use in Transportation model (GREET), U.S. Department of Energy, Argonne National Laboratory, http://www.transportation.anl.gov/modeling_simulation/GREET/.

²³⁵ EPA. 2002 National Emissions Inventory (NEI) Data and Documentation, <http://www.epa.gov/ttn/chief/net/2002inventory.html>.

formaldehyde. The development of these emission factors is detailed in DRIA Chapter 5.

2. Downstream Impacts of Program

As discussed in more detail in Section III.H, the effect of fuel cost on VMT ("rebound") was accounted for in our assessment of economic and environmental impacts of this proposed rule. A 10 percent rebound case was used for this analysis, meaning that VMT for affected model years is modeled as increasing by 10 percent as much as the increase in fuel economy; *i.e.*, a 10 percent increase in fuel economy would yield a 1.0 percent increase in VMT.

Downstream emission impacts of the rebound effect are summarized in Table III.G-1 for criteria pollutants and precursors and Table III.G-2 for air toxics. The emission increases from the rebound effect grow over time as the fleet turns over to cleaner CO₂ vehicles, so that by 2030 VOC would increase by 5,500 tons, NO_x by 16,000 tons, and PM_{2.5} by 570 tons. Table III.G-2 shows the corresponding impacts on air toxic emissions. The most noteworthy of these impacts in 2030 are 40 additional tons of 1,3-butadiene, 75 tons of acetaldehyde, 240 tons of benzene, 96 tons of formaldehyde, and 4 tons of acrolein.

For this analysis the reference case non-GHG emissions for light duty vehicles and trucks were derived using EPA's Motor Vehicle Emission Simulator (MOVES) model for VOC, CO, NO_x, PM and air toxics. PM_{2.5} emission estimates include additional adjustments for low temperatures, discussed in detail in the DRIA. Because this modeling was based on calendar year estimates, estimating the rebound effect required a fleet-weighted rebound factor to be calculated for calendar years 2020 and 2030; these factors are presented in DRIA Chapter 5.

As discussed in Section III.H, EPA will be taking comment on the appropriate level of rebound rate for this analysis. The sensitivity of the downstream emission increases shown in Tables III.G-1 and III.G-2 to the level of rebound would be in direct proportion to the rebound rate itself; since zero rebound would result in zero emission increase, the downstream results presented in Table III.G-1 and Table III.G-2 can be directly scaled to estimate the effect of lower rebound rates.

3. Health Effects of Non-GHG Pollutants

a. Particulate Matter

i. Background

Particulate matter is a generic term for a broad class of chemically and physically diverse substances. It can be principally characterized as discrete particles that exist in the condensed (liquid or solid) phase spanning several orders of magnitude in size. Since 1987, EPA has delineated that subset of inhalable particles small enough to penetrate to the thoracic region (including the tracheobronchial and alveolar regions) of the respiratory tract (referred to as thoracic particles). Current NAAQS use PM_{2.5} as the indicator for fine particles (with PM_{2.5} referring to particles with a nominal mean aerodynamic diameter less than or equal to 2.5 μm), and use PM₁₀ as the indicator for purposes of regulating the coarse fraction of PM₁₀ (referred to as thoracic coarse particles or coarse-fraction particles; generally including particles with a nominal mean aerodynamic diameter greater than 2.5 μm and less than or equal to 10 μm, or PM_{10-2.5}). Ultrafine particles are a subset of fine particles, generally less than 100 nanometers (0.1 μm) in aerodynamic diameter.

Fine particles are produced primarily by combustion processes and by transformations of gaseous emissions (e.g., SO_x, NO_x and VOC) in the atmosphere. The chemical and physical properties of PM_{2.5} may vary greatly with time, region, meteorology, and source category. Thus, PM_{2.5} may include a complex mixture of different pollutants including sulfates, nitrates, organic compounds, elemental carbon and metal compounds. These particles can remain in the atmosphere for days to weeks and travel hundreds to thousands of kilometers.

ii. Health Effects of PM

Scientific studies show ambient PM is associated with a series of adverse health effects. These health effects are discussed in detail in EPA's 2004 Particulate Matter Air Quality Criteria Document (PM AQCD) and the 2005 PM Staff Paper.^{236 237 238} Further discussion

²³⁶ U.S. EPA (2004). *Air Quality Criteria for Particulate Matter*. Volume I EPA600/P-99/002aF and Volume II EPA600/P-99/002bF. Retrieved on March 19, 2009 from Docket EPA-HQ-OAR-2003-0190 at <http://www.regulations.gov/>.

²³⁷ U.S. EPA. (2005). *Review of the National Ambient Air Quality Standard for Particulate Matter: Policy Assessment of Scientific and Technical Information*. OAQPS Staff Paper. EPA-452/R-05-005a. Retrieved March 19, 2009 from http://www.epa.gov/ttn/naaqs/standards/pm/dmdata/pmstaffpaper_20051221.pdf.

of health effects associated with PM can also be found in the DRIA for this rule.

Health effects associated with short-term exposures (hours to days) to ambient PM include premature mortality, aggravation of cardiovascular and lung disease (as indicated by increased hospital admissions and emergency department visits), increased respiratory symptoms including cough and difficulty breathing, decrements in lung function, altered heart rate rhythm, and other more subtle changes in blood markers related to cardiovascular health.²³⁹ Long-term exposure to PM_{2.5} and sulfates has also been associated with mortality from cardiopulmonary disease and lung cancer, and effects on the respiratory system such as reduced lung function growth or development of respiratory disease. A new analysis shows an association between long-term PM_{2.5} exposure and a measure of atherosclerosis development.^{240 241}

Studies examining populations exposed over the long term (one or more years) to different levels of air pollution, including the Harvard Six Cities Study

²³⁸ The PM NAAQS is currently under review and the EPA is considering all available science on PM health effects, including information which has been published since 2004, in the development of the upcoming PM Integrated Science Assessment Document (ISA). A second draft of the PM ISA was completed in July 2009 and was submitted for review by the Clean Air Scientific Advisory Committee (CASAC) of EPA's Science Advisory Board. Comments from the general public have also been requested. For more information, see <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=210586>.

²³⁹ U.S. EPA. (2006). *National Ambient Air Quality Standards for Particulate Matter; Proposed Rule*. 71 FR 2620, January 17, 2006.

²⁴⁰ Künzli, N., Jerrett, M., Mack, W.J., et al. (2004). Ambient air pollution and atherosclerosis in Los Angeles. *Environ Health Perspect.*, 113, 201-206.

²⁴¹ This study is included in the 2006 Provisional Assessment of Recent Studies on Health Effects of Particulate Matter Exposure. The provisional assessment did not and could not (given a very short timeframe) undergo the extensive critical review by CASAC and the public, as did the PM AQCD. The provisional assessment found that the "new" studies expand the scientific information and provide important insights on the relationship between PM exposure and health effects of PM. The provisional assessment also found that "new" studies generally strengthen the evidence that acute and chronic exposure to fine particles and acute exposure to thoracic coarse particles are associated with health effects. Further, the provisional science assessment found that the results reported in the studies did not dramatically diverge from previous findings, and taken in context with the findings of the AQCD, the new information and findings did not materially change any of the broad scientific conclusions regarding the health effects of PM exposure made in the AQCD. However, it is important to note that this assessment was limited to screening, surveying, and preparing a provisional assessment of these studies. For reasons outlined in Section I.C of the preamble for the final PM NAAQS rulemaking in 2006 (see 71 FR 61148-49, October 17, 2006), EPA based its NAAQS decision on the science presented in the 2004 AQCD.

and the American Cancer Society Study, show associations between long-term exposure to ambient PM_{2.5} and both total and cardiopulmonary premature mortality.^{242 243 244} In addition, an extension of the American Cancer Society Study shows an association between PM_{2.5} and sulfate concentrations and lung cancer mortality.²⁴⁵

b. Ozone

i. Background

Ground-level ozone pollution is typically formed by the reaction of VOC and NO_x in the lower atmosphere in the presence of heat and sunlight. These pollutants, often referred to as ozone precursors, are emitted by many types of pollution sources, such as highway and nonroad motor vehicles and engines, power plants, chemical plants, refineries, makers of consumer and commercial products, industrial facilities, and smaller area sources.

The science of ozone formation, transport, and accumulation is complex.²⁴⁶ Ground-level ozone is produced and destroyed in a cyclical set of chemical reactions, many of which are sensitive to temperature and sunlight. When ambient temperatures and sunlight levels remain high for several days and the air is relatively stagnant, ozone and its precursors can build up and result in more ozone than typically occurs on a single high-temperature day. Ozone can be transported hundreds of miles downwind of precursor emissions, resulting in elevated ozone levels even

in areas with low local VOC or NO_x emissions.

ii. Health Effects of Ozone

The health and welfare effects of ozone are well documented and are assessed in EPA's 2006 Air Quality Criteria Document (ozone AQCD) and 2007 Staff Paper.^{247 248} Ozone can irritate the respiratory system, causing coughing, throat irritation, and/or uncomfortable sensation in the chest. Ozone can reduce lung function and make it more difficult to breathe deeply; breathing may also become more rapid and shallow than normal, thereby limiting a person's activity. Ozone can also aggravate asthma, leading to more asthma attacks that require medical attention and/or the use of additional medication. In addition, there is suggestive evidence of a contribution of ozone to cardiovascular-related morbidity and highly suggestive evidence that short-term ozone exposure directly or indirectly contributes to non-accidental and cardiopulmonary-related mortality, but additional research is needed to clarify the underlying mechanisms causing these effects. In a recent report on the estimation of ozone-related premature mortality published by the National Research Council (NRC), a panel of experts and reviewers concluded that short-term exposure to ambient ozone is likely to contribute to premature deaths and that ozone-related mortality should be included in estimates of the health benefits of reducing ozone exposure.²⁴⁹ Animal toxicological evidence indicates that with repeated exposure, ozone can inflame and damage the lining of the lungs, which may lead to permanent changes in lung tissue and irreversible reductions in lung function. People who are more susceptible to effects associated with exposure to ozone can include children, the elderly, and individuals with respiratory disease such as asthma. Those with greater exposures to ozone, for instance due to time spent outdoors (e.g., children and

outdoor workers), are of particular concern.

The 2006 ozone AQCD also examined relevant new scientific information that has emerged in the past decade, including the impact of ozone exposure on such health effects as changes in lung structure and biochemistry, inflammation of the lungs, exacerbation and causation of asthma, respiratory illness-related school absence, hospital admissions and premature mortality. Animal toxicological studies have suggested potential interactions between ozone and PM with increased responses observed to mixtures of the two pollutants compared to either ozone or PM alone. The respiratory morbidity observed in animal studies along with the evidence from epidemiologic studies supports a causal relationship between acute ambient ozone exposures and increased respiratory-related emergency room visits and hospitalizations in the warm season. In addition, there is suggestive evidence of a contribution of ozone to cardiovascular-related morbidity and non-accidental and cardiopulmonary mortality.

c. NO_x and SO_x

i. Background

Nitrogen dioxide (NO₂) is a member of the NO_x family of gases. Most NO₂ is formed in the air through the oxidation of nitric oxide (NO) emitted when fuel is burned at a high temperature. SO₂, a member of the sulfur oxide (SO_x) family of gases, is formed from burning fuels containing sulfur (e.g., coal or oil derived), extracting gasoline from oil, or extracting metals from ore.

SO₂ and NO₂ can dissolve in water vapor and further oxidize to form sulfuric and nitric acid which react with ammonia to form sulfates and nitrates, both of which are important components of ambient PM. The health effects of ambient PM are discussed in Section III.G.3.a of this preamble. NO_x along with non-methane hydrocarbon (NMHC) are the two major precursors of ozone. The health effects of ozone are covered in Section III.G.3.b.

ii. Health Effects of NO₂

Information on the health effects of NO₂ can be found in the U.S. Environmental Protection Agency Integrated Science Assessment (ISA) for Nitrogen Oxides.²⁵⁰ The U.S. EPA has concluded that the findings of epidemiologic, controlled human

²⁴² Dockery, D.W., Pope, C.A. III, Xu, X, et al. (1993). An association between air pollution and mortality in six U.S. cities. *N Engl J Med*, 329, 1753-1759. Retrieved on March 19, 2009 from <http://content.nejm.org/cgi/content/full/329/24/1753>.

²⁴³ Pope, C.A., III, Thun, M.J., Namboodiri, M.M., Dockery, D.W., Evans, J.S., Speizer, F.E., and Heath, C.W., Jr. (1995). Particulate air pollution as a predictor of mortality in a prospective study of U.S. adults. *Am. J. Respir. Crit. Care Med*, 151, 669-674.

²⁴⁴ Krewski, D., Burnett, R.T., Goldberg, M.S., et al. (2000). *Reanalysis of the Harvard Six Cities study and the American Cancer Society study of particulate air pollution and mortality*. A special report of the Institute's Particle Epidemiology Reanalysis Project. Cambridge, MA: Health Effects Institute. Retrieved on March 19, 2009 from <http://es.epa.gov/ncer/science/pm/hei/Rean-ExecSumm.pdf>.

²⁴⁵ Pope, C.A., III, Burnett, R.T., Thun, M. J., Calle, E.E., Krewski, D., Ito, K., Thurston, G.D., (2002). Lung cancer, cardiopulmonary mortality, and long-term exposure to fine particulate air pollution. *J. Am. Med. Assoc.*, 287, 1132-1141.

²⁴⁶ U.S. EPA. (2006). Air Quality Criteria for Ozone and Related Photochemical Oxidants (Final). EPA/600/R-05/004aF-cF. Washington, DC: U.S. EPA. Retrieved on March 19, 2009 from Docket EPA-HQ-OAR-2003-0190 at <http://www.regulations.gov/>.

²⁴⁷ U.S. EPA. (2006). Air Quality Criteria for Ozone and Related Photochemical Oxidants (Final). EPA/600/R-05/004aF-cF. Washington, DC: U.S. EPA. Retrieved on March 19, 2009 from Docket EPA-HQ-OAR-2003-0190 at <http://www.regulations.gov/>.

²⁴⁸ U.S. EPA. (2007). Review of the National Ambient Air Quality Standards for Ozone: Policy Assessment of Scientific and Technical Information, OAQPS Staff Paper. EPA-452/R-07-003. Washington, DC: U.S. EPA. Retrieved on March 19, 2009 from Docket EPA-HQ-OAR-2003-0190 at <http://www.regulations.gov/>.

²⁴⁹ National Research Council (NRC), 2008. *Estimating Mortality Risk Reduction and Economic Benefits from Controlling Ozone Air Pollution*. The National Academies Press: Washington, DC.

²⁵⁰ U.S. EPA. (2008). *Integrated Science Assessment for Oxides of Nitrogen—Health Criteria (Final Report)*. EPA/600/R-08/071. Washington, DC: U.S. EPA. Retrieved on March 19, 2009 from <http://cfpub.epa.gov/ncsa/cfm/recorderdisplay.cfm?deid=194645>.

exposure, and animal toxicological studies provide evidence that is sufficient to infer a likely causal relationship between respiratory effects and short-term NO₂ exposure. The ISA concludes that the strongest evidence for such a relationship comes from epidemiologic studies of respiratory effects including symptoms, emergency department visits, and hospital admissions. The ISA also draws two broad conclusions regarding airway responsiveness following NO₂ exposure. First, the ISA concludes that NO₂ exposure may enhance the sensitivity to allergen-induced decrements in lung function and increase the allergen-induced airway inflammatory response at exposures as low as 0.26 ppm NO₂ for 30 minutes. Second, exposure to NO₂ has been found to enhance the inherent responsiveness of the airway to subsequent nonspecific challenges in controlled human exposure studies of asthmatic subjects. Enhanced airway responsiveness could have important clinical implications for asthmatics since transient increases in airway responsiveness following NO₂ exposure have the potential to increase symptoms and worsen asthma control. Together, the epidemiologic and experimental data sets form a plausible, consistent, and coherent description of a relationship between NO₂ exposures and an array of adverse health effects that range from the onset of respiratory symptoms to hospital admission.

Although the weight of evidence supporting a causal relationship is somewhat less certain than that associated with respiratory morbidity, NO₂ has also been linked to other health endpoints. These include all-cause (nonaccidental) mortality, hospital admissions or emergency department visits for cardiovascular disease, and decrements in lung function growth associated with chronic exposure.

iii. Health Effects of SO₂

Information on the health effects of SO₂ can be found in the U.S. Environmental Protection Agency Integrated Science Assessment for Sulfur Oxides.²⁵¹ SO₂ has long been known to cause adverse respiratory health effects, particularly among individuals with asthma. Other potentially sensitive groups include children and the elderly. During periods of elevated ventilation, asthmatics may

experience symptomatic bronchoconstriction within minutes of exposure. Following an extensive evaluation of health evidence from epidemiologic and laboratory studies, the EPA has concluded that there is a causal relationship between respiratory health effects and short-term exposure to SO₂. Separately, based on an evaluation of the epidemiologic evidence of associations between short-term exposure to SO₂ and mortality, the EPA has concluded that the overall evidence is suggestive of a causal relationship between short-term exposure to SO₂ and mortality.

d. Carbon Monoxide

Carbon monoxide (CO) forms as a result of incomplete fuel combustion. CO enters the bloodstream through the lungs, forming carboxyhemoglobin and reducing the delivery of oxygen to the body's organs and tissues. The health threat from CO is most serious for those who suffer from cardiovascular disease, particularly those with angina or peripheral vascular disease. Healthy individuals also are affected, but only at higher CO levels. Exposure to elevated CO levels is associated with impairment of visual perception, work capacity, manual dexterity, learning ability and performance of complex tasks. Carbon monoxide also contributes to ozone nonattainment since carbon monoxide reacts photochemically in the atmosphere to form ozone.²⁵² Additional information on CO related health effects can be found in the Carbon Monoxide Air Quality Criteria Document (CO AQCD).^{253 254}

e. Air Toxics

Motor vehicle emissions contribute to ambient levels of air toxics known or suspected as human or animal carcinogens, or that have noncancer health effects. The population experiences an elevated risk of cancer and other noncancer health effects from

exposure to air toxics.²⁵⁵ These compounds include, but are not limited to, benzene, 1,3-butadiene, formaldehyde, acetaldehyde, acrolein, polycyclic organic matter (POM), and naphthalene. These compounds, except acetaldehyde, were identified as national or regional risk drivers in the 2002 National-scale Air Toxics Assessment (NATA) and have significant inventory contributions from mobile sources.²⁵⁶ Emissions and ambient concentrations of compounds are discussed in the DRIA chapter on emission inventories and air quality (Chapters 5 and 7, respectively).

i. Benzene

The EPA's IRIS database lists benzene as a known human carcinogen (causing leukemia) by all routes of exposure, and concludes that exposure is associated with additional health effects, including genetic changes in both humans and animals and increased proliferation of bone marrow cells in mice.^{257 258 259} EPA states in its IRIS database that data indicate a causal relationship between benzene exposure and acute lymphocytic leukemia and suggest a relationship between benzene exposure and chronic non-lymphocytic leukemia and chronic lymphocytic leukemia. The International Agency for Research on Carcinogens (IARC) has determined that benzene is a human carcinogen and the U.S. Department of Health and Human Services (DHHS) has characterized benzene as a known human carcinogen.^{260 261}

A number of adverse noncancer health effects including blood disorders, such as preleukemia and aplastic anemia, have also been associated with

²⁵⁵ U. S. EPA. 2002 National-Scale Air Toxics Assessment. <http://www.epa.gov/ttn/atw/nata12002/risksun.html>.

²⁵⁶ U.S. EPA. 2009. National-Scale Air Toxics Assessment for 2002. <http://www.epa.gov/ttn/atw/nata2002/>.

²⁵⁷ U.S. EPA. 2000. Integrated Risk Information System File for Benzene. This material is available electronically at <http://www.epa.gov/iris/subst/0276.htm>.

²⁵⁸ International Agency for Research on Cancer (IARC). 1982. Monographs on the evaluation of carcinogenic risk of chemicals to humans, Volume 29. Some industrial chemicals and dyestuffs, World Health Organization, Lyon, France, p. 345-389.

²⁵⁹ Irons, R.D.; Stillman, W.S.; Colagiovanni, D.B.; Henry, V.A. 1992. Synergistic action of the benzene metabolite hydroquinone on myeloperoxidase stimulating activity of granulocyte/macrophage colony-stimulating factor in vitro. *Proc. Natl. Acad. Sci.* 89:3691-3695.

²⁶⁰ International Agency for Research on Cancer (IARC). 1987. Monographs on the evaluation of carcinogenic risk of chemicals to humans, Volume 29. Supplement 7, Some industrial chemicals and dyestuffs, World Health Organization, Lyon, France.

²⁶¹ U.S. Department of Health and Human Services National Toxicology Program 11th Report on Carcinogens available at <http://www.ntp.niehs.nih.gov/go/16183>.

²⁵¹ U.S. EPA. (2008). *Integrated Science Assessment (ISA) for Sulfur Oxides—Health Criteria (Final Report)*. EPA/600/R-08/047F. Washington, DC: U.S. Environmental Protection Agency. Retrieved on March 18, 2009 from <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=198843>.

²⁵² U.S. EPA (2000). Air Quality Criteria for Carbon Monoxide, EPA/600/P-99/001F. This document is available in Docket EPA-HQ-OAR-2004-0008.

²⁵³ U.S. EPA (2000). Air Quality Criteria for Carbon Monoxide, EPA/600/P-99/001F. This document is available in Docket EPA-HQ-OAR-2004-0008.

²⁵⁴ The CO NAAQS is currently under review and the EPA is considering all available science on CO health effects, including information which has been published since 2000, in the development of the upcoming CO Integrated Science Assessment Document (ISA). A first draft of the CO ISA was completed in March 2009 and was submitted for review by the Clean Air Scientific Advisory Committee (CASAC) of EPA's Science Advisory Board. For more information, see <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=203935>.

long-term exposure to benzene.^{262 263} The most sensitive noncancer effect observed in humans, based on current data, is the depression of the absolute lymphocyte count in blood.^{264 265} In addition, recent work, including studies sponsored by the Health Effects Institute (HEI), provides evidence that biochemical responses are occurring at lower levels of benzene exposure than previously known.^{266 267 268 269} EPA's IRIS program has not yet evaluated these new data.

ii. 1,3-Butadiene

EPA has characterized 1,3-butadiene as carcinogenic to humans by inhalation.^{270 271} The IARC has determined that 1,3-butadiene is a human carcinogen and the U.S. DHHS has characterized 1,3-butadiene as a known human carcinogen.^{272 273} There

are numerous studies consistently demonstrating that 1,3-butadiene is metabolized into genotoxic metabolites by experimental animals and humans. The specific mechanisms of 1,3-butadiene-induced carcinogenesis are unknown; however, the scientific evidence strongly suggests that the carcinogenic effects are mediated by genotoxic metabolites. Animal data suggest that females may be more sensitive than males for cancer effects associated with 1,3-butadiene exposure; there are insufficient data in humans from which to draw conclusions about sensitive subpopulations. 1,3-butadiene also causes a variety of reproductive and developmental effects in mice; no human data on these effects are available: The most sensitive effect was ovarian atrophy observed in a lifetime bioassay of female mice.²⁷⁴

iii. Formaldehyde

Since 1987, EPA has classified formaldehyde as a probable human carcinogen based on evidence in humans and in rats, mice, hamsters, and monkeys.²⁷⁵ EPA is currently reviewing recently published epidemiological data. For instance, research conducted by the National Cancer Institute (NCI) found an increased risk of nasopharyngeal cancer and lymphohematopoietic malignancies such as leukemia among workers exposed to formaldehyde.^{276 277} In an analysis of the lymphohematopoietic cancer mortality from an extended follow-up of these workers, NCI confirmed an association between lymphohematopoietic cancer risk and peak exposures.²⁷⁸ A recent National Institute of Occupational Safety and

Health (NIOSH) study of garment workers also found increased risk of death due to leukemia among workers exposed to formaldehyde.²⁷⁹ Extended follow-up of a cohort of British chemical workers did not find evidence of an increase in nasopharyngeal or lymphohematopoietic cancers, but a continuing statistically significant excess in lung cancers was reported.²⁸⁰ Recently, the IARC re-classified formaldehyde as a human carcinogen (Group 1).²⁸¹

Formaldehyde exposure also causes a range of noncancer health effects, including irritation of the eyes (burning and watering of the eyes), nose and throat. Effects from repeated exposure in humans include respiratory tract irritation, chronic bronchitis and nasal epithelial lesions such as metaplasia and loss of cilia. Animal studies suggest that formaldehyde may also cause airway inflammation—including eosinophil infiltration into the airways. There are several studies that suggest that formaldehyde may increase the risk of asthma—particularly in the young.^{282 283}

iv. Acetaldehyde

Acetaldehyde is classified in EPA's IRIS database as a probable human carcinogen, based on nasal tumors in rats, and is considered toxic by the inhalation, oral, and intravenous routes.²⁸⁴ Acetaldehyde is reasonably anticipated to be a human carcinogen by the U.S. DHHS in the 11th Report on Carcinogens and is classified as possibly carcinogenic to humans (Group 2B) by

²⁷⁹ Pinkerton, L. E. 2004. Mortality among a cohort of garment workers exposed to formaldehyde: an update. *Occup. Environ. Med.* 61: 193–200.

²⁸⁰ Coggon, D., EC Harris, J. Poole, KT Palmer. 2003. Extended follow-up of a cohort of British chemical workers exposed to formaldehyde. *J. National Cancer Inst.* 95:1608–1615.

²⁸¹ International Agency for Research on Cancer (IARC). 2006. Formaldehyde, 2-Butoxyethanol and 1-ter-Butoxypropan-2-ol. Volume 88. (in preparation), World Health Organization, Lyon, France.

²⁸² Agency for Toxic Substances and Disease Registry (ATSDR). 1999. Toxicological profile for Formaldehyde. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service. <http://www.atsdr.cdc.gov/toxprofiles/tp111.html>.

²⁸³ WHO (2002) Concise International Chemical Assessment Document 40: Formaldehyde. Published under the joint sponsorship of the United Nations Environment Programme, the International Labour Organization, and the World Health Organization, and produced within the framework of the Inter-Organization Programme for the Sound Management of Chemicals. Geneva.

²⁸⁴ U.S. EPA. 1991. Integrated Risk Information System File of Acetaldehyde. Research and Development, National Center for Environmental Assessment, Washington, DC. This material is available electronically at <http://www.epa.gov/iris/subst/0290.htm>.

²⁶² Aksoy, M. (1989). Hematotoxicity and carcinogenicity of benzene. *Environ. Health Perspect.* 82: 193–197.

²⁶³ Goldstein, B.D. (1988). Benzene toxicity. *Occupational medicine. State of the Art Reviews.* 3: 541–554.

²⁶⁴ Rothman, N., G.L. Li, M. Dosemeci, W.E. Bechtold, G.E. Marti, Y.Z. Wang, M. Linet, L.Q. Xi, W. Lu, M.T. Smith, N. Titenko-Holland, L.P. Zhang, W. Blot, S.N. Yin, and R.B. Hayes (1996) Hematotoxicity among Chinese workers heavily exposed to benzene. *Am. J. Ind. Med.* 29: 236–246.

²⁶⁵ U.S. EPA (2002) Toxicological Review of Benzene (Noncancer Effects). Environmental Protection Agency, Integrated Risk Information System (IRIS), Research and Development, National Center for Environmental Assessment, Washington DC. This material is available electronically at <http://www.epa.gov/iris/subst/0276.htm>.

²⁶⁶ Qu, O.; Shore, R.; Li, G.; Jin, X.; Chen, C.L.; Cohen, B.; Melikian, A.; Eastmond, D.; Rappaport, S.; Li, H.; Rupa, D.; Suramaya, R.; Songnian, W.; Huifant, Y.; Meng, M.; Winnik, M.; Kwok, E.; Li, Y.; Mu, R.; Xu, B.; Zhang, X.; Li, K. (2003) HEI Report 115, Validation & Evaluation of Biomarkers in Workers Exposed to Benzene in China.

²⁶⁷ Qu, Q., R. Shore, G. Li, X. Jin, L.C. Chen, B. Cohen, et al. (2002) Hematological changes among Chinese workers with a broad range of benzene exposures. *Am. J. Industr. Med.* 42: 275–285.

²⁶⁸ Lan, Qing, Zhang, L., Li, G., Vermeulen, R., et al. (2004) Hematotoxicity in Workers Exposed to Low Levels of Benzene. *Science* 306: 1774–1776.

²⁶⁹ Turtletaub, K.W. and Mani, C. (2003) Benzene metabolism in rodents at doses relevant to human exposure from Urban Air. *Research Reports Health Effect Inst.* Report No.113.

²⁷⁰ U.S. EPA (2002) Health Assessment of 1,3-Butadiene. Office of Research and Development, National Center for Environmental Assessment, Washington Office, Washington, DC. Report No. EPA600-P-98-001F. This document is available electronically at <http://www.epa.gov/iris/supdocs/buta-sup.pdf>.

²⁷¹ U.S. EPA (2002) Full IRIS Summary for 1,3-butadiene (CASRN 106–99–0). Environmental Protection Agency, Integrated Risk Information System (IRIS), Research and Development, National Center for Environmental Assessment, Washington, DC <http://www.epa.gov/iris/subst/0139.htm>.

²⁷² International Agency for Research on Cancer (IARC) (1999) Monographs on the evaluation of carcinogenic risk of chemicals to humans, Volume 71, Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide and Volume 97 (in preparation), World Health Organization, Lyon, France.

²⁷³ U.S. Department of Health and Human Services (2005) National Toxicology Program 11th Report on Carcinogens available at: ntp.niehs.nih.gov/index.cfm?objectid=32BA9724-F1F6-975E-7FCE50709CB4C932.

²⁷⁴ Bevan, C.; Stadler, J.C.; Elliot, G.S.; et al. (1996) Subchronic toxicity of 4-vinylcyclohexene in rats and mice by inhalation. *Fundam. Appl. Toxicol.* 32:1–10.

²⁷⁵ U.S. EPA (1987) Assessment of Health Risks to Garment Workers and Certain Home Residents from Exposure to Formaldehyde, Office of Pesticides and Toxic Substances, April 1987.

²⁷⁶ Hauptmann, M.; Lubin, J. H.; Stewart, P. A.; Hayes, R. B.; Blair, A. 2003. Mortality from lymphohematopoietic malignancies among workers in formaldehyde industries. *Journal of the National Cancer Institute* 95: 1615–1623.

²⁷⁷ Hauptmann, M.; Lubin, J. H.; Stewart, P. A.; Hayes, R. B.; Blair, A. 2004. Mortality from solid cancers among workers in formaldehyde industries. *American Journal of Epidemiology* 159: 1117–1130.

²⁷⁸ Beane Freeman, L. E.; Blair, A.; Lubin, J. H.; Stewart, P. A.; Hayes, R. B.; Hoover, R. N.; Hauptmann, M. 2009. Mortality from lymphohematopoietic malignancies among workers in formaldehyde industries: The National Cancer Institute cohort. *J. National Cancer Inst.* 101: 751–761.

the IARC.^{285 286} EPA is currently conducting a reassessment of cancer risk from inhalation exposure to acetaldehyde. The primary noncancer effects of exposure to acetaldehyde vapors include irritation of the eyes, skin, and respiratory tract.²⁸⁷ In short-term (4 week) rat studies, degeneration of olfactory epithelium was observed at various concentration levels of acetaldehyde exposure.^{288 289} Data from these studies were used by EPA to develop an inhalation reference concentration. Some asthmatics have been shown to be a sensitive subpopulation to decrements in functional expiratory volume (FEV1 test) and bronchoconstriction upon acetaldehyde inhalation.²⁹⁰ The agency is currently conducting a reassessment of the health hazards from inhalation exposure to acetaldehyde.

v. Acrolein

Acrolein is extremely acrid and irritating to humans when inhaled, with acute exposure resulting in upper respiratory tract irritation, mucus hypersecretion and congestion. Levels considerably lower than 1 ppm (2.3 mg/m³) elicit subjective complaints of eye and nasal irritation and a decrease in the respiratory rate.^{291 292} Lesions to the lungs and upper respiratory tract of rats, rabbits, and hamsters have been observed after subchronic exposure to acrolein. Based on animal data, individuals with compromised respiratory function (e.g., emphysema,

asthma) are expected to be at increased risk of developing adverse responses to strong respiratory irritants such as acrolein. This was demonstrated in mice with allergic airway-disease by comparison to non-diseased mice in a study of the acute respiratory irritant effects of acrolein.²⁹³ The intense irritancy of this carbonyl has been demonstrated during controlled tests in human subjects, who suffer intolerable eye and nasal mucosal sensory reactions within minutes of exposure.²⁹⁴

EPA determined in 2003 that the human carcinogenic potential of acrolein could not be determined because the available data were inadequate. No information was available on the carcinogenic effects of acrolein in humans and the animal data provided inadequate evidence of carcinogenicity.²⁹⁵ The IARC determined in 1995 that acrolein was not classifiable as to its carcinogenicity in humans.²⁹⁶

vi. Polycyclic Organic Matter (POM)

POM is generally defined as a large class of organic compounds which have multiple benzene rings and a boiling point greater than 100 degrees Celsius. Many of the compounds included in the class of compounds known as POM are classified by EPA as probable human carcinogens based on animal data. One of these compounds, naphthalene, is discussed separately below. Polycyclic aromatic hydrocarbons (PAHs) are a subset of POM that contain only hydrogen and carbon atoms. A number of PAHs are known or suspected carcinogens. Recent studies have found that maternal exposures to PAHs (a subclass of POM) in a population of pregnant women were associated with several adverse birth outcomes, including low birth weight and reduced length at birth, as well as impaired cognitive development at age

three.^{297 298} EPA has not yet evaluated these recent studies.

vii. Naphthalene

Naphthalene is found in small quantities in gasoline and diesel fuels. Naphthalene emissions have been measured in larger quantities in both gasoline and diesel exhaust compared with evaporative emissions from mobile sources, indicating it is primarily a product of combustion. EPA released an external review draft of a reassessment of the inhalation carcinogenicity of naphthalene based on a number of recent animal carcinogenicity studies.²⁹⁹ The draft reassessment completed external peer review.³⁰⁰ Based on external peer review comments received, additional analyses are being undertaken. This external review draft does not represent official agency opinion and was released solely for the purposes of external peer review and public comment. Once EPA evaluates public and peer reviewer comments, the document will be revised. The National Toxicology Program listed naphthalene as "reasonably anticipated to be a human carcinogen" in 2004 on the basis of bioassays reporting clear evidence of carcinogenicity in rats and some evidence of carcinogenicity in mice.³⁰¹ California EPA has released a new risk assessment for naphthalene, and the IARC has reevaluated naphthalene and re-classified it as Group 2B: possibly carcinogenic to humans.³⁰² Naphthalene also causes a number of chronic non-cancer effects in animals, including

²⁸⁵ U.S. Department of Health and Human Services National Toxicology Program 11th Report on Carcinogens available at: <http://ntp.niehs.nih.gov/index.cfm?objectid=32BA9724-F1F6-975E-7FCE50709CB4C932>.

²⁸⁶ International Agency for Research on Cancer (IARC). 1999. Re-evaluation of some organic chemicals, hydrazine, and hydrogen peroxide. IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans, Vol. 71. Lyon, France.

²⁸⁷ U.S. EPA. 1991. Integrated Risk Information System File of Acetaldehyde. This material is available electronically at <http://www.epa.gov/iris/subst/0290.htm>.

²⁸⁸ Appleman, L. M., R. A. Woutersen, V. J. Feron, R. N. Hooftman, and W. R. F. Notten. 1986. Effects of the variable versus fixed exposure levels on the toxicity of acetaldehyde in rats. *J. Appl. Toxicol.* 6: 331-336.

²⁸⁹ Appleman, L.M., R.A. Woutersen, and V.J. Feron. 1982. Inhalation toxicity of acetaldehyde in rats. I. Acute and subacute studies. *Toxicology*. 23: 293-297.

²⁹⁰ Myou, S.; Fujimura, M.; Nishi K.; Ohka, T.; and Matsuda, T. 1993. Aerosolized acetaldehyde induces histamine-mediated bronchoconstriction in asthmatics. *Am. Rev. Respir. Dis.* 148(4 Pt 1): 940-3.

²⁹¹ Weber-Tschopp, A; Fischer, T; Gierer, R; et al. (1977) Experimentelle reizwirkungen von Acrolein auf den Menschen. *Int Arch Occup Environ Hlth* 40(2):117-130. In German

²⁹² Sim, VM; Pattle, RE. (1957) Effect of possible smog irritants on human subjects. *J Am Med Assoc* 165(15):1908-1913.

²⁹³ Morris JB, Symanowicz PT, Olsen JE, et al. 2003. Immediate sensory nerve-mediated respiratory responses to irritants in healthy and allergic airway-diseased mice. *J Appl Physiol* 94(4):1563-1571.

²⁹⁴ Sim VM, Pattle RE. Effect of possible smog irritants on human subjects *JAMA* 165: 1980-2010, 1957.

²⁹⁵ U.S. EPA. 2003. Integrated Risk Information System File of Acrolein. Research and Development, National Center for Environmental Assessment, Washington, DC. This material is available at <http://www.epa.gov/iris/subst/0364.htm>.

²⁹⁶ International Agency for Research on Cancer (IARC). 1995. Monographs on the evaluation of carcinogenic risk of chemicals to humans, Volume 63, Dry cleaning, some chlorinated solvents and other industrial chemicals, World Health Organization, Lyon, France.

²⁹⁷ Perera, F.P.; Rauh, V.; Tsai, W.-Y.; et al. (2002) Effect of transplacental exposure to environmental pollutants on birth outcomes in a multiethnic population. *Environ Health Perspect.* 111: 201-205.

²⁹⁸ Perera, F.P.; Rauh, V.; Whyatt, R.M.; Tsai, W.Y.; Tang, D.; Diaz, D.; Hoepner, L.; Barr, D.; Tu, Y.H.; Camann, D.; Kinney, P. (2006) Effect of prenatal exposure to airborne polycyclic aromatic hydrocarbons on neurodevelopment in the first 3 years of life among inner-city children. *Environ Health Perspect* 114: 1287-1292.

²⁹⁹ U. S. EPA. 2004. Toxicological Review of Naphthalene (Reassessment of the Inhalation Cancer Risk), Environmental Protection Agency, Integrated Risk Information System, Research and Development, National Center for Environmental Assessment, Washington, DC. This material is available electronically at <http://www.epa.gov/iris/subst/0436.htm>.

³⁰⁰ Oak Ridge Institute for Science and Education. (2004). External Peer Review for the IRIS Reassessment of the Inhalation Carcinogenicity of Naphthalene. August 2004. <http://cfpub.epa.gov/ncsa/cfm/recordisplay.cfm?deid=84403>.

³⁰¹ National Toxicology Program (NTP). (2004). 11th Report on Carcinogens. Public Health Service, U.S. Department of Health and Human Services, Research Triangle Park, NC. Available from: <http://ntp-server.niehs.nih.gov>.

³⁰² International Agency for Research on Cancer (IARC). (2002). Monographs on the Evaluation of the Carcinogenic Risk of Chemicals for Humans. Vol. 82. Lyon, France.

abnormal cell changes and growth in respiratory and nasal tissues.³⁰³

viii. Other Air Toxics

In addition to the compounds described above, other compounds of gaseous hydrocarbon and PM emissions from vehicles will be affected by this proposed action. Mobile source air toxic compounds that would potentially be impacted include ethylbenzene, polycyclic organic matter, propionaldehyde, toluene, and xylene. Information regarding the health effects of these compounds can be found in EPA's IRIS database.³⁰⁴

4. Environmental Effects of Non-GHG Pollutants

a. Visibility

Visibility can be defined as the degree to which the atmosphere is transparent to visible light. Airborne particles degrade visibility by scattering and absorbing light. Visibility is important because it has direct significance to people's enjoyment of daily activities in all parts of the country. Individuals value good visibility for the well-being it provides them directly, where they live and work and in places where they enjoy recreational opportunities. Visibility is also highly valued in significant natural areas such as national parks and wilderness areas and special emphasis is given to protecting visibility in these areas. For more information on visibility, see the final 2004 PM AQCD as well as the 2005 PM Staff Paper.^{305 306}

EPA is pursuing a two-part strategy to address visibility. First, to address the welfare effects of PM on visibility, EPA has set secondary PM_{2.5} standards which act in conjunction with the establishment of a regional haze program. In setting this secondary standard, EPA has concluded that PM_{2.5} causes adverse effects on visibility in

various locations, depending on PM concentrations and factors such as chemical composition and average relative humidity. Second, section 169 of the Clean Air Act provides additional authority to address existing visibility impairment and prevent future visibility impairment in the 156 national parks, forests and wilderness areas categorized as mandatory class I Federal areas (62 FR 38680-81, July 18, 1997).³⁰⁷ In July 1999, the regional haze rule (64 FR 35714) was put in place to protect the visibility in mandatory class I Federal areas. Visibility can be said to be impaired in both PM_{2.5} nonattainment areas and mandatory class I Federal areas.

b. Plant and Ecosystem Effects of Ozone

Elevated ozone levels contribute to environmental effects, with impacts to plants and ecosystems being of most concern. Ozone can produce both acute and chronic injury in sensitive species depending on the concentration level and the duration of the exposure. Ozone effects also tend to accumulate over the growing season of the plant, so that even low concentrations experienced for a longer duration have the potential to create chronic stress on vegetation. Ozone damage to plants includes visible injury to leaves and impaired photosynthesis, both of which can lead to reduced plant growth and reproduction, resulting in reduced crop yields, forestry production, and use of sensitive ornamentals in landscaping. In addition, the impairment of photosynthesis, the process by which the plant makes carbohydrates (its source of energy and food), can lead to a subsequent reduction in root growth and carbohydrate storage below ground, resulting in other, more subtle plant and ecosystem impacts.

These latter impacts include increased susceptibility of plants to insect attack, disease, harsh weather, interspecies competition and overall decreased plant vigor. The adverse effects of ozone on forest and other natural vegetation can potentially lead to species shifts and loss from the affected ecosystems, resulting in a loss or reduction in associated ecosystem goods and services. Lastly, visible ozone injury to leaves can result in a loss of aesthetic value in areas of special scenic significance like national parks and wilderness areas. The final 2006 ozone AQCD presents more detailed

information on ozone effects on vegetation and ecosystems.

c. Atmospheric Deposition

Wet and dry deposition of ambient particulate matter delivers a complex mixture of metals (e.g., mercury, zinc, lead, nickel, aluminum, cadmium), organic compounds (e.g., POM, dioxins, furans) and inorganic compounds (e.g., nitrate, sulfate) to terrestrial and aquatic ecosystems. The chemical form of the compounds deposited depends on a variety of factors including ambient conditions (e.g., temperature, humidity, oxidant levels) and the sources of the material. Chemical and physical transformations of the compounds occur in the atmosphere as well as the media onto which they deposit. These transformations in turn influence the fate, bioavailability and potential toxicity of these compounds. Atmospheric deposition has been identified as a key component of the environmental and human health hazard posed by several pollutants including mercury, dioxin and PCBs.³⁰⁸

Adverse impacts on water quality can occur when atmospheric contaminants deposit to the water surface or when material deposited on the land enters a water body through runoff. Potential impacts of atmospheric deposition to water bodies include those related to both nutrient and toxic inputs. Adverse effects to human health and welfare can occur from the addition of excess nitrogen via atmospheric deposition. The nitrogen-nutrient enrichment contributes to toxic algae blooms and zones of depleted oxygen, which can lead to fish kills, frequently in coastal waters. Deposition of heavy metals or other toxins may lead to the human ingestion of contaminated fish, human ingestion of contaminated water, damage to the marine ecology, and limits to recreational uses. Several studies have been conducted in U.S. coastal waters and in the Great Lakes Region in which the role of ambient PM deposition and runoff is investigated.^{309 310 311 312 313}

³⁰⁸ U.S. EPA (2000) Deposition of Air Pollutants to the Great Waters: Third Report to Congress. Office of Air Quality Planning and Standards. EPA-453/R-00-0005. This document is available in Docket EPA-HQ-OAR-2003-0190.

³⁰⁹ U.S. EPA (2004) National Coastal Condition Report II. Office of Research and Development/ Office of Water. EPA-620/R-03/002. This document is available in Docket EPA-HQ-OAR-2003-0190.

³¹⁰ Gao, Y., E.D. Nelson, M.P. Field, et al. 2002. Characterization of atmospheric trace elements on PM_{2.5} particulate matter over the New York-New Jersey harbor estuary. *Atmos. Environ.* 36: 1077-1086.

³¹¹ Kim, G., N. Hussain, J.R. Scudlark, and T.M. Church. 2000. Factors influencing the atmospheric

³⁰³ U.S. EPA. 1998. Toxicological Review of Naphthalene, Environmental Protection Agency, Integrated Risk Information System, Research and Development, National Center for Environmental Assessment, Washington, DC. This material is available electronically at <http://www.epa.gov/iris/subst/0436.htm>.

³⁰⁴ U.S. EPA Integrated Risk Information System (IRIS) database is available at: www.epa.gov/iris.

³⁰⁵ U.S. EPA. (2004). *Air Quality Criteria for Particulate Matter (AQCD)*. Volume I Document No. EPA600/P-99/002aF and Volume II Document No. EPA600/P-99/002bF. Washington, DC: U.S. Environmental Protection Agency. Retrieved on March 18, 2009 from <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=87903>.

³⁰⁶ U.S. EPA. (2005). *Review of the National Ambient Air Quality Standard for Particulate Matter: Policy Assessment of Scientific and Technical Information, OAQPS Staff Paper*. EPA-452/R-05-005. Washington, DC: U.S. Environmental Protection Agency.

³⁰⁷ These areas are defined in section 162 of the Act as those national parks exceeding 6,000 acres, wilderness areas and memorial parks exceeding 5,000 acres, and all international parks which were in existence on August 7, 1977.

Atmospheric deposition of nitrogen and sulfur contributes to acidification, altering biogeochemistry and affecting animal and plant life in terrestrial and aquatic ecosystems across the U.S. The sensitivity of terrestrial and aquatic ecosystems to acidification from nitrogen and sulfur deposition is predominantly governed by geology. Prolonged exposure to excess nitrogen and sulfur deposition in sensitive areas acidifies lakes, rivers and soils. Increased acidity in surface waters creates inhospitable conditions for biota and affects the abundance and nutritional value of preferred prey species, threatening biodiversity and ecosystem function. Over time, acidifying deposition also removes essential nutrients from forest soils, depleting the capacity of soils to neutralize future acid loadings and negatively affecting forest sustainability. Major effects include a decline in sensitive forest tree species, such as red spruce (*Picea rubens*) and sugar maple (*Acer saccharum*), and a loss of biodiversity of fishes, zooplankton, and macro invertebrates.

In addition to the role nitrogen deposition plays in acidification, nitrogen deposition also causes ecosystem nutrient enrichment leading to eutrophication that alters biogeochemical cycles. Excess nitrogen also leads to the loss of nitrogen sensitive lichen species as they are outcompeted by invasive grasses as well as altering the biodiversity of terrestrial ecosystems, such as grasslands and meadows. For a broader explanation of the topics treated here, refer to the description in Chapter 7 of the DRIA.

Adverse impacts on soil chemistry and plant life have been observed for areas heavily influenced by atmospheric deposition of nutrients, metals and acid species, resulting in species shifts, loss of biodiversity, forest decline and damage to forest productivity. Potential impacts also include adverse effects to human health through ingestion of contaminated vegetation or livestock (as in the case for dioxin deposition), reduction in crop yield, and limited use of land due to contamination.

Atmospheric deposition of pollutants can reduce the aesthetic appeal of buildings and culturally important

depositional fluxes of stable Pb, ²¹⁰Pb, and ⁷Be into Chesapeake Bay. *J. Atmos. Chem.* 36: 65–79.

³¹² Lu, R., R.P. Turco, K. Stolzenbach, et al. 2003. Dry deposition of airborne trace metals on the Los Angeles Basin and adjacent coastal waters. *J. Geophys. Res.* 108(D2, 4074): AAC 11–1 to 11–24.

³¹³ Marvin, C.H., M.N. Charlton, E.J. Reiner, et al. 2002. Surficial sediment contamination in Lakes Erie and Ontario: A comparative analysis. *J. Great Lakes Res.* 28(3): 437–450.

articles through soiling, and can contribute directly (or in conjunction with other pollutants) to structural damage by means of corrosion or erosion. Atmospheric deposition may affect materials principally by promoting and accelerating the corrosion of metals, by degrading paints, and by deteriorating building materials such as concrete and limestone. Particles contribute to these effects because of their electrolytic, hygroscopic, and acidic properties, and their ability to adsorb corrosive gases (principally sulfur dioxide). The rate of metal corrosion depends on a number of factors, including the deposition rate and nature of the pollutant; the influence of the metal protective corrosion film; the amount of moisture present; variability in the electrochemical reactions; the presence and concentration of other surface electrolytes; and the orientation of the metal surface.

d. Environmental Effects of Air Toxics

Fuel combustion emissions contribute to ambient levels of pollutants that contribute to adverse effects on vegetation. Volatile organic compounds (VOCs), some of which are considered air toxics, have long been suspected to play a role in vegetation damage.³¹⁴ In laboratory experiments, a wide range of tolerance to VOCs has been observed.³¹⁵ Decreases in harvested seed pod weight have been reported for the more sensitive plants, and some studies have reported effects on seed germination, flowering and fruit ripening. Effects of individual VOCs or their role in conjunction with other stressors (e.g., acidification, drought, temperature extremes) have not been well studied. In a recent study of a mixture of VOCs including ethanol and toluene on herbaceous plants, significant effects on seed production, leaf water content and photosynthetic efficiency were reported for some plant species.³¹⁶

Research suggests an adverse impact of vehicle exhaust on plants, which has in some cases been attributed to aromatic compounds and in other cases

³¹⁴ U.S. EPA. 1991. Effects of organic chemicals in the atmosphere on terrestrial plants. EPA/600/3-91/001.

³¹⁵ Cape JN, ID Leith, J Binnie, J Content, M Donkin, M Skewes, DN Price AR Brown, AD Sharpe. 2003. Effects of VOCs on herbaceous plants in an open-top chamber experiment. *Environ. Pollut.* 124:341–343.

³¹⁶ Cape JN, ID Leith, J Binnie, J Content, M Donkin, M Skewes, DN Price AR Brown, AD Sharpe. 2003. Effects of VOCs on herbaceous plants in an open-top chamber experiment. *Environ. Pollut.* 124:341–343.

to nitrogen oxides.^{317 318 319} The impacts of VOCs on plant reproduction may have long-term implications for biodiversity and survival of native species near major roadways. Most of the studies of the impacts of VOCs on vegetation have focused on short-term exposure and few studies have focused on long-term effects of VOCs on vegetation and the potential for metabolites of these compounds to affect herbivores or insects.

5. Air Quality Impacts of Non-GHG Pollutants

a. Current Levels of PM_{2.5}, Ozone, CO and Air Toxics

This proposal may have impacts on levels of PM_{2.5}, ozone, CO and air toxics. Nationally, levels of PM_{2.5}, ozone, CO and air toxics are declining.^{320 321} However, in 2005 EPA designated 39 nonattainment areas for the 1997 PM_{2.5} National Ambient Air Quality Standard (NAAQS) (70 FR 943, January 5, 2005). These areas are composed of 208 full or partial counties with a total population exceeding 88 million. The 1997 PM_{2.5} NAAQS was recently revised and the 2006 24-hour PM_{2.5} NAAQS became effective on December 18, 2006. The numbers above likely underestimate the number of counties that are not meeting the PM_{2.5} NAAQS because the nonattainment areas associated with the more stringent 2006 24-hour PM_{2.5} NAAQS have not yet been designated. Area designations for the 2006 24-hour PM_{2.5} NAAQS are expected to be promulgated in 2009 and become effective 90 days after publication in the **Federal Register**.

In addition, the U.S. EPA has recently amended the ozone NAAQS (73 FR 16436, March 27, 2008). That final 2008 ozone NAAQS rule set forth revisions to the previous 1997 NAAQS for ozone to provide increased protection of public health and welfare. As of June 5, 2009, there are 55 areas designated as

³¹⁷ Viskari E-L. 2000. Epicuticular wax of Norway spruce needles as indicator of traffic pollutant deposition. *Water, Air, and Soil Pollut.* 121:327–337.

³¹⁸ Ugrehelidze D, F Korte, G Kvesitadze. 1997. Uptake and transformation of benzene and toluene by plant leaves. *Ecotox. Environ. Safety* 37:24–29.

³¹⁹ Kammerbauer H, H Selinger, R Rommelt, A Ziegler-Jons, D Knoppik, B Hock. 1987. Toxic components of motor vehicle emissions for the spruce *Picea abies*. *Environ. Pollut.* 48:235–243.

³²⁰ U.S. EPA (2008) National Air Quality Status and Trends through 2007. Office of Air Quality Planning and Standards, Research Triangle Park, NC. Publication No. EPA 454/R-08-006. <http://epa.gov/airtrends/2008/index.html>.

³²¹ U.S. EPA (2007) Final Regulatory Impact Analysis: Control of Hazardous Air Pollutants from Mobile Sources, Office of Transportation and Air Quality, Ann Arbor, MI, Publication No. EPA420-R-07-002. <http://www.epa.gov/otaq/toxics.htm>.

nonattainment for the 1997 8-hour ozone NAAQS, comprising 290 full or partial counties with a total population of approximately 132 million people. These numbers do not include the people living in areas where there is a future risk of failing to maintain or attain the 1997 8-hour ozone NAAQS. The numbers above likely underestimate the number of counties that are not meeting the ozone NAAQS because the nonattainment areas associated with the more stringent 2008 8-hour ozone NAAQS have not yet been designated.

The proposed vehicle standards may also impact levels of ambient CO, a criteria pollutant (see Table III.G-1 above for co-pollutant emission impacts). As of June 5, 2009 there are approximately 479,000 people living in a portion of Clark Co., NV which is currently the only area in the country that is designated as nonattainment for CO.³²²

Further, the majority of Americans continue to be exposed to ambient concentrations of air toxics at levels which have the potential to cause adverse health effects.³²³ The levels of air toxics to which people are exposed vary depending on where people live and work and the kinds of activities in which they engage, as discussed in detail in U.S. EPA's recent mobile source air toxics rule.³²⁴

b. Impacts of Proposed Standards on Future Ambient PM_{2.5}, Ozone, CO and Air Toxics

Full-scale photochemical air quality modeling is necessary to accurately project levels of PM_{2.5}, ozone, CO and air toxics. For the final rule, a national-scale air quality modeling analysis will be performed to analyze the impacts of the vehicle standards on PM_{2.5}, ozone, and selected air toxics (*i.e.*, benzene, formaldehyde, acetaldehyde, acrolein and 1,3-butadiene). The length of time needed to prepare the necessary emissions inventories, in addition to the processing time associated with the modeling itself, has precluded us from performing air quality modeling for this proposal.

Section III.G.1 of the preamble presents projections of the changes in criteria pollutant and air toxics emissions due to the proposed vehicle

standards: the basis for those estimates is set out in Chapter 5 of the DRIA. The atmospheric chemistry related to ambient concentrations of PM_{2.5}, ozone and air toxics is very complex, and making predictions based solely on emissions changes is extremely difficult. However, based on the magnitude of the emissions changes predicted to result from the proposed vehicle standards, EPA expects that there will be an improvement in ambient air quality, pending a more comprehensive analysis for the final rule.

For the final rule, EPA intends to use a 2005-based Community Multi-scale Air Quality (CMAQ) modeling platform as the tool for the air quality modeling. The CMAQ modeling system is a comprehensive three-dimensional grid-based Eulerian air quality model designed to estimate the formation and fate of oxidant precursors, primary and secondary PM concentrations and deposition, and air toxics, over regional and urban spatial scales (*e.g.* over the contiguous U.S.).³²⁵ The CMAQ model is a well-known and well-established tool and is commonly used by EPA for regulatory analyses, for instance the recent ozone NAAQS proposal, and by States in developing attainment demonstrations for their State Implementation Plans.³²⁶ The CMAQ model (version 4.6) was peer-reviewed in February of 2007 for EPA as reported in "Third Peer Review of CMAQ Model," and the EPA Office of Research and Development (ORD) peer review report which includes version 4.7 is currently being finalized.³²⁷

CMAQ includes many science modules that simulate the emission, production, decay, deposition and transport of organic and inorganic gas-phase and particle-phase pollutants in the atmosphere. EPA intends to use the most recent CMAQ version (version

4.7), which was officially released by EPA's Office of Research and Development (ORD) in December 2008 and reflects updates to earlier versions in a number of areas to improve the underlying science. These include (1) enhanced secondary organic aerosol (SOA) mechanism to include chemistry of isoprene, sesquiterpene, and aged in-cloud biogenic SOA in addition to terpene; (2) improved vertical convective mixing; (3) improved heterogeneous reaction involving nitrate formation; and (4) an updated gas-phase chemistry mechanism, Carbon Bond 05 (CB05), with extensions to model explicit concentrations of air toxic species as well as chlorine and mercury. This mechanism, CB05-toxics, also computes concentrations of species that are involved in aqueous chemistry and that are precursors to aerosols.

H. What Are the Estimated Cost, Economic, and Other Impacts of the Proposal?

In this section, EPA presents the costs and impacts of EPA's proposed GHG program. It is important to note that NHTSA's CAFE standards and EPA's GHG standards will both be in effect, and each will lead to increases in average fuel economy and CO₂ emissions reductions. The two agencies' standards comprise the National Program, and this discussion of costs and benefits of EPA's GHG standard does not change the fact that both the CAFE and GHG standards, jointly, are the source of the benefits and costs of the National Program.

This section outlines the basis for assessing the benefits and costs of these standards and provides estimates of these costs and benefits. Some of these effects are private, meaning that they affect consumers and producers directly in their sales, purchases, and use of vehicles. These private effects include the costs of the technology, fuel savings, and the benefits of additional driving and reduced refueling. Other costs and benefits affect people outside the markets for vehicles and their use; these effects are termed external costs, because they affect people external to the market. The external effects include the climate impacts, the effects on non-GHG pollutants, and the effects on traffic, accidents, and noise due to additional driving. The sum of the private and external benefits and costs is the net social benefits of the program. There is some debate about the role of private benefits in assessing the benefits and costs of the program: If consumers have full information and perfect foresight in their vehicle purchase decisions, it is possible that they have

³²² Carbon Monoxide Nonattainment Area Summary: <http://www.epa.gov/air/oaqps/greenbk/cnsum.html>.

³²³ U.S. Environmental Protection Agency (2007). Control of Hazardous Air Pollutants from Mobile Sources; Final Rule. 72 FR 8434, February 26, 2007.

³²⁴ U.S. Environmental Protection Agency (2007). Control of Hazardous Air Pollutants from Mobile Sources; Final Rule. 72 FR 8434, February 26, 2007.

³²⁵ U.S. Environmental Protection Agency, Byun, D.W., and Ching, J.K.S., Eds, 1999. Science algorithms of EPA Models-3 Community Multiscale Air Quality (CMAQ) modeling system, EPA/600/R-99/030, Office of Research and Development.

³²⁶ Byun, D.W., and Schere, K.L., 2006. Review of the Governing Equations, Computational Algorithms, and Other Components of the Models-3 Community Multiscale Air Quality (CMAQ) Modeling System, *J. Applied Mechanics Reviews*, 59 (2), 51-77.

³²⁷ Dennis, R.L., Byun, D.W., Novak, J.H., Galluppi, K.J., Coats, C.J., and Vouk, M.A., 1996. The next generation of integrated air quality modeling: EPA's Models-3, *Atmospheric Environment*, 30, 1925-1938.

³²⁸ U.S. EPA (2007). Regulatory Impact Analysis of the Proposed Revisions to the National Ambient Air Quality Standards for Ground-Level Ozone. EPA document number 442/R-07-008, July 2007.

³²⁹ Ayyer, A., Cohan, D., Russell, A., Stockwell, W., Tanrikulu, S., Vizuete, W., Wilczak, J., 2007. Final Report: Third Peer Review of the CMAQ Model. p. 23.

already considered these benefits in their vehicle purchase decisions. If so, then the inclusion of private benefits in the net benefits calculation may be inappropriate. If these conditions do not hold, then the private benefits may be a part of the net benefits. Section III.H.1 discusses this issue more fully.

EPA's proposed program costs consist of the vehicle program costs (costs of complying with the vehicle CO₂ standards, taking into account FFV credits through 2015, the temporary lead-time alternative allowance standard program (TLAASP), full car/truck trading, and the A/C credit program), along with the fuel savings associated with reduced fuel usage resulting from the proposed program. These proposed program costs also include external costs associated with noise, congestion, accidents, time spent refueling vehicles, and energy security impacts. EPA also presents the cost-effectiveness of the proposed standards and our analysis of the expected economy-wide impacts. The projected monetized benefits of reducing GHG emissions and co-pollutant health and environmental impacts are also presented. EPA also presents our estimates of the impact on vehicle miles traveled and the impacts associated with those miles as well as other societal impacts of the proposed program, including energy security impacts.

The total monetized benefits (excluding fuel savings) under the proposed program are projected to be \$21 to \$54 billion in 2030, assuming a 3 percent discount rate and depending on the value used for the social cost of carbon. The costs of the proposed program in 2030 are estimated to be approximately \$18 billion for new vehicle technology less \$90 billion in savings realized by consumers through fewer fuel expenditures (calculated using pre-tax fuel prices).

EPA has undertaken an analysis of the economy-wide impacts of the proposed GHG tailpipe standards as an exploratory exercise that EPA believes could provide additional insights into the potential impacts of the proposal.³³⁰ These results were not a factor regarding the appropriateness of the proposed GHG tailpipe standards. It is important to note that the results of this modeling exercise are dependent on the assumptions associated with how consumers will respond to increases in higher vehicle costs and improved

vehicle fuel economy as a result of the proposal. Section III.H.1 discusses the underlying distinctions and implications of the role of consumer response in economic impacts.

Further information on these and other aspects of the economic impacts of our proposed rule are summarized in the following sections and are presented in more detail in the DRIA for this rulemaking. EPA requests comment on all aspects of the cost, savings, and benefits analysis presented here and in the DRIA. EPA also requests comment on the inputs used in these analyses as described in the Draft Joint TSD.

1. Conceptual Framework for Evaluating Consumer Impacts

For this proposed rule, EPA projects significant private gains to consumers in three major areas: (1) Reductions in spending on fuel, (2) time saved due to less refueling, and (3) welfare gains from additional driving that results from the rebound effect. In combination, these private savings, mostly from fuel savings, appear to outweigh by a large margin the costs of the program, even without accounting for externalities.

Admittedly, these findings pose a conundrum. On the one hand, consumers are expected to gain significantly from the proposed rules, as the increased cost of fuel efficient cars appears to be far smaller than the fuel savings (assuming modest discount rates). Yet fuel efficient cars are currently offered for sale, and consumers' purchasing decisions may suggest a preference for lower fuel economy than the proposed rule mandates. Assuming full information and perfect foresight, standard economic theory suggests that the private gains to consumers, large as they are, must therefore be accompanied by a consumer welfare loss. This calculation assumes that consumers accurately predict all the benefits they will get from a new vehicle, even if they underestimated fuel savings at the time of purchase. Even if there is some such loss, EPA believes that under realistic assumptions, the private gains from the proposed rule, together with the social gains (in the form of reduction of externalities), significantly outweigh the costs. But EPA seeks comments on the underlying issue.

The central conundrum has been referred to as the Energy Paradox in this setting (and in several others).³³¹ In short, the problem is that consumers

appear not to purchase products that are in their economic self-interest. There are strong theoretical reasons why this might be so.³³² Consumers might be myopic and hence undervalue the long-term; they might lack information or a full appreciation of information even when it is presented; they might be especially averse to the short-term losses associated with energy efficient products (the behavioral phenomenon of "loss aversion"); even if consumers have relevant knowledge, the benefits of energy efficient vehicles might not be sufficiently salient to them at the time of purchase. A great deal of work in behavioral economics identifies factors of this sort, which help account for the Energy Paradox.³³³ This point holds in the context of fuel savings (the main focus here), but it applies equally to the other private benefits, including reductions in refueling time and additional driving.³³⁴

Considerable research suggests that the Energy Paradox is real and significant due to consumers' inability to value future fuel savings appropriately. For example, Sanstad and Howarth (1994) argue that consumers optimize behavior without full information by resorting to imprecise but convenient rules of thumb. Larrick and Soll (2008) find evidence that consumers do not understand how to translate changes in miles-per-gallon into fuel savings (a concern that EPA is continuing to attempt to address).³³⁵ If these arguments are valid, then there will be significant gains to consumers of the government mandating additional fuel economy.

The evidence from consumer vehicle choice models indicates a huge range of estimates for consumers' willingness to pay for additional fuel economy. Because consumer surplus estimates from consumer vehicle choice models depend critically on this value, EPA would consider any consumer surplus estimates of the effect of our rule from such models to be unreliable. In addition, the predictive ability of consumer vehicle choice models may be limited. While vehicle choice models

³³² For an overview, see *id.*

³³³ *Id.*; Thaler, Richard. *Quasi-Rational Economics*. New York: Russell Sage, 1993.

³³⁴ For example, it might be maintained that at the time of purchase, consumers take full account of the time potentially saved by fuel-efficient cars, but it might also be questioned whether they have adequate information to do so, or whether that factor is sufficiently salient to play the proper role in purchasing decisions.

³³⁵ Sanstad, A., and R. Howarth (1994). "Normal Markets, Market Imperfections, and Energy Efficiency." *Energy Policy* 22(10): 811-818; Larrick, R.P., and J.B. Soll (2008). "The MPG illusion." *Science* 320: 1593-1594.

³³⁰ See Memorandum to Docket, "Economy-Wide Impacts of Proposed Greenhouse Gas Tailpipe Standards," September 14, 2009 (Docket EPA-HQ-OAR-2009-0472).

³³¹ Jaffe, A.B., & Stavins, R.N. (1994). The Energy Paradox and the Diffusion of Conservation Technology. *Resource and Energy Economics*, 16(2), 91-122.

are based on sales of existing vehicles, vehicle models are likely to change, both independently and in response to this proposed rule; the models may not predict well in response to these changes. Instead, EPA compares the value of the fuel savings associated with this rule with the increase in technology costs. EPA will continue its efforts to review the literature, but, given the known difficulties, EPA has not conducted an analysis using these models for this proposal.

Consumer vehicle choice models (referred to as "market shift" models by NHTSA in Section IV.C.4.c) are a tool that attempts to estimate how consumers decide what vehicles they buy. The models typically take into consideration both household characteristics (such as income, family size, and age) and vehicle characteristics (including a vehicle's power, price, and fuel economy). These models are often used to examine how a consumer's vehicle purchase decision is affected by a change in vehicle or personal characteristics. Although these models focus on the consumer, some have also linked consumer choice models with information on vehicle technologies and costs, to estimate an integrated system of consumer and auto maker response.

The outputs from consumer vehicle choice models typically include the market shares of each category of vehicle in the model. In addition, consumer vehicle choice models are often used to estimate the effect of market or regulatory changes on consumer surplus. Consumer surplus is the benefit that a consumer gets over and above the market price paid for the good. For instance, if a consumer is willing to pay up to \$30,000 for a car but is able to negotiate a price of \$25,000, the \$5,000 difference is consumer surplus. Information on consumer surplus can be used in benefit-cost analysis to measure whether consumers are likely to consider themselves better or worse off due to the changes.

Consumer vehicle choice modeling has not previously been applied in Federal regulatory analysis of fuel economy, and EPA has not used a consumer vehicle choice model in its analysis of the effects of this proposed rule. EPA has not done so, to this point, due to concern over the wide variation in the methods and results of existing models, as well as some of the limitations of existing applications of consumer choice modeling. Our preliminary review of the literature indicates that these models vary in a number of dimensions, including data sources used, modeling methods,

vehicle characteristics included in the analysis, and the research questions for which they were designed. These dimensions are likely to affect the models' results and their interpretation. In addition, their ability to incorporate major changes in the vehicle fleet appears unproven.

One problem for this rule is the variation in the value that consumers place on fuel economy in their vehicle purchase decisions. A number of consumer vehicle choice models make the assumption that auto producers provide as much fuel economy in their vehicles as consumers are willing to purchase, and consumers are satisfied with the current combinations of vehicle fuel economy and price in the marketplace.³³⁶ If this assumption is true, then consumers will not benefit from required improvements in fuel economy, even if the fuel savings that they receive exceed the additional costs from the fuel-saving technology. Other vehicle choice models, in contrast, find that consumers are willing to pay more for additional fuel economy than the costs to auto producers of installing that technology.³³⁷ If this result is true, then both consumers and producers would benefit from increased fuel economy. This result leaves open the question why auto producers do not follow the market incentive to provide more fuel economy, and why consumers do not seek out more fuel-efficient vehicles.

Whether consumers and producers will benefit from improved fuel

economy depends on the value of improved fuel economy to consumers. There may be a difference between the fuel savings that consumers would receive from improved fuel economy, and the amount that consumers would be willing to spend on a vehicle to get improved fuel economy. A 1988 review of consumers' willingness to pay for improved fuel economy found estimates that varied by more than an order of magnitude: for a \$1 per year reduction in vehicle operating costs, consumers would be willing to spend between \$0.74 and \$25.97 in increased vehicle price.³³⁸ For comparison, the present value of saving \$1 per year on fuel for 15 years at a 3% discount rate is \$11.94, while a 7% discount rate produces a present value of \$8.78. Thus, this study finds that consumers may be willing to pay either far too much or far too little for the fuel savings they will receive.

Although EPA has not found an updated survey of these values, a few examples suggest that the existing consumer vehicle choice models still demonstrate wide variation in estimates of how much people are willing to pay for fuel savings. For instance, Espey and Nair (2005) and McManus (2006) find that consumers are willing to pay around \$600 for one additional mile per gallon.³³⁹ In contrast, Gramlich (2008) finds that consumers' willingness to pay for an increase from 25 mpg to 30 mpg varies between \$4,100 (for luxury cars when gasoline costs \$2/gallon) to \$20,560 (for SUVs when gasoline costs \$3.50/gallon).³⁴⁰

As noted, lack of information is one possible reason for the variation. Consumers face difficulty in predicting the fuel savings that they are likely to get from a vehicle, for a number of reasons. For instance, the calculation of fuel savings is complex, and consumers

³³⁶ E.g., Kleit, Andrew N. (2004). "Impacts of Long-Range Increases in the Fuel Economy (CAFE) Standard." *Economic Inquiry* 42(2): 279-294 (Docket EPA-HQ-OAR-2009-0472); Austin, David, and Terry Dinan (2005). "Clearing the Air: The Costs and Consequences of Higher CAFE Standards and Increased Gasoline Taxes." *Journal of Environmental Economics and Management* 50: 562-582 (Docket EPA-HQ-OAR-2009-0472); Klier, Thomas, and Joshua Linn (2008). "New Vehicle Characteristics and the Cost of the Corporate Average Fuel Economy Standard," working paper. http://www.chicagofed.org/publications/workingpapers/wp2008_13.pdf (Docket EPA-HQ-OAR-2009-0472); Jacobsen, Mark. "Evaluating U.S. Fuel Economy Standards In a Model with Producer and Household Heterogeneity," http://www.econ.ucsd.edu/~mjacobson/jacobson_CAFE.pdf, accessed 5/11/09 (Docket EPA-HQ-OAR-2009-0472).

³³⁷ E.g., Gramlich, Jacob (2008). "Gas Prices and Endogenous Product Selection in the U.S. Automobile Industry," <http://www.econ.yale.edu/seminars/apmicro/am08/gramlich-081216.pdf>, accessed 5/11/09 (Docket EPA-HQ-OAR-2009-0472); McManus, Walter M. (2007). "The Impact of Attribute-Based Corporate Average Fuel Economy (CAFE) Standards: Preliminary Findings." University of Michigan Transportation Research Institute paper UMTRI-2007-31 (Docket EPA-HQ-OAR-2009-0472); McManus, W. and R. Kleinbaum (2009). "Fixing Detroit: How Far, How Fast, How Fuel Efficient." Working Paper, Transportation Research Institute, University of Michigan (Docket EPA-HQ-OAR-2009-0472).

³³⁸ Greene, David L., and Jin-Tan Liu (1988). "Automotive Fuel Economy Improvements and Consumers' Surplus." *Transportation Research Part A* 22A(3): 203-218 (Docket EPA-HQ-OAR-2009-0472). The study actually calculated the willingness to pay for reduced vehicle operating costs, of which vehicle fuel economy is a major component.

³³⁹ Espey, Molly, and Santosh Nair (2005). "Automobile Fuel Economy: What is it Worth?" *Contemporary Economic Policy* 23(3): 317-323 (Docket EPA-HQ-OAR-2009-0472); McManus, Walter M. (2006). "Can Proactive Fuel Economy Strategies Help Automakers Mitigate Fuel-Price Risks?" University of Michigan Transportation Research Institute (Docket EPA-HQ-OAR-2009-0472).

³⁴⁰ Gramlich, Jacob (2008). "Gas Prices and Endogenous Product Selection in the U.S. Automobile Industry," <http://www.econ.yale.edu/seminars/apmicro/am08/gramlich-081216.pdf>, accessed 5/11/09 (Docket EPA-HQ-OAR-2009-0472).

may not make it correctly.³⁴¹ In addition, future fuel price (a major component of fuel savings) is highly uncertain. Consumer fuel savings also vary across individuals, who travel different amounts and have different driving styles. Studies regularly show that fuel economy plays a role in consumers' vehicle purchases, but modeling that role may still be in development.³⁴²

If there is a difference between fuel savings and consumers' willingness to pay for fuel savings, the next question is, which is the appropriate measure of consumer benefit? Fuel savings measure the actual monetary value that consumers will receive after purchasing a vehicle; the willingness to pay for fuel economy measures the value that, before a purchase, consumers place on additional fuel economy. As noted, there are a number of reasons that consumers may incorrectly estimate the benefits that they get from improved fuel economy, including risk or loss aversion, poor ability to estimate savings, and a lack of salience of fuel economy savings.

Considerable evidence suggests that consumers discount future benefits more than the government when evaluating energy efficiency gains. The Energy Information Agency (1996) has used discount rates as high as 111 percent for water heaters and 120 percent for electric clothes dryers.³⁴³ In the transportation sector, evidence also points to high private discount rates: Kubik (2006) conducts a representative survey that finds consumers are impatient or myopic (e.g., use a high discount rate) with regard to vehicle fuel savings.³⁴⁴ On average, consumers indicated that fuel savings would have to pay back the additional cost in only 2.9 years to persuade them to buy a higher fuel-economy vehicle. EPA also incorporate a relatively short "payback

period" into OMEGA to evaluate and order technologies that can be used to increase fuel economy, assuming that buyers value the resulting fuel savings over the first five years of a new vehicle's lifetime. This assumption is based on the current average term of consumer loans to finance the purchase of new vehicles. That said, there is no consensus in the literature on what the private discount rate is or should be in this context.

One possibility is that the discounting framework may not be a good model for consumer decision-making and for determining consumer welfare regarding fuel economy. Buying a vehicle involves trading off among dozens of vehicle characteristics, including price, vehicle class, safety, performance, and even audio systems and cupholders. Fuel economy is only one of these attributes, and its role in consumer vehicle purchase decisions is not well understood (see DRIA Section 8.1.2 for further discussion). As noted above, if consumers do not fully consider fuel economy at the time of vehicle purchase, then the fuel savings from this rule provide a realized benefit to consumers after purchase. There are two distinct ideas at work here: one is that efficiency improvements change the nature of the cost of the car, requiring higher up-front vehicle costs while enabling lower long-run fuel costs; the other is that while consumers may benefit from the lower long-run fuel costs, they may also experience some loss in welfare on account of the possible change in vehicle mix.

A second problem with use of consumer vehicle choice models, as they now stand, is that they are even less reliable in the face of significant changes otherwise occurring in fleet composition. One attempt to analyze the effect of the oil shock of 1973 on consumer vehicle choice found that, after two years, the particular model did not predict well due to changes in the vehicle fleet.³⁴⁵ It is likely that, in the next few years, many of the vehicles that will be offered for sale will change. In coming years, new vehicles will be developed, and existing vehicles will be redesigned. For instance, over the next few years, new vehicles that have both high fuel economy and high safety factors, in combinations that consumers have not previously been offered, are likely to appear in the market. Models based on the existing vehicle fleet may not do well in predicting consumers'

choices among the new vehicles offered. Given that consumer vehicle choice models appear to be less effective in predicting vehicle choices when the vehicles are likely to change, EPA is reluctant to use the models for this proposed rulemaking.

In sum, the estimates of consumer surplus from consumer vehicle choice models depend heavily on the value to consumers of improved fuel economy, a value for which estimates are highly varied. In addition, the predictive ability of consumer vehicle choice models may be limited as consumers face new vehicle choices that they previously did not have.

Nonetheless, because there are potential advantages to using consumer vehicle choice models if these difficulties can be addressed, EPA plans to continue our investigation and evaluation of consumer vehicle choice models. This effort includes further review of existing consumer vehicle choice models and the estimates of consumers' willingness to pay for increased fuel economy. In addition, EPA is developing capacity to examine the factors that may affect the results of consumer vehicle choice models, and to explore their impact on analysis of regulatory scenarios.

A detailed discussion of the state of the art of consumer choice modeling is provided in the DRIA. For this rulemaking, EPA is not able to estimate the consumer welfare loss which may accompany the actual fuel savings from the proposal, and so any such loss must remain unquantified. EPA seeks comments on how to assess these difficult questions in the future.

2. Costs Associated With the Vehicle Program

In this section EPA presents our estimate of the costs associated with the proposed vehicle program. The presentation here summarizes the costs associated with the new vehicle technology expected to be added to meet the proposed GHG standards, including hardware costs to comply with the proposed A/C credit program. The analysis summarized here provides our estimate of incremental costs on a per vehicle basis and on an annual total basis.

The presentation here summarizes the outputs of the OMEGA model that was discussed in some detail in Section III.D of this preamble. For details behind the analysis such as the OMEGA model inputs and the estimates of costs associated with individual technologies, the reader is directed to Chapters 1 and 2 of the DRIA, and Chapter 3 of the Draft Joint TSD. For more detail on the

³⁴¹ Turrentine, T. and K. Kurani (2007). "Car Buyers and Fuel Economy?" *Energy Policy* 35: 1213-1223 (Docket EPA-HQ-OAR-2009-0472); Larrick, R.P., and J.B. Soll (2008). "The MPG illusion." *Science* 320: 1593-1594 (Docket EPA-HQ-OAR-2009-0472).

³⁴² Busse, Meghan R., Christopher R. Knittel, and Florian Zettelmeyer (2009). "Pain at the Pump: How Gasoline Prices Affect Automobile Purchasing in New and Used Markets." Working paper (accessed 6/30/09), available at http://www.econ.ucdavis.edu/faculty/knittel/papers/gaspaper_latest.pdf (Docket EPA-HQ-OAR-2009-0472).

³⁴³ Energy Information Administration, U.S. Department of Energy (1996). *Issues in Midterm Analysis and Forecasting 1996*, DOE/EIA-0607(96), Washington, DC., <http://www.osti.gov/bridge/purl.cover.jsp?url=/366567-BvCFp0/webviewable/>, accessed 7/7/09.

³⁴⁴ Kubik, M. (2006). *Consumer Views on Transportation and Energy*. Second Edition. Technical Report: National Renewable Energy Laboratory.

³⁴⁵ Berry, Steven, James Levinsohn, and Ariel Pakes (July 1995). "Automobile Prices in Market Equilibrium." *Econometrica* 63(4): 841-940 (Docket EPA-HQ-OAR-2009-0472).

outputs of the OMEGA model and the overall vehicle program costs summarized here, the reader is directed to Chapters 4 and 7 of the DRIA.

With respect to the cost estimates for vehicle technologies, EPA notes that, because these estimates relate to technologies which are in most cases already available, these cost estimates are technically robust. EPA notes further that, in all instances, its estimates are within the range of estimates in the most widely-utilized sources and studies. In that way, EPA believes that we have been conservative in estimating the vehicle hardware costs associated with this proposal.

With respect to the aggregate cost estimations presented in Section III.H.2.b, EPA notes that there are a number of areas where the results of our analysis may be conservative and, in general, EPA believes we have directionally overestimated the costs of compliance with these proposed standards, especially in not accounting for the full range of credit opportunities available to manufacturers. For example, some cost saving programs are considered in our analysis, such as full car/truck trading, while others are not, such as cross-manufacturer trading and advanced technology credits.

a. Vehicle Compliance Costs Associated With the Proposed CO₂ Standards

For the technology and vehicle package costs associated with adding new CO₂-reducing technology to vehicles, EPA began with EPA's 2008 Staff Report and NHTSA's 2011 CAFE FRM both of which presented costs generated using existing literature, meetings with manufacturers and parts suppliers, and meetings with other experts in the field of automotive cost estimation.³⁴⁶ EPA has updated some of those technology costs with new information from our contract with FEV, through further discussion with NHTSA, and by converting from 2006 dollars to 2007 dollars using the GDP price deflator. The estimated costs presented here represent the incremental costs associated with this proposal relative to what the future vehicle fleet would be expected to look like absent this proposed rule. A more detailed description of the factors considered in our reference case is presented in Section III.D.

The estimates of vehicle compliance costs cover the years of implementation

of the program—2012 through 2016. EPA has also estimated compliance costs for the years following implementation so that we can shed light on the long term—2022 and later—cost impacts of the proposal.³⁴⁷ EPA used the year 2022 here because our short-term and long-term markup factors described shortly below are applied in five year increments with the 2012 through 2016 implementation span and the 2017 through 2021 span both representing the short-term. Some of the individual technology cost estimates are presented in brief in Section III.D, and account for both the direct and indirect costs incurred in the automobile manufacturing and dealer industries (for a complete presentation of technology costs, please refer to Chapter 3 of the Draft Joint TSD). To account for the indirect costs, EPA has applied an indirect cost markup (ICM) factor to all of our direct costs to arrive at the estimated technology cost.³⁴⁸ The ICM factors used range from 1.11 to 1.64 in the short-term (2012 through 2021), depending on the complexity of the given technology, to account for differences in the levels of R&D, tooling, and other indirect costs that would be incurred. Once the program has been fully implemented, some of the indirect costs would no longer be attributable to these proposed standards and, as such, a lower ICM factor is applied to direct costs in years following full implementation. The ICM factors used range from 1.07 to 1.39 in the long-term (2022 and later) depending on the complexity of the given technology.³⁴⁹ Note that the short-term ICMs are used in the 2012 through 2016 years of implementation and continue through 2021. EPA does this since the proposed standards are still being implemented during the 2012 through 2016 model years. Therefore, EPA considers the five year period following full implementation also to be short-term.

³⁴⁷ Note that the assumption made here is that the standards proposed would continue to apply for years beyond 2016 so that new vehicles sold in model years 2017 and later would continue to incur costs as a result of this rule. Those costs are estimated to get lower in 2022 because some of the indirect costs attributable to this proposal in the years prior to 2022 would be eliminated in 2022 and later.

³⁴⁸ Alex Rogozhin et al., *Automobile Industry Retail Price Equivalent and Indirect Cost Multipliers*. Prepared for EPA by RTI International and Transportation Research Institute, University of Michigan. EPA-420-R-09-003, February 2009 (Docket EPA-HQ-OAR-2009-0472).

³⁴⁹ Gloria Helfand and Todd Sherwood, "Documentation of the Development of Indirect Cost Multipliers for Three Automotive Technologies," Office of Transportation and Air Quality, USEPA, August 2009 (Docket EPA-HQ-OAR-2009-0472).

The argument has been made that the ICM approach may be more appropriate for regulatory cost estimation than the more traditional retail price equivalent, or RPE, markup. The RPE is based on the historical relationship between direct costs and consumer prices; it is intended to reflect the average markup over time required to sustain the industry as a viable operation. Unlike the RPE approach, the ICM focuses more narrowly on the changes that are required in direct response to regulation-induced vehicle design changes which may not directly influence all of the indirect costs that are incurred in the normal course of business. For example, an RPE markup captures all indirect costs including costs such as the retirement benefits of retired employees. However, the retirement benefits for retired employees are not expected to change as a result of a new GHG regulation and, therefore, those indirect costs should not increase in relation to newly added hardware in response to a regulation. So, under the ICM approach, if a newly added piece of technology has an incremental direct cost of \$1, its direct plus indirect costs should not be \$1 multiplied by an RPE markup of say 1.5, or \$1.50, but rather something less since the manufacturer is not paying more for retired-employee retirement benefits as a direct result of adding the new piece of technology. Further, as noted above, the indirect cost multiplier can be adjusted for different levels of technological complexity. For example, a move to low rolling resistance tires is less complex than converting a gasoline vehicle to a plug-in hybrid. Therefore, the incremental indirect costs for the tires should be lower in magnitude than those for the plug-in hybrid. For the analysis underlying these proposed standards, the agencies have based our estimates on the ICM approach, but EPA notes that discussion continues about the use of the RPE approach and the ICM approach for safety and environmental regulations. We discuss our ICM factors and the complexity levels used in our analysis in more detail in Chapter 3 of the Draft Joint TSD and EPA requests comment on the approach described there as well as the general concepts of both the ICM and RPE approaches.

EPA has also considered the impacts of manufacturer learning on the technology cost estimates. Consistent with past EPA rulemakings, EPA has estimated that some costs would decline by 20 percent with each of the first two doublings of production beginning with the first year of implementation. These

³⁴⁶ "EPA Staff Technical Report: Cost and Effectiveness Estimates of Technologies Used to Reduce Light-duty Vehicle Carbon Dioxide Emissions," EPA 420-R-08-008; NHTSA 2011 CAFE FRM is at 74 FR 14196; both documents are contained in Docket EPA-HQ-OAR-2009-0472.

volume-based cost declines—which EPA calls “volume” based learning—take place after manufacturers have had the opportunity to find ways to improve upon their manufacturing processes or otherwise manufacture these technologies in a more efficient way. After two 20 percent cost reduction steps, the cost reduction learning curve flattens out considerably as only minor improvements in manufacturing techniques and efficiencies remain to be had. By then, costs decline roughly three percent per year as manufacturers and suppliers continually strive to reduce costs. These time-based cost declines—which EPA calls “time” based learning—take place at a rate of three percent per year. EPA has considered learning impacts on most but not all of the technologies expected to be used because some of the expected technologies are already used rather widely in the industry and, presumably, learning impacts have already occurred. EPA has considered volume-based

learning for only a handful of technologies that EPA considers to be new or emerging technologies such as the hybrids and electric vehicles. For most technologies, EPA has considered them to be more established given their current use in the fleet and, hence, we have applied the lower time based learning. We have more discussion of our learning approach and the technologies to which we have applied which type of learning in the Draft Joint TSD.

The technology cost estimates discussed in Section III.D and detailed in Chapter 3 of the Draft Joint TSD are used to build up package cost estimates which are then used as inputs to the OMEGA model. EPA discusses our packages and package costs in Chapter 1 of the DRIA. The model determines what level of CO₂ improvement is required considering the reference case for each manufacturer's fleet. The vehicle compliance costs are the outputs of the model and take into account FFV

credits through 2015, TLAASP, full car/truck trading, and the A/C credit program. Table III.H.2-1 presents the fleet average incremental vehicle compliance costs for this proposal. As the table indicates, 2012–2016 costs increase every year as the standards become more stringent. Costs per car and per truck then remain stable through 2021 while cost per vehicle (car/truck combined) decline slightly as the fleet mix trends slowly to increasing car sales. In 2022, costs per car and per truck decline as the long-term ICM kicks in because some indirect costs are no longer considered attributable to the proposed program. Costs per car and per truck remain constant thereafter while the cost per vehicle declines slightly as the fleet continues to trend toward cars. By 2030, projections of fleet mix changes become static and the cost per vehicle remains constant. EPA has a more detailed presentation of vehicle compliance costs on a manufacturer by manufacturer basis in the DRIA.

TABLE III.H.2-1—INDUSTRY AVERAGE VEHICLE COMPLIANCE COSTS ASSOCIATED WITH THE PROPOSED TAILPIPE CO₂ STANDARDS
[\$/vehicle in 2007 dollars]

Calendar year	\$/car	\$/truck	\$/vehicle (car & truck combined)
2012	374	358	368
2013	531	539	534
2014	663	682	670
2015	813	886	838
2016	968	1,213	1,050
2017	968	1,213	1,047
2018	968	1,213	1,044
2019	968	1,213	1,042
2020	968	1,213	1,040
2021	968	1,213	1,039
2022	890	1,116	955
2030	890	1,116	953
2040	890	1,116	953
2050	890	1,116	953

b. Annual Costs of the Proposed Vehicle Program

The costs presented here represent the incremental costs for newly added technology to comply with the proposed program. Together with the projected increases in car and light-truck sales, the increases in per-vehicle average costs shown in Table III.H.2-1 above result in the total annual costs reported in Table III.H.2-2 below. Note that the costs presented in Table III.H.2-2 do not include the savings that would occur as a result of the improvements to fuel consumption. Those impacts are presented in Section III.H.4.

TABLE III.H.2-2—QUANTIFIED ANNUAL COSTS ASSOCIATED WITH THE PROPOSED VEHICLE PROGRAM
[\$Millions of 2007 dollars]

Year	Quantified annual costs
2012	\$5,400
2013	\$8,400
2014	\$10,900
2015	\$13,900
2016	\$17,500
2020	\$18,000
2030	\$17,900
2040	\$19,300
2050	\$20,900
NPV, 3%	\$390,000
NPV, 7%	\$216,600

3. Cost per Ton of Emissions Reduced

EPA has calculated the cost per ton of GHG (CO₂-equivalent, or CO₂e) reductions associated with this proposal using the above costs and the emissions reductions described in Section III.F. More detail on the costs, emission reductions, and the cost per ton can be found in the DRIA and Draft Joint TSD. EPA has calculated the cost per metric ton of GHG emissions reductions in the years 2020, 2030, 2040, and 2050 using the annual vehicle compliance costs and emission reductions for each of those years. The value in 2050 represents the long-term cost per ton of the emissions reduced. Note that EPA has not included the savings associated with

reduced fuel consumption, nor any of the other benefits of this proposal in the cost per ton calculations. If EPA were to include fuel savings in the cost estimates, the cost per ton would be less than \$0, since the estimated value of fuel savings outweighs these costs. With

regard to the proposed CH₄ and N₂O standards, since these standards would be emissions caps designed to ensure manufacturers do not backslide from current levels, EPA has not estimated costs associated with the standards (since the standards would not require

any change from current practices nor does EPA estimate they would result in emissions reductions).

The results for CO₂e costs per ton under the proposed vehicle program are shown in Table III.H.3-1.

TABLE III.H.3-1—ANNUAL COST PER METRIC TON OF CO₂e REDUCED, IN \$2007 DOLLARS

Year	Cost ^a (\$millions)	CO ₂ e Reduced (million metric tons)	Cost per ton
2020	\$18,000	170	\$110
2030	17,900	320	60
2040	19,300	420	50
2050	20,900	520	40

^a Costs here include vehicle compliance costs and do not include any fuel savings (discussed in Section III.H.4) or other benefits of this proposal (discussed in Sections III.H.6 through III.H.10).

4. Reduction in Fuel Consumption and Its Impacts

a. What Are the Projected Changes in Fuel Consumption?

The proposed CO₂ standards would result in significant improvements in the fuel efficiency of affected vehicles. Drivers of those vehicles would see corresponding savings associated with reduced fuel expenditures. EPA has estimated the impacts on fuel consumption for both the proposed tailpipe CO₂ standards and the proposed A/C credit program. To do this, fuel consumption is calculated using both current CO₂ emission levels and the proposed CO₂ standards. The difference between these estimates represents the net savings from the proposed CO₂ standards. Note that the total number of miles that vehicles are driven each year is different under each of the control case scenarios than in the reference case due to the "rebound effect," which is discussed in Section III.H.4.c.

The expected impacts on fuel consumption are shown in Table III.H.4-1. The gallons shown in the tables reflect impacts from the proposed CO₂ standards, including the proposed A/C credit program, and include increased consumption resulting from the rebound effect.

TABLE III.H.4-1—FUEL CONSUMPTION IMPACTS OF THE PROPOSED VEHICLE STANDARDS AND A/C CREDIT PROGRAMS

(Million gallons)	
Year	Total
2012	530
2013	1,320
2014	2,410
2015	3,910

TABLE III.H.4-1—FUEL CONSUMPTION IMPACTS OF THE PROPOSED VEHICLE STANDARDS AND A/C CREDIT PROGRAMS—Continued

(Million gallons)	
Year	Total
2016	5,930
2020	13,350
2030	26,180
2040	33,930
2050	42,570

b. What Are the Fuel Savings to the Consumer?

Using the fuel consumption estimates presented in Section III.H.4.a, EPA can calculate the monetized fuel savings associated with the proposed CO₂ standards. To do this, we multiply reduced fuel consumption in each year by the corresponding estimated average fuel price in that year, using the reference case taken from the AEO 2009.³⁵⁰ AEO is the government consensus estimate used by NHTSA and many other government agencies to estimate the projected price of fuel. EPA has included all fuel taxes in these estimates since these are the prices paid by consumers. As such, the savings shown reflect savings to the consumer. These results are shown in Table III.H.4-2. Note that EPA presents the monetized fuel savings using pre-tax fuel prices in Section III.H.10. The fuel savings based on pre-tax fuel prices reflect the societal savings in contrast to the consumer savings presented in Table III.H.4-2. Also in Section III.H.10,

³⁵⁰ Energy Information Administration, Supplemental tables to the Annual Energy Outlook 2009, Updated Reference Case with American Recovery and Reinvestment Act. Available <http://www.eia.doe.gov/oiaf/aeo/supplement/stimulus/regionalarra.html>. April 2009.

EPA presents the benefit-cost of the proposal and, for that reason, present the fuel impacts as negative costs of the program while here EPA presents them as positive savings.

TABLE III.H.4-2—ESTIMATED FUEL CONSUMPTION SAVINGS TO THE CONSUMER^a

(Millions of 2007 dollars)	
Calendar year	Total
2012	\$1,400
2013	3,800
2014	7,200
2015	12,400
2016	19,400
2020	48,400
2030	100,000
2040	136,800
2050	181,000
NPV, 3%	1,850,200
NPV, 7%	826,900

^a Fuel consumption savings calculated using taxed fuel prices. Fuel consumption impacts using pre-tax fuel prices are presented in Section III.H.10 as negative costs of the vehicle program.

As shown in Table III.H.4-2, EPA is projecting that consumers would realize very large fuel savings as a result of the standards contained in this proposal. There are several ways to view this value. Some, as demonstrated below in Section III.H.5, view these fuel savings as a reduction in the cost of owning a vehicle, whose full benefits consumers realize. This approach assumes that, regardless how consumers in fact make their decisions on how much fuel economy to purchase, they will gain these fuel savings. Another view says that consumers do not necessarily value fuel savings as equal to the results of this calculation. Instead, consumers may either undervalue or overvalue fuel economy relative to these savings, based

on their personal preferences. This issue is discussed further in Section III.H.5 and in Chapter 8 of the DRIA.

c. VMT Rebound Effect

The fuel economy rebound effect refers to the fraction of fuel savings expected to result from an increase in vehicle fuel economy—particularly one required by higher fuel efficiency standards—that is offset by additional vehicle use. The increase in vehicle use occurs because higher fuel economy reduces the fuel cost of driving, which is typically the largest single component of the monetary cost of operating a vehicle, and vehicle owners respond to this reduction in operating costs by driving slightly more.

For this proposal, EPA is using an estimate of 10% for the rebound effect. This value is based on the most recent time period analyzed in the Small and Van Dender 2007 paper,³⁵¹ and falls within the range of the larger body of historical work on the rebound effect.³⁵² Recent work by David Greene on the rebound effect for light-duty vehicles in the U.S. further supports the hypothesis that the rebound effect is decreasing over time.³⁵³ If we were to use a dynamic estimate of the future rebound effect, our analysis shows that the rebound effect could be in the range of 5% or lower.³⁵⁴ The rebound effect is also discussed in Section II.F of the preamble; the TSD, Section 4.2.5, reviews the relevant literature and discusses in more depth the reasoning for the rebound values used here.

EPA also invites comments on other alternatives for estimating the rebound effect. As one illustration, variation in the price per gallon of gasoline directly affects the per-mile cost of driving, and drivers may respond just as they would to a change in the cost of driving resulting from a change in fuel economy, by varying the number of miles they drive. Because vehicles' fuel

economy is fixed in the short run, variation in the number of miles driven in response to changes in fuel prices will be reflected in changes in gasoline consumption. Under the assumption that drivers respond similarly to changes in the cost of driving whether they are caused by variation in fuel prices or fuel economy, the short-run price elasticity of demand for gasoline—which measures the sensitivity of gasoline consumption to changes in its price per gallon—may provide some indication about the magnitude of the rebound effect itself. EPA invites comment on the extent to which the short run elasticity of demand for gasoline with respect to its price can provide useful information about the size of the rebound effect. Specifically, we seek comment on whether it would be appropriate to use the price elasticity of demand for gasoline, or other alternative approaches, to guide the choice of a value for the rebound effect.

5. Impacts on U.S. Vehicle Sales and Payback Period

a. Vehicle Sales Impacts

The methodology EPA used for estimating the impact on vehicle sales is relatively straightforward, but makes a number of simplifying assumptions. According to the literature, the price elasticity of demand for vehicles is commonly estimated to be -1.0 .³⁵⁵ In other words, a one percent increase in the price of a vehicle would be expected to decrease sales by one percent, holding all other factors constant. For our estimates, EPA calculated the effect of an increase in vehicle costs due to the proposed standards and assume that consumers will face the full increase in costs, not an actual (estimated) change in vehicle price. (The estimated increases in vehicle cost due to the rule are discussed in Section III.H.2) This is a conservative methodology, since an increase in cost may not pass fully into an increase in market price in an oligopolistic industry such as the automotive sector.³⁵⁶ EPA also notes

that we have not used these estimated sales impacts in the OMEGA Model.

Although EPA uses the one percent price elasticity of demand for vehicles as the basis for our vehicle sales impact estimates, we assumed that the consumer would take into account both the higher vehicle purchasing costs as well as some of the fuel savings benefits when deciding whether to purchase a new vehicle. Therefore, the incremental cost increase of a new vehicle would be offset by reduced fuel expenditures over a certain period of time (*i.e.*, the "payback period"). For the purposes of this rulemaking, EPA used a five-year payback period, which is consistent with the length of a typical new light-duty vehicle loan.³⁵⁷ This approach may not accurately reflect the role of fuel savings in consumers' purchase decisions, as the discussion in Section III.H.1 suggests. If consumers consider fuel savings in a different fashion than modeled here, then this approach will not accurately reflect the impact of this rule on vehicle sales.

This increase in costs has other effects on consumers as well: If vehicle prices increase, consumers will face higher insurance costs and sales tax, and additional finance costs if the vehicle is bought on credit. In addition, the resale value of the vehicles will increase. EPA estimates that, with corrections for these factors, the effect on consumer expenditures of the cost of the new technology should be 0.932 times the cost of the technology at a 3% discount rate, and 0.892 times the cost of the technology at a 7% discount rate. The details of this calculation are in the DRIA, Chapter 8.1.

Once the cost estimates are adjusted for these additional factors, the fuel cost savings associated with the rule, discussed in Section III.H.4, are subtracted to get the net effect on consumer expenditures for a new vehicle. With the assumed elasticity of demand of -1 , the percent change in this "effective price," estimated as the adjusted increase in cost, is equal to the negative of the percent change in vehicle purchases. The net effect of this calculation is in Table III.H.5-1 and Table III.H.5-2.

³⁵⁷ There is not a consensus in the literature on how consumers consider fuel economy in their vehicle purchases. Results are inconsistent, possibly due to fuel economy not being a major focus of many of the studies. Espey, Molly, and Santosh Nair (1995, "Automobile Fuel Economy: What Is It Worth?," *Contemporary Economic Policy* 23: 317-323, (Docket EPA-HQ-OAR-2009-0472) find that their results are consistent with consumers using the lifetime of the vehicle, not just the first five years, in their fuel economy purchase decisions. This result suggests that the five-year time horizon used here may be an underestimate.

³⁵¹ Small, K. and K. Van Dender, 2007a. "Fuel Efficiency and Motor Vehicle Travel: The Declining Rebound Effect", *The Energy Journal*, vol. 28, no. 1, pp. 25-51 (Docket EPA-HQ-OAR-2009-0472).

³⁵² Sorrell, S. and J. Dimitropoulos, 2007. "UKERC Review of Evidence for the Rebound Effect, Technical Report 2: Econometric Studies", UKERC/WP/TPA/2007/010, UK Energy Research Centre, London, October (Docket EPA-HQ-OAR-2009-0472).

³⁵³ Report by Kenneth A. Small of University of California at Irvine to EPA, "The Rebound Effect, from Fuel Efficiency Standards: Measurement and Projection to 2030", June 12, 2009 (Docket EPA-HQ-OAR-2009-0472).

³⁵⁴ Report by David Greene of Oak Ridge National Laboratory to EPA, "Rebound 2007: Analysis of National Light-Duty Vehicle Travel Statistics," March 24, 2009 (Docket EPA-HQ-OAR-2009-0472). Note, this report has been submitted for peer review. Completion of the peer review process is expected prior to the final rule.

³⁵⁵ Kleit A.N., 1990. "The Effect of Annual Changes in Automobile Fuel Economy Standards." *Journal of Regulatory Economics* 2: 151-172 (Docket EPA-HQ-OAR-2009-0472); McCarthy, Patrick S., 1996. "Market Price and Income Elasticities of New Vehicle Demands." *Review of Economics and Statistics* 78: 543-547 (Docket EPA-HQ-OAR-2009-0472); Goldberg, Pinelopi K., 1998. "The Effects of the Corporate Average Fuel Efficiency Standards in the U.S.," *Journal of Industrial Economics* 46(1): 1-33 (Docket EPA-HQ-OAR-2009-0472).

³⁵⁶ See, for instance, Gron, Ann, and Deborah Swenson, 2000. "Cost Pass-Through in the U.S. Automobile Market," *Review of Economics and Statistics* 82: 316-324 (Docket EPA-HQ-OAR-2009-0472).

The estimates provided in Table III.H.5-1 and Table III.H.5-2 are meant to be illustrative rather than a definitive prediction. When viewed at the industry-wide level, they give a general indication of the potential impact on

vehicle sales. As shown below, the overall impact is positive and growing over time for both cars and trucks, because the estimated value of fuel savings exceeds the costs of meeting the higher standards. If, however,

consumers do not take fuel savings and other costs into account as modeled here when they purchase vehicles, the results presented here may not reflect actual impacts on vehicle sales.

TABLE III.H.5-1—VEHICLE SALES IMPACTS USING A 3% DISCOUNT RATE

	Change in car sales	Percent change	Change in truck sales	Percent change
2012	66,600	0.7	27,300	0.5
2013	93,300	0.9	161,300	2.8
2014	134,400	1.3	254,400	4.4
2015	236,300	2.2	368,400	6.5
2016	375,400	3.4	519,000	9.4

Table III.H.5-1 shows the impacts on new vehicle sales using a 3% discount rate. The fuel savings are always higher than the technology costs. Although both cars and trucks show very small

effects initially, over time vehicle sales become increasingly positive, as increased fuel prices make improved fuel economy more desirable. The increases in sales for trucks are larger

than the increases for trucks (except in 2012) in both absolute numbers and percentage terms.

TABLE III.H.5-2—NEW VEHICLE SALES IMPACTS USING A 7% DISCOUNT RATE

	Change in car sales	Percent change	Change in truck sales	Percent change
2012	61,900	0.7	25,300	0.5
2013	86,600	0.9	60,000	1
2014	125,200	1.2	122,900	2.1
2015	221,400	2	198,100	3.5
2016	353,100	3.2	291,500	5.3

Table III.H.5-2 shows the impacts on new vehicle sales using a 7% interest rate. While a 7% interest rate shows slightly lower impacts than using a 3% discount rate, the results are qualitatively similar to those using a 3% discount rate. Sales increase for every year. For both cars and trucks, sales become increasingly positive over time, as higher fuel prices make improved fuel economy more valuable. The car market grows more than the truck market in absolute numbers, but less on a percentage basis.

The effect of this rule on the use and scrappage of older vehicles will be related to its effects on new vehicle prices, the fuel efficiency of new vehicle models, and the total sales of new vehicles. If the value of fuel savings resulting from improved fuel efficiency to the typical potential buyer of a new vehicle outweighs the average increase in new models' prices, sales of new vehicles will rise, while scrappage rates of used vehicles will increase slightly. This will cause the "turnover" of the vehicle fleet—that is, the retirement of used vehicles and their replacement by new models—to accelerate slightly, thus accentuating the anticipated effect of the rule on fleet-wide fuel consumption and CO₂ emissions. However, if potential

buyers value future fuel savings resulting from the increased fuel efficiency of new models at less than the increase in their average selling price, sales of new vehicles will decline, as will the rate at which used vehicles are retired from service. This effect will slow the replacement of used vehicles by new models, and thus partly offset the anticipated effects of the proposed rules on fuel use and emissions.

Because the agencies are uncertain about how the value of projected fuel savings from the proposed rules to potential buyers will compare to their estimates of increases in new vehicle prices, we have not attempted to estimate explicitly the effects of the rule on scrappage of older vehicles and the turnover of the vehicle fleet. We seek comment on the methods that might be used to estimate the effect of the proposed rule on the scrappage and use of older vehicles as part of the analysis to be conducted for the final rule.

A detailed discussion of the vehicle sales impacts methodology is provided in the DRIA. EPA invites comments on this approach to estimating the vehicle sales impacts of this proposal.

b. Consumer Payback Period and Lifetime Savings on New Vehicle Purchases

Another factor of interest is the payback period on the purchase of a new vehicle that complies with the proposed standards. In other words, how long would it take for the expected fuel savings to outweigh the increased cost of a new vehicle? For example, a new 2016 MY vehicle is estimated to cost \$1,050 more (on average, and relative to the reference case vehicle) due to the addition of new GHG reducing technology (see Section III.D.6 for details on this cost estimate). This new technology will result in lower fuel consumption and, therefore, savings in fuel expenditures (see Section III.F.1 for details on fuel savings). But how many months or years would pass before the fuel savings exceed the upfront cost of \$1,050?

Table III.H.5-3 provides the answer to this question for a vehicle purchaser who pays for the new vehicle upfront in cash (we discuss later in this section the payback period for consumers who finance the new vehicle purchase with a loan). The table uses annual miles driven (vehicle miles traveled, or VMT) and survival rates consistent with the emission and benefits analyses

presented in Chapter 4 of the draft joint TSD. The control case includes rebound VMT but the reference case does not, consistent with other parts of the analysis. Also included are fuel savings associated with A/C controls (in the control case only), but the expected A/C-related maintenance savings are not included. The likely A/C-related maintenance savings are discussed in

Chapter 2 of EPA's draft RIA. Further, this analysis does not include other societal impacts such as the value of increased driving, or noise, congestion and accidents since the focus is meant to be on those factors consumers consider most while in the showroom considering a new car purchase. Car/truck fleet weighting is handled as described in Chapter 1 of the draft joint

TSD. As can be seen in the table, it will take under 3 years (2 years and 8 months at a 3% discount rate, 2 years and 10 months at a 7% discount rate) for the cumulative discounted fuel savings to exceed the upfront increase in vehicle cost. More detail on this analysis can be found in Chapter 8 of EPA's draft RIA.

TABLE III.H.5-3—PAYBACK PERIOD ON A 2016 MY NEW VEHICLE PURCHASE VIA CASH
[2007 dollars]

Year of ownership	Increased vehicle cost ^a	Annual fuel savings ^b	Cumulative discounted fuel savings at 3%	Cumulative discounted fuel savings at 7%
1	\$1,128	\$443	\$436	\$428
2	444	860	829
3	443	1,272	1,203
4	434	1,663	1,546

^a Increased cost of the proposed rule is \$1,050; the value here includes nationwide average sales tax of 5.3% and increased insurance premiums of 1.98%; both of these percentages are discussed in Section 8.1.1 of EPA's draft RIA.
^b Calculated using AEO 2009 reference case fuel price including taxes.

However, most people purchase a new vehicle using credit rather than paying cash up front. The typical car loan today is a five year, 60 month loan. As of August 24, 2009, the national average interest rate for a 5 year new car loan was 7.41 percent. If the increased vehicle cost is spread out over 5 years at 7.41 percent, the analysis would look like that shown in Table III.H.5-4. As can be seen in this table, the fuel

savings immediately outweigh the increased payments on the car loan, amounting to \$162 in discounted net savings (3% discount rate) saved in the first year and similar savings for the next two years before reduced VMT starts to cause the fuel savings to fall. Results are similar using a 7% discount rate. This means that for every month that the average owner is making a payment for the financing of the average

new vehicle their monthly fuel savings would be greater than the increase in the loan payments. This amounts to a savings on the order of \$9 to \$14 per month throughout the duration of the 5 year loan. Note that in year six when the car loan is paid off, the net savings equal the fuel savings (as would be the case for the remaining years of ownership).

TABLE III.H.5-4—PAYBACK PERIOD ON A 2016 MY NEW VEHICLE PURCHASE VIA CREDIT
[2007 dollars]

Year of ownership	Increased vehicle cost ^a	Annual fuel savings ^b	Annual discounted net savings at 3%	Annual discounted net savings at 7%
1	\$278	\$443	\$162	\$159
2	278	444	158	150
3	278	443	153	139
4	278	434	141	123
5	278	423	127	107
6	0	403	343	278

^a This uses the same increased cost as Table III.H.4-3 but spreads it out over 5 years assuming a 5 year car loan at 7.41 percent.
^b Calculated using AEO 2009 reference case fuel price including taxes.

The lifetime fuel savings and net savings can also be calculated for those who purchase the vehicle using cash and for those who purchase the vehicle with credit. This calculation applies to

the vehicle owner who retains the vehicle for its entire life and drives the vehicle each year at the rate equal to the national projected average. The results are shown in Table III.H.5-5. In either

case, the present value of the lifetime net savings is greater than \$3,200 at a 3% discount rate, or \$2,400 at a 7% discount rate.

TABLE III.H.5-5—LIFETIME DISCOUNTED NET SAVINGS ON A 2016 MY NEW VEHICLE PURCHASE
[2007 dollars]

Purchase option	Increased discounted vehicle cost	Lifetime discounted fuel savings ^b	Lifetime discounted net savings
3% discount rate			
Cash	\$1,128	\$4,558	\$3,446
Credit ^a	1,293	4,558	3,265
7% discount rate			
Cash	1,128	3,586	2,495
Credit ^a	1,180	3,586	2,406

^a Assumes a 5 year loan at 7.41 percent.

^b Fuel savings here were calculated using AEO 2009 reference case fuel price including taxes.

Note that throughout this consumer payback discussion, the average number of vehicle miles traveled per year has been used. Drivers who drive more miles than the average would incur fuel related savings more quickly and, therefore, the payback would come sooner. Drivers who drive fewer miles than the average would incur fuel related savings more slowly and, therefore, the payback would come later.

6. Benefits of Reducing GHG Emissions

a. Introduction

This proposal is designed to reduce greenhouse gas (GHG) emissions from light-duty vehicles. This section provides monetized estimates of some of the economic benefits of this proposal's projected GHG emissions reductions.³⁵⁸ The total benefit estimates were calculated by multiplying a marginal dollar value (*i.e.*, cost per ton) of carbon emissions, also referred to as "social cost of carbon" (SCC), by the anticipated level of emissions reductions in tons. We request comment on the approach used to estimate the set of SCC values used for this coordinated proposal as well as the other options considered.

The estimates presented here are interim values. EPA and other agencies will continue to explore the underlying assumptions and issues.

As discussed below, the interim dollar estimates of the SCC represent a partial accounting of climate change impacts. The quantitative account presented here is accompanied by a qualitative appraisal of climate-related impacts presented elsewhere in this proposal. For example, Section III.F.2 of

the preamble presents a summary of the impacts and risks of climate change projected in the absence of actions to mitigate GHG emissions. Section III.F.2 is based on EPA documents that synthesize major findings from the best available scientific assessments of the scientific literature that have gone through rigorous and transparent peer review, including the major assessment reports of both the Intergovernmental Panel on Climate Change (IPCC) and the U.S. Climate Change Science Program.³⁵⁹

The rest of this preamble section will provide the basis for the interim SCC values, and the estimates of the total climate-related benefits of the proposed rule that follow from these interim values.

b. Derivation of Interim Social Cost of Carbon Values

The "social cost of carbon" (SCC) is intended to be a monetary measure of the incremental damage resulting from carbon dioxide (CO₂) emissions, including (but not limited to) net agricultural productivity loss, human health effects, property damages from sea level rise, and changes in ecosystem services. Any effort to quantify and to monetize the consequences associated with climate change will raise serious questions of science, economics, and ethics. But with full regard for the limits of both quantification and monetization, the SCC can be used to provide an estimate of the social benefits of reductions in GHG emissions.

For at least three reasons, any particular figure will be contestable. First, scientific and economic

knowledge about the impacts of climate change continues to grow. With new and better information about relevant questions, including the cost, burdens, and possibility of adaptation, current estimates will inevitably change over time. Second, some of the likely and potential damages from climate change—for example, the loss of endangered species—are generally not included in current SCC estimates. These omissions may turn out to be significant, in the sense that they may mean that the best current estimates are too low. As noted by the IPCC Fourth Assessment Report, "It is *very likely* that globally aggregated figures underestimate the damage costs because they cannot include many non-quantifiable impacts."³⁶⁰ Third, when economic efficiency criteria, under specific assumptions, are juxtaposed with ethical considerations, the outcome may be controversial.³⁶¹ These ethical considerations, including those involving the treatment of future generations, should and will also play a role in judgments about the SCC (*see in particular the discussion of the discount rate, below*).

To date, SCC estimates presented in recent regulatory documents have varied within and among agencies, including DOT, DOE, and EPA. For example, a regulation proposed by DOT in 2008 assumed a value of \$7 per metric ton CO₂ (2006\$) for 2011 emission reductions (with a range of \$0–14 for sensitivity analysis; *see EPA Docket, EPA-HQ-OAR-2009-0472*).³⁶²

³⁶⁰ IPCC WGII. 2007. *Climate Change 2007—Impacts, Adaptation and Vulnerability Contribution of Working Group II to the Fourth Assessment Report of the IPCC*. See EPA Docket, EPA-HQ-OAR-2009-0472.

³⁶¹ See, e.g., *Discounting and Intergenerational Equity* (Paul Portney and John P. Weyant eds. 1999).

³⁶² For the purposes of this discussion, we present all values of the SCC as the cost per metric

Continued

³⁵⁸ The marginal and total benefit estimates presented in this section are limited to the impacts that can be monetized. Section III.F.2 of this preamble discusses the physical impacts of climate change, some of which are not monetized and are therefore omitted from the monetized benefits discussed here.

³⁵⁹ U.S. Environmental Protection Agency, "Advance Notice of Proposed Rulemaking for Greenhouse Gases Under the Clean Air Act, Technical Support Document on Benefits of Reducing GHG Emissions," June 2008. See www.regulations.gov and search for ID "EPA-HQ-OAR-2008-0138-0078."

A regulation proposed by DOE in 2009 used a range of \$0–\$20 (2007\$). Both of these ranges were designed to reflect the value of damages to the United States resulting from carbon emissions, or the “domestic” SCC. In the final MY2011 CAFE EIS, DOT used both a domestic SCC value of \$2/tCO₂ and a global SCC value of \$33/tCO₂ (with sensitivity analysis at \$80/tCO₂) (in 2006 dollars for 2007 emissions), increasing at 2.4% per year thereafter. The final MY2011 CAFE rule also presented a range from \$2 to \$80/tCO₂ (see EPA Docket, EPA–HQ–OAR–2009–0472, for the MY2011 EIS and final rule). EPA’s Advance Notice of Proposed Rulemaking for Greenhouse Gases discussed the benefits of reducing GHG emissions and identified what it described as “very preliminary” SCC estimates “subject to revision” that spanned three orders of magnitude. EPA’s global mean values were \$68 and \$40/tCO₂ for discount rates of 2% and 3% respectively (in 2006 real dollars for 2007 emissions).³⁶³

The current Administration has worked to develop a transparent methodology for selecting a set of interim SCC estimates to use in regulatory analyses until a more comprehensive characterization of the SCC is developed. This discussion proposes a set of values for the interim social cost of carbon resulting from this methodology. It should be emphasized that the analysis here is preliminary. This proposed joint rulemaking presents SCC estimates that reflect the Administration’s current understanding of the relevant literature and will be used for the short-term while an interagency group develops a more comprehensive characterization of the distribution of SCC values for future economic and regulatory analyses. The interim values should not be viewed as an expectation about the results of the longer-term process. The Administration is seeking comment in this proposed rule on all of the scientific, economic, and ethical issues before establishing improved estimates for use in future rulemakings.

The outcomes of the Administration’s process to develop interim values are

ton of CO₂ emissions. Some discussions of the SCC in the literature use an alternative presentation of a dollar per metric ton of carbon. The standard adjustment factor is 3.67, which means, for example, that a SCC of \$10 per ton of CO₂ would be equivalent to a cost of \$36.70 for a ton of carbon emitted. Unless otherwise indicated, a “ton” refers to a metric ton.

³⁶³ 73 FR 44416 (July 30, 2008). EPA, “Advance Notice of Proposed Rulemaking for Greenhouse Gases Under the Clean Air Act, Technical Support Document on Benefits of Reducing GHG Emissions,” June 2008. www.regulations.gov. Search for ID “EPA–HQ–OAR–2008–0318–0078.”

judgments in favor of (a) global rather than domestic values, (b) an annual growth rate of 3%, and (c) interim global SCC estimates for 2007 (in 2007 dollars) of \$56, \$34, \$20, \$10, and \$5 per ton of CO₂. The proposed figures are based on the following judgments.

i. Global and Domestic Measures

Because of the distinctive nature of the climate change problem, we present both a global SCC and a fraction of that value that represents impacts that may occur within the borders of the U.S. alone, or a “domestic” SCC, but fix our attention on the global measure. This approach represents a departure from past practices, which relied, for the most part, on domestic measures. As a matter of law, both global and domestic values are permissible; the relevant statutory provisions are ambiguous and allow selection of either measure.³⁶⁴

It is true that under OMB guidance, analysis from the domestic perspective is required, while analysis from the international perspective is optional. The domestic decisions of one nation are not typically based on a judgment about the effects of those decisions on other nations. But the climate change problem is highly unusual in the sense that it involves (a) a global public good in which (b) the emissions of one nation may inflict significant damages on other nations and (c) the United States is actively engaged in promoting an international agreement to reduce worldwide emissions.

In these circumstances, we believe that the global measure is preferred. Use of a global measure reflects the reality of the problem and is consistent with the continuing efforts of the United States to ensure that emissions reductions occur in many nations.

Domestic SCC values are also presented. The development of a domestic SCC is greatly complicated by the relatively few region- or country-specific estimates of the SCC in the literature. One potential source of estimates comes from EPA’s ANPR Benefits TSD, using the Climate Framework for Uncertainty, Negotiation and Distribution (FUND) model.³⁶⁵ The resulting estimates suggest that the ratio

³⁶⁴ It is true that *Federal* statutes are presumed not to have extraterritorial effect, in part to ensure that the laws of the United States respect the interests of foreign sovereigns. But use of a global measure for the SCC does not give extraterritorial effect to *Federal* law and hence does not intrude on such interests.

³⁶⁵ 73 FR 44416 (July 30, 2008). EPA, “Advance Notice of Proposed Rulemaking for Greenhouse Gases Under the Clean Air Act, Technical Support Document on Benefits of Reducing GHG Emissions,” June 2008. www.regulations.gov. Search for ID “EPA–HQ–OAR–2008–0318–0078.”

of domestic to global benefits varies with key parameter assumptions. With a 3% discount rate, for example, the U.S. benefit is about 6% of the global benefit of GHG reductions for the “central” (mean) FUND results, while, for the corresponding “high” estimates associated with a higher climate sensitivity and lower global economic growth, the U.S. benefit is less than 4% of the global benefit. With a 2% discount rate, the U.S. share is about 2–5% of the global estimate. Comments are requested on whether the share of U.S. SCC is correlated with the discount rate.

Based on this available evidence, an interim domestic SCC value equal to 6% of the global damages is proposed. This figure is around the middle of the range of available estimates cited above. It is recognized that the 6% figure is approximate and highly speculative. Alternative approaches will be explored before establishing improved values for future rulemakings. However, it should be noted that it is difficult to apportion global benefits to different regions. For example, impacts outside the U.S. border can have significant welfare implications for U.S. populations (e.g. tourism, disaster relief) and if not included, these omissions will lead to an underestimation of the “domestic” SCC. We request comment on this issue.

ii. Filtering Existing Analyses

There are numerous SCC estimates in the existing literature, and it is reasonable to make use of those estimates in order to produce a figure for current use. A starting point is provided by the meta-analysis in Richard Tol, 2008.³⁶⁶ With that starting point, the Administration proposes to “filter” existing SCC estimates by using those that (1) are derived from peer-reviewed studies; (2) do not weight the monetized damages to one country more than those in other countries; (3) use a “business as usual” climate scenario; and (4) are based on the most recent published version of each of the three major integrated assessment models (IAMs): FUND, Policy Analysis for the Greenhouse Effect (PAGE), and DICE.

Proposal (1) is based on the view that those studies that have been subject to peer review are more likely to be reliable than those that have not. Proposal (2) avoids treating the citizens of one nation (or different citizens within the U.S.) differently on the basis

³⁶⁶ Richard Tol, *The Social Cost of Carbon: Trends, Outliers, and Catastrophes*, *Economics: The Open-Access, Open-Assessment E-Journal*, Vol. 2, 2008–25. <http://www.economics-ejournal.org/economics/journalarticles/2008-25> (2008). See also EPA Docket, EPA–HQ–OAR–2009–0472.

of income considerations, which some may find controversial and in any event would significantly complicate that analysis. In addition, that approach is consistent with the potential compensation tests of Kaldor (1939) and Hicks (1940), which form the conceptual foundations of benefit-cost analysis and use unweighted sums of willingness to pay. Finally, this is the approach used in rulemakings across a variety of settings and consequently keeps USG policy consistent across contexts.

Proposal (3) stems from the judgment that as a general rule, the proper way to assess a policy decision is by comparing the implementation of the policy against a counterfactual state where the policy is not implemented. In addition, our expectation is that most policies to be evaluated using these interim SCC estimates will constitute sufficiently small changes to the larger economy to make it safe to assume that the marginal benefits of emissions reductions will not change between the baseline and policy scenarios.

Proposal (4) is based on four complementary judgments. First, the *FUND*, *PAGE*, and *DICE* models now stand as the most comprehensive and reliable efforts to measure the economic damages from climate change. Second, the latest versions of the three IAMs are likely to reflect the most recent evidence and learning, and hence they are presumed to be superior to those that preceded them.³⁶⁷

Third, any effort to choose among them, or to reject one in favor of the others, would be difficult to defend at the present time. In the absence of a clear reason to choose among them, it is reasonable to base the SCC on all of them. Fourth, in light of the uncertainties associated with the SCC, a range of values is more representative and the additional information offered by different models should be taken into account.

iii. Use a Model-Weighted Average of the Estimates at Each Discount Rate

We have just noted that at this time, a strong reason to prefer any of the three major IAMs (*FUND*, *PAGE*, and *DICE*) over the others has not been identified. To address the concern that certain models not be given unequal weight

relative to the others, the estimates are based on an equal weighting of the means of the estimates from each of the models. Among estimates that remain after applying the filter, we begin by taking the average of all estimates within a model. The estimated SCC is then calculated as the average of the three model-specific averages. This approach is used to ensure that models with a greater number of published results do not exert unequal weight on the interim SCC estimates.

It should be noted, however, that the resulting set of SCC estimates does not provide information about variability among or within models except in so far as they have different discounting assumptions. Comment is sought on whether model-weighting averaging of published estimates is appropriate for developing interim SCC estimates.

iv. Apply a 3% Annual Growth Rate to the Chosen SCC Values

SCC is expected to increase over time, because future emissions are expected to produce larger incremental damages as physical and economic systems become more stressed as the magnitude of climate change increases. Indeed, an implied growth rate in the SCC can be produced by most of the models that estimate economic damages caused by increased GHG emissions in future years. But neither the rate itself nor the information necessary to derive its implied value is commonly reported. In light of the limited amount of debate thus far about the appropriate growth rate of the SCC, applying a rate of 3% per year seems appropriate at this stage. This value is consistent with the range recommended by IPCC (2007) and close to the latest published estimate (Hope 2008) (see EPA Docket, EPA-HQ-OAR-2009-0472, for both citations).

(1) Discount Rates

For estimation of the benefits associated with the mitigation of climate change, one of the most complex issues involves the appropriate discount rate. OMB's current guidance offers a detailed discussion of the relevant issues and calls for discount rates of 3% and 7%. It also permits a sensitivity analysis with low rates (1–3%) for intergenerational problems: "If your rule will have important intergenerational benefits or costs you might consider a further sensitivity analysis using a lower but positive discount rate in addition to calculating net benefits using discount rates of 3 and 7 percent."³⁶⁸

The choice of a discount rate, especially over long periods of time, raises highly contested and exceedingly difficult questions of science, economics, philosophy, and law. See, e.g., William Nordhaus, *The Challenge of Global Warming* (2008); Nicholas Stern, *The Economics of Climate Change* (2008); *Discounting and Intergenerational Equity* (Paul Portney and John Weyant eds. 1999), in the EPA Docket, EPA-HQ-OAR-2009-0472. Under imaginable assumptions, decisions based on cost-benefit analysis with high discount rates might harm future generations—at least if investments are not made for the benefit of those generations. See Robert Lind, *Analysis for Intergenerational Discounting*, id. at 173, 176–177 (1999), in the EPA Docket, EPA-HQ-OAR-2009-0472. It is not clear that future generations would be willing to trade environmental quality for consumption at the same rate as the current generations. It is also possible that the use of low discount rates for particular projects might itself harm future generations, by diverting resources from private or public sector investments with higher rates of return for future generations. In the context of climate change, questions of intergenerational equity are especially important.

Because of the substantial length of time in which CO₂ and other GHG emissions reside in the atmosphere, choosing a high discount rate could result in irreversible changes in CO₂ concentrations, and possibly irreversible climate changes (unless substantial reductions in short-lived climate forcing emissions are achieved). Even if these changes are reversible, delaying mitigation efforts could result in substantially higher costs of stabilizing CO₂ concentrations. On the other hand, using too low a discount rate in benefit-cost analysis may suggest some potentially economically unwarranted investments in mitigation. It is also possible that the use of low discount rates for particular projects might itself harm future generations, by ensuring that resources are not used in a way that would greatly benefit them. We invite comment on the methods used to select discount rates for application in deriving SCC values, and in particular, application of the Newell and Pizer work on uncertainty in discount rates in developing the SCC used in evaluating the climate-related benefits of this proposal. Comments are requested on the use of the rates discussed in this preamble and on alternative rates. We

³⁶⁷ However, it is acknowledged that the most recently published results do not necessarily repeat prior modeling exercises with an updated model, so valuable information may be lost, for instance, estimates of the SCC using specific climate sensitivities or economic scenarios. In addition, although some older model versions were used to produce estimates between 1996 and 2001, there have been no significant modeling paradigm changes since 1996.

³⁶⁸ See OMB Circular A-4, pp. 35–36, citing Portney and Weyant, eds. (1999), *Discounting and Intergenerational Equity, Resources for the Future*,

Washington, DC. See EPA Docket, EPA-HQ-OAR-2009-0472.

also invite comment on how to best address the ethical and policy concerns in the context of selecting the appropriate discount rate.

Reasonable arguments support the use of a 3% discount rate. First, that rate is among the two figures suggested by OMB guidance, and hence it fits with existing national policy. Second, it is standard to base the discount rate on the compensation that people receive for delaying consumption, and the 3% is close to the risk-free rate of return, proxied by the return on long term inflation-adjusted U.S. Treasury Bonds, as of this writing. Although these rates are currently closer to 2.5%, the use of 3% provides an adjustment for the liquidity premium that is reflected in these bonds' returns. However, this approach does not adjust for the significantly longer time horizon associated with climate change impacts. It could also be argued that the discount rate should be lower than 3% if the benefits of climate mitigation policies tend to be higher than expected in time periods when the returns to investments in rest of the economy are lower than normal.

At the same time, others would argue that a 5% discount rate can be supported. The argument relies on several assumptions. First, this rate can be justified by reference to the level of compensation for delaying consumption, because it fits with market behavior with respect to *individuals'* willingness to trade-off consumption across periods as measured by the estimated post-tax average real returns to risky private investments (e.g., the S&P 500). In the climate setting, the 5% discount rate may be preferable to the riskless rate because the benefits to mitigation are not known with certainty. In principal, the correct discount rate would reflect the variance in payoff from climate mitigation policy and the correlation between the payoffs of the policy and the broader economy.³⁶⁹

Second, 5%, and not 3%, is roughly consistent with estimates implied by

inputs to the theoretically derived Ramsey equation presented below, which specifies the optimal time path for consumption. That equation specifies the optimal discount rate as the sum of two components. The first term (the product of the elasticity of the marginal utility of consumption and the growth rate of consumption) reflects the fact that consumption in the future is likely to be higher than consumption today, so diminishing marginal utility implies that the same monetary damage will cause a smaller reduction of utility in the future. Standard estimates of this term from the economics literature are in the range of 3%–5%.³⁷⁰ The second component reflects the possibility that a lower weight should be placed on utility in the future, to account for social impatience or extinction risk, which is specified by a pure rate of time preference (PRTP). A common estimate of the PRTP is 2%, though some observers believe that a principle of intergenerational equity suggests that the PRTP should be close to zero. It follows that discount rate of 5% is near the middle of the range of values that are able to be derived from the Ramsey equation.³⁷¹

It is recognized that the arguments above—for use of market behavior and

³⁷⁰ For example, see: Arrow KJ, Cline WR, Maler K-G, Munasinghe M, Squitieri R, Stiglitz JE. 1996. Intertemporal equity, discounting, and economic efficiency. Chapter 4 in *Economic and Social Dimensions of Climate Change: Contribution of Working Group III to the Second Assessment Report, Summary for Policy Makers*. Cambridge: Cambridge University Press; Dasgupta P. 2008. Discounting climate change. *Journal of Risk and Uncertainty* 37:141–169; Hoel M, Sterner T. 2007. Discounting and relative prices. *Climatic Change* 84:265–280; Nordhaus WD. 2008. *A Question of Balance: Weighing the Options on Global Warming Policies*. New Haven, CT: Yale University Press; Stern N. 2008. The economics of climate change. *The American Economic Review* 98(2):1–37. See EPA Docket, EPA-HQ-OAR-2009-0472.

³⁷¹ Sterner and Persson (2008) note that a consistent treatment of the marginal utility of consumption would require that if higher discount rates are justified by the diminishing marginal utility of consumption, e.g., a dollar of damages is worth less to future generations because they have greater income, then so-called equity weights should be used to account for the higher value that countries with lower income would place on a dollar of damages relative to the U.S. This is a consistent and logical outcome of application of the Ramsey framework. Because the distribution of climate change related damages is expected to be skewed towards developing nations with lower incomes, this can have significant implications for estimates of total global SCC if the Ramsey framework is used to derive discount rates. See EPA Docket, EPA-HQ-OAR-2009-0472 for Sterner and Persson (2008).

the Ramsey equation—face objections in the context of climate change, and of course there are alternative approaches. In light of climate change, it is possible that consumption in the future will not be higher than consumption today, and if so, the Ramsey equation will suggest a lower figure. The historical evidence is consistent with rising consumption over time.³⁷²

Some critics contend that using observed interest rates for intergenerational decisions imposes current preferences on future generations. For intergenerational equity, they argue that the discount rate should be below market rates to correct for market distortions and inefficiencies in intergenerational transfers of wealth (which are presumed to compensate future generations for damage), and to treat generations equitably based on ethical principles (see Broome 2008 in the EPA Docket, EPA-HQ-OAR-2009-0472).³⁷³

Additionally, some analyses attempt to deal with uncertainty with respect to interest rates over time. We explore below how this might be done.³⁷⁴

(2) Proposed Interim Estimates

The application of the methodology outlined above yields interim estimates of the SCC that are reported in Table III.H.6–1. These estimates are reported separately using 3% and 5% discount rates. The cells are empty in rows 10 and 11, because these studies did not report estimates of the SCC at a 3% discount rate. The model-weighted means are reported in the final or summary row; they are \$34 per tCO₂ at a 3% discount rate and \$5 per tCO₂ with a 5% discount rate.

³⁷² However, because climate change impacts may be outside the bounds of historical evidence, predictions about future growth in consumption based on past experience may be inaccurate.

³⁷³ For relevant discussion, see Arrow, K.J., W.R. Cline, K-G Maler, M. Munasinghe, R. Squitieri, J.E. Stiglitz, 1996. "Intertemporal equity, discounting and economic efficiency," in *Climate Change 1995: Economic and Social Dimensions of Climate Change, Contribution of Working Group III to the Second Assessment Report of the Intergovernmental Panel on Climate Change*. See also Weitzman, M.L., 1999, in Portney P.R. and Weyant J.P. (eds.), *Discounting and Intergenerational Equity, Resources for the Future*, Washington, DC. See EPA Docket, EPA-HQ-OAR-2009-0472.

³⁷⁴ Richard Newell and William Pizer, Discounting the distant future: how much do uncertain rates increase valuations? *J. Environ. Econ. Manage.* 46 (2003) 52–71. See EPA Docket, EPA-HQ-OAR-2009-0472.

³⁶⁹ Specifically, if the benefits of the policy are highly correlated with the returns from the broader economy, then the market rate should be used to discount the benefits. If the benefits are uncorrelated with the broader economy the long term government bond rate should be applied. Furthermore, if the benefits are negatively correlated with the broader economy, a rate less than that on long term government bonds should be used (Lind, 1982 pp. 89–90).

TABLE III.H.6-1—GLOBAL SOCIAL COST OF CARBON (SCC) ESTIMATES (\$/tCO₂ IN 2007 (2007\$)), BASED ON 3% AND 5% DISCOUNT RATES^a

	Model	Study ^b	Climate Scenario	3%	5%
1	FUND	Anthoff <i>et al.</i> 2009	FUND default	6	-1
2	FUND	Anthoff <i>et al.</i> 2009	SRES A1b	1	-1
3	FUND	Anthoff <i>et al.</i> 2009	SRES A2	9	-1
4	FUND	Link and Tol 2004	No THC	12	3
5	FUND	Link and Tol 2004	THC continues	12	2
6	FUND	Guo <i>et al.</i> 2006	Constant PRTP	5	-1
7	FUND	Guo <i>et al.</i> 2006	Gollier discount 1	14	0
8	FUND	Guo <i>et al.</i> 2006	Gollier discount 2	7	-1
			FUND Mean	8.47	0
9	PAGE	Wahba & Hope 2006	A2-scen	59	7
10	PAGE	Hope 2006			7
11	DICE	Nordhaus 2008			8
Summary			Model-weighted Mean	34	5

^a The sample includes all peer reviewed, non-equity-weighted estimates included in Tol (2008), Nordhaus (2008), Hope (2008), and Anthoff *et al.* (2009), that are based on the most recent published version of FUND, PAGE, or DICE and use business-as-usual climate scenarios.^{375,376} All values are based on the best available information from the underlying studies about the base year and year dollars, rather than the Tol (2008) assumption that all estimates included in his review are 1995 values in 1995\$. All values were updated to 2007 using a 3% annual growth rate in the SCC, and adjusted for inflation using GDP deflator.

^b See EPA Docket, EPA-HQ-OAR-2009-0472, for each study.

In this proposal, benefits of reducing GHG emissions have been estimated using global SCC values of \$34 and \$5 as these represent the estimates associated with the 3% and 5% discount rates, respectively.³⁷⁷ The 3% and 5% estimates have independent appeal and at this time a clear preference for one over the other is not warranted. Thus, we have also included—and centered our current attention on—the average of the estimates associated with these discount rates, which is \$20. (Based on the \$20 global value, the approximate domestic fraction of these benefits would be \$1.20 per ton of CO₂ assuming that domestic benefits are 6% of the global benefits.)

The distinctions between sets of estimates generated using different discount rates are due only in part to

discount rate differences, because the models and parameters used to generate the estimates in the sets associated with different discount rates also vary.

It is true that there is uncertainty about interest rates over long time horizons. Recognizing that point, Newell and Pizer (2003) have made a careful effort to adjust for that uncertainty (see EPA Docket, EPA-HQ-OAR-2009-0472). The Newell-Pizer approach models discount rate uncertainty as something that evolves over time.³⁷⁸ This is a different way to model discount rate uncertainty than the approach outlined above, which assumes there is a single discount rate with equal probability of 3% and 5%. Since Newell and Pizer (2003) is a relatively recent contribution to the literature, estimates based on this

method are included with the aim of soliciting comment.

Table III.H.6-2 reports on the application of the Newell-Pizer adjustments. The precise numbers depend on the assumptions about the data generating process that governs interest rates. Columns (1a) and (1b) assume that “random walk” model best describes the data and uses 3% and 5% discount rates, respectively. Columns (2a) and (2b) repeat this, except that it assumes a “mean-reverting” process. While the empirical evidence does not rule out a mean-reverting model, Newell and Pizer find stronger empirical support for the random walk model. EPA solicits comment on these and other models for representing the variation in interest rates over time.

³⁷⁵ Most of the estimates in Table 1 rely on climate scenarios developed by the Intergovernmental Panel on Climate Change (IPCC). The IPCC published a new set of scenarios in 2000 for use in the Third Assessment Report (Special Report on Emissions Scenarios—SRES). The SRES scenarios define four narrative storylines: A1, A2, B1 and B2, describing the relationships between the forces driving greenhouse gas and aerosol emissions and their evolution during the 21st century for large world regions and globally. Each storyline represents different demographic, social, economic, technological, and environmental developments that diverge in increasingly irreversible ways. The storylines are summarized in the SRES report (Nakicenovic *et al.*, 2000; see also <http://sedac.ciesin.columbia.edu/ddc/sres/>) (see EPA Docket, EPA-HQ-OAR-2009-0472). Although they were intended to represent BAU scenarios, at this point in time the B1 and B2 storylines are widely

viewed as representing policy cases rather than business-as-usual projections, estimates derived from these scenarios to be less appropriate for use in benefit-cost analysis. They are therefore excluded.

³⁷⁶ Guo *et al.* (2006) report estimates based on two Gollier discounting schemes. The Gollier discounting assumes complex specifications about individual utility functions and risk preferences. After various conditions are satisfied, declining social discount rates emerge. Gollier Discounting Scheme 1 employs a certainty-equivalent social rate of time preference (SRTP) derived by assuming the regional growth rate is equally likely to be 1% above or below the original forecast growth rate. Gollier Discounting Scheme 2 calculates a certainty-equivalent social rate of time preference (SRTP) using five possible growth rates, and applies the new SRTP instead of the original. Hope (2008) conducts Monte Carlo analysis on the PRTP

component of the discount rate. The PRTP is modeled as a triangular distribution with a min value of 1%/yr, a most likely value of 2%/yr, and a max value of 3%/yr. See EPA Docket, EPA-HQ-OAR-2009-0472 for the studies.

³⁷⁷ It should be noted that reported discount rates may not be consistently derived across models or specific applications of models: While the discount rate may be identical, it may reflect different assumptions about the individual components of the Ramsey equation identified earlier.

³⁷⁸ In contrast, an alternative approach based on Weitzman (2001) would assume that there is a constant discount rate that is uncertain and represented by a probability distribution. The Newell and Pizer, and Weitzman approaches are relatively recent contributions and we invite comment on the advantages and disadvantages of each. See EPA Docket, EPA-HQ-OAR-2009-0472.

TABLE III.H.6-2—GLOBAL SOCIAL COST OF CARBON (SCC) ESTIMATES (\$ PER METRIC TON CO₂ IN 2007 (2007\$))^a, USING NEWELL & PIZER (2003) ADJUSTMENT FOR FUTURE DISCOUNT RATE UNCERTAINTY^b

	Model	Study ^c	Climate scenario	Random-walk model		Mean-reverting model	
				3% (1a)	5% (1b)	3% (2a)	5% (2b)
1	FUND	Anthoff <i>et al.</i> 2009	FUND default	10	0	7	-1
2	FUND	Anthoff <i>et al.</i> 2009	SRES A1b	2	0	1	-1
3	FUND	Anthoff <i>et al.</i> 2009	SRES A2	15	0	10	-1
4	FUND	Link and Tol 2004	No THC	21	6	13	4
5	FUND	Link and Tol 2004	THC continues	21	4	13	2
6	FUND	Guo <i>et al.</i> 2006	Constant PRTP	9	0	6	-1
7	FUND	Guo <i>et al.</i> 2006	Gollier discount 1	14	0	14	0
8	FUND	Guo <i>et al.</i> 2006	Gollier discount 2	7	-1	7	-1
			FUND Mean	12	1	9	0
9	PAGE	Wahba & Hope 2006	A2-scen	100	13	65	8
10	PAGE	Hope 2006			13		8
11	DICE	Nordhaus 2008			15		9
Summary			Model-weighted Mean	56	10	37	6

^a The sample includes all peer reviewed, non-equity-weighted estimates included in Tol (2008), Nordhaus (2008), Hope (2008), and Anthoff *et al.* (2009), that are based on the most recent published version of FUND, PAGE, or DICE and use business-as-usual climate scenarios. All values are based on the best available information from the underlying studies about the base year and year dollars, rather than the Tol (2008) assumption that all estimates included in his review are 1995 values in 1995\$. All values were updated to 2007 using a 3% annual growth rate in the SCC, and adjusted for inflation using GDP deflator. See the Notes to Table III.H.6-1 for further details.

^b Assumes a starting discount rate of 3% or 5%. Newell and Pizer (2003) based adjustment factors are not applied to estimates from Guo *et al.* (2006) that use a different approach to account for discount rate uncertainty (rows 7-8).

^c Note that the correction factor from Newell and Pizer is based on the DICE model. The proper adjustment may differ for other integrated assessment models that produce different time schedules of marginal damages. We would expect this difference to be minor.

^d See EPA Docket, EPA-HQ-OAR-2009-0472, for each study.

The resulting estimates of the social cost of carbon are necessarily greater. When the adjustments from the random walk model are applied, the estimates of the social cost of carbon are \$10 and \$56 per ton of CO₂, with the 5% and 3% discount rates, respectively. The application of the mean-reverting adjustment yields estimates of \$6 and \$37. Relying on the random walk model, analyses are also conducted with the value of the SCC set at \$10 and \$56.

(3) Caveats

There are at least four caveats to the approach outlined above.

First, and as noted, the existing IAMs do not currently individually account for and assign value to all of the important physical and other impacts of climate change that are recognized in the climate change literature.³⁷⁹ The impacts of climate change are expected to be widespread, diverse, and heterogeneous. In addition, the exact magnitude of these impacts is uncertain, because of the inherent randomness in the Earth's atmospheric processes, the U.S. and global economies, and the behaviors of current and future

populations. To this extent, as emphasized by the IPCC, SCC estimates are "very likely" underestimated.³⁸⁰ In addition, the SCC approach also likely underestimates the value of GHG reductions because the marginal values apply only to CO₂ emissions, which have different impacts than non-CO₂ emissions because of variances in atmospheric lifetimes and radiative forcing.³⁸¹ Although it is likely that our capability to quantify and monetize impacts will improve with time, it is also likely that even in future applications, a number of potentially significant benefits categories will remain unmonetized. In order to capture the benefits of mitigation these non-monetized benefits should be discussed along with monetized benefits based on the SCC.

Second, in the opposite direction, it is unlikely that the damage estimates adequately account for the directed

technological change that climate change will cause. In particular, climate change will increase the return on investment to develop technologies that allow individuals to cope with climate change. For example, it is likely that scientists will develop crops that are better able to withstand high temperatures. In this respect, the current estimates may overstate the likely quantified damages, though the costs associated with the investments in adaptive technologies must also be considered (technologies must also be included in the calculations, as the benefits should reflect net welfare changes to society).

Third, there has been considerable recent discussion of the risk of catastrophic impacts and of how best to account for worst-case scenarios. Recent work by Weitzman (2009) specifies some conditions under which the possibility of catastrophe would undermine the use of IAMs and conventional cost-benefit analysis.³⁸² This research requires further exploration before its generality is known and the proper way to incorporate it into regulatory reviews is understood. We also request comments on approaches for measuring the premium associated with reductions in

³⁷⁹ Examples of impacts that are difficult to monetize, and have generally not been included in SCC estimates, include risks from extreme weather (death, disease, agricultural damage, and other economic damage from droughts, floods and wildfires) and possible long-term catastrophic events, such as collapse of the West Antarctic ice sheet or the release of large amounts of methane from melting permafrost.

³⁸⁰ IPCC WGII, 2007. *Climate Change 2007—Impacts, Adaptation and Vulnerability Contribution of Working Group II to the Fourth Assessment Report of the IPCC*. See EPA Docket, EPA-HQ-OAR-2009-0472.

³⁸¹ Radiative forcing is the change in the balance between solar radiation entering the atmosphere and the Earth's radiation going out. On average, a positive radiative forcing tends to warm the surface of the Earth while negative forcing tends to cool the surface. Greenhouse gases have a positive radiative forcing because they absorb and emit heat. See <http://www.epa.gov/climatechange/science/centac.html> for more general information about GHGs and climate science. See EPA Docket, EPA-HQ-OAR-2009-0472.

³⁸² Weitzman, Martin, 2009. On Modeling and Interpreting the Economics of Catastrophic Climate Change. *Review of Economics and Statistics* 91(1): 1-19. See EPA Docket, EPA-HQ-OAR-2009-0472.

climate-related risks such as catastrophic events.

Fourth, it is also worth noting that the SCC estimates are only relevant for incremental policies relative to the projected baselines, which capture business-as-usual scenarios. To evaluate non-marginal changes, such as might occur if the U.S. acts in tandem with other nations, it might be necessary to go beyond the simple expedient of using the SCC along the BAU path. This approach would require explicitly calculating the total benefits in a move from the BAU scenario to the policy scenario, without imposing the restriction that the marginal benefit remains constant over this range.

(4) Other options

The Administration considered other interim SCC options in addition to the approach described above; we request comment on each of them. One alternative option was to bring in SCC estimates in studies published after 1995, rather than limiting the estimates to those in studies relying on the most recent published version of each of the three major integrated assessment models: PAGE, FUND, and DICE. Although some older model versions (and old versions of other models) were used to produce estimates between 1996 and 2001, it appears that there have been no significant modeling paradigm changes since 1996.

Another option was to select a range of SCC values for separate discount rates. For example, sensitivity analysis could be conducted at the lowest and highest SCC values reported in the

filtered set of estimates for each discount rate considered. If considering SCC estimates from studies published after 1995 and a discount rate of 2 percent, this option would result in a range of SCC values of \$5/t-CO₂ to \$260/t-CO₂ (2007 emissions in 2007 dollars); at a 3 percent discount rate, the range would be \$0 to \$58/t-CO₂.

Finally, we considered the possibility that different assumptions under the Ramsey framework, such as placing approximately equal weight on the welfare of current and future generations, would imply a lower discount rate, such as 2%. The Newell and Pizer (2003) method applied to recent long-term risk free rates would likewise be approximately consistent with a certainty equivalent rate of 2%.³⁸³

(5) Ongoing SCC Development

As noted, this is an emphatically interim SCC value. The judgments described here will be subject to further scrutiny and exploration.

c. Application of Interim SCC Estimates to GHG Emissions Reductions From This Proposed Rule

The strategy underlying these joint proposals—to coordinate *Federal* efforts to reduce GHGs—warrants consideration when assessing the benefits. To be sure, while no single rule or action can independently achieve the deep worldwide emissions reductions necessary to halt and reverse the growth of GHGs. But the combined effects of multiple strategies to reduce GHG emissions domestically and abroad

could make a major difference in the climate change impacts experienced by future generations.³⁸⁴

The projected net GHG emissions reductions associated with the proposal reflect an incremental change to projected total global emissions. Therefore, as shown in Section III.F.3, the projected global climate signal will be small but discernible—an incrementally lower projected distribution of global mean surface temperatures.

Given that the climate response is projected to be a marginal change relative to the baseline climate, we estimate the marginal value of changes in climate change impacts over time and use this value to measure the monetized marginal benefits of the GHG emissions reductions projected for this proposal.

Accordingly, EPA and NHTSA have used the set of interim, global SCC values described above to estimate the benefits of these coordinated proposals. The interim SCC values, which reflect the Administration's interim interpretation of the current literature, are \$5 (based on a 5% discount rate), \$10 (5% using Newell-Pizer adjustment), \$20 (average SCC value from the average SCC estimates based on 5% and 3%), \$34 (3%), and \$56 (3% using Newell-Pizer adjustment), in 2007 dollars, and are based on a CO₂ emissions change of 1 metric ton in 2007. Table III.H.6-3 presents the interim SCC values in other years in 2007 dollars. These values are presented as one of many considerations that will inform the Administration's action on this proposed rule.

TABLE III.H.6-3—INTERIM SCC SCHEDULE

Discount rate assumption	Interim SCC schedule (2007\$) ^a					
	2007	2015	2020	2030	2040	2050
5%	\$5	\$7	\$8	\$10	\$14	\$18
5% (Newell-Pizer) ^b	10	13	15	20	27	37
Average SCC Values from 3% and 5% ..	20	25	29	39	52	70
3%	34	43	50	67	90	120
3% (Newell-Pizer) ^b	56	72	83	110	150	200

^a The SCC values are dollar-year and emissions-year specific. These values are presented in 2007\$, for individual year of emissions. To determine values for years not presented in the table, use a 3% growth rate. SCC values represent only a partial accounting for climate impacts.

^b SCC values are adjusted based on Newell and Pizer (2003) to account to future uncertainty in discount rates. See EPA Docket, EPA-HQ-OAR-2009-0472.

Tables III.H.6-4 to III.H.6-6 provide the annual benefits for each year impacted by the proposed rule. As discussed above, marginal benefits of

GHG reductions are projected to grow over time. The tables below summarize the total benefits for the lifetime of the

rule, which are calculated by using the five interim SCC values.

Total monetized benefits in each specific year are calculated by

³⁸³ Specifically, Newell and Pizer (2003) found that modeling of uncertainty in economic growth causes the effective discount rate to decline over time. When starting at a 4% discount rate, the effective discount rate is 2% at 100 years and 1%

at 200 years. See EPA Docket, EPA-HQ-OAR-2009-0472.

³⁸⁴ The Supreme Court recognized in *Massachusetts v. EPA* that a single action will not on its own achieve all needed GHG reductions,

noting that "[a]gencies, like legislatures, do not generally resolve massive problems in one fell regulatory swoop." See *Massachusetts v. EPA*, 549 U.S. at 524 (2007). See EPA Docket, EPA-HQ-OAR-2009-0472.

multiplying the marginal benefits estimates per metric ton of CO₂ (the SCC) from Table III.H.6-3 by the reductions in CO₂ for that year. Table III.H.6-5 approximates the total

monetized benefits for non-CO₂ GHGs by multiplying the SCC value by the reductions in non-CO₂ GHGs for that year. Marginal benefit estimates per metric ton of non-CO₂ GHGs are

currently unavailable, but work is ongoing to monetize benefits related to the mitigation of other non-CO₂ GHGs. Inclusion of these benefits is planned for the final rule.

TABLE III.H.6-4—MONETIZED GHG BENEFITS OF VEHICLE PROGRAM, CO₂ EMISSIONS
[Million 2007\$]

Year	Emissions reduction (million metric tons)	Discount rate				
		3%	3% (Newell-Pizer)	Average SCC from 3% and 5%	5%	5% (Newell-Pizer)
2015	43.2	\$1,900	\$3,100	\$1,100	\$280	\$560
2020	146	7,300	12,000	4,200	1,100	2,200
2030	289	19,000	32,000	11,000	2,900	5,900
2040	375	34,000	56,000	19,000	5,100	10,000
2050	470	57,000	95,000	33,000	8,600	17,000

TABLE III.H.6-5—MONETIZED GHG BENEFITS OF VEHICLE PROGRAM, NON-CO₂ EMISSIONS IN CO₂-EQUIVALENTS
[Million 2007\$]

Year	Emissions reduction (million metric tons)	Discount rate				
		3%	3% (Newell-Pizer)	Average SCC from 3% and 5%	5%	5% (Newell-Pizer)
2015	5.86	\$250	\$400	\$150	\$38	\$76
2020	17.7	880	1,500	510	130	270
2030	35.3	2,400	3,900	1,400	360	700
2040	42.7	3,800	6,400	2,200	580	1,200
2050	48.2	5,800	9,700	3,400	880	1,800

TABLE III.H.6-6—MONETIZED GHG BENEFITS OF VEHICLE PROGRAM, TOTAL CO₂ AND NON-CO₂ EMISSIONS IN CO₂-EQUIVALENTS
[Million 2007\$]^a

Year	Emissions reduction (million metric tons)	Discount rate				
		3%	3% (Newell-Pizer)	Average SCC from 3% and 5%	5%	5% (Newell-Pizer)
2015	49.1	\$2,100	\$3,500	\$1,200	\$320	\$640
2020	165	8,200	14,000	4,700	1,200	2,500
2030	325	22,000	36,000	12,000	3,300	6,600
2040	417	38,000	63,000	22,000	5,700	11,000
2050	518	63,000	100,000	36,000	9,500	19,000

^aNumbers may not add exactly from Tables III.H.6-4 and III.H.6-5 due to rounding.

7. Non-Greenhouse Gas Health and Environmental Impacts

This section presents EPA's analysis of the non-GHG health and environmental impacts that can be expected to occur as a result of the proposed light-duty vehicle GHG rule. GHG emissions are predominantly the byproduct of fossil fuel combustion processes that also produce criteria and hazardous air pollutants. The vehicles that are subject to the proposed standards are also significant sources of mobile source air pollution such as direct PM, NO_x, VOCs and air toxics. The proposed standards would affect

exhaust emissions of these pollutants from vehicles. They would also affect emissions from upstream sources related to changes in fuel consumption. Changes in ambient ozone, PM_{2.5}, and air toxics that would result from the proposed standards are expected to affect human health in the form of premature deaths and other serious human health effects, as well as other important public health and welfare effects.

It is important to quantify the health and environmental impacts associated with the proposed standard because a failure to adequately consider these ancillary co-pollutant impacts could

lead to an incorrect assessment of their net costs and benefits. Moreover, co-pollutant impacts tend to accrue in the near term, while any effects from reduced climate change mostly accrue over a time frame of several decades or longer.

EPA typically quantifies and monetizes the health and environmental impacts related to both PM and ozone in its regulatory impact analyses (RIAs), when possible. However, EPA was unable to do so in time for this proposal. EPA attempts to make emissions and air quality modeling decisions early in the analytical process so that we can complete the photochemical air quality

modeling and use that data to inform the health and environmental impacts analysis. Resource and time constraints precluded the Agency from completing this work in time for the proposal. Instead, EPA is using PM-related benefits-per-ton values as an interim approach to estimating the PM-related benefits of the proposal. EPA also provides a complete characterization of the health and environmental impacts that will be quantified and monetized for the final rulemaking.

This section is split into two subsections: the first presents the PM-related benefits-per-ton values used to monetize the PM-related co-benefits associated with the proposal; the second explains what PM- and ozone-related health and environmental impacts EPA will quantify and monetize in the analysis for the final rule. EPA bases its analyses on peer-reviewed studies of air quality and health and welfare effects and peer-reviewed studies of the monetary values of public health and welfare improvements, and is generally consistent with benefits analyses performed for the analysis of the final

Ozone National Ambient Air Quality Standard (NAAQS) and the final PM NAAQS analysis, as well as the recent Portland Cement National Emissions Standards for Hazardous Air Pollutants (NESHAP) RIA (U.S. EPA, 2009a), and NO₂ NAAQS (U.S. EPA, 2009b).^{385 386 387 388}

Though EPA is characterizing the changes in emissions associated with toxic pollutants, we will not be able to quantify or monetize the human health effects associated with air toxic pollutants for either the proposal or the final rule analyses. Please refer to Section III.G for more information about the air toxics emissions impacts associated with the proposed standards.

a. Economic Value of Reductions in Criteria Pollutants

As described in Section III.G, the proposed standards would reduce emissions of several criteria and toxic pollutants and precursors. In this analysis, EPA estimates the economic value of the human health benefits associated with reducing PM_{2.5} exposure. Due to analytical limitations, this analysis does not estimate benefits

related to other criteria pollutants (such as ozone, NO₂ or SO₂) or toxic pollutants, nor does it monetize all of the potential health and welfare effects associated with PM_{2.5}.

This analysis uses a "benefit-per-ton" method to estimate a selected suite of PM_{2.5}-related health benefits described below. These PM_{2.5} benefit-per-ton estimates provide the total monetized human health benefits (the sum of premature mortality and premature morbidity) of reducing one ton of directly emitted PM_{2.5}, or its precursors (such as NO_x, SO_x, and VOCs), from a specified source. Ideally, the human health benefits would be estimated based on changes in ambient PM_{2.5} as determined by full-scale air quality modeling. However, this modeling was not possible in the timeframe for this proposal.

The dollar-per-ton estimates used in this analysis are provided in Table III.H.7-1. In the summary of costs and benefits, Section III.H.10 of this preamble, EPA presents the monetized value of PM-related improvements associated with the proposal.

TABLE III.H.7-1—BENEFITS-PER-TON VALUES (2007\$) DERIVED USING THE ACS COHORT STUDY FOR PM-RELATED PREMATURE MORTALITY (POPE ET AL., 2002)^a AND A 3% DISCOUNT RATE^b

Year ^c	All sources ^d		Stationary (non-EGU) sources		Mobile sources	
	SO _x	VOC	NO _x	Direct PM _{2.5}	NO _x	Direct PM _{2.5}
2015	\$28,000	\$1,200	\$4,700	\$220,000	\$4,900	\$270,000
2020	31,000	1,300	5,100	240,000	5,300	290,000
2030	36,000	1,500	6,100	280,000	6,400	350,000
2040	43,000	1,800	7,200	330,000	7,600	420,000

^a The benefit-per-ton estimates presented in this table are based on an estimate of premature mortality derived from the ACS study (Pope et al., 2002). If the benefit-per-ton estimates were based on the Six Cities study (Laden et al., 2006), the values would be approximately 145% (nearly two-and-a-half times) larger.

^b The benefit-per-ton estimates presented in this table assume a 3% discount rate in the valuation of premature mortality to account for a twenty-year segmented cessation lag. If a 7% discount rate had been used, the values would be approximately 9% lower.

^c Benefit-per-ton values were estimated for the years 2015, 2020, and 2030. For 2040, EPA and NHTSA extrapolated exponentially based on the growth between 2020 and 2030.

^d Note that the benefit-per-ton value for SO_x is based on the value for Stationary (Non-EGU) sources; no SO_x value was estimated for mobile sources. The benefit-per-ton value for VOCs was estimated across all sources.

The benefit per-ton technique has been used in previous analyses, including EPA's recent Ozone National

Ambient Air Quality Standards (NAAQS) RIA (U.S. EPA, 2008a),³⁸⁹ Portland Cement National Emissions

Standards for Hazardous Air Pollutants (NESHAP) RIA (U.S. EPA, 2009a),³⁹⁰ and NO₂ NAAQS (U.S. EPA, 2009b).³⁹¹

³⁸⁵ U.S. Environmental Protection Agency. (2008). Final Ozone NAAQS Regulatory Impact Analysis. Prepared by: Office of Air and Radiation, Office of Air Quality Planning and Standards. March.

³⁸⁶ U.S. Environmental Protection Agency. October 2006. Final Regulatory Impact Analysis (RIA) for the Proposed National Ambient Air Quality Standards for Particulate Matter. Prepared by: Office of Air and Radiation.

³⁸⁷ U.S. Environmental Protection Agency (U.S. EPA). 2009a. Regulatory Impact Analysis: National Emission Standards for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry. Office of Air Quality Planning and Standards, Research Triangle Park, NC. April. Available on the

Internet at http://www.epo.gov/ttn/ecos/regdata/RIAs/portlandcementrio_4-20-09.pdf.

³⁸⁸ U.S. Environmental Protection Agency (U.S. EPA). 2009b. Proposed NO₂ NAAQS Regulatory Impact Analysis (RIA). Office of Air Quality Planning and Standards, Research Triangle Park, NC. April. Available on the Internet at <http://www.epo.gov/ttn/ecos/regdata/RIAs/proposedno2ria.pdf>.

³⁸⁹ U.S. Environmental Protection Agency (U.S. EPA). 2008a. Regulatory Impact Analysis, 2008 National Ambient Air Quality Standards for Ground-level Ozone, Chapter 6. Office of Air Quality Planning and Standards, Research Triangle Park, NC. March. Available at <http://www.epo.gov/ttn/ecos/regdata/RIAs/6-ozoneriochapter6.pdf>.

³⁹⁰ U.S. Environmental Protection Agency (U.S. EPA). 2009a. Regulatory Impact Analysis: National Emission Standards for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry. Office of Air Quality Planning and Standards, Research Triangle Park, NC. April. Available on the Internet at http://www.epa.gov/ttn/ecos/regdata/RIAs/portlandcementrio_4-20-09.pdf.

³⁹¹ U.S. Environmental Protection Agency (U.S. EPA). 2009b. Proposed NO₂ NAAQS Regulatory Impact Analysis (RIA). Office of Air Quality Planning and Standards, Research Triangle Park, NC. April. Available on the Internet at <http://www.epo.gov/ttn/ecos/regdata/RIAs/proposedno2rio.pdf>.

Table III.H.7-2 shows the quantified and unquantified PM_{2.5}-related co-benefits captured in those benefit-per-ton estimates.

TABLE III.H.7-2—HUMAN HEALTH AND WELFARE EFFECTS OF PM_{2.5}

Pollutant/ effect	Quantified and monetized in primary estimates	Unquantified effects changes in
PM _{2.5}	Adult premature mortality Bronchitis: chronic and acute Hospital admissions: respiratory and cardiovascular Emergency room visits for asthma Nonfatal heart attacks (myocardial infarction) Lower and upper respiratory illness Minor restricted-activity days Work loss days Asthma exacerbations (asthmatic population) Infant mortality	Subchronic bronchitis cases Low birth weight Pulmonary function Chronic respiratory diseases other than chronic bronchitis Non-asthma respiratory emergency room visits Visibility Household soiling

Consistent with the NO₂ NAAQS,³⁹² the benefits estimates utilize the concentration-response functions as reported in the epidemiology literature. To calculate the total monetized impacts associated with quantified health impacts, EPA applies values derived from a number of sources. For premature mortality, EPA applies a value of a statistical life (VSL) derived from the mortality valuation literature. For certain health impacts, such as chronic bronchitis and a number of respiratory-related ailments, EPA applies willingness-to-pay estimates derived from the valuation literature. For the remaining health impacts, EPA applies values derived from current cost-of-illness and/or wage estimates.

Readers interested in reviewing the complete methodology for creating the benefit-per-ton estimates used in this analysis can consult the Technical Support Document (TSD)³⁹³ accompanying the recent final ozone NAAQS RIA (U.S. EPA, 2008a). Readers can also refer to Fann et al. (2009)³⁹⁴ for a detailed description of the benefit-per-ton methodology.³⁹⁵ A more detailed

description of the benefit-per-ton estimates is also provided in the Draft Joint TSD that accompanies this rulemaking.

As described in the documentation for the benefit per-ton estimates cited above, national per-ton estimates were developed for selected pollutant/source category combinations. The per-ton values calculated therefore apply only to tons reduced from those specific pollutant/source combinations (e.g., NO₂ emitted from mobile sources; direct PM emitted from stationary sources). Our estimate of PM_{2.5} benefits is therefore based on the total direct PM_{2.5} and PM-related precursor emissions controlled by sector and multiplied by each per-ton value.

The benefit-per-ton estimates are subject to a number of assumptions and uncertainties.

- They do not reflect local variability in population density, meteorology, exposure, baseline health incidence rates, or other local factors that might lead to an overestimate or underestimate of the actual benefits of controlling fine particulates. EPA will conduct full-scale air quality modeling for the final rulemaking in an effort to capture this variability.

- This analysis assumes that all fine particles, regardless of their chemical composition, are equally potent in causing premature mortality. This is an important assumption, because PM_{2.5} produced via transported precursors emitted from stationary sources may differ significantly from direct PM_{2.5} released from diesel engines and other industrial sources, but no clear

scientific grounds exist for supporting differential effects estimates by particle type.

- This analysis assumes that the health impact function for fine particles is linear within the range of ambient concentrations under consideration. Thus, the estimates include health benefits from reducing fine particles in areas with varied concentrations of PM_{2.5}, including both regions that are in attainment with fine particle standard and those that do not meet the standard down to the lowest modeled concentrations.

- There are several health benefits categories that EPA was unable to quantify due to limitations associated with using benefits-per-ton estimates, several of which could be substantial. Because the NO_x and VOC emission reductions associated with this proposal are also precursors to ozone, reductions in NO_x and VOC would also reduce ozone formation and the health effects associated with ozone exposure. Unfortunately, benefits-per-ton estimates do not exist due to issues associated with the complexity of the atmospheric air chemistry and nonlinearities associated with ozone formation. The PM-related benefits-per-ton estimates also do not include any human welfare or ecological benefits. Please refer to Chapter 7.3 of the RIA that accompanies this proposal for a description of the quantification and monetization of health impact for the FRM and a description of the unquantified co-pollutant benefits associated with this rulemaking.

- There are many uncertainties associated with the health impact functions used in this modeling effort. These include: Within-study variability (the precision with which a given study estimates the relationship between air quality changes and health effects); across-study variation (different published studies of the same pollutant/

³⁹² Although we summarize the main issues in this chapter, we encourage interested readers to see benefits chapter of the NO₂ NAAQS for a more detailed description of recent changes to the PM benefits presentation and preference for the no-threshold model.

³⁹³ U.S. Environmental Protection Agency (U.S. EPA). 2008b. Technical Support Document: Calculating Benefit Per-Ton estimates. Ozone NAAQS Docket #EPA-HQ-OAR-2007-0225-0284. Office of Air Quality Planning and Standards, Research Triangle Park, NC. March. Available on the Internet at <http://www.regulations.gov>.

³⁹⁴ Fann, N. et al. (2009). The influence of location, source, and emission type in estimates of the human health benefits of reducing a ton of air pollution. Air Qual Atmos Health. Published online: 09 June, 2009.

³⁹⁵ The values included in this report are different from those presented in the article cited above. Benefits methods change to reflect new information and evaluation of the science. Since publication of the June 2009 article, EPA has made two significant changes to its benefits methods: (1) We no longer

assume that a threshold exists in PM-related models of health impacts; and (2) We have revised the Value of a Statistical Life to equal \$6.3 million (year 2000\$), up from an estimate of \$5.5 million (year 2000\$) used in the June 2009 report. Please refer to the following Web site for updates to the dollar-per-ton estimates: <http://www.epa.gov/air/benmap/bpt.html>.

health effect relationship typically do not report identical findings and in some instances the differences are substantial); the application of concentration-response functions nationwide (does not account for any relationship between region and health effect, to the extent that such a relationship exists); extrapolation of impact functions across population (we assumed that certain health impact functions applied to age ranges broader than that considered in the original epidemiological study); and various uncertainties in the concentration-response function, including causality and thresholds. These uncertainties may under- or over-estimate benefits.

- EPA has investigated methods to characterize uncertainty in the relationship between PM_{2.5} exposure and premature mortality. EPA's final PM_{2.5} NAAQS analysis provides a more complete picture about the overall uncertainty in PM_{2.5} benefits estimates. For more information, please consult the PM_{2.5} NAAQS RIA (Table 5.5).

- The benefit-per-ton estimates used in this analysis incorporate projections of key variables, including atmospheric conditions, source level emissions, population, health baselines and incomes, technology. These projections introduce some uncertainties to the benefit per ton estimates.

- As described above, using the benefit-per-ton value derived from the ACS study (Pope *et al.*, 2002) alone provides an incomplete characterization of PM_{2.5} benefits. When placed in the context of the Expert Elicitation results, this estimate falls toward the lower end of the distribution. By contrast, the estimated PM_{2.5} benefits using the coefficient reported by Laden in that author's reanalysis of the Harvard Six Cities cohort fall toward the upper end of the Expert Elicitation distribution results.

As mentioned above, emissions changes and benefits-per-ton estimates alone are not a good indication of local or regional air quality and health impacts; as there may be localized impacts associated with the proposed rulemaking. Additionally, the atmospheric chemistry related to ambient concentrations of PM_{2.5}, ozone and air toxics is very complex. Full-scale photochemical modeling is therefore necessary to provide the needed spatial and temporal detail to more completely and accurately estimate the changes in ambient levels of these pollutants and their associated health and welfare impacts. As discussed above, timing and resource constraints precluded from conducting a full-scale photochemical air quality

modeling analysis in time for the NPRM. For the final rule, however, a national-scale air quality modeling analysis will be performed to analyze the impacts of the standards on PM_{2.5}, ozone, and selected air toxics. The benefits analysis plan for the final rulemaking is discussed in the next section.

b. Human Health and Environmental Benefits for the Final Rule

i. Human Health and Environmental Impacts

To model the ozone and PM air quality benefits of the final rule, EPA will use the Community Multiscale Air Quality (CMAQ) model (*see* Section III.G.5.b for a description of the CMAQ model). The modeled ambient air quality data will serve as an input to the Environmental Benefits Mapping and Analysis Program (BenMAP).³⁹⁶ BenMAP is a computer program developed by EPA that integrates a number of the modeling elements used in previous RIAs (*e.g.*, interpolation functions, population projections, health impact functions, valuation functions, analysis and pooling methods) to translate modeled air concentration estimates into health effects incidence estimates and monetized benefits estimates.

Chapter 7.3 in the DRIA that accompanies this proposal lists the co-pollutant health effect exposure-response functions EPA will use to quantify the co-pollutant incidence impacts associated with the final light-duty vehicles standard. These include PM- and ozone-related premature mortality, chronic bronchitis, nonfatal heart attacks, hospital admissions (respiratory and cardiovascular), emergency room visits, acute bronchitis, minor restricted activity days, and days of work and school lost.

ii. Monetized Impacts

To calculate the total monetized impacts associated with quantified health impacts, EPA applies values derived from a number of sources. For premature mortality, EPA applies a value of a statistical life (VSL) derived from the mortality valuation literature. For certain health impacts, such as chronic bronchitis and a number of respiratory-related ailments, EPA applies willingness-to-pay estimates derived from the valuation literature. For the remaining health impacts, EPA applies values derived from current cost-of-illness and/or wage estimates.

³⁹⁶ Information on BenMAP, including downloads of the software, can be found at <http://www.epa.gov/ttn/ecas/benmodels.html>.

Chapter 7.3 in the DRIA that accompanies this proposal presents the monetary values EPA will apply to changes in the incidence of health and welfare effects associated with reductions in non-GHG pollutants that will occur when these GHG control strategies are finalized.

iii. Other Unquantified Health and Environmental Impacts

In addition to the co-pollutant health and environmental impacts EPA will quantify for the analysis of the final standard, there are a number of other health and human welfare endpoints that EPA will not be able to quantify or monetize because of current limitations in the methods or available data. These impacts are associated with emissions of air toxics (including benzene, 1,3-butadiene, formaldehyde, acetaldehyde, acrolein, and ethanol), ambient ozone, and ambient PM_{2.5} exposures. Chapter 7.3 of the DRIA lists these unquantified health and environmental impacts.

While there will be impacts associated with air toxic pollutant emission changes that result from the final standard, EPA will not attempt to monetize those impacts. This is primarily because currently available tools and methods to assess air toxics risk from mobile sources at the national scale are not adequate for extrapolation to incidence estimations or benefits assessment. The best suite of tools and methods currently available for assessment at the national scale are those used in the National-Scale Air Toxics Assessment (NATA). The EPA Science Advisory Board specifically commented in their review of the 1996 NATA that these tools were not yet ready for use in a national-scale benefits analysis, because they did not consider the full distribution of exposure and risk, or address sub-chronic health effects.³⁹⁷ While EPA has since improved the tools, there remain critical limitations for estimating incidence and assessing benefits of reducing mobile source air toxics. EPA continues to work to address these limitations; however, EPA does not anticipate having methods and tools available for national-scale application in time for the analysis of the final rules.³⁹⁸

³⁹⁷ Science Advisory Board. 2001. NATA—Evaluating the National-Scale Air Toxics Assessment for 1996—an SAB Advisory. <http://www.epa.gov/ttn/atw/sab/sabrev.html>.

³⁹⁸ In April, 2009, EPA hosted a workshop on estimating the benefits of reducing hazardous air pollutants. This workshop built upon the work accomplished in the June 2000 Science Advisory Board/EPA Workshop on the Benefits of Reductions in Exposure to Hazardous Air Pollutants, which generated thoughtful discussion on approaches to

8. Energy Security Impacts

This proposal to reduce GHG emissions in light-duty vehicles results in improved fuel efficiency which, in turn, helps to reduce U.S. petroleum imports. A reduction of U.S. petroleum imports reduces both financial and strategic risks associated with a potential disruption in supply or a spike in cost of a particular energy source. This reduction in risk is a measure of improved U.S. energy security. This section summarizes our estimate of the monetary value of the energy security benefits of the proposed GHG vehicle standards against the reference case by estimating the impact of the expanded use of lower-GHG vehicle technologies on U.S. oil imports and avoided U.S. oil import expenditures. Additional discussion of this issue can be found in Chapter 5.1 of EPA's RIA and Section 4.2.8 of the TSD.

a. Implications of Reduced Petroleum Use on U.S. Imports

In 2008, U.S. petroleum import expenditures represented 21% of total U.S. imports of all goods and services.³⁹⁹ In 2008, the U.S. imported 66% of the petroleum it consumed, and the transportation sector accounted for 70% of total U.S. petroleum consumption. This compares to

approximately 37% of petroleum from imports and 55% consumption of petroleum in the transportation sector in 1975.⁴⁰⁰ It is clear that petroleum imports have a significant impact on the U.S. economy. Requiring lower-GHG vehicle technology in the U.S. is expected to lower U.S. petroleum imports.

b. Energy Security Implications

In order to understand the energy security implications of reducing U.S. petroleum imports, EPA has worked with Oak Ridge National Laboratory (ORNL), which has developed approaches for evaluating the economic costs and energy security implications of oil use. The energy security estimates provide below are based upon a methodology developed in a peer-reviewed study entitled, "The Energy Security Benefits of Reduced Oil Use, 2006-2015," completed in March 2008. This recent study is included as part of the docket for this rulemaking.^{401 402}

When conducting this recent analysis, ORNL considered the economic cost of importing petroleum into the U.S. The economic cost of importing petroleum into the U.S. is defined to include two components in addition to the purchase price of petroleum itself. These are: (1) The higher costs for oil imports resulting from the effect of increasing

U.S. import demand on the world oil price and on OPEC market power (i.e., the "demand" or "monopsony" costs); and (2) the risk of reductions in U.S. economic output and disruption of the U.S. economy caused by sudden disruptions in the supply of imported petroleum to the U.S. (i.e., macroeconomic disruption/adjustment costs). Maintaining a U.S. military presence to help secure stable oil supply from potentially vulnerable regions of the world was not included in this analysis because its attribution to particular missions or activities is difficult.

For this proposal, ORNL further updated the energy security premium by incorporating the most recent oil price forecast in the Energy Information Administration's 2009 Annual Energy Outlook into its model. In order for the energy security premium estimated to be used in EPA's OMEGA model, ORNL developed energy security estimates for a number of different years; please refer to Table III.H.8-1 for this information for years 2015, 2020, 2030 and 2040,⁴⁰³ as well as a breakdown of the components of the energy security premium for each of these years. The components of the energy security premium and their values are discussed in detail in the TSD, Chapter 4.2.8.

TABLE III.H.8-1—ENERGY SECURITY PREMIUM IN 2015, 2020, 2030 AND 2040 (2007\$/BARREL)

Year (range)	Monopsony	Macroeconomic disruption/ adjustment costs	Total mid-point
2015	\$11.79 (\$4.26-\$21.37)	\$6.70 (\$3.11-\$10.67)	\$18.49 (\$9.80-\$28.08)
2020	\$12.31 (\$4.46-\$22.53)	\$7.62 (\$3.77-\$12.46)	\$19.94 (\$10.58-\$30.47)
2030	\$10.57 (\$3.84-\$18.94)	\$8.12 (\$3.90-\$13.04)	\$18.69 (\$10.52-\$27.89)
2040	\$10.57 (\$3.84-\$18.94)	\$8.12 (\$3.90-\$13.04)	\$18.69 (\$10.52-\$27.89)

The literature on the energy security for the last two decades has routinely combined the monopsony and the macroeconomic disruption components when calculating the total value of the energy security premium. However, in the context of using a global value for the Social Cost of Carbon (SCC) the question arises: How should the energy security premium be used when some benefits from the proposed rule, such as the benefits of reducing greenhouse gas

emissions, are calculated at a global level? Monopsony benefits represent avoided payments by the U.S. to oil producers in foreign countries that result from a decrease in the world oil price as the U.S. decreases its consumption of imported oil. Although there is clearly a benefit to the U.S. when considered from the domestic perspective, the decrease in price due to decreased demand in the U.S. also represents a loss of income to oil-

producing countries. Given the redistributive nature of this effect, do the negative effects on other countries "net out" the positive impacts to the U.S.? If this is the case, then, the monopsony portion of the energy security premium should be excluded from the net benefits calculation for the rule.

Based on this reasoning, EPA's estimates of net benefits for this proposal exclude the portion of energy

estimating human health benefits from reductions in air toxics exposure, but no consensus was reached on methods that could be implemented in the near term for a broad selection of air toxics. Please visit <http://epo.gov/oir/toxicoir/2009workshop.html> for more information about the workshop and its associated materials.

³⁹⁹ Source: U.S. Bureau of Economic Analysis, U.S. International Transactions Accounts Data, as shown on June 24, 2009.

⁴⁰⁰ Source: U.S. Department of Energy, Annual Energy Review 2008, Report No. DOE/EIA-0384(2008), Tables 5.1 and 5.13c, June 26, 2009.

⁴⁰¹ Leiby, Paul N. "Estimating the Energy Security Benefits of Reduced U.S. Oil Imports," Oak Ridge National Laboratory, ORNL/TM-2007/028, Final Report, 2008. (Docket EPA-HQ-OAR-2009-0472)

⁴⁰² The ORNL study "The Energy Security Benefits of Reduced Oil Use, 2006-2015," completed in March 2008, is an update version of the approach used for estimating the energy

security benefits of U.S. oil import reductions developed in an ORNL 1997 Report by Leiby, Paul N., Donald W. Jones, T. Randall Curlee, and Russell Lee, entitled "Oil Imports: An Assessment of Benefits and Costs." (Docket EPA-HQ-OAR-2009-0472).

⁴⁰³ AEO 2009 forecasts energy market trends and values only to 2030. The energy security premium estimates post-2030 were assumed to be the 2030 estimate.

security benefits stemming from the U.S. exercising its monopsony power in oil markets. Thus, EPA only includes the macroeconomic disruption/adjustment cost portion of the energy security premium.

EPA invites comments on whether, when the global value for greenhouse gas reduction benefits is used, it may still be appropriate to include the monopsony benefits in net benefits calculation for the proposed rule. From one perspective, the global SCC is used in these calculations, not because the global net benefits of the rule are being computed (they are not), but rather because in the context of a global public good, the global marginal benefit is the correct domestic benefit against which domestic costs are to be compared. Similarly, energy security is inherently a domestic benefit. Thus, should the two benefits, if they are both viewed from this domestic perspective, be counted in the net benefits estimates for this rulemaking and more generally what are the overall implications of this approach to justifying regulation? If the monopsony benefits were included in this case, they could be significant.

Total annual energy security benefits are derived from the estimated reductions in U.S. imports of finished petroleum products and crude oil using

only the macroeconomic disruption/adjustment portion of the energy security premium. These values are shown in Table III.H.8–2.⁴⁰⁴ The reduced oil estimates were derived from the OMEGA model, as explained in Section VI of this preamble. EPA used the same assumption that NHTSA used in its Corporate Average Fuel Economy and CAFE Reform for MY 2008–2011 Light Trucks proposal, which assumed each gallon of fuel saved reduces total U.S. imports of crude oil or refined products by 0.95 gallons.⁴⁰⁵

TABLE III.H.8–2—TOTAL ANNUAL ENERGY SECURITY BENEFITS USING ONLY THE MACROECONOMIC DISRUPTION/ADJUSTMENT COMPONENT OF THE ENERGY SECURITY PREMIUM IN 2015, 2020, 2030 AND 2040
[Billions of 2007\$]

Year	Benefits
2015	\$0.59
2020	2.30
2030	4.81
2040	6.23

9. Other Impacts

There are other impacts associated with the proposed CO₂ emissions standards and associated reduced fuel

consumption that vary with miles driven. Lower fuel consumption would, presumably, result in fewer trips to the filling station to refuel and, thus, time saved. The rebound effect, discussed in detail in Section III.H.4.c, produces additional benefits to vehicle owners in the form of consumer surplus from the increase in vehicle-miles driven, but may also increase the societal costs associated with traffic congestion, motor vehicle crashes, and noise. These effects are likely to be relatively small in comparison to the value of fuel saved as a result of the proposed standards, but they are nevertheless important to include. Table III.H.9–1 summarizes the other economic impacts. Please refer to Preamble Section II.F and the Draft Joint TSD that accompanies this proposal for more information about these impacts and how EPA and NHTSA use them in their analyses.

TABLE III.H.9–1—ESTIMATED ECONOMIC EXTERNALITIES ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM

[Millions of 2007 dollars]

Economic externalities	2020	2030	2040	2050	NPV, 3%	NPV, 7%
Value of Less Frequent Refueling	\$2,500	\$4,900	\$6,400	\$8,000	\$89,600	\$41,000
Value of Increased Driving ^a	4,900	10,000	13,600	18,000	184,700	82,700
Accidents, Noise, Congestion	-2,400	-4,900	-6,300	-7,900	-88,200	-40,200
Annual Quantified Benefits	5,000	10,000	13,700	18,100	186,100	83,500

^a Calculated using post-tax fuel prices.

10. Summary of Costs and Benefits

In this section EPA presents a summary of costs, benefits, and net benefits of the proposal. EPA presents fuel consumption impacts as negative costs of the vehicle program.

Table III.H.10–1 shows the estimated annual societal costs of the vehicle program for the indicated calendar years. The table also shows the net present values of those costs for the

calendar years 2012–2050 using both a 3 percent and a seven percent discount rate. In this table, fuel savings are calculated using pre-tax fuel prices and are presented as negative costs associated with the vehicle program (rather than positive savings).

Consumers are expected to receive the fuel savings presented here. The cost estimates for the fuel-saving technology are based on the assumptions that, to comply with the rule, no vehicle

attributes will change except fuel economy and technology cost; that consumers will consider reduced fuel costs as a substitute for increased purchase price; and that consumers will not change the vehicles that they purchase. Instead, automakers are likely to redesign vehicles as part of their compliance strategies. If so, the redesigns may make the vehicles either less or more attractive to consumers. In

⁴⁰⁴ Estimated reductions in U.S. imports of finished petroleum products and crude oil are 95% of 88 million barrels (MMB) in 2015, 302 MMB in 2020, 592 MMB in 2030, and 767 MMB in 2040.

⁴⁰⁵ Preliminary Regulatory Impacts Analysis, April 2008. Based on a detailed analysis of differences in fuel consumption, petroleum imports, and imports of refined petroleum products

among the Reference Case, High Economic Growth, and Low Economic Growth Scenarios presented in the Energy Information Administration's Annual Energy Outlook 2007, NHTSA estimated that approximately 50 percent of the reduction in fuel consumption is likely to be reflected in reduced U.S. imports of refined fuel, while the remaining 50 percent would be expected to be reflected in

reduced domestic fuel refining. Of this latter figure, 90 percent is anticipated to reduce U.S. imports of crude petroleum for use as a refinery feedstock, while the remaining 10 percent is expected to reduce U.S. domestic production of crude petroleum. Thus on balance, each gallon of fuel saved is anticipated to reduce total U.S. imports of crude petroleum or refined fuel by 0.95 gallons.

addition, consumers may choose to purchase different vehicles than they would in the absence of this rule. These changes may affect the satisfaction that consumers receive from their vehicles. Because of the unsettled state of the

modeling of consumer choices (discussed in Section III.H.1 and in DRIA Section 8.1.2), this analysis does not measure these effects. To the extent that consumer satisfaction with vehicles may decline due to changes in vehicles

other than fuel economy, or that consumers may take some of these fuel savings into account when they purchase their vehicles, the fuel savings may overstate the benefits of improved fuel economy to consumers.

TABLE III.H.10-1—ESTIMATED SOCIETAL COSTS OF THE LIGHT-DUTY VEHICLE GHG PROGRAM
[Millions of 2007 dollars]

Social costs	2020	2030	2040	2050	NPV, 3%	NPV, 7%
Vehicle Compliance Costs	\$18,000	\$17,900	\$19,300	\$20,900	\$390,000	\$216,600
Fuel Savings ^a	-43,100	-90,400	-125,000	-167,000	-1,677,600	-746,100
Quantified Annual Costs	-25,100	-72,500	-105,700	-146,100	-1,287,600	-529,500

^a Calculated using pre-tax fuel prices.

Table III.H.10-2 presents estimated annual societal benefits for the indicated calendar years. The table also shows the net present values of those benefits for the calendar years 2012-2050 using both a 3 percent and a 7 percent discount rate. The table shows the benefits of reduced GHG emissions—and consequently the annual quantified benefits (*i.e.*, total benefits)—for each of five interim SCC values considered by EPA. As discussed in Section III.H.6, there is a very high

probability (*very likely* according to the IPCC) that the benefit estimates from GHG reductions are underestimates. One of the primary reasons is that models used to calculate SCC values do not include information about impacts that have not been quantified. In addition, the total GHG reduction benefits presented below likely underestimate the value of GHG reductions because they were calculated using the marginal values for CO₂ emissions. The impacts of non-CO₂ emissions vary from those of CO₂

emissions because of differences in atmospheric lifetimes and radiative forcing.⁴⁰⁶ As a result, the marginal benefit values of non-CO₂ GHG reductions and their growth rates over time will not be the same as the marginal benefits measured on a CO₂-equivalent scale.⁴⁰⁷ Marginal benefit estimates per metric ton of non-CO₂ GHGs are currently unavailable, but work is on-going to monetize benefits related to the mitigation of other non-CO₂ GHGs.

TABLE III.H.10-2—ESTIMATED SOCIETAL BENEFITS ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM
[Millions of 2007 dollars]

Benefits	2020	2030	2040	2050	NPV, 3%	NPV, 7%
Reduced GHG Emissions at each assumed SCC value						
SCC 5%	\$1,200	\$3,300	\$5,700	\$9,500	\$69,200	\$28,600
SCC 5% Newell-Pizer	2,500	6,600	11,000	19,000	138,400	57,100
SCC from 3% and 5%	4,700	12,000	22,000	36,000	263,000	108,500
SCC 3%	8,200	22,000	38,000	63,000	456,900	188,500
SCC 3% Newell-Pizer	14,000	36,000	63,000	100,000	761,400	314,200
PM _{2.5} Related Benefits ^{a,b,c}	1,400	3,000	4,600	6,700	59,800	26,300
Energy Security Impacts (price shock)	2,300	4,800	6,200	7,800	85,800	38,800
Reduced Refueling	2,500	4,900	6,400	8,000	89,600	41,000
Value of Increased Driving ^d	4,900	10,000	13,600	18,000	184,700	82,700
Accidents, Noise, Congestion	-2,400	-4,900	-6,300	-7,900	-88,200	-40,200
Quantified Annual Benefits at each assumed SCC value						
SCC 5%	\$9,900	\$21,100	\$30,200	\$42,100	\$400,900	\$177,200
SCC 5% Newell-Pizer	11,200	24,400	35,500	51,600	470,100	205,700
SCC from 3% and 5%	13,400	29,800	46,500	68,600	594,700	257,100
SCC 3%	16,900	39,800	62,500	95,600	788,600	337,100
SCC 3% Newell-Pizer	22,700	53,800	87,500	132,600	1,093,100	462,800

^a Note that the co-pollutant impacts associated with the standards presented here do not include the full complement of endpoints that, if quantified and monetized, would change the total monetized estimate of rule-related impacts. Instead, the co-pollutant benefits are based on benefit-per-ton values that reflect only human health impacts associated with reductions in PM_{2.5} exposure. Ideally, human health and environmental benefits would be based on changes in ambient PM_{2.5} and ozone as determined by full-scale air quality modeling. However, EPA was unable to conduct a full-scale air quality modeling analysis in time for the proposal. We intend to more fully capture the co-pollutant benefits for the analysis of the final standards.

⁴⁰⁶ Radiative forcing is the change in the balance between solar radiation entering the atmosphere and the Earth's radiation going out. On average, a positive radiative forcing tends to warm the surface of the Earth while negative forcing tends to cool the

surface. Greenhouse gases have a positive radiative forcing because they absorb and emit heat. See <http://www.epa.gov/climatechange/science/recentac.html> for more general information about GHGs and climate science.

⁴⁰⁷ See IPCC WGII, 2007 for discussion about implications of different marginal impacts among the GHGs.

^bThe PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table are based on an estimate of premature mortality derived from the ACS study (Pope *et al.*, 2002). If the benefit-per-ton estimates were based on the Six Cities study (Laden *et al.*, 2006), the values would be approximately 145% (nearly two-and-a-half times) larger.

^cThe PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table assume a 3% discount rate in the valuation of premature mortality to account for a twenty-year segmented cessation lag. If a 7% discount rate had been used, the values would be approximately 9% lower.

^dCalculated using pre-tax fuel prices.

Table III.H.10-3 presents estimated annual net benefits for the indicated calendar years. The table also shows the net present values of those net benefits for the calendar years 2012-2050 using both a 3 percent and a 7 percent

discount rate. The table includes the benefits of reduced GHG emissions—and consequently the annual net benefits—for each of five interim SCC values considered by EPA. As noted above, there is a very high probability

(*very likely* according to the IPCC) that the benefit estimates from GHG reductions are underestimates because, in part, models used to calculate SCC values do not include information about impacts that have not been quantified.

TABLE III.H.10-3—QUANTIFIED NET BENEFITS ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM^{a b}

[Millions of 2007 dollars]

	2020	2030	2040	2050	NPV, 3%	NPV, 7%
Quantified Annual Costs	-\$25,100	-\$72,500	-\$105,700	-\$146,100	-\$1,287,600	-\$529,500
Quantified Annual Benefits at each assumed SCC value						
SCC 5%	\$9,900	\$21,100	\$30,200	\$42,100	\$400,900	\$177,200
SCC 5% Newell-Pizer	11,200	24,400	35,500	51,600	470,100	205,700
SCC from 3% and 5%	13,400	29,800	46,500	68,600	594,700	257,100
SCC 3%	16,900	39,800	62,500	95,600	788,600	337,100
SCC 3% Newell-Pizer	22,700	53,800	87,500	132,600	1,093,100	462,800
Quantified Net Benefits at each assumed SCC value						
SCC 5%	\$35,000	\$93,600	\$135,900	\$188,200	\$1,688,500	\$706,700
SCC 5% Newell-Pizer	36,300	96,900	141,200	197,700	1,757,700	735,200
SCC from 3% and 5%	38,500	102,300	152,200	214,700	1,882,300	786,600
SCC 3%	42,000	112,300	168,200	241,700	2,076,200	866,600
SCC 3% Newell-Pizer	47,800	126,300	193,200	278,700	2,380,700	992,300

^aNote that the co-pollutant impacts associated with the standards presented here do not include the full complement of endpoints that, if quantified and monetized, would change the total monetized estimate of rule-related impacts. Instead, the co-pollutant benefits are based on benefit-per-ton values that reflect only human health impacts associated with reductions in PM_{2.5} exposure. Ideally, human health and environmental benefits would be based on changes in ambient PM_{2.5} and ozone as determined by full-scale air quality modeling. However, EPA was unable to conduct a full-scale air quality modeling analysis in time for the proposal. We intend to more fully capture the co-pollutant benefits for the analysis of the final standards.

^bFuel impacts were calculated using pre-tax fuel prices.

EPA also conducted a separate analysis of the total benefits over the model year lifetimes of the 2012 through 2016 model year vehicles. In contrast to the calendar year analysis, the model year lifetime analysis shows the lifetime impacts of the program on each of these MY fleets over the course of its lifetime. Full details of the inputs to this analysis can be found in DRIA Chapter 5. The societal benefits of the full life of each of the five model years from 2012 through 2016 are shown in Tables

III.H.10-4 and III.H.10-5 at both a 3 percent and a 7 percent discount rate, respectively. The net benefits are shown in Tables III.H.10-6 and III.H.10-7 for both a 3 percent and a 7 percent discount rate. Note that the quantified annual benefits shown in Table III.H.10-4 and Table III.H.10-5 include fuel savings as a positive benefit. As such, the quantified annual costs as shown in Table III.H.10-6 and Table III.H.10-7 do not include fuel savings since those are included as benefits.

Also note that each of the Tables III.H.10-4 through Table III.H.10-7 include the benefits of reduced CO₂ emissions—and consequently the total benefits—for each of five interim SCC values considered by EPA. As noted above, there is a very high probability (*very likely* according to the IPCC) that the benefit estimates from GHG reductions are underestimates because, in part, models used to calculate SCC values do not include information about impacts that have not been quantified.

TABLE III.H.10-4—ESTIMATED SOCIETAL BENEFITS ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM, MODEL YEAR ANALYSIS

[Millions of 2007 dollars; 3% discount rate]

Monetized values (millions)	2012MY	2013MY	2014MY	2015MY	2016MY	Sum
Cost of Noise, Accident, Congestion (\$)	-\$900	-\$1,400	-\$1,900	-\$2,800	-\$3,900	-\$11,000
Pretax Fuel Savings (\$)	\$15,600	\$24,400	\$34,800	\$49,800	\$68,500	\$193,300
Energy Security (price shock) (\$)	\$400	\$600	\$900	\$1,200	\$1,600	\$4,700
Change in no. of Refuelings (#)	500	700	1,000	1,300	1,800	5,300
Change in Refueling Time (hours)	0	100	100	100	200	400

TABLE III.H.10-4—ESTIMATED SOCIETAL BENEFITS ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM, MODEL YEAR ANALYSIS—Continued
[Millions of 2007 dollars; 3% discount rate]

Monetized values (millions)	2012MY	2013MY	2014MY	2015MY	2016MY	Sum
Value of Reduced Refueling Time (\$)	\$900	\$1,400	\$1,900	\$2,700	\$3,700	\$10,500
Value of Additional Driving (\$)	\$2,000	\$3,000	\$4,100	\$5,700	\$7,900	\$22,700
Value of PM _{2.5} -related Health Impacts (\$) ^{a,b,c}	\$600	\$900	\$1,200	\$1,700	\$2,200	\$6,600
Social Cost of Carbon (SCC) at each assumed SCC value						
SCC 5%	\$500	\$700	\$1,000	\$1,400	\$1,900	\$5,600
SCC 5% Newell-Pizer	1,000	1,500	2,000	2,900	3,800	11,000
SCC from 3% and 5%	1,800	2,800	3,900	5,400	7,200	21,000
SCC 3%	3,200	4,800	6,700	9,400	13,000	37,000
SCC 3% Newell-Pizer	5,300	8,100	11,000	16,000	21,000	61,000
Total Benefits at each assumed SCC value						
SCC 5%	\$19,100	\$29,600	\$42,000	\$59,700	\$81,900	\$232,400
SCC 5% Newell-Pizer	19,600	30,400	43,000	61,200	83,800	237,800
SCC from 3% and 5%	20,400	31,700	44,900	63,700	87,200	247,800
SCC 3%	21,800	33,700	47,700	67,700	93,000	263,800
SCC 3% Newell-Pizer	23,900	37,000	52,000	74,300	101,000	287,800

^aNote that the co-pollutant impacts associated with the standards presented here do not include the full complement of endpoints that, if quantified and monetized, would change the total monetized estimate of rule-related impacts. Instead, the co-pollutant benefits are based on benefit-per-ton values that reflect only human health impacts associated with reductions in PM_{2.5} exposure. Ideally, human health and environmental benefits would be based on changes in ambient PM_{2.5} and ozone as determined by full-scale air quality modeling. However, EPA was unable to conduct a full-scale air quality modeling analysis in time for the proposal. We intend to more fully capture the co-pollutant benefits for the analysis of the final standards.

^bThe PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table are based on an estimate of premature mortality derived from the ACS study (Pope *et al.*, 2002). If the benefit-per-ton estimates were based on the Six Cities study (Laden *et al.*, 2006), the values would be approximately 145% (nearly two-and-a-half times) larger.

^cThe PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table assume a 3% discount rate in the valuation of premature mortality to account for a twenty-year segmented cessation lag. If a 7% discount rate had been used, the values would be approximately 9% lower.

TABLE III.H.10-5—ESTIMATED SOCIETAL BENEFITS ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM, MODEL YEAR ANALYSIS
[Millions of 2007 dollars; 7% discount rate]

Monetized values (millions)	2012MY	2013MY	2014MY	2015MY	2016MY	Sum
Cost of Noise, Accident, Congestion (\$)	-\$700	-\$1,100	-\$1,500	-\$2,200	-\$3,100	-\$8,700
Pretax Fuel Savings (\$)	\$12,100	\$19,000	\$27,200	\$39,000	\$53,700	\$150,900
Energy Security (price shock) (\$)	\$300	\$500	\$700	\$900	\$1,300	\$3,700
Change in no. of Refuelings (#)	400	500	800	1,100	1,500	4,200
Change in Refueling Time (hours)	0	0	100	100	100	300
Value of Reduced Refueling Time (\$)	\$700	\$1,100	\$1,500	\$2,100	\$2,900	\$8,300
Value of Additional Driving (\$)	\$1,500	\$2,400	\$3,200	\$4,500	\$6,300	\$18,000
Value of PM _{2.5} -related Health Impacts (\$) ^{a,b,c}	\$500	\$700	\$1,000	\$1,300	\$1,800	\$5,300
Social Cost of Carbon (SCC) at each assumed SCC value						
SCC 5%	\$400	\$500	\$700	\$1,000	\$1,300	\$3,900
SCC 5% Newell-Pizer	700	1,100	1,500	2,000	2,500	7,700
SCC from 3% and 5%	1,400	2,100	2,800	3,700	4,800	15,000
SCC 3%	2,400	3,600	4,800	6,500	8,300	26,000
SCC 3% Newell-Pizer	4,000	6,000	8,000	11,000	14,000	43,000
Total Benefits at each assumed SCC value						
SCC 5%	\$14,800	\$23,100	\$32,800	\$46,600	\$64,200	\$181,400
SCC 5% Newell-Pizer	15,100	23,700	33,600	47,600	65,400	185,200
SCC from 3% and 5%	15,800	24,700	34,900	49,300	67,700	192,500
SCC 3%	16,800	26,200	36,900	52,100	71,200	203,500
SCC 3% Newell-Pizer	18,400	28,600	40,100	56,600	76,900	220,500

^aNote that the co-pollutant impacts associated with the standards presented here do not include the full complement of endpoints that, if quantified and monetized, would change the total monetized estimate of rule-related impacts. Instead, the co-pollutant benefits are based on benefit-per-ton values that reflect only human health impacts associated with reductions in PM_{2.5} exposure. Ideally, human health and environmental benefits would be based on changes in ambient PM_{2.5} and ozone as determined by full-scale air quality modeling. However, EPA was unable to conduct a full-scale air quality modeling analysis in time for the proposal. We intend to more fully capture the co-pollutant benefits for the analysis of the final standards.

^b The PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table are based on an estimate of premature mortality derived from the ACS study (Pope *et al.*, 2002). If the benefit-per-ton estimates were based on the Six Cities study (Laden *et al.*, 2006), the values would be approximately 145% (nearly two-and-a-half times) larger.

^c The PM_{2.5}-related benefits (derived from benefit-per-ton values) presented in this table assume a 3% discount rate in the valuation of premature mortality to account for a twenty-year segmented cessation lag. If a 7% discount rate had been used, the values would be approximately 9% lower.

TABLE III.H.10-6—QUANTIFIED NET BENEFITS ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM, MODEL YEAR ANALYSIS^a

[millions of 2007 dollars; 3% discount rate]

Monetized values (millions)	2012MY	2013MY	2014MY	2015MY	2016MY	Sum
Quantified Annual Costs (excluding fuel savings) ^b	\$5,400	\$8,400	\$10,900	\$13,900	\$17,500	\$56,100
Quantified Annual Benefits at each assumed SCC value						
SCC 5%	\$19,100	\$29,600	\$42,000	\$59,700	\$81,900	\$232,400
SCC 5% Newell-Pizer	19,600	30,400	43,000	61,200	83,800	237,800
SCC from 3% and 5%	20,400	31,700	44,900	63,700	87,200	247,800
SCC 3%	21,800	33,700	47,700	67,700	93,000	263,800
SCC 3% Newell-Pizer	23,900	37,000	52,000	74,300	101,000	287,800
Quantified Net Benefits at each assumed SCC value						
SCC 5%	\$13,700	\$21,200	\$31,100	\$45,800	\$64,400	\$176,300
SCC 5% Newell-Pizer	14,200	22,000	32,100	47,300	66,300	181,700
SCC from 3% and 5%	15,000	23,300	34,000	49,800	69,700	191,700
SCC 3%	16,400	25,300	36,800	53,800	75,500	207,700
SCC 3% Newell-Pizer	18,500	28,600	41,100	60,400	83,500	231,700

^a Note that the co-pollutant impacts associated with the standards presented here do not include the full complement of endpoints that, if quantified and monetized, would change the total monetized estimate of rule-related impacts. Instead, the co-pollutant benefits are based on benefit-per-ton values that reflect only human health impacts associated with reductions in PM_{2.5} exposure. Ideally, human health and environmental benefits would be based on changes in ambient PM_{2.5} and ozone as determined by full-scale air quality modeling. However, EPA was unable to conduct a full-scale air quality modeling analysis in time for the proposal. We intend to more fully capture the co-pollutant benefits for the analysis of the final standards.

^b Quantified annual costs as shown here are the increased costs for new vehicles in each given model year. Since those costs are assumed to occur in the given model year (*i.e.*, not over a several year time span), the discount rate does not affect the costs.

TABLE III.H.10-7—QUANTIFIED NET BENEFITS ASSOCIATED WITH THE PROPOSED LIGHT-DUTY VEHICLE GHG PROGRAM, MODEL YEAR ANALYSIS^a

[millions of 2007 dollars; 7% Discount Rate]

Monetized values (millions)	2012MY	2013MY	2014MY	2015MY	2016MY	Sum
Quantified Annual Costs (excluding fuel savings) ^b	\$5,400	\$8,400	\$10,900	\$13,900	\$17,500	\$56,100
Quantified Annual Benefits at each assumed SCC value						
SCC 5%	\$14,800	\$23,100	\$32,800	\$46,600	\$64,200	\$181,400
SCC 5% Newell-Pizer	15,100	23,700	33,600	47,600	65,400	185,200
SCC from 3% and 5%	15,800	24,700	34,900	49,300	67,700	192,500
SCC 3%	16,800	26,200	36,900	52,100	71,200	203,500
SCC 3% Newell-Pizer	18,400	28,600	40,100	56,600	76,900	220,500
Quantified Net Benefits at each assumed SCC value						
SCC 5%	\$9,400	\$14,700	\$21,900	\$32,700	\$46,700	\$125,300
SCC 5% Newell-Pizer	9,700	15,300	22,700	33,700	47,900	129,100
SCC from 3% and 5%	10,400	16,300	24,000	35,400	50,200	136,400
SCC 3%	11,400	17,800	26,000	38,200	53,700	147,400
SCC 3% Newell-Pizer	13,000	20,200	29,200	42,700	59,400	164,400

^a Note that the co-pollutant impacts associated with the standards presented here do not include the full complement of endpoints that, if quantified and monetized, would change the total monetized estimate of rule-related impacts. Instead, the co-pollutant benefits are based on benefit-per-ton values that reflect only human health impacts associated with reductions in PM_{2.5} exposure. Ideally, human health and environmental benefits would be based on changes in ambient PM_{2.5} and ozone as determined by full-scale air quality modeling. However, EPA was unable to conduct a full-scale air quality modeling analysis in time for the proposal. We intend to more fully capture the co-pollutant benefits for the analysis of the final standards.

^b Quantified annual costs as shown here are the increased costs for new vehicles in each given model year. Since those costs are assumed to occur in the given model year (*i.e.*, not over a several year time span), the discount rate does not affect the costs.

I. Statutory and Executive Order Reviews

1. Executive Order 12866: Regulatory Planning and Review

Under section 3(f)(1) of Executive Order (EO) 12866 (58 FR 51735, October 4, 1993), this action is an "economically significant regulatory action" because it is likely to have an annual effect on the economy of \$100 million or more. Accordingly, EPA submitted this action to the Office of Management and Budget (OMB) for review under EO 12866 and any changes made in response to OMB recommendations have been documented in the docket for this action.

In addition, EPA prepared an analysis of the potential costs and benefits associated with this action. This analysis is contained in the Draft Regulatory Impact Analysis, which is available in the docket for this rulemaking and at the docket Internet address listed under **ADDRESSES** above.

2. Paperwork Reduction Act

The information collection requirements in this proposed rule have been submitted for approval to the Office of Management and Budget (OMB) under the *Paperwork Reduction Act*, 44 U.S.C. 3501 *et seq.* The Information Collection Request (ICR) document prepared by EPA has been assigned EPA ICR number 0783.56.

The Agency proposes to collect information to ensure compliance with the provisions in this rule. This includes a variety of requirements for vehicle manufacturers. Section 208(a) of the Clean Air Act requires that vehicle manufacturers provide information the Administrator may reasonably require to determine compliance with the regulations; submission of the information is therefore mandatory. We will consider confidential all information meeting the requirements of section 208(c) of the Clean Air Act.

As shown in Table III.J.2-1, the total annual burden associated with this

proposal is about 39,900 hours and \$5 million, based on a projection of 33 respondents. The estimated burden for vehicle manufacturers is a total estimate for both new and existing reporting requirements. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

TABLE III.J.2-1 ESTIMATED BURDEN FOR REPORTING AND RECORDKEEPING REQUIREMENTS

	Number of respondents	Annual burden hours	Annual costs
33		39,940	\$5,001,000

An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in 40 CFR are listed in 40 CFR part 9.

To comment on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including the use of automated collection techniques, EPA has established a public docket for this rule, which includes this ICR, under Docket ID number EPA-HQ-OAR-2007-0491. Submit any comments related to the ICR for this proposed rule to EPA and OMB. See **ADDRESSES** section at the beginning of this notice for where to submit comments to EPA. Send comments to OMB at the Office of Information and Regulatory Affairs,

Office of Management and Budget, 725 17th Street, NW., Washington, DC 20503, Attention: Desk Office for EPA. Since OMB is required to make a decision concerning the ICR between 30 and 60 days after September 28, 2009, a comment to OMB is best assured of having its full effect if OMB receives it by October 28, 2009. The final rule will respond to any OMB or public comments on the information collection requirements contained in this proposal.

3. Regulatory Flexibility Act

a. Overview

The Regulatory Flexibility Act (RFA) generally requires an agency to prepare a regulatory flexibility analysis of any rule subject to notice and comment rulemaking requirements under the Administrative Procedure Act or any other statute unless the agency certifies that the rule will not have a significant

economic impact on a substantial number of small entities. Small entities include small businesses, small organizations, and small governmental jurisdictions.

For purposes of assessing the impacts of this rule on small entities, small entity is defined as: (1) A small business as defined by the Small Business Administration's (SBA) regulations at 13 CFR 121.201 (see table below); (2) a small governmental jurisdiction that is a government of a city, county, town, school district or special district with a population of less than 50,000; and (3) a small organization that is any not-for-profit enterprise which is independently owned and operated and is not dominant in its field.

Table III.J.3-1 provides an overview of the primary SBA small business categories included in the light-duty vehicle sector:

TABLE III.J.3-1 PRIMARY SBA SMALL BUSINESS CATEGORIES IN THE LIGHT-DUTY VEHICLE SECTOR

Industry ^a	Defined as small entity by SBA if less than or equal to:	NAICS codes ^b
Light-duty vehicles: —Vehicle manufacturers (including small volume manufacturers).	1,000 employees	336111

TABLE III.J.3—1 PRIMARY SBA SMALL BUSINESS CATEGORIES IN THE LIGHT-DUTY VEHICLE SECTOR—Continued

Industry ^a	Defined as small entity by SBA if less than or equal to:	NAICS codes ^b
—Independent commercial importers	\$7 million annual sales	811111, 811112, 811198
	\$23 million annual sales	441120
	100 employees	423110, 424990
—Alternative fuel vehicle converters	750 employees	336312, 336322, 336399
	1,000 employees	335312
	\$7 million annual sales	454312, 485310, 811198

Notes:

^a Light-duty vehicle entities that qualify as small businesses would not be subject to this proposed rule. We are deferring action on small vehicle entities, and we intend to address these entities in a future rule.

^b North American Industrial Classification System.

b. Summary of Potentially Affected Small Entities

EPA has not conducted a Regulatory Flexibility Analysis or a SBREFA SBAR Panel for the proposed rule because we are proposing to certify that the rule would not have a significant economic impact on a substantial number of small entities. EPA is proposing to defer standards for manufacturers meeting SBA's definition of small business as described in 13 CFR 121.201 due to the short lead time to develop this proposed rule, the extremely small emissions contribution of these entities, and the potential need to develop a program that would be structured differently for them (which would require more time). EPA would instead consider appropriate GHG standards for these entities as part of a future regulatory action. This includes small entities in three distinct categories of businesses for light-duty vehicles: Small volume manufacturers (SVMs), independent commercial importers (ICIs), and alternative fuel vehicle converters. Based on preliminary assessment, EPA has identified a total of about 47 vehicle businesses, about 13 entities (or 28 percent) that fit the Small Business Administration (SBA) criterion of a small business. There are about 2 SVMs, 8 ICIs, and 3 alternative fuel vehicle converters in the light-duty vehicle market which are small businesses (no major vehicle manufacturers meet the small-entity criteria as defined by SBA). EPA estimates that these small entities comprise about 0.03 percent of the total light-duty vehicle sales in the U.S. for the year 2007, and therefore the proposed deferment will have a negligible impact on the GHG emissions reductions from the proposed standards.

To ensure that EPA is aware of which companies would be deferred, EPA is proposing that such entities submit a declaration to EPA containing a detailed written description of how that manufacturer qualifies as a small entity under the provisions of 13 CFR 121.201. Small entities are currently covered by a number of EPA motor vehicle emission regulations, and they routinely submit information and data on an annual basis as part of their compliance responsibilities. Because such entities are not automatically exempted from other EPA regulations for light-duty vehicles and light-duty trucks, absent such a declaration, EPA would assume that the entity was subject to the greenhouse gas control requirements in this GHG proposal. The declaration would need to be submitted at time of vehicle emissions certification under the EPA Tier 2 program. EPA expects that the additional paperwork burden associated with completing and submitting a small entity declaration to gain deferral from the proposed GHG standards would be negligible and easily done in the context of other routine submittals to EPA. However, EPA has accounted for this cost with a nominal estimate included in the Information Collection Request completed under the Paperwork Reduction Act. Additional information can be found in the Paperwork Reduction Act discussion in Section III.I.2. Based on this, EPA is proposing to certify that the rule would not have a significant economic impact on a substantial number of small entities.

c. Conclusions

I therefore certify that this proposed rule will not have a significant economic impact on a substantial

number of small entities. However, EPA recognizes that some small entities continue to be concerned about the potential impacts of the statutory imposition of PSD requirements that may occur given the various EPA rulemakings currently under consideration concerning greenhouse gas emissions. As explained in the preamble for the proposed PSD tailoring rule, EPA is using the discretion afforded to it under section 609(c) of the RFA to consult with OMB and SBA, with input from outreach to small entities, regarding the potential impacts of PSD regulatory requirements as that might occur as EPA considers regulations of GHGs. Concerns about the potential impacts of statutorily imposed PSD requirements on small entities will be the subject of deliberations in that consultation and outreach. Concerned small entities should direct any comments relating to potential adverse economic impacts on small entities from PSD requirements for GHG emissions to the docket for the PSD tailoring rule.

EPA continues to be interested in the potential impacts of the proposed rule on small entities and welcomes comments on issues related to such impacts.

4. Unfunded Mandates Reform Act

Title II of the Unfunded Mandates Reform Act of 1995 (UMRA), Public Law 104-4, establishes requirements for Federal agencies to assess the effects of their regulatory actions on State, local, and tribal governments and the private sector. Under section 202 of the UMRA, EPA generally must prepare a written statement, including a cost-benefit analysis, for proposed and final rules with "Federal mandates" that may result in expenditures to State, local,

and tribal governments, in the aggregate, or to the private sector, of \$100 million or more in any one year. Before promulgating an EPA rule for which a written statement is needed, section 205 of the UMRA generally requires EPA to identify and consider a reasonable number of regulatory alternatives and adopt the least costly, most cost-effective or least burdensome alternative that achieves the objectives of the rule. The provisions of section 205 do not apply when they are inconsistent with applicable law. Moreover, section 205 allows EPA to adopt an alternative other than the least costly, most cost-effective or least burdensome alternative if the Administrator publishes with the final rule an explanation why that alternative was not adopted.

Before EPA establishes any regulatory requirements that may significantly or uniquely affect small governments, including tribal governments, it must have developed under section 203 of the UMRA a small government agency plan. The plan must provide for notifying potentially affected small governments, enabling officials of affected small governments to have meaningful and timely input in the development of EPA regulatory proposals with significant Federal intergovernmental mandates, and informing, educating, and advising small governments on compliance with the regulatory requirements:

This proposal contains no Federal mandates (under the regulatory provisions of Title II of the UMRA) for State, local, or tribal governments. The rule imposes no enforceable duty on any State, local or tribal governments. EPA has determined that this rule contains no regulatory requirements that might significantly or uniquely affect small governments. EPA has determined that this proposal contains a Federal mandate that may result in expenditures of \$100 million or more for the private sector in any one year. EPA believes that the proposal represents the least costly, most cost-effective approach to achieve the statutory requirements of the rule. The costs and benefits associated with the proposal are discussed above and in the Draft Regulatory Impact Analysis, as required by the UMRA.

5. Executive Order 13132 (Federalism)

This action does not have federalism implications. It will not have substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government, as specified in Executive Order 13132. This rulemaking would apply to manufacturers of motor

vehicles and not to State or local governments. Thus, Executive Order 13132 does not apply to this action. Although section 6 of Executive Order 13132 does not apply to this action, EPA did consult with representatives of State governments in developing this action.

In the spirit of Executive Order 13132, and consistent with EPA policy to promote communications between EPA and State and local governments, EPA specifically solicits comment on this proposed action from State and local officials.

6. Executive Order 13175 (Consultation and Coordination With Indian Tribal Governments)

This proposed rule does not have tribal implications, as specified in Executive Order 13175 (65 FR 67249, November 9, 2000). This rule will be implemented at the Federal level and impose compliance costs only on vehicle manufacturers. Tribal governments would be affected only to the extent they purchase and use regulated vehicles. Thus, Executive Order 13175 does not apply to this rule. EPA specifically solicits additional comment on this proposed rule from tribal officials.

7. Executive Order 13045: "Protection of Children From Environmental Health Risks and Safety Risks"

This action is subject to EO 13045 (62 FR 19885, April 23, 1997) because it is an economically significant regulatory action as defined by EO 12866, and EPA believes that the environmental health or safety risk addressed by this action may have a disproportionate effect on children. A synthesis of the science and research regarding how climate change may affect children and other vulnerable subpopulations is contained in the Technical Support Document for Endangerment or Cause or Contribute Findings for Greenhouse Gases under Section 202(a) of the Clean Air Act, which can be found in the public docket for this proposed rule.⁴⁰⁸ A summary of the analysis is presented below.

With respect to GHG emissions, the effects of climate change observed to date and projected to occur in the future include the increased likelihood of more frequent and intense heat waves. Specifically, EPA's analysis has determined that severe heat waves are projected to intensify in magnitude,

frequency, and duration over the portions of the U.S. where these events already occur, with potential increases in mortality and morbidity, especially among the young, elderly, and frail. EPA has estimated reductions in projected global mean surface temperatures as a result of reductions in GHG emissions associated with the standards proposed in this action (Section III.F). Children may receive benefits from reductions in GHG emissions because they are included in the segment of the population that is most vulnerable to hot temperatures.

For non-GHG pollutants, EPA has determined that climate change is expected to increase regional ozone pollution, with associated risks in respiratory infection, aggravation of asthma, and premature death. The directional effect of climate change on ambient PM levels remains uncertain. However, disturbances such as wildfires are increasing in the U.S. and are likely to intensify in a warmer future with drier soils and longer growing seasons. PM emissions from forest fires can contribute to acute and chronic illnesses of the respiratory system, particularly in children, including pneumonia, upper respiratory diseases, asthma and chronic obstructive pulmonary diseases.

The public is invited to submit comments or identify peer-reviewed studies and data that assess effects of early life exposure to the pollutants addressed by this proposed rule.

8. Executive Order 13211 (Energy Effects)

This rule is not a "significant energy action" as defined in Executive Order 13211, "Actions Concerning Regulations That Significantly Affect Energy Supply, Distribution, or Use" (66 FR 28355 (May 22, 2001)) because it is not likely to have a significant adverse effect on the supply, distribution, or use of energy. In fact, this rule has a positive effect on energy supply and use. Because the GHG emission standards proposed today result in significant fuel savings, this rule encourages more efficient use of fuels. Therefore, we have concluded that this rule is not likely to have any adverse energy effects. Our energy effects analysis is described above in Section III.H.

9. National Technology Transfer Advancement Act

Section 12(d) of the National Technology Transfer and Advancement Act of 1995 ("NTTAA"), Public Law 104-113, 12(d) (15 U.S.C. 272 note) directs EPA to use voluntary consensus standards in its regulatory activities unless to do so would be inconsistent

⁴⁰⁸ U.S. EPA. (2009). Technical Support Document for Endangerment or Cause or Contribute Findings for Greenhouse Gases under Section 202(a) of the Clean Air Act. Washington, DC: U.S. EPA. Retrieved on April 21, 2009 from http://epa.gov/climatechange/endangerment/downloads/TSD_Endangerment.pdf.

with applicable law or otherwise impractical. Voluntary consensus standards are technical standards (e.g., materials, specifications, test methods, sampling procedures, and business practices) that are developed or adopted by voluntary consensus standards bodies. NTTAA directs EPA to provide Congress, through OMB, explanations when the Agency decides not to use available and applicable voluntary consensus standards.

For CO₂, N₂O, and CH₄ emissions, EPA is proposing to collect data over the same tests that are used for the CAFE program. This will minimize the amount of testing done by manufacturers, since manufacturers are already required to run these tests. For A/C credits, EPA is proposing to use a consensus methodology developed by the Society of Automotive Engineers (SAE) and also a new A/C idle test. EPA knows of no consensus standard available for the A/C idle test.

10. Executive Order 12898: Federal Actions To Address Environmental Justice in Minority Populations and Low-Income Populations

Executive Order (EO) 12898 (59 FR 7629 (Feb. 16, 1994)) establishes *Federal* executive policy on environmental justice. Its main provision directs *Federal* agencies, to the greatest extent practicable and permitted by law, to make environmental justice part of their mission by identifying and addressing, as appropriate, disproportionately high and adverse human health or environmental effects of their programs, policies, and activities on minority populations and low-income populations in the United States.

With respect to GHG emissions, EPA has determined that this proposed rule will not have disproportionately high and adverse human health or environmental effects on minority or low-income populations because it increases the level of environmental protection for all affected populations without having any disproportionately high and adverse human health or environmental effects on any population, including any minority or low-income population. The reductions in CO₂ and other GHGs associated with the proposed standards will affect climate change projections, and EPA has estimated reductions in projected global mean surface temperatures (Section III.F.3). Within settlements experiencing climate change, certain parts of the population may be especially vulnerable; these include the poor, the elderly, those already in poor health, the disabled, those living alone, and/or indigenous populations dependent on

one or a few resources.⁴⁰⁹ Therefore, these populations may receive benefits from reductions in GHGs.

For non-GHG co-pollutants such as ozone, PM_{2.5}, and toxics, EPA has concluded that it is not practicable to determine whether there would be disproportionately high and adverse human health or environmental effects on minority and/or low income populations from this proposed rule.

J. Statutory Provisions and Legal Authority

Statutory authority for the vehicle controls proposed today is found in section 202 (a) (which authorizes standards for emissions of pollutants from new motor vehicles which emissions cause or contribute to air pollution which may reasonably be anticipated to endanger public health or welfare), 202 (d), 203–209, 216, and 301 of the Clean Air Act, 42 U.S.C. 7521 (a), 7521 (d), 7522, 7523, 7524, 7525, 7541, 7542, 7543, 7550, and 7601.

IV. NHTSA Proposal for Passenger Car and Light Truck CAFE Standards for MYs 2012–2016

A. Executive Overview of NHTSA Proposal

1. Introduction

The National Highway Traffic Safety Administration (NHTSA) is proposing to establish corporate average fuel economy standards for passenger automobiles (passenger cars) and nonpassenger automobiles (light trucks) for model years (MY) 2012–2016. Improving vehicle fuel economy has been long and widely recognized as one of the key ways of achieving energy independence, energy security, and a low carbon economy.⁴¹⁰ NHTSA's

⁴⁰⁹ U.S. EPA. (2009). Technical Support Document for Endangerment or Cause or Contribute Findings for Greenhouse Gases under Section 202(a) of the Clean Air Act. Washington, DC: U.S. EPA. Retrieved on April 21, 2009 from http://epa.gov/climatechange/endangerment/downloads/TSD_Endangerment.pdf.

⁴¹⁰ Among the reports and studies noting this point are the following:

John Podesta, Todd Stern and Kim Batten, "Capturing the Energy Opportunity: Creating a Low-Carbon Economy," Center for American Progress (November 2007), pp. 2, 6, 8, and 24–29, available at: http://www.americanprogress.org/issues/2007/11/pdf/energy_chapter.pdf (last accessed August 9, 2009).

Sarah Ladislav, Kathryn Zyla, Jonathan Pershing, Frank Verrastro, Jenna Goodward, David Pumphrey, and Britt Staley, "A Roadmap for a Secure, Low-Carbon Energy Economy: Balancing Energy Security and Climate Change," World Resources Institute and Center for Strategic and International Studies (January 2009), pp. 21–22; available at: http://pdf.wri.org/secure_low_carbon_energy_economy_roadmap.pdf (last accessed August 9, 2009).

proposed standards will require passenger cars and light trucks to meet an estimated combined average of 34.1 mpg in MY 2016. This represents an average annual increase of 4.3 percent from the 27.3 mpg combined fuel economy level in MY 2011. NHTSA's proposal projects total fuel savings of approximately 61.6 billion gallons over the lifetimes of the vehicles sold in model years 2012–2016, with corresponding net societal benefits of approximately \$201.7 billion.

The significance accorded improving fuel economy reflects several factors. Conserving energy, especially reducing the nation's dependence on petroleum, benefits the U.S. in several ways. Improving energy efficiency has benefits for economic growth and the environment, as well as other benefits, such as reducing pollution and improving security of energy supply. More specifically, reducing total petroleum use decreases our economy's vulnerability to oil price shocks. Reducing dependence on oil imports from regions with uncertain conditions enhances our energy security. Additionally, the emission of CO₂ from the tailpipes of cars and light trucks is one of the largest sources of U.S. CO₂ emissions.⁴¹¹ Using vehicle technology to improve fuel economy, and thereby reducing tailpipe emissions of CO₂, is one of the three main measures of reducing those tailpipe emissions of CO₂.⁴¹² The two other measures for

Alliance to Save Energy et al., "Reducing the Cost of Addressing Climate Change Through Energy Efficiency (2009), available at: <http://aceee.org/energy/climate/leg.htm> (last accessed August 9, 2009).

John DeCicco and Freda Fung, "Global Warming on the Road: The Climate Impact of America's Automobiles," Environmental Defense (2006) pp. iv-vii; available at: http://www.edf.org/documents/5301_Globalwarmingontheroad.pdf (last accessed August 9, 2009).

"Why is Fuel Economy Important?," a Web page maintained by the Department of Energy and Environmental Protection Agency, available at <http://www.fueleconomy.gov/feg/why.shtml> (last accessed August 9, 2009);

Robert Saalow, Roberta Hatinski, Jeffery B. Greenblatt, and Stephen Pacala, "Solving the Climate Problem: Technologies Available to Curb CO₂ Emissions," *Environment*, volume 46, no. 10, 2004. Pages 8–19, available at: http://www.princeton.edu/~cmi/resources/CMi_Resources_new_files/Environ_08-21a.pdf (last accessed August 9, 2009).

⁴¹¹ EPA Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990–2006 (April 2008), pp. ES–4, ES–8, and 2–24. Available at http://www.epa.gov/climatechange/emissions/usggnv_archive.html (last accessed August 9, 2009).

⁴¹² Podesta et al., p. 25; Ladislav et al. p. 21; DeCicco et al. p. vii; "Reduce Climate Change," a Web page maintained by the Department of Energy and Environmental Protection Agency at <http://www.fueleconomy.gov/feg/climate.shtml> (last accessed August 9, 2009).

reducing the tailpipe emissions of CO₂ are switching to vehicle fuels with lower carbon content and changing driver behavior, *i.e.*, inducing people to drive less.

While NHTSA has been setting fuel economy standards since the 1970s, today's action represents the first-ever joint proposal by NHTSA with another agency, the Environmental Protection Agency. As discussed in Section I, NHTSA's proposed MYs 2012–2016 CAFE standards are part of a joint National Program, such that a large majority of the projected benefits are achieved jointly with EPA's GHG rule, described in detail above in Section III of this preamble. These proposed CAFE standards are consistent with the President's National Fuel Efficiency Policy announcement of May 19, 2009, which calls for harmonized rules for all automakers, instead of three overlapping and potentially inconsistent requirements from DOT, EPA, and the California Air Resources Board. And finally, the proposed CAFE standards and the analysis supporting them also respond to President's Obama's January 26 memorandum regarding the setting of CAFE standards for model years 2011 and beyond.

2. Role of Fuel Economy Improvements in Promoting Energy Independence, Energy Security, and a Low Carbon Economy

The need to reduce energy consumption is more crucial today than it was when EPCA was enacted in the mid-1970s. U.S. energy consumption has been outstripping U.S. energy production at an increasing rate. Net petroleum imports now account for approximately 57 percent of U.S. domestic petroleum consumption, and the share of U.S. oil consumption for transportation is approximately 71 percent.⁴¹³ Moreover, world crude oil production continues to be highly concentrated, exacerbating the risks of supply disruptions and their negative effects on both the U.S. and global economies.

Gasoline consumption in the U.S. has historically been relatively insensitive to fluctuations in both price and consumer income, and people in most parts of the country tend to view gasoline consumption as a non-discretionary expense. Thus, when gasoline's share in consumer expenditures rises, the public experiences fiscal distress. This fiscal

⁴¹³ Energy Information Administration, Petroleum Basic Statistics, updated July 2009. Available at <http://www.eia.doe.gov/basics/quickoil.html> (last accessed August 9, 2009).

distress can, in some cases, have macroeconomic consequences for the economy at large. Additionally, since U.S. oil production is only affected by fluctuations in prices over a period of years, any changes in petroleum consumption (as through increased fuel economy) largely flow into changes in the quantity of imports. Although petroleum imports only account for about 2 percent of GDP, they are large enough to create a discernible fiscal drag. As a consequence, however, measures that reduce petroleum consumption, such as fuel economy standards, will flow directly into the balance-of-payments account, and strengthen the domestic economy to some degree. And finally, U.S. foreign policy has been affected for decades by rising U.S. and world dependency of crude oil as the basis for modern transportation systems, although fuel economy standards have only an indirect and general impact on U.S. foreign policy.

The benefits of a low carbon economy are manifold. The U.S. transportation sector is a significant contributor to total U.S. and global anthropogenic emissions of greenhouse gases. Motor vehicles are the second largest greenhouse gas-emitting sector in the U.S., after electricity generation, and accounted for 24 percent of total U.S. greenhouse gas emissions in 2006. Concentrations of greenhouse gases are at unprecedented levels compared to the recent and distant past, which means that fuel economy improvements to reduce those emissions are a crucial step toward addressing the risks of global climate change. These risks are well documented in section III of this notice.

3. The National Program

NHTSA and EPA are each announcing proposed rules that have the effect of addressing the urgent and closely intertwined challenges of energy independence and security and global warming. These proposed rules call for a strong and coordinated *Federal* greenhouse gas and fuel economy program for passenger cars, light-duty trucks, and medium-duty passenger vehicles (hereafter light-duty vehicles), referred to as the National Program. The proposed rules represent a coordinated program that can achieve substantial reductions of greenhouse gas (GHG) emissions and improvements in fuel economy from the light-duty vehicle part of the transportation sector, based on technology that will be commercially available and that can be incorporated at a reasonable cost. The agencies' proposals will also provide regulatory

certainty and consistency for the automobile industry by setting harmonized national standards. They were developed and are designed in ways that recognize and accommodate the serious current economic situation faced by this industry.

This joint notice is consistent with the President's announcement on May 19, 2009 of a National Fuel Efficiency Policy that will reduce greenhouse gas emissions and improve fuel economy for all new cars and light-duty trucks sold in the United States,⁴¹⁴ and with the Notice of Upcoming Joint Rulemaking signed by DOT and EPA on that date.⁴¹⁵ This joint notice also responds to the President's January 26, 2009 memorandum on CAFE standards for model years 2011 and beyond, the details of which can be found in Section IV of this joint notice.

a. Building Blocks of the National Program

The National Program is both needed and possible because the relationship between improving fuel economy and reducing CO₂ tailpipe emissions is a very direct and close one. CO₂ is the natural by-product of the combustion of fuel in motor vehicle engines. The more fuel efficient a vehicle is, the less fuel it burns to travel a given distance. The less fuel it burns, the less CO₂ it emits in traveling that distance.⁴¹⁶ Since the amount of CO₂ emissions is essentially constant per gallon combusted of a given type of fuel, the amount of fuel consumption per mile is directly related to the amount of CO₂ emissions per mile. In the real world, there is a single pool of technologies for reducing fuel consumption and CO₂ emissions. Using those technologies in the way that minimizes fuel consumption also minimizes CO₂ emissions. While there are emission control technologies that can capture or destroy the pollutants (*e.g.*, carbon monoxide) that are produced by imperfect combustion of fuel, there is at present no such technology for CO₂. In fact, the only way at present to reduce tailpipe emissions of CO₂ is by reducing fuel consumption. The National Program thus has dual benefits: It conserves energy by improving fuel economy, as required of NHTSA by EPCA and EISA; in the process, it necessarily reduces tailpipe

⁴¹⁴ President Obama Announces National Fuel Efficiency Policy, The White House, May 19, 2009.

⁴¹⁵ 74 FR 24007 (May 22, 2009).

⁴¹⁶ Panel on Policy Implications of Greenhouse Warming, National Academy of Sciences, National Academy of Engineering, Institute of Medicine, "Policy Implications of Greenhouse Warming: Mitigation, Adaptation, and the Science Base," National Academies Press, 1992, at 287.

CO₂ emissions consonant with EPA's purposes and responsibilities under the Clean Air Act.

i. DOT's CAFE Program

In 1975, Congress enacted the Energy Policy and Conservation Act (EPCA), mandating a regulatory program for motor vehicle fuel economy to meet the various facets of the need to conserve energy, including ones having energy independence and security, environmental and foreign policy implications. EPCA allocates the responsibility for implementing the program between NHTSA and EPA as follows:

- NHTSA sets Corporate Average Fuel Economy (CAFE) standards for passenger cars and light trucks.
- Because fuel economy performance is measured during emissions regulation testing, EPA establishes the procedures for testing, tests vehicles, collects and analyzes manufacturers' test data, and calculates the average fuel economy of each manufacturer's passenger cars and light trucks. EPA determines fuel economy by the simple expedient of measuring the amount of CO₂ emitted from the tailpipe, not by attempting to measure directly the amount of fuel consumed during a vehicle test, a difficult task to accomplish with precision. EPA then uses the carbon content of the test fuel⁴¹⁷ to calculate the amount of fuel that had to be consumed per mile in order to produce that amount of CO₂. Finally, EPA converts that fuel consumption figure into a miles-per-gallon figure.

- Based on EPA's calculation, NHTSA enforces the CAFE standards. The CAFE standards and compliance testing cannot capture all of the real world CO₂ emissions, because EPCA requires EPA to use the 1975 passenger car test procedures under which vehicle air conditioners are not turned on during fuel economy testing.⁴¹⁸ CAFE standards also do not address the 5–8 percent of GHG emissions that are not CO₂, *i.e.*, nitrous oxide (N₂O), and methane (CH₄) as well as emissions of CO₂ and hydrofluorocarbons (HFCs) related to operation of the air conditioning system.

NHTSA has been setting CAFE standards pursuant to EPCA since the enactment of the statute. Fuel economy gains since 1975, due both to the standards and market factors, have resulted in saving billions of barrels of oil and avoiding billions of metric tons of CO₂ emissions. In December 2007,

⁴¹⁷ This is the method that EPA uses to determine compliance with NHTSA's CAFE standards.

⁴¹⁸ See 49 U.S.C. 32904(c).

Congress enacted the Energy Independence and Securities Act (EISA), amending EPCA to require, among other things, attribute-based standards for passenger cars and light trucks. The most recent CAFE rulemaking action was the issuance of standards governing model years 2011 cars and trucks.

ii. EPA's Greenhouse Gas Program

On April 2, 2007, the U.S. Supreme Court issued its opinion in *Massachusetts v. EPA*,⁴¹⁹ a case involving a 2003 order of the Environmental Protection Agency (EPA) denying a petition for rulemaking to regulate greenhouse gas emissions from motor vehicles under the Clean Air Act.⁴²⁰ The Court ruled that greenhouse gases are "pollutants" under the CAA and that the Act therefore authorizes EPA to regulate greenhouse gas emissions from motor vehicles if that agency makes the necessary findings and determinations under section 202 of the Act. The Court considered EPCA only briefly, stating that the two obligations may overlap, but there is no reason to think the two agencies cannot both administer their obligations and yet avoid inconsistency.

EPA has been working on appropriate responses that are consistent with the decision of the Supreme Court in *Massachusetts v. EPA*.⁴²¹ As part of those responses, in July 2008, EPA issued an Advance Notice of Proposed Rulemaking seeking comments on the impact of greenhouse gases on the environment and on ways to reduce greenhouse gas emissions from motor vehicles. EPA recently also proposed to find that emissions of GHGs from new motor vehicles and motor vehicle engines cause or contribute to air pollution that may reasonably be anticipated to endanger public health and welfare.⁴²²

iii. California Air Resources Board's Greenhouse Gas Program

In 2004, the California Air Resources Board approved standards for new light-duty vehicles, which regulate the emission of not only CO₂, but also other GHGs. Since then, thirteen States and the District of Columbia, comprising

⁴¹⁹ 127 S.Ct. 1438 (2007).

⁴²⁰ 68 FR 52922 (Sept. 8, 2003).

⁴²¹ 549 U.S. 497 (2007). For further information on *Massachusetts v. EPA* see the July 30, 2008 Advance Notice of Proposed Rulemaking, "Regulating Greenhouse Gas Emissions under the Clean Air Act", 73 FR 44354 at 44397. There is a comprehensive discussion of the litigation's history, the Supreme Court's findings, and subsequent actions undertaken by the EPA from 2007–2008 in response to the Supreme Court remand.

⁴²² 74 FR 18886 (Apr. 24, 2009).

approximately 40 percent of the light-duty vehicle market, have adopted California's standards. These standards apply to model years 2009 through 2016 and require reductions in CO₂ emissions for passenger cars and some light trucks of 323 g/mil in 2009 up to 205 g/mi in 2016, and 439 g/mi for light trucks in 2009 up to 332 g/mi in 2016. In 2008, EPA denied a request by California for a waiver of preemption under the CAA for its GHG emissions standards. However, consistent with another Presidential Memorandum of January 26, 2009, EPA reconsidered the prior denial of California's request.⁴²³ EPA withdrew the prior denial and granted California's request for a waiver on June 30, 2009.⁴²⁴ The granting of the waiver permits California's emission standards to come into effect notwithstanding the general preemption of State emission standards for new motor vehicles that otherwise applies under the Clean Air Act.

b. The President's Announcement of National Fuel Efficiency Policy (May 2009)

The issue of three separate regulatory frameworks and overlapping requirements for reducing fuel consumption and CO₂ emissions has been a subject of much controversy and legal disputes. On May 19, 2009 President Obama announced a National Fuel Efficiency Policy aimed at both increasing fuel economy and reducing greenhouse gas pollution for all new cars and trucks sold in the United States, while also providing a predictable regulatory framework for the automotive industry. The policy seeks to set harmonized *Federal* standards to regulate both fuel economy and greenhouse gas emissions while preserving the legal authorities of the Department of Transportation, the Environmental Protection Agency and the State of California. The program covers model year 2012 to model year 2016 and ultimately requires the equivalent of an average fuel economy of 35.5 mpg in 2016, if all CO₂ reduction were achieved through fuel economy improvements. Building on the MY 2011 standard that was set in March 2009, this represents an average of 5 percent increase in average fuel economy each year between 2012 and 2016.

In conjunction with the President's announcement, the Department of Transportation and the Environmental Protection Agency issued on May 19, 2009, a Notice of Upcoming Joint

⁴²³ 74 FR 7040 (Feb. 12, 2009).

⁴²⁴ 74 FR 32744 (July 8, 2009).

Rulemaking to propose a strong and coordinated fuel economy and greenhouse gas National Program for Model Year (MY) 2012–2016 light duty vehicles. Consistent, harmonized, and streamlined requirements under that program hold out the promise of delivering environmental and energy benefits, cost savings, and administrative efficiencies on a nationwide basis that might not be available under a less coordinated approach. The proposed National Program makes it possible for the standards of two different *Federal* agencies and the standards of California and other States to act in a unified fashion in providing these benefits. Establishing a harmonized approach to regulating light-duty vehicle greenhouse gas (GHG) emissions and fuel economy is critically important given the interdependent goals of addressing climate change and ensuring energy independence and security. Additionally, establishing a harmonized approach may help to mitigate the cost to manufacturers of having to comply with multiple sets of *Federal* and State standards

4. Review of CAFE Standard Setting Methodology per the President's January 26, 2009 Memorandum on CAFE Standards for MYs 2011 and Beyond

On May 2, 2008, NHTSA published a Notice of Proposed Rulemaking entitled Average Fuel Economy Standards, Passenger Cars and Light Trucks; Model Years 2011–2015, 73 Fed. Reg. 24352. In mid-October, the agency completed and released a final environmental impact statement in anticipation of issuing standards for those years. Based on its consideration of the public comments and other available information, including information on the financial condition of the automotive industry, the agency adjusted its analysis and the standards and prepared a final rule for MYs 2011–2015. On November 14, the Office of Information and Regulatory Affairs (OIRA) of the Office of Management and Budget concluded review of the rule as consistent with the Order.⁴²⁵ However, issuance of the final rule was held in abeyance. On January 7, 2009, the Department of Transportation announced that the final rule would not be issued, saying:

The Bush Administration will not finalize its rulemaking on Corporate

Fuel Economy Standards. The recent financial difficulties of the automobile industry will require the next administration to conduct a thorough review of matters affecting the industry, including how to effectively implement the Energy Independence and Security Act of 2007 (EISA). The National Highway Traffic Safety Administration has done significant work that will position the next Transportation Secretary to finalize a rule before the April 1, 2009 deadline.⁴²⁶

a. Requests in the President's Memorandum

In light of the requirement to prescribe standards for MY 2011 by March 30, 2009 and in order to provide additional time to consider issues concerning the analysis used to determine the appropriate level of standards for MYs 2012 and beyond, the President issued a memorandum on January 26, 2009, requesting the Secretary of Transportation and Administrator⁴²⁷ of the National Highway Traffic Safety Administration NHTSA to divide the rulemaking into two parts: (1) MY 2011 standards, and (2) standards for MY 2012 and beyond.

i. CAFE Standards for Model Year 2011

The request that the final rule establishing CAFE standards for MY 2011 passenger cars and light trucks be prescribed by March 30, 2009 was based on several factors. One was the requirement that the final rule regarding fuel economy standards for a given model year must be adopted at least 18 months before the beginning of that model year (49 U.S.C. 32902(g)(2)). The other was that the beginning of MY 2011 is considered for the purposes of CAFE standard setting to be October 1, 2010.

ii. CAFE Standards for Model Years 2012 and Beyond

The President requested that, before promulgating a final rule concerning the model years after model year 2011, NHTSA

[C]onsider the appropriate legal factors under the EISA, the comments filed in response to the Notice of Proposed Rulemaking, the relevant technological and scientific considerations, and to the extent feasible, the forthcoming report by the National Academy of Sciences mandated under section 107 of EISA.

In addition, the President requested that NHTSA consider whether any provisions regarding preemption are appropriate under applicable law and policy.

b. Implementing the President's Memorandum

In keeping with the President's remarks on January 26 for new national policies to address the closely intertwined issues of energy independence, energy security and climate change, and for the initiation of serious and sustained domestic and international action to address them, NHTSA has developed CAFE standards for MY 2012 and beyond after collecting new information, conducting a careful review of technical and economic inputs and assumptions, and standard setting methodology, and completing new analyses.

The goal of the review and re-evaluation was to ensure that the approach used for MY 2012 and thereafter would produce standards that contribute, to the maximum extent possible under EPCA/EISA, to meeting the energy and environmental challenges and goals outlined by the President. We have sought to craft our program with the goal of creating the maximum incentives for innovation, providing flexibility to the regulated parties, and meeting the goal of making substantial and continuing reductions in the consumption of fuel. To that end, we have made every effort to ensure that the CAFE program for MYs 2012–2016 is based on the best scientific, technical, and economic information available, and that such information was developed in close coordination with other *Federal* agencies and our stakeholders, including the States and the vehicle manufacturers.

We have also re-examined EPCA, as amended by EISA, to consider whether additional opportunities exist to improve the effectiveness of the CAFE program. For example, EPCA authorizes increasing the amount of civil penalties for violating the CAFE standards.⁴²⁸ Further, if the test procedures used for light trucks were revised to provide for the operation of air conditioning during fuel economy testing, vehicle manufacturers would have a regulatory incentive to increase the efficiency and reduce the weight of air conditioning systems, thereby reducing both fuel

⁴²⁵ Record of OIRA's action can be found at <http://www.reginfo.gov/public/do/eoHistReviewSearch> (last accessed August 9, 2009). To find the report on the clearance of the draft final rule, select "Department of Transportation" under "Economically Significant Reviews Completed" and select "2008" under "Select Calendar Year."

⁴²⁶ The statement can be found at <http://www.dot.gov/affairs/dot0109.htm> (last accessed August 9, 2009).

⁴²⁷ Currently, the National Highway Traffic Safety Administration does not have an Administrator. Ronald L. Medford is the Acting Deputy Administrator.

⁴²⁸ Under 49 U.S.C. 32904(c), EPA must use the same procedures for passenger automobiles that the Administrator used for model year 1975 (weighted 55 percent urban cycle and 45 percent highway cycle), or procedures that give comparable results.

consumption and tailpipe emissions of CO₂.

With respect to the President's request that NHTSA consider the issue of preemption, NHTSA is deferring further consideration of the preemption issue. The agency believes that it is unnecessary to address the issue further at this time because of the consistent and coordinated *Federal* standards that would apply nationally under the proposed National Program.

The following paragraphs provide a summary addressing how NHTSA has complied with the President's requests in the January 26 memorandum. NHTSA has reviewed comments received on the MY 2011 rulemaking and revisited its assumptions and methodologies for purposes of developing the proposed MY 2012–2016 standards. For any given assumption or aspect of NHTSA's analysis, comments rarely converged on a single position—and for many issues, NHTSA received diametrically-opposed comments from different parties—which makes it challenging to resolve the concerns of all parties in a single stroke. However, NHTSA has taken a fresh look at all the issues as part of its joint process with EPA, changing some assumptions and methodologies and validating others. The agency is confident that the assumptions and analysis used to develop these proposed standards represent the best possible approach that is consistent with NHTSA's statutory requirements for setting the required fuel economy standards.

The paragraphs below describe generally how the agency has reviewed comments on different issues related to the setting of the standards, and how the agency has either revised or validated its approach for the MY 2012–2016 standards. Much more detail on how the agency addresses all of these issues is found below in the rest of NHTSA's section of this preamble, in the joint TSD, and in NHTSA's PRIA.

How stringent should the standards be? How quickly should they increase?

EPCA requires that NHTSA set its standards for each model year at the "maximum feasible average fuel economy level that the Secretary decides the manufacturers can achieve in that model year" considering four factors: technological feasibility, economic practicability, the effect of other standards of the Government on fuel economy, and the need of the nation to conserve energy. None of these factors is further defined in the statute, and "maximum feasible average fuel economy level" is itself defined, if at all, only by reference to those four factors and the Secretary's consideration of

them.⁴²⁹ In addition, the agency has the authority to and traditionally does consider other relevant factors, such as the effect of the CAFE standards on motor vehicle safety.

In the previous CAFE rulemaking, NHTSA proposed to set standards at the point at which societal net benefits were maximized, which drew a number of comments from both manufacturers and environmental and public interest groups. Manufacturers generally commented that standards should be lower than the "maximizing net benefits" alternative, due to lead time concerns and manufacturers' difficulties in raising capital. Environmental and consumer groups, as well as a number of State Attorneys General, commented that NHTSA should set standards above that point, with some arguing in favor of standards as high as those at the point at which total costs equaled total benefits. Commenters also emphasized that NHTSA should ensure that standards increased ratably, as required by EISA.

For this NPRM, NHTSA has analyzed the costs and benefits of the "maximizing net benefits" alternative and other alternatives, using inputs that diverge substantially from those used in the analyses in the previous rulemakings to establish attribute-based standards. But the agency has not sought to use "maximizing net benefits" as a governing principle to select the applicable fuel economy standard in this NPRM. NHTSA's balancing of the statutory factors in these difficult financial times leads it to make a different conclusion this time: NHTSA is proposing to set standards at 34.1 mpg in MY 2016, below the point at which net benefits are maximized, due to economic practicability concerns. The results of the alternatives analysis for the "maximizing net benefits" alternative and the "total costs = total benefits" alternative may be found in the DEIS and in the PRIA.

Additionally, because today's proposed standards cover five model years, as opposed to the single model year covered by the March final rule, NHTSA is better able in this rulemaking to confirm that the standards do, in fact, increase ratably, as required by EISA.

What attribute should NHTSA use to set the standards?

In the previous rulemaking, most commenters agreed with NHTSA's use of footprint as the vehicle attribute for setting CAFE standards. Some manufacturers commented that NHTSA should consider multiple attributes—for example, sports car manufacturers

suggested a mix of footprint and horsepower, while truck manufacturers suggested a mix of footprint and towing, hauling, or off-road capability. Several members of Congress also supported the latter comment.

For this NPRM, NHTSA and EPA together reconsidered the appropriate attribute for setting CAFE and CO₂ standards, and conclude that footprint best provides the ability address safety concerns without creating undue risk that program benefits will be lost to induced mix shifting. More information about this decision may be found in Section IV.C.5 below, in the draft joint TSD, and in NHTSA's PRIA.

What data should NHTSA use to develop the baseline market forecast?

In the previous rulemaking, the proposed standards were based on data from only the seven largest manufacturers. Several small and limited-line manufacturers commented that either the passenger car standards should be based on the plans of all manufacturers subject to the standards, or some alternative form of standard should be set for them. Ultimately, NHTSA set the MY 2011 standards based on the plans of all manufacturers subject to the standards.

However, a number of commenters also called for NHTSA to cease using manufacturer's confidential product plans in any way for developing the standards. Because manufacturers request confidentiality when they submit their product plans to the agency out of competitive concerns, NHTSA is prohibited by regulation from releasing that information to the public. Thus, when NHTSA developed a baseline market forecast using information from the manufacturer's product plans, NHTSA could not release that forecast intact for public review.

For this NPRM, in response to these concerns, NHTSA and EPA are using a baseline market file developed almost entirely from publicly-available data. Relying on adjusted MY 2008 CAFE compliance data enables the agency to make the baseline public and helps to address transparency concerns. However, by virtue of *not* being based on product plans, some manufacturers' concerns that the baseline does not represent their particular intentions for MYs 2012–2016 may not be addressed. These issues are explained in more detail in Section IV.C.1 below, in the draft joint TSD, and in NHTSA's PRIA.

Did commenters agree with NHTSA's technology assumptions?

In the previous rulemaking, manufacturers generally commented that NHTSA had underestimated the costs of technologies and overestimated

⁴²⁹ 49 U.S.C. 32902(a).

their effectiveness, and that the rate of diesel and hybrid application required by the standards was too high, too quickly. Environmental and consumer groups, and the States Attorneys General who commented, largely argued the opposite. Environmental and consumer groups and the States Attorneys General also commented that NHTSA should include downweighting in its analysis for vehicles under 5,000 lbs GVWR, while the Insurance Institute for Highway Safety (IIHS) argued that NHTSA's approach to restricting downweighting to only those vehicles was correct.

For this NPRM, NHTSA, with EPA, has revisited every one of its cost and effectiveness estimates for individual technologies. Many of the estimates used in the MY 2011 final rule have been validated, while some have changed, notably the estimates for turbocharging and downsizing, diesels, and hybrids. Overall, the individual technology costs are lower for purposes of this NPRM than in the MY 2011 final rule due to the Indirect Cost Markup methodology developed by EPA for this rulemaking, which results in a lower markup than the 1.5 Retail Price Equivalent (RPE) markup previously used. The considerable majority of estimates for individual technology effectiveness were validated; changes largely resulted from the redefinition of certain electrification-related technologies and mild hybrids.

Additionally, NHTSA is now applying downweighting/material substitution to vehicles below 5,000 lbs GVWR, albeit in a way that, we believe, mitigates the safety concerns to some extent. These issues are explained in more detail in Section IV.C.2 below, in the draft joint TSD, and in NHTSA's PRIA.

With regard to the President's request that NHTSA consider, "to the extent feasible, the forthcoming report by the National Academy of Sciences mandated under section 107 of EISA," we note that it was not feasible to consider this report for purposes of this NPRM because it is not scheduled to be completed until Fall 2009. However, NHTSA intends to make it available in the rulemaking docket as soon as the agency receives it, and will consider it for the final rule.

Did commenters agree with NHTSA's economic assumptions?

In the previous rulemaking, NHTSA primarily received comments regarding four particular economic assumptions. Regarding fuel prices, many commenters supported NHTSA's use of the AEO 2008 Reference Case, while many commenters also argued, given

high pump prices in summer 2008, that NHTSA should use at least the AEO High Price Case or possibly a higher estimate. Regarding the discount rate, some commenters supported NHTSA's use of 7 percent, while others argued that NHTSA should use no higher than 3 percent. Regarding the magnitude of the rebound effect, some commenters supported NHTSA's use of a 15 percent rebound effect, while some called for a higher number and some called for numbers as low as zero percent. And finally, for the social cost of carbon, some commenters supported NHTSA's use of a domestic value and stated that the value should be \$7/ton or lower, while other commenters argued that NHTSA should use a global value much higher than \$7/ton, although there was little consensus as to what precise number.

For this NPRM, NHTSA, with EPA, has revisited every one of its economic assumptions. Many of the assumptions used in the MY 2011 final rule have been validated, while some have changed. For fuel prices, NHTSA used the AEO High Price Case in the MY 2011 final rule, but stated that its decision was based on its expectation that the Reference Case would soon be revised to reflect higher estimates of future fuel prices. EIA did, in fact, revise the Reference Case upward in AEO 2009 to levels higher than the 2008 High Price Case, and NHTSA has therefore elected to use the Reference Case for this NPRM. For the discount rate, NHTSA is continuing to conduct and present the results of analyses using both a 3 percent and a 7 percent rate, as is EPA in its analysis. For the rebound effect, NHTSA took a fresh look at the recent literature and developed new estimates for the rebound effect, and has used a value of 10 percent in its analysis. And for the social cost of carbon, based on the results of an interagency effort to develop an estimate that can be used by all government agencies in rulemakings that affect climate change, NHTSA has conducted analyses for this NPRM using a range of values from \$5 to \$56/ton, representing global SCC values. These issues are explained in Section II above, in more detail in Section IV.C.3 below, in the joint TSD, and in NHTSA's PRIA.

Did commenters agree with NHTSA's analytical tools?

In the previous rulemaking, although some commenters generally supported NHTSA's use of the CAFE modeling system developed by DOT's Volpe National Transportation Systems Center (Volpe Center), other commenters expressed concerns regarding the modeling system, the ways in which the

system was applied, and accessibility of the system and its inputs and outputs.

Technical concerns regarding the model itself centered on the fact that it does not apply a direct and explicit representation of the physical processes connecting the engineering characteristics of a given vehicle to that vehicle's fuel economy. As NHTSA explained in its March 2009 **Federal Register** notice establishing final MY 2011 CAFE standards, full vehicle simulation could be useful in developing model inputs, but not, at least in the foreseeable future, in performing forward-looking analysis of the future fleet.⁴³⁰ Having again reconsidered this issue, NHTSA again concludes that with proper care in developing model inputs, the Volpe model is as "physics-based" as is practical or necessary for CAFE analysis.

Some commenters also questioned the model's structural assumptions about manufacturers' compliance strategies. NHTSA has reconsidered this question with respect to the potential for systematic underestimation or overestimation of compliance costs. As a result, the Volpe model has been modified to account for manufacturers' ability to engage in "multi-year planning," adding more technology than necessary for compliance in an early model year when a vehicle model is being redesigned in order to carry that technology forward and facilitate compliance in later model years. This major change to the Volpe model tends to produce greater costs (and benefits) in earlier model years in order to reduce costs in later model years.

Some commenters also questioned the model's use of externally-specified "phase-in caps" to constrain the speed at which technologies can practically be adopted. NHTSA has reconsidered these inputs in light of the fact that the model also assumes that most technologies can only be practically applied during a vehicle redesign or (in some cases) freshening, and tentatively concludes that these inputs can be significantly relaxed. The analysis supporting today's proposal therefore relies almost exclusively on the redesign- and refresh-related constraints to produce practicable estimates of potential technology adoption rates. We are seeking comment on this change to the model's inputs, and note that further changes to these inputs would impact our analysis.

Commenters had many other concerns regarding inputs to the model, such as economic inputs and technology-related estimates. Commenters often (and

⁴³⁰ 74 FR 14371-72 (Mar. 30, 2009).

particularly in relation to the agency's estimate of the social value of avoided CO₂ emissions) mistakenly attributed these concerns to the model itself. In again reviewing commenters' concerns regarding NHTSA's analysis, the agency has carefully differentiated between (1) the model, (2) inputs to the model, and (3) ways in which the model is applied. We encourage commenters to do the same in reviewing the analysis supporting today's proposal.

Finally, some commenters expressed concern regarding the model's transparency. However, as NHTSA explained in in the MY 2011 final rule, these concerns appeared to have been mistakenly applied to the model itself, as the actual lack of transparency related only to the agency's use of manufacturers' product plans, which formed the basis for inputs to the model.⁴³¹ The agency had previously made publicly available the model, source code (i.e., computer programming instructions), model documentation, and sample input files. To make the model more easily accessible to the public, the agency began (in March 2009) placing all of this information on NHTSA's Web site.⁴³² In connection with today's proposal, the agency is placing the updated model, code, and documentation on the Web site, along with inputs and outputs for agency's current analysis. Among those inputs are those defining the agency's baseline estimates of the MYs 2012–2016 U.S. market for passenger cars and light trucks, as these inputs do not, for today's proposal, make use of manufacturers' confidential product plans.

How should NHTSA develop and fit the target curves?

⁴³¹ 74 FR 14372 (Mar. 30, 2009).

⁴³² See <http://www.nhtsa.dot.gov> (click on "Fuel Economy," then "Related Links—CAFE Compliance and Effects Modeling System (Volpe Model)")

In the previous rulemaking, many commenters expressed concern about the steepness of the proposed curves for passenger cars, which occurred because of the way in which NHTSA fit the curves to the data. The more steep a curve is, the more rapidly mpg targets decrease as footprint increases.

For this NPRM, NHTSA reconsidered how to address this concern and decided to propose curves that are based on a constrained linear function rather than a constrained logistic function, that are considerably less steep than the curves proposed in the previous rulemaking. This issue is discussed in greater detail in Section IV.C.5 below, in the joint TSD, and in NHTSA's PRIA.

Should NHTSA set additional "backstop" standards besides the one established by Congress?

In the previous rulemaking, several commenters argued that NHTSA must establish absolute backstop standards for imported passenger cars and light trucks, in addition to the one for domestically-manufactured passenger cars required by EISA. NHTSA examined its statutory authority and concluded that only a backstop for domestic passenger cars was permissible under the statute.

For this NPRM, NHTSA has re-examined its authority, and while the agency still tentatively concludes that Congress' intent is clear from the text of the statute, we recognize commenters' concerns that attribute-based standards may not absolutely guarantee the level of fuel savings currently anticipated if market forces cause manufacturers to build larger vehicles in MYs 2012–2016. Thus, we seek comment on this issue, which is discussed in greater detail below in Section IV.C.5.

Should NHTSA classify more vehicles as passenger cars rather than as light trucks?

In the previous rulemaking, many commenters agreed with NHTSA's decision to move many 2WD SUVs from the light truck to the passenger car fleet, but some commenters argued that NHTSA should go further and reclassify more light trucks as passenger cars.

For this NPRM, NHTSA has reconsidered its vehicle classification system and has not included in the proposed regulatory text any changes to that system. However, NHTSA seeks comment on whether any changes should be adopted for that time period or whether changes, if any, should be deferred to MY 2017 and beyond. Classification issues are addressed in greater detail in Section IV.H below.

5. Summary of the Proposed MY 2012–2016 CAFE Standards

NHTSA is proposing CAFE standards that are, like the standards NHTSA promulgated in March 2009 for MY 2011, expressed as mathematical functions depending on vehicle footprint. Footprint is one measure of vehicle size, and is determined by multiplying the vehicle's wheelbase by the vehicle's average track width.⁴³³ Under the proposed CAFE standards, each light vehicle model produced for sale in the United States would have a fuel economy target. The CAFE levels that must be met by the fleet of each manufacturer would be determined by computing the sales-weighted harmonic average of the targets applicable to each of the manufacturer's passenger cars and light trucks. These targets, the mathematical form and coefficients of which are presented later in today's notice, appear as follows when the values of the targets are plotted versus vehicle footprint:

⁴³³ See 49 CFR 523.2 for the exact definition of "footprint."

Figure IV.A.5-1. Final MY 2011 and Proposed MY 2012-2016 Passenger Car Fuel Economy Targets





Figure IV.A.5-2. Final MY 2011 and Proposed MY 2012-2016 Light Truck Fuel Economy Targets



Under these proposed footprint-based CAFE standards, the CAFE levels required of individual manufacturers depend, as noted above, on the mix of vehicles sold. It is important to note that NHTSA's CAFE standards and EPA's GHG standards will both be in effect, and each will lead to increases in

average fuel economy and CO₂ emissions reductions. The two agencies' standards together comprise the National Program, and this discussion of costs and benefits of NHTSA's CAFE standards does not change the fact that both the CAFE and GHG standards,

jointly, are the source of the benefits and costs of the National Program.

Based on the forecast developed for this NPRM of the MYs 2012-2016 vehicle fleet, NHTSA estimates that the targets shown above would result in the following average required CAFE levels:

TABLE IV.A.5-1—AVERAGE REQUIRED FUEL ECONOMY (MPG) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016
Passenger Cars	33.6	34.4	35.2	36.4	38.0
Light Trucks	25.0	25.6	26.2	27.1	28.3
Combined	29.8	30.6	31.4	32.6	34.1

For the reader's reference, these miles per gallon would be equivalent to the

following gallons per 100 miles for passenger cars and light trucks:

	2012	2013	2014	2015	2016
Passenger Cars	2.9762	2.907	2.8409	2.7473	2.6316
Light Trucks	4.0	3.9063	3.8168	3.8168	3.5336

NHTSA estimates that average achieved fuel economy levels will correspondingly increase through MY 2016, but that manufacturers will, on

average, undercomply⁴³⁴ in some model

⁴³⁴ In NHTSA's analysis, "undercompliance" is mitigated either through use of FFV credits, use of existing or "banked" credits, or through fine

payment. Because NHTSA cannot consider availability of credits in setting standards, the estimated achieved CAFE levels presented here do not account for their use. In contrast, because

Continued

years and overcomply⁴³⁵ in others, reaching a combined average fuel economy of 33.7 mpg in MY 2016.⁴³⁶ Table IV.A.5-1 is the estimated required fuel economy for the proposed CAFE

standards while Table IV.A.5-2 includes the effects of some manufacturers' payment of CAFE fines. In addition, Section IV.G.4 below contains an analysis of the achieved

levels (and projected fuel savings, costs, and benefits) when the use of FFV credits is also assumed.

TABLE IV.A.5-2—AVERAGE ACHIEVED FUEL ECONOMY (MPG) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016
Passenger Cars	32.9	34.2	35.2	36.5	37.6
Light Trucks	24.9	25.7	26.5	27.4	28.1
Combined	29.3	30.5	31.5	32.7	33.7

For the reader's reference, these miles per gallon would be equivalent to the

following gallons per 100 miles for passenger cars and light trucks:

	2012	2013	2014	2015	2016
Passenger Cars	3.0438	2.9267	2.8398	2.7434	2.6623
Light Trucks	4.0241	3.8952	3.7713	3.6495	3.5604

NHTSA estimates that these fuel economy increases will lead to fuel savings totaling 61.6 billion gallons

during the useful lives of vehicles sold in MYs 2012-2016:

TABLE IV.A.5-3—FUEL SAVED (BILLION GALLONS) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	2.5	5.3	7.5	9.4	11.4	36.0
Light Trucks	1.8	3.7	5.4	6.8	7.8	25.6
Combined	4.3	9.1	12.9	16.1	19.2	61.6

The agency also estimates that these new CAFE standards will lead to

corresponding reductions of CO₂ emissions totaling 656 million metric

tons (mmt) during the useful lives of vehicles sold in MYs 2012-2016:

TABLE IV.A.5-4—AVOIDED CARBON DIOXIDE EMISSIONS (MMT) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	25	56	79	99	121	381
Light Trucks	19	40	58	73	85	275
Combined	44	96	137	173	206	656

The agency estimates that these fuel economy increases would produce other benefits (e.g., reduced time spent refueling), as well as some disbenefits (e.g., increase traffic congestion) caused by drivers' tendency to increase travel

when the cost of driving declines (as it does when fuel economy increases). The agency has estimated the total monetary value to society of these benefits and disbenefits, and estimates that the proposed standards will produce

significant benefits to society. NHTSA estimates that, in present value terms, these benefits would total \$200 billion over the useful lives of vehicles sold during MYs 2012-2016:

TABLE IV.A.5-5—PRESENT VALUE OF BENEFITS (\$BILLION) UNDER PROPOSED CAFE STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	7.6	17.0	24.4	31.2	38.7	119.1

NHTSA is not prohibited from considering fine payment, the estimated achieved CAFE levels presented here include the assumption that BMW, Daimler (i.e., Mercedes), Porsche, and, Tata (i.e., Jaguar and Rover) will only apply technology up to the point that it would be less expensive to pay civil penalties.

⁴³⁵In NHTSA's analysis, "overcompliance" occurs through multi-year planning: manufacturers apply some "extra" technology in early model years (e.g., MY 2014) in order to carry that technology forward and thereby facilitate compliance in later model years (e.g., MY 2016)

⁴³⁶Consistent with EPCA, NHTSA has not accounted for manufacturers' ability to earn CAFE credits for selling FFVs, carry credits forward and back between model years, and transfer credits between the passenger car and light truck fleets.

TABLE IV.A.5-5—PRESENT VALUE OF BENEFITS (\$BILLION) UNDER PROPOSED CAFE STANDARDS—Continued

	2012	2013	2014	2015	2016	Total
Light Trucks	5.5	11.6	17.3	22.2	26.0	82.6
Combined	13.1	28.7	41.8	53.4	64.7	201.7

NHTSA attributes most of these benefits—about \$157 billion, as noted above—to reductions in fuel consumption, valuing fuel (for societal purposes) at future pretax prices in the

Energy Information Administration's (EIA's) reference case forecast from Annual Energy Outlook (AEO) 2009. The Preliminary Regulatory Impact Analysis (PRIA) accompanying today's

proposed rule presents a detailed analysis of specific benefits of the proposed rule.

	Amount	\$ Value
Fuel savings	61.6 billion gallons	\$158.0 billion.
CO ₂ emissions reductions	656 million metric tons (mmt)	\$16.4 billion.

NHTSA estimates that the necessary increases in technology application will involve considerable monetary outlays,

totaling \$62.5 billion in incremental outlays (*i.e.*, beyond those attributable to the MY 2011 standards) by new

vehicle purchasers during MYs 2012–2016:

TABLE IV.A.5-6—INCREMENTAL TECHNOLOGY OUTLAYS (\$B) UNDER PROPOSED CAFE STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	4.1	6.5	8.4	9.9	11.8	40.8
Light Trucks	1.5	2.8	4.0	5.2	5.9	19.4
Combined	5.7	9.3	12.5	15.1	17.6	60.2

Corresponding to these outlays and, to a much lesser extent, civil penalties that some companies are expected to pay for

noncompliance, the agency estimates that the proposed standards would lead to increases in average new vehicle

prices, ranging from \$476 per vehicle in MY 2012 to \$1,091 per vehicle in MY 2016:

TABLE IV.A.5-7—INCREMENTAL INCREASES IN AVERAGE NEW VEHICLE PRICES (\$) UNDER PROPOSED CAFE STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	591	735	877	979	1,127	1,127
Light Trucks	283	460	678	882	1,020	1,020
Combined	476	635	806	945	1,091	1,091

Tables IV.A.5-8 and IV.A.5-9 below present itemized costs and benefits for a 3 percent and a 7 percent discount

rate, respectively, for the combined fleet (passenger cars and light trucks) in each model year and for all model years

combined. Numbers in parentheses represent negative values.

TABLE IV.A.5-8—ITEMIZED COST AND BENEFIT ESTIMATES FOR THE COMBINED VEHICLE FLEET, 3% DISCOUNT RATE

	2012	2013	2014	2015	2016	Total
Costs:						
Technology Costs	\$5,695	\$9,295	\$12,454	\$15,080	\$17,633	\$60,157
Benefits:						
Lifetime Fuel Expenditures	\$10,197	\$22,396	\$32,715	\$41,880	\$50,823	\$158,012
Consumer Surplus from Additional Driving ..	\$751	\$1,643	\$2,389	\$3,029	\$3,639	\$11,451
Refueling Time Value	\$776	\$1,551	\$2,198	\$2,749	\$3,277	\$10,550
Petroleum Market Externalities	\$559	\$1,194	\$1,700	\$2,129	\$2,538	\$8,121
Congestion Costs	(\$460)	(\$934)	(\$1,332)	(\$1,657)	(\$1,991)	(\$6,376)
Noise Costs	(\$7)	(\$14)	(\$21)	(\$26)	(\$31)	(\$99)
Crash Costs	(\$217)	(\$437)	(\$625)	(\$776)	(\$930)	(\$2,985)
CO ₂	\$1,028	\$2,287	\$3,382	\$4,376	\$5,372	\$16,446
CO	\$0	\$0	\$0	\$0	\$0	\$0
VOC	\$41	\$80	\$108	\$131	\$156	\$518
NO _x	\$82	\$132	\$155	\$174	\$200	\$744
PM	\$220	\$438	\$621	\$771	\$904	\$2,956

TABLE IV.A.5-8—ITEMIZED COST AND BENEFIT ESTIMATES FOR THE COMBINED VEHICLE FLEET, 3% DISCOUNT RATE—Continued

	2012	2013	2014	2015	2016	Total
SO _x	\$161	\$345	\$490	\$613	\$731	\$2,341
Total	\$13,132	\$28,680	\$41,781	\$53,394	\$64,687	\$201,676
Net Benefits	\$7,044	\$18,759	\$27,090	\$34,710	\$41,386	\$128,992

TABLE IV.A.5-9—ITEMIZED COST AND BENEFIT ESTIMATES FOR THE COMBINED VEHICLE FLEET, 7% DISCOUNT RATE

	2012	2013	2014	2015	2016	Total
Costs:						
Technology Costs	\$5,695	\$9,295	\$12,454	\$15,080	\$17,633	\$60,157
Benefits:						
Lifetime Fuel Expenditures	\$7,991	\$17,671	\$25,900	\$33,264	\$40,478	\$125,305
Consumer Surplus from Additional Driving ..	\$590	\$1,301	\$1,896	\$2,412	\$2,904	\$9,102
Refueling Time Value	\$624	\$1,249	\$1,770	\$2,215	\$2,642	\$8,500
Petroleum Market Externalities	\$448	\$960	\$1,367	\$1,712	\$2,043	\$6,531
Congestion Costs	(\$371)	(\$753)	(\$1,074)	(\$1,335)	(\$1,606)	(\$5,138)
Noise Costs	(\$6)	(\$12)	(\$16)	(\$21)	(\$24)	(\$80)
Crash Costs	(\$173)	(\$352)	(\$503)	(\$626)	(\$749)	(\$2,403)
CO ₂	\$797	\$1,781	\$2,634	\$3,410	\$4,189	\$12,813
CO	\$0	\$0	\$0	\$0	\$0	\$0
VOC	\$33	\$65	\$87	\$106	\$125	\$416
NO _x	\$60	\$99	\$120	\$135	\$156	\$570
PM	\$170	\$344	\$492	\$613	\$721	\$2,339
SO _x	\$129	\$278	\$394	\$493	\$588	\$1,882
Total	\$10,292	\$22,631	\$33,066	\$42,380	\$51,468	\$159,837
Net Benefits	\$4,281	\$12,832	\$18,818	\$24,414	\$29,293	\$89,638

Neither EPCA nor EISA requires that NHTSA conduct a cost-benefit analysis in determining average fuel economy standards, but too, neither precludes its use.⁴³⁷ EPCA does require that NHTSA consider economic practicability among other factors, and NHTSA has concluded, as discussed elsewhere herein, that the standards it proposes today are economically practicable. Further validating and supporting its conclusion that the standards it proposes today are reasonable, a comparison of the standards' costs and benefits shows that the standards' estimated benefits far outweigh its estimated costs. Based on the figures reported above, NHTSA estimates that the total benefits of today's proposed standards would be more three times the magnitude of the corresponding costs, such that the proposed standards would produce net benefits of nearly

⁴³⁷ *Center for Biological Diversity v. NHTSA*, 508 F.3d 508 (9th Cir. 2007) (rejecting argument that EPCA precludes the use of a marginal cost-benefit analysis that attempted to weigh all of the social benefits (i.e., externalities as well as direct benefits to consumers) of improved fuel savings in determining the stringency of the CAFE standards). See also *Entergy Corp. v. Riverkeeper, Inc.*, 129 S.Ct. 1498, 1508 (2009) ("[U]nder *Chevron*, that an agency is not required to [conduct a cost-benefit analysis] does not mean that an agency is not permitted to do so.")

\$138 billion over the useful lives of vehicles sold during MYs 2012–2016.

B. Background

1. Chronology of Events Since the National Academy of Sciences Called for Reforming and Increasing CAFE Standards

a. National Academy of Sciences Issues Report on Future of CAFE Program (February 2002)

i. Significantly Increasing CAFE Standards Without Making Them Attribute-Based Would Adversely Affect Safety

In the 2002 congressionally-mandated report entitled "Effectiveness and Impact of Corporate Average Fuel Economy (CAFE) Standards,"⁴³⁸ a committee of the National Academy of Sciences (NAS) ("2002 NAS Report")

⁴³⁸ National Research Council, "Effectiveness and Impact of Corporate Average Fuel Economy (CAFE) Standards," National Academy Press, Washington, DC (2002). Available at <http://www.nap.edu/openbook.php?isbn=0309076013> (last accessed August 9, 2009). The conference committee report for the Department of Transportation and Related Agencies Appropriations Act for FY 2001 (Pub. L. 106-346) directed NHTSA to fund a study by NAS to evaluate the effectiveness and impacts of CAFE standards (H. Rep. No. 106-940, p. 117–118). In response to the direction from Congress, NAS published this lengthy report.

concluded that the then-existing form of passenger car and light truck CAFE standards permitted vehicle manufacturers to comply in part by downweighting and even downsizing their vehicles and that these actions had led to additional fatalities. The committee explained that this safety problem arose because, at that time, the CAFE standards were not attribute-based and thus subjected all passenger cars to the same fuel economy target and all light trucks to the same target, regardless of their weight, size, or load-carrying capacity.⁴³⁹ The committee said that this experience suggests that consideration should be given to developing a new system of fuel economy targets that reflects differences in such vehicle attributes. Without a thoughtful restructuring of the program, there would be the trade-offs that must be made if CAFE standards were increased by any significant amount.⁴⁴⁰

In response to these conclusions, NHTSA issued attribute-based CAFE standards for light trucks and sought legislative authority to issue attribute-based CAFE standards for passenger cars before undertaking to raise the car

⁴³⁹ NHTSA formerly used this approach for CAFE standards. EISA prohibits its use after MY 2010.

⁴⁴⁰ NAS, p. 9.

standards. Congress went a step further in enacting EISA, not only authorizing the issuance of attribute-based standards, but also mandating them.

ii. Climate Change and Other Externalities Justify Increasing the CAFE Standards

The NAS committee said that there are two compelling concerns that justify a government-mandated increase in fuel economy, both relating to externalities. The first and most important concern, it argued, is the accumulation in the atmosphere of greenhouse gases, principally carbon dioxide.⁴⁴¹

A second concern is that petroleum imports have been steadily rising because of the nation's increasing demand for gasoline without a corresponding increase in domestic supply. The high cost of oil imports poses two risks: Downward pressure on the strength of the dollar (which drives up the cost of goods that Americans import) and an increase in U.S. vulnerability to macroeconomic shocks that cost the economy considerable real output.

To determine how much the fuel economy standards should be increased, the committee urged that all social benefits be considered. That is, it urged not only that the dollar value of the saved fuel be considered, but also that the dollar value to society of the resulting reductions in greenhouse gas emissions and in dependence on imported oil should be calculated and considered. The committee said that if it is possible to assign dollar values to these favorable effects, it becomes possible to make at least crude comparisons between the socially beneficial effects of measures to improve fuel economy on the one hand, and the costs (both out-of-pocket and more subtle) on the other.

iii. Reforming the CAFE Program Could Address Inequity Arising From the CAFE Structure

The 2002 NAS report expressed concerns about increasing the standards under the CAFE program as currently structured. While raising CAFE standards under the existing structure would reduce fuel consumption, doing so under alternative structures "could accomplish the same end at lower cost, provide more flexibility to manufacturers, or address inequities arising from the present" structure.⁴⁴²

To address those structural problems, the report suggested various possible reforms. The report found that the

"CAFE program might be improved significantly by converting it to a system in which fuel targets depend on vehicle attributes."⁴⁴³ The report noted further that under an attribute-based approach, the required CAFE levels could vary among the manufacturers based on the distribution of their product mix. NAS stated that targets could vary among passenger cars and among trucks, based on some attribute of these vehicles such as weight, size, or load-carrying capacity. The report explained that a particular manufacturer's average target for passenger cars or for trucks would depend upon the fractions of vehicles it sold with particular levels of these attributes.⁴⁴⁴

2. NHTSA Issues Final Rule Establishing Attribute-Based CAFE Standards for MY 2008–2011 Light Trucks (March 2006)

The 2006 final rule reformed the structure of the CAFE program for light trucks by introducing an attribute-based approach and using that approach to establish higher CAFE standards for MY 2008–2011 light trucks.⁴⁴⁵ Reforming the CAFE program enables it to achieve larger fuel savings, while enhancing safety and preventing adverse economic consequences.

As noted above, under Reformed CAFE, fuel economy standards were restructured so that they are based on a vehicle attribute, a measure of vehicle size called "footprint." It is the product of multiplying a vehicle's wheelbase by its track width. A target level of fuel economy was established for each increment in footprint (0.1 ft²). Trucks with smaller footprints have higher fuel economy targets; conversely, larger ones have lower targets. A particular manufacturer's compliance obligation for a model year is calculated as the harmonic average of the fuel economy targets for the manufacturer's vehicles, weighted by the distribution of the manufacturer's production volumes among the footprint increments. Thus, each manufacturer is required to comply with a single overall average fuel economy level for each model year of production.

Compared to Unreformed (non-attributed-based) CAFE, Reformed CAFE enhances overall fuel savings while providing vehicle manufacturers with the flexibility they need to respond to changing market conditions. Reformed CAFE also provides a more equitable regulatory framework by creating a level playing field for manufacturers,

regardless of whether they are full-line or limited-line manufacturers. We were particularly encouraged that Reformed CAFE will confer no compliance advantage if vehicle makers choose to downsize some of their fleet as a CAFE compliance strategy, thereby reducing the adverse safety risks associated with the Unreformed CAFE program.

3. Ninth Circuit Issues Decision re Final Rule for MY 2008–2011 Light Trucks (November 2007)

On November 15, 2007, the United States Court of Appeals for the Ninth Circuit issued its decision in *Center for Biological Diversity v. NHTSA*,⁴⁴⁶ the challenge to the MY 2008–11 light truck CAFE rule. The court held that EPCA permits, but does not require, the use of a marginal cost-benefit analysis. The court specifically emphasized NHTSA's discretion to decide how to balance the statutory factors—as long as that balancing does not undermine the fundamental statutory purpose of energy conservation.

However, the Court found that NHTSA had been arbitrary and capricious in the following respects:

- NHTSA's decision that it could not monetize the benefit of reducing CO₂ emissions for the purpose of conducting its marginal benefit-cost analysis;
- NHTSA's lack, in the Court's view, of a reasoned explanation for its decision not to establish a "backstop" (i.e., a fixed minimum CAFE standard applicable to manufacturers);
- NHTSA's lack, again in the Court's view, of a reasoned explanation for its decision not to revise the regulatory definitions for the passenger car and light truck categories of automobiles so that some vehicles currently classified as light trucks are instead classified as passenger cars;
- NHTSA's decision not to subject most medium- and heavy-duty pickups and most medium- and heavy-duty cargo vans (i.e., those between 8,500 and 10,000 pounds gross vehicle weight rating (GVWR)) to the CAFE standards;
- NHTSA's decision to prepare and publish an Environmental Assessment (EA) and making a finding of no significant impact notwithstanding what the Court found to be an insufficiently broad range of alternatives, insufficient analysis of the climate change effects of the CO₂ emissions, and limited assessment of cumulative impacts in its EA under the National Environmental Policy Act (NEPA).

The Court did not vacate the standards, but instead said it would remand the rule to NHTSA to

⁴⁴¹ NAS, pp. 2, 13, and 83.

⁴⁴² NAS, pp. 4–5 (Finding 10).

⁴⁴³ NAS, p. 5 (Finding 12).

⁴⁴⁴ NAS, p. 87.

⁴⁴⁵ 71 FR 17566 (Apr. 6, 2006).

⁴⁴⁶ 508 F.3d 508.

promulgate new standards consistent with its opinion "as expeditiously as possible and for the earliest model year practicable."⁴⁴⁷ Under the decision, the standards established by the April 2006 final rule would remain in effect unless and until amended by NHTSA. In addition, it directed the agency to prepare an Environmental Impact Statement.

4. Congress Enacts Energy Security and Independence Act of 2007 (December 2007)

As noted above in Section I.B., EISA significantly changed the provisions of EPCA governing the establishment of future CAFE standards. These changes made it necessary for NHTSA to pause in its efforts so that it could assess the implications of the amendments made by EISA and then, as required, revise some aspects of the proposals it had been developing (e.g., the model years covered and credit issues).

5. NHTSA Proposes CAFE Standards for MYs 2011–2015 (April 2008)

The agency cannot set out the exact level of CAFE that each manufacturer would have been required to meet for each model year under the passenger car or light truck standards since the levels would depend on information that would not be available until the end of each of the model years, i.e., the final actual production figures for each of those years. The agency can, however, project what the industry-wide level of average fuel economy would have been for passenger cars and for light trucks if each manufacturer produced its expected mix of automobiles and just met its obligations under the proposed "optimized" standards for each model year.

	Passenger cars mpg	Light trucks mpg
MY 2011	31.2	25.0
MY 2012	32.8	26.4
MY 2013	34.0	27.8
MY 2014	34.8	28.2

⁴⁴⁷ The deadline in EPCA for issuing a final rule establishing, for the first time, a CAFE standard for a model year is 18 months before the beginning of that model year. 49 U.S.C. 32902(g)(2). The same deadline applies to issuing a final rule amending an existing CAFE standard so as to increase its stringency. Given that the agency has long regarded October 1 as the beginning of a model year, the statutory deadline for increasing the MY 2009 standard was March 30, 2007, and the deadline for increasing the MY 2010 standard is March 30, 2008. Thus, the only model year for which there was sufficient time at the time of the Court's decision to gather all of the necessary information, conduct the necessary analyses and complete a rulemaking was MY 2011. As noted earlier in this notice, however, EISA requires that a new standard be established for that model year.

	Passenger cars mpg	Light trucks mpg
MY 2015	35.7	28.6

The combined industry-wide average fuel economy (in miles per gallon, or mpg) levels for both cars and light trucks, if each manufacturer just met its obligations under the proposed "optimized" standards for each model year, would have been as follows:

	Combined mpg
MY 2011	27.8
MY 2012	29.2
MY 2013	30.5
MY 2014	31.0
MY 2015	31.6

The annual average increase during this five year period would have been approximately 4.5 percent. Due to the uneven distribution of new model introductions during this period and to the fact that significant technological changes could be most readily made in conjunction with those introductions, the annual percentage increases were greater in the early years in this period.

6. Ninth Circuit Revises its Decision re Final Rule for MY 2008–2011 Light Trucks (August 2008)

In response to the Government petition for rehearing, the Ninth Circuit modified its decision by replacing its direction to prepare an EIS with a direction to prepare either a new EA or, if necessary, an EIS.⁴⁴⁸

7. NHTSA Releases Final Environmental Impact Statement (October 2008)

On October 17, 2008, EPA published a notice announcing the availability of NHTSA's final environmental impact statement (FEIS) for this rulemaking.⁴⁴⁹ Throughout the FEIS, NHTSA relied extensively on findings of the United Nations Intergovernmental Panel on Climate Change (IPCC) and the U.S. Climate Change Science Program (USCCSP). In particular, the agency relied heavily on the most recent, thoroughly peer-reviewed, and credible assessments of global climate change and its impact on the United States: the IPCC Fourth Assessment Report Working Group I4 and II5 Reports, and reports by the USCCSP that include *Scientific Assessments of the Effects of Global Climate Change on the United States* and *Synthesis and Assessment Products*.

⁴⁴⁸ See *CBD v. NHTSA*, 538 F.3d 1172 (9th Cir. 2008).

⁴⁴⁹ 73 FR 61859 (Oct. 18, 2008).

In the FEIS, NHTSA compared the environmental impacts of its preferred alternative and those of reasonable alternatives. It considered direct, indirect, and cumulative impacts and describes these impacts to inform the decisionmaker and the public of the environmental impacts of the various alternatives.

Among other potential impacts, NHTSA analyzed the direct and indirect impacts related to fuel and energy use, emissions, including carbon dioxide and its effects on temperature and climate change, air quality, natural resources, and the human environment. Specifically, the FEIS used a climate model to estimate and report on four direct and indirect effects of climate change, driven by alternative scenarios of GHG emissions, including:

1. Changes in CO₂ concentrations;
2. Changes in global mean surface temperature;
3. Changes in regional temperature and precipitation; and
4. Changes in sea level.

NHTSA also considered the cumulative impacts of the proposed standards for MY 2011–2015 passenger cars and light trucks, together with estimated impacts of NHTSA's implementation of the CAFE program through MY 2010 and NHTSA's future CAFE rulemaking for MYs 2016–2020.

8. Department of Transportation Decides not to Issue MY 2011–2015 Final Rule (January 2009)

On January 7, 2009, the Department of Transportation announced that the Bush Administration would not issue the final rule, notwithstanding the Office of Information and Regulatory Affairs' completion of review of the rule under Executive Order 12866, Regulatory Planning and Review, on November 14, 2008.⁴⁵⁰

9. The President Requests NHTSA to Issue Final Rule for MY 2011 Only (January 2009)

As explained above, in his memorandum of January 26, 2009, the President requested the agency to issue a final rule adopting CAFE standards for MY 2011 only. Further, the President requested NHTSA to establish standards for MY 2012 and later after considering the appropriate legal factors, the comments filed in response to the May 2008 proposal, the relevant technological and scientific considerations, and, to the extent feasible, a forthcoming report by the

⁴⁵⁰ The statement can be found at <http://www.dot.gov/affairs/dot0109.htm> (last accessed August 9, 2009).

National Academy of Sciences assessing automotive technologies that can practically be used to improve fuel economy.

10. NHTSA Issues Final Rule for MY 2011 (March 2009)

a. Introduction

NHTSA's review and analysis of comments on its proposal led the agency to make many changes to its methods for analyzing potential MY 2011 CAFE standards, as well as to the data and other information to which the agency has applied these methods. The following are some of the more prominent changes:

- After receiving, reviewing, and integrating updated product plans from vehicle manufacturers, NHTSA revised its forecast of the future light vehicle market.
- NHTSA changed the methods and inputs it used to represent the applicability, availability, cost, and effectiveness of future fuel-saving technologies.
- NHTSA based its fuel price forecast on the AEO 2008 High Case price scenario instead of the AEO 2008 Reference Case.
- NHTSA reduced mileage accumulation estimates (i.e., vehicle miles traveled) to levels consistent with this increased fuel price forecast.
- NHTSA applied increased estimates for the value of oil import externalities.
- NHTSA included all manufacturers—not just the largest seven—in the process used to fit the curve and estimate the stringency at which societal net benefits are maximized.
- NHTSA tightened its application of the definition of “nonpassenger automobiles,” causing a reassigning of over one million vehicles from the light truck fleet to the passenger car fleet, and lowering the average fuel economy for cars due to the inclusion of vehicles previously categorized as trucks, as well as the average fuel economy for trucks because the truck category then had a larger proportion of heavier trucks.
- NHTSA fitted the shape of the curve based on “exhaustion” of available technologies instead of on manufacturer-level optimization of CAFE levels.

These changes affected both the shape and stringency of the attribute-based standards. Taken together, the last three of the above changes reduced the steepness of the curves defining fuel economy targets for passenger cars, and also less significantly reduced the steepness of the light truck curves.

b. Standards

The final rule established footprint-based fuel economy standards for MY 2011 passenger cars and light trucks, where each vehicle manufacturer's required level of CAFE was based on target levels of average fuel economy set for vehicles of different sizes and on the distribution of that manufacturer's vehicles among those sizes. The curves defining the performance target at each footprint reflect the technological and economic capabilities of the industry. The target for each footprint is the same for all manufacturers, regardless of differences in their overall fleet mix. Compliance would be determined by comparing a manufacturer's harmonically averaged fleet fuel economy levels in a model year with a required fuel economy level calculated using the manufacturer's actual production levels and the targets for each footprint of the vehicles that it produces.

The agency analyzed seven regulatory alternatives, one of which maximizes net benefits within the limits of available information and was known at the time as the “optimized standards.” The optimized standards were set at levels, such that, considering all of the manufacturers together, no other alternative is estimated to produce greater net benefits to society. Upon a considered analysis of all information available, including all information submitted to NHTSA in comments, the agency adopted the “optimized standard” alternative as the final standards for MY 2011.⁴⁵¹ By limiting the standards to levels that can be achieved using technologies each of which are estimated to provide benefits that at least equal its costs, the net benefit maximization approach helped, at the time, to assure the marketability of the manufacturers' vehicles and thus economic practicability of the standards. Providing this assurance assumed increased importance in view of current and anticipated conditions in the industry in particular and the economy in general. As was widely reported in the public domain throughout that rulemaking, and as shown in public comments, the national and global economies raised serious concerns. Even before those recent developments, the automobile manufacturers were already facing substantial difficulties. Together, these problems made NHTSA's economic practicability analysis particularly

⁴⁵¹ The agency notes, for NEPA purposes, that the “optimized standard” alternative adopted as the final standards corresponds to the “Optimized Mid-2” scenario described in Section 2.2.2 of the FEIS.

important and challenging in that rulemaking.

The agency could not set out the exact level of CAFE that each manufacturer would be required to meet for MY 2011 under the passenger car or light truck standards because the levels will depend on information that will not be available until the end of that model year, i.e., the final actual production figures for that year. However, the following levels were projected for what the industry-wide level of average fuel economy will be for passenger cars and for light trucks if each manufacturer produced its expected mix of automobiles and just met its obligations under the “optimized” standards.

	Passenger cars mpg	Light trucks mpg
MY 2011	30.2	24.1

The combined industry-wide average fuel economy (in miles per gallon, or mpg) levels for both cars and light trucks, if each manufacturer just met its obligations under the “optimized” standards, were projected as follows:

	Combined mpg	mpg increase over prior year
MY 2011	27.3	2.0

In addition, per EISA, each manufacturer's domestic passenger fleet is required in MY 2011 to achieve 27.5 mpg or 92 percent of the CAFE of the industry-wide combined fleet of domestic and non-domestic passenger cars⁴⁵² for that model year, whichever is higher. This requirement resulted in the following projected alternative minimum standard (not attribute-based) for domestic passenger cars:

	Domestic passenger cars mpg
MY 2011	27.8

c. Credits

NHTSA also adopted a new Part 536 on use of “credits” earned for exceeding applicable CAFE standards. Part 536 implements the provisions in EISA authorizing NHTSA to establish by regulation a credit trading program and directing it to establish by regulation a credit transfer program.⁴⁵³ Since its

⁴⁵² Those numbers set out several paragraphs above.

⁴⁵³ Congress required that DOT establish a credit “transferring” regulation, to allow individual manufacturers to move credits from one of their

enactment, EPCA has permitted manufacturers to earn credits for exceeding the standards and to apply those credits to compliance obligations in years other than the model year in which it was earned. EISA extended the "carry-forward" period to five model years, and left the "carry-back" period at three model years. Under Part 536, credit holders (including, but not limited to, manufacturers) will have credit accounts with NHTSA, and will be able to hold credits, apply them to compliance with CAFE standards, transfer them to another "compliance category" for application to compliance there, or trade them. A credit may also be cancelled before its expiry date, if the credit holder so chooses. Traded and transferred credits will be subject to an "adjustment factor" to ensure total oil savings are preserved, as required by EISA. EISA also prohibits credits earned before MY 2011 from being transferred, so NHTSA has developed several regulatory restrictions on trading and transferring to facilitate Congress' intent in this regard.

11. Energy Policy and Conservation Act, as Amended by the Energy Independence and Security Act

NHTSA's statutory authority and obligations under the Energy Policy and Conservation Act of 1975 (EPCA), as amended by the Energy Independence and Security Act of 2007 (EISA), is discussed at length above in Section I.B.1.

C. Development and Feasibility of the Proposed Standards

1. How Was the Baseline Vehicle Fleet Developed?

a. Why Do the Agencies Establish a Baseline Vehicle Fleet?

In order to determine what levels of stringency are feasible in future model years, the agencies must project what vehicles will exist in those model years, and then evaluate what technologies can feasibly be applied to those vehicles in order to raise their fuel economy and lower their CO₂ emissions. The agencies therefore establish a baseline vehicle fleet representing those vehicles, based on the best available information. Each agency then developed a separate reference fleet, accounting (via their respective models) for the effect that the MY 2011 CAFE standards have on the baseline fleet. This reference fleet is

fleets to another (e.g., using a credit earned for exceeding the light truck standard for compliance with the domestic passenger car standard). Congress allowed DOT to establish a credit "trading" regulation, so that credits may be bought and sold between manufacturers and other parties.

then used for comparisons of technologies' incremental cost and effectiveness, as well as the other relevant comparisons in the rule.

b. What Data Did the Agencies Use To Construct the Baseline, and How Did They Do So?

As explained in the Technical Support Document (TSD) prepared jointly by NHTSA and EPA, both agencies used a baseline vehicle fleet constructed beginning with EPA fuel economy certification data for the 2008 model year, the most recent for which final data is currently available from manufacturers. This data was used as the source for MY 2008 production volumes and some vehicle engineering characteristics, such as fuel economy ratings, engine sizes, numbers of cylinders, and transmission types.

Some information important for analyzing new CAFE standards is not contained in the EPA fuel economy certification data. EPA staff estimated vehicle wheelbase and track widths using data from Motortrend.com and Edmunds.com. This information is necessary for estimating vehicle footprint, which is required for the analysis of footprint-based standards. Considerable additional information regarding vehicle engineering characteristics is also important for estimating the potential to add new technologies in response to new CAFE standards. In general, such information helps to avoid "adding" technologies to vehicles that already have the same or a more advanced technology. Examples include valvetrain configuration (e.g., OHV, SOHC, DOHC), presence of cylinder deactivation, and fuel delivery (e.g., MPFI, SIDI). To the extent that such engineering characteristics were not available in certification data, EPA staff relied on data published by Ward's Automotive, supplementing this with information from Internet sites such as Motortrend.com and Edmunds.com. NHTSA staff also added some more detailed engineering characteristics (e.g., type of variable valve timing) using data available from ALLDATA® Online. Combined with the certification data, all of this information yielded a MY 2008 baseline vehicle fleet.

After the baseline was created the next step was to project the sales volumes for 2011–2016 model years. EPA used projected car and truck volumes for this period from Energy Information Administration's (EIA's) 2009 Annual Energy Outlook (AEO).⁴⁵⁴

⁴⁵⁴ Available at <http://www.eia.doe.gov/oiia/aeo/index.html>. The agencies have also used fuel price forecasts from AEO2009. Both agencies regard AEO

However, AEO projects sales only at the car and truck level, not at the manufacturer and model-specific level, which are needed in order to estimate the effects new standards will have on individual manufacturers. Therefore, EPA purchased data from CSM-Worldwide and used their projections of the number of vehicles of each type predicted to be sold by manufacturers in 2011–2015.⁴⁵⁵ This provided the year-by-year percentages of cars and trucks sold by each manufacturer as well as the percentages of each vehicle segment. Although it was, therefore, necessary to assume the same manufacturer and segment shares in 2016 as in 2015, 2016 estimates from CSM should be available for the final rule. Using these percentages normalized to the AEO projected volumes then provided the manufacturer-specific market share and model-specific sales for model years 2011–2016.

The processes for constructing the MY 2008 baseline vehicle fleet and subsequently adjusting sales volumes to construct the MY 2011–2016 baseline vehicle fleet are presented in detail in Chapter 1 of the draft Joint Technical Support Document accompanying today's notice.

c. How Is This Different From NHTSA's Historical Approach and Why is This Approach Preferable?

As discussed above in Section II.B.3, NHTSA has historically based its analysis of potential new CAFE standards on detailed product plans the agency has requested from manufacturers planning to produce light vehicles for sale in the United States. In contrast, the current market forecast is based primarily on information sources which are all either in the public domain or available commercially. There are advantages to this approach, namely transparency and the potential to reduce some errors due to manufacturers' misunderstanding of NHTSA's request for information. There are also disadvantages, namely that the current market forecast does not represent certain changes likely to occur in the future vehicle fleet as opposed to the MY 2008 vehicle fleet, such as vehicles being discontinued and newly introduced. On balance, however, the agencies have carefully considered these

a credible source not only of such forecasts, but also of many underlying forecasts, including forecasts of the size the future light vehicle market.

⁴⁵⁵ EPA also considered other sources of similar information, such as J.D. Powers, and concluded that CSM was better able to provide forecasts at the requisite level of detail for most of the model years of interest.

advantages and disadvantages of using a market forecast derived from public and commercial sources rather than from manufacturers' product plans, and conclude that the advantages outweigh the disadvantages.

Nevertheless, the agencies are hopeful that manufacturers will, in the future, agree to make public their plans regarding model years that are very near, such as MY 2010 or perhaps MY 2011, so that this information can be incorporated into an analysis that is available for public review and comment. In any event, because NHTSA and EPA are releasing market inputs used in the agencies' respective analyses, manufacturers, suppliers, and other automobile industry observers and participants can submit comments on how these inputs should be revised, as can all other reviewers. More information on the advantages and disadvantages of the current approach and the agencies' decision to follow it is available in Section II.B.3.

d. How Is This Baseline Different Quantitatively From the Baseline That NHTSA Used for the MY 2011 (March 2009) Final Rule?

As discussed above, the current baseline was developed from adjusted MY 2008 compliance data and covers

MYs 2011–2016, while the baseline that NHTSA used for the MY 2011 CAFE rule was developed from confidential manufacturer product plans for MY 2011. This section describes, for the reader's comparison, some of the differences between the current baseline and the MY 2011 CAFE rule baseline.

Estimated vehicle sales:

The sales forecasts, based on the Energy Information Administration's (EIA's) Annual Energy Outlook 2009 (AEO 2009), used in the current baseline indicate that the total number of light vehicles expected to be sold during MYs 2011–2015 is 77 million, or about 15.4 million vehicles annually. NHTSA's MY 2011 final rule forecast, based on AEO 2008, of the total number of light vehicles likely to be sold during MY 2011 through MY 2015 was 83 million, or about 16.6 million vehicles annually. Light trucks are expected to make up 40 percent of the MY 2011 baseline market forecast in the current baseline, compared to 42 percent of the baseline market forecast in the MY 2011 final rule. These changes in both the overall size of the light vehicle market and the relative market shares of passenger cars and light trucks reflect changes in the economic forecast underlying AEO, and changes in AEO's forecast of future fuel prices.

The figures below attempt to demonstrate graphically the difference between the variation of fuel economy with footprint for passenger cars under the current baseline and MY 2011 final rule, and for light trucks under the current baseline and MY 2011 final rule, respectively. Figures IV.C.1–1 and 1–2 show the variation of fuel economy with footprint for passenger car models in the current baseline and in the MY 2011 final rule, while Figures IV.C.1–3 and 1–4 show the variation of fuel economy with footprint for light truck models in the current baseline and in the MY 2011 final rule. However, it is difficult to draw meaningful conclusions by comparing figures from the current baseline with those of the MY 2011 final rule. In the current baseline the number of make/models, and their associated fuel economy and footprint, are fixed and do not vary over time—this is why the number of data points in the current baseline figures appears smaller as compared to the number of data points in the MY 2011 final rule baseline. In contrast, the baseline fleet used in the MY 2011 final rule varies over time as vehicles (with different fuel economy and footprint characteristics) are added to and dropped from the product mix.

Figure IV.C.1-1. Planned Fuel Economy vs. Footprint, Passenger Cars in Current Baseline




Figure IV.C.1-2. Planned Fuel Economy vs. Footprint, Passenger Cars in MY 2011 Final Rule




Figure IV.C.1-3. Planned Fuel Economy vs. Footprint, Light Trucks in Current Baseline





Figure IV.C.1-4. Planned Fuel Economy vs. Footprint, Light Trucks in MY 2011 Final Rule



Estimated manufacturer market shares:

NHTSA's expectations regarding manufacturers' market shares (the basis

for which is discussed below) have also changed since the MY 2011 final rule. These changes are reflected below in Table IV.C.1-1, which shows the

agency's sales forecasts for passenger cars and light trucks under the current baseline and the MY 2011 final rule.⁴⁵⁶

TABLE IV.C.1-1—SALES FORECASTS
[Production for U.S. sale in MY 2011, thousand units]

Manufacturer	Current baseline.		MY 2011 final rule	
	Passenger	Nonpassenger	Passenger	Nonpassenger
Chrysler	194	403	707	1,216
Ford	1,230	944	1,615	1,144
General Motors	1,156	1,314	1,700	1,844
Honda	996	571	1,250	470
Hyundai	570	127	655	221
Kia ⁴⁵⁷	302	98		
Nissan	794	421	789	479
Toyota	1,474	1,059	1,405	1,094
Other Asian	631	212	441	191
European	888	399	724	190
Total	8,235	5,547	9,286	6,849

Dual-fueled vehicles:

Manufacturers have also, during and since MY 2008, indicated plans to sell

more dual-fueled or flexible-fuel vehicles (FFVs) in MY 2011 than

⁴⁵⁶ As explained below, although NHTSA normalized each manufacturer's overall market share to produce a realistically-sized fleet, the product mix for each manufacturer that submitted

product plans was preserved. The agency has reviewed manufacturers' product plans in detail, and understands that manufacturers do not sell the same mix of vehicles in every model year.

⁴⁵⁷ Kia is not listed in the table for the MY 2011 final rule because it was considered as part of Hyundai for purposes of that analysis (*i.e.*, Hyundai-Kia).

indicated in the current baseline of adjusted MY 2008 compliance data. FFVs create a potential market for alternatives to petroleum-based gasoline and diesel fuel. For purposes of determining compliance with CAFE standards, the fuel economy of a FFV is, subject to limitations, adjusted upward to account for this potential.⁴⁵⁸ However, NHTSA is precluded from "taking credit" for the compliance flexibility by accounting for manufacturers' ability to earn and use credits in setting the level of the standards."⁴⁵⁹ Some manufacturers plan to produce a considerably greater share of FFVs than can earn full credit under EPCA. The projected average FFV share of the market in MY 2011 is 6 percent for the current baseline, versus 17 percent for the MY 2011 final rule.

Estimated achieved fuel economy levels:

Because manufacturers' product plans also reflect simultaneous changes in

fleet mix and other vehicle characteristics, the relationship between increased technology utilization and increased fuel economy cannot be isolated with any certainty. To do so would require an apples-to-apples "counterfactual" fleet of vehicles that are, except for technology and fuel economy, identical—for example, in terms of fleet mix and vehicle performance and utility. The current baseline market forecast shows industry-wide average fuel economy levels somewhat higher in MY 2011 than shown in the MY 2011 final rule. Under the current baseline, average fuel economy for MY 2011 is 26.7 mpg, versus 26.5 mpg under the baseline in the MY 2011 final rule.

These differences are shown in greater detail below in Table IV.C.1-2, which shows manufacturer-specific CAFE levels (not counting FFV credits that some manufacturers expect to earn)

from the current baseline versus the MY 2011 final rule baseline (from manufacturers' 2008 product plans) for passenger cars and light trucks. Table IV.C.1-3 shows the combined averages of these planned CAFE levels in the respective baseline fleets. These tables demonstrate that, while the difference at the industry level is not so large, there are significant differences in CAFE at the manufacturer level between the current baseline and the MY 2011 final rule baseline. For example, while Honda and Hyundai are essentially the same under both, Toyota and Nissan show increased combined CAFE levels under the current baseline (by 2.4 and 0.8 mpg respectively), while Chrysler, Ford, and GM show decreased combined CAFE levels under the current baseline (by 1.1, 1.8, and 1.0 mpg, respectively) relative to the MY 2011 final rule baseline.

TABLE IV.C.1-2—CURRENT BASELINE PLANNED CAFE LEVELS IN MY 2011 VERSUS MY 2011 FINAL RULE PLANNED CAFE LEVELS
[Passenger and nonpassenger]

Manufacturer	Current baseline CAFE levels		MY 2011 planned CAFE levels	
	Passenger	Nonpassenger	Passenger	Nonpassenger
BMW	27.2	23.1	27.0	23.0
Chrysler	28.4	21.8	28.2	23.1
Ford	28.2	20.5	29.3	22.5
Subaru	29.1	25.6	28.6	28.6
General Motors	28.5	20.9	30.3	21.4
Honda	33.8	25.3	32.3	25.2
Hyundai	31.5	24.3	31.7	26.0
Tata	24.6	19.5	24.7	23.9
Kia ⁴⁶⁰	31.7	23.7
Mazda ⁴⁶¹	31.0	26.7
Daimler	27.3	21.0	25.2	20.6
Mitsubishi	30.0	23.8	29.3	26.7
Nissan	31.9	21.5	31.3	21.4
Porsche	26.2	20.0	27.2	20.0
Ferrari ⁴⁶²	16.2
Maserati ⁴⁶³	18.2
Suzuki	30.5	23.3	28.7	24.0
Toyota	35.4	24.8	33.2	22.7
Volkswagen	28.6	20.2	28.5	20.1
Total/Average	30.8	22.3	30.4	22.6

⁴⁵⁸ See 49 U.S.C. 32905 and 32906.

⁴⁵⁹ 49 U.S.C. 32902(h).

⁴⁶⁰ Again, Kia is not listed in the table for the MY 2011 final rule because it was considered as part of Hyundai for purposes of that analysis (i.e., Hyundai-Kia).

⁴⁶¹ Mazda is not listed in the table for the MY 2011 final rule because it was considered as part of Ford for purposes of that analysis.

⁴⁶² EPA did not include Ferrari in the current baseline based on the conclusion that including them would not impact the results, and therefore

Ferrari is not listed in the table for the current baseline.

⁴⁶³ EPA did not include Maserati in the current baseline based on the conclusion that including them would not impact the results, and therefore Maserati is not listed in the table for the current baseline.

TABLE IV.C.1-3—CURRENT BASELINE PLANNED CAFE LEVELS IN MY 2011 VERSUS MY 2011 FINAL RULE PLANNED CAFE LEVELS (COMBINED)

Manufacturer	Current baseline	MY 2011 final rule baseline
BMW	25.6	26.0
Chrysler	23.6	24.7
Ford	24.2	26.0
Subaru	27.5	28.6
General Motors	23.9	24.9
Honda	30.1	30.0
Hyundai	29.9	30.0
Tata	21.1	24.4
Kia	29.3	
Mazda	30.2	
Daimler	24.7	23.6
Mitsubishi	29.1	29.1

TABLE IV.C.1-3—CURRENT BASELINE PLANNED CAFE LEVELS IN MY 2011 VERSUS MY 2011 FINAL RULE PLANNED CAFE LEVELS (COMBINED)—Continued

Manufacturer	Current baseline	MY 2011 final rule baseline
Nissan	27.3	26.6
Porsche	23.2	22.0
Ferrari		16.2
Maserati		18.2
Suzuki	28.6	27.8
Toyota	30.0	27.6
Volkswagen	26.2	27.1
Total/Average	26.7	26.5

Tables IV.C.1-4 through 1-6 summarize other differences between

the current baseline and manufacturers' product plans submitted to NHTSA in 2008 for the MY 2011 final rule. These tables present average vehicle footprint, curb weight, and power-to-weight ratios for each manufacturer represented in the current baseline and of the seven largest manufacturers represented in the product plan data, and for the overall industry. The tables containing product plan data do not identify manufacturers by name, and do not present them in the same sequence.

Tables IV.C.1-4a and 1-4b show that the current baseline reflects a slight decrease in overall average passenger vehicle size relative to the manufacturers' plans. This is a reflection of the market segment shifts underlying the sales forecasts of the current baseline.

TABLE IV.C.1-4a—CURRENT BASELINE AVERAGE MY 2011 VEHICLE FOOTPRINT [Square Feet]

Manufacturer	PC	LT	Avg.
BMW	45.4	49.7	46.9
Chrysler	46.4	54.0	51.5
Ford	46.2	57.9	51.3
Subaru	43.1	46.3	44.4
General Motors	46.2	59.6	53.4
Honda	44.3	49.4	46.2
Hyundai	44.7	48.8	45.5
Tata	50.3	48.0	48.8
Kia	45.2	51.6	46.7
Mazda	44.3	46.9	44.7
Daimler	46.6	53.3	49.0
Mitsubishi	43.8	46.4	44.1
Nissan	45.2	55.4	48.8
Porsche	38.6	51.0	43.6
Suzuki	41.0	47.2	42.3
Toyota	44.0	51.1	47.0
Volkswagen	43.4	52.6	45.4
Industry Average	45.0	54.4	48.8

TABLE IV.C.1-4b—MY 2011 FINAL RULE AVERAGE PLANNED MY 2011 VEHICLE FOOTPRINT [Square Feet]

	PC	LT	Avg.
Manufacturer 1	46.7	58.5	52.8
Manufacturer 2	46.0	5.4	47.1
Manufacturer 3	44.9	52.8	48.4
Manufacturer 4	45.4	55.8	49.3
Manufacturer 5	45.2	57.5	50.3
Manufacturer 6	48.5	54.7	52.4
Manufacturer 7	45.1	49.9	46.4
Industry Average	45.6	55.1	49.7

⁴⁶⁰ Again, Kia is not listed in the table for the MY 2011 final rule because it was considered as part of Hyundai for purposes of that analysis (i.e., Hyundai-Kia).

⁴⁶¹ Mazda is not listed in the table for the MY 2011 final rule because it was considered as part of Ford for purposes of that analysis.

⁴⁶² EPA did not include Ferrari in the current baseline based on the conclusion that including them would not impact the results, and therefore Ferrari is not listed in the table for the current baseline.

⁴⁶³ EPA did not include Maserati in the current baseline based on the conclusion that including

them would not impact the results, and therefore Maserati is not listed in the table for the current baseline.

Tables IV.C.1-5a and 1-5b show that the current baseline reflects a decrease in overall average vehicle weight relative to the manufacturers' plans. As above, this is most likely a reflection of the market segment shifts underlying the sales forecasts of the current baseline.

TABLE IV.C.1-5a—CURRENT BASELINE AVERAGE MY 2011 VEHICLE CURB WEIGHT
[Pounds]

Manufacturer	PC	LT	Avg.
BMW	3,535	4,612	3,900
Chrysler	3,498	4,506	4,178
Ford	3,516	4,596	3,985
Subaru	3,155	3,801	3,435
General Motors	3,495	5,030	4,311
Honda	3,021	4,064	3,401
Hyundai	3,135	4,080	3,307
Tata	3,906	5,198	4,717
Kia	3,034	4,057	3,284
Mazda	3,236	3,744	3,316
Daimler	3,450	5,123	4,045
Mitsubishi	3,238	3,851	3,312
Nissan	3,242	4,535	3,690
Porsche	3,159	4,907	3,874
Suzuki	2,870	3,843	3,080
Toyota	3,112	4,186	3,561
Volkswagen	3,479	5,673	3,959
Industry Average	3,280	4,538	3,786

TABLE IV.C.1-5b—MY 2011 FINAL RULE AVERAGE PLANNED MY 2011 VEHICLE CURB WEIGHT
[Pounds]

Manufacturer	PC	LT	Avg.
Manufacturer 1	3,197	4,329	3,692
Manufacturer 2	3,691	4,754	4,363
Manufacturer 3	3,293	4,038	3,481
Manufacturer 4	3,254	4,191	3,510
Manufacturer 5	3,547	5,188	4,401
Manufacturer 6	3,314	4,641	3,815
Manufacturer 7	3,345	4,599	3,865
Industry Average	3,380	4,687	3,935

Tables IV.C.1-6a and IV.C.1-6b show that the current baseline reflects a decrease in average performance relative to that of the manufacturers' product plans. This decreased performance is most likely a reflection of the market segment shifts underlying the sales forecasts of the current baseline, that is, an assumed shift away from higher performance vehicles.

TABLE IV.C.1-6a—CURRENT BASELINE AVERAGE MY 2011 VEHICLE POWER-TO-WEIGHT RATIO
[hp/lb]

Manufacturer	PC	LT	Avg.
BMW	0.072	0.061	0.068
Chrysler	0.055	0.052	0.053
Ford	0.058	0.053	0.056
Subaru	0.062	0.057	0.059
General Motors	0.056	0.056	0.056
Honda	0.057	0.054	0.056
Hyundai	0.051	0.055	0.052
Tata	0.077	0.057	0.064
Kia	0.050	0.056	0.051
Mazda	0.051	0.053	0.052
Daimler	0.066	0.056	0.062
Mitsubishi	0.053	0.056	0.053
Nissan	0.058	0.057	0.058
Porsche	0.105	0.073	0.092
Suzuki	0.049	0.062	0.052
Toyota	0.052	0.062	0.056
Volkswagen	0.058	0.052	0.056

TABLE IV.C.1-6a—CURRENT BASELINE AVERAGE MY 2011 VEHICLE POWER-TO-WEIGHT RATIO—Continued
[hp/lb]

Manufacturer	PC	LT	Avg.
Industry Average	0.056	0.056	0.056

TABLE IV.C.1-6b—MY 2011 FINAL RULE AVERAGE PLANNED MY 2011 VEHICLE POWER-TO-WEIGHT RATIO
[hp/lb]

	PC	LT	Avg.
Manufacturer 1	0.065	0.058	0.060
Manufacturer 2	0.061	0.065	0.062
Manufacturer 3	0.053	0.059	0.056
Manufacturer 4	0.060	0.058	0.059
Manufacturer 5	0.060	0.057	0.059
Manufacturer 6	0.063	0.065	0.065
Manufacturer 7	0.053	0.055	0.053
Industry Average	0.060	0.059	0.060

As discussed above, the agencies' market forecast for MY 2012–2016 holds the performance and other characteristics of individual vehicle models constant, adjusting the size and composition of the fleet from one model year to the next.

Refresh and redesign schedules (for application in NHTSA's modeling):

Expected model years in which each vehicle model will be redesigned or refreshed constitute another important aspect of NHTSA's market forecast. As discussed in Section IV.C.2.c below, NHTSA's analysis supporting the current rulemaking times the addition of nearly all technologies to coincide with

either a vehicle redesign or a vehicle freshening. Product plans submitted to NHTSA preceding the MY 2011 final rule contained manufacturers' estimates of vehicle redesign and freshening schedules and NHTSA's estimates of the timing of the five-year redesign cycle and the two- to three-year refresh cycle were made with reference to those plans. In the current baseline, in contrast, estimates of the timing of the refresh and redesign cycles were based on historical dates—i.e., counting forward from known redesigns occurring in or prior to MY 2008 for each vehicle in the fleet and assigning refresh and redesign years accordingly.

After applying these estimates, the shares of manufacturers' passenger car and light truck estimated to be redesigned in MY 2011 were as summarized below for the current baseline and the MY 2011 final rule. Table IV.C.1-7 below shows the percentages of each manufacturer's fleets expected to be redesigned in MY 2011 for the current baseline. Table IV.C.1-8 presents corresponding estimates from the market forecast used by NHTSA in the analysis supporting the MY 2011 final rule (again, to protect confidential information, manufacturers are not identified by name).

TABLE IV.C.1-7—CURRENT BASELINE, SHARE OF FLEET REDESIGNED IN MY 2011

Manufacturer	PC	LT	Avg.
BMW	32%	40%	34%
Chrysler	0%	11%	8%
Ford	12%	7%	10%
Subaru	0%	51%	22%
General Motors	20%	2%	11%
Honda	31%	33%	32%
Hyundai	20%	0%	16%
Tata	28%	100%	73%
Kia	35%	87%	48%
Mazda	0%	0%	0%
Daimler	0%	0%	0%
Mitsubishi	0%	56%	7%
Nissan	4%	18%	9%
Porsche	0%	100%	41%
Suzuki	8%	21%	11%
Toyota	4%	24%	12%
Volkswagen	23%	0%	18%
Industry Average	15%	17%	15%

TABLE IV.C.1-8—MY 2011 FINAL RULE, SHARE OF FLEET REDESIGNED IN MY 2011

	PC (percent)	LT (percent)	Avg. (percent)
Manufacturer 1	19	0	11

TABLE IV.C.1-8—MY 2011 FINAL RULE; SHARE OF FLEET REDESIGNED IN MY 2011—Continued

	PC (percent)	LT (percent)	Avg. (percent)
Manufacturer 2	34	27	29
Manufacturer 3	5	0	3
Manufacturer 4	7	0	5
Manufacturer 5	19	0	11
Manufacturer 6	34	28	33
Manufacturer 7	27	28	28
Overall	20	9	15

We continue, therefore, to estimate that manufacturers' redesigns will not be uniformly distributed across model years. This is in keeping with standard industry practices, and reflects what manufacturers actually do—NHTSA has observed that manufacturers in fact do redesign more vehicles in some years than in others. NHTSA staff have closely examined manufacturers' planned redesign schedules, contacting some manufacturers for clarification of some plans, and confirmed that these plans remain unevenly distributed over time. For example, although Table 8 shows that NHTSA expects Company 2 to redesign 34 percent of its passenger car models in MY 2011, current information indicates that this company will then redesign only (a different) 10 percent of its passenger cars in MY 2012. Similarly, although Table 8 shows that NHTSA expects four of the largest seven light truck manufacturers to redesign virtually no light truck models in MY 2011, current information also indicates that these four manufacturers will redesign 21–49 percent of their light trucks in MY 2012.

e. How Does Manufacturer Product Plan Data Factor Into the Baseline Used in This Proposal?

As discussed in Section II.B.4 above, while the agencies received updated product plans in Spring 2009 in response to NHTSA's request, the baseline data used in this proposal is not informed by these product plans, because they contain confidential business information the agencies are

legally required to protect from disclosure, and because the agencies have concluded that, for purposes of this NPRM, a transparent baseline is preferable.

However, as also discussed above, NHTSA has conducted a separate analysis that does make use of these product plans, contained in NHTSA's PRIA. NHTSA performed this separate analysis for purposes of comparison only. NHTSA used the publicly available baseline for all analysis related to the development and evaluation of the proposed new CAFE standards.

2. How Were the Technology Inputs Developed?

As discussed above in Section II.E, for developing the technology inputs for the MY 2012–2016 CAFE and GHG standards, the agencies primarily began with the technology inputs used in the MY 2011 CAFE final rule and in the July 2008 EPA ANPRM, and then reviewed, as requested by President Obama in his January 26 memorandum, the technology assumptions that NHTSA used in setting the MY 2011 standards and the comments that NHTSA received in response to its May 2008 Notice of Proposed Rulemaking. In addition, the agencies supplemented their review with updated information from more current literature, new product plans and from EPA certification testing. More detail is available regarding how the agencies developed the technology inputs for this NPRM above in Section II.E, in Chapter 3 of the Draft Joint TSD, and in Section V of NHTSA's PRIA.

a. What Technologies Does NHTSA Consider?

Section II.E.1 above describes the fuel-saving technologies considered by the agencies that manufacturers could use to improve the fuel economy of their vehicles during MYs 2012–2016. The majority of the technologies described in this section are readily available, well known, and could be incorporated into vehicles once production decisions are made. As discussed, the technologies considered fall into five broad categories: Engine technologies, transmission technologies, vehicle technologies, electrification/accessory technologies, and hybrid technologies. Table IV.C.2-1 below lists all the technologies considered and provides the abbreviations used for them in the Volpe model,⁴⁶⁴ as well as their year of availability, which for purposes of NHTSA's analysis means the first model year in the rulemaking period that the Volpe model is allowed to apply a technology to a manufacturer's fleet.⁴⁶⁵ Year of availability recognizes that technologies must achieve a level of technical viability before they can be implemented in the Volpe model, and are thus a means of constraining technology use until such time as it is considered to be technologically feasible. For a more detailed description of each technology and their costs and effectiveness, we refer the reader to Chapter 3 of the joint TSD and Section V of NHTSA's PRIA.

TABLE IV.C.2-1—LIST OF TECHNOLOGIES IN NHTSA'S ANALYSIS

Technology	Model abbreviation	Year available
Low Friction Lubricants	LUB	2011
Engine Friction Reduction	EFR	2011
VVT—Coupled Cam Phasing (CCP) on SOHC	CCPS	2011
Discrete Variable Valve Lift (DVVL) on SOHC	DVLS	2011
Cylinder Deactivation on SOHC	DEACS	2011

⁴⁶⁴ The abbreviations are used in this section both for brevity and for the reader's reference if they wish to refer to the expanded decision trees and the model input and output sheets, which are available

in Docket No. NHTSA-2009-0059 and on NHTSA's Web site.

⁴⁶⁵ A date of 2011 means the technology can be applied in all model years, while a date of 2014 means the technology can only be applied in model years 2014 through 2016.

TABLE IV.C.2-1—LIST OF TECHNOLOGIES IN NHTSA'S ANALYSIS—Continued

Technology	Model abbreviation	Year available
VVT—Intake Cam Phasing (ICP)	ICP	2011
VVT—Dual Cam Phasing (DCP)	DCP	2011
Discrete Variable Valve Lift (DVVL) on DOHC	DVVL	2011
Continuously Variable Valve Lift (CVVL)	CVVL	2011
Cylinder Deactivation on DOHC	DEADD	2011
Cylinder Deactivation on OHV	DEACO	2011
VVT—Coupled Cam Phasing (CCP) on OHV	CCPO	2011
Discrete Variable Valve Lift (DVVL) on OHV	DVVLO	2011
Conversion to DOHC with DCP	CDOHC	2011
Stoichiometric Gasoline Direct Injection (GDI)	SGDI	2011
Combustion Restart	CBRST	2014
Turbocharging and Downsizing	TRBDS	2011
Exhaust Gas Recirculation (EGR) Boost	EGRB	2013
Conversion to Diesel following CBRST	DSL	2011
Conversion to Diesel following TRBDS	DSL	2011
6-Speed Manual/Improved Internals	6MAN	2011
Improved Auto. Trans. Controls/Externals	IATC	2011
Continuously Variable Transmission	CVT	2011
6/7/8-Speed Auto. Trans with Improved Internals	NAUTO	2011
Dual Clutch or Automated Manual Transmission	DCTAM	2011
Electric Power Steering	EPS	2011
Improved Accessories	IACC	2011
12V Micro-Hybrid	MHEV	2011
Belt Integrated Starter Generator	BISG	2011
Crank Integrated Starter Generator	CISG	2011
Power Split Hybrid	PSHEV	2011
2-Mode Hybrid	2MHEV	2011
Plug-in Hybrid	PHEV	2011
Mass Reduction 1 (1.5%)	MS1	2011
Mass Reduction 2 (3.5%–8.5%)	MS2	2014
Low Rolling Resistance Tires	ROLL	2011
Low Drag Brakes	LDB	2011
Secondary Axle Disconnect 4WD	SAX	2011
Aero Drag Reduction	AERO	2011

For purposes of this NPRM and as discussed in greater detail in the joint TSD, NHTSA and EPA carefully reviewed the list of technologies used in the agency's analysis for the MY 2011 final rule. Given the relatively short amount of time, from a technology-development perspective, that has elapsed since March 2009 and this NPRM, NHTSA and EPA concluded that the considerable majority of technologies were correctly defined and continued to be appropriate for use in the analysis supporting the proposed standards. However, some refinements were made as discussed below.

Specific to its modeling, NHTSA has revised eight of the technologies used in the current analysis from those considered in the MY 2011 final rule. Specifically, two technologies which were previously unavailable in the MY 2011 time frame are now available (in the extended MY 2012–2016 period); one technology has been combined with another; one is newly introduced; three have revised names and/or definitions; and one has been deleted entirely. These changes are discussed further below, and NHTSA seeks comment on both these changes and the validation of

the unchanged technology assumptions and estimates.

Availability: In the MY 2011 final rule, two of the engine technologies—EGR boost and combustion restart—were unavailable because they were not considered technologically feasible until beyond that rulemaking time frame. While both were described and discussed in the MY 2011 final rule, neither was applied in the modeling process that supported those standards.⁴⁶⁶ In this analysis, EGR boost becomes available in MY 2013, and combustion restart in MY 2014, so both are being applied by the Volpe model, as needed, in this analysis.

Merging of technologies: In the MY 2011 final rule, higher voltage and improved alternator (HVIA) was used to represent changes in the design of the alternator, effectively optimizing it for higher efficiency (instead of for low cost as is typically done). For purposes of

this analysis, the HVIA technology is no longer represented individually, but instead has been incorporated into a new-to-this-analysis technology called belt integrated starter generator, or BISG, as discussed next.

New technology: In the MY 2011 final rule, two levels of mild hybrid technology were defined: A 12 volt micro-hybrid (MHEV) system, which utilized a belt-driven starter generator operating at 12 volts, and the more capable integrated starter generator technology (ISG) operating at higher voltages (100 volts). ISG envisioned both belt and crank configured starter generator systems. In the current proposal, and in an effort to offer a broader spectrum of more diversified mild hybrid technologies for the modeling process to choose from, NHTSA has added the BISG technology to the electrification decision tree, and redefined the ISG technology to be a crank mounted version of ISG, accordingly renamed to CISG.

The BISG technology is a belt-coupled system like the 12-volt MHEV, but it operates at a higher voltage (e.g., 42 volts) and thus can make use of regenerative braking, as well as

⁴⁶⁶ As an additional note, since combustion restart was unavailable in the MY 2011 time frame, the technology titled diesel following combustion restart (DSL), which as the name indicates was only applied after combustion restart, was also unavailable. Accordingly, DSL, which was described and discussed in the MY 2011 final rule, is now available in the current analysis.

potentially adding some limited motive power. Since BISG is a higher voltage system, optimization of the alternator occurs as part of the BISG technology application; hence the HVIA technology is no longer needed as a separate technology. Additionally, the CISC technology is now defined as a crank mounted system that operates at higher voltages (100 volts) than BISG, yet at lower voltage than the strong hybrids (300 volts) that make greater use of regenerative braking and provide greater motive power capability. Thus, three levels of mild hybrid technology exist in the current proposal, as opposed to the two levels offered in the MY 2011 final rule.

Revisions and Deletions: The Mass Reduction/Material Substitution technologies have been revised for the current proposal. In the MY 2011 final rule, the Volpe model used three levels of material substitution technologies, referred to as MS1, MS2, and MS5, which were progressively applied to vehicles with curb weights in excess of 5,000 pounds (2,268 kg) so as to reduce weight by up to a 5 percent maximum. In keeping with the agency's desire to limit potential negative impacts to safety performance as a result of vehicle weight reduction, material substitution was not applied to vehicles with curb weights below 5,000 pounds. In contrast, in the current analysis, and in keeping with some manufacturers' stated plans to decrease overall fleet weights regardless of subclass or curb weight, NHTSA now defines two Mass Reduction/Material Substitution technologies as follows:

The Mass Reduction 1.5 percent (MS1) represents a 1.5 percent weight decrease through material substitution applicable to all vehicle subclasses, regardless of curb weight, that can be applied throughout the rulemaking period (and at refresh or redesign cycle times). This technology is similar to the MS1 technology used in the prior analysis in terms of the scale of the weight reduction (1 versus 1.5 percent), the methods and techniques manufacturers are anticipated to use in achieving the reductions, and when in the product cycle the model applies it (at refresh or redesign).

A second technology, Mass Reduction 3.5–8.5 percent (MS2), has also been defined. The MS2 technology is unavailable until MY 2014, and can only be applied by the Volpe model at a product redesign cycle. MS2 assumes a 3.5 to 8.5 percent weight reduction dependent on subclass (with the smaller/lighter subclasses receiving the lowest amounts of reduction, 3.5 percent, and the larger/heavier vehicles

the 8.5 percent) via the types of more intrusive and complex mass reduction associated with a complete vehicle redesign.⁴⁶⁷ MS2 is cumulative to MS1, as it is only applied after MS1, therefore the maximum weight reduction that can occur for smaller subclass vehicles is 5 percent, while large cars, truck, and SUVs could experience 10 percent weight reductions. Restricting weight reduction on smaller vehicle to lower limits, and vice versa for larger vehicles, is intended to mitigate or minimize the potential safety consequences from the modeled weight reductions. Postponing the availability of the technology until MY 2014 recognizes the lead time required to implement platform redesigns that would be necessary for these levels of weight reduction and mass reduction. NHTSA seeks comment on the agency's use of a two-step process, with the higher applications of MS in MYs 2014 and beyond, and the process of applying smaller mass reductions to lighter vehicles and higher reductions to heavier vehicles for the purpose of maintaining safety neutrality.

The MS5 technology used in the MY 2011 final rule is deleted.

Additionally, for purposes of this NPRM, NHTSA has revised the applicability of the diesel technologies to restrict it to vehicles with engines of 6 cylinders or more. NHTSA seeks comment on its decision not to apply diesel technologies to vehicles with 4-cylinder engines. NHTSA also seeks comment on the revised costing methodology for diesel technologies.

Besides these, all other technologies considered in this analysis were also considered in the analysis for the MY 2011 final rule, and although the costs and effectiveness estimates may have been revised as discussed further below, the other technologies remain otherwise unchanged for the purposes of this analysis in terms of their definition, functionality, and configuration. Thus, with this catalog of technologies as a starting point, NHTSA could then review and consider effectiveness and cost estimates for each technology, and, through the Volpe model analysis, how a manufacturer might feasibly apply these technologies to their MY 2012–2016 vehicles in order to achieve compliance with the proposed standards.

⁴⁶⁷ Examples of such weight savings associated with new platform introductions have been provided in confidential product plan information provided by some manufacturers.

b. How Did NHTSA Determine the Costs and Effectiveness of Each of These Technologies for Use in Its Modeling Analysis?

Building on NHTSA's estimates developed for the MY 2011 CAFE final rule and EPA's Advanced Notice of Proposed Rulemaking, which relied on the 2008 Staff Technical Report,⁴⁶⁸ the agencies took a fresh look at technology cost and effectiveness values for purposes of the joint proposal under the National Program. This joint work is reflected in Chapter 3 of the Draft Joint TSD and in Section II of this preamble, which is summarized below. For more detailed information on the effectiveness and cost of fuel-saving technologies, please refer to Chapter 3 of the joint TSD and Section V of NHTSA's PRIA.

Generally speaking, while NHTSA and EPA found that much of the cost information used in NHTSA's MY 2011 final rule and EPA's 2008 staff report was consistent to a great extent, the agencies, in reconsidering information from many sources, revised several component costs of several major technologies: turbocharging/downsizing, mild and strong hybrids, diesels, SGDI, and Valve Train Lift Technologies. These are discussed at length in the joint TSD and in NHTSA's PRIA. Additionally, most effectiveness estimates used in both the MY 2011 final rule and the 2008 EPA staff report were determined to be accurate and were carried forward without significant change into this rulemaking. When NHTSA and EPA's estimates for effectiveness diverged slightly due to differences in how agencies apply technologies to vehicles in their respective models, we report the ranges for the effectiveness values used in each model. For much more information on the costs and effectiveness of individual technologies, we refer the reader to Chapter 3 of the joint TSD and Section V of NHTSA's PRIA.

NHTSA notes that, in developing technology cost and effectiveness estimates, the agencies have made every effort to hold constant aspects of vehicle performance and utility typically valued by consumers, such as horsepower, carrying capacity, and towing and hauling capacity. For example, NHTSA includes in its analysis technology cost and effectiveness estimates that are specific to performance passenger cars (*i.e.*, sports cars), as compared to non-performance passenger cars. When

⁴⁶⁸ EPA Staff Technical Report: Cost and Effectiveness Estimates of Technologies Used to Reduce Light-Duty Vehicle Carbon Dioxide Emissions. EPA420-R-08-008, March 2008.

commenting on the agencies' technology cost and effectiveness estimates, NHTSA urges commenters either to place any related comments within the same context, or explain any assumptions or estimates regarding increases or decreases in vehicle performance or utility. Additionally, NHTSA seeks comment on the extent to which commenters believe that the agencies have been successful in holding constant these elements of vehicle performance and utility in developing the technology cost and effectiveness estimates.

Additionally, NHTSA notes that the technology costs included in this NPRM take into account only those associated with the initial build of the vehicle. The agencies seek comments on the

additional lifetime costs, if any, associated with the implementation of advanced technologies, including warranty, maintenance and replacement costs, such as the replacement costs for low rolling resistance tires, low friction lubricants, and hybrid batteries, and maintenance costs for diesel aftertreatment components.

While the agencies believe that the ideal estimates for the final rule would be based on tear down studies or BOM approach and subjected to a transparent peer-reviewed process, NHTSA and EPA are confident that the thorough review conducted, led to the best available conclusion regarding technology costs and effectiveness estimates for the current rulemaking and resulted in excellent consistency

between the agencies' respective analyses for developing the CAFE and CO₂ standards.

NHTSA seeks comment on the incremental cost and effectiveness estimates employed by the agency in the Volpe modeling analysis for this NPRM, examples of which are provided in table form below. These example Tables present effectiveness and cost estimates which are incremental in nature, according to the decision trees used in the Volpe modeling analysis. Thus, the effectiveness and cost estimates are not absolute to a single baseline vehicle, but are incremental to the technology that precedes it.

BILLING CODE §560-50-C

Table IV.C.2-2. Technology Effectiveness Estimates Employed in the Volpe Model for Certain Technologies

VEHICLE TECHNOLOGY INCREMENTAL FUEL CONSUMPTION REDUCTION (-%)

	Subcompact Car	Compact Car	Midsize Car	Large Car	Perform. Subcomp. Car	Perform. Compact Car	Perform. Midsize Car	Perform. Large Car	Minivan LT	Small LT	Midsize LT	Large LT
Normal Baseline Engine (For Cost Basis)	Inline 4	Inline 4	Inline 4	V6	Inline 4	V6	V6	V8	V6	Inline 4	V6	V8
Low Friction Lubricants	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
VVT - Dual Cam Phasing (DCP)	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0
Discrete Variable Valve Lift (DVVL) on DOHC	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0	1.0-3.0
Cylinder Deactivation on OHV	n.a.	n.a.	n.a.	3.9-5.5	n.a.	3.9-5.5	3.9-5.5	3.9-5.5	3.9-5.5	n.a.	3.9-5.5	3.9-5.5
Stoichiometric Gasoline Direct Injection (GDI)	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0
Turbocharging and Downsizing	1.8-6.7	1.8-6.7	1.8-6.7	1.8-2.4	1.8-6.7	0.3-2.4	0.3-2.4	0.3-2.4	1.8-2.4	1.8-6.7	0.3-2.4	0.3-2.4
6/7/8-Speed Auto. Trans with Improved Internals	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4	1.4-3.4
Electric Power Steering	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0	1.0-2.0
12V Micro-Hybrid	2.0-3.0	2.0-3.0	2.0-3.0	2.5-3.5	2.0-3.0	2.5-3.5	2.5-3.5	3.0-4.0	2.5-3.5	2.0-3.0	2.5-3.5	n.a.
Crank mounted Integrated Starter Generator	8.6-8.9	8.6-8.9	8.6-8.9	8.6-8.9	8.6-8.9	8.7-8.9	8.7-8.9	8.6-8.9	8.7-8.9	8.6-8.9	8.7-8.9	14.1-16.3
Power Split Hybrid	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	3.0-12.3	n.a.
Aero Drag Reduction	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0	n.a.	n.a.	n.a.	n.a.	2.0-3.0	2.0-3.0	2.0-3.0	2.0-3.0

Table IV.C.2-3. Technology Cost Estimates Employed in the Volpe Model for Certain Technologies

VEHICLE TECHNOLOGY ICM COSTS PER VEHICLE (\$)																				
	Subcomp		Compact		Midsize		Large		Perform.		Perform.		Perform.		Perform.		Perform.		Perform.	
	Car	LT	Car	LT	Car	LT	Car	LT	Car	LT	Car	LT	Car	LT	Car	LT	Car	LT	Car	LT
Nominal Baseline Engine (For Basis)	Inline 4	Inline 4	Inline 4	Inline 4	V6	Inline 4	V6	Inline 4	V6	V8	V6	Inline 4	V6	Inline 4	V6	Inline 4	V6	Inline 4	V6	V8
Low Friction Lubricants	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
VVT - Dual Cam Phasing (DCP)	38	38	38	38	83	38	83	38	83	82	83	38	83	38	83	38	83	38	83	83
Discrete Variable Valve Lift (DVVL) on DOHC	142	142	142	142	205	142	205	205	205	206	205	142	205	142	205	142	205	142	205	205
Cylinder Deactivation on OHV	n.a.	n.a.	n.a.	n.a.	170	n.a.	170	n.a.	170	192	170	n.a.	170	n.a.	170	n.a.	170	n.a.	170	190
Stoichiometric Gasoline Direct Injection (GDI)	251	251	251	251	326	252	326	326	326	332	326	251	326	251	326	251	326	251	326	333
Turbocharging and Downsizing	420-644	420-644	420-644	420-644	242-900	420-644	242-900	242-900	242-900	692-1,238	242-900	420-644	242-900	420-644	242-900	420-644	242-900	420-644	242-900	692-1,238
6/7/8-Speed Auto. Trans with Improved Internals	170	170	170	170	106	170	106	106	106	170-272	170-272	170	170-272	170	170	170	170-272	170	170-272	170-272
Electric Power Steering	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106	106
12V Micro-Hybrid	288	311	342	367	367	314	337	372	410	367	325	376	376	325	376	325	376	325	376	n.a.
Crank mounted Integrated Starter Generator	2,791	3,107	3,319	3,547	3,547	2,839	3,149	3,355	3,571	3,547	3,141	3,611	3,611	3,141	3,611	3,141	3,611	3,141	3,611	5,124
Power Split Hybrid	1,600-1,606	2,133-2,139	2,664-2,742	3,183-3,261	3,183-3,261	3,566-3,668	3,838-4,018	4,018	4,287	5,106-5,287	6,543-6,723	3,183-3,261	3,282-3,462	2,377-2,384	3,183-3,261	3,282-3,462	2,377-2,384	3,183-3,261	3,282-3,462	n.a.
Aero Drag Reduction	48	48	48	48	48	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	48	n.a.	48	n.a.	48	n.a.	48	n.a.	48

BILLING CODE 6560-50-C

c. How Does NHTSA Use These Assumptions in Its Modeling Analysis?

NHTSA's analysis, using the Volpe model, relies on several inputs and data files to conduct the compliance analysis, as discussed further below and in Section V of the PRIA. For the

purposes of applying technologies, the Volpe model primarily uses three data files, one that contains data on the vehicles expected to be manufactured in the model years covered by the rulemaking, one that identifies the appropriate stage within the vehicle's life-cycle for the technology to be applied, and one that contains data/

parameters regarding the available technologies the model can apply. These inputs are discussed below.

As discussed above, the Volpe model begins with an initial state of the domestic vehicle market, which in this case is the market for passenger cars and light trucks to be sold during the period covered by the proposed standards. The

vehicle market is defined on a model-by-model, engine-by-engine, and transmission-by-transmission basis, such that each defined vehicle model refers to a separately defined engine and a separately defined transmission.

For the current proposal, which covers MYs 2012–2016, the light vehicle (passenger car and light truck) market forecast was developed jointly by NHTSA and EPA staff using MY 2008 CAFE compliance data. The MY 2008 compliance data includes about 1,100 vehicle models, about 400 specific engines, and about 200 specific transmissions, which is a somewhat lower level of detail in the representation of the vehicle market than that used by NHTSA in recent CAFE analyses.⁴⁶⁹ However, within the limitations of information that can be made available to the public, it provides the foundation for a realistic analysis of manufacturer-specific costs and the analysis of attribute-based CAFE standards, and is much greater than the level of detail used by many other models and analyses relevant to light vehicle fuel economy.⁴⁷⁰

In addition to containing data about each vehicle, engine, and transmission, this file contains information for each technology under consideration as it pertains to the specific vehicle (whether the vehicle is equipped with it or not), the model year the vehicle is undergoing redesign, and information about the vehicle's subclass for purposes of technology application. In essence, the model considers whether it is appropriate to apply a technology to a vehicle.

Is a vehicle already equipped, or can it not be equipped, with a particular technology?

The market forecast file provides NHTSA the ability to identify, on a technology by technology basis, which technologies may already be present (manufactured) on a particular vehicle, engine, or transmission, or which technologies are not applicable (due to technical considerations) to a particular vehicle, engine, or transmission. These

⁴⁶⁹ The market file for the MY 2011 final rule, which included data for MYs 2011–2015, had 5500 records, or rows, about 5 times what we are using in this analysis of the MY 2008 certification data. However, both market files had the same number of fields, or rows.

⁴⁷⁰ Because CAFE standards apply to the average performance of each manufacturer's fleet of cars and light trucks, the impact of potential standards on individual manufacturers cannot be credibly estimated without analysis of fleets manufacturers can be expected to produce in the future. Furthermore, because required CAFE levels under an attribute-based CAFE standard depend on manufacturers' fleet composition, the stringency of an attribute-based standard cannot be predicted without performing analysis at this level of detail.

identifications are made on a model-by-model, engine-by-engine, and transmission-by-transmission basis. For example, if the market forecast file indicates that Manufacturer X's Vehicle Y is manufactured with Technology Z, then for this vehicle Technology Z will be shown as used. Additionally, NHTSA has determined that some technologies are only suitable or unsuitable when certain vehicle, engine, or transmission conditions exist. For example, secondary axle disconnect is only suitable for 4WD vehicles, and cylinder deactivation is unsuitable for any engine with fewer than 6 cylinders, while CVTs can only be applied to unibody vehicles. Similarly, comments received to the 2008 NPRM indicated that cylinder deactivation could not be applied to vehicles equipped with manual transmissions, due primarily to driveability and NVH concerns. The Volpe model employs "engineering constraints" to address issues like these, which are a programmatic method of controlling technology application that is independent of other constraints. Thus, the market forecast file would indicate that the technology in question should not be applied to the particular vehicle/engine/transmission (*i.e.*, is unavailable). Since multiple vehicle models may be equipped with an engine or transmission, this may affect multiple models. In using this aspect of the market forecast file, NHTSA ensures the Volpe model only applies technologies in an appropriate manner, since before any application of a technology can occur, the model checks the market forecast to see if it is either already present or unavailable.

NHTSA seeks comment on whether this approach is reasonable and ensures that technologies are applied in an appropriate manner.

Is a vehicle being redesigned or refreshed?

Manufacturers typically plan vehicle changes to coincide with certain stages of a vehicle's life cycle that are appropriate for the change, or in this case the technology being applied. In the automobile industry there are two terms that describe when technology changes to vehicles occur: redesign and refresh (*i.e.*, freshening). Vehicle *redesign* usually refers to significant changes to a vehicle's appearance, shape, dimensions, and powertrain. Redesign is traditionally associated with the introduction of "new" vehicles into the market, often characterized as the "next generation" of a vehicle, or a new platform. Vehicle *refresh* usually refers to less extensive vehicle modifications, such as minor changes to a vehicle's appearance, a moderate upgrade to a

powertrain system, or small changes to the vehicle's feature or safety equipment content. Refresh is traditionally associated with mid-cycle cosmetic changes to a vehicle, within its current generation, to make it appear "fresh." Vehicle refresh generally occurs no earlier than two years after a vehicle redesign, or at least two years before a scheduled redesign. For the majority of technologies discussed today, manufacturers will only be able to apply them at a refresh or redesign, because their application would be significant enough to involve some level of engineering, testing, and calibration work.⁴⁷¹

Some technologies (*e.g.*, those that require significant revision) are nearly always applied only when the vehicle is expected to be redesigned, like turbocharging and engine downsizing, or conversion to diesel or hybridization. Other technologies, like cylinder deactivation, electric power steering, and aerodynamic drag reduction can be applied either when the vehicle is expected to be refreshed or when it is expected to be redesigned, while a few others, like low friction lubricants, can be applied at any time, regardless of whether a refresh or redesign event is conducted. Accordingly, the model will only apply a technology at the particular point deemed suitable. These constraints are intended to produce results consistent with manufacturers' technology application practices. For each technology under consideration, NHTSA stipulates whether it can be applied any time, at refresh/redesign, or only at redesign. The data forms another input to the Volpe model. NHTSA develops redesign and refresh schedules for each of a manufacturer's vehicles included in the analysis, essentially based on the last known redesign year for each vehicle and projected forward in a 5-year redesign and a 2–3 year refresh cycle, and this data is also stored in the market forecast file. We note that this approach is different than NHTSA has employed previously for determining redesign and refresh schedules, where NHTSA included the redesign and refresh dates in the market forecast file as provided by manufacturers in confidential product plans. The new approach is necessary

⁴⁷¹ For example, applying material substitution through weight reduction, or even something as simple as low rolling-resistance tires, to a vehicle will likely require some level of validation and testing to ensure that the vehicle may continue to be certified as compliant with NHTSA's Federal Motor Vehicle Safety Standards (FMVSS). Weight reduction might affect a vehicle's crashworthiness; low rolling-resistance tires might change vehicle's braking characteristics or how it performs in crash avoidance tests.

given the nature of the new baseline which as a single year of data does not contain its own refresh and redesign cycle cues for future model years, and to ensure the complete transparency of the agency's analysis. Vehicle redesign/refresh assumptions are discussed in more detail in Section V of the PRIA and in Chapter 3 of the TSD. NHTSA seeks comment on its application for this proposal of refresh and redesign schedules to manufacturers' vehicles counting from the last known redesign in or prior to the baseline fleet, as compared to its approach in the MY 2011 final rule.

Once the model has concluded that a technology should be applied to a vehicle, the model must evaluate which technology should be applied. This will depend on the vehicle subclass to which the vehicle is assigned; what technologies have already been applied to the vehicle (*i.e.*, where in the "decision tree" the vehicle is); when the technology is first available (*i.e.*, year of availability); whether the technology is still available (*i.e.*, "phase-in caps"); and the costs and effectiveness of the technologies being considered. Technology costs may be reduced, in turn, by learning effects, while technology effectiveness may be increased or reduced by synergistic effects between technologies. In the technology input file, NHTSA has developed a separate set of technology data variables for each of the twelve vehicle subclasses. Each set of variables is referred to as an "input sheet," so for example, the subcompact input sheet holds the technology data that is appropriate for the subcompact subclass. Each input sheet contains a list of technologies available for members of the particular vehicle subclass. The following items are

provided for each technology: the name of the technology, its abbreviation, the decision tree with which it is associated, the (first) year in which it is available, the upper and lower cost and effectiveness (fuel consumption reduction) estimates, the learning type and rate, the cost basis, its applicability, and the phase-in values.

To which vehicle subclass is the vehicle assigned?

As part of its consideration of technological feasibility, the agency evaluates whether each technology could be implemented on all types and sizes of vehicles, and whether some differentiation is necessary in applying certain technologies to certain types and sizes of vehicles, and with respect to the cost incurred and fuel consumption and CO₂ emissions reduction achieved when doing so. The 2002 NAS Report differentiated technology application using ten vehicle "classes" (4 cars classes and 6 truck classes),⁴⁷² but did not determine how cost and effectiveness values differ from class to class. NAS's purpose in separating vehicles into these classes was to create groups of "like" vehicles, *i.e.*, vehicles similar in size, powertrain configuration, weight, and consumer use, and for which similar technologies are applicable. NHTSA similarly differentiates vehicles by "subclass" for the purpose of applying technologies to vehicles and assessing their incremental costs and effectiveness. NHTSA assigns each vehicle manufactured in the rulemaking period to one of 12 subclasses: for passenger cars, Subcompact, Subcompact Performance, Compact, Compact Performance, Midsize, Midsize Performance, Large, and Large Performance; and for light trucks, Small SUV/Pickup/Van, Midsize

SUV/Pickup/Van, Large SUV/Pickup/Van, and Minivan.

For this NPRM as for the MY 2011 final rule, NHTSA divides the vehicle fleet into subclasses based on model inputs, and applies subclass-specific estimates, also from model inputs, of the applicability, cost, and effectiveness of each fuel-saving technology. Therefore, the model's estimates of the cost to improve the fuel economy of each vehicle model depend upon the subclass to which the vehicle model is assigned.

Each vehicle's subclass is stored in the market forecast file. When conducting a compliance analysis, if the Volpe model seeks to apply technology to a particular vehicle, it checks the market forecast to see if the technology is available and if the refresh/redesign criteria are met. If these conditions are satisfied, the model determines the vehicle's subclass from the market data file, which it then uses to reference another input called the technology input file. NHTSA reviewed its methodology for dividing vehicles into subclasses for purposes of technology application that it used in the MY 2011 final rule, and concluded that the same methodology would be appropriate for this NPRM for MYs 2012–2016, but the agency invites comments on the method of assigning vehicles to subclasses for the purposes of technology application in the CAFE model, and on the issue of technology-application subclasses generally. The subclasses and the methodology for dividing vehicles among them are discussed in more detail in Section V of the PRIA and in Chapter 3 of the TSD.

For the reader's reference, the subclasses and example vehicles from the market forecast file are provided in the tables below.

PASSENGER CAR SUBCLASSES EXAMPLE (MY 2008) VEHICLES

Class	Example vehicles
Subcompact	Chevy Aveo, Honda Civic.
Subcompact Performance	Mazda Miata, Saturn Sky.
Compact	Chevy Cobalt, Nissan Sentra and Altima.
Compact Performance	Audi S4 Quattro, Mazda RX8.
Midsize	Chevy Camaro (V6), Toyota Camry, Honda Accord, Hyundai Azera.
Midsize Performance	Chevy Corvette, Ford Mustang (V8), Nissan G37 Coupe.
Large	Audi A8, Cadillac CTS and DTS.
Large Performance	Bentley Aramco, Daimler CL600.

LIGHT TRUCK SUBCLASSES EXAMPLE (MY 2008) VEHICLES

Class	Example vehicles
Minivans	Dodge Caravan, Toyota Sienna.

⁴⁷² The NAS classes included subcompact cars, compact cars, midsize cars, large cars, small SUVs,

midsize SUVs, large SUVs, small pickups, large pickups, and minivans.

LIGHT TRUCK SUBCLASSES EXAMPLE (MY 2008) VEHICLES—Continued

Class	Example vehicles
Small SUV/Pickup/Van	Ford Escape & Ranger, Nissan Rogue.
Midsize SUV/Pickup/Van	Chevy Colorado, Jeep Wrangler 4-door, Volvo XC70, Toyota Tacoma.
Large SUV/Pickup/Van	Chevy Silverado, Ford Econoline, Toyota Sequoia.

What technologies have already been applied to the vehicle (i.e., where in the "decision trees" is it)?

NHTSA's methodology for technology application analysis developed out of the approach taken by NAS in the 2002 Report, and evaluates the application of individual technologies and their incremental costs and effectiveness. Incremental costs and effectiveness of individual technologies are relative to the prior technology state, which means that it is crucial to understand what technologies are already present on a vehicle in order to determine correct incremental cost and effectiveness values. The benefit of the incremental approach is transparency in accounting, insofar as when individual technologies are added incrementally to individual vehicles, it is clear and easy to determine how costs and effectiveness adds up as technology levels increase.

To keep track of incremental costs and effectiveness and to know which technology to apply and in which order, the Volpe model's architecture uses a


logical sequence, which NHTSA refers to as "decision trees," for applying fuel economy-improving technologies to individual vehicles. In the MY 2011 final rule, NHTSA worked with Ricardo to modify previously-employed decision trees in order to allow for a much more accurate application of technologies to vehicles. For purposes of the NPRM, NHTSA reviewed the technology sequencing architecture and updated, as appropriate, the decision trees used in the analysis reported in the final rule for MY 2011.

In general, and as described in great detail in the MY 2011 final rule and in Section V of the current PRIA, each technology is assigned to one of the five following categories based on the system it affects or impacts: engine, transmission, electrification/accessory, hybrid or vehicle. Each of these categories has its own decision tree that the Volpe model uses to apply technologies sequentially during the compliance analysis. The decision trees were designed and configured to allow

the Volpe model to apply technologies in a cost-effective, logical order that also considers ease of implementation. For example, software or control logic changes are implemented before replacing a component or system with a completely redesigned one, which is typically a much more expensive option. In some cases, and as appropriate, the model may combine the sequential technologies shown on a decision tree and apply them simultaneously, effectively developing dynamic technology packages on an as-needed basis. For example, if compliance demands indicate, the model may elect to apply LUB, EFR, and ICP on a dual overhead cam engine, if they are not already present, in one single step. An example simplified decision tree for engine technologies is provided below; the other simplified decision trees may be found in Chapter 3 of the joint TSD and in the PRIA. Expanded decision trees are available in the docket for this NPRM.

BILLING CODE 6560-50-C

Figure IV.C.2-1. Engine Technology (EngMod) Decision Tree



BILLING CODE 6560-50-C

Each technology within the decision trees has an incremental cost and an incremental effectiveness estimate associated with it, and estimates are specific to a particular vehicle subclass (see the tables in Section V of the PRIA). Each technology's incremental estimate

takes into account its position in the decision tree path. If a technology is located further down the decision tree, the estimates for the costs and effectiveness values attributed to that technology are influenced by the incremental estimates of costs and effectiveness values for prior technology

applications. In essence, this approach accounts for "in-path" effectiveness synergies, as well as cost effects that occur between the technologies in the same path. When comparing cost and effectiveness estimates from various sources and those provided by commenters in the previous CAFE

rulemakings, it is important that the estimates evaluated are analyzed in the proper context, especially as concerns their likely position in the decision trees and other technologies that may be present or missing. Not all estimates available in the public domain or offered for the agencies' consideration during the comment period can be evaluated in an "apples-to-apples" comparison with those used by the Volpe model, since in some cases the order of application, or included technology content, is inconsistent with that assumed in the decision tree.

The MY 2011 final rule discussed in detail the revisions and improvements made to the Volpe model and decision trees during that rulemaking process, including the improved handling and accuracy of valve train technology application and the development and implementation of a method for accounting path-dependent correction factors in order to ensure that technologies are evaluated within the proper context. The reader should consult the MY 2011 final rule documents for further information on these modeling techniques, all of which continued to be utilized in developing this proposal.⁴⁷³ To the extent that the decision trees have changed for purposes of this NPRM, it was due not to revisions in the order of technology application, but rather to redefinitions of technologies or addition or subtraction of technologies. NHTSA seeks comment on the decision trees described here and in the PRIA.

Is the next technology available in this model year?

As discussed above, the majority of technologies considered are available on vehicles today, and thus will be available for application in the rulemaking time frame. Some technologies, however, will not become available for purposes of NHTSA's analysis until later in the rulemaking time frame. When the model is considering whether to add a technology to a vehicle, it checks its year of availability—if the technology is available, it may be added; if it is not available, the model will consider whether to switch to a different decision tree to look for another technology, or will skip to the next vehicle in a manufacturer's fleet. The year of availability for each technology is provided above in Table IV.C.2-1.

Has the technology reached the phase-in cap for this model year?

⁴⁷³ See, e.g., 74 FR 14238-46 (Mar. 30, 2009) for a full discussion of the decision trees in NHTSA's MY 2011 final rule, and Docket No. NHTSA-2009-0062-0003.1 for an expanded decision tree used in that rulemaking.

Besides the refresh/redesign cycles used in the Volpe model, which constrain the rate of technology application at the vehicle level so as to ensure a period of stability following any modeled technology applications, the other constraint on technology application employed in NHTSA's analysis is "phase-in caps." Unlike vehicle-level cycle settings, phase-in caps constrain technology application at the vehicle manufacturer level.⁴⁷⁴ They are intended to reflect a manufacturer's overall resource capacity available for implementing new technologies (such as engineering and development personnel and financial resources), thereby ensuring that resource capacity is accounted for in the modeling process. At a high level, phase-in caps and refresh/redesign cycles work in conjunction with one another to avoid the modeling process out-pacing an OEM's limited pool of available resources during the rulemaking time frame, especially in years where many models may be scheduled for refresh or redesign. This helps to ensure technological feasibility and economic practicability in determining the stringency of the standards.

NHTSA has been developing the concept of phase-in caps over the course of the last several CAFE rulemakings, as discussed in greater detail in the MY 2011 final rule,⁴⁷⁵ and in Section V of the PRIA and Chapter 3 of the joint TSD. The MY 2011 final rule employed non-linear phase-in caps (that is, caps that varied from year to year) that were designed to respond to comments raising lead-time concerns in reference to the agency's proposed MY 2011-2015 standards, but because the final rule covered only one model year, many phase-in caps for that model year were lower than had originally been proposed. NHTSA emphasized that the MY 2011 phase-in caps were based on assumptions for the full five year period of the proposal (2011-2015), and stated that it would reconsider the phase-in

⁴⁷⁴ While phase-in caps are expressed as specific percentages of a manufacturer's fleet to which a technology may be applied in a given model year, phase-in caps cannot always be applied as precise limits, and the Volpe model in fact allows "override" of a cap in certain circumstances. When only a small portion of a phase-in cap limit remains, or when the cap is set to a very low value, or when a manufacturer has a very limited product line, the cap might prevent the technology from being applied at all since any application would cause the cap to be exceeded. Therefore, the Volpe model evaluates and enforces each phase-in cap constraint after it has been exceeded by the application of the technology (as opposed to evaluating it before application), which can result in the described overriding of the cap.

⁴⁷⁵ 74 FR 14268-14271 (Mar. 30, 2009).

settings for all years beyond 2011 in a future rulemaking analysis.

For purposes of the current proposal for MYs 2012-2016, as in the MY 2011 final rule, NHTSA combines phase-in caps for some groups of similar technologies, such as valve phasing technologies that are applicable to different forms of engine design (SOHC, DOHC, OHV), since they are very similar from an engineering and implementation standpoint. When the phase-in caps for two technologies are combined, the maximum total application of either or both to any manufacturer's fleet is limited to the value of the cap.⁴⁷⁶ In contrast to the phase-in caps used in the MY 2011 final rule, NHTSA has increased the phase-in caps for most of the technologies, as discussed below.

In developing phase-in cap values for purposes of the current proposal, NHTSA initially considered the fact that many of the technologies commonly applied by the model, those placed near the top of the decision trees, such as low friction lubes, valve phasing, electric power steering, improved automatic transmission controls, and others, have been commonly available to manufacturers for several years now. Many technologies, in fact, precede the 2002 NAS Report, which estimated that such technologies would take 4 to 8 years to penetrate the fleet. Since the current proposal would take effect in MY 2012, nearly 10 years beyond the NAS report, and extends to MY 2016, and in the interest of harmonization with EPA's proposal, NHTSA tentatively determined that higher phase-in caps were likely justified. Additionally, NHTSA considered the fact that manufacturers, as part of the agreements supporting the National Program, appear to be anticipating higher technology application rates than those used in the MY 2011 final rule. This also supported higher phase-in caps for purposes of the proposal.

Thus, while phase-in caps for the MY 2011 final rule reached a maximum of 50 percent for a couple of technologies and generally fell in the range between 0 and 20 percent, phase-in caps for this NPRM for the majority of technologies are set to reach 85 or 100 percent by MY 2016, although more advanced technologies like diesels and strong hybrids reach only 15 percent by MY 2016.

Theoretically, significantly higher phase-in caps, such as those used in the current proposal as compared to those used in the MY 2011 final rule, should

⁴⁷⁶ See 74 FR 14270 (Mar 30, 2009) for further discussion and examples.

result in higher levels of technology penetration in the modeling results. Reviewing the modeling output does not, however, indicate unreasonable levels of technology penetration for the proposed standards.⁴⁷⁷ NHTSA believes that this is due to the interaction of the various changes in methodology for the current proposal—changes to phase-in caps are but one of a number of revisions to the Volpe model and its inputs that could potentially impact the rate at which technologies are applied in this proposal as compared to prior rulemakings. Other revisions that could impact application rates include the use of transparent CAFE certification data in baseline fleet formulation and the use of other data for projecting it forward,⁴⁷⁸ or the use of a multi-year planning programming technique to apply technology retroactively to earlier-MY vehicles, both of which may have a direct impact on the modeling process. Conversely the model and inputs remain unchanged in other areas that also could impact technology application, such as in the refresh/redesign cycle settings, estimates used for the technologies, both of which remain largely unchanged from the MY 2011 final rule. These changes together make it difficult to predict how phase-in caps should be expected to function in the new modeling process.

Thus, after reviewing the output files, NHTSA tentatively concludes that the higher phase-in caps, and the resulting technology application rates produced by the Volpe model, at both the industry and manufacturer level, are appropriate for this proposal, achieving a suitable level of stringency without requiring unrealistic or unachievable penetration rates. However, the agency will consider comments received on this approach in determining what phase-in caps to employ in the analysis for the final rule, and may change the caps in response to comments and/or further analysis. One additional question the agency has, which may be primarily academic at this point, is what impact lower phase-in caps, such as those used in earlier rulemakings, would have on compliance costs (and whether they might counter-intuitively increase costs by forcing more expensive technologies). NHTSA seeks comment on the revised phase-in caps as compared to the MY 2011 final rule, and particularly on whether,

combined with the refresh and redesign assumptions, they help to ensure sufficient lead time for manufacturers to make the technology changes required by the proposed standards. Readers are invited to review and assess the phase-in caps listed and described more fully in Section V of the PRIA, along with the application and penetration rates found in the Volpe model's output files, and after making their own assessment, provide comment and recommendations to the agency as appropriate.

Is the technology less expensive due to learning effects?

Historically, NHTSA did not explicitly account for the cost reductions a manufacturer might realize through learning achieved from experience in actually applying a technology. Since working with EPA to develop the 2008 NPRM for MYs 2011–2015, and with Ricardo to refine the concept for the March 2009 MY 2011 final rule, NHTSA has accounted for these cost reductions through two kinds of mutually exclusive learning, “volume-based” and “time-based” which it continues to use in this proposal, as discussed below.

In the 2008 NPRM, NHTSA applied learning factors to technology costs for the first time. These learning factors were developed using the parameters of learning threshold, learning rate, and the initial cost, and were based on the “experience curve” concept which describes reductions in production costs as a function of accumulated production volume. The typical curve shows a relatively steep initial decline in cost which flattens out to a gentle downwardly sloping line as the volume increase to large values. In the NPRM, NHTSA applied a learning rate discount of 20 percent for each successive doubling of production volume (on a per manufacturer basis), and a learning threshold of 25,000 units was assumed (thus a technology was viewed as being fully learned out at 100,000 units). The factor was only applied to certain technologies that were considered emerging or newly implemented on the basis that significant cost improvements would be achieved as economies of scale were realized (*i.e.*, the technologies were on the steep part of the curve).

In the MY 2011 final rule, NHTSA continued to use this learning factor, referring to it as volume-based learning since the cost reductions were determined by production volume increases, and again only applied it to emerging technologies. However, and in response to comments, NHTSA revised its assumptions on learning threshold, basing them instead on an industry-

wide production basis, and increasing the threshold to 300,000 units annually.

Commenters to the 2008 NPRM also described another type of learning factor which NHTSA decided to adopt and implement in the MY 2011 final rule. Commenters described a relatively small negotiated cost decrease that occurred on an annual basis through contractual agreements with first tier component and systems suppliers for readily available, high volume technologies commonly in use by multiple OEMs. Based on the same experience curve principal, however at production volumes that were on the flatter part of the curve (and thus the types of volumes that represent annual industry volumes), NHTSA adopted this type learning and referred to it as time-based learning. An annual cost reduction of 3 percent in the second and each subsequent year, which was consistent with estimates from commenters and supported by work Ricardo conducted for NHTSA, was used in the final rule.

In developing this proposal, NHTSA and EPA have reviewed both types of learning factors, and the thresholds (300,000) and reduction rates (20 percent for volume,⁴⁷⁹ 3 percent for time-based) they rely on, and as implemented in the MY 2011 final rule, and agreed that both factors continue to be accurate and appropriate; each agency has thus implemented time- and volume-based learning in their analyses. Noting that only one type of learning can be applied to any single technology, if any learning is applied at all, the agencies reviewed each to determine which learning factor was appropriate. Volume-based learning is applied to the higher complexity hybrid technologies, while no learning is applied to technologies likely to be affected by commodity costs (LUB, ROLL) or that have loosely-defined BOMs (EFR, LDB), as was the case in the MY 2011 final rule. Chapter 3 of the joint TSD shows the specific learning factors that NHTSA has applied in this analysis for each technology, and discusses learning factors and each agencies' use of them further. NHTSA seeks comment on its use of learning factors, including the types, the thresholds, and the reduction rates proposed, and particularly on the revisions to the learning (time- and volume-based) logic as compared to the MY 2011 final rule.

Is the technology more or less effective due to synergistic effects?

When two or more technologies are added to a particular vehicle model to

⁴⁷⁷ The modeling output for the analysis underlying these proposed standards is available on NHTSA's Web site.

⁴⁷⁸ The baseline fleet sets the starting point, from a technology point of view, for where the model begins the technology application process, so changes have a direct impact on the net application of technology.

⁴⁷⁹ NHTSA will conduct a sensitivity analysis on the volume-based learning value of 20 percent for the final rule.

improve its fuel efficiency and reduce CO₂ emissions, the resultant fuel consumption reduction may sometimes be higher or lower than the product of the individual effectiveness values for those items.⁴⁸⁰ This may occur because one or more technologies applied to the same vehicle partially address the same source (or sources) of engine, drivetrain or vehicle losses. Alternately, this effect may be seen when one technology shifts the engine operating points, and therefore increases or reduces the fuel consumption reduction achieved by another technology or set of technologies. The difference between the observed fuel consumption reduction associated with a set of technologies and the product of the individual effectiveness values in that set is referred to for purposes of this rulemaking as a "synergy." Synergies may be positive (increased fuel consumption reduction compared to the product of the individual effects) or negative (decreased fuel consumption reduction). An example of a positive synergy might be a vehicle technology that reduces road loads at highway speeds (e.g., lower aerodynamic drag or low rolling resistance tires), that could extend the vehicle operating range over which cylinder deactivation may be employed. An example of a negative synergy might be a variable valvetrain system technology, which reduces pumping losses by altering the profile of the engine speed/load map, and a six-speed automatic transmission, which shifts the engine operating points to a portion of the engine speed/load map where pumping losses are less significant. As the complexity of the technology combinations is increased, and the number of interacting technologies grows accordingly, it becomes increasingly important to account for these synergies.

NHTSA and EPA determined synergistic impacts for this rulemaking using EPA's "lumped parameter" analysis tool, which EPA described at length in its March 2008 Staff Technical Report.⁴⁸¹ The lumped parameter tool is

⁴⁸⁰ More specifically, the products of the differences between one and the technology-specific levels of effectiveness in reducing fuel consumption. For example, not accounting for interactions, if technologies A and B are estimated to reduce fuel consumption by 10% (i.e., 0.1) and 20% (i.e., 0.2) respectively, the "product of the individual effectiveness values" would be 1-0.1 times 1-0.2, or 0.9 times 0.8, which equals 0.72, corresponding to a combined effectiveness of 28% rather than the 30% obtained by adding 10% to 20%. The "synergy factors" discussed in this section further adjust these multiplicatively combined effectiveness values.

⁴⁸¹ EPA Staff Technical Report: Cost and Effectiveness Estimates of Technologies Used to

a spreadsheet model that represents energy consumption in terms of average performance over the fuel economy test procedure, rather than explicitly analyzing specific drive cycles. The tool begins with an apportionment of fuel consumption across several loss mechanisms and accounts for the average extent to which different technologies affect these loss mechanisms using estimates of engine, drivetrain and vehicle characteristics that are averaged over the EPA fuel economy drive cycle. Results of this analysis were generally consistent with those of full-scale vehicle simulation modeling performed in 2007 by Ricardo, Inc.

For the current rulemaking, NHTSA used the lumped parameter tool as modified in the MY 2011 CAFE final rule. NHTSA modified the lumped parameter tool from the version described in the EPA Staff Technical Report in response to public comments received in its rulemaking. The modifications included updating the list of technologies and their associated effectiveness values to match the updated list of technologies used in the final rule. NHTSA also expanded the list of synergy pairings based on further consideration of the technologies for which a competition for losses would be expected. These losses are described in more detail in Section V of the PRIA.

NHTSA and EPA incorporate synergistic impacts in their analyses in slightly different manners. Because NHTSA applies technologies individually in its modeling analysis, NHTSA incorporates synergistic effects between pairings of individual technologies. The use of discrete technology pair incremental synergies is similar to that in DOE's National Energy Modeling System (NEMS).⁴⁸² Inputs to the Volpe model incorporate NEMS-identified pairs, as well as additional pairs from the set of technologies considered in the Volpe model.

NHTSA notes that synergies that occur within a decision tree are already addressed within the incremental values assigned and therefore do not require a synergy pair to address. For example, all engine technologies take into account incremental synergy factors of preceding engine technologies, and all

transmission technologies take into account incremental synergy factors of preceding transmission technologies. These factors are expressed in the fuel consumption improvement factors in the input files used by the Volpe model.

For applying incremental synergy factors in separate path technologies, the Volpe model uses an input table (see the tables in Chapter 3 of the TSD and in the PRIA) which lists technology pairings and incremental synergy factors associated with those pairings, most of which are between engine technologies and transmission/electrification/hybrid technologies. When a technology is applied to a vehicle by the Volpe model, all instances of that technology in the incremental synergy table which match technologies already applied to the vehicle (either pre-existing or previously applied by the Volpe model) are summed and applied to the fuel consumption improvement factor of the technology being applied. Synergies for the strong hybrid technology fuel consumption reductions are included in the incremental value for the specific hybrid technology block since the model applies technologies in the order of the most effectiveness for least cost and also applies all available electrification and transmission technologies before applying strong hybrid technologies. NHTSA seeks comment on whether the synergistic effects presented are accurate, and whether there are other synergies that the agency may have overlooked.

d. Where Can Readers Find More Detailed Information About NHTSA's Technology Analysis?

Much more detailed information is provided in Section V of the PRIA, and a discussion of how NHTSA and EPA jointly reviewed and updated technology assumptions for purposes of this NPRM is available in Chapter 3 of the TSD. Additionally, all of NHTSA's model input and output files are now public and available for the reader's review and consideration. The technology input files can be found in the docket for this NPRM, Docket No. NHTSA-2009-0059, and on NHTSA's Web site. And finally, because much of NHTSA's technology analysis for purposes of this NPRM builds on the work that was done for the MY 2011 final rule, we refer readers to that document as well for background information concerning how NHTSA's methodology for technology application analysis has evolved over the past several rulemakings, both in response to comments and as a result of the agency's

Reduce Light-duty Vehicle Carbon Dioxide Emissions; EPA420-R-08-008, March 2008.

⁴⁸² U.S. Department of Energy, Energy Information Administration, *Transportation Sector Module of the National Energy Modeling System: Model Documentation 2007*, May 2007, Washington, DC, DOE/EIAM070(2007), at 29-30. Available at [http://tonto.eia.doe.gov/ftproot/modeldoc/m070\(2007\).pdf](http://tonto.eia.doe.gov/ftproot/modeldoc/m070(2007).pdf) (last accessed Jul. 6, 2009).

growing experience with this type of analysis.⁴⁸³

3. How Did NHTSA Develop the Economic Assumption Inputs?

NHTSA's preliminary analysis of alternative CAFE standards for the model years covered by this proposed rulemaking relies on a range of forecast variables, economic assumptions, and parameter values. This section describes the proposed sources of these forecasts, the rationale underlying each assumption, and the agency's preliminary choices of specific parameter values. These proposed economic values play a significant role in determining the benefits of alternative CAFE standards, as they

have for the last several CAFE rulemakings. Under those alternatives where standards would be established by reference to their costs and benefits, these economic values also affect the levels of the CAFE standards themselves. Some of these variables have more important effects on the level of CAFE standards and the benefits from requiring alternative increases in fuel economy than do others.

In reviewing these variables and the agency's estimates of their values for purposes of this NPRM, NHTSA reconsidered previous comments it had received and reviewed newly available literature. As a consequence, the agency elected to revise some of its economic assumptions and parameter estimates,

while retaining others. Some of the most important changes, which are discussed in greater detail below, as well as in Chapter 4 of the joint TSD and in Chapter VIII of the PRIA, include significant revisions to the markup factors for technology costs; reducing the rebound effect from 15 to 10 percent; and revising the value of reducing CO₂ emissions based on recent interagency efforts to develop estimates of this value for government-wide use. For the reader's reference, Table IV.C.3-1 below summarizes the values used to calculate the economic benefits from each alternative. The agency seeks comment on the economic assumptions presented in the table and discussed below.

TABLE IV.C.3-1—ECONOMIC VALUES FOR BENEFITS COMPUTATIONS
(2007\$)

Fuel Economy Rebound Effect	10%
"Gap" between test and on-road MPG	20%
Value of refueling time per (\$ per vehicle-hour)	\$ 24.64
Annual growth in average vehicle use	1.1%
Fuel Prices (2012-50 average, \$/gallon)	
Retail gasoline price	\$3.77
Pre-tax gasoline price	\$3.40
Economic Benefits from Reducing Oil Imports (\$/gallon)	
"Monopsony" Component	\$ 0.00
Price Shock Component	\$ 0.17
Military Security Component	\$ 0.00
Total Economic Costs (\$/gallon)	\$ 0.17
Emission Damage Costs (2020, \$/ton or \$/metric ton)	
Carbon monoxide	\$ 0
Volatile organic compounds (VOC)	\$ 1,283
Nitrogen oxides (NO _x)—vehicle use	\$ 5,116
Nitrogen oxides (NO _x)—fuel production and distribution	\$ 5,339
Particulate matter (PM _{2.5})—vehicle use	\$ 238,432
Particulate matter (PM _{2.5})—fuel production and distribution	\$ 292,180
Sulfur dioxide (SO ₂)	\$ 30,896
Carbon dioxide (CO ₂)	\$ 20
Annual Increase in CO ₂ Damage Cost	3%
External Costs from Additional Automobile Use (\$/vehicle-mile)	
Congestion	\$ 0.054
Accidents	\$ 0.023
Noise	\$ 0.001
Total External Costs	\$ 0.078
External Costs from Additional Light Truck Use (\$/vehicle-mile)	
Congestion	\$0.048
Accidents	\$0.026
Noise	\$0.001
Total External Costs	\$0.075
Discount Rate Applied to Future Benefits	3%

a. Costs of Fuel Economy-Improving Technologies

We developed detailed estimates of the costs of applying fuel economy-improving technologies to vehicle models jointly with EPA for use in analyzing the impacts of alternative standards considered in this

rulemaking. The estimates were based on those reported by the 2002 NAS Report analyzing costs for increasing fuel economy, but were modified for purposes of this analysis as a result of extensive consultations among engineers from NHTSA, EPA, and the Volpe Center. As part of this process,

the agency also developed varying cost estimates for applying certain fuel economy technologies to vehicles of different sizes and body styles. We may adjust these cost estimates based on comments received to this NPRM.

The technology cost estimates used in this analysis are intended to represent

⁴⁸³ 74 FR 14233-308 (Mar. 30, 2009).

manufacturers' direct costs for high-volume production of vehicles with these technologies and sufficient experience with their application so that all remaining cost reductions due to "learning curve" effects have been fully realized. However, NHTSA recognizes that manufacturers' actual costs for employing these technologies include additional outlays for accompanying design or engineering changes to models that use them, development and testing of prototype versions, recalibrating engine operating parameters, and integrating the technology with other attributes of the vehicle. Manufacturers' indirect costs for employing these technologies also include expenses for product development and integration, modifying assembly processes and training assembly workers to install them, increased expenses for operation and maintaining assembly lines, higher initial warranty costs for new technologies, any added expenses for selling and distributing vehicles that use these technologies, and manufacturer and dealer profit. In previous CAFE rulemakings and in NHTSA's safety rulemakings, the agency has accounted for these additional costs by using a Retail Price Equivalent (RPE) multiplier of 1.5. For purposes of this rulemaking, based on recent work by EPA, NHTSA has applied indirect cost multipliers ranging from 1.11 to 1.64 to the estimates of vehicle manufacturers' direct costs for producing or acquiring each technology to improve fuel economy.⁴⁸⁴ These multipliers vary with the complexity of each technology and the time frame over which costs are estimated. More complex technologies are associated with higher multipliers because of the larger increases in manufacturers' indirect costs for developing, producing (or procuring), and deploying these more complex technologies. The appropriate multipliers decline over time for technologies of all complexity levels, since increased familiarity and experience with their application is assumed to reduce manufacturers' indirect costs for employing them. NHTSA seeks comment regarding the new indirect cost multiplier approach to technology costs estimates. We note additionally that this issue will be addressed in the upcoming revised NAS report.

⁴⁸⁴ NHTSA notes that in addition to the technology cost analysis employing this "ICM" approach, the PRIA contains a sensitivity analysis using a technology cost multiplier of 1.5.

b. Potential Opportunity Costs of Improved Fuel Economy

An important concern is whether achieving the fuel economy improvements required by alternative CAFE standards would require manufacturers to compromise the performance, carrying capacity, safety, or comfort of their vehicle models. To the extent that it does so, the resulting sacrifice in the value of these attributes to consumers represents an additional cost of achieving the required improvements in fuel economy. While exact dollar values of these attributes to consumers are difficult to infer, differences in vehicle purchase prices and buyers' choices among competing models that feature different combinations of these characteristics clearly demonstrate that changing vehicle attributes clearly affect the utility and economic value that vehicles provide to potential buyers.⁴⁸⁵

NHTSA and EPA have approached this potential problem by developing cost estimates for fuel economy-improving technologies that include any additional manufacturing costs that would be necessary to maintain the originally planned levels of performance, comfort, carrying capacity, and safety of any light-duty vehicle model to which those technologies are applied. In doing so, the agencies followed the precedent established by the 2002 NAS Report, which estimated "constant performance and utility" costs for fuel economy technologies. NHTSA has used these as the basis for its continuing efforts to refine the technology costs it uses to analyze manufacturer's costs for complying with alternative passenger car and light truck CAFE standards for MYs 2012–2016. Although the agency has revised its estimates of manufacturers' costs for some technologies significantly for use in this rulemaking, these revised estimates are still intended to represent costs that would allow manufacturers to maintain the performance, carrying capacity, and utility of vehicle models while improving their fuel economy.

Although we believe that our tentative cost estimates for fuel economy-improving technologies should be generally sufficient to prevent

⁴⁸⁵ See, e.g., Kleit A.N., 1990. "The Effect of Annual Changes in Automobile Fuel Economy Standards." *Journal of Regulatory Economics* 2: 151–172; Berry, Steven, James Levinsohn, and Ariel Pakes, 1995. "Automobile Prices in Market Equilibrium," *Econometrica* 63(4): 841–940; McCarthy, Patrick S., 1996. "Market Price and Income Elasticities of New Vehicle Demands." *Review of Economics and Statistics* 78: 543–547; and Goldberg, Pinelopi K., 1998. "The Effects of the Corporate Average Fuel Efficiency Standards in the US," *Journal of Industrial Economics* 46(1): 1–33.

significant reductions in consumer welfare provided by vehicle models to which manufacturers apply those technologies, it is possible that they do not include adequate allowance for the necessary efforts by manufacturers to prevent sacrifices in these attributes on all vehicle models. If this is the case, the true economic costs of achieving higher fuel economy should include the opportunity costs to vehicle owners of any sacrifices in vehicles' performance, carrying capacity, and utility and the agency's estimated technology costs would underestimate the true economic costs of improving fuel economy.

Recognizing this possibility, it may be preferable for NHTSA to estimate explicitly the changes in vehicle buyers' welfare from the combination of higher prices for new vehicle models, increases in their fuel economy, and any accompanying changes in vehicle attributes such as performance, passenger- and cargo-carrying capacity, or other dimensions of utility. The net change in buyer's welfare that results from the combination of these changes would provide a more accurate estimate of the true economic costs for improving fuel economy. The agency seeks comment on this or other possible ways to deal with this extremely important issue.

c. The On-Road Fuel Economy "Gap"

Actual fuel economy levels achieved by light-duty vehicles in on-road driving fall somewhat short of their levels measured under the laboratory-like test conditions used by EPA to establish its published fuel economy ratings for different models. In analyzing the fuel savings from alternative CAFE standards, NHTSA has previously adjusted the actual fuel economy performance of each light truck model downward from its rated value to reflect the expected size of this on-road fuel economy "gap." On December 27, 2006, EPA adopted changes to its regulations on fuel economy labeling, which were intended to bring vehicles' rated fuel economy levels closer to their actual on-road fuel economy levels.⁴⁸⁶

In its Final Rule, EPA estimated that actual on-road fuel economy for light-duty vehicles averages 20 percent lower than published fuel economy levels. For example, if the overall EPA fuel economy rating of a light truck is 20 mpg, the on-road fuel economy actually achieved by a typical driver of that vehicle is expected to be 16 mpg (20*.80). NHTSA employed EPA's revised estimate of this on-road fuel economy gap in its analysis of the fuel

⁴⁸⁶ 71 FR 77871 (Dec. 27, 2006).

savings resulting from alternative CAFE standards evaluated in the MY 2011 final rule.

For purposes of this NPRM, NHTSA conducted additional analysis of this issue. The agency used data on the number of passenger cars and light trucks of each model year that were registered for use during calendar years 2000 through 2006, average fuel economy for passenger cars and light trucks produced during each model year, and estimates of average miles driven per year by cars and light trucks of different ages. These data were combined to develop estimates of the average fuel economy that the U.S. passenger car and light truck fleets would have achieved from 2000 through 2006 under test conditions.

NHTSA compared these estimates to the Federal Highway Administration's (FHWA) published values of actual on-road fuel economy for passenger cars and light trucks during each of those years.⁴⁸⁷ FHWA's estimates of actual fuel economy for passenger cars averaged 22 percent lower than NHTSA's estimates of its fleet-wide average value under test conditions over this period, while FHWA's estimates for light trucks averaged 17 lower than NHTSA's estimates of average light truck fuel economy under test conditions. These results appear to confirm that the 20 percent on-road fuel economy discount or gap represents a reasonable estimate for use in evaluating the fuel savings likely to result from alternative CAFE standards for MY 2012–2016 vehicles.

d. Fuel Prices and the Value of Saving Fuel

Projected future fuel prices are a critical input into the preliminary economic analysis of alternative CAFE standards, because they determine the value of fuel savings both to new vehicle buyers and to society. NHTSA relied on the most recent fuel price projections from the U.S. Energy Information Administration's (EIA) *Annual Energy Outlook* (AEO) for this analysis. Specifically, we used the AEO 2009 (April 2009 release) Reference Case forecasts of inflation-adjusted (constant-dollar) retail gasoline and diesel fuel prices, which represent the EIA's most up-to-date estimate of the most likely course of future prices for petroleum products.⁴⁸⁸

⁴⁸⁷ Federal Highway Administration, Highway Statistics, 2000 through 2006 editions, Table VM-1; see <http://www.fhwa.dot.gov/policy/ohpi/hss/hsspubs.cfm> (last accessed July 27, 2009).

⁴⁸⁸ Energy Information Administration, *Annual Energy Outlook 2009*, Revised Updated Reference Case (April 2009), Table 12. Available at <http://>

While NHTSA relied on the forecasts of fuel prices presented in AEO 2008 High Price Case in the MY 2011 final rule, we noted at the time that we were relying on that estimate primarily because volatility in the oil market appeared to have overtaken the Reference Case, and that we anticipated that the Reference Case forecast would be significantly higher in the next AEO. In fact, EIA's AEO 2009 Reference Case forecast projects higher retail fuel prices in most future years than those forecast in the High Price Case from AEO 2008. NHTSA is thus confident that the AEO 2009 Reference Case is an appropriate forecast for projected future fuel prices.

Measured in constant 2007 dollars, the Reference Case forecast of retail gasoline prices during calendar year 2020 is \$3.62 per gallon, rising gradually to \$3.82 by the year 2030 (these values include Federal, State and local taxes). To obtain fuel price forecasts for the years 2031 through 2050, the agency assumes that retail fuel prices will continue to increase after 2030 at the average annual rates projected for 2020–2030 in the AEO 2009 Revised Reference Case.⁴⁸⁹ This assumption results in a projected retail price of gasoline that reaches \$4.25 in 2007 dollars by the year 2050.

The value of fuel savings resulting from improved fuel economy to buyers of light-duty vehicles is determined by the retail price of fuel, which includes Federal, State, and any local taxes imposed on fuel sales. Total taxes on gasoline, including Federal, State, and local levies averaged \$0.42 per gallon during 2006, while those levied on diesel averaged \$0.50. Because fuel taxes represent transfers of resources from fuel buyers to government agencies, however, rather than real resources that are consumed in the process of supplying or using fuel, their value must be deducted from retail fuel prices to determine the value of fuel savings resulting from more stringent CAFE standards to the U.S. economy as a whole.

NHTSA follows the assumptions used by EIA in AEO 2009 that State and local gasoline taxes will keep pace with

www.eia.doe.gov/oiaf/servicert/stimulus/excel/aeostimtab_12.xls (last accessed July 26, 2009). EIA's Updated Reference Case reflects the effects of the American Reinvestment and Recovery Act of 2009, as well as the most recent revisions to the U.S. and global economic outlook.

⁴⁸⁹ This projection uses the rate of increase in fuel prices for 2020–2030 rather than that over the complete forecast period (2009–2030) because there is extreme volatility in the forecasts for the years 2009 through approximately 2020. Using the average rate of change over the complete 2009–2030 forecast period would result in projections of declining fuel prices after 2030.

inflation in nominal terms, and thus remain constant when expressed in constant 2007 dollars. In contrast, EIA assumes that Federal gasoline taxes will remain unchanged in nominal terms, and thus decline throughout the forecast period when expressed in constant 2007 dollars. These differing assumptions about the likely future behavior of Federal and State/local fuel taxes are consistent with recent historical experience, which reflects the fact that Federal as well as most State motor fuel taxes are specified on a cents-per-gallon basis, and typically require legislation to change.

The projected value of total taxes is deducted from each future year's forecast of retail gasoline and diesel prices reported in AEO 2009 to determine the economic value of each gallon of fuel saved during that year as a result of improved fuel economy. Subtracting fuel taxes results in a projected value for saving gasoline of \$3.22 per gallon during 2020, rising to \$3.45 per gallon by the year 2030.

EIA includes "High Price Case" and "Low Price Case" forecasts in each AEO, which reflect uncertainties regarding future levels of oil production and demand. These alternative scenarios project retail gasoline prices that range from a low of \$2.02 to a high of \$5.04 per gallon during 2020, and from \$2.04 to \$5.47 per gallon during 2030. In conjunction with our assumption that fuel taxes will remain constant in real or inflation-adjusted terms over this period, these forecasts imply pre-tax values of saving fuel ranging from \$1.63 to \$4.65 per gallon during 2020, and from \$1.67 to \$5.10 per gallon in 2030. In conducting the preliminary analysis of uncertainty in benefits and costs from alternative CAFE standards required by OMB, NHTSA evaluated the sensitivity of its benefits estimates to these alternative forecasts of future fuel prices. The results of this sensitivity analysis can be found in the PRIA.

e. Consumer Valuation of Fuel Economy and Payback Period

In estimating the value of fuel economy improvements that would result from alternative CAFE standards to potential vehicle buyers, NHTSA assumes, as in the MY 2011 final rule, that buyers value the resulting fuel savings over only part of the expected lifetime of the vehicles they purchase. Specifically, we assume that buyers value fuel savings over the first five years of a new vehicle's lifetime, and discount the value of these future fuel savings at a 3 percent annual rate. The five-year figure represents

approximately the current average term of consumer loans to finance the purchase of new vehicles. We recognize that the period over which individual buyers finance new vehicle purchases may not correspond exactly to the time horizons they apply in valuing fuel savings from higher fuel economy.

The agency deducts the discounted present value of fuel savings over the first five years of a vehicle model's lifetime from the technology costs incurred by its manufacturer to improve that model's fuel economy to determine the increase in its "effective price" to buyers. The Volpe model uses these estimates of effective costs for increasing the fuel economy of each vehicle model to identify the order in which manufacturers would be likely to select models for the application of fuel economy-improving technologies in order to comply with stricter standards. The average value of the resulting increase in effective cost from each manufacturer's simulated compliance strategy is also used to estimate the impact of alternative standards on its total sales for future model years.

However, it is important to recognize that NHTSA estimates the aggregate value to the U.S. economy of fuel savings resulting from alternative standards—or their "social" value—over the *entire* expected lifetimes of vehicles manufactured under those standards, rather than over this shorter "payback period" we assume for their buyers. The procedure the agency uses for doing so is discussed in detail in the following section.

f. Vehicle Survival and Use Assumptions

NHTSA's first step in estimating lifetime fuel consumption by vehicles produced during a model year is to calculate the number expected to remain in service during each year following their production and sale.⁴⁹⁰ This is calculated by multiplying the number of vehicles originally produced

during a model year by the proportion typically expected to remain in service at their age during each later year, often referred to as a "survival rate."

To estimate production volumes of passenger cars and light trucks for individual manufacturers, NHTSA relied on a baseline market forecast constructed by EPA staff beginning with MY 2008 CAFE certification data. After constructing a MY 2008 baseline, EPA used projected car and truck volumes for this period from Energy Information Administration's (EIA's) 2009 Annual Energy Outlook (AEO).⁴⁹¹ However, AEO projects sales only at the car and truck level, not at the manufacturer and model-specific level, which are needed in order to estimate the effects new standards will have on individual manufacturers.⁴⁹² Therefore, EPA purchased data from CSM-Worldwide and used their projections of the number of vehicles of each type predicted to be sold by manufacturers in 2011–2015.⁴⁹³ This provided the year-by-year percentages of cars and trucks sold by each manufacturer as well as the percentages of each vehicle segment. Although it was thus necessary to assume the same manufacturer and segment shares in 2016 as in 2015, 2016 estimates from CSM should be available for the final rule. Using these percentages normalized to the AEO projected volumes then provided the manufacturer-specific market share and model-specific sales for model years 2011–2016.

To estimate the number of passenger cars and light trucks originally produced during model years 2012 through 2016 that will remain in use during each subsequent year the agency applied age-specific survival rates for cars and light trucks to these adjusted forecasts of passenger car and light truck sales. In 2008, NHTSA updated its previous estimates of car and light truck survival rates using the most current

registration data for vehicles produced during recent model years, in order to ensure that they reflected recent increases in the durability and expected life spans of cars and light trucks.⁴⁹⁴

The next step in estimating fuel use is to calculate the total number of miles that model year 2012–2016 cars and light trucks remaining in use will be driven each year. To estimate total miles driven, the number projected to remain in use during each future year is multiplied by the average number of miles they are expected to be driven at the age they will reach in that year. The agency estimated annual usage of cars and light trucks of each age using data from the Federal Highway Administration's 2001 National Household Transportation Survey (NHTS).⁴⁹⁵ Because these estimates reflect the historically low gasoline prices that prevailed at the time the 2001 NHTS was conducted, however, NHTSA adjusted them to account for the effect on vehicle use of subsequent increases in fuel prices. Details of this adjustment are provided in Chapter VIII of the PRIA and Chapter of the draft joint TSD.

Increases in average annual use of cars and light trucks have been an important source of historical growth in the total number of miles they are driven each year. To estimate future growth in their average annual use for purposes of this rulemaking, NHTSA calculated the rate of growth in the adjusted mileage schedules derived from the 2001 NHTS necessary for *total* car and light truck travel to increase at the rate forecast in the AEO 2009 Reference Case.⁴⁹⁶ This rate was calculated to be consistent with future changes in the overall size and age distributions of the U.S. passenger car and light truck fleets that result from the agency's forecasts of total car and light truck sales and updated survival rates. The resulting growth rate in average annual car and light truck use of approximately 1.1 percent per year was

⁴⁹⁰ Available at <http://www.eio.doe.gov/oiof/aeo/index.html>. NHTSA and EPA made the simplifying assumption that projected sales of cars and light trucks during each calendar year from 2012 through 2016 represented the likely production volumes for the corresponding model year. The agency did not attempt to establish the exact correspondence between projected sales during individual calendar years and production volumes for specific model years.

⁴⁹² Because AEO 2009's "car" and "truck" classes did not reflect NHTSA's recent reclassification (in March 2009 for enforcement beginning MY 2011) of many two wheel drive SUVs from the nonpassenger (i.e., light truck) fleet to the passenger car fleet, EPA staff made adjustments to account for such vehicles in the baseline.

⁴⁹³ EPA also considered other sources of similar information, such as J.D. Powers, and concluded that CSM was better able to provide forecasts at the requisite level of detail for most of the model years of interest.

⁴⁹⁴ Lu, S., NHTSA, Regulatory Analysis and Evaluation Division, "Vehicle Survivability and Travel Mileage Schedules," DOT HS 809 952, 8–11 (January 2006). Available at <http://www-nrd.nhtsa.dot.gov/Pubs/809952.pdf> (last accessed August 9, 2009). These updated survival rates suggest that the expected lifetimes of recent-model passenger cars and light trucks are 13.8 and 14.5 years.

⁴⁹⁵ For a description of the Survey, see <http://nhts.orl.gov/quickStart.shtml> (last accessed August 9, 2009).

⁴⁹⁶ This approach differs from that used in the MY 2011 final rule, where it was assumed that future growth in the total number of cars and light trucks in use resulting from projected sales of new vehicles was adequate by itself to account for growth in total vehicle use, without assuming continuing growth in average vehicle use.

⁴⁹⁰ Vehicles are defined to be of age 1 during the calendar year corresponding to the model year in which they are produced; thus for example, model year 2000 vehicles are considered to be of age 1 during calendar year 2000, age 1 during calendar year 2001, and to reach their maximum age of 26 years during calendar year 2025. NHTSA considers the maximum lifetime of vehicles to be the age after which less than 2 percent of the vehicles originally produced during a model year remain in service. Applying these conventions to vehicle registration data indicates that passenger cars have a maximum age of 26 years, while light trucks have a maximum lifetime of 36 years. See Lu, S., NHTSA, Regulatory Analysis and Evaluation Division, "Vehicle Survivability and Travel Mileage Schedules," DOT HS 809 952, 8–11 (January 2006). Available at <http://www-nrd.nhtsa.dot.gov/Pubs/809952.pdf> (last accessed July 27, 2009).

applied to the mileage figures derived from the 2001 NHTS to estimate annual mileage during each year of the expected lifetimes of MY 2012–2016 cars and light trucks.⁴⁹⁷

Finally, the agency estimated total fuel consumption by passenger cars and light trucks remaining in use each year by dividing the total number of miles surviving vehicles are driven by the fuel economy they are expected to achieve under each alternative CAFE standard. Each model year's total lifetime fuel consumption is the sum of fuel use by the cars or light trucks produced during that model year during each year of their life spans. In turn, the *savings* in a model year's lifetime fuel use that will result from each alternative CAFE standard is the difference between its lifetime fuel use at the fuel economy level it attains under the Baseline alternative, and its lifetime fuel use at the higher fuel economy level it is projected to achieve under that alternative standard.⁴⁹⁸

g. Accounting for the Rebound Effect of Higher-Fuel Economy

The fuel economy rebound effect refers to the fraction of fuel savings expected to result from an increase in vehicle fuel economy—particularly an increase required by the adoption of higher CAFE standards—that is offset by additional vehicle use. The increase in vehicle use occurs because higher fuel economy reduces the fuel cost of driving, typically the largest single component of the monetary cost of operating a vehicle, and vehicle owners

respond to this reduction in operating costs by driving slightly more. By lowering the marginal cost of vehicle use, improved fuel economy may lead to an increase in the number of miles vehicles are driven each year and over their lifetimes. Even with their higher fuel economy, this additional driving consumes some fuel, so the rebound effect reduces the net fuel savings that result when new CAFE standards require manufacturers to improve fuel economy.

The magnitude of the rebound effect is an important determinant of the actual fuel savings that are likely to result from adopting stricter CAFE standards. Research on the magnitude of the rebound effect in light-duty vehicle use dates to the early 1980s, and generally concludes that a statistically significant rebound effect occurs when vehicle fuel efficiency improves.⁴⁹⁹ The agency reviewed studies of the rebound effect it had previously relied upon, considered more recently published estimates, and developed new estimates of its magnitude for purposes of this NPRM.⁵⁰⁰ Recent studies provide some evidence that the rebound effect has been declining over time, and may decline further over the immediate future if incomes rise faster than gasoline prices. This result appears plausible, because the responsiveness of vehicle use to variation in fuel costs is expected to decline as they account for a smaller proportion of the total monetary cost of driving, which has been the case until very recently. At the same time, rising personal incomes would be expected to reduce the sensitivity of vehicle use to fuel costs as the time component of driving costs—which is likely to be related to income levels—accounts for a larger fraction of the total cost of automobile travel. NHTSA developed new estimates of the rebound effect by using national data on light-duty vehicle travel over the period from 1950 through 2006 to estimate various econometric models of the relationship between vehicle miles-traveled and factors likely to influence it, including household income, fuel prices, vehicle fuel efficiency, road supply, the number of vehicles in use, vehicle prices, and

other factors.⁵⁰¹ The results of NHTSA's analysis are consistent with the findings from other recent research: The average long-run rebound effect ranged from 16 percent to 30 percent over the period from 1950 through 2007, while estimates of the rebound effect in 2007 range from 8 percent to 14 percent. Projected values of the rebound effect for the period from 2010 through 2030, which the agency developed using forecasts of personal income, fuel prices, and fuel efficiency from AEO 2009's Reference Case, range from 4 percent to 16 percent, depending on the specific model used to generate them.

In light of these results, the agency's judgment is that the apparent decline over time in the magnitude of the rebound effect justifies using a value for future analysis that is lower than historical estimates, which average 15–25 percent. Because the lifetimes of vehicles affected by the alternative CAFE standards considered in this rulemaking will extend from 2012 until nearly 2050, a value that is significantly lower than historical estimates appears to be appropriate. Thus NHTSA has elected to use a 10 percent rebound effect in its analysis of fuel savings and other benefits from higher CAFE standards for this NPRM.

NHTSA also invites comment on other alternatives for estimating the rebound effect. As one illustration, variation in the price per gallon of gasoline directly affects the per-mile cost of driving, and drivers may respond just as they would to a change in the cost of driving resulting from a change in fuel economy, by varying the number of miles they drive. Because vehicles' fuel economy is fixed in the short run, variation in the number of miles driven in response to changes in fuel prices will be reflected in changes in gasoline consumption. Under the assumption that drivers respond similarly to changes in the cost of driving whether they are caused by variation in fuel prices or fuel economy, the short-run price elasticity of gasoline—which measures the sensitivity of gasoline consumption to changes in its price per gallon—may provide some indication about the magnitude of the rebound effect itself. NHTSA invites comment on the extent to which the short-run elasticity of demand for gasoline with respect to its price can provide useful information about the size of the rebound effect. Specifically, we seek comment on whether it would be

⁴⁹⁷ While the adjustment for future fuel prices reduces average mileage at each age from the values derived from the 2001 NHTS, the adjustment for expected future growth in average vehicle use increases it. The net effect of these two adjustments is to increase expected lifetime mileage by about 18 percent significantly for both passenger cars and about 16 percent for light trucks.

⁴⁹⁸ To illustrate these calculations, the agency's adjustment of the AEO 2009 Revised Reference Case forecast indicates that 9.26 million passenger cars will be produced during 2012, and the agency's updated survival rates show that 83 percent of these vehicles, or 7.64 million, are projected to remain in service during the year 2022, when they will have reached an age of 10 years. At that age, passenger achieving the fuel economy level they are projected to achieve under the Baseline alternative are driven an average of about 800 miles, so surviving model year 2012 passenger cars will be driven a total of 82.5 billion miles (= 7.64 million surviving vehicles × 10,800 miles per vehicle) during 2022. Summing the results of similar calculations for each year of their 26-year maximum lifetime, model year 2012 passenger cars will be driven a total of 1,395 billion miles under the Baseline alternative. Under that alternative, they are projected to achieve a test fuel economy level of 32.4 mpg, which corresponds to actual on-road fuel economy of 25.9 mpg (= 32.4 mpg × 80 percent). Thus their lifetime fuel use under the Baseline alternative is projected to be 53.9 billion gallons (= 1,395 billion miles divided by 25.9 miles per gallon).

⁴⁹⁹ Some studies estimate that the long-run rebound effect is significantly larger than the immediate response to increased fuel efficiency. Although their estimates of the adjustment period required for the rebound effect to reach its long-run magnitude vary, this long-run effect is most appropriate for evaluating the fuel savings and emissions reductions resulting from stricter standards that would apply to future model years.

⁵⁰⁰ For details of the agency's analysis, see Chapter VIII of the PRIA and Chapter 4 of the draft joint TSD accompanying this proposed rule.

⁵⁰¹ The agency used several different model specifications and estimation procedures to control for the effect of fuel prices on fuel efficiency in order to obtain accurate estimates of the rebound effect.

appropriate to use the price elasticity of demand for gasoline, or other alternative approaches, to guide the choice of a value for the rebound effect.

Additionally, NHTSA recognizes that as the world price of oil falls in response to lower U.S. demand for oil, there is the potential for an increase in oil use and, in turn, greenhouse gas emissions outside the U.S. This so-called international oil "take back" effect is difficult to estimate. Given that oil consumption patterns vary across countries, there will be different demand responses to a change in the world price of crude oil. In addition, many countries around the world subsidize their oil consumption. It is not clear how oil consumption would change due to changes in the market price of oil given the current pattern of demand and subsidies. Further, many countries, especially in the developed countries/regions (*i.e.*, the European Union), already have or anticipate implementing policies to limit GHG emissions. Further out in the future, it is anticipated that developing countries would take actions to reduce their GHG emissions as well. Any increases in petroleum consumption and GHG emissions in other nations that occurs in response to a decline in world petroleum prices would be attributed to those nations, and recorded in their respective GHG emissions inventories. Thus, including the same increase in emissions as part of the impact of adopting CAFE standards in the U.S. would risk double-counting of global emissions totals. NHTSA seeks comment on how to estimate the international "take back" effect and its impact on fuel consumption and GHG emissions. See the Energy Security section of the TSD, 4.2.8, for more discussion of the impact of the proposed vehicle rule on oil markets.

h. Benefits From Increased Vehicle Use

The increase in vehicle use from the rebound effect provides additional benefits to their owners, who may make more frequent trips or travel farther to reach more desirable destinations. This additional travel provides benefits to drivers and their passengers by improving their access to social and economic opportunities away from home. As evidenced by their decisions to make more frequent or longer trips when improved fuel economy reduces their costs for driving, the benefits from this additional travel exceed the costs drivers and passengers incur in making more frequent or longer trips.

The agency's analysis estimates the economic benefits from increased rebound-effect driving as the sum of fuel

costs drivers incur plus the consumer surplus they receive from the additional accessibility it provides.⁵⁰² Because the increase in travel depends on the extent of improvement in fuel economy, the value of benefits it provides differs among model years and alternative CAFE standards. Under even those alternatives that would impose the highest standards, however, the magnitude of these benefits represents a small fraction of total benefits.

i. The Value of Increased Driving Range

Improving vehicles' fuel economy may also increase their driving range before they require refueling. By reducing the frequency with which drivers typically refuel, and by extending the upper limit of the range they can travel before requiring refueling, improving fuel economy thus provides some additional benefits to their owners.⁵⁰³ NHTSA re-examined this issue for purposes of this rulemaking, and found no information in comments or elsewhere that would cause the agency to revise its previous approach. Since no direct estimates of the value of extended vehicle range are available, NHTSA calculates directly the reduction in the annual number of required refueling cycles that results from improved fuel economy, and applies DOT-recommended values of travel time savings to convert the resulting time savings to their economic value.⁵⁰⁴

As an illustration, a typical small light truck model has an average fuel tank size of approximately 20 gallons. Assuming that drivers typically refuel when their tanks are 55 percent full (*i.e.*, 11 gallons in reserve), increasing this model's actual on-road fuel economy from 24 to 25 mpg would extend its driving range from 216 miles (= 9 gallons \times 24 mpg) to 225 miles (= 9 gallons \times 25 mpg). Assuming that it is driven 12,000 miles/year, this reduces the number of times it needs to be refueled each year from 55.6 (= 12,000 miles per year/216 miles per refueling) to 53.3 (= 12,000 miles per year/225

⁵⁰² The consumer surplus provided by added travel is estimated as one-half of the product of the decline in fuel cost per mile and the resulting increase in the annual number of miles driven.

⁵⁰³ If manufacturers respond to improved fuel economy by reducing the size of fuel tanks to maintain a constant driving range, the resulting cost savings will presumably be reflected in lower vehicle sales prices.

⁵⁰⁴ See Department of Transportation, Guidance Memorandum, "The Value of Saving Travel Time: Departmental Guidance for Conducting Economic Evaluations," Apr. 9, 1997. <http://ostpxweb.dot.gov/policy/Dota/VOT97guid.pdf> (last accessed August 9, 2009); update available at http://ostpxweb.dot.gov/policy/Dota/VOTrevision1_2-11-03.pdf (last accessed August 9, 2009).

miles per refueling), or by 2.3 refuelings per year.

Weighted by the nationwide mix of urban and rural driving, personal and business travel in urban and rural areas, and average vehicle occupancy for driving trips, the DOT-recommended values of travel time per vehicle-hour is \$24.64 (in 2007 dollars).⁵⁰⁵ Assuming that locating a station and filling up requires five minutes, the annual value of time saved as a result of less frequent refueling amounts to \$4.72 (calculated as $5/60 \times 2.3 \times \$24.64$). This calculation is repeated for each future year that model year 2012–2016 cars and light trucks would remain in service. Like fuel savings and other benefits, the value of this benefit declines over a model year's lifetime, because a smaller number of vehicles originally produced during that model year remain in service each year, and those remaining in service are driven fewer miles.

NHTSA recognizes that many assumptions made in its estimate for the value of increased driving range are subject to uncertainty. Please see Chapter 4 of the TSD and Chapter 8 of NHTSA's PRIA for more information about the uncertainty regarding these assumptions.

j. Added Costs From Congestion, Crashes and Noise

Increased vehicle use associated with the rebound effect also contributes to increased traffic congestion, motor vehicle accidents, and highway noise. NHTSA relies on estimates of per-mile congestion, accident, and noise costs caused by increased use of automobiles and light trucks developed by the Federal Highway Administration to estimate these increased costs.⁵⁰⁶ NHTSA employed these estimates previously in its analysis accompanying the MY 2011 final rule, and continues

⁵⁰⁵ The hourly wage rate during 2008 is estimated to average \$25.50 when expressed in 2007 dollars. Personal travel in urban areas (which represents 94 percent of urban travel) is valued at 50 percent of the hourly wage rate, while business travel (the remaining 6 percent of urban travel) is valued at 100 percent of the hourly wage rate. For intercity travel, personal travel (87 percent of total intercity travel) is valued at 70 percent of the wage rate, while business travel (13 percent) is valued at 100 percent of the wage rate. The resulting values of travel time are \$12.67 for urban travel and \$17.66 for intercity travel, and must be multiplied by vehicle occupancy (1.6) to obtain the estimated values of time per vehicle hour in urban and rural driving. Finally, about 66% of driving occurs in urban areas, while the remaining 34% takes place in rural areas, and these percentages are used to calculate a weighted average of the value of time in all driving.

⁵⁰⁶ These estimates were developed by FHWA for use in its 1997 *Federal Highway Cost Allocation Study*; see <http://www.fhwa.dot.gov/policy/hcos/finol/index.htm> (last accessed August 9, 2009).

to find them appropriate for this NPRM after reviewing the procedures used by FHWA to develop them and considering other available estimates of these values. The agency multiplies FHWA's estimates of per-mile costs by the annual increases in automobile and light truck use from the rebound effect to yield the estimated increases in congestion, accident, and noise externality costs during each future year.

k. Petroleum Consumption and Import Externalities

U.S. consumption and imports of petroleum products also impose costs on the domestic economy that are not reflected in the market price for crude petroleum, or in the prices paid by consumers of petroleum products such as gasoline. These costs include (1) higher prices for petroleum products resulting from the effect of U.S. oil import demand on the world oil price; (2) the risk of disruptions to the U.S. economy caused by sudden reductions in the supply of imported oil to the U.S.; and (3) expenses for maintaining a U.S. military presence to secure imported oil supplies from unstable regions, and for maintaining the strategic petroleum reserve (SPR) to cushion against resulting price increases.⁵⁰⁷

Higher U.S. imports of crude oil or refined petroleum products increase the magnitude of these external economic costs, thus increasing the true economic cost of supplying transportation fuels above their market prices. Conversely, lowering U.S. imports of crude petroleum or refined fuels by reducing domestic fuel consumption can reduce these external costs, and any reduction in their total value that results from improved fuel economy represents an economic benefit of more stringent CAFE standards, in addition to the value of saving fuel itself.

NHTSA has carefully reviewed its assumptions regarding the appropriate value of these benefits for this proposed rule. In analyzing benefits from its recent actions to increase light truck CAFE standards for model years 2005–07 and 2008–11, NHTSA relied on a 1997 study by Oak Ridge National Laboratory (ORNL) to estimate the value

of reduced economic externalities from petroleum consumption and imports.⁵⁰⁸ More recently, ORNL updated its estimates of the value of these externalities, using the analytic framework developed in its original 1997 study in conjunction with recent estimates of the variables and parameters that determine their value.⁵⁰⁹ The updated ORNL study was subjected to a detailed peer review by experts selected by EPA, and its estimates of the value of oil import externalities were subsequently revised to reflect their comments and recommendations.⁵¹⁰

At the request of EPA, ORNL further revised its 2008 estimates of external costs from U.S. oil imports to reflect recent changes in the outlook for world petroleum prices and continuing changes in the structure and characteristics of global petroleum supply and demand.

These most recent revisions increase ORNL's estimates of the "monopsony premium" associated with U.S. oil imports, which measures the reduced value of payments from U.S. oil purchasers to foreign oil suppliers beyond the savings from reduced purchases of petroleum itself that results when lower U.S. import demand reduces the world price of petroleum.⁵¹¹ Consistency with NHTSA's use of estimates of the global benefits from reducing emissions of CO₂ and other greenhouse gases in this analysis, however, requires the use of a global perspective for assessing their net value. From this perspective, reducing these payments simply results in a transfer of resources from foreign oil suppliers to U.S. purchasers (or more properly, in a savings in the value of resources previously transferred from U.S. purchasers to foreign producers), and provides no real savings in resources to the global economy. Thus NHTSA's analysis of the benefits from adopting higher CAFE standards for MY 2012–

2016 cars and light trucks *excludes* the reduced value of monopsony payments by U.S. oil consumers that might result from lower fuel consumption by these vehicles.

The literature on the energy security for the last two decades has routinely combined the monopsony and the macroeconomic disruption components when calculating the total value of the energy security premium. However, in the context of using a global value for the Social Cost of Carbon (SCC) the question arises: How should the energy security premium be used when some benefits from the proposed rule, such as the benefits of reducing greenhouse gas emissions, are calculated at a global level? Monopsony benefits represent avoided payments by the U.S. to oil producers in foreign countries that result from a decrease in the world oil price as the U.S. decreases its consumption of imported oil. Although there is clearly a benefit to the U.S. when considered from the domestic perspective, the decrease in price due to decreased demand in the U.S. also represents a loss of income to oil-producing countries. Given the redistributive nature of this effect, do the negative effects on other countries "net out" the positive impacts to the U.S.? If this is the case, then, the monopsony portion of the energy security premium should be excluded from the net benefits calculation for the rule.

As the preceding discussion has indicated, the agencies omitted the reduction in monopsony payments that occurs when U.S. petroleum consumption and imports are reduced from their estimates of economic benefits for the proposed rules. Since the reduction in monopsony payments by U.S. oil consumers is exactly offset by a decline in income to suppliers of imported oil, this omission ensures consistency of the agencies' analysis with the inclusion of global benefits from reducing emissions of greenhouse gas emissions. The agencies seek comment on whether, from other perspectives, it would be reasonable to include both the global value of reducing GHG emissions and the reduction in monopsony payments by U.S. consumers of petroleum products in their estimates of total economic benefits from reducing U.S. fuel consumption.

ORNL's most recently revised estimates of the increase in the expected costs associated with potential disruptions in U.S. petroleum imports imply that each gallon of imported fuel or petroleum saved reduces the expected costs of oil supply disruptions

⁵⁰⁷ See, e.g., Bohi, Douglas R. and W. David Montgomery (1982). *Oil Prices, Energy Security, and Import Policy*, Washington, DC: Resources for the Future, Johns Hopkins University Press; Bohi, D. R., and M. A. Toman (1993). "Energy and Security: Externalities and Policies," *Energy Policy* 21:1093–1109; and Toman, M. A. (1993). "The Economics of Energy Security: Theory, Evidence, Policy," in A. V. Kneese and J. L. Sweeney, eds. (1993). *Handbook of Natural Resource and Energy Economics*, Vol. III. Amsterdam: North-Holland, pp. 1167–1218.

⁵⁰⁸ Leiby, Paul N., Donald W. Jones, T. Randall Curlee, and Russell Lee, *Oil Imports: An Assessment of Benefits and Costs*, ORNL-6851, Oak Ridge National Laboratory, November 1, 1997. Available at <http://pzl1.ed.ornl.gov/ORNL6851.pdf> (last accessed August 9, 2009).

⁵⁰⁹ Leiby, Paul N. "Estimating the Energy Security Benefits of Reduced U.S. Oil Imports," Oak Ridge National Laboratory, ORNL/TM-2007/028, Revised July 23, 2007. Available at <http://pzl1.ed.ornl.gov/energysecurity.html> (click on link below "Oil Imports Costs and Benefits") (last accessed August 9, 2009).

⁵¹⁰ *Peer Review Report Summary: Estimating the Energy Security Benefits of Reduced U.S. Oil Imports*, ICF, Inc., September 2007.

⁵¹¹ The reduction in payments from U.S. oil purchasers to domestic petroleum producers is not included as a benefit, since it represents a transfer that occurs entirely within the U.S. economy.

to the U.S. economy by \$0.16 per gallon (in 2007\$). The reduction in expected disruption costs represents a real savings in resources, and thus contributes economic benefits *in addition to* the savings in fuel production costs that result from increasing fuel economy. NHTSA employs this value in its evaluation of the economic benefits from adopting higher CAFE standards for MY 2012–2016 cars and light trucks.

NHTSA's analysis does not include savings in budgetary outlays to support U.S. military activities among the benefits of higher fuel economy and the resulting fuel savings.⁵¹² NHTSA's analysis of benefits from alternative CAFE standards for MY 2012–2016 also excludes any cost savings from maintaining a smaller SPR from its estimates of the external benefits of reducing gasoline consumption and petroleum imports. This view concurs with that of the recent ORNL study of economic costs from U.S. oil imports, which concludes that savings in government outlays for these purposes are unlikely to result from reductions in consumption of petroleum products and oil imports on the scale of those resulting from higher CAFE standards.

Based on a detailed analysis of differences in fuel consumption, petroleum imports, and imports of refined petroleum products among the Reference Case, High Economic Growth, and Low Economic Growth Scenarios presented in AEO 2009, NHTSA estimates that approximately 50 percent of the reduction in fuel consumption resulting from adopting higher CAFE standards is likely to be reflected in reduced U.S. imports of refined fuel, while the remaining 50 percent would be reduce domestic fuel refining.⁵¹³ Of this latter figure, 90 percent is anticipated to reduce U.S. imports of crude petroleum for use as a refinery feedstock, while the remaining 10 percent is expected to reduce U.S. domestic production of crude petroleum.⁵¹⁴ Thus on balance, each

⁵¹² However, the agency conducted a sensitivity analysis of the potential effect of assuming that some reduction military spending would result from fuel savings and reduced petroleum imports in order to investigate its impacts on the standards and fuel savings.

⁵¹³ Differences between forecast annual U.S. imports of crude petroleum and refined products among these three scenarios range from 24–89 percent of differences in projected annual gasoline and diesel fuel consumption in the U.S. These differences average 49 percent over the forecast period spanned by AEO 2009.

⁵¹⁴ Differences between forecast annual U.S. imports of crude petroleum among these three scenarios range from 67–97 percent of differences in total U.S. refining of crude petroleum, and

100 gallons of fuel saved as a consequence of higher CAFE standards is anticipated to reduce total U.S. imports of crude petroleum or refined fuel by 95 gallons.⁵¹⁵

l. Air Pollutant Emissions

i. Impacts on Criteria Air Pollutant Emissions

Criteria air pollutants emitted by vehicles and during fuel production include carbon monoxide (CO), hydrocarbon compounds (usually referred to as “volatile organic compounds,” or VOC), nitrogen oxides (NO_x), fine particulate matter (PM_{2.5}), and sulfur oxides (SO_x). While reductions in domestic fuel refining and distribution that result from lower fuel consumption will reduce U.S. emissions of these pollutants, additional vehicle use associated with the rebound effect from higher fuel economy will increase their emissions. Thus the net effect of stricter CAFE standards on emissions of each criteria pollutant depends on the relative magnitudes of its reduced emissions in fuel refining and distribution, and increases in its emissions from vehicle use. Because the relationship between emissions in fuel refining and vehicle use is different for each criteria pollutant, the net effect of fuel savings from the proposed standards on total emissions of each pollutant is likely to differ. We note that any benefits in terms of criteria air pollutant reductions resulting from this rule would not be direct benefits.

With the exception of SO₂, NHTSA calculated annual emissions of each criteria pollutant resulting from vehicle use by multiplying its estimates of car and light truck use during each year over their expected lifetimes by per-mile emission rates appropriate to each vehicle type, fuel, model year, and age. These emission rates were developed by U.S. EPA using its Motor Vehicle Emission Simulator (Draft MOVES 2009).⁵¹⁶ Emission rates for SO₂ were calculated by NHTSA using average fuel sulfur content estimates supplied by EPA, together with the assumption that the entire sulfur content of fuel is emitted in the form of SO₂.⁵¹⁷ Total SO₂

average 85 percent over the forecast period spanned by AEO 2009.

⁵¹⁵ This figure is calculated as 50 gallons + 50 gallons * 90% = 50 gallons + 45 gallons = 95 gallons.

⁵¹⁶ The MOVES model assumes that the per-mile rates at which these pollutants are emitted are determined by EPA regulations and the effectiveness of catalytic after-treatment of engine exhaust emissions, and are thus unaffected by changes in car and light truck fuel economy.

⁵¹⁷ These are 30 and 15 parts per million (ppm, measured on a mass basis) for gasoline and diesel respectively, which produces emission rates of 0.17

emissions under each alternative CAFE standard were calculated by applying the resulting emission rates directly to estimated annual gasoline and diesel fuel use by cars and light trucks.

As with other impacts, the *changes* in emissions of criteria air pollutants resulting from alternative increases in CAFE standards for MY 2012–2016 cars and light trucks were calculated from the differences between emissions under each alternative that would increase CAFE standards, and emissions under the baseline alternative.

NHTSA estimated the reductions in criteria pollutant emissions from producing and distributing fuel that would occur under alternative CAFE standards using emission rates obtained by EPA from Argonne National Laboratories' Greenhouse Gases and Regulated Emissions in Transportation (GREET) model.⁵¹⁸ The GREET model provides separate estimates of air pollutant emissions that occur in different phases of fuel production and distribution, including crude oil extraction, transportation, and storage, fuel refining, and fuel distribution and storage.⁵¹⁹ EPA modified the GREET model to change certain assumptions about emissions during crude petroleum extraction and transportation, as well as to update its emission rates to reflect adopted and pending EPA emission standards. NHTSA converted these emission rates from the mass per fuel energy content basis on which GREET reports them to mass per gallon of fuel supplied using estimates of fuel energy content supplied by GREET.

The resulting emission rates were applied to the agency's estimates of fuel consumption under each alternative CAFE standard to develop estimates of total emissions of each criteria pollutant during fuel production and distribution. The assumptions about the effects of *changes* in fuel consumption on domestic and imported sources of fuel supply discussed above were then employed to calculate the effects of

grams of SO₂ per gallon of gasoline and 0.10 grams per gallon of diesel.

⁵¹⁸ Argonne National Laboratories, *The Greenhouse Gas and Regulated Emissions from Transportation (GREET) Model*, Version 1.8, June 2007, available at http://www.transportation.onl.gov/modeling_simulation/GREET/index.html (last accessed August 9, 2009).

⁵¹⁹ Emissions that occur during vehicle refueling at retail gasoline stations (primarily evaporative emissions of volatile organic compounds, or VOCs) are already accounted for in the “tailpipe” emission factors used to estimate the emissions generated by increased light truck use. GREET estimates emissions in each phase of gasoline production and distribution in mass per unit of gasoline energy content; these factors are then converted to mass per gallon of gasoline using the average energy content of gasoline.

reductions in fuel use from alternative CAFE standards on changes in imports of refined fuel and domestic refining. NHTSA's analysis assumes that reductions in imports of refined fuel would reduce criteria pollutant emissions during fuel storage and distribution only. Reductions in domestic fuel refining using imported crude oil as a feedstock are assumed to reduce emissions during fuel refining, storage, and distribution, because each of these activities would be reduced. Reduced domestic fuel refining using domestically-produced crude oil is assumed to reduce emissions during all four phases of fuel production and distribution.⁵²⁰

Finally, NHTSA calculated the net changes in domestic emissions of each criteria pollutant by summing the increases in emissions projected to result from increased vehicle use, and the reductions anticipated to result from lower domestic fuel refining and distribution.⁵²¹ As indicated previously, the effect of adopting higher CAFE standards on total emissions of each criteria pollutant depends on the relative magnitudes of the resulting reduction in emissions from fuel refining and distribution, and the increase in emissions from additional vehicle use. Although these net changes vary significantly among individual criteria pollutants, the agency projects that on balance, adopting higher CAFE standards would reduce emissions of all criteria air pollutants except carbon monoxide (CO).

The net changes in domestic emissions of fine particulates (PM_{2.5}) and its chemical precursors (such as NO_x, SO_x, and VOCs) are converted to economic values using estimates of the reductions in health damage costs per ton of emissions of each pollutant that is avoided, which were developed and recently revised by EPA. These savings represent the estimated reductions in the value of damages to human health resulting from lower atmospheric concentrations and population exposure to air pollution that occur when emissions of each pollutant that contributes to atmospheric PM_{2.5} concentrations are reduced. The value of reductions in the risk of premature death due to exposure to fine particulate

pollution (PM_{2.5}) account for a majority of EPA's estimated values of reducing criteria pollutant emissions, although the value of avoiding other health impacts is also included in these estimates. These values do not include a number of unquantified benefits, such as reduction in the welfare and environmental impacts of PM_{2.5} pollution, or reductions in health and welfare impacts related to other criteria pollutants (ozone, NO₂, and SO₂) and air toxics. EPA estimates different PM-related per-ton values for reducing emissions from vehicle use than for reductions in emissions of that occur during fuel production and distribution.⁵²² NHTSA applies these separate values to its estimates of changes in emissions from vehicle use and fuel production and distribution to determine the net change in total economic damages from emissions of these pollutants.

EPA projects that the per-ton values for reducing emissions of criteria pollutants from both mobile sources (including motor vehicles) and stationary sources such as fuel refineries and storage facilities will increase over time. These projected increases reflect rising income levels, which are assumed to increase affected individuals' willingness to pay for reduced exposure to health threats from air pollution, as well as future population growth, which increases population exposure to future levels of air pollution.

ii. Reductions in CO₂ Emissions

Emissions of carbon dioxide and other greenhouse gases (GHGs) occur throughout the process of producing and distributing transportation fuels, as well as from fuel combustion itself. By reducing the volume of fuel consumed by passenger cars and light trucks, higher CAFE standards will reduce GHG emissions generated by fuel use, as well as throughout the fuel supply cycle. Lowering these emissions is likely to slow the projected pace and reduce the ultimate extent of future changes in the global climate, thus reducing future economic damages that changes in the global climate are expected to cause. By reducing the probability that climate changes with potentially catastrophic economic or environmental impacts will occur, lowering GHG emissions may also result in economic benefits that exceed the resulting reduction in the expected future economic costs caused

by gradual changes in the earth's climatic systems.

Quantifying and monetizing benefits from reducing GHG emissions is thus an important step in estimating the total economic benefits likely to result from establishing higher CAFE standards. The agency estimated emissions of CO₂ from passenger car and light truck use by multiplying the number of gallons of each type of fuel (gasoline and diesel) they are projected to consume under alternative CAFE standards by the quantity or mass of CO₂ emissions released per gallon of fuel consumed. This calculation assumes that the entire carbon content of each fuel is converted to CO₂ emissions during the combustion process. Carbon dioxide emissions account for nearly 95 percent of total GHG emissions that result from fuel combustion during vehicle use.

iii. Economic Value of Reductions in CO₂ Emissions

NHTSA has taken the economic benefits of reducing CO₂ emission into account in this rulemaking, both in developing proposed CAFE standards and in assessing the economic benefits of each alternative that was considered. Since direct estimates of the economic benefits from reducing GHG emissions are generally not reported in published literature on the impacts of climate change, these benefits are typically assumed to be the "mirror image" of the estimated incremental costs resulting from an increase in those emissions. That is, the benefits from reducing emissions are usually measured by the savings in estimated economic damages that an equivalent increase in emissions would otherwise have caused.

The "social cost of carbon" (SCC) is intended to be a monetary measure of the incremental damage resulting from carbon dioxide (CO₂) emissions, including (but not limited to) net agricultural productivity loss, human health effects, property damages from sea level rise, and changes in ecosystem services. Any effort to quantify and to monetize the consequences associated with climate change will raise serious questions of science, economics, and ethics. But with full regard for the limits of both quantification and monetization, the SCC can be used to provide an estimate of the social benefits of reductions in GHG emissions.

For at least four reasons, any particular figure will be contestable. First, scientific and economic knowledge about the impacts of climate change continues to grow. With new and better information about relevant questions, including the cost, burdens, and possibility of adaptation, current

⁵²⁰In effect, this assumes that the distances crude oil travels to U.S. refineries are approximately the same regardless of whether it travels from domestic oilfields or import terminals, and that the distances that gasoline travels from refineries to retail stations are approximately the same as those from import terminals to gasoline stations.

⁵²¹All emissions from increased vehicle use are assumed to occur within the U.S., since CAFE standards would apply only to vehicles produced for sale in the U.S.

⁵²²These reflect differences in the typical geographic distributions of emissions of each pollutant, their contributions to ambient PM_{2.5} concentrations, pollution levels (predominantly those of PM_{2.5}), and resulting changes in population exposure.

estimates will inevitably change over time. Second, some of the likely and potential damages from climate change—for example, the loss of endangered species—are generally not included in current SCC estimates. These omissions may turn out to be significant; in the sense that they may mean that the best current estimates are too low. As noted by the IPCC Fourth Assessment Report, “It is *very likely* that globally aggregated figures underestimate the damage costs because they cannot include many non-quantifiable impacts.” Third, it is unlikely that the damage estimates account for the directed technological change that will lead to innovations that reduce the costs of responding to climate change—for example, it is likely that scientists will develop crops that are better able to withstand high temperatures. In this respect, the current estimates may overstate the likely damages. Fourth, controversial ethical judgments, including those involving the treatment of future generations, play a role in judgments about the SCC (see in particular the discussion of the discount rate, below).

To date, SCC estimates presented in recent regulatory documents have varied within and among agencies, including DOT, DOE, and EPA. For example, a regulation proposed by DOT in 2008 assumed a value of \$7 per ton CO₂ (2006\$) for 2011 emission reductions (with a range of \$0–14 for sensitivity analysis). A regulation finalized by DOE used a range of \$0–\$20 (2007\$). Both of these ranges were designed to reflect the value of damages to the United States resulting from carbon emissions, or the “domestic” SCC. In the final MY 2011 CAFE EIS, DOT used both a domestic SCC value of \$2/tCO₂ and a global SCC value of \$33/tCO₂ (with sensitivity analysis at \$80/tCO₂), increasing at 2.4 percent per year thereafter. The final MY 2011 CAFE rule also presented a range from \$2 to \$80/tCO₂. EPA’s Advance Notice of Proposed Rulemaking for Greenhouse Gases discussed the benefits of reducing GHG emissions and identified what it described as “very preliminary” SCC estimates “subject to revision” that spanned three orders of magnitude. EPA’s global mean values were \$68 and \$40/tCO₂ for discount rates of 2 percent

and 3 percent respectively (in 2006 real dollars for 2007 emissions).⁵²⁴

The current Administration has worked to develop a transparent methodology for selecting a set of interim SCC estimates to use in regulatory analyses until a more comprehensive characterization of the distribution of SCC is developed. This discussion proposes a set of values for the interim social cost of carbon. It should be emphasized that the analysis here is preliminary. Today’s proposed joint rulemaking presents SCC estimates that reflect the Administration’s current understanding of the relevant literature. These interim estimates are being used for the short-term while an interagency group develops a more comprehensive characterization of the distribution of SCC values for future economic and regulatory analyses. The interim values should not be viewed as a statement about the results of the longer-term process. The Administration will be evaluating and seeking comment in the preamble to today’s proposed rule on all of the scientific, economic, and ethical issues before establishing final estimates for use in future rulemakings.

The outcomes of the Administration’s process to develop interim values are judgments in favor of (a) global rather than domestic values, (b) an annual growth rate of 3%, and (c) interim global SCC estimates for 2007 (in 2006 dollars) of \$55, \$33, \$19, \$10, and \$5 per ton of CO₂. Notably, we have centered our current attention on a SCC of \$19. The proposed figures are based on the following judgments.

1. *Global and domestic measures.*

Because of the distinctive nature of the climate change problem, we present both a global SCC and a fraction of that value that represents impacts that may occur within the borders of the U.S. alone, or a “domestic” SCC, but center our current attention on the global measure. This approach represents a departure from past practices, which relied, for the most part, on domestic measures. As a matter of law, both global and domestic values are permissible; the relevant statutory provisions are ambiguous and allow selection of either measure.⁵²⁵

⁵²⁴ 73 FR 44416 (July 30, 2008). EPA, “Advance Notice of Proposed Rulemaking for Greenhouse Gases Under the Clean Air Act, Technical Support Document on Benefits of Reducing GHG Emissions,” June 2008. www.regulations.gov. Search for ID “EPA-HQ-OAR-2008-0318-0078.”

⁵²⁵ It is true that *Federal* statutes are presumed not to have extraterritorial effect, in part to ensure that the laws of the United States respect the interests of foreign sovereigns. But use of a global measure for the SCC does not give extraterritorial effect to *Federal* law and hence does not intrude on such interests.

It is true that under OMB guidance, analysis from the domestic perspective is required, while analysis from the international perspective is optional. The domestic decisions of one nation are not typically based on a judgment about the effects of those decisions on other nations. But the climate change problem is highly unusual in the sense that it involves (a) a global public good in which (b) the emissions of one nation may inflict significant damages on other nations and (c) the United States is actively engaged in promoting an international agreement to reduce worldwide emissions.

In these circumstances, we believe the global measure is preferred. Use of a global measure reflects the reality of the problem and is expected to contribute to the continuing efforts of the United States to ensure that emissions reductions occur in many nations.

Domestic SCC values are also presented. The development of a domestic SCC is greatly complicated by the relatively few region- or country-specific estimates of the SCC in the literature. One potential source of estimates comes from a recent unpublished EPA modeling effort using the FUND model. The resulting estimates suggest that the ratio of domestic to global benefits varies with key parameter assumptions. With a 3 percent discount rate, for example, the U.S. benefit is about 6 percent of the global benefit for the “central” (mean) FUND results, while, for the corresponding “high” estimates associated with a higher climate sensitivity and lower global economic growth, the U.S. benefit is less than 4 percent of the global benefit. With a 2 percent discount rate, the U.S. share is about 2–5 percent of the global estimate.

Based on this available evidence, an interim domestic SCC value equal to 6 percent of the global damages is proposed. This figure is in the middle of the range of available estimates from the literature. It is recognized that the 6 percent figure is approximate and highly speculative and alternative approaches will be explored before establishing final values for future rulemakings.

2. *Filtering existing analyses.* There are numerous SCC estimates in the existing literature, and it is reasonable to make use of those estimates in order to produce a figure for current use. A starting point is provided by the meta-analysis in Richard Tol, 2008.⁵²⁶ With

⁵²³ For the purposes of this discussion, we present all values of the SCC as the cost per ton of CO₂ emissions. Some discussions of the SCC in the literature use an alternative presentation of a dollar per ton of Carbon. The standard adjustment factor is 3.67, which means, for example, that a SCC of \$10 per ton of CO₂ would be equivalent to a cost of \$36.70 for a ton of carbon emitted.

⁵²⁶ Richard Tol, *The Social Cost of Carbon: Trends, Outliers, and Catastrophes*, *Economics: The Open-Access, Open-Assessment E-Journal*, Vol. 2, 2008–25. <http://www.economics-ejournal.org/economics/journalarticles/2008-25> (2008).

that starting point, the Administration proposes to "filter" existing SCC estimates by using those that (1) are derived from peer-reviewed studies; (2) do not weight the monetized damages to one country more than those in other countries; (3) use a "business as usual" climate scenario; and (4) are based on the most recent published version of each of the three major integrated assessment models (IAMs): FUND, PAGE, and DICE.

Proposal (1) is based on the view that those studies that have been subject to peer review are more likely to be reliable than those that have not been. Proposal (2) is based on a principle of neutrality and simplicity; it does not treat the citizens of one nation (or different citizens within the U.S.) differently on the basis of speculative or controversial considerations. Further, it is consistent with the potential compensation tests of Kaldor (1939) and Hicks (1940), which use unweighted sums of willingness to pay. Finally, this is the approach used in rulemakings across a variety of settings and consequently keeps U.S. government policy consistent across contexts.

Proposal (3) stems from the judgment that as a general rule, the proper way to assess a policy decision is by comparing the implementation of the policy against a counterfactual state where the policy is not implemented. In addition, our expectation is that most policies to be evaluated using these interim SCC estimates will constitute small enough changes to the larger economy to safely assume that the marginal benefits of emissions reductions will not change between the baseline and policy scenarios. A departure from this approach would be to consider a more dynamic setting in which other countries might implement policies to reduce GHG emissions at an unknown future date and the U.S. could choose to implement such a policy now or at a future date.

Proposal (4) is based on four complementary judgments. First, the FUND, PAGE, and DICE models now stand as the most comprehensive and reliable efforts to measure the economic damages from climate change. Second, the latest versions of the three IAMs are likely to reflect the most recent evidence and learning, and hence they are presumed to be superior to those that preceded them. Third, any effort to choose among them, or to reject one in favor of the others, would be difficult to defend at the present time. In the absence of a clear reason to choose among them, it is reasonable to base the SCC on all of them. Fourth, in light of the uncertainties associated with the

SCC, the additional information offered by different models is important.

3. *Use a model-weighted average of the estimates at each discount rate.* At this time, a scientifically valid reason to prefer any of the three major IAMs (FUND, PAGE, and DICE) has not been identified. Accordingly, to address the concern that certain models not be given unequal weight relative to the other models, the estimates are based on an equal weighting of the means of the estimates from each of the models. Among estimates that remain after applying the filter, we begin by taking the average of all estimates within a model. The estimated SCC is then calculated as the average of the three model-specific averages. This approach is used to ensure that models with a greater number of published results do not exert unequal weight on the interim SCC estimates.

4. *Apply a 3 percent annual growth rate to the chosen SCC values.* SCC is assumed to increase over time, because future emissions are expected to produce larger incremental damages as physical and economic systems become more stressed as the magnitude of climate change increases. Indeed, an implied growth rate in the SCC can be produced by most of the models that estimate economic damages caused by increased GHG emissions in future years. But neither the rate itself nor the information necessary to derive its implied value is commonly reported. In light of the limited amount of debate thus far about the appropriate growth rate of the SCC, applying a rate of 3 percent per year seems appropriate at this stage. This value is consistent with the range recommended by IPCC (2007) and close to the latest published estimate (Hope 2008).

(1) Discount Rates

For estimation of the benefits associated with the mitigation of climate change, one of the most complex issues involves the appropriate discount rate. OMB's current guidance offers a detailed discussion of the relevant issues and calls for discount rates of 3 percent and 7 percent. It also permits a sensitivity analysis with low rates (1–3 percent) for intergenerational problems: "If your rule will have important intergenerational benefits or costs you might consider a further sensitivity analysis using a lower but positive discount rate in addition to calculating net benefits using discount rates of 3 and 7 percent."⁵²⁷

⁵²⁷ See OMB Circular A-4, pp. 35–36, citing Portney and Weyant, eds. (1999), *Discounting and*

The choice of a discount rate, especially over long periods of time, raises highly contested and exceedingly difficult questions of science, economics, philosophy, and law. See, e.g., William Nordhaus, *The Challenge of Global Warming* (2008); Nicholas Stern, *The Economics of Climate Change* (2007); *Discounting and Intergenerational Equity* (Paul Portney and John Weyant eds. 1999). It is not clear that future generations would be willing to trade environmental quality for consumption at the same rate as the current generations. Under imaginable assumptions, decisions based on cost-benefit analysis with high discount rates might harm future generations—at least if investments are not made for the benefit of those generations. See Robert Lind, *Analysis for Intergenerational Discounting*, *id.* at 173, 176–177. It is also possible that the use of low discount rates for particular projects might itself harm future generations, by ensuring that resources are not used in a way that would greatly benefit them. In the context of climate change, questions of intergenerational equity are especially important.

Reasonable arguments support the use of a 3 percent discount rate. First, that rate is among the two figures suggested by OMB guidance, and hence it fits with existing national policy. Second, it is standard to base the discount rate on the compensation that people receive for delaying consumption, and the 3 percent is close to the risk-free rate of return, proxied by the return on long term inflation-adjusted U.S. Treasury Bonds, as of this writing. Although these rates are currently closer to 2.5 percent, the use of 3 percent provides an adjustment for the liquidity premium that is reflected in these bonds' returns.

At the same time, others would argue that a 5 percent discount rate can be supported. The argument relies on several assumptions. First, that rate can also be justified by reference to the level of compensation for delaying consumption, because it fits with market behavior with respect to *individuals'* willingness to trade-off consumption across periods as measured by the estimated post-tax average real returns to risky private investments (e.g., the S&P 500). In the climate setting, the 5 percent discount rate may be preferable to the riskless rate because it is based on risky investments and the return to projects to mitigate climate change is also risky. In contrast, the 3 percent riskless rate may be a more appropriate discount rate for

Intergenerational Equity, Resources for the Future, Washington, DC.

projects where the return is known with a high degree of confidence (e.g., highway guardrails). In principal, the correct discount rate would reflect the variance in payoff from climate mitigation policy and the correlation between the payoffs of the policy and the broader economy.⁵²⁸

Second, 5 percent, and not 3 percent, is roughly consistent with estimates implied by reasonable inputs to the theoretically derived Ramsey equation, which specifies the optimal time path for consumption. That equation specifies the optimal discount rate as the sum of two components. The first term (the product of the elasticity of the marginal utility of consumption and the growth rate of consumption) reflects the fact that consumption in the future is likely to be higher than consumption today, so diminishing marginal utility implies that the same monetary damage will cause a smaller reduction of utility in the future. Standard estimates of this term from the economics literature are in the range of 3 percent–5 percent. The second component reflects the possibility that a lower weight should

be placed on utility in the future, to account for social impatience or extinction risk, which is specified by a pure rate of time preference (P RTP). A common estimate of the P RTP is 2 percent, though some observers believe that a principle of intergenerational equity suggests that the P RTP should be close to zero. It follows that discount rate of 5 percent is near the middle of the range of values that are able to be derived from the Ramsey equation.

It is recognized that the arguments above—for use of market behavior and the Ramsey equation—face objections in the context of climate change, and of course there are alternative approaches. In light of climate change, it is possible that consumption in the future will not be higher than consumption today, and if so, the Ramsey equation will suggest a lower figure. However, the historical evidence is consistent with rising consumption over time.

Some critics note that using observed interest rates for inter-generational decisions imposes current preferences on future generations, which some economists say may not be appropriate.

For generational equity, they argue that the discount rate should be below market rates to correct for market distortions and inefficiencies in inter-generational transfers of wealth (which are presumed to compensate future generations for damage), and to treat generations equitably based on ethical principles (see Broome 2008).⁵²⁹

Additionally, some analyses attempt to deal with uncertainty with respect to interest rates over time. We explore below how this might be done.⁵³⁰

(2) Proposed Interim Estimates

The application of the methodology outlined above yields interim estimates of the SCC that are reported in Table IV.C.3–2. These estimates are reported separately using 3 percent and 5 percent discount rates. The cells are empty in rows 10 and 11, because these studies did not report estimates of the SCC at a 3 percent discount rate. The model-weighted means are reported in the final or summary row; they are \$33 per tCO₂ at a 3 percent discount rate and \$5 per tCO₂ with a 5 percent discount rate.

TABLE IV.C.3–2—GLOBAL SOCIAL COST OF CARBON (SCC) ESTIMATES (\$/tCO₂ IN 2007 (2006\$)), BASED ON 3% AND 5% DISCOUNT RATES*

Model	Study	Climate scenario	3%	5%
1 FUND	Anthoff <i>et al.</i> 2009	FUND default	6	-1
2 FUND	Anthoff <i>et al.</i> 2009	SRES A1b	1	-1
3 FUND	Anthoff <i>et al.</i> 2009	SRES A2	9	-1
4 FUND	Link and Tol 2004	No THC	12	3
5 FUND	Link and Tol 2004	THC continues	12	2
6 FUND	Guo <i>et al.</i> 2006	Constant P RTP	5	-1
7 FUND	Guo <i>et al.</i> 2006	Gollier discount 1	14	0
8 FUND	Guo <i>et al.</i> 2006	Gollier discount 2	7	-1
		FUND Mean	8.25	0
9 PAGE	Wahba & Hope 2006	A2-scen	57	7
10 PAGE	Hope 2006			7
11 DICE	Nordhaus 2008			8

⁵²⁸ Specifically, if the benefits of the policy are highly correlated with the returns from broader economy, then the market rate should be used to discount the benefits. If the benefits are uncorrelated with the broader economy the long term government bond rate should be applied. Furthermore, if the benefits are negatively correlated with the broader economy a rate less than that on long term government bonds should be used (Lind, 1982 pp. 89–90).

⁵²⁹ See Arrow, K.J., W.R. Cline, K-G Maler, M. Munasinghe, R. Squiteri, J.E. Stiglitz, 1996. "Intertemporal equity, discounting and economic efficiency," in Climate Change 1995: Economic and Social Dimensions of Climate Change, Contribution of Working Group III to the Second Assessment Report of the Intergovernmental Panel on Climate Change. See also Weitzman, M.L., 1999. In Portney, P.R. and Weyant J.P. (eds.), Discounting and Intergenerational Equity, Resources for the Future, Washington, DC.

⁵³⁰ Richard Newell and William Pizer, Discounting the distant future: how much do

uncertain rates increase valuations? J. Environ. Econ. Manage. 46 (2003) 52–71.

⁵³¹ Most of the estimates in Table 1 rely on climate scenarios developed by the Intergovernmental Panel on Climate Change (IPCC). The IPCC published a new set of scenarios in 2000 for use in the Third Assessment Report (Special Report on Emissions Scenarios—SRES). The SRES scenarios define four narrative storylines: A1, A2, B1 and B2, describing the relationships between the forces driving greenhouse gas and aerosol emissions and their evolution during the 21st century for large world regions and globally. Each storyline represents different demographic, social, economic, technological, and environmental developments that diverge in increasingly irreversible ways. The storylines are summarized in Nakicenovic *et al.*, 2000 (see also <http://sedac.ciesin.columbia.edu/ddc/sres/>). Because the B1 and B2 storylines represent policy cases rather than business-as-usual projections, estimates derived from these scenarios to be less appropriate for use in benefit-cost analysis. They are therefore excluded.

⁵³² Guo *et al.* (2006) report estimates based on two Gollier discounting schemes. The Gollier discounting assumes complex specifications about individual utility functions and risk preferences. After various conditions are satisfied, declining social discount rates emerge. Gollier Discounting Scheme 1 employs a certainty-equivalent social rate of time preference (SRTP) derived by assuming the regional growth rate is equally likely to be 1% above or below the original forecast growth rate. Gollier Discounting Scheme 2 calculates a certainty-equivalent social rate of time preference (SRTP) using five possible growth rates, and applies the new SRTP instead of the original. Hope (2008) conducts Monte Carlo analysis on the P RTP component of the discount rate. The P RTP is modeled as a triangular distribution with a min value of 1%/yr, a most likely value of 2%/yr, and a max value of 3%/yr.

TABLE IV.C.3-2—GLOBAL SOCIAL COST OF CARBON (SCC) ESTIMATES (\$/tCO₂ IN 2007 (2006\$)), BASED ON 3% AND 5% DISCOUNT RATES*—Continued

Model	Study	Climate scenario	3%	5%
Summary		Model-weighted Mean	33	5

* The sample includes all peer reviewed, non-equity-weighted estimates included in Tol (2008), Nordhaus (2008), Hope (2008), and Anthoff *et al.* (2009), that are based on the most recent published version of FUND, PAGE, or DICE and use business-as-usual climate scenarios.^{531 532} All values are based on the best available information from the underlying studies about the base year and year dollars, rather than the Tol (2008) assumption that all estimates included in his review are 1995 values in 1995\$. All values were updated to 2007 using a 3 percent annual growth rate in the SCC, and adjusted for inflation using GDP deflator.

Analyses have been conducted at \$33 and \$5 as these represent the estimates associated with the 3 percent and 5 percent discount rates, respectively.⁵³³ The 3 percent and 5 percent estimates have independent appeal, and at this time a clear preference for one over the other is not warranted. Thus, we have also included—and centered our current attention on—the average of the estimates associated with these discount rates, which is \$19. (Based on the \$19 global value, the approximate domestic fraction of these benefits would be \$1.14 per ton of CO₂ assuming that domestic benefits are 6 percent of the global benefits.

It is true that there is uncertainty about interest rates over long time horizons. Recognizing that point,

Newell and Pizer (2003) have made a careful effort to adjust for that uncertainty. The Newell-Pizer approach models discount rate uncertainty as something that evolves over time.⁵³⁴ This is a relatively recent contribution to the literature, and estimates based on this method are included with the aim of soliciting comment.

There are several concerns with using this approach in this context. First, it would be a departure from current OMB guidance. Second, an approach that would average what emerges from discount rates of 3 percent and 5 percent reflects uncertainty about the discount rate, but based on a different model of uncertainty. The Newell-Pizer approach models discount rate* uncertainty as something that evolves

over time; in contrast, the preferred approach (outlined above) assumes that there is a single discount rate with equal probability of 3 percent and 5 percent.

Table IV.C.3-3 reports on the application of the Newell-Pizer adjustments. The precise numbers depend on the assumptions about the data generating process that governs interest rates. Columns (1a) and (1b) assume that “random walk” model best describes the data and uses 3 percent and 5 percent discount rates, respectively. Columns (2a) and (2b) repeat this, except that it assumes a “mean-reverting” process. While the empirical evidence does not rule out a mean-reverting model, Newell and Pizer find stronger empirical support for the random walk model.

TABLE IV.C.3-3—GLOBAL SOCIAL COST OF CARBON (SCC) ESTIMATES (\$/tCO₂ IN 2007 (2006\$))* , USING NEWELL & PIZER (2003) ADJUSTMENT FOR FUTURE DISCOUNT RATE UNCERTAINTY**

Model	Study	Climate scenario	Random-walk model		Mean-reverting model	
			3% (1a)	5% (1b)	3% (2a)	5% (2b)
1 FUND	Anthoff <i>et al.</i> 2009	FUND default	10	0	7	-1
2 FUND	Anthoff <i>et al.</i> 2009	SRES A1b	2	0	1	-1
3 FUND	Anthoff <i>et al.</i> 2009	SRES A2	15	0	10	-1
4 FUND	Link and Tol 2004	No THC	20	6	13	4
5 FUND	Link and Tol 2004	THC continues	20	4	13	2
6 FUND	Guo <i>et al.</i> 2006	Constant PRTP	9	0	6	-1
7 FUND	Guo <i>et al.</i> 2006	Gollier discount 1	14	0	14	0
8 FUND	Guo <i>et al.</i> 2006	Gollier discount 2	7	-1	7	-1
		FUND Mean	12	1	9	0
9 PAGE	Wahba & Hope 2006	A2-scen	97	13	63	8
10 PAGE	Hope 2006			13		8
11 DICE	Nordhaus 2008			15		9
Summary		Model-weighted Mean	55	10	36	6

* The sample includes all peer reviewed, non-equity-weighted estimates included in Tol (2008), Nordhaus (2008), Hope (2008), and Anthoff *et al.* (2009), that are based on the most recent published version of FUND, PAGE, or DICE and use business-as-usual climate scenarios. All values are based on the best available information from the underlying studies about the base year and year dollars, rather than the Tol (2008) assumption that all estimates included in his review are 1995 values in 1995\$. All values were updated to 2007 using a 3 percent annual growth rate in the SCC, and adjusted for inflation using GDP deflator. See the Notes to Table 1 for further details.

** Assumes a starting discount rate of 3 percent or 5 percent. Newell and Pizer (2003) based adjustment factors are not applied to estimates from Guo *et al.* (2006) that use a different approach to account for discount rate uncertainty (rows 7-8).

Note that the correction factor from Newell and Pizer is based on the DICE model. The proper adjustment may differ for other integrated assessment models that produce different time schedules of marginal damages. We would expect this difference to be minor.

⁵³³ It should be noted that reported discount rates may not be consistently derived across models or specific applications of models: While the discount rate may be identical, it may reflect different

assumptions about the individual components of the Ramsey equation identified earlier.

⁵³⁴ In contrast, an alternative approach based on Weitzman (2001) would assume that there is a constant discount rate that is uncertain and

represented by a probability distribution. The Newell and Pizer, and Weitzman approaches are relatively recent contributions, and we invite comment on the advantages and disadvantages of each.

The resulting estimates of the social cost of carbon are necessarily greater. When the adjustments from the random walk model are applied, the estimates of the social cost of carbon are \$10 and \$55 per ton of CO₂, with the 5 percent and 3 percent discount rates, respectively. The application of the mean-reverting adjustment yields estimates of \$6 and \$36. Relying on the random walk model, analyses are also conducted with the value of the SCC set at \$10 and \$55.

(3) Caveats

There are at least four caveats to the approach outlined above.

First, the impacts of climate change are expected to be widespread, diverse, and heterogeneous. In addition, the exact magnitude of these impacts is uncertain, because of the inherent randomness in the Earth's atmospheric processes, the U.S. and global economies, and the behaviors of current and future populations. Current IAM do not currently individually account for and assign value to all of the important physical and other impacts of climate change that are recognized in the climate change literature. Although it is likely that our capability to quantify and monetize impacts will improve with time, it is also likely that even in future applications, there are a number of potentially significant benefits categories that will remain unmonetized.

Second, in the opposite direction, it is unlikely that the damage estimates adequately account for the directed technological change that climate change will cause. In particular, climate change will increase the return on investment to develop technologies that allow individuals to better cope with climate change. For example, it is likely that scientists will develop crops that are better able to withstand high temperatures. In this respect, the current estimates may overstate the likely damages.

Third, there has been considerable recent discussion of the risk of catastrophic impacts and of how best to account for worst-case scenarios. Recent research by Weitzman (2009) specifies some conditions under which the possibility of catastrophe would undermine the use of IAMs and conventional cost-benefit analysis. This research requires further exploration before its generality is known and the optimal way to incorporate it into regulatory reviews is understood.

Fourth, it is also worth noting that the SCC estimates are only relevant for incremental policies relative to the projected baselines, which capture business-as-usual scenarios. To evaluate

non-marginal changes, such as might occur if the U.S. acts in tandem with other nations, then it might be necessary to go beyond the simple expedient of using the SCC along the BAU path. In particular, it would be correct to calculate the aggregate WTP to move from the BAU scenario to the policy scenario, without imposing the restriction that the marginal benefit remains constant over this range.

All of the values derived from this process are expressed in 2006 dollars. NHTSA has adjusted them to their equivalent values in 2007 dollars for consistency with other values used in its analysis of benefits from adopting higher CAFE standards for MY 2012–2016 passenger cars and light trucks. The resulting value upon which we have centered our analysis, which is derived from the figures reported in the tables above, is equivalent to \$20 per metric ton of CO₂ emissions avoided when expressed in 2007\$, and the agency has relied on this value in its analysis. NHTSA has also analyzed the sensitivity of its benefit estimates to alternative values of \$5, \$10, \$34, and \$56 per metric ton of CO₂ emissions avoided, with all figures again in 2007\$. Each of these values applies to emissions during 2007, and are assumed to grow in real terms by 3 percent annually beginning in 2007. NHTSA seeks comments on these values and the approach used to derive them.

m. Discounting Future Benefits and Costs

Discounting future fuel savings and other benefits is intended to account for the reduction in their value to society when they are deferred until some future date, rather than received immediately. The discount rate expresses the percent decline in the value of these benefits—as viewed from today's perspective—for each year they are deferred into the future. In evaluating the benefits from alternative increases in CAFE standards for MY 2012–2016 passenger cars and light trucks, NHTSA has employed a discount rate of 3 percent per year. The agency has also tested the sensitivity of these benefit and cost estimates to the use of a 7 percent discount rate. Although these are the same discount rates analyzed in the MY 2011 final rule, NHTSA has chosen to use 3 percent as the basis for the Reference Case in this proposed rule rather than the 7 percent rate it employed previously, for the reasons discussed below.

The primary reason that NHTSA has selected 3 percent as the appropriate rate for discounting future benefits from

increased CAFE standards is that most or all of vehicle manufacturers' costs for complying with higher CAFE standards are likely to be reflected in higher sales prices for their new vehicle models. By increasing sales prices for new cars and light trucks, CAFE regulation will thus primarily affect vehicle purchases and other private consumption decisions. Both economic theory and OMB guidance on discounting indicate that the future benefits and costs of regulations that mainly affect private consumption should be discounted at the social rate of time preference.⁵³⁵

OMB guidance also indicates that savers appear to discount future consumption at an average real (that is, adjusted to remove the effect of inflation) rate of about 3 percent when they face little risk about its likely level. Since the real rate that savers use to discount future consumption represents a reasonable estimate of the social rate of time preference, NHTSA has employed the 3 percent rate to discount projected future benefits and costs resulting from higher CAFE standards for MY 2012–2016 passenger cars and light trucks.⁵³⁶

Because there is some uncertainty about the extent to which vehicle manufacturers will be able to recover their costs for complying with higher CAFE standards by increasing vehicle sales prices, however, NHTSA has also tested the sensitivity of these benefit and cost estimates to the use of a higher percent discount rate. OMB guidance indicates that the real economy-wide opportunity cost of capital is the appropriate discount rate to apply to future benefits and costs when the primary effect of a regulation is “* * * to displace or alter the use of capital in the private sector,” and estimates that this rate currently averages about 7 percent.⁵³⁷ Thus the agency has also tested the sensitivity of its benefit and cost estimates for alternative MY 2012–2016 CAFE standards to the use of a 7 percent real discount rate. NHTSA seeks comment on whether it should evaluate CAFE standards using a discount rate of 3 percent, 7 percent, or an alternative value.

n. Accounting for Uncertainty in Benefits and Costs

In analyzing the uncertainty surrounding its estimates of benefits and costs from alternative CAFE standards,

⁵³⁵ *Id.*

⁵³⁶ Office of Management and Budget, Circular A-4, “Regulatory Analysis,” September 17, 2003, 33. Available at <http://www.whitehouse.gov/omb/circulars/a004/a-4.pdf> (last accessed August 9, 2009).

⁵³⁷ *Id.*

NHTSA has considered alternative estimates of those assumptions and parameters likely to have the largest effect. These include the projected costs of fuel economy-improving technologies and their expected effectiveness in reducing vehicle fuel consumption, forecasts of future fuel prices, the magnitude of the rebound effect, the reduction in external economic costs resulting from lower U.S. oil imports, the value to the U.S. economy of reducing carbon dioxide emissions, and the discount rate applied to future benefits and costs. The range for each of these variables employed in the uncertainty analysis is presented in the section of this notice discussing each variable.

The uncertainty analysis was conducted by assuming independent normal probability distributions for each of these variables, using the low and high estimates for each variable as the values below which 5 percent and 95 percent of observed values are believed to fall. Each trial of the uncertainty analysis employed a set of values randomly drawn from each of these probability distributions, assuming that the value of each variable is independent of the others. Benefits and costs of each alternative standard were estimated using each combination of variables. A total of 1,000 trials were used to establish the likely probability distributions of estimated benefits and costs for each alternative standard.

o. Where Can Readers Find More Information About the Economic Assumptions?

Much more detailed information is provided in Chapter VIII of the PRIA, and a discussion of how NHTSA and EPA jointly reviewed and updated economic assumptions for purposes of this NPRM is available in Chapter 4 of the TSD. In addition, all of NHTSA's model input and output files are now public and available for the reader's review and consideration. The economic input files can be found in the docket for this NPRM, NHTSA-2009-0059, and on NHTSA's Web site. Finally, because much of NHTSA's economic analysis for purposes of this NPRM builds on the work that was done for the MY 2011 final rule, we refer readers to that document as well for background information concerning how NHTSA's assumptions regarding economic inputs for CAFE analysis have evolved over the past several rulemakings, both in response to comments and as a result of the agency's

growing experience with this type of analysis.⁵³⁸

4. How Does NHTSA Use the Assumptions in Its Modeling Analysis?

In developing today's proposed CAFE standards, NHTSA has made significant use of results produced by the CAFE Compliance and Effects Model (commonly referred to as "the CAFE model" or "the Volpe model"), which DOT's Volpe National Transportation Systems Center developed specifically to support NHTSA's CAFE rulemakings. The model, which has been constructed specifically for the purpose of analyzing potential CAFE standards, integrates the following core capabilities:

- (1) Estimating how manufacturers could apply technologies in response to new fuel economy standards,
- (2) Estimating the costs that would be incurred in applying these technologies,
- (3) Estimating the physical effects resulting from the application of these technologies, such as changes in travel demand, fuel consumption, and emissions of carbon dioxide and criteria pollutants, and
- (4) Estimating the monetized societal benefits of these physical effects.

An overview of the model follows below. Separate model documentation provides a detailed explanation of the functions the model performs, the calculations it performs in doing so, and how to install the model, construct inputs to the model, and interpret the model's outputs. Documentation of the model, along with model installation files, source code, and sample inputs are available at NHTSA's web site. The model documentation is also available in the docket for today's proposed rule, as are inputs for and outputs from analysis of today's proposed CAFE standards.

a. How Does the Model Operate?

As discussed above, the agency uses the Volpe model to estimate the extent to which manufacturers could attempt to comply with a given CAFE standard by adding technology to fleets that the agency anticipates they will produce in future model years. This exercise constitutes a simulation of manufacturers' decisions regarding compliance with CAFE standards.

This compliance simulation begins with the following inputs: (a) The baseline market forecast discussed above in Section IV.C.1, (b) technology-related estimates discussed above in Section IV.C.2, (c) economic inputs discussed above in Section IV.C.3, and (d) inputs defining the characteristics of

potential new CAFE standards. For each manufacturer, the model applies technologies in a sequence that follows a defined engineering logic ("decision trees" discussed in the MY 2011 final rule and in the model documentation) and a cost-minimizing strategy in order to identify a set of technologies the manufacturer could apply in response to new CAFE standards. The model applies technologies to each of the projected individual vehicles in a manufacturer's fleet, until one of three things occurs:

- (1) The manufacturer's fleet achieves compliance with the applicable standard;
- (2) The manufacturer "exhausts"⁵³⁹ available technologies; or
- (3) For manufacturers estimated to be willing to pay civil penalties, the manufacturer reaches the point at which doing so would be more cost-effective (from the manufacturer's perspective) than adding further technology.⁵⁴⁰

As discussed below, the model has also been modified in order to apply additional technology in early model years if doing so will facilitate compliance in later model years.

The model accounts explicitly for each model year, applying most technologies when vehicles are scheduled to be redesigned or freshened, and carrying forward technologies between model years. The CAFE model accounts explicitly for each model year because EPCA requires that NHTSA make a year-by-year determination of the appropriate level of

⁵³⁹In a given model year, the model makes additional technologies available to each vehicle model within several constraints, including (a) whether or not the technology is applicable to the vehicle model's technology class, (b) whether the vehicle is undergoing a redesign or freshening in the given model year, (c) whether engineering aspects of the vehicle make the technology unavailable (e.g., secondary axle disconnect cannot be applied to two-wheel drive vehicles), and (d) whether technology application remains within "phase in caps" constraining the overall share of a manufacturer's fleet to which the technology can be added in a given model year. Once enough technology is added to a given manufacturer's fleet in a given model year that these constraints make further technology application unavailable, technologies are exhausted for that manufacturer in that model year.

⁵⁴⁰This possibility was added to the model to account for the fact that under EPCA/EISA, manufacturers must pay fines if they do not achieve compliance with applicable CAFE standards. 49 U.S.C. 32912(b). NHTSA recognizes that some manufacturers will find it more cost-effective to pay fines than to achieve compliance, and believes that to assume these manufacturers would exhaust available technologies before paying fines would cause unrealistically high estimates of market penetration of expensive technologies such as diesel engines and strong hybrid electric vehicles, as well as correspondingly inflated estimates of both the costs and benefits of any potential CAFE standards.

stringency and then set the standard at that level, while ensuring ratable increases in average fuel economy.⁵⁴¹

The model also calculates the costs, effects, and benefits of technologies that it estimates could be added in response to a given CAFE standard.⁵⁴² It calculates costs by applying the cost estimation techniques discussed above in Section IV.C.2, and by accounting for the number of affected vehicles. It accounts for effects such as changes in vehicle travel, changes in fuel consumption, and changes in greenhouse gas and criteria pollutant emissions. It does so by applying the fuel consumption estimation techniques also discussed in Section IV.C.2, and the vehicle survival and mileage accumulation forecasts, the rebound effect estimate and the fuel properties and emission factors discussed in Section IV.C.3. Considering changes in travel demand and fuel consumption, the model estimates the monetized value of accompanying benefits to society, as discussed in Section IV.C.3. The model calculates both the undiscounted and discounted value of benefits that accrue over time in the future.

The Volpe model has other capabilities that facilitate the development of a CAFE standard. It can be used to fit a mathematical function forming the basis for an attribute-based CAFE standard, following the steps described below. It can also be used to evaluate many (e.g., 200 per model year) potential levels of stringency sequentially, and identify the stringency at which specific criteria are met. For example, it can identify the stringency at which net benefits to society are maximized, the stringency at which a specified total cost is reached, or the stringency at which a given average required fuel economy level is attained. This allows the agency to compare more easily the impacts in terms of fuel

savings, emissions reductions, and costs and benefits of achieving different levels of stringency according to different criteria. The model can also be used to perform uncertainty analysis (*i.e.*, Monte Carlo simulation), in which input estimates are varied randomly according to specified probability distributions, such that the uncertainty of key measures (e.g., fuel consumption, costs, benefits) can be evaluated.

b. Has NHTSA Considered Other Models?

Nothing in EPCA requires NHTSA to use the Volpe model. In principle, NHTSA could perform all of these tasks through other means. For example, in developing the standards proposed today, the agency did not use the Volpe model's curve fitting routines, because they could not be modified in time to reflect the change in the mathematical function defining the proposed CAFE standards. The Volpe model may be modified to do so for the final rule, although the agency can also continue to fit the mathematical function outside the model. In general, though, these model capabilities have greatly increased the agency's ability to rapidly, systematically, and reproducibly conduct key analyses relevant to the formulation and evaluation of new CAFE standards.

During its previous rulemaking, which led to the final MY 2011 standards promulgated earlier this year, NHTSA received comments from the Alliance and CARB encouraging NHTSA to examine the usefulness of other models. As discussed in that final rule, NHTSA, having undertaken such consideration, concluded that the Volpe model is a sound and reliable tool for the development and evaluation of potential CAFE standards.⁵⁴³

In reconsidering and reaffirming this conclusion for purposes of this NPRM, NHTSA notes that the Volpe model not only has been formally peer-reviewed and tested through three rulemakings, but also has some features especially important for the analysis of CAFE standards under EPCA/EISA. Among these are the ability to perform year-by-year analysis, and the ability to account for engineering differences between specific vehicle models.

EPCA requires that NHTSA set CAFE standards for each model year at the level appropriate for that year.⁵⁴⁴ Doing so requires the ability to analyze each model year and, when developing regulations covering multiple model years, to account for the

interdependency of model years in terms of the appropriate levels of stringency for each one. Also, as part of the evaluation of the economic practicability of the standards, as required by EPCA, NHTSA has traditionally assessed the annual costs and benefits of the standards as it is permitted to do so. The first (2002) version of DOT's model treated each model year separately, and did not perform this type of explicit accounting. Manufacturers took strong exception to these shortcomings. For example, GM commented in 2002 that "although the table suggests that the proposed standard for MY 2007, considered in isolation, promises benefits exceeding costs, that anomalous outcome is merely an artifact of the peculiar Volpe methodology, which treats each year independently of any other * * *." In 2002, GM also criticized DOT's analysis for, in some cases, adding a technology in MY 2006 and then replacing it with another technology in MY 2007. GM (and other manufacturers) argued that this completely failed to represent true manufacturer product-development cycles, and therefore could not be technologically feasible or economically practicable.

In response to these concerns, and related concerns expressed by other manufacturers, DOT modified the CAFE model in order to account for dependencies between model years and to better represent manufacturers' planning cycles, in a way that still allowed NHTSA to comply with the statutory requirement to determine the appropriate level of the standards for each model year. This was accomplished by limiting the application of many technologies to model years in which vehicle models are scheduled to be redesigned (or, for some technologies, "freshened"), and by causing the model to "carry forward" applied technologies from one model year to the next.

During the recent rulemaking for MY 2011 passenger cars and light trucks, DOT further modified the CAFE model to account for cost reductions attributable to "learning effects" related to volume (*i.e.*, economies of scale) and the passage of time (*i.e.*, time-based learning), both of which evolve on year-by-year basis. These changes were implemented in response to comments by environmental groups and other stakeholders.

The Volpe model is also able to account for important engineering differences between specific vehicle models, and to thereby reduce the risk of applying technologies that may be incompatible with or already present on

⁵⁴¹ 49 U.S.C. 32902(a) states that at least 18 months before the beginning of each model year, the Secretary of Transportation shall prescribe by regulation average fuel economy standards for automobiles manufactured by a manufacturer in that model year, and that each standard shall be the maximum feasible average fuel economy level that the Secretary decides the manufacturers can achieve in that year. NHTSA has long interpreted this statutory language to require year-by-year assessment of manufacturer capabilities. 49 U.S.C. 32902(b)(2)(C) also requires that standards increase ratably between MY 2011 and MY 2020.

⁵⁴² As for all of its other rulemakings, NHTSA is required by Executive Order 12866 and DOT regulations to analyze the costs and benefits of CAFE standards. Executive Order 12866, 58 FR 51735 (Oct. 4, 1993); DOT Order 2100.5, "Regulatory Policies and Procedures," 1979, available at <http://regs.dot.gov/rulemakingrequirements.htm> (last accessed August 21, 2009).

⁵⁴³ 74 FR 14372 (Mar. 30, 2009).

⁵⁴⁴ 49 U.S.C. 32902(a).

a given vehicle model. Some commenters have previously suggested that manufacturers are most likely to broadly apply generic technology "packages," and the Volpe model does tend to form "packages" dynamically, based on vehicle characteristics, redesign schedules, and schedules for increases in CAFE standards. For example, under the proposed CAFE standards for passenger cars, the CAFE model estimated that manufacturers could apply turbocharged SGDI engines mated with dual-clutch AMTs to 1.8 million passenger cars in MY 2016, about 16 percent of the MY 2016 passenger car fleet. Recent modifications to the model, discussed below, to represent multi-year planning, increase the model's tendency to add relatively cost-effective technologies when vehicles are estimated to be redesigned, and thereby increase the model's tendency to form such packages.

On the other hand, some manufacturers have indicated that especially when faced with significant progressive increases in the stringency of new CAFE standards, they are likely to also look for narrower opportunities to apply specific technologies. By progressively applying specific technologies to specific vehicle models, the CAFE model also produces such outcomes. For example, under the proposed CAFE standards for passenger cars, the CAFE model estimated that in MY 2012, some manufacturers could find it advantageous to apply SIDI to some vehicle models without also adding turbochargers.

By following this approach of combining technologies incrementally and on a model-by-model basis, the CAFE model is able to account for important engineering differences between vehicle models and avoid unlikely technology combinations. For example, the model does not apply dual-clutch AMTs (or strong hybrid systems) to vehicle models with 6-speed manual transmissions. Some vehicle buyers prefer a manual transmission; this preference cannot be assumed away. The model's accounting for manual transmissions is also important for vehicles with larger engines: For example, cylinder deactivation cannot be applied to vehicles with manual transmissions, because there is no reliable means of predicting when the driver will change gears. By retaining cylinder deactivation as a specific technology rather than part of a pre-determined package and by retaining differentiation between vehicles with different transmissions, DOT's model is able to target cylinder deactivation only

to vehicle models for which it is technologically feasible.

The Volpe model also produces a single vehicle-level output file that, for each vehicle model, shows which technologies were present at the outset of modeling, which technologies were superseded by other technologies, and which technologies were ultimately present at the conclusion of modeling. For each vehicle, the same file shows resultant changes in vehicle weight, fuel economy, and cost. This provides for efficient identification, analysis, and correction of errors, a task with which the public can now assist the agency, since all inputs and outputs are public.

Such considerations, as well as those related to the efficiency with which the Volpe model is able to analyze attribute-based CAFE standards and changes in vehicle classification, and to perform higher-level analysis such as stringency estimation (to meet predetermined criteria), sensitivity analysis, and uncertainty analysis, lead the agency to conclude that the model remains the best available to the agency for the purposes of analyzing potential new CAFE standards.

c. What Changes Has DOT Made to the Model?

Prior to being used for analysis supporting today's proposal, the Volpe model was revised to make some minor improvements, and to add one significant new capability: the ability to simulate manufacturers' ability to engage in "multi-year planning." Multi-year planning refers to the fact that when redesigning or freshening vehicles, manufacturers can anticipate future fuel economy or CO₂ standards, and add technologies accounting for these standards. For example, a manufacturer might choose to over-comply in a given model year when many vehicle models are scheduled for redesign, in order to facilitate compliance in a later model year when standards will be more stringent yet few vehicle models are scheduled for redesign.⁵⁴⁵ Prior comments have indicated that the Volpe model, by not representing such manufacturer choices, tended to overestimate compliance costs. However, because of the technical complexity involved in representing these choices when, as in the Volpe model, each model year is accounted for separately and explicitly, the model could not be modified to add this

⁵⁴⁵ Although a manufacturer may, in addition, generate CAFE credits in early model years for use in later model years (or, less likely, in later years for use in early years), EPCA does not allow NHTSA, when setting CAFE standards, to account for manufacturers' use of CAFE credits.

capability prior to the statutory deadline for the MY 2011 final standards.

The model now includes this capability, and NHTSA has applied it in analyzing the standards proposed today. Consequently, this often produces results indicating that manufacturers could over-comply in some model years (with corresponding increases in costs and benefits in those model years) and thereby "carry forward" technology into later model years in order to reduce compliance costs in those later model years. NHTSA believes this better represents how manufacturers would actually respond to new CAFE standards, and thereby produces more realistic estimates of the costs and benefits of such standards.

The Volpe model has also been modified to accommodate inputs specifying the amount of CAFE credit to be applied to each manufacturer's fleet. Although the model is not currently capable of estimating manufacturers' decisions regarding the generation and use of CAFE credits, and EPCA does not allow NHTSA, in setting CAFE standards, to take into account manufacturers' potential use of credits, this additional capability in the Volpe model provides a basis for more accurately estimating costs, effects, and benefits that may actually result from new CAFE standards. Insofar as some manufacturers actually do earn and use CAFE credits, this provides NHTSA with some ability to examine outcomes more realistically than EPCA allows for purposes of setting new CAFE standards.

In comments on recent NHTSA rulemakings, some reviewers have suggested that the Volpe model should be modified to estimate the extent to which new CAFE standards would induce changes in the mix of vehicles in the new vehicle fleet. NHTSA, like EPA, agrees that a "market shift" model, also called a consumer vehicle choice model, could provide useful information regarding the possible effects of potential new CAFE standards. An earlier experimental version of the Volpe model included a multinomial logit model that estimated changes in sales resulting from CAFE-induced increases in new vehicle fuel economy and prices. A fuller description of this attempt can be found in Section V of the PRIA. However, NHTSA has thus far been unable to develop credible coefficients specifying such a model. In addition, as discussed in Section II.H.4, such a model is sensitive to the coefficients used in it, and there is great variation over some key values of these coefficients in published studies. NHTSA seeks comment on ways to

improve on this earlier work and develop this capability effectively. If the agency is able to do so prior to conducting analysis supporting decisions regarding final CAFE standards, it will attempt to reintegrate this capability in the Volpe model and include these effects in its analysis of final standards. If not, NHTSA will continue efforts to develop and make use of this capability in future rulemakings.

d. Does the Model Set the Standards?

Although NHTSA currently uses the Volpe model as a tool to inform its consideration of potential CAFE standards, the Volpe model does not determine the CAFE standards that NHTSA proposes or promulgates as final regulations. The results it produces are completely dependent on inputs selected by NHTSA, based on the best available information and data available in the agency's estimation at the time standards are set. Although the model has been programmed in previous rulemakings to estimate at what stringency net benefits are maximized, NHTSA has not done so here and has instead used the Volpe model to estimate stringency levels that produce roughly constant rates of increase in the combined average required fuel economy. Ultimately, NHTSA's selection of a CAFE standard is governed and guided by the statutory requirements of EPCA, as amended by EISA: NHTSA sets the standard at the maximum feasible average fuel economy level that it determines is achievable during a particular model year, considering technological feasibility, economic practicability, the effect of other standards of the Government on fuel economy, and the need of the nation to conserve energy.

NHTSA considers the results of analyses conducted by the Volpe model and analyses conducted outside of the Volpe model, including analysis of the impacts of carbon dioxide and criteria pollutant emissions, analysis of technologies that may be available in the long term and whether NHTSA could expedite their entry into the market through these standards, and analysis of the extent to which changes in vehicle prices and fuel economy might affect vehicle production and sales. Using all of this information—not solely that from the Volpe model—the agency considers the governing statutory factors, along with environmental issues and other relevant societal issues such as safety, and promulgates the standards based on its best judgment on how to balance these factors.

This is why the agency considered eight regulatory alternatives, only one of which reflects the agency's proposed standards, based on the agency's determinations and assumptions. Others assess alternative standards, some of which exceed the proposed standards and/or the point at which net benefits are maximized. These comprehensive analyses, which also included scenarios with different economic input assumptions as presented in the FEIS and FRIA, are intended to inform and contribute to the agency's consideration of the "need of the United States to conserve energy," as well as the other statutory factors. 49 U.S.C. 32902(f). Additionally, the agency's analysis considers the need of the nation to conserve energy by accounting for economic externalities of petroleum consumption and monetizing the economic costs of incremental CO₂ emissions in the social cost of carbon. NHTSA uses information from the model when considering what standards to propose and finalize, but the model does not determine the standards.

e. How Does NHTSA Make the Model Available and Transparent?

Model documentation, which is publicly available in the rulemaking docket and on NHTSA's web site, explains how the model is installed, how the model inputs (all of which are available to the public)⁵⁴⁶ and outputs are structured, and how the model is used. The model can be used on any Windows-based personal computer with Microsoft Office 2003 and the Microsoft .NET framework installed (the latter available without charge from Microsoft). The executable version of the model and the underlying source code are also available at NHTSA's Web site. The input files used to conduct the core analysis documented in this proposed rule are available in the public docket. With the model and these input files, anyone is capable of independently running the model to repeat, evaluate, and/or modify the agency's analysis.

5. How Did NHTSA Develop the Shape of the Target Curves for the Proposed Standards?

In developing the shape of the target curves for today's proposed standards, NHTSA took a new approach, primarily in response to comments received in the MY 2011 rulemaking. NHTSA's authority under EISA allows

⁵⁴⁶ We note, however, that files from any supplemental analysis conducted that relied in part on confidential manufacturer product plans cannot be made public, as prohibited under 49 CFR part 512.

consideration of any "attribute related to fuel economy" and any "mathematical function." While the attribute, footprint, is the same for these proposed standards as the attribute used for the MY 2011 standards, the mathematical function is new.

Both vehicle manufacturers and public interest groups expressed concern in the MY 2011 rulemaking process that the constrained logistic function, particularly the function for the passenger car standards, was overly steep and could lead, on the one hand, to fuel economy targets that were overly stringent for small footprint vehicles, and on the other hand, to a greater incentive for manufacturers to upsize vehicles in order to reduce their compliance obligation (because larger-footprint vehicles have less stringent targets) in ways that could compromise energy and environmental benefits. We tentatively believe that the constrained linear function developed here significantly mitigates steepness concerns, but we seek comment on whether readers agree, and whether there are any other issues relating to the new approach that NHTSA should consider in developing the curves for the final rule.

a. Standards Are Attribute-Based and Defined by a Mathematical Function

EPCA, as amended by EISA, expressly requires that CAFE standards for passenger cars and light trucks be based on one or more vehicle attributes related to fuel economy, and be expressed in the form of a mathematical function.⁵⁴⁷ Like the MY 2011 standards, the MY 2012–2016 passenger car and light truck standards are attribute-based and defined by a mathematical function.⁵⁴⁸ Also like the MY 2011 standards, the MY 2012–2016 standards are based on the footprint attribute. However, unlike the MY 2011 standards, the MY 2012–2016 standards are defined by a constrained linear rather than a constrained logistic function. The reasons for these similarities and differences are explained below.

As discussed above in Section II, under attribute-based standards, the fleet-wide average fuel economy that a particular manufacturer must achieve in a given model year depends on the mix of vehicles that it produces for sale.

⁵⁴⁷ 49 U.S.C. 32902(a)(3)(A).

⁵⁴⁸ As discussed in Chapter 2 of the TSD, EPA is also proposing to set attribute-based CO₂ standards that are defined by a mathematical function, given the advantages of using attribute-based standards and given the goal of coordinating and harmonizing the CAFE and CO₂ standards as expressed by President Obama in his announcement of the new National Program and in the joint NOI.

Until NHTSA began to set "Reformed" attribute-based standards for light trucks in MYs 2008–2011, and until EISA gave NHTSA authority to set attribute-based standards for passenger cars beginning in MY 2011, NHTSA set "universal" or "flat" industry-wide average CAFE standards. Attribute-based standards are preferable to universal industry-wide average standards for several reasons. First, attribute-based standards increase fuel savings and reduce emissions when compared to an equivalent universal industry-wide standard under which each manufacturer is subject to the same numerical requirement. Absent a policy to require all full-line manufacturers to produce and sell essentially the same mix of vehicles, the stringency of the universal industry-wide standards is constrained by the capability of those full-line manufacturers whose product mix includes a relatively high proportion of larger and heavier vehicles. In effect, the standards are based on the mix of those manufacturers. As a result, the standards are generally set below the capabilities of full-line and limited-line manufacturers that sell predominantly lighter and smaller vehicles.

Under an attribute-based system, in contrast, every manufacturer is more likely to be required to continue adding more fuel-saving technology each year because the level of the compliance obligation of each manufacturer is based on its own particular product mix. Thus, the compliance obligation of a manufacturer with a higher percentage of lighter and smaller vehicles will have a higher compliance obligation than a manufacturer with a lower percentage of such vehicles. As a result, all manufacturers must use technologies to enhance the fuel economy levels of the vehicles they sell. Therefore, fuel savings and CO₂ emissions reductions should be higher under an attribute-based system than under a comparable industry-wide standard.

Second, attribute-based standards minimize the incentive for manufacturers to respond to CAFE in ways harmful to safety.⁵⁴⁹ Because each vehicle model has its own target (based on the attribute chosen), attribute-based standards provide no incentive to build smaller vehicles simply to meet a fleet-wide average. Since smaller vehicles are subject to more stringent fuel economy targets, a manufacturer's increasing its proportion of smaller vehicles would

simply cause its compliance obligation to increase.

Third, attribute-based standards provide a more equitable regulatory framework for different vehicle manufacturers.⁵⁵⁰ A universal industry-wide average standard imposes disproportionate cost burdens and compliance difficulties on the manufacturers that need to change their product plans and no obligation on those manufacturers that have no need to change their plans. Attribute-based standards spread the regulatory cost burden for fuel economy more broadly across all of the vehicle manufacturers within the industry.

And fourth, attribute-based standards respect economic conditions and consumer choice, instead of having the government mandate a certain fleet mix. Manufacturers are required to invest in technologies that improve the fuel economy of their fleets, regardless of vehicle mix. Additionally, attribute-based standards help to avoid the need to conduct rulemakings to amend standards if economic conditions change, causing a shift in the mix of vehicles demanded by the public. NHTSA conducted three rulemakings during the 1980s to amend passenger car standards for MYs 1986–1989 in response to unexpected drops in fuel prices and resulting shifts in consumer demand that made the passenger car standard of 27.5 mpg infeasible for several years following the change in fuel prices.

As discussed above in Section II, for purposes of the CAFE standards proposed in this NPRM, NHTSA recognizes that the risk, even if small, does exist that low fuel prices in MYs 2012–2016 might lead indirectly to less than currently anticipated fuel savings and emissions reductions. Thus, we seek comment on whether backstop standards, or any other method within the agencies' statutory authority, should and can be implemented for the import and light truck fleets in order to achieve the fuel savings that attribute-based standards might not absolutely guarantee. Commenters are encouraged, but not required, to review and respond to NHTSA's discussion of this issue in the MY 2011 final rule as a starting point.⁵⁵¹

b. What Attribute Does NHTSA Use, and Why?

Consistent with the MY 2011 CAFE standards, NHTSA is proposing to use footprint as the attribute for the MY 2012–2016 CAFE standards. There are

several policy reasons why NHTSA and EPA both believe that footprint is the most appropriate attribute on which to base the standards, as discussed below.

As discussed in the PRIA, in NHTSA's judgment, from the standpoint of vehicle safety, it is important that the CAFE standards be set in a way that does not encourage manufacturers to respond by selling vehicles that are in any way less safe. While NHTSA's research also indicates that reductions in vehicle mass tend to compromise vehicle safety, footprint-based standards provide an incentive to use advanced lightweight materials and structures that would be discouraged by weight-based standards, because manufacturers can use them to improve a vehicle's fuel economy without their use necessarily resulting in a change in the vehicle's target level of fuel economy.

Further, although we recognize that weight is better correlated with fuel economy than is footprint, we continue to believe that there is less risk of "gaming" (artificial manipulation of the attribute(s) to achieve a more favorable target) by increasing footprint under footprint-based standards than by increasing vehicle mass under weight-based standards—it is relatively easy for a manufacturer to add enough weight to a vehicle to decrease its applicable fuel economy target a significant amount, as compared to increasing vehicle footprint. We also agree with concerns raised in 2008 by some commenters in the MY 2011 CAFE rulemaking that there would be greater potential for gaming under multi-attribute standards, such as standards under which targets would also depend on attributes such as weight, torque, power, towing capability, and/or off-road capability. Standards that incorporate such attributes in conjunction with footprint would not only be significantly more complex, but by providing degrees of freedom with respect to more easily-adjusted attributes, they would make it less certain that the future fleet would actually achieve the projected average fuel economy and CO₂ reduction levels.

However, while NHTSA tentatively concludes that footprint is the most appropriate attribute upon which to base the proposed standards, recognizing strong public interest in this issue, we seek comment on whether the agency should consider setting standards for the final rule based on another attribute or another combination of attributes. If commenters suggest that the agency should consider another attribute or another combination of attributes, the agency specifically requests that the commenters address the concerns raised

⁵⁴⁹ The 2002 NAS Report described at length and quantified the potential safety problem with average fuel economy standards that specify a single numerical requirement for the entire industry. See NAS Report at 5, finding 12.

⁵⁵⁰ *Id.* at 4–5, finding 10.

⁵⁵¹ 74 FR 14409–14412 (Mar. 30, 2009).

in the paragraphs above regarding the use of other attributes, and explain how standards should be developed using the other attribute(s) in a way that contributes more to fuel savings and CO₂ reductions than the footprint-based

standards, without compromising safety.

c. What Mathematical Function Did NHTSA Use for the Recently-Promulgated MY 2011 CAFE Standards?

The MY 2011 CAFE standards are defined by a continuous, constrained

logistic function, which takes the form of an S-curve, and is defined according to the following formula:

$$TARGET = \frac{1}{\frac{1}{a} + \left(\frac{1}{b} - \frac{1}{a}\right) \frac{e^{(FOOTPRINT-c)/d}}{1 + e^{(FOOTPRINT-c)/d}}}$$


Here, *TARGET* is the fuel economy target (in mpg) applicable to vehicles of a given footprint (*FOOTPRINT*, in square feet), *b* and *a* are the function's lower and upper asymptotes (also in mpg), *e* is approximately equal to 2.718,⁵⁵² *c* is the footprint (in square feet) at which the inverse of the fuel economy target falls halfway between the inverses of

the lower and upper asymptotes, and *d* is a parameter (in square feet) that determines how gradually the fuel economy target transitions from the upper toward the lower asymptote as the footprint increases.

After fitting this mathematical form (separately) to the passenger car and

light truck fleets and determining the stringency of the standards (*i.e.*, the vertical positions of the curves), NHTSA arrived at the following curves to define the MY 2011 standards:

Figure IV.C.5-2. MY 2011 CAFE Standards for Passenger Cars and Light Trucks



d. What Mathematical Function is NHTSA Proposing to Use for New CAFE Standards, and Why?

In finalizing the MY 2011 standards, NHTSA noted that the agency is not

required to use a constrained logistic function and indicated that the agency may consider defining future CAFE standards in terms of a different mathematical function. NHTSA has

done so in preparation for the proposed CAFE standards.

In revisiting this question, NHTSA found that the final MY 2011 CAFE standard for passenger cars, though less

⁵⁵² *e* is the irrational number for which the slope of the function $y = \text{number}^x$ is equal to 1 when x is equal to zero. The first 8 digits of *e* are 2.7182818.

steep than the MY 2011 standard NHTSA proposed in 2008, continues to concentrate the sloped portion of the curve (from a compliance perspective, the area in which upsizing results in a slightly lower applicable target) within a relatively narrow footprint range (approximately 47–55 square feet). Further, most passenger car models have footprints smaller than the curve's 51.4 square foot inflection point, and many passenger car models have footprints at which the curve is relatively flat.

For both passenger cars and light trucks, a mathematical function that has some slope at most footprints where vehicles are produced is advantageous in terms of fairly balancing regulatory burdens among manufacturers, and in terms of providing a disincentive to respond to new standards by downsizing vehicles in ways that compromise vehicle safety. For example, a flat standard may be very

difficult for a full-line manufacturer to meet, while requiring very little of a manufacturer concentrating on small vehicles, and a flat standard may provide an incentive to manufacturers to downsize certain vehicles, in order to "balance out" other vehicles subject to the same standard.

As a potential alternative to the constrained logistic function, NHTSA had, in proposing MY 2011 standards, presented information regarding a constrained linear function. As shown in the 2008 NPRM, a constrained linear function has the potential to avoid creating a localized region (in terms of vehicle footprint) over which the slope of the function is relatively steep. Although NHTSA did not receive public comments on this option, the agency indicated that it still believed a linear function constrained by upper (on a gpm basis) and possibly lower limits could merit reconsideration in future CAFE rulemakings.

Having re-examined a constrained linear function for purposes of the proposed standards, NHTSA tentatively concludes that for both passenger cars and light trucks, it remains meaningfully sloped over a wide footprint range, thereby providing a well-distributed disincentive to downsize vehicles in ways that could compromise highway safety. Further, the constrained linear function proposed today is not so steeply sloped that it would provide a strong incentive to increase vehicle size in order to obtain a lower CAFE requirement and higher CO₂ limit, thereby compromising energy and environmental benefits. Therefore, the CAFE standards proposed today are defined by constrained linear functions.

The constrained linear function is defined according to the following formula:

$$TARGET = \frac{1}{MIN \left[MAX \left(c \times FOOTPRINT + d, \frac{1}{a} \right), \frac{1}{b} \right]}$$

Here, *TARGET* is the fuel economy target (in mpg) applicable to vehicles of a given footprint (*FOOTPRINT*, in square feet), *b* and *a* are the function's lower and upper asymptotes (also in mpg), respectively, *c* is the slope (in gpm per square foot) of the sloped portion of the function, and *d* is the intercept (in gpm) of the sloped portion of the function (that is, the value the sloped portion would take if extended to a footprint of 0 square feet). The *MIN* and *MAX* functions take the minimum and maximum, respectively of the included values; for example, *MIN*(1,2) = 1, *MAX*(1,2) = 2, and *MIN*[*MAX*(1,2),3]=2. The following chart shows an example of a linear target function, where *a* = 0.0241 gpm (41.6 mpg), *b* = 0.032 gpm (31.2 mpg), *c* = 0.000531 gpm per square foot, and *d* = 0.002292 gpm (436 mpg). Because the function is linear on a gpm basis, not an mpg basis, it is plotted on this basis.

e. How Did NHTSA Fit the Coefficients That Determined the Shape of the Proposed Curves?

For purposes of this NPRM, and for EPA's use in developing new CO₂ emissions standards, the basic curve shapes were developed using methods similar to those applied by NHTSA in fitting the curves defining the MY 2011 standards. We began with the market inputs discussed above, but because the baseline fleet is technologically heterogeneous, NHTSA used the CAFE model to develop a fleet to which nearly all the technologies discussed in Section V of the PRIA and Chapter 3 of the joint

TSD⁵⁵³ were applied, by taking the following steps: (1) Treating all manufacturers as unwilling to pay civil penalties rather than applying technology, (2) applying any technology at any time, irrespective of scheduled vehicle redesigns or freshening, and (3) ignoring "phase-in caps" that constrain the overall amount of technology that can be applied by the model to a given manufacturer's fleet. These steps helped to increase technological parity among vehicle models, thereby providing a better basis (than the baseline fleet) for estimating the statistical relationship between vehicle size and fuel economy.

More information on the process for fitting the passenger car and light truck curves for MYs 2012–2016 is available above in Section II.C, and NHTSA refers the reader to that section and to Chapter 2 of the joint TSD. NHTSA seeks comment on this approach to fitting the curves. We note that final decisions on this issue will play an important role in determining the form and stringency of the final CAFE and CO₂ standards, the

⁵⁵³ The agencies excluded diesel engines and strong hybrid vehicle technologies from this exercise (and only this exercise) because the agencies expect that manufacturers would not need to rely heavily on these technologies in order to comply with the proposed standards. NHTSA and EPA did include diesel engines and strong hybrid vehicle technologies in all other portions of their analyses.

incentives those standards will provide (e.g., with respect to downsizing small vehicles), and the relative compliance burden faced by each manufacturer.

D. Statutory Requirements

1. EPCA, as Amended by EISA

a. Standard Setting

NHTSA must establish separate standards for MY 2011–2020 passenger cars and light trucks, subject to two principal requirements.⁵⁵⁴ First, the standards are subject to a minimum requirement regarding stringency: They must be set at levels high enough to ensure that the combined U.S. passenger car and light truck fleet achieves an average fuel economy level of not less than 35 mpg not later than MY 2020.⁵⁵⁵ Second, as discussed above and at length in the March 2009 final rule establishing the MY 2011 CAFE standards, EPCA requires that the

⁵⁵⁴ EISA added the following additional requirements. Standards must be attribute-based and expressed in the form of a mathematical function. 49 U.S.C. 32902(b)(3)(A). Standards for MYs 2011–2020 must "increase ratably" in each model year. 49 U.S.C. 32902(b)(2)(C). NHTSA interprets this requirement, in combination with the requirement to set the standards for each model year at the level determined to be the maximum feasible level for that model year, to mean that the annual increases should not be disproportionately large or small in relation to each other.

⁵⁵⁵ 49 U.S.C. 32902(b)(2)(A).

agency establish standards for all new passenger cars and light trucks at the maximum feasible average fuel economy level that the Secretary decides the manufacturers can achieve in that model year.⁵⁵⁶ The implication of this second requirement is that it calls for exceeding the minimum requirement if the agency determines that the manufacturers can achieve a higher level. When determining the level achievable by the manufacturers, EPCA requires that the agency consider the four statutory factors of technological feasibility, economic practicability, the effect of other motor vehicle standards of the Government on fuel economy, and the need of the United States to conserve energy: In addition, the agency has the authority to and traditionally does consider other relevant factors, such as the effect of the CAFE standards on motor vehicle safety.

i. Statutory Factors Considered in Determining the Achievable Level of Average Fuel Economy

As none of the four factors is defined in EPCA and each remains interpreted only to a limited degree by case law, NHTSA has considerable latitude in interpreting them. NHTSA interprets the four statutory factors as set forth below.

(1) Technological Feasibility

"Technological feasibility" refers to whether a particular technology for improving fuel economy is available or can become available for commercial application in the model year for which a standard is being established. Thus, the agency is not limited in determining the level of new standards to technology that is already being commercially applied at the time of the rulemaking. It can, instead, set technology-forcing standards, *i.e.*, ones that make it necessary for manufacturers to engage in research and development in order to bring a new technology to market.

(2) Economic Practicability

"Economic practicability" refers to whether a standard is one "within the financial capability of the industry, but not so stringent as to" lead to "adverse economic consequences, such as a significant loss of jobs or the unreasonable elimination of consumer choice."⁵⁵⁷ In an attempt to ensure the economic practicability, the agency considers a variety of factors, including the annual rate at which manufacturers can increase the percentage of its fleet that has a particular type of fuel saving technology, and cost to consumers.

Consumer acceptability is also an element of economic practicability.

At the same time, the law does not preclude a CAFE standard that poses considerable challenges to any individual manufacturer. The Conference Report for EPCA, as enacted in 1975, makes clear, and the case law affirms, "(A) determination of maximum feasible average fuel economy should not be keyed to the single manufacturer which might have the most difficulty achieving a given level of average fuel economy."⁵⁵⁸ Instead, the agency is compelled "to weigh the benefits to the nation of a higher fuel economy standard against the difficulties of individual automobile manufacturers." *Id.* The law permits CAFE standards exceeding the projected capability of any particular manufacturer as long as the standard is economically practicable for the industry as a whole. Thus, while a particular CAFE standard may pose difficulties for one manufacturer, it may also present opportunities for another. The CAFE program is not necessarily intended to maintain the competitive positioning of each particular company. Rather, it is intended to enhance fuel economy of the vehicle fleet on American roads, while protecting motor vehicle safety and being mindful of the risk of harm to the overall United States economy.

Thus, NHTSA believes that this term must be applied in the context of the competing concerns associated with different levels of standards. Prior to switching to attribute-based standards in the MY 2008–2011 rulemaking, the agency sought to ensure the economy practicability of standards in part by setting them at or near the capability of the "least capable manufacturer" with a significant share of the market, *i.e.*, typically the manufacturer whose vehicles are, on average, the heaviest and largest. In the first several rulemakings to establish attribute based standards, the agency applied marginal cost benefit analysis. This ensured that the agency's application of technologies was limited to those that would pay for themselves and thus would have significant appeal to consumers. However, the agency can and has limited its application of technologies to those technologies, with or without the use of such analysis.

(3) The Effect of Other Motor Vehicle Standards of the Government on Fuel Economy

"The effect of other motor vehicle standards of the Government on fuel economy," involves an analysis of the

effects of compliance with emission,⁵⁵⁹ safety, noise, or damageability standards on fuel economy capability and thus on average fuel economy. In previous CAFE rulemakings, the agency has said that pursuant to this provision, it considers the adverse effects of other motor vehicle standards on fuel economy. It said so because, from the CAFE program's earliest years⁵⁶⁰ until present, the effects of such compliance on fuel economy capability over the history of the CAFE program have been negative ones. In those instances in which the effects are negative, NHTSA is called upon to "mak[e] a straightforward adjustment to the fuel economy improvement projections to account for the impacts of other Federal standards, principally those in the areas of emission control, occupant safety, vehicle damageability, and vehicle noise. However, only the unavoidable consequences should be accounted for. The automobile manufacturers must be expected to adopt those feasible methods of achieving compliance with other Federal standards which minimize any adverse fuel economy effects of those standards."⁵⁶¹ For example, safety standards that have the effect of increasing vehicle weight lower vehicle fuel economy capability and thus decrease the level of average fuel economy that the agency can determine to be feasible.

The "other motor vehicle standards" consideration has thus in practice functioned in a fashion similar to the provision in EPCA, as originally enacted, for adjusting the statutorily-specified CAFE standards for MY 1978–1980 passenger cars.⁵⁶² EPCA did not permit NHTSA to amend those standards based on a finding that the maximum feasible level of average fuel economy for any of those three years was greater or less than the standard specified for that year. Instead, it provided that the agency could only reduce the standards and only on one basis: if the agency found that there had been a *Federal* standards fuel economy reduction, *i.e.*, a reduction in fuel economy due to changes in the Federal vehicle standards, *e.g.*, emissions and safety, relative to the year of enactment, 1975.

⁵⁵⁹ In the case of emission standards, this includes standards adopted by the Federal Government and can include standards adopted by the States as well, since in certain circumstances the Clean Air Act allows States to adopt and enforce State standards different from the Federal ones.

⁵⁶⁰ 42 FR 63184, 63188 (Dec. 15, 1977). See also 42 FR 33534, 33537 (Jun. 30, 1977).

⁵⁶¹ 42 FR 33534, 33537 (Jun. 30, 1977).

⁵⁶² That provision was deleted as obsolete when EPCA was codified in 1994.

⁵⁵⁶ 49 U.S.C. 32902(a).

⁵⁵⁷ 67 FR 77015, 77021 (Dec. 16, 2002).

⁵⁵⁸ CEI-I, 793 F.2d 1322, 1352 (D.C. Cir. 1986).

The "other motor vehicle standards" provision is broader than the *Federal* standards fuel economy reduction provision. Although the effects analyzed to date under the "other motor vehicle standards" provision have been negative, there could be circumstances in which the effects are positive. In the event that the agency encountered such circumstances, it would be required to consider those positive effects. For example, if changes in vehicle safety technology led to NHTSA's amending a safety standard in a way that permits manufacturers to reduce the weight added in complying with that standard, that weight reduction would increase vehicle fuel economy capability and thus increase the level of average fuel economy that could be determined to be feasible.

In the wake of *Massachusetts v. EPA* and of EPA's proposed endangerment finding, granting of a waiver to California for its motor vehicle GHG standards, and its own proposal of GHG standards, the agency is confronted with the issue of how to treat those standards under the "other motor vehicle standards" provision. To the extent the GHG standards result in increases in fuel economy, they would do so almost exclusively as a result of inducing manufacturers to install the same types of technologies used by manufacturers in complying with the CAFE standards. The primary exception would involve increases in the efficiency of air conditioners.

Thus, NHTSA tentatively concludes that the effects of the EPA and California standards are neither positive nor negative because the proposed rule results in consistent standards among all components of the National Program. Comment is requested on whether and in what way the effects of the California and EPA standards should be considered under the "other motor vehicle standards" provision or other provisions of EPCA in 49 U.S.C. 32902, consistent with NHTSA's independent obligation under EPCA/EISA to issue CAFE standards? The agency has already considered EPA's proposal and the harmonization benefits of the National Program in developing its own proposal.

(4) The Need of the United States To Conserve Energy

"The need of the United States to conserve energy" means "the consumer cost, national balance of payments, environmental, and foreign policy implications of our need for large quantities of petroleum, especially

imported petroleum."⁵⁶³ Environmental implications principally include those associated with reductions in emissions of criteria pollutants and CO₂. A prime example of foreign policy implications are energy independence and security concerns.

ii. Other Factors Considered by NHTSA

The agency historically has considered the potential for adverse safety consequences in setting CAFE standards. This practice is recognized approvingly in case law. As the courts have recognized, "NHTSA has always examined the safety consequences of the CAFE standards in its overall consideration of relevant factors since its earliest rulemaking under the CAFE program." *Competitive Enterprise Institute v. NHTSA*, 901 F.2d 107, 120 n. 11 (DC Cir. 1990) ("CEI I") (citing 42 Fed. Reg. 33534, 33551 (June 30, 1977)). The courts have consistently upheld NHTSA's implementation of EPCA in this manner. *See, e.g., Competitive Enterprise Institute v. NHTSA*, 956 F.2d 321, 322 (D.C. Cir. 1992) ("CEI II") (in determining the maximum feasible fuel economy standard, "NHTSA has always taken passenger safety into account.") (citing *CEI I*, 901 F.2d at 120 n. 11); *Competitive Enterprise Institute v. NHTSA*, 45 F.3d 481, 482–83 (D.C. Cir. 1995) ("CEI III") (same); *Center for Biological Diversity v. NHTSA*, 538 F.3d 1172, 1203–04 (9th Cir. 2008) (upholding NHTSA's analysis of vehicle safety issues associated with weight in connection with the MY 2008–11 light truck CAFE rule). Thus, in evaluating what levels of stringency would result in maximum feasible standards, NHTSA assesses the potential safety impacts and considers them in balancing the statutory considerations and to determine the appropriate level of the standards.

Under the universal or "flat" CAFE standards that NHTSA was previously authorized to establish, the primary risk to safety came from the possibility that manufacturers would respond to higher standards by building smaller, less safe vehicles in order to "balance out" the larger, safer vehicles that the public generally preferred to buy. Under the attribute-based standards being proposed today, that risk is reduced because building smaller vehicles would tend to raise a manufacturer's overall CAFE obligation, rather than only raising its fleet average CAFE. However, even if the manufacturers did not engage in any downsizing under attribute-based standards, there is still the possibility that manufacturers

would rely on downweighting to improve their fuel economy (for a given vehicle at a given footprint target) in ways that may reduce safety to a greater or lesser extent. While NHTSA recognizes that manufacturers may nonetheless choose this option for raising their CAFE levels, in prior rulemakings we have limited the application of downweighting/material substitution in our modeling analysis to vehicles over 5,000 lbs GVWR.⁵⁶⁴

For purposes of today's proposed standards, however, NHTSA has revised its modeling analysis to allow some application of downweighting/material substitution for all vehicles, including those under 5,000 lbs GVWR, because we believe that this is more consistent with how manufacturers will actually respond to the standards. However, as discussed above, NHTSA does not mandate the use of any particular technology by manufacturers in meeting the standards. More information on the new approach to modeling manufacturer use of downweighting/material substitution is available in Chapter 3 of the draft joint TSD and in Section V of the PRIA; and the estimated safety impacts that may be due to the proposed standards are described below.

iii. Factors That NHTSA Is Prohibited From Considering

EPCA also provides that in determining the level at which it should set CAFE standards for a particular model year, NHTSA may not consider the ability of manufacturers to take advantage of several EPCA provisions that facilitate compliance with the CAFE standards and thereby reduce the costs of compliance.⁵⁶⁵ As discussed further below, manufacturers can earn compliance credits by exceeding the CAFE standards and then use those credits to achieve compliance in years in which their measured average fuel economy falls below the standards. Manufacturers can also increase their CAFE levels through MY 2019 by producing alternative fuel vehicles. EPCA provides an incentive for producing these vehicles by specifying that their fuel economy is to be determined using a special calculation procedure that results in those vehicles being assigned a high fuel economy level.

The effect of the prohibitions against considering these flexibilities in setting the CAFE standards is that the flexibilities remain voluntarily-employed measures. If the agency were

⁵⁶⁴ See 74 FR 14396–14407 (Mar. 30, 2009).

⁵⁶⁵ 49 U.S.C. 32902(h).

⁵⁶³ 42 FR 63184, 63188 (1977).

instead to assume manufacturer use of those flexibilities in setting new standards, that assumption would result in higher standards and thus tend to require manufacturers to use those flexibilities.

iv. Determining the Level of the Standards by Balancing the Factors

NHTSA has broad discretion in balancing the above factors in determining the appropriate levels of average fuel economy at which to set the CAFE standards for each model year. Congress "specifically delegated the process of setting * * * fuel economy standards with broad guidelines concerning the factors that the agency must consider."⁵⁶⁶ The breadth of those guidelines, the absence of any statutorily prescribed formula for balancing the factors, the fact that the relative weight to be given to the various factors may change from rulemaking to rulemaking as the underlying facts change, and the fact that the factors may often be conflicting with respect to whether they militate toward higher or lower standards give NHTSA discretion to decide what weight to give each of the competing policies and concerns and then determine how to balance them. The exercise of that discretion is subject to the necessity of ensuring that NHTSA's balancing does not undermine the fundamental purpose of the EPCA: Energy conservation,⁵⁶⁷ and as long as that balancing reasonably accommodates "conflicting policies that were committed to the agency's care by the statute."⁵⁶⁸ The balancing of the factors in any given rulemaking is highly dependent on the factual and policy context of that rulemaking. Given the changes over time in facts bearing on assessment of the various factors, such as those relating to the economic conditions, fuel prices and the state of climate change science, the agency recognizes that what was a reasonable balancing of competing statutory priorities in one rulemaking may not be a reasonable balancing of those priorities in another rulemaking.⁵⁶⁹ Nevertheless, the agency retains substantial discretion under EPCA to choose among reasonable alternatives.

EPCA neither requires nor precludes the use of any type of cost-benefit analysis as a tool to help inform the

balancing process. While NHTSA used marginal cost-benefit analysis in the first two rulemakings to establish attribute-based CAFE standards, it was not required to do so and is not required to continue to do so. Regardless of what type of analysis is or is not used, considerations relating to costs and benefits remain an important part of CAFE standard setting.

Because the relevant considerations and factors can reasonably be balanced in a variety of ways under EPCA, and because of uncertainties associated with the many technological and cost inputs, NHTSA considers a wide variety of alternative sets of standards, each reflecting different balancing of those policies and concerns, to aid it in discerning reasonable outcomes. Among the alternatives providing for an increase in the standards in this rulemaking, the alternatives range in stringency from a set of standards that increase, on average, 3 percent annually to a set of standards that increase, on average, 7 percent annually.

2. Administrative Procedure Act

To be upheld under the "arbitrary and capricious" standard of judicial review in the APA, an agency rule must be rational, based on consideration of the relevant factors, and within the scope of the authority delegated to the agency by the statute. The agency must examine the relevant data and articulate a satisfactory explanation for its action including a "rational connection between the facts found and the choice made." *Burlington Truck Lines, Inc. v. United States*, 371 U.S. 156, 168 (1962).

Statutory interpretations included in an agency's rule are subjected to the two-step analysis of *Chevron, U.S.A., Inc. v. Natural Resources Defense Council*, 467 U.S. 837, 104 S.Ct. 2778, 81 L.Ed.2d 694 (1984). Under step one, where a statute "has directly spoken to the precise question at issue," *id.* at 842, 104 S.Ct. 2778, the court and the agency "must give effect to the unambiguously expressed intent of Congress," *id.* at 843, 104 S.Ct. 2778. If the statute is silent or ambiguous regarding the specific question, the court proceeds to step two and asks "whether the agency's answer is based on a permissible construction of the statute." *Id.*

If an agency's interpretation differs from the one that it has previously adopted, the agency need not demonstrate that the prior position was wrong or even less desirable. Rather, the agency would need only to demonstrate that its new position is consistent with the statute and supported by the record, and acknowledge that this is a departure from past positions. The Supreme Court

emphasized this recently in *FCC v. Fox Television*, 129 S.Ct. 1800 (2009). When an agency changes course from earlier regulations, "the requirement that an agency provide reasoned explanation for its action would ordinarily demand that it display awareness that it is changing position," but "need not demonstrate to a court's satisfaction that the reasons for the new policy are better than the reasons for the old one; it suffices that the new policy is permissible under the statute, that there are good reasons for it, and that the agency believes it to be better, which the conscious change of course adequately indicates."⁵⁷⁰

3. National Environmental Policy Act

As discussed above, EPCA requires the agency to determine what level at which to set the CAFE standards for each model year by considering the four factors of technological feasibility, economic practicability, the effect of other motor vehicle standards of the Government on fuel economy, and the need of the United States to conserve energy. NEPA directs that environmental considerations be integrated into that process. To accomplish that purpose, NEPA requires an agency to compare the potential environmental impacts of its proposed action to those of a reasonable range of alternatives.

To explore the environmental consequences in depth, NHTSA has prepared a draft environmental impact statement. The purpose of an EIS is to "provide full and fair discussion of significant environmental impacts and [to] inform decisionmakers and the public of the reasonable alternatives which would avoid or minimize adverse impacts or enhance the quality of the human environment." 40 CFR 1502.1.

NEPA is "a procedural statute that mandates a process rather than a particular result." *Stewart Park & Reserve Coal, Inc. v. Slater*, 352 F.3d at 557. The agency's overall EIS-related obligation is to "take a 'hard look' at the environmental consequences before taking a major action." *Baltimore Gas & Elec. Co. v. Natural Res. Def. Council, Inc.*, 462 U.S. 87, 97, 103 S.Ct. 2246, 76 L.Ed.2d 437 (1983). Significantly, "[i]f the adverse environmental effects of the proposed action are adequately identified and evaluated, the agency is not constrained by NEPA from deciding that other values outweigh the environmental costs." *Robertson v. Methow Valley Citizens Council*, 490 U.S. 332, 350, 109 S.Ct. 1835, 104 L.Ed.2d 351 (1989).

⁵⁷⁰ *Ibid.*, 1181.

⁵⁶⁶ *Center for Auto Safety v. NHTSA*, 793 F.2d 1322, 1341 (C.A.D.C. 1986).

⁵⁶⁷ *Center for Biological Diversity v. NHTSA*, 538 F.3d 1172, 1195 (9th Cir. 2008).

⁵⁶⁸ *CAS*, 1338 (quoting *Chevron U.S.A., Inc. v. Natural Resources Defense Council, Inc.*, 467 U.S. 837, 845).

⁵⁶⁹ *CBD v. NHTSA*, 538 F.3d 1172, 1198 (9th Cir. 2008).

The agency must identify the "environmentally preferable" alternative, but need not adopt it. "Congress in enacting NEPA * * * did not require agencies to elevate environmental concerns over other appropriate considerations." *Baltimore Gas and Elec. Co. v. Natural Resources Defense Council, Inc.*, 462 U.S. 87, 97 (1983). Instead, NEPA requires an agency to develop alternatives to the proposed action in preparing an EIS. 42 U.S.C. 4332(2)(C)(iii). The statute does

not command the agency to favor an environmentally preferable course of action, only that it make its decision to proceed with the action after taking a hard look at environmental consequences.

E. What Are the Proposed CAFE Standards?

1. Form of the Standards

Each of the CAFE standards that NHTSA is proposing today for

passenger cars and light trucks is expressed as a mathematical function that defines a fuel economy target applicable to each vehicle model and, for each fleet, establishes a required CAFE level determined by computing the sales-weighted harmonic average of those targets.⁵⁷¹

As discussed above in Section II.C, NHTSA is proposing to determine fuel economy targets using a constrained linear function defined according to the following formula:

$$TARGET = \frac{1}{MIN \left[MAX \left(c \times FOOTPRINT + d, \frac{1}{a} \right), \frac{1}{b} \right]}$$

Here, *TARGET* is the fuel economy target (in mpg) applicable to vehicles of a given footprint (*FOOTPRINT*, in square feet), *b* and *a* are the function's lower and upper asymptotes (also in mpg), respectively, *c* is the slope (in gpm per square foot) of the sloped portion of the function, and *d* is the intercept (in gpm) of the sloped portion of the function (that is, the value the sloped portion would take if extended to a footprint of 0 square feet). The *MIN* and *MAX* functions take the minimum and maximum, respectively of the included values.

As also discussed in Section II.C, under the proposed standards (as under the recently-promulgated MY 2011 standards), the CAFE level required of any given manufacturer will be determined by calculating the

production-weighted harmonic average of the fuel economy targets applicable to each vehicle model:

$$CAFE_{required} = \frac{\sum_i SALES_i}{\sum_i \frac{SALES_i}{TARGET_i}}$$

Here, *CAFE_{required}* is the required level for a given fleet, *SALES_i* is the number of units of model *i* produced for sale in the United States, *TARGET_i* is the fuel economy target applicable to model *i* (according to the equation shown in Chapter II and based on the footprint of model *i*), and the summations in the numerator and denominator are both performed over all models in the fleet in question.

The proposed standards are, therefore, specified by the four coefficients defining fuel economy targets:

- a* = upper limit (mpg)
- b* = lower limit (mpg)
- c* = slope (gpm per square foot)
- d* = intercept (gpm)

The values of the coefficients are different for the passenger car standards and the light truck standards.

2. Passenger Car Standards for MYs 2012–2016.

For passenger cars, NHTSA is proposing CAFE standards defined by the following coefficients during MY 2012–2016:

TABLE IV.E.2–1—COEFFICIENTS DEFINING PROPOSED MY 2012–2016 FUEL ECONOMY TARGETS FOR PASSENGER CARS

Coefficient	2012	2013	2014	2015	2016
<i>a</i> (mpg)	36.23	37.15	38.08	39.55	41.38
<i>b</i> (mpg)	28.12	28.67	29.22	30.08	31.12
<i>c</i> (gpm/sf)	0.0005308	0.0005308	0.0005308	0.0005308	0.0005308
<i>d</i> (gpm)	0.005842	0.005153	0.004498	0.003520	0.002406

These coefficients result in footprint-dependent target curves shown graphically below. The MY 2011 final

standard, which is specified by a constrained logistic function rather than


a constrained linear function, is shown for comparison.

⁵⁷¹ Required CAFE levels shown here are estimated required levels based on NHTSA's current projection of manufacturers' vehicle fleets in MYs 2012–2016. Actual required levels are not

determined until the end of each model year, when all of the vehicles produced by a manufacturer in that model year are known and their compliance obligation can be determined with certainty. The

target curves, as defined by the constrained linear function, and as embedded in the function for the sales-weighted harmonic average, are the real "standards" being proposed today.

Figure IV.E.2-1. Final MY 2011 and Proposed MY 2012-2016 Fuel Economy Target Curves for Passenger Cars



As discussed, the CAFE levels required of individual manufacturers will depend on the mix of vehicles they produce for sale in the United States. Based on the market forecast of future

sales that NHTSA has used to examine today's proposed CAFE standards, the agency estimates that the targets shown above will result in the following average required fuel economy levels for

individual manufacturers during MYs 2012-2016 (an updated estimate of the average required fuel economy level under the final MY 2011 standard is shown for comparison):⁵⁷²

TABLE IV.E.2-2—ESTIMATED AVERAGE FUEL ECONOMY REQUIRED UNDER FINAL MY 2011 AND PROPOSED MY 2012-2016 CAFE STANDARDS FOR PASSENGER CARS

Manufacturer	MY 2011	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	30.2	33.2	34.0	34.8	36.0	37.5
Chrysler	29.6	33.0	33.7	34.5	35.3	36.8
Daimler	29.4	32.6	33.1	33.8	35.0	36.4
Ford	29.8	33.0	33.7	34.5	35.8	37.3
General Motors	30.3	33.0	33.8	34.6	35.8	37.3
Honda	30.8	33.9	34.7	35.5	36.8	38.4
Hyundai	30.8	33.8	34.6	35.5	36.8	38.3
Kia	30.6	33.6	34.4	35.2	36.5	38.0
Mazda	30.7	34.1	34.8	35.7	37.0	38.6
Mitsubishi	31.0	34.4	35.3	36.1	37.4	39.2
Nissan	30.7	33.5	34.2	35.0	36.2	37.8
Porsche	31.2	36.2	37.2	38.1	39.6	41.4
Subaru	31.0	34.8	35.7	36.5	37.9	39.6
Suzuki	31.2	35.9	36.8	37.7	39.2	41.0
Tata	27.8	30.7	31.4	32.1	33.1	34.4
Toyota	30.8	34.1	34.9	35.7	37.0	38.6
Volkswagen	30.8	34.6	35.4	36.2	37.5	39.1
Average	30.5	33.6	34.4	35.2	36.4	38.0

⁵⁷² In the March 2009 final rule establishing MY 2011 standards for passenger cars and light trucks, NHTSA estimated that the required fuel economy levels for passenger cars would average 30.2 mpg

under the MY 2011 passenger car standard. Based on the agency's current forecast of the MY 2011 passenger car market, which anticipates greater numbers of passenger cars than the forecast used in

the MY 2011 final rule, NHTSA now estimates that the average required fuel economy level for passenger cars will be 30.5 mpg in MY 2011.

We note that a manufacturer's required average fuel economy level for a model year under the proposed standards would be based on its actual production numbers in that model year. Therefore, its official required fuel economy level would not be known until the end of that model year. However, because the targets for each vehicle footprint would be established in advance of the model year, a manufacturer should be able to estimate its required level accurately.

3. Minimum Domestic Passenger Car Standards

EISA expressly requires each manufacturer to meet a minimum fuel economy standard for domestically manufactured passenger cars in addition to meeting the standards set by NHTSA. According to the statute (49 U.S.C. 32902(b)(4)) the minimum standard shall be the greater of (A) 27.5 miles per gallon; or (B) 92 percent of the average fuel economy projected by the Secretary for the combined domestic and non-domestic passenger automobile fleets manufactured for sale in the United States by all manufacturers in the model

year. The agency must publish the projected minimum standards in the **Federal Register** when the passenger car standards for the model year in question are promulgated.

Based on NHTSA's current market forecast, the agency's estimates of these minimum standards under the proposed MY 2012–2016 CAFE standards (and, for comparison, the final MY 2011 standard) are summarized below in Table IV.E.2–1.⁵⁷³ For eventual compliance calculations, the final calculated minimum standards will be updated to reflect any changes in the average fuel economy level required under the final standards.

TABLE IV.E.3–1.—ESTIMATED MINIMUM STANDARD FOR DOMESTICALLY MANUFACTURED PASSENGER CARS UNDER FINAL MY 2011 AND PROPOSED MY 2012–2016 CAFE STANDARDS FOR PASSENGER CARS

2011	2012	2013	2014	2015	2016
28.0	30.9	31.6	32.4	33.5	34.9

4. Light Truck Standards

For light trucks, NHTSA is proposing CAFE standards defined by the following coefficients during MYs 2012–2016:

TABLE IV.E.4–1.—COEFFICIENTS DEFINING PROPOSED MY 2012–2016 FUEL ECONOMY TARGETS FOR LIGHT TRUCKS

Coefficient	2012	2013	2014	2015	2016
a (mpg)	29.44	30.32	31.30	32.70	34.38
b (mpg)	22.06	22.55	23.09	23.84	24.72
c (gpm/sf)	0.0004546	0.0004546	0.0004546	0.0004546	0.0004546
d (gpm)	0.01533	0.01434	0.01331	0.01194	0.01045

These coefficients result in footprint-dependent targets shown graphically below. The MY 2011 final standard,

which is specified by a constrained logistic function rather than a


constrained linear function, is shown for comparison.

⁵⁷³ In the March 2009 final rule establishing MY 2011 standards for passenger cars and light trucks, NHTSA estimated that the minimum required CAFE standard for domestically manufactured

passenger cars would be 27.8 mpg under the MY 2011 passenger car standard. Based on the agency's current forecast of the MY 2011 passenger car market, NHTSA now estimates that the minimum

required CAFE standard will be 28.0 mpg in MY 2011.

Figure IV.E.4-1. Final MY 2011 and Proposed MY 2012-2016 Fuel Economy Targets for Light Trucks



Given these targets, the CAFE levels required of individual manufacturers will depend on the mix of vehicles they produce for sale in the United States. Based on the market forecast NHTSA

has used to examine today's proposed CAFE standards, the agency estimates that the targets shown above will result in the following average required fuel economy levels for individual

manufacturers during MYs 2012-2016 (an updated estimate of the average required fuel economy level under the final MY 2011 standard is shown for comparison):⁵⁷⁴

TABLE IV.E.4-2—ESTIMATED AVERAGE FUEL ECONOMY REQUIRED UNDER FINAL MY 2011 AND PROPOSED MY 2012-2016 CAFE STANDARDS FOR LIGHT TRUCKS

Manufacturer	MY 2011	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	25.7	26.3	27.0	27.7	28.8	30.1
Chrysler	24.2	25.2	25.8	26.4	27.3	28.5
Daimler	24.7	25.4	26.1	26.9	27.9	29.1
Ford	23.3	24.3	24.9	25.3	26.2	27.3
General Motors	22.9	23.6	24.2	24.8	25.6	26.6
Honda	25.6	26.4	27.1	27.9	29.0	30.4
Hyundai	25.9	26.6	27.3	28.1	29.3	30.6
Kia	25.1	25.8	26.4	27.2	28.3	29.6
Mazda	26.3	27.4	28.1	28.8	29.9	31.4
Mitsubishi	26.4	27.4	28.1	28.9	30.1	31.6
Nissan	24.1	25.0	25.6	26.1	27.0	28.2
Porsche	25.5	26.0	26.7	27.4	28.5	29.8
Subaru	26.5	27.5	28.3	29.2	30.4	31.8
Suzuki	26.3	27.2	27.9	28.7	29.9	31.3
Tata	26.1	26.9	27.6	28.4	29.6	31.0
Toyota	25.2	25.7	26.3	27.1	28.1	29.3
Volkswagen	25.0	25.6	26.2	26.9	27.9	29.2
Average	24.2	25.0	25.6	26.2	27.1	28.3

⁵⁷⁴ In the March 2009 final rule establishing MY 2011 standards for passenger cars and light trucks, NHTSA estimated that the required fuel economy levels for light trucks would average 24.1 mpg

under the MY 2011 light truck standard. Based on the agency's current forecast of the MY 2011 light truck market, NHTSA now estimates that the required fuel economy levels will average 24.2 mpg

in MY 2011. The increase in the estimate reflects a slight decrease in the size of the average light truck.

As discussed above with respect to the proposed passenger cars standards, we note that a manufacturer's required fuel economy level for a model year under the proposed standards would be based on its actual production numbers in that model year.

F. How Do the Proposed Standards Fulfill NHTSA's Statutory Obligations?

In developing the proposed MY 2012–16 standards, the agency developed and considered a wide variety of alternatives. NHTSA took a new approach to defining alternatives as compared to the most recent prior CAFE rulemaking. In response to comments received in the last round of rulemaking, in our March 2009 notice of intent to prepare an environmental impact statement, the agency selected a range of candidate stringencies that increased annually, on average, 3% to 7%.⁵⁷⁵ That same approach has been carried over to this NPRM and to the accompanying DEIS and PRIA. The majority of the alternatives considered in this rulemaking are defined as average percentage increases in stringency—3 percent per year, 4 percent per year, 5 percent per year, and so on. NHTSA believes that this approach more clearly communicates the level of stringency of each alternative and is more intuitive than alternatives defined in terms of different cost-benefit ratios, and still allows us to identify alternatives that represent different ways to balance NHTSA's statutory requirements under EPCA/EISA.

In the notice of intent, we noted that each of the listed alternatives represents, in part, a different way in which NHTSA could conceivably balance conflicting policies and

considerations in setting the standards. We were mindful that the agency would need to weigh and balance many factors, such as the technological feasibility, economic practicability, including leadtime considerations for the introduction of technologies and impacts on the auto industry, the impacts of the standards on fuel savings and CO₂ emissions, fuel savings by consumers; as well as other relevant factors such as safety. For example, the 7% Alternative, the most stringent alternative, weighs energy conservation and climate change considerations more heavily and technological feasibility and economic practicability less heavily. In contrast, the 3% Alternative, the least stringent alternative, places more weight on technological feasibility and economic practicability. We recognized that the "feasibility" of the alternatives also may reflect differences and uncertainties in the way in which key economic (e.g., the price of fuel and the social cost of carbon) and technological inputs could be assessed and estimated or valued.

In subsequently developing the NPRM and the associated analytical documents, the agency expanded the list of alternatives to provide a degree of analytical continuity between the old and new approach to defining alternatives in an effort help the agency and the public understand the similarities and dissimilarities between the two approaches and to make the transition to the new approach. To that end, we included and analyzed two additional alternatives, one that sets standards at the point where net benefits are maximized, and another that sets standards at the point at which total costs are equal to total benefits.⁵⁷⁶

⁵⁷⁶ The stringency indicated by each of these alternatives depends on the value of inputs to NHTSA's analysis. Results presented here for these

With respect to the first of those alternatives, we note that Executive Order 12866 focuses attention on an approach that maximizes net benefits. Further, since NHTSA has thus far set attribute-based CAFE standards at the point at which net benefits are maximized, we believed it would be useful and informative to consider the potential impacts of that approach as compared to the new approach for MYs 2012–2016.

After working with EPA in thoroughly reviewing and in some cases reassessing the effectiveness and costs of technologies, most of which are already being incorporated in at least some vehicles, market forecasts and economic assumptions, we used the Volpe model extensively to assess the technologies that the manufacturers could apply in order to comply with each of the alternatives. This permitted us to assess the variety, amount and cost of the technologies that could be needed to enable the manufacturers to comply with each of the alternatives. NHTSA estimated how the application of these and other technologies could increase vehicle costs. The following five figures show industry-wide average incremental (*i.e.*, relative to the reference fleet) per-vehicle costs, for each model year, each fleet, and the combined fleet. Estimates specific to each manufacturer are shown in the accompanying PRIA.

two alternatives are based on NHTSA's reference case inputs, which underlie the central analysis of the proposed standards. In the accompanying PRIA, the agency presents the results of that analysis to explore the sensitivity of results to changes in key economic inputs. Because of numerous changes in model inputs (e.g., discount rate, rebound effect, CO₂ value, technology cost estimates), our analysis often exhausts all available technologies before reaching the point at which total costs equal total benefits. In these cases, the stringency that exhausts all available technologies is considered.

⁵⁷⁵ Notice of intent to prepare an EIS, 74 FR 14857, 14859–60, April 1, 2009.

Figure IV.F.1. Average Incremental Per-Vehicle Costs (MY 2012)




Figure IV.F.2. Average Incremental Per-Vehicle Costs (MY 2013)




Figure IV.F.3. Average Incremental Per-Vehicle Costs (MY 2014)




Figure IV.F.4. Average Incremental Per-Vehicle Costs (MY 2015)





Figure IV.F.5. Average Incremental Per-Vehicle Costs (MY 2016)




Corresponding to these per-vehicle cost increases, NHTSA estimated total incremental outlays for additional technology in each model year. The following figure shows cumulative

results for MY 2012–2016 for industry and Chrysler, Ford, General Motors, Honda, Nissan, and Toyota. This figure focuses on these manufacturers as they currently (in MY 2008) represent three

large U.S.-headquartered and three large foreign-headquartered full-line manufacturers.

Figure IV.F.6. Incremental Technology Outlays (MY 2012-2016)



For each alternative, NHTSA has also estimated all corresponding effects for each model year, including fuel savings, CO₂ reductions, and other effects, as well as the estimated societal benefits of these effects.

TABLE IV.F.1—FUEL SAVINGS, CO₂ REDUCTIONS, AND TECHNOLOGY COSTS FOR REGULATORY ALTERNATIVES


Regulatory alternative	Fuel savings (b. gal)	CO ₂ reductions (mmt)	Cost (\$b)
3% per Year	37	404	29
4% per Year	54	582	46
5% per Year	69	718	74
6% per Year	83	846	103
Maximum Net Benefit	90	923	111
7% per Year	91	934	116
Total Cost = Total Benefit	95	977	122

The accompanying PRIA presents a detailed analysis of these results. Relevant to EPCA's requirement that NHTSA consider, among other factors,

economic practicability and the need of the nation to conserve energy, the following figure compares the incremental technology outlays

presented above to the corresponding cumulative fuel savings.

Figure IV.F.7. Incremental Technology Outlays and Fuel Savings (MY 2012-2016)



The agency then assessed which alternative would represent a reasonable balancing of the statutory criteria, given the difficulties confronting the industry and the economy, and the priorities and policy goals of the President. Those priorities and goals include achieving nationally harmonized and coordinated program for regulating fuel economy and GHG emissions.

Part of that assessment entailed an evaluation of the stringencies necessary to achieve both Federal and State GHG emission reduction goals, especially those of California and the States that

have adopted its GHG emission standard for motor vehicles. Given that EPCA requires attribute-based standards, NHTSA and EPA determined the level at which an attribute-based GHG emissions standard would need to be set to achieve the goals of California. This was done by evaluating a nationwide CAA standard for MY 2016 that would require the levels of technology upgrade, across the country, which California standards would require for the subset of vehicles sold in California under the California standards for MY 2009–2016 (known as

“Pavley 1”). In essence, the stringency of the California Pavley 1 program was evaluated, but for a national standard. For a number of reasons discussed in section III.D, an assessment was developed of an equivalent national new vehicle fleet-wide CO₂ performance standards for model year 2016 which would result in the new vehicle fleet in the State of California having CO₂ performance equal to the performance from the California Pavley 1 standards. That level, 250 g/mi, is equivalent to 35.5 mpg if the GHG standard is met

exclusively by fuel economy improvements.

To obtain the counterpart CAFE standard, we then adjusted that level downward to account for differences between the more prescriptive EPCA and the more flexible CAA. These differences give EPA greater ability under the CAA to provide compliance flexibilities that would enable manufacturers to achieve compliance with a given level of requirement under the CAA at less cost than with the same level of requirement under EPCA. Principal among those greater flexibilities are the credits that EPA can provide for improving the efficiency of air conditioners and reducing the leakage of refrigerants from them. The adjustments result in a figure of 34.1 mpg as the appropriate counterpart CAFE standard. This differential gives manufacturers the opportunity to reach 35.5 mpg under the CAA in ways that would significantly reduce their costs. Were NHTSA instead to establish its standard at the same level, manufacturers would need to make substantially greater expenditures on fuel-saving technologies to reach 35.5 mpg under EPCA.

Given the importance to this rulemaking of achieving a harmonized National Program, we created a new alternative whose annual percentage increases would achieve 34.1 mpg by MY 2016. That alternative is one which increases on average at 4.3% annually.

This new alternative, like the seven alternative presented above, represents a unique balancing of the statutory factors and other relevant considerations. We have added that alternative to the table below.

Regulatory alternative	Fuel savings (b. gal)	CO ₂ reductions (mmt)	Cost (\$b)
3% per Year	37	404	29
4% per Year	54	582	46

Regulatory alternative	Fuel savings (b. gal)	CO ₂ reductions (mmt)	Cost (\$b)
Proposed (4.3% per Year)	62	656	60
5% per Year	69	718	74
6% per Year	83	846	103
Maximum Net Benefit	90	923	111
7% per Year	91	934	116
Total Cost = Total Benefit	95	977	122

As noted earlier, NHTSA has used the Volpe model to analyze each of these alternatives based on analytical inputs determined jointly with EPA. For a given regulatory alternative, the Volpe model estimates how each manufacturer could apply technology in response to the MY 2012 standard (separately for cars and trucks), carries technologies applied in MY 2012 forward to MY 2013, and then estimates how each manufacturer could apply technology in response to the MY 2013 standard. When analyzing MY 2013, the model considers the potential to add "extra" technology in MY 2012 in order to carry that technology into MY 2013, thereby avoiding the use of more expensive technologies in MY 2013. The model continues in this fashion through MY 2016, and then performs calculations to estimate the costs, effects, and benefits of the applied technologies, and to estimate any civil penalties owed based on projected noncompliance. For each regulatory alternative, the model calculates incremental costs, effects, and benefits relative to the regulatory baseline (i.e., the no-action alternative), under which the MY 2011 CAFE standards continue through MY 2016. The model calculates results for each model year, because EPCA requires that NHTSA set its standards for each model year at the "maximum feasible average fuel economy level that the Secretary

decides the manufacturers can achieve in that model year" considering four statutory factors. Pursuant to EPCA's directive notice not to consider statutory credits in establishing CAFE standards, NHTSA did not FFV credits, credits carried forward and backward, and transferred credit.^{577 578} In addition, the analysis reflects the ability of manufacturers to pay fines in lieu of compliance.

Because it entails year-by-year examination of eight regulatory alternatives for, separately, passenger cars and light trucks, NHTSA's analysis involves a large amount of information. Detailed results of this analysis are presented separately in the PRIA accompanying today's notice. The remainder of this section discusses a combination of aggregated and illustrative results of this analysis.


The following figure compares average fuel economy levels required of manufacturers under the eight regulatory alternatives in MYs 2012, 2014, and 2016. Required levels for MY 2013 and MY 2015 fall between those for MYs 2012 and 2014 and MYs 2014 and 2016, respectively. Although required levels for these interim years are not presented in the following figure to limit the complexity of the figure, they do appear in the accompanying PRIA.⁵⁷⁹

⁵⁷⁷ Separately, NHTSA has conducted analysis that accounts for EPCA's provisions regarding FFVs.

⁵⁷⁸ Because NHTSA's modeling represents every model year explicitly, accounts for estimates of when vehicle model redesigns will occur, and sets aside these compliance flexibilities, the agency's modeling produces results that differ varyingly from EPA's for specific manufacturers, fleets, and model years.

⁵⁷⁹ Also, the "Max NB" and the "TC = TB" alternatives depend on the inputs to the agencies' analysis. The sensitivity analysis presented in the PRIA documents the response of these alternatives to changes in key economic inputs. For example, the combined average required fuel economy under the "Max NB" alternative is 36.8 mpg under the reference case economic inputs presented here, and ranges from 32.8 mpg to 37.2 mpg under the alternative economic inputs presented in the PRIA.

Figure IV.F.8. Average Required Fuel Economy (MYs 2012, 2014, and 2016)



As this figure illustrates, the proposed standards involve a "faster start" toward increased stringency than do any of the alternatives that increase steadily (*i.e.*, the 3%/y, 4%/y, 5%/y, 6%/y, and 7%/y alternatives). However, by MY 2016, the stringency of the proposed standards reflects an average annual increase of 4.3%/y. The proposed standards, therefore, represent an alternative that could be referred to as "4.3% per year with a fast start" or a "front-loaded 4.3% average annual increase."

In NHTSA's analysis, these achieved average fuel economy levels result from the application of technology rather than changes in the mix of vehicles produced for sale in the U.S. The

accompanying PRIA presents detailed estimates of additional technology penetration into the NHTSA reference fleet associated with each regulatory alternative. The following four charts illustrate the results of this analysis, considering the application of four technologies by six manufacturers and the industry as a whole. Technologies include gasoline direct injection (GDI), engine turbocharging and downsizing, diesel engines, and strong HEV systems (including CISC systems). GDI and turbocharging are among the technologies that play an important role in achieving the fuel economy improvements shown in NHTSA's

analysis, and diesels and strong HEVs represent technologies involving significant challenges for widespread use through MY 2016. These figures focus on Chrysler, Ford, General Motors, Honda, Nissan, and Toyota, as these manufacturers currently (in MY 2008) represent three large U.S.-headquartered and three large foreign-headquartered full-line manufacturers. For each alternative, the figures show additional application of technology by MY 2016. The PRIA presents results for all model years, technologies, and manufacturers, and NHTSA has considered these broader results when considering the eight regulatory alternatives.

Figure IV.F.9. Additional Application of GDI (MY 2016)




Figure IV.F.10. Additional Application of Engine Turbocharging & Downsizing (MY 2016)




Figure IV.F.11. Additional Application of Diesel Engines (MY 2016)





Figure IV.F.12. Additional Application of CISG and Strong HEV Systems (MY 2016)



The agency began the process of winnowing the alternatives by determining whether any of the lower stringency alternatives should be eliminated from consideration. To begin with, the agency needs to ensure that its standards are high enough to enable the combined fleet of passenger cars and

light trucks to achieve at least 35 mpg not later than MY 2020, as required by EISA. Achieving that level makes it necessary for the chosen alternative to increase at over 3 percent annually.

NHTSA has concluded that it must reject the 3%/y and 4%/y alternatives. Given that CO₂ and fuel savings are very

closely correlated, the above chart reveals that the 3%/y and 4%/y alternative would not produce the reductions in fuel savings and CO₂ emissions that the Nation needs at this time. Picking either of those alternatives would unnecessarily result in foregoing substantial benefits, in terms of fuel

savings and reduced CO₂ emissions, which would be achievable at reasonable cost. Further, NHTSA has tentatively concluded that it must reject the 3%/y and 4%/y alternatives, as neither would lead to the regulatory harmonization that forms a vital core principle of the National Program that EPA and NHTSA are jointly striving to implement. In order to achieve a harmonized National Program, an average annual increase of 4.3% is necessary.

In contrast, at the upper end of the range of alternatives, the agency was concerned that the increased benefits offered by those alternatives were available only at excessive cost and might not be practicable in all cases within the available leadtime.

NHTSA first considered the environmentally-preferable alternative. Based on the information provided in the DEIS, the environmentally-preferable alternative would be that involving stringencies at which total costs most nearly equal total benefits. NHTSA notes that NEPA does not require that agencies choose the environmentally-preferable alternative if doing so would be contrary to the choice that the agency would otherwise make under its governing statute. Given the levels of stringency required by the environmentally-preferable alternative and the lack of lead time to achieve such levels between now and MY 2016, NHTSA tentatively concludes that the

environmentally-preferable alternative would not be economically practicable or technologically feasible, and thus tentatively concludes that it would result in standards that would be beyond the level achievable for MYs 2012–2016.

NHTSA determined that it would be inappropriate to propose any of the other more stringent alternatives due to concerns over lead time and economic practicability. At a time when the entire industry remains in an economically critical state, the agencies believe that it would be unreasonable to propose more stringent standards. Even in a case where economic factors were not a consideration, there are real-world time constraints which must be considered due to the short lead time available for the early years of this program, in particular for MYs 2012 and 2013.

As revealed by the figures shown above, the proposed standards already require aggressive application of technologies, and more stringent standards which would require more widespread use (including more substantial implementation of advanced technologies such as stoichiometric gasoline direct injection engines and strong hybrids) raise serious issues of adequacy of lead time, not only to meet the standards but to coordinate such significant changes with manufacturers' redesign cycles.

NHTSA does not believe that more stringent standards would meet EPCA's

requirement that CAFE standards be economically practicable. The figures presented above reveal that increasing stringency beyond the proposed standards would entail significant additional application of technology—technology that, though perhaps feasible for individual vehicle models, would not be economically practicable for the industry at the scales involved. Among the more stringent alternatives, the one closest in stringency to the standards proposed today is the alternative under which combined CAFE stringency increases at 5% annually. As indicated above, this alternative would yield fuel savings and CO₂ reductions about 12% and 9% higher, respectively, than the proposed standards. However, compared to the proposed standards, this alternative would increase outlays for new technologies during MY 2012–2016 by about 24%, or \$14b. Average MY 2016 cost increases would, in turn, rise from \$1,076 under the proposed standards to \$1,409 when stringency increases at 5% annually. This represents a 30% increase in per-vehicle cost for only a 3% increase in average performance (on a gallon-per-mile basis to which fuel savings are proportional). The following three tables summarize estimated manufacturer-level average incremental costs for the 5%/y alternative and the average of the passenger and light truck fleets:

TABLE IV.F.3—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER THE 5%/Y ALTERNATIVE CAFE STANDARDS FOR PASSENGER CARS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	474	541	667	883	1,190
Chrysler	726	1,464	1,832	1,928	1,913
Daimler	132	209	814	1,094	1,467
Ford	979	1,556	1,572	1,918	2,181
General Motors	94	934	1,242	1,541	1,808
Honda	55	263	408	451	671
Hyundai	518	531	943	1,007	1,152
Kia	180	344	440	612	796
Mazda	603	919	1,294	1,569	1,863
Mitsubishi	1,106	1,141	2,594	2,962	2,913
Nissan	298	587	1,344	1,402	1,517
Porsche	209	240	350	465	581
Subaru	353	454	1,828	2,258	2,201
Suzuki	204	1,453	2,444	2,580	2,624
Tata	202	239	428	632	1,350
Toyota	133	127	194	285	446
Volkswagen	231	550	688	828	1,202
Average	337	664	916	1,079	1,291

TABLE IV.F.4—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER THE 5%/Y ALTERNATIVE CAFE STANDARDS FOR LIGHT TRUCKS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	297	306	403	753	935
Chrysler	113	475	1,058	1,271	1,538

TABLE IV.F.4—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER THE 5%/Y ALTERNATIVE CAFE STANDARDS FOR LIGHT TRUCKS—Continued

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
Daimler	172	198	227	459	528
Ford	732	1,201	1,685	2,345	2,380
General Motors		786	1,121	1,275	1,457
Honda	646	614	1,139	1,265	1,624
Hyundai	990	1,009	2,106	2,206	2,148
Kia		309	713	1,181	1,692
Mazda	434	608	612	722	953
Mitsubishi	11	88	2,102	2,081	2,817
Nissan	793	891	1,419	1,535	1,907
Porsche	(17)	55	117	962	1,009
Subaru	1,398	1,370	1,501	1,441	1,486
Suzuki	6	2,169	2,093	2,028	2,155
Tata		77	160	242	695
Toyota	113	427	906	1,065	1,291
Volkswagen	(11)	55	127	209	286
Average	373	742	1,179	1,449	1,641

TABLE IV.F.5—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER THE 5%/Y ALTERNATIVE CAFE STANDARDS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	415	469	590	848	1,123
Chrysler	351	888	1,392	1,632	1,747
Daimler	148	205	591	884	1,167
Ford	872	1,401	1,623	2,110	2,269
General Motors	52	868	1,189	1,426	1,660
Honda	272	386	638	701	955
Hyundai	610	625	1,167	1,228	1,330
Kia	143	337	489	707	942
Mazda	571	862	1,181	1,443	1,732
Mitsubishi	959	975	2,525	2,854	2,902
Nissan	462	683	1,367	1,441	1,627
Porsche	120	172	272	623	717
Subaru	743	787	1,709	1,964	1,942
Suzuki	152	1,637	2,349	2,434	2,504
Tata	71	144	267	420	1,001
Toyota	125	233	440	549	724
Volkswagen	182	460	586	716	1,043
Average	350	692	1,010	1,207	1,409

These cost increases derive from accelerated application of advanced technologies as stringency increases past the levels in the proposed standards. For example, under the proposed standards, additional diesel application rates average 2% for the industry and range from 0% to 7% among Chrysler, Ford, GM, Honda, Nissan, and Toyota. Under standards increasing in combined stringency at 5% annually, these rates more than double, averaging 5% for the industry and ranging from 2% to 13% for the same six manufacturers. The agency tentatively concludes that the levels of technology penetration required by the proposed standards are reasonable. Increasing the standards beyond those levels would lead to rapidly increasing dependence on advanced technologies with higher costs, particularly in the early years of the rulemaking time

frame, according to the agency's analysis, and potentially pose too great an economic burden given the state of the industry.

In contrast, through analysis of the illustrative results shown above, as well as the more complete and detailed results presented in the accompanying PRIA, NHTSA has concluded that the proposed standards are technologically feasible and economically practicable. The proposed standards will require manufacturers to apply considerable additional technology. Although NHTSA cannot predict how manufacturers will respond to the proposed standards, the agency's analysis indicates that the standards could lead to significantly greater use of advanced engine and transmission technologies. As shown above, the agency's analysis shows considerable increases in the application of SGDI

systems and engine turbocharging and downsizing. Though not presented above, the agency's analysis also shows similarly large increases in the use of dual-clutch automated manual transmissions (AMTs). However, the agency's analysis does not suggest that the additional application of these technologies in response to the proposed standards would extend beyond levels achievable by the industry. These technologies are likely to be applied to at least some extent even in the absence of new CAFE standards. In addition, the agency's analysis indicates that most manufacturers would rely only to a limited extent on the most expensive and advanced technologies, including diesel engines and strong HEVs.

As shown above, NHTSA estimates that the proposed standards could lead to average incremental costs ranging

from \$291 per vehicle (for light trucks in MY 2011) to \$1,085 per vehicle (for passenger cars in MY 2016), increasing steadily from \$421 per vehicle in for all light vehicles in MY 2011 \$1,076 for all

light vehicle in MY 2016. NHTSA estimates that these costs would vary considerably among manufacturers, but would rarely exceed \$2,000 per vehicle. The following three tables summarize

estimated manufacturer-level average incremental costs for the proposed standards and the average of the passenger and light truck fleets:

TABLE IV.F.6—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER PROPOSED PASSENGER CAR CAFE STANDARDS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	524	552	634	828	1,124
Chrysler	775	1,304	1,473	1,583	1,582
Daimler	182	215	781	1,039	1,401
Ford	1,746	1,719	1,735	1,880	2,078
General Motors	143	990	1,189	1,387	1,553
Honda	31	122	205	287	494
Hyundai	418	452	643	726	868
Kia	319	359	387	473	647
Mazda	658	735	965	991	1,26
Mitsubishi	1,156	1,076	1,715	2,076	2,035
Nissan	653	712	1,155	1,153	1,275
Porsche	270	256	306	399	498
Subaru	408	465	1,493	1,877	1,838
Suzuki	259	1,001	1,445	1,494	1,675
Tata	246	244	395	577	1,284
Toyota	133	127	155	257	267
Volkswagen	286	561	650	767	1,125
Average	498	674	820	930	1,085

TABLE IV.F.7—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER PROPOSED LIGHT TRUCK CAFE STANDARDS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	325	327	380	708	884
Chrysler	152	399	749	892	1,188
Daimler	322	289	316	420	478
Ford	471	629	693	1,323	1,365
General Motors	33	533	752	792	962
Honda	390	380	616	749	1,006
Hyundai	774	744	1,301	1,322	1,292
Kia	228	373	547	843	1,218
Mazda	340	608	610	679	776
Mitsubishi	55	94	1,546	1,732	2,123
Nissan	541	608	903	1,022	1,312
Porsche	28	46	84	913	954
Subaru	1,203	1,140	1,213	1,197	1,184
Suzuki	50	1,451	1,404	1,358	1,373
Tata	44	83	127	193	635
Toyota	172	309	665	764	877
Volkswagen	28	61	99	160	231
Average	291	485	701	911	1,058

TABLE IV.F.8—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER PROPOSED CAFE STANDARDS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	457	483	560	796	1,061
Chrysler	393	777	1,061	1,271	1,408
Daimler	236	243	604	834	1,106
Ford	1,195	1,242	1,262	1,629	1,762
General Motors	94	785	997	1,131	1,304
Honda	162	212	335	429	647
Hyundai	488	509	769	835	944
Kia	300	362	416	535	740
Mazda	598	712	907	944	1,193
Mitsubishi	1,007	921	1,692	2,033	2,045
Nissan	616	679	1,078	1,115	1,286
Porsche	174	179	231	562	643
Subaru	705	711	1,392	1,632	1,602
Suzuki	204	1,117	1,434	1,458	1,598
Tata	115	150	234	368	938
Toyota	147	191	331	429	468

TABLE IV.F.8—AVERAGE INCREMENTAL COSTS (\$/VEHICLE) UNDER PROPOSED CAFE STANDARDS—Continued

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
Volkswagen	233	470	550	657	970
Average	421	605	777	924	1,076

In summary, NHTSA has considered eight regulatory alternatives, including the proposed standards, examining technologies that could be applied in response to each alternative, as well as corresponding costs, effects, and benefits. The agency has concluded that alternatives less stringent than the proposed standards would not produce the fuel savings and CO₂ reductions necessary at this time to achieve either the overarching purpose of EPCA, *i.e.*, energy conservation, or an important part of the regulatory harmonization underpinning the National Program. Conversely, the agency has concluded that more stringent standards would involve levels of additional technology and cost that, considering the fragile state of the automotive industry, would not be economically practicable.

Therefore, having considered these eight regulatory alternatives, and the statutorily-relevant factors of technological feasibility, economic practicability, the effect of other motor vehicle standards of the Government on fuel economy, and the need of the United States to conserve energy, along with other relevant factors such as the safety impacts of the proposed standards,⁵⁸⁰ NHTSA tentatively concludes that the proposed standards represent a reasonable balancing of all of these concerns, and are the maximum feasible average fuel economy levels that the manufacturers can achieve in MYs 2012–2016.

G. Impacts of the Proposed CAFE Standards

1. How Would These Proposed Standards Improve Fuel Economy and Reduce GHG Emissions for MY 2012–2016 Vehicles?

As discussed above, the CAFE level required under an attribute-based standard depends on the mix of vehicles produced for sale in the U.S. Based on the market forecast that NHTSA and EPA have used to develop and analyze new CAFE and CO₂ emissions standards, NHTSA estimates that the new CAFE standards will require CAFE levels to increase by an average of 4.3 percent annually through MY 2016, reaching a combined average fuel economy requirement of 34.1 mpg in that model year:

TABLE IV.G.1–1—AVERAGE REQUIRED FUEL ECONOMY (MPG) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016
Passenger Cars	33.6	34.4	35.2	36.4	38.0
Light Trucks	25.0	25.6	26.2	27.1	28.3
Combined	29.8	30.6	31.4	32.6	34.1

NHTSA estimates that average achieved fuel economy levels will correspondingly increase through MY

2016, but that manufacturers will, on average, undercomply⁵⁸¹ in some model years and overcomply⁵⁸² in others,

reaching a combined average fuel economy of 33.7 mpg in MY 2016.⁵⁸³

TABLE IV.G.1–2—AVERAGE ACHIEVED FUEL ECONOMY (MPG) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016
Passenger Cars	32.9	34.2	35.2	36.5	37.6
Light Trucks	24.9	25.7	26.5	27.4	28.1
Combined	29.3	30.5	31.5	32.7	33.7

NHTSA estimates that these fuel economy increases will lead to fuel savings totaling 61.6 billion gallons

during the useful lives of vehicles sold in MYs 2012–2016:

(*e.g.*, MY 2014) in order to carry that technology forward and thereby facilitate compliance in later model years (*e.g.*, MY 2016)

⁵⁸³ Consistent with EPCA, NHTSA has not accounted for manufacturers' ability to earn CAFE credits for selling FFVs, carry credits forward and back between model years, and transfer credits between the passenger car and light truck fleets.

⁵⁸⁰ See Section IV.G.7 below.

⁵⁸¹ In NHTSA's analysis, "undercompliance" is mitigated either through use of FFV credits, use of existing or "banked" credits, or through fine payment. Because NHTSA cannot consider availability of credits in setting standards, the estimated achieved CAFE levels presented here do not account for their use. In contrast, because NHTSA is not prohibited from considering fine

payment, the estimated achieved CAFE levels presented here include the assumption that BMW, Daimler (*i.e.*, Mercedes), Porsche, and Tata (*i.e.*, Jaguar and Rover) will only apply technology up to the point that it would be less expensive to pay civil penalties.

⁵⁸² In NHTSA's analysis, "overcompliance" occurs through multi-year planning: Manufacturers apply some "extra" technology in early model years

TABLE IV.G.1-3—FUEL SAVED (BILLION GALLONS)
[Under proposed standards]

	2012	2013	2014	2015	2016	Total
Passenger Cars	2.5	5.3	7.5	9.4	11.4	36.0
Light Trucks	1.8	3.7	5.4	6.8	7.8	25.6
Combined	4.3	9.1	12.9	16.1	19.2	61.6

The agency also estimates that these new CAFE standards will lead to

corresponding reductions of CO₂ emissions totaling 656 million metric

tons (mmt) during the useful lives of vehicles sold in MYs 2012–2016:

TABLE IV.G.1-4—AVOIDED CARBON DIOXIDE EMISSIONS (MMT) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	25	56	79	99	121	381
Light Trucks	19	40	58	73	85	275
Combined	44	96	137	173	206	656

2. How Would These Proposed Standards Improve Fleet-Wide Fuel Economy and Reduce GHG Emissions Beyond MY 2016?

Under the assumption that CAFE standards at least as stringent as those proposed for MY 2016 would be established for subsequent model years, the effects of the proposed standards on fuel consumption and GHG emissions will continue to increase for many

years. This will occur because over time, a growing fraction of the U.S. light-duty vehicle fleet will be comprised of cars and light trucks that meet the MY 2016 standard. The impact of the proposed standards on fuel use and GHG emissions will continue to grow through approximately 2050, when virtually all cars and light trucks in service will have met the MY 2016 standard.

As Table IV.G.2-1 shows, NHTSA estimates that the fuel economy increases resulting from the proposed standards will lead to reductions in total fuel consumption by cars and light trucks of 9 billion gallons during 2020, increasing to 30 billion gallons by 2050. Over the period from 2012—when the proposed standards would begin to take effect—through 2050, cumulative fuel savings would total 693 billion gallons, as Table IV.G.2-1 also indicates.

TABLE IV.G.2-1—REDUCTION IN FLEET-WIDE FUEL USE (BILLION GALLONS) UNDER PROPOSED STANDARDS

Calendar year	2020	2030	2040	2050	Total, 2012–2050
Passenger Cars	5	12	16	19	431
Light Trucks	4	7	9	11	262
Combined	9	19	25	30	693

As a consequence of these reductions in fleet-wide fuel consumption, the agency also estimates that the proposed CAFE standards for MYs 2012–2016 will lead to corresponding reductions in CO₂ emissions from the U.S. light-duty vehicle fleet. Specifically, NHTSA

estimates that total CO₂ emissions associated with passenger car and light truck use in the U.S. use will decline by 111 million metric tons (mmt) during 2020 as a consequence of the proposed standards, as Table IV.G.2-2 reports. The table also shows that the this

reduction is estimated to grow to 355 million metric tons by the year 2050, and will total 8,247 million metric tons over the period from 2012, when the proposed standards would take effect, through 2050.

TABLE IV.G.2-2—REDUCTION IN FLEET-WIDE CARBON DIOXIDE EMISSIONS (MMT) FROM PASSENGER CAR AND LIGHT TRUCK USE UNDER PROPOSED STANDARDS

Calendar year	2020	2030	2040	2050	Total, 2012–2050
Passenger Cars	64	144	186	222	5,117
Light Trucks	47	87	110	132	3,130
Combined	111	231	295	355	8,247

These reductions in fleet-wide CO₂ emissions, together with corresponding reductions in other GHG emissions from fuel production and use, would lead to small but significant reductions in projected changes in the future global climate. These changes are summarized in Table IV.G.2-3 below.

TABLE IV.G.2-3—EFFECTS OF REDUCTIONS IN FLEET-WIDE CARBON DIOXIDE EMISSIONS (MMT) ON PROJECTED CHANGES IN GLOBAL CLIMATE

Measure	Units	Date	Projected change in measure		
			No action	With proposed standards	Difference
Atmospheric CO ₂ Concentration	ppm	2100	783.0	780.3	-2.7
Increase in Global Mean Surface Temperature ..	°C	2100	3.136	3.126	-0.010
Sea Level Rise	cm	2100	38.00	37.91	-0.09
Global Mean Precipitation	% change from 1980-1999 avg.	2090	4.59%	4.57%	-0.02%

3. How Would These Proposed Standards Impact Non-GHG Emissions and Their Associated Effects?

Under the assumption that CAFE standards at least as stringent as those proposed for MY 2016 would be established for subsequent model years, the effects of the proposed standards on air quality and its associated health effects will continue to be felt over the foreseeable future. This will occur because over time a growing fraction of the U.S. light-duty vehicle fleet will be comprised of cars and light trucks that meet the MY 2016 standard, and this growth will continue until approximately 2050.

Increases in the fuel economy of light-duty vehicles required by the proposed

CAFE standards will cause a slight increase in the number of miles they are driven, through the fuel economy "rebound effect." In turn, this increase in vehicle use will lead to increases in emissions of criteria air pollutants and some airborne toxics, since these are products of the number of miles vehicles are driven.

At the same time, however, the projected reductions in fuel production and use reported in Table IV.G.2-1 above will lead to corresponding reductions in emissions of these pollutants that occur during fuel production and distribution ("upstream" emissions). For most of these pollutants, the reduction in upstream emissions resulting from

lower fuel production and distribution will outweigh the increase in emissions from vehicle use, resulting in a net decline in their total emissions.

Tables IV.G.3-1a and 3-1b report estimated reductions in emissions of selected criteria air pollutants (or their chemical precursors) and airborne toxics expected to result from the proposed standards during calendar year 2030. By that date, the majority of light-duty vehicles in use will have met the proposed MY 2016 CAFE standards, so these reductions provide a useful index of the long-term impact of the proposed standards on air pollution and its consequences for human health.

TABLE IV.G.3-1a—PROJECTED CHANGES IN EMISSIONS OF CRITERIA AIR POLLUTANTS FROM CAR AND LIGHT TRUCK USE

[Calendar year 2030; tons]

Vehicle class	Source of emissions	Criteria air pollutant			
		Nitrogen oxides (NO _x)	Particulate matter (PM _{2.5})	Sulfur oxides (SO _x)	Volatile organic compounds (VOC)
Passenger Cars	Vehicle use	1,791	630	-2,375	2,157
	Fuel production and distribution	-19,022	-2,539	-11,363	-75,031
	All sources	-17,231	-1,909	-13,738	-72,874
Light Trucks	Vehicle use	1,137	257	-1,401	1,094
	Fuel production and distribution	-11,677	-1,569	-7,031	-43,667
	All sources	-10,540	-1,312	-8,432	-42,573
Total	Vehicle use	2,928	887	-3,776	3,251
	Fuel production and distribution	-30,699	-4,108	-18,394	-118,698
	All sources	-27,771	-3,221	-22,170	-115,447

TABLE IV.F.3-1b—PROJECTED CHANGES IN EMISSIONS OF AIRBORNE TOXICS FROM CAR AND LIGHT TRUCK USE

[Calendar year 2030; tons]

Vehicle class	Source of emissions	Toxic air pollutant		
		Benzene	1,3-Butadiene	Formaldehyde
Passenger Cars	Vehicle-use	67	19	72

TABLE IV.F.3-1b—PROJECTED CHANGES IN EMISSIONS OF AIRBORNE TOXICS FROM CAR AND LIGHT TRUCK USE—
Continued
[Calendar year 2030; tons]

Vehicle class	Source of emissions	Toxic air pollutant		
		Benzene	1,3-Butadiene	Formaldehyde
	Fuel production and distribution	-158	-1	-54
	All sources	-91	18	18
Light Trucks	Vehicle use	45	9	32
	Fuel production and distribution	-93	-1	-33
	All sources	-48	8	-1
Total	Vehicle use	112	28	104
	Fuel production and distribution	-251	-2	-87
	All sources	-139	26	17

Note: Positive values indicate increases in emissions; negative values indicate reductions.

In turn, the reductions in emissions reported in Tables IV.G.3-1a and 3-1b are projected to result in significant declines in the health effects that result from population exposure to these pollutants. Table IV.G.3-2 reports the estimated reductions in selected PM_{2.5}-related human health impacts that are expected to result from reduced population exposure to unhealthy atmospheric concentrations of PM_{2.5}.

The estimates reported in Table IV.G.3-2 are derived from PM_{2.5}-related dollar-per-ton estimates that include only quantifiable reductions in health impacts likely to result from reduced population exposure to particular matter (PM). They do not include all health impacts related to reduced exposure to PM, nor do they include any reductions in health impacts resulting from lower population exposure to other criteria air

pollutants (particularly ozone) and air toxics. NHTSA and EPA are using PM-related benefits-per-ton values as an interim approach to estimating the PM-related benefits of the proposal. To model the ozone and PM air quality benefit of the final rule, the analysis will utilize ambient concentration data derived from full-scale photochemical air quality modeling.

TABLE IV.G.3-2—PROJECTED REDUCTIONS IN HEALTH IMPACTS OF EXPOSURE TO CRITERIA AIR POLLUTANTS FROM PROPOSED STANDARDS
[Calendar year 2030]

Health impact	Measure	Projected reduction (2030)
Mortality (ages 30 and older)	premature deaths per year	217 to 554
Chronic Bronchitis	cases per year	142
Emergency Room Visits for Asthma	number per year	198
Work Loss	workdays per year	25,522

4. What Are the Estimated Costs and Benefits of These Proposed Standards?

NHTSA estimates that the proposed standards could entail significant additional technology beyond the levels reflected in the baseline market forecast used by NHTSA. This additional technology will lead to increases in

costs to manufacturers and vehicle buyers, as well as fuel savings to vehicle buyers. The following three tables summarize the extent to which the agency estimates technologies could be added to the passenger car, light truck, and overall fleets in each model year in response to the proposed standards. Percentages reflect the technology's

additional application in the market, and are negative in cases where one technology is superseded (*i.e.*, displaced) by another. For example, the agency estimates that many automatic transmissions used in light trucks could be displaced by dual clutch transmissions.

BILLING CODE 6560-50-P

Table IV.G.4-1. Addition of Technologies to Passenger Car Fleet under Proposed Standards

Technology	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
Low Friction Lubricants	21%	20%	21%	37%	36%
Engine Friction Reduction	10%	21%	24%	29%	40%
VVT - Coupled Cam Phasing (CCP) on SOHC	1%	1%	1%	4%	9%
Discrete Variable Valve Lift (DVVL) on SOHC	0%	1%	2%	2%	2%
Cylinder Deactivation on SOHC	0%	0%	0%	0%	1%
VVT - Intake Cam Phasing (ICP)	0%	0%	0%	0%	0%
VVT - Dual Cam Phasing (DCP)	13%	19%	26%	28%	29%
Discrete Variable Valve Lift (DVVL) on DOHC	13%	18%	21%	23%	29%
Continuously Variable Valve Lift (CVVL)	0%	0%	0%	0%	0%
Cylinder Deactivation on DOHC	0%	0%	0%	0%	0%
Cylinder Deactivation on OHV	0%	1%	1%	1%	1%
VVT - Coupled Cam Phasing (CCP) on OHV	0%	1%	1%	1%	1%
Discrete Variable Valve Lift (DVVL) on OHV	0%	2%	2%	3%	4%
Conversion to DOHC with DCP	0%	0%	0%	0%	0%
Stoichiometric Gasoline Direct Injection (GDI)	14%	22%	26%	30%	36%
Combustion Restart	0%	0%	2%	5%	9%
Turbocharging and Downsizing	10%	15%	16%	17%	20%
Exhaust Gas Recirculation (EGR) Boost	0%	7%	9%	10%	15%
Conversion to Diesel following TRBDS	1%	2%	2%	2%	2%
Conversion to Diesel following CBRST	0%	0%	0%	0%	1%
6-Speed Manual/Improved Internals	0%	0%	0%	0%	0%
Improved Auto. Trans. Controls/Externals	2%	8%	12%	10%	11%
Continuously Variable Transmission	0%	0%	0%	0%	0%
6/7/8-Speed Auto. Trans with Improved Internals	0%	0%	1%	1%	2%
Dual Clutch or Automated Manual Transmission	14%	24%	31%	41%	47%
Electric Power Steering	8%	24%	34%	42%	55%
Improved Accessories	14%	26%	31%	38%	50%
12V Micro-Hybrid	0%	0%	0%	0%	0%
Belt mounted Integrated Starter Generator	8%	18%	27%	30%	33%
Crank mounted Integrated Starter Generator	3%	3%	3%	3%	3%
Power Split Hybrid	1%	2%	2%	2%	2%
2-Mode Hybrid	0%	0%	0%	0%	0%
Plug-in Hybrid	0%	0%	0%	0%	0%
Material Substitution (1.5%)	18%	29%	32%	40%	62%
Material Substitution (5% to 10%)	0%	0%	14%	21%	32%
Material Substitution (NA)	0%	0%	0%	0%	0%
Low Rolling Resistance Tires	5%	26%	38%	45%	50%
Low Drag Brakes	2%	4%	5%	5%	9%
Secondary Axle Disconnect - Unibody	0%	0%	0%	0%	0%
Secondary Axle Disconnect - Ladder Frame	1%	2%	2%	2%	3%
Aero Drag Reduction	8%	21%	32%	37%	45%

Table IV.G.4-2. Addition of Technologies to Light Truck Fleet
under Proposed Standards

Technology	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
Low Friction Lubricants	19%	19%	19%	20%	21%
Engine Friction Reduction	2%	4%	12%	21%	21%
VVT - Coupled Cam Phasing (CCP) on SOHC	0%	0%	6%	8%	8%
Discrete Variable Valve Lift (DVVL) on SOHC	1%	1%	3%	12%	12%
Cylinder Deactivation on SOHC	0%	1%	1%	3%	6%
VVT - Intake Cam Phasing (ICP)	0%	0%	0%	0%	0%
VVT - Dual Cam Phasing (DCP)	2%	3%	7%	8%	10%
Discrete Variable Valve Lift (DVVL) on DOHC	12%	17%	21%	22%	27%
Continuously Variable Valve Lift (CVVL)	0%	0%	0%	0%	0%
Cylinder Deactivation on DOHC	-2%	-2%	-2%	1%	1%
Cylinder Deactivation on OHV	1%	6%	8%	7%	12%
VVT - Coupled Cam Phasing (CCP) on OHV	0%	1%	2%	4%	17%
Discrete Variable Valve Lift (DVVL) on OHV	0%	14%	17%	19%	19%
Conversion to DOHC with DCP	0%	0%	0%	0%	0%
Stoichiometric Gasoline Direct Injection (GDI)	17%	34%	41%	43%	47%
Combustion Restart	0%	0%	1%	6%	11%
Turbocharging and Downsizing	5%	8%	8%	8%	9%
Exhaust Gas Recirculation (EGR) Boost	0%	3%	3%	3%	6%
Conversion to Diesel following TRBDS	0%	0%	0%	0%	0%
Conversion to Diesel following CBRST	1%	1%	1%	1%	1%
6-Speed Manual/Improved Internals	0%	0%	0%	0%	0%
Improved Auto. Trans. Controls/Externals	-1%	-10%	-14%	-30%	-40%
Continuously Variable Transmission	0%	0%	0%	0%	0%
6/7/8-Speed Auto. Trans with Improved Internals	-3%	-4%	-4%	-4%	-3%
Dual Clutch or Automated Manual Transmission	19%	39%	54%	71%	80%
Electric Power Steering	9%	31%	39%	45%	50%
Improved Accessories	6%	13%	20%	27%	32%
12V Micro-Hybrid	0%	0%	0%	0%	0%
Belt mounted Integrated Starter Generator	8%	11%	20%	22%	24%
Crank mounted Integrated Starter Generator	0%	0%	0%	0%	0%
Power Split Hybrid	0%	0%	0%	0%	0%
2-Mode Hybrid	0%	0%	0%	0%	0%
Plug-in Hybrid	0%	0%	0%	0%	0%
Material Substitution (1.5%)	14%	15%	20%	31%	52%
Material Substitution (5% to 10%)	0%	0%	9%	22%	29%
Material Substitution (NA)	0%	0%	0%	0%	0%
Low Rolling Resistance Tires	15%	20%	22%	24%	24%
Low Drag Brakes	12%	15%	23%	30%	51%
Secondary Axle Disconnect - Unibody	0%	0%	0%	0%	0%
Secondary Axle Disconnect - Ladder Frame	8%	8%	12%	18%	19%
Aero Drag Reduction	10%	11%	16%	13%	16%

Table IV.G.4-3. Addition of Technologies to Overall Fleet under Proposed Standards

Technology	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
Low Friction Lubricants	20%	19%	20%	31%	31%
Engine Friction Reduction	7%	15%	20%	26%	33%
VVT - Coupled Cam Phasing (CCP) on SOHC	1%	1%	3%	5%	9%
Discrete Variable Valve Lift (DVVL) on SOHC	1%	1%	2%	6%	6%
Cylinder Deactivation on SOHC	0%	0%	1%	1%	3%
VVT - Intake Cam Phasing (ICP)	0%	0%	0%	0%	0%
VVT - Dual Cam Phasing (DCP)	9%	13%	19%	21%	23%
Discrete Variable Valve Lift (DVVL) on DOHC	12%	17%	21%	22%	28%
Continuously Variable Valve Lift (CVVL)	0%	0%	0%	0%	0%
Cylinder Deactivation on DOHC	-1%	-1%	-1%	0%	0%
Cylinder Deactivation on OHV	0%	3%	3%	3%	4%
VVT - Coupled Cam Phasing (CCP) on OHV	0%	1%	2%	2%	7%
Discrete Variable Valve Lift (DVVL) on OHV	0%	7%	8%	9%	9%
Conversion to DOHC with DCP	0%	0%	0%	0%	0%
Stoichiometric Gasoline Direct Injection (GDI)	15%	27%	32%	34%	40%
Combustion Restart	0%	0%	2%	6%	10%
Turbocharging and Downsizing	8%	12%	13%	14%	16%
Exhaust Gas Recirculation (EGR) Boost	0%	5%	7%	8%	12%
Conversion to Diesel following TRBDS	1%	1%	1%	1%	1%
Conversion to Diesel following CBRST	0%	0%	0%	1%	1%
6-Speed Manual/Improved Internals	0%	0%	0%	0%	0%
Improved Auto. Trans. Controls/Externals	1%	1%	3%	-4%	-6%
Continuously Variable Transmission	0%	0%	0%	0%	0%
6/7/8-Speed Auto. Trans with Improved Internals	-1%	-1%	-1%	-1%	0%
Dual Clutch or Automated Manual Transmission	16%	29%	39%	52%	58%
Electric Power Steering	9%	27%	36%	43%	53%
Improved Accessories	11%	21%	27%	34%	44%
12V Micro-Hybrid	0%	0%	0%	0%	0%
Belt mounted Integrated Starter Generator	8%	16%	25%	27%	30%
Crank mounted Integrated Starter Generator	2%	2%	2%	2%	2%
Power Split Hybrid	1%	1%	1%	1%	1%
2-Mode Hybrid	0%	0%	0%	0%	0%
Plug-in Hybrid	0%	0%	0%	0%	0%
Material Substitution (1.5%)	17%	24%	28%	37%	59%
Material Substitution (5% to 10%)	0%	0%	12%	21%	31%
Material Substitution (NA)	0%	0%	0%	0%	0%
Low Rolling Resistance Tires	8%	23%	32%	38%	41%
Low Drag Brakes	5%	8%	11%	14%	23%
Secondary Axle Disconnect - Unibody	0%	0%	0%	0%	0%
Secondary Axle Disconnect - Ladder Frame	4%	4%	5%	7%	8%
Aero Drag Reduction	8%	17%	26%	29%	36%

BILLING CODE 6560-50-C

In order to pay for this additional technology (and, for some manufacturers, civil penalties), NHTSA estimates that average passenger car and light truck prices will, relative to levels

resulting from compliance with baseline (MY 2011) standards, increase by \$591-\$1,127 and \$283-\$1,020, respectively, during MYs 2011-2016. The following tables summarize the agency's estimates

of average price increases for each manufacturer's passenger car, light truck, and overall fleets (with corresponding averages for the industry):

TABLE IV.G.4-4—AVERAGE PASSENGER CAR INCREMENTAL PRICE INCREASES (\$) UNDER PROPOSED STANDARDS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	524	552	634	828	1,124
Chrysler	775	1,304	1,473	1,583	1,582
Daimler	182	215	781	1,039	1,401

TABLE IV.G.4-4—AVERAGE PASSENGER CAR INCREMENTAL PRICE INCREASES (\$) UNDER PROPOSED STANDARDS—
Continued

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
Ford	1,746	1,719	1,735	1,880	2,078
General Motors	143	990	1,189	1,387	1,553
Honda	31	122	205	287	494
Hyundai	418	452	643	726	868
Kia	319	359	387	473	647
Mazda	658	735	965	991	1,263
Mitsubishi	1,156	1,076	1,715	2,076	2,035
Nissan	653	712	1,155	1,153	1,275
Porsche	270	256	306	399	498
Subaru	408	465	1,493	1,877	1,838
Suzuki	259	1,001	1,445	1,494	1,675
Tata	246	244	395	577	1,284
Toyota	133	127	155	257	267
Volkswagen	286	561	650	767	1,125
Total/Average	498	674	820	930	1,085

TABLE IV.G.4-5—AVERAGE LIGHT TRUCK INCREMENTAL PRICE INCREASES (\$) UNDER PROPOSED STANDARDS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	325	327	380	708	884
Chrysler	152	399	749	892	1,188
Daimler	322	289	316	420	478
Ford	471	629	693	1,323	1,365
General Motors	33	533	752	792	962
Honda	390	380	616	749	1,006
Hyundai	774	744	1,301	1,322	1,292
Kia	228	373	547	843	1,218
Mazda	340	608	610	679	776
Mitsubishi	55	94	1,546	1,732	2,123
Nissan	541	608	903	1,022	1,312
Porsche	28	46	84	913	954
Subaru	1,203	1,140	1,213	1,197	1,184
Suzuki	50	1,451	1,404	1,358	1,373
Tata	44	83	127	193	635
Toyota	172	309	665	764	877
Volkswagen	28	61	99	160	231
Total/Average	291	485	701	911	1,058

TABLE IV.G.4-6—AVERAGE INCREMENTAL PRICE INCREASES (\$) BY MANUFACTURER UNDER PROPOSED STANDARDS

Manufacturer	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
BMW	457	483	560	796	1,061
Chrysler	393	777	1,061	1,271	1,408
Daimler	236	243	604	834	1,106
Ford	1,195	1,242	1,262	1,629	1,762
General Motors	94	785	997	1,131	1,304
Honda	162	212	335	429	647
Hyundai	488	509	769	835	944
Kia	300	362	416	535	740
Mazda	598	712	907	944	1,193
Mitsubishi	1,007	921	1,692	2,033	2,045
Nissan	616	679	1,078	1,115	1,286
Porsche	174	179	231	562	643
Subaru	705	711	1,392	1,632	1,602
Suzuki	204	1,117	1,434	1,458	1,598
Tata	115	150	234	368	938
Toyota	147	191	331	429	468
Volkswagen	233	470	550	657	970
Total/Average	421	605	777	924	1,076

Based on the agencies' estimates of manufacturers' future sales volumes, these price increases will lead to a total

of \$60.2 billion in incremental outlays during MYs 2012–2016 for additional

technology attributable to the proposed standards:

TABLE IV.G.4-7—INCREMENTAL TECHNOLOGY OUTLAYS (\$B) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	4.1	6.5	8.4	9.9	11.8	40.8
Light Trucks	1.5	2.8	4.0	5.2	5.9	19.4
Combined	5.7	9.3	12.5	15.1	17.6	60.2

NHTSA notes that these estimates of the economic costs for meeting higher CAFE standards omit certain potentially important categories of costs, and may also reflect underestimation (or possibly overestimation) of some costs that are included. For example, although the agency's analysis attempts to hold vehicle performance, capacity, and utility constant in estimating the costs of applying fuel-saving technologies to vehicles, the analysis imputes no cost to any actual reductions in vehicle performance, capacity, and utility that may result from manufacturers' efforts to comply with the proposed CAFE standards. Although these costs are difficult to estimate accurately, they nonetheless represent a potentially significant category of omitted costs. Similarly, the agency's estimates of costs for meeting higher CAFE standards does not estimate the economic value of

potential increases in motor vehicle fatalities and injuries that could result from reductions in the size or weight of vehicles. While NHTSA reports worst-case estimates of these increases in fatalities and injuries, no estimate of their economic value is included in the agency's estimates of the net benefits resulting from the proposed standards due to ongoing discussion regarding these potential impacts.

Finally, it is possible that the agency may have underestimated or overestimated manufacturers' direct costs for applying some fuel economy technologies, or the increases in manufacturer's indirect costs associated with higher vehicle manufacturing costs. In either case, the technology outlays reported here will not correctly represent the costs of meeting higher CAFE standards. Similarly, NHTSA's estimates of increased costs of congestion, accidents, and noise

associated with added vehicle use are drawn from a 1997 study, and the correct magnitude of these values may have changed since they were developed.⁵⁸⁴ If this is the case, the costs of increased vehicle use associated with the fuel economy rebound effect will differ from the agency's estimates in this analysis. Thus, like the agency's estimates of economic benefits, estimates of total compliance costs reported here may underestimate or overestimate the true economic costs of the proposed standards.

However, offsetting these costs, the achieved increases in fuel economy will also produce significant benefits to society. NHTSA estimates that, in present value terms (at a discount rate of 3 percent), these benefits will total \$201.7 billion over the useful lives of light vehicles sold during MYs 2012–2016:

TABLE IV.G.4-8—PRESENT VALUE OF BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	7.6	17.0	24.4	31.2	38.7	119.1
Light Trucks	5.5	11.6	17.3	22.2	26.0	82.6
Combined	13.1	28.7	41.8	53.4	64.7	201.7

NHTSA attributes most of these benefits to reductions in fuel consumption, valuing fuel at future pretax prices in EIA's reference case forecast from AEO 2009. The total benefits shown in the above table also include other benefits and disbenefits, examples of which include the social values of reductions in CO₂ and criteria pollutant emissions, the value of

additional travel (induced by the rebound effect), and the social cost of additional congestion, accidents, and noise attributable to that additional travel. The PRIA accompanying today's proposed rule presents a detailed analysis of specific benefits of the proposed rule.

For both the passenger car and light truck fleets, NHTSA estimates that the

benefits of today's proposed standards will exceed the corresponding costs in every model year. Over the useful lives of the affected (MY 2012–2016) vehicles, the agency estimates that the benefits of the proposed standards will exceed the costs of the proposed standards by \$141.5 billion:

TABLE IV.G.4-9—PRESENT VALUE OF NET BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS

	2012	2013	2014	2015	2016	Total
Passenger Cars	3.5	10.5	16.0	21.3	26.9	78.3
Light Trucks	3.9	8.9	13.3	17.0	20.1	63.2

⁵⁸⁴ The agency seeks comment above on appropriate values for these costs.

TABLE IV.G.4-9—PRESENT VALUE OF NET BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS—Continued

	2012	2013	2014	2015	2016	Total
Combined	7.4	19.4	29.3	38.3	47.1	141.5

NHTSA's estimates of economic benefits from establishing higher CAFE are also subject to considerable uncertainty. Most important, the agency's estimates of the fuel savings likely to result from adopting higher CAFE standards depend critically on the accuracy of the estimated fuel economy levels that will be achieved under both the baseline scenario, which assumes that manufacturers will continue to comply with the MY 2011 CAFE standards, and under alternative increases in the standards that apply to MY 2012-16 passenger cars and light trucks. Specifically, if the agency has underestimated the fuel economy levels that manufacturers will achieve under the baseline scenario, its estimates of fuel savings and the resulting economic benefits will be too large. As another example, the agency's estimate of benefits from reducing the threat of economic damages from disruptions in the supply of imported petroleum to the U.S. applies to calendar year 2015. If the magnitude of this estimate would be expected to grow after 2015 in response to increases in U.S. petroleum imports, growth in the level of U.S. economic activity, or increases in the likelihood of disruptions in the supply of imported petroleum, the agency may have underestimated the benefits from the reduction in petroleum imports

expected to result from adopting higher CAFE standards.

However, it is also possible that NHTSA's estimates of economic benefits from establishing higher CAFE standards underestimate the true economic benefits of the fuel savings those standards would produce. This is partly because the agency has been unable to develop monetized estimates of the economic value of certain potentially significant categories of benefits from reducing fuel consumption. Specifically, the agency's estimate of the economic value of reduced damages to human health resulting from lower exposure to criteria air pollutants includes only the effects of reducing population exposure to PM_{2.5} emissions. Although this is likely to be the most significant component of health benefits from reduced emissions of criteria air pollutants, it excludes the value of reduced damages to human health and other impacts resulting from lower emissions and reduced population exposure to other criteria air pollutants, including ozone and nitrous oxide (N₂O), as well as airborne toxics. The agency's analysis excludes these benefits because no reliable estimates of the health impacts of criteria pollutants other than PM_{2.5} or of the health impacts of airborne toxics were available to use in developing estimates of these benefits.

In addition, the agency's estimate of the value of reduced climate-related economic damages from lower emissions of GHGs excludes many sources of potential benefits from reducing the pace and extent of global climate change. These include reductions in the risk of catastrophic changes in the global climate, lower costs for necessary adaptations to changes in climate, reduced water supply within specific global sub-regions, reductions in damages caused by severe storms, lower population exposure to harmful air pollution levels, reductions in ecosystem impacts and risks to natural resources of global significance, and reduced threats from widespread social or political unrest. Including monetized estimates of benefits from reducing the extent of climate change and these associated impacts would increase the agency's estimates of benefits from adopting higher CAFE standards.

The benefits, costs, and net benefits shown above are all based on a discount rate of 3 percent. As documented in the accompanying PRIA, the agency examined the sensitivity of results to changes in many economic inputs. With an alternative discount rate of 7 percent, incremental technology outlays were virtually identical to those estimated at a 3 percent discount rate:⁵⁸⁵

TABLE IV.G.4-10—INCREMENTAL TECHNOLOGY OUTLAYS (\$B) UNDER PROPOSED STANDARDS (USING 7 PERCENT DISCOUNT RATE)

	2012	2013	2014	2015	2016	Total
Passenger Cars	4.1	6.5	8.4	9.9	11.8	40.8
Light Trucks	1.5	2.8	4.0	5.2	5.9	19.4
Combined	5.7	9.3	12.5	15.1	17.6	60.2

However, the present value of the benefits accrued over the lifetime of the vehicles covered by the proposal is

about 20 percent smaller when discounted at a 7 percent annual rate

than when discounted at a 3 percent annual rate:

TABLE IV.G.4-11—PRESENT VALUE OF BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS (USING 7 PERCENT DISCOUNT RATE)

	2012	2013	2014	2015	2016	Total
Passenger Cars	6.0	13.6	19.5	25.0	31.1	95.3
Light Trucks	4.3	9.1	13.5	17.4	20.4	64.6

⁵⁸⁵ Because some economic inputs change the effective cost of some technologies, and NHTSA

assumes some manufacturers will be willing to pay

civil penalties based on economic considerations, this outcome is not assured.

TABLE IV.G.4-11—PRESENT VALUE OF BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS (USING 7 PERCENT DISCOUNT RATE)—Continued

	2012	2013	2014	2015	2016	Total
Combined	10.3	22.6	33.1	42.4	51.5	159.8

As a result, net benefits are 38 percent lower when total benefits are discounted at a 7 percent annual rate:

TABLE IV.G.4-12—PRESENT VALUE OF NET BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS (USING 7 PERCENT DISCOUNT RATE)

	2012	2013	2014	2015	2016	Total
Passenger Cars	1.9	7.0	11.1	15.1	19.3	54.5
Light Trucks	2.7	6.3	9.5	12.2	14.5	45.2
Combined	4.6	13.3	20.6	27.3	33.8	99.7

The following tables also present itemized costs and benefits for the combined fleet for each year of the

proposed standards and for all the years combined, at 3 and 7 percent discount

rates, respectively. Numbers in parentheses represent negative values.

TABLE IV.G.4-13—ITEMIZED COST AND BENEFIT ESTIMATES FOR THE COMBINED VEHICLE FLEET, 3% DISCOUNT RATE

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	Total
Costs:						
Technology Costs	\$5,695	\$9,295	\$12,454	\$15,080	\$17,633	\$60,157
Benefits:						
Lifetime Fuel Expenditures	10,197	22,396	32,715	41,880	50,823	158,012
Consumer Surplus from Additional Driving	751	1,643	2,389	3,029	3,639	11,451
Refueling Time Value	776	1,551	2,198	2,749	3,277	10,550
Petroleum Market Externalities	559	1,194	1,700	2,129	2,538	8,121
Congestion Costs	(460)	(934)	(1,332)	(1,657)	(1,991)	(6,376)
Noise Costs	(7)	(14)	(21)	(26)	(31)	(99)
Crash Costs	(217)	(437)	(625)	(776)	(930)	(2,985)
CO ₂	1,028	2,287	3,382	4,376	5,372	16,446
CO	0	0	0	0	0	0
VOC	41	80	108	131	156	518
NO _x	82	132	155	174	200	744
PM	220	438	621	771	904	2,956
SO _x	161	345	490	613	731	2,341
Total	13,132	28,680	41,781	53,394	64,687	201,676
Net Benefits	7,044	18,759	27,090	34,710	41,386	128,992

TABLE IV.G.4-14—ITEMIZED COST AND BENEFIT ESTIMATES FOR THE COMBINED VEHICLE FLEET, 7% DISCOUNT RATE

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	Total
Costs:						
Technology Costs	\$5,695	\$9,295	\$12,454	\$15,080	\$17,633	\$60,157
Benefits:						
Lifetime Fuel Expenditures	7,991	17,671	25,900	33,264	40,478	125,305
Consumer Surplus from Additional Driving	590	1,301	1,896	2,412	2,904	9,102
Refueling Time Value	624	1,249	1,770	2,215	2,642	8,500
Petroleum Market Externalities	448	960	1,367	1,712	2,043	6,531
Congestion Costs	(371)	(753)	(1,074)	(1,335)	(1,606)	(5,138)
Noise Costs	(6)	(12)	(16)	(21)	(24)	(80)
Crash Costs	(173)	(352)	(503)	(626)	(749)	(2,403)
CO ₂	797	1,781	2,634	3,410	4,189	12,813
CO	0	0	0	0	0	0
VOC	33	65	87	106	125	416
NO _x	60	99	120	135	156	570
PM	170	344	492	613	721	2,339

TABLE IV.G.4-14—ITEMIZED COST AND BENEFIT ESTIMATES FOR THE COMBINED VEHICLE FLEET, 7% DISCOUNT RATE—Continued

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	Total
SO _x	129	278	394	493	588	1,882
Total	10,292	22,631	33,066	42,380	51,468	159,837
Net Benefits	4,281	12,832	18,818	24,414	29,293	89,638

The above benefit and cost estimates did not reflect the availability and use of flexibility mechanisms, such as compliance credits and credit trading, because EPCA prohibits NHTSA from considering the effects of those mechanisms in setting CAFE standards. However, the agency noted that, in reality, manufacturers were likely to rely to some extent on flexibility mechanisms provided by EPCA and would thereby reduce the cost of

complying with the proposed standards to a meaningful extent.

As discussed in the PRIA, NHTSA has performed an analysis to estimate the costs and benefits if EPCA's provisions regarding FFVs are accounted for. The agency considered also attempting to account for other EPCA flexibility mechanisms, in particular credit transfers between the passenger and nonpassenger fleets, but has concluded that, at least within a context in which

each model year is represented explicitly, technologies carry forward between model years, and multiyear planning effects are represented, there is no basis to reliably estimate how manufacturers might use these mechanisms. Accounting for the FFV provisions indicates that achieved fuel economies would be 0.6–1.1 mpg lower than when these provisions are not considered (for comparison see Table IV.G.1-2 above):

TABLE IV.G.4-15—AVERAGE ACHIEVED FUEL ECONOMY (MPG) UNDER PROPOSED STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016
Passenger Cars	32.5	33.4	34.3	35.3	36.5
Light Trucks	24.1	24.6	25.3	26.3	27.0
Combined	28.7	29.6	30.4	31.6	32.7

As a result, NHTSA estimates that, when FFV credits are taken into

account, fuel savings will total 58.8 billion gallons—about 4.5 percent less

than the 61.6 billion gallons estimated when these credits are not considered:

TABLE IV.G.4-16—FUEL SAVED (BILLION GALLONS) UNDER PROPOSED STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Passenger Cars	2.5	5.0	6.9	8.6	10.9	33.9
Light Trucks	2.0	3.3	5.0	6.8	7.9	24.9
Combined	4.5	8.2	11.8	15.4	18.8	58.8

The agency similarly estimates CO₂ emissions reductions would total 639

million metric tons (mmt), about 2.6 percent less than the 656 mmt estimated

when these credits are not considered:⁵⁸⁶

TABLE IV.G.4-17—AVOIDED CARBON DIOXIDE EMISSIONS (MMT) UNDER PROPOSED STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Passenger Cars	27	54	75	93	118	368
Light Trucks	22	36	54	74	86	272
Combined	49	90	129	167	204	639

This analysis further indicates significant reductions in outlays for additional technology when FFV

provisions are taken into account—about \$45b, or about 25 percent less

than the \$60b estimated when excluding these provisions:

⁵⁸⁶ Differences in the application of diesel engines lead to differences in the incremental percentage

changes in fuel consumption and carbon dioxide emissions.

TABLE IV.G.4-18—INCREMENTAL TECHNOLOGY OUTLAYS (\$B) UNDER PROPOSED STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Passenger Cars	2.5	4.4	6.1	7.4	9.3	29.6
Light Trucks	1.3	2.0	3.1	4.3	5.0	15.6
Combined	3.7	6.3	9.2	11.7	14.2	45.2

Because NHTSA's analysis indicated that FFV provisions would not significantly reduce fuel savings, the agency's estimate of discounted benefits when including these provisions, \$192.5b, is only about 4.5 percent lower than the \$201.7b shown above for the analysis that excluded these provisions:

TABLE IV.G.4-19—PRESENT VALUE OF BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Passenger Cars	7.8	15.9	22.5	28.6	37.1	111.9
Light Trucks	6.1	10.2	15.9	22.1	26.3	80.5
Combined	13.9	26.1	38.4	50.7	63.3	192.5

However, although the agency estimates lower discounted benefits when FFV provisions are taken into account, the agency estimates that these provisions slightly increase net benefits (by about 4 percent, from \$141.5b to \$147.2b) because costs decrease by more than discounted benefits:

TABLE IV.G.4-20—PRESENT VALUE OF NET BENEFITS (\$BILLION) UNDER PROPOSED STANDARDS (WITH FFV CREDITS)

	2012	2013	2014	2015	2016	Total
Passenger Cars	5.3	11.5	16.4	21.2	27.8	82.3
Light Trucks	4.8	8.2	12.8	17.8	21.3	64.9
Combined	10.2	19.7	29.2	39.0	49.1	147.2

The agency has performed several sensitivity analyses to examine important assumptions. We examine sensitivity with respect to the following five economic parameters:

(1) *The price of gasoline:* The Reference Case uses the AEO 2009 reference case estimate for the price of gasoline. In this sensitivity analysis we examine the effect of using the AEO high or low forecast estimates instead.

(2) *The discount rate:* The Reference Case uses a discount rate of 3 percent to discount future benefits. In the sensitivity analysis, we equally examine the effect of using a 7 percent discount rate instead.

(3) *The rebound effect:* The Reference Case uses a rebound effect of 10 percent to project increased miles traveled as the cost per mile driven decreases. In the sensitivity analysis, we examine the effect of using a 5 percent or 15 percent rebound effect instead.

(4) *The values of CO₂ benefits and monopoly:* The Reference Case uses \$20 per ton to quantify the benefits of reducing CO₂ emissions and \$0.178 per gallon to quantify the benefits of reducing fuel consumption. In the sensitivity analysis, we examine the effect of using values of \$5, \$10, \$34, or \$56 per ton instead to value CO₂ benefits. These values can be translated into cents per gallon by multiplying by 0.0089,⁵⁸⁷ giving the following values: (\$5 per ton CO₂) x 0.0089 = \$0.0445 per gallon
(\$10 per ton CO₂) x 0.0089 = \$0.089 per gallon
(\$20 per ton CO₂) x 0.0089 = \$0.178 per gallon
(\$34 per ton CO₂) x 0.0089 = \$0.3026 per gallon
(\$56 per ton CO₂) x 0.0089 = \$0.4984 per gallon

The \$5 per ton value reflects the domestic impacts of CO₂ emissions and

so we use a nonzero monopsony cost, namely \$0.30 cents per gallon, when valuing CO₂ emissions at \$5 per ton. The higher per-ton values of CO₂ emissions reflect the global impacts of CO₂ emissions and we so use \$0 per gallon for monopsony in these cases.

(5) *Military security:* The Reference Case uses \$0 per gallon to quantify the military security benefits of reducing fuel consumption. In the sensitivity analysis, we examine the impact of using a value of 5 cents per gallon instead.

Varying each of the above 5 parameters in isolation results in 10 economic scenarios, not including the Reference case. These are listed in Table IV.G.4-21 below, together with two additional scenarios that use values for these parameters that produce the lowest and highest valued benefits.

⁵⁸⁷ The molecular weight of Carbon (C) is 12, the molecular weight of Oxygen (O) is 16, thus the molecular weight of CO₂ is 44. One ton of C = 44/

12 tons CO₂ = 3.67 tons C. 1 gallon of gas weighs 2,819 grams, of that 2,433 grams are carbon. \$1.00 CO₂ = \$3.67 C and \$3.67/ton * ton/1000kg * kg/

1000g * 2433g/gallon = (3.67 * 2433)/1000 * 1000 = \$0.0089/gallon.

TABLE IV.G.4-21—SENSITIVITY ANALYSES EVALUATED IN NHTSA'S PRIA

Name	Fuel price	Discount rate	Rebound effect	SCC	Monopsony effect	Military security
Reference	Reference	3%	10%	\$20	0¢/gal	0¢/gal
High Fuel Price	High	3%	10%	\$20	0¢/gal	0¢/gal
Low Fuel Price	Low	3%	10%	\$20	0¢/gal	0¢/gal
7% Discount Rate	Reference	7%	10%	\$20	0¢/gal	0¢/gal
5% Rebound Effect	Reference	3%	5%	\$20	0¢/gal	0¢/gal
15% Rebound Effect	Reference	3%	15%	\$20	0¢/gal	0¢/gal
\$56/ton CO ₂ Value	Reference	3%	10%	\$56	0¢/gal	0¢/gal
\$34/ton CO ₂	Reference	3%	10%	\$34	0¢/gal	0¢/gal
\$10/ton CO ₂	Reference	3%	10%	\$10	0¢/gal	0¢/gal
\$5/ton CO ₂	Reference	3%	10%	\$5	30¢/gal	0¢/gal
5¢/gal Military Security Value	Reference	3%	10%	\$20	0¢/gal	5¢/gal
Lowest Discounted Benefits	Low	7%	15%	\$5	0¢/gal	0¢/gal
Highest Discounted Benefits	High	3%	5%	\$56	0¢/gal	5¢/gal

The basic results of the sensitivity analyses were as follows:

(1) The various economic

assumptions have similar effects on the passenger car and light truck standards.

(2) Varying the economic assumptions has virtually no impact on achieved fuel economy.

(3) The economic parameter with the greatest impact is fuel price. Changing the fuel price forecast to AEO's High or Low forecasts impacts benefits by about ±37 percent. However, the impact of fuel price on other quantities, such as cost, is much smaller, resulting in increases or decreases of 3–8 percent.

(4) Economic parameters other than fuel price and the rebound effect had no effect on per-vehicle cost, total cost, fuel savings, or CO₂ reductions. Their impacts on benefits were 6 percent or less, with the exception of the 7 percent discount rate, which decreased benefits by 20 percent, and the \$56/ton CO₂ value, which raised benefits by 14 percent.

(5) Changing all economic parameters simultaneously (among the considered values) changes benefits by at most about 60 percent. However impacts to other quantities, such as cost, are much smaller, resulting in increases or decreases of 6 percent or less.

(6) Impacts other than those discussed in 1) through 5) were small (5 percent or less).

For more detailed information regarding NHTSA's sensitivity analyses for this NPRM, please see Chapter X of NHTSA's PRIA.

5. How Would These Proposed Standards Impact Vehicle Sales?

Higher fuel economy standards are expected to increase the price of passenger cars and light trucks, because manufacturers will have to add technology to vehicles to increase their fuel economy, the cost for which they will likely pass on in some fashion to

consumers. NHTSA examined the potential impact of higher vehicle prices on sales on an industry-wide basis for passenger cars and light trucks separately. We note that the analysis conducted for this rule does not have the precision to examine effects on individual manufacturers or different vehicle classes.

There is a broad consensus in the economic literature that the price elasticity for demand for automobiles is approximately -1.0.⁵⁸⁸ Thus, every one percent increase in the price of the vehicle would reduce sales by one percent. Elasticity estimates assume no perceived change in the quality of the product. However, in this case, vehicle price increases result from adding technologies that improve fuel economy. If consumers did not value improved fuel economy at all, and considered nothing but the increase in price in their purchase decisions, then the estimated impact on sales from price elasticity could be applied directly. However, NHTSA believes that consumers do value improved fuel economy, because it reduces the operating cost of the vehicles. NHTSA also believes that consumers consider other factors that affect their costs and have included these in the analysis.

The main question, however, is how much of the retail price needed to cover the technology investments to meet higher fuel economy standards will manufacturers be able to pass on to consumers. The ability of manufacturers to pass the compliance costs on to consumers depends upon how

⁵⁸⁸ Kleit, A.N. (1990). "The Effect of Annual Changes in Automobile Fuel Economy Standards," *Journal of Regulatory Economics*, vol. 2, pp. 151–172; Bordley, R. (1994). "An Overlapping Choice Set Model of Automotive Price Elasticities," *Transportation Research B*, vol. 28B, no. 6, pp. 401–408; McCarthy, P.S. (1996). "Market Price and Income Elasticities of New Vehicle Demands," *The Review of Economics and Statistics*, vol. LXXVII, no. 3, pp. 543–547.

consumers value the fuel economy improvements.⁵⁸⁹ Consumer valuation of fuel economy improvements often depends upon the price of gasoline, which has recently been very volatile. The estimates reported below as part of NHTSA's analysis on sales impacts assume that manufacturers will be able to pass all of their costs to improve fuel economy on to consumers. To the extent that NHTSA has accurately predicted the price of gasoline and consumers' reactions, and manufacturers can pass on all of the costs to consumers, then the sales and employment impact analyses are reasonable. On the other hand, if manufacturers only increase retail prices to the extent that consumers value these fuel economy improvements (*i.e.*, to the extent that they value fuel savings), then there would be no impact on sales, although manufacturers' profit levels would fall. Sales losses are predicted to occur only if consumers fail to value fuel economy improvements at least as much as they pay in higher vehicle prices. Likewise, if fuel prices rise beyond levels used in this analysis, consumer valuation of improved fuel economy could increase to match or exceed their initial investment, resulting in no impact or even an increase in sales levels.

To estimate the average value consumers place on fuel savings at the time of purchase, NHTSA assumes that the average purchaser considers the fuel savings they would receive over a 5-year time frame. NHTSA chose 5 years because this is the average length of time of a financing agreement.⁵⁹⁰ The

⁵⁸⁹ Gron, Ann and Swenson, Deborah, 2000. "Cost Pass-Through in the U.S. Automobile Market," *The Review of Economics and Statistics*, 82: 316–324.

⁵⁹⁰ National average financing terms for automobile loans are available from the Board of Governors of the Federal Reserve System G.19 "Consumer Finance" release. See <http://www.federalreserve.gov/releases/g19/> (last accessed August 9, 2009).

present values of these savings were calculated using a 3 percent discount rate. NHTSA used a fuel price forecast that included taxes, because this is what consumers must pay. Fuel savings were calculated over the first 5 years and discounted back to a present value.

NHTSA believes that consumers may consider several other factors over the 5-year horizon when contemplating the purchase of a new vehicle. NHTSA added these factors into the calculation to represent how an increase in technology costs might affect consumers' buying considerations.

First, consumers might consider the sales taxes they have to pay at the time of purchasing the vehicle. NHTSA took sales taxes in 2007 by State and weighted them by population by State to determine a national weighted-average sales tax of 5.5 percent.

Second, NHTSA considered insurance costs over the 5-year period. More expensive vehicles will require more expensive collision and comprehensive (e.g., theft) car insurance. The increase in insurance costs is estimated from the average value of collision plus comprehensive insurance as a proportion of average new vehicle price. Collision plus comprehensive insurance is the portion of insurance costs that depends on vehicle value. The Insurance Information Institute provides the average value of collision plus comprehensive insurance in 2006 as \$448.⁵⁹¹ This is compared to an average price for light vehicles of \$24,033 for 2006.⁵⁹² Average prices and estimated sales volumes are needed because price

elasticity is an estimate of how a percent increase in price affects the percent decrease in sales.

Dividing the insurance cost by the average price of a new vehicle gives the proportion of comprehensive plus collision insurance as 1.86 percent of the price of a vehicle. If we assume that this premium is proportional to the new vehicle price, it represents about 1.86 percent of the new vehicle price, and insurance is paid each year for the five-year period we are considering for payback. Discounting that stream of insurance costs back to present value indicates that the present value of the component of insurance costs that vary with vehicle price is equal to 8.5 percent of the vehicle's price at a 3 percent discount rate.

Third, NHTSA considered that 70 percent of new vehicle purchasers take out loans to finance their purchase. The average new vehicle loan is for 5 years at a 6 percent rate.⁵⁹³ At these terms, the average person taking a loan will pay 16 percent more for their vehicle over the 5 years than a consumer paying cash for the vehicle at the time of purchase.⁵⁹⁴ Discounting the additional 3.2 percent (16 percent/5 years) per year over the 5 years using a 3 percent mid-year discount rate⁵⁹⁵ results in a discounted present value of 14.87 percent higher for those taking a loan. Multiplying that by the 70 percent of consumers who take out a loan means that the average consumer would pay 10.2 percent more than the retail price for loans the consumer discounted at a 3 percent discount rate.

Fourth, NHTSA considered the residual value (or resale value) of the vehicle after 5 years and expressed this as a percentage of the new vehicle price. In other words, if the price of the vehicle increases due to fuel economy technologies, the resale value of the vehicle will go up proportionately. The average resale price of a vehicle after 5 years is about 35 percent of the original purchase price.⁵⁹⁶ Discounting the residual value back 5 years using a 3 percent discount rate (35 percent * .8755) gives an effective residual value at new of 30.6 percent.

NHTSA then adds these four factors together. At a 3 percent discount rate, the consumer considers she could get 30.6 percent back upon resale in 5 years, but will pay 5.5 percent more for taxes, 8.5 percent more in insurance, and 10.2 percent more for loans, resulting in a 6.48 percent return on the increase in price for fuel economy technology. Thus, the increase in price per vehicle is multiplied by 0.9352 (1 - 0.0648) before subtracting the fuel savings to determine the overall net consumer valuation of the increase of costs on her purchase decision.

The following table shows the estimated impact on sales for passenger cars and light trucks combined for the proposed alternative. For all model years except MY 2012, NHTSA anticipates an increase in sales, based on consumers valuing the improvement in fuel economy more than the increase in price.

TABLE IV.G.5-1—POTENTIAL IMPACT ON SALES, PASSENGER CARS AND LIGHT TRUCKS COMBINED

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
- 58,058		52,719	178,470	342,628	454,520

6. What Are the Consumer Welfare Impacts of These Proposed Standards?

There are two viewpoints for evaluating the costs and benefits of the proposed increase in CAFE standards: The private perspective of vehicle buyers themselves on the higher fuel economy levels the proposed rule would require, and the economy-wide

or "social" perspective on the costs and benefits of requiring higher fuel economy. From the perspective of vehicle buyers, raising CAFE standards would impose significant costs in the form of higher prices for new vehicles, as manufacturers attempt to recover their added costs for producing vehicles with higher fuel efficiency. If vehicle manufacturers are unable to fully

recover their higher costs for producing more fuel-efficient cars and light trucks through higher sales prices, they will bear part of these costs in the form of reduced "producer surplus" or short-term profits.

Other private costs from requiring higher fuel economy also result from changes in the welfare of potential vehicle buyers, as they respond to

⁵⁹¹ Insurance Information Institute, 2008, "Average Expenditures for Auto Insurance By State, 2005-2006." Available at <http://www.iii.org/media/facts/statsbyissue/auto/> (last accessed August 9, 2009).

⁵⁹² \$29,678/\$26,201 = 1.1327 * \$22,651 = \$25,657 average price for light trucks. In 2006, passenger cars were 54 percent of the on-road fleet, and light trucks were 46 percent of the on-road fleet,

resulting in an average light vehicle price for 2006 of \$24,033.

⁵⁹³ New car loan rates in 2007 averaged about 7.8 percent at commercial banks and 4.5 percent at auto finance companies, so their average is close to 7 percent.

⁵⁹⁴ Based on www.bankrate.com auto loan calculator for a 5-year loan at 6 percent.

⁵⁹⁵ For a 3 percent discount rate, the summation of 3.2 percent * 0.9853 in year one, 3.2 * 0.9566

in year two, 3.2 * 0.9288 in year three, 3.2 * 0.9017 in year 4, and 3.2 * 0.8755 in year five.

⁵⁹⁶ Consumer Reports, August 2008, "What That Car Really Costs to Own." Available at <http://www.consumerreports.org/cro/cars/pricing/what-that-car-really-costs-to-own-4-08/overview/what-that-car-really-costs-to-own-av.htm> (last accessed August 9, 2009).

higher vehicle prices by purchasing different models or postponing their purchases of new vehicles. The effects of requiring higher fuel economy on consumer welfare also depend on whether manufacturers elect to make other changes in vehicle attributes as they comply with stricter CAFE standards, such as performance, passenger- and cargo-carrying capacity, comfort, or occupant safety. Although NHTSA believes it has employed estimates of costs for improving fuel economy that include adequate allowances for any accompanying modifications necessary to maintain new vehicles' current levels of other attributes, any changes in these attributes that manufacturers elect to make will represent additional private costs to vehicle buyers from requiring increased fuel economy.

At the same time, raising CAFE standards also provides important private benefits to vehicle buyers, mainly in the form of the values buyers assign to the future savings in fuel costs they believe are likely to result from purchasing more fuel-efficient vehicles. Although these values are likely to vary significantly among buyers depending on their expectations about future fuel prices, how long they anticipate owning their vehicles, and how much they expect to drive, fuel savings are the primary source of private benefits from increased fuel economy. In addition, requiring new cars and light trucks to attain higher fuel economy will also provide benefits to their buyers through the increase in vehicle use associated with the fuel economy rebound effect, as well as from increases in vehicles' driving range, which allow drivers to refuel less frequently.

From the social perspective, the economic benefits and costs of establishing higher CAFE standards include not only these private benefits and costs, but also changes in the value of environmental and economic externalities that result from fuel consumption and vehicle use.⁵⁹⁷ These include the reduction in potential climate-related economic damages resulting from lower CO₂ emissions,

⁵⁹⁷ Vehicle buyers are likely to value fuel savings using retail fuel prices, which include taxes levied by Federal, State, and some local governments. Because the reduction in these tax payments resulting from lower fuel purchases is exactly offset by lower tax revenues to government agencies (and reduced spending on the transportation infrastructure and other investments financed by fuel taxes), it does not represent a net benefit from the perspective of the U.S. economy as a whole. Thus the social costs of requiring higher fuel efficiency also include an adjustment to reflect the reduction in fuel tax revenues that results from reduced fuel purchases by new-car buyers.

reduced damages to human health from lower emissions of criteria air pollutants, reductions in economic externalities associated with U.S. petroleum imports, and increases in traffic congestion, vehicle noise, and accidents caused by the increased driving that results through the fuel economy rebound effect.

NHTSA has estimated most elements of the private and social benefits and costs that will result from its proposal to establish higher CAFE standards for model years 2012 through 2016, and the agency reports detailed empirical estimates of these impacts in this document and its Preliminary Regulatory Impact Analysis for the proposed rule. However, the agency is unable to provide a definitive accounting of the private costs and benefits from establishing higher CAFE standards, because we are unable to estimate the losses in consumer welfare that are likely to result from the effects of higher prices for on the number of new vehicles sold or on the mix of specific vehicle models that buyers decide to purchase. Assuming that the agency has correctly estimated each of the other costs and benefits that will result from the proposed rule, its estimates of the net private and total (private plus social) benefits represent their maximum possible values, and considering the rule's impacts on consumer welfare would invariably reduce the agency's reported estimates of the proposed rule's net private and total benefits.

If the agency's estimates of technology costs are indeed adequate to maintain vehicles' current levels of these other attributes constant, the only changes in vehicles' characteristics resulting from higher CAFE standards will be improvements in the fuel economy and increases in sales prices for some (or perhaps even all) models. In this case, the welfare effects of requiring higher fuel economy depend on exactly how potential vehicle buyers value the future savings in fuel costs that they anticipate will result from purchasing vehicles with higher fuel economy.

If the market for new vehicles is perfectly competitive and consumers have reliable information to estimate the likely magnitude and value of future fuel savings from buying more efficient models, economic theory suggests that they will make correct trade-offs between higher initial costs for purchasing more fuel-efficient vehicles and subsequent reductions in their operating costs. These include lower fuel expenditures, savings in the time they spend refueling, and the benefits from any additional driving they do in

response to its lower per-mile cost. The assumption that consumers have adequate information, foresight, and capability to make such trade-offs has been challenged on both theoretical and empirical grounds. If this assumption is accurate, however, no net private benefits can result from requiring higher fuel economy, since doing so will alter both the purchase prices of new cars and their lifetime streams of operating costs in ways that will inevitably reduce consumers' well-being.

The essence of this view is that in the absence of the regulation, consumers fully understand their current and future costs for owning and using vehicles, and make tradeoffs between these that maximize their individual welfare. From this viewpoint, CAFE standards—or any other regulation that alters this trade-off—will reduce their private well being. The intuition behind this conclusion is probably best captured by recognizing that automobile manufacturers currently sell a wide range of vehicle models, including many that already comply with the CAFE standards proposed in this rule. Yet sufficiently few buyers elect to purchase these vehicles that the average fuel economy of new vehicles sold today remains well below the levels this rule would require.

On the other hand, a great deal of recent evidence suggests that many consumers do not accurately trade off current and future costs of owning and operating cars. For example, it appears that some buyers do not know how to estimate future savings in fuel costs from purchasing a higher-mpg vehicle, or that they incorrectly estimate the increased expense of purchasing a more fuel-efficient new car. In this situation, higher CAFE standards—which will increase purchase prices for new cars, but reduce their lifetime operating costs—can indeed improve consumers' financial well-being. If these circumstances are widespread, then it is likely that requiring manufacturers to achieve higher fuel economy can increase private well-being, and thus that potentially significant savings in private costs can result from the proposed rule.

Whether these circumstances are indeed typical is largely a question of the values that consumers place on additional fuel economy. NHTSA is not currently in a position to reach a conclusive judgment on this issue, and is thus unable to determine how requiring higher fuel economy levels is likely to affect consumer welfare, even if the only impacts of the proposed rule are to change the sales prices and fuel

economy levels of new cars and light trucks, as the agency assumes.

Even if these are the only changes that result from the proposed rule, however, changes in the sales prices and fuel economy levels of some new vehicle models are likely to affect some potential buyers' decisions about whether to purchase a car and what type or model to purchase. Research has demonstrated that previous CAFE rules and market-based changes in operating costs (for example, resulting from changes in gasoline prices) lead consumers to alter the number and types of cars they purchase, and that these changes can lead to losses in consumer well-being. However, NHTSA is not currently able to provide empirical estimates of the magnitude of potential losses in vehicle buyers' welfare resulting from postponement of their decisions to purchase new vehicles or changes in the specific models they elect to buy.

For both of these reasons, the likely impacts of adopting higher CAFE standards on consumer welfare remain unknown. Because changes in consumer welfare are an important component of the total private costs and benefits resulting from higher standards, the magnitude and even the direction of the net private economic impact of adopting stricter CAFE standards also remains unknown.

How Do Consumers Value Fuel Economy?

For this proposed rule, NHTSA estimates several sources of private benefits to vehicle buyers, including savings in future fuel costs, the value of time saved due to less frequent refueling, and utility gained from additional travel that results from the rebound effect. In combination, the agency's estimates suggest that these private savings greatly outweigh its estimates of the costs to consumers for providing higher fuel economy, even without accounting for the additional social benefits from higher fuel economy. This is due primarily to the very large estimated value of future fuel savings from higher fuel economy, which in turn partly reflects the agency's use of modest discount rates (3 percent and 7 percent).

Even without considering the unmeasured welfare losses likely to result from changes in the number of new cars sold and the specific models purchased, however, this finding presents a conundrum. On the one hand, requiring higher fuel economy levels appears likely to produce large net benefits, primarily because the increased cost of producing more fuel-

efficient cars and light trucks appears to be far outweighed by the value of the future fuel savings projected to result from higher fuel economy (assuming modest discount rates). At the same time, however, vehicle manufacturers currently produce many models that would allow them to meet the proposed higher CAFE standards, yet at least on average, buyers reveal a preference for lower fuel economy than the proposed rule would require.

In this situation, often referred to as the Energy Efficiency Paradox, consumers appear not to purchase products that are in their economic self-interest. There are theoretical reasons that could explain such behavior: consumers may be myopic, and thus undervalue the long term; they may lack information or be unable to use it properly even when it is presented to them; they may be particularly averse to potential short-term losses associated with purchasing energy-efficient products (the behavioral phenomenon of "loss aversion"); or even if consumers have relevant knowledge, the benefits of energy efficient vehicles might not seem sufficiently important to them at the time they decide to purchase a new car. A great deal of work in behavioral economics has suggested the possibility that factors of this sort help account for the Energy Efficiency Paradox.

Another possible explanation for the paradox between the apparently large private benefits to vehicle buyers from requiring higher fuel economy and the reluctance of many buyers to purchase new vehicles with higher fuel economy is that consumers may apply much higher discount rates than the agency has used when they evaluate future cost savings from purchasing more fuel-efficient vehicles or other capital goods offering gains in energy efficiency. For example, the Energy Information Agency (1996) has used discount rates as high as 111 percent for water heaters and 120 percent for electric clothes dryers.⁵⁹⁸

Some evidence also suggests directly that vehicle buyers employ high discount rates: consumers surveyed by Kubik (2006) reported that fuel savings would have to be adequate to pay back the additional purchase price of a more fuel-efficient vehicle in less than 3 years to persuade a typical buyer to purchase

it.⁵⁹⁹ In short, there appears to be no consensus in the literature on what the private discount rate should be in the context of vehicle purchase decisions.

Another possible reconciliation of the Energy Efficiency Paradox, which poses a significant complication for evaluating the private benefits resulting from higher CAFE standards, is that the values consumers place on the future savings from higher fuel economy may vary sufficiently widely that it is unclear whether on average this value exceeds the costs of providing higher fuel economy. A 1988 review of consumers' willingness to pay for improved fuel economy found estimates that varied by more than an order of magnitude: For a \$1 per year reduction in vehicle operating costs, consumers would be willing to spend between \$0.74 and \$25.97 in increased vehicle price.⁶⁰⁰ (For comparison, the present value of saving \$1 per year on fuel for 15 years at a 3 percent discount rate is \$11.94, while a 7 percent discount rate produces a present value of \$8.78.) Thus, this study finds that some consumers appear to be willing to pay far too much to obtain future fuel savings, while others may be willing to pay far too little.

Although NHTSA has not found an updated survey of these values, a few examples suggest that vehicle choice models also imply wide variation in estimates of how much people are willing to pay for fuel savings. For instance, Espey and Nair (2005) and McManus (2006) find that consumers are willing to pay nearly \$600 extra to purchase a vehicle that achieves one additional mile per gallon.⁶⁰¹ In contrast, Gramlich (2008) finds that consumers' willingness to pay for an increase from 25 mpg to 30 mpg varies between \$4,100 (for luxury cars when gasoline costs \$2/gallon) to \$20,560 (for SUVs when gasoline costs \$3.50/gallon).⁶⁰² Thus, some buyers appear

⁵⁹⁹ Kubik, M. (2006). *Consumer Views on Transportation and Energy*. Second Edition. Technical Report: National Renewable Energy Laboratory.

⁶⁰⁰ Greene, David L., and Jin-Tan Liu (1988). "Automotive Fuel Economy Improvements and Consumers' Surplus." *Transportation Research Part A* 22A(3): 203-218. The study actually calculated the willingness to pay for reduced vehicle operating costs, of which vehicle fuel economy is a major component.

⁶⁰¹ Espey, Molly, and Santosh Nair (2005). "Automobile Fuel Economy: What is it Worth?" *Contemporary Economic Policy* 23(3): 317-323; McManus, Walter M. (2006). "Can Proactive Fuel Economy Strategies Help Automakers Mitigate Fuel-Price Risks?" University of Michigan Transportation Research Institute.

⁶⁰² Gramlich, Jacob (2008). "Gas Prices and Endogenous Product Selection in the U.S.

⁵⁹⁸ Energy Information Administration, U.S. Department of Energy (1996). *Issues in Midterm Analysis and Forecasting 1996*, DOE/EIA-0607(96), Washington, D.C. Available at <http://www.osti.gov/bridge/purl.cover.jsp?purl=/366567-BvCFp0/webviewable/> (last accessed Jul. 7, 2009).

not to make accurate trade-offs between higher initial purchase prices and subsequent fuel savings. At the same time, however, these results may simply reflect the fact that the expected savings from purchasing higher fuel economy vary widely among individuals, because they travel different amounts or have different driving styles.

Finally, it is possible that the apparent Energy Efficiency Paradox is in fact not a paradox at all when one considers the uncertainty surrounding future fuel prices and a vehicle's expected lifetime and usage. As Metcalf and Rosenthal (1995) indicate, purchasing higher fuel economy requires buyers to weigh known, up-front costs that are essentially irreversible (that is, they have a relatively low salvage value if the return never materializes) against an unknown future stream of fuel savings.⁶⁰³ They find some evidence that this accounts for a large portion of the seeming inconsistency between low cost opportunities to invest in energy efficiency and the current lack of investment in them. This would not imply failure on the part of consumers in making decisions, but rather that the rate of return buyers require on their vehicle purchases (or other energy efficiency investments) is much higher than that implied by a 3 percent discount rate that does not include a provision for uncertainty.

Greene *et al.* (2009) find additional support for this conclusion in the context of fuel economy decisions: They find that the expected net present value of increasing the fuel economy of a passenger car from 28 to 35 miles per gallon falls from \$405 when calculated using standard net present value calculations to nearly zero when uncertainty regarding future cost savings is taken into account.⁶⁰⁴ In contrast to Metcalf and Rosenthal, Greene *et al.* find that uncertainty regarding the future price of gasoline is less important than uncertainty surrounding the expected lifetimes of new vehicles. Supporting this hypothesis is a finding by Dasgupta *et al.* (2007) that consumers are more likely to lease than buy a vehicle with

higher maintenance costs, because leasing provides them with the option to return it before those costs become too high.⁶⁰⁵

In contrast, other research suggests that the Energy Efficiency Paradox is real and significant, and owes to consumers' inability to value future fuel savings appropriately. For example, Sanstad and Howarth (1994) argue that consumers optimize behavior without full information by resorting to imprecise but convenient rules of thumb. Larrick and Soll (2008) find evidence that consumers do not understand how to translate changes in miles per gallon into fuel savings.⁶⁰⁶ If the behavior identified in these studies is indeed widespread, then significant gains to consumers can result from requiring higher fuel economy.

How NHTSA Proposes To Treat the Issue of Welfare Losses

In the course of future rulemakings, the agency intends to explore methods that would allow it to present a more comprehensive accounting of private costs and benefits from requiring higher fuel economy, including more detailed estimates of changes in the welfare of new vehicle buyers that are likely to result from higher CAFE standards. One promising approach to estimating the full welfare loss associated with CAFE's impact on vehicle purchasing decisions is using consumer vehicle choice models to evaluate the simultaneous effects of increases in sales prices, improvements in fuel economy, and changes in other attributes of specific vehicle models, rather than in the average values of these variables. NHTSA invites comments on the state of the art of consumer vehicle choice modeling, as well as on the prospects for these models to yield reliable estimates of changes in consumer welfare from requiring higher fuel economy.

7. What Are the Estimated Safety Impacts of These Proposed Standards?

As discussed above, in evaluating the appropriate levels at which to establish new CAFE standards, NHTSA must assess any potential safety trade-offs. Safety trade-offs associated with fuel economy increases have occurred in the past and the possibility of future ones

remains a concern. In the congressionally-mandated report entitled "Effectiveness and Impact of Corporate Average Fuel Economy (CAFE) Standards," a committee of the National Academy of Sciences (NAS) ("2002 NAS Report")⁶⁰⁷ concluded that the then-existing form of passenger car and light truck CAFE standards, together with market forces, created an incentive for vehicle manufacturers to comply in part by downweighting and even downsizing their vehicles and that these actions led to additional fatalities. Given the cost advantages of downsizing instead of substituting lighter, higher strength materials, NAS urged that the CAFE program be restructured to reduce the regulatory incentive to downsize. As NAS observed, the ability to reduce weight without reducing size does not mean they will exclusively rely on those means of weight reduction. Responding to NAS' concern, Congress mandated in EISA that CAFE standards be based on an attribute related to fuel economy, like footprint or weight.

Given the relative cost-effectiveness of at least some approaches to weight reduction, it is reasonable to assume that the vehicle manufacturers will choose weight reduction as one means of achieving compliance with the proposed standards. In fact, informal statements by the vehicle manufacturers themselves indicate that they intend to engage in some weight reduction, as appropriate for certain vehicle models, during the rulemaking time frame. While the manufacturers generally indicate that they plan to reduce weight without reducing size, their adherence to those plans would not remove all bases for any safety concerns.

The question of the effect of changes in vehicle weight on safety in the context of fuel economy is a complex question that poses serious analytic challenges and has been a contentious issue for many years. This contentiousness arises, at least in part, from the difficulty of isolating vehicle weight from other confounding factors (e.g., driver behavior, or vehicle factors such as engine size and wheelbase). In addition, at least in the past, several vehicle factors have been closely related, such as vehicle mass, wheelbase, track width, and structural integrity. The issue has been addressed in the literature for more than two decades. For the reader's reference, much more information about safety in

Automobile Industry." Available at <http://www.econ.yale.edu/seminars/apmicro/am08/garmlich-081216.pdf> (last accessed May 1, 2009).

⁶⁰³ Metcalf, G., and D. Rosenthal (1995). "The 'New' View of Investment Decisions and Public Policy Analysis: An Application to Green Lights and Cold Refrigerators." *Journal of Policy Analysis and Management* 14: 517-531.

⁶⁰⁴ Greene, D., J. German, and M. Delucchi (2009). "Fuel Economy: The Case for Market Failure" in *Reducing Climate Impacts in the Transportation Sector*, Sperling, D., and J. Cannon, eds. Springer Science.

⁶⁰⁵ Dasgupta, S., S. Siddharth, and J. Silva-Risso (2007). "To Lease or to Buy? A Structural Model of a Consumer's Vehicle and Contract Choice Decisions." *Journal of Marketing Research* 44: 490-502.

⁶⁰⁶ Sanstad, A., and R. Howarth (1994). "Normal Markets, Market Imperfections, and Energy Efficiency." *Energy Policy* 22(10): 811-818; Larrick, R.P., and J.B. Soll (2008). "The MPG illusion." *Science* 320: 1593-1594.

⁶⁰⁷ National Research Council, "Effectiveness and Impact of Corporate Average Fuel Economy (CAFE) Standards," National Academy Press, Washington, DC (2002). Available at <http://www.nap.edu/openbook.php?isbn=0309076013> (last accessed September 11, 2009).

the CAFE context is available in the MY 2011 final rule⁶⁰⁸ and in Section IX of the PRIA.

Conducting the safety assessment for this rulemaking is thus difficult since, in general, it is unclear to what extent the higher fatality risk of smaller and lighter vehicles is associated with their reduced mass as compared to their reduced physical dimensions. That is because, historically, the safest vehicles have been heavy and large, while the vehicles with the highest fatal-crash rates have been light and small, both because the crash rate is higher for small/light vehicles and because the fatality rate is higher for small/light vehicle crashes.⁶⁰⁹ Intuitively, a reduction in mass while maintaining physical dimensions is likely to be less harmful than a reduction in both mass and physical dimensions.

As noted above, the manufacturers have generally informally stated that they plan to use weight reduction methods that do not involve size reduction. That is plausible since the selection of footprint as the attribute in setting CAFE standards helps to minimize the incentive to reduce a vehicle's physical dimensions. This is because as footprint decreases, the corresponding fuel economy target decreases.⁶¹⁰

However, NHTSA cautions that vehicle footprint is not synonymous with vehicle size. Since the footprint is only that portion of the vehicle bounded by the front and rear axles and by the wheels, footprint based standards do not discourage downsizing the portions of a vehicle in front of the front axle and to the rear of the rear axle (front and rear overhang). Similarly, they do not discourage downsizing the portions of a vehicle outside its wheels (side overhang). The crush space provided by those portions of a vehicle can make important contributions to managing crash energy. We note that at least one manufacturer has confidentially indicated plans to reduce overhang as a way of reducing weight on some

vehicles during the rulemaking time frame.

Neither the CAFE standards nor our analysis of the feasibility of fuel economy improvements mandates mass reduction or any other specific technology application. In addition, considering NHTSA's analysis of the observed relationship between vehicle mass and the prevalence of fatalities, NHTSA has, except for vehicles with baseline curb weight over 5,000 pounds, excluded weight reduction from its analysis of potential CAFE standards in past rulemakings. The agency followed this analytical approach in order to ensure that its consideration of new standards was not dependent on weight reduction that could potentially compromise highway safety, recognizing, though, that the structure of CAFE standards does not prohibit manufacturers from making such responses to new CAFE standards. The agency implemented this approach by setting the Volpe model to apply this exclusion when estimating how manufacturers could apply technology in response to new CAFE standards.

In its rulemakings on MY 2008–2011 light truck CAFE standards and MY 2011 car and light truck CAFE standards, NHTSA received comments suggesting that NHTSA expand the applicability of weight reduction technologies in its modeling to vehicles under 5,000 pounds, because, according to the commenters, weight reduction can be accompanied by proper vehicle design to assure that vehicle safety is not compromised. In the final rules in those rulemakings, the agency said that there may be great possibilities in the use of material substitution and other processes to minimize the safety effects of reducing weight. The agency further noted that this should be explored as data become available.

After reviewing its assumptions and methodologies per the President's January 26 memorandum and working with EPA in this rulemaking, NHTSA revised its approach to include weight reduction of up to 5–10 percent of baseline curb weight, depending on vehicle type. Recently-submitted manufacturer product plans as well as public statements from a number of the manufacturers suggest some of them expect that by MY 2016, they will be able to reduce the weight of some specific vehicle models by similar levels. However, NHTSA does not believe that, except where already planned, such significant weight reductions can be achieved in MY 2012 or MY 2013, because there is not enough lead time for the necessary design, engineering, and tooling. NHTSA

estimates that weight reductions of 1.5 percent can be achieved during redesigns occurring prior to MY 2014, and that weight reductions of 5–10 percent can be achieved in redesigns occurring in MY 2014 or later. For purposes of analyzing CAFE standards, NHTSA has further assumed that weight reductions would be limited to 5 percent for small vehicles (e.g., subcompact passenger cars), and that reductions of 10 percent would only be applied to the larger vehicle types (e.g., large light trucks).

NHTSA's modeling approach is similar to EPA's in terms of maximum available weight reduction for any vehicle model, sensitive to vehicle safety in terms of when and to which vehicle types significant weight reduction can be achieved safely, and supported by information in some manufacturers' product plans. Some manufacturers have indicated that, in later model years, they plan to reduce significantly the weight of some specific vehicle models, and that they plan to do so without reducing vehicle size. NHTSA's analysis results in similar degrees of weight reduction, applied more widely to some manufacturers. NHTSA notes, though, that some manufacturers are also planning considerable changes in product mix, and some of these changes could mean reduced average size along with reduced average weight. In NHTSA's (and EPA's) analysis, such changes in product mix are not counted, because they are either in the baseline market forecast, or are not estimated.

As stated above, neither the CAFE standards nor our analysis mandates mass reduction, or mandates that if mass reduction occurs, it be done in any specific manner. However, mass reduction is one of the technology applications available to the manufacturers and has been used by them in the past. A degree of mass reduction is used by the Volpe model in determining the capabilities of manufacturers and in predicting both cost and fuel consumption impacts of improved CAFE standards.

In this section, we briefly summarize our analysis of the potential impacts of these mass reductions on vehicle safety. NHTSA's quantified analysis is based on the 2003 Kahane study,⁶¹¹ which estimates the effect of 100-pound reductions in MYs 1991–1999 heavy light trucks and vans (LTVs), light LTVs, heavy passenger cars, and light passenger cars. The study compares the fatality rates of LTVs and cars to quantify differences between vehicle

⁶¹¹ *Id.*

⁶⁰⁸ 74 FR 14396–14407 (Mar. 30, 2009).

⁶⁰⁹ Kahane, Charles J., Ph.D., "Vehicle Weight, Fatality Risk and Crash Compatibility of Model Year 1991–99 Passenger Cars and Light Trucks," DOT HS 809 662, October 2003, Executive Summary. Available at <http://www.nhtsa.dot.gov/cars/rules/regrev/evaluate/809662.html> (last accessed August 12, 2009).

⁶¹⁰ Vehicle footprint is not synonymous with vehicle size. Since the footprint is only that portion of the vehicle between the front and rear axles, footprint based standards do not discourage downsizing the portions of a vehicle in front of the front axle and to the rear of the rear axle. The crush space provided by those portions of a vehicle can make important contributions to managing crash energy.

types, given drivers of the same age/gender, etc. In this analysis, the effect of "weight reduction" is not limited to the effect of mass *per se*, but includes all the factors, such as length, width, structural strength, and size of the occupant compartment, that were naturally or historically confounded with mass in MYs 1991–1999 vehicles. The rationale is that adding length, width, or strength to a vehicle will also make it heavier.

The agency utilized the relationships between weight and safety from Kahane (2003), expressed as percentage increases in fatalities per 100-pound weight reduction, and examined the weight impacts assumed in this CAFE analysis. However, there are several identifiable safety trends that are already in place or expected to occur in the foreseeable future and that are not accounted for in the study. For example, two important new safety standards that have already been issued and will be phasing in during the rulemaking time frame. Federal Motor Vehicle Safety Standard No. 126 (49 CFR 571.126) will require electronic stability control in all new vehicles by MY 2012, and the upgrade to Federal Motor Vehicle Safety Standard No. 214 (Side Impact Protection, 49 CFR 571.214) will likely result in all new vehicles being equipped with head-curtain air bags by MY 2014.⁶¹² Additionally, we anticipate continued improvements in driver (and passenger) behavior, such as higher safety belt use rates. All of these will tend to reduce the absolute number of fatalities resulting from weight reductions. Thus, while the percentage increases in Kahane (2003) was applied, the reduced base has resulted in smaller absolute increases than those that were predicted in the 2003 report.

The agency examined the impacts of the identifiable safety trends over the lifetime of the vehicles produced in each model year. An estimate of these impacts was contained in a previous agency report.⁶¹³ The impacts were estimated on a year-by-year basis, but

⁶¹² We note that the Volpe model currently does not account for the weight of safety standards that will be added compared to the MY 2008 baseline, nor does it account for the societal cost of reductions in weight. However, both of these items will be added to the model for the final rule; doing so will raise the weight of every vehicle by roughly 17 pounds in MY 2016 (slightly less in earlier years), which will likely require manufacturers to add slightly more technology to reach the final standards than they were estimated to need to reach the proposed standards. However, NHTSA does not expect the impact of these roughly 17 pounds per vehicle to have a significant impact on the safety analysis.

⁶¹³ Blincoc, L. and Shankar, U., "The Impact of Safety Standards and Behavioral Trends on Motor Vehicle Fatality Rates," DOT HS 810 777, January 2007. See Table 4 comparing 2020 to 2007 (37,906/43,363 = 12.6% reduction (1 - .126 = .874).

could be examined in a combined fashion. The agency assumed that the safety trends will result in a reduction in the target population of fatalities from which the weight impacts are derived. Using this method, we found a 12.6 percent reduction in fatality levels between 2007 and 2020. The estimates derived from applying Kahane's percentages to a baseline of 2007 fatalities were thus multiplied by 0.874 to account for changes that the agency believes will take place in passenger car and light truck safety between the 2007 baseline on-road fleet used for this particular analysis and year 2020.

We note that because these new analyses are based on the method shown in Kahane (2003), which predicts the safety effect of 100-pound mass reductions in MY 1991–1999 light trucks and vans (LTVs) and passenger cars, the new analyses need to be understood in the context of that study. Specifically, the numbers in the new analyses represent an upper bound (or worst case) fatality estimate—that is, the estimate would only apply if all weight reductions come from reducing both weight and footprint. Kahane's conclusions are based upon a cross-sectional analysis of the actual on-road safety experience of 1991–1999 vehicles. For those vehicles, heavier usually also meant larger-footprint. Hence, the numbers in the new analyses predict the safety-related fatalities that would occur in the unlikely event that weight reduction for MYs 2012–2016 is accomplished entirely by reducing mass and reducing footprint.

Exclusive reliance on downsizing for the model years covered by this rulemaking is unlikely for the following reasons. As noted above, the manufacturers have generally indicated that they plan reduce weight without reducing size. Further, the flat CAFE standards in effect when those MY 1991–1999 vehicles were produced had no penalty for such a strategy for improving fuel economy. In contrast, as discussed above, the current attribute-based CAFE standards do not encourage vehicle downsizing by reducing footprint. This structural change to the CAFE program means that the CAFE standards now favor the use of weight reduction strategies that do not involve simply making that portion of the vehicle smaller. These other strategies include downsizing the engine and adding turbocharging, as well as materials substitution.

Given this structural change to the CAFE program, it is likely that a significant portion of the weight reduction in the MY 2012–2016 vehicles will be accomplished by strategies that

have a lesser safety impact than the prevalent 1990s strategy of simply making the vehicles smaller, although NHTSA is unable to predict how large a portion. For example, a manufacturer could conceivably add length, width, or strength to a vehicle by replacing existing materials with light, high-strength components.

To the extent that future weight reductions could be achieved by substituting light, high-strength materials for existing materials—without any accompanying reduction in the size or structural strength of the vehicle—then NHTSA believes that the fatality increases associated with the weight reductions anticipated by the model as a result of the proposed standards could be significantly smaller than those in the worst-case scenario. However, NHTSA does not currently have information (on-road data) to calibrate and predict how much smaller those increases would be for any given mixture of material substitution and downsizing, since the data on the safety effects of mass reduction alone is not available due to the low numbers of vehicles in the current on-road fleet that have utilized this technology extensively. Further, to the extent that weight reductions were accomplished through use of light, high-strength materials, there would be significant additional costs that would need to be determined and accounted for. Those higher costs are not reflected in NHTSA's cost-benefit analysis for this proposal.

Nevertheless, even though NHTSA cannot quantify these safety effects, we can project that they could be significantly less than those that would result from simple downsizing. However, we are also convinced that the safety effects are larger than zero for the following reasons:

- The effects of mass *per se* (laws of physics) will persist regardless whether mass is reduced by material substitution, downsizing, or any other method. There are a variety of crash types that could be impacted in various ways by changes in vehicle weight and at times by the way in which the vehicle's weight is changed. The following discussion examines weight reduction by either engine size reductions or material substitution and its impact on each of the different crash types.⁶¹⁴

Let us assume that *Car A weighs X pounds and that Car B weighs X – 100*

⁶¹⁴ For a similar discussion of effect of weight reduction on different crash modes, see Effectiveness and Impact of Corporate Average Fuel Economy Standards, NAS 1972, pp 74–75.

pounds and that Cars A and B have the same footprint, overhang and structural strength.

○ *Single-vehicle crashes*

Hitting an immovable object (like a big tree or bridge abutment).

In most cases, there would be little impact on vehicle safety if Car A and Car B each hit a different immovable object at the same speed because the change in velocity (delta-V) would be the same for both vehicles.

Hitting a partially movable object (like a small tree, parked car, storefront, or dwelling).

Heavier vehicles will impart more force to movable objects than lighter vehicles. This will increase the chance that the movable objects will break, crush, or otherwise give way and increase the distance over which the striking vehicle can decelerate, which will reduce the delta-V for the vehicle's occupants.

Single-vehicle rollovers.

Smaller vehicles end up in more rollover crashes than larger vehicles. Part of the reason for this is the static stability factor, since smaller vehicles have less track width. Part of the reason for this is the way smaller vehicles are driven. Given the same track width for Car A and Car B, the impact on rollovers is hard to determine since the weight helps build up momentum and the influence of momentum versus weight for tripped rollovers is hard to discern.

○ *Multi-vehicle crashes*

Frontal impact—two light vehicles.

While a collision of Car B with Car B is likely to have the same risk as a similar collision of Car A with Car A, the final answer on safety will depend upon what vehicle sizes receive overall weight reductions. As NHTSA's study shows, if weight is taken out of the larger light trucks, overall safety is improved. If weight is taken out of passenger cars or smaller light trucks, overall safety decreases. Overall, we can't determine whether there will be an overall difference in safety.

Side impact—struck vehicle.

As a struck vehicle, Car B is at a disadvantage because its delta V would be increased. Car B would be less safe.

Side impact—striking vehicle.

NHTSA analyses have shown that for a striking vehicle in a side impact, weight is not as important as striking height. Weight does have an impact, because of imparting a lower delta V on the struck vehicle. When struck by Car B, the struck vehicle would be somewhat safer.

Side impact—overall.

Overall, there will be a minimal difference in safety.

Collision with an older light vehicle.

Car B would experience a higher delta V and a higher fatality risk than Car A, if either were struck by the same pre-2012 vehicle. But the occupants of the older vehicle would experience a lower delta V and a lower risk if struck by Car B.

Collision with a medium-sized truck (somewhat over 10,000 GVWR).

Medium-size trucks are not affected by CAFE and do not need to decrease their weight. Car B would experience a higher delta V and a higher risk than Car A. (The risk to the occupants of the medium-size truck would be minimally higher with Car A.) Overall, Car B would be less safe.

Collision with a fully-loaded tractor trailer (significantly over 10,000 GVWR).

Car B would experience a higher delta V than Car A, but in this case, the difference in delta V would be minimal. Risk would be similar in both cars.

○ *Pedestrian/bicyclist impacts*

In general, Car A would impose a slightly higher delta V on the pedestrian than Car B, but the difference would be so small that risk for the pedestrian would essentially be the same either way.

- Our attribute-based standards have the excellent feature that they can avoid encouraging reductions in footprint. However, weight can be removed by downsizing, rather than material substitution, even *while maintaining footprint*:

- By reducing the overhang in front of the front wheels and behind the rear wheels. These are protective structures whose removal would increase risk to occupants by reducing vehicle crush space.

- By thinning or removing structures within the vehicle.

- NHTSA has found that lighter vehicles are driven in a manner that results in a higher involvement rate in fatal crashes, even after controlling for the driver's age, gender, urbanization, and region of the country. However, in our response in the MY 2011 final rule to the DRI analyses, we were unable to attribute this effect to any obvious "size" parameter such as track width or wheelbase. In non-rollover crashes, weight continued to be the most important parameter, even when track width and wheelbase were included as independent variables. Until we understand the phenomenon better, we assume that weight reduction is likely to be associated with higher fatal-crash rates, no matter how the weight reduction is achieved.

Table IV.G.7-1 below shows the results of NHTSA's worst case analysis of safety-related fatalities separately for

each model year. Additionally, the societal impacts of increasing fatalities can be monetized using DOT's estimated comprehensive cost per life of \$6.1 million. This consists of a value of a statistical life of \$5.8 million plus external economic costs associated with fatalities such as medical care, insurance administration costs and legal costs.⁶¹⁵

NHTSA has also calculated an assumed impact on injuries and added that to the societal costs of fatalities. This assumed impact is based on past studies indicating that fatalities account for roughly 44 percent of total comprehensive costs due to injury.⁶¹⁶ If weight impacts non-fatal injuries roughly proportional to its impact on fatalities, then total costs would be roughly 2.3 times those noted in Table IV.G.7-2. The potential societal costs for just fatalities are shown in Table IV.G.7-2. The combined potential social costs are shown in Table IV.G.7-4.

Looking at the results on a calendar year basis, we also note that the safety impacts of the Kahane analysis based weight reduction have a slow onset. Passenger cars typically have a 10-25 year lifetime, and light trucks somewhat longer. Thus, some of the fatalities for MY 2016 light trucks will not occur until after 2050. Moreover, the weight reductions are small in the early model years 2012 and 2013. The vehicles with reduced weight will only be a small proportion of the entire on-road fleet in the initial calendar years of these proposed CAFE standards. The influence of these factors is illustrated in Table IV.G.7-3 below.

Additionally, there will be significant fuel-saving benefits from these proposed standards, up to 61.6 billion gallons during the lifetime of MYs 2012-2016 vehicles. There will also be significant reductions in CO₂ emissions, up to 656 million metric tons during that same time period.

Improved fuel economy will also result in a decrease in harmful criteria pollutants, which will decrease premature deaths due to a number of diseases related to environmental pollution. The literature strongly supports the causal relationship between health and exposure to criteria pollutants. However, as with vehicle safety impacts, there is much

⁶¹⁵ Blincoc *et al.*, *The Economic Impact of Motor Vehicle Crashes 2000*, May 2002, DOT HS 809 446. Data from this report were updated for inflation and combined with the current DOT guidance on value of a statistical life to estimate the comprehensive value of a statistical life.

⁶¹⁶ Based on data in Blincoc *et al.*, updated for inflation and reflecting the Department's current VSL of \$5.8 million.

uncertainty regarding the exact level of health impacts that might be achieved with this rule. Thus, there are potentially both positive and negative impacts that could result from this rulemaking. We have not attempted to quantify other beneficial health impacts that are expected to result from the proposed standards, including the results of a decrease in the rate of global warming, and increased energy security resulting from a lesser dependence on oil imported volatile regions of the world, but they, too, could be significant.

In summary, the agency recognizes the balancing inherent in achieving higher levels of fuel economy through reduction of vehicle weight. We emphasize that these safety-related fatality estimates represent a worst case scenario for the potential effects of this rulemaking, and that actual fatalities will be less than these estimates, possibly significantly less, based on the qualitative discussion above of the various factors that could reduce the estimates. At the same time, however, the agency cannot specify a reasonable lower-bound estimate. It is possible that the impact could be fairly small, but the agency is unable to specify a lower-bound at this time due to a lack of studies that address the safety risk associated with weight reduction that is not also accompanied by size reduction. Additionally, the estimates presented here do not include estimates for injuries. Nevertheless, we believe that the balancing is reasonable.

In the absence of data that permit examining the fatality impact of reductions in weight and footprint independently, we considered whether it would be appropriate to use the industry-sponsored DRI study to estimate a lower-bound value. However, as noted below, the agency's inability to reproduce DRI's results raises questions

whether the DRI reports sufficiently satisfy reproducibility criteria and thus have the quality, objectivity, utility, and integrity needed for information relied upon and disseminated by the Federal Government to the public. Reliance upon non-reproducible studies undermines the credibility of the Government's scientific information. Further, the DRI reports raise a significant additional data quality concern. They have not been subjected to a rigorous form of peer review.

DRI produced several studies between 2000 and 2005, funded by a manufacturer of small vehicles and purporting to analyze mass, track width, and wheelbase as independent variables. DRI's 2002 paper indicated that reducing mass would be beneficial, while reducing track width and wheelbase would be harmful. If true, this meant that weight reduction would benefit safety if track width and wheelbase were maintained. However, NHTSA has concluded that the 2002 DRI study inadvertently introduced significant biases in the analysis, as a result of including 2-door cars in the analysis. Dr. Kahane's analyses have excluded 2-door passenger cars on the grounds that in the data reviewed in those analyses (and by DRI in its analysis), 2-door cars consisted in considerable part of sports and muscle cars. Including sports and muscle cars in a regression analysis of vehicle weight and safety biases the results for two primary reasons: first, because sports and muscle cars tend to have short wheelbases but be relatively heavy for their size, they function as outliers in the regression analysis and thus distort the derived relationships and second, because sports and muscle cars as a group tend to be disproportionately involved in crashes. NHTSA provided

this response to DRI publicly in 2004.⁶¹⁷ In response, DRI submitted a new study in 2005 with a sensitivity analysis limited to 4-door cars, excluding police cars. DRI further stated that it could mimic NHTSA's logistic regression approach for an analysis of model year 1991–98 4-door cars in calendar year 1995–1999 crashes. DRI stated that its updated 2005 analysis still showed results directionally similar to its earlier work—increased risk for lower track width and wheelbase, reduced risk for lower mass—although DRI acknowledged that the wheelbase and mass effects were no longer statistically significant after removing the 2-door cars from the analysis.

Since receiving it, NHTSA has disagreed with the results of DRI's 2005 analysis, most recently on record in the MY 2011 CAFE final rule, for two primary reasons. First, even using the same (NHTSA) data and methodology as DRI used, NHTSA has been unable to reproduce DRI's 2005 results. And second, to our knowledge, unlike Dr. Kahane's 2003 study, DRI's 2005 study has not been rigorously peer-reviewed.

The following provides an example of how NHTSA has tried to reproduce DRI's results, unsuccessfully. In MY 1991–1998, the average car weighing $x + 100$ pounds had a track width that was 0.34 inches larger and a wheelbase that was 1.01 inches longer. Thus, one could say that a "historical" 100-pound weight reduction would have been accompanied by a 0.34 inch track width reduction and a 1.01 inch wheelbase reduction. However, using a reasonable check, if one dissociates weight, track width, and wheelbase and treats them as independent parameters, DRI's logistic regression of model year 1991–1998 4-door cars excluding police cars attributes the following effects:

⁶¹⁷ Docket No. NHTSA–2003–16318–0016.

DRI – Parameter	Effect on Fatalities
Reduce mass by 100 pounds	379 <u>fewer</u> deaths
Reduce track width by 0.34 inches	1,000 more deaths
Reduce wheelbase by 1.01 inches	207 more deaths
<hr/>	
Reduce mass by 100 lb., track by 0.34, and WB by 1.01 inches	828 more deaths

However, applying NHTSA's logistic regression analyses⁶¹⁸ to NHTSA's database, exactly as described in the agency's response to comments on its

2003 report, except for limiting the data to model years 1991–98, instead of 1991–99, produces results that are not at all like DRI's. Mass still has the largest

effect, exceeding track width, and it moves in the expected direction.

NHTSA – Parameter	Effect on Fatalities
Reduce mass by 100 pounds	485 <u>more</u> deaths
Reduce track width by 0.34 inches	334 more deaths
Reduce wheelbase by 1.01 inches	9 more deaths
<hr/>	
Reduce mass by 100 lb., track by 0.34, and WB by 1.01 inches	828 more deaths

NHTSA obtained its estimates by adding the results from 12 individual logistic regressions: Six types of crashes multiplied by two car-weight groups (less than 2,950 pounds; 2,950 pounds or more).⁶¹⁹ DRI does not appear to have followed the same procedures, based on the widely differing results.

Based on our review, NHTSA is not persuaded by the DRI analysis. NHTSA's analyses do not corroborate the 2005 DRI study that suggested mass could be reduced without safety harm and perhaps with safety benefit. Moreover, even though NHTSA's analyses continue to attribute a much larger effect for mass than for track

width or wheelbase in small cars, NHTSA has never said that mass *alone* is the single factor that increases or decreases fatality risk. There may not be a single factor, but rather it may be that mass and some of the other factors that are historically correlated with mass, such as wheelbase and track width, together are the factors.

We note that comparatively it *would seem* the least harmful way to reduce mass would be from material substitution, where one replaces a heavy material with a lighter one that delivers the same performance, or other designs that reduce mass while maintaining wheelbase and track width. While this

may seem intuitively to be the case, there is an absence of supporting data for the thrust of the 2005 DRI analysis, because those changes have not happened to any substantial number of vehicles in the real world. NHTSA thus has no way, yet, of proving the intuitive conclusion. We do know that mass has historically been correlated with wheelbase and track width, and that reductions in mass have also reduced those other factors. Until there is an analysis that clearly demonstrates that mass does not matter for safety, NHTSA concludes it should be guided by the decades' worth of studies suggesting

⁶¹⁸ Regression analysis involves modeling and analyzing several variables, when the focus is on the relationship between a *dependent variable* and

one or more *independent variables*. Logistic regression analysis involves three variables.

⁶¹⁹ See, e.g., Kahane (2003), Table 2 on p. xi.

that mass is the most important of the related factors.

The tables below contain NHTSA's estimates of the safety-related fatality impacts of the proposed standards, the costs associated with those impacts, and the overall change in impacts given other anticipated mitigating effects during the next several years. Again, we emphasize that the safety-related fatality impacts presented below represent a worst case scenario, and that NHTSA believes that the fatality increases associated with the anticipated weight reductions could be significantly smaller than those shown, because manufacturers are unlikely to respond to this rulemaking by decreasing the footprint or reducing the structural integrity of their vehicles.

In addition, we note that the implementation of new Federal Motor Vehicle Safety Standards, combined with behavioral changes (e.g., further increases in safety belt use), will produce important reductions in the number of deaths and injuries that would otherwise occur in the vehicles subject to this rulemaking over their lifetime.

NHTSA seeks comments on its analysis of the safety impacts of the proposed standards. To aid the agency in refining its analysis for the final rule, including its attempts to assess reasonable upper and lower ends of the potential range of estimated fatalities, NHTSA requests that each vehicle manufacturer provide, for inclusion in the record of this rulemaking, detailed

information concerning the extent to which and manner in which it plans to reduce the weight of each of its models for the period covered by this rulemaking, and the cost of each method used. Manufacturers should include in those plans whether there will be any footprint or other size reduction, whether through reducing the size of an existing model, mix shifting or other means. Please also submit the analysis, including engineering or computer simulation analysis, performed to assess the possible safety impacts of such planned weight reduction. In addition, please submit the results of any vehicle crash or component tests that would aid in assessing those impacts.

TABLE IV.G.7-1—COMPARISON OF THE CALCULATED WORST CASE WEIGHT SAFETY-RELATED FATALITY IMPACTS OF THE PENDING PROPOSED STANDARDS OVER THE LIFETIME OF THE VEHICLES PRODUCED IN EACH MODEL YEAR
[Increase in fatalities compared to the Calendar Year 2007 fatality level]

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016
Baseline MY 2011 standards continued for lifetime of vehicles					
Passenger cars	13	15	18	18	19
Light trucks	13	15	17	17	18
Combined	26	30	35	35	37
Proposed standards					
Passenger cars	42	64	165	242	379
Light trucks	18	20	64	106	150
Combined	60	84	229	348	530
Difference between proposed standards and baseline continued					
Passenger cars	29	49	147	224	360
Light trucks	5	5	47	89	132
Combined	34	54	194	313	493

NOTE—all estimates in this table are worst-case. Actual values could be significantly less.

TABLE IV.G.7-2—CALCULATED WORST CASE WEIGHT SAFETY-RELATED FATALITY IMPACTS ON SOCIETAL COSTS FOR THE PROPOSED STANDARDS OVER THE LIFETIME OF THE VEHICLES PRODUCED IN EACH MODEL YEAR
[\$ millions]

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	Total
Passenger cars	177	299	897	1,366	2,916	4,935
Light trucks	31	31	287	543	805	1,696
Combined	207	329	1,183	1,909	3,001	6,637

NOTE—all estimates in this table are worst-case. Actual values could be significantly less.

TABLE IV.G.7-3—ESTIMATED WORST CASE IMPACT OF WEIGHT ON CALCULATED FATALITIES BY CALENDAR YEAR
[Additional fatalities by model year and calendar year]

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	MY 2017	MY 2018	MY 2019	MY 2020	Totals
2012	3	3
2013	3	5	8
2014	3	5	19	27
2015	3	5	19	30	57
2016	3	5	18	29	47	102

TABLE IV.G.7-3—ESTIMATED WORST CASE IMPACT OF WEIGHT ON CALCULATED FATALITIES BY CALENDAR YEAR—Continued

[Additional fatalities by model year and calendar year]

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	MY 2017	MY 2018	MY 2019	MY 2020	Totals
2017	3	5	17	28	46	47	146
2018	3	5	16	27	44	46	47	187
2019	3	4	16	26	42	44	46	47	226
2020	2	4	15	24	40	42	44	46	47	264

NOTE—all estimates in this table are worst-case. Actual values could be significantly less.

The following table is based on the worst-case scenario estimate for fatalities.

TABLE IV.G.7-4—CALCULATED WORST CASE WEIGHT SAFETY IMPACTS ON SOCIETAL COSTS FOR THE PROPOSED STANDARDS OVER THE LIFETIME OF THE VEHICLES PRODUCED IN EACH MODEL YEAR, ESTIMATED FATALITIES AND ASSUMED INJURIES

[\$ millions]

	MY 2012	MY 2013	MY 2014	MY 2015	MY 2016	Total
Undiscounted:						
Passenger Cars	\$406	\$686	\$2,058	\$3,136	\$5,040	\$11,326
Light Trucks	70	70	658	1,246	1,848	3,892
Combined	476	756	2,716	4,382	6,888	15,218
Discounted 3%:						
Passenger Cars	337	570	1,709	2,604	4,185	9,405
Light Trucks	56	56	528	1,000	1,482	3,122
Combined	393	626	2,237	3,604	5,668	12,527
Discounted 7%:						
Passenger Cars	272	460	1,379	2,101	3,377	7,588
Light Trucks	44	44	415	785	1,165	2,453
Combined	316	504	1,794	2,886	4,542	10,042

NOTE—all estimates in this table are worst-case. Actual values could be significantly less. Discount factors: passenger cars, 3% = 0.8304, 7% = 0.67; light trucks, 3% = 0.8022, 7% = 0.6303.

8. What Other Impacts (Quantitative and Unquantifiable) Will These Proposed Standards Have?

In addition to the quantified benefits and costs of fuel economy standards, the standards we are proposing will have other impacts that we have not quantified in monetary terms. The decision on whether or not to quantify a particular impact depends on several considerations:

- Does the impact exist, and can the magnitude of the impact reasonably be attributed to the outcome of this rulemaking?
- Would quantification help NHTSA and the public evaluate standards that may be set in rulemaking?
- Is the impact readily quantifiable in monetary terms? Do we know how to quantify a particular impact?
- If quantified, would the monetary impact likely be material?
- Can a quantification be derived with a sufficiently narrow range of uncertainty so that the estimate is useful?

NHTSA expects that this rulemaking will have a number of genuine, material

impacts that have not been quantified due to one or more of the considerations listed above. In some cases, further research may yield estimates for future rulemakings.

Technology Forcing

The proposed rule will improve the fuel economy of the U.S. new vehicle fleet, but it will also increase the cost (and presumably, the price) of new passenger cars and light trucks built during MYs 2012–2016. We anticipate that the cost, scope, and duration of this rule, as well as the steadily rising standards it requires, will cause automakers and suppliers to devote increased attention to methods of improving vehicle fuel economy.

This increased attention will stimulate additional research and engineering, and we anticipate that, over time, innovative approaches to reducing the fuel consumption of light duty vehicles will emerge. These innovative approaches may reduce the cost of the proposed rule in its later years, and also increase the set of feasible technologies in future years.

We have attempted to estimate the effect of learning on known technologies within the period of the proposed rulemaking. We have not attempted to estimate the extent to which not-yet-invented technologies will appear, either within the time period of the current rulemaking or that might be available after MY 2016.

Effects on Vehicle Maintenance, Operation, and Insurance Costs

Any action that increases the cost of new vehicles will subsequently make such vehicles more costly to maintain, repair, and insure. In general, this effect can be expected to be a positive linear function of vehicle costs. The proposed rulemaking, however, raises vehicle costs by only a few percent at most, and hence the change in maintenance and operation costs, distributed over the expected life of regulated vehicles and discounted back to the present, is probably de minimus in terms of the full analysis.

One of the common consequences of using more complex or innovative technologies is a decline in vehicle reliability and an increase in

maintenance costs, borne, in part, by the manufacturer (through warranty costs, which are included in the indirect costs of production) and, in part by the vehicle owner. NHTSA believes that this effect is difficult to quantify, but likely to be de minimus as well.

Effects on Vehicle Miles Traveled (VMT)

While NHTSA has estimated the impact of the rebound effect on VMT, we have not estimated how a change in vehicle sales could impact VMT. Since the value of the fuel savings to consumers outweighs the technology costs, new vehicle sales are predicted to increase. A change in vehicle sales will have complicated and a hard-to-quantify effect on vehicle miles traveled given the rebound effect, the trade-in of older vehicles, etc. In general, overall VMT should not be significantly affected.

Effect on Composition of Passenger Car and Light Truck Sales

In addition, manufacturers, to the extent that they pass on costs to customers, may distribute these costs across their motor vehicle fleets in ways that affect the composition of sales by model. To the extent that changes in the composition of sales occur, this could affect fuel savings to some degree. However, NHTSA's view is that the scope for compositional effects is relatively small, since the total effect of the regulation itself will be to increase costs by only a few percent. Compositional effects might be important with respect to compliance costs for individual manufacturers, but are unlikely to be material for the rule as a whole.

NHTSA is continuing to study methods of estimating compositional effects and may be able to develop methods for use in future rulemakings.

Effects on the Used Vehicle Market

The effect of this rule on the use and scrappage of older vehicles will be related to its effects on new vehicle prices, the fuel efficiency of new vehicle models, and the total sales of new vehicles. If the value of fuel savings resulting from improved fuel efficiency to the typical potential buyer of a new vehicle outweighs the average increase in new models' prices, sales of new vehicles will rise, while scrappage rates of used vehicles will increase slightly. This will cause the "turnover" of the vehicle fleet—that is, the retirement of used vehicles and their replacement by new models—to accelerate slightly, thus accentuating the anticipated effect of the rule on fleet-wide fuel consumption and CO₂ emissions. However, if potential

buyers value future fuel savings resulting from the increased fuel efficiency of new models at less than the increase in their average selling price, sales of new vehicles will decline, as will the rate at which used vehicles are retired from service. This effect will slow the replacement of used vehicles by new models, and thus partly offset the anticipated effects of the proposed rules on fuel use and emissions.

Because the agencies are uncertain about how the value of projected fuel savings from the proposed rules to potential buyers will compare to their estimates of increases in new vehicle prices, we have not attempted to estimate explicitly the effects of the rule on scrappage of older vehicles and the turnover of the vehicle fleet. We seek comment on the methods that might be used to estimate the effect of the proposed rule on the scrappage and use of older vehicles as part of the analysis to be conducted for the final rule.

Impacts of Changing Fuel Composition on Costs, Benefits, and Emissions

EPA, as amended by EISA, creates a Renewable Fuels Standard that sets targets for greatly increased usage of renewable fuels over the next decade. The law requires fixed volumes of renewable fuels to be used—volumes that are not linked to actual usage of transportation fuels.

Ethanol and biodiesel (in the required volumes) may increase the cost of gasoline and diesel depending on crude oil prices and tax subsidies. The extra cost of renewable fuels will be borne through a cross-subsidy: The price of every gallon of gasoline will rise sufficiently to pay for the extra cost of renewable fuels. The proposed CAFE rule, by reducing total fuel consumption, would tend to increase any necessary cross-subsidy per gallon of fuel, and hence raise the market price of transportation fuels, while there would be no change in the volume or cost of renewable fuels used.

Some of these effects are indirectly incorporated in NHTSA's analysis of the proposed CAFE rule because they are directly incorporated in EIA's projections of future gasoline and diesel prices in the *Annual Energy Outlook*, which incorporates in its baseline both a Renewable Fuel Standard and an increasing CAFE standard.

The net effect of incorporating an RFS then might be to slightly reduce the benefits of the rule because affected vehicles might be driven slightly less, and because they emit slightly fewer greenhouse gas emissions per gallon. In addition there might be deadweight losses from the induced reduction in

VMT. All of these effects are difficult to estimate, because of uncertainty in future crude oil prices, uncertainty in future tax policy, and uncertainty about how petroleum marketers will actually comply with the RFS, but they are likely to be small, because the cumulative deviation from baseline fuel consumption induced by the proposed rule will itself be small.

Macroeconomic Impacts of This Rule

The proposed rule will have a number of consequences that may have short-run and longer-run macroeconomic effects. It is important to recognize, however, that these effects do *not* represent benefits in addition to those resulting directly from reduced fuel consumption and emissions. Instead, they represent the economic effects that occur as these direct impacts filter through the interconnected markets comprising the U.S. economy.

- Increasing the cost and quality (in the form of better fuel economy) of new light duty vehicles will have ripple effects through the rest of the economy. Depending on the assumptions made, the rule could generate very small increases or declines in output.

- Reducing consumption of imported petroleum should induce an increase in long-run output.

- Decreasing the world price of oil should induce an increase in long-run output.

NHTSA has not studied the macroeconomic effects of the proposal, however a discussion of the economy-wide impacts of this rule conducted by EPA is included in Section III.H.5. Although economy-wide models do not capture all of the potential impacts of this rule (e.g., improvements in product quality), these models can provide valuable insights on how this proposal would impact the U.S. economy in ways that extend beyond the transportation sector.

Military Expenditures

This analysis contains quantified estimates for the social cost of petroleum imports based on monopsony effects and the risk of oil market disruption. We have not included estimates of the cost of military expenditures associated with petroleum imports.

H. Vehicle Classification

Vehicle classification, for purposes of the CAFE program, refers to whether NHTSA considers a vehicle to be a passenger automobile or a light truck, and thus subject to either the passenger automobile or the light truck standards. As NHTSA explained in the MY 2011

rulemaking, EPCA categorizes some light 4-wheeled vehicles as passenger automobiles (cars) and the balance as non-passenger automobiles (light trucks). EPCA defines passenger automobiles as any automobile (other than an automobile capable of off-highway operation) which NHTSA decides by rule is manufactured primarily for use in the transportation of not more than 10 individuals. EPCA 501(2), 89 Stat. 901. NHTSA created regulatory definitions for passenger automobiles and light trucks, found at 49 CFR part 523, to guide the agency and manufacturers in classifying vehicles.

Under EPCA, there are two general groups of automobiles that qualify as non-passenger automobiles or light trucks: (1) Those defined by NHTSA in its regulations as other than passenger automobiles due to their having design features that indicate they were not manufactured "primarily" for transporting up to ten individuals; and (2) those expressly excluded from the passenger category by statute due to their capability for off-highway operation, regardless of whether they might have been manufactured primarily for passenger transportation. NHTSA's classification rule directly tracks those two broad groups of non-passenger automobiles in subsections (a) and (b), respectively, of 49 CFR 523.5.

For the purpose of this NPRM for the MYs 2012–2016 standards, EPA agreed to use NHTSA's regulatory definitions for determining which vehicles would be subject to which CO₂ standards.

In the MY 2011 rulemaking, NHTSA took a fresh look at the regulatory definitions in light of several factors and developments: its desire to ensure clarity in how vehicles are classified, the passage of EISA,⁶²⁰ and the Ninth Circuit's decision in *CBD v. NHTSA*.⁶²⁰ NHTSA explained the origin of the current definitions of passenger automobiles and light trucks by tracing them back through the history of the CAFE program, and did not propose to change the definitions themselves at that time, because the agency concluded that the definitions were largely consistent with Congress' intent in separating passenger automobiles and light trucks, but also in part because the agency tentatively concluded that doing so would not lead to increased fuel savings. However, the agency tightened the definitions in § 523.5 to ensure that only vehicles that actually have 4WD will be classified as off-highway vehicles by reason of having 4WD (to prevent 2WD SUVs that also come in a

4WD "version" from qualifying automatically as "off-road capable" simply by reason of the existence of the 4WD version). It also took this action to ensure that manufacturers may only use the "greater cargo-carrying capacity" criterion of 523.5(a)(4) for cargo van-type vehicles, rather than for SUVs with removable second-row seats unless they truly have greater cargo-carrying than passenger-carrying capacity "as sold" to the first retail purchaser. NHTSA concluded that these changes increased clarity, were consistent with EPCA and EISA, and responded to the Ninth Circuit's decision with regard to vehicle classification.

However, manufacturers currently have an incentive to classify vehicles as light trucks because, generally speaking, the fuel economy target for light trucks with a given footprint is less stringent than the target for passenger cars with the same footprint. This is due to the fact that the curves are based on actual fuel economy capabilities of the vehicles to which they apply. Because of characteristics like 4WD, towing and hauling capacity, and heavy weight, the vehicles in the current light truck fleet are generally less capable of achieving higher fuel economy levels as compared to the vehicles in the passenger car fleet. 2WD SUVs are the vehicles that could be most readily redesigned so that they can be "moved" from the passenger car to the light truck fleet. A manufacturer could do this by adding a third row of seats, for example, or boosting GVWR over 6,000 lbs. for a 2WD SUV that already meets the ground clearance requirements for "off-road capability." A change like this may only be possible during a vehicle redesign, but since vehicles are redesigned, on average, every 5 years, at least some manufacturers may make such changes before or during the model years covered by this rulemaking.

In looking forward to model years beyond 2011 and considering how CAFE should operate in the context of the National Program and previously-received comments as requested by President Obama, NHTSA seeks comment on the following potential changes to NHTSA's vehicle classification system. We request comment also on whether, if any of the changes were to be adopted, they should be applied to any of the model years covered by this rulemaking or whether, due to lead time concerns, they should apply only to MY 2017 and thereafter.

Reclassifying Minivans and other "3-row" light trucks as passenger cars (i.e., removing 49 CFR 523.5(a)(5)):

NHTSA has received repeated comments over the course of the last

several rulemakings from environmental and consumer groups regarding the classification of minivans as light trucks instead of as passenger cars.

Commenters have argued that because minivans generally have three rows of seats, are built on unibody chassis, and are used primarily for transporting passengers, they should be classified as passenger cars. NHTSA did not accept these arguments in the MY 2011 final rule, due to concerns that moving minivans to the passenger car fleet would lower the fuel economy targets for those passenger cars having essentially the same footprint as the minivans, and thus lower the overall fuel average fuel economy level that the manufacturers would need to meet. However, due to the new methodology for setting standards, the as-yet-unknown fuel-economy capabilities of future minivans and 3-row 2WD SUVs, and the unknown state of the vehicle market (particularly for MYs 2017 and beyond), NHTSA can no longer say with certainty that moving these vehicles could negatively affect potential stringency levels for either passenger cars or light trucks.

Although such a change would not be made applicable during the MY 2012–2016 time frame, we seek comment on why NHTSA should or should not consider, as part of this rulemaking, reclassifying minivans (and other current light trucks that qualify as such because they have three rows of designated seating positions as standard equipment) for MYs 2017 and after.

Classifying "like" vehicles together:
Many commenters objected in the rulemaking for the MY 2011 standards to NHTSA's regulatory separation of "like" vehicles. Industry commenters argued that it was technologically inappropriate for NHTSA to place 4WD and 2WD versions of the same SUV in separate classes. They argued that the vehicles are the same, except for their drivetrain features, thus giving them similar fuel economy improvement potential. They further argued that all SUVs should be classified as light trucks. Environmental and consumer group commenters, on the other hand, argued that 4WD SUVs and 2WD SUVs that are "off-highway capable" by virtue of a GVWR above 6,000 pounds should be classified as passenger cars, since they are primarily used to transport passengers. In the MY 2011 rulemaking, NHTSA rejected both of these sets of arguments. NHTSA concluded that 2WD SUVs that were neither "off-highway capable" nor possessed "truck-like" functional characteristics were appropriately classified as passenger cars. At the same time, NHTSA also

⁶²⁰ 538 F.3d 1172 (9th Cir. 2008).

concluded that because Congress explicitly designated vehicles with GVWRs over 6,000 pounds as "off-highway capable" (if they meet the ground clearance requirements established by the agency), NHTSA did not have authority to move these vehicles to the passenger car fleet.

With regard to the first argument, that "like" vehicles should be classified similarly (*i.e.*, that 2WD SUVs should be classified as light trucks because, besides their drivetrain, they are "like" the 4WD version that qualifies as a light truck), NHTSA continues to believe that 2WD SUVs that do not meet any part of the existing regulatory definition for light trucks should be classified as passenger cars. However, NHTSA recognizes the additional point raised by industry commenters in the MY 2011 rulemaking that manufacturers may respond to this tighter classification by ceasing to build 2WD versions of SUVs, which could reduce fuel savings. In response to that point, NHTSA stated in the MY 2011 final rule that it expects that manufacturer decisions about whether to continue building 2WD SUVs will be driven in much greater measure by consumer demand than by NHTSA's regulatory definitions. If it appears, in the course of the next several model years, that manufacturers are indeed responding to the CAFE regulatory definitions in a way that reduces overall fuel savings from expected levels, it may be appropriate for NHTSA to review this question again. NHTSA seeks comment on how the agency might go about reviewing this question as more information about manufacturer behavior is accumulated.

With regard to the second argument, that NHTSA should move vehicles that qualify as "off-highway capable" from the light truck to the passenger car fleet because they are primarily used to transport passengers, NHTSA reiterates that EPCA is clear that certain vehicles are non-passenger automobiles (*i.e.*, light trucks) because of their off-highway capabilities, regardless of how they may be used day-to-day.

However, NHTSA could explore additional approaches, although not all could be pursued on current law. Possible alternative legal regimes might include: (a) classifying vehicles as passenger cars or light trucks based on use alone (rather than characteristics); (b) removing the regulatory distinction altogether and setting standards for the entire fleet of vehicles instead of for separate passenger car and light truck fleets; or (c) dividing the fleet into multiple categories more consistent with current vehicle fleets (*i.e.*, sedans, minivans, SUVs, pickup trucks, etc.).

NHTSA seeks comment on whether and why it should pursue any of these courses of action.

I. Compliance and Enforcement

1. Overview

NHTSA's CAFE enforcement program and the compliance flexibilities available to manufacturers are largely established by statute—unlike the CAA, EPCA and EISA are very prescriptive and leave the agency limited authority to increase the flexibilities available to manufacturers. This was intentional, however. Congress balanced the energy saving purposes of the statute against the benefits of the various flexibilities and incentives it provided and placed precise limits on those flexibilities and incentives. For example, while the Department sought authority for unlimited transfer of credits between a manufacturer's car and light truck fleets, Congress limited the extent to which a manufacturer could raise its average fuel economy for one of its classes of vehicles through credit transfer in lieu of adding more fuel saving technologies. It did not want these provisions to slow progress toward achieving greater energy conservation or other policy goals. In keeping with EPCA's focus on energy conservation, NHTSA has done its best, for example, in crafting the credit transfer and trading regulations authorized by EISA, to ensure that total fuel savings are preserved when manufacturers exercise their compliance flexibilities.

The following sections explain how NHTSA determines whether manufacturers are in compliance with the CAFE standards for each model year, and how manufacturers may address potential non-compliance situations through the use of compliance flexibilities or fine payment.

2. How Does NHTSA Determine Compliance?

a. Manufacturer Submission of Data and CAFE Testing by EPA

NHTSA begins to determine CAFE compliance by considering pre- and mid-model year reports submitted by manufacturers pursuant to 49 CFR part 537, Automotive Fuel Economy Reports.⁶²¹ The reports for the current model year are submitted to NHTSA every December and July. As of the time of this NPRM, NHTSA has received mid-model year reports from manufacturers for MY 2009, and anticipates receiving pre-model year reports for MY 2010 at the end of this

year. Although the reports are used for NHTSA's reference only, they help the agency, and the manufacturers who prepare them, anticipate potential compliance issues as early as possible, and help manufacturers plan compliance strategies. Currently, NHTSA receives these reports in paper form. In order to facilitate submission by manufacturers and consistent with the President's electronic government initiatives, NHTSA proposes to amend Part 537 to allow for electronic submission of the pre- and mid-model year CAFE reports.

NHTSA makes its ultimate determination of manufacturers' CAFE compliance upon receiving EPA's official certified and reported CAFE data. The EPA certified data is based on vehicle testing and on final model year data submitted by manufacturers to EPA pursuant to 40 CFR 600.512, Model Year Report, no later than 90 days after the end of the calendar year. Pursuant to 49 U.S.C. 32904(e), EPA is responsible for calculating automobile manufacturers' CAFE values so that NHTSA can determine compliance with the CAFE standards. In measuring the fuel economy of passenger cars, EPA is required by EPCA⁶²² to use the EPA test procedures in place as of 1975 (or procedures that give comparable results), which are the city and highway tests of today, with adjustments for procedural changes that have occurred since 1975. EPA uses similar procedures for light trucks, although, as noted above, EPCA does not require it to do so. One notable shortcoming of the 1975 test procedure is that it does not include a provision for air conditioner usage during the test cycle. As discussed in Section III above of the preamble, air conditioner usage increases the load on a vehicle's engine, reducing fuel efficiency and increasing CO₂ emissions. Since the air conditioner is not turned on during testing, equipping a vehicle model with a relatively inefficient air conditioner will not adversely affect that model's measured fuel economy, while equipping a vehicle model with a relatively efficient air conditioner will not raise that model's measured fuel economy. The fuel economy test procedures for light trucks could be amended through rulemaking to provide for air conditioner operation during testing and to take other steps for improving the accuracy and representativeness of fuel economy measurements. Comment is sought in section I.D.2 regarding implementing such amendments beginning in MY 2017 and also on the more immediate

⁶²¹ 49 CFR Part 537 is authorized by 49 U.S.C. 32907.

⁶²² 49 U.S.C. 32904(c).

interim step of providing credits under 49 U.S.C. 32904(c) for light trucks equipped with relatively efficient air conditioners for MYs 2012–2016. Modernizing the passenger car test procedures as well would not be possible under EPCA as currently written.

b. NHTSA Then Analyzes EPA–Certified CAFE Values for Compliance

Determining CAFE compliance is fairly straightforward. After testing, EPA verifies the data submitted by manufacturers and issues final CAFE reports to manufacturers and to NHTSA between April and October of each year (for the previous model year). NHTSA then identifies the manufacturers' compliance categories (fleets) that do not meet the applicable CAFE fleet standards.

To determine if manufacturers have earned credits that would offset those shortfalls, NHTSA calculates a cumulative credit status for each of a manufacturer's vehicle compliance categories according to 49 U.S.C. 32903. If a manufacturer's compliance category exceeds the applicable fuel economy standard, NHTSA adds credits to the account for that compliance category. If a manufacturer's vehicles in a particular compliance category fall below the standard fuel economy value, NHTSA will provide written notification to the manufacturer that it has not met a particular fleet standard. The manufacturer will be required to confirm the shortfall and must either: Submit a plan indicating it will allocate existing credits, and/or for MY 2011 and later, how it will earn, transfer and/or acquire credits; or pay the appropriate civil penalty. The manufacturer must submit a plan or payment within 60 days of receiving agency notification. The amount of credits are determined by multiplying the number of tenths of a mpg by which a manufacturer exceeds, or falls short of, a standard for a particular category of automobiles by the total volume of automobiles of that category manufactured by the manufacturer for a given model year. Credits used to offset shortfalls are subject to the three and five year limitations as described in 49 U.S.C. 32903(a). Transferred credits are subject to the limitations specified by 49 U.S.C. 32903(g)(3). The value of each credit, when used for compliance, received via trade or transfer is adjusted, using the adjustment factor described in 49 CFR part 536.4, pursuant to 49 U.S.C. 32903(f)(1). Credit allocation plans received from the manufacturer will be reviewed and approved by NHTSA. NHTSA will approve a credit allocation

plan unless it finds the proposed credits are unavailable or that it is unlikely that the plan will result in the manufacturer earning sufficient credits to offset the subject credit shortfall. If a plan is approved, NHTSA will revise the respective manufacturer's credit account accordingly. If a plan is rejected, NHTSA will notify the respective manufacturer and request a revised plan or payment of the appropriate fine.

In the event that a manufacturer does not comply with a CAFE standard, even after the consideration of credits, EPCA provides for the assessing of civil penalties. The Act specifies a precise formula for determining the amount of civil penalties for such a noncompliance. The penalty, as adjusted for inflation by law, is \$5.50 for each tenth of a mpg that a manufacturer's average fuel economy falls short of the standard for a given model year multiplied by the total volume of those vehicles in the affected fleet (*i.e.*, import or domestic passenger car, or light truck), manufactured for that model year. The amount of the penalty may not be reduced except under the unusual or extreme circumstances specified in the statute. All penalties are paid to the U.S. Treasury and not to NHTSA itself.

Unlike the National Traffic and Motor Vehicle Safety Act, EPCA does not provide for recall and remedy in the event of a noncompliance. The presence of recall and remedy provisions⁶²³ in the Safety Act and their absence in EPCA is believed to arise from the difference in the application of the safety standards and CAFE standards. A safety standard applies to individual vehicles; that is, each vehicle must possess the requisite equipment or feature which must provide the requisite type and level of performance. If a vehicle does not, it is noncompliant. Typically, a vehicle does not entirely lack an item or equipment or feature. Instead, the equipment or features fails to perform adequately. Recalling the vehicle to repair or replace the noncompliant equipment or feature can usually be readily accomplished.

In contrast, a CAFE standard applies to a manufacturer's entire fleet for a model year. It does not require that a particular individual vehicle be equipped with any particular equipment or feature or meet a particular level of fuel economy. It does require that the manufacturer's fleet, as a whole, comply. Further, although under the attribute-based approach to setting CAFE standards fuel economy targets

are established for individual vehicles based on their footprints, the vehicles are not required to comply with those targets on a model-by-model or vehicle-by-vehicle basis. However, as a practical matter, if a manufacturer chooses to design some vehicles so they fall below their target levels of fuel economy, it will need to design other vehicles so they exceed their targets if the manufacturer's overall fleet average is to meet the applicable standard.

Thus, under EPCA, there is no such thing as a noncompliant vehicle, only a noncompliant fleet. No particular vehicle in a noncompliant fleet is any more, or less, noncompliant than any other vehicle in the fleet.

After enforcement letters are sent, NHTSA continues to monitor receipt of credit allocation plans or civil penalty payments that are due within 60 days from the date of receipt of the letter by the vehicle manufacturer, and takes further action if the manufacturer is delinquent in responding.

3. What Compliance Flexibilities Are Available Under the CAFE Program and How Do Manufacturers Use Them?

There are three basic flexibilities permitted by EPCA/EISA that manufacturers can use to achieve compliance with CAFE standards beyond applying fuel economy-improving technologies: (1) Building dual- and alternative-fueled vehicles; (2) banking, trading, and transferring credits earned for exceeding fuel economy standards; and (3) paying fines. We note again that while these flexibility mechanisms will reduce compliance costs to some degree for most manufacturers, 49 U.S.C. 32902(h) expressly prohibits NHTSA from considering the availability of credits (either for building dual- or alternative-fueled vehicles or from accumulated transfers or trades) in determining the level of the standards. Thus, NHTSA may not raise CAFE standards because manufacturers have enough credits to meet higher standards. This is an important difference from EPA's authority under the CAA, which does not contain such a restriction, and which allows EPA to set higher standards as a result.

a. Dual- and Alternative-Fueled Vehicles

As discussed at length in prior rulemakings, EPCA encourages manufacturers to build alternative-fueled and dual- (or flexible-) fueled vehicles by providing special fuel economy calculations for "dedicated" (that is, 100 percent) alternative fueled vehicles and "dual-fueled" (that is,

⁶²³ 49 U.S.C. 30120, Remedies for defects and noncompliance.

capable of running on either the alternative fuel or gasoline) vehicles. The fuel economy of a dedicated alternative fuel vehicle is determined by dividing its fuel economy in equivalent miles per gallon of gasoline or diesel fuel by 0.15.⁶²⁴ Thus, a 15 mpg dedicated alternative fuel vehicle would be rated as 100 mpg. For dual-fueled vehicles, the rating is the average of the fuel economy on gasoline or diesel and the fuel economy on the alternative fuel vehicle divided by 0.15.⁶²⁵

For example, this calculation procedure turns a dual-fueled vehicle that averages 25 mpg on gasoline or diesel into a 40 mpg vehicle for CAFE purposes. This assumes that (1) the vehicle operates on gasoline or diesel 50 percent of the time and on alternative fuel 50 percent of the time; (2) fuel economy while operating on alternative fuel is 15 mpg (15/.15 = 100 mpg); and (3) fuel economy while operating on gas or diesel is 25 mpg. Thus:

$$\text{CAFE FE} = 1/\{0.5/(\text{mpg gas}) + 0.5/(\text{mpg alt fuel})\} = 1/\{0.5/25 + 0.5/100\} = 40 \text{ mpg}$$

In the case of natural gas, the calculation is performed in a similar manner. The fuel economy is the weighted average while operating on natural gas and operating on gas or diesel. The statute specifies that 100 cubic feet (ft³) of natural gas is equivalent to 0.823 gallons of gasoline. The gallon equivalency of natural gas is equal to 0.15 (as for other alternative fuels).⁶²⁶ Thus, if a vehicle averages 25 miles per 100 ft³ of natural gas, then:

$$\text{CAFE FE} = (25/100) * (100/.823) * (1/0.15) = 203 \text{ mpg}$$

Congress extended the incentive in EISA for dual-fueled automobiles through MY 2019, but provided for its phase out between MYs 2015 and 2019.⁶²⁷ The maximum fuel economy increase which may be attributed to the incentive is thus as follows:

Model year	mpg increase
MYs 1993–2014	1.2
MY 2015	1.0
MY 2016	0.8
MY 2017	0.6
MY 2018	0.4
MY 2019	0.2
After MY 2019	0

⁶²⁴ 49 U.S.C. 32905(a).

⁶²⁵ 49 U.S.C. 32905(b).

⁶²⁶ 49 U.S.C. 32905(c).

⁶²⁷ 49 U.S.C. 32906(a). NHTSA notes that the incentive for dedicated alternative-fuel automobiles, automobiles that run exclusively on an alternative fuel, at 49 U.S.C. 32905(a), was not phased-out by EISA.

49 CFR part 538 implements the statutory alternative-fueled and dual-fueled automobile manufacturing incentive. NHTSA is proposing to update Part 538 as part of this NPRM to reflect the EISA changes, but to the extent that 49 U.S.C. 32906(a) differs from the current version of 49 CFR 538.9, the statute supersedes the regulation, and regulated parties may rely on the text of the statute.

A major difference between EPA's statutory authority and NHTSA's statutory authority is that the CAA contains no specific prescriptions with regard to credits for dual- and alternative-fueled vehicles comparable to those found in EPCA/EISA. As an exercise of that authority, and as discussed in Section III above, EPA is offering similar credits for dual- and alternative-fueled vehicles through MY 2015 for compliance with its CO₂ standards, but for MY 2016 and beyond EPA will establish CO₂ emission levels for alternative fuel vehicles based on measurement of actual CO₂ emissions during testing, plus a manufacturer demonstration that the vehicles are actually being run on the alternative fuel. NHTSA has no such authority under EPCA/EISA to require that vehicles manufactured for the purpose of obtaining the credit actually be run on the alternative fuel, but requests comment on whether it should seek legislative changes to revise its authority to address this issue.

b. Credit Trading and Transfer

In the MY 2011 final rule, NHTSA established Part 536 for credit trading and transfer. Part 536 implements the provisions in EISA authorizing NHTSA to establish by regulation a credit trading program and directing it to establish by regulation a credit transfer program.⁶²⁸ Since its enactment, EPCA has permitted manufacturers to earn credits for exceeding the standards and to carry those credits backward or forward. EISA extended the "carry-forward" period from three to five model years, and left the "carry-back" period at three model years. Under Part 536, credit holders (including, but not limited to, manufacturers) will have credit accounts with NHTSA, and will be able to hold credits, use them to achieve compliance with CAFE

⁶²⁸ Congress required that DOT establish a credit "transferring" regulation, to allow individual manufacturers to move credits from one of their fleets to another (e.g., using a credit earned for exceeding the light truck standard for compliance with the domestic passenger car standard). Congress allowed DOT to establish a credit "trading" regulation, so that credits may be bought and sold between manufacturers and other parties.

standards, transfer them between compliance categories, or trade them. A credit may also be cancelled before its expiry date, if the credit holder so chooses. Traded and transferred credits are subject to an "adjustment factor" to ensure total oil savings are preserved, as required by EISA. EISA also prohibits credits earned before MY 2011 from being transferred, so NHTSA has developed several regulatory restrictions on trading and transferring to facilitate Congress' intent in this regard. EISA also establishes a "cap" for the maximum increase in any compliance category attributable to transferred credits: for MYs 2011–2013, transferred credits can only be used to increase a manufacturer's CAFE level in a given compliance category by 1.0 mpg; for MYs 2014–2017, by 1.5 mpg; and for MYs 2018 and beyond, by 2.0 mpg.

NHTSA recognizes that some manufacturers may have to rely on credit transferring for compliance in MYs 2012–2017.⁶²⁹ As a way to improve the transferring flexibility mechanism for manufacturers, NHTSA interprets EISA not to prohibit the banking of transferred credits for use in later model years. Thus, NHTSA believes that the language of EISA may be read to allow manufacturers to transfer credits from one fleet that has an excess number of credits, within the limits specified, to another fleet that may also have excess credits instead of transferring only to a fleet that has a credit shortfall. This would mean that a manufacturer could transfer a certain number of credits each year and bank them, and then the credits could be carried forward or back "without limit" later if and when a shortfall ever occurred in that same fleet. NHTSA bases this interpretation on 49 U.S.C. 32903(g)(2), which states that transferred credits "are available to be used in the same model years that the manufacturer could have applied such credits under subsections (a), (b), (d), and (e), as well as for the model year in which the manufacturer earned such credits." The EISA limitation applies only to the application of such credits for compliance in particular model years, and not their transfer *per se*. If transferred credits have the same lifespan and may be used in carry-back and carry-forward plans, it seems reasonable that they should be allowed to be stored in any fleet, rather than only in the fleet in which they were

⁶²⁹ In contrast, manufacturers stated in comments in NHTSA's MY 2011 rulemaking that they did not anticipate a robust market for credit trading, due to competitive concerns. NHTSA does not yet know whether those concerns will continue to deter manufacturers from exercising the trading flexibility during MYs 2012–2016.

earned. Of course, manufacturers could not transfer and bank credits for purposes of achieving the minimum standard for domestically-manufactured passenger cars, as prohibited by 49 U.S.C. 32903(g)(4). Transferred and banked credits would additionally still be subject to the adjustment factor when actually used, which would help to ensure that total oil savings are preserved while still offering greater flexibility to manufacturers. This interpretation of EISA also helps NHTSA, to some extent, to harmonize better with EPA's CO₂ program, which allows unlimited banking and transfer of credits. NHTSA seeks comment on this interpretation of EISA.

c. Payment of Fines

If a manufacturer's average miles per gallon for a given compliance category (domestic passenger car, imported passenger car, light truck) falls below the applicable standard, and the manufacturer cannot make up the difference by using credits earned or acquired, the manufacturer is subject to penalties. The penalty, as mentioned, is \$5.50 for each tenth of a mpg that a manufacturer's average fuel economy falls short of the standard for a given model year, multiplied by the total volume of those vehicles in the affected fleet, manufactured for that model year. NHTSA has collected \$772,850,459.00 to date in CAFE penalties, the largest ever being paid by DaimlerChrysler for its MY 2006 import passenger car fleet, \$30,257,920.00. For their MY 2007 fleets, five manufacturers paid CAFE fines for not meeting an applicable standard—Ferrari, Maserati, Mercedes-Benz, Porsche, and Volkswagen—for a total of \$37,385,941.00.

NHTSA recognizes that some manufacturers may use the option to pay fines as a CAFE compliance flexibility—presumably, when paying fines is deemed more cost-effective than applying additional fuel economy-improving technology, or when adding fuel economy-improving technology would fundamentally change the characteristics of the vehicle in ways that the manufacturer believes its target consumers would not accept. NHTSA has no authority under EPCA/EISA to prevent manufacturers from turning to fine-payment if they choose to do so. This is another important difference from EPA's authority under the CAA, which allows EPA to revoke a manufacturer's certificate of compliance that permits it to sell vehicles if EPA determines that the manufacturer is in non-compliance, and does not permit manufacturers to pay fines in lieu of compliance with applicable standards.

NHTSA has grappled repeatedly with the issue of whether fines are motivational for manufacturers, and whether raising fines would increase manufacturers' compliance with the standards. EPCA authorizes increasing the civil penalty very slightly up to \$10.00, exclusive of inflationary adjustments, if NHTSA decides that the increase in the penalty "will result in, or substantially further, substantial energy conservation for automobiles in the model years in which the increased penalty may be imposed; and will not have a substantial deleterious impact on the economy of the United States, a State, or a region of a State." 49 U.S.C. 32912(c).

To support a decision that increasing the penalty would result in "substantial energy conservation" without having "a substantial deleterious impact on the economy," NHTSA would likely need to provide some reasonably certain quantitative estimates of the fuel that would be saved, and the impact on the economy, if the penalty were raised. Comments received on this issue in the past have not explained in clear quantitative terms what the benefits and drawbacks to raising the penalty might be. Additionally, it may be that the range of possible increase that the statute provides, *i.e.*, up to \$10 per tenth of a mpg, is insufficient to result in substantial energy conservation, although changing this would require an amendment to the statute by Congress. While NHTSA continues to seek to gain information on this issue to inform a future rulemaking decision, we request that commenters wishing to address this issue please provide, as specifically as possible, estimates of how raising or not raising the penalty amount will or will not substantially raise energy conservation and impact the economy.

4. Other CAFE Enforcement Issues—Variations in Footprint

NHTSA has a standardized test procedure for determining vehicle footprint,⁶³⁰ which is defined by regulation as follows:

Footprint is defined as the product of track width (measured in inches, calculated as the average of front and rear track widths, and rounded to the nearest tenth of an inch) times wheelbase (measured in inches and rounded to the nearest tenth of an inch), divided by 144 and then rounded to the nearest tenth of a square foot.⁶³¹

⁶³⁰ NHTSA TP-537-01, March 30, 2009. Available at <http://www.nhtsa.gov/portal/site/nhtsa/menuitem.b166d5602714f9a73bf3210dba046a0/>, scroll down to "537" (last accessed July 18, 2009).

⁶³¹ 49 CFR 523.2.

"Track width," in turn, is defined as "the lateral distance between the centerlines of the base tires at ground, including the camber angle."⁶³² "Wheelbase" is defined as "the longitudinal distance between front and rear wheel centerlines."⁶³³

NHTSA began requiring manufacturers to submit this information as part of their pre-model year reports in MY 2008 for light trucks, and will require manufacturers to submit this information for passenger cars as well beginning in MY 2011. Manufacturers have submitted the required information for their light trucks, but NHTSA has identified several issues with regard to footprint measurement, that could affect how required fuel economy levels are calculated for a manufacturer. The paragraphs that follow explain NHTSA's views regarding these issues, and solicit public input on what NHTSA should do to address them in the future.

a. Variations in Track Width

By definition, wheelbase measurement should be very consistent from one vehicle to another of the same model. Track width, in contrast, may vary in two respects: Wheel offset,⁶³⁴ and camber. Most current vehicles have wheels with positive offset, with technical specifications for offset typically expressed in millimeters. Additionally, for most vehicles, the camber angle of each of a vehicle's wheels is specified as a range, *i.e.*, front axle, left and right within minus 0.9 to plus 0.3 degree and rear axle, left and right within minus 0.9 to plus 0.1 degree. Given the small variations in offset and camber angle dimensions, the potential effects of components (wheels) and vehicle specifications (camber) within existing designs on vehicle footprints are considered insignificant.

However, NHTSA recognizes that manufacturers may change the specifications of and the equipment on vehicles, even those that are not redesigned or refreshed, during a model year and from year to year. There may be opportunity for manufacturers to change specifications for wheel offset and camber to increase a vehicle's track

⁶³² *Id.*

⁶³³ *Id.*

⁶³⁴ Offset of a wheel is the distance from its hub mounting surface to the centerline of the wheel, *i.e.*, measured laterally inboard or outboard.

Zero offset—the hub mounting surface is even with the centerline of the wheel.

Positive offset—the hub mounting surface is outboard of the centerline of the wheel (toward street side).

Negative offset—the hub mounting surface is inboard of the centerline of the wheel (away from street side).

width and footprint, and thus decrease their required fuel economy level. NHTSA believes that this is likely easiest on vehicles that already have sufficient space to accommodate changes without accompanying changes to the body profile and/or suspension component locations.

There may be drawbacks to such a decision, however. Changing from positive offset wheels to wheels with zero or negative offset will move tires and wheels outward toward the fenders. Increasing the negative upper limit of camber will tilt the top of the tire and wheel inward and move the bottom outward, placing the upper portion of the rotating tires and wheels in closer proximity to suspension components. In addition, higher negative camber can adversely affect tire life and the on-road fuel economy of the vehicle. Furthermore, it is likely that most vehicle designs have already used the available space in wheel areas since, by doing so, the vehicle's handling performance is improved. Therefore, it seems unlikely that manufacturers will make significant changes to wheel offset and camber.

b. How Manufacturers Designate "Base Tires" and Wheels

According to the definition of "track width" in 49 CFR 523.2, manufacturers must determine track width when the vehicle is equipped with "base tires." Section 523.2 defines "base tire," in turn, as "the tire specified as standard equipment by a manufacturer on each configuration of a model type." NHTSA did not define "standard equipment."

In their pre-model year reports required by 49 CFR part 537, manufacturers have the option of either (A) reporting a base tire for each model type, or (B) reporting a base tire for each vehicle configuration within a model type, which represents an additional level of specificity. If different vehicle configurations have different footprint values, then reporting the number of vehicles for each footprint will improve the accuracy of the required fuel economy level for the fleet, since the pre-model year report data is part of what manufacturers use to determine their CAFE obligations.

For example, assume a manufacturer's pre-model year report listed five vehicle configurations that comprise one model type. If the manufacturer provides only one vehicle configuration's front and rear track widths, wheelbase, footprint and base tire size to represent the model type, and the other vehicle configurations all have a different tire size specified as standard equipment, the footprint value represented by the

manufacturer may not capture the full spectrum of footprint values for that model type. Similarly, the base tires of a model type may be mounted on two or more wheels with different offset dimensions for different vehicle configurations. Of course, if the footprint value for all vehicle configurations is essentially the same, there would be no need to report by vehicle configuration. However, if footprints are different—larger or smaller—reporting for each group with similar footprints or for each vehicle configuration would produce a more accurate result.

c. Vehicle "Design" Values Reported by Manufacturers

NHTSA understands that the track widths and wheelbase values and the calculated footprint calculated values, as provided in pre-model year reports, are based on vehicle designs. This can lead to inaccurate calculations of required fuel economy level. For example, if the values reported by manufacturers are within an expected range of values, but are skewed to the higher end of the ranges, the required fuel economy level for the fleet will be artificially lower, an inaccurate attribute based value. Likewise, it would be inaccurate for manufacturers to submit values on the lower end of the ranges, but would decrease the likelihood that measured values would be less than the values reported and reduce the likelihood of an agency inquiry. Since not every vehicle is identical, it is also probable that variations between vehicles exist that can affect track width, wheelbase and footprint. As with other self-certifications, each manufacturer must decide how it will report, by model type, vehicle configuration, or a combination, and whether the reported values have sufficient margin to account for variations.

To address this, the agency will be monitoring the track widths, wheelbases and footprints reported by manufacturers, and anticipates measuring vehicles to determine if the reported and measured values are consistent. We will look for year-to-year changes in the reported values. We can compare MY 2008 light truck information and MY 2010 passenger car information to the information reported in subsequent model years. Moreover, under 49 CFR 537.8, manufacturers may make separate reports to explain why changes have occurred or they may be contacted by the agency to explain them.

d. How Manufacturers Report This Information in their Pre-Model Year Reports

49 CFR 537.7(c) requires that manufacturers' pre-model year reports include "model type and configuration fuel economy and technical information." The fuel economy of a "model type" is, for many manufacturers, comprised of a number of vehicle configurations. 49 CFR 537.4 states that "model type" and "vehicle configuration" are defined in 40 CFR part 600. Under that Part, "model type" includes engine, transmission, and drive configuration (2WD, 4WD, or all-wheel drive), while "vehicle configuration" includes those parameters plus test weight. Model type is important for calculating fuel economy in the new attribute-based system—the required fuel economy level for each of a manufacturer's fleets is calculated using the number of vehicles within each model type and the applicable fuel economy target for each model type.

In MY 2008 and 2009 pre-model year reports for light trucks, manufacturers have expressed information in different ways. Some manufacturers that have many vehicle configurations within a model type have included information for each vehicle configuration's track width, wheelbase and footprint. Other manufacturers reported vehicle configuration information per § 537.7(c)(4), but provided only model type track width, wheelbase and footprint information for subsections 537.7(c)(4)(xvi)(B)(3), (4) and (5). NHTSA believes that these manufacturers may have reported the information this way because the track widths, wheelbase and footprint are essentially the same for each vehicle configuration within each model type. A third group of manufacturers submitted model type information only, presumably because each model type contains only one vehicle configuration.

NHTSA does not believe that this variation in reporting methodology presents an inherent problem, as long as manufacturers follow the specifications in Part 537 for reporting format, and as long as pre-model year reports provide information that is accurate and represents each vehicle configuration within a model type. The report may, but need not, be similar to what manufacturers submit to EPA as their end-of-model year report. However, NHTSA seeks comment on any potential benefits or drawbacks to requiring a more standardized reporting methodology. If commenters recommend increasing standardization, NHTSA requests that they provide

specific examples of what information should be required and how NHTSA should require it to be provided.

J. Other Near-Term Rulemakings Mandated by EISA

1. Commercial Medium- and Heavy-Duty On-Highway Vehicles and Work Trucks

EISA added a new provision to 49 U.S.C. 32902 requiring DOT, in consultation with DOE and EPA, to examine the fuel efficiency of commercial medium- and heavy-duty on-highway vehicles⁶³⁵ and work trucks⁶³⁶ and determine the appropriate test procedures and methodologies for measuring their fuel efficiency, as well as the appropriate metric for measuring and expressing their fuel efficiency performance and the range of factors that affect their fuel efficiency. Work on developing these standards is on-going.

2. Consumer Information

EISA also added a new provision to 49 U.S.C. 32908 requiring DOT, in consultation with DOE and EPA, to develop and implement by rule a program to require manufacturers to label new automobiles sold in the United States with:

(1) Information reflecting an automobile's performance on the basis of criteria that EPA shall develop, not later than 18 months after the date of the enactment of EISA, to reflect fuel economy and greenhouse gas and other emissions over the useful life of the automobile; and

(2) A rating system that would make it easy for consumers to compare the fuel economy and greenhouse gas and other emissions of automobiles at the point of purchase, including a designation of automobiles with the lowest greenhouse gas emissions over the useful life of the vehicles; and with the highest fuel economy.

DOT must also develop and implement by rule a program to require manufacturers to include in the owner's manual for vehicles capable of operating on alternative fuels information that describes that capability and the benefits of using alternative fuels, including the renewable nature and environmental benefits of using alternative fuels.

EISA further requires DOT, in consultation with DOE and EPA, to

- Develop and implement by rule a consumer education program to improve consumer understanding of automobile performance described [by the label to be developed] and to inform consumers of the benefits of using alternative fuel in automobiles and the location of stations with alternative fuel capacity;

- Establish a consumer education campaign on the fuel savings that would be recognized from the purchase of vehicles equipped with thermal management technologies, including energy efficient air conditioning systems and glass; and

- By rule require a label to be attached to the fuel compartment of vehicles capable of operating on alternative fuels, with the form of alternative fuel stated on the label. 49 U.S.C. 32908(g)(2) and (3). DOT has 42 months from the date of EISA's enactment (by the end of 2011) to issue final rules under this subsection. Work on developing these standards is also on-going.

Additionally, in preparation for this future rulemaking, NHTSA will consider appropriate metrics for presenting fuel economy-related information on labels. Based on the non-linear relationship between mpg and fuel costs as well as emissions, inclusion of the "gallons per 100 miles" metric on fuel economy labels may be appropriate going forward, although the mpg information is currently required by law. A cost/distance metric may also be useful, as could a CO₂e grams per mile metric to facilitate comparisons between conventional vehicles and alternative fuel vehicles and to incorporate information about air conditioning-related emissions. NHTSA seeks comment on these options.

K. Regulatory Notices and Analyses

1. Executive Order 12866 and DOT Regulatory Policies and Procedures

Executive Order 12866, "Regulatory Planning and Review" (58 FR 51735, Oct. 4, 1993), provides for making determinations whether a regulatory action is "significant" and therefore subject to OMB review and to the requirements of the Executive Order. The Order defines a "significant regulatory action" as one that is likely to result in a rule that may:

(1) Have an annual effect on the economy of \$100 million or more or adversely affect in a material way the economy, a sector of the economy, productivity, competition, jobs, the environment, public health or safety, or State, local or Tribal governments or communities;

(2) Create a serious inconsistency or otherwise interfere with an action taken or planned by another agency;

(3) Materially alter the budgetary impact of entitlements, grants, user fees, or loan programs or the rights and obligations of recipients thereof; or

(4) Raise novel legal or policy issues arising out of legal mandates, the President's priorities, or the principles set forth in the Executive Order.

The rulemaking proposed in this NPRM will be economically significant if adopted. Accordingly, OMB reviewed it under Executive Order 12866. The rule, if adopted, would also be significant within the meaning of the Department of Transportation's Regulatory Policies and Procedures.

The benefits and costs of this proposal are described above. Because the proposed rule would, if adopted, be economically significant under both the Department of Transportation's procedures and OMB guidelines, the agency has prepared a Preliminary Regulatory Impact Analysis (PRIA) and placed it in the docket and on the agency's Web site. Further, pursuant to OMB Circular A-4, we have prepared a formal probabilistic uncertainty analysis for this proposal. The circular requires such an analysis for complex rules where there are large, multiple uncertainties whose analysis raises technical challenges or where effects cascade and where the impacts of the rule exceed \$1 billion. This proposal meets these criteria on all counts.

2. National Environmental Policy Act

NHTSA has initiated the Environmental Impact Statement (EIS) process under the National Environmental Policy Act (NEPA), 42 U.S.C. 4321-4347, and implementing regulations issued by the Council on Environmental Quality (CEQ), 40 CFR part 1500, and NHTSA, 49 CFR part 520. On April 1, 2009, NHTSA published a notice of intent to prepare an EIS for this rulemaking and requested scoping comments. (74 FR 14857) The notice invites Federal, State, and local agencies, Indian tribes, and the public to participate in the scoping process and to help identify the environmental issues and reasonable alternatives to be examined in the EIS. The scoping notice also provides information about the proposed standards, the alternatives NHTSA expects to consider in its NEPA analysis, and the scoping process.

Concurrently with this NPRM, NHTSA is releasing a Draft Environmental Impact Statement (DEIS). NHTSA prepared the DEIS to analyze and disclose the potential

⁶³⁵ Defined as an on-highway vehicle with a gross vehicle weight rating of 10,000 pounds or more.

⁶³⁶ Defined as a vehicle that is both rated at between 8,500 and 10,000 pounds gross vehicle weight; and also is not a medium-duty passenger vehicle (as defined in 40 CFR 86.1803-01, as in effect on the date of EISA's enactment).

environmental impacts of the proposed MY 2012–2016 CAFE standards for the total fleet of passenger cars and light trucks and reasonable alternative standards for the NHTSA CAFE Program pursuant to the Council on Environmental Quality (CEQ) regulations implementing NEPA, DOT Order 5610.1C, and NHTSA regulations.⁶³⁷ The DEIS compares the potential environmental impacts of alternative mile per gallon (mpg) levels that will be considered by NHTSA for the final rule. It also analyzes direct, indirect, and cumulative impacts and analyzes impacts in proportion to their significance.

The DEIS also describes potential environmental impacts to a variety of resources. Resources that may be affected by the proposed action and alternatives include water resources, biological resources, land use and development, safety, hazardous materials and regulated wastes, noise, socioeconomics, and environmental justice. These resource areas were assessed qualitatively in the DEIS.

Throughout the DEIS, NHTSA has relied extensively on findings of the United Nations Intergovernmental Panel on Climate Change (IPCC), the U.S. Climate Change Science Program (CCSP), and EPA. Our discussion relies heavily on the most recent, thoroughly peer-reviewed, and credible assessments of global and U.S. climate change: the IPCC Fourth Assessment Report (*Climate Change 2007*), EPA's proposed Endangerment and Cause or Contribute Findings for Greenhouse Gases under Section 202(a) of the Clean Air Act and the accompanying Technical Support Document (TSD), and CCSP and National Science and Technology Council reports that include the *Scientific Assessment of the Effects of Global Change on the United States* and Synthesis and Assessment Products. The DEIS cites these sources and the studies they review frequently.

Because of the link between the transportation sector and GHG emissions, NHTSA recognizes the need to consider the possible impacts on climate and global climate change in the analysis of the effects of these fuel economy standards. NHTSA also recognizes the difficulties and uncertainties involved in such an impact analysis. Accordingly, consistent with CEQ regulations on addressing incomplete or unavailable information in environmental impact analyses,

NHTSA has reviewed existing credible scientific evidence that is relevant to this analysis and summarized it in the DEIS. NHTSA has also employed and summarized the results of research models generally accepted in the scientific community.

Although the alternatives have the potential to decrease GHG emissions substantially, they do not prevent climate change, but only result in reductions in the anticipated increases in CO₂ concentrations, temperature, precipitation, and sea level. They would also, to a small degree, delay the point at which certain temperature increases and other physical effects stemming from increased GHG emissions would occur. As discussed below, NHTSA presumes that these reductions in climate effects will be reflected in reduced impacts on affected resources.

NHTSA consulted with various Federal agencies in the development of the DEIS, including EPA, Bureau of Land Management, Centers for Disease Control and Prevention, Minerals Management Service, National Park Service, U.S. Army Corps of Engineers, U.S. Forest Service, and Advisory Council on Historic Preservation. NHTSA is also exploring its obligations under Section 7 of the Endangered Species Act with the U.S. Fish and Wildlife Service and the National Oceanic and Atmospheric Administration Fisheries Service.

The main direct and indirect effects resulting from the different alternatives analyzed in the DEIS are as follows:

Fuel consumption: For passenger cars, fuel consumption under the No Action Alternative is 171 billion gallons in 2060. Fuel consumption ranges from 156.1 billion gallons under Alternative 2 (3-Percent Alternative) to 133.7 billion gallons under Alternative 9 (TCTB). Fuel consumption is 149.3 billion gallons under the Preferred Alternative. For light trucks, fuel consumption under the No Action Alternative is 105.4 billion gallons in 2060. Fuel consumption ranges from 97.1 billion gallons under Alternative 2 (3-Percent Alternative) to 83.8 billion gallons under Alternative 9 (TCTB). Fuel consumption is 92.2 billion gallons under the Preferred Alternative (Alternative 4).

Air quality: Emissions of criteria pollutants change very little between the No Action Alternative and Alternatives 2 through 4. In the case of particulate matter (PM_{2.5}), sulfur oxides (SO_x), nitrogen oxides (NO_x), and volatile organic compounds (VOCs), the No Action Alternative results in the highest emissions, and emissions generally decline as fuel economy

standards increase across alternatives. There are some increases from Alternative 6 through Alternative 9, but emissions remain below the levels under the No Action Alternative. In the case of carbon monoxide (CO), emissions under Alternatives 2 through 4 are slightly higher than under the No Action Alternative. Emissions of CO decline as fuel economy standards increase across Alternatives 5 through 9.

The trend for toxic air pollutant emissions across the alternatives is mixed. Emissions of nearly all toxic air pollutants are highest under the No Action Alternative, except for those of acrolein, which increases with each successive alternative and are highest under Alternative 9. The acrolein emissions are an upper-bound estimate and actual emissions might be less. Emissions of acetaldehyde, benzene, and DPM in 2030 decrease with successive alternatives from Alternative 1 to Alternative 9. Emissions of 1,3-butadiene increase slightly from Alternative 3 (4-Percent Alternative) to Alternative 4 (Preferred), and emissions of formaldehyde increase slightly from Alternative 8 (7-Percent Alternative) to Alternative 9 (TCTB) in 2030.

The reductions in emissions are expected to lead to reductions in adverse health effects. There would be reductions in adverse health effects nationwide under Alternatives 2 (3-Percent Alternative) through 9 (TCTB) compared to the No Action Alternative. These reductions primarily reflect the projected PM_{2.5} reductions, and secondarily the reductions in SO₂. The economic value of health impacts would vary proportionally with changes in health outcomes.

Climate: The DEIS uses a climate model to estimate the changes in CO₂ concentrations, global mean surface temperature, and changes in sea level for each alternative CAFE standard. NHTSA used the publicly available modeling software, Model for Assessment of Greenhouse Gas-induced Climate Change (MAGICC) version 5.3.v2 to estimate changes in key direct and indirect effects. The application of MAGICC version 5.3.v2 uses the emissions estimates for CO₂, CH₄, N₂O, CO, NO_x, SO₂, and VOCs from the Volpe model. A sensitivity analysis was completed to examine the relationship among selected CAFE alternatives and likely climate sensitivities, and the associated direct and indirect effects for each combination. These relationships can be used to infer the effect of emissions associated with the regulatory alternatives on direct and indirect climate effects.

⁶³⁷ NEPA is codified at 42 U.S.C. 4321–4347. CEQ NEPA implementing regulations are codified at 40 Code of Federal Regulations (CFR) Parts 1500–1508. NHTSA NEPA implementing regulations are codified at 49 CFR Part 520.

For the analysis using MAGICC, NHTSA has assumed that global emissions consistent with the No Action Alternative (Alternative 1) follow the trajectory provided by the Representative Concentration Pathway (RCP) 4.5 MiniCAM (Mini Climate Assessment Model) reference scenario.⁶³⁸ The SAP 2.1 global emissions scenarios were created as part of CCSP's effort to develop a set of long-term (2000 to 2100) global emissions scenarios that incorporate an update of economic and technology data and utilize improved scenario development tools compared to the IPCC *Special Report on Emissions Scenarios* (SRES) developed more than a decade ago.

The results rely primarily on the RCP 4.5 MiniCAM reference scenario to represent an emissions scenario, that is, future global emissions assuming no additional climate policy. Each alternative was simulated by calculating the difference in annual GHG emissions in relation to the No Action Alternative and subtracting this change from the RCP 4.5 MiniCAM reference scenario to generate modified global-scale emissions scenarios, which each show the effect of the various regulatory alternatives on the global emissions path.

To estimate changes in global precipitation, this EIS uses increases in global mean surface temperature combined with a scaling approach and coefficients from the IPCC Fourth Assessment Report.

For all of the climate change analysis, the approaches focus on marginal changes in emissions that affect climate. Thus, the approaches result in a reasonable characterization of climate change for a given set of emissions reductions, regardless of the underlying details associated with those emissions reductions. The climate sensitivity analysis provides a basis for determining climate responses to varying climate sensitivities under the No Action Alternative (Alternative 1) and the Preferred Alternative (Alternative 4). Some responses of the climate system are believed to be non-linear; by using a range of emissions cases and climate sensitivities, the effects of the alternatives in relation to different scenarios and sensitivities can be estimated.

⁶³⁸ The reference scenario for global emissions assumes the absence of significant global GHG control policies. It is based on the Climate Change Science Program's (CCSP) Synthesis and Assessment Product (SAP) 2.1 MiniCAM reference scenario, and has been revised by the Joint Global Change Research Institute to update emission estimates of non-CO₂ gases.

GHG emissions: Although GHG emissions from new passenger cars and light trucks will continue to rise over 2012 through 2100 (absent other reduction efforts), the effect of the alternatives is to slow this increase by varying amounts. Emissions for the period range from 196,341 million metric tons of CO₂ (MMTCO₂) for the TCTB Alternative (Alternative 9) to 244,821 MMTCO₂ for the No Action Alternative (Alternative 1). Compared to the No Action Alternative, projections of emissions reductions over the period 2012 to 2100 due to the MY 2012–2016 CAFE standards range from 19,169 to 48,480 MMTCO₂. Compared to cumulative global emissions of 5,293,896 MMTCO₂ over this period (projected by the RCP 4.5 MiniCAM reference scenario), this rulemaking is expected to reduce global CO₂ emissions by about 0.4 to 0.9 percent.

To get a sense of the relative impact of these reductions, it can be helpful to consider the relative importance of emissions from passenger cars and light trucks as a whole and to compare them against emissions projections from the transportation sector. As mentioned earlier, U.S. passenger cars and light trucks currently account for significant CO₂ emissions in the United States. With the action alternatives reducing U.S. passenger car and light truck CO₂ emissions by 7.8 to 19.8 percent, the CAFE alternatives would have a noticeable impact on total U.S. CO₂ emissions. Compared to total U.S. CO₂ emissions in 2100 projected by the MiniCAM reference scenario of 7,886 MMTCO₂, the action alternatives would reduce annual U.S. CO₂ emissions by 3.5 to 8.9 percent in 2100.

CO₂ concentration, global mean surface temperature, sea-level rise, and precipitation: Estimated CO₂ concentrations for 2100 range from 778.4 ppm under the most stringent alternative (TCTB) to 783.0 ppm under the No Action Alternative. For 2030 and 2050, the range is even smaller. Because CO₂ concentration is the key driver of other climate effects (which in turn act as drivers on resource impacts), this leads to small differences in these effects. For the No Action alternative, the temperature increase from 1990 is 0.92 °C for 2030, 1.56 °C for 2050, and 3.14 °C for 2100. The differences among alternatives are small. For 2100, the reduction in temperature increase, in relation to the No Action Alternative, ranges from 0.007 °C to 0.018 °C. Given that all the action alternatives reduce temperature increases slightly in relation to the No Action Alternative, they also slightly reduce predicted increases in precipitation.

In summary, the impacts of the proposed action and alternatives on global mean surface temperature, precipitation, or sea-level rise are small in absolute terms. This is because the action alternatives have a small proportional change in the emissions trajectories in the RCP 4.5 MiniCAM reference scenario.⁶³⁹ This is due primarily to the global and multi-sectoral nature of the climate change issues.

Under CEQ regulations, NHTSA must also analyze cumulative impacts, defined as "the impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency or person undertakes such other actions." 40 CFR 1508.7. Following is a description of the cumulative effects of the proposed action and alternatives on energy, air quality, and climate.

The methodology for evaluating cumulative effects includes the reasonably foreseeable future actions of projected average annual passenger-car and light-truck mpg estimates from 2016 through 2030 that differ from mpg estimates reflected in the analysis of the direct and indirect impacts of MY 2012 through MY 2016 fuel economy requirements under each of the action alternatives, assuming no further increases in average new passenger-car or light-truck mpg after 2016. The evaluation of cumulative effects projects ongoing gains in average new passenger-car and light-truck mpg consistent with further increases in CAFE standards to an EISA-mandated minimum level of 35 mpg combined for passenger cars and light trucks by the year 2020, along with AEO April 2009 (updated) Reference Case projections of annual percentage gains of 0.51 percent in passenger-car mpg and 0.86 percent in light-truck mpg through 2030.⁶⁴⁰ AEO Reference Case

⁶³⁹ These conclusions are not meant to be interpreted as expressing NHTSA's views that impacts on global mean surface temperature, precipitation, or sea-level rise are not areas of concern for policymakers. Under NEPA, the agency is obligated to discuss the environmental impact[s] of the proposed action. 42 U.S.C. 4332(2)(C)(i) (emphasis added). This analysis fulfills NHTSA's obligations in this regard.

⁶⁴⁰ NHTSA considers these AEO projected mpg increases to be reasonably foreseeable future actions under NEPA because the AEO projections reflect future consumer and industry actions that result in ongoing mpg gains through 2030. The AEO projections of fuel economy gains beyond the EISA requirement of combined achieved 35 mpg by 2020 result from a future forecasted increase in consumer demand for fuel economy resulting from projected fuel price increases. Since the AEO forecasts do not extend beyond the year 2030, the mpg estimates for MY 2030 through MY 2060 remain constant.

projections are regarded as the official U.S. government energy projections by both the public and private sector.

The assumption that all action alternatives reach the EISA 35 mpg target by 2020, with mpg growth at the AEO forecast rate from 2020 to 2030, results in estimated cumulative impacts for Alternatives 2, 3, and 4 that are substantially equivalent, with any minor variation in cumulative impacts across these Alternatives due to the specific modeling assumptions used to ensure that each Alternative achieves at least 35 mpg by 2020. Therefore, the cumulative impacts analysis adds substantively to the analysis of direct and indirect impacts when comparing cumulative impacts between Alternatives 4 through 9, but not when comparing cumulative impacts between Alternatives 2 through 4. Another important difference in the methodology for evaluating cumulative effects is that the No Action Alternative (Alternative 1) also reflects the AEO Reference Case projected annual percentage gains of 0.51 percent in car mpg and 0.86 percent in light truck mpg for the period 2016 through 2030, whereas the direct and indirect impacts analysis assumed no increases in average new passenger-car or light-truck mpg after 2016 under any alternative, including the No Action Alternative. NHTSA also considered other reasonably foreseeable actions that would affect greenhouse gas emissions, such as regional, national, and international initiatives and programs to reduce GHG emissions.

Fuel consumption: The nine alternatives examined in the DEIS will result in different future levels of fuel use, total energy, and petroleum consumption, which will in turn have an impact on emissions of GHG and criteria air pollutants. For passenger cars, by 2060, fuel consumption reaches 160.4 billion gallons under the No Action Alternative (Alternative 1). Consumption falls across the alternatives, from 139.4 billion gallons under the Preferred Alternative (Alternative 4) to 125.7 billion gallons under the TCTB Alternative (Alternative 9) representing a fuel savings of 21.0 to 34.7 billion gallons in 2060, as compared to fuel consumption projected under the No Action Alternative. For light trucks, fuel consumption by 2060 reaches 94.8 billion gallons under the No Action Alternative (Alternative 1). Consumption declines across the alternatives, from 83.3 billion gallons under the 3-Percent Alternative (Alternative 2) to 75.7 billion gallons under the TCTB Alternative (Alternative 9). This represents a fuel savings of 11.5 to 19.1 billion gallons in 2060, as

compared to fuel consumption projected under the No Action Alternative.

Air quality: In the case of PM_{2.5}, SO_x, NO_x, and VOCs, the No Action Alternative results in the highest emissions, and emissions generally decline as fuel economy standards increase across alternatives. Exceptions to this declining trend are NO_x under the Preferred Alternative (Alternative 4); PM_{2.5} under Alternatives 3 and 4, and Alternatives 8 and 9; SO_x under Alternatives 3 (4-Percent Alternative) and 4 (Preferred Alternative); and VOCs under Alternative 4. Despite these individual increases, emissions of PM_{2.5}, SO_x, NO_x, and VOCs remain below the levels under the No Action Alternative (Alternative 1). In the case of CO, emissions under Alternatives 2 through 4 are slightly higher than under the No Action Alternative. Emissions of CO decline as fuel economy standards increase across Alternatives 5 through 9.

As with criteria pollutants, emissions of most toxic air pollutants would decrease from one alternative to the next more stringent alternative. The exceptions are acetaldehyde emissions, which would increase under Alternative 4; acrolein emissions, which increase under each of the alternatives; benzene emissions, which would increase under Alternative 4; 1,3-butadiene, which would increase under Alternatives 2 and 4; diesel particulate matter (DPM), which would increase under Alternatives 3 and 4; and formaldehyde, which would increase under Alternatives 3, 5, 6, 8, and 9. The changes in toxic air pollutant emissions, whether positive or negative, generally would be small relative to Alternative 1 emissions levels.⁶⁴¹ The exceptions are acetaldehyde emissions, which would decrease by more than 10 percent under Alternative 9; acrolein emissions, which would increase across successive alternatives (as noted above, the acrolein emissions are an upper-bound estimate and actual emissions might be less); benzene emissions, which would decrease by more than 10 percent under Alternatives 8 and 9; and DPM emissions, which would decrease by more than 10 percent under all action alternatives.

Cumulative emissions generally would be less than noncumulative emissions for the same combination of pollutant, year, and alternative because

⁶⁴¹ These conclusions are not meant to be interpreted as expressing NHTSA's views that impacts on air quality is not an area of concern for policymakers. Under NEPA, the agency is obligated to discuss the environmental impact(s) of the proposed action. 42 U.S.C. 4332(2)(C)(i) (emphasis added). This analysis fulfills NHTSA's obligations in this regard.

of differing changes in VMT and fuel consumption under the cumulative case compared to the noncumulative case. The exceptions are acrolein for all alternatives except Alternative 9, and 1,3-butadiene for all alternatives except Alternative 2 (3-Percent Alternative).

The reductions in emissions are expected to lead to reductions in cumulative adverse health effects. There would be reductions in adverse health effects nationwide under Alternatives 2 (3-Percent Alternative) through 9 (TCTB) compared to the No Action Alternative. Reductions in adverse health effects decrease from Alternative 2 (3-Percent Alternative) through Alternative 4 (Preferred Alternative), and then increase under Alternatives 5 (5-Percent Alternative) through Alternative 9 (TCTB). These reductions primarily reflect the projected PM_{2.5} reductions, and secondarily the reductions in SO₂. The economic value of health impacts would vary proportionally with changes in health outcomes.

Climate change: As with the analysis of the direct and indirect effects of the proposed action and alternatives on climate change, for the cumulative impacts analysis this EIS uses MAGICC version 5.3.v2 to estimate the changes in CO₂ concentrations, global mean surface temperature, and changes in sea level for each alternative CAFE standard. To estimate changes in global precipitation, NHTSA uses increases in global mean surface temperature combined with a scaling approach and coefficients from the IPCC Fourth Assessment Report. A sensitivity analysis was completed to examine the relationship among the alternatives and likely climate sensitivities, and the associated direct and indirect effects for each combination. These relationships can be used to infer the effect of emissions associated with the regulatory alternatives on direct and indirect climate effects.

One of the key categories of inputs to MAGICC is a time series of global GHG emissions. In assessing the cumulative effects on climate, NHTSA used the CCSP SAP 2.1 MiniCAM Level 3 scenario to represent a Reference Case global emission scenario, that is, future global emissions assuming significant global actions to address climate change. This Reference Case global emission scenario serves as a baseline against which the climate benefits of the various alternatives can be measured.

The Reference Case global emissions scenario used in the cumulative impacts analysis (and described in Chapter 4 of this EIS) differs from the global emissions scenario used for the climate

change modeling presented in Chapter 3. In Chapter 4, the Reference Case global emission scenario reflects reasonably foreseeable actions in global climate change policy; in Chapter 3, the global emissions scenario used for the analysis assumes that there are no significant global controls. Given that the climate system is non-linear, the choice of a global emissions scenario could produce different estimates of the benefits of the proposed action and alternatives, if the emission reductions of the alternatives were held constant.

The SAP 2.1 MiniCAM Level 3 scenario assumes a moderate level of global GHG reductions, resulting in a global atmospheric CO₂ concentration of roughly 650 parts per million by volume (ppmv) as of 2100. The following regional, national, and international initiatives and programs are reasonably foreseeable actions to reduce GHG emissions: Regional Greenhouse Gas Initiative (RGGI); Western Climate Initiative (WCI); Midwestern Greenhouse Gas Reduction Accord; EPA's Proposed GHG Emissions Standards; H.R. 2454: American Clean Energy and Security Act ("Waxman-Markey Bill"); Renewable Fuel Standard (RFS2); Program Activities of DOE's Office of Fossil Energy; Program Activities of DOE's Office of Nuclear Energy; United Nation's Framework Convention on Climate Change (UNFCCC)—The Kyoto Protocol and upcoming Conference of the Parties (COP) 15 in Copenhagen, Denmark; G8 Declaration—Summit 2009; and the Asia Pacific Partnership on Clean Development and Climate.⁶⁴² The SAP 2.1 MiniCAM Level 3 scenario provides a global context for emissions of a full suite of GHGs and ozone precursors for a Reference Case harmonious with implementation of the above policies and initiatives. Each of the action alternatives was simulated by calculating the difference in annual GHG emissions in relation to the No Action Alternative, and subtracting this change in the MiniCAM Level 3 scenario to generate modified global-scale emissions scenarios, which each show the effect of the various regulatory

⁶⁴² The regional, national, and international initiatives and programs discussed above are those which NHTSA has tentatively concluded are reasonably foreseeable past, current, or future actions to reduce GHG emissions. Although some of the actions, policies, or programs listed are not associated with precise GHG reduction commitments, collectively they illustrate a current and continuing trend of U.S. and global awareness, emphasis, and efforts towards significant GHG reductions. Together they imply that future commitments for reductions are probable and, therefore, reasonably foreseeable under NEPA.

alternatives on the global emissions path.

NHTSA used the MiniCAM Level 3 scenario as the primary global emissions scenario for evaluating climate effects, and used the MiniCAM Level 2 scenario and the RCP 4.5 MiniCAM reference emissions scenario to evaluate the sensitivity of the results to alternative emission scenarios. The sensitivity analysis provides a basis for determining climate responses to varying levels of climate sensitivities and global emissions and under the No Action Alternative (Alternative 1) and the Preferred Alternative (Alternative 4). Some responses of the climate system are believed to be non-linear; by using a range of emissions cases and climate sensitivities, it is possible to estimate the effects of the alternatives in relation to different reference cases.

Cumulative GHG emissions: Projections of GHG emissions reductions over the 2012 to 2100 period due to the MY 2012–2016 CAFE standards and other reasonably foreseeable future actions ranged from 27,164 to 44,626 MMTCO₂. Compared to global emissions of 3,919,462 MMTCO₂ over this period (projected by the SAP 2.1 MiniCAM Level 3 scenario), the incremental impact of this rulemaking is expected to reduce global CO₂ emissions by about 0.7 to 1.1 percent from their projected levels under the No Action Alternative.

CO₂ concentration, global mean surface temperature, sea-level rise, and precipitation: For the mid-range results of MAGICC model simulations for the No Action Alternative and the eight action alternatives in terms of CO₂ concentrations and increase in global mean surface temperature in 2030, 2050, and 2100, the impact on the growth in CO₂ concentrations and temperature is just a fraction of the total growth in CO₂ concentrations and global mean surface temperature. However, the relative impact of the action alternatives is illustrated by the reduction in growth of both CO₂ concentrations and temperature in the TCTB Alternative (Alternative 9).

There is a fairly narrow band of estimated CO₂ concentrations as of 2100, from 653.5 ppm for the TCTB Alternative (Alternative 9) to 657.5 ppm for the No Action Alternative (Alternative 1). For 2030 and 2050, the range is even smaller. Because CO₂ concentrations are the key driver of all other climate effects, this leads to small differences in these effects.

The MAGICC simulations of mean global surface air temperature increases are also shown in Table S–18. For all alternatives, the cumulative global mean

surface temperature increase is about 0.80 °C to 0.81 °C as of 2030; 1.32 to 1.33 °C as of 2050; and 2.59 to 2.61 °C as of 2100.⁶⁴³ The differences among alternatives are small. For 2100, the reduction in temperature increase for the action alternatives in relation to the No Action Alternative is about 0.01 to 0.02 °C.

The impact on sea-level rise in 2100 ranges from 32.84 centimeters under the No Action Alternative (Alternative 1) to 32.68 centimeters under the TCTB Alternative (Alternative 9), for a maximum reduction of 0.16 centimeter by 2100 from the action alternatives.

Given that the action alternatives would reduce temperature increases slightly in relation to the No Action Alternative (Alternative 1), they also would reduce predicted increases in precipitation slightly. In summary, the impacts of the proposed action and alternatives and other reasonably foreseeable future actions on global mean surface temperature, sea-level rise, and precipitation are relatively small in the context of the expected changes associated with the emissions trajectories in the SRES scenarios.⁶⁴⁴ This is due primarily to the global and multi-sectoral nature of the climate problem.

NHTSA examined the sensitivity of climate effects on key assumptions used in the analysis. The two variables for which assumptions were varied were climate sensitivity and global emissions.

Climate sensitivities used included 2.0, 3.0, and 4.5 °C for a doubling of CO₂ concentrations in the atmosphere. Global emissions scenarios used included the SAP 2.1 MiniCAM Level 3 (650 ppm as of 2100), the SAP 2.1 MiniCAM Level 2 (550 ppm as of 2100), and RCP 4.5 MiniCAM reference scenario (783 ppm as of 2100). The sensitivity analysis is based on the results provided for two alternatives—the No Action Alternative (Alternative 1) and the Preferred Alternative (Alternative 4). The sensitivity analysis was conducted only for two alternatives, as this was deemed sufficient to assess the effect of various climate sensitivities on the results.

⁶⁴³ Because the actual increase in global mean surface temperature lags the commitment to warming, the impact on global mean surface temperature increase is less than the long-term commitment to warming.

⁶⁴⁴ These conclusions are not meant to be interpreted as expressing NHTSA's views that impacts on global mean surface temperature, precipitation, or sea-level rise are not areas of concern for policymakers. Under NEPA, the agency is obligated to discuss the environmental impact[s] of the proposed action. 42 U.S.C. 4332(2)(C)(i) (emphasis added). This analysis fulfills NHTSA's obligations in this regard.

The results of these simulations illustrate the uncertainty due to factors influencing future global emissions of GHGs (factors other than the CAFE rulemaking). The use of different climate sensitivities⁶⁴⁵ (the equilibrium warming that occurs at a doubling of CO₂ from pre-industrial levels) can affect not only warming but also indirectly affect sea-level rise and CO₂ concentration. The use of alternative global emissions scenarios can influence the results in several ways. Emissions reductions can lead to larger reductions in the CO₂ concentrations in later years because more anthropogenic emissions can be expected to stay in the atmosphere.

NHTSA's analysis indicates that the sensitivity of the simulated CO₂ emissions in 2030, 2050, and 2100 to assumptions of global emissions and climate sensitivity is low; stated simply, CO₂ emissions do not change much with changes in global emissions and climate sensitivity. For 2030 and 2050, the choice of global emissions scenario has little impact on the results. By 2100, the Preferred Alternative (Alternative 4) has the greatest impact in the global emissions scenario with the highest CO₂ emissions (MiniCAM Reference) and the least impact in the scenario with the lowest CO₂ emissions (MiniCAM Level 2). The total range of the impact of the Preferred Alternative on CO₂ concentrations in 2100 is from 2.2 to 2.6 ppm. The Reference Case using the MiniCAM Level 3 scenario and a 3.0 °C climate sensitivity has an impact of 2.4 ppm.

The sensitivity of the simulated global mean surface temperatures for 2030 is also low due primarily to the slow rate at which the global mean surface temperature increases in response to increases in radiative forcing. The relatively slow response in the climate system explains the observation that even by 2100, when CO₂ concentrations more than double in comparison to pre-industrial levels, the temperature increase is below the equilibrium sensitivity levels, *i.e.*, the climate system has not had enough time to equilibrate to the new CO₂

concentrations. Nonetheless, as of 2100 there is a larger range in temperatures across the different values of climate sensitivity: The reduction in global mean surface temperature from the No Action Alternative to the Preferred Alternative ranges from 0.008 °C for the 2.0 °C climate sensitivity to 0.012 °C for the 4.5 °C climate sensitivity, for the MiniCAM Level 3 emissions scenario.

The impact on global mean surface temperature due to assumptions concerning global emissions of GHGs is also important. The scenario with the higher global emissions of GHGs (*viz.*, the MiniCAM Reference) has a slightly lower reduction in global mean surface temperature, and the scenario with lower global emissions (*viz.*, the MiniCAM Level 2) has a slightly higher reduction. This is in large part due to the non-linear and near-logarithmic relationship between radiative forcing and CO₂ concentrations. At high emissions levels, CO₂ concentrations are higher and, as a result, a fixed reduction in emissions yields a lower reduction in radiative forcing and global mean surface temperature.

The sensitivity of the simulated sea-level rise to changes in climate sensitivity and global GHG emissions mirrors that of global temperature. Scenarios with lower climate sensitivities have lower increases in sea-level rise. The greater the climate sensitivity, the greater the decrement in sea-level rise for the Preferred Alternative as compared to the No Action Alternative.

Resource impacts of climate change: The effects of the alternatives on climate—CO₂ concentrations, temperature, precipitation, and sea-level rise—can translate into impacts on key resources including terrestrial and freshwater ecosystems; marine, coastal systems, and low-lying areas; food, fiber, and forest products; industries, settlements, and society; and human health. Although the alternatives have the potential to substantially decrease GHG emissions, they would not alone prevent climate change from occurring. The magnitude of the changes in climate effects that the alternatives would produce—two to five parts per million of CO₂, a few hundredths of a degree Celsius difference in temperature, a small percentage change in the rate of precipitation increase, and 1 or 2 millimeters of sea-level rise—are too small to address quantitatively in terms of their impacts on resources. Given the enormous resource values at stake, these distinctions could be important—very small percentages of huge numbers can still yield substantial results—but they are too small for current quantitative

techniques to resolve. Consequently, the discussion of resource impacts does not distinguish among the CAFE alternatives; rather, it provides a qualitative review of the benefits of reducing GHG emissions and the magnitude of the risks involved in climate change.⁶⁴⁶

NHTSA examined the impacts resulting from global climate change due to all global emissions on the U.S. and global scale. Impacts to freshwater resources could include changes in precipitation patterns, decreasing aquifer recharge in some locations, changes in snowpack and timing of snowmelt, salt-water intrusion from sea-level changes, changes in weather patterns resulting in flooding or drought in certain regions, increased water temperature, and numerous other changes to freshwater systems that disrupt human use and natural aquatic habitats. Impacts to terrestrial ecosystems could include shifts in species range and migration patterns, potential extinctions of sensitive species unable to adapt to changing conditions, increases in the occurrence of forest fires and pest infestation, and changes in habitat productivity because of increased atmospheric CO₂. Impacts to coastal ecosystems, primarily from predicted sea-level rise, could include the loss of coastal areas due to submersion and erosion, additional impacts from severe weather and storm surges, and increased salinization of estuaries and freshwater aquifers (for example, one impact could be reductions in manatee habitat in the Florida coastal areas). Impacts to land use and several key economic sectors could include flooding and severe-weather impacts to coastal, floodplain, and island settlements; extreme heat and cold waves; increases in drought in some locations; and weather- or sea-level related disruptions of the service, agricultural, and transportation sectors. Impacts to human health could include increased mortality and morbidity due to excessive heat, increases in respiratory conditions due to poor air quality, increases in water and food-

⁶⁴⁵ Equilibrium climate sensitivity (or climate sensitivity) is the projected responsiveness of Earth's global climate system to forcing from GHG drivers, and is often expressed in terms of changes to global surface temperature resulting from a doubling of CO₂ in relation to pre-industrial atmospheric concentrations. According to IPCC, using a likely emissions scenario that results in a doubling of the concentration of atmospheric CO₂, there is a 66- to 90-percent probability of an increase in surface warming of 2.5 to 4.0 °C by the end of the century (relative to 1990 average global temperatures), with 3 °C as the single most likely surface temperature increase.

⁶⁴⁶ See 42 U.S.C. 4332 (requiring Federal agencies to "identify and develop methods and procedures * * * which will insure that presently unquantified environmental amenities and values may be given appropriate consideration"); 40 CFR 1502.23 (requiring an EIS to discuss the relationship between a cost-benefit analysis and any analyses of unquantified environmental impacts, values, and amenities); CEQ, *Considering Cumulative Effects Under the National Environmental Policy Act* (1984), available at <http://ceq.hss.doe.gov/nepa/ccnepa/ccnepa.htm> (recognizing that agencies are sometimes "limited to qualitative evaluations of effects because cause-and-effect relationships are poorly understood" or cannot be quantified).

borne diseases, changes to the seasonal patterns of vector-borne diseases, and increases in malnutrition.

Non-climate cumulative impacts of CO₂ emissions: In addition to its role as a GHG in the atmosphere, CO₂ is transferred from the atmosphere to water, plants, and soil. In water, CO₂ combines with water molecules to form carbonic acid. When CO₂ dissolves in seawater, a series of well-known chemical reactions begin that increase the concentration of hydrogen ions and make seawater more acidic, which has adverse effects on corals and some other marine life.

Increased concentrations of CO₂ in the atmosphere can also stimulate plant growth to some degree, a phenomenon known as the CO₂ fertilization effect. This effect could have positive ramifications for agricultural productivity and forest growth. The available evidence indicates that different plants respond in different ways to enhanced CO₂ concentrations.

As with the climate effects of CO₂, the changes in non-climate impacts associated with the alternatives are difficult to assess quantitatively. Whether the distinction in concentrations is substantial across alternatives is not clear because the damage functions and potential existence of thresholds for CO₂ concentration are not known. However, what is clear is that a reduction in the rate of increase in atmospheric CO₂, which all the action alternatives would provide to some extent, would reduce the ocean acidification effect and the CO₂ fertilization effect.

For much more information on NHTSA's NEPA analysis, please see the DEIS.

3. Regulatory Flexibility Act

Pursuant to the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*, as amended by the Small Business Regulatory Enforcement Fairness Act (SBREFA) of 1996), whenever an agency is required to publish a notice of rulemaking for any proposed or final rule, it must prepare and make available for public comment a regulatory flexibility analysis that describes the effect of the rule on small entities (*i.e.*, small businesses, small organizations, and small governmental jurisdictions). The Small Business Administration's regulations at 13 CFR part 121 define a small business, in part, as a business entity "which operates primarily within the United States." 13 CFR 121.105(a). No regulatory flexibility analysis is required if the head of an agency certifies the rule will not have a

significant economic impact on a substantial number of small entities.

I certify that the proposed rule would not have a significant economic impact on a substantial number of small entities. The following is NHTSA's statement providing the factual basis for the certification (5 U.S.C. 605(b)).

If adopted, the proposal would directly affect twenty-one large single stage motor vehicle manufacturers.⁶⁴⁷ The proposal would also affect two small domestic single stage motor vehicle manufacturers, Saleen and Tesla.⁶⁴⁸ According to the Small Business Administration's small business size standards (*see* 13 CFR 121.201), a single stage automobile or light truck manufacturer (NAICS code 336111, Automobile Manufacturing; 336112, Light Truck and Utility Vehicle Manufacturing) must have 1,000 or fewer employees to qualify as a small business. Both Saleen and Tesla have less than 1,000 employees and make less than 1,000 vehicles per year. We believe that the rulemaking would not have a significant economic impact on these small vehicle manufacturers because under Part 525, passenger car manufacturers making less than 10,000 vehicles per year can petition NHTSA to have alternative standards set for those manufacturers. Tesla produces only electric vehicles with fuel economy values far beyond those proposed today, so we would not expect them to need to petition for relief. Saleen modifies a very small number of vehicles produced by one of the 21 large single-stage manufacturers, and currently does not meet the 27.5 mpg passenger car standard, nor is it anticipated to be able to meet the standards proposed today. However, Saleen already petitions the agency for relief. If the standard is raised, it has no meaningful impact on Saleen, because it must still go through the same process to petition for relief. Given that there already is a mechanism for handling small businesses, which is the purpose of the Regulatory Flexibility Act, a regulatory flexibility analysis was not prepared.

4. Executive Order 13132 (Federalism)

Executive Order 13132 requires NHTSA to develop an accountable process to ensure "meaningful and timely input by State and local officials

⁶⁴⁷ BMW, Daimler (Mercedes), Chrysler, Ferrari, Ford, Subaru, General Motors, Honda, Hyundai, Kia, Lotus, Maserati, Mazda, Mitsubishi, Nissan, Porsche, Subaru, Suzuki, Tata, Toyota, and Volkswagen.

⁶⁴⁸ The Regulatory Flexibility Act only requires analysis of small domestic manufacturers. There are two passenger car manufacturers that we know of, Saleen and Tesla, and no light truck manufacturers.

in the development of regulatory policies that have federalism implications." The Order defines the term "Policies that have federalism implications" to include regulations that have "substantial direct effects on the States, on the relationship between the national government and the States, or on the distribution of power and responsibilities among the various levels of government." Under the Order, NHTSA may not issue a regulation that has federalism implications, that imposes substantial direct compliance costs, and that is not required by statute, unless the Federal government provides the funds necessary to pay the direct compliance costs incurred by State and local governments, or NHTSA consults with State and local officials early in the process of developing the proposed regulation.

NHTSA solicits comment on this proposed action from State and local officials. In his January 26 memorandum, the President requested NHTSA to "consider whether any provisions regarding preemption are consistent with the EISA, the Supreme Court's decision in *Massachusetts v. EPA* and other relevant provisions of law and the policies underlying them." NHTSA is deferring consideration of the preemption issue. The agency believes that it is unnecessary to address the issue further at this time because of the consistent and coordinated *Federal* standards that would apply nationally under the proposed National Program.

5. Executive Order 12988 (Civil Justice Reform)

Pursuant to Executive Order 12988, "Civil Justice Reform,"⁶⁴⁹ NHTSA has considered whether this rulemaking would have any retroactive effect. This proposed rule does not have any retroactive effect.

6. Unfunded Mandates Reform Act

Section 202 of the Unfunded Mandates Reform Act of 1995 (UMRA) requires Federal agencies to prepare a written assessment of the costs, benefits, and other effects of a proposed or final rule that includes a Federal mandate likely to result in the expenditure by State, local, or tribal governments, in the aggregate, or by the private sector, of more than \$100 million in any one year (adjusted for inflation with base year of 1995). Adjusting this amount by the implicit gross domestic product price deflator for 2006 results in \$126 million (116.043/92.106=1.26). Before promulgating a rule for which a written statement is needed, section 205 of

⁶⁴⁹ 61 FR 4729 (Feb. 7, 1996).

UMRA generally requires NHTSA to identify and consider a reasonable number of regulatory alternatives and adopt the least costly, most cost-effective, or least burdensome alternative that achieves the objectives of the rule. The provisions of section 205 do not apply when they are inconsistent with applicable law. Moreover, section 205 allows NHTSA to adopt an alternative other than the least costly, most cost-effective, or least burdensome alternative if the agency publishes with the final rule an explanation why that alternative was not adopted.

This proposed rule will not result in the expenditure by State, local, or tribal governments, in the aggregate, of more than \$126 million annually, but it will result in the expenditure of that magnitude by vehicle manufacturers and/or their suppliers. In promulgating this proposal, NHTSA considered a variety of alternative average fuel economy standards lower and higher than those proposed. NHTSA is statutorily required to set standards at the maximum feasible level achievable by manufacturers based on its consideration and balancing of relevant factors and has tentatively concluded that the proposed fuel economy standards are the maximum feasible standards for the passenger car and light truck fleets for MYs 2012–2016 in light of the statutory considerations.

7. Paperwork Reduction Act

Under the procedures established by the Paperwork Reduction Act of 1995, a person is not required to respond to a collection of information by a Federal agency unless the collection displays a valid OMB control number. This section describes a request for clearance for a collection of information associated with product plan information to assist the agency in developing final corporate average fuel economy standards for MY 2012 through 2016 passenger cars and light trucks. The establishment of those standards is required by the Energy Policy and Conservation Act, as amended by the Energy Independence and Security Act (EISA) of 2007, Pub. L. 110–140. In compliance with the PRA, this notice requests comment on the Information Collection Request (ICR) abstracted below. The ICR describes the nature of the information collection and its expected burden. This is a request for an extension of an existing collection.

Agency: National Highway Traffic Safety Administration (NHTSA).

Title: 49 CFR parts 531 and 533
Passenger Car Average Fuel Economy Standards—Model Years 2008–2020;
Light Truck Average Fuel Economy

Standards—Model Years 2008–2020;
Production Plan Data

Type of Request: Extension of existing collection.

OMB Clearance Number: 2127–0655.

Form Number: This collection of information will not use any standard forms.

Summary of the Collection of Information

In this collection of information, NHTSA is requesting any updates to previously-submitted future product plans from vehicle manufacturers, as well as production data through the recent past, including data about engines and transmissions for model year (MY) 2008 through MY 2020 passenger cars and light trucks and the assumptions underlying those plans. If manufacturers have not previously submitted product plan information to NHTSA and wish to do so, NHTSA also requests such information from them.

NHTSA requests information for MYs 2008–2020 to supplement other information used by NHTSA in developing a realistic forecast of the MY 2012–2016 vehicle market, and in evaluating what technologies may feasibly be applied by manufacturers to achieve compliance with the MY 2012–2016 standards. Information regarding earlier model years may help the agency to better account for cumulative effects such as volume- and time-based reductions in costs, and also may help to reveal product mix and technology application trends during model years for which the agency is currently receiving actual corporate average fuel economy (CAFE) compliance data. Information regarding later model years may help the agency gain a better understanding of how manufacturers' plans through MY 2016 relate to their longer-term expectations regarding Energy Independence and Security Act requirements, market trends, and prospects for more advanced technologies.

NHTSA will also consider information from model years before and after MYs 2012–2016 when reviewing manufacturers' planned schedules for redesigning and refreshing their products, in order to examine how manufacturers anticipate tying technology introduction to product design schedules and to consider how the agency should account for those schedules in its analysis for the final rule. In addition, the agency is requesting information regarding manufacturers' estimates of the future vehicle population, and fuel economy improvements and

incremental costs attributed to this notice.

Description of the Need for the Information and Use of the Information

NHTSA needs the information described above to aid in assessing what CAFE standards should be established for MY 2012 through 2016 passenger cars and light trucks.

Description of the Likely Respondents (Including Estimated Number, and Proposed Frequency of Response to the Collection of Information)

It is estimated that this collection affects approximately 22 motor vehicle manufacturers. The information that is the subject of this collection of information is collected whenever NHTSA publishes a notice of proposed rulemaking for the purpose of setting CAFE standards.

Estimate of the Total Annual Reporting and Recordkeeping Burden Resulting From the Collection of Information

It is estimated that this collection affects approximately 22 vehicle manufacturers. One major manufacturer (General Motors) estimated their burden to be approximately 4,300 hours. The burden to other manufacturers was estimated using sales weights relative to General Motor's total sales (e.g., if a manufacturer produces 50 percent as many vehicles as General Motors, their burden is estimated to be $4,300 * 0.5 = 2,150$ hours). Therefore the burden to each manufacturer depends on the number of vehicles that manufacturer produces. The total estimated burden is 16,000 hours annually.

Number of Affected Vehicle Manufacturers.	22
Annual Labor Hours for Each Manufacturer To Prepare and Submit Required Information.	Variable
Total Annual Information Collection Burden.	16,000 Hours

The monetized cost associated with this information collection is determined by multiplying the total labor hours by an appropriate labor rate. For this information collection, we believe vehicle manufacturers will use mechanical engineers to prepare and submit the data. Therefore, we are applying a labor rate of \$36.02 per hour which is the median national wage for mechanical engineers.⁶⁵⁰ Thus, the

⁶⁵⁰ The national median hourly rate for mechanical engineers, May 2008, according to the Bureau of Labor Statistics, is \$36.02. See http://www.bls.gov/oes/2008/may/oes_nat.htm#b17-0000 (last accessed August 26, 2009).

estimated monetized annual cost is 16,000 hours × \$36.02 per hour = \$576,320.

Comments are specifically sought on the following issues:

- Whether the collection of information is necessary for the proper performance of the functions of the Department, including whether the information will have practical utility.
- Whether the Department's estimate for the burden of the information collection is accurate.

- Ways to minimize the burden of the collection of information on respondents, including the use of automated collection techniques or other forms of information technology.

Please send comments to the docket number cited in the heading of this notice. PRA comments are due within 60 days following publication of this document in the *Federal Register*. The agency recognizes that the amendment to the existing collection of information may be subject to revision in response to public comments and the OMB review.

For further information on this proposal to extend the collection of information, please contact Ken Katz, Fuel Economy Division, Office of International Policy, Fuel Economy, and Consumer Programs, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, SE., Washington, DC 20590. You may also contact him by phone at (202) 366-0846 or by fax at (202) 493-2290.

8. Regulation Identifier Number

The Department of Transportation assigns a regulation identifier number (RIN) to each regulatory action listed in the Unified Agenda of Federal Regulations. The Regulatory Information Service Center publishes the Unified Agenda in April and October of each year. You may use the RIN contained in the heading at the beginning of this document to find this action in the Unified Agenda.

9. Executive Order 13045

Executive Order 13045⁶⁵¹ applies to any rule that: (1) Is determined to be economically significant as defined under E.O. 12866, and (2) concerns an environmental, health, or safety risk that NHTSA has reason to believe may have a disproportionate effect on children. If the regulatory action meets both criteria, we must evaluate the environmental health or safety effects of the proposed rule on children, and explain why the proposed regulation is preferable to other potentially effective and

reasonably foreseeable alternatives considered by us.

Chapter 4 of NHTSA's DEIS notes that breathing PM can cause respiratory ailments, heart attack, and arrhythmias (Dockery *et al.* 1993, Samet *et al.* 2000, Pope *et al.* 1995, 2002, 2004, Pope and Dockery 2006, Dominici *et al.* 2006, Laden *et al.* 2006, all in Ebi *et al.* 2008). Populations at greatest risk could include children, the elderly, and those with heart and lung disease, diabetes (Ebi *et al.* 2008), and high blood pressure (Künzli *et al.* 2005, in Ebi *et al.* 2008). Chronic exposure to PM could decrease lifespan by 1 to 3 years (Pope 2000, in American Lung Association 2008). Increasing PM concentrations are expected to have a measurable adverse impact on human health (Confalonieri *et al.* 2007).

Additionally, the DEIS notes that substantial morbidity and childhood mortality has been linked to water- and food-borne diseases. Climate change is projected to alter temperature and the hydrologic cycle through changes in precipitation, evaporation, transpiration, and water storage. These changes, in turn, potentially affect water-borne and food-borne diseases, such as salmonellosis, campylobacter, leptospirosis, and pathogenic species of vibrio. They also have a direct impact on surface water availability and water quality. It has been estimated that more than 1 billion people in 2002 did not have access to adequate clean water (McMichael *et al.* 2003, in Epstein *et al.* 2006). Increased temperatures, greater evaporation, and heavy rain events have been associated with adverse impacts on drinking water through increased waterborne diseases, algal blooms, and toxins (Chorus and Bartram 1999, Levin *et al.* 2002, Johnson and Murphy 2004, all in Epstein *et al.* 2006). A seasonal signature has been associated with waterborne disease outbreaks (EPA 2009b). In the United States, 68 percent of all waterborne diseases between 1948 and 1994 were observed after heavy rainfall events (Curriero *et al.* 2001a, in Epstein *et al.* 2006).

Climate change could further impact a pathogen by directly affecting its life cycle (Ebi *et al.* 2008). The global increase in the frequency, intensity, and duration of red tides could be linked to local impacts already associated with climate change (Harvell *et al.* 1999, in Epstein *et al.* 2006); toxins associated with red tide directly affect the nervous system (Epstein *et al.* 2006).

Many people do not report or seek medical attention for their ailments of water-borne or food-borne diseases; hence, the number of actual cases with these diseases is greater than clinical

records demonstrate (Mead *et al.* 1999, in Ebi *et al.* 2008). Many of the gastrointestinal diseases associated with water-borne and food-borne diseases can be self-limiting; however, vulnerable populations include young children, those with a compromised immune system, and the elderly.

Thus, as detailed in the DEIS, NHTSA has evaluated the environmental health and safety effects of the proposed rule on children. The DEIS also explains why the proposed regulation is preferable to other potentially effective and reasonably foreseeable alternatives considered by the agency.

10. National Technology Transfer and Advancement Act

Section 12(d) of the National Technology Transfer and Advancement Act (NTTAA) requires NHTA to evaluate and use existing voluntary consensus standards in its regulatory activities unless doing so would be inconsistent with applicable law (e.g., the statutory provisions regarding NHTSA's vehicle safety authority) or otherwise impractical.

Voluntary consensus standards are technical standards developed or adopted by voluntary consensus standards bodies. Technical standards are defined by the NTTAA as "performance-base or design-specific technical specification and related management systems practices." They pertain to "products and processes, such as size, strength, or technical performance of a product, process or material."

Examples of organizations generally regarded as voluntary consensus standards bodies include the American Society for Testing and Materials (ASTM), the Society of Automotive Engineers (SAE), and the American National Standards Institute (ANSI). If NHTSA does not use available and potentially applicable voluntary consensus standards, we are required by the Act to provide Congress, through OMB, an explanation of the reasons for not using such standards.

There are currently no voluntary consensus standards relevant to today's proposed CAFE standards.

11. Executive Order 13211

Executive Order 13211⁶⁵² applies to any rule that: (1) Is determined to be economically significant as defined under E.O. 12866, and is likely to have a significant adverse effect on the supply, distribution, or use of energy; or (2) that is designated by the Administrator of the Office of

⁶⁵¹ 62 FR 19885 (Apr. 23, 1997).

⁶⁵² 66 FR 28355 (May 18, 2001).

Information and Regulatory Affairs as a significant energy action. If the regulatory action meets either criterion, we must evaluate the adverse energy effects of the proposed rule and explain why the proposed regulation is preferable to other potentially effective and reasonably feasible alternatives considered by us.

The proposed rule seeks to establish passenger car and light truck fuel economy standards that will reduce the consumption of petroleum and will not have any adverse energy effects. Accordingly, this proposed rulemaking action is not designated as a significant energy action.

12. Department of Energy Review

In accordance with 49 U.S.C. 32902(j)(1), we submitted this proposed rule to the Department of Energy for review. That Department did not make any comments that we have not addressed.

13. Plain Language

Executive Order 12866 requires each agency to write all rules in plain language. Application of the principles of plain language includes consideration of the following questions:

- Have we organized the material to suit the public's needs?
- Are the requirements in the rule clearly stated?
- Does the rule contain technical language or jargon that isn't clear?
- Would a different format (grouping and order of sections, use of headings, paragraphing) make the rule easier to understand?
- Would more (but shorter) sections be better?
- Could we improve clarity by adding tables, lists, or diagrams?
- What else could we do to make the rule easier to understand?

If you have any responses to these questions, please include them in your comments on this proposal.

14. Privacy Act

Anyone is able to search the electronic form of all comments received into any of our dockets by the name of the individual submitting the comment (or signing the comment, if submitted on behalf of an organization, business, labor union, etc.). You may review DOT's complete Privacy Act statement in the **Federal Register** (65 FR 19477-78, April 11, 2000) or you may visit <http://www.dot.gov/privacy.html>.

List of Subjects

40 CFR Part 86

Administrative practice and procedure, Confidential business

information, Labeling, Motor vehicle pollution, Reporting and recordkeeping requirements.

40 CFR Part 600

Administrative practice and procedure, Electric power, Fuel economy, Incorporation by reference, Labeling, Reporting and recordkeeping requirements.

49 CFR Part 531 and 533

Fuel economy.

49 CFR Part 537

Fuel economy, Reporting and recordkeeping requirements.

49 CFR Part 538

Administrative practice and procedure, Fuel economy, Motor vehicles, Reporting and recordkeeping requirements.

Environmental Protection Agency

40 CFR Chapter I

For the reasons set forth in the preamble, the Environmental Protection Agency proposes to amend parts 86 and 600 of title 40, Chapter I of the Code of Federal Regulations as follows:

PART 86—CONTROL OF EMISSIONS FROM NEW AND IN-USE HIGHWAY VEHICLES AND ENGINES

1. The authority citation for part 86 continues to read as follows:

Authority: 42 U.S.C. 7401-7671q.

2. Section 86.1 is amended by adding paragraphs (b)(2)(xxxix) through (xxxxi) to read as follows:

§ 86.1 Reference materials.

* * * * *

(b) * * *

(2) * * *

(xxxix) SAE J2064, December 2005, R134a Refrigerant Automotive Air-Conditioned Hose, IBR approved for § 86.166-12.

(xxxx) SAE J2727, revised August 2008, HFC-134a Mobile Air Conditioning System Refrigerant Emission Chart, IBR approved for § 86.166-12.

(xxxix) SAE J2765, October, 2008, Procedure for Measuring System COP [Coefficient of Performance] of a Mobile Air Conditioning System on a Test Bench, IBR approved for § 86.1866-12.

* * * * *

Subpart B—[Amended]

3. Section 86.111-94 is amended by revising paragraph (b) introductory text to read as follows:

§ 86.111-94 Exhaust gas analytical system.

* * * * *

(b) *Major component description.* The exhaust gas analytical system, Figure B94-7, consists of a flame ionization detector (FID) (heated, 235 ° ± 15 ° F (113 ° ± 8 ° C) for methanol-fueled vehicles) for the determination of THC, a methane analyzer (consisting of a gas chromatograph combined with a FID) for the determination of CH₄, non-dispersive infrared analyzers (NDIR) for the determination of CO and CO₂, a chemiluminescence analyzer (CL) for the determination of NO_x, and an analyzer meeting the requirements specified in § 86.167-12 for the determination of N₂O for 2012 and later model year vehicles. A heated flame ionization detector (HFID) is used for the continuous determination of THC from petroleum-fueled diesel-cycle vehicles (may also be used with methanol-fueled diesel-cycle vehicles), Figure B94-5 (or B94-6). The analytical system for methanol consists of a gas chromatograph (GC) equipped with a flame ionization detector. The analysis for formaldehyde is performed using high-pressure liquid chromatography (HPLC) of 2,4-dinitrophenylhydrazine (DNPH) derivatives using ultraviolet (UV) detection. The exhaust gas analytical system shall conform to the following requirements:

* * * * *

4. Section 86.127-00 is amended as follows:

- a. By revising the introductory text.
- b. By revising paragraph (a) introductory text.
- c. By revising paragraph (a)(1).
- d. By revising paragraph (b).
- e. By revising paragraph (c).
- f. By revising paragraphs (d) and (e).

§ 86.127-00 Test procedures; overview.

Applicability. The procedures described in this subpart are used to determine the conformity of vehicles with the standards set forth in subpart A or S of this part (as applicable) for light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles. Except where noted, the procedures of paragraphs (a) through (b) of this section, § 86.127-96 (c) and (d), and the contents of §§ 86.135-94, 86.136-90, 86.137-96, 86.140-94, 86.142-90, and 86.144-94 are applicable for determining emission results for vehicle exhaust emission systems designed to comply with the FTP emission standards, or the FTP emission element required for determining compliance with composite SFTP standards. Paragraphs (f) and (g) of this section discuss the additional test elements of

aggressive driving (US06) and air conditioning (SC03) that comprise the exhaust emission components of the SFTP. Section 86.127–96(e) discusses fuel spitback emissions and paragraphs (h) and (i) of this section are applicable to all vehicle emission test procedures. Section 86.127–00 includes text that specifies requirements that differ from § 86.127–96. Where a paragraph in § 86.127–96 is identical and applicable to § 86.127–00, this may be indicated by specifying the corresponding paragraph and the statement “[Reserved]. For guidance see § 86.127–96.”

(a) The overall test consists of prescribed sequences of fueling, parking, and operating test conditions. Vehicles are tested for any or all of the following emissions, depending upon the specific test requirements and the vehicle fuel type:

(1) Gaseous exhaust THC, NMHC, CO, NO_x, CO₂, N₂O, CH₄, CH₃OH, C₂H₅OH, C₂H₄O, and HCHO.

(b) The FTP Otto-cycle exhaust emission test is designed to determine gaseous THC, CO, CO₂, CH₄, NO_x, N₂O, and particulate mass emissions from gasoline-fueled, methanol-fueled and gaseous-fueled Otto-cycle vehicles as well as methanol and formaldehyde from methanol-fueled Otto-cycle vehicles, as well as methanol, ethanol, acetaldehyde, and formaldehyde from ethanol-fueled vehicles while simulating an average trip in an urban area of 11 miles (18 kilometers). The test consists of engine start-ups and vehicle operation on a chassis dynamometer through a specified driving schedule (see paragraph (a) of appendix I to this part for the Urban Dynamometer Driving Schedule). A proportional part of the diluted exhaust is collected continuously for subsequent analysis, using a constant volume (variable dilution) sampler or critical flow venturi sampler.

(c) The diesel-cycle exhaust emission test is designed to determine particulate and gaseous mass emissions during a test similar to the test in § 86.127(b). For petroleum-fueled diesel-cycle vehicles, diluted exhaust is continuously analyzed for THC using a heated sample line and analyzer; the other gaseous emissions (CH₄, CO, CO₂, N₂O, and NO_x) are collected continuously for analysis as in § 86.127(b). For methanol- and ethanol-fueled vehicles, THC, methanol, formaldehyde, CO, CO₂, CH₄, N₂O, and NO_x are collected continuously for analysis as in § 86.127(b). Additionally, for ethanol-fueled vehicles, ethanol and acetaldehyde are collected continuously

for analysis as in § 86.127(b). THC, methanol, ethanol, acetaldehyde, and formaldehyde are collected using heated sample lines, and a heated FID is used for THC analyses. Simultaneous with the gaseous exhaust collection and analysis, particulates from a proportional part of the diluted exhaust are collected continuously on a filter. The mass of particulate is determined by the procedure described in § 86.139. This testing requires a dilution tunnel as well as the constant volume sampler.

(d)–(e) [Reserved]. For guidance see § 86.127–96.

5. Section 86.135–00 is amended by revising paragraph (a) to read as follows:

§ 86.135–12 Dynamometer procedure.

(a) *Overview.* The dynamometer run consists of two tests, a “cold” start test, after a minimum 12-hour and a maximum 36-hour soak according to the provisions of §§ 86.132 and 86.133, and a “hot” start test following the “cold” start by 10 minutes. Engine startup (with all accessories turned off), operation over the UDDS and engine shutdown make a complete cold start test. Engine startup and operation over the first 505 seconds of the driving schedule complete the hot start test. The exhaust emissions are diluted with ambient air in the dilution tunnel as shown in Figure B94–5 and Figure B94–6. A dilution tunnel is not required for testing vehicles waived from the requirement to measure particulates. Six particulate samples are collected on filters for weighing; the first sample plus backup is collected during the first 505 seconds of the cold start test; the second sample plus backup is collected during the remainder of the cold start test (including shutdown); the third sample plus backup is collected during the hot start test. Continuous proportional samples of gaseous emissions are collected for analysis during each test phase. For gasoline-fueled, natural gas-fueled and liquefied petroleum gas-fueled Otto-cycle vehicles, the composite samples collected in bags are analyzed for THC, CO, CO₂, CH₄, NO_x, and, for 2012 and later model year vehicles, N₂O. For petroleum-fueled diesel-cycle vehicles (optional for natural gas-fueled, liquefied petroleum gas-fueled and methanol-fueled diesel-cycle vehicles), THC is sampled and analyzed continuously according to the provisions of § 86.110. Parallel samples of the dilution air are similarly analyzed for THC, CO, CO₂, CH₄, NO_x, and, for 2012 and later model year vehicles, N₂O. For natural gas-fueled, liquefied petroleum gas-fueled and methanol-

fueled vehicles, bag samples are collected and analyzed for THC (if not sampled continuously), CO, CO₂, CH₄, NO_x, and, for 2012 and later model year vehicles, N₂O. For methanol-fueled vehicles, methanol and formaldehyde samples are taken for both exhaust emissions and dilution air (a single dilution air formaldehyde sample, covering the total test period may be collected). For ethanol-fueled vehicles, methanol, ethanol, acetaldehyde, and formaldehyde samples are taken for both exhaust emissions and dilution air (a single dilution air formaldehyde sample, covering the total test period may be collected). Parallel bag samples of dilution air are analyzed for THC, CO, CO₂, CH₄, NO_x, and, for 2012 and later model year vehicles, N₂O. Methanol and formaldehyde samples may be omitted for 1990 through 1994 model years when a FID calibrated on methanol is used.

6. A new § 86.165–12 is added to subpart B to read as follows:

§ 86.165–12 Air conditioning idle test procedure.

(a) *Applicability.* This section describes procedures for determining air conditioning-related CO₂ emissions from 2014 and later model year light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles. The results of this test are used to qualify for air conditioning efficiency CO₂ credits according to § 86.1866–12(c).

(b) *Overview.* The test consists of a brief period to stabilize the vehicle at idle, followed by a ten-minute period at idle when CO₂ emissions are measured without any air conditioning systems operating, followed by a ten-minute period at idle when CO₂ emissions are measured with the air conditioning system operating. This test is designed to determine the air conditioning-related CO₂ emission value, in grams per minute. If engine stalling occurs during cycle operation, follow the provisions of § 86.136–90 to restart the test. Measurement instruments must meet the specifications described in this subpart.

(c) *Test cell ambient conditions.*

(1) Ambient humidity within the test cell during all phases of the test sequence shall be controlled to an average of 50 ± 5 grains of water/pound of dry air.

(2) Ambient air temperature within the test cell during all phases of the test sequence shall be controlled to 75 ± 2 °F on average and 75 ± 5 °F as an instantaneous measurement. Air temperature shall be recorded

continuously at a minimum of 30 second intervals.

(d) *Test sequence.*

(1) Connect the vehicle exhaust system to the raw sampling location or dilution stage according to the provisions of this subpart. For dilution systems, dilute the exhaust as described in this subpart. Continuous sampling systems must meet the specifications provided in this subpart.

(2) Test the vehicle in a fully warmed-up condition. If the vehicle has soaked for two hours or less since the last exhaust test element, preconditioning may consist of a 505 Cycle, 866 Cycle, US06, or SC03, as these terms are defined in § 86.1803-01, or a highway fuel economy test procedure, as defined in § 600.002-08 of this chapter. For longer soak periods, precondition the vehicle using one full Urban Dynamometer Driving Schedule. Ensure that the vehicle has stabilized at test cell ambient conditions such that the vehicle interior temperature is not substantially different from the external test cell temperature. Windows may be opened during preconditioning to achieve this stabilization.

(3) Immediately after the preconditioning, turn off any cooling fans, if present, close the vehicle's hood, fully close all the vehicle's windows, ensure that all the vehicle's air conditioning systems are set to full off, start the CO₂ sampling system, and then idle the vehicle for not less than 1 minute and not more than 5 minutes to achieve normal and stable idle operation.

(4) Measure and record the continuous CO₂ concentration for 600 seconds. Measure the CO₂ concentration continuously using raw or dilute sampling procedures. Multiply this concentration by the continuous (raw or dilute) flow rate at the emission sampling location to determine the CO₂ flow rate. Calculate the CO₂ cumulative flow rate continuously over the test interval. This cumulative value is the total mass of the emitted CO₂.

(5) Within 60 seconds after completing the measurement described in paragraph (d)(4) of this section, turn on the vehicle's air conditioning system. Set automatic air conditioning systems to a temperature 9 °F (5 °C) below the ambient temperature of the test cell. Set manual air conditioning systems to maximum cooling with recirculation turned off, except that recirculation shall be enabled if the air conditioning system automatically defaults to a recirculation mode when set to maximum cooling. Continue idling the vehicle while measuring and recording the continuous CO₂ concentration for

600 seconds as described in paragraph (d)(4) of this section. Air conditioning systems with automatic temperature controls are finished with the test. Manually controlled air conditioning systems must complete one additional idle period described in paragraph (d)(6) of this section.

(6) This paragraph (d)(6) applies only to manually controlled air conditioning systems. Within 60 seconds after completing the measurement described in paragraph (d)(5) of this section, leave the vehicle's air conditioning system on and set as described in paragraph (d)(5) of this section but set the fan speed to the lowest setting that continues to provide air flow. Recirculation shall be turned off except that if the system defaults to a recirculation mode when set to maximum cooling and maintains recirculation with the low fan speed, then recirculation shall continue to be enabled. After the fan speed has been set, continue idling the vehicle while measuring and recording the continuous CO₂ concentration for a total of 600 seconds as described in paragraph (d)(4) of this section.

(e) *Calculations.* (1) For the measurement with no air conditioning, calculate the CO₂ emissions (in grams per minute) by dividing the total mass of CO₂ from paragraph (d)(4) of this section by 10.0 (the duration in minutes for which CO₂ is measured). Round this result to the nearest whole gram per minute.

(2)(i) For the measurement with air conditioning in operation for automatic air conditioning systems, calculate the CO₂ emissions (in grams per minute) by dividing the total mass of CO₂ from paragraph (d)(5) of this section by 10.0. Round this result to the nearest whole gram per minute.

(ii) For the measurement with air conditioning in operation for manually controlled air conditioning systems, calculate the CO₂ emissions (in grams per minute) by summing the total mass of CO₂ from paragraphs (d)(5) and (d)(6) of this section and dividing by 20.0. Round this result to the nearest whole gram per minute.

(3) Calculate the increased CO₂ emissions due to air conditioning (in grams per minute) by subtracting the results of paragraph (e)(1) of this section from the results of paragraph (e)(2)(i) or (ii) of this section, whichever is applicable.

7. A new § 86.166-12 is added to subpart B to read as follows:

§ 86.166-12 Method for calculating emissions due to air conditioning leakage.

This section describes procedures used to determine a refrigerant leakage

rate from vehicle-based air conditioning units. The results of this test are used to determine air conditioning leakage credits according to § 86.1866-12(b).

(a) *Emission totals.* Calculate an annual rate of refrigerant leakage from an air conditioning system using the following equation:

$$\text{Grams/YR}_{\text{TOT}} = \text{Grams/YR}_{\text{RP}} + \text{Grams/YR}_{\text{SP}} + \text{Grams/YR}_{\text{FH}} + \text{Grams/YR}_{\text{MC}} + \text{Grams/YR}_{\text{C}} - \text{Grams/YR}_{\text{CREDIT}}$$

Where:

Grams/YR_{TOT} = Total air conditioning system emission rate in grams per year and rounded to the nearest tenth of a gram per year.

Grams/YR_{RP} = Emission rate for rigid pipe connections as described in paragraph (b) of this section.

Grams/YR_{SP} = Emission rate for service ports and refrigerant control devices as described in paragraph (c) of this section.

Grams/YR_{FH} = Emission rate for flexible hoses as described in paragraph (d) of this section.

Grams/YR_{MC} = Emission rate for heat exchangers, mufflers, receiver/driers, and accumulators as described in paragraph (e) of this section.

Grams/YR_C = Emission rate for compressors as described in paragraph (f) of this section.

Grams/YR_{CREDIT} = Leakage monitoring credit, as applicable, from paragraph (g) of this section.

(b) *Fittings.* Determine the grams per year emission rate for rigid pipe connections using the following equation:

$$\text{Grams/YR}_{\text{RP}} = 0.00522 \cdot [(125 \cdot \text{SO}) + (75 \cdot \text{SCO}) + (50 \cdot \text{MO}) + (10 \cdot \text{SW}) + (5 \cdot \text{SWO}) + (\text{MG})]$$

Where:

Grams/YR_{RP} = Total emission rate for rigid pipe connections in grams per year.

SO = The number of single O-ring connections.

SCO = The number of single captured O-ring connections.

MO = The number of multiple O-ring connections.

SW = The number of seal washer connections.

SWO = The number of seal washer with O-ring connections.

MG = The number of metal gasket connections.

(c) *Service ports and refrigerant control devices.* Determine the grams per year emission rate for service ports and refrigerant control devices using the following equation:

$$\text{Grams/YR}_{\text{SP}} = (0.3 \cdot \text{HSSP} \cdot 0.522) + (0.2 \cdot \text{LSSP} \cdot 0.522) + (0.2 \cdot \text{STV} \cdot 0.522) + (0.2 \cdot \text{TXV} \cdot 0.522)$$

Where:

Grams/YR_{SP} = The emission rate for service ports and refrigerant control devices, in grams per year.

HSSP = The number of high side service ports.

LSSP = The number of low side service ports.
 STV = The total number of switches, transducers, and pressure relief valves.
 TXV = The number of TXV refrigerant control devices.

(d) *Flexible hoses.* Determine the permeation emission rate in grams per year for each segment of flexible hose

using the following equation, and then sum the values for each hose in the system to calculate a total emission rate for the system:

$$\text{Grams/YR}_{\text{FH}} = 0.00522 \cdot (3.14159 \cdot \text{ID} \cdot \text{L} \cdot \text{ER})$$

Where:

Grams/YR_{FH} = Emission rate for a segment of flexible hose in grams per year.
 ID = Inner diameter of hose, in millimeters.
 L = Length of hose, in millimeters.
 ER = Emission rate per unit internal surface area of the hose, in g/mm². Select the appropriate value from the following table:

Material/configuration	ER	
	High-pressure side	Low-pressure side
All rubber hose	0.0216	0.0144
Standard barrier or veneer hose	0.0054	0.0036
Ultra-low permeation barrier or veneer hose	0.00225	0.00167

(e) *Heat exchangers, mufflers, receiver/driers, and accumulators.* Use an emission rate of 0.261 grams per year as a combined value for all heat exchangers, mufflers, receiver/driers, and accumulators (Grams/YR_{MC}).

(f) *Compressors.* Determine the emission rate for compressors using the following equation, except that the final term in the equation ("1500/SSL") is not applicable to electric (or semi-hermetic) compressors:

$$\text{Grams/YR}_C = 0.00522 \cdot [(300 \cdot \text{OHS}) + (200 \cdot \text{MHS}) + (150 \cdot \text{FAP}) + (100 \cdot \text{GHS}) + (1500/\text{SSL})]$$

Where:

Grams/YR_C = The emission rate for the compressors in the air conditioning system, in grams per year.
 OHS = The number of O-ring housing seals.
 MHS = The number of molded housing seals.
 FAP = The number of fitting adapter plates.
 GHS = The number of gasket housing seals.
 SSL = The number of lips on shaft seal (for belt-driven compressors only).

(g) *Leakage monitoring credits.* Electronic monitoring systems that provide indication of a refrigerant loss to the operator through an interior driver information display or an air conditioning-specific malfunction indicator when the air conditioning system has lost 40 percent of its charge capacity shall use a credit of 1 g/yr.

(h) *Definitions.* The following definitions apply to this section:

(1) *All rubber hose* means a Type A or Type B hose as defined by SAE J2064 with a permeation rate not greater than 15 kg/m²/year when tested according to SAE J2064. SAE J2064 is incorporated by reference; see § 86.1.

(2) *Standard barrier or veneer hose* means a Type C, D, E, or F hose as defined by SAE J2064 with a permeation rate not greater than 5 kg/m²/year when tested according to SAE J2064. SAE J2064 is incorporated by reference; see § 86.1.

(3) *Ultra-low permeation barrier or veneer hose* means a hose with a

permeation rate not greater than 1.5 kg/m²/year when tested according to SAE J2064. SAE J2064 is incorporated by reference; see § 86.1.

8. A new § 86.167-12 is added to subpart B to read as follows:

§ 86.167-12 N₂O measurement devices.

(a) *General component requirements.* We recommend that you use an analyzer that meets the specifications in Table 1 of 40 CFR 1065.205. Note that your system must meet the linearity verification in 40 CFR 1065.307.

(b) *Instrument types.* You may use any of the following analyzers to measure N₂O:

(1) *Nondispersive infra-red (NDIR) analyzer.* You may use an NDIR analyzer that has compensation algorithms that are functions of other gaseous measurements and the engine's known or assumed fuel properties. The target value for any compensation algorithm is 0.0% (that is, no bias high and no bias low), regardless of the uncompensated signal's bias.

(2) *Fourier transform infra-red (FTIR) analyzer.* You may use an FTIR analyzer that has compensation algorithms that are functions of other gaseous measurements and the engine's known or assumed fuel properties. The target value for any compensation algorithm is 0.0% (that is, no bias high and no bias low), regardless of the uncompensated signal's bias. Use EPA Test Method 320 "Measurement of Vapor Phase Organic and Inorganic Emissions by Extractive Fourier Transform Infrared (FTIR) Spectroscopy" for spectral interpretation (see 40 CFR part 63 appendix A).

(3) *Photoacoustic analyzer.* You may use a photoacoustic analyzer that has compensation algorithms that are functions of other gaseous measurements. The target value for any compensation algorithm is 0.0% (that is, no bias high and no bias low), regardless of the uncompensated signal's bias. Use an optical wheel configuration that

gives analytical priority to measurement of the least stable components in the sample. Select a sample integration time of at least 5 seconds. Take into account sample chamber and sample line volumes when determining flush times for your instrument.

(4) *Gas chromatograph (GC) analyzer.* You may use a gas chromatograph with Electron Capture Detector (ECD) to measure N₂O concentrations of diluted exhaust for batch sampling. You may use a packed or porous layer open tubular (PLOT) column phase of suitable polarity and length to achieve adequate resolution of the N₂O peak for analysis. Examples of acceptable columns are a PLOT column consisting of bonded polystyrene-divinylbenzene or a Porapack Q packed column. Take the column temperature profile and carrier gas selection into consideration when setting up your method to achieve adequate N₂O peak resolution.

(c) *Interference validation.* Perform interference validation for NDIR, FTIR, and Photoacoustic analyzers using the procedures of § 86.168-12 as follows:

(1) Certain interference gases can positively interfere with these analyzers by causing a response similar to N₂O as follows:

(i) The interference gases for NDIR analyzers are CO, CO₂, H₂O, CH₄ and SO₂. Note that interference species, with the exception of H₂O, are dependent on the N₂O infrared absorption band chosen by the instrument manufacturer and should be determined independently for each analyzer.

(ii) Use good engineering judgment to determine interference gases for FTIR. Note that interference species, with the exception of H₂O, are dependent on the N₂O infrared absorption band chosen by the instrument manufacturer and should be determined independently for each analyzer.

(iii) The interference gases for photoacoustic analyzers are CO, CO₂, and H₂O.

(2) Analyzers must have combined interference that is within (0.0 ± 1.0) mol/mol. We strongly recommend a lower interference that is within (0.0 ± 0.5) mol/.

9. A new § 86.168–12 is added to subpart B to read as follows:

§ 86.168–12 Interference verification for N₂O analyzers.

(a) *Scope and frequency.* See 40 CFR 1065.275 to determine whether you need to verify the amount of interference after initial analyzer installation and after major maintenance.

(b) *Measurement principles.* Interference gasses can positively interfere with certain analyzers by causing a response similar to N₂O. If the analyzer uses compensation algorithms that utilize measurements of other gases to meet this interference verification, simultaneously conduct these other measurements to test the compensation algorithms during the analyzer interference verification.

(c) *System requirements.* See 40 CFR 1065.275 for system requirements related to allowable interference levels.

(d) *Procedure.* Perform the interference verification as follows:

(1) Start, operate, zero, and span the N₂O FTIR analyzer as you would before an emission test. If the sample is passed through a dryer during emission testing, you may run this verification test with the dryer if it meets the requirements of 40 CFR 1065.342. Operate the dryer at the same conditions as you will for an emission test. You may also run this verification test without the sample dryer.

(2) Create a humidified test gas by bubbling a multi component span gas that incorporates the target interference species and meets the specifications in 40 CFR 1065.750 through distilled water in a sealed vessel. If the sample is not passed through a dryer during emission testing, control the vessel temperature to generate an H₂O level at least as high as the maximum expected during emission testing. If the sample is passed through a dryer during emission testing, control the vessel temperature to generate an H₂O level at least as high as the level determined in 40 CFR 1065.145(e)(2) for that dryer. Use interference span gas concentrations that are at least as high as the maximum expected during testing.

(3) Introduce the humidified interference test gas into the sample system. You may introduce it downstream of any sample dryer, if one is used during testing.

(4) If the sample is not passed through a dryer during this verification test,

measure the water mole fraction, x_{H_2O} , of the humidified interference test gas as close as possible to the inlet of the analyzer. For example, measure dewpoint, T_{dew} , and absolute pressure, P_{total} , to calculate x_{H_2O} . Verify that the water content meets the requirement in paragraph (d)(2) of this section. If the sample is passed through a dryer during this verification test, you must verify that the water content of the humidified test gas downstream of the vessel meets the requirement in paragraph (d)(2) of this section based on either direct measurement of the water content (e.g., dewpoint and pressure) or an estimate based on the vessel pressure and temperature. Use good engineering judgment to estimate the water content. For example, you may use previous direct measurements of water content to verify the vessel's level of saturation.

(5) If a sample dryer is not used in this verification test, use good engineering judgment to prevent condensation in the transfer lines, fittings, or valves from the point where x_{H_2O} is measured to the analyzer. We recommend that you design your system so that the wall temperatures in the transfer lines, fittings, and valves from the point where x_{H_2O} is measured to the analyzer are at least 5 °C above the local sample gas dewpoint.

(6) Allow time for the analyzer response to stabilize. Stabilization time may include time to purge the transfer line and to account for analyzer response.

(7) While the analyzer measures the sample's concentration, record its output for 30 seconds. Calculate the arithmetic mean of this data.

(8) The analyzer meets the interference verification if the result of paragraph (d)(7) of this section meets the tolerance in 40 CFR 1065.275.

(9) You may also run interference procedures separately for individual interference gases. If the interference gas levels used are higher than the maximum levels expected during testing, you may scale down each observed interference value by multiplying the observed interference by the ratio of the maximum expected concentration value to the actual value used during this procedure. You may run separate interference concentrations of H₂O (down to 0.025 mol/mol H₂O content) that are lower than the maximum levels expected during testing, but you must scale up the observed H₂O interference by multiplying the observed interference by the ratio of the maximum expected H₂O concentration value to the actual value used during this procedure. The sum of the scaled interference values

must meet the tolerance specified in 40 CFR 1065.275.

Subpart S—[Amended]

10. A new § 86.1801–12 is added to read as follows:

§ 86.1801–12 Applicability.

(a) *Applicability.* Except as otherwise indicated, the provisions of this subpart apply to new light-duty vehicles, light-duty trucks, medium-duty passenger vehicles, and Otto-cycle complete heavy-duty vehicles, including multi-fueled, alternative fueled, hybrid electric, plug-in hybrid electric, and electric vehicles. These provisions also apply to new incomplete light-duty trucks below 8,500 Gross Vehicle Weight Rating. In cases where a provision applies only to a certain vehicle group based on its model year, vehicle class, motor fuel, engine type, or other distinguishing characteristics, the limited applicability is cited in the appropriate section of this subpart.

(b) *Aftermarket conversions.* The provisions of this subpart apply to aftermarket conversion systems, aftermarket conversion installers, and aftermarket conversion certifiers, as those terms are defined in 40 CFR 85.502, of all model year light-duty vehicles, light-duty trucks, medium-duty passenger vehicles, and complete Otto-cycle heavy-duty vehicles.

(c) *Optional applicability.*

(1) [Reserved]

(2) A manufacturer may request to certify any incomplete Otto-cycle heavy-duty vehicle of 14,000 pounds Gross Vehicle Weight Rating or less in accordance with the provisions for complete heavy-duty vehicles. Heavy-duty engine or heavy-duty vehicle provisions of subpart A of this part do not apply to such a vehicle.

(3) [Reserved]

(4) Upon preapproval by the Administrator, a manufacturer may optionally certify an aftermarket conversion of a complete heavy-duty vehicle greater than 10,000 pounds Gross Vehicle Weight Rating and of 14,000 pounds Gross Vehicle Weight Rating or less under the heavy-duty engine or heavy-duty vehicle provisions of subpart A of this part. Such preapproval will be granted only upon demonstration that chassis-based certification would be infeasible or unreasonable for the manufacturer to perform.

(5) A manufacturer may optionally certify an aftermarket conversion of a complete heavy-duty vehicle greater than 10,000 pounds Gross Vehicle Weight Rating and of 14,000 pounds

Gross Vehicle Weight Rating or less under the heavy-duty engine or heavy-duty vehicle provisions of subpart A of this part without advance approval from the Administrator if the vehicle was originally certified to the heavy-duty engine or heavy-duty vehicle provisions of subpart A of this part.

(d) *Small volume manufacturers.* Special certification procedures are available for any manufacturer whose projected or actual combined sales in all States and territories of the United States of light-duty vehicles, light-duty trucks, heavy-duty vehicles, and heavy-duty engines in its product line (including all vehicles and engines imported under the provisions of 40 CFR 85.1505 and 85.1509) are fewer than 15,000 units for the model year in which the manufacturer seeks certification. The small volume manufacturer's light-duty vehicle and light-duty truck certification procedures and described in § 86.1838-01.

(e)-(g) [Reserved]

(h) *Applicability of provisions of this subpart to light-duty vehicles, light-duty trucks, medium-duty passenger vehicles, and heavy-duty vehicles.*

Numerous sections in this subpart provide requirements or procedures applicable to a "vehicle" or "vehicles." Unless otherwise specified or otherwise determined by the Administrator, the term "vehicle" or "vehicles" in those provisions apply equally to light-duty vehicles (LDVs), light-duty trucks (LDTs), medium-duty passenger vehicles (MDPVs), and heavy-duty vehicles (HDVs), as those terms are defined in § 86.1803-01.

(i) *Applicability of provisions of this subpart to exhaust CO₂ emissions.* Numerous sections in this subpart refer to requirements relating to "exhaust emissions." Unless otherwise specified or otherwise determined by the Administrator, the term "exhaust emissions" refers to a minimum to emissions of all pollutants described by emission standards in this subpart, including carbon dioxide (CO₂) starting with the 2012 model year.

(j) *Conditional exemption from greenhouse gas emission standards for small businesses.* Businesses meeting the Small Business Administration size standard defining a small business as described in 13 CFR 121.201 are eligible for exemption from the greenhouse gas emission standards specified in § 86.1818-12 and associated provisions. To be exempted from these provisions, businesses must submit a declaration to EPA containing a detailed written description of how the business qualifies as a small business under the provisions of 13 CFR 121.201. This

declaration must be signed by a chief officer of the company, and must be made prior to each model year for which the small business status is requested. The declaration must be submitted to EPA at least 30 days prior to the introduction into commerce of any vehicles for each model year for which the small business status is requested, but not later than December of the calendar year prior to the model year for which exemption is requested. Exemption will be granted when EPA approves the small business declaration. The declaration of small business status must be sent to the Environmental Protection Agency at the following address: Director, Certification and Innovative Strategies Division, U.S. Environmental Protection Agency, 2000 Traverwood Drive, Ann Arbor, Michigan 48105.

(1) The following categories of businesses (with their associated NAICS codes) may apply for exemption based on the Small Business Administration size standards in 13 CFR 121.201.

(i) Vehicle manufacturers (NAICS code 336111).

(ii) Independent commercial importers (NAICS codes 811111, 811112, 811198, 423110, 424990, and 441120).

(iii) Alternate fuel vehicle converters (NAICS codes 335312, 336312, 336322, 336399, 454312, 485310, and 811198).

(2) For purposes of determining the number of employees or annual sales revenue for small entities, the entity shall include the employees or annual sales revenue of any subsidiary companies, any parent company, subsidiaries of the parent company in which the parent has a controlling interest, and any joint ventures.

(3) An entity may use the provisions of this paragraph (j) only if it has primary responsibility for designing and assembling, converting, or modifying the subject vehicles.

(4) An entity may import vehicles under this paragraph (j) only if that entity has primary responsibility for designing and assembling, converting or modifying the subject vehicles.

11. Section 86.1803-01 is amended as follows:

a. By adding the definition for "Air conditioning idle test."

b. By adding the definition for "Air conditioning system."

c. By revising the definition for "Banking."

d. By adding the definition for "Base level."

e. By adding the definition for "Base tire."

f. By adding the definition for "Base vehicle."

g. By revising the definition for "Basic engine."

h. By adding the definition for "Battery electric vehicle."

i. By adding the definition for "Carbon-related exhaust emissions."

j. By adding the definition for "Combined CO₂."

k. By adding the definition for "Electric vehicle."

l. By revising the definition for "Engine code."

m. By adding the definition for "Ethanol fueled vehicle."

n. By revising the definition for "Flexible fuel vehicle."

o. By adding the definition for "Footprint."

p. By adding the definition for "Fuel cell."

q. By adding the definition for "Fuel cell electric vehicle."

r. By adding the definition for "Highway fuel economy test procedure."

s. By adding the definition for "Hybrid electric vehicle."

t. By adding the definition for "Interior volume index."

u. By adding the definition for "Motor vehicle."

v. By adding the definition for "Multi-fuel vehicle."

w. By adding the definition for "Petroleum equivalency factor."

x. By adding the definition for "Petroleum-equivalent fuel economy."

y. By adding the definition for "Petroleum powered accessory."

z. By adding the definition for "Plug-in hybrid electric vehicle."

aa. By adding the definition for "Production volume."

bb. By revising the definition for "Round, rounded, or rounding."

cc. By adding the definition for "Subconfiguration."

dd. By adding the definition for "Track width."

ee. By revising the definition for "Transmission class."

ff. By revising the definition for "Transmission configuration."

gg. By adding the definition for "Wheelbase."

§ 86.1803-01 Definitions.

* * * * *

Air Conditioning Idle Test means the test procedure specified in § 86.165-12.

Air conditioning system means a unique combination of air conditioning and climate control components, including: compressor type (e.g., belt, gear, or electric-driven, or a combination of compressor drive mechanisms); compressor refrigerant capacity; the number and type of rigid pipe and flexible hose connections; the

number of high side service ports; the number of low side service ports; the number of switches, transducers, and expansion valves; the number of TXV refrigerant control devices; the number and type of heat exchangers, mufflers, receiver/dryers, and accumulators; and the type of flexible hose (e.g., rubber, standard barrier or veneer, ultra-low permeation).

Banking means one of the following:

(1) The retention of NO_x emission credits for complete heavy-duty vehicles by the manufacturer generating the emission credits, for use in future model year certification programs as permitted by regulation.

(2) The retention of cold temperature non-methane hydrocarbon (NMHC) emission credits for light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles by the manufacturer generating the emission credits, for use in future model year certification programs as permitted by regulation.

(3) The retention of NO_x emission credits for light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles for use in future model year certification programs as permitted by regulation.

(4) The retention of CO₂ emission credits for light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles for use in future model year certification programs as permitted by regulation.

Base level has the meaning given in § 600.002-08 of this chapter.

Base tire has the meaning given in § 600.002-08 of this chapter.

Base vehicle has the meaning given in § 600.002-08 of this chapter.

Basic engine has the meaning given in § 600.002-08 of this chapter.

Battery electric vehicle means a motor vehicle propelled solely by an electric motor where energy for the motor is supplied by a battery.

Carbon-related exhaust emissions means the summation of the carbon-containing constituents of the exhaust emissions, with each constituent adjusted by a coefficient representing the carbon weight fraction of each constituent, as specified in § 600.113-08.

Combined CO₂ means the CO₂ value determined for a vehicle (or vehicles) by averaging the city and highway fuel economy values, weighted 0.55 and 0.45 respectively.

Electric vehicle means a motor vehicle that is powered solely by an electric

motor drawing current from a rechargeable energy storage system, such as from storage batteries or other portable electrical energy storage devices, including hydrogen fuel cells, provided that:

(1) Recharge energy must be drawn from a source off the vehicle, such as residential electric service; and

(2) The vehicle must be certified to the emission standards of Bin #1 of Table S04-1 in § 86.1811-09(c)(6).

Engine code means a unique combination within a test group of displacement, fuel injection (or carburetor) calibration, choke calibration, distributor calibration, auxiliary emission control devices, and other engine and emission control system components specified by the Administrator. For electric vehicles, engine code means a unique combination of manufacturer, electric traction motor, motor configuration, motor controller, and energy storage device.

Ethanol-fueled vehicle means any motor vehicle or motor vehicle engine that is engineered and designed to be operated using ethanol fuel (i.e., a fuel that contains at least 50 percent ethanol (C₂H₅OH) by volume) as fuel.

Flexible fuel vehicle means any motor vehicle engineered and designed to be operated on a petroleum fuel, a methanol or ethanol fuel, or any mixture of the two. Methanol-fueled and ethanol-fueled vehicles that are only marginally functional when using gasoline (e.g., the engine has a drop in rated horsepower of more than 80 percent) are not flexible fuel vehicles.

Footprint is the product of track width (measured in inches, calculated as the average of front and rear track widths, and rounded to the nearest tenth of an inch) and wheelbase (measured in inches and rounded to the nearest tenth of an inch), divided by 144 and then rounded to the nearest tenth of a square foot.

Fuel cell means an electrochemical cell that produces electricity via the reaction of a consumable fuel on the anode with an oxidant on the cathode in the presence of an electrolyte.

Fuel cell electric vehicle means a motor vehicle propelled solely by an electric motor where energy for the motor is supplied by a fuel cell.

Highway Fuel Economy Test Procedure (HFET) has the meaning given in § 600.002-08 of this chapter.

Hybrid electric vehicle (HEV) means a motor vehicle which draws propulsion energy from onboard sources of stored energy that are both an internal combustion engine or heat engine using consumable fuel, and a rechargeable energy storage system such as a battery, capacitor, hydraulic accumulator, or flywheel.

Interior volume index has the meaning given in § 600.315-08 of this chapter.

Motor vehicle has the meaning given in 40 CFR 85.1703.

Multi-fuel vehicle means any motor vehicle capable of operating on two or more different fuel types, either separately or simultaneously.

Petroleum equivalency factor means the value specified in 10 CFR 474.3(b), which incorporates the parameters listed in 49 U.S.C. 32904(a)(2)(B) and is used to calculate petroleum-equivalent fuel economy.

Petroleum-equivalent fuel economy means the value, expressed in miles per gallon, that is calculated for an electric vehicle in accordance with 10 CFR 474.3(a), and reported to the Administrator of the Environmental Protection Agency for use in determining the vehicle manufacturer's corporate average fuel economy.

Petroleum-powered accessory means a vehicle accessory (e.g., a cabin heater, defroster, and/or air conditioner) that:

(1) Uses gasoline or diesel fuel as its primary energy source; and

(2) Meets the requirements for fuel, operation, and emissions in 40 CFR part 88.104-94(g).

Plug-in hybrid electric vehicle (PHEV) means a hybrid electric vehicle that:

(1) Has the capability to charge the battery from an off-vehicle electric source, such that the off-vehicle source cannot be connected to the vehicle while the vehicle is in motion, and
(2) Has an equivalent all-electric range of no less than 10 miles.

Production volume has the meaning given in § 600.002-08 of this chapter.

Round, rounded or rounding means, unless otherwise specified, that numbers will be rounded according to ASTM-E29-93a, which is incorporated by reference in this part pursuant to § 86.1.

Subconfiguration has the meaning given in § 600.002–08 of this chapter.

* * * *

Track width is the lateral distance between the centerlines of the base tires at ground, including the camber angle.

* * * *

Transmission class has the meaning given in § 600.002–08 of this chapter.

Transmission configuration has the meaning given in § 600.002–08 of this chapter.

* * * *

Wheelbase is the longitudinal distance between front and rear wheel centerlines.

* * * *

12. A new section 86.1805–12 is added to read as follows:

§ 86.1805–12 Useful life.

(a) Except as permitted under paragraph (b) of this section or required under paragraphs (c) and (d) of this section, the full useful life for all LDVs and LLDTs is a period of use of 10 years or 120,000 miles, whichever occurs first. The full useful life for all HLDTs, MDPVs, and complete heavy-duty vehicles is a period of 11 years or 120,000 miles, whichever occurs first. These full useful life values apply to all exhaust, evaporative and refueling emission requirements except for standards which are specified to only be applicable at the time of certification. These full useful life requirements also apply to all air conditioning leakage credits, air conditioning efficiency credits, and other credit programs used by the manufacturer to comply with fleet average CO₂ emission standards.

(b) Manufacturers may elect to optionally certify a test group to the Tier 2 exhaust emission standards for 150,000 miles to gain additional NO_x credits, as permitted in § 86.1860–04(g), or to opt out of intermediate life standards as permitted in § 86.1811–04(c). In such cases, useful life is a period of use of 15 years or 150,000 miles, whichever occurs first, for all exhaust, evaporative and refueling emission requirements except for cold CO standards and standards which are applicable only at the time of certification.

(c) Where intermediate useful life exhaust emission standards are applicable, such standards are applicable for five years or 50,000 miles, whichever occurs first.

(d) Where cold CO standards are applicable, the useful life requirement for compliance with the cold CO standard only, is 5 years or 50,000 miles, whichever occurs first.

13. Section 86.1806–05 is amended by revising paragraph (a)(1) to read as follows:

§ 86.1806–05 On-board diagnostics for vehicles less than or equal to 14,000 pounds GVWR.

(a) * * *

(1) Except as provided by paragraph (a)(2) of this section, all light-duty vehicles, light-duty trucks and complete heavy-duty vehicles weighing 14,000 pounds GVWR or less (including MDPVs) must be equipped with an onboard diagnostic (OBD) system capable of monitoring all emission-related powertrain systems or components during the applicable useful life of the vehicle. All systems and components required to be monitored by these regulations must be evaluated periodically, but no less frequently than once per applicable certification test cycle as defined in paragraphs (a) and (d) of Appendix I of this part, or similar trip as approved by the Administrator. Emissions of CO₂ are not required to be monitored by the OBD system.

* * * *

14. Section 86.1809–10 is amended by revising paragraphs (d)(1) and (e) to read as follows:

§ 86.1809–10 Prohibition of defeat devices.

* * * *

(d) * * *

(1) The manufacturer must show to the satisfaction of the Administrator that the vehicle design does not incorporate strategies that unnecessarily reduce emission control effectiveness exhibited during the Federal Test Procedure or Supplemental Federal Test Procedure (FTP or SFTP), or, for 2012 and later model years, the Highway Fuel Economy Test Procedure or the Air Conditioning Idle Test, when the vehicle is operated under conditions that may reasonably be expected to be encountered in normal operation and use.

* * * *

(e) For each test group the manufacturer must submit, with the Part II certification application, an engineering evaluation demonstrating to the satisfaction of the Administrator that a discontinuity in emissions of non-methane organic gases, carbon monoxide, carbon dioxide, oxides of nitrogen and formaldehyde measured on the Federal Test Procedure (subpart B of this part) does not occur in the temperature range of 20 to 86 °F. For diesel vehicles, the engineering evaluation must also include particulate emissions.

15. Section 86.1810–09 is amended by revising paragraph (f) to read as follows:

§ 86.1810–09 General standards; increase in emissions; unsafe condition; waivers.

* * * *

(f) *Altitude requirements.* (1) All emission standards apply at low altitude conditions and at high altitude conditions, except for the following standards, which apply only at low altitude conditions:

(i) The supplemental exhaust emission standards as described in § 86.1811–04(f);

(ii) The cold temperature NMHC emission standards as described in § 86.1811–10(g);

(iii) The evaporative emission standards as described in § 86.1811–09(e).

(2) For vehicles that comply with the cold temperature NMHC standards described in § 86.1811–10(g) and the CO₂, N₂O, and CH₄ exhaust emission standards described in § 86.1818–12, manufacturers must submit an engineering evaluation indicating that common calibration approaches are utilized at high altitudes. Any deviation from low altitude emission control practices must be included in the auxiliary emission control device (AECD) descriptions submitted at certification. Any AECD specific to high altitude must require engineering emission data for EPA evaluation to quantify any emission impact and validity of the AECD.

* * * *

16. A new § 86.1818–12 is added to read as follows:

§ 86.1818–12 Greenhouse gas emission standards for light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles.

(a) *Applicability.* This section contains regulations implementing greenhouse gas emission standards for CO₂, N₂O, and CH₄ applicable to all LDVs, LDTs and MDPVs. This section applies to 2012 and later model year LDVs, LDTs and MDPVs, including multi-fuel vehicles, vehicles fueled with alternative fuels, hybrid electric vehicles, plug-in hybrid electric vehicles, electric vehicles, and fuel cell electric vehicles. Unless otherwise specified, multi-fuel vehicles must comply with all requirements established for each consumed fuel. The provisions of this section also apply to aftermarket conversion systems, aftermarket conversion installers, and aftermarket conversion certifiers, as those terms are defined in 40 CFR 85.502, of all model year light-duty vehicles, light-duty trucks, and

medium-duty passenger vehicles. Manufacturers meeting the requirements of § 86.1801-12(j) are exempted from the requirements of this section.

(b) *Definitions.* For the purposes of this section, the following definitions shall apply:

(1) *Passenger automobile* means a motor vehicle that is a passenger automobile as that term is defined in 49 CFR 523.4.

(2) *Light truck* means a motor vehicle that is a non-passenger automobile as that term is defined by the Department of Transportation in 49 CFR 523.5.

(c) *Fleet average CO₂ standards for passenger automobiles and light trucks.*

(1) For a given individual model year's production of vehicles, manufacturers must comply with a fleet average CO₂ standard calculated according to the provisions of this paragraph (c). Manufacturers must calculate separate fleet average CO₂ standards for their passenger automobile and the light truck fleets, as those terms are defined in this section. Each manufacturer's fleet average CO₂ standards determined in this paragraph (c) shall be expressed in whole grams per mile, in the model year specified as applicable.

Manufacturers eligible for and choosing to participate in the optional interim fleet average CO₂ standards for qualifying manufacturers specified in paragraph (e) of this section shall not include vehicles subject to the optional interim fleet average CO₂ standards in the calculations of their primary passenger automobile or light truck standards determined in this paragraph (c). Manufacturers shall demonstrate compliance with the applicable standards according to the provisions of § 86.1865-12.

(2) *Passenger automobiles.*

(i) *Calculation of CO₂ target values for passenger automobiles.* A CO₂ target value shall be determined for each passenger automobile as follows:

(A) For passenger automobiles with a footprint of less than or equal to 41 square feet, the gram/mile CO₂ target value shall be selected for the appropriate model year from the following table:

Model year	CO ₂ target value (grams/mile)
2012	242
2013	234
2014	227
2015	215
2016 and later	204

(B) For passenger automobiles with a footprint of greater than 56 square feet, the gram/mile CO₂ target value shall be

selected for the appropriate model year from the following table:

Model year	CO ₂ target value (grams/mile)
2012	313
2013	305
2014	297
2015	286
2016 and later	275

(C) For passenger automobiles with a footprint that is greater than 41 square feet and less than or equal to 56 square feet, the gram/mile CO₂ target value shall be calculated using the following equation:

$$\text{TargetCO}_2 = [4.72 \times f] + b$$

Where:

f is the vehicle footprint, as defined in § 86.1803; and

b is selected from the following table for the appropriate model year:

Model year	<i>b</i>
2012	48.8
2013	40.8
2014	33.2
2015	22.0
2016 and later	10.9

(ii) *Calculation of the fleet average CO₂ standard for passenger automobiles.* In each model year manufacturers must comply with the CO₂ exhaust emission standard for their passenger automobile fleet, calculated for that model year as follows:

(A) A CO₂ target value shall be determined according to paragraph (c)(2)(i) of this section for each unique combination of model type and footprint value.

(B) Each CO₂ target value, determined for each unique combination of model type and footprint value, shall be multiplied by the total production of that model type/footprint combination for the appropriate model year.

(C) The resulting products shall be summed, and that sum shall be divided by the total production of passenger automobiles in that model year. The result shall be rounded to the nearest whole gram per mile. This result shall be the applicable fleet average CO₂ standard for the manufacturer's passenger automobile fleet.

(3) *Light trucks.*

(i) *Calculation of CO₂ target values for light trucks.* A CO₂ target value shall be determined for each light truck as follows:

(A) For light trucks with a footprint of less than or equal to 41 square feet, the gram/mile CO₂ target value shall be selected for the appropriate model year from the following table:

Model year	CO ₂ target value (grams/mile)
2012	298
2013	287
2014	276
2015	261
2016 and later	246

(B) For light trucks with a footprint of greater than 66 square feet, the gram/mile CO₂ target value shall be selected for the appropriate model year from the following table:

Model year	CO ₂ target value (grams/mile)
2012	399
2013	388
2014	377
2015	362
2016 and later	347

(C) For light trucks with a footprint that is greater than 41 square feet and less than or equal to 66 square feet, the gram/mile CO₂ target value shall be calculated using the following equation:
CO₂TargetValue = (4.04 × *f*) + *b*

Where:

f is the footprint, as defined in § 86.1803; and *b* is selected from the following table for the appropriate model year:

Model year	<i>b</i>
2012	132.6
2013	121.6
2014	110.3
2015	95.2
2016 and later	80.4

(ii) *Calculation of fleet average CO₂ standards for light trucks.* In each model year manufacturers must comply with the CO₂ exhaust emission standard for their light truck fleet, calculated for that model year as follows:

(A) A CO₂ target value shall be determined according to paragraph (c)(2)(i) of this section for each unique combination of model type and footprint value.

(B) Each CO₂ target value, which represents a unique combination of model type and footprint value, shall be multiplied by the total production of that model type/footprint combination for the appropriate model year.

(C) The resulting products shall be summed, and that sum shall be divided by the total production of light trucks in that model year. The result shall be rounded to the nearest whole gram per mile. This result shall be the applicable fleet average CO₂ standard for the manufacturer's light truck fleet.

(d) *In-use CO₂ exhaust emission standards.* The in-use exhaust CO₂ emission standard for each model type

shall be the combined city/highway carbon-related exhaust emission value calculated according to the provisions of 40 CFR 600.208-08 (except that total model year production data shall be used instead of sales projections) multiplied by 1.1 and rounded to the nearest whole gram per mile. These standards apply to in-use testing performed by the manufacturer pursuant to regulations at § 86.1845-04 and 86.1846-01 and to in-use testing performed by EPA. For any model type that is not covered by vehicle testing conducted according to 40 CFR 600.208-08 the applicable in-use standard shall be the CO₂-equivalent value submitted at certification according to the provisions of § 86.1841 multiplied by 1.1 and rounded to the nearest whole gram per mile.

(e) *Optional interim fleet average CO₂ standards for qualifying manufacturers.*

(1) The interim fleet average CO₂ standards in this paragraph (e) are optionally applicable to each qualifying manufacturer as follows:

(i) A qualifying manufacturer is a manufacturer with sales of 2009 model year combined passenger automobiles and light trucks in the United States of less than 400,000 vehicles, except that manufacturers with no U.S. sales in the 2009 model year do not qualify for the optional interim standard.

(ii) For the purposes of making the determination in paragraph (e)(1)(i) of this section, "manufacturer" shall mean that term as defined at 49 CFR 531.4 and as that definition was applied to the 2009 model year for the purpose of determining compliance with the 2009 corporate average fuel economy standards at 49 CFR parts 531 and 533.

(iii) Only 2012 through 2015 model year passenger automobiles and light trucks are eligible for these standards. All model year 2016 and later passenger automobiles and light trucks are subject to the fleet average standards described in paragraph (c) of this section.

(iv) A qualifying manufacturer may select any combination of 2012 through 2015 model year passenger automobiles and/or light trucks to comply with these optional standards up to a cumulative total of 100,000 vehicles. Vehicles selected to comply with these standards shall not be included in the calculations of the manufacturer's fleet average standards under paragraph (c) of this section.

(v) A qualifying manufacturer may not use these optional interim fleet average CO₂ standards until they have used all available banked CO₂ credits and/or CO₂ credits available for transfer. A qualifying manufacturer with a net positive credit balance in any model

year after considering all available credits generated, carried forward from a prior model year, transferred from other averaging sets, or obtained from other manufacturers, may not use these optional interim fleet average CO₂ standards in such model year.

(2) To calculate an optional interim fleet average CO₂ standard, qualifying manufacturers shall determine the fleet average standard separately for the passenger automobiles and light trucks selected by the manufacturer to be subject to the interim fleet average CO₂ standard, subject to the limitations expressed in paragraphs (e)(1)(iii) and (iv) of this section.

(i) The interim fleet average CO₂ standard applicable to qualified passenger automobiles shall be the standard calculated using the provisions of paragraph (c)(2)(ii) of this section for the appropriate model year multiplied by 1.25 and rounded to the nearest whole gram per mile. For the purposes of applying paragraph (c)(2)(ii) of this section to determine the standard, the passenger automobile fleet shall be limited to those passenger automobiles subject to the interim fleet average CO₂ standard.

(ii) The interim fleet average CO₂ standard applicable to qualified light trucks shall be the standard calculated using the provisions of paragraph (c)(3)(ii) of this section for the appropriate model year multiplied by 1.25 and rounded to the nearest whole gram per mile. For the purposes of applying paragraph (c)(3)(ii) of this section to determine the standard, the light truck fleet shall be limited to those light trucks subject to the interim fleet average CO₂ standard.

(3) Manufacturers choosing to optionally apply these standards are subject to the restrictions on credit banking and trading specified in § 86.1865-12.

(f) *N₂O standards for light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles.* Exhaust emissions of nitrous oxide (N₂O) shall not exceed 0.010 grams per mile at full useful life, as measured according to the Federal Test Procedure (FTP) described in subpart B of this part.

(g) *Methane standards for light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles.* Exhaust emissions of methane (CH₄) shall not exceed 0.030 grams per mile at full useful life, as measured according to the Federal Test Procedure (FTP) described in subpart B of this part.

17. Section 86.1823-08 is amended by adding paragraph (m) to read as follows:

§ 86.1823-08 Durability demonstration procedures for exhaust emissions.

* * * * *

(m) *Durability demonstration procedures for vehicles subject to the greenhouse gas exhaust emission standards specified in 86.1818-12.*

(1) CO₂. (i) Unless otherwise specified under paragraph (m)(1)(ii) of this section, manufacturers may use a multiplicative CO₂ deterioration factor of one or an additive deterioration factor of zero.

(ii) Based on an analysis of industry-wide data, EPA may periodically establish and/or update the deterioration factor for CO₂ emissions including air conditioning and other credit related emissions. Deterioration factors established and/or updated under this paragraph (m)(1)(ii) will provide adequate lead time for manufacturers to plan for the change.

(iii) Alternatively, manufacturers may use the whole-vehicle mileage accumulation procedures in § 86.1823-08 paragraphs (c) or (d)(1) to determine CO₂ deterioration factors. In this case, each FTP test performed on the durability data vehicle selected under § 86.1822-01 of this part must also be accompanied by an HFET test, and combined FTP/HFET CO₂ results determined by averaging the city (FTP) and highway (HFET) CO₂ values, weighted 0.55 and 0.45 respectively. The deterioration factor will be determined for this combined CO₂ value. Calculated multiplicative deterioration factors that are less than one shall be set to equal one, and calculated additive deterioration factors that are less than zero shall be set to zero.

(iv) If, in the good engineering judgment of the manufacturer, the deterioration factors determined according to paragraphs (m)(1)(i), (m)(1)(ii), or (m)(1)(iii) of this section do not adequately account for the expected CO₂ emission deterioration over the vehicle's useful life, the manufacturer may petition EPA to request a more appropriate deterioration factor.

(2) *N₂O and CH₄.* Deterioration factors for N₂O and CH₄ shall be determined according to the provisions of § 86.1823-08.

(3) *Air Conditioning leakage and efficiency or other emission credit requirements to comply with exhaust CO₂ standards.* Manufacturers will attest to the durability of components and systems used to meet the CO₂ standards. Manufacturers may submit engineering data to provide durability demonstration.

18. Section 86.1827-01 is amended by revising paragraph (a)(5) and by adding paragraph (f) to read as follows:

§ 86.1827-01 Test group determination.

(a) * * *
(5) Subject to the same emission standards (except for CO2), or FEL in the case of cold temperature NMHC standards, except that a manufacturer may request to group vehicles into the same test group as vehicles subject to more stringent standards, so long as all the vehicles within the test group are certified to the most stringent standards applicable to any vehicle within that test group. Light-duty trucks and light-duty vehicles may be included in the same test group if all vehicles in the test group are subject to the same emission standards, with the exception of the CO2 standard, the light-duty truck idle CO standard, and/or the total HC standard.

(f) Unless otherwise approved by the Administrator, a manufacturer of electric vehicles must create separate test groups based on the type of battery technology, the capacity and voltage of the battery, and the type and size of the electric motor.

19. Section 86.1829-01 is amended by revising paragraph (b)(1)(i) and by adding paragraph (b)(1)(iii)(G) to read as follows:

§ 86.1829-01 Durability and emission testing requirements; waivers.

(b) * * *
(i) Testing at low altitude. One EDV shall be tested in each test group for exhaust emissions using the FTP and SFTP test procedures of subpart B of this part and the HFET test procedure of subpart B of part 600 of this chapter. The configuration of the EDV will be determined under the provisions of § 86.1828-01 of this subpart.

(iii) * * *
(G) For the 2012 model year only, in lieu of testing a vehicle for N2O emissions, a manufacturer may provide a statement in its application for certification that such vehicles comply with the applicable standards. Such a statement must be based on previous emission tests, development tests, or other appropriate information and good engineering judgment.

20. Section 86.1835-01 is amended as follows:

- a. By revising paragraph (a)(4).
b. By revising paragraph (b)(1) introductory text.

- c. By adding paragraph (b)(1)(vi).
d. By revising paragraph (b)(3).
e. By revising paragraph (c)(1)(ii).

§ 86.1835-01 Confirmatory certification testing.

(4) Retesting for fuel economy reasons or for compliance with applicable exhaust CO2 emission standards may be conducted under the provisions of 40 CFR 600.008-01.

(1) If the Administrator determines not to conduct a confirmatory test under the provisions of paragraph (a) of this section, manufacturers of light-duty vehicles, light-duty trucks, and/or medium-duty passenger vehicles will conduct a confirmatory test at their facility after submitting the original test data to the Administrator whenever any of the conditions listed in paragraphs (b)(1)(i) through (vi) of this section exist, and complete heavy-duty vehicles manufacturers will conduct a confirmatory test at their facility after submitting the original test data to the Administrator whenever the conditions listed in paragraph (b)(1)(i) or (b)(1)(ii) of this section exist, as follows:

(vi) The exhaust CO2 emissions of the test as measured in accordance with the procedures in 40 CFR Part 600 are lower than expected based on procedures approved by the Administrator.

(3) For light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles the manufacturer shall conduct a retest of the FTP or highway test if the difference between the fuel economy or carbon-related exhaust emissions of the confirmatory test and the original manufacturer's test equals or exceeds three percent (or such lower percentage to be applied consistently to all manufacturer conducted confirmatory testing as requested by the manufacturer and approved by the Administrator).

(i) For use in the fuel economy and CO2 fleet averaging program described in 40 CFR parts 86 and 600, the manufacturer may, in lieu of conducting a retest, accept as official the lower of the original and confirmatory test fuel economy results, and the higher of the original and confirmatory test CO2 results.

(ii) The manufacturer shall conduct a second retest of the FTP or highway test if the fuel economy or CO2 emissions difference between the second confirmatory test and the original manufacturer test equals or exceeds three percent (or such lower percentage as requested by the manufacturer and approved by the Administrator) and the

fuel economy or CO2 emissions difference between the second confirmatory test and the first confirmatory test equals or exceeds three percent (or such lower percentage as requested by the manufacturer and approved by the Administrator). In lieu of conducting a second retest, the manufacturer may accept as official (for use in the fuel economy program and the CO2 fleet averaging program) the lowest fuel economy and highest CO2 emissions of the original test, the first confirmatory test, and the second confirmatory test fuel economy results.

(ii) Official test results for fuel economy and exhaust CO2 emission purposes are determined in accordance with the provisions of 40 CFR 600.008-01.

21. Section 86.1841-01 is amended by adding paragraph (a)(3) and revising paragraph (b) to read as follows:

§ 86.1841-01 Compliance with emission standards for the purpose of certification.

(3) Compliance with CO2 exhaust emission standards shall be demonstrated at certification by the certification levels on the FTP and HFET tests for carbon-related exhaust emissions determined according to § 600.113-08 of this chapter.

(b) To be considered in compliance with the standards for the purposes of certification, the certification levels for the test vehicle calculated in paragraph (a) of this section shall be less than or equal to the standards for all emission constituents to which the test group is subject, at both full and intermediate useful life as appropriate for that test group.

22. Section 86.1845-04 is amended as follows:

- a. By revising paragraph (a)(1).
b. By revising paragraph (b)(5)(i).
c. By revising paragraph (c)(5)(i).

§ 86.1845-04 Manufacturer in-use verification testing requirements.

(1) A manufacturer of LDVs, LDTs, MDPVs and/or complete HDVs must test, or cause to have tested, a specified number of LDVs, LDTs, MDPVs and complete HDVs. Such testing must be conducted in accordance with the provisions of this section. For purposes of this section, the term vehicle includes light-duty vehicles, light-duty trucks and medium-duty passenger vehicles.

(b) * * *

(5) * * *

(i) Each test vehicle of a test group shall be tested in accordance with the Federal Test Procedure and the US06 portion of the Supplemental Federal Test Procedure as described in subpart B of this part, when such test vehicle is tested for compliance with applicable exhaust emission standards under this subpart. Test vehicles subject to applicable exhaust CO₂ emission standards under this subpart shall also be tested in accordance with the highway fuel economy test as described in subpart B of 40 CFR part 600.

(c) * * *

(5) * * *

(i) Each test vehicle shall be tested in accordance with the Federal Test Procedure and the US06 portion of the Supplemental Federal Test Procedure as described in subpart B of this part when such test vehicle is tested for compliance with applicable exhaust emission standards under this subpart. Test vehicles subject to applicable exhaust CO₂ emission standards under this subpart shall also be tested in accordance with the highway fuel economy test as described in subpart B of 40 CFR part 600. The US06 portion of the SFTP is not required to be performed on vehicles certified in accordance with the National LEV provisions of subpart R of this part. One test vehicle from each test group shall receive a Federal Test Procedure at high altitude. The test vehicle tested at high altitude is not required to be one of the same test vehicles tested at low altitude. The test vehicle tested at high altitude is counted when determining the compliance with the requirements shown in Table S04-06 and Table S04-07 in paragraph (b)(3) of this section or the expanded sample size as provided for in this paragraph (c).

* * * * *

23. Section 86.1846-01 is amended by revising paragraphs (a)(1) and (b) introductory text to read as follows:

§ 86.1846-01 Manufacturer in-use confirmatory testing requirements.

(a) * * *

(1) A manufacturer of LDVs, LDTs and/or MDPVs must test, or cause testing to be conducted, under this section when the emission levels shown by a test group sample from testing under §§ 86.1845-01 or 86.1845-04, as applicable, exceeds the criteria specified in paragraph (b) of this section. The testing required under this section applies separately to each test group and at each test point (low and high mileage) that meets the specified criteria. The

testing requirements apply separately for each model year starting with model year 2001. These provisions do not apply to heavy-duty vehicles or heavy-duty engines prior to the 2007 model year. These provisions do not apply to emissions of CO₂, CH₄, and N₂O.

* * * * *

(b) *Criteria for additional testing.* A manufacturer shall test a test group or a subset of a test group as described in paragraph (j) of this section when the results from testing conducted under §§ 86.1845-01 and 86.1845-04, as applicable, show mean emissions for that test group of any pollutant(s) (except CO₂, CH₄, and N₂O) to be equal to or greater than 1.30 times the applicable in-use standard and a failure rate, among the test group vehicles, for the corresponding pollutant(s) of fifty percent or greater.

* * * * *

24. Section 86.1848-10 is amended by adding paragraph (c)(9) to read as follows:

§ 86.1848-10 Certification.

* * * * *

(c) * * *

(9) For 2012 and later model year LDVs, LDTs, and MDPVs, all certificates of conformity issued are conditional upon compliance with all provisions of §§ 86.1818-12 and 86.1865-12 both during and after model year production. The manufacturer bears the burden of establishing to the satisfaction of the Administrator that the terms and conditions upon which the certificate(s) was (were) issued were satisfied. For recall and warranty purposes, vehicles not covered by a certificate of conformity will continue to be held to the standards stated or referenced in the certificate that, otherwise would have applied to the vehicles.

(i) Failure to meet the fleet average CO₂ requirements will be considered a failure to satisfy the terms and conditions upon which the certificate(s) was (were) issued and the vehicles sold in violation of the fleet average CO₂ standard will not be covered by the certificate(s). The vehicles sold in violation will be determined according to § 86.1865-12(k)(7).

(ii) Failure to comply fully with the prohibition against selling credits that are not generated or that are not available, as specified in § 86.1865-12, will be considered a failure to satisfy the terms and conditions upon which the certificate(s) was (were) issued and the vehicles sold in violation of this prohibition will not be covered by the certificate(s).

* * * * *

25. A new § 86.1854-12 is added to read as follows:

§ 86.1854-12 Prohibited acts.

(a) The following acts and the causing thereof are prohibited:

(1) In the case of a manufacturer, as defined by § 86.1803, of new motor vehicles or new motor vehicle engines for distribution in commerce, the sale, or the offering for sale, or the introduction, or delivery for introduction, into commerce, or (in the case of any person, except as provided by regulation of the Administrator), the importation into the United States of any new motor vehicle or new motor vehicle engine subject to this subpart, unless such vehicle or engine is covered by a certificate of conformity issued (and in effect) under regulations found in this subpart (except as provided in Section 203(b) of the Clean Air Act (42 U.S.C. 7522(b)) or regulations promulgated thereunder).

(2)(i) For any person to fail or refuse to permit access to or copying of records or to fail to make reports or provide information required under Section 208 of the Clean Air Act (42 U.S.C. 7542) with regard to vehicles.

(ii) For a person to fail or refuse to permit entry, testing, or inspection authorized under Section 206(c) (42 U.S.C. 7525(c)) or Section 208 of the Clean Air Act (42 U.S.C. 7542) with regard to vehicles.

(iii) For a person to fail or refuse to perform tests, or to have tests performed as required under Section 208 of the Clean Air Act (42 U.S.C. 7542) with regard to vehicles.

(iv) For a person to fail to establish or maintain records as required under §§ 86.1844, 86.1862, 86.1864, and 86.1865 with regard to vehicles.

(v) For any manufacturer to fail to make information available as provided by regulation under Section 202(m)(5) of the Clean Air Act (42 U.S.C. 7521(m)(5)) with regard to vehicles.

(3)(i) For any person to remove or render inoperative any device or element of design installed on or in a vehicle or engine in compliance with regulations under this subpart prior to its sale and delivery to the ultimate purchaser, or for any person knowingly to remove or render inoperative any such device or element of design after such sale and delivery to the ultimate purchaser.

(ii) For any person to manufacture, sell or offer to sell, or install, any part or component intended for use with, or as part of, any vehicle or engine, where a principal effect of the part or component is to bypass, defeat, or render inoperative any device or

element of design installed on or in a vehicle or engine in compliance with regulations issued under this subpart, and where the person knows or should know that the part or component is being offered for sale or installed for this use or put to such use.

(4) For any manufacturer of a vehicle or engine subject to standards prescribed under this subpart:

(i) To sell, offer for sale, introduce or deliver into commerce, or lease any such vehicle or engine unless the manufacturer has complied with the requirements of Section 207 (a) and (b) of the Clean Air Act (42 U.S.C. 7541 (a), (b)) with respect to such vehicle or engine, and unless a label or tag is affixed to such vehicle or engine in accordance with Section 207(c)(3) of the Clean Air Act (42 U.S.C. 7541(c)(3)).

(ii) To fail or refuse to comply with the requirements of Section 207 (c) or (e) of the Clean Air Act (42 U.S.C. 7541 (c) or (e)).

(iii) Except as provided in Section 207(c)(3) of the Clean Air Act (42 U.S.C. 7541(c)(3)), to provide directly or indirectly in any communication to the ultimate purchaser or any subsequent purchaser that the coverage of a warranty under the Clean Air Act is conditioned upon use of any part, component, or system manufactured by the manufacturer or a person acting for the manufacturer or under its control, or conditioned upon service performed by such persons.

(iv) To fail or refuse to comply with the terms and conditions of the warranty under Section 207 (a) or (b) of the Clean Air Act (42 U.S.C. 7541 (a) or (b)).

(b) For the purposes of enforcement of this subpart, the following apply:

(1) No action with respect to any element of design referred to in paragraph (a)(3) of this section (including any adjustment or alteration of such element) shall be treated as a prohibited act under paragraph (a)(3) of this section if such action is in accordance with Section 215 of the Clean Air Act (42 U.S.C. 7549);

(2) Nothing in paragraph (a)(3) of this section is to be construed to require the use of manufacturer parts in maintaining or repairing a vehicle or engine. For the purposes of the preceding sentence, the term "manufacturer parts" means, with respect to a motor vehicle engine, parts produced or sold by the manufacturer of the motor vehicle or motor vehicle engine;

(3) Actions for the purpose of repair or replacement of a device or element of design or any other item are not considered prohibited acts under

paragraph (a)(3) of this section if the action is a necessary and temporary procedure, the device or element is replaced upon completion of the procedure, and the action results in the proper functioning of the device or element of design;

(4) Actions for the purpose of a conversion of a motor vehicle or motor vehicle engine for use of a clean alternative fuel (as defined in title II of the Clean Air Act) are not considered prohibited acts under paragraph (a) of this section if:

(i) The vehicle complies with the applicable standard when operating on the alternative fuel; and

(ii) In the case of engines converted to dual fuel or flexible use, the device or element is replaced upon completion of the conversion procedure, and the action results in proper functioning of the device or element when the motor vehicle operates on conventional fuel.

26. A new § 86.1865–12 is added to subpart S to read as follows:

§ 86.1865–12 How to comply with the fleet average CO₂ standards.

(a) *Applicability.* (1) Unless otherwise exempted under the provisions of § 86.1801–12(j), CO₂ fleet average exhaust emission standards apply to:

(i) 2012 and later model year passenger automobiles and light trucks.

(ii) Aftermarket conversion systems as defined in 40 CFR 85.502.

(iii) Vehicles imported by ICIs as defined in 40 CFR 85.1502.

(2) The terms "passenger automobile" and "light truck" as used in this section have the meanings as defined in § 86.1818–12.

(b) *Useful life requirements.* Full useful life requirements for CO₂ standards are defined in § 86.1818–12. There is not an intermediate useful life standard for CO₂ standards.

(c) *Altitude.* Altitude requirements for CO₂ standards are provided in § 86.1810–12(f).

(d) *Small volume manufacturer certification procedures.* Certification procedures for small volume manufacturers are provided in § 86.1838–01. Small businesses meeting certain criteria may be exempted from the fleet average CO₂ standards under § 86.1801–12(j).

(e) *CO₂ fleet average exhaust emission standards.* The fleet average standards referred to in this section are the corporate fleet average CO₂ standards for passenger automobiles and light trucks set forth in 86.1818–12(c) and (e). The fleet average CO₂ standards applicable in a given model year are calculated separately for passenger automobiles and light trucks for each

manufacturer and each model year according to the provisions in § 86.1818–12. Each manufacturer must comply with the applicable CO₂ fleet average standard on a production-weighted average basis, for each separate averaging set, at the end of each model year, using the procedure described in paragraph (c) of this section.

(f) *In-use CO₂ standards.* In-use CO₂ exhaust emission standards applicable to each model type are provided in § 86.1818–12(d).

(g) *Durability procedures and method of determining deterioration factors (DFs).* Deterioration factors for CO₂ exhaust emission standards are provided in § 86.1823–08(m).

(h) *Vehicle test procedures.* (1) The test procedures for demonstrating compliance with CO₂ exhaust emission standards are contained in subpart B of this part and subpart B of part 600 of this chapter.

(2) Testing of all passenger automobiles and light trucks to determine compliance with CO₂ exhaust emission standards set forth in this section must be on a loaded vehicle weight (LVW) basis, as defined in § 86.1803–01.

(3) Testing for the purpose of providing certification data is required only at low altitude conditions. If hardware and software emission control strategies used during low altitude condition testing are not used similarly across all altitudes for in-use operation, the manufacturer must include a statement in the application for certification, in accordance with §§ 86.1844–01(d)(11) and 86.1810–12(f), stating what the different strategies are and why they are used.

(i) *Calculating the fleet average carbon-related exhaust emissions.* (1) Manufacturers must compute separate production-weighted fleet average carbon-related exhaust emissions at the end of the model year for passenger automobiles and light trucks, using actual production, where production means vehicles produced and delivered for sale, and certifying model types to standards as defined in § 86.1818–12. The model type carbon-related exhaust emission results determined according to 40 CFR 600 subpart F become the certification standard for each model type.

(2) Manufacturers must separately calculate production-weighted fleet average carbon-related exhaust emissions levels for the following averaging sets according to the provisions of part 600 subpart F of this chapter:

(i) Passenger automobiles subject to the fleet average CO₂ standards specified in § 86.1818-12(c)(2);

(ii) Light trucks subject to the fleet average CO₂ standards specified in § 86.1818-12(c)(3);

(iii) Passenger automobiles subject to the optional interim fleet average CO₂ standards specified in § 86.1818-12(e), if applicable; and

(iv) Light trucks subject to the optional interim fleet average CO₂ standards specified in § 86.1818-12(e), if applicable.

(j) *Certification compliance and enforcement requirements for CO₂ exhaust emission standards.* (1) Compliance and enforcement requirements are provided in § 86.1864-10 and § 86.1848-10(c)(8).

(2) The certificate issued for each test group requires all model types within that test group to meet the emission standard to which each model type is certified.

(3) Each manufacturer must comply with the applicable CO₂ fleet average standard on a production-weighted average basis, at the end of each model year, using the procedure described in paragraph (i) of this section.

(4) Manufacturers must compute separate CO₂ fleet averages for passenger automobiles and light trucks. The production-weighted CO₂ fleet averages must be compared with the applicable fleet average standard.

(5) Each manufacturer must comply on an annual basis with the fleet average standards as follows:

(i) Manufacturers must report in their annual reports to the Agency that they met the relevant corporate average standard by showing that their production-weighted average CO₂ emissions levels of passenger automobiles and light trucks, as applicable, are at or below the applicable fleet average standard; or

(ii) If the production-weighted average is above the applicable fleet average standard, manufacturers must obtain and apply sufficient CO₂ credits as authorized under paragraph (k)(7) of this section. A manufacturer must show that they have offset any exceedence of the corporate average standard via the use of credits. Manufacturers must also include their credit balances or deficits in their annual report to the Agency.

(iii) If a manufacturer fails to meet the corporate average CO₂ standard for four consecutive years, the vehicles causing the corporate average exceedence will be considered not covered by the certificate of conformity (see paragraph (k)(7) of this section). A manufacturer will be subject to penalties on an

individual-vehicle basis for sale of vehicles not covered by a certificate.

(iv) EPA will review each manufacturer's production to designate the vehicles that caused the exceedence of the corporate average standard. EPA will designate as nonconforming those vehicles in test groups with the highest certification emission values first, continuing until reaching a number of vehicles equal to the calculated number of noncomplying vehicles as determined in paragraph (k)(7) of this section. In a group where only a portion of vehicles would be deemed nonconforming, EPA will determine the actual nonconforming vehicles by counting backwards from the last vehicle produced in that test group. Manufacturers will be liable for penalties for each vehicle sold that is not covered by a certificate.

(k) *Requirements for the CO₂ averaging, banking and trading (ABT) program.* (1) A manufacturer whose CO₂ fleet average emissions exceed the applicable standard must complete the calculation in paragraph (k)(4) of this section to determine the size of its CO₂ deficit. A manufacturer whose CO₂ fleet average emissions are less than the applicable standard must complete the calculation in paragraph (k)(4) of this section to generate CO₂ credits. In either case, the number of credits or debits must be rounded to the nearest whole number.

(2) There are no property rights associated with CO₂ credits generated under this subpart. Credits are a limited authorization to emit the designated amount of emissions. Nothing in this part or any other provision of law should be construed to limit EPA's authority to terminate or limit this authorization through a rulemaking.

(3) Each manufacturer must comply with the reporting and recordkeeping requirements of paragraph (l) of this section for CO₂ credits, including early credits. The averaging, banking and trading program is enforceable through the certificate of conformity that allows the manufacturer to introduce any regulated vehicles into commerce.

(4) Credits are earned on the last day of the model year. Manufacturers must calculate, for a given model year, the number of credits or debits it has generated according to the following equation, rounded to the nearest megagram:

$$\text{CO}_2 \text{ Credits or Debits (Mg)} = [(\text{CO}_2 \text{ Standard—Manufacturer's Production-Weighted Fleet Average CO}_2 \text{ Emissions)} \times (\text{Total Number of Vehicles Produced}) \times (\text{Vehicle Lifetime Miles})] \div 1,000,000$$

Where:

CO₂ Standard = the applicable standard for the model year as determined by § 86.1818-12;

Manufacturer's Production-Weighted Fleet Average CO₂ Emissions = average calculated according to paragraph (i) of this section;

Total Number of Vehicles Produced = The number of vehicles domestically produced plus those imported as defined in 40 CFR 600.511-80; and

Vehicle Lifetime Miles is 190,971 for passenger automobiles and 221,199 for light trucks.

(5) Total credits or debits generated in a model year, maintained and reported separately for passenger automobiles and light trucks, shall be the sum of the credits or debits calculated in paragraph (k)(4) of this section and any of the following credits, if applicable:

(i) Air conditioning leakage credits earned according to the provisions of 86.1866-12(b);

(ii) Air conditioning efficiency credits earned according to the provisions of 86.1866-12(c);

(iii) Off-cycle technology credits earned according to the provisions of 86.1866-12(d).

(6) Unused CO₂ credits shall retain their full value through the five subsequent model years after the model year in which they were generated. Credits available at the end of the fifth model year after the year in which they were generated shall expire.

(7) Credits may be used as follows:

(i) Credits generated and calculated according to the method in paragraph (k)(4) of this section may not be used to offset deficits other than those deficits accrued with respect to the standard in § 86.1818-12. Credits may be banked and used in a future model year in which a manufacturer's average CO₂ level exceeds the applicable standard. Credits may be exchanged between the passenger automobile and light truck fleets of a given manufacturer. Credits may also be traded to another manufacturer according to the provisions in paragraph (k)(8) of this section. Before trading or carrying over credits to the next model year, a manufacturer must apply available credits to offset any deficit, where the deadline to offset that credit deficit has not yet passed.

(ii) The use of credits shall not change Selective Enforcement Auditing or in-use testing failures from a failure to a non-failure. The enforcement of the averaging standard occurs through the vehicle's certificate of conformity. A manufacturer's certificate of conformity is conditioned upon compliance with the averaging provisions. The certificate will be void ab initio if a manufacturer

fails to meet the corporate average standard and does not obtain appropriate credits to cover its shortfalls in that model year or subsequent model years (see deficit carry-forward provisions in paragraph (k)(7) of this section). Manufacturers must track their certification levels and production unless they produce only vehicles certified to CO₂ levels below the standard and do not plan to bank credits.

(iii) *Special provisions for manufacturers using the optional interim fleet average CO₂ standards.* (A) Credits generated by vehicles subject to the fleet average CO₂ standards specified in § 86.1818–12(c) may only be used to offset a deficit generated by vehicles subject to the optional interim fleet average CO₂ standards specified in § 86.1818–12(e).

(B) Credits generated by a passenger automobile or light truck averaging set subject to the optional interim fleet average CO₂ standards specified in § 86.1818–12(e)(2)(i) or (ii) of this section may be used to offset a deficit generated by an averaging set subject to the optional interim fleet average CO₂ standards through the 2015 model year.

(C) Credits generated by an averaging set subject to the optional interim fleet average CO₂ standards specified in § 86.1818–12(e)(2)(i) or (ii) of this section may not be used to offset a deficit generated by an averaging set subject to the fleet average CO₂ standards specified in § 86.1818–12(c)(2) or (3) or otherwise transferred to an averaging set subject to the fleet average CO₂ standards specified in § 86.1818–12(c)(2) or (3).

(D) Credits generated by vehicles subject to the optional interim fleet average CO₂ standards specified in § 86.1818–12(e)(2)(i) or (ii) may be banked for use in a future model year, except that all such credits shall expire at the end of the 2015 model year.

(E) A manufacturer with any vehicles subject to the optional interim fleet average CO₂ standards specified in § 86.1818–12(e)(2)(i) or (ii) of this section in a model year in which that manufacturer also generates credits with vehicles subject to the fleet average CO₂ standards specified in § 86.1818–12(c) may not trade those credits or bank those credits earned against the fleet average standards in § 86.1818–12(c) for use in a future model year.

(8) The following provisions apply if debits are accrued:

(i) If a manufacturer calculates that it has negative credits (also called "debts" or a "credit deficit") for a given model year, it may carry that deficit forward into the next three model years.

Such a carry-forward may only occur after the manufacturer exhausts any supply of banked credits. At the end of the third model year, the deficit must be covered with an appropriate number of credits that the manufacturer generates or purchases. Any remaining deficit is subject to a voiding of the certificate ab initio, as described in this paragraph (k)(8). Manufacturers are not permitted to have a credit deficit for four consecutive years.

(ii) If debits are not offset within the specified time period, the number of vehicles not meeting the fleet average CO₂ standards (and therefore not covered by the certificate) must be calculated.

(A) Determine the gram per mile quantity of debits for the noncompliant vehicle category by multiplying the total megagram deficit by 1,000,000 and then dividing by the vehicle lifetime miles for the vehicle category (passenger automobile or light truck) specified in paragraph (k)(4) of this section.

(B) Divide the result by the fleet average standard applicable to the model year in which the deficit failed to be offset and round to the nearest whole number to determine the number of vehicles not meeting the fleet average CO₂ standards.

(iii) EPA will determine the vehicles not covered by a certificate because the condition on the certificate was not satisfied by designating vehicles in those test groups with the highest CO₂ emission values first and continuing until reaching a number of vehicles equal to the calculated number of noncomplying vehicles as determined in paragraph (k)(7) of this section. If this calculation determines that only a portion of vehicles in a test group contribute to the debit situation, then EPA will designate actual vehicles in that test group as not covered by the certificate, starting with the last vehicle produced and counting backwards.

(iv)(A) If a manufacturer ceases production of passenger cars and light trucks, the manufacturer continues to be responsible for offsetting any debits outstanding within the required time period. Any failure to offset the debits will be considered a violation of paragraph (k)(7)(i) of this section and may subject the manufacturer to an enforcement action for sale of vehicles not covered by a certificate, pursuant to paragraphs (k)(7)(ii) and (iii) of this section.

(B) If a manufacturer is purchased by, merges with, or otherwise combines with another manufacturer, the controlling entity is responsible for offsetting any debits outstanding within the required time period. Any failure to

offset the debits will be considered a violation of paragraph (k)(7)(i) of this section and may subject the manufacturer to an enforcement action for sale of vehicles not covered by a certificate, pursuant to paragraphs (k)(7)(ii) and (iii) of this section.

(v) For purposes of calculating the statute of limitations, a violation of the requirements of paragraph (k)(7)(i) of this section, a failure to satisfy the conditions upon which a certificate(s) was issued and hence a sale of vehicles not covered by the certificate, all occur upon the expiration of the deadline for offsetting debits specified in paragraph (k)(7)(i) of this section.

(9) The following provisions apply to CO₂ credit trading:

(i) EPA may reject CO₂ credit trades if the involved manufacturers fail to submit the credit trade notification in the annual report.

(ii) A manufacturer may not sell credits that are not available for sale pursuant to the provisions in paragraph (k)(6)(i) of this section.

(iii) In the event of a negative credit balance resulting from a transaction, both the buyer and seller are liable. EPA may void ab initio the certificates of conformity of all test groups participating in such a trade.

(iv) (A) If a manufacturer trades a credit that it has not generated pursuant to paragraph (k) of this section or acquired from another party, the manufacturer will be considered to have generated a debit in the model year that the manufacturer traded the credit. The manufacturer must offset such debits by the deadline for the annual report for that same model year.

(B) Failure to offset the debits within the required time period will be considered a failure to satisfy the conditions upon which the certificate(s) was issued and will be addressed pursuant to paragraph (k)(7) of this section.

(v) A manufacturer may only trade credits that it has generated pursuant to paragraph (k)(4) of this section or acquired from another party.

(1) *Maintenance of records and submittal of information relevant to compliance with fleet average CO₂ standards—(1) Maintenance of records.* (i) Manufacturers producing any light-duty vehicles, light-duty trucks, or medium-duty passenger vehicles subject to the provisions in this subpart must establish, maintain, and retain all the following information in adequately organized records for each model year:

(A) Model year.
(B) Applicable fleet average CO₂ standards for each averaging set as defined in paragraph (i) of this section.

(C) The calculated fleet average CO₂ value for each averaging set as defined in paragraph (i) of this section.

(D) All values used in calculating the fleet average CO₂ values.

(ii) Manufacturers producing any passenger cars or light trucks subject to the provisions in this subpart must establish, maintain, and retain all the following information in adequately organized records for each passenger car or light truck subject to this subpart:

(A) Model year.

(B) Applicable fleet average CO₂ standard.

(C) EPA test group.

(D) Assembly plant.

(E) Vehicle identification number.

(F) Carbon-related exhaust emission standard to which the passenger car or light truck is certified.

(G) In-use carbon-related exhaust emission standard.

(H) Information on the point of first sale, including the purchaser, city, and State.

(iii) Manufacturers must retain all required records for a period of eight years from the due date for the annual report. Records may be stored in any format and on any media, as long as manufacturers can promptly send EPA organized written records in English if we ask for them. Manufacturers must keep records readily available as EPA may review them at any time.

(iv) The Administrator may require the manufacturer to retain additional records or submit information not specifically required by this section.

(v) Pursuant to a request made by the Administrator, the manufacturer must submit to the Administrator the information that the manufacturer is required to retain.

(vi) EPA may void ab initio a certificate of conformity for vehicles certified to emission standards as set forth or otherwise referenced in this subpart for which the manufacturer fails to retain the records required in this section or to provide such information to the Administrator upon request, or to submit the reports required in this section in the specified time period.

(2) *Reporting.* (i) Each manufacturer must submit an annual report. The annual report must contain for each applicable CO₂ standard, the calculated fleet average CO₂ value, all values required to calculate the CO₂ emissions value, the number of credits generated or debits incurred, all the values required to calculate the credits or debits, and the resulting balance of credits or debits.

(ii) For each applicable fleet average CO₂ standard, the annual report must also include documentation on all credit

transactions the manufacturer has engaged in since those included in the last report. Information for each transaction must include all of the following:

(A) Name of credit provider.

(B) Name of credit recipient.

(C) Date the trade occurred.

(D) Quantity of credits traded in megagrams.

(E) Model year in which the credits were earned.

(iii) Manufacturers calculating early air conditioning leakage and/or efficiency credits under paragraph (b) of this section shall report the following information for each model year separately for passenger automobiles and light trucks and for each air conditioning system used to generate credits:

(A) A description of the air conditioning system.

(B) The leakage credit value and all the information required to determine this value.

(C) The total credits earned for each averaging set, model year, and region, as applicable.

(iv) Manufacturers calculating early advanced technology vehicle credits under paragraph (c) of this section shall report, for each model year and separately for passenger automobiles and light trucks, the following information:

(A) The number of each model type of eligible vehicle sold.

(B) The carbon-related exhaust emission value by model type and model year.

(v) Manufacturers calculating early off-cycle technology credits under paragraph (d) of this section shall report, for each model year and separately for passenger automobiles and light trucks, all test results and data required for calculating such credits.

(vi) Unless a manufacturer reports the data required by this section in the annual production report required under § 86.1844–01(e) or the annual report required under § 600.512–12, a manufacturer must submit an annual report for each model year after production ends for all affected vehicles produced by the manufacturer subject to the provisions of this subpart and no later than May 1 of the calendar year following the given model year. Annual reports must be submitted to: Director, Compliance and Innovative Strategies Division, U.S. Environmental Protection Agency, 2000 Traverwood, Ann Arbor, Michigan 48105.

(vii) Failure by a manufacturer to submit the annual report in the specified time period for all vehicles subject to the provisions in this section

is a violation of section 203(a)(1) of the Clean Air Act (42 U.S.C. 7522 (a)(1)) for each applicable vehicle produced by that manufacturer.

(viii) If EPA or the manufacturer determines that a reporting error occurred on an annual report previously submitted to EPA, the manufacturer's credit or debit calculations will be recalculated. EPA may void erroneous credits, unless traded, and will adjust erroneous debits. In the case of traded erroneous credits, EPA must adjust the selling manufacturer's credit balance to reflect the sale of such credits and any resulting credit deficit.

(3) *Notice of opportunity for hearing.* Any revoking of the certificate under paragraph (l)(1)(vi) of this section will be made only after EPA has offered the affected manufacturer an opportunity for a hearing conducted in accordance with § 86.614–84 for light-duty vehicles or § 86.1014–84 for light-duty trucks and, if a manufacturer requests such a hearing, will be made only after an initial decision by the Presiding Officer.

27. A new section 86.1866–12 is added to subpart S to read as follows:

§ 86.1866–12 CO₂ fleet average credit programs.

(a) *Additional credits for certification of advanced technology vehicles.* A manufacturer may generate additional credits by certifying and producing electric vehicles, plug-in hybrid electric vehicles, or fuel cell electric vehicles, as those terms are defined in § 86.1803–01, in the 2012 through 2016 model years. When calculating the fleet average CO₂ emissions according to the provisions of part 600 subpart F of this chapter, the manufacturer may multiply the number of advanced technology vehicles produced by [1.2–2.0]. This multiplier may be used if the following conditions are met:

(1) Documentation of the use of this multiplier and the number of credits generated by its use shall be included in the annual report to the Administrator;

(2) Vehicles must be certified to Tier 2 Bin No. 5 or a more stringent set of emissions standards in § 86.1811–04(c)(6);

(3) These multipliers may not be used after the 2016 model year;

(b) *Credits for reduction of air conditioning refrigerant leakage.* Manufacturers may generate credits applicable to the CO₂ fleet average program described in § 86.1865–12 by implementing specific air conditioning system technologies designed to reduce air conditioning refrigerant leakage over the useful life of their passenger cars and/or light trucks. Credits shall be calculated according to this paragraph

(b) for each air conditioning system that the manufacturer is using to generate CO₂ credits.

(1) The manufacturer shall calculate an annual rate of refrigerant leakage from an air conditioning system in

grams per year according to the provisions of § 86.166–12.

(2) The CO₂-equivalent gram per mile leakage reduction to be used to calculate the total credits generated by the air conditioning system shall be

determined according to the following formulae, rounded to the nearest tenth of a gram per mile:

(i) Passenger automobiles:

$$Leakage\ credit = MaxCredit \times \left[1 - \left(\frac{Leakage}{16.6} \right) \times \left(\frac{GWP_{NEW}}{GWP_{HFC134a}} \right) \right]$$

Where:

MaxCredit is 12.6 for air conditioning systems using HFC 134a, and 13.8 for air conditioning systems using a refrigerant with a lower global warming potential.

Leakage means the annual refrigerant leakage rate determined according to the

provisions of § 86.166–12(a), except if the calculated rate is less than 8.3 grams per year the rate for the purpose of this formula shall be 8.3 grams per year;

GWP_{NEW} means the global warming potential of the refrigerant, if such refrigerant is

not R134a, as determined by the Administrator; GWP_{HFC134a} means the global warming potential of HFC 134a, which shall be equal to 1430 unless determined otherwise by the Administrator.

(ii) Light trucks:

$$Leakage\ credit = MaxCredit \times \left[1 - \left(\frac{Leakage}{20.7} \right) \times \left(\frac{GWP_{NEW}}{GWP_{HFC134a}} \right) \right]$$

Where:

MaxCredit is 15.6 for air conditioning systems using HFC 134a, and 17.2 for air conditioning systems using a refrigerant with a lower global warming potential.

Leakage means the annual refrigerant leakage rate determined according to the provisions of § 86.166–12(a), except if the calculated rate is less than 10.4 grams per year the rate for the purpose of this formula shall be 10.4 grams per year;

GWP_{NEW} means the global warming potential of the refrigerant, if such refrigerant is not HFC 134a, as determined by the Administrator;

GWP_{R134a} means the global warming potential of HFC 134a, which shall be equal to 1430 unless determined otherwise by the Administrator. *

(3) The total leakage reduction credits generated by the air conditioning system shall be calculated separately for passenger cars and light trucks according to the following formula:

$$Total\ Credits\ (megagrams) = (Leakage \times Production \times VLM) \div 1,000,000$$

Where:

Leakage = the CO₂-equivalent leakage credit value in grams per mile determined in paragraph (b)(2) of this section.

Production = The total number of passenger cars or light trucks, whichever is applicable, produced with the air conditioning system to which to the leakage credit value from paragraph (b)(2) of this section applies.

VLM = vehicle lifetime miles, which for passenger cars shall be 190,971 and for light trucks shall be 221,199.

(4) The results of paragraph (b)(3) of this section, rounded to the nearest whole number, shall be included in the manufacturer's credit/debit totals calculated in § 86.1865–12(k)(5).

(c) Credits for improving air conditioning system efficiency.

Manufacturers may generate credits applicable to the CO₂ fleet average program described in § 86.1865–12 by implementing specific air conditioning system technologies designed to reduce air conditioning-related CO₂ emissions over the useful life of their passenger cars and/or light trucks. Credits shall be calculated according to this paragraph (c) for each air conditioning system that the manufacturer is using to generate CO₂ credits. Manufacturers may also generate early air conditioning efficiency credits under this paragraph (b) for the 2009 through 2011 model years according to the provisions of § 86.1867–12(c). For model years 2012 and 2013 the manufacturer may determine air conditioning efficiency credits using the requirements in paragraphs (c)(1) through (4) of this section. For model years 2014 and later the eligibility requirements specified in paragraph (c)(5) of this section must be met before an air conditioning system is allowed to generate credits.

(1) Air conditioning efficiency credits are available for the following technologies in the gram per mile amounts indicated:

(i) Reduced reheat, with externally-controlled, variable-displacement compressor: 1.7 g/mi.

(ii) Reduced reheat, with externally-controlled, fixed-displacement or pneumatic variable displacement compressor: 1.1 g/mi.

(iii) Default to recirculated air mode whenever the air conditioning system is

being used to reduce cabin air temperature and the outside air temperature is greater than 75 °F: 1.7 g/mi.

(iv) Blower motor and cooling fan controls which limit waste energy (e.g. pulsewidth modulated power controller): 0.9 g/mi.

(v) Electronic expansion valve: 1.1 g/mi.

(vi) Improved evaporators and condensers (with system analysis on each component indicating a coefficient of performance improvement greater than 10%, when compared to previous design): 1.1 g/mi.

(vii) Oil separator: 0.6 g/mi.

(2) Air conditioning efficiency credits are determined on an air conditioning system basis. For each air conditioning system that is eligible for a credit based on the use of one or more of the items listed in paragraph (c)(1) of this section, the total credit value is the sum of the gram per mile values listed in paragraph (c)(1) of this section for each item that applies to the air conditioning system. If the sum of those values for an air conditioning system is greater than 5.7 grams per mile, the total credit value is deemed to be 5.7 grams per mile.

(3) The total efficiency credits generated by an air conditioning system shall be calculated separately for passenger cars and light trucks according to the following formula:

$$Total\ Credits\ (Megagrams) = (Credit \times Production \times VLM) \div 1,000,000$$

Where:

Credit = the CO₂ efficiency credit value in grams per mile determined in paragraph (c)(2) of this section.

Production = The total number of passenger cars or light trucks, whichever is applicable, produced with the air conditioning system to which the efficiency credit value from paragraph (c)(2) of this section applies.

VLM = vehicle lifetime miles, which for passenger cars shall be 190,971 and for light trucks shall be 221,199.

(4) The results of paragraph (c)(3) of this section, rounded to the nearest whole number, shall be included in the manufacturer's credit/debit totals calculated in § 86.1865–12(k)(5).

(5) Use of the Air Conditioning Idle Test Procedure is required after the 2013 model year as specified in this paragraph (c)(5).

(i) After the 2013 model year, for each air conditioning system selected by the manufacturer to generate air conditioning efficiency credits, the manufacturer shall perform the Air Conditioning Idle Test Procedure specified in § 86.165–14 of this part.

(ii) Using good engineering judgment, the manufacturer must select the vehicle configuration to be tested that is expected to result in the greatest increased CO₂ emissions as a result of the operation of the air conditioning system for which efficiency credits are being sought. If the air conditioning system is being installed in passenger automobiles and light trucks, a separate determination of the quantity of credits for passenger automobiles and light trucks must be made, but only one test vehicle is required to represent the air conditioning system, provided it represents the worst-case impact of the system on CO₂ emissions.

(iii) For an air conditioning system to be eligible to generate credits in the 2014 and later model years, the increased CO₂ emissions as a result of the operation of that air conditioning system determined according to the Idle Test Procedure in § 86.165–14 must be less than 14.9 grams per minute.

(iv) Air conditioning systems with compressors that are solely powered by electricity shall submit Air Conditioning Idle Test Procedure data to be eligible to generate credits in the 2014 and later model years, but such systems are not required to meet a specific threshold to be eligible to generate such credits, as long as the engine remains off for a period of at least 2 minutes during the air conditioning on portion of the Idle Test Procedure in § 86.165–12 (d).

(6) The following definitions apply to this paragraph (c):

(i) *Reduced reheat, with externally-controlled, variable displacement*

compressor means a system in which compressor displacement is controlled via an electronic signal, based on input from sensors (e.g. position or setpoint of interior temperature control, interior temperature, evaporator outlet air temperature, or refrigerant temperature) and air temperature at the outlet of the evaporator can be controlled to a level at 41 °F, or higher.

(ii) *Reduced reheat, with externally-controlled, fixed-displacement or pneumatic variable displacement compressor* means a system in which the output of either compressor is controlled by cycling the compressor clutch off-and-on via an electronic signal, based on input from sensors (e.g. position or setpoint of interior temperature control, interior temperature, evaporator outlet air temperature, or refrigerant temperature) and air temperature at the outlet of the evaporator can be controlled to a level at 41 °F, or higher.

(iii) *Default to recirculated air mode* means that the default position of the mechanism which controls the source of air supplied to the air conditioning system shall change from outside air to recirculated air when the operator or the automatic climate control system has engaged the air conditioning system (i.e. evaporator is removing heat), except under those conditions where dehumidification is required for visibility (i.e. defogger mode). In vehicles equipped with interior air quality sensors (e.g. humidity sensor, or carbon dioxide sensor), the controls may determine proper blend of air supply sources to maintain freshness of the cabin air while continuing to maximize the use of recirculated air. At any time, the vehicle operator may manually select the non-recirculated air setting during vehicle operation but the system must default to recirculated air mode on subsequent vehicle operations (i.e. next vehicle start). The climate control system may delay switching to recirculation mode until the interior air temperature is less than the outside air temperature, at which time the system must switch to recirculated air mode.

(iv) *Blower motor and cooling fan controls which limit waste energy* means a method of controlling fan and blower speeds which does not use resistive elements to decrease the voltage supplied to the motor.

(v) *Electronic expansion valve* means a valve which throttles the expansion of the refrigerant where the position of the valve (and flow of refrigerant) is controlled via an electronic signal, based on input from sensors (e.g. position or setpoint of interior temperature control, interior

temperature, evaporator outlet air temperature, or refrigerant temperature).

(vi) *Improved evaporators and condensers* means that the coefficient of performance (COP) of air conditioning system using improved evaporator and condenser designs is 10 percent higher, as determined using the bench test procedures described in SAE J2765 "Procedure for Measuring System COP of a Mobile Air Conditioning System on a Test Bench," when compared to a system using standard, or prior model year, component designs. SAE J2765 is incorporated by reference; see § 86.1.

(vii) *Oil separator* means a mechanism which removes at least 50 percent of the oil entrained in the oil/refrigerant mixture exiting the compressor and returns it to the compressor housing or compressor inlet, or a compressor design which does not rely on the circulation of an oil/refrigerant mixture for lubrication.

(d) *Credits for CO₂-reducing technologies* where the CO₂ reduction is not captured on the Federal Test Procedure or the Highway Fuel Economy Test. Manufacturers may optionally generate credits applicable to the CO₂ fleet average program described in § 86.1865–12 by implementing innovative technologies that have a measurable, demonstrable, and verifiable real-world CO₂ reduction. These optional credits are referred to as "off-cycle" credits and may be earned through the 2016 model year.

(1) *Qualification criteria.* To qualify for this credit, the following must be true:

(i) The technology must be an innovative and novel vehicle- or engine-based approach to reducing greenhouse gas emissions, and not in widespread use.

(ii) The CO₂-reducing impact of the technology must not be significantly measurable over the Federal Test Procedure and the Highway Fuel Economy Test. The technology must improve CO₂ emissions beyond the driving conditions of those tests.

(iii) The technology must be able to be demonstrated to be effective for the full useful life of the vehicle. Unless the manufacturer demonstrates that the technology is not subject to in-use deterioration, the manufacturer must account for the deterioration in their analysis.

(2) *Quantifying the CO₂ reductions* of an off-cycle technology. The manufacturer may use one of the two options specified in this paragraph (d)(2) to measure the CO₂-reducing potential of an innovative off-cycle technology. The option described in paragraph (d)(2)(ii) of this section may

be used only with EPA approval, and to use that option the manufacturer must be able to justify to the Administrator why the 5-cycle option described in paragraph (d)(2)(i) of this section insufficiently characterizes the effectiveness of the off-cycle technology. The manufacturer should notify EPA in their pre-model year report of their intention to generate any credits under paragraph (d) of this section.

(i) *Technology demonstration using EPA 5-cycle methodology.* To demonstrate an off-cycle technology and to determine a CO₂ credit using the EPA 5-cycle methodology, the manufacturer shall determine 5-cycle city/highway combined carbon-related exhaust emissions both with the technology installed and operating and without the technology installed and/or operating. The manufacturer shall conduct the following steps, both with the off-cycle technology installed and operating and without the technology operating or installed.

(A) Determine carbon-related exhaust emissions over the FTP, the HFET, the US06, the SC03, and the cold temperature FTP test procedures according to the test procedure provisions specified in 40 CFR part 600 subpart B and using the calculation procedures specified in § 600.113-08 of this chapter.

(B) Calculate 5-cycle city and highway carbon-related exhaust emissions using data determined in paragraph (d)(2)(i)(A) of this section according to the calculation procedures in paragraphs (d) through (f) of 40 CFR 600.114-08.

(C) Calculate a 5-cycle city/highway combined carbon-related exhaust emission value using the city and highway values determined in paragraph (d)(2)(i)(B) of this section.

(D) Subtract the 5-cycle city/highway combined carbon-related exhaust emission value determined with the off-cycle technology operating from the 5-cycle city/highway combined carbon-related exhaust emission value determined with the off-cycle technology not operating. The result is the gram per mile credit amount assigned to the technology.

(ii) *Technology demonstration using alternative EPA-approved methodology.* In cases where the EPA 5-cycle methodology described in paragraph (d)(2)(i) of this section cannot adequately measure the emission reduction attributable to an innovative off-cycle technology, the manufacturer may develop an alternative approach. Prior to a model year in which a manufacturer intends to seek these credits, the manufacturer must submit a

detailed analytical plan to EPA. EPA will work with the manufacturer to ensure that an analytical plan will result in appropriate data for the purposes of generating these credits. The alternative demonstration program must be approved in advance by the Administrator and should:

(A) Use modeling, on-road testing, on-road data collection, or other approved analytical or engineering methods;

(B) Be robust, verifiable, and capable of demonstrating the real-world emissions benefit with strong statistical significance;

(C) Result in a demonstration of baseline and controlled emissions over a wide range of driving conditions and number of vehicles such that issues of data uncertainty are minimized;

(D) Result in data on a model type basis unless the manufacturer demonstrates that another basis is appropriate and adequate.

(iii) *Calculation of total off-cycle credits.* Total off-cycle credits in Megagrams of CO₂ shall be calculated separately for passenger automobiles and light trucks according to the following formula:

$$\text{Total Credits (Megagrams)} = (\text{Credit} \times \text{Production} \times \text{VLM}) + 1,000,000$$

Where:

Credit = the 5-cycle credit value in grams per mile determined in paragraph (d)(2)(i)(D) or (d)(2)(ii) of this section.

Production = The total number of passenger cars or light trucks, whichever is applicable, produced with the off-cycle technology to which the credit value determined in paragraph (d)(2)(i)(D) or (d)(2)(ii) of this section applies.

VLM = vehicle lifetime miles, which for passenger cars shall be 190,971 and for light trucks shall be 221,199.

28. A new § 86.1867-12 is added to subpart S to read as follows:

§ 86.1867-12 Optional early CO₂ credit programs.

Manufacturers may optionally generate CO₂ credits in the 2009 through 2011 model years for use in the 2012 and later model years subject to the provisions of this section.

Manufacturers may generate early fleet average credits, air conditioning leakage credits, air conditioning efficiency credits, early advanced technology credits, and early off-cycle technology credits. Manufacturers generating any credits under this section must submit an early credits report to the Administrator as required in this section.

(a) *Early fleet average CO₂ reduction credits.* Manufacturers may optionally generate credits for reductions in their fleet average CO₂ emissions achieved in

the 2009 through 2011 model years. To generate early fleet average CO₂ reduction credits, manufacturers must select one of the four pathways described in paragraphs (a)(1) through (4) of this section. The manufacturer may select only one pathway, and that pathway must remain in effect for the 2009 through 2011 model years. Fleet average credits (or debits) must be calculated and reported to EPA for each model year under each selected pathway. Early credits are subject to five year carry-forward restrictions based on the model year in which the credits are generated.

(1) *Pathway 1.* To earn credits under this pathway, the manufacturer shall calculate an average carbon-related exhaust emission value to the nearest one gram per mile for the classes of motor vehicles identified in this paragraph (a)(1), and the results of such calculations will be reported to the Administrator for use in determining compliance with the applicable CO₂ early credit threshold values.

(i) An average carbon-related exhaust emission value calculation will be made for the combined LDV/LDT1 averaging set.

(ii) An average carbon-related exhaust emission value calculation will be made for the combined LDT2/HLDT/MDPV averaging set.

(iii) Average carbon-related exhaust emission values shall be determined according to the provisions of 40 CFR 600.510-12, except that:

(A) Total U.S. model year sales data will be used, instead of production data;

(B) The average carbon-related exhaust emissions for alcohol fueled model types shall be calculated according to the provisions of 40 CFR 600.510-12(j)(2)(ii)(B), without the use of the 0.15 multiplicative factor.

(C) The average carbon-related exhaust emissions for natural gas fueled model types shall be calculated according to the provisions of 40 CFR 600.510-12(j)(2)(iii)(B), without the use of the 0.15 multiplicative factor.

(D) The average carbon-related exhaust emissions for alcohol dual fueled model types shall be calculated according to the provisions of 40 CFR 600.510-12(j)(2)(vi), without the use of the 0.15 multiplicative factor and with F=0. For the 2010 and 2011 model years only, if the California Air Resources Board has approved a manufacturer's request to use a non-zero value of F, the manufacturer may use such an approved value.

(E) The average carbon-related exhaust emissions for natural gas dual fueled model types shall be calculated according to the provisions of 40 CFR

600.510-12(j)(2)(vii), without the use of the 0.15 multiplicative factor and with $F=0$. For the 2010 and 2011 model years only, if the California Air Resources Board has approved a manufacturer's request to use a non-zero value of F , the

manufacturer may use such an approved value.

(F) 40 CFR 600.510-12(j)(3) shall not apply. Electric, fuel cell electric, and plug-in hybrid electric model type carbon-related exhaust emission values shall be included in the fleet average determined under paragraph (a)(1) of

this section only to the extent that such vehicles are not being used to generate early advanced technology vehicle credits under paragraph (c) of this section.

(iv) Fleet average CO₂ credit threshold values.

Model year	LDV/LDT1	LDT2/HLDT/MDPV
2009	321	437
2010	299	418
2011	265	388

(v) Credits are earned on the last day of the model year. Manufacturers must calculate, for a given model year, the number of credits or debits it has generated according to the following equation, rounded to the nearest megagram:

$$\text{CO}_2 \text{ Credits or Debits (Mg)} = [(\text{CO}_2 \text{ Credit Threshold} - \text{Manufacturer's Sales Weighted Fleet Average CO}_2 \text{ Emissions}) \times (\text{Total Number of Vehicles Sold}) \times (\text{Vehicle Lifetime Miles})] + 1,000,000$$

Where:

CO₂ Credit Threshold = the applicable credit threshold value for the model year and vehicle averaging set as determined by paragraph (a)(1)(iv) of this section;
 Manufacturer's Sales Weighted Fleet Average CO₂ Emissions = average calculated according to paragraph (a)(1)(iii) of this section;

Total Number of Vehicles Sold = The number of vehicles domestically sold as defined in 40 CFR 600.511-80; and

Vehicle Lifetime Miles is 190,971 for the LDV/LDT1 averaging set and 221,199 for the LDT2/HLDT/MDPV averaging set.

(vi) Deficits generated against the applicable CO₂ credit threshold values in paragraph (a)(1)(iv) of this section in any averaging set for any of the 2009-2011 model years must be offset using credits accumulated by any averaging set in any of the 2009-2011 model years before determining the number of credits that may be carried forward to the 2012. Deficit carry forward and credit banking provisions of § 86.1865-12 apply to early credits earned under this paragraph (a)(1), except that deficits may not be carried forward from any of the 2009-2011 model years into the 2012 model year.

(2) *Pathway 2.* To earn credits under this pathway, manufacturers shall calculate an average carbon-related exhaust emission value to the nearest one gram per mile for the classes of motor vehicles identified in paragraph (a)(1) of this section, and the results of such calculations will be reported to the Administrator for use in determining

compliance with the applicable CO₂ early credit threshold values.

(i) Credits under this pathway shall be calculated according to the provisions of paragraph (a)(1) of this section, except credits may only be generated by vehicles sold in a model year in States with a section 177 program in effect in that model year. For the purposes of this section, "section 177 program" means State regulations or other laws that apply to any of the following categories of motor vehicles: Passenger cars, light-duty trucks up through 6,000 pounds GVWR, and medium-duty vehicles from 6,001 to 14,000 pounds GVWR, as these categories of motor vehicles are defined in the California Code of Regulations, Title 13, Division 3, Chapter 1, Article 1, Section 1900.

(ii) A deficit in any averaging set for any of the 2009-2011 model years must be offset using credits accumulated by any averaging set in any of the 2009-2011 model years before determining the number of credits that may be carried forward to the 2012 model year. Deficit carry forward and credit banking provisions of § 86.1865-12 apply to early credits earned under this paragraph (a)(1), except that deficits may not be carried forward from any of the 2009-2011 model years into the 2012 model year.

(3) *Pathway 3.* Pathway 3 credits are those credits earned under Pathway 2 as described in paragraph (a)(2) of this section and in the section 177 States determined in paragraph (a)(2)(i) of this section, combined with additional credits earned in the set of states that does not include the section 177 States determined in paragraph (a)(2)(i) of this section and calculated according to this paragraph (a)(3).

(i) Manufacturers shall earn additional credits under Pathway 3 by calculating an average carbon-related exhaust emission value to the nearest one gram per mile for the classes of motor vehicles identified in this paragraph (a)(3). The results of such

calculations will be reported to the Administrator for use in determining compliance with the applicable CO₂ early credit threshold values.

(ii) Credits may only be generated by vehicles sold in the States not included in the section 177 States determined in paragraph (a)(2)(i) of this section.

(iii) An average carbon-related exhaust emission value calculation will be made for the passenger automobile averaging set. The term "passenger automobile" shall have the meaning given by the Department of Transportation at 49 CFR 523.4 for the specific model year for which the calculation is being made.

(iv) An average carbon-related exhaust emission value calculation will be made for the light truck averaging set. The term "light truck" shall have the meaning given by the Department of Transportation at 49 CFR 523.5 for the specific model year for which the calculation is being made.

(v) Average carbon-related exhaust emission values shall be determined according to the provisions of 40 CFR 600.510-12, except that:

(A) Total model year sales data will be used, instead of production data, except that vehicles sold in the section 177 States determined in paragraph (a)(2)(i) of this section shall not be included;

(B) The average carbon-related exhaust emissions for alcohol fueled model types shall be calculated according to the provisions of 40 CFR 600.510-12(j)(2)(ii)(B), without the use of the 0.15 multiplicative factor.

(C) The average carbon-related exhaust emissions for natural gas fueled model types shall be calculated according to the provisions of 40 CFR 600.510-12(j)(2)(iii)(B), without the use of the 0.15 multiplicative factor.

(D) The average carbon-related exhaust emissions for alcohol dual fueled model types shall be calculated according to the provisions of 40 CFR 600.510-12(j)(2)(vi), without the use of

the 0.15 multiplicative factor and with $F=0$.

(E) The average carbon-related exhaust emissions for natural gas dual fueled model types shall be calculated according to the provisions of 40 CFR 600.510-12(j)(2)(vii), without the use of the 0.15 multiplicative factor and with $F=0$.

(F) 40 CFR 600.510-12(j)(3) shall not apply. Electric, fuel cell electric, and plug-in hybrid electric model type carbon-related exhaust emission values shall be included in the fleet average determined under paragraph (a)(1) of this section only to the extent that such vehicles are not being used to generate early advanced technology vehicle credits under paragraph (c) of this section.

(vi) Pathway 3 fleet average CO₂ credit threshold values.

(A) For 2009 and 2010 model year passenger automobiles, the fleet average CO₂ credit threshold value is 323 grams/mile.

(B) For 2009 model year light trucks the fleet average CO₂ credit threshold value is 381 grams/mile, or, if the manufacturer chose to optionally meet an alternative manufacturer-specific light truck fuel economy standard calculated under 49 CFR 533.5 for the 2009 model year, the gram per mile fleet average CO₂ credit threshold shall be the CO₂ value determined by dividing 8887 by that alternative manufacturer-specific fuel economy standard and rounding to the nearest whole gram per mile.

(C) For 2010 model year light trucks the fleet average CO₂ credit threshold value is 376 grams/mile, or, if the manufacturer chose to optionally meet an alternative manufacturer-specific light truck fuel economy standard calculated under 49 CFR 533.5 for the 2010 model year, the gram per mile fleet average CO₂ credit threshold shall be the CO₂ value determined by dividing 8887 by that alternative manufacturer-specific fuel economy standard and rounding to the nearest whole gram per mile.

(D) For 2011 model year passenger automobiles the fleet average CO₂ credit threshold value is the value determined by dividing 8887 by the manufacturer-specific passenger automobile fuel economy standard for the 2011 model year determined under 49 CFR 531.5 and rounding to the nearest whole gram per mile.

(E) For 2011 model year light trucks the fleet average CO₂ credit threshold value is the value determined by dividing 8887 by the manufacturer-specific light truck fuel economy standard for the 2011 model year

determined under 49 CFR 533.5 and rounding to the nearest whole gram per mile.

(vii) Credits are earned on the last day of the model year. Manufacturers must calculate, for a given model year, the number of credits or debits it has generated according to the following equation, rounded to the nearest megagram:

$$\text{CO}_2 \text{ Credits or Debits (Mg)} = [(\text{CO}_2 \text{ Credit Threshold} - \text{Manufacturer's Sales Weighted Fleet Average CO}_2 \text{ Emissions}) \times (\text{Total Number of Vehicles Sold}) \times (\text{Vehicle Lifetime Miles})] \div 1,000,000$$

Where:

CO₂ Credit Threshold = the applicable credit threshold value for the model year and vehicle averaging set as determined by paragraph (a)(3)(vii) of this section;

Manufacturer's Sales Weighted Fleet Average CO₂ Emissions = average calculated according to paragraph (a)(3)(vi) of this section;

Total Number of Vehicles Sold = The number of vehicles domestically sold as defined in 40 CFR 600.511-80 except that vehicles sold in the section 177 States determined in paragraph (a)(2)(i) of this section shall not be included; and Vehicle Lifetime Miles is 190,971 for the LDV/LDT1 averaging set and 221,199 for the LDT2/HLDT/MDPV averaging set.

(viii) Deficits in any averaging set for any of the 2009-2011 model years must be offset using credits accumulated by any averaging set in any of the 2009-2011 model years before determining the number of credits that may be carried forward to the 2012. Deficit carry forward and credit banking provisions of 86.1865-12 apply to early credits earned under this paragraph (a)(3), except that deficits may not be carried forward from any of the 2009-2011 model years into the 2012 model year.

(4) *Pathway 4.* Pathway 4 credits are those credits earned under Pathway 3 as described in paragraph (a)(3) of this section in the set of states that does not include the section 177 States determined in paragraph (a)(2)(i) of this section and calculated according to paragraph (a)(3) of this section. Credits may only be generated by vehicles sold in the set of states that does not include the section 177 States determined in paragraph (a)(2)(i) of this section.

(b) *Early air conditioning leakage and efficiency credits.* (1) Manufacturers may optionally generate air conditioning refrigerant leakage credits according to the provisions of paragraph (b) of § 86.1866-12 and/or air conditioning efficiency credits according to the provisions of § 86.1866-12(c) in model years 2009

through 2011. The early credits are subject to five year carry forward limits based on the model year in which the credits are generated. Credits must be tracked by model type and model year.

(2) Manufacturers that select Pathway 4 described in paragraph (a)(4) of this section may not generate early air conditioning credits for vehicles sold in the section 177 States as determined in paragraph (a)(2)(i) of this section.

(c) *Early advanced technology vehicle credits.* Vehicles eligible for this credit are electric vehicles, fuel cell electric vehicles, and plug-in hybrid electric vehicles, as those terms are defined in § 86.1803-01. If a manufacturer chooses to not include electric vehicles, fuel cell electric vehicles, and plug-in hybrid electric vehicles in their fleet averages calculated under any of the options described in paragraph (a) of this section, the manufacturer may generate early advanced technology vehicle credits pursuant to this paragraph (c).

(1) The manufacturer shall record the sales and carbon-related exhaust emission values of eligible vehicles by model type and model year for model years 2009 through 2011 and report these values to the Administrator under paragraph (e) of this section.

(2) Manufacturers may use the 2009 through 2011 eligible vehicles in their fleet average calculations starting with the 2012 model year, subject to a five-year carry-forward limitation.

(i) Eligible 2009 model year vehicles may be used in the calculation of a manufacturer's fleet average carbon-related exhaust emissions in the 2012 through 2014 model years.

(ii) Eligible 2010 model year vehicles may be used in the calculation of a manufacturer's fleet average carbon-related exhaust emissions in the 2012 through 2015 model years.

(iii) Eligible 2011 model year vehicles may be used in the calculation of a manufacturer's fleet average carbon-related exhaust emissions in the 2012 through 2016 model years.

(3) (i) To use advanced technology vehicle credits, the manufacturer will apply the 2009, 2010, and/or 2011 model type sales volumes and their model type emission levels to a manufacturer's fleet average calculation using the credit multiplier specified in § 86.1866-12(a).

(ii) Early advanced technology vehicle credits must be used to offset a deficit in one of the 2012 through 2016 model years, as appropriate under paragraph (c)(2) of this section.

(iii) The advanced technology vehicle sales and emission values may be included in a fleet average calculation for passenger automobiles or light

trucks, but may not be used to generate credits in the model year in which they are included or in the averaging set in which they are used. Use of early advanced technology vehicle credits is limited to offsetting a deficit that would otherwise be generated without the use of those credits. Manufacturers shall report the use of such credits in their model year report for the model year in which the credits are used.

(d) *Early off-cycle technology credits.* Manufacturers may optionally generate credits for the implementation of certain CO₂-reducing technologies according to the provisions of § 86.1866–12(d).

(e) *Early credit reporting requirements.* Each manufacturer shall submit a report to the Administrator, known as the early credits report, that reports the credits earned in the 2009 through 2011 model years under this section.

(1) The report shall contain all information necessary for the calculation of the manufacturer's early credits in each of the 2009 through 2011 model years.

(2) The early credits report shall be in writing, signed by the authorized representative of the manufacturer and shall be submitted no later than 90 days after the end of the 2011 model year.

(3) Manufacturers using one of the optional early fleet average CO₂ reduction credit pathways described in paragraph (a) of this section shall report the following information separately for the LDV/LDT1 and LDT2/HLDT/MDPV averaging sets:

(i) The pathway that they have selected (1, 2, 3, or 4).

(ii) A carbon-related exhaust emission value for each model type of the manufacturer's product line calculated according to paragraph (a) of this section.

(iii) The manufacturer's average carbon-related exhaust emission value calculated according to paragraph (a) of this section for the applicable averaging set and region and all data required to complete this calculation.

(iv) The credits earned for each averaging set, model year, and region, as applicable.

(4) Manufacturers calculating early air conditioning leakage and/or efficiency credits under paragraph (b) of this section shall report the following information for each model year separately for passenger automobiles and light trucks and for each air conditioning system used to generate credits:

(i) A description of the air conditioning system.

(ii) The leakage credit value and all the information required to determine this value.

(iii) The total credits earned for each averaging set, model year, and region, as applicable.

(5) Manufacturers calculating early advanced technology vehicle credits under paragraph (c) of this section shall report, for each model year and separately for passenger automobiles and light trucks, the following information:

(i) The number of each model type of eligible vehicle sold.

(ii) The carbon-related exhaust emission value by model type and model year.

(6) Manufacturers calculating early off-cycle technology credits under paragraph (d) of this section shall report, for each model year and separately for passenger automobiles and light trucks, all test results and data required for calculating such credits.

PART 600—FUEL ECONOMY AND CARBON-RELATED EXHAUST EMISSIONS OF MOTOR VEHICLES

29. The authority citation for part 600 continues to read as follows:

Authority: 49 U.S.C. 32901–23919q, Pub. L. 109–58.

30. The heading for Part 600 is revised as set forth above.

Subpart A—Fuel Economy and Carbon-Related Exhaust Emission Regulations for 1977 and Later Model Year Automobiles—General Provisions

31. The heading for subpart A is revised as set forth above.

32. A new § 600.001–12 is added to subpart A to read as follows:

§ 600.001–12 General applicability.

(a) The provisions of this subpart are applicable to 2012 and later model year automobiles and to the manufacturers of 2012 and later model year automobiles.

(b) *Fuel economy and related emissions data.* Unless stated otherwise, references to fuel economy or fuel economy data in this subpart shall also be interpreted to mean the related exhaust emissions of CO₂, HC, and CO, and where applicable for alternative fuel vehicles, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄. References to average fuel economy shall be interpreted to also mean average carbon-related exhaust emissions. References to fuel economy data vehicles shall also be meant to refer to vehicles tested for carbon-related exhaust emissions for the purpose of demonstrating compliance with fleet average CO₂ standards in 40 CFR 86.1818–12.

33. Section 600.002–08 is amended as follows:

a. By adding the definition for “Base tire.”

b. By adding the definition for “Carbon-related exhaust emissions.”

c. By adding the definition for “Electric vehicle.”

d. By adding the definition for “Footprint.”

e. By adding the definition for “Fuel cell.”

f. By adding the definition for “Fuel cell electric vehicle.”

g. By adding the definition for “Hybrid electric vehicle.”

h. By revising the definition for “Non-passenger automobile.”

i. By revising the definition for “Passenger automobile.”

j. By adding the definition for “Plug-in hybrid electric vehicle.”

§ 600.002–08 Definitions.

* * * * *

Base tire means the tire specified as standard equipment by the manufacturer.

* * * * *

Carbon-related exhaust emissions means the summation of the carbon-containing constituents of the exhaust emissions, with each constituent adjusted by a coefficient representing the carbon weight fraction of each constituent, as specified in § 600.113–08.

* * * * *

Electric vehicle means a vehicle that is powered solely by an electric motor drawing current from a rechargeable energy storage system, such as from storage batteries or other portable electrical energy storage devices, including hydrogen fuel cells, provided that:

(1) Recharge energy must be drawn from a source off the vehicle, such as residential electric service; and

(2) The vehicle must be certified to the emission standards of Bin #1 of Table S04–1 in paragraph (c)(6) of § 86.1811 of this chapter.

* * * * *

Footprint is the product of track width (measured in inches, calculated as the average of front and rear track widths, and rounded to the nearest tenth of an inch) times wheelbase (measured in inches and rounded to the nearest tenth of an inch), divided by 144 and then rounded to the nearest tenth of a square foot. For purposes of this definition, track width is the lateral distance between the centerlines of the base tires at ground, including the camber angle. For purposes of this definition, wheelbase is the longitudinal distance

between front and rear wheel centerlines.

* * * * *

Fuel cell means an electrochemical cell that produced electricity via the reaction of a consumable fuel on the anode with an oxidant on the cathode in the presence of an electrolyte.

Fuel cell electric vehicle means a motor vehicle propelled solely by an electric motor where energy for the motor is supplied by a fuel cell.

* * * * *

Hybrid electric vehicle (HEV) means a motor vehicle which draws propulsion energy from onboard sources or stored energy that are both an internal combustion engine or heat engine using consumable fuel, and a rechargeable energy storage system such as a battery, capacitor, or flywheel.

* * * * *

Non-passenger automobile has the meaning given by the Department of Transportation at 49 CFR 523.5. This term is synonymous with "light truck."

* * * * *

Passenger automobile has the meaning given by the Department of Transportation at 49 CFR 523.4.

* * * * *

Plug-in hybrid electric vehicle (PHEV) means a hybrid electric vehicle that:

- (1) Has the capability to charge the battery from an off-vehicle electric source, such that the off-vehicle source cannot be connected to the vehicle while the vehicle is in motion, and
- (2) Has an equivalent all-electric range of no less than 10 miles.

* * * * *

34. Section 600.006-08 is amended as follows:

- a. By revising the heading.
- b. By revising paragraph (b)(2)(ii).
- c. By revising paragraph (b)(2)(iv).
- d. By adding paragraph (c)(5).
- e. By revising paragraph (e).
- f. By revising paragraph (g)(3).

§ 600.006-08 Data and information requirements for fuel economy data vehicles.

* * * * *

- (b) * * *
- (2) * * *

(ii) In the case of electric vehicles, plug-in hybrid electric vehicles, and hybrid electric vehicles, a description of all maintenance to electric motor, motor controller, battery configuration, or other components performed within 2,000 miles prior to fuel economy testing.

* * * * *

(iv) In the case of electric vehicles, plug-in hybrid electric vehicles, and hybrid electric vehicles, a copy of

calibrations for the electric motor, motor controller, battery configuration, or other components on the test vehicle as well as the design tolerances.

* * * * *

(c) * * *
(5) Starting with the 2012 model year, the data submitted according to paragraphs (c)(1) through (c)(4) of this section shall include total HC, CO, CO₂, and, where applicable for alternative fuel vehicles, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄. The fuel economy and CO₂ emission test results shall be adjusted in accordance with paragraph (g) of this section. Round the test results as follows:

* * * * *

(e) In lieu of submitting actual data from a test vehicle, a manufacturer may provide fuel economy values derived from a previously tested vehicle, where the fuel economy and carbon-related exhaust emissions are expected to be equivalent (or less fuel-efficient and with higher carbon-related exhaust emissions). Additionally, in lieu of submitting actual data from a test vehicle, a manufacturer may provide fuel economy and carbon-related exhaust emission values derived from an analytical expression, e.g., regression analysis. In order for fuel economy values derived from analytical methods to be accepted, the expression (form and coefficients) must have been approved by the Administrator.

* * * * *

(g) * * *
(3)(i) The manufacturer shall adjust all fuel economy test data generated by vehicles with engine-drive system combinations with more than 6,200 miles by using the following equation:

$$FE_{4,000mi} = FE_T [0.979 + 5.25 \times 10^{-6}(mi)]^{-1}$$

Where:

FE_{4,000mi} = Fuel economy data adjusted to 4,000-mile test point rounded to the nearest 0.1 mpg.
FE_T = Tested fuel economy value rounded to the nearest 0.1 mpg.
mi = System miles accumulated at the start of the test rounded to the nearest whole mile.

(ii)(A) The manufacturer shall adjust all CO₂ exhaust emission test data generated by vehicles with engine-drive system combinations with more than 6,200 miles by using the following equation:

$$CO_{2,4,000mi} = CO_{2T} [0.979 + 5.25 \times 10^{-6}(mi)]$$

Where:

CO_{2,4,000mi} = CO₂ emission data adjusted to 4,000-mile test point.
CO_{2T} = Tested emissions value of CO₂ in grams per mile.

mi = System miles accumulated at the start of the test rounded to the nearest whole mile.

(B) Emissions test values and results used and determined in the calculations in paragraph (g)(3)(ii) of this section shall be rounded in accordance with 40 CFR 86.1837-01 as applicable. CO₂ values shall be rounded to the nearest gram per mile.

* * * * *

35. Section 600.007-08 is amended as follows:

- a. By revising paragraph (b)(4) through (6).
- b. By revising paragraph (c).
- c. By revising paragraph (f) introductory text.

§ 600.007-08 Vehicle acceptability.

* * * * *

- (b) * * *

(4) Each fuel economy data vehicle must meet the same exhaust emission standards as certification vehicles of the respective engine-system combination during the test in which the city fuel economy test results are generated. This may be demonstrated using one of the following methods:

- (i) The deterioration factors established for the respective engine-system combination per § 86.1841-01 of this chapter as applicable will be used; or
- (ii) The fuel economy data vehicle will be equipped with aged emission control components according to the provisions of 86.1823-01 of this chapter.

(5) The calibration information submitted under § 600.006(b) must be representative of the vehicle configuration for which the fuel economy and carbon-related exhaust emissions data were submitted.

(6) Any vehicle tested for fuel economy or carbon-related exhaust emissions purposes must be representative of a vehicle which the manufacturer intends to produce under the provisions of a certificate of conformity.

* * * * *

(c) If, based on review of the information submitted under § 600.006(b), the Administrator determines that a fuel economy data vehicle meets the requirements of this section, the fuel economy data vehicle will be judged to be acceptable and fuel economy and carbon-related exhaust emissions data from that fuel economy data vehicle will be reviewed pursuant to § 600.008.

* * * * *

(f) All vehicles used to generate fuel economy and carbon-related exhaust

emissions data, and for which emission standards apply, must be covered by a certificate of conformity under part 86 of this chapter before:

* * * * *

36. Section 600.008–08 is amended by revising the heading and paragraph (a)(1) to read as follows:

§ 600.008–08 Review of fuel economy and carbon-related exhaust emission data, testing by the Administrator.

(a) *Testing by the Administrator.* (1) (i) The Administrator may require that any one or more of the test vehicles be submitted to the Agency, at such place or places as the Agency may designate, for the purposes of conducting fuel economy tests. The Administrator may specify that such testing be conducted at the manufacturer's facility, in which case instrumentation and equipment specified by the Administrator shall be made available by the manufacturer for test operations. The tests to be performed may comprise the FTP, highway fuel economy test, US06, SC03, or Cold temperature FTP or any combination of those tests. Any testing conducted at a manufacturer's facility pursuant to this paragraph shall be scheduled by the manufacturer as promptly as possible.

(ii) Starting with the 2012 model year, evaluations, testing, and test data described in this section pertaining to fuel economy shall also be performed for carbon-related exhaust emissions, except that carbon-related exhaust emissions shall be arithmetically averaged instead of harmonically averaged, and in cases where the manufacturer selects the lowest of several fuel economy results to represent the vehicle, the manufacturer shall select the highest of the carbon-related exhaust emissions test results to represent the vehicle.

* * * * *

Subpart B—[Amended]

37. A new § 600.101–12 is added to subpart B to read as follows:

§ 600.101–12 General applicability.

(a) The provisions of this subpart are applicable to 2012 and later model year automobiles and to the manufacturers of 2012 and later model year automobiles.

(b) *Fuel economy and carbon-related emissions data.* Unless stated otherwise, references to fuel economy or fuel economy data in this subpart shall also be interpreted to mean the related exhaust emissions of CO₂, HC, and CO, and where applicable for alternative fuel vehicles, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄. References to

average fuel economy shall be interpreted to also mean average carbon-related exhaust emissions.

38. Section 600.113–08 is amended as follows:

- a. By revising the introductory text.
- b. By revising paragraph (a)(1).
- c. By revising paragraph (b)(1) and (2).
- d. By revising paragraph (c)(1).
- e. By revising paragraph (d)(1) and (2).
- f. By revising paragraph (e).
- g. By adding paragraph (f)(4).
- h. By revising paragraphs (g) through (l).
- i. By adding paragraph (m).

§ 600.113–08 Fuel economy calculations for FTP, HFET, US06, SC03 and cold temperature FTP tests.

The Administrator will use the calculation procedure set forth in this paragraph for all official EPA testing of vehicles fueled with gasoline, diesel, alcohol-based or natural gas fuel. The calculations of the weighted fuel economy values require input of the weighted grams/mile values for total hydrocarbons (HC), carbon monoxide (CO), and carbon dioxide (CO₂); and, additionally for methanol-fueled automobiles, methanol (CH₃OH) and formaldehyde (HCHO); and, additionally for ethanol-fueled automobiles, methanol (CH₃OH), ethanol (C₂H₅OH), acetaldehyde (C₂H₄O), and formaldehyde (HCHO); and additionally for natural gas-fueled vehicles non-methane hydrocarbons (NMHC) and methane (CH₄) for the FTP, HFET, US06, SC03 and cold temperature FTP tests. Additionally, the specific gravity, carbon weight fraction and net heating value of the test fuel must be determined. The FTP, HFET, US06, SC03 and cold temperature FTP fuel economy and carbon-related exhaust emission values shall be calculated as specified in this section. An example fuel economy calculation appears in Appendix II of this part.

(a) * * * * *
(1) Calculate the weighted grams/mile values for the FTP test for CO₂, HC, and CO, and where applicable, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄ as specified in § 86.144(b) of this chapter. Measure and record the test fuel's properties as specified in paragraph (f) of this section.

* * * * *

(b) * * * * *
(1) Calculate the mass values for the highway fuel economy test for HC, CO and CO₂, and where applicable, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄ as specified in § 86.144(b) of this chapter. Measure and record the test fuel's properties as specified in paragraph (f) of this section.

(2) Calculate the grams/mile values for the highway fuel economy test for HC, CO and CO₂, and where applicable CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄ by dividing the mass values obtained in paragraph (b)(1) of this section, by the actual distance traveled, measured in miles, as specified in § 86.135(h) of this chapter.

* * * * *

(c) * * * * *

(1) Calculate the weighted grams/mile values for the cold temperature FTP test for HC, CO and CO₂, and where applicable, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄ as specified in § 86.144(b) of this chapter. For 2008 through 2010 diesel-fueled vehicles, HC measurement is optional.

* * * * *

(d) * * * * *

(1) Calculate the total grams/mile values for the US06 test for HC, CO and CO₂, and where applicable, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄ as specified in § 86.144(b) of this chapter.

(2) Calculate separately the grams/mile values for HC, CO and CO₂, and where applicable, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄, for both the US06 City phase and the US06 Highway phase of the US06 test as specified in § 86.164 of this chapter. In lieu of directly measuring the emissions of the separate city and highway phases of the US06 test according to the provisions of § 86.159 of this chapter, the manufacturer may, with the advance approval of the Administrator and using good engineering judgment, optionally analytically determine the grams/mile values for the city and highway phases of the US06 test. To analytically determine US06 City and US06 Highway phase emission results, the manufacturer shall multiply the US06 total grams/mile values determined in paragraph (d)(1) of this section by the estimated proportion of fuel use for the city and highway phases relative to the total US06 fuel use. The manufacturer may estimate the proportion of fuel use for the US06 City and US06 Highway phases by using modal CO₂, HC, and CO emissions data, or by using appropriate OBD data (e.g., fuel flow rate in grams of fuel per second), or another method approved by the Administrator.

* * * * *

(e) Calculate the SC03 fuel economy.

(1) Calculate the grams/mile values for the SC03 test for HC, CO and CO₂, and where applicable, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄ as specified in § 86.144(b) of this chapter.

(2) Measure and record the test fuel's properties as specified in paragraph (f) of this section.

(f) * * *

(4) Ethanol test fuel shall be analyzed to determine the following fuel properties:

(i) Specific gravity using either:

(A) ASTM D 1298-85 (Reapproved 1990) "Standard Practice for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method" for the blend. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW., Room 3340, Washington, DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html or:

(B) ASTM D 1298-85 (Reapproved 1990) "Standard Practice for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method" for the gasoline fuel component and also for the methanol fuel component and combining as follows. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW., Room 3340, Washington, DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

SG = SGg × volume fraction gasoline + SGm × volume fraction ethanol.

(ii)(A) Carbon weight fraction using the following equation:

CWF = CWFg × MFg + 0.375 × MFe

Where:

CWFg = Carbon weight fraction of gasoline portion of blend per ASTM D 3343-90 "Standard Test Method for Estimation of Hydrogen Content of Aviation Fuels." This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW., Room 3340, Washington, DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

MFg = Mass fraction gasoline = $(G \times SGg) / (G \times SGg + E \times SGm)$

MFe = Mass fraction methanol = $(E \times SGm) / (G \times SGg + E \times SGm)$

Where:

G = Volume fraction gasoline.

E = Volume fraction ethanol.

SGg = Specific gravity of gasoline as measured by ASTM D 1298-85 (Reapproved 1990) "Standard Practice for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method." This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW, Room 3340, Washington DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

SGm = Specific gravity of methanol as measured by ASTM D 1298-85 (Reapproved 1990) "Standard Practice for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method." This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA

West Building, Constitution Avenue and 14th Street, NW, Room 3340, Washington DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

(B) Upon the approval of the Administrator, other procedures to measure the carbon weight fraction of the fuel blend may be used if the manufacturer can show that the procedures are superior to or equally as accurate as those specified in this paragraph (f)(2)(ii).

(iii) Net heating value (BTU/lb) per ASTM D 240-92 "Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter." This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW, Room 3340, Washington DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

* * * * *

(g) Calculate separate FTP, highway, US06, SC03 and Cold temperature FTP fuel economy from the grams/mile values for total HC, CO, CO₂ and, where applicable, CH₃OH, C₂H₅OH, C₂H₄O, HCHO, NMHC and CH₄, and the test fuel's specific gravity, carbon weight fraction, net heating value, and additionally for natural gas, the test fuel's composition.

(1) If the emission values (obtained per paragraph (a) through (e) of this section, as applicable) were obtained from testing with aged exhaust emission control components as allowed under 86.1823-01, then these test values shall be used in the calculations of this section.

(2) If the emission values (obtained per paragraph (a) through (e) of this section, as applicable) were not obtained from testing with aged exhaust emission control components as allowed under 86.1823-01, then these test values shall be adjusted by the appropriate deterioration factor

determined according to 86.1823-01 before being used in the calculations of this section.

(3) The emission values determined in paragraph (g)(1) or (2) of this section shall be rounded in accordance with § 86.094-26(a)(6)(iii) or § 86.1837-01 of this chapter as applicable. The CO₂ values (obtained per this section, as applicable) used in each calculation of this section shall be rounded to the nearest gram/mile. The specific gravity and the carbon weight fraction (obtained per paragraph (f) of this section) shall be recorded using three places to the right of the decimal point. The net heating value (obtained per paragraph (f) of this section) shall be recorded to the nearest whole Btu/lb.

(h)(1) For gasoline-fueled automobiles tested on test fuel specified in § 86.113-04(a), the fuel economy in miles per gallon is to be calculated using the following equation and rounded to the nearest 0.1 miles per gallon:

$$\text{mpg} = (5174 \times 10^4 \times \text{CWF} \times \text{SG}) / ((\text{CWF} \times \text{HC}) + (0.429 \times \text{CO}) + (0.273 \times \text{CO}_2) \times (0.6 \times \text{SG} \times \text{NHV}) + 5471)$$

Where:

HC = Grams/mile HC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

CWF = Carbon weight fraction of test fuel as obtained in paragraph (g) of this section.

NHV = Net heating value by mass of test fuel as obtained in paragraph (g) of this section.

SG = Specific gravity of test fuel as obtained in paragraph (g) of this section.

(2) For 2012 and later model year gasoline-fueled automobiles tested on test fuel specified in § 86.113-04(a), the carbon-related exhaust emissions in grams per mile is to be calculated using the following equation and rounded to the nearest 1 gram per mile:

$$\text{CREE} = \text{CWF} \times \text{HC} + 1.571 \times \text{CO} + \text{CO}_2$$

Where:

CREE means the carbon-related exhaust emissions as defined in § 600.002-08.

HC = Grams/mile HC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

CWF = Carbon weight fraction of test fuel as obtained in paragraph (g) of this section.

(i)(1) For diesel-fueled automobiles, calculate the fuel economy in miles per gallon of diesel fuel by dividing 2778 by the sum of three terms and rounding the quotient to the nearest 0.1 mile per gallon:

(i)(A) 0.866 multiplied by HC (in grams/miles as obtained in paragraph (g) of this section), or

(B) Zero, in the case of cold FTP diesel tests for which HC was not collected, as permitted in § 600.113-08(c);

(ii) 0.429 multiplied by CO (in grams/mile as obtained in paragraph (g) of this section); and

(iii) 0.273 multiplied by CO₂ (in grams/mile as obtained in paragraph (g) of this section).

(2) For 2012 and later model year diesel-fueled automobiles, the carbon-related exhaust emissions in grams per mile is to be calculated using the following equation and rounded to the nearest 1 gram per mile:

$$\text{CREE} = 0.866 \times \text{HC} + 1.571 \times \text{CO} + \text{CO}_2$$

Where:

CREE means the carbon-related exhaust emissions as defined in § 600.002-08.

HC = Grams/mile HC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

(j)(1) For methanol-fueled automobiles and automobiles designed to operate on mixtures of gasoline and methanol, the fuel economy in miles per gallon is to be calculated using the following equation:

$$\text{mpg} = (\text{CWF} \times \text{SG} \times 3781.8) / ((\text{CWF}_{\text{exHC}} \times \text{HC}) + (0.429 \times \text{CO}) + (0.273 \times \text{CO}_2) + (0.375 \times \text{CH}_3\text{OH}) + (0.400 \times \text{HCHO}))$$

Where:

D_{NG} = density of the natural gas fuel [grams/ft³ at 68 °F (20 °C) and 760 mm Hg (101.3 kPa)] pressure as obtained in paragraph (g) of this section.

CH₄, NMHC, CO, and CO₂ = weighted mass exhaust emissions [grams/mile] for methane, non-methane HC, carbon

CWF = Carbon weight fraction of the fuel as determined in paragraph (f)(2)(ii) of this section.

SG = Specific gravity of the fuel as determined in paragraph (f)(2)(i) of this section.

CWF_{exHC} = Carbon weight fraction of exhaust hydrocarbons = CWF_g as determined in (f)(2)(ii) of this section (for M100 fuel, CWF_{exHC} = 0.866).

HC = Grams/mile HC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

CH₃OH = Grams/mile CH₃OH (methanol) as obtained in paragraph (d) of this section.

HCHO = Grams/mile HCHO (formaldehyde) as obtained in paragraph (g) of this section.

(2) For 2012 and later model year methanol-fueled automobiles and automobiles designed to operate on mixtures of gasoline and methanol, the carbon-related exhaust emissions in grams per mile is to be calculated using the following equation and rounded to the nearest 1 gram per mile:

$$\text{CREE} = (\text{CWF}_{\text{exHC}} \times \text{HC}) + (1.571 \times \text{CO}) + (1.374 \times \text{CH}_3\text{OH}) + (1.466 \times \text{HCHO}) + \text{CO}_2$$

Where:

CREE means the carbon-related exhaust emission value as defined in § 600.002-08.

CWF_{exHC} = Carbon weight fraction of exhaust hydrocarbons = CWF_g as determined in (f)(2)(ii) of this section (for M100 fuel, CWF_{exHC} = 0.866).

HC = Grams/mile HC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

CH₃OH = Grams/mile CH₃OH (methanol) as obtained in paragraph (d) of this section.

HCHO = Grams/mile HCHO (formaldehyde) as obtained in paragraph (g) of this section.

(k)(1) For automobiles fueled with natural gas, the fuel economy in miles per gallon of natural gas is to be calculated using the following equation:

$$\text{mpg}_e = \frac{\text{CWF}_{\text{HC/NG}} \times D_{\text{NG}} \times 121.5}{(0.749 \times \text{CH}_4) + (\text{CWF}_{\text{NMHC}} \times \text{NMHC}) + (0.429 \times \text{CO}) + (0.273 \times (\text{CO}_2 - \text{CO}_{2\text{NG}}))}$$

Where:

mpg_e = miles per equivalent gallon of natural gas.

CWF_{HC/NG} = carbon weight fraction based on the hydrocarbon constituents in the natural gas fuel as obtained in paragraph (g) of this section.

monoxide, and carbon dioxide as calculated in § 600.113.

CWF_{NMHC} = carbon weight fraction of the non-methane HC constituents in the fuel as determined from the speciated fuel composition per paragraph (f)(3) of this section.

CO_{2NG} = grams of carbon dioxide in the natural gas fuel consumed per mile of travel.

CO_{2NG} = FC_{NG} × D_{NG} × WF_{CO2}
Where:

$$FC_{NG} = \text{cubic feet of natural gas fuel consumed per mile} = \frac{(0.749 \cdot CH_4) + (CWF_{NMHC} \cdot NMHC) + (0.429 \cdot CO) + (0.273 \cdot CO_2)}{CWF_{NG} \cdot D_{NG}}$$

Where:

CWF_{NG} = the carbon weight fraction of the natural gas fuel as calculated in paragraph (f) of this section.

WF_{CO2} = weight fraction carbon dioxide of the natural gas fuel calculated using the mole fractions and molecular weights of the natural gas fuel constituents per ASTM D 1945-91 "Standard Test Method for Analysis of Natural Gas by Gas Chromatography." This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW., Room 3340, Washington, DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

(2) For automobiles fueled with natural gas, the carbon-related exhaust emissions in grams per mile is to be calculated for 2012 and later model year vehicles using the following equation and rounded to the nearest 1 gram per mile:

$$CREE = 10.916 \times CH_4 + CWF_{NMHC} \times NMHC + 1.571 \times CO + CO_2$$

Where:

CREE means the carbon-related exhaust emission value as defined in § 600.002-08.

CH₄ = Grams/mile CH₄ as obtained in paragraph (g) of this section.

NMHC = Grams/mile NMHC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

CWF_{NMHC} = carbon weight fraction of the non-methane HC constituents in the fuel as determined from the speciated fuel composition per paragraph (f)(3) of this section.

(l)(1) For ethanol-fueled automobiles and automobiles designed to operate on

mixtures of gasoline and ethanol, the fuel economy in miles per gallon is to be calculated using the following equation:

$$mpg = \frac{(CWF \times SG \times 3781.8)}{((CWF_{exHC} \times HC) + (0.429 \times CO) + (0.273 \times CO_2) + (0.375 \times CH_3OH) + (0.400 \times HCHO) + (0.521 \times C_2H_5OH) + (0.545 \times C_2H_4O))}$$

Where:

CWF = Carbon weight fraction of the fuel as determined in paragraph (f)(4) of this section.

SG = Specific gravity of the fuel as determined in paragraph (f)(4) of this section.

CWF_{exHC} = Carbon weight fraction of exhaust hydrocarbons = CWF_g as determined in (f)(4) of this section.

HC = Grams/mile HC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

CH₃OH = Grams/mile CH₃OH (methanol) as obtained in paragraph (d) of this section.

HCHO = Grams/mile HCHO (formaldehyde) as obtained in paragraph (g) of this section.

C₂H₅OH = Grams/mile CH₃OH (ethanol) as obtained in paragraph (d) of this section.

C₂H₄O = Grams/mile C₂H₄O (acetaldehyde) as obtained in paragraph (d) of this section.

(2) For 2012 and later model year ethanol-fueled automobiles and automobiles designed to operate on mixtures of gasoline and ethanol, the carbon-related exhaust emissions in grams per mile is to be calculated using the following equation and rounded to the nearest 1 gram per mile:

$$CREE = (CWF_{exHC} \times HC) + (1.571 \times CO) + (1.374 \times CH_3OH) + (1.466 \times HCHO) + (0.955 \times C_2H_5OH) + (0.999 \times C_2H_4O) + CO_2$$

Where:

CREE means the carbon-related exhaust emission value as defined in § 600.002-08.

CWF_{exHC} = Carbon weight fraction of exhaust hydrocarbons = CWF_g as determined in (f)(4) of this section.

HC = Grams/mile HC as obtained in paragraph (g) of this section.

CO = Grams/mile CO as obtained in paragraph (g) of this section.

CO₂ = Grams/mile CO₂ as obtained in paragraph (g) of this section.

CH₃OH = Grams/mile CH₃OH (methanol) as obtained in paragraph (d) of this section.

HCHO = Grams/mile HCHO (formaldehyde) as obtained in paragraph (g) of this section.

C₂H₅OH = Grams/mile CH₃OH (ethanol) as obtained in paragraph (d) of this section.

C₂H₄O = Grams/mile C₂H₄O (acetaldehyde) as obtained in paragraph (d) of this section.

(m) Equations for fuels other than those specified in paragraphs (h) through (l) of this section may be used with advance EPA approval. Alternate calculation methods may be used if shown to yield equivalent or superior results and if approved in advance by the Administrator.

39. Section 600.114-08 is amended as follows:

- a. By revising the heading.
- b. By revising the introductory text.
- c. By adding paragraphs (d) through (f).

§ 600.114-08 Vehicle-specific 5-cycle fuel economy and carbon-related exhaust emission calculations.

Paragraphs (a) through (c) of this section apply to data used for fuel economy labeling under Subpart D of this part. Paragraphs (d) through (f) of this section are used to calculate 5-cycle carbon-related exhaust emissions values for the purpose of determining optional technology-based CO₂ emissions credits under the provisions of paragraph (d) of § 86.1866-12 of this title.

* * * * *

(d) *City carbon-related exhaust emission value.* For each vehicle tested, determine the 5-cycle city carbon-related exhaust emissions using the following equation:

$$(1) \text{ CityCREE} = 0.905 \times (\text{StartCREE} + \text{RunningCREE})$$

Where:

(i) StartCREE =

$$0.33 \times \left(\frac{(0.76 \times \text{StartCREE}_{75} + 0.24 \times \text{StartCREE}_{20})}{4.1} \right)$$

Where:

$$\text{StartCREE}_x = 3.6 \times (\text{Bag1CREE}_x - \text{Bag3CREE}_x)$$

Where:

Bag Y CREE_x = the carbon-related exhaust emissions in grams per mile during the specified bag of the FTP test conducted at an ambient temperature of 75 °F or 20 °F.

(ii) Running CREE =

$$0.82 \times [(0.48 \times \text{Bag}_{275}\text{CREE}) + (0.41 \times \text{Bag}_{375}\text{CREE}) + 0.11 \times \text{US06CityCREE}] + 0.18 \times [(0.5 \times \text{Bag}_{230}\text{CREE}) + (0.5 \times$$

$$\text{Bag}_{320}\text{CREE})] + 0.144 \times [\text{SC03CREE} - ((0.61 \times \text{Bag}_{375}\text{CREE}) + (0.39 \times \text{Bag}_{275}\text{CREE}))]$$

Where:

Bag Y_xCREE = carbon-related exhaust emissions in grams per mile over Bag Y at temperature X.

US06 City CREE = carbon-related exhaust emissions in grams per mile over the "city" portion of the US06 test.

SC03 CREE = carbon-related exhaust emissions in grams per mile over the SC03 test.

(e) Highway carbon-related exhaust emissions. (1) For each vehicle tested, determine the 5-cycle highway carbon-related exhaust emissions using the following equation:

$$\text{HighwayCREE} = 0.905 \times (\text{StartCREE} + \text{RunningCREE})$$

Where:

(1) StartCREE =

$$= 0.33 \times \left(\frac{(0.76 \times \text{StartCREE}_{75} + 0.24 \times \text{StartCREE}_{20})}{60} \right)$$

Where:

$$\text{StartCREE}_x = 3.6 \times (\text{Bag1CREE}_x - \text{Bag3CREE}_x)$$

(ii) Running CREE =

$$1.007 \times [(0.79 \times \text{US06 Highway CREE}) + (0.21 \times \text{HFET CREE})] + 0.045 \times [\text{SC03CREE} - ((0.61 \times \text{Bag}_{375}\text{CREE}) + (0.39 \times \text{Bag}_{275}\text{CREE}))]$$

Where:

Bag Y_xCREE = carbon-related exhaust emissions in grams per mile over Bag Y at temperature X.

US06 Highway CREE = carbon-related exhaust emissions in grams per mile over the highway portion of the US06 test.

HFET CREE = carbon-related exhaust emissions in grams per mile over the HFET test.

SC03 CREE = carbon-related exhaust emissions in grams per mile over the SC03 test.

(f) Carbon-related exhaust emissions calculations for hybrid electric vehicles.

Hybrid electric vehicles shall be tested according to California test methods which require FTP emission sampling for the 75 °F FTP test over four phases (bags) of the UDDS (cold-start, transient, warm-start, transient). Optionally, these four phases may be combined into two phases (phases 1 + 2 and phases 3 + 4). Calculations for these sampling methods follow.

(1) Four-bag FTP equations. If the 4-bag sampling method is used, manufacturers may use the equations in

paragraphs (a) and (b) of this section to determine city and highway carbon-related exhaust emissions values. If this method is chosen, it must be used to determine both city and highway carbon-related exhaust emissions. Optionally, the following calculations may be used, provided that they are used to determine both city and highway carbon-related exhaust emissions values:

(i) City carbon-related exhaust emissions.

$$\text{CityCREE} = 0.905 \times (\text{StartCREE} + \text{RunningCREE})$$

Where:

(A) StartCREE =

$$0.33 \times \left(\frac{(0.76 \times \text{StartCREE}_{75} + 0.24 \times \text{StartCREE}_{20})}{4.1} \right)$$

Where:

(1) StartCREE₇₅ =

$$3.6 \times (\text{Bag1CREE}_{75} - \text{Bag3CREE}_{75}) + 3.9 \times (\text{Bag2CREE}_{75} - \text{Bag4CREE}_{75})$$

and

(2) StartCREE₂₀ =

$$= 3.6 \times (\text{Bag1CREE}_{20} - \text{Bag3CREE}_{20})$$

(B) RunningCREE =

$$0.82 \times [(0.48 \times \text{Bag}_{475}\text{CREE}) + (0.41 \times \text{Bag}_{375}\text{CREE}) + (0.11 \times \text{US06CityCREE})] + 0.18 \times [(0.5 \times \text{Bag}_{220}\text{CREE}) + (0.5 \times \text{Bag}_{375}$$

$$\text{CREE})] + 0.144 \times [(\text{SC03CREE} - ((0.61 \times \text{Bag}_{375}\text{CREE}) + (0.39 \times \text{Bag}_{475}\text{CREE})))]$$

Where:

US06 Highway CREE = carbon-related exhaust emissions in grams per mile over the city portion of the US06 test.

US06 Highway CREE = carbon-related exhaust emissions in miles per gallon over the Highway portion of the US06 test.

HFET CREE = carbon-related exhaust emissions in grams per mile over the HFET test.

SC03 CREE = carbon-related exhaust emissions in grams per mile over the SC03 test.

(ii) Highway carbon-related exhaust emissions.

$$\text{HighwayCREE} = 0.905 \times (\text{StartCREE} + \text{RunningCREE})$$

Where:

(A) StartCREE =

$$= 0.33 \times \left(\frac{(0.76 \times \text{StartCREE}_{75} + 0.24 \times \text{StartCREE}_{20})}{60} \right)$$

Where:

$$\text{StartCREE}_{75} = 3.6 \times (\text{Bag1CREE}_{75} - \text{Bag3CREE}_{75}) + 3.9 \times (\text{Bag2CREE}_{75} - \text{Bag4CREE}_{75})$$

and

$$\text{StartCREE}_{20} = 3.6 \times (\text{Bag1CREE}_{20} - \text{Bag3CREE}_{20})$$

(B) RunningCREE =

$$1.007 \times [(0.79 \times \text{US06 Highway CREE}) + (0.21 \times \text{HFET CREE})] + 0.045 \times [\text{SC03CREE} - ((0.61 \times \text{Bag}_{375}\text{CREE}) + (0.39 \times \text{Bag}_{475}\text{CREE}))]$$

Where:
 US06 Highway CREE = carbon-related exhaust emissions in grams per mile over the Highway portion of the US06 test,
 HFET CREE = carbon-related exhaust emissions in grams per mile over the HFET test,
 SC03 CREE = carbon-related exhaust emissions in grams per mile over the SC03 test.

(2) *Two-bag FTP equations.* If the 2-bag sampling method is used for the 75 °F FTP test, it must be used to determine both city and highway carbon-related exhaust emissions. The following calculations must be used to determine both city and highway carbon-related exhaust emissions:

(i) *City carbon-related exhaust emissions.*
 CityCREE = 0.905 × (StartCREE + RunningCREE)
 Where:
 (A) StartCREE =

$$= 0.33 \times \left(\frac{(0.76 \times \text{StartCREE}_{75} + 0.24 \times \text{StartCREE}_{20})}{4.1} \right)$$

Where:
 StartCREE₇₅ = 3.6 × (Bag^{1/2}CREE₇₅ - Bag^{3/4}CREE₇₅)
 and
 StartCREE₂₀ = 3.6 × (Bag1CREE₂₀ - Bag3CREE₂₀)

conducted at an ambient temperature of 75 °F.
 (B) RunningCREE =
 0.82 × [(0.90 × Bag^{3/4}CREE) + (0.10 × US06CityCREE)] + (0.18 × [(0.5 × Bag₂₀CREE) + (0.5 × Bag₃₀CREE)] + 0.144 × [(SC03CREE - ((Bag^{3/4}₇₅CREE))]

Bag X/Y FE₇₅ = carbon-related exhaust emissions in grams per mile of fuel during combined phases 1 and 2 or phrases 3 and 4 of the FTP test conducted at an ambient temperature of 75 °F.

Where:
 Bag Y FE₂₀ = the carbon-related exhaust emissions in grams per mile of fuel during Bag 1 or Bag 3 of the 20 °F FTP test, and
 Bag X/Y FE₇₅ = carbon-related exhaust emissions in grams per mile of fuel during combined phases 1 and 2 or phrases 3 and 4 of the FTP test

Where:
 US06 City CREE = carbon-related exhaust emissions in grams per mile over the city portion of the US06 test, and
 SC03 CREE = carbon-related exhaust emissions in grams per mile over the SC03 test, and

(ii) *Highway carbon-related exhaust emissions.*
 HighwayCREE = 0.905 × (StartCREE + RunningCREE)
 Where:
 (A) StartCREE =

$$0.33 \times \left(\frac{(0.76 \times \text{StartCREE}_{75} + 0.24 \times \text{StartCREE}_{20})}{60} \right)$$

Where:
 StartCREE₇₅ = 7.5 × (Bag^{1/2}CREE₇₅ - Bag^{3/4}CREE₇₅)
 and
 StartCREE₂₀ = 3.6 × (Bag1CREE₂₀ - Bag3CREE₂₀)

§ 600.115-08 Criteria for determining the fuel economy label calculation method for 2011 and later model year vehicles.

This section provides the criteria to determine if the derived 5-cycle method for determining fuel economy label values, as specified in § 600.210-08 (a)(2) or (b)(2), as applicable, may be used to determine label values for 2011 and later model year vehicles. Separate criteria apply to city and highway fuel economy for each test group. The provisions of this section are optional. If this option is not chosen, or if the criteria provided in this section are not met, fuel economy label values for 2011 and later model year vehicles must be determined according to the vehicle-specific 5-cycle method specified in § 600.210-08(a)(1) or (b)(1), as applicable. However, dedicated alternative-fuel vehicles, dual fuel vehicles when operating on alternative fuel, and MDPVs may use the derived 5-cycle method for determining fuel economy labels for 2011 and later model years whether or not the criteria provided in this section are met.

Subpart C—Procedures for Calculating Fuel Economy and Carbon-related Exhaust Emission Values for 1977 and Later Model Year Automobiles

41. The heading for subpart C is revised as set forth above.
 42. A new § 600.201-12 is added to subpart C to read as follows:
§ 600.201-12 General applicability.
 The provisions of this subpart are applicable to 2012 and later model year automobiles and to the manufacturers of 2012 and later model year automobiles.
 43. A new § 600.206-12 is added to subpart C to read as follows:

§ 600.206-12 Calculation and use of FTP-based and HFET-based fuel economy and carbon-related exhaust emission values for vehicle configurations.

(a) Fuel economy and carbon-related exhaust emissions values determined for each vehicle under § 600.113(a) and (b) and as approved in § 600.008-08 (c), are used to determine FTP-based city, HFET-based highway, and combined FTP/Highway-based fuel economy and carbon-related exhaust emission values

(B) RunningCREE =
 1.007 × [(0.79 × US06 HighwayCREE) + (0.21 × HFET CREE)] + 0.045 × [SC03CREE - Bag^{3/4}CREE]
 Where:
 US06 City CREE = carbon-related exhaust emissions in grams per mile over the city portion of the US06 test, and
 SC03 CREE = carbon-related exhaust emissions in grams per mile over the SC03 test, and
 Bag Y FE₂₀ = the carbon-related exhaust emissions in grams per mile of fuel during Bag 1 or 3 of the 20 °F FTP test, and
 Bag X/Y FE₇₅ = carbon-related exhaust emissions in grams per mile of fuel during phases 1 and 2 or phrases 3 and 4 of the FTP test conducted at an ambient temperature of 75 °F.

40. Section 600.115-08 is amended by revising the introductory text to read as follows:

* * * * *

for each vehicle configuration for which data are available.

(1) If only one set of FTP-based city and HFET-based highway fuel economy values is accepted for a vehicle configuration, these values, rounded to the nearest tenth of a mile per gallon, comprise the city and highway fuel economy values for that configuration. If only one set of FTP-based city and HFET-based highway carbon-related exhaust emission values is accepted for a vehicle configuration, these values, rounded to the nearest gram per mile, comprise the city and highway carbon-related exhaust emission values for that configuration.

(2) If more than one set of FTP-based city and HFET-based highway fuel economy and/or carbon-related exhaust emission values are accepted for a vehicle configuration;

(i) All data shall be grouped according to the subconfiguration for which the data were generated using sales projections supplied in accordance with § 600.208(a)(3).

(ii) Within each group of data, all fuel economy values are harmonically averaged and rounded to the nearest 0.0001 of a mile per gallon and all carbon-related exhaust emission values are arithmetically averaged and rounded to the nearest tenth of a gram per mile in order to determine FTP-based city and HFET-based highway fuel economy and carbon-related exhaust emission values for each subconfiguration at which the vehicle configuration was tested.

(iii) All FTP-based city fuel economy and carbon-related exhaust emission values and all HFET-based highway fuel economy and carbon-related exhaust emission values calculated in paragraph (a)(2)(ii) of this section are (separately for city and highway) averaged in proportion to the sales fraction (rounded to the nearest 0.0001) within the vehicle configuration (as provided to the Administrator by the manufacturer) of vehicles of each tested subconfiguration. Fuel economy values shall be harmonically averaged and carbon-related exhaust emission values shall be arithmetically averaged. The resultant fuel economy values, rounded to the nearest 0.0001 mile per gallon, are the FTP-based city and HFET-based highway fuel economy values for the vehicle configuration. The resultant carbon-related exhaust emission values, rounded to the nearest tenth of a gram per mile, are the FTP-based city and HFET-based highway carbon-related exhaust emission values for the vehicle configuration.

(3)(i) For the purpose of determining average fuel economy under § 600.510-

08, the combined fuel economy value for a vehicle configuration is calculated by harmonically averaging the FTP-based city and HFET-based highway fuel economy values, as determined in § 600.206(a)(1) or (2) of this section, weighted 0.55 and 0.45 respectively, and rounded to the nearest 0.0001 mile per gallon. A sample of this calculation appears in Appendix II of this part.

(ii) For the purpose of determining average carbon-related exhaust emissions under § 600.510-08, the combined carbon-related exhaust emission value for a vehicle configuration is calculated by arithmetically averaging the FTP-based city and HFET-based highway carbon-related exhaust emission values, as determined in § 600.206(a)(1) or (2) of this section, weighted 0.55 and 0.45 respectively, and rounded to the nearest tenth of gram per mile.

(4) For alcohol dual fuel automobiles and natural gas dual fuel automobiles the procedures of paragraphs (a)(1) or (2) of this section, as applicable, shall be used to calculate two separate sets of FTP-based city, HFET-based highway, and combined fuel economy and carbon-related exhaust emission values for each configuration.

(i) Calculate the city, highway, and combined fuel economy and carbon-related exhaust emission values from the tests performed using gasoline or diesel test fuel.

(ii) Calculate the city, highway, and combined fuel economy and carbon-related exhaust emission values from the tests performed using alcohol or natural gas test fuel.

(b) If only one equivalent petroleum-based fuel economy value exists for an electric vehicle configuration, that value, rounded to the nearest tenth of a mile per gallon, will comprise the petroleum-based fuel economy for that configuration. The carbon-related exhaust emission value for that configuration shall be 0 grams per mile.

(c) If more than one equivalent petroleum-based fuel economy value exists for an electric vehicle configuration, all values for that vehicle configuration are harmonically averaged and rounded to the nearest 0.0001 mile per gallon for that configuration. The carbon-related exhaust emission value for that configuration shall be 0 grams per mile.

44. A new § 600.208-12 is added to subpart C to read as follows:

§ 600.208-12 Calculation of FTP-based and HFET-based fuel economy and carbon-related exhaust emission values for a model type.

(a) Fuel economy and carbon-related exhaust emission values for a base level are calculated from vehicle configuration fuel economy and carbon-related exhaust emission values as determined in § 600.206-08(a), (b), or (c) as applicable, for low-altitude tests.

(1) If the Administrator determines that automobiles intended for sale in the State of California are likely to exhibit significant differences in fuel economy and carbon-related exhaust emission values from those intended for sale in other states, she will calculate fuel economy and carbon-related exhaust emission values for each base level for vehicles intended for sale in California and for each base level for vehicles intended for sale in the rest of the States.

(2) In order to highlight the fuel efficiency and carbon-related exhaust emission values of certain designs otherwise included within a model type, a manufacturer may wish to subdivide a model type into one or more additional model types. This is accomplished by separating subconfigurations from an existing base level and placing them into a new base level. The new base level is identical to the existing base level except that it shall be considered, for the purposes of this paragraph, as containing a new basic engine. The manufacturer will be permitted to designate such new basic engines and base level(s) if:

(i) Each additional model type resulting from division of another model type has a unique car line name and that name appears on the label and on the vehicle bearing that label;

(ii) The subconfigurations included in the new base levels are not included in any other base level which differs only by basic engine (*i.e.*, they are not included in the calculation of the original base level fuel economy values); and

(iii) All subconfigurations within the new base level are represented by test data in accordance with § 600.010-08(c)(1)(ii).

(3) The manufacturer shall supply total model year sales projections for each car line/vehicle subconfiguration combination.

(i) Sales projections must be supplied separately for each car line-vehicle subconfiguration intended for sale in California and each car line/vehicle subconfiguration intended for sale in the rest of the States if required by the Administrator under paragraph (a)(1) of this section.

(ii) Manufacturers shall update sales projections at the time any model type value is calculated for a label value.

(iii) The provisions of paragraph (a)(3) of this section may be satisfied by providing an amended application for certification, as described in § 86.1844-01.

(4) Vehicle configuration fuel economy and carbon-related exhaust emission values, as determined in § 600.206-08 (a), (b) or (c), as applicable, are grouped according to base level.

(i) If only one vehicle configuration within a base level has been tested, the fuel economy and carbon-related exhaust emission values from that vehicle configuration will constitute the fuel economy and carbon-related exhaust emission values for that base level.

(ii) If more than one vehicle configuration within a base level has been tested, the vehicle configuration fuel economy values are harmonically averaged in proportion to the respective sales fraction (rounded to the nearest 0.0001) of each vehicle configuration and the resultant fuel economy value rounded to the nearest 0.0001 mile per gallon; and the vehicle configuration carbon-related exhaust emission values are arithmetically averaged in proportion to the respective sales fraction (rounded to the nearest 0.0001) of each vehicle configuration and the resultant carbon-related exhaust emission value rounded to the nearest gram per mile.

(5) The procedure specified in paragraph (a)(1) through (4) of this section will be repeated for each base level, thus establishing city, highway, and combined fuel economy and carbon-related exhaust emission values for each base level.

(6) For the purposes of calculating a base level fuel economy or carbon-related exhaust emission value, if the only vehicle configuration(s) within the base level are vehicle configuration(s) which are intended for sale at high altitude, the Administrator may use fuel economy and carbon-related exhaust emission data from tests conducted on these vehicle configuration(s) at high altitude to calculate the fuel economy or carbon-related exhaust emission value for the base level.

(7) For alcohol dual fuel automobiles and natural gas dual fuel automobiles, the procedures of paragraphs (a)(1) through (6) of this section shall be used to calculate two separate sets of city, highway, and combined fuel economy and carbon-related exhaust emission values for each base level.

(i) Calculate the city, highway, and combined fuel economy and carbon-related exhaust emission values from the tests performed using gasoline or diesel test fuel.

(ii) Calculate the city, highway, and combined fuel economy and carbon-related exhaust emission values from the tests performed using alcohol or natural gas test fuel.

(b) For each model type, as determined by the Administrator, a city, highway, and combined fuel economy value and a carbon-related exhaust emission value will be calculated by using the projected sales and fuel economy and carbon-related exhaust emission values for each base level within the model type. Separate model type calculations will be done based on the vehicle configuration fuel economy and carbon-related exhaust emission values as determined in § 600.206-08 (a), (b) or (c), as applicable.

(1) If the Administrator determines that automobiles intended for sale in the State of California are likely to exhibit significant differences in fuel economy and carbon-related exhaust emission values from those intended for sale in other States, she will calculate fuel economy and carbon-related exhaust emission values for each model type for vehicles intended for sale in California and for each model type for vehicles intended for sale in the rest of the States.

(2) The sales fraction for each base level is calculated by dividing the projected sales of the base level within the model type by the projected sales of the model type and rounding the quotient to the nearest 0.0001.

(3)(i) The FTP-based city fuel economy values of the model type (calculated to the nearest 0.0001 mpg) are determined by dividing one by a sum of terms, each of which corresponds to a base level and which is a fraction determined by dividing:

(A) The sales fraction of a base level;

by (B) The FTP-based city fuel economy value for the respective base level.

(ii) The FTP-based city carbon-related exhaust emission value of the model type (calculated to the nearest gram per mile) are determined by a sum of terms, each of which corresponds to a base level and which is a product determined by multiplying:

(A) The sales fraction of a base level;

by (B) The FTP-based city carbon-related exhaust emission value for the respective base level.

(4) The procedure specified in paragraph (b)(3) of this section is repeated in an analogous manner to

determine the highway and combined fuel economy and carbon-related exhaust emission values for the model type.

(5) For alcohol dual fuel automobiles and natural gas dual fuel automobiles, the procedures of paragraphs (b)(1) through (4) of this section shall be used to calculate two separate sets of city, highway, and combined fuel economy values and two separate sets of city, highway, and combined carbon-related exhaust emission values for each model type.

(i) Calculate the city, highway, and combined fuel economy and carbon-related exhaust emission values from the tests performed using gasoline or diesel test fuel.

(ii) Calculate the city, highway, and combined fuel economy and carbon-related exhaust emission values from the tests performed using alcohol or natural gas test fuel.

Subpart D—Fuel Economy Regulations for 1977 and Later Model Year Automobiles—Labeling

45. A new § 600.301-12 is added to subpart D to read as follows:

§ 600.301-12 General applicability.

(a) Unless otherwise specified, the provisions of this subpart are applicable to 2012 and later model year automobiles.

(b) [Reserved]

Subpart F—Fuel Economy Regulations for Model Year 1978 Passenger Automobiles and for 1979 and Later Model Year Automobiles (Light Trucks and Passenger Automobiles)—Procedures for Determining Manufacturer's Average Fuel Economy and Manufacturer's Average Carbon-related Exhaust Emissions

46. The heading for subpart F is revised as set forth above.

47. A new § 600.501-12 is added to subpart F to read as follows:

§ 600.501-12 General applicability.

The provisions of this subpart are applicable to 2012 and later model year passenger automobiles and light trucks and to the manufacturers of 2012 and later model year passenger automobiles and light trucks.

48. A new § 600.507-12 is added to subpart F to read as follows:

§ 600.507-12 Running change data requirements.

(a) Except as specified in paragraph (d) of this section, the manufacturer shall submit additional running change fuel economy and carbon-related exhaust emissions data as specified in

paragraph (b) of this section for any running change approved or implemented under §§ 86.079–32, 86.079–33, or 86.082–34 or 86.1842–01 as applicable, which:

(1) Creates a new base level or,
 (2) Affects an existing base level by:
 (i) Adding an axle ratio which is at least 10 percent larger (or, optionally, 10 percent smaller) than the largest axle ratio tested.

(ii) Increasing (or, optionally, decreasing) the road-load horsepower for a subconfiguration by 10 percent or more for the individual running change or, when considered cumulatively, since original certification (for each cumulative 10 percent increase using the originally certified road-load horsepower as a base).

(iii) Adding a new subconfiguration by increasing (or, optionally, decreasing) the equivalent test weight for any previously tested subconfiguration in the base level.

(iv) Revising the calibration of an electric vehicle, fuel cell electric vehicle, hybrid electric vehicle, plug-in hybrid electric vehicle or other advanced technology vehicle in such a way that the city or highway fuel economy of the vehicle (or the energy consumption of the vehicle, as may be applicable) is expected to become less fuel efficient (or optionally, more fuel efficient) by 4.0 percent or more as compared to the original fuel economy label values for fuel economy and/or energy consumption, as applicable.

(b)(1) The additional running change fuel economy and carbon-related exhaust emissions data requirement in paragraph (a) of this section will be determined based on the sales of the vehicle configurations in the created or affected base level(s) as updated at the time of running change approval.

(2) Within each newly created base level as specified in paragraph (a)(1) of this section, the manufacturer shall submit data from the highest projected total model year sales subconfiguration within the highest projected total model year sales configuration in the base level.

(3) Within each base level affected by a running change as specified in paragraph (a)(2) of this section, fuel economy and carbon-related exhaust emissions data shall be submitted for the vehicle configuration created or affected by the running change which has the highest total model year projected sales. The test vehicle shall be of the subconfiguration created by the running change which has the highest projected total model year sales within the applicable vehicle configuration.

(c) The manufacturer shall submit the fuel economy data required by this section to the Administrator in accordance with § 600.314(b).

(d) For those model types created under § 600.208–08(a)(2), the manufacturer shall submit fuel economy and carbon-related exhaust emissions data for each subconfiguration added by a running change.

49. A new § 600.509–12 is added to subpart F to read as follows:

§ 600.509–12 Voluntary submission of additional data.

(a) The manufacturer may optionally submit data in addition to the data required by the Administrator.

(b) Additional fuel economy and carbon-related exhaust emissions data may be submitted by the manufacturer for any vehicle configuration which is to be tested as required in § 600.507 or for which fuel economy and carbon-related exhaust emissions data were previously submitted under paragraph (c) of this section.

(c) Within a base level, additional fuel economy and carbon-related exhaust emissions data may be submitted by the manufacturer for any vehicle configuration which is not required to be tested by § 600.507.

50. A new § 600.510–12 is added to subpart F to read as follows:

§ 600.510–12 Calculation of average fuel economy and average carbon-related exhaust emissions.

(a)(1) Average fuel economy will be calculated to the nearest 0.1 mpg for the classes of automobiles identified in this section, and the results of such calculations will be reported to the Secretary of Transportation for use in determining compliance with the applicable fuel economy standards.

(i) An average fuel economy calculation will be made for the category of passenger automobiles that is domestically manufactured as defined in § 600.511(d)(1).

(ii) An average fuel economy calculation will be made for the category of passenger automobiles that is not domestically manufactured as defined in § 600.511(d)(2).

(iii) An average fuel economy calculation will be made for the category of light trucks that is domestically manufactured as defined in § 600.511(e)(1).

(iv) An average fuel economy calculation will be made for the category of light trucks that is not domestically manufactured as defined in § 600.511(e)(2).

(2) Average carbon-related exhaust emissions will be calculated to the

nearest one gram per mile for the classes of automobiles identified in this section, and the results of such calculations will be reported to the Administrator for use in determining compliance with the applicable CO₂ emission standards.

(i) An average carbon-related exhaust emissions calculation will be made for passenger automobiles.

(ii) An average carbon-related exhaust emissions calculation will be made for light trucks.

(b) For the purpose of calculating average fuel economy under paragraph (c) of this section and for the purpose of calculating average carbon-related exhaust emissions under paragraph (j) of this section:

(1) All fuel economy and carbon-related exhaust emissions data submitted in accordance with § 600.006(e) or § 600.512(c) shall be used.

(2) The combined city/highway fuel economy and carbon-related exhaust emission values will be calculated for each model type in accordance with § 600.208–08 of this section except that:

(i) Separate fuel economy values will be calculated for model types and base levels associated with car lines that are:

(A) Domestically produced; and
 (B) Nondomestically produced and imported;

(ii) Total model year production data, as required by this subpart, will be used instead of sales projections;

(iii) [Reserved]

(iv) The fuel economy value will be rounded to the nearest 0.1 mpg;

(v) The carbon-related exhaust emission value will be rounded to the nearest gram per mile; and

(vi) At the manufacturer's option, those vehicle configurations that are self-compensating to altitude changes may be separated by sales into high-altitude sales categories and low-altitude sales categories. These separate sales categories may then be treated (only for the purpose of this section) as separate configurations in accordance with the procedure of § 600.208–08(a)(4)(ii).

(3) The fuel economy and carbon-related exhaust emission values for each vehicle configuration are the combined fuel economy and carbon-related exhaust emissions calculated according to § 600.206–08(a)(3) except that:

(i) Separate fuel economy values will be calculated for vehicle configurations associated with car lines that are:

(A) Domestically produced; and
 (B) Nondomestically produced and imported;

(ii) Total model year production data, as required by this subpart will be used instead of sales projections; and

(iii) The fuel economy value of diesel-powered model types will be multiplied by the factor 1.0 to convert gallons of diesel fuel to equivalent gallons of gasoline.

(c) Except as permitted in paragraph (d) of this section, the average fuel economy will be calculated individually for each category identified in paragraph (a) of this section as follows:

(1) Divide the total production volume of that category of automobiles; by

(2) A sum of terms, each of which corresponds to a model type within that category of automobiles and is a fraction determined by dividing the number of automobiles of that model type produced by the manufacturer in the model year; by

(i) For gasoline-fueled and diesel-fueled model types, the fuel economy calculated for that model type in accordance with paragraph (b)(2) of this section; or

(ii) For alcohol-fueled model types, the fuel economy value calculated for that model type in accordance with paragraph (b)(2) of this section divided by 0.15 and rounded to the nearest 0.1 mpg; or

(iii) For natural gas-fueled model types, the fuel economy value calculated for that model type in accordance with paragraph (b)(2) of this section divided by 0.15 and rounded to the nearest 0.1 mpg; or

(iv) For alcohol dual fuel model types, for model years 1993 through 2019, the harmonic average of the following two terms; the result rounded to the nearest 0.1 mpg:

(A) The combined model type fuel economy value for operation on gasoline or diesel fuel as determined in § 600.208(b)(5)(i); and

(B) The combined model type fuel economy value for operation on alcohol fuel as determined in § 600.208(b)(5)(ii) divided by 0.15 provided the requirements of § 600.510(g) are met; or

(v) For natural gas dual fuel model types, for model years 1993 through 2019, the harmonic average of the following two terms; the result rounded to the nearest 0.1 mpg:

(A) The combined model type fuel economy value for operation on gasoline or diesel as determined in § 600.208(b)(5)(i); and

(B) The combined model type fuel economy value for operation on natural gas as determined in § 600.208(b)(5)(ii) divided by 0.15 provided the requirements of paragraph (g) of this section are met.

(d) The Administrator may approve alternative calculation methods if they

are part of an approved credit plan under the provisions of 15 U.S.C. 2003.

(e) For passenger categories identified in paragraphs (a)(1) and (2) of this section, the average fuel economy calculated in accordance with paragraph (c) of this section shall be adjusted using the following equation:

$$AFE_{adj} = AFE \left[\frac{(0.55 \times a \times c) + (0.45 \times c) + (0.5556 \times a) + 0.4487}{(0.55 \times a) + 0.45} \right] + IW$$

Where:

AFE_{adj} = Adjusted average combined fuel economy, rounded to the nearest 0.1 mpg;

AFE = Average combined fuel economy as calculated in paragraph (c) of this section, rounded to the nearest 0.0001 mpg;

a = Sales-weight average (rounded to the nearest 0.0001 mpg) of all model type highway fuel economy values (rounded to the nearest 0.1 mpg) divided by the sales-weighted average (rounded to the nearest 0.0001 mpg) of all model type city fuel economy values (rounded to the nearest 0.1 mpg). The quotient shall be rounded to 4 decimal places. These average fuel economies shall be determined using the methodology of paragraph (c) of this section.

c = 0.0014;

IW = $(9.2917 \times 10^{-3} \times SF_{31WC} \times FE_{31WC}) - (3.5123 \times 10^{-3} \times SF_{4ETW} \times FE_{41WC})$.

Note: Any calculated value of IW less than zero shall be set equal to zero.

SF_{31WC} = The 3000 lb. inertia weight class sales divided by total sales. The quotient shall be rounded to 4 decimal places.

SF_{4ETW} = The 4000 lb. equivalent test weight category sales divided by total sales. The quotient shall be rounded to 4 decimal places.

FE_{31WC} = The sales-weighted average combined fuel economy of all 3000 lb. inertia weight class base levels in the compliance category. Round the result to the nearest 0.0001 mpg.

FE_{41WC} = The sales-weighted average combined fuel economy of all 4000 lb. inertia weight class base levels in the compliance category. Round the result to the nearest 0.0001 mpg.

(f) The Administrator shall calculate and apply additional average fuel economy adjustments if, after notice and opportunity for comment, the Administrator determines that, as a result of test procedure changes not previously considered, such correction is necessary to yield fuel economy test results that are comparable to those obtained under the 1975 test procedures. In making such determinations, the Administrator must find that:

(1) A directional change in measured fuel economy of an average vehicle can be predicted from a revision to the test procedures;

(2) The magnitude of the change in measured fuel economy for any vehicle

or fleet of vehicles caused by a revision to the test procedures is quantifiable from theoretical calculations or best available test data;

(3) The impact of a change on average fuel economy is not due to eliminating the ability of manufacturers to take advantage of flexibility within the existing test procedures to gain measured improvements in fuel economy which are not the result of actual improvements in the fuel economy of production vehicles;

(4) The impact of a change on average fuel economy is not solely due to a greater ability of manufacturers to reflect in average fuel economy those design changes expected to have comparable effects on in-use fuel economy;

(5) The test procedure change is required by EPA or is a change initiated by EPA in its laboratory and is not a change implemented solely by a manufacturer in its own laboratory.

(g)(1) Alcohol dual fuel automobiles and natural gas dual fuel automobiles must provide equal or greater energy efficiency while operating on alcohol or natural gas as while operating on gasoline or diesel fuel to obtain the CAFE credit determined in paragraphs (c)(2)(iv) and (v) of this section or to obtain the carbon-related exhaust emissions credit determined in paragraphs (j)(2)(ii) and (iii). The following equation must hold true: $E_{alt}/E_{pet} > \text{or} = 1$

Where:

E_{alt} = $[FE_{alt}/(NHV_{alt} \times D_{alt})] \times 10^6$ = energy efficiency while operating on alternative fuel rounded to the nearest 0.01 miles/million BTU.

E_{pet} = $[FE_{pet}/(NHV_{pet} \times D_{pet})] \times 10^6$ = energy efficiency while operating on gasoline or diesel (petroleum) fuel rounded to the nearest 0.01 miles/million BTU.

FE_{alt} is the fuel economy [miles/gallon for liquid fuels or miles/100 standard cubic feet for gaseous fuels] while operated on the alternative fuel as determined in § 600.113-08(a) and (b);

FE_{pet} is the fuel economy [miles/gallon] while operated on petroleum fuel (gasoline or diesel) as determined in § 600.113(a) and (b);

NHV_{alt} is the net (lower) heating value [BTU/lb] of the alternative fuel;

NHV_{pet} is the net (lower) heating value [BTU/lb] of the petroleum fuel;

D_{alt} is the density [lb/gallon for liquid fuels or lb/100 standard cubic feet for gaseous fuels] of the alternative fuel;

D_{pet} is the density [lb/gallon] of the petroleum fuel.

(i) The equation must hold true for both the FTP city and HFET highway fuel economy values for each test of each test vehicle.

(ii)(A) The net heating value for alcohol fuels shall be determined per

ASTM D 240-92 "Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter." This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW., Room 3340, Washington, DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

(B) The density for alcohol fuels shall be determined per ASTM D 1298-85 (Reapproved 1990) "Standard Practice

for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method." This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies may be obtained from the American Society for Testing and Materials, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Copies may be inspected at U.S. EPA Headquarters Library, EPA West Building, Constitution Avenue and 14th Street, NW., Room 3340, Washington, DC, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

(iii) The net heating value and density of gasoline are to be determined by the

manufacturer in accordance with § 600.113(f).

(2) [Reserved]

(3) Alcohol dual fuel passenger automobiles and natural gas dual fuel passenger automobiles manufactured during model years 1993 through 2019 must meet the minimum driving range requirements established by the Secretary of Transportation (49 CFR part 538) to obtain the CAFE credit determined in paragraphs (c)(2)(iv) and (v) of this section.

(h) [Reserved]

(i) For model years 2012 through 2015, and for each category of automobile identified in paragraph (a)(2) of this section, the maximum decrease in average carbon-related exhaust emissions determined in paragraph (c) of this section attributable to alcohol dual fuel automobiles and natural gas dual fuel automobiles shall be as follows:

Model year	Maximum decrease—passenger automobiles (g/mi)	Maximum decrease—light trucks (g/mi)
2012	9.8	17.9
2013	9.3	17.1
2014	8.9	16.3
2015	6.9	12.6

(1) The Administrator shall calculate the decrease in average carbon-related exhaust emissions to determine if the maximum decrease provided in paragraph (i) of this section has been reached. The Administrator shall calculate the average carbon-related exhaust emissions for each category of automobiles specified in paragraph (a)(2) of this section by subtracting the average carbon-related exhaust emission values determined in paragraphs (b)(2)(vi), (b)(2)(vii), and (c) of this section from the average carbon-related exhaust emission values calculated in accordance with this section by assuming all alcohol dual fuel and natural gas dual fuel automobiles are operated exclusively on gasoline (or diesel) fuel. The difference is limited to the maximum decrease specified in paragraph (i) of this section.

(2) [Reserved]

(j) The average carbon-related exhaust emissions will be calculated individually for each category identified in paragraph (a)(2) of this section as follows:

(1) Divide the total production volume of that category of automobiles into:

(2) A sum of terms, each of which corresponds to a model type within that category of automobiles and is a product determined by multiplying the number of automobiles of that model type produced by the manufacturer in the model year by:

(i) For gasoline-fueled and diesel-fueled model types, the carbon-related exhaust emissions value calculated for that model type in accordance with paragraph (b)(2) of this section; or

(ii)(A) For alcohol-fueled model types, for model years 2012 through 2015, the carbon-related exhaust emissions value calculated for that model type in accordance with paragraph (b)(2) of this section multiplied by 0.15 and rounded to the nearest gram per mile; or

(B) For alcohol-fueled model types, for model years 2016 and later, the carbon-related exhaust emissions value calculated for that model type in accordance with paragraph (b)(2) of this section; or

(iii)(A) For natural gas-fueled model types, for model years 2012 through 2015, the carbon-related exhaust emissions value calculated for that model type in accordance with paragraph (b)(2) of this section

multiplied by 0.15 and rounded to the nearest gram per mile; or

(B) For natural gas-fueled model types, for model years 2016 and later, the carbon-related exhaust emissions value calculated for that model type in accordance with paragraph (b)(2) of this section; or

(iv) For alcohol dual fuel model types, for model years 2012 through 2015, the arithmetic average of the following two terms, the result rounded to the nearest gram per mile:

(A) The combined model type carbon-related exhaust emissions value for operation on gasoline or diesel fuel as determined in § 600.208(b)(5)(i); and

(B) The combined model type carbon-related exhaust emissions value for operation on alcohol fuel as determined in § 600.208(b)(5)(ii) multiplied by 0.15 provided the requirements of § 600.510(g) are met; or

(v) For natural gas dual fuel model types, for model years 2012 through 2015, the arithmetic average of the following two terms; the result rounded to the nearest gram per mile:

(A) The combined model type carbon-related exhaust emissions value for

operation on gasoline or diesel as determined in § 600.208(b)(5)(i); and

(B) The combined model type carbon-related exhaust emissions value for operation on natural gas as determined in § 600.208(b)(5)(ii) multiplied by 0.15 provided the requirements of paragraph (g) of this section are met.

(vi) For alcohol dual fuel model types, for model years 2016 and later, the combined model type carbon-related exhaust emissions value determined according to the following formula and rounded to the nearest gram per mile: $CREE = (F \times CREE_{alt}) + ((1 - F) \times CREE_{gas})$

Where:

F = 0.00 unless otherwise approved by the Administrator according to the provisions of paragraph (k) of this section;

$CREE_{alt}$ = The combined model type carbon-related exhaust emissions value for operation on alcohol fuel as determined in § 600.208(b)(5)(ii); and

$CREE_{gas}$ = The combined model type carbon-related exhaust emissions value for operation on gasoline or diesel fuel as determined in § 600.208(b)(5)(i).

(vii) For natural gas dual fuel model types, for model years 2016 and later, the combined model type carbon-related exhaust emissions value determined according to the following formula and rounded to the nearest gram per mile: $CREE = (F \times CREE_{alt}) + ((1 - F) \times CREE_{gas})$

Where:

F = 0.00 unless otherwise approved by the Administrator according to the provisions of paragraph (k) of this section;

$CREE_{alt}$ = The combined model type carbon-related exhaust emissions value for operation on natural gas as determined in § 600.208(b)(5)(ii); and

$CREE_{gas}$ = The combined model type carbon-related exhaust emissions value for operation on gasoline or diesel fuel as determined in § 600.208(b)(5)(i).

(3) The production volume of electric, fuel cell electric and plug-in hybrid electric model types for model years 2012 through 2016 may be adjusted by the multiplier specified in 40 CFR 86.1866-12(a) and in accordance with the provisions of 40-CFR 86.1866-12(a). The adjusted production volumes shall be accounted for both in the total production volume specified in paragraph (j)(1) of this section and in the model type production volume specified in paragraph (j)(2) of this section.

(k) *Alternative in-use weighting factors for dual fuel model types.* Using one of the methods in either paragraph (k)(1) or (2) of this section, manufacturers may request the use of

alternative values for the weighting factor F in the equations in paragraphs (j)(2)(vi) and (vii) of this section. Unless otherwise approved by the Administrator, the manufacturer must use the value of F that is in effect in paragraphs (j)(2)(vi) and (vii) of this section.

(1) Upon written request from a manufacturer, the Administrator will determine and publish by written guidance an appropriate value of F for each requested alternative fuel based on the Administrator's assessment of real-world use of the alternative fuel. Such published values would be available for any manufacturer to use. The Administrator will periodically update these values upon written request from a manufacturer.

(2) The manufacturer may optionally submit to the Administrator its own demonstration regarding the real-world use of the alternative fuel in their vehicles and its own estimate of the appropriate value of F in the equations in paragraphs (j)(2)(vi) and (vii) of this section. Depending on the nature of the analytical approach, the manufacturer could provide estimates of F that are model type specific or that are generally applicable to the manufacturer's dual fuel fleet. The manufacturer's analysis could include use of data gathered from on-board sensors and computers, from dual fuel vehicles in fleets that are centrally fueled, or from other sources. The analysis must be based on sound statistical methodology and must account for analytical uncertainty. Any approval by the Administrator will pertain to the use of values of F for the model types specified by the manufacturer.

51. A new § 600.512-12 is added to subpart F to read as follows:

§ 600.512-12 Model year report.

(a) For each model year, the manufacturer shall submit to the Administrator a report, known as the model year report, containing all information necessary for the calculation of the manufacturer's average fuel economy and all information necessary for the calculation of the manufacturer's average carbon-related exhaust emissions.

(1) The results of the manufacturer calculations and summary information of model type fuel economy values which are contained in the average fuel economy calculation shall also be submitted to the Secretary of the Department of Transportation, National Highway and Traffic Safety Administration.

(2) The results of the manufacturer calculations and summary information of model type carbon-related exhaust emission values which are contained in the average calculation shall be submitted to the Administrator.

(b)(1) The model year report shall be in writing, signed by the authorized representative of the manufacturer and shall be submitted no later than 90 days after the end of the model year.

(2) The Administrator may waive the requirement that the model year report be submitted no later than 90 days after the end of the model year. Based upon a request by the manufacturer, if the Administrator determines that 90 days is insufficient time for the manufacturer to provide all additional data required as determined in § 600.507, the Administrator shall establish an alternative date by which the model year report must be submitted.

(3) Separate reports shall be submitted for passenger automobiles and light trucks (as identified in § 600.510).

(c) The model year report must include the following information:

(1)(i) All fuel economy data used in the FTP/HFET-based model type calculations under § 600.208-12, and subsequently required by the Administrator in accordance with § 600.507;

(ii) All carbon-related exhaust emission data used in the FTP/HFET-based model type calculations under § 600.208-12, and subsequently required by the Administrator in accordance with § 600.507;

(2)(i) All fuel economy data for certification vehicles and for vehicles tested for running changes approved under § 86.1842-01 of this chapter;

(ii) All carbon-related exhaust emission data for certification vehicles and for vehicles tested for running changes approved under § 86.1842-01 of this chapter;

(3) Any additional fuel economy and carbon-related exhaust emission data submitted by the manufacturer under § 600.509;

(4)(i) A fuel economy value for each model type of the manufacturer's product line calculated according to § 600.510(b)(2);

(ii) A carbon-related exhaust emission value for each model type of the manufacturer's product line calculated according to § 600.510(b)(2);

(5)(i) The manufacturer's average fuel economy value calculated according to § 600.510(c);

(ii) The manufacturer's average carbon-related exhaust emission value calculated according to § 600.510(j);

(6) A listing of both domestically and nondomestically produced car lines as

determined in § 600.511 and the cost information upon which the determination was made; and

(7) The authenticity and accuracy of production data must be attested to by the corporation, and shall bear the signature of an officer (a corporate executive of at least the rank of vice-president) designated by the corporation. Such attestation shall constitute a representation by the manufacturer that the manufacturer has established reasonable, prudent procedures to ascertain and provide production data that are accurate and authentic in all material respects and that these procedures have been followed by employees of the manufacturer involved in the reporting process. The signature of the designated officer shall constitute a representation by the required attestation.

52. A new § 600.514–12 is added to subpart F to read as follows:

§ 600.514–12 Reports to the Environmental Protection Agency.

This section establishes requirements for automobile manufacturers to submit reports to the Environmental Protection Agency regarding their efforts to reduce automotive greenhouse gas emissions.

(a) *General Requirements.* (1) For each current model year, each manufacturer shall submit a pre-model year report, and, as required by paragraph (d) of this section, supplementary reports.

(2)(i) The pre-model year report required by this section for each model year must be submitted during the month of December (e.g., the pre-model year report for the 2012 model year must be submitted during December, 2011).

(ii) Each supplementary report must be submitted in accordance with paragraph (e)(3) of this section.

(3) Each report required by this section must:

(i) Identify the report as a pre-model year report or supplementary report as appropriate;

(ii) Identify the manufacturer submitting the report;

(iii) State the full name, title, and address of the official responsible for preparing the report;

(iv) Be submitted to: Director, Compliance and Innovative Strategies Division, U.S. Environmental Protection Agency, 2000 Traverwood, Ann Arbor, Michigan 48105;

(v) Identify the current model year;

(vi) Be written in the English language; and

(vii)(A) Specify any part of the information or data in the report that the manufacturer believes should be withheld from public disclosure as trade

secret or other confidential business information.

(B) With respect to each item of information or data requested by the manufacturer to be withheld, the manufacturer shall:

(1) Show that disclosure of the item would result in significant competitive damage;

(2) Specify the period during which the item must be withheld to avoid that damage; and

(3) Show that earlier disclosure would result in that damage.

(4) Each report required by this section must be based upon all information and data available to the manufacturer 30 days before the report is submitted to the Administrator.

(b) *General content of reports.* (1) Pre-model year report. Except as provided in paragraph (b)(3) of this section, each pre-model year report for each model year must contain the information required by paragraph (c)(1) of this section.

(2) *Supplementary report.* Each supplementary report must contain the information required by paragraph (e)(2)(i), (ii), or (iii), as appropriate.

(3) *Exceptions.* (i) The pre-model year report is not required to contain the information specified in paragraphs (c)(2), (c)(3)(i) and (i), or (c)(3)(iv)(N) and (S) of this section if that report is required to be submitted before the fifth day after the date by which the manufacturer must submit the preliminary determination of its average fuel economy for the current model year to the Environmental Protection Agency under 40 CFR 600.506, when such determination is required. Each manufacturer that does not include information under the exception in the immediately preceding sentence shall indicate in its report the date by which it must submit that preliminary determination.

(ii) The pre-model year report submitted by an incomplete automobile manufacturer for any model year is not required to contain the information specified in paragraphs (c)(3)(iv)(O) through (Q) and (c)(3)(v) of this section. The information provided by the incomplete automobile manufacturer under (c)(3) shall be according to base level instead of model type or carline.

(c) *Pre-model year reports.* (1) Provide the information required by paragraphs (c)(2) and (3) of this section for the manufacturer's passenger automobiles and light trucks for the current model year.

(2) *Projected average and required carbon-related exhaust emissions.* (i) State the projected average carbon-related exhaust emissions for the

manufacturer's automobiles determined in accordance with § 600.510–12 and based upon the carbon-related exhaust emission values and projected sales figures provided under paragraph (c)(3)(ii) of this section.

(ii) State the projected final average carbon-related exhaust emissions value that the manufacturer anticipates having if changes implemented during the model year will cause that average to be different from the average carbon-related exhaust emissions projected under paragraph (c)(2)(i) of this section.

(iii) State the projected required carbon-related exhaust emissions value for the manufacturer's passenger automobiles and light trucks determined in accordance with 40 CFR 86.1818–12 and based upon the projected sales figures provided under paragraph (c)(3)(ii) of this section.

(iv) State the projected final required carbon-related exhaust emissions value that the manufacturer anticipates having if changes implemented during the model year will cause the targets to be different from the target carbon-related exhaust emissions projected under paragraph (c)(2)(iii) of this section.

(v) State whether the manufacturer believes that the projections it provides under paragraphs (c)(2)(i) and (c)(2)(iv) of this section, or if it does not provide an average or target under those paragraphs, the projections it provides under paragraphs (c)(2)(i) and (c)(2)(iii) of this section, sufficiently represent the manufacturer's average and target carbon-related exhaust emissions for the current model year. In the case of a manufacturer that believes that the projections are not sufficiently representative for those purposes, state the specific nature of any reason for the insufficiency and the specific additional testing or derivation of carbon-related exhaust emission values by analytical methods believed by the manufacturer necessary to eliminate the insufficiency and any plans of the manufacturer to undertake that testing or derivation voluntarily and submit the resulting data to the Environmental Protection Agency under 40 CFR 600.509.

(vi) State the number of credits, if any, projected to be earned under the provisions of § 86.1866–12 and the sources and calculations of such credits.

(3) *Model type and configuration fuel economy and technical information.* (i) For each model type of the manufacturer's passenger cars and light trucks, provide the information specified in paragraph (c)(3)(ii) of this section in tabular form. List the model types in order of increasing average inertia weight from top to bottom down the left side of the table and list the

information categories in the order specified in paragraph (c)(3)(ii) of this section from left to right across the top of the table.

(ii)(A) Combined carbon-related exhaust emissions value; and

(B) Projected sales for the current model year and total sales of all model types.

(iii) For each vehicle configuration whose carbon-related exhaust emission value was used to calculate the carbon-related exhaust emission values for a model type under paragraph (c)(3)(ii) of this section, provide the information specified in paragraph (c)(3)(iv) of this section in tabular form. If a tabular form is used then list the vehicle configurations, by model type in the order listed under paragraph (c)(3)(ii) of this section, from top to bottom down the left of the table and list the information categories across the top of the table from left to right in the order specified in paragraph (c)(3)(iv) of this section. Other formats (such as copies of EPA reports) which contain all the required information in a readily identifiable form are also acceptable.

(iv)(A) Loaded vehicle weight;
(B) Equivalent test weight;
(C) Engine displacement, liters;
(D) SAE net rated power, kilowatts;
(E) SAE net horsepower;
(F) Engine code;
(G) Fuel system (number of carburetor barrels or, if fuel injection is used, so indicate);

(H) Emission control system;
(I) Transmission class;
(J) Number of forward speeds;
(K) Existence of overdrive (indicate yes or no);

(L) Total drive ratio (N/V);
(M) Axle ratio;
(N) Combined fuel economy;
(O) Projected sales for the current model year;

(P) In the case of passenger automobiles:

(1) Interior volume index, determined in accordance with subpart D of 40 CFR part 600,

(2) Body style,
(3) Beginning model year 2012, base tire as defined in § 600.002-08,

(4) Beginning model year 2012, track width as defined in § 600.002-08,

(5) Beginning model year 2012, wheelbase as defined in § 600.002-08, and

(6) Beginning model year 2012, footprint as defined in § 600.002-08.

(Q) In the case of light trucks:

(1) Passenger-carrying volume,
(2) Cargo-carrying volume,
(3) Beginning model year 2012, base tire as defined in § 600.002-08,
(4) Beginning model year 2012, track width as defined in § 600.002-08,

(5) Beginning model year 2012, wheelbase as defined in § 600.002-08, and

(6) Beginning model year 2012, footprint as defined in § 600.002-08.

(R) Frontal area;

(S) Road load power at 50 miles per hour; if determined by the manufacturer for purposes other than compliance with this part to differ from the road load setting prescribed in 40 CFR 86.177-11(d);

(T) Optional equipment that the manufacturer is required under 40 CFR parts 86 and 600 to have actually installed on the vehicle configuration, or the weight of which must be included in the curb weight computation for the vehicle configuration, for fuel economy and CO₂ emission testing purposes.

(v) For each model type of automobile which is classified as an automobile capable of off-highway operation under 49 CFR 523, provide the following data:

(A) Approach angle;
(B) Departure angle;
(C) Breakover angle;
(D) Axle clearance;
(E) Minimum running clearance; and
(F) Existence of 4-wheel drive (indicate yes or no).

(vi) The CO₂ emission values provided under paragraphs (c)(3)(ii) and (iv) of this section shall be determined in accordance with § 600.208-12.

(d) *Supplementary reports.* (1)(i) Except as provided in paragraph (d)(4) of this section, each manufacturer whose most recently submitted report contained an average carbon-related exhaust emissions projection under (c)(2)(ii) of this section, or, if no average carbon-related exhaust emission value was projected under that paragraph, under paragraph (c)(2)(i), that was not greater than the applicable average CO₂ emissions standard and who now projects an average carbon-related exhaust emissions value which is greater than the applicable standard shall file a supplementary report containing the information specified in paragraph (d)(2)(i) of this section.

(ii) Except as provided in paragraph (d)(4) of this section, each manufacturer that determines that its average carbon-related exhaust emissions for the current model year as projected under paragraph (c)(2)(ii) of this section or, if no average carbon-related exhaust emissions value was projected under that paragraph, as projected under paragraph (c)(2)(i) of this section, is less representative than the manufacturer previously reported it to be under paragraph (c)(2)(iii) of this section, this paragraph (d), or both, shall file a supplementary report containing the

information specified in paragraph (d)(2)(ii) of this section.

(iii) Each manufacturer whose pre-model year report omits any of the information specified in (c)(2), (c)(3)(i) and (ii), or (c)(3)(iv)(P) and (Q) shall file a supplementary report containing the information specified in paragraph (d)(2)(iii) of this section.

(2)(i) The supplementary report required by paragraph (d)(1)(i) of this section must contain:

(A) Such revisions of and additions to the information previously submitted by the manufacturer under this part regarding the automobiles whose projected average carbon-related exhaust emissions value has increased as specified in paragraph (d)(1)(i) of this section as are necessary—

(1) To reflect the increase and its cause;

(2) To indicate a new projected average carbon-related exhaust emissions value based upon these additional measures.

(B) An explanation of the cause of the increase in average carbon-related exhaust emissions that led to the manufacturer's having to submit the supplementary report required by paragraph (d)(1)(i) of this section.

(ii) The supplementary report required by paragraph (d)(1)(ii) of this section must contain:

(A) A statement of the specific nature of and reason for the insufficiency in the representativeness of the projected average carbon-related exhaust emissions;

(B) A statement of specific additional testing or derivation of carbon-related exhaust emissions values by analytical methods believed by the manufacturer necessary to eliminate the insufficiency; and

(C) A description of any plans of the manufacturer to undertake that testing or derivation voluntarily and submit the resulting data to the Environmental Protection Agency under 40 CFR 600.509.

(iii) The supplementary report required by paragraph (d)(1)(iii) of this section must contain:

(A) All of the information omitted from the pre-model year report under paragraph (b)(3)(ii); and

(B) Such revisions of and additions to the information submitted by the manufacturer in its pre-model year report regarding the automobiles produced during the current model year as are necessary to reflect the information provided under paragraph (b)(3)(i) of this section.

(3)(i) Each report required by paragraph (d)(1)(i) or (ii) of this section must be submitted in accordance with

paragraph (a)(3) not more than 45 days after the date on which the manufacturer determined, or could have, with reasonable diligence, determined that a report is required under paragraph (d)(1)(i) or (ii) of this section.

(i) Each report required by paragraph (d)(1)(iii) of this section must be submitted in accordance with paragraph (a)(3) of this section not later than five days after the day by which the manufacturer is required to submit a preliminary calculation of its average fuel economy for the current model year to the Environmental Protection Agency under 40 CFR 600.506.

(4) A supplementary report is not required to be submitted by the manufacturer under paragraph (d)(1)(i) or (ii) of this section:

(i) With respect to information submitted under this part before the most recent report submitted by the manufacturer under this part, or

(ii) When the date specified in paragraph (d)(3) of this section occurs after the day by which the pre-model year report for the model year immediately following the current model year must be submitted by the manufacturer under this part.

(e) *Determination of carbon-related exhaust emission values and average carbon-related exhaust emissions.*

(1) *Vehicle configuration carbon-related exhaust emission values.* (i) For each vehicle configuration for which a carbon-related exhaust emission value is required under paragraph (e)(3) of this section and has been determined and approved under 40 CFR part 600, the manufacturer shall submit that carbon-related exhaust emission value.

(ii) For each vehicle configuration specified in paragraph (e)(1)(i) of this section for which a carbon-related exhaust emissions value approved under 40 CFR part 600, does not exist, but for which a carbon-related exhaust emissions value determined under that part exists, the manufacturer shall submit that carbon-related exhaust emissions value.

(iii) For each vehicle configuration specified in paragraph (e)(1)(i) of this section for which a carbon-related exhaust emissions value has been neither determined nor approved under 40 CFR part 600, the manufacturer shall submit a carbon-related exhaust emissions value based on tests or analyses comparable to those prescribed or permitted under 40 CFR part 600 and a description of the test procedures or analytical methods used.

(2) *Base level and model type carbon-related exhaust emission values.* For each base level and model type, the manufacturer shall submit a carbon-related exhaust emission value based on the values submitted under paragraph (e)(1) of this section and calculated in the same manner as base level and model type carbon-related exhaust emission values are calculated for use under subpart F of 40 CFR part 600.

(3) *Average carbon-related exhaust emissions.* Average carbon-related exhaust emissions must be based upon carbon-related exhaust emission values calculated under paragraph (e)(2) of this section for each model type and must be calculated in accordance with 40 CFR 600.506, using the configurations specified in 40 CFR 600.506(a)(2), except that carbon-related exhaust emission values for running changes

and-for new base levels are required only for those changes made or base levels added before the average carbon-related exhaust emission value is required to be submitted under this section.

In consideration of the foregoing, under the authority of 49 U.S.C. 32901, 32902, 32903, and 32907, and delegation of authority at 49 CFR 1.50, NHTSA proposes to amend 49 CFR Chapter V as follows:

PART 531—PASSENGER AUTOMOBILE AVERAGE FUEL ECONOMY STANDARDS

1. The authority citation for part 531 continues to read as follows:

Authority: 49 U.S.C. 32902; delegation of authority at 49 CFR 1.50.

2. Amend § 531.5 by redesignating paragraph (d) as paragraph (e), revising the introductory text of paragraph (a), revising paragraph (c), and adding a new paragraph (d) to read as follows:

§ 531.5 Fuel economy standards.

(a) Except as provided in paragraph (e) of this section, each manufacturer of passenger automobiles shall comply with the average fuel economy standards in Table I, expressed in miles per gallon, in the model year specified as applicable:

* * * * *

(c) For model years 2012–2016, a manufacturer's passenger automobile fleet shall comply with the fuel economy level calculated for that model year according to Figure 2 and the appropriate values in Table III.

Figure 2:
$$CAFE_{required} = \frac{\sum SALES_i}{\sum TARGET_i}$$

Where:
 $CAFE_{required}$ is the required level for a given fleet,

$SALES_i$ is the number of units of model i produced for sale in the United States,
 $TARGET_i$ is the fuel economy target applicable to model i (according to the

equation shown in Figure 3 and based on the footprint of model i),
 and the summations in the numerator and denominator are both performed over all models in the fleet in question.

Figure 3:
$$TARGET = \frac{1}{MIN \left[MAX \left(c \times FOOTPRINT + d, \frac{1}{a} \right), \frac{1}{b} \right]}$$

Where:
 $TARGET$ is the fuel economy target (in mpg) applicable to vehicles of a given footprint ($FOOTPRINT$, in square feet),

Parameters a , b , c , and d are defined in Table III, and

The MIN and MAX functions take the minimum and maximum, respectively of the included values.

TABLE III—PARAMETERS FOR THE PASSENGER AUTOMOBILE FUEL ECONOMY TARGETS

Model year	Parameters			
	a	b	c	d
2012	36.23	28.12	0.0005308	0.005842
2013	37.15	28.67	0.0005308	0.005153
2014	38.08	29.22	0.0005308	0.004498
2015	39.55	30.08	0.0005308	0.003520
2016	41.38	31.12	0.0005308	0.002406

(d) In addition to the requirement of paragraphs (b) and (c) of this section, each manufacturer shall also meet the minimum standard for domestically manufactured passenger automobiles expressed in Table IV:

TABLE IV

Model year	Minimum standard
2011	28.0
2012	30.9
2013	31.6
2014	32.4
2015	33.5
2016	34.9

3. Add Appendix A to Part 531 to read as follows:

Appendix A to Part 531—Example of Calculating Compliance Under § 531.5 Paragraph (b)

Assume a hypothetical manufacturer (Manufacturer X) produces a fleet of passenger automobiles in MY 2011 as follows:

Appendix A, Table 1

Model	Carline	Desc	Eng/Trans	Drive system	Fuel econ mpg	Production volume	Footprint (ft ²)
A	PC A	2DS	1.8L, A5	FWD	32.5	1,500	39.2
B	PC B	2DS	1.8L, M6	FWD	33.1	2,000	39.2
C	PC C	2DCv	1.8L, A5	FWD	32.3	2,000	39.1
D	PC D	2DCv	1.8L, M6	FWD	32.9	1,000	39.1
E1	PC E	4DS	2.5L, A6	FWD	31.5	3,000	47.1
E2		SUV			30.4	1,000	
F	PC F	4DW	2.5L, A6	AWD	30.2	8,000	47.1
G1	PC G	4DS	2.5L, A7	FWD	31.7	2,000	48.4
G2		SUV			30.6	5,000	
H	PC H	4DS	3.2L, A7	RWD	29.3	5,000	48.4
						30,500	

Abbreviations: 2DS = two door sedan, 2DCv = two door convertible, SUV = sport utility vehicle, 4DW = four door station wagon, 1.8L = 1.8 liter displacement engine, A5 = five speed automatic transmission, M6 = six speed manual transmission, FWD = front wheel drive, AWD = all wheel drive, and RWD = rear wheel drive.

Note to Appendix A Table 1. Manufacturer X's required corporate average fuel economy level under section 531.5(b) would first be calculated by determining the fuel economy

targets applicable to each model type (A through H) as illustrated in Appendix A, Table 2.

Appendix A, Table 2

Manufacturer X calculates target fuel economy values for each model.

Model	Carline	Base tire	Wheel base (in)	Track width			Foot print (ft ²)	Prod vol	Target fuel econ (mpg)
				Front (in)	Rear (in)	Avg (in)			
A	PC A	205/75R14	96.0	58.8	58.8	58.8	39.2	1,500	31.19
B	PC B	215/70R15	96.0	58.8	58.8	58.8	39.2	2,000	31.19
C	PC C	215/70R15	96.1	58.5	58.7	58.6	39.1	2,000	31.19
D	PC D	235/60R15	96.1	58.5	58.7	58.6	39.1	1,000	31.19
E1	PC E	225/65R16	105.0	64.7	64.5	64.6	47.1	3,000	30.52
E2								1,000	
F	PC F	235/65R16	105.0	64.6	64.6	64.6	47.1	8,000	30.52
G1	PC G	235/65R17	107.0	65.1	65.3	65.2	48.4	2,000	29.34
G2								5,000	
H	PC H	265/55R18	107.0	65.2	65.2	65.2	48.4	5,000	29.34
								30,500	

Note to Appendix A Table 2. Accordingly, vehicle models A, B, C, D, E, F, G and H would be compared to fuel economy values of 31.19, 31.19, 31.19, 31.19, 30.52, 30.52, 29.34 and 29.34 mpg, respectively. With the

appropriate fuel economy targets calculated, Manufacturer X's required fuel economy would be calculated as illustrated in "Appendix A Figure 1."

Appendix A, Figure 1

Calculation of Manufacturer X's target fuel economy standard.

Manufacturer's Passenger Automobile Production for Applicable Model Year

Volume A	Volume B	Volume C	Volume D	Volume E	Volume F	Volume G	Volume H
Target A	Target B	Target C	Target D	Target E	Target F	Target G	Target H
30,500							
1,500	2,000	2,000	1,000	4,000	8,000	7,000	5,000
31.19	31.19	31.19	31.19	30.52	30.52	29.34	29.34

Manufacturer X's passenger car fleet target fuel economy standard = 30.2 mpg

Appendix A, Figure 2
Calculation of Manufacturer X's actual fuel economy.

Manufacturer's Passenger Automobile Production for Applicable Model Year

Volume A	Volume B	Volume C	Volume D	Volume E	Volume F	Volume G	Volume H
Mpg A	Mpg B	Mpg C	Mpg D	Mpg E	Mpg F	Mpg G	Mpg H
30,500							
1,500	2,000	2,000	1,000	3,000	1,000	8,000	2,000
32.5	33.1	32.3	32.9	31.5	30.4	30.2	31.7
5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000
29.3	30.6	31.7	30.2	30.4	31.5	32.9	32.5

Manufacturer X's passenger car fleet actual fuel economy performance = 31.2 mpg

Note to Appendix A Figure 2. Since the actual average fuel economy of Manufacturer X's fleet is 31.2 mpg, as compared to its required fuel economy level of 30.2 mpg, Manufacturer X complied with the CAFE standard for MY 2011 as set forth in section 531.5(b).

PART 533—LIGHT TRUCK FUEL ECONOMY STANDARDS

4. The authority citation for part 533 continues to read as follows:

Authority: 49 U.S.C. 32902; delegation of authority at 49 CFR 1.50.

5. Amend § 533.5 by adding Figures 2 and 3 and Table VI at the end of paragraph (a), and adding paragraph (i), to read as follows:

§ 533.5 Requirements.

(a) * * *
* * * * *

Figure 2:
$$CAFE_{required} = \frac{\sum_i SALES_i}{\sum_i \frac{SALES_i}{TARGET_i}}$$

Where:
 $CAFE_{required}$ is the required level for a given fleet,

$SALES_i$ is the number of units of model i produced for sale in the United States,
 $TARGET_i$ is the fuel economy target applicable to model i (according to the equation shown in Figure 3 and based on

the footprint of model i), and the summations in the numerator and denominator are both performed over all models in the fleet in question.

Figure 3:
$$TARGET = \frac{1}{MIN \left[MAX \left(c \times FOOTPRINT + d, \frac{1}{a} \right), \frac{1}{b} \right]}$$

Where:
 $TARGET$ is the fuel economy target (in mpg) applicable to vehicles of a given footprint ($FOOTPRINT$, in square feet),

Parameters a , b , c , and d are defined in Table VI, and

The MIN and MAX functions take the minimum and maximum, respectively of the included values.

TABLE VI—PARAMETERS FOR THE LIGHT TRUCK FUEL ECONOMY TARGETS

Model year	Parameters			
	A	b	c	d
2012	29.44	22.06	0.0004546	0.01533

TABLE VI—PARAMETERS FOR THE LIGHT TRUCK FUEL ECONOMY TARGETS—Continued

Model year	Parameters			
	A	b	c	d
2013	30.32	22.55	0.0004546	0.01434
2014	31.30	23.09	0.0004546	0.01331
2015	32.70	23.84	0.0004546	0.01194
2016	34.38	24.72	0.0004546	0.01045

* * * * *

(i) For model years 2012–2016, a manufacturer's light truck fleet shall comply with the fuel economy level calculated for that model year according to Figures 2 and 3 and the appropriate values in Table VI.

6. Revise Appendix A to Part 533 to read as follows:

Appendix A to Part 533—Example of Calculating Compliance Under § 533.5 Paragraph (h)

Assume a hypothetical manufacturer (Manufacturer X) produces a fleet of light trucks in MY 2011 as follows:

Appendix A, Table 1

Model	Carline	Desc	Eng/Trans	Drive system	Fuel econ mpg	Production volume	Footprint (ft ²)
A	PU A	RC, MB	4.0L, A5	2WD	27.1	800	47.8
B	PU B	RC, MB	4.0L, M5	2WD	27.6	200	47.8
C1	PU C	RC, LB	4.5L, A5	2WD	23.9	300	59.7
C2		EC, MB			23.7	400	
C3		CC, SB			23.5	400	
D	PU D	CC, SB	4.5L, A6	2WD	23.6	400	59.7
E1	PU E	EC, LB	5.0L, A6	2WD	22.7	500	71.8
E2		CC, MB			22.5	500	
F1	PU F	RC, LB	4.5L, A5	4WD	22.5	1,600	59.8
F2		EC, MB			22.3	800	
F3		CC, SB			22.2	800	
G	PU G	CC, SB	5.0L, A6	4WD	22.3	800	59.8
H1	PU H	EC, LB	5.0L, A6	4WD	22.2	1,000	71.9
H2		CC, MB			22.1	1,000	
						9,500	

Abbreviations: PU = pickup truck, RC = regular cab, EC = extended cab, CC = crew cab, SB = short cargo bed, MB = medium cargo bed, LB = long cargo bed, 4.0L = 4.0 liter engine, A5 = five speed automatic transmission, M5 = five speed manual transmission, 2WD = two wheel drive, 4WD = four wheel drive.

Appendix A, Table 2

Manufacturer X calculates target fuel economy values for each model.

Model	Carline	Base tire	Wheel base (in)	Track width			Foot print (ft ²)	Prod vol	Target fuel econ (mpg)
				Front (in)	Rear (in)	Avg (in)			
A	PU A	235/75R15	100.0	68.6	69.0	68.8	47.8	800	30.26
B	PU B	235/75R15	100.0	68.6	69.0	68.8	47.8	200	30.26
C1								300	
C2	PU C	255/70R17	125.0	68.7	68.9	68.8	59.7	400	24.09
C3								400	
D	PU D	255/70R17	125.0	68.7	68.9	68.8	59.7	400	24.09
E1	PU E	275/70R17	150.0	68.9	68.9	68.9	71.8	500	24.00
E2								500	
F1								1,600	
F2	PU F	255/70R17	125.0	69.0	68.8	68.9	59.8	800	24.09
F3								800	
G	PU G	255/70R17	125.0	69.0	68.8	68.9	59.8	800	24.09
H1	PU H	275/70R17	150.0	68.9	69.1	69.0	71.9	1,000	24.00
H2								1,000	
								9,500	

Note to Appendix A Table 2. Accordingly, vehicle models A, B, C, D, E, F, G and H would be compared to fuel economy values

of 30.26, 30.26, 24.09, 24.09, 24.00, 24.09, 24.09 and 24.00 mpg, respectively. With the appropriate fuel economy targets calculated,

Manufacturer X's required fuel economy would be calculated as illustrated in "Appendix A Figure 1."

Appendix A, Figure 1

Calculation of Manufacturer X's target fuel economy standard.

Manufacturer's Light Truck Production for Applicable Model Year														
Volume A	Volume B	Volume C	Volume D	Volume E	Volume F	Volume G	Volume H							
Target A	Target B	Target C	Target D	Target E	Target F	Target G	Target H							
9,500														
$\frac{800}{30.26}$	$+$	$\frac{200}{20.26}$	$+$	$\frac{1,100}{24.09}$	$+$	$\frac{400}{24.09}$	$+$	$\frac{1,000}{24.00}$	$+$	$\frac{3,200}{24.09}$	$+$	$\frac{800}{24.09}$	$+$	$\frac{2,000}{24.00}$

Manufacturer X's light truck fleet target fuel economy standard = 24.6 mpg

Appendix A, Figure 2

Calculation of Manufacturer X's actual fuel economy.

Manufacturer's Light Truck Production for Applicable Model Year																										
Volume A	Volume B	Volume C	Volume D	Volume E	Volume F	Volume G	Volume H																			
Mpg A	Mpg B	Mpg C	Mpg D	Mpg E	Mpg F	Mpg G	Mpg H																			
9,500																										
$\frac{800}{27.1}$	$+$	$\frac{200}{27.6}$	$+$	$\frac{300}{23.9}$	$+$	$\frac{400}{23.7}$	$+$	$\frac{400}{23.5}$	$+$	$\frac{400}{23.6}$	$+$	$\frac{500}{22.7}$	$+$	$\frac{500}{22.5}$	$+$	$\frac{1,600}{22.5}$	$+$	$\frac{800}{22.3}$	$+$	$\frac{800}{22.2}$	$+$	$\frac{800}{22.3}$	$+$	$\frac{1,000}{22.2}$	$+$	$\frac{1,000}{22.1}$

Manufacturer X's light truck fleet actual fuel economy performance = 23.0 mpg

Note to Appendix A Figure 2. Since the actual average fuel economy of Manufacturer X's fleet is 23.0 mpg, as compared to its required fuel economy level of 24.6 mpg, Manufacturer X did not comply with the CAFE standard for MY 2011 as set forth in section 533.5(h).

PART 537—AUTOMOTIVE FUEL ECONOMY REPORTS

7. The authority citation for part 537 continues to read as follows:

Authority: 49 U.S.C. 32907, delegation of authority at 49 CFR 1.50.

8. Amend § 537.5 by revising paragraph (c)(4) to read as follows:

§ 537.5 General requirements for reports.

* * * * *

(c) * * *

(4) Be submitted in 5 copies to: Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, SE., Washington, DC 20590, or submitted electronically to the following secure e-mail address: *cafe@dot.gov*. Electronic submissions should be provided in a pdf format.

* * * * *

9. Amend § 537.7 by revising paragraphs (c)(4)(xvi)(A)(4) and (c)(4)(xvi)(B)(4) to read as follows:

§ 537.7 Pre-model year and mid-model year reports.

* * * * *

(c) * * *

(4) * * *

(xvi)(A) * * *

(4) Beginning model year 2010, front axle, rear axle and average track width as defined in 49 CFR 523.2,

* * * * *

* (B) * * *

(4) Beginning model year 2010, front axle, rear axle and average track width as defined in 49 CFR 523.2,

* * * * *

PART 538—MANUFACTURING INCENTIVES FOR ALTERNATIVE FUEL VEHICLES

10. The authority citation for part 538 continues to read as follows:

Authority: 49 U.S.C. 32901, 32905, and 32906; delegation of authority at 49 CFR 1.50.

11. Revise § 538.1 to read as follows:

§ 538.1 Scope.

This part establishes minimum driving range criteria to aid in identifying passenger automobiles that are dual-fueled automobiles. It also establishes gallon equivalent measurements for gaseous fuels other than natural gas.

12. Revise § 538.2 to read as follows:

§ 538.2 Purpose.

The purpose of this part is to specify one of the criteria in 49 U.S.C. chapter 329 "Automobile Fuel Economy" for identifying dual-fueled passenger

automobiles that are manufactured in model years 1993 through 2019. The fuel economy of a qualifying vehicle is calculated in a special manner so as to encourage its production as a way of facilitating a manufacturer's compliance with the Corporate Average Fuel Economy standards set forth in part 531 of this chapter. The purpose is also to establish gallon equivalent measurements for gaseous fuels other than natural gas.

13. Revise § 538.7(b)(1) to read as follows:

§ 538.7 Petitions for reduction of minimum driving range.

* * * * *

(b) * * *

(1) Be addressed to: Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, SE., Washington, DC 20590.

* * * * *

Dated: September 15, 2009.

Ray LaHood,

Secretary, Department of Transportation.

Dated: September 15, 2009.

Lisa P. Jackson,

Administrator, Environmental Protection Agency.

[FR Doc. E9-22516 Filed 9-17-09; 4:15 pm]

BILLING CODE 4910-59-P; 6560-50-P



Reader Aids

Federal Register

Vol. 74, No. 186

Monday, September 28, 2009

CUSTOMER SERVICE AND INFORMATION

Federal Register/Code of Federal Regulations	
General Information, indexes and other finding aids	202-741-6000
Laws	741-6000
Presidential Documents	
Executive orders and proclamations	741-6000
The United States Government Manual	741-6000
Other Services	
Electronic and on-line services (voice)	741-6020
Privacy Act Compilation	741-6064
Public Laws Update Service (numbers, dates, etc.)	741-6043
TTY for the deaf-and-hard-of-hearing	741-6086

ELECTRONIC RESEARCH

World Wide Web

Full text of the daily Federal Register, CFR and other publications is located at: <http://www.gpoaccess.gov/nara/index.html>
Federal Register information and research tools, including Public Inspection List, indexes, and links to GPO Access are located at: http://www.archives.gov/federal_register

E-mail

FEDREGTOC-L (Federal Register Table of Contents LISTSERV) is an open e-mail service that provides subscribers with a digital form of the Federal Register Table of Contents. The digital form of the Federal Register Table of Contents includes HTML and PDF links to the full text of each document.

To join or leave, go to <http://listserv.access.gpo.gov> and select *Online mailing list archives, FEDREGTOC-L, Join or leave the list (or change settings)*; then follow the instructions.

PENS (Public Law Electronic Notification Service) is an e-mail service that notifies subscribers of recently enacted laws.

To subscribe, go to <http://listserv.gsa.gov/archives/publaws-l.html> and select *Join or leave the list (or change settings)*; then follow the instructions.

FEDREGTOC-L and **PENS** are mailing lists only. We cannot respond to specific inquiries.

Reference questions. Send questions and comments about the Federal Register system to: fedreg.info@nara.gov

The Federal Register staff cannot interpret specific documents or regulations.

Reminders. Effective January 1, 2009, the Reminders, including Rules Going Into Effect and Comments Due Next Week, no longer appear in the Reader Aids section of the Federal Register. This information can be found online at <http://www.regulations.gov>.

CFR Checklist. Effective January 1, 2009, the CFR Checklist no longer appears in the Federal Register. This information can be found online at <http://bookstore.gpo.gov/>.

FEDERAL REGISTER PAGES AND DATE, SEPTEMBER

45093-45304.....	1	48361-48646.....	23
45305-45534.....	2	48647-48844.....	24
45535-45730.....	3	48845-49306.....	25
45731-45976.....	4	49307-49790.....	28
45977-46300.....	8		
46301-46488.....	9		
46489-46662.....	10		
46663-46884.....	11		
46885-47046.....	14		
47047-47430.....	15		
47431-47710.....	16		
47711-47870.....	17		
47871-47998.....	18		
47999-48134.....	21		
48135-48360.....	22		

CFR PARTS AFFECTED DURING SEPTEMBER

At the end of each month, the Office of the Federal Register publishes separately a List of CFR Sections Affected (LSA), which lists parts and sections affected by documents published since the revision date of each title.

3 CFR

Proclamations:	
8404.....	45527
8405.....	45529
8406.....	45535
8407.....	45727
8408.....	45729
8409.....	45977
8410.....	46301
8411.....	46661
8412.....	46663
8413.....	47045
8414.....	47861
8415.....	47867
8416.....	47869
8417.....	47997
8418.....	48129
8419.....	49301
8420.....	49301
8421.....	49305

Administrative Orders:

Presidential Determinations:	
No. 2009-25 of September 7, 2009.....	48361
No. 2009-26 of September 7, 2009.....	48363
No. 2009-27 of September 11, 2009.....	47431
No. 2009-28 of September 11, 2009.....	47433
No. 2009-29 of September 14, 2009.....	48365
No. 2009-30 of September 15, 2009.....	48369

Memorandums:

Memorandum of August 31, 2009.....	45533
Memorandum of September 17, 2009.....	48133
Notices:	
Notice of September 10, 2009.....	46883
Notice of September 21, 2009.....	48359

5 CFR

531.....	49307
Proposed Rules:	
630.....	46934
875.....	46937

6 CFR

37.....	49308
---------	-------

7 CFR

210.....	45305
220.....	45305
246.....	48845
248.....	46665
249.....	48373
301.....	47999, 48001, 48003
319.....	46489
354.....	49309, 49311
402.....	45537
407.....	45537
457.....	45537
760.....	46665
905.....	46303, 47047
916.....	48846
917.....	48846
920.....	46306
924.....	48848
944.....	47047
945.....	45731
959.....	47048
980.....	45734
993.....	46310
1470.....	48005
1779.....	48005
3430.....	45736
3575.....	48005
4279.....	48005
4280.....	48005
5001.....	48005

Proposed Rules:

301.....	48013
305.....	48013
457.....	46023
970.....	45565, 48423
983.....	45772
987.....	47124
1250.....	48868, 49342
1485.....	46027
1493.....	48014

8 CFR

Proposed Rules:	
103.....	46938
214.....	46938
274a.....	46938

9 CFR

77.....	48375
Proposed Rules:	
317.....	46951
321.....	47648
332.....	47648
381.....	46951, 47648

10 CFR

55.....	45544
76.....	45544
431.....	45979
600.....	48850
1024.....	48850
Proposed Rules:	
40.....	46512

50.....48667
 52.....48667
 72.....47126
 609.....46513

12 CFR
 329.....47050
 330.....47711
 347.....47711
 370.....45093

Proposed Rules:
 3.....47138
 208.....47138
 225.....47138
 325.....47138
 370.....47489
 567.....47138

13 CFR
 120.....45752
 121.....45752, 46312
 124.....45752, 46885
 125.....46885
 126.....45752, 46885
 134.....45752

14 CFR
 1.....45307
 23.....45100
 25.....45546
 33.....45307
 39.....45311, 45550, 45754,
 45979, 46313, 46317, 46319,
 46322, 46324, 46327, 46329,
 46331, 46334, 46336, 46339,
 46342, 46888, 48007, 48135,
 48138, 48143

71.....45553, 45554, 45981,
 45982, 45983, 45984, 46489,
 46890, 46892, 46893, 46894,
 46896, 46897, 46898, 48850,
 48851
 73.....47718
 97.....46899, 46901, 48647,
 48649
 101.....47435

Proposed Rules:
 23.....45133
 25.....45777, 47494
 39.....45135, 45139, 45381,
 45781, 45783, 45787, 46395,
 47148, 47759, 47760, 47897,
 47900, 48016, 48019, 48021,
 48024, 48028, 48668, 48870,
 48872, 48877, 48882, 49345,
 49346, 49349, 49351
 71.....45142, 45574, 45575,
 46513, 47495, 48172, 48671
 73.....47150
 93.....47495
 382.....47902

15 CFR
 730.....48009
 732.....48009
 734.....48009
 736.....45985, 48009
 738.....48009
 740.....45985, 48009
 742.....48009
 743.....48009
 744.....45990, 48009
 746.....45985, 48009
 747.....48009
 748.....48009
 750.....48009

752.....48009
 754.....48009
 756.....48009
 758.....48009
 760.....48009
 762.....48009
 764.....48009
 766.....48009
 768.....48009
 770.....48009
 772.....48009
 774.....48009
 902.....45756
 909.....45555

Proposed Rules:
 806.....45383

16 CFR
 1119.....45101
Proposed Rules:
 1119.....45133
 1215.....45719
 1216.....45704
 1500.....45714, 45723

17 CFR
 230.....47719
 240.....47719
 260.....47719
 270.....48376
Proposed Rules:
 242.....48632

18 CFR
 301.....47052
Proposed Rules:
 38.....48173
 284.....45576
 366.....48884
 367.....48884

19 CFR
 12.....48852
 148.....48853
 163.....48852

20 CFR
 404.....48381, 48855
 416.....48381
 655.....45560
Proposed Rules:
 655.....45906
 901.....48030

21 CFR
 510.....47725
 522.....47725
 524.....47435

Proposed Rules:
 4.....48423
 1301.....46396

22 CFR
 22.....47726
 51.....47726
Proposed Rules:
 62.....45385, 48177

23 CFR
Proposed Rules:
 772.....47762

24 CFR
 206.....45311

26 CFR
 1.....45757, 45993, 46345,

46346, 47436, 47728, 48151,
 49315
 54.....45994
 301.....46347, 46903, 49321
 602.....45757, 47436, 49315

Proposed Rules:
 1.....45789, 47152, 47500,
 48672, 48888
 17.....47500
 26.....46705
 53.....48672
 301.....46705, 46957, 49354

27 CFR
 40.....48650
 41.....48650
 45.....48650

Proposed Rules:
 40.....48687
 41.....48687
 45.....48687

28 CFR
 0.....47096

29 CFR
 1910.....46350
 1915.....46350
 1917.....46350
 1918.....46350
 1956.....45107
 4022.....47097
 4044.....47097

Proposed Rules:
 501.....45906
 1630.....48431
 1910.....46958
 1926.....46958
 2560.....45791

30 CFR
 203.....46904
 210.....46904
 250.....46904
 251.....46904
 253.....46904
 254.....46904
 256.....46904
 280.....46904
 291.....46904
 944.....45116

31 CFR
 356.....47099
 515.....46000
 538.....46361

33 CFR
 100.....46364
 110.....46007
 117.....46010, 46910, 49323,
 49325, 49326
 138.....46367
 151.....45555
 165.....45120, 45318, 45323,
 46011, 46014, 46367, 46491,
 47729, 47871, 47873, 47875,
 48654
 334.....48151

Proposed Rules:
 110.....47906
 117.....48889
 151.....46910, 48190, 48891,
 49355
 155.....48891

160.....48891
 165.....46040

34 CFR
Proposed Rules:
 Ch. VI.....46399

36 CFR
 1253.....47439
Proposed Rules:
 1254.....48892

37 CFR
Proposed Rules:
 202.....48191

38 CFR
 17.....48011
 36.....48657

Proposed Rules:
 3.....48689

39 CFR
 20.....45760
 111.....45325, 45763
 3010.....49326
 3020.....45327, 46016
Proposed Rules:
 3055.....49190
 3060.....46044

40 CFR
 9.....47877
 35.....46019
 49.....49327
 52.....45561, 45766, 46910,
 47404, 47414, 47888, 48153,
 48384, 48659, 48662, 48857,
 48863
 63.....46493
 81.....47404, 47414
 180.....45330, 46369, 46377,
 46683, 46689, 47440, 47445,
 47451, 47891, 48386, 48391,
 48396, 48402, 48408
 239.....45769
 258.....45769
 300.....45335, 48412
 721.....47877

Proposed Rules:
 49.....49356
 51.....48690
 52.....45387, 45578, 45795,
 46044, 46965, 47154, 47910,
 48450, 48467, 48478, 48495,
 48498, 48690, 48695, 48702,
 48703, 48894

60.....46401
 81.....45387
 82.....47774
 86.....49454
 180.....47507
 239.....45796
 258.....45796
 261.....48690
 262.....48690
 264.....48690
 265.....48690
 270.....48690
 300.....48504, 48511
 600.....49454
 721.....46707

42 CFR
 405.....47458

483.....48865
Proposed Rules:
 457.....47517
43 CFR
 3000.....49330
 3200.....49330
44 CFR
 59.....47471
 61.....47471
 64.....45122, 46699, 48156
 78.....47471
 79.....47471
 80.....47471
 201.....47471
 206.....47471
Proposed Rules:
 67.....46047, 46056, 46068,
 46074, 47160, 47164, 47169,
 48043
45 CFR
 2510.....46495
 2516.....46495
 2519.....46495
 2520.....46495
 2522.....46495
 2540.....46495
 2550.....46495, 48866
 2551.....46495
 2552.....46495, 48866
 2553.....46495
46 CFR
 1.....49218
 2.....49218
 5.....49218
 6.....49218
 7.....49218
 8.....49218
 10.....49218
 11.....49218
 12.....47729, 49218
 15.....47729, 49218
 16.....49218
 25.....49218
 26.....49218
 27.....49218
 28.....49218
 30.....49218
 31.....49218
 32.....49218
 34.....49218
 35.....49218

39.....49218
 44.....49218
 46.....49218
 50.....49218
 52.....49218
 53.....49218
 54.....49218
 56.....49218
 57.....49218
 58.....49218
 59.....49218
 61.....49218
 62.....49218
 63.....49218
 67.....49218
 68.....49218
 69.....49218
 70.....49218
 71.....49218
 76.....49218
 77.....49218
 78.....49218
 90.....49218
 91.....49218
 92.....49218
 95.....49218
 96.....49218
 97.....49218
 98.....49218
 105.....49218
 107.....49218
 108.....49218
 109.....49218
 110.....49218
 111.....49218
 114.....49218
 116.....49218
 125.....49218
 126.....49218
 127.....49218
 128.....49218
 130.....49218
 131.....49218
 133.....49218
 134.....49218
 147.....49218
 148.....49218
 150.....49218
 151.....49218
 153.....49218
 154.....49218
 159.....49218
 160.....49218
 161.....49218
 162.....49218
 164.....49218

167.....49218
 169.....49218
 170.....49218
 172.....49218
 174.....49218
 175.....49218
 177.....49218
 188.....49218
 189.....49218
 193.....49218
 194.....49218
 195.....49218
 197.....49218
 199.....49218
 401.....49218
Proposed Rules:
 162.....46964, 48190, 49355
47 CFR
 25.....47100
 27.....49335
 32.....47107
 64.....47894
 73.....45126, 45770, 46020,
 47483, 47896, 48169, 48170,
 48664
 74.....45126, 46382
 79.....46703
Proposed Rules:
 27.....49356
 73.....45797, 45798, 47775,
 48191
48 CFR
 52.....48421
 205.....48170
 247.....48170
 352.....47108
 501.....47737
 514.....47737
 552.....47737
 909.....48421
 1545.....47108
 1552.....47108
Proposed Rules:
 8.....45394
 9.....45579
 12.....45394, 45579
 15.....45394
 42.....45394
 49.....45394
 52.....45579
49 CFR
 222.....46384

234.....45336
 393.....47112
 450.....49218
 451.....49218
 452.....49218
 453.....49218
 501.....46021
 573.....47740
 579.....47740
 599.....49338
 1515.....47672
 1520.....47672
 1522.....47672
 1540.....47672
 1544.....47672
 1546.....47672
 1548.....47672
 1549.....47672
Proposed Rules:
 367.....45583, 47911
 523.....48894
 531.....48192, 48894, 49454
 533.....48192, 48894, 49454
 534.....48894
 536.....48894
 537.....48894, 49454
 538.....49454
 571.....45143
 633.....46515
 1135.....48049
50 CFR
 13.....46836
 17.....46914, 47112, 47483
 20.....45343, 48822, 49244,
 49294
 22.....4683
 32.....45674, 47117
 222.....46930
 223.....46930
 226.....45353
 622.....46509, 46510
 648.....45131, 47117, 47118,
 48866
 660.....48421
 665.....45756, 47119, 48422
 679.....45131, 45378, 45379,
 45564, 46021, 48170, 48665
Proposed Rules:
 17.....45396, 46401, 46521,
 46542, 46548, 46551, 46965,
 47536, 48211, 48215
 648.....45597, 45798, 48707
 660.....46714, 47545

LIST OF PUBLIC LAWS

This is a continuing list of public bills from the current session of Congress which have become Federal laws. It may be used in conjunction with "PLUS" (Public Laws Update Service) on 202-741-6043. This list is also available online at <http://www.archives.gov/federal-register/laws.html>.

The text of laws is not published in the **Federal Register** but may be ordered

in "slip law" (individual pamphlet) form from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402 (phone, 202-512-1808). The text will also be made available on the Internet from GPO Access at <http://www.gpoaccess.gov/plaws/index.html>. Some laws may not yet be available.

H.R. 3325/P.L. 111-63
WIPA and PABSS
Reauthorization Act of 2009
(Sept. 18, 2009; 123 Stat. 2001)


S.J. Res. 9/P.L. 111-64
Providing for the appointment of France A. Cordova as a citizen regent of the Board of Regents of the Smithsonian Institution. (Sept. 18, 2009; 123 Stat. 2002)
Last List August 24, 2009

Public Laws Electronic Notification Service (PENS)

PENS is a free electronic mail notification service of newly enacted public laws. To

subscribe, go to <http://listserv.gsa.gov/archives/publaws-l.html>

Note: This service is strictly for E-mail notification of new laws. The text of laws is not available through this service. **PENS** cannot respond to specific inquiries sent to this address.





Printed on recycled paper

