

## **Philosophical Transactions**

Please note: Due to an error in the print volume, the page numbering in this article may contain either page numbering skips, or page numbering repetitions, or both. However, the article content is presented in its entirety and in correct reading order.

Please click on "Next Page" (at the top of the screen) to begin viewing the article.

other) furrows be made: For, Experience hath taught us, that the Land laid up without furrows bears more Corn, than that which hath more furrows; because the Wheat and Barley, and other Plants receive greatest damage by drought: And therefore this ought more especially to be observed in *Spain*, one of the dryest Country of *Europe*.

12. In many parts of Spain in 1664, it was found, that Land fown in September hath yielded a better Crop, then that which was fow'd in October, and that fown in October, better than that fown in November: Which proveth, that its more advantagi-

ous to fow early, then late.

13. They have observed also, That it is very profitable to sow in the New Moon, because it will shoot forth, and thrive, and ripen sooner. This is understood for those, who till but a little Land, and so can chuse their own time to sow; but those that plough great quantities, can lose no time nor season in sowing. And in Spain they may begin the first New Moon in September, and so go on, and end with the New Moon in November. And in Italy they may do in the same manner, as also in the Islands of the Mediterranean. But in Germany and the Low Countries, they begin in the end of August, and end with the New Moon of October.

So far this Account. If any define to see this Instrument, he may inquire for the Curator of the R. Society (Mr. Hook,) or for their Operator Mr. Shortgrave, in Gresham Colledg, the latter of whom will also, in all likelyhood, be ready to provide the Engin itself for those, who shall please to make use of it.

An Account of the Observation, made by the Philosophical Academy at Paris, May 12 1667 about 9. of the Cleck in the morning, of an Halo or Circle about the Sun; together with a Discourse of M. Hugens de Zulechem, concerning the Cause of these Meteors, as also that of Parelia's or Mock-Suns. Englished out of French by the Publisher, to whom it was sent but lately from the worthy Author of the said Discourse.

He Diameter of this Circle, which was exactly observ'd, was found to be of 44 degrees, and the breadth of the Limb thereof, of about half a degree. The upper and lower part were of a vivid redi and Jellow, with a little purple-co-

M 2 lour

lour, but especially the upper; the red was within the Circle. The other parts appeared but whitish and of little clearness. The space within the Halo was a little darker then that about it, especially towards the parts that were coloured. Besides there was feen the portion of another great Circle, which touched the Halo above, and whose extremities were bent downward, as is represented in the I. Fig in Tab. 2. This portion of a Circle had also its Colours like those of the Halo, but fainter. The height of the Sun, at the beginning of the Observation, was about 46. degrees. There were in the Air little white Clouds, which somewhat tarnish'd the blew colour of the Heavens, and lessened the brightness of the Sun, which shone as in an Eclipse. The weather was cold, confidering the feafon of the year, and it was affirmed for certain, that it had frozen the night before. This Halo appeared in the same beauty and splendor of colours, unchanged, from 9. in the morning, (when it began to be observed) until about half an hour past ten; after which time it became fainter and fainter till two of the clock in the afternoon. when it ended, after it had refumed alittle more force some time before it disappeared.

The Observation of this *Phanomenon* engaged M. Hugens to propose to the Company, assembled at his Majesties Library, what he had meditated, some years agoe, concerning the Cause, not only of these *Halo's*, but also of the *Parhelia*, which have been hitherto look't upon by many as Prodogies,

and as Prognosticks of some singular Event.

As for the Halo's, he said, that they were formed by small round grains, made up of two parts, one transparent, the other opaque, the latter being inclosed in the former, as a cherry-stone is in a cherry; as may be seen in the II Figure, wherein A A represents one of these grains, and B the kernel or opaque part ('Tis drawn much bigger than the natural, to render the thing the more intelligible.)

He related the Observations of those who have seen Hail formed after this manner, and, among others, that of M. Des-Cartes in his Treatise of Meteors; and explain'd, how that some of these little grains, which swim up and down in the Air betwixt us and the Sun, being less distant from the axis, which extends extends itself from the Sun to our Eye, than of a certain angle, do necessarily hinder the rays, which sall on them, from coming to our Eyes, in regard that the opaque kernel is the cause that there is behind every such grain a space of a conical figure, as MNO in the II. Figure, in which the Eye of the Spectator being scituated cannot see the Sun through that grain, though it may see him when posited elsewhere, as somewhere in P.

And to make the Company the more distinctly to understand the effect, which these Grains suspended in the Air must produce, he drew the III Figure; in which, B is the place of the Eve: BA, the axis which passeth from the Eye to the Sun; C. M. F, some of the icy Grains with their keinel them half opaque: Among which, the Grain C, being in the axis B A, and the lines C K, L H, representing the rays of the Sun nearest to the axis, the passage of which is not hindred by the opacity of the kernel, 'tis certain, not only that the grain C will not be able to transmit any ray of the Sun towards B. but also that, imagining the superficies of a Cone, whose top is in the Eye, and its fides BD, BE, parallel to the rays CK. LH, all the grains MM, which this superficies shall comprise, will likewise not suffer any ray to pass to the Eye, because it must needs be in their Cone of obscurity; but those, that shall be without this superficies, as the grains F F, will let them pass, because the Eye is without their Cone of obscurity. Whence it follows, that the Angle of this Cone BDE is that, which determins the Diameter of the Halo, which depends from the proportion, the opaque grain hath to the transparent, in which it is inclosed. For, if this Diameter is of 44 degrees, as is observed in most Halo's, the bigness of the opage grain will be to the transparent as 40 to 19. But he said. that this proportion was not always the same, and that the diversity of it was the cause, that sometimes there were seen many Halo's, one about the other, all having the Sun for their Center.

He added, that it was easy to know, why these Halo's were always of a round figure, whether the Sun be little or much raited above the Horizon; as also to give a reason of their Colours, which is the same with that in the Triangular Glass-Prism es.

Prismes; as is evident by the Tangents AD, drawn to the Grain A, at the points, where the Ray DA enters or coms out

Further he took notice, that it was also manifest, why the red colour is in the interiour circumference of the Halo. And why the space, which it taketh in, and chiefly near the most lively colour'd parts, appears obscurer than the Air about, viz. because 'tis there, where most Grains are, which transmit no rays of the Sun to our Eyes, and so do nothing but darken the Air, as the drops of water when it raineth.

Moreover he noted, that M. Des Cartes, endeavouring to explain the Cause of these Halo's, had committed a mistake, for want of Observations, truly relating this last circumstance: Because he maintains, that the space comprised within the Halo is clearer than the Air without; and to render a reason of it, he supposeth certain Grains, altogether transparent, having the form of a lentil; which supposition cannot therefore be true, because what he deduceth from it, is contrary to what is observed: Besides that the roundness of the Halo in all the elevations of the Sun agreeth not with it, as were easy to show.

He stayed not to examine the Generation of the half-dark grains, because he is shortly to publish a larger Treatise of this subject; where he intends also to render a reason, why the dark kernel keeps certain proportions, rather than others, with the Grain, which contains it.

As to the Arch of the Circle, which above touched the last Halo seen May 12th, as also that the Colours were more vivid in this place, and in that below, then in the rest of the Circle; he said, that these effects did not proceed from the Gains, he had been speaking of, but from another cause, which did also serve for the production of the Parhelia and the Circles which almost always accompany them.

Touching which Circles and Parhelia's he told the Company, that besides the round and half-dark Grains, there were also formed in the Air certain little Cylinders of the like nature, and of which M. Des Cartes himself declared in his Treatise of Meteors to have observed some, not indeed with opaque kernels within,

within, but that the same cause, which produceth them in the round grains, could also produce them in Cylinders: Which being supposed to be such as the IV. Figure represents them, viz. oblong icy grains, and roundish at both ends, having the inner kernel of the same shape, it was found, that from their different dispositions all the appearances of the Parhelia and their Circles did necessarily follow.

And first, that some of these Cylinders being erect, in the fituation which probably they ought to have in being formed. there must appear in the Heavens a great white Circle, parallel to the Horison, passing through the Sun, and of near the same breadth with him; as hath been observed in the Phanomenon of Rome A. 1629, of which Gassendus and Des-Cartes have written, and which is here exhibited in the V. Figure. That this Circle LKNM is caused by the reflection of the rays of the sun upon the surface of these Cylinders; it being easy to demonstrate, that there are none but those, which are raifed at the same angle above the Horizon with that of the height of the Sun, that can reflect his rays to our Eye. Whence it manifestly follows, that it must appear White, and throughout of equal altitude with the Sunitfelf, and by confequence parallel to the Horizon. That confidering afterwards the Transparency of these perpendicular Cylinders, and their opaque kernels, it is easily seen, that those of the white Circle, which are distant from the Sun at a certain angle, begin to give passage to his rays to strike our eyes, in the same manner as hath been said of the round half-dark Grains. That these Cylinders are those, which on each side of the Sun make us see a Parhelion in the great white Circle, as hath been noted in the Observation of Rome (where they are mark'd with K and N) and in many others. That these Parhelia have commonly luminous tayles, because the Cylinders, which follow those first ones that form the Parhelia, and which are yet further distant from the Sun, let also pass his rays to our Eye, so that these Tayles may be 20 degrees and more in length. That the same Parhelia are always colour'd, because they are made by refraction, as the Halo.

That besides, there are two other Images of the Sun, gene-

rated by these perpendicular Cylinders, and so disposed in the great white Circle, that the Spectator, turning his face towards the true Sun, hath them behind him; as in the Roman Observation are the Parhelia L and M. That these are produced by two refractions and one restexion in these Cylinders, in the same manner as the ordinary Rain-bow in the drops of water, according as M. Des-Cartes hath declared: So that the opaque kernels do nothing to the production of these two Suns, but that they may be sometimes so big, as to make them not appear.

That according to the Altitude of the Sun, more or less, thesetwo Parhelia are more or less nigh to one another; of which he promise the to give the true measures in his Treatise of

Parhelia's.

That they should appear coloured, as the Rainbow, and that sometimes they have been seen such; but that when they are faint, they may also seem white, even as the Halo's, when

they are not very bright.

That these same perpendicular Cylinders can also produce an Halo about the Sun, by reason of the rounding of their two ends; which maketh, that being distant from the Sun at a certain angle, on what side soever it be, they begin from thence to give passage to the rays, transmitting them to the Eyes of the Spectator. And that these Halo's are probably those, we see almost always pass through the two Parhelia that are on the side of the true Sun, as the Halo GK NI in the Phænomenon of Rome.

considerable, which is of those that are couchant, so as their axes are parallelto the plan of the Borizon, but turn'd divers ways, some one some another way, like needles confusedly thrown on the ground: Which Horizontal disposition is very natural to those Cylindrick Bodies, supported by the vapors, which rise from the earth, as may be made out Experimentally in Bodies thus figured, being let fall in the Air.

That it is in these Cylinders, that the Arches, which touch the Halo's above or below, are formed; such as there were in the Phanomenon observ'd at Rome A. 1630, which is descrithose, which M. Hevelius hath related at the end of his Mercurius in Sole. And that the Arch, which appear'd upon this last Halo at Paris, was of the same kind. That the figure of these Arches is different according to the different Altitudes of the Sun, and the several Magnitudes of the Diameters of the Halo's. That when the Sun is very night he Horizon, such an Arch appearing upon an ordinary Halo of 44 degrees, must represent as twere two Horns, as in the VI. Figure, AB, AC: But that the Sun rising higher, those Horns become lower in proportion, and make such Arches as are represented in the same VI. Figure, where each height of the Sun is mark'd near the Arch, which it is to make: Of which the Demonstrations were reserved to the same Treatise of Parkelia's

That the place of the Arches where they touch the Halo's, being more strongly enlightened and coloured than the rest, maketh us Judge, that there are Parhelia in those places.

That the reason, why these Arches do ordinarily touch a Parhelion, was, that the same Cyl nders couchant, which produce the Arch, produce also that Parhelion, by the means of their two round and transparent Ends, in the same manner as hath been said of the perpendicular Cylinders. And that the Parhelion last seen at Paris had been formed in these couchant Cylinders. That that was also consisted, by reason that it was brighter in the superior and inferior part, than any where else, which necessarily comes to pass in a Parhelion caused by Cylinders thus disposed, whereas when produced by the round Grains, it must appear every where equally strong.

That in these same Cylinders parallel to the Horizon, there is also found the Cause of the White Cross, observed together with the Paraselene's or Mock-moons by M. Hevelius, and exhibited at the end of his Mercurius in Sole: the perpendicular Fillet of that Cross, coming from the reslection of the rays of the Moon upon the surface of these Cylinders; as the other Fillet, parallel to the Horison, is produced by the reslection of the perpendicular Cylinders which make the great white Circle, of which this Fillet is a part. That yet the Moon must not be very high above the Horizon, to the end that the cou-

N

ching Cylinders may produce this effect: And that it should be well heeded, when the like Meteor shall appear, whether the perpendicular Fillet be not narrow or where it passeth through the Moon, than in other places, and especially upwards,

where it must grow larger and dis-appear.

That besides the perpendicular Cylinders, and those that are couched parallel to the Horizon, there are often a great many, which move to and fro in the Air in all sorts of positions; and that those, by the same reason that the round Grains do, must produce an Halo about the Sun, and even a more vivid one than that which is caused by the Grains, for as funch as each Cylinder sends many more rays to the Eye, than each of these little Spheres. That the little Halo DEF, in the Roman Phænomenon (Fig. V.) may very well have been caused by such

Cylinders.

As to those Mock-suns, which sometimes show themselves directly opposite to the True Sun, ( such an one as was published by M. Hevelius, and observed Febr. 23. 1661;) that he could find nothing neither in the round Grains nor in the Cvlinders, which should make these Suns necessarily to meet in the great White Circle, parallel to the Horison, and that, if that should be always verifyed by future O servations, the cause of it must be lookt for elsewhere: But that in the mean time he did believe, that that hapned not but by chance; which being so, a reason might be given of these Suns by the same supposition, which served also for the Anthelion, observed by M. Hevelius Sept. 6. 1661; in which there were two coloured Arches of a Circle, opposite to the Sun, which did intersect one another, their intersection being the place of the Which although it be represented in the Figure of Hevelius at the same height with the true Sun, yet it was in truth higher by 15 degrees or more; as he hath acknowledged himself afterwards: So that, if there had been a great white Circle in this Phanomenon, the Parhelion was not at all to have been in it.

That for the generation of these Suns, he did suppose a number of small Cylinders with opaque kerne's, as the precedent; which were carried in the Air, neither perpendicularly, nor couching

ching, but inclined to the Plan of the Horizon at a certain angle being near an half right one; to which were particularly appropriated those Cylinders, which M. Des Cartes saw fall from the Heavens, having Stars at both ends: As may be seen experimentally, by forming Cylinders of that fashion, which is represented in Fig. VII, and letting them descend in the Air or in Water. That in these Cylinders was found, following the Calculus to be given in the Treatise of Parhelia's, not only the Cause of the Anthelia made by the intersection of two Arches, as in Fig. VIII, but also that of some other Extraordinary Arches and Rods, that are sometimes observed near the Sun, of which notwithstanding there could nothing be as yet assirmed with certainty, for want of exact and faithful Observations.

To make all these different effects of the Cylinders manisest to the Eye, M. Hugens produced one of Glass, a foot long, of the shape of that in Fig. IV; and for the kernel opaque in the middle, a Cylinder of Wood, and the ambient space silled with water, instead of transparent Ice: Which Cylinder being exposed to the Sun, and the Eye put in such places as was requisit, there were successively seen all those reslexions and restractions, that have been discoursed of. Whence it might be concluded, that a great number of the like Cylinders, although very small in comparison to that, being sound in the Air, and having the several postures that have been supposed, all the Appearances of the Parhelia and their Circles must exactly follow.

It was wished, for an entire confirmation of the truth of this Hypothesis, that some of those small Cylinders could be observed to fall to the ground at the time, when any Parhelia do appear: Which he showed could not easily be done, because that the vapors, which then rife from the Earth upwards, and which are the cause of their Cylindercal figure, keep them also suspended in the Air. He added, that it was not to be thought strange, that such small grains of hail were thus kept up in the Air by the vapors, for smuch as these, by being rarifyed and dilated upwards, might have motion enough for this effect. That that was more easy to conceive, than to imagine, how these same

N 2

vapors could keep suspended a very great and weighty Circle of Ice, such as M. Des-Cartes supposeth to explicate the cause of Parhelia's and of the great White Circle of the Roman Pha-In which supposition were also to be noted the following difficulties; viz. That therein there appears no reason, why the White Circle should pass through the Sun, as is always observed, and that it should shade him according as he changes in height, though the Phanomenon do sometimes last three or four hours: That this same White Circle, formed of Ice. being feen by Spectators distant enough from one another could not appear round to all (as it doth) and to traverse the Sun: That, when Parhelia are observed, there appears not at all this round Cloud encompassed with the Icy Circle, which by its thickness should hide a part of the Heavens; but that the Weather seeems almost altogether serene, there being none but smal clouds, which are seen to change places, whilst the great Circle and the Parhelia remain at rest. That in this Hypothesis it happens not but by chance, that the Parhelia, which areat the fide of the Sun, appear in the Intersections of an Halo and of the great White Circle; which yet is observed to come to pass always, and shews, that the Causes of these Halo's and of the Parhelia are very little different, against the opinion of M. Des Cartes.

A Discourse of Dr R. Wittie, relating to the Notes of Dr Foot in Numb. 52. and to those of Dr. Highmore in Numb. 56. of these Tracts; concerning Mineral Waters, and Extracts made out of them: Communicated to the Publisher, by way of Letter.

Sir,

Must always acknowledg myself much obliged to you for the reiterated mention you have been pleased to make of my Book in your Transactions, and your patient condescension to the trouble, that hath ensued therefrom to you, whereas I could not have any ground of hope, that any thing of mine should have fallen under your notice. And this goodness of yours gives me encouragement to presume at this time to defire your favor in the perusal of these lines, which are occasi-

